

# MAPMAKER: An interactive computer package for construction maps of experimental and natural populations

Genomics

1, 174-181

DOI: [10.1016/0888-7543\(87\)90010-3](https://doi.org/10.1016/0888-7543(87)90010-3)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A genetic linkage map of the human genome. <i>Cell</i> , 1987, 51, 319-337.	13.5	942
2	Molecular mapping of rice chromosomes. <i>Theoretical and Applied Genetics</i> , 1988, 76, 815-829.	1.8	1,040
3	Resolution of quantitative traits into Mendelian factors by using a complete linkage map of restriction fragment length polymorphisms. <i>Nature</i> , 1988, 335, 721-726.	13.7	1,532
4	Localization of the FGR protooncogene on the genetic linkage map of human chromosome 1p. <i>Genomics</i> , 1988, 3, 124-128.	1.3	20
5	RFLPs and linkage relationships of the human laminin B2 gene. <i>Genomics</i> , 1988, 3, 393-395.	1.3	9
6	Sets of Linked Genetic Markers for Human Chromosomes. <i>Annual Review of Genetics</i> , 1988, 22, 259-279.	3.2	31
7	Restriction fragment length polymorphism linkage map for <i>Arabidopsis thaliana</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 6856-6860.	3.3	407
8	Restriction Fragment Length Polymorphism Linkage Map of <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 1989, 1, 699.	3.1	66
9	Applying expert system techniques to human genetics. <i>Journal of Biomedical Informatics</i> , 1989, 22, 234-247.	0.7	9
10	Recombination events suggest potential sites for the Huntington's disease gene. <i>Neuron</i> , 1989, 3, 183-190.	3.8	93
11	A genetic linkage map of 17 markers on human chromosome 21. <i>Genomics</i> , 1989, 4, 579-591.	1.3	82
12	MAP, an expert system for multiple pairwise linkage analysis. <i>Annals of Human Genetics</i> , 1989, 53, 263-269.	0.3	65
13	Human gene for torsion dystonia located on chromosome 9q32-q34. <i>Neuron</i> , 1989, 2, 1427-1434.	3.8	246
14	A genetic linkage map of 32 loci on human chromosome 10. <i>Genomics</i> , 1989, 5, 718-726.	1.3	30
15	Genetic and morphological analysis of a maize-teosinte F2 population: implications for the origin of maize.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 9888-9892.	3.3	287
16	Use of Molecular Markers in Breeding for Oligogenic Disease Resistance. <i>Plant Breeding</i> , 1990, 104, 1-19.	1.0	191
17	DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. <i>Nucleic Acids Research</i> , 1990, 18, 6531-6535.	6.5	10,873
18	Genetic analysis of soybean hard seededness with molecular markers. <i>Theoretical and Applied Genetics</i> , 1990, 79, 465-469.	1.8	108

#	ARTICLE	IF	CITATIONS
19	Mapping of ripening-related or -specific cDNA clones of tomato ( <i>Lycopersicon esculentum</i> ). <i>Theoretical and Applied Genetics</i> , 1990, 79, 489-496.	1.8	57
20	Dystonia gene in Ashkenazi Jewish population is located on chromosome 9q32-34. <i>Annals of Neurology</i> , 1990, 27, 114-120.	2.8	141
21	Molecular mapping of the mouse db mutation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 8642-8646.	3.3	88
23	A genetic linkage map of chromosome 17. <i>Genomics</i> , 1990, 8, 1-6.	1.3	48
24	The CEPH consortium primary linkage map of human chromosome 10. <i>Genomics</i> , 1990, 6, 393-412.	1.3	74
25	Localization of the von Hippel-Lindau disease gene to a small region of chromosome 3. <i>Genomics</i> , 1990, 8, 634-640.	1.3	153
26	Mapping the human amylase gene cluster on the proximal short arm of chromosome 1 using a highly informative (CA) <sub>n</sub> repeat. <i>Genomics</i> , 1990, 7, 97-102.	1.3	37
27	Hyperkalemic periodic paralysis and the adult muscle sodium channel alpha-subunit gene. <i>Science</i> , 1990, 250, 1000-1002.	6.0	332
28	A genetic map of chromosome 1: Comparison of different data sets and linkage programs. <i>Genomics</i> , 1990, 7, 313-318.	1.3	10
29	Counting algorithms for linkage. <i>Annals of Human Genetics</i> , 1990, 54, 103-106.	0.3	8
30	A simple method for ordering loci using data from radiation hybrids. <i>Genomics</i> , 1991, 9, 120-123.	1.3	32
31	Molecular genetic linkage maps of mouse chromosomes 4 and 6. <i>Genomics</i> , 1991, 11, 33-47.	1.3	41
32	Linkage mapping of human polymorphic proteins identified by two-dimensional electrophoresis. <i>Genomics</i> , 1991, 11, 875-884.	1.3	6
33	The CEPH consortium linkage map of human chromosome 1. <i>Genomics</i> , 1991, 9, 686-700.	1.3	113
34	Increased recombination adjacent to the Huntington disease-linked D4S10 marker. <i>Genomics</i> , 1991, 9, 104-112.	1.3	53
35	A genetic linkage map of human chromosome 5 with 60 RFLP loci. <i>Genomics</i> , 1991, 10, 173-185.	1.3	40
36	A genetic linkage map of 27 markers on human chromosome 21. <i>Genomics</i> , 1991, 9, 407-419.	1.3	82
37	Isolation of molecular markers from specific chromosomal intervals using DNA pools from existing mapping populations. <i>Nucleic Acids Research</i> , 1991, 19, 6553-6568.	6.5	381

#	ARTICLE	IF	CITATIONS
38	A genetic map for <i>Brassica napus</i> based on restriction fragment length polymorphisms detected with expressed DNA sequences. <i>Genome</i> , 1991, 34, 543-552.	0.9	161
39	A genetic linkage map of <i>Triticum tauschii</i> (DD) and its relationship to the D genome of bread wheat (AABBDD). <i>Genome</i> , 1991, 34, 362-374.	0.9	278
40	Construction of a restriction fragment length polymorphism map for barley ( <i>Hordeum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td	0.9	428
41	Identification of restriction fragment length polymorphism and random amplified polymorphic DNA markers linked to downy mildew resistance genes in lettuce, using near-isogenic lines. <i>Genome</i> , 1991, 34, 1021-1027.	0.9	203
42	Counting algorithms for linkage: correction to Morton and Collins. <i>Annals of Human Genetics</i> , 1991, 55, 33-38.	0.3	5
43	Genetic mapping of a gene causing hypertension in the stroke-prone spontaneously hypertensive rat. <i>Cell</i> , 1991, 67, 213-224.	13.5	720
44	The molecular genetic analysis of <i>Triticum tauschii</i> , the D-genome donor to hexaploid wheat. <i>Genome</i> , 1991, 34, 375-386.	0.9	137
45	Linkage mapping of the human CSF2 and IL3 genes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4821-4824.	3.3	16
46	The MADS box gene family in tomato: temporal expression during floral development, conserved secondary structures and homology with homeotic genes from <i>Antirrhinum</i> and <i>Arabidopsis</i> . <i>Plant Journal</i> , 1991, 1, 255-266.	2.8	281
47	A linkage map of <i>Brassica rapa</i> ( <i>syn.campestris</i> ) based on restriction fragment length polymorphism loci. <i>Theoretical and Applied Genetics</i> , 1991, 82, 296-304.	1.8	221
48	Extended map for the phaseolin linkage group of <i>Phaseolus vulgaris</i> L. <i>Theoretical and Applied Genetics</i> , 1991, 82, 353-357.	1.8	13
49	Identification of an RFLP marker tightly linked to the <i>Ht1</i> gene in maize. <i>Theoretical and Applied Genetics</i> , 1991, 82, 393-398.	1.8	74
50	RFLP-based genetic map of rye ( <i>Secale cereale</i> L.) chromosome 1R. <i>Theoretical and Applied Genetics</i> , 1991, 82, 174-178.	1.8	41
51	Quantitative trait loci for plant height in four maize populations and their associations with qualitative genetic loci. <i>Theoretical and Applied Genetics</i> , 1991, 83, 141-145.	1.8	238
52	Genome-wide reduction in recombination of backcross progeny derived from male versus female gametes in an interspecific cross of tomato. <i>Theoretical and Applied Genetics</i> , 1991, 83, 173-178.	1.8	110
53	Construction of an RFLP map of barley. <i>Theoretical and Applied Genetics</i> , 1991, 83, 250-256.	1.8	542
54	High resolution RFLP map around the root knot nematode resistance gene ( <i>Mi</i> ) in tomato. <i>Theoretical and Applied Genetics</i> , 1991, 82, 529-536.	1.8	175
55	Genetic analysis of tolerance to low-phosphorus stress in maize using restriction fragment length polymorphisms. <i>Theoretical and Applied Genetics</i> , 1991, 82, 561-568.	1.8	78

#	ARTICLE	IF	CITATIONS
56	A linkage map based on information from four F2 populations of maize ( <i>Zea mays</i> L.). Theoretical and Applied Genetics, 1991, 82, 636-644.	1.8	152
57	Inheritance of isozyme and RFLP markers in <i>Brassica campestris</i> and comparison with <i>B. oleracea</i> . Theoretical and Applied Genetics, 1991, 82, 668-673.	1.8	66
58	RFLP maps of potato and their alignment with the homoeologous tomato genome. Theoretical and Applied Genetics, 1991, 83, 49-57.	1.8	404
59	RFLP mapping of I1, a new locus in tomato conferring resistance against <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> race 1. Theoretical and Applied Genetics, 1991, 82, 22-26.	1.8	89
60	The "European Apple Genome Mapping Project"™-developing a strategy for mapping genes coding for agronomic characters in tree species. <i>Euphytica</i> , 1991, 56, 89-94.	0.6	46
61	Review: The cytogenetic and molecular architecture of chromosome 1R—one of the most widely utilized sources of alien chromatin in wheat varieties. <i>Chromosoma</i> , 1991, 101, 1-10.	1.0	72
62	AGL1-AGL6, an <i>Arabidopsis</i> gene family with similarity to floral homeotic and transcription factor genes.. <i>Genes and Development</i> , 1991, 5, 484-495.	2.7	577
63	The centromere region of <i>Arabidopsis thaliana</i> chromosome 1 contains telomere-similar sequences. <i>Nucleic Acids Research</i> , 1991, 19, 3351-3357.	6.5	134
64	Genes for epilepsy mapped in the mouse. <i>Science</i> , 1991, 253, 669-673.	6.0	192
65	DNA Markers in Plant Improvement. <i>Advances in Agronomy</i> , 1991, , 39-90.	2.4	322
66	Organization of the 5S ribosomal RNA genes in the genome of tomato. <i>Genome</i> , 1991, 34, 509-514.	0.9	58
67	Identification of markers linked to disease-resistance genes by bulked segregant analysis: a rapid method to detect markers in specific genomic regions by using segregating populations.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9828-9832.	3.3	4,074
68	Genetic flanking markers refine diagnostic criteria and provide insights into the genetics of Von Hippel Lindau disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 2864-2868.	3.3	120
69	The <i>Nor-D3</i> locus of <i>Triticum tauschii</i> : natural variation and genetic linkage to markers in chromosome 5. <i>Genome</i> , 1991, 34, 387-395.	0.9	117
70	Gametophytic selection in a winter Å— spring barley cross. <i>Genome</i> , 1991, 34, 918-922.	0.9	15
71	Molecular Analysis of an Auxin Binding Protein Gene Located on Chromosome 4 of <i>Arabidopsis</i> . <i>Plant Cell</i> , 1992, 4, 193.	3.1	2
72	Genetic analysis of MRL-lpr mice: relationship of the Fas apoptosis gene to disease manifestations and renal disease-modifying loci.. <i>Journal of Experimental Medicine</i> , 1992, 176, 1645-1656.	4.2	331
73	Molecular analysis of an auxin binding protein gene located on chromosome 4 of <i>Arabidopsis</i> .. <i>Plant Cell</i> , 1992, 4, 193-201.	3.1	84

#	ARTICLE	IF	CITATIONS
74	Cloning, genetic mapping, and expression analysis of an <i>Arabidopsis thaliana</i> gene that encodes 1-aminocyclopropane-1-carboxylate synthase.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 9969-9973.	3.3	99
75	A comprehensive genetic linkage map of the human genome. NIH/CEPH Collaborative Mapping Group. Science, 1992, 258, 67-86.	6.0	473
76	Restriction Fragment Length Polymorphism Analysis of Plant Genomes and Its Application to Plant Breeding. International Review of Cytology, 1992, 135, 201-237.	6.2	32
77	Global and local genome mapping in <i>Arabidopsis thaliana</i> by using recombinant inbred lines and random amplified polymorphic DNAs.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 1477-1481.	3.3	381
78	Comparative genetic analyses of F <sub>2</sub> plants and anther culture derived plants of maize. Genome, 1992, 35, 575-582.	0.9	67
79	A genetic map for <i>Brassica oleracea</i> based on RFLP markers detected with expressed DNA sequences and mapping of resistance genes to race 2 of <i>Plasmodiophora brassicae</i> (Woronin). Genome, 1992, 35, 409-420.	0.9	181
80	Recent amplification of triose phosphate isomerase related sequences in lettuce. Genome, 1992, 35, 627-635.	0.9	16
81	An RFLP-based linkage map of oats based on a cross between two diploid taxa ( <i>Avena atlantica</i> Å—) Tj ETQq1 1 0.784314 rgBT / Overlock 10 0.9 103	0.9	103
82	Single Tree Genetic Linkage Mapping in Conifers Using Haploid DNA from Megagametophytes. Nature Biotechnology, 1992, 10, 686-690.	9.4	132
83	A genetic linkage map of human chromosome 9q. Genomics, 1992, 14, 715-720.	1.3	20
84	Genetic mapping of tandemly repeated telomeric DNA sequences in tomato ( <i>Lycopersicon esculentum</i> ). Genomics, 1992, 14, 444-448.	1.3	46
85	CPROP: A rule-based program for constructing genetic maps. Genomics, 1992, 12, 435-446.	1.3	28
86	Chromosomal localization of the murine gene and two related sequences encoding high-mobility-group I and Y proteins. Genomics, 1992, 12, 503-509.	1.3	71
87	Genetic mapping of a new homeobox gene to mouse chromosome 7. Genomics, 1992, 14, 1107-1109.	1.3	6
88	Mapping of the motor neuron degeneration (Mnd) gene, a mouse model of amyotrophic lateral sclerosis (ALS). Genomics, 1992, 13, 797-802.	1.3	59
89	A genetic linkage map of restriction fragment length polymorphism loci for <i>Brassica rapa</i> (syn.) Tj ETQq1 1 0.784314 rgBT / Overlock 10 0.9 111	0.9	111
90	Genetic map of nine polymorphic loci comprising a single linkage group on rat chromosome 10: Evidence for linkage conservation with human chromosome 17 and mouse chromosome 11. Genomics, 1992, 14, 618-623.	1.3	49
91	Systematic detection of errors in genetic linkage data. Genomics, 1992, 14, 604-610.	1.3	354

#	ARTICLE	IF	CITATIONS
92	Chromlook: An interactive program for error detection and mapping in reference linkage data. <i>Genomics</i> , 1992, 14, 517-519.	1.3	21
93	Assignment of rat linkage group V to chromosome 19 by single-strand conformation polymorphism analysis of somatic cell hybrids. <i>Genomics</i> , 1992, 12, 350-356.	1.3	19
94	Construction of a GT polymorphism map of human 9q. <i>Genomics</i> , 1992, 12, 229-240.	1.3	181
95	Molecular mapping of mouse chromosomes 4 and 6: Use of a flow-sorted robertsonian chromosome. <i>Genomics</i> , 1992, 13, 761-769.	1.3	11
96	A multipoint genetic linkage map of mouse chromosome 18. <i>Genomics</i> , 1992, 13, 1143-1149.	1.3	11
97	Genetic and physical map of the interferon region on chromosome 9p. <i>Genomics</i> , 1992, 14, 105-112.	1.3	52
98	Similarity of maize and sorghum genomes as revealed by maize RFLP probes. <i>Theoretical and Applied Genetics</i> , 1992, 84, 10-16.	1.8	88
99	Linkage of restriction fragment length polymorphisms and isozymes in Citrus. <i>Theoretical and Applied Genetics</i> , 1992, 84, 39-48.	1.8	125
100	A genetic map of citrus based on the segregation of isozymes and RFLPs in an intergeneric cross. <i>Theoretical and Applied Genetics</i> , 1992, 84, 49-56.	1.8	97
101	A linkage map of sugar beet ( <i>Beta vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 1992, 84, 129-135.	1.8	106
102	Restriction fragment length polymorphism and allozyme linkage map of <i>Cuphea lanceolata</i> . <i>Theoretical and Applied Genetics</i> , 1992, 83, 528-532.	1.8	11
103	Segregation distortion and linkage studies in microspore-derived double haploid lines of <i>Hordeum vulgare</i> L. <i>Theoretical and Applied Genetics</i> , 1992, 83-83, 919-924.	1.8	70
104	RFLP analysis of soybean seed protein and oil content. <i>Theoretical and Applied Genetics</i> , 1992, 83, 608-612.	1.8	310
105	RFLP tagging of a gene for aroma in rice. <i>Theoretical and Applied Genetics</i> , 1992, 84-84, 825-828.	1.8	142
106	RFLP mapping of a major bruchid resistance gene in mungbean ( <i>Vigna radiata</i> , L. Wilczek). <i>Theoretical and Applied Genetics</i> , 1992, 84-84, 839-844.	1.8	109
107	The inheritance of restriction fragment length polymorphisms in the flax rust <i>Melampsora lini</i> . <i>Theoretical and Applied Genetics</i> , 1992, 84-84, 845-850.	1.8	7
108	<i>Lycopersicon esculentum</i> lines containing small overlapping introgressions from <i>L. pennellii</i> . <i>Theoretical and Applied Genetics</i> , 1992, 83, 1027-1034.	1.8	126
109	Genetic and physical analysis of the rice bacterial blight disease resistance locus, Xa21. <i>Molecular Genetics and Genomics</i> , 1992, 236, 113-120.	2.4	275

#	ARTICLE	IF	CITATIONS
110	Correlation of genetic and physical structure in the region surrounding the I 2 Fusarium oxysporum resistance locus in tomato. <i>Molecular Genetics and Genomics</i> , 1992, 231, 179-185.	2.4	80
111	Cloning and mapping of telomere-associated sequences from <i>Hordeum vulgare</i> L.. <i>Molecular Genetics and Genomics</i> , 1992, 235, 153-156.	2.4	65
112	Random sequence oligonucleotide primers detect polymorphic DNA products which segregate in inbred strains of mice. <i>Mammalian Genome</i> , 1992, 3, 73-78.	1.0	50
113	Genetic mapping of the murine gene and 14 related sequences encoding chromosomal protein HMG-14. <i>Mammalian Genome</i> , 1992, 3, 625-632.	1.0	17
114	Sequence of the fourth and fifth Photosystem II Type I chlorophyll a/b-binding protein genes of <i>Arabidopsis thaliana</i> and evidence for the presence of a full complement of the extended CAB gene family. <i>Plant Molecular Biology</i> , 1992, 19, 725-733.	2.0	47
115	Characterization of the Ac/Ds behaviour in transgenic tomato plants using plasmid rescue. <i>Plant Molecular Biology</i> , 1992, 20, 61-70.	2.0	40
116	Molecular markers located proximal to the soybean cyst nematode resistance gene, Rhg4. <i>Theoretical and Applied Genetics</i> , 1992, 85-85, 136-138.	1.8	50
117	Construction of a yeast artificial chromosome library of tomato and identification of cloned segments linked to two disease resistance loci. <i>Molecular Genetics and Genomics</i> , 1992, 233, 25-32.	2.4	124
118	Genetical Studies on the Mode of Inheritance and Localization of the amo1 (High Amylose) Gene in Barley. <i>Plant Breeding</i> , 1992, 109, 274-280.	1.0	28
119	Localization of the Laevigatum Resistance Gene MLLa against Powdery Mildew in the Barley Genome by the Use of RFLP Markers. <i>Plant Breeding</i> , 1992, 109, 335-338.	1.0	28
120	Genetic dissection of autoimmune type I diabetes in the BB rat. <i>Nature Genetics</i> , 1992, 2, 56-60.	9.4	232
121	Interval mapping of quantitative trait loci in an F2 population. <i>Heredity</i> , 1992, 69, 236-242.	1.2	28
122	Linkage analysis using loglinear models. <i>Computational Statistics and Data Analysis</i> , 1992, 13, 281-290.	0.7	7
123	Restriction fragment length polymorphism analysis of soybean fatty acid content. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 1992, 69, 1242-1244.	0.8	58
124	Preliminary ordering of multiple linked loci using pairwise linkage data. <i>Genetic Epidemiology</i> , 1992, 9, 367-375.	0.6	27
125	Quantitative trait loci: individual gene effects on quantitative characters. <i>Journal of Evolutionary Biology</i> , 1993, 6, 463-480.	0.8	23
126	A genetic map of soybean ( <i>Glycine max</i> L.) using an intraspecific cross of two cultivars: "Minosy" and "Noir 1". <i>Theoretical and Applied Genetics</i> , 1993, 86, 901-906.	1.8	91
127	Interval mapping of quantitative trait loci for reproductive, morphological, and seed traits of soybean ( <i>Glycine max</i> L.). <i>Theoretical and Applied Genetics</i> , 1993, 86, 907-913.	1.8	234



#	ARTICLE	IF	CITATIONS
128	Use of RFLP markers for the identification of alleles of the Pm3 locus conferring powdery mildew resistance in wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 1993, 86, 959-963.	1.8	79
129	Comparative genome analysis of mungbean ( <i>Vigna radiata</i> L. Wilczek) and cowpea ( <i>V. unguiculata</i> L.) Tj ETQq1 1 0,784314 rgBT /Overl P40	1.8	140
130	Duplicate sequences with a similarity to expressed genes in the genome of <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 1993, 86, 880-888.	1.8	77
131	Linkage of the Fr2 locus controlling soybean root fluorescence and four loci detected by RFLP markers. <i>Theoretical and Applied Genetics</i> , 1993, 85, 921-925.	1.8	21
132	Linkage among isozyme, RFLP and RAPD markers in <i>Vicia faba</i> . <i>Theoretical and Applied Genetics</i> , 1993, 85, 937-945.	1.8	277
133	Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. <i>Theoretical and Applied Genetics</i> , 1993, 85, 985-993.	1.8	1,169
134	A molecular marker-based linkage map of diploid bananas ( <i>Musa acuminata</i> ). <i>Theoretical and Applied Genetics</i> , 1993, 87, 517-526.	1.8	141
135	Towards an integrated linkage map of common bean 2. Development of an RFLP-based linkage map. <i>Theoretical and Applied Genetics</i> , 1993, 85, 513-520.	1.8	189
136	Seed-protein variation in maritime pine ( <i>Pinus pinaster</i> Ait.) revealed by two-dimensional electrophoresis: genetic determinism and construction of a linkage map. <i>Theoretical and Applied Genetics</i> , 1993, 85, 521-528.	1.8	39
137	Linkage mapping of sbm-1, a gene conferring resistance to pea seed-borne mosaic virus, using molecular markers in <i>Pisum sativum</i> . <i>Theoretical and Applied Genetics</i> , 1993, 85, 609-615.	1.8	66
138	Genome organization of <i>Magnaporthe grisea</i> : genetic map, electrophoretic karyotype, and occurrence of repeated DNAs. <i>Theoretical and Applied Genetics</i> , 1993, 87, 545-557.	1.8	73
139	Development of an RFLP map in diploid alfalfa. <i>Theoretical and Applied Genetics</i> , 1993, 86-86, 329-332.	1.8	95
140	RFLP mapping of the ym4 virus resistance gene in barley. <i>Theoretical and Applied Genetics</i> , 1993, 86, 689-693.	1.8	95
141	A molecular, isozyme and morphological map of the barley ( <i>Hordeum vulgare</i> ) genome. <i>Theoretical and Applied Genetics</i> , 1993, 86, 705-712.	1.8	652
142	RFLP analysis of genomic regions associated with cooked-kernel elongation in rice. <i>Theoretical and Applied Genetics</i> , 1993, 87, 27-32.	1.8	73
143	A partial genetic linkage map of slash pine ( <i>Pinus elliottii</i> Engelm. var. <i>elliottii</i> ) based on random amplified polymorphic DNAs. <i>Theoretical and Applied Genetics</i> , 1993, 87, 145-151.	1.8	111
144	The distribution of RFLP markers on chromosome 2(2H) of barley in relation to the physical and genetic location of 5S rDNA. <i>Theoretical and Applied Genetics</i> , 1993, 87, 177-183.	1.8	42
145	Mapping oligogenic resistance to powdery mildew in mungbean with RFLPs. <i>Theoretical and Applied Genetics</i> , 1993, 87, 243-249.	1.8	85

#	ARTICLE	IF	CITATIONS
146	Molecular and morphological evaluation of doubled-haploid lines in maize. 2. Comparison with single-seed-descent lines. <i>Theoretical and Applied Genetics</i> , 1993, 87, 278-287.	1.8	54
147	High output genetic mapping of polyploids using PCR-generated markers. <i>Theoretical and Applied Genetics</i> , 1993, 86, 105-112.	1.8	88
148	REL P markers linked to two Hessian fly-resistance genes in wheat ( <i>Triticum aestivum</i> L.) from <i>Triticum tauschii</i> (coss.) Schmal. <i>Theoretical and Applied Genetics</i> , 1993, 85-85, 750-754.	1.8	79
149	The Asc locus for resistance to <i>Alternaria</i> stem canker in tomato does not encode the enzyme aspartate carbamoyltransferase. <i>Molecular Genetics and Genomics</i> , 1993, 240, 43-48.	2.4	9
150	Multiple pyruvate decarboxylase genes in maize are induced by hypoxia. <i>Molecular Genetics and Genomics</i> , 1993, 240, 206-212.	2.4	40
151	Construction of a basic genetic map for alfalfa using RFLP, RAPD, isozyme and morphological markers. <i>Molecular Genetics and Genomics</i> , 1993, 238-238, 129-137.	2.4	118
152	Genetic and physical mapping of barley telomeres. <i>Molecular Genetics and Genomics</i> , 1993, 238-238, 294-303.	2.4	70
153	Homoeologous relationships of rice, wheat and maize chromosomes. <i>Molecular Genetics and Genomics</i> , 1993, 241-241, 483-490.	2.4	387
154	Mapping quantitative trait loci (QTLs) for resistance to <i>Gibberella zeae</i> infection in maize. <i>Molecular Genetics and Genomics</i> , 1993, 241-241, 11-16.	2.4	70
155	Abundance, polymorphism and genetic mapping of microsatellites in rice. <i>Molecular Genetics and Genomics</i> , 1993, 241-241, 225-235.	2.4	441
156	Genetic characterization of the Pto locus of tomato: semi-dominance and cosegregation of resistance to <i>Pseudomonas syringae</i> pathovar tomato and sensitivity to the insecticide Fenthion. <i>Molecular Genetics and Genomics</i> , 1993, 239, 17-27.	2.4	40
157	Identification and genetic mapping of the murine gene and 20 related sequences encoding chromosomal protein HMG-17. <i>Mammalian Genome</i> , 1993, 4, 83-89.	1.0	10
158	Map of seven polymorphic markers on rat Chromosome 14: linkage conservation with human Chromosome 4. <i>Mammalian Genome</i> , 1993, 4, 90-94.	1.0	12
159	Induction of a proteinase inhibitor II-class gene by auxin in tomato roots. <i>Plant Molecular Biology</i> , 1993, 23, 1005-1014.	2.0	38
160	Organisation of the tomato polyphenol oxidase gene family. <i>Plant Molecular Biology</i> , 1993, 21, 1035-1051.	2.0	155
161	Transposition pattern of a modified Ds element in tomato. <i>Plant Molecular Biology</i> , 1993, 21, 1109-1119.	2.0	15
162	Genetic and physical mapping of telomeres and macrosatellites of rice. <i>Plant Molecular Biology</i> , 1993, 22, 861-872.	2.0	79
163	Characterization of tomato DNA clones with sequence similarity to human minisatellites 33.6 and 33.15. <i>Plant Molecular Biology</i> , 1993, 23, 231-242.	2.0	27

#	ARTICLE	IF	CITATIONS
164	Linkage map of seven polymorphic markers on rat Chromosome 18. <i>Mammalian Genome</i> , 1993, 4, 265-270.	1.0	23
165	A Macintosh program for storage and analysis of experimental genetic mapping data. <i>Mammalian Genome</i> , 1993, 4, 303-313.	1.0	642
166	Genetic map of seven polymorphic markers comprising a single linkage group on rat Chromosome 5. <i>Mammalian Genome</i> , 1993, 4, 670-675.	1.0	10
167	Genetic mapping of the athymic nude (RNU) locus in the rat to a region on Chromosome 10. <i>Mammalian Genome</i> , 1993, 4, 37-42.	1.0	24
168	Genetic mapping of variable length rDNA segments to centromeric regions of mouse Chromosomes 11, 12, 15, 16, and 18. <i>Mammalian Genome</i> , 1993, 4, 49-52.	1.0	8
169	The sucrase-isomaltase structural gene (Si-s) and a regulatory gene (Si-r) are closely linked to esterase-26 (Es-26) on mouse Chromosome 3. <i>Mammalian Genome</i> , 1993, 4, 531-536.	1.0	6
170	Identification of RAPD markers linked to genetic factors controlling the milling energy requirement of barley. <i>Theoretical and Applied Genetics</i> , 1993, 87, 314-320.	1.8	45
171	Microdissection and microcloning of the barley ( <i>Hordeum vulgare</i> L.) chromosome 1HS. <i>Theoretical and Applied Genetics</i> , 1993, 86, 629-636.	1.8	73
172	Identification of RAPD markers linked to a <i>Rhynchosporium secalis</i> resistance locus in barley using near-isogenic lines and bulked segregant analysis. <i>Heredity</i> , 1993, 71, 177-184.	1.2	116
173	Genomic map of a diploid hybrid species. <i>Heredity</i> , 1993, 70, 285-293.	1.2	118
174	Mapping and characterization of quantitative trait loci affecting resistance against second-generation European corn borer in maize with the aid of RFLPs. <i>Heredity</i> , 1993, 70, 648-659.	1.2	135
175	Molecular basis of the little mouse phenotype and Implications for cell type-specific growth. <i>Nature</i> , 1993, 364, 208-213.	13.7	477
176	A major susceptibility locus to murine lung carcinogenesis maps on chromosome 6. <i>Nature Genetics</i> , 1993, 3, 132-136.	9.4	127
177	Multiple self-healing squamous epitheliomata (ESS1) mapped to chromosome 9q22-q31 in families with common ancestry. <i>Nature Genetics</i> , 1993, 3, 165-169.	9.4	88
178	Localization of the gene for familial dysautonomia on chromosome 9 and definition of DNA markers for genetic diagnosis. <i>Nature Genetics</i> , 1993, 4, 160-164.	9.4	149
179	Segregation Analysis of Isozyme Markers on Isolated Microspore-Derived Embryos in <i>Brassica napus</i> L.. <i>Plant Breeding</i> , 1993, 110, 315-322.	1.0	24
180	Assignment of the denso Dwarfing Gene to the Long Arm of Chromosome 3(3H) of Barley by Use of RFLP Markers. <i>Plant Breeding</i> , 1993, 111, 198-203.	1.0	61
181	An Extended Linkage Map of Sugar Beet ( <i>Beta vulgaris</i> L.) Including Nine Putative Lethal Genes and the Restorer Gene X. <i>Plant Breeding</i> , 1993, 111, 265-272.	1.0	77

#	ARTICLE	IF	CITATIONS
182	Cesium-insensitive mutants of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 1993, 3, 647-656.	2.8	49
183	Construction of integrated genetic linkage maps by means of a new computer package: Join Map. <i>Plant Journal</i> , 1993, 3, 739-744.	2.8	1,160
184	An integrated genetic/RFLP map of the <i>Arabidopsis thaliana</i> genome. <i>Plant Journal</i> , 1993, 3, 745-754.	2.8	123
185	A genetic linkage map of the chromosome 4 short arm. <i>Somatic Cell and Molecular Genetics</i> , 1993, 19, 95-101.	0.7	10
186	Four polymorphic markers on rat chromosome 12 form a single linkage group. <i>Biochemical Genetics</i> , 1993, 31, 441-448.	0.8	4
187	BSB: A New Mouse Model of Multigenic Obesity. <i>Obesity</i> , 1993, 1, 271-280.	4.0	48
188	The CEPH Consortium Linkage Map of Human Chromosome 13. <i>Genomics</i> , 1993, 16, 486-496.	1.3	55
189	Single-strand conformational polymorphism (SSCP) mapping of the mouse genome: Integration of the SSCP, microsatellite, and gene maps of mouse chromosome 1. <i>Genomics</i> , 1993, 18, 510-519.	1.3	16
190	[51] Genetic analysis using random amplified polymorphic DNA markers. <i>Methods in Enzymology</i> , 1993, 218, 704-740.	0.4	592
191	Durability of Disease Resistance. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1993, , .	0.0	29
192	A genetic linkage map of the mouse: current applications and future prospects. <i>Science</i> , 1993, 262, 57-66.	6.0	579
193	Identification of a new polymorphism in the human proteolipid protein gene. <i>Neurochemistry International</i> , 1993, 23, 413-417.	1.9	0
194	C-banding polymorphism and linkage of nonhomoeologous RFLP loci in the D genome progenitor of wheat. <i>Genome</i> , 1993, 36, 235-243.	0.9	6
195	Primers that amplify inserts in a multicloning site also hybridize to <i>Sorghum bicolor</i> DNA. <i>Genome</i> , 1993, 36, 198-201.	0.9	3
196	Linkage of <i>rhm</i> , a recessive gene for resistance to southern corn leaf blight, to RFLP marker loci in maize ( <i>Zea mays</i> ) seedlings. <i>Genome</i> , 1993, 36, 555-564.	0.9	62
197	Genetic identification of <i>Mom-1</i> , a major modifier locus affecting Min-induced intestinal neoplasia in the mouse. <i>Cell</i> , 1993, 75, 631-639.	13.5	648
198	Molecular mapping of genes determining height, time to heading, and growth habit in barley ( <i>Hordeum</i> ) Tj ETQq0 0.0 rgBT /Overlock 100	0.9	100
199	Molecular Map for the Silkworm. <i>ACS Symposium Series</i> , 1993, , 45-58.	0.5	3

#	ARTICLE	IF	CITATIONS
200	Suppressors of trp1 fluorescence identify a new arabidopsis gene, TRP4, encoding the anthranilate synthase beta subunit.. Plant Cell, 1993, 5, 1011-1027.	3.1	114
201	Locus controlling Bordetella pertussis-induced histamine sensitization (Bphs), an autoimmune disease-susceptibility gene, maps distal to T-cell receptor beta-chain gene on mouse chromosome 6.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 3700-3704.	3.3	85
202	RFLP linkage map and genome analysis of <i>Saccharum spontaneum</i>. Genome, 1993, 36, 782-791.	0.9	186
203	A user-friendly Hypercard interface for human linkage analysis. Bioinformatics, 1993, 9, 757-759.	1.8	7
204	Genetic mapping of mutations using phenotypic pools and mapped RAPD markers. Nucleic Acids Research, 1993, 21, 2697-2702.	6.5	55
205	RPS2, an Arabidopsis Disease Resistance Locus Specifying Recognition of Pseudomonas syringae Strains Expressing the Avirulence Gene avrRpt2. Plant Cell, 1993, 5, 865.	3.1	5
206	Suppressors of trp1 Fluorescence Identify a New Arabidopsis Gene, TRP4, Encoding the Anthranilate Synthase b Subunit. Plant Cell, 1993, 5, 1011.	3.1	49
207	Genetic Analysis of a Single Urediniospore Culture of Cronartium Quercuum f. sp. fusiforme, Using Random Amplified Polymorphic DNA Markers. Mycologia, 1993, 85, 902.	0.8	8
208	Inheritance of random amplified polymorphic DNA markers in an interspecific cross in the genus <i>Stylosanthes</i>. Genome, 1993, 36, 50-56.	0.9	54
209	Construction of a molecular linkage map of pepper and a comparison of synteny with tomato. Genome, 1993, 36, 404-417.	0.9	161
210	Structure, Inheritance, and Expression of Hybrid Poplar (Populus trichocarpa x Populus deltoides) Phenylalanine Ammonia-Lyase Genes. Plant Physiology, 1993, 102, 71-83.	2.3	93
211	RPS2, an Arabidopsis disease resistance locus specifying recognition of Pseudomonas syringae strains expressing the avirulence gene avrRpt2.. Plant Cell, 1993, 5, 865-875.	3.1	303
212	Genetic mapping of dinucleotide repeat polymorphisms and von Hippel-Lindau disease on chromosome 3p25-26.. Journal of Medical Genetics, 1993, 30, 487-491.	1.5	11
213	Linkage Map for Aedes aegypti Using Restriction Fragment Length Polymorphisms. Journal of Heredity, 1993, 84, 241-247.	1.0	120
214	Linkage map of 10 polymorphic markers on rat chromosome 2. Cytogenetic and Genome Research, 1993, 63, 117-122.	0.6	34
215	Comparative linkage maps of the rice and maize genomes.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 7980-7984.	3.3	678
216	CPROP: A RULE-BASED PROGRAM FOR CONSTRUCTING GENETIC MAPS. , 1993, , .		0
217	Catalase-3 (Cat3) Gene Mapped to the Long Arm of Chromosome 4 in Maize (Zea mays L.). Journal of Heredity, 1993, 84, 133-135.	1.0	1

#	ARTICLE	IF	CITATIONS
218	Fast Computation of Genetic Likelihoods on Human Pedigree Data. , 1992, , 42-62.		0
219	Genetic Analysis of a Single Urediniospore Culture of Cronartium Quercuum F. Sp. Fusiforme, Using Random Amplified Polymorphic Dna Markers. Mycologia, 1993, 85, 902-911.	0.8	17
220	RFLP Analysis of Preferential Transmission in Interspecific Hybrids of Phaseolus vulgaris and P. coccineus. Journal of Heredity, 1994, 85, 174-178.	1.0	9
221	Parallelization of General-Linkage Analysis Problems. Human Heredity, 1994, 44, 127-141.	0.4	52
222	Nine polymorphic markers characterized by polymerase chain reaction techniques form two linkage groups on rat chromosome 8. Cytogenetic and Genome Research, 1994, 66, 283-286.	0.6	7
223	Chromosomal Location of Lectin Genes Indicates They Are Not the Basis of Rhizobium Strain Specificity Mutations Identified in Pea (Pisum sativum L.). Journal of Heredity, 1994, 85, 179-182.	1.0	2
225	Cloning and Mapping of Telomere-Associated Sequences from Rice. DNA Research, 1994, 1, 67-76.	1.5	25
226	Genetic Analysis with RAPD Markers. , 1994, , 491-500.		41
227	Mapping of Sequence-Tagged Sites in Rice by Single Strand Conformation Polymorphism. DNA Research, 1994, 1, 271-277.	1.5	33
229	Identification and characterization of cDNA clones encoding plant calreticulin in barley.. Plant Cell, 1994, 6, 835-843.	3.1	115
230	Identification and Characterization of cDNA Clones Encoding Plant Calreticulin in Barley. Plant Cell, 1994, 6, 835.	3.1	14
231	A molecular approach to unraveling the genetics of sugarcane, a complex polyploid of the Andropogoneae tribe. Genome, 1994, 37, 222-230.	0.9	74
232	Mutagenesis and mapping of a mouse gene, Clock, essential for circadian behavior. Science, 1994, 264, 719-725.	6.0	1,507
233	Molecular Genetics of the Maize (Zea mays L.) Aspartate Kinase-Homoserine Dehydrogenase Gene Family. Plant Physiology, 1994, 106, 1303-1312.	2.3	45
234	T lymphomagenesis is determined by a dominant host gene thymic lymphoma susceptible mouse-1 (TLSM-1) in mouse models.. Journal of Experimental Medicine, 1994, 180, 2155-2162.	4.2	35
235	Approaches to the Genetic Mapping of Pea. Modern Methods of Plant Analysis, 1994, , 117-160.	0.1	20
236	Forward and reverse genetic approaches to behavior in the mouse. Science, 1994, 264, 1724-1733.	6.0	231
237	A genetic linkage map for the zebrafish. Science, 1994, 264, 699-703.	6.0	377

#	ARTICLE	IF	CITATIONS
238	Construction of a sorghum RFLP linkage map using sorghum and maize DNA probes. <i>Genome</i> , 1994, 37, 590-594.	0.9	38
239	Origin, distribution and mapping of RAPD markers from wild <i>Petunia</i> species in <i>Petunia hybrida</i> Hort lines. <i>Theoretical and Applied Genetics</i> , 1994, 88, 637-645.	1.8	27
240	RFLP mapping of partially sequenced leaf cDNA clones in maize. <i>Theoretical and Applied Genetics</i> , 1994, 88, 717-721.	1.8	36
241	Molecular marker analyses of powdery mildew resistance in barley. <i>Theoretical and Applied Genetics</i> , 1994, 88, 733-740.	1.8	32
242	Mapping complementary genes in maize: positioning the rf1 and rf2 nuclear-fertility restorer loci of Texas (T) cytoplasm relative to RFLP and visible markers. <i>Theoretical and Applied Genetics</i> , 1994, 88, 785-795.	1.8	44
243	Identification of RFLP markers closely linked to the bolting gene B and their significance for the study of the annual habit in beets ( <i>Beta vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 1994, 88, 852-858.	1.8	67
244	SCAR, RAPD and RFLP markers linked to a dominant gene (Are) conferring resistance to anthracnose in common bean. <i>Theoretical and Applied Genetics</i> , 1994, 88, 865-870.	1.8	134
245	RFLP tagging of a new semidwarfing gene in rice. <i>Theoretical and Applied Genetics</i> , 1994, 88, 898-900.	1.8	26
246	Molecular genetic mapping of peach. <i>Euphytica</i> , 1994, 77, 101-103.	0.6	43
247	A single linkage group comprising 11 polymorphic DNA markers on rat Chromosome 3. <i>Mammalian Genome</i> , 1994, 5, 538-541.	1.0	12
248	The mouse very low density lipoprotein receptor (Vldlr) gene maps to Chromosome 19. <i>Mammalian Genome</i> , 1994, 5, 453-455.	1.0	1
249	Polymorphisms in the 3' untranslated region of the $\beta$ -MAD-3 (NFKBI) gene located on chromosome 14. <i>Human Genetics</i> , 1994, 93, 694-696.	1.8	15
250	Physiological genetics of the dominant gibberellin-nonresponsive maize dwarfs, Dwarf8 and Dwarf9. <i>Planta</i> , 1994, 193, 341.	1.6	76
251	Linkage analysis of er-1, a recessive <i>Pisum sativum</i> gene for resistance to powdery mildew fungus ( <i>Erysiphe pisi</i> D.C.). <i>Theoretical and Applied Genetics</i> , 1994, 88, 1050-1055.	1.8	96
252	RFLP and RAPD mapping of the rice gm2 gene that confers resistance to biotype 1 of gall midge ( <i>Orseolia oryzae</i> ). <i>Theoretical and Applied Genetics</i> , 1994, 87, 782-788.	1.8	97
253	Targeted mapping and linkage analysis of morphological isozyme, and RAPD markers in peach. <i>Theoretical and Applied Genetics</i> , 1994, 87, 805-815.	1.8	198
254	Molecular marker-facilitated studies in an elite maize population: I. Linkage analysis and determination of QTL for morphological traits. <i>Theoretical and Applied Genetics</i> , 1994, 88, 7-16.	1.8	166
255	Restriction fragment length polymorphism analysis of loci associated with disease resistance genes and developmental traits in <i>Pisum sativum</i> L.. <i>Theoretical and Applied Genetics</i> , 1994, 88, 17-27.	1.8	139

#	ARTICLE	IF	CITATIONS
256	Molecular genetics of growth and development in <i>Populus</i> . II. Segregation distortion due to genetic load. <i>Theoretical and Applied Genetics</i> , 1994, 89, 551-558.	1.8	135
257	Genetic mapping of turnip mosaic virus resistance in <i>Lactuca sativa</i> . <i>Theoretical and Applied Genetics</i> , 1994, 89, 583-589.	1.8	40
258	Structure and organization of the B genome based on a linkage map in <i>Brassica nigra</i> . <i>Theoretical and Applied Genetics</i> , 1994, 89, 590-598.	1.8	62
259	Extension of the linkage map in Citrus using random amplified polymorphic DNA (RAPD) markers and RFLP mapping of cold-acclimation-responsive loci. <i>Theoretical and Applied Genetics</i> , 1994, 89, 606-614.	1.8	146
260	RFLP mapping of <i>Brassica napus</i> using doubled haploid lines. <i>Theoretical and Applied Genetics</i> , 1994, 89, 615-621.	1.8	147
261	Evolution of genetic diversity during the domestication of common-bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 1994, 89, 629-635.	1.8	109
262	An RFLP linkage map for loblolly pine based on a three-generation outbred pedigree. <i>Theoretical and Applied Genetics</i> , 1994, 88-88, 273-278.	1.8	88
263	A genetic linkage map of <i>Picea abies</i> Karst., based on RAPD markers, as a tool in population genetics. <i>Theoretical and Applied Genetics</i> , 1994, 88-88, 283-288.	1.8	64
264	An estimation of the genome length of maritime pine ( <i>Pinus pinaster</i> Ait.). <i>Theoretical and Applied Genetics</i> , 1994, 88-88, 289-292.	1.8	39
265	Estimation and test for linkage between markers: a comparison of lod score and $\chi^2$ test in a linkage study of maritime pine ( <i>Pinus pinaster</i> Ait.). <i>Theoretical and Applied Genetics</i> , 1994, 88-88, 293-297.	1.8	10
266	Molecular-marker-facilitated investigation of host-plant response to <i>Exserohilum turcicum</i> in maize ( <i>Zea mays</i> L.): components of resistance. <i>Theoretical and Applied Genetics</i> , 1994, 88-88, 305-313.	1.8	37
267	RFLP inheritance and linkage in walnut. <i>Theoretical and Applied Genetics</i> , 1994, 89, 665-670.	1.8	28
268	QTL analysis: a simple "marker-regression" approach. <i>Theoretical and Applied Genetics</i> , 1994, 89, 698-702.	1.8	135
269	Use of recombinant substitution lines in the construction of RFLP-based genetic maps of chromosomes 6A and 6B of tetraploid wheat ( <i>Triticum turgidum</i> L.). <i>Theoretical and Applied Genetics</i> , 1994, 89, 703-712.	1.8	24
270	A partial genome assay for quantitative trait loci in wheat ( <i>Triticum aestivum</i> ) using different analytical techniques. <i>Theoretical and Applied Genetics</i> , 1994, 89, 735-741.	1.8	25
271	Location of a gene regulating drought-induced abscisic acid production on the long arm of chromosome 5A of wheat. <i>Theoretical and Applied Genetics</i> , 1994, 89, 794-800.	1.8	133
272	Extraction and genetic control of two new water-soluble proteins of mature barley seed. <i>Biochemical Genetics</i> , 1994, 32, 137-144.	0.8	0
273	The stumbler mutation maps to proximal mouse Chromosome 2. <i>Mammalian Genome</i> , 1994, 5, 659-662.	1.0	7



#	ARTICLE	IF	CITATIONS
274	Identification and genetic mapping of 151 dispersed members of 16 ribosomal protein multigene families in the mouse. <i>Mammalian Genome</i> , 1994, 5, 670-687.	1.0	37
275	Chromosomal assignment of 11 loci in the rat by mouse-rat somatic hybrids and linkage. <i>Mammalian Genome</i> , 1994, 5, 712-716.	1.0	27
276	Linkage localization of the starch branching enzyme I (Q-enzyme I) gene in rice. <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 859-860.	1.8	13
277	Comparative RFLP mapping of <i>Hordeum vulgare</i> and <i>Triticum tauschii</i> . <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 865-872.	1.8	34
278	Mapping of RFLP and qualitative trait loci in <i>Brassica rapa</i> and comparison to the linkage maps of <i>B. napus</i> , <i>B. oleracea</i> , and <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 885-894.	1.8	147
279	Genetic analysis of the components of winterhardness in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 900-910.	1.8	171
280	Identification of RFLP markers linked to the cereal cyst nematode resistance gene (Cre) in wheat. <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 927-930.	1.8	51
281	Chromosome assortment in <i>Saccharum</i> . <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 959-963.	1.8	29
282	An RFLP linkage map of <i>Lycopersicon peruvianum</i> . <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 1007-1013.	1.8	53
283	A RFLP linkage map of <i>Sorghum bicolor</i> (L.) Moench. <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 139-145.	1.8	75
284	Molecular genetics of growth and development in <i>Populus</i> . III. A genetic linkage map of a hybrid poplar composed of RFLP, STS, and RAPD markers. <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 167-178.	1.8	149
285	Genetic mapping of the Gy4 and Gy5 glycinin genes in soybean and the analysis of a variant of Gy4. <i>Theoretical and Applied Genetics</i> , 1994, 89-89, 297-304.	1.8	19
286	Generation-means analysis and quantitative trait locus mapping of anthracnose stalk rot genes in maize. <i>Theoretical and Applied Genetics</i> , 1994, 89, 413-418.	1.8	51
287	Quantitative trait locus analysis of tuber dormancy in diploid potato ( <i>Solanum</i> spp.). <i>Theoretical and Applied Genetics</i> , 1994, 89, 474-480.	1.8	59
288	A detailed RFLP map of <i>Sorghum bicolor</i> x <i>S. propinquum</i> , suitable for high-density mapping, suggests ancestral duplication of <i>Sorghum</i> chromosomes or chromosomal segments. <i>Theoretical and Applied Genetics</i> , 1994, 87, 925-933.	1.8	224
289	QTL analysis of trichome-mediated insect resistance in potato. <i>Theoretical and Applied Genetics</i> , 1994, 87, 973-987.	1.8	159
290	Mapping and introgression of a tomato yellow leaf curl virus tolerance gene, TY-1. <i>Theoretical and Applied Genetics</i> , 1994, 88, 141-146.	1.8	326
291	Mapping genes for resistance to barley stripe rust ( <i>Puccinia striiformis</i> f. sp. <i>hordei</i> ). <i>Theoretical and Applied Genetics</i> , 1994, 88, 215-219.	1.8	106

#	ARTICLE	IF	CITATIONS
292	Linkages among RFLP, RAPD, isozyme, disease-resistance, and morphological markers in narrow and wide crosses of cucumber. <i>Theoretical and Applied Genetics</i> , 1994, 89, 42-48.	1.8	119
293	The semidwarf gene, <i>sd-1</i> , of rice ( <i>Oryza sativa</i> L.). II. Molecular mapping and marker-assisted selection. <i>Theoretical and Applied Genetics</i> , 1994, 89, 54-59.	1.8	99
294	Chromosomal localization and molecular-marker tagging of the powdery mildew resistance gene ( <i>Lv</i> ) in tomato. <i>Theoretical and Applied Genetics</i> , 1994, 89, 76-79.	1.8	60
295	Random-amplified-polymorphic DNA markers in sorghum. <i>Theoretical and Applied Genetics</i> , 1994, 89, 80-88.	1.8	21
296	Rapid mapping of two genes for resistance to downy mildew from <i>Lactuca serriola</i> to existing clusters of resistance genes. <i>Theoretical and Applied Genetics</i> , 1994, 89, 96-104.	1.8	71
297	Mapping <i>FRI</i> , a locus controlling flowering time and vernalization response in <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 1994, 242, 81-89.	2.4	164
298	Transgenic tomato lines containing <i>Ds</i> elements at defined genomic positions as tools for targeted transposon tagging. <i>Molecular Genetics and Genomics</i> , 1994, 243, 666-673.	2.4	55
299	QTL mapping of naturally-occurring variation in flowering time of <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 1994, 245, 548-555.	2.4	63
300	Map-based cloning in crop plants: tomato as a model system II. Isolation and characterization of a set of overlapping yeast artificial chromosomes encompassing the jointless locus. <i>Molecular Genetics and Genomics</i> , 1994, 244, 613-621.	2.4	32
301	Chromosome 2-specific DNA clones from flow-sorted chromosomes of tomato. <i>Molecular Genetics and Genomics</i> , 1994, 242, 551-558.	2.4	73
302	Analysis of the chromosomal distribution of transposon-carrying T-DNAs in tomato using the inverse polymerase chain reaction. <i>Molecular Genetics and Genomics</i> , 1994, 242, 573-585.	2.4	82
303	Assignment of a locus for mouse lung tumor susceptibility to proximal Chromosome 19. <i>Mammalian Genome</i> , 1994, 5, 749-755.	1.0	52
304	DNA markers linked to <i>Malus floribunda</i> 821 scab resistance. <i>Plant Molecular Biology</i> , 1994, 26, 597-602.	2.0	65
305	Integration of CAPS markers into the RFLP map generated using recombinant inbred lines of <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1994, 24, 685-687.	2.0	57
306	Orientation and integration of the classical and molecular genetic maps of chromosome 11 in rice. <i>Euphytica</i> , 1994, 76, 81-87.	0.6	17
307	Molecular cloning of a cDNA from <i>Brassica napus</i> L. for a homologue of acyl-CoA-binding protein. <i>Plant Molecular Biology</i> , 1994, 25, 917-920.	2.0	84
308	Comparative RFLP mapping of an allotetraploid wild rice species ( <i>Oryza latifolia</i> ) and cultivated rice ( <i>O. sativa</i> ). <i>Plant Molecular Biology</i> , 1994, 25, 633-648.	2.0	19
309	Segregation and linkage analysis of DNA markers in microspore derived and F2 populations of oilseed rape ( <i>Brassica napus</i> L.). <i>Euphytica</i> , 1994, 74, 59-65.	0.6	14

#	ARTICLE	IF	CITATIONS
310	Linkage groups of isozymes, RFLP and RAPD markers in carrot ( <i>Daucus carota</i> L. sativus). <i>Euphytica</i> , 1994, 74, 67-76.	0.6	30
311	Linkage analysis of sex determination in the honey bee ( <i>Apis mellifera</i> ). <i>Molecular Genetics and Genomics</i> , 1994, 244, 512-518.	2.4	57
312	Expression in lung tumors and genetic mapping of the novel murine protein kinase C $\delta$ . <i>Molecular Carcinogenesis</i> , 1994, 9, 111-113.	1.3	4
313	Genetic analysis of immune dysfunction in non-obese diabetic (NOD) mice: Mapping of a susceptibility locus close to the Bcl-2 gene correlates with increased resistance of NOD T cells to apoptosis induction. <i>European Journal of Immunology</i> , 1994, 24, 380-384.	1.6	96
314	Genetic structure and variability in <i>Pinus strobus</i> in Quebec. <i>Canadian Journal of Forest Research</i> , 1994, 24, 1726-1733.	0.8	35
315	Automated construction of genetic linkage maps using an expert system (MultiMap): a human genome linkage map. <i>Nature Genetics</i> , 1994, 6, 384-390.	9.4	440
316	Ceruloplasmin gene defect associated with epilepsy in EL mice. <i>Nature Genetics</i> , 1994, 6, 426-431.	9.4	27
317	Quantitative trait loci mapping of three loci controlling morphine preference using inbred mouse strains. <i>Nature Genetics</i> , 1994, 7, 54-58.	9.4	196
318	A genetic map of the mouse with 4,006 simple sequence length polymorphisms. <i>Nature Genetics</i> , 1994, 7, 220-245.	9.4	578
319	Comparative genome mapping of sugar cane with other species within the Andropogoneae tribe. <i>Heredity</i> , 1994, 73, 500-508.	1.2	76
320	Genetics of aliphatic glucosinolates. I. Side chain elongation in <i>Brassica napus</i> and <i>Arabidopsis thaliana</i> . <i>Heredity</i> , 1994, 72, 290-299.	1.2	136
321	Genetic analysis of a photoperiod response gene on the short arm of chromosome 2(2H) of <i>Hordeum vulgare</i> (barley). <i>Heredity</i> , 1994, 72, 619-627.	1.2	139
322	Conservation of Genome Structure Between Rice and Wheat. <i>Bio/technology</i> , 1994, 12, 276-278.	1.9	268
323	Marquage et expression du g $\text{\r{e}}\text{\u00e9}$ nome chez le ma $\tilde{\text{a}}$ s. <i>Genetics Selection Evolution</i> , 1994, 26, 1.	1.2	3
324	Chromosomal mapping of two loci affecting filarial worm susceptibility in <i>Aedes aegypti</i> . <i>Insect Molecular Biology</i> , 1994, 3, 67-72.	1.0	73
325	Linkage mapping in diploid alfalfa ( <i>Medicago sativa</i> ). <i>Genome</i> , 1994, 37, 61-71.	0.9	99
326	Construction of Reference Genetic Maps. <i>Current Protocols in Human Genetics</i> , 1994, 1, 1.5.1-1.5.8.	3.5	0
327	Polygenic control of susceptibility to murine systemic lupus erythematosus. <i>Immunity</i> , 1994, 1, 219-229.	6.6	476

#	ARTICLE	IF	CITATIONS
328	Comparative RFLP mapping of a wild rice, <i>Oryza officinalis</i> , and cultivated rice, <i>O. sativa</i> . <i>Genome</i> , 1994, 37, 382-389.	0.9	44
329	A directed search for DNA sequences tightly linked to cereal cyst nematode resistance genes in <i>Triticum tauschii</i> . <i>Genome</i> , 1994, 37, 311-319.	0.9	115
330	Determination of RAPD Markers in Rice and their Conversion into Sequence Tagged Sites (STSs) and STS-Specific Primers. <i>DNA Research</i> , 1994, 1, 139-148.	1.5	55
331	A 300 kilobase interval genetic map of rice including 883 expressed sequences. <i>Nature Genetics</i> , 1994, 8, 365-372.	9.4	578
332	RFLP markers linked to powdery mildew resistance genes <i>Pm1</i> , <i>Pm2</i> , <i>Pm3</i> , and <i>Pm4</i> in wheat. <i>Genome</i> , 1994, 37, 871-875.	0.9	137
333	Characterization of the gene encoding dihydroflavonol 4-reductase in tomato. <i>Gene</i> , 1994, 138, 153-157.	1.0	45
334	Co-segregation of the gynomonocious sex form1 gene ( <i>gsf1</i> ) of <i>Tripsacum dactyloides</i> (Poaceae) with molecular markers. <i>Genome</i> , 1994, 37, 809-812.	0.9	7
335	A genetic map of common bean to localize specific resistance genes against anthracnose. <i>Genome</i> , 1994, 37, 915-924.	0.9	85
336	The identification of random amplified polymorphic DNA markers for daylength insensitivity in oat. <i>Genome</i> , 1994, 37, 910-914.	0.9	21
337	Genetic mapping and variability of seven soybean simple sequence repeat loci. <i>Genome</i> , 1994, 37, 763-769.	0.9	139
338	Construction of an RFLP map in sorghum and comparative mapping in maize. <i>Genome</i> , 1994, 37, 236-243.	0.9	175
339	Restriction fragment length polymorphisms linked to genes for resistance to crown rust ( <i>Puccinia</i> ) Tj ETQq1 1 0.784314 rgBT <sub>26</sub> /Overlook	0.9	26
340	Molecular Mapping and Character Tagging in <i>Brassica juncea</i> . Degree, Nature and Linkage Relationship of RFLPs and Their Association With Quantitative Traits. <i>Journal of Plant Biochemistry and Biotechnology</i> , 1994, 3, 85-89.	0.9	20
341	The <i>Fap2</i> Locus in Soybean Maps to Linkage Group D. <i>Journal of Heredity</i> , 1994, 85, 160-162.	1.0	12
342	Integration of <i>Rps2</i> , <i>Rmd</i> , and <i>Rj2</i> Into Linkage Group J of the Soybean Molecular Map. <i>Journal of Heredity</i> , 1994, 85, 300-303.	1.0	67
344	Lupus susceptibility loci in New Zealand mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 10168-10172.	3.3	332
345	Cloning, chromosomal location, and characterization of mouse <i>E2F1</i> . <i>Molecular and Cellular Biology</i> , 1994, 14, 1861-1869.	1.1	79
346	<i>Arabidopsis</i> floral homeotic gene <i>BELL</i> ( <i>BEL1</i> ) controls ovule development through negative regulation of <i>AGAMOUS</i> gene ( <i>AG</i> ).. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 5761-5765.	3.3	131

#	ARTICLE	IF	CITATIONS
347	A Mutation Altering Auxin Homeostasis and Plant Morphology in Arabidopsis. <i>Plant Cell</i> , 1995, 7, 2023.	3.1	50
348	Differentiation between homoeologous chromosomes 1A of wheat and 1Am of <i>Triticum monococcum</i> and its recognition by the wheat Ph1 locus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 6645-6649.	3.3	134
349	Lith1, a major gene affecting cholesterol gallstone formation among inbred strains of mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 7729-7733.	3.3	197
350	NDR1, a locus of <i>Arabidopsis thaliana</i> that is required for disease resistance to both a bacterial and a fungal pathogen.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 6597-6601.	3.3	407
351	Identification of RFLPs Flanking a Scald Resistance Gene on Barley Chromosome 6. <i>Journal of Heredity</i> , 1995, 86, 152-154.	1.0	55
352	A genetic linkage map for the domesticated silkworm, <i>Bombyx mori</i> , based on restriction fragment length polymorphisms. <i>Genetical Research</i> , 1995, 66, 109-126.	0.3	73
353	Linkage map of random amplified polymorphic DNAs (RAPDs) in the silkworm, <i>Bombyx mori</i> . <i>Genetical Research</i> , 1995, 66, 1-7.	0.3	78
354	Genomic Organization of 251 kDa Acetyl-CoA Carboxylase Genes in Arabidopsis: Tandem Gene Duplication has Made Two Differentially Expressed Isozymes. <i>Plant and Cell Physiology</i> , 1995, 36, 779-787.	1.5	59
355	Mapping the Fan Locus Controlling Linolenic Acid Content in Soybean Oil. <i>Journal of Heredity</i> , 1995, 86, 245-247.	1.0	35
356	Chapter 75 Molecular Mapping of Genes for Flagellar Proteins in <i>Chlamydomonas</i> . <i>Methods in Cell Biology</i> , 1995, 47, 525-530.	0.5	11
357	Segregation and Recombination in Inter-Gene Pool Crosses of <i>Phaseolus Vulgaris</i> L.. <i>Journal of Heredity</i> , 1995, 86, 98-106.	1.0	17
358	Comparative linkage maps for the mosquitoes, <i>Aedes albopictus</i> and <i>Ae. aegypti</i> , based on common RFLP loci. <i>Insect Molecular Biology</i> , 1995, 4, 41-45.	1.0	39
359	Alcohol Acceptance, Preference, and Sensitivity in Mice. II. Quantitative Trait Loci Mapping Analysis Using BXD Recombinant Inbred Strains. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 367-373.	1.4	122
360	Genetics of primary and timing effects in the md mouse. <i>American Journal of Medical Genetics Part A</i> , 1995, 57, 361-364.	2.4	27
361	Mapping of the serotonin 5-HT1D <sup>2</sup> autoreceptor gene on chromosome 6 and direct analysis for sequence variants. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 157-161.	2.4	91
362	Mapping of the serotonin 5-HT1D <sup>±</sup> autoreceptor gene (HTR1D) on chromosome 1 using a silent polymorphism in the coding region. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 162-164.	2.4	23
363	Polymorphism and genetic mapping of the human oxytocin receptor gene on chromosome 3. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 183-187.	2.4	41
364	Genetic mapping and expression analysis of the murine DNA ligase I gene. <i>Molecular Carcinogenesis</i> , 1995, 14, 71-74.	1.3	9

#	ARTICLE	IF	CITATIONS
365	Molecular genetic analysis of the ripening-inhibitor and non-ripening loci of tomato: A first step in genetic map-based cloning of fruit ripening genes. <i>Molecular Genetics and Genomics</i> , 1995, 248, 195-206.	2.4	55
366	QTL analysis of flowering time in <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 1995, 248, 278-286.	2.4	87
367	Structure, organization and expression of the metallothionein gene family in <i>Arabidopsis</i> . <i>Molecular Genetics and Genomics</i> , 1995, 248, 318-328.	2.4	192
368	Comparative mapping in grasses. Wheat relationships. <i>Molecular Genetics and Genomics</i> , 1995, 248, 744-754.	2.4	183
369	Genetic dissection of the relationship between carbon metabolism and early growth in maize, with emphasis on key-enzyme loci. <i>Molecular Breeding</i> , 1995, 1, 259-272.	1.0	86
370	Molecular analysis and mapping of two genes encoding maize glutathione S-transferases (GST I and Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	2.4	14
371	Genetic and physical characterization of the LR1 leaf rust resistance locus in wheat ( <i>Triticum aestivum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.4	73
372	<i>Saccharum spontaneum</i> L. â€˜SES 208â€™™ genetic linkage map combining RFLP- and PCR-based markers. <i>Molecular Breeding</i> , 1995, 1, 165-179.	1.0	107
373	Use of RFLPs larger than 100 kbp to map the position and internal organization of the nucleolus organizer region on chromosome 2 in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 1995, 7, 273-286.	2.8	58
374	A system for insertional mutagenesis and chromosomal rearrangement using the Ds transposon and Cre-lox. <i>Plant Journal</i> , 1995, 7, 687-701.	2.8	90
375	Barley microsatellites: allele variation and mapping. <i>Plant Molecular Biology</i> , 1995, 27, 835-845.	2.0	242
376	Isolation of a full-length mitotic cyclin cDNA clone CyclIII <sub>M</sub> from <i>Medicago sativa</i> : Chromosomal mapping and expression. <i>Plant Molecular Biology</i> , 1995, 27, 1059-1070.	2.0	37
377	Ten polymorphic DNA loci, including five in the rat MHC (RT1) region, form a single linkage group on rat chromosome 20. <i>Immunogenetics</i> , 1995, 41, 316-9.	1.2	15
378	Isolation and characterization of the tomato homeobox gene THOM1. <i>Planta</i> , 1995, 195, 541-7.	1.6	22
379	Sources and genetic structure of a cluster of genes for resistance to three pathogens in lettuce. <i>Theoretical and Applied Genetics</i> , 1995, 91, 178-188.	1.8	82
380	Molecular marker analysis of <i>Helianthus annuus</i> L. 2. Construction of an RFLP linkage map for cultivated sunflower. <i>Theoretical and Applied Genetics</i> , 1995, 91, 195-199.	1.8	135
381	A genetic map of <i>Prunus</i> based on an interspecific cross between peach and almond. <i>Theoretical and Applied Genetics</i> , 1995, 91, 262-269.	1.8	121
382	The use of bulk segregant analysis to identify a RAPD marker linked to leaf rust resistance in barley. <i>Theoretical and Applied Genetics</i> , 1995, 91, 270-273.	1.8	52

#	ARTICLE	IF	CITATIONS
383	Molecular-marker-facilitated investigation on the ability to stimulate N <sub>2</sub> fixation in the rhizosphere by irrigated rice plants. <i>Theoretical and Applied Genetics</i> , 1995, 91, 1177-1183.	1.8	43
384	RFLP mapping of resistance to the blackleg disease [causal agent, <i>Leptosphaeria maculans</i> (Desm.) Ces. et de Not.] in canola ( <i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 1995, 91, 1190-1194.	1.8	74
385	Mapping genetic factors controlling pollen viability in an interspecific cross in <i>Helianthus</i> sect. <i>Helianthus</i> . <i>Theoretical and Applied Genetics</i> , 1995, 91, 1195-1202.	1.8	94
386	A genetic map of rye chromosome 1R integrating RFLP and cytogenetic loci. <i>Theoretical and Applied Genetics</i> , 1995, 91, 720-726.	1.8	23
387	RFLP and RAPD mapping of the sunflower PI1 locus for resistance to <i>Plasmopara halstedii</i> race 1. <i>Theoretical and Applied Genetics</i> , 1995, 91, 733-737.	1.8	75
388	A comparison of male and female recombination frequency in wheat using RFLP maps of homoeologous group 6 and 7 chromosomes. <i>Theoretical and Applied Genetics</i> , 1995, 91, 744-746.	1.8	55
389	Molecular tagging of the dwarf BREIZH (Bzh) gene in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 1995, 91, 756-761.	1.8	78
390	Genetics and mapping of new isozyme loci in <i>Vicia faba</i> L using trisomics. <i>Theoretical and Applied Genetics</i> , 1995, 91, 783-789.	1.8	32
391	Linkage relationships among stress-induced genes in wheat. <i>Theoretical and Applied Genetics</i> , 1995, 91, 795-801.	1.8	44
392	Molecular marker analysis of genes controlling morphological variation in <i>Brassica rapa</i> (syn.) Tj ETQq1 1 0.784314 <sub>1.8</sub> rgBT /Overlock 10 <sub>71</sub>	1.8	71
393	Linkage Arrangement of RFLP loci in progenies from crosses between doubled haploid <i>Asparagus officinalis</i> L. clones. <i>Theoretical and Applied Genetics</i> , 1995, 90, 124-128.	1.8	33
394	Co-segregation of the maize dwarf mosaic virus resistance gene, Mdm1, with the nucleolus organizer region in maize. <i>Theoretical and Applied Genetics</i> , 1995, 90, 341-346.	1.8	47
395	Identification of genomic regions affecting plant height in sorghum and maize. <i>Theoretical and Applied Genetics</i> , 1995, 90, 380-388.	1.8	145
396	In an elite cross of maize a major quantitative trait locus controls one-fourth of the genetic variation for grain yield. <i>Theoretical and Applied Genetics</i> , 1995, 90, 415-424.	1.8	67
397	Recombinant inbred lines for genetic mapping in tomato. <i>Theoretical and Applied Genetics</i> , 1995, 90, 542-548.	1.8	99
398	A linkage map for sugi ( <i>Cryptomeria japonica</i> ) based on RFLP, RAPD, and isozyme loci. <i>Theoretical and Applied Genetics</i> , 1995, 90, 835-840.	1.8	58
399	RAPD mapping of three QTLs determining trichome formation in <i>Microseris</i> hybrid H27 ( <i>Asteraceae:Lactuaceae</i> ). <i>Theoretical and Applied Genetics</i> , 1995, 90, 853-858.	1.8	32
400	Molecular analysis of the inheritance of the S-5 locus, conferring wide compatibility in Indica/Japonica hybrids of rice ( <i>O. sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 1995, 90, 182-188.	1.8	80

#	ARTICLE	IF	CITATIONS
401	Mapping the genome of rapeseed ( <i>Brassica napus</i> L.). I. Construction of an RFLP linkage map and localization of QTLs for seed glucosinolate content. <i>Theoretical and Applied Genetics</i> , 1995, 90, 194-204.	1.8	232
402	Analysis of recombination rate in female and male gametogenesis in pearl millet ( <i>Pennisetum glaucum</i> ) using RFLP markers. <i>Theoretical and Applied Genetics</i> , 1995, 90, 242-246.	1.8	45
403	Localization of quantitative trait loci (QTL) for agronomic important characters by the use of a RFLP map in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 1995, 90, 294-302.	1.8	165
404	RFLP markers linked to scald ( <i>Rhynchosporium secalis</i> ) resistance gene Rh2 in barley. <i>Theoretical and Applied Genetics</i> , 1995, 90, 920-924.	1.8	62
405	Genetic mapping of QTLs controlling vegetative propagation in <i>Eucalyptus grandis</i> and <i>E. urophylla</i> using a pseudo-testcross strategy and RAPD markers. <i>Theoretical and Applied Genetics</i> , 1995, 90, 933-947.	1.8	179
406	Locating genes associated with root morphology and drought avoidance in rice via linkage to molecular markers. <i>Theoretical and Applied Genetics</i> , 1995, 90, 969-981.	1.8	365
407	Genomic analysis in maritime pine ( <i>Pinus pinaster</i> ). Comparison of two RAPD maps using selfed and open-pollinated seeds of the same individual. <i>Theoretical and Applied Genetics</i> , 1995, 90, 1028-1034.	1.8	100
408	Pollen fertility restoration by nuclear gene Fr in CMS common bean: an Fr linkage map and the mode of Fr action. <i>Theoretical and Applied Genetics</i> , 1995, 90, 1056-1062.	1.8	27
409	Identification of RAPD markers linked to a black leaf spot resistance gene in Chinese elm. <i>Theoretical and Applied Genetics</i> , 1995, 90, 1068-1073.	1.8	25
410	Development of a consensus linkage RFLP map of cultivated sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 1995, 90, 1079-1086.	1.8	157
411	RFLP mapping of the vernalization ( <i>Vrn1</i> ) and frost resistance ( <i>Fr1</i> ) genes on chromosome 5A of wheat. <i>Theoretical and Applied Genetics</i> , 1995, 90, 1174-1179.	1.8	329
412	Mapping a new nematode resistance locus in <i>Lycopersicon peruvianum</i> . <i>Theoretical and Applied Genetics</i> , 1995, 91, 457-464.	1.8	110
413	Identification of a RAPD marker for palmitic-acid concentration in the seed oil of spring turnip rape ( <i>Brassica rapa</i> ssp. <i>oleifera</i> ). <i>Theoretical and Applied Genetics</i> , 1995, 91, 477-480.	1.8	26
414	RFLP mapping of the sugary enhancer1 gene in maize. <i>Theoretical and Applied Genetics</i> , 1995, 91, 489-494.	1.8	14
415	A barley RFLP map: alignment of three barley maps and comparisons to Gramineae species. <i>Theoretical and Applied Genetics</i> , 1995, 91, 681-690.	1.8	48
416	Non-allelic interaction conditioning spikelet sterility in an F2 population of indica/japonica cross in rice. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 825-829.	1.8	23
417	Mapping of $\beta$ -glucan content and $\beta$ -glucanase activity loci in barley grain and malt. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 921-927.	1.8	127
418	Genome mapping of polyploid tall fescue ( <i>Festuca arundinacea</i> Schreb.) with RFLP markers. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 947-955.	1.8	42



#	ARTICLE	IF	CITATIONS
419	A linkage map with RFLP and isozyme markers for almond. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 964-971.	1.8	103
420	Detection of a highly heterozygous locus in recombinant inbred lines of rice and its possible involvement in heterosis. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 978-986.	1.8	11
421	A genetic linkage map of <i>Theobroma cacao</i> L.. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 987-993.	1.8	72
422	fw 2.2:a major QTL controlling fruit weight is common to both red- and green-fruited tomato species. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 994-1000.	1.8	106
423	Strategies for targeted transposon tagging of ABA biosynthetic mutants in tomato. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 1022-1031.	1.8	7
424	The rat athymic nude ( <i>rnu</i> ) locus is closely linked to the inducible nitric oxide synthase gene ( <i>Nos2</i> ). <i>Mammalian Genome</i> , 1995, 6, 137-138.	1.0	9
425	High-GC primers are useful in RAPD analysis of fungi. <i>Current Genetics</i> , 1995, 28, 384-389.	0.8	44
426	Genetic map of rat Chromosome 5 including the fatty ( <i>fa</i> ) locus. <i>Mammalian Genome</i> , 1995, 6, 25-30.	1.0	25
427	Mapping of the <i>Hmg1</i> gene and of seven related sequences in the mouse. <i>Mammalian Genome</i> , 1995, 6, 581-585.	1.0	21
428	Chromosome mapping of nine tropomyosin-related sequences in mice. <i>Mammalian Genome</i> , 1995, 6, 273-277.	1.0	2
429	A genetic map of microsatellite markers on rat Chromosome 7. <i>Mammalian Genome</i> , 1995, 6, 295-298.	1.0	7
430	Localization of a (CA) <sub>n</sub> repeat in glucagon-like peptide-1 receptor gene ( <i>Glp1r</i> ) to proximal mouse Chromosome 17 and its linkage to other markers. <i>Mammalian Genome</i> , 1995, 6, 301-303.	1.0	0
431	An anchored molecular map of mouse Chromosome 6 with an analysis of interference. <i>Mammalian Genome</i> , 1995, 6, 738-740.	1.0	8
432	Typing recombinant inbred mouse strains for microsatellite markers on Chromosomes 10, 16, 18, 19, and X. <i>Mammalian Genome</i> , 1995, 6, 493-498.	1.0	9
433	Mapping of the rat <i>Hoxa11</i> homeobox gene to Chromosome 4. <i>Mammalian Genome</i> , 1995, 6, 559-560.	1.0	3
434	Somatic cell mapping of the <i>SKI</i> proto-oncogene to bovine syntenic group U25 (BTA 27). <i>Mammalian Genome</i> , 1995, 6, 560-561.	1.0	1
435	Genetic map of 16 polymorphic markers forming three linkage groups assigned to rat Chromosome 4. <i>Mammalian Genome</i> , 1995, 6, 459-463.	1.0	13
436	Molecular marker technologies for plant improvement. <i>World Journal of Microbiology and Biotechnology</i> , 1995, 11, 438-448.	1.7	128

#	ARTICLE	IF	CITATIONS
437	The rat T-cell lymphopenia resistance gene (Lyp) maps between D4Mit6 and Npy on RNO4. <i>Mammalian Genome</i> , 1995, 6, 371-372.	1.0	19
438	Detection of quantitative trait loci for agronomic, yield, grain and disease characters in spring barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 1037-1047.	1.8	150
439	Tagging and mapping the thermo-sensitive genic male-sterile gene in rice ( <i>Oryza sativa</i> L.) with molecular markers. <i>Theoretical and Applied Genetics</i> , 1995, 91-91, 1111-1114.	1.8	66
440	Direct isolation of cDNA sequences from specific chromosomal regions of the tomato genome by the differential display technique. <i>Molecular Genetics and Genomics</i> , 1995, 249, 19-24.	2.4	13
441	Combined mapping of AFLP and RFLP markers in barley. <i>Molecular Genetics and Genomics</i> , 1995, 249, 65-73.	2.4	337
442	Comparative mapping in grasses. Oat relationships. <i>Molecular Genetics and Genomics</i> , 1995, 249, 349-356.	2.4	180
443	RFLP mapping of the maize <i>dzt1</i> locus, which regulates methionine-rich 10 kDa zein accumulation. <i>Molecular Genetics and Genomics</i> , 1995, 246, 707-715.	2.4	21
444	Genetic and physical mapping of the lateral suppressor ( <i>ls</i> ) locus in tomato. <i>Molecular Genetics and Genomics</i> , 1995, 246, 761-766.	2.4	21
445	New seizure frequency QTL and the complex genetics of epilepsy in EL mice. <i>Mammalian Genome</i> , 1995, 6, 830-838.	1.0	75
446	Congenic strains reveal effects of the epilepsy quantitative trait locus, <i>El2</i> , separate from other <i>El</i> loci. <i>Mammalian Genome</i> , 1995, 6, 839-843.	1.0	53
447	Neuromuscular degeneration ( <i>nmd</i> ): a mutation on mouse Chromosome 19 that causes motor neuron degeneration. <i>Mammalian Genome</i> , 1995, 6, 187-191.	1.0	48
448	Inheritance and chromosomal locations of male fertility restoring gene transferred from <i>Aegilops umbellulata</i> Zhuk. to <i>Triticum aestivum</i> L.. <i>Molecular Genetics and Genomics</i> , 1995, 247, 351-357.	2.4	19
449	Comparative mapping of the barley genome with male and female recombination-derived, doubled haploid populations. <i>Molecular Genetics and Genomics</i> , 1995, 249, 600-608.	2.4	66
450	Genomic mapping in <i>Pinus pinaster</i> (maritime pine) using RAPD and protein markers. <i>Heredity</i> , 1995, 74, 661-668.	1.2	101
451	A genetic linkage map of the laboratory rat, <i>Rattus norvegicus</i> . <i>Nature Genetics</i> , 1995, 9, 63-69.	9.4	477
452	Hyperproinsulinaemia in obese <i>fat/fat</i> mice associated with a carboxypeptidase E mutation which reduces enzyme activity. <i>Nature Genetics</i> , 1995, 10, 135-142.	9.4	662
453	Identification of murine loci associated with susceptibility to chronic experimental autoimmune encephalomyelitis. <i>Nature Genetics</i> , 1995, 10, 313-317.	9.4	169
454	Distinct genetic loci control development of benign and malignant skin tumours in mice. <i>Nature Genetics</i> , 1995, 10, 424-429.	9.4	120

#	ARTICLE	IF	CITATIONS
455	Quantitative locus analysis of airway hyperresponsiveness in A/J and C57BL/6J mice. <i>Nature Genetics</i> , 1995, 11, 150-154.	9.4	280
456	Hybrid speciation accompanied by genomic reorganization in wild sunflowers. <i>Nature</i> , 1995, 375, 313-316.	13.7	341
457	Genetic mapping of floral traits associated with reproductive isolation in monkeyflowers ( <i>Mimulus</i> ). <i>Nature</i> , 1995, 376, 762-765.	13.7	383
458	Mapping the GA3-insensitive dwarfing gene <i>ct1</i> on chromosome 7 in rye. <i>Plant Breeding</i> , 1995, 114, 113-116.	1.0	35
459	A genetic map of sugar beet ( <i>Beta vulgaris</i> ) based on RAPD markers. <i>Plant Breeding</i> , 1995, 114, 355-357.	1.0	31
460	A NEW LOCUS ON CHROMOSOME 3 STRONGLY LINKED WITH SALT-SENSITIVE HIGH BLOOD PRESSURE IN FEMALE F2 FROM SHRSP AND WKY RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995, 22, S2-S3.	0.9	3
461	Dichloromethane as an economic alternative to chloroform in the extraction of DNA from plant tissues. <i>Plant Molecular Biology Reporter</i> , 1995, 13, 18-25.	1.0	11
462	Peripherin gene is linked to keratin 18 gene on human chromosome 12. <i>Somatic Cell and Molecular Genetics</i> , 1995, 21, 83-88.	0.7	6
463	Plant biotechnology for crop improvement. <i>Biotechnology Advances</i> , 1995, 13, 673-693.	6.0	17
464	Genetic determinants of honey bee foraging behaviour. <i>Animal Behaviour</i> , 1995, 50, 1617-1625.	0.8	96
465	DNA Markers for Resistance to <i>Heterodera glycines</i> I. Race 3 in Soybean Cultivar Peking.. <i>Breeding Science</i> , 1995, 45, 435-443.	0.2	10
466	Parallel Computation of Genetic Likelihoods Using CRI-MAP, PVM, and a Network of Distributed Workstations. <i>Human Heredity</i> , 1995, 45, 103-116.	0.4	12
467	Genetic map of eight microsatellite markers comprising two linkage groups on rat chromosome 6. <i>Cytogenetic and Genome Research</i> , 1995, 68, 107-111.	0.6	5
468	Genetic Analysis Using Random Amplified Polymorphic DNA Markers. , 1995, , 849-884.		26
469	S suppressor of sessile spikelets 1 ( <i>Sosl</i> ): a dominant mutant affecting inflorescence development in maize. <i>American Journal of Botany</i> , 1995, 82, 571-577.	0.8	20
470	Frequent nonreciprocal translocations in the amphidiploid genome of oilseed rape ( <i>Brassica</i> ) Tj ETQq1 1 0.784314.rgBT / Overlock 10 0,9 242	0.9	242
471	A molecular linkage map of cultivated oat. <i>Genome</i> , 1995, 38, 368-380.	0.9	155
472	Suppression and Restoration of Lesion Formation in <i>Arabidopsis</i> <i>lsd</i> Mutants.. <i>Plant Cell</i> , 1995, 7, 2013-2022.	3.1	179

#	ARTICLE	IF	CITATIONS
473	AGL15, a MADS domain protein expressed in developing embryos.. Plant Cell, 1995, 7, 1271-1282.	3.1	151
474	Differentiation between wheat chromosomes 4B and 4D. Genome, 1995, 38, 1139-1147.	0.9	20
476	Targeted mapping of rye chromatin in wheat by representational difference analysis. Genome, 1995, 38, 458-466.	0.9	19
477	Interspecific nuclear-cytoplasmic compatibility controlled by genes on group 1 chromosomes in durum wheat. Genome, 1995, 38, 803-808.	0.9	24
478	The Tomato Never-ripe Locus Regulates Ethylene-Inducible Gene Expression and Is Linked to a Homolog of the Arabidopsis ETR1 Gene. Plant Physiology, 1995, 107, 1343-1353.	2.3	156
479	Arabidopsis phosphoribosylanthranilate isomerase: molecular genetic analysis of triplicate tryptophan pathway genes.. Plant Cell, 1995, 7, 447-461.	3.1	55
480	cDNA Sequences of Three Kinds of $\alpha$ -tubulins from Rice. DNA Research, 1995, 2, 21-26.	1.5	20
481	Suppression and Restoration of Lesion Formation in Arabidopsis lsd Mutants. Plant Cell, 1995, 7, 2013.	3.1	41
482	Arabidopsis Phosphoribosylanthranilate Isomerase: Molecular Genetic Analysis of Triplicate Tryptophan Pathway Genes. Plant Cell, 1995, 7, 447.	3.1	13
483	The follicle-stimulating hormone receptor and luteinizing hormone receptor genes are closely linked in sheep and deer. Journal of Molecular Endocrinology, 1995, 15, 259-265.	1.1	12
484	Screening of RAPD Markers Linked to the Photoperiod-Sensitivity Gene in Rice Chromosome 6 Using Bulk Segregant Analysis. DNA Research, 1995, 2, 101-106.	1.5	13
485	Development of a Genetic Map of the Chicken with Markers of High Utility. Poultry Science, 1995, 74, 1855-1874.	1.5	145
486	Cold-Specific Induction of a Dehydrin Gene Family Member in Barley. Plant Physiology, 1995, 108, 1233-1239.	2.3	63
487	A biometrical genome search in rats reveals the multigenic basis of blood pressure variation.. Genome Research, 1995, 5, 164-172.	2.4	101
488	Characterization of the Murine $\mu$ Opioid Receptor Gene. Journal of Biological Chemistry, 1995, 270, 15877-15883.	1.6	70
489	Conservation of fine-scale DNA marker order in the genomes of rice and the Triticeae. Nucleic Acids Research, 1995, 23, 2724-2728.	6.5	134
490	A Mutation Altering Auxin Homeostasis and Plant Morphology in Arabidopsis.. Plant Cell, 1995, 7, 2023-2037.	3.1	205
491	Identification of QTL for drought responses in maize and their use in testing causal relationships between traits. Journal of Experimental Botany, 1995, 46, 853-865.	2.4	237

#	ARTICLE	IF	CITATIONS
492	COL5a1: fine genetic mapping and exclusion as candidate gene in families with nail-patella syndrome, tuberous sclerosis 1, hereditary hemorrhagic telangiectasia, and Ehlers-Danlos syndrome type II. <i>Genomics</i> , 1995, 25, 737-739.	1.3	36
493	Cytosolic phospholipase A2 gene in human and rat: chromosomal localization and polymorphic markers. <i>Genomics</i> , 1995, 26, 138-141.	1.3	81
494	Lgn1, a gene that determines susceptibility to <i>Legionella pneumophila</i> , maps to mouse chromosome 13. <i>Genomics</i> , 1995, 26, 443-450.	1.3	77
495	A fibrillar collagen gene, Col11a1, is essential for skeletal morphogenesis. <i>Cell</i> , 1995, 80, 423-430.	13.5	368
496	A diabetogenic gene (ODB-1) assigned to the X-chromosome in OLETF rats. <i>Diabetes Research and Clinical Practice</i> , 1995, 27, 91-96.	1.1	35
497	Identification of the A and C genomes of amphidiploid <i>Brassica napus</i> (oilseed rape). <i>Genome</i> , 1995, 38, 1122-1131.	0.9	352
498	Physical Map and Organization of <i>Arabidopsis thaliana</i> Chromosome 4. <i>Science</i> , 1995, 270, 480-483.	6.0	230
499	Molecular markers for four leaf rust resistance genes introgressed into wheat from wild relatives. <i>Genome</i> , 1995, 38, 75-83.	0.9	103
500	Association of morphological and RFLP markers in rice ( <i>Oryza sativa</i> L.). <i>Genome</i> , 1995, 38, 566-574.	0.9	34
501	RFLP maps of rye chromosomes 6R and 7R including terminal C-bands. <i>Genome</i> , 1995, 38, 999-1004.	0.9	18
502	Mapping the anther culture response genes in maize ( <i>Zea mays</i> L.). <i>Genome</i> , 1995, 38, 968-975.	0.9	37
503	Mapping of digested and undigested random amplified microsatellite polymorphisms in barley. <i>Genome</i> , 1995, 38, 991-998.	0.9	47
504	Quantitative trait loci for heading date and straw characters in barley. <i>Genome</i> , 1995, 38, 1098-1104.	0.9	56
505	DNA markers for downy mildew resistance genes in sorghum. <i>Genome</i> , 1995, 38, 823-826.	0.9	30
506	Construction of an intraspecific integrated linkage map of pepper using molecular markers and doubled-haploid progenies. <i>Genome</i> , 1995, 38, 112-121.	0.9	175
507	Molecular mapping of wheat. Homoeologous group 3. <i>Genome</i> , 1995, 38, 525-533.	0.9	192
508	The identification of restriction fragment length polymorphisms linked to seed colour genes in <i>Brassica napus</i> . <i>Genome</i> , 1995, 38, 534-542.	0.9	42
509	Genome conservation among three legume genera detected with DNA markers. <i>Genome</i> , 1995, 38, 928-937.	0.9	120

#	ARTICLE	IF	CITATIONS
510	Molecular-genetic maps for group 1 chromosomes of Triticeae species and their relation to chromosomes in rice and oat. <i>Genome</i> , 1995, 38, 45-59.	0.9	297
511	RFLP mapping in <i>Brassica nigra</i> indicates differing recombination rates in male and female meioses. <i>Genome</i> , 1995, 38, 255-264.	0.9	91
512	RFLP mapping of five major genes and eight quantitative trait loci controlling flowering time in a winter Å— spring barley ( <i>Hordeum vulgare</i> L.) cross. <i>Genome</i> , 1995, 38, 575-585.	0.9	483
513	A simple genetic basis for a complex psychological trait in laboratory mice. <i>Science</i> , 1995, 269, 1432-1435.	6.0	420
514	Identification of RAPD markers linked to a major blast resistance gene in rice. <i>Molecular Breeding</i> , 1995, 1, 341-348.	1.0	51
515	Molecular mapping of wheat. Homoeologous group 2. <i>Genome</i> , 1995, 38, 516-524.	0.9	197
517	A composite map of expressed sequences in maize. <i>Genome</i> , 1996, 39, 418-432.	0.9	90
518	Molecular mapping of quantitative trait loci in <i>japonica</i> rice. <i>Genome</i> , 1996, 39, 395-403.	0.9	37
519	Differentiation dependent expression in muscle cells of ZT3, a novel zinc finger factor differentially expressed in embryonic and adult tissues. <i>Mechanisms of Development</i> , 1996, 54, 107-117.	1.7	11
520	Inheritance of random amplified polymorphic DNA markers in cassava ( <i>Manihot</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 T	0.9	13
521	Comparison off genetic distance and order off DNA markers in five populations of rice. <i>Genome</i> , 1996, 39, 946-956.	0.9	38
522	Generation of a YAC contig encompassing the extra glume gene, eg, in rice. <i>Genome</i> , 1996, 39, 1072-1077.	0.9	6
523	Level of polymorphism and genetic mapping of AFLP markers in rice. <i>Genome</i> , 1996, 39, 969-977.	0.9	211
524	Molecular genetic maps of the group 6 chromosomes of hexaploid wheat ( <i>Triticum aestivum</i> L.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 T	0.9	186
525	Zfp60, a mouse zinc finger gene expressed transiently during in vitro muscle differentiation. <i>FEBS Letters</i> , 1996, 387, 117-121.	1.3	11
526	Genetic mapping of genes for twelve nuclear-encoded polypeptides associated with the thylakoid membranes in <i>Beta vulgaris</i> L. <i>FEBS Letters</i> , 1996, 395, 58-62.	1.3	10
527	Chalcone synthase and phenylalanine ammonia-lyase mRNA levels following exposure of sorghum seedlings to three fungal pathogens. <i>Physiological and Molecular Plant Pathology</i> , 1996, 49, 187-199.	1.3	34
528	A Diabetogenic Gene, ODB2, Identified on Chromosome 14 of the OLETF Rat and Its Synergistic Action with ODB1. <i>Biochemical and Biophysical Research Communications</i> , 1996, 224, 420-425.	1.0	19

#	ARTICLE	IF	CITATIONS
529	Isolates of <i>Colletotrichum gloeosporioides</i> (Teleomorph: <i>Glomerella cingulata</i> ) with Different Host Specificities Mate on Northern Jointvetch. <i>Biological Control</i> , 1996, 7, 75-83.	1.4	9
530	Non-Mendelian and skewed segregation of DNA markers in wide crosses of the bean rust fungus, <i>Uromyces appendiculatus</i> . <i>Current Genetics</i> , 1996, 29, 159-167.	0.8	13
531	Programs, databases, and expert systems for human geneticists – a survey. <i>Human Genetics</i> , 1996, 97, 129-137.	1.8	13
532	Prospects for development of genetic markers for resistance to gastrointestinal parasite infection in sheep. <i>International Journal for Parasitology</i> , 1996, 26, 879-897.	1.3	35
533	Simple sequence repeats for germplasm analysis and mapping in maize. <i>Genome</i> , 1996, 39, 277-287.	0.9	188
534	Molecular Mapping and Character Tagging in Mustard ( <i>Brassica juncea</i> ) II. Association of RFLP markers with Seed Coat Colour and Quantitative Traits. <i>Journal of Plant Biochemistry and Biotechnology</i> , 1996, 5, 17-22.	0.9	17
535	Construction of a genetic linkage map in the wild plant <i>Mimulus</i> using RAPD and isozyme markers. <i>Genome</i> , 1996, 39, 63-70.	0.9	24
536	Genetic resolution and verification of quantitative trait loci for flowering and plant height with recombinant inbred lines of maize. <i>Genome</i> , 1996, 39, 957-968.	0.9	62
537	The construction of a substitution library of recombinant backcross lines in <i>Brassica oleracea</i> for the precision mapping of quantitative trait loci. <i>Genome</i> , 1996, 39, 558-567.	0.9	96
538	Comparison and integration of four barley genetic maps. <i>Genome</i> , 1996, 39, 379-394.	0.9	186
539	Frequencies and sequence characteristics of di-, tri-, and tetra-nucleotide microsatellites in wheat. <i>Genome</i> , 1996, 39, 123-130.	0.9	108
540	Pulsed-field gel electrophoresis analysis of the phaseolin locus region in <i>Phaseolus vulgaris</i> . <i>Genome</i> , 1996, 39, 722-729.	0.9	10
541	Towards developing intervarietal substitution lines in <i>Brassica napus</i> using marker-assisted selection. <i>Genome</i> , 1996, 39, 348-358.	0.9	81
542	Genetic mapping in <i>Eucalyptus urophylla</i> and <i>Eucalyptus grandis</i> using RAPD markers. <i>Genome</i> , 1996, 39, 1051-1061.	0.9	81
543	Characterization of microsatellite markers in eastern white pine. <i>Genome</i> , 1996, 39, 1102-1108.	0.9	168
544	Development of random amplified polymorphic DNA markers for genetic mapping in Pacific yew ( <i>Taxus brevifolia</i> ). <i>Canadian Journal of Forest Research</i> , 1996, 26, 497-503.	0.8	11
545	Identification of RFLP markers linked to a gene for downy mildew resistance ( <i>Sdm</i> ) in sorghum. <i>Canadian Journal of Botany</i> , 1996, 74, 315-317.	1.2	13
546	A comparison of RFLP maps based on anther culture derived, selfed, and hybrid progenies of <i>Solanum chacoense</i> . <i>Genome</i> , 1996, 39, 611-621.	0.9	33

#	ARTICLE	IF	CITATIONS
547	RFLP linkage map of asparagus. <i>Genome</i> , 1996, 39, 622-627.	0.9	18
548	RFLP Framework Map Using Recombinant Inbred Lines in Rice.. <i>Breeding Science</i> , 1996, 46, 279-284.	0.2	44
549	Cloning of mouse ptx3, a new member of the pentraxin gene family expressed at extrahepatic sites. <i>Blood</i> , 1996, 87, 1862-1872.	0.6	201
550	Mapping Genes for Callus Growth and Shoot Regeneration in Barley( <i>Hordeum vulgare</i> L).. <i>Breeding Science</i> , 1996, 46, 137-142.	0.2	25
551	A locus on chromosome 7 determines myocardial cell necrosis and calcification (dystrophic cardiac) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 1996, 93, 5483-5488.	3.3	65
552	Generating and Using DNA Markers in Plants. , 1996, , 75-134.		120
553	Mapping quantitative trait loci using four-way crosses. <i>Genetical Research</i> , 1996, 68, 175-181.	0.3	190
554	The calculation of recombination frequencies in crosses of allogamous plant species with applications to linkage mapping. <i>Genetical Research</i> , 1996, 67, 55-65.	0.3	62
555	RAPD markers for a sunflower rust resistance gene. <i>Australian Journal of Agricultural Research</i> , 1996, 47, 395.	1.5	13
556	A novel iron-regulated metal transporter from plants identified by functional expression in yeast.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 5624-5628.	3.3	1,255
557	3 Molecular genetic analysis: Chromosome walking, gene tagging and RFLP analysis. <i>Methods in Plant Biochemistry</i> , 1996, , 29-64.	0.2	0
558	Identification of Quantitative Trait Loci That Are Affected by Environment. , 1996, , 123-149.		25
559	Genetic mapping of a murine locus controlling development of T helper 1/T helper 2 type responses.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 12467-12472.	3.3	191
560	A CDKN2-like polymorphism in <i>Xiphophorus</i> LG V is associated with UV-B-induced melanoma formation in platyfish-swordtail hybrids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 13042-13047.	3.3	92
561	A rat genetic map constructed by representational difference analysis markers with suitability for large-scale typing.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 3914-3919.	3.3	39
562	Resistance gene analogs are conserved and clustered in soybean.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 11746-11750.	3.3	475
563	Production of congenic mouse strains carrying NOD-derived diabetogenic genetic intervals: An approach for the genetic dissection of complex traits. <i>Mammalian Genome</i> , 1996, 7, 331-334.	1.0	92
564	A rat homolog of the mouse deafness mutant jerker (je). <i>Mammalian Genome</i> , 1996, 7, 356-358.	1.0	6



#	ARTICLE	IF	CITATIONS
565	Chromosomal mapping of the rat Slc4a family of anion exchanger genes, Ael, Ae2, and Ae3. <i>Mammalian Genome</i> , 1996, 7, 380-382.	1.0	15
566	Genetic mapping of the IL-12 alpha chain gene (1112a) on mouse Chromosome 3. <i>Mammalian Genome</i> , 1996, 7, 394-395.	1.0	6
567	Software for genetic linkage analysis. <i>Molecular Biotechnology</i> , 1996, 5, 49-61.	1.3	4
568	Genetic and physical mapping in <i>Brassica</i> diploid species of a gene cluster defined in <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 1996, 251, 298-306.	2.4	38
569	Asr genes belong to a gene family comprising at least three closely linked loci on chromosome 4 in tomato. <i>Molecular Genetics and Genomics</i> , 1996, 252, 489-492.	2.4	23
570	Simple inheritance of key traits distinguishing maize and teosinte. <i>Molecular Genetics and Genomics</i> , 1996, 252, 33-41.	2.4	38
571	Genetic analysis of two tomato mutants affected in the regulation of iron metabolism. <i>Molecular Genetics and Genomics</i> , 1996, 252, 87-92.	2.4	52
572	The placenta growth factor gene of the mouse. <i>Mammalian Genome</i> , 1996, 7, 6-12.	1.0	60
573	A locus on the X Chromosome is linked to body length in mice. <i>Mammalian Genome</i> , 1996, 7, 171-173.	1.0	13
574	Mapping of two genetic loci, Ten-1 and Ten-2, associated with thymus enlargement in BUF/Mna rats. <i>Mammalian Genome</i> , 1996, 7, 505-508.	1.0	16
575	Sensitivity to dietary obesity linked to a locus on Chromosome 15 in a CAST/Ei $\bar{A}$ – C57BL/6J F2 intercross. <i>Mammalian Genome</i> , 1996, 7, 677-681.	1.0	64
576	Sublocalization of the rat brown gene (B=Tyrp1) by linkage mapping. <i>Mammalian Genome</i> , 1996, 7, 710-711.	1.0	5
577	Genetic mapping of the bovine cytochrome c oxidase subunit IV pseudogene. <i>Mammalian Genome</i> , 1996, 7, 711-712.	1.0	1
578	Genetic mapping of thymine DNA glycosylase (Tdg) gene and of one pseudogene in the mouse. <i>Mammalian Genome</i> , 1996, 7, 909-910.	1.0	4
579	Mapping of the rat Ptn gene to chromosome 4. <i>Mammalian Genome</i> , 1996, 7, 923-924.	1.0	5
580	Localization of a moloney murine leukemia virus integration site gene, Mlvi2, on rat chromosome 2. <i>Mammalian Genome</i> , 1996, 7, 924-925.	1.0	3
581	Chromosomal localization of the genes encoding rat CD4, CD8 $\hat{1}$ , and CD8 $\hat{2}$ . <i>Immunogenetics</i> , 1996, 44, 312-314.	1.2	7
582	A retrotransposon-like sequence linked to the S-locus of <i>Nicotiana glauca</i> is expressed in styles in response to touch. <i>Molecular Genetics and Genomics</i> , 1996, 250, 180-188.	2.4	18

#	ARTICLE	IF	CITATIONS
583	Molecular mapping of the centromeres of tomato chromosomes 7 and 9. <i>Molecular Genetics and Genomics</i> , 1996, 250, 295-304.	2.4	42
584	Genetic predisposition to lymphomas in mice. <i>Pathology International</i> , 1996, 46, 707-718.	0.6	16
585	Nonmammalian Models for Sunlight Carcinogenesis: Genetic Analysis of Melanoma Formation in <i>Xiphophorus</i> Hybrid Fish. <i>Photochemistry and Photobiology</i> , 1996, 64, 440-448.	1.3	70
586	Mosquito dopa decarboxylase cDNA characterization and blood-meal-induced ovarian expression. <i>Insect Molecular Biology</i> , 1996, 5, 119-126.	1.0	39
587	Coassortment of genetic loci during macronuclear division in <i>Tetrahymena thermophila</i> . <i>European Journal of Protistology</i> , 1996, 32, 85-89.	0.5	14
588	Defining genes that govern longevity in <i>Caenorhabditis elegans</i> . , 1996, 18, 131-143.		30
589	Both epistatic and additive effects of QTLs are involved in polygenic induced resistance to disease: a case study, the interaction pepper "Phytophthora capsici Leonian". <i>Theoretical and Applied Genetics</i> , 1996, 93, 503-511.	1.8	147
590	Specific molecular marker of the genes controlling linolenic acid content in rapeseed. <i>Theoretical and Applied Genetics</i> , 1996, 93, 512-518.	1.8	63
591	Identification of quantitative trait loci controlling resistance to gray leaf spot disease in maize. <i>Theoretical and Applied Genetics</i> , 1996, 93, 539-546.	1.8	86
592	A genetic linkage map of papaya based on randomly amplified polymorphic DNA markers. <i>Theoretical and Applied Genetics</i> , 1996, 93, 547-553.	1.8	95
593	Molecular-marker analysis of seed-weight: genomic locations, gene action, and evidence for orthologous evolution among three legume species. <i>Theoretical and Applied Genetics</i> , 1996, 93, 574-579.	1.8	134
594	Linkage between RFLP markers and genes affecting kernel hardness in wheat. <i>Theoretical and Applied Genetics</i> , 1996, 93, 580-586.	1.8	259
595	Comparison of RAPD and RFLP markers for mapping F2 generations in maize ( <i>Zea mays</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 93, 606-612.	1.8	24
596	Evaluation of barley chromosome-3 yield QTLs in a backcross F2 population using STS-PCR. <i>Theoretical and Applied Genetics</i> , 1996, 93, 618-625.	1.8	48
597	Spurious linkage between markers in QTL mapping. <i>Molecular Breeding</i> , 1996, 2, 351-358.	1.0	10
598	Identification of peanut ( <i>Arachis hypogaea</i> L.) RAPD markers diagnostic of root-knot nematode ( <i>Meloidogyne arenaria</i> (Neal) Chitwood) resistance. <i>Molecular Breeding</i> , 1996, 2, 369-379.	1.0	98
599	Chalcone synthase in rice ( <i>Oryza sativa</i> L.): Detection of the CHS protein in seedlings and molecular mapping of the chs locus. <i>Plant Molecular Biology</i> , 1996, 32, 735-743.	2.0	49
600	Single-site manipulation of tomato chromosomes in vitro and in vivo using Cre-lox site-specific recombination. <i>Plant Molecular Biology</i> , 1996, 32, 901-913.	2.0	43

#	ARTICLE	IF	CITATIONS
601	RFLP mapping of an aphid resistance gene in cowpea ( <i>Vigna unguiculata</i> L. Walp). <i>Euphytica</i> , 1996, 91, 181-187.	0.6	54
602	Colocation of downy mildew ( <i>Plasmopara halstedii</i> ) resistance genes in sunflower ( <i>Helianthus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 26	0.6	51
603	RFLP mapping of a gene in barley conferring resistance to net blotch ( <i>Pyrenophora teres</i> ). <i>Euphytica</i> , 1996, 91, 229-234.	0.6	57
604	Construction of a linkage map for watermelon ( <i>Citrullus lanatus</i> (Thunb.) Matsum & Nakai) using random amplified polymorphic DNA (RAPD). <i>Euphytica</i> , 1996, 90, 265-273.	0.6	46
605	Identification of RAPD markers linked to linolenic acid genes in rapessed. <i>Euphytica</i> , 1996, 90, 351-357.	0.6	62
606	Molecular mapping of an aluminum tolerance locus on chromosome 4D of Chinese Spring wheat. <i>Euphytica</i> , 1996, 91, 31-35.	0.6	73
607	Mapping QTLs in breeding for drought tolerance in maize ( <i>Zea mays</i> L.). <i>Euphytica</i> , 1996, 91, 89-97.	0.6	121
608	Identification of RAPD markers linked to the loci controlling erucic acid level in rapeseed. <i>Molecular Breeding</i> , 1996, 2, 61.	1.0	74
609	Starch debranching enzyme (R-enzyme or pullulanase) from developing rice endosperm: purification, cDNA and chromosomal localization of the gene. <i>Planta</i> , 1996, 199, 209-18.	1.6	110
610	Seven members of the (1 $\alpha$ '3)- $\beta$ -glucanase gene family in barley ( <i>Hordeum vulgare</i> ) are clustered on the long arm of chromosome 3 (3HL). <i>Theoretical and Applied Genetics</i> , 1996, 92, 791-796.	1.8	25
611	Comparative mapping in F2 $\hat{\alpha}$ '3 and F6 $\hat{\alpha}$ '7 generations of quantitative trait loci for grain yield and yield components in maize. <i>Theoretical and Applied Genetics</i> , 1996, 92, 817-826.	1.8	192
612	The Yd2 gene for barley yellow dwarf virus resistance maps close to the centromere on the long arm of barley chromosome 3. <i>Theoretical and Applied Genetics</i> , 1996, 92, 858-864.	1.8	67
613	Inheritance and linkage relationships of isozyme and morphological loci in cucumber ( <i>Cucumis</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 26	1.8	57
614	Identification of quantitative trait loci under drought conditions in tropical maize. 1. Flowering parameters and the anthesis-silking interval. <i>Theoretical and Applied Genetics</i> , 1996, 92, 905-914.	1.8	240
615	Association of RFLP markers with loci conferring broad-based resistance to the soybean cyst nematode ( <i>Heterodera glycines</i> ). <i>Theoretical and Applied Genetics</i> , 1996, 92, 83-86.	1.8	64
616	Recombination around the Tm2a and Mi resistance genes in different crosses of <i>Lycopersicon peruvianum</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 101-108.	1.8	54
617	RFLP mapping in barely of a dominant gene conferring resistance to scald ( <i>Rhynchosporium secalis</i> ). <i>Theoretical and Applied Genetics</i> , 1996, 93, 421-425.	1.8	60
618	Linkage mapping of quantitative trait loci controlling seed weight in pea ( <i>Pisum sativum</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 93, 431-439.	1.8	73

#	ARTICLE	IF	CITATIONS
619	Inheritance and genetic mapping of self-incompatibility in <i>Coffea canephora</i> Pierre. <i>Theoretical and Applied Genetics</i> , 1996, 93, 458-462.	1.8	40
620	Detection of segregation distortions in an indica-japonica rice cross using a high-resolution molecular map. <i>Theoretical and Applied Genetics</i> , 1996, 92, 145-150.	1.8	106
621	Identification of QTLs affecting traits of agronomic importance in a recombinant inbred population derived from a subspecific rice cross. <i>Theoretical and Applied Genetics</i> , 1996, 92, 230-244.	1.8	300
622	Molecular mapping of the <i>Arabidopsis</i> locus RPP11 which conditions isolate-specific hypersensitive resistance against downy mildew in ecotype RLD. <i>Theoretical and Applied Genetics</i> , 1996, 92, 281-284.	1.8	16
623	Comparative mapping of QTLs for agronomic traits of rice across environments using a doubled haploid population. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1211-1217.	1.8	147
624	Inter- and intra-genomic homology of the Brassica genomes: implications for their origin and evolution. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1225-1233.	1.8	96
625	Higher recombination frequencies in female compared to male meioses in <i>Brassica oleracea</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92-92, 363-367.	1.8	42
626	Mapping quantitative trait loci for seedling vigor in rice using RFLPs. <i>Theoretical and Applied Genetics</i> , 1996, 92-92, 395-402.	1.8	136
627	Mapping of the K <sup>+</sup> /Na <sup>+</sup> discrimination locus Kna1 in wheat. <i>Theoretical and Applied Genetics</i> , 1996, 92-92, 448-454.	1.8	225
628	A major locus for submergence tolerance mapped on rice chromosome 9. <i>Molecular Breeding</i> , 1996, 2, 219-224.	1.0	294
629	Characterization of <i>ofs8.1</i> , a major QTL influencing fruit shape in tomato. <i>Molecular Breeding</i> , 1996, 2, 251-260.	1.0	56
630	Isolation of a new polymorphic TC maize microsatellite located on the long arm of chromosome 10. <i>Molecular Breeding</i> , 1996, 2, 291-292.	1.0	1
631	Establishment of molecular markers and linkage groups in two F2 populations of Upland cotton. <i>Theoretical and Applied Genetics</i> , 1996, 92, 915-919.	1.8	24
632	RFLP mapping of QTLs for yield and related characters in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 92, 920-927.	1.8	142
633	QTL analysis of horticultural traits differentiating the cultivated tomato from the closely related species <i>Lycopersicon pimpinellifolium</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 935-951.	1.8	196
634	Mapping of a QTL for oleic acid concentration in spring turnip rape ( <i>Brassica rapa</i> ssp. <i>oleifera</i> ). <i>Theoretical and Applied Genetics</i> , 1996, 92, 952-956.	1.8	60
635	Genetic analysis of RFLPs, GATA microsatellites and RAPDs in a cross between <i>L. esculentum</i> and <i>L. pimpinellifolium</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 957-965.	1.8	107
636	Genetic localization of four genes for nematode ( <i>Heterodera schachtii</i> Schm.) resistance in sugar beet ( <i>Beta vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 92, 991-997.	1.8	32

#	ARTICLE	IF	CITATIONS
637	Comparative genetic mapping between duplicated segments on maize chromosomes 3 and 8 and homoeologous regions in sorghum and sugarcane. <i>Theoretical and Applied Genetics</i> , 1996, 92, 1024-1030.	1.8	54
638	Identification and mapping on chromosome 9 of RAPD markers linked to Sw-5 in tomato by bulked segregant analysis. <i>Theoretical and Applied Genetics</i> , 1996, 92, 1045-1051.	1.8	41
639	RFLP loci associated with soybean seed protein and oil content across populations and locations. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 649-657.	1.8	158
640	A genetic linkage map of azuki bean constructed with molecular and morphological markers using an interspecific population ( <i>Vigna angularis</i> x <i>V. nakashimae</i> ). <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 658-663.	1.8	39
641	Salt tolerance in <i>Lycopersicon</i> species. IV. Efficiency of marker-assisted selection for salt tolerance improvement. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 765-772.	1.8	36
642	Alignment of the conserved C genomes of <i>Brassica oleracea</i> and <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 833-839.	1.8	107
643	Genetic dissection of height in maritime pine seedlings raised under accelerated growth conditions. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 849-858.	1.8	88
644	Molecular mapping of genes for resistance to rice blast ( <i>Pyricularia grisea</i> Sacc.). <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 859-863.	1.8	65
645	Development of simple sequence repeat DNA markers and their integration into a barley linkage map. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 869-876.	1.8	323
646	Analysis of molecular markers associated with powdery mildew resistance genes in peach ( <i>Prunus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 1.8 55	1.8	55
647	Utility of RAPD markers in identifying genetic linkages to genes of economic interest in peach. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 920-925.	1.8	46
648	Identification of quantitative trait loci for plant height, lodging, and maturity in a soybean population segregating for growth habit. <i>Theoretical and Applied Genetics</i> , 1996, 92, 516-523.	1.8	111
649	Analysis of the barley and rice genomes by comparative RFLP linkage mapping. <i>Theoretical and Applied Genetics</i> , 1996, 92, 541-551.	1.8	90
650	Genetics of seedling and adult plant resistance to net blotch ( <i>Pyrenophora teres</i> f. <i>teres</i> ) and spot blotch ( <i>Cochliobolus sativus</i> ) in barley. <i>Theoretical and Applied Genetics</i> , 1996, 92, 552-558.	1.8	195
651	RFLP analysis of resistance to Columbia root-knot nematode derived from <i>Solanum bulbocastanum</i> in a BC2 population. <i>Theoretical and Applied Genetics</i> , 1996, 92, 572-576.	1.8	79
652	Use of the additive main effects and multiplicative interaction model in QTL mapping for adaptation in barley. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 30-37.	1.8	96
653	Construction of a molecular linkage map in coffee. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 41-47.	1.8	49
654	RFLP mapping of three new loci for resistance genes to powdery mildew ( <i>Erysiphe graminis</i> f. sp.) Tj ETQq1 1 0.784314 rgBT /Overlock 1.8 65	1.8	65

#	ARTICLE	IF	CITATIONS
655	RAPD and RFLP mapping of the bacterial blight resistance gene xa-13 in rice. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 65-70.	1.8	85
656	RFLP mapping of the barley homeotic mutant lax-a. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 81-85.	1.8	8
657	Quantitative resistance to barley leaf stripe ( <i>Pyrenophora graminea</i> ) is dominated by one major locus. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 97-101.	1.8	50
658	Identification of a YAC clone carrying the Xa-1 allele, a bacterial blight resistance gene in rice. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 117-122.	1.8	50
659	<i>Theobroma cacao</i> L.: a genetic linkage map and quantitative trait loci analysis. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 205-214.	1.8	51
660	Targeted comparative genome analysis and qualitative mapping of a major partial-resistance gene to the soybean cyst nematode. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 234-241.	1.8	52
661	Molecular mapping of the ge s gene controlling the super-giant embryo character in rice ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 ggBT /Overlock 10 T	1.8	31
662	Mapping loci controlling the concentrations of erucic and linolenic acids in seed oil of <i>Brassica napus</i> L. <i>Theoretical and Applied Genetics</i> , 1996, 93-93, 282-286.	1.8	86
663	A localized linkage map of the citrus tristeza virus resistance gene region. <i>Theoretical and Applied Genetics</i> , 1996, 92, 688-695.	1.8	103
664	QTL analysis of pest resistance in the wild tomato <i>Lycopersicon pennellii</i> : QTLs controlling acylsugar level and composition. <i>Theoretical and Applied Genetics</i> , 1996, 92, 709-718.	1.8	101
665	Molecular markers associated with seed weight in two soybean populations. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1011-1016.	1.8	102
666	Molecular-mapping analysis in <i>Brassica napus</i> using isozyme, RAPD and RFLP markers on a doubled-haploid progeny. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1017-1025.	1.8	126
667	Microsatellite DNA markers for rice chromosomes. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1071-1077.	1.8	183
668	A molecular linkage map of rye. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1112-1118.	1.8	61
669	Markers for selection of the rice Xa21 disease resistance gene. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1119-1122.	1.8	26
670	Genetic mapping of new morphological, isozyme and RAPD markers in <i>Vicia faba</i> L. using trisomics. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1130-1138.	1.8	50
671	Aroma in rice: genetic analysis of a quantitative trait. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1145-1151.	1.8	183
672	Engineering of interstitial foreign chromosome segments containing the K <sup>+</sup> /Na <sup>+</sup> selectivity gene <i>Kna1</i> by sequential homoeologous recombination in durum wheat. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1180-1184.	1.8	48

#	ARTICLE	IF	CITATIONS
673	A Quantitative Trait Locus in Major Histocompatibility Complex Determining Latent Period of Mouse Lymphomas. Japanese Journal of Cancer Research, 1996, 87, 401-404.	1.7	7
674	Identification of 29 Rat Genetic Markers by Arbitrarily Primed Polymerase Chain Reaction. Japanese Journal of Cancer Research, 1996, 87, 669-675.	1.7	23
675	Isolation, characterization and expression of a cDNA coding for a jasmonate-inducible protein of 37 kDa in barley leaves. Plant, Cell and Environment, 1996, 19, 675-684.	2.8	19
676	Renal disease susceptibility and hypertension are under independent genetic control in the fawn-hooded rat. Nature Genetics, 1996, 12, 44-51.	9.4	257
677	A genome scan localizes five non-MHC loci controlling collagen-induced arthritis in rats. Nature Genetics, 1996, 14, 82-85.	9.4	202
678	A major quantitative trait locus influences hyperactivity in the WKHA rat. Nature Genetics, 1996, 14, 471-473.	9.4	95
679	Association of quantitative trait loci for plant height with major dwarfing genes in rice. Heredity, 1996, 77, 130-137.	1.2	83
680	Recombination rate differences for pollen parents and seed parents in Pinus pinaster. Heredity, 1996, 77, 341-350.	1.2	42
681	Two-dimensional electrophoresis of proteins as a source of monogenic and codominant markers for population genetics and mapping the expressed genome. Heredity, 1996, 76, 166-177.	1.2	50
682	A comprehensive genetic map of the mouse genome. Nature, 1996, 380, 149-152.	13.7	853
683	Application of quantitative trait locus mapping to the development of winter-habit malting barley*. Plant Breeding, 1996, 115, 43-51.	1.0	69
684	Integration of AFLP markers into a linkage map of sugar beet (Beta vulgaris L.). Plant Breeding, 1996, 115, 231-237.	1.0	88
685	RAPD-mapping of the distal portion of chromosome 3 of barley, including the BaMMV/BaYMV resistance gene ym4. Plant Breeding, 1996, 115, 285-287.	1.0	28
686	Quantitative trait loci influencing grain protein content in tetraploid wheats. Plant Breeding, 1996, 115, 310-316.	1.0	76
687	Identification and mapping of random amplified polymorphic DNA markers linked to a rhizomania resistance gene in sugar beet (Beta vulgaris L.) by bulked segregant analysis. Plant Breeding, 1996, 115, 371-377.	1.0	32
688	Short Communication Comparison between QTL analysis of powdery mildew resistance in barley based on detached primary leaves and on field data. Plant Breeding, 1996, 115, 419-421.	1.0	31
689	An extended genetic map of rye (Secale cereale L.). Plant Breeding, 1996, 115, 508-510.	1.0	43
690	Locating supplementary RFLP markers on barley chromosome 7 and synteny with homoeologous wheat group 5. Plant Breeding, 1996, 115, 511-513.	1.0	22

#	ARTICLE	IF	CITATIONS
691	COSEGREGATION OF THE NEW REGION ON CHROMOSOME 3 WITH SALT-INDUCED HYPERTENSION IN FEMALE F2 PROGENY FROM STROKE-PRONE SPONTANEOUSLY HYPERTENSIVE AND WISTAR-KYOTO RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1996, 23, 1028-1034.	0.9	12
692	Arabidopsis Mutants with Increased Sensitivity to Aluminum. <i>Plant Physiology</i> , 1996, 110, 743-751.	2.3	106
693	The re1 (red embryonic axis) phenotype describes a new mutation affecting the response of maize embryos to abscisic acid and osmotic stress. <i>Journal of Experimental Botany</i> , 1996, 47, 755-762.	2.4	9
694	Aod2, the locus controlling development of atrophy in neonatal thymectomy-induced autoimmune ovarian dysgenesis, co-localizes with Il2, Fgfb, and Idd3.. <i>Journal of Experimental Medicine</i> , 1996, 183, 631-637.	4.2	50
695	Catalase Is Encoded by a Multigene Family in Arabidopsis thaliana (L.) Heynh. <i>Plant Physiology</i> , 1996, 112, 327-336.	2.3	232
696	A nuclear mutant of Arabidopsis with impaired stability on distinct transcripts of the plastid psbB, psbD/C, ndhH, and ndhC operons.. <i>Plant Cell</i> , 1996, 8, 1193-1207.	3.1	92
697	ACCELERATED PAPER: Cloning, genetic mapping and expression studies of the rat Brca1 gene. <i>Carcinogenesis</i> , 1996, 17, 1561-1566.	1.3	24
698	Genetic determinism of Î³-carene in maritime pine using RAPD markers. <i>Genome</i> , 1996, 39, 1123-1127.	0.9	29
699	Cloning and mapping of variety-specific rice genomic DNA sequences: amplified fragment length polymorphisms (AFLP) from silver-stained Polyacrylamide gels. <i>Genome</i> , 1996, 39, 373-378.	0.9	122
700	Recombination and chiasmata: few but intriguing discrepancies. <i>Genome</i> , 1996, 39, 473-484.	0.9	77
701	Comparative mapping of homoeologous group 1 regions and genes for resistance to obligate biotrophs in <i>Avena</i> , <i>Hordeum</i> , and <i>Zea mays</i> . <i>Genome</i> , 1996, 39, 155-164.	0.9	35
702	Detection of cytosine methylation and mapping of a gene influencing cytosine methylation in the genome of <i>Citrus</i> . <i>Genome</i> , 1996, 39, 235-242.	0.9	37
703	Mapping Functional Chicken Genes: An Alternative Approach. <i>Poultry Science</i> , 1996, 75, 642-647.	1.5	15
704	Cosegregation of Genes on Chromosome 5 with Heart Weight and Blood Pressure in Genetic Hypertension. <i>Clinical and Experimental Hypertension</i> , 1996, 18, 1073-1087.	0.5	12
705	Characterization and Genetic Mapping of Simple Sequence Repeats in the Rice Genome. <i>DNA Research</i> , 1996, 3, 233-238.	1.5	31
706	RFLP Linkage Map of an Alfalfa Meiotic Mutant Based on an F1 Population. <i>Journal of Heredity</i> , 1996, 87, 167-170.	1.0	56
707	A Linkage Map of Sweet Cherry Based on RAPD Analysis of a Microspore-Derived Callus Culture Population. <i>Journal of Heredity</i> , 1996, 87, 214-218.	1.0	89
708	Crown Rust Resistance Loci on Linkage Groups 4 and 13 in Cultivated Oat. <i>Journal of Heredity</i> , 1996, 87, 427-432.	1.0	39



#	ARTICLE	IF	CITATIONS
709	Software for Genetic Linkage Analysis: An Update. , 1997, 68, 261-282.		0
711	Building human genome maps with radiation hybrids. , 1997, , .		31
712	Pleiotropic Effects of Individual Gene Loci on Mandibular Morphology. Evolution; International Journal of Organic Evolution, 1997, 51, 2006.	1.1	79
713	Building Human Genome Maps with Radiation Hybrids. Journal of Computational Biology, 1997, 4, 487-504.	0.8	130
714	Characterization of Flavonol Synthase and Leucoanthocyanidin Dioxygenase Genes in Arabidopsis (Further Evidence for Differential Regulation of "Early" and "Late" Genes). Plant Physiology, 1997, 113, 1437-1445.	2.3	243
715	Identification of a 1-Aminocyclopropane-1-Carboxylic Acid Synthase Gene Linked to the Female (F) Locus That Enhances Female Sex Expression in Cucumber. Plant Physiology, 1997, 113, 987-995.	2.3	193
716	The Sorghum Photoperiod Sensitivity Gene, Ma3, Encodes a Phytochrome B. Plant Physiology, 1997, 113, 611-619.	2.3	241
717	ALBINO3, an Arabidopsis nuclear gene essential for chloroplast differentiation, encodes a chloroplast protein that shows homology to proteins present in bacterial membranes and yeast mitochondria.. Plant Cell, 1997, 9, 717-730.	3.1	209
718	Bi-dimensional scaling map (BDS-Map): an approach for building large genetic maps. Bioinformatics, 1997, 13, 497-508.	1.8	0
719	Resistance to Leishmania major is Linked to the H2 Region on Chromosome 17 and to Chromosome 9. Journal of Experimental Medicine, 1997, 185, 1705-1710.	4.2	88
722	Construction of a Chickpea Linkage Map and Its Comparison With Maps of Pea and Lentil. Journal of Heredity, 1997, 88, 115-119.	1.0	152
723	A Linkage Map of the Diploid Strawberry, <i>Fragaria vesca</i> . Journal of Heredity, 1997, 88, 215-221.	1.0	98
724	Confirmation of quantitative trait loci for ethanol sensitivity in long-sleep and short-sleep mice.. Genome Research, 1997, 7, 92-99.	2.4	88
725	Construction of a RFLP genetic linkage map for oil palm ( <i>Elaeis guineensis</i> Jacq.). Genome, 1997, 40, 116-122.	0.9	80
726	A Major Quantitative Trait Locus for Rice Yellow Mottle Virus Resistance Maps to a Cluster of Blast Resistance Genes on Chromosome 12. Phytopathology, 1997, 87, 1243-1249.	1.1	41
727	Collapsed xylem phenotype of Arabidopsis identifies mutants deficient in cellulose deposition in the secondary cell wall.. Plant Cell, 1997, 9, 689-701.	3.1	569
728	Progress in the map-based cloning of the <i>Anopheles gambiae</i> genes responsible for the encapsulation of malarial parasites. Annals of Tropical Medicine and Parasitology, 1997, 91, 517-522.	1.6	21
729	The COW1 Locus of Arabidopsis Acts after RHD2, and in Parallel with RHD3 and TIP1, to Determine the Shape, Rate of Elongation, and Number of Root Hairs Produced from Each Site of Hair Formation. Plant Physiology, 1997, 115, 981-990.	2.3	81

#	ARTICLE	IF	CITATIONS
730	Dissecting complex physiological functions through the use of molecular quantitative genetics. <i>Journal of Experimental Botany</i> , 1997, 48, 1151-1163.	2.4	125
731	Identification of a Sex-Specific Quantitative Trait Locus Mediating Nonopioid Stress-Induced Analgesia in Female Mice. <i>Journal of Neuroscience</i> , 1997, 17, 7995-8002.	1.7	111
732	Adaptive evolution via a major gene effect: Paedomorphosis in the Mexican axolotl. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 14185-14189.	3.3	104
733	Collapsed Xylem Phenotype of Arabidopsis Identifies Mutants Deficient in Cellulose Deposition in the Secondary Cell Wall. <i>Plant Cell</i> , 1997, 9, 689.	3.1	130
734	ALBINO3, an Arabidopsis Nuclear Gene Essential for Chloroplast Differentiation, Encodes a Chloroplast Protein That Shows Homology to Proteins Present in Bacterial Membranes and Yeast Mitochondria. <i>Plant Cell</i> , 1997, 9, 717.	3.1	131
735	Molecular Mapping, Chromosomal Assignment, and Genetic Diversity Analysis of Phytochrome Loci in Barley ( <i>Hordeum vulgare</i> ). <i>Journal of Heredity</i> , 1997, 88, 21-26.	1.0	13
736	Cloning and characterization of a cDNA encoding a maize seedling phytase. <i>Biochemical Journal</i> , 1997, 322, 511-517.	1.7	46
737	Neighbour mapping as a method for ordering genetic markers. <i>Genetical Research</i> , 1997, 69, 35-43.	0.3	19
738	Polymorphisms in the carboxy-terminus of the epithelial sodium channel in rat models for hypertension. <i>Journal of Hypertension</i> , 1997, 15, 173-179.	0.3	28
739	Evolving Methods in Genetic Epidemiology. II. Genetic Linkage from an Epidemiologic Perspective. <i>Epidemiologic Reviews</i> , 1997, 19, 24-32.	1.3	29
740	Classical and Molecular Genetics of the Model Legume <i>Lotus japonicus</i> . <i>Molecular Plant-Microbe Interactions</i> , 1997, 10, 59-68.	1.4	119
741	Polygenic Resistance of Pepper to Potyviruses Consists of a Combination of Isolate-Specific and Broad-Spectrum Quantitative Trait Loci. <i>Molecular Plant-Microbe Interactions</i> , 1997, 10, 872-878.	1.4	126
742	The canine genome. <i>Advances in Veterinary Medicine</i> , 1997, 40, 191-216.	0.6	7
743	Comparative mapping of Andropogoneae: <i>Saccharum</i> L. (sugarcane) and its relation to sorghum and maize. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 14261-14266.	3.3	119
744	High-resolution RFLP mapping of the fertility restoration (Rf3) gene against <i>Triticum timopheevi</i> cytoplasm located on chromosome 1BS of common wheat.. <i>Genes and Genetic Systems</i> , 1997, 72, 353-359.	0.2	20
745	A SEARCH FOR QUANTITATIVE TRAIT LOCI AFFECTING ASYMMETRY OF MANDIBULAR CHARACTERS IN MICE. Evolution; <i>International Journal of Organic Evolution</i> , 1997, 51, 957-969.	1.1	92
746	PLEIOTROPIC EFFECTS OF INDIVIDUAL GENE LOCI ON MANDIBULAR MORPHOLOGY. Evolution; <i>International Journal of Organic Evolution</i> , 1997, 51, 2006-2016.	1.1	153
747	Progress in the map-based cloning of the <i>Anopheles gambiae</i> genes responsible for the encapsulation of malarial parasites. <i>Annals of Tropical Medicine and Parasitology</i> , 1997, 91, 517-521.	1.6	5

#	ARTICLE	IF	CITATIONS
748	BAC contig development by fingerprint analysis in soybean. <i>Genome</i> , 1997, 40, 420-427.	0.9	100
749	Identification of RAPD markers for percent hull in oat. <i>Genome</i> , 1997, 40, 873-878.	0.9	17
750	Molecular mapping of resistance to <i>Leptosphaeria maculans</i> in Australian cultivars of <i>Brassica napus</i> . <i>Genome</i> , 1997, 40, 294-301.	0.9	68
751	Molecular mapping of a thermosensitive genetic male sterility gene in rice using bulked segregant analysis. <i>Genome</i> , 1997, 40, 188-194.	0.9	83
752	Identification and mapping of a leaf rust resistance gene in barley line Q21861. <i>Genome</i> , 1997, 40, 236-241.	0.9	58
753	Identification of RAPD markers linked to common bacterial blight resistance genes in <i>Phaseolus vulgaris</i> L.. <i>Genome</i> , 1997, 40, 544-551.	0.9	40
754	Combined RAPD and RFLP molecular linkage map of asparagus. <i>Genome</i> , 1997, 40, 69-76.	0.9	22
755	A Search for Quantitative Trait Loci Affecting Asymmetry of Mandibular Characters in Mice. <i>Evolution; International Journal of Organic Evolution</i> , 1997, 51, 957.	1.1	42
756	Development and characterization of SCAR markers linked to the citrus tristeza virus resistance gene from <i>Poncirus trifoliata</i> . <i>Genome</i> , 1997, 40, 697-704.	0.9	77
757	Genetic and chromosomal localization of the 5S rDNA locus in sugar beet ( <i>Beta vulgaris</i> L.). <i>Genome</i> , 1997, 40, 171-175.	0.9	16
758	The relationship between genetic and cytogenetic maps of pea. II. Physical maps of linkage mapping populations. <i>Genome</i> , 1997, 40, 755-769.	0.9	66
759	Map-based cloning of a gene sequence encoding a nucleotide-binding domain and a leucine-rich region at the <i>Cre3</i> nematode resistance locus of wheat. <i>Genome</i> , 1997, 40, 659-665.	0.9	136
760	Quantitative Trait Loci for Refractoriness of <i>Anopheles gambiae</i> to <i>Plasmodium cynomolgi</i> B. <i>Science</i> , 1997, 276, 425-428.	6.0	197
761	Epidermal Cell Differentiation in <i>Arabidopsis</i> Determined by a Myb Homolog, CPC. <i>Science</i> , 1997, 277, 1113-1116.	6.0	535
762	Novel Quantitative Trait Loci for Blood Pressure and Related Traits on Rat Chromosomes 1, 10, and 18. <i>Biochemical and Biophysical Research Communications</i> , 1997, 235, 343-348.	1.0	42
763	Alleles of the Spontaneously Hypertensive Rat Decrease Blood Pressure at Loci on Chromosomes 4 and 13. <i>Biochemical and Biophysical Research Communications</i> , 1997, 238, 586-589.	1.0	16
764	The <i>STUD</i> Gene Is Required for Male-Specific Cytokinesis after Telophase II of Meiosis in <i>Arabidopsis thaliana</i> . <i>Developmental Biology</i> , 1997, 187, 114-124.	0.9	116
765	Physical and Linkage Mapping of Human Chromosome 17 Loci to Dog Chromosomes 9 and 5. <i>Genomics</i> , 1997, 42, 74-82.	1.3	64

#	ARTICLE	IF	CITATIONS
766	Obesity QTLs on Mouse Chromosomes 2 and 17. <i>Genomics</i> , 1997, 43, 249-257.	1.3	81
767	Mapping Quantitative Trait Loci for Fear-like Behaviors in Mice. <i>Genomics</i> , 1997, 46, 1-8.	1.3	110
768	Detection of quantitative trait loci associated with leaf rust resistance in bread wheat. <i>Genome</i> , 1997, 40, 253-260.	0.9	60
769	Evidence for two distinct members of the amylase gene family in the yellow fever mosquito, <i>Aedes aegypti</i> . <i>Insect Biochemistry and Molecular Biology</i> , 1997, 27, 769-781.	1.2	33
770	Sodium/Hydrogen Exchanger Gene Defect in Slow-Wave Epilepsy Mutant Mice. <i>Cell</i> , 1997, 91, 139-148.	13.5	260
771	The 20S proteasome gene family in <i>Arabidopsis thaliana</i> . <i>FEBS Letters</i> , 1997, 416, 281-285.	1.3	27
772	Comparing the distribution of RAPD and RFLP markers in a high density linkage map of sugar beet. <i>Genome</i> , 1997, 40, 644-651.	0.9	40
773	High Density Molecular Map of Semidwarfing Gene, <i>sd-1</i> , in Rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 1997, 47, 317-320.	0.2	10
774	Cloning and Mapping of a Putative Barley NADPH-Dependent HC-Toxin Reductase. <i>Molecular Plant-Microbe Interactions</i> , 1997, 10, 234-239.	1.4	21
775	Plastid-localized acetyl-CoA carboxylase of bread wheat is encoded by a single gene on each of the three ancestral chromosome sets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 14179-14184.	3.3	80
776	Apoptosis resistance of nonobese diabetic peripheral lymphocytes linked to the <i>Idd5</i> diabetes susceptibility region. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 8670-8674.	3.3	111
777	Mapping of Mouse Obesity Genes: A Generic Approach to a Complex Trait. <i>Journal of Nutrition</i> , 1997, 127, 1909S-1916S.	1.3	31
778	Al Inhibits Both Shoot Development and Root Growth in <i>als3</i> , an Al-Sensitive <i>Arabidopsis</i> Mutant. <i>Plant Physiology</i> , 1997, 114, 1207-1214.	2.3	49
779	RAPD Analysis: Use for Genome Characterization, Tagging Traits and Mapping. , 1997, , 305-333.		4
780	Linkage Analysis of Thermosensitive Genic Male Sterility Gene, <i>tms-2</i> in Rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 1997, 47, 371-373.	0.2	20
781	Combining different linkage maps in sugar beet ( <i>Beta vulgaris</i> L.) to make one map. <i>Plant Breeding</i> , 1997, 116, 23-38.	1.0	56
782	Wide mapping of a T-DNA insertion site in oilseed rape using bulk segregant analysis and comparative mapping. <i>Plant Breeding</i> , 1997, 116, 553-560.	1.0	8
783	Quantitative Trait Loci Associated with Promoting Effects of Sodiuml-Ascorbate on Two-stage Bladder Carcinogenesis in Rats. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 633-638.	1.7	5

#	ARTICLE	IF	CITATIONS
784	Diabetes and Hypertension in Rodent Models. <i>Annals of the New York Academy of Sciences</i> , 1997, 827, 64-84.	1.8	26
785	Mapping of a major genetic modifier of embryonic lethality in TGF $\beta$ 21 knockout mice. <i>Nature Genetics</i> , 1997, 15, 207-211.	9.4	168
786	Sensitivity to cerebral ischaemic insult in a rat model of stroke is determined by a single genetic locus. <i>Nature Genetics</i> , 1997, 16, 364-367.	9.4	204
787	Quantitative trait locus analysis of contextual fear conditioning in mice. <i>Nature Genetics</i> , 1997, 17, 331-334.	9.4	165
788	Mouse loci for malaria-induced mortality and the control of parasitaemia. <i>Nature Genetics</i> , 1997, 17, 380-381.	9.4	98
789	Genetic control of blood parasitaemia in mouse malaria maps to chromosome 8. <i>Nature Genetics</i> , 1997, 17, 382-383.	9.4	82
790	Segregation studies and linkage analysis of Atlantic salmon microsatellites using haploid genetics. <i>Heredity</i> , 1997, 78, 620-627.	1.2	53
791	A Root-Specific Iron-Regulated Gene of Tomato Encodes a Lysyl-tRNA-Synthetase-Like Protein. <i>FEBS Journal</i> , 1997, 244, 310-317.	0.2	22
792	Genetic mapping of genes regulating the thymus size in backcross rats between the laboratory BUF/Mna strain and the MITE strain derived from the wild rat, <i>Rattus norvegicus</i> . <i>Pathology International</i> , 1997, 47, 436-441.	0.6	3
793	Mapping quantitative trait loci for open-field behavior in mice. <i>Behavior Genetics</i> , 1997, 27, 201-210.	1.4	177
794	Genetic dissection of lupus nephritis in murine models of SLE. <i>Journal of Clinical Immunology</i> , 1997, 17, 272-281.	2.0	61
795	Microsatellite marker development, mapping and applications in rice genetics and breeding. <i>Plant Molecular Biology</i> , 1997, 35, 89-99.	2.0	284
796	Structure, chromosomal location and expression of a rice gene encoding the microsomal omega-3 fatty acid desaturase. <i>Plant Molecular Biology</i> , 1997, 33, 493-502.	2.0	50
797	Chromosomal location and expression of the single-copy gene encoding high-mobility-group protein HMG-I/Y in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1997, 34, 529-536.	2.0	26
798	Title is missing!. <i>Plant Molecular Biology</i> , 1997, 35, 155-165.	2.0	84
799	Title is missing!. <i>Photosynthesis Research</i> , 1997, 54, 155-163.	1.6	6
800	RAPD and SCAR markers linked to the sex expression locus M in asparagus. <i>Euphytica</i> , 1997, 94, 329-333.	0.6	90
801	Title is missing!. <i>Euphytica</i> , 1997, 94, 263-272.	0.6	219

#	ARTICLE	IF	CITATIONS
802	The use of Rapd markers for lentil genetic mapping and the evaluation of distorted F2 segregation. <i>Euphytica</i> , 1997, 96, 405-412.	0.6	39
803	Title is missing!. <i>Plant and Soil</i> , 1997, 192, 3-7.	1.8	7
804	QGENE: software for marker-based genomic analysis and breeding. <i>Molecular Breeding</i> , 1997, 3, 239-245.	1.0	522
805	Title is missing!. <i>Molecular Breeding</i> , 1997, 3, 415-425.	1.0	29
806	Title is missing!. <i>Molecular Breeding</i> , 1997, 3, 65-74.	1.0	91
807	Genetic dissection of herbicide tolerance in maize by molecular markers. <i>Molecular Breeding</i> , 1997, 3, 481-493.	1.0	10
808	Title is missing!. <i>Molecular Breeding</i> , 1997, 3, 115-125.	1.0	108
809	Mapping genetic loci for iron deficiency chlorosis in soybean. <i>Molecular Breeding</i> , 1997, 3, 219-229.	1.0	95
810	Genome mapping, molecular markers and marker-assisted selection in crop plants. <i>Molecular Breeding</i> , 1997, 3, 87-103.	1.0	498
811	Title is missing!. <i>Molecular Breeding</i> , 1997, 3, 439-448.	1.0	185
812	Title is missing!. <i>Molecular Breeding</i> , 1997, 3, 105-113.	1.0	171
813	Title is missing!. <i>Molecular Breeding</i> , 1997, 3, 257-268.	1.0	94
814	Construction of a soybean linkage map using an F2 hybrid population from a cultivated variety and a semi-wild soybean. <i>Science Bulletin</i> , 1997, 42, 1033-1038.	1.7	1
815	Chromosomal regions associated with segregation distortion of molecular markers in F2, backcross, doubled haploid, and recombinant inbred populations in rice ( <i>Oryza sativa</i> L.). <i>Molecular Genetics and Genomics</i> , 1997, 253, 535-545.	2.4	376
816	Structure, hormonal regulation, and chromosomal location of genes encoding barley (1Å¥4)- $\beta$ -xylan endohydrolases. <i>Molecular Genetics and Genomics</i> , 1997, 253, 599-608.	2.4	45
817	MADS box genes expressed in developing inflorescences of rice and sorghum. <i>Molecular Genetics and Genomics</i> , 1997, 253, 615-623.	2.4	68
818	Map order and linkage distances of molecular markers close to the supernodulation (nts-1) locus of soybean. <i>Molecular Genetics and Genomics</i> , 1997, 254, 29-36.	2.4	24
819	Mapping QTLs for submergence tolerance in rice by AFLP analysis and selective genotyping. <i>Molecular Genetics and Genomics</i> , 1997, 255, 1-8.	2.4	158

#	ARTICLE	IF	CITATIONS
820	Cerebellar deficient folia (cdf): A new mutation on mouse Chromosome 6. <i>Mammalian Genome</i> , 1997, 8, 108-112.	1.0	21
821	Mapping murine loci for seizure response to kainic acid. <i>Mammalian Genome</i> , 1997, 8, 200-208.	1.0	92
822	Linkage map and congenic strains to localize blood pressure QTL on rat Chromosome 10. <i>Mammalian Genome</i> , 1997, 8, 229-235.	1.0	82
823	Mapping of the mouse <i>Tdgf1</i> gene and <i>Tdgf</i> pseudogenes. <i>Mammalian Genome</i> , 1997, 8, 502-505.	1.0	6
824	Sucrose consumption in mice: Major influence of two genetic Loci affecting peripheral sensory responses. <i>Mammalian Genome</i> , 1997, 8, 545-548.	1.0	121
825	Mapping of rat chromosome 5 markers generated from chromosome-sorted DNA. <i>Mammalian Genome</i> , 1997, 8, 549-553.	1.0	14
826	Localization of the rat genes encoding glucagon, glucagon receptor, and insulin receptor, candidates for diabetes mellitus susceptibility loci. <i>Mammalian Genome</i> , 1997, 8, 586-588.	1.0	6
827	Interval mapping and congenic strains for a blood pressure QTL on rat Chromosome 13. <i>Mammalian Genome</i> , 1997, 8, 636-641.	1.0	52
828	Rat Chromosome 1: Regional localization of seven genes ( <i>Slc9a3</i> , <i>Srd5a1</i> , <i>Esr</i> , <i>Tcp1</i> , <i>Grik5</i> , <i>Tnnt3</i> , <i>Jak2</i> ) and anchoring of the genetic linkage map to the cytogenetic map. <i>Mammalian Genome</i> , 1997, 8, 657-660.	1.0	15
829	Inherited non-autosomal effects on body fat in F2 mice derived from an AKR/J $\times$ SWR/J cross. <i>Mammalian Genome</i> , 1997, 8, 726-730.	1.0	44
830	Mapping of rat Chromosome 2 markers generated from chromosome-sorted DNA. <i>Mammalian Genome</i> , 1997, 8, 731-735.	1.0	21
831	<i>Pas1</i> is a common lung cancer susceptibility locus in three mouse strains. <i>Mammalian Genome</i> , 1997, 8, 801-804.	1.0	25
832	Quantitative trait loci for estrogen-dependent pituitary tumor growth in the rat. <i>Mammalian Genome</i> , 1997, 8, 823-829.	1.0	65
833	Blood pressure and survival of a Chromosome 7 congenic strain bred from Dahl rats. <i>Mammalian Genome</i> , 1997, 8, 896-902.	1.0	47
834	Mapping of the <i>Rf-3</i> nuclear fertility-restoring gene for WA cytoplasmic male sterility in rice using RAPD and RFLP markers. <i>Theoretical and Applied Genetics</i> , 1997, 94, 27-33.	1.8	129
835	Polymorphism, distribution, and segregation of AFLP markers in a doubled haploid rice population. <i>Theoretical and Applied Genetics</i> , 1997, 94, 39-45.	1.8	146
836	Comparative RFLP mapping of the chlorotoluron resistance gene ( <i>Su1</i> ) in cultivated wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	19
837	RFLP mapping of resistance to chlorosis induction by <i>Pyrenophora tritici-repentis</i> in wheat. <i>Theoretical and Applied Genetics</i> , 1997, 94, 98-103.	1.8	98

#	ARTICLE	IF	CITATIONS
838	Comparative mapping of QTLs for agronomic traits of rice across environments by using a doubled-haploid population. <i>Theoretical and Applied Genetics</i> , 1997, 94, 145-150.	1.8	159
839	Molecular mapping of the potato virus Y resistance gene <i>Rysto</i> in potato. <i>Theoretical and Applied Genetics</i> , 1997, 94, 198-203.	1.8	130
840	An intervarietal molecular marker map in <i>Triticum aestivum</i> L. Em. Thell. and comparison with a map from a wide cross. <i>Theoretical and Applied Genetics</i> , 1997, 94, 367-377.	1.8	108
841	Sequence-based genetic markers for genes and gene families: single-strand conformational polymorphisms for the fatty acid synthesis genes of <i>Cuphea</i> . <i>Theoretical and Applied Genetics</i> , 1997, 94, 400-408.	1.8	49
842	Construction of a composite sorghum genome map and comparison with sugarcane, a related complex polyploid. <i>Theoretical and Applied Genetics</i> , 1997, 94, 409-418.	1.8	131
843	QTLs for a component of partial resistance to cucumber mosaic virus in pepper: restriction of virus installation in host-cells. <i>Theoretical and Applied Genetics</i> , 1997, 94, 431-438.	1.8	96
844	Molecular markers flanking citrus tristeza virus resistance gene from <i>Poncirus trifoliata</i> (L.) Raf.. <i>Theoretical and Applied Genetics</i> , 1997, 94, 458-464.	1.8	53
845	Linkage mapping of starch branching enzyme III in rice ( <i>Oryza sativa</i> L.) and prediction of location of orthologous genes in other grasses. <i>Theoretical and Applied Genetics</i> , 1997, 94, 564-568.	1.8	31
846	Mapping genes controlling root morphology and root distribution in a doubled-haploid population of rice. <i>Theoretical and Applied Genetics</i> , 1997, 94, 619-632.	1.8	248
847	Integration of trinucleotide microsatellites into a linkage map of <i>Citrus</i> . <i>Theoretical and Applied Genetics</i> , 1997, 94, 701-706.	1.8	203
848	The genetics of stamenoid petal production in oilseed rape ( <i>Brassica napus</i> ) and equivalent variation in <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 1997, 94, 731-736.	1.8	44
849	Response to potyvirus infection and genetic mapping of resistance loci to potyvirus infection in <i>Lactuca</i> . <i>Theoretical and Applied Genetics</i> , 1997, 94, 941-946.	1.8	21
850	Cloning, mapping, and analyses of expression of the Em-like gene family in soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Theoretical and Applied Genetics</i> , 1997, 94, 957-967.	1.8	12
851	Linkage mapping and genome length in eastern white pine ( <i>Pinus strobus</i> L.). <i>Theoretical and Applied Genetics</i> , 1997, 94, 1031-1037.	1.8	74
852	Characterization and mapping of simple sequence repeats (SSRs) in <i>Sorghum bicolor</i> . <i>Theoretical and Applied Genetics</i> , 1997, 95, 66-72.	1.8	144
853	Genetic dissection of root growth in rice ( <i>Oryza sativa</i> L.). II: mapping quantitative trait loci using molecular markers. <i>Theoretical and Applied Genetics</i> , 1997, 95, 143-152.	1.8	187
854	Microsatellite and sequence-tagged site markers diagnostic for the rice bacterial leaf blight resistance gene <i>xa-5</i> . <i>Theoretical and Applied Genetics</i> , 1997, 95, 174-184.	1.8	78
855	Nuclear fertility restorer genes map to the same linkage group in cytoplasmic male-sterile bean. <i>Theoretical and Applied Genetics</i> , 1997, 95, 205-210.	1.8	30



#	ARTICLE	IF	CITATIONS
856	A potato hypersensitive resistance gene against potato virus X maps to a resistance gene cluster on chromosome 5. <i>Theoretical and Applied Genetics</i> , 1997, 95, 246-252.	1.8	104
857	Salt tolerance in <i>Lycopersicon</i> species. V. Does genetic variability at quantitative trait loci affect their analysis?. <i>Theoretical and Applied Genetics</i> , 1997, 95, 284-293.	1.8	70
858	Genetic mapping of nuclear fertility restorer genes for the <i>Polima</i> ™ cytoplasmic male sterility in canola ( <i>Brassica napus</i> L.) using DNA markers. <i>Theoretical and Applied Genetics</i> , 1997, 95, 321-328.	1.8	69
859	Genetic control of aluminium tolerance in rye ( <i>Secale cereale</i> L.). <i>Theoretical and Applied Genetics</i> , 1997, 95, 393-399.	1.8	74
860	A molecular genetic map of cassava ( <i>Manihot esculenta</i> Crantz). <i>Theoretical and Applied Genetics</i> , 1997, 95, 431-441.	1.8	151
861	Mapping quantitative trait loci controlling silking date in a diallel cross among four lines of maize. <i>Theoretical and Applied Genetics</i> , 1997, 95, 451-459.	1.8	32
862	RFLP-based mapping of three mutant loci in rye ( <i>Secale cereale</i> L.) and their relation to homoeologous loci within the Gramineae. <i>Theoretical and Applied Genetics</i> , 1997, 95, 468-473.	1.8	41
863	Development of a microsatellite framework map providing genome-wide coverage in rice ( <i>Oryza sativa</i> ) Tj ETQq1 1 0,784314 rgBT / Over 538	1.8	538
864	Genetic basis of adaptation: flowering time in <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 1997, 95, 573-583.	1.8	57
865	Quantitative trait dissection analysis in <i>Eucalyptus</i> using RAPD markers: 1. Detection of QTL in interspecific hybrid progeny, stability of QTL expression across different ages. <i>Theoretical and Applied Genetics</i> , 1997, 95, 597-608.	1.8	105
866	A population <i>consensus</i> ™, partial linkage map of <i>Picea abies</i> Karst. based on RAPD markers. <i>Theoretical and Applied Genetics</i> , 1997, 95, 643-654.	1.8	22
867	DNA marker analysis of loci conferring resistance to peanut root-knot nematode in soybean. <i>Theoretical and Applied Genetics</i> , 1997, 95, 664-670.	1.8	37
868	Identification of RAPD markers linked to a locus involved in quantitative resistance to TYLCV in tomato by bulked segregant analysis. <i>Theoretical and Applied Genetics</i> , 1997, 95, 671-677.	1.8	66
869	Molecular mapping of a resistance-specific PCR-based marker linked to a gall midge resistance gene ( <i>Gm4t</i> ) in rice. <i>Theoretical and Applied Genetics</i> , 1997, 95, 777-782.	1.8	39
870	Analysis of QTL—environment interaction for yield components and plant height in rice. <i>Theoretical and Applied Genetics</i> , 1997, 95, 799-808.	1.8	174
871	A wheat cDNA coding for a thaumatin-like protein reveals a high level of RFLP in wheat. <i>Theoretical and Applied Genetics</i> , 1997, 95, 822-827.	1.8	8
872	Introgression and DNA marker analysis of <i>Lycopersicon peruvianum</i> , a wild relative of the cultivated tomato, into <i>Lycopersicon esculentum</i> , followed through three successive backcross generations. <i>Theoretical and Applied Genetics</i> , 1997, 95, 895-902.	1.8	73
873	An integrated genetic linkage map of avocado. <i>Theoretical and Applied Genetics</i> , 1997, 95, 911-921.	1.8	95

#	ARTICLE	IF	CITATIONS
874	Heterogeneous inbred family (HIF) analysis: a method for developing near-isogenic lines that differ at quantitative trait loci. <i>Theoretical and Applied Genetics</i> , 1997, 95, 1005-1011.	1.8	310
875	Identification of quantitative trait loci controlling heading date in rice using a high-density linkage map. <i>Theoretical and Applied Genetics</i> , 1997, 95, 1025-1032.	1.8	265
876	The tomato high-pigment (hp) locus maps to chromosome 2 and influences plastome copy number and fruit quality. <i>Theoretical and Applied Genetics</i> , 1997, 95, 1069-1079.	1.8	107
877	Comparative molecular mapping of GA insensitive Rht loci on chromosomes 4B and 4D of common wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 1997, 95, 1133-1137.	1.8	62
878	Seed-storage-protein loci in RFLP maps of diploid, tetraploid, and hexaploid wheat. <i>Theoretical and Applied Genetics</i> , 1997, 95, 1169-1180.	1.8	66
879	A genetic linkage map of cowpea ( <i>Vigna unguiculata</i> ) developed from a cross between two inbred, domesticated lines. <i>Theoretical and Applied Genetics</i> , 1997, 95, 1210-1217.	1.8	139
880	Molecular mapping of novel resistance genes against Barley Mild Mosaic Virus (BaMMV). <i>Theoretical and Applied Genetics</i> , 1997, 95, 1263-1269.	1.8	54
881	AtDMC1, the Arabidopsis homologue of the yeast DMC1 gene: characterization, transposon-induced allelic variation and meiosis-associated expression. <i>Plant Journal</i> , 1997, 11, 1-14.	2.8	235
882	The cloning of two Arabidopsis genes belonging to a phosphate transporter family. <i>Plant Journal</i> , 1997, 11, 83-92.	2.8	161
883	Increased Ac excision (iae): Arabidopsis thaliana mutations affecting Ac transposition. <i>Plant Journal</i> , 1997, 11, 901-919.	2.8	9
884	Use of Arabidopsis recombinant inbred lines reveals a monogenic and a novel digenic resistance mechanism to <i>Xanthomonas campestris</i> pv <i>campestris</i> . <i>Plant Journal</i> , 1997, 12, 21-29.	2.8	50
885	Map positions of 47 Arabidopsis sequences with sequence similarity to disease resistance genes. <i>Plant Journal</i> , 1997, 12, 1197-1211.	2.8	102
886	Relationships between relative water content and growth parameters under water stress in barley: a QTL study. <i>New Phytologist</i> , 1997, 137, 99-107.	3.5	120
887	Quantitative trait loci associated with stomatal conductance, leaf rolling and heading date mapped in upland rice ( <i>Oryza sativa</i> ). <i>New Phytologist</i> , 1997, 137, 83-91.	3.5	111
888	Repeated sequence markers in pea ( <i>Pisum sativum</i> ). <i>New Phytologist</i> , 1997, 137, 35-41.	3.5	3
889	Molecular characterization of a gene in the rat homologous to human CD94. <i>European Journal of Immunology</i> , 1997, 27, 2080-2086.	1.6	64
890	Disproportionate micromelia (Dmm) in mice caused by a mutation in the C-propeptide coding region of Col2a1. <i>Developmental Dynamics</i> , 1997, 208, 25-33.	0.8	55
891	Title is missing!. <i>Molecular Breeding</i> , 1998, 4, 543-550.	1.0	72

#	ARTICLE	IF	CITATIONS
892	High-resolution mapping adjacent to the Pc71 crown-rust resistance locus in hexaploid oat. , 1998, 4, 13-21.		41
893	Marker-assisted selection for two rust resistance genes in sunflower. <i>Molecular Breeding</i> , 1998, 4, 227-234.	1.0	71
894	Title is missing!. <i>Molecular Breeding</i> , 1998, 4, 165-172.	1.0	53
895	Title is missing!. <i>Molecular Breeding</i> , 1998, 4, 215-226.	1.0	93
896	Title is missing!. <i>Euphytica</i> , 1998, 104, 79-86.	0.6	157
897	RFLP mapping of the three major genes, Vrn1, Q and B1, on the long arm of chromosome 5A of wheat. <i>Euphytica</i> , 1998, 101, 91-95.	0.6	70
898	Title is missing!. <i>Euphytica</i> , 1998, 103, 265-271.	0.6	101
899	Molecular cloning and chromosomal mapping of type one serine/threonine protein phosphatases in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1998, 37, 471-481.	2.0	25
900	Cytochrome P450 superfamily in <i>Arabidopsis thaliana</i> : isolation of cDNAs, differential expression, and RFLP mapping of multiple cytochromes P450. <i>Plant Molecular Biology</i> , 1998, 37, 39-52.	2.0	61
901	The capsanthin-capsorubin synthase gene: a candidate gene for the y locus controlling the red fruit colour in pepper. <i>Plant Molecular Biology</i> , 1998, 36, 785-789.	2.0	122
902	Structure, expression and chromosomal localisation of the metallothionein-like gene family of tomato. <i>Plant Molecular Biology</i> , 1998, 37, 701-714.	2.0	55
903	Molecular characterization of a new type of receptor-like kinase (wlrk) gene family in wheat. <i>Plant Molecular Biology</i> , 1998, 37, 943-953.	2.0	42
904	QTL mapping for nodule number and common bacterial blight in <i>Phaseolus vulgaris</i> L.. <i>Plant and Soil</i> , 1998, 204, 135-145.	1.8	34
905	Mapping of quantitative trait loci for body weight on chromosomes 1 and 4 in the rat. <i>IUBMB Life</i> , 1998, 44, 399-405.	1.5	2
906	AGO1 defines a novel locus of <i>Arabidopsis</i> controlling leaf development. <i>EMBO Journal</i> , 1998, 17, 170-180.	3.5	583
907	A major quantitative trait locus co-localizing with cholecystokinin type A receptor gene influences poor pancreatic proliferation in a spontaneously diabetogenic rat. <i>Mammalian Genome</i> , 1998, 9, 794-798.	1.0	22
908	Linkage mapping of fifty-eight new rat microsatellite markers. <i>Mammalian Genome</i> , 1998, 9, 816-821.	1.0	8
909	A genetic locus susceptible to the overt proteinuria in BUF/Mna rat. <i>Mammalian Genome</i> , 1998, 9, 886-888.	1.0	39

#	ARTICLE	IF	CITATIONS
910	A Quantitative Trait Locus for Alcohol Consumption in Selectively Bred Rat Lines. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 884-887.	1.4	190
911	Location of the self-incompatibility gene on the almond linkage map. <i>Plant Breeding</i> , 1998, 117, 69-72.	1.0	48
912	Molecular mapping of QTL for southwestern corn borer resistance, plant height and flowering in tropical maize. <i>Plant Breeding</i> , 1998, 117, 309-318.	1.0	77
913	RFLP-based mapping of the Sec-2 and Sec-5 loci encoding 75K gamma-secalins of rye. <i>Plant Breeding</i> , 1998, 117, 329-333.	1.0	8
914	Stability of the association of molecular markers with common bacterial blight resistance in common bean ( <i>Phaseolus vulgaris</i> L.). <i>Plant Breeding</i> , 1998, 117, 553-558.	1.0	15
915	EFFECTS OF QUANTITATIVE TRAIT LOCI FOR LIPID PHENOTYPES IN THE RAT ARE INFLUENCED BY AGE. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998, 25, 1004-1007.	0.9	18
916	A microsatellite genetic linkage map for zebrafish ( <i>Danio rerio</i> ). <i>Nature Genetics</i> , 1998, 18, 338-343.	9.4	333
917	Vertebrate genome evolution and the zebrafish gene map. <i>Nature Genetics</i> , 1998, 18, 345-349.	9.4	792
918	Genetic control of arthritis onset, severity and chronicity in a model for rheumatoid arthritis in rats. <i>Nature Genetics</i> , 1998, 20, 401-404.	9.4	195
919	Genetic control of susceptibility to collagen-induced arthritis in T cell receptor $\gamma$ -chain transgenic mice. <i>Arthritis and Rheumatism</i> , 1998, 41, 256-262.	6.7	40
920	Identification of a new non-major histocompatibility complex genetic locus on chromosome 2 that controls disease severity in collagen-induced arthritis in rats. <i>Arthritis and Rheumatism</i> , 1998, 41, 2122-2131.	6.7	78
921	Two genes in the rat homologous to human NKG2. <i>European Journal of Immunology</i> , 1998, 28, 444-450.	1.6	50
922	Genetic linkage analysis of collagen-induced arthritis in the mouse. <i>European Journal of Immunology</i> , 1998, 28, 3321-3328.	1.6	136
923	Cloning and genetic mapping of zebrafish BMP-2. <i>Genesis</i> , 1998, 23, 97-103.	3.1	13
924	Mapping quantitative trait loci for tolerance to abiotic stresses in maize. <i>The Journal of Experimental Zoology</i> , 1998, 282, 164-170.	1.4	14
925	Host genes affecting survival period of chemically induced bladder cancer in mice. <i>Journal of Cancer Research and Clinical Oncology</i> , 1998, 124, 670-676.	1.2	6
926	Identification and characterisation of an RPD3 homologue from maize ( <i>Zea mays</i> L.) that is able to complement an rpd3 null mutant of <i>Saccharomyces cerevisiae</i> . <i>Molecular Genetics and Genomics</i> , 1998, 258, 288-296.	2.4	45
927	Genetic localization of a bruchid resistance gene and its relationship to insecticidal cyclopeptide alkaloids, the vignatic acids, in mungbean ( <i>Vigna radiata</i> L. Wilczek). <i>Molecular Genetics and Genomics</i> , 1998, 258, 378-384.	2.4	74

#	ARTICLE	IF	CITATIONS
928	Towards second-generation STS (sequence-tagged sites) linkage maps in conifers: a genetic map of Norway spruce ( <i>Picea abies</i> K.). <i>Molecular Genetics and Genomics</i> , 1998, 258, 466-478.	2.4	72
929	Coping with complexity: lessons from the mathematical sciences. <i>Human Genetics</i> , 1998, 103, 5-10.	1.8	2
930	Molecular genetic mapping and plant evolutionary biology. <i>Journal of Plant Research</i> , 1998, 111, 383-388.	1.2	5
931	Statistical recovering of incomplete genotypic information of DNA molecular markers. <i>Science in China Series C: Life Sciences</i> , 1998, 41, 442-448.	1.3	0
932	A genetic linkage map of rat chromosome 20 derived from five F <sub>2</sub> crosses. <i>Immunogenetics</i> , 1998, 48, 335-338.	1.2	7
933	RAPD markers associated with salt tolerance in an interspecific cross of tomato ( <i>Lycopersicon</i> ) Tj ETQq1 1 0.784314 rgBT / Overlock 10 2.8 32	2.8	32
934	Linkage mapping of rat chromosome markers generated from chromosome-sorted DNA. <i>Mammalian Genome</i> , 1998, 9, 38-43.	1.0	10
935	Mapping of the rat SM22 gene to Chromosome 8q24: a candidate for high blood pressure and cardiac hypertrophy. <i>Mammalian Genome</i> , 1998, 9, 76-77.	1.0	9
936	Chromosomal assignment of nineteen rat microsatellite markers to various chromosomes by linkage analysis. <i>Mammalian Genome</i> , 1998, 9, 243-245.	1.0	4
937	Correlation between genetic and cytogenetic maps of the rat. <i>Mammalian Genome</i> , 1998, 9, 287-293.	1.0	49
938	Congenic strain confirms putative quantitative trait locus for body weight in the rat. <i>Mammalian Genome</i> , 1998, 9, 294-296.	1.0	14
939	A genetic linkage map of the mouse Chromosome 9 region encompassing the Friend virus susceptibility gene 2 (Fv2). <i>Mammalian Genome</i> , 1998, 9, 381-384.	1.0	6
940	A high-resolution genetic map of mouse Chromosome 19 encompassing the muscle-deficient osteochondrodystrophy (mdfocd) region. <i>Mammalian Genome</i> , 1998, 9, 390-391.	1.0	9
941	Genetic mapping of the mouse Rab7 gene and pseudogene and of the human RAB7 homolog. <i>Mammalian Genome</i> , 1998, 9, 448-452.	1.0	4
942	Genetics of obesity in KK mouse and effects of A y allele on quantitative regulation. <i>Mammalian Genome</i> , 1998, 9, 506-510.	1.0	63
943	An improved linkage map of rat Chromosome 3 with three mapping panels. <i>Mammalian Genome</i> , 1998, 9, 517-520.	1.0	8
944	An integrated genetic linkage map of the laboratory rat. <i>Mammalian Genome</i> , 1998, 9, 521-530.	1.0	92
945	Construction of a rat genetic map by using randomly amplified microsatellite polymorphism (RAMP) markers. <i>Mammalian Genome</i> , 1998, 9, 531-535.	1.0	8

#	ARTICLE	IF	CITATIONS
946	Mapping of 55 new rat microsatellite markers from chromosome-specific libraries. <i>Mammalian Genome</i> , 1998, 9, 622-628.	1.0	20
947	Generation of polymorphic markers tightly linked to the thymus enlargement loci by phenotype-directed representational difference analysis. <i>Mammalian Genome</i> , 1998, 9, 735-739.	1.0	3
948	Genes on mouse Chromosomes 2 and 9 determine variation in ethanol consumption. <i>Mammalian Genome</i> , 1998, 9, 936-941.	1.0	109
949	Genomic screen for QTLs underlying alcohol consumption in the P and NP rat lines. <i>Mammalian Genome</i> , 1998, 9, 949-955.	1.0	106
950	An integrated genetic map of the rat with 562 markers from different sources. <i>Mammalian Genome</i> , 1998, 9, 1002-1007.	1.0	17
951	Isolation of 48 genetic markers appropriate for high throughput genotyping of inbred rat strains by B1 repetitive sequence-representational difference analysis. <i>Mammalian Genome</i> , 1998, 9, 1008-1012.	1.0	7
952	Short tandem repeat polymorphic markers for the rat genome from marker-selected libraries. <i>Mammalian Genome</i> , 1998, 9, 1013-1021.	1.0	21
953	Construction of an RFLP linkage map for cultivated sunflower. <i>Theoretical and Applied Genetics</i> , 1998, 96, 15-22.	1.8	83
954	Construction of RFLP-based maps of foxtail millet, <i>Setaria italica</i> (L.) P. Beauv.. <i>Theoretical and Applied Genetics</i> , 1998, 96, 31-36.	1.8	122
955	Genetic linkage map of ISSR and RAPD markers in Einkorn wheat in relation to that of RFLP markers. <i>Theoretical and Applied Genetics</i> , 1998, 96, 37-45.	1.8	128
956	A low-density genetic map of onion reveals a role for tandem duplication in the evolution of an extremely large diploid genome. <i>Theoretical and Applied Genetics</i> , 1998, 96, 52-62.	1.8	133
957	A rapeseed FAE1 gene is linked to the E1 locus associated with variation in the content of erucic acid. <i>Theoretical and Applied Genetics</i> , 1998, 96, 177-186.	1.8	106
958	Long-term introgression of crop genes into wild sunflower populations. <i>Theoretical and Applied Genetics</i> , 1998, 96, 339-347.	1.8	166
959	Inheritance of inter-simple-sequence-repeat polymorphisms and linkage with a fusarium wilt resistance gene in chickpea. <i>Theoretical and Applied Genetics</i> , 1998, 96, 348-353.	1.8	121
960	Molecular markers for rust and pyricularia leaf spot disease resistance in pearl millet. <i>Theoretical and Applied Genetics</i> , 1998, 96, 413-420.	1.8	40
961	Chromosomal location of PCR fragments as a source of DNA markers linked to aluminium tolerance genes in rye. <i>Theoretical and Applied Genetics</i> , 1998, 96, 426-434.	1.8	27
962	Identification of quantitative trait loci associated with acylsugar accumulation using intraspecific populations of the wild tomato, <i>Lycopersicon pennellii</i> . <i>Theoretical and Applied Genetics</i> , 1998, 96, 458-467.	1.8	63
963	Organization of an <i>Arabidopsis thaliana</i> gene cluster on chromosome 4 including the RPS2 gene, in the <i>Brassica nigra</i> genome. <i>Theoretical and Applied Genetics</i> , 1998, 96, 468-474.	1.8	29

#	ARTICLE	IF	CITATIONS
964	A family of LRR sequences in the vicinity of the Co-2 locus for anthracnose resistance in <i>Phaseolus vulgaris</i> and its potential use in marker-assisted selection. <i>Theoretical and Applied Genetics</i> , 1998, 96, 494-502.	1.8	103
965	Estimation of linkage in trisomic inheritance. <i>Theoretical and Applied Genetics</i> , 1998, 96, 513-518.	1.8	4
966	Cloning of molecular markers for disease resistance in sunflower, <i>Helianthus annuus</i> L.. <i>Theoretical and Applied Genetics</i> , 1998, 96, 519-525.	1.8	95
967	An allele responsible for seedling death in <i>Pinus radiata</i> D. Don. <i>Theoretical and Applied Genetics</i> , 1998, 96, 640-644.	1.8	23
968	<i>Triticum turgidum</i> L. 6A and 6B recombinant substitution lines: extended linkage maps and characterization of residual background alien genetic variation. <i>Theoretical and Applied Genetics</i> , 1998, 96, 645-653.	1.8	10
969	Several QTLs involved in osmotic-adjustment trait variation in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 96, 688-698.	1.8	157
970	Identification of molecular markers linked to quantitative trait loci for soybean resistance to corn earworm. <i>Theoretical and Applied Genetics</i> , 1998, 96, 786-790.	1.8	90
971	Mapping of the gene <i>Nxphu</i> that controls hypersensitive resistance to potato virus X in <i>Solanum phureja</i> lVP35. <i>Theoretical and Applied Genetics</i> , 1998, 96, 840-843.	1.8	52
972	Identification of molecular markers associated with linoleic acid desaturation in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 1998, 96, 897-903.	1.8	57
973	Characteristics of single- and multi-copy microsatellites from <i>Pinus radiata</i> . <i>Theoretical and Applied Genetics</i> , 1998, 96, 969-979.	1.8	81
974	Locating the <i>petunia</i> <i>Rf</i> gene on a 650-kb DNA fragment. <i>Theoretical and Applied Genetics</i> , 1998, 96, 980-988.	1.8	19
975	Mapping quantitative trait loci controlling seed dormancy and heading date in rice, <i>Oryza sativa</i> L., using backcross inbred lines. <i>Theoretical and Applied Genetics</i> , 1998, 96, 997-1003.	1.8	309
976	Molecular examination of a chromosome region that controls resistance to potato Y and A potyviruses in potato. <i>Theoretical and Applied Genetics</i> , 1998, 96, 1036-1043.	1.8	97
977	Genetic analysis of the dwarfing gene ( <i>Rht8</i> ) in wheat. Part I. Molecular mapping of <i>Rht8</i> on the short arm of chromosome 2D of bread wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 96, 1104-1109.	1.8	289
978	Development of RAPD and SCAR markers linked to the Russian wheat aphid resistance gene <i>Dn2</i> in wheat. <i>Theoretical and Applied Genetics</i> , 1998, 96, 1162-1169.	1.8	35
979	Fine mapping of quantitative trait loci <i>Hd-1</i> , <i>Hd-2</i> and <i>Hd-3</i> , controlling heading date of rice, as single Mendelian factors. <i>Theoretical and Applied Genetics</i> , 1998, 97, 37-44.	1.8	221
980	Detection of quantitative trait loci for juvenile growth, flower bearing and rooting ability based on a linkage map of sugi ( <i>Cryptomeria japonica</i> D. Don). <i>Theoretical and Applied Genetics</i> , 1998, 97, 45-50.	1.8	30
981	Genetics and molecular mapping of a male fertility restoration locus ( <i>Rfg1</i> ) in rye ( <i>Secale cereale</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 99-102.	1.8	44

#	ARTICLE	IF	CITATIONS
982	Linkage mapping of two mutations that reduce phytic acid content of barley grain. <i>Theoretical and Applied Genetics</i> , 1998, 97, 141-146.	1.8	162
983	Mapping of three self-fertility mutations in rye ( <i>Secale cereale</i> L.) using RFLP, isozyme and morphological markers. <i>Theoretical and Applied Genetics</i> , 1998, 97, 147-153.	1.8	50
984	Mapping loci associated with flour colour in wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 238-245.	1.8	145
985	Comparative RFLP mapping of meadow and tall fescue. <i>Theoretical and Applied Genetics</i> , 1998, 97, 255-260.	1.8	22
986	Linkage analysis of a fertility restoring mutant generated from CMS rice. <i>Theoretical and Applied Genetics</i> , 1998, 97, 261-266.	1.8	17
987	Genome scanning for resistance-gene analogs in rice, barley, and wheat by high-resolution electrophoresis. <i>Theoretical and Applied Genetics</i> , 1998, 97, 345-355.	1.8	209
988	Anchor probes for comparative mapping of grass genera. <i>Theoretical and Applied Genetics</i> , 1998, 97, 356-369.	1.8	123
989	Integrated map of AFLP, SSLP and RFLP markers using a recombinant inbred population of rice ( <i>Oryza</i> ) Tj ETQq1 1 Q.784314 rgBT /Over	1.8	98
990	Targeted mapping approaches to identify DNA markers linked to the Rfp1 restorer gene for the "Polima"™ CMS of canola ( <i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 431-438.	1.8	17
991	RFLP mapping of the genes controlling hybrid breakdown in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 446-449.	1.8	29
992	Inter-simple-sequence-repeat (ISSR) polymorphisms are useful for finding markers associated with disease resistance gene clusters. <i>Theoretical and Applied Genetics</i> , 1998, 97, 515-519.	1.8	103
993	Identification of quantitative trait loci contributing to Fusarium wilt resistance on an AFLP linkage map of flax ( <i>Linum usitatissimum</i> ). <i>Theoretical and Applied Genetics</i> , 1998, 97, 633-641.	1.8	71
994	A genetic linkage map of durum wheat. <i>Theoretical and Applied Genetics</i> , 1998, 97, 721-728.	1.8	134
995	An RFLP linkage map of Upland cotton, <i>Gossypium hirsutum</i> L.. <i>Theoretical and Applied Genetics</i> , 1998, 97, 756-761.	1.8	80
996	Mapping of QTLs for phosphorus-deficiency tolerance in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 777-783.	1.8	214
997	Molecular mapping of the py-1 gene for resistance to corky root rot ( <i>Pyrenochaeta lycopersici</i> ) in tomato. <i>Theoretical and Applied Genetics</i> , 1998, 97, 784-788.	1.8	48
998	Molecular mapping of the photoperiod response gene ea7 in barley. <i>Theoretical and Applied Genetics</i> , 1998, 97, 797-800.	1.8	31
999	Development, characterization and mapping of microsatellite markers in <i>Eucalyptus grandis</i> and <i>E. urophylla</i> . <i>Theoretical and Applied Genetics</i> , 1998, 97, 816-827.	1.8	247



#	ARTICLE	IF	CITATIONS
1000	Towards an integrated linkage map of common bean. 4. Development of a core linkage map and alignment of RFLP maps. <i>Theoretical and Applied Genetics</i> , 1998, 97, 847-856.	1.8	275
1001	Molecular markers linked to white rust resistance in mustard <i>Brassica juncea</i> . <i>Theoretical and Applied Genetics</i> , 1998, 97, 865-870.	1.8	84
1002	A Genetic linkage map of Pinyon pine ( <i>Pinus edulis</i> ) based on amplified fragment length polymorphisms. <i>Theoretical and Applied Genetics</i> , 1998, 97, 871-880.	1.8	35
1003	Genetic mapping in pea. 1. RAPD-based genetic linkage map of <i>Pisum sativum</i> . <i>Theoretical and Applied Genetics</i> , 1998, 97, 905-915.	1.8	115
1004	Genetic mapping in pea. 2. Identification of RAPD and SCAR markers linked to genes affecting plant architecture. <i>Theoretical and Applied Genetics</i> , 1998, 97, 916-928.	1.8	35
1005	Inheritance of resistance derived from the B-genome of <i>Brassica</i> against <i>Phoma lingam</i> in rapeseed and the development of molecular markers. <i>Theoretical and Applied Genetics</i> , 1998, 97, 929-936.	1.8	68
1006	Cloning and characterisation of a family of disease resistance gene analogs from wheat and barley. <i>Theoretical and Applied Genetics</i> , 1998, 97, 937-945.	1.8	136
1007	Identification of a codominant scar marker linked to the seedlessness character in grapevine. <i>Theoretical and Applied Genetics</i> , 1998, 97, 950-959.	1.8	106
1008	Conversion of an AFLP fragment linked to the carrot Y2 locus to a simple, codominant, PCR-based marker form. <i>Theoretical and Applied Genetics</i> , 1998, 97, 960-967.	1.8	121
1009	Comparative RFLP mapping of <i>Triticum monococcum</i> genes controlling vernalization requirement. <i>Theoretical and Applied Genetics</i> , 1998, 97, 968-975.	1.8	217
1010	Construction of a saturated linkage map for <i>Prunus</i> using an almond–peach F2 progeny. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1034-1041.	1.8	202
1011	Detection of QTLs for crossability in wheat using a doubled-haploid population. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1076-1082.	1.8	69
1012	A genetic linkage map of <i>Quercus robur</i> L. (pedunculate oak) based on RAPD, SCAR, microsatellite, minisatellite, isozyme and 5S rDNA markers. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1090-1103.	1.8	125
1013	Molecular markers linked to the aluminium tolerance gene <i>Alt1</i> in rye ( <i>Secale cereale</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 1104-1109.	1.8	47
1014	Genetic basis and mapping of the resistance to rice yellow mottle virus. I. QTLs identification and relationship between resistance and plant morphology. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1145-1154.	1.8	73
1015	QTLs conditioning early growth in a soybean population segregating for growth habit. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1210-1216.	1.8	23
1016	Mapping of quantitative trait loci affecting <i>Drechslera teres</i> resistance in barley with molecular markers. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1225-1234.	1.8	62
1017	Molecular mapping of a new gene in wild barley conferring complete resistance to leaf rust ( <i>Puccinia</i> ) Tj ETQq1 1 0.784314 rgBT /Ove	1.8	83

#	ARTICLE	IF	CITATIONS
1018	Saturation mapping of a major gene for resistance to white pine blister rust in sugar pine. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1355-1360.	1.8	26
1019	Mapping QTLs for phosphorus deficiency tolerance in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 1998, 97, 1361-1369.	1.8	95
1020	Detection and analysis of QTLs for resistance to the brown planthopper, <i>Nilaparvata lugens</i> , in a doubled-haploid rice population. <i>Theoretical and Applied Genetics</i> , 1998, 97, 1370-1379.	1.8	145
1021	Susceptibility to lupus nephritis in the NZB/W model system. <i>Current Opinion in Immunology</i> , 1998, 10, 718-725.	2.4	71
1022	Cloning and characterization of MS5 from <i>Arabidopsis</i> : a gene critical in male meiosis. <i>Plant Journal</i> , 1998, 15, 345-356.	2.8	121
1023	Two different genes encode ferrochelatase in <i>Arabidopsis</i> : mapping, expression and subcellular targeting of the precursor proteins. <i>Plant Journal</i> , 1998, 15, 531-541.	2.8	97
1024	Is the nitric oxide system involved in genetic hypertension in Dahl rats?. <i>Kidney International</i> , 1998, 53, 1501-1511.	2.6	23
1025	Quantitative trait loci for fluctuating asymmetry of discrete skeletal characters in mice. <i>Heredity</i> , 1998, 80, 509-518.	1.2	55
1026	Mapping AFLP markers associated with subspecific differentiation of <i>Oryza sativa</i> (rice) and an investigation of segregation distortion. <i>Heredity</i> , 1998, 81, 613-620.	1.2	33
1027	A sex-linked locus ( <i>Mpi</i> ) in the opossum shrimp <i>Mysis relicta</i> : implications for early postglacial colonization history. <i>Heredity</i> , 1998, 81, 621-629.	1.2	4
1028	QTL analysis in plants; where are we now?. <i>Heredity</i> , 1998, 80, 137-142.	1.2	409
1029	<i>Ltx1</i> , a mouse locus that influences the susceptibility of macrophages to cytolysis caused by intoxication with <i>Bacillus anthracis</i> lethal factor, maps to chromosome 11. <i>Molecular Microbiology</i> , 1998, 29, 581-591.	1.2	79
1030	Cloning, sequencing and linkage mapping of the <i>NRAMP1</i> gene of sheep and deer. <i>Animal Genetics</i> , 1998, 29, 1-6.	0.6	41
1031	Establishment of framework P1 clones for map-based cloning and genome sequencing: direct RFLP mapping of large clones. <i>Gene</i> , 1998, 225, 31-38.	1.0	3
1032	Identification of homoeologous regions in complex genomes using lambda genomic clones. <i>Plant Science</i> , 1998, 131, 161-171.	1.7	2
1033	Mapping of tyrosine kinase gene family members in a <i>Xiphophorus</i> melanoma model. <i>Molecular Carcinogenesis</i> , 1998, 22, 150-157.	1.3	13
1034	<i>Rpg1</i> , a soybean gene effective against races of bacterial blight, maps to a cluster of previously identified disease resistance genes. <i>Theoretical and Applied Genetics</i> , 1998, 96, 1013-1021.	1.8	80
1035	(C-A) and (G-A) anchored simple sequence repeats (ASSRs) generated polymorphism in soybean, <i>Glycine max</i> (L.) Merr.. <i>Theoretical and Applied Genetics</i> , 1998, 96, 1086-1096.	1.8	33

#	ARTICLE	IF	CITATIONS
1036	Vitelline envelope genes of the yellow fever mosquito, <i>Aedes aegypti</i> . <i>Insect Biochemistry and Molecular Biology</i> , 1998, 28, 915-925.	1.2	38
1037	Mapping of the leaf rust resistance gene <i>Lr3</i> on chromosome 6B of Sinvalocho MA wheat. <i>Genome</i> , 1998, 41, 686-690.	0.9	36
1038	Genetic mapping of Russian wheat aphid resistance genes Dn2 and Dn4 in wheat. <i>Genome</i> , 1998, 41, 303-306.	0.9	48
1039	Linkage group alignment from four independent <i>Brassica oleracea</i> RFLP maps. <i>Genome</i> , 1998, 41, 226-235.	0.9	39
1040	A superfamily of disease resistance gene analogs is located on all homoeologous chromosome groups of wheat ( <i>Triticum aestivum</i> ). <i>Genome</i> , 1998, 41, 782-788.	0.9	35
1041	Comparative mapping of the two wheat leaf rust resistance loci Lr1 and Lr10 in rice and barley. <i>Genome</i> , 1998, 41, 328-336.	0.9	58
1042	Syteny with rice: analysis of barley malting quality QTLs and rpg4 chromosome regions. <i>Genome</i> , 1998, 41, 373-380.	0.9	44
1043	Quantitative Trait Loci on Chromosomes 1 and 4 Affect Lipid Phenotypes in the Rat. <i>Archives of Biochemistry and Biophysics</i> , 1998, 354, 139-143.	1.4	28
1044	The Control of Flowering in Wheat and Barley: What Recent Advances in Molecular Genetics Can Reveal. <i>Annals of Botany</i> , 1998, 82, 541-554.	1.4	71
1045	TheclocheandspadetailGenes Differentially Affect Hematopoiesis and Vasculogenesis. <i>Developmental Biology</i> , 1998, 197, 248-269.	0.9	467
1046	Fine Genetic and Comparative Mapping of the Deafness Mutation Ames waltzer on Mouse Chromosome 10. <i>Genomics</i> , 1998, 50, 260-266.	1.3	7
1047	Linkage Analysis and Construction of a Congenic Strain for a Blood Pressure QTL on Rat Chromosome 9. <i>Genomics</i> , 1998, 51, 191-196.	1.3	26
1048	Characterization of the Mouse Src Homology 3 Domain GeneSh3d2con Chr 7 Demonstrates Coexpression with Huntingtin in the Brain and Identifies the Processed PseudogeneSh3d2c-ps1on Chr 2. <i>Genomics</i> , 1998, 54, 505-510.	1.3	11
1049	Genetic Mapping of the Mouse Genome. <i>Methods</i> , 1998, 14, 120-134.	1.9	7
1050	A Major Gene for Powdery Mildew Resistance Transferred to Common Wheat from Wild Einkorn Wheat. <i>Phytopathology</i> , 1998, 88, 144-147.	1.1	107
1051	Molecular Cloning and Characterization of Three cDNAs Encoding Putative Mitogen-activated Protein Kinase Kinases (MAPKKs) in <i>Arabidopsis thaliana</i> . <i>DNA Research</i> , 1998, 5, 341-348.	1.5	29
1052	The Linkage Map of Xiphophorus Fishes. <i>ILAR Journal</i> , 1998, 39, 237-248.	1.8	17
1053	Brief communication. Analysis of the inheritance of NOR size variants in brown trout ( <i>Salmo trutta</i> ). <i>Journal of Heredity</i> , 1998, 89, 264-266.	1.0	12

#	ARTICLE	IF	CITATIONS
1054	Brief communication. Shorn (shn): a new mutation causing hypotrichosis in the Norway rat. <i>Journal of Heredity</i> , 1998, 89, 257-260.	1.0	8
1055	Genetic algorithms for genetic mapping. <i>Lecture Notes in Computer Science</i> , 1998, , 145-155.	1.0	8
1056	Brief communication. Juvenile bare: a new hair loss mutation on chromosome 7 of the mouse. , 1998, 89, 254-257.		0
1057	RAPD Genome maps of Douglas-fir. , 1998, 89, 197-205.		50
1058	Positional cloning without a genome map: Using 'Targeted RFLP Subtraction' to isolate dense markers tightly linked to the <i>regA</i> locus of <i>Volvox carteri</i> . <i>Nucleic Acids Research</i> , 1998, 26, 1812-1818.	6.5	7
1059	Brief communication. Estimation of the proportion of triploids in populations with diploid and triploid individuals. <i>Journal of Heredity</i> , 1998, 89, 275-279.	1.0	15
1060	The Transposition Frequency of Tag1 Elements Is Increased in Transgenic Arabidopsis Lines. <i>Plant Cell</i> , 1998, 10, 427-434.	3.1	26
1061	Molecular characterization of rat NKR-P2, a lectin-like receptor expressed by NK cells and resting T cells. <i>International Immunology</i> , 1998, 10, 379-385.	1.8	37
1062	Brief communication. New isozyme loci in faba bean ( <i>Vicia faba</i> L.): genetic analysis and mapping using trisomics. <i>Journal of Heredity</i> , 1998, 89, 271-275.	1.0	18
1063	Four genes affecting seed traits in soybeans map to linkage group F. , 1998, 89, 211-215.		23
1064	Hyperleptinemia and leptin receptor variant Asp600Asn in the obese, hyperinsulinemic KK mouse strain. <i>Journal of Molecular Endocrinology</i> , 1998, 21, 337-345.	1.1	19
1065	Isolation and Mapping of a Family of Putative Zinc-finger Protein cDNAs from Rice. <i>DNA Research</i> , 1998, 5, 95-101.	1.5	17
1066	Genetics, phylogenetics, and comparative genetics of <i>Saccharum</i> L., a polysomic polyploid Poales: Andropogoneae. <i>Biotechnology Annual Review</i> , 1998, 4, 285-319.	2.1	0
1067	Locations of human genes for $\hat{I}\pm 1A$ , $\hat{I}\pm 1B$ , and $\hat{I}\pm 1E$ calcium channels determined by radiation hybrid mapping. <i>Journal of Heredity</i> , 1998, 89, 269-271.	1.0	1
1068	Successful Isolation of a Rat Chromosome 1 Blood Pressure Quantitative Trait Locus in Reciprocal Congenic Strains. <i>Hypertension</i> , 1998, 32, 639-646.	1.3	55
1069	Chapter 9 Using Random Amplified Polymorphic DNAs in Zebrafish Genomic Analysis. <i>Methods in Cell Biology</i> , 1998, 60, 165-179.	0.5	10
1070	The Transposition Frequency of Tag1 Elements Is Increased in Transgenic Arabidopsis Lines. <i>Plant Cell</i> , 1998, 10, 427.	3.1	3
1071	Development of a Comparative Genetic Linkage Map for <i>Armigeres subalbatus</i> Using <i>Aedes aegypti</i> RFLP Markers. <i>Genome Research</i> , 1998, 8, 41-47.	2.4	26

#	ARTICLE	IF	CITATIONS
1072	Environmental Influences on Epilepsy Gene Mapping in El Mice. <i>Journal of Neurogenetics</i> , 1998, 12, 67-86.	0.6	22
1073	Genetic linkage maps of the ground crickets <i>Allonemobius fasciatus</i> and <i>Allonemobius socius</i> using RAPD and allozyme markers. <i>Genome</i> , 1998, 41, 841-847.	0.9	9
1074	Comparative Analysis of the Regulation of Expression and Structures of Two Evolutionarily Divergent Genes for $\delta^1$ -Pyrroline-5-Carboxylate Synthetase from Tomato. <i>Plant Physiology</i> , 1998, 118, 661-674.	2.3	108
1075	The Use of Recombinant Inbred Lines (RILs) for Genetic Mapping. , 1998, 82, 137-146.		13
1076	Phosphate Transporter Gene Family of <i>Arabidopsis thaliana</i> . <i>DNA Research</i> , 1998, 5, 261-269.	1.5	80
1077	Resistance Gene Candidates Identified by PCR with Degenerate Oligonucleotide Primers Map to Clusters of Resistance Genes in Lettuce. <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 815-823.	1.4	213
1078	Brief communication. Developmental stability in different genetic stocks of white rock chickens. <i>Journal of Heredity</i> , 1998, 89, 260-264.	1.0	7
1079	The Isolation and Mapping of Disease Resistance Gene Analogs in Maize. <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 968-978.	1.4	216
1080	Mapping a gene conferring resistance to <i>Pseudocercospora herpotrichoides</i> on chromosome 4V of <i>Dasypyrum villosum</i> in a wheat background. <i>Genome</i> , 1998, 41, 1-6.	0.9	57
1082	Quantitative and Ecological Aspects of Plant Breeding. , 1998, , .		138
1083	Salt Susceptibility Maps to Chromosomes 1 and 17 With Sex Specificity in the Sabra Rat Model of Hypertension. <i>Hypertension</i> , 1998, 31, 119-124.	1.3	64
1084	Aluminum-Resistant <i>Arabidopsis</i> Mutants That Exhibit Altered Patterns of Aluminum Accumulation and Organic Acid Release from Roots1. <i>Plant Physiology</i> , 1998, 117, 9-17.	2.3	175
1085			

#	ARTICLE	IF	CITATIONS
1091	Quantitative trait loci for blood glucose confirm diabetes predisposing and protective genes, Iddm4 and Iddm5r, in the spontaneously diabetic BB/OK rat.. International Journal of Molecular Medicine, 1998, 2, 597-601.	1.8	8
1092	Comparative Mapping of the Brassica S Locus Region and Its Homeolog in Arabidopsis: Implications for the Evolution of Mating Systems in the Brassicaceae. Plant Cell, 1998, 10, 801-812.	3.1	104
1093	Comparative Mapping of the Brassica S Locus Region and Its Homeolog in Arabidopsis: Implications for the Evolution of Mating Systems in the Brassicaceae. Plant Cell, 1998, 10, 801.	3.1	8
1094	Chicken Ornithine Transcarbamylase Gene, Structure, Regulation, and Chromosomal Assignment: Repetitive Sequence Motif in Intron 3 Regulates This Enzyme Activity. Journal of Biochemistry, 1998, 124, 962-971.	0.9	11
1095	Identification of rat susceptibility loci for adjuvant-oil-induced arthritis. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 6383-6387.	3.3	109
1096	Quantitative trait loci and metabolic pathways. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 1996-2000.	3.3	115
1097	Polyploid formation created unique avenues for response to selection in Gossypium (cotton). Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 4419-4424.	3.3	324
1098	RFLP mapping of a brown planthopper ( <i>Nilaparvata lugens</i> Stal) resistance gene bph2 of indica rice introgressed into a japonica breeding line 'Norin-PL4'.. Genes and Genetic Systems, 1998, 73, 359-364.	0.2	52
1099	High-resolution RFLP map of the long arm of chromosome 5A in wheats and its synteny among cereals.. Genes and Genetic Systems, 1998, 73, 51-58.	0.2	9
1100	Identification of a Quantitative Trait Locus Influencing Plasma Insulin Levels after 70% Pancreatectomy Using the OLETF Rat.. Journal of Veterinary Medical Science, 1998, 60, 1157-1160.	0.3	1
1101	X-Linked Locus Is Responsible for Non-Insulin-Dependent Diabetes Mellitus in the OLETF Rat.. Journal of Veterinary Medical Science, 1998, 60, 373-375.	0.3	5
1102	Evolution of the avian sex chromosomes from an ancestral pair of autosomes. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 8147-8152.	3.3	230
1103	A Cytoplasmic Male Sterility-Associated Mitochondrial Peptide in Common Bean Is Post-Translationally Regulated. Plant Cell, 1998, 10, 1217.	3.1	60
1104	Genetic Control of Susceptibility for Renal Damage in Hypertensive Fawn-Hooded Rats. Renal Failure, 1998, 20, 407-411.	0.8	14
1105	Three-point linkage analysis in crosses of allogamous plant species. Genetical Research, 1998, 72, 111-121.	0.3	14
1106	The Early enod2 and the Leghemoglobin (lbc3) Genes Segregate Independently from Other Known Soybean Symbiotic Genes. Molecular Plant-Microbe Interactions, 1998, 11, 6-13.	1.4	6
1107	Genetic Mapping of the pvr1 Locus in Capsicum spp. and Evidence That Distinct Potyvirus Resistance Loci Control Responses That Differ at the Whole Plant and Cellular Levels. Molecular Plant-Microbe Interactions, 1998, 11, 943-951.	1.4	66
1108	Mapping the Root-Knot Nematode Resistance Gene (Rk) in Tobacco with RAPD Markers. Plant Disease, 1998, 82, 1319-1322.	0.7	34

#	ARTICLE	IF	CITATIONS
1109	Chromosomal Location and Genetic Relationship of Leaf Rust Resistance Genes Rph9 and Rph12 in Barley. <i>Phytopathology</i> , 1998, 88, 76-80.	1.1	56
1110	Identification of Quantitative Loci for Tolerance to Barley Yellow Dwarf Virus in Oat. <i>Phytopathology</i> , 1998, 88, 410-415.	1.1	57
1111	Susceptibility Alleles for Aberrant B-1 Cell Proliferation Involved in Spontaneously Occurring B-Cell Chronic Lymphocytic Leukemia in a Model of New Zealand White Mice. <i>Blood</i> , 1998, 92, 3772-3779.	0.6	34
1112	Genome Scan and Congenic Strains for Blood Pressure QTL Using Dahl Salt-Sensitive Rats. <i>Genome Research</i> , 1998, 8, 711-723.	2.4	145
1113	Mapping Quantitative Trait Loci for Seizure Response to a GABA Receptor Inverse Agonist in Mice. <i>Journal of Neuroscience</i> , 1999, 19, 3731-3738.	1.7	32
1114	Quantitative Trait and QTL Analysis. <i>Japanese Journal of Crop Science</i> , 1999, 68, 179-186.	0.1	3
1115	Ozone-induced acute lung injury: genetic analysis of F <sub>2</sub> mice generated from A/J and C57BL/6J strains. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1999, 277, L372-L380.	1.3	23
1116	Localization of a blood pressure QTL on rat chromosome 1 using Dahl rat congenic strains. <i>Physiological Genomics</i> , 1999, 1, 119-125.	1.0	24
1117	Confirmation of QTL Associated with Common Bacterial Blight Resistance in Four Different Genetic Backgrounds in Common Bean. <i>Crop Science</i> , 1999, 39, 1448-1455.	0.8	45
1118	A Genetic Map Based on RAPD, RFLP, Isozyme, Morphological Markers and QTL Analysis for Clubroot Resistance in Brassica oleracea. <i>Breeding Science</i> , 1999, 49, 257-265.	0.9	53
1119	Mapping Loci for Pentylentetrazol-Induced Seizure Susceptibility in Mice. <i>Journal of Neuroscience</i> , 1999, 19, 6733-6739.	1.7	179
1120	PCR-Amplified Resistance Gene Analogs Link to Resistance Loci in Rice. <i>Breeding Science</i> , 1999, 49, 267-273.	0.9	5
1121	Linkage of random amplified polymorphic DNA, isozyme and morphological markers in grasspea ( <i>Lathyrus sativus</i> ). <i>Journal of Agricultural Science</i> , 1999, 133, 389-395.	0.6	21
1122	Molecular Mapping of the <i>Rcs3</i> Gene for Resistance to Frogeye Leaf Spot in Soybean. <i>Crop Science</i> , 1999, 39, 1687-1691.	0.8	54
1123	Gene Duplication of Zebrafish JAK2 Homologs Is Accompanied by Divergent Embryonic Expression Patterns: Only jak2a Is Expressed During Erythropoiesis. <i>Blood</i> , 1999, 94, 2622-2636.	0.6	69
1124	A Transmembrane Hybrid-Type Histidine Kinase in Arabidopsis Functions as an Osmosensor. <i>Plant Cell</i> , 1999, 11, 1743.	3.1	4
1125	Mapping of 25 Drought-Inducible Genes, RD and ERD, in Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , 1999, 40, 119-123.	1.5	46
1126	The FLF MADS Box Gene: A Repressor of Flowering in Arabidopsis Regulated by Vernalization and Methylation. <i>Plant Cell</i> , 1999, 11, 445.	3.1	23

#	ARTICLE	IF	CITATIONS
1127	Genetic Variability in Pulmonary Physiological, Cellular, and Antibody Responses to Antigen in Mice. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1150-1156.	2.5	139
1128	Role of Chromosome X in the Sabra Rat Model of Salt-Sensitive Hypertension. Hypertension, 1999, 33, 261-265.	1.3	38
1129	Congenic Substitution Mapping Excludes <i>Sa</i> as a Candidate Gene Locus for a Blood Pressure Quantitative Trait Locus on Rat Chromosome 1. Hypertension, 1999, 34, 643-648.	1.3	62
1130	Development of Molecular Genetics. Clinical Chemistry and Laboratory Medicine, 1999, 37, 699-709.	1.4	1
1131	Linkage Analysis of Myelin Oligodendrocyte Glycoprotein-Induced Experimental Autoimmune Encephalomyelitis in the Rat Identifies a Locus Controlling Demyelination on Chromosome 18. Human Molecular Genetics, 1999, 8, 2183-2190.	1.4	62
1132	Brief communication. Fr1 (root fluorescence) locus is located in a segregation distortion region on linkage group K of soybean genetic map. Journal of Heredity, 1999, 90, 553-556.	1.0	8
1133	Effect of Chromosome 19 Transfer on Blood Pressure in the Spontaneously Hypertensive Rat. Hypertension, 1999, 33, 256-260.	1.3	25
1134	Molecular and Genetic Characterization of a Novel Pleiotropic Tomato-Ripening Mutant1. Plant Physiology, 1999, 120, 383-390.	2.3	202
1135	Interacting Quantitative Trait Loci Control Phenotypic Variation in Murine Estradiol-Regulated Responses*. Endocrinology, 1999, 140, 556-561.	1.4	50
1136	Molecular mapping of genes affecting pubescence of cotton. , 1999, 90, 215-219.		62
1137	Genome Scan for Blood Pressure Loci in Mice. Hypertension, 1999, 34, 625-630.	1.3	59
1138	Severity of Tuberculosis in Mice is Linked to Distal Chromosome 3 and Proximal Chromosome 9. Journal of Infectious Diseases, 1999, 180, 150-155.	1.9	78
1139	Genetic Mapping of the Thymoma Susceptible Locus, Tsr1, in BUF/Mna Rats. Journal of the National Cancer Institute, 1999, 91, 279-282.	3.0	7
1140	Localization of non-Mhc collagen-induced arthritis susceptibility loci in DBA/1j mice. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 2210-2214.	3.3	72
1141	Quantitative Trait Locus Analysis of Plasma Lipoprotein Levels in an Autoimmune Mouse Model. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 442-453.	1.1	42
1142	Mapping Genes That Control Hormone-Induced Ovulation Rate in Mice1. Biology of Reproduction, 1999, 61, 857-872.	1.2	29
1143	Assignment of the <i>Madcam1</i> gene to rat chromosome 7q11.2 by fluorescence in situ hybridization, somatic cell hybrids and linkage analysis. Cytogenetic and Genome Research, 1999, 86, 223-224.	0.6	1
1144	Genetic mapping of the rat <i>Lcn2</i> gene to chromosome 3. Cytogenetic and Genome Research, 1999, 87, 273-274.	0.6	2



#	ARTICLE	IF	CITATIONS
1145	Genetically determined aberrant down-regulation of Fc̳RIIB1 in germinal center B cells associated with hyper-IgG and IgG autoantibodies in murine systemic lupus erythematosus. <i>International Immunology</i> , 1999, 11, 1685-1691.	1.8	111
1146	Inheritance and linkage relationships of morphological and isozyme loci in <i>As-genome</i> diploid oat ( <i>Avena</i> spp.), 1999, 90, 446-452.		5
1147	Construction of a Linkage Map of the Medaka ( <i>Oryzias latipes</i> ) and Mapping of the Da Mutant Locus Defective in Dorsoventral Patterning. <i>Genome Research</i> , 1999, 9, 1277-1287.	2.4	31
1148	Purification and Molecular Genetic Characterization of ZPU1, a Pullulanase-Type Starch-Debranching Enzyme from Maize1. <i>Plant Physiology</i> , 1999, 119, 255-266.	2.3	101
1149	A Transmembrane Hybrid-Type Histidine Kinase in <i>Arabidopsis</i> Functions as an Osmosensor. <i>Plant Cell</i> , 1999, 11, 1743-1754.	3.1	501
1150	Genetic Determination of Cardiac Mass in Normotensive Rats. <i>Hypertension</i> , 1999, 33, 949-953.	1.3	93
1151	Comparative linkage maps for the mosquitoes ( <i>Culex pipiens</i> and <i>Aedes aegypti</i> ) based on common RFLP loci. , 1999, 90, 160-164.		33
1152	Quantitative Trait Loci Associated with Short-term Intake of Sucrose, Saccharin and Quinine Solutions in Laboratory Mice. <i>Chemical Senses</i> , 1999, 24, 373-385.	1.1	78
1153	Mapping of the <i>Dioscorea tokoro</i> genome: AFLP markers linked to sex. <i>Genome</i> , 1999, 42, 752-762.	0.9	47
1154	DNA Markers Associated with Loci Underlying Seed Phytoestrogen Content in Soybeans. <i>Journal of Medicinal Food</i> , 1999, 2, 185-187.	0.8	24
1155	RFLP mapping of a gene for hairy leaf sheath using a recombinant line from <i>Hordeum vulgare</i> L. Å— <i>Hordeum bulbosum</i> L. cross. <i>Genome</i> , 1999, 42, 960-961.	0.9	9
1156	The FLF MADS Box Gene: A Repressor of Flowering in <i>Arabidopsis</i> Regulated by Vernalization and Methylation. <i>Plant Cell</i> , 1999, 11, 445-458.	3.1	905
1157	A Plastidial Lysophosphatidic Acid Acyltransferase from Oilseed Rape1. <i>Plant Physiology</i> , 1999, 120, 913-922.	2.3	62
1158	Computer note. GGT: software for the display of graphical genotypes. , 1999, 90, 328-329.		152
1159	Development of the arbitrarily primed-representational difference analysis method and chromosomal mapping of isolated high throughput rat genetic markers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 610-615.	3.3	7
1160	MOUSE MODELS OF AIRWAY RESPONSIVENESS: Physiological Basis of Observed Outcomes and Analysis of Selected Examples Using These Outcome Indicators. <i>Annual Review of Physiology</i> , 1999, 61, 593-625.	5.6	117
1161	Quantitative trait loci for polyamine content in an RFLP-mapped potato population and their relationship to tuberization. <i>Physiologia Plantarum</i> , 1999, 106, 210-218.	2.6	10
1162	Animal models of asthma and chronic bronchitis. <i>Clinical and Experimental Allergy</i> , 1999, 29, 37-47.	1.4	24

#	ARTICLE	IF	CITATIONS
1163	Winter oilseed rape with high levels of resistance to <i>Pyrenopeziza brassicae</i> derived from wild Brassica species. <i>Plant Pathology</i> , 1999, 48, 550-558.	1.2	17
1164	The TCP domain: a motif found in proteins regulating plant growth and development. <i>Plant Journal</i> , 1999, 18, 215-222.	2.8	736
1165	The SERRATE locus controls the formation of the early juvenile leaves and phase length in <i>Arabidopsis</i> . <i>Plant Journal</i> , 1999, 20, 493-501.	2.8	90
1166	Abundance, polymorphism and genetic mapping of microsatellites in oilseed rape ( <i>Brassica napus</i> L.). <i>Plant Breeding</i> , 1999, 118, 323-326.	1.0	74
1167	AFLP fingerprinting in <i>Medicago</i> spp.: Its development and application in linkage mapping. <i>Plant Breeding</i> , 1999, 118, 335-340.	1.0	38
1168	Barleyâ€” <i>Pyrenophora graminea</i> interaction: QTL analysis and gene mapping. <i>Plant Breeding</i> , 1999, 118, 29-35.	1.0	28
1169	SCAR and RAPD markers associated with 18â€”carbon fatty acids in rapeseed, <i>Brassica napus</i> . <i>Plant Breeding</i> , 1999, 118, 145-150.	1.0	44
1170	ANALYSIS IN SPONTANEOUSLY HYPERTENSIVE RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999, 26, 536-538.	0.9	4
1171	Insect immunity: molecular cloning, expression, and characterization of cDNAs and genomic DNA encoding three isoforms of insect defensin in <i>Aedes aegypti</i> . <i>Insect Molecular Biology</i> , 1999, 8, 107-118.	1.0	90
1172	Comparison of homology and linkage of random amplified polymorphic DNA (RAPD) markers between individual trees of Scots pine ( <i>Pinus sylvestris</i> L.). <i>Molecular Ecology</i> , 1999, 8, 15-22.	2.0	25
1173	Insect resistance in recombinant inbred soybean lines derived from non-resistant parents. <i>Entomologia Experimentalis Et Applicata</i> , 1999, 91, 467-478.	0.7	9
1174	Combined linkage maps and QTLs in sugar beet ( <i>Beta vulgaris</i> L.) from different populations. <i>Plant Breeding</i> , 1999, 118, 193-204.	1.0	25
1175	Genome-wide mapping with biallelic markers in <i>Arabidopsis thaliana</i> . <i>Nature Genetics</i> , 1999, 23, 203-207.	9.4	260
1176	Mapping morphological genes relative to molecular markers in lettuce ( <i>Lactuca sativa</i> L.). <i>Heredity</i> , 1999, 82, 245-251.	1.2	30
1177	High-resolution mapping of <i>tl1</i> , a mouse mutant lacking otoconia. <i>Mammalian Genome</i> , 1999, 10, 544-548.	1.0	11
1178	Title is missing!. <i>Euphytica</i> , 1999, 105, 133-141.	0.6	32
1179	Title is missing!. <i>Euphytica</i> , 1999, 105, 173-181.	0.6	35
1180	Identification of RAPD markers linked to fusarium crown and root rot resistance ( <i>Fr1</i> ) in tomato. <i>Euphytica</i> , 1999, 105, 205-210.	0.6	27

#	ARTICLE	IF	CITATIONS
1181	Identification of a RAPD marker linked to a brown planthopper resistance gene in rice. <i>Euphytica</i> , 1999, 107, 23-28.	0.6	31
1182	Title is missing!. <i>Euphytica</i> , 1999, 106, 57-62.	0.6	41
1183	A second gene for resistance to race 4 of Fusarium wilt in chickpea and linkage with a RAPD marker. <i>Euphytica</i> , 1999, 109, 43-50.	0.6	45
1184	Title is missing!. <i>Euphytica</i> , 1999, 107, 185-192.	0.6	20
1185	Title is missing!. <i>Euphytica</i> , 1999, 110, 193-198.	0.6	24
1186	Title is missing!. <i>Molecular Breeding</i> , 1999, 5, 33-42.	1.0	51
1187	Identification of quantitative trait loci for nitrogen use efficiency in maize. <i>Molecular Breeding</i> , 1999, 5, 187-195.	1.0	141
1188	Title is missing!. <i>Molecular Breeding</i> , 1999, 5, 167-175.	1.0	79
1189	Mapping loci associated with milling yield in wheat ( <i>Triticum aestivum</i> L.). <i>Molecular Breeding</i> , 1999, 5, 561-568.	1.0	42
1190	A polymorphic microsatellite in the limit dextrinase gene of barley ( <i>Hordeum vulgare</i> L.). <i>Molecular Breeding</i> , 1999, 5, 569-577.	1.0	18
1191	ATS1 and ATS3: two novel embryo-specific genes in <i>Arabidopsis thaliana</i> . , 1999, 39, 1153-1163.		47
1192	Molecular characterization of two lipoxygenases from barley. <i>Plant Molecular Biology</i> , 1999, 39, 1283-1298.	2.0	50
1193	Chemical induction of disease resistance in rice is correlated with the expression of a gene encoding a nucleotide binding site and leucine-rich repeats. <i>Plant Molecular Biology</i> , 1999, 40, 847-855.	2.0	72
1194	Mapping QTLs associated with drought resistance in rice: Progress, problems and prospects. <i>Plant Growth Regulation</i> , 1999, 29, 123-133.	1.8	119
1195	High expression level of a gene coding for a chloroplastic amino acid selective channel protein is correlated to cold acclimation in cereals. <i>Plant Molecular Biology</i> , 1999, 41, 233-243.	2.0	47
1196	Phenotypic selection: A successful strategy to fix major genes of hypertension. <i>IUBMB Life</i> , 1999, 47, 735-742.	1.5	0
1197	Improved linkage map and thirty new microsatellite markers for rat Chromosome 10. <i>Mammalian Genome</i> , 1999, 10, 26-29.	1.0	3
1198	Rat Chromosome 2: assignment of the genes encoding cyclin B1, interleukin 6 signal transducer, and proprotein convertase 1 to the Mcs1 -containing region and identification of new microsatellite markers. <i>Mammalian Genome</i> , 1999, 10, 30-34.	1.0	4

#	ARTICLE	IF	CITATIONS
1199	Localization of rat genes in the nitric oxide signaling pathway: candidates for the pathogenesis of complex diseases. <i>Mammalian Genome</i> , 1999, 10, 71-73.	1.0	5
1200	Identification of peak bone mass QTL in a spontaneously osteoporotic mouse strain. <i>Mammalian Genome</i> , 1999, 10, 81-87.	1.0	106
1201	Two blood pressure/cardiac mass quantitative trait loci on Chromosome 3 in Dahl rats. <i>Mammalian Genome</i> , 1999, 10, 112-116.	1.0	33
1202	Multiplex inheritance of component phenotypes in a murine model of lupus. <i>Mammalian Genome</i> , 1999, 10, 176-181.	1.0	91
1203	A genetic linkage map of rat Chromosome 15 derived from five F <sub>2</sub> crosses. <i>Mammalian Genome</i> , 1999, 10, 186-188.	1.0	2
1204	Mapping of caspase-2 in the rat and its exclusion as a candidate gene for lymphopenia. <i>Mammalian Genome</i> , 1999, 10, 244-248.	1.0	3
1205	Mapping and characterization of quantitative trait loci for non-insulin-dependent diabetes mellitus with an improved genetic map in the Otsuka Long-Evans Tokushima Fatty rat. <i>Mammalian Genome</i> , 1999, 10, 249-258.	1.0	46
1206	Complete genome searches for quantitative trait loci controlling blood pressure and related traits in four segregating populations derived from Dahl hypertensive rats. <i>Mammalian Genome</i> , 1999, 10, 259-265.	1.0	56
1207	Overview of QTL mapping software and introduction to Map Manager QT. <i>Mammalian Genome</i> , 1999, 10, 327-334.	1.0	424
1208	Identification of a novel inflammation-protective locus in the Fischer rat. <i>Mammalian Genome</i> , 1999, 10, 362-365.	1.0	27
1209	Linkage mapping of rat Chromosome 5 markers generated from chromosome-specific libraries. <i>Mammalian Genome</i> , 1999, 10, 687-691.	1.0	9
1210	Anchoring of canine linkage groups with chromosome-specific markers. <i>Mammalian Genome</i> , 1999, 10, 814-823.	1.0	56
1211	Physical mapping of the autoimmune disease susceptibility locus, Bphs: co-localization with a cluster of genes from the TNF receptor superfamily on mouse Chromosome 6. <i>Mammalian Genome</i> , 1999, 10, 858-863.	1.0	13
1212	BB rat diabetes susceptibility and body weight regulation genes colocalize on Chromosome 2. <i>Mammalian Genome</i> , 1999, 10, 883-887.	1.0	25
1213	Gender-influenced obesity QTLs identified in a cross involving the KK type II diabetes-prone mouse strain. <i>Mammalian Genome</i> , 1999, 10, 963-968.	1.0	73
1214	Quantitative trait loci for bone density in C57BL/6J and CAST/Eij inbred mice. <i>Mammalian Genome</i> , 1999, 10, 1043-1049.	1.0	153
1215	A rat genetic linkage map including 67 new microsatellite markers. <i>Mammalian Genome</i> , 1999, 10, 1102-1105.	1.0	4
1216	Identification of novel non-insulin-dependent diabetes mellitus susceptibility loci in the Otsuka Long-Evans Tokushima Fatty rat by MQM-mapping method. <i>Mammalian Genome</i> , 1999, 10, 1126-1131.	1.0	29

#	ARTICLE	IF	CITATIONS
1217	Identification of a new quantitative trait locus on Chromosome 7 controlling disease severity of collagen-induced arthritis in rats. <i>Immunogenetics</i> , 1999, 49, 787-791.	1.2	31
1218	A rat gene homologous to human granule membrane protein 17 is expressed by natural killer cells, CD8 + T cells, and a mast cell line. <i>Immunogenetics</i> , 1999, 49, 815-818.	1.2	1
1219	Temporal expression of an H2 -linked locus in host response to mouse malaria. <i>Immunogenetics</i> , 1999, 50, 278-285.	1.2	52
1220	Four mismatch repair paralogues coexist in <i>Arabidopsis thaliana</i> : AtMSH2, AtMSH3, AtMSH6-1 and AtMSH6-2. <i>Molecular Genetics and Genomics</i> , 1999, 262, 239-249.	2.4	40
1221	Identification of molecular markers associated with leptine production in a population of <i>Solanum chacoense</i> Bitter. <i>Theoretical and Applied Genetics</i> , 1999, 98, 39-46.	1.8	30
1222	Genomic mapping of defense response genes in wheat. <i>Theoretical and Applied Genetics</i> , 1999, 98, 226-233.	1.8	147
1223	Molecular characterization and genetic mapping of random amplified microsatellite polymorphism in barley. <i>Theoretical and Applied Genetics</i> , 1999, 98, 265-273.	1.8	27
1224	Molecular mapping and genetic fine-structure of the <i>rym5</i> locus encoding resistance to different strains of the Barley Yellow Mosaic Virus Complex. <i>Theoretical and Applied Genetics</i> , 1999, 98, 285-290.	1.8	81
1225	Mapping of <i>Ve</i> in tomato: a gene conferring resistance to the broad-spectrum pathogen, <i>Verticillium dahliae</i> race 1. <i>Theoretical and Applied Genetics</i> , 1999, 98, 315-319.	1.8	123
1226	Towards a saturated sorghum map using RFLP and AFLP markers. <i>Theoretical and Applied Genetics</i> , 1999, 98, 320-328.	1.8	106
1227	Genetic analysis of rice grain quality. <i>Theoretical and Applied Genetics</i> , 1999, 98, 502-508.	1.8	245
1228	Salt tolerance in <i>Lycopersicon</i> spp. VII. Pleiotropic action of genes controlling earliness on fruit yield. <i>Theoretical and Applied Genetics</i> , 1999, 98, 593-601.	1.8	30
1229	Genetic analysis of inbreeding depression in plus tree 850.55 of <i>Pinus radiata</i> D. Don. I. Genetic map with distorted markers. <i>Theoretical and Applied Genetics</i> , 1999, 98, 697-703.	1.8	50
1230	Comparative mapping of a gibberellic acid-insensitive dwarfing gene ( <i>Dwf2</i> ) on chromosome 4HS in barley. <i>Theoretical and Applied Genetics</i> , 1999, 98, 728-731.	1.8	24
1231	Development of a genetic composite map of <i>Vicia faba</i> using F2 populations derived from trisomic plants. <i>Theoretical and Applied Genetics</i> , 1999, 98, 736-743.	1.8	54
1232	Allotetraploidy of <i>Zoysia</i> species with 2n=40 based on a RFLP genetic map. <i>Theoretical and Applied Genetics</i> , 1999, 98, 751-756.	1.8	42
1233	Molecular characterization of <i>pdca2</i> and mapping of three <i>pdca</i> genes from rice. <i>Theoretical and Applied Genetics</i> , 1999, 98, 815-824.	1.8	10
1234	Quantitative trait loci for resistance against powdery mildew in a segregating wheat—spelt population. <i>Theoretical and Applied Genetics</i> , 1999, 98, 903-912.	1.8	139

#	ARTICLE	IF	CITATIONS
1235	Targeted isolation of simple sequence repeat markers through the use of bacterial artificial chromosomes. <i>Theoretical and Applied Genetics</i> , 1999, 98, 919-928.	1.8	100
1236	Identification of DNA amplification fingerprinting (DAF) markers close to the symbiosis-ineffective sym31 mutation of pea ( <i>Pisum sativum</i> L.). <i>Theoretical and Applied Genetics</i> , 1999, 98, 929-936.	1.8	8
1237	Map construction of sequence-tagged sites (STSs) in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 1999, 98, 937-946.	1.8	41
1238	Identification of genetic loci affecting amylose content and agronomic traits on chromosome 4A of wheat. <i>Theoretical and Applied Genetics</i> , 1999, 98, 977-984.	1.8	126
1239	Genetic mapping of ripening and ethylene-related loci in tomato. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1005-1013.	1.8	33
1240	Genetic and physical mapping of xa13, a recessive bacterial blight resistance gene in rice. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1022-1028.	1.8	53
1241	Molecular mapping of the blast resistance gene, Pi44(t), in a line derived from a durably resistant rice cultivar. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1046-1053.	1.8	89
1242	Detection of quantitative trait loci on chromosome 5R of rye ( <i>Secale cereale</i> L.). <i>Theoretical and Applied Genetics</i> , 1999, 98, 1087-1090.	1.8	31
1243	Mapping of RFLP probes characterized for their polymorphism on wheat. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1132-1137.	1.8	25
1244	Genetic linkage map of a wheat–spelt cross. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1163-1170.	1.8	64
1245	Quantitative trait loci for lodging resistance in a segregating wheat–spelt population. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1171-1182.	1.8	142
1246	Genomic structural differentiation in <i>Solanum</i> : comparative mapping of the A- and E-genomes. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1183-1193.	1.8	34
1247	Integration of dinucleotide microsatellites from hexaploid bread wheat into a genetic linkage map of durum wheat. <i>Theoretical and Applied Genetics</i> , 1999, 98, 1202-1207.	1.8	76
1248	Construction of an AFLP genetic map with nearly complete genome coverage in <i>Pinus taeda</i> . <i>Theoretical and Applied Genetics</i> , 1999, 98, 1279-1292.	1.8	183
1249	A high-density genetic linkage map of <i>Aegilops tauschii</i> , the D-genome progenitor of bread wheat. <i>Theoretical and Applied Genetics</i> , 1999, 99, 16-26.	1.8	78
1250	Linkage mapping of maize and barley myo-inositol 1-phosphate synthase DNA sequences: correspondence with a low phytic acid mutation. <i>Theoretical and Applied Genetics</i> , 1999, 99, 27-36.	1.8	67
1251	Linkage relationships among molecular markers and storage root traits of carrot ( <i>Daucus carota</i> L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	53
1252	A composite map of expressed sequences and phenotypic traits of the sunflower ( <i>Helianthus annuus</i> ) Tj ETQq1 1 0,784314 rgBT /Overlock FO1	1.8	FO1

#	ARTICLE	IF	CITATIONS
1253	Genetic analysis of drought tolerance in maize by molecular markers I. Yield components. Theoretical and Applied Genetics, 1999, 99, 280-288.	1.8	123
1254	Genetic analysis of drought tolerance in maize by molecular markers. II. Plant height and flowering. Theoretical and Applied Genetics, 1999, 99, 289-295.	1.8	110
1255	Identification of QTLs controlling acylsugar fatty acid composition in an intraspecific population of <i>Lycopersicon pennellii</i> (Corr.) Dâ€™Arcy. Theoretical and Applied Genetics, 1999, 99, 373-381.	1.8	32
1256	AFLP markers in a molecular linkage map of maize: codominant scoring and linkage group distribution. Theoretical and Applied Genetics, 1999, 99, 425-431.	1.8	125
1257	A high-density molecular map for ryegrass ( <i>Lolium perenne</i> ) using AFLP markers. Theoretical and Applied Genetics, 1999, 99, 445-452.	1.8	158
1258	Mapping of QTL for downy mildew resistance in maize. Theoretical and Applied Genetics, 1999, 99, 519-523.	1.8	35
1259	Genetic mapping of maize streak virus resistance from the Mascarene source. I. Resistance in line D211 and stability against different virus clones. Theoretical and Applied Genetics, 1999, 99, 524-539.	1.8	49
1260	Genetic mapping of maize streak virus resistance from the Mascarene source. II. Resistance in line CIRAD390 and stability across germplasm. Theoretical and Applied Genetics, 1999, 99, 540-553.	1.8	52
1261	A genetic linkage map of tef [ <i>Eragrostis tef</i> (Zucc.) Trotter] based on amplified fragment length polymorphism. Theoretical and Applied Genetics, 1999, 99, 599-604.	1.8	39
1262	Comparative mapping in loblolly and radiata pine using RFLP and microsatellite markers. Theoretical and Applied Genetics, 1999, 99, 656-662.	1.8	61
1263	Molecular mapping of two dwarfing genes differing in their GA response on chromosome 2H of barley. Theoretical and Applied Genetics, 1999, 99, 670-675.	1.8	28
1264	DNA methylation and AFLP marker distribution in the soybean genome. Theoretical and Applied Genetics, 1999, 99, 785-792.	1.8	134
1265	A comparative map of wild rice ( <i>Zizania palustris</i> L. $2n=2x=30$ ). Theoretical and Applied Genetics, 1999, 99, 793-799.	1.8	28
1266	Localization of QTLs for tolerance to <i>Cercospora beticola</i> on sugar beet linkage groups. Theoretical and Applied Genetics, 1999, 99, 829-836.	1.8	33
1267	The genetic basis of pear-shaped tomato fruit. Theoretical and Applied Genetics, 1999, 99, 844-850.	1.8	73
1268	Genetic analysis of adaptation differences between highland and lowland tropical maize using molecular markers. Theoretical and Applied Genetics, 1999, 99, 1106-1119.	1.8	109
1269	Clustering among loci underlying soybean resistance to <i>Fusarium solani</i> , SDS and SCN in near-isogenic lines. Theoretical and Applied Genetics, 1999, 99, 1131-1142.	1.8	84
1270	A molecular marker linkage map of tetraploid alfalfa ( <i>Medicago sativa</i> L.). Theoretical and Applied Genetics, 1999, 99, 1194-1200.	1.8	84

#	ARTICLE	IF	CITATIONS
1271	Two high-density AFLP <sup>®</sup> linkage maps of <i>Zea mays</i> L.: analysis of distribution of AFLP markers. <i>Theoretical and Applied Genetics</i> , 1999, 99, 921-935.	1.8	217
1272	Identification of salt-tolerance QTL in rice ( <i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 1999, 44, 68-71.	1.7	45
1273	A genetic map of <i>Solanum phureja</i> clone 1.22 constructed using RFLP and RAPD markers. <i>American Journal of Potato Research</i> , 1999, 76, 97-102.	0.5	8
1274	Analysis and location of a rice BAC clone containing telomeric DNA sequences. <i>Science in China Series C: Life Sciences</i> , 1999, 42, 68-73.	1.3	0
1275	Purification, characterization, and cDNA structure of isoamylase from developing endosperm of rice. <i>Planta</i> , 1999, 208, 283-293.	1.6	111
1276	Genetic analysis of steel and the PG-M/versican-encoding gene <i>AxPG</i> as candidates for the white (d) pigmentation mutant in the salamander <i>Ambystoma mexicanum</i> . <i>Development Genes and Evolution</i> , 1999, 209, 349-356.	0.4	16
1277	A simple and accurate method for generating co-dominant markers: an application of conformation-sensitive gel electrophoresis to linkage analysis in the silkworm. <i>Molecular Genetics and Genomics</i> , 1999, 261, 796-802.	2.4	14
1278	Characterization and mapping of sequence-tagged microsatellite sites in the chickpea ( <i>Cicer arietinum</i> ) Tj ETQq1 1,0,784314,rgBT /Ove	2.4	220
1279	PCR-based cloning and segregation analysis of functional gene homologues in <i>Beta vulgaris</i> . <i>Molecular Genetics and Genomics</i> , 1999, 262, 515-524.	2.4	54
1280	Mapping of post-flowering drought resistance traits in grain sorghum: association between QTLs influencing premature senescence and maturity. <i>Molecular Genetics and Genomics</i> , 1999, 262, 579-588.	2.4	189
1281	Isolation and characterization of <i>AtMLH1</i> , a MutL homologue from <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 1999, 262, 633-642.	2.4	44
1282	Genetic and physical characterization of grain texture-related loci in diploid wheat. <i>Molecular Genetics and Genomics</i> , 1999, 262, 846-850.	2.4	88
1283	DNA markers in plant improvement. <i>Biotechnology Advances</i> , 1999, 17, 143-182.	6.0	202
1284	Identification of multiple loci linked to inflammation and autoantibody production by a genome scan of a murine model of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 2524-2531.	6.7	68
1285	Genetic basis of autoimmune sialadenitis in MRL/lpr lupus-prone mice: Additive and hierarchical properties of polygenic inheritance. <i>Arthritis and Rheumatism</i> , 1999, 42, 2616-2623.	6.7	54
1286	Constructing meiotic maps with known error probability. <i>Genetic Epidemiology</i> , 1999, 16, 274-289.	0.6	0
1287	Allele-specific losses of heterozygosity on chromosomes 1 and 17 revealed by whole genome scan of ethylnitrosourea-induced BDIXi <sub>1/2</sub> BDIV hybrid rat gliomas. , 1999, 26, 163-171.		5
1288	NLR-1, a novel immunoglobulin-like receptor expressed by neutrophilic granulocytes, is encoded by a leukocyte receptor gene complex on rat chromosome 1. <i>European Journal of Immunology</i> , 1999, 29, 2000-2006.	1.6	13



#	ARTICLE	IF	CITATIONS
1289	Zebrafishstat3 is expressed in restricted tissues during embryogenesis andstat1 rescues cytokine signaling in aSTAT1-deficient human cell line. <i>Developmental Dynamics</i> , 1999, 215, 352-370.	0.8	105
1290	Cloning and molecular characterization of three members of the NBS-LRR subfamily located in the vicinity of the <i>Co-2</i> locus for anthracnose resistance in <i>Phaseolus vulgaris</i> . <i>Genome</i> , 1999, 42, 254-264.	0.9	52
1291	Disease-resistance related sequences in common bean. <i>Genome</i> , 1999, 42, 41-47.	0.9	82
1292	Identification of an Ancestral Resistance Gene Cluster Involved in the Coevolution Process Between <i>Phaseolus vulgaris</i> and Its Fungal Pathogen <i>Colletotrichum lindemuthianum</i> . <i>Molecular Plant-Microbe Interactions</i> , 1999, 12, 774-784.	1.4	176
1293	A Genetic Map and Recombination Parameters of the Human Malaria Parasite <i>Plasmodium falciparum</i> . <i>Science</i> , 1999, 286, 1351-1353.	6.0	326
1294	The <i>Ha</i> locus of wheat: Identification of a polymorphic region for tracing grain hardness in crosses. <i>Genome</i> , 1999, 42, 1242-1250.	0.9	48
1295	Mapping of duplicate genes in soybean. <i>Genome</i> , 1999, 42, 829-836.	0.9	44
1296	Genetic mapping of plant disease resistance gene homologues using a minimal <i>Brassica napus</i> L. population. <i>Genome</i> , 1999, 42, 735-743.	0.9	22
1297	Identification of PCR-based markers flanking the recessive LMV resistance gene <i>mo1</i> in an intraspecific cross in lettuce. <i>Genome</i> , 1999, 42, 982-986.	0.9	11
1298	Isolation of microsatellite and RAPD markers flanking the <i>Yr15</i> gene of wheat using NILs and bulked segregant analysis. <i>Genome</i> , 1999, 42, 1050-1056.	0.9	58
1299	Disease resistance gene analogs as candidates for QTLs involved in pepper-pathogen interactions. <i>Genome</i> , 1999, 42, 1100-1110.	0.9	73
1300	A molecular linkage map of tomato based on a cross between <i>Lycopersicon esculentum</i> and <i>L. pimpinellifolium</i> and its comparison with other molecular maps of tomato. <i>Genome</i> , 1999, 42, 94-103.	0.9	33
1301	Epistatic Modifiers of Autoimmunity in a Murine Model of Lupus Nephritis. <i>Immunity</i> , 1999, 11, 131-139.	6.6	177
1302	Aging and salt-loading modulate blood pressure QTLs in rats. <i>American Journal of Hypertension</i> , 1999, 12, 1098-1104.	1.0	35
1303	Quantitative trait loci that regulate plasma lipid concentration in hereditary obese KK and KK-Ay mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1999, 1453, 385-395.	1.8	40
1304	Sequence, expression and genetic mapping of a rainbow trout retinoblastoma cDNA. <i>Gene</i> , 1999, 226, 175-180.	1.0	18
1305	Evolutionary analysis of putative olfactory receptor genes of medaka fish, <i>Oryzias latipes</i> . <i>Gene</i> , 1999, 231, 137-145.	1.0	18
1306	Identification and characterization of C90, a novel mouse RNA that lacks an extensive open reading frame. <i>Gene</i> , 1999, 232, 35-42.	1.0	18

#	ARTICLE	IF	CITATIONS
1307	Statistical aspects of genetic mapping in autopolyploids. <i>Gene</i> , 1999, 235, 31-41.	1.0	95
1308	Neuropeptide Y receptor subtype with unique properties cloned in the zebrafish: the zYa receptor. <i>Molecular Brain Research</i> , 1999, 70, 242-252.	2.5	45
1309	Nucellar-cell-specific expression of a lipid transfer protein gene in barley ( <i>Hordeum vulgare</i> L.). <i>Plant Cell Reports</i> , 1999, 18, 445-450.	2.8	8
1310	Molecular Markers for Seed Oil Content in Indian Mustard. <i>Journal of Plant Biochemistry and Biotechnology</i> , 1999, 8, 99-102.	0.9	4
1311	Genetic map of the lymphopenia region on rat chromosome 4. <i>Transplantation Proceedings</i> , 1999, 31, 1615-1617.	0.3	5
1312	Genetics of allergy and asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 1999, 82, 413-426.	0.5	61
1313	Comparative mapping of the wheat Vrn-A1 region with the rice Hd-6 region. <i>Genome</i> , 1999, 42, 204-209.	0.9	23
1314	Development of a CAPS marker for the <i>Pvr4</i> locus: A tool for pyramiding potyvirus resistance genes in pepper. <i>Genome</i> , 1999, 42, 1111-1116.	0.9	67
1315	Mosquito Genomes: Structure, Organization, and Evolution. <i>Advances in Genetics</i> , 1999, 41, 1-33.	0.8	62
1316	Development of simple sequence repeat markers in rye ( <i>Secale cereale</i> L.). <i>Genome</i> , 1999, 42, 964-972.	0.9	156
1317	Quantitative Trait Loci for Early and Late Developing Skull Characters in Mice: A Test of the Genetic Independence Model of Morphological Integration. <i>American Naturalist</i> , 1999, 153, 201-214.	1.0	119
1318	Identification of Molecular Genetic Markers in <i>Pyrenophora teres</i> f. <i>teres</i> Associated with Low Virulence on "Harbin" Barley. <i>Phytopathology</i> , 1999, 89, 176-181.	1.1	52
1319	Two genes control aluminum tolerance in maize: Genetic and molecular mapping analyses. <i>Genome</i> , 1999, 42, 475-482.	0.9	58
1320	Long tomato microsatellites are predominantly associated with centromeric regions. <i>Genome</i> , 1999, 42, 536-544.	0.9	78
1321	Comparative genetic mapping of allotetraploid cotton and its diploid progenitors. <i>Genome</i> , 1999, 42, 184-203.	0.9	209
1322	Improved Selection with Newly Identified RAPD Markers Linked to Resistance Gene to Four Pathotypes of <i>Colletotrichum lindemuthianum</i> in Common Bean. <i>Phytopathology</i> , 1999, 89, 281-285.	1.1	32
1323	Integration of a molecular linkage group containing the broomrape resistance gene Or5 into an RFLP map in sunflower. <i>Genome</i> , 1999, 42, 453-456.	0.9	18
1324	A Quantitative Trait Locus of <i>Agaricus bisporus</i> Resistance to <i>Pseudomonas tolaasii</i> Is Closely Linked to Natural Cap Color. <i>Fungal Genetics and Biology</i> , 1999, 28, 34-42.	0.9	45

#	ARTICLE	IF	CITATIONS
1325	Zebrafish Genetic Map with 2000 Microsatellite Markers. <i>Genomics</i> , 1999, 58, 219-232.	1.3	328
1326	Identification of a Locus for Susceptibility to Renal Cell Carcinoma in the Long-Evans Cinnamon Rat. <i>Journal of Veterinary Medical Science</i> , 1999, 61, 1261-1264.	0.3	0
1327	Localization of a Pathogenicity Gene in <i>Ophiostoma novo-ulmi</i> and Evidence That It May Be Introgressed from <i>O. ulmi</i> . <i>Molecular Plant-Microbe Interactions</i> , 1999, 12, 6-15.	1.4	58
1328	Genetic Analysis of Sensitivity to a <i>Pyrenophora tritici-repentis</i> Necrosis-Inducing Toxin in Durum and Common Wheat. <i>Phytopathology</i> , 1999, 89, 293-297.	1.1	84
1329	Quantitative Trait Loci Mapping of Resistance to Sugarcane Mosaic Virus in Maize. <i>Phytopathology</i> , 1999, 89, 660-667.	1.1	84
1330	7 Genome structure and mapping. <i>Developments in Plant Genetics and Breeding</i> , 1999, 4, 217-245.	0.6	19
1331	INNER NO OUTER regulates abaxial- adaxial patterning in Arabidopsis ovules. <i>Genes and Development</i> , 1999, 13, 3160-3169.	2.7	292
1332	Chapter 10 Genetically Mapping New Mutants and Cloned Genes. <i>Methods in Cell Biology</i> , 1999, 62, 265-280.	0.5	11
1333	Chapter 2.1.1 Mapping single locus mutations in mice: towards gene identification of neurological traits. <i>Handbook of Behavioral Neuroscience</i> , 1999, 13, 61-81.	0.0	0
1334	Chapter 2.1.2 Experimental strategies for quantitative trait loci (QTL) analysis in laboratory animals. <i>Handbook of Behavioral Neuroscience</i> , 1999, , 82-99.	0.0	1
1335	Identification of genomic regions controlling experimental autoimmune uveoretinitis in rats. <i>International Immunology</i> , 1999, 11, 529-534.	1.8	29
1336	Identification of possible quantitative trait loci responsible for hyperglycaemia after 70% pancreatectomy using a spontaneously diabetogenic rat. <i>Genetical Research</i> , 1999, 73, 29-36.	0.3	8
1337	Targeted identification of markers linked to malaria and filarioid nematode parasite resistance genes in the mosquito <i>Aedes aegypti</i> . <i>Genetical Research</i> , 1999, 73, 217-224.	0.3	16
1338	Mapping quantitative trait loci for murine growth: a closer look at genetic architecture. <i>Genetical Research</i> , 1999, 74, 313-322.	0.3	174
1339	Comparison of Selection Strategies for Marker-Assisted Backcrossing of a Gene. <i>Crop Science</i> , 1999, 39, 1295-1301.	0.8	206
1340	Amplified Fragment Length Polymorphism Markers Linked to a Major Quantitative Trait Locus Controlling Scab Resistance in Wheat. <i>Phytopathology</i> , 1999, 89, 343-348.	1.1	274
1341	Mapping of Quantitative Trait Loci for Fusarium Head Blight Resistance in Barley. <i>Phytopathology</i> , 2000, 90, 1079-1088.	1.1	103
1342	Inheritance of Angular Leaf Spot Resistance in Common Bean and Identification of a RAPD Marker Linked to a Resistance Gene. <i>Crop Science</i> , 2000, 40, 1130-1133.	0.8	39

#	ARTICLE	IF	CITATIONS
1343	Inheritance and Linkage of Two Genes that Confer Resistance to Fusarium Wilt in Chickpea. <i>Crop Science</i> , 2000, 40, 1247-1251.	0.8	68
1344	Sequence Characterized Amplified Regions Linked to Rust Resistance Genes in the Common Bean. <i>Crop Science</i> , 2000, 40, 804-807.	0.8	47
1345	Mapping of Avirulence Genes in the Rice Blast Fungus, <i>Magnaporthe grisea</i> , with RFLP and RAPD Markers. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 217-227.	1.4	89
1346	Host Suppressors in <i>Arabidopsis thaliana</i> of Mutations in the Movement Protein Gene of Cauliflower mosaic virus. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 512-519.	1.4	8
1347	Nodule-Expressed Cyp15a Cysteine Protease Genes Map to Syntenic Genome Regions in <i>Pisum</i> and <i>Medicago</i> spp.. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 715-723.	1.4	19
1348	Localized Expression of Cathepsin B-like Sequences from Root Nodules of Pea ( <i>Pisum sativum</i> ). <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 778-780.	1.4	5
1349	Identification of Random Amplified Polymorphic DNA Markers Linked to the Co-4 Resistance Gene to <i>Colletotrichum lindemuthianum</i> in Common Bean. <i>Phytopathology</i> , 2000, 90, 758-761.	1.1	18
1350	Quantitative Trait Loci Associated with Resistance to Gray Leaf Spot of Corn. <i>Phytopathology</i> , 2000, 90, 1018-1025.	1.1	60
1351	A linkage map of the turnip sawfly <i>Athalia rosae</i> (Hymenoptera: Symphyta) based on random amplified polymorphic DNAs.. <i>Genes and Genetic Systems</i> , 2000, 75, 159-166.	0.2	7
1352	Differential Expression of Two Soybean Apyrases, One of Which Is an Early Nodulin. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 1053-1070.	1.4	73
1353	Inheritance of Partial Resistance Against <i>Colletotrichum lindemuthianum</i> in <i>Phaseolus vulgaris</i> and Co-localization of Quantitative Trait Loci with Genes Involved in Specific Resistance. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 287-296.	1.4	164
1354	An Integrated Rat Genome Map Based on Genetic and Cytogenetic Data.. <i>Experimental Animals</i> , 2000, 49, 119-126.	0.7	11
1355	Generation of a Polymorphic Marker Linked to Thymoma Susceptibility Gene of Rat 1 by Genetically-Directed Representational Difference Analysis.. <i>Experimental Animals</i> , 2000, 49, 189-195.	0.7	6
1356	Identification of RFLP Markers Linked to the Barley Aluminum Tolerance Gene <i>Alp</i> . <i>Crop Science</i> , 2000, 40, 778-782.	0.8	94
1357	Identification and Mapping of QTLs Conferring Resistance to <i>Ascochyta</i> Blight in Chickpea. <i>Crop Science</i> , 2000, 40, 1606-1612.	0.8	164
1358	The Complete Sequence of 340 kb of DNA around the Rice <i>Adh1-Adh2</i> Region Reveals Interrupted Colinearity with Maize Chromosome 4. <i>Plant Cell</i> , 2000, 12, 381.	3.1	3
1359	Genetic dissection of a rat model for rheumatoid arthritis: significant gender influences on autosomal modifier loci. <i>Human Molecular Genetics</i> , 2000, 9, 2241-2250.	1.4	60
1360	Molecular characterization of iron deficiency chlorosis in soybean. <i>Journal of Plant Nutrition</i> , 2000, 23, 1929-1939.	0.9	55

#	ARTICLE	IF	CITATIONS
1361	Functional Genomics of Particle-Induced Lung Injury. <i>Inhalation Toxicology</i> , 2000, 12, 59-73.	0.8	7
1362	Lax leaf maize: cell wall composition and nutritional value. <i>Journal of the Science of Food and Agriculture</i> , 2000, 80, 255-262.	1.7	9
1363	Molecular cloning and characterization of murine ICOS and identification of B7h as ICOS ligand. <i>European Journal of Immunology</i> , 2000, 30, 1040-1047.	1.6	162
1364	Anchor Polymerase Chain Reaction Display: A High-Throughput Method to Resolve, Score, and Isolate Dimorphic Genetic Markers Based on Interspersed Repetitive DNA Elements. <i>Analytical Biochemistry</i> , 2000, 284, 19-28.	1.1	12
1365	Identification of intervals on chromosomes 1, 3, and 13 linked to the development of lupus in BXSB mice. <i>Arthritis and Rheumatism</i> , 2000, 43, 349.	6.7	74
1366	Identification of four new quantitative trait loci regulating arthritis severity and one new quantitative trait locus regulating autoantibody production in rats with collagen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2000, 43, 1278-1289.	6.7	66
1367	Genetic dissection of B cell traits in New Zealand black mice. The expanded population of B cells expressing up-regulated costimulatory molecules shows linkage to Nba2. <i>European Journal of Immunology</i> , 2000, 30, 356-365.	1.6	54
1368	Rat chromosome 9 bears a major susceptibility locus for IgE response. <i>European Journal of Immunology</i> , 2000, 30, 1698-1705.	1.6	20
1369	Genetic dissection of vasculitis in MRL/lpr lupus mice: a novel susceptibility locus involving the CD72c allele. <i>European Journal of Immunology</i> , 2000, 30, 2027-2037.	1.6	63
1370	Microsatellite marker based genetic linkage maps of <i>Oreochromis aureus</i> and <i>O. niloticus</i> (Cichlidae): extensive linkage group segment homologies revealed. <i>Animal Genetics</i> , 2000, 31, 214-218.	0.6	41
1371	Genetic mapping of two loci affecting DDT resistance in the malaria vector <i>Anopheles gambiae</i> . <i>Insect Molecular Biology</i> , 2000, 9, 499-507.	1.0	104
1372	Evidence for genomic imprinting of the major QTL controlling susceptibility to trypanosomiasis in mice. <i>Parasite Immunology</i> , 2000, 22, 259-263.	0.7	22
1373	Comparative genome analysis reveals extensive conservation of genome organisation for <i>Arabidopsis thaliana</i> and <i>Capsella rubella</i> . <i>Plant Journal</i> , 2000, 23, 55-62.	2.8	86
1374	RAPD and SCAR Markers Linked to a Gene Conferring Resistance to Angular Leaf Spot in Common Bean. <i>Journal of Phytopathology</i> , 2000, 148, 117-121.	0.5	44
1375	Mapping of powdery mildew and leaf rust resistance genes on the wheat-rye translocated chromosome T1BL.1RS using molecular and biochemical markers. <i>Plant Breeding</i> , 2000, 119, 87-89.	1.0	46
1376	Molecular mapping and gene action of Scm1 and Scm2, two major QTL contributing to SCMV resistance in maize. <i>Plant Breeding</i> , 2000, 119, 299-303.	1.0	51
1377	Development of an STS marker and SSRs suitable for marker-assisted selection for the BaMMV resistance gene rym9 in barley. <i>Plant Breeding</i> , 2000, 119, 517-519.	1.0	26
1378	Integration of AFLP markers into an RFLP-based map of durum wheat. <i>Plant Breeding</i> , 2000, 119, 393-401.	1.0	31

#	ARTICLE	IF	CITATIONS
1379	Molecular mapping of the leaf rust resistance gene Rph7 in barley. <i>Plant Breeding</i> , 2000, 119, 389-392.	1.0	44
1380	Genetic control of susceptibility to infection with <i>Mycobacterium tuberculosis</i> in mice. <i>Genes and Immunity</i> , 2000, 1, 467-477.	2.2	96
1381	Identification of a genetic locus modulating splenomegaly induced by granulocyte colony-stimulating factor in mice. <i>Leukemia</i> , 2000, 14, 657-661.	3.3	16
1382	Chromosomal Mapping of Genes for Epilepsy in NER: A Rat Strain with Tonic-Clonic Seizures. <i>Epilepsia</i> , 2000, 41, 941-949.	2.6	18
1383	Mapping of Quantitative Trait Loci for Hypnotic Sensitivity to Ethanol in Crosses Derived From the C57BL/6 and DBA/2 Mouse Strains. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1335-1342.	1.4	25
1384	Toward Sequencing the Tetrahymena Genome: Exploiting the Gift of Nuclear Dimorphism. <i>Journal of Eukaryotic Microbiology</i> , 2000, 47, 328-333.	0.8	20
1385	Fine mapping of thymus enlargement gene 1 (Ten1) in BUF/Mna rats. <i>Pathology International</i> , 2000, 50, 185-190.	0.6	0
1386	Molecular characterization of two soybean homologs of <i>Arabidopsis thaliana</i> CLAVATA1 from the wild type and fasciation mutant. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000, 1491, 333-340.	2.4	47
1387	Confirmation of contextual fear conditioning QTLs by short-term selection. <i>Behavior Genetics</i> , 2000, 30, 183-191.	1.4	36
1388	QTL analysis and mapping of pre-harvest sprouting resistance in Sorghum. <i>Euphytica</i> , 2000, 112, 125-135.	0.6	53
1389	Quantitative trait analysis in <i>Theobroma cacao</i> using molecular markers. <i>Euphytica</i> , 2000, 114, 13-23.	0.6	30
1390	Title is missing!. <i>Euphytica</i> , 2000, 112, 267-273.	0.6	14
1391	Title is missing!. <i>Euphytica</i> , 2000, 115, 105-113.	0.6	44
1392	Two RAPD markers linked to a major fertility restorer gene in pepper. <i>Euphytica</i> , 2000, 113, 155-161.	0.6	59
1393	Title is missing!. <i>Euphytica</i> , 2000, 115, 121-126.	0.6	142
1394	Title is missing!. <i>Euphytica</i> , 2000, 114, 25-36.	0.6	40
1395	Molecular mapping of a new gene for resistance to rice blast ( <i>Pyricularia grisea</i> Sacc.). <i>Euphytica</i> , 2000, 116, 17-22.	0.6	42
1396	Genetic mapping of quantitative trait loci in rye ( <i>Secale cereale</i> L.). <i>Euphytica</i> , 2000, 116, 203-209.	0.6	48

#	ARTICLE	IF	CITATIONS
1397	Identification of RFLP markers linked with heading date and its heterosis in hexaploid wheat. <i>Euphytica</i> , 2000, 116, 111-119.	0.6	16
1398	Hybridization, introgression, and linkage evolution. <i>Plant Molecular Biology</i> , 2000, 42, 205-224.	2.0	194
1399	Cloning, mapping and expression analysis of barley MADS-box genes. <i>Plant Molecular Biology</i> , 2000, 42, 899-913.	2.0	106
1400	Rice PHYC gene: structure, expression, map position and evolution. <i>Plant Molecular Biology</i> , 2000, 44, 27-42.	2.0	63
1401	Title is missing!. <i>Molecular Breeding</i> , 2000, 6, 157-167.	1.0	33
1402	Identification of quantitative trait loci controlling sucrose content in soybean ( <i>Glycine max</i> ). <i>Molecular Breeding</i> , 2000, 6, 105-111.	1.0	77
1403	Title is missing!. <i>Molecular Breeding</i> , 2000, 6, 247-255.	1.0	60
1404	Title is missing!. <i>Molecular Breeding</i> , 2000, 6, 451-458.	1.0	52
1405	Mapping candidate genes in Eucalyptus with emphasis on lignification genes. <i>Molecular Breeding</i> , 2000, 6, 441-449.	1.0	49
1406	Linkage Mapping of DNA Markers Generated with Specific and Non-Specific Gene Primers in Soybean. <i>Biologia Plantarum</i> , 2000, 43, 337-346.	1.9	0
1407	Molecular tagging of the Am gene from <i>Lycopersicon hirsutum</i> f. <i>glabratum</i> PI 134417 using AFLP markers. <i>Acta Physiologiae Plantarum</i> , 2000, 22, 291-293.	1.0	4
1408	Genetics of atopy in a mouse model: polymorphism of the IL-5 receptor $\beta$ chain. <i>Immunogenetics</i> , 2000, 51, 632-638.	1.2	14
1409	Molecular cloning and linkage analysis of complement C3 and C4 genes of the Japanese medaka fish. <i>Immunogenetics</i> , 2000, 51, 117-128.	1.2	114
1410	Fine mapping of trypanosomiasis resistance loci in murine advanced intercross lines. <i>Mammalian Genome</i> , 2000, 11, 645-648.	1.0	128
1411	Quantitative trait loci that modify the sootiness of yellow pigmentation in KK-A y/a mice. <i>Mammalian Genome</i> , 2000, 11, 639-644.	1.0	9
1412	Detection of quantitative trait loci for body weight at 10 weeks from Philippine wild mice. <i>Mammalian Genome</i> , 2000, 11, 824-830.	1.0	45
1413	Genome scan identifies a locus affecting gamma-globin level in human beta-cluster YAC transgenic mice. <i>Mammalian Genome</i> , 2000, 11, 1024-1029.	1.0	3
1414	Different functions of QTL for estrogen-dependent tumor growth of the rat pituitary. <i>Mammalian Genome</i> , 2000, 11, 855-861.	1.0	19

#	ARTICLE	IF	CITATIONS
1415	Construction of a high-throughput rat genetic mapping system with 466 arbitrarily primed-representational difference analysis markers. <i>Mammalian Genome</i> , 2000, 11, 982-988.	1.0	4
1416	A genetic map of Maritime pine based on AFLP, RAPD and protein markers. <i>Theoretical and Applied Genetics</i> , 2000, 100, 39-48.	1.8	67
1417	A combined RFLP and AFLP linkage map of upland rice ( <i>Oryza sativa</i> L.) used to identify QTLs for root-penetration ability. <i>Theoretical and Applied Genetics</i> , 2000, 100, 49-56.	1.8	196
1418	RAPD linkage mapping of the shell thickness locus in oil palm ( <i>Elaeis guineensis</i> Jacq.). <i>Theoretical and Applied Genetics</i> , 2000, 100, 63-70.	1.8	44
1419	Genetic control of domestication traits in pearl millet ( <i>Pennisetum glaucum</i> L., Poaceae). <i>Theoretical and Applied Genetics</i> , 2000, 100, 147-159.	1.8	136
1420	High-resolution linkage analysis and physical characterization of the EIX-responding locus in tomato. <i>Theoretical and Applied Genetics</i> , 2000, 100, 184-189.	1.8	47
1421	Comparative molecular mapping in <i>Ceratotropis</i> species using an interspecific cross between azuki bean ( <i>Vigna angularis</i> ) and rice bean ( <i>V. umbellata</i> ). <i>Theoretical and Applied Genetics</i> , 2000, 100, 207-213.	1.8	49
1422	Identification and molecular mapping of loci controlling fruit ripening time in tomato. <i>Theoretical and Applied Genetics</i> , 2000, 100, 249-255.	1.8	32
1423	Fgr, a major locus that modulates the fructose to glucose ratio in mature tomato fruits. <i>Theoretical and Applied Genetics</i> , 2000, 100, 256-262.	1.8	66
1424	QTL mapping for the paste viscosity characteristics in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2000, 100, 280-284.	1.8	106
1425	RAPD markers linked to a gene for resistance to pine needle gall midge in Japanese black pine ( <i>Pinus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	28
1426	QTL analysis of leaf morphology in tetraploid <i>Gossypium</i> (cotton). <i>Theoretical and Applied Genetics</i> , 2000, 100, 409-418.	1.8	107
1427	AFLP-derived STS markers for the identification of sex in <i>Asparagus officinalis</i> L. <i>Theoretical and Applied Genetics</i> , 2000, 100, 432-438.	1.8	73
1428	RAPD linkage map of the genomic region encompassing the root-knot nematode ( <i>Meloidogyne javanica</i> ) resistance locus in carrot. <i>Theoretical and Applied Genetics</i> , 2000, 100, 439-446.	1.8	39
1429	Fine mapping of a quantitative trait locus (QTL) from <i>Lycopersicon hirsutum</i> chromosome 1 affecting fruit characteristics and agronomic traits: breaking linkage among QTLs affecting different traits and dissection of heterosis for yield. <i>Theoretical and Applied Genetics</i> , 2000, 100, 471-479.	1.8	126
1430	QTL analysis of flower and fruit traits in sour cherry. <i>Theoretical and Applied Genetics</i> , 2000, 100, 535-544.	1.8	74
1431	The Q locus of Iranian and European spelt wheat. <i>Theoretical and Applied Genetics</i> , 2000, 100, 602-606.	1.8	28
1432	Development of SCAR markers linked to the gene Or5 conferring resistance to broomrape ( <i>Orobanche</i> ) Tj ETQq1 1_0,784314 rgBT /Ove	1.8	69



#	ARTICLE	IF	CITATIONS
1433	Construction of an improved linkage map of diploid alfalfa ( <i>Medicago sativa</i> ). <i>Theoretical and Applied Genetics</i> , 2000, 100, 641-657.	1.8	93
1434	AFLP analysis of African cassava ( <i>Manihot esculenta</i> Crantz) germplasm resistant to the cassava mosaic disease (CMD). <i>Theoretical and Applied Genetics</i> , 2000, 100, 678-685.	1.8	89
1435	Microsatellite mapping of the induced sphaerococcoid mutation genes in <i>Triticum aestivum</i> . <i>Theoretical and Applied Genetics</i> , 2000, 100, 686-689.	1.8	63
1436	Mapping and genome organization of microsatellite sequences in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2000, 100, 697-712.	1.8	728
1437	Molecular mapping of a rice gene conditioning thermosensitive genic male sterility using AFLP, RFLP and SSR techniques. <i>Theoretical and Applied Genetics</i> , 2000, 100, 727-734.	1.8	82
1438	Genetic analysis of temperature-sensitive male sterility in rice. <i>Theoretical and Applied Genetics</i> , 2000, 100, 794-801.	1.8	33
1439	AFLP and CAPS linkage maps of <i>Cryptomeria japonica</i> . <i>Theoretical and Applied Genetics</i> , 2000, 100, 825-831.	1.8	50
1440	Genetic mapping of the <i>Lablab purpureus</i> genome suggests the presence of $\hat{a}^{\text{TM}}\text{cuckoo}\hat{a}^{\text{TM}}$ gene(s) in this species. <i>Theoretical and Applied Genetics</i> , 2000, 100, 866-871.	1.8	25
1441	A genetic map of the <i>Nicotiana glauca</i> S locus that includes three pollen-expressed genes. <i>Theoretical and Applied Genetics</i> , 2000, 100, 956-964.	1.8	28
1442	Development of markers linked to <i>Diuraphis noxia</i> resistance in wheat using a novel PCR-RFLP approach. <i>Theoretical and Applied Genetics</i> , 2000, 100, 965-970.	1.8	22
1443	Inheritance of citrus nematode resistance and its linkage with molecular markers. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1010-1017.	1.8	80
1444	Advanced backcross QTL analysis of a <i>Lycopersicon esculentum</i> $\times$ <i>Lycopersicon parviflorum</i> cross. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1025-1042.	1.8	161
1445	Fine mapping and DNA marker-assisted pyramiding of the three major genes for blast resistance in rice. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1121-1128.	1.8	400
1446	The maize <i>rp1</i> rust resistance gene identifies homologues in barley that have been subjected to diversifying selection. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1144-1154.	1.8	32
1447	QTL analysis of bread-making quality in wheat using a doubled haploid population. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1167-1175.	1.8	143
1448	Mapping quantitative trait loci (QTLs) for resistance to <i>Cercospora</i> leaf spot disease ( <i>Cercospora</i> ) Tj ETQq1 1 0.784314 rgBT /Overloc	1.8	44
1449	Genetic mapping of <i>jointless-2</i> to tomato chromosome 12 using RFLP and RAPD markers. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1183-1189.	1.8	21
1450	Location and mapping of the powdery mildew resistance gene <i>MlRE</i> and detection of a resistance QTL by bulked segregant analysis (BSA) with microsatellites in wheat. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1217-1224.	1.8	68

#	ARTICLE	IF	CITATIONS
1451	Targeted resistance gene mapping in soybean using modified AFLPs. <i>Theoretical and Applied Genetics</i> , 2000, 100, 1279-1283.	1.8	62
1452	Linkage analysis of anther-derived monoploids showing distorted segregation of molecular markers. <i>Theoretical and Applied Genetics</i> , 2000, 101, 126-130.	1.8	20
1453	Mapping of simple sequence repeat (SSR) DNA markers in diploid and tetraploid alfalfa. <i>Theoretical and Applied Genetics</i> , 2000, 101, 165-172.	1.8	83
1454	Molecular marker assisted genetic analysis of head shattering in six-rowed barley. <i>Theoretical and Applied Genetics</i> , 2000, 101, 203-210.	1.8	43
1455	Mapping of QTLs conferring resistance to bacterial leaf streak in rice. <i>Theoretical and Applied Genetics</i> , 2000, 101, 286-291.	1.8	65
1456	Mapping the jp (jumbo pollen) gene and QTLs involved in multinucleate microspore formation in diploid alfalfa. <i>Theoretical and Applied Genetics</i> , 2000, 101, 372-378.	1.8	22
1457	Molecular mapping of the wheat powdery mildew resistance gene Pm24 and marker validation for molecular breeding. <i>Theoretical and Applied Genetics</i> , 2000, 101, 407-414.	1.8	135
1458	Characterization of microsatellite markers in peach [ <i>Prunus persica</i> (L.) Batsch]. <i>Theoretical and Applied Genetics</i> , 2000, 101, 421-428.	1.8	286
1459	Inheritance and genetic mapping of cucumber mosaic virus resistance introgressed from <i>Lycopersicon chilense</i> into tomato. <i>Theoretical and Applied Genetics</i> , 2000, 101, 527-537.	1.8	70
1460	Mapping quantitative trait loci controlling sheath blight resistance in two rice cultivars ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	158
1461	Interspecific genetic linkage map, segregation distortion and genetic conversion in coffee ( <i>Coffea</i> sp.). <i>Theoretical and Applied Genetics</i> , 2000, 101, 669-676.	1.8	111
1462	A comparative map of wild rice ( <i>Zizania palustris</i> L. 2n=2x=30). <i>Theoretical and Applied Genetics</i> , 2000, 101, 677-684.	1.8	23
1463	Resistance to late blight in <i>Solanum bulbocastanum</i> is mapped to chromosome 8. <i>Theoretical and Applied Genetics</i> , 2000, 101, 697-704.	1.8	142
1464	Quantitative trait loci for the stay green trait in sorghum ( <i>Sorghum bicolor</i> L. Moench): consistency across genetic backgrounds and environments. <i>Theoretical and Applied Genetics</i> , 2000, 101, 733-741.	1.8	174
1465	Mapping QTLs for root traits in a recombinant inbred population from two indica ecotypes in rice. <i>Theoretical and Applied Genetics</i> , 2000, 101, 756-766.	1.8	131
1466	Molecular mapping of the Rph7.g leaf rust resistance gene in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2000, 101, 783-788.	1.8	54
1467	Expression of two soybean resistance gene candidates shows divergence of paralogous single-copy genes. <i>Theoretical and Applied Genetics</i> , 2000, 101, 789-795.	1.8	19
1468	Cloning and characterization of NBS-LRR class resistance-gene candidate sequences in citrus. <i>Theoretical and Applied Genetics</i> , 2000, 101, 814-822.	1.8	97

#	ARTICLE	IF	CITATIONS
1469	Genetic bases of appearance quality of rice grains in Shanyou 63, an elite rice hybrid. <i>Theoretical and Applied Genetics</i> , 2000, 101, 823-829.	1.8	263
1470	Genetic mapping of resistance to bacterial blight disease in cassava ( <i>Manihot esculenta</i> Crantz). <i>Theoretical and Applied Genetics</i> , 2000, 101, 865-872.	1.8	77
1471	fs8.1, a major QTL, sets the pattern of tomato carpel shape well before anthesis. <i>Theoretical and Applied Genetics</i> , 2000, 101, 873-878.	1.8	61
1472	Mapping a high oleic acid mutation in winter oilseed rape ( <i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 2000, 101, 897-901.	1.8	77
1473	QTL mapping for resistance against the European corn borer ( <i>Ostrinia nubilalis</i> H.) in early maturing European dent germplasm. <i>Theoretical and Applied Genetics</i> , 2000, 101, 907-917.	1.8	68
1474	Application of synteny across Poaceae to determine the map location of a sugarcane rust resistance gene. <i>Theoretical and Applied Genetics</i> , 2000, 101, 962-969.	1.8	54
1475	Genes/QTLs affecting flood tolerance in rice. <i>Theoretical and Applied Genetics</i> , 2000, 101, 1074-1081.	1.8	72
1476	Detection and cloning of expressed sequences linked to a target gene. <i>Theoretical and Applied Genetics</i> , 2000, 101, 1109-1113.	1.8	16
1477	NBS-LRR sequence family is associated with leaf and stripe rust resistance on the end of homoeologous chromosome group 1S of wheat. <i>Theoretical and Applied Genetics</i> , 2000, 101, 1139-1144.	1.8	49
1478	A linkage map of the chickpea ( <i>Cicer arietinum</i> L.) genome based on recombinant inbred lines from a <i>C. arietinum</i> × <i>C. reticulatum</i> cross: localization of resistance genes for fusarium wilt races 4 and 5. <i>Theoretical and Applied Genetics</i> , 2000, 101, 1155-1163.	1.8	269
1479	Mapping of four major rice blast resistance genes from <i>Lemont</i> and <i>Teqing</i> and evaluation of their combinatorial effect for field resistance. <i>Theoretical and Applied Genetics</i> , 2000, 101, 1215-1225.	1.8	102
1480	Identification of QTLs influencing wood property traits in loblolly pine ( <i>Pinus taeda</i> L.). I. Physical wood properties. <i>Theoretical and Applied Genetics</i> , 2000, 101, 1273-1281.	1.8	91
1481	AFLP mapping of QTLs for in vitro organogenesis traits using recombinant inbred lines in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2000, 101, 1299-1306.	1.8	59
1482	A first interspecific <i>Oryza sativa</i> × <i>Oryza glaberrima</i> microsatellite-based genetic linkage map. <i>Theoretical and Applied Genetics</i> , 2000, 100, 593-601.	1.8	70
1483	A nonphotochemical-quenching-deficient mutant of <i>Arabidopsis thaliana</i> possessing normal pigment composition and xanthophyll-cycle activity. <i>Planta</i> , 2000, 210, 205-214.	1.6	40
1484	Isolation of Molecular Markers Linked to the Cry Locus Conferring Resistance to Cucumber mosaic cucumovirus Infection in Cowpea. <i>Journal of General Plant Pathology</i> , 2000, 66, 242-250.	0.6	9
1485	Molecular mapping of split rice spikelet mutants <i>srs-1</i> and analysis of its homeotic function in rice. <i>Science in China Series C: Life Sciences</i> , 2000, 43, 369-375.	1.3	4
1486	Fine mapping of the rice bacterial blight resistance gene <i>Xa-4</i> and its co-segregation marker. <i>Science Bulletin</i> , 2000, 45, 1779-1782.	1.7	2

#	ARTICLE	IF	CITATIONS
1487	Identifying and mapping cDNA fragments related to rice photoperiod sensitive genic male sterility. Science Bulletin, 2000, 45, 536-540.	1.7	1
1488	Two loci on wheat chromosome 5A regulate the differential cold-dependent expression of the cor14b gene in frost-tolerant and frost-sensitive genotypes. Molecular Genetics and Genomics, 2000, 263, 194-200.	2.4	98
1489	A high-resolution linkage map of the vicinity of the rice submergence tolerance locus Sub1. Molecular Genetics and Genomics, 2000, 263, 681-689.	2.4	138
1490	Genetic Mapping of Factors Affecting Quantitative Variation for Flowering in Sunflower. Crop Science, 2000, 40, 404-407.	0.8	27
1491	Quantitative Trait Loci for Antibiosis Resistance to Corn Earworm in Soybean. Crop Science, 2000, 40, 233-238.	0.8	87
1492	RFLP Linkage Map included the Information of Segregation Distortion in a Wide-Cross Population between Indica and Japonica Rice (Oryza sativa L).. Breeding Science, 2000, 50, 65-72.	0.9	13
1493	Genetic Mapping of a Body Weight Trait in Chicken. Nihon Chikusan Gakkaiho, 2000, 71, 130-136.	0.0	3
1494	Quantitative Trait Locus Analysis of Flowering Time in Soybean Using a RFLP Linkage Map.. Breeding Science, 2000, 50, 109-115.	0.9	36
1495	Soybean Quantitative Trait Loci for Resistance to Insects. Crop Science, 2000, 40, 375-382.	0.8	53
1496	Analysis of a Quantitative Trait Locus Allele from Wild Soybean That Increases Seed Protein Concentration in Soybean. Crop Science, 2000, 40, 1438-1444.	0.8	226
1497	Genetic Analysis of Inherited Hypertension in the Rat. Physiological Reviews, 2000, 80, 135-172.	13.1	375
1498	PCR-Based Markers Facilitating Marker Assisted Selection in Sunflower for Resistance to Downy Mildew. Crop Science, 2000, 40, 676-682.	0.8	45
1499	Molecular Marker Mapping of <i>RSV4</i> , a Gene Conferring Resistance to all Known Strains of Soybean Mosaic Virus. Crop Science, 2000, 40, 1434-1437.	0.8	139
1500	RAPD markers linked to a block of genes conferring rust resistance to the common bean. Genetics and Molecular Biology, 2000, 23, 399-402.	0.6	24
1501	Quantitative trait loci mapping for cholesterol gallstones in AKR/J and C57L/J strains of mice. Physiological Genomics, 2000, 4, 59-65.	1.0	76
1502	Identification of a RAPD marker linked to the Co-6 anthracnose resistant gene in common bean cultivar AB 136. Genetics and Molecular Biology, 2000, 23, 633-637.	0.6	20
1503	Blood pressure QTL that differentiate Dahl salt-sensitive and spontaneously hypertensive rats. Physiological Genomics, 2000, 3, 33-38.	1.0	36
1504	Genetically defined risk of salt sensitivity in an intercross of Brown Norway and Dahl S rats. Physiological Genomics, 2000, 2, 107-115.	1.0	78

#	ARTICLE	IF	CITATIONS
1505	Construction of a Genetic Linkage Map and QTL Analysis Using a Recombinant Inbred Population Derived from an Intersubspecific Cross of Cowpea ( <i>Vigna unguiculata</i> (L.) Walp.). <i>Breeding Science</i> , 2000, 50, 161-172.	0.9	36
1506	Isolation and Genetic Mapping of a Non-Lethal Rice ( <i>Oryza sativa</i> L.) low phytic acid 1 Mutation. <i>Crop Science</i> , 2000, 40, 1397-1405.	0.8	222
1507	QTLs Associated with Plant Height and Related Characters in Hexaploid Wheat. <i>Breeding Science</i> , 2000, 50, 267-273.	0.9	13
1508	Inheritance of Partial Resistance to Sclerotinia Stem Rot in Soybean. <i>Crop Science</i> , 2000, 40, 55-61.	0.8	139
1509	Development of PCR-Based Markers for a High Grain Protein Content Gene from <i>Triticum turgidum</i> ssp. <i>dicoccoides</i> Transferred to Bread Wheat. <i>Crop Science</i> , 2000, 40, 518-524.	0.8	91
1510	Positioning the <i>w<sup>p</sup></i> Flower Color Locus on the Soybean Genome Map. <i>Crop Science</i> , 2000, 40, 534-537.	0.8	15
1511	Complex Trait Analysis in the Mouse: The Strengths, The Limitations and The Promise Yet To Come. <i>Annual Review of Genetics</i> , 2000, 34, 653-686.	3.2	104
1512	Genetic obesity un masks nonlinear interactions between murine type 2 diabetes susceptibility loci. <i>Diabetes</i> , 2000, 49, 1946-1954.	0.3	132
1513	Genetic control of resistance to experimental infection with virulent <i>Mycobacterium tuberculosis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8560-8565.	3.3	278
1514	Linkage Analysis of Systemic Lupus Erythematosus Induced in Diabetes-Prone Nonobese Diabetic Mice by <i>Mycobacterium bovis</i> . <i>Journal of Immunology</i> , 2000, 165, 1673-1684.	0.4	43
1515	Genetic Mapping of Two Murine Loci that Influence the Development of IL-4-Producing Thy-1 <sup>dull</sup> Thymocytes. <i>Journal of Immunology</i> , 2000, 165, 42-48.	0.4	11
1516	A Genome Scan Using a Novel Genetic Cross Identifies New Susceptibility Loci and Traits in a Mouse Model of Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2000, 165, 5278-5286.	0.4	51
1517	A Comparative Analysis of the Plant Cellulose Synthase (CesA) Gene Family. <i>Plant Physiology</i> , 2000, 123, 1313-1324.	2.3	243
1518	Genetics of isozymes in grasspea. , 2000, 91, 142-145.		10
1519	Hormonal Cross-Talk Between Auxin and Ethylene Differentially Regulates the Expression of Two Members of the 1-Aminocyclopropane-1-Carboxylate Oxidase Gene Family in Rice ( <i>Oryza sativa</i> L.). <i>Plant and Cell Physiology</i> , 2000, 41, 354-362.	1.5	65
1520	Genetic regulation of anti-erythrocyte autoantibodies and splenomegaly in autoimmune hemolytic anemia-prone New Zealand Black mice. <i>International Immunology</i> , 2000, 12, 1-8.	1.8	30
1521	New Target Regions for Human Hypertension via Comparative Genomics. <i>Genome Research</i> , 2000, 10, 473-482.	2.4	207
1522	Genetic dissection of honeybee ( <i>Apis mellifera</i> L.) foraging behavior. , 2000, 91, 474-479.		110

#	ARTICLE	IF	CITATIONS
1523	Genetic Interactions during Root Hair Morphogenesis in Arabidopsis. <i>Plant Cell</i> , 2000, 12, 1961.	3.1	3
1524	Nutrient solution screening of Fe chlorosis resistance in soybean evaluated by molecular characterization. <i>Journal of Plant Nutrition</i> , 2000, 23, 1915-1928.	0.9	26
1525	Evidence for Common Autoimmune Disease Genes Controlling Onset, Severity, and Chronicity Based on Experimental Models for Multiple Sclerosis and Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2000, 164, 1564-1568.	0.4	95
1526	Genetic Interactions during Root Hair Morphogenesis in Arabidopsis. <i>Plant Cell</i> , 2000, 12, 1961-1974.	3.1	207
1527	A genetic map of cucumber composed of RAPDs, RFLPs, AFLPs, and loci conditioning resistance to papaya ringspot and zucchini yellow mosaic viruses. <i>Genome</i> , 2000, 43, 1003-1010.	0.9	71
1528	Identification and chromosomal localization of a transcriptionally active retrotransposon of Ty3- <i>gypsy</i> type in rice. <i>Genome</i> , 2000, 43, 404-408.	0.9	13
1529	The MITE family Heartbreaker (Hbr): Molecular markers in maize. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 10083-10089.	3.3	211
1530	Linkage mapping and nucleotide polymorphisms of the 6-SFT gene of cool-season grasses. <i>Genome</i> , 2000, 43, 931-938.	0.9	23
1531	Linkage group alignment of sorghum RFLP maps using a RIL mapping population. <i>Genome</i> , 2000, 43, 240-249.	0.9	33
1532	A Simple Procedure for the Analysis of Single Nucleotide Polymorphisms Facilitates Map-Based Cloning in Arabidopsis. <i>Plant Physiology</i> , 2000, 124, 1483-1492.	2.3	227
1533	Genetic Linkage Mapping of Zebrafish Genes and ESTs. <i>Genome Research</i> , 2000, 10, 558-567.	2.4	98
1534	Insulin-degrading enzyme identified as a candidate diabetes susceptibility gene in GK rats. <i>Human Molecular Genetics</i> , 2000, 9, 2149-2158.	1.4	144
1535	Identification of BFN1, a Bifunctional Nuclease Induced during Leaf and Stem Senescence in Arabidopsis. <i>Plant Physiology</i> , 2000, 122, 169-180.	2.3	174
1536	Genetic Control and Evolution of Sesquiterpene Biosynthesis in <i>Lycopersicon esculentum</i> and <i>L. hirsutum</i> . <i>Plant Cell</i> , 2000, 12, 2283-2294.	3.1	87
1537	Origin and Seed Phenotype of Maize low phytic acid 1-1 and low phytic acid 2-1. <i>Plant Physiology</i> , 2000, 124, 355-368.	2.3	404
1538	Genetic Mapping of Blood Pressure Quantitative Trait Loci in Milan Hypertensive Rats. <i>Hypertension</i> , 2000, 36, 734-739.	1.3	47
1539	Enhanced Susceptibility to Lupus Contributed from the Nonautoimmune C57BL/10, But Not C57BL/6, Genome. <i>Journal of Immunology</i> , 2000, 164, 5515-5521.	0.4	30
1540	Mtsym6, a Gene Conditioning Sinorhizobium Strain-Specific Nitrogen Fixation in <i>Medicago truncatula</i> 1. <i>Plant Physiology</i> , 2000, 123, 845-852.	2.3	56

#	ARTICLE	IF	CITATIONS
1541	Molecular biological tools in cereal breeding. , 2000, , 107-136.		2
1542	Soybean genetic map of RAPD markers assigned to an existing scaffold RFLP map. , 2000, 91, 392-396.		27
1543	Localization of new, microdissection-generated, anonymous markers and of the genes <i>Pcsk1</i> , <i>Dhfr</i> , <i>Ndub13</i> and <i>Ccnb1</i> to rat chromosome region 2q1. Cytogenetic and Genome Research, 2000, 88, 119-123.	0.6	3
1544	Molecular Genetic Maps in Wild Emmer Wheat, <i>Triticum dicoccoides</i> : Genome-Wide Coverage, Massive Negative Interference, and Putative Quasi-Linkage. Genome Research, 2000, 10, 1509-1531.	2.4	167
1545	Assignment of the mouse <i>Rbpsuh</i> gene to chromosome 5 and one processed pseudogene <i>Rbpsuh-rs3</i> to chromosome 6. Cytogenetic and Genome Research, 2000, 88, 218-220.	0.6	3
1546	Identification of Quantitative Trait Loci for Serum Cholesterol Levels in Stroke-Prone Spontaneously Hypertensive Rats. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 223-229.	1.1	32
1547	Rice NPH1 Homologues, OsNPH1a and OsNPH1b, Are Differently Photoregulated. Plant and Cell Physiology, 2000, 41, 415-423.	1.5	49
1548	An EST-enriched Comparative Map of Brassica oleracea and Arabidopsis thaliana. Genome Research, 2000, 10, 776-788.	2.4	149
1549	Genetic Dissection of the Syndrome X in the Rat. Biochemical and Biophysical Research Communications, 2000, 269, 660-665.	1.0	36
1550	cDNA subtraction cloning reveals novel genes whose temporal and spatial expression indicates association with trophoblast invasion. Developmental Biology, 2000, 222, 158-169.	0.9	46
1551	Development and Characterization of a Genetic Linkage Map of Cryptococcus neoformans var. neoformans Using Amplified Fragment Length Polymorphisms and Other Markers. Fungal Genetics and Biology, 2000, 31, 189-203.	0.9	46
1552	Identification of a Murine Locus Conveying Susceptibility to Cadmium-Induced Forelimb Malformations. Genomics, 2000, 63, 193-201.	1.3	31
1553	An Integrated Genetic Linkage Map with 1137 Markers Constructed from Five F2 Crosses of Autoimmune Disease-Prone and -Resistant Inbred Rat Strains. Genomics, 2000, 63, 202-226.	1.3	21
1554	Comparative Mapping of the Human Homologue of the Rat Diabetes Susceptibility Gene Lyp to a 1.3-Mb Segment on HSA7. Genomics, 2000, 65, 81-83.	1.3	4
1555	Quantitative Trait Loci Affecting Prion Incubation Time in Mice. Genomics, 2000, 69, 47-53.	1.3	114
1556	A Sequence-Ready PAC Contig of a 550-kb Region on Rat Chromosome 4 Including the Diabetes Susceptibility Gene Lyp. Genomics, 2000, 69, 305-313.	1.3	5
1557	Genetic Evidence for Obesity Loci Involved in the Regulation of Body Fat Distribution in Obese Type 2 Diabetes Rat, OLETF. Genomics, 2000, 70, 19-25.	1.3	26
1558	Complex Genetic Control in a Rat Model for Rheumatoid Arthritis. Journal of Autoimmunity, 2000, 15, 425-432.	3.0	35

#	ARTICLE	IF	CITATIONS
1559	Antisense HEMA1 RNA Expression Inhibits Heme and Chlorophyll Biosynthesis in Arabidopsis. <i>Plant Physiology</i> , 2000, 122, 49-56.	2.3	127
1560	Gene Action and Linkage of Avirulence Genes to DNA Markers in the Rust Fungus <i>Puccinia graminis</i> . <i>Phytopathology</i> , 2000, 90, 819-826.	1.1	62
1561	<i>Arabidopsis thaliana</i> : A source of candidate disease-resistance genes for <i>Brassica napus</i> . <i>Genome</i> , 2000, 43, 452-460.	0.9	43
1562	Identification of Genetic Loci Controlling the Characteristics and Severity of Brain and Spinal Cord Lesions in Experimental Allergic Encephalomyelitis. <i>American Journal of Pathology</i> , 2000, 157, 637-645.	1.9	95
1563	Cloning, chromosome mapping and functional characterization of a human homologue of murine Ctse-1 (B99) gene. <i>Gene</i> , 2000, 254, 229-236.	1.0	31
1564	Isolation and characterization of disease resistance gene homologues from rice cultivar IR64. <i>Gene</i> , 2000, 255, 245-255.	1.0	22
1565	Isolation and Characterization of a Salt- and Drought-inducible Gene for S-adenosylmethionine Decarboxylase from Wheat ( <i>Triticum aestivum</i> L.). <i>Journal of Plant Physiology</i> , 2000, 156, 386-393.	1.6	49
1566	Two Genetic Loci Regulate T Cell-Dependent Islet Inflammation and Drive Autoimmune Diabetes Pathogenesis. <i>American Journal of Human Genetics</i> , 2000, 67, 67-81.	2.6	51
1567	Breeding new strains of tilapia: development of an artificial center of origin and linkage map based on AFLP and microsatellite loci. <i>Aquaculture</i> , 2000, 185, 43-56.	1.7	126
1568	Efficiency of RFLP, RAPD, and AFLP markers for the construction of an intraspecific map of the tomato genome. <i>Genome</i> , 2000, 43, 29-40.	0.9	108
1569	A CAPS marker to assist selection of tomato spotted wilt virus (TSWV) resistance in pepper. <i>Genome</i> , 2000, 43, 137-142.	0.9	61
1570	Resistance of Tomato Line Hawaii7996 to <i>Ralstonia solanacearum</i> Pss4 in Taiwan Is Controlled Mainly by a Major Strain-Specific Locus. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 6-13.	1.4	129
1571	Molecular Biology of Woody Plants. <i>Forestry Sciences</i> , 2000, , .	0.4	14
1572	Amphidiploid <i>Brassica juncea</i> contains conserved progenitor genomes. <i>Genome</i> , 2000, 43, 679-688.	0.9	138
1573	FINE MAPPING OF QUANTITATIVE TRAIT LOCI USING ADVANCED INTERCROSS LINES OF MICE AND POSITIONAL CLONING OF THE CORRESPONDING GENES. <i>Experimental Lung Research</i> , 2000, 26, 641-649.	0.5	18
1574	An anchored AFLP- and retrotransposon-based map of diploid <i>Avena</i> . <i>Genome</i> , 2000, 43, 736-749.	0.9	98
1575	Development of a second generation linkage map for almond using RAPD and SSR markers. <i>Genome</i> , 2000, 43, 649-655.	0.9	100
1576	Xv4-vrxv4: A New Gene-for-Gene Interaction Identified Between <i>Xanthomonas campestris</i> pv. <i>Vesicatoria</i> Race T3 and the Wild Tomato Relative <i>Lycopersicon pennellii</i> . <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 1346-1355.	1.4	78



#	ARTICLE	IF	CITATIONS
1577	Combined AFLP and RFLP mapping in two hexaploid oat recombinant inbred populations. <i>Genome</i> , 2000, 43, 94-101.	0.9	31
1578	The Complete Sequence of 340 kb of DNA around the Rice Adh1-Adh2 Region Reveals Interrupted Colinearity with Maize Chromosome 4. <i>Plant Cell</i> , 2000, 12, 381-391.	3.1	224
1579	Inheritance and RAPD tagging of multiple genes for resistance to net blotch in barley. <i>Genome</i> , 2000, 43, 224-231.	0.9	45
1580	Expression and genome organization of resistance gene analogs in soybean. <i>Genome</i> , 2000, 43, 86-93.	0.9	50
1581	Isolation and mapping of microsatellite markers specific for the D genome of bread wheat. <i>Genome</i> , 2000, 43, 689-697.	0.9	489
1582	Deficiency in Fatty Acid Synthase Leads to Premature Cell Death and Dramatic Alterations in Plant Morphology. <i>Plant Cell</i> , 2000, 12, 405-417.	3.1	213
1583	Deficiency in Fatty Acid Synthase Leads to Premature Cell Death and Dramatic Alterations in Plant Morphology. <i>Plant Cell</i> , 2000, 12, 405.	3.1	15
1584	Detection of QTLs for heading time and photoperiod response in wheat using a doubled-haploid population. <i>Genome</i> , 2000, 43, 487-494.	0.9	116
1585	Molecular mapping of QTLs conferring stay-green in grain sorghum ( <i>Sorghum bicolor</i> L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42	0.9	237
1586	Simple sequence repeats in <i>Cucumis</i> mapping and map merging. <i>Genome</i> , 2000, 43, 963-974.	0.9	87
1587	Detection of quantitative trait loci for wood strength in <i>Cryptomeria japonica</i> . <i>Canadian Journal of Forest Research</i> , 2000, 30, 1525-1533.	0.8	12
1588	Development of resistance gene analog polymorphism markers for the <i>Yr9</i> gene resistance to wheat stripe rust. <i>Genome</i> , 2001, 44, 509-516.	0.9	86
1589	Constructing a plant genetic linkage map with DNA markers. <i>Advances in Cellular and Molecular Biology of Plants</i> , 2001, , 31-47.	0.2	5
1590	Genetics of airway hyperresponsiveness†. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 108, 11-20.	1.5	17
1591	Genetic mapping of the QTL affecting body weight in chickens using a F 2 family. <i>British Poultry Science</i> , 2001, 42, 333-337.	0.8	67
1592	The genetics of rheumatoid arthritis and the need for animal models to find and understand the underlying genes. <i>Arthritis Research</i> , 2001, 3, 87.	2.0	36
1593	Genetic linkage map of <i>Coffea canephora</i> : effect of segregation distortion and analysis of recombination rate in male and female meioses. <i>Genome</i> , 2001, 44, 589-595.	0.9	83
1594	Computational and Experimental Analysis of Microsatellites in Rice ( <i>Oryza sativa</i> L.): Frequency, Length Variation, Transposon Associations, and Genetic Marker Potential. <i>Genome Research</i> , 2001, 11, 1441-1452.	2.4	1,285

#	ARTICLE	IF	CITATIONS
1595	Genetic Locus in Mice That Blocks Development of Atherosclerosis Despite Extreme Hyperlipidemia. <i>Circulation Research</i> , 2001, 89, 125-130.	2.0	83
1597	Identification of a Gene Associated with Bt Resistance in <i>Heliothis virescens</i> . <i>Science</i> , 2001, 293, 857-860.	6.0	556
1598	Flowering Ecotypes of <i>Capsella bursa-pastoris</i> (L.) Medik. (Brassicaceae) Analysed by a Cosegregation of Phenotypic Characters (QTL) and Molecular Markers. <i>Annals of Botany</i> , 2001, 87, 91-99.	1.4	39
1599	Sex-Specific and Sex-Independent Quantitative Trait Loci for Facets of the Metabolic Syndrome in WOKW Rats. <i>Biochemical and Biophysical Research Communications</i> , 2001, 284, 150-156.	1.0	45
1600	Quantitative Trait Loci for Body Weight, Blood Pressure, Blood Glucose, and Serum Lipids: Linkage Analysis with Wild Rats ( <i>Rattus norvegicus</i> ). <i>Biochemical and Biophysical Research Communications</i> , 2001, 284, 1126-1133.	1.0	23
1601	Two Sox9 Genes on Duplicated Zebrafish Chromosomes: Expression of Similar Transcription Activators in Distinct Sites. <i>Developmental Biology</i> , 2001, 231, 149-163.	0.9	303
1602	Quantitative Genetic Study of Maximal Electroshock Seizure Threshold in Mice: Evidence for a Major Seizure Susceptibility Locus on Distal Chromosome 1. <i>Genomics</i> , 2001, 75, 35-42.	1.3	48
1603	CTLA-4 <sup>-/-</sup> Mice Display T Cell-apoptosis Resistance Resembling that Ascribed to Autoimmune-prone Non-obese Diabetic (NOD) Mice. <i>Journal of Autoimmunity</i> , 2001, 16, 105-113.	3.0	32
1604	Resistance gene analogs in barley and their relationship to rust resistance genes. <i>Genome</i> , 2001, 44, 375-381.	0.9	66
1605	DAF yields a cloned marker linked to the soybean ( <i>Glycine max</i> ) supernodulation nts-1 locus. <i>Journal of Plant Physiology</i> , 2001, 158, 999-1006.	1.6	4
1606	Suppression of estrogen-dependent MMP-9 expression by Edpm5, a genetic locus for pituitary tumor growth in rat. <i>Molecular and Cellular Endocrinology</i> , 2001, 176, 145-153.	1.6	9
1607	Mapping and promoter sequencing of HNF-1 $\beta$ gene in diabetes-prone and -resistant mice. <i>Diabetes Research and Clinical Practice</i> , 2001, 53, 67-71.	1.1	8
1608	Cloning and mapping of resistance gene homologues in melon. <i>Plant Science</i> , 2001, 161, 165-172.	1.7	27
1609	A linkage map of hexaploid oat based on grass anchor DNA clones and its relationship to other oat maps. <i>Genome</i> , 2001, 44, 249-265.	0.9	72
1610	Multiple flowering time QTLs within several <i>Brassica</i> species could be the result of duplicated copies of one ancestral gene. <i>Genome</i> , 2001, 44, 856-864.	0.9	70
1611	Identification of a major gene and RAPD markers for yellow seed coat colour in <i>Brassica napus</i> . <i>Genome</i> , 2001, 44, 1077-1082.	0.9	60
1612	Construction of a linkage map of the Rennell Island Tall coconut type ( <i>Cocos nucifera</i> L.) and QTL analysis for yield characters. <i>Genome</i> , 2001, 44, 962-970.	0.9	44
1613	Construction of a genetic map of barley ( <i>Hordeum vulgare</i> L.) cross 'Azumamugi' $\times$ 'Kanto Nakate Gold' using a simple and efficient amplified fragment-length polymorphism system. <i>Genome</i> , 2001, 44, 284-292.	0.9	51

#	ARTICLE	IF	CITATIONS
1614	A restriction fragment length polymorphism based linkage map of a diploid Avena recombinant inbred line population. <i>Genome</i> , 2001, 44, 192-204.	0.9	38
1615	Ancient and recent duplications of the rainbow trout Wilms' tumor gene. <i>Genome</i> , 2001, 44, 455-462.	0.9	33
1616	Apomixis in <i>Tripsacum</i> : Comparative mapping of a multigene phenomenon. <i>Genome</i> , 2001, 44, 222-230.	0.9	23
1617	A peach linkage map integrating RFLPs, SSRs, RAPDs, and morphological markers. <i>Genome</i> , 2001, 44, 783-790.	0.9	89
1618	New evidence for the synteny of rice chromosome 1 and barley chromosome 3H from rice expressed sequence tags. <i>Genome</i> , 2001, 44, 361-367.	0.9	44
1619	Exploitation of <i>Arabidopsis</i> -tomato synteny to construct a high-resolution map of the ovate-containing region in tomato chromosome 2. <i>Genome</i> , 2001, 44, 470-475.	0.9	55
1620	Construction of a reference linkage map for melon. <i>Genome</i> , 2001, 44, 836-845.	0.9	84
1621	Induction of a Major Leaf Acid Phosphatase Does Not Confer Adaptation to Low Phosphorus Availability in Common Bean. <i>Plant Physiology</i> , 2001, 125, 1901-1911.	2.3	92
1622	Candidate disease resistance genes in sunflower cloned using conserved nucleotide-binding site motifs: Genetic mapping and linkage to the downy mildew resistance gene <i>PI1</i> . <i>Genome</i> , 2001, 44, 205-212.	0.9	48
1623	Mapping genetic factors affecting the reaction to <i>Xanthomonas axonopodis</i> pv <i>phaseoli</i> in <i>Phaseolus vulgaris</i> L. under field conditions. <i>Genome</i> , 2001, 44, 1046-1056.	0.9	39
1624	An integrated restriction fragment length polymorphism - amplified fragment length polymorphism linkage map for cultivated sunflower. <i>Genome</i> , 2001, 44, 213-221.	0.9	67
1625	Genetic Control of Natural Variation in <i>Arabidopsis</i> Glucosinolate Accumulation. <i>Plant Physiology</i> , 2001, 126, 811-825.	2.3	607
1626	Evaluation of a High Grain Protein QTL from <i>Triticum turgidum</i> L. var. <i>dicoccoides</i> in an Adapted Durum Wheat Background. <i>Crop Science</i> , 2001, 41, 295-301.	0.8	78
1627	Identification of Molecular Markers Associated with Adult Plant Resistance to Powdery Mildew in Common Wheat Cultivar Massey. <i>Crop Science</i> , 2001, 41, 1268-1275.	0.8	106
1628	Detection and Mapping of a Major Locus for Fusarium Wilt Resistance in Common Bean. <i>Crop Science</i> , 2001, 41, 1494-1498.	0.8	44
1629	A Microsatellite Marker for Tagging Dn2, a Wheat Gene Conferring Resistance to the Russian Wheat Aphid. <i>Crop Science</i> , 2001, 41, 1584-1589.	0.8	39
1630	Comparison of Molecular Linkage Maps and Agronomic Trait Loci between DH and RIL Populations Derived from the Same Rice Cross. <i>Crop Science</i> , 2001, 41, 1240-1246.	0.8	68
1631	QTL Mapping of Spikelet Number in Rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 2001, 51, 53-56.	0.9	35

#	ARTICLE	IF	CITATIONS
1632	Herança da resistência à mancha-angular do feijoeiro e identificação de marcadores moleculares flanqueando o loco de resistência. <i>Tropical Plant Pathology</i> , 2001, 26, 27-32.	0.3	21
1633	Identification of a QTL Associated with Tolerance of Soybean to Soil Waterlogging. <i>Crop Science</i> , 2001, 41, 1247-1252.	0.8	120
1634	Molecular Markers Linked to Brown Stem Rot Resistance Genes, <i>Rbs1</i> and <i>Rbs2</i> , in Soybean. <i>Crop Science</i> , 2001, 41, 527-535.	0.8	53
1635	A Retrospective DNA Marker Assessment of the Development of Insect Resistant Soybean. <i>Crop Science</i> , 2001, 41, 1931-1939.	0.8	65
1636	Stability of QTL for Field Resistance to Blackleg across Two Genetic Backgrounds in Oilseed Rape. <i>Crop Science</i> , 2001, 41, 197-205.	0.8	111
1637	Incorporation of Sequenced cDNA and Genomic Markers into the Soybean Genetic Map. <i>Crop Science</i> , 2001, 41, 516-521.	0.8	43
1638	EVALUATION OF CARROT GENETIC SUBSTRUCTURE: COMPARISON OF THE EFFICIENCY OF MAPPED MOLECULAR MARKERS WITH RANDOMLY CHOSEN MARKERS. <i>Acta Horticulturae</i> , 2001, , 127-134.	0.1	2
1639	Assignment of a Brown Planthopper( <i>Nilaparvata lugens</i> Stal) Resistance Gene <i>bph4</i> to the Rice Chromosome 6.. <i>Breeding Science</i> , 2001, 51, 13-18.	0.9	64
1640	Mapping of Fruit Shape and Color Development Traits in Eggplant( <i>Solanum melongena</i> L.) Based on RAPD and AFLP Markers.. <i>Breeding Science</i> , 2001, 51, 19-26.	0.9	90
1641	Genomic Regions That Underlie Soybean Seed Isoflavone Content. <i>Journal of Biomedicine and Biotechnology</i> , 2001, 1, 38-44.	3.0	74
1642	Mapping of QTLs associated with cytosolic glutamine synthetase and NADH-dependent glutamate synthase in rice ( <i>Oryza sativa</i> L.). <i>Plant Molecular Biology</i> , 2001, 47, 24-35.	2.4	35
1643	Selected Contribution: Variation in acute hypoxic ventilatory response is linked to mouse chromosome 9. <i>Journal of Applied Physiology</i> , 2001, 90, 1615-1622.	1.2	38
1644	Mapping of microsatellite loci and association of aorta atherosclerosis with LG VI markers in the rabbit. <i>Physiological Genomics</i> , 2001, 6, 11-18.	1.0	10
1645	Multiple blood pressure QTL on rat chromosome 1 defined by Dahl rat congenic strains. <i>Physiological Genomics</i> , 2001, 4, 201-214.	1.0	48
1646	Identification of two susceptibility loci for vascular fragility in the Brown Norway rat. <i>Physiological Genomics</i> , 2001, 6, 183-189.	1.0	11
1647	Mapping Quantitative Trait Loci Controlling Cool-temperature Tolerance at Booting Stage in Temperate Japonica Rice.. <i>Breeding Science</i> , 2001, 51, 191-197.	0.9	121
1648	QTL Conditioning Physiological Resistance and Avoidance to White Mold in Dry Bean. <i>Crop Science</i> , 2001, 41, 309-315.	0.8	129
1649	Mapping of a brown planthopper ( <i>Nilaparvata lugens</i> Stål) resistance gene <i>Bph9</i> on the long arm of rice chromosome 12. <i>Cereal Research Communications</i> , 2001, 29, 245-250.	0.8	37

#	ARTICLE	IF	CITATIONS
1650	Differences in recombination frequencies during female and male meioses of the sex chromosomes of the medaka, <i>Oryzias latipes</i> . <i>Genetical Research</i> , 2001, 78, 23-30.	0.3	91
1651	Two Cyp19 (P450 Aromatase) Genes on Duplicated Zebrafish Chromosomes Are Expressed in Ovary or Brain. <i>Molecular Biology and Evolution</i> , 2001, 18, 542-550.	3.5	199
1652	QTL analysis of fertility-restoration against cytoplasmic male sterility in wheat.. <i>Genes and Genetic Systems</i> , 2001, 76, 33-38.	0.2	30
1653	Modulations in Gene Expression and Mapping of Genes Associated with Cyst Nematode Infection of Soybean. <i>Molecular Plant-Microbe Interactions</i> , 2001, 14, 42-54.	1.4	35
1654	Quantitative Trait Loci in Sweet Corn Associated with Partial Resistance to Stewart's Wilt, Northern Corn Leaf Blight, and Common Rust. <i>Phytopathology</i> , 2001, 91, 293-300.	1.1	45
1655	Restriction Fragment Length Polymorphism Mapping of Resistance to Two Races of <i>Pyrenophora tritici-repentis</i> in Adult and Seedling Wheat. <i>Phytopathology</i> , 2001, 91, 572-578.	1.1	35
1656	Auxin response factor family in rice.. <i>Genes and Genetic Systems</i> , 2001, 76, 373-380.	0.2	39
1657	Identification of Epistatic Interactions Involved in Non-Insulin-Dependent Diabetes Mellitus in the Otsuka Long-Evans Tokushima Fatty Rat.. <i>Experimental Animals</i> , 2001, 50, 115-123.	0.7	2
1658	Quantitative Genetic Basis of Gelatinization Temperature of Rice. <i>Cereal Chemistry</i> , 2001, 78, 666-674.	1.1	6
1659	Validation of molecular markers for wheat breeding. <i>Australian Journal of Agricultural Research</i> , 2001, 52, 1357.	1.5	84
1660	Identification of QTLs for Resistance to <i>Sclerotinia sclerotiorum</i> in Soybean. <i>Crop Science</i> , 2001, 41, 180-188.	0.8	159
1661	Construction of three linkage maps in bread wheat, <i>Triticum aestivum</i> . <i>Australian Journal of Agricultural Research</i> , 2001, 52, 1089.	1.5	114
1662	Genetic Mapping and Analysis of Quantitative Trait Loci for Resistance to Stalk Tunneling by the European Corn Borer in Maize. <i>Crop Science</i> , 2001, 41, 835-845.	0.8	63
1663	Chromosome Mapping and Phylogenetic Analysis of the Cytosolic Acetyl-CoA Carboxylase Loci in Wheat. <i>Molecular Biology and Evolution</i> , 2001, 18, 1720-1733.	3.5	30
1664	GENETIC LINKAGE MAPPING IN AN INTRASPECIFIC CROSS OF WALNUT ( <i>Juglans regia</i> L.) USING MOLECULAR MARKERS. <i>Acta Horticulturae</i> , 2001, , 179-185.	0.1	12
1665	Identification of causal relationships among traits related to drought resistance in <i>Stylosanthes scabra</i> using QTL analysis. <i>Journal of Experimental Botany</i> , 2001, 52, 203-214.	2.4	6
1666	Estimation of genome length. <i>Science Bulletin</i> , 2001, 46, 122-125.	1.7	1
1667	Mapping of a new gene for brown planthopper resistance in cultivated rice introgressed from <i>Oryza eichingeri</i> . <i>Science Bulletin</i> , 2001, 46, 1459-1462.	1.7	44

#	ARTICLE	IF	CITATIONS
1668	Loci underlying resistance to Race 3 of soybean cyst nematode in Glycine soja plant introduction 468916. <i>Theoretical and Applied Genetics</i> , 2001, 103, 561-566.	1.8	90
1669	High-resolution genetic mapping of the pepper ( <i>Capsicum annuum</i> L.) resistance loci Me3 and Me4 conferring heat-stable resistance to root-knot nematodes ( <i>Meloidogyne</i> spp.). <i>Theoretical and Applied Genetics</i> , 2001, 103, 592-600.	1.8	96
1670	Genetic analysis of kernel hardness in bread wheat using PCR-based markers. <i>Theoretical and Applied Genetics</i> , 2001, 103, 601-606.	1.8	41
1671	Molecular mapping of the reverse thermo-sensitive genic male-sterile gene ( <i>rtms1</i> ) in rice. <i>Theoretical and Applied Genetics</i> , 2001, 103, 607-612.	1.8	58
1672	Low rate of proliferation in immature thymocytes of the non-obese diabetic mouse maps to the <i>Idd6</i> diabetes susceptibility region. <i>Diabetologia</i> , 2001, 44, 1054-1061.	2.9	19
1673	The MHC locus controls size variations in the CD4 compartment of the mouse thymus. <i>Immunogenetics</i> , 2001, 53, 662-668.	1.2	8
1674	Identification of the <i>Gasa3</i> and <i>Gasa4</i> autoimmune gastritis susceptibility genes using congenic mice and partitioned, segregative and interaction analyses. <i>Immunogenetics</i> , 2001, 53, 741-750.	1.2	26
1675	Genetic architecture of adiposity in the cross of <i>LG/J</i> and <i>SM/J</i> inbred mice. <i>Mammalian Genome</i> , 2001, 12, 3-12.	1.0	148
1676	Genome-wide linkage analysis of inherited hydrocephalus in the H-Tx rat. <i>Mammalian Genome</i> , 2001, 12, 22-26.	1.0	29
1677	Genetic mapping of a neurological mutation cerebellar calcification in the rat. <i>Mammalian Genome</i> , 2001, 12, 80-82.	1.0	1
1678	High-resolution genetic mapping of the saccharin preference locus ( <i>Sac</i> ) and the putative sweet taste receptor ( <i>T1R1</i> ) gene ( <i>Gpr70</i> ) to mouse distal Chromosome 4. <i>Mammalian Genome</i> , 2001, 12, 13-16.	1.0	114
1679	Submucosal gland distribution in the mouse has a genetic determination localized on Chromosome 9. <i>Mammalian Genome</i> , 2001, 12, 124-128.	1.0	22
1680	Multiple obesity QTLs identified in an intercross between the NZO (New Zealand obese) and the SM (small) mouse strains. <i>Mammalian Genome</i> , 2001, 12, 95-103.	1.0	81
1681	Quantitative trait loci affecting growth in high growth ( <i>hg</i> ) mice. <i>Mammalian Genome</i> , 2001, 12, 284-290.	1.0	51
1682	Re-orientation and integration of the classical and interspecific linkage maps of the long arm of tomato chromosome 7. <i>Theoretical and Applied Genetics</i> , 2001, 103, 443-454.	1.8	9
1683	A genetic linkage map of European chestnut ( <i>Castanea sativa</i> Mill.) based on RAPD, ISSR and isozyme markers. <i>Theoretical and Applied Genetics</i> , 2001, 102, 1190-1199.	1.8	109
1684	A kiwifruit ( <i>Actinidia</i> spp.) linkage map based on microsatellites and integrated with AFLP markers. <i>Theoretical and Applied Genetics</i> , 2001, 103, 30-36.	1.8	67
1685	Genetic dissection of a modern sugarcane cultivar ( <i>Saccharum</i> spp.). I. Genome mapping with AFLP markers. <i>Theoretical and Applied Genetics</i> , 2001, 103, 84-97.	1.8	136

#	ARTICLE	IF	CITATIONS
1686	QTL mapping of fruit-related traits in pepper ( <i>Capsicum annuum</i> ). <i>Theoretical and Applied Genetics</i> , 2001, 102, 1016-1028.	1.8	193
1687	Comparative AFLP mapping in two hexaploid oat populations. <i>Theoretical and Applied Genetics</i> , 2001, 102, 876-884.	1.8	30
1688	Linkage map of Japanese black pine based on AFLP and RAPD markers including markers linked to resistance against the pine needle gall midge. <i>Theoretical and Applied Genetics</i> , 2001, 102, 871-875.	1.8	16
1689	Molecular mapping of genes conferring aluminum tolerance in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 102, 1002-1010.	1.8	92
1690	RFLP linkage map of the Ethiopian cereal tef [ <i>Eragrostis tef</i> (Zucc) Trotter]. <i>Theoretical and Applied Genetics</i> , 2001, 102, 957-964.	1.8	29
1691	Mapping and sequence analysis of barley hordoindolines. <i>Theoretical and Applied Genetics</i> , 2001, 102, 833-840.	1.8	53
1692	Detection of loci controlling seed dormancy on group 4 chromosomes of wheat and comparative mapping with rice and barley genomes. <i>Theoretical and Applied Genetics</i> , 2001, 102, 980-985.	1.8	151
1693	Identification of AFLP markers linked to resistance of cowpea ( <i>Vigna unguiculata</i> L.) to parasitism by <i>Striga gesnerioides</i> . <i>Theoretical and Applied Genetics</i> , 2001, 102, 1029-1036.	1.8	86
1694	New QTLs identified for plant water status, water-soluble carbohydrate and osmotic adjustment in a barley population grown in a growth-chamber under two water regimes. <i>Theoretical and Applied Genetics</i> , 2001, 103, 161-170.	1.8	127
1695	Linkage mapping of mutant loci in rye ( <i>Secale cereale</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 103, 70-74.	1.8	21
1696	DNA markers for <i>Fusarium</i> head blight resistance QTLs in two wheat populations. <i>Theoretical and Applied Genetics</i> , 2001, 102, 1164-1168.	1.8	436
1697	Identification and mapping of a new leaf stripe resistance gene in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 102, 1286-1291.	1.8	34
1698	A reciprocal translocation between 'Garfi' almond and 'Nemared' peach. <i>Theoretical and Applied Genetics</i> , 2001, 102, 1169-1176.	1.8	76
1699	Extending a RFLP-based genetic map of rye using random amplified polymorphic DNA (RAPD) and isozyme markers. <i>Theoretical and Applied Genetics</i> , 2001, 102, 1273-1279.	1.8	52
1700	A core genetic map of <i>Hordeum chilense</i> and comparisons with maps of barley ( <i>Hordeum vulgare</i> ) and wheat ( <i>Triticum aestivum</i> ). <i>Theoretical and Applied Genetics</i> , 2001, 102, 1259-1264.	1.8	63
1701	Simple sequence repeat (SSR) markers survey of the cassava ( <i>Manihot esculenta</i> Crantz) genome: towards an SSR-based molecular genetic map of cassava. <i>Theoretical and Applied Genetics</i> , 2001, 102, 21-31.	1.8	179
1702	Identification of a new major QTL associated with resistance to soybean cyst nematode ( <i>Heterodera</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	54
1703	Heredity and genetic mapping of domestication-related traits in a temperate japonica weedy rice. <i>Theoretical and Applied Genetics</i> , 2001, 102, 118-126.	1.8	103

#	ARTICLE	IF	CITATIONS
1704	Molecular linkage map for an intraspecific recombinant inbred population of durum wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 0 rgBT /Overlock 10 Tf	1.8	107
1705	Microsatellite markers identify three additional quantitative trait loci for resistance to soybean sudden-death syndrome (SDS) in Essex Å— Forrest RILs. <i>Theoretical and Applied Genetics</i> , 2001, 102, 187-192.	1.8	93
1706	Identification of QTLs for grain yield and grain-related traits of maize ( <i>Zeamays</i> L.) using an AFLP map, different testers, and cofactor analysis. <i>Theoretical and Applied Genetics</i> , 2001, 102, 230-243.	1.8	45
1707	Genetic analysis of organoleptic quality in fresh market tomato. 1. Mapping QTLs for physical and chemical traits. <i>Theoretical and Applied Genetics</i> , 2001, 102, 259-272.	1.8	191
1708	A rapid PCR-based method for genetically mapping ESTs. <i>Theoretical and Applied Genetics</i> , 2001, 102, 296-306.	1.8	55
1709	Use of recombinant inbred lines (RILs) to identify, locate and map major genes and quantitative trait loci involved with <i>in vitro</i> regeneration ability in <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 2001, 102, 335-341.	1.8	26
1710	Cytogenetic and molecular mapping of the leaf rust resistance gene Lr39 in wheat. <i>Theoretical and Applied Genetics</i> , 2001, 102, 347-352.	1.8	88
1711	Isolation and characterization of novel cDNA clones of acidic chitinases and Î²-1,3-glucanases from wheat spikes infected by <i>Fusarium graminearum</i> . <i>Theoretical and Applied Genetics</i> , 2001, 102, 353-362.	1.8	119
1712	Isolation, characterization and chromosomal location of a novel zinc-finger protein gene that is down-regulated by salt stress. <i>Theoretical and Applied Genetics</i> , 2001, 102, 363-368.	1.8	4
1713	A direct comparison between the genetic maps of sorghum and rice. <i>Theoretical and Applied Genetics</i> , 2001, 102, 379-386.	1.8	23
1714	Evidence for homology of flowering-time genes VFR2 from <i>Brassica rapa</i> and FLC from <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 2001, 102, 425-430.	1.8	85
1715	Molecular mapping of a fertility restoration locus (Rfm1) for cytoplasmic male sterility in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 102, 477-482.	1.8	27
1716	STS markers linked to Phoma resistance genes of the Brassica B-genome revealed sequence homology between <i>Brassica nigra</i> and <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2001, 102, 483-488.	1.8	24
1717	Quantitative trait loci for growing degree days to flowering and photoperiod response in Sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 102, 497-503.	1.8	69
1718	Microsatellite markers linked to six Russian wheat aphid resistance genes in wheat. <i>Theoretical and Applied Genetics</i> , 2001, 102, 504-510.	1.8	132
1719	A candidate gene approach identified phytoene synthase as the locus for mature fruit color in red pepper ( <i>Capsicum</i> spp.). <i>Theoretical and Applied Genetics</i> , 2001, 102, 524-530.	1.8	123
1720	An interspecific ( <i>Capsicum annuum</i> Å—C. chinese) F2 linkage map in pepper using RFLP and AFLP markers. <i>Theoretical and Applied Genetics</i> , 2001, 102, 531-539.	1.8	112
1721	Molecular mapping of the <i>cnx2</i> locus involved in molybdenum cofactor biosynthesis in rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	107



#	ARTICLE	IF	CITATIONS
1722	Identification of molecular markers for resistance to <i>Septoria nodorum</i> blotch in durum wheat. <i>Theoretical and Applied Genetics</i> , 2001, 102, 551-554.	1.8	30
1723	Microsatellite markers for genome analysis in Brassica. II. Assignment of rapeseed microsatellites to the A and C genomes and genetic mapping in Brassica oleracea L. <i>Theoretical and Applied Genetics</i> , 2001, 102, 695-699.	1.8	53
1724	A genetic map of rye ( <i>Secale cereale</i> L.) combining RFLP, isozyme, protein, microsatellite and gene loci. <i>Theoretical and Applied Genetics</i> , 2001, 102, 709-717.	1.8	118
1725	Identification of inter simple sequence repeat (ISSR) markers associated with seed size in wheat. <i>Theoretical and Applied Genetics</i> , 2001, 102, 726-732.	1.8	113
1726	Inter-MITE polymorphisms (IMP): a high throughput transposon-based genome mapping and fingerprinting approach. <i>Theoretical and Applied Genetics</i> , 2001, 102, 773-781.	1.8	62
1727	Quantitative trait loci influencing drought tolerance in grain sorghum ( <i>Sorghum bicolor</i> L.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 214	1.8	214
1728	Association of dominant loci for resistance to <i>Pseudomonas syringae</i> pv. pisi with linkage groups II, VI and VII of <i>Pisum sativum</i> . <i>Theoretical and Applied Genetics</i> , 2001, 103, 129-135.	1.8	28
1729	Diversity and evolution of a non-TIR-NBS sequence family that clusters to a chromosomal "hotspot" for disease resistance genes in soybean. <i>Theoretical and Applied Genetics</i> , 2001, 103, 406-414.	1.8	39
1730	Sequence-related amplified polymorphism (SRAP), a new marker system based on a simple PCR reaction: its application to mapping and gene tagging in Brassica. <i>Theoretical and Applied Genetics</i> , 2001, 103, 455-461.	1.8	1,198
1731	Identification of quantitative trait loci associated with resistance to cucumber mosaic virus in <i>Capsicum annuum</i> . <i>Theoretical and Applied Genetics</i> , 2001, 102, 1213-1220.	1.8	87
1732	Segregation distortion at marker loci: variation during microspore embryogenesis in maize. <i>Theoretical and Applied Genetics</i> , 2001, 102, 993-1001.	1.8	22
1733	Genetic mapping of QTLs conditioning soybean sprout yield and quality. <i>Theoretical and Applied Genetics</i> , 2001, 103, 702-709.	1.8	56
1734	"Forrest" resistance to the soybean cyst nematode is bigenic: saturation mapping of the Rhg1 and Rhg4 loci. <i>Theoretical and Applied Genetics</i> , 2001, 103, 710-717.	1.8	156
1735	Construction of a high-resolution linkage map of a rice brown planthopper ( <i>Nilaparvata lugens</i> Stål) resistance gene bph2. <i>Theoretical and Applied Genetics</i> , 2001, 103, 526-532.	1.8	63
1736	Genetic mapping of gray leaf spot (GLS) resistance genes in maize. <i>Theoretical and Applied Genetics</i> , 2001, 103, 797-803.	1.8	57
1737	Exploiting quantitative information in the analysis of dominant markers. <i>Theoretical and Applied Genetics</i> , 2001, 103, 462-468.	1.8	6
1738	QTL analysis and mapping of pi21, a recessive gene for field resistance to rice blast in Japanese upland rice. <i>Theoretical and Applied Genetics</i> , 2001, 103, 185-190.	1.8	151
1739	Comparative mapping of QTLs determining the plant size of Brassica oleracea. <i>Theoretical and Applied Genetics</i> , 2001, 103, 383-397.	1.8	31

#	ARTICLE	IF	CITATIONS
1740	Identification of a mutant fatty acid elongase allele from zero-percent erucic acid <i>Sinapis alba</i> . <i>Theoretical and Applied Genetics</i> , 2001, 103, 752-757.	1.8	2
1741	A genetic linkage map of <i>Nicotiana plumbaginifolia</i> / <i>Nicotiana longiflora</i> based on RFLP and RAPD markers. <i>Theoretical and Applied Genetics</i> , 2001, 103, 905-911.	1.8	30
1742	QTLs for agronomic traits from a Mediterranean barley progeny grown in several environments. <i>Theoretical and Applied Genetics</i> , 2001, 103, 774-787.	1.8	109
1743	Seed quality QTLs identified in a molecular map of early maturing soybean. <i>Theoretical and Applied Genetics</i> , 2001, 103, 912-919.	1.8	175
1744	Identification and characterization of a novel locus controlling early fruit development in tomato. <i>Theoretical and Applied Genetics</i> , 2001, 103, 353-358.	1.8	91
1745	QTL analysis of tolerance to a German strain of BYDV-PAV in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 103, 1074-1083.	1.8	61
1746	Molecular mapping of gene Gm-6(t) which confers resistance against four biotypes of Asian rice gall midge in China. <i>Theoretical and Applied Genetics</i> , 2001, 103, 953-961.	1.8	46
1747	A major QTL for powdery mildew resistance is stable over time and at two development stages in winter wheat. <i>Theoretical and Applied Genetics</i> , 2001, 103, 962-971.	1.8	60
1748	Detecting and mapping repulsion-phase linkage in polyploids with polysomic inheritance. <i>Theoretical and Applied Genetics</i> , 2001, 103, 136-143.	1.8	35
1749	Molecular identification of the yellow fruit color (c) locus in diploid strawberry: a candidate gene approach. <i>Theoretical and Applied Genetics</i> , 2001, 103, 316-322.	1.8	64
1750	An integrated interspecific AFLP map of lettuce ( <i>Lactuca</i> ) based on two <i>L. sativa</i> × <i>L. saligna</i> F2 populations. <i>Theoretical and Applied Genetics</i> , 2001, 103, 638-647.	1.8	83
1751	Identification of a second linkage group carrying genes controlling resistance to downy mildew ( <i>Plasmopara halstedii</i> ) in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2001, 103, 992-997.	1.8	68
1752	Mapping quantitative trait loci for milling quality, protein content and color characteristics of rice using a recombinant inbred line population derived from an elite rice hybrid. <i>Theoretical and Applied Genetics</i> , 2001, 103, 1037-1045.	1.8	158
1753	SSR mapping and confirmation of the QTL from PI96354 conditioning soybean resistance to southern root-knot nematode. <i>Theoretical and Applied Genetics</i> , 2001, 103, 1167-1173.	1.8	77
1754	High-density physical maps reveal that the dominant male-sterile gene Ms3 is located in a genomic region of low recombination in wheat and is not amenable to map-based cloning. <i>Theoretical and Applied Genetics</i> , 2001, 103, 998-1006.	1.8	44
1755	An RGA like marker detects all known Lr21 leaf rust resistance gene family members in <i>Aegilops tauschii</i> and wheat. <i>Theoretical and Applied Genetics</i> , 2001, 103, 1007-1013.	1.8	91
1756	Re-evaluation of the prospects of marker-assisted selection for improving insect resistance against <i>Diatraea</i> spp. in tropical maize by cross validation and independent validation. <i>Theoretical and Applied Genetics</i> , 2001, 103, 1059-1067.	1.8	58
1757	Defense response genes co-localize with quantitative disease resistance loci in pepper. <i>Theoretical and Applied Genetics</i> , 2001, 103, 920-929.	1.8	60

#	ARTICLE	IF	CITATIONS
1758	Cleaved amplified polymorphic sequence markers in sugi, <i>Cryptomeria japonica</i> D. Don, and their locations on a linkage map. <i>Theoretical and Applied Genetics</i> , 2001, 103, 881-895.	1.8	49
1759	Quantitative trait loci for yield components in oil palm ( <i>Elaeis guineensis</i> Jacq.). <i>Theoretical and Applied Genetics</i> , 2001, 103, 1302-1310.	1.8	76
1760	Localization and fine mapping of gaMS-1 , a male gametophytic mutant of maize. <i>Sexual Plant Reproduction</i> , 2001, 14, 95-99.	2.2	2
1761	Rice ESTs with disease-resistance gene- or defense-response gene-like sequences mapped to regions containing major resistance genes or QTLs. <i>Molecular Genetics and Genomics</i> , 2001, 265, 302-310.	1.0	82
1762	The rice retrotransposon Tos17 prefers low-copy-number sequences as integration targets. <i>Molecular Genetics and Genomics</i> , 2001, 265, 336-344.	1.0	87
1763	Analysis of the introgression of <i>Solanum bulbocastanum</i> DNA into potato breeding lines. <i>Molecular Genetics and Genomics</i> , 2001, 265, 694-704.	1.0	41
1764	Fine genetic mapping and BAC contig development for the citrus tristeza virus resistance gene locus in <i>Poncirus trifoliata</i> (Raf.). <i>Molecular Genetics and Genomics</i> , 2001, 265, 739-747.	1.0	42
1765	Characterization and mapping of Rpi1, a late-blight resistance locus from diploid (1EBN) Mexican <i>Solanum pinnatisectum</i> . <i>Molecular Genetics and Genomics</i> , 2001, 265, 977-985.	1.0	122
1766	Genome-wide linkage analysis of <i>Arabidopsis</i> genes required for leaf development. <i>Molecular Genetics and Genomics</i> , 2001, 266, 12-19.	1.0	46
1767	Identification of a BIBAC clone that co-segregates with the petunia Restorer of fertility (Rf) gene. <i>Molecular Genetics and Genomics</i> , 2001, 266, 223-230.	1.0	25
1768	Micron, a microsatellite-targeting transposable element in the rice genome. <i>Molecular Genetics and Genomics</i> , 2001, 266, 471-480.	1.0	62
1769	Genetic analysis and gene mapping of a rice few-tillering mutant in early backcross populations ( <i>Oryza</i> ) Tj ETQq1 1 0,784314 rgBT /Oryza	1.3	13
1770	nonstress environment. <i>Science in China Series C: Life Sciences</i> , 2001, 44, 73-82.	1.3	23
1771	White rust ( <i>Albugo candida</i> ) resistance loci on three <i>Arabidopsis</i> chromosomes are closely linked to downy mildew ( <i>Peronospora parasitica</i> ) resistance loci. <i>Molecular Plant Pathology</i> , 2001, 2, 87-95.	2.0	37
1772	Polygenic powdery mildew disease resistance in <i>Arabidopsis thaliana</i> : quantitative trait analysis of the accession Warschau-1. <i>Plant Pathology</i> , 2001, 50, 690-701.	1.2	26
1773	In vitro interactions between barley TALE homeodomain proteins suggest a role for protein-protein associations in the regulation of <i>Knox</i> gene function. <i>Plant Journal</i> , 2001, 27, 13-23.	2.8	140
1774	Molecular mapping of a new gene for resistance to frogeye leaf spot of soya bean in 'Peking'. <i>Plant Breeding</i> , 2001, 120, 73-78.	1.0	18
1775	Genetic mapping of a major gene delaying blooming time in almond. <i>Plant Breeding</i> , 2001, 120, 268-270.	1.0	88

#	ARTICLE	IF	CITATIONS
1776	Chromosomal location of Hwc2, one of the complementary hybrid weakness genes, in rice. <i>Plant Breeding</i> , 2001, 120, 523-525.	1.0	13
1777	Molecular mapping of a locus controlling resistance to <i>Albugo candida</i> in Indian mustard. <i>Plant Breeding</i> , 2001, 120, 483-487.	1.0	41
1778	A linkage analysis of sex determination in <i>Bombus terrestris</i> (L.) (Hymenoptera: Apidae). <i>Heredity</i> , 2001, 87, 234-242.	1.2	45
1779	Comparative linkage map development and identification of an autosomal locus for insensitive acetylcholinesterase-mediated insecticide resistance in <i>Culex tritaeniorhynchus</i> . <i>Insect Molecular Biology</i> , 2001, 10, 197-203.	1.0	40
1780	Characterization of duplicated zebrafish cyp19 genes. <i>The Journal of Experimental Zoology</i> , 2001, 290, 709-714.	1.4	73
1781	Chromosomal Evolution among Six Mosquito Species (Diptera: Culicidae) Based on Shared Restriction Fragment Length Polymorphisms. <i>Molecular Phylogenetics and Evolution</i> , 2001, 20, 316-321.	1.2	15
1782	POPULATION GENOMICS: Genome-Wide Sampling of Insect Populations. <i>Annual Review of Entomology</i> , 2001, 46, 441-469.	5.7	188
1783	Disruption of Differentiated Functions during Viral Infection in Vivo. <i>Virology</i> , 2001, 281, 61-66.	1.1	8
1784	Title is missing!. <i>Russian Journal of Plant Physiology</i> , 2001, 48, 377-381.	0.5	3
1785	Title is missing!. <i>Euphytica</i> , 2001, 119, 81-87.	0.6	23
1786	Title is missing!. <i>Euphytica</i> , 2001, 120, 71-83.	0.6	6
1787	RAPD and SCAR markers for resistance to acochyta blight in lentil. <i>Euphytica</i> , 2001, 118, 331-337.	0.6	60
1788	Bone Strength and Related Traits in HcB/Dem Recombinant Congenic Mice. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 992-1003.	3.1	43
1789	Quantitative Trait Loci for Femoral and Lumbar Vertebral Bone Mineral Density in C57BL/6J and C3H/HeJ Inbred Strains of Mice. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 1195-1206.	3.1	236
1790	Use of Random Amplified Polymorphic DNA Markers for Mapping the Chickpea Genome. <i>Biologia Plantarum</i> , 2001, 44, 195-202.	1.9	10
1791	Genetic analysis and mapping of biochemical markers in an F2 intercross of two inbred strains of the rabbit ( <i>Oryctolagus cuniculus</i> ). <i>Biochemical Genetics</i> , 2001, 39, 169-178.	0.8	8
1792	Chromosomal linkage associated with disease severity in the hydrocephalic H-Tx rat. <i>Behavior Genetics</i> , 2001, 31, 101-111.	1.4	26
1793	A novel plastid-targeted J-domain protein in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2001, 46, 615-626.	2.0	15

#	ARTICLE	IF	CITATIONS
1794	Title is missing!. Molecular Breeding, 2001, 8, 53-61.	1.0	80
1795	Mapping genetic loci for flowering time, maturity, and photoperiod insensitivity in soybean. Molecular Breeding, 2001, 8, 25-35.	1.0	115
1796	Title is missing!. Euphytica, 2001, 121, 273-278.	0.6	6
1797	Molecular marker analysis of protein content using PCR-based markers in wheat. Biochemical Genetics, 2001, 39, 325-338.	0.8	23
1798	Molecular mapping and characterization of traits controlling fiber quality in cotton. Euphytica, 2001, 121, 163-172.	0.6	168
1799	QTL $\tilde{A}$ -N-level interaction for plant height in rice ( <i>Oriza Sativa</i> L.). Plant and Soil, 2001, 236, 237-242.	1.8	32
1800	Title is missing!. Molecular Breeding, 2001, 8, 235-242.	1.0	6
1801	Combining the analyses of introgressive hybridisation and linkage mapping to investigate the genetic architecture of population divergence in the lake whitefish ( <i>Coregonus clupeaformis</i> , Mitchill). Genetica, 2001, 111, 25-41.	0.5	40
1802	Title is missing!. Euphytica, 2001, 118, 75-81.	0.6	35
1803	Surveying CpG methylation at 5'-CCGG in the genomes of rice cultivars. , 2001, 45, 31-39.		86
1804	The Genetics of Evolutionary Change in <i>Senecio vulgaris</i> L.: A QTL Mapping Approach. Plant Biology, 2001, 3, 544-552.	1.8	16
1805	AtSPO11-1 is necessary for efficient meiotic recombination in plants. EMBO Journal, 2001, 20, 589-600.	3.5	452
1806	Tissue Microarray Profiling of Cancer Specimens and Cell Lines: Opportunities and Limitations. Laboratory Investigation, 2001, 81, 1331-1338.	1.7	245
1807	Genetic control of susceptibility to experimental Lyme arthritis is polygenic and exhibits consistent linkage to multiple loci on chromosome 5 in four independent mouse crosses. Genes and Immunity, 2001, 2, 388-397.	2.2	55
1808	Genetic linkage of ecological specialization and reproductive isolation in pea aphids. Nature, 2001, 412, 904-907.	13.7	484
1809	Confirmation of Correlations and Common Quantitative Trait Loci Between Neurotensin Receptor Density and Hypnotic Sensitivity to Ethanol. Alcoholism: Clinical and Experimental Research, 2001, 25, 1699-1707.	1.4	14
1810	Genetic linkage analysis of the antibody responses to myelin basic protein and myelin oligodendrocyte glycoprotein in rats immunized with rat spinal cord homogenate. Journal of Neuroimmunology, 2001, 117, 21-29.	1.1	5
1811	Polygenic control of autoimmune peripheral nerve inflammation in rat. Journal of Neuroimmunology, 2001, 119, 166-174.	1.1	10

#	ARTICLE	IF	CITATIONS
1812	Kif1C, a kinesin-like motor protein, mediates mouse macrophage resistance to anthrax lethal factor. <i>Current Biology</i> , 2001, 11, 1503-1511.	1.8	94
1813	Characterisation of a $\beta$ -tubulin gene from <i>Melampsora lini</i> and comparison of fungal $\beta$ -tubulin genes. <i>Mycological Research</i> , 2001, 105, 818-826.	2.5	40
1814	A Second Acromelanistic Allelomorph at the Albino Locus of the Mongolian Gerbil ( <i>Meriones</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662		12
1815	Identification of a new malaria susceptibility locus (Char4) in recombinant congenic strains of mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 10793-10798.	3.3	86
1816	Meta-analysis for linkage to asthma and atopy in the chromosome 5q31-33 candidate region. <i>Human Molecular Genetics</i> , 2001, 10, 891-899.	1.4	17
1817	Autoantigen Glycoprotein 70 Expression Is Regulated by a Single Locus, Which Acts as a Checkpoint for Pathogenic Anti-Glycoprotein 70 Autoantibody Production and Hence for the Corresponding Development of Severe Nephritis, in Lupus-Prone BXSB Mice <sup>1</sup> . <i>Journal of Immunology</i> , 2001, 167, 1728-1733.	0.4	39
1818	An Informative Linkage Map of Soybean Reveals QTLs for Flowering Time, Leaflet Morphology and Regions of Segregation Distortion. <i>DNA Research</i> , 2001, 8, 61-72.	1.5	167
1819	A Linkage Map for CRINKLED PETAL: A Homeotic Gene of <i>Clarkia tembloriensis</i> (Onagraceae). , 2001, 92, 78-81.		1
1820	Non-random chromosomal distribution of SSLPs: systematic assessment using a novel genetic linkage map between two closely related rat strains. <i>Cytogenetic and Genome Research</i> , 2001, 95, 64-72.	0.6	6
1821	Quantitative Trait Analysis of Nickel-Induced Acute Lung Injury in Mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001, 24, 740-746.	1.4	39
1822	Cell-Autonomous Expression of Barley Mla1 Confers Race-Specific Resistance to the Powdery Mildew Fungus via a Rar1-Independent Signaling Pathway. <i>Plant Cell</i> , 2001, 13, 337.	3.1	5
1823	Gene Duplication in the Diversification of Secondary Metabolism: Tandem 2-Oxoglutarate-Dependent Dioxygenases Control Glucosinolate Biosynthesis in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2001, 13, 681.	3.1	2
1824	A Genomic-Systems Biology Map for Cardiovascular Function. <i>Science</i> , 2001, 294, 1723-1726.	6.0	166
1825	Genome-Wide Epistatic Interaction Analysis Reveals Complex Genetic Determinants of Circadian Behavior in Mice. <i>Genome Research</i> , 2001, 11, 959-980.	2.4	211
1826	Identification of multiple quantitative trait loci linked to prion disease incubation period in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 6279-6283.	3.3	176
1827	Resistance to Xenobiotic-Induced Autoimmunity Maps to Chromosome 1. <i>Journal of Immunology</i> , 2001, 167, 2396-2403.	0.4	50
1828	Right Ventricular Hypertrophy Secondary to Pulmonary Hypertension Is Linked to Rat Chromosome 17. <i>Circulation</i> , 2001, 103, 442-447.	1.6	31
1829	The Balance Between CD45RChigh and CD45RClow CD4 T Cells in Rats Is Intrinsic to Bone Marrow-Derived Cells and Is Genetically Controlled. <i>Journal of Immunology</i> , 2001, 166, 2944-2952.	0.4	41

#	ARTICLE	IF	CITATIONS
1830	Cell-Autonomous Expression of Barley Mla1 Confers Race-Specific Resistance to the Powdery Mildew Fungus via a Rar1-Independent Signaling Pathway. <i>Plant Cell</i> , 2001, 13, 337-350.	3.1	203
1831	Parental Effects in the Inheritance of Nonnodulation in Peanut. , 2001, 92, 86-89.		9
1832	Genetic and Linkage Analysis of Cleistogamy in Soybean. , 2001, 92, 89-92.		35
1833	Map Positions of 69 Arabidopsis thaliana Genes of All Known Nuclear Encoded Constituent Polypeptides and Various Regulatory Factors of the Photosynthetic Membrane: a Case Study. <i>DNA Research</i> , 2001, 8, 53-60.	1.5	17
1834	Toward Integration of Comparative Genetic, Physical, Diversity, and Cytomolecular Maps for Grasses and Grains, Using the Sorghum Genome as a Foundation. <i>Plant Physiology</i> , 2001, 125, 1325-1341.	2.3	81
1835	Positional Cloning of the Mouse Saccharin Preference (Sac) Locus. <i>Chemical Senses</i> , 2001, 26, 925-933.	1.1	250
1836	Identification of causal relationships among traits related to drought resistance in <i>Stylosanthes scabra</i> using QTL analysis. <i>Journal of Experimental Botany</i> , 2001, 52, 203-214.	2.4	79
1837	sas1, an Arabidopsis Mutant Overaccumulating Sodium in the Shoot, Shows Deficiency in the Control of the Root Radial Transport of Sodium. <i>Plant Cell</i> , 2001, 13, 125-137.	3.1	62
1838	Production of Wheat Doubled Haploids by Pollination With Job's Tears ( <i>Coix lachryma-jobi</i> L.). , 2001, 92, 81-83.		31
1839	Functional Alterations of the Nppa Promoter Are Linked to Cardiac Ventricular Hypertrophy in WKY/WKHA Rat Crosses. <i>Circulation Research</i> , 2001, 88, 223-228.	2.0	41
1840	Mapping of QTLs associated with cytosolic glutamine synthetase and NADH-dependent glutamate synthase in rice ( <i>Oryza sativa</i> L.). <i>Journal of Experimental Botany</i> , 2001, 52, 1209-1217.	2.4	104
1841	Characterization of Maize Cytochrome P450 Monooxygenases Induced in Response to Safeners and Bacterial Pathogens. <i>Plant Physiology</i> , 2001, 125, 1126-1138.	2.3	77
1842	A Point Mutation in the <i>IL-12R<math>\beta</math>2</i> Gene Underlies the IL-12 Unresponsiveness of <i>Lps</i> -Defective C57BL/10ScCr Mice. <i>Journal of Immunology</i> , 2001, 167, 2106-2111.	0.4	68
1843	A Recessive Allele Inhibiting Saponin Synthesis in Two Lines of Bolivian Quinoa ( <i>Chenopodium quinoa</i> ) Tj ETQq1 1 0.784314 rgBT /Overl		20
1844	Composite Interval Mapping Reveals a Major Locus Influencing Embryonic Development Rate in Rainbow Trout ( <i>Oncorhynchus mykiss</i> ). , 2001, 92, 16-22.		138
1845	The Arabidopsis <i>eer1</i> Mutant Has Enhanced Ethylene Responses in the Hypocotyl and Stem. <i>Plant Physiology</i> , 2001, 125, 1061-1073.	2.3	99
1846	Construction of a Genetic Linkage Map of the Model Legume <i>Lotus japonicus</i> Using an Intraspecific F2 Population. <i>DNA Research</i> , 2001, 8, 301-310.	1.5	141
1847	Low Microsatellite Variation in Laboratory Gerbils. , 2001, 92, 71-74.		37

#	ARTICLE	IF	CITATIONS
1848	Gene Duplication in the Diversification of Secondary Metabolism: Tandem 2-Oxoglutarate-Dependent Dioxygenases Control Glucosinolate Biosynthesis in Arabidopsis. <i>Plant Cell</i> , 2001, 13, 681-693.	3.1	447
1849	Role of the Putative Membrane-Bound Endo-1,4- $\beta$ -Glucanase KORRIGAN in Cell Elongation and Cellulose Synthesis in Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , 2001, 42, 251-263.	1.5	185
1850	sas1, an Arabidopsis Mutant Overaccumulating Sodium in the Shoot, Shows Deficiency in the Control of the Root Radial Transport of Sodium. <i>Plant Cell</i> , 2001, 13, 125.	3.1	3
1851	Establishment and characterisation of wheat genetic mapping populations. <i>Australian Journal of Agricultural Research</i> , 2001, 52, 1079.	1.5	107
1852	Construction of a framework map in Pinus contorta subsp. latifolia using random amplified polymorphic DNA markers. <i>Genome</i> , 2001, 44, 147-153.	0.9	11
1853	Mapping tightly linked genes controlling potyvirus infection at the Rsv1 and Rpv1 region in soybean. <i>Genome</i> , 2002, 45, 592-599.	0.9	96
1854	An AFLP marker tightly linked to apomixis reveals hemizygoty in a portion of the apomixis-controlling locus in Paspalum simplex. <i>Genome</i> , 2002, 45, 513-519.	0.9	69
1855	Linkage of AFLP markers tolhd 1, a recessive heterochronic gene in Italian ryegrass. <i>Genome</i> , 2002, 45, 752-758.	0.9	5
1856	MapChart: Software for the Graphical Presentation of Linkage Maps and QTLs. , 2002, 93, 77-78.		4,896
1857	An improved genetic linkage map for cowpea (Vigna unguiculataL.) Combining AFLP, RFLP, RAPD, biochemical markers, and biological resistance traits. <i>Genome</i> , 2002, 45, 175-188.	0.9	119
1858	A molecular marker tightly linked toP, a gene required for flower and seedcoat color in common bean (Phaseolus vulgarisL.), contains the Ty3-gypsyretrotransposonTpv3g. <i>Genome</i> , 2002, 45, 728-736.	0.9	16
1859	Genetic Modifiers of Systemic Lupus Erythematosus in Fc $\gamma$ RIIb $^{-/-}$ Mice. <i>Journal of Experimental Medicine</i> , 2002, 195, 1167-1174.	4.2	238
1860	Genetic Dissection of Increased Urinary Albumin Excretion in the Munich Wistar Fr $\ddot{u}$ mter Rat. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2706-2714.	3.0	62
1861	Expanded Genetic Map of Gibberella moniliformis (Fusarium verticillioides). <i>Applied and Environmental Microbiology</i> , 2002, 68, 1972-1979.	1.4	53
1862	Characterization of a major modifier locus for polycystic kidney disease (Modp $\kappa$ dr1) in the Han:SPRD(cy/+) rat in a region conserved with a mouse modifier locus for Alport syndrome. <i>Human Molecular Genetics</i> , 2002, 11, 2165-2173.	1.4	23
1863	Molecular and Genetic Characterization of a Non-Climacteric Phenotype in Melon Reveals Two Loci Conferring Altered Ethylene Response in Fruit. <i>Plant Physiology</i> , 2002, 129, 300-309.	2.3	138
1864	QTL Analysis of Al Tolerance in Recombinant Inbred Lines of Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , 2002, 43, 1526-1533.	1.5	71
1865	A Genetic Map of <i>Papaver somniferum</i> </i>L. Based on Molecular and Morphological Markers. <i>Journal of Herbs, Spices and Medicinal Plants</i> , 2002, 9, 235-241.	0.5	7



#	ARTICLE	IF	CITATIONS
1866	Molecular mapping of the fasciation mutation in soybean, <i>Glycine max</i> (Leguminosae). <i>American Journal of Botany</i> , 2002, 89, 559-565.	0.8	14
1867	Voluntary Ethanol Consumption by Mice: Genome-Wide Analysis of Quantitative Trait Loci and Their Interactions in a C57BL/6ByJ x 129P3/J F2 Intercross. <i>Genome Research</i> , 2002, 12, 1257-1268.	2.4	52
1868	Genetic Analysis of Autoimmune Sialadenitis in Nonobese Diabetic Mice: A Major Susceptibility Region on Chromosome 1. <i>Journal of Immunology</i> , 2002, 168, 4192-4201.	0.4	33
1869	Molecular and Phenotypic Mapping of Genes Controlling Seed Coat Pattern and Color in Common Bean ( <i>Phaseolus vulgaris</i> L.). , 2002, 93, 148-152.		121
1870	A duplicated copy of DMRT1 in the sex-determining region of the Y chromosome of the medaka, <i>Oryzias latipes</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11778-11783.	3.3	783
1871	Molecular Markers as a Tool for Analyses of Genetic Relatedness and Selection in Ornamentals. , 2002, , 329-345.		14
1872	C1q Regulatory Region Polymorphism Down-Regulating Murine C1q Protein Levels with Linkage to Lupus Nephritis. <i>Journal of Immunology</i> , 2002, 169, 1334-1339.	0.4	37
1873	Identification of quantitative trait loci for cold-tolerance of photosynthesis in maize ( <i>Zea mays</i> L.). <i>Journal of Experimental Botany</i> , 2002, 53, 1967-1977.	2.4	93
1874	Multiple genetic loci modify susceptibility to plasmacytoma-related morbidity in E $\hat{A}$ -v-abl transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11299-11304.	3.3	29
1875	MORPHOLOGICAL TRAITS DEFINING SPECIES DIFFERENCES IN WILD RELATIVES OF MAIZE ARE CONTROLLED BY MULTIPLE QUANTITATIVE TRAIT LOCI. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 273.	1.1	2
1876	MINOR QUANTITATIVE TRAIT LOCI UNDERLIE FLORAL TRAITS ASSOCIATED WITH MATING SYSTEM DIVERGENCE IN MIMULUS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 2138.	1.1	48
1878	A QTL controlling stem morphology and vascular development in <i>Lycopersicon esculentum</i> – <i>Lycopersicon hirsutum</i> (Solanaceae) crosses is located on chromosome 2. <i>American Journal of Botany</i> , 2002, 89, 1859-1866.	0.8	21
1879	Molecular mapping of the <i>Ph-3</i> gene for late blight resistance in tomato. <i>Journal of Horticultural Science and Biotechnology</i> , 2002, 77, 281-286.	0.9	98
1880	Crossing Over in Chicken Oogenesis: Cytological and Chiasma-Based Genetic Maps of the Chicken Lampbrush Chromosome 1. , 2002, 93, 125-129.		32
1881	QTL Analysis in Plants. , 2002, 195, 283-310.		11
1882	Molecular genetic analysis of dormancy-related traits in poplars. <i>Weed Science</i> , 2002, 50, 232-240.	0.8	55
1883	Breeding For Ornamentals: Classical and Molecular Approaches. , 2002, , .		18
1884	Simple Sequence Repeat (SSR) Markers Linked to the Ligon Lintless (Li1) Mutant in Cotton. , 2002, 93, 221-224.		67

#	ARTICLE	IF	CITATIONS
1885	AN EPISTATIC GENETIC BASIS FOR FLUCTUATING ASYMMETRY OF MANDIBLE SIZE IN MICE. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 642.	1.1	8
1886	Identification of quantitative trait loci controlling acute virulence in <i>Toxoplasma gondii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10753-10758.	3.3	151
1887	Identification of susceptibility genes for experimental autoimmune encephalomyelitis that overcome the effect of protective alleles at the <i>eae2</i> locus. <i>International Immunology</i> , 2002, 14, 79-85.	1.8	16
1888	Interacting Quantitative Trait Loci Control Loss of Peripheral Tolerance and Susceptibility to Autoimmune Ovarian Dysgenesis After Day 3 Thymectomy in Mice. <i>Journal of Immunology</i> , 2002, 169, 1640-1646.	0.4	18
1889	Genetic analysis of phenotype in <i>Trypanosoma brucei</i> : a classical approach to potentially complex traits. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2002, 357, 89-99.	1.8	30
1890	Maize HSP101 Plays Important Roles in Both Induced and Basal Thermotolerance and Primary Root Growth. <i>Plant Cell</i> , 2002, 14, 1621-1633.	3.1	132
1891	Mapping and Progress toward Map-Based Cloning of Brown Planthopper Biotype-4 Resistance Gene Introgressed from <i>Oryza officinalis</i> into Cultivated Rice, <i>O. sativa</i> . <i>Crop Science</i> , 2002, 42, 2112-2117.	0.8	96
1892	Identification of blood pressure quantitative trait loci that differentiate two hypertensive strains. <i>Journal of Hypertension</i> , 2002, 20, 2399-2406.	0.3	40
1893	Linkage mapping of sex-specific differences. <i>Genetical Research</i> , 2002, 79, 85-96.	0.3	53
1894	A naturally occurring point substitution in <i>Cdc25A</i> , and not <i>Fv2/Stk</i> , is associated with altered cell-cycle status of early erythroid progenitor cells. <i>Blood</i> , 2002, 100, 3804-3811.	0.6	7
1895	Genomic Mapping and Mapping Databases. <i>Methods of Biochemical Analysis</i> , 2002, 43, 111-153.	0.2	1
1896	Acute Lung Injury. <i>Chest</i> , 2002, 121, 70S-75S.	0.4	79
1897	A Molecular Genetic Map and Electrophoretic Karyotype of the Plant Pathogenic Fungus <i>Cochliobolus sativus</i> . <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 481-492.	1.4	64
1898	Detection of a Quantitative Trait Locus for Intramuscular Fat Accumulation Using the OLETF Rat. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 45-50.	0.3	16
1899	Genetic and Cytogenetic Mapping of DMI1, DMI2, and DMI3 Genes of <i>Medicago truncatula</i> Involved in Nod Factor Transduction, Nodulation, and Mycorrhization. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 1108-1118.	1.4	67
1900	Functional Conservation of Wheat and Rice <i>Mlo</i> Orthologs in Defense Modulation to the Powdery Mildew Fungus. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 1069-1077.	1.4	115
1901	Branch architecture QTL for <i>Pinus elliottii</i> var. <i>elliottii</i> × <i>Pinus caribaea</i> var. <i>hondurensis</i> hybrids. <i>Annals of Forest Science</i> , 2002, 59, 617-625.	0.8	21
1902	Quantitative Trait Loci for First- and Second-Generation European Corn Borer Resistance Derived from the Maize Inbred Mo47. <i>Crop Science</i> , 2002, 42, 584-593.	0.8	39

#	ARTICLE	IF	CITATIONS
1903	Mapping of quantitative trait loci controlling broomrape ( <i>Orobanche crenata</i> Forsk.) resistance in faba bean ( <i>Vicia faba</i> L.). <i>Genome</i> , 2002, 45, 1057-1063.	0.9	103
1904	Identification, Analysis, and Utilization of Conserved Ortholog Set Markers for Comparative Genomics in Higher Plants. <i>Plant Cell</i> , 2002, 14, 1457-1467.	3.1	361
1905	Linking droughtâ€resistance mechanisms to drought avoidance in upland rice using a QTL approach: progress and new opportunities to integrate stomatal and mesophyll responses. <i>Journal of Experimental Botany</i> , 2002, 53, 989-1004.	2.4	316
1906	Simultaneous Maximum Likelihood Estimation of Linkage and Linkage Phases in Outcrossing Species. <i>Theoretical Population Biology</i> , 2002, 61, 349-363.	0.5	176
1907	Inheritance of Race-Specific Resistance to <i>Xanthomonas campestris</i> pv. <i>campestris</i> in Brassica Genomes. <i>Phytopathology</i> , 2002, 92, 1134-1141.	1.1	69
1908	Linkage mapping of genes controlling resistance to white rust ( <i>Albugo candida</i> ) in <i>Brassica rapa</i> (syn. <i>campestris</i> ) and comparative mapping to <i>Brassica napus</i> and <i>Arabidopsis thaliana</i> . <i>Genome</i> , 2002, 45, 22-27.	0.9	61
1909	Identification of a Chlorosis-Inducing Toxin from <i>Pyrenophora tritici-repentis</i> and the Chromosomal Location of an Insensitivity Locus in Wheat. <i>Phytopathology</i> , 2002, 92, 527-533.	1.1	181
1910	Construction of an RAPD linkage map and localization of QTLs for oleic acid level using recombinant inbreds in mustard ( <i>Brassica juncea</i> ). <i>Genome</i> , 2002, 45, 467-472.	0.9	54
1911	Hordoidolines are associated with a major endosperm-texture QTL in Barley ( <i>Hordeum vulgare</i> ). <i>Genome</i> , 2002, 45, 584-591.	0.9	56
1912	An expanded genetic linkage map of <i>Prunus</i> based on an interspecific cross between almond and peach. <i>Genome</i> , 2002, 45, 520-529.	0.9	111
1913	The Genetic Architecture of Ecological Specialization: Correlated Gene Effects on Host Use and Habitat Choice in Pea Aphids. <i>American Naturalist</i> , 2002, 159, S76-S88.	1.0	138
1914	Genetic Mapping in Hybrid Zones. <i>American Naturalist</i> , 2002, 159, S36-S50.	1.0	79
1915	An enhanced molecular marker based genetic map of perennial ryegrass ( <i>Lolium perenne</i> ) reveals comparative relationships with other Poaceae genomes. <i>Genome</i> , 2002, 45, 282-295.	0.9	218
1916	Genetic mapping of the <i>Lr20</i> – <i>Pm1</i> resistance locus reveals suppressed recombination on chromosome arm 7AL in hexaploid wheat. <i>Genome</i> , 2002, 45, 737-744.	0.9	127
1917	RAPD-based genetic linkage maps of yellow passion fruit ( <i>Passiflora edulis</i> Sims. f. <i>flavicarpa</i> Deg.). <i>Genome</i> , 2002, 45, 670-678.	0.9	35
1918	AFLP markers linked to resistance against <i>Striga gesnerioides</i> race 1 in cowpea ( <i>Vigna unguiculata</i> ). <i>Genome</i> , 2002, 45, 787-793.	0.9	56
1919	A molecular linkage map of tomato displaying chromosomal locations of resistance gene analogs based on a <i>Lycopersicon esculentum</i> – <i>Lycopersicon hirsutum</i> cross. <i>Genome</i> , 2002, 45, 133-146.	0.9	63
1920	Mapping quantitative trait loci in inbred backcross lines of <i>Lycopersicon pimpinellifolium</i> (LA1589). <i>Genome</i> , 2002, 45, 1189-1202.	0.9	90

#	ARTICLE	IF	CITATIONS
1921	Two-gene systems of vernalization requirement and narrow-sense earliness in einkorn wheat. <i>Genome</i> , 2002, 45, 563-569.	0.9	32
1922	Towards the saturation of the pepper linkage map by alignment of three intraspecific maps including known-function genes. <i>Genome</i> , 2002, 45, 839-854.	0.9	100
1923	Identification of putative genes in bean ( <i>Phaseolus vulgaris</i> ) genomic (Bng) RFLP clones and their conversion to STSs. <i>Genome</i> , 2002, 45, 1013-1024.	0.9	26
1924	Comparative linkage map of the <i>Solanum lycopersicoides</i> and <i>S. sitiens</i> genomes and their differentiation from tomato. <i>Genome</i> , 2002, 45, 1003-1012.	0.9	45
1925	Development of PCR-based markers for a gene ( <i>Un8</i> ) conferring true loose smut resistance in barley. <i>Canadian Journal of Plant Pathology</i> , 2002, 24, 46-53.	0.8	13
1926	Assessing the level of collinearity between <i>Arabidopsis thaliana</i> and <i>Brassica napus</i> for A. thaliana chromosome 5. <i>Genome</i> , 2002, 45, 356-366.	0.9	76
1927	Chromosome landing near avirulence gene vH13 in the Hessian fly. <i>Genome</i> , 2002, 45, 812-822.	0.9	32
1928	Genomic targeting and high-resolution mapping of the domestication gene <i>Qin</i> in wheat. <i>Genome</i> , 2002, 45, 706-718.	0.9	86
1929	Development of an AFLP-based linkage map and localization of QTLs for seed fatty acid content in condiment mustard ( <i>Brassica juncea</i> ). <i>Genome</i> , 2002, 45, 1203-1215.	0.9	45
1930	Detection and Mapping of Duplicate Loci in <i>Brassica juncea</i> . <i>Journal of Plant Biochemistry and Biotechnology</i> , 2002, 11, 37-42.	0.9	3
1931	Cloning of genomic DNA of rice 5-enolpyruvylshikimate 3-phosphate synthase gene and chromosomal localization of the gene. <i>Science in China Series C: Life Sciences</i> , 2002, 45, 251.	1.3	18
1932	Isolation and characterization of a cinnamoyl-CoA reductase gene from perennial ryegrass ( <i>Lolium</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 262	1.6	50
1933	Isolation and characterisation of a fructosyltransferase gene from perennial ryegrass ( <i>Lolium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262	1.6	42
1934	Isolation and characterisation of three 4-coumarate : CoA-ligase homologue cDNAs from perennial ryegrass ( <i>Lolium perenne</i> ). <i>Journal of Plant Physiology</i> , 2002, 159, 773-779.	1.6	11
1935	Isolation and characterisation of three cinnamyl alcohol dehydrogenase homologue cDNAs from perennial ryegrass ( <i>Lolium perenne</i> L.). <i>Journal of Plant Physiology</i> , 2002, 159, 653-660.	1.6	41
1936	Inheritance and mapping of 11 avirulence genes in <i>Phytophthora sojae</i> . <i>Fungal Genetics and Biology</i> , 2002, 37, 1-12.	0.9	60
1937	Isolation, mapping and characterization of allelic polymorphism of Chi3-P1, a class III chitinase of <i>Capsicum annuum</i> L.. <i>Plant Science</i> , 2002, 163, 481-489.	1.7	4
1938	Identification of quantitative trait loci for chemical/inflammatory nociception in mice. <i>Pain</i> , 2002, 96, 385-391.	2.0	40

#	ARTICLE	IF	CITATIONS
1939	Molecular cloning and characterization of DMRT genes from the medaka <i>Oryzias latipes</i> and the platyfish <i>Xiphophorus maculatus</i> . <i>Gene</i> , 2002, 295, 213-222.	1.0	89
1940	Upland rice grown in soil-filled chambers and exposed to contrasting water-deficit regimes. <i>Field Crops Research</i> , 2002, 76, 25-43.	2.3	180
1941	Disomic Inheritance, Suppressed Recombination, and Allelic Interactions Govern Apospory in Buffelgrass as Revealed by Genome Mapping. <i>Crop Science</i> , 2002, 42, 1688-1694.	0.8	43
1942	Genetic Components of Resistance to Stalk Tunneling by the European Corn Borer in Maize. <i>Crop Science</i> , 2002, 42, 1309-1315.	0.8	34
1943	Duplicate Loci as QTL. <i>Crop Science</i> , 2002, 42, 1679-1687.	0.8	25
1944	Association of a Lipoxygenase Locus, <i>Lpx1</i> , with Variation in Lipoxygenase Activity in Durum Wheat Seeds. <i>Crop Science</i> , 2002, 42, 1695-1700.	0.8	79
1945	Mapping Quantitative Trait Loci for Resistance to Downy Mildew in Pearl Millet. <i>Crop Science</i> , 2002, 42, 1316-1323.	0.8	60
1946	The Role of Antileukotrienes in the Treatment of Asthma. <i>International Journal of Immunopathology and Pharmacology</i> , 2002, 15, 171-182.	1.0	10
1947	Identification of rapd marker linked to blast resistance gene in a somaclone of rice cultivar Araguaia. <i>Tropical Plant Pathology</i> , 2002, 27, 181-185.	0.3	5
1948	RAPD and SCAR markers linked to resistance to frogeye leaf spot in soybean. <i>Genetics and Molecular Biology</i> , 2002, 25, 317-321.	0.6	12
1949	Quantitative trait loci in Two Soybean Recombinant Inbred Line Populations Segregating for Yield and Disease Resistance. <i>Crop Science</i> , 2002, 42, 271-277.	0.8	114
1950	Variability among inbred lines and RFLP mapping of sunflower isozymes. <i>Genetics and Molecular Biology</i> , 2002, 25, 65-72.	0.6	7
1951	Development and Characterization of Microsatellite and RFLP-Derived PCR Markers in Oat. <i>Crop Science</i> , 2002, 42, 912-918.	0.8	43
1952	Quantitative Trait Loci (QTL) Analysis of Canning Quality Traits in Kidney Bean ( <i>Phaseolus vulgaris</i> L.). <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 608-615.	0.5	27
1953	Two closely linked interactive blood pressure QTL on rat chromosome 5 defined using congenic Dahl rats. <i>Physiological Genomics</i> , 2002, 8, 81-86.	1.0	47
1954	Genetic Mapping of Agronomic Traits in Common Bean. <i>Crop Science</i> , 2002, 42, 544-556.	0.8	100
1956	Mapping Genes Controlling Variation in Barley Grain Protein Concentration. <i>Crop Science</i> , 2002, 42, 680-685.	0.8	74
1957	Segregation of Experimental Autoimmune Glomerulonephritis as a Complex Genetic Trait and Exclusion of <i>Col4a3</i> as a Candidate Gene. <i>Nephron Experimental Nephrology</i> , 2002, 10, 402-407.	2.4	23

#	ARTICLE	IF	CITATIONS
1958	Quantitative Trait Loci Associated with Foliar Trigonelline Accumulation in Glycine MaxL. Journal of Biomedicine and Biotechnology, 2002, 2, 151-157.	3.0	19
1959	Identification and Characterization of a Quantitative Trait Locus, Hd9, Controlling Heading Date in Rice.. Breeding Science, 2002, 52, 35-41.	0.9	113
1960	Loss-of-function of a Rice Gibberellin Biosynthetic Gene, GA20 oxidase (GA20ox-2), Led to the Rice 'Green Revolution'.. Breeding Science, 2002, 52, 143-150.	0.9	234
1961	QTL Analysis for Plant and Grain Characters of Sake-brewing Rice Using a Doubled Haploid Population.. Breeding Science, 2002, 52, 309-317.	0.9	78
1962	Genetic and Sequence Analysis of Markers Tightly Linked to the <i>Soybean mosaic virus</i> Resistance Gene, <i>Rsv3</i> . Crop Science, 2002, 42, 265-270.	0.8	99
1963	A high density genetic map of maritime pine based on AFLPs. Annals of Forest Science, 2002, 59, 627-636.	0.8	61
1964	Estrogen-Dependent Growth of a Rat Pituitary Tumor Involves, But Does Not Require, a High Level of Vascular Endothelial Growth Factor. Experimental Biology and Medicine, 2002, 227, 492-499.	1.1	13
1965	The molecular genetic linkage map of the model legume <i>Medicago truncatula</i> : an essential tool for comparative legume genomics and the isolation of agronomically important genes. BMC Plant Biology, 2002, 2, 1.	1.6	183
1966	A genetic linkage map of <i>Lentinula edodes</i> (shiitake) based on AFLP markers. Mycological Research, 2002, 106, 911-917.	2.5	39
1967	Genetic links between the acute-phase response and arthritis development in rats. Arthritis and Rheumatism, 2002, 46, 259-268.	6.7	28
1968	DNA Technologies: Genomic Mapping and Positional Cloning, with Emphasis on Plant Science. , 0, , 147-164.		0
1969	Arthritis in MRL/lpr mice is under the control of multiple gene loci with an allelic combination derived from the original inbred strains. Arthritis and Rheumatism, 2002, 46, 1067-1074.	6.7	51
1970	Genetic mapping of a dwarfing gene found in <i>Solanum phureja</i> clone 1.22. American Journal of Potato Research, 2002, 79, 201-204.	0.5	4
1971	Towards the first linkage map of the <i>Didymella rabiei</i> genome. Phytoparasitica, 2002, 30, 467-472.	0.6	7
1972	Seven suggestive quantitative trait loci influence hygienic behavior of honey bees. Die Naturwissenschaften, 2002, 89, 565-568.	0.6	114
1973	Comparative analysis of polymorphism and chromosomal location of tomato microsatellite markers isolated from different sources. Theoretical and Applied Genetics, 2002, 104, 229-235.	1.8	77
1974	Extremely elongated tomato fruit controlled by four quantitative trait loci with epistatic interactions. Theoretical and Applied Genetics, 2002, 104, 241-247.	1.8	61
1975	Biochemical and genetic characterization of a monomeric storage protein (T1) with an unusually high molecular weight in <i>Triticum tauschii</i> . Theoretical and Applied Genetics, 2002, 104, 497-504.	1.8	14

#	ARTICLE	IF	CITATIONS
1976	Mapping of the QTL (quantitative trait locus) conferring partial resistance to leaf blast in rice cultivar Chubu 32. <i>Theoretical and Applied Genetics</i> , 2002, 104, 547-552.	1.8	73
1977	AFLP markers tightly linked to the aluminum-tolerance gene <i>Alt3</i> in rye ( <i>Secale cereale</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 104, 626-631.	1.8	69
1978	Molecular mapping, phenotypic expression and geographical distribution of genes determining anthocyanin pigmentation of coleoptiles in wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 104, 632-637.	1.8	77
1979	Molecular analysis of a major locus for resistance to downy mildew in sunflower with specific PCR-based markers. <i>Theoretical and Applied Genetics</i> , 2002, 104, 592-600.	1.8	64
1980	Resistance gene homologues in melon are linked to genetic loci conferring disease and pest resistance. <i>Theoretical and Applied Genetics</i> , 2002, 104, 1055-1063.	1.8	90
1981	Identification and characterization of DNA markers associated with a locus conferring virulence on barley in the plant pathogenic fungus <i>Cochliobolus sativus</i> . <i>Theoretical and Applied Genetics</i> , 2002, 104, 1049-1054.	1.8	14
1982	<i>Brassica napus</i> DNA markers linked to white rust resistance in <i>Brassica juncea</i> . <i>Theoretical and Applied Genetics</i> , 2002, 104, 1121-1124.	1.8	29
1983	Improving linkage analysis in outcrossed forest trees – an example from <i>Acacia mangium</i> . <i>Theoretical and Applied Genetics</i> , 2002, 104, 1185-1191.	1.8	25
1984	Megagametophyte-derived linkage maps of white spruce ( <i>Picea glauca</i> ) based on RAPD, SCAR and ESTP markers. <i>Theoretical and Applied Genetics</i> , 2002, 104, 987-997.	1.8	40
1985	Bay-0 – Shahdara recombinant inbred line population: a powerful tool for the genetic dissection of complex traits in <i>Arabidopsis</i> . <i>Theoretical and Applied Genetics</i> , 2002, 104, 1173-1184.	1.8	276
1986	Characterisation of polymorphic microsatellite markers from <i>Aegilops tauschii</i> and transferability to the D-genome of bread wheat. <i>Theoretical and Applied Genetics</i> , 2002, 104, 1164-1172.	1.8	212
1987	Identification of microsatellite markers linked to Russian wheat aphid resistance genes <i>Dn4</i> and <i>Dn6</i> . <i>Theoretical and Applied Genetics</i> , 2002, 104, 1042-1048.	1.8	89
1988	Molecular cloning, characterization, expression and chromosomal location of <i>OsGAPDH</i> , a submergence responsive gene in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 34-42.	1.8	22
1989	Mapping quantitative trait loci controlling early growth in a (longleaf pine – slash pine) – slash pine BC1 family. <i>Theoretical and Applied Genetics</i> , 2002, 104, 852-859.	1.8	20
1990	Candidate genes and QTLs for sugar and organic acid content in peach [ <i>Prunus persica</i> (L.) Batsch]. <i>Theoretical and Applied Genetics</i> , 2002, 105, 145-159.	1.8	199
1991	Molecular mapping of the intermedium spike-c ( <i>int-c</i> ) and non-brittle rachis 1 ( <i>btr1</i> ) loci in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 85-90.	1.8	80
1992	A genetic linkage map for watermelon derived from a testcross population: ( <i>Citrullus lanatus</i> var.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 105, 555-563.	1.8	47
1993	A reference map of <i>Cucumis melo</i> based on two recombinant inbred line populations. <i>Theoretical and Applied Genetics</i> , 2002, 104, 1017-1034.	1.8	183

#	ARTICLE	IF	CITATIONS
1994	Genetic mapping of 66 new microsatellite (SSR) loci in bread wheat. <i>Theoretical and Applied Genetics</i> , 2002, 105, 413-422.	1.8	339
1995	QTL mapping and introgression of yield-related traits from <i>Oryza glumaepatula</i> to cultivated rice ( <i>Oryza sativa</i> ) using microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2002, 104, 1192-1203.	1.8	219
1996	Identification of QTLs for early blight ( <i>Alternaria solani</i> ) resistance in tomato using backcross populations of a <i>Lycopersicon esculentum</i> × <i>L. hirsutum</i> cross. <i>Theoretical and Applied Genetics</i> , 2002, 104, 945-958.	1.8	73
1997	Genomic organization of glycinin genes in soybean. <i>Theoretical and Applied Genetics</i> , 2002, 104, 1132-1140.	1.8	80
1998	Comparative analysis of QTLs affecting domestication traits between two domesticated × wild pearl millet ( <i>Pennisetum glaucum</i> L., Poaceae) crosses. <i>Theoretical and Applied Genetics</i> , 2002, 104, 965-975.	1.8	66
1999	Mapping QTLs for sucrose content, yield and quality in a sugar beet population fingerprinted by EST-related markers. <i>Theoretical and Applied Genetics</i> , 2002, 104, 1107-1113.	1.8	83
2000	Genetic mapping of a dominant gene conferring resistance to cassava mosaic disease. <i>Theoretical and Applied Genetics</i> , 2002, 105, 521-525.	1.8	179
2001	Mapping of the nodulation loci <i>sym9</i> and <i>sym10</i> of pea ( <i>Pisum sativum</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 104, 1312-1316.	1.8	43
2002	An SSR-based genetic linkage map for perennial ryegrass ( <i>Lolium perenne</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 577-584.	1.8	133
2003	Comparative mapping of the wheat 5B short chromosome arm distal region with rice, relative to a crossability locus. <i>Theoretical and Applied Genetics</i> , 2002, 105, 759-765.	1.8	20
2004	An AFLP and RFLP linkage map and quantitative trait locus (QTL) analysis of growth traits in <i>Salix</i> . <i>Theoretical and Applied Genetics</i> , 2002, 105, 277-288.	1.8	68
2005	A resistance gene analog useful for targeting disease resistance genes against different pathogens on group 1S chromosomes of barley, wheat and rye. <i>Theoretical and Applied Genetics</i> , 2002, 105, 364-368.	1.8	20
2006	Genetic mapping of QTLs associated with greenbug resistance and tolerance in <i>Sorghum bicolor</i> . <i>Theoretical and Applied Genetics</i> , 2002, 104, 1373-1378.	1.8	61
2007	Development of molecular markers using MFLP linked to a gene conferring resistance to <i>Diaporthe toxica</i> in narrow-leaved lupin ( <i>Lupinus angustifolius</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 265-270.	1.8	60
2008	Identification of an STMS marker for the double-podding gene in chickpea. <i>Theoretical and Applied Genetics</i> , 2002, 105, 604-607.	1.8	50
2009	RFLP mapping of a <i>Hordeum bulbosum</i> gene highly expressed in pistils and its relationship to homoeologous loci in other Gramineae species. <i>Theoretical and Applied Genetics</i> , 2002, 105, 271-276.	1.8	6
2010	Resistance gene analogues of chickpea ( <i>Cicer arietinum</i> L.): isolation, genetic mapping and association with a <i>Fusarium</i> resistance gene cluster. <i>Theoretical and Applied Genetics</i> , 2002, 105, 479-490.	1.8	69
2011	Genetic mapping of grapevine ( <i>Vitis vinifera</i> L.) applied to the detection of QTLs for seedlessness and berry weight. <i>Theoretical and Applied Genetics</i> , 2002, 105, 780-795.	1.8	202



#	ARTICLE	IF	CITATIONS
2012	Development of RGA-CAPS markers and genetic mapping of candidate genes for sugarcane mosaic virus resistance in maize. <i>Theoretical and Applied Genetics</i> , 2002, 105, 355-363.	1.8	41
2013	Conversion of AFLP fragments tightly linked to SCMV resistance genes <i>Scmv1</i> and <i>Scmv2</i> into simple PCR-based markers. <i>Theoretical and Applied Genetics</i> , 2002, 105, 1190-1195.	1.8	28
2014	Mapping QTLs for grain hardness and puroindoline content in wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 106, 19-27.	1.8	46
2015	Analysis on additive effects and additive-by-additive epistatic effects of QTLs for yield traits in a recombinant inbred line population of rice. <i>Theoretical and Applied Genetics</i> , 2002, 105, 1137-1145.	1.8	156
2016	Mapping of a thermo-sensitive earliness per se gene on <i>Triticum monococcum</i> chromosome 1Am. <i>Theoretical and Applied Genetics</i> , 2002, 105, 585-593.	1.8	116
2017	Simple sequence repeat map of the sunflower genome. <i>Theoretical and Applied Genetics</i> , 2002, 105, 1124-1136.	1.8	267
2018	Identification of QTLs controlling tissue-culture traits in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 708-715.	1.8	42
2019	Integration of sequence tagged microsatellite sites to the chickpea genetic map. <i>Theoretical and Applied Genetics</i> , 2002, 105, 847-854.	1.8	130
2020	Mapping of quantitative trait loci determining agronomic important characters in hexaploid wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 921-936.	1.8	474
2021	Comparative genetic analysis of quantitative traits in sunflower ( <i>Helianthus annuus</i> L.) 1. QTL involved in resistance to <i>Sclerotinia sclerotiorum</i> and <i>Diaporthe helianthi</i> . <i>Theoretical and Applied Genetics</i> , 2002, 105, 985-993.	1.8	83
2022	Introgression of self-compatibility from <i>Coffea heterocalyx</i> to the cultivated species <i>Coffea canephora</i> . <i>Theoretical and Applied Genetics</i> , 2002, 105, 994-999.	1.8	30
2023	Mapping and analysis of quantitative trait loci for grain oil content and agronomic traits using AFLP and SSR in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 106, 149-156.	1.8	52
2024	QTLs for grain carbon isotope discrimination in field-grown barley. <i>Theoretical and Applied Genetics</i> , 2002, 106, 118-126.	1.8	122
2025	Substitution mapping of <i>Pup1</i> : a major QTL increasing phosphorus uptake of rice from a phosphorus-deficient soil. <i>Theoretical and Applied Genetics</i> , 2002, 105, 890-897.	1.8	236
2026	Development of RAPD and SCAR markers linked to the <i>Pvr4</i> locus for resistance to PVY in pepper ( <i>Capsicum annuum</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 105, 1067-1074.	1.8	57
2027	Influence of number and map distribution of AFLP markers on similarity estimates in carrot. <i>Theoretical and Applied Genetics</i> , 2002, 106, 157-162.	1.8	8
2028	Common loci underlie field resistance to soybean sudden death syndrome in Forrest, Pyramid, Essex, and Douglas. <i>Theoretical and Applied Genetics</i> , 2002, 104, 294-300.	1.8	98
2029	Identification of QTLs influencing wood property traits in loblolly pine ( <i>Pinus taeda</i> L.). II. Chemical wood properties. <i>Theoretical and Applied Genetics</i> , 2002, 104, 214-222.	1.8	103

#	ARTICLE	IF	CITATIONS
2030	Stearoyl-ACP and oleoyl-PC desaturase genes cosegregate with quantitative trait loci underlying high stearic and high oleic acid mutant phenotypes in sunflower. <i>Theoretical and Applied Genetics</i> , 2002, 104, 338-349.	1.8	83
2031	A genetic linkage map for <i>Eucalyptus globulus</i> with candidate loci for wood, fibre, and floral traits. <i>Theoretical and Applied Genetics</i> , 2002, 104, 379-387.	1.8	77
2032	RFLP genetic linkage maps from four F2.3 populations and a joinmap of <i>Gossypium hirsutum</i> L.. <i>Theoretical and Applied Genetics</i> , 2002, 104, 200-208.	1.8	106
2033	A new gene, <i>Ny tbr</i> , for hypersensitivity to Potato virus Y from <i>Solanum tuberosum</i> Maps to Chromosome IV. <i>Theoretical and Applied Genetics</i> , 2002, 104, 669-674.	1.8	62
2034	Isolation, characterization, and mapping of the stay green mutant in rice. <i>Theoretical and Applied Genetics</i> , 2002, 104, 526-532.	1.8	109
2035	QTLs involved in the restriction of cucumber mosaic virus (CMV) long-distance movement in pepper. <i>Theoretical and Applied Genetics</i> , 2002, 104, 586-591.	1.8	77
2036	Study of the relationship between pre-harvest sprouting and grain color by quantitative trait loci analysis in a white—red grain bread-wheat cross. <i>Theoretical and Applied Genetics</i> , 2002, 104, 39-47.	1.8	243
2037	Molecular mapping of QTLs for <i>Fusarium</i> head blight resistance in spring wheat. I. Resistance to fungal spread (Type II resistance). <i>Theoretical and Applied Genetics</i> , 2002, 104, 84-91.	1.8	414
2038	The development of a genetic map for meadowfoam comprised of amplified fragment length polymorphisms. <i>Theoretical and Applied Genetics</i> , 2002, 104, 92-96.	1.8	8
2039	Quantitative trait loci for resistance against Yellow rust in two wheat-derived recombinant inbred line populations. <i>Theoretical and Applied Genetics</i> , 2002, 104, 111-118.	1.8	158
2040	Application of interval haplotype analysis facilitates efficient mapping of the mutation causing osteopetrosis in tl rats. <i>Mammalian Genome</i> , 2002, 13, 299-301.	1.0	1
2041	Multiple blood pressure QTL on rat Chromosome 2 defined by congenic Dahl rats. <i>Mammalian Genome</i> , 2002, 13, 41-44.	1.0	38
2042	A chromosomal translocation causing multiple abnormalities including open eyelids at birth and glomerulonephritis. <i>Mammalian Genome</i> , 2002, 13, 416-422.	1.0	0
2043	Genetic, physical, and comparative map of the subtelomeric region of mouse Chromosome 4. <i>Mammalian Genome</i> , 2002, 13, 5-19.	1.0	18
2044	Major histocompatibility complex controls susceptibility and dominant inheritance, but not the severity of the disease in mouse models of rheumatoid arthritis. <i>Immunogenetics</i> , 2002, 54, 184-192.	1.2	24
2045	Cloning novel immune-type inhibitory receptors from the rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Immunogenetics</i> , 2002, 54, 662-670.	1.2	41
2046	Towards a genus-wide reference linkage map for <i>Eucalyptus</i> based exclusively on highly informative microsatellite markers. <i>Molecular Genetics and Genomics</i> , 2002, 267, 338-347.	1.0	75
2047	Genetic and physical mapping of a rice blast resistance locus, <i>Pi-CO39(t)</i> , that corresponds to the avirulence gene <i>AVR1-CO39</i> of <i>Magnaporthe grisea</i> . <i>Molecular Genetics and Genomics</i> , 2002, 267, 603-612.	1.0	96

#	ARTICLE	IF	CITATIONS
2048	Fine genetic mapping and physical delimitation of the lesion mimic gene <i>Spl11</i> to a 160-kb DNA segment of the rice genome. <i>Molecular Genetics and Genomics</i> , 2002, 268, 253-261.	1.0	31
2049	Identification of genetic loci affecting mouse-adapted bovine spongiform encephalopathy incubation time in mice. <i>Neurogenetics</i> , 2002, 4, 77-81.	0.7	58
2050	Localization of the muscular dystrophy AM locus using a chicken linkage map constructed with the Kobe University resource family. <i>Animal Genetics</i> , 2002, 33, 42-48.	0.6	24
2051	Identification of Rat Quantitative Trait Loci that Regulate LPS-Induced Pro-Inflammatory Cytokine Responses. <i>Scandinavian Journal of Immunology</i> , 2002, 56, 248-253.	1.3	6
2052	The broad-spectrum potato cyst nematode resistance gene ( <i>Hero</i> ) from tomato is the only member of a large gene family of NBS-LRR genes with an unusual amino acid repeat in the LRR region. <i>Plant Journal</i> , 2002, 31, 127-136.	2.8	184
2053	Mapping QTL involved in adult plant resistance to powdery mildew in the winter wheat line RE714 in two susceptible genetic backgrounds. <i>Plant Breeding</i> , 2002, 121, 133-140.	1.0	64
2054	Molecular mapping of major genes and quantitative trait loci determining flowering time in response to photoperiod in barley. <i>Plant Breeding</i> , 2002, 121, 129-132.	1.0	40
2055	Amplified fragment length polymorphism- and simple sequence repeat-based molecular tagging and mapping of greenbug resistance gene <i>Gb3</i> in wheat. <i>Plant Breeding</i> , 2002, 121, 218-223.	1.0	51
2056	Clustering of amplified fragment length polymorphism markers in a linkage map of rye. <i>Plant Breeding</i> , 2002, 121, 117-123.	1.0	35
2057	Comparison and integration of genetic maps generated from F2 and BC1-type mapping populations in perennial ryegrass. <i>Plant Breeding</i> , 2002, 121, 501-507.	1.0	73
2058	Mapping a new source of resistance to powdery mildew in mungbean. <i>Plant Breeding</i> , 2002, 121, 521-525.	1.0	60
2059	Microsatellite marker for yellow rust resistance gene <i>Yr5</i> in wheat introgressed from spelt wheat. <i>Plant Breeding</i> , 2002, 121, 539-541.	1.0	56
2060	Genetic characterization of spontaneous diploid androgenetic wheat and triticale plants. <i>Plant Breeding</i> , 2002, 121, 470-474.	1.0	16
2061	Molecular and physical mapping of genes affecting awning in wheat. <i>Plant Breeding</i> , 2002, 121, 320-324.	1.0	84
2062	Present and future of quantitative trait locus analysis in plant breeding. <i>Plant Breeding</i> , 2002, 121, 281-291.	1.0	252
2063	Identifying AFLP and microsatellite markers for vernalization response gene <i>Vrn-B1</i> in hexaploid wheat using reciprocal mapping populations. <i>Plant Breeding</i> , 2002, 121, 400-406.	1.0	48
2064	Identification of a microsatellite marker associated with <i>Pm3</i> resistance alleles to powdery mildew in wheat. <i>Plant Breeding</i> , 2002, 121, 325-329.	1.0	40
2065	Both common and unique susceptibility genes in different rat strains with pristane-induced arthritis. <i>European Journal of Human Genetics</i> , 2002, 10, 475-483.	1.4	22

#	ARTICLE	IF	CITATIONS
2066	Identification of genetic loci controlling bacterial clearance in experimental <i>Salmonella enteritidis</i> infection: an unexpected role of Nramp1 (Slc11a1) in the persistence of infection in mice. <i>Genes and Immunity</i> , 2002, 3, 196-204.	2.2	52
2067	Angptl3 regulates lipid metabolism in mice. <i>Nature Genetics</i> , 2002, 30, 151-157.	9.4	367
2068	Genetic analysis of the mouse brain proteome. <i>Nature Genetics</i> , 2002, 30, 385-393.	9.4	293
2069	Identification and potential use of RAPD markers linked to Yam mosaic virus resistance in white yam ( <i>Dioscorea rotundata</i> ). <i>Annals of Applied Biology</i> , 2002, 140, 163-169.	1.3	28
2070	MINOR QUANTITATIVE TRAIT LOCI UNDERLIE FLORAL TRAITS ASSOCIATED WITH MATING SYSTEM DIVERGENCE IN <i>MIMULUS</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 2138-2155.	1.1	229
2071	MORPHOLOGICAL TRAITS DEFINING SPECIES DIFFERENCES IN WILD RELATIVES OF MAIZE ARE CONTROLLED BY MULTIPLE QUANTITATIVE TRAIT LOCI. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 273-283.	1.1	52
2072	AN EPISTATIC GENETIC BASIS FOR FLUCTUATING ASYMMETRY OF MANDIBLE SIZE IN MICE. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 642-653.	1.1	83
2073	Reciprocal Congenics Defining Individual Quantitative Trait Loci for Sedative/Hypnotic Sensitivity to Ethanol. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 149-157.	1.4	38
2074	Mapping of Barley ( <i>Hordeum vulgare</i> L.) Beta -amylase Alleles in which an Amino Acid Substitution Determines Beta -amylase Isoenzyme Type and the Level of Free Beta -amylase. <i>Journal of Cereal Science</i> , 2002, 35, 39-50.	1.8	31
2075	Genetic Analysis of the Size of Endosperm Starch Granules in a Mapped Segregating Wheat Population. <i>Journal of Cereal Science</i> , 2002, 35, 103-107.	1.8	18
2076	Genetic analysis of scab resistance QTL in wheat with microsatellite and AFLP markers. <i>Genome</i> , 2002, 45, 719-727.	0.9	165
2077	A genetic study of unilateral incompatibility between diploid (1EBN) Mexican species <i>Solanum pinnatisectum</i> and <i>S. cardiophyllum</i> subsp. <i>cardiophyllum</i> . <i>Sexual Plant Reproduction</i> , 2002, 14, 305-313.	2.2	7
2078	Mapping of QTL influencing saccharin consumption in the selectively bred alcohol-preferring and -nonpreferring rat lines. <i>Behavior Genetics</i> , 2002, 32, 57-67.	1.4	22
2079	Mapping QTLs associated with drought avoidance in upland rice grown in the Philippines and West Africa. <i>Plant Molecular Biology</i> , 2002, 48, 683-695.	2.0	112
2080	Genetic dissection of a major <i>Fusarium</i> head blight QTL in tetraploid wheat. <i>Plant Molecular Biology</i> , 2002, 48, 625-632.	2.0	111
2081	A high-density cytogenetic map of the <i>Aegilops tauschii</i> genome incorporating retrotransposons and defense-related genes: insights into cereal chromosome structure and function. <i>Plant Molecular Biology</i> , 2002, 48, 767-789.	2.0	95
2082	Insertion-deletion polymorphisms in 3' regions of maize genes occur frequently and can be used as highly informative genetic markers. <i>Plant Molecular Biology</i> , 2002, 48, 539-547.	2.0	140
2083	Expanding the genetic map of maize with the intermated B73 x Mo17 (IBM) population. <i>Plant Molecular Biology</i> , 2002, 48, 453-461.	2.0	360

#	ARTICLE	IF	CITATIONS
2084	Genetic mapping of loci determining long glumes in the genus <i>Triticum</i> . <i>Euphytica</i> , 2002, 123, 287-293.	0.6	21
2085	Title is missing!. <i>Euphytica</i> , 2002, 123, 187-194.	0.6	79
2086	Title is missing!. <i>Russian Journal of Genetics</i> , 2002, 38, 560-574.	0.2	0
2087	Molecular markers for yellow stem borer <i>Scirpophaga incertulas</i> (Walker) resistance in rice. <i>Euphytica</i> , 2002, 124, 371-377.	0.6	12
2088	Title is missing!. <i>Euphytica</i> , 2002, 125, 69-79.	0.6	65
2089	Title is missing!. <i>Euphytica</i> , 2002, 125, 265-272.	0.6	34
2090	Title is missing!. <i>Euphytica</i> , 2002, 125, 373-384.	0.6	76
2091	A single-base deletion in soybean flavonoid 3'-hydroxylase gene is associated with gray pubescence color. <i>Plant Molecular Biology</i> , 2002, 50, 187-196.	2.0	128
2092	Development and Characterization of Microsatellite Markers from Chromosome 1-Specific DNA Libraries of <i>Vicia Faba</i> . <i>Biologia Plantarum</i> , 2002, 45, 337-345.	1.9	87
2093	Mapping genes for resistance to sprouting damage in wheat. <i>Euphytica</i> , 2002, 126, 39-45.	0.6	149
2094	Title is missing!. <i>Euphytica</i> , 2002, 126, 365-377.	0.6	15
2095	Mapping of genes affecting linolenic acid content in <i>Brassica rapa</i> ssp. <i>oleifera</i> . <i>Molecular Breeding</i> , 2002, 10, 51-62.	1.0	23
2096	Mapping genes for double podding and other morphological traits in chickpea. <i>Euphytica</i> , 2002, 128, 285-292.	0.6	109
2097	Molecular mapping and characterization of an RGA locus <i>RGAPtokin1-2 171</i> in chickpea. <i>Euphytica</i> , 2002, 128, 427-433.	0.6	31
2098	A strategy for enhancing recombination in proximal regions of chromosomes. <i>Chromosome Research</i> , 2002, 10, 645-654.	1.0	23
2099	Localization of the Mutation Responsible for Osteopetrosis in the <i>op</i> Rat to a 1.5-cM Genetic Interval on Rat Chromosome 10: Identification of Positional Candidate Genes by Radiation Hybrid Mapping. <i>Journal of Bone and Mineral Research</i> , 2002, 17, 1761-1767.	3.1	8
2100	Title is missing!. <i>Euphytica</i> , 2003, 131, 131-136.	0.6	58
2101	Title is missing!. <i>Euphytica</i> , 2003, 132, 23-30.	0.6	63

#	ARTICLE	IF	CITATIONS
2102	Title is missing!. Euphytica, 2003, 132, 199-210.	0.6	19
2103	Title is missing!. Euphytica, 2003, 132, 243-249.	0.6	30
2104	Title is missing!. Molecular Breeding, 2003, 12, 33-50.	1.0	74
2105	Title is missing!. Molecular Breeding, 2003, 12, 3-19.	1.0	68
2106	Genetic analysis of net-like cracking in soybean seed coats. Euphytica, 2003, 133, 179-184.	0.6	14
2107	Title is missing!. Molecular Breeding, 2003, 12, 133-143.	1.0	55
2108	Comparative genome and QTL mapping between maritime and loblolly pines. Molecular Breeding, 2003, 12, 185-195.	1.0	78
2109	Quantitative Trait Locus Analysis of Plasma Cholesterol and Triglyceride Levels in KK $\bar{A}$ – RR F2Mice. Biochemical Genetics, 2003, 41, 325-341.	0.8	21
2110	Development of SCAR markers linked to a scald resistance gene derived from wild barley. Euphytica, 2003, 134, 149-159.	0.6	26
2111	Locating QTLs controlling constitutive root traits in the rice population IAC 165 $\bar{A}$ – Co39. Euphytica, 2003, 134, 335-345.	0.6	108
2112	Fine mapping of the Ht2 (Helminthosporium turcicum resistance 2) gene in maize. Science Bulletin, 2003, 48, 165.	1.7	14
2113	Morphology and mapping analysis of rice (Oryza sativa L.) clustered spikelets (Cl) mutant. Science Bulletin, 2003, 48, 559.	1.7	4
2114	Genetic analysis and fine mapping of a lax mutant in rice. Science Bulletin, 2003, 48, 2072.	1.7	3
2115	An integrative genetic linkage map of winter wheat (Triticum aestivum L.). Theoretical and Applied Genetics, 2003, 107, 1235-1242.	1.8	174
2116	Genetic Effects for Femoral Biomechanics, Structure, and Density in C57BL/6J and C3H/HeJ Inbred Mouse Strains. Journal of Bone and Mineral Research, 2003, 18, 1758-1765.	3.1	68
2117	Polygalacturonase: a candidate gene for the soft flesh and deciduous fruit mutation in Capsicum. Plant Molecular Biology, 2003, 51, 295-311.	2.0	56
2118	Title is missing!. Euphytica, 2003, 129, 61-68.	0.6	9
2119	RFLP/AFLP mapping of a brown planthopper (Nilaparvata lugens Stål) resistance gene Bph1 in rice. Euphytica, 2003, 129, 109-117.	0.6	46

#	ARTICLE	IF	CITATIONS
2120	Molecular tagging of a gene for resistance to brown planthopper in rice ( <i>Oryza sativa</i> L.). <i>Euphytica</i> , 2003, 129, 81-88.	0.6	39
2121	A genetic linkage map of sweetpotato [ <i>Ipomoea batatas</i> (L.) Lam.] based on AFLP markers. <i>Molecular Breeding</i> , 2003, 11, 169-185.	1.0	96
2122	Molecular Map of the <i>Chlamydomonas reinhardtii</i> Nuclear Genome. <i>Eukaryotic Cell</i> , 2003, 2, 362-379.	3.4	121
2123	R/qtl: QTL mapping in experimental crosses. <i>Bioinformatics</i> , 2003, 19, 889-890.	1.8	3,197
2124	Mapping of genetic loci predisposing to hypertriglyceridaemia in the hereditary hypertriglyceridaemic rat: analysis of genetic association with related traits of the insulin resistance syndrome. <i>Diabetologia</i> , 2003, 46, 352-358.	2.9	20
2125	Marker-assisted genetic analysis of non-acclimated freezing tolerance and cold acclimation capacity in a backcrossSolarium population. <i>American Journal of Potato Research</i> , 2003, 80, 359-369.	0.5	5
2126	Mapping and characterization of a tiller-spreading mutantlazy-2 in rice. <i>Science Bulletin</i> , 2003, 48, 2715-2717.	1.7	2
2127	QTL mapping of the root traits and their correlation analysis with drought resistance using DH lines from paddy and upland rice cross. <i>Science Bulletin</i> , 2003, 48, 2718-2724.	1.7	20
2128	Tagging and mapping of rice sheath blight resistant gene. <i>Theoretical and Applied Genetics</i> , 2003, 106, 293-297.	1.8	36
2129	Chromosomal location of a <i>Triticum dicoccoides</i> -derived powdery mildew resistance gene in common wheat by using microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2003, 106, 341-345.	1.8	63
2130	Construction of a linkage map and QTL analysis of horticultural traits for watermelon [ <i>Citrullus lanatus</i> (THUNB.) MATSUM & NAKAI] using RAPD, RFLP and ISSR markers. <i>Theoretical and Applied Genetics</i> , 2003, 106, 779-785.	1.8	80
2131	Exploiting EST databases for the development and characterization of gene-derived SSR-markers in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 106, 411-422.	1.8	2,073
2132	Characterization of expressed NBS-LRR resistance gene candidates from common bean. <i>Theoretical and Applied Genetics</i> , 2003, 106, 251-261.	1.8	63
2133	Mapping QTL for popping expansion volume in popcorn with simple sequence repeat markers. <i>Theoretical and Applied Genetics</i> , 2003, 106, 423-427.	1.8	50
2134	Genetics of resistance to anthracnose and identification of AFLP and RAPD markers linked to the resistance gene in PI 320937 germplasm of lentil ( <i>Lens culinaris</i> Medikus). <i>Theoretical and Applied Genetics</i> , 2003, 106, 428-434.	1.8	71
2135	An update of the Courtot Ã— Chinese Spring intervarietal molecular marker linkage map for the QTL detection of agronomic traits in wheat. <i>Theoretical and Applied Genetics</i> , 2003, 106, 530-538.	1.8	208
2136	Introgression of a quantitative trait locus for yield from <i>Glycine soja</i> into commercial soybean cultivars. <i>Theoretical and Applied Genetics</i> , 2003, 106, 575-582.	1.8	169
2137	Identification and mapping of the QTL for aluminum tolerance introgressed from the new source, ORYZA RUIFOGON Griff., into indica rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 106, 583-593.	1.8	171

#	ARTICLE	IF	CITATIONS
2138	Identification of genetic markers linked to banana streak disease expression in inter-specific Musa hybrids. <i>Theoretical and Applied Genetics</i> , 2003, 106, 594-598.	1.8	61
2139	Molecular mapping of the Rf1 gene restoring pollen fertility in PET1-based F1 hybrids in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 106, 599-606.	1.8	73
2140	Inheritance and fine mapping of fertility restoration for cytoplasmic male sterility in <i>Gossypium hirsutum</i> L.. <i>Theoretical and Applied Genetics</i> , 2003, 106, 461-469.	1.8	77
2141	Mapping the Fas locus controlling stearic acid content in soybean. <i>Theoretical and Applied Genetics</i> , 2003, 106, 615-619.	1.8	39
2142	Combined mapping of DALP and AFLP markers in cultivated sunflower using F9 recombinant inbred lines. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1068-1074.	1.8	20
2143	Identification of five new blast resistance genes in the highly blast-resistant rice variety IR64 using a QTL mapping strategy. <i>Theoretical and Applied Genetics</i> , 2003, 106, 794-803.	1.8	201
2144	Homoeologous pairing and recombination in <i>Solanum lycopersicoides</i> monosomic addition and substitution lines of tomato. <i>Theoretical and Applied Genetics</i> , 2003, 106, 979-989.	1.8	40
2145	A set of simple-sequence repeat (SSR) markers covering the <i>Prunus</i> genome. <i>Theoretical and Applied Genetics</i> , 2003, 106, 819-825.	1.8	199
2146	Comparison between Poncirus and Citrus genetic linkage maps. <i>Theoretical and Applied Genetics</i> , 2003, 106, 826-836.	1.8	53
2147	Identification of DNA markers of tobacco linked to bacterial wilt resistance. <i>Theoretical and Applied Genetics</i> , 2003, 106, 765-770.	1.8	46
2148	Molecular tagging of a major QTL for fiber strength in Upland cotton and its marker-assisted selection. <i>Theoretical and Applied Genetics</i> , 2003, 106, 262-268.	1.8	152
2149	Genetic and morphological characterization of the barley unicum2 ( <i>cul2</i> ) mutant. <i>Theoretical and Applied Genetics</i> , 2003, 106, 846-857.	1.8	62
2150	Identification of genetically linked RGAs by BAC screening in maize and implications for gene cloning, mapping and MAS. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1171-1177.	1.8	25
2151	The heat-stable root-knot nematode resistance gene Mi-9 from <i>Lycopersicon peruvianum</i> is localized on the short arm of chromosome 6. <i>Theoretical and Applied Genetics</i> , 2003, 106, 478-484.	1.8	87
2152	Resistance gene-analog polymorphism markers co-segregating with the YR5 gene for resistance to wheat stripe rust. <i>Theoretical and Applied Genetics</i> , 2003, 106, 636-643.	1.8	126
2153	Mapping of a resistance gene effective against Karnal bunt pathogen of wheat. <i>Theoretical and Applied Genetics</i> , 2003, 106, 287-292.	1.8	29
2154	QTL analysis for grain protein content using SSR markers and validation studies using NILs in bread wheat. <i>Theoretical and Applied Genetics</i> , 2003, 106, 659-667.	1.8	139
2155	Development of isothiocyanate-enriched broccoli, and its enhanced ability to induce phase 2 detoxification enzymes in mammalian cells. <i>Theoretical and Applied Genetics</i> , 2003, 106, 727-734.	1.8	209



#	ARTICLE	IF	CITATIONS
2156	QTLs conferring cold tolerance at the booting stage of rice using recombinant inbred lines from a japonica × indica cross. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1084-1090.	1.8	168
2157	AFLP and STS tagging of a major QTL for Fusarium head blight resistance in wheat. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1011-1017.	1.8	31
2158	Linkage of the A locus for the presence of anthocyanin and fs10.1, a major fruit-shape QTL in pepper. <i>Theoretical and Applied Genetics</i> , 2003, 106, 889-894.	1.8	76
2159	Detection of Fusarium head blight resistance QTL in a wheat population using bulked segregant analysis. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1041-1047.	1.8	123
2160	Genetic mapping and analysis of quantitative trait loci affecting fiber and lignin content in maize. <i>Theoretical and Applied Genetics</i> , 2003, 106, 866-874.	1.8	96
2161	Microsatellite mapping of the powdery mildew resistance gene Pm5e in common wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 100	1.8	100
2162	Structural organization of the group-1 chromosomes of two bread wheat sister lines. <i>Theoretical and Applied Genetics</i> , 2003, 106, 938-946.	1.8	3
2163	Molecular linkage maps of <i>Vitis vinifera</i> L. and <i>Vitis riparia</i> Mchx. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1213-1224.	1.8	94
2164	Genetic analysis of loci associated with partial resistance to <i>Sclerotinia sclerotiorum</i> in rapeseed ( <i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 106, 759-764.	1.8	164
2165	Genetic maps for <i>Pinus elliottii</i> var. <i>elliottii</i> and <i>P. caribaea</i> var. <i>hondurensis</i> using AFLP and microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1409-1419.	1.8	37
2166	Dissection of resistance to soil-borne yellow-mosaic-inducing viruses of barley (BaMMV, BaYMV,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 resistance of var. 'Chikurin Ibaraki 1'. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1425-1432.	1.8	34
2167	Sequence variation and genomic organization of fatty acid desaturase-2 ( <i>fad2</i> ) and fatty acid desaturase-6 ( <i>fad6</i> ) cDNAs in maize. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1326-1332.	1.8	76
2168	A genetic linkage map for hexaploid, cultivated oat ( <i>Avena sativa</i> L.) based on an intraspecific cross 'Ogle/MAM17-5'. <i>Theoretical and Applied Genetics</i> , 2003, 107, 26-35.	1.8	34
2169	Nearly complete genetic maps of <i>Pinus sylvestris</i> L. (Scots pine) constructed by AFLP marker analysis in a full-sib family. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1075-1083.	1.8	39
2170	Identification of non-TIR-NBS-LRR markers linked to the Pl5/Pl8 locus for resistance to downy mildew in sunflower. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1438-1446.	1.8	89
2171	Identification of AFLP and STS markers closely linked to the <i>def</i> locus in pea. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1293-1299.	1.8	17
2172	An intraspecific linkage map of the chickpea ( <i>Cicer arietinum</i> L.) genome based on sequence tagged microsatellite site and resistance gene analog markers. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1447-1456.	1.8	89
2173	Mapping of yield-related QTLs in pepper in an interspecific cross of <i>Capsicum annuum</i> and <i>C. frutescens</i> . <i>Theoretical and Applied Genetics</i> , 2003, 106, 1457-1466.	1.8	144

#	ARTICLE	IF	CITATIONS
2174	Mapping QTLs for seed dormancy and the Vp1 homologue on chromosome 3A in wheat. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1491-1496.	1.8	109
2175	Creating a saturated reference map for the apple ( <i>Malus domestica</i> Borkh.) genome. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1497-1508.	1.8	199
2176	The making of a bell pepper-shaped tomato fruit: identification of loci controlling fruit morphology in Yellow Stuffer tomato. <i>Theoretical and Applied Genetics</i> , 2003, 107, 139-147.	1.8	100
2177	Identification of AFLP markers linked to fertility restorer genes for <i>tournefortii</i> cytoplasmic male-sterility system in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 148-154.	1.8	20
2178	Comparative genetic analysis of quantitative traits in sunflower ( <i>Helianthus annuus</i> L.). 2. Characterisation of QTL involved in developmental and agronomic traits. <i>Theoretical and Applied Genetics</i> , 2003, 107, 181-189.	1.8	46
2179	RFLP linkage analysis and mapping genes controlling the fatty acid profile of <i>Brassica juncea</i> using reciprocal DH populations. <i>Theoretical and Applied Genetics</i> , 2003, 107, 283-290.	1.8	42
2180	Advanced backcross QTL analysis in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 107, 340-352.	1.8	233
2181	Identification of RAPD markers linked to the Uvf-1 gene conferring hypersensitive resistance against rust ( <i>Uromyces viciae-fabae</i> ) in <i>Vicia faba</i> L.. <i>Theoretical and Applied Genetics</i> , 2003, 107, 353-358.	1.8	77
2182	Fine genetic mapping of a gene required for Rice yellow mottle virus cell-to-cell movement. <i>Theoretical and Applied Genetics</i> , 2003, 107, 371-378.	1.8	52
2183	Molecular markers closely linked to fusarium resistance genes in chickpea show significant alignments to pathogenesis-related genes located on <i>Arabidopsis</i> chromosomes 1 and 5. <i>Theoretical and Applied Genetics</i> , 2003, 107, 379-386.	1.8	63
2184	Characterisation of the phosphoenolpyruvate carboxylase gene family in sugarcane ( <i>Saccharum</i> spp.). <i>Theoretical and Applied Genetics</i> , 2003, 107, 470-478.	1.8	19
2185	Mapping quantitative trait loci for yield, yield components and morphological traits in an advanced backcross population between <i>Oryza rufipogon</i> and the <i>Oryza sativa</i> cultivar Jefferson. <i>Theoretical and Applied Genetics</i> , 2003, 107, 479-493.	1.8	450
2186	Molecular mapping of QTLs for Fusarium head blight resistance in spring wheat. II. Resistance to fungal penetration and spread. <i>Theoretical and Applied Genetics</i> , 2003, 107, 503-508.	1.8	285
2187	Identification of QTLs conferring resistance to downy mildews of maize in Asia. <i>Theoretical and Applied Genetics</i> , 2003, 107, 544-551.	1.8	51
2188	Linkage mapping of Hsa-1Og, a resistance gene of African rice to the cyst nematode, <i>Heterodera sacchari</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 691-696.	1.8	36
2189	Characterization of mixed disomic and polysomic inheritance in the octoploid strawberry ( <i>Fragaria</i> ×) Tj ETQq1 1 0.784314 rgBT / Over 1.8 113	1.8	113
2190	Comparing EST-based genetic maps between <i>Pinus sylvestris</i> and <i>Pinus taeda</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 667-678.	1.8	77
2191	Phenotypic, genetic and molecular characterization of a maize low phytic acid mutant (lpa241). <i>Theoretical and Applied Genetics</i> , 2003, 107, 980-987.	1.8	142

#	ARTICLE	IF	CITATIONS
2192	QTL mapping reveals a two-step model for the evolutionary reduction of inner microsporangia within the asteracean genus <i>Microseris</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 893-901.	1.8	11
2193	Construction of an intraspecific linkage map of lentil ( <i>Lens culinaris</i> ssp. <i>culinaris</i> ). <i>Theoretical and Applied Genetics</i> , 2003, 107, 910-916.	1.8	90
2194	Molecular markers linked to the blast resistance gene Pi-z in rice for use in marker-assisted selection. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1014-1020.	1.8	45
2195	Mapping of Rym14 Hb, a gene introgressed from <i>Hordeum bulbosum</i> and conferring resistance to BaMMV and BaYMV in barley. <i>Theoretical and Applied Genetics</i> , 2003, 107, 965-971.	1.8	74
2196	Efficient construction of high-density linkage map and its application to QTL analysis in barley. <i>Theoretical and Applied Genetics</i> , 2003, 107, 806-813.	1.8	81
2197	Development and genetic mapping of 127 new microsatellite markers in barley. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1021-1027.	1.8	139
2198	Comparative genetic linkage maps of <i>Eucalyptus grandis</i> , <i>Eucalyptus globulus</i> and their F1 hybrid based on a double pseudo-backcross mapping approach. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1028-1042.	1.8	75
2199	Mapping of quantitative trait loci associated with ultraviolet-B resistance in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 107, 1003-1008.	1.8	36
2200	AFLP and SSR polymorphism in a <i>Coffea</i> interspecific backcross progeny [( <i>C. heterocalyx</i> × <i>C.</i> ) Tj ETQq0 0 0 rgBT/Qverlock 10 Tf 50 4]. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1009-1013.	1.8	34
2201	QTLs for agronomic traits in the Mediterranean environment identified in recombinant inbred lines of the cross 'Arta' × <i>H. spontaneum</i> 41-1. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1215-1225.	1.8	196
2202	Genetic mapping of Dn7, a rye gene conferring resistance to the Russian wheat aphid in wheat. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1297-1303.	1.8	48
2203	Chromosomal location of a race-specific resistance gene to <i>Mycosphaerella graminicola</i> in the spring wheat ST6. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1181-1186.	1.8	58
2204	Mapping osmotic adjustment in an advanced back-cross inbred population of rice. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1288-1296.	1.8	111
2205	Genetic mapping of the novel Turnip mosaic virus resistance gene TuRB03 in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 1169-1173.	1.8	60
2206	Fine linkage mapping enables dissection of closely linked quantitative trait loci for seed dormancy and heading in rice. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1174-1180.	1.8	74
2207	Genetic and physical mapping of sequence-specific amplified polymorphic (SSAP) markers on the 1RS chromosome arm of rye in a wheat background. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1271-1277.	1.8	47
2208	Detection of QTLs for <i>Stagonospora glume</i> blotch resistance in Swiss winter wheat. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1226-1234.	1.8	53
2209	Identification of quantitative trait loci for yield and yield components in an advanced backcross population derived from the <i>Oryza sativa</i> variety IR64 and the wild relative <i>O. rufipogon</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 1419-1432.	1.8	255

#	ARTICLE	IF	CITATIONS
2210	Identification of quantitative trait loci for grain quality in an advanced backcross population derived from the <i>Oryza sativa</i> variety IR64 and the wild relative <i>O. rufipogon</i> . <i>Theoretical and Applied Genetics</i> , 2003, 107, 1433-1441.	1.8	171
2211	Precise mapping of a locus affecting grain protein content in durum wheat. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1243-1251.	1.8	170
2212	Quantitative trait loci for lodging resistance, plant height and partial resistance to <i>mycosphaerella</i> blight in field pea ( <i>Pisum sativum</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 107, 1482-1491.	1.8	136
2213	Genetic analysis, molecular tagging and mapping of the thermo-sensitive genic male-sterile gene ( <i>wtms1</i> ) in wheat. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1500-1504.	1.8	40
2214	Phenotypic assessment and mapped markers for H31, a new wheat gene conferring resistance to Hessian fly (Diptera: Cecidomyiidae). <i>Theoretical and Applied Genetics</i> , 2003, 107, 1516-1523.	1.8	62
2215	Development of a genome-wide anchored microsatellite map for common bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2003, 107, 1362-1374.	1.8	342
2216	A linkage map of meadow fescue ( <i>Festuca pratensis</i> Huds.) and comparative mapping with other Poaceae species. <i>Theoretical and Applied Genetics</i> , 2003, 108, 25-40.	1.8	114
2217	Identification of QTLs associated with <i>Fusarium</i> head blight resistance in Zhedar 2 barley. <i>Theoretical and Applied Genetics</i> , 2003, 108, 95-104.	1.8	55
2218	Chromosome mapping and identification of amphiphilic proteins of hexaploid wheat kernels. <i>Theoretical and Applied Genetics</i> , 2003, 108, 62-72.	1.8	23
2219	Efficient fine mapping of the naked caryopsis gene ( <i>nud</i> ) by HEGS (High Efficiency Genome) Tj ETQq1 1 0.784314 $\frac{rgBT}{E8}$ /Overlock 10 Tj	1.8	52
2220	Loci on Chromosomes 2, 4, 9, and 16 for body weight, body length, and adiposity identified in a genome scan of an F2 intercross between the 129P3/J and C57BL/6ByJ mouse strains. <i>Mammalian Genome</i> , 2003, 14, 302-313.	1.0	49
2221	A major locus conferring susceptibility to infection by <i>Streptococcus pneumoniae</i> in mice. <i>Mammalian Genome</i> , 2003, 14, 448-453.	1.0	29
2222	A new framework marker-based linkage map and SDPs for the Rat HXB/BXH strain set. <i>Mammalian Genome</i> , 2003, 14, 537-546.	1.0	15
2223	The mapping of quantitative trait loci underlying strain differences in locomotor activity between 129S6 and C57BL/6J mice. <i>Mammalian Genome</i> , 2003, 14, 692-702.	1.0	36
2224	Serum leptin concentration is linked to Chromosomes 2 and 6 in the OLETF rat, an animal model of type 2 diabetes with mild obesity. <i>Mammalian Genome</i> , 2003, 14, 239-244.	1.0	16
2225	Chromosomal mapping of <i>Brassica oleracea</i> based on ESTs from <i>Arabidopsis thaliana</i> : complexity of the comparative map. <i>Molecular Genetics and Genomics</i> , 2003, 268, 656-665.	1.0	89
2226	The cold-regulated transcriptional activator <i>Cbf3</i> is linked to the frost-tolerance locus <i>Fr-A2</i> on wheat chromosome 5A. <i>Molecular Genetics and Genomics</i> , 2003, 269, 60-67.	1.0	212
2227	Mapping of gene-specific markers on the genetic map of chickpea ( <i>Cicer arietinum</i> L.). <i>Molecular Genetics and Genomics</i> , 2003, 269, 243-251.	1.0	47

#	ARTICLE	IF	CITATIONS
2228	Genetic and physical mapping of Pi5(t), a locus associated with broad-spectrum resistance to rice blast. <i>Molecular Genetics and Genomics</i> , 2003, 269, 280-289.	1.0	105
2229	Identification of AFLP markers closely linked to the rhm gene for resistance to Southern Corn Leaf Blight in maize by using bulked segregant analysis. <i>Molecular Genetics and Genomics</i> , 2003, 269, 299-303.	1.0	29
2230	Genomic distribution and characterization of EST-derived resistance gene analogs (RGAs) in sugarcane. <i>Molecular Genetics and Genomics</i> , 2003, 269, 406-419.	1.0	125
2231	Isolation of Resistance Gene Candidates (RGCs) and characterization of an RGC cluster in cassava. <i>Molecular Genetics and Genomics</i> , 2003, 269, 658-671.	1.0	30
2232	A targeted approach to the identification of candidate genes determining susceptibility to <i>Plasmodium gallinaceum</i> in <i>Aedes aegypti</i> . <i>Molecular Genetics and Genomics</i> , 2003, 269, 753-764.	1.0	49
2233	High-resolution genetic and physical mapping of the cauliflower high- $\beta$ -carotene gene Or (Orange). <i>Molecular Genetics and Genomics</i> , 2003, 270, 132-138.	1.0	29
2234	Quantitative genetic analysis of acid detergent fibre content in barley grain. <i>Journal of Cereal Science</i> , 2003, 38, 167-172.	1.8	21
2235	Genetic linkage maps of the West African clawed frog <i>Xenopus tropicalis</i> . <i>Developmental Dynamics</i> , 2003, 226, 99-102.	0.8	17
2236	Pleiotropic effects on mandibular morphology I. developmental morphological integration and differential dominance. <i>The Journal of Experimental Zoology</i> , 2003, 296B, 58-79.	1.4	108
2237	Genetic basis of tissue specificity of vasculitis in MRL/lpr mice. <i>Arthritis and Rheumatism</i> , 2003, 48, 1445-1451.	6.7	21
2238	Genetic Determinants of Sable and Umbrous Coat Color Phenotypes in Mice. <i>Pigment Cell &amp; Melanoma Research</i> , 2003, 16, 388-396.	4.0	4
2239	Identification of a major gene (Mex-1) from <i>Coffea canephora</i> conferring resistance to <i>Meloidogyne exigua</i> in <i>Coffea arabica</i> . <i>Plant Pathology</i> , 2003, 52, 97-103.	1.2	68
2240	SSR-based genetic linkage analysis of resistance to crown rust ( <i>Puccinia coronata</i> f. sp. <i>lolii</i> ) in perennial ryegrass ( <i>Lolium perenne</i> ). <i>Plant Pathology</i> , 2003, 52, 628-637.	1.2	67
2241	The OsTB1 gene negatively regulates lateral branching in rice. <i>Plant Journal</i> , 2003, 33, 513-520.	2.8	553
2242	The GA octodinucleotide repeat binding factor BBR participates in the transcriptional regulation of the homeobox gene Bkn3. <i>Plant Journal</i> , 2003, 34, 813-826.	2.8	109
2243	ERECTA, an LRR receptor-like kinase protein controlling development pleiotropically affects resistance to bacterial wilt. <i>Plant Journal</i> , 2003, 36, 353-365.	2.8	239
2244	Detection of loci controlling seed glucosinolate content and their association with <i>Sclerotinia</i> resistance in <i>Brassica napus</i> . <i>Plant Breeding</i> , 2003, 122, 19-23.	1.0	66
2245	Validation of a major QTL for scab resistance with SSR markers and use of marker-assisted selection in wheat. <i>Plant Breeding</i> , 2003, 122, 40-46.	1.0	115

#	ARTICLE	IF	CITATIONS
2246	Identification of a major QTL in cocoa ( <i>Theobroma cacao</i> L.) associated with resistance to witches' broom disease. <i>Plant Breeding</i> , 2003, 122, 268-272.	1.0	47
2247	Identification and characterization of microsatellites in eggplant. <i>Plant Breeding</i> , 2003, 122, 256-262.	1.0	88
2248	Identification of a molecular marker linked to an <i>Agropyron elongatum</i> -derived gene Lr19 for leaf rust resistance in wheat. <i>Plant Breeding</i> , 2003, 122, 204-208.	1.0	31
2249	Molecular marker analysis of kernel size and shape in bread wheat. <i>Plant Breeding</i> , 2003, 122, 392-395.	1.0	145
2250	Nucleotide diversity at two phytochrome loci along a latitudinal cline in <i>Pinus sylvestris</i> . <i>Molecular Ecology</i> , 2003, 12, 1195-1206.	2.0	122
2251	Haplotyping and mapping a large cluster of downy mildew resistance gene candidates in sunflower using multilocus intron fragment length polymorphisms. <i>Plant Biotechnology Journal</i> , 2003, 1, 167-185.	4.1	54
2252	A consolidated linkage map for rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Animal Genetics</i> , 2003, 34, 102-115.	0.6	207
2253	Characterization of a SINE indel polymorphism in the porcine AGL gene and assignment of the gene to chromosome 4q. <i>Animal Genetics</i> , 2003, 34, 146-148.	0.6	4
2254	Genetic mapping of the chicken stem cell antigen 2 (SCA2) gene to chromosome 2 via PCR primer mutagenesis1. <i>Animal Genetics</i> , 2003, 34, 158-160.	0.6	7
2255	Polymorphisms in the equine WNT1 gene allow linkage mapping to ECA6q. <i>Animal Genetics</i> , 2003, 34, 148-149.	0.6	0
2256	Linkage mapping of POMC to bovine chromosome 11. <i>Animal Genetics</i> , 2003, 34, 149-150.	0.6	9
2257	Linkage mapping of FBN1 to bovine chromosome 10. <i>Animal Genetics</i> , 2003, 34, 150-150.	0.6	0
2258	Construction and characterization of three BAC libraries for analysis of the chicken genome. <i>Animal Genetics</i> , 2003, 34, 151-152.	0.6	53
2259	Linkage mapping of the porcine testis enhanced gene transcript (TEGT) gene to chromosome 51. <i>Animal Genetics</i> , 2003, 34, 152-153.	0.6	4
2260	Characterization and mapping of 19 polymorphic microsatellite markers for rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Animal Genetics</i> , 2003, 34, 153-156.	0.6	14
2261	OtY1 is a Y-linked marker in Chinook salmon but not in Rainbow trout. <i>Animal Genetics</i> , 2003, 34, 156-157.	0.6	5
2262	Marker polymorphisms in the porcine genes for muscle glycogen synthase (GYS1) and muscle glycogen phosphorylase (PYGM). <i>Animal Genetics</i> , 2003, 34, 157-158.	0.6	7
2263	Quantitative trait loci in <i>Anopheles gambiae</i> controlling the encapsulation response against <i>Plasmodium cynomolgi</i> Ceylon. <i>BMC Genetics</i> , 2003, 4, 16.	2.7	47

#	ARTICLE	IF	CITATIONS
2264	Genetic Contributions to Body Weight in Mice: Relationship of Exploratory Behavior to Weight. <i>Obesity</i> , 2003, 11, 828-838.	4.0	25
2265	Murine susceptibility to Chagas' disease maps to chromosomes 5 and 17. <i>Genes and Immunity</i> , 2003, 4, 321-325.	2.2	15
2266	Integration of a barley ( <i>Hordeum vulgare</i> ) molecular linkage map with the position of genetic loci hosting 29 developmental mutants. <i>Heredity</i> , 2003, 90, 390-396.	1.2	22
2267	Overdominant lethals as part of the conifer embryo lethal system. <i>Heredity</i> , 2003, 91, 584-592.	1.2	15
2268	Further dissection of a genomic locus associated with behavioral activity in the Wistar-Kyoto hyperactive rat, an animal model of hyperkinesis. <i>Molecular Psychiatry</i> , 2003, 8, 348-352.	4.1	12
2269	GENETIC ARCHITECTURE OF A SELECTION RESPONSE IN <i>ARABIDOPSIS THALIANA</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2531-2539.	1.1	29
2270	Cosegregation analysis of natriuretic peptide genes and blood pressure in the spontaneously hypertensive rat. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 930-936.	0.9	12
2271	A consensus map of barley integrating SSR, RFLP, and AFLP markers. <i>Australian Journal of Agricultural Research</i> , 2003, 54, 1173.	1.5	89
2272	Genetic analysis and genome mapping in <i>Raphanus</i> . <i>Genome</i> , 2003, 46, 423-430.	0.9	37
2273	Mapping quantitative trait loci for bean traits and ovule number in <i>Theobroma cacao</i> L.. <i>Genome</i> , 2003, 46, 103-111.	0.9	47
2274	Genetics of drought tolerance during seed germination in tomato: inheritance and QTL mapping. <i>Genome</i> , 2003, 46, 536-545.	0.9	111
2275	Breeding Methodologies for the Improvement of Grain Legumes. <i>Focus on Biotechnology</i> , 2003, , 3-21.	0.4	3
2276	A combined RFLP-SSR-AFLP map of tetraploid cotton based on a <i>Gossypium hirsutum</i> × <i>Gossypium barbadense</i> backcross population. <i>Genome</i> , 2003, 46, 612-626.	0.9	209
2277	Genetic Linkage Map of the Eastern Oyster <i>Crassostrea virginica</i> Gmelin. <i>Biological Bulletin</i> , 2003, 204, 327-338.	0.7	117
2278	Marker trait association for autumn cold acclimation and growth rhythm in <i>pinus sylvestris</i> . <i>Scandinavian Journal of Forest Research</i> , 2003, 18, 29-38.	0.5	15
2279	Linkage map of <i>Cucumis melo</i> including phenotypic traits and sequence-characterized genes. <i>Genome</i> , 2003, 46, 761-773.	0.9	69
2280	Genetic Analysis of the Influence of Neuroantigen-Complete Freund's Adjuvant Emulsion Structures on the Sexual Dimorphism and Susceptibility to Experimental Allergic Encephalomyelitis. <i>American Journal of Pathology</i> , 2003, 163, 1623-1632.	1.9	26
2281	The development of simple sequence repeat markers for <i>Magnaporthe grisea</i> and their integration into an established genetic linkage map. <i>Fungal Genetics and Biology</i> , 2003, 40, 207-214.	0.9	67

#	ARTICLE	IF	CITATIONS
2282	Mining single-nucleotide polymorphisms from hexaploid wheat ESTs. <i>Genome</i> , 2003, 46, 431-437.	0.9	167
2283	Identification and Molecular Mapping of a Gene in Wheat Conferring Resistance to <i>Mycosphaerella graminicola</i> . <i>Phytopathology</i> , 2003, 93, 1158-1164.	1.1	83
2284	Isolation and linkage analysis of expressed disease-resistance gene analogues of sugar beet ( <i>Beta</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	54
2285	Targeted molecular mapping of a major wheat QTL for <i>Fusarium</i> head blight resistance using wheat ESTs and synteny with rice. <i>Genome</i> , 2003, 46, 817-823.	0.9	102
2286	Molecular Marker Mapping of Leaf Rust Resistance Gene Lr46 and Its Association with Stripe Rust Resistance Gene Yr29 in Wheat. <i>Phytopathology</i> , 2003, 93, 153-159.	1.1	239
2287	Structure, expression pattern and chromosomal localization of the rice <i>Osgpr-2</i> gene. <i>Science in China Series C: Life Sciences</i> , 2003, 46, 584.	1.3	3
2288	Segregation analysis of heading traits in hexaploid wheat utilizing recombinant inbred lines. <i>Heredity</i> , 2003, 90, 56-63.	1.2	56
2289	Molecular Mapping of a Gene for Fertility Restoration of Wild Abortive (WA) Cytoplasmic Male Sterility using a Basmati Rice Restorer Line. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2003, 12, 37-42.	0.9	24
2290	Molecular Mapping of Loci Affecting the Contents of Three Major Fatty Acids in Indian Mustard ( <i>Brassica juncea</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 2003, 12, 131-137.	0.9	6
2291	An SSR and AFLP molecular marker-based genetic map of white clover ( <i>Trifolium repens</i> L.). <i>Plant Science</i> , 2003, 165, 531-539.	1.7	60
2292	Organ-specific expressions and chromosomal locations of two mitochondrial aldehyde dehydrogenase genes from rice ( <i>Oryza sativa</i> L.), <i>ALDH2a</i> and <i>ALDH2b</i> . <i>Gene</i> , 2003, 305, 195-204.	1.0	32
2293	Markers associated with <i>Ascochyta</i> blight resistance in chickpea and their potential in marker-assisted selection. <i>Field Crops Research</i> , 2003, 84, 373-384.	2.3	71
2294	Isolation and characterisation of an invertase cDNA from perennial ryegrass ( <i>Lolium perenne</i> ). <i>Journal of Plant Physiology</i> , 2003, 160, 903-911.	1.6	21
2295	Molecular mapping of novel genes controlling <i>Fusarium</i> head blight resistance and deoxynivalenol accumulation in spring wheat. <i>Genome</i> , 2003, 46, 555-564.	0.9	252
2296	A genetic map of the lettuce downy mildew pathogen, <i>Bremia lactucae</i> , constructed from molecular markers and avirulence genes. <i>Fungal Genetics and Biology</i> , 2003, 39, 16-30.	0.9	30
2297	A linkage map of the basidiomycete <i>Coprinus cinereus</i> based on random amplified polymorphic DNAs and restriction fragment length polymorphisms. <i>Fungal Genetics and Biology</i> , 2003, 40, 93-102.	0.9	53
2298	Alleles of diabetes-resistant BN rats contribute to insulin-dependent type 1 diabetes mellitus. <i>Journal of Autoimmunity</i> , 2003, 20, 119-123.	3.0	4
2299	Development and Mapping of Markers Linked to the Rice Bacterial Blight Resistance Gene <i>Xa7</i> . <i>Crop Science</i> , 2003, 43, 1484-1492.	0.8	56



#	ARTICLE	IF	CITATIONS
2300	Doubled Haploid Production in Crop Plants. , 2003, , .		159
2301	Genetic mapping of the Sorghum bicolor vp1 gene and its relationship with preharvest sprouting resistance. Genome, 2003, 46, 253-258.	0.9	18
2302	The Cre1 and Cre3 Nematode Resistance Genes Are Located at Homeologous Loci in the Wheat Genome. Molecular Plant-Microbe Interactions, 2003, 16, 1129-1134.	1.4	53
2303	SNP-based codominant markers for a recessive gene conferring resistance to corky root rot (Rhizomonas suberifaciens) in lettuce (Lactuca sativa). Genome, 2003, 46, 1059-1069.	0.9	23
2304	Pearl Millet Genomics and Breeding for Resistance to Downy Mildew. , 0, , 243-246.		4
2305	Mapping of QTLs associated with cold tolerance during the vegetative stage in rice. Journal of Experimental Botany, 2003, 54, 2579-2585.	2.4	240
2306	Alloplasmic male sterile Brassica napus with Enarthrocarpus lyratus cytoplasm: introgression and molecular mapping of an E. lyratus chromosome segment carrying a fertility restoring gene. Genome, 2003, 46, 792-797.	0.9	19
2307	Mapping quantitative trait loci for a common bean (Phaseolus vulgaris L.) ideotype. Genome, 2003, 46, 411-422.	0.9	49
2308	A molecular marker map in 'Kanota' Å— 'Ogle' hexaploid oat (Avenaspp.) enhanced by additional markers and a robust framework. Genome, 2003, 46, 28-47.	0.9	107
2309	Segmental allotetraploidy and allelic interactions in buffelgrass (Pennisetum ciliare (L.) Link syn.) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	56
2310	Molecular mapping of Or, a gene inducing beta-carotene accumulation in cauliflower (Brassica) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34	0.9	32
2311	Fine mapping of quantitative trait loci for improved fruit characteristics from Lycopersicon chmielewskii chromosome 1. Genome, 2003, 46, 235-243.	0.9	54
2312	Genetic Factors Underlying Impaired Endothelium-Dependent Vasorelaxation in the Stroke-Prone Spontaneously Hypertensive Rat. High Blood Pressure and Cardiovascular Prevention, 2003, 10, 69-73.	1.0	1
2313	Mapping QTL for yield components, vigor, and resistance to Phytophthora palmivora in Theobroma cacao L.. Genome, 2003, 46, 204-212.	0.9	50
2314	fs3.1:a major fruit shape QTL conserved inCapsicum. Genome, 2003, 46, 1-9.	0.9	51
2315	Soybean seed lustre phenotype and surface protein cosegregate and map to linkage group E. Genome, 2003, 46, 659-664.	0.9	20
2316	ActionMap: a web-based software that automates loci assignments to framework maps. Nucleic Acids Research, 2003, 31, 3815-3818.	6.5	7
2317	GENETIC ARCHITECTURE OF A SELECTION RESPONSE IN ARABIDOPSIS THALIANA. Evolution; International Journal of Organic Evolution, 2003, 57, 2531.	1.1	6

#	ARTICLE	IF	CITATIONS
2318	The melanocortin-1 receptor gene mediates female-specific mechanisms of analgesia in mice and humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4867-4872.	3.3	469
2319	A Major Gene Locus Links Early Onset Albuminuria with Renal Interstitial Fibrosis in the MWF Rat with Polygenetic Albuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 3081-3089.	3.0	58
2320	Bifunctional Family 3 Glycoside Hydrolases from Barley with $\alpha$ -L-Arabinofuranosidase and $\beta$ -D-Xylosidase Activity. <i>Journal of Biological Chemistry</i> , 2003, 278, 5377-5387.	1.6	156
2321	Genetic Control of NKT Cell Numbers Maps to Major Diabetes and Lupus Loci. <i>Journal of Immunology</i> , 2003, 171, 2873-2878.	0.4	82
2322	Mapping of Rabbit Microsatellite Markers Using Chromosome-Specific Libraries. , 2003, 94, 161-169.		39
2323	Isolation of a Chromosome 1 Region Affecting Blood Pressure and Vascular Disease Traits in the Stroke-Prone Rat Model. <i>Hypertension</i> , 2003, 42, 1191-1197.	1.3	37
2324	Molecular Mapping of the Male-Sterile, Female-Sterile Mutant Gene (st8) in Soybean. , 2003, 94, 425-428.		24
2325	Identification of Interactive Loci Linked to Insulin and Leptin in Mice With Genetic Insulin Resistance. <i>Diabetes</i> , 2003, 52, 1535-1543.	0.3	51
2326	Quantitative Trait Loci and Comparative Genomics of Cereal Cell Wall Composition. <i>Plant Physiology</i> , 2003, 132, 263-271.	2.3	64
2327	Multigenic Control of Disease Severity after Virulent <i>Mycobacterium tuberculosis</i> Infection in Mice. <i>Infection and Immunity</i> , 2003, 71, 126-131.	1.0	81
2328	Time-Course Genetic Analysis of Albuminuria in Dahl Salt-Sensitive Rats on Low-Salt Diet. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1175-1187.	3.0	90
2329	High resolution mapping of an arthritis susceptibility locus on rat chromosome 4, and characterization of regulated phenotypes. <i>Human Molecular Genetics</i> , 2003, 12, 2087-2096.	1.4	25
2330	New Quantitative Trait Loci for the Genetic Variance in Circadian Period of Locomotor Activity between Inbred Strains of Mice. <i>Journal of Biological Rhythms</i> , 2003, 18, 450-462.	1.4	28
2331	Genetic Complementation in Female (BXSb $\times$ NZW)F2 Mice. <i>Journal of Immunology</i> , 2003, 171, 6442-6447.	0.4	17
2332	Genetic identification of a female partial-sterile mutant in soybean. <i>Genome</i> , 2003, 46, 128-134.	0.9	26
2333	The use of multiple alien chromosome addition aneuploids facilitates genetic linkage mapping of the <i>Gossypium</i> G genome. <i>Genome</i> , 2003, 46, 774-791.	0.9	30
2334	A Root-specific O-Methyltransferase Gene Expressed in Salt-tolerant Barley. <i>Bioscience, Biotechnology and Biochemistry</i> , 2003, 67, 966-972.	0.6	8
2335	Mapping the mosaic of ancestral genotypes in a cultivar of oilseed rape ( <i>Brassica napus</i> ) selected via pedigree breeding. <i>Genome</i> , 2003, 46, 461-468.	0.9	36

#	ARTICLE	IF	CITATIONS
2336	Performance and Mapping of Leaf Rust Resistance Transferred to Wheat from <i>Triticum timopheevii</i> subspecies <i>armenicum</i> . <i>Phytopathology</i> , 2003, 93, 784-789.	1.1	104
2337	Diabetes Protection and Restoration of Thymocyte Apoptosis in NOD Idd6 Congenic Strains. <i>Diabetes</i> , 2003, 52, 1677-1682.	0.3	29
2338	Microsatellite Markers for Genes Lr34/Yr18 and Other Quantitative Trait Loci for Leaf Rust and Stripe Rust Resistance in Bread Wheat. <i>Phytopathology</i> , 2003, 93, 881-890.	1.1	276
2339	BRITTLE CULM1, Which Encodes a COBRA-Like Protein, Affects the Mechanical Properties of Rice Plants. <i>Plant Cell</i> , 2003, 15, 2020-2031.	3.1	369
2340	Candidate Defense Genes from Rice, Barley, and Maize and Their Association with Qualitative and Quantitative Resistance in Rice. <i>Molecular Plant-Microbe Interactions</i> , 2003, 16, 14-24.	1.4	172
2341	Susceptibility to tuberculosis: A locus on mouse chromosome 19 (Trl-4) regulates <i>Mycobacterium tuberculosis</i> replication in the lungs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6610-6615.	3.3	66
2342	Â-Synuclein maps to a quantitative trait locus for alcohol preference and is differentially expressed in alcohol-preferring and -nonpreferring rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4690-4695.	3.3	125
2343	Development of an integrated laboratory information management system for the maize mapping project. <i>Bioinformatics</i> , 2003, 19, 2022-2030.	1.8	31
2344	Microarray Analysis of Rat Chromosome 2 Congenic Strains. <i>Hypertension</i> , 2003, 41, 847-853.	1.3	76
2345	Contribution of Genetic Factors to Renal Lesions in the Stroke-Prone Spontaneously Hypertensive Rat. <i>Hypertension</i> , 2003, 42, 702-706.	1.3	32
2346	Genetic Loci Contribute to the Progression of Vascular and Cardiac Hypertrophy in Salt-Sensitive Spontaneous Hypertension. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 1211-1217.	1.1	27
2347	Development of RAPD and SCAR markers linked to the <i>Co</i> gene conferring columnar growth habit in apple ( <i>Malus pumila</i> Mill.). <i>Journal of Horticultural Science and Biotechnology</i> , 2003, 78, 512-517.	0.9	25
2348	Genome-wide searches for blood pressure quantitative trait loci in the stroke-prone spontaneously hypertensive rat of a Japanese colony. <i>Journal of Hypertension</i> , 2003, 21, 295-303.	0.3	26
2349	Genetics of behaviour. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 543-554.	5.7	36
2350	CaracterizaÃ§Ã£o de linhagens endogÃªmicas recombinantes e mapeamento de locos de caracterÃsticas quantitativas associados a ciclo e produtividade do feijoeiro-comum. <i>Pesquisa Agropecuaria Brasileira</i> , 2003, 38, 1387-1397.	0.9	8
2351	IDENTIFICATION OF MOLECULAR MARKERS ASSOCIATED WITH COLD TOLERANCE IN BLUEBERRY. <i>Acta Horticulturae</i> , 2003, , 59-69.	0.1	16
2352	Polymorphism at the esterase isozyme locus Est10 associated with phylogenetic differentiation in rice. <i>Genes and Genetic Systems</i> , 2003, 78, 285-290.	0.2	4
2353	Genetic and Physical Map Resources â€“ An Integrated View. , 0, , 143-161.		0

#	ARTICLE	IF	CITATIONS
2354	Locating genes associated with Ascochyta fabae resistance in Vicia faba. Australian Journal of Agricultural Research, 2003, 54, 85.	1.5	61
2355	Molecular Marker Analysis of Seed Size in Soybean. Crop Science, 2003, 43, 68-74.	0.8	64
2356	Towards a Saturated Molecular Genetic Linkage Map for Cultivated Sunflower. Crop Science, 2003, 43, 367-387.	0.8	167
2357	Mapping Flowering Time Gene Homologs in Soybean and Their Association with Maturity ( <i>E</i> ) Loci. Crop Science, 2003, 43, 319-328.	0.8	34
2358	Tetrasomic Linkage Mapping of RFLP, PCR, and Isozyme Loci in Lotus corniculatus L. Crop Science, 2003, 43, 1006-1020.	0.8	6
2359	Identification and Validation of Markers Linked to Broad-Spectrum Stem Rust Resistance Gene in Wheat ( <i>T. aestivum</i> L.). Crop Science, 2003, 43, 333.	0.8	39
2360	Mapping multiple genetic loci associated with Ceratomyxa shasta resistance in Oncorhynchus mykiss. Diseases of Aquatic Organisms, 2003, 56, 145-154.	0.5	73
2361	Cytological and Molecular Analysis of the Hordeum vulgare-Puccinia triticina Nonhost Interaction. Molecular Plant-Microbe Interactions, 2003, 16, 626-633.	1.4	38
2362	Role of Host Sensitivity to Ptr ToxA in Development of Tan Spot of Wheat. Phytopathology, 2003, 93, 397-401.	1.1	67
2363	Identifying Resistance Gene Analogs Associated With Resistances to Different Pathogens in Common Bean. Phytopathology, 2003, 93, 88-95.	1.1	118
2364	Molecular Mapping of the Leaf Rust Resistance Gene Rph6 in Barley and Its Linkage Relationships with Rph5 and Rph7. Phytopathology, 2003, 93, 604-609.	1.1	32
2365	Identification, Mapping, and Confirmation of a Soybean Gene for Bud Blight Resistance. Crop Science, 2003, 43, 1754-1759.	0.8	9
2366	Discrete Gene Loci Regulate Neurodegeneration, Lymphocyte Infiltration, and Major Histocompatibility Complex Class II Expression in the CNS. Journal of Neuroscience, 2003, 23, 9817-9823.	1.7	40
2367	Tools for Statistical Analysis of Genetic Data. , 0, , 217-245.		0
2368	<i>Rps8</i> , A New Locus in Soybean for Resistance to <i>Phytophthora sojae</i> . Crop Science, 2003, 43, 101-105.	0.8	54
2369	Quantitative Trait Loci for Partial Resistance to <i>Phytophthora sojae</i> in Soybean. Crop Science, 2003, 43, 1610-1617.	0.8	103
2371	Genetic Mapping of the <i>Or5</i> Gene for Resistance to <i>Orobanche</i> Race E in Sunflower. Crop Science, 2003, 43, 1021-1028.	0.8	68
2372	Genetic Analysis of Seed-Oil Concentration across Generations and Environments in Sunflower. Crop Science, 2003, 43, 135.	0.8	39

#	ARTICLE	IF	CITATIONS
2373	Exposing Students and Teachers to Plant Molecular Genetics with Short-Term Barley Gene Mapping Projects. <i>Journal of Natural Resources and Life Sciences Education</i> , 2003, 32, 61-64.	0.3	4
2374	Mapping of the <i>Ura7</i> Gene for Specific Resistance to Rust in Common Bean. <i>Crop Science</i> , 2003, 43, 1470-1476.	0.8	19
2375	Mapping of <i>Aegilops tauschii</i> Derived Leaf Rust Resistance Genes in Common Wheat. <i>Journal of Natural Resources and Life Sciences Education</i> , 2003, 32, 8-11.	0.3	0
2376	LINKAGE MAP IN KIWI FRUIT: THE CHOICE OF MAPPING POPULATIONS. <i>Acta Horticulturae</i> , 2003, , 517-523.	0.1	1
2377	QTL COMPARISON OF SALT TOLERANCE DURING SEED GERMINATION AND VEGETATIVE STAGE IN A <i>LYCOPERSICON ESCULENTUM</i> x <i>L. PIMPINELLIFOLIUM</i> RIL POPULATION. <i>Acta Horticulturae</i> , 2003, , 59-67.	0.1	11
2378	Fine Mapping and Characterization of Quantitative Trait Loci Hd4 and Hd5 Controlling Heading Date in Rice. <i>Breeding Science</i> , 2003, 53, 51-59.	0.9	143
2379	Mapping and QTL analysis of the barley population Mundah $\times$ Keel. <i>Australian Journal of Agricultural Research</i> , 2003, 54, 1163.	1.5	17
2380	Genetic linkage map of <i>Phaseolus vulgaris</i> and identification of QTLs responsible for resistance to <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> . <i>Tropical Plant Pathology</i> , 2003, 28, 5-10.	0.3	11
2381	Mapeamento de genes de resistÃancia do feijoeiro Ã ferrugem, antracnose e mancha-angular usando marcadores RAPD. <i>Tropical Plant Pathology</i> , 2003, 28, 59-66.	0.3	20
2382	Genomic map of cardiovascular phenotypes of hypertension in female Dahl S rats. <i>Physiological Genomics</i> , 2003, 15, 243-257.	1.0	91
2383	Identification of QTL Controlling Allelopathic Effects in Rice: Genetic Approaches to Biological Control of Weeds. <i>Japan Agricultural Research Quarterly</i> , 2003, 37, 77-81.	0.1	16
2384	Development of Sequence Tagged Site and Cleaved Amplified Polymorphic Sequence Markers for Wheat Stripe Rust Resistance Gene <i>Yr5</i> . <i>Crop Science</i> , 2003, 43, 2058-2064.	0.8	79
2385	Genomics and homeostasis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003, 284, R611-R627.	0.9	41
2386	Molecular Mapping of Leaf Rust Resistance Gene <i>Rph5</i> in Barley. <i>Crop Science</i> , 2003, 43, 388-393.	0.8	18
2387	Mapping of Quantitative Trait Loci Controlling Physico-chemical Properties of Rice Grains ( <i>Oryza</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1	0.9	49
2388	Marker Assisted Evaluation of Fusarium Head Blight Resistant Wheat Germplasm. <i>Crop Science</i> , 2003, 43, 760-766.	0.8	127
2389	Microsatellite Markers Flanking the <i>tms2</i> Gene Facilitated Tropical TGMS Rice Line Development. <i>Crop Science</i> , 2003, 43, 2267-2271.	0.8	29
2390	Early onset albuminuria in Dahl rats is a polygenetic trait that is independent from salt loading. <i>Physiological Genomics</i> , 2003, 14, 209-216.	1.0	33

#	ARTICLE	IF	CITATIONS
2391	Hypercapnic duty cycle is an intermediate physiological phenotype linked to mouse chromosome 5. <i>Journal of Applied Physiology</i> , 2003, 95, 11-19.	1.2	22
2392	QTL Mapping of Winter Hardiness Genes in Lentil. <i>Crop Science</i> , 2004, 44, 13-22.	0.8	89
2393	Quantitative trait locus dissection in congenic strains of the Goto-Kakizaki rat identifies a region conserved with diabetes loci in human chromosome 1q. <i>Physiological Genomics</i> , 2004, 19, 1-10.	1.0	22
2394	A Microsatellite Marker and a Codominant PCR-Based Marker for Marker-Assisted Selection of Submergence Tolerance in Rice. <i>Crop Science</i> , 2004, 44, 248-253.	0.8	43
2395	Genomic Targeting and High-Resolution Mapping of the Tsn1 Gene in Wheat. <i>Crop Science</i> , 2004, 44, 951-962.	0.8	42
2396	Identification of Molecular Markers Linked to the Fertility Restorer Genes for CMS-D8 in Cotton. <i>Crop Science</i> , 2004, 44, 1209-1217.	0.8	30
2397	QTL Mapping of Resistance to Stalk Tunneling by the European Corn Borer in RILs of Maize Population B73 × De81. <i>Crop Science</i> , 2004, 44, 274-282.	0.8	40
2398	Genetic linkage of albuminuria and renal injury in Dahl salt-sensitive rats on a high-salt diet: comparison with spontaneously hypertensive rats. <i>Physiological Genomics</i> , 2004, 18, 218-225.	1.0	36
2399	Skewed RAPD markers in linkage maps of Citrus. <i>Genetics and Molecular Biology</i> , 2004, 27, 437-441.	0.6	2
2400	Genetic linkage maps of 'Pãra' sweet orange and 'Cravo' mandarin with RAPD markers. <i>Pesquisa Agropecuária Brasileira</i> , 2004, 39, 159-165.	0.9	9
2401	Inheritance and Characterization of Angular Leaf Spot Resistance Gene Present in Common Bean Accession G 10474 and Identification of an AFLP Marker Linked to the Resistance Gene. <i>Crop Science</i> , 2004, 44, 1817-1824.	0.8	39
2402	QTL Analysis of Morphological, Developmental, and Winter Hardiness-Associated Traits in Perennial Ryegrass. <i>Crop Science</i> , 2004, 44, 925-935.	0.8	97
2403	AFLP and AFLP-Derived SCAR Markers Associated with <i>Striga gesnerioides</i> Resistance in Cowpea. <i>Crop Science</i> , 2004, 44, 1259-1264.	0.8	74
2404	Congruency of Quantitative Trait Loci Detected for Agronomic Traits in Testcrosses of Five Populations of European Maize. <i>Crop Science</i> , 2004, 44, 114-124.	0.8	41
2405	Inheritance and QTL Mapping of Antibiosis to Green Leafhopper in Rice. <i>Crop Science</i> , 2004, 44, 389-393.	0.8	23
2406	RAPD and SCAR Markers Linked to the <i>Ura6</i> Andean Gene Controlling Specific Rust Resistance in Common Bean. <i>Crop Science</i> , 2004, 44, 1799-1807.	0.8	31
2407	Mapping QTLs for Sheath Blight Resistance in the Rice Line WSS2. <i>Breeding Science</i> , 2004, 54, 265-271.	0.9	68
2408	Development of SCAR Markers Linked to L3 gene in Capsicum. <i>Breeding Science</i> , 2004, 54, 111-115.	0.9	22

#	ARTICLE	IF	CITATIONS
2409	Mouse Genomics. , 2004, , 47-84.		0
2410	Genetic mapping of three alleles at the Pm3 locus conferring powdery mildew resistance in common wheat ( <i>Triticum aestivum</i> L.). <i>Genome</i> , 2004, 47, 1130-1136.	0.9	30
2411	Molecular characterization of <i>Fusarium</i> head blight resistance in Wangshuibai with simple sequence repeat and amplified fragment length polymorphism markers. <i>Genome</i> , 2004, 47, 1137-1143.	0.9	65
2412	Inheritance of Cold Hardiness and Dehydrin Genes in Diploid Mapping Populations of Blueberry. <i>Journal of Crop Improvement</i> , 2004, 10, 37-52.	0.9	8
2413	Development of sequence-characterized amplified region (SCAR) markers for resistance gene <i>Pc94</i> to crown rust in oat. <i>Canadian Journal of Plant Pathology</i> , 2004, 26, 89-96.	0.8	35
2414	Resistance to an imidazolinone herbicide is conferred by a gene on chromosome 6DL in the wheat line cv. 9804. <i>Weed Science</i> , 2004, 52, 83-90.	0.8	36
2415	Characterization of the Silicon Uptake System and Molecular Mapping of the Silicon Transporter Gene in Rice. <i>Plant Physiology</i> , 2004, 136, 3284-3289.	2.3	184
2416	The phenotype of <i>Arabidopsis</i> ovule mutants mimics the morphology of primitive seed plants. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, 311-316.	1.2	14
2417	Comparative Mapping and Rapid Karyotypic Evolution in the Genus <i>Helianthus</i> . <i>Genetics</i> , 2004, 167, 449-457.	1.2	100
2418	Distinguishing Covariation From Causation in Diabetes: A Lesson From the Protein Disulfide Isomerase mRNA Abundance Trait. <i>Diabetes</i> , 2004, 53, 240-244.	0.3	14
2419	A Physically Anchored Genetic Map and Linkage to Avirulence Reveals Recombination Suppression Over the Proximal Region of Hessian Fly Chromosome A2. <i>Genetics</i> , 2004, 167, 343-355.	1.2	24
2420	Segregation Distortion for Seed Testa Color in Mungbean ( <i>Vigna radiata</i> L. Wilcek). <i>Journal of Heredity</i> , 2004, 95, 532-535.	1.0	35
2421	Studies of Congenic Lines in the Brown Norway Rat Model of Th2-Mediated Immunopathological Disorders Show That the Aurothiopropionol Sulfonate-Induced Immunological Disorder ( <i>Aiid3</i> ) Locus on Chromosome 9 Plays a Major Role Compared to <i>Aiid2</i> on Chromosome 10. <i>Journal of Immunology</i> , 2004, 172, 6354-6361.	0.4	14
2422	Morphogenesis of Maize Embryos Requires <i>ZmPRPL35-1</i> Encoding a Plastid Ribosomal Protein. <i>Plant Physiology</i> , 2004, 134, 649-663.	2.3	41
2423	Do Quantitative Trait Loci (QTL) for a Courtship Song Difference Between <i>Drosophila simulans</i> and <i>D. sechellia</i> Coincide With Candidate Genes and Intraspecific QTL?. <i>Genetics</i> , 2004, 166, 1303-1311.	1.2	73
2424	Molecular mapping of a gene responsible for Al-activated secretion of citrate in barley. <i>Journal of Experimental Botany</i> , 2004, 55, 1335-1341.	2.4	94
2425	Selective Phenotyping for Increased Efficiency in Genetic Mapping Studies. <i>Genetics</i> , 2004, 168, 2285-2293.	1.2	58
2426	The Inheritance and Evolution of Leaf Pigmentation and Pubescence in Teosinte. <i>Genetics</i> , 2004, 167, 1949-1959.	1.2	55

#	ARTICLE	IF	CITATIONS
2427	Integration and Modularity of Quantitative Trait Locus Effects on Geometric Shape in the Mouse Mandible. <i>Genetics</i> , 2004, 166, 1909-1921.	1.2	209
2428	Light-Response Quantitative Trait Loci Identified with Composite Interval and eXtreme Array Mapping in <i>Arabidopsis thaliana</i> Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession nos. AY394847 and AY466496.. <i>Genetics</i> , 2004, 167, 907-917.	1.2	83
2429	Chromosomal anchoring of linkage groups and identification of wing size QTL using markers and FISH probes derived from microdissected chromosomes in <i>Nasonia</i> (Pteromalidae: Hymenoptera). <i>Cytogenetic and Genome Research</i> , 2004, 105, 126-133.	0.6	30
2430	Mapping the Genetic Determinants of Hypertension, Metabolic Diseases, and Related Phenotypes in the Lyon Hypertensive Rat. <i>Hypertension</i> , 2004, 44, 695-701.	1.3	56
2431	Quantitative Trait Loci Affecting Life Span in Replicated Populations of <i>Drosophila melanogaster</i> . I. Composite Interval Mapping. <i>Genetics</i> , 2004, 168, 301-311.	1.2	28
2432	Genetics of Barley Hooded Suppression. <i>Genetics</i> , 2004, 167, 439-448.	1.2	28
2433	Genetic control of branching in foxtail millet. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9045-9050.	3.3	148
2434	An AFLP-Based Interspecific Linkage Map of Sympatric, Hybridizing <i>Colias</i> Butterflies. <i>Genetics</i> , 2004, 168, 215-225.	1.2	49
2435	Deletion of a Disease Resistance Nucleotide-Binding-Site Leucine-Rich- Repeat-like Sequence Is Associated With the Loss of the Phytophthora Resistance Gene <i>Rps4</i> in Soybean. <i>Genetics</i> , 2004, 168, 2157-2167.	1.2	98
2436	An Advanced Intercross Line Resolves <i>Eae18</i> into Two Narrow Quantitative Trait Loci Syntenic to Multiple Sclerosis Candidate Loci. <i>Journal of Immunology</i> , 2004, 173, 1366-1373.	0.4	44
2437	Comparative Mapping of a Major Aluminum Tolerance Gene in Sorghum and Other Species in the Poaceae. <i>Genetics</i> , 2004, 167, 1905-1914.	1.2	132
2438	Rice Blast: Interaction with Rice and Control. , 2004, , .		6
2439	Microsatellite markers linked to QTL for resistance to Mal de R�o Cuarto disease in <i>Zea mays</i> L.. <i>Journal of Agricultural Science</i> , 2004, 142, 289-295.	0.6	31
2440	Identification of Random Amplified Polymorphic DNA and Simple Sequence Repeat Markers Linked to Powdery Mildew Resistance in Common Wheat Cultivar Brock. <i>Plant Production Science</i> , 2004, 7, 319-323.	0.9	8
2441	Allelic Variation of the <i>Tas1r3</i> Taste Receptor Gene Selectively Affects Behavioral and Neural Taste Responses to Sweeteners in the F2 Hybrids between C57BL/6ByJ and 129P3/J Mice. <i>Journal of Neuroscience</i> , 2004, 24, 2296-2303.	1.7	84
2442	Mapping of a covered smut resistance gene in barley ( <i>Hordeum vulgare</i> ). <i>Canadian Journal of Plant Pathology</i> , 2004, 26, 156-166.	0.8	7
2443	Genetic Determinants of Energy Expenditure and Insulin Resistance in Diet-Induced Obesity in Mice. <i>Diabetes</i> , 2004, 53, 3274-3285.	0.3	236
2444	Analysis of Sequence, Map Position, and Gene Expression Reveals Conserved Essential Genes for Iron Uptake in <i>Arabidopsis</i> and Tomato. <i>Plant Physiology</i> , 2004, 136, 4169-4183.	2.3	80



#	ARTICLE	IF	CITATIONS
2445	Identification of Major Quantitative Trait Loci Controlling Body Weight Variation in ob/ob Mice. <i>Diabetes</i> , 2004, 53, 245-249.	0.3	49
2446	High-Density Linkage Mapping Revealed Suppression of Recombination at the Sex Determination Locus in Papaya. <i>Genetics</i> , 2004, 166, 419-436.	1.2	132
2447	An Overview of Gibberellin Metabolism Enzyme Genes and Their Related Mutants in Rice. <i>Plant Physiology</i> , 2004, 134, 1642-1653.	2.3	643
2448	Genetic Mapping of Sexual Isolation Between E and Z Pheromone Strains of the European Corn Borer ( <i>Ostrinia nubilalis</i> ). <i>Genetics</i> , 2004, 167, 301-309.	1.2	98
2449	A Sequence-Based Genetic Map of <i>Medicago truncatula</i> and Comparison of Marker Colinearity with <i>M. sativa</i> . <i>Genetics</i> , 2004, 166, 1463-1502.	1.2	278
2450	Salmon Silk Genes Contribute to the Elucidation of the Flavone Pathway in Maize ( <i>Zea mays</i> L.)., 2004, 95, 225-233.		29
2451	The Genetics of Speciation by Reinforcement. <i>PLoS Biology</i> , 2004, 2, e416.	2.6	109
2452	Quantitative trait loci analysis of nitrate storage in <i>Arabidopsis</i> leading to an investigation of the contribution of the anion channel gene, <i>AtCLC-c</i> , to variation in nitrate levels. <i>Journal of Experimental Botany</i> , 2004, 55, 2005-2014.	2.4	65
2453	Maize cytokinin oxidase genes: differential expression and cloning of two new cDNAs. <i>Journal of Experimental Botany</i> , 2004, 55, 2549-2557.	2.4	54
2454	Fine mapping of a semidwarf gene <i>sd-g</i> in indica rice ( <i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 2004, 49, 900.	1.7	3
2455	An Invertebrate Histocompatibility Complex. <i>Genetics</i> , 2004, 167, 357-365.	1.2	77
2456	Epistasis affecting litter size in mice. <i>Journal of Evolutionary Biology</i> , 2004, 17, 593-602.	0.8	64
2457	Detection of ayu sex-linked DNA markers using homologous clones. <i>Fisheries Science</i> , 2004, 70, 47-52.	0.7	11
2458	Molecular mapping of a dominant genic male sterility gene <i>Ms</i> in rapeseed ( <i>Brassica napus</i> ). <i>Plant Breeding</i> , 2004, 123, 262-265.	1.0	48
2459	RAPD and SCAR markers for powdery mildew resistance gene <i>er</i> in pea. <i>Plant Breeding</i> , 2004, 123, 271-274.	1.0	53
2460	A genetic linkage map of rhodesgrass based on an F1 pseudo-testcross population. <i>Plant Breeding</i> , 2004, 123, 247-253.	1.0	14
2461	Identification of a major blast resistance gene in the rice cultivar 'Tetep'. <i>Plant Breeding</i> , 2004, 123, 300-302.	1.0	40
2462	Segregation patterns of AFLP markers in F1 hybrids of a cross between tetraploid and diploid species in the genus <i>Malus</i> . <i>Plant Breeding</i> , 2004, 123, 316-320.	1.0	8

#	ARTICLE	IF	CITATIONS
2463	RAPD markers linked with restorer genes for the C-source of cytoplasmic male sterility in rye ( <i>Secale</i> ) Tj ETQq0 0 0 rBT /Overlock 10 Tf	1.0	13
2464	Quantitative trait loci for leafhopper ( <i>Empoasca fabae</i> and <i>Empoasca kraemeri</i> ) resistance and seed weight in the common bean. <i>Plant Breeding</i> , 2004, 123, 474-479.	1.0	26
2465	Identification of QTLs affecting adaptive traits in <i>Castanea sativa</i> Mill. <i>Plant, Cell and Environment</i> , 2004, 27, 1088-1101.	2.8	71
2466	The fusarium wilt resistance locus Fom-2 of melon contains a single resistance gene with complex features. <i>Plant Journal</i> , 2004, 39, 283-297.	2.8	138
2467	Freezing-sensitive tomato has a functional CBF cold response pathway, but a CBF regulon that differs from that of freezing-tolerant <i>Arabidopsis</i> . <i>Plant Journal</i> , 2004, 39, 905-919.	2.8	412
2468	Locating quantitative trait loci associated with <i>Orobanche crenata</i> resistance in pea. <i>Weed Research</i> , 2004, 44, 323-328.	0.8	53
2469	A microsatellite linkage map for Atlantic salmon ( <i>Salmo salar</i> ). <i>Animal Genetics</i> , 2004, 35, 98-105.	0.6	128
2470	Assignment of 10 canine genes to the canine linkage and comparative maps. <i>Animal Genetics</i> , 2004, 35, 249-251.	0.6	3
2471	FAST-TRACK: Integrating QTL mapping and genome scans towards the characterization of candidate loci under parallel selection in the lake whitefish ( <i>Coregonus clupeaformis</i> ). <i>Molecular Ecology</i> , 2004, 14, 351-361.	2.0	1,298
2472	Identification of <i>Hordeum spontaneum</i> QTL alleles improving field performance of barley grown under rainfed conditions. <i>Annals of Applied Biology</i> , 2004, 144, 309-319.	1.3	101
2473	Identification of <i>Botrytis cinerea</i> susceptibility loci in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2004, 38, 473-486.	2.8	147
2474	Genetic mapping of genes conferring permethrin resistance in the malaria vector, <i>Anopheles gambiae</i> . <i>Insect Molecular Biology</i> , 2004, 13, 379-386.	1.0	67
2475	Chromosomal Mapping of Genetic Loci Controlling Absence Epilepsy Phenotypes in the WAG/Rij Rat. <i>Epilepsia</i> , 2004, 45, 908-915.	2.6	49
2476	Polygenic Control of Idiopathic Generalized Epilepsy Phenotypes in the Genetic Absence Rats from Strasbourg (GAERS). <i>Epilepsia</i> , 2004, 45, 301-308.	2.6	56
2477	Identification and mapping of a rice blast resistance gene Pi-g(t) in the cultivar Guangchangzhan. <i>Plant Pathology</i> , 2004, 53, 191-196.	1.2	33
2478	Distribution of genomic regions differentiating oak species assessed by QTL detection. <i>Heredity</i> , 2004, 92, 20-30.	1.2	79
2479	QTL analysis of variation in male courtship song characters in <i>Drosophila virilis</i> . <i>Heredity</i> , 2004, 92, 263-269.	1.2	28
2480	Glutathione S-Transferase 8-8 Expression Is Lower in Alcohol-Preferring Than in Alcohol-Nonpreferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1622-1628.	1.4	29

#	ARTICLE	IF	CITATIONS
2481	An arsenate tolerance gene on chromosome 6 of rice. <i>New Phytologist</i> , 2004, 163, 45-49.	3.5	85
2482	Functional genomics in rodent models of hypertension. <i>Journal of Physiology</i> , 2004, 554, 56-63.	1.3	20
2483	Genetic Map Location of the Barley Developmental Mutant Liguleless in Relation to RFLP Markers. <i>Hereditas</i> , 2004, 120, 35-39.	0.5	22
2484	Linkage Between RFLP Molecular Markers and the Dwarfing Genes Rht-B1 and Rht-D1 in Wheat. <i>Hereditas</i> , 2004, 128, 41-46.	0.5	41
2485	Mutants and Duplication in Chromosome 7 (syn. 5H) in the Barley Line HA21: Duplications may Enhance QTLs and Serve to make Constant Linear Cis-Heterozygosity. <i>Hereditas</i> , 2004, 128, 167-171.	0.5	0
2486	RAPD Mapping in a Doubled Haploid Population of Rice ( <i>Oryza Sativa</i> L.). <i>Hereditas</i> , 2004, 130, 41-49.	0.5	9
2487	Development of PCR-based Markers for Thermosensitive Genetic Male Sterility Gene tms3(t) in Rice ( <i>Oryza Sativa</i> L.). <i>Hereditas</i> , 2004, 131, 121-127.	0.5	24
2488	Development and Mapping of <i>Oryza Glumaepatula</i> -Derived Microsatellite Markers in the Interspecific Cross <i>Oryza Glumaepatula</i> X <i>O. Sativa</i> . <i>Hereditas</i> , 2004, 134, 59-71.	0.5	29
2489	Molecular mapping in tropical maize ( <i>Zea mays</i> L.) using microsatellite markers. 1. Map construction and localization of loci showing distorted segregation. <i>Hereditas</i> , 2004, 139, 96-106.	0.5	37
2490	Marker-assisted pyramiding of brown planthopper ( <i>Nilaparvata lugens</i> Stål) resistance genes Bph1 and Bph2 on rice chromosome 12. <i>Hereditas</i> , 2004, 140, 61-69.	0.5	91
2491	Analysis of quantitative trait loci for some starch properties of rice ( <i>Oryza sativa</i> L.): thermal properties, gel texture and swelling volume. <i>Journal of Cereal Science</i> , 2004, 39, 379-385.	1.8	73
2492	Development of microsatellite markers from an enriched genomic library for genetic analysis of melon ( <i>Cucumis melo</i> L.). <i>BMC Plant Biology</i> , 2004, 4, 9.	1.6	112
2493	QTL Mapping for a Trade-off between Leaf and Bud Production in a Recombinant Inbred Population of <i>Microseris douglasii</i> and <i>M. bigelovii</i> (Asteraceae, Lactuceae): A Potential Preadaptation for the Colonization of Serpentine Soils. <i>Plant Biology</i> , 2004, 6, 440-446.	1.8	18
2494	Quantitative Trait Locus Analysis of Plasma Cholesterol and Triglyceride Levels in C57BL/6J $\bar{A}$ - RR F2Mice. <i>Biochemical Genetics</i> , 2004, 42, 347-363.	0.8	23
2495	RAPD Marker Linked to a Gene Conferring Resistance to Race IB-9 of <i>Pyricularia grisea</i> in a Somaclone of the Rice Cultivar Araguaia. <i>Plant Cell, Tissue and Organ Culture</i> , 2004, 78, 151-158.	1.2	1
2496	Quantitative Trait Loci Analyses for Meristic Traits in <i>Oncorhynchus mykiss</i> . <i>Environmental Biology of Fishes</i> , 2004, 69, 317-331.	0.4	31
2497	Two microsatellite markers flanking a dominant gene for resistance to soybean cust nematode race 3. <i>Euphytica</i> , 2004, 135, 99-105.	0.6	5
2498	Comparative fine mapping of fruit quality QTLs on chromosome 4 introgressions derived from two wild tomato species. <i>Euphytica</i> , 2004, 135, 283-296.	0.6	38

#	ARTICLE	IF	CITATIONS
2499	Single nucleotide polymorphism discovery and linkage mapping of lipoxygenase-2 gene (Lx2) in soybean. <i>Euphytica</i> , 2004, 135, 169-177.	0.6	27
2500	Genomic regions associated with grain yield and aspects of post-flowering drought tolerance in pearl millet across stress environments and tester background. <i>Euphytica</i> , 2004, 136, 265-277.	0.6	127
2501	Identification of QTLs for rice grain size and shape of Iranian cultivars using SSR markers. <i>Euphytica</i> , 2004, 137, 325-332.	0.6	53
2502	Experimental evaluation of several cycles of marker-assisted selection in maize. <i>Euphytica</i> , 2004, 137, 111-118.	0.6	77
2503	Benefits and complications of maximum likelihood estimation in (composite) interval mapping methods using EM and ECM. <i>Euphytica</i> , 2004, 137, 155-163.	0.6	3
2504	Identification of AFLP fragments linked to one recessive genic male sterility (RGMS) in rapeseed ( <i>Brassica napus</i> L.) and conversion to SCAR markers for marker-aided selection. <i>Euphytica</i> , 2004, 138, 163-168.	0.6	28
2505	Genetic and physical mapping of photoperiod insensitive gene Ppd-B1 in common wheat. <i>Euphytica</i> , 2004, 138, 33-40.	0.6	71
2506	A RAPD-derived STS marker is linked to a bacterial wilt ( <i>Burkholderia caryophylli</i> ) resistance gene in carnation. <i>Euphytica</i> , 2004, 138, 255-262.	0.6	27
2507	Fine mapping of QTLs of chromosome 2 affecting the fruit architecture and composition of tomato. <i>Molecular Breeding</i> , 2004, 13, 1-14.	1.0	45
2508	Mapping minor QTL for increased stearic acid content in sunflower seed oil. <i>Molecular Breeding</i> , 2004, 13, 313-322.	1.0	31
2509	Marker-assisted introgression of 4 <i>Phytophthora capsici</i> resistance QTL alleles into a bell pepper line: validation of additive and epistatic effects. <i>Molecular Breeding</i> , 2004, 14, 9-20.	1.0	74
2510	Discovery of single nucleotide polymorphisms in <i>Lycopersicon esculentum</i> by computer aided analysis of expressed sequence tags. <i>Molecular Breeding</i> , 2004, 14, 21-34.	1.0	101
2511	Development and implementation of a sequence-specific PCR marker linked to a gene conferring resistance to anthracnose disease in narrow-leafed lupin ( <i>Lupinus angustifolius</i> L.). <i>Molecular Breeding</i> , 2004, 14, 145-151.	1.0	75
2512	Functional association between malting quality trait components and cDNA array based expression patterns in barley ( <i>Hordeum vulgare</i> L.). <i>Molecular Breeding</i> , 2004, 14, 153-170.	1.0	72
2513	Isolation and identification of a gene in response to rice blast disease in rice. <i>Plant Molecular Biology</i> , 2004, 54, 99-109.	2.0	15
2514	The Wound-Inducible Lls1 Gene from Maize is an Orthologue of the Arabidopsis Acd1 Gene, and the LLS1 Protein is Present in Non-Photosynthetic Tissues. <i>Plant Molecular Biology</i> , 2004, 54, 175-191.	2.0	76
2515	A Rice Semi-Dwarf Gene, Tan-Ginbozu (D35), Encodes the Gibberellin Biosynthesis Enzyme, ent-Kaurene Oxidase. <i>Plant Molecular Biology</i> , 2004, 54, 533-547.	2.0	225
2516	Loci underlying resistance to manganese toxicity mapped in a soybean recombinant inbred line population of 'Essex' x 'Forrest'. <i>Plant and Soil</i> , 2004, 260, 197-204.	1.8	33

#	ARTICLE	IF	CITATIONS
2517	Comparative mapping reveals partial conservation of synteny at the apomixis locus in <i>Paspalum</i> spp.. <i>Molecular Genetics and Genomics</i> , 2004, 270, 539-548.	1.0	73
2518	Inheritance and molecular mapping of two fertility-restoring loci for Honglian gametophytic cytoplasmic male sterility in rice ( <i>Oryza sativa</i> L.). <i>Molecular Genetics and Genomics</i> , 2004, 271, 586-594.	1.0	72
2519	Genetic mapping of EST-derived microsatellites from the diploid <i>Gossypium arboreum</i> in allotetraploid cotton. <i>Molecular Genetics and Genomics</i> , 2004, 272, 308-327.	1.0	167
2520	AFLP-Based Genetic Linkage Maps of the Pacific Oyster <i>Crassostrea gigas</i> Thunberg. <i>Marine Biotechnology</i> , 2004, 6, 26-36.	1.1	154
2521	Preliminary Study on Linkage Mapping Based on Microsatellite DNA and AFLP Markers Using Homozygous Clonal Fish in Ayu ( <i>Plecoglossus altivelis</i> ). <i>Marine Biotechnology</i> , 2004, 6, 327-334.	1.1	27
2522	An integrated approach for comparative mapping in rice and barley with special reference to the Rph16 resistance locus. <i>Functional and Integrative Genomics</i> , 2004, 4, 74-83.	1.4	55
2523	Fine mapping of a semidwarf genes-d-g in indica rice ( <i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 2004, 49, 900-904.	1.7	1
2524	Molecular characterization of <i>Fusarium</i> head blight resistance from wheat variety Wangshuibai. <i>Euphytica</i> , 2004, 139, 59-64.	0.6	69
2525	DNA and morphological markers for a Russian wheat aphid resistance gene. <i>Euphytica</i> , 2004, 139, 167-172.	0.6	16
2526	Hv-WRKY38: a new transcription factor involved in cold- and drought-response in barley. <i>Plant Molecular Biology</i> , 2004, 55, 399-416.	2.0	273
2527	Genetic analysis of cold-tolerance of photosynthesis in maize. <i>Plant Molecular Biology</i> , 2004, 56, 241-253.	2.0	130
2528	QTL mapping of root hair and acid exudation traits and their relationship to phosphorus uptake in common bean. <i>Plant and Soil</i> , 2004, 265, 17-29.	1.8	243
2529	Discovery, localization, and sequence characterization of molecular markers for the crown rust resistance genes Pc38, Pc39, and Pc48 in cultivated oat ( <i>Avena sativa</i> L.). <i>Molecular Breeding</i> , 2004, 14, 349-361.	1.0	40
2530	Three ENU-induced neurological mutations in the pore loop of sodium channel Scn8a (Na v 1.6) and a genetically linked retinal mutation, rd13. <i>Mammalian Genome</i> , 2004, 15, 344-351.	1.0	23
2531	QTLs for Na <sup>+</sup> and K <sup>+</sup> uptake of the shoots and roots controlling rice salt tolerance. <i>Theoretical and Applied Genetics</i> , 2004, 108, 253-260.	1.8	459
2532	Advanced backcross QTL analysis of a <i>Lycopersicon esculentum</i> × <i>L. pennellii</i> cross and identification of possible orthologs in the Solanaceae. <i>Theoretical and Applied Genetics</i> , 2004, 108, 485-496.	1.8	83
2533	Genetic mapping and QTL analysis of fiber-related traits in cotton ( <i>Gossypium</i> ). <i>Theoretical and Applied Genetics</i> , 2004, 108, 280-291.	1.8	219
2534	Candidate gene analysis of anthocyanin pigmentation loci in the Solanaceae. <i>Theoretical and Applied Genetics</i> , 2004, 108, 423-432.	1.8	137

#	ARTICLE	IF	CITATIONS
2535	Delimitation of the chromosomal region for a quantitative trait locus, qLVR-10, conferring resistance to ultraviolet-B radiation in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 108, 385-391.	1.8	15
2536	A RAPD, AFLP and SSR linkage map, and QTL analysis in European beech ( <i>Fagus sylvatica</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 108, 433-441.	1.8	61
2537	Comparative mapping between <i>Quercus</i> and <i>Castanea</i> using simple-sequence repeats (SSRs). <i>Theoretical and Applied Genetics</i> , 2004, 108, 558-566.	1.8	105
2538	Location of independent root-knot nematode resistance genes in plum and peach. <i>Theoretical and Applied Genetics</i> , 2004, 108, 765-773.	1.8	75
2539	Genetic analysis and molecular mapping of maize ( <i>Zea mays</i> L.) stalk rot resistant gene <i>Rfg1</i> . <i>Theoretical and Applied Genetics</i> , 2004, 108, 706-711.	1.8	32
2540	Characterization and molecular genetic mapping of microsatellite loci in pepper. <i>Theoretical and Applied Genetics</i> , 2004, 108, 619-627.	1.8	173
2541	RAPD markers linked to eastern filbert blight resistance in <i>Corylus avellana</i> . <i>Theoretical and Applied Genetics</i> , 2004, 108, 651-656.	1.8	49
2542	Lr41, Lr39, and a leaf rust resistance gene from <i>Aegilops cylindrica</i> may be allelic and are located on wheat chromosome 2DS. <i>Theoretical and Applied Genetics</i> , 2004, 108, 586-591.	1.8	58
2543	Molecular mapping of four ovule lethal mutants in soybean. <i>Theoretical and Applied Genetics</i> , 2004, 108, 577-585.	1.8	24
2544	Identification of quantitative trait loci involved in fruit quality traits in melon ( <i>Cucumis melo</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 108, 750-758.	1.8	159
2545	Targeted mapping of a sugarcane rust resistance gene ( <i>Bru1</i> ) using bulked segregant analysis and AFLP markers. <i>Theoretical and Applied Genetics</i> , 2004, 108, 759-764.	1.8	152
2546	High-resolution genetic mapping of <i>Xa27(t)</i> , a new bacterial blight resistance gene in rice, <i>Oryza sativa</i> L.. <i>Theoretical and Applied Genetics</i> , 2004, 108, 800-807.	1.8	134
2547	Molecular tagging and genetic mapping of the disease resistance gene <i>RppQ</i> to southern corn rust. <i>Theoretical and Applied Genetics</i> , 2004, 108, 945-950.	1.8	51
2548	Mapping of quantitative trait loci controlling low-temperature germinability in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 108, 794-799.	1.8	229
2549	Development of a composite map in <i>Vicia faba</i> , breeding applications and future prospects. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1079-1088.	1.8	58
2550	Identification and mapping of resistance gene analogs and a white rust resistance locus in <i>Brassica rapa</i> ssp. <i>oleifera</i> . <i>Theoretical and Applied Genetics</i> , 2004, 108, 1039-1046.	1.8	13
2551	QTL mapping of ten agronomic traits on the soybean ( <i>Glycine max</i> L. Merr.) genetic map and their association with EST markers. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1131-1139.	1.8	280
2552	Identification of AFLP markers linked to a resistance gene against pine needle gall midge in Japanese black pine. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1177-1181.	1.8	11

#	ARTICLE	IF	CITATIONS
2553	An intersubspecific genetic map of Lens. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1265-1273.	1.8	107
2554	One hundred and one new microsatellite loci derived from ESTs (EST-SSRs) in bread wheat. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1392-1400.	1.8	104
2555	A molecular linkage map with associated QTLs from a hulless $\tilde{A}$ -covered spring oat population. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1285-1298.	1.8	69
2556	High-resolution genetic mapping of the leaf stripe resistance gene <i>Rdg2a</i> in barley. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1401-1408.	1.8	34
2557	QTL mapping for resistance against non-parasitic leaf spots in a spring barley doubled haploid population. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1229-1235.	1.8	18
2558	<i>rym15</i> from the Japanese cultivar Chikurin Ibaraki is a new barley mild mosaic virus (BaMMV) resistance gene mapped on chromosome 6H. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1521-1525.	1.8	36
2559	Duplicate marker loci can result in incorrect locus orders on linkage maps. <i>Theoretical and Applied Genetics</i> , 2004, 109, 305-316.	1.8	9
2560	QTL mapping for European corn borer resistance ( <i>Ostrinia nubilalis</i> Hb.), agronomic and forage quality traits of testcross progenies in early-maturing European maize ( <i>Zea mays</i> L.) germplasm. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1545-1554.	1.8	54
2561	Quantitative trait loci for broomrape ( <i>Orobanche cumana</i> Wallr.) resistance in sunflower. <i>Theoretical and Applied Genetics</i> , 2004, 109, 92-102.	1.8	85
2562	Inheritance of early elongation ability in floating rice revealed by diallel and QTL analyses. <i>Theoretical and Applied Genetics</i> , 2004, 109, 42-47.	1.8	42
2563	PCR-based markers for the powdery mildew resistance gene <i>Pm4a</i> in wheat. <i>Theoretical and Applied Genetics</i> , 2004, 109, 140-145.	1.8	49
2564	Development and validation of CAPS and AFLP markers for white rust resistance gene in <i>Brassica juncea</i> . <i>Theoretical and Applied Genetics</i> , 2004, 109, 153-159.	1.8	33
2565	Genetic control of dormancy in a Triumph/Morex cross in barley. <i>Theoretical and Applied Genetics</i> , 2004, 109, 62-70.	1.8	60
2566	Mapping of AFLP markers linked to seed coat colour loci in <i>Brassica juncea</i> (L.) Czern. <i>Theoretical and Applied Genetics</i> , 2004, 109, 160-166.	1.8	24
2567	Wide coverage of the tetraploid cotton genome using newly developed microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2004, 109, 167-175.	1.8	187
2568	Development of PCR markers for the <i>PI5/PI8</i> locus for resistance to <i>Plasmopara halstedii</i> in sunflower, <i>Helianthus annuus</i> L. from complete CC-NBS-LRR sequences. <i>Theoretical and Applied Genetics</i> , 2004, 109, 176-185.	1.8	60
2569	Tetraploid races of <i>Paspalum notatum</i> show polysomic inheritance and preferential chromosome pairing around the apospory-controlling locus. <i>Theoretical and Applied Genetics</i> , 2004, 109, 186-191.	1.8	90
2570	Molecular mapping of resistance to <i>Fusarium</i> head blight in the spring wheat cultivar Frontana. <i>Theoretical and Applied Genetics</i> , 2004, 109, 215-224.	1.8	217

#	ARTICLE	IF	CITATIONS
2571	Genetic analysis of male fertility restoration in wild cytoplasmic male sterility G of beet. <i>Theoretical and Applied Genetics</i> , 2004, 109, 240-247.	1.8	32
2572	Mapping of transposable element Dissociation inserts in <i>Brassica oleracea</i> following plant regeneration from streptomycin selection of callus. <i>Theoretical and Applied Genetics</i> , 2004, 109, 333-341.	1.8	10
2573	Genetic analysis and molecular mapping of a wheat gene conferring tolerance to the greenbug ( <i>Schizaphis graminum</i> Rondani). <i>Theoretical and Applied Genetics</i> , 2004, 109, 289-293.	1.8	42
2574	Large-scale heterospecific segregation distortion in <i>Populus</i> revealed by a dense genetic map. <i>Theoretical and Applied Genetics</i> , 2004, 109, 451-463.	1.8	135
2575	Mapping of 99 new microsatellite-derived loci in rye ( <i>Secale cereale</i> L.) including 39 expressed sequence tags. <i>Theoretical and Applied Genetics</i> , 2004, 109, 725-732.	1.8	111
2576	Seed quality QTL in a prominent soybean population. <i>Theoretical and Applied Genetics</i> , 2004, 109, 552-561.	1.8	247
2577	QTL mapping of grain quality traits from the interspecific cross <i>Oryza sativa</i> × <i>O. glaberrima</i> . <i>Theoretical and Applied Genetics</i> , 2004, 109, 630-639.	1.8	290
2578	A comparative study of the genetic bases of natural variation in tomato leaf, sepal, and petal morphology. <i>Theoretical and Applied Genetics</i> , 2004, 109, 523-533.	1.8	58
2579	Identification and mapping of cleistogamy genes in barley. <i>Theoretical and Applied Genetics</i> , 2004, 109, 480-487.	1.8	67
2580	Evaluating the genetic basis of multiple-locule fruit in a broad cross section of tomato cultivars. <i>Theoretical and Applied Genetics</i> , 2004, 109, 669-679.	1.8	82
2581	Molecular mapping of resistance to <i>Pyrenophora tritici-repentis</i> race 5 and sensitivity to Ptr ToxB in wheat. <i>Theoretical and Applied Genetics</i> , 2004, 109, 464-471.	1.8	140
2582	Isolation and mapping of resistance gene analogs from the <i>Avena strigosa</i> genome. <i>Theoretical and Applied Genetics</i> , 2004, 109, 713-724.	1.8	32
2583	Comparative mapping of ZYMV resistances in cucumber ( <i>Cucumis sativus</i> L.) and melon ( <i>Cucumis melo</i> ) Tj ETQq0 0 0 rgBT /Overlock 100	1.8	26
2584	Study of simple sequence repeat (SSR) markers from wheat expressed sequence tags (ESTs). <i>Theoretical and Applied Genetics</i> , 2004, 109, 800-805.	1.8	155
2585	Quantitative trait loci for phyllochron and tillering in rice. <i>Theoretical and Applied Genetics</i> , 2004, 109, 700-706.	1.8	39
2586	Pathotype-specific genetic factors in chickpea ( <i>Cicer arietinum</i> L.) for quantitative resistance to ascochyta blight. <i>Theoretical and Applied Genetics</i> , 2004, 109, 733-739.	1.8	151
2587	Microsatellite genetic linkage maps of myrobalan plum and an almond-peach hybrid?location of root-knot nematode resistance genes. <i>Theoretical and Applied Genetics</i> , 2004, 109, 827-838.	1.8	109
2588	Comparative genetic analysis of quantitative traits in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 109, 865-874.	1.8	69



#	ARTICLE	IF	CITATIONS
2589	QTL analysis of quality traits in an advanced backcross between <i>Prunus persica</i> cultivars and the wild relative species <i>P. davidiana</i> . <i>Theoretical and Applied Genetics</i> , 2004, 109, 884-897.	1.8	170
2590	Molecular mapping of <i>Stb1</i> , a potentially durable gene for resistance to septoria tritici blotch in wheat. <i>Theoretical and Applied Genetics</i> , 2004, 109, 944-953.	1.8	68
2591	High-density AFLP map of nonbrittle rachis 1 ( <i>btr1</i> ) and 2 ( <i>btr2</i> ) genes in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 109, 986-995.	1.8	71
2592	Acetohydroxyacid synthase mutations conferring resistance to imidazolinone or sulfonylurea herbicides in sunflower. <i>Theoretical and Applied Genetics</i> , 2004, 109, 1147-1159.	1.8	115
2593	Molecular genetic mapping of <i>Gby</i> , a new greenbug resistance gene in bread wheat. <i>Theoretical and Applied Genetics</i> , 2004, 109, 1230-1236.	1.8	33
2594	A high-density microsatellite consensus map for bread wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 109, 1105-1114.	1.8	1,591
2595	QTL detection for eating quality of cooked rice in a population of chromosome segment substitution lines. <i>Theoretical and Applied Genetics</i> , 2004, 110, 71-79.	1.8	117
2596	Introgression molecular analysis of a leaf rust resistance gene from <i>Coffea liberica</i> into <i>C. arabica</i> L.. <i>Theoretical and Applied Genetics</i> , 2004, 109, 1311-1317.	1.8	54
2597	Phosphorus deficiency-induced root elongation and its QTL in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 109, 1361-1368.	1.8	113
2598	Identification and mapping of AFLP markers linked to peanut ( <i>Arachis hypogaea</i> L.) resistance to the aphid vector of groundnut rosette disease. <i>Theoretical and Applied Genetics</i> , 2004, 109, 1426-1433.	1.8	111
2599	Identification of quantitative trait loci controlling resistance to maize chlorotic dwarf virus. <i>Theoretical and Applied Genetics</i> , 2004, 110, 48-57.	1.8	32
2600	Identification of flanking SSR markers for a major rice gall midge resistance gene <i>Gm1</i> and their validation. <i>Theoretical and Applied Genetics</i> , 2004, 109, 1468-1473.	1.8	49
2601	Genotypic variation and identification of QTLs for agronomic traits, using AFLP and SSR markers in RILs of sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2004, 109, 1353-1360.	1.8	58
2602	Mapping QTL associated with resistance to <i>Fusarium</i> head blight in the Nanda2419i;1/2xWangshuibai population. I. Typei;1/2II resistance. <i>Theoretical and Applied Genetics</i> , 2004, 109, 1504-1511.	1.8	135
2603	Use of trial clustering to study QTLi;1/2xenvironment effects for grain yield and related traits in maize. <i>Theoretical and Applied Genetics</i> , 2004, 110, 92-105.	1.8	61
2604	Functionally associated molecular genetic marker map construction in perennial ryegrass ( <i>Lolium</i> ) Tj ETQq1 1 0.784314 rgBT /Overlook 1.8 110	1.8	110
2605	Use of new EST markers to elucidate the genetic differences in grain protein content between European and North American two-rowed malting barleys. <i>Theoretical and Applied Genetics</i> , 2004, 110, 116-125.	1.8	31
2606	Development of candidate introgression lines using an exotic barley accession ( <i>Hordeum vulgare</i> ssp.) Tj ETQq1 1 0.784314 rgBT /Overlook 1.8 115	1.8	115

#	ARTICLE	IF	CITATIONS
2607	Enhanced insulin secretion and cholesterol metabolism in congenic strains of the spontaneously diabetic (Type 2) Goto Kakizaki rat are controlled by independent genetic loci in rat chromosome 8. <i>Diabetologia</i> , 2004, 47, 1096-106.	2.9	28
2608	A single major chromosomal region controls natural killer cell-like activity in rainbow trout. <i>Immunogenetics</i> , 2004, 55, 825-835.	1.2	61
2609	Molecular mapping and identification of soybean fatty acid modifier quantitative trait loci. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2004, 81, 1115-1118.	0.8	51
2610	Identification of microsatellite markers for a leaf rust resistance gene introgressed into common wheat from <i>Triticum timopheevii</i> . <i>Plant Breeding</i> , 2004, 123, 93-95.	1.0	14
2611	A microsatellite linkage map of <i>Drosophila mojavensis</i> . <i>BMC Genetics</i> , 2004, 5, 12.	2.7	26
2612	A multilocus likelihood approach to joint modeling of linkage, parental diplotype and gene order in a full-sib family. <i>BMC Genetics</i> , 2004, 5, 20.	2.7	55
2613	The tomato resistance protein Bs4 is a predicted non-nuclear TIR-NB-LRR protein that mediates defense responses to severely truncated derivatives of AvrBs4 and overexpressed AvrBs3. <i>Plant Journal</i> , 2004, 37, 46-60.	2.8	177
2614	Allelism Tests between the Rust Resistance Gene Present in Common Bean Cultivar Ouro Negro and GenesUr-5andUr-11. <i>Journal of Phytopathology</i> , 2004, 152, 60-64.	0.5	15
2615	Identification of resistance gene analogue markers closely linked to wheat powdery mildew resistance gene Pm31. <i>Plant Breeding</i> , 2004, 123, 198-200.	1.0	25
2616	Identification of two novel female-specific non-major histocompatibility complex loci regulating collagen-induced arthritis severity and chronicity, and evidence of epistasis. <i>Arthritis and Rheumatism</i> , 2004, 50, 2695-2705.	6.7	31
2617	Evidence for a novel rheumatoid arthritis susceptibility locus on chromosome 6p. <i>Arthritis and Rheumatism</i> , 2004, 50, 3823-3830.	6.7	18
2618	Pleiotropic effects on mandibular morphology II: Differential epistasis and genetic variation in morphological integration. <i>The Journal of Experimental Zoology</i> , 2004, 302B, 424-435.	1.4	107
2619	The allene oxide cyclase of barley ( <i>Hordeum vulgare</i> L.)â€”cloning and organ-specific expression. <i>Phytochemistry</i> , 2004, 65, 801-811.	1.4	39
2620	EST derived PCR-based markers for functional gene homologues in cotton. <i>Genome</i> , 2004, 47, 449-462.	0.9	44
2621	Identification of AFLP makers linked to non-seed shattering locus (sht1) in buckwheat and conversion to STS markers for marker-assisted selection. <i>Genome</i> , 2004, 47, 469-474.	0.9	34
2622	Development of PCR-based codominant markers flanking the <i>Alt3</i> gene in rye. <i>Genome</i> , 2004, 47, 231-238.	0.9	21
2623	Sequence diversity analysis of dihydroflavonol 4-reductase intron 1 in common bean. <i>Genome</i> , 2004, 47, 266-280.	0.9	42
2624	Duplicate chlorophyll-deficient loci in soybean. <i>Genome</i> , 2004, 47, 190-198.	0.9	18

#	ARTICLE	IF	CITATIONS
2625	Colocation between a gene encoding the bZip factor SPA and an eQTL for a high-molecular-weight glutenin subunit in wheat ( <i>Triticum aestivum</i> ). <i>Genome</i> , 2004, 47, 705-713.	0.9	39
2626	Linkage Maps of Microsatellite DNA Markers for the Pacific Oyster <i>Crassostrea gigas</i> We dedicate this study to the memory of Will Borgenson, who reared and cared for the parents of the mapping families.. <i>Genetics</i> , 2004, 168, 351-362.	1.2	188
2627	Multigenic control of hepatic iron loading in a murine model of hemochromatosis. <i>Gastroenterology</i> , 2004, 126, 1400-1408.	0.6	54
2628	Genome Mapping and Map Based Cloning. , 2004, , 257-299.		7
2629	A major suppressor of cell death, <i>slm1</i> , modifies the expression of the maize ( <i>Zea mays</i> L.) lesion mimic mutation <i>les23</i> . <i>Genome</i> , 2004, 47, 961-969.	0.9	27
2630	Genetic and Physical Mapping of a Gene Conditioning Sensitivity in Wheat to a Partially Purified Host-Selective Toxin Produced by <i>Stagonospora nodorum</i> . <i>Phytopathology</i> , 2004, 94, 1056-1060.	1.1	191
2631	Amplified fragment length polymorphism linkage analysis of common buckwheat ( <i>Fagopyrum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 47, 345-351.	0.9	54
2633	Identification of microsatellite markers associated with the cereal cyst nematode resistance gene <i>Cre3</i> in wheat. <i>Australian Journal of Agricultural Research</i> , 2004, 55, 1205.	1.5	14
2634	An amino acid substitution attributable to insecticide-insensitivity of acetylcholinesterase in a Japanese encephalitis vector mosquito, <i>Culex tritaeniorhynchus</i> . <i>Biochemical and Biophysical Research Communications</i> , 2004, 313, 794-801.	1.0	144
2635	Effect of <i>Add1</i> gene transfer on blood pressure in reciprocal congenic strains of Milan rats. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 562-568.	1.0	33
2636	Identification of PCR-based markers (RAPD, AFLP) linked to a novel powdery mildew resistance gene ( <i>ol-2</i> ) in tomato. <i>Plant Science</i> , 2004, 166, 41-48.	1.7	52
2637	<i>OsBi1</i> , a rice gene, encodes a novel protein with a CBS-like domain and its expression is induced in responses to herbivore feeding. <i>Plant Science</i> , 2004, 166, 1581-1588.	1.7	22
2638	Genetic markers associated with resistance to infectious hematopoietic necrosis in rainbow and steelhead trout ( <i>Oncorhynchus mykiss</i> ) backcrosses. <i>Aquaculture</i> , 2004, 241, 93-115.	1.7	63
2639	A sex-specific linkage map of the white shrimp <i>Penaeus</i> ( <i>Litopenaeus</i> ) <i>vannamei</i> based on AFLP markers. <i>Aquaculture</i> , 2004, 242, 105-118.	1.7	69
2640	A preliminary genetic map of walking catfish ( <i>Clarias macrocephalus</i> ). <i>Aquaculture</i> , 2004, 232, 195-203.	1.7	27
2641	Molecular Mapping of the <i>Stb4</i> Gene for Resistance to <i>Septoria tritici</i> Blotch in Wheat. <i>Phytopathology</i> , 2004, 94, 1198-1206.	1.1	79
2642	A genetic linkage map of the Durum $\bar{A}$ — <i>Triticum dicoccoides</i> backcross population based on SSRs and AFLP markers, and QTL analysis for milling traits. <i>Theoretical and Applied Genetics</i> , 2004, 108, 401-413.	1.8	100
2643	Genetic analysis of inherited hydrocephalus in a rat model. <i>Experimental Neurology</i> , 2004, 190, 79-90.	2.0	29

#	ARTICLE	IF	CITATIONS
2644	Chromosome Maps. , 2004, , .		0
2645	Comparative mapping of rice root traits in seedlings grown in nutrient or non-nutrient solution*. Progress in Natural Science: Materials International, 2004, 14, 327-331.	1.8	2
2646	Functional and Genetic Analysis of Two CD8 T Cell Subsets Defined by the Level of CD45RC Expression in the Rat. Journal of Immunology, 2004, 173, 3140-3147.	0.4	41
2647	Genetic mapping of basal root gravitropism and phosphorus acquisition efficiency in common bean. Functional Plant Biology, 2004, 31, 959.	1.1	187
2648	Development of Pcr-based markers closely linked to rym5. Journal of Plant Diseases and Protection, 2004, 111, 30-38.	1.6	3
2649	Power calculations for selective genotyping in QTL mapping in backcross mice. Genetical Research, 2004, 84, 103-108.	0.3	8
2650	Confirmation and Characterization of Murine Body Weight QTLs, <i>Bwq1</i> and <i>Bwq2</i> , Identified in C57BL/6J &times; KK- <i>A</i> <sup>y</sup> / <i>a</i> F <sub>2</sub> - <i>A</i> <sup>y</sup> / <i>a</i> Mice. Journal of Veterinary Medical Science, 2004, 66, 1039-1045.	0.3	6
2651	Cloning, Characterization, and Evolution of the NBS-LRR-Encoding Resistance Gene Analogue Family in Polyploid Cotton ( <i>Gossypium hirsutum</i> L.). Molecular Plant-Microbe Interactions, 2004, 17, 1234-1241.	1.4	49
2652	Identification of Magnaporthe oryzae Avirulence Genes to Three Rice Blast Resistance Genes. Plant Disease, 2004, 88, 265-270.	0.7	16
2653	Tagging and Validation of a Major Quantitative Trait Locus for Leaf Rust Resistance and Leaf Tip Necrosis in Winter Wheat Cultivar Forno. Phytopathology, 2004, 94, 1036-1041.	1.1	35
2654	Identification of Pathotypes of Xanthomonas axonopodis pv. manihotis in Africa and Detection of Quantitative Trait Loci and Markers for Resistance to Bacterial Blight of Cassava. Phytopathology, 2004, 94, 1084-1093.	1.1	43
2655	Generation and Molecular Mapping of a Sequence Characterized Amplified Region Marker Linked with the Bct Gene for Resistance to Beet curly top virus in Common Bean. Phytopathology, 2004, 94, 320-325.	1.1	45
2656	The Am Gene Controlling Resistance to Alfalfa mosaic virus in Tomato Is Located in the Cluster of Dominant Resistance Genes on Chromosome 6. Phytopathology, 2004, 94, 345-350.	1.1	26
2657	Identification and Mapping of Quantitative Trait Loci Conditioning Resistance to Southern Leaf Blight of Maize Caused by Cochliobolus heterostrophus Race O. Phytopathology, 2004, 94, 862-867.	1.1	84
2658	Further Mapping and Characterization of Naq1, a Quantitative Trait Locus Responsible for Maternal Inferior Nurturing Ability in RR Mice. Journal of Veterinary Medical Science, 2004, 66, 1033-1038.	0.3	6
2659	Genetic Mapping of Pathogenicity and Aggressiveness of Gibberella zeae (Fusarium graminearum) Toward Wheat. Phytopathology, 2004, 94, 520-526.	1.1	93
2660	Microsatellite Markers Linked to the <i>Stb2</i> and <i>Stb3</i> Genes for Resistance to Septoria Tritici Blotch in Wheat. Crop Science, 2004, 44, 1403-1411.	0.8	62
2661	Mapping Populations and Principles of Genetic Mapping. , 2005, , 1-21.		10

#	ARTICLE	IF	CITATIONS
2662	QTL Mapping of Resistance to <i>Thrips palmi</i> Karny in Common Bean. <i>Crop Science</i> , 2005, 45, crops2005.0379.	0.8	45
2663	Molecular Mapping of Nuclear Male Sterility Genes in Sunflower. <i>Crop Science</i> , 2005, 45, 1851-1857.	0.8	28
2664	A RAPD-based Linkage Map of Peanut Based on a Backcross Population Between the Two Diploid Species <i>Arachis stenosperma</i> and <i>A. cardenasii</i> . <i>Peanut Science</i> , 2005, 32, 1-8.	0.2	38
2665	RAPD and SCAR Markers Linked to an Introgressed Gene Conditioning Resistance to <i>Peronospora tabacina</i> D.B. Adam. in Tobacco. <i>Crop Science</i> , 2005, 45, 2346-2354.	0.8	36
2666	Genetic Dissection of Silicon Content in Different Organs of Rice. <i>Crop Science</i> , 2005, 45, 1345-1352.	0.8	29
2667	Inheritance and Genetic Mapping of Resistance to <i>Rhizoctonia</i> Root and Hypocotyl Rot in Soybean. <i>Crop Science</i> , 2005, 45, 1441-1447.	0.8	71
2669	Bayesian and maximum likelihood estimation of genetic maps. <i>Genetical Research</i> , 2005, 85, 159-168.	0.3	4
2670	Identification of RAPD Markers and Development of SCAR Markers Linked to a Powdery Mildew Resistance Gene, and their Location on Chromosome in Wheat Cultivar Brock. <i>Plant Production Science</i> , 2005, 8, 578-585.	0.9	6
2671	The Genetics of Human Autoimmune Diseases. , 2005, , 55-67.		0
2672	Methods and Software for Genetic Mapping. , 2005, , 53-74.		5
2673	Identification of an Avirulence Gene in the Fungus <i>Magnaporthe grisea</i> Corresponding to a Resistance Gene at the <i>Pik</i> Locus. <i>Phytopathology</i> , 2005, 95, 768-772.	1.1	14
2674	Resistance Quantitative Trait Loci Originating from <i>Solanum sparsipilum</i> Act Independently on the Sex Ratio of <i>Globodera pallida</i> and Together for Developing a Necrotic Reaction. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 1186-1194.	1.4	59
2675	Quantitative Trait Loci Conditioning Resistance to <i>Phaeosphaeria</i> Leaf Spot of Maize Caused by <i>Phaeosphaeria maydis</i> . <i>Plant Disease</i> , 2005, 89, 571-574.	0.7	17
2676	Genetic Analysis and Molecular Mapping of Wheat Genes Conferring Resistance to the Wheat Stripe Rust and Barley Stripe Rust Pathogens. <i>Phytopathology</i> , 2005, 95, 427-432.	1.1	33
2677	Apolipoprotein Gene Polymorphisms as Cause of Cholesterol QTLs in Mice. <i>Journal of Veterinary Medical Science</i> , 2005, 67, 583-589.	0.3	8
2678	Whole-Genome Scan for Linkage to Bone Strength and Structure in Inbred Fischer 344 and Lewis Rats. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 1589-1596.	3.1	30
2679	Quantitative Trait Loci for Femoral and Lumbar Vertebral Bone Mineral Density in C57BL/6J and C3H/HeJ Inbred Strains of Mice. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 1700-1712.	3.1	4
2680	Genetic control of susceptibility to <i>Candida albicans</i> in susceptible A/J and resistant C57BL/6J mice. <i>Genes and Immunity</i> , 2005, 6, 672-682.	2.2	54

#	ARTICLE	IF	CITATIONS
2681	Results on Quantitative Trait Loci for Flushing Date in Oaks Can Be Transferred to Different Segregating Progenies. <i>Plant Biology</i> , 2005, 7, 516-525.	1.8	18
2682	Expression Profiling and QTL Analysis: a Powerful Complementary Strategy in Drug Abuse Research. <i>Addiction Biology</i> , 2005, 10, 47-51.	1.4	20
2683	Linkage mapping of four chicken calpain genes. <i>Animal Science Journal</i> , 2005, 76, 121-127.	0.6	7
2684	A new locus for resistance to brown planthopper identified in the indica rice variety DV85. <i>Plant Breeding</i> , 2005, 124, 93-95.	1.0	28
2685	Linkage map construction and mapping QTL for cotton fibre quality using SRAP, SSR and RAPD. <i>Plant Breeding</i> , 2005, 124, 180-187.	1.0	143
2686	Mapping QTL involved in powdery mildew resistance of the apple clone U 211. <i>Plant Breeding</i> , 2005, 124, 63-66.	1.0	17
2687	Field assay of seedling and adult-plant resistance to southern leaf blight in maize. <i>Plant Breeding</i> , 2005, 124, 356-360.	1.0	11
2688	AFLP-based STS markers closely linked to a fertility restoration locus (Rfm1) for cytoplasmic male sterility in barley. <i>Plant Breeding</i> , 2005, 124, 133-136.	1.0	8
2689	Mapping antixenosis genes on chromosome 6A of wheat to greenbug and to a new biotype of Russian wheat aphid. <i>Plant Breeding</i> , 2005, 124, 229-233.	1.0	33
2690	Dissection of component QTL expression in yield formation in rice. <i>Plant Breeding</i> , 2005, 124, 127-132.	1.0	41
2691	Chromosomal location of powdery mildew resistance gene Pm16 in wheat using SSR marker analysis. <i>Plant Breeding</i> , 2005, 124, 225-228.	1.0	72
2692	QTL analysis of resistance to <i>Fusarium</i> head blight in wheat using a 'Wangshuibai'-derived population. <i>Plant Breeding</i> , 2005, 124, 329-333.	1.0	66
2693	Mapping of quantitative trait loci controlling seed longevity of rice ( <i>Oryza sativa</i> L.) after various periods of seed storage. <i>Plant Breeding</i> , 2005, 124, 361-366.	1.0	51
2694	Identification of AFLP markers linked to one recessive genic male sterility gene in oilseed rape, <i>Brassica napus</i> . <i>Plant Breeding</i> , 2005, 124, 367-370.	1.0	28
2695	AFLP-SSR maps of maize x teosinte and maize x maize: comparison of map length and segregation distortion. <i>Plant Breeding</i> , 2005, 124, 432-439.	1.0	27
2696	A genetic linkage map of <i>Vigna vexillata</i> . <i>Plant Breeding</i> , 2005, 124, 392-398.	1.0	12
2697	Molecular mapping determines that Hessian fly resistance gene H9 is located on chromosome 1A of wheat. <i>Plant Breeding</i> , 2005, 124, 525-531.	1.0	42
2698	A new gene located on chromosome 2 causing hybrid sterility in a remote cross of rice. <i>Plant Breeding</i> , 2005, 124, 440-445.	1.0	21

#	ARTICLE	IF	CITATIONS
2699	Selective acquisition of novel mating type and vegetative incompatibility genes via interspecies gene transfer in the globally invading eukaryote <i>Ophiostoma novo-ulmi</i> . <i>Molecular Ecology</i> , 2005, 15, 249-262.	2.0	103
2700	A preliminary genetic map of Zhikong scallop ( <i>Chlamys farreri</i> Jones et Preston 1904). <i>Aquaculture Research</i> , 2005, 36, 643-653.	0.9	46
2701	Identification and characterization of QTL underlying whole-plant physiology in <i>Arabidopsis thaliana</i> : delta13C, stomatal conductance and transpiration efficiency. <i>Plant, Cell and Environment</i> , 2005, 28, 697-708.	2.8	162
2702	Quantitative trait loci controlling aluminium tolerance in two accessions of <i>Arabidopsis thaliana</i> ( <i>Landsberg erecta</i> and Cape Verde Islands). <i>Plant, Cell and Environment</i> , 2005, 28, 1516-1524.	2.8	35
2703	Integrated transcriptional profiling and linkage analysis for identification of genes underlying disease. <i>Nature Genetics</i> , 2005, 37, 243-253.	9.4	476
2704	MHC2TA is associated with differential MHC molecule expression and susceptibility to rheumatoid arthritis, multiple sclerosis and myocardial infarction. <i>Nature Genetics</i> , 2005, 37, 486-494.	9.4	276
2705	Fine mapping and marker-assisted selection (MAS) of a low glutelin content gene in rice. <i>Cell Research</i> , 2005, 15, 622-630.	5.7	22
2706	Linkage analysis of the genetic determinants of T-cell IL-4 secretion, and identification of Flj20274 as a putative candidate gene. <i>Genes and Immunity</i> , 2005, 6, 290-297.	2.2	11
2707	Genetic mapping of aphicarus a sex-linked locus controlling a wing polymorphism in the pea aphid ( <i>Acyrtosiphon pisum</i> ). <i>Heredity</i> , 2005, 94, 435-442.	1.2	66
2708	An epistatic genetic basis for fluctuating asymmetry of tooth size and shape in mice. <i>Heredity</i> , 2005, 94, 316-325.	1.2	34
2709	Genetic architecture of <i>Arabidopsis thaliana</i> response to infection by <i>Pseudomonas syringae</i> . <i>Heredity</i> , 2005, 94, 507-517.	1.2	28
2710	Complex Genetics of Interactions of Alcohol and CNS Function and Behavior. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1706-1719.	1.4	18
2711	The eukaryotic translation initiation factor 4E confers multiallelic recessive Bymovirus resistance in <i>Hordeum vulgare</i> (L.). <i>Plant Journal</i> , 2005, 42, 912-922.	2.8	229
2712	Plasticity genes and plasticity costs: a new approach using an <i>Arabidopsis</i> recombinant inbred population. <i>New Phytologist</i> , 2005, 166, 129-140.	3.5	54
2713	Co-segregation of AFLP and RAPD markers to apospory in Guinea grass ( <i>Panicum maximum</i> Jacq.). <i>Grassland Science</i> , 2005, 51, 71-78.	0.6	61
2714	Semiparametric Methods for Mapping Quantitative Trait Loci with Censored Data. <i>Biometrics</i> , 2005, 61, 789-798.	0.8	21
2715	Identification of Quantitative Trait Loci for Grain Appearance and Milling Quality Using a Doubled-Haploid Rice Population. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 1391-1403.	4.1	33
2716	Mapping of a Wheat Resistance Gene to Yellow Mosaic Disease by Amplified Fragment Length Polymorphism and Simple Sequence Repeat Markers. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 1133-1139.	4.1	11

#	ARTICLE	IF	CITATIONS
2717	QUANTITATIVE TRAIT LOCI AFFECTING $\delta^{13}C$ AND RESPONSE TO DIFFERENTIAL WATER AVAILABILITY IN ARABIDOPSIS THALIANA. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 81-96.	1.1	70
2718	LOCI AFFECTING LONG-TERM HYBRID SURVIVORSHIP IN LOUISIANA IRISES: IMPLICATIONS FOR REPRODUCTIVE ISOLATION AND INTROGRESSION. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2116-2124.	1.1	45
2719	FEMALE STERILITY IN HYBRIDS BETWEEN ANOPHELES GAMBIAE AND A. ARABIENSIS, AND THE CAUSES OF HALDANE'S RULE. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1016-1026.	1.1	40
2720	Genetics of female mate discrimination of heterospecific males in <i>Nasonia</i> (Hymenoptera). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>	0.8	32
2721	Novel genes on chromosome 3A influencing breadmaking quality in wheat, including a new gene for loaf volume, Lvl 1. <i>Journal of Cereal Science</i> , 2005, 41, 317-326.	1.8	15
2722	Implication of allelic polymorphism of osteopontin in the development of lupus nephritis in MRL/lpr mice. <i>European Journal of Immunology</i> , 2005, 35, 1510-1520.	1.6	68
2723	Accelerating effect of an MRL gene locus on the severity and onset of arthropathy in DBA/1 mice. <i>Arthritis and Rheumatism</i> , 2005, 52, 959-966.	6.7	14
2724	Genome screen for bone mineral density phenotypes in Fisher 344 and Lewis rat strains. <i>Mammalian Genome</i> , 2005, 16, 578-586.	1.0	25
2725	Fine-mapping of the BaMMV, BaYMV-1 and BaYMV-2 resistance of barley ( <i>Hordeum vulgare</i> ) accession PI1963. <i>Theoretical and Applied Genetics</i> , 2005, 110, 212-218.	1.8	23
2726	A combination of AFLP and SSR markers provides extensive map coverage and identification of homo(eo)logous linkage groups in a sugarcane cultivar. <i>Theoretical and Applied Genetics</i> , 2005, 110, 789-801.	1.8	174
2727	Simple-sequence repeat markers used in merging linkage maps of melon ( <i>Cucumis melo</i> L.). <i>Theoretical and Applied Genetics</i> , 2005, 110, 802-811.	1.8	170
2728	STS markers linked to the Rf1 fertility restorer gene of cotton. <i>Theoretical and Applied Genetics</i> , 2005, 110, 237-243.	1.8	33
2729	Mapping of QTLs prolonging the latent period of <i>Puccinia triticina</i> infection in wheat. <i>Theoretical and Applied Genetics</i> , 2005, 110, 244-251.	1.8	44
2730	Genetic relationships between resistance to stalk-tunneling by the European corn borer and cell-wall components in maize population B73A–B52. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1-7.	1.8	50
2731	Inheritance of seed colour and identification of RAPD and AFLP markers linked to the seed colour gene in rapeseed ( <i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 2005, 110, 303-310.	1.8	64
2732	Molecular markers linked to papaya ring spot virus resistance and <i>Fusarium</i> race 2 resistance in melon. <i>Theoretical and Applied Genetics</i> , 2005, 110, 337-345.	1.8	45
2733	Analysis of QTLs for yield, yield components, and malting quality in a BC3-DH population of spring barley. <i>Theoretical and Applied Genetics</i> , 2005, 110, 356-363.	1.8	97
2734	Microsatellite markers associated with two <i>Aegilops tauschii</i> -derived greenbug resistance loci in wheat. <i>Theoretical and Applied Genetics</i> , 2005, 110, 462-469.	1.8	62



#	ARTICLE	IF	CITATIONS
2735	Development of sequence characterized amplified region (SCAR) primers for the detection of Phyto.5.2, a major QTL for resistance to <i>Phytophthora capsici</i> Leon. in pepper. <i>Theoretical and Applied Genetics</i> , 2005, 110, 605-612.	1.8	73
2736	Fine mapping of the FT1 locus for soybean flowering time using a residual heterozygous line derived from a recombinant inbred line. <i>Theoretical and Applied Genetics</i> , 2005, 110, 634-639.	1.8	108
2737	QTLs for straw quality characteristics identified in recombinant inbred lines of a <i>Hordeum vulgare</i> × <i>H. spontaneum</i> cross in a Mediterranean environment. <i>Theoretical and Applied Genetics</i> , 2005, 110, 688-695.	1.8	31
2738	A high-density genetic map of hexaploid wheat ( <i>Triticum aestivum</i> L.) from the cross Chinese Spring × SQ1 and its use to compare QTLs for grain yield across a range of environments. <i>Theoretical and Applied Genetics</i> , 2005, 110, 865-880.	1.8	437
2739	Flowering response of rice to photoperiod and temperature: a QTL analysis using a phenological model. <i>Theoretical and Applied Genetics</i> , 2005, 110, 778-786.	1.8	96
2740	Distinct post-transcriptional modifications result into seven alternative transcripts of the CC-NBS-LRR gene JA1tr of <i>Phaseolus vulgaris</i> . <i>Theoretical and Applied Genetics</i> , 2005, 110, 895-905.	1.8	35
2741	Targeting the aluminum tolerance gene Alt3 region in rye, using rice/rye micro-colinearity. <i>Theoretical and Applied Genetics</i> , 2005, 110, 906-913.	1.8	33
2742	Characterisation of a barley ( <i>Hordeum vulgare</i> L.) homologue of the <i>Arabidopsis</i> flowering time regulator GIGANTEA. <i>Theoretical and Applied Genetics</i> , 2005, 110, 925-931.	1.8	82
2743	Partial sequences of nitrogen metabolism genes in hexaploid wheat. <i>Theoretical and Applied Genetics</i> , 2005, 110, 932-940.	1.8	46
2744	Chromosomal rearrangements differentiating the ryegrass genome from the Triticeae, oat, and rice genomes using common heterologous RFLP probes. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1011-1019.	1.8	80
2745	Looking into flowering time in almond ( <i>Prunus dulcis</i> (Mill) D. A. Webb): the candidate gene approach. <i>Theoretical and Applied Genetics</i> , 2005, 110, 959-968.	1.8	64
2746	Identification of two novel genes for blackleg resistance in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2005, 110, 969-979.	1.8	102
2747	Inheritance and molecular mapping of new greenbug resistance genes in wheat germplasms derived from <i>Aegilops tauschii</i> . <i>Theoretical and Applied Genetics</i> , 2005, 111, 831-837.	1.8	60
2748	Molecular mapping of stem and leaf rust resistance in wheat. <i>Theoretical and Applied Genetics</i> , 2005, 111, 846-850.	1.8	57
2749	Identification of SCAR markers linked to Rca2 anthracnose resistance gene and their assessment in strawberry germplasm. <i>Theoretical and Applied Genetics</i> , 2005, 111, 862-870.	1.8	58
2750	Mapping of extreme resistance to PVY (Ry sto) on chromosome XII using anther-culture-derived primary dihaploid potato lines. <i>Theoretical and Applied Genetics</i> , 2005, 111, 879-887.	1.8	114
2751	Microsatellite marker polymorphism and mapping in pea ( <i>Pisum sativum</i> L.). <i>Theoretical and Applied Genetics</i> , 2005, 111, 1022-1031.	1.8	219
2752	Mapping of a major QTL for pre-harvest sprouting tolerance on chromosome 3A in bread wheat. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1052-1059.	1.8	111

#	ARTICLE	IF	CITATIONS
2753	Comprehensive genetic analyses reveal differential expression of spot blotch resistance in four populations of barley. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1238-1250.	1.8	57
2754	Molecular mapping of k2 Mdh1-n y20, an unstable chromosomal region in soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1457-1465.	1.8	9
2755	A microsatellite-based, gene-rich linkage map for the AA genome of <i>Arachis</i> (Fabaceae). <i>Theoretical and Applied Genetics</i> , 2005, 111, 1060-1071.	1.8	191
2756	Comparative genetic maps reveal extreme crossover localization in the <i>Aegilops speltoides</i> chromosomes. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1098-1106.	1.8	37
2757	Genetic mapping and comparative analysis of seven mutants related to seed fiber development in cotton. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1137-1146.	1.8	94
2758	Identification and mapping of H32, a new wheat gene conferring resistance to Hessian fly. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1167-1173.	1.8	95
2759	Mapping of a spontaneous mutation for early flowering time in maize highlights contrasting allelic series at two-linked QTL on chromosome 8. <i>Theoretical and Applied Genetics</i> , 2005, 112, 1-11.	1.8	35
2760	Late blight resistance linkages in a novel cross of the wild potato species <i>Solanum paucisectum</i> (series Piurana). <i>Theoretical and Applied Genetics</i> , 2005, 111, 1201-1214.	1.8	69
2761	Genetic characterization and molecular mapping of a Hessian fly-resistance gene transferred from <i>T. turgidum</i> ssp. <i>dicoccum</i> to common wheat. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1308-1315.	1.8	73
2762	A composite linkage map from two crosses for the species complex <i>Picea mariana</i> Æ— <i>Picea rubens</i> and analysis of synteny with other Pinaceae. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1466-1488.	1.8	33
2763	Identification and mapping of SNPs from ESTs in sunflower. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1532-1544.	1.8	97
2764	Characterization of lipoxygenase-1 null mutants in barley. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1580-1584.	1.8	33
2765	RECORD: a novel method for ordering loci on a genetic linkage map. <i>Theoretical and Applied Genetics</i> , 2005, 112, 30-40.	1.8	248
2766	High-resolution mapping of the barley leaf rust resistance gene <i>Rph5</i> using barley expressed sequence tags (ESTs) and synteny with rice. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1651-1660.	1.8	23
2767	Molecular mapping of a quantitative trait locus for aluminum tolerance in wheat cultivar Atlas 66. <i>Theoretical and Applied Genetics</i> , 2005, 112, 51-57.	1.8	75
2768	QTL analysis of <i>Fusarium</i> head blight resistance using a high-density linkage map in barley. <i>Theoretical and Applied Genetics</i> , 2005, 111, 1661-1672.	1.8	46
2769	Molecular cloning and genetic mapping of perennial ryegrass casein protein kinase 2 Î±-subunit genes. <i>Theoretical and Applied Genetics</i> , 2005, 112, 167-177.	1.8	20
2770	SMOOTH: a statistical method for successful removal of genotyping errors from high-density genetic linkage data. <i>Theoretical and Applied Genetics</i> , 2005, 112, 187-194.	1.8	239

#	ARTICLE	IF	CITATIONS
2771	Resistance gene analogue markers are mapped to homeologous chromosomes in cultivated tetraploid cotton. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1074-1085.	1.8	37
2772	Quantitative trait loci governing carotenoid concentration and weight in seeds of chickpea ( <i>Cicer</i> ) Tj ETQq1 1 0.784314 rgBT / Overlook	1.8	117
2773	The self-incompatibility locus (S) and quantitative trait loci for self-pollination and seed dormancy in sunflower. <i>Theoretical and Applied Genetics</i> , 2005, 111, 619-629.	1.8	95
2774	Investigation of genomic organization in switchgrass ( <i>Panicum virgatum</i> L.) using DNA markers. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1372-1383.	1.8	93
2775	Identification and validation of QTLs conferring resistance to sorghum downy mildew ( <i>Peronosclerospora sorghi</i> ) and Rajasthan downy mildew ( <i>P. heteropogoni</i> ) in maize. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1384-1392.	1.8	37
2776	Molecular linkage mapping and phylogeny of the chalcone synthase multigene family in soybean. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1203-1209.	1.8	33
2777	Genetic analysis of durable resistance to yellow rust in bread wheat. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1401-1409.	1.8	139
2778	QTL mapping of root traits in a doubled haploid population from a cross between upland and lowland japonica rice in three environments. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1244-1252.	1.8	148
2779	Genome-wide analysis of the frequency and distribution of crossovers at male and female meiosis in <i>Sinapis alba</i> L. (white mustard). <i>Theoretical and Applied Genetics</i> , 2005, 111, 31-43.	1.8	13
2780	Genetic control of rice blast resistance in the durably resistant cultivar Gumei2 against multiple isolates. <i>Theoretical and Applied Genetics</i> , 2005, 111, 50-56.	1.8	95
2781	Mapping QTLs for grain dormancy on wheat chromosome 3A and the group 4 chromosomes, and their combined effect. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1315-1323.	1.8	130
2782	Stability of QTLs for rice grain dimension and endosperm chalkiness characteristics across eight environments. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1334-1346.	1.8	185
2783	Locating the broad-spectrum wheat leaf rust resistance gene Lr52 (LrW) to chromosome 5B by a new cytogenetic method. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1453-1457.	1.8	54
2784	The Vrn-H2 locus is a major determinant of flowering time in a facultative winter growth habit barley ( <i>Hordeum vulgare</i> L.) mapping population. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1458-1466.	1.8	159
2785	H9, H10, and H11 compose a cluster of Hessian fly-resistance genes in the distal gene-rich region of wheat chromosome 1AS. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1473-1480.	1.8	54
2786	Strain-specific and recessive QTLs involved in the control of partial resistance to <i>Fusarium oxysporum</i> f. sp. <i>melonis</i> race 1.2 in a recombinant inbred line population of melon. <i>Theoretical and Applied Genetics</i> , 2005, 111, 65-74.	1.8	75
2787	Identification of a large cluster of coiled coil-nucleotide binding site leucine rich repeat-type genes from the Rps1 region containing <i>Phytophthora</i> resistance genes in soybean. <i>Theoretical and Applied Genetics</i> , 2005, 111, 75-86.	1.8	65
2788	Hessian fly resistance gene H13 is mapped to a distal cluster of resistance genes in chromosome 6DS of wheat. <i>Theoretical and Applied Genetics</i> , 2005, 111, 243-249.	1.8	56

#	ARTICLE	IF	CITATIONS
2789	Mapping a resistance gene in wheat cultivar Yangfu 9311 to yellow mosaic virus, using microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2005, 111, 651-657.	1.8	31
2790	QTLs mapping for fruit size and shape in chromosomes 2 and 4 in pepper and a comparison of the pepper QTL map with that of tomato. <i>Theoretical and Applied Genetics</i> , 2005, 111, 437-445.	1.8	122
2791	Development of a set of PCR-based anchor markers encompassing the tomato genome and evaluation of their usefulness for genetics and breeding experiments. <i>Theoretical and Applied Genetics</i> , 2005, 111, 291-312.	1.8	137
2792	Quantitative trait loci for partial resistance to crown rust, <i>Puccinia coronata</i> , in cultivated oat, <i>Avena sativa</i> L.. <i>Theoretical and Applied Genetics</i> , 2005, 111, 313-324.	1.8	55
2793	Inheritance of field resistance to <i>Stagonospora nodorum</i> leaf and glume blotch and correlations with other morphological traits in hexaploid wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2005, 111, 325-336.	1.8	45
2794	Quantitative trait loci for cell-wall components in recombinant inbred lines of maize ( <i>Zea mays</i> L.) I: stalk tissue. <i>Theoretical and Applied Genetics</i> , 2005, 111, 337-346.	1.8	71
2795	Genetic mapping of maize stripe disease resistance from the Mascarene source. <i>Theoretical and Applied Genetics</i> , 2005, 111, 347-359.	1.8	25
2796	A new aluminum tolerance gene located on rye chromosome arm 7RS. <i>Theoretical and Applied Genetics</i> , 2005, 111, 360-369.	1.8	45
2797	Genetic mapping of a cross between <i>Gossypium hirsutum</i> (cotton) and the Hawaiian endemic, <i>Gossypium tomentosum</i> . <i>Theoretical and Applied Genetics</i> , 2005, 111, 665-676.	1.8	37
2798	Identification of quantitative trait loci for race-nonspecific resistance to tan spot in wheat. <i>Theoretical and Applied Genetics</i> , 2005, 111, 386-392.	1.8	99
2799	Fine mapping of the rice low phytic acid (Lpa1) locus. <i>Theoretical and Applied Genetics</i> , 2005, 111, 489-495.	1.8	22
2800	Molecular mapping of <i>Fusarium</i> head blight resistance in the winter wheat population Dream/Lynx. <i>Theoretical and Applied Genetics</i> , 2005, 111, 747-756.	1.8	137
2801	A wheat intervarietal genetic linkage map based on microsatellite and target region amplified polymorphism markers and its utility for detecting quantitative trait loci. <i>Theoretical and Applied Genetics</i> , 2005, 111, 782-794.	1.8	123
2802	Expressions of rice sucrose non-fermenting-1 related protein kinase 1 genes are differently regulated during the caryopsis development. <i>Plant Physiology and Biochemistry</i> , 2005, 43, 669-679.	2.8	36
2803	Identification and fine mapping of a mutant gene for palealess spikelet in rice. <i>Planta</i> , 2005, 221, 222-230.	1.6	44
2804	Characterizations and fine mapping of a mutant gene for high tillering and dwarf in rice ( <i>Oryza sativa</i> ) Tj ETQq1 1 0,784314 rgBT /Overl E16 1.6	1.6	16
2805	Two naturally occurring deletion mutants of 12S seed storage proteins in <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2005, 222, 512-520.	1.6	12
2806	Characterization and mapping of Rpi1, a gene that confers dominant resistance to stalk rot in maize. <i>Molecular Genetics and Genomics</i> , 2005, 274, 229-234.	1.0	24

#	ARTICLE	IF	CITATIONS
2807	High-resolution mapping, cloning and molecular characterization of the Pi-k h gene of rice, which confers resistance to Magnaporthe grisea. <i>Molecular Genetics and Genomics</i> , 2005, 274, 569-578.	1.0	189
2808	Comparative analysis in cereals of a key proline catabolism gene.. <i>Molecular Genetics and Genomics</i> , 2005, 274, 494-505.	1.0	25
2810	An Arabidopsis mutant that is resistant to the protoporphyrinogen oxidase inhibitor acifluorfen shows regulatory changes in tetrapyrrole biosynthesis. <i>Molecular Genetics and Genomics</i> , 2005, 273, 311-318.	1.0	31
2811	The keeshond defect in cardiac conotruncal development is oligogenic1. <i>Human Genetics</i> , 2005, 116, 368-377.	1.8	29
2812	Pi34-AVRPi34: a new gene-for-gene interaction for partial resistance in rice to blast caused by Magnaporthe grisea. <i>Journal of General Plant Pathology</i> , 2005, 71, 395-401.	0.6	38
2813	Construction of a cucumber genetic linkage map with SRAP markers and location of the genes for lateral branch traits. <i>Science in China Series C: Life Sciences</i> , 2005, 48, 213-220.	1.3	27
2814	QTL mapping of resistance to sheath blight in maize ( <i>Zea mays</i> L.). <i>Science Bulletin</i> , 2005, 50, 782-787.	1.7	3
2815	Analysis of the distribution of marker classes in a genetic linkage map: a case study in Norway spruce ( <i>Picea abies</i> karst). <i>Tree Genetics and Genomes</i> , 2005, 1, 93-102.	0.6	15
2816	Low efficiency of pseudotestcross mapping design was consistent with limited genetic diversity and low heterozygosity in hoop pine ( <i>Araucaria cunninghamii</i> , Araucariaceae). <i>Tree Genetics and Genomes</i> , 2005, 1, 124-134.	0.6	8
2817	Identification of QTL controlling adventitious root formation during flooding conditions in teosinte ( <i>Zea mays</i> ssp. <i>huehuetenangensis</i> ) seedlings. <i>Euphytica</i> , 2005, 142, 33-42.	0.6	94
2818	Mapping Co, a gene controlling the columnar phenotype of apple, with molecular markers. <i>Euphytica</i> , 2005, 145, 181-188.	0.6	41
2819	Inter-subspecific maps of non-brittle rachis genes btr1/btr2 using occidental, oriental and wild barley lines. <i>Euphytica</i> , 2005, 145, 215-220.	0.6	15
2820	Molecular mapping of <i>Aegilops speltoides</i> derived leaf rust resistance gene Lr28 in wheat. <i>Euphytica</i> , 2005, 143, 19-26.	0.6	61
2821	An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement: The basic concepts. <i>Euphytica</i> , 2005, 142, 169-196.	0.6	1,324
2822	Molecular mapping of the fertility restoration locus Rf1 in sunflower and development of diagnostic markers for the restorer gene. <i>Euphytica</i> , 2005, 143, 35-42.	0.6	31
2824	Quantitative trait loci (QTL) of stem strength and related traits in a doubled-haploid population of wheat ( <i>Triticum aestivum</i> L.). <i>Euphytica</i> , 2005, 141, 1-9.	0.6	75
2825	SSR markers associated with fertility restoration genes against <i>Triticum timopheevii</i> cytoplasm in <i>Triticum aestivum</i> . <i>Euphytica</i> , 2005, 141, 33-40.	0.6	22
2826	Mapping QTLs of traits contributing to yield and analysis of genetic effects in tetraploid cotton. <i>Euphytica</i> , 2005, 144, 141-149.	0.6	46

#	ARTICLE	IF	CITATIONS
2827	Genetic mapping of AFLP markers in Japanese bunching onion ( <i>Allium fistulosum</i> ). <i>Euphytica</i> , 2005, 144, 255-263.	0.6	34
2828	Molecular markers and allelic relationships of anthracnose resistance gene cluster B4 in common bean. <i>Euphytica</i> , 2005, 141, 237-245.	0.6	61
2829	Markers linked to the bc-3 gene conditioning resistance to bean common mosaic potyviruses in common bean. <i>Euphytica</i> , 2005, 144, 291-299.	0.6	37
2830	Genetic analysis of pre-harvest sprouting in a durum wheat cross. <i>Euphytica</i> , 2005, 143, 261-264.	0.6	12
2831	Genetic mapping of a PRSV-P resistance gene in 'highland papaya' based on inheritance of RAF markers. <i>Euphytica</i> , 2005, 145, 11-23.	0.6	24
2832	Ontogenetics of QTL: the genetic architecture of trichome density over time in <i>Arabidopsis thaliana</i> . <i>Genetica</i> , 2005, 123, 75-85.	0.5	36
2833	Epistasis and genotype-environment interaction for quantitative trait loci affecting flowering time in <i>Arabidopsis thaliana</i> . <i>Genetica</i> , 2005, 123, 87-105.	0.5	66
2834	<i>Secale cereale</i> inter-microsatellites (SCIMs): chromosomal location and genetic inheritance. <i>Genetica</i> , 2005, 123, 303-311.	0.5	15
2835	AFLP and RFLP linkage map in <i>Coix</i> . <i>Genetic Resources and Crop Evolution</i> , 2005, 52, 209-214.	0.8	15
2836	Isolation of (AC) <sub>n</sub> -microsatellites in <i>Vitis vinifera</i> L. and analysis of genetic background in grapevines under marker assisted selection. <i>Molecular Breeding</i> , 2005, 15, 11-20.	1.0	78
2837	Molecular mapping of QTLs for fiber qualities in three diverse lines in Upland cotton using SSR markers. <i>Molecular Breeding</i> , 2005, 15, 169-181.	1.0	227
2838	Molecular genetic mapping of a high-lysine mutant gene (opaque-16) and the double recessive effect with opaque-2 in maize. <i>Molecular Breeding</i> , 2005, 15, 257-269.	1.0	51
2839	Characterisation of genome regions incorporated from an important wild relative into Australian sugarcane. <i>Molecular Breeding</i> , 2005, 15, 367-381.	1.0	47
2840	Molecular characterization of the allelic variation at the VRN-H2 vernalization locus in barley. <i>Molecular Breeding</i> , 2005, 15, 395-407.	1.0	102
2841	Discovery, localization, and sequence characterization of molecular markers for the crown rust resistance genes Pc38, Pc39, and Pc48 in cultivated oat ( <i>Avena sativa</i> L.). <i>Molecular Breeding</i> , 2005, 14, 349-361.	1.0	8
2842	QTLs for nutritional contents of rice seedlings ( <i>Oryza sativa</i> L.) in solution cultures and its implication to tolerance to iron-toxicity. <i>Plant and Soil</i> , 2005, 275, 57-66.	1.8	29
2843	Identification and mapping of polymorphic RAPD markers of pea ( <i>Pisum sativum</i> L.) genome. <i>Russian Journal of Genetics</i> , 2005, 41, 262-268.	0.2	5
2844	Identification and mapping of yield and yield related QTLs from an Indian accession of <i>Oryza rufipogon</i> . <i>BMC Genetics</i> , 2005, 6, 33.	2.7	125

#	ARTICLE	IF	CITATIONS
2845	Mapping of QTLs for Bolting Time in <i>Brassica rapa</i> (syn. <i>campestris</i> ) under Different Environmental Conditions. <i>Breeding Science</i> , 2005, 55, 127-133.	0.9	33
2847	Comparison of QTLs for Early Elongation Ability between Two Floating Rice Cultivars with a Different Phylogenetic Origin. <i>Breeding Science</i> , 2005, 55, 1-5.	0.9	20
2848	Molecular Characterization of Slow Leaf-Rusting Resistance in Wheat. <i>Crop Science</i> , 2005, 45, 758-765.	0.8	46
2849	Utilization of the CAPS/dCAPS Method to Convert Rice SNPs into PCR-based Markers. <i>Breeding Science</i> , 2005, 55, 93-98.	0.9	39
2850	QTL Mapping of Antibiosis Resistance to Common Cutworm ( <i>Spodoptera litura</i> Fabricius) in Soybean. <i>Crop Science</i> , 2005, 45, 2044-2048.	0.8	44
2851	Mapping QTL for Individual and Total Isoflavone Content in Soybean Seeds. <i>Crop Science</i> , 2005, 45, 2454-2464.	0.8	105
2852	Fine Scale and Physical Mapping of Spk(t) Controlling Spreading Stub in Rice. <i>Breeding Science</i> , 2005, 55, 237-239.	0.9	9
2853	Molecular and Genetic Characterization of <i>Nicotiana glutinosa</i> L. Chromosome Segments in Tobacco mosaic virus -Resistant Tobacco Accessions. <i>Crop Science</i> , 2005, 45, 2355-2362.	0.8	26
2854	Identification of Male-Specific AFLP Markers in Dioecious Texas Bluegrass. <i>Crop Science</i> , 2005, 45, 2529-2539.	0.8	13
2855	Production of Doubled Haploid Lines for Genetic Analysis of Useful Characters of Malting Barley. <i>Japanese Journal of Crop Science</i> , 2005, 74, 444-449.	0.1	2
2856	Analysis of Genetic Factors Influencing the Developmental Rate of Globally Important CIMMYT Wheat Cultivars. <i>Crop Science</i> , 2005, 45, 2113-2119.	0.8	63
2857	Identification of QTL Associated with White Mold Resistance in Common Bean. <i>Crop Science</i> , 2005, 45, 2482-2490.	0.8	70
2859	Development of Microsatellite Markers by ISSR-suppression-PCR Method in <i>Brassica rapa</i> . <i>Breeding Science</i> , 2005, 55, 247-252.	0.9	15
2860	Assessment of Inter Simple Sequence Repeat Markers to Differentiate Sympatric Wild and Domesticated Populations of Common Bean. <i>Crop Science</i> , 2005, 45, 606-615.	0.8	48
2861	Quantitative Trait Loci Associated with Seed Dormancy in Rice. <i>Crop Science</i> , 2005, 45, 712-716.	0.8	40
2862	Identification, Mapping, and Economic Evaluation of QTLs Encoding Root Maggot Resistance in <i>Brassica</i> . <i>Crop Science</i> , 2005, 45, crops2005.0371.	0.8	14
2863	The Origin of Weedy Rice Ludao in China Deduced by Genome Wide Analysis of Its Hybrid Sterility Genes. <i>Breeding Science</i> , 2005, 55, 409-414.	0.9	25
2864	Mapping of a Major Resistance Gene to the Brown Planthopper in the Rice Cultivar Rathu Heenati. <i>Breeding Science</i> , 2005, 55, 391-396.	0.9	115

#	ARTICLE	IF	CITATIONS
2865	Mapping of genetic determinants of the sympathoneural response to stress. <i>Physiological Genomics</i> , 2005, 20, 183-187.	1.0	13
2866	Rapid Construction of a Linkage Map using High-efficiency Genome Scanning/AFLP and RAPD, Based on an Intraspecific, Doubled-haploid Population of <i>Capsicum annuum</i> . <i>Breeding Science</i> , 2005, 55, 287-295.	0.9	30
2867	QTL Mapping of Adventitious Root Formation under Flooding Conditions in Tropical Maize ( <i>Zea mays</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.9	61
2868	Quantitative Trait Loci for Cuticular Hydrocarbons Associated With Sexual Isolation Between <i>Drosophila simulans</i> and <i>D. sechellia</i> . <i>Genetics</i> , 2005, 171, 1789-1798.	1.2	57
2869	Survey and Analysis of Microsatellites in the Silkworm, <i>Bombyx mori</i> . <i>Genetics</i> , 2005, 169, 197-214.	1.2	70
2870	FRIGIDA-Independent Variation in Flowering Time of Natural <i>Arabidopsis thaliana</i> Accessions. <i>Genetics</i> , 2005, 170, 1197-1207.	1.2	138
2871	A Genetic Linkage Map for the Tiger Pufferfish, <i>Takifugu rubripes</i> . <i>Genetics</i> , 2005, 171, 227-238.	1.2	93
2872	Comparative genome analyses of <i>Arabidopsis</i> spp.: Inferring chromosomal rearrangement events in the evolutionary history of <i>A. thaliana</i> . <i>Genome Research</i> , 2005, 15, 505-515.	2.4	147
2873	Two Quantitative Trait Loci for Prepulse Inhibition of Startle Identified on Mouse Chromosome 16 Using Chromosome Substitution Strains. <i>Genetics</i> , 2005, 171, 1895-1904.	1.2	34
2875	Epistatic Pleiotropy and the Genetic Architecture of Covariation Within Early and Late-Developing Skull Trait Complexes in Mice. <i>Genetics</i> , 2005, 171, 683-694.	1.2	76
2876	Epistasis for Fitness-Related Quantitative Traits in <i>Arabidopsis thaliana</i> Grown in the Field and in the Greenhouse. <i>Genetics</i> , 2005, 171, 2013-2027.	1.2	143
2877	CARHTA GENE: multipopulation integrated genetic and radiation hybrid mapping. <i>Bioinformatics</i> , 2005, 21, 1703-1704.	1.8	403
2878	FEMALE STERILITY IN HYBRIDS BETWEEN <i>ANOPHELES GAMBIAE</i> AND <i>A. ARABIENSIS</i> , AND THE CAUSES OF HALDANE'S RULE. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1016.	1.1	3
2879	QUANTITATIVE TRAIT LOCI AFFECTING $\delta^{13}C$ AND RESPONSE TO DIFFERENTIAL WATER AVAILABILITY IN <i>ARABIDOPSIS THALIANA</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 81.	1.1	1
2880	Isolation and Characterization of a Rice Mutant Hypersensitive to Al. <i>Plant and Cell Physiology</i> , 2005, 46, 1054-1061.	1.5	41
2881	Transmission Ratio Distortion in Intraspecific Hybrids of <i>Mimulus guttatus</i> . <i>Genetics</i> , 2005, 170, 375-386.	1.2	99
2882	Epistasis and genotype-environment interaction for quantitative trait loci affecting flowering time in <i>Arabidopsis thaliana</i> . , 2005, , 87-105.		4
2883	Genome-Wide Characterization of <i>Leishmania thermophila</i> Chromosome Breakage Sites. II. Physical and Genetic Mapping Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession nos. AY653004, AY653005, AY653006, AY653007, AY653008, AY653009, AY653010, AY653011, AY653012, AY653013, AY653014, AY653015, AY653016, AY653017, AY653018, AY653019, AY653020, AY653021, AY653022, AY653023, AY653024, AY653025, AY653026, AY653027, AY653028, AY653029. <i>Genetics</i> , 2005, 170, 1623-1631.	1.2	18



#	ARTICLE	IF	CITATIONS
2884	Chromosomal Mapping of Quantitative Trait Loci Controlling Elastin Content in Rat Aorta. Hypertension, 2005, 45, 460-466.	1.3	18
2885	Quantitative Genetics of Vector Competence for La Crosse Virus and Body Size in <i>Ochlerotatus hendersoni</i> and <i>Ochlerotatus triseriatus</i> Interspecific Hybrids. Genetics, 2005, 169, 1529-1539.	1.2	19
2886	Methodological aspects of the genetic dissection of gene expression. Bioinformatics, 2005, 21, 2383-2393.	1.8	56
2887	Genomewide Linkage Analysis Identifies Novel Genetic Loci for Lung Function in Mice. American Journal of Respiratory and Critical Care Medicine, 2005, 171, 880-888.	2.5	38
2888	Sucrose-Specific Induction of Anthocyanin Biosynthesis in Arabidopsis Requires the MYB75/PAP1 Gene. Plant Physiology, 2005, 139, 1840-1852.	2.3	593
2889	Mapping of QTLs for androgenetic response based on a molecular genetic map of <i>Å-Triticosecale</i> Wittmack. Genome, 2005, 48, 999-1009.	0.9	46
2890	Mapping of genes expressed in <i>Fusarium graminearum</i> -infected heads of wheat cultivar 'Frontana'. Genome, 2005, 48, 88-96.	0.9	28
2891	Inheritance and Molecular Mapping of Barley Genes Conferring Resistance to Wheat Stripe Rust. Phytopathology, 2005, 95, 884-889.	1.1	29
2892	Consensus genetic maps: a graph theoretic approach. , 2005, , 35-43.		14
2893	Genetic analysis and molecular mapping of a pale flower allele at the <i>W4</i> locus in soybean. Genome, 2005, 48, 334-340.	0.9	23
2894	Aphid Resistance in <i>Medicago truncatula</i> Involves Antixenosis and Phloem-Specific, Inducible Antibiosis, and Maps to a Single Locus Flanked by NBS-LRR Resistance Gene Analogs. Plant Physiology, 2005, 137, 1445-1455.	2.3	205
2895	Quantitative Trait Loci Analysis of Resistance to <i>Sclerotinia sclerotiorum</i> in Sunflower. Phytopathology, 2005, 95, 834-839.	1.1	29
2897	The Enlarged Population of Marginal Zone/CD1d <sup>high</sup> B Lymphocytes in Nonobese Diabetic Mice Maps to Diabetes Susceptibility Region Idd11. Journal of Immunology, 2005, 174, 4821-4827.	0.4	55
2898	Autoimmune Alterations Induced by the New Zealand Black Lbw2 Locus in BWF1 Mice. Journal of Immunology, 2005, 174, 5065-5073.	0.4	21
2899	Sex-Specific Effect of Insulin-Dependent Diabetes 4 on Regulation of Diabetes Pathogenesis in the Nonobese Diabetic Mouse. Journal of Immunology, 2005, 174, 7129-7140.	0.4	26
2900	The Genetic Basis for Inflorescence Variation Between Foxtail and Green Millet (Poaceae). Genetics, 2005, 169, 1659-1672.	1.2	80
2901	Complexities of Chromosome Landing in a Highly Duplicated Genome: Toward Map-Based Cloning of a Gene Controlling Blackleg Resistance in <i>Brassica napus</i> . Genetics, 2005, 171, 1977-1988.	1.2	80
2902	Molecular Maps in Cereals: Methodology and Progress. , 2004, , 35-82.		5

#	ARTICLE	IF	CITATIONS
2903	A Gene(s) for All-trans-Retinoic Acid-Induced Forelimb Defects Mapped and Confirmed to Murine Chromosome 11. <i>Genetics</i> , 2005, 170, 345-353.	1.2	11
2904	Expression Quantitative Trait Loci Analysis of 13 Genes in the Rat Prostate. <i>Genetics</i> , 2005, 171, 1231-1238.	1.2	33
2905	Fine-Mapping Gene-by-Diet Interactions on Chromosome 13 in a LG/J x SM/J Murine Model of Obesity. <i>Diabetes</i> , 2005, 54, 1863-1872.	0.3	49
2906	Linkage and Microarray Analyses of Susceptibility Genes in ACI/Seg Rats: A Model for Prostate Cancers in the Aged. <i>Cancer Research</i> , 2005, 65, 2610-2616.	0.4	20
2907	Linkage Mapping of 1454 New Maize Candidate Gene Loci. <i>Genetics</i> , 2005, 170, 1957-1966.	1.2	74
2908	Mapping With a Few Plants: Using Selective Mapping for Microsatellite Saturation of the Prunus Reference Map. <i>Genetics</i> , 2005, 171, 1305-1309.	1.2	180
2909	An Integrated Genetic and Physical Map for the Malaria Vector <i>Anopheles funestus</i> . <i>Genetics</i> , 2005, 171, 1779-1787.	1.2	20
2910	LOCI AFFECTING LONG-TERM HYBRID SURVIVORSHIP IN LOUISIANA IRISES: IMPLICATIONS FOR REPRODUCTIVE ISOLATION AND INTROGRESSION. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2116.	1.1	12
2911	Quantitative trait locus mapping and DNA array hybridization identify an FLM deletion as a cause for natural flowering-time variation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2460-2465.	3.3	174
2912	Soybean Phytophthora Resistance Gene Rps8 Maps Closely to the Rps3 Region. <i>Journal of Heredity</i> , 2005, 96, 536-541.	1.0	69
2913	New Arabidopsis Recombinant Inbred Lines ( <i>Landsberg erecta</i> × <i>Nossen</i> ) Reveal Natural Variation in Phytochrome-Mediated Responses. <i>Plant Physiology</i> , 2005, 138, 1126-1135.	2.3	20
2914	Chromosomal Assignment of RFLP Linkage Groups Harboring Important QTLs on an Intraspecific Cotton ( <i>Gossypium hirsutum</i> L.) Joinmap. <i>Journal of Heredity</i> , 2005, 96, 132-144.	1.0	127
2915	Simple sequence repeat-based consensus linkage map of <i>Bombyx mori</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16303-16308.	3.3	108
2916	Characterization and Molecular Mapping of Genes Determining Semidwarfism in Barley. <i>Journal of Heredity</i> , 2005, 96, 654-662.	1.0	30
2917	The TIP GROWTH DEFECTIVE1 Acyl Transferase Regulates Plant Cell Growth in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 2554-2563.	3.1	133
2918	Identification and Validation of Loci and Candidate Genes Linked to Cardiac Hypertrophy. , 2005, 112, 321-337.		0
2919	Quantitative Trait Loci for Rice Phyllochron in Lemont × IR36 Cross. <i>Plant Production Science</i> , 2005, 8, 199-202.	0.9	7
2920	Microsatellite markers linked to 2 powdery mildew resistance genes introgressed from <i>Triticum carthlicum</i> accession PS5 into common wheat. <i>Genome</i> , 2005, 48, 585-590.	0.9	99

#	ARTICLE	IF	CITATIONS
2921	Segmental Structure of the Brassica napus Genome Based on Comparative Analysis With Arabidopsis thaliana. Genetics, 2005, 171, 765-781.	1.2	516
2922	Molecular Mapping of Rice Blast Resistance Gene Pi-kh in the Rice Variety Tetep. Journal of Plant Biochemistry and Biotechnology, 2005, 14, 127-133.	0.9	42
2923	Assessment of the Effect of Age at Onset on Linkage to Bipolar Disorder: Evidence on Chromosomes 18p and 21q. American Journal of Human Genetics, 2005, 77, 545-555.	2.6	47
2926	Genetic aspects of rheumatic diseases. Scandinavian Journal of Rheumatology, 2005, 34, 167-177.	0.6	8
2927	Molecular mapping of the chlorophyll retainer mutation in pepper (Capsicum) Tj ETQq0 0 0 rgBT /Overlock 10 T chlorophyll catabolism pathway. Genome, 2005, 48, 347-351.	0.9	44
2928	Composite genome map and recombination parameters derived from three archetypal lineages of Toxoplasma gondii. Nucleic Acids Research, 2005, 33, 2980-2992.	6.5	147
2929	Genomic analysis of a region encompassing QRfs1 and QRfs2: genes that underlie soybean resistance to sudden death syndrome. Genome, 2005, 48, 125-138.	0.9	60
2930	Molecular mapping of QTLs for resistance to Gibberella ear rot, in corn, caused by Fusarium graminearum. Genome, 2005, 48, 521-533.	0.9	76
2931	Inheritance and QTL analysis of durable resistance to stripe and leaf rusts in an Australian cultivar, Triticum aestivum 'Cook'. Genome, 2005, 48, 97-107.	0.9	70
2932	Evaluation of insulin resistance linkage to rat chromosome 4 in SHR of a Japanese colony. Biochemical and Biophysical Research Communications, 2005, 329, 879-887.	1.0	7
2933	Genetic linkage map of medaka with polymerase chain reaction length polymorphisms. Gene, 2005, 363, 24-31.	1.0	31
2934	Interspecific transferability and comparative mapping of barley EST-SSR markers in wheat, rye and rice. Plant Science, 2005, 168, 195-202.	1.7	266
2935	Mapping of verticillium wilt resistance genes in cotton. Plant Science, 2005, 168, 1581-1590.	1.7	156
2936	Identification of QTLs for germination and seedling development in sunflower (Helianthus annuus L.). Plant Science, 2005, 169, 221-227.	1.7	24
2937	A transposon-induced spontaneous mutation results in low Î²-amylase content in rice. Plant Science, 2005, 169, 239-244.	1.7	14
2938	Molecular analyses on the genetic diversity and inheritance of (âˆ“)Î±-bisabolol and chamazulene content in tetraploid chamomile (Chamomilla recutita (L.) Rausch.). Plant Science, 2005, 169, 917-927.	1.7	31
2939	Constitutive expression of the Flavanone 3-hydroxylase gene related to pathotype-specific ascochyta blight resistance in Cicer arietinum L.. Physiological and Molecular Plant Pathology, 2005, 67, 100-107.	1.3	34
2940	Construction of AFLP-based genetic linkage map for Zhikong scallop, Chlamys farreri Jones et Preston and mapping of sex-linked markers. Aquaculture, 2005, 245, 63-73.	1.7	84

#	ARTICLE	IF	CITATIONS
2941	Composite interval mapping reveals three QTL associated with pyloric caeca number in rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Aquaculture</i> , 2005, 247, 85-95.	1.7	32
2942	Genetic loci for ventricular dilatation in the LEW/Jms rat with fetal-onset hydrocephalus are influenced by gender and genetic background. <i>Cerebrospinal Fluid Research</i> , 2005, 2, 2.	0.5	8
2943	Construction of a cucumber genetic linkage map with SRAP markers and location of the genes for lateral branch traits. <i>Science in China Series C: Life Sciences</i> , 2005, 48, 213.	1.3	6
2944	Mapping quantitative trait loci controlling agronomic traits in the spring wheat cross RL4452 × 'AC Domain'. <i>Genome</i> , 2005, 48, 870-883.	0.9	236
2945	Identification of Quantitative Trait Loci for Cardiac Hypertrophy in Two Different Strains of the Spontaneously Hypertensive Rat. <i>Hypertension Research</i> , 2005, 28, 273-281.	1.5	14
2946	A new intervarietal linkage map and its application for quantitative trait locus analysis of "gigas" features in bread wheat. <i>Genome</i> , 2005, 48, 65-75.	0.9	57
2948	<i>Molecular Cardiology.</i> , 2005, , .		0
2949	<i>Insects As Natural Enemies.</i> , 2005, , .		57
2950	<i>Molecular Markers in Genetics and Breeding: Improvement of Alfalfa (Medicago sativa L.).</i> , 2004, , 139-154.		3
2951	Genes and Susceptibility to Leishmaniasis. <i>Advances in Parasitology</i> , 2005, 59, 1-75.	1.4	20
2952	Identification of quantitative trait loci for resistance to two species of root-lesion nematode ( <i>Pratylenchus thornei</i> and <i>P. neglectus</i> ) in wheat. <i>Australian Journal of Agricultural Research</i> , 2005, 56, 345.	1.5	45
2953	Genetic characterization of QTL associated with resistance to <i>Fusarium</i> head blight in a doubled-haploid spring wheat population. <i>Genome</i> , 2005, 48, 187-196.	0.9	140
2954	A genetic linkage map in autotetraploid lucerne adapted to northern Australia, and use of the map to identify DNA markers linked to resistance to <i>Phytophthora medicaginis</i> . <i>Australian Journal of Agricultural Research</i> , 2005, 56, 333.	1.5	19
2955	Development and validation of molecular markers linked to an <i>Aegilops umbellulata</i> -derived leaf-rust-resistance gene, <i>Lr9</i> , for marker-assisted selection in bread wheat. <i>Genome</i> , 2005, 48, 823-830.	0.9	57
2956	Loci affecting flowering time in oat under short-day conditions. <i>Genome</i> , 2006, 49, 1528-1538.	0.9	25
2957	Identification of Quantitative Trait Loci That Regulate Arabidopsis Root System Size and Plasticity. <i>Genetics</i> , 2006, 172, 485-498.	1.2	77
2958	Characterization of genetic loci conferring adult plant resistance to leaf rust and stripe rust in spring wheat. <i>Genome</i> , 2006, 49, 977-990.	0.9	168
2959	<i>Barley.</i> , 2006, , 155-210.		2

#	ARTICLE	IF	CITATIONS
2961	Molecular mapping of the shrunken endosperm genes <i>seg8</i> and <i>sex1</i> in barley ( <i>Hordeum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10	0.9	16
2962	Seed and agronomic QTL in low linolenic acid, lipoxygenase-free soybean ( <i>Glycine max</i> (L.) Merrill) germplasm. <i>Genome</i> , 2006, 49, 1510-1527.	0.9	194
2963	Pleiotropic Effects of the Duplicate Maize FLORICAULA/LEAFY Genes <i>zfl1</i> and <i>zfl2</i> on Traits Under Selection During Maize Domestication. <i>Genetics</i> , 2006, 172, 519-531.	1.2	110
2964	Primary Genetic Linkage Maps of the Ascidian, <i>Ciona intestinalis</i> . <i>Zoological Science</i> , 2006, 23, 31-39.	0.3	20
2965	The <i>Sbm1</i> locus conferring resistance to Soil-borne cereal mosaic virus maps to a gene-rich region on 5DL in wheat. <i>Genome</i> , 2006, 49, 1140-1148.	0.9	34
2966	A recombinational portrait of the <i>Drosophila pseudoobscura</i> genome. <i>Genetical Research</i> , 2006, 87, 23-31.	0.3	42
2967	Use of Nipponbare BAC Clones for Physical Mapping of an <i>R</i> Gene Locus in Rice. , 2007, 354, 45-56.		1
2968	Partial mapping of avirulence genes AVR-Pii and AVR-Pi in the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Canadian Journal of Plant Pathology</i> , 2006, 28, 494-498.	0.8	15
2969	Integrating Biology with Rat Genomic Tools. , 2006, , 679-692.		1
2970	Identification and mapping of disease-resistance QTLs in the eastern oyster, <i>Crassostrea virginica</i> Gmelin. <i>Aquaculture</i> , 2006, 254, 160-170.	1.7	82
2971	Analysis of QTLs for seed low temperature germinability and anoxia germinability in rice ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.8	121
2972	Structure, expression, and mapping of two nodule-specific genes identified by mining public soybean EST databases. <i>Gene</i> , 2006, 383, 71-80.	1.0	9
2973	Identification of a quantitative trait locus on rat chromosome 4 that is strongly linked to femoral neck structure and strength. <i>Bone</i> , 2006, 39, 93-99.	1.4	26
2974	A microsatellite-based genetic linkage map of the waterflea, <i>Daphnia pulex</i> : On the prospect of crustacean genomics. <i>Genomics</i> , 2006, 88, 415-430.	1.3	76
2975	Isolation of a novel lateral-rootless mutant in rice ( <i>Oryza sativa</i> L.) with reduced sensitivity to auxin. <i>Plant Science</i> , 2006, 170, 70-77.	1.7	38
2976	Genetic dissection of the seed dormancy trait in cultivated rice ( <i>Oryza sativa</i> L.). <i>Plant Science</i> , 2006, 170, 786-792.	1.7	74
2977	High-resolution linkage mapping for the non-brittle rachis locus <i>btr1</i> in cultivated $\bar{A}$ - wild barley ( <i>Hordeum vulgare</i> ). <i>Plant Science</i> , 2006, 170, 1087-1094.	1.7	18
2978	Mapping of QTLs for Physicochemical Properties in Japonica Rice. <i>Breeding Science</i> , 2006, 56, 253-260.	0.9	38

#	ARTICLE	IF	CITATIONS
2979	Structural and Functional Abnormalities of Retinal Ribbon Synapses due to Cacna2d4 Mutation. , 2006, 47, 3523.		118
2980	EVALUATION OF A MAPPING STRATEGY BASED ON SYNTENY: USING THE PRUNUS REFERENCE MAP FOR APRICOT. Acta Horticulturae, 2006, , 295-300.	0.1	1
2981	QTL Analysis of Fusarium Head Blight Severity in Recombinant Inbred Population Derived from a Cross between Two-rowed Barley Varieties. Breeding Science, 2006, 56, 25-30.	0.9	25
2982	Construction of a Genetic Linkage Map for the Carnation by Using RAPD and SSR Markers and Mapping Quantitative Trait Loci (QTL) for Resistance to Bacterial Wilt Caused by Burkholderia caryophylli. Journal of the Japanese Society for Horticultural Science, 2006, 75, 166-172.	0.4	35
2983	IdentificaçãŁo de QTL associados Å simbiose entre Bradyrhizobium japonicum, B. elkanii e soja. Pesquisa Agropecuaria Brasileira, 2006, 41, 67-75.	0.9	15
2984	AntMap: Constructing Genetic Linkage Maps Using an Ant Colony Optimization Algorithm. Breeding Science, 2006, 56, 371-377.	0.9	113
2985	Fine Mapping of a Major Insect Resistance QTL in Soybean and its Interaction with Minor Resistance QTLs. Crop Science, 2006, 46, 1094-1099.	0.8	46
2986	Mapping QTLs for Field Resistance to Rice Blast in the Japanese Upland Rice Variety Norin 12. Breeding Science, 2006, 56, 415-418.	0.9	19
2987	Chromosomal Location of the Russian Wheat Aphid Resistance Gene, Dn5. Crop Science, 2006, 46, 630-636.	0.8	15
2988	Soybean Cultivars Resulted from More Recombination Events Than Unselected Lines in the Same Population. Crop Science, 2006, 46, 43-51.	0.8	15
2989	Single Nucleotide Polymorphisms and Insertion-Deletions for Genetic Markers and Anchoring the Maize Fingerprint Contig Physical Map. Crop Science, 2006, 46, 12-21.	0.8	51
2990	Genetic and Molecular Analysis of High Gamma-Tocopherol Content in Sunflower. Crop Science, 2006, 46, 2015-2021.	0.8	22
2991	Molecular Markers Associated with .BETA.-conglycinin Deficiency in Soybean. Breeding Science, 2006, 56, 113-117.	0.9	12
2992	Identification of Quantitative Trait Loci for Î 13 C and Productivity in Irrigated Lowland Rice. Crop Science, 2006, 46, 763-773.	0.8	45
2993	A Partial Genetic Map of Stylosanthes Developed Using Inter-Specific F2 Cross. Cytologia, 2006, 71, 353-358.	0.2	4
2994	Confirmation of sable QTL that modifies the effects of the Ay allele on yellow coat color on mouse chromosome 1. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2006, 82, 165-173.	1.6	1
2995	Genetics of Symbiosis in Lotus japonicus: Recombinant Inbred Lines, Comparative Genetic Maps, and Map Position of 35 Symbiotic Loci. Molecular Plant-Microbe Interactions, 2006, 19, 80-91.	1.4	94
2996	Multiple Resistance Traits Control Plum pox virus Infection in Arabidopsis thaliana. Molecular Plant-Microbe Interactions, 2006, 19, 541-549.	1.4	101

#	ARTICLE	IF	CITATIONS
2997	RMo1 Confers Blast Resistance in Barley and Is Located within the Complex of Resistance Genes Containing Mla, a Powdery Mildew Resistance Gene. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 1034-1041.	1.4	31
2998	Identification and Characterization of Random Amplified Polymorphic DNA Markers Linked to a Major Gene (Cr2) for Resistance to <i>Cronartium ribicola</i> in <i>Pinus monticola</i> . <i>Phytopathology</i> , 2006, 96, 395-399.	1.1	30
2999	Molecular Characterization of a Powdery Mildew Resistance Gene in Wheat Cultivar Suwon 92. <i>Phytopathology</i> , 2006, 96, 496-500.	1.1	12
3000	Molecular Mapping of Loci Conferring Resistance to Different Pathotypes of the Spot Blotch Pathogen in Barley. <i>Phytopathology</i> , 2006, 96, 699-708.	1.1	46
3001	Molecular Mapping and Marker-Assisted Selection of Genes for Septoria Speckled Leaf Blotch Resistance in Barley. <i>Phytopathology</i> , 2006, 96, 993-999.	1.1	32
3002	New evidence from <i>Sinapis alba</i> L. for ancestral triplication in a crucifer genome. <i>Genome</i> , 2006, 49, 230-238.	0.9	23
3003	Genetic analysis infers <i>Dt</i> loci underlie resistance to <i>Fusarium solani</i> f. sp. <i>glycines</i> in indeterminate soybeans. <i>Canadian Journal of Plant Science</i> , 2006, 86, 83-90.	0.3	27
3004	Mapping genes for resistance to <i>Leptosphaeria maculans</i> in <i>Brassica juncea</i> . <i>Genome</i> , 2006, 49, 30-41.	0.9	56
3005	QTL Analysis for Resistance to Phytophthora Blight ( <i>Phytophthora capsici</i> Leon.) Using an Intraspecific Doubled-Haploid Population of <i>Capsicum annuum</i> . <i>Breeding Science</i> , 2006, 56, 137-145.	0.9	38
3006	Potential Application of TRAP (Targeted Region Amplified Polymorphism) Markers for Mapping and Tagging Disease Resistance Traits in Common Bean. <i>Crop Science</i> , 2006, 46, 910-916.	0.8	60
3007	Linkage and mapping of resistance genes to <i>Xanthomonas axonopodis</i> pv. <i>passiflorae</i> in yellow passion fruit. <i>Genome</i> , 2006, 49, 17-29.	0.9	26
3008	Chromosome structural changes in diploid and tetraploid A genomes of <i>Gossypium</i> . <i>Genome</i> , 2006, 49, 336-345.	0.9	71
3009	New eSSR and gSSR markers added to Australian barley maps. <i>Australian Journal of Agricultural Research</i> , 2006, 57, 953.	1.5	14
3010	Generation of SNP markers for short straw in oat ( <i>Avena sativa</i> L.). <i>Genome</i> , 2006, 49, 282-287.	0.9	24
3011	Corrigendum to: Genetic mapping of basal root gravitropism and phosphorus acquisition efficiency in common bean. <i>Functional Plant Biology</i> , 2006, 33, 207.	1.1	3
3012	Quantitative Trait Loci for Resistance to Banded Leaf and Sheath Blight in Maize. <i>Crop Science</i> , 2006, 46, 1039-1045.	0.8	42
3013	QTL Analysis of Adventitious Root Formation in Common Bean under Contrasting Phosphorus Availability. <i>Crop Science</i> , 2006, 46, 1609-1621.	0.8	147
3014	Quantitative Trait Loci for Root Architecture Traits Correlated with Phosphorus Acquisition in Common Bean. <i>Crop Science</i> , 2006, 46, 413-423.	0.8	221

#	ARTICLE	IF	CITATIONS
3015	Application of comparative genomics in developing molecular markers tightly linked to the virus resistance gene Rsv4 in soybean. <i>Genome</i> , 2006, 49, 380-388.	0.9	54
3017	Characterization of Cq3, a Quantitative Trait Locus that Controls Plasma Cholesterol and Phospholipid Levels in Mice. <i>Journal of Veterinary Medical Science</i> , 2006, 68, 303-309.	0.3	5
3018	SELECTIVE TRADE-OFFS AND SEX-CHROMOSOME EVOLUTION IN <i>SILENE LATIFOLIA</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 1793-1800.	1.1	53
3019	A CYTONUCLEAR INCOMPATIBILITY CAUSES ANTHHER STERILITY IN MIMULUS HYBRIDS. <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 1372-1381.	1.1	126
3020	Cloning, genetic and physical mapping of resistance gene analogs in barley ( <i>Hordeum vulgare</i> L.). <i>Plant Breeding</i> , 2006, 125, 32-42.	1.0	8
3021	Validation of two major quantitative trait loci for fusarium head blight resistance in Chinese wheat line W14. <i>Plant Breeding</i> , 2006, 125, 99-101.	1.0	99
3022	Identification of molecular markers associated with oleic and linolenic acid in spring oilseed rape ( <i>Brassica napus</i> ). <i>Plant Breeding</i> , 2006, 125, 65-71.	1.0	17
3023	Mapping a factor controlling the thermostability of seed lipoxygenase-1 in barley. <i>Plant Breeding</i> , 2006, 125, 231-235.	1.0	7
3024	Identification and comparative analysis of quantitative trait loci associated with parthenocarpy in processing cucumber. <i>Plant Breeding</i> , 2006, 125, 281-287.	1.0	44
3025	QTL analysis of resistance to <i>Fusarium</i> head blight in wheat using a 'Frontana'-derived population. <i>Plant Breeding</i> , 2006, 125, 313-317.	1.0	53
3026	Molecular mapping of a novel blast resistance gene Pi38 in rice using SSLP and AFLP markers. <i>Plant Breeding</i> , 2006, 125, 596-599.	1.0	38
3027	Identification of resistance gene analogs as markers of disease resistance loci in oats, using near-isogenic lines. <i>Plant Breeding</i> , 2006, 125, 347-351.	1.0	5
3028	QTL mapping of resistance in lentil ( <i>Lens culinaris</i> ssp. <i>culinaris</i> ) to ascochyta blight ( <i>Ascochyta</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 269	1.0	69
3029	ISSR and SCAR markers linked to the mungbean yellow mosaic virus (MYMV) resistance gene in blackgram [ <i>Vigna mungo</i> (L.) Hepper]. <i>Plant Breeding</i> , 2006, 125, 619-622.	1.0	59
3030	QTL analysis of flooding tolerance in soybean at an early vegetative growth stage. <i>Plant Breeding</i> , 2006, 125, 613-618.	1.0	103
3031	RATS WITH INHERITED STRESS-INDUCED ARTERIAL HYPERTENSION (ISIAH STRAIN) DISPLAY SPECIFIC QUANTITATIVE TRAIT LOCI FOR BLOOD PRESSURE AND FOR BODY AND KIDNEY WEIGHT ON CHROMOSOME 1. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 456-464.	0.9	29
3032	High recombination frequency creates genotypic diversity in colonies of the leaf-cutting ant <i>Acromyrmex echinator</i> . <i>Journal of Evolutionary Biology</i> , 2006, 19, 1475-1485.	0.8	35
3033	The genetic basis of intrinsic and extrinsic post-zygotic reproductive isolation jointly promoting speciation in the lake whitefish species complex ( <i>Coregonus clupeaformis</i> ). <i>Journal of Evolutionary Biology</i> , 2006, 19, 1979-1994.	0.8	108



#	ARTICLE	IF	CITATIONS
3034	Molecular Tagging and Mapping of Quantitative Trait Loci for Lint Percentage and Morphological Marker Genes in Upland Cotton. <i>Journal of Integrative Plant Biology</i> , 2006, 48, 320-326.	4.1	28
3035	Genetic Analysis and Gene-Mapping of Two Reduced-Culm-Number Mutants in Rice. <i>Journal of Integrative Plant Biology</i> , 2006, 48, 341-347.	4.1	23
3036	Identification and Mapping of Two New Genes Conferring Resistance to Powdery Mildew from <i>Aegilops tauschii</i> (Coss.) Schmal. <i>Journal of Integrative Plant Biology</i> , 2006, 48, 1204-1209.	4.1	22
3037	Inheritance and Gene Mapping of Resistance to Soybean Mosaic Virus Strain SC14 in Soybean. <i>Journal of Integrative Plant Biology</i> , 2006, 48, 1466-1472.	4.1	29
3038	Genetic and environmental interactions determine seizure susceptibility in epileptic EL mice. <i>Genes, Brain and Behavior</i> , 2006, 5, 518-527.	1.1	22
3039	Identifying loci under selection across contrasting environments in <i>Avena barbata</i> using quantitative trait locus mapping. <i>Molecular Ecology</i> , 2006, 15, 1321-1333.	2.0	79
3040	The maize mutation is a deletion in the 16-kDa $\alpha$ -zein gene that induces the unfolded protein response. <i>Plant Journal</i> , 2006, 48, 440-451.	2.8	74
3041	The <i>Tsn1</i> <i>ToxA</i> interaction in the wheat <i>Stagonospora nodorum</i> pathosystem parallels that of the wheat tan spot system. <i>Genome</i> , 2006, 49, 1265-1273.	0.9	149
3042	Common bunt resistance gene <i>Bt10</i> located on wheat chromosome 6D. <i>Canadian Journal of Plant Science</i> , 2006, 86, 1409-1412.	0.3	36
3043	Towards Positional Cloning in <i>Brassica napus</i> : Generation and Analysis of Doubled Haploid <i>B. rapa</i> Possessing the <i>B. napus</i> pol CMS and <i>Rfp</i> Nuclear Restorer Gene. <i>Plant Molecular Biology</i> , 2006, 61, 269-281.	2.0	17
3044	A single-base deletion in soybean flavonol synthase gene is associated with magenta flower color. <i>Plant Molecular Biology</i> , 2006, 63, 125-135.	2.0	58
3045	Genetic Linkage Maps and Genomic Organization in <i>Leptosphaeria maculans</i> . <i>European Journal of Plant Pathology</i> , 2006, 114, 17-31.	0.8	30
3046	QTLs for <i>Fusarium</i> head blight response in a wheat DH population of Wangshuibai/Alondra™. <i>Euphytica</i> , 2006, 146, 183-191.	0.6	72
3047	A QTL for early heading in wheat cultivar Suwon 92. <i>Euphytica</i> , 2006, 146, 233-237.	0.6	18
3048	An SSR-based molecular genetic map of cassava. <i>Euphytica</i> , 2006, 147, 433-440.	0.6	70
3049	A new QTL for <i>Ascochyta</i> blight resistance in an RIL population derived from an interspecific cross in chickpea. <i>Euphytica</i> , 2006, 149, 105-111.	0.6	70
3050	Identification of Quantitative Trait Loci Associated with Aluminum Tolerance in Rice ( <i>Oryza Sativa</i> L.). <i>Euphytica</i> , 2006, 150, 37-45.	0.6	20
3051	Potato Virus Y Resistance Gene, <i>Ry chc</i> , Mapped to the Distal End of Potato Chromosome 9. <i>Euphytica</i> , 2006, 149, 367-372.	0.6	65

#	ARTICLE	IF	CITATIONS
3052	Development and Validation of SCAR Markers Co-Segregating with an Agropyron Elongatum Derived Leaf Rust Resistance Gene Lr24 in Wheat. <i>Euphytica</i> , 2006, 150, 233-240.	0.6	60
3053	Molecular mapping and identification of QTL's associated to oat crown rust partial resistance. <i>Euphytica</i> , 2006, 150, 257-269.	0.6	15
3054	Microsatellite mapping of complementary genes for purple grain colour in bread wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0	0.6	82
3055	QTL analysis for grain weight in common wheat. <i>Euphytica</i> , 2006, 151, 135-144.	0.6	82
3056	Identification of a new hybrid sterility gene in rice ( <i>Oryza sativa</i> L.). <i>Euphytica</i> , 2006, 151, 331-337.	0.6	23
3057	AFLP and SCAR markers linked to the suppressor gene ( <i>Rf</i> ) of a dominant genetic male sterility in rapeseed ( <i>Brassica napus</i> L.). <i>Euphytica</i> , 2006, 151, 401-409.	0.6	13
3058	Inheritance of anthracnose resistance in the common bean cultivar Widusa. <i>Euphytica</i> , 2006, 151, 411-419.	0.6	64
3059	More precise map position and origin of a durable non-specific adult plant disease resistance against stripe rust ( <i>Puccinia striiformis</i> ) in wheat. <i>Euphytica</i> , 2006, 153, 1-10.	0.6	33
3060	SSR marker tightly linked to the Ti locus in Soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Euphytica</i> , 2006, 152, 361-366.	0.6	23
3061	QTL mapping of fiber quality in an elite hybrid derived-RIL population of upland cotton. <i>Euphytica</i> , 2006, 152, 367-378.	0.6	99
3062	Genetic mapping of quantitative resistance to race 5 of <i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> in common bean. <i>Euphytica</i> , 2006, 152, 397-404.	0.6	8
3063	QTL mapping for economic traits based on a dense genetic map of cotton with PCR-based markers using the interspecific cross of <i>Gossypium hirsutum</i> — <i>Gossypium barbadense</i> . <i>Euphytica</i> , 2006, 153, 181-197.	0.6	119
3064	Mapping of SMV resistance gene <i>Rsc-7</i> by SSR markers in soybean. <i>Genetica</i> , 2006, 128, 63-69.	0.5	59
3065	Development of a second-generation genetic linkage map for peach [ <i>Prunus persica</i> (L.) Batsch] and characterization of morphological traits affecting flower and fruit. <i>Tree Genetics and Genomes</i> , 2006, 3, 1-13.	0.6	121
3066	Defining the sunflower ( <i>Helianthus annuus</i> L.) linkage group ends with the Arabidopsis-type telomere sequence repeat-derived markers. <i>Chromosome Research</i> , 2006, 14, 535-548.	1.0	32
3067	Resistance Gene Analog Polymorphism (RGAP) Markers Co-Localize with Disease Resistance Genes and QTL in Common Bean. <i>Molecular Breeding</i> , 2006, 17, 127-135.	1.0	37
3068	Genetic Mapping of the <i>Tph1</i> Gene Controlling Beta-tocopherol Accumulation in Sunflower Seeds. <i>Molecular Breeding</i> , 2006, 17, 291-296.	1.0	25
3069	Identification of a major quantitative trait locus (QTL) for yellow spot ( <i>Mycovellosiella koepkei</i> ) disease resistance in sugarcane. <i>Molecular Breeding</i> , 2006, 19, 1-14.	1.0	51

#	ARTICLE	IF	CITATIONS
3070	Detection of QTLs Linked to Leaf and Smoke Properties in <i>Nicotiana glauca</i> Based on a Study of 114 Recombinant Inbred Lines. <i>Molecular Breeding</i> , 2006, 18, 69-91.	1.0	35
3071	ZmLrk-1, a receptor-like kinase induced by fungal infection in germinating seeds. <i>Planta</i> , 2006, 223, 1303-1314.	1.6	8
3072	Brittle stalk 2 encodes a putative glycosylphosphatidylinositol-anchored protein that affects mechanical strength of maize tissues by altering the composition and structure of secondary cell walls. <i>Planta</i> , 2006, 224, 1174-1184.	1.6	118
3073	Characterization and identification of the candidate gene of rice thermo-sensitive genic male sterile gene <i>tms5</i> by mapping. <i>Planta</i> , 2006, 225, 321-330.	1.6	52
3074	Gene expression and genetic mapping analyses of a perennial ryegrass glycine-rich RNA-binding protein gene suggest a role in cold adaptation. <i>Molecular Genetics and Genomics</i> , 2006, 275, 399-408.	1.0	56
3075	AFLP and PCR-based markers linked to <i>Rf3</i> , a fertility restorer gene for S cytoplasmic male sterility in maize. <i>Molecular Genetics and Genomics</i> , 2006, 276, 162-169.	1.0	23
3076	Wheat genome structure: translocations during the course of polyploidization. <i>Functional and Integrative Genomics</i> , 2006, 6, 71-80.	1.4	60
3077	Complex microcolinearity among wheat, rice, and barley revealed by fine mapping of the genomic region harboring a major QTL for resistance to <i>Fusarium</i> head blight in wheat. <i>Functional and Integrative Genomics</i> , 2006, 6, 83-89.	1.4	183
3078	Expression genetics and haplotype analysis reveal cis regulation of serine carboxypeptidase I ( <i>Cxp1</i> ), a candidate gene for malting quality in barley ( <i>Hordeum vulgare</i> L.). <i>Functional and Integrative Genomics</i> , 2006, 6, 25-35.	1.4	44
3079	Multiple genetic pathways for seed shattering in the grasses. <i>Functional and Integrative Genomics</i> , 2006, 6, 300-309.	1.4	120
3080	Single nucleotide polymorphism, genetic mapping, and expression of genes coding for the DOF wheat prolamins. <i>Functional and Integrative Genomics</i> , 2006, 6, 310-321.	1.4	32
3081	Construction of a linkage map of <i>Lentinula edodes</i> (shiitake) with the HEGS (high-efficiency genome) Tj ETQq1 1 0.784314 rgBT /Over lo 0.3 15		
3082	Quantitative trait loci for body size components in mice. <i>Mammalian Genome</i> , 2006, 17, 526-537.	1.0	69
3083	Mapping diabetes QTL in an intercross derived from a congenic strain of the Brown Norway and Goto-Kakizaki rats. <i>Mammalian Genome</i> , 2006, 17, 538-547.	1.0	14
3084	High resolution mapping of chromosomal regions controlling resistance to gastrointestinal nematode infections in an advanced intercross line of mice. <i>Mammalian Genome</i> , 2006, 17, 584-597.	1.0	21
3085	Quantitative trait loci for individual adipose depot weights in C57BL/6ByJ x 129P3/J F2 mice. <i>Mammalian Genome</i> , 2006, 17, 1065-1077.	1.0	30
3086	A locus on mouse Chromosome 9 ( <i>Adip5</i> ) affects the relative weight of the gonadal but not retroperitoneal adipose depot. <i>Mammalian Genome</i> , 2006, 17, 1078-1092.	1.0	18
3087	Genetic mapping of the gene affecting polyphenol oxidase activity in tetraploid durum wheat. <i>Journal of Applied Genetics</i> , 2006, 47, 201-205.	1.0	21

#	ARTICLE	IF	CITATIONS
3088	Unique gene structure and paralogy define the 7D-cadherin family. <i>Cellular and Molecular Life Sciences</i> , 2006, 63, 1564-1673.	2.4	27
3089	Identification of molecular markers for aluminium tolerance in diploid oat through comparative mapping and QTL analysis. <i>Theoretical and Applied Genetics</i> , 2006, 112, 222-231.	1.8	24
3090	Physical and genetic mapping of amplified fragment length polymorphisms and the leaf rust resistance Lr3 gene on chromosome 6BL of wheat. <i>Theoretical and Applied Genetics</i> , 2006, 112, 251-257.	1.8	16
3091	Development of an integrated genetic map of a sugarcane ( <i>Saccharum</i> spp.) commercial cross, based on a maximum-likelihood approach for estimation of linkage and linkage phases. <i>Theoretical and Applied Genetics</i> , 2006, 112, 298-314.	1.8	101
3092	Development of SCAR markers linked to three disease resistances based on AFLP within <i>Nicotiana tabacum</i> L. <i>Theoretical and Applied Genetics</i> , 2006, 112, 335-346.	1.8	45
3093	Genes involved in biosynthesis and signalisation of ethylene in <i>Brassica oleracea</i> and <i>Arabidopsis thaliana</i> : identification and genome comparative mapping of specific gene homologues. <i>Theoretical and Applied Genetics</i> , 2006, 112, 410-420.	1.8	25
3094	Characteristics, development and mapping of <i>Gossypium hirsutum</i> derived EST-SSRs in allotetraploid cotton. <i>Theoretical and Applied Genetics</i> , 2006, 112, 430-439.	1.8	204
3095	Mapping regulatory genes as candidates for cold and drought stress tolerance in barley. <i>Theoretical and Applied Genetics</i> , 2006, 112, 445-454.	1.8	128
3096	Quantitative trait loci for grain moisture at harvest and field grain drying rate in maize ( <i>Zea mays</i> , L.). <i>Theoretical and Applied Genetics</i> , 2006, 112, 462-471.	1.8	38
3097	Leaf tip necrosis, molecular markers and $\hat{2}1$ -proteasome subunits associated with the slow rusting resistance genes Lr46/Yr29. <i>Theoretical and Applied Genetics</i> , 2006, 112, 500-508.	1.8	138
3098	Quantitative trait loci for yield and related traits in the wheat population Ning7840—Clark. <i>Theoretical and Applied Genetics</i> , 2006, 112, 688-698.	1.8	225
3099	Quantitative trait loci for cell wall components in recombinant inbred lines of maize ( <i>Zea mays</i> L.) II: leaf sheath tissue. <i>Theoretical and Applied Genetics</i> , 2006, 112, 717-726.	1.8	56
3100	Molecular analysis of the high stearic acid content in sunflower mutant CAS-14. <i>Theoretical and Applied Genetics</i> , 2006, 112, 867-875.	1.8	19
3101	Molecular mapping of genes for resistance to the bean pod weevil ( <i>Apion godmani</i> Wagner) in common bean. <i>Theoretical and Applied Genetics</i> , 2006, 112, 913-923.	1.8	30
3102	Stability over genetic backgrounds, generations and years of quantitative trait locus (QTLs) for organoleptic quality in tomato. <i>Theoretical and Applied Genetics</i> , 2006, 112, 934-944.	1.8	75
3103	Functional mapping in pea, as an aid to the candidate gene selection and for investigating synteny with the model legume <i>Medicago truncatula</i> . <i>Theoretical and Applied Genetics</i> , 2006, 112, 1024-1041.	1.8	160
3104	SSR-based linkage map with new markers using an intraspecific population of common wheat. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1042-1051.	1.8	132
3105	Genomic analysis and marker development for the Tsn1 locus in wheat using bin-mapped ESTs and flanking BAC contigs. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1132-1142.	1.8	54

#	ARTICLE	IF	CITATIONS
3106	QTL analysis of yield traits in an advanced backcross population derived from a cultivated Andean wild common bean ( <i>Phaseolus vulgaris</i> L.) cross. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1149-1163.	1.8	202
3107	Detection of QTLs for grain protein content in durum wheat. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1195-1204.	1.8	112
3108	QTL analysis for rice grain length and fine mapping of an identified QTL with stable and major effects. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1258-1270.	1.8	153
3109	Two recessive genes controlling thermoperiod-sensitive male sterility in wheat. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1271-1276.	1.8	47
3110	Alignment of genetic maps and QTLs between inter- and intra-specific sorghum populations. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1295-1305.	1.8	150
3111	Physical mapping of the Rf 1 fertility-restoring gene to a 100 kb region in cotton. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1318-1325.	1.8	50
3112	An enhanced microsatellite map of diploid <i>Fragaria</i> . <i>Theoretical and Applied Genetics</i> , 2006, 112, 1349-1359.	1.8	112
3113	Molecular mapping of hybrid necrosis genes Ne1 and Ne2 in hexaploid wheat using microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1374-1381.	1.8	74
3114	Genetic mapping in sugarcane, a high polyploid, using bi-parental progeny: identification of a gene controlling stalk colour and a new rust resistance gene. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1382-1391.	1.8	103
3115	Molecular mapping of a gene <i>ld(t)</i> controlling cleistogamy in rice. <i>Theoretical and Applied Genetics</i> , 2006, 112, 1429-1433.	1.8	17
3116	Genetic analyses and mapping of a new thermo-sensitive genic male sterile gene in maize. <i>Theoretical and Applied Genetics</i> , 2006, 113, 11-15.	1.8	17
3117	Molecular mapping of a novel gene, Grh5, conferring resistance to green rice leafhopper ( <i>Nephotettix</i> ) Tj ETQq1 1 Q.784314 rGBT /Over	1.8	48
3118	Molecular validation of multiple allele inheritance for dominant genic male sterility gene in <i>Brassica napus</i> L. <i>Theoretical and Applied Genetics</i> , 2006, 113, 55-62.	1.8	32
3119	Identification of QTLs for <i>Ralstonia solanacearum</i> race 3-phylo-type II resistance in tomato. <i>Theoretical and Applied Genetics</i> , 2006, 113, 110-121.	1.8	96
3120	Molecular mapping of a nuclear male-sterility gene in sunflower ( <i>Helianthus annuus</i> L.) using TRAP and SSR markers. <i>Theoretical and Applied Genetics</i> , 2006, 113, 122-127.	1.8	49
3121	Connected populations for detecting quantitative trait loci and testing for epistasis: an application in maize. <i>Theoretical and Applied Genetics</i> , 2006, 113, 206-224.	1.8	229
3122	Fine mapping of the qCTS12 locus, a major QTL for seedling cold tolerance in rice. <i>Theoretical and Applied Genetics</i> , 2006, 113, 467-475.	1.8	150
3123	Identification of simple sequence repeat markers for utilizing wide-compatibility genes in inter-subspecific hybrids in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2006, 113, 509-517.	1.8	25

#	ARTICLE	IF	CITATIONS
3124	Molecular mapping of a recessive gene for resistance to stripe rust in barley. <i>Theoretical and Applied Genetics</i> , 2006, 113, 529-537.	1.8	31
3125	Three non-allelic epistatically interacting methyltransferase mutations produce novel tocopherol (vitamin E) profiles in sunflower. <i>Theoretical and Applied Genetics</i> , 2006, 113, 767-782.	1.8	45
3126	Ty3/gypsy-like retrotransposon knockout of a 2-methyl-6-phytyl-1,4-benzoquinone methyltransferase is non-lethal, uncovers a cryptic paralogous mutation, and produces novel tocopherol (vitamin E) profiles in sunflower. <i>Theoretical and Applied Genetics</i> , 2006, 113, 783-799.	1.8	41
3127	Fine mapping of a quantitative trait locus for grain number per panicle from wild rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	82
3128	Fine mapping of the recessive genic male-sterile gene (Bnms1) in <i>Brassica napus</i> L. <i>Theoretical and Applied Genetics</i> , 2006, 113, 643-650.	1.8	87
3129	Comparative mapping of genes for glume colouration and pubescence in hexaploid wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	44
3130	Genetic characterization of the polycotyledon locus in tomato. <i>Theoretical and Applied Genetics</i> , 2006, 113, 673-683.	1.8	20
3131	Comparison of linkage maps from F2 and three times intermated generations in two populations of European flint maize ( <i>Zea mays</i> L.). <i>Theoretical and Applied Genetics</i> , 2006, 113, 857-866.	1.8	11
3132	Molecular detection of QTLs for agronomic and quality traits in a doubled haploid population derived from two Canadian wheats ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2006, 113, 753-766.	1.8	321
3133	An updated "Essex"™ by "Forrest"™ linkage map and first composite interval map of QTL underlying six soybean traits. <i>Theoretical and Applied Genetics</i> , 2006, 113, 1015-1026.	1.8	106
3134	Identification and validation of molecular markers linked to the leaf rust resistance gene Lr19 in wheat. <i>Theoretical and Applied Genetics</i> , 2006, 113, 1027-1036.	1.8	97
3135	Development of simple sequence repeat markers specific for the Lr34 resistance region of wheat using sequence information from rice and <i>Aegilops tauschii</i> . <i>Theoretical and Applied Genetics</i> , 2006, 113, 1049-1062.	1.8	82
3136	A simplified conceptual model of carbon/nitrogen functioning for QTL analysis of winter wheat adaptation to nitrogen deficiency. <i>Theoretical and Applied Genetics</i> , 2006, 113, 1131-1146.	1.8	122
3137	Development of a codominant CAPS marker linked to PRSV-P resistance in highland papaya. <i>Theoretical and Applied Genetics</i> , 2006, 113, 1159-1169.	1.8	38
3138	Mapping quantitative trait loci in chickpea associated with time to flowering and resistance to <i>Didymella rabiei</i> the causal agent of <i>Ascochyta</i> blight. <i>Theoretical and Applied Genetics</i> , 2006, 113, 1357-1369.	1.8	105
3139	H22, a major resistance gene to the Hessian fly ( <i>Mayetiola destructor</i> ), is mapped to the distal region of wheat chromosome 1DS. <i>Theoretical and Applied Genetics</i> , 2006, 113, 1491-1496.	1.8	19
3140	QTL mapping for resistance to root-knot nematodes in the M-120 RNR Upland cotton line ( <i>Gossypium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10	1.8	99
3141	Molecular genetic characterization of the Lr34/Yr18 slow rusting resistance gene region in wheat. <i>Theoretical and Applied Genetics</i> , 2006, 114, 21-30.	1.8	307

#	ARTICLE	IF	CITATIONS
3142	CAPs markers to assist selection for low vicine and convicine contents in faba bean ( <i>Vicia faba</i> L.). <i>Theoretical and Applied Genetics</i> , 2006, 114, 59-66.	1.8	64
3143	Exploitation of pepper ESTs SSRs and an SSR-based linkage map. <i>Theoretical and Applied Genetics</i> , 2006, 114, 113-130.	1.8	175
3144	Genetic mapping of the bean golden yellow mosaic geminivirus resistance gene <i>bgm-1</i> and linkage with potyvirus resistance in common bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2006, 114, 261-271.	1.8	42
3145	A perennial ryegrass CBF gene cluster is located in a region predicted by conserved synteny between Poaceae species. <i>Theoretical and Applied Genetics</i> , 2006, 114, 273-283.	1.8	38
3146	Identification and mapping of a tiller inhibition gene ( <i>tin3</i> ) in wheat. <i>Theoretical and Applied Genetics</i> , 2006, 114, 285-294.	1.8	124
3147	Modeling segregation distortion for viability selection I. Reconstruction of linkage maps with distorted markers. <i>Theoretical and Applied Genetics</i> , 2006, 114, 295-305.	1.8	59
3148	Genetic mapping of two powdery mildew resistance genes in einkorn ( <i>Triticum monococcum</i> L.) accessions. <i>Theoretical and Applied Genetics</i> , 2006, 114, 351-358.	1.8	66
3149	Identification of AFLP markers linked to the male fertility restorer gene of CMS ( <i>Moricandia arvensis</i> ) <i>Brassica juncea</i> and conversion to SCAR marker. <i>Theoretical and Applied Genetics</i> , 2006, 114, 385-392.	1.8	21
3150	Genetic control of plasma lipid levels in a cross derived from normoglycaemic Brown Norway and spontaneously diabetic Goto-Kakizaki rats. <i>Diabetologia</i> , 2006, 49, 2679-2688.	2.9	18
3151	Confirmation of quantitative trait loci for ethanol sensitivity and neurotensin receptor density in crosses derived from the inbred High and Low Alcohol Sensitive selectively bred rat lines. <i>Psychopharmacology</i> , 2006, 188, 343-354.	1.5	14
3152	Genetic analysis and gene fine mapping for a rice novel mutant ( <i>rl 9(t)</i> ) with rolling leaf character. <i>Science Bulletin</i> , 2006, 51, 63-69.	1.7	20
3153	Molecular mapping of two semidwarf genes in an indica rice variety Aitaiyin3 ( <i>Oryza sativa</i> L.). <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2006, 1, 93-98.	0.2	3
3154	SSCP-SNP-based conserved ortholog set (COS) markers for comparative genomics in cassava ( <i>Manihot</i> ) <i>Tj ETQq0 0,0,rgBT /Oyerlock 10</i>	1.0	7
3155	Microsatellite markers for powdery mildew resistance in pea ( <i>Pisum sativum</i> L.). <i>Hereditas</i> , 2006, 142, 86-91.	0.5	55
3156	Genetic Analysis and Physical Mapping of <i>Lk-4(t)</i> , a Major Gene Controlling Grain Length in Rice, with a BC2F2 Population. <i>Journal of Genetics and Genomics</i> , 2006, 33, 72-79.	0.3	7
3157	Construction of a Microsatellite Linkage Map with Two Sequenced Rice Varieties. <i>Journal of Genetics and Genomics</i> , 2006, 33, 152-160.	0.3	5
3158	QTL Mapping for Plant Architecture Traits in Upland Cotton Using RILs and SSR Markers. <i>Journal of Genetics and Genomics</i> , 2006, 33, 161-170.	0.3	37
3159	SSR Mapping of Brown Planthopper Resistance Gene <i>Bph9</i> in Kaharamana, an Indica Rice ( <i>Oryza sativa</i> ) <i>Tj ETQq1 1,0,784314,rgBT /Oyerlock 13</i>	0.3	43

#	ARTICLE	IF	CITATIONS
3160	Analysis of Segregation Distortion of Molecular Markers in F2 Population of Rice. <i>Journal of Genetics and Genomics</i> , 2006, 33, 449-457.	0.3	24
3161	Mapping and Marker-assisted Selection of a Brown Planthopper Resistance Gene bph2 in Rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.3	52
3162	A microsatellite-based consensus linkage map for species of <i>Eucalyptus</i> and a novel set of 230 microsatellite markers for the genus. <i>BMC Plant Biology</i> , 2006, 6, 20.	1.6	111
3163	Molecular dissection of developmental behavior of tiller number and plant height and their relationship in rice ( <i>Oryza sativa</i> L.). <i>Hereditas</i> , 2006, 143, 236-245.	0.5	43
3164	A genome scan for quantitative trait loci affecting growth-related traits in an F1 family of Asian seabass ( <i>Lates calcarifer</i> ). <i>BMC Genomics</i> , 2006, 7, 274.	1.2	82
3165	Isolation, characterization, and linkage analyses of 74 novel microsatellites in Barramundi ( <i>Lates</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.9	19
3166	Identification of QTL Controlling Flooding Tolerance in Reducing Soil Conditions in Maize ( <i>Zea mays</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.9	37
3167	Analysis of QTLs for yield components, agronomic traits, and disease resistance in an advanced backcross population of spring barley. <i>Genome</i> , 2006, 49, 454-466.	0.9	77
3168	Multilocus Test for Introgression between the Cactophilic Species <i>Drosophila mojavensis</i> and <i>Drosophila arizonae</i> . <i>American Naturalist</i> , 2006, 168, 682-696.	1.0	22
3169	Low-Resolution Mapping of Untagged Mutations. , 2006, 323, 105-114.		30
3170	Developmental characterization of the fasciated locus and mapping of <i>Arabidopsis</i> candidate genes involved in the control of floral meristem size and carpel number in tomato. <i>Genome</i> , 2006, 49, 991-1006.	0.9	61
3171	Genetic Analysis. , 2006, 323, 65-78.		7
3172	Identification and chromosomal location of major genes for resistance to <i>Pyrenophora teres</i> in a doubled-haploid barley population. <i>Genome</i> , 2006, 49, 855-859.	0.9	77
3173	Genetic mapping of natural variation in potassium concentrations in shoots of <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2006, 57, 953-960.	2.4	59
3174	A High-Resolution Map of <i>Arabidopsis</i> Recombinant Inbred Lines by Whole-Genome Exon Array Hybridization. <i>PLoS Genetics</i> , 2006, 2, e144.	1.5	97
3175	Identification of a QTL on chromosome 1 for impaired autoregulation of RBF in fawn-hooded hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, F1213-F1221.	1.3	34
3176	AN AFLP APPROACH TO IDENTIFY GENETIC MARKERS ASSOCIATED WITH RESISTANCE TO <i>VIBRIO VULNIFICUS</i> AND <i>PERKINSUS MARINUS</i> IN EASTERN OYSTERS. <i>Journal of Shellfish Research</i> , 2006, 25, 95-100.	0.3	9
3177	Construction and analysis of an AFLP molecular linkage map of the silkworm ( <i>Bombyx mori</i> ). <i>Chinese Journal of Agricultural Biotechnology</i> , 2006, 3, 25-31.	0.1	5



#	ARTICLE	IF	CITATIONS
3178	A framework linkage map of perennial ryegrass based on SSR markers. <i>Genome</i> , 2006, 49, 354-364.	0.9	51
3179	Two- and Three-Locus Tests for Linkage Analysis Using Recombinant Inbred Lines. <i>Genetics</i> , 2006, 173, 451-459.	1.2	21
3180	Characterization and Mapping of a Shattering Mutant in Rice That Corresponds to a Block of Domestication Genes. <i>Genetics</i> , 2006, 173, 995-1005.	1.2	108
3181	Development of a Controlled Vocabulary and Software Application to Analyze Fruit Shape Variation in Tomato and Other Plant Species. <i>Plant Physiology</i> , 2006, 141, 15-25.	2.3	192
3182	Simple Sequence Repeat-Based Comparative Genomics Between <i>Brassica rapa</i> and <i>Arabidopsis thaliana</i> : The Genetic Origin of Clubroot Resistance. <i>Genetics</i> , 2006, 173, 309-319.	1.2	295
3183	Defective Induction of CTLA-4 in the NOD Mouse Is Controlled by the NOD Allele of <i>Idd3/IL-2</i> and a Novel Locus ( <i>Ctex</i> ) Telomeric on Chromosome 1. <i>Diabetes</i> , 2006, 55, 538-544.	0.3	21
3184	A Second-Generation Integrated Map of the Silkworm Reveals Synteny and Conserved Gene Order Between Lepidopteran Insects. <i>Genetics</i> , 2006, 173, 1319-1328.	1.2	65
3185	Phenotypic variation and quantitative trait locus identification for osmotic potential in an interspecific hybrid inbred F2 poplar pedigree grown in contrasting environments. <i>Tree Physiology</i> , 2006, 26, 595-604.	1.4	50
3186	An Algorithm for Analyzing Linkages Affected by Heterozygous Translocations: QuadMap. <i>Journal of Heredity</i> , 2006, 97, 62-66.	1.0	8
3187	Dimethylallyl Diphosphate and Geranyl Diphosphate Pools of Plant Species Characterized by Different Isoprenoid Emissions. <i>Plant Physiology</i> , 2006, 141, 721-730.	2.3	61
3188	SELECTIVE TRADE-OFFS AND SEX-CHROMOSOME EVOLUTION IN <i>SILENE LATIFOLIA</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 1793.	1.1	12
3189	A Novel Method for Estimating Linkage Maps. <i>Genetics</i> , 2006, 173, 2383-2390.	1.2	22
3190	A CYTONUCLEAR INCOMPATIBILITY CAUSES ANTHHER STERILITY IN <i>MIMULUS</i> HYBRIDS. <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 1372.	1.1	64
3191	Genetic analysis and molecular mapping of the avirulence gene <i>PRE1</i> , a gene for host-species specificity in the blast fungus <i>Magnaporthe grisea</i> . <i>Genome</i> , 2006, 49, 873-881.	0.9	13
3192	Genetic and Molecular Characterization of the <i>I</i> Locus of <i>Phaseolus vulgaris</i> . <i>Genetics</i> , 2006, 172, 1229-1242.	1.2	80
3193	Comparative Physical Mapping of the Apospory-Specific Genomic Region in Two Apomictic Grasses: <i>Pennisetum squamulatum</i> and <i>Cenchrus ciliaris</i> . <i>Genetics</i> , 2006, 173, 389-400.	1.2	42
3194	Sequence Conservation of Homeologous Bacterial Artificial Chromosomes and Transcription of Homeologous Genes in Soybean ( <i>Glycine max</i> L. Merr.). <i>Genetics</i> , 2006, 174, 1017-1028.	1.2	45
3195	Application of Molecular Markers in Breeding for Nitrogen Use Efficiency. <i>Journal of Crop Improvement</i> , 2006, 15, 175-211.	0.9	11

#	ARTICLE	IF	CITATIONS
3196	Detecting Adaptive Trait Introgression Between <i>Iris fulva</i> and <i>I. brevicaulis</i> in Highly Selective Field Conditions. <i>Genetics</i> , 2006, 172, 2481-2489.	1.2	135
3197	Construction of a Single Nucleotide Polymorphism Linkage Map for the Silkworm, <i>Bombyx mori</i> , Based on Bacterial Artificial Chromosome End Sequences. <i>Genetics</i> , 2006, 173, 151-161.	1.2	76
3198	The Maize Ab10 Meiotic Drive System Maps to Supernumerary Sequences in a Large Complex Haplotype. <i>Genetics</i> , 2006, 174, 145-154.	1.2	34
3199	Isolation and characterization of the <i>RanGAP</i> gene in the mosquito <i>Aedes aegypti</i> . <i>DNA Sequence</i> , 2006, 17, 223-230.	0.7	2
3200	Genomic distribution of MITEs in barley determined by MITE-AFLP mapping. <i>Genome</i> , 2006, 49, 1616-1620.	0.9	10
3201	Identification of single-nucleotide polymorphisms linked to resistance gene <i>Pc68</i> to crown rust in cultivated oat. <i>Canadian Journal of Plant Pathology</i> , 2006, 28, 214-222.	0.8	19
3202	Marker-assisted selection to improve drought adaptation in maize: the backcross approach, perspectives, limitations, and alternatives. <i>Journal of Experimental Botany</i> , 2006, 58, 351-360.	2.4	279
3203	Homeologous Recombination in <i>Solanum lycopersicoides</i> Introgression Lines of Cultivated Tomato. <i>Genetics</i> , 2006, 174, 1775-1788.	1.2	71
3204	Advanced Intercross Line Mapping of <i>Eae5</i> Reveals <i>Ncf-1</i> and <i>CLDN4</i> as Candidate Genes for Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2006, 176, 6055-6064.	0.4	40
3205	The <i>Medicago truncatula</i> Lysine Motif-Receptor-Like Kinase Gene Family Includes NFP and New Nodule-Expressed Genes. <i>Plant Physiology</i> , 2006, 142, 265-279.	2.3	467
3206	Comparison of Quantitative Trait Loci for Adaptive Traits Between Oak and Chestnut Based on an Expressed Sequence Tag Consensus Map. <i>Genetics</i> , 2006, 172, 533-546.	1.2	93
3207	A quantitative-trait locus for resistance to ascochyta blight [ <i>Ascochyta lentis</i> ] maps close to a gene for resistance to anthracnose [ <i>Colletotrichum truncatum</i> ] in lentil. <i>Canadian Journal of Plant Pathology</i> , 2006, 28, 588-595.	0.8	37
3208	Common inheritance of chromosome Ia associated with clonal expansion of <i>Toxoplasma gondii</i> . <i>Genome Research</i> , 2006, 16, 1119-1125.	2.4	51
3209	Gene evolution at the ends of wheat chromosomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 4162-4167.	3.3	67
3210	A Simple Genetic Incompatibility Causes Hybrid Male Sterility in <i>Mimulus</i> . <i>Genetics</i> , 2006, 172, 2465-2479.	1.2	140
3211	Differential Effect of Allorecognition Loci on Phenotype in <i>Hydractinia symbiolongicarpus</i> (Cnidaria: Hydrozoa). <i>Genetics</i> , 2007, 177, 2101-2107.	1.2	30
3212	An Integrated High-density Linkage Map of Soybean with RFLP, SSR, STS, and AFLP Markers Using A Single F2 Population. <i>DNA Research</i> , 2007, 14, 257-269.	1.5	99
3213	Gene Maps Linearization Using Genomic Rearrangement Distances. <i>Journal of Computational Biology</i> , 2007, 14, 394-407.	0.8	10

#	ARTICLE	IF	CITATIONS
3214	Linkage Mapping of Domestication Loci in a Large Maize Teosinte Backcross Resource. <i>Genetics</i> , 2007, 177, 1915-1928.	1.2	97
3215	Classical Genetic and Quantitative Trait Loci Analyses of Heterosis in a Maize Hybrid Between Two Elite Inbred Lines. <i>Genetics</i> , 2007, 176, 625-644.	1.2	181
3216	Genetic Analyses of a Hybrid Cross Between Serotypes A and D Strains of the Human Pathogenic Fungus <i>Cryptococcus neoformans</i> . <i>Genetics</i> , 2007, 177, 1475-1486.	1.2	47
3217	Using Crossover Breakpoints in Recombinant Inbred Lines to Identify Quantitative Trait Loci Controlling the Global Recombination Frequency. <i>Genetics</i> , 2007, 177, 1851-1858.	1.2	53
3218	Quantitative genetic basis of arterial phenotypes in the Brown Norway rat. <i>Physiological Genomics</i> , 2007, 30, 17-25.	1.0	15
3219	A New Strategy for Estimating Recombination Fractions Between Dominant Markers From an F2 Population. <i>Genetics</i> , 2007, 175, 923-931.	1.2	6
3220	A Linkage Map Reveals a Complex Basis for Segregation Distortion in an Interpopulation Cross in the Moss <i>Ceratodon purpureus</i> . <i>Genetics</i> , 2007, 176, 2489-2500.	1.2	137
3221	Genome scan of glomerular filtration rate and albuminuria: the HyperGEN study. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 763-771.	0.4	34
3222	Haplotype Probabilities for Multiple-Strain Recombinant Inbred Lines. <i>Genetics</i> , 2007, 175, 1267-1274.	1.2	30
3223	Identification of Mom7, a Novel Modifier of ApcMin/+ on Mouse Chromosome 18. <i>Genetics</i> , 2007, 176, 1237-1244.	1.2	43
3224	SEMIPARAMETRIC AND NONPARAMETRIC GENE MAPPING. , 2007, , 387-404.		0
3225	A <i>Phytophthora infestans</i> Cystatin-Like Protein Targets a Novel Tomato Papain-Like Apoplastic Protease. <i>Plant Physiology</i> , 2007, 143, 364-377.	2.3	277
3226	Characterization of a cinnamoyl-CoA reductase that is associated with stem development in wheat. <i>Journal of Experimental Botany</i> , 2007, 58, 2011-2021.	2.4	68
3227	Linkage maps for <i>Arabidopsis lyrata</i> subsp. <i>lyrata</i> and <i>Arabidopsis lyrata</i> subsp. <i>petraea</i> combining anonymous and <i>Arabidopsis thaliana</i> -derived markers. <i>Genome</i> , 2007, 50, 142-150.	0.9	3
3228	Research Article: Genomic regions containing QTL for plant height, internodes length, and flower color in soybean [ <i>Glycine max</i> (L.) Merr]. <i>Bios</i> , 2007, 78, 119-126.	0.0	22
3229	Pea. , 2007, , 33-47.		7
3230	empty pericarp4 Encodes a Mitochondrion-Targeted Pentatricopeptide Repeat Protein Necessary for Seed Development and Plant Growth in Maize. <i>Plant Cell</i> , 2007, 19, 196-210.	3.1	117
3231	Genetics of microenvironmental canalization in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13717-13722.	3.3	94

#	ARTICLE	IF	CITATIONS
3232	The Genetic Architecture of Reproductive Isolation in Louisiana Irises: Flowering Phenology. <i>Genetics</i> , 2007, 175, 1803-1812.	1.2	47
3233	QTL Analysis of Low Temperature Induced Browning in Soybean Seed Coats. <i>Journal of Heredity</i> , 2007, 98, 360-366.	1.0	58
3234	Quantitative Trait Loci Associated with Photoperiodic Response and Stage of Diapause in the Pitcher-Plant Mosquito, <i>Wyeomyia smithii</i> . <i>Genetics</i> , 2007, 176, 391-402.	1.2	70
3235	Genetic Mapping in the Presence of Genotyping Errors. <i>Genetics</i> , 2007, 176, 2521-2527.	1.2	113
3236	Genetic control of broad-spectrum resistance to turnip mosaic virus in <i>Brassica rapa</i> (Chinese) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582	1.3	77
3237	Molecular Mapping of the Russian Wheat Aphid Resistance Gene Dn2414 in Wheat. <i>Crop Science</i> , 2007, 47, 2418-2429.	0.8	41
3238	Quantitative Trait Locus Analysis of the Early Domestication of Sunflower. <i>Genetics</i> , 2007, 176, 2589-2599.	1.2	78
3239	A High-Density Map and PCR Markers for Russian Wheat Aphid Resistance Gene Dn7 on Chromosome 1RS/1BL. <i>Crop Science</i> , 2007, 47, 811-818.	0.8	41
3240	Sources of Resistance, Inheritance, and Location of Genetic Loci Conferring Resistance to Members of the Tomato-Infecting Begomoviruses. , 2007, , 343-362.		79
3241	Mapping Unexplored Genomes: A Genetic Linkage Map of the Woody <i>Sonchus</i> Alliance (Asteraceae:) Tj ETQq1 1 0.784314 rgBT /Overlo	1.0	8
3242	Construction of a Sequence-Tagged High-Density Genetic Map of Papaya for Comparative Structural and Evolutionary Genomics in Brassicales. <i>Genetics</i> , 2007, 177, 2481-2491.	1.2	73
3243	Integration of TRAP markers onto a sunflower SSR marker linkage map constructed from 92 recombinant inbred lines. <i>Helia</i> , 2007, 30, 25-36.	0.0	10
3244	Generation and mapping of SCAR and CAPS markers linked to the seed coat color gene in <i>Brassica napus</i> using a genome-walking technique. <i>Genome</i> , 2007, 50, 611-618.	0.9	44
3245	Genetic Analysis of Craniofacial Traits in the Medaka. <i>Genetics</i> , 2007, 177, 2379-2388.	1.2	31
3246	Comparative mapping of sheep chromosome 2q. <i>Cytogenetic and Genome Research</i> , 2007, 116, 85-92.	0.6	1
3247	A Novel Susceptibility Locus on Rat Chromosome 8 Affects Spontaneous but Not Experimentally Induced Type 1 Diabetes. <i>Diabetes</i> , 2007, 56, 1731-1736.	0.3	11
3248	Characterization and Mapping of Oat Crown Rust Resistance Genes Using Three Assessment Methods. <i>Phytopathology</i> , 2007, 97, 1063-1070.	1.1	38
3249	The FAD2 Gene Family of Soybean: Insights into the Structural and Functional Divergence of a Paleopolyploid Genome. <i>Crop Science</i> , 2007, 47, S-14.	0.8	108

#	ARTICLE	IF	CITATIONS
3250	CHARACTERIZATION OF GUAVA ACCESSIONS BY SSR MARKERS, EXTENSION OF THE MOLECULAR LINKAGE MAP, AND MAPPING OF QTLs FOR VEGETATIVE AND REPRODUCTIVE CHARACTERS. <i>Acta Horticulturae</i> , 2007, , 201-216.	0.1	21
3251	Molecular Mapping of Rsp1, Rsp2, and Rsp3 Genes Conferring Resistance to Septoria Speckled Leaf Blotch in Barley. <i>Phytopathology</i> , 2007, 97, 155-161.	1.1	13
3252	Identification of a Novel Fusarium Head Blight Resistance Quantitative Trait Locus on Chromosome 7A in Tetraploid Wheat. <i>Phytopathology</i> , 2007, 97, 592-597.	1.1	69
3253	Molecular Mapping of the rps1.a Recessive Gene for Resistance to Stripe Rust in BBA 2890 Barley. <i>Phytopathology</i> , 2007, 97, 668-673.	1.1	16
3254	Quantitative Trait Locus Analysis of Plasma Cholesterol Levels and Body Weight by Controlling the Effects of the ApoA2 Allele in Mice. <i>Journal of Veterinary Medical Science</i> , 2007, 69, 385-392.	0.3	5
3255	Identification of a Major Quantitative Trait Locus Conditioning Resistance to Greenbug Biotype E in Sorghum PI 550610 Using Simple Sequence Repeat Markers. <i>Journal of Economic Entomology</i> , 2007, 100, 1672-1678.	0.8	18
3256	MaizeGDB's new data types, resources and activities. <i>Nucleic Acids Research</i> , 2007, 35, D895-D900.	6.5	56
3257	An intervarietal genetic linkage map of Indian bread wheat ( <i>Triticum aestivum</i> L.) and QTL maps for some metric traits. <i>Genetical Research</i> , 2007, 89, 165-179.	0.3	4
3258	Almost Forgotten or Latest Practice? AFLP applications, analyses and advances. <i>Trends in Plant Science</i> , 2007, 12, 106-117.	4.3	506
3259	The DNA sequence of medaka chromosome LG22. <i>Genomics</i> , 2007, 89, 124-133.	1.3	14
3260	Genetic analysis of plant water status and osmotic adjustment in recombinant inbred lines of sunflower under two water treatments. <i>Plant Science</i> , 2007, 172, 773-787.	1.7	125
3261	Somatic embryogenesis from thin epidermal layers in sunflower and chromosomal regions controlling the response. <i>Plant Science</i> , 2007, 173, 247-252.	1.7	7
3262	Identification and characterization of some ITS variants from hexaploid wheat ( <i>Triticum aestivum</i> L.). <i>Plant Science</i> , 2007, 173, 262-268.	1.7	14
3264	Construction of genetic linkage maps of guppy ( <i>Poecilia reticulata</i> ) based on AFLP and microsatellite DNA markers. <i>Aquaculture</i> , 2007, 271, 178-187.	1.7	15
3265	Genetic mapping of size-related quantitative trait loci (QTL) in the bay scallop ( <i>Argopecten irradians</i> ) using AFLP and microsatellite markers. <i>Aquaculture</i> , 2007, 272, 281-290.	1.7	33
3266	Characterization of three DNA transposons in the Dutch elm disease fungi and evidence of repeat-induced point (RIP) mutations. <i>Fungal Genetics and Biology</i> , 2007, 44, 430-443.	0.9	18
3267	Complete genetic linkage maps from an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 701-714.	0.9	33
3268	The DcMaster Transposon Display maps polymorphic insertion sites in the carrot ( <i>Daucus carota</i> L.) genome. <i>Gene</i> , 2007, 390, 67-74.	1.0	29

#	ARTICLE	IF	CITATIONS
3269	The Genetic Architecture of Ecological Speciation and the Association with Signatures of Selection in Natural Lake Whitefish ( <i>Coregonus</i> sp. Salmonidae) Species Pairs. <i>Molecular Biology and Evolution</i> , 2007, 24, 1423-1438.	3.5	226
3270	Physiological Character and Gene Mapping in a New Green- revertible Albino Mutant in Rice. <i>Journal of Genetics and Genomics</i> , 2007, 34, 331-338.	1.7	26
3271	Molecular cloning and characterization of the complete acetylcholinesterase gene ( <i>Ace1</i> ) from the mosquito <i>Aedes aegypti</i> with implications for comparative genome analysis. <i>Insect Biochemistry and Molecular Biology</i> , 2007, 37, 667-674.	1.2	24
3272	Microsatellite Isolation and Linkage Group Identification in the Yellow Fever Mosquito <i>Aedes aegypti</i> . <i>Journal of Heredity</i> , 2007, 98, 202-210.	1.0	67
3273	Mapping of Defense Response Gene Homologs and Their Association with Resistance Loci in Maize. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1580-1598.	4.1	27
3274	Genetic mapping of ascochyta blight resistance in chickpea ( <i>Cicer arietinum</i> L.) using a simple sequence repeat linkage map. <i>Genome</i> , 2007, 50, 26-34.	0.9	89
3275	QTL Mapping of Yield and Yield Components for Elite Hybrid Derived-RILs in Upland Cotton. <i>Journal of Genetics and Genomics</i> , 2007, 34, 35-45.	1.7	53
3276	Genetic Analysis and Mapping of Genes Involved in Fertility of Pingxiang Dominant Genic Male Sterile Rice. <i>Journal of Genetics and Genomics</i> , 2007, 34, 616-622.	1.7	8
3277	Fine Mapping and Isolation of Bc7(t), Allelic to OsCesA4. <i>Journal of Genetics and Genomics</i> , 2007, 34, 1019-1027.	1.7	50
3278	Cassava. , 2007, , 249-269.		4
3280	Inheritance of Adult Plant Resistance Genes and Associated Markers from a Durable Resistant Cultivar to Leaf Rust. , 2007, , 59-63.		2
3281	A major gene for grain cadmium accumulation in oat ( <i>Avena sativa</i> L.). <i>Genome</i> , 2007, 50, 588-594.	0.9	60
3282	Morphological variation in tomato: a comprehensive study of quantitative trait loci controlling fruit shape and development. <i>Journal of Experimental Botany</i> , 2007, 58, 1339-1349.	2.4	85
3283	Genetic analysis and fine mapping of a dynamic rolled leaf gene, RL10(t), in rice ( <i>Oryza sativa</i> L.). <i>Genome</i> , 2007, 50, 811-817.	0.9	47
3284	A soybean mapping population specific to the early soybean production system. <i>DNA Sequence</i> , 2007, 18, 104-111.	0.7	5
3285	Mapping of QTL Associated with Waterlogging Tolerance during the Seedling Stage in Maize. <i>Annals of Botany</i> , 2007, 99, 1067-1081.	1.4	111
3286	Molecular markers linked to the $Rf_2$ fertility restorer gene in cotton. <i>Genome</i> , 2007, 50, 818-824.	0.9	31
3287	Mapping EST-derived SSRs and ESTs involved in resistance to bacterial blight in <i>Manihot esculenta</i> . <i>Genome</i> , 2007, 50, 1078-1088.	0.9	40

#	ARTICLE	IF	CITATIONS
3288	Genetic analysis and molecular mapping of a nuclear recessive male sterility gene, <i>ms91(t)</i> , in rice. <i>Genome</i> , 2007, 50, 796-801.	0.9	5
3289	A Microsatellite Linkage Map of Barramundi, <i>Lates calcarifer</i> . <i>Genetics</i> , 2007, 175, 907-915.	1.2	89
3290	A high-resolution, intraspecific linkage map of pepper ( <i>Capsicum annuum</i> L.) and selection of reduced recombinant inbred line subsets for fast mapping. <i>Genome</i> , 2007, 50, 51-60.	0.9	68
3291	Resistance gene analogues are clustered on chromosome 3 of sugar beet and cosegregate with QTL for rhizomania resistance. <i>Genome</i> , 2007, 50, 61-71.	0.9	35
3293	An SSR genetic map of <i>Sorghum bicolor</i> (L.) Moench and its comparison to a published genetic map. <i>Genome</i> , 2007, 50, 84-89.	0.9	49
3294	The Molecularization of Public Sector Crop Breeding: Progress, Problems, and Prospects. <i>Advances in Agronomy</i> , 2007, , 163-318.	2.4	121
3295	Lettuce. , 2007, , 127-140.		3
3296	Molecular tagging of the male fertility restorer gene for the 501-8S cytoplasmic male sterility in rapeseed ( <i>Brassica napus</i> L.). <i>Australian Journal of Agricultural Research</i> , 2007, 58, 753.	1.5	0
3297	Eucalypts. , 2007, , 115-160.		15
3298	Plum. , 2007, , 119-135.		10
3299	Tools for Statistical Genetics. , 0, , 217-246.		1
3301	Infection and Disease in Reservoir and Spillover Hosts: Determinants of Pathogen Emergence. <i>Current Topics in Microbiology and Immunology</i> , 2007, 315, 113-131.	0.7	17
3302	Linkage Maps of the dwarf and Normal Lake Whitefish ( <i>Coregonus clupeaformis</i> ) Species Complex and Their Hybrids Reveal the Genetic Architecture of Population Divergence. <i>Genetics</i> , 2007, 175, 375-398.	1.2	45
3303	Development and Mapping of PCR-Based SCAR and CAPS Markers Linked to Oil QTLs in Oat. <i>Crop Science</i> , 2007, 47, 848-850.	0.8	11
3304	Effects of Two Major Fusarium Head Blight Resistance QTL Verified in a Winter Wheat Backcross Population. <i>Crop Science</i> , 2007, 47, 1823-1831.	0.8	37
3305	QTL Analysis of ICA Bunsia-Derived Resistance to White Mold in a Pinto - Navy Bean Cross. <i>Crop Science</i> , 2007, 47, 174-179.	0.8	30
3306	Molecular Mapping of Male Sterility Loci <i>ms2</i> and <i>ms9</i> in Soybean. <i>Crop Science</i> , 2007, 47, 374-379.	0.8	28
3307	Barley EST Markers Enhance Map Saturation and QTL Mapping in Diploid Wheat. <i>Breeding Science</i> , 2007, 57, 39-45.	0.9	30

#	ARTICLE	IF	CITATIONS
3308	Microsatellite Markers Linked to Stem Rust Resistance Allele <i>Sr9a</i> in Wheat. <i>Crop Science</i> , 2007, 47, 2013-2020.	0.8	45
3309	Fabp7 Maps to a Quantitative Trait Locus for a Schizophrenia Endophenotype. <i>PLoS Biology</i> , 2007, 5, e297.	2.6	176
3310	Mapping of QTL for Resistance against the Crucifer Specialist Herbivore <i>Pieris brassicae</i> in a New <i>Arabidopsis</i> Inbred Line Population, Da(1)-12A–Ei-2. <i>PLoS ONE</i> , 2007, 2, e578.	1.1	47
3311	Characterisation of lanthanum toxicity for root growth of <i>Arabidopsis thaliana</i> from the aspect of natural genetic variation. <i>Functional Plant Biology</i> , 2007, 34, 984.	1.1	33
3312	Common QTL Affect the Rate of Tomato Seed Germination under Different Stress and Nonstress Conditions. <i>International Journal of Plant Genomics</i> , 2007, 2007, 1-10.	2.2	53
3313	A genetic linkage map of cucumber ( <i>Cucumis sativus</i> L) combining SRAP and ISSR markers. <i>African Journal of Biotechnology</i> , 2007, 6, 2784-2791.	0.3	18
3314	AN INTEGRATED APPROACH WITH MAPPING, MARKER, BAC LIBRARY AND CANDIDATE GENE CLONING FOR CHILI MOLECULAR BREEDING. <i>Acta Horticulturae</i> , 2007, , 15-24.	0.1	0
3315	A Cryptic Wheat– <i>Aegilops triuncialis</i> Translocation with Leaf Rust Resistance Gene <i>Lr58</i> . <i>Crop Science</i> , 2007, 47, 1995-2003.	0.8	96
3316	Quantitative trait loci mapping of pubescence density and flowering time of insect-resistant soybean ( <i>Glycine max</i> L. Merr.). <i>Genetics and Molecular Biology</i> , 2007, 30, 635-639.	0.6	39
3317	QTL mapping of root angle in F <sub>2</sub> populations from maize B73 × teosinte <i>Zea luxurians</i> . <i>Plant Root</i> , 2007, 1, 57-65.	0.3	57
3318	Gene Mapping. , 2007, , 115-133.		0
3319	QTL Analysis and Epistasis Effects Dissection of Fiber Qualities in an Elite Cotton Hybrid Grown in Second Generation. <i>Crop Science</i> , 2007, 47, 1384-1392.	0.8	27
3320	Mapping of Quantitative Trait Loci for the Occurrence of White-Back Kernels Associated with High Temperatures During the Ripening Period of Rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 2007, 57, 47-52.	0.9	68
3321	A Major QTL Confers Rapid Internode Elongation in Response to Water Rise in Deepwater Rice. <i>Breeding Science</i> , 2007, 57, 305-314.	0.9	60
3322	Identification and Mapping of <i>Lr3</i> and a Linked Leaf Rust Resistance Gene in Durum Wheat. <i>Crop Science</i> , 2007, 47, 1459-1466.	0.8	54
3323	Reduction of a Triticum monococcum Chromosome Segment Carrying the Softness Genes Pina and Pinb Translocated to Bread Wheat. <i>Crop Science</i> , 2007, 47, 821-828.	0.8	15
3324	Overdominance and Epistasis Are Important for the Genetic Basis of Heterosis in <i>Brassica rapa</i> . <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2007, 42, 1207-1211.	0.5	11
3325	Detection of Quantitative Trait Loci for White-back and Basal-white Kernels under High Temperature Stress in japonica Rice Varieties. <i>Breeding Science</i> , 2007, 57, 107-116.	0.9	71



#	ARTICLE	IF	CITATIONS
3326	Development and Application of Classical Genetics in <i>Toxoplasma gondii</i> . , 2007, , 367-389.		3
3327	Quantitative Trait Loci for Grain Yield in Pearl Millet under Variable Postflowering Moisture Conditions. <i>Crop Science</i> , 2007, 47, 969-980.	0.8	95
3328	Identification of Molecular Markers Associated with Root-Knot Nematode Resistance in Upland Cotton. <i>Crop Science</i> , 2007, 47, 951-960.	0.8	29
3330	An EM algorithm for mapping segregation distortion loci. <i>BMC Genetics</i> , 2007, 8, 82.	2.7	15
3331	Genetic mapping of a new heart rate QTL on chromosome 8 of spontaneously hypertensive rats. <i>BMC Medical Genetics</i> , 2007, 8, 17.	2.1	30
3332	AtPRD1 is required for meiotic double strand break formation in <i>Arabidopsis thaliana</i> . <i>EMBO Journal</i> , 2007, 26, 4126-4137.	3.5	102
3333	Viability and bar expression are negatively correlated in Oregon Wolfe Barley Dominant hybrids. <i>Plant Biotechnology Journal</i> , 2007, 5, 381-388.	4.1	10
3334	Mapping major genes and quantitative trait loci controlling agronomic traits in almond. <i>Plant Breeding</i> , 2007, 126, 310-318.	1.0	93
3335	Discovery and genotyping of high-throughput SNP markers for crown rust resistance gene Pc94 in cultivated oat. <i>Plant Breeding</i> , 2007, 126, 379-384.	1.0	21
3336	Development of co-dominant amplified polymorphic sequence markers for resistance of sunflower to downy mildew race 730. <i>Plant Breeding</i> , 2007, 126, 440-444.	1.0	31
3337	Development of a cDNA-AFLP derived CAPS marker co-segregating with the powdery mildew resistance gene <i>Mlg1</i> in barley. <i>Plant Breeding</i> , 2008, 127, 102-104.	1.0	7
3338	Development of STS markers and QTL validation for common bacterial blight resistance in common bean. <i>Plant Breeding</i> , 2007, 127, 070807025605005-???	1.0	17
3339	The distribution of copia-type retrotransposons and the evolutionary history of tomato and related wild species. <i>Journal of Evolutionary Biology</i> , 2007, 20, 1056-1072.	0.8	38
3340	Genetic basis for reproductive diapause is correlated with life history traits within the <i>Culex pipiens</i> complex. <i>Insect Molecular Biology</i> , 2007, 16, 070717083332001-???	1.0	47
3341	Selection on domestication traits and quantitative trait loci in crop-wild sunflower hybrids. <i>Molecular Ecology</i> , 2008, 17, 666-677.	2.0	79
3342	Seasonal and plant-density dependency for quantitative trait loci affecting flowering time in multiple populations of <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2007, 30, 1465-1479.	2.8	31
3343	Comparison of orthologous loci from small grass genomes <i>Brachypodium</i> and rice: implications for wheat genomics and grass genome annotation. <i>Plant Journal</i> , 2007, 49, 704-717.	2.8	161
3344	A physical map of the highly heterozygous <i>Populus</i> genome: integration with the genome sequence and genetic map and analysis of haplotype variation. <i>Plant Journal</i> , 2007, 50, 1063-1078.	2.8	70

#	ARTICLE	IF	CITATIONS
3345	The <i>Stagonospora nodorum</i> -wheat pathosystem involves multiple proteinaceous host-selective toxins and corresponding host sensitivity genes that interact in an inverse gene-for-gene manner. <i>Plant Journal</i> , 2007, 51, 681-692.	2.8	176
3346	AFLP-based genetic linkage maps of the blue mussel ( <i>Mytilus edulis</i> ). <i>Animal Genetics</i> , 2007, 38, 340-349.	0.6	36
3347	Genetic linkage map of bay scallop, <i>Argopecten irradians irradians</i> (Lamarck 1819). <i>Aquaculture Research</i> , 2007, 38, 409-419.	0.9	15
3348	Application of amplified fragment length polymorphism markers to assess molecular polymorphisms in gynogenetic haploid embryos of turbot ( <i>Scophthalmus maximus</i> ). <i>Aquaculture Research</i> , 2008, 39, 41-49.	0.9	7
3349	Independent action and contrasting phenotypes of resistance genes against spotted alfalfa aphid and bluegreen aphid in <i>Medicago truncatula</i> . <i>New Phytologist</i> , 2007, 173, 630-640.	3.5	52
3350	The genetic basis of quantitative variation in susceptibility of <i>Arabidopsis thaliana</i> to <i>Pseudomonas syringae</i> (Pst DC3000): evidence for a new genetic factor of large effect. <i>New Phytologist</i> , 2007, 174, 172-181.	3.5	22
3351	Adaptation of tree growth to elevated CO <sub>2</sub> : quantitative trait loci for biomass in <i>Populus</i> . <i>New Phytologist</i> , 2007, 175, 59-69.	3.5	47
3352	GENETICS OF INCIPIENT SPECIATION IN <i>DROSOPHILA MOJAVENSIS</i> . I. MALE COURTSHIP SONG, MATING SUCCESS, AND GENOTYPE X ENVIRONMENT INTERACTIONS. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1106-1119.	1.1	58
3353	Genetic Mapping of <i>Laminaria japonica</i> and <i>L. longissima</i> Using Amplified Fragment Length Polymorphism Markers in a "Two-Way Pseudo-Testcross" Strategy. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 392-400.	4.1	16
3354	Genetic Analysis and Molecular Mapping of a Rolling Leaf Mutation Gene in Rice. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1746-1753.	4.1	3
3355	Identification of quantitative trait loci associated with resistance to brown planthopper in the indica rice cultivar Col.5 Thailand. <i>Hereditas</i> , 2007, 144, 48-52.	0.5	23
3356	Quantitative trait loci controlling cyanogenic glucoside and dry matter content in cassava ( <i>Manihot</i> ) Tj ETQq1 1 0.784314 rgBT / Over	0.5	65
3357	OneMap: software for genetic mapping in outcrossing species. <i>Hereditas</i> , 2007, 144, 78-79.	0.5	326
3358	Gene duplication and paleopolyploidy in soybean and the implications for whole genome sequencing. <i>BMC Genomics</i> , 2007, 8, 330.	1.2	132
3359	A deletion at the Lpx-B1 locus is associated with low lipoxygenase activity and improved pasta color in durum wheat ( <i>Triticum turgidum</i> ssp. durum). <i>Journal of Cereal Science</i> , 2007, 45, 67-77.	1.8	88
3360	Mapping of the Cf-6 tomato leaf mould resistance locus using SSR markers. <i>Russian Journal of Genetics</i> , 2007, 43, 1266-1270.	0.2	11
3361	Epistatic Effects Contribute to Variation in BMD in Fischer 344 Å— Lewis F2 Rats. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 41-47.	3.1	9
3362	The identification of QTLs associated with the in vitro response of rye ( <i>Secale cereale</i> L.). <i>Cellular and Molecular Biology Letters</i> , 2007, 12, 523-35.	2.7	29

#	ARTICLE	IF	CITATIONS
3363	Genetic loci affecting body weight and fatness in a C57BL/6J $\times$ PWK/PhJ mouse intercross. <i>Mammalian Genome</i> , 2007, 18, 839-851.	1.0	14
3364	QTL associated with horizontal resistance to soybean cyst nematode in <i>Glycine soja</i> PI464925B. <i>Theoretical and Applied Genetics</i> , 2007, 114, 461-472.	1.8	67
3365	Fine mapping of S32(t), a new gene causing hybrid embryo sac sterility in a Chinese landrace rice ( <i>Oryza</i> ) Tj ETQq0.0.0 rgBT /Overlock 1	1.8	36
3366	Marker-assisted selection and evaluation of the QTL for stigma exertion under japonica rice genetic background. <i>Theoretical and Applied Genetics</i> , 2007, 114, 539-548.	1.8	60
3367	Carotenoid biosynthesis structural genes in carrot ( <i>Daucus carota</i> ): isolation, sequence-characterization, single nucleotide polymorphism (SNP) markers and genome mapping. <i>Theoretical and Applied Genetics</i> , 2007, 114, 693-704.	1.8	148
3368	A genetic linkage map of <i>Phaseolus vulgaris</i> L. and localization of genes for specific resistance to six races of anthracnose ( <i>Colletotrichum lindemuthianum</i> ). <i>Theoretical and Applied Genetics</i> , 2007, 114, 713-722.	1.8	59
3369	Fine mapping of the Pc locus of <i>Sorghum bicolor</i> , a gene controlling the reaction to a fungal pathogen and its host-selective toxin. <i>Theoretical and Applied Genetics</i> , 2007, 114, 961-970.	1.8	28
3370	Analysis of an introgressed <i>Nicotiana tomentososa</i> genomic region affecting leaf number and correlated traits in <i>Nicotiana tabacum</i> . <i>Theoretical and Applied Genetics</i> , 2007, 114, 841-854.	1.8	21
3371	Molecular mapping of resistance genes to tan spot [ <i>Pyrenophora tritici-repentis</i> race 1] in synthetic wheat lines. <i>Theoretical and Applied Genetics</i> , 2007, 114, 855-862.	1.8	46
3372	Two novel loci for pollen sterility in hybrids between the weedy strain Ludao and the Japonica variety Akihikari of rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2007, 114, 915-925.	1.8	37
3373	Fine mapping of pss1, a pollen semi-sterile gene in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2007, 114, 939-946.	1.8	5
3374	The use of MapPop1.0 for choosing a QTL mapping sample from an advanced backcross population. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1019-1028.	1.8	4
3375	Single nucleotide polymorphisms in rye ( <i>Secale cereale</i> L.): discovery, frequency, and applications for genome mapping and diversity studies. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1105-1116.	1.8	58
3376	Detection of QTL for yield-related traits using recombinant inbred lines derived from exotic and elite US Western Shipping melon germplasm. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1185-1201.	1.8	85
3377	QTL mapping with near-isogenic lines in maize. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1211-1228.	1.8	107
3378	Genetics and molecular mapping of genes for race-specific all-stage resistance and non-race-specific high-temperature adult-plant resistance to stripe rust in spring wheat cultivar Alpowa. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1277-1287.	1.8	177
3379	Identification of quantitative trait loci influencing aerial morphogenesis in the model legume <i>Medicago truncatula</i> . <i>Theoretical and Applied Genetics</i> , 2007, 114, 1391-1406.	1.8	75
3380	Fine mapping and allelic dosage effect of Hwc1, a complementary hybrid weakness gene in rice. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1407-1415.	1.8	34

#	ARTICLE	IF	CITATIONS
3381	Accumulation of additive effects generates a strong photoperiod sensitivity in the extremely late-heading rice cultivar "Nona Bokra"™. <i>Theoretical and Applied Genetics</i> , 2007, 114, 1457-1466.	1.8	45
3382	Allelic variation of polyphenol oxidase (PPO) genes located on chromosomes 2A and 2D and development of functional markers for the PPO genes in common wheat. <i>Theoretical and Applied Genetics</i> , 2007, 115, 47-58.	1.8	141
3383	A QTL on chromosome 6A in bread wheat ( <i>Triticum aestivum</i> ) is associated with longer coleoptiles, greater seedling vigour and final plant height. <i>Theoretical and Applied Genetics</i> , 2007, 115, 59-66.	1.8	142
3384	An integrated molecular linkage map of diploid wheat based on a <i>Triticum boeoticum</i> – <i>T. monococcum</i> RIL population. <i>Theoretical and Applied Genetics</i> , 2007, 115, 301-312.	1.8	101
3385	Fine mapping of the recessive genic male sterility gene ( <i>Bnms3</i> ) in <i>Brassica napus</i> L. <i>Theoretical and Applied Genetics</i> , 2007, 115, 113-118.	1.8	41
3386	Quantitative trait loci for maysin synthesis in maize ( <i>Zea mays</i> L.) lines selected for high silk maysin content. <i>Theoretical and Applied Genetics</i> , 2007, 115, 119-128.	1.8	28
3387	Identification and linkage mapping of complementary recessive genes causing hybrid breakdown in an intraspecific rice cross. <i>Theoretical and Applied Genetics</i> , 2007, 115, 179-186.	1.8	43
3388	QTL associated with <i>Fusarium</i> head blight resistance in the soft red winter wheat Ernie. <i>Theoretical and Applied Genetics</i> , 2007, 115, 417-427.	1.8	74
3389	Towards map-based cloning: fine mapping of a recessive genic male-sterile gene ( <i>BnMs2</i> ) in <i>Brassica napus</i> L. and syntenic region identification based on the <i>Arabidopsis thaliana</i> genome sequences. <i>Theoretical and Applied Genetics</i> , 2007, 115, 643-651.	1.8	33
3390	Natural variation of <i>Arabidopsis thaliana</i> reveals that aluminum resistance and proton resistance are controlled by different genetic factors. <i>Theoretical and Applied Genetics</i> , 2007, 115, 709-719.	1.8	44
3391	Microsatellite mapping of adult-plant leaf rust resistance gene <i>Lr22a</i> in wheat. <i>Theoretical and Applied Genetics</i> , 2007, 115, 877-884.	1.8	79
3392	Detection of QTL for six yield-related traits in oilseed rape ( <i>Brassica napus</i> ) using DH and immortalized F2 populations. <i>Theoretical and Applied Genetics</i> , 2007, 115, 849-858.	1.8	179
3393	Detection of seed dormancy QTL in multiple mapping populations derived from crosses involving novel barley germplasm. <i>Theoretical and Applied Genetics</i> , 2007, 115, 869-876.	1.8	62
3394	Fine mapping of a <i>HvCBF</i> gene cluster at the frost resistance locus <i>Fr-H2</i> in barley. <i>Theoretical and Applied Genetics</i> , 2007, 115, 1083-1091.	1.8	145
3395	Identification and characterization of a major QTL responsible for erect panicle trait in japonica rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2007, 115, 1093-1100.	1.8	59
3396	Genetic and physical localization of an anthracnose resistance gene in <i>Medicago truncatula</i> . <i>Theoretical and Applied Genetics</i> , 2007, 116, 45-52.	1.8	22
3397	Map-based analysis of genetic loci on chromosome 2D that affect glume tenacity and threshability, components of the free-threshing habit in common wheat ( <i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2007, 116, 135-145.	1.8	41
3398	Molecular mapping of QTLs for Karnal bunt resistance in two recombinant inbred populations of bread wheat. <i>Theoretical and Applied Genetics</i> , 2007, 116, 147-154.	1.8	25

#	ARTICLE	IF	CITATIONS
3399	New genetic map of rye composed of PCR-based molecular markers and its alignment with the reference map of the DS2 Å— RXL10 intercross. <i>Journal of Applied Genetics</i> , 2007, 48, 11-24.	1.0	36
3400	Development of genetic maps of the citrus varieties â€˜Murcottâ€™™ tangor and â€˜PÃªraâ€™™ sweet orange by using fluorescent AFLP markers. <i>Journal of Applied Genetics</i> , 2007, 48, 219-231.	1.0	23
3401	Saturation and comparative mapping of a major Fusarium head blight resistance QTL in tetraploid wheat. <i>Molecular Breeding</i> , 2007, 19, 113-124.	1.0	75
3402	Molecular tagging and mapping of the erect panicle gene in rice. <i>Molecular Breeding</i> , 2007, 19, 297-304.	1.0	27
3403	Development of SCAR markers linked to a gene controlling absence of tannins in faba bean. <i>Molecular Breeding</i> , 2007, 19, 305-314.	1.0	32
3404	Isolation and characterization of a new mutant allele of brachytic 2 maize gene. <i>Molecular Breeding</i> , 2007, 20, 83-91.	1.0	28
3405	Detection and mapping of SSRs in rye ESTs from aluminium-stressed roots. <i>Molecular Breeding</i> , 2007, 20, 103-115.	1.0	15
3406	A intervarietal genetic map and QTL analysis for yield traits in wheat. <i>Molecular Breeding</i> , 2007, 20, 167-178.	1.0	177
3407	A genetic map of tetraploid <i>Paspalum notatum</i> FlÃ¼gge (bahiagrass) based on single-dose molecular markers. <i>Molecular Breeding</i> , 2007, 20, 153-166.	1.0	92
3408	Microsatellite markers flanking a stem solidness gene on chromosome 3BL in durum wheat. <i>Molecular Breeding</i> , 2007, 20, 261-270.	1.0	35
3409	Ty-3, a begomovirus resistance locus near the Tomato yellow leaf curl virus resistance locus Ty-1 on chromosome 6 of tomato. <i>Molecular Breeding</i> , 2007, 20, 271-284.	1.0	167
3410	Molecular marker development and linkage analysis in three low phytic acid barley ( <i>Hordeum vulgare</i> ) mutant lines. <i>Molecular Breeding</i> , 2007, 20, 323-330.	1.0	19
3411	Fine mapping of the qCTS4 locus associated with seedling cold tolerance in rice ( <i>Oryza sativa</i> L.). <i>Molecular Breeding</i> , 2007, 20, 349-358.	1.0	64
3412	A consensus map for <i>Cucurbita pepo</i> . <i>Molecular Breeding</i> , 2007, 20, 375-388.	1.0	65
3413	Inheritance and tagging of gene regulating flowering time in the green manure crop <i>Sesbania rostrata</i> (Bremek. & Obrem.). <i>Molecular Breeding</i> , 2007, 20, 389-399.	1.0	3
3414	Markers associated with a QTL for grain yield in wheat under drought. <i>Molecular Breeding</i> , 2007, 20, 401-413.	1.0	203
3415	Validation of molecular markers for covered smut resistance and marker-assisted introgression of loose and covered smut resistance into hullless barley. <i>Molecular Breeding</i> , 2007, 21, 37-48.	1.0	16
3416	Mapping of quantitative trait loci for basmati quality traits in rice ( <i>Oryza sativa</i> L.). <i>Molecular Breeding</i> , 2007, 21, 49-65.	1.0	177

#	ARTICLE	IF	CITATIONS
3417	Development of sequence characterized DNA markers linked to leaf rust ( <i>Hemileia vastatrix</i> ) resistance in coffee ( <i>Coffea arabica</i> L.). <i>Molecular Breeding</i> , 2007, 21, 105-113.	1.0	24
3418	Construction of a genetic linkage map and identification of molecular markers in peach rootstocks for response to peach tree short life syndrome. <i>Tree Genetics and Genomes</i> , 2007, 3, 341-350.	0.6	28
3419	Genetic linkage maps of <i>Populus nigra</i> L. including AFLPs, SSRs, SNPs, and sex trait. <i>Tree Genetics and Genomes</i> , 2007, 4, 25-36.	0.6	95
3420	Comparison between a coffee single copy chromosomal region and <i>Arabidopsis</i> duplicated counterparts evidenced high level synteny between the coffee genome and the ancestral <i>Arabidopsis</i> genome. <i>Plant Molecular Biology</i> , 2007, 64, 699-711.	2.0	20
3421	Leaf rust resistance gene <i>Lr1</i> , isolated from bread wheat ( <i>Triticum aestivum</i> L.) is a member of the large <i>psr567</i> gene family. <i>Plant Molecular Biology</i> , 2007, 65, 93-106.	2.0	299
3422	QTL mapping of root aerenchyma formation in seedlings of a maize- <i>Zea mays</i> ssp. <i>indica</i> cross. <i>Plant and Soil</i> , 2007, 295, 103-113.	1.8	82
3423	Confirmation of Three Quantitative Trait Loci Conferring Adult Plant Resistance to Powdery Mildew in Two Winter Wheat Populations. <i>Euphytica</i> , 2007, 155, 1-13.	0.6	55
3424	Detection of quantitative trait loci for leaf rust resistance in wheat ( <i>T. timopheevii</i> / <i>T. tauschii</i> ) introgression lines. <i>Euphytica</i> , 2007, 155, 79-86.	0.6	32
3425	Genetic markers for doubled haploid response in barley. <i>Euphytica</i> , 2007, 158, 287-294.	0.6	33
3426	Genetic dissection of plant height by molecular markers using a population of recombinant inbred lines in maize. <i>Euphytica</i> , 2007, 155, 117-124.	0.6	64
3427	Molecular mapping of genes determining hairy leaf character in common wheat with respect to other species of the Triticeae. <i>Euphytica</i> , 2007, 155, 285-293.	0.6	38
3428	Different recombination frequencies in wheat doubled haploid populations obtained through maize pollination and anther culture. <i>Euphytica</i> , 2007, 156, 173-183.	0.6	17
3429	Genetic analysis of genotype-iron nutrition interaction on coleoptile elongation rate in rice ( <i>Oryza</i> ) Tj ETQq0 0,0 rgBT /Qverlock 10	0.6	7
3430	Genetic analysis and molecular mapping of two dominant complementary genes determining resistance to sugarcane mosaic virus in maize. <i>Euphytica</i> , 2007, 156, 355-364.	0.6	29
3431	Detection of quantitative trait locus for leafhopper ( <i>Cnaphalocrocis medinalis</i> (Guenée)) resistance in rice on linkage group 1 based on damage score and flag leaf width. <i>Euphytica</i> , 2007, 157, 35-43.	0.6	8
3432	Development of a molecular marker for a bruchid ( <i>Callosobruchus chinensis</i> L.) resistance gene in mungbean. <i>Euphytica</i> , 2007, 157, 113-122.	0.6	45
3433	A quantitative trait locus influencing tolerance to <i>Phytophthora</i> root rot in the soybean cultivar 'Conrad'. <i>Euphytica</i> , 2007, 158, 81-86.	0.6	46
3434	Molecular identification of <i>Pm12</i> -carrying introgression lines in wheat using genomic and EST-SSR markers. <i>Euphytica</i> , 2007, 158, 95-102.	0.6	20

#	ARTICLE	IF	CITATIONS
3435	Molecular mapping of genomic regions harboring QTLs for stalk rot resistance in sorghum. <i>Euphytica</i> , 2007, 159, 191-198.	0.6	33
3436	A corrected Haldane's map function to calculate genetic distances from recombination data. <i>Genetica</i> , 2007, 129, 333-338.	0.5	7
3437	A genetic linkage map of Pacific white shrimp ( <i>Litopenaeus vannamei</i> ): sex-linked microsatellite markers and high recombination rates. <i>Genetica</i> , 2007, 131, 37-49.	0.5	111
3438	Genetic basis of species differentiation between <i>Coffea liberica</i> Hiern and <i>C. canephora</i> Pierre: Analysis of an interspecific cross. <i>Genetic Resources and Crop Evolution</i> , 2007, 54, 1011-1021.	0.8	24
3439	Identification and Mapping of Amplified Fragment Length Polymorphism Markers Linked to Shell Color in Bay Scallop, <i>Argopecten irradians irradians</i> (Lamarck, 1819). <i>Marine Biotechnology</i> , 2007, 9, 66-73.	1.1	52
3440	The genetic basic and fine-mapping of a stable quantitative-trait loci for aluminium tolerance in rice. <i>Planta</i> , 2007, 227, 255-262.	1.6	52
3441	Molecular mapping of two cultivar-specific avirulence genes in the rice blast fungus <i>Magnaporthe grisea</i> . <i>Molecular Genetics and Genomics</i> , 2007, 277, 139-148.	1.0	29
3442	Wheat VIN3-like PHD finger genes are up-regulated by vernalization. <i>Molecular Genetics and Genomics</i> , 2007, 277, 301-313.	1.0	56
3443	Cloning and characterization of the ribosomal protein L3 (RPL3) gene family from <i>Triticum aestivum</i> . <i>Molecular Genetics and Genomics</i> , 2007, 277, 507-517.	1.0	16
3444	Identification and characterization of segregation distortion loci along chromosome 5B in tetraploid wheat. <i>Molecular Genetics and Genomics</i> , 2007, 278, 187-196.	1.0	52
3445	Characterization and fine mapping of RppQ, a resistance gene to southern corn rust in maize. <i>Molecular Genetics and Genomics</i> , 2007, 278, 723-728.	1.0	34
3446	An AFLP genetic linkage map of pacific abalone ( <i>Haliotis discus hannai</i> ). <i>Journal of Ocean University of China</i> , 2007, 6, 259-267.	0.6	6
3447	A comparative study on segregation analysis and QTL mapping of quantitative traits in plants with a case in soybean. <i>Frontiers of Agriculture in China</i> , 2007, 1, 1-7.	0.2	114
3448	Reconstruction of linkage maps in the distorted segregation populations of backcross, doubled haploid and recombinant inbred lines. <i>Science Bulletin</i> , 2007, 52, 1648-1653.	1.7	13
3449	cDNA-AFLP profiling for the fiber development stage of secondary cell wall synthesis and transcriptome mapping in cotton. <i>Science Bulletin</i> , 2007, 52, 2358-2364.	1.7	9
3450	Studies of new EST-SSRs derived from <i>Gossypium barbadense</i> . <i>Science Bulletin</i> , 2007, 52, 2522-2531.	1.7	21
3451	A statistical framework for genome-wide scanning and testing of imprinted quantitative trait loci. <i>Journal of Theoretical Biology</i> , 2007, 244, 115-126.	0.8	20
3452	Gene expression analysis at the onset of aposporous apomixis in <i>Paspalum notatum</i> . <i>Plant Molecular Biology</i> , 2008, 67, 615-628.	2.0	63

#	ARTICLE	IF	CITATIONS
3453	Physiological and genetic analysis of root responsiveness to auxin-producing plant growth-promoting bacteria in common bean ( <i>Phaseolus vulgaris</i> L.). <i>Plant and Soil</i> , 2008, 302, 149-161.	1.8	169
3454	Hessian fly resistance genes H16 and H17 are mapped to a resistance gene cluster in the distal region of chromosome 1AS in wheat. <i>Molecular Breeding</i> , 2008, 21, 183-194.	1.0	28
3455	Comparative genetics in sugarcane enables structured map enhancement and validation of marker-trait associations. <i>Molecular Breeding</i> , 2008, 21, 233-247.	1.0	32
3456	A linkage map of maize— <i>Zea mays</i> L. and identification of QTLs controlling root aerenchyma formation. <i>Molecular Breeding</i> , 2008, 21, 327-337.	1.0	41
3457	Mapping of quantitative trait loci for resistance to <i>Mycosphaerella pinodes</i> in <i>Pisum sativum</i> subsp. <i>syriacum</i> . <i>Molecular Breeding</i> , 2008, 21, 439-454.	1.0	62
3458	Development of a genetic linkage map and identification of homologous linkage groups in sweetpotato using multiple-dose AFLP markers. <i>Molecular Breeding</i> , 2008, 21, 511-532.	1.0	77
3459	Identification and validation of QTLs for green plant percentage in barley ( <i>Hordeum vulgare</i> L.) anther culture. <i>Molecular Breeding</i> , 2008, 22, 119-129.	1.0	31
3460	Identification of SSR markers for a broad-spectrum blast resistance gene Pi20(t) for marker-assisted breeding. <i>Molecular Breeding</i> , 2008, 22, 141-149.	1.0	48
3461	Identification and validation of RAPD and SCAR markers linked to the gene Er3 conferring resistance to <i>Erysiphe pisi</i> DC in pea. <i>Molecular Breeding</i> , 2008, 22, 193-200.	1.0	59
3462	Whole genome mapping in a wheat doubled haploid population using SSRs and TRAPs and the identification of QTL for agronomic traits. <i>Molecular Breeding</i> , 2008, 22, 251-266.	1.0	97
3463	Development of SCAR markers linked to male sterility and very high linoleic acid content in safflower. <i>Molecular Breeding</i> , 2008, 22, 385-393.	1.0	15
3464	QTL mapping of resistance to <i>Fusarium</i> ear rot using a RIL population in maize. <i>Molecular Breeding</i> , 2008, 22, 395-403.	1.0	80
3465	Molecular cloning of the CaLFY, putative pepper ortholog of FLO/LFY. <i>Molecular Breeding</i> , 2008, 22, 443-453.	1.0	10
3466	Detection of <i>Fusarium</i> head blight resistance QTLs using five populations of top-cross progeny derived from two-row—two-row crosses in barley. <i>Molecular Breeding</i> , 2008, 22, 517-526.	1.0	27
3467	The integration of mutant loci affecting maize endosperm development in a dense genetic map using an AFLP-based procedure. <i>Molecular Breeding</i> , 2008, 22, 527-541.	1.0	7
3468	EST-SSR genetic maps for <i>Citrus sinensis</i> and <i>Poncirus trifoliata</i> . <i>Tree Genetics and Genomes</i> , 2008, 4, 1-10.	0.6	119
3469	Mechanism and molecular markers associated with rust resistance in a chickpea interspecific cross ( <i>Cicer arietinum</i> L.— <i>Cicer reticulatum</i> ). <i>European Journal of Plant Pathology</i> , 2008, 121, 43-53.	0.8	54
3470	Modelling nitrogen stress with probe genotypes to assess genetic parameters and genetic determinism of winter wheat tolerance to nitrogen constraint. <i>Euphytica</i> , 2008, 161, 259-271.	0.6	39



#	ARTICLE	IF	CITATIONS
3471	Identification of microsatellite markers linked to the blast resistance gene Pi-1(t) in rice. <i>Euphytica</i> , 2008, 160, 295-304.	0.6	46
3472	Comparative genetic analysis and molecular mapping of fertility restoration genes for WA, Dissi, and Gambiaca cytoplasmic male sterility systems in rice. <i>Euphytica</i> , 2008, 160, 305-315.	0.6	23
3473	Validating a segment on the short arm of chromosome 6 responsible for genetic variation in the hull silicon content and yield traits of rice. <i>Euphytica</i> , 2008, 160, 317-324.	0.6	36
3474	Mapping QTL tolerance to <i>Phytophthora</i> root rot in soybean using microsatellite and RAPD/SCAR derived markers. <i>Euphytica</i> , 2008, 162, 231-239.	0.6	86
3475	Molecular markers linked to the fin gene controlling determinate growth habit in common bean. <i>Euphytica</i> , 2008, 162, 241-248.	0.6	10
3476	Marker-assisted selection efficiency in multiple connected populations: a simulation study based on the results of a QTL detection experiment in maize. <i>Euphytica</i> , 2008, 161, 71-84.	0.6	24
3477	Mapping of the leaf rust resistance gene Lr38 on wheat chromosome arm 6DL using SSR markers. <i>Euphytica</i> , 2008, 162, 457-466.	0.6	49
3478	Development and validation of microsatellite markers linked to the rice blast resistance gene Pi-z of Fukunishiki and Zenith. <i>Euphytica</i> , 2008, 163, 275-282.	0.6	11
3479	Quantitative trait loci of frost tolerance and physiologically related trait in faba bean ( <i>Vicia faba</i> L.). <i>Euphytica</i> , 2008, 164, 93-104.	0.6	52
3480	Development of molecular markers linked to the Fom-1 locus for resistance to <i>Fusarium</i> race 2 in melon. <i>Euphytica</i> , 2008, 164, 347-356.	0.6	31
3481	Discovery and detection of single nucleotide polymorphism (SNP) in coding and genomic sequences in chickpea ( <i>Cicer arietinum</i> L.). <i>Euphytica</i> , 2008, 162, 291-300.	0.6	23
3482	Assessing the importance of genotype×environment interaction for root traits in rice using a mapping population III: QTL analysis by mixed models. <i>Euphytica</i> , 2008, 161, 229-240.	0.6	5
3483	Molecular markers linked to Bn;rfr: a recessive epistatic inhibitor gene of recessive genic male sterility in <i>Brassica napus</i> L.. <i>Euphytica</i> , 2008, 164, 377-384.	0.6	18
3484	Localization of QTL for basal root thickness in japonica rice and effect of marker-assisted selection for a major QTL. <i>Euphytica</i> , 2008, 164, 729-737.	0.6	17
3485	SNP discovery, linkage analysis and microsynteny in tentative consensus sequences derived from roots cDNA in a supernodulating soybean mutant. <i>Euphytica</i> , 2008, 164, 189-197.	0.6	5
3486	Genetic mapping and QTL analysis of fruit and flower related traits in cucumber ( <i>Cucumis sativus</i> L.) using recombinant inbred lines. <i>Euphytica</i> , 2008, 164, 473-491.	0.6	99
3487	Identification of QTL underlying the resistance of soybean to pod borer, <i>Leguminivora glycinivorella</i> (Mats.) obratsov, and correlations with plant, pod and seed traits. <i>Euphytica</i> , 2008, 164, 275.	0.6	28
3488	An integrated genetic and cytogenetic map for the Mediterranean fruit fly, <i>Ceratitis capitata</i> , based on microsatellite and morphological markers. <i>Genetica</i> , 2008, 133, 147-157.	0.5	24

#	ARTICLE	IF	CITATIONS
3489	Mapping QTLs of root morphological traits at different growth stages in rice. <i>Genetica</i> , 2008, 133, 187-200.	0.5	117
3490	Mapping functions. <i>Genetica</i> , 2008, 133, 235-246.	0.5	7
3491	Construction of a genetic linkage map in <i>Fenneropenaeus chinensis</i> (Osbeck) using RAPD and SSR markers. <i>Hydrobiologia</i> , 2008, 596, 133-141.	1.0	10
3492	Mapping QTLs for root morphological traits in <i>Brassica rapa</i> L. based on AFLP and RAPD markers. <i>Journal of Applied Genetics</i> , 2008, 49, 23-31.	1.0	33
3493	Identification of QTL for maize resistance to common smut by using recombinant inbred lines developed from the Chinese hybrid Yuyu22. <i>Journal of Applied Genetics</i> , 2008, 49, 147-154.	1.0	16
3494	Mapping QTLs for pre-harvest sprouting tolerance on chromosome 2D in a synthetic hexaploid wheatA—common wheat cross. <i>Journal of Applied Genetics</i> , 2008, 49, 333-341.	1.0	24
3495	ATG-anchored AFLP (ATG-AFLP) analysis in cotton. <i>Plant Cell Reports</i> , 2008, 27, 1645-1653.	2.8	8
3496	FT genome A and D polymorphisms are associated with the variation of earliness components in hexaploid wheat. <i>Theoretical and Applied Genetics</i> , 2008, 116, 383-394.	1.8	97
3497	Resistance to <i>Colletotrichum lindemuthianum</i> in <i>Phaseolus vulgaris</i> : a case study for mapping two independent genes. <i>Theoretical and Applied Genetics</i> , 2008, 116, 407-415.	1.8	100
3498	Resistance to <i>Erysiphe necator</i> in the grapevine "Kishmish vatkana"™ is controlled by a single locus through restriction of hyphal growth. <i>Theoretical and Applied Genetics</i> , 2008, 116, 427-438.	1.8	124
3499	A guanylyl cyclase-like gene is associated with <i>Gibberella</i> ear rot resistance in maize ( <i>Zea mays</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 116, 465-479.	1.8	25
3500	Qualitative and quantitative trait loci conditioning resistance to <i>Puccinia coronata</i> pathotypes NQMG and LGCG in the oat ( <i>Avena sativa</i> L.) cultivars Ogle and TAM O-301. <i>Theoretical and Applied Genetics</i> , 2008, 116, 517-527.	1.8	23
3501	Association between allelic variation at the Phytoene synthase 1 gene and yellow pigment content in the wheat grain. <i>Theoretical and Applied Genetics</i> , 2008, 116, 635-645.	1.8	174
3502	A comparative analysis into the genetic bases of morphology in tomato varieties exhibiting elongated fruit shape. <i>Theoretical and Applied Genetics</i> , 2008, 116, 647-656.	1.8	102
3503	Detection of quantitative trait loci controlling extremely early heading in rice. <i>Theoretical and Applied Genetics</i> , 2008, 116, 715-722.	1.8	62
3504	Molecular mapping of genes for race-specific overall resistance to stripe rust in wheat cultivar Express. <i>Theoretical and Applied Genetics</i> , 2008, 116, 797-806.	1.8	52
3505	Molecular mapping and intra-cluster recombination between anthracnose race-specific resistance genes in the common bean differential cultivars Mexico 222 and Widusa. <i>Theoretical and Applied Genetics</i> , 2008, 116, 807-814.	1.8	40
3506	Identification and fine mapping of S-d, a new locus conferring the partial pollen sterility of intersubspecific F1 hybrids in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 116, 915-922.	1.8	30

#	ARTICLE	IF	CITATIONS
3507	Separate loci underlie resistance to root infection and leaf scorch during soybean sudden death syndrome. <i>Theoretical and Applied Genetics</i> , 2008, 116, 967-977.	1.8	76
3508	The flowering locus <i>Hr</i> colocalizes with a major QTL affecting winter frost tolerance in <i>Pisum sativum</i> L.. <i>Theoretical and Applied Genetics</i> , 2008, 116, 1105-1116.	1.8	107
3509	Fine mapping and candidate gene analysis of <i>hwh1</i> and <i>hwh2</i> , a set of complementary genes controlling hybrid breakdown in rice. <i>Theoretical and Applied Genetics</i> , 2008, 116, 1117-1127.	1.8	22
3510	A grapevine ( <i>Vitis vinifera</i> L.) genetic map integrating the position of 139 expressed genes. <i>Theoretical and Applied Genetics</i> , 2008, 116, 1129-1143.	1.8	71
3511	Fine mapping of a recessive genic male sterility gene ( <i>Bnms3</i> ) in rapeseed ( <i>Brassica napus</i> ) with AFLP- and Arabidopsis-derived PCR markers. <i>Theoretical and Applied Genetics</i> , 2008, 117, 11-18.	1.8	41
3512	Molecular mapping of an apical branching gene of cultivated sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 117, 19-28.	1.8	16
3513	Molecular mapping of QTLs for resistance to the greenbug <i>Schizaphis graminum</i> (Rondani) in <i>Sorghum bicolor</i> (Moench). <i>Theoretical and Applied Genetics</i> , 2008, 117, 117-124.	1.8	53
3514	A high-density intervarietal map of the wheat genome enriched with markers derived from expressed sequence tags. <i>Theoretical and Applied Genetics</i> , 2008, 117, 181-189.	1.8	161
3515	Identification of quantitative trait loci controlling partial clubroot resistance in new mapping populations of <i>Arabidopsis thaliana</i> . <i>Theoretical and Applied Genetics</i> , 2008, 117, 191-202.	1.8	56
3516	Introgression and molecular tagging of <i>Rf 4</i> , a new male fertility restoration gene from wild sunflower <i>Helianthus maximiliani</i> L.. <i>Theoretical and Applied Genetics</i> , 2008, 117, 241-249.	1.8	42
3517	High level of conservation between genes coding for the GAMYB transcription factor in barley ( <i>Hordeum vulgare</i> L.) and bread wheat ( <i>Triticum aestivum</i> L.) collections. <i>Theoretical and Applied Genetics</i> , 2008, 117, 321-331.	1.8	28
3518	Analysis of genome organization, composition and microsynteny using 500 kb BAC sequences in chickpea. <i>Theoretical and Applied Genetics</i> , 2008, 117, 449-458.	1.8	24
3519	Identification and mapping of <i>pm2026</i> : a recessive powdery mildew resistance gene in an einkorn ( <i>Triticum monococcum</i> L.) accession. <i>Theoretical and Applied Genetics</i> , 2008, 117, 471-477.	1.8	42
3520	QTL analysis of cleistogamy in soybean. <i>Theoretical and Applied Genetics</i> , 2008, 117, 479-487.	1.8	69
3521	Molecular mapping of quantitative trait loci for yield and yield components in spring wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	181
3522	Molecular mapping of 36 soybean male-sterile, female-sterile mutants. <i>Theoretical and Applied Genetics</i> , 2008, 117, 711-719.	1.8	23
3523	Identification and mapping QTL for high-temperature adult-plant resistance to stripe rust in winter wheat ( <i>Triticum aestivum</i> L.) cultivar "Stephens"™. <i>Theoretical and Applied Genetics</i> , 2008, 117, 793-802.	1.8	88
3524	Novel QTLs for photoperiodic flowering revealed by using reciprocal backcross inbred lines from crosses between japonica rice cultivars. <i>Theoretical and Applied Genetics</i> , 2008, 117, 935-945.	1.8	79

#	ARTICLE	IF	CITATIONS
3525	Genetic analysis of root elongation induced by phosphorus deficiency in rice ( <i>Oryza sativa</i> L.): fine QTL mapping and multivariate analysis of related traits. <i>Theoretical and Applied Genetics</i> , 2008, 117, 987-996.	1.8	60
3526	Construction of SSR-based chromosome map in bunching onion ( <i>Allium fistulosum</i> ). <i>Theoretical and Applied Genetics</i> , 2008, 117, 1213-1223.	1.8	39
3527	Genetic analysis of photoperiod sensitivity in a tropical by temperate maize recombinant inbred population using molecular markers. <i>Theoretical and Applied Genetics</i> , 2008, 117, 1129-1139.	1.8	38
3528	Development and fine mapping of three co-dominant SCAR markers linked to the M/m gene in the cucumber plant ( <i>Cucumis sativus</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 117, 1253-1260.	1.8	35
3529	A region of barley chromosome 6H harbors multiple major genes associated with net type net blotch resistance. <i>Theoretical and Applied Genetics</i> , 2008, 117, 1261-1270.	1.8	65
3530	Resistance to <i>Thielaviopsis basicola</i> in the cultivated A genome cotton. <i>Theoretical and Applied Genetics</i> , 2008, 117, 1313-1323.	1.8	40
3531	Mapping of genetic loci that regulate quantity of beta-carotene in fruit of US Western Shipping melon ( <i>Cucumis melo</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 117, 1345-1359.	1.8	68
3532	QTL analysis of pasta quality using a composite microsatellite and SNP map of durum wheat. <i>Theoretical and Applied Genetics</i> , 2008, 117, 1361-1377.	1.8	137
3533	BAC-derived markers converted from RFLP linked to <i>Phytophthora capsici</i> resistance in pepper ( <i>Capsicum annuum</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 118, 15-27.	1.8	59
3534	Characterization of AT-rich microsatellites in common bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 118, 91-103.	1.8	39
3535	The complex quantitative barley- <i>Rhynchosporium secalis</i> interaction: newly identified QTL may represent already known resistance genes. <i>Theoretical and Applied Genetics</i> , 2008, 118, 113-122.	1.8	27
3536	Bin mapping of genomic and EST-derived SSRs in melon ( <i>Cucumis melo</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 118, 139-150.	1.8	115
3537	Identification of QTLs for resistance to powdery mildew and SSR markers diagnostic for powdery mildew resistance genes in melon ( <i>Cucumis melo</i> L.). <i>Theoretical and Applied Genetics</i> , 2008, 118, 165-175.	1.8	85
3538	Quantitative trait locus analysis of lateral branch-related traits in cucumber ( <i>Cucumis sativus</i> L.) using recombinant inbred lines. <i>Science in China Series C: Life Sciences</i> , 2008, 51, 833-841.	1.3	7
3539	QTL molecular marker location of powdery mildew resistance in cucumber ( <i>Cucumis sativus</i> L.). <i>Science in China Series C: Life Sciences</i> , 2008, 51, 1003-1008.	1.3	12
3540	Genetic dissection of a thousand-grain weight quantitative trait locus on rice chromosome 1. <i>Science Bulletin</i> , 2008, 53, 2326-2332.	4.3	21
3541	Identification of SSR markers associated with seed coat permeability and electrolyte leaching in soybean. <i>Physiology and Molecular Biology of Plants</i> , 2008, 14, 173-177.	1.4	12
3542	Genomic targeting and mapping of tiller inhibition gene ( <i>tin3</i> ) of wheat using ESTs and synteny with rice. <i>Functional and Integrative Genomics</i> , 2008, 8, 33-42.	1.4	40

#	ARTICLE	IF	CITATIONS
3543	Micro-colinearity between rice, Brachypodium, and Triticum monococcum at the wheat domestication locus Q. Functional and Integrative Genomics, 2008, 8, 149-164.	1.4	53
3544	Genetic diversity and genomic distribution of homologs encoding NBS-LRR disease resistance proteins in sunflower. Molecular Genetics and Genomics, 2008, 280, 111-125.	1.0	94
3545	BAC end sequences corresponding to the B4 resistance gene cluster in common bean: a resource for markers and synteny analyses. Molecular Genetics and Genomics, 2008, 280, 521-33.	1.0	53
3546	The contribution of epistasis to species differences in annual sunflowers. Molecular Ecology, 2008, 10, 683-690.	2.0	31
3547	Chromosome Maps. , 2008, , 1-39.		3
3548	Identification of specific molecular markers linked to the rust resistance geneM4in flax. Australasian Plant Pathology, 2008, 37, 417.	0.5	6
3549	<i>yellow</i> and <i>ebony</i> Are the Responsible Genes for the Larval Color Mutants of the Silkworm <i>Bombyx mori</i>. Genetics, 2008, 180, 1995-2005.	1.2	126
3550	Characterization of the Interaction of a Novel <i>Stagonospora nodorum</i> Host-Selective Toxin with a Wheat Susceptibility Gene. Plant Physiology, 2008, 146, 323-324.	2.3	149
3551	Sex-Specific Genetic Loci for Femoral Neck Bone Mass and Strength Identified in Inbred COP and DA Rats. Journal of Bone and Mineral Research, 2008, 23, 850-859.	3.1	13
3552	Linkage Screen for BMD Phenotypes in Male and Female COP and DA Rat Strains. Journal of Bone and Mineral Research, 2008, 23, 1382-1388.	3.1	8
3553	Genetic control of fasciation in pea ( <i>Pisum sativum</i> L.). Russian Journal of Genetics, 2008, 44, 702-708.	0.2	12
3554	Genetic analysis and localization of loci controlling leaf rust resistance of <i>Triticum aestivum</i> Å— <i>Triticum timopheevii</i> introgression lines. Russian Journal of Genetics, 2008, 44, 1431-1437.	0.2	21
3555	Mapping and Quantitative Trait Loci Analysis of Verticillium Wilt Resistance Genes in Cotton. Journal of Integrative Plant Biology, 2008, 50, 174-182.	4.1	66
3556	SSR based linkage and mapping analysis of <i>C</i>, a yellow cocoon gene in the silkworm, <i>Bombyx mori</i>. Insect Science, 2008, 15, 399-404.	1.5	9
3557	Quantitative trait loci determining autogeny and body size in the Asian tiger mosquito ( <i>Aedes</i> ) Tj ETQq0 0 0 rgBT /Qyerlock 10 Tf 50 18	1.2	18
3558	Genetic and physiological characterization of the OsCem mutant in rice: formation of connected embryos with multiple plumules or multiple radicles. Heredity, 2008, 101, 239-246.	1.2	7
3559	Molecular physiology of weight regulation in mice and humans. International Journal of Obesity, 2008, 32, S98-S108.	1.6	122
3560	Inactivation of the <i>UGPase1</i> gene causes genic male sterility and endosperm chalkiness in rice (<i>Oryza sativa</i> L.). Plant Journal, 2008, 54, 190-204.	2.8	98

#	ARTICLE	IF	CITATIONS
3561	Regulatory change in YABBY-like transcription factor led to evolution of extreme fruit size during tomato domestication. <i>Nature Genetics</i> , 2008, 40, 800-804.	9.4	342
3562	A dense linkage map of hybrid cottonwood ( <i>Populus fremontii</i> × <i>P. angustifolia</i> ) contributes to long-term ecological research and comparison mapping in a model forest tree. <i>Heredity</i> , 2008, 100, 59-70.	1.2	44
3563	QTL analysis of leaf morphological characters in a <i>Quercus robur</i> family ( <i>Q. Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 66</i> )	1.8	28
3564	Genetic linkage map construction and location of QTLs for fruit-related traits in cucumber. <i>Plant Breeding</i> , 2008, 127, 180-188.	1.0	57
3565	Identification of AFLP markers linked to the epistatic suppressor gene of a recessive genic male sterility in rapeseed and conversion to SCAR markers. <i>Plant Breeding</i> , 2008, 127, 145-149.	1.0	17
3566	Development of molecular markers linked to the wheat powdery mildew resistance gene <i>Pm4b</i> and marker validation for molecular breeding. <i>Plant Breeding</i> , 2008, 127, 116-120.	1.0	43
3567	Characterizations and molecular mapping of a novel dominant semi-dwarf gene <i>Sdd(t)</i> in rice ( <i>Oryza sativa</i> ). <i>Plant Breeding</i> , 2008, 127, 125-130.	1.0	275
3568	Mapping of a blast field resistance gene <i>Pi39(t)</i> of elite rice strain Chubu 111. <i>Plant Breeding</i> , 2008, 127, 485-489.	1.0	37
3569	Dissection of genetic variance of fibre quality in advanced generations from an interspecific cross of <i>Gossypium hirsutum</i> and <i>G. barbadense</i> . <i>Plant Breeding</i> , 2008, 127, 286-294.	1.0	17
3570	QTL mapping of nutrient components in maize kernels under low nitrogen conditions. <i>Plant Breeding</i> , 2008, 127, 279-285.	1.0	18
3571	Molecular mapping of quantitative trait loci for field resistance to Fusarium head blight in a European winter wheat population. <i>Plant Breeding</i> , 2008, 127, 459-464.	1.0	33
3572	Development of markers for the use of the PEF1 cytoplasm in sunflower hybrid breeding. <i>Plant Breeding</i> , 2008, 127, 587-591.	1.0	23
3573	A first-generation genetic map of the Japanese scallop <i>Patinopecten yessoensis</i> -based AFLP and microsatellite markers. <i>Aquaculture Research</i> , 2008, 40, 35-43.	0.9	11
3574	The <i>gapped xylem</i> mutant identifies a common regulatory step in secondary cell wall deposition. <i>Plant Journal</i> , 2000, 24, 477-488.	2.8	1
3575	Mapping QTL contributing to SCMV resistance in tropical maize. <i>Hereditas</i> , 2008, 145, 167-173.	0.5	12
3576	QTL mapping for yield components in a tropical maize population using microsatellite markers. <i>Hereditas</i> , 2008, 145, 194-203.	0.5	49
3577	Development and mapping of Simple Sequence Repeat markers for pearl millet from data mining of Expressed Sequence Tags. <i>BMC Plant Biology</i> , 2008, 8, 119.	1.6	114
3578	Synteny conservation between two distantly-related Rosaceae genomes: <i>Prunus</i> (the stone fruits) and <i>Fragaria</i> (the strawberry). <i>BMC Plant Biology</i> , 2008, 8, 67.	1.6	58

#	ARTICLE	IF	CITATIONS
3579	Molecular genetic mapping of quantitative trait loci associated with loaf volume in hexaploid wheat ( <i>Triticum aestivum</i> ). <i>Journal of Cereal Science</i> , 2008, 47, 587-598.	1.8	32
3580	Comparative Genetic Mapping Between Octoploid and Diploid <i>Fragaria</i> Species Reveals a High Level of Colinearity Between Their Genomes and the Essentially Disomic Behavior of the Cultivated Octoploid Strawberry. <i>Genetics</i> , 2008, 179, 2045-2060.	1.2	140
3581	The development of a bin mapping population and the selective mapping of 103 markers in the diploid <i>Fragaria</i> reference map. <i>Genome</i> , 2008, 51, 120-127.	0.9	61
3582	Salmonids. , 2008, , 1-43.		5
3583	Identification of quantitative trait loci associated with salt tolerance during seedling growth in soybean ( <i>Glycine max</i> L.). <i>Australian Journal of Agricultural Research</i> , 2008, 59, 1086.	1.5	71
3584	A quantitative approach detects three QTLs involved in powdery mildew resistance at the seedling stage in the winter wheat line RE714. <i>Australian Journal of Agricultural Research</i> , 2008, 59, 714.	1.5	4
3586	QTL Identification for Fatty Acid Content in Rapeseed ( <i>Brassica napus</i> L.). <i>Acta Agronomica Sinica</i> , 2008, 34, 54-60.	0.3	11
3587	QTL Mapping and Correlations Between Leaf Water Potential and Drought Resistance in Rice Under Upland and Lowland Environments. <i>Acta Agronomica Sinica</i> , 2008, 34, 198-206.	0.3	12
3588	Mapping of QTLs Associated with Resistance to Fusarium Head Blight Using an "Immortalized F2" Population. <i>Acta Agronomica Sinica</i> , 2008, 34, 539-544.	0.3	1
3589	Identification and Mapping of a Novel Sugarcane Mosaic Virus Resistance Gene in Maize. <i>Acta Agronomica Sinica</i> , 2008, 34, 1494-1499.	0.3	7
3590	Genetic Evaluation of EST-SSRs Derived from <i>Gossypium herbaceum</i> . <i>Acta Agronomica Sinica</i> , 2008, 34, 2085-2091.	0.3	9
3591	A Novel Source of Resistance in Wheat to <i>Pyrenophora tritici-repentis</i> Race 1. <i>Plant Disease</i> , 2008, 92, 91-95.	0.7	34
3592	A BAC-based integrated linkage map of the silkworm <i>Bombyx mori</i> . <i>Genome Biology</i> , 2008, 9, R21.	13.9	93
3593	Molecular Biomethods Handbook. Springer Protocols, 2008, , .	0.1	13
3594	Allelic analysis of stripe rust resistance genes on wheat chromosome 2BS. <i>Genome</i> , 2008, 51, 922-927.	0.9	47
3595	Quantitative trait loci controlling flowering time and related traits in a <i>Solanum lycopersicum</i> – <i>S. pimpinellifolium</i> cross. <i>Scientia Horticulturae</i> , 2008, 116, 144-151.	1.7	17
3596	Phylogenetic analysis and genetic mapping of Chinese <i>Hedychium</i> using SRAP markers. <i>Scientia Horticulturae</i> , 2008, 117, 369-377.	1.7	39
3597	Genomic regions for yield and yield parameters in Chinese winter wheat ( <i>Triticum aestivum</i> L.) genotypes tested under varying environments correspond to QTL in widely different wheat materials. <i>Plant Science</i> , 2008, 175, 226-232.	1.7	51

#	ARTICLE	IF	CITATIONS
3598	Aluminum-tolerance QTL in Columbia/Kashmir inbred population of <i>Arabidopsis thaliana</i> is not associated with aluminum-responsive malate excretion. <i>Plant Science</i> , 2008, 175, 533-538.	1.7	8
3599	Genome structure in soybean revealed by a genomewide genetic map constructed from a single population. <i>Genomics</i> , 2008, 92, 52-59.	1.3	18
3600	Development of microsatellite markers and construction of genetic map in rice blast pathogen <i>Magnaporthe grisea</i> . <i>Fungal Genetics and Biology</i> , 2008, 45, 1340-1347.	0.9	46
3601	Dissection of QTLs for Yield Traits on the Short Arm of Rice Chromosome 6. <i>Agricultural Sciences in China</i> , 2008, 7, 513-520.	0.6	13
3602	Genetic Analysis and Molecular Tagging a Novel Yellow Rust Resistance Gene Derived from Synthetic Hexaploid Wheat Germplasm M08. <i>Agricultural Sciences in China</i> , 2008, 7, 266-271.	0.6	0
3603	Evaluation and Quantitative Inheritance of Several Drought-Relative Traits in Maize. <i>Agricultural Sciences in China</i> , 2008, 7, 280-290.	0.6	20
3604	Validation of EST-derived STS markers localized on Qfhs.ndsu-3BS for <i>Fusarium</i> head blight resistance in wheat using a "Wangshuibai"™ derived population. <i>Journal of Genetics and Genomics</i> , 2008, 35, 625-629.	1.7	3
3605	Genetic analysis and fine-mapping of a dwarfing with withered leaf-tip mutant in rice. <i>Journal of Genetics and Genomics</i> , 2008, 35, 715-721.	1.7	4
3606	Evaluation of Microsatellite Markers for Genome Mapping in Indian Mustard ( <i>Brassica juncea</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 2008, 17, 69-72.	0.9	6
3607	A sequence-anchored genetic linkage map for the moss, <i>Physcomitrella patens</i> . <i>Plant Journal</i> , 2008, 56, 855-866.	2.8	42
3608	Genetic loci affecting bone structure and strength in inbred COP and DA rats. <i>Bone</i> , 2008, 42, 547-553.	1.4	10
3609	Fine Mapping of C (Chromogen for Anthocyanin) Gene in Rice. <i>Rice Science</i> , 2008, 15, 1-6.	1.7	22
3610	Genetic Analysis and Primary Mapping of pms4, a Photoperiod-Sensitive Genic Male Sterility Gene in Rice ( <i>Oryza sativa</i> ). <i>Rice Science</i> , 2008, 15, 153-156.	1.7	9
3611	Identification of stably expressed quantitative trait loci for cooked rice elongation in non-Basmati varieties. <i>Genome</i> , 2008, 51, 104-112.	0.9	13
3612	Identification and Molecular Characterization of Leaf Rust Resistance Gene <i>Lr14a</i> in Durum Wheat. <i>Plant Disease</i> , 2008, 92, 469-473.	0.7	64
3613	Phenotypic characterization, genetic analysis, and molecular mapping of a new mutant gene for male sterility in rice. <i>Genome</i> , 2008, 51, 303-308.	0.9	8
3614	Identification of resistance genes to barley covered smut and mapping of the <i>Ruh1</i> gene using <i>Ustilago hordei</i> strains with defined avirulence genes. <i>Canadian Journal of Plant Pathology</i> , 2008, 30, 277-284.	0.8	14
3615	Mapping of a major locus controlling seed dormancy using backcrossed progenies in wheat ( <i>Triticum aestivum</i> L.). <i>Genome</i> , 2008, 51, 426-432.	0.9	45



#	ARTICLE	IF	CITATIONS
3616	Molecular cloning and mapping of casein kinase 2 alpha and beta subunit genes in barley. <i>Genome</i> , 2008, 51, 208-215.	0.9	4
3617	Characteristics and analysis of simple sequence repeats in the cotton genome based on a linkage map constructed from a BC <sub>1</sub> population between <i>Gossypium hirsutum</i> and <i>G. barbadense</i> . <i>Genome</i> , 2008, 51, 534-546.	0.9	41
3618	Quantitative trait loci associated with lettuce seed germination under different temperature and light environments. <i>Genome</i> , 2008, 51, 928-947.	0.9	35
3619	SSR-based genetic linkage map of <i>Cucurbita moschata</i> and its synteny with <i>Cucurbita pepo</i> . <i>Genome</i> , 2008, 51, 878-887.	0.9	56
3620	Comparative mapping among subsection <i>Australes</i> (genus <i>Pinus</i> , family Pinaceae). <i>Genome</i> , 2008, 51, 320-331.	0.9	13
3621	Identification and mapping of a third blackleg resistance locus in <i>Brassica napus</i> derived from <i>B. rapa</i> subsp. <i>sylvestris</i> . <i>Genome</i> , 2008, 51, 64-72.	0.9	105
3622	Mapping Homologous Sequences for Determinacy and Photoperiod Sensitivity in Common Bean ( <i>Phaseolus vulgaris</i> ). <i>Journal of Heredity</i> , 2008, 99, 283-291.	1.0	98
3623	Consensus Genetic Maps as Median Orders from Inconsistent Sources. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2008, 5, 161-171.	1.9	31
3624	Germline Stem Cells. <i>Methods in Molecular Biology</i> , 2008, 450, v.	0.4	7
3625	QTLNetwork: mapping and visualizing genetic architecture of complex traits in experimental populations. <i>Bioinformatics</i> , 2008, 24, 721-723.	1.8	396
3626	Integration of Brassica A genome genetic linkage map between <i>Brassica napus</i> and <i>B. rapa</i> . <i>Genome</i> , 2008, 51, 169-176.	0.9	53
3627	Differential Accumulation of Retroelements and Diversification of NB-LRR Disease Resistance Genes in Duplicated Regions following Polyploidy in the Ancestor of Soybean. <i>Plant Physiology</i> , 2008, 148, 1740-1759.	2.3	140
3628	Amino Acid Polymorphisms in Strictly Conserved Domains of a P-Type ATPase HMA5 Are Involved in the Mechanism of Copper Tolerance Variation in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2008, 148, 969-980.	2.3	123
3629	Rice-arsenate interactions in hydroponics: a three-gene model for tolerance. <i>Journal of Experimental Botany</i> , 2008, 59, 2277-2284.	2.4	34
3630	Genetic Linkage Map of the Nucleolus Organizer Region in the Soybean. <i>Genetics</i> , 2008, 178, 605-608.	1.2	5
3631	Quantitative Trait Loci Mapping in Five New Large Recombinant Inbred Line Populations of <i>Arabidopsis thaliana</i> Genotyped With Consensus Single-Nucleotide Polymorphism Markers. <i>Genetics</i> , 2008, 178, 2253-2264.	1.2	145
3632	Diploid/Polyploid Syntenic Shuttle Mapping and Haplotype-Specific Chromosome Walking Toward a Rust Resistance Gene ( <i>Bru1</i> ) in Highly Polyploid Sugarcane ( $2n \times 12x$ ). <i>Genetics</i> , 2008, 180, 649-660.	1.2	110
3634	Fine Mapping of Spr3, a Locus for Spreading Panicle from African Cultivated Rice ( <i>Oryza glaberrima</i> ) Tj ETQq1 1 0.784314 rgBT /Overl	3.9	25

#	ARTICLE	IF	CITATIONS
3635	Correspondence of Trichome Mutations in Diploid and Tetraploid Cottons. <i>Journal of Heredity</i> , 2008, 99, 182-186.	1.0	22
3636	A Statistical Model for Testing the Pleiotropic Control of Phenotypic Plasticity for a Count Trait. <i>Genetics</i> , 2008, 179, 627-636.	1.2	11
3638	Mapping two genes in the purine metabolism pathway of soybean. <i>DNA Sequence</i> , 2008, 19, 264-269.	0.7	2
3639	The Phenomics and Expression Quantitative Trait Locus Mapping of Brain Transcriptomes Regulating Adaptive Divergence in Lake Whitefish Species Pairs ( <i>Coregonus</i> sp.). <i>Genetics</i> , 2008, 180, 147-164.	1.2	63
3640	A novel bacterial blight resistance gene from <i>Oryza nivara</i> mapped to 38 kb region on chromosome 4L and transferred to <i>Oryza sativa</i> L.. <i>Genetical Research</i> , 2008, 90, 397-407.	0.3	128
3641	Genetic Basis of Sex-Specific Color Pattern Variation in <i>Drosophila malerkotliana</i> . <i>Genetics</i> , 2008, 180, 421-429.	1.2	21
3642	Genetic Networks of Liver Metabolism Revealed by Integration of Metabolic and Transcriptional Profiling. <i>PLoS Genetics</i> , 2008, 4, e1000034.	1.5	188
3643	Positive Selection and Expression Divergence Following Gene Duplication in the Sunflower CYCLOIDEA Gene Family. <i>Molecular Biology and Evolution</i> , 2008, 25, 1260-1273.	3.5	132
3644	Positioning 3 Qualitative Trait Loci on Soybean Molecular Linkage Group E. <i>Journal of Heredity</i> , 2008, 99, 674-678.	1.0	9
3645	Localization of genetic loci controlling hydronephrosis in the Brown Norway rat and its association with hematuria. <i>Physiological Genomics</i> , 2008, 34, 215-224.	1.0	7
3646	Light-related Loci Controlling Seed Germination in Ler Cvi and Bay-0 Sha Recombinant Inbred-line Populations of <i>Arabidopsis thaliana</i> . <i>Annals of Botany</i> , 2008, 102, 631-642.	1.4	30
3647	Genetic Mapping of Resistance to Purple Seed Stain in PI 80837 Soybean. <i>Journal of Heredity</i> , 2008, 99, 319-322.	1.0	14
3648	The Genetic Basis of Smoltification-Related Traits in <i>Oncorhynchus mykiss</i> . <i>Genetics</i> , 2008, 179, 1559-1575.	1.2	143
3649	AFLP Mapping of Soybean Maturity Gene E4. <i>Journal of Heredity</i> , 2008, 99, 193-197.	1.0	17
3650	Genetic and Linkage Analysis of Purple-blue Flower in Soybean. <i>Journal of Heredity</i> , 2008, 99, 593-597.	1.0	23
3651	Colour pattern specification in the Mocker swallowtail <i>Papilio dardanus</i> : the transcription factor invected is a candidate for the mimicry locus H. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 1181-1188.	1.2	35
3652	Mapping One of the 2 Genes Controlling Lemon Ray Flower Color in Sunflower ( <i>Helianthus annuus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	17
3653	From Genetics to Mechanism of Disease Liability. <i>Advances in Genetics</i> , 2008, 60, 701-726.	0.8	5

#	ARTICLE	IF	CITATIONS
3654	SSR markers associated with seed longevity in soybean. <i>Seed Science and Technology</i> , 2008, 36, 162-167.	0.6	19
3655	Genetic predisposition for glomerulonephritis-induced glomerulosclerosis in rats is linked to chromosome 1. <i>Physiological Genomics</i> , 2008, 35, 173-181.	1.0	4
3656	Construction of a first genetic map of distylous <i>Turnera</i> and a fine-scale map of the <i>S</i> -locus region. <i>Genome</i> , 2008, 51, 471-478.	0.9	16
3657	Allelism and molecular mapping of soybean necrotic root mutants. <i>Genome</i> , 2008, 51, 243-250.	0.9	11
3658	Quantitative Trait Loci Mapping and The Genetic Basis of Heterosis in Maize and Rice. <i>Genetics</i> , 2008, 180, 1707-1724.	1.2	141
3659	Pervasive Sex-Linked Effects on Transcription Regulation As Revealed by Expression Quantitative Trait Loci Mapping in Lake Whitefish Species Pairs ( <i>Coregonus</i> sp., Salmonidae). <i>Genetics</i> , 2008, 179, 1903-1917.	1.2	45
3660	Molecular Mapping of a Leaf Rust Resistance Gene on the Short Arm of Chromosome 6B of Durum Wheat. <i>Plant Disease</i> , 2008, 92, 1650-1654.	0.7	43
3661	Mapping Genes Encoding Microsomal $\Delta^6$ Desaturase Enzymes and Their Cosegregation with QTL Affecting Oleate Content in Soybean. <i>Crop Science</i> , 2008, 48, 640-650.	0.8	28
3662	Identification of a Quantitative Trait Locus for High-Temperature Adult-Plant Resistance Against <i>Puccinia striiformis</i> f. sp. <i>hordei</i> in "Bancroft" Barley. <i>Phytopathology</i> , 2008, 98, 120-127.	1.1	17
3663	Identifying Quantitative Trait Loci for Resistance to Sclerotinia Head Rot in Two USDA Sunflower Germplasms. <i>Phytopathology</i> , 2008, 98, 926-931.	1.1	38
3664	Genetic dissection of testis weight in a mouse strain having an extremely large testis: major testis weight determinants are autosomal rather than Y-linked on the basis of comprehensive analyses in Y-chromosome consomic strains. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2008, 84, 393-406.	1.6	13
3665	Development of SCAR markers linked to <i>zt-2</i> , one of the genes controlling absence of tannins in faba bean. <i>Australian Journal of Agricultural Research</i> , 2008, 59, 62.	1.5	37
3666	Construction of an Intraspecific Linkage Map and QTL Analysis for Earliness and Plant Height in Lentil. <i>Crop Science</i> , 2008, 48, 2254-2264.	0.8	74
3667	Diagnostic Microsatellite Markers for the Detection of Stem Rust Resistance Gene <i>Sr36</i> in Diverse Genetic Backgrounds of Wheat. <i>Crop Science</i> , 2008, 48, 253-261.	0.8	93
3668	Microsatellite Markers for Kernel Color Genes in Wheat. <i>Crop Science</i> , 2008, 48, 1419-1424.	0.8	16
3669	Quantitative Trait Loci for High-Temperature Adult-Plant and Slow-Rusting Resistance to <i>Puccinia striiformis</i> f. sp. <i>tritici</i> in Wheat Cultivars. <i>Phytopathology</i> , 2008, 98, 803-809.	1.1	74
3670	Molecular Mapping of the Leaf Rust Resistance Gene <i>Lr17a</i> in Wheat. <i>Crop Science</i> , 2008, 48, 1124-1128.	0.8	17
3671	Identification and localization of molecular markers linked to the <i>Lr52</i> leaf rust resistance gene of wheat. <i>Cereal Research Communications</i> , 2008, 36, 409-415.	0.8	9

#	ARTICLE	IF	CITATIONS
3672	QTLs underlying natural variation in stele and xylem structures of rice root. <i>Breeding Science</i> , 2008, 58, 7-14.	0.9	68
3673	Genomic Analysis of the Snn1 Locus on Wheat Chromosome Arm 1BS and the Identification of Candidate Genes. <i>Plant Genome</i> , 2008, 1, .	1.6	31
3674	Identification of quantitative trait loci for grain appearance using chromosome segment substitution lines in rice. <i>Ikushugaku Kenkyu</i> , 2008, 10, 91-99.	0.1	18
3675	Quantitative Trait Loci Associated with Deoxynivalenol Content and Kernel Quality in the Soft Red Winter Wheat "Ernie"™. <i>Crop Science</i> , 2008, 48, 1408-1418.	0.8	25
3676	Quantitative Trait Loci and Epistasis for Crown Freezing Tolerance in the "Kanota"™ Ã— "Ogle"™ Hexaploid Oat Mapping Population. <i>Crop Science</i> , 2008, 48, 149-157.	0.8	14
3677	Validation of Low"Phytate QTLs and Evaluation of Seedling Emergence of Low"Phytate Soybeans. <i>Crop Science</i> , 2008, 48, 1355-1364.	0.8	21
3678	Development of a Coupling"Phase SCAR Marker Linked to the <i>Ura7</i> Rust Resistance Gene and Its Occurrence in Diverse Common Bean Lines. <i>Crop Science</i> , 2008, 48, 357-363.	0.8	6
3679	Locations of Quantitative Trait Loci Conferring Russian Wheat Aphid Resistance in Barley Germplasm STARS"9301B. <i>Crop Science</i> , 2008, 48, 1452-1458.	0.8	33
3680	QTL analysis for yield related traits using populations derived from an indica-japonica hybrid in rice ( <i>Oryza sativa</i> L.). <i>Czech Journal of Genetics and Plant Breeding</i> , 2008, 44, 93-104.	0.4	9
3681	Inheritance of Leaf Rust Resistance in the CIMMYT Wheat Weebill 1. <i>Crop Science</i> , 2008, 48, 1037.	0.8	11
3682	Targeted Genomic Mapping of a Red Seed Color Gene ( R"1 ) in Wheat. <i>Crop Science</i> , 2008, 48, S-37.	0.8	10
3683	Detecting QTLs for plant architecture traits in cucumber ( <i>Cucumis sativus</i> L.). <i>Breeding Science</i> , 2008, 58, 453-460.	0.9	10
3684	QTL mapping of agronomic traits using an RIL population derived from a cross between temperate japonica cultivars in rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 2008, 58, 271-279.	0.9	18
3685	Development of 101 novel SSR markers and construction of an SSR-based genetic linkage map in cucumber (&lt;i>Cucumis sativus</i> L.). <i>Breeding Science</i> , 2008, 58, 475-483.	0.9	26
3686	Inheritance and Genetic Mapping of Resistance to <i>Pythium</i> Damping"Off Caused by <i>Pythium aphanidermatum</i> in "Archer"™ Soybean. <i>Crop Science</i> , 2008, 48, 2215-2222.	0.8	38
3687	Genetically Hypertensive Brown Norway Congenic Rat Strains Suggest Intermediate Traits Underlying Genetic Hypertension. <i>Croatian Medical Journal</i> , 2008, 49, 586-599.	0.2	8
3688	Mapping of quantitative trait loci controlling heading date among rice cultivars in the northernmost region of Japan. <i>Breeding Science</i> , 2008, 58, 367-373.	0.9	25
3689	QTL analysis of brown spot resistance in rice ( <i>Oryza sativa</i> L.).. <i>Breeding Science</i> , 2008, 58, 93-96.	0.9	34

#	ARTICLE	IF	CITATIONS
3690	A <i>Solanum lycopersicum</i> × <i>Solanum pimpinellifolium</i> Linkage Map of Tomato Displaying Genomic Locations of R-Genes, RGAs, and Candidate Resistance/Defense-Response ESTs. <i>International Journal of Plant Genomics</i> , 2008, 2008, 1-18.	2.2	24
3691	Genetic Mapping of the Wheat Leaf Rust Resistance Gene <i>Lr60</i> ( <i>LrW2</i> ). <i>Crop Science</i> , 2008, 48, 1020-1026.	0.8	23
3692	A SWEET CHERRY ( <i>PRUNUS AVIUM</i> L.) LINKAGE MAP AND ITS COMPARISON TO OTHER <i>PRUNUS</i> SPECIES. <i>Acta Horticulturae</i> , 2008, , 115-126.	0.1	4
3693	Development of a SCAR Marker to Track Canola Resistance Against Blackleg Caused by <i>Leptosphaeria maculans</i> Pathogenicity Group 3. <i>Plant Disease</i> , 2008, 92, 903-908.	0.7	13
3694	Verification of QTL controlling root aerenchyma formation in a maize × teosinte " <i>Zea nicaraguensis</i> " advanced backcross population. <i>Breeding Science</i> , 2008, 58, 217-223.	0.9	46
3695	Genetic map of a basidiomycete fungus, <i>Lentinula edodes</i> (shiitake mushroom), constructed by tetrad analysis. <i>Breeding Science</i> , 2008, 58, 23-30.	0.9	21
3696	Inheritance and identification of molecular markers associated with spot blotch ( <i>Cochliobolus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2008, 31, 734-742.	0.6	13
3697	AFLP/SSR mapping of resistance genes to <i>Alectra vogelii</i> in cowpea ( <i>Vigna</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 0.1	0.1	1
3698	Genetic Basis of the Low Phytate Trait in the Soybean Line CX1834. <i>Crop Science</i> , 2009, 49, 69-76.	0.8	53
3699	Identification of AFLP markers linked to Ms, a genic multiple allele inherited male-sterile gene in Chinese cabbage. <i>Breeding Science</i> , 2009, 59, 333-339.	0.9	8
3700	A Target Region Amplified Polymorphism Marker for Fertility Restorer Gene <i>Rf1</i> and Chromosomal Localization of <i>Rf1</i> and <i>Rf2</i> in Cotton. <i>Crop Science</i> , 2009, 49, 1602-1608.	0.8	19
3701	Mapping of QTL Associated with Maize Weevil Resistance in Tropical Maize. <i>Crop Science</i> , 2009, 49, 139-149.	0.8	38
3702	Mapping and Comparison of Quantitative Trait Loci for Oleic Acid Seed Content in Two Segregating Soybean Populations. <i>Crop Science</i> , 2009, 49, 433-442.	0.8	66
3703	Genetic Dissociation of Dacryoadenitis and Sialadenitis in a Sjögren's Syndrome Mouse Model with Common and Different Susceptibility Gene Loci. , 2009, 50, 3257.		6
3704	High-density linkage map around the root aerenchyma locus Qaer1.06 in the backcross populations of maize Mi29 × teosinte " <i>Zea nicaraguensis</i> ". <i>Breeding Science</i> , 2009, 59, 427-433.	0.9	35
3705	An inverted and micro-colinear genomic regions of rice and barley carrying the <i>cly1</i> gene for cleistogamy. <i>Breeding Science</i> , 2009, 59, 657-663.	0.9	6
3706	Quantitative Trait Loci and Epistasis for Oat Winter Hardiness Component Traits. <i>Crop Science</i> , 2009, 49, 1989-1998.	0.8	17
3707	A novel quantitative trait locus, qCL1, involved in semi-dwarfism derived from Japanese rice cultivar Nipponbare. <i>Breeding Science</i> , 2009, 59, 285-295.	0.9	13

#	ARTICLE	IF	CITATIONS
3708	Mapping of Quantitative Trait Loci Controlling Seedling Growth in Bunching Onion ( <i>Allium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742 To	0.8	7
3709	Clustering anthocyanin pigmentation genes in wheat group 7 chromosomes. <i>Cereal Research Communications</i> , 2009, 37, 391-398.	0.8	31
3710	Copy Number Variation and Transcriptional Polymorphisms of <i>Phytophthora sojae</i> RXLR Effector Genes Avr1a and Avr3a. <i>PLoS ONE</i> , 2009, 4, e5066.	1.1	151
3711	A novel mutant gene for (1-3, 1-4)-BETA-D-glucanless grain on barley ( <i>Hordeum vulgare</i> L.) chromosome 7H. <i>Breeding Science</i> , 2009, 59, 47-54.	0.9	42
3712	Molecular mapping of SKr for crossability in common wheat. <i>Breeding Science</i> , 2009, 59, 679-684.	0.9	13
3713	Identification and characterization of FT/TFL1 gene family in cucumber. <i>Breeding Science</i> , 2009, 59, 3-11.	0.9	15
3714	CEL I Nuclease Digestion for SNP Discovery and Marker Development in Common Bean ( <i>Phaseolus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742 To	0.8	40
3715	Binary Trait Mapping in Experimental Crosses With Selective Genotyping. <i>Genetics</i> , 2009, 182, 863-874.	1.2	6
3716	Molecular Isolation of the <i>M</i> Gene Suggests That a Conserved-Residue Conversion Induces the Formation of Bisexual Flowers in Cucumber Plants. <i>Genetics</i> , 2009, 182, 1381-1385.	1.2	139
3717	Genetic Mapping of Cgdef Gene Controlling Accumulation of 7S Globulin (Î-Conglycinin) Subunits in Soybean Seeds. <i>Journal of Heredity</i> , 2009, 100, 802-806.	1.0	13
3718	Genetic Regulation of Meiotic Cross-Overs between Related Genomes in <i>Brassica napus</i> Haploids and Hybrids. <i>Plant Cell</i> , 2009, 21, 373-385.	3.1	106
3719	Glume coloration in wheat: Allelism test, consensus mapping and its association with specific microsatellite allele. <i>Cereal Research Communications</i> , 2009, 37, 37-43.	0.8	12
3720	Molecular Analysis of a Large Subtelomeric Nucleotide-Binding-Site Leucine-Rich-Repeat Family in Two Representative Genotypes of the Major Gene Pools of <i>Phaseolus vulgaris</i> . <i>Genetics</i> , 2009, 181, 405-419.	1.2	77
3721	Mapping quantitative trait loci (QTL) controlling seed morphology and disk diameter in sunflower ( <i>Helianthus annuus</i> L.). <i>Helia</i> , 2009, 32, 17-35.	0.0	12
3722	PROC QTL A SAS Procedure for Mapping Quantitative Trait Loci. <i>International Journal of Plant Genomics</i> , 2009, 2009, 1-3.	2.2	57
3723	The Male Sterility Locus ms3 Is Present in a Fertility Controlling Gene Cluster in Soybean. <i>Journal of Heredity</i> , 2009, 100, 565-570.	1.0	19
3724	Genetic Mapping of Resistance to <i>Phomopsis</i> Seed Decay in the Soybean Breeding Line MO/PSD-0259 (PI562694) and Plant Introduction 80837. <i>Journal of Heredity</i> , 2009, 100, 777-783.	1.0	25
3725	Identification of a Novel Major Quantitative Trait Locus Controlling Distribution of Cd Between Roots and Shoots in Rice. <i>Plant and Cell Physiology</i> , 2009, 50, 2223-2233.	1.5	117

#	ARTICLE	IF	CITATIONS
3726	Computational approaches and software tools for genetic linkage map estimation in plants. <i>Briefings in Bioinformatics</i> , 2009, 10, 595-608.	3.2	101
3727	Detailed Recombination Studies Along Chromosome 3B Provide New Insights on Crossover Distribution in Wheat ( <i>Triticum aestivum</i> L.). <i>Genetics</i> , 2009, 181, 393-403.	1.2	157
3728	A Dynamic Interface for Capsaicinoid Systems Biology. <i>Plant Physiology</i> , 2009, 150, 1806-1821.	2.3	134
3729	Quantitative Genetic Analysis of Thermal Dissipation in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2009, 150, 977-986.	2.3	62
3730	A single gene, AIN, in <i>Medicago truncatula</i> mediates a hypersensitive response to both bluegreen aphid and pea aphid, but confers resistance only to bluegreen aphid. <i>Journal of Experimental Botany</i> , 2009, 60, 4115-4127.	2.4	65
3731	Towards a Genetic Map for <i>Anopheles albimanus</i> : Identification of Microsatellite Markers and a Preliminary Linkage Map for Chromosome 2. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 1007-1012.	0.6	2
3732	A Novel Growth Retardation and Abnormal Gonad Morphology Locus on Mouse Chromosome 4. <i>Journal of Heredity</i> , 2009, 100, 380-385.	1.0	1
3733	A Nomadic Subtelomeric Disease Resistance Gene Cluster in Common Bean. <i>Plant Physiology</i> , 2009, 151, 1048-1065.	2.3	121
3734	Molecular mapping of QTLs for gluten strength as measured by sedimentation volume and mixograph in durum wheat ( <i>Triticum turgidum</i> L. ssp <i>durum</i> ). <i>Journal of Cereal Science</i> , 2009, 49, 378-386.	1.8	66
3735	Genetic relationship between grain yield and the contents of protein and fat in a recombinant inbred population of rice. <i>Journal of Cereal Science</i> , 2009, 50, 121-125.	1.8	61
3736	An integrated genetic linkage map for silkworms with three parental combinations and its application to the mapping of single genes and QTL. <i>BMC Genomics</i> , 2009, 10, 389.	1.2	54
3737	New DArT markers for oat provide enhanced map coverage and global germplasm characterization. <i>BMC Genomics</i> , 2009, 10, 39.	1.2	135
3738	An analysis of synteny of <i>Arachis</i> with <i>Lotus</i> and <i>Medicago</i> sheds new light on the structure, stability and evolution of legume genomes.. <i>BMC Genomics</i> , 2009, 10, 45.	1.2	125
3739	Single strand conformation polymorphism based SNP and Indel markers for genetic mapping and synteny analysis of common bean ( <i>Phaseolus vulgaris</i> L.). <i>BMC Genomics</i> , 2009, 10, 629.	1.2	55
3740	Microcollinearity in an ethylene receptor coding gene region of the <i>Coffea canephora</i> genome is extensively conserved with <i>Vitis vinifera</i> and other distant dicotyledonous sequenced genomes. <i>BMC Plant Biology</i> , 2009, 9, 22.	1.6	21
3741	A linkage map for the B-genome of <i>Arachis</i> (Fabaceae) and its synteny to the A-genome. <i>BMC Plant Biology</i> , 2009, 9, 40.	1.6	97
3742	Phenotypic and fine genetic characterization of the D locus controlling fruit acidity in peach. <i>BMC Plant Biology</i> , 2009, 9, 59.	1.6	53
3743	Linkage of bovine erythrocyte antigen loci B, C, L, S, Z, $\tilde{R}$ and $\tilde{T}$ and the serum protein loci post $\alpha$ -transferrin 2 (PTF 2), vitamin D binding protein (GC) and albumin (ALB) to DNA microsatellite markers. <i>Animal Genetics</i> , 1994, 25, 133-140.	0.6	7

#	ARTICLE	IF	CITATIONS
3744	Linkage disequilibrium and population structure in wild and domesticated populations of <i>Phaseolus vulgaris</i> L.. <i>Evolutionary Applications</i> , 2009, 2, 504-522.	1.5	139
3745	Barley Genetics Newsletter. <i>Hereditas</i> , 1973, 73, 162-162.	0.5	1
3746	The distribution and identification of brown planthopper resistance genes in rice. <i>Hereditas</i> , 2009, 146, 67-73.	0.5	22
3747	Development of forward genetics in <i>Toxoplasma gondii</i> . <i>International Journal for Parasitology</i> , 2009, 39, 915-924.	1.3	22
3748	Mapping of loci affecting copper tolerance in wheat—The possible impact of the vernalization gene <i>Vrn-A1</i> . <i>Environmental and Experimental Botany</i> , 2009, 65, 369-375.	2.0	14
3749	Construction of methylation linkage map based on MSAP and SSR markers in <i>Sorghum bicolor</i> (L.). <i>IUBMB Life</i> , 2009, 61, 663-669.	1.5	9
3750	Addressing drought tolerance in maize by transcriptional profiling and mapping. <i>Molecular Genetics and Genomics</i> , 2009, 281, 163-179.	1.0	65
3751	The peach ( <i>Prunus persica</i> [L.] Batsch) homeobox gene <i>KNOPE3</i> , which encodes a class 2 knotted-like transcription factor, is regulated during leaf development and triggered by sugars. <i>Molecular Genetics and Genomics</i> , 2009, 282, 47-64.	1.0	25
3752	Anthocyanin biosynthesis genes location and expression in wheat-rye hybrids. <i>Molecular Genetics and Genomics</i> , 2009, 282, 475-85.	1.0	25
3753	Diversity of the Ty-1 copia retrotransposon <i>Tos17</i> in rice ( <i>Oryza sativa</i> L.) and the AA genome of the <i>Oryza</i> genus. <i>Molecular Genetics and Genomics</i> , 2009, 282, 633-652.	1.0	10
3754	Alternative splicing, activation of cryptic exons and amino acid substitutions in carotenoid biosynthetic genes are associated with lutein accumulation in wheat endosperm. <i>Functional and Integrative Genomics</i> , 2009, 9, 363-376.	1.4	118
3755	Development, identification, and validation of markers for marker-assisted selection against the <i>Stagonospora nodorum</i> toxin sensitivity genes <i>Tsn1</i> and <i>Snn2</i> in wheat. <i>Molecular Breeding</i> , 2009, 23, 35-49.	1.0	80
3756	Association of haplotype diversity in the $\alpha$ -amylase gene <i>amy1</i> with malting quality parameters in barley. <i>Molecular Breeding</i> , 2009, 23, 139-152.	1.0	26
3757	Identification of AFLP fragments linked to hydroxysafflor yellow A in <i>Flos Carthami</i> and conversion to a SCAR marker for rapid selection. <i>Molecular Breeding</i> , 2009, 23, 229-237.	1.0	14
3758	Mapping candidate genes for oleate biosynthesis and their association with unsaturated fatty acid seed content in soybean. <i>Molecular Breeding</i> , 2009, 23, 337-347.	1.0	20
3759	Two stable QTL involved in adult plant resistance to powdery mildew in the winter wheat line RE714 are expressed at different times along the growing season. <i>Molecular Breeding</i> , 2009, 23, 445-461.	1.0	14
3760	Identification and fine-mapping of a bacterial brown spot disease resistance gene in maize. <i>Molecular Breeding</i> , 2009, 23, 709-718.	1.0	5
3761	Characterization of the first dominant dwarf maize mutant carrying a single amino acid insertion in the VHYNP domain of the <i>dwarf8</i> gene. <i>Molecular Breeding</i> , 2009, 24, 375-385.	1.0	41



#	ARTICLE	IF	CITATIONS
3762	Identification of two AFLP markers linked to bacterial wilt resistance in tomato and conversion to SCAR markers. <i>Molecular Biology Reports</i> , 2009, 36, 479-486.	1.0	29
3763	The characteristics of motor activity in ISIAH rats in an open field test are controlled by genes on chromosomes 2 and 16. <i>Neuroscience and Behavioral Physiology</i> , 2009, 39, 57-64.	0.2	6
3764	A new RAPD marker for beet necrotic yellow vein virus resistance gene in <i>Beta vulgaris</i> . <i>Biologia Plantarum</i> , 2009, 53, 112-119.	1.9	18
3765	Map-based cloning and characterization of a gene controlling hairiness and seed coat color traits in <i>Brassica rapa</i> . <i>Plant Molecular Biology</i> , 2009, 69, 553-563.	2.0	103
3766	Dwarf 88, a novel putative esterase gene affecting architecture of rice plant. <i>Plant Molecular Biology</i> , 2009, 71, 265-276.	2.0	143
3767	Mapping of Quantitative Trait Loci for Butter Content and Hardness in Cocoa Beans ( <i>Theobroma cacao</i> ) Tj ETQq1 1,0,784314 rgBT /Overlock 10 T	1.0	26
3768	Isolation and Analysis of Rice Rf1-Orthologous PPR Genes Co-segregating with Rf3 in Maize. <i>Plant Molecular Biology Reporter</i> , 2009, 27, 511-517.	1.0	26
3769	Genetic basis of nutritional content of stover in maize under low nitrogen conditions. <i>Euphytica</i> , 2009, 165, 485-493.	0.6	15
3770	Mapping quantitative trait loci controlling pre-harvest sprouting resistance in a red-White seeded spring wheat cross. <i>Euphytica</i> , 2009, 165, 509-521.	0.6	74
3771	Identification of QTLs for the resistance to rice stripe virus in the indica rice variety Dular. <i>Euphytica</i> , 2009, 165, 557-565.	0.6	41
3772	A new gene controlling the flowering response to photoperiod in wheat. <i>Euphytica</i> , 2009, 165, 579-585.	0.6	28
3773	Fine mapping of open-bud duplicate genes in homoelogenous chromosomes of tetraploid cotton. <i>Euphytica</i> , 2009, 165, 325-331.	0.6	16
3774	Identification of AFLP and SCAR markers linked to the male fertility restorer gene of pol CMS ( <i>Brassica</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.6	13
3775	A high-density integrative linkage map for <i>Gossypium hirsutum</i> . <i>Euphytica</i> , 2009, 166, 35-45.	0.6	58
3776	Molecular mapping of quantitative trait loci (QTLs) controlling aluminium tolerance in bread wheat. <i>Euphytica</i> , 2009, 166, 283-290.	0.6	42
3777	Validation of molecular markers linked to fertility restorer gene(s) for WA-CMS lines of rice. <i>Euphytica</i> , 2009, 167, 217-227.	0.6	41
3778	Molecular mapping of a major QTL conferring resistance to SCMV based on immortal RIL population in maize. <i>Euphytica</i> , 2009, 167, 229-235.	0.6	28
3779	Detection of quantitative trait loci for phosphorus deficiency tolerance at soybean seedling stage. <i>Euphytica</i> , 2009, 167, 313-322.	0.6	87

#	ARTICLE	IF	CITATIONS
3780	Genetics of angular leaf spot resistance in the Andean common bean accession G5686 and identification of markers linked to the resistance genes. <i>Euphytica</i> , 2009, 167, 381-396.	0.6	49
3781	Genetics and identification of molecular markers linked to resistance to loose smut ( <i>Ustilago tritici</i> ) race T33 in durum wheat. <i>Euphytica</i> , 2009, 169, 151-157.	0.6	20
3782	Genome-wide QTL analysis for pre-harvest sprouting tolerance in bread wheat. <i>Euphytica</i> , 2009, 168, 319-329.	0.6	86
3783	Genetic mapping for resistance to gray leaf spot in maize. <i>Euphytica</i> , 2009, 169, 227-238.	0.6	22
3784	Marker-assisted identification of resistance genes to soybean mosaic virus in soybean lines. <i>Euphytica</i> , 2009, 169, 375-385.	0.6	16
3785	Diversity of DcMaster-like elements of the PIF/Harbinger superfamily in the carrot genome. <i>Genetica</i> , 2009, 135, 347-353.	0.5	14
3786	Genomic diversity of germinating scutellum specific gene P23k in barley and wheat. <i>Genetica</i> , 2009, 137, 233-242.	0.5	1
3787	Genomic regions involved in productivity of two interspecific poplar families in Europe. 1. Stem height, circumference and volume. <i>Tree Genetics and Genomes</i> , 2009, 5, 147-164.	0.6	35
3788	Detection of quantitative trait loci influencing growth trajectories of adventitious roots in <i>Populus</i> using functional mapping. <i>Tree Genetics and Genomes</i> , 2009, 5, 539-552.	0.6	46
3789	Mapping of the multifoliolate pinna (mfp) leaf-blade morphology mutation in grain pea <i>Pisum sativum</i> . <i>Journal of Genetics</i> , 2009, 88, 227-232.	0.4	7
3790	Genetic analysis and gene mapping of a narrow leaf mutant in rice ( <i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 2009, 54, 752-758.	4.3	8
3791	Identification of a novel tillering dwarf mutant and fine mapping of the TDDL(T) gene in rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overl	4.3	5
3792	Mining cotton fiber strength candidate genes based on transcriptome mapping. <i>Science Bulletin</i> , 2009, 54, 4651-4657.	4.3	10
3793	Quantitative trait locus responsible for resistance to <i>Aphanomyces</i> root rot (black root) caused by <i>Aphanomyces cochlioides</i> Drechs. in sugar beet. <i>Theoretical and Applied Genetics</i> , 2009, 118, 227-234.	1.8	18
3794	Quantitative trait loci for non-race-specific, high-temperature adult-plant resistance to stripe rust in wheat cultivar Express. <i>Theoretical and Applied Genetics</i> , 2009, 118, 631-642.	1.8	83
3795	Dissection of the oligogenic resistance to Cucumber mosaic virus in the melon accession PI 161375. <i>Theoretical and Applied Genetics</i> , 2009, 118, 275-284.	1.8	47
3796	QTL mapping for grain filling rate and yield-related traits in RILs of the Chinese winter wheat population HeshangmaiAA—AYu8679. <i>Theoretical and Applied Genetics</i> , 2009, 118, 313-325.	1.8	186
3797	Mapping a stripe rust resistance gene YrC591 in wheat variety C591 with SSR and AFLP markers. <i>Theoretical and Applied Genetics</i> , 2009, 118, 339-346.	1.8	48

#	ARTICLE	IF	CITATIONS
3798	Molecular mapping and characterization of BLMC, a locus for profuse wax (bloom) and enhanced cuticular features of <i>Sorghum</i> ( <i>Sorghum bicolor</i> (L.) Moench.). <i>Theoretical and Applied Genetics</i> , 2009, 118, 423-431.	1.8	53
3799	Identification and validation of SSR markers linked to the stem rust resistance gene Sr6 on the short arm of chromosome 2D in wheat. <i>Theoretical and Applied Genetics</i> , 2009, 118, 515-524.	1.8	56
3800	Mapping and validation of quantitative trait loci for resistance to <i>Cercospora zea-maydis</i> infection in tropical maize ( <i>Zea mays</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 118, 553-564.	1.8	34
3801	The genomic architecture of disease resistance in lettuce. <i>Theoretical and Applied Genetics</i> , 2009, 118, 565-580.	1.8	66
3802	The first SSR-based genetic linkage map for cultivated groundnut ( <i>Arachis hypogaea</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 118, 729-739.	1.8	219
3803	Mapping of resistance to spot blotch disease caused by <i>Bipolaris sorokiniana</i> in spring wheat. <i>Theoretical and Applied Genetics</i> , 2009, 118, 783-792.	1.8	96
3804	A consensus map of rye integrating mapping data from five mapping populations. <i>Theoretical and Applied Genetics</i> , 2009, 118, 793-800.	1.8	46
3805	Genetic analysis of nuclear-cytoplasmic incompatibility in pea associated with cytoplasm of an accession of wild subspecies <i>Pisum sativum</i> subsp. <i>elatius</i> (Bieb.) Schmahl.. <i>Theoretical and Applied Genetics</i> , 2009, 118, 801-809.	1.8	43
3806	Development and genetic mapping of SSR markers in foxtail millet [ <i>Setaria italica</i> (L.) P. Beauv.]. <i>Theoretical and Applied Genetics</i> , 2009, 118, 821-829.	1.8	104
3807	Comparative genetic linkage map of <i>Solanum</i> sect. <i>Juglandifolia</i> : evidence of chromosomal rearrangements and overall synteny with the tomatoes and related nightshades. <i>Theoretical and Applied Genetics</i> , 2009, 118, 831-847.	1.8	16
3808	cDNA cloning, expression levels and gene mapping of photosynthetic and non-photosynthetic ferredoxin genes in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 118, 891-901.	1.8	3
3809	Use of selection with recurrent backcrossing and QTL mapping to identify loci contributing to southern leaf blight resistance in a highly resistant maize line. <i>Theoretical and Applied Genetics</i> , 2009, 118, 911-925.	1.8	39
3810	A detailed synteny map of the eggplant genome based on conserved ortholog set II (COSII) markers. <i>Theoretical and Applied Genetics</i> , 2009, 118, 927-935.	1.8	100
3811	Characterization and chromosomal location of Pm40 in common wheat: a new gene for resistance to powdery mildew derived from <i>Elytrigia intermedium</i> . <i>Theoretical and Applied Genetics</i> , 2009, 118, 1059-1064.	1.8	123
3812	A COSII genetic map of the pepper genome provides a detailed picture of synteny with tomato and new insights into recent chromosome evolution in the genus <i>Capsicum</i> . <i>Theoretical and Applied Genetics</i> , 2009, 118, 1279-1293.	1.8	153
3813	Detection of a quantitative trait locus controlling carbon isotope discrimination and its contribution to stomatal conductance in japonica rice. <i>Theoretical and Applied Genetics</i> , 2009, 118, 1401-1410.	1.8	47
3814	Identification of QTL underlying isoflavone contents in soybean seeds among multiple environments. <i>Theoretical and Applied Genetics</i> , 2009, 118, 1455-1463.	1.8	66
3815	A novel major quantitative trait locus controlling seed development at low temperature in soybean ( <i>Glycine max</i> ). <i>Theoretical and Applied Genetics</i> , 2009, 118, 1477-1488.	1.8	39

#	ARTICLE	IF	CITATIONS
3816	Genetic dissection of the resistance to nine anthracnose races in the common bean differential cultivars MDRK and TU. <i>Theoretical and Applied Genetics</i> , 2009, 119, 1-11.	1.8	52
3817	Inheritance of seed condensed tannins and their relationship with seed-coat color and pattern genes in common bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 119, 131-142.	1.8	67
3818	SSR and SCAR mapping of a multiple-allele male-sterile gene in Chinese cabbage ( <i>Brassica rapa</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 119, 333-339.	1.8	28
3819	The major threshability genes soft glume ( <i>sog</i> ) and tenacious glume ( <i>Tg</i> ), of diploid and polyploid wheat, trace their origin to independent mutations at non-orthologous loci. <i>Theoretical and Applied Genetics</i> , 2009, 119, 341-351.	1.8	79
3820	Molecular dissection of Tomato leaf curl virus resistance in tomato line TY172 derived from <i>Solanum peruvianum</i> . <i>Theoretical and Applied Genetics</i> , 2009, 119, 519-530.	1.8	174
3821	Polygenic inheritance of canopy wilting in soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Theoretical and Applied Genetics</i> , 2009, 119, 587-594.	1.8	87
3822	Identification and molecular mapping of a <i>Fusarium</i> wilt resistant gene in upland cotton. <i>Theoretical and Applied Genetics</i> , 2009, 119, 733-739.	1.8	56
3823	A consensus linkage map identifies genomic regions controlling fruit maturity and beta-carotene-associated flesh color in melon ( <i>Cucumis melo</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 119, 741-756.	1.8	60
3824	Inheritance and molecular mapping of a downy mildew resistance gene, Pl 13 in cultivated sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2009, 119, 795-803.	1.8	51
3825	Fine mapping and candidate gene analysis of <i>spd6</i> , responsible for small panicle and dwarfness in wild rice ( <i>Oryza rufipogon</i> Griff.). <i>Theoretical and Applied Genetics</i> , 2009, 119, 827-836.	1.8	40
3826	Microsatellite mapping of genes that determine supernumerary spikelets in wheat ( <i>T. Aestivum</i> ) and rye ( <i>S. Acereale</i> ). <i>Theoretical and Applied Genetics</i> , 2009, 119, 867-874.	1.8	39
3827	Drought stress and tropical maize: QTL-by-environment interactions and stability of QTLs across environments for yield components and secondary traits. <i>Theoretical and Applied Genetics</i> , 2009, 119, 913-930.	1.8	259
3828	Characterization and mapping of complementary lesion-mimic genes <i>lm1</i> and <i>lm2</i> in common wheat. <i>Theoretical and Applied Genetics</i> , 2009, 119, 1005-1012.	1.8	30
3829	Identifying QTL for high-temperature adult-plant resistance to stripe rust ( <i>Puccinia striiformis</i> f. sp.) Tj ETQq1 1 0.784314 rgBT /Overlock 2009, 119, 1119-1128.	1.8	130
3830	Development of SSR markers derived from SSR-enriched genomic library of eggplant ( <i>Solanum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 18 119	1.8	119
3831	Exploiting rice's sorghum synteny for targeted development of EST-SSRs to enrich the sorghum genetic linkage map. <i>Theoretical and Applied Genetics</i> , 2009, 119, 1193-1204.	1.8	73
3832	High-resolution mapping of two rice brown planthopper resistance genes, <i>Bph20(t)</i> and <i>Bph21(t)</i> , originating from <i>Oryza minuta</i> . <i>Theoretical and Applied Genetics</i> , 2009, 119, 1237-1246.	1.8	147
3833	Map-based cloning of the ERECT PANICLE 3 gene in rice. <i>Theoretical and Applied Genetics</i> , 2009, 119, 1497-1506.	1.8	81

#	ARTICLE	IF	CITATIONS
3834	Identification and characterization of a novel host–toxin interaction in the wheat– <i>Stagonospora nodorum</i> pathosystem. <i>Theoretical and Applied Genetics</i> , 2009, 120, 117-126.	1.8	112
3835	Genetic analysis and QTL mapping for grain chalkiness characteristics of brown rice ( <i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2009, 31, 155-164.	0.5	9
3836	Identification and mapping of a thermo-sensitive genic self-incompatibility gene in maize. <i>Genes and Genomics</i> , 2009, 31, 227-234.	0.5	3
3837	Epistasis between QTLs for bone density variation in Copenhagen–dark agouti F2 rats. <i>Mammalian Genome</i> , 2009, 20, 180-186.	1.0	4
3838	Inheritance of 15 microsatellites in the Pacific oyster <i>Crassostrea gigas</i> : segregation and null allele identification for linkage analysis. <i>Chinese Journal of Oceanology and Limnology</i> , 2009, 27, 74-79.	0.7	7
3839	Estimation of Fine-Scale Recombination Intensity Variation in the white–echinus Interval of <i>D. melanogaster</i> . <i>Journal of Molecular Evolution</i> , 2009, 69, 42-53.	0.8	29
3840	Mapping of five candidate sex-determining loci in rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>BMC Genetics</i> , 2009, 10, 2.	2.7	24
3841	Quantitative resistance to <i>Plum pox virus</i> in <i>Prunus davidiana</i> P1908 linked to components of the eukaryotic translation initiation complex. <i>Plant Pathology</i> , 2009, 58, 425-435.	1.2	34
3842	A microarray-based genotyping and genetic mapping approach for highly heterozygous outcrossing species enables localization of a large fraction of the unassembled <i>Populus trichocarpa</i> genome sequence. <i>Plant Journal</i> , 2009, 58, 1054-1067.	2.8	30
3843	Quantitative trait loci for leaf length in perennial ryegrass ( <i>Lolium perenne</i> L.). <i>Grass and Forage Science</i> , 2009, 64, 310-321.	1.2	45
3844	A genetic linkage map of the sea cucumber, <i>Apostichopus japonicus</i> (Selenka), based on AFLP and microsatellite markers. <i>Animal Genetics</i> , 2009, 40, 678-685.	0.6	34
3845	Recombination is suppressed over a large region of the rainbow trout Y chromosome. <i>Animal Genetics</i> , 2009, 40, 925-932.	0.6	16
3846	Genetic linkage map of the pearl oyster, <i>Pinctada martensii</i> (Dunker). <i>Aquaculture Research</i> , 2009, 41, 35-44.	0.9	24
3847	The vacuolar processing enzyme OsVPE1 is required for efficient glutelin processing in rice. <i>Plant Journal</i> , 2009, 58, 606-617.	2.8	117
3848	Evaluation of algorithms used to order markers on genetic maps. <i>Heredity</i> , 2009, 103, 494-502.	1.2	41
3849	Genomic survey of prepulse inhibition in mouse chromosome substitution strains. <i>Genes, Brain and Behavior</i> , 2009, 8, 806-816.	1.1	11
3850	Genetic Analysis and Fine Mapping of Two Genes for Grain Shape and Weight in Rice. <i>Journal of Integrative Plant Biology</i> , 2009, 51, 45-51.	4.1	58
3851	THE GENETIC ARCHITECTURE OF REPRODUCTIVE ISOLATION IN LOUISIANA IRISES: HYBRID FITNESS IN NATURE. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 2581-2594.	1.1	40

#	ARTICLE	IF	CITATIONS
3852	High-throughput single nucleotide polymorphism genotyping in wheat ( <i>Triticum</i> spp.). <i>Plant Biotechnology Journal</i> , 2009, 7, 364-374.	4.1	60
3853	Genetic Mapping of <i>Magnaporthe grisea</i> Avirulence Gene Corresponding to Leaf and Panicle Blast Resistant QTLs in Jao Hom Nin Rice Cultivar. <i>Journal of Phytopathology</i> , 2009, 157, 338-343.	0.5	4
3854	Detection of quantitative trait loci (QTL) associated with resistance to whitebacked planthopper ( <i>Sogatella furcifera</i> ) in rice ( <i>Oryza sativa</i> ). <i>Plant Breeding</i> , 2009, 128, 130-136.	1.0	22
3855	Genetic analysis for the leaf pubescence density and water status traits in soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Plant Breeding</i> , 2009, 128, 259-265.	1.0	20
3856	QTL mapping for agronomic and fibre traits using two interspecific chromosome substitution lines of Upland cotton. <i>Plant Breeding</i> , 2009, 128, 671-679.	1.0	20
3857	Genetic analysis and gene mapping of a rice recessive male sterile mutant. <i>Plant Breeding</i> , 2010, 129, 313-317.	1.0	3
3858	Molecular mapping of greenbug resistance genes Gb2 and Gb6 in T1AL.1RS wheat-rye translocations. <i>Plant Breeding</i> , 2009, 129, 472.	1.0	16
3859	Quantitative trait loci controlling resistance to cadmium rhizotoxicity in two recombinant inbred populations of <i>Arabidopsis thaliana</i> are partially shared by those for hydrogen peroxide resistance. <i>Physiologia Plantarum</i> , 2009, 136, 395-406.	2.6	11
3860	Epigenetic chromatin modifiers in barley: I. Cloning, mapping and expression analysis of the plant specific HD2 family of histone deacetylases from barley, during seed development and after hormonal treatment. <i>Physiologia Plantarum</i> , 2009, 136, 358-368.	2.6	65
3861	GENETIC MAPPING OF THE <i>LAMINARIA JAPONICA</i> (LAMINARALES, PHAEOPHYTA) USING AMPLIFIED FRAGMENT LENGTH POLYMORPHISM MARKERS <sup>1</sup> . <i>Journal of Phycology</i> , 2009, 45, 1228-1233.	1.0	22
3862	A major quantitative trait locus controlling cadmium translocation in rice ( <i>Oryza sativa</i> ). <i>New Phytologist</i> , 2009, 182, 644-653.	3.5	143
3863	Quantitative genetic analysis of biomass and wood chemistry of <i>Populus</i> under different nitrogen levels. <i>New Phytologist</i> , 2009, 182, 878-890.	3.5	138
3864	Overexpression of <i>Eg</i> ROP1, a <i>Eucalyptus</i> vascular-expressed Rac-like small GTPase, affects secondary xylem formation in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2009, 183, 1014-1029.	3.5	21
3865	Markers and mapping revisited: finding your gene. <i>New Phytologist</i> , 2009, 183, 935-966.	3.5	115
3866	DArT markers for the rye genome - genetic diversity and mapping. <i>BMC Genomics</i> , 2009, 10, 578.	1.2	74
3867	Genetic Regulation of Bone Traits Is Influenced by Sex and Reciprocal Cross in F2 Progeny From GK and F344 Rats. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1066-1074.	3.1	6
3868	Delimitation of the <i>fgr</i> gene for rice fragrance to a 28-kb DNA fragment. <i>Russian Journal of Plant Physiology</i> , 2009, 56, 532-539.	0.5	1
3869	Chromosome synteny of the a genome of two evolutionary wheat lines. <i>Russian Journal of Genetics</i> , 2009, 45, 1368-1375.	0.2	13

#	ARTICLE	IF	CITATIONS
3870	Molecular genetic mapping of the sy1 and sy9 asynaptic genes in rye ( <i>Secale cereale</i> L.) using microsatellite and isozyme markers. <i>Russian Journal of Genetics</i> , 2009, 45, 1444-1449.	0.2	8
3871	Cross-Fertilization for Enhancing Tocotrienol Biosynthesis in Rice Plants and QTL Analysis of Their F <sub>2</sub> Progenies. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4620-4625.	2.4	21
3872	Fine Mapping and Marker Development for the Crossability Gene SKr on Chromosome 5BS of Hexaploid Wheat ( <i>Triticum aestivum</i> L.). <i>Genetics</i> , 2009, 183, 469-481.	1.2	43
3873	Comparative Large-Scale Analysis of Interactions between Several Crop Species and the Effector Repertoires from Multiple Pathovars of <i>Pseudomonas</i> and <i>Ralstonia</i> . <i>Plant Physiology</i> , 2009, 150, 1733-1749.	2.3	100
3874	Genetic linkage map for <i>Amylostereum areolatum</i> reveals an association between vegetative growth and sexual and self-recognition. <i>Fungal Genetics and Biology</i> , 2009, 46, 632-641.	0.9	30
3875	Comparative genome mapping reveals evidence of gene conversion between Sox9 paralogs of rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2009, 4, 147-153.	0.4	6
3876	Shoot branching control by reduced culm number 4 in rice ( <i>Oryza sativa</i> L.). <i>Plant Science</i> , 2009, 176, 744-748.	1.7	7
3877	QTL analysis for grain colour and pre-harvest sprouting in bread wheat. <i>Plant Science</i> , 2009, 177, 114-122.	1.7	52
3878	Genetic characterization and molecular mapping of a chlorophyll deficiency gene in sunflower ( <i>Helianthus annuus</i> ). <i>Journal of Plant Physiology</i> , 2009, 166, 644-651.	1.6	12
3879	Identification and Molecular Mapping of Xa32(t), a Novel Resistance Gene for Bacterial Blight ( <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> ) in Rice. <i>Acta Agronomica Sinica</i> , 2009, 35, 1173-1180.	0.3	37
3880	Genetic Analysis and Gene Mapping of a Novel Rolled-Leaf Mutant rl12(t) in Rice. <i>Acta Agronomica Sinica</i> , 2009, 35, 1967-1972.	0.3	7
3881	Comparative analysis of the Brassica oleracea genetic map and the Arabidopsis thaliana genome. <i>Genome</i> , 2009, 52, 620-633.	0.9	24
3882	Reevaluation of a Tetraploid Wheat Population Indicates that the Tsn1-ToxA Interaction Is the Only Factor Governing Stagonospora nodorum Blotch Susceptibility. <i>Phytopathology</i> , 2009, 99, 906-912.	1.1	40
3883	Efficient mapping of a female sterile gene in wheat ( <i>Triticum aestivum</i> L.). <i>Genetical Research</i> , 2009, 91, 337-343.	0.3	48
3884	A Guide to QTL Mapping with R/qtl. <i>Statistics in the Health Sciences</i> , 2009, , .	0.2	681
3885	Fine mapping of the epistatic suppressor gene ( <i>esp</i> ) of a recessive genic male sterility in rapeseed ( <i>Brassica napus</i> L.). <i>Genome</i> , 2009, 52, 755-760.	0.9	9
3886	Genome-Wide Association Study in Humans. <i>Methods in Molecular Biology</i> , 2009, 573, 231-258.	0.4	23
3888	Molecular genetic description of the cryptic wheat <i>Aegilops geniculata</i> introgression carrying rust resistance genes <i>Lr57</i> and <i>Yr40</i> using wheat ESTs and synteny with rice. <i>Genome</i> , 2009, 52, 1025-1036.	0.9	24

#	ARTICLE	IF	CITATIONS
3889	Genetic Mapping in the Triticeae. , 2009, , 201-235.		8
3890	Delimitation of the <i>PSH1</i> (t) gene for rice purple leaf sheath to a 23.5 kb DNA fragment. <i>Genome</i> , 2009, 52, 268-274.	0.9	8
3891	Genetic linkage mapping for molecular dissection of chilling requirement and budbreak in apricot ( <i>Prunus armeniaca</i> L.). <i>Genome</i> , 2009, 52, 819-828.	0.9	81
3892	Selection for low erucic acid and genetic mapping of loci affecting the accumulation of very long-chain fatty acids in meadowfoam seed storage lipids. <i>Genome</i> , 2009, 52, 547-556.	0.9	8
3893	A genetic linkage map of <i>Pleurotus pulmonarius</i> based on AFLP markers, and localization of the gene region for the sporeless mutation. <i>Genome</i> , 2009, 52, 438-446.	0.9	33
3894	A new genetic linkage map of tomato based on a <i>Solanum lycopersicum</i> RIL population displaying locations of candidate pathogen response genes. <i>Genome</i> , 2009, 52, 935-956.	0.9	48
3895	Mapping of STS markers obtained from oat resistance gene analog sequences. <i>Genome</i> , 2009, 52, 608-619.	0.9	10
3896	Analysis of QTLs for the Trichome Density on the Upper and Downer Surface of Leaf Blade in Soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Agricultural Sciences in China</i> , 2009, 8, 529-537.	0.6	25
3897	Mapping Quantitative Trait Loci Associated with Photoperiod Sensitivity in Maize ( <i>Zea mays</i> L.). <i>Agricultural Sciences in China</i> , 2009, 8, 24-30.	0.6	2
3898	Fine mapping and candidate gene analysis of a green-revertible albino gene <i>gra</i> (t) in rice. <i>Journal of Genetics and Genomics</i> , 2009, 36, 117-123.	1.7	19
3899	Genetic analysis and molecular mapping of a novel gene for zebra mutation in rice ( <i>Oryza sativa</i> L.). <i>Journal of Genetics and Genomics</i> , 2009, 36, 679-684.	1.7	20
3900	Mapping of QTLs Controlling Na <sup>+</sup> , K <sup>+</sup> and Cl <sup>-</sup> Ion Concentrations in Salt Tolerant Indica Rice Variety CSR27. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2009, 18, 139-150.	0.9	70
3901	Mapping QTLs for Component Traits Influencing Drought Stress Tolerance of Maize ( <i>Zea mays</i> L) in India. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2009, 18, 151-160.	0.9	9
3902	Identification of candidate genome regions controlling disease resistance in <i>Arachis</i> . <i>BMC Plant Biology</i> , 2009, 9, 112.	1.6	118
3903	Genetic Mapping and Maps. , 2009, , 507-522.		2
3904	Genetic Analysis and Mapping of TWH Gene in Rice Twisted Hull Mutant. <i>Rice Science</i> , 2009, 16, 79-82.	1.7	8
3905	Characterization and Fine Mapping of Non-panicle Mutant (nop) in Rice. <i>Rice Science</i> , 2009, 16, 165-172.	1.7	11
3906	Genetic Control of Germination Ability under Cold Stress in Rice. <i>Rice Science</i> , 2009, 16, 173-180.	1.7	26



#	ARTICLE	IF	CITATIONS
3907	Rapid Construction of a High-Density Rice Linkage Map by High Efficiency Genome Scanning (HEGS) System. <i>Rice Science</i> , 2009, 16, 247-253.	1.7	0
3908	Isolation, Characterization, and Mapping of Genomic Microsatellite Markers in Sea-Island Cotton ( <i>Gossypium barbadense</i> ). <i>Acta Agronomica Sinica</i> , 2009, 35, 1013-1020.	0.3	2
3909	Genetic architecture of factors underlying partial resistance to <i>Alternaria</i> leaf blight in carrot. <i>Theoretical and Applied Genetics</i> , 2009, 118, 1251-1259.	1.8	30
3910	ISSR MARKERS LINKED TO THE TWO GENES DETERMINING INDETERMINATE GROWTH HABIT (FIN) AND SEEDS' COLOR (P) IN COMMON BEAN. <i>Acta Horticulturae</i> , 2009, , 107-114.	0.1	0
3911	Molecular Mapping of a Stripe Rust Resistance Gene in Spring Wheat Cultivar Zak. <i>Phytopathology</i> , 2009, 99, 1209-1215.	1.1	52
3913	Confirmation of QTLs controlling <i>Ascochyta fabae</i> resistance in different generations of faba bean ( <i>Vicia faba</i> L.). <i>Crop and Pasture Science</i> , 2009, 60, 353.	0.7	35
3914	Current Patents and Future Development Underlying Marker-Assisted Breeding in Major Grain Crops. <i>Recent Patents on DNA &amp; Gene Sequences</i> , 2009, 3, 53-62.	0.7	8
3915	Molecular cloning, expression and mapping of the translational initiation factor eIF1 gene in <i>Oryza sativa</i> . <i>Functional Plant Biology</i> , 2009, 36, 442.	1.1	7
3916	Linkage map saturation, construction, and comparison in four populations of <i>Prunus</i> . <i>Journal of Horticultural Science and Biotechnology</i> , 2009, 84, 168-175.	0.9	10
3917	Further mapping of quantitative trait loci for female sterility in wheat ( <i>Triticum aestivum</i> L.). <i>Genetical Research</i> , 2010, 92, 63-70.	0.3	5
3918	Genetic mapping of EST-SSRs, SSR and InDels to improve saturation of genomic regions in a previously developed sunflower map. <i>Electronic Journal of Biotechnology</i> , 2010, 13, 0-0.	1.2	16
3919	Development of Wheat Lines Having a Small Introgressed Segment Carrying Stem Rust Resistance Gene <i>Sr22</i> . <i>Crop Science</i> , 2010, 50, 1823-1830.	0.8	58
3920	Molecular mapping of the suppressor gene <i>lgc1</i> to the gametocidal gene <i>Gc3-C1</i> in common wheat. <i>Genes and Genetic Systems</i> , 2010, 85, 43-53.	0.2	4
3921	Identification of QTLs and associated molecular markers of agronomic traits in wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overl... 2010, 38, 459-470.	0.8	10
3922	Marker Development and Saturation Mapping of the Tan Spot Ptr ToxB Sensitivity Locus <i>Tsc2</i> in Hexaploid Wheat. <i>Plant Genome</i> , 2010, 3, .	1.6	48
3923	Chromosome Location, Linkage with Simple Sequence Repeat Markers, and Leaf Rust Resistance Conditioned by Gene <i>Lr63</i> in Wheat. <i>Crop Science</i> , 2010, 50, 2392-2395.	0.8	31
3924	Inheritance and Linkage Map Positions of Genes Conferring Resistance to <i>Stemphylium</i> Blight in Lentil. <i>Crop Science</i> , 2010, 50, 1831-1839.	0.8	59
3925	QTL Mapping of Tropical Maize Grain Components Associated with Maize Weevil Resistance. <i>Crop Science</i> , 2010, 50, 815-825.	0.8	39

#	ARTICLE	IF	CITATIONS
3927	Genetic Linkage Maps. , 2010, , 79-109.		8
3928	Identification of the Quantitative Trait Loci in <i>Japonica</i> Rice Landrace Heikezijing Responsible for Broad-Spectrum Resistance to Rice Blast. <i>Phytopathology</i> , 2010, 100, 822-829.	1.1	15
3929	Mapping Resistance Quantitative Trait Loci for Three Foliar Diseases in a Maize Recombinant Inbred Line Population—Evidence for Multiple Disease Resistance?. <i>Phytopathology</i> , 2010, 100, 72-79.	1.1	87
3930	QTL analysis for flowering time using backcross population between <i>Oryza sativa</i> Nipponbare and <i>O. rufipogon</i> . <i>Genes and Genetic Systems</i> , 2010, 85, 273-279.	0.2	34
3931	CONSTRUCTION OF GENETIC LINKAGE MAP AND LOCALIZATION OF QTLs FOR POWDERY MILDEW RESISTANCE IN CUCUMBER ( <i>CUCUMIS SATIVUS</i> L.). <i>Acta Horticulturae</i> , 2010, , 33-42.	0.1	3
3932	QTL ANALYSES OF ORANGE COLOR AND CAROTENOID CONTENT AND MAPPING OF CAROTENOID BIOSYNTHESIS GENES IN CUCUMBER ( <i>CUCUMIS SATIVUS</i> L.). <i>Acta Horticulturae</i> , 2010, , 607-614.	0.1	5
3933	Chromosomal Mapping of Osteopenia-Associated Quantitative Trait Loci Using Closely Related Mouse Strains. <i>Journal of Bone and Mineral Research</i> , 2010, 15, 626-633.	3.1	91
3934	QTLNetworkR: an interactive R package for QTL visualization. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 512-515.	1.3	2
3935	Quantitative trait loci analysis for rice seed vigor during the germination stage. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 958-964.	1.3	97
3936	Chromosomal location and molecular mapping of a tan spot resistance gene in the winter wheat cultivar Red Chief. <i>Journal of Applied Genetics</i> , 2010, 51, 235-242.	1.0	10
3937	Vrn-D4 is a vernalization gene located on the centromeric region of chromosome 5D in hexaploid wheat. <i>Theoretical and Applied Genetics</i> , 2010, 120, 543-552.	1.8	98
3938	Identification of genetic factors influencing salt stress tolerance in white clover ( <i>Trifolium repens</i> ) Tj ETQq1 1 0.784314 rgBT /Overloc	1.8	36
3939	Iso-lines and inbred-lines confirmed loci that underlie resistance from cultivar 'Hartwig'™ to three soybean cyst nematode populations. <i>Theoretical and Applied Genetics</i> , 2010, 120, 633-644.	1.8	43
3940	Identification and mapping of molecular markers linked to the tuberculate fruit gene in the cucumber ( <i>Cucumis sativus</i> L.). <i>Theoretical and Applied Genetics</i> , 2010, 120, 645-654.	1.8	71
3941	COSII genetic maps of two diploid <i>Nicotiana</i> species provide a detailed picture of synteny with tomato and insights into chromosome evolution in tetraploid <i>N. tabacum</i> . <i>Theoretical and Applied Genetics</i> , 2010, 120, 809-827.	1.8	41
3942	Pleiotropy of the branching locus (B) masks linked and unlinked quantitative trait loci affecting seed traits in sunflower. <i>Theoretical and Applied Genetics</i> , 2010, 120, 829-842.	1.8	33
3943	Dissection of the genetic basis of heterosis in an elite maize hybrid by QTL mapping in an immortalized F2 population. <i>Theoretical and Applied Genetics</i> , 2010, 120, 333-340.	1.8	132
3944	Validation of QTLs for <i>Orobanche crenata</i> resistance in faba bean ( <i>Vicia faba</i> L.) across environments and generations. <i>Theoretical and Applied Genetics</i> , 2010, 120, 909-919.	1.8	54

#	ARTICLE	IF	CITATIONS
3945	Fine mapping of pepper trichome locus 1 controlling trichome formation in <i>Capsicum annuum</i> L. CM334. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1099-1106.	1.8	18
3946	A single recessive gene controls cadmium translocation in the cadmium hyperaccumulating rice cultivar Cho-Ko-Koku. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1175-1182.	1.8	100
3947	Influence of day-length and isolates of <i>Phytophthora infestans</i> on field resistance to late blight of potato. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1265-1278.	1.8	12
3948	Identification of QTL underlying vitamin E contents in soybean seed among multiple environments. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1405-1413.	1.8	55
3949	Integration of novel SSR and gene-based SNP marker loci in the chickpea genetic map and establishment of new anchor points with <i>Medicago truncatula</i> genome. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1415-1441.	1.8	200
3950	Fine mapping of a resistance gene to bacterial leaf pustule in soybean. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1443-1450.	1.8	31
3951	Detection of quantitative trait loci controlling pre-harvest sprouting resistance by using backcrossed populations of japonica rice cultivars. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1547-1557.	1.8	67
3952	Mapping and validation of QTLs for resistance to aphids and whiteflies in melon. <i>Theoretical and Applied Genetics</i> , 2010, 121, 9-20.	1.8	63
3953	Characterization of two recessive genes controlling resistance to all races of bacterial spot in peppers. <i>Theoretical and Applied Genetics</i> , 2010, 121, 37-46.	1.8	34
3954	Genetics and mapping of stem rust resistance to Ug99 in the wheat cultivar Webster. <i>Theoretical and Applied Genetics</i> , 2010, 121, 65-69.	1.8	73
3955	Molecular mapping of a gene for stripe rust resistance in spring wheat cultivar IDO377s. <i>Theoretical and Applied Genetics</i> , 2010, 121, 195-204.	1.8	59
3956	Mapping and validation of simple sequence repeat markers linked to a major gene controlling seed cadmium accumulation in soybean [ <i>Glycine max</i> (L.) Merr]. <i>Theoretical and Applied Genetics</i> , 2010, 121, 283-294.	1.8	49
3957	Identification of QTL in soybean underlying resistance to herbivory by Japanese beetles ( <i>Popillia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 20	1.8	19
3958	Fine-mapping of the leaf rust Lr34 locus in <i>Triticum aestivum</i> (L.) and characterization of large germplasm collections support the ABC transporter as essential for gene function. <i>Theoretical and Applied Genetics</i> , 2010, 121, 373-384.	1.8	58
3959	Genetic mapping of microsatellite markers around the arcelin bruchid resistance locus in common bean. <i>Theoretical and Applied Genetics</i> , 2010, 121, 393-402.	1.8	37
3960	Fine-mapping of qRL6.1, a major QTL for root length of rice seedlings grown under a wide range of NH <sub>4</sub> <sup>+</sup> concentrations in hydroponic conditions. <i>Theoretical and Applied Genetics</i> , 2010, 121, 535-547.	1.8	107
3961	Identification of quantitative trait loci for ABA responsiveness at the seedling stage associated with ABA-regulated gene expression in common wheat. <i>Theoretical and Applied Genetics</i> , 2010, 121, 629-641.	1.8	37
3962	Pyramided QTL underlying tolerance to <i>Phytophthora</i> root rot in mega-environments from soybean cultivars <i>Conrad</i> <sup>TM</sup> and <i>Hefeng 25</i> <sup>TM</sup> . <i>Theoretical and Applied Genetics</i> , 2010, 121, 651-658.	1.8	89

#	ARTICLE	IF	CITATIONS
3963	Genome mapping of kernel characteristics in hard red spring wheat breeding lines. <i>Theoretical and Applied Genetics</i> , 2010, 121, 717-730.	1.8	118
3964	Quantitative trait loci mapping of leaf angle and leaf orientation value in maize ( <i>Zea mays</i> L.). <i>Theoretical and Applied Genetics</i> , 2010, 121, 951-959.	1.8	111
3965	A QTL study on late leaf spot and rust revealed one major QTL for molecular breeding for rust resistance in groundnut ( <i>Arachis hypogaea</i> L.). <i>Theoretical and Applied Genetics</i> , 2010, 121, 971-984.	1.8	182
3966	QTL for seed iron and zinc concentration and content in a Mesoamerican common bean ( <i>Phaseolus</i> ) Tj ETQq1 1 0.784314 rgBT / Over	1.8	119
3967	Syntenic relationships among legumes revealed using a gene-based genetic linkage map of common bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2010, 121, 1103-1116.	1.8	99
3968	Fine mapping QMi-C11 a major QTL controlling root-knot nematodes resistance in Upland cotton. <i>Theoretical and Applied Genetics</i> , 2010, 121, 1623-1631.	1.8	35
3969	Identification of QTL underlying somatic embryogenesis capacity of immature embryos in soybean ( <i>Glycine max</i> (L.) Merr.). <i>Plant Cell Reports</i> , 2010, 29, 125-131.	2.8	17
3970	Characterization and fine mapping of the glabrous leaf and hull mutants (gl1) in rice ( <i>Oryza sativa</i> L.). <i>Plant Cell Reports</i> , 2010, 29, 617-627.	2.8	34
3971	Preliminary genetic linkage map of the abalone <i>Haliotis diversicolor</i> Reeve. <i>Chinese Journal of Oceanology and Limnology</i> , 2010, 28, 549-557.	0.7	8
3972	Fine Mapping and Candidate Gene Analysis of the Floury Endosperm Gene, FLO(a), in Rice. <i>Molecules and Cells</i> , 2010, 29, 167-174.	1.0	23
3973	Fine mapping of a gene causing hybrid pollen sterility between Yunnan weedy rice and cultivated rice ( <i>Oryza sativa</i> L.) and phylogenetic analysis of Yunnan weedy rice. <i>Planta</i> , 2010, 231, 559-570.	1.6	12
3974	Identification and fine mapping of a major quantitative trait locus originating from wild rice, controlling cold tolerance at the seedling stage. <i>Molecular Genetics and Genomics</i> , 2010, 284, 45-54.	1.0	95
3975	QTL Mapping for Frond Length and Width in <i>Laminaria japonica</i> Aresch (Laminariales, Phaeophyta) Using AFLP and SSR Markers. <i>Marine Biotechnology</i> , 2010, 12, 386-394.	1.1	36
3976	Duplication of a well-conserved homeodomain-leucine zipper transcription factor gene in barley generates a copy with more specific functions. <i>Functional and Integrative Genomics</i> , 2010, 10, 123-133.	1.4	49
3977	A Quantitative Trait Locus for Chlorophyll Content and its Association with Leaf Photosynthesis in Rice. <i>Rice</i> , 2010, 3, 172-180.	1.7	99
3978	Characterization, inheritance, and molecular study of opaque leaf mutant in mungbean ( <i>Vigna radiata</i> ) Tj ETQq1 1 0.784314 rgBT / Over	0.7	119
3979	Comparison and analysis of main effects, epistatic effects, and QTL × environment interactions of QTLs for agronomic traits using DH and RILs populations in rice. <i>Journal of Crop Science and Biotechnology</i> , 2010, 13, 235-241.	0.7	2
3980	Genetic analysis of the related traits of flowering and silk for hybrid seed production in maize. <i>Genes and Genomics</i> , 2010, 32, 55-61.	0.5	14

#	ARTICLE	IF	CITATIONS
3981	Segregation distortion in F2 and doubled haploid populations of temperate japonica rice. <i>Journal of Genetics</i> , 2010, 89, 237-241.	0.4	18
3982	QTL Analysis and Effect of the fin Locus on Tropical Adaptation in an Inter-Gene Pool Common Bean Population. <i>Tropical Plant Biology</i> , 2010, 3, 204-218.	1.0	14
3983	Flanking Microsatellite Markers for Breeding Varieties Against Asian Rice Gall Midge. <i>Tropical Plant Biology</i> , 2010, 3, 219-226.	1.0	6
3984	Identification of QTLs controlling somatic embryogenesis using RI population of cultivar 'Weedy soybean'. <i>Plant Biotechnology Reports</i> , 2010, 4, 23-27.	0.9	2
3985	Molecular mapping and location of QTLs for drought-resistance traits in indica rice ( <i>Oryza sativa</i> L.) lines adapted to target environments. <i>Acta Physiologiae Plantarum</i> , 2010, 32, 355-364.	1.0	52
3986	Extension of the core map of common bean with EST-SSR, RGA, AFLP, and putative functional markers. <i>Molecular Breeding</i> , 2010, 25, 25-45.	1.0	72
3987	Inheritance of seed color and molecular markers linked to the seed color gene in <i>Brassica juncea</i> . <i>Molecular Breeding</i> , 2010, 25, 57-65.	1.0	8
3988	Functional diversity at the Rc (red coleoptile) gene in bread wheat. <i>Molecular Breeding</i> , 2010, 25, 125-132.	1.0	28
3989	Identification of major quantitative trait loci qSBR11-1 for sheath blight resistance in rice. <i>Molecular Breeding</i> , 2010, 25, 155-166.	1.0	131
3990	Genetic and physical mapping of blast resistance gene Pi-42(t) on the short arm of rice chromosome 12. <i>Molecular Breeding</i> , 2010, 25, 217-228.	1.0	22
3991	Molecular mapping of pea powdery mildew resistance gene er2 to pea linkage group III. <i>Molecular Breeding</i> , 2010, 25, 229-237.	1.0	49
3992	Ent-kaurenoic acid oxidase genes in wheat. <i>Molecular Breeding</i> , 2010, 25, 251-258.	1.0	14
3993	Identification of quantitative trait loci for specific mechanisms of resistance to <i>Orobanche crenata</i> Forsk. in pea ( <i>Pisum sativum</i> L.). <i>Molecular Breeding</i> , 2010, 25, 259-272.	1.0	60
3994	Identification of novel tan spot resistance QTLs using an SSR-based linkage map of tetraploid wheat. <i>Molecular Breeding</i> , 2010, 25, 327-338.	1.0	66
3995	Mapping of southern corn rust-resistant genes in the W2D inbred line of maize ( <i>Zea mays</i> L.). <i>Molecular Breeding</i> , 2010, 25, 433-439.	1.0	33
3996	Inheritance of seed coat color genes in <i>Brassica napus</i> (L.) and tagging the genes using SRAP, SCAR and SNP molecular markers. <i>Molecular Breeding</i> , 2010, 26, 439-453.	1.0	27
3997	Quantitative trait loci for resistance to spot blotch caused by <i>Bipolaris sorokiniana</i> in wheat (T.). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10</i>	1.0	83
3998	Genic markers for wild abortive (WA) cytoplasm based male sterility and its fertility restoration in rice. <i>Molecular Breeding</i> , 2010, 26, 275-292.	1.0	52

#	ARTICLE	IF	CITATIONS
3999	Identification of a new QTL for Fusarium head blight resistance in the wheat genotype 'Wang shui-bai'. <i>Molecular Biology Reports</i> , 2010, 37, 1031-1035.	1.0	21
4000	Molecular markers for kernel bitterness in almond. <i>Tree Genetics and Genomes</i> , 2010, 6, 237-245.	0.6	49
4001	Quantitative trait analysis of resistance to plum pox virus in the apricot F1 progeny 'Harlayne'-'Vestar'. <i>Tree Genetics and Genomes</i> , 2010, 6, 467-475.	0.6	27
4002	Genomic regions involved in productivity of two interspecific poplar families in Europe. 2. Biomass production and its relationships with tree architecture and phenology. <i>Tree Genetics and Genomes</i> , 2010, 6, 533-554.	0.6	12
4003	The emerging role of genomic tools in mulberry ( <i>Morus</i> ) genetic improvement. <i>Tree Genetics and Genomes</i> , 2010, 6, 613-625.	0.6	44
4004	A hidden Markov model approach to multilocus linkage analysis in a full-sib family. <i>Tree Genetics and Genomes</i> , 2010, 6, 651-662.	0.6	26
4005	Genetic linkage maps of <i>Populus alba</i> L. and comparative mapping analysis of sex determination across <i>Populus</i> species. <i>Tree Genetics and Genomes</i> , 2010, 6, 863-875.	0.6	87
4006	Genetic and physical mapping of the SH3 region that confers resistance to leaf rust in coffee tree ( <i>Coffea arabica</i> L.). <i>Tree Genetics and Genomes</i> , 2010, 6, 973-980.	0.6	21
4007	Development and mapping of peach candidate genes involved in fruit quality and their transferability and potential use in other Rosaceae species. <i>Tree Genetics and Genomes</i> , 2010, 6, 995-1012.	0.6	23
4008	Inheritance of resistance to iron deficiency and identification of AFLP markers associated with the resistance in mungbean ( <i>Vigna radiata</i> (L.) Wilczek). <i>Plant and Soil</i> , 2010, 335, 423-437.	1.8	15
4009	Genetic Analysis and Molecular Mapping of a Novel Gene Conferring Resistance to Rice Stripe Virus. <i>Plant Molecular Biology Reporter</i> , 2010, 28, 512-518.	1.0	19
4010	Mapping quantitative resistance to septoria tritici blotch in spelt wheat. <i>European Journal of Plant Pathology</i> , 2010, 128, 317-324.	0.8	22
4011	Quantitative trait loci for stomatal density and size in lowland rice. <i>Euphytica</i> , 2010, 172, 149-158.	0.6	52
4012	Identification of QTL underlying soluble pigment content in soybean stems related to resistance to soybean white mold ( <i>Sclerotinia sclerotiorum</i> ). <i>Euphytica</i> , 2010, 172, 49-57.	0.6	53
4013	Root traits and yield in sugar beet: identification of AFLP markers associated with root elongation rate. <i>Euphytica</i> , 2010, 173, 289-298.	0.6	18
4014	Mapping of QTLs detected in a <i>Brassica napus</i> DH population for resistance to <i>Sclerotinia sclerotiorum</i> in multiple environments. <i>Euphytica</i> , 2010, 173, 25-35.	0.6	75
4015	A new rice gall midge resistance gene in the breeding line CR57-MR1523, mapping with flanking markers and development of NILs. <i>Euphytica</i> , 2010, 174, 179-187.	0.6	55
4016	Identification of molecular markers linked to adult plant leaf rust resistance gene Lr48 in wheat and detection of Lr48 in the Thatcher near-isogenic line with gene Lr25. <i>Euphytica</i> , 2010, 174, 337-342.	0.6	23

#	ARTICLE	IF	CITATIONS
4017	Tagging the dwarfing gene Ddw1 in a rye population derived from doubled haploid parents. <i>Euphytica</i> , 2010, 172, 303-312.	0.6	26
4018	Mapping genes controlling anthocyanin pigmentation on the glume and pericarp in tetraploid wheat ( <i>Triticum durum</i> L.). <i>Euphytica</i> , 2010, 171, 65-69.	0.6	51
4019	Development and characterization of tomato SSR markers from genomic sequences of anchored BAC clones on chromosome 6. <i>Euphytica</i> , 2010, 173, 85-97.	0.6	24
4020	Identification and molecular mapping of a leaf rust resistance gene in spelt wheat landrace Altgold. <i>Euphytica</i> , 2010, 174, 371-375.	0.6	13
4021	Mapping of quantitative trait loci controlling partial resistance against rust incited by <i>Uromyces pisi</i> (Pers.) Wint. in a <i>Pisum fulvum</i> L. intraspecific cross. <i>Euphytica</i> , 2010, 175, 151-159.	0.6	54
4022	Identification of QTL for oil content, seed yield, and flowering time in oilseed rape ( <i>Brassica napus</i> ). <i>Euphytica</i> , 2010, 175, 161-174.	0.6	79
4023	Quantitative trait loci influencing fruit-related characteristics of tomato grown in high-temperature conditions. <i>Euphytica</i> , 2010, 174, 119-135.	0.6	43
4024	Molecular mapping of a gene conferring resistance to <i>Aphanomyces</i> root rot (black root) in sugar beet ( <i>Beta vulgaris</i> L.). <i>Euphytica</i> , 2010, 173, 409-418.	0.6	23
4025	Identification of QTLs for stay green trait in wheat ( <i>Triticum aestivum</i> L.) in the "Chirya 3"–"Sonalika" population. <i>Euphytica</i> , 2010, 174, 437-445.	0.6	103
4026	A consensus genetic map of chickpea ( <i>Cicer arietinum</i> L.) based on 10 mapping populations. <i>Euphytica</i> , 2010, 175, 175-189.	0.6	101
4027	Identification of markers associated with genes for rust resistance in <i>Lens culinaris</i> Medik.. <i>Euphytica</i> , 2010, 175, 261-265.	0.6	44
4028	Inheritance of resistance to <i>Fusarium oxysporum</i> f. sp. <i>melonis</i> races 0 and 2 in melon accession Tortuga. <i>Euphytica</i> , 2010, 176, 183-189.	0.6	24
4029	Fine mapping of the quantitative trait locus qFLL9 controlling flag leaf length in rice. <i>Euphytica</i> , 2010, 176, 341-347.	0.6	16
4030	Mapping a gene conferring resistance to Wheat yellow mosaic virus in European winter wheat cultivar "Ibis" ( <i>Triticum aestivum</i> L.). <i>Euphytica</i> , 2010, 176, 223-229.	0.6	27
4031	A dominant gene for garnet brown seed coats at the Rk locus in "Dorado" common bean and mapping Rk to linkage group 1. <i>Euphytica</i> , 2010, 176, 281-290.	0.6	5
4032	A recombination survey using microsatellites: the O chromosome of <i>Drosophila subobscura</i> . <i>Genetica</i> , 2010, 138, 795-804.	0.5	16
4033	Mapping quantitative trait loci (QTLs) associated with dough quality in a soft–hard bread wheat progeny. <i>Journal of Cereal Science</i> , 2010, 52, 46-52.	1.8	22
4034	QTL mapping for Mediterranean corn borer resistance in European flint germplasm using recombinant inbred lines. <i>BMC Genomics</i> , 2010, 11, 174.	1.2	43

#	ARTICLE	IF	CITATIONS
4035	Synteny mapping between common bean and soybean reveals extensive blocks of shared loci. <i>BMC Genomics</i> , 2010, 11, 184.	1.2	100
4036	The first-generation <i>Daphnia magna</i> linkage map. <i>BMC Genomics</i> , 2010, 11, 508.	1.2	54
4037	A fast and cost-effective approach to develop and map EST-SSR markers: oak as a case study. <i>BMC Genomics</i> , 2010, 11, 570.	1.2	144
4038	Genetic heterogeneity in rheumatoid arthritis mouse models induced by extrinsic and intrinsic factors. <i>Pathology International</i> , 2010, 60, 430-437.	0.6	0
4039	Delineating the structural, functional and evolutionary relationships of sucrose phosphate synthase gene family II in wheat and related grasses. <i>BMC Plant Biology</i> , 2010, 10, 134.	1.6	14
4040	QTLs and candidate genes for desiccation and abscisic acid content in maize kernels. <i>BMC Plant Biology</i> , 2010, 10, 2.	1.6	64
4041	Variation and inheritance of iron reductase activity in the roots of common bean ( <i>Phaseolus vulgaris</i> ) Tj ETQq0 0 0 156 /Overlock 10 Tf	1.6	51
4042	Potential chromosomal introgression barriers revealed by linkage analysis in a hybrid of <i>Pinus massoniana</i> and <i>P. hwangshanensis</i> . <i>BMC Plant Biology</i> , 2010, 10, 37.	1.6	15
4043	Transmission ratio distortion results in asymmetric introgression in Louisiana Iris. <i>BMC Plant Biology</i> , 2010, 10, 48.	1.6	21
4044	Expression of a small heat shock protein (CTL-hsyapr) screened by cDNA-AFLP approach is correlated with hydroxysafflor yellow A in safflower ( <i>Carthamus tinctorius</i> L.). <i>Biochemical Systematics and Ecology</i> , 2010, 38, 722-730.	0.6	10
4045	Expression of CT-wpr, screened by cDNA-AFLP approach, associated with hydroxysafflor yellow A in <i>Carthamus tinctorius</i> L. <i>Biochemical Systematics and Ecology</i> , 2010, 38, 1148-1155.	0.6	8
4046	Comparative analyses of linkage maps and segregation distortion of two F2 populations derived from japonica crossed with indica rice. <i>Hereditas</i> , 2010, 147, 225-236.	0.5	22
4047	Molecular mapping of a non-host resistance gene YrpstY1 in barley ( <i>Hordeum vulgare</i> L.) for resistance to wheat stripe rust. <i>Hereditas</i> , 2010, 147, 176-182.	0.5	20
4048	Localization of the gene responsible for the <i>op</i> (osteopetrotic) defect in rats on chromosome 10. <i>Journal of Bone and Mineral Research</i> , 1996, 11, 1856-1861.	3.1	7
4049	Genetic dissection of rice grain shape using a recombinant inbred line population derived from two contrasting parents and fine mapping a pleiotropic quantitative trait locus qGL7. <i>BMC Genetics</i> , 2010, 11, 16.	2.7	162
4050	Inheritance and identification of molecular markers associated with a novel dwarfing gene in barley. <i>BMC Genetics</i> , 2010, 11, 89.	2.7	29
4051	<i>SPL28</i> encodes a clathrin-associated adaptor protein complex 1, medium subunit 1 (AP1M1) and is responsible for spotted leaf and early senescence in rice ( <i>Oryza sativa</i> ). <i>New Phytologist</i> , 2010, 185, 258-274.	3.5	162
4052	A sequence-tagged genetic map for the brown alga <i>Ectocarpus siliculosus</i> provides large-scale assembly of the genome sequence. <i>New Phytologist</i> , 2010, 188, 42-51.	3.5	59



#	ARTICLE	IF	CITATIONS
4053	Specific resistances against <i>Pseudomonas syringae</i> effectors AvrB and AvrRpm1 have evolved differently in common bean ( <i>Phaseolus vulgaris</i> ), soybean ( <i>Glycine max</i> ), and <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2010, 187, 941-956.	3.5	50
4054	GENETICS OF INCIPIENT SPECIATION IN <i>DROSOPHILA MOJAVENSIS</i> . III. LIFE-HISTORY DIVERGENCE IN ALLOPATRY AND REPRODUCTIVE ISOLATION. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 3549-3569.	1.1	34
4055	Multiple features that distinguish unilateral incongruity and self-incompatibility in the tomato clade. <i>Plant Journal</i> , 2010, 64, 367-378.	2.8	69
4056	Assessment of structural variation and molecular mapping of insertion sites of <i>Desmar</i> -like elements in the Hessian fly genome. <i>Insect Molecular Biology</i> , 2010, 19, 707-715.	1.0	5
4057	QTL for the species-specific male and female genital morphologies in <i>Ohomopterus</i> ground beetles. <i>Molecular Ecology</i> , 2010, 19, 5231-5239.	2.0	31
4058	Contrasting relationships between the diversity of candidate genes and variation of bud burst in natural and segregating populations of European oaks. <i>Heredity</i> , 2010, 104, 438-448.	1.2	69
4059	Contrasting relations between diversity of candidate genes and variation of bud burst in natural and segregating populations of European oaks. <i>Heredity</i> , 2010, 105, 401-411.	1.2	23
4060	Allelic variation in a fatty-acyl reductase gene causes divergence in moth sex pheromones. <i>Nature</i> , 2010, 466, 486-489.	13.7	186
4061	Dopamine level in the medulla oblongata is under the control of chromosome 8 locus in ISIAH rats. <i>Doklady Biological Sciences</i> , 2010, 431, 100-102.	0.2	2
4062	OsSPL14 promotes panicle branching and higher grain productivity in rice. <i>Nature Genetics</i> , 2010, 42, 545-549.	9.4	1,187
4063	Insertion site-based polymorphism markers open new perspectives for genome saturation and marker-assisted selection in wheat. <i>Plant Biotechnology Journal</i> , 2010, 8, 196-210.	4.1	111
4064	Novel potato C2H2-type zinc finger protein gene, StZFP1, which responds to biotic and abiotic stress, plays a role in salt tolerance. <i>Plant Biology</i> , 2010, 12, 689-697.	1.8	87
4065	Molecular mapping of a fertility restorer gene for cytoplasmic male sterility in soybean. <i>Plant Breeding</i> , 2010, 129, 9-12.	1.0	11
4066	A codominant SCAR marker linked to the genic male sterility gene ( <i>ms-1</i> ) in chili pepper ( <i>Capsicum annuum</i> ). <i>Plant Breeding</i> , 2010, 129, 35-38.	1.0	21
4067	Genetic mapping for the <i>Rf1</i> (fertility restoration) gene in sunflower ( <i>Helianthus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 Td	1.0	59
4068	Development of pyramided lines with two resistance genes, <i>Pish</i> and <i>Pib</i> , for blast disease ( <i>Magnaporthe oryzae</i> B. Couch) in rice ( <i>Oryza sativa</i> L.). <i>Plant Breeding</i> , 2010, 129, 670-675.	1.0	47
4069	A microsatellite linkage map for <i>Drosophila montana</i> shows large variation in recombination rates, and a courtship song trait maps to an area of low recombination. <i>Journal of Evolutionary Biology</i> , 2010, 23, 518-527.	0.8	15
4070	Recombination and selection in the maintenance of the adaptive value of inversions. <i>Journal of Evolutionary Biology</i> , 2010, 23, 2709-2717.	0.8	38

#	ARTICLE	IF	CITATIONS
4071	Genetic analysis of the low-amylose characteristics of rice cultivars Oborozuki and Hokkai-PL9. <i>Breeding Science</i> , 2010, 60, 187-194.	0.9	40
4072	A New PCR-Based Linkage Map in Pearl Millet. <i>Crop Science</i> , 2010, 50, 1754-1760.	0.8	15
4073	Mapping of genes abundantly expressed during fruiting body formation of <i>Lentinula edodes</i> . <i>Breeding Science</i> , 2010, 60, 81-86.	0.9	2
4074	Mapping Quantitative Trait Loci for Partial Resistance to <i>Phytophthora sojae</i> in a Soybean Interspecific Cross. <i>Crop Science</i> , 2010, 50, 628-635.	0.8	53
4075	Identification of QTLs Associated with Partial Resistance to White Mold in Soybean Using Field-Based Inoculation. <i>Crop Science</i> , 2010, 50, 969-979.	0.8	33
4076	QTL Analysis of Seed Coat Cracking in Soybean. <i>Crop Science</i> , 2010, 50, 1230-1235.	0.8	10
4077	Identification of Flanking Markers for the Stem Rust Resistance Gene <i>Sr6</i> in Wheat. <i>Crop Science</i> , 2010, 50, 1967-1970.	0.8	14
4078	A New Locus for Early Maturity in Soybean. <i>Crop Science</i> , 2010, 50, 524-527.	0.8	208
4079	Microsatellite mapping of a leaf rust resistance gene transferred to common wheat from <i>Triticum timopheevii</i> . <i>Cereal Research Communications</i> , 2010, 38, 211-219.	0.8	15
4080	Identification of QTLs and associated molecular markers related to starch degradation in wheat seedlings ( <i>Triticum aestivum</i> L.) under saline stress. <i>Cereal Research Communications</i> , 2010, 38, 163-174.	0.8	7
4081	Hypersensitive Response-Like Reaction Is Associated with Hybrid Necrosis in Interspecific Crosses between Tetraploid Wheat and <i>Aegilops tauschii</i> Coss. <i>PLoS ONE</i> , 2010, 5, e11326.	1.1	72
4082	Analysis of rice panicle traits and detection of QTLs using an image analyzing method. <i>Breeding Science</i> , 2010, 60, 55-64.	0.9	49
4083	Development of parthenogenesis-linked markers in <i>Allium ramosum</i> , syn. <i>A. tuberosum</i> (2n=4x=32) by bulk segregant analysis. <i>Ikushugaku Kenkyu</i> , 2010, 12, 73-80.	0.1	0
4084	Identification of Novel QTL for Sawfly Resistance in Wheat. <i>Crop Science</i> , 2010, 50, 73-86.	0.8	48
4085	Genetic Markers and Leaf Rust Resistance of the Wheat Gene <i>Lr32</i> . <i>Crop Science</i> , 2010, 50, 2310-2317.	0.8	50
4086	Genetic Maps of Stem Rust Resistance Gene <i>Sr35</i> in Diploid and Hexaploid Wheat. <i>Crop Science</i> , 2010, 50, 2464-2474.	0.8	51
4087	Disruption of an N-acetyltransferase gene in the silkworm reveals a novel role in pigmentation. <i>Development (Cambridge)</i> , 2010, 137, 4083-4090.	1.2	77
4088	The Genetic Architecture of Grain Yield and Related Traits in Zea maize L. Revealed by Comparing Intermated and Conventional Populations. <i>Genetics</i> , 2010, 186, 395-404.	1.2	43

#	ARTICLE	IF	CITATIONS
4089	Mutations of an Arylalkylamine-N-acetyltransferase, Bm-iAANAT, Are Responsible for Silkworm Melanism Mutant. <i>Journal of Biological Chemistry</i> , 2010, 285, 19553-19560.	1.6	82
4090	Genetic Architecture of Novel Traits in the Hopi Sunflower. <i>Journal of Heredity</i> , 2010, 101, 727-736.	1.0	12
4091	Genetic Analysis of Genes Controlling Natural Variation of Seed Coat and Flower Colors in Soybean. <i>Journal of Heredity</i> , 2010, 101, 757-768.	1.0	84
4092	Identifying QTL Controlling Kernel Color in Barley. <i>Journal of Crop Improvement</i> , 2010, 24, 219-227.	0.9	1
4093	THREaD Mapper Studio: a novel, visual web server for the estimation of genetic linkage maps. <i>Nucleic Acids Research</i> , 2010, 38, W188-W193.	6.5	24
4094	A major QTL for resistance to green rice leafhopper ( <i>Nephotettix cincticeps</i> Uhler) derived from African rice ( <i>Oryza glaberrima</i> Steud.). <i>Breeding Science</i> , 2010, 60, 336-341.	0.9	29
4095	Germination variation in <i>Arabidopsis thaliana</i> accessions under moderate osmotic and salt stresses. <i>Annals of Botany</i> , 2010, 106, 833-842.	1.4	71
4096	Widespread Gene Conversion in Centromere Cores. <i>PLoS Biology</i> , 2010, 8, e1000327.	2.6	109
4097	Construction of a new set of rice chromosome segment substitution lines and identification of grain weight and related traits QTLs. <i>Breeding Science</i> , 2010, 60, 305-313.	0.9	40
4098	Mapping of QTLs controlling seedling establishment using a direct seeding method in rice. <i>Breeding Science</i> , 2010, 60, 353-360.	0.9	35
4099	An ABC Transporter Mutation Is Correlated with Insect Resistance to <i>Bacillus thuringiensis</i> Cry1Ac Toxin. <i>PLoS Genetics</i> , 2010, 6, e1001248.	1.5	312
4100	A Locus on Mouse Chromosome 2 Is Involved in Susceptibility to Congenital Hypothyroidism and Contains an Essential Gene Expressed in Thyroid. <i>Endocrinology</i> , 2010, 151, 1948-1958.	1.4	19
4101	Natural Diversity in Flowering Responses of <i>Arabidopsis thaliana</i> Caused by Variation in a Tandem Gene Array. <i>Genetics</i> , 2010, 186, 263-276.	1.2	40
4102	Contrasting Methods of Quantifying Fine Structure of Human Recombination. <i>Annual Review of Genomics and Human Genetics</i> , 2010, 11, 45-64.	2.5	32
4103	Transgenic Crop Plants: Contributions, Concerns, and Compulsions. , 2010, , 435-477.		3
4104	Comparison Between QTLs for Chlorophyll Content and Genes Controlling Chlorophyll Biosynthesis and Degradation in Japonica Rice. <i>Acta Agronomica Sinica</i> , 2010, 36, 376-384.	0.3	8
4105	Mapping QTLs for Grain Weight and Shape Using Four Sister Near Isogenic Lines of Rice. <i>Acta Agronomica Sinica</i> , 2010, 36, 1310-1317.	0.3	3
4106	Analysis of a <i>Nicotiana tabacum</i> L. Genomic Region Controlling Two Leaf Surface Chemistry Traits. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 294-300.	2.4	24

#	ARTICLE	IF	CITATIONS
4107	Cloning and molecular characterization of the potato RING finger protein gene StRFP1 and its function in potato broad-spectrum resistance against <i>Phytophthora infestans</i> . <i>Journal of Plant Physiology</i> , 2010, 167, 488-496.	1.6	33
4108	Genetic map construction and quantitative trait loci (QTL) mapping for nitrogen use efficiency and its relationship with productivity and quality of the biennial crop Belgian endive ( <i>Cichorium intybus</i> L.). <i>Journal of Plant Physiology</i> , 2010, 167, 1253-1263.	1.6	4
4109	An expanded genetic linkage map of an intervarietal <i>Agaricus bisporus</i> var. <i>bisporus</i> — <i>A. bisporus</i> var. <i>burnettii</i> hybrid based on AFLP, SSR and CAPS markers sheds light on the recombination behaviour of the species. <i>Fungal Genetics and Biology</i> , 2010, 47, 226-236.	0.9	58
4110	Mapping QTLs for grain yield and yield components under high and low phosphorus treatments in maize ( <i>Zea mays</i> L.). <i>Plant Science</i> , 2010, 178, 454-462.	1.7	70
4111	Quantitative trait loci analysis of flowering-time-related traits in tomato. <i>Scientia Horticulturae</i> , 2010, 123, 343-349.	1.7	9
4112	Novel pleiotropic loci controlling panicle architecture across environments in japonica rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT/Overlook	1.7	20
4113	Development of molecular markers and linkage maps for the <i>Carthamus</i> species <i>C. Atinctorius</i> and <i>C. Axyacanthus</i> . <i>Genome</i> , 2010, 53, 266-276.	0.9	35
4114	Genetic Control of the Corticosterone Level at Rest and Under Emotional Stress in ISIAH Rats with Inherited Stress-Induced Arterial Hypertension. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 364-371.	0.5	11
4115	Genetic Analysis and Molecular Mapping of Two SMV-Resistance Traits in Soybean: Adult-Plant Resistance and Resistance to Seed Coat Mottling. <i>Agricultural Sciences in China</i> , 2010, 9, 11-18.	0.6	3
4116	Quantitative Trait Loci for Panicle Size and Grain Yield Detected in Interval RM111-RM19 784 on the Short Arm of Rice Chromosome 6. <i>Agricultural Sciences in China</i> , 2010, 9, 1085-1092.	0.6	4
4117	Stability of QTL Across Environments and QTL-by-Environment Interactions for Plant and Ear Height in Maize. <i>Agricultural Sciences in China</i> , 2010, 9, 1400-1412.	0.6	27
4118	Quantitative Trait Loci for Resistance Against Fusarium Wilt Based on Three Cotton F2 Populations. <i>Agricultural Sciences in China</i> , 2010, 9, 1799-1806.	0.6	10
4119	Dissection of QTLs for Hull Silicon Content on the Short Arm of Rice Chromosome 6. <i>Rice Science</i> , 2010, 17, 99-104.	1.7	1
4120	Genetic analysis and mapping of a thermosensitive genic male sterility gene, <i>tms6(t)</i> , in rice ( <i>Oryza sativa</i> L.). <i>Genome</i> , 2010, 53, 119-124.	0.9	19
4122	A first genome assembly of the barley fungal pathogen <i>Pyrenophora teres</i> f. <i>teres</i> . <i>Genome Biology</i> , 2010, 11, R109.	3.8	90
4123	Candidate genes for alcohol preference identified by expression profiling in alcohol-preferring and -nonpreferring reciprocal congenic rats. <i>Genome Biology</i> , 2010, 11, R11.	13.9	34
4124	Dynamic quantitative trait loci for salt stress components on chromosome 1 of rice. <i>Functional Plant Biology</i> , 2010, 37, 634.	1.1	61
4125	Genetic Linkage Maps of the Noble Scallop <i>Chlamys nobilis</i> Reeve Based on Aflp and Microsatellite Markers. <i>Journal of Shellfish Research</i> , 2010, 29, 55-62.	0.3	5

#	ARTICLE	IF	CITATIONS
4126	Genetic Analysis and Molecular Mapping of Quantitative Trait Loci in Common Bean Against <i>Pythium ultimum</i> . <i>Phytopathology</i> , 2010, 100, 1315-1320.	1.1	19
4127	Mapping of quantitative trait loci for high level of self-incompatibility in <i>Brassica rapa</i> L.. <i>Genome</i> , 2010, 53, 257-265.	0.9	36
4128	A Novel Retrotransposon Inserted in the Dominant <i>Vrn-B1</i> Allele Confers Spring Growth Habit in Tetraploid Wheat ( <i>Triticum turgidum</i> L.). <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 637-645.	0.8	72
4129	A genetic map of an Australian wild <i>Gossypium</i> C genome and assignment of homoeologies with tetraploid cultivated cotton. <i>Genome</i> , 2011, 54, 779-794.	0.9	10
4130	Mapping QTL for grain yield, yield components, and spike features in a doubled haploid population of bread wheat. <i>Genome</i> , 2011, 54, 517-527.	0.9	102
4131	Use of diversity arrays technology markers for integration into a cotton reference map and anchoring to a recombinant inbred line map. <i>Genome</i> , 2011, 54, 349-359.	0.9	5
4132	QTL Mapping of Whitefly Resistance in Soybean. <i>Journal of Crop Improvement</i> , 2011, 25, 134-150.	0.9	8
4133	<i>Dro1</i> , a major QTL involved in deep rooting of rice under upland field conditions. <i>Journal of Experimental Botany</i> , 2011, 62, 2485-2494.	2.4	280
4134	Identification and Fine Mapping of Semidwarf Gene <i>iga-1</i> in Rice. <i>Acta Agronomica Sinica</i> , 2011, 37, 955-964.	0.3	1
4135	Genomic Analysis of the Necrotrophic Fungal Pathogens <i>Sclerotinia sclerotiorum</i> and <i>Botrytis cinerea</i> . <i>PLoS Genetics</i> , 2011, 7, e1002230.	1.5	902
4136	Characterization of a novel high-tillering dwarf 3 mutant in rice. <i>Journal of Genetics and Genomics</i> , 2011, 38, 411-418.	1.7	21
4137	Artificial selection for a green revolution gene during <i>japonica</i> rice domestication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 11034-11039.	3.3	179
4138	Genetic association of crown rust resistance gene <i>Pc68</i> , storage protein loci, and resistance gene analogues in oats. <i>Genome</i> , 2011, 54, 484-497.	0.9	17
4139	Contributions of Flowering Time Genes to Sunflower Domestication and Improvement. <i>Genetics</i> , 2011, 187, 271-287.	1.2	82
4140	Development, characterization and linkage analysis of microsatellite loci for the <i>Ascochyta</i> blight pathogen of faba bean, <i>Didymella fabae</i> . <i>Journal of Microbiological Methods</i> , 2011, 87, 128-130.	0.7	4
4141	Development of upland rice introgression lines and identification of QTLs for basal root thickness under different water regimes. <i>Journal of Genetics and Genomics</i> , 2011, 38, 547-556.	1.7	21
4142	Characterization of a single recessive yield trait mutant with elevated endogenous ABA concentration and deformed grains, spikelets and leaves. <i>Plant Science</i> , 2011, 180, 306-312.	1.7	10
4143	Enrichment of a common wheat genetic map and QTL mapping for fatty acid content in grain. <i>Plant Science</i> , 2011, 181, 65-75.	1.7	31

#	ARTICLE	IF	CITATIONS
4144	Identification of QTLs for Morph-Physiological Traits Related to Salinity Tolerance at Seedling Stage in Indica Rice. <i>Procedia Environmental Sciences</i> , 2011, 8, 389-395.	1.3	14
4145	Characterization and genetic linkage mapping of the horticulturally important mutation leafless inflorescence (lli) in periwinkle <i>Catharanthus roseus</i> . <i>Scientia Horticulturae</i> , 2011, 129, 142-153.	1.7	16
4146	Quantitative trait analysis of transplanting time and other root-growth-related traits in tomato. <i>Scientia Horticulturae</i> , 2011, 129, 622-628.	1.7	3
4147	Inheritance and Molecular Marker of Resistance to Bot Canker in <i>Malus domestica</i> . <i>Agricultural Sciences in China</i> , 2011, 10, 175-184.	0.6	2
4148	QTL Mapping for Wheat Flour Color with Additive, Epistatic, and QTL-Environment Interaction Effects. <i>Agricultural Sciences in China</i> , 2011, 10, 651-660.	0.6	20
4149	Mapping of QTL Associated with Drought Tolerance in a Semi-Automobile Rain Shelter in Maize ( <i>Zea mays</i> ) Inbred Line BTx623. <i>Journal of Agricultural Science</i> , 2011, 151, 109-114.	0.6	19
4150	A Genetic Linkage Map of Kenaf ( <i>Hibiscus cannabinus</i> L.) Based on SRAP, ISSR and RAPD Markers. <i>Agricultural Sciences in China</i> , 2011, 10, 1346-1353.	0.6	9
4151	Identification of QTLs for Yield-Related Traits in the recombinant Inbred Line Population Derived from the Cross Between a Synthetic Hexaploid Wheat-Derived Variety Chuanmai 42 and a Chinese Elite Variety Chuannong 16. <i>Agricultural Sciences in China</i> , 2011, 10, 1665-1680.	0.6	26
4152	Quantitative Trait Loci for Yield Traits Located Between Hd3a and Hd1 on Short Arm of Chromosome 6 in Rice. <i>Rice Science</i> , 2011, 18, 257-264.	1.7	1
4153	Mapping and Comparative Analysis of QTL for Rice Plant Height Based on Different Sample Sizes within a Single Line in RIL Population. <i>Rice Science</i> , 2011, 18, 265-272.	1.7	10
4154	Population-specific quantitative trait loci mapping for functional stay-green trait in rice ( <i>Oryza sativa</i> ) Inbred Line BTx623. <i>Journal of Agricultural Science</i> , 2011, 151, 109-114.	0.9	31
4155	Genetic Analysis and Preliminary Mapping of Two Recessive Resistance Genes to Brown Planthopper, <i>Nilaparvata lugens</i> Stål in Rice. <i>Rice Science</i> , 2011, 18, 238-242.	1.7	25
4156	Molecular Mapping of QTLs for Yield and Yield-Related Traits in <i>Oryza sativa</i> cv Swarna 63 × <i>O. nivara</i> (IRGC81848) Backcross Population. <i>Rice Science</i> , 2011, 18, 178-186.	1.7	35
4157	Pyramiding two genes for leaf rust and powdery mildew resistance in common wheat. <i>Cereal Research Communications</i> , 2011, 39, 577-588.	0.8	12
4158	Characterization of wheat yellow rust resistance gene <i>Yr17</i> using EST-SSR and rice syntenic region. <i>Cereal Research Communications</i> , 2011, 39, 88-99.	0.8	22
4159	Genetic Analysis of Segregation Distortion of SSR Markers in F2 Population of Barley. <i>Journal of Agricultural Science</i> , 2011, 151, 109-114.	0.1	7
4160	Efficacy of <i>qFLN1</i> , a Quantitative Trait Locus for Fiber Length in Cotton ( <i>Gossypium hirsutum</i> ) Inbred Line BTx623. <i>Journal of Agricultural Science</i> , 2011, 151, 109-114.	0.8	21
4161	QTL Analysis of Soybean Seed Coat Discoloration Associated with <i>ITTT</i> Genotype. <i>Crop Science</i> , 2011, 51, 464-469.	0.8	23

#	ARTICLE	IF	CITATIONS
4162	Mapping QTL for Agronomic Traits on Wheat Chromosome 3A and a Comparison of Recombinant Inbred Chromosome Line Populations. <i>Crop Science</i> , 2011, 51, 553-566.	0.8	40
4163	Environmental Effects on Soybean with Modified Phosphorus and Sugar Composition. <i>Crop Science</i> , 2011, 51, 642-650.	0.8	27
4164	Linkage and mapping analyses of the no glue egg gene Ng in the silkworm ( <i>Bombyx mori</i> L.) using simple sequence repeats (SSR) markers. <i>African Journal of Biotechnology</i> , 2011, 10, 9549-9556.	0.3	3
4165	Molecular mapping of genes for opposite leafing in maize using simple-sequence repeat markers. <i>Genetics and Molecular Research</i> , 2011, 10, 3472-3479.	0.3	3
4166	Identification of a microsatellite marker linked to the fertility-restoring gene for a polima cytoplasmic male-sterile line in <i>Brassica napus</i> L.. <i>African Journal of Biotechnology</i> , 2011, 10, 9563-9569.	0.3	9
4167	O uso da variabilidade genética como metodologia alternativa para integração de mapas genéticos. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 66-73.	0.9	1
4168	AFLP and SRAP markers linked to the mj gene for root-knot nematode resistance in cucumber. <i>Scientia Agricola</i> , 2011, 68, 115-119.	0.6	17
4169	Mapping QTL Associated with Traits Affecting Grain Yield in Chickpea ( <i>Cicer arietinum</i> L.) under Terminal Drought Stress. <i>Crop Science</i> , 2011, 51, 450-463.	0.8	84
4170	AFLP and SSR markers linked to the yellow seed colour gene in <i>Brassica juncea</i> L.. <i>Czech Journal of Genetics and Plant Breeding</i> , 2011, 47, 149-155.	0.4	3
4171	Mapping of QTLs involved in resistance to rice blast ( <i>Magnaporthe grisea</i> ) using <i>Oryza minuta</i> introgression lines. <i>Czech Journal of Genetics and Plant Breeding</i> , 2011, 47, 85-94.	0.4	25
4172	<i>Triticum aestivum</i> × <i>Triticum timopheevii</i> introgression lines as a source of pathogen resistance genes. <i>Czech Journal of Genetics and Plant Breeding</i> , 2011, 47, S49-S55.	0.4	24
4173	Evaluation and Mapping of a Leaf Rust Resistance Gene Derived from <i>Hordeum vulgare</i> subsp. <i>spontaneum</i> . <i>Czech Journal of Genetics and Plant Breeding</i> , 2004, 40, 86-90.	0.4	7
4174	Mapping Eight Male-Sterile, Female-Sterile Soybean Mutants. <i>Crop Science</i> , 2011, 51, 231-236.	0.8	8
4175	A Dominant Gene for Resistance to Wheat Streak Mosaic Virus in Winter Wheat Line CO960293. <i>Crop Science</i> , 2011, 51, 5-12.	0.8	53
4176	Genetic Mapping of Quantitative Trait Loci Associated with Important Agronomic Traits in the Spring Wheat ( <i>Triticum aestivum</i> L.) Cross Louise™ × Penawawa™. <i>Crop Science</i> , 2011, 51, 84-95.	0.8	26
4177	Joint QTL Linkage Mapping for Multiple-Cross Mating Design Sharing One Common Parent. <i>PLoS ONE</i> , 2011, 6, e17573.	1.1	102
4178	Cloning and Characterization of a Putative TAC1 Ortholog Associated with Leaf Angle in Maize ( <i>Zea mays</i> L.). <i>Plant Physiology</i> , 2011, 157, 1327-1341.	1.1	105
4179	Chromosomes Carrying Meiotic Avoidance Loci in Three Apomictic Eudicot ( <i>Hieracium</i> Subgenus <i>Pilosella</i> ) Species Share Structural Features with Two Monocot Apomicts. <i>Plant Physiology</i> , 2011, 157, 1327-1341.	2.3	51

#	ARTICLE	IF	CITATIONS
4180	Mapping quantitative trait loci controlling root length in rice seedlings grown with low or sufficient supply using backcross recombinant lines derived from a cross between <i>Oryza sativa</i> L. and <i>Oryza glaberrima</i> Steud.. <i>Soil Science and Plant Nutrition</i> , 2011, 57, 80-92.	0.8	24
4181	Molecular genetic marker-based analysis of species-differentiated phenotypic characters in an interspecific ryegrass mapping population. <i>Crop and Pasture Science</i> , 2011, 62, 892.	0.7	10
4182	Economic Importance, Breeding Objectives and Achievements. , 2011, , 68-155.		15
4183	Integration of the Genetic Map and Genome Assembly of Fugu Facilitates Insights into Distinct Features of Genome Evolution in Teleosts and Mammals. <i>Genome Biology and Evolution</i> , 2011, 3, 424-442.	1.1	137
4184	Molecular Genetic Mapping and Map-based Cloning. , 2011, , 199-224.		0
4185	The Helper Component Proteinase Cistron of <i>Potato virus Y</i> Induces Hypersensitivity and Resistance in Potato Genotypes Carrying Dominant Resistance Genes on Chromosome IV. <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 787-797.	1.4	52
4186	Genetic Analysis of the Resistance to Eight Anthracnose Races in the Common Bean Differential Cultivar Kaboon. <i>Phytopathology</i> , 2011, 101, 757-764.	1.1	29
4187	Molecular mapping of quantitative trait loci for drought tolerance in maize plants. <i>Genetics and Molecular Research</i> , 2011, 10, 889-901.	0.3	41
4188	Comparative Linkage Meta-Analysis Reveals Regionally-Distinct, Disparate Genetic Architectures: Application to Bipolar Disorder and Schizophrenia. <i>PLoS ONE</i> , 2011, 6, e19073.	1.1	12
4189	Comparative genome mapping among <i>Populus adenopoda</i> , <i>P. alba</i> , <i>P. deltoides</i> , <i>P. euramericana</i> and <i>P. trichocarpa</i> . <i>Genes and Genetic Systems</i> , 2011, 86, 257-268.	0.2	12
4190	Identification of microsatellite markers linked to quantitative trait loci controlling resistance to Fusarium root rot in field pea. <i>Canadian Journal of Plant Science</i> , 2011, 91, 199-204.	0.3	42
4191	Characterization of Rice Blast Isolates by the Differential System and their Application for Mapping a Resistance Gene, Pi19(t). <i>Journal of Phytopathology</i> , 2011, 159, 85-93.	0.5	17
4192	Inheritance of and Molecular Markers for Susceptibility of <i>Malus domestica</i> to Fruit Ring Rot ( <i>Botryosphaeria dothidea</i> ). <i>Journal of Phytopathology</i> , 2011, 159, 782-788.	0.5	7
4193	QTL mapping for resistance to strip virus disease in rice. <i>Plant Breeding</i> , 2011, 130, 321-327.	1.0	3
4194	Heading date QTL in rice derived from an analysis of chromosome segment substitution lines. <i>Plant Breeding</i> , 2011, 130, 185-191.	1.0	5
4195	Identification of a quantitative trait locus for resistance to <i>Sitodiplosis mosellana</i> (GÄ©hin), the orange wheat blossom midge, in spring wheat. <i>Plant Breeding</i> , 2011, 130, 25-30.	1.0	16
4196	A linkage map of pakâ€œchoi ( <i>Brassica rapa</i> ssp. <i>chinensis</i> ) based on AFLP and SSR markers and identification of AFLP markers for resistance to TuMV. <i>Plant Breeding</i> , 2011, 130, 275-277.	1.0	18
4197	Identification of microsatellite markers linked to leaf rust adult plant resistance (APR) gene <i>Lr48</i> in wheat. <i>Plant Breeding</i> , 2011, 130, 31-34.	1.0	16



#	ARTICLE	IF	CITATIONS
4198	Glucosinolates in the new oilseed crop meadowfoam: natural variation in Section Inflexae of <i>Limnanthes</i> , a new glucosinolate in <i>L. flaccosa</i> , and QTL analysis in <i>L. flaccosa</i> . <i>Plant Breeding</i> , 2011, 130, 352-359.	1.0	8
4199	A new gene for hybrid sterility from a cross between <i>Oryza sativa</i> and <i>O. glaberrima</i> . <i>Plant Breeding</i> , 2011, 130, 165-171.	1.0	12
4200	Recombination frequency variation in maize as revealed by genome-wide single nucleotide polymorphisms. <i>Plant Breeding</i> , 2011, 130, 533-539.	1.0	12
4201	Correlations and QTL detection in maize family <i>per se</i> and testcross progenies for plant height and ear height. <i>Plant Breeding</i> , 2011, 130, 617-624.	1.0	17
4202	Genetic linkage map construction for kenaf using SRAP, ISSR and RAPD markers. <i>Plant Breeding</i> , 2011, 130, 679-687.	1.0	18
4203	QTL mapping of coleorhiza length in maize ( <i>Zea mays</i> L.) under two germination environmental conditions. <i>Plant Breeding</i> , 2011, 130, 625-632.	1.0	4
4204	Quantitative trait loci analysis reveals a correlation between the ratio of sucrose/raffinose family oligosaccharides and seed vigour in <i>Medicago truncatula</i> . <i>Plant, Cell and Environment</i> , 2011, 34, 1473-1487.	2.8	89
4205	Autoimmune response and repression of mitotic cell division occur in interspecific crosses between tetraploid wheat and <i>Aegilops tauschii</i> Coss. that show low temperature-induced hybrid necrosis. <i>Plant Journal</i> , 2011, 68, 114-128.	2.8	46
4206	A defective ABC transporter of the MRP family, responsible for the bean <i>lpa1</i> mutation, affects the regulation of the phytic acid pathway, reduces seed myo-inositol and alters ABA sensitivity. <i>New Phytologist</i> , 2011, 191, 70-83.	3.5	100
4207	Qualitative and quantitative resistances to leaf rust finely mapped within two nucleotide-binding site leucine-rich repeat (NBS-LRR)-rich genomic regions of chromosome 19 in poplar. <i>New Phytologist</i> , 2011, 192, 151-163.	3.5	37
4208	Genetic Analysis of Two Weak Dormancy Mutants Derived from Strong Seed Dormancy Wild Type Rice N22 ( <i>Oryza sativa</i> )F. <i>Journal of Integrative Plant Biology</i> , 2011, 53, 338-346.	4.1	7
4209	Characterization and Genetic Analysis of a Light- and Temperature-sensitive Spotted-leaf Mutant in Rice. <i>Journal of Integrative Plant Biology</i> , 2011, 53, 671-681.	4.1	38
4210	ORIGIN AND EVOLUTION OF THE DEPENDENT LINEAGES IN THE GENETIC CASTE DETERMINATION SYSTEM OF POGONOMYRME X ANTS. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 869-884.	1.1	33
4211	Genetic mapping of adaptive wing size variation in <i>Drosophila simulans</i> . <i>Heredity</i> , 2011, 107, 22-29.	1.2	9
4212	Two putatively homoeologous wheat genes mediate recognition of SnTox3 to confer effector-triggered susceptibility to <i>Stagonospora nodorum</i> . <i>Plant Journal</i> , 2011, 65, 27-38.	2.8	65
4213	Integration of linkage maps for the Amphidiploid <i>Brassica napus</i> and comparative mapping with <i>Arabidopsis</i> and <i>Brassica rapa</i> . <i>BMC Genomics</i> , 2011, 12, 101.	1.2	125
4214	Genetics and mapping of resistance to spore inoculum and culture filtrate of <i>Phaeosphaeria nodorum</i> in spring wheat line ND 735. <i>Crop Protection</i> , 2011, 30, 141-146.	1.0	2
4215	Identification of quantitative trait loci for protein content, oil content and oil quality for groundnut ( <i>Arachis hypogaea</i> L.). <i>Field Crops Research</i> , 2011, 122, 49-59.	2.3	125

#	ARTICLE	IF	CITATIONS
4216	A recessive gene controlling male sterility sensitive to short daylength/low temperature in wheat ( <i>Triticum aestivum</i> L.). <i>Journal of Zhejiang University: Science B</i> , 2011, 12, 943-950.	1.3	9
4217	Identification and molecular tagging of two <i>Arabidopsis</i> resistance genes to <i>Botrytis cinerea</i> . <i>Frontiers of Agriculture in China</i> , 2011, 5, 430-436.	0.2	1
4218	Wheat kernel dimensions: how do they contribute to kernel weight at an individual QTL level?. <i>Journal of Genetics</i> , 2011, 90, 409-425.	0.4	42
4219	Inheritance of (1 $\alpha$ 3)(1 $\alpha$ 4)-beta-D-glucan content in barley ( <i>Hordeum vulgare</i> L.). <i>Journal of Crop Science and Biotechnology</i> , 2011, 14, 239-245.	0.7	17
4220	Linkage of a RAPD marker with powdery mildew resistance er-1 gene in <i>Pisum sativum</i> L.. <i>Russian Journal of Genetics</i> , 2011, 47, 300-304.	0.2	12
4221	Molecular mapping of quantitative trait loci for domestication traits and $\beta$ -glucan content in a wheat recombinant inbred line population. <i>Euphytica</i> , 2011, 177, 179-190.	0.6	30
4222	QTL mapping of yield-related traits in the wheat germplasm 3228. <i>Euphytica</i> , 2011, 177, 277-292.	0.6	115
4223	Identification of QTLs for maize seed vigor at three stages of seed maturity using a RIL population. <i>Euphytica</i> , 2011, 178, 127-135.	0.6	12
4224	Quantitative trait loci controlling rice seed germination under salt stress. <i>Euphytica</i> , 2011, 178, 297-307.	0.6	139
4225	Comparative molecular marker-based genetic mapping of flavanone 3-hydroxylase genes in wheat, rye and barley. <i>Euphytica</i> , 2011, 179, 333-341.	0.6	23
4226	Genetic effects of introgression genomic components from Sea Island cotton ( <i>Gossypium barbadense</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.6	42
4227	Inheritance of somatic embryogenesis using leaf petioles as explants in upland cotton. <i>Euphytica</i> , 2011, 181, 55-63.	0.6	14
4228	Epistasis and complementary gene action adequately account for the genetic bases of transgressive segregation of kilo-grain weight in rice. <i>Euphytica</i> , 2011, 180, 261-271.	0.6	28
4229	A novel blast resistance locus in a rice ( <i>Oryza sativa</i> L.) cultivar, Chumroo, of Bhutan. <i>Euphytica</i> , 2011, 180, 273-280.	0.6	6
4230	Powdery mildew resistance gene (Pm-AN) located in a segregation distortion region of melon LGV. <i>Euphytica</i> , 2011, 180, 421-428.	0.6	23
4231	Mapping resistance gene analogs (RGAs) in cultivated tetraploid cotton using RGA-AFLP analysis. <i>Euphytica</i> , 2011, 181, 65.	0.6	13
4232	Identification of common genomic regions controlling resistance to <i>Mycosphaerella pinodes</i> , earliness and architectural traits in different pea genetic backgrounds. <i>Euphytica</i> , 2011, 182, 43-52.	0.6	50
4233	Characterization of genes Rpp2, Rpp4, and Rpp5 for resistance to soybean rust. <i>Euphytica</i> , 2011, 182, 53.	0.6	58

#	ARTICLE	IF	CITATIONS
4234	Identification of quantitative trait loci for cold tolerance during the germination and seedling stages in rice ( <i>Oryza sativa</i> L.). <i>Euphytica</i> , 2011, 181, 405.	0.6	42
4235	Identification of genetic factors affecting plant density response through QTL mapping of yield component traits in maize ( <i>Zea mays</i> L.). <i>Euphytica</i> , 2011, 182, 409.	0.6	33
4236	QTL mapping of bio-energy related traits in Sorghum. <i>Euphytica</i> , 2011, 182, 431.	0.6	54
4237	High-density genetic and physical bin mapping of wheat chromosome 1D reveals that the powdery mildew resistance gene Pm24 is located in a highly recombinogenic region. <i>Genetica</i> , 2011, 139, 1179-1187.	0.5	14
4238	Identification of SCAR marker linking to longer frond length of <i>Saccharina japonica</i> (Laminariales). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.5	12
4239	QTL detected for grain-filling rate in maize using a RIL population. <i>Molecular Breeding</i> , 2011, 27, 25-36.	1.0	38
4240	Analysis of alien introgression in coffee tree ( <i>Coffea arabica</i> L.). <i>Molecular Breeding</i> , 2011, 27, 223-232.	1.0	18
4241	Genetic linkage maps of white birches ( <i>Betula platyphylla</i> Suk. and <i>B. pendula</i> Roth) based on RAPD and AFLP markers. <i>Molecular Breeding</i> , 2011, 27, 347-356.	1.0	16
4242	Inheritance of growth habit detected by genetic linkage analysis using microsatellites in the common bean ( <i>Phaseolus vulgaris</i> L.). <i>Molecular Breeding</i> , 2011, 27, 549-560.	1.0	33
4243	Inheritance and development of molecular markers linked to angular leaf spot resistance genes in the common bean accession G10909. <i>Molecular Breeding</i> , 2011, 28, 57-71.	1.0	27
4244	Single nucleotide polymorphism genotyping by heteroduplex analysis in sunflower ( <i>Helianthus</i> ). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.0	10
4245	Molecular mapping of adult-plant race-specific leaf rust resistance gene Lr12 in bread wheat. <i>Molecular Breeding</i> , 2011, 28, 137-142.	1.0	44
4246	Mapping of quantitative trait loci for kernel row number in maize across seven environments. <i>Molecular Breeding</i> , 2011, 28, 143-152.	1.0	48
4247	Identification of quantitative trait loci for dry-matter, starch, and $\beta$ -carotene content in sweetpotato. <i>Molecular Breeding</i> , 2011, 28, 201-216.	1.0	84
4248	Fine mapping of a gene responsible for pollen semi-sterility in hybrids between <i>Oryza sativa</i> L. and <i>O. glaberrima</i> Steud. <i>Molecular Breeding</i> , 2011, 28, 323-334.	1.0	9
4249	Identification of two major QTL for yellow seed color in two crosses of resynthesized <i>Brassica napus</i> line No. 2127-17. <i>Molecular Breeding</i> , 2011, 28, 335-342.	1.0	34
4250	Molecular tagging and candidate gene analysis of the high gamma-tocopherol trait in safflower ( <i>Carthamus tinctorius</i> L.). <i>Molecular Breeding</i> , 2011, 28, 367-379.	1.0	16
4251	Genetic dissection of early-season cold tolerance in sorghum ( <i>Sorghum bicolor</i> (L.) Moench). <i>Molecular Breeding</i> , 2011, 28, 391-402.	1.0	79

#	ARTICLE	IF	CITATIONS
4252	SSR-based linkage map of flax ( <i>Linum usitatissimum</i> L.) and mapping of QTLs underlying fatty acid composition traits. <i>Molecular Breeding</i> , 2011, 28, 437-451.	1.0	103
4253	Saturating the <i>Prunus</i> (stone fruits) genome with candidate genes for fruit quality. <i>Molecular Breeding</i> , 2011, 28, 667-682.	1.0	53
4254	Development of breeder-friendly markers for selection of MIPS1 mutations in soybean. <i>Molecular Breeding</i> , 2011, 28, 127-132.	1.0	27
4255	Performance of the loblolly pine fusiform rust disease resistance gene (Fr1) in a slashXloblolly pine hybrid family. <i>Tree Genetics and Genomes</i> , 2011, 7, 535-540.	0.6	4
4256	Identification of quantitative trait loci associated with self-compatibility in a <i>Prunus</i> species. <i>Tree Genetics and Genomes</i> , 2011, 7, 629-639.	0.6	18
4257	Characterization of retrotransposon sequences expressed in inflorescences of apomictic and sexual <i>Paspalum notatum</i> plants. <i>Sexual Plant Reproduction</i> , 2011, 24, 231-246.	2.2	70
4258	Molecular analysis of an additional case of hybrid sterility in rice ( <i>Oryza sativa</i> L.). <i>Planta</i> , 2011, 233, 485-494.	1.6	23
4259	Molecular characterization and genomic mapping of the pathogenesis-related protein 1 (PR-1) gene family in hexaploid wheat ( <i>Triticum aestivum</i> L.). <i>Molecular Genetics and Genomics</i> , 2011, 285, 485-503.	1.0	66
4260	Relationship between transmission ratio distortion and genetic divergence in intraspecific rice crosses. <i>Molecular Genetics and Genomics</i> , 2011, 286, 307-319.	1.0	26
4261	Mapping QTL for an Adaptive Trait: The Length of Caudal Fin in <i>Lates calcarifer</i> . <i>Marine Biotechnology</i> , 2011, 13, 74-82.	1.1	21
4262	Identification and Mapping of a Novel Hydroxysafflor Yellow A (HSYA) Biosynthetic Gene in <i>Carthamus tinctorius</i> . <i>Biochemical Genetics</i> , 2011, 49, 410-415.	0.8	7
4263	Mapping of the genes for dioecism and monoecism in <i>Spinacia oleracea</i> L.: evidence that both genes are closely linked. <i>Plant Cell Reports</i> , 2011, 30, 965-971.	2.8	41
4264	Genetic and molecular analysis of a purple sheath somaclonal mutant in japonica rice. <i>Plant Cell Reports</i> , 2011, 30, 901-911.	2.8	36
4265	Genetics and mapping of seedling resistance to Ug99 stem rust in Canadian wheat cultivars "Peace"™ and "Cadillac"™. <i>Theoretical and Applied Genetics</i> , 2011, 122, 143-149.	1.8	85
4266	New slow-rusting leaf rust and stripe rust resistance genes Lr67 and Yr46 in wheat are pleiotropic or closely linked. <i>Theoretical and Applied Genetics</i> , 2011, 122, 239-249.	1.8	224
4267	Genetic mapping of stem rust resistance gene Sr13 in tetraploid wheat ( <i>Triticum turgidum</i> ssp. durum) Tj ETQq1 1 0,784314 <sub>rgBT</sub> / Over 1.8 69	1.8	69
4268	Mapping 49 quantitative trait loci at high resolution through sequencing-based genotyping of rice recombinant inbred lines. <i>Theoretical and Applied Genetics</i> , 2011, 122, 327-340.	1.8	134
4269	Fine mapping and candidate gene analysis of ptgms2-1, the photoperiod-thermo-sensitive genic male sterile gene in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 122, 365-372.	1.8	55

#	ARTICLE	IF	CITATIONS
4270	Two complementary recessive genes in duplicated segments control etiolation in rice. <i>Theoretical and Applied Genetics</i> , 2011, 122, 373-383.	1.8	20
4271	Identification, fine mapping and characterisation of a dwarf mutant (bnaC.dwf) in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2011, 122, 421-428.	1.8	33
4272	Direct determination of the chromosomal location of bunching onion and bulb onion markers using bunching onion-shallot monosomic additions and allotriploid-bunching onion single alien deletions. <i>Theoretical and Applied Genetics</i> , 2011, 122, 501-510.	1.8	16
4273	QTL analyses for seed iron and zinc concentrations in an intra-genepool population of Andean common beans ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 122, 511-521.	1.8	102
4274	Identification of QTLs for morphological traits influencing waterlogging tolerance in perennial ryegrass ( <i>Lolium perenne</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 122, 609-622.	1.8	27
4275	The genetic control of tolerance to aluminum toxicity in the 'Essex'™ by 'Forrest'™ recombinant inbred line population. <i>Theoretical and Applied Genetics</i> , 2011, 122, 687-694.	1.8	23
4276	Fine genetic mapping of the genomic region controlling leaflet shape and number of seeds per pod in the soybean. <i>Theoretical and Applied Genetics</i> , 2011, 122, 865-874.	1.8	52
4277	Glycine max non-nodulation locus <i>rj1</i> : a recombinogenic region encompassing a SNP in a lysine motif receptor-like kinase ( <i>GmNFR1±</i> ). <i>Theoretical and Applied Genetics</i> , 2011, 122, 875-884.	1.8	7
4278	Identification of several small main-effect QTLs and a large number of epistatic QTLs for drought tolerance related traits in groundnut ( <i>Arachis hypogaea</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 122, 1119-1132.	1.8	188
4279	Uncovering of major genetic factors generating naturally occurring variation in heading date among Asian rice cultivars. <i>Theoretical and Applied Genetics</i> , 2011, 122, 1199-1210.	1.8	65
4280	Molecular basis of seed lipoxygenase null traits in soybean line OX948. <i>Theoretical and Applied Genetics</i> , 2011, 122, 1247-1264.	1.8	16
4281	QTL analysis for yield components and kernel-related traits in maize across multi-environments. <i>Theoretical and Applied Genetics</i> , 2011, 122, 1305-1320.	1.8	143
4282	Fine mapping and candidate gene analysis of dense and erect panicle 3, DEP3, which confers high grain yield in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 122, 1439-1449.	1.8	112
4283	High-resolution genetic mapping and candidate gene identification of the SLP1 locus that controls glume development in rice. <i>Theoretical and Applied Genetics</i> , 2011, 122, 1489-1496.	1.8	14
4284	Conditional QTL mapping for plant height with respect to the length of the spike and internode in two mapping populations of wheat. <i>Theoretical and Applied Genetics</i> , 2011, 122, 1517-1536.	1.8	149
4285	Development and use of genic molecular markers (GMMs) for construction of a transcript map of chickpea ( <i>Cicer arietinum</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 122, 1577-1589.	1.8	120
4286	Fine mapping of qSTV11 KAS , a major QTL for rice stripe disease resistance. <i>Theoretical and Applied Genetics</i> , 2011, 122, 1591-1604.	1.8	61
4287	Positional cloning of <i>ds1</i> , the target leaf spot resistance gene against <i>Bipolaris sorghicola</i> in sorghum. <i>Theoretical and Applied Genetics</i> , 2011, 123, 131-142.	1.8	32

#	ARTICLE	IF	CITATIONS
4288	New consistent QTL in pea associated with partial resistance to <i>Aphanomyces euteiches</i> in multiple French and American environments. <i>Theoretical and Applied Genetics</i> , 2011, 123, 261-281.	1.8	88
4289	Molecular mapping of the rust resistance gene R 4 to a large NBS-LRR cluster on linkage group 13 of sunflower. <i>Theoretical and Applied Genetics</i> , 2011, 123, 351-358.	1.8	36
4290	Genetics and molecular mapping of genes for high-temperature resistance to stripe rust in wheat cultivar Xiaoyan 54. <i>Theoretical and Applied Genetics</i> , 2011, 123, 431-438.	1.8	37
4291	Fine-mapping of the woolly gene controlling multicellular trichome formation and embryonic development in tomato. <i>Theoretical and Applied Genetics</i> , 2011, 123, 625-633.	1.8	26
4292	Comparisons of four approximation algorithms for large-scale linkage map construction. <i>Theoretical and Applied Genetics</i> , 2011, 123, 649-655.	1.8	7
4293	Characterization of fs10.1, a major QTL controlling fruit elongation in <i>Capsicum</i> . <i>Theoretical and Applied Genetics</i> , 2011, 123, 657-665.	1.8	53
4294	Analysis of genetic structure in a panel of elite wheat varieties and relevance for association mapping. <i>Theoretical and Applied Genetics</i> , 2011, 123, 715-727.	1.8	33
4295	Quantitative trait loci and underlying candidate genes controlling agronomical and fruit quality traits in octoploid strawberry ( <i>Fragaria</i> × <i>Ananassa</i> ). <i>Theoretical and Applied Genetics</i> , 2011, 123, 755-778.	1.8	106
4296	A molecular map of the apomixis-control locus in <i>Paspalum procurrens</i> and its comparative analysis with other species of <i>Paspalum</i> . <i>Theoretical and Applied Genetics</i> , 2011, 123, 959-971.	1.8	43
4297	Identification and mapping of a new powdery mildew resistance gene on chromosome 6D of common wheat. <i>Theoretical and Applied Genetics</i> , 2011, 123, 1099-1106.	1.8	82
4298	Identification and molecular mapping of two QTLs with major effects for resistance to <i>Fusarium</i> head blight in wheat. <i>Theoretical and Applied Genetics</i> , 2011, 123, 1107-1119.	1.8	65
4299	Genetic interactions involved in the inhibition of heading by heading date QTL, Hd2 in rice under long-day conditions. <i>Theoretical and Applied Genetics</i> , 2011, 123, 1133-1143.	1.8	52
4300	Microsatellite mapping of <i>Ae. speltoides</i> and map-based comparative analysis of the S, G, and B genomes of Triticeae species. <i>Theoretical and Applied Genetics</i> , 2011, 123, 1145-1157.	1.8	22
4301	Nucleotide diversity of a genomic sequence similar to SHATTERPROOF (PvSHP1) in domesticated and wild common bean ( <i>Phaseolus vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 2011, 123, 1341-1357.	1.8	44
4302	Comparative linkage mapping in the white button mushroom <i>Agaricus bisporus</i> provides foundation for breeding management. <i>Current Genetics</i> , 2011, 57, 39-50.	0.8	23
4303	Validation of SSR markers linked to null kunitz trypsin inhibitor allele in Indian soybean [ <i>Glycine max</i> (L.) Merr.] population. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2011, 20, 258-261.	0.9	15
4304	QTL mapping for test weight by using F 2:3 population in maize. <i>Journal of Genetics</i> , 2011, 90, 75-80.	0.4	20
4305	Mapping of shoot fly tolerance loci in sorghum using SSR markers. <i>Journal of Genetics</i> , 2011, 90, 59-66.	0.4	20

#	ARTICLE	IF	CITATIONS
4306	The first genetic map of pigeon pea based on diversity arrays technology (DArT) markers. <i>Journal of Genetics</i> , 2011, 90, 103-109.	0.4	61
4307	Fine Mapping of qHD8-1, a QTL Controlling the Heading Date, to a 26-kb DNA Fragment in Rice ( <i>Oryza</i> ) Tj ETQq1 1,0,784314,rgBT /Ome	0.9	0
4308	Genetic mapping of novel symptom in response to soybean bacterial leaf pustule in PI 96188. <i>Journal of Crop Science and Biotechnology</i> , 2011, 14, 119-123.	0.7	12
4309	Fine mapping and candidate gene analysis of the dwarf gene d162(t) in rice ( <i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2011, 33, 25-30.	0.5	4
4310	Genomic architecture of alpha-amylase activity in mature rye grain relative to that of preharvest sprouting. <i>Journal of Applied Genetics</i> , 2011, 52, 153-160.	1.0	11
4311	Validation and identification of molecular markers linked to the leaf rust resistance gene Lr28 in wheat. <i>Journal of Applied Genetics</i> , 2011, 52, 171-175.	1.0	24
4312	A new QTL for resistance to <i>Fusarium</i> ear rot in maize. <i>Journal of Applied Genetics</i> , 2011, 52, 403-406.	1.0	37
4313	Genetic analysis and fine mapping of an enclosed panicle mutant esp2 in rice ( <i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 2011, 56, 1476-1480.	1.7	12
4314	QTLs mapping of morphological traits related to salt tolerance in <i>Medicago truncatula</i> . <i>Acta Physiologiae Plantarum</i> , 2011, 33, 917-926.	1.0	23
4315	Analysis of BAC-end sequences (BESs) and development of BES-SSR markers for genetic mapping and hybrid purity assessment in pigeonpea ( <i>Cajanus</i> spp.). <i>BMC Plant Biology</i> , 2011, 11, 56.	1.6	121
4316	Eucalypt pulp yield QTL from Raiz as compared to the literature. <i>BMC Proceedings</i> , 2011, 5, .	1.8	0
4317	A second-generation anchored genetic linkage map of the tammar wallaby ( <i>Macropus eugenii</i> ). <i>BMC Genetics</i> , 2011, 12, 72.	2.7	15
4318	A high-resolution linkage map for comparative genome analysis and QTL fine mapping in Asian seabass, <i>Lates calcarifer</i> . <i>BMC Genomics</i> , 2011, 12, 174.	1.2	93
4319	QTL underlying resistance to two HG types of <i>Heterodera glycines</i> found in soybean cultivar 'L-10'. <i>BMC Genomics</i> , 2011, 12, 233.	1.2	22
4320	Comprehensive genetic dissection of wood properties in a widely-grown tropical tree: Eucalyptus. <i>BMC Genomics</i> , 2011, 12, 301.	1.2	48
4321	Microsatellite isolation and marker development in carrot - genomic distribution, linkage mapping, genetic diversity analysis and marker transferability across <i>Apiaceae</i> . <i>BMC Genomics</i> , 2011, 12, 386.	1.2	90
4322	A second generation genetic map of the bumblebee <i>Bombus terrestris</i> (Linnaeus, 1758) reveals slow genome and chromosome evolution in the <i>Apidae</i> . <i>BMC Genomics</i> , 2011, 12, 48.	1.2	57
4323	Notice of Retraction: Mapping Quantitative Trait Loci Using Sliding Three Markers in RIL Population Based on Correlation Method. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
4324	Forward Genetic Approaches to Understanding Complex Behaviors. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 12, 25-58.	0.8	9
4325	Genetic Background and Allorecognition Phenotype in <i>Hydractinia symbiolongicarpus</i> . <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 499-504.	0.8	11
4326	Long terminal repeat retrotransposon <i>Jeli</i> provides multiple genetic markers for common wheat ( <i>Triticum aestivum</i> ). <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2011, 9, 163-165.	0.4	4
4327	Molecular Mapping of 2 Environmentally Sensitive Male-Sterile Mutants in Soybean. <i>Journal of Heredity</i> , 2011, 102, 11-16.	1.0	31
4328	Inheritance and development of EST-SSR marker associated with turnip mosaic virus resistance in Chinese cabbage. <i>Canadian Journal of Plant Science</i> , 2011, 91, 707-715.	0.3	4
4329	Nonsense Mutation of an MYB Transcription Factor Is Associated with Purple-Blue Flower Color in Soybean. <i>Journal of Heredity</i> , 2011, 102, 458-463.	1.0	33
4330	Inheritance of bacterial blight resistance in the rice cultivar Ajaya and high-resolution mapping of a major QTL associated with resistance. <i>Genetical Research</i> , 2011, 93, 397-408.	0.3	8
4331	Linkage Analysis in the Next-Generation Sequencing Era. <i>Human Heredity</i> , 2011, 72, 228-236.	0.4	89
4332	Defining the Genetic Architecture Underlying Female- and Male-Mediated Nonrandom Mating and Seed Yield Traits in Arabidopsis. <i>Plant Physiology</i> , 2011, 157, 1956-1964.	2.3	12
4333	Linkage maps from multiple genetic crosses and loci linked to growth-related virulent phenotype in <i>Plasmodium yoelii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E374-E382.	3.3	45
4334	Multiple Loci Condition Seed Transmission of <i>Soybean mosaic virus</i> (SMV) and SMV-Induced Seed Coat Mottling in Soybean. <i>Phytopathology</i> , 2011, 101, 750-756.	1.1	42
4335	High resolution linkage maps of the model organism <i>Petunia</i> reveal substantial synteny decay with the related genome of tomato. <i>Genome</i> , 2011, 54, 327-340.	0.9	34
4336	Identification and characterization of genomic regions on chromosomes 4 and 8 that control the rate of photosynthesis in rice leaves. <i>Journal of Experimental Botany</i> , 2011, 62, 1927-1938.	2.4	53
4337	Identification and Precise Mapping of Resistant QTLs of <i>Cercospora</i> Leaf Spot Resistance in Sugar Beet ( <i>Beta vulgaris</i> L.). <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 283-291.	0.8	24
4338	Saturation of an Intra-Gene Pool Linkage Map: Towards a Unified Consensus Linkage Map for Fine Mapping and Synteny Analysis in Common Bean. <i>PLoS ONE</i> , 2011, 6, e28135.	1.1	61
4339	Variation in domesticated rice inflorescence architecture revealed by principal component analysis and quantitative trait locus analysis. <i>Breeding Science</i> , 2011, 61, 52-60.	0.9	5
4340	Genetic and molecular analysis of fasciation mutation in Japanese soybeans. <i>Breeding Science</i> , 2011, 61, 26-34.	0.9	4
4341	Genetic Architecture of a Reinforced, Postmating, Reproductive Isolation Barrier between <i>Neurospora</i> Species Indicates Evolution via Natural Selection. <i>PLoS Genetics</i> , 2011, 7, e1002204.	1.5	50



#	ARTICLE	IF	CITATIONS
4342	Genetic Mapping of Fall Armyworm Resistance in Zoysiagrass. <i>Crop Science</i> , 2011, 51, 1774-1783.	0.8	11
4343	Genetic mapping of natural variation in a shade avoidance response: ELF3 is the candidate gene for a QTL in hypocotyl growth regulation. <i>Journal of Experimental Botany</i> , 2011, 62, 167-176.	2.4	40
4344	Detection of a QTL for accumulating Cd in rice that enables efficient Cd phytoextraction from soil. <i>Breeding Science</i> , 2011, 61, 43-51.	0.9	45
4345	Fluorescence <i>In Situ</i> Hybridization-Based Karyotyping of Soybean Translocation Lines. <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 117-129.	0.8	13
4346	Analysis of QTL for lowering cadmium concentration in rice grains from 'LAC23'. <i>Breeding Science</i> , 2011, 61, 196-200.	0.9	20
4347	Molecular mapping of the short awn 2 ( <i>lks2</i> ) and dense spike 1 ( <i>dsp1</i> ) genes on barley chromosome 7H. <i>Breeding Science</i> , 2011, 61, 80-85.	0.9	28
4348	Allelic Variants at the <i>TaZds1</i> Locus on Wheat Chromosome 2DL and their Association with Yellow Pigment Content. <i>Crop Science</i> , 2011, 51, 1580-1590.	0.8	41
4349	Genetic Characterization and Molecular Mapping of <i>Pse2</i> Gene for Resistance to Halo Blight in Common Bean. <i>Crop Science</i> , 2011, 51, 2439-2448.	0.8	22
4350	Mapping and Validation of Fiber Strength Quantitative Trait Loci on Chromosome 24 in Upland Cotton. <i>Crop Science</i> , 2012, 52, 1115-1122.	0.8	23
4351	Inheritance and Molecular Mapping of an Allele Providing Resistance to a Cowpea Mild Mottle-Like Virus in Soybean. <i>Crop Science</i> , 2012, 52, 2109-2114.	0.8	5
4352	Genetic analysis and fine mapping of <i>LH1</i> and <i>LH2</i> , a set of complementary genes controlling late heading in rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 2012, 62, 310-319.	0.9	9
4353	Gene Conversion Occurs within the Mating-Type Locus of <i>Cryptococcus neoformans</i> during Sexual Reproduction. <i>PLoS Genetics</i> , 2012, 8, e1002810.	1.5	54
4354	Quantitative Trait Loci for Seed Tocopherol Content in Sunflower. <i>Crop Science</i> , 2012, 52, 786-794.	0.8	6
4355	<i>SmartGrain</i> : High-Throughput Phenotyping Software for Measuring Seed Shape through Image Analysis. <i>Plant Physiology</i> , 2012, 160, 1871-1880.	2.3	325
4356	Validation of QTL for Grain Yield-Related Traits on Wheat Chromosome 3A Using Recombinant Inbred Chromosome Lines. <i>Crop Science</i> , 2012, 52, 1622-1632.	0.8	39
4357	Discovery of High-Confidence Single Nucleotide Polymorphisms from Large-Scale De Novo Analysis of Leaf Transcripts of <i>Aegilops tauschii</i> , A Wild Wheat Progenitor. <i>DNA Research</i> , 2012, 19, 487-497.	1.5	29
4358	Variation in heading date conceals quantitative trait loci for other traits of importance in breeding selection of rice. <i>Breeding Science</i> , 2012, 62, 223-234.	0.9	39
4359	Genetic Linkage Map and Diversity Analysis of Tahitian Vanilla ( <i>Vanilla tahitensis</i> ), Tj ETQq1 1 0.784314 rgBT <sub>12</sub> /Overlock	0.8	12

#	ARTICLE	IF	CITATIONS
4360	Molecular Characterization of Resistance to Fusarium Head Blight in U.S. Soft Red Winter Wheat Breeding Line VA00Wâ€³8. <i>Crop Science</i> , 2012, 52, 2283-2292.	0.8	35
4361	Genetic Architecture of Seed Dormancy in U.S. Weedy Rice in Different Genetic Backgrounds. <i>Crop Science</i> , 2012, 52, 2564-2575.	0.8	28
4362	Comparative Mapping Suggests Repeated Selection of the Same Quantitative Trait Locus for High Leaf Photosynthesis Rate in Rice Highâ€³ield Breeding Programs. <i>Crop Science</i> , 2012, 52, 2649-2658.	0.8	10
4363	Two novel QTLs regulate internode elongation in deepwater rice during the early vegetative stage. <i>Breeding Science</i> , 2012, 62, 178-185.	0.9	38
4364	Mapping of QTLs underlying flowering time in sorghum [ <i>Sorghum bicolor</i> ] (L.) Moench]. <i>Breeding Science</i> , 2012, 62, 151-159.	0.9	11
4365	Evaluation of the effects of five QTL regions on <i>Fusarium</i> head blight resistance and agronomic traits in spring wheat ( <i>Triticum aestivum</i> ) (L.). <i>Breeding Science</i> , 2012, 62, 11-17.	0.9	50
4366	Genetic analysis of antixenosis resistance to the common cutworm ( <i>Spodoptera litura</i> Fabricius) and its relationship with pubescence characteristics in soybean ( <i>Glycine max</i> (L.) Merr.). <i>Breeding Science</i> , 2012, 61, 608-617.	0.9	36
4367	A SHORT INTERNODES (SHI) family transcription factor gene regulates awn elongation and pistil morphology in barley. <i>Journal of Experimental Botany</i> , 2012, 63, 5223-5232.	2.4	86
4368	Two distinct genomic regions, harbouring the period and fruitless genes, affect male courtship song in <i>Drosophila montana</i> . <i>Heredity</i> , 2012, 108, 602-608.	1.2	9
4369	Mapping QTLs for Phosphorus-deficiency Tolerance in Soybean at Seedling Stage. , 2012, , .		8
4370	Relationship between asparagine metabolism and protein concentration in soybean seed. <i>Journal of Experimental Botany</i> , 2012, 63, 3173-3184.	2.4	64
4371	Construction of a Genetic Linkage Map Based on Amplified Fragment Length Polymorphism Markers and Development of Sequence-Tagged Site Markers for Marker-Assisted Selection of the Sporeless Trait in the Oyster Mushroom ( <i>Pleurotus eryngii</i> ). <i>Applied and Environmental Microbiology</i> , 2012, 78, 1496-1504.	1.4	40
4372	The Genetic Basis of Heterosis: Multiparental Quantitative Trait Loci Mapping Reveals Contrasted Levels of Apparent Overdominance Among Traits of Agronomical Interest in Maize ( <i>Zea mays</i> L.). <i>Genetics</i> , 2012, 190, 795-811.	1.2	146
4373	QTL analysis of resistance to Mal de RÃ³ Cuarto disease in maize using recombinant inbred lines. <i>Journal of Agricultural Science</i> , 2012, 150, 619-629.	0.6	22
4374	Multi-Trait and Multi-Environment QTL Analyses for Resistance to Wheat Diseases. <i>PLoS ONE</i> , 2012, 7, e38008.	1.1	35
4375	Genetic Mapping a Meiotic Driver That Causes Sex Ratio Distortion in the Mosquito <i>Aedes aegypti</i> . <i>Journal of Heredity</i> , 2012, 103, 303-307.	1.0	18
4376	Efficacy of Microarray Profiling Data Combined with QTL Mapping for the Identification of a QTL Gene Controlling the Initial Growth Rate in Rice. <i>Plant and Cell Physiology</i> , 2012, 53, 729-739.	1.5	46
4377	Genetic Dissection of Complex Genetic Factor Involved in NIDDM of OLETF Rat. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-6.	3.8	10

#	ARTICLE	IF	CITATIONS
4378	A Set of Lotus japonicus Gifu x Lotus burttii Recombinant Inbred Lines Facilitates Map-based Cloning and QTL Mapping. DNA Research, 2012, 19, 317-323.	1.5	40
4379	Identification of Candidate Genes Underlying an Iron Efficiency Quantitative Trait Locus in Soybean. Plant Physiology, 2012, 158, 1745-1754.	2.3	60
4380	Molecular mapping of the downy mildew resistance gene <i>Ppa3</i> in cauliflower ( <i>Brassica</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 137-143.	0.9	19
4381	Identification of Quantitative Trait Loci for Lipid Metabolism in Rice Seeds. Molecular Plant, 2012, 5, 865-875.	3.9	50
4382	Linkage map construction and QTL analysis for <i>Betula platyphylla</i> Suk using RAPD, AFLP, ISSR and SSR. Silvae Genetica, 2012, 61, 1-9.	0.4	3
4383	Identification of QTLs for Yield and Drought-Related Traits in Maize: Assessment of Their Causal Relationships. Biotechnology and Biotechnological Equipment, 2012, 26, 2952-2960.	0.5	14
4384	Genetic Analysis of Vertebral Regionalization and Number in Medaka ( <i>Oryzias latipes</i> ) Inbred Lines. G3: Genes, Genomes, Genetics, 2012, 2, 1317-1323.	0.8	16
4385	Registration of 'Becker'/'Massey' Wheat Recombinant Inbred Line Mapping Population. Journal of Plant Registrations, 2012, 6, 358-362.	0.4	2
4386	Cloning and characterization of the calreticulin gene in Asian seabass ( <i>Lates calcarifer</i> ). Animal, 2012, 6, 887-893.	1.3	18
4387	The D genome carries a gene determining purple grain colour in wheat. Cereal Research Communications, 2012, 40, 334-341.	0.8	44
4388	Mapping quantitative trait loci for water uptake in a recombinant inbred line population of natto soybean. Canadian Journal of Plant Science, 2012, 92, 257-266.	0.3	3
4389	A wheat homologue of <i>PHYTOCLOCK 1</i> is a candidate gene conferring the early heading phenotype to einkorn wheat. Genes and Genetic Systems, 2012, 87, 357-367.	0.2	55
4390	Identification and Fine-Mapping of <i>Xa33</i> , a Novel Gene for Resistance to <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> . Phytopathology, 2012, 102, 222-228.	1.1	80
4391	Novel Septoria Speckled Leaf Blotch Resistance Loci in a Barley Doubled-Haploid Population. Phytopathology, 2012, 102, 683-691.	1.1	5
4392	Application of real-time PCR-based SNP detection for mapping of <i>Net2</i> , a causal D-genome gene for hybrid necrosis in interspecific crosses between tetraploid wheat and <i>Aegilops tauschii</i> . Genes and Genetic Systems, 2012, 87, 137-143.	0.2	15
4393	Evidence from principal component analysis for improvement of grain shape- and spikelet morphology-related traits after hexaploid wheat speciation. Genes and Genetic Systems, 2012, 87, 299-310.	0.2	36
4394	Genetic and Molecular Mapping of Stripe Rust Resistance Gene in Wheat 'Psathyrostachys huashanica' Translocation Line H9020-1-6-8-3. Plant Disease, 2012, 96, 1482-1487.	0.7	23
4395	Characterization of Plant-Fungal Interactions Involving Necrotrophic Effector-Producing Plant Pathogens. Methods in Molecular Biology, 2012, 835, 191-207.	0.4	33

#	ARTICLE	IF	CITATIONS
4396	QTL mapping for stay-green in maize ( <i>Zea mays</i> ). <i>Canadian Journal of Plant Science</i> , 2012, 92, 249-256.	0.3	41
4397	OsGA20ox1, a candidate gene for a major QTL controlling seedling vigor in rice. <i>Theoretical and Applied Genetics</i> , 2012, 125, 647-657.	1.8	79
4398	QTL analysis of soybean seed weight across multi-genetic backgrounds and environments. <i>Theoretical and Applied Genetics</i> , 2012, 125, 671-683.	1.8	108
4399	Fine mapping and candidate gene analysis of the nuclear restorer gene <i>Rfp</i> for <i>pol</i> CMS in rapeseed ( <i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 125, 773-779.	1.8	35
4400	Identification of QTLs with main, epistatic and QTL $\times$ environment interaction effects for salt tolerance in rice seedlings under different salinity conditions. <i>Theoretical and Applied Genetics</i> , 2012, 125, 807-815.	1.8	122
4401	Inheritance of resistance to Ug99 stem rust in wheat cultivar Norin 40 and genetic mapping of <i>Sr42</i> . <i>Theoretical and Applied Genetics</i> , 2012, 125, 817-824.	1.8	46
4402	Genetic components and major QTL confer resistance to bean pyralid ( <i>Lamprosema indicata</i> Fabricius) under multiple environments in four RIL populations of soybean. <i>Theoretical and Applied Genetics</i> , 2012, 125, 859-875.	1.8	34
4403	Genetics and mapping of the <i>R11</i> gene conferring resistance to recently emerged rust races, tightly linked to male fertility restoration, in sunflower ( <i>Helianthus annuus</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 125, 921-932.	1.8	58
4404	Durable resistance to stripe rust is due to three specific resistance genes in French bread wheat cultivar Apache. <i>Theoretical and Applied Genetics</i> , 2012, 125, 955-965.	1.8	24
4405	Use of the advanced backcross-QTL method to transfer seed mineral accumulation nutrition traits from wild to Andean cultivated common beans. <i>Theoretical and Applied Genetics</i> , 2012, 125, 1015-1031.	1.8	77
4406	Comparative genomics to bridge <i>Vicia faba</i> with model and closely-related legume species: stability of QTLs for flowering and yield-related traits. <i>Theoretical and Applied Genetics</i> , 2012, 125, 1767-1782.	1.8	69
4407	SNP Marker Integration and QTL Analysis of 12 Agronomic and Morphological Traits in F8RILs of Pepper ( <i>Capsicum annuum</i> L.). <i>Molecules and Cells</i> , 2012, 34, 25-34.	1.0	31
4408	Identification of quantitative trait loci involved in resistance to <i>Pseudomonas syringae</i> pv. <i>syringae</i> in pea ( <i>Pisum sativum</i> L.). <i>Euphytica</i> , 2012, 186, 805-812.	0.6	23
4409	Mapping quantitative trait loci for cottonseed oil, protein and gossypol content in a <i>Gossypium hirsutum</i> $\times$ <i>Gossypium barbadense</i> backcross inbred line population. <i>Euphytica</i> , 2012, 187, 191-201.	0.6	75
4410	Development of a coupling-phase SCAR marker linked to the powdery mildew resistance gene <i>er1</i> <sup>TM</sup> in pea ( <i>Pisum sativum</i> L.). <i>Euphytica</i> , 2012, 186, 855-866.	0.6	39
4411	Mapping of a gene that confers short lateral branching ( <i>slb</i> ) in melon ( <i>Cucumis melo</i> L.). <i>Euphytica</i> , 2012, 187, 133-143.	0.6	19
4412	Bayesian mapping of quantitative trait loci (QTL) controlling soybean cyst nematode resistant. <i>Euphytica</i> , 2012, 186, 907-917.	0.6	21
4413	Mapping and marker-assisted breeding of a gene allelic to the major Asian rice gall midge resistance gene <i>Gm8</i> . <i>Euphytica</i> , 2012, 187, 393-400.	0.6	21

#	ARTICLE	IF	CITATIONS
4414	Quantitative trait locus analysis for days-to-heading and morphological traits in an RIL population derived from an extremely late flowering F1 hybrid of sorghum. <i>Euphytica</i> , 2012, 187, 411-420.	0.6	35
4415	Selective genotyping to identify late blight resistance genes in an accession of the tomato wild species <i>Solanum pimpinellifolium</i> . <i>Euphytica</i> , 2012, 187, 63-75.	0.6	49
4416	Characterization and molecular mapping of RsrR, a resistant gene to maize head smut. <i>Euphytica</i> , 2012, 187, 303-311.	0.6	7
4417	QTL mapping and epistasis analysis of brace root traits in maize. <i>Molecular Breeding</i> , 2012, 30, 697-708.	1.0	41
4418	Quantitative trait locus analysis and construction of consensus genetic map for drought tolerance traits based on three recombinant inbred line populations in cultivated groundnut ( <i>Arachis hypogaea</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.0	66
4419	Quantitative trait locus analysis and construction of consensus genetic map for foliar disease resistance based on two recombinant inbred line populations in cultivated groundnut ( <i>Arachis</i> ) Tj ETQq1 1 0.7843 14 rgBT /Overlock 10 Tf	1.0	66
4420	A quantitative trait locus involved in maize yield is tightly associated to the r1 gene on the long arm of chromosome 10. <i>Molecular Breeding</i> , 2012, 30, 799-807.	1.0	4
4421	MapDisto: fast and efficient computation of genetic linkage maps. <i>Molecular Breeding</i> , 2012, 30, 1231-1235.	1.0	308
4422	Molecular validation of a multiple-allele recessive genic male sterility locus (BnRf) in <i>Brassica napus</i> L. <i>Molecular Breeding</i> , 2012, 30, 1193-1205.	1.0	10
4423	Inheritance of seed phytate and phosphorus levels in common bean ( <i>Phaseolus vulgaris</i> L.) and association with newly-mapped candidate genes. <i>Molecular Breeding</i> , 2012, 30, 1265-1277.	1.0	36
4424	Mapping of major and modifying genes for high oleic acid content in safflower. <i>Molecular Breeding</i> , 2012, 30, 1279-1293.	1.0	31
4425	Detection and fine mapping of two quantitative trait loci for partial resistance to stripe virus in rice ( <i>Oryza sativa</i> L.). <i>Molecular Breeding</i> , 2012, 30, 1379-1391.	1.0	3
4426	QTL mapping of resistance to race Ug99 of <i>Puccinia graminis</i> f. sp. <i>tritici</i> in durum wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.0	66
4427	Introgression of <i>Brassica rapa</i> subsp. <i>sylvestris</i> blackleg resistance into <i>B. napus</i> . <i>Molecular Breeding</i> , 2012, 30, 1495-1506.	1.0	41
4428	Detection and verification of quantitative trait loci for resistance to <i>Fusarium</i> ear rot in maize. <i>Molecular Breeding</i> , 2012, 30, 1649-1656.	1.0	59
4429	QTL analysis for pseudostem pungency in bunching onion ( <i>Allium fistulosum</i> ). <i>Molecular Breeding</i> , 2012, 30, 1689-1698.	1.0	7
4430	QTLs for hybrid fertility and their association with female and male sterility in rice. <i>Genes and Genomics</i> , 2012, 34, 355-365.	0.5	8
4431	Characterization and Fine Mapping of a Novel Rice Albino Mutant low temperature albino 1. <i>Journal of Genetics and Genomics</i> , 2012, 39, 385-396.	1.7	32

#	ARTICLE	IF	CITATIONS
4432	Fine mapping of the yellow seed locus in <i>Brassica juncea</i> L. Genome, 2012, 55, 8-14.	0.9	11
4433	Whole-Genome QTL Analysis of Stagonospora nodorum Blotch Resistance and Validation of the SnTox4-Snn4 Interaction in Hexaploid Wheat. Phytopathology, 2012, 102, 94-104.	1.1	22
4434	Integrated multiple population analysis of leaf architecture traits in maize ( <i>Zea mays</i> L.). Journal of Experimental Botany, 2012, 63, 261-274.	2.4	73
4435	Segregation distortion in a region containing a male-sterility, female-sterility locus in soybean. Plant Science, 2012, 195, 151-156.	1.7	25
4436	Molecular Mapping of the Blast Resistance Genes <i>Pi2-1</i> and <i>Pi51(t)</i> in the Durably Resistant Rice "Tianjingyeshengdao". Phytopathology, 2012, 102, 779-786.	1.1	33
4437	<i>TaCKX6-D1</i> , the ortholog of rice <i>OsCKX2</i> , is associated with grain weight in hexaploid wheat. New Phytologist, 2012, 195, 574-584.	3.5	219
4438	Detection of QTLs with main, epistatic and QTL×environment interaction effects for rice grain appearance quality traits using two populations of backcross inbred lines (BILs). Field Crops Research, 2012, 135, 97-106.	2.3	12
4439	Three-point appraisal of genetic linkage maps. Theoretical and Applied Genetics, 2012, 125, 1393-1402.	1.8	1
4440	A novel linkage map of sugarcane with evidence for clustering of retrotransposon-based markers. BMC Genetics, 2012, 13, 51.	2.7	34
4441	QTL analysis of novel genomic regions associated with yield and yield related traits in new plant type based recombinant inbred lines of rice ( <i>Oryza sativa</i> L.). BMC Plant Biology, 2012, 12, 137.	1.6	74
4442	Genetic basis of unstable expression of high gamma-tocopherol content in sunflower seeds. BMC Plant Biology, 2012, 12, 71.	1.6	16
4443	QTL mapping reveals the genetic architecture of loci affecting pre- and post-zygotic isolating barriers in Louisiana Iris. BMC Plant Biology, 2012, 12, 91.	1.6	8
4444	Mapping and characterization of quantitative trait loci for mesocotyl elongation in rice ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.7	70
4445	A WUSCHEL-like homeobox gene, OsWOX3B responses to NUDA/GL-1 locus in rice. Rice, 2012, 5, 30.	1.7	40
4446	Use of Tyramide-Fluorescence in situ Hybridization and Chromosome Microdissection for Ascertaining Homology Relationships and Chromosome Linkage Group Associations in Oats. Cytogenetic and Genome Research, 2012, 136, 145-156.	0.6	9
4447	Foliar nutrition in apple production. African Journal of Biotechnology, 2012, 11, .	0.3	1
4448	Genetic linkage mapping in fungi: current state, applications, and future trends. Applied Microbiology and Biotechnology, 2012, 95, 891-904.	1.7	47
4449	A Modified Method for the Development of SSR Molecular Markers Based on Redundant EST Data and Its Application in Soybean. Journal of Integrative Agriculture, 2012, 11, 545-555.	1.7	2

#	ARTICLE	IF	CITATIONS
4450	Identification of a Resistance Gene <i>bls1</i> to Bacterial Leaf Streak in Wild Rice <i>Oryza rufipogon</i> Griff.. <i>Journal of Integrative Agriculture</i> , 2012, 11, 962-969.	1.7	31
4451	Allelic Variation at the <i>TaZds-A1</i> Locus on Wheat Chromosome 2A and Development of a Functional Marker in Common Wheat. <i>Journal of Integrative Agriculture</i> , 2012, 11, 1067-1074.	1.7	27
4452	Identification of Molecular Markers for a Aphid Resistance Gene in Sorghum and Selective Efficiency Using These Markers. <i>Journal of Integrative Agriculture</i> , 2012, 11, 1086-1092.	1.7	8
4453	Identification and Gene Mapping of a multi-floret spikelet 1 ( <i>mfs1</i> ) Mutant Associated with Spikelet Development in Rice. <i>Journal of Integrative Agriculture</i> , 2012, 11, 1574-1579.	1.7	4
4454	Genetic Analysis and Mapping of an Enclosed Panicle Mutant Locus <i>esp1</i> in Rice ( <i>Oryza sativa</i> L.). <i>Journal of Integrative Agriculture</i> , 2012, 11, 1933-1939.	1.7	12
4455	Identification of QTLs Associated with Total Soyasaponin Content in Soybean ( <i>Glycine max</i> (L.) Merr.). <i>Journal of Integrative Agriculture</i> , 2012, 11, 1976-1984.	1.7	3
4456	Mapping QTLs and candidate genes for iron and zinc concentrations in unpolished rice of MadhukarA—Swarna RILs. <i>Gene</i> , 2012, 508, 233-240.	1.0	187
4457	Marker-Assisted Selection in Plant Breeding for Salinity Tolerance. , 2012, 913, 305-333.		23
4458	Mapping QTLs for Plant Phenology and Production Traits Using Indica Rice ( <i>Oryza sativa</i> L.) Lines Adapted to Rainfed Environment. <i>Molecular Biotechnology</i> , 2012, 52, 151-160.	1.3	38
4459	Introgression of a leaf rust resistance gene from <i>Aegilops caudata</i> to bread wheat. <i>Journal of Genetics</i> , 2012, 91, 155-161.	0.4	46
4460	Conditional QTL mapping of protein content in wheat with respect to grain yield and its components. <i>Journal of Genetics</i> , 2012, 91, 303-312.	0.4	59
4461	Genetic interaction and mapping studies on the leaflet development ( <i>lld</i> ) mutant in <i>Pisum sativum</i> . <i>Journal of Genetics</i> , 2012, 91, 325-342.	0.4	3
4463	Developing tools for investigating the multiple roles of ethylene: identification and mapping genes for ethylene biosynthesis and reception in barley. <i>Molecular Genetics and Genomics</i> , 2012, 287, 793-802.	1.0	10
4464	Analysis of Quantitative Trait Loci for Resistance to Brown Planthopper in Dongxiang Wild Rice ( <i>Oryza rufipogon</i> Griff.). <i>Acta Agronomica Sinica</i> , 2012, 38, 210-214.	0.3	7
4465	Plant Salt Tolerance. <i>Methods in Molecular Biology</i> , 2012, , .	0.4	9
4466	Genetic mapping and coxial parasites: Past achievements and future prospects. <i>Journal of Biosciences</i> , 2012, 37, 879-886.	0.5	10
4467	The simulation of meiosis in diploid and tetraploid organisms using various genetic models. <i>BMC Bioinformatics</i> , 2012, 13, 248.	1.2	76
4468	Inferring haplotypes and parental genotypes in larger full sib-ships and other pedigrees with missing or erroneous genotype data. <i>BMC Genetics</i> , 2012, 13, 85.	2.7	9

#	ARTICLE	IF	CITATIONS
4469	Comparative mapping in intraspecific populations uncovers a high degree of macrosynteny between A- and B-genome diploid species of peanut. <i>BMC Genomics</i> , 2012, 13, 608.	1.2	40
4470	Genetic Architecture of Local Adaptation in Lunar and Diurnal Emergence Times of the Marine Midge <i>Clunio marinus</i> (Chironomidae, Diptera). <i>PLoS ONE</i> , 2012, 7, e32092.	1.1	34
4471	Natural Variation in the VELVET Gene <i>bcvel1</i> Affects Virulence and Light-Dependent Differentiation in <i>Botrytis cinerea</i> . <i>PLoS ONE</i> , 2012, 7, e47840.	1.1	89
4472	A Dominant Gene for Male Sterility in <i>Salvia miltiorrhiza</i> Bunge. <i>PLoS ONE</i> , 2012, 7, e50903.	1.1	10
4473	QTL analysis of percentage of grains with chalkiness in Japonica rice ( <i>Oryza sativa</i> ). <i>Genetics and Molecular Research</i> , 2012, 11, 717-724.	0.3	25
4474	Progression of DNA Marker and the Next Generation of Crop Development. , 0, , .		1
4475	DNA-markers for resistance to common bunt transferred from <i>Aegilops cylindrica</i> Host. to hexaploid wheat. <i>Czech Journal of Genetics and Plant Breeding</i> , 2006, 42, 62-65.	0.4	8
4476	High segregation distortion in maize B73 x teosinte crosses. <i>Genetics and Molecular Research</i> , 2012, 11, 693-706.	0.3	25
4477	Mapping of HtNB, a gene conferring non-lesion resistance before heading to <i>Exserohilum turcicum</i> (Pass.), in a maize inbred line derived from the Indonesian variety Bramadi. <i>Genetics and Molecular Research</i> , 2012, 11, 2523-2533.	0.3	17
4478	Parallel domestication of the Shattering1 genes in cereals. <i>Nature Genetics</i> , 2012, 44, 720-724.	9.4	401
4479	Molecular mapping of the PI 16 downy mildew resistance gene from HA-R4 to facilitate marker-assisted selection in sunflower. <i>Theoretical and Applied Genetics</i> , 2012, 125, 121-131.	1.8	42
4480	Chromosome location, DNA markers and rust resistance of the sunflower gene R 5. <i>Molecular Breeding</i> , 2012, 30, 745-756.	1.0	22
4481	Chromosomes 3B and 4D are associated with several milling and baking quality traits in a soft white spring wheat ( <i>Triticum aestivum</i> L.) population. <i>Theoretical and Applied Genetics</i> , 2012, 124, 1079-1096.	1.8	68
4482	Detection of favorable alleles for plant height and crown rust tolerance in three connected populations of perennial ryegrass ( <i>Lolium perenne</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 124, 1139-1153.	1.8	41
4483	Genetic analysis of leaf rust resistance genes and associated markers in the durable resistant wheat cultivar Sinvalocho MA. <i>Theoretical and Applied Genetics</i> , 2012, 124, 1305-1314.	1.8	16
4484	SSR-based genetic maps of <i>Miscanthus sinensis</i> and <i>M. sacchariflorus</i> , and their comparison to sorghum. <i>Theoretical and Applied Genetics</i> , 2012, 124, 1325-1338.	1.8	57
4485	Development of selective markers linked to a major QTL for parthenocarpy in eggplant ( <i>Solanum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	51
4486	Inheritance and genetic mapping of two nuclear genes involved in nuclear- cytoplasmic incompatibility in peas ( <i>Pisum sativum</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 124, 1503-1512.	1.8	25



#	ARTICLE	IF	CITATIONS
4487	Development of gene-based markers and construction of an integrated linkage map in eggplant by using <i>Solanum</i> orthologous (SOL) gene sets. <i>Theoretical and Applied Genetics</i> , 2012, 125, 47-56.	1.8	61
4488	Quantitative trait loci for water-use efficiency in barley ( <i>Hordeum vulgare</i> L.) measured by carbon isotope discrimination under rain-fed conditions on the Canadian Prairies. <i>Theoretical and Applied Genetics</i> , 2012, 125, 71-90.	1.8	25
4489	Identification of quantitative trait loci (QTL) for resistance to <i>Fusarium</i> crown rot ( <i>Fusarium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 T Applied Genetics, 2012, 125, 91-107.	1.8	59
4490	Exploiting comparative mapping among Brassica species to accelerate the physical delimitation of a genic male-sterile locus (BnRf) in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2012, 125, 211-222.	1.8	13
4491	Fine mapping of fw3.2 controlling fruit weight in tomato. <i>Theoretical and Applied Genetics</i> , 2012, 125, 273-284.	1.8	44
4492	Mapping QTL for resistance to eyespot of wheat in <i>Aegilops longissima</i> . <i>Theoretical and Applied Genetics</i> , 2012, 125, 355-366.	1.8	30
4493	A multiple gene complex on rice chromosome 4 is involved in durable resistance to rice blast. <i>Theoretical and Applied Genetics</i> , 2012, 125, 551-559.	1.8	31
4494	QTL mapping of terminal heat tolerance in hexaploid wheat ( <i>T. aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 125, 561-575.	1.8	175
4495	Characterization and molecular mapping of EMS-induced brittle culm mutants of diploid wheat ( <i>Triticum monococcum</i> L.). <i>Euphytica</i> , 2012, 186, 165-176.	0.6	18
4496	QTL detection of seven spike-related traits and their genetic correlations in wheat using two related RIL populations. <i>Euphytica</i> , 2012, 186, 177-192.	0.6	101
4497	Mapping stripe rust resistance gene YrSph derived from <i>Tritium sphaerococcum</i> Perc. with SSR, SRAP, and TRAP markers. <i>Euphytica</i> , 2012, 185, 19-26.	0.6	17
4498	Transfer of architectural traits from perennial <i>Helianthus mollis</i> Lam. to sunflower ( <i>H. annuus</i> L.) and localisation of introgression. <i>Euphytica</i> , 2012, 186, 557-572.	0.6	8
4499	Genomic characterization of drought tolerance-related traits in spring wheat. <i>Euphytica</i> , 2012, 186, 265-276.	0.6	95
4500	QTL underlying field grain drying rate after physiological maturity in maize ( <i>Zea Mays</i> L.). <i>Euphytica</i> , 2012, 185, 521-528.	0.6	22
4501	QTL analysis for resistance to bacterial wilt ( <i>Burkholderia caryophylli</i> ) in carnation ( <i>Dianthus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182	1.0	41
4502	New PCR-based sequence-tagged site marker for bacterial blight resistance gene Xa38 of rice. <i>Molecular Breeding</i> , 2012, 30, 607-611.	1.0	81
4503	Genetic dissection of grain weight in bread wheat through quantitative trait locus interval and association mapping. <i>Molecular Breeding</i> , 2012, 29, 963-972.	1.0	92
4504	Statistical method for mapping QTLs for complex traits based on two backcross populations. <i>Science Bulletin</i> , 2012, 57, 2645-2654.	1.7	4

#	ARTICLE	IF	CITATIONS
4505	Development of SSR markers and construction of a linkage map in jute. <i>Journal of Genetics</i> , 2012, 91, 21-31.	0.4	44
4506	Mapping of <i>tms8</i> gene for temperature-sensitive genic male sterility (TGMS) in rice ( <i>Oryza</i> ) Tj ETQq1 1 0,784314,rgBT /Overlock 10 Tf	1.0	16
4507	Development of sequence-tagged site markers linked to the pillar growth type in peach ( <i>Prunus</i> ) Tj ETQq0 0 0,rgBT /Overlock 10 Tf	1.0	16
4508	Additional pea EST-SSR markers for comparative mapping in pea ( <i>Pisum sativum</i> L.). <i>Plant Breeding</i> , 2012, 131, 222-226.	1.0	16
4509	Development of EST-derived SSR markers in pea ( <i>Pisum sativum</i> ) and their potential utility for genetic mapping and transferability. <i>Plant Breeding</i> , 2012, 131, 118-124.	1.0	36
4510	Mapping of quantitative trait loci conferring resistance to brown spot in flue-cured tobacco ( <i>Nicotiana tabacum</i> L.). <i>Plant Breeding</i> , 2012, 131, 335-339.	1.0	19
4511	Quantitative trait loci (QTL) for <i>Fusarium</i> ELISA compared to QTL for <i>Fusarium</i> head blight resistance and deoxynivalenol content in barley. <i>Plant Breeding</i> , 2012, 131, 237-243.	1.0	16
4512	Identification of isolate-specific resistance QTLs to phytophthora root rot using an intraspecific recombinant inbred line population of pepper ( <i>Capsicum annuum</i> ). <i>Plant Pathology</i> , 2012, 61, 48-56.	1.2	46
4513	A molecular linkage map for <i>Drosophila mediopunctata</i> confirms synteny with <i>Drosophila melanogaster</i> and suggests a region that controls the variation in the number of abdominal spots. <i>Insect Molecular Biology</i> , 2012, 21, 89-95.	1.0	4
4514	Characterization of three VERNALIZATION INSENSITIVE3-like (VIL) homologs in wild wheat, <i>Aegilops tauschii</i> Coss. <i>Hereditas</i> , 2012, 149, 62-71.	0.5	11
4515	Molecular genetic mapping of NIR spectra variation. <i>Journal of Cereal Science</i> , 2012, 55, 6-14.	1.8	6
4516	<i>S</i> tagonospora nodorum effector-wheat gene interaction and its relationship with the <i>Snn5</i> and <i>Tsn1</i> and <i>Snn3</i> interactions. <i>Molecular Plant Pathology</i> , 2012, 13, 1101-1109.	2.0	78
4517	SLO2, a mitochondrial pentatricopeptide repeat protein affecting several RNA editing sites, is required for energy metabolism. <i>Plant Journal</i> , 2012, 71, 836-849.	2.8	113
4518	Large-scale development of cost-effective SNP marker assays for diversity assessment and genetic mapping in chickpea and comparative mapping in legumes. <i>Plant Biotechnology Journal</i> , 2012, 10, 716-732.	4.1	221
4519	Identification of Quantitative Trait Loci for Bacterial Blight Resistance Derived from <i>Oryza meyeriana</i> and Agronomic Traits in Recombinant Inbred Lines of <i>Oryza sativa</i> . <i>Journal of Phytopathology</i> , 2012, 160, 461-468.	0.5	15
4520	Genetic dissection of leaf area by jointing two F <sub>2</sub> populations in maize ( <i>Zea Mays</i> ) Tj ETQq1 1 0,784314,rgBT /Overlock 10 Tf	1.0	8
4521	Molecular mapping of grain physico-chemical and cooking quality traits using recombinant inbred lines in rice ( <i>Oryza sativa</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 2012, 21, 1-10.	0.9	9
4522	Genetic and Phenotypic Analysis of lax1-6, a Mutant Allele of LAX PANICLE1 in Rice. <i>Journal of Plant Biology</i> , 2012, 55, 50-63.	0.9	7

#	ARTICLE	IF	CITATIONS
4523	Identification of microsatellite markers linked to leaf rust resistance gene Lr25 in wheat. <i>Journal of Applied Genetics</i> , 2012, 53, 19-25.	1.0	23
4524	Identification of qSOR1, a major rice QTL involved in soil-surface rooting in paddy fields. <i>Theoretical and Applied Genetics</i> , 2012, 124, 75-86.	1.8	62
4525	New broad-spectrum resistance to septoria tritici blotch derived from synthetic hexaploid wheat. <i>Theoretical and Applied Genetics</i> , 2012, 124, 125-142.	1.8	106
4526	Mapping and pyramiding of two major genes for resistance to the brown planthopper ( <i>Nilaparvata</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	88
4527	Fine mapping and analysis of a candidate gene in tomato accession PI128216 conferring hypersensitive resistance to bacterial spot race T3. <i>Theoretical and Applied Genetics</i> , 2012, 124, 533-542.	1.8	43
4528	A mixed model QTL analysis for sugarcane multiple-harvest-location trial data. <i>Theoretical and Applied Genetics</i> , 2012, 124, 835-849.	1.8	73
4529	Mapping and characterization of seed dormancy QTLs using chromosome segment substitution lines in rice. <i>Theoretical and Applied Genetics</i> , 2012, 124, 893-902.	1.8	58
4530	Genetic characterization and fine mapping of a yellow-seeded gene in Dahuang (a <i>Brassica rapa</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	32
4531	High-density genetic linkage maps with over 2,400 sequence-anchored DArT markers for genetic dissection in an F2 pseudo-backcross of <i>Eucalyptus grandis</i> × <i>E. urophylla</i> . <i>Tree Genetics and Genomes</i> , 2012, 8, 163-175.	0.6	39
4532	QTL detection of seven quality traits in wheat using two related recombinant inbred line populations. <i>Euphytica</i> , 2012, 183, 207-226.	0.6	51
4533	Genetic mapping provides evidence for the role of additive and non-additive QTLs in the response of inter-specific hybrids of <i>Eucalyptus</i> to <i>Puccinia psidii</i> rust infection. <i>Euphytica</i> , 2012, 183, 27-38.	0.6	39
4534	A new gene controlling hybrid sterility in rice ( <i>Oryza sativa</i> L.). <i>Euphytica</i> , 2012, 184, 15-22.	0.6	5
4535	Genetic and physical mapping of qHY-8, a pleiotropic QTL for heading date and yield-related traits in rice. <i>Euphytica</i> , 2012, 184, 109-118.	0.6	22
4536	Phenotypic characterization and genetic mapping of a new gene required for male and female gametophyte development in rice. <i>Molecular Breeding</i> , 2012, 29, 1-12.	1.0	10
4537	Development of a Mesoamerican intra-genepool genetic map for quantitative trait loci detection in a drought tolerant × susceptible common bean ( <i>Phaseolus vulgaris</i> L.) cross. <i>Molecular Breeding</i> , 2012, 29, 71-88.	1.0	112
4538	Mapping of quantitative trait loci affecting resistance to <i>Phytophthora nicotianae</i> in tobacco ( <i>Nicotiana tabacum</i> L.) line Beinhart-1000. <i>Molecular Breeding</i> , 2012, 29, 89-98.	1.0	41
4539	Construction of intraspecific linkage maps, detection of a chromosome inversion, and mapping of QTL for constitutive root aerenchyma formation in the teosinte <i>Zea nicaraguensis</i> . <i>Molecular Breeding</i> , 2012, 29, 137-146.	1.0	25
4540	Validation of molecular markers linked to apospory in tetraploid races of bahiagrass, <i>Paspalum notatum</i> Fl <sup>1</sup> /4gg <sup>1</sup> . <i>Molecular Breeding</i> , 2012, 29, 189-198.	1.0	12

#	ARTICLE	IF	CITATIONS
4541	Molecular mapping of the Rf 3 fertility restoration gene to facilitate its utilization in breeding confection sunflower. <i>Molecular Breeding</i> , 2012, 29, 275-284.	1.0	30
4542	Genome-wide identification of QTL conferring high-temperature adult-plant (HTAP) resistance to stripe rust ( <i>Puccinia striiformis</i> f. sp. <i>tritici</i> ) in wheat. <i>Molecular Breeding</i> , 2012, 29, 791-800.	1.0	73
4543	Mutation of OsALDH7 causes a yellow-colored endosperm associated with accumulation of oryzamutaic acid A in rice. <i>Planta</i> , 2012, 235, 433-441.	1.6	18
4544	pc8.1, a major QTL for pigment content in pepper fruit, is associated with variation in plastid compartment size. <i>Planta</i> , 2012, 235, 579-588.	1.6	45
4545	A high density physical map of chromosome 1BL supports evolutionary studies, map-based cloning and sequencing in wheat. <i>Genome Biology</i> , 2013, 14, R64.	3.8	45
4546	Molecular mapping of locus controlling resistance to <i>Helicoverpa armigera</i> (Hubner) in <i>Cajanus cajan</i> L. (Millspaugh) using interspecific F2 mapping population. <i>Nucleus (India)</i> , 2013, 56, 91-97.	0.9	9
4547	Identification and characterization of BGL11(t), a novel gene regulating leaf-color mutation in rice ( <i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2013, 35, 491-499.	0.5	13
4548	Mapping of QTLs determining the expression of agronomically and economically valuable features in spring wheat ( <i>Triticum aestivum</i> L.) grown in environmentally different Russian regions. <i>Russian Journal of Genetics: Applied Research</i> , 2013, 3, 209-221.	0.4	4
4549	Identification of simple sequence repeat markers linked to lipoxygenase-1 gene in soybean. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2013, 22, 488-491.	0.9	2
4550	QTLs for <i>Orobanche</i> spp. resistance in faba bean: identification and validation across different environments. <i>Molecular Breeding</i> , 2013, 32, 909-922.	1.0	39
4551	Genetic dissection of the introgressive genomic components from <i>Gossypium barbadense</i> L. that contribute to improved fiber quality in <i>Gossypium hirsutum</i> L.. <i>Molecular Breeding</i> , 2013, 32, 547-562.	1.0	74
4552	Chromosome location and allele-specific PCR markers for marker-assisted selection of the oat crown rust resistance gene Pc91. <i>Molecular Breeding</i> , 2013, 32, 679-686.	1.0	29
4553	Mapping of flag smut resistance in common wheat. <i>Molecular Breeding</i> , 2013, 32, 699-707.	1.0	8
4554	A key QTL cluster is conserved among accessions and exhibits broad-spectrum resistance to <i>Phytophthora capsici</i> : a valuable locus for pepper breeding. <i>Molecular Breeding</i> , 2013, 32, 349-364.	1.0	54
4555	Confirming quantitative trait loci for aflatoxin resistance from Mp313E in different genetic backgrounds. <i>Molecular Breeding</i> , 2013, 32, 15-26.	1.0	50
4556	Identification of germplasm with stacked QTL underlying seed traits in an inbred soybean population from cultivars Essex and Forrest. <i>Molecular Breeding</i> , 2013, 31, 693-703.	1.0	35
4557	Genetic mapping of a fertile tiller inhibition gene, <i>ftin</i> , in wheat. <i>Molecular Breeding</i> , 2013, 31, 441-449.	1.0	42
4558	Diversification of the Duplicated F3h Genes in Triticeae. <i>Journal of Molecular Evolution</i> , 2013, 76, 261-266.	0.8	20

#	ARTICLE	IF	CITATIONS
4559	Genomics and Breeding for Climate-Resilient Crops. , 2013, , .		9
4560	Combining linkage and association mapping to search for markers linked to the flat fruit character in peach. <i>Euphytica</i> , 2013, 190, 279-288.	0.6	53
4562	Digital genotyping of sorghum â€“ a diverse plant species with a large repeat-rich genome. <i>BMC Genomics</i> , 2013, 14, 448.	1.2	51
4563	Pearl millet [ <i>Pennisetum glaucum</i> (L.) R. Br.] consensus linkage map constructed using four RIL mapping populations and newly developed EST-SSRs. <i>BMC Genomics</i> , 2013, 14, 159.	1.2	94
4564	High-density SNP-based genetic map development and linkage disequilibrium assessment in <i>Brassica napus</i> L. <i>BMC Genomics</i> , 2013, 14, 120.	1.2	198
4565	Mapping of QTL lengthening the latent period of <i>Puccinia striiformis</i> in winter wheat at the tillering growth stage. <i>European Journal of Plant Pathology</i> , 2013, 136, 715-727.	0.8	37
4566	Mapping of QTLs associated with biological nitrogen fixation traits in soybean. <i>Hereditas</i> , 2013, 150, 17-25.	0.5	45
4567	Identification of Traits, Genes, and Crops of the Future. , 2013, , 27-177.		1
4568	Advance in Barley Sciences. , 2013, , .		5
4569	Linkage Maps of Lowland and Upland Tetraploid Switchgrass Ecotypes. <i>Bioenergy Research</i> , 2013, 6, 953-965.	2.2	48
4570	Introgression of stem rust resistance genes SrTA10187 and SrTA10171 from <i>Aegilops tauschii</i> to wheat. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2477-2484.	1.8	65
4571	Molecular characterization of field resistance to <i>Fusarium</i> head blight in two US soft red winter wheat cultivars. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2485-2498.	1.8	59
4572	Identification of qRBS1, a QTL involved in resistance to bacterial seedling rot in rice. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2417-2425.	1.8	19
4573	Genetic mapping of a novel gene for soybean aphid resistance in soybean ( <i>Glycine max</i> [L.] Merr.) line P203 from China. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2279-2287.	1.8	15
4574	Genetic mapping of two genes conferring resistance to powdery mildew in common bean ( <i>Phaseolus</i> ) Tj ETQq0 0 0,rgBT /Overlock 10 TF	1.8	17
4575	Fine mapping a major QTL for kernel number per row under different phosphorus regimes in maize ( <i>Zea</i> ) Tj ETQq1 1 0.784314,rgBT /Ove	1.8	24
4576	A non-additive interaction in a single locus causes a very short root phenotype in wheat. <i>Theoretical and Applied Genetics</i> , 2013, 126, 1189-1200.	1.8	12
4577	pmX: a recessive powdery mildew resistance gene at the Pm4 locus identified in wheat landrace Xiaohongpi. <i>Theoretical and Applied Genetics</i> , 2013, 126, 913-921.	1.8	44

#	ARTICLE	IF	CITATIONS
4578	Dynamic genetic features of chromosomes revealed by comparison of soybean genetic and sequence-based physical maps. <i>Theoretical and Applied Genetics</i> , 2013, 126, 1103-1119.	1.8	21
4579	An eceriferum locus, cer-zv, is associated with a defect in cutin responsible for water retention in barley ( <i>Hordeum vulgare</i> ) leaves. <i>Theoretical and Applied Genetics</i> , 2013, 126, 637-646.	1.8	14
4580	Correlations and comparisons of quantitative trait loci with family per se and testcross performance for grain yield and related traits in maize. <i>Theoretical and Applied Genetics</i> , 2013, 126, 773-789.	1.8	23
4581	YGL138(t), encoding a putative signal recognition particle 54 kDa protein, is involved in chloroplast development of rice. <i>Rice</i> , 2013, 6, 7.	1.7	48
4582	Genetic diversity of arsenic accumulation in rice and QTL analysis of methylated arsenic in rice grains. <i>Rice</i> , 2013, 6, 3.	1.7	71
4583	Molecular mapping of genomic regions harbouring QTLs for root and yield traits in sorghum ( <i>Sorghum bicolor</i> L. Moench). <i>Physiology and Molecular Biology of Plants</i> , 2013, 19, 409-419.	1.4	46
4584	Mapping of QTL associated with seed chemical content in a RIL population of common bean ( <i>Phaseolus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10	0.6	32
4585	Transmission ratio distortion of molecular markers in a doubled haploid population originated from a natural hybrid between <i>Osmunda japonica</i> and <i>O. lancea</i> . <i>Journal of Plant Research</i> , 2013, 126, 469-482.	1.2	4
4586	Characterization and gene mapping of a chlorophyll-deficient mutant clm1 of <i>Triticum monococcum</i> L. <i>Biologia Plantarum</i> , 2013, 57, 442-448.	1.9	28
4587	Mapping quantitative trait loci (QTL) for grain size in rice using a RIL population from Basmati—Indica cross showing high segregation distortion. <i>Euphytica</i> , 2013, 194, 401-416.	0.6	30
4588	The Genetic Control of Blood Pressure and Body Composition in Rats with Stress-Sensitive Hypertension. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 484-495.	0.5	15
4589	Mapping of meiotic genes in rye ( <i>Secale cereale</i> L.): Localization of sy19 mutation, impairing homologous synapsis, by means of isozyme and microsatellite markers. <i>Russian Journal of Genetics</i> , 2013, 49, 511-516.	0.2	3
4590	Identification of QTLs controlling seed dormancy in peach ( <i>Prunus persica</i> ). <i>Tree Genetics and Genomes</i> , 2013, 9, 659-668.	0.6	7
4591	Detection and Mapping of QTLs Affecting Contents of Pharmaceutical Alkaloids in Leaf and Root of <i>Catharanthus roseus</i> . <i>Agricultural Research</i> , 2013, 2, 9-23.	0.9	7
4592	Construction of a linkage map and QTL mapping for fiber quality traits in upland cotton ( <i>Gossypium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10	1.7	59
4593	Genetic analysis and fine mapping of the pubescence gene GL6 in rice ( <i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 2013, 58, 2992-2999.	1.7	20
4594	Developing new markers and QTL mapping for greenbug resistance in sorghum [ <i>Sorghum bicolor</i> (L.) Moench]. <i>Euphytica</i> , 2013, 191, 191-203.	0.6	20
4595	Gene discovery and functional marker development for fragrance in sorghum ( <i>Sorghum bicolor</i> (L.) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	36

#	ARTICLE	IF	CITATIONS
4596	Identification of QTL for <i>Fusarium</i> Root Rot Resistance in Common Bean. <i>Journal of Crop Improvement</i> , 2013, 27, 406-418.	0.9	16
4597	Characterization and Mapping of a Salt Sensitive Mutant in Rice ( <i>Oryza sativa</i> L.). <i>Journal of Integrative Plant Biology</i> , 2013, 55, 504-513.	4.1	18
4598	Characterization and gene mapping of a brittle culm mutant of diploid wheat ( <i>Triticum monococcum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tt	1.8	9
4599	Genetic Analysis and Preliminary Mapping of a Highly Male-Sterile Gene in Foxtail Millet ( <i>Setaria italica</i> ) Tj ETQq1 1 0.784314 rgBT /Over	1.7	18
4600	Natural Variation in OsPRR37 Regulates Heading Date and Contributes to Rice Cultivation at a Wide Range of Latitudes. <i>Molecular Plant</i> , 2013, 6, 1877-1888.	3.9	298
4601	Phytochrome C Is A Key Factor Controlling Long-Day Flowering in Barley. <i>Plant Physiology</i> , 2013, 163, 804-814.	2.3	71
4602	DNA markers for resistance to common bunt in "McKenzie"™ wheat. <i>Canadian Journal of Plant Pathology</i> , 2013, 35, 328-337.	0.8	15
4603	Comparison and Analysis of QTLs, Epistatic Effects and QTL×Environment Interactions for Yield Traits Using DH and RILs Populations in Rice. <i>Journal of Integrative Agriculture</i> , 2013, 12, 198-208.	1.7	8
4604	Genetic analysis and molecular mapping of a new fertility restorer gene Rf8 for <i>Triticum timopheevi</i> cytoplasm in wheat ( <i>Triticum aestivum</i> L.) using SSR markers. <i>Genetica</i> , 2013, 141, 431-441.	0.5	21
4605	A comparative genetic and cytogenetic mapping of wheat chromosome 5B using introgression lines. <i>Russian Journal of Genetics</i> , 2013, 49, 1200-1206.	0.2	7
4606	Microsatellites. <i>Methods in Molecular Biology</i> , 2013, , .	0.4	11
4607	Flooding tolerance in interspecific introgression lines containing chromosome segments from teosinte ( <i>Zea nicaraguensis</i> ) in maize ( <i>Zea mays</i> subsp. <i>mays</i> ). <i>Annals of Botany</i> , 2013, 112, 1125-1139.	1.4	70
4608	Haplotype, molecular marker and phenotype effects associated with mineral nutrient and grain size traits of TaGS1a in wheat. <i>Field Crops Research</i> , 2013, 154, 119-125.	2.3	105
4609	Genetic Mapping and Marker Assisted Selection. , 2013, , .		36
4610	Segregation distortion caused by weak hybrid necrosis in recombinant inbred lines of common wheat. <i>Genetica</i> , 2013, 141, 463-470.	0.5	17
4611	Mapping of QTL conferring resistance to sharp eyespot ( <i>Rhizoctonia cerealis</i> ) in bread wheat at the adult plant growth stage. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2865-2878.	1.8	49
4612	Development of SNP markers for genes of the phenylpropanoid pathway and their association to kernel and malting traits in barley. <i>BMC Genetics</i> , 2013, 14, 97.	2.7	19
4613	Rapid genotyping by low-coverage resequencing to construct genetic linkage maps of fungi: a case study in <i>Lentinula edodes</i> . <i>BMC Research Notes</i> , 2013, 6, 307.	0.6	21

#	ARTICLE	IF	CITATIONS
4614	A reference consensus genetic map for molecular markers and economically important traits in faba bean ( <i>Vicia faba</i> L.). <i>BMC Genomics</i> , 2013, 14, 932.	1.2	53
4615	Identification of QTLs for seed and pod traits in soybean and analysis for additive effects and epistatic effects of QTLs among multiple environments. <i>Molecular Genetics and Genomics</i> , 2013, 288, 651-667.	1.0	28
4616	High-resolution mapping of <i>zym</i> , a recessive gene for Zucchini yellow mosaic virus resistance in cucumber. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2983-2993.	1.8	37
4617	Molecular characterization of <i>Als1</i> , an acetohydroxyacid synthase mutation conferring resistance to sulfonylurea herbicides in soybean. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2957-2968.	1.8	16
4618	Combination of multipoint maximum likelihood (MML) and regression mapping algorithms to construct a high-density genetic linkage map for loblolly pine ( <i>Pinus taeda</i> L.). <i>Tree Genetics and Genomes</i> , 2013, 9, 1529-1535.	0.6	23
4619	Characterization and genetic mapping of a novel recessive genic male sterile gene in sesame ( <i>Sesamum</i> ) Tj ETQq1 1.0.784314.rgBT /Ov	1.0	15
4620	Mapping of QTLs for oil content and fatty acid composition in Indian mustard [ <i>Brassica juncea</i> (L.) Czern. and Coss.]. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2013, 22, 80-89.	0.9	11
4621	Comparative Genomics in Euphorbiaceae. , 2013, , 351-374.		3
4622	Evaluation and QTL mapping of phosphorus concentration in soybean seed. <i>Euphytica</i> , 2013, 189, 261-269.	0.6	15
4623	A Dominant Major Locus in Chromosome 9 of Rice ( <i>Oryza sativa</i> L.) Confers Tolerance to 48 °C High Temperature at Seedling Stage. <i>Journal of Heredity</i> , 2013, 104, 287-294.	1.0	63
4624	Genetic mapping of a major dominant gene for resistance to <i>Ralstonia solanacearum</i> in eggplant. <i>Theoretical and Applied Genetics</i> , 2013, 126, 143-158.	1.8	86
4625	Phenotypic characterization, genetic mapping and candidate gene analysis of a source conferring reduced plant height in sunflower. <i>Theoretical and Applied Genetics</i> , 2013, 126, 251-263.	1.8	9
4626	Positional cloning of a candidate gene for resistance to the sunflower downy mildew, <i>Plasmopara halstedii</i> race 300. <i>Theoretical and Applied Genetics</i> , 2013, 126, 359-367.	1.8	15
4627	Identification of the quantitative trait loci (QTL) underlying water soluble protein content in soybean. <i>Theoretical and Applied Genetics</i> , 2013, 126, 425-433.	1.8	63
4628	Development of a multiple bulked segregant analysis (MBSA) method used to locate a new stem rust resistance gene ( <i>Sr54</i> ) in the winter wheat cultivar Norin 40. <i>Theoretical and Applied Genetics</i> , 2013, 126, 443-449.	1.8	18
4629	Molecular mapping of <i>Yr53</i> , a new gene for stripe rust resistance in durum wheat accession PI 480148 and its transfer to common wheat. <i>Theoretical and Applied Genetics</i> , 2013, 126, 523-533.	1.8	106
4630	Simultaneous improvement and genetic dissection of grain yield and its related traits in a backbone parent of hybrid rice ( <i>Oryza sativa</i> L.) using selective introgression. <i>Molecular Breeding</i> , 2013, 31, 181-194.	1.0	20
4631	A major QTL for gluten strength in durum wheat ( <i>Triticum turgidum</i> L. var. durum). <i>Journal of Cereal Science</i> , 2013, 57, 21-29.	1.8	25



#	ARTICLE	IF	CITATIONS
4632	A Co-Dominant Marker BoE332 Applied to Marker-Assisted Selection of Homozygous Male-Sterile Plants in Cabbage ( <i>Brassica oleracea</i> var. <i>capitata</i> L.). <i>Journal of Integrative Agriculture</i> , 2013, 12, 596-602.	1.7	16
4633	Genetic Analysis and Molecular Mapping of an All-Stage Stripe Rust Resistance Gene in <i>Triticum aestivum</i> - <i>Haynaldia villosa</i> Translocation Line V3. <i>Journal of Integrative Agriculture</i> , 2013, 12, 2197-2208.	1.7	13
4634	Confirmation of Novel Quantitative Trait Loci for Seed Dormancy at Different Ripening Stages in Rice. <i>Rice Science</i> , 2013, 20, 207-212.	1.7	11
4635	The rice REDUCED CULM NUMBER11 gene controls vegetative growth under low-temperature conditions in paddy fields independent of RCN1/OsABCG5. <i>Plant Science</i> , 2013, 211, 70-76.	1.7	3
4636	Identification of quantitative trait loci underlying seed protein and oil contents of soybean across multi-genetic backgrounds and environments. <i>Plant Breeding</i> , 2013, 132, 630-641.	1.0	94
4637	Quantitative Trait Loci for Grain Chalkiness and Endosperm Transparency Detected in Three Recombinant Inbred Line Populations of Indica Rice. <i>Journal of Integrative Agriculture</i> , 2013, 12, 1-11.	1.7	26
4638	Mapping a floral trait in Shepherds purse "Stamenoid petals"™ in natural populations of <i>Capsella bursa-pastoris</i> (L.) Medik. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2013, 208, 641-647.	0.6	13
4639	Dissection of two quantitative trait loci for grain weight linked in repulsion on the long arm of chromosome 1 of rice ( <i>Oryza sativa</i> L.). <i>Crop Journal</i> , 2013, 1, 70-76.	2.3	9
4640	QTL Mapping for Stalk Related Traits in Maize ( <i>Zea mays</i> L.) Under Different Densities. <i>Journal of Integrative Agriculture</i> , 2013, 12, 218-228.	1.7	13
4641	Polymorphism of TaSAP1-A1 and its association with agronomic traits in wheat. <i>Planta</i> , 2013, 237, 1495-1508.	1.6	83
4642	Identification of quantitative trait loci for flowering-related traits in the D genome of synthetic hexaploid wheat lines. <i>Euphytica</i> , 2013, 192, 401-412.	0.6	14
4643	Development of a SCAR marker linked with a MYMV resistance gene in mungbean ( <i>Vigna radiata</i> L. <i>W</i> ilczek). <i>Plant Breeding</i> , 2013, 132, 127-132.	1.0	28
4644	Root lodging resistance in maize as an example for high-throughput genetic mapping via single nucleotide polymorphism-based selective genotyping. <i>Plant Breeding</i> , 2013, 132, 90-98.	1.0	17
4645	Misexpression of a PISTILLATA-like MADS box gene prevents fruit development in grapevine. <i>Plant Journal</i> , 2013, 73, 918-928.	2.8	47
4646	Fine mapping and candidate gene analysis of LM3, a novel lesion mimic gene in rice. <i>Biologia (Poland)</i> , 2013, 68, 82-90.	0.8	6
4647	Marker-Assisted Breeding for Stress Resistance in Crop Plants. , 2013, , 387-426.		8
4648	Diversifying Sunflower Germplasm by Integration and Mapping of a Novel Male Fertility Restoration Gene. <i>Genetics</i> , 2013, 193, 727-737.	1.2	32
4649	The receptor-like kinase ERECTA contributes to the shade-avoidance syndrome in a background-dependent manner. <i>Annals of Botany</i> , 2013, 111, 811-819.	1.4	38

#	ARTICLE	IF	CITATIONS
4650	Simultaneous transfer, introgression, and genomic localization of genes for resistance to stem rust race TTKSK (Ug99) from <i>Aegilops tauschii</i> to wheat. <i>Theoretical and Applied Genetics</i> , 2013, 126, 1179-1188.	1.8	61
4651	Mapping of meiotic genes in rye ( <i>Secale cereale</i> L.): Localization of sy18 mutation with impaired homologous synapsis using microsatellite markers. <i>Russian Journal of Genetics</i> , 2013, 49, 411-416.	0.2	3
4652	Molecular Mapping and Breeding with Microsatellite Markers. <i>Methods in Molecular Biology</i> , 2013, 1006, 297-317.	0.4	3
4653	Linkage Map Construction. , 2013, , 81-108.		2
4654	Expression and mapping of anthocyanin biosynthesis genes in carrot. <i>Theoretical and Applied Genetics</i> , 2013, 126, 1689-1702.	1.8	77
4655	Molecular mapping of leaf rust resistance gene Lr15 in hexaploid wheat. <i>Molecular Breeding</i> , 2013, 31, 743-747.	1.0	14
4656	Medicinal Plants medicinal plant , Engineering of Secondary Metabolites cell/cellular cultures secondary metabolites in Cell Cultures cell/cellular cultures. , 2013, , 1182-1200.		3
4657	Identification and validation of powdery mildew ( <i>Podosphaera xanthii</i> )-resistant loci in recombinant inbred lines of cucumber ( <i>Cucumis sativus</i> L.). <i>Molecular Breeding</i> , 2013, 32, 267-277.	1.0	73
4658	Marker-Assisted breeding/breed, see also animal breeding marker-assisted Breeding breeding/breed, see also animal breeding in Crops. , 2013, , 1158-1181.		1
4659	Phenotypic and molecular characterization of a tomato ( <i>Solanum lycopersicum</i> L.) F2 population segregation for improving shelf life. <i>Genetics and Molecular Research</i> , 2013, 12, 506-518.	0.3	14
4660	Genetic and physical fine mapping of a multilocus gene Bjl1 in <i>Brassica juncea</i> to a 208-kb region. <i>Molecular Breeding</i> , 2013, 32, 373-383.	1.0	28
4661	QTL Mapping: Methodology and Applications in Cereal Breeding. , 2013, , 275-318.		18
4662	Identification, mapping and evolutionary course of wheat lipoxygenase-1 genes located on the A genome. <i>Journal of Cereal Science</i> , 2013, 58, 298-304.	1.8	11
4663	Identification of quantitative trait loci for cadmium accumulation and distribution in rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 0.9 29		29
4664	Increasing the density of markers around a major QTL controlling resistance to angular leaf spot in common bean. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2451-2465.	1.8	39
4665	Mapping of two suppressors of OVATE (sov) loci in tomato. <i>Heredity</i> , 2013, 111, 256-264.	1.2	57
4666	Molecular polymorphism and linkage analysis in sweet passion fruit, an outcrossing species. <i>Annals of Applied Biology</i> , 2013, 162, 347-361.	1.3	29
4667	QTL Analysis and Map-Based Cloning of Salt Tolerance Gene in Rice. <i>Methods in Molecular Biology</i> , 2013, 956, 69-82.	0.4	6

#	ARTICLE	IF	CITATIONS
4668	Identification and mapping of a stripe rust resistance gene in spring wheat germplasm HRMSN-81 from CIMMYT. <i>Crop and Pasture Science</i> , 2013, 64, 1.	0.7	5
4669	Identification and development of molecular markers linked to <i>Phytophthora</i> root rot resistance in pepper ( <i>Capsicum annuum</i> L.). <i>European Journal of Plant Pathology</i> , 2013, 135, 289-297.	0.8	18
4670	Molecular Genetic Analysis of Domestication Traits in Emmer Wheat. I: Map Construction and QTL Analysis using an F <sub>2</sub> Population. <i>Biotechnology and Biotechnological Equipment</i> , 2013, 27, 3627-3637.	0.5	19
4671	A candidate male-fertility female-fertility gene tagged by the soybean endogenous transposon, Tgm9. <i>Functional and Integrative Genomics</i> , 2013, 13, 67-73.	1.4	13
4672	Genetic analysis and location of gene for resistance to stripe rust in wheat international differential host Strubes Dickkopf. <i>Journal of Genetics</i> , 2013, 92, 267-272.	0.4	7
4673	Identification of bioconversion quantitative trait loci in the interspecific cross <i>Sorghum bicolor</i> — <i>Sorghum propinquum</i> . <i>Theoretical and Applied Genetics</i> , 2013, 126, 2367-2380.	1.8	13
4674	Quantitative trait loci mapping for yield components and kernel-related traits in multiple connected RIL populations in maize. <i>Euphytica</i> , 2013, 193, 303-316.	0.6	80
4675	Pleiotropic effects of the elongated glume gene P1 on grain and spikelet shape-related traits in tetraploid wheat. <i>Euphytica</i> , 2013, 194, 207-218.	0.6	18
4676	Genetic mapping of QTLs for horticulture traits in a F2-3 population of bitter melon ( <i>Momordica</i> ) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 4	0.6	31
4677	Genetic analysis and mapping of seedling resistance to <i>Septoria tritici</i> blotch in 'Steele-ND'/'ND 735' bread wheat population. <i>Cereal Research Communications</i> , 2013, 41, 199-210.	0.8	6
4678	Improving the yellow pigment content of bread wheat flour by selecting the three homoeologous copies of Psy1. <i>Molecular Breeding</i> , 2013, 31, 87-99.	1.0	23
4679	Toward a Molecular Cytogenetic Map for Cultivated Sunflower ( <i>Helianthus annuus</i> L.) by Landed BAC/BIBAC Clones. <i>G3: Genes, Genomes, Genetics</i> , 2013, 3, 31-40.	0.8	17
4680	Mapping and confirmation of a major left ventricular mass QTL on rat chromosome 1 by contrasting SHRSP and F344 rats. <i>Physiological Genomics</i> , 2013, 45, 827-833.	1.0	3
4682	Genomic collinearity and the genetic architecture of floral differences between the homoploid hybrid species <i>Iris nelsonii</i> and one of its progenitors, <i>Iris hexagona</i> . <i>Heredity</i> , 2013, 110, 63-70.	1.2	20
4683	Identification of quantitative trait loci controlling grain size and shape in the D genome of synthetic hexaploid wheat lines. <i>Breeding Science</i> , 2013, 63, 423-429.	0.9	77
4684	Characterization and mapping of novel chlorophyll deficient mutant genes in durum wheat. <i>Breeding Science</i> , 2013, 63, 169-175.	0.9	53
4685	QTL analysis for eating quality-related traits in an F <sub>2:3</sub> population derived from waxy corn—sweet corn cross. <i>Breeding Science</i> , 2013, 63, 325-332.	0.9	21
4686	Differential contribution of two <i>Ppd-1</i> homoeoalleles to early-flowering phenotype in Nepalese and Japanese varieties of common wheat. <i>Breeding Science</i> , 2013, 63, 374-383.	0.9	7

#	ARTICLE	IF	CITATIONS
4687	Detection and verification of QTLs associated with heat-induced quality decline of rice (<i>Oryza Tj ETQq0 0 0 rgBT /Overlock 10 T 339-346.	0.9	42
4688	Molecular mapping of a sunflower rust resistance gene from HAR6. <i>Breeding Science</i> , 2013, 63, 141-146.	0.9	16
4689	Mismatch Repair Genes Mlh1 and Mlh3 Modify CAG Instability in Huntington's Disease Mice: Genome-Wide and Candidate Approaches. <i>PLoS Genetics</i> , 2013, 9, e1003930.	1.5	175
4690	Mapping and validation of QTLs for rice sheath blight resistance. <i>Breeding Science</i> , 2013, 63, 301-308.	0.9	47
4691	Identification of Amplified Fragment Length Polymorphism (AFLP) Markers Tightly Associated with Drought Stress Gene in Male Sterile and Fertile <i>Salvia miltiorrhiza</i> Bunge. <i>International Journal of Molecular Sciences</i> , 2013, 14, 6518-6528.	1.8	12
4692	Detection of Quantitative Trait Loci (QTLs) for Resistances to Small Brown Planthopper and Rice Stripe Virus in Rice Using Recombinant Inbred Lines. <i>International Journal of Molecular Sciences</i> , 2013, 14, 8406-8421.	1.8	13
4693	Comparative Genome Structure, Secondary Metabolite, and Effector Coding Capacity across <i>Cochliobolus</i> Pathogens. <i>PLoS Genetics</i> , 2013, 9, e1003233.	1.5	232
4694	Genetic analysis and fine mapping of a semi-dwarf gene in a centromeric region in rice (<i>Oryza Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 0.9	0.9	7
4695	A mutation in the FZL gene of <i>Arabidopsis</i> causing alteration in chloroplast morphology results in a lesion mimic phenotype. <i>Journal of Experimental Botany</i> , 2013, 64, 4313-4328.	2.4	27
4696	A natural variant of NAL1, selected in high-yield rice breeding programs, pleiotropically increases photosynthesis rate. <i>Scientific Reports</i> , 2013, 3, 2149.	1.6	181
4697	The Construction of Molecular Genetic Map of Barley Using SRAP Markers. , 2013, , 433-440.		2
4698	Genetic Analysis of Recombinant Inbred Lines for<i>Sorghum bicolor Ñ— Sorghum propinquum</i>. G3: Genes, Genomes, Genetics, 2013, 3, 101-108.	0.8	43
4699	A triallelic genetic male sterility locus in <i>Brassica napus</i> : an integrative strategy for its physical mapping and possible local chromosome evolution around it. <i>Annals of Botany</i> , 2013, 111, 305-315.	1.4	17
4700	A major QTL controlling deep rooting on rice chromosome 4. <i>Scientific Reports</i> , 2013, 3, 3040.	1.6	58
4701	Genetic regulation of cold-induced albinism in the maize inbred line A661. <i>Journal of Experimental Botany</i> , 2013, 64, 3657-3667.	2.4	36
4702	Converting restriction fragment length polymorphism to singleâ€strand conformation polymorphism markers and its application in the fine mapping of a trichome gene in cotton. <i>Plant Breeding</i> , 2013, 132, 337-343.	1.0	9
4703	Integrated Consensus Map of Cultivated Peanut and Wild Relatives Reveals Structures of the A and B Genomes of <i>Arachis</i> and Divergence of the Legume Genomes. <i>DNA Research</i> , 2013, 20, 173-184.	1.5	113
4704	MAPPING OF IRON AND ZINC QUANTITATIVE TRAIT LOCI IN SOYBEAN FOR ASSOCIATION TO IRON DEFICIENCY CHLOROSIS RESISTANCE. <i>Journal of Plant Nutrition</i> , 2013, 36, 2132-2153.	0.9	30

#	ARTICLE	IF	CITATIONS
4705	RECENT GENE-CAPTURE ON THE UV SEX CHROMOSOMES OF THE MOSSCERATODON PURPUREUS. Evolution; International Journal of Organic Evolution, 2013, 67, n/a-n/a.	1.1	34
4706	AFLP mapping of quantitative trait loci influencing seven head-related traits in broccoli (<i>Brassica</i> Tj ETQq1 1 0.784314 rgBT /Overl	0.9	11
4707	Correlation analysis and QTL mapping of osmotic potential in japonica rice under upland and lowland conditions. Canadian Journal of Plant Science, 2013, 93, 785-792.	0.3	3
4708	Three Quantitative Trait Loci Conferring Resistance to Kernel Fissuring in Rice Identified by Selective Genotyping in Two Tropical Japonica Populations. Crop Science, 2013, 53, 2434-2443.	0.8	16
4709	Estimation of a genetic map. , 0, , 59-76.		0
4710	Mapping of resistance genes to races 1, 3 and 5 of Podosphaera xanthii in melon PI 414723. Crop Breeding and Applied Biotechnology, 2013, 13, 349-355.	0.1	17
4711	Linkage and mapping analyses of the normal marking gene +P in the silkworm (Bombyx mori) using SSR markers. Genetics and Molecular Research, 2013, 12, 2351-2359.	0.3	3
4712	Inverted Repeat of Chalcone Synthase 3 Pseudogene Is Associated with Seed Coat Discoloration in Soybean. Crop Science, 2013, 53, 518-523.	0.8	5
4713	QTL Mapping of Growth-Related Traits in a Full-Sib Family of Rubber Tree (Hevea brasiliensis) Evaluated in a Sub-Tropical Climate. PLoS ONE, 2013, 8, e61238.	1.1	72
4714	Analysis of Cytoplasmic Effects and Fine-Mapping of a Genic Male Sterile Line in Rice. PLoS ONE, 2013, 8, e61719.	1.1	5
4715	Multi-QTL Mapping for Quantitative Traits Using Epistatic Distorted Markers. PLoS ONE, 2013, 8, e68510.	1.1	3
4716	Genetic Dissection of Quantitative Trait Loci for Hemostasis and Thrombosis on Mouse Chromosomes 11 and 5 Using Congenic and Subcongenic Strains. PLoS ONE, 2013, 8, e77539.	1.1	1
4717	Extensive Variation in the Density and Distribution of DNA Polymorphism in Sorghum Genomes. PLoS ONE, 2013, 8, e79192.	1.1	49
4718	Molecular Mapping of D1, D2 and ms5 Revealed Linkage between the Cotyledon Color Locus D2 and the Male-Sterile Locus ms5 in Soybean. Plants, 2013, 2, 441-454.	1.6	10
4719	Emerging Paradigms in Genomics-Based Crop Improvement. Scientific World Journal, The, 2013, 2013, 1-17.	0.8	29
4720	A Fusarium Head Blight Resistance Quantitative Trait Locus on Chromosome 7D of the Spring Wheat Cultivar Catbird. Crop Science, 2013, 53, 1464-1471.	0.8	26
4721	Characterization and molecular mapping of a dwarf mutant in wheat. Genetics and Molecular Research, 2013, 12, 3555-3565.	0.3	4
4722	QTL Analysis of Shoot Ureide and Nitrogen Concentrations in Soybean [<i>Glycine max</i> (L.) Merr.]. Crop Science, 2013, 53, 2421-2433.	0.8	21

#	ARTICLE	IF	CITATIONS
4723	Lr39 + Pm21: a new effective combination of resistance genes for leaf rust and powdery mildew in wheat. <i>Czech Journal of Genetics and Plant Breeding</i> , 2013, 49, 109-115.	0.4	4
4724	Identification of Quantitative Trait Loci for Fiber Quality Properties on Homoeologous Chromosomes 13 and 18 of <i>Gossypium klotzschianum</i> . <i>Crop Science</i> , 2014, 54, 484-491.	0.8	3
4725	Hessian Fly ( <i>Mayetiola destructor</i> [Say]) Resistance Identified on Chromosome 1AS in the Spring Wheat ( <i>Triticum aestivum</i> L.) Cultivar "Louise"™. <i>Crop Science</i> , 2014, 54, 971-981.	0.8	11
4726	Transference of Wheat Expressed Sequence Tag "Simple Sequence Repeats to <i>Paspalum</i> Species and Cross-Species Amplification of <i>Paspalum notatum</i> Simple Sequence Repeats: Potential Use in Phylogenetic Analysis and Mapping. <i>Crop Science</i> , 2014, 54, 240-254.	0.8	3
4727	<i>Ghd7</i> ( <i>Ma6</i> ) Represses Sorghum Flowering in Long Days: <i>Ghd7</i> Alleles Enhance Biomass Accumulation and Grain Production. <i>Plant Genome</i> , 2014, 7, plantgenome2013.11.0040.	1.6	97
4728	Molecular detection of QTL controlling plant height components in a doubled haploid barley population. <i>Genetics and Molecular Research</i> , 2014, 13, 3089-3099.	0.3	13
4729	Characterization and mapping of a spotted leaf mutant in rice ( <i>Oryza sativa</i> ). <i>Genetics and Molecular Biology</i> , 2014, 37, 406-413.	0.6	13
4730	Quantitative trait loci map for growth and morphometric traits using a channel catfish × blue catfish interspecific hybrid system1. <i>Journal of Animal Science</i> , 2014, 92, 1850-1865.	0.2	9
4731	Fine Physical and Genetic Mapping of Powdery Mildew Resistance Gene MlW172 Originating from Wild Emmer ( <i>Triticum dicoccoides</i> ). <i>PLoS ONE</i> , 2014, 9, e100160.	1.1	36
4732	Mapping of Quantitative Trait Locus (QTLs) that Contribute to Germination and Early Seedling Drought Tolerance in the Interspecific Cross <i>Setaria italica</i> × <i>Setaria viridis</i> . <i>PLoS ONE</i> , 2014, 9, e101868.	1.1	62
4733	Selection on Crop-Derived Traits and QTL in Sunflower ( <i>Helianthus annuus</i> ) Crop-Wild Hybrids under Water Stress. <i>PLoS ONE</i> , 2014, 9, e102717.	1.1	9
4734	Mapping and Introgression of QTL Involved in Fruit Shape Transgressive Segregation into "Piel de Sapo"™ Melon ( <i>Cucumis melo</i> L.). <i>PLoS ONE</i> , 2014, 9, e104188.	1.1	58
4735	Genetic Analysis and QTL Detection for Resistance to White Tip Disease in Rice. <i>PLoS ONE</i> , 2014, 9, e106099.	1.1	4
4736	Candidate Gene Identification for a Lethal Chlorophyll-Deficient Mutant in Soybean. <i>Agronomy</i> , 2014, 4, 462-469.	1.3	12
4737	Genetic Dissection of QTL Associated with Grain Yield in Diverse Environments. <i>Agronomy</i> , 2014, 4, 556-578.	1.3	12
4738	Comparison of Pyrolysis Mass Spectrometry and Near Infrared Spectroscopy for Genetic Analysis of Lignocellulose Chemical Composition in Populus. <i>Forests</i> , 2014, 5, 466-481.	0.9	6
4739	Mapping an aphid resistance gene in soybean [ <i>Glycine max</i> (L.) Merr.] P746. <i>Genetics and Molecular Research</i> , 2014, 13, 9152-9160.	0.3	6
4740	Identification of a major quantitative trait locus for ear size induced by space flight in sweet corn. <i>Genetics and Molecular Research</i> , 2014, 13, 3069-3078.	0.3	6

#	ARTICLE	IF	CITATIONS
4741	Mapping of a QTL for Field Resistance to Blast ( <i>Pyricularia oryzae</i> Cavara) in Inggoppor-tinawon, a Rice ( <i>Oryza sativa</i> L.) Landrace from the Philippines. <i>Japan Agricultural Research Quarterly</i> , 2014, 48, 425-431.	0.1	9
4742	Mapping Net Blotch Resistance in 'Nomini'™ and Clho 2291 Barley. <i>Crop Science</i> , 2014, 54, 2596-2602.	0.8	23
4743	Sixteen cytosolic glutamine synthetase genes identified in the <i>Brassica napus</i> L. genome are differentially regulated depending on nitrogen regimes and leaf senescence. <i>Journal of Experimental Botany</i> , 2014, 65, 3927-3947.	2.4	43
4744	An Integrated Genomic Approach for Rapid Delineation of Candidate Genes Regulating Agro-Morphological Traits in Chickpea. <i>DNA Research</i> , 2014, 21, 695-710.	1.5	70
4745	The cuticular wax inhibitor locus <i>lw2</i> in wild diploid wheat <i>Aegilops tauschii</i> : phenotypic survey, genetic analysis, and implications for the evolution of common wheat. <i>BMC Plant Biology</i> , 2014, 14, 246.	1.6	20
4746	Fine mapping of <i>qHd1</i> , a minor heading date QTL with pleiotropism for yield traits in rice ( <i>Oryza sativa</i> ) Tj ETQq1 1 0.784314 rgBT /Over	1.8	51
4747	A substitution mutation in <i>OsCCD7</i> cosegregates with dwarf and increased tillering phenotype in rice. <i>Journal of Genetics</i> , 2014, 93, 389-401.	0.4	60
4748	Genetic analysis of vegetative branching in sorghum. <i>Theoretical and Applied Genetics</i> , 2014, 127, 2387-2403.	1.8	35
4749	Molecular mapping of restorer-of-fertility 2 gene identified from a sugar beet ( <i>Beta vulgaris</i> L. ssp.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	21
4750	<i>BZcon1</i> , a SANT/Myb-Type Gene Involved in the Conidiation of <i>Cochliobolus carbonum</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 1445-1453.	0.8	7
4751	Quantitative Trait Locus Analysis for Yield Traits of Cassava ( <i>Manihot esculenta</i> Crantz). <i>Applied Mechanics and Materials</i> , 2014, 651-653, 277-288.	0.2	0
4752	Identification of quantitative trait loci associated with boiled seed hardness in soybean. <i>Breeding Science</i> , 2014, 64, 362-370.	0.9	16
4753	Quantitative Trait Locus Mapping and Candidate Gene Analysis for Plant Architecture Traits Using Whole Genome Re-Sequencing in Rice. <i>Molecules and Cells</i> , 2014, 37, 149-160.	1.0	50
4754	Mapping three new interspecific hybrid sterile loci between <i>Oryza sativa</i> and <i>O. glaberrima</i> . <i>Breeding Science</i> , 2014, 63, 476-482.	0.9	32
4755	Genetic mapping, marker assisted selection and allelic relationships for the <i>Pu6</i> gene conferring rust resistance in sunflower. <i>Breeding Science</i> , 2014, 64, 206-212.	0.9	10
4756	Development of EST-SSR markers and construction of a linkage map in faba bean ( <i>Vicia</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.9	30
4757	Genetic control of immunity to Turnip mosaic virus (TuMV) pathotype 1 in <i>Brassica rapa</i> (Chinese cabbage). <i>Genome</i> , 2014, 57, 419-425.	0.9	17
4758	Quantitative Trait Loci Mapping for Bacterial Blight Resistance in Rice Using Bulk Segregant Analysis. <i>International Journal of Molecular Sciences</i> , 2014, 15, 11847-11861.	1.8	29

#	ARTICLE	IF	CITATIONS
4759	New Arabidopsis Advanced Intercross Recombinant Inbred Lines Reveal Female Control of Nonrandom Mating. <i>Plant Physiology</i> , 2014, 165, 175-185.	2.3	21
4760	A new mouse model of Canavan leukodystrophy displays hearing impairment due to central nervous system dysmyelination. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 649-57.	1.2	12
4761	Efficient and accurate clustering for large-scale genetic mapping. , 2014, , .		5
4762	QTLs for Seedling Growth of Direct Seeded Rice under Submerged and Low Temperature Conditions. <i>Plant Production Science</i> , 2014, 17, 41-46.	0.9	12
4763	Draft Genome Sequence of Eggplant ( <i>Solanum melongena</i> L.): the Representative <i>Solanum</i> Species Indigenous to the Old World. <i>DNA Research</i> , 2014, 21, 649-660.	1.5	254
4764	Quantitative trait loci analysis of individual and total isoflavone contents in soybean seeds. <i>Journal of Genetics</i> , 2014, 93, 331-338.	0.4	14
4765	Genetic dissection of seed vigour under artificial ageing conditions using two joined maize recombinant inbred line populations. <i>Plant Breeding</i> , 2014, 133, 728-737.	1.0	7
4766	Molecular mapping of three male-sterile, female-fertile mutants and generation of a comprehensive map of all known male sterility genes in soybean. <i>Genome</i> , 2014, 57, 155-160.	0.9	20
4767	Molecular and functional characterization of wheat near-isogenic line $\alpha$ -i:S29<i>Ra</i> $\alpha$ <sup>TM</sup> having intensive anthocyanin pigmentation of the coleoptile, culm, leaves and auricles. <i>Plant Breeding</i> , 2014, 133, 454-458.	1.0	10
4768	Quantitative trait locus mapping of floral and related traits using an F <sub>2</sub> population of <i>Aquilegia</i> . <i>Plant Breeding</i> , 2014, 133, 153-161.	1.0	11
4769	The Use of SNP Markers for Linkage Mapping in Diploid and Tetraploid Peanuts. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 89-96.	0.8	67
4770	Mapping QTLs for cold tolerance at germination and the early seedling stage in rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.58 31		
4771	A gene-derived SNP-based high resolution linkage map of carrot including the location of QTL conditioning root and leaf anthocyanin pigmentation. <i>BMC Genomics</i> , 2014, 15, 1118.	1.2	64
4772	Co-localisation of the blackleg resistance genes Rlm2 and LepR3 on Brassica napus chromosome A10. <i>BMC Plant Biology</i> , 2014, 14, 387.	1.6	62
4773	The Genetic Architecture of Coordinately Evolving Male Wing Pigmentation and Courtship Behavior in <i>Drosophila elegans</i> and <i>Drosophila gunungcola</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 2079-2093.	0.8	22
4774	Development and Application of Classical Genetics in <i>Toxoplasma gondii</i> . , 2014, , 551-576.		0
4775	Resolution of Genetic Map Expansion Caused by Excess Heterozygosity in Plant Recombinant Inbred Populations. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 1963-1969.	0.8	24
4776	QTL analysis of internode elongation in response to gibberellin in deepwater rice. <i>AoB PLANTS</i> , 2014, 6, plu028-plu028.	1.2	25



#	ARTICLE	IF	CITATIONS
4777	The "one-step" Bean pod mottle virus (BPMV)-derived vector is a functional genomics tool for efficient overexpression of heterologous protein, virus-induced gene silencing and genetic mapping of BPMV R-gene in common bean ( <i>Phaseolus vulgaris</i> L.). <i>BMC Plant Biology</i> , 2014, 14, 232.	1.6	25
4778	High-resolution mapping of the dull fruit skin gene D in cucumber ( <i>Cucumis sativus</i> L.). <i>Molecular Breeding</i> , 2014, 33, 15-22.	1.0	37
4779	Mapping the low palmitate <i>fap1</i> mutation and validation of its effects in soybean oil and agronomic traits in three soybean populations. <i>Theoretical and Applied Genetics</i> , 2014, 127, 97-111.	1.8	22
4780	Genetic analysis of host-pathogen incompatibility between <i>Lolium</i> isolates of <i>Pyricularia oryzae</i> and wheat. <i>Journal of General Plant Pathology</i> , 2014, 80, 59-65.	0.6	40
4781	Genetics and mapping of quantitative traits for nodule number, weight, and size in soybean ( <i>Glycine</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.6	53
4782	Genetic mapping and QTL analysis for yield and agronomic traits with an F2:3 population derived from a waxy corn-sweet corn cross. <i>Genes and Genomics</i> , 2014, 36, 179-189.	0.5	17
4783	Linkage group correction using epistatic distorted markers in F2 and backcross populations. <i>Heredity</i> , 2014, 112, 479-488.	1.2	10
4784	Arthritis Research. <i>Methods in Molecular Biology</i> , 2014, , .	0.4	1
4785	Re-evaluation of the inheritance for root-knot nematode resistance in the Upland cotton germplasm line M-120 RNR revealed two epistatic QTLs conferring resistance. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1343-1351.	1.8	42
4786	Identification and genetic mapping of a recessive gene for resistance to stripe rust in wheat line LM168-1. <i>Molecular Breeding</i> , 2014, 33, 601-609.	1.0	17
4787	Fine mapping of the uniform immature fruit color gene <i>u</i> in cucumber ( <i>Cucumis sativus</i> L.). <i>Euphytica</i> , 2014, 196, 341-348.	0.6	38
4788	Genetic and physical mapping of the QTLAR3 controlling blight resistance in chickpea ( <i>Cicer arietinum</i> ) Tj ETQq1 1 0.784314 rgBT /Over	0.6	27
4789	Genetic analysis and molecular mapping of crown rust resistance in common wheat. <i>Theoretical and Applied Genetics</i> , 2014, 127, 609-619.	1.8	9
4790	Fine mapping of <i>LrSV2</i> , a race-specific adult plant leaf rust resistance gene on wheat chromosome 3BS. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1133-1141.	1.8	15
4791	Genetic analysis and major QTL detection for maize kernel size and weight in multi-environments. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1019-1037.	1.8	121
4792	Genetic analysis of safflower domestication. <i>BMC Plant Biology</i> , 2014, 14, 43.	1.6	40
4793	Mapping of QTL associated with waterlogging tolerance and drought resistance during the seedling stage in oilseed rape ( <i>Brassica napus</i> ). <i>Euphytica</i> , 2014, 197, 341-353.	0.6	23
4794	Fine mapping and metabolic and physiological characterization of the glume glaucousness inhibitor locus <i>lw3</i> derived from wild wheat. <i>Theoretical and Applied Genetics</i> , 2014, 127, 831-841.	1.8	30

#	ARTICLE	IF	CITATIONS
4795	The complex resistance to cucumber mosaic cucumovirus (CMV) in the melon accession PI161375 is governed by one gene and at least two quantitative trait loci. <i>Molecular Breeding</i> , 2014, 34, 351-362.	1.0	31
4796	Identification of QTLs for salt tolerance at germination and seedling stage of <i>Sorghum bicolor</i> L. Moench. <i>Euphytica</i> , 2014, 196, 117-127.	0.6	32
4797	A dwarfing mutant caused by deactivation function of alpha subunit of the heterotrimeric G-protein in rice. <i>Euphytica</i> , 2014, 197, 145-159.	0.6	3
4798	Identification of quantitative trait loci involved in the response to cold stress in maize ( <i>Zea mays</i> L.). <i>Molecular Breeding</i> , 2014, 33, 363-371.	1.0	60
4799	QTL mapping and development of candidate gene-derived DNA markers associated with seedling cold tolerance in rice ( <i>Oryza sativa</i> L.). <i>Molecular Genetics and Genomics</i> , 2014, 289, 333-343.	1.0	49
4800	A first genetic map of <i>Acca sellowiana</i> based on ISSR, AFLP and SSR markers. <i>Scientia Horticulturae</i> , 2014, 169, 138-146.	1.7	6
4801	QTL analysis of frost damage in pea suggests different mechanisms involved in frost tolerance. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1319-1330.	1.8	51
4802	Mapping of Seed Shattering Loci Provides Insights into Origin of Weedy Rice and Rice Domestication. <i>Journal of Heredity</i> , 2014, 105, 276-287.	1.0	36
4803	Construction of an integrative linkage map and QTL mapping of grain yield-related traits using three related wheat RIL populations. <i>Theoretical and Applied Genetics</i> , 2014, 127, 659-675.	1.8	172
4804	Genome-wide marker development for the wheat D genome based on single nucleotide polymorphisms identified from transcripts in the wild wheat progenitor <i>Aegilops tauschii</i> . <i>Theoretical and Applied Genetics</i> , 2014, 127, 261-271.	1.8	43
4805	Molecular evidence that the genes for dioecism and monoecism in <i>Spinacia oleracea</i> L. are located at different loci in a chromosomal region. <i>Heredity</i> , 2014, 112, 317-324.	1.2	29
4806	Cytogenetic analysis of cytoplasmic male sterility in wheat line KTP116A and molecular mapping of two thermo-sensitive restoration genes. <i>Euphytica</i> , 2014, 196, 129-136.	0.6	5
4807	Inheritance and Mapping of <i>Mj-2</i> , a New Source of Root-knot Nematode ( <i>Meloidogyne</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	1.0	31
4808	Identification of QTLs with additive, epistatic and QTL $\times$ development interaction effects for seed dormancy in rice. <i>Planta</i> , 2014, 239, 411-420.	1.6	35
4809	Mapping and candidate gene identification of loci induced by phytohormones in barley ( <i>Hordeum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.6	3
4810	Intron loss in the chalcone-flavanone isomerase gene of rye. <i>Molecular Breeding</i> , 2014, 33, 953-959.	1.0	8
4811	Characterization and genetic mapping of a Photoperiod-sensitive dwarf 1 locus in rice ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	1.8	18
4812	A putative candidate for the recessive gall midge resistance gene gm3 in rice identified and validated. <i>Theoretical and Applied Genetics</i> , 2014, 127, 113-124.	1.8	34

#	ARTICLE	IF	CITATIONS
4813	Mapping of quantitative trait loci conferring resistance to bacterial wilt in tobacco ( <i>Nicotiana glauca</i> ). <i>Plant Breeding</i> , 2014, 133, 121-129.	1.0	15
4814	Identification of a major QTL for adult plant resistance to coffee leaf rust ( <i>Hemileia vastatrix</i> ) in the natural Timor hybrid ( <i>Coffea arabica</i> x <i>C. canephora</i> ). <i>Plant Breeding</i> , 2014, 133, 121-129.	1.0	18
4815	QTL mapping of a partial resistance to the corn leafhopper-transmitted viruses in Lepidopteran-resistant maize line Mp705. <i>Plant Breeding</i> , 2014, 133, 19-27.	1.0	5
4816	The genetic basis of durum wheat germination and seedling growth under osmotic stress. <i>Biologia Plantarum</i> , 2014, 58, 681-688.	1.9	17
4817	Molecular mapping of genes Yr64 and Yr65 for stripe rust resistance in hexaploid derivatives of durum wheat accessions PI 331260 and PI 480016. <i>Theoretical and Applied Genetics</i> , 2014, 127, 2267-2277.	1.8	93
4818	FRIZZY PANICLE Drives Supernumerary Spikelets in Bread Wheat. <i>Plant Physiology</i> , 2014, 167, 189-199.	2.3	131
4819	Identification of quantitative trait loci (QTLs) for seed protein concentration in soybean and analysis for additive effects and epistatic effects of QTLs under multiple environments. <i>Plant Breeding</i> , 2014, 133, 499-507.	1.0	39
4820	Molecular mapping of black rot resistance locus Xca1b on chromosome 3 in Indian cauliflower ( <i>Brassica oleracea</i> var. <i>botrytis</i> L.). <i>Plant Breeding</i> , 2014, 133, 268-274.	1.0	24
4821	Analyses of Tomato Fruit Brightness Mutants Uncover Both Cutin-Deficient and Cutin-Abundant Mutants and a New Hypomorphic Allele of GDSL Lipase. <i>Plant Physiology</i> , 2014, 164, 888-906.	2.3	81
4822	QTL analysis of soybean oil content under 17 environments. <i>Canadian Journal of Plant Science</i> , 2014, 94, 245-261.	0.3	6
4823	Quantitative trait loci from the host genetic background modulate the durability of a resistance gene: a rational basis for sustainable resistance breeding in plants. <i>Heredity</i> , 2014, 112, 579-587.	1.2	41
4824	Expression quantitative trait loci infer the regulation of isoflavone accumulation in soybean ( <i>Glycine max</i> ). <i>Plant Physiology</i> , 2014, 164, 888-906.	1.2	44
4825	The peach volatilome modularity is reflected at the genetic and environmental response levels in a QTL mapping population. <i>BMC Plant Biology</i> , 2014, 14, 137.	1.6	29
4826	Genetic mapping of fiber color genes on two brown cotton cultivars in Xinjiang. <i>SpringerPlus</i> , 2014, 3, 480.	1.2	19
4827	Analysis of segregation distortion and its relationship to hybrid barriers in rice. <i>Rice</i> , 2014, 7, 3.	1.7	53
4828	Characterizing Uncertainty in High-Density Maps from Multiparental Populations. <i>Genetics</i> , 2014, 198, 117-128.	1.2	10
4829	Inheritance and gene mapping of the white flower in <i>Brassica napus</i> L.. <i>New Zealand Journal of Crop and Horticultural Science</i> , 2014, 42, 111-117.	0.7	14
4830	Fine mapping and candidate gene analysis of the novel thermo-sensitive genic male sterility tms9-1 gene in rice. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1173-1182.	1.8	50

#	ARTICLE	IF	CITATIONS
4831	Fine mapping of Co-x, an anthracnose resistance gene to a highly virulent strain of <i>Colletotrichum lindemuthianum</i> in common bean. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1653-1666.	1.8	59
4832	Fine mapping of a dominant thermo-sensitive genic male sterility gene (BntsMs) in rapeseed ( <i>Brassica</i> ) Tj ETQq1 1 0.784314 rgBT /Over 1733-1740.	1.8	12
4833	Identification of quantitative trait loci and candidate genes for specific cellular resistance responses against <i>Didymella pinodes</i> in pea. <i>Plant Cell Reports</i> , 2014, 33, 1133-1145.	2.8	53
4834	Identification of QTL for stalk sugar-related traits in a population of recombinant inbred lines of maize. <i>Euphytica</i> , 2014, 198, 79-89.	0.6	7
4835	High resolution map of eggplant ( <i>Solanum melongena</i> ) reveals extensive chromosome rearrangement in domesticated members of the Solanaceae. <i>Euphytica</i> , 2014, 198, 231-241.	0.6	24
4836	Development and validation of molecular markers closely linked to the wheat stripe rust resistance gene YrC591 for marker-assisted selection. <i>Euphytica</i> , 2014, 198, 317-323.	0.6	21
4837	Fine mapping of a gene that confers palmately lobed leaf (pll) in melon ( <i>Cucumis melo</i> L.). <i>Euphytica</i> , 2014, 200, 337-347.	0.6	8
4838	Identification of quantitative trait loci involved in the response of common bean to <i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> . <i>Molecular Breeding</i> , 2014, 33, 577-588.	1.0	14
4839	Transfer and mapping of a gene conferring later-growth-stage powdery mildew resistance in a tetraploid wheat accession. <i>Molecular Breeding</i> , 2014, 33, 669-677.	1.0	14
4840	Fine mapping of a minor-effect QTL, DTH12, controlling heading date in rice by up-regulation of florigen genes under long-day conditions. <i>Molecular Breeding</i> , 2014, 34, 311-322.	1.0	9
4841	Diversity, specificity and impacts on field epidemics of QTLs involved in components of quantitative resistance in the wheat leaf rust pathosystem. <i>Molecular Breeding</i> , 2014, 34, 549-567.	1.0	22
4842	Genetic characterisation and fine mapping of a chlorophyll-deficient mutant (BnaC.ygl) in <i>Brassica napus</i> . <i>Molecular Breeding</i> , 2014, 34, 603-614.	1.0	30
4843	Meta-analysis of quantitative trait loci for grain yield and component traits under reproductive-stage drought stress in an upland rice population. <i>Molecular Breeding</i> , 2014, 34, 283-295.	1.0	44
4844	Dynamic QTL and epistasis analysis on seedling root traits in upland cotton. <i>Journal of Genetics</i> , 2014, 93, 63-78.	0.4	29
4845	Genetic loci for spleen weight and blood pressure in ISIAH rats with inherited stress-induced arterial hypertension. <i>Molecular Biology</i> , 2014, 48, 351-358.	0.4	7
4846	A novel genetic map of wheat: utility for mapping QTL for yield under different nitrogen treatments. <i>BMC Genetics</i> , 2014, 15, 57.	2.7	69
4847	Genetic analysis of the response to eleven <i>Colletotrichum lindemuthianum</i> races in a RIL population of common bean ( <i>Phaseolus vulgaris</i> L.). <i>BMC Plant Biology</i> , 2014, 14, 115.	1.6	51
4848	Quantitative trait loci affecting reproductive phenology in peach. <i>BMC Plant Biology</i> , 2014, 14, 52.	1.6	73

#	ARTICLE	IF	CITATIONS
4849	Development and mapping of SSR markers linked to resistance-gene homologue clusters in common bean. <i>Crop Journal</i> , 2014, 2, 183-194.	2.3	13
4850	QTL mapping for maize resistance and yield under infestation with <i>Sesamia nonagrioides</i> . <i>Molecular Breeding</i> , 2014, 34, 1331-1344.	1.0	25
4851	Identification of quantitative trait loci for abscisic acid responsiveness in the D-genome of hexaploid wheat. <i>Journal of Plant Physiology</i> , 2014, 171, 830-841.	1.6	16
4852	Identification of quantitative trait locus for abscisic acid responsiveness on chromosome 5A and association with dehydration tolerance in common wheat seedlings. <i>Journal of Plant Physiology</i> , 2014, 171, 25-34.	1.6	24
4853	Molecular Mapping and Improvement of Leaf Rust Resistance in Wheat Breeding Lines. <i>Phytopathology</i> , 2014, 104, 865-870.	1.1	37
4854	Identification and Characterization of Suppressor Mutants of <i>OsSPL11</i> -Mediated Cell Death in Rice. <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 528-536.	1.4	36
4855	The development of specific SNP markers for chromosome 14 in cotton using next-generation sequencing. <i>Plant Breeding</i> , 2014, 133, 256-261.	1.0	10
4856	Quantitative Trait Loci Associated with Agronomic Traits of Barley ( <i>Hordeum vulgare</i> L.). <i>Journal of Crop Improvement</i> , 2014, 28, 390-405.	0.9	2
4857	Hunting Autoimmune Disease Genes in NOD: Early Steps on a Long Road to Somewhere Important (Hopefully). <i>Journal of Immunology</i> , 2014, 193, 3-6.	0.4	3
4858	Natural variation in <i>Ea1</i> contributes to early flowering in <i>Oryza japonica</i> rice under long days. <i>Plant, Cell and Environment</i> , 2014, 37, 101-112.	2.8	46
4859	Genetic Diversity in Eucalypts Joel W Ochieng and Trizah K Milugo. , 2014, , 52-62.		0
4860	QTL analysis of genetic loci affecting domestication-related spike characters in common wheat. <i>Genes and Genetic Systems</i> , 2014, 89, 121-131.	0.2	12
4861	Genetic linkage map construction and QTL identification of juvenile growth traits in <i>Torreya grandis</i> . <i>BMC Genetics</i> , 2014, 15, S2.	2.7	17
4862	Identification and Characterization of the SnTox6- <i>Snn6</i> Interaction in the <i>Parastagonospora nodorum</i> Wheat Pathosystem. <i>Molecular Plant-Microbe Interactions</i> , 2015, 28, 615-625.	1.4	85
4863	Rmg8, a New Gene for Resistance to Triticum Isolates of <i>Pyricularia oryzae</i> in Hexaploid Wheat. <i>Phytopathology</i> , 2015, 105, 1568-1572.	1.1	71
4864	Mapping of <i>SrTm4</i> , a Recessive Stem Rust Resistance Gene from Diploid Wheat Effective to Ug99. <i>Phytopathology</i> , 2015, 105, 1347-1354.	1.1	27
4865	Fine mapping of <i>Hch1</i> , the causal D-genome gene for hybrid chlorosis in interspecific crosses between tetraploid wheat and <i>Aegilops tauschii</i> . <i>Genes and Genetic Systems</i> , 2015, 90, 283-291.	0.2	4
4866	Quantitative trait locus analysis for flowering-related traits using two F <sub>2</sub> populations derived from crosses between Japanese common wheat cultivars and synthetic hexaploids. <i>Genes and Genetic Systems</i> , 2015, 90, 89-98.	0.2	6

#	ARTICLE	IF	CITATIONS
4867	Using RNA Sequencing and In Silico Subtraction to Identify Resistance Gene Analog Markers for Lr16 in Wheat. <i>Plant Genome</i> , 2015, 8, eplantgenome2014.08.0040.	1.6	4
4868	GENOTYPING FOR MALE STERILITY (MS) AND MS GENE MAPPING WITH RAPD MARKERS IN CITRUS, ESPECIALLY WITH PRECOCIOUS FLOWERING SEEDLINGS FROM A CROSS OF 'HY16' — GRAPEFRUIT. <i>Acta Horticulturae</i> , 2015, , 475-486.	0.1	3
4869	Functional Codominant Marker for Selecting the <i>Fw</i> Gene Conferring Resistance to Fusarium Wilt Race 1 in Pea. <i>Crop Science</i> , 2015, 55, 2639-2646.	0.8	11
4870	High-density mapping suggests cytoplasmic male sterility with two restorer genes in almond — peach progenies. <i>Horticulture Research</i> , 2015, 2, 15016.	2.9	35
4871	Development of genotyping by sequencing (GBS)- and array-derived SNP markers for stem rust resistance gene Sr42. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	24
4872	Identification and validation of a quantitative trait locus associated with wheat yellow mosaic virus pathotype I resistance in a Japanese wheat variety. <i>Plant Breeding</i> , 2015, 134, 373-378.	1.0	16
4873	Candidate genes in quantitative trait loci associated with absolute and relative kidney weight in rats with Inherited Stress Induced Arterial Hypertension. <i>BMC Genetics</i> , 2015, 16, S1.	2.7	5
4874	Characterization and fine mapping of a novel barley Stage Green-Revertible Albino Gene (HvSGRA) by Bulked Segregant Analysis based on SSR assay and Specific Length Amplified Fragment Sequencing. <i>BMC Genomics</i> , 2015, 16, 838.	1.2	44
4875	Grouping of multicopper oxidases in <i>Lentinula edodes</i> by sequence similarities and expression patterns. <i>AMB Express</i> , 2015, 5, 63.	1.4	21
4876	Molecular loci associated with seed isoflavone content may underlie resistance to soybean pod borer ( <i>Leguminivora glycinivorella</i> ). <i>Plant Breeding</i> , 2015, 134, 78-84.	1.0	15
4877	Fine mapping of the genetic locus <i>L1</i> conferring black pods using a chromosome segment substitution line population of soybean. <i>Plant Breeding</i> , 2015, 134, 437-445.	1.0	23
4878	Fine mapping and photosynthetic characteristics of the lower chlorophyll <i>b</i> 1 mutant in rice ( <i>Oryza sativa</i> L.). <i>Plant Breeding</i> , 2015, 134, 661-667.	1.0	6
4879	Dynamic QTL mapping for plant height in Upland cotton ( <i>Gossypium hirsutum</i> ). <i>Plant Breeding</i> , 2015, 134, 703-712.	1.0	26
4880	Effect of low N- stress to N, P, K contents and quantitative trait locus (QTL) analysis in maize kernels and stalks. <i>African Journal of Agricultural Research</i> Vol Pp, 2015, 10, 2633-2641.	0.2	2
4881	Identification, Validation of a SSR Marker and Marker Assisted Selection for the Goat Grass Derived Seedling Resistance Gene Lr28 in Wheat. <i>Journal of Plant Pathology &amp; Microbiology</i> , 2015, 06, .	0.3	1
4882	Mapping quantitative trait loci for sheath blight disease resistance in Yangdao 4 rice. <i>Genetics and Molecular Research</i> , 2015, 14, 1636-1649.	0.3	25
4883	Molecular Mapping of Forage Grasses. <i>CSSA Special Publication - Crop Science Society of America</i> , 0, , 11-24.	0.1	1
4884	A New Map Location of Gene <i>Stb3</i> for Resistance to <i>Septoria Tritici Blotch</i> in Wheat. <i>Crop Science</i> , 2015, 55, 35-43.	0.8	15

#	ARTICLE	IF	CITATIONS
4885	Genetic basis of multiple resistance to the brown planthopper (<i>Nilaparvata lugens</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 &#x2013; ASD7&#x2122; (<i>Oryza sativa</i>, L. ssp. <i>indica</i>). Breeding Science, 2015, 65, 420-429.	0.9	11
4886	Genetic Dissection of Disease Resistance to the Blue Mold Pathogen, <i>Peronospora tabacina</i> , in Tobacco. Agronomy, 2015, 5, 555-568.	1.3	5
4887	Identification of Nine Pathotype-Specific Genes Conferring Resistance to Fusiform Rust in Loblolly Pine ( <i>Pinus taeda</i> L.). Forests, 2015, 6, 2739-2761.	0.9	19
4888	Structural Variation (SV) Markers in the Basidiomycete <i>Volvariella volvacea</i> and Their Application in the Construction of a Genetic Map. International Journal of Molecular Sciences, 2015, 16, 16669-16682.	1.8	4
4889	Advanced backcross QTL analysis reveals complicated genetic control of rice grain shape in a <i>japonica</i>-<i>indica</i> cross. Breeding Science, 2015, 65, 308-318.	0.9	56
4890	NEW MOLECULAR EVIDENCES FOR FHB RESISTANCE IN TOW AND ELITE WHEAT CULTIVARS. , 2015, , .		0
4891	Punctuated Distribution of Recombination Hotspots and Demarcation of Pericentromeric Regions in <i>Phaseolus vulgaris</i> L.. PLoS ONE, 2015, 10, e0116822.	1.1	52
4892	Accelerated Senescence and Enhanced Disease Resistance in Hybrid Chlorosis Lines Derived from Interspecific Crosses between Tetraploid Wheat and <i>Aegilops tauschii</i> . PLoS ONE, 2015, 10, e0121583.	1.1	20
4893	Genetic Map Construction and Detection of Genetic Loci Underlying Segregation Distortion in an Intraspecific Cross of <i>Populus deltoides</i> . PLoS ONE, 2015, 10, e0126077.	1.1	21
4894	Study and Characterization of an Ancient European Flint White Maize Rich in Anthocyanins: Millo Corvo from Galicia. PLoS ONE, 2015, 10, e0126521.	1.1	19
4895	Nuclear-Cytoplasmic Conflict in Pea ( <i>Pisum sativum</i> L.) Is Associated with Nuclear and Plastidic Candidate Genes Encoding Acetyl-CoA Carboxylase Subunits. PLoS ONE, 2015, 10, e0119835.	1.1	43
4896	Fine Mapping and Candidate Gene Analysis of qSTL3, a Stigma Length-Conditioning Locus in Rice ( <i>Oryza</i> ) Tj ETQq1_1_0.784314 rgBT /O 1.1	1.1	26
4897	Genetic Map Construction and Quantitative Trait Locus (QTL) Detection of Six Economic Traits Using an F2 Population of the Hybrid from <i>Saccharina longissima</i> and <i>Saccharina japonica</i> . PLoS ONE, 2015, 10, e0128588.	1.1	11
4898	Genome Regions Associated with Functional Performance of Soybean Stem Fibers in Polypropylene Thermoplastic Composites. PLoS ONE, 2015, 10, e0130371.	1.1	4
4899	W3 Is a New Wax Locus That Is Essential for Biosynthesis of $\hat{1}^2$ -Diketone, Development of Glaucousness, and Reduction of Cuticle Permeability in Common Wheat. PLoS ONE, 2015, 10, e0140524.	1.1	47
4900	Partial Dominance, Overdominance and Epistasis as the Genetic Basis of Heterosis in Upland Cotton ( <i>Gossypium hirsutum</i> L.). PLoS ONE, 2015, 10, e0143548.	1.1	51
4901	Suitability and use of two molecular markers to track race-specific resistance <i>striga gesnerioides</i> in cowpea ( <i>Vigna unguiculata</i> (L.) Walp.). African Journal of Biotechnology, 2015, 14, 2179-2190.	0.3	5
4902	Mapping quantitative trait loci for nitrogen uptake and utilization efficiency in rice ( <i>Oryza sativa</i> L.) at different nitrogen fertilizer levels. Genetics and Molecular Research, 2015, 14, 10404-10414.	0.3	11

#	ARTICLE	IF	CITATIONS
4903	Characterization and genetic mapping of <i>ect1</i> ( <i>ect1</i> ), a cutin deficient barley mutant with impaired leaf water retention capacity. <i>Breeding Science</i> , 2015, 65, 327-332.	0.9	13
4904	Detection of QTLs for white-back and basal-white grains caused by high temperature during ripening period in <i> japonica</i> rice. <i>Breeding Science</i> , 2015, 65, 216-225.	0.9	33
4905	Identification and Fine Mapping of a Mutation Conferring Salt Sensitivity in Rice ( <i>Oryza sativa</i> ) Tj ETQq0 0.0 rgBT /Oyerlock 10	0.8	11
4906	Quantitative trait locus mapping of deep rooting by linkage and association analysis in rice. <i>Journal of Experimental Botany</i> , 2015, 66, 4749-4757.	2.4	100
4907	A genetic mechanism for female-limited Batesian mimicry in <i>Papilio</i> butterfly. <i>Nature Genetics</i> , 2015, 47, 405-409.	9.4	215
4908	Genetic fine mapping and candidate gene analysis of the <i>Gossypium hirsutum</i> Ligon lintless-1 (Li1) mutant on chromosome 22(D). <i>Molecular Genetics and Genomics</i> , 2015, 290, 2199-2211.	1.0	12
4909	A QTL with major effect on reducing leaf rust severity on the short arm of chromosome 1A of wheat detected across different genetic backgrounds and diverse environments. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1579-1594.	1.8	13
4910	Statistical Physics Methods Provide the Exact Solution to a Long-Standing Problem of Genetics. <i>Physical Review Letters</i> , 2015, 114, 238101.	2.9	5
4911	QTLs for Shoot Length and Chlorophyll Content of Rice Seedlings Grown under Low-Temperature Conditions, using a Cross between <i>Indica</i> and <i>Japonica</i> Cultivars. <i>Plant Production Science</i> , 2015, 18, 128-136.	0.9	11
4912	Efficient data reduction for large-scale genetic mapping. , 2015, , .		1
4913	The maize <i>fused leaves1</i> ( <i>fdl1</i> ) gene controls organ separation in the embryo and seedling shoot and promotes coleoptile opening. <i>Journal of Experimental Botany</i> , 2015, 66, 5753-5767.	2.4	22
4914	Development and characterization of a co-dominant molecular marker via sequence analysis of a genomic region containing the Female (F) locus in cucumber ( <i>Cucumis sativus</i> L.). <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	14
4915	QTL mapping of carrot resistance to leaf blight with connected populations: stability across years and consequences for breeding. <i>Theoretical and Applied Genetics</i> , 2015, 128, 2177-2187.	1.8	26
4916	Identification and introgression of QTLs implicated in resistance to sorghum downy mildew ( <i>Peronosclerospora sorghi</i> (Weston and Uppal) C. G. Shaw) in maize through marker-assisted selection. <i>Journal of Genetics</i> , 2015, 94, 741-748.	0.4	16
4917	Fine mapping of DTH3b, a minor heading date QTL potentially functioning upstream of Hd3a and RFT1 under long-day conditions in rice. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	5
4918	TaqSH1-D, wheat ortholog of rice seed shattering gene qSH1, maps to the interval of a rachis fragility QTL on chromosome 3DL of common wheat ( <i>Triticum aestivum</i> ). <i>Genetic Resources and Crop Evolution</i> , 2015, 62, 979-984.	0.8	14
4919	Fine mapping of the qLOP2 and qPSR2-1 loci associated with chilling stress tolerance of wild rice seedlings. <i>Theoretical and Applied Genetics</i> , 2015, 128, 173-185.	1.8	39
4920	Characterization and mapping of QTLs on chromosome 2D for grain size and yield traits using a mutant line induced by EMS in wheat. <i>Crop Journal</i> , 2015, 3, 135-144.	2.3	35



#	ARTICLE	IF	CITATIONS
4921	Fine mapping and characterization of Sr21, a temperature-sensitive diploid wheat resistance gene effective against the <i>Puccinia graminis</i> f. sp. <i>tritici</i> Ug99 race group. <i>Theoretical and Applied Genetics</i> , 2015, 128, 645-656.	1.8	56
4922	Increased lodging resistance in long-culm, low-lignin <i>gh2</i> rice for improved feed and bioenergy production. <i>Scientific Reports</i> , 2014, 4, 6567.	1.6	68
4923	Three novel alleles of FLOURY ENDOSPERM2 ( FLO2 ) confer dull grains with low amylose content in rice. <i>Plant Science</i> , 2015, 233, 44-52.	1.7	41
4924	Development of transcriptome shotgun assembly-derived markers in bunching onion ( <i>Allium</i> ) Tj ETQq1 1 0.784314 <sub>rgBT /Overlock 10</sub>	1.6	27
4925	Characterization of Epistatic Interaction of QTLs LH8 and EH3 Controlling Heading Date in Rice. <i>Scientific Reports</i> , 2014, 4, 4263.	1.6	57
4926	Construction of a genetic map for pearl millet, <i>Pennisetum glaucum</i> (L.) R. Br., using a genotyping-by-sequencing (GBS) approach. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	39
4927	Genetic mapping of the nulliplex-branch gene ( <i>gb_nb1</i> ) in cotton using next-generation sequencing. <i>Theoretical and Applied Genetics</i> , 2015, 128, 539-547.	1.8	63
4928	Genetic and Biochemical Evaluation of Natural Rubber from Eastern Washington Prickly Lettuce ( <i>Lactuca serriola</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 593-602.	2.4	19
4929	Fine mapping and pyramiding of brown planthopper resistance genes <i>QBph3</i> and <i>QBph4</i> in an introgression line from wild rice <i>O. officinalis</i> . <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	38
4930	<i>qEL7.2</i> is a pleiotropic QTL for kernel number per row, ear length and ear weight in maize ( <i>Zea mays</i> L.). <i>Euphytica</i> , 2015, 203, 429-436.	0.6	18
4931	Molecular mapping of fertility restorer gene of an alloplasmic CMS system in <i>Brassica juncea</i> containing <i>Moricandia arvensis</i> cytoplasm. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	11
4932	QTL mapping for thermo-sensitive heading date in rice. <i>Euphytica</i> , 2015, 205, 51-62.	0.6	3
4933	Single-nucleotide polymorphism identification and genotyping in <i>Camelina sativa</i> . <i>Molecular Breeding</i> , 2015, 35, 35.	1.0	36
4934	Genetic analysis for canopy architecture in an F2:3 population derived from two-type foundation parents across multi-environments. <i>Euphytica</i> , 2015, 205, 421-440.	0.6	24
4935	Molecular mapping of Asian soybean rust resistance in Chinese and Japanese soybean lines, Xiao Jing Huang, Himeshirazu, and Iyodaizu B. <i>Euphytica</i> , 2015, 205, 311-324.	0.6	21
4936	QTL analyses for anther length and dehiscence at flowering as traits for the tolerance of extreme temperatures in rice ( <i>Oryza sativa</i> L.). <i>Euphytica</i> , 2015, 203, 629-642.	0.6	29
4937	Molecular mapping and validation of the microsatellite markers linked to the <i>Secale cereale</i> -derived leaf rust resistance gene <i>Lr45</i> in wheat. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	22
4938	Loss of function of <i>OsMADS3</i> via the insertion of a novel retrotransposon leads to recessive male sterility in rice ( <i>Oryza sativa</i> ). <i>Plant Science</i> , 2015, 238, 188-197.	1.7	14

#	ARTICLE	IF	CITATIONS
4939	A single base substitution in BADH/AMADH is responsible for fragrance in cucumber ( <i>Cucumis sativus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T 1881-1892.	1.8	38
4940	Pedigree-based linkage map in two genetic groups of oil palm. <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	0.6	8
4941	Quantitative trait loci analysis of lateral shoot growth in tomato. <i>Scientia Horticulturae</i> , 2015, 192, 117-124.	1.7	1
4942	Fine mapping of powdery mildew resistance genes PmTb7A.1 and PmTb7A.2 in <i>Triticum boeoticum</i> (Boiss.) using the shotgun sequence assembly of chromosome 7AL. <i>Theoretical and Applied Genetics</i> , 2015, 128, 2099-2111.	1.8	11
4943	Chromosome-anchored QTL conferring aluminum tolerance in hexaploid oat. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	4
4944	Identification of QTLs for Rust Resistance in the Peanut Wild Species <i>Arachis magna</i> and the Development of KASP Markers for Marker-Assisted Selection. <i>G3: Genes, Genomes, Genetics</i> , 2015, 5, 1403-1413.	0.8	57
4945	Molecular tagging of a new broad-spectrum powdery mildew resistance allele Pm2c in Chinese wheat landrace Niaomai. <i>Theoretical and Applied Genetics</i> , 2015, 128, 2077-2084.	1.8	55
4946	Confirming a major QTL and finding additional loci responsible for field resistance to brown spot (<i>Bipolaris oryzae</i>) in rice. <i>Breeding Science</i> , 2015, 65, 170-175.	0.9	19
4947	Characterization and fine mapping of thermo-sensitive chlorophyll deficit mutant1 in rice (<i>Oryza sativa</i> L.). <i>Breeding Science</i> , 2015, 65, 161-169.	0.9	31
4948	Validation of molecular markers for marker-assisted pyramiding of white rust resistance loci in Indian Mustard ( <i>Brassica juncea</i> L.). <i>Canadian Journal of Plant Science</i> , 2015, 95, 939-945.	0.3	14
4949	Genetic analysis and molecular mapping of QTLs for resistance to rice black-streaked dwarf disease in rice. <i>Scientific Reports</i> , 2015, 5, 10509.	1.6	23
4950	Genetic Linkage Maps and Homology Study of Backcross Families of German Faba Bean ( <i>Vicia</i> ) Tj ETQq1 1 0.784314 rgBT <sub>3</sub> /Overlock	0.9	14
4952	Genetic analysis of rhizomatousness and its relationship with vegetative branching of recombinant inbred lines of <i>Sorghum bicolor</i> – <i>S. propinquum</i> . <i>American Journal of Botany</i> , 2015, 102, 718-724.	0.8	31
4953	Molecular mapping of five soybean genes involved in male-sterility, female-sterility. <i>Genome</i> , 2015, 58, 143-149.	0.9	10
4954	Mapping of the loci controlling the resistance to <i>Pyrenophora teres</i> f. <i>teres</i> and <i>Cochliobolus sativus</i> in two double haploid barley populations. <i>Russian Journal of Genetics: Applied Research</i> , 2015, 5, 242-253.	0.4	21
4955	Marker-Assisted Plant Breeding: Principles and Practices. , 2015, , .		112
4956	Genetic dissection of earliness by analysis of a recombinant chromosome substitution double haploid mapping population of bread wheat ( <i>Triticum aestivum</i> L.) in different geographic regions. <i>Euphytica</i> , 2015, 206, 191-202.	0.6	3
4957	Comparative genetic mapping revealed powdery mildew resistance gene MIWE4 derived from wild emmer is located in same genomic region of Pm36 and MI3D232 on chromosome 5BL. <i>Journal of Integrative Agriculture</i> , 2015, 14, 603-609.	1.7	11

#	ARTICLE	IF	CITATIONS
4958	Genetic analysis and molecular mapping of a high threshold and low temperature-sensitive mutant in rice ( <i>Oryza sativa</i> L.) at the seedling stage. <i>Euphytica</i> , 2015, 203, 71-82.	0.6	4
4959	Fine mapping of a major quantitative trait locus, qLG-9, that controls seed longevity in rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	36
4960	CaAP2 transcription factor is a candidate gene for a flowering repressor and a candidate for controlling natural variation of flowering time in <i>Capsicum annuum</i> . <i>Theoretical and Applied Genetics</i> , 2015, 128, 1073-1082.	1.8	16
4961	The Co-4 locus on chromosome Pv08 contains a unique cluster of 18 COK-4 genes and is regulated by immune response in common bean. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1193-1208.	1.8	40
4962	A near-isogenic line (NIL) collection in diploid strawberry and its use in the genetic analysis of morphologic, phenotypic and nutritional characters. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1261-1275.	1.8	22
4963	QTL mapping for yield and yield-contributing traits in sorghum ( <i>Sorghum bicolor</i> (L.) Moench) with genome-based SSR markers. <i>Euphytica</i> , 2015, 203, 17-31.	0.6	42
4964	Genetic mapping of resistance to <i>Diuraphis noxia</i> (Kurdjumov) biotype 2 in wheat ( <i>Triticum aestivum</i> L.) accession CI2401. <i>Euphytica</i> , 2015, 203, 607-614.	0.6	15
4965	Precision QTL mapping of downy mildew resistance in hop ( <i>Humulus lupulus</i> L.). <i>Euphytica</i> , 2015, 202, 487-498.	0.6	29
4966	Geographic and genetic identification of RppS, a novel locus conferring broad resistance to southern corn rust disease in China. <i>Euphytica</i> , 2015, 205, 17-23.	0.6	29
4967	Development of a platform for breeding by design of CMS lines based on an SSSL library in rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	19
4968	Identification of stable QTLs controlling fiber traits properties in multi-environment using recombinant inbred lines in Upland cotton ( <i>Gossypium hirsutum</i> L.). <i>Euphytica</i> , 2015, 205, 877-888.	0.6	79
4969	Mapping of quantitative trait loci for Melon yellow spot virus resistance in cucumber ( <i>Cucumis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	12
4970	Mapping of a major gene for the slow ripening character in peach: co-location with the maturity date gene and development of a candidate gene-based diagnostic marker for its selection. <i>Euphytica</i> , 2015, 205, 627-636.	0.6	72
4971	Fine mapping of RBG2, a quantitative trait locus for resistance to <i>Burkholderia glumae</i> , on rice chromosome 1. <i>Molecular Breeding</i> , 2015, 35, 15.	1.0	12
4972	Molecular dissection of developmental behavior of tiller number and the relationship with effective panicle using indica-japonica introgression lines in rice. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	16
4973	Chromosome mapping of four novel mutants in bread wheat ( <i>Triticum aestivum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1.	1.0	4
4974	Identification of QTL underlying physiological and morphological traits of flag leaf in barley. <i>BMC Genetics</i> , 2015, 16, 29.	2.7	43
4975	Analysis of Quantitative Trait Loci (QTL) for Grain Yield and Agronomic Traits in Wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2030-2040.	1.0	19

#	ARTICLE	IF	CITATIONS
4976	Resistance to wheat yellow mosaic virus in Madsen wheat is controlled by two major complementary QTLs. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1569-1578.	1.8	25
4977	Mapping resistant QTLs for rice sheath blight disease with a doubled haploid population. <i>Journal of Integrative Agriculture</i> , 2015, 14, 801-810.	1.7	21
4978	Genetics and molecular mapping of stem rust resistance in bread wheat line WR95. <i>Euphytica</i> , 2015, 205, 869-875.	0.6	5
4979	Genetic architecture of variation in heading date among Asian rice accessions. <i>BMC Plant Biology</i> , 2015, 15, 115.	1.6	43
4980	Quantitative trait loci associated with constitutive traits control water use in pearl millet [ <i>Pennisetum glaucum</i> (L.) R. Br.]. <i>Plant Biology</i> , 2015, 17, 1073-1084.	1.8	22
4981	Development of <i>Gossypium anomalum</i> -derived microsatellite markers and their use for genome-wide identification of recombination between the <i>G. anomalum</i> and <i>G. hirsutum</i> genomes. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1531-1540.	1.8	13
4982	Quantitative trait locus analysis and fine mapping of the qPL6 locus for panicle length in rice. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1151-1161.	1.8	35
4983	qEMF3, a novel QTL for the early-morning flowering trait from wild rice, <i>Oryza officinalis</i> , to mitigate heat stress damage at flowering in rice, <i>O. sativa</i> . <i>Journal of Experimental Botany</i> , 2015, 66, 1227-1236.	2.4	118
4984	qAC2, a novel QTL that interacts with Wx and controls the low amylose content in rice ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	27
4985	Confirmation of delayed canopy wilting QTLs from multiple soybean mapping populations. <i>Theoretical and Applied Genetics</i> , 2015, 128, 2047-2065.	1.8	38
4986	Genome-wide insertion-deletion (InDel) marker discovery and genotyping for genomics-assisted breeding applications in chickpea. <i>DNA Research</i> , 2015, 22, 377-386.	1.5	53
4987	A novel allele of monoecious (m) locus is responsible for elongated fruit shape and perfect flowers in cucumber ( <i>Cucumis sativus</i> L.). <i>Theoretical and Applied Genetics</i> , 2015, 128, 2483-2493.	1.8	67
4988	Dearth of polymorphism associated with a sustained response to selection for flowering time in maize. <i>BMC Evolutionary Biology</i> , 2015, 15, 103.	3.2	18
4989	GACD: Integrated Software for Genetic Analysis in Clonal F <sub>1</sub> and Double Cross Populations. <i>Journal of Heredity</i> , 2015, 106, esv080.	1.0	19
4990	Fine mapping of a palea defective 1 (pd1), a locus associated with palea and stamen development in rice. <i>Plant Cell Reports</i> , 2015, 34, 2151-2159.	2.8	7
4991	Fine mapping of S37, a locus responsible for pollen and embryo sac sterility in hybrids between <i>Oryza sativa</i> L. and <i>O. glaberrima</i> Steud. <i>Plant Cell Reports</i> , 2015, 34, 1885-1897.	2.8	14
4992	Identification of QTLs and possible candidate genes conferring sheath blight resistance in rice ( <i>Oryza</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.2	53
4993	Enhancement of tocopherols in sweet corn by marker-assisted backcrossing of ZmVTE4. <i>Euphytica</i> , 2015, 206, 513-521.	0.6	40

#	ARTICLE	IF	CITATIONS
4994	The Long (and Sometimes Endless) Road to Murine Lupus Genes. <i>Journal of Immunology</i> , 2015, 195, 4043-4046.	0.4	7
4995	Multiple Avirulence Loci and Allele-Specific Effector Recognition Control the <i>Pm3</i> Race-Specific Resistance of Wheat to Powdery Mildew. <i>Plant Cell</i> , 2015, 27, tpc.15.00171.	3.1	135
4996	Identification of <i>QTL</i> controlling high levels of partial resistance to <i>Fusarium solani</i> f. sp. <i>pisi</i> in pea. <i>Plant Breeding</i> , 2015, 134, 446-453.	1.0	30
4997	Linkage mapping, molecular cloning and functional analysis of soybean gene <i>Fg3</i> encoding flavonol 3-O-glucoside/galactoside (1- $\alpha$ -D-glucosyltransferase). <i>BMC Plant Biology</i> , 2015, 15, 126.	1.6	30
4998	Chiba Tendril-Less locus determines tendril organ identity in melon ( <i>Cucumis melo</i> L.) and potentially encodes a tendril-specific TCP homolog. <i>Journal of Plant Research</i> , 2015, 128, 941-951.	1.2	25
4999	Physiological characterisation and fine mapping of a salt-tolerant mutant in rice ( <i>Oryza sativa</i> ). <i>Functional Plant Biology</i> , 2015, 42, 1026.	1.1	22
5000	Hybrid seedling inviability locus ( <i>Hls1</i> ) mapped on linkage group 4 of the Japanese flowering cherry, <i>Cerasus yedoensis</i> 'Somei-yoshino'. <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	0.6	6
5001	Identification and mapping stripe rust resistance gene <i>YrLM168a</i> using extreme individuals and recessive phenotype class in a complicate genetic background. <i>Molecular Genetics and Genomics</i> , 2015, 290, 2271-2278.	1.0	9
5002	A genetic linkage map with 178 SSR and 1 901 SNP markers constructed using a RIL population in wheat ( <i>Triticum aestivum</i> L.). <i>Journal of Integrative Agriculture</i> , 2015, 14, 1697-1705.	1.7	5
5003	Multiple interval QTL mapping and searching for <i>PSTOL1</i> homologs associated with root morphology, biomass accumulation and phosphorus content in maize seedlings under low-P. <i>BMC Plant Biology</i> , 2015, 15, 172.	1.6	53
5004	Genetic analysis and chromosome mapping of a thermo-sensitive genic male sterile gene in wheat. <i>Euphytica</i> , 2015, 201, 321-327.	0.6	20
5006	Hybrid Breakdown Caused by Epistasis-Based Recessive Incompatibility in a Cross of Rice ( <i>Oryza sativa</i> ) Tj ETQq1 1 0,784314,rgBT /Oryza sativa	1.0	21
5007	Genetic mapping and validation of QTLs associated with resistance to <i>Calonectria</i> leaf blight caused by <i>Calonectria pteridis</i> in Eucalyptus. <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	0.6	10
5008	Mapping QTL for cotton fiber quality traits using simple sequence repeat markers, conserved intron-scanning primers, and transcript-derived fragments. <i>Euphytica</i> , 2015, 201, 215-230.	0.6	40
5009	Genetic mapping of QTL for maize weevil resistance in a RIL population of tropical maize. <i>Theoretical and Applied Genetics</i> , 2015, 128, 411-419.	1.8	32
5010	Chromosomal locations of a gene underlying heat-accelerated brown spot formation and its suppressor genes in rice. <i>Molecular Genetics and Genomics</i> , 2015, 290, 1085-1094.	1.0	1
5011	Evaluation of spontaneous generation of allelic variation in soybean in response to sexual hybridization and stress. <i>Canadian Journal of Plant Science</i> , 2015, 95, 405-415.	0.3	5
5012	Comparative Relationships and Chromosome Evolution in Switchgrass ( <i>Panicum virgatum</i> ) and Its Genomic Model, Foxtail Millet ( <i>Setaria italica</i> ). <i>Bioenergy Research</i> , 2015, 8, 137-151.	2.2	29

#	ARTICLE	IF	CITATIONS
5013	QTL mapping for important horticultural traits in pepper ( <i>Capsicum annuum</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 2015, 24, 154-160.	0.9	21
5014	Genetic Linkage Map of Anatolian Durum Wheat Derived from a Cross of Kunduru-1149 × Cham1. <i>Plant Molecular Biology Reporter</i> , 2015, 33, 209-220.	1.0	22
5015	Development of IRAP- and REMAP-derived SCAR markers for marker-assisted selection of the stripe rust resistance gene Yr15 derived from wild emmer wheat. <i>Theoretical and Applied Genetics</i> , 2015, 128, 211-219.	1.8	35
5016	Discovery and mapping of <i>Brassica juncea</i> Sdt 1 gene associated with determinate plant growth habit. <i>Theoretical and Applied Genetics</i> , 2015, 128, 235-245.	1.8	18
5017	Molecular mapping of Asian soybean rust resistance in soybean landraces <i>PI</i> 594767A, <i>PI</i> 587905 and <i>PI</i> 416764. <i>Plant Pathology</i> , 2015, 64, 147-156.	1.2	45
5018	Association of SNP markers with agronomic and quality traits of field pea in Italy. <i>Czech Journal of Genetics and Plant Breeding</i> , 2016, 52, 83-93.	0.4	15
5019	Bioinformatics Tools and Genomic Resources Available in Understanding the Structure and Function of <i>Gossypium</i> . , 2016, , .		4
5020	Influence of the Semi-dwarf Growth Type on Seed Yield and Agronomic Parameters at Low and High Nitrogen Fertilization in Winter Oilseed Rape. <i>Crop Science</i> , 2016, 56, 1573-1585.	0.8	15
5021	Mapping a QTL conferring resistance to <i>Fusarium</i> head blight on chromosome 1B in winter wheat ( <i>Triticum aestivum</i> L.). <i>Breeding Science</i> , 2016, 66, 668-675.	0.9	5
5022	Development of IP and SCAR markers linked to the yellow seed color gene in <i>Brassica juncea</i> L. <i>Breeding Science</i> , 2016, 66, 175-180.	0.9	10
5023	Mapping of a major QTL associated with protein content on chromosome 2B in hard red winter wheat ( <i>Triticum aestivum</i> L.). <i>Breeding Science</i> , 2016, 66, 471-480.	0.9	36
5024	Mapping QTLs for Fertility Restoration of Different Cytoplasmic Male Sterility Types in Rice Using Two <i>Oryza sativa</i> × <i>O. rufipogon</i> Backcross Inbred Line Populations. <i>BioMed Research International</i> , 2016, 2016, 1-8.	0.9	7
5025	Microsomal Omega-3 Fatty Acid Desaturase Genes in Low Linolenic Acid Soybean Line RG10 and Validation of Major Linolenic Acid QTL. <i>Frontiers in Genetics</i> , 2016, 7, 38.	1.1	13
5026	Confirmation of Single-Locus Sex Determination and Female Heterogamety in Willow Based on Linkage Analysis. <i>PLoS ONE</i> , 2016, 11, e0147671.	1.1	24
5027	Identification of Dw1, a Regulator of Sorghum Stem Internode Length. <i>PLoS ONE</i> , 2016, 11, e0151271.	1.1	109
5028	Mapping of a Novel Race Specific Resistance Gene to <i>Phytophthora</i> Root Rot of Pepper ( <i>Capsicum</i> ) Tj ETQq1 1 0.784314 rgBT /Overl... Sequencing Strategy. <i>PLoS ONE</i> , 2016, 11, e0151401.	1.1	49
5029	Improvement of Rice Biomass Yield through QTL-Based Selection. <i>PLoS ONE</i> , 2016, 11, e0151830.	1.1	25
5030	Genomics-assisted breeding in fruit trees. <i>Breeding Science</i> , 2016, 66, 100-115.	0.9	101

#	ARTICLE	IF	CITATIONS
5031	Identification of a Candidate Gene for Panicle Length in Rice ( <i>Oryza sativa</i> L.) Via Association and Linkage Analysis. <i>Frontiers in Plant Science</i> , 2016, 7, 596.	1.7	71
5032	Plant Genetic Background Increasing the Efficiency and Durability of Major Resistance Genes to Root-knot Nematodes Can Be Resolved into a Few Resistance QTLs. <i>Frontiers in Plant Science</i> , 2016, 7, 632.	1.7	21
5033	Gene Mapping of a Mutant Mungbean ( <i>Vigna radiata</i> L.) Using New Molecular Markers Suggests a Gene Encoding a YUC4-like Protein Regulates the Chasmogamous Flower Trait. <i>Frontiers in Plant Science</i> , 2016, 7, 830.	1.7	21
5034	Genetic Analysis in Maize Foundation Parents with Mapping Population and Testcross Population: Ye478 Carried More Favorable Alleles and Using QTL Information Could Improve Foundation Parents. <i>Frontiers in Plant Science</i> , 2016, 7, 1417.	1.7	17
5035	Mapping Quantitative Trait Loci Controlling High Iron and Zinc Content in Self and Open Pollinated Grains of Pearl Millet [ <i>Pennisetum glaucum</i> (L.) R. Br.]. <i>Frontiers in Plant Science</i> , 2016, 7, 1636.	1.7	77
5036	Nitric Oxide Overproduction in Tomato <i>shr</i> Mutant Shifts Metabolic Profiles and Suppresses Fruit Growth and Ripening. <i>Frontiers in Plant Science</i> , 2016, 7, 1714.	1.7	57
5037	Identification of Two Duplicated Loci Controlling a Disease-like Rugose Leaf Phenotype in Soybean. <i>Crop Science</i> , 2016, 56, 1611-1618.	0.8	4
5038	Novel Sources of Partial Resistance against <i>Phytophthora sojae</i> in Soybean PI 399036. <i>Crop Science</i> , 2016, 56, 2322-2335.	0.8	23
5039	Quantitative trait locus mapping of soybean maturity gene <i>E5</i> . <i>Breeding Science</i> , 2016, 66, 407-415.	0.9	56
5040	Fine mapping the QTL <i>qFS-23</i> , using a CSIL. <i>Plant Breeding</i> , 2016, 135, 492-498.	1.0	0
5041	The Genetic Linkage Map of the Medicinal Mushroom <i>Agaricus subrufescens</i> Reveals Highly Conserved Macrosynteny with the Congeneric Species <i>Agaricus bisporus</i> . <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 1217-1226.	0.8	13
5042	Morphological characterization and molecular mapping of an irradiation-induced <i>Speckled</i> mutant in the silkworm, <i>Bombyx mori</i> . <i>Insect Molecular Biology</i> , 2016, 25, 93-104.	1.0	7
5043	Genetic Analysis and Molecular Mapping of a Stripe Rust Resistance Gene in Chinese Wheat Differential Guinong 22. <i>Journal of Phytopathology</i> , 2016, 164, 476-484.	0.5	9
5044	A high-density SNP genotyping array for <i>Brassica napus</i> and its ancestral diploid species based on optimised selection of single-locus markers in the allotetraploid genome. <i>Theoretical and Applied Genetics</i> , 2016, 129, 1887-1899.	1.8	205
5045	Narrowing down the single homoeologous <i>PFRU</i> locus controlling flowering in cultivated octoploid strawberry using a selective mapping strategy. <i>Plant Biotechnology Journal</i> , 2016, 14, 2176-2189.	4.1	48
5046	Joint genetic and network analyses identify loci associated with root growth under NaCl stress in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2016, 39, 918-934.	2.8	53
5047	Dissection of the <i>qTCW1.1</i> region into two tightly-linked minor QTLs having stable effects for grain weight in rice. <i>BMC Genetics</i> , 2016, 17, 98.	2.7	34
5048	A Z-linked sterility locus causes sexual abstinence in hybrid females and facilitates speciation in <i>Spodoptera frugiperda</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 1418-1427.	1.1	37

#	ARTICLE	IF	CITATIONS
5049	Genome-wide recombination dynamics are associated with phenotypic variation in maize. <i>New Phytologist</i> , 2016, 210, 1083-1094.	3.5	88
5050	Mapping quantitative trait loci (QTLs) underlying seed vitamin E content in soybean with main, epistatic and QTL-environment effects. <i>Plant Breeding</i> , 2016, 135, 208-214.	1.0	10
5051	Quantitative trait loci (QTL) for reducing aflatoxin accumulation in corn. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	12
5052	Main Effect QTL with Dominance Determines Heterosis for Dynamic Plant Height in Upland Cotton. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 3373-3379.	0.8	11
5053	Effects of <i>Hd2</i> in the presence of the photoperiod-insensitive functional allele of <i>Hd1</i> in rice. <i>Biology Open</i> , 2016, 5, 1719-1726.	0.6	12
5054	Genetic dissection of the developmental behavior of plant height in rice under different water supply conditions. <i>Journal of Integrative Agriculture</i> , 2016, 15, 2688-2702.	1.7	11
5055	Linkage map construction and QTL mapping for cold tolerance in <i>Oryza rufipogon</i> Griff. at early seedling stage. <i>Journal of Integrative Agriculture</i> , 2016, 15, 2703-2711.	1.7	9
5056	Differentially expressed genes in the locus associated with relative kidney weight and resting blood pressure in hypertensive rats of the ISIAH strain. <i>Molecular Biology</i> , 2016, 50, 831-838.	0.4	1
5057	The Sorghum Gene for Leaf Color Changes upon Wounding ( <i>P</i> ) Encodes a Flavanone 4-Reductase in the 3-Deoxyanthocyanidin Biosynthesis Pathway. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 1439-1447.	0.8	36
5058	Homeobox Is Pivotal for OsWUS Controlling Tiller Development and Female Fertility in Rice. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 2013-2021.	0.8	25
5059	Genome-wide generation and use of informative intron-spanning and intron-length polymorphism markers for high-throughput genetic analysis in rice. <i>Scientific Reports</i> , 2016, 6, 23765.	1.6	19
5060	Genetic mapping and confirmation of quantitative trait loci for grain chalkiness in rice. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	17
5061	Molecular mapping and characterization of the silkworm apodal mutant. <i>Scientific Reports</i> , 2016, 6, 18956.	1.6	4
5062	The B-, G- and S-genomic Chi genes in family Triticeae. <i>Biologia Plantarum</i> , 2016, 60, 279-284.	1.9	3
5063	Molecular basis of the high-palmitic acid trait in sunflower seed oil. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	9
5064	Genetic analysis and molecular mapping of a stripe rust resistance gene in wheat "Leymus mollis" translocation line M8926-2. <i>Crop Protection</i> , 2016, 86, 17-23.	1.0	8
5065	Inheritance and Molecular Mapping of an All-Stage Stripe Rust Resistance Gene Derived from the Chinese Common Wheat Landrace "Yilongtuomai". <i>Journal of Heredity</i> , 2016, 107, 463-470.	1.0	16
5066	Molecular mapping of stripe rust resistance gene YrHu derived from <i>Psathyrostachys huashanica</i> . <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	23



#	ARTICLE	IF	CITATIONS
5067	Identification and validation of QTLs controlling multiple traits in sorghum. <i>Crop and Pasture Science</i> , 2016, 67, 193.	0.7	13
5068	Mapping of quantitative trait loci for bolting time in bunching onion ( <i>Allium fistulosum</i> L.). <i>Euphytica</i> , 2016, 209, 537-546.	0.6	7
5069	Genetic analysis and molecular mapping of seedling survival drought tolerance gene in lentil ( <i>Lens</i> ). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.0	18
5070	Multiple QTL Determine Dorsal Abdominal Scale Patterns in the Mosquito <i>Aedes aegypti</i> . <i>Journal of Heredity</i> , 2016, 107, 438-444.	1.0	4
5071	Detection and validation of one stable fiber strength QTL on c9 in tetraploid cotton. <i>Molecular Genetics and Genomics</i> , 2016, 291, 1625-1638.	1.0	19
5072	Fine mapping of the dialytic gene that controls multicellular trichome formation and stamen development in tomato. <i>Theoretical and Applied Genetics</i> , 2016, 129, 1531-1539.	1.8	14
5073	Mapping of three QTLs for seed setting and analysis on the candidate gene for qSS-1 in rice ( <i>Oryza</i> ). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.7	1
5074	Mapping genes for resistance to bacterial blight ( <i>Pseudomonas syringae</i> pv. <i>lisi</i> ) in pea and identification of genes involved in resistance by DeepsuperSAGE transcriptome profiling. <i>Euphytica</i> , 2016, 210, 375-392.	0.6	4
5075	Genetic Analysis and QTL Detection on Fiber Traits Using Two Recombinant Inbred Lines and Their Backcross Populations in Upland Cotton. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 2717-2724.	0.8	45
5076	Mapping QTLs for stomatal density and size under drought stress in wheat ( <i>Triticum aestivum</i> L.). <i>Journal of Integrative Agriculture</i> , 2016, 15, 1955-1967.	1.7	26
5077	Genetic mapping of male pheromone response in the European corn borer identifies candidate genes regulating neurogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6401-E6408.	3.3	20
5078	Soybean proteins GmTic110 and GmPsbP are crucial for chloroplast development and function. <i>Plant Science</i> , 2016, 252, 76-87.	1.7	16
5079	Identification and fine mapping of <i>lemma-distortion1</i> , a single recessive gene playing an essential role in the development of lemma in rice. <i>Journal of Agricultural Science</i> , 2016, 154, 989-1001.	0.6	2
5080	A Genetic Map Between <i>Gossypium hirsutum</i> and the Brazilian Endemic <i>G. mustelinum</i> and Its Application to QTL Mapping. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 1673-1685.	0.8	19
5081	Quantitative trait loci (QTL) controlling plant architecture traits in a <i>Solanum lycopersicum</i> × <i>S. pimpinellifolium</i> cross. <i>Euphytica</i> , 2016, 211, 353-367.	0.6	9
5082	Cloning and characterization of soybean gene <i>Fg1</i> encoding flavonol 3-O-glucoside/galactoside (1â†6) glucosyltransferase. <i>Plant Molecular Biology</i> , 2016, 92, 445-456.	2.0	27
5083	Fine mapping and genetic association analysis of <i>Net2</i> , the causative D-genome locus of low temperature-induced hybrid necrosis in interspecific crosses between tetraploid wheat and <i>Aegilops tauschii</i> . <i>Genetica</i> , 2016, 144, 523-533.	0.5	9
5084	Molecular Mapping of High Resistance to Bacterial Leaf Spot in Lettuce PI 358001-1. <i>Phytopathology</i> , 2016, 106, 1319-1325.	1.1	9

#	ARTICLE	IF	CITATIONS
5085	Phenotypic variation analysis and QTL mapping for cotton ( <i>Gossypium hirsutum</i> L.) fiber quality grown in different cotton-producing regions. <i>Euphytica</i> , 2016, 211, 169-183.	0.6	26
5086	Mapping of male sterility gene <i>ms10</i> in chilli pepper ( <i>Capsicum annuum</i> L.). <i>Plant Breeding</i> , 2016, 135, 531-535.	1.0	13
5087	The locus for resistance to Asian soybean rust in PI 587855. <i>Plant Breeding</i> , 2016, 135, 621-626.	1.0	22
5088	Isolation and Characterization of an Aluminum-resistant Mutant in Rice. <i>Rice</i> , 2016, 9, 60.	1.7	15
5089	Marker development using SLAF-seq and whole-genome shotgun strategy to fine-map the semi-dwarf gene <i>ari-e</i> in barley. <i>BMC Genomics</i> , 2016, 17, 911.	1.2	27
5090	SNP-based high density genetic map and mapping of <i>btwd1</i> dwarfing gene in barley. <i>Scientific Reports</i> , 2016, 6, 31741.	1.6	29
5091	Genetic analysis of Upland cotton dynamic heterosis for boll number per plant at multiple developmental stages. <i>Scientific Reports</i> , 2016, 6, 35515.	1.6	20
5092	Mapping QTLs for hybrid sterility in three AA genome wild species of <i>Oryza</i> . <i>Breeding Science</i> , 2016, 66, 367-371.	0.9	11
5093	Sorghum <i>Dw1</i> , an agronomically important gene for lodging resistance, encodes a novel protein involved in cell proliferation. <i>Scientific Reports</i> , 2016, 6, 28366.	1.6	81
5094	Advanced Backcross Quantitative Trait Locus Analysis of Fiber Elongation in a Cross between <i>Gossypium hirsutum</i> and <i>G. mustelinum</i> . <i>Crop Science</i> , 2016, 56, 1760-1768.	0.8	12
5095	Tightly clustered markers linked to an apospory-related gene region and quantitative trait loci mapping for agronomic traits in <i>Brachiaria</i> hybrids. <i>Grassland Science</i> , 2016, 62, 69-80.	0.6	45
5096	Genetic and Evolutionary Analysis of Purple Leaf Sheath in Rice. <i>Rice</i> , 2016, 9, 8.	1.7	54
5097	Spore behaviors reveal a category of mating-competent infertile heterokaryons in the offspring of the medicinal fungus <i>Agaricus subrufescens</i> . <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 781-796.	1.7	9
5098	Identification of major QTLs and epistatic interactions for seed protein concentration in soybean under multiple environments based on a high-density map. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	19
5099	A major QTL and a candidate gene for heading date in an early maturing rice mutant induced by gamma ray irradiation. <i>Genes and Genomics</i> , 2016, 38, 747-756.	0.5	2
5100	Characterization and fine mapping of <i>osh15(t)</i> , a novel dwarf mutant gene in rice ( <i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2016, 38, 849-856.	0.5	3
5101	Genetic mapping and QTL analysis of agronomic traits in Indian <i>Mucuna pruriens</i> using an intraspecific F2 population. <i>Journal of Genetics</i> , 2016, 95, 35-44.	0.4	3
5103	Genetic analysis and QTL mapping of oil content and seed index using two recombinant inbred lines and two backcross populations in Upland cotton. <i>Plant Breeding</i> , 2016, 135, 224-231.	1.0	25

#	ARTICLE	IF	CITATIONS
5104	Development of new SSR markers for homoeologous WFZP gene loci based on the study of the structure and location of microsatellites in gene-rich regions of chromosomes 2AS, 2BS, and 2DS in bread wheat. <i>Russian Journal of Genetics: Applied Research</i> , 2016, 6, 330-337.	0.4	3
5105	Major Chromosomal Rearrangements Distinguish Willow and Poplar After the Ancestral Salicoid Genome Duplication. <i>Genome Biology and Evolution</i> , 2016, 8, 1868-1875.	1.1	30
5106	Substituting nuclear genome of <i>Brassica juncea</i> (L.) Czern & Coss. In cytoplasmic background of <i>Brassica fruticulosa</i> results in cytoplasmic male sterility. <i>Euphytica</i> , 2016, 209, 31-40.	0.6	16
5107	Hydroxycinnamate Synthesis and Association with Mediterranean Corn Borer Resistance. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 539-551.	2.4	19
5108	Partial Dominance, Overdominance, Epistasis and QTL by Environment Interactions Contribute to Heterosis in Two Upland Cotton Hybrids. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 499-507.	0.8	39
5109	Identification of a major Quantitative Trait Locus determining resistance to the organophosphate temephos in the dengue vector mosquito <i>Aedes aegypti</i> . <i>Genomics</i> , 2016, 107, 40-48.	1.3	17
5110	Identification of haplotypes at the Rsv4 genomic region in soybean associated with durable resistance to soybean mosaic virus. <i>Theoretical and Applied Genetics</i> , 2016, 129, 453-468.	1.8	37
5111	Identification of QTLs controlling low-temperature germination of the East European rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	0.6	31
5112	Analytical and Decision Support Tools for Genomics-Assisted Breeding. <i>Trends in Plant Science</i> , 2016, 21, 354-363.	4.3	70
5113	Molecular mapping of a rust resistance gene R 14 in cultivated sunflower line PH 3. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	21
5114	Cell length instead of cell number becomes the predominant factor contributing to hypocotyl length genotypic differences under abiotic stress in <i>Medicago truncatula</i> . <i>Physiologia Plantarum</i> , 2016, 156, 108-124.	2.6	10
5115	The genome sequences of <i>Arachis duranensis</i> and <i>Arachis ipaensis</i> , the diploid ancestors of cultivated peanut. <i>Nature Genetics</i> , 2016, 48, 438-446.	9.4	761
5116	Exploring almond genetic variability useful for peach improvement: mapping major genes and QTLs in two interspecific almond-peach populations. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	56
5117	Quantitative Trait Loci Mapping in Plants: Concepts and Approaches. <i>Sustainable Development and Biodiversity</i> , 2016, , 31-59.	1.4	22
5118	Quantitative trait loci analysis of the time of floral initiation in tomato. <i>Scientia Horticulturae</i> , 2016, 201, 199-210.	1.7	4
5119	Natural variation in flavonol accumulation in <i>Arabidopsis</i> is determined by the flavonol glucosyltransferase BGLU6. <i>Journal of Experimental Botany</i> , 2016, 67, 1505-1517.	2.4	67
5120	Candidate gene prediction for a petal degeneration mutant, pdm, of the Chinese cabbage ( <i>Brassica</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	31
5121	Genetic study of recessive broomrape resistance in sunflower. <i>Euphytica</i> , 2016, 209, 419-428.	0.6	18

#	ARTICLE	IF	CITATIONS
5122	Identification and mapping of Tril, a homeodomain-leucine zipper gene involved in multicellular trichome initiation in <i>Cucumis sativus</i> . <i>Theoretical and Applied Genetics</i> , 2016, 129, 305-316.	1.8	77
5123	A genetic linkage map of coffee ( <i>Coffea arabica</i> L.) and QTL for yield, plant height, and bean size. <i>Tree Genetics and Genomes</i> , 2016, 12, 1.	0.6	37
5124	Genetic Mapping of Resistance to <i>Meloidogyne arenaria</i> in <i>Arachis stenosperma</i> : A New Source of Nematode Resistance for Peanut. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 377-390.	0.8	46
5125	Detection of QTL for exudation rate at ripening stage in rice and its contribution to hydraulic conductance. <i>Plant Science</i> , 2016, 242, 270-277.	1.7	4
5126	Genetic mapping and molecular marker development for the gene Pre2 controlling purple grains in barley. <i>Euphytica</i> , 2016, 208, 215-223.	0.6	9
5127	Seedling root QTLs analysis on dynamic development and upon nitrogen deficiency stress in Upland cotton. <i>Euphytica</i> , 2016, 207, 645-663.	0.6	16
5128	Toward a better understanding of the genomic region harboring Fusarium head blight resistance QTL Qfhs.ndsu-3AS in durum wheat. <i>Theoretical and Applied Genetics</i> , 2016, 129, 31-43.	1.8	24
5129	Mapping quantitative trait loci for root development under hypoxia conditions in soybean ( <i>Glycine</i> ) Tj ETQq1 1 0.784314 rgBT/Overlock	1.8	38
5130	Validation of qGS10, a quantitative trait locus for grain size on the long arm of chromosome 10 in rice ( <i>Oryza sativa</i> L.). <i>Journal of Integrative Agriculture</i> , 2017, 16, 16-26.	1.7	17
5131	Novel <i>Wx</i> alleles induced by chemical mutagens in rice, <i>Oryza sativa</i> L.. <i>Plant Breeding</i> , 2017, 136, 206-213.	1.0	5
5132	Molecular mapping of a stripe rust resistance gene in Chinese wheat landrace "Hejiangyizai" using SSR, RGAP, TRAP, and SRAP markers. <i>Crop Protection</i> , 2017, 94, 178-184.	1.0	7
5133	Mapping and application of the twin-grain1 gene in rice. <i>Planta</i> , 2017, 245, 707-716.	1.6	3
5134	The genetic map comparator: a user-friendly application to display and compare genetic maps. <i>Bioinformatics</i> , 2017, 33, 1387-1388.	1.8	17
5135	Identification of the QTL underlying the vitamin E content of soybean seeds. <i>Plant Breeding</i> , 2017, 136, 147-154.	1.0	5
5136	Identification of QTL underlying soybean agglutinin content in soybean seeds and analysis for epistatic effects among multiple genetic backgrounds and environments. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	1
5137	Gene coding for an elongation factor is involved in resistance against powdery mildew in common bean. <i>Theoretical and Applied Genetics</i> , 2017, 130, 849-860.	1.8	10
5138	QTL mapping of bread wheat ( <i>Triticum aestivum</i> L.) grown under controlled conditions of an agroecobiological testing ground. <i>Russian Journal of Plant Physiology</i> , 2017, 64, 48-58.	0.5	6
5139	Mapping gibberellin-sensitive dwarfing locus Rht18 in durum wheat and development of SSR and SNP markers for selection in breeding. <i>Molecular Breeding</i> , 2017, 37, 1.	1.0	16

#	ARTICLE	IF	CITATIONS
5140	Isolation and characterization of Aconitate hydratase 4 (Aco4) from soybean. Canadian Journal of Plant Science, 2017, , .	0.3	1
5141	A comparison of different algorithms for phasing haplotypes using Holstein cattle genotypes and pedigree data. Journal of Dairy Science, 2017, 100, 2837-2849.	1.4	20
5143	Dissection of the genetic architecture for soybean seed weight across multiple environments. Crop and Pasture Science, 2017, 68, 358.	0.7	14
5144	A new soybean rust resistance allele from PI 423972 at the Rpp4 locus. Molecular Breeding, 2017, 37, 1.	1.0	9
5145	Molecular mapping of the genomic region conferring resistance to soybean stem canker in Hutcheson soybean. Molecular Breeding, 2017, 37, 1.	1.0	2
5146	Functional Conservation and Divergence among Homoeologs of <i>TaSPL20</i> and <i>TaSPL21</i>, Two SBP-Box Genes Governing Yield-Related Traits in Hexaploid Wheat. Plant Physiology, 2017, 174, 1177-1191.	2.3	46
5147	Identification of quantitative trait loci underlying seed protein content of soybean including main, epistatic, and QTL × environment effects in different regions of Northeast China. Genome, 2017, 60, 649-655.	0.9	15
5148	Understanding the inheritance of mungbean yellow mosaic virus (MYMV) resistance in mungbean ( <i>Vigna radiata</i> L. Wilczek). Molecular Breeding, 2017, 37, 1.	1.0	15
5149	Genetic analysis of the slow-melting flesh character in peach. Tree Genetics and Genomes, 2017, 13, 1.	0.6	31
5150	Identification of quantitative trait loci for resistance to rice black-streaked dwarf virus disease and small brown planthopper in rice. Molecular Breeding, 2017, 37, 1.	1.0	18
5151	Genetic analysis and molecular mapping of stripe rust resistance genes in Chinese native wheat ( <i>Triticum aestivum</i> ) Lankao 5. Australasian Plant Pathology, 2017, 46, 213-221.	0.5	4
5152	Identification of quantitative trait loci underlying lutein content in soybean seeds across multiple environments. Journal of Agricultural Science, 2017, 155, 1263-1271.	0.6	5
5153	Identification and marker-assisted transfer of a new powdery mildew resistance gene at the Pm4 locus in common wheat. Molecular Breeding, 2017, 37, 1.	1.0	17
5154	Duplication and Loss of Function of Genes Encoding RNA Polymerase III Subunit C4 Causes Hybrid Incompatibility in Rice. G3: Genes, Genomes, Genetics, 2017, 7, 2565-2575.	0.8	36
5155	Fine mapping and candidate gene analysis of qFL-chr1, a fiber length QTL in cotton. Theoretical and Applied Genetics, 2017, 130, 1309-1319.	1.8	33
5156	Fine mapping of powdery mildew resistance gene PmTm4 in wheat using comparative genomics. Journal of Integrative Agriculture, 2017, 16, 540-550.	1.7	17
5157	Genome-wide association studies with proteomics data reveal genes important for synthesis, transport and packaging of globulins in legume seeds. New Phytologist, 2017, 214, 1597-1613.	3.5	38
5158	Identification of novel quantitative trait loci associated with tolerance to phytophthora root rot in the soybean cultivar Hefeng 25 using two recombinant inbred line populations. Canadian Journal of Plant Science, 2017, , 1-8.	0.3	2

#	ARTICLE	IF	CITATIONS
5159	Dissection of genetic architecture for oil content in soybean seed using two backcross populations. <i>Plant Breeding</i> , 2017, 136, 365-371.	1.0	1
5160	Linkage map construction and QTL identification of P-deficiency tolerance in <i>Oryza rufipogon</i> Griff. at early seedling stage. <i>Euphytica</i> , 2017, 213, 1.	0.6	8
5161	Development and Genetic Characterization of A Novel Herbicide (Imazethapyr) Tolerant Mutant in Rice ( <i>Oryza sativa</i> L.). <i>Rice</i> , 2017, 10, 10.	1.7	43
5162	QTL mapping for haploid male fertility by a segregation distortion method and fine mapping of a key QTL qhmf4 in maize. <i>Theoretical and Applied Genetics</i> , 2017, 130, 1349-1359.	1.8	39
5163	The Peach v2.0 release: high-resolution linkage mapping and deep resequencing improve chromosome-scale assembly and contiguity. <i>BMC Genomics</i> , 2017, 18, 225.	1.2	342
5164	Substitution mapping of QTLs controlling seed dormancy using single segment substitution lines derived from multiple cultivated rice donors in seven cropping seasons. <i>Theoretical and Applied Genetics</i> , 2017, 130, 1191-1205.	1.8	31
5165	Quantitative Trait Loci and Resistance Gene Analogs Associated with Maize White Spot Resistance. <i>Plant Disease</i> , 2017, 101, 200-208.	0.7	9
5166	Quantitative trait loci responsible for the difference in $\delta^3$ -oryzanol content in brown rice between <i>japonica</i> -type and <i>indica</i> -type rice cultivars. <i>Plant Production Science</i> , 2017, 20, 459-466.	0.9	13
5167	Development of RAPD and ISSR derived SCAR markers linked to Xca1Bo gene conferring resistance to black rot disease in cauliflower ( <i>Brassica oleracea</i> var. <i>botrytis</i> L.). <i>Euphytica</i> , 2017, 213, 1.	0.6	13
5168	Genetic dissection of grain traits in Yamadanishiki, an excellent sake-brewing rice cultivar. <i>Theoretical and Applied Genetics</i> , 2017, 130, 2567-2585.	1.8	13
5169	Genetic Maps and Whole Genome Sequences of Radish. <i>Compendium of Plant Genomes</i> , 2017, , 31-42.	0.3	7
5170	Identification and mapping of a new powdery mildew resistance allele in the Chinese wheat landrace Hongyoumai. <i>Molecular Breeding</i> , 2017, 37, 1.	1.0	13
5171	Breeding Avenues in Fruit Crops for Imparting Resistance Against Insect Pests. , 2017, , 289-322.		0
5172	Cytogenetic analysis and mapping of leaf rust resistance in <i>Aegilops speltoides</i> Tausch derived bread wheat line Selection2427 carrying putative gametocidal gene(s). <i>Genome</i> , 2017, 60, 1076-1085.	0.9	7
5173	Applications of NGS Data. , 2017, , 195-229.		1
5174	Expression of brown-midrib in a spontaneous sorghum mutant is linked to a 5'UTR deletion in lignin biosynthesis gene SbCAD2. <i>Scientific Reports</i> , 2017, 7, 11664.	1.6	11
5175	Dissection of the genetic architecture for tassel branch number by QTL analysis in two related populations in maize. <i>Journal of Integrative Agriculture</i> , 2017, 16, 1432-1442.	1.7	14
5176	Identification of Clusters that Condition Resistance to Anthracnose in the Common Bean Differential Cultivars AB136 and MDRK. <i>Phytopathology</i> , 2017, 107, 1515-1521.	1.1	14

#	ARTICLE	IF	CITATIONS
5177	Identification of QTLs for rice flower opening time in two environments. <i>Euphytica</i> , 2017, 213, 1.	0.6	4
5178	Identification and molecular mapping of <i>indica</i> high tillering dwarf mutant <i>htd4</i> , a mild phenotype allelic mutant of <i>D14</i> in rice ( <i>Oryza sativa</i> L.). <i>Plant Biology</i> , 2017, 19, 851-858.	1.8	8
5179	Identification of new resistance sources to powdery mildew, and the genetic characterisation of resistance in three common bean genotypes. <i>Crop and Pasture Science</i> , 2017, 68, 1006.	0.7	7
5180	Development of linkage map and mapping of QTLs for oil content and yield attributes in linseed ( <i>Linum</i> ) Tj ETQq1 1 0,784314 rgBT /Over	0.6	6
5181	Extreme Suppression of Lateral Floret Development by a Single Amino Acid Change in the VRS1 Transcription Factor. <i>Plant Physiology</i> , 2017, 175, 1720-1731.	2.3	49
5182	SSR-enriched genetic linkage maps of bermudagrass ( <i>Cynodon dactylon</i> — <i>transvaalensis</i> ), and their comparison with allied plant genomes. <i>Theoretical and Applied Genetics</i> , 2017, 130, 819-839.	1.8	12
5183	Identification and validation of major QTLs and epistatic interactions for seed oil content in soybeans under multiple environments based on a high-density map. <i>Euphytica</i> , 2017, 213, 1.	0.6	14
5184	Genetics and mapping of a new leaf rust resistance gene in <i>Triticum aestivum</i> L. — <i>Triticum timopheevii</i> Zhuk. derivative "Selection G12". <i>Journal of Genetics</i> , 2017, 96, 291-297.	0.4	16
5185	PERGOLA: fast and deterministic linkage mapping of polyploids. <i>BMC Bioinformatics</i> , 2017, 18, 12.	1.2	32
5186	Construction of high-resolution recombination maps in Asian seabass. <i>BMC Genomics</i> , 2017, 18, 63.	1.2	26
5187	A QTL with Major Effect on Reducing Stripe Rust Severity Detected From a Chinese Wheat Landrace. <i>Plant Disease</i> , 2017, 101, 1533-1539.	0.7	11
5188	Map-based cloning and characterization of the novel yellow-green leaf gene <i>ys83</i> in rice ( <i>Oryza sativa</i> ) Tj ETQq1 1 0,784314 rgBT /Over	2.8	59
5189	Genotyping-by-sequencing approaches to characterize crop genomes: choosing the right tool for the right application. <i>Plant Biotechnology Journal</i> , 2017, 15, 149-161.	4.1	240
5190	Molecular mapping of a quantitative trait locus <i>qSTV11</i> harbouring rice stripe virus resistance gene, <i>Stv1</i> . <i>Plant Breeding</i> , 2017, 136, 61-66.	1.0	5
5191	Fine Mapping of a New Race-Specific Blast Resistance Gene, <i>Pi-hk2</i> , in <i>Japonica</i> Heikezijing from Taihu Region of China. <i>Phytopathology</i> , 2017, 107, 84-91.	1.1	4
5192	Mapping QTL for stay-green and agronomic traits in wheat under diverse water regimes. <i>Euphytica</i> , 2017, 213, 1.	0.6	83
5193	Novel and favorable genomic regions for spike related traits in a wheat germplasm Pubing 3504 with high grain number per spike under varying environments. <i>Journal of Integrative Agriculture</i> , 2017, 16, 2386-2401.	1.7	23
5194	Parthenocarpy in the Tomato (&i>Solanum lycopersicum&i> L.) Cultivar "MPK-1" is Controlled by a Novel Parthenocarpic Gene. <i>Horticulture Journal</i> , 2017, 86, 487-492.	0.3	22

#	ARTICLE	IF	CITATIONS
5195	Identification and characterization of regulatory network components for anthocyanin synthesis in barley aleurone. <i>BMC Plant Biology</i> , 2017, 17, 184.	1.6	39
5196	Identification and confirmation of greenbug resistance loci in an advanced mapping population of sorghum. <i>Journal of Agricultural Science</i> , 2017, 155, 1610-1622.	0.6	4
5198	Quantitative trait loci analysis of grain appearance in <i>Oryza sativa</i> L. "Emi-no-kizuna"™. <i>Breeding Science</i> , 2017, 67, 421-426.	0.9	2
5199	Improvement of seed shattering and dormancy in <i>Oryza sativa</i> L. "Hokuriku 193"™ based on genetic information. <i>Breeding Science</i> , 2017, 67, 173-180.	0.9	1
5200	Genetic analysis and fine mapping of the RK4 gene for round kernel in rice ( <i>Oryza sativa</i> L.). <i>Czech Journal of Genetics and Plant Breeding</i> , 2017, 53, 153-158.	0.4	1
5201	QTL Mapping for Yield and Resistance against Mediterranean Corn Borer in Maize. <i>Frontiers in Plant Science</i> , 2017, 8, 698.	1.7	20
5202	Fine Mapping of QTLs for Ascochyta Blight Resistance in Pea Using Heterogeneous Inbred Families. <i>Frontiers in Plant Science</i> , 2017, 8, 765.	1.7	35
5203	Development of Elite BPH-Resistant Wide-Spectrum Restorer Lines for Three and Two Line Hybrid Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 986.	1.7	27
5204	Quantitative Trait Locus Mapping of Salt Tolerance and Identification of Salt-Tolerant Genes in <i>Brassica napus</i> L. <i>Frontiers in Plant Science</i> , 2017, 8, 1000.	1.7	36
5205	A High-Density Consensus Map of Common Wheat Integrating Four Mapping Populations Scanned by the 90K SNP Array. <i>Frontiers in Plant Science</i> , 2017, 8, 1389.	1.7	62
5206	Toward Identification of Black Lemma and Pericarp Gene <i>Blp1</i> in Barley Combining Bulk Segregant Analysis and Specific-Locus Amplified Fragment Sequencing. <i>Frontiers in Plant Science</i> , 2017, 8, 1414.	1.7	21
5207	A New Resistance Gene against Potato Late Blight Originating from <i>Solanum pinnatisectum</i> Located on Potato Chromosome 7. <i>Frontiers in Plant Science</i> , 2017, 8, 1729.	1.7	43
5208	Mapping QTLs Controlling Flowering Time and Important Agronomic Traits in Pearl Millet. <i>Frontiers in Plant Science</i> , 2017, 8, 1731.	1.7	26
5209	eQTLs Regulating Transcript Variations Associated with Rapid Internode Elongation in Deepwater Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 1753.	1.7	29
5210	Identification and Map-Based Cloning of the Light-Induced Lesion Mimic Mutant 1 (LIL1) Gene in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 2122.	1.7	18
5211	Identification of quantitative trait loci underlying seed oil content of soybean including main, epistatic and QTLA—environment effects in different regions of Northeast China. <i>Crop and Pasture Science</i> , 2017, 68, 625.	0.7	7
5212	Quantitative trait loci analysis of blast resistance in <i>Oryza sativa</i> L. "Hokuriku 193"™. <i>Breeding Science</i> , 2017, 67, 159-164.	0.9	5
5213	Marker-Assisted Development and Evaluation of Near-Isogenic Lines for Broad-Spectrum Powdery Mildew Resistance Gene <i>Pm2b</i> Introgressed into Different Genetic Backgrounds of Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 1322.	1.7	11



#	ARTICLE	IF	CITATIONS
5214	Genetics and Molecular Mapping of Heat Tolerance for Seedling Survival and Pod Set in Lentil. <i>Crop Science</i> , 2017, 57, 3059-3067.	0.8	31
5215	A Novel <i>Phytophthora sojae</i> Resistance Rps12 Gene Mapped to a Genomic Region That Contains Several Rps Genes. <i>PLoS ONE</i> , 2017, 12, e0169950.	1.1	68
5216	Mapping and Genetic Structure Analysis of the Anthracnose Resistance Locus Co-1HY in the Common Bean ( <i>Phaseolus vulgaris</i> L.). <i>PLoS ONE</i> , 2017, 12, e0169954.	1.1	36
5217	Fine Mapping and Candidate Gene Analysis of the Tiller Suppression Gene ts1 in Rice. <i>PLoS ONE</i> , 2017, 12, e0170574.	1.1	7
5218	Molecular mapping of the grain iron and zinc concentration, protein content and thousand kernel weight in wheat ( <i>Triticum aestivum</i> L.). <i>PLoS ONE</i> , 2017, 12, e0174972.	1.1	91
5219	New statistical methods for estimation of recombination fractions in F2 population. <i>BMC Bioinformatics</i> , 2017, 18, 404.	1.2	1
5220	Mesocotyl Elongation is Essential for Seedling Emergence Under Deep-Seeding Condition in Rice. <i>Rice</i> , 2017, 10, 32.	1.7	46
5221	Panicle blast 1 (Pb1) resistance is dependent on at least four QTLs in the rice genome. <i>Rice</i> , 2017, 10, 36.	1.7	19
5222	Identification of environmentally stable QTLs controlling Saponin content in <i>Glycine max</i> . <i>Breeding Science</i> , 2017, 67, 123-128.	0.9	4
5223	Detection and validation of QTLs for milky-white grains caused by high temperature during the ripening period in <i>Japonica</i> rice. <i>Breeding Science</i> , 2017, 67, 333-339.	0.9	17
5224	Identification, Mapping and Pyramiding of Genes/Quantitative Trait Loci (QTLs) for Durable Resistance of Crops to Biotic Stresses. <i>Journal of Plant Pathology &amp; Microbiology</i> , 2017, 08, .	0.3	4
5225	Genetic and Chemical Analysis of Deep Purple Flower in Soybean. <i>Crop Science</i> , 2017, 57, 1893-1898.	0.8	2
5226	Identification of quantitative trait loci underlying fatty acid content of soybean ( <i>Glycine max</i> ), including main, epistatic and QTL $\times$ environment effects across multiple environments. <i>Crop and Pasture Science</i> , 2017, 68, 842.	0.7	2
5227	Fine mapping of <i>qSKC-1</i> , a major quantitative trait locus for shoot K <sup>+</sup> concentration, in rice seedlings grown under salt stress. <i>Breeding Science</i> , 2017, 67, 286-295.	0.9	11
5228	QTL mapping to anthracnose leaf blight resistance in tropical maize. <i>Crop Breeding and Applied Biotechnology</i> , 2017, 17, 390-398.	0.1	2
5229	Fine mapping and candidate gene prediction of a major QTL for kernel number per ear in maize. <i>Molecular Breeding</i> , 2018, 38, 1.	1.0	9
5230	Linkage and association mapping reveals the genetic basis of brown fibre ( <i>Gossypium hirsutum</i> ). <i>Plant Biotechnology Journal</i> , 2018, 16, 1654-1666.	4.1	41
5231	Genetic mapping of a novel recessive allele for non-glaucousness in wild diploid wheat <i>Aegilops tauschii</i> : implications for the evolution of common wheat. <i>Genetica</i> , 2018, 146, 249-254.	0.5	3

#	ARTICLE	IF	CITATIONS
5232	Rapid identification of a stripe rust resistant gene in a space-induced wheat mutant using specific locus amplified fragment (SLAF) sequencing. <i>Scientific Reports</i> , 2018, 8, 3086.	1.6	54
5233	Adult plant leaf rust resistance derived from the wheat landrace cultivar Americano 44d is conditioned by interaction of three QTL. <i>Euphytica</i> , 2018, 214, 1.	0.6	10
5234	Mapping and characterization of the new adult plant leaf rust resistance gene Lr77 derived from Santa Fe winter wheat. <i>Theoretical and Applied Genetics</i> , 2018, 131, 1553-1560.	1.8	58
5235	Characterization of a new Pm2 allele associated with broad-spectrum powdery mildew resistance in wheat line Subtil. <i>Scientific Reports</i> , 2018, 8, 475.	1.6	14
5236	Characterization of Pm59, a novel powdery mildew resistance gene in Afghanistan wheat landrace PI 181356. <i>Theoretical and Applied Genetics</i> , 2018, 131, 1145-1152.	1.8	56
5237	Genetic mapping of a lobed-leaf gene associated with salt tolerance in <i>Brassica napus</i> L.. <i>Plant Science</i> , 2018, 269, 75-84.	1.7	9
5238	The $\beta$ -Ketoacyl-CoA Synthase HvKCS1, Encoded by Cer-zh, Plays a Key Role in Synthesis of Barley Leaf Wax and Germination of Barley Powdery Mildew. <i>Plant and Cell Physiology</i> , 2018, 59, 811-827.	1.5	37
5239	Trait Mapping Approaches Through Linkage Mapping in Plants. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2018, 164, 53-82.	0.6	12
5240	Current Status and Future Prospects of Next-Generation Data Management and Analytical Decision Support Tools for Enhancing Genetic Gains in Crops. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2018, 164, 277-292.	0.6	4
5241	Inheritance and gene mapping of the white flower trait in <i>Brassica juncea</i> . <i>Molecular Breeding</i> , 2018, 38, 1.	1.0	9
5242	Identification of quantitative trait loci underlying seed shape in soybean across multiple environments. <i>Journal of Agricultural Science</i> , 2018, 156, 3-12.	0.6	5
5243	QTL Identification and Mapping in Soft Spring Wheat ( <i>Triticum aestivum</i> L.) under Controlled Agroecological and Biological Testing Area Conditions with and without Nitrogen Fertilizer. <i>Russian Journal of Plant Physiology</i> , 2018, 65, 123-135.	0.5	4
5244	Large effect quantitative trait loci for salicinoid phenolic glycosides in <i>Populus</i> : Implications for gene discovery. <i>Ecology and Evolution</i> , 2018, 8, 3726-3737.	0.8	6
5245	Chromosome-level assembly, genetic and physical mapping of <i>Phalaenopsis aphrodite</i> genome provides new insights into species adaptation and resources for orchid breeding. <i>Plant Biotechnology Journal</i> , 2018, 16, 2027-2041.	4.1	73
5246	Identification of a novel QTL for the number of spikelets per panicle using a cross between indica and japonica high yielding rice cultivars in Japan. <i>Plant Breeding</i> , 2018, 137, 109-117.	1.0	9
5247	Mapping of new quantitative trait loci for sudden death syndrome and soybean cyst nematode resistance in two soybean populations. <i>Theoretical and Applied Genetics</i> , 2018, 131, 1047-1062.	1.8	13
5248	Integrating genetic analysis and crop modeling: A major QTL can finely adjust photoperiod-sensitive sorghum flowering. <i>Field Crops Research</i> , 2018, 221, 7-18.	2.3	11
5249	Identification and Validation of a New Source of Low Grain Cadmium Accumulation in Durum Wheat. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 923-932.	0.8	19

#	ARTICLE	IF	CITATIONS
5250	A major locus for resistance to <i>Botryosphaeria dothidea</i> in <i>Prunus</i> . <i>Tree Genetics and Genomes</i> , 2018, 14, 1.	0.6	15
5251	Haplotype-based allele mining in the Japan-MAGIC rice population. <i>Scientific Reports</i> , 2018, 8, 4379.	1.6	23
5252	Minor-effect QTL for heading date detected in crosses between indica rice cultivar Teqing and near isogenic lines of IR24. <i>Crop Journal</i> , 2018, 6, 291-298.	2.3	11
5253	Fine mapping of the root-knot nematode resistance gene <i>Me1</i> in pepper ( <i>Capsicum annuum</i> L.) and development of markers tightly linked to <i>Me1</i> . <i>Molecular Breeding</i> , 2018, 38, 1.	1.0	24
5254	Genome-wide analysis of allele frequency change in sunflower crop wild hybrid populations evolving under natural conditions. <i>Molecular Ecology</i> , 2018, 27, 233-247.	2.0	18
5255	Adult Plant Leaf Rust Resistance Derived from Toropi Wheat is Conditioned by <i>Lr78</i> and Three Minor QTL. <i>Phytopathology</i> , 2018, 108, 246-253.	1.1	58
5256	QTL mapping of downy and powdery mildew resistances in PI 197088 cucumber with genotyping-by-sequencing in RIL population. <i>Theoretical and Applied Genetics</i> , 2018, 131, 597-611.	1.8	86
5257	Gene mapping and transcriptome profiling of a practical photo-thermo-sensitive rice male sterile line with seedling-specific green-reversible albino leaf. <i>Plant Science</i> , 2018, 266, 37-45.	1.7	15
5258	Natural variation in photoperiodic flowering pathway and identification of photoperiod-insensitive accessions in wild wheat, <i>Aegilops tauschii</i> . <i>Euphytica</i> , 2018, 214, 1.	0.6	5
5259	Identification and mapping of <i>ts</i> (tender spines), a gene involved in soft spine development in <i>Cucumis sativus</i> . <i>Theoretical and Applied Genetics</i> , 2018, 131, 1-12.	1.8	38
5260	Genetic mapping reveals a dominant awn-inhibiting gene related to differentiation of the variety <i>anathera</i> in the wild diploid wheat <i>Aegilops tauschii</i> . <i>Genetica</i> , 2018, 146, 75-84.	0.5	16
5261	Molecular mapping of quantitative trait loci for agronomical traits in soybean under Asian soybean rust infection. <i>Crop Breeding and Applied Biotechnology</i> , 2018, 18, 390-398.	0.1	3
5262	Quantitative trait loci associated with short inter-node length in soybean. <i>Breeding Science</i> , 2018, 68, 554-560.	0.9	13
5263	Selection of Transcripts Affecting Initial Growth Rate of Rice Backcrossed Inbred Lines Using RNA Sequencing Data. <i>Frontiers in Plant Science</i> , 2018, 9, 1880.	1.7	2
5264	gmRAD: an integrated SNP calling pipeline for genetic mapping with RADseq across a hybrid population. <i>Briefings in Bioinformatics</i> , 2018, , .	3.2	4
5265	Chromosomal location and mapping of quantitative trait locus determining technological parameters of grain and flour in strong-flour bread wheat cultivar <i>saratovskaya 29</i> . <i>Cereal Research Communications</i> , 2018, 46, 628-638.	0.8	5
5266	Expressional and positional candidate genes for resistance to <i>Peyronellaea pinodes</i> in pea. <i>Euphytica</i> , 2018, 214, 1.	0.6	3
5267	A genetic system on chromosome arm 1BL of wild emmer causes distorted segregation in common wheat. <i>Journal of Genetics</i> , 2018, 97, 1421-1431.	0.4	1

#	ARTICLE	IF	CITATIONS
5268	Mapping five novel interspecific hybrid sterility loci between <i>Oryza sativa</i> and <i>Oryza meridionalis</i> . <i>Breeding Science</i> , 2018, 68, 516-523.	0.9	9
5269	Quantitative trait locus mapping for seed artificial aging traits using an F <sub>2</sub> :3 population and a recombinant inbred line population crossed from two highly related maize inbreds. <i>Plant Breeding</i> , 2018, 138, 29.	1.0	15
5270	RNA Sequencing-Based Bulk Segregant Analysis Facilitates Efficient D-genome Marker Development for a Specific Chromosomal Region of Synthetic Hexaploid Wheat. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3749.	1.8	11
5271	QTL mapping for resistance to Cucurbit chlorotic yellows virus in melon ( <i>Cucumis melo</i> L.). <i>Euphytica</i> , 2018, 214, 1.	0.6	7
5272	Cytological characterization and molecular mapping of a novel recessive genic male sterility in sesame ( <i>Sesamum indicum</i> L.). <i>PLoS ONE</i> , 2018, 13, e0204034.	1.1	8
5273	Genetics and mapping of the novel leaf-colour mutant gene. <i>Crop and Pasture Science</i> , 2018, 69, 955-965.	0.7	6
5274	Mapping of quantitative trait loci associated with rice black-streaked dwarf virus disease and its insect vector in rice ( <i>Oryza sativa</i> L.). <i>Plant Breeding</i> , 2018, 137, 698-705.	1.0	11
5275	Identification of genomic regions regulating ammonium-dependent inhibition of primary root length in <i>Arabidopsis thaliana</i> . <i>Soil Science and Plant Nutrition</i> , 2018, 64, 746-751.	0.8	5
5276	Adult Plant Leaf Rust Resistance Derived from the Soft Red Winter Wheat Cultivar "Caldwell" Maps to Chromosome 3BS. <i>Crop Science</i> , 2018, 58, 152-158.	0.8	34
5277	Identification and Mapping of Late Blight Resistance Quantitative Trait Loci in Tomato Accession PI 163245. <i>Plant Genome</i> , 2018, 11, 180007.	1.6	11
5278	Abiotic Stress Tolerance in Rice ( <i>Oryza sativa</i> L.): A Genomics Perspective of Salinity Tolerance. , 0, , .		3
5279	Er3 gene, conferring resistance to powdery mildew in pea, is located in pea LGIV. <i>Euphytica</i> , 2018, 214, 1.	0.6	21
5280	A follow-up study for biomass yield QTLs in rice. <i>PLoS ONE</i> , 2018, 13, e0206054.	1.1	5
5281	Heat Stress Tolerance in Rice ( <i>Oryza sativa</i> L.): Identification of Quantitative Trait Loci and Candidate Genes for Seedling Growth Under Heat Stress. <i>Frontiers in Plant Science</i> , 2018, 9, 1578.	1.7	98
5282	Soybean Breeding on Seed Composition Trait. , 2018, , .		0
5283	Plant Genetics and Molecular Biology. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2018, , .	0.6	6
5284	Molecular mapping of aluminium resistance loci based on root re-growth and Al-induced fluorescent signals (callose accumulation) in lentil ( <i>Lens culinaris</i> Medikus). <i>Molecular Biology Reports</i> , 2018, 45, 2103-2113.	1.0	7
5285	Subtropical adaptation of a temperate plant ( <i>Brassica oleracea</i> var. <i>italica</i> ) utilizes non-vernalization-responsive QTLs. <i>Scientific Reports</i> , 2018, 8, 13609.	1.6	28

#	ARTICLE	IF	CITATIONS
5286	Locating QTLs controlling overwintering seedling rate in perennial glutinous rice 89-1 ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	6
5287	Mapping of quantitative trait loci related to primary rice root growth as a response to inoculation with <i>Azospirillum</i> sp. strain B510. <i>Communicative and Integrative Biology</i> , 2018, 11, 1-6.	0.6	3
5288	QTL mapping for some grain traits in bread wheat ( <i>Triticum aestivum</i> L.). <i>Physiology and Molecular Biology of Plants</i> , 2018, 24, 909-920.	1.4	39
5289	QTL Analysis for Grain Iron and Zinc Concentrations in Two <i>O. nivara</i> Derived Backcross Populations. <i>Rice Science</i> , 2018, 25, 197-207.	1.7	66
5290	Inheritance and Molecular Mapping of Tight-placenta Gene and Seed Traits in Chinese Hami Melon "Queen". <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2018, 53, 788-794.	0.5	3
5291	Identification and dissection of single seed weight QTLs by analysis of seed yield components in soybean. <i>Breeding Science</i> , 2018, 68, 177-187.	0.9	12
5292	Identification and characterization of Rht25, a locus on chromosome arm 6AS affecting wheat plant height, heading time, and spike development. <i>Theoretical and Applied Genetics</i> , 2018, 131, 2021-2035.	1.8	94
5293	A novel QTL qSPP2.2 controlling spikelet per panicle identified from <i>Oryza longistaminata</i> (A. Chev. et) Tj ETQq1 1 0.784314 rgBT /Over	1.0	9
5294	Common Bean Subtelomeres Are Hot Spots of Recombination and Favor Resistance Gene Evolution. <i>Frontiers in Plant Science</i> , 2018, 9, 1185.	1.7	54
5295	On the Origin of the Non-brittle Rachis Trait of Domesticated Einkorn Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 2031.	1.7	58
5296	Genome-Based Prediction of Time to Curd Induction in Cauliflower. <i>Frontiers in Plant Science</i> , 2018, 9, 78.	1.7	15
5297	AtHMA4 Drives Natural Variation in Leaf Zn Concentration of <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 270.	1.7	20
5298	QTLs underlying the genetic interrelationship between efficient compatibility of <i>Bradyrhizobium</i> strains with soybean and genistein secretion by soybean roots. <i>PLoS ONE</i> , 2018, 13, e0194671.	1.1	14
5299	UGbS-Flex, a novel bioinformatics pipeline for imputation-free SNP discovery in polyploids without a reference genome: finger millet as a case study. <i>BMC Plant Biology</i> , 2018, 18, 117.	1.6	54
5300	Inheritance and Genetic Mapping of the Reduced Height (Rht18) Gene in Wheat. <i>Plants</i> , 2018, 7, 58.	1.6	13
5301	Genetic dissection of pre-harvest sprouting resistance in an upland rice cultivar. <i>Breeding Science</i> , 2018, 68, 200-209.	0.9	15
5302	SNP genotyping reveals major QTLs for plant architectural traits between A-genome peanut wild species. <i>Molecular Genetics and Genomics</i> , 2018, 293, 1477-1491.	1.0	7
5303	Mapping Grain Iron and Zinc Content Quantitative Trait Loci in an Iniadi-Derived Immortal Population of Pearl Millet. <i>Genes</i> , 2018, 9, 248.	1.0	61

#	ARTICLE	IF	CITATIONS
5304	A novel QTL associated with rice canopy temperature difference affects stomatal conductance and leaf photosynthesis. <i>Breeding Science</i> , 2018, 68, 305-315.	0.9	23
5305	Genotyping Tools for the Octoploid Strawberry. <i>Compendium of Plant Genomes</i> , 2018, , 115-127.	0.3	0
5306	An EMS-induced new sequence variant, TEMS5032, in the coding region of SRS3 gene leads to shorter grain length in rice ( <i>Oryza sativa</i> L.). <i>Journal of Applied Genetics</i> , 2018, 59, 377-389.	1.0	1
5307	Genetic Mapping of Quantitative Trait Loci for Grain Yield under Drought in Rice under Controlled Greenhouse Conditions. <i>Frontiers in Chemistry</i> , 2017, 5, 129.	1.8	43
5308	Low pyrrolizidine alkaloid levels in perennial ryegrass is associated with the absence of a homospermidine synthase gene. <i>BMC Plant Biology</i> , 2018, 18, 56.	1.6	6
5309	Validation and Fine Mapping a Multifunction Region <i>qPCG10</i> / <i>qDC10</i> Conferring Chalkiness and Grain Shape of Rice. <i>Crop Science</i> , 2018, 58, 639-649.	0.8	4
5310	Marker-assisted backcrossing of <i>lcyE</i> for enhancement of <i>proA</i> in sweet corn. <i>Euphytica</i> , 2018, 214, 1.	0.6	26
5311	The Genetics of a Behavioral Speciation Phenotype in an Island System. <i>Genes</i> , 2018, 9, 346.	1.0	16
5312	Genomic Approaches for Micronutrients Biofortification of Rice. , 2018, , 245-260.		5
5313	Genetics and molecular mapping of a novel purple blotch-resistant gene <i>ApR1</i> in onion ( <i>Allium cepa</i> L.) using STS and SSR markers. <i>Molecular Breeding</i> , 2018, 38, 1.	1.0	11
5314	The Genomic Architecture of a Rapid Island Radiation: Recombination Rate Variation, Chromosome Structure, and Genome Assembly of the Hawaiian Cricket <i>Laupala</i> . <i>Genetics</i> , 2018, 209, 1329-1344.	1.2	32
5315	A Backcross Line of Thatcher Wheat with Adult Plant Leaf Rust Resistance Derived from Duster Wheat has <i>Lr46</i> and <i>Lr77</i> . <i>Phytopathology</i> , 2019, 109, 127-132.	1.1	10
5316	Gene Mapping. , 2019, , 242-250.		3
5317	QTL mapping of photosynthetic-related traits in rice under salt and alkali stresses. <i>Euphytica</i> , 2019, 215, 1.	0.6	13
5318	Genetic mapping of the <i>Ph</i> gene conferring disease resistance to black shank in tobacco. <i>Molecular Breeding</i> , 2019, 39, 1.	1.0	7
5319	Developmental Pleiotropy Shaped the Roots of the Domesticated Common Bean ( <i>Phaseolus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2.3 32		
5320	Next generation long-culm rice with superior lodging resistance and high grain yield, Monster Rice 1. <i>PLoS ONE</i> , 2019, 14, e0221424.	1.1	26
5321	Genetic studies for breeding of rice cultivars with superior grain appearance and lodging resistance from the rice cultivar "Emi-no-kizuna"™. <i>Plant Production Science</i> , 2019, 22, 546-553.	0.9	0

#	ARTICLE	IF	CITATIONS
5322	Late flowering in F1 hybrid rice brought about by the complementary effect of quantitative trait loci. <i>Genetica</i> , 2019, 147, 351-358.	0.5	2
5323	QTL Mapping of Diffuse Reflectance Indices of Leaves in Hexaploid Bread Wheat ( <i>Triticum aestivum</i> L.). <i>Russian Journal of Plant Physiology</i> , 2019, 66, 77-86.	0.5	5
5324	Identification of favorable alleles for rice seedling anoxic tolerance using natural and bi-parental populations. <i>Euphytica</i> , 2019, 215, 1.	0.6	2
5325	Thatcher wheat line RL6149 carries Lr64 and a second leaf rust resistance gene on chromosome 1DS. <i>Theoretical and Applied Genetics</i> , 2019, 132, 2809-2814.	1.8	36
5326	Fine mapping and identification of the rice blast-resistance locus Pi-kf2(t) as a new member of the Pi2/Pi9 multigene family. <i>Molecular Breeding</i> , 2019, 39, 1.	1.0	3
5327	Two types of mutations in the HEUKCHEEM gene functioning in cucumber spine color development can be used as signatures for cucumber domestication. <i>Planta</i> , 2019, 250, 1491-1504.	1.6	7
5328	Inheritance and molecular mapping of restorer-of-fertility (Rf) gene in A <sub>2</sub> hybrid system in pigeonpea ( <i>Cajanus cajan</i> ). <i>Plant Breeding</i> , 2019, 138, 741-747.	1.0	9
5329	Molecular mapping of a novel male-sterile gene msNJ in soybean [ <i>Glycine max</i> (L.) Merr.]. <i>Plant Reproduction</i> , 2019, 32, 371-380.	1.3	18
5330	Evaluation of the resistance effect of QTLs derived from wild soybean ( <i>Glycine soja</i> ) to common cutworm ( <i>Spodoptera litura</i> ; Fabricius). <i>Breeding Science</i> , 2019, 69, 529-535.	0.9	8
5331	Surveillance of panicle positions by unmanned aerial vehicle to reveal morphological features of rice. <i>PLoS ONE</i> , 2019, 14, e0224386.	1.1	6
5332	Morphological, cytological, and genetic analyses of the <i>oesango</i> mutant with the defects in basidiocarp development in edible mushroom <i>Pleurotus pulmonarius</i> . <i>FEMS Microbiology Letters</i> , 2019, 366, .	0.7	0
5333	Fine mapping of a locus presumably involved in hybrid inviability ( <i>Hls-1</i> ) between flowering cherry cultivar <i>Cerasus</i> <i>Å— yedoensis</i> and its wild relative <i>C. spachiana</i> . <i>Breeding Science</i> , 2019, 69, 658-664.	0.9	3
5334	Identification of a New Powdery Mildew Resistance Gene <i>pmDHT</i> at or Closely Linked to the <i>Pm5</i> Locus in the Chinese Wheat Landrace Dahongtou. <i>Plant Disease</i> , 2019, 103, 2645-2651.	0.7	28
5335	Mutation in a PHD-finger protein MS4 causes male sterility in soybean. <i>BMC Plant Biology</i> , 2019, 19, 378.	1.6	19
5336	Mapping of QTL for aluminum tolerance in tropical maize. <i>Crop Breeding and Applied Biotechnology</i> , 2019, 19, 86-94.	0.1	4
5337	Research Article Identification of SSR markers linked to partial resistance to soybean rust in Brazil from crosses using the resistant genotype IAC 100. <i>Genetics and Molecular Research</i> , 2019, 18, .	0.3	1
5338	Molecular mapping of stripe rust resistance gene YrH9017 in wheat- <i>Psathyrostachys huashanica</i> introgression line H9017-14-16-5-3. <i>Journal of Integrative Agriculture</i> , 2019, 18, 108-114.	1.7	29
5339	Characterization and fine mapping of <i>nonstop glumes 2</i> ( <i>nsg2</i> ) mutant in rice ( <i>Oryza</i> ) Tj ETQq1 1,0,784314,rgBT /Ore	0,5	1

#	ARTICLE	IF	CITATIONS
5340	The Relationship between Farm Size and Productivity in Agriculture: Evidence from Maize Production in Northern China. <i>American Journal of Agricultural Economics</i> , 2019, 101, 790-806.	2.4	94
5341	Correcting Pervasive Errors in Genotypic Datasets to Develop Genetic Maps. <i>Agronomy</i> , 2019, 9, 196.	1.3	1
5342	Genome-wide polymorphisms from RNA sequencing assembly of leaf transcripts facilitate phylogenetic analysis and molecular marker development in wild einkorn wheat. <i>Molecular Genetics and Genomics</i> , 2019, 294, 1327-1341.	1.0	12
5343	Characterization of Pm65, a new powdery mildew resistance gene on chromosome 2AL of a facultative wheat cultivar. <i>Theoretical and Applied Genetics</i> , 2019, 132, 2625-2632.	1.8	43
5344	The tomato WV gene encoding a thioredoxin protein is essential for chloroplast development at low temperature and high light intensity. <i>BMC Plant Biology</i> , 2019, 19, 265.	1.6	8
5345	QTL analysis of delayed maize flowering in response to low phosphate across multi-environments. <i>Euphytica</i> , 2019, 215, 1.	0.6	5
5346	Genomic Designing of Climate-Smart Pulse Crops. , 2019, , .		5
5347	Grass Pea: Remodeling an Ancient Insurance Crop for Climate Resilience. , 2019, , 425-469.		11
5348	Construction of Genetic Linkage Maps in Multiparental Populations. <i>Genetics</i> , 2019, 212, 1031-1044.	1.2	11
5349	Cloning of a COBL gene determining brittleness in diploid wheat using a MapRseq approach. <i>Plant Science</i> , 2019, 285, 141-150.	1.7	12
5350	Characterization and Rapid Gene-Mapping of Leaf Lesion Mimic Phenotype of spl-1 Mutant in Soybean ( <i>Glycine max</i> (L.) Merr.). <i>International Journal of Molecular Sciences</i> , 2019, 20, 2193.	1.8	23
5351	Integration of lodging resistance QTL in soybean. <i>Scientific Reports</i> , 2019, 9, 6540.	1.6	10
5352	Mutation in <i>EMB1923</i> gene promoter is associated with chlorophyll deficiency in Chinese cabbage ( <i>Brassica campestris</i> ssp. <i>pekinensis</i> ). <i>Physiologia Plantarum</i> , 2019, 166, 909-920.	2.6	21
5353	Twenty-four alleles at twelve quantitative trait loci act additively to control tiller angle in cultivated rice. <i>Plant Growth Regulation</i> , 2019, 88, 195-203.	1.8	4
5354	Detection of QTL for panicle architecture in $F_2$ population of rice. <i>Journal of Genetics</i> , 2019, 98, 1.	0.4	4
5355	Identification and application of major quantitative trait loci for panicle length in rice ( <i>Oryza sativa</i> ) through single-segment substitution lines. <i>Plant Breeding</i> , 2019, 138, 299-308.	1.0	9
5356	Genetic Evaluation of Exotic Chromatins from Two Obsolete Interspecific Introgression Lines of Upland Cotton for Fiber Quality Improvement. <i>Crop Science</i> , 2019, 59, 1073-1084.	0.8	8
5357	Characterization and Gene Mapping of non-open hull 1 (noh1) Mutant in Rice ( <i>Oryza sativa</i> L.). <i>Agronomy</i> , 2019, 9, 56.	1.3	4



#	ARTICLE	IF	CITATIONS
5358	Maturity2, a novel regulator of flowering time in <i>Sorghum bicolor</i> , increases expression of SbPRR37 and SbCO in long days delaying flowering. <i>PLoS ONE</i> , 2019, 14, e0212154.	1.1	33
5359	The highly divergent <i>Jekyll</i> genes, required for sexual reproduction, are lineage specific for the related grass tribes Triticeae and Bromeeae. <i>Plant Journal</i> , 2019, 98, 961-974.	2.8	7
5360	Genetic diversity between two Egyptian clover varieties and QTL analysis for some agro-morphological traits. <i>Molecular Biology Reports</i> , 2019, 46, 897-908.	1.0	3
5361	Deciphering the Genetics of Major End-Use Quality Traits in Wheat. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 1405-1427.	0.8	11
5362	Construction of genetic linkage map and identification of QTLs related to agronomic traits in DH population of maize ( <i>Zea mays</i> L.) using SSR markers. <i>Genes and Genomics</i> , 2019, 41, 667-678.	0.5	20
5363	Quality Breeding in Field Crops. , 2019, , .		4
5364	Genetic analysis of a unique "super soft"™ kernel texture phenotype in soft white spring wheat. <i>Journal of Cereal Science</i> , 2019, 85, 162-167.	1.8	15
5365	Mapping quantitative trait loci conferring resistance to Marssonina leaf spot disease in <i>Populus deltoides</i> . <i>Trees - Structure and Function</i> , 2019, 33, 697-706.	0.9	19
5366	Updating the Genome of the Elite Rice Variety Kongyu131 to Expand Its Ecological Adaptation Region. <i>Frontiers in Plant Science</i> , 2019, 10, 288.	1.7	9
5367	A missense mutation of <i>STERILE APETALA</i> leads to female sterility in Chinese cabbage ( <i>Brassica</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.3	5
5368	Unique fertility restoration suppressor genes for male-sterile CMS ANN2 and CMS ANN3 cytoplasm in sunflower ( <i>Helianthus annuus</i> L.). <i>Molecular Breeding</i> , 2019, 39, 1.	1.0	3
5369	Exploring sources of resistance to brown rot in an interspecific almond × peach population. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 4105-4113.	1.7	22
5370	Conventional and Molecular Breeding Approaches for Biofortification of Pearl Millet. , 2019, , 85-107.		5
5371	Sunflower and Climate Change: Possibilities of Adaptation Through Breeding and Genomic Selection. , 2019, , 173-238.		14
5372	Linkage Analysis and Haplotype Phasing in Experimental Autopolyploid Populations with High Ploidy Level Using Hidden Markov Models. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 3297-3314.	0.8	75
5373	Quantitative trait loci (QTL) mapping for intermittent drought tolerance in BRB 191 SEQ 1027 Andean Intra-gene cross recombinant inbred line population of common bean ( <i>Phaseolus vulgaris</i> L).. <i>African Journal of Biotechnology</i> , 2019, 18, 452-461.	0.3	7
5374	High-resolution mapping of <i>GRH6</i>, a gene from <i>Oryza nivara</i>; (Sharma) Tj ETQq0 0 0 rgBT /Overlock 10	0.9	7
5375	Four resistance alleles derived from <i>Oryza longistaminata</i> (A. Chev. & Roehrich) against green rice leafhopper, <i>Nephotettix cincticeps</i> (Uhler) identified using novel introgression lines. <i>Breeding Science</i> , 2019, 69, 573-584.	0.9	7

#	ARTICLE	IF	CITATIONS
5376	Favorable Alleles of GRAIN-FILLING RATE1 Increase the Grain-Filling Rate and Yield of Rice. <i>Plant Physiology</i> , 2019, 181, 1207-1222.	2.3	30
5377	Identification of quantitative trait loci for panicle structure and grain filling using a cross between <i>indica</i> and <i>japonica</i> -type high-yielding rice cultivars. <i>Plant Production Science</i> , 2019, 22, 443-455.	0.9	5
5378	Genetic Analysis and Gene Mapping for a Short-Petiole Mutant in Soybean ( <i>Glycine max</i> (L.) Merr.). <i>Agronomy</i> , 2019, 9, 709.	1.3	5
5379	Parallel genomic architecture underlies repeated sexual signal divergence in Hawaiian <i>Laupala</i> crickets. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191479.	1.2	15
5380	Characterization and Fine Mapping of a Leaf Wilt Mutant, <i>m3</i> , Induced by Heavy Ion Irradiation of Rice. <i>Crop Science</i> , 2019, 59, 2679-2688.	0.8	5
5381	<i>De novo</i> construction of polyploid linkage maps using discrete graphical models. <i>Bioinformatics</i> , 2019, 35, 1083-1093.	1.8	11
5382	Mapping of dwarfing gene <i>Rht14</i> in durum wheat and its effect on seedling vigor, internode length and plant height. <i>Crop Journal</i> , 2019, 7, 187-197.	2.3	18
5383	Construction of introgression lines of <i>Oryza rufipogon</i> and evaluation of important agronomic traits. <i>Theoretical and Applied Genetics</i> , 2019, 132, 543-553.	1.8	6
5384	Construction and evaluation of introgression lines and fine mapping of <i>ehd8</i> from Jinghong common wild rice ( <i>Oryza rufipogon</i> ). <i>Plant Breeding</i> , 2019, 138, 163-173.	1.0	3
5385	A Megabase-Scale Deletion is Associated with Phenotypic Variation of Multiple Traits in Maize. <i>Genetics</i> , 2019, 211, 305-316.	1.2	6
5386	Characterization of <i>Pm63</i> , a powdery mildew resistance gene in Iranian landrace PI 628024. <i>Theoretical and Applied Genetics</i> , 2019, 132, 1137-1144.	1.8	45
5387	Mapping versatile QTL for soybean downy mildew resistance. <i>Theoretical and Applied Genetics</i> , 2019, 132, 959-968.	1.8	5
5388	Quantitative trait loci for sorghum grain morphology and quality traits: Toward breeding for a traditional food preparation of West-Africa. <i>Journal of Cereal Science</i> , 2019, 85, 256-272.	1.8	17
5389	Genetics and molecular mapping of gynoecious ( <i>F</i> ) locus in cucumber ( <i>Cucumis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5	0.9	15
5390	A palmitoyltransferase <i>Approximated</i> gene <i>Bm</i> regulates wing development in <i>Bombyx mori</i> . <i>Insect Science</i> , 2020, 27, 2-13.	1.5	15
5391	Inheritance of faba bean resistance to Broomrape, genetic diversity and QTL mapping analysis. <i>Molecular Biology Reports</i> , 2020, 47, 11-32.	1.0	8
5392	Molecular mapping of nuclear male-sterility gene <i>ms-1</i> in muskmelon ( <i>Cucumis melo</i> L.). <i>Journal of Horticultural Science and Biotechnology</i> , 2020, 95, 162-168.	0.9	5
5393	Genetic mapping of quantitative trait locus for the leaf morphological traits in a recombinant inbred line population by ultra-high density maps across multi-environments of maize ( <i>Zea mays</i> ). <i>Plant Breeding</i> , 2020, 139, 107-118.	1.0	6

#	ARTICLE	IF	CITATIONS
5394	Identification of quantitative trait loci underlying resistance of soybean to <i>Fusarium graminearum</i> . <i>Plant Breeding</i> , 2020, 139, 141-147.	1.0	2
5395	CRISPR/Cas inactivation of <i>RECQ4</i> increases homeologous crossovers in an interspecific tomato hybrid. <i>Plant Biotechnology Journal</i> , 2020, 18, 805-813.	4.1	29
5396	Characterization of the <i>Q.Ymym</i> region on wheat chromosome 2D associated with wheat yellow mosaic virus resistance. <i>Plant Breeding</i> , 2020, 139, 93-106.	1.0	3
5397	Long-term study of a subdioecious <i>Populus</i> — <i>canescens</i> family reveals sex lability of females and reproduction behaviour of cosexual plants. <i>Plant Reproduction</i> , 2020, 33, 1-17.	1.3	5
5398	Biodiversity of <i>Pyricularia oryzae</i> Cav. in rice-growing regions of the south of Russia using PCR method. <i>Physiology and Molecular Biology of Plants</i> , 2020, 26, 289-303.	1.4	7
5399	At Least Five Major Genes Are Involved in the Avirulence of an Eleusine Isolate of <i>Pyricularia oryzae</i> on Common Wheat. <i>Phytopathology</i> , 2020, 110, 465-471.	1.1	11
5401	Isolation and functional analysis of the <i>zmARM4</i> locus in a novel maize ( <i>Zea mays</i> ) grain-filling mutant. <i>Plant Breeding</i> , 2020, 139, 217-226.	1.0	3
5402	Characterizing the main and epistatic effects and interactions of germination-related quantitative trait loci of tomato using a backcross inbred line population and near-isogenic lines. <i>Scientia Horticulturae</i> , 2020, 261, 109028.	1.7	1
5403	High-Quality SNP Linkage Maps Improved QTL Mapping and Genome Assembly in <i>Populus</i> . <i>Journal of Heredity</i> , 2020, 111, 515-530.	1.0	8
5404	Hydroperoxide lyase modulates defense response and confers lesion-mimic leaf phenotype in soybean ( <i>Glycine max</i> (L.) Merr.). <i>Plant Journal</i> , 2020, 104, 1315-1333.	2.8	11
5405	Resynthesis: Marker-Based Partial Reconstruction of Elite Genotypes in Clonally-Reproducing Plant Species. <i>Frontiers in Plant Science</i> , 2020, 11, 1205.	1.7	5
5406	Identification of <i>qLG2</i> , <i>qLG8</i> , and <i>qWG2</i> as novel quantitative trait loci for grain shape and the allelic analysis in cultivated rice. <i>Planta</i> , 2020, 252, 18.	1.6	2
5407	Identification of modifiers of the plant height in wheat using an induced dwarf mutant controlled by <i>RhtB4c</i> allele. <i>Physiology and Molecular Biology of Plants</i> , 2020, 26, 2283-2289.	1.4	9
5408	A Retrotransposon Insertion in <i>ChMML3_D12</i> Is Likely Responsible for the Lintless Locus <i>li3</i> of Tetraploid Cotton. <i>Frontiers in Plant Science</i> , 2020, 11, 593679.	1.7	6
5409	The loss of function of <i>HEL</i> , which encodes a cellulose synthase interactive protein, causes helical and vine-like growth of tomato. <i>Horticulture Research</i> , 2020, 7, 180.	2.9	6
5410	Genetic analysis of rice seedling traits related to machine transplanting under different seeding densities. <i>BMC Genetics</i> , 2020, 21, 133.	2.7	1
5411	Molecular mapping of stripe rust resistance gene <i>YrH921</i> in a wheat introgression line H921-1. <i>Journal of Phytopathology</i> , 2020, 168, 652-658.	0.5	0
5412	<i>GraS</i> is critical for chloroplast development and affects yield in rice. <i>Journal of Integrative Agriculture</i> , 2020, 19, 2603-2615.	1.7	4

#	ARTICLE	IF	CITATIONS
5413	Identification and Fine Mapping of Pi69(t), a New Gene Conferring Broad-Spectrum Resistance Against Magnaporthe oryzae From Oryza glaberrima Steud. <i>Frontiers in Plant Science</i> , 2020, 11, 1190.	1.7	12
5414	Identification and application of the Pigm1 gene in rice disease resistance breeding. <i>Plant Biology</i> , 2020, 22, 1022-1029.	1.8	4
5415	A Unique Cytoplasmic-Nuclear Interaction in Sunflower ( <i>Helianthus annuus</i> L.) Causing Reduced-Vigor Plants and the Genetics of Vigor Restoration. <i>Frontiers in Plant Science</i> , 2020, 11, 1010.	1.7	1
5416	Mapping quantitative trait loci for disease resistance to false smut of rice. <i>Phytopathology Research</i> , 2020, 2, .	0.9	9
5417	Genetic analysis of QTLs controlling allelopathic characteristics in sorghum. <i>PLoS ONE</i> , 2020, 15, e0235896.	1.1	12
5418	A hybrid sterile locus leads to the linkage drag of interspecific hybrid progenies. <i>Plant Diversity</i> , 2020, 42, 370-375.	1.8	3
5419	Discovery of a Novel Induced Polymorphism in SD1 Gene Governing Semi-Dwarfism in Rice and Development of a Functional Marker for Marker-Assisted Selection. <i>Plants</i> , 2020, 9, 1198.	1.6	10
5420	Fine mapping of a leaf flattening gene Bralcm through BSR-Seq in Chinese cabbage ( <i>Brassica rapa</i> L. ssp.) Tj ETQq1 1.0.784314 rgBT / Overlock 10 Tf 50 102 To	1.6	5
5421	Fine mapping of qKRN8, a QTL for maize kernel row number, and prediction of the candidate gene. <i>Theoretical and Applied Genetics</i> , 2020, 133, 3139-3150.	1.8	9
5422	Genetic analysis of anther culture response and identification of QTLs associated with response traits in wheat ( <i>Triticum aestivum</i> L.). <i>Molecular Biology Reports</i> , 2020, 47, 9289-9300.	1.0	9
5423	Broadening the Variability for Peanut Breeding with a Wild Species-Derived Induced Allotetraploid. <i>Agronomy</i> , 2020, 10, 1917.	1.3	7
5424	Cloning of long sterile lemma (lsl2), a single recessive gene that regulates spike germination in rice ( <i>Oryza sativa</i> L.). <i>BMC Plant Biology</i> , 2020, 20, 561.	1.6	3
5425	Registration of the Louise-Penawawa spring wheat recombinant inbred line mapping population. <i>Journal of Plant Registrations</i> , 2020, 14, 474-480.	0.4	3
5426	Aluminum tolerance mechanisms in Kenyan maize germplasm are independent from the citrate transporter ZmMATE1. <i>Scientific Reports</i> , 2020, 10, 7320.	1.6	14
5427	Mapping of QTL for Grain Yield Components Based on a DH Population in Maize. <i>Scientific Reports</i> , 2020, 10, 7086.	1.6	14
5428	Dominant complementary interaction between OsC1 and two tightly linked genes, Rb1 and Rb2, controls the purple leaf sheath in rice. <i>Theoretical and Applied Genetics</i> , 2020, 133, 2555-2566.	1.8	14
5429	Mapping QTL conferring speckled snow mold resistance in winter wheat (&lt;i>Triticum) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 102 To	0.9	4
5430	A rare single nucleotide variant in <i>Pm5e</i> confers powdery mildew resistance in common wheat. <i>New Phytologist</i> , 2020, 228, 1011-1026.	3.5	92

#	ARTICLE	IF	CITATIONS
5431	A novel leaf rust resistance gene introgressed from <i>Aegilops markgrafii</i> maps on chromosome arm 2AS of wheat. <i>Theoretical and Applied Genetics</i> , 2020, 133, 2685-2694.	1.8	19
5432	Gene mapping and candidate gene analysis of multi-grains 1 ( Mg1 ) in rice. <i>Crop Science</i> , 2020, 60, 238-248.	0.8	3
5433	Molecular mapping of dominant gene responsible for leaf curl virus resistance in chilli pepper ( <i>Capsicum annuum</i> L.). <i>3 Biotech</i> , 2020, 10, 182.	1.1	9
5434	Genomic Designing of Climate-Smart Fruit Crops. , 2020, , .		7
5435	A novel genotype DATTO5 developed using the five genes exhibits the fastest heading date designed in rice. <i>Breeding Science</i> , 2020, 70, 193-199.	0.9	9
5436	Open-Bud Duplicate Loci Are Identified as MML10s, Orthologs of MIXTA-Like Genes on Homologous Chromosomes of Allotetraploid Cotton. <i>Frontiers in Plant Science</i> , 2020, 11, 81.	1.7	2
5437	Preferential Disomic Segregation and <i>C. micrantha</i> / <i>C. medica</i> Interspecific Recombination in Tetraploid "Giant Key" Lime; Outlook for Triploid Lime Breeding. <i>Frontiers in Plant Science</i> , 2020, 11, 939.	1.7	10
5438	Characterization of three soybean landraces resistant to Asian soybean rust disease. <i>Molecular Breeding</i> , 2020, 40, 1.	1.0	10
5439	Fine mapping and candidate gene prediction of a major quantitative trait locus for tassel branch number in maize. <i>Gene</i> , 2020, 757, 144928.	1.0	1
5440	Recombination disequilibrium in ideal and natural populations. <i>Genomics</i> , 2020, 112, 3943-3950.	1.3	3
5441	Comparative analysis of chromosome 2A molecular organization in diploid and hexaploid wheat. <i>Molecular Biology Reports</i> , 2020, 47, 1991-2003.	1.0	1
5442	Loss-of-Function Mutation of Soybean R2R3 MYB Transcription Factor Dilutes Tawny Pubescence Color. <i>Frontiers in Plant Science</i> , 2019, 10, 1809.	1.7	10
5443	Exceptional subgenome stability and functional divergence in the allotetraploid Ethiopian cereal teff. <i>Nature Communications</i> , 2020, 11, 884.	5.8	101
5444	Molecular mapping and identification of candidate gene conferring organophosphate-sensitive reaction in sorghum ( <i>Sorghum bicolor</i> ). <i>Plant Breeding</i> , 2020, 139, 600-607.	1.0	2
5445	Fine mapping of the qHTB1-1QTL, which confers heat tolerance at the booting stage, using an <i>Oryza rufipogon</i> Griff. introgression line. <i>Theoretical and Applied Genetics</i> , 2020, 133, 1161-1175.	1.8	26
5446	Mapping QTLs for 15 morpho-metric traits in <i>Arabidopsis thaliana</i> using Col-0 "Don-0" population. <i>Physiology and Molecular Biology of Plants</i> , 2020, 26, 1021-1034.	1.4	2
5447	A Major QTL Located in Chromosome 8 of <i>Cucurbita moschata</i> Is Responsible for Resistance to Tomato Leaf Curl New Delhi Virus. <i>Frontiers in Plant Science</i> , 2020, 11, 207.	1.7	30
5448	Genetic Mapping and Marker Assisted Selection. , 2020, , .		17

#	ARTICLE	IF	CITATIONS
5449	Gene mapping and candidate gene analysis of aberrant-floral spikelet 1 (afs1) in rice ( <i>Oryza sativa</i> L.). <i>Journal of Integrative Agriculture</i> , 2020, 19, 921-930.	1.7	0
5450	Double mutation of two homologous genes YL1 and YL2 results in a leaf yellowing phenotype in soybean [ <i>Glycine max</i> (L.) Merr]. <i>Plant Molecular Biology</i> , 2020, 103, 527-543.	2.0	11
5451	Genetic dissection of Fusarium head blight resistance in spring wheat cv. "Glenn"™. <i>Euphytica</i> , 2020, 216, 1.	0.6	3
5452	Genetics and molecular mapping for salinity stress tolerance at seedling stage in lentil ( <i>Lens</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 13	0.8	13
5453	Development and application of classical genetics in <i>Toxoplasma gondii</i> . , 2020, , 859-896.		2
5454	Construction of a genetic linkage map and detection of quantitative trait locus for the ergothioneine content in tamogitake mushroom (&#x201c;Pleurotus cornucopiae&#x201c; var.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 537 To		10
5455	Genomics-Assisted Breeding for Fiber Quality Traits in Cotton. , 2021, , 157-172.		0
5456	Globally Important Wheat Diseases: Status, Challenges, Breeding and Genomic Tools to Enhance Resistance Durability. , 2021, , 59-128.		12
5457	Marker-assisted breeding for abiotic stress tolerance in horticultural crops. , 2021, , 63-74.		2
5458	Genetic region responsible for the differences of starch properties in two glutinous rice cultivars in Hokkaido, Japan. <i>Breeding Science</i> , 2021, 71, 375-383.	0.9	5
5459	Quantitative Trait Locus Mapping in Rice. , 2021, , 55-82.		3
5460	Inferring recombination patterns in African populations. <i>Human Molecular Genetics</i> , 2021, 30, R11-R16.	1.4	6
5461	Mapping of a QTL with major effect on reducing leaf rust severity at the adult plant growth stage on chromosome 2BL in wheat landrace Hongmazha. <i>Theoretical and Applied Genetics</i> , 2021, 134, 1363-1376.	1.8	3
5462	Overproduction of ascorbic acid impairs pollen fertility in tomato. <i>Journal of Experimental Botany</i> , 2021, 72, 3091-3107.	2.4	30
5463	Mapping of a Major QTL, qBK1Z, for Bakanae Disease Resistance in Rice. <i>Plants</i> , 2021, 10, 434.	1.6	17
5464	Genomic region associated with pod color variation in pea ( <i>Pisum sativum</i> ). <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .	0.8	9
5465	Quantitative trait locus mapping combined with variant and transcriptome analyses identifies a cluster of gene candidates underlying the variation in leaf wax between upland and lowland switchgrass ecotypes. <i>Theoretical and Applied Genetics</i> , 2021, 134, 1957-1975.	1.8	8
5466	Screening and application of SSR markers related to seed storability traits in maize ( <i>Zea mays</i> L.). <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 2521-2535.	0.8	3

#	ARTICLE	IF	CITATIONS
5467	qRgls1.06, a major QTL conferring resistance to gray leaf spot disease in maize. <i>Crop Journal</i> , 2021, 9, 342-350.	2.3	16
5468	Fine mapping of Ne1, the hybrid necrosis gene complementary to Ne2 in common wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlook 1.8	1.8	2
5469	Genetic analysis and QTL mapping of growth period traits and plant height traits in soybean recombinant inbred lines from Dongnong 47 A— PI 317334-B. <i>Oil Crop Science</i> , 2021, 6, 66-73.	0.9	3
5470	Validation of a QTL for Grain Size and Weight Using an Introgression Line from a Cross between <i>Oryza sativa</i> and <i>Oryza minuta</i> . <i>Rice</i> , 2021, 14, 43.	1.7	11
5471	Origin and dynamics of Rwt6, a wheat gene for resistance to non-adapted pathotypes of <i>Pyricularia oryzae</i> . <i>Phytopathology</i> , 2021, , PHYTO02210080R.	1.1	0
5472	Present Status and Future Prospects of Drought Tolerance in Rice. , 0, , .		2
5473	Multi-Environment Quantitative Trait Loci Mapping for Grain Iron and Zinc Content Using Bi-parental Recombinant Inbred Line Mapping Population in Pearl Millet. <i>Frontiers in Plant Science</i> , 2021, 12, 659789.	1.7	24
5474	Identification and Validation of QTLs for Macronutrient Contents in Brown and Milled Rice Using Two Backcross Populations between <i>Oryza sativa</i> and <i>O. rufipogon</i> . <i>BioMed Research International</i> , 2021, 2021, 1-11.	0.9	5
5475	Loss of Function of OsARG Resulted in Pepper-Shaped Husk in Indica Rice. <i>Life</i> , 2021, 11, 523.	1.1	0
5476	Identification of a recessive gene YrZ15-1370 conferring adult plant resistance to stripe rust in wheat-Triticum boeoticum introgression line. <i>Theoretical and Applied Genetics</i> , 2021, 134, 2891-2900.	1.8	9
5477	Mechanistic Association of Quantitative Trait Locus with Malate Secretion in Lentil ( <i>Lens culinaris</i> ) Tj ETQq0 0 0 rgBT /Overlook 1.6	1.6	4
5478	Clubroot resistance derived from the European <i>Brassica napus</i> cv. "Tosca"™ is not effective against virulent <i>Plasmodiophora brassicae</i> isolates from Alberta, Canada. <i>Scientific Reports</i> , 2021, 11, 14472.	1.6	3
5479	Fine Mapping of a Novel Major Quantitative Trait Locus, qPAA7, That Controls Panicle Apical Abortion in Rice. <i>Frontiers in Plant Science</i> , 2021, 12, 683329.	1.7	2
5480	Mating-Type Locus Organization and Mating-Type Chromosome Differentiation in the Bipolar Edible Button Mushroom <i>Agaricus bisporus</i> . <i>Genes</i> , 2021, 12, 1079.	1.0	17
5481	A single nucleotide polymorphism in an R2R3 MYB transcription factor gene triggers the male sterility in soybean ms6 (Ames1). <i>Theoretical and Applied Genetics</i> , 2021, 134, 3661-3674.	1.8	13
5482	Fine-mapping and gene candidate analysis for AhRt1, a major dominant locus responsible for testa color in cultivated peanut. <i>Theoretical and Applied Genetics</i> , 2021, 134, 3721-3730.	1.8	12
5484	Dissection of two QTL for grain length linked on the long arm of chromosome 5 in rice. <i>Crop Science</i> , 0, , .	0.8	0
5485	Tightly linked Rps12 and Rps13 genes provide broad-spectrum <i>Phytophthora</i> resistance in soybean. <i>Scientific Reports</i> , 2021, 11, 16907.	1.6	11

#	ARTICLE	IF	CITATIONS
5486	Identification of <i>ZmNF-YC2</i> and its regulatory network for maize flowering time. <i>Journal of Experimental Botany</i> , 2021, 72, 7792-7807.	2.4	17
5487	Identification and genetic characterization of extra soft kernel texture in soft kernel durum wheat ( ) Tj ETQq1 1 0.784314 rgBT /Overl...	1.1	2
5488	Genetic Mapping and Transcriptomic Analysis Revealed the Molecular Mechanism Underlying Leaf-Rolling and a Candidate Protein Phosphatase Gene for the Rolled Leaf-Dominant (RL-D) Mutant in Rice. <i>Plant Molecular Biology Reporter</i> , 2022, 40, 256-270.	1.0	2
5489	Genetic mapping in crop plants. <i>Open Journal of Plant Science</i> , 0, , 019-026.	0.2	2
5490	Bioinformatics Approaches for High-Density Linkage Mapping in Rice Research. , 2021, , 29-54.		0
5491	Mapping QTLs for <i>Alternaria</i> blight in Linseed ( <i>Linum usitatissimum</i> L.). <i>3 Biotech</i> , 2021, 11, 91.	1.1	3
5492	Identification and fine mapping of qGR6.2, a novel locus controlling rice seed germination under salt stress. <i>BMC Plant Biology</i> , 2021, 21, 36.	1.6	26
5493	Hypothalamic Norepinephrine Concentration and Heart Mass in Hypertensive ISIAH Rats Are Associated with a Genetic Locus on Chromosome 18. <i>Journal of Personalized Medicine</i> , 2021, 11, 67.	1.1	7
5494	QTL analysis for brown spot resistance in American rice cultivar "Dawn". <i>Breeding Science</i> , 2021, 71, 491-495.	0.9	1
5495	Molecular Mapping and Marker-Assisted Selection of Quantitative Trait Loci in Plants. , 0, , .		2
5496	Linkage Mapping in Aquaculture Species. , 0, , 139-168.		11
5497	Multigenic Control of Skin Tumour Development in Mice. <i>Novartis Foundation Symposium</i> , 1996, 197, 156-180.	1.2	3
5499	Boosting EM for Radiation Hybrid and Genetic Mapping. <i>Lecture Notes in Computer Science</i> , 2001, , 41-51.	1.0	21
5500	Genetics of Insect Vector Competence for Arboviruses. <i>Advances in Disease Vector Research</i> , 1994, , 93-108.	0.7	30
5502	Restriction Fragment Length Polymorphism in Plants and Its Implications. <i>Sub-Cellular Biochemistry</i> , 1991, 17, 167-190.	1.0	6
5503	Functional Genomics of Oxidant-Induced Lung Injury. <i>Advances in Experimental Medicine and Biology</i> , 2001, 500, 479-487.	0.8	25
5504	Cloning Functional Endomycorrhiza Genes. , 1995, , 77-83.		7
5505	Genetic Mapping as a Tool for Studying Speciation. , 1998, , 459-487.		30



#	ARTICLE	IF	CITATIONS
5506	Mapping in Maize Using RFLPs. Stadler Genetics Symposia Series, 1990, , 331-352.	0.0	13
5507	Molecular Markers, Forest Genetics, and Tree Breeding. Stadler Genetics Symposia Series, 1996, , 87-102.	0.0	13
5508	Exploiting the Diploid "D"™ Genome Chromatin For Wheat Improvement. Stadler Genetics Symposia Series, 1993, , 87-107.	0.0	10
5509	Genes, genetic markers and maps. , 1996, , 101-132.		1
5510	Genome-Wide Genetic Study in Autoimmune Disease-Prone Mice. Methods in Molecular Biology, 2014, 1142, 111-141.	0.4	2
5511	Mapping of Quantitative Trait Loci (QTL) Associated with Plant Freezing Tolerance and Cold Acclimation. Methods in Molecular Biology, 2014, 1166, 43-64.	0.4	5
5512	Genetic Insights into Murine Lupus. , 1999, , 124-139.		2
5513	Testicular Germ Cell Tumors in Mice. Methods in Molecular Biology, 2008, 450, 211-231.	0.4	19
5515	Molecular Mapping of Grapevine Genes. Compendium of Plant Genomes, 2019, , 103-136.	0.3	14
5516	Genomic-Based Breeding for Climate-Smart Peach Varieties. , 2020, , 271-331.		11
5517	Yams. , 2007, , 271-296.		4
5518	Chickpea. , 2007, , 109-121.		2
5519	Cryptomeria Japonica. , 2007, , 211-221.		1
5520	Mosquito. , 2008, , 69-91.		2
5521	Bioinformatics Tools to Assist Breeding for Climate Change. , 2013, , 391-414.		3
5522	Pseudo-Testcross Mapping Strategy Using RAPD Markers. , 1997, , 201-218.		6
5523	QTL Analysis of Stress Responses as a Method to Study the Importance of Stress-Induced Genes. , 1996, , 141-152.		4
5524	Recombination: Molecular Markers for Resistance Genes in Major Grain Crops. Progress in Botany Fortschritte Der Botanik, 1998, , 49-79.	0.1	20

#	ARTICLE	IF	CITATIONS
5525	RFLP Mapping of Plant Nuclear Genomes: Planning of Experiments, Linkage Map Construction, and QTL Mapping. , 1997, , 334-396.		5
5526	Molecular Linkage Map of the Model Legume <i>Medicago truncatula</i> Gaertn.. <i>Biotechnology in Agriculture and Forestry</i> , 2003, , 217-227.	0.2	7
5527	The Sequence of the <i>Arabidopsis</i> Genome as a Tool for Comparative Structural Genomics in Brassicaceae. <i>Biotechnology in Agriculture and Forestry</i> , 2003, , 19-36.	0.2	1
5528	Linkage Mapping. , 2015, , 47-70.		7
5529	Molecular approaches to cereal quality improvement. , 1996, , 371-404.		5
5530	Genetic mapping in lettuce. <i>Advances in Cellular and Molecular Biology of Plants</i> , 1994, , 223-239.	0.2	6
5531	RFLP map of peanut. <i>Advances in Cellular and Molecular Biology of Plants</i> , 1994, , 246-260.	0.2	2
5532	<i>Phaseolus vulgaris</i> : the common bean. <i>Advances in Cellular and Molecular Biology of Plants</i> , 1994, , 261-270.	0.2	4
5533	Constructing a plant genetic linkage map with DNA markers. <i>Advances in Cellular and Molecular Biology of Plants</i> , 1994, , 39-57.	0.2	46
5534	Molecular maps of alfalfa. <i>Advances in Cellular and Molecular Biology of Plants</i> , 1994, , 144-158.	0.2	3
5535	RFLP Mapping of Genes Conferring Complete and Partial Resistance in a Rice Cultivar with Durable Resistance to Blast. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1993, , 219-225.	0.0	4
5536	Hybridization, introgression, and linkage evolution. , 2000, , 205-224.		18
5537	Mapping different resistances against downy mildew in sunflower. <i>Developments in Plant Breeding</i> , 1999, , 93-100.	0.2	1
5538	QTL for quality parameters for bread-making in a segregating wheat by spelt population. <i>Developments in Plant Breeding</i> , 1999, , 357-360.	0.2	5
5539	Detection of QTL for bread-making quality in wheat using molecular markers. <i>Developments in Plant Breeding</i> , 1999, , 361-366.	0.2	6
5540	QTL analysis to study the association between leaf size and abscisic acid accumulation in droughted rice leaves and comparisons across cereals. , 1997, , 155-165.		2
5541	Microsatellite marker development, mapping and applications in rice genetics and breeding. , 1997, , 89-99.		161
5542	New Tools for Resistance Gene Characterisation in Rice. <i>Developments in Plant Pathology</i> , 2000, , 54-62.	0.1	2

#	ARTICLE	IF	CITATIONS
5543	DNA-based marker maps of Brassica. <i>Advances in Cellular and Molecular Biology of Plants</i> , 2001, , 201-237.	0.2	13
5544	Segregation distortion in androgenic plants. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1996, , 189-201.	0.0	26
5545	Doubled haploids in genetic mapping and genomics. , 2003, , 367-390.		13
5546	Molecular Markers and Genome Mapping in Woody Plants. <i>Forestry Sciences</i> , 2000, , 375-394.	0.4	18
5547	QTL mapping for nodule number and common bacterial blight in <i>Phaseolus vulgaris</i> L.. , 1998, , 135-145.		3
5548	Linkage Map Construction. , 2020, , 179-227.		1
5549	QTL Analysis. , 2020, , 253-326.		2
5550	Genetic analysis of the components of winterhardiness in barley ( <i>Hordeum vulgare</i> L.). <i>Acta Biologica Hungarica</i> , 1997, 48, 67-76.	0.7	5
5551	Microsatellite mapping of a Russian wheat aphid resistance gene on chromosome 7B of an Iranian tetraploid wheat line: preliminary results. <i>Cereal Research Communications</i> , 2004, 32, 451-457.	0.8	11
5552	Mapping of QTLs for low temperature response in seedlings of rice ( <i>Oryza sativa</i> L.). <i>Cereal Research Communications</i> , 2000, 28, 33-40.	0.8	24
5553	Recombination around the Tm2a and Mi resistance genes in different crosses of <i>Lycopersicon peruvianum</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 101-108.	1.8	14
5554	Detection of segregation distortions in an indica-japonica rice cross using a high-resolution molecular map. <i>Theoretical and Applied Genetics</i> , 1996, 92, 145-150.	1.8	36
5555	Identification of QTLs affecting traits of agronomic importance in a recombinant inbred population derived from a subspecific rice cross. <i>Theoretical and Applied Genetics</i> , 1996, 92, 230-244.	1.8	195
5556	Higher recombination frequencies in female compared to male meioses in <i>Brassica oleracea</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 363-367.	1.8	9
5557	Mapping quantitative trait loci for seedling vigor in rice using RFLPs. <i>Theoretical and Applied Genetics</i> , 1996, 92, 395-402.	1.8	20
5558	Mapping of the K <sup>+</sup> /Na <sup>+</sup> discrimination locus Kna1 in wheat. <i>Theoretical and Applied Genetics</i> , 1996, 92, 448-454.	1.8	15
5559	Identification of quantitative trait loci for plant height, lodging, and maturity in a soybean population segregating for growth habit. <i>Theoretical and Applied Genetics</i> , 1996, 92, 516-523.	1.8	20
5560	Analysis of the barley and rice genomes by comparative RFLP linkage mapping. <i>Theoretical and Applied Genetics</i> , 1996, 92, 541-551.	1.8	22

#	ARTICLE	IF	CITATIONS
5561	Genetics of seedling and adult plant resistance to net blotch ( <i>Pyrenophora teres</i> f. <i>teres</i> ) and spot blotch ( <i>Cochliobolus sativus</i> ) in barley. <i>Theoretical and Applied Genetics</i> , 1996, 92, 552-558.	1.8	28
5562	RFLP analysis of resistance to Columbia root-knot nematode derived from <i>Solanum bulbocastanum</i> in a BC2 population. <i>Theoretical and Applied Genetics</i> , 1996, 92, 572-576.	1.8	16
5563	A localized linkage map of the citrus tristeza virus resistance gene region. <i>Theoretical and Applied Genetics</i> , 1996, 92, 688-695.	1.8	71
5564	QTL analysis of pest resistance in the wild tomato <i>Lycopersicon pennellii</i> ? QTLs controlling acylsugar level and composition. <i>Theoretical and Applied Genetics</i> , 1996, 92, 709-718.	1.8	80
5565	Seven members of the (1?3)-?-glucanase gene family in barley ( <i>Hordeum vulgare</i> ) are clustered on the long arm of chromosome 3 (3HL). <i>Theoretical and Applied Genetics</i> , 1996, 92, 791-796.	1.8	3
5566	Comparative mapping in F2:3 and F6:7 generations of quantitative trait loci for grain yield and yield components in maize. <i>Theoretical and Applied Genetics</i> , 1996, 92, 817-826.	1.8	32
5567	The Yd2 gene for barley yellow dwarf virus resistance maps close to the centromere on the long arm of barley chromosome 3. <i>Theoretical and Applied Genetics</i> , 1996, 92, 858-864.	1.8	11
5568	Inheritance and linkage relationships of isozyme and morphological loci in cucumber ( <i>Cucumis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	10
5569	Identification of quantitative trait loci under drought conditions in tropical maize. 1. Flowering parameters and the anthesis-silking interval. <i>Theoretical and Applied Genetics</i> , 1996, 92, 905-914.	1.8	37
5570	RFLP mapping of QTLs for yield and related characters in rice ( <i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 92, 920-927.	1.8	19
5571	QTL analysis of horticultural traits differentiating the cultivated tomato from the closely related species <i>Lycopersicon pimpinellifolium</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 935-951.	1.8	46
5572	Mapping of a QTL for oleic acid concentration in spring turnip rape ( <i>Brassica rapa</i> ssp. <i>oleifera</i> ). <i>Theoretical and Applied Genetics</i> , 1996, 92, 952-956.	1.8	10
5573	Genetic analysis of RFLPs, GATA microsatellites and RAPDs in a cross between <i>L. esculentum</i> and <i>L. pimpinellifolium</i> . <i>Theoretical and Applied Genetics</i> , 1996, 92, 957-965.	1.8	21
5574	Genetic localization of four genes for nematode ( <i>Heterodera schachtii</i> Schm.) resistance in sugar beet ( <i>Beta vulgaris</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 92, 991-997.	1.8	6
5575	Comparative genetic mapping between duplicated segments on maize chromosomes 3 and 8 and homoeologous regions in sorghum and sugarcane. <i>Theoretical and Applied Genetics</i> , 1996, 92, 1024-1030.	1.8	12
5576	Identification and mapping on chromosome 9 of RAPD markers linked to Sw-5 in tomato by bulked segregant analysis. <i>Theoretical and Applied Genetics</i> , 1996, 92, 1045-1051.	1.8	13
5577	Use of the additive main effects and multiplicative interaction model in QTL mapping for adaptation in barley. <i>Theoretical and Applied Genetics</i> , 1996, 93, 30-37.	1.8	14
5578	Construction of a molecular linkage map in coffee. <i>Theoretical and Applied Genetics</i> , 1996, 93, 41-47.	1.8	3

#	ARTICLE	IF	CITATIONS
5579	RFLP mapping of three new loci for resistance genes to powdery mildew ( <i>Erysiphe graminis</i> f. sp.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7	1.8	16
5580	RAPD and RFLP mapping of the bacterial blight resistance gene xa-13 in rice. Theoretical and Applied Genetics, 1996, 93, 65-70.	1.8	19
5581	Quantitative resistance to barley leaf stripe ( <i>Pyrenophora graminea</i> ) is dominated by one major locus. Theoretical and Applied Genetics, 1996, 93, 97-101.	1.8	10
5582	Identification of a YAC clone carrying the Xa-1 allele, a bacterial blight resistance gene in rice. Theoretical and Applied Genetics, 1996, 93, 117-122.	1.8	7
5583	Molecular mapping of the ges gene controlling the super-giant embryo character in rice ( <i>Oryza sativa</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	4
5584	Mapping loci controlling the concentrations of erucic and linolenic acids in seed oil of <i>Brassica napus</i> L. Theoretical and Applied Genetics, 1996, 93, 282-286.	1.8	19
5585	RFLP mapping in barely of a dominant gene conferring resistance to scald ( <i>Rhynchosporium secalis</i> ). Theoretical and Applied Genetics, 1996, 93, 421-425.	1.8	19
5586	Linkage mapping of quantitative trait loci controlling seed weight in pea ( <i>Pisum sativum</i> L.). Theoretical and Applied Genetics, 1996, 93, 431-439.	1.8	7
5587	Inheritance and genetic mapping of self-incompatibility in <i>Coffea canephora</i> Pierre. Theoretical and Applied Genetics, 1996, 93, 458-462.	1.8	7
5588	Both epistatic and additive effects of QTLs are involved in polygenic induced resistance to disease: a case study, the interaction pepper ? <i>Phytophthora capsici</i> Leonian. Theoretical and Applied Genetics, 1996, 93, 503-511.	1.8	35
5589	Specific molecular marker of the genes controlling linolenic acid content in rapeseed. Theoretical and Applied Genetics, 1996, 93, 512-518.	1.8	11
5590	Identification of quantitative trait loci controlling resistance to gray leaf spot disease in maize. Theoretical and Applied Genetics, 1996, 93, 539-546.	1.8	8
5591	Linkage between RFLP markers and genes affecting kernel hardness in wheat. Theoretical and Applied Genetics, 1996, 93, 580-586.	1.8	46
5592	Molecular markers associated with seed weight in two soybean populations. Theoretical and Applied Genetics, 1996, 93, 1011-1016.	1.8	8
5593	Molecular-mapping analysis in <i>Brassica napus</i> using isozyme, RAPD and RFLP markers on a doubled-haploid progeny. Theoretical and Applied Genetics, 1996, 93, 1017-1025.	1.8	18
5594	Microsatellite DNA markers for rice chromosomes. Theoretical and Applied Genetics, 1996, 93, 1071-1077.	1.8	37
5595	A molecular linkage map of rye. Theoretical and Applied Genetics, 1996, 93, 1112-1118.	1.8	14
5596	Markers for selection of the rice Xa21 disease resistance gene. Theoretical and Applied Genetics, 1996, 93, 1119-1122.	1.8	6

#	ARTICLE	IF	CITATIONS
5597	Genetic mapping of new morphological, isozyme and RAPD markers in <i>Vicia faba</i> L. using trisomics. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1130-1138.	1.8	3
5598	Aroma in rice: genetic analysis of a quantitative trait. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1145-1151.	1.8	27
5599	Engineering of interstitial foreign chromosome segments containing the K + /Na + selectivity gene <i>Kna1</i> by sequential homoeologous recombination in durum wheat. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1180-1184.	1.8	5
5600	Comparative mapping of QTLs for agronomic traits of rice across environments using a doubled haploid population. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1211-1217.	1.8	23
5601	Inter- and intra-genomic homology of the Brassica genomes: implications for their origin and evolution. <i>Theoretical and Applied Genetics</i> , 1996, 93, 1225-1233.	1.8	26
5602	Chromosomal localization of the genes encoding rat CD4, CD8?, and CD8?. <i>Immunogenetics</i> , 1996, 44, 312-314.	1.2	2
5603	Non-Mendelian and skewed segregation of DNA markers in wide crosses of the bean rust fungus, <i>Uromyces appendiculatus</i> . <i>Current Genetics</i> , 1996, 29, 159-167.	0.8	2
5604	Identification and characterization of segregation distortion loci along chromosome 5B in tetraploid wheat. , 2007, 278, 187.		1
5605	Molecular mapping of the centromeres of tomato chromosomes 7 and 9. <i>Molecular Genetics and Genomics</i> , 1996, 250, 295.	2.4	3
5606	Simple inheritance of key traits distinguishing maize and teosinte. <i>Molecular Genetics and Genomics</i> , 1996, 252, 33-41.	2.4	2
5607	Genetic analysis of two tomato mutants affected in the regulation of iron metabolism. <i>Molecular Genetics and Genomics</i> , 1996, 252, 87-92.	2.4	3
5608	Segregation distortion caused by weak hybrid necrosis in recombinant inbred lines of common wheat. , 2013, 141, 463.		1
5609	Analysis of Restriction Fragment Length Polymorphisms Associated with Variation of Carbon Isotope Discrimination among Ecotypes of <i>Arabidopsis thaliana</i> . , 1993, , 371-386.		18
5610	Genetic Analysis with RAPD Markers. , 1991, , 431-439.		23
5611	The Genetic Architecture of Pleiotropic Relations and Differential Epistasis. , 2001, , 411-433.		41
5612	Genetic control of HDL levels and composition in an interspecific mouse cross (CAST/Ei $\times$ C57BL/6J). <i>Journal of Lipid Research</i> , 2000, 41, 1936-1946.	2.0	54
5613	Quantitative trait loci analysis for the differences in susceptibility to atherosclerosis and diabetes between inbred mouse strains C57BL/6J and C57BLKS/J. <i>Journal of Lipid Research</i> , 1999, 40, 1328-1335.	2.0	63
5614	Chromosomal localization of lipolytic enzymes in the mouse: pancreatic lipase, colipase, hormone-sensitive lipase, hepatic lipase, and carboxyl ester lipase. <i>Journal of Lipid Research</i> , 1993, 34, 1451-1455.	2.0	34

#	ARTICLE	IF	CITATIONS
5616	UDP-glucosyltransferase regulates grain size and abiotic stress tolerance associated with metabolic flux redirection in rice. <i>Nature Communications</i> , 2020, 11, 2629.	5.8	158
5617	Segregation studies and linkage analysis of Atlantic salmon microsatellites using haploid genetics. <i>Heredity</i> , 1997, 78, 620-627.	1.2	5
5618	Quantitative trait loci for fluctuating asymmetry of discrete skeletal characters in mice. <i>Heredity</i> , 1998, 80, 509-518.	1.2	9
5619	QTL analysis in plants; where are we now?. <i>Heredity</i> , 1998, 80, 137-142.	1.2	31
5620	The gapped xylem mutant identifies a common regulatory step in secondary cell wall deposition. <i>Plant Journal</i> , 2000, 24, 477-488.	2.8	27
5621	Construction of a genetic map in a sorghum recombinant inbred line using probes from different sources and its comparison with other sorghum maps. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 729.	1.5	43
5622	Segregation of glutenins in wheat $\times$ maize-derived doubled haploid wheat populations. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 1253.	1.5	8
5623	Mapping and QTL analysis of the barley population Alexis $\times$ Sloop. <i>Australian Journal of Agricultural Research</i> , 2003, 54, 1117.	1.5	32
5624	Mapping and QTL analysis of the barley population Tallon $\times$ Kaputar. <i>Australian Journal of Agricultural Research</i> , 2003, 54, 1155.	1.5	25
5625	Mapping quantitative trait loci for resistance to <i>Pratylenchus thornei</i> from synthetic hexaploid wheat in the International Triticeae Mapping Initiative (ITMI) population. <i>Australian Journal of Agricultural Research</i> , 2006, 57, 525.	1.5	29
5626	DNA markers linked to yield, yield components, and morphological traits in autotetraploid lucerne ( <i>Medicago sativa</i> L.). <i>Australian Journal of Agricultural Research</i> , 2006, 57, 801.	1.5	14
5627	How accurate are the marker orders in crop linkage maps generated from large marker datasets?. <i>Crop and Pasture Science</i> , 2009, 60, 362.	0.7	16
5628	Molecular mapping of stripe rust resistance gene YrH922 in a derivative of wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tj 50 262 T	0.7	3
5629	Research note: Shoot control of hypernodulation and aberrant root formation in the <i>har1-1</i> mutant of <i>Lotus japonicus</i> . <i>Functional Plant Biology</i> , 2002, 29, 1371.	1.1	28
5630	Mapping and marker-assisted selection.. , 2007, , 275-285.		4
5631	Genetic analysis of the fungus, <i>Bremia lactucae</i> , using restriction fragment length polymorphisms.. <i>Genetics</i> , 1988, 120, 947-958.	1.2	246
5632	Fine mapping of quantitative trait loci using selected overlapping recombinant chromosomes, in an interspecies cross of tomato.. <i>Genetics</i> , 1990, 124, 735-742.	1.2	444
5633	Estimation of recombination frequencies and construction of RFLP linkage maps in plants from crosses between heterozygous parents.. <i>Genetics</i> , 1990, 125, 645-654.	1.2	240

#	ARTICLE	IF	CITATIONS
5634	RFLP mapping in soybean: association between marker loci and variation in quantitative traits.. Genetics, 1990, 126, 735-742.	1.2	355
5635	Mendelian factors underlying quantitative traits in tomato: comparison across species, generations, and environments.. Genetics, 1991, 127, 181-197.	1.2	848
5636	Genetic linkage map of fishes of the genus Xiphophorus (Teleostei: Poeciliidae).. Genetics, 1991, 127, 399-410.	1.2	61
5637	A maximum likelihood method for estimating genome length using genetic linkage data.. Genetics, 1991, 128, 175-182.	1.2	382
5638	Genetic analysis of the morphological differences between maize and teosinte.. Genetics, 1991, 129, 285-295.	1.2	371
5639	Ac transposition from a T-DNA can generate linked and unlinked clusters of insertions in the tomato genome.. Genetics, 1991, 129, 833-844.	1.2	97
5640	A genetic map of the mouse suitable for typing intraspecific crosses.. Genetics, 1992, 131, 423-447.	1.2	1,097
5641	A molecular marker-based linkage map of Phaseolus vulgaris L.. Genetics, 1992, 131, 733-740.	1.2	214
5642	Identification of genetic factors contributing to heterosis in a hybrid from two elite maize inbred lines using molecular markers.. Genetics, 1992, 132, 823-839.	1.2	794
5643	Comparative genome mapping of Sorghum and maize.. Genetics, 1992, 132, 1119-1130.	1.2	302
5644	High density molecular linkage maps of the tomato and potato genomes.. Genetics, 1992, 132, 1141-1160.	1.2	1,464
5645	Meiotic behavior and linkage relationships in the secondarily homothallic fungus Agaricus bisporus.. Genetics, 1993, 133, 225-236.	1.2	140
5646	Inheritance of the morphological differences between maize and teosinte: comparison of results for two F2 populations.. Genetics, 1993, 134, 559-570.	1.2	308
5647	Linked and unlinked transposition of a genetically marked Dissociation element in transgenic tomato.. Genetics, 1993, 134, 571-584.	1.2	34
5648	QTL analysis of transgressive segregation in an interspecific tomato cross.. Genetics, 1993, 134, 585-596.	1.2	526
5649	Development of a core RFLP map in maize using an immortalized F2 population.. Genetics, 1993, 134, 917-930.	1.2	268
5650	A genetic linkage map of Saccharum spontaneum L. 'SES 208'.. Genetics, 1993, 134, 1249-1260.	1.2	156
5651	Longevity-determining genes in Caenorhabditis elegans: chromosomal mapping of multiple noninteractive loci.. Genetics, 1993, 135, 1003-1010.	1.2	49



#	ARTICLE	IF	CITATIONS
5652	A genetic linkage map for cattle.. <i>Genetics</i> , 1994, 136, 619-639.	1.2	770
5653	RFLP mapping of genes conferring complete and partial resistance to blast in a durably resistant rice cultivar.. <i>Genetics</i> , 1994, 136, 1421-1434.	1.2	482
5654	Analysis of a detailed genetic linkage map of <i>Lactuca sativa</i> (lettuce) constructed from RFLP and RAPD markers.. <i>Genetics</i> , 1994, 136, 1435-1446.	1.2	175
5655	Quantitative trait loci underlying gene product variation: a novel perspective for analyzing regulation of genome expression.. <i>Genetics</i> , 1994, 137, 289-301.	1.2	221
5656	Mutants of downy mildew resistance in <i>Lactuca sativa</i> (lettuce).. <i>Genetics</i> , 1994, 137, 867-874.	1.2	23
5657	Genetic linkage maps of <i>Eucalyptus grandis</i> and <i>Eucalyptus urophylla</i> using a pseudo-testcross: mapping strategy and RAPD markers.. <i>Genetics</i> , 1994, 137, 1121-1137.	1.2	1,159
5658	Genetic epilepsy model derived from common inbred mouse strains.. <i>Genetics</i> , 1994, 138, 481-489.	1.2	43
5659	Comparative mapping of <i>Arabidopsis thaliana</i> and <i>Brassica oleracea</i> chromosomes reveals islands of conserved organization.. <i>Genetics</i> , 1994, 138, 499-510.	1.2	248
5660	A detailed RFLP map of cotton, <i>Gossypium hirsutum</i> x <i>Gossypium barbadense</i> : chromosome organization and evolution in a disomic polyploid genome.. <i>Genetics</i> , 1994, 138, 829-847.	1.2	360
5661	Saturated molecular map of the rice genome based on an interspecific backcross population.. <i>Genetics</i> , 1994, 138, 1251-1274.	1.2	774
5662	Structure and evolution of genes encoding polyubiquitin and ubiquitin-like proteins in <i>Arabidopsis thaliana</i> ecotype Columbia.. <i>Genetics</i> , 1995, 139, 921-939.	1.2	147
5663	Linkage map of the honey bee, <i>Apis mellifera</i> , based on RAPD markers.. <i>Genetics</i> , 1995, 139, 1371-1382.	1.2	186
5664	A new gene mapping resource: interspecies hybrids between Père David's deer ( <i>Elaphurus davidianus</i> ) and red deer ( <i>Cervus elaphus</i> ).. <i>Genetics</i> , 1995, 139, 1383-1391.	1.2	28
5665	Restriction fragment length polymorphism mapping of quantitative trait loci for malaria parasite susceptibility in the mosquito <i>Aedes aegypti</i> .. <i>Genetics</i> , 1995, 139, 1711-1717.	1.2	87
5666	Interval mapping of high growth (hg), a major locus that increases weight gain in mice.. <i>Genetics</i> , 1995, 139, 1737-1748.	1.2	50
5667	Genetic and physical mapping of telomeres in the rice blast fungus, <i>Magnaporthe grisea</i> .. <i>Genetics</i> , 1995, 140, 479-492.	1.2	69
5668	Radiation-sensitive mutants of <i>Arabidopsis thaliana</i> .. <i>Genetics</i> , 1995, 140, 725-732.	1.2	55
5669	Dominance is the major genetic basis of heterosis in rice as revealed by QTL analysis using molecular markers.. <i>Genetics</i> , 1995, 140, 745-754.	1.2	484

#	ARTICLE	IF	CITATIONS
5670	Interval mapping of viability loci causing heterosis in Arabidopsis.. Genetics, 1995, 140, 1105-1109.	1.2	119
5671	Ribosomal RNA multigene loci: nomads of the Triticeae genomes.. Genetics, 1995, 140, 1367-1377.	1.2	256
5672	teosinte branched1 and the origin of maize: evidence for epistasis and the evolution of dominance.. Genetics, 1995, 141, 333-346.	1.2	708
5673	Distribution of unlinked transpositions of a Ds element from a T-DNA locus on tomato chromosome 4.. Genetics, 1995, 141, 383-390.	1.2	12
5674	Comparative analysis of QTLs affecting plant height and maturity across the Poaceae, in reference to an interspecific sorghum population.. Genetics, 1995, 141, 391-411.	1.2	373
5675	Molecular mapping of wheat: major genes and rearrangements in homoeologous groups 4, 5, and 7.. Genetics, 1995, 141, 721-731.	1.2	334
5676	Genetic map of randomly amplified DNA polymorphisms closely linked to the mating type locus of Tetrahymena thermophila.. Genetics, 1995, 141, 1315-1325.	1.2	36
5677	Comparative recombination distances among Zea mays L. inbreds, wide crosses and interspecific hybrids.. Genetics, 1995, 141, 1573-1581.	1.2	77
5678	Genome-Wide High-Resolution Mapping by Recurrent Intermating Using <i>Arabidopsis thaliana</i> as a Model. Genetics, 1996, 142, 247-258.	1.2	72
5679	RFLP Mapping in Cultivated Sugarcane ( <i>Saccharum</i> spp.): Genome Organization in a Highly Polyploid and Aneuploid Interspecific Hybrid. Genetics, 1996, 142, 987-1000.	1.2	187
5680	Centromere-Linkage Analysis and Consolidation of the Zebrafish Genetic Map. Genetics, 1996, 142, 1277-1288.	1.2	170
5681	Quantitative Trait Loci for Murine Growth. Genetics, 1996, 142, 1305-1319.	1.2	300
5682	Segregation and Recombination of Solanum brevidens Synteny Groups in Progeny of Somatic Hybrids With S. tuberosum: Intragenomic Equals or Exceeds Intergenomic Recombination. Genetics, 1996, 142, 1335-1348.	1.2	26
5683	Identification and High-Density Mapping of Gene-Rich Regions in Chromosome Group 5 of Wheat. Genetics, 1996, 143, 1001-1012.	1.2	344
5684	Identification, Mapping and Linkage Analysis of Randomly Amplified DNA Polymorphisms in Tetrahymena thermophila. Genetics, 1996, 143, 811-821.	1.2	25
5685	<i>An</i> Integrated Genetic Map of the African Human Malaria Vector Mosquito, <i>Anopheles gambiae</i> . Genetics, 1996, 143, 941-952.	1.2	193
5686	Genetic Map of Diploid Wheat, <i>Triticum monococcum</i> L., and Its Comparison With Maps of <i>Hordeum vulgare</i> L.. Genetics, 1996, 143, 983-999.	1.2	250
5687	Genome Duplication in Soybean ( <i>Glycine</i> subgenus <i>soja</i> ). Genetics, 1996, 144, 329-338.	1.2	347

#	ARTICLE	IF	CITATIONS
5688	Mapping Three Classical Isozyme Loci in Tetrahymena: Meiotic Linkage of EstA to the ChxA Linkage Group. <i>Genetics</i> , 1996, 144, 1489-1496.	1.2	4
5689	Comparative Genome Mapping in Brassica. <i>Genetics</i> , 1996, 144, 1903-1910.	1.2	338
5690	Interactions Among Genes Regulating Ovule Development in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 1997, 145, 1109-1124.	1.2	179
5691	Mapping a Quantitative Trait Locus Involved in Melanotic Encapsulation of Foreign Bodies in the Malaria Vector, <i>Anopheles gambiae</i> . <i>Genetics</i> , 1997, 146, 965-971.	1.2	63
5692	Linkage Groups of Protein-Coding Genes in Western Palearctic Water Frogs Reveal Extensive Evolutionary Conservation. <i>Genetics</i> , 1997, 147, 255-270.	1.2	44
5693	An Interspecific Backcross of <i>Lycopersicon esculentum</i> × <i>L. hirsutum</i> : Linkage Analysis and a QTL Study of Sexual Compatibility Factors and Floral Traits. <i>Genetics</i> , 1997, 147, 861-877.	1.2	206
5694	Genetic Mapping of Quantitative Trait Loci Affecting Susceptibility to Marek's Disease Virus Induced Tumors in F2 Intercross Chickens. <i>Genetics</i> , 1998, 148, 349-360.	1.2	156
5695	An Altered Intron Inhibits Synthesis of the Acetylcholine Receptor $\alpha$ -Subunit in the Paralyzed Zebrafish Mutant <i>nic1</i> . <i>Genetics</i> , 1998, 148, 361-372.	1.2	54
5696	A High-Density Rice Genetic Linkage Map with 2275 Markers Using a Single F2 Population. <i>Genetics</i> , 1998, 148, 479-494.	1.2	723
5697	A Detailed Linkage Map of Rainbow Trout Produced Using Doubled Haploids. <i>Genetics</i> , 1998, 148, 839-850.	1.2	283
5698	A Genetic Linkage Map of a Cichlid Fish, the Tilapia ( <i>Oreochromis niloticus</i> ). <i>Genetics</i> , 1998, 148, 1225-1232.	1.2	259
5699	Chromosome 14 Contains Determinants That Regulate Susceptibility to Theiler's Virus-Induced Demyelination in the Mouse. <i>Genetics</i> , 1998, 148, 1941-1949.	1.2	25
5700	Mapping the Genome of a Model Protochordate. I. A Low Resolution Genetic Map Encompassing the Fusion/Histocompatibility (Fu/HC) Locus of <i>Botryllus schlosseri</i> . <i>Genetics</i> , 1998, 149, 277-287.	1.2	50
5701	Genetic Identification of Multiple Loci That Control Breast Cancer Susceptibility in the Rat. <i>Genetics</i> , 1998, 149, 289-299.	1.2	76
5702	Molecular Mapping of Segregation Distortion Loci in <i>Aegilops tauschii</i> . <i>Genetics</i> , 1998, 149, 319-327.	1.2	147
5703	Quantitative Trait Loci Affecting Differences in Floral Morphology Between Two Species of Monkeyflower ( <i>Mimulus</i> ). <i>Genetics</i> , 1998, 149, 367-382.	1.2	361
5704	Quantitative Trait Locus (QTL) Mapping Using Different Testers and Independent Population Samples in Maize Reveals Low Power of QTL Detection and Large Bias in Estimates of QTL Effects. <i>Genetics</i> , 1998, 149, 383-403.	1.2	462
5705	Position Effects of Ribosomal RNA Multigene Loci on Meiotic Recombination in Wheat. <i>Genetics</i> , 1998, 149, 1105-1113.	1.2	18

#	ARTICLE	IF	CITATIONS
5706	cot1: A Regulator of Arabidopsis Trichome Initiation. <i>Genetics</i> , 1998, 149, 565-577.	1.2	28
5707	Genetic Analysis of Organ Fusion in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 1998, 149, 607-619.	1.2	153
5708	Members of the Arabidopsis Actin Gene Family Are Widely Dispersed in the Genome. <i>Genetics</i> , 1998, 149, 663-675.	1.2	38
5709	D-Subgenome Bias of Xcm Resistance Genes in Tetraploid <i>Gossypium</i> (Cotton) Suggests That Polyploid Formation Has Created Novel Avenues for Evolution. <i>Genetics</i> , 1998, 149, 1987-1996.	1.2	110
5710	A Microsatellite Map of Wheat. <i>Genetics</i> , 1998, 149, 2007-2023.	1.2	2,041
5711	An AFLP-Based Procedure for the Efficient Mapping of Mutations and DNA Probes in Barley. <i>Genetics</i> , 1998, 149, 2039-2056.	1.2	98
5712	A Composite Genetic Map of the Parasitoid Wasp <i>Trichogramma brassicae</i> Based on RAPD Markers. <i>Genetics</i> , 1998, 150, 275-282.	1.2	32
5713	The Association of Flowering Time Quantitative Trait Loci with Duplicated Regions and Candidate Loci in <i>Brassica oleracea</i> . <i>Genetics</i> , 1998, 150, 393-401.	1.2	87
5714	<i>Arabidopsis</i> TSO1 Regulates Directional Processes in Cells During Floral Organogenesis. <i>Genetics</i> , 1998, 150, 411-423.	1.2	55
5715	A High-Resolution Linkage Map of the Citrus Tristeza Virus Resistance Gene Region in <i>Poncirus trifoliata</i> (L.) Raf.. <i>Genetics</i> , 1998, 150, 883-890.	1.2	54
5716	Chromosome Walking to the AVR1-CO39 Avirulence Gene of <i>Magnaporthe grisea</i> : Discrepancy Between the Physical and Genetic Maps. <i>Genetics</i> , 1998, 150, 1049-1058.	1.2	140
5717	Genetics of Adaptive Radiation in Hawaiian and Cook Islands Species of <i>Tetramolopium</i> (Asteraceae). II. Genetic Linkage Map and Its Implications for Interspecific Breeding Barriers. <i>Genetics</i> , 1998, 150, 1209-1216.	1.2	44
5718	Comparative Mapping Between <i>Arabidopsis thaliana</i> and <i>Brassica nigra</i> Indicates That Brassica Genomes Have Evolved Through Extensive Genome Replication Accompanied by Chromosome Fusions and Frequent Rearrangements. <i>Genetics</i> , 1998, 150, 1217-1228.	1.2	420
5719	Detailed Alignment of <i>Saccharum</i> and <i>Sorghum</i> Chromosomes: Comparative Organization of Closely Related Diploid and Polyploid Genomes. <i>Genetics</i> , 1998, 150, 1663-1682.	1.2	236
5720	Time-Related Mapping of Quantitative Trait Loci Underlying Tiller Number in Rice. <i>Genetics</i> , 1999, 151, 297-303.	1.2	126
5721	A Consensus Map for Loblolly Pine ( <i>Pinus taeda</i> L.). I. Construction and Integration of Individual Linkage Maps From Two Outbred Three-Generation Pedigrees. <i>Genetics</i> , 1999, 151, 321-330.	1.2	128
5722	Temporal and Multiple Quantitative Trait Loci Analyses of Resistance to Bacterial Wilt in Tomato Permit the Resolution of Linked Loci. <i>Genetics</i> , 1999, 151, 1165-1172.	1.2	80
5723	Two Loci, <i>Tmevp2</i> and <i>Tmevp3</i> , Located on the Telomeric Region of Chromosome 10, Control the Persistence of Theiler's Virus in the Central Nervous System of Mice. <i>Genetics</i> , 1999, 152, 385-392.	1.2	48

#	ARTICLE	IF	CITATIONS
5724	Genetic Dissection of X-Linked Interspecific Hybrid Placental Dysplasia in Congenic Mouse Strains. <i>Genetics</i> , 1999, 153, 383-390.	1.2	58
5725	Analysis and Mapping of Gene Families Encoding $\beta$ -1,3-Glucanases of Soybean. <i>Genetics</i> , 1999, 153, 445-452.	1.2	30
5726	Inferences on the Genome Structure of Progenitor Maize Through Comparative Analysis of Rice, Maize and the Domesticated Panicoids. <i>Genetics</i> , 1999, 153, 453-473.	1.2	154
5727	DNA Sequence Variation and the Recombinational Landscape in <i>Drosophila pseudoobscura</i> : A Study of the Second Chromosome. <i>Genetics</i> , 1999, 153, 859-869.	1.2	52
5728	Linkage Analysis of Molecular Markers and Quantitative Trait Loci in Populations of Inbred Backcross Lines of <i>Brassica napus</i> L.. <i>Genetics</i> , 1999, 153, 949-964.	1.2	104
5729	Genetic Architecture of Species Differences in Annual Sunflowers: Implications for Adaptive Trait Introgression. <i>Genetics</i> , 1999, 153, 965-977.	1.2	151
5730	Mapping of Hybrid Incompatibility Loci in <i>Nasonia</i> . <i>Genetics</i> , 1999, 153, 1731-1741.	1.2	90
5731	Linkage Analysis of Sex Determination in <i>Bracon</i> sp. <i>Near hebetor</i> (Hymenoptera: Braconidae). <i>Genetics</i> , 2000, 154, 205-212.	1.2	23
5732	Non-Mendelian Segregation of Sex Chromosomes in Heterospecific <i>Drosophila</i> Males. <i>Genetics</i> , 2000, 154, 687-694.	1.2	71
5733	Saturation Mapping of a Gene-Rich Recombination Hot Spot Region in <i>Wheat</i> . <i>Genetics</i> , 2000, 154, 823-835.	1.2	223
5734	Quantitative Trait Loci and Candidate Gene Mapping of Bud Set and Bud Flush in <i>Populus</i> . <i>Genetics</i> , 2000, 154, 837-845.	1.2	245
5735	A Genetic Map of Tomato Based on <i>BC1 Lycopersicon esculentum</i> $\times$ <i>Solanum lycopersicoides</i> Reveals Overall Synteny but Suppressed Recombination Between These Homeologous Genomes. <i>Genetics</i> , 2000, 154, 857-867.	1.2	113
5736	Identification of Heading Date Quantitative Trait Locus Hd6 and Characterization of Its Epistatic Interactions With Hd2 in Rice Using Advanced Backcross Progeny. <i>Genetics</i> , 2000, 154, 885-891.	1.2	239
5737	<i>Tetrahymena</i> Micronuclear Genome Mapping: A High-Resolution Meiotic Map of Chromosome 1L. <i>Genetics</i> , 2000, 154, 1141-1153.	1.2	11
5738	<i>Tetrahymena</i> Macronuclear Genome Mapping: Colinearity of Macronuclear Coassortment Groups and the Micronuclear Map on Chromosome 1L. <i>Genetics</i> , 2000, 154, 1155-1167.	1.2	12
5739	Recombination of Chromosomes 3Am and 5Am of <i>Triticum monococcum</i> With Homeologous Chromosomes 3A and 5A of <i>Wheat</i> : The Distribution of Recombination Across Chromosomes. <i>Genetics</i> , 2000, 154, 1301-1308.	1.2	51
5740	Genetics of Mutations Affecting the Development of a Barley Floral Bract. <i>Genetics</i> , 2000, 154, 1335-1346.	1.2	31
5741	A Detailed Linkage Map of Medaka, <i>Oryzias latipes</i> : Comparative Genomics and Genome Evolution. <i>Genetics</i> , 2000, 154, 1773-1784.	1.2	307

#	ARTICLE	IF	CITATIONS
5742	Bias and Sampling Error of the Estimated Proportion of Genotypic Variance Explained by Quantitative Trait Loci Determined From Experimental Data in Maize Using Cross Validation and Validation With Independent Samples. <i>Genetics</i> , 2000, 154, 1839-1849.	1.2	305
5743	Highly Recombinogenic Regions at Seed Storage Protein Loci on Chromosome 1DS of <i>Aegilops tauschii</i> , the D-Genome Donor of Wheat. <i>Genetics</i> , 2000, 155, 361-367.	1.2	52
5744	Two Independent Loci Control Agamospermy (Apomixis) in the Triploid Flowering Plant <i>Erigeron annuus</i> . <i>Genetics</i> , 2000, 155, 379-390.	1.2	125
5745	Selective Genotyping With Epistasis Can Be Utilized for a Major Quantitative Trait Locus Mapping in Hypertension in Rats. <i>Genetics</i> , 2000, 155, 785-792.	1.2	28
5746	Copy Number Lability and Evolutionary Dynamics of the <i>Adh</i> Gene Family in Diploid and Tetraploid Cotton ( <i>Gossypium</i> ). <i>Genetics</i> , 2000, 155, 1913-1926.	1.2	83
5747	Comparative Mapping of Quantitative Trait Loci Sculpting the Curd of <i>Brassica oleracea</i> . <i>Genetics</i> , 2000, 155, 1927-1954.	1.2	84
5748	Genetic Basis of Climatic Adaptation in Scots Pine by Bayesian Quantitative Trait Locus Analysis. <i>Genetics</i> , 2000, 156, 1309-1322.	1.2	81
5749	Quantitative Trait Loci for Floral Morphology in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 2000, 156, 1379-1392.	1.2	96
5750	Genetic Loci Controlling Breast Cancer Susceptibility in the Wistar-Kyoto Rat. <i>Genetics</i> , 2001, 157, 331-339.	1.2	56
5751	Genetic Mapping of Quantitative Trait Loci Governing Longevity of <i>Caenorhabditis elegans</i> in Recombinant-Inbred Progeny of a Bergerac-BO Å— RC301 Interstrain Cross. <i>Genetics</i> , 2001, 157, 655-666.	1.2	40
5752	Genetic Architecture of Mandible Shape in Mice: Effects of Quantitative Trait Loci Analyzed by Geometric Morphometrics. <i>Genetics</i> , 2001, 157, 785-802.	1.2	213
5753	An Amplified Fragment Length Polymorphism Map of the Silkworm. <i>Genetics</i> , 2001, 157, 1277-1284.	1.2	108
5754	Dissecting the Genetic Pathway to Extreme Fruit Size in Tomato Using a Cross Between the Small-Fruited Wild Species <i>Lycopersicon pimpinellifolium</i> and <i>L. esculentum</i> var. Giant Heirloom. <i>Genetics</i> , 2001, 158, 413-422.	1.2	191
5755	AFLP-Based Genetic Linkage Map of the Colorado Potato Beetle <i>Leptinotarsa decemlineata</i> : Sex Chromosomes and a Pyrethroid-Resistance Candidate Gene. <i>Genetics</i> , 2001, 158, 695-700.	1.2	75
5756	Dense Genetic Linkage Maps of Three Populus Species ( <i>Populus deltoides</i> , <i>P. nigra</i> and <i>P. euphratica</i> ). <i>Genetics</i> , 2001, 158, 1301-1309.	1.2	235
5757	Identification of a Polymorphic Mucin-like Gene Expressed in the Midgut of the Mosquito, <i>Aedes aegypti</i> , Using an Integrated Bulk Segregant and Differential Display Analysis. <i>Genetics</i> , 2001, 158, 1125-1136.	1.2	29
5758	Quantitative Trait Loci Analysis of Powdery Mildew Disease Resistance in the <i>Arabidopsis thaliana</i> Accession Kashmir-1. <i>Genetics</i> , 2001, 158, 1301-1309.	1.2	82
5759	High Genetic Load in the Pacific Oyster <i>Crassostrea gigas</i> . <i>Genetics</i> , 2001, 159, 255-265.	1.2	276

#	ARTICLE	IF	CITATIONS
5760	Comparative Quantitative Trait Loci Mapping of Aliphatic, Indolic and Benzylic Glucosinolate Production in <i>Arabidopsis thaliana</i> Leaves and Seeds. <i>Genetics</i> , 2001, 159, 359-370.	1.2	217
5761	Anchored Reference Loci in Loblolly Pine ( <i>Pinus taeda</i> L.) for Integrating Pine Genomics. <i>Genetics</i> , 2001, 159, 799-809.	1.2	90
5762	Transmission Genetics of Chromatin From a Synthetic Amphidiploid to Cultivated Peanut ( <i>Arachis</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 823-837.	1.2	148
5763	Sex Determination in the Androdioecious Plant <i>Datisca glomerata</i> and Its Dioecious Sister Species <i>D. cannabina</i> . <i>Genetics</i> , 2001, 159, 1243-1257.	1.2	33
5764	A Chromosomal Region Promoting Outcrossing in a Conifer. <i>Genetics</i> , 2001, 159, 1283-1289.	1.2	19
5765	A Genetic Map in the <i>Mimulus guttatus</i> Species Complex Reveals Transmission Ratio Distortion due to Heterospecific Interactions. <i>Genetics</i> , 2001, 159, 1701-1716.	1.2	316
5766	Genetic Variation for Phenotypically Invariant Traits Detected in Teosinte: Implications for the Evolution of Novel Forms. <i>Genetics</i> , 2002, 160, 333-342.	1.2	98
5767	Quantitative Trait Loci for Inflorescence Development in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 2002, 160, 1133-1151.	1.2	124
5768	The Colinearity of the Sh2/A1 Orthologous Region in Rice, Sorghum and Maize Is Interrupted and Accompanied by Genome Expansion in the Triticeae. <i>Genetics</i> , 2002, 160, 1153-1162.	1.2	85
5769	Genetic and Physical Mapping of Avr1a in <i>Phytophthora sojae</i> . <i>Genetics</i> , 2002, 160, 949-959.	1.2	47
5770	A Genetic Map of <i>Gibberella zeae</i> ( <i>Fusarium graminearum</i> ). <i>Genetics</i> , 2002, 160, 1451-1460.	1.2	115
5771	Analysis of Quantitative Trait Locus Effects on the Size and Shape of Mandibular Molars in Mice. <i>Genetics</i> , 2002, 160, 1573-1586.	1.2	108
5772	A Deer (Subfamily Cervinae) Genetic Linkage Map and the Evolution of Ruminant Genomes. <i>Genetics</i> , 2002, 160, 1587-1597.	1.2	83
5773	A Phenotype-Sensitizing <i>Apoe</i> -Deficient Genetic Background Reveals Novel Atherosclerosis Predisposition Loci in the Mouse. <i>Genetics</i> , 2002, 160, 1599-1608.	1.2	77
5774	Isolation and Characterization of Broad-Spectrum Disease-Resistant <i>Arabidopsis</i> Mutants. <i>Genetics</i> , 2002, 160, 1661-1671.	1.2	54
5775	Mapping Baroreceptor Function to Genome: A Mathematical Modeling Approach. <i>Genetics</i> , 2002, 160, 1687-1695.	1.2	13
5776	A Demonstration of a 1:1 Correspondence Between Chiasma Frequency and Recombination Using a <i>Lolium perenne</i> / <i>Festuca pratensis</i> Substitution. <i>Genetics</i> , 2002, 161, 307-314.	1.2	47
5777	Genetic Analysis of Traits Distinguishing Outcrossing and Self-Pollinating Forms of Currant Tomato, <i>Lycopersicon pimpinellifolium</i> (Jusl.) Mill.. <i>Genetics</i> , 2002, 161, 333-344.	1.2	49

#	ARTICLE	IF	CITATIONS
5778	Genetic Analysis of Sunflower Domestication. <i>Genetics</i> , 2002, 161, 1257-1267.	1.2	252
5779	<i>Dasheng</i> : A Recently Amplified Nonautonomous Long Terminal Repeat Element That Is a Major Component of Pericentromeric Regions in Rice. <i>Genetics</i> , 2002, 161, 1293-1305.	1.2	73
5780	A Comparative Genetic Linkage Map of Eggplant ( <i>Solanum melongena</i> ) and Its Implications for Genome Evolution in the Solanaceae. <i>Genetics</i> , 2002, 161, 1697-1711.	1.2	217
5781	A Bacterial Artificial Chromosome-Based Genetic Linkage Map of the Nematode <i>Pristionchus pacificus</i> . <i>Genetics</i> , 2002, 162, 129-134.	1.2	53
5782	The First Comprehensive Genetic Linkage Map of a Marsupial: The Tammar Wallaby ( <i>Macropus</i> )	1.2	64
5783	Mapping Unexplored Genomes: A Genetic Linkage Map of the Hawaiian Cricket <i>Laupala</i> . <i>Genetics</i> , 2002, 162, 1275-1282.	1.2	31
5784	Quantitative Trait Loci for Maternal Performance for Offspring Survival in Mice. <i>Genetics</i> , 2002, 162, 1341-1353.	1.2	79
5785	Novel Loci Control Variation in Reproductive Timing in <i>Arabidopsis thaliana</i> in Natural Environments. <i>Genetics</i> , 2002, 162, 1875-1884.	1.2	144
5786	Marker-Assisted Introgression of Favorable Alleles at Quantitative Trait Loci Between Maize Elite Lines. <i>Genetics</i> , 2002, 162, 1945-1959.	1.2	150
5787	Genetic Loci Modulating Fitness and Life Span in <i>Caenorhabditis elegans</i> : Categorical Trait Interval Mapping in CL2a Recombinant-Inbred Worms. <i>Genetics</i> , 2003, 163, 557-570.	1.2	34
5788	Evidence for Inversion Polymorphism Related to Sympatric Host Race Formation in the Apple Maggot Fly, <i>Rhagoletis pomonella</i> . <i>Genetics</i> , 2003, 163, 939-953.	1.2	166
5789	A Bacterial Artificial Chromosome Contig Spanning the Major Domestication Locus <i>Q</i> in Wheat and Identification of a Candidate Gene. <i>Genetics</i> , 2003, 164, 311-321.	1.2	182
5790	Map-Based Cloning of Leaf Rust Resistance Gene <i>Lr21</i> From the Large and Polyploid Genome of Bread Wheat. <i>Genetics</i> , 2003, 164, 655-664.	1.2	468
5791	Dimension Reduction for Mapping mRNA Abundance as Quantitative Traits. <i>Genetics</i> , 2003, 164, 1607-1614.	1.2	56
5792	Heterogeneous Selection at Specific Loci in Natural Environments in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 2003, 165, 321-329.	1.2	119
5793	Genotype-Environment Interactions at Quantitative Trait Loci Affecting Inflorescence Development in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 2003, 165, 353-365.	1.2	151
5794	A High-Density Genetic Recombination Map of Sequence-Tagged Sites for <i>Sorghum</i> , as a Framework for Comparative Structural and Evolutionary Genomics of Tropical Grains and Grasses. <i>Genetics</i> , 2003, 165, 367-386.	1.2	185
5795	An AFLP-Based Genetic Linkage Map of Channel Catfish ( <i>Ictalurus punctatus</i> ) Constructed by Using an Interspecific Hybrid Resource Family. <i>Genetics</i> , 2003, 165, 687-694.	1.2	153



#	ARTICLE	IF	CITATIONS
5796	A Consensus Linkage Map for Sugi ( <i>Cryptomeria japonica</i> ) From Two Pedigrees, Based on Microsatellites and Expressed Sequence Tags. <i>Genetics</i> , 2003, 165, 1551-1568.	1.2	69
5797	Detailed Mapping of the Species Cytoplasm-Specific ( <i>scs</i> ) Gene in Durum Wheat. <i>Genetics</i> , 2003, 165, 2129-2136.	1.2	14
5798	Constructing Large-Scale Genetic Maps Using an Evolutionary Strategy Algorithm. <i>Genetics</i> , 2003, 165, 2269-2282.	1.2	100
5799	Integration and Modularity of Quantitative Trait Locus Effects on Geometric Shape in the Mouse Mandible. <i>Genetics</i> , 2004, 166, 1909-1921.	1.2	34
5800	CHAPTER 4: Molecular Genetics of Quality in Oats. , 2011, , 51-75.		5
5803	Localization of the Mating Type Gene in <i>Agaricus bisporus</i> . <i>Applied and Environmental Microbiology</i> , 1993, 59, 3044-3049.	1.4	52
5804	Chromosome mapping of Rfv3, a host resistance gene to Friend murine retrovirus. <i>Journal of Virology</i> , 1995, 69, 2617-2620.	1.5	37
5805	Viral Load and a Locus on Chromosome 11 Affect the Late Clinical Disease Caused by Theiler's Virus. <i>Journal of Virology</i> , 1999, 73, 7965-7971.	1.5	26
5806	Cloning, Chromosomal Location, and Characterization of Mouse <i>E2F1</i> . <i>Molecular and Cellular Biology</i> , 1994, 14, 1861-1869.	1.1	32
5807	Detection of quantitative trait loci for wood strength in <i>Cryptomeria japonica</i> . <i>Canadian Journal of Forest Research</i> , 2000, 30, 1525-1533.	0.8	13
5808	Integration of a molecular linkage group containing the broomrape resistance gene <i>Or5</i> into an RFLP map in sunflower. <i>Genome</i> , 1999, 42, 453-456.	0.9	13
5810	Mapping genetic factors affecting the reaction to <i>Xanthomonas axonopodis</i> pv <i>phaseoli</i> in <i>Phaseolus vulgaris</i> L. under field conditions. <i>Genome</i> , 2001, 44, 1046-1056.	0.9	26
5812	Evidence for Primary Genetic Determination of Heart Rate Regulation. <i>Circulation</i> , 1997, 96, 1078-1081.	1.6	27
5813	Detection and Positional Cloning of Blood Pressure Quantitative Trait Loci: Is It Possible?. <i>Hypertension</i> , 1995, 25, 1121-1128.	1.3	69
5814	Investigation of the Phenylethanolamine N -Methyltransferase Gene as a Candidate Gene for Hypertension. <i>Hypertension</i> , 1995, 26, 595-601.	1.3	15
5815	Cloning, Characterization, and Genetic Mapping of the Rat Type 2 Angiotensin II Receptor Gene. <i>Hypertension</i> , 1995, 26, 998-1002.	1.3	32
5816	Cytochrome P4504A Genotype Cosegregates With Hypertension in Dahl S Rats. <i>Hypertension</i> , 1996, 27, 564-568.	1.3	62
5817	Renal Cytochrome P4504A Activity and Salt Sensitivity in Spontaneously Hypertensive Rats. <i>Hypertension</i> , 1996, 27, 1329-1336.	1.3	50

#	ARTICLE	IF	CITATIONS
5818	Quantitative Trait Loci in Genetically Hypertensive Rats. <i>Hypertension</i> , 1996, 28, 898-906.	1.3	94
5819	Analysis of Quantitative Trait Loci for Blood Pressure on Rat Chromosomes 2 and 13. <i>Hypertension</i> , 1996, 28, 1118-1122.	1.3	59
5820	Role of the $\hat{1}^{\pm}$ , $\hat{1}^2$ , and $\hat{1}^3$ -Subunits of Epithelial Sodium Channel in a Model of Polygenic Hypertension. <i>Hypertension</i> , 1997, 29, 131-136.	1.3	42
5821	Absence of Linkage for $\hat{1}^{\pm}$ Endothelial Nitric Oxide Synthase Locus to Blood Pressure in Dahl Rats. <i>Hypertension</i> , 1997, 29, 49-52.	1.3	15
5822	Congenetic Strains for the Blood Pressure Quantitative Trait Locus on Rat Chromosome 2. <i>Hypertension</i> , 1997, 30, 199-202.	1.3	54
5823	Islet cell autoantigen 69 kD (ICA69). Molecular cloning and characterization of a novel diabetes-associated autoantigen.. <i>Journal of Clinical Investigation</i> , 1993, 92, 359-371.	3.9	214
5824	Coincidence of genetic loci for plasma cholesterol levels and obesity in a multifactorial mouse model.. <i>Journal of Clinical Investigation</i> , 1993, 92, 773-779.	3.9	75
5825	Genetic mapping of two new blood pressure quantitative trait loci in the rat by genotyping endothelin system genes.. <i>Journal of Clinical Investigation</i> , 1994, 93, 2701-2709.	3.9	116
5826	Glycogen synthase: a putative locus for diet-induced hyperglycemia.. <i>Journal of Clinical Investigation</i> , 1994, 94, 269-276.	3.9	28
5827	Mapping of a quantitative trait locus for blood pressure on rat chromosome 2.. <i>Journal of Clinical Investigation</i> , 1994, 94, 431-436.	3.9	81
5828	Dietary obesity linked to genetic loci on chromosomes 9 and 15 in a polygenic mouse model.. <i>Journal of Clinical Investigation</i> , 1994, 94, 1410-1416.	3.9	138
5829	Identification of four chromosomal loci determining obesity in a multifactorial mouse model.. <i>Journal of Clinical Investigation</i> , 1995, 95, 1545-1552.	3.9	169
5830	Locus for the inducible, but not a constitutive, nitric oxide synthase cosegregates with blood pressure in the Dahl salt-sensitive rat.. <i>Journal of Clinical Investigation</i> , 1995, 95, 2170-2177.	3.9	120
5831	Genetic factors in lipoprotein metabolism. Analysis of a genetic cross between inbred mouse strains NZB/BINJ and SM/J using a complete linkage map approach.. <i>Journal of Clinical Investigation</i> , 1995, 96, 1845-1858.	3.9	88
5832	Genetic mapping of two blood pressure quantitative trait loci on rat chromosome 1.. <i>Journal of Clinical Investigation</i> , 1996, 97, 777-788.	3.9	80
5833	Complex genetic control of HDL levels in mice in response to an atherogenic diet. Coordinate regulation of HDL levels and bile acid metabolism.. <i>Journal of Clinical Investigation</i> , 1997, 99, 1406-1419.	3.9	125
5834	Identification of an obesity quantitative trait locus on mouse chromosome 2 and evidence of linkage to body fat and insulin on the human homologous region 20q.. <i>Journal of Clinical Investigation</i> , 1997, 100, 1240-1247.	3.9	208
5835	Genetic identification of two major modifier loci of polycystic kidney disease progression in pcy mice.. <i>Journal of Clinical Investigation</i> , 1997, 100, 1934-1940.	3.9	67

#	ARTICLE	IF	CITATIONS
5836	A pharmacogenetic approach to blood pressure in Lyon hypertensive rats. A chromosome 2 locus influences the response to a calcium antagonist.. Journal of Clinical Investigation, 1997, 100, 2000-2006.	3.9	38
5837	Genetic loci controlling body fat, lipoprotein metabolism, and insulin levels in a multifactorial mouse model.. Journal of Clinical Investigation, 1998, 101, 2485-2496.	3.9	123
5839	Lupin. , 2005, , .		3
5841	Map-based Cloning of Single Gene Traits and Quantitative Traits. , 2012, , 212-243.		1
5842	Economic Importance 1.1 Yield, Production, Import and Export Values, Top Producing Countries. , 2013, , 24-24.		2
5843	<i>Superman</i>, a regulator of floral homeotic genes in <i>Arabidopsis</i>. Development (Cambridge), 1992, 114, 599-615.	1.2	270
5844	<i>Procuste1</i> mutants identify two distinct genetic pathways controlling hypocotyl cell elongation, respectively in dark- and light-grown <i>Arabidopsis</i> seedlings. Development (Cambridge), 1996, 122, 683-693.	1.2	112
5845	<i>LOP1</i>: a gene involved in auxin transport and vascular patterning in <i>Arabidopsis</i>. Development (Cambridge), 1996, 122, 1811-1819.	1.2	117
5846	A reference cross DNA panel for zebrafish (<i>Danio rerio</i>) anchored with simple sequence length polymorphisms. Development (Cambridge), 1996, 123, 451-460.	1.2	154
5847	Mutations in the <i>HYDRA1</i> gene of <i>Arabidopsis</i> perturb cell shape and disrupt embryonic and seedling morphogenesis. Development (Cambridge), 1997, 124, 4415-4424.	1.2	58
5848	TSO1 is a novel protein that modulates cytokinesis and cell expansion in <i>Arabidopsis</i>. Development (Cambridge), 2000, 127, 2219-2226.	1.2	79
5850	Detection of Quantitative Trait Loci for Stickiness and Appearance Based on Eating Quality Test in japonica Rice Cultivar. Ikushugaku Kenkyu, 2006, 8, 39-47.	0.1	22
5851	Identification of QTLs for rice brown spot resistance in backcross inbred lines derived from a cross between Koshihikari and CH45. Breeding Science, 2017, 67, 540-543.	0.9	9
5852	A single QTL on chromosome 6DS derived from a winter wheat cultivar 'OW104'™ confers resistance to <i>Wheat yellow mosaic virus</i>. Breeding Science, 2020, 70, 373-378.	0.9	9
5853	Identification of RAPD and SCAR Markers Linked to a Restorer Gene for Ogura Cytoplasmic Male Sterility in Radish ( <i>Raphanus sativus</i> L.) by Bulk Seregant Analysis.. Breeding Science, 1999, 49, 115-121.	0.9	19
5854	Mapping of Loci Affecting the Cultural Efficiency of Microspore Culture of Brassica rapa L. syn. campestris L. using DNA Polymorphism.. Breeding Science, 1999, 49, 187-192.	0.9	27
5855	Abundant Polymorphism in the Flanking Regions of Two Loci for Basic PR-1 Proteins as Markers for indica-aponica Differentiation in Rice ( <i>Oryza sativa</i> L.).. Breeding Science, 2000, 50, 173-181.	0.9	3
5856	A Barley Linkage Map Using an F2 Population Compared with a Map Based on Female Recombination-derived Doubled Haploid Lines.. Breeding Science, 2000, 50, 241-250.	0.9	7

#	ARTICLE	IF	CITATIONS
5857	Abundant DNA Markers Detected by PCR Using Simple Sequence Repeat Primers without Anchor Sequences in Soybean.. <i>Breeding Science</i> , 2001, 51, 207-210.	0.9	3
5858	Analysis of QTL Associated with the Allelopathic Effect of Rice Using Water-soluble Extracts.. <i>Breeding Science</i> , 2001, 51, 47-51.	0.9	35
5859	Mapping Quantitative Trait Loci for Days-to-heading, and Culm, Panicle and Internode Lengths in a BC1F3 Population Using an Elite Rice Variety, Koshihikari, as the Recurrent Parent.. <i>Breeding Science</i> , 2001, 51, 63-71.	0.9	51
5860	Construction of a High-density AFLP and SSR Map Using Recombinant Inbred Lines of Cultivated * Weedy Soybean. <i>Breeding Science</i> , 2003, 53, 335-344.	0.9	4
5861	High Frequency of Sequence Polymorphism in Rice MITEs and Application to Efficient Development of PCR-based Markers. <i>Breeding Science</i> , 2003, 53, 85-92.	0.9	4
5862	QTL Analysis for Rice Stripe Resistance in the Japanese Upland Rice Kanto72. <i>Breeding Science</i> , 2004, 54, 19-26.	0.9	23
5863	Mapping of a Novel Gene for Semi-sterility in Rice ( <i>Oryza sativa</i> L.). <i>Breeding Science</i> , 2005, 55, 15-20.	0.9	2
5864	Identification of Mutants for Abnormal Pollen Development in Rice. <i>Breeding Science</i> , 2007, 57, 331-337.	0.9	5
5865	QTL detection for stickiness of cooked rice using recombinant inbred lines derived from crosses between japonica rice cultivars. <i>Breeding Science</i> , 2008, 58, 419-426.	0.9	28
5866	Mapping of QTLs for floating ability in rice. <i>Breeding Science</i> , 2008, 58, 47-53.	0.9	35
5867	Development of STS markers suitable for marker-assisted selection of sporeless trait in oyster mushroom, <i>Pleurotus pulmonarius</i> . <i>Breeding Science</i> , 2009, 59, 315-319.	0.9	11
5868	QTL analysis of net-like cracking in soybean seed coats. <i>Breeding Science</i> , 2010, 60, 28-33.	0.9	12
5869	Quantitative trait loci for whiteness of cooked rice detected in improved rice cultivars in Hokkaido. <i>Breeding Science</i> , 2015, 65, 201-207.	0.9	10
5870	MAPL: A package of computer programs for construction of DNA polymorphism linkage maps and analysis of QTL. <i>Breeding Science</i> , 1995, 45, 139-142.	0.2	19
5871	Genetic Analysis of Spreading Stub Using indica/japonica Backcrossed Progenies in Rice.. <i>Breeding Science</i> , 1997, 47, 141-144.	0.2	3
5872	Identification of RAPD Markers Linked to the Homostylar (Ho) Gene in Buckwheat.. <i>Breeding Science</i> , 1998, 48, 59-62.	0.2	11
5873	Mapping and stability of QTLs for seed weight in common beans under different environments. <i>Crop Breeding and Applied Biotechnology</i> , 2002, 2, 227-236.	0.1	8
5874	Associations among fruit firmness, morphological traits and RAPD markers in the "firm" tomato mutant. <i>Crop Breeding and Applied Biotechnology</i> , 2003, 3, 11-18.	0.1	2

#	ARTICLE	IF	CITATIONS
5875	Single-locus inheritance and partial linkage map of <i>Coffea arabica</i> L.. <i>Crop Breeding and Applied Biotechnology</i> , 2004, 4, 416-421.	0.1	11
5876	QTL mapping for angular leaf spot in common bean using microsatellite markers. <i>Crop Breeding and Applied Biotechnology</i> , 2005, 5, 272-278.	0.1	22
5877	Marker-assisted selection for the rice blast resistance gene <i>Pi-ar</i> in a backcross population. <i>Crop Breeding and Applied Biotechnology</i> , 2010, 10, 23-31.	0.1	5
5878	Mapping of Four Simple Sequence Repeat(SSR) Markers on Rat Chromosome 4.. <i>Hypertension Research</i> , 2000, 23, 47-50.	1.5	6
5879	A recombinant inbred line population of tomato and its genetic map constructed based on a <i>solanum lycopersicum</i> x <i>s. pimpinellifolium</i> cross. <i>Advanced Studies in Biology</i> , 0, 7, 441-471.	0.2	5
5880	Identification of quantitative trait loci for relative water content and chlorophyll concentration traits in recombinant inbred lines of sunflower ( <i>Helianthus annuus</i> L.) under well-watered and water-stressed conditions. <i>Zemdirbyste</i> , 2013, 100, 159-166.	0.3	6
5881	Agronomical Characters and Rapd Markers Associated with the Resistant Allele to the Erysiphe <i>Polygona</i> in Common Bean. <i>Crop Breeding and Applied Biotechnology</i> , 2001, 1, 11-21.	0.1	3
5883	Cytogenetic Characterization and AFLP-Based Genetic Linkage Mapping for the Butterfly <i>Bicyclus anynana</i> , Covering All 28 Karyotyped Chromosomes. <i>PLoS ONE</i> , 2008, 3, e3882.	1.1	24
5884	Mapping QTL Associated with Photoperiod Sensitivity and Assessing the Importance of QTLA—Environment Interaction for Flowering Time in Maize. <i>PLoS ONE</i> , 2010, 5, e14068.	1.1	24
5885	Major-Effect Alleles at Relatively Few Loci Underlie Distinct Vernalization and Flowering Variation in <i>Arabidopsis</i> Accessions. <i>PLoS ONE</i> , 2011, 6, e19949.	1.1	76
5886	A First Generation Microsatellite- and SNP-Based Linkage Map of <i>Jatropha</i> . <i>PLoS ONE</i> , 2011, 6, e23632.	1.1	71
5887	Identification of QTLs for Arsenic Accumulation in Maize ( <i>Zea mays</i> L.) Using a RIL Population. <i>PLoS ONE</i> , 2011, 6, e25646.	1.1	37
5888	QTL Analysis of Shading Sensitive Related Traits in Maize under Two Shading Treatments. <i>PLoS ONE</i> , 2012, 7, e38696.	1.1	13
5889	The RTM Resistance to Potyviruses in <i>Arabidopsis thaliana</i> : Natural Variation of the RTM Genes and Evidence for the Implication of Additional Genes. <i>PLoS ONE</i> , 2012, 7, e39169.	1.1	55
5890	An International Reference Consensus Genetic Map with 897 Marker Loci Based on 11 Mapping Populations for Tetraploid Groundnut ( <i>Arachis hypogaea</i> L.). <i>PLoS ONE</i> , 2012, 7, e41213.	1.1	89
5891	Pleiotropism of the Photoperiod-Insensitive Allele of <i>Hd1</i> on Heading Date, Plant Height and Yield Traits in Rice. <i>PLoS ONE</i> , 2012, 7, e52538.	1.1	62
5892	Whole Genome Association Mapping of Fusarium Head Blight Resistance in European Winter Wheat ( <i>Triticum aestivum</i> L.). <i>PLoS ONE</i> , 2013, 8, e57500.	1.1	166
5893	Genetic Basis for Spontaneous Hybrid Genome Doubling during Allopolyploid Speciation of Common Wheat Shown by Natural Variation Analyses of the Paternal Species. <i>PLoS ONE</i> , 2013, 8, e68310.	1.1	51

#	ARTICLE	IF	CITATIONS
5894	Genetic Dissection of Yield and Its Component Traits Using High-Density Composite Map of Wheat Chromosome 3A: Bridging Gaps between QTLs and Underlying Genes. <i>PLoS ONE</i> , 2013, 8, e70526.	1.1	40
5895	Dynamic QTL Analysis and Candidate Gene Mapping for Waterlogging Tolerance at Maize Seedling Stage. <i>PLoS ONE</i> , 2013, 8, e79305.	1.1	70
5896	Isolation and Characterization of a Dominant Dwarf Gene, D-h, in Rice. <i>PLoS ONE</i> , 2014, 9, e86210.	1.1	20
5897	Fine Mapping of qRC10-2, a Quantitative Trait Locus for Cold Tolerance of Rice Roots at Seedling and Mature Stages. <i>PLoS ONE</i> , 2014, 9, e96046.	1.1	25
5898	Mapping Isoflavone QTL with Main, Epistatic and QTL $\times$ Environment Effects in Recombinant Inbred Lines of Soybean. <i>PLoS ONE</i> , 2015, 10, e0118447.	1.1	30
5899	Development of a Genomic Resource and Quantitative Trait Loci Mapping of Male Calling Traits in the Lesser Wax Moth, <i>Achroia grisella</i> . <i>PLoS ONE</i> , 2016, 11, e0147014.	1.1	3
5900	Construction of High-Density Linkage Maps of <i>Populus deltoides</i> $\times$ <i>P. simonii</i> Using Restriction-Site Associated DNA Sequencing. <i>PLoS ONE</i> , 2016, 11, e0150692.	1.1	25
5901	Genetics and Molecular Mapping of Black Rot Resistance Locus Xca1bc on Chromosome B-7 in Ethiopian Mustard ( <i>Brassica carinata</i> A. Braun). <i>PLoS ONE</i> , 2016, 11, e0152290.	1.1	55
5902	Characterization and Genetic Analysis of a Novel Light-Dependent Lesion Mimic Mutant, Im3, Showing Adult-Plant Resistance to Powdery Mildew in Common Wheat. <i>PLoS ONE</i> , 2016, 11, e0155358.	1.1	29
5903	Quantitative trait locus analysis for spikelet shape-related traits in wild wheat progenitor <i>Aegilops tauschii</i> : Implications for intraspecific diversification and subspecies differentiation. <i>PLoS ONE</i> , 2017, 12, e0173210.	1.1	16
5904	QTL mapping of wheat plant architectural characteristics and their genetic relationship with seven QTLs conferring resistance to sheath blight. <i>PLoS ONE</i> , 2017, 12, e0174939.	1.1	24
5905	Obtaining retrotransposon sequences, analysis of their genomic distribution and use of retrotransposon-derived genetic markers in lentil ( <i>Lens culinaris</i> Medik.). <i>PLoS ONE</i> , 2017, 12, e0176728.	1.1	11
5906	QTL mapping for nine drought-responsive agronomic traits in bread wheat under irrigated and rain-fed environments. <i>PLoS ONE</i> , 2017, 12, e0182857.	1.1	93
5907	Fine mapping of Pi57(t) conferring broad spectrum resistance against <i>Magnaporthe oryzae</i> in introgression line IL-E1454 derived from <i>Oryza longistaminata</i> . <i>PLoS ONE</i> , 2017, 12, e0186201.	1.1	20
5908	De Novo Transcriptome Analysis of <i>Cucumis melo</i> L. var. <i>makuwa</i> . <i>Molecules and Cells</i> , 2016, 39, 141-148.	1.0	7
5909	Linkage analysis of the visible mutations Sel and Xan of <i>Bombyx mori</i> (Lepidoptera: Bombycidae) using SSR markers. <i>European Journal of Entomology</i> , 2007, 104, 647-652.	1.2	5
5910	Parental and Consensus Linkage Maps of <i>Eucalyptus globulus</i> Using AFLP and Microsatellite Markers. <i>Silvae Genetica</i> , 2006, 55, 202-217.	0.4	28
5911	MAPMAKER/EXP Version 3.0b: Though Used Since Time Immemorial Still Difficult for Beginners to Start with Map Construction for the Genetic Studies. <i>Journal of Translational Proteomics Research</i> , 0, 1, 17-27.	0.0	12

#	ARTICLE	IF	CITATIONS
5912	Characterization and molecular mapping of a soft glume mutant in diploid wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742 T	0.8	6
5913	IdentificaÃ§Ã£o de marcador RAPD ligado ao gene de resistÃªncia Ã raÃ§a 63.39 da mancha-angular do feijoeiro. <i>Bragantia</i> , 1999, 58, 247-252.	1.3	3
5914	Mapeamento de QTLs para reaÃ§Ã£o ao oÃdio e mancha-angular do feijoeiro-comum em diferentes locais. <i>Pesquisa Agropecuaria Brasileira</i> , 2002, 37, 1115-1126.	0.9	6
5915	IdentificaÃ§Ã£o de marcadores RAPD ligados a um gene de resistÃªncia ao cancro da haste da soja. <i>Tropical Plant Pathology</i> , 2002, 27, 474-478.	0.3	7
5916	Marcadores moleculares e sua aplicaÃ§Ã£o no melhoramento genÃ©tico de plantas. <i>Ciencia Rural</i> , 1997, 27, 513-520.	0.3	15
5917	Genetic maps of <i>Saccharum officinarum</i> L. and <i>Saccharum robustum</i> Brandes & Jew. ex grassl. <i>Genetics and Molecular Biology</i> , 1999, 22, 125-132.	0.6	31
5918	Comparative linkage mapping of <i>Oryza glumaepatula</i> and <i>Oryza sativa</i> interspecific crosses based on microsatellite and expressed sequence tag markers. <i>Genetics and Molecular Biology</i> , 2007, 30, 614-622.	0.6	3
5919	Tagging microsatellite marker to a blast resistance gene in the irrigated rice cultivar Cica-8. <i>Crop Breeding and Applied Biotechnology</i> , 2012, 12, 164-170.	0.1	2
5920	Identification of a Major Quantitative Trait Locus Conditioning Resistance to Greenbug Biotype E in <i>Sorghum</i> PI 550610 Using Simple Sequence Repeat Markers. <i>Journal of Economic Entomology</i> , 2007, 100, 1672-1678.	0.8	8
5921	Evidence of Gene-Gene Interactions in the Genetic Susceptibility to Renal Impairment after Unilateral Nephrectomy. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 2068-2078.	3.0	68
5922	QTL ANALYSIS OF FIBER COLOR AND FIBER QUALITY IN NATURALLY GREEN COLORED COTTON ( <i>Gossypium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742 T	0.2	4
5923	Construction of <i>Hevea brasiliensis</i> Genetic Linkage Map and Identification of Quantitative Trait Loci Using RAPD Markers. <i>International Journal on Advanced Science, Engineering and Information Technology</i> , 2013, 3, 71.	0.2	4
5924	Quantitative trait loci on chromosome 1 for cataract and AMD-like retinopathy in senescence-accelerated OXYS rats. <i>Aging</i> , 2012, 4, 49-59.	1.4	15
5925	<i>R</i> Package <i>ASMap</i> : Efficient Genetic Linkage Map Construction and Diagnosis. <i>Journal of Statistical Software</i> , 2017, 79, .	1.8	208
5926	Allelic Variation of <i>Ets1</i> Does Not Contribute to NK and NKT Cell Deficiencies in Type 1 Diabetes Susceptible NOD Mice. <i>Review of Diabetic Studies</i> , 2009, 6, 104-116.	0.5	4
5927	Mapping of Quantitative Trait Loci (QTL) for Na <sup>+</sup> and K <sup>+</sup> Uptake Controlling Rice Salt Tolerance ( <i>Oryza</i> ) Tj ETQq1 1,0,784314, rgBT /Overlock 10 Tf 50 742 T	0,0	3
5928	Recent Advances in QTL Mapping and Quantitative Disease Resistance Approach. <i>International Journal of Current Microbiology and Applied Sciences</i> , 2017, 6, 1967-1984.	0.0	3
5929	Genetic Markers, Map Construction, and Their Application in Plant Breeding. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1996, 31, 729-741.	0.5	258

#	ARTICLE	IF	CITATIONS
5930	Use of Blueberry to Study Genetic Control of Chilling Requirement and Cold Hardiness in Woody Perennials. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1999, 34, 1185-1191.	0.5	19
5931	Evidence for Colinearity among Genetic Linkage Maps in Cucumber. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2007, 42, 20-27.	0.5	9
5932	Identification of an AFLP Fragment Linked to Rust Resistance in Asparagus Bean and Its Conversion to a SCAR Marker. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2007, 42, 1153-1156.	0.5	8
5933	A Sequence-amplified Characterized Region Marker for a Single, Dominant Gene in Melon PI 134198 that Confers Resistance to a Unique Race of <i>Podosphaera xanthii</i> in China. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2010, 45, 1407-1410.	0.5	17
5934	Randomly Amplified Polymorphic DNA in Bulb Onion and Its Use to Assess Inbred Integrity. <i>Journal of the American Society for Horticultural Science</i> , 1995, 120, 752-758.	0.5	47
5935	RAPD Markers Flanking the <i>Are</i> Gene for Anthracnose Resistance in Common Bean. <i>Journal of the American Society for Horticultural Science</i> , 1996, 121, 37-41.	0.5	46
5936	Randomly Amplified Polymorphic DNA Loci from a Walnut Backcross [( <i>Juglans hindsii</i> ã— J. <i>regia</i> ) ã— J. <i>regia</i> ]. <i>Journal of the American Society for Horticultural Science</i> , 1996, 121, 358-361.	0.5	20
5937	Molecular Markers Associated with Plant Architecture and Resistance to Common Blight, Web Blight, and Rust in Common Beans. <i>Journal of the American Society for Horticultural Science</i> , 1996, 121, 794-803.	0.5	87
5938	Association between DNA Markers and Loci Controlling Avocado Traits. <i>Journal of the American Society for Horticultural Science</i> , 1998, 123, 1016-1022.	0.5	13
5939	Molecular Mapping of Disease Resistance Genes for Halo Blight, Common Bacterial Blight, and Bean Common Mosaic Virus in a Segregating Population of Common Bean. <i>Journal of the American Society for Horticultural Science</i> , 1999, 124, 654-662.	0.5	60
5940	Bacterial, Fungal, and Viral Disease Resistance Loci Mapped in a Recombinant Inbred Common Bean Population ('Dorado'/XAN 176). <i>Journal of the American Society for Horticultural Science</i> , 2000, 125, 476-481.	0.5	92
5941	Mapping of Cotton-Melon Aphid Resistance in Melon. <i>Journal of the American Society for Horticultural Science</i> , 2001, 126, 56-63.	0.5	49
5942	Linkage Mapping in a Watermelon Population Segregating for Fusarium Wilt Resistance. <i>Journal of the American Society for Horticultural Science</i> , 2001, 126, 344-350.	0.5	40
5943	A Genetic Linkage Map for Watermelon Based on Randomly Amplified Polymorphic DNA Markers. <i>Journal of the American Society for Horticultural Science</i> , 2001, 126, 730-737.	0.5	31
5944	Inheritance of Reverse Margo Seedcoat Pattern and Allelism between the Genes J for Seedcoat Color and L for Partly Colored Seedcoat Pattern in Common Bean. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 56-61.	0.5	12
5945	Marker Saturation of the Region Flanking the Gene NSV Conferring Resistance to the Melon Necrotic Spot Carmovirus (MNSV) in Melon. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 540-544.	0.5	15
5946	Development of Sequence Characterized Amplified Region Markers Linked to Downy Mildew Resistance in Broccoli. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 597-601.	0.5	29
5947	Identification of RAPD Markers Linked to Five Marker Genes ( <i>blu</i> , <i>dgs</i> , <i>y</i> , <i>arg</i> , and a Flat Pod Mutant) in Common Bean. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 685-688.	0.5	3



#	ARTICLE	IF	CITATIONS
5948	Resistance to Sweetpotato Chlorotic Stunt Virus and Sweetpotato Feathery Mottle Virus Is Mediated by Two Separate Recessive Genes in Sweetpotato. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 798-806.	0.5	43
5949	Mapping Freeze Tolerance Quantitative Trait Loci in a <i>Citrus grandis</i> × <i>Poncirus trifoliata</i> F1 Pseudo-testcross Using Molecular Markers. <i>Journal of the American Society for Horticultural Science</i> , 2003, 128, 508-514.	0.5	40
5950	Identification of QTL Conditioning Resistance to White Mold in Snap Bean. <i>Journal of the American Society for Horticultural Science</i> , 2003, 128, 564-570.	0.5	65
5951	Merging Carrot Linkage Groups based on Conserved Dominant AFLP Markers in F2 Populations. <i>Journal of the American Society for Horticultural Science</i> , 2004, 129, 211-217.	0.5	12
5952	A Genetic Linkage Map for Watermelon Derived from Recombinant Inbred Lines. <i>Journal of the American Society for Horticultural Science</i> , 2004, 129, 237-243.	0.5	22
5953	Improved Tomato Fruit Color within an Inbred Backcross Line Derived from <i>Lycopersicon esculentum</i> and <i>L. hirsutum</i> Involves the Interaction of Loci. <i>Journal of the American Society for Horticultural Science</i> , 2004, 129, 250-257.	0.5	43
5954	Identification and Confirmation of RAPD and SCAR Markers Linked to the ms-3 Gene Controlling Male Sterility in Melon ( <i>Cucumis melo</i> L.). <i>Journal of the American Society for Horticultural Science</i> , 2004, 129, 819-825.	0.5	13
5955	Identification and Mapping of Markers Linked to the Mi Gene for Root-knot Nematode Resistance in Peach. <i>Journal of the American Society for Horticultural Science</i> , 2005, 130, 24-33.	0.5	36
5956	AFLP Markers Linked to Eastern Filbert Blight Resistance from OSU 408.040 Hazelnut. <i>Journal of the American Society for Horticultural Science</i> , 2005, 130, 412-417.	0.5	29
5957	The First Genetic Linkages among Expressed Regions of the Garlic Genome. <i>Journal of the American Society for Horticultural Science</i> , 2005, 130, 569-574.	0.5	25
5958	Identification and Confirmation of RAPD Markers and Andromonoecious Associated with Quantitative Trait Loci for Sugars in Melon. <i>Journal of the American Society for Horticultural Science</i> , 2006, 131, 360-371.	0.5	10
5959	A Genetic Linkage Map of Nonheading Chinese Cabbage. <i>Journal of the American Society for Horticultural Science</i> , 2007, 132, 816-823.	0.5	11
5960	An Integrated Molecular Map of Yellow Passion Fruit Based on Simultaneous Maximum-likelihood Estimation of Linkage and Linkage Phases. <i>Journal of the American Society for Horticultural Science</i> , 2008, 133, 35-41.	0.5	44
5961	A Genetic Linkage Map including Loci for Male Sterility, Sugars, and Ascorbic Acid in Melon. <i>Journal of the American Society for Horticultural Science</i> , 2009, 134, 67-76.	0.5	10
5962	Identification of Quantitative Trait Loci Conferring Resistance to <i>Bemisia tabaci</i> in an F2 Population of <i>Solanum lycopersicum</i> × <i>Solanum habrochaites</i> Accession LA1777. <i>Journal of the American Society for Horticultural Science</i> , 2010, 135, 134-142.	0.5	44
5963	A Simple Sequence Repeat Marker Linked to the Susceptibility of Apple to <i>Alternaria</i> Blotch Caused by <i>Alternaria alternata</i> Apple Pathotype. <i>Journal of the American Society for Horticultural Science</i> , 2011, 136, 109-115.	0.5	13
5964	Construction of a Linkage Map and Identification of Resistance Gene Analog Markers for Root-knot Nematodes in Wild Peach, <i>Prunus kansuensis</i> . <i>Journal of the American Society for Horticultural Science</i> , 2011, 136, 190-197.	0.5	17
5965	Powdery Mildew Resistance in Gerbera: Mode of Inheritance, Quantitative Trait Locus Identification, and Resistance Responses. <i>Journal of the American Society for Horticultural Science</i> , 2013, 138, 470-478.	0.5	11

#	ARTICLE	IF	CITATIONS
5966	An Integrated Genetic Linkage Map of the Soybean Genome. <i>Crop Science</i> , 1999, 39, 1464-1490.	0.8	726
5967	Quantitative Trait Locus Analysis of Stalk Strength in Four Maize Populations. <i>Crop Science</i> , 2003, 43, 13-22.	0.8	36
5968	Genetic Relationship of Stalk Strength and Ear Height in Maize. <i>Crop Science</i> , 2003, 43, 23-31.	0.8	8
5969	Genetics of Seed Abortion and Reproductive Traits in Soybean. <i>Crop Science</i> , 2003, 43, 464-473.	0.8	14
5970	QTL Conferring Resistance and Avoidance to White Mold in Common Bean. <i>Crop Science</i> , 2003, 43, 539-548.	0.8	38
5971	Genetic Mapping of Wheat Curl Mite Resistance Genes <i>Cmc3</i> and <i>Cmc4</i> in Common Wheat. <i>Crop Science</i> , 2003, 43, 644-650.	0.8	16
5972	Characterization and Mapping of a Crown Rust Resistance Gene Complex (Pc58) in TAM 6301. <i>Crop Science</i> , 2006, 46, 2630-2635.	0.8	40
5973	Anther culture properties of oat x wild red oat progenies and a search for RAPD markers associated with anther culture ability. <i>Agricultural and Food Science</i> , 2004, 13, 151.	0.3	7
5974	Genetic Mapping of the QTL Affecting Abdominal Fat Deposition in Chickens. <i>Journal of Poultry Science</i> , 2001, 38, 266-274.	0.7	14
5975	Quantitative Trait loci (QTL) Identification for Resistance to Mal de Rio Cuarto Virus (MRCV) in Maize Based on Segregate Population. <i>Open Agriculture Journal</i> , 2015, 9, 48-55.	0.3	9
5976	Quantitative trait loci for yield and morphological traits in maize under drought stress. <i>Genetika</i> , 2011, 43, 263-276.	0.1	16
5977	Genetic analysis of partial resistance to basal stem rot ( <i>Sclerotinia sclerotiorum</i> ) in sunflower. <i>Genetika</i> , 2013, 45, 737-748.	0.1	16
5978	Map-based cloning strategy for isolating the restorer gene <i>rf1</i> of the <i>pet1</i> cytoplasm in sunflower, <i>Helianthus annuus</i> L. <i>Helia</i> , 2004, 27, 1-14.	0.0	9
5979	The pervenets high oleic mutation: Methodological studies. <i>Helia</i> , 2004, 27, 41-53.	0.0	22
5980	DNA Markers Linked to a Recessive Gene Controlling Single Flower Type Derived from a Wild Species, <i>Dianthus capitatus</i> ssp. <i>andzejowskianus</i> . <i>Horticultural Research (Japan)</i> , 2006, 5, 363-367.	0.1	14
5984	Registration of the MN98550/5/MN99394/1 Wheat Recombinant Inbred Mapping Population. <i>Journal of Plant Registrations</i> , 2011, 5, 257-260.	0.4	4
5985	Identification of genetic markers associated with <i>Gyrodactylus salaris</i> resistance in Atlantic salmon <i>Salmo salar</i> . <i>Diseases of Aquatic Organisms</i> , 2006, 71, 119-129.	0.5	64
5986	Identification and Validation of Quantitative Trait Loci for Grain Number in Rice ( <i>Oryza sativa</i> L.). <i>Agronomy</i> , 2020, 10, 180.	1.3	11

#	ARTICLE	IF	CITATIONS
5995	QTL Mapping and Correlations between Leaf Water Potential and Drought Resistance in Rice under Upland and Lowland Environments. <i>Acta Agronomica Sinica</i> (China), 2008, 34, 198-206.	0.1	6
5996	Mapping QTLs of Resistance to <i>Megacota cribraria</i> (Fabricius) in Soy-bean. <i>Acta Agronomica Sinica</i> (China), 2008, 34, .	0.1	3
5997	Identification and Molecular Mapping of the Powdery Mildew Resistance Gene in Wheat Cultivar Yumai 66. <i>Acta Agronomica Sinica</i> (China), 2008, 34, 545-550.	0.1	9
5998	Molecular Tagging and Source Analysis of QTL for Elite Fiber Quality in Upland Cotton. <i>Acta Agronomica Sinica</i> (China), 2008, 34, 578-586.	0.1	16
5999	Genetic Analysis and Mapping of Resistance Gene to Seed Coat Mottle in Soybean. <i>Acta Agronomica Sinica</i> (China), 2009, 34, 1544-1548.	0.1	1
6000	Genetic Evaluation of EST-SSRs Derived from <i>Gossypium herbaceum</i> . <i>Acta Agronomica Sinica</i> (China), 2009, 34, 2085-2091.	0.1	2
6001	Mapping of a Novel Anthracnose Resistance Gene Using SSR Markers in Common Bean ( <i>Phaseolus vulgaris</i> L.). <i>Acta Agronomica Sinica</i> (China), 2009, 35, 432-437.	0.1	3
6002	Isolation, Characterization, and Mapping of Genomic Microsatellite Markers for the First Time in Sea-Island Cotton ( <i>Gossypium barbadense</i> ). <i>Acta Agronomica Sinica</i> (China), 2009, 35, 1013-1020.	0.1	3
6003	Molecular Identification of <i>Phytophthora</i> Resistance Gene in Soybean Cultivar Yudou 25. <i>Acta Agronomica Sinica</i> (China), 2009, 35, 1844-1850.	0.1	47
6004	Genetic Analysis and Gene Mapping of a Novel Rolled Leaf Mutant <i>rl12</i> in Rice. <i>Acta Agronomica Sinica</i> (China), 2009, 35, 1967-1972.	0.1	1
6005	Construction of Molecular Genetic Map and QTL Analysis of Fiber Quality in Cotton. <i>Acta Agronomica Sinica</i> (China), 2009, 35, 2159-2166.	0.1	5
6006	Comparison between QTLs for Chlorophyll Content and Genes Controlling Chlorophyll Biosynthesis and Degradation in <i>Japonica</i> Rice ( <i>Oryza sativa</i> L.). <i>Acta Agronomica Sinica</i> (China), 2010, 36, 376-384.	0.1	4
6007	Mapping QTLs for Grain Weight and Shape Using Four Sister Near Isogenic Lines in Rice ( <i>Oryza</i> ) Tj ETQq0 0,0 rgBT /Qverlock 10	0.1	3
6008	QTL Analysis for Yield Components and Kernel-Related Traits in Maize under Different Water Regimes. <i>Acta Agronomica Sinica</i> (China), 2010, 36, 1832-1842.	0.1	4
6009	QTL Mapping of Ear Traits of Maize under Different Water Regimes. <i>Acta Agronomica Sinica</i> (China), 2011, 37, 235-248.	0.1	5
6010	Genetic Analysis and Gene Mapping of Early Senescence Leaf Mutant <i>esl2</i> in Rice. <i>Acta Agronomica Sinica</i> (China), 2013, 38, 1347-1353.	0.1	5
6011	QTL Analysis of Tassel-Related Traits in Maize ( <i>Zea mays</i> L.) Using Multiple Connected Populations. <i>Acta Agronomica Sinica</i> (China), 2013, 38, 1435-1442.	0.1	2
6012	Linkage Maps of the Genus <i>Hedychium</i> (Zingiberaceae) Based on SRAP. <i>Acta Botanica Yunnanica</i> , 2010, 31, 317-325.	0.1	2

#	ARTICLE	IF	CITATIONS
6013	Mapping of QTLs for percentage of exerted stigma in rice. Hunan Nong Ye Da Xue Xue Bao = Journal of Hunan Agricultural University, 2010, 36, 373-376.	0.0	10
6014	Screening of a SSR marker tightly linked to nectariless gene in cotton and the SCAR marker conversion. Hunan Nong Ye Da Xue Xue Bao = Journal of Hunan Agricultural University, 2011, 37, 237-242.	0.0	1
6015	Genetic Analysis of Seed Germinability Under Submergence in Rice. Chinese Bulletin of Botany, 2012, 47, 28-35.	0.0	6
6016	Genetic Analysis of Components of Resistance and Quantitative Trait Loci Mapping of Philippine Downy Mildew Resistance Gene in Maize ( <i>Zea mays</i> L.). Asian Journal of Agricultural Research, 2014, 8, 136-149.	0.4	2
6017	QTL Analysis in Rice Improvement: Concept, Methodology and Application. Biotechnology, 2006, 6, 1-13.	0.5	6
6018	Identification of Molecular Markers Linked to Leaf Curl Virus Disease Resistance in Cotton. Pakistan Journal of Biological Sciences, 1998, 2, 124-126.	0.2	10
6019	Microsatellite DNA Markers Indicate Quantitative Trait Loci Controlling Resistance to Pea Root Rot Caused by <i>Fusarium avenaceum</i> (Corda ex Fries) Sacc. Plant Pathology Journal, 2012, 11, 114-119.	0.7	9
6022	Phenotypic Characterization, Genetic Analysis and Molecular Mapping of a New Floral Organ Mutant Gene in Rice. American Journal of Plant Sciences, 2015, 06, 2973-2983.	0.3	1
6023	Mapping of QTLs Associated with Seed Vigor to Artificial Aging Using Two RIL Populations in Maize (&lt;i>Zea mays&lt;/i> L.). Agricultural Sciences, 2018, 09, 397-415.	0.2	4
6024	Development of 1047 insertion-deletion markers for rice genetic studies and breeding. Genetics and Molecular Research, 2013, 12, 5226-5235.	0.3	18
6025	Development and use of single nucleotide polymorphism markers for candidate resistance genes in wild peanuts ( <i>Arachis</i> spp). Genetics and Molecular Research, 2008, 7, 631-642.	0.3	21
6026	Genetic mapping of <i>Theobroma cacao</i> (Malvaceae) seedlings of the Parinari series, carriers of the lethal gene <i>Luteus-Pa</i> . Genetics and Molecular Research, 2010, 9, 1775-1784.	0.3	7
6029	Identification and characterization of QTLs and QTL interactions for Macro- and Micro-elements in rice ( <i>Oryza sativa</i> L.) grain. Journal of Plant Biotechnology, 2008, 35, 257-263.	0.1	2
6030	Molecular Mapping and Marker Assisted Selection of Soybean Mosaic Virus Resistance Gene <i>RSC12</i> in Soybean. Legume Genomics and Genetics, 0, , .	0.0	3
6031	QTL Analysis of Yield-related Traits using an Advanced Backcross Population Derived from Common Wild Rice (&lt;i>Oryza rufipogon&lt;/i> L). Molecular Plant Breeding, 0, , .	0.0	8
6032	Microsatellites Based Genetic Linkage Map of the &lt;i>Rht3&lt;/i> Locus in Bread Wheat. Molecular Plant Breeding, 0, , .	0.0	2
6033	Construction of Genetic Linkage Map and QTL Analysis of Sink-Size Traits in Pearl Millet (&lt;i>Pennisetum glaucum&lt;/i>). ISRN Genetics, 2013, 2013, 1-14.	0.1	12
6034	Genetic Mapping of Resistant Genes in <i>Brassica pekinensis</i> Against <i>Plasmiodiophora brassicae</i> Race 6. Plant Pathology Journal, 2002, 18, 266-270.	0.7	4

#	ARTICLE	IF	CITATIONS
6035	Characterization of Pyrenophora graminea Markers Associated with a Locus Conferring Virulence on Barley. Plant Pathology Journal, 2012, 28, 290-294.	0.7	2
6036	Identification of Coupling and Repulsion Phase DNA Marker Associated With an Allele of a Gene Conferring Host Plant Resistance to Pigeonpea sterility mosaic virus (PPSMV) in Pigeonpea (Cajanus) Tj ETQq1 1 0.784314 rgsBT /Ove	0.7	8
6037	Short communication. An improved intersubspecific genetic map in Lens including functional markers. Spanish Journal of Agricultural Research, 2013, 11, 132.	0.3	9
6038	Construction of a Genetic Linkage Map of Shiitake Mushroom Lentinula Edodes Strain L-54. BMB Reports, 2002, 35, 465-471.	1.1	18
6039	Molecular Identification of Two Genes of Germin-like Protein in Arabidopsis.. Plant Biotechnology, 1998, 15, 103-108.	0.5	2
6040	A Versatile Soybean Recombinant Inbred Line Population Segregating for Low Linolenic Acid and Lipoxygenase Nulls - Molecular Characterization and Utility for Soymilk and Bioproduct Production. , 0, , .		2
6041	Effect of small mapping population sizes on reliability of quantitative trait locus (QTL) mapping. African Journal of Biotechnology, 2012, 4, .	0.3	5
6042	Identification of quantitative trait locus (QTLs) for γ-aminobutyric acid content in grain of barley. African Journal of Biotechnology, 2012, 11, .	0.3	4
6043	The sequence-related amplified polymorphism (SRAP) markers linked to the color around the stone (Cs) locus of peach fruit. African Journal of Biotechnology, 2012, 11, .	0.3	1
6046	Detection of rat model useful for genetic analysis of intramuscular fat accumulation. Journal of Animal Genetics, 2001, 29, 3-10.	0.1	2
6047	Molecular mapping of quantitative trait loci for grain chalkiness in rice (Oryza sativaL.). Indian Journal of Genetics and Plant Breeding, 2013, 73, 244.	0.2	10
6048	Molecular Mapping of Non-Brittle Rachis Genes btr1 and btr2 using STS Markers in Barley. Japan Agricultural Research Quarterly, 2006, 40, 239-242.	0.1	3
6049	Ophiostoma ulmi DNA naturally introgressed into an isolate of Ophiostoma novo-ulmi is clustered around pathogenicity and mating type loci. Phytoprotection, 0, 99, 1-11.	0.3	8
6050	Dissection of three quantitative trait loci for grain size on the long arm of chromosome 10 in rice (<i>Oryza sativa</i> L.). PeerJ, 2019, 7, e6966.	0.9	7
6051	Identification of Quantitative Trait Loci for Leaf Blast Resistance of Rice (Oryza sativa L.). Biotechnology Journal International, 2017, 19, 1-14.	0.2	1
6052	Mapping a New Source of Self-fertility in Perennial Ryegrass (Lolium perenne L.). Plant Breeding and Biotechnology, 2013, 1, 385-395.	0.3	9
6053	Quantitative Trait Loci Associated with Heat Tolerance in Rice (<i>Oryza sativa</i> L.). Plant Breeding and Biotechnology, 2014, 2, 14-24.	0.3	29
6054	Inheritance and Quantitative Trait Loci Analysis of Resistance Genes to Bruchid and Bean Bug in Mungbean (<i>Vigna radiata</i> L. Wilczek). Plant Breeding and Biotechnology, 2015, 3, 39-46.	0.3	25

#	ARTICLE	IF	CITATIONS
6055	Identification of QTLs Associated with <i>indica</i> - <i>japonica</i> Differentiation-Related Traits in Rice ( <i>Oryza sativa</i> L.). <i>Plant Breeding and Biotechnology</i> , 2018, 6, 193-205.	0.3	2
6056	Mapping Quantitative Trait Loci in Wheat: Historic Perspective, Tools, and Methods for Analysis. <i>Springer Protocols</i> , 2022, , 31-75.	0.1	5
6057	A rice QTL GS3.1 regulates grain size through metabolic-flux distribution between flavonoid and lignin metabolons without affecting stress tolerance. <i>Communications Biology</i> , 2021, 4, 1171.	2.0	12
6058	Fine mapping of qWCR7, a grain chalkiness QTL in rice. <i>Molecular Breeding</i> , 2021, 41, 1.	1.0	3
6059	554 Mapping of QTL for Seed Size and Shape Traits in Common Bean. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2000, 35, 491C-491.	0.5	0
6060	Use of Recombinant Substitution Lines for Gene Mapping and QTL Analysis of Bread Making Quality in Wheat. <i>Developments in Plant Breeding</i> , 2001, , 195-202.	0.2	1
6063	Genetic Approaches to Identifying QTL and Modifiers of Hereditary Ocular Phenotypes. <i>Research Methods for Mutant Mice Series</i> , 2001, , .	0.1	3
6064	Isolation and Characterization of a cDNA Encoding an Orthologue of ROUGH SHEATH2 (OsRS2) from Rice. <i>Plant Biotechnology</i> , 2002, 19, 11-18.	0.5	0
6065	Effect of Clq gene polymorphism on Clq production and lupus nephritis. <i>Juntendo, Igaku</i> , 2002, 48, 355-363.	0.1	0
6066	Genes responsible for rheumatic disease as a multifactorial disease: a genome approach from mouse to human. <i>Japanese Journal of Clinical Immunology</i> , 2002, 25, 52-54.	0.0	0
6068	Determination of the genome size and the number of markers for saturation of linkage maps of citrus. <i>Crop Breeding and Applied Biotechnology</i> , 2002, 2, 417-424.	0.1	0
6069	Excess Heterozygosity Contributes to Genetic Map Expansion in Pea Recombinant Inbred Populations. <i>Genetics</i> , 2002, 162, 861-873.	1.2	54
6070	Validation of a RAPD marker linked to the anthracnose resistant gene Co-5 in the common bean. <i>Crop Breeding and Applied Biotechnology</i> , 2002, 2, 591-594.	0.1	0
6071	Genetic Linkage Map of the Model Legume <i>Lotus japonicus</i> . <i>Biotechnology in Agriculture and Forestry</i> , 2003, , 167-182.	0.2	1
6072	Mapping the Chickpea ( <i>Cicer arietinum</i> L.) Genome: Localization of Fungal Resistance Genes in Interspecific Crosses. <i>Biotechnology in Agriculture and Forestry</i> , 2003, , 245-263.	0.2	0
6073	Sex-Specific Quantitative Trait Loci Govern Susceptibility to Theiler's Murine Encephalomyelitis Virus-Induced Demyelination. <i>Genetics</i> , 2003, 163, 1041-1046.	1.2	26
6075	Herança da resistência à antracnose na cultivar de feijoeiro comum Cornell 49-242. <i>Tropical Plant Pathology</i> , 2003, 28, 302-306.	0.3	0
6076	A Graph-Theoretic Approach to Comparing and Integrating Genetic, Physical and Sequence-Based Maps. <i>Genetics</i> , 2003, 165, 2235-2247.	1.2	49

#	ARTICLE	IF	CITATIONS
6077	Fine Genetic Mapping and Physical Delimitation of the Rice Blast Resistance Gene Pi5(t) to a 170-kb DNA Segment of the Rice Genome. , 2004, , 87-106.		0
6078	Quantitative trait loci analyses for meristic traits in <i>Oncorhynchus mykiss</i> . <i>Developments in Environmental Biology of Fishes</i> , 2004, , 317-331.	0.2	0
6079	Analysis of a QTL for Spike Nodding Trait on Barley Chromosome 7(5H) Using Near Isogenic Lines. <i>Cereal Research Communications</i> , 2004, 32, 209-215.	0.8	0
6082	Localized mapping of RAPD markers in <i>Eucalyptus grandis</i> . <i>Crop Breeding and Applied Biotechnology</i> , 2005, 5, 91-98.	0.1	1
6083	Microsatellite markers for powdery mildew resistance in pea ( <i>Pisum sativum</i> L.). <i>Hereditas</i> , 2005, .	0.5	0
6084	Inferring Gene Orders from Gene Maps Using the Breakpoint Distance. <i>Lecture Notes in Computer Science</i> , 2006, , 99-112.	1.0	1
6085	Heterosis level of maize hybrids developed using DNA technologies. <i>Acta Agronomica Hungarica: an International Multidisciplinary Journal in Agricultural Science</i> , 2006, 54, 389-396.	0.2	1
6086	The Mouse Genome. , 2007, , 99-114.		2
6087	Expression Quantitative Trait Locus (eQTL) Mapping. , 2007, , 397-431.		0
6088	QTL Identification for Fatty Acid Content in Rapeseed ( <i>Brassica napus</i> L.). <i>Acta Agronomica Sinica(China)</i> , 2008, 34, .	0.1	1
6089	Application Technique of Marker Grouping and Ordering in Genetic Linkage Map Construction Using Mapmaker/Exp. <i>Acta Agronomica Sinica(China)</i> , 2008, 34, 217-223.	0.1	0
6091	PCR-Based EST Mapping in Wheat ( <i>Triticum aestivum</i> L.). <i>Biodiversitas</i> , 2016, 10, .	0.2	0
6094	ComparaÃ§Ã£o dos algoritmos delineaÃ§Ã£o rÃ¡pida em cadeia e seriaÃ§Ã£o, para a construÃ§Ã£o de mapas genÃ©ticos. <i>Pesquisa Agropecuaria Brasileira</i> , 2008, 43, 505-512.	0.9	1
6095	Physico-Chemical and Molecular Markers for Resistance to Insect Pests. , 2008, , 173-228.		0
6096	Physico-Chemical and Molecular Markers for Resistance to Insect Pests. , 2008, , 153-207.		0
6097	Identification and Mapping of a New Resistant Gene to Sugarcane Mosaic Virus in Maize. <i>Acta Agronomica Sinica(China)</i> , 2009, 34, 1494-1499.	0.1	1
6099	Intraspecific Hybridization among Varieties of <i>Aegilops tauschii</i> & Genetic Analysis and Molecular Markers of a Novel Stripe Rust Resistance Gene from <i>A. tauschii</i> *. <i>Ying Yong Yu Huan Jing Sheng Wu Xue Bao = Chinese Journal of Applied and Environmental Biology</i> , 2010, 2009, 44-47.	0.1	0
6100	QTL Analysis of the Photoperiod Sensitivity-Related Traits at Different Developmental Stages in Maize ( <i>Zea mays</i> L.). <i>Acta Agronomica Sinica(China)</i> , 2010, 36, 602-611.	0.1	0

#	ARTICLE	IF	CITATIONS
6101	Mapping of a QTL in Chromosome 3B for Grain Dormancy in White-Grained Wheat Population. Journal of Food and Agriculture, 2010, 1, .	0.2	1
6102	Identification of Grain Dormancy QTLs in a White-Grained Wheat Population Derived from "Zen" x "Spica" Cross. Tropical Agricultural Research and Extension, 2010, 11, 1.	0.1	1
6103	Molecular Genetic Linkage Maps of Soybean. , 2010, , 71-91.		0
6105	Craniofacial Traits. , 2011, , 185-199.		1
6106	Preliminary Mapping of Soybean Dominant Locus <i>Hrcs7</i> Conferring Resistance to <i>Cercospora soja</i> Race 7. Molecular Plant Breeding, 0, , .	0.0	0
6107	A DNA Isolation Protocol Suitable for RAPD Analysis from Fresh or Herbarium-Stored Leaves of a Historic <i>Quercus virginiana</i> L.. Journal of Plant Sciences, 2011, 6, 77-87.	0.2	2
6108	Genetic Analysis and Mapping of Rice Dwarf Mutant <i>ds1</i> . Chinese Bulletin of Botany, 2011, 46, 617-624.	0.0	0
6109	BASICS OF MOLECULAR GENETIC MAPPING AND QTL ANALYSIS IN PLANTS. , 2012, , 35-52.		2
6110	Identification of random amplified polymorphic DNA (RAPD) marker of Ph-3 gene for late blight resistance in tomato. African Journal of Biotechnology, 2012, 11, .	0.3	0
6111	Honesty, power and bootstrapping in composite interval quantitative trait locus mapping. Open Journal of Genetics, 2013, 03, 127-140.	0.1	1
6113	Molecular Breeding molecular breeding (MB) Platforms molecular breeding (MB) platforms (MBP) in World Agriculture. , 2013, , 1201-1228.		1
6114	Computer Programs for Linkage Analysis. , 1991, , 140-144.		0
6115	Linkage Mapping and Mutation in Plant Breeding.. Radioisotopes, 1993, 42, 205-206.	0.1	0
6116	Recent Developments in the Theoretical Aspects of Linkage Analysis. , 1993, , 165-179.		0
6117	Tomato molecular map. Advances in Cellular and Molecular Biology of Plants, 1994, , 310-326.	0.2	0
6118	Genetic Mapping, an Overview. , 1994, , 75-84.		1
6119	Conservation of Duplicated Segments between Rice Chromosomes 11 and 12.. Breeding Science, 1995, 45, 373-376.	0.2	11
6120	Genetic Factors Contributing to Atherosclerosis: From Humans to Mice and Back Again. , 1995, , 299-306.		0



#	ARTICLE	IF	CITATIONS
6121	Requirements for a Deductive Query Language in a Genome-Mapping Database. , 1995, , 259-278.		3
6123	Toward the Construction of an Integrated Genetic and Physical Map of Rice. Stadler Genetics Symposia Series, 1996, , 57-71.	0.0	2
6124	Genetic Dissection of Phenotypic Traits in Maritime Pine Using Rapd and Protein Markers. Forestry Sciences, 1996, , 223-231.	0.4	2
6125	Construction of Linkage Maps with RAPD Markers. , 1997, , 187-199.		3
6126	Quantitative trait loci: a new approach to old evolutionary problems. , 1998, , 211-220.		0
6127	llžç³—ã°;ç—...ãf©ãffãf~ (OLETF) ä®QTLéª1/4è\$£æž: The Journal of Animal Genetics, 1998, 26, 34-39.	0.1	0
6130	Selection with and without competition. , 1998, , 118-151.		0
6131	Genetic and Molecular Mapping of Chromosomes. , 1998, , 318-337.		0
6132	Susceptibility Alleles for Aberrant B-1 Cell Proliferation Involved in Spontaneously Occurring B-Cell Chronic Lymphocytic Leukemia in a Model of New Zealand White Mice. Blood, 1998, 92, 3772-3779.	0.6	1
6133	Informatics Needs of Plant Molecular Biology. , 1999, , 239-265.		0
6134	Plant Breeding: Genetic Mapping in Woody Crops. Progress in Botany Fortschritte Der Botanik, 1999, , 167-189.	0.1	1
6135	QTL analysis of low cadmium accumulation in grain of rice intermediate parent â€~Ouu PL6â€™™. Ikushugaku Kenkyu, 2015, 17, 16-24.	0.1	0
6136	Expression analysis of some cold responsive ESTs in seedling- stage cold-tolerant QTL in rice (Oryza) Tj ETQq0 0 0 rgBT /Overlqck 10 Tf 5	0.1	0
6138	Bioinformatics - Updated Features and Applications. , 2016, , .		4
6140	Mapping and allelic sequencing of a long sterile lemma trait in rice. Bragantia, 2017, 76, 229-237.	1.3	0
6144	IDENTIFICATION OF NEW QTL CONFERRING RESISTANCE TO ANTHRACNOSE (ASCOCHYTA RABIEI) IN A RIL POPULATION OF CHICKPEA. Turkish Journal of Field Crops, 2018, 23, 93-99.	0.2	0
6148	Control of plant height by 24 alleles at 12 quantitative trait loci in rice. Crop Breeding and Applied Biotechnology, 2019, 19, 200-207.	0.1	4
6151	Mapping of QTL for Yield Traits in Recombinant Inbred Lines Derived from Korean Wheat with Long Spike Length. Han'guk Yukchong Hakhoe Chi, 2019, 51, 376-385.	0.2	1

#	ARTICLE	IF	CITATIONS
6152	Mapping of QTLs conferring high grain length-breadth relative expansion during cooking in rice cultivar Paw San Hmwe. <i>Breeding Science</i> , 2020, 70, 551-557.	0.9	1
6155	The consensus rye microsatellite map with EST-SSRs transferred from wheat. <i>Vavilovskii Zhurnal Genetiki i Seleksii</i> , 2020, 24, 459-464.	0.4	0
6156	Validation of Already Reported SSR Molecular Markers Linked to White Rust Resistance Gene in Indian Mustard Brassica juncea. <i>International Journal of Current Microbiology and Applied Sciences</i> , 2020, 9, 1512-1519.	0.0	0
6157	General Utilities for Genotyping Study (GUGS): A Comprehensive Application in Genotype and Sequence Data Manipulation. <i>Japan Agricultural Research Quarterly</i> , 2021, 55, 333-339.	0.1	0
6158	Genetic Analysis of Anthocyanin Pigmentation in Sterile Lemma and Apiculus in Rice. <i>Plant Breeding and Biotechnology</i> , 2020, 8, 378-388.	0.3	3
6159	Molecular mapping of a new recessive wheat leaf rust resistance gene originating from <i>Triticum spelta</i> . <i>Scientific Reports</i> , 2020, 10, 22113.	1.6	11
6160	Genomics and Genetic Engineering of Rice Elucidating Cross Talk Between Stress Signaling and Nutrition Enhancement via Regulation of Antioxidant, Osmolyte, and Metabolite Levels. , 2020, , 409-432.		0
6161	Finding a novel QTL responsible for kernel cracking resistance from CSSLs of <i>O. sativa</i> Tj ETQg1 1 0.784314 rgB	0.9	2
6162	Breeding and QTL Mapping for $\hat{3}$ -Oryzanol and Nutrition Content in Rice. , 2020, , 469-492.		0
6163	Advanced Quantitative Genetics Technologies for Accelerating Plant Breeding. , 2020, , 121-138.		1
6164	Mapping of Quantitative Trait Loci (QTL) Associated with Plant Freezing and Cold Acclimation. <i>Methods in Molecular Biology</i> , 2020, 2156, 61-84.	0.4	0
6165	Genetic and physiological characterization of sunflower resistance provided by the wild-derived OrDeb2 gene against highly virulent races of <i>Orobanche cumana</i> Wallr. <i>Theoretical and Applied Genetics</i> , 2022, 135, 501-525.	1.8	9
6166	Mapping populations for self-fertilizing crop plants. <i>International Journal of Chemical Studies</i> , 2020, 8, 3933-3937.	0.1	0
6167	Inheritance and linkage analysis of fertility restoration genes for WA, Dissi, and Gambiaca cytoplasmic male sterility systems in rice. <i>Molecular Breeding</i> , 0, , .	1.0	0
6169	Inheritance of Arthropod Resistance. , 2005, , 219-267.		0
6170	Ontogenetics of QTL: the genetic architecture of trichome density over time in <i>Arabidopsis thaliana</i> . , 2005, , 75-85.		1
6171	Genetic linkage maps and genomic organization in <i>Leptosphaeria maculans</i> . , 2006, , 17-31.		1
6173	Genetic and Genomic Approaches to Complex Lung Diseases Using Mouse Models. , 2005, , 103-145.		1

#	ARTICLE	IF	CITATIONS
6175	Molecular mapping of the Arabidopsis locus RPP11 which conditions isolate-specific hypersensitive resistance against downy mildew in ecotype RLD. <i>Theoretical and Applied Genetics</i> , 1996, 92, 281-284.	1.8	2
6176	<i>Theobroma cacao</i> L.: a genetic linkage map and quantitative trait loci analysis. <i>Theoretical and Applied Genetics</i> , 1996, 93, 205-214.	1.8	11
6177	A genetic linkage map of papaya based on randomly amplified polymorphic DNA markers. <i>Theoretical and Applied Genetics</i> , 1996, 93, 547-553.	1.8	11
6178	Molecular-marker analysis of seed-weight: genomic locations, gene action, and evidence for orthologous evolution among three legume species. <i>Theoretical and Applied Genetics</i> , 1996, 93, 574-579.	1.8	18
6179	Targeted comparative genome analysis and qualitative mapping of a major partial-resistance gene to the soybean cyst nematode. <i>Theoretical and Applied Genetics</i> , 1996, 93, 234-241.	1.8	9
6180	Association of RFLP markers with loci conferring broad-based resistance to the soybean cyst nematode ( <i>Heterodera glycines</i> ). <i>Theoretical and Applied Genetics</i> , 1996, 92, 83-86.	1.8	8
6184	Automated measurement of mouse freezing behavior and its use for quantitative trait locus analysis of contextual fear conditioning in (BALB/cJ x C57BL/6J)F2 mice. <i>Learning and Memory</i> , 1998, 5, 391-403.	0.5	30
6288	Bias and Sampling Error of the Estimated Proportion of Genotypic Variance Explained by Quantitative Trait Loci Determined From Experimental Data in Maize Using Cross Validation and Validation With Independent Samples. <i>Genetics</i> , 2000, 154, 1839-1849.	1.2	284
6341	Localization of juvenile, but not late-infantile, neuronal ceroid lipofuscinosis on chromosome 16. <i>American Journal of Human Genetics</i> , 1993, 52, 89-95.	2.6	21
6342	An index marker map of chromosome 9 provides strong evidence for positive interference. <i>American Journal of Human Genetics</i> , 1993, 53, 1279-88.	2.6	33
6343	Software for analysis and manipulation of genetic linkage data. <i>American Journal of Human Genetics</i> , 1992, 50, 1267-74.	2.6	11
6344	Identification of a highly polymorphic microsatellite VNTR within the argininosuccinate synthetase locus: exclusion of the dystonia gene on 9q32-34 as the cause of dopa-responsive dystonia in a large kindred. <i>American Journal of Human Genetics</i> , 1991, 48, 121-8.	2.6	35
6345	Genetic mapping of the human tryptophan hydroxylase gene on chromosome 11, using an intronic conformational polymorphism. <i>American Journal of Human Genetics</i> , 1992, 51, 1366-71.	2.6	52
6346	Genetic mapping of the beta 1 GABA receptor gene to human chromosome 4, using a tetranucleotide repeat polymorphism. <i>American Journal of Human Genetics</i> , 1991, 49, 621-6.	2.6	32
6347	Detecting high-resolution polymorphisms in human coding loci by combining PCR and single-strand conformation polymorphism (SSCP) analysis. <i>American Journal of Human Genetics</i> , 1991, 49, 106-11.	2.6	37
6348	Torsion dystonia genes in two populations confined to a small region on chromosome 9q32-34. <i>American Journal of Human Genetics</i> , 1991, 49, 366-71.	2.6	22
6349	A genetic linkage map of human chromosome 21: analysis of recombination as a function of sex and age. <i>American Journal of Human Genetics</i> , 1992, 50, 551-8.	2.6	56
6350	Strong allelic association between the torsion dystonia gene ( <i>DYT1</i> ) and loci on chromosome 9q34 in Ashkenazi Jews. <i>American Journal of Human Genetics</i> , 1992, 50, 619-28.	2.6	100

#	ARTICLE	IF	CITATIONS
6351	A genetic linkage map of 27 loci from PND to FY on the short arm of human chromosome I. <i>American Journal of Human Genetics</i> , 1988, 43, 462-70.	2.6	46
6352	Rapid multipoint linkage analysis of recessive traits in nuclear families, including homozygosity mapping. <i>American Journal of Human Genetics</i> , 1995, 56, 519-27.	2.6	166
6353	Host modifier genes affect mouse autoimmunity induced by the <i>lpr</i> gene. <i>American Journal of Pathology</i> , 1997, 151, 1791-8.	1.9	65
6354	Autoimmune orchitis, epididymitis, and vasitis are immunogenetically distinct lesions. <i>American Journal of Pathology</i> , 1998, 152, 1337-45.	1.9	17
6360	Constructing linkage map based on a four-way cross population. <i>Journal of the Zhejiang University - Agriculture and Life Science</i> , 2014, 40, 387-396.	0.0	1
6362	Isolation of Zebrafish <i>gdf7</i> and Comparative Genetic Mapping of Genes Belonging to the Growth/Differentiation Factor 5 Subgroup of the TGF- $\beta$ Superfamily. <i>Genome Research</i> , 1999, 9, 121-129.	2.4	21
6363	A Genetic Linkage Map for Zebrafish: Comparative Analysis and Localization of Genes and Expressed Sequences. <i>Genome Research</i> , 1999, 9, 334-347.	2.4	164
6364	A High-Density Integrated Genetic Linkage and Radiation Hybrid Map of the Laboratory Rat. <i>Genome Research</i> , 1999, 9, AP1-AP8.	2.4	159
6365	Automated Measurement of Mouse Freezing Behavior and its Use for Quantitative Trait Locus Analysis of Contextual Fear Conditioning in (BALB/c $\times$ C57BL/6)F <sub>2</sub> Mice. <i>Learning and Memory</i> , 1998, 5, 391-403.	0.5	75
6366	Comparative QTL analysis in peach 'Earlygold' F2 and backcross progenies. <i>Scientia Horticulturae</i> , 2022, 293, 110726.	1.7	4
6367	Mapping of CaPP2C35 involved in the formation of light-green immature pepper ( <i>Capsicum annuum</i> L.) fruits via GWAS and BSA. <i>Theoretical and Applied Genetics</i> , 2022, 135, 591-604.	1.8	8
6368	Combining QTL-seq and linkage mapping to uncover the genetic basis of single vs. paired spikelets in the advanced populations of two-ranked maize-teosinte. <i>BMC Plant Biology</i> , 2021, 21, 572.	1.6	5
6371	Genome Mapping to Enhance Efficient Marker-Assisted Selection and Breeding of the Oil Palm (&lt;i>Elaeis guineensis</i> Jacq.). <i>Advances in Bioscience and Biotechnology (Print)</i> , 2021, 12, 407-425.	0.3	2
6372	Quantitative trait locus mapping and transcriptome analysis reveal candidate genes for a stem bending mutant in rapeseed ( <i>Brassica napus</i> ). <i>Industrial Crops and Products</i> , 2022, 177, 114456.	2.5	3
6374	Deriving stable tropical gynoecious inbred lines of slicing cucumber from American pickling cucumber using MABB. <i>Horticulture Environment and Biotechnology</i> , 2022, 63, 263-274.	0.7	6
6375	Identification of a major QTL and genome-wide epistatic interactions for single vs. paired spikelets in a maize-teosinte F2 population. <i>Molecular Breeding</i> , 2022, 42, 1.	1.0	1
6376	Microsatellite marker development, mapping and applications in rice genetics and breeding. <i>Plant Molecular Biology</i> , 1997, 35, 89-99.	2.0	108
6377	QTL analysis to study the association between leaf size and abscisic acid accumulation in droughted rice leaves and comparisons across cereals. <i>Plant Molecular Biology</i> , 1997, 35, 155-65.	2.0	21

#	ARTICLE	IF	CITATIONS
6378	Hybridization, introgression, and linkage evolution. <i>Plant Molecular Biology</i> , 2000, 42, 205-24.	2.0	64
6379	A genetic system on chromosome arm 1BL of wild emmer causes distorted segregation in common wheat. <i>Journal of Genetics</i> , 2018, 97, 1421-1431.	0.4	0
6380	Detection of QTL for panicle architecture in F population of rice. <i>Journal of Genetics</i> , 2019, 98, .	0.4	1
6385	Genomic Designing Towards Development of Abiotic Stress Tolerant Grass Pea for Food and Nutritional Security. , 2022, , 345-381.		4
6386	Identification of a candidate gene underlying qHKW3, a QTL for hundred-kernel weight in maize. <i>Theoretical and Applied Genetics</i> , 2022, 135, 1579-1589.	1.8	4
6387	Creation of Elite Rice with High-Yield, Superior-Quality and High Resistance to Brown Planthopper Based on Molecular Design. <i>Rice</i> , 2022, 15, 17.	1.7	9
6388	Mapâ€based cloning and functional analysis revealed ABCC2 is responsible for Cry1Ac toxin resistance in<i>Bombyx mori</i>. <i>Archives of Insect Biochemistry and Physiology</i> , 2022, 110, e21886.	0.6	3
6389	Fine Mapping of qWCR4, a Rice Chalkiness QTL Affecting Yield and Quality. <i>Agronomy</i> , 2022, 12, 706.	1.3	3
6390	Stocky1, a Novel Gene Involved in Maize Seedling Development and Cuticle Integrity. <i>Plants</i> , 2022, 11, 847.	1.6	0
6391	Linkage mapping, comparative genome analysis, and QTL detection for growth in a non-model teleost, the meagre <i>Argyrosomus regius</i> , using ddRAD sequencing. <i>Scientific Reports</i> , 2022, 12, 5301.	1.6	8
6392	Molecular tagging of fertility restoration (Rf) gene in sweet pepper ( <i>Capsicum annum</i> var. <i>grossum</i> ). <i>Vegetos</i> , 2022, 35, 903-909.	0.8	1
6393	Construction of Three High-Density Genetic Linkage Maps and Dynamic QTL Mapping of Growth Traits in Yellow River Carp ( <i>Cyprinus carpio haematopterus</i> ). <i>Current Issues in Molecular Biology</i> , 2021, 43, 2276-2288.	1.0	3
6394	A highâ€density linkage map of finger millet provides QTL for blast resistance and other agronomic traits. <i>Plant Genome</i> , 2022, 15, e20175.	1.6	5
6395	A Novel Strategy to Reveal the Landscape of Crossovers in an F1 Hybrid Population of <i>Populus deltoides</i> and <i>Populus simonii</i> . <i>Plants</i> , 2022, 11, 1046.	1.6	0
6396	QTL analysis of regrowth ability in <i>bmr</i> sorghum ( <scp> <i>Sorghum bicolor</i> </scp> [L.] Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Grassland Science, 0, , .	0.6	0
6403	Software for Genetic Linkage Analysis. , 0, , 403-418.		1
6495	Quantitative Trait Loci Underlying Partial Resistance to <i>Cercospora sojina</i> Race 2 Detected in Soybean Seedlings in Greenhouse Assays. <i>Atlas Journal of Biology</i> , 2014, 3, 175-182.	0.1	0
6496	RFLP mapping of the barley homeotic mutant lax-a. <i>Theoretical and Applied Genetics</i> , 1996, 93, 81-85.	1.8	2

#	ARTICLE	IF	CITATIONS
6497	Comparison of RAPD and RFLP markers for mapping F2 generations in maize ( <i>Zea mays</i> L.). <i>Theoretical and Applied Genetics</i> , 1996, 93, 606-612.	1.8	2
6498	Genetics of behaviour: phenotypic and molecular study of rats derived from high- and low-alcohol consuming lines. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 543-54.	5.7	18
6500	Novel QTL for Low Seed Cadmium Accumulation in Soybean. <i>Plants</i> , 2022, 11, 1146.	1.6	1
6501	Development and Characterization of Chromosome Segment Substitution Lines Derived from <i>Oryza rufipogon</i> in the Background of the <i>Oryza sativa</i> Indica Restorer Line R974. <i>Genes</i> , 2022, 13, 735.	1.0	3
6502	Adult plant leaf rust resistance QTL derived from wheat line CI13227 maps to chromosomes 2AL, 4BS, and 7AL. <i>Plant Genome</i> , 2022, , e20215.	1.6	0
6503	Colormapping: a non-mathematical procedure for genetic mapping. <i>Acta Biologica Hungarica</i> , 1998, 49, 125-142.	0.7	27

6504

#	ARTICLE	IF	CITATIONS
6520	A Novel Strategy for Constructing an Integrated Linkage Map in an F1 Hybrid Population of <i>Populus deltoides</i> and <i>Populus simonii</i> . <i>Genes</i> , 2022, 13, 1731.	1.0	0
6521	Analysis of a rice blast resistance gene Pita-Fuhui2663 and development of selection marker. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
6522	Mapping and identification of quantitative trait loci controlling test weight and seed yield of pearl millet in multi agro-climatic zones of India. <i>Field Crops Research</i> , 2022, 288, 108701.	2.3	2
6523	Genomic Designing for Abiotic Stress Resistance in Mulberry (Morus spp.). , 2022, , 157-244.		13
6524	Designing Tobacco Genomes for Resistance to Biotic Stresses. , 2022, , 441-581.		1
6525	Abiotic Stress Resistance in Tobacco: Advances and Strategies. , 2022, , 329-427.		0
6526	Genome-Wide SNP Markers Accelerate Perennial Forest Tree Breeding Rate for Disease Resistance through Marker-Assisted and Genome-Wide Selection. <i>International Journal of Molecular Sciences</i> , 2022, 23, 12315.	1.8	5
6527	Characterization of a new splicing variant of powdery mildew resistance gene Pm4 in synthetic hexaploid wheat YAV249. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	1
6528	Fine mapping of qTGW2b and qGL9, two minor QTL conferring grain size and weight in rice. <i>Molecular Breeding</i> , 2022, 42, .	1.0	3
6529	Genetic analysis of a DROOPING LEAF mutant allele dl-6 associated with a twisted and folded leaf base caused by a deficiency in midrib development in rice. <i>Journal of Plant Physiology</i> , 2022, 279, 153837.	1.6	3
6536	Oats: Role and Responses Under Abiotic Stress. , 2022, , 149-169.		1
6537	Identification of chromosome regions for high-temperature tolerance in the japonica rice cultivar "Genkitsukushi" ( <i>Oryza sativa</i> L.). <i>Plant Production Science</i> , 0, , 1-12.	0.9	0
6538	Identification of a Pm4 Allele Conferring Powdery Mildew Resistance in Wheat Breeding Line GR18-1. <i>Plant Disease</i> , 2023, 107, 2104-2111.	0.7	1
6539	Genome of <i>Paspalum vaginatum</i> and the role of trehalose mediated autophagy in increasing maize biomass. <i>Nature Communications</i> , 2022, 13, .	5.8	4
6540	Multiple interval mapping of QTLs and epistasis for iron toxicity tolerance in segregating population of Indica rice. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2022, 50, 12773.	0.5	1
6541	Identification of a major QTL, Parth6.1 associated with parthenocarpic fruit development in slicing cucumber genotype, Pusa Parthenocarpic Cucumber-6. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	1
6542	Identification of Quantitative Trait Loci Governing Arthritis Severity and Humoral Responses in the Murine Model of Lyme Disease. <i>Journal of Immunology</i> , 1999, 162, 948-956.	0.4	91
6543	Multiple Lupus Susceptibility Loci Map to Chromosome 1 in BXS Mice. <i>Journal of Immunology</i> , 1998, 161, 2753-2761.	0.4	94

#	ARTICLE	IF	CITATIONS
6544	Localization of Quantitative Trait Loci Regulating Adjuvant-Induced Arthritis in Rats: Evidence for Genetic Factors Common to Multiple Autoimmune Diseases. <i>Journal of Immunology</i> , 1998, 161, 4411-4419.	0.4	86
6545	Genetic Determinants of Autoimmune Disease and Coronary Vasculitis in the MRL- <i>lpr/lpr</i> Mouse Model of Systemic Lupus Erythematosus. <i>Journal of Immunology</i> , 1998, 161, 6999-7006.	0.4	49
6546	A Genome-Wide Search Identifies Two Susceptibility Loci for Experimental Autoimmune Encephalomyelitis on Rat Chromosomes 4 and 10. <i>Journal of Immunology</i> , 1999, 162, 1917-1922.	0.4	47
6547	Genetic Analysis of Disease Subtypes and Sexual Dimorphisms in Mouse Experimental Allergic Encephalomyelitis (EAE): Relapsing/Remitting and Monophasic Remitting/Nonrelapsing EAE Are Immunogenetically Distinct. <i>Journal of Immunology</i> , 1999, 162, 3096-3102.	0.4	92
6548	Genome-Wide Linkage Analysis of Chronic Relapsing Experimental Autoimmune Encephalomyelitis in the Rat Identifies a Major Susceptibility Locus on Chromosome 9. <i>Journal of Immunology</i> , 1999, 162, 2581-2588.	0.4	55
6549	A Major Linkage Region on Distal Chromosome 4 Confers Susceptibility to Mouse Autoimmune Gastritis. <i>Journal of Immunology</i> , 1999, 162, 5106-5111.	0.4	39
6550	Identification of Genes Controlling Collagen-Induced Arthritis in Mice: Striking Homology with Susceptibility Loci Previously Identified in the Rat. <i>Journal of Immunology</i> , 1999, 163, 2916-2921.	0.4	56
6551	Mitigation of abiotic stress tolerance in wheat through conventional breeding. , 2023, , 15-32.		0
6552	QTL Mapping of Growth Traits in Yellow River Carp ( <i>Cyprinus carpio haematopterus</i> ) at 5â€“17 Months after Hatching. <i>Fishes</i> , 2023, 8, 79.	0.7	1
6553	Positional cloning identified HvTUBULIN8 as the candidate gene for round lateral spikelet (RLS) in barley ( <i>Hordeum vulgare</i> L.). <i>Theoretical and Applied Genetics</i> , 2023, 136, .	1.8	1
6556	Characterization and identification of the powdery mildew resistance gene in wheat breeding line ShiCG15â€“009. <i>BMC Plant Biology</i> , 2023, 23, .	1.6	4
6557	Genomic location of Gb1, a unique gene conferring wheat resistance to greenbug biotype F. <i>Crop Journal</i> , 2023, 11, 1595-1599.	2.3	1
6558	Mapping of quantitative trait loci controlling cotton leaf curl disease resistance in upland cotton. <i>Plant Breeding</i> , 2023, 142, 247-257.	1.0	0
6559	netgwas: An R Package for Network-Based Genome Wide Association Studies. <i>R Journal</i> , 2022, 14, 18-37.	0.7	3
6560	QTL Mapping: Strategy, Progress, and Prospects in Flax. <i>Compendium of Plant Genomes</i> , 2023, , 69-99.	0.3	0
6561	Molecular mapping of the Rf9 gene from RCMG 1 for CMS ANN3 derived from wild sunflower ( <i>Helianthus annuus</i> L.). <i>Euphytica</i> , 2023, 219, .	0.6	0
6562	SPR9 encodes a 60â€“S ribosomal protein that modulates panicle spreading and affects resistance to false smut in rice ( <i>Oryza sativa</i> . <i>AL</i> ). <i>BMC Plant Biology</i> , 2023, 23, .	1.6	0
6563	Mapping and characterization of the recessive leaf rust resistance gene Lr83 on wheat chromosome arm 1DS. <i>Theoretical and Applied Genetics</i> , 2023, 136, .	1.8	5



#	ARTICLE	IF	CITATIONS
6574	Emerging Frontiers in Plant Breeding Molecular Markers and Nanoprimering for Enhanced Crop Improvement. Advances in Environmental Engineering and Green Technologies Book Series, 2023, , 159-174.	0.3	1
6578	Genomic Approaches for the Study of Flower Development in Floriculture Crops. Methods in Molecular Biology, 2023, , 453-494.	0.4	0
6596	Mapping of Quantitative Traits Loci: Harnessing Genomics Revolution for Dissecting Complex Traits. Springer Protocols, 2024, , 125-157.	0.1	0
6597	Meta-analysis of Mapping Studies: Integrating QTLs Towards Candidate Gene Discovery. Springer Protocols, 2024, , 191-216.	0.1	0