

# Report of the Ad Hoc Committee on Reconciliation of A

International Journal of Systematic and Evolutionary Microbiology  
37, 463-464

DOI: 10.1099/00207713-37-4-463

Citation Report

#	ARTICLE	IF	CITATIONS
1	International Committee on Systematic Bacteriology announcement of the report of the <i>ad hoc</i> Committee on Reconciliation of Approaches to Bacterial Systematics. Journal of Applied Bacteriology, 1988, 64, 283-284.	1.1	13
2	Phylogenetic classification of bacteria and recent developments in bacterial classification and nomenclature. Clinical Microbiology Newsletter, 1988, 10, 153-156.	0.4	3
3	International Committee on Systematic Bacteriology: Announcement of the Report of the Ad Hoc Committee on Reconciliation of Approaches to Bacterial Systematics. Systematic and Applied Microbiology, 1988, 10, 99-100.	1.2	20
4	International committee on systematic bacteriology: Announcement of the report of the ad hoc committee on reconciliation of approaches to bacterial systematics. Zentralblatt Fur Bakteriologie, Mikrobiologie, Und Hygiene Series A, Medical Microbiology, Infectious Diseases, Virology, Parasitology. 1988, 268, 433-434.	0.5	72
5	The Phylogeny of Mycolate-less Wall Chemotype IV Actinomycetes and Description of Pseudonocardiaaceae fam. nov.. Systematic and Applied Microbiology, 1988, 11, 44-52.	1.2	118
6	Halomonadaceae fam. nov., a New Family of the Class Proteobacteria to Accommodate the Genera Halomonas and Deleya. Systematic and Applied Microbiology, 1988, 11, 16-19.	1.2	181
7	16S rRNA Cataloguing and the Phylogenetic Position of the Genus Xenorhabdus. Systematic and Applied Microbiology, 1988, 10, 121-125.	1.2	34
9	Proposal of Minimal Standards for Describing New Taxa of Methanogenic Bacteria. International Journal of Systematic Bacteriology, 1988, 38, 212-219.	2.8	143
10	Alteromonas colwelliana sp. nov., an Isolate from Oyster Habitats. International Journal of Systematic Bacteriology, 1988, 38, 240-244.	2.8	47
11	Proteobacteria classis nov., a Name for the Phylogenetic Taxon That Includes the "Purple Bacteria and Their Relatives". International Journal of Systematic Bacteriology, 1988, 38, 321-325.	2.8	511
12	Campylobacter pylori subsp. mustelae subsp. nov. Isolated from the Gastric Mucosa of Ferrets (Mustela putorius furo), and an Emended Description of Campylobacter pylori. International Journal of Systematic Bacteriology, 1988, 38, 367-370.	2.8	53
13	Clostridium argentinense sp. nov.: A Genetically Homogeneous Group Composed of All Strains of Clostridium botulinum Toxin Type G and Some Nontoxigenic Strains Previously Identified as Clostridium subterminale or Clostridium hastiforme. International Journal of Systematic Bacteriology, 1988, 38, 375-381.	2.8	103
14	Rejection of the Type Strain of Streptococcus mitis (Andrewes and Horder 1906): Request for an Opinion. International Journal of Systematic Bacteriology, 1989, 39, 207-209.	2.8	13
15	Evidence of Host-Specific Subgroups among "Histophilus ovis" Isolates. International Journal of Systematic Bacteriology, 1989, 39, 236-239.	2.8	9
16	Transfer of Enterobacter agglomerans (Beijerinck 1888) Ewing and Fife 1972 to Pantoea gen. nov. as Pantoea agglomerans comb. nov. and Description of Pantoea dispersa sp. nov.. International Journal of Systematic Bacteriology, 1989, 39, 337-345.	2.8	317
17	Taxonomy and Phylogeny. , 1989, , 1-26.		47
18	Deoxyribonucleic Acid Relatedness among Members of the Genus Frankia. International Journal of Systematic Bacteriology, 1989, 39, 424-429.	2.8	141
19	The Phylogeny of Amycolata autotrophica, Kibdelosporangium aridum and Saccharothrix australiensis. Microbiology (United Kingdom), 1989, 135, 2529-2536.	0.7	14

#	ARTICLE	IF	CITATIONS
20	<i>Streptococcus defectivus</i> sp. nov. and <i>Streptococcus adjacens</i> sp. nov., Nutritionally Variant Streptococci from Human Clinical Specimens. <i>International Journal of Systematic Bacteriology</i> , 1989, 39, 290-294.	2.8	107
21	Clinical strains of <i>Acinetobacter</i> classified by DNA-DNA hybridization. <i>Apmis</i> , 1989, 97, 595-605.	0.9	246
22	Delineation of new proteolytic genomic species in the genus <i>Acinetobacter</i> . <i>Research in Microbiology</i> , 1989, 140, 291-299.	1.0	197
23	Reclassification of <i>Alteromonas colwelliana</i> to the Genus <i>Shewanella</i> by DNA-DNA Hybridization, Serology and 5S Ribosomal RNA Sequence Data. <i>Systematic and Applied Microbiology</i> , 1989, 12, 275-279.	1.2	53
24	<i>Legionella Gratiana</i> sp Nov. isolated from French SPA water. <i>Research in Microbiology</i> , 1989, 140, 541-552.	1.0	38
25	Analysis and Interpretation of Sequence Data for Bacterial Systematics: The View of a Numerical Taxonomist. <i>Systematic and Applied Microbiology</i> , 1989, 12, 15-31.	1.2	78
26	Deoxyribonucleic Acid Relatedness and Phenotypic Variation among Human Isolates of <i>Eikenella corrodens</i> . <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1989, 271, 61-69.	0.5	6
27	Why are there so many species of mollicutes? An essay on prokaryote diversity. , 1989, , 205-240.		8
28	<i>Azospirillum irakense</i> sp. nov., a nitrogen-fixing bacterium associated with rice roots and rhizosphere soil. <i>Research in Microbiology</i> , 1989, 140, 679-693.	1.0	78
29	Classification and identification of the viridans streptococci. <i>Clinical Microbiology Reviews</i> , 1989, 2, 315-328.	5.7	267
30	<i>Enterobacter cancerogenus</i> (Urošević, 1966) Dickey and Zumoff 1988, a senior subjective synonym of <i>enterobacter taylorae</i> farmer et al. (1985). <i>Research in Microbiology</i> , 1989, 140, 459-465.	1.0	13
31	<i>Azospirillum irakense</i> sp. nov., a nitrogen-fixing bacterium associated with rice roots and. <i>Research in Microbiology</i> , 1989, 140, 679-693.	1.0	130
32	Deoxyribonucleic Acid Relatedness and Phenotypic Characterization of <i>Flexibacter columnaris</i> sp. nov., nom. rev., <i>Flexibacter psychrophilus</i> sp. nov., nom. rev., and <i>Flexibacter maritimus</i> Wakabayashi, Hikida, and Masumura 1986. <i>International Journal of Systematic Bacteriology</i> , 1989, 39, 346-354.	2.8	132
33	Transfer of <i>Campylobacter pylori</i> and <i>Campylobacter mustelae</i> to <i>Helicobacter</i> gen. nov. as <i>Helicobacter pylori</i> comb. nov. and <i>Helicobacter mustelae</i> comb. nov., Respectively. <i>International Journal of Systematic Bacteriology</i> , 1989, 39, 397-405.	2.8	490
34	Current Trends in Anaerobic Infections: Proceedings of the Third European Congress on Anaerobic Bacteria and Infections Munich, March 8-10, 1989. <i>Scandinavian Journal of Infectious Diseases</i> , 1989, 21, 1-51.	1.5	0
35	Natural relationships among sulfate-reducing eubacteria. <i>Journal of Bacteriology</i> , 1989, 171, 6689-6695.	1.0	226
36	GENETIC EXCHANGE BETWEEN <i>BACILLUS SUBTILIS</i> AND <i>BACILLUS LICHENIFORMIS</i> : VARIABLE HYBRID STABILITY AND THE NATURE OF BACTERIAL SPECIES. <i>Evolution; International Journal of Organic Evolution</i> , 1989, 43, 1585-1609.	1.1	31
37	Diversity and origin of <i>Desulfovibrio</i> species: phylogenetic definition of a family. <i>Journal of Bacteriology</i> , 1990, 172, 3609-3619.	1.0	273

#	ARTICLE	IF	CITATIONS
38	Coryneform bacteria in infectious diseases: clinical and laboratory aspects. <i>Clinical Microbiology Reviews</i> , 1990, 3, 227-246.	5.7	334
39	16S rRNA sequences reveal uncultured inhabitants of a well-studied thermal community. <i>FEMS Microbiology Letters</i> , 1990, 75, 105-115.	0.7	112
40	16S rRNA sequences reveal numerous uncultured microorganisms in a natural community. <i>Nature</i> , 1990, 345, 63-65.	13.7	1,329
41	Classification of <i>Bacillus thuringiensis</i> strains. <i>Entomophaga</i> , 1990, 35, 233-240.	0.2	136
42	Transfer RNAs as genotypic fingerprints of eubacteria. <i>Archives of Microbiology</i> , 1990, 153, 299-304.	1.0	57
43	Towards an Improved Taxonomy of <i>Xanthomonas</i> . <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 312-316.	2.8	88
44	DNA Relatedness among Strains of <i>Leptospira biflexa</i> . <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 231-235.	2.8	33
45	<i>Amycolatopsis methanolica</i> sp. nov., a Facultatively Methylophilic Actinomycete. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 194-204.	2.8	77
46	Transfer of <i>Kingella indologenes</i> (Snell and Lapage 1976) to the Genus <i>Suttonella</i> gen. nov. as <i>Suttonella indologenes</i> comb. nov.; Transfer of <i>Bacteroides nodosus</i> (Beveridge 1941) to the Genus <i>Dichelobacter</i> gen. nov. as <i>Dichelobacter nodosus</i> comb. nov.; and Assignment of the Genera <i>Cardiobacterium</i> , <i>Dichelobacter</i> , and <i>Suttonella</i> to <i>Cardiobacteriaceae</i> fam. nov. in the Gamma Division of Proteobacteria on the Basis of 16S rRNA Sequence Comparisons. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 426-433.	2.8	142
47	DNA Relatedness among Established <i>Ureaplasma</i> Species and Unidentified Feline and Canine Serogroups. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 52-55.	2.8	10
48	<i>Erwinia persicinus</i> , a New Species Isolated from Plants. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 379-383.	2.8	54
49	<i>Bifidobacterium gallicum</i> sp. nov. Isolated from Human Feces. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 100-102.	2.8	58
50	<i>Marinococcus hispanicus</i> , a New Species of Moderately Halophilic Gram-Positive Cocci. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 165-169.	2.8	42
51	Numerical and chemical classification of Actinoplanes and some related actinomycetes. <i>Journal of General Microbiology</i> , 1990, 136, 19-36.	2.3	164
52	Urogenital, maternal and neonatal isolates of <i>Haemophilus influenzae</i> : identification of unusually virulent serologically non-typable clone families and evidence for a new <i>Haemophilus</i> species. <i>Journal of General Microbiology</i> , 1990, 136, 1203-1209.	2.3	75
53	<i>Rhizomonas suberifaciens</i> gen. nov., sp. nov., the Causal Agent of Corky Root of Lettuce. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 175-188.	2.8	57
54	Identification of the bacterium associated with haemorrhagic septicaemia in rainbow trout as <i>Hafnia alvei</i> . <i>Research in Microbiology</i> , 1990, 141, 573-576.	1.0	35
55	Unification of the Genera <i>Streptoverticillum</i> and <i>Streptomyces</i> , and Amendment of <i>Streptomyces Waksman</i> and <i>Henrici</i> 1943, 339AL. <i>Systematic and Applied Microbiology</i> , 1990, 13, 361-371.	1.2	206

#	ARTICLE	IF	CITATIONS
56	<i>Legionella sainthelensi</i> serogroup 2 isolated from patients with pneumonia. <i>Research in Microbiology</i> , 1990, 141, 453-463.	1.0	23
57	Taxonomic Analysis of <i>Xanthomonas campestris</i> pv. <i>begoniae</i> and <i>X. campestris</i> pv. <i>pelargonii</i> by Means of Phytopathological, Phenotypic, Protein Electrophoretic and DNA Hybridization Methods. <i>Systematic and Applied Microbiology</i> , 1990, 13, 166-176.	1.2	27
58	Nucleotide sequences of 16S rRNA from ten <i>Serratia</i> species. <i>Research in Microbiology</i> , 1990, 141, 1139-1149.	1.0	24
59	<i>Agrobacterium vitis</i> sp. nov. for Strains of <i>Agrobacterium</i> biovar 3 from Grapevines. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 236-241.	2.8	177
60	Two genomic species in <i>Borrelia burgdorferi</i> . <i>Research in Microbiology</i> , 1990, 141, 465-475.	1.0	121
61	rRNA gene restriction patterns of <i>Leptospira</i> : A molecular typing system. <i>Research in Microbiology</i> , 1990, 141, 159-171.	1.0	74
63	Correlation between DNA polymorphism and enzyme polymorphism argues in favour of the delineation of two species within <i>Providencia alcalifaciens</i> . <i>Research in Microbiology</i> , 1991, 142, 965-969.	1.0	4
64	Isoenzymes in <i>Entamoeba</i> as Detected by Isoelectrofocusing. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1991, 275, 272-278.	0.5	0
65	A correlation of phylogenetic diversity in the <i>Proteobacteria</i> with the influences of ecological forces. <i>Canadian Journal of Microbiology</i> , 1991, 37, 1-6.	0.8	58
66	Deoxyribonucleic Acid Relatedness Among Species of the <i>Streptomyces cyaneus</i> Cluster. <i>Systematic and Applied Microbiology</i> , 1991, 14, 158-164.	1.2	45
67	Relationships among <i>Streptomyces</i> spp. Causing Potato Scab. <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 479-482.	2.8	54
68	Identification of <i>Staphylococcus carnosus</i> strains from fermented fish and soy sauce mash.. <i>Journal of General and Applied Microbiology</i> , 1991, 37, 479-494.	0.4	27
69	Phylogenetic relationships among <i>Frankia</i> genomic species determined by use of amplified 16S rDNA sequences. <i>Journal of Bacteriology</i> , 1991, 173, 4072-4078.	1.0	120
70	Phylogenetic analysis of the spirochetes. <i>Journal of Bacteriology</i> , 1991, 173, 6101-6109.	1.0	313
71	Taxonomic considerations of <i>Bartonella bacilliformis</i> based on phylogenetic and phenotypic characteristics. <i>FEMS Microbiology Letters</i> , 1991, 83, 187-191.	0.7	22
72	DNA-DNA hybridization and analysis of restriction endonuclease and rRNA gene patterns of atypical (catalase-weak/negative) <i>Campylobacter jejuni</i> from paediatric blood and faecal cultures. <i>Journal of Applied Bacteriology</i> , 1991, 70, 71-80.	1.1	29
73	Genomic groups and biochemical profiles of clinical isolates of <i>Enterobacter cloacae</i> . <i>Apmis</i> , 1991, 99, 507-514.	0.9	15
74	Deoxyribonucleic acid relatedness among strains of the moderately halophilic species <i>Deleya halophila</i> . <i>Current Microbiology</i> , 1991, 22, 103-107.	1.0	0

#	ARTICLE	IF	CITATIONS
75	<i>Clostridium orbiscindens</i> sp. nov., a Human Intestinal Bacterium Capable of Cleaving the Flavonoid C-Ring. <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 355-357.	2.8	104
76	Taxonomy of <i>Acinetobacter</i> . , 1991, , 25-36.		16
77	DNA Homologies among Members of the Genus <i>Azorhizobium</i> and Other Stem- and Root-Nodulating Bacteria Isolated from the Tropical Legume <i>Sesbania rostrata</i> . <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 114-120.	2.8	33
78	Analysis of <i>Actinobacillus pleuropneumoniae</i> and Related Organisms by DNA-DNA Hybridization and Restriction Endonuclease Fingerprinting. <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 121-129.	2.8	25
79	<i>Vibrio navarrensis</i> sp. nov., a Species from Sewage. <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 290-294.	2.8	36
80	Proposed Minimal Standards for the Description of New Genera and Species of Root- and Stem-Nodulating Bacteria. <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 582-587.	2.8	240
81	Taxonomic Study of the <i>Lactobacillus acidophilus</i> Group, with Recognition of <i>Lactobacillus gallinarum</i> sp. nov. and <i>Lactobacillus johnsonii</i> sp. nov. and Synonymy of <i>Lactobacillus acidophilus</i> Group A3 (Johnson et al. 1980) with the Type Strain of <i>Lactobacillus amylovorus</i> (Nakamura 1981). <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 487-491.	2.8	219
82	<i>Rhodopseudomonas rutila</i> Is a Later Subjective Synonym of <i>Rhodopseudomonas palustris</i> . <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 186-188.	2.8	20
83	<i>Listeria ivanovii</i> subsp. <i>londoniensis</i> subsp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 69-73.	2.8	64
84	Identification of Xenobiotic-Degrading Isolates from the Beta Subclass of the Proteobacteria by a Polyphasic Approach Including 16S rRNA Partial Sequencing. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 19-26.	2.8	51
85	Proposal of <i>Mycobacterium peregrinum</i> sp. nov., nom. rev., and Elevation of <i>Mycobacterium chelonae</i> subsp. <i>abscessus</i> (Kubica et al.) to Species Status: <i>Mycobacterium abscessus</i> comb. nov.. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 240-245.	2.8	242
86	Reinterpretation of the Taxonomic Position of <i>Xanthomonas maltophilia</i> and Taxonomic Criteria in This Genus: Request for an Opinion. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 193-198.	2.8	28
87	<i>Pantoea punctata</i> sp. nov., <i>Pantoea citrea</i> sp. nov., and <i>Pantoea terrea</i> sp. nov. Isolated from Fruit and Soil Samples. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 203-210.	2.8	52
88	Phylogenetic Interrelationships of Members of the Genera <i>Aeromonas</i> and <i>Plesiomonas</i> as Determined by 16S Ribosomal DNA Sequencing: Lack of Congruence with Results of DNA-DNA Hybridizations. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 412-421.	2.8	321
89	Genomic Heterogeneity of the Genus <i>Nitrobacter</i> . <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 554-560.	2.8	34
90	Recognition of <i>Morganella</i> Subspecies, with Proposal of <i>Morganella morganii</i> subsp. <i>morganii</i> subsp. nov. and <i>Morganella morganii</i> subsp. <i>sibonii</i> subsp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 613-620.	2.8	35
91	<i>Leuconostoc amelibiosum</i> Schillinger, Holzapfel, and Kandler 1989 Is a Later Subjective Synonym of <i>Leuconostoc citreum</i> Farrow, Facklam, and Collins 1989. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 649-651.	2.8	32
92	Occurrence of novel groups of the domain Bacteria as revealed by analysis of genetic material isolated from an Australian terrestrial environment. <i>Journal of Bacteriology</i> , 1992, 174, 5072-5078.	1.0	455

#	ARTICLE	IF	CITATIONS
93	Agents of newly recognized or infrequently encountered mycobacterial diseases. <i>Clinical Microbiology Reviews</i> , 1992, 5, 1-25.	5.7	326
94	Genetic heterogeneity among nutritionally deficient streptococci. <i>Diagnostic Microbiology and Infectious Disease</i> , 1992, 15, 281-285.	0.8	4
95	NOTES: <i>Ehrlichia ewingii</i> sp. nov., the Etiologic Agent of Canine Granulocytic Ehrlichiosis. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 299-302.	2.8	170
96	Proposed Minimal Standards for the Genus <i>Mycobacterium</i> and for Description of New Slowly Growing <i>Mycobacterium</i> Species. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 315-323.	2.8	206
97	Delineation of <i>Borrelia burgdorferi</i> Sensu Stricto, <i>Borrelia garinii</i> sp. nov., and Group VS461 Associated with Lyme Borreliosis. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 378-383.	2.8	900
98	How Close Is Close: 16S rRNA Sequence Identity May Not Be Sufficient To Guarantee Species Identity. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 166-170.	2.8	1,187
99	<i>Corynebacterium</i> group D2 (â€œ <i>Corynebacterium urealyticum</i> â€) constitutes a new genomic species. <i>Research in Microbiology</i> , 1992, 143, 307-313.	1.0	15
100	Grouping of <i>Frankia</i> Strains on the Basis of DNA Relatedness. <i>Systematic and Applied Microbiology</i> , 1992, 15, 372-379.	1.2	40
102	Phenotypic and Chemotaxonomic Characterization of <i>Marinococcus halophilus</i> . <i>Systematic and Applied Microbiology</i> , 1992, 15, 63-69.	1.2	18
103	Transfer of <i>Marinococcus hispanicus</i> to the Genus <i>Salinicoccus</i> as <i>Salinicoccus hispanicus</i> comb. nov.. <i>Systematic and Applied Microbiology</i> , 1992, 15, 530-534.	1.2	61
104	<i>Neosartorya pseudofischeri</i> sp. nov. and its relationship to other species in <i>Aspergillus</i> section <i>Fumigati</i> . <i>Mycological Research</i> , 1992, 96, 547-554.	2.5	73
105	Numerical Taxonomy and Nucleic Acid Studies of <i>Vibrio mediterranei</i> . <i>Systematic and Applied Microbiology</i> , 1992, 15, 82-91.	1.2	15
106	Diversity Among <i>Fibrobacter</i> Isolates: Towards a Phylogenetic Classification. <i>Systematic and Applied Microbiology</i> , 1992, 15, 23-31.	1.2	130
108	DNA-DNA hybridization in the systematics of <i>Streptomyces</i> . <i>Gene</i> , 1992, 115, 249-253.	1.0	28
109	Characterization and identification of <i>Lactobacillus pentosus</i> and <i>Lactobacillus plantarum</i> strains from fermented foods in Thailand.. <i>Journal of General and Applied Microbiology</i> , 1992, 38, 121-134.	0.4	52
110	Prokaryotes: an overview with respect to biodiversity and environmental importance. <i>Biodiversity and Conservation</i> , 1992, 1, 227-236.	1.2	32
111	Applications of methods of chemical analysis in microbial taxonomy. <i>Fresenius' Journal of Analytical Chemistry</i> , 1992, 343, 47-48.	1.5	1
112	Attachment of Plant Pathogenic Bacteria to Plant Surfaces. <i>Annual Review of Phytopathology</i> , 1992, 30, 225-243.	3.5	131

#	ARTICLE	IF	CITATIONS
113	The species concept and its application to tailed phages. <i>Archives of Virology</i> , 1992, 124, 69-82.	0.9	65
114	<i>Thermohydrogenium kirishiense</i> gen. nov. and sp. nov., a new anaerobic thermophilic bacterium. <i>Archives of Microbiology</i> , 1993, 160, 492-497.	1.0	10
115	<i>Pyrococcus abyssi</i> sp. nov., a new hyperthermophilic archaeon isolated from a deep-sea hydrothermal vent. <i>Archives of Microbiology</i> , 1993, 160, 338.	1.0	226
116	Proposal of <i>Corynebacterium propinquum</i> sp. nov. for <i>Corynebacterium</i> group ANF-3 strains. <i>FEMS Microbiology Letters</i> , 1993, 113, 229-234.	0.7	37
117	Biological specificity of bottled natural mineral waters: characterization by ribosomal ribonucleic acid gene restriction patterns. <i>Journal of Applied Bacteriology</i> , 1993, 75, 292-298.	1.1	15
118	Biology and biotechnological potential of halotolerant bacteria from Antarctic saline lakes. <i>Experientia</i> , 1993, 49, 1042-1046.	1.2	20
119	Structure of the 16 S ribosomal RNA of the thermophilic cyanobacterium <i>Chlorogloeopsis HTF</i> ( <i>Chlorogloeopsis laminosus</i> HTF) strain PCC7518, and phylogenetic analysis. <i>FEBS Letters</i> , 1993, 317, 96-100.	1.3	377
120	Diversity of bacterioplankton. <i>Trends in Ecology and Evolution</i> , 1993, 8, 86-90.	4.2	30
121	Molecular Systematics of the Genus <i>Zoogloea</i> and Emendation of the Genus. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 826-831.	2.8	56
122	Diversity and Taxonomy of Methanogens. , 1993, , 35-80.		243
123	The phylogeny of autotrophic ammonia-oxidizing bacteria as determined by analysis of 16S ribosomal RNA gene sequences. <i>Journal of General Microbiology</i> , 1993, 139, 1147-1153.	2.3	355
124	<i>Rathayibacter</i> gen. nov., including the species <i>Rathayibacter rathayi</i> comb. nov., <i>Rathayibacter tritici</i> comb. nov., <i>Rathayibacter iranicus</i> comb. nov., and six strains from annual grasses. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 143-149.	2.8	124
125	Proposal for rejection of <i>Agrobacterium tumefaciens</i> and revised descriptions for the genus <i>Agrobacterium</i> and for <i>Agrobacterium radiobacter</i> and <i>Agrobacterium rhizogenes</i> . <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 694-702.	2.8	230
126	DNA relatedness among strains of the <i>Streptomyces lavendulae</i> phenotypic cluster group. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 822-825.	2.8	47
127	Characterization of <i>Pediococcus pentosaceus</i> and <i>Pediococcus acidilactici</i> strains and replacement of the type strain of <i>P. acidilactici</i> with the proposed neotype DSM 20284: request for an opinion. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 860-863.	2.8	22
128	A new genomic species in <i>Borrelia burgdorferi</i> sensu lato isolated from Japanese ticks. <i>Research in Microbiology</i> , 1993, 144, 467-473.	1.0	64
129	Phylogenetic analysis of thermophilic <i>Methanobacterium</i> sp.: evidence for a formate-utilizing ancestor. <i>Systematic and Applied Microbiology</i> , 1993, 16, 208-215.	1.2	36
130	Diversity of ribosomal DNA fingerprints of <i>Leptospira</i> serovars provides a database for subtyping and species assignment. <i>Research in Microbiology</i> , 1993, 144, 5-15.	1.0	40



#	ARTICLE	IF	CITATIONS
131	<i>Aeromonas enteropelogenes</i> and <i>Aeromonas ichthiosmia</i> Are Identical to <i>Aeromonas trota</i> and <i>Aeromonas veronii</i> , Respectively, as Revealed by Small-Subunit rRNA Sequence Analysis. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 855-856.	2.8	62
132	Isolation of <i>Rochalimaea</i> Species. <i>New England Journal of Medicine</i> , 1993, 328, 1422-1423.	13.9	12
133	Genomic Analysis of <i>Borrelia japonica</i> Sp. Nov. Isolated from <i>Ixodes ovatus</i> in Japan. <i>Microbiology and Immunology</i> , 1993, 37, 843-848.	0.7	213
134	Monoclonal Antibodies for Identification of <i>Borrelia afzelii</i> sp. nov. Associated with Late Cutaneous Manifestations of Lyme Borreliosis. <i>Scandinavian Journal of Infectious Diseases</i> , 1993, 25, 441-448.	1.5	429
135	<i>Helicobacter canis</i> sp. nov., a new species from dogs: an integrated study of phenotype and genotype. <i>Journal of General Microbiology</i> , 1993, 139, 2495-2504.	2.3	168
136	Description of Two Morphotypes of <i>Peptostreptococcus micros</i> . <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 787-793.	2.8	25
137	Comparative Study of "Micrococcus sp." Strains CCM 168 and CCM 1405 and Members of the Genus <i>Salinicoccus</i> . <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 245-248.	2.8	92
138	<i>Bacillus cohnii</i> sp. nov., a New, Obligately Alkaliphilic, Oval-Spore-Forming Bacillus Species with Ornithine and Aspartic Acid Instead of Diaminopimelic Acid in the Cell Wall. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 150-156.	2.8	75
139	<i>Vibrio mytili</i> sp. nov., from Mussels. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 358-362.	2.8	41
140	Phylogenetic Relationships of Marine Bacteria, Mainly Members of the Family Vibrionaceae, Determined on the Basis of 16S rRNA Sequences. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 8-19.	2.8	175
141	Proposals To Unify the Genera <i>Bartonella</i> and <i>Rochalimaea</i> , with Descriptions of <i>Bartonella quintana</i> comb. nov., <i>Bartonella vinsonii</i> comb. nov., <i>Bartonella henselae</i> comb. nov., and <i>Bartonella elizabethae</i> comb. nov., and To Remove the Family Bartonellaceae from the Order Rickettsiales. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 777-786.	2.8	410
142	<i>Enterobacter pyrinus</i> sp. nov., an Organism Associated with Brown Leaf Spot Disease of Pear Trees. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 157-161.	2.8	31
143	Genomic Heterogeneity among French Rhizobium Strains Isolated from <i>Phaseolus vulgaris</i> L.. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 761-767.	2.8	81
144	Classification of Citrobacteria by DNA Hybridization: Designation of <i>Citrobacter farmeri</i> sp. nov., <i>Citrobacter youngae</i> sp. nov., <i>Citrobacter braakii</i> sp. nov., <i>Citrobacter werkmanii</i> sp. nov., <i>Citrobacter sedlakii</i> sp. nov., and Three Unnamed Citrobacter Genomespecies. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 645-658.	2.8	171
145	Relatedness of Three Species of "False Neisseriae," <i>Neisseria caviae</i> , <i>Neisseria cuniculi</i> , and <i>Neisseria ovis</i> , by DNA-DNA Hybridizations and Fatty Acid Analysis. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 210-220.	2.8	14
146	A New Actinomycete Species, <i>Nocardiopsis lucentensis</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 266-271.	2.8	77
147	Taxonomic Study of <i>Corynebacterium</i> Group ANF-1 Strains: Proposal of <i>Corynebacterium afermentans</i> sp. nov. Containing the Subspecies <i>C. afermentans</i> subsp. <i>afermentans</i> subsp. nov. and <i>C. afermentans</i> subsp. <i>lipophilum</i> subsp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 287-292.	2.8	67
148	Taxonomic Relationship between <i>Pseudomonas perfectomarina</i> ZoBell and <i>Pseudomonas stutzeri</i> . <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 852-854.	2.8	23

#	ARTICLE	IF	CITATIONS
149	Transfer of <i>Erwinia ananas</i> (synonym, <i>Erwinia uredovora</i> ) and <i>Erwinia stewartii</i> to the Genus <i>Pantoea</i> emend. as <i>Pantoea ananas</i> (Serrano 1928) comb. nov. and <i>Pantoea stewartii</i> (Smith 1898) comb. nov., Respectively, and Description of <i>Pantoea stewartii</i> subsp. <i>indologenes</i> subsp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 162-173.	2.8	218
150	Transfer of <i>Thiosphaera pantotropha</i> to <i>Paracoccus denitrificans</i> . <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 363-367.	2.8	188
151	Phenotypic and Genomic Analyses of Human Strains Belonging or Related to <i>Bifidobacterium longum</i> , <i>Bifidobacterium infantis</i> , and <i>Bifidobacterium breve</i> . <i>International Journal of Systematic Bacteriology</i> , 1993, 43, 565-573.	2.8	47
152	[24] DNA-DNA hybridization approaches to species identification in small genome organisms. <i>Methods in Enzymology</i> , 1993, 224, 335-348.	0.4	15
153	Molecular phylogeny of the symbiotic actinomycetes of the genus <i>Frankia</i> matches host-plant infection processes.. <i>Molecular Biology and Evolution</i> , 1993, 10, 1303-16.	3.5	32
154	Genotypic identification and phylogenetic analysis of the spotted fever group rickettsiae by pulsed-field gel electrophoresis. <i>Journal of Bacteriology</i> , 1993, 175, 4895-4904.	1.0	81
155	Distribution of rhizobia in leguminous plants surveyed by phylogenetic identification.. <i>Journal of General and Applied Microbiology</i> , 1993, 39, 339-354.	0.4	48
156	<i>Acidiphilium multivorum</i> sp. nov., an acidophilic chemoorganotrophic bacterium from pyritic acid mine drainage.. <i>Journal of General and Applied Microbiology</i> , 1994, 40, 143-159.	0.4	76
157	Evolutionary affiliation of the marine nitrogen-fixing cyanobacterium <i>Trichodesmium</i> sp. strain NIBB 1067, derived by 16S ribosomal RNA sequence analysis. <i>Microbiology (United Kingdom)</i> , 1994, 140, 2159-2164.	0.7	54
158	<i>Rhodococcus chubuensis</i> Tsukamura 1982 Is a Later Subjective Synonym of <i>Gordona sputi</i> (Tsukamura) Tj ETQq1 1,0784314,rgBT /Ove 2.8	2.8	22
159	<i>Haloincola saccharolytica</i> subsp. <i>senegalensis</i> subsp. nov., Isolated from the Sediments of a Hypersaline Lake, and Emended Description of <i>Haloincola saccharolytica</i> . <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 805-811.	2.8	48
160	Genetic Relationships among <i>Eubacterium</i> Species. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 787-790.	2.8	25
161	<i>Rhodococcus zopfii</i> sp. nov., a Toxicant-Degrading Bacterium. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 106-110.	2.8	30
162	Two Genetically Diverse Groups of Strains Are Included in <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> . <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 47-53.	2.8	94
163	<i>Photobacterium histaminum</i> sp. nov., a Histamine-Producing Marine Bacterium. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 631-636.	2.8	98
164	" <i>Erwinia nalandii</i> " Is a Subjective Synonym of <i>Erwinia persicinus</i> . <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 282-284.	2.8	10
165	Molecular Phylogenetic Analysis of <i>Nitrobacter</i> spp.. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 83-86.	2.8	62
166	<i>Rhodococcus luteus</i> Is a Later Subjective Synonym of <i>Rhodococcus fascians</i> . <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 627-630.	2.8	27

#	ARTICLE	IF	CITATIONS
167	Phylogenetic Analysis of Five Strains of Gram-Negative, Obligately Anaerobic, Sulfur-Reducing Bacteria and Description of <i>Desulfuromusa</i> gen. nov., Including <i>Desulfuromusa kysingii</i> sp. nov., <i>Desulfuromusa bakii</i> sp. nov., and <i>Desulfuromusa succinoxidans</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 753-758.	2.8	89
168	<i>Bacillus galactophilus</i> Is a Later Subjective Synonym of <i>Bacillus agri</i> . <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 172-173.	2.8	20
169	<i>Lachnospira pectinoschiza</i> sp. nov., an Anaerobic Pectinophile from the Pig Intestine. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 87-93.	2.8	62
170	Photosynthetic Symbionts of <i>Aeschynomene</i> spp. Form a Cluster with <i>Bradyrhizobia</i> on the Basis of Fatty Acid and rRNA Analyses. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 392-403.	2.8	79
171	Actinomycetes as plant pathogens. <i>European Journal of Plant Pathology</i> , 1994, 100, 179-200.	0.8	38
172	Taxonomic status of atypical <i>Lactobacillus sakei</i> and <i>Lactobacillus curvatus</i> strains associated with vacuum-packaged meat spoilage. <i>Current Microbiology</i> , 1994, 28, 197-200.	1.0	15
173	Chemotaxonomy of bacteroides: A review. <i>Acta Odontologica Scandinavica</i> , 1994, 52, 354-367.	0.9	10
174	Clinical application of microplate DNA-DNA hybridization procedure for rapid diagnosis of mycobacterial infections. <i>Tubercle and Lung Disease</i> , 1994, 75, 213-219.	2.1	4
175	Occurrence of <i>Bacillus</i> species on evergreen oak leaves. <i>FEMS Microbiology Ecology</i> , 1994, 14, 331-342.	1.3	16
176	Restriction fragment length polymorphisms of 16S rRNA genes in the differentiation of fast-growing mycobacterial species. <i>FEMS Microbiology Letters</i> , 1994, 116, 19-24.	0.7	66
177	Rapid Distinction of <i>Brevibacterium</i> Species by Restriction Analysis of rDNA Generated by Polymerase Chain Reaction. <i>Systematic and Applied Microbiology</i> , 1994, 17, 380-386.	1.2	15
178	Biochemical and chemotaxonomic characterization of <i>Pseudomonas stutzeri</i> genomovars. <i>Journal of Applied Bacteriology</i> , 1994, 76, 226-233.	1.1	34
179	Genetic relationships in <i>Pseudocercospora herpotrichoides</i> determined from DNA relatedness. <i>Mycological Research</i> , 1994, 98, 1059-1064.	2.5	9
180	Amino acid sequences of cytochromes <i>c2</i> and <i>c2</i> from the moderately halophilic purple phototrophic bacterium <i>Rhodospirillum salexigens</i> . <i>Biochimie</i> , 1994, 76, 583-591.	1.3	5
181	A modified method of quantitative colorimetric DNA-DNA hybridization on membrane filters for bacterial identification. <i>Journal of Microbiological Methods</i> , 1994, 20, 273-288.	0.7	18
182	Rapid in situ assessment of physiological activities in bacterial biofilms using fluorescent probes. <i>Journal of Microbiological Methods</i> , 1994, 20, 1-10.	0.7	94
183	Genotypic and phenotypic diversity of <i>Rhizobium</i> isolated from chickpea ( <i>Cicer arietinum</i> L.). <i>Canadian Journal of Microbiology</i> , 1994, 40, 345-354.	0.8	69
184	Characterization and identification of a new strain of esterase-producing <i>Bacillus thermoglucosidarius</i> from an aerated thermophilic sewage. <i>Microbiological Research</i> , 1994, 149, 1-7.	2.5	12

#	ARTICLE	IF	CITATIONS
185	Genetic structure of populations of Î²-haemolytic Lancefield group C streptococci from horses and their association with disease. <i>Research in Veterinary Science</i> , 1994, 57, 292-299.	0.9	55
186	Symbiotic plasmid transfer in <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> and competition between the inoculant strain icmp2163 and transconjugant soil bacteria. <i>Soil Biology and Biochemistry</i> , 1994, 26, 339-351.	4.2	33
187	The isolation, identification, and systematics of the motile <i>Aeromonas</i> species. <i>Annual Review of Fish Diseases</i> , 1994, 4, 315-343.	1.1	117
188	The Development of Media Suitable for the Microorganisms Morphologically Resembling <i>Planctomyces</i> spp., <i>Pirellula</i> spp., and other Planctomycetales from Various Aquatic Habitats Using Dilute Media. <i>Systematic and Applied Microbiology</i> , 1994, 17, 135-145.	1.2	172
189	Intragenetic Structure of the Genus <i>Rhodobacter</i> : Transfer of <i>Rhodobacter sulfidophilus</i> and Related Marine Species to the Genus <i>Rhodovulum</i> gen. nov.. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 15-23.	2.8	143
190	Characterization and Identification of Two <i>Vibrio</i> Species Indigenous to the Intestine of Fish in Cold Sea Water; Description of <i>Vibrio iliopiscarius</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 1994, 17, 370-379.	1.2	84
191	Molecular relationship of an atypical <i>Azospirillum</i> strain 4T to other <i>Azospirillum</i> species. <i>Research in Microbiology</i> , 1994, 145, 633-640.	1.0	14
192	Random Amplified Polymorphic DNA of a Group of Halophilic Archaeal Isolates. <i>Systematic and Applied Microbiology</i> , 1994, 17, 395-401.	1.2	11
193	Characterization of thirteen <i>Staphylococcus epidermidis</i> and <i>S. saprophyticus</i> bacteriophages. <i>Research in Virology</i> , 1994, 145, 111-121.	0.7	8
194	Diversity of <i>Borrelia burgdorferi</i> Sensu Lato Evidenced by Restriction Fragment Length Polymorphism of <i>rrf</i> (5S)- <i>rrl</i> (23S) Intergenic Spacer Amplicons. <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 743-752.	2.8	511
195	Expression of the symbiotic plasmid from <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> in <i>Sphingobacterium multivorum</i> . <i>Canadian Journal of Microbiology</i> , 1994, 40, 873-879.	0.8	12
196	Taxonomic Note: A Place for DNA-DNA Reassociation and 16S rRNA Sequence Analysis in the Present Species Definition in Bacteriology. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1994, 44, 846-849.	0.8	5,819
197	Use of Polymerase Chain Reaction-amplified 16S rRNA Gene Sequences to Identify Pink-pigmented Bacteria Found in a Potable Water Treatment System.. <i>Bulletin of Japanese Society of Microbial Ecology</i> , 1994, 9, 55-65.	0.1	7
198	Phylogeny of mycoplasma-like organisms (phytoplasmas): a basis for their classification. <i>Journal of Bacteriology</i> , 1994, 176, 5244-5254.	1.0	301
199	Molecular Characterization and Detection of the Actinomycete <i>Frankia</i> in the Environment. , 0, , 121-132.		0
200	Remarkable N <sub>2</sub> -fixing bacterial diversity detected in rice roots by molecular evolutionary analysis of <i>nifH</i> gene sequences. <i>Journal of Bacteriology</i> , 1995, 177, 1414-1417.	1.0	379
201	Diversity and Genetic Relatedness within Genera <i>Xanthomonas</i> and <i>Stenotrophomonas</i> Using Restriction Endonuclease Site Differences of PCR-amplified 16S rRNA Gene. <i>Systematic and Applied Microbiology</i> , 1995, 18, 127-135.	1.2	57
202	Fastidious Gram-negative bacteria: Meeting the diagnostic challenge with nucleic acid analysis. <i>Apmis</i> , 1995, 103, 609-627.	0.9	18

#	ARTICLE	IF	CITATIONS
203	Diversity and genetic structure of a natural population of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> isolated from <i>Trifolium subterraneum</i> L.. <i>Molecular Ecology</i> , 1995, 4, 209-220.	2.0	39
204	Molecular structure of the <i>Frankia</i> spp. nifD intergenic spacer and design of <i>Frankia</i> genus compatible primer. <i>Molecular Ecology</i> , 1995, 4, 483-492.	2.0	31
206	Phylogeny of <i>Alternaria</i> fungi known to produce host-specific toxins on the basis of variation in internal transcribed spacers of ribosomal DNA. <i>Current Genetics</i> , 1995, 28, 491-498.	0.8	207
207	Hot subterranean biosphere in a continental oil reservoir. <i>Nature</i> , 1995, 377, 223-224.	13.7	225
208	Phylogenetic position of <i>Gluconobacter</i> species as a coherent cluster separated from all <i>Acetobacter</i> species on the basis of 16S ribosomal RNA sequences. <i>FEMS Microbiology Letters</i> , 1995, 126, 123-126.	0.7	30
209	Molecular epidemiological tools and phylogenetic analysis of bacteria and viruses with special emphasis on lyssaviruses. <i>Preventive Veterinary Medicine</i> , 1995, 25, 161-181.	0.7	6
210	Identity of 1:2:1 and 2:4:2 subgingival spirochetes by DNA hybridization. <i>Oral Microbiology and Immunology</i> , 1995, 10, 378-381.	2.8	3
211	Isolation of <i>Chloroflexus aurantiacus</i> and related thermophilic phototrophic bacteria from Japanese hot springs using an improved isolation procedure.. <i>Journal of General and Applied Microbiology</i> , 1995, 41, 119-130.	0.4	59
212	A Taxonomic Study of the Genus <i>Streptomyces</i> by Analysis of Ribosomal Protein AT-L30. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 507-514.	2.8	20
213	<i>Bartonella</i> ( <i>Rochalimaea</i> ) Species as a Cause of Apparent "Culture-Negative" Endocarditis. <i>Clinical Infectious Diseases</i> , 1995, 20, 1044-1047.	2.9	102
214	<i>Amycolatopsis coloradensis</i> sp. nov., the Avoparcin (LL-AV290)-Producing Strain. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 124-127.	2.8	36
215	Phylogenetic Inferences and Taxonomic Consequences of 16S Ribosomal DNA Sequence Comparison of <i>Chromohalobacter marismortui</i> , <i>Volcaniella eurihalina</i> , and <i>Deleya salina</i> and Reclassification of <i>V. eurihalina</i> as <i>Halomonas eurihalina</i> comb. nov.. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 712-716.	2.8	120
216	<i>Paracoccus thiocyanatus</i> sp. nov., a new species of thiocyanate-utilizing facultative chemolithotroph, and transfer of <i>Thiobacillus versutus</i> to the genus <i>Paracoccus</i> as <i>Paracoccus versutus</i> comb. nov. with emendation of the genus. <i>Microbiology (United Kingdom)</i> , 1995, 141, 1469-1477.	0.7	159
217	Differentiation of <i>Bordetella pertussis</i> , <i>B. parapertussis</i> , and <i>B. bronchiseptica</i> by Whole-Cell Protein Electrophoresis and Fatty Acid Analysis. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 843-847.	2.8	28
218	Molecular characterization of nocardioform actinomycetes in activated sludge by 16S rRNA analysis. <i>Microbiology (United Kingdom)</i> , 1995, 141, 513-521.	0.7	97
219	<i>Paenibacillus</i> (Formerly <i>Bacillus</i> ) <i>gordonae</i> (Pichinoty et. al. 1986) Ash et al. 1994 Is a Later Subjective Synonym of <i>Paenibacillus</i> (Formerly <i>Bacillus</i> ) <i>validus</i> (Nakamura 1984) Ash et al. 1994: Emended Description of <i>P. validus</i> . <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 661-669.	2.8	44
220	Phenotypic Characterization, DNA Similarities, and Protein Profiles of Twenty Sulfur-Metabolizing Hyperthermophilic Anaerobic Archaea Isolated from Hydrothermal Vents in the Southwestern Pacific Ocean. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 623-632.	2.8	44
221	Genomic Heterogeneity of Strains Nodulating Chickpeas ( <i>Cicer arietinum</i> L.) and Description of <i>Rhizobium mediterraneum</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 640-648.	2.8	166

#	ARTICLE	IF	CITATIONS
222	Genetic and Phenotypic Analysis of <i>Borrelia miyamotoi</i> sp. nov., Isolated from the Ixodid Tick <i>Ixodes persulcatus</i> , the Vector for Lyme Disease in Japan. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 804-810.	2.8	335
223	Partial Gene Sequences for the A Subunit of Methyl-Coenzyme M Reductase ( <i>mcrI</i> ) as a Phylogenetic Tool for the Family Methanosarcinaceae. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 554-559.	2.8	159
224	Amino Acid Sequence Analysis of Ribosomal Protein AT-L30 from Members of the Family Pseudonocardiaceae. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 110-115.	2.8	11
225	Polyphasic Evidence for the Transfer of <i>Rhodococcus roseus</i> to <i>Rhodococcus rhodochrous</i> . <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 101-103.	2.8	32
226	Transfer of <i>Arthrobacter picolinophilus</i> Tate and Ensign 1974 to <i>Rhodococcus erythropolis</i> . <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 576-577.	2.8	13
227	Reclassification of <i>Propionibacterium rubrum</i> as <i>P. jensenii</i> . <i>Research in Microbiology</i> , 1995, 146, 51-58.	1.0	18
228	Differentiation of <i>Acinetobacter calcoaceticus sensu stricto</i> from related <i>Acinetobacter</i> species by electrophoretic polymorphism of malate dehydrogenase, glutamate dehydrogenase and catalase. <i>Research in Microbiology</i> , 1995, 146, 773-785.	1.0	9
229	Physiological assessment of bacteria using fluorochromes. <i>Journal of Microbiological Methods</i> , 1995, 21, 1-13.	0.7	143
230	The spirochaetes: A different way of life. <i>Bulletin De L'Institut Pasteur</i> , 1995, 93, 63-95.	0.7	18
231	Phylogenetic Analysis of Uncultured Magnetotactic Bacteria from the Alpha-Subclass of Proteobacteria. <i>Systematic and Applied Microbiology</i> , 1995, 17, 501-508.	1.2	70
232	Phenetic diversity of alkaliphilic <i>Bacillus</i> strains: proposal for nine new species. <i>Microbiology (United Kingdom)</i> , 1995, 131, 107-114.	0.7	360
233	Genetic diversity of <i>N<sub>2</sub></i> -fixing bacteria associated with rice roots by molecular evolutionary analysis of a <i>nifD</i> library. <i>Canadian Journal of Microbiology</i> , 1995, 41, 235-240.	0.8	52
234	Isolation and Characterization of <i>Rhodovulum strictum</i> sp. nov. and Some Other Purple Nonsulfur Bacteria from Colored Blooms in Tidal and Seawater Pools. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 319-326.	2.8	59
235	Systematics and Public Health. <i>BioScience</i> , 1995, 45, 705-714.	2.2	10
236	Classification and identification of bacteria: current approaches to an old problem. Overview of methods used in bacterial systematics. <i>Journal of Biotechnology</i> , 1996, 47, 3-38.	1.9	176
237	Semantide- and Chemotaxonomy-Based Analyses of Some Problematic Phenotypic Clusters of Slowly Growing Mycobacteria, a Cooperative Study of the International Working Group on Mycobacterial Taxonomy. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 280-297.	2.8	84
238	Phenotypic and Genotypic Characterization of Atypical <i>Lactococcus garvieae</i> Strains Isolated from Water Buffaloes with Subclinical Mastitis and Confirmation of <i>L. garvieae</i> as a Senior Subjective Synonym of <i>Enterococcus seriolicida</i> . <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 664-668.	2.8	154
239	Evidence that two genomic species of <i>Rhizobium</i> are associated with <i>Medicago truncatula</i> . <i>Archives of Microbiology</i> , 1996, 165, 285-288.	1.0	35

#	ARTICLE	IF	CITATIONS
240	Acinetobacter spp. as nosocomial pathogens: microbiological, clinical, and epidemiological features. <i>Clinical Microbiology Reviews</i> , 1996, 9, 148-165.	5.7	1,441
241	Identification methods for campylobacters, helicobacters, and related organisms. <i>Clinical Microbiology Reviews</i> , 1996, 9, 405-422.	5.7	284
242	Conservation of forest soil microbial diversity: the impact of fire and research needs. <i>Environmental Reviews</i> , 1996, 4, 267-275.	2.1	24
243	Molecular genetic characterization of bacterial isolates causing brown blotch on cultivated mushrooms in Japan. <i>Mycoscience</i> , 1996, 37, 409-416.	0.3	19
244	A study of the bacterial flora associated with <i>Holothuria atra</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 1996, 203, 11-26.	0.7	44
245	The medical relevance of molecular taxonomy and associated name changes, or "What's in a name?". <i>Clinical Microbiology Newsletter</i> , 1996, 18, 123-125.	0.4	1
246	Application of a colorimetric DNA-DNA hybridization method for identification of <i>Aeromonas</i> genomic species, isolated from diarrheal stools. <i>Folia Microbiologica</i> , 1996, 41, 505-509.	1.1	0
247	Bacterial species and evolution: Theoretical and practical perspectives. <i>Journal of Industrial Microbiology</i> , 1996, 17, 137-150.	0.9	22
248	Total bacterial diversity in soil and sediment communities—A review. <i>Journal of Industrial Microbiology</i> , 1996, 17, 170-178.	0.9	376
249	Taxonomic Diversity of Pseudomonads Revealed by Computer-interpretation of Ribotyping Data. <i>Systematic and Applied Microbiology</i> , 1996, 19, 541-555.	1.2	59
250	Grouping of Pseudomonads by SDS-PAGE of Whole-cell Proteins. <i>Systematic and Applied Microbiology</i> , 1996, 19, 556-568.	1.2	47
251	Polyphasic Characterization of the Genus <i>Leptothrix</i> : New Descriptions of <i>Leptothrix mobilis</i> sp. nov. and <i>Leptothrix discophora</i> sp. nov. nom. rev. and Emended Description of <i>Leptothrix cholodnii</i> emend.. <i>Systematic and Applied Microbiology</i> , 1996, 19, 634-643.	1.2	59
252	Molecular genetic analyses of <i>Rhodobacter azotoformans</i> sp. nov. and related species of phototrophic bacteria. <i>Systematic and Applied Microbiology</i> , 1996, 19, 168-177.	1.2	52
253			

#	ARTICLE	IF	CITATIONS
258	<i>Lactobacillus panis</i> sp. nov., from Sourdough with a Long Fermentation Period. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 449-453.	2.8	70
259	<i>Vibrio tapetis</i> sp. nov., the Causative Agent of the Brown Ring Disease Affecting Cultured Clams. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 480-484.	2.8	126
260	<i>Nocardia pseudobrasiliensis</i> sp. nov., a New Species of <i>Nocardia</i> Which Groups Bacterial Strains Previously Identified as <i>Nocardia brasiliensis</i> and Associated with Invasive Diseases. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 259-264.	2.8	82
261	Intragenetic Relationships of the Actinomycete Genus <i>Micromonospora</i> . <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 383-387.	2.8	51
262	Phylogeny and Taxonomy of Mesophilic <i>Methanococcus</i> spp. and Comparison of rRNA, DNA Hybridization, and Phenotypic Methods. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 727-735.	2.8	66
263	Emended Description of <i>Herbaspirillum</i> ; Inclusion of [ <i>Pseudomonas</i> ] <i>rubrisubalbicans</i> , a Mild Plant Pathogen, as <i>Herbaspirillum rubrisubalbicans</i> comb. nov.; and Classification of a Group of Clinical Isolates (EF Group 1) as <i>Herbaspirillum</i> Species 3. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 802-810.	2.8	234
264	<i>Bordetella trematum</i> sp. nov., Isolated from Wounds and Ear Infections in Humans, and Reassessment of <i>Alcaligenes denitrificans</i> Ruger and Tan 1983. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 849-858.	2.8	143
265	<i>Actinobacillus minor</i> sp. nov., <i>Actinobacillus porcicus</i> sp. nov., and <i>Actinobacillus indolicus</i> sp. nov., Three New V Factor-Dependent Species from the Respiratory Tract of Pigs. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 951-956.	2.8	48
266	Propionic Acid-Producing Strains Previously Designated as <i>Corynebacterium xerosis</i> , <i>C. minutissimum</i> , <i>C. striatum</i> , and CDC Group I2 and Group F2 Coryneforms Belong to the Species <i>Corynebacterium amycolatum</i> . <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 653-657.	2.8	28
267	Emended Descriptions of <i>Lactobacillus sake</i> (Katagiri, Kitahara, and Fukami) and <i>Lactobacillus curvatus</i> (Abo-Elnaga and Kandler): Numerical Classification Revealed by Protein Fingerprinting and Identification Based on Biochemical Patterns and DNA-DNA Hybridizations. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 367-376.	2.8	49
268	<i>Legionella waltersii</i> sp. nov. and an Unnamed <i>Legionella</i> Genomospecies Isolated from Water in Australia. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 631-634.	2.8	52
269	Evidence for the association of the enteric bacterium <i>Ewingella americana</i> with internal stipe necrosis of <i>Agaricus bisporus</i> . <i>Microbiology (United Kingdom)</i> , 1996, 142, 3253-3260.	0.7	29
270	Characterization and Identification of Marine <i>Alteromonas nigrifaciens</i> Strains and Emendation of the Description. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 223-228.	2.8	86
271	Analysis of the Genetic Polymorphism of <i>Borrelia burgdorferi</i> Sensu Lato by Multilocus Enzyme Electrophoresis. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 167-172.	2.8	52
272	<i>Lactobacillus paraplantarum</i> sp. nov., a New Species Related to <i>Lactobacillus plantarum</i> . <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 595-598.	2.8	105
273	Discovery and Classification of Ecological Diversity in the Bacterial World: The Role of DNA Sequence Data. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1145-1156.	2.8	341
274	Occurrence of Multiple Genomovars of <i>Burkholderia cepacia</i> in Cystic Fibrosis Patients and Proposal of <i>Burkholderia multivorans</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1188-1200.	2.8	494
275	The Tannin-Degrading Species <i>Streptococcus gallolyticus</i> and <i>Streptococcus caprinus</i> Are Subjective Synonyms. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 893-894.	2.8	51



#	ARTICLE	IF	CITATIONS
276	<i>Desulfuromonas thiophila</i> sp. nov., a New Obligately Sulfur-Reducing Bacterium from Anoxic Freshwater Sediment. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 754-758.	2.8	45
277	<i>Rickettsia aeschlimannii</i> sp. nov., a New Spotted Fever Group <i>Rickettsia</i> Associated with <i>Hyalomma marginatum</i> Ticks. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 548-554.	2.8	154
278	<i>Streptococcus difficile</i> Is a Nonhemolytic Group B, Type Ib <i>Streptococcus</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 81-85.	2.8	78
279	<i>Terracoccus luteus</i> gen. nov., sp. nov., an LL-Diaminopimelic Acid-Containing Coccoid Actinomycete from Soil. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1218-1224.	2.8	63
280	Polyphasic Taxonomy of <i>Nesterenkonia halobia</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1231-1235.	2.8	26
281	Phylogenetic Evidence for the Taxonomic Heterogeneity of <i>Photobacterium luminescens</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 402-407.	2.8	68
282	<i>Campylobacter hyoilei</i> Alderton et al. 1995 and <i>Campylobacter coli</i> Veron and Chatelain 1973 Are Subjective Synonyms. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1055-1060.	2.8	101
283	Recognition of Two New Species of Intestinal Spirochetes: <i>Serpulina intermedia</i> sp. nov. and <i>Serpulina murdochii</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1007-1012.	2.8	111
284	Taxonomic Study of Aromatic-Degrading Bacteria from Deep-Terrestrial-Subsurface Sediments and Description of <i>Sphingomonas aromaticivorans</i> sp. nov., <i>Sphingomonas subterranea</i> sp. nov., and <i>Sphingomonas stygia</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 191-201.	2.8	180
285	<i>Vibrio scopthalmi</i> sp. nov., a New Species from Turbot ( <i>Scophthalmus maximus</i> ). <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 58-61.	2.8	62
286	<i>Pseudoalteromonas antarctica</i> sp. nov., Isolated from an Antarctic Coastal Environment. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 345-351.	2.8	62
287	<i>Aerococcus urinae</i> : Intraspecies Genetic and Phenotypic Relatedness. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 28-32.	2.8	32
288	Phylogenetic Relationships and Uncertain Taxonomy of <i>Pedomicrobium</i> Species. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 377-380.	2.8	28
289	Citrate Synthase Gene Comparison, a New Tool for Phylogenetic Analysis, and Its Application for the <i>Rickettsiae</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 252-261.	2.8	496
290	Phylogenetic and Genetic Relationships of <i>Mesorhizobium tianshanense</i> and Related Rhizobia. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 874-879.	2.8	179
291	Description of Two New Thermophilic <i>Desulfotomaculum</i> spp., <i>Desulfotomaculum putei</i> sp. nov., from a Deep Terrestrial Subsurface, and <i>Desulfotomaculum luciae</i> sp. nov., from a Hot Spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1997, 47, 615-621.	0.8	79
292	Comparison of a New Insertion Element, IS1407, with Established Molecular Markers for the Characterization of <i>Mycobacterium celatum</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 640-644.	2.8	13
293	Description of <i>Nocardiopsis synnemataformans</i> sp. nov., Elevation of <i>Nocardiopsis alba</i> subsp. <i>prasina</i> to <i>Nocardiopsis prasina</i> comb. nov., and Designation of <i>Nocardiopsis antarctica</i> and <i>Nocardiopsis alborubida</i> as Later Subjective Synonyms of <i>Nocardiopsis dassonvillei</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 983-988.	2.8	78

#	ARTICLE	IF	CITATIONS
294	Phylogenetic Analysis of <i>Erwinia</i> Species Based on 16S rRNA Gene Sequences. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1061-1067.	2.8	102
295	Identification of atypical strains of <i>Staphylococcus epidermidis</i> by use of molecular tools. <i>Research in Microbiology</i> , 1997, 148, 715-724.	1.0	7
296	Diversity and adaptability of soybean and cowpea rhizobia in tropical soils. <i>Soil Biology and Biochemistry</i> , 1997, 29, 889-895.	4.2	22
297	Analysis of oil components and hydrocarbon-utilizing microorganisms during laboratory-scale bioremediation of oil-contaminated soil of Kuwait. <i>Chemosphere</i> , 1997, 35, 1613-1621.	4.2	23
298	The use of a 16S rDNA directed PCR for the detection of endodontopathogenic Bacteria. <i>Journal of Endodontics</i> , 1997, 23, 433-438.	1.4	120
299	Further Studies of the Relationships Among Strains Classified as Taxon 15, Taxon 18, Taxon 20, ( <i>Pasteurella</i> ) <i>granulomatis</i> or the ( <i>Pasteurella</i> ) <i>haemolytica</i> -complex in Ruminants Using Quantitative Evaluation of Phenotypic Data. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1997, 286, 317-332.	0.5	13
300	Physiology and Genetics of Sulfur-oxidizing Bacteria. <i>Advances in Microbial Physiology</i> , 1997, 39, 235-289.	1.0	180
301	Taxonomical Re-examination of Two Pathogenic <i>Vibrio</i> Species Isolated from Milkfish and Swimming Crab.. <i>Fish Pathology</i> , 1997, 32, 59-64.	0.4	37
302	Genetic characterization of an oral treponeme isolated from human subgingival plaque. <i>Oral Microbiology and Immunology</i> , 1997, 12, 189-192.	2.8	8
303	Computer Aided Assignment of Motile <i>Aeromonas</i> Strains to Genospecies Level by Standard Biochemical Tests. <i>Zoonoses and Public Health</i> , 1997, 44, 221-233.	1.4	1
304	Different organisms associated with heartwater as shown by analysis of 16S ribosomal RNA gene sequences. <i>Veterinary Parasitology</i> , 1997, 71, 283-300.	0.7	66
305	<i>Octadecabacter arcticus</i> gen. nov., sp. nov., and <i>O. antarcticus</i> , sp. nov., Nonpigmented, Psychrophilic Gas Vacuolate Bacteria from Polar Sea Ice and Water. <i>Systematic and Applied Microbiology</i> , 1997, 20, 356-365.	1.2	131
306	<i>Desulfobacter halotolerans</i> sp. nov., a Halotolerant Acetate-Oxidizing Sulfate-Reducing Bacterium Isolated from Sediments of Great Salt Lake, Utah. <i>Systematic and Applied Microbiology</i> , 1997, 20, 366-373.	1.2	73
307	Numerical Taxonomy and DNA-DNA Hybridizations of <i>Aeromonas</i> strains Isolated from Human diarrhoeal Stool, Fish and Environment. <i>Systematic and Applied Microbiology</i> , 1997, 20, 458-467.	1.2	9
308	Transfer of <i>Conglomeromonas largomobilis</i> subsp. <i>largomobilis</i> to the Genus <i>Azospirillum</i> as <i>Azospirillum largomobile</i> comb. nov., and Elevation of <i>Conglomeromonas largomobilis</i> subsp. <i>parooensis</i> to the New Type Species of <i>Conglomeromonas</i> , <i>Conglomeromonas parooensis</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 1997, 20, 72-77.	1.2	64
309	Identification of <i>Bacillus kaustophilus</i> , <i>Bacillus thermocatenulatus</i> and <i>Bacillus</i> Strain HSR as Members of <i>Bacillus thermoleovorans</i> . <i>Systematic and Applied Microbiology</i> , 1997, 20, 232-237.	1.2	56
310	Selective detection, enumeration and identification of potentially probiotic <i>Lactobacillus</i> and <i>Bifidobacterium</i> species in mixed bacterial populations. <i>International Journal of Food Microbiology</i> , 1997, 35, 1-27.	2.1	161
311	<i>Rhizobium hainanense</i> sp. nov., Isolated from Tropical Legumes. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 870-873.	2.8	105

#	ARTICLE	IF	CITATIONS
312	Proposed Minimal Standards for Description of New Taxa in the Order Halobacteriales. International Journal of Systematic Bacteriology, 1997, 47, 233-238.	2.8	404
313	The Comparative Metabolism of the Mollicutes (<i>Mycoplasmas</i>): The Utility for Taxonomic Classification and the Relationship of Putative Gene Annotation and Phylogeny to Enzymatic Function in the Smallest Free-Living Cells. Critical Reviews in Microbiology, 1997, 23, 269-354.	2.7	154
314	Identification of soil bacteria expressing a symbiotic plasmid from <i>Rhizobium leguminosarum</i> bv. <i>trofolii</i>. Canadian Journal of Microbiology, 1997, 43, 164-177.	0.8	8
315	Preliminary differentiation of food strains of <i>Chryseobacterium</i> and <i>Empedobacter</i> using multilocus enzyme electrophoresis. Food Microbiology, 1997, 14, 133-142.	2.1	14
316	<i>Thiobacillus</i> sp. W5, the dominant autotroph oxidizing sulfide to sulfur in a reactor for aerobic treatment of sulfidic wastes. Antonie Van Leeuwenhoek, 1997, 72, 127-134.	0.7	26
317	<i>Verrucomicrobia</i> div. nov., a new division of the bacteria containing three new species of <i>Prostheco bacter</i> . Antonie Van Leeuwenhoek, 1997, 72, 29-38.	0.7	171
318	Prokaryotic diversity and the importance of culturing. , 1997, 72, 3-19.		69
319	<i>Spiroplasma</i> Species, Groups, and Subgroups from North American Tabanidae. Current Microbiology, 1997, 35, 287-293.	1.0	19
320	Comparison of partial 16S rRNA gene sequences obtained from activated sludge bacteria. Applied Microbiology and Biotechnology, 1997, 48, 73-79.	1.7	18
321	Biodiversity: are microbial species threatened?. Current Opinion in Biotechnology, 1997, 8, 340-345.	3.3	104
322	Genomic and phenotypic characterization of the bacterium causing blight of kiwifruit in New Zealand. Plant Pathology, 1997, 46, 857-864.	1.2	18
323	<i>rpoB</i> sequence analysis as a novel basis for bacterial identification. Molecular Microbiology, 1997, 26, 1005-1011.	1.2	450
324	Santa Rosalia revisited: why are there so many species of bacteria?. , 1998, 73, 25-33.		245
325	Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. , 1998, 73, 127-141.		1,726
326	Rhodococcal systematics: problems and developments. Antonie Van Leeuwenhoek, 1998, 74, 3-20.	0.7	122
327	Distribution of the pressure-regulated operons in deep-sea bacteria. FEMS Microbiology Letters, 1998, 159, 159-166.	0.7	40
328	Phylogeny of the Eustigmatophyceae Based upon 18S rDNA, with Emphasis on Nannochloropsis. Protist, 1998, 149, 61-74.	0.6	95
329	<i>Acetobacter intermedius</i> , sp. nov.. Systematic and Applied Microbiology, 1998, 21, 220-229.	1.2	76

#	ARTICLE	IF	CITATIONS
330	Arthrobacter, Brachybacterium and Planococcus Isolates Identified from Antarctic Sea Ice Brine. Description of Planococcus mcmeekinii, sp. nov.. Systematic and Applied Microbiology, 1998, 21, 306-314.	1.2	88

331 Thauera linaloolentis sp. nov. and Thauera terpenica sp. nov., Isolated on Oxygen-containing

#	ARTICLE	IF	CITATIONS
348	Evaluation of a microplate DNA - DNA hybridization method compared with the initial renaturation method. <i>Canadian Journal of Microbiology</i> , 1998, 44, 1148-1153.	0.8	286
349	<i>Polaribacter</i> gen. nov., with three new species, <i>P. irgensii</i> sp. nov., <i>P. franzmannii</i> sp. nov. and <i>P. filamentus</i> sp. nov., gas vacuolate polar marine bacteria of the Cytophaga-Flavobacterium-Bacteroides group and reclassification of ' <i>Flectobacillus glomeratus</i> ' as <i>Polaribacter glomeratus</i> comb. nov.. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 223-235.	2.8	268
350	<i>Marinospirillum</i> gen. nov., with descriptions of <i>Marinospirillum megaterium</i> sp. nov., isolated from kusaya gravy, and transfer of <i>Oceanospirillum minutulum</i> to <i>Marinospirillum minutulum</i> comb. nov.. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 1341-1348.	2.8	54
351	Validity, sensitivity and resolution limit of the PCR-RFLP analysis of the <i>rrs</i> (16S rRNA gene) as a tool to identify soil-borne and plant-associated bacterial populations. <i>Genetics Selection Evolution</i> , 1998, 30, 1.	1.2	16
352	Novel techniques for analysing microbial diversity in natural and perturbed environments. <i>Journal of Biotechnology</i> , 1998, 64, 53-62.	1.9	407
353	<i>Leptospira fainei</i> sp. nov., isolated from pigs in Australia. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 851-858.	2.8	135
354	<i>Staphylococcus succinus</i> sp. nov., isolated from Dominican amber. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 511-518.	2.8	100
355	<i>Serpulina alvinipulli</i> sp. nov., a new <i>Serpulina</i> species that is enteropathogenic for chickens. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 669-676.	2.8	80
356	<i>Paenibacillus campinasensis</i> sp. nov., a cyclodextrin-producing bacterium isolated in Brazil. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 833-837.	2.8	40
357	<i>Carnimonas nigrificans</i> gen. nov., sp. nov., a bacterial causative agent for black spot formation on cured meat products. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 677-686.	2.8	63
358	<i>Desulfurella kamchatkensis</i> sp. nov. and <i>Desulfurella propionica</i> sp. nov., new sulfur-respiring thermophilic bacteria from Kamchatka thermal environments. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 475-479.	2.8	54
359	<i>Nocardia crassostreae</i> sp. nov., the causal agent of nocardiosis in Pacific oysters. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 237-246.	2.8	66
360	Characterization of tropical tree rhizobia and description of <i>Mesorhizobium plurifarum</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 369-382.	2.8	215
361	Emended description of <i>Campylobacter sputorum</i> and revision of its infrasubspecific (biovar) divisions, including <i>C. sputorum</i> biovar <i>paraureolyticus</i> , a urease-producing variant from cattle and humans. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 195-206.	2.8	75
362	DNA relatedness among the <i>Streptomyces fulvissimus</i> and <i>Streptomyces griseoviridis</i> phenotypic cluster groups. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 829-832.	2.8	42
363	Genetic relationships among the different phenotypes of <i>Streptococcus dysgalactiae</i> strains. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 1231-1243.	2.8	70
364	<i>Azoarcus anaerobius</i> sp. nov., a resorcinol-degrading, strictly anaerobic, denitrifying bacterium. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 953-956.	2.8	61
365	Auxin Production Is a Common Feature of Most Pathovars of <i>Pseudomonas syringae</i> . <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 156-162.	1.4	185

#	ARTICLE	IF	CITATIONS
366	<i>Shewanella amazonensis</i> sp. nov., a novel metal-reducing facultative anaerobe from Amazonian shelf muds. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 965-972.	2.8	114
367	<i>Streptomyces thermocarboxydovorans</i> sp. nov. and <i>Streptomyces thermocarboxydus</i> sp. nov., two moderately thermophilic carboxydotrophic species from soil. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 59-68.	2.8	161
368	Phenotypic diversity of <i>Pseudoalteromonas citrea</i> from different marine habitats and emendation of the description. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 247-256.	2.8	102
369	<i>Pelistega europaea</i> gen. nov., sp. nov., a bacterium associated with respiratory disease in pigeons: taxonomic structure and phylogenetic allocation. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 431-440.	2.8	46
370	NOTE: Phylogenetic relationships of <i>Salmonella</i> based on rRNA sequences. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 605-610.	2.8	79
371	<i>Burkholderia graminis</i> sp. nov., a rhizospheric <i>Burkholderia</i> species, and reassessment of [ <i>Pseudomonas</i> ] <i>phenazinium</i> , [ <i>Pseudomonas</i> ] <i>pyrocinia</i> and [ <i>Pseudomonas</i> ] <i>glathei</i> as <i>Burkholderia</i> . <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 549-563.	2.8	147
372	<i>Bacillus weihenstephanensis</i> sp. nov. is a new psychrotolerant species of the <i>Bacillus cereus</i> group. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 1373-1382.	2.8	394
373	<i>Vibrio pectenecida</i> sp. nov., a pathogen of scallop ( <i>Pecten maximus</i> ) larvae. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 481-487.	2.8	112
374	Application of multiplex PCR using species-specific primers within the 16S rRNA gene for rapid identification of <i>Nocardioideis</i> strains. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 895-900.	2.8	6
375	Reclassification of <i>Shewanella putrefaciens</i> Owen's genomic group II as <i>Shewanella baltica</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 179-186.	2.8	456
376	Grouping of <i>Frankia</i> strains on the basis of susceptibility to antibiotics, pigment production and host specificity. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 1265-1275.	2.8	21
377	3.3 Speciation. <i>Methods in Microbiology</i> , 1998, , 51-56.	0.4	1
378	Prokaryotes: The unseen majority. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 6578-6583.	3.3	3,950
379	Description of the Bacterium Causing Blight of Leek as <i>Pseudomonas syringae</i> pv. <i>porri</i> (pv. nov.). <i>Phytopathology</i> , 1998, 88, 844-850.	1.1	31
380	Diversity and Structure of the Methanogenic Community in Anoxic Rice Paddy Soil Microcosms as Examined by Cultivation and Direct 16S rRNA Gene Sequence Retrieval. <i>Applied and Environmental Microbiology</i> , 1998, 64, 960-969.	1.4	679
381	Extremely Barophilic Bacteria Isolated from the Mariana Trench, Challenger Deep, at a Depth of 11,000 Meters. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1510-1513.	1.4	295
382	A Natural View of Microbial Biodiversity within Hot Spring Cyanobacterial Mat Communities. <i>Microbiology and Molecular Biology Reviews</i> , 1998, 62, 1353-1370.	2.9	531
383	<i>Moritella japonica</i> sp. nov., a novel barophilic bacterium isolated from a Japan Trench sediment.. <i>Journal of General and Applied Microbiology</i> , 1998, 44, 289-295.	0.4	79

#	ARTICLE	IF	CITATIONS
384	Molecular Typing of <i>Borrelia burgdorferi</i> Sensu Lato: Taxonomic, Epidemiological, and Clinical Implications. <i>Clinical Microbiology Reviews</i> , 1999, 12, 633-653.	5.7	378
385	Genotypic Diversity of Strains of <i>Flavobacterium columnare</i> from Diseased Fishes.. <i>Fish Pathology</i> , 1999, 34, 65-71.	0.4	114
386	Biochemical Identification of <i>Citrobacter</i> Species Defined by DNA Hybridization and Description of <i>Citrobacter gilleni</i> sp. nov. (Formerly <i>Citrobacter</i> Genomospecies 10) and <i>Citrobacter murlinae</i> sp. nov. (Formerly <i>Citrobacter</i> Genomospecies 11). <i>Journal of Clinical Microbiology</i> , 1999, 37, 2619-2624.	1.8	87
387	Quantifying Microbial Diversity: Morphotypes, 16S rRNA Genes, and Carotenoids of Oxygenic Phototrophs in Microbial Mats. <i>Applied and Environmental Microbiology</i> , 1999, 65, 422-430.	1.4	244
388	Emended description of the order Chlamydiales, proposal of Parachlamydiaceae fam. nov. and Simkaniaceae fam. nov., each containing one monotypic genus, revised taxonomy of the family Chlamydiaceae, including a new genus and five new species, and standards for the identification of organisms. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 415-440.	0.8	885
389	A study of small-colony, $\beta$ -haemolytic, Lancefield group C streptococci within the anginosus group: description of <i>Streptococcus constellatus</i> subsp. <i>pharyngis</i> subsp. nov., associated with the human throat and pharyngitis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1443-1449.	0.8	78
390	<i>Bacillus marismortui</i> sp. nov., a new moderately halophilic species from the Dead Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 521-530.	0.8	111
391	<i>Thauera mechernichensis</i> sp. nov., an aerobic denitrifier from a leachate treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1045-1051.	0.8	131
392	<i>Thiomicrospira chilensis</i> sp. nov., a mesophilic obligately chemolithoautotrophic sulfur-oxidizing bacterium isolated from a Thioploca mat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 875-879.	0.8	49
393	Species identification and phylogenetic relationships based on partial HSP60 gene sequences within the genus <i>Staphylococcus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1181-1192.	0.8	118
394	Classification of <i>Nocardioides fulvus</i> IFO 14399 and <i>Nocardioides</i> sp. ATCC 39419 in <i>Kribbella</i> gen. nov., as <i>Kribbella flavida</i> sp. nov. and <i>Kribbella sandramycini</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 743-752.	0.8	85
395	Phylogenetic structures of the genus <i>Acinetobacter</i> based on <i>gyrB</i> sequences: comparison with the grouping by DNA-DNA hybridization. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 87-95.	0.8	144
397	Psychrophilic sulfate-reducing bacteria isolated from permanently cold Arctic marine sediments: description of <i>Desulfofrigus oceanense</i> gen. nov., sp. nov., <i>Desulfofrigus fragile</i> sp. nov., <i>Desulfofaba gelida</i> gen. nov., sp. nov., <i>Desulfotalea psychrophila</i> gen. nov., sp. nov. and <i>Desulfotalea arctica</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1631-1643.	0.8	221
398	<i>Gordonia desulfuricans</i> sp. nov., a benzothiophene-desulphurizing actinomycete. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1845-1851.	0.8	62
399	<i>Pyrococcus glycovorans</i> sp. nov., a hyperthermophilic archaeon isolated from the East Pacific Rise. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1829-1837.	0.8	50
400	The phylogenetic relationships of <i>Caulobacter</i> , <i>Asticcacaulis</i> and <i>Brevundimonas</i> species and their taxonomic implications. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 483-488.	0.8	29
401	<i>Bartonella alsatica</i> sp. nov., a new <i>Bartonella</i> species isolated from the blood of wild rabbits. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 283-288.	0.8	79
402	Classification of thermophilic streptomycetes, including the description of <i>Streptomyces thermoalcalitolerans</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 7-17.	0.8	54

#	ARTICLE	IF	CITATIONS
403	Recommended minimal standards for description of new staphylococcal species. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 489-502.	0.8	108
404	Kitasatospora cheerisanensis sp. nov., a new species of the genus Kitasatospora that produces an antifungal agent. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 753-758.	0.8	41
405	Haloarcula quadrata sp. nov., a square, motile archaeon isolated from a brine pool in Sinai (Egypt). International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1149-1155.	0.8	81
406	Mycobacterium wolinskyi sp. nov. and Mycobacterium goodii sp. nov., two new rapidly growing species related to Mycobacterium smegmatis and associated with human wound infections: a cooperative study from the International Working Group on Mycobacterial Taxonomy. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1493-1511.	0.8	176
407	Complex genomic and phenotypic characterization of the related species Staphylococcus carnosus and Staphylococcus piscifermentans. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 941-951.	0.8	10
408	Isolation of <i>Desulfovibrio intestinalis</i> sp. nov. from the hindgut of the lower termite <i>Mastotermes darwiniensis</i> . Canadian Journal of Microbiology, 1999, 45, 145-152.	0.8	57
409	Genomic diversity of the genus Stenotrophomonas. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1749-1760.	0.8	146
410	Polyphasic classification of the genus Photorhabdus and proposal of new taxa: <i>P. luminescens</i> subsp. <i>luminescens</i> subsp. nov., <i>P. luminescens</i> subsp. <i>akhurstii</i> subsp. nov., <i>P. luminescens</i> subsp. <i>laumondii</i> subsp. nov., <i>P. temperata</i> sp. nov., <i>P. temperata</i> subsp. <i>temperata</i> subsp. nov. and <i>P. asymbiotica</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1645-1656.	0.8	220
411	Nocardioides nitrophenolicus sp. nov., a p-nitrophenol-degrading bacterium. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 675-680.	0.8	87
412	Friedmanniella spumicola sp. nov. and Friedmanniella capsulata sp. nov. from activated sludge foam: Gram-positive cocci that grow in aggregates of repeating groups of cocci. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1667-1680.	0.8	49
413	Rhodanobacter lindaniclasticus gen. nov., sp. nov., a lindane-degrading bacterium. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 19-23.	0.8	137
414	DNA relatedness of Leptospira strains isolated from beef cattle in Zimbabwe. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1111-1117.	0.8	16
415	Marinobacter aquaeolei sp. nov., a halophilic bacterium isolated from a Vietnamese oil-producing well. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 367-375.	0.8	192
416	Methods for DNA extraction from various soils: a comparison. Journal of Applied Microbiology, 1999, 86, 937-943.	1.4	49
417	The bacterial symbiont Xenorhabdus poinarii (Enterobacteriaceae) is harbored by two phylogenetic related host nematodes: the entomopathogenic species Steinernema cubanum and Steinernema glaseri (Nematoda: Steinernematidae). FEMS Microbiology Ecology, 1999, 29, 149-157.	1.3	22
418	Phylogeny of Sphingomonas species that degrade pentachlorophenol. Journal of Industrial Microbiology and Biotechnology, 1999, 23, 320-325.	1.4	25
419	Haloarcula spp able to biosynthesize exo- and endopolymers. Journal of Industrial Microbiology and Biotechnology, 1999, 23, 489-496.	1.4	79
420	Syntrophus aciditrophicus sp. nov., a new anaerobic bacterium that degrades fatty acids and benzoate in syntrophic association with hydrogen-using microorganisms. Archives of Microbiology, 1999, 171, 107-114.	1.0	237



#	ARTICLE	IF	CITATIONS
421	<i>Thermococcus waiotapuensis</i> sp. nov., an extremely thermophilic archaeon isolated from a freshwater hot spring. <i>Archives of Microbiology</i> , 1999, 172, 95-101.	1.0	38
422	<i>Thermococcus siculi</i> sp. nov., a novel hyperthermophilic archaeon isolated from a deep-sea hydrothermal vent at the Mid-Okinawa Trough. <i>Extremophiles</i> , 1999, 3, 55-62.	0.9	49
423	Taxonomic Study of Bacteria Isolated from Natural Mineral Waters: Proposal of <i>Pseudomonas jessenii</i> sp. nov. and <i>Pseudomonas mandelii</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 1999, 22, 45-58.	1.2	90
424	Physiological and Phylogenetic Diversity of Bacteria Growing on Resin Acids. <i>Systematic and Applied Microbiology</i> , 1999, 22, 68-78.	1.2	85
425	Polyphasic Taxonomy of a Novel <i>Halobacillus</i> , <i>Halobacillus thailandensis</i> sp. nov. Isolated from Fish Sauce. <i>Systematic and Applied Microbiology</i> , 1999, 22, 360-365.	1.2	35
426	Characterization of <i>Methylophaga</i> species by rRNA Gene Restriction Patterns (Ribotyping). <i>Systematic and Applied Microbiology</i> , 1999, 22, 372-377.	1.2	5
427	Polyphasic taxonomy of the genus <i>Shewanella</i> and description of <i>Shewanella oneidensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 705-724.	0.8	574
428	<i>Pseudomonas gessardii</i> sp. nov. and <i>Pseudomonas migulae</i> sp. nov., two new species isolated from natural mineral waters. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1559-1572.	0.8	73
429	Further determination of DNA relatedness between serogroups and serovars in the family Leptospiraceae with a proposal for <i>Leptospira alexanderi</i> sp. nov. and four new <i>Leptospira</i> genomospecies. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 839-858.	0.8	267
430	<i>Pseudomonas libanensis</i> sp. nov., a new specie isolated from Lebanese spring waters. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1091-1101.	0.8	50
431	Restriction fragment length polymorphism analysis of psychrophilic and psychrotrophic <i>Vibrio</i> and <i>Photobacterium</i> from the north-western Pacific Ocean and Otsuchi Bay, Japan. <i>Canadian Journal of Microbiology</i> , 1999, 45, 67-76.	0.8	14
432	<i>Kocuria palustris</i> sp. nov. and <i>Kocuria rhizophila</i> sp. nov., isolated from the rhizoplane of the narrow-leaved cattail ( <i>Typha angustifolia</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 167-173.	0.8	123
433	Ribosomal DNA sequencing as a tool for identification of bacterial pathogens. <i>Current Opinion in Microbiology</i> , 1999, 2, 299-305.	2.3	250
434	Taxonomic study of bacteria isolated from Lebanese spring waters: proposal for <i>Pseudomonas cedrella</i> sp. nov. and <i>P. orientalis</i> sp. nov.. <i>Research in Microbiology</i> , 1999, 150, 303-316.	1.0	55
435	The Rice Inoculant Strain <i>Alcaligenes faecalis</i> A15 is a Nitrogen-fixing <i>Pseudomonas stutzeri</i> . <i>Systematic and Applied Microbiology</i> , 1999, 22, 215-224.	1.2	86
436	DNA relatedness among the pathovars of <i>Pseudomonas syringae</i> and description of <i>Pseudomonas tremae</i> sp. nov. and <i>Pseudomonas cannabina</i> sp. nov. (ex Sutic and Dowson 1959). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 469-478.	0.8	342
437	Poles Apart: Biodiversity and Biogeography of Sea Ice Bacteria. <i>Annual Review of Microbiology</i> , 1999, 53, 189-215.	2.9	308
438	Bacterial Viability and Culturability. <i>Advances in Microbial Physiology</i> , 1999, 41, 93-137.	1.0	304

#	ARTICLE	IF	CITATIONS
439	THE THREE DS OF PCR-BASED GENOMIC ANALYSIS OF PHYTOBACTERIA: Diversity, Detection, and Disease Diagnosis. Annual Review of Phytopathology, 1999, 37, 81-125.	3.5	255
440	Gnotobiological Study of Infective Juveniles and Symbionts of <i>Steinernema scapterisci</i> : A Model to Clarify the Concept of the Natural Occurrence of Monoxenic Associations in Entomopathogenic Nematodes. Journal of Invertebrate Pathology, 1999, 74, 164-172.	1.5	54
441	Heterogeneity of <i>Xanthomonas campestris</i> pv. <i>hederae</i> Strains from Araliaceous Hosts. Phytopathology, 1999, 89, 646-652.	1.1	10
442	Proposal of <i>Sphingomonas suberifaciens</i> (van Bruggen, Jochimsen and Brown 1990) Comb. Nov., <i>Sphingomonas natatoria</i> (Sly 1985) Comb. Nov., <i>Sphingomonas ursincola</i> (Yurkov et al.) Tj ETQq1 1 0.784314 197 / Over 1999, 43, 339-349.	0.7	197
443	Molecular Biology: A Linkage between Microbial Ecology, General Ecology and Organismal Biology. Oikos, 1999, 85, 177.	1.2	14
444	Bacterial diversity, ecology, and evolution. Toward a problem of how to recognize bacterial species in situ. Microbes and Environments, 1999, 14, 41-45.	0.7	0
445	Evaluation of Proposed Amended Names of Several <i>Pseudomonads</i> and <i>Xanthomonads</i> and Recommendations. Phytopathology, 2000, 90, 208-213.	1.1	55
446	Systematic study of the genus <i>Acetobacter</i> with descriptions of <i>Acetobacter indonesiensis</i> sp. nov., <i>Acetobacter tropicalis</i> sp. nov., <i>Acetobacter orleanensis</i> (Henneberg 1906) comb. nov., <i>Acetobacter lovaniensis</i> (Frater 1950) comb. nov., and <i>Acetobacter estunensis</i> (Carr 1958) comb. nov.. Journal of General and Applied Microbiology, 2000, 46, 147-165.	0.4	114
447	Nomenclature of bacteria based on the bacteriological code and the implications in the taxonomy of lactic acid bacteria. Japanese Journal of Lactic Acid Bacteria, 2000, 11, 49-59.	0.1	0
448	Impact of crop management on intraspecific diversity of <i>Pseudomonas corrugata</i> in bulk soil. FEMS Microbiology Ecology, 2000, 31, 11-19.	1.3	29
449	I-CeuI fragment analysis of the <i>Shigella</i> species: evidence for large-scale chromosome rearrangement in <i>S. dysenteriae</i> and <i>S. flexneri</i> . FEMS Microbiology Letters, 2000, 182, 93-98.	0.7	13
450	Comparison of viable cell counts and fluorescence in situ hybridization using specific rRNA-based probes for the quantification of human fecal bacteria. FEMS Microbiology Letters, 2000, 183, 125-129.	0.7	181
451	Ribotyping and rapid identification of <i>Staphylococcus xylosum</i> by 16S rDNA 23S spacer amplification. FEMS Microbiology Letters, 2000, 185, 83-87.	0.7	16
452	The phylogeny of proteobacteria: relationships to other eubacterial phyla and eukaryotes. FEMS Microbiology Reviews, 2000, 24, 367-402.	3.9	267
453	Ecology and evolution of bacterial microdiversity: Table 1. FEMS Microbiology Reviews, 2000, 24, 647-660.	3.9	127
454	Taxonomic Position of <i>Pseudomonas oxalaticus</i> Strain Ox1T (DSM 1105T) (Khambata and Bhat, 1953) and its Description in the Genus <i>Ralstonia</i> as <i>Ralstonia oxalatica</i> comb. nov.. Systematic and Applied Microbiology, 2000, 23, 206-209.	1.2	32
455	Taxonomic Study of Tufted Mitior Strains of Streptococci ( <i>Streptococcus sanguinis</i> Biotype II); Recognition of a New Genospecies. Systematic and Applied Microbiology, 2000, 23, 245-250.	1.2	5
456	<i>Paenibacillus granivorans</i> sp. nov., a new <i>Paenibacillus</i> Species which Degrades Native Potato Starch Granules. Systematic and Applied Microbiology, 2000, 23, 344-348.	1.2	27

#	ARTICLE	IF	CITATIONS
457	Title is missing!. <i>Hydrobiologia</i> , 2000, 438, 99-105.	1.0	45
458	Selective isolation and characterisation of members of the <i>Streptomyces violaceusniger</i> clade associated with the roots of <i>Paraserianthes falcataria</i> . <i>Antonie Van Leeuwenhoek</i> , 2000, 78, 353-366.	0.7	86
459	The <i>Nocardia salmonicida</i> clade, including descriptions of <i>Nocardia cummidelens</i> sp. nov., <i>Nocardia fluminea</i> sp. nov. and <i>Nocardia soli</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , 2000, 78, 367-377.	0.7	69
460	Genomic and phenomic differentiation of <i>Rhodococcus equi</i> and related strains. <i>Antonie Van Leeuwenhoek</i> , 2000, 78, 331-340.	0.7	39
461	<i>Actinoplanes capillaceus</i> sp. nov., a new species of the genus <i>Actinoplanes</i> . <i>Antonie Van Leeuwenhoek</i> , 2000, 78, 107-115.	0.7	20
462	Phylogenetic analysis of <i>Bacillus subtilis</i> and related taxa based on partial <i>gyrA</i> gene sequences. <i>Antonie Van Leeuwenhoek</i> , 2000, 78, 123-127.	0.7	193
463	Title is missing!. <i>European Journal of Plant Pathology</i> , 2000, 106, 715-734.	0.8	40
464	Title is missing!. <i>Microbiology</i> , 2000, 69, 623-634.	0.5	4
465	Characterization of <i>Nodularia</i> strains, cyanobacteria from brackish waters, by genotypic and phenotypic methods.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1043-1053.	0.8	113
466	Characterization of a new type of sulfite dehydrogenase from <i>Paracoccus pantotrophus</i> GB17. <i>Archives of Microbiology</i> , 2000, 173, 117-125.	1.0	52
467	Taxonomic investigation of five streptomycete cultures belonging to ISP standards. <i>Microbiology</i> , 2000, 69, 588-592.	0.5	0
468	<i>Methylovorus mays</i> sp. nov.: A new species of aerobic, obligately methylotrophic bacteria associated with plants. <i>Microbiology</i> , 2000, 69, 599-603.	0.5	12
469	<i>Halomonas magadii</i> sp. nov., a new member of the genus <i>Halomonas</i> , isolated from a soda lake of the East African Rift Valley. <i>Extremophiles</i> , 2000, 4, 53-60.	0.9	86
470	Phylogenetic Characterization and Description of Novel-tolerant <i>Bacillus</i> Species Isolated from Spacecraft Assembly Facility. , 0, , .		2
471	<i>Gordonia nitida</i> sp. nov., a bacterium that degrades 3-ethylpyridine and 3-methylpyridine.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1203-1210.	0.8	48
472	<i>Arthrobacter chlorophenolicus</i> sp. nov., a new species capable of degrading high concentrations of 4-chlorophenol.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 2083-2092.	0.8	150
473	Phylogenetic analysis of the genus <i>Thermoactinomyces</i> based on 16S rDNA sequences.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1081-1086.	0.8	36
474	DNA-DNA hybridization determined in micro-wells using covalent attachment of DNA.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1095-1102.	0.8	174

#	ARTICLE	IF	CITATIONS
475	Idiomarina gen. nov., comprising novel indigenous deep-sea bacteria from the Pacific Ocean, including descriptions of two species, <i>Idiomarina abyssalis</i> sp. nov. and <i>Idiomarina zobellii</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 901-907.	0.8	136
476	Phylogenetic diversity of rhizobial strains nodulating <i>Robinia pseudoacacia</i> L.. Microbiology (United Kingdom), 2000, 146, 2385-2394.	0.7	53
477	<i>Janibacter terrae</i> sp. nov., a bacterium isolated from soil around a wastewater treatment plant.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1821-1827.	0.8	49
478	Identification of two genetic groups in <i>Bacteroides fragilis</i> by multilocus enzyme electrophoresis: distribution of antibiotic resistance ( <i>cfiA</i> , <i>cepA</i> ) and enterotoxin ( <i>bft</i> ) encoding genes The GenBank accession numbers for the sequences determined in this work are AF197508 and AF197534.. Microbiology (United Kingdom), 2000, 146, 1241-1254.	0.7	59
479	Phylogeny of the genus <i>Pseudomonas</i> : intrageneric structure reconstructed from the nucleotide sequences of <i>gyrB</i> and <i>rpoD</i> genes The GenBank accession numbers for the sequences determined in this work are: <i>gyrB</i> , D37926, D37297, D86005 and D86019 and AB039381 and AB039492; <i>rpoD</i> , D86020 and D86036 and AB039493 and AB039624.. Microbiology (United Kingdom), 2000, 146, 2385-2394.	0.7	458
480	<i>Leuconostoc kimchii</i> sp. nov., a new species from kimchi.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1915-1919.	0.8	103
481	Utility of internally transcribed 16S-23S rDNA spacer regions for the definition of <i>Pseudomonas stutzeri</i> genomovars and other <i>Pseudomonas</i> species.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1629-1639.	0.8	86
482	Acidophiles in Biomining. , 2000, , 293-314.		13
483	Genomic characterization of a liberibacter present in an ornamental rutaceous tree, <i>Calodendrum capense</i> , in the Western Cape Province of South Africa. Proposal of 'Candidatus <i>Liberibacter africanus</i> subsp. <i>capense</i> '.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 2119-2125.	0.8	176
484	Phylogenetic position of the North American isolate of <i>Pasteuria</i> that parasitizes the soybean cyst nematode, <i>Heterodera glycines</i> , as inferred from 16S rDNA sequence analysis.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 605-613.	0.8	66
485	Polyphasic assignment of an aromatic-degrading <i>Pseudomonas</i> sp., strain DJ77, in the genus <i>Sphingomonas</i> as <i>Sphingomonas chungbukensis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1641-1647.	0.8	61
486	<i>Nocardia paucivorans</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 803-809.	0.8	69
487	<i>Pseudomonas frederiksbergensis</i> sp. nov., isolated from soil at a coal gasification site.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1957-1964.	0.8	82
488	<i>Streptococcus infantarius</i> sp. nov., <i>Streptococcus infantarius</i> subsp. <i>infantarius</i> subsp. nov. and <i>Streptococcus infantarius</i> subsp. <i>coli</i> subsp. nov., isolated from humans and food.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1425-1434.	0.8	101
489	Novel Genes Coding for Lithotrophic Sulfur Oxidation of <i>Paracoccus pantotrophus</i> GB17. Journal of Bacteriology, 2000, 182, 4677-4687.	1.0	151
490	<i>Lactobacillus frumenti</i> sp. nov., a new lactic acid bacterium isolated from rye-bran fermentations with a long fermentation period.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 2127-2133.	0.8	70
491	Updated phylogenetic description of the <i>Mycoplasma hominis</i> cluster (Weisburg et al. 1989) based on 16S rDNA sequences.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 291-301.	0.8	66
492	DNA-DNA reassociation studies of <i>Streptococcus constellatus</i> with unusual 16S rRNA sequences.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 247-249.	0.8	13

#	ARTICLE	IF	CITATIONS
493	<i>Acidovorax anthurii</i> sp. nov., a new phytopathogenic bacterium which causes bacterial leaf-spot of anthurium.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 235-246.	0.8	48
494	DNA-DNA reassociation among a bloom-forming cyanobacterial genus, <i>Microcystis</i> .. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 767-770.	0.8	37
495	<i>Bacillus vulcani</i> sp. nov., a novel thermophilic species isolated from a shallow marine hydrothermal vent.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 2009-2012.	0.8	73
496	Oligonucleotide probe for the visualization of <i>Escherichiacoli/Escherichia fergusonii</i> cells by in situ hybridization:specificity and potential applications. Research in Microbiology, 2000, 151, 521-533.	1.0	69
497	Classification of <i>Brucella</i> strains isolated from marine mammalsusing DNAâ€“DNA hybridization and ribotyping. Research in Microbiology, 2000, 151, 797-799.	1.0	30
498	<i>Yersinia enterocolitica</i> 16S rRNA gene types belong to the same genospecies but form three homology groups. International Journal of Medical Microbiology, 2000, 290, 61-64.	1.5	77
500	Comparison of AFLP and rep-PCR genomic fingerprinting with DNA-DNA homology studies: <i>Xanthomonas</i> as a model system.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 665-677.	0.8	316
501	Phenotypic and genotypic characterization of <i>Vibrio viscosus</i> sp. nov. and <i>Vibrio wodanis</i> sp. nov. isolated from Atlantic salmon ( <i>Salmo salar</i> ) with 'winter ulcer'.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 427-450.	0.8	121
502	DNA relatedness among strains of <i>Streptomyces</i> pathogenic to potato in France: description of three new species, <i>S. europaeiscabiei</i> sp. nov. and <i>S. stelliscabiei</i> sp. nov. associated with common scab, and <i>S. reticuliscabiei</i> sp. nov. associated with netted scab.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 91-99.	0.8	119
503	Isolation and characterization of highly thermophilic xylanolytic<i>Thermus thermophilus</i>strains from hot composts. Canadian Journal of Microbiology, 2000, 46, 1029-1035.	0.8	24
504	<i>Asaia bogorensis</i> gen. nov., sp. nov., an unusual acetic acid bacterium in the alpha-Proteobacteria.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 823-829.	0.8	213
505	<i>Nocardiopsis tropica</i> sp. nov., <i>Nocardiopsis trehalosi</i> sp. nov., nom. rev. and <i>Nocardiopsis dassonvillei</i> subsp. <i>albirubida</i> subsp. nov., comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 73-81.	0.8	74
506	<i>Gordonia amicalis</i> sp. nov., a novel dibenzothiophene-desulphurizing actinomycete.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 2031-2036.	0.8	200
507	Phylogenetic analysis of members of the genus <i>Rickettsia</i> using the gene encoding the outer-membrane protein rOmpB ( <i>ompB</i> ).. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1449-1455.	0.8	448
508	Phytoplasma: Phytopathogenic Mollicutes. Annual Review of Microbiology, 2000, 54, 221-255.	2.9	781
509	A revision of <i>Rhizobium</i> Frank 1889, with an emended description of the genus, and the inclusion of all species of <i>Agrobacterium</i> Conn 1942 and <i>Allorhizobium undicola</i> de Lajudie et al. 1998 as new combinations: <i>Rhizobium radiobacter</i> , <i>R. rhizogenes</i> , <i>R. rubi</i> , <i>R. undicola</i> and <i>R. vitis</i> .. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 89-103.	0.8	576
510	Molecular characterization of planktic cyanobacteria of <i>Anabaena</i> , <i>Aphanizomenon</i> , <i>Microcystis</i> and <i>Planktothrix</i> genera.. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 513-526.	0.8	207
511	Taxonomic study of aerobic thermophilic bacilli: descriptions of <i>Geobacillus subterraneus</i> gen. nov., sp. nov. and <i>Geobacillus uzenensis</i> sp. nov. from petroleum reservoirs and transfer of <i>Bacillus stearothermophilus</i> , <i>Bacillus thermocatenulatus</i> , <i>Bacillus thermoleovorans</i> , <i>Bacillus kaustophilus</i> , <i>Bacillus thermodenitrificans</i> to <i>Geobacillus</i> as the new combinations <i>G. stearothermophilus</i> , <i>G. th</i> .. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 433-446.	0.8	674

#	ARTICLE	IF	CITATIONS
512	Advances in the Bacteriology of the Coliform Group: Their Suitability as Markers of Microbial Water Safety. Annual Review of Microbiology, 2001, 55, 201-234.	2.9	356
513	Bacillus sonorensis sp. nov., a close relative of Bacillus licheniformis, isolated from soil in the Sonoran Desert, Arizona.. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 1671-1679.	0.8	112
514	An Introduction to the Generation and Analysis of Microbial Typing Data. , 2001, , 1-30.		3
515	Isolation and Characterization of a Novel As(V)-Reducing Bacterium: Implications for Arsenic Mobilization and the Genus Desulfotobacterium. Applied and Environmental Microbiology, 2001, 67, 5568-5580.	1.4	198
516	Pseudomonas brenneri sp. nov., a new species isolated from natural mineral waters. Research in Microbiology, 2001, 152, 493-502.	1.0	35
517	Identification of thiosulfate- and sulfur-reducing bacteria unable to reduce sulfate in ricefield soils. European Journal of Soil Biology, 2001, 37, 145-156.	1.4	10
518	Borrelia burgdorferi: a (somewhat) clonal bacterial species. Trends in Microbiology, 2001, 9, 472.	3.5	1
519	Development of 16S rRNA targeted PCR methods for the detection and differentiation of Vibrio vulnificus in marine environments. Aquaculture, 2001, 193, 199-211.	1.7	51
520	Effect of fungicide thiram on microbial communities of rice seed surface estimated by culture-dependent and culture-independent (PCR-RFLP) methods. Soil Science and Plant Nutrition, 2001, 47, 303-314.	0.8	4
521	Sphingomonas alaskensis Strain AFO1, an Abundant Oligotrophic Ultramicrobacterium from the North Pacific. Applied and Environmental Microbiology, 2001, 67, 4945-4954.	1.4	82
522	Role of Genomic Typing in Taxonomy, Evolutionary Genetics, and Microbial Epidemiology. Clinical Microbiology Reviews, 2001, 14, 547-560.	5.7	209
523	Bacterial Species and Speciation. Systematic Biology, 2001, 50, 513-524.	2.7	339
524	Pesticide effects on bacterial diversity in agricultural soils - a review. Biology and Fertility of Soils, 2001, 33, 443-453.	2.3	284
525	Cyanobacterial diversity in extreme environments in Baja California, Mexico: a polyphasic study. International Microbiology, 2001, 4, 227-236.	1.1	28
526	Bacterial Diversity within Feedlot Manure. Anaerobe, 2001, 7, 59-66.	1.0	32
527	Novel Aerobic Methylophilic Isolates from the Soda Lakes of the Southern Transbaikal Region. Microbiology, 2001, 70, 342-348.	0.5	3
528	Title is missing!. Microbiology, 2001, 70, 413-421.	0.5	4
529	Molecular characterization of Acidithiobacillus ferrooxidans and A. thiooxidans strains isolated from mine wastes in Brazil. Antonie Van Leeuwenhoek, 2001, 80, 65-75.	0.7	20

#	ARTICLE	IF	CITATIONS
530	Phylogenetic Analysis of Dichloromethane-Utilizing Aerobic Methylophilic Bacteria. <i>Microbiology</i> , 2001, 70, 79-83.	0.5	4
531	<i>Oceanobacillus ihayensis</i> gen. nov., sp. nov., a deep-sea extremely halotolerant and alkaliphilic species isolated from a depth of 1050 m on the Iheya Ridge. <i>FEMS Microbiology Letters</i> , 2001, 205, 291-297.	0.7	204
532	The species concept for prokaryotes. <i>FEMS Microbiology Reviews</i> , 2001, 25, 39-67.	3.9	887
533	Cell wall teichoic acids: structural diversity, species specificity in the genus <i>Nocardiopsis</i> , and chemotaxonomic perspective. <i>FEMS Microbiology Reviews</i> , 2001, 25, 269-283.	3.9	79
534	Molecular pathogenesis of <i>Citrobacter rodentium</i> and transmissible murine colonic hyperplasia. <i>Microbes and Infection</i> , 2001, 3, 333-340.	1.0	243
535	<i>Alcaligenes faecalis</i> subsp. <i>parafaecalis</i> subsp. nov., a Bacterium Accumulating Poly- $\beta$ -hydroxybutyrate from Acetone-butanol Bioprocess Residues. <i>Systematic and Applied Microbiology</i> , 2001, 24, 37-43.	1.2	32
536	Molecular Microbial Diversity of a Spacecraft Assembly Facility. <i>Systematic and Applied Microbiology</i> , 2001, 24, 311-320.	1.2	139
537	A Polyphasic Taxonomic Study of Thermophilic Bacilli from Shallow, Marine Vents. <i>Systematic and Applied Microbiology</i> , 2001, 24, 572-587.	1.2	80
538	<i>Gordonia namibiensis</i> sp. nov., a Novel Nitrile Metabolising Actinomycete Recovered from an African Sand. <i>Systematic and Applied Microbiology</i> , 2001, 24, 510-515.	1.2	35
539	<i>Thermotoga petrophila</i> sp. nov. and <i>Thermotoga naphthophila</i> sp. nov., two hyperthermophilic bacteria from the Kubiki oil reservoir in Niigata, Japan.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1901-1909.	0.8	115
540	<i>Porphyromonas gulae</i> sp. nov., an anaerobic, gram-negative coccobacillus from the gingival sulcus of various animal hosts.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1179-1189.	0.8	103
541	Molecular Characterization and Identification of <i>Bacillus clausii</i> Strains Marketed for Use in Oral Bacteriotherapy. <i>Applied and Environmental Microbiology</i> , 2001, 67, 834-839.	1.4	91
542	Bacterial Species Determination from DNA-DNA Hybridization by Using Genome Fragments and DNA Microarrays. <i>Applied and Environmental Microbiology</i> , 2001, 67, 3677-3682.	1.4	197
543	Transfer of <i>thermobacteroides leptospartum</i> and <i>Clostridium thermolacticum</i> as <i>Clostridium stercorarium</i> subsp. <i>leptospartum</i> subsp. <i>thermolacticum</i> subsp. nov., comb. nov. and <i>C. stercorarium</i> subsp. <i>thermolacticum</i> subsp. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1127-1131.	0.8	37
544	<i>Enterococcus porcinus</i> sp. nov. and <i>Enterococcus ratti</i> sp. nov., associated with enteric disorders in animals.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1737-1743.	0.8	41
545	<i>Sphingomonas pituitosa</i> sp. nov., an exopolysaccharide-producing bacterium that secretes an unusual type of sphingane.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 827-841.	0.8	85
546	<i>Legionella gresilensis</i> sp. nov. and <i>Legionella beliardensis</i> sp. nov., isolated from water in France.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1949-1957.	0.8	28
547	<i>Nocardia beijingensis</i> sp. nov., a novel isolate from soil.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1783-1788.	0.8	80

#	ARTICLE	IF	CITATIONS
548	<i>Nocardia africana</i> sp. nov., a New Pathogen Isolated from Patients with Pulmonary Infections. <i>Journal of Clinical Microbiology</i> , 2001, 39, 625-630.	1.8	74
549	Description of <i>Microbacterium foliorum</i> sp. nov. and <i>Microbacterium phyllosphaerae</i> sp. nov., isolated from the phyllosphere of grasses and the surface litter after mulching the sward, and reclassification of <i>Aureobacterium resistens</i> (Funke et al. 1998) as <i>Microbacterium resistens</i> comb. nov... <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1267-1276.	0.8	110
550	Clinical Significance and Taxonomy of <i>Actinobacillus hominis</i> . <i>Journal of Clinical Microbiology</i> , 2001, 39, 930-935.	1.8	24
551	Taxonomic characterization of <i>Ketogulonigenium vulgare</i> gen. nov., sp. nov. and <i>Ketogulonigenium robustum</i> sp. nov., which oxidize L-sorbose to 2-keto-L-gulonic acid.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1059-1070.	0.8	96
552	Assignment of CDC Weak Oxidizer Group 2 (WO-2) to the Genus <i>Pandoraea</i> and Characterization of Three New <i>Pandoraea</i> Genomespecies. <i>Journal of Clinical Microbiology</i> , 2001, 39, 1819-1826.	1.8	91
553	<i>Chromohalobacter salexigens</i> sp. nov., a moderately halophilic species that includes <i>Halomonas elongata</i> DSM 3043 and ATCC 33174.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1457-1462.	0.8	134
554	DNA/DNA hybridization to microarrays reveals gene-specific differences between closely related microbial genomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9853-9858.	3.3	157
555	DNA Relatedness, Phenotypic Characteristics, and Antimicrobial Susceptibilities of <i>Globicatella sanguinis</i> Strains. <i>Journal of Clinical Microbiology</i> , 2001, 39, 4052-4057.	1.8	16
556	Characterization by 16S rRNA Sequence Analysis of <i>Pseudomonads</i> Causing Blotch Disease of Cultivated <i>Agaricus bisporus</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 4316-4323.	1.4	48
557	<i>Arenibacter</i> gen. nov., new genus of the family flavobacteriaceae and description of a new species, <i>Arenibacter latericius</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1987-1995.	0.8	75
558	Retrieval of the species <i>Alteromonas tetraodonis</i> Simidu et al. 1990 as <i>Pseudoalteromonas tetraodonis</i> comb. nov. and emendation of description.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1071-1078.	0.8	43
559	Small-Subunit rRNA Genotyping of <i>Rhizobia</i> Nodulating Australian <i>Acacia</i> spp. <i>Applied and Environmental Microbiology</i> , 2001, 67, 396-402.	1.4	90
560	<i>Burkholderia cepacia</i> genomovar VI, a new member of the <i>Burkholderia cepacia</i> complex isolated from cystic fibrosis patients.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 271-279.	0.8	123
561	<i>Vibrio lentus</i> sp. nov., isolated from Mediterranean oysters.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1449-1456.	0.8	80
562	A proposal for the unification of five species of the cyanobacterial genus <i>Microcystis</i> K&Auml;tzing ex Lemmermann 1907 under the rules of the Bacteriological Code.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 873-879.	0.8	172
563	<i>Psychromonas kaihoae</i> sp. nov., a novel piezophilic bacterium from the deepest cold-seep sediments in the Japan Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1527-1532.	0.8	32
564	Bacterial Identification for Publication: When Is Enough Enough?. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1887-1891.	1.8	124
565	Phylogeny of Culturable Estuarine Bacteria Catabolizing Riverine Organic Matter in the Northern Baltic Sea. <i>Applied and Environmental Microbiology</i> , 2002, 68, 379-388.	1.4	82



#	ARTICLE	IF	CITATIONS
566	Mycoplasmas of Plants and Insects. , 2002, , 91-115.		65
567	rDNA analyses of planktonic heterocystous cyanobacteria, including members of the genera Anabaenopsis and Cyanospira The GenBank accession numbers of the 16S rDNA gene sequences reported in this paper are AY038032 and AY038037.. Microbiology (United Kingdom), 2002, 148, 481-496.	0.7	99
568	A mathematical method for determining genome divergence and species delineation using AFLP.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 573-586.	0.8	129
569	Characterization of rhizobia that nodulate legume species of the genus Lespedeza and description of Bradyrhizobium yuanmingense sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2219-2230.	0.8	161
570	Okibacterium fritillariae gen. nov., sp. nov., a novel genus of the family Microbacteriaceae.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 987-993.	0.8	30
571	Streptomyces avermitilis sp. nov., nom. rev., a taxonomic home for the avermectin-producing streptomycetes.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2011-2014.	0.8	33
572	Unification of Bifidobacterium infantis and Bifidobacterium suis as Bifidobacterium longum.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1945-1951.	0.8	43
573	Streptomyces avermectinius sp. nov., an avermectin-producing strain.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2163-2168.	0.8	28
574	Pseudomonas costantinii sp. nov., another causal agent of brown blotch disease, isolated from cultivated mushroom sporophores in Finland.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1973-1983.	0.8	24
575	Taxonomic characterization of Mogibacterium diversum sp. nov. and Mogibacterium neglectum sp. nov., isolated from human oral cavities.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 115-122.	0.8	48
576	Halorubrum tebenquichense sp. nov., a novel halophilic archaeon isolated from the Atacama Saltern, Chile.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 149-155.	0.8	62
577	Stenotrophomonas rhizophila sp. nov., a novel plant-associated bacterium with antifungal properties.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1937-1944.	0.8	145
578	Design of Species-specific Primers to Identify 13 Species of Clostridium Harbored in Human Intestinal Tracts. Microbiology and Immunology, 2002, 46, 353-358.	0.7	69
579	Taxonomic revision of water-bloom-forming species of oscillatorioid cyanobacteria.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1577-1595.	0.8	94
580	Phenotypic and genomic evidence for the revision of Pseudomonas corrugata and proposal of Pseudomonas mediterranea sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1749-1758.	0.8	32
581	Shewanella denitrificans sp. nov., a vigorously denitrifying bacterium isolated from the oxic-anoxic interface of the Gotland Deep in the central Baltic Sea.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2211-2217.	0.8	49
582	Population Genetic Structure of Legionella pneumophila Inferred from RNA Polymerase Gene (rpoB) and DotA Gene (dotA) Sequences. Journal of Bacteriology, 2002, 184, 2123-2130.	1.0	44
583	Proposal of Ureaplasma parvum sp. nov. and emended description of Ureaplasma urealyticum (Shepard) Tj ETQq1 1 0.784314 rgBT /Ove 2002, 52, 587-597.	0.8	152

#	ARTICLE	IF	CITATIONS
584	<i>Halomonas muralis</i> sp. nov., isolated from microbial biofilms colonizing the walls and murals of the Saint-Catherine chapel (Castle Herberstein, Austria).. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2049-2054.	0.8	43
585	<i>Agrococcus baldri</i> sp. nov., isolated from the air in the 'Virgilkapelle' in Vienna.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1211-1216.	0.8	40
586	Use of 16S Ribosomal DNA for Delineation of Marine Bacterioplankton Species. Applied and Environmental Microbiology, 2002, 68, 3628-3633.	1.4	171
587	Phylogenetic Composition of Bacterioplankton Assemblages from the Arctic Ocean. Applied and Environmental Microbiology, 2002, 68, 505-518.	1.4	294
588	Fluorescent Amplified Fragment Length Polymorphism and Repetitive Extragenic Palindrome-PCR Fingerprinting Reveal Host-Specific Genetic Diversity of <i>Vibrio haliotocoli</i> -Like Strains Isolated from the Gut of Japanese Abalone. Applied and Environmental Microbiology, 2002, 68, 4140-4144.	1.4	23
589	<i>Spirirestis rafaensis</i> gen. et sp. nov. (Cyanophyceae), a new cyanobacterial genus from arid soils. Nova Hedwigia, 2002, 74, 1-24.	0.2	96
590	<i>Pseudomonas salomonii</i> sp. nov., pathogenic on garlic, and <i>Pseudomonas palleroniana</i> sp. nov., isolated from rice. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2065-2074.	0.8	31
592	Characterization and Identification of <i>Tetragenococcus halophilus</i> and <i>Tetragenococcus muriaticus</i> Strains from Fish Sauce (Nam-pla). Japanese Journal of Lactic Acid Bacteria, 2002, 13, 46-52.	0.1	42
593	Global Genetic Diversity of Spotted Fever Group Rickettsiae. , 2002, , 53-64.		1
594	Spatial and Resource Factors Influencing High Microbial Diversity in Soil. Applied and Environmental Microbiology, 2002, 68, 326-334.	1.4	599
595	<i>Arthrospira</i> ( <i>Spirulina</i> ): Systematics and Ecophysiology. , 2000, , 505-522.		9
596	Oxidation of Arsenite by <i>Agrobacterium albertimagni</i> , AOL15, sp. nov., Isolated from Hot Creek, California. Geomicrobiology Journal, 2002, 19, 53-66.	1.0	158
597	A database for the provisional identification of species using only genotypes: web-based genome profiling. Genome Biology, 2002, 3, research0010.1.	13.9	14
598	Horizontal Transfer of the Plant Virulence Gene, <i>nec1</i> , and Flanking Sequences among Genetically Distinct <i>Streptomyces</i> Strains in the Diastatochromogenes Cluster. Applied and Environmental Microbiology, 2002, 68, 738-744.	1.4	84
599	Intraspecies Genomic Groups in <i>Enterococcus faecium</i> and Their Correlation with Origin and Pathogenicity. Applied and Environmental Microbiology, 2002, 68, 1381-1391.	1.4	93
600	Community structure of bacteria and fungi responsible for rice straw decomposition in a paddy field estimated by PCR-RFLP analysis. Soil Science and Plant Nutrition, 2002, 48, 805-813.	0.8	20
601	Staphylococcus pettenkoferi, a novel staphylococcal species isolated from clinical specimens. Diagnostic Microbiology and Infectious Disease, 2002, 43, 175-182.	0.8	48
603	What are Bacterial Species?. Annual Review of Microbiology, 2002, 56, 457-487.	2.9	660

#	ARTICLE	IF	CITATIONS
605	Application of the hypervariable region of the 16S rDNA sequence as an index for the rapid identification of species in the genus <i>Alicyclobacillus</i> . <i>Journal of General and Applied Microbiology</i> , 2002, 48, 243-250.	0.4	37
606	<i>Spiroplasma</i> evolution adaptation and diversity. <i>Frontiers in Bioscience - Landmark</i> , 2002, 7, d619-640.	3.0	30
607	Characterization of <i>Pseudoalteromonas citrea</i> and <i>P. nigrifaciens</i> Isolated from Different Ecological Habitats Based on REP-PCR Genomic Fingerprints. <i>Systematic and Applied Microbiology</i> , 2002, 25, 275-283.	1.2	2
608	Accumulation of Poly(3-hydroxybutyrate) from Octanoate in Different <i>Pseudomonas</i> Belonging to the rRNA Homology Group I. <i>Systematic and Applied Microbiology</i> , 2002, 25, 183-188.	1.2	26
609	Three novel halotolerant and thermophilic <i>Geobacillus</i> strains from shallow marine vents. <i>Systematic and Applied Microbiology</i> , 2002, 25, 450-455.	1.2	56
610	<i>Staphylococcus succinus</i> subsp. <i>casei</i> subsp. nov., a Dominant Isolate from a Surface Ripened Cheese. <i>Systematic and Applied Microbiology</i> , 2002, 25, 353-359.	1.2	67
611	Study of the Bacterial Load in a Gelatine Production Process Focussed on <i>Bacillus</i> and Related Endosporeforming Genera. <i>Systematic and Applied Microbiology</i> , 2002, 25, 611-617.	1.2	49
612	<i>Brucella</i> evolution and taxonomy. <i>Veterinary Microbiology</i> , 2002, 90, 209-227.	0.8	199
613	Characterization of <i>Porphyrobacter sanguineus</i> sp. nov., an aerobic bacteriochlorophyll-containing bacterium capable of degrading biphenyl and dibenzofuran. <i>Archives of Microbiology</i> , 2002, 178, 45-52.	1.0	86
614	Identification of thermoacidophilic bacteria and a new <i>Alicyclobacillus</i> genomic species isolated from acidic environments in Japan. <i>Extremophiles</i> , 2002, 6, 333-340.	0.9	46
615	<i>Marinospirillum alkaliphilum</i> sp. nov., a new alkaliphilic helical bacterium from Haoji soda lake in Inner Mongolia Autonomous Region of China. <i>Extremophiles</i> , 2002, 6, 33-37.	0.9	23
616	<i>Sulfolobus tokodaii</i> sp. nov. (f. <i>Sulfolobus</i> sp. strain 7), a new member of the genus <i>Sulfolobus</i> isolated from Beppu Hot Springs, Japan. <i>Extremophiles</i> , 2002, 6, 39-44.	0.9	126
617	Molecular identification of alkaliphilic and halotolerant strain <i>Bacillus</i> sp. FTU as <i>Bacillus pseudofirmus</i> FTU. <i>Extremophiles</i> , 2002, 6, 195-199.	0.9	7
618	PHYLOGENY AND GENETIC VARIANCE IN TERRESTRIAL MICROCOLEUS (CYANOPHYCEAE) SPECIES BASED ON SEQUENCE ANALYSIS OF THE 16S rRNA GENE AND ASSOCIATED 16S-23S ITS REGION1. <i>Journal of Phycology</i> , 2002, 38, 1222-1235.	1.0	166
619	Identification of complex composition, strong strain diversity and directional selection in local <i>Pseudomonas stutzeri</i> populations from marine sediment and soils. <i>Environmental Microbiology</i> , 2002, 4, 465-476.	1.8	47
620	A fluorimetric method for the estimation of G+C mol% content in microorganisms by thermal denaturation temperature. <i>Environmental Microbiology</i> , 2002, 4, 770-773.	1.8	953
621	<i>Staphylococcus</i> : actualité taxonomiques et identification. <i>Revue Francaise Des Laboratoires</i> , 2002, 2002, 23-30.	0.0	2
622	<i>Geobacillus uralicus</i> , a New Species of Thermophilic Bacteria. <i>Microbiology</i> , 2002, 71, 335-341.	0.5	13

#	ARTICLE	IF	CITATIONS
623	Community structure and function in prokaryotic marine plankton. <i>Antonie Van Leeuwenhoek</i> , 2002, 81, 521-527.	0.7	28
624	<i>Methanogenium marinum</i> sp. nov., a H <sub>2</sub> -using methanogen from Skan Bay, Alaska, and kinetics of H <sub>2</sub> utilization. <i>Antonie Van Leeuwenhoek</i> , 2002, 81, 263-270.	0.7	79
625	Classification of novel soil streptomycetes as <i>Streptomyces aureus</i> sp. nov., <i>Streptomyces laceyi</i> sp. nov. and <i>Streptomyces sanglieri</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , 2003, 83, 245-255.	0.7	51
626	<i>Streptacidiphilus</i> gen. nov., acidophilic actinomycetes with wall chemotype I and emendation of the family Streptomycetaceae (Waksman and Henrici (1943)AL) emend. Rainey et al. 1997. <i>Antonie Van Leeuwenhoek</i> , 2003, 83, 107-116.	0.7	129
627	<i>Nonomuraea terrinata</i> sp. nov., a novel soil actinomycete. <i>Antonie Van Leeuwenhoek</i> , 2003, 84, 1-6.	0.7	36
628	<i>Streptomyces yatensis</i> sp. nov., a novel bioactive streptomycete isolated from a New-Caledonian ultramafic soil. <i>Antonie Van Leeuwenhoek</i> , 2003, 83, 21-26.	0.7	36
629	<i>Gordonia sinesedis</i> sp. nov., a novel soil isolate. <i>Antonie Van Leeuwenhoek</i> , 2003, 83, 75-80.	0.7	20
630	<i>Arthrobacter koreensis</i> sp. nov., a novel alkalitolerant bacterium from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1277-1280.	0.8	59
631	A Novel, Highly Viscous Polysaccharide Excreted by an <i>Alteromonas</i> Isolated from a Deep-Sea Hydrothermal Vent Shrimp. <i>Current Microbiology</i> , 2003, 46, 448-452.	1.0	46
632	Diverse <i>Mesorhizobium plurifarum</i> populations native to Mexican soils. <i>Archives of Microbiology</i> , 2003, 180, 444-454.	1.0	29
633	Taxonomy of nonmethanogenic hyperthermophilic and related thermophilic archaea. <i>Journal of Bioscience and Bioengineering</i> , 2003, 96, 203-212.	1.1	30
634	<i>Bacillus aeolius</i> sp. nov. a Novel Thermophilic, Halophilic Marine <i>Bacillus</i> Species from Eolian Islands (Italy). <i>Systematic and Applied Microbiology</i> , 2003, 26, 172-176.	1.2	43
635	Reclassification of <i>Bacteroides putredinis</i> (Weinberg et al., 1937) in a New Genus <i>Alistipes</i> gen. nov., as <i>Alistipes putredinis</i> comb. nov., and Description of <i>Alistipes finegoldii</i> sp. nov., from Human Sources. <i>Systematic and Applied Microbiology</i> , 2003, 26, 182-188.	1.2	141
636	Opinion: The Species Problem, Can We Achieve a Universal Concept?. <i>Systematic and Applied Microbiology</i> , 2003, 26, 323-326.	1.2	29
637	<i>Planococcus rifietensis</i> sp. nov, Isolated from Algal Mat Collected from a Sulfurous Spring in Campania (Italy). <i>Systematic and Applied Microbiology</i> , 2003, 26, 357-366.	1.2	44
638	<i>Tsukamurella spumae</i> sp. nov., A Novel Actinomycete Associated with Foaming in Activated Sludge Plants. <i>Systematic and Applied Microbiology</i> , 2003, 26, 367-375.	1.2	41
639	<i>Actinomadura mexicana</i> sp. nov. and <i>Actinomadura meyerii</i> sp. nov., Two Novel Soil Sporoactinomycetes. <i>Systematic and Applied Microbiology</i> , 2003, 26, 511-517.	1.2	28
640	<i>Chryseobacterium miricola</i> sp. nov., A Novel Species Isolated from Condensation Water of Space Station Mir. <i>Systematic and Applied Microbiology</i> , 2003, 26, 523-528.	1.2	104

#	ARTICLE	IF	CITATIONS
641	Genetic and Ecological Structure of <i>Hafnia alvei</i> in Australia. <i>Systematic and Applied Microbiology</i> , 2003, 26, 585-594.	1.2	10
642	Methods used for the isolation, enumeration, characterisation and identification of <i>Enterococcus</i> spp.. <i>International Journal of Food Microbiology</i> , 2003, 88, 165-188.	2.1	93
643	Degradation of carbazole, dibenzothiophene, and dibenzofuran at low temperature by <i>Pseudomonas</i> sp. strain C3211. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 730-735.	2.2	27
644	Mechanisms of homology-facilitated illegitimate recombination for foreign DNA acquisition in transformable <i>Pseudomonas stutzeri</i> . <i>Molecular Microbiology</i> , 2003, 48, 1107-1118.	1.2	63
645	MORPHOLOGICAL AND 16S rRNA GENE EVIDENCE FOR RECLASSIFICATION OF THE PARALYTIC SHELLFISH TOXIN PRODUCING APHANIZOMENON FLOS-AQUAE LMECYA 31 AS APHANIZOMENON ISSATSCHENKOI (CYANOPHYCEAE)1. <i>Journal of Phycology</i> , 2003, 39, 814-818.	1.0	53
646	Diversity and significance of Burkholderia species occupying diverse ecological niches. <i>Environmental Microbiology</i> , 2003, 5, 719-729.	1.8	742
647	Microbial characterization of the Mars Odyssey spacecraft and its encapsulation facility. <i>Environmental Microbiology</i> , 2003, 5, 977-985.	1.8	158
648	Treponemes and endodontic infections. <i>Endodontic Topics</i> , 2003, 6, 160-170.	0.5	3
649	Conservation of the response regulator gene <i>gacA</i> in <i>Pseudomonas</i> species. <i>Environmental Microbiology</i> , 2003, 5, 1328-1340.	1.8	63
650	Taxonomic study of <i>Cellvibrio</i> strains and description of <i>Cellvibrio ostraviensis</i> sp. nov., <i>Cellvibrio fibrivorans</i> sp. nov. and <i>Cellvibrio gandavensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 465-471.	0.8	41
651	<i>Fulvimarina pelagi</i> gen. nov., sp. nov., a marine bacterium that forms a deep evolutionary lineage of descent in the order 'Rhizobiales'. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1853-1859.	0.8	51
652	<i>Shewanella marinintestina</i> sp. nov., <i>Shewanella schlegeliana</i> sp. nov. and <i>Shewanella sairae</i> sp. nov., novel eicosapentaenoic-acid-producing marine bacteria isolated from sea-animal intestines. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 491-499.	0.8	94
653	Description of new <i>Ensifer</i> strains from nodules and proposal to transfer <i>Ensifer adhaerens</i> Casida 1982 to <i>Sinorhizobium</i> as <i>Sinorhizobium adhaerens</i> comb. nov. Request for an Opinion. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1207-1217.	0.8	110
654	<i>Staphylococcus equorum</i> subsp. <i>linens</i> , subsp. nov., A Starter Culture Component for Surface Ripened Semi-Hard Cheeses. <i>Systematic and Applied Microbiology</i> , 2003, 26, 30-37.	1.2	98
655	Three New Antibiotic Producing Species of the Genus <i>Amycolatopsis</i> , <i>Amycolatopsis balhimycina</i> sp. nov., <i>A. tolypomycina</i> sp. nov., <i>A. vancoresmycina</i> sp. nov., and Description of <i>Amycolatopsis keratiniphila</i> subsp. <i>keratiniphila</i> subsp. nov. and <i>A. keratiniphila</i> subsp. <i>nogabecina</i> subsp. nov.. <i>Systematic and Applied Microbiology</i> , 2003, 26, 38-46.	1.2	100
656	<i>Bacillus marisflavi</i> sp. nov. and <i>Bacillus aquimaris</i> sp. nov., isolated from sea water of a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1297-1303.	0.8	127
657	Cryptic species in cyanobacterial systematics: a case study of <i>Phormidium retzii</i> (Oscillatoriales) using RAPD molecular markers and 16S rDNA sequence data. <i>Aquatic Botany</i> , 2003, 77, 295-309.	0.8	73
658	Phylogenetic heterogeneity of the species <i>Acidithiobacillus ferrooxidans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 113-119.	0.8	64

#	ARTICLE	IF	CITATIONS
659	ATP as a biomarker of viable microorganisms in clean-room facilities. <i>Journal of Microbiological Methods</i> , 2003, 52, 367-377.	0.7	195
660	Analysis of environmental microbial communities by reverse sample genome probing. <i>Journal of Microbiological Methods</i> , 2003, 53, 211-219.	0.7	70
661	<i>Methylocella silvestris</i> sp. nov., a novel methanotroph isolated from an acidic forest cambisol. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1231-1239.	0.8	211
662	Degradation of 4-amyphenol and 4-hexylphenol by a new activated sludge isolate of <i>Pseudomonas veronii</i> and proposal for a new subspecies status. <i>Research in Microbiology</i> , 2003, 154, 17-23.	1.0	38
663	Gene-sequence-based criteria for species definition in bacteriology: the <i>Bartonella</i> paradigm. <i>Trends in Microbiology</i> , 2003, 11, 318-321.	3.5	259
664	<i>Paenibacillus kribbensis</i> sp. nov. and <i>Paenibacillus terrae</i> sp. nov., biofloculants for efficient harvesting of algal cells. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 295-301.	0.8	59
665	Elevation of three subspecies of <i>Pectobacterium carotovorum</i> to species level: <i>Pectobacterium atrosepticum</i> sp. nov., <i>Pectobacterium betavasculorum</i> sp. nov. and <i>Pectobacterium wasabiae</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 381-391.	0.8	298
666	Impact of Genotypic Studies on Mycobacterial Taxonomy: the New Mycobacteria of the 1990s. <i>Clinical Microbiology Reviews</i> , 2003, 16, 319-354.	5.7	477
667	Gene sequences useful for predicting relatedness of whole genomes in bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1893-1900.	0.8	294
668	Reclassification of ATCC 9341 from <i>Micrococcus luteus</i> to <i>Kocuria rhizophila</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 995-997.	0.8	71
669	Phylogenetic and physiological characterization of a heterotrophic, chemolithoautotrophic <i>Thiothrix</i> strain isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1271-1276.	0.8	31
670	<i>Marinomonas primoryensis</i> sp. nov., a novel psychrophile isolated from coastal sea-ice in the Sea of Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 829-832.	0.8	43
671	<i>Helicobacter</i> sp. flexispira 16S rDNA taxa 1, 4 and 5 and Finnish porcine <i>Helicobacter</i> isolates are members of the species <i>Helicobacter trogontum</i> (taxon 6). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 425-433.	0.8	32
672	<i>Nocardia caishijiensis</i> sp. nov., a novel soil actinomycete. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 999-1004.	0.8	35
673	<i>Lactobacillus thermotolerans</i> sp. nov., a novel thermotolerant species isolated from chicken faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 263-268.	0.8	35
674	Characterization of several <i>Psychrobacter</i> strains isolated from Antarctic environments and description of <i>Psychrobacter luti</i> sp. nov. and <i>Psychrobacter fozii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1093-1100.	0.8	121
675	Reclassification of <i>Desulfobacterium macestii</i> as <i>Desulfomicrobium macestii</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1127-1130.	0.8	31
676	<i>Aeromicrobium marinum</i> sp. nov., an abundant pelagic bacterium isolated from the German Wadden Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1917-1923.	0.8	56

#	ARTICLE	IF	CITATIONS
677	<i>Escherichia albertii</i> sp. nov., a diarrhoeagenic species isolated from stool specimens of Bangladeshi children. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 807-810.	0.8	208
678	<i>Desulfovibrio hydrothermalis</i> sp. nov., a novel sulfate-reducing bacterium isolated from hydrothermal vents. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 173-178.	0.8	95
679	<i>Chryseobacterium joostei</i> sp. nov., isolated from the dairy environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 771-777.	0.8	99
680	<i>Psychrobacter jeotgali</i> sp. nov., isolated from jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 449-454.	0.8	257
681	<i>Pseudoalteromonas agarivorans</i> sp. nov., a novel marine agarolytic bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 125-131.	0.8	51
682	<i>Idiomarina baltica</i> sp. nov., a marine bacterium with a high optimum growth temperature isolated from surface water of the central Baltic Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 407-413.	0.8	52
683	<i>Amycolatopsis keratiniphila</i> sp. nov., a novel keratinolytic soil actinomycete from Kuwait. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 871-874.	0.8	29
684	<i>Agromyces albus</i> sp. nov., isolated from a plant ( <i>Androsace</i> sp.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1435-1438.	0.8	38
685	<i>Planococcus maritimus</i> sp. nov., isolated from sea water of a tidal flat in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2013-2017.	0.8	54
686	<i>Psychromonas arctica</i> sp. nov., a novel psychrotolerant, biofilm-forming bacterium isolated from Spitzbergen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 539-545.	0.8	49
687	<i>Pseudomonas rhizosphaerae</i> sp. nov., a novel species that actively solubilizes phosphate in vitro. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2067-2072.	0.8	90
688	Reclassification of <i>Subtercola pratensis</i> Behrendt et al. 2002 as <i>Agreia pratensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2041-2044.	0.8	28
689	<i>Sphingopyxis chilensis</i> sp. nov., a chlorophenol-degrading bacterium that accumulates polyhydroxyalkanoate, and transfer of <i>Sphingomonas alaskensis</i> to <i>Sphingopyxis alaskensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 473-477.	0.8	91
690	<i>Bosea minatitlanensis</i> sp. nov., a strictly aerobic bacterium isolated from an anaerobic digester. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1247-1251.	0.8	41
691	Usefulness of <i>rpoB</i> Gene Sequencing for Identification of <i>Afipia</i> and <i>Bosea</i> Species, Including a Strategy for Choosing Discriminative Partial Sequences. <i>Applied and Environmental Microbiology</i> , 2003, 69, 6740-6749.	1.4	36
692	<i>Marinobacter litoralis</i> sp. nov., a moderately halophilic bacterium isolated from sea water from the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 563-568.	0.8	72
693	Transfer of <i>Pseudomonas elongata</i> Humm 1946 to the genus <i>Microbulbifer</i> as <i>Microbulbifer elongatus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1357-1361.	0.8	44
694	DNA-DNA hybridization study of <i>Burkholderia</i> species using genomic DNA macro-array analysis coupled to reverse genome probing. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 739-746.	0.8	14

#	ARTICLE	IF	CITATIONS
695	<i>Pedobacter cryoconitis</i> sp. nov., a facultative psychrophile from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1291-1296.	0.8	122
696	<i>Novosphingobium tardaogens</i> sp. nov., an oestradiol-degrading bacterium isolated from activated sludge of a sewage treatment plant in Tokyo. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 47-52.	0.8	112
697	Assignment of <i>Alteromonas marinoglutinosa</i> ™ NCIMB 1770 to <i>Pseudoalteromonas mariniglutinosa</i> sp. nov., nom. rev., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1105-1109.	0.8	30
698	<i>Alkaliphilus crotonatoxidans</i> sp. nov., a strictly anaerobic, crotonate-dismutating bacterium isolated from a methanogenic environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 971-975.	0.8	56
699	<i>Halobacillus salinus</i> sp. nov., isolated from a salt lake on the coast of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 687-693.	0.8	65
700	<i>Zooshikella ganghwensis</i> gen. nov., sp. nov., isolated from tidal flat sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1013-1018.	0.8	67
701	<i>Rhodococcus tukisamuensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1333-1337.	0.8	23
702	<i>Nocardia cerradoensis</i> sp. nov., a novel isolate from Cerrado soil in Brazil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 29-33.	0.8	49
703	<i>Shewanella fidelis</i> sp. nov., isolated from sediments and sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 577-582.	0.8	51
704	<i>Moritella profunda</i> sp. nov. and <i>Moritella abyssi</i> sp. nov., two psychropiezophilic organisms isolated from deep Atlantic sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 533-538.	0.8	99
705	Reclassification of <i>Pseudomonas fluorescens</i> subsp. <i>cellulosa</i> ™ NCIMB 10462 (Ueda et al. 1952) as <i>Cellvibrio japonicus</i> sp. nov. and revival of <i>Cellvibrio vulgaris</i> sp. nov., nom. rev. and <i>Cellvibrio fulvus</i> sp. nov., nom. rev.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 393-400.	0.8	42
706	Characterization of endospore-forming bacteria associated with entomopathogenic nematodes, <i>Heterorhabditis</i> spp., and description of <i>Paenibacillus nematophilus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 435-441.	0.8	44
707	<i>Nocardia puris</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1595-1599.	0.8	37
708	<i>Marinobacter excellens</i> sp. nov., isolated from sediments of the Sea of Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2073-2078.	0.8	69
709	Combining Culture-Dependent and -Independent Methodologies for Estimation of Richness of Estuarine Bacterioplankton Consuming Riverine Dissolved Organic Matter. <i>Applied and Environmental Microbiology</i> , 2003, 69, 3607-3616.	1.4	79
710	<i>Nocardia veterana</i> as a Pathogen in North American Patients. <i>Journal of Clinical Microbiology</i> , 2003, 41, 2560-2568.	1.8	47
711	<i>Anoxybacillus gonensis</i> sp. nov., a moderately thermophilic, xylose-utilizing, endospore-forming bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1315-1320.	0.8	108
712	<i>Schlegelella thermodepolymerans</i> gen. nov., sp. nov., a novel thermophilic bacterium that degrades poly(3-hydroxybutyrate-co-3-mercaptopropionate). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1165-1168.	0.8	53



#	ARTICLE	IF	CITATIONS
713	Reappraisal of the taxonomy of the <i>Streptococcus bovis</i> / <i>Streptococcus equinus</i> complex and related species: description of <i>Streptococcus gallolyticus</i> subsp. <i>gallolyticus</i> subsp. nov., <i>S. gallolyticus</i> subsp. <i>macedonicus</i> subsp. nov. and <i>S. gallolyticus</i> subsp. <i>pasteurianus</i> subsp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 631-645.	0.8	336
714	<i>Paracoccus zeaxanthinifaciens</i> sp. nov., a zeaxanthin-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 231-238.	0.8	101
715	<i>Prausserella halophila</i> sp. nov. and <i>Prausserella alba</i> sp. nov., moderately halophilic actinomycetes from saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1545-1549.	0.8	50
716	Gene Sequence-Based Criteria for Identification of New <i>Rickettsia</i> Isolates and Description of <i>Rickettsia heilongjiangensis</i> sp. nov. <i>Journal of Clinical Microbiology</i> , 2003, 41, 5456-5465.	1.8	347
717	Culture and Phenotypic Characterization of a <i>Wolbachia pipientis</i> Isolate. <i>Journal of Clinical Microbiology</i> , 2003, 41, 5434-5441.	1.8	32
718	<i>Streptomyces luridiscabiei</i> sp. nov., <i>Streptomyces puniscabiei</i> sp. nov. and <i>Streptomyces niveiscabiei</i> sp. nov., which cause potato common scab disease in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2049-2054.	0.8	67
719	Characterization of novel psychrophilic clostridia from an Antarctic microbial mat: description of <i>Clostridium frigoris</i> sp. nov., <i>Clostridium lacusfryxellense</i> sp. nov., <i>Clostridium bowmanii</i> sp. nov. and <i>Clostridium psychrophilum</i> sp. nov. and reclassification of <i>Clostridium laramiense</i> as <i>Clostridium estertheticum</i> subsp. <i>laramiense</i> subsp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1019-1029.	0.8	123
720	<i>Pseudomonas koreensis</i> sp. nov., <i>Pseudomonas umsongensis</i> sp. nov. and <i>Pseudomonas jinjuensis</i> sp. nov., novel species from farm soils in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 21-27.	0.8	194
721	<i>Idiomarina loihiensis</i> sp. nov., a halophilic $\hat{A}$ -Proteobacterium from the Lo'ihi submarine volcano, Hawai'i. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1873-1879.	0.8	74
722	<i>Flavobacterium gelidilacus</i> sp. nov., isolated from microbial mats in Antarctic lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1241-1245.	0.8	75
723	Evolution of the Bacterial Species <i>Lactobacillus delbrueckii</i> : A Partial Genomic Study with Reflections on Prokaryotic Species Concept. <i>Molecular Biology and Evolution</i> , 2003, 20, 93-104.	3.5	63
724	<i>Thermomonas fusca</i> sp. nov. and <i>Thermomonas brevis</i> sp. nov., two mesophilic species isolated from a denitrification reactor with poly( $\hat{A}$ -caprolactone) plastic granules as fixed bed, and emended description of the genus <i>Thermomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1961-1966.	0.8	120
725	<i>Spirochaeta americana</i> sp. nov., a new haloalkaliphilic, obligately anaerobic spirochaete isolated from soda Mono Lake in California. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 815-821.	0.8	95
726	DNA Microarray Applications in Environmental Microbiology. <i>Analytical Letters</i> , 2003, 36, 3165-3184.	1.0	27
727	Isolation of a Methanogen from Deep Marine Sediments That Contain Methane Hydrates, and Description of <i>Methanoculleus submarinus</i> sp. nov. <i>Applied and Environmental Microbiology</i> , 2003, 69, 3311-3316.	1.4	149
728	<i>Paracoccus yeeii</i> sp. nov. (Formerly CDC Group EO-2), a Novel Bacterial Species Associated with Human Infection. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1289-1294.	1.8	76
729	<i>Actinomadura catellatispora</i> sp. nov. and <i>Actinomadura glauciflava</i> sp. nov., from a sewage ditch and soil in southern China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 137-142.	0.8	29
730	<i>Alteromonas marina</i> sp. nov., isolated from sea water of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1625-1630.	0.8	63

#	ARTICLE	IF	CITATIONS
731	<i>Bosea eneeae</i> sp. nov., <i>Bosea massiliensis</i> sp. nov. and <i>Bosea vestrisii</i> sp. nov., isolated from hospital water supplies, and emendation of the genus <i>Bosea</i> (Das et al. 1996). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 15-20.	0.8	77
732	<i>Saccharospirillum impatiens</i> gen. nov., sp. nov., a novel $\hat{I}^3$ -Proteobacterium isolated from hypersaline Ekho Lake (East Antarctica). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 653-660.	0.8	36
733	<i>Herbaspirillum lusitanum</i> sp. nov., a novel nitrogen-fixing bacterium associated with root nodules of <i>Phaseolus vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1979-1983.	0.8	121
734	<i>Erythrobacter flavus</i> sp. nov., a slight halophile from the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1169-1174.	0.8	88
735	Confirmation of Nontypeable <i>Streptococcus pneumoniae</i> - Like Organisms Isolated from Outbreaks of Epidemic Conjunctivitis as <i>Streptococcus pneumoniae</i> . <i>Journal of Clinical Microbiology</i> , 2003, 41, 4415-4417.	1.8	44
736	<i>Alicyclobacillus pomorum</i> sp. nov., a novel thermo-acidophilic, endospore-forming bacterium that does not possess $\hat{I}^{\%}$ -alicyclic fatty acids, and emended description of the genus <i>Alicyclobacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1537-1544.	0.8	108
737	<i>Microbulbifer salipaludis</i> sp. nov., a moderate halophile isolated from a Korean salt marsh. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 53-57.	0.8	166
738	<i>Shewanella waksmanii</i> sp. nov., isolated from a sipuncula ( <i>Phascolosoma japonicum</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1471-1477.	0.8	45
739	Oral <i>Actinomyces</i> Isolates Forming Red Colonies on Brain Heart Blood Agar Can Be Unambiguously Classified as <i>A. odontolyticus</i> by Macroscopic Examination. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3729-3731.	1.8	3
740	Characterization of strains of <i>Vibrio splendidus</i> and <i>V. tapetis</i> isolated from corkwing wrasse <i>Symphodus melops</i> suffering vibriosis. <i>Diseases of Aquatic Organisms</i> , 2003, 53, 25-31.	0.5	82
741	Genotyping of <i>Serratia marcescens</i> Strains Associated with Cucurbit Yellow Vine Disease by Repetitive Elements-Based Polymerase Chain Reaction and DNA-DNA Hybridization. <i>Phytopathology</i> , 2003, 93, 1240-1246.	1.1	16
742	Diacetyl of lactic acid bacteria from milk and fermented foods in Thailand. <i>Journal of General and Applied Microbiology</i> , 2003, 49, 301-307.	0.4	10
743	Identification of acetic acid bacteria isolated from fruits collected in Thailand. <i>Journal of General and Applied Microbiology</i> , 2004, 50, 47-53.	0.4	36
744	<i>Nocardia testaceus</i> Sp. Nov. and <i>Nocardia senatus</i> Sp. Nov., Isolated from Patients in Japan. <i>Microbiology and Immunology</i> , 2004, 48, 271-276.	0.7	25
745	<i>Nocardia mexicana</i> sp. nov., a New Pathogen Isolated from Human Mycetomas. <i>Journal of Clinical Microbiology</i> , 2004, 42, 4530-4535.	1.8	51
746	<i>Brevibacterium celere</i> sp. nov., isolated from degraded thallus of a brown alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2107-2111.	0.8	34
747	<i>Herbaspirillum chlorophenolicum</i> sp. nov., a 4-chlorophenol-degrading bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 851-855.	0.8	75
748	<i>Microbulbifer maritimus</i> sp. nov., isolated from an intertidal sediment from the Yellow Sea, Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1111-1116.	0.8	48

#	ARTICLE	IF	CITATIONS
749	<i>Glaciecola polaris</i> sp. nov., a novel budding and prosthecate bacterium from the Arctic Ocean, and emended description of the genus <i>Glaciecola</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1765-1771.	0.8	53
750	<i>Williamsia maris</i> sp. nov., a novel actinomycete isolated from the Sea of Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 191-194.	0.8	51
751	<i>Streptococcus equi</i> subsp. <i>ruminatorum</i> subsp. nov., isolated from mastitis in small ruminants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2291-2296.	0.8	32
752	Representative Freshwater Bacterioplankton Isolated from Crater Lake, Oregon. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6542-6550.	1.4	88
753	Isolation of <i>Bartonella rattimassiliensis</i> sp. nov. and <i>Bartonella phoceensis</i> sp. nov. from European <i>Rattus norvegicus</i> . <i>Journal of Clinical Microbiology</i> , 2004, 42, 3816-3818.	1.8	93
754	<i>Colwellia piezophila</i> sp. nov., a novel piezophilic species from deep-sea sediments of the Japan Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1627-1631.	0.8	116
755	Taxonomy of Australian clinical isolates of the genus <i>Phototrhobdus</i> and proposal of <i>Phototrhobdus asymbiotica</i> subsp. <i>asymbiotica</i> subsp. nov. and <i>P. asymbiotica</i> subsp. <i>australis</i> subsp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1301-1310.	0.8	67
756	<i>Chromohalobacter sarecensis</i> sp. nov., a psychrotolerant moderate halophile isolated from the saline Andean region of Bolivia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1921-1926.	0.8	31
757	<i>Kangiella koreensis</i> gen. nov., sp. nov. and <i>Kangiella aquimarina</i> sp. nov., isolated from a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1829-1835.	0.8	61
758	<i>Arthrobacter nitroguajacolicus</i> sp. nov., a novel 4-nitroguaiacol-degrading actinobacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 773-777.	0.8	47
759	<i>Nocardia araoensis</i> sp. nov. and <i>Nocardia pneumoniae</i> sp. nov., isolated from patients in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2025-2029.	0.8	42
760	<i>Desulfovibrio alaskensis</i> sp. nov., a sulphate-reducing bacterium from a soured oil reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1747-1752.	0.8	75
761	<i>Bacillus odysseyi</i> sp. nov., a round-spore-forming bacillus isolated from the Mars Odyssey spacecraft. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 195-201.	0.8	87
762	<i>Halomonas boliviensis</i> sp. nov., an alkalitolerant, moderate halophile isolated from soil around a Bolivian hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 721-725.	0.8	142
763	<i>Marinibacillus campisalis</i> sp. nov., a moderate halophile isolated from a marine solar saltern in Korea, with emended description of the genus <i>Marinibacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1317-1321.	0.8	22
764	<i>Flavobacterium degerlachei</i> sp. nov., <i>Flavobacterium frigoris</i> sp. nov. and <i>Flavobacterium micromati</i> sp. nov., novel psychrophilic bacteria isolated from microbial mats in Antarctic lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 85-92.	0.8	94
765	<i>Pseudomonas lutea</i> sp. nov., a novel phosphate-solubilizing bacterium isolated from the rhizosphere of grasses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 847-850.	0.8	59
766	<i>Shewanella marisflavi</i> sp. nov. and <i>Shewanella aquimarina</i> sp. nov., slightly halophilic organisms isolated from sea water of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2347-2352.	0.8	46

#	ARTICLE	IF	CITATIONS
767	Loktanella salsilacus gen. nov., sp. nov., Loktanella fryxellensis sp. nov. and Loktanella vestfoldensis sp. nov., new members of the Rhodobacter group, isolated from microbial mats in Antarctic lakes. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1263-1269.	0.8	128
768	Alicyclobacillus vulcanalis sp. nov., a thermophilic, acidophilic bacterium isolated from Coso Hot Springs, California, USA. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1703-1707.	0.8	62
769	Hongiella marincola sp. nov., isolated from sea water of the East Sea in Korea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1845-1848.	0.8	38
770	Molecular identification of Vibrio harveyi-related isolates associated with diseased aquatic organisms. Microbiology (United Kingdom), 2004, 150, 1769-1777.	0.7	180
771	Nocardia arthritidis sp. nov., a New Pathogen Isolated from a Patient with Rheumatoid Arthritis in Japan. Journal of Clinical Microbiology, 2004, 42, 2366-2371.	1.8	54
772	Marinobacter flavimaris sp. nov. and Marinobacter daepoensis sp. nov., slightly halophilic organisms isolated from sea water of the Yellow Sea in Korea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1799-1803.	0.8	60
773	The leucine-responsive regulatory protein (Irp) gene for characterization of the relationship among Xanthomonas species. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 429-437.	0.8	28
774	Rothia aerea sp. nov., Rhodococcus baikonurensis sp. nov. and Arthrobacter russicus sp. nov., isolated from air in the Russian space laboratory Mir. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 827-835.	0.8	114
775	Characterization of Pseudoalteromonas distincta-like sea-water isolates and description of Pseudoalteromonas aliena sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1431-1437.	0.8	42
776	Porphyrobacter donghaensis sp. nov., isolated from sea water of the East Sea in Korea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2231-2235.	0.8	40
777	Thermovibrio ammonificans sp. nov., a thermophilic, chemolithotrophic, nitrate-ammonifying bacterium from deep-sea hydrothermal vents. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 175-181.	0.8	97
778	Recommended standards for the description of new species of anoxygenic phototrophic bacteria. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1415-1421.	0.8	49
779	Five novel Kitasatospora species from soil: Kitasatospora arboriphila sp. nov., K. gansuensis sp. nov., K. nipponensis sp. nov., K. paranensis sp. nov. and K. terrestris sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2121-2129.	0.8	85
780	Genetic evidence that Weissella kimchii Choi et al. 2002 is a later heterotypic synonym of Weissella cibaria Björkroth et al. 2002. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 463-465.	0.8	37
781	Anoxybacillus ayderensis sp. nov. and Anoxybacillus kestanbolensis sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1499-1503.	0.8	73
782	Alteromonas litorea sp. nov., a slightly halophilic bacterium isolated from an intertidal sediment of the Yellow Sea in Korea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1197-1201.	0.8	48
783	Transfer of Bacillus ehimensis and Bacillus chitinolyticus to the genus Paenibacillus with emended descriptions of Paenibacillus ehimensis comb. nov. and Paenibacillus chitinolyticus comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 929-933.	0.8	31
784	Oceanithermus desulfurans sp. nov., a novel thermophilic, sulfur-reducing bacterium isolated from a sulfide chimney in Suiyo Seamount. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1561-1566.	0.8	36

#	ARTICLE	IF	CITATIONS
785	<i>Petrotoga mexicana</i> sp. nov., a novel thermophilic, anaerobic and xylanolytic bacterium isolated from an oil-producing well in the Gulf of Mexico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 169-174.	0.8	81
786	<i>Paenibacillus favisporus</i> sp. nov., a xylanolytic bacterium isolated from cow faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 59-64.	0.8	65
787	<i>Sulfitobacter delicatus</i> sp. nov. and <i>Sulfitobacter dubius</i> sp. nov., respectively from a starfish ( <i>Stellaster equestris</i> ) and sea grass ( <i>Zostera marina</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 475-480.	0.8	104
788	<i>Marinospirillum insulare</i> sp. nov., a novel halophilic helical bacterium isolated from kusaya gravy. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 163-167.	0.8	15
789	Characterization of <i>Ferroplasma</i> Isolates and <i>Ferroplasma acidarmanus</i> sp. nov., Extreme Acidophiles from Acid Mine Drainage and Industrial Bioleaching Environments. <i>Applied and Environmental Microbiology</i> , 2004, 70, 2079-2088.	1.4	186
790	Two Cases of Fatal Necrotizing Fasciitis Caused by <i>Photobacterium damsela</i> in Japan. <i>Journal of Clinical Microbiology</i> , 2004, 42, 1370-1372.	1.8	80
791	<i>Bacillus hwajinpoensis</i> sp. nov. and an unnamed <i>Bacillus</i> genomospecies, novel members of <i>Bacillus</i> rRNA group 6 isolated from sea water of the East Sea and the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 803-808.	0.8	63
792	<i>Saccharothrix algeriensis</i> sp. nov., isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1377-1381.	0.8	60
793	Taxonomic variation in the <i>Mycobacterium fortuitum</i> third biovariant complex: description of <i>Mycobacterium boenickei</i> sp. nov., <i>Mycobacterium houstonense</i> sp. nov., <i>Mycobacterium neworleansense</i> sp. nov. and <i>Mycobacterium brisbanense</i> sp. nov. and recognition of <i>Mycobacterium porcinum</i> from human clinical isolates. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1653-1667.	0.8	119
794	Phylogenetic relationships of the genera <i>Stella</i> , <i>Labrys</i> and <i>Angulomicrobium</i> within the 'Alphaproteobacteria' and description of <i>Angulomicrobium amanitifforme</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 651-657.	0.8	34
795	<i>Agarivorans albus</i> gen. nov., sp. nov., a $\beta$ -proteobacterium isolated from marine animals. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 693-697.	0.8	58
796	<i>Alteromonas stellipolaris</i> sp. nov., a novel, budding, prosthecate bacterium from Antarctic seas, and emended description of the genus <i>Alteromonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1157-1163.	0.8	73
797	Phylogenetic analysis of the genera <i>Streptomyces</i> and <i>Kitasatospora</i> based on partial RNA polymerase $\beta$ -subunit gene ( <i>rpoB</i> ) sequences. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 593-598.	0.8	52
798	<i>Desulfatibacillum alkenivorans</i> sp. nov., a novel n-alkene-degrading, sulfate-reducing bacterium, and emended description of the genus <i>Desulfatibacillum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1639-1642.	0.8	67
799	<i>Nocardia xishanensis</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2301-2305.	0.8	16
800	<i>Aeromonas simiae</i> sp. nov., isolated from monkey faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 481-485.	0.8	81
801	<i>Formosa</i> algae gen. nov., sp. nov., a novel member of the family <i>Flavobacteriaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 705-711.	0.8	89
802	<i>Cellulomonas xylanilytica</i> sp. nov., a cellulolytic and xylanolytic bacterium isolated from a decayed elm tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 533-536.	0.8	43

#	ARTICLE	IF	CITATIONS
803	<i>Shewanella affinis</i> sp. nov., isolated from marine invertebrates. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1089-1093.	0.8	38
804	<i>Belliella baltica</i> gen. nov., sp. nov., a novel marine bacterium of the Cytophaga-like "Flavobacterium" Bacteroides group isolated from surface water of the central Baltic Sea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 65-70.	0.8	70
805	<i>Mesorhizobium septentrionale</i> sp. nov. and <i>Mesorhizobium temperatum</i> sp. nov., isolated from <i>Astragalus adsurgens</i> growing in the northern regions of China. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2003-2012.	0.8	88
806	Characterization of Three New Enterococcal Species, <i>Enterococcus</i> sp. nov. CDC PNS-E1, <i>Enterococcus</i> sp. nov. CDC PNS-E2, and <i>Enterococcus</i> sp. nov. CDC PNS-E3, Isolated from Human Clinical Specimens. Journal of Clinical Microbiology, 2004, 42, 1192-1198.	1.8	29
807	<i>Anoxybacillus contaminans</i> sp. nov. and <i>Bacillus gelatini</i> sp. nov., isolated from contaminated gelatin batches. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 941-946.	0.8	75
808	<i>Bacillus macyae</i> sp. nov., an arsenate-respiring bacterium isolated from an Australian gold mine. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2241-2244.	0.8	48
809	<i>Robiginitalea biformata</i> gen. nov., sp. nov., a novel marine bacterium in the family Flavobacteriaceae with a higher G+C content. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1101-1106.	0.8	55
810	<i>Tenacibaculum skagerrakense</i> sp. nov., a marine bacterium isolated from the pelagic zone in Skagerrak, Denmark. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 519-524.	0.8	64
811	<i>Erwinia papayae</i> sp. nov., a pathogen of papaya ( <i>Carica papaya</i> ). International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 107-113.	0.8	32
812	<i>Nocardia neocaledoniensis</i> sp. nov., a novel actinomycete isolated from a New-Caledonian brown hypermagnesian ultramafic soil. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 599-603.	0.8	32
813	Identification of Some Charcoal-Black-Pigmented CDC Fermentative Coryneform Group 4 Isolates as <i>Rothia dentocariosa</i> and Some as <i>Corynebacterium aurimucosum</i> : Proposal of <i>Rothia dentocariosa</i> emend. Georg and Brown 1967, <i>Corynebacterium aurimucosum</i> emend. Yassin et al. 2002, and <i>Corynebacterium nigricans</i> Shukla et al. 2003 pro synon. <i>Corynebacterium aurimucosum</i> . Journal of Clinical Microbiology, 2004, 42, 4189-4198.	1.8	32
814	<i>Caenibacterium thermophilum</i> is a later synonym of <i>Schlegelella thermodepolymerans</i> . International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1933-1935.	0.8	12
815	<i>Nocardia shimofusensis</i> sp. nov., isolated from soil, and <i>Nocardia higoensis</i> sp. nov., isolated from a patient with lung nocardiosis in Japan. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1927-1931.	0.8	28
816	<i>Nocardiopsis aegyptia</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 453-456.	0.8	51
817	<i>Paenibacillus lactis</i> sp. nov., isolated from raw and heat-treated milk. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 885-891.	0.8	108
818	<i>Agromyces ulmi</i> sp. nov., a xylanolytic bacterium isolated from <i>Ulmus nigra</i> in Spain. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1987-1990.	0.8	40
819	Reclassification of <i>Agromyces fucosus</i> subsp. <i>hippuratus</i> as <i>Agromyces hippuratus</i> sp. nov., comb. nov. and emended description of <i>Agromyces fucosus</i> . International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1553-1556.	0.8	27
820	<i>Tsukamurella pseudospumae</i> sp. nov., a novel actinomycete isolated from activated sludge foam. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1209-1212.	0.8	71

#	ARTICLE	IF	CITATIONS
821	<i>Mycobacterium psychrotolerans</i> sp. nov., isolated from pond water near a uranium mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1459-1463.	0.8	29
822	<i>Zimmermannella helvola</i> gen. nov., sp. nov., <i>Zimmermannella alba</i> sp. nov., <i>Zimmermannella bifida</i> sp. nov., <i>Zimmermannella faecalis</i> sp. nov. and <i>Leucobacter albus</i> sp. nov., novel members of the family Microbacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1669-1676.	0.8	127
823	<i>Psychrobacter maritimus</i> sp. nov. and <i>Psychrobacter arenosus</i> sp. nov., isolated from coastal sea ice and sediments of the Sea of Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1741-1745.	0.8	78
824	<i>Pseudoxanthomonas mexicana</i> sp. nov. and <i>Pseudoxanthomonas japonensis</i> sp. nov., isolated from diverse environments, and emended descriptions of the genus <i>Pseudoxanthomonas</i> Finkmann et al. 2000 and of its type species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2245-2255.	0.8	101
825	<i>Nocardioides aquiterrae</i> sp. nov., isolated from groundwater in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 71-75.	0.8	61
826	<i>Nocardiopsis alkaliphila</i> sp. nov., a novel alkaliphilic actinomycete isolated from desert soil in Egypt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 247-252.	0.8	62
827	<i>Gillisia limnaea</i> gen. nov., sp. nov., a new member of the family Flavobacteriaceae isolated from a microbial mat in Lake Fryxell, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 445-448.	0.8	61
828	<i>Vagococcus carniphilus</i> sp. nov., isolated from ground beef. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1505-1510.	0.8	41
830	Transfer of <i>Bacillus halodenitrificans</i> Denariáz et al. 1989 to the genus <i>Virgibacillus</i> as <i>Virgibacillus halodenitrificans</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2163-2167.	0.8	81
831	DNA-DNA relatedness and phylogenetic positions of <i>Slackia exigua</i> , <i>Slackia heliotrinireducens</i> , <i>Eggerthella lenta</i> , and other related bacteria. <i>Oral Microbiology and Immunology</i> , 2004, 19, 343-346.	2.8	10
832	Characterization and distribution of <i>Staphylococcus</i> sp. implicated for improvement of fish sauce odor. <i>Fisheries Science</i> , 2004, 70, 916-923.	0.7	32
833	<i>Rhodococcus aetherivorans</i> sp. nov., A New Species that Contains Methyl t-butyl Ether-Degrading Actinomycetes. <i>Systematic and Applied Microbiology</i> , 2004, 27, 61-65.	1.2	58
834	<i>Bacillus algicola</i> sp. nov., a Novel Filamentous Organism Isolated From Brown Alga <i>Fucus evanescentis</i> . <i>Systematic and Applied Microbiology</i> , 2004, 27, 301-307.	1.2	38
835	<i>Nocardia alba</i> sp. nov., a Novel Actinomycete Strain Isolated from Soil in China. <i>Systematic and Applied Microbiology</i> , 2004, 27, 308-312.	1.2	22
836	<i>Vibrio ponticus</i> sp. nov., a Neighbour of <i>V. fluvialis</i> - <i>V. furnissii</i> Clade, Isolated from Gilthead Sea Bream, Mussels and Seawater. <i>Systematic and Applied Microbiology</i> , 2004, 27, 535-540.	1.2	47
837	<i>Xylella fastidiosa</i> subspecies: <i>X. fastidiosa</i> subsp. <i>piercei</i> , subsp. nov., <i>X. fastidiosa</i> subsp. <i>multiplex</i> subsp. nov., and <i>X. fastidiosa</i> subsp. <i>pauca</i> subsp. nov.. <i>Systematic and Applied Microbiology</i> , 2004, 27, 763.	1.2	51
838	Development of a Fast DNA-DNA Hybridization Method Based on Melting Profiles in Microplates. <i>Systematic and Applied Microbiology</i> , 2004, 27, 689-695.	1.2	33
839	Reclassification of the Xanthomonads Associated with Bacterial Spot Disease of Tomato and Pepper. <i>Systematic and Applied Microbiology</i> , 2004, 27, 755-762.	1.2	374

#	ARTICLE	IF	CITATIONS
840	Kribbella antibiotica sp. nov., a Novel Nocardioform Actinomycete Strain Isolated from Soil in Yunnan, China. Systematic and Applied Microbiology, 2004, 27, 160-165.	1.2	24
841	Use of the Genomic Signature in Bacterial Classification and Identification. Systematic and Applied Microbiology, 2004, 27, 175-185.	1.2	45
842	Comparison of 16S rRNA gene sequences of genus Methanobrevibacter. BMC Microbiology, 2004, 4, 20.	1.3	45
843	Clostridium tunisiense sp. nov., a new proteolytic, sulfur-reducing bacterium isolated from an olive mill wastewater contaminated by phosphogypse. Anaerobe, 2004, 10, 185-190.	1.0	53
844	Insights into the taxonomy, genetics and physiology of bifidobacteria. Antonie Van Leeuwenhoek, 2004, 86, 205-223.	0.7	164
845	The species concept for prokaryotic microorganismsâ€”An obstacle for describing diversity?. Poesis & Praxis, 2004, 3, 62-72.	0.3	3
846	A Novel Exopolymer-Producing Bacterium, Paracoccus zeaxanthinifaciens subsp. payriae, Isolated from a ?Kopara? Mat Located in Rangiroa, an Atoll of French Polynesia. Current Microbiology, 2004, 49, 145-51.	1.0	28
847	Evidence for Recombination in the Microcystin Synthetase (mcy) Genes of Toxic Cyanobacteria Microcystis spp. Journal of Molecular Evolution, 2004, 58, 633-641.	0.8	85
848	The Biogeography and Phylogeny of Unicellular Cyanobacterial Symbionts in Sponges from Australia and the Mediterranean. Microbial Ecology, 2004, 48, 167-177.	1.4	92
849	Enzymatic properties and nucleotide and amino acid sequences of a thermostable $\alpha$ -D-glucosidase from a novel species of deep-sea Microbulbifer. Applied Microbiology and Biotechnology, 2004, 64, 505-514.	1.7	92
850	Genotypic diversity among Bacillus licheniformis strains from various sources. FEMS Microbiology Letters, 2004, 231, 91-98.	0.7	49
851	A new approach to species determination for yeast strains: DNA microarray-based comparative genomic hybridization using a yeast DNA microarray with 6000 genes. Yeast, 2004, 21, 351-365.	0.8	27
852	Cultivation and Growth Characteristics of a Diverse Group of Oligotrophic Marine Gammaproteobacteria. Applied and Environmental Microbiology, 2004, 70, 432-440.	1.4	334
853	Prokaryote diversity and taxonomy: current status and future challenges. Philosophical Transactions of the Royal Society B: Biological Sciences, 2004, 359, 623-638.	1.8	120
854	Aeromonas molluscorum sp. nov., isolated from bivalve molluscs. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2073-2078.	0.8	81
855	Sphingomonas yabuuchiae sp. nov. and Brevundimonas nasdae sp. nov., isolated from the Russian space laboratory Mir. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 819-825.	0.8	72
856	Microbacterium ulmi sp. nov., a xylanolytic, phosphate-solubilizing bacterium isolated from sawdust of Ulmus nigra. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 513-517.	0.8	32
857	Differentiation of group VIII Spiroplasma strains with sequences of the 16Sâ€”23S rDNA intergenic spacer region. Canadian Journal of Microbiology, 2004, 50, 1061-1067.	0.8	18



#	ARTICLE	IF	CITATIONS
858	Isolation from oil reservoirs of novel thermophilic anaerobes phylogenetically related to <i>Thermoanaerobacter subterraneus</i> : reassignment of <i>T. subterraneus</i> , <i>Thermoanaerobacter yonseiensis</i> , <i>Thermoanaerobacter tengcongensis</i> and <i>Carboxydibrachium pacificum</i> to <i>Caldanaerobacter subterraneus</i> gen. nov., sp. nov., comb. nov. as four novel subspecies. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 467-474.	0.8	142
859	<i>rpoB</i> Gene Sequencing for Identification of <i>Corynebacterium</i> Species. <i>Journal of Clinical Microbiology</i> , 2004, 42, 3925-3931.	1.8	243
860	<i>Amycolatopsis decaplanina</i> sp. nov., a novel member of the genus with unusual morphology. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 235-239.	0.8	36
861	<i>Nocardiopsis salina</i> sp. nov., a novel halophilic actinomycete isolated from saline soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1805-1809.	0.8	57
862	<i>Halomonas organivorans</i> sp. nov., a moderate halophile able to degrade aromatic compounds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1723-1728.	0.8	175
863	<i>Sphingomonas phyllosphaerae</i> sp. nov., from the phyllosphere of <i>Acacia caven</i> in Argentina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2147-2150.	0.8	44
864	Molecular Characterisation of Bacterial Contamination in Semi-Final Gelatine Extracts, Using Denaturing Gradient Gel Electrophoresis. <i>Systematic and Applied Microbiology</i> , 2004, 27, 612-619.	1.2	4
865	<i>Geobacillus gargensis</i> sp. nov., a novel thermophile from a hot spring, and the reclassification of <i>Bacillus vulcani</i> as <i>Geobacillus vulcani</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2019-2024.	0.8	98
866	<i>Bacterial Taxonomics.</i> , 2004, 266, 353-383.		8
867	<i>Bacillus novalis</i> sp. nov., <i>Bacillus vireti</i> sp. nov., <i>Bacillus soli</i> sp. nov., <i>Bacillus bataviensis</i> sp. nov. and <i>Bacillus drentensis</i> sp. nov., from the Drentse A grasslands. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 47-57.	0.8	130
868	Taxonomic heterogeneity within the Planctomycetales as derived by DNA-DNA hybridization, description of <i>Rhodopirellula baltica</i> gen. nov., sp. nov., transfer of <i>Pirellula marina</i> to the genus <i>Blastopirellula</i> gen. nov. as <i>Blastopirellula marina</i> comb. nov. and emended description of the genus <i>Pirellula</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1567-1580.	0.8	168
869	<i>Oceanicola granulosis</i> gen. nov., sp. nov. and <i>Oceanicola batsensis</i> sp. nov., poly- $\beta$ -hydroxybutyrate-producing marine bacteria in the order "Rhodobacterales"™. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1129-1136.	0.8	89
870	Classification of the biphenyl- and polychlorinated biphenyl-degrading strain LB400T and relatives as <i>Burkholderia xenovorans</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1677-1681.	0.8	171
871	Genetic diversity of <i>Leptotrichia</i> and description of <i>Leptotrichia goodfellowii</i> sp. nov., <i>Leptotrichia hofstadii</i> sp. nov., <i>Leptotrichia shahii</i> sp. nov. and <i>Leptotrichia wadei</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 583-592.	0.8	82
872	The promise of a DNA taxonomy. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 669-679.	1.8	422
873	<i>Shewanella pacifica</i> sp. nov., a polyunsaturated fatty acid-producing bacterium isolated from sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1083-1087.	0.8	54
874	Biodiversity of <i>Vibrios</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2004, 68, 403-431.	2.9	1,033
875	Classification of isolates from locations in Austria and Yellowstone National Park as <i>Geobacillus tepidamans</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2361-2368.	0.8	66

#	ARTICLE	IF	CITATIONS
876	Polyphasic characterization of xanthomonads isolated from onion, garlic and Welsh onion ( <i>Allium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Evolutionary Microbiology, 2004, 54, 15-24.	0.8	44
877	Molecular microbial ecology: land of the one-eyed king. <i>Current Opinion in Microbiology</i> , 2004, 7, 210-220.	2.3	267
878	gyrB as a phylogenetic discriminator for members of the <i>Bacillus anthracis</i> "cereus" thuringiensis group. <i>Journal of Microbiological Methods</i> , 2004, 56, 383-394.	0.7	128
879	MALDI-TOFMS compared with other polyphasic taxonomy approaches for the identification and classification of <i>Bacillus pumilus</i> spores. <i>Journal of Microbiological Methods</i> , 2004, 58, 1-12.	0.7	45
880	First use of two-dimensional polyacrylamide gel electrophoresis to determine phylogenetic relationships. <i>Journal of Microbiological Methods</i> , 2004, 58, 297-302.	0.7	19
882	Revised description and classification of atypical isolates of <i>Pasteurella multocida</i> from bovine lungs based on genotypic characterization to include variants previously classified as biovar 2 of <i>Pasteurella canis</i> and <i>Pasteurella avium</i> . <i>Microbiology (United Kingdom)</i> , 2004, 150, 1757-1767.	0.7	33
883	Biodiversity, Distributions and Adaptations of Arctic Species in the Context of Environmental Change. <i>Ambio</i> , 2004, 33, 404-417.	2.8	208
884	Diversity and evolution of <i>Bdellovibrio</i> -and-like organisms (BALOs), reclassification of <i>Bacteriovorax starrii</i> as <i>Peredibacter starrii</i> gen. nov., comb. nov., and description of the <i>Bacteriovorax</i> "Peredibacter clade as <i>Bacteriovoracaceae</i> fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1439-1452.	0.8	145
885	Genetic Structure and Community DNA Similarity of Picoplankton Communities from the Laurentian Great Lakes. <i>Journal of Great Lakes Research</i> , 2004, 30, 185-195.	0.8	11
888	BACTERIAL SPOT - WORLDWIDE DISTRIBUTION, IMPORTANCE AND REVIEW. <i>Acta Horticulturae</i> , 2005, , 27-34.	0.1	32
889	Presence of Ecophysiologically Diverse Populations within <i>Cobetia marina</i> Strains Isolated from Marine Invertebrate, Algae and the Environments. <i>Microbes and Environments</i> , 2005, 20, 200-207.	0.7	22
890	Structure and Origin of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Populations Causing Bacterial Spot of Stone Fruit Trees in Western Europe. <i>Phytopathology</i> , 2005, 95, 1081-1088.	1.1	68
891	A Comprehensive Species to Strain Taxonomic Framework for <i>Xanthomonas</i> . <i>Phytopathology</i> , 2005, 95, 1098-1111.	1.1	138
892	Which species concept for pathogenic bacteria? An E-Debate. <i>Infection, Genetics and Evolution</i> , 2005, 5, 375-387.	1.0	20
893	Reconstructing evolutionary relationships from functional data: a consistent classification of organisms based on translation inhibition response. <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 371-381.	1.2	15
894	The O-chain structure from the LPS of marine halophilic bacterium <i>Pseudoalteromonas carrageenovora</i> -type strain IAM 12662T. <i>Carbohydrate Research</i> , 2005, 340, 2693-2697.	1.1	14
895	Naming of <i>Rickettsiae</i> and <i>Rickettsial</i> Diseases. <i>Annals of the New York Academy of Sciences</i> , 2005, 1063, 1-12.	1.8	90
896	High-level expression of a neoagarobiose-producing Î <sup>2</sup> -agarase gene from <i>Agarivorans</i> sp. JAMB-A11 in <i>Bacillus subtilis</i> and enzymic properties of the recombinant enzyme. <i>Biotechnology and Applied Biochemistry</i> , 2005, 41, 183.	1.4	67

#	ARTICLE	IF	CITATIONS
897	<i>Rhizobium daejeonense</i> sp. nov. isolated from a cyanide treatment bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2543-2549.	0.8	86
898	Biological and Molecular Evidence that <i>Pseudomonas syringae</i> Pathovars coronafaciens, striafaciens and garcae are Likely the Same Pathovar. <i>Journal of Phytopathology</i> , 2005, 153, 492-499.	0.5	10
899	<i>Geobacillus jurassicus</i> sp. nov., a new thermophilic bacterium isolated from a high-temperature petroleum reservoir, and the validation of the <i>Geobacillus</i> species. <i>Systematic and Applied Microbiology</i> , 2005, 28, 43-53.	1.2	104
900	<i>Salinivibrio costicola</i> subsp. <i>alcaliphilus</i> subsp. nov., a haloalkaliphilic aerobe from Campania Region (Italy). <i>Systematic and Applied Microbiology</i> , 2005, 28, 34-42.	1.2	35
901	Description of four novel species of <i>Xenorhabdus</i> , family Enterobacteriaceae: <i>Xenorhabdus budapestensis</i> sp. nov., <i>Xenorhabdus ehlersii</i> sp. nov., <i>Xenorhabdus innexi</i> sp. nov., and <i>Xenorhabdus szentirmaii</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2005, 28, 115-122.	1.2	81
902	<i>Erythrobacter vulgaris</i> sp. nov., a novel organism isolated from the marine invertebrates. <i>Systematic and Applied Microbiology</i> , 2005, 28, 123-130.	1.2	49
903	<i>Oceanimonas smirnovii</i> sp. nov., a novel organism isolated from the Black Sea. <i>Systematic and Applied Microbiology</i> , 2005, 28, 131-136.	1.2	22
904	Reassignment of <i>Enterobacter dissolvens</i> to <i>Enterobacter cloacae</i> as <i>E. cloacae</i> subspecies <i>dissolvens</i> comb. nov. and emended description of <i>Enterobacter asburiae</i> and <i>Enterobacter kobei</i> . <i>Systematic and Applied Microbiology</i> , 2005, 28, 196-205.	1.2	100
905	<i>Flavobacterium frigidimarum</i> sp. nov., isolated from Antarctic seawater. <i>Systematic and Applied Microbiology</i> , 2005, 28, 310-315.	1.2	45
906	<i>Bacillus nematocida</i> sp. nov., a novel bacterial strain with nematotoxic activity isolated from soil in Yunnan, China. <i>Systematic and Applied Microbiology</i> , 2005, 28, 323-327.	1.2	49
907	<i>Alcaligenes faecalis</i> subsp. <i>phenolicus</i> subsp. nov. a phenol-degrading, denitrifying bacterium isolated from a graywater bioprocessor. <i>Systematic and Applied Microbiology</i> , 2005, 28, 421-429.	1.2	68
908	<i>Halomonas campaniensis</i> sp. nov., a haloalkaliphilic bacterium isolated from a mineral pool of Campania Region, Italy. <i>Systematic and Applied Microbiology</i> , 2005, 28, 610-618.	1.2	66
909	<i>Aeromonas culicicola</i> Pidiyar et al. 2002 is a later subjective synonym of <i>Aeromonas veronii</i> Hickman-Brenner et al. 1987. <i>Systematic and Applied Microbiology</i> , 2005, 28, 604-609.	1.2	44
910	Reclassification of <i>Xanthomonas campestris</i> pv. <i>citri</i> (ex Hasse 1915) Dye 1978 forms A, B/C/D, and F as <i>X. smithii</i> subsp. <i>citri</i> (ex Hasse) sp. nov. nom. rev. comb. nov., <i>X. fuscans</i> subsp. <i>aurantifolii</i> (ex Gabriel) Tj ETQq1 1 0.784314 rgBT /Over 1989 sp. nov. nom. rev. comb. nov.; <i>X. campestris</i> pv. <i>malvacearum</i> (ex Smith 1901) Dye 1978 as <i>X. smithii</i>		

#	ARTICLE	IF	CITATIONS
915	Genotypic and phenotypic characterization of a biofilm-forming <i>Serratia plymuthica</i> isolate from a raw vegetable processing line. <i>FEMS Microbiology Letters</i> , 2005, 246, 265-272.	0.7	35
916	A simple fluorimetric method for the estimation of DNA-DNA relatedness between closely related microorganisms by thermal denaturation temperatures. <i>Extremophiles</i> , 2005, 9, 75-79.	0.9	136
917	<i>Thermosediminibacter oceani</i> gen. nov., sp. nov. and <i>Thermosediminibacter litoriperuensis</i> sp. nov., new anaerobic thermophilic bacteria isolated from Peru Margin. <i>Extremophiles</i> , 2005, 9, 375-383.	0.9	70
918	Cell wall teichoic acids from <i>Streptomyces daghestanicus</i> VKM Ac-1722T and <i>streptomyces murinus</i> INA-00524T. <i>Microbiology</i> , 2005, 74, 40-45.	0.5	5
919	The Phylogenetic Diversity of Aerobic Organotrophic Bacteria from the Dagang High-Temperature Oil Field. <i>Microbiology</i> , 2005, 74, 343-351.	0.5	31
920	Description of <i>Desulfotomaculum nigrificans</i> subsp. <i>salinus</i> as a New Species, <i>Desulfotomaculum salinum</i> sp. nov.. <i>Microbiology</i> , 2005, 74, 567-574.	0.5	22
921	<i>Pseudomonas xanthomarina</i> sp. nov., a novel bacterium isolated from marine ascidian. <i>Journal of General and Applied Microbiology</i> , 2005, 51, 65-71.	0.4	62
922	Reclassification of <i>Methylobacterium chloromethanicum</i> and <i>Methylobacterium dichloromethanicum</i> as later subjective synonyms of <i>Methylobacterium extorquens</i> and of <i>Methylobacterium lusitanum</i> as a later subjective synonym of <i>Methylobacterium rhodesianum</i> . <i>Journal of General and Applied Microbiology</i> , 2005, 51, 287-299.	0.4	46
923	<i>Thalassobacter stenotrophicus</i> Maciñ et al. 2005 is a later synonym of <i>Jannaschia cystaugens</i> Adachi et al. 2004, with emended description of the genus <i>Thalassobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1959-1963.	0.8	21
924	<i>Cellulomonas terrae</i> sp. nov., a cellulolytic and xylanolytic bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1705-1709.	0.8	39
925	<i>Thiomicrospira arctica</i> sp. nov. and <i>Thiomicrospira psychrophila</i> sp. nov., psychrophilic, obligately chemolithoautotrophic, sulfur-oxidizing bacteria isolated from marine Arctic sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 781-786.	0.8	58
926	<i>Photobacterium aplysiae</i> sp. nov., a lipolytic marine bacterium isolated from eggs of the sea hare <i>Aplysia kurodai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2293-2296.	0.8	32
927	Default taxonomy and the genomics era. <i>Microbiology (United Kingdom)</i> , 2005, 151, 2818-2820.	0.7	5
928	<i>Dyella koreensis</i> sp. nov., a $\beta$ -glucosidase-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1625-1628.	0.8	47
929	<i>Rhodococcus triatomae</i> sp. nov., isolated from a blood-sucking bug. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1575-1579.	0.8	50
930	Characterization of alkaliphilic <i>Bacillus</i> strains used in industry: proposal of five novel species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2309-2315.	0.8	105
931	<i>Arthrobacter scleromae</i> sp. nov. Isolated from Human Clinical Specimens. <i>Journal of Clinical Microbiology</i> , 2005, 43, 1451-1455.	1.8	45
932	<i>Gaetbulibacter saemankumensis</i> gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from a tidal flat sediment in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1845-1849.	0.8	54

#	ARTICLE	IF	CITATIONS
933	<i>Porphyromonas somerae</i> sp. nov., a Pathogen Isolated from Humans and Distinct from <i>Porphyromonas levii</i> . <i>Journal of Clinical Microbiology</i> , 2005, 43, 4455-4459.	1.8	53
934	Polyphasic taxonomic study of strain CCM 2783 resulting in the description of <i>Arthrobacter stackebrandtii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 805-808.	0.8	18
935	<i>Shewanella decolorationis</i> sp. nov., a dye-decolorizing bacterium isolated from activated sludge of a waste-water treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 363-368.	0.8	121
936	<i>Geobacter bemidjensis</i> sp. nov. and <i>Geobacter psychrophilus</i> sp. nov., two novel Fe(III)-reducing subsurface isolates. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1667-1674.	0.8	167
937	<i>Flavobacterium granuli</i> sp. nov., isolated from granules used in a wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 747-751.	0.8	62
938	<i>Flavobacterium fryxellicola</i> sp. nov. and <i>Flavobacterium psychrolimnae</i> sp. nov., novel psychrophilic bacteria isolated from microbial mats in Antarctic lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 769-772.	0.8	88
939	Development and Evaluation of Genome-Probing Microarrays for Monitoring Lactic Acid Bacteria. <i>Applied and Environmental Microbiology</i> , 2005, 71, 8825-8835.	1.4	114
940	<i>Actinoalloteichus spitiensis</i> sp. nov., a novel actinobacterium isolated from a cold desert of the Indian Himalayas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2561-2564.	0.8	35
941	Phylogeny of the Enterobacteriaceae based on genes encoding elongation factor Tu and F-ATPase $\beta$ -subunit. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2013-2025.	0.8	97
942	Reclassification of strain CCM 132, previously classified as <i>Kocuria varians</i> , as <i>Kocuria carniphila</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 139-142.	0.8	44
943	<i>Micromonospora mirobrigensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 877-880.	0.8	66
944	<i>Nocardia elegans</i> sp. nov., a member of the <i>Nocardia vaccinii</i> clade isolated from sputum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1505-1509.	0.8	31
945	<i>Brevundimonas mediterranea</i> sp. nov., a non-stalked species from the Mediterranean Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 479-486.	0.8	42
946	<i>Loktanella agnita</i> sp. nov. and <i>Loktanella rosea</i> sp. nov., from the north-west Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2203-2207.	0.8	51
947	<i>Paenibacillus mendelii</i> sp. nov., from surface-sterilized seeds of <i>Pisum sativum</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2351-2354.	0.8	37
948	<i>Erythrobacter seohaensis</i> sp. nov. and <i>Erythrobacter gaetbuli</i> sp. nov., isolated from a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 71-75.	0.8	55
949	Assessment of Heat Resistance of Bacterial Spores from Food Product Isolates by Fluorescence Monitoring of Dipicolinic Acid Release. <i>Applied and Environmental Microbiology</i> , 2005, 71, 3556-3564.	1.4	126
950	<i>Psychrobacter cibarius</i> sp. nov., isolated from jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 577-582.	0.8	50

#	ARTICLE	IF	CITATIONS
951	Delineation of <i>Campylobacter concisus</i> Genomespecies by Amplified Fragment Length Polymorphism Analysis and Correlation of Results with Clinical Data. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5091-5096.	1.8	51
952	<i>Halobacillus yeomjeoni</i> sp. nov., isolated from a marine solar saltern in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2413-2417.	0.8	38
953	<i>Corynebacterium mooreparkense</i> , a later heterotypic synonym of <i>Corynebacterium variabile</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1129-1131.	0.8	21
954	<i>Tenuibacillus multivorans</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from saline soil in Xin-Jiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 95-99.	0.8	65
955	<i>Bacillus bogoriensis</i> sp. nov., a novel alkaliphilic, halotolerant bacterium isolated from a Kenyan soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 899-902.	0.8	45
956	<i>Methanogenium frittonii</i> Harris et al. 1996 is a later synonym of <i>Methanoculleus thermophilus</i> (Rivard) Tj ETQq1 1 0.784314 rgBT /Over <i>Microbiology</i> , 2005, 55, 1097-1099.	0.8	17
957	Biochemical and genetic evidence for the transfer of <i>Enterococcus solitarius</i> Collins et al. 1989 to the genus <i>Tetragenococcus</i> as <i>Tetragenococcus solitarius</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 589-592.	0.8	33
958	<i>Halobacillus dabanensis</i> sp. nov. and <i>Halobacillus aidingensis</i> sp. nov., isolated from salt lakes in Xinjiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1991-1996.	0.8	62
959	<i>Marinomonas pontica</i> sp. nov., isolated from the Black Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 275-279.	0.8	38
960	<i>Psychrobacter aquimaris</i> sp. nov. and <i>Psychrobacter namhaensis</i> sp. nov., isolated from sea water of the South Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1007-1013.	0.8	35
961	<i>Nocardioides oleivorans</i> sp. nov., a novel crude-oil-degrading bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1501-1504.	0.8	66
962	<i>Roseivirga echinomitans</i> sp. nov., a novel marine bacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> , and emended description of the genus <i>Roseivirga</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1797-1800.	0.8	48
963	Transfer of <i>Pectobacterium chrysanthemi</i> (Burkholder et al. 1953) Brenner et al. 1973 and <i>Brenneria paradisiaca</i> to the genus <i>Dickeya</i> gen. nov. as <i>Dickeya chrysanthemi</i> comb. nov. and <i>Dickeya paradisiaca</i> comb. nov. and delineation of four novel species, <i>Dickeya dadantii</i> sp. nov., <i>Dickeya dianthicola</i> sp. nov., <i>Dickeya dieffenbachiae</i> sp. nov. and <i>Dickeya zeae</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1415-1427.	0.8	391
964	<i>Rhodococcus yunnanensis</i> sp. nov., a mesophilic actinobacterium isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1133-1137.	0.8	24
965	<i>Photobacterium lipolyticum</i> sp. nov., a bacterium with lipolytic activity isolated from the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 335-339.	0.8	42
966	<i>Deinococcus deserti</i> sp. nov., a gamma-radiation-tolerant bacterium isolated from the Sahara Desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2441-2446.	0.8	154
967	Quantitative Microarray-Based DNA-DNA Hybridization Assay for Measuring Genetic Distances among Bacterial Species and Its Application to the Identification of Family <i>Enterobacteriaceae</i> . <i>Microbiology and Immunology</i> , 2005, 49, 255-263.	0.7	3
968	<i>Planococcus stackebrandtii</i> sp. nov., isolated from a cold desert of the Himalayas, India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 91-94.	0.8	56

#	ARTICLE	IF	CITATIONS
969	Poly(A) Polymerase Modification and Reverse Transcriptase PCR Amplification of Environmental RNA. <i>Applied and Environmental Microbiology</i> , 2005, 71, 1267-1275.	1.4	51
970	<i>Virgibacillus dokdonensis</i> sp. nov., isolated from a Korean island, Dokdo, located at the edge of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1833-1837.	0.8	61
971	<i>Salinispora arenicola</i> gen. nov., sp. nov. and <i>Salinispora tropica</i> sp. nov., obligate marine actinomycetes belonging to the family Micromonosporaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1759-1766.	0.8	295
972	<i>Streptomyces jietaisiensis</i> sp. nov., isolated from soil in northern China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1939-1944.	0.8	150
973	<i>Maribacter dokdonensis</i> sp. nov., isolated from sea water off a Korean island, Dokdo. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2051-2055.	0.8	53
974	<i>Algoriphagus yeomjeoni</i> sp. nov., isolated from a marine solar saltern in the Yellow Sea, Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 865-870.	0.8	44
975	<i>Muricauda flavescens</i> sp. nov. and <i>Muricauda aquimarina</i> sp. nov., isolated from a salt lake near Hwajinpo Beach of the East Sea in Korea, and emended description of the genus <i>Muricauda</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1015-1019.	0.8	68
976	<i>Nocardia concava</i> sp. nov., isolated from Japanese patients. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2081-2083.	0.8	34
977	<i>Methylobacterium hispanicum</i> sp. nov. and <i>Methylobacterium aquaticum</i> sp. nov., isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 281-287.	0.8	78
978	Phylogenetic relationships of the genus <i>Kluyvera</i> : transfer of <i>Enterobacter intermedius</i> Izard et al. 1980 to the genus <i>Kluyvera</i> as <i>Kluyvera intermedia</i> comb. nov. and reclassification of <i>Kluyvera cochleae</i> as a later synonym of <i>K. intermedia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 437-442.	0.8	57
979	<i>Psychrobacter celer</i> sp. nov., isolated from sea water of the South Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1885-1890.	0.8	30
980	<i>Lactobacillus arizonensis</i> is a later heterotypic synonym of <i>Lactobacillus plantarum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2485-2489.	0.8	25
981	<i>Citricoccus alkalitolerans</i> sp. nov., a novel actinobacterium isolated from a desert soil in Egypt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 87-90.	0.8	48
982	<i>Alkalibacillus filiformis</i> sp. nov., isolated from a mineral pool in Campania, Italy. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2395-2399.	0.8	32
983	<i>Paenibacillus rhizosphaerae</i> sp. nov., isolated from the rhizosphere of <i>Cicer arietinum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1305-1309.	0.8	28
984	<i>Thermococcus coalescens</i> sp. nov., a cell-fusing hyperthermophilic archaeon from Suiyo Seamount. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2507-2514.	0.8	45
985	<i>Pseudomonas argentinensis</i> sp. nov., a novel yellow pigment-producing bacterial species, isolated from rhizospheric soil in Córdoba, Argentina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1107-1112.	0.8	43
986	Impact of <i>mutS</i> Inactivation on Foreign DNA Acquisition by Natural Transformation in <i>Pseudomonas stutzeri</i> . <i>Journal of Bacteriology</i> , 2005, 187, 143-154.	1.0	33

#	ARTICLE	IF	CITATIONS
987	<i>Chryseobacterium daecheongense</i> sp. nov., isolated from freshwater lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 133-138.	0.8	80
988	<i>Yersinia aleksiciae</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 831-835.	0.8	49
989	<i>Pseudomonas pachastrellae</i> sp. nov., isolated from a marine sponge. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 919-924.	0.8	80
990	Phenotypic and Genetic Characterization of Clinical Isolates of CDC Coryneform Group A-3: Proposal of a New Species of <i>Cellulomonas</i> , <i>Cellulomonas denverensis</i> sp. nov. Journal of Clinical Microbiology, 2005, 43, 1732-1737.	1.8	40
991	Updating Prokaryotic Taxonomy. Journal of Bacteriology, 2005, 187, 6255-6257.	1.0	56
992	<i>Photobacterium frigidophilum</i> sp. nov., a psychrophilic, lipolytic bacterium isolated from deep-sea sediments of Edison Seamount. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1661-1666.	0.8	59
993	Reclassification of [ <i>Cytophaga</i> ] <i>marinoflava</i> Reichenbach 1989 as <i>Leeuwenhoekiella marinoflava</i> gen. nov., comb. nov. and description of <i>Leeuwenhoekiella aequorea</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1033-1038.	0.8	48
994	<i>Nocardia takedensis</i> sp. nov., isolated from moat sediment and scumming activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 433-436.	0.8	34
995	<i>Nocardioides alkalitolerans</i> sp. nov., isolated from an alkaline serpentinite soil in Korea. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 809-814.	0.8	36
996	<i>Amycolatopsis plumensis</i> sp. nov., a novel bioactive actinomycete isolated from a New-Caledonian brown hypermagnesian ultramafic soil. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 2057-2061.	0.8	30
997	<i>Pseudomonas panacis</i> sp. nov., isolated from the surface of rusty roots of Korean ginseng. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1721-1724.	0.8	28
998	Towards a Genome-Based Taxonomy for Prokaryotes. Journal of Bacteriology, 2005, 187, 6258-6264.	1.0	966
999	<i>Nocardioides kribbensis</i> sp. nov., isolated from an alkaline soil. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1611-1614.	0.8	38
1000	<i>Desulfotomaculum carboxydivorans</i> sp. nov., a novel sulfate-reducing bacterium capable of growth at 100% CO <sub>2</sub> . International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 2159-2165.	0.8	103
1001	<i>Isoptericola halotolerans</i> sp. nov., a novel actinobacterium isolated from saline soil from Qinghai Province, north-west China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1867-1870.	0.8	54
1002	<i>Paenibacillus xylanilyticus</i> sp. nov., an airborne xylanolytic bacterium. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 405-408.	0.8	65
1003	<i>Nesterenkonia sandarakina</i> sp. nov. and <i>Nesterenkonia lutea</i> sp. nov., novel actinobacteria, and emended description of the genus <i>Nesterenkonia</i> . International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 463-466.	0.8	68
1004	<i>Paenibacillus barcinonensis</i> sp. nov., a xylanase-producing bacterium isolated from a rice field in the Ebro River delta. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 935-939.	0.8	72



#	ARTICLE	IF	CITATIONS
1005	<i>Shewanella sediminis</i> sp. nov., a novel Na <sup>+</sup> -requiring and hexahydro-1,3,5-trinitro-1,3,5-triazine-degrading bacterium from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1511-1520.	0.8	84
1006	<i>Nocardia jiangxiensis</i> sp. nov. and <i>Nocardia miyunensis</i> sp. nov., isolated from acidic soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1921-1925.	0.8	31
1007	<i>Marinomonas dokdonensis</i> sp. nov., isolated from sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2303-2307.	0.8	40
1008	<i>Enterobacter hormaechei</i> subsp. <i>oharae</i> subsp. nov., <i>E. hormaechei</i> subsp. <i>hormaechei</i> comb. nov., and <i>E. hormaechei</i> subsp. <i>steigerwaltii</i> subsp. nov., Three New Subspecies of Clinical Importance. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3297-3303.	1.8	97
1009	<i>Psychrobacter alimentarius</i> sp. nov., isolated from squid jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 171-176.	0.8	24
1010	Hexachlorocyclohexane-degrading bacterial strains <i>Sphingomonas paucimobilis</i> B90A, UT26 and Sp+, having similar <i>lin</i> genes, represent three distinct species, <i>Sphingobium indicum</i> sp. nov., <i>Sphingobium japonicum</i> sp. nov. and <i>Sphingobium francense</i> sp. nov., and reclassification of [ <i>Sphingomonas</i> ] <i>chungbukensis</i> as <i>Sphingobium chungbukense</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1965-1972.	0.8	116
1011	<i>Microbacterium natoriense</i> sp. nov., a novel d-aminoacylase-producing bacterium isolated from soil in Natori, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 661-665.	0.8	25
1012	<i>Gordonia otitidis</i> sp. nov., isolated from a patient with external otitis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1871-1876.	0.8	51
1013	<i>Salegentibacter mishustinae</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 235-238.	0.8	38
1014	<i>Bacillus patagoniensis</i> sp. nov., a novel alkalitolerant bacterium from the rhizosphere of <i>Atriplex lampa</i> in Patagonia, Argentina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 443-447.	0.8	59
1015	<i>Caminibacter mediatlanticus</i> sp. nov., a thermophilic, chemolithoautotrophic, nitrate-ammonifying bacterium isolated from a deep-sea hydrothermal vent on the Mid-Atlantic Ridge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 773-779.	0.8	91
1016	<i>Marinobacter hydrocarbonoclasticus</i> Gauthier et al. 1992 and <i>Marinobacter aquaeolei</i> Nguyen et al. 1999 are heterotypic synonyms. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1349-1351.	0.8	68
1017	<i>Serratia ureilytica</i> sp. nov., a novel urea-utilizing species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2155-2158.	0.8	49
1018	<i>Phenylobacterium koreense</i> sp. nov., isolated from South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2001-2005.	0.8	33
1019	Reclassification of <i>Alcaligenes latus</i> strains IAM 12599T and IAM 12664 and <i>Pseudomonas saccharophila</i> as <i>Azohydromonas lata</i> gen. nov., comb. nov., <i>Azohydromonas australica</i> sp. nov. and <i>Pelomonas saccharophila</i> gen. nov., comb. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2419-2425.	0.8	96
1020	<i>Paenibacillus alkaliterrae</i> sp. nov., isolated from an alkaline soil in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2339-2344.	0.8	45
1021	<i>Methylobacterium isbiliense</i> sp. nov., isolated from the drinking water system of Sevilla, Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2333-2337.	0.8	44
1022	<i>Oryzihumus leptocrescens</i> gen. nov., sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2555-2559.	0.8	43

#	ARTICLE	IF	CITATIONS
1023	<i>Paenibacillus assamensis</i> sp. nov., a novel bacterium isolated from a warm spring in Assam, India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2577-2581.	0.8	75
1024	Isolation and characterization of methylophilic methanogens from anoxic marine sediments in Skan Bay, Alaska: description of <i>Methanococcoides alaskense</i> sp. nov., and emended description of <i>Methanosarcina baltica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2531-2538.	0.8	111
1025	<i>Agromyces subbeticus</i> sp. nov., isolated from a cave in southern Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1897-1901.	0.8	58
1026	Classification of <i>Streptomyces griseus</i> (Kraus 1914) Waksman and Henrici 1948 and related species and the transfer of "Microstreptospora cinerea"™ to the genus <i>Streptomyces</i> as <i>Streptomyces yanii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1605-1610.	0.8	53
1027	Multilocus sequence phylogenetic study of the genus <i>Haemophilus</i> with description of <i>Haemophilus pittmaniae</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 449-456.	0.8	59
1028	Recognizing cyanobacterial diversity through adoption of a new species paradigm. <i>Algological Studies</i> , 2005, 117, 71-93.	0.1	137
1029	Bacterial freshwater species successfully immigrate to the brackish water environment in the northern Baltic. <i>Limnology and Oceanography</i> , 2005, 50, 945-956.	1.6	29
1030	Nodulation of <i>Lupinus albus</i> by Strains of <i>Ochrobactrum lupini</i> sp. nov. <i>Applied and Environmental Microbiology</i> , 2005, 71, 1318-1327.	1.4	219
1031	Genome analysis of multiple pathogenic isolates of <i>Streptococcus agalactiae</i> : Implications for the microbial "pan-genome". <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13950-13955.	3.3	2,161
1032	<i>Kitasatospora viridis</i> sp. nov., a novel actinomycete from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 707-711.	0.8	16
1033	Genomic insights that advance the species definition for prokaryotes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2567-2572.	3.3	1,869
1034	<i>Terrabacter terrae</i> sp. nov., a novel actinomycete isolated from soil in Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2491-2495.	0.8	41
1035	Tick-Borne Rickettsioses around the World: Emerging Diseases Challenging Old Concepts. <i>Clinical Microbiology Reviews</i> , 2005, 18, 719-756.	5.7	920
1036	Application of a <i>recN</i> sequence similarity analysis to the identification of species within the bacterial genus <i>Geobacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1171-1179.	0.8	87
1037	<i>Alcaligenes aquatilis</i> sp. nov., a novel bacterium from sediments of the Weser Estuary, Germany, and a salt marsh on Shem Creek in Charleston Harbor, USA. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2571-2575.	0.8	32
1038	Benthic cyanobacteria of the genus <i>Nodularia</i> are non-toxic, without gas vacuoles, able to glide and genetically more diverse than planktonic <i>Nodularia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 555-568.	0.8	90
1039	<i>Lactobacillus gastricus</i> sp. nov., <i>Lactobacillus antri</i> sp. nov., <i>Lactobacillus kalixensis</i> sp. nov. and <i>Lactobacillus ultunensis</i> sp. nov., isolated from human stomach mucosa. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 77-82.	0.8	93
1040	<i>Aeromicrobium alkaliterrae</i> sp. nov., isolated from an alkaline soil, and emended description of the genus <i>Aeromicrobium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2171-2175.	0.8	43

#	ARTICLE	IF	CITATIONS
1041	Classification and identification of bacteria using mass spectrometry-based proteomics. <i>Expert Review of Proteomics</i> , 2005, 2, 863-878.	1.3	66
1042	Molecular taxonomy and genetics of sourdough lactic acid bacteria. <i>Trends in Food Science and Technology</i> , 2005, 16, 31-42.	7.8	62
1043	Seasonal diversity changes in alder ( <i>Alnus glutinosa</i> ) culturable rhizobacterial communities throughout a phenological cycle. <i>Applied Soil Ecology</i> , 2005, 29, 215-224.	2.1	14
1044	<i>Paenibacillus motobuensis</i> sp. nov., isolated from a composting machine utilizing soil from Motobu-town, Okinawa, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1811-1816.	0.8	27
1045	Review of molecular methods for identification, characterization and detection of bifidobacteria. <i>Dairy Science and Technology</i> , 2005, 85, 23-32.	0.9	28
1046	Description of <i>Aquimarina muelleri</i> gen. nov., sp. nov., and proposal of the reclassification of [ <i>Cytophaga</i> ] <i>latercula</i> Lewin 1969 as <i>Stanierella latercula</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 225-229.	0.8	82
1047	16S/18S ribosomal DNA clone library analysis of rumen microbial diversity. , 2005, , 163-174.		3
1048	<i>Tenacibaculum lutimaris</i> sp. nov., isolated from a tidal flat in the Yellow Sea, Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 793-798.	0.8	47
1049	Comparative Genomics in Prokaryotes. , 2005, , 585-675.		23
1050	<i>Arcobacter halophilus</i> sp. nov., the first obligate halophile in the genus <i>Arcobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1271-1277.	0.8	139
1051	<i>Bacillus alveayuensis</i> sp. nov., a thermophilic bacterium isolated from deep-sea sediments of the Ayu Trough. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1211-1215.	0.8	62
1052	<i>Clostridium carboxidivorans</i> sp. nov., a solvent-producing clostridium isolated from an agricultural settling lagoon, and reclassification of the acetogen <i>Clostridium scatologenes</i> strain SL1 as <i>Clostridium drakei</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2085-2091.	0.8	288
1053	Six novel <i>Arthrobacter</i> species isolated from deteriorated mural paintings. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1457-1464.	0.8	94
1054	<i>Dokdonia donghaensis</i> gen. nov., sp. nov., isolated from sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2323-2328.	0.8	47
1055	The Family Cellulomonadaceae. , 2006, , 983-1001.		22
1056	<i>Pleomorphomonas koreensis</i> sp. nov., a nitrogen-fixing species in the order Rhizobiales. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1663-1666.	0.8	48
1057	<i>Pseudomonas moraviensis</i> sp. nov. and <i>Pseudomonas vranovensis</i> sp. nov., soil bacteria isolated on nitroaromatic compounds, and emended description of <i>Pseudomonas asplenii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2657-2663.	0.8	64
1058	The Genera <i>Chryseobacterium</i> and <i>Elizabethkingia</i> . , 2006, , 638-676.		49

#	ARTICLE	IF	CITATIONS
1059	The Genus <i>Flavobacterium</i> . , 2006, , 481-531.		228
1060	The Family <i>Vibrionaceae</i> . , 2006, , 495-507.		14
1061	Defining Taxonomic Ranks. , 2006, , 29-57.		34
1062	Three novel species of the genus <i>Catellatospora</i> , <i>Catellatospora chokoriensis</i> sp. nov., <i>Catellatospora coxensis</i> sp. nov. and <i>Catellatospora bangladeshensis</i> sp. nov., and transfer of <i>Catellatospora citrea</i> subsp. <i>methionotrophica</i> Asano and Kawamoto 1988 to <i>Catellatospora methionotrophica</i> sp. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 393-400.	0.8	46
1063	The Genus <i>Acinetobacter</i> . , 2006, , 746-758.		27
1064	<i>Microbacterium koreense</i> sp. nov., from sea water in the South Sea of Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 423-427.	0.8	33
1065	<i>Streptomyces turgidiscabies</i> and <i>Streptomyces reticuliscabies</i> : one genomic species, two pathogenic groups. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2771-2776.	0.8	38
1066	<i>Micromonospora coriariae</i> sp. nov., isolated from root nodules of <i>Coriaria myrtifolia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2381-2385.	0.8	94
1067	Bacterial Phylogeny Reconstruction from Molecular Sequences. , 2006, , 105-139.		10
1068	Prokaryote Characterization and Identification. , 2006, , 58-79.		9
1069	Microbial Biofilms. , 2006, , 904-937.		40
1070	<i>Shewanella surugensis</i> sp. nov., <i>Shewanella kaireitica</i> sp. nov. and <i>Shewanella abyssi</i> sp. nov., isolated from deep-sea sediments of Suruga Bay, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1607-1613.	0.8	48
1071	Delineation of <i>Borrelia burgdorferi</i> sensu lato species by multilocus sequence analysis and confirmation of the delineation of <i>Borrelia spielmanii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 873-881.	0.8	200
1072	The Genus <i>Citrobacter</i> . , 2006, , 90-98.		40
1073	The bacterial species dilemma and the genomic“phylogenetic species concept. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1899-1909.	1.8	204
1074	The bacterial species definition in the genomic era. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1929-1940.	1.8	550
1075	Identification of Genomic Species in <i>Agrobacterium</i> Biovar 1 by AFLP Genomic Markers. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7123-7131.	1.4	66
1076	<i>Paenibacillus sepulcri</i> sp. nov., isolated from biodeteriorated mural paintings in the Servilia tomb. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2341-2344.	0.8	17

#	ARTICLE	IF	CITATIONS
1078	<i>Burkholderia oklahomensis</i> sp. nov., a <i>Burkholderia pseudomallei</i> -like species formerly known as the Oklahoma strain of <i>Pseudomonas pseudomallei</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2171-2176.	0.8	68
1079	Towards a conceptual and operational union of bacterial systematics, ecology, and evolution. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1985-1996.	1.8	187
1080	Reprint of "Biodiversity and systematics of nematode-bacterium entomopathogens" [Biol. Control 37 (2006) 32-49]. <i>Biological Control</i> , 2006, 38, 4-21.	1.4	54
1081	<i>Principles of Enrichment, Isolation, Cultivation and Preservation of Prokaryotes.</i> , 2006, , 80-136.		22
1082	<i>Biology of Pseudomonas stutzeri.</i> <i>Microbiology and Molecular Biology Reviews</i> , 2006, 70, 510-547.	2.9	504
1083	Les Rickettsies : historique et actualité (1re partie). <i>Antibiotiques</i> , 2006, 8, 117-131.	0.1	1
1084	<i>Microbacterium deminutum</i> sp. nov., <i>Microbacterium pumilum</i> sp. nov. and <i>Microbacterium aoyamense</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2113-2117.	0.8	36
1085	<i>Rhizobium lusitanum</i> sp. nov. a bacterium that nodulates <i>Phaseolus vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2631-2637.	0.8	139
1086	<i>The Family Bifidobacteriaceae.</i> , 2006, , 322-382.		56
1087	<i>Pseudomonas simiae</i> sp. nov., isolated from clinical specimens from monkeys ( <i>Callithrix geoffroyi</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2671-2676.	0.8	35
1088	<i>The Family Streptomycetaceae, Part I: Taxonomy.</i> , 2006, , 538-604.		72
1089	<i>The Family Streptosporangiaceae.</i> , 2006, , 725-753.		16
1090	Reclassification of <i>Roseobacter gallaeciensis</i> Ruiz-Ponte et al. 1998 as <i>Phaeobacter gallaeciensis</i> gen. nov., comb. nov., description of <i>Phaeobacter inhibens</i> sp. nov., reclassification of <i>Ruegeria algicola</i> (Lafay et al. 1995) Uchino et al. 1999 as <i>Marinovum algicola</i> gen. nov., comb. nov., and emended descriptions of the genera <i>Roseobacter</i> , <i>Ruegeria</i> and <i>Leisingera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1293-1304.	0.8	231
1091	<i>The Genus Helicobacter.</i> , 2006, , 139-177.		7
1092	<i>Salegentibacter agarivorans</i> sp. nov., a novel marine bacterium of the family <i>Flavobacteriaceae</i> isolated from the sponge <i>Artemisina</i> sp.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 883-887.	0.8	38
1093	Five novel species of the genus <i>Nocardiopsis</i> isolated from hypersaline soils and emended description of <i>Nocardiopsis salina</i> Li et al. 2004. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1089-1096.	0.8	87
1094	<i>Physiology and Biochemistry of the Methane-Producing Archaea.</i> , 2006, , 1050-1079.		85
1095	<i>Halococcus hamelinensis</i> sp. nov., a novel halophilic archaeon isolated from stromatolites in Shark Bay, Australia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1323-1329.	0.8	73

#	ARTICLE	IF	CITATIONS
1096	<i>Bacillus safensis</i> sp. nov., isolated from spacecraft and assembly-facility surfaces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1735-1740.	0.8	175
1097	Application of 16S rDNA-PCR amplification and DGGE fingerprinting for detection of shift in microbial community diversity in Cu-, Zn-, and Cd-contaminated paddy soils. <i>Chemosphere</i> , 2006, 62, 1374-1380.	4.2	93
1098	Biodiversity and systematics of nematode-associated bacterium entomopathogens. <i>Biological Control</i> , 2006, 37, 32-49.	1.4	113
1099	<i>Bacillus</i> Endospores Isolated from Granite: Close Molecular Relationships to Globally Distributed <i>Bacillus</i> spp. from Endolithic and Extreme Environments. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2856-2863.	1.4	67
1100	<i>Halomonas alkaliphila</i> sp. nov., a novel halotolerant alkaliphilic bacterium isolated from a salt pool in Campania (Italy). <i>Journal of General and Applied Microbiology</i> , 2006, 52, 339-348.	0.4	78
1101	Spiroplasmas: evolutionary relationships and biodiversity. <i>Frontiers in Bioscience - Landmark</i> , 2006, 11, 2983.	3.0	124
1103	Isolation and molecular taxonomy of two predominant types of microflora in Kefir. <i>Journal of General and Applied Microbiology</i> , 2006, 52, 375-379.	0.4	2
1104	<i>Geobacillus toebii</i> subsp. <i>decanicus</i> subsp. nov., a hydrocarbon-degrading, heavy metal resistant bacterium from hot compost. <i>Journal of General and Applied Microbiology</i> , 2006, 52, 223-234.	0.4	35
1106	Asaccharolytic anaerobic gram-negative coccobacilli (AAGNC) isolated from infected root canals and periodontal pockets. <i>Oral Microbiology and Immunology</i> , 2006, 21, 28-31.	2.8	3
1107	Biogeography of the marine actinomycete <i>Salinispora</i> . <i>Environmental Microbiology</i> , 2006, 8, 1881-1888.	1.8	102
1108	16S rRNA gene sequence analyses and inter- and intrageneric relationships of <i>Xanthomonas</i> species and <i>Stenotrophomonas maltophilia</i> . <i>FEMS Microbiology Letters</i> , 2006, 151, 145-153.	0.7	64
1109	Common evolutionary origin of planktonic and benthic nitrogen-fixing oscillatoriacean cyanobacteria from tropical oceans. <i>FEMS Microbiology Letters</i> , 2006, 260, 171-177.	0.7	35
1110	Identification of environmental strains of <i>Bacillus mycoides</i> by fatty acid analysis and species-specific 16S rDNA oligonucleotide probe. <i>FEMS Microbiology Ecology</i> , 2006, 24, 201-209.	1.3	10
1111	Study of a hexane-degrading consortium in a biofilter and in liquid culture: biodiversity, kinetics and characterization of degrading strains. <i>FEMS Microbiology Ecology</i> , 2006, 55, 239-247.	1.3	17
1112	The rapid differentiation of <i>Streptomyces</i> isolates using Fourier transform infrared spectroscopy. <i>Vibrational Spectroscopy</i> , 2006, 40, 213-218.	1.2	39
1113	Neutrotolerant acidophilic <i>Streptomyces</i> species isolated from acidic soils in China: <i>Streptomyces guanduensis</i> sp. nov., <i>Streptomyces paucisporeus</i> sp. nov., <i>Streptomyces rubidus</i> sp. nov. and <i>Streptomyces yanglinensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1109-1115.	0.8	61
1114	The Microbial Soil Flora: Novel Approaches for Accessing the Phylogenetic and Physiological Diversity of Prokaryotes. , 2006, , 407-424.		2
1115	Identifying the Dominant Soil Bacterial Taxa in Libraries of 16S rRNA and 16S rRNA Genes. <i>Applied and Environmental Microbiology</i> , 2006, 72, 1719-1728.	1.4	1,462

#	ARTICLE	IF	CITATIONS
1116	Introduction to the Taxonomy of Actinobacteria. , 2006, , 297-321.		41
1117	Proposal to Create Subspecies of <i>Rickettsia sibirica</i> and an Emended Description of <i>Rickettsia sibirica</i> . <i>Annals of the New York Academy of Sciences</i> , 2006, 1078, 597-606.	1.8	36
1118	Identification of industrial strains of lactic acid bacteria by methods of molecular genetic typing. <i>Russian Journal of Genetics</i> , 2006, 42, 1367-1379.	0.2	7
1119	Screening for PGPR to improve growth of <i>Cistus ladanifer</i> seedlings for reforestation of degraded mediterranean ecosystems. <i>Plant and Soil</i> , 2006, 287, 59-68.	1.8	23
1120	Two Phosphate- and Potassium-solubilizing Bacteria Isolated from Tianmu Mountain, Zhejiang, China. <i>World Journal of Microbiology and Biotechnology</i> , 2006, 22, 983-990.	1.7	287
1121	Characterization of the psychrotolerant acetogen strain SyrA5 and the emended description of the species <i>Acetobacterium carbinolicum</i> . <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 55-69.	0.7	30
1122	Oxidation of arsenite by <i>Thiomonas</i> strains and characterization of <i>Thiomonas arsenivorans</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 99-108.	0.7	97
1123	<i>Desulfobacter psychrotolerans</i> sp. nov., a new psychrotolerant sulfate-reducing bacterium and descriptions of its physiological response to temperature changes. <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 109-124.	0.7	29
1124	Characterization of <i>Streptomyces</i> MITKK-103, a newly isolated actinomycin X2-producer. <i>Applied Microbiology and Biotechnology</i> , 2006, 72, 145-154.	1.7	44
1125	Isolation from canned foods of a novel <i>Thermoanaerobacter</i> species phylogenetically related to <i>Thermoanaerobacter mathranii</i> (Larsen 1997): Emendation of the species description and proposal of <i>Thermoanaerobacter mathranii</i> subsp. <i>Alimentarius</i> subsp. Nov. <i>Anaerobe</i> , 2006, 12, 153-159.	1.0	28
1126	<i>Kribbella yunnanensis</i> sp. nov., <i>Kribbella alba</i> sp. nov., two novel species of genus <i>Kribbella</i> isolated from soils in Yunnan, China. <i>Systematic and Applied Microbiology</i> , 2006, 29, 29-35.	1.2	28
1127	<i>Anoxybacillus amylolyticus</i> sp. nov., a thermophilic amylase producing bacterium isolated from Mount Rittmann (Antarctica). <i>Systematic and Applied Microbiology</i> , 2006, 29, 300-307.	1.2	84
1128	<i>Paracoccus bengalensis</i> sp. nov., a novel sulfur-oxidizing chemolithoautotroph from the rhizospheric soil of an Indian tropical leguminous plant. <i>Systematic and Applied Microbiology</i> , 2006, 29, 396-403.	1.2	37
1129	<i>Nocardia lijiangensis</i> sp. nov., a novel actinomycete strain isolated from soil in China. <i>Systematic and Applied Microbiology</i> , 2006, 29, 308-314.	1.2	13
1130	<i>dnaj</i> and <i>gyrB</i> gene sequence relationship among species and strains of genus <i>Streptococcus</i> . <i>Systematic and Applied Microbiology</i> , 2006, 29, 368-374.	1.2	36
1131	Phenotypic and genotypic characterization of some <i>Moorella</i> sp. strains isolated from canned foods. <i>Systematic and Applied Microbiology</i> , 2006, 29, 581-588.	1.2	20
1132	A novel species of <i>Xenorhabdus</i> , family <i>Enterobacteriaceae</i> : <i>Xenorhabdus indica</i> sp. nov., symbiotically associated with entomopathogenic nematode <i>Steinernema thermophilum</i> Ganguly and Singh, 2000. <i>Systematic and Applied Microbiology</i> , 2006, 29, 519-525.	1.2	36
1133	Exploration of <i>Amycolatopsis</i> diversity in soil using genus-specific primers and novel selective media. <i>Systematic and Applied Microbiology</i> , 2006, 29, 557-569.	1.2	115

#	ARTICLE	IF	CITATIONS
1135	<i>Brevundimonas terrae</i> sp. nov., isolated from an alkaline soil in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2915-2919.	0.8	24
1136	Identification of a Novel, Invasive, Not-Yet-Cultivated <i>Treponema</i> sp. in the Large Intestine of Pigs by PCR Amplification of the 16S rRNA Gene. <i>Journal of Clinical Microbiology</i> , 2006, 44, 4537-4540.	1.8	29
1137	Exciting Times: The Challenge to be a Bacterial Systematist. , 2006, , 1-21.		1
1138	<i>Pseudomonas segetis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2593-2595.	0.8	15
1139	<i>Desulfurobacterium atlanticum</i> sp. nov., <i>Desulfurobacterium pacificum</i> sp. nov. and <i>Thermovibrio guaymasensis</i> sp. nov., three thermophilic members of the <i>Desulfurobacteriaceae</i> fam. nov., a deep branching lineage within the Bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2843-2852.	0.8	61
1140	Proposal that <i>Agrobacterium radiobacter</i> has priority over <i>Agrobacterium tumefaciens</i> . Request for an Opinion. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 491-493.	0.8	31
1141	â€œA Re-Evaluation of <i>M. prototuberculosis</i> â€ Continuing the Debate. <i>PLoS Pathogens</i> , 2006, 2, e95.	2.1	18
1142	<i>Bacteroides dorei</i> sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1639-1643.	0.8	86
1143	Reclassification of <i>Roseomonas fauriae</i> Rihs et al. 1998 as a later heterotypic synonym of <i>Azospirillum brasiliense</i> Tarrand et al. 1979. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2753-2755.	0.8	24
1144	<i>Kocuria himachalensis</i> sp. nov., an actinobacterium isolated from the Indian Himalayas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1971-1975.	0.8	44
1145	<i>Rhodococcus kroppenstedtii</i> sp. nov., a novel actinobacterium isolated from a cold desert of the Himalayas, India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 979-982.	0.8	37
1146	<i>Shewanella halifaxensis</i> sp. nov., a novel obligately respiratory and denitrifying psychrophile. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 205-212.	0.8	63
1147	<i>Marinobacter vinifirmus</i> sp. nov., a moderately halophilic bacterium isolated from a wine-barrel-decalcification wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2511-2516.	0.8	46
1148	<i>Burkholderia ferrariae</i> sp. nov., isolated from an iron ore in Brazil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2421-2425.	0.8	45
1149	<i>Lactobacillus vini</i> sp. nov., a wine lactic acid bacterium homofermentative for pentoses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 513-517.	0.8	52
1150	<i>Rhodonellum psychrophilum</i> gen. nov., sp. nov., a novel psychrophilic and alkaliphilic bacterium of the phylum Bacteroidetes isolated from Greenland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2887-2892.	0.8	35
1151	<i>Pseudoxanthomonas suwonensis</i> sp. nov., isolated from cotton waste composts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 659-662.	0.8	39
1152	<i>Paracoccus homiensis</i> sp. nov., isolated from a sea-sand sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2387-2390.	0.8	44



#	ARTICLE	IF	CITATIONS
1153	Sequences, sequence clusters and bacterial species. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1917-1927.	1.8	167
1154	Stepping stones towards a new prokaryotic taxonomy. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1911-1916.	1.8	60
1155	<i>Azonexus caeni</i> sp. nov., a denitrifying bacterium isolated from sludge of a wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1043-1046.	0.8	52
1156	<i>Natrinema ejinorensis</i> sp. nov., isolated from a saline lake in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2683-2687.	0.8	27
1157	<i>Kribbia dieselivorans</i> gen. nov., sp. nov., a novel member of the family Intrasporangiaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2427-2432.	0.8	42
1158	<i>Pedobacter ginsengisoli</i> sp. nov., a DNase-producing bacterium isolated from soil of a ginseng field in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2565-2570.	0.8	46
1159	<i>Desulfotomaculum thermosubterraneum</i> sp. nov., a thermophilic sulfate-reducer isolated from an underground mine located in a geothermally active area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2603-2608.	0.8	54
1160	<i>Isoptericola dokdonensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2893-2897.	0.8	26
1161	<i>Sphingobacterium daejeonense</i> sp. nov., isolated from a compost sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2031-2036.	0.8	67
1162	<i>Rhodococcus imtechensis</i> sp. nov., a nitrophenol-degrading actinomycete. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1965-1969.	0.8	52
1163	Novel Thermophilic Sulfate-Reducing Bacteria from a Geothermally Active Underground Mine in Japan. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3759-3762.	1.4	39
1164	<i>Dermacoccus abyssi</i> sp. nov., a piezotolerant actinomycete isolated from the Mariana Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1233-1237.	0.8	62
1165	<i>Stenotrophomonas dokdonensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1363-1367.	0.8	33
1166	<i>Dietzia kunjamensis</i> sp. nov., isolated from the Indian Himalayas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1667-1671.	0.8	61
1167	<i>Pseudoxanthomonas kalamensis</i> sp. nov., a novel gammaproteobacterium isolated from Johnston Atoll, North Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1103-1107.	0.8	24
1168	Neonatal Mortality in Puppies Due to Bacteremia by <i>Streptococcus dysgalactiae</i> subsp. <i>dysgalactiae</i> . <i>Journal of Clinical Microbiology</i> , 2006, 44, 666-668.	1.8	26
1169	<i>Enterococcus caccae</i> sp. nov., isolated from human stools. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1505-1508.	0.8	30
1170	<i>Kitasatospora sampliensis</i> sp. nov., a novel actinobacterium isolated from soil of a sugar-cane field in India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 519-522.	0.8	11

#	ARTICLE	IF	CITATIONS
1171	<i>Lactobacillus siliginis</i> sp. nov., isolated from wheat sourdough in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2209-2213.	0.8	37
1172	<i>Megasphaera paucivorans</i> sp. nov., <i>Megasphaera sueciensis</i> sp. nov. and <i>Pectinatus haikarae</i> sp. nov., isolated from brewery samples, and emended description of the genus <i>Pectinatus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 695-702.	0.8	83
1173	Prediction of whole-genome DNA–DNA similarity, determination of G+C content and phylogenetic analysis within the family Pasteurellaceae by multilocus sequence analysis (MLSA). <i>Microbiology (United Kingdom)</i> , 2006, 152, 2537-2548.	0.7	81
1174	<i>Herbaspirillum hiltneri</i> sp. nov., isolated from surface-sterilized wheat roots. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1341-1348.	0.8	50
1175	<i>Formosa agariphila</i> sp. nov., a budding bacterium of the family Flavobacteriaceae isolated from marine environments, and emended description of the genus <i>Formosa</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 161-167.	0.8	73
1176	<i>Porphyrobacter dokdonensis</i> sp. nov., isolated from sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1079-1083.	0.8	33
1177	<i>Nesiotobacter exalbescens</i> gen. nov., sp. nov., a moderately thermophilic alphaproteobacterium from an Hawaiian hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 563-567.	0.8	25
1178	<i>Morganella psychrotolerans</i> sp. nov., a histamine-producing bacterium isolated from various seafoods. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2473-2479.	0.8	80
1179	<i>Nesterenkonia jeotgali</i> sp. nov., isolated from jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2587-2592.	0.8	42
1180	<i>Glaciecola chathamensis</i> sp. nov., a novel marine polysaccharide-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2883-2886.	0.8	51
1181	<i>Gordonia soli</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2597-2601.	0.8	32
1182	<i>Nocardioides lentus</i> sp. nov., isolated from an alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 271-275.	0.8	36
1183	<i>Ornithinimicrobium kibberense</i> sp. nov., isolated from the Indian Himalayas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1657-1661.	0.8	74
1184	<i>Pseudomonas otitidis</i> sp. nov., isolated from patients with otic infections. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 709-714.	0.8	74
1185	<i>Clostridium lundense</i> sp. nov., a novel anaerobic lipolytic bacterium isolated from bovine rumen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 625-628.	0.8	33
1186	<i>Agrococcus lahaulensis</i> sp. nov., isolated from a cold desert of the Indian Himalayas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1807-1810.	0.8	38
1187	<i>Amycolatopsis australiensis</i> sp. nov., an actinomycete isolated from arid soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2297-2301.	0.8	32
1188	<i>Bacillus tequilensis</i> sp. nov., isolated from a 2000-year-old Mexican shaft-tomb, is closely related to <i>Bacillus subtilis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1475-1484.	0.8	94

#	ARTICLE	IF	CITATIONS
1189	Isolation of <i>Corynebacterium tuscaniae</i> sp. nov. from Blood Cultures of a Patient with Endocarditis. <i>Journal of Clinical Microbiology</i> , 2006, 44, 307-312.	1.8	22
1190	Reclassification of <i>Amycolatopsis orientalis</i> DSM 43387 as <i>Amycolatopsis benzoatilytica</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 199-204.	0.8	24
1191	<i>Massilia dura</i> sp. nov., <i>Massilia albidiflava</i> sp. nov., <i>Massilia plicata</i> sp. nov. and <i>Massilia lutea</i> sp. nov., isolated from soils in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 459-463.	0.8	95
1192	Reclassification of <i>Arthrobacter duodecadis</i> Lochhead 1958 as <i>Tetrasphaera duodecadis</i> comb. nov. and emended description of the genus <i>Tetrasphaera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1369-1373.	0.8	38
1193	<i>Sphingomonas dokdonensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2165-2169.	0.8	42
1194	<i>Psychromonas ingrahamii</i> sp. nov., a novel gas vacuolate, psychrophilic bacterium isolated from Arctic polar sea ice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1001-1007.	0.8	97
1195	<i>Dokdonella koreensis</i> gen. nov., sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 145-150.	0.8	50
1196	<i>Gordonia araii</i> sp. nov. and <i>Gordonia effusa</i> sp. nov., isolated from patients in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1817-1821.	0.8	47
1197	<i>Nesterenkonia aethiopica</i> sp. nov., an alkaliphilic, moderate halophile isolated from an Ethiopian soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1229-1232.	0.8	49
1198	Molecular Techniques for Understanding the Microbial Community Structure in Mycorrhizosphere. , 2006, , 173-198.		1
1199	<i>Shinella granuli</i> gen. nov., sp. nov., and proposal of the reclassification of <i>Zoogloea ramigera</i> ATCC 19623 as <i>Shinella zoogloeooides</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 443-448.	0.8	87
1200	DNA-DNA Reassociation Methods Applied to Microbial Taxonomy and Their Critical Evaluation. , 2006, , 23-50.		82
1201	<i>Yonghaparkia alkaliphila</i> gen. nov., sp. nov., a novel member of the family Microbacteriaceae isolated from an alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2415-2420.	0.8	52
1202	<i>Nocardia exalbida</i> sp. nov., isolated from Japanese patients with nocardiosis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1193-1196.	0.8	33
1203	<i>Pediococcus stilesii</i> sp. nov., isolated from maize grains. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 329-333.	0.8	44
1204	Reclassification of <i>Serpulina intermedia</i> and <i>Serpulina murdochii</i> in the genus <i>Brachyspira</i> as <i>Brachyspira intermedia</i> comb. nov. and <i>Brachyspira murdochii</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1009-1012.	0.8	30
1205	<i>Erwinia tasmaniensis</i> sp. nov., a non-phytopathogenic bacterium from apple and pear trees. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2937-2943.	0.8	69
1206	<i>Psychrobacter cryohalolentis</i> sp. nov. and <i>Psychrobacter arcticus</i> sp. nov., isolated from Siberian permafrost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1285-1291.	0.8	169

#	ARTICLE	IF	CITATIONS
1207	<i>Variovorax dokdonensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 811-814.	0.8	28
1208	<i>Starkeya koreensis</i> sp. nov., isolated from rice straw. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2409-2414.	0.8	15
1209	<i>Glaciecola nitratireducens</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2185-2188.	0.8	44
1210	Reclassification of <i>Pseudomonas beijerinckii</i> Hof 1935 as <i>Chromohalobacter beijerinckii</i> comb. nov., and emended description of the species. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1953-1957.	0.8	30
1211	<i>Marinomonas ostreistagni</i> sp. nov., isolated from a pearl-oyster culture pond in Sanya, Hainan Province, China. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2271-2275.	0.8	30
1212	<i>Granulibacter bethesdensis</i> gen. nov., sp. nov., a distinctive pathogenic acetic acid bacterium in the family Acetobacteraceae. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2609-2616.	0.8	95
1213	Genome characteristics of facultatively symbiotic <i>Frankia</i> sp. strains reflect host range and host plant biogeography. Genome Research, 2006, 17, 7-15.	2.4	352
1214	Genotypic Diversity of <i>Haemophilus parasuis</i> Field Strains. Applied and Environmental Microbiology, 2006, 72, 3984-3992.	1.4	42
1215	Toward a More Robust Assessment of Intraspecies Diversity, Using Fewer Genetic Markers— $\zeta$ . Applied and Environmental Microbiology, 2006, 72, 7286-7293.	1.4	196
1216	<i>Shewanella loihica</i> sp. nov., isolated from iron-rich microbial mats in the Pacific Ocean. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1911-1916.	0.8	109
1217	Reclassification of <i>Actinobacillus actinomycetemcomitans</i> , <i>Haemophilus aphrophilus</i> , <i>Haemophilus paraphrophilus</i> and <i>Haemophilus segnis</i> as <i>Aggregatibacter actinomycetemcomitans</i> gen. nov., comb. nov., <i>Aggregatibacter aphrophilus</i> comb. nov. and <i>Aggregatibacter segnis</i> comb. nov., and emended description of <i>Aggregatibacter aphrophilus</i> to include V factor-dependent and V factor-independent isolates. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2135-2146.	0.8	258
1218	<i>Rhodanobacter spathiphylli</i> sp. nov., a gammaproteobacterium isolated from the roots of <i>Spathiphyllum</i> plants grown in a compost-amended potting mix. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1755-1759.	0.8	63
1219	<i>Mycobacterium kumamotoense</i> Sp. Nov. Recovered from Clinical Specimen and the First Isolation Report of <i>Mycobacterium arupense</i> in Japan: Novel Slowly Growing, Nonchromogenic Clinical Isolates Related to <i>Mycobacterium terrae</i> Complex. Microbiology and Immunology, 2006, 50, 889-897.	0.7	88
1220	<i>Arenibacter palladensis</i> sp. nov., a novel marine bacterium isolated from the green alga <i>Ulva fenestrata</i> , and emended description of the genus <i>Arenibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 155-160.	0.8	43
1221	<i>Gordonia defluvii</i> sp. nov., an actinomycete isolated from activated sludge foam. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2265-2269.	0.8	32
1222	<i>Marinobacter koreensis</i> sp. nov., isolated from sea sand in Korea. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2653-2656.	0.8	54
1223	<i>Oceanobacillus oncorhynchi</i> subsp. <i>incaldanensis</i> subsp. nov., an alkali-tolerant halophile isolated from an algal mat collected from a sulfurous spring in Campania (Italy), and emended description of <i>Oceanobacillus oncorhynchi</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 805-810.	0.8	48
1224	<i>Williamsia marianensis</i> sp. nov., a novel actinomycete isolated from the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1123-1126.	0.8	37

#	ARTICLE	IF	CITATIONS
1225	<i>Paenibacillus cellulosityticus</i> sp. nov., a cellulolytic and xylanolytic bacterium isolated from the bract phyllosphere of <i>Phoenix dactylifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2777-2781.	0.8	46
1226	<i>Sulfurimonas parvalvinellae</i> sp. nov., a novel mesophilic, hydrogen- and sulfur-oxidizing chemolithoautotroph within the Epsilonproteobacteria isolated from a deep-sea hydrothermal vent polychaete nest, reclassification of <i>Thiomicrospira denitrificans</i> as <i>Sulfurimonas denitrificans</i> comb. nov. and emended description of the genus <i>Sulfurimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1725-1733.	0.8	229
1227	<i>Echinicola pacifica</i> gen. nov., sp. nov., a novel flexibacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 953-958.	0.8	59
1228	Reclassification of <i>Thermoanaerobium acetigenum</i> as <i>Caldicellulosiruptor acetigenus</i> comb. nov. and emendation of the genus description. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1391-1395.	0.8	37
1229	<i>Ureibacillus suwonensis</i> sp. nov., isolated from cotton waste composts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 663-666.	0.8	23
1230	Enumeration and Identification of Mixed Probiotic and Lactic Acid Bacteria Starter Cultures. , O , , 98-119.		0
1231	<i>Lentibacillus halophilus</i> sp. nov., from fish sauce in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1859-1863.	0.8	48
1232	<i>Dietzia cinnamea</i> sp. nov., a novel species isolated from a perianal swab of a patient with a bone marrow transplant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 641-645.	0.8	59
1233	<i>Nocardioides kongjuensis</i> sp. nov., an N-acylhomoserine lactone-degrading bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1783-1787.	0.8	53
1234	<i>Dermacoccus barathri</i> sp. nov. and <i>Dermacoccus profundi</i> sp. nov., novel actinomycetes isolated from deep-sea mud of the Mariana Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2303-2307.	0.8	45
1235	<i>Flavobacterium weaverense</i> sp. nov. and <i>Flavobacterium segetis</i> sp. nov., novel psychrophiles isolated from the Antarctic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1239-1244.	0.8	59
1236	Description of <i>Sphingobium fuliginis</i> sp. nov., a phenanthrene-degrading bacterium from a fly ash dumping site, and reclassification of <i>Sphingomonas cloacae</i> as <i>Sphingobium cloacae</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2147-2152.	0.8	75
1237	<i>Brevundimonas kwangchunensis</i> sp. nov., isolated from an alkaline soil in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 613-617.	0.8	25
1238	<i>Cohnella thermotolerans</i> gen. nov., sp. nov., and classification of <i>Paenibacillus hongkongensis</i> ™ as <i>Cohnella hongkongensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 781-786.	0.8	182
1239	<i>Lactobacillus ghanensis</i> sp. nov., a motile lactic acid bacterium isolated from Ghanaian cocoa fermentations. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1468-1472.	0.8	44
1240	<i>Alkalilimnicola ehrlichii</i> sp. nov., a novel, arsenite-oxidizing haloalkaliphilic gammaproteobacterium capable of chemoautotrophic or heterotrophic growth with nitrate or oxygen as the electron acceptor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 504-512.	0.8	226
1241	Complete Genomic Structure of the Bloom-forming Toxic Cyanobacterium <i>Microcystis aeruginosa</i> NIES-843. <i>DNA Research</i> , 2007, 14, 247-256.	1.5	253
1242	Reclassification of Phenotypically Identified <i>Staphylococcus intermedius</i> Strains. <i>Journal of Clinical Microbiology</i> , 2007, 45, 2770-2778.	1.8	242

#	ARTICLE	IF	CITATIONS
1243	<i>Streptomyces radiopugnans</i> sp. nov., a radiation-resistant actinomycete isolated from radiation-polluted soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2578-2582.	0.8	40
1244	<i>Rhodococcus kyotonensis</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1956-1959.	0.8	26
1245	<i>Streptomyces synnematoformans</i> sp. nov., a novel actinomycete isolated from a sand dune soil in Egypt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2009-2013.	0.8	22
1246	<i>Microbulbifer celer</i> sp. nov., isolated from a marine solar saltern of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2365-2369.	0.8	31
1247	<i>Sulfitobacter marinus</i> sp. nov., isolated from seawater of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 302-305.	0.8	27
1248	<i>Paenibacillus taiwanensis</i> sp. nov., isolated from soil in Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1351-1354.	0.8	22
1249	<i>Flavisolibacter ginsengiterrae</i> gen. nov., sp. nov. and <i>Flavisolibacter ginsengisoli</i> sp. nov., isolated from ginseng cultivating soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1834-1839.	0.8	93
1250	<i>Sejorgia marina</i> sp. nov., isolated from Antarctic seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2917-2921.	0.8	18
1251	<i>Brevundimonas lenta</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2236-2240.	0.8	27
1252	<i>Loktanella atrilutea</i> sp. nov., isolated from seawater in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1966-1969.	0.8	30
1253	<i>Paraferrimonas sedimenticola</i> gen. nov., sp. nov., a marine bacterium of the family Ferrimonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1493-1498.	0.8	14
1254	<i>Exiguobacterium profundum</i> sp. nov., a moderately thermophilic, lactic acid-producing bacterium isolated from a deep-sea hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 287-292.	0.8	75
1255	<i>Vibrio rhizosphaerae</i> sp. nov., a red-pigmented bacterium that antagonizes phytopathogenic bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2241-2246.	0.8	39
1256	<i>Nocardia amamiensis</i> sp. nov., isolated from a sugar-cane field in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1599-1602.	0.8	19
1257	<i>Cellulomonas composti</i> sp. nov., a cellulolytic bacterium isolated from cattle farm compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1256-1260.	0.8	35
1258	<i>Photobacterium lutimaris</i> sp. nov., isolated from a tidal flat sediment in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 332-336.	0.8	28
1259	<i>Bacillus lehensis</i> sp. nov., an alkalitolerant bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 238-242.	0.8	48
1260	<i>Labrys okinawensis</i> sp. nov. and <i>Labrys miyagiensis</i> sp. nov., budding bacteria isolated from rhizosphere habitats in Japan, and emended descriptions of the genus <i>Labrys</i> and <i>Labrys monachus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 552-557.	0.8	21

#	ARTICLE	IF	CITATIONS
1261	<i>Alloscardovia omnicoles</i> gen. nov., sp. nov., from human clinical samples. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1442-1446.	0.8	61
1262	<i>Maribius salinus</i> gen. nov., sp. nov., isolated from a solar saltern and <i>Maribius pelagius</i> sp. nov., cultured from the Sargasso Sea, belonging to the Roseobacter clade. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 270-275.	0.8	40
1263	<i>Halomonas shengliensis</i> sp. nov., a moderately halophilic, denitrifying, crude-oil-utilizing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1222-1226.	0.8	87
1264	<i>Aestuariaimicrobium kwangyangense</i> gen. nov., sp. nov., an ll-diaminopimelic acid-containing bacterium isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2114-2118.	0.8	29
1265	<i>Thermococcus celericrescens</i> sp. nov., a fast-growing and cell-fusing hyperthermophilic archaeon from a deep-sea hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 437-443.	0.8	34
1266	<i>Halobacillus faecis</i> sp. nov., a spore-forming bacterium isolated from a mangrove area on Ishigaki Island, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2476-2479.	0.8	27
1267	<i>Planococcus donghaensis</i> sp. nov., a starch-degrading bacterium isolated from the East Sea, South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2645-2650.	0.8	45
1268	<i>Pseudovibrio japonicus</i> sp. nov., isolated from coastal seawater in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1952-1955.	0.8	33
1269	<i>Pseudomonas delhiensis</i> sp. nov., from a fly ash dumping site of a thermal power plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 527-531.	0.8	52
1270	<i>Sphingomonas molluscorum</i> sp. nov., a novel marine isolate with antimicrobial activity. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 358-363.	0.8	45
1271	Reclassification of <i>Marinococcus albus</i> Hao et al. 1985 as <i>Salimicrobium album</i> gen. nov., comb. nov. and <i>Bacillus halophilus</i> Ventosa et al. 1990 as <i>Salimicrobium halophilum</i> comb. nov., and description of <i>Salimicrobium luteum</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2406-2411.	0.8	50
1272	Characteristics of a Pink-pigmented Bacterium Isolated from Biofilm in a Cooling Tower in Tokyo, Japan. <i>Microbiology and Immunology</i> , 2007, 51, 637-641.	0.7	11
1273	<i>Leucobacter chromiireducens</i> subsp. <i>solipictus</i> subsp. nov., a pigmented bacterium isolated from the nematode <i>Caenorhabditis elegans</i> , and emended description of <i>L. chromiireducens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2770-2776.	0.8	40
1274	<i>Halomonas avicenniae</i> sp. nov., isolated from the salty leaves of the black mangrove <i>Avicennia germinans</i> in Puerto Rico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 900-905.	0.8	32
1275	<i>Piscibacillus salipiscarius</i> gen. nov., sp. nov., a moderately halophilic bacterium from fermented fish (pla-ra) in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1413-1417.	0.8	56
1276	<i>Humihabitans oryzae</i> gen. nov., sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2163-2166.	0.8	31
1277	<i>Aureispira maritima</i> sp. nov., isolated from marine barnacle debris. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1948-1951.	0.8	32
1278	<i>Methylobacterium jeotgali</i> sp. nov., a non-pigmented, facultatively methylotrophic bacterium isolated from jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 566-571.	0.8	41

#	ARTICLE	IF	CITATIONS
1279	<i>Staphylococcus pettenkoferi</i> sp. nov., a novel coagulase-negative staphylococcal species isolated from human clinical specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1543-1548.	0.8	48
1280	<i>Chitinilyticum aquatile</i> gen. nov., sp. nov., a chitinolytic bacterium isolated from a freshwater pond used for Pacific white shrimp culture. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2854-2860.	0.8	19
1281	<i>Paenibacillus ginsengarvi</i> sp. nov., isolated from soil from ginseng cultivation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1810-1814.	0.8	19
1282	<i>Amycolatopsis saalfeldensis</i> sp. nov., a novel actinomycete isolated from a medieval alum slate mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1640-1646.	0.8	30
1283	<i>Pedobacter suwonensis</i> sp. nov., isolated from the rhizosphere of Chinese cabbage ( <i>Brassica</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 150-152.	0.8	52
1284	<i>Pigmentiphaga daeguensis</i> sp. nov., isolated from wastewater of a dye works, and emended description of the genus <i>Pigmentiphaga</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1188-1191.	0.8	21
1285	<i>Psychromonas hadalis</i> sp. nov., a novel piezophilic bacterium isolated from the bottom of the Japan Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1360-1364.	0.8	51
1286	<i>Paenibacillus soli</i> sp. nov., a xylanolytic bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 146-150.	0.8	28
1287	<i>Shewanella psychrophila</i> sp. nov. and <i>Shewanella piezotolerans</i> sp. nov., isolated from west Pacific deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 60-65.	0.8	106
1288	<i>Thalassospira xiamenensis</i> sp. nov. and <i>Thalassospira profundimaris</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 316-320.	0.8	67
1289	<i>Rheinheimera aquimaris</i> sp. nov., isolated from seawater of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1386-1390.	0.8	53
1290	<i>Lactobacillus secaliphilus</i> sp. nov., isolated from type II sourdough fermentation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 745-750.	0.8	24
1291	<i>Acetobacter senegalensis</i> sp. nov., a thermotolerant acetic acid bacterium isolated in Senegal (sub-Saharan Africa) from mango fruit ( <i>Mangifera indica</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1576-1581.	0.8	51
1292	<i>Trabulsiella odontotermis</i> sp. nov., isolated from the gut of the termite <i>Odontotermes formosanus</i> Shiraki. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 696-700.	0.8	27
1293	<i>Pedobacter terrae</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2462-2466.	0.8	37
1294	<i>Methylobacterium platani</i> sp. nov., isolated from a leaf of the tree <i>Platanus orientalis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2849-2853.	0.8	44
1295	<i>Cellulosimicrobium terreum</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2493-2497.	0.8	42
1296	<i>Lechevalieria fradiae</i> sp. nov., a novel actinomycete isolated from soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 832-836.	0.8	16



#	ARTICLE	IF	CITATIONS
1297	<i>Flavobacterium ceti</i> sp. nov., isolated from beaked whales ( <i>Ziphius cavirostris</i> ). International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2604-2608.	0.8	35
1298	Proposal of <i>Algoriphagus vantongensis</i> sp. nov., transfer of members of the genera <i>Hongiella</i> Yi and Chun 2004 emend. Nedashkovskaya et al. 2004 and <i>Chimaereicella</i> Tiago et al. 2006 to the genus <i>Algoriphagus</i> , and emended description of the genus <i>Algoriphagus</i> Bowman et al. 2003 emend. Nedashkovskaya et al. 2004. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1988-1994.	0.8	80
1299	<i>Salinicoccus luteus</i> sp. nov., isolated from a desert soil. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1901-1905.	0.8	24
1300	<i>Methylocystis hirsuta</i> sp. nov., a novel methanotroph isolated from a groundwater aquifer. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1891-1900.	0.8	58
1301	<i>Amycolatopsis regifaucium</i> sp. nov., a novel actinomycete that produces bigamicins. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2562-2567.	0.8	34
1302	Identification of "Haematobacter", a New Genus of Aerobic Gram-Negative Rods Isolated from Clinical Specimens, and Reclassification of <i>Rhodobacter massiliensis</i> as "Haematobacter massiliensis" comb. nov. Journal of Clinical Microbiology, 2007, 45, 1238-1243.	1.8	56
1303	<i>Sporosarcina koreensis</i> sp. nov. and <i>Sporosarcina soli</i> sp. nov., isolated from soil in Korea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1694-1698.	0.8	39
1304	<i>Chitinophaga ginsengisegetis</i> sp. nov. and <i>Chitinophaga ginsengisoli</i> sp. nov., isolated from soil of a ginseng field in South Korea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1396-1401.	0.8	43
1305	<i>Lentibacillus kapolis</i> sp. nov., from fermented shrimp paste in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 364-369.	0.8	49
1306	<i>Nocardia terpenica</i> sp. nov., isolated from Japanese patients with nocardiosis. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1456-1460.	0.8	32
1307	Characterization of "Pseudomonas azelaica"™ DSM 9128, leading to emended descriptions of <i>Pseudomonas citronellolis</i> Seubert 1960 (Approved Lists 1980) and <i>Pseudomonas nitroreducens</i> Iizuka and Komagata 1964 (Approved Lists 1980), including <i>Pseudomonas multiresinivorans</i> as its later heterotypic synonym. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 878-882.	0.8	25
1308	<i>Pedobacter panaciterrae</i> sp. nov., isolated from soil in South Korea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 381-386.	0.8	41
1309	<i>Nonomuraea bangladeshensis</i> sp. nov. and <i>Nonomuraea coxensis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1504-1509.	0.8	29
1310	<i>Bacillus niabensis</i> sp. nov., isolated from cotton-waste composts for mushroom cultivation. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1909-1913.	0.8	32
1311	<i>Nocardia coubleae</i> sp. nov., isolated from oil-contaminated Kuwaiti soil. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1482-1486.	0.8	23
1312	<i>Aeromicrobium panaciterrae</i> sp. nov., isolated from soil of a ginseng field in South Korea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 687-691.	0.8	36
1313	<i>Marinobacter segnicrescens</i> sp. nov., a moderate halophile isolated from benthic sediment of the South China Sea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1970-1974.	0.8	49
1314	Organisms Designated as <i>Nocardia asteroides</i> Drug Pattern Type VI Are Members of the Species <i>Nocardia cyriacigeorgica</i> . Journal of Clinical Microbiology, 2007, 45, 2257-2259.	1.8	42

#	ARTICLE	IF	CITATIONS
1315	<i>Bacillus acidiceler</i> sp. nov., isolated from a forensic specimen, containing <i>Bacillus anthracis</i> pX02 genes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2031-2036.	0.8	19
1316	<i>Chryseobacterium luteum</i> sp. nov., associated with the phyllosphere of grasses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1881-1885.	0.8	36
1317	<i>Aspromonas composti</i> gen. nov., sp. nov., a novel member of the family Xanthomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1876-1880.	0.8	26
1318	<i>Streptomyces durmitorensis</i> sp. nov., a producer of an FK506-like immunosuppressant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2119-2124.	0.8	18
1319	<i>Methylobacterium oryzae</i> sp. nov., an aerobic, pink-pigmented, facultatively methylotrophic, 1-aminocyclopropane-1-carboxylate deaminase-producing bacterium isolated from rice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 326-331.	0.8	117
1320	<i>Nocardia ninae</i> sp. nov., isolated from a bronchial aspirate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 661-665.	0.8	15
1321	Diversity of Archaea in Marine Sediments from Skan Bay, Alaska, Including Cultivated Methanogens, and Description of <i>Methanogenium boonei</i> sp. nov.. <i>Applied and Environmental Microbiology</i> , 2007, 73, 407-414.	1.4	99
1322	<i>Dyadobacter koreensis</i> sp. nov., isolated from fresh water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1227-1231.	0.8	42
1323	DNA-DNA hybridization values and their relationship to whole-genome sequence similarities. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 81-91.	0.8	3,968
1324	<i>Rubritalea spongiae</i> sp. nov. and <i>Rubritalea tangerina</i> sp. nov., two carotenoid- and squalene-producing marine bacteria of the family Verrucomicrobiaceae within the phylum Verrucomicrobia™, isolated from marine animals. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2337-2343.	0.8	53
1325	<i>Jannaschia donghaensis</i> sp. nov., isolated from seawater of the East Sea, Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2132-2136.	0.8	21
1326	<i>Ruegeria mobilis</i> sp. nov., a member of the Alphaproteobacteria isolated in Japan and Palau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1304-1309.	0.8	54
1327	<i>Pedobacter lentus</i> sp. nov. and <i>Pedobacter terricola</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2089-2095.	0.8	39
1328	<i>Curtobacterium ammoniigenes</i> sp. nov., an ammonia-producing bacterium isolated from plants inhabiting acidic swamps in actual acid sulfate soil areas of Vietnam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1447-1452.	0.8	46
1329	<i>Salinicoccus jeotgali</i> sp. nov., isolated from jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 633-638.	0.8	36
1330	<i>Gordonia malaquae</i> sp. nov., isolated from sludge of a wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1065-1068.	0.8	29
1331	<i>Salinicoccus siamensis</i> sp. nov., isolated from fermented shrimp paste in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2004-2008.	0.8	27
1332	<i>Herbaspirillum rhizosphaerae</i> sp. nov., isolated from rhizosphere soil of <i>Allium victorialis</i> var. <i>platyphyllum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2284-2288.	0.8	35

#	ARTICLE	IF	CITATIONS
1333	Taxonomic evaluation of the genera <i>Ruegeria</i> and <i>Silicibacter</i> : a proposal to transfer the genus <i>Silicibacter</i> Petursdottir and Kristjansson 1999 to the genus <i>Ruegeria</i> Uchino et al. 1999. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 815-819.	0.8	65
1334	<i>Caenispirillum bisanense</i> gen. nov., sp. nov., isolated from sludge of a dye works. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1217-1221.	0.8	27
1335	<i>Haemophilus haemolyticus</i> : A Human Respiratory Tract Commensal to Be Distinguished from <i>Haemophilus influenzae</i> . <i>Journal of Infectious Diseases</i> , 2007, 195, 81-89.	1.9	205
1336	<i>Phaeobacter daeponensis</i> sp. nov., isolated from a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 856-861.	0.8	58
1337	Description of <i>Labrenzia alexandrii</i> gen. nov., sp. nov., a novel alphaproteobacterium containing bacteriochlorophyll a, and a proposal for reclassification of <i>Stappia aggregata</i> as <i>Labrenzia aggregata</i> comb. nov., of <i>Stappia marina</i> as <i>Labrenzia marina</i> comb. nov. and of <i>Stappia alba</i> as <i>Labrenzia alba</i> comb. nov., and emended descriptions of the genera <i>Pannonibacter</i> , <i>Stappia</i> and <i>Roseibium</i> , and of the species <i>Roseibium denhamense</i> and <i>Roseibium hamelinense</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1095-1107.	0.8	150
1338	Potential Use of <i>Pasteuria</i> Spp. In The Management of Plant Parasitic Nematodes. , 2008, , 205-219.		2
1339	<i>Shewanella canadensis</i> sp. nov. and <i>Shewanella atlantica</i> sp. nov., manganese dioxide- and hexahydro-1,3,5-trinitro-1,3,5-triazine-reducing, psychrophilic marine bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2155-2162.	0.8	34
1340	<i>Desulfovibrio marinus</i> sp. nov., a moderately halophilic sulfate-reducing bacterium isolated from marine sediments in Tunisia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2167-2170.	0.8	30
1341	<i>Amycolatopsis echigonensis</i> sp. nov. and <i>Amycolatopsis niigatensis</i> sp. nov., novel actinomycetes isolated from a filtration substrate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1747-1751.	0.8	28
1342	<i>Kaistia granuli</i> sp. nov., isolated from anaerobic granules in an upflow anaerobic sludge blanket reactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2280-2283.	0.8	19
1343	<i>Amycolatopsis nigrescens</i> sp. nov., an actinomycete isolated from a Roman catacomb. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 513-519.	0.8	29
1344	<i>Pseudomonas lurida</i> sp. nov., a fluorescent species associated with the phyllosphere of grasses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 979-985.	0.8	32
1345	<i>Halobacillus campisalis</i> sp. nov., containing meso-diaminopimelic acid in the cell-wall peptidoglycan, and emended description of the genus <i>Halobacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2021-2025.	0.8	33
1346	<i>Bacillus selenatarsenatis</i> sp. nov., a selenate- and arsenate-reducing bacterium isolated from the effluent drain of a glass-manufacturing plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1060-1064.	0.8	75
1347	<i>Flammeovirga kamogawensis</i> sp. nov., isolated from coastal seawater in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1327-1330.	0.8	30
1348	In Planta Horizontal Transfer of a Major Pathogenicity Effector Gene. <i>Applied and Environmental Microbiology</i> , 2007, 73, 1612-1621.	1.4	65
1349	<i>Shewanella donghaensis</i> sp. nov., a psychrophilic, piezosensitive bacterium producing high levels of polyunsaturated fatty acid, isolated from deep-sea sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 208-212.	0.8	38
1350	<i>Bacillus pocheonensis</i> sp. nov., a moderately halotolerant, aerobic bacterium isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2532-2537.	0.8	26

#	ARTICLE	IF	CITATIONS
1351	Proposal of six species of moderately thermophilic, acidophilic, endospore-forming bacteria: <i>Alicyclobacillus contaminans</i> sp. nov., <i>Alicyclobacillus fastidiosus</i> sp. nov., <i>Alicyclobacillus kakegawensis</i> sp. nov., <i>Alicyclobacillus macrosporangioides</i> sp. nov., <i>Alicyclobacillus sacchari</i> sp. nov. and <i>Alicyclobacillus shizuokensis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1276-1285.	0.8	76
1352	Description of <i>Shewanella glacialis</i> sp. nov. and <i>Shewanella algidipiscicola</i> sp. nov., isolated from marine fish of the Danish Baltic Sea, and proposal that <i>Shewanella affinis</i> is a later heterotypic synonym of <i>Shewanella colwelliana</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 347-352.	0.8	61
1353	<i>Solirubrobacter soli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1453-1455.	0.8	47
1354	<i>Halobacillus profundi</i> sp. nov. and <i>Halobacillus kuroshimensis</i> sp. nov., moderately halophilic bacteria isolated from a deep-sea methane cold seep. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1243-1249.	0.8	46
1355	<i>Cohnella laeviribosi</i> sp. nov., isolated from a volcanic pond. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2902-2907.	0.8	40
1356	<i>Sporosarcina saromensis</i> sp. nov., an aerobic endospore-forming bacterium. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1868-1871.	0.8	26
1357	<i>Brachybacterium zhongshanense</i> sp. nov., a cellulose-decomposing bacterium from sediment along the Qijiang River, Zhongshan City, China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2519-2524.	0.8	28
1358	<i>Thiohalomonas denitrificans</i> gen. nov., sp. nov. and <i>Thiohalomonas nitratireducens</i> sp. nov., novel obligately chemolithoautotrophic, moderately halophilic, thiodenitrifying Gammaproteobacteria from hypersaline habitats. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1582-1589.	0.8	82
1359	<i>Roseomonas terrae</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2485-2488.	0.8	39
1360	<i>Lechevalieria xinjiangensis</i> sp. nov., a novel actinomycete isolated from radiation-polluted soil in China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2819-2822.	0.8	19
1361	<i>Pseudomonas guineae</i> sp. nov., a novel psychrotolerant bacterium from an Antarctic environment. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2609-2612.	0.8	42
1362	<i>Halorubrum ejinorensis</i> sp. nov., isolated from Lake Ejinor, Inner Mongolia, China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2538-2542.	0.8	23
1363	<i>Arenibacter echinorum</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2655-2659.	0.8	21
1364	<i>Salegentibacter salarius</i> sp. nov., isolated from a marine solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2738-2742.	0.8	16
1365	<i>Leuconostoc holzapfelii</i> sp. nov., isolated from Ethiopian coffee fermentation and assessment of sequence analysis of housekeeping genes for delineation of <i>Leuconostoc</i> species. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2952-2959.	0.8	102
1367	<i>Curtobacterium flaccumfaciens</i> pv. <i>beticola</i> , A New Pathovar of Pathogens in Sugar Beet. Plant Disease, 2007, 91, 677-684.	0.7	24
1368	Comparisons of diversity of bacterial communities associated with three sessile marine eukaryotes. Aquatic Microbial Ecology, 2007, 48, 217-229.	0.9	145
1369	Multilocus sequence analysis of atypical <i>Borrelia burgdorferi</i> sensu lato isolates – Description of <i>Borrelia californiensis</i> sp. nov., and genomospecies 1 and 2. International Journal of Medical Microbiology, 2007, 297, 263-271.	1.5	140

#	ARTICLE	IF	CITATIONS
1370	Comparison of <i>gyrB</i> gene sequences, 16S rRNA gene sequences and DNA-DNA hybridization in the <i>Bacillus subtilis</i> group. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1846-1850.	0.8	258
1371	<i>Brucella ceti</i> sp. nov. and <i>Brucella pinnipedialis</i> sp. nov. for <i>Brucella</i> strains with cetaceans and seals as their preferred hosts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2688-2693.	0.8	405
1372	<i>Rhodococcus qingshengii</i> sp. nov., a carbendazim-degrading bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2754-2757.	0.8	88
1373	<i>Clostridium nitrophenolicum</i> sp. nov., a novel anaerobic p-nitrophenol-degrading bacterium, isolated from a subsurface soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1886-1890.	0.8	26
1374	<i>Georgenia ruanii</i> sp. nov., a novel actinobacterium isolated from forest soil in Yunnan (China), and emended description of the genus <i>Georgenia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1424-1428.	0.8	770
1375	<i>Comamonas odontotermitis</i> sp. nov., isolated from the gut of the termite <i>Odontotermes formosanus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 887-891.	0.8	43
1376	<i>Microbacterium indicum</i> sp. nov., isolated from a deep-sea sediment sample from the Chagos Trench, Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1819-1822.	0.8	41
1377	<i>Microbacterium sediminicola</i> sp. nov. and <i>Microbacterium marinilacus</i> sp. nov., isolated from marine environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2355-2359.	0.8	28
1378	<i>Shewanella haliotis</i> sp. nov., isolated from the gut microflora of abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2926-2931.	0.8	54
1379	<i>Desulfotignum toluenicum</i> sp. nov., a novel toluene-degrading, sulphate-reducing bacterium isolated from an oil-reservoir model column. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2865-2869.	0.8	93
1380	<i>Chromobacterium subtsugae</i> sp. nov., a betaproteobacterium toxic to Colorado potato beetle and other insect pests. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 993-999.	0.8	111
1381	Reclassification of <i>Pseudomonas aurantiaca</i> as a synonym of <i>Pseudomonas chlororaphis</i> and proposal of three subspecies, <i>P. chlororaphis</i> subsp. <i>chlororaphis</i> subsp. nov., <i>P. chlororaphis</i> subsp. <i>aureofaciens</i> subsp. nov., comb. nov. and <i>P. chlororaphis</i> subsp. <i>aurantiaca</i> subsp. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1286-1290.	0.8	99
1382	<i>Flavobacterium aquidurense</i> sp. nov. and <i>Flavobacterium hercynium</i> sp. nov., from a hard-water creek. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 243-249.	0.8	70
1383	<i>Pelagicoccus croceus</i> sp. nov., a novel marine member of the family Puniceicoccaceae within the phylum <i>Verrucomicrobia</i> ™ isolated from seagrass. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2874-2880.	0.8	26
1384	Description of <i>Sulfitobacter donghicola</i> sp. nov., isolated from seawater of the East Sea in Korea, transfer of <i>Staleyia guttiformis</i> Labrenz et al. 2000 to the genus <i>Sulfitobacter</i> as <i>Sulfitobacter guttiformis</i> comb. nov. and emended description of the genus <i>Sulfitobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1788-1792.	0.8	48
1385	Genomics of <i>Actinobacteria</i> : Tracing the Evolutionary History of an Ancient Phylum. <i>Microbiology and Molecular Biology Reviews</i> , 2007, 71, 495-548.	2.9	852
1386	<i>Acetobacter ghanensis</i> sp. nov., a novel acetic acid bacterium isolated from traditional heap fermentations of Ghanaian cocoa beans. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1647-1652.	0.8	79
1387	<i>Petrogoga halophila</i> sp. nov., a thermophilic, moderately halophilic, fermentative bacterium isolated from an offshore oil well in Congo. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 40-44.	0.8	65

#	ARTICLE	IF	CITATIONS
1388	Elimination of altered karyotypes by sexual reproduction preserves species identity. <i>Genome</i> , 2007, 50, 517-524.	0.9	64
1389	Taxonomy of phosphate solubilizing bacteria. , 2007, , 101-106.		9
1390	Revised minimal standards for description of new species of the class Mollicutes (division) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td	0.8	129
1391	<i>Loktanella maricola</i> sp. nov., isolated from seawater of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1799-1802.	0.8	40
1392	<i>Oceanicola marinus</i> sp. nov., a marine alphaproteobacterium isolated from seawater collected off Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1625-1629.	0.8	31
1393	<i>Rhodanobacter thiooxydans</i> sp. nov., isolated from a biofilm on sulfur particles used in an autotrophic denitrification process. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1775-1779.	0.8	74
1394	The Sorcerer II Global Ocean Sampling Expedition: Northwest Atlantic through Eastern Tropical Pacific. <i>PLoS Biology</i> , 2007, 5, e77.	2.6	1,757
1395	<i>Microbacterium terricolae</i> sp. nov., isolated from soil in Japan. <i>Journal of General and Applied Microbiology</i> , 2007, 53, 1-5.	0.4	14
1396	Two new species of the genus <i>Micromonospora</i> : <i>Micromonospora chokoriensis</i> sp. nov. and <i>Micromonospora coxensis</i> sp. nov., isolated from sandy soil. <i>Journal of General and Applied Microbiology</i> , 2007, 53, 29-37.	0.4	41
1397	<i>Nocardioides exalbidus</i> sp. nov., a novel actinomycete isolated from lichen in Izu-Oshima Island, Japan. <i>Nihon Hosenkin Gakkai Shi = Actinomycetologica</i> , 2007, 21, 22-26.	0.3	41
1398	<i>Sphaerosporangium</i> gen. nov., a new member of the family Streptosporangiaceae, with descriptions of three new species as <i>Sphaerosporangium melleum</i> sp. nov., <i>Sphaerosporangium rubeum</i> sp. nov. and <i>Sphaerosporangium cinnabarinum</i> sp. nov., and transfer of <i>Streptosporangium viridialbum</i> Nonomura and Ohara 1960 to <i>Sphaerosporangium viridialbum</i> comb. nov.. <i>Nihon Hosenkin Gakkai Shi = Actinomycetologica</i> , 2007, 21, 11-21.	0.3	69
1399	<i>Nonomuraea maheshkhaliensis</i> sp. nov., a novel actinomycete isolated from mangrove rhizosphere mud. <i>Journal of General and Applied Microbiology</i> , 2007, 53, 159-166.	0.4	41
1400	Screening and identification of xylanase-producing bacteria from Thai soils. <i>Journal of General and Applied Microbiology</i> , 2007, 53, 57-65.	0.4	9
1401	Phylogenetic systematics of microorganisms inhabiting thermal environments. <i>Biochemistry (Moscow)</i> , 2007, 72, 1299-1312.	0.7	32
1402	On the species-specificity of DNA: Fifty years later. <i>Biochemistry (Moscow)</i> , 2007, 72, 1377-1384.	0.7	19
1403	<i>Halomonas mongoliensis</i> sp. nov. and <i>Halomonas kenyensis</i> sp. nov., new haloalkaliphilic denitrifiers capable of N <sub>2</sub> O reduction, isolated from soda lakes. <i>Microbiology</i> , 2007, 76, 739-747.	0.5	38
1404	Vibrios of the spotted rose snapper <i>Lutjanus guttatus</i> Steindachner, 1869 from northwestern Mexico. <i>Journal of Applied Microbiology</i> , 2007, 102, 1518-1526.	1.4	29
1405	<i>Thermus thermophilus</i> TMY isolated from silica scale taken from a geothermal power plant. <i>Journal of Applied Microbiology</i> , 2007, 104, 070915213557005-???	1.4	14

#	ARTICLE	IF	CITATIONS
1406	A novel mcl PHA-producing bacterium, <i>Pseudomonas guezennei</i> sp. nov., isolated from a "kopara"™ mat located in Rangiroa, an atoll of French Polynesia. <i>Journal of Applied Microbiology</i> , 2007, 104, 071010063119006-???	1.4	8
1407	Pathogenicity assays restrict the species <i>Xanthomonas campestris</i> into three pathovars and reveal nine races within <i>X. campestris</i> pv. <i>campestris</i> . <i>Plant Pathology</i> , 2007, 56, 805-818.	1.2	99
1408	THE CYANOBACTERIAL GENUS <i>BRASILONEMA</i> , GEN. NOV., A MOLECULAR AND PHENOTYPIC EVALUATION <sup>1</sup> . <i>Journal of Phycology</i> , 2007, 43, 789-798.	1.0	105
1409	Diversity and geographical distribution of members of the <i>Streptomyces violaceusniger</i> 16S rRNA gene clade detected by clade-specific PCR primers. <i>FEMS Microbiology Ecology</i> , 2007, 62, 54-63.	1.3	17
1410	Identification of discriminative characteristics for clusters from biologic data with InforBIO software. <i>BMC Bioinformatics</i> , 2007, 8, 281.	1.2	1
1411	The taxonomy of <i>Enterobacter sakazakii</i> : proposal of a new genus <i>Cronobacter</i> gen. nov. and descriptions of <i>Cronobacter sakazakii</i> comb. nov. <i>Cronobacter sakazakii</i> subsp. <i>sakazakii</i> , comb. nov., <i>Cronobacter sakazakii</i> subsp. <i>malonaticus</i> subsp. nov., <i>Cronobacter turicensis</i> sp. nov., <i>Cronobacter muytjensii</i> sp. nov., <i>Cronobacter dublinensis</i> sp. nov. and <i>Cronobacter</i> genomospecies 1. <i>BMC Evolutionary Biology</i> , 2007, 7, 64.	3.2	275
1412	<i>Geobacillus zalihae</i> sp. nov., a thermophilic lipolytic bacterium isolated from palm oil mill effluent in Malaysia. <i>BMC Microbiology</i> , 2007, 7, 77.	1.3	64
1413	Classification of a moderately oxygen-tolerant isolate from baby faeces as <i>Bifidobacterium thermophilum</i> . <i>BMC Microbiology</i> , 2007, 7, 79.	1.3	47
1414	Nucleic acid techniques in bacterial systematics and identification. <i>International Journal of Food Microbiology</i> , 2007, 120, 225-236.	2.1	56
1415	A Systematics for Discovering the Fundamental Units of Bacterial Diversity. <i>Current Biology</i> , 2007, 17, R373-R386.	1.8	236
1416	The pan-genome: towards a knowledge-based discovery of novel targets for vaccines and antibacterials. <i>Drug Discovery Today</i> , 2007, 12, 429-439.	3.2	110
1417	Taxonomic characterization of members of the genus <i>Corallocooccus</i> : Molecular divergence versus phenotypic coherency. <i>Systematic and Applied Microbiology</i> , 2007, 30, 109-118.	1.2	30
1418	<i>Arsukibacterium ikkense</i> gen. nov., sp. nov, a novel alkaliphilic, enzyme-producing $\beta$ -Proteobacterium isolated from a cold and alkaline environment in Greenland. <i>Systematic and Applied Microbiology</i> , 2007, 30, 197-201.	1.2	26
1419	<i>Alkalibacillus halophilus</i> sp. nov., a new halophilic species isolated from hypersaline soil in Xin-Jiang province, China. <i>Systematic and Applied Microbiology</i> , 2007, 30, 268-272.	1.2	20
1420	Identification and biodegradation potential of a novel strain of <i>Dietzia cinnamea</i> isolated from a petroleum-contaminated tropical soil. <i>Systematic and Applied Microbiology</i> , 2007, 30, 331-339.	1.2	74
1421	<i>Legionella impletisoli</i> sp. nov. and <i>Legionella yabuuchiae</i> sp. nov., isolated from soils contaminated with industrial wastes in Japan. <i>Systematic and Applied Microbiology</i> , 2007, 30, 273-279.	1.2	43
1422	The phylogeny of the genus <i>Nitrobacter</i> based on comparative rep-PCR, 16S rRNA and nitrite oxidoreductase gene sequence analysis. <i>Systematic and Applied Microbiology</i> , 2007, 30, 297-308.	1.2	68
1423	Description of a new species, <i>Bifidobacterium crudilactis</i> sp. nov., isolated from raw milk and raw milk cheeses. <i>Systematic and Applied Microbiology</i> , 2007, 30, 381-389.	1.2	49

#	ARTICLE	IF	CITATIONS
1424	<i>Brachybacterium phenoliresistens</i> sp. nov., isolated from oil-contaminated coastal sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2674-2679.	0.8	38
1425	<i>Rhizobium cellulosityticum</i> sp. nov., isolated from sawdust of <i>Populus alba</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 844-848.	0.8	80
1426	Morphological and molecular characterization of selected desert soil cyanobacteria: three species new to science including <i>Mojavia pulchra</i> gen. et sp. Nov. <i>Phycologia</i> , 2007, 46, 481-502.	0.6	150
1427	New species in the genus <i>Francisella</i> (Gammaproteobacteria; Francisellaceae); <i>Francisella piscicida</i> sp. nov. isolated from cod ( <i>Gadus morhua</i> ). <i>Archives of Microbiology</i> , 2007, 188, 547-550.	1.0	59
1428	Biogeography: An Emerging Cornerstone for Understanding Prokaryotic Diversity, Ecology, and Evolution. <i>Microbial Ecology</i> , 2007, 53, 197-207.	1.4	228
1429	<i>Spiroplasma</i> species in the Costa Rican highlands: implications for biogeography and biodiversity. <i>Biodiversity and Conservation</i> , 2007, 16, 3877-3894.	1.2	8
1430	Molecular approaches: advantages and artifacts in assessing bacterial diversity. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2007, 34, 463-473.	1.4	80
1431	<i>Streptomyces gulbargensis</i> sp. nov., isolated from soil in Karnataka, India. <i>Antonie Van Leeuwenhoek</i> , 2007, 91, 99-104.	0.7	30
1432	Phylogenetic assignment and mechanism of action of a crop growth promoting <i>Rhizobium radiobacter</i> strain used as a biofertiliser on graminaceous crops in Russia. <i>Antonie Van Leeuwenhoek</i> , 2007, 91, 105-113.	0.7	36
1433	<i>Paenibacillus ginsengisoli</i> sp. nov., a novel bacterium isolated from soil of a ginseng field in Pocheon province, South Korea. <i>Antonie Van Leeuwenhoek</i> , 2007, 91, 127-135.	0.7	18
1434	<i>Nonomuraea aegyptia</i> sp. nov., a novel actinomycete isolated from a sand dune. <i>Antonie Van Leeuwenhoek</i> , 2007, 92, 165-171.	0.7	16
1435	The <i>Streptomyces violaceusniger</i> clade: a home for streptomycetes with rugose ornamented spores. <i>Antonie Van Leeuwenhoek</i> , 2007, 92, 173-199.	0.7	120
1436	<i>Streptomyces tritolerans</i> sp. nov., a novel actinomycete isolated from soil in Karnataka, India. <i>Antonie Van Leeuwenhoek</i> , 2007, 92, 391-397.	0.7	18
1437	<i>Tindallia texcoconensis</i> sp. nov., a new haloalkaliphilic bacterium isolated from lake Texcoco, Mexico. <i>Extremophiles</i> , 2007, 11, 33-39.	0.9	30
1438	Isolation of bisphenol A-tolerant/degrading <i>Pseudomonas monteilii</i> strain N-502. <i>Extremophiles</i> , 2007, 11, 355-362.	0.9	38
1439	Comparison of GenoType® MTBC with RFLP-PCR and multiplex PCR to identify <i>Mycobacterium tuberculosis</i> complex species. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2007, 26, 63-66.	1.3	12
1440	Polyphasic approach of bacterial classification – An overview of recent advances. <i>Indian Journal of Microbiology</i> , 2007, 47, 98-108.	1.5	85
1441	Diverse rhizobia associated with soybean grown in the subtropical and tropical regions of China. <i>Plant and Soil</i> , 2008, 310, 77-87.	1.8	73



#	ARTICLE	IF	CITATIONS
1442	Phylogenetic diversity based on rrs, atpD, recA genes and 16Sâ€“23S intergenic sequence analyses of rhizobial strains isolated from <i>Vicia faba</i> and <i>Pisum sativum</i> in Peru. Archives of Microbiology, 2008, 189, 239-247.	1.0	48
1443	Epibiotic <i>Vibrio Luminous Bacteria</i> Isolated from Some Hydrozoa and Bryozoa Species. Microbial Ecology, 2008, 56, 625-636.	1.4	93
1444	<i>Arthrobacter soli</i> sp. nov., a novel bacterium isolated from wastewater reservoir sediment. Journal of Microbiology, 2008, 46, 40-44.	1.3	77
1445	<i>Comamonas granuli</i> sp. nov., isolated from granules used in a wastewater treatment plant. Journal of Microbiology, 2008, 46, 390-395.	1.3	29
1446	<i>Lysobacter daecheongensis</i> sp. nov., isolated from sediment of stream near the Daechung dam in South Korea. Journal of Microbiology, 2008, 46, 519-524.	1.3	44
1447	<i>Acinetobacter soli</i> sp. nov., isolated from forest soil. Journal of Microbiology, 2008, 46, 396-401.	1.3	67
1448	<i>Luteimonas aestuarii</i> sp. nov., isolated from tidal flat sediment. Journal of Microbiology, 2008, 46, 525-529.	1.3	40
1449	<i>Salinicoccus salitudinis</i> sp. nov., a new moderately halophilic bacterium isolated from a saline soil sample. Extremophiles, 2008, 12, 197-203.	0.9	22
1450	<i>Halomonas sediminis</i> sp. nov., a new halophilic bacterium isolated from salt-lake sediment in China. Extremophiles, 2008, 12, 829-835.	0.9	8
1451	<i>Streptomyces sudanensis</i> sp. nov., a new pathogen isolated from patients with actinomycetoma. Antonie Van Leeuwenhoek, 2008, 93, 305-313.	0.7	65
1452	Genus-wide <i>Bacillus</i> species identification through proper artificial neural network experiments on fatty acid profiles. Antonie Van Leeuwenhoek, 2008, 94, 187-198.	0.7	18
1453	Sensors for detecting biological agents. Materials Today, 2008, 11, 38-49.	8.3	87
1454	Molecular Mechanisms of Plant and Microbe Coexistence. Soil Biology, 2008, , .	0.6	37
1455	<i>Rhodococcus kunmingensis</i> sp. nov., an actinobacterium isolated from a rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1467-1471.	0.8	32
1456	<i>Dietzia schimae</i> sp. nov. and <i>Dietzia cercidiphylli</i> sp. nov., from surface-sterilized plant tissues. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2549-2554.	0.8	51
1457	Characterization of a xylanase from a thermophilic strain of <i>Anoxybacillus pushchinoensis</i> A8. Biologia (Poland), 2008, 63, 599-606.	0.8	22
1458	CHARACTERIZATION OF HALOPHILIC BACTERIUM NB2-1 FROM<i>PLA-RA</i> AND ITS PROTEASE PRODUCTION. Journal of Food Biochemistry, 2008, 32, 536-555.	1.2	13
1459	Stable low molecular weight RNA profiling showed variations within <i>Sinorhizobium meliloti</i> and <i>Sinorhizobium medicae</i> nodulating different legumes from the alfalfa cross-inoculation group. FEMS Microbiology Letters, 2008, 282, 273-281.	0.7	10

#	ARTICLE	IF	CITATIONS
1460	<i>Myroides profundus</i> sp. nov., isolated from deep-sea sediment of the southern Okinawa Trough. FEMS Microbiology Letters, 2008, 287, 108-112.	0.7	39
1461	Microarray-based whole-genome hybridization as a tool for determining prokaryotic species relatedness. ISME Journal, 2008, 2, 642-655.	4.4	14
1462	Microbial diversity and the genetic nature of microbial species. Nature Reviews Microbiology, 2008, 6, 431-440.	13.6	521
1463	A NOVEL EPIPHYTIC CYANOBACTERIAL SPECIES FROM THE GENUS <i>BRASILONEMA</i> CAUSING DAMAGE TO <i>EUCALYPTUS</i> LEAVES. Journal of Phycology, 2008, 44, 1322-1334.	1.0	29
1464	The ecology and phylogeny of cyanobacterial symbionts in sponges. Marine Ecology, 2008, 29, 178-192.	0.4	102
1465	Phylogenetic analysis of <i>Porphyromonas</i> species isolated from the oral cavity of Australian marsupials. Environmental Microbiology, 2008, 10, 2425-2432.	1.8	20
1466	<i>Halomonas profundus</i> sp. nov., a new PHA-producing bacterium isolated from a deep-sea hydrothermal vent shrimp. Journal of Applied Microbiology, 2008, 104, 1425-1432.	1.4	65
1467	Isolation and characterization of <i>Ferroplasma thermophilum</i> sp. nov., a novel extremely acidophilic, moderately thermophilic archaeon and its role in bioleaching of chalcopyrite. Journal of Applied Microbiology, 2008, 105, 591-601.	1.4	76
1468	Reprint of "Nucleic acid techniques in bacterial systematics and identification" [Int. J. Food Microbiol., 120 (2007) 225-236]. International Journal of Food Microbiology, 2008, 125, I-XII.	2.1	2
1469	Recovery of a <i>Burkholderia thailandensis</i> -like isolate from an Australian water source. BMC Microbiology, 2008, 8, 54.	1.3	28
1470	Polyphasic taxonomy of acetic acid bacteria: An overview of the currently applied methodology. International Journal of Food Microbiology, 2008, 125, 2-14.	2.1	106
1471	Characterization of <i>Desulfomicrobium salsuginis</i> sp. nov. and <i>Desulfomicrobium aestuarii</i> sp. nov., two new sulfate-reducing bacteria isolated from the Adour estuary (French Atlantic coast) with specific mercury methylation potentials. Systematic and Applied Microbiology, 2008, 31, 30-37.	1.2	64
1472	<i>Deinococcus misasensis</i> and <i>Deinococcus roseus</i> , novel members of the genus <i>Deinococcus</i> , isolated from a radioactive site in Japan. Systematic and Applied Microbiology, 2008, 31, 43-49.	1.2	44
1473	Description of a novel indole-oxidizing bacterium <i>Pseudomonas indoloxydans</i> sp. nov., isolated from a pesticide-contaminated site. Systematic and Applied Microbiology, 2008, 31, 101-107.	1.2	24
1474	<i>Aeromonas tecta</i> sp. nov., isolated from clinical and environmental sources. Systematic and Applied Microbiology, 2008, 31, 278-286.	1.2	52
1475	<i>Gracilibacillus quinghaiensis</i> sp. nov., isolated from salt-lake sediment in the Qaidam Basin, north-west China. Systematic and Applied Microbiology, 2008, 31, 183-189.	1.2	15
1476	A multilocus sequence analysis of the genus <i>Xanthomonas</i> . Systematic and Applied Microbiology, 2008, 31, 366-377.	1.2	276
1477	Reclassification of subspecies of <i>Acidovorax avenae</i> as <i>A. Avenae</i> (Manns 1905) emend., <i>A. cattleyae</i> . Systematic and Applied Microbiology, 2008, 31, 434-446.	1.2	163

#	ARTICLE	IF	CITATIONS
1478	<i>Rhizobium multihospitium</i> sp. nov., isolated from multiple legume species native of Xinjiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1693-1699.	0.8	73
1479	<i>Rhizobium oryzae</i> sp. nov., isolated from the wild rice <i>Oryza alta</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2158-2163.	0.8	88
1480	<i>Shinella kummerowiae</i> sp. nov., a symbiotic bacterium isolated from root nodules of the herbal legume <i>Kummerowia stipulacea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1409-1413.	0.8	100
1481	<i>Comamonas composti</i> sp. nov., isolated from food waste compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 251-256.	0.8	37
1482	<i>Lactobacillus senmaizukei</i> sp. nov., isolated from Japanese pickle. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1625-1629.	0.8	34
1483	<i>Microbacterium aquimaris</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1616-1620.	0.8	29
1484	<i>Pseudomonas syringae</i> Pathovars and Related Pathogens – Identification, Epidemiology and Genomics. , 2008, , .		9
1486	Unravelling the genomic mosaic of a ubiquitous genus of marine cyanobacteria. <i>Genome Biology</i> , 2008, 9, R90.	13.9	288
1487	The taxonomic validation of the cyanobacterial genus <i>Halothece</i> . <i>Phycologia</i> , 2008, 47, 477-486.	0.6	24
1488	<i>Salinicoccus iranensis</i> sp. nov., a novel moderate halophile. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 178-183.	0.8	23
1489	Identifying the fundamental units of bacterial diversity: A paradigm shift to incorporate ecology into bacterial systematics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 2504-2509.	3.3	286
1490	Section 3 update: Denaturing gradient gel electrophoresis (DGGE) in microbial ecology. , 2008, , 2645-2671.		1
1491	Section 3 update - Identification and classification of microbes using DNA and RNA sequences. , 2008, , 509-850.		1
1492	Statistical superiority of genome-probing microarrays as genomic DNA–DNA hybridization in revealing the bacterial phylogenetic relationship compared to conventional methods. <i>Journal of Microbiological Methods</i> , 2008, 75, 523-530.	0.7	67
1493	Ecology and genomics of <i>Bacillus subtilis</i> . <i>Trends in Microbiology</i> , 2008, 16, 269-275.	3.5	404
1494	Siderotyping, a Straightforward Tool to Identify Soil and Plant-Related <i>Pseudomonads</i> . <i>Soil Biology</i> , 2008, , 369-382.	0.6	4
1495	<i>Mesorhizobium gobiense</i> sp. nov. and <i>Mesorhizobium tarimense</i> sp. nov., isolated from wild legumes growing in desert soils of Xinjiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2610-2618.	0.8	69
1496	<i>Microbacterium kribbense</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2536-2540.	0.8	17

#	ARTICLE	IF	CITATIONS
1497	Phylogenetic Characterization of Two Novel Commensal Bacteria Involved with Innate Immune Homeostasis in <i>Drosophila melanogaster</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 6171-6177.	1.4	85
1498	<i>Aeromonas aquariorum</i> sp. nov., isolated from aquaria of ornamental fish. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1169-1175.	0.8	107
1499	Diversity of Human Vaginal Bacterial Communities and Associations with Clinically Defined Bacterial Vaginosis. <i>Applied and Environmental Microbiology</i> , 2008, 74, 4898-4909.	1.4	230
1500	<i>Aeromicrobium ponti</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 987-991.	0.8	56
1502	<i>Edaphobacter modestus</i> gen. nov., sp. nov., and <i>Edaphobacter aggregans</i> sp. nov., acidobacteria isolated from alpine and forest soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1114-1122.	0.8	123
1503	<i>Thermodesulfovibrio aggregans</i> sp. nov. and <i>Thermodesulfovibrio thiophilus</i> sp. nov., anaerobic, thermophilic, sulfate-reducing bacteria isolated from thermophilic methanogenic sludge, and emended description of the genus <i>Thermodesulfovibrio</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2541-2548.	0.8	121
1504	<i>Nesterenkonia halophila</i> sp. nov., a moderately halophilic, alkalitolerant actinobacterium isolated from a saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1359-1363.	0.8	48
1505	<i>Halobacillus mangrovi</i> sp. nov., a moderately halophilic bacterium isolated from the black mangrove <i>Avicennia germinans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 125-130.	0.8	35
1506	<i>Nocardiopsis arabia</i> sp. nov., a halotolerant actinomycete isolated from a sand-dune soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2520-2524.	0.8	29
1507	<i>Phycoccus aerophilus</i> sp. nov., isolated from air. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2389-2392.	0.8	19
1508	<i>Sphingosinicella soli</i> sp. nov., isolated from an alkaline soil in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 173-177.	0.8	18
1509	<i>Phycoccus dokdonensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 597-600.	0.8	33
1510	<i>Chelatococcus daeguensis</i> sp. nov., isolated from wastewater of a textile dye works, and emended description of the genus <i>Chelatococcus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2224-2228.	0.8	37
1511	<i>Lentibacillus salinarum</i> sp. nov., isolated from a marine solar saltern in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 45-49.	0.8	21
1512	<i>Virgibacillus kekensis</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 647-653.	0.8	36
1513	<i>Pseudomonas marincola</i> sp. nov., isolated from marine environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 706-710.	0.8	38
1514	<i>Salinivibrio proteolyticus</i> sp. nov., a moderately halophilic and proteolytic species from a hypersaline lake in Iran. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1159-1163.	0.8	52
1515	<i>Salegentibacter salinarum</i> sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 365-369.	0.8	16

#	ARTICLE	IF	CITATIONS
1516	<i>Microbulbifer agarilyticus</i> sp. nov. and <i>Microbulbifer thermotolerans</i> sp. nov., agar-degrading bacteria isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1128-1133.	0.8	69
1517	<i>Microclunatus aurantiacus</i> sp. nov., a novel actinobacterium isolated from a rhizosphere soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1873-1877.	0.8	26
1518	<i>Kribbella catacumbae</i> sp. nov. and <i>Kribbella sancticallisti</i> sp. nov., isolated from whitish-grey patinas in the catacombs of St Callistus in Rome, Italy. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2090-2097.	0.8	44
1519	<i>Sphingopyxis marina</i> sp. nov. and <i>Sphingopyxis litoris</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2415-2419.	0.8	40
1520	<i>Rhodobacter megalophilus</i> sp. nov., a phototroph from the Indian Himalayas possessing a wide temperature range for growth. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1792-1796.	0.8	24
1521	<i>Desulfovibrio marinisediminis</i> sp. nov., a novel sulfate-reducing bacterium isolated from coastal marine sediment via enrichment with Casamino acids. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2433-2438.	0.8	31
1522	<i>Leisingera aquimarina</i> sp. nov., isolated from a marine electroactive biofilm, and emended descriptions of <i>Leisingera methylohalidivorans</i> Schaefer et al. 2002, <i>Phaeobacter daeponensis</i> Yoon et al. 2007 and <i>Phaeobacter inhibens</i> Martens et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2788-2793.	0.8	47
1523	<i>Bizionia argentinensis</i> sp. nov., isolated from surface marine water in Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2363-2367.	0.8	34
1524	<i>Massilia aerilata</i> sp. nov., isolated from an air sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1422-1425.	0.8	52
1525	<i>Actinomadura bangladeshensis</i> sp. nov. and <i>Actinomadura chokoriensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1653-1659.	0.8	23
1526	<i>Nocardia wallacei</i> sp. nov. and <i>Nocardia blacklockiae</i> sp. nov., Human Pathogens and Members of the <i>Nocardia transvalensis</i> Complex. <i>Journal of Clinical Microbiology</i> , 2008, 46, 1178-1184.	1.8	60
1527	<i>Lactococcus chungangensis</i> sp. nov., a lactic acid bacterium isolated from activated sludge foam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1844-1849.	0.8	71
1528	<i>Lactobacillus hordei</i> sp. nov., a bacteriocinogenic strain isolated from malted barley. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2013-2017.	0.8	29
1529	<i>Halorhabdus tiamatea</i> sp. nov., a non-pigmented, extremely halophilic archaeon from a deep-sea, hypersaline anoxic basin of the Red Sea, and emended description of the genus <i>Halorhabdus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 215-220.	0.8	124
1530	<i>Kineococcus gynurae</i> sp. nov., isolated from a Thai medicinal plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2439-2442.	0.8	26
1531	Siderophore Uses in <i>Pseudomonas syringae</i> Identification. , 2008, , 21-35.		4
1532	<i>Ruegeria scottomollicae</i> sp. nov., isolated from a marine electroactive biofilm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2726-2733.	0.8	52
1533	<i>Halolactibacillus alkaliphilus</i> sp. nov., a moderately alkaliphilic and halophilic bacterium isolated from a soda lake in Inner Mongolia, China, and emended description of the genus <i>Halolactibacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2169-2173.	0.8	39

#	ARTICLE	IF	CITATIONS
1534	Homologous Recombination in <i>Agrobacterium</i> : Potential Implications for the Genomic Species Concept in Bacteria. <i>Molecular Biology and Evolution</i> , 2008, 26, 167-176.	3.5	37
1535	<i>Acetobacter fabarum</i> sp. nov., an acetic acid bacterium from a Ghanaian cocoa bean heap fermentation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2180-2185.	0.8	73
1536	<i>Desulfosporosinus hippei</i> sp. nov., a mesophilic sulfate-reducing bacterium isolated from permafrost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1228-1232.	0.8	43
1537	<i>Sphingomonas insulae</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 231-236.	0.8	19
1538	<i>Pontibacter korensis</i> sp. nov., isolated from the desert of Xinjiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1210-1214.	0.8	57
1539	<i>Marinomonas arctica</i> sp. nov., a psychrotolerant bacterium isolated from the Arctic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1715-1718.	0.8	33
1540	<i>Micromonospora rifamycinica</i> sp. nov., a novel actinomycete from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 17-20.	0.8	53
1541	<i>Chryseobacterium aquifrigidense</i> sp. nov., isolated from a water-cooling system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 607-611.	0.8	28
1542	<i>Paenibacillus castaneae</i> sp. nov., isolated from the phyllosphere of <i>Castanea sativa</i> Miller. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2560-2564.	0.8	29
1543	<i>Aurantimonas frigidaquae</i> sp. nov., isolated from a water-cooling system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1142-1146.	0.8	30
1544	<i>Vibrio sinaloensis</i> sp. nov., isolated from the spotted rose snapper, <i>Lutjanus guttatus</i> Steindachner, 1869. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1621-1624.	0.8	32
1545	<i>Aeromicrobium flavum</i> sp. nov., isolated from air. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1860-1863.	0.8	28
1546	<i>Sporosarcina antarctica</i> sp. nov., a psychrophilic bacterium isolated from the Antarctic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2114-2117.	0.8	28
1547	Description of <i>Persicirhabdus sediminis</i> gen. nov., sp. nov., <i>Roseibacillus ishigakijimensis</i> gen. nov., sp. nov., <i>Roseibacillus ponti</i> sp. nov., <i>Roseibacillus persicicus</i> sp. nov., <i>Luteolibacter pohnppeiensis</i> gen. nov., sp. nov. and <i>Luteolibacter algae</i> sp. nov., six marine members of the phylum 'Verrucomicrobia', and emended descriptions of the class Verrucomicrobiae, the order Verrucomicrobiales and the family Verrucomicrobiaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 998-1007.	0.8	121
1548	<i>Psychromonas heitensis</i> sp. nov., a psychrotolerant bacterium isolated from seawater in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2253-2257.	0.8	10
1549	<i>Nocardioides hankookensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 434-437.	0.8	23
1550	<i>Nocardiopsis quinghaiensis</i> sp. nov., isolated from saline soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 699-705.	0.8	37
1551	<i>Chryseobacterium hungaricum</i> sp. nov., isolated from hydrocarbon-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2748-2754.	0.8	52

#	ARTICLE	IF	CITATIONS
1552	<i>Muricauda lutimaris</i> sp. nov., isolated from a tidal flat of the Yellow Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1603-1607.	0.8	37
1553	Taxonomic study of a chromomycin-producing strain and reclassification of <i>Streptomyces cavourensis</i> subsp. <i>washingtonensis</i> as a later synonym of <i>Streptomyces griseus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2783-2787.	0.8	11
1554	<i>Tenacibaculum adriaticum</i> sp. nov., from a bryozoan in the Adriatic Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 542-547.	0.8	36
1555	<i>Pediococcus argentinicus</i> sp. nov. from Argentinean fermented wheat flour and identification of <i>Pediococcus</i> species by <i>pheS</i> , <i>rpoA</i> and <i>atpA</i> sequence analysis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2909-2916.	0.8	47
1556	<i>Terrabacter lapilli</i> sp. nov., an actinomycete isolated from stone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1084-1088.	0.8	18
1557	<i>Pseudoxanthomonas sacheonensis</i> sp. nov., isolated from BTEX-contaminated soil in Korea, transfer of <i>Stenotrophomonas dokdonensis</i> Yoon et al. 2006 to the genus <i>Pseudoxanthomonas</i> as <i>Pseudoxanthomonas dokdonensis</i> comb. nov. and emended description of the genus <i>Pseudoxanthomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2235-2240.	0.8	43
1558	<i>Labrys portucalensis</i> sp. nov., a fluorobenzene-degrading bacterium isolated from an industrially contaminated sediment in northern Portugal. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 692-698.	0.8	29
1559	<i>Micromonospora chaiyaphumensis</i> sp. nov., isolated from Thai soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 924-928.	0.8	17
1560	<i>Hellea balneolensis</i> gen. nov., sp. nov., a prosthecate alphaproteobacterium from the Mediterranean Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2511-2519.	0.8	42
1561	<i>Kriegella aquimaris</i> gen. nov., sp. nov., isolated from marine environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2624-2628.	0.8	19
1562	<i>Bacillus cecembensis</i> sp. nov., isolated from the Pindari glacier of the Indian Himalayas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2330-2335.	0.8	49
1563	<i>Moritella dasanensis</i> sp. nov., a psychrophilic bacterium isolated from the Arctic ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 817-820.	0.8	26
1564	<i>Paenibacillus taichungensis</i> sp. nov., from soil in Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2640-2645.	0.8	23
1565	<i>Psychromonas japonica</i> sp. nov., <i>Psychromonas aquimarina</i> sp. nov., <i>Psychromonas macrocephali</i> sp. nov. and <i>Psychromonas ossibalaenae</i> sp. nov., psychrotrophic bacteria isolated from sediment adjacent to sperm whale carcasses off Kagoshima, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1709-1714.	0.8	36
1566	<i>Saccharopolyspora antimicrobica</i> sp. nov., an actinomycete from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1180-1185.	0.8	60
1567	<i>Cellulomonas chitinilytica</i> sp. nov., a chitinolytic bacterium isolated from cattle-farm compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1878-1884.	0.8	31
1568	<i>Streptomyces deccanensis</i> sp. nov., an alkaliphilic species isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1089-1093.	0.8	17
1569	<i>Aeromicrobium ginsengisoli</i> sp. nov., isolated from a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2025-2030.	0.8	28

#	ARTICLE	IF	CITATIONS
1570	Novel <i>Brucella</i> Strain (BO1) Associated with a Prosthetic Breast Implant Infection. <i>Journal of Clinical Microbiology</i> , 2008, 46, 43-49.	1.8	100
1571	<i>Amphritea japonica</i> sp. nov. and <i>Amphritea balenae</i> sp. nov., isolated from the sediment adjacent to sperm whale carcasses off Kagoshima, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2815-2820.	0.8	24
1572	<i>Castellaniella caeni</i> sp. nov., a denitrifying bacterium isolated from sludge of a leachate treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2141-2146.	0.8	28
1573	Complete <i>rpoB</i> gene sequencing as a suitable supplement to DNA-DNA hybridization for bacterial species and genus delineation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1807-1814.	0.8	118
1574	<i>Nocardioides hwasunensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 278-281.	0.8	29
1575	<i>Phaeobacter arcticus</i> sp. nov., a psychrophilic bacterium isolated from the Arctic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1384-1387.	0.8	43
1576	<i>Gaetbulibacter marinus</i> sp. nov., isolated from coastal seawater, and emended description of the genus <i>Gaetbulibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 315-318.	0.8	44
1577	<i>Thalassospira tepidiphila</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 711-715.	0.8	102
1578	<i>Hahella antarctica</i> sp. nov., isolated from Antarctic seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 353-356.	0.8	11
1579	<i>Rothia terrae</i> sp. nov. isolated from soil in Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 84-88.	0.8	33
1580	<i>Rheinheimera tangshanensis</i> sp. nov., a rice root-associated bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2420-2424.	0.8	42
1581	<i>Microbulbifer halophilus</i> sp. nov., a moderately halophilic bacterium from north-west China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2036-2040.	0.8	25
1582	<i>Neptunomonas japonica</i> sp. nov., an <i>Osedax japonicus</i> symbiont-like bacterium isolated from sediment adjacent to sperm whale carcasses off Kagoshima, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 866-871.	0.8	47
1583	<i>Chryseobacterium ureilyticum</i> sp. nov., <i>Chryseobacterium gambrini</i> sp. nov., <i>Chryseobacterium pallidum</i> sp. nov. and <i>Chryseobacterium molle</i> sp. nov., isolated from beer-bottling plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 26-33.	0.8	82
1584	<i>Marinobacter guineae</i> sp. nov., a novel moderately halophilic bacterium from an Antarctic environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1346-1349.	0.8	53
1585	Proposal to reclassify the three biotypes of <i>Bifidobacterium longum</i> as three subspecies: <i>Bifidobacterium longum</i> subsp. <i>longum</i> subsp. nov., <i>Bifidobacterium longum</i> subsp. <i>infantis</i> comb. nov. and <i>Bifidobacterium longum</i> subsp. <i>suis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 767-772.	0.8	107
1586	<i>Agromyces terreus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1308-1312.	0.8	24
1587	Proposal for transfer of <i>Pelagibacillus goriensis</i> Kim et al. 2007 to the genus <i>Terribacillus</i> as <i>Terribacillus goriensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2287-2291.	0.8	17



#	ARTICLE	IF	CITATIONS
1588	Five new members of the <i>Streptomyces violaceusniger</i> 16S rRNA gene clade: <i>Streptomyces castelarensis</i> sp. nov., comb. nov., <i>Streptomyces himastatinicus</i> sp. nov., <i>Streptomyces mordarskii</i> sp. nov., <i>Streptomyces rapamycinicus</i> sp. nov. and <i>Streptomyces ruanii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1369-1378.	0.8	83
1589	<i>Nocardioides dokdonensis</i> sp. nov., an actinomycete isolated from sand sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2619-2623.	0.8	39
1590	<i>Vogesella perlucida</i> sp. nov., a non-pigmented bacterium isolated from spring water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2677-2681.	0.8	23
1591	<i>Arthrobacter defluvii</i> sp. nov., 4-chlorophenol-degrading bacteria isolated from sewage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1916-1921.	0.8	48
1592	<i>Devosia chinhatensis</i> sp. nov., isolated from a hexachlorocyclohexane (HCH) dump site in India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 861-865.	0.8	82
1593	<i>Sphingopyxis ginsengisoli</i> sp. nov., isolated from soil of a ginseng field in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2342-2347.	0.8	35
1594	<i>Streptomyces lunalinharesii</i> sp. nov., a chitinolytic streptomycete isolated from cerrado soil in Brazil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2774-2778.	0.8	21
1595	<i>Brevibacterium oceani</i> sp. nov., isolated from deep-sea sediment of the Chagos Trench, Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 57-60.	0.8	44
1596	<i>Flavobacterium lindanitolerans</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1665-1669.	0.8	46
1597	<i>Phycoccus bigeumensis</i> sp. nov., a mesophilic actinobacterium isolated from Bigeum Island, Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2425-2428.	0.8	17
1598	<i>Lacinutrix algicola</i> sp. nov. and <i>Lacinutrix mariniflava</i> sp. nov., two novel marine alga-associated bacteria and emended description of the genus <i>Lacinutrix</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2694-2698.	0.8	44
1599	<i>Nesterenkonia flava</i> sp. nov., isolated from paper-mill effluent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1927-1930.	0.8	30
1600	Reclassification of <i>Acinetobacter grimontii</i> Carr et al. 2003 as a later synonym of <i>Acinetobacter junii</i> Bouvet and Grimont 1986. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 937-940.	0.8	33
1601	<i>Roseovarius aestuarii</i> sp. nov., isolated from a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1198-1202.	0.8	47
1602	Advantages of multilocus sequence analysis for taxonomic studies: a case study using 10 housekeeping genes in the genus <i>Ensifer</i> (including former <i>Sinorhizobium</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 200-214.	0.8	391
1603	<i>Haloferula rosea</i> gen. nov., sp. nov., <i>Haloferula harenae</i> sp. nov., <i>Haloferula phyci</i> sp. nov., <i>Haloferula helveola</i> sp. nov. and <i>Haloferula sargassicola</i> sp. nov., five marine representatives of the family <i>Verrucomicrobiaceae</i> within the phylum 'Verrucomicrobia'. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2491-2500.	0.8	61
1604	<i>Microbacterium ginsengisoli</i> sp. nov., a $\hat{A}$ -glucosidase-producing bacterium isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 429-433.	0.8	39
1605	<i>Kaistia soli</i> sp. nov., isolated from a wetland in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1522-1524.	0.8	16

#	ARTICLE	IF	CITATIONS
1606	<i>Massilia brevitalea</i> sp. nov., a novel betaproteobacterium isolated from lysimeter soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1245-1251.	0.8	47
1607	<i>Sphingobacterium siyangense</i> sp. nov., isolated from farm soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1458-1462.	0.8	43
1608	<i>Chryseobacterium aquaticum</i> sp. nov., isolated from a water reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 533-537.	0.8	56
1609	<i>Luteimonas aquatica</i> sp. nov., isolated from fresh water from Southern Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2051-2055.	0.8	35
1610	<i>Rubritalea sabuli</i> sp. nov., a carotenoid- and squalene-producing member of the family Verrucomicrobiaceae, isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 992-997.	0.8	27
1611	<i>Nocardiopsis ganjiahuensis</i> sp. nov., isolated from a soil from Ganjiahu, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 195-199.	0.8	16
1612	<i>Luteimonas marina</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2904-2908.	0.8	33
1613	<i>Pseudomonas panipatensis</i> sp. nov., isolated from an oil-contaminated site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1339-1345.	0.8	36
1614	<i>Microclunatus panaciterrae</i> sp. nov., a $\hat{A}$ -glucosidase-producing bacterium isolated from soil in a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2734-2738.	0.8	25
1615	Reclassification of <i>Rosevirga seohaensis</i> (Yoon et al. 2005) Lau et al. 2006 as a later synonym of <i>Rosevirga ehrenbergii</i> Nedashkovskaya et al. 2005 and emendation of the species description. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1194-1197.	0.8	24
1616	<i>Brevibacterium marinum</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 500-504.	0.8	25
1617	<i>Lysobacter capsici</i> sp. nov., with antimicrobial activity, isolated from the rhizosphere of pepper, and emended description of the genus <i>Lysobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 387-392.	0.8	126
1618	Lack of Evidence for <i>Acinetobacter septicus</i> as a Species Different from <i>Acinetobacter ursingii</i> ?. <i>Journal of Clinical Microbiology</i> , 2008, 46, 2826-2827.	1.8	12
1619	<i>Halobacillus seohaensis</i> sp. nov., isolated from a marine solar saltern in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 622-627.	0.8	27
1620	<i>Acinetobacter septicus</i> sp. nov. Association with a Nosocomial Outbreak of Bacteremia in a Neonatal Intensive Care Unit. <i>Journal of Clinical Microbiology</i> , 2008, 46, 902-908.	1.8	45
1621	<i>Tamlana agarivorans</i> sp. nov., isolated from seawater off Jeju Island in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1892-1895.	0.8	26
1622	<i>Enterobacter pulveris</i> sp. nov., isolated from fruit powder, infant formula and an infant formula production environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 237-241.	0.8	49
1623	<i>Paenibacillus provencensis</i> sp. nov., isolated from human cerebrospinal fluid, and <i>Paenibacillus urinalis</i> sp. nov., isolated from human urine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 682-687.	0.8	52

#	ARTICLE	IF	CITATIONS
1624	Kribbella hippodromi sp. nov., isolated from soil from a racecourse in South Africa. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 443-446.	0.8	30
1625	Azonexus hydrophilus sp. nov., a nifH gene-harboring bacterium isolated from freshwater. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 946-951.	0.8	36
1626	Diversity of Capnocytophaga species in children and description of Capnocytophaga leadbetteri sp. nov. and Capnocytophaga genospecies AHN8471. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 324-336.	0.8	50
1627	Alteromonas genovensis sp. nov., isolated from a marine electroactive biofilm and emended description of Alteromonas macleodii Baumann et al. 1972 (Approved Lists 1980). International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2589-2596.	0.8	58
1628	Pseudogulbenkiania subflava gen. nov., sp. nov., isolated from a cold spring. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2384-2388.	0.8	22
1629	Saccharopolyspora shandongensis sp. nov., isolated from wheat-field soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1094-1099.	0.8	31
1630	Dietzia papillomatosis sp. nov., a novel actinomycete isolated from the skin of an immunocompetent patient with confluent and reticulated papillomatosis. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 68-72.	0.8	68
1631	Thermobifida halotolerans sp. nov., isolated from a salt mine sample, and emended description of the genus Thermobifida. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1821-1825.	0.8	45
1632	Nomenclature and taxonomy of halophilic archaea - comments on the proposal by DasSarma and DasSarma for nomenclatural changes within the order Halobacteriales. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2245-2246.	0.8	6
1633	Genetic and physiological diversity of Tetragenococcus halophilus strains isolated from sugar- and salt-rich environments. Microbiology (United Kingdom), 2008, 154, 2600-2610.	0.7	39
1634	Deinococcus aquaticus sp. nov., isolated from fresh water, and Deinococcus caeni sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2348-2353.	0.8	79
1635	Evolution and Diversity of Frankia. Microbiology Monographs, 2008, , 103-125.	0.3	13
1636	Anoxybacillus kamchatkensis subsp. asaccharedens subsp. nov., a thermophilic bacterium isolated from a hot spring in Batman. Journal of General and Applied Microbiology, 2008, 54, 327-334.	0.4	26
1637	BOX-PCR-based identification of bacterial species belonging to Pseudomonas syringae: P. viridiflava group. Genetics and Molecular Biology, 2008, 31, 106-115.	0.6	44
1638	Purification and Characterization of Alginate Lyase from Pseudoalteromonas sp. Strain No. 1786. Journal of Applied Glycoscience (1999), 2008, 55, 81-88.	0.3	4
1639	Actinomadura maheshkhaliensis sp. nov., a novel actinomycete isolated from mangrove rhizosphere soil of Maheshkhali, Bangladesh. Journal of General and Applied Microbiology, 2008, 54, 335-342.	0.4	14
1640	The Human Microbiome and Infectious Diseases: Beyond Koch. Interdisciplinary Perspectives on Infectious Diseases, 2008, 2008, 1-2.	0.6	11
1641	Micromonospora krabiensis sp. nov., isolated from marine soil in Thailand. Journal of General and Applied Microbiology, 2008, 54, 127-133.	0.4	16

#	ARTICLE	IF	CITATIONS
1642	<i>Microbacterium awajiense</i> sp. nov., <i>Microbacterium fluvii</i> sp. nov. and <i>Microbacterium pygmaeum</i> sp. nov.. <i>Nihon Hosenkin Gakkai Shi = Actinomycetologica</i> , 2008, 22, 1-5.	0.3	18
1643	Intrageneric relationships of members of the genus <i>Rhodopseudomonas</i> . <i>Journal of General and Applied Microbiology</i> , 2009, 55, 469-478.	0.4	20
1644	Horizontal Gene Transfer: Uptake of Extracellular DNA by Bacteria. , 2009, , 587-596.		1
1645	<i>Arsenicococcus piscis</i> sp. nov., a Mesophilic Actinobacterium Isolated from the Intestinal Tract of a Fish. <i>Nihon Hosenkin Gakkai Shi = Actinomycetologica</i> , 2009, 23, 40-45.	0.3	19
1646	<i>Thermaerobacter composti</i> sp. nov., a novel extremely thermophilic bacterium isolated from compost. <i>Journal of General and Applied Microbiology</i> , 2009, 55, 323-328.	0.4	24
1647	<i>Kitasatospora saccharophila</i> sp. nov. and <i>Kitasatospora kazusanensis</i> sp. nov., isolated from soil and transfer of <i>Streptomyces atroaurantiacus</i> to the genus <i>Kitasatospora</i> as <i>Kitasatospora atroaurantiaca</i> comb. nov.. <i>Journal of General and Applied Microbiology</i> , 2009, 55, 19-26.	0.4	13
1648	<i>Oceanobacillus soja</i> sp. nov. isolated from soy sauce production equipment in Japan. <i>Journal of General and Applied Microbiology</i> , 2009, 55, 225-232.	0.4	40
1649	<i>Kineosporia babensis</i> sp. nov., isolated from plant litter in Vietnam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 550-554.	0.8	15
1650	Differentiation of species of the family <i>Acetobacteraceae</i> by AFLP DNA fingerprinting: <i>Gluconacetobacter kombuchae</i> is a later heterotypic synonym of <i>Gluconacetobacter hansenii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1771-1786.	0.8	61
1651	<i>Virgibacillus salinus</i> sp. nov., a moderately halophilic bacterium from sediment of a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3068-3073.	0.8	27
1652	<i>Micrococcus endophyticus</i> sp. nov., isolated from surface-sterilized <i>Aquilaria sinensis</i> roots. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1070-1075.	0.8	38
1653	The Modern Concept of the Procaryote. <i>Journal of Bacteriology</i> , 2009, 191, 2000-2005.	1.0	57
1654	Shifting the genomic gold standard for the prokaryotic species definition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19126-19131.	3.3	5,234
1655	<i>Methylophilus rhizosphaerae</i> sp. nov., a restricted facultative methylotroph isolated from rice rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2904-2908.	0.8	47
1656	<i>Paraliobacillus quinghaiensis</i> sp. nov., isolated from salt-lake sediment in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 28-33.	0.8	28
1657	<i>Planomicrobium flavidum</i> sp. nov., isolated from a marine solar saltern, and transfer of <i>Planococcus stackebrandtii</i> Mayilraj et al. 2005 to the genus <i>Planomicrobium</i> as <i>Planomicrobium stackebrandtii</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2929-2933.	0.8	35
1658	<i>Dyella ginsengisoli</i> sp. nov., isolated from soil of a ginseng field in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 460-465.	0.8	42
1659	<i>Flectobacillus roseus</i> sp. nov., isolated from freshwater in Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2546-2551.	0.8	19

#	ARTICLE	IF	CITATIONS
1660	Isolation of a Human Intestinal Bacterium Capable of Daidzein and Genistein Conversion. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1740-1744.	1.4	137
1661	<i>Delftia lacustris</i> sp. nov., a peptidoglycan-degrading bacterium from fresh water, and emended description of <i>Delftia tsuruhatensis</i> as a peptidoglycan-degrading bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2195-2199.	0.8	97
1662	<i>Streptomyces plumbiresistens</i> sp. nov., a lead-resistant actinomycete isolated from lead-polluted soil in north-west China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1326-1330.	0.8	20
1663	<i>Streptomyces marokkonensis</i> sp. nov., isolated from rhizosphere soil of <i>Argania spinosa</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2857-2863.	0.8	24
1664	<i>Vogesella lacus</i> sp. nov., isolated from a soft-shell turtle culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2629-2632.	0.8	17
1665	<i>Alcanivorax hongdengensis</i> sp. nov., an alkane-degrading bacterium isolated from surface seawater of the straits of Malacca and Singapore, producing a lipopeptide as its biosurfactant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1474-1479.	0.8	46
1666	<i>Bradyrhizobium pachyrhizi</i> sp. nov. and <i>Bradyrhizobium jicamae</i> sp. nov., isolated from effective nodules of <i>Pachyrhizus erosus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1929-1934.	0.8	127
1667	<i>Microbacterium binotii</i> sp. nov., isolated from human blood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1016-1022.	0.8	34
1668	<i>Chitinophaga rupis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2830-2833.	0.8	20
1669	<i>Lewinella antarctica</i> sp. nov., a marine bacterium isolated from Antarctic seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 65-68.	0.8	28
1670	<i>Bowmanella pacifica</i> sp. nov., isolated from a pyrene-degrading consortium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1579-1582.	0.8	22
1671	<i>Paracoccus saliphilus</i> sp. nov., a halophilic bacterium isolated from a saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1924-1928.	0.8	33
1672	<i>Verrucosipora lutea</i> sp. nov., isolated from a mangrove sediment sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2269-2273.	0.8	29
1673	<i>Algoriphagus olei</i> sp. nov., isolated from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2909-2915.	0.8	42
1674	Proposed minimal standards for describing new taxa of aerobic, endospore-forming bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2114-2121.	0.8	428
1675	<i>Bacillus neizhouensis</i> sp. nov., a halophilic marine bacterium isolated from a sea anemone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3035-3039.	0.8	36
1676	<i>Desulfosporosinus youngiae</i> sp. nov., a spore-forming, sulfate-reducing bacterium isolated from a constructed wetland treating acid mine drainage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2743-2746.	0.8	48
1677	<i>Pantoea vagans</i> sp. nov., <i>Pantoea eucalypti</i> sp. nov., <i>Pantoea deleyi</i> sp. nov. and <i>Pantoea anthophila</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2339-2345.	0.8	125

#	ARTICLE	IF	CITATIONS
1678	Taxon K, a complex within the Burkholderia cepacia complex, comprises at least two novel species, Burkholderia contaminans sp. nov. and Burkholderia lata sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 102-111.	0.8	280
1679	Halorubrum chaoviator sp. nov., a haloarchaeon isolated from sea salt in Baja California, Mexico, Western Australia and Naxos, Greece. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1908-1913.	0.8	50
1680	Lysobacter oryzae sp. nov., isolated from the rhizosphere of rice (Oryza sativa L.). International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 675-680.	0.8	43
1681	Spirosoma panaciterrae sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 331-335.	0.8	58
1682	Pigmentiphaga litoralis sp. nov., a facultatively anaerobic bacterium isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 521-525.	0.8	25
1683	Clostridium clariflavum sp. nov. and Clostridium caenicola sp. nov., moderately thermophilic, cellulose-/cellobiose-digesting bacteria isolated from methanogenic sludge. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1764-1770.	0.8	118
1684	Nocardia iowensis sp. nov., an organism rich in biocatalytically important enzymes and nitric oxide synthase. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2408-2414.	0.8	19
1685	Kineococcus rhizosphaerae sp. nov., isolated from rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2204-2207.	0.8	21
1686	Paenibacillus harenae sp. nov., isolated from desert sand in China. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 13-17.	0.8	19
1687	Paramoritella alkaliphila gen. nov., sp. nov., a member of the family Moritellaceae isolated in the Republic of Palau. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 411-416.	0.8	13
1688	Amycolatopsis marina sp. nov., an actinomycete isolated from an ocean sediment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 477-481.	0.8	61
1689	Pedobacter nyackensis sp. nov., Pedobacter alluvionis sp. nov. and Pedobacter borealis sp. nov., isolated from Montana flood-plain sediment and forest soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1720-1726.	0.8	70
1690	Paenibacillus pueri sp. nov., isolated from Pu'er tea. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1002-1006.	0.8	40
1691	Psychromonas agarivorans sp. nov., a novel agarolytic bacterium. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1262-1266.	0.8	22
1692	Mesorhizobium metallidurans sp. nov., a metal-resistant symbiont of Anthyllis vulneraria growing on metallicolous soil in Languedoc, France. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 850-855.	0.8	100
1693	Saccharospirillum salsuginis sp. nov., a gammaproteobacterium from a subterranean brine. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1382-1386.	0.8	19
1694	Paenibacillus tundrae sp. nov. and Paenibacillus xylanexedens sp. nov., psychrotolerant, xylan-degrading bacteria from Alaskan tundra. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1708-1714.	0.8	54
1695	Bacillus korlensis sp. nov., a moderately halotolerant bacterium isolated from a sand soil sample in China. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1787-1792.	0.8	43

#	ARTICLE	IF	CITATIONS
1696	<i>Saccharibacillus kuerlensis</i> sp. nov., isolated from a desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 953-957.	0.8	18
1697	<i>Shewanella marina</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1888-1894.	0.8	24
1698	<i>Sphaerisporangium flaviroseum</i> sp. nov. and <i>Sphaerisporangium album</i> sp. nov., isolated from forest soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1679-1684.	0.8	29
1699	<i>Gracilibacillus saliphilus</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1620-1624.	0.8	34
1700	<i>Sediminimonas qiaohouensis</i> gen. nov., sp. nov., a member of the Roseobacter clade in the order Rhodobacterales. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1561-1567.	0.8	23
1701	<i>Zhihengliuella alba</i> sp. nov., and emended description of the genus <i>Zhihengliuella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2025-2032.	0.8	266
1702	<i>Streptosporangium canum</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1715-1719.	0.8	15
1703	<i>Flavobacterium chungangense</i> sp. nov., isolated from a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1754-1758.	0.8	41
1704	<i>Sphingomonas hankookensis</i> sp. nov., isolated from wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2788-2793.	0.8	17
1705	<i>Arthrobacter psychrochitiniphilus</i> sp. nov., a psychrotrophic bacterium isolated from Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2759-2762.	0.8	52
1706	<i>Streptomyces thinghirensis</i> sp. nov., isolated from rhizosphere soil of <i>Vitis vinifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3063-3067.	0.8	22
1707	<i>Acidiplasma aeolicum</i> gen. nov., sp. nov., a euryarchaeon of the family Ferropasmaceae isolated from a hydrothermal pool, and transfer of <i>Ferroplasma cupricumulans</i> to <i>Acidiplasma cupricumulans</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2815-2823.	0.8	93
1708	<i>Marinococcus luteus</i> sp. nov., a halotolerant bacterium isolated from a salt lake, and emended description of the genus <i>Marinococcus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2875-2879.	0.8	16
1709	<i>Nocardioides caeni</i> sp. nov., isolated from wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2794-2797.	0.8	32
1710	<i>Halomonas zhanjiangensis</i> sp. nov., a halophilic bacterium isolated from a sea urchin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2888-2893.	0.8	37
1711	Novel members of the family Micromonosporaceae, <i>Rugosimonospora acidiphila</i> gen. nov., sp. nov. and <i>Rugosimonospora africana</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2752-2758.	0.8	31
1712	<i>Terrabacter terrigena</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2798-2802.	0.8	9
1713	Polyphasic characterization of xanthomonads pathogenic to members of the Anacardiaceae and their relatedness to species of <i>Xanthomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 306-318.	0.8	91

#	ARTICLE	IF	CITATIONS
1714	<i>Gordonia araii</i> Infection Associated with an Orthopedic Device and Review of the Literature on Medical Device-Associated <i>Gordonia</i> Infections. <i>Journal of Clinical Microbiology</i> , 2009, 47, 499-502.	1.8	29
1715	<i>Jeotgalicoccus marinus</i> sp. nov., a marine bacterium isolated from a sea urchin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1625-1629.	0.8	31
1716	<i>Alishewanella aestuarii</i> sp. nov., isolated from tidal flat sediment, and emended description of the genus <i>Alishewanella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 421-424.	0.8	29
1717	<i>Pseudozobellia thermophila</i> gen. nov., sp. nov., a bacterium of the family Flavobacteriaceae, isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 806-810.	0.8	40
1718	<i>Leuconostoc palmae</i> sp. nov., a novel lactic acid bacterium isolated from palm wine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 943-947.	0.8	22
1719	<i>Streptomonospora amylolytica</i> sp. nov. and <i>Streptomonospora flavalba</i> sp. nov., two novel halophilic actinomycetes isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2471-2475.	0.8	37
1720	<i>Gordonia cholesterolivorans</i> sp. nov., a cholesterol-degrading actinomycete isolated from sewage sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1011-1015.	0.8	39
1721	<i>Sphingobium ummariense</i> sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium, isolated from HCH-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 162-166.	0.8	73
1722	<i>Donghicola xiamenensis</i> sp. nov., a marine bacterium isolated from seawater of the Taiwan Strait in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1143-1147.	0.8	21
1723	<i>Pseudomonas brassicacearum</i> subsp. <i>neaurantiaca</i> subsp. nov., orange-pigmented bacteria isolated from soil and the rhizosphere of agricultural plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2476-2481.	0.8	26
1724	<i>Novosphingobium panipatense</i> sp. nov. and <i>Novosphingobium mathurense</i> sp. nov., from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 156-161.	0.8	67
1725	<i>Dyella marensis</i> sp. nov., isolated from cliff soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1397-1400.	0.8	27
1726	<i>Microvirga guangxiensis</i> sp. nov., a novel alphaproteobacterium from soil, and emended description of the genus <i>Microvirga</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1997-2001.	0.8	44
1727	<i>Brevundimonas naejangsanensis</i> sp. nov., a proteolytic bacterium isolated from soil, and reclassification of <i>Mycoplana bullata</i> into the genus <i>Brevundimonas</i> as <i>Brevundimonas bullata</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3155-3160.	0.8	38
1728	<i>Sphingomonas aestuarii</i> sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1359-1363.	0.8	21
1729	<i>Psychroflexus sediminis</i> sp. nov., a mesophilic bacterium isolated from salt lake sediment in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 569-573.	0.8	27
1730	<i>Microbacterium invictum</i> sp. nov., isolated from homemade compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2036-2041.	0.8	21
1731	<i>Thiomonas bhubaneswarensis</i> sp. nov., an obligately mixotrophic, moderately thermophilic, thiosulfate-oxidizing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2171-2175.	0.8	42



#	ARTICLE	IF	CITATIONS
1732	<i>Nocardioides ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 3045-3050.	0.8	20
1733	<i>Vibrio hangzhouensis</i> sp. nov., isolated from sediment of the East China Sea. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2099-2103.	0.8	15
1734	<i>Desulfovibrio paquesii</i> sp. nov., a hydrogenotrophic sulfate-reducing bacterium isolated from a synthesis-gas-fed bioreactor treating zinc- and sulfate-rich wastewater. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 229-233.	0.8	25
1735	<i>Marinobacter santoriniensis</i> sp. nov., an arsenate-respiring and arsenite-oxidizing bacterium isolated from hydrothermal sediment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 886-892.	0.8	71
1736	<i>Amycolatopsis ultiminotia</i> sp. nov., isolated from rhizosphere soil, and emended description of the genus <i>Amycolatopsis</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1401-1404.	0.8	41
1737	<i>Halobacillus salsuginis</i> sp. nov., a moderately halophilic bacterium from a subterranean brine. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2505-2509.	0.8	18
1738	<i>Selenomonas bovis</i> sp. nov., isolated from yak rumen contents. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2080-2083.	0.8	25
1739	<i>Nocardioides sediminis</i> sp. nov., isolated from a sediment sample. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 280-284.	0.8	43
1740	<i>Methylobacterium phyllosphaerae</i> sp. nov., a pink-pigmented, facultative methylotroph from the phyllosphere of rice. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 22-27.	0.8	90
1741	<i>Shewanella vesiculosa</i> sp. nov., a psychrotolerant bacterium isolated from an Antarctic coastal area. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 336-340.	0.8	33
1742	<i>Gordonia hankookensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 3172-3175.	0.8	18
1743	Description of <i>Patulibacter americanus</i> sp. nov., isolated from biological soil crusts, emended description of the genus <i>Patulibacter</i> Takahashi et al. 2006 and proposal of <i>Solirubrobacterales</i> ord. nov. and <i>Thermoleophilales</i> ord. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 87-94.	0.8	82
1744	<i>Novosphingobium indicum</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from a deep-sea environment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2084-2088.	0.8	76
1745	<i>Actinocatenispora rupis</i> sp. nov., isolated from cliff soil, and emended description of the genus <i>Actinocatenispora</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 3078-3082.	0.8	12
1746	<i>Deinococcus piscis</i> sp. nov., a radiation-resistant bacterium isolated from a marine fish. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2714-2717.	0.8	30
1747	<i>Salimicrobium flavidum</i> sp. nov., isolated from a marine solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2839-2842.	0.8	17
1748	<i>Thaueria butanivorans</i> sp. nov., a C2-C9 alkane-oxidizing bacterium previously referred to as 'Pseudomonas butanovora'. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1576-1578.	0.8	55
1749	<i>Bavariicoccus seileri</i> gen. nov., sp. nov., isolated from the surface and smear water of German red smear soft cheese. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2437-2443.	0.8	27

#	ARTICLE	IF	CITATIONS
1750	<i>Nesterenkonia alba</i> sp. nov., an alkaliphilic actinobacterium isolated from the black liquor treatment system of a cotton pulp mill. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 863-868.	0.8	41
1751	<i>Georgenia thermotolerans</i> sp. nov., an actinobacterium isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1875-1879.	0.8	27
1752	<i>Virgibacillus sediminis</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2058-2063.	0.8	32
1753	<i>Actinomadura keratinilytica</i> sp. nov., a keratin-degrading actinobacterium isolated from bovine manure compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 828-834.	0.8	36
1754	Genome-Derived Criteria for Assigning Environmental <i>narG</i> and <i>nosZ</i> Sequences to Operational Taxonomic Units of Nitrate Reducers. <i>Applied and Environmental Microbiology</i> , 2009, 75, 5170-5174.	1.4	68
1755	<i>Prauserella salsuginis</i> sp. nov., <i>Prauserella flava</i> sp. nov., <i>Prauserella aidingensis</i> sp. nov. and <i>Prauserella sediminis</i> sp. nov., isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2923-2928.	0.8	39
1756	<i>Sphingobium chinhatense</i> sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium isolated from an HCH dumpsite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3140-3144.	0.8	53
1757	<i>Moraxella pluranimalium</i> sp. nov., isolated from animal specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 671-674.	0.8	22
1758	<i>Leeuwenhoekiella palythoae</i> sp. nov., a new member of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3074-3077.	0.8	17
1759	<i>Saccharopolyspora jiangxiensis</i> sp. nov., isolated from grass-field soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1076-1081.	0.8	20
1760	<i>Pseudonocardia acaciae</i> sp. nov., isolated from roots of <i>Acacia auriculiformis</i> A. Cunn. ex Benth.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1487-1491.	0.8	29
1761	<i>Hirschia maritima</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2264-2268.	0.8	14
1762	<i>Serratia nematodiphila</i> sp. nov., associated symbiotically with the entomopathogenic nematode <i>Heterorhabditoides chongmingensis</i> (Rhabditida: Rhabditidae). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1603-1608.	0.8	69
1763	Reclassification of <i>Donghaeana dokdonensis</i> Yoon et al. 2006 as <i>Persicivirga dokdonensis</i> comb. nov. and emended descriptions of the genus <i>Persicivirga</i> and of <i>Persicivirga xylanidelens</i> O'Sullivan et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 824-827.	0.8	15
1764	<i>Haloterrigena jeotgali</i> sp. nov., an extremely halophilic archaeon from salt-fermented food. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2359-2363.	0.8	41
1765	<i>Dokdonella ginsengisoli</i> sp. nov., isolated from soil from a ginseng field, and emended description of the genus <i>Dokdonella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1947-1952.	0.8	24
1766	<i>Paenibacillus pectinilyticus</i> sp. nov., isolated from the gut of <i>Diestrammena apicalis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1342-1347.	0.8	23
1767	Reclassification of the members of the genus <i>Tetrathiobacter</i> Ghosh et al. 2005 to the genus <i>Advenella</i> Coenye et al. 2005. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1914-1918.	0.8	44

#	ARTICLE	IF	CITATIONS
1768	<i>Psychrobacter fulvigenes</i> sp. nov., isolated from a marine crustacean from the Sea of Japan. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1480-1486.	0.8	21
1769	<i>Paenibacillus sonchi</i> sp. nov., a nitrogen-fixing species isolated from the rhizosphere of <i>Sonchus oleraceus</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2656-2661.	0.8	67
1770	<i>Sphingobium lactosutens</i> sp. nov., isolated from a hexachlorocyclohexane dump site and <i>Sphingobium abikonense</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2291-2296.	0.8	42
1771	<i>Actinoplanes sichuanensis</i> sp. nov. and <i>Actinoplanes xinjiangensis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2763-2768.	0.8	13
1772	Description of <i>Enterovibrio nigricans</i> sp. nov., reclassification of <i>Vibrio calviensis</i> as <i>Enterovibrio calviensis</i> comb. nov. and emended description of the genus <i>Enterovibrio</i> Thompson et al. 2002. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 698-704.	0.8	26
1773	<i>Dyella soli</i> sp. nov. and <i>Dyella terrae</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1685-1690.	0.8	39
1774	<i>Castellaniella ginsengisoli</i> sp. nov., a $\alpha$ -glucosidase-producing bacterium. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2191-2194.	0.8	12
1775	<i>Marinimicrobium locisalis</i> sp. nov., isolated from a marine solar saltern, and emended description of the genus <i>Marinimicrobium</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2260-2263.	0.8	16
1776	<i>Bacillus acidiproducens</i> sp. nov., vineyard soil isolates that produce lactic acid. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2226-2231.	0.8	19
1777	<i>Nitratireductor kimnyeongensis</i> sp. nov., isolated from seaweed. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1036-1039.	0.8	39
1778	<i>Rhodanobacter ginsenosidimutans</i> sp. nov., isolated from soil of a ginseng field in South Korea. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 691-694.	0.8	27
1779	<i>Andrepvotia lacus</i> sp. nov., isolated from a fish-culture pond. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2482-2485.	0.8	7
1780	<i>Dokdonella soli</i> sp. nov., a gammaproteobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1965-1968.	0.8	26
1781	<i>Aidingimonas halophila</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from a salt lake. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 3088-3094.	0.8	40
1782	Description of <i>Dietzia lutea</i> sp. nov., isolated from a desert soil in Egypt. Systematic and Applied Microbiology, 2009, 32, 118-123.	1.2	28
1783	<i>Acinetobacter</i> strains IH9 and OC11, two rhizospheric phosphate solubilizing isolates able to promote plant growth, constitute a new genomovar of <i>Acinetobacter calcoaceticus</i> . Systematic and Applied Microbiology, 2009, 32, 334-341.	1.2	20
1784	Proposal to reclassify the <i>Streptomyces albidoflavus</i> clade on the basis of multilocus sequence analysis and DNA-DNA hybridization, and taxonomic elucidation of <i>Streptomyces griseus</i> subsp. <i>solvifaciens</i> . Systematic and Applied Microbiology, 2009, 32, 314-322.	1.2	91
1785	Classification of Bacteria and Archaea: Past, present and future. Systematic and Applied Microbiology, 2009, 32, 533-542.	1.2	165

#	ARTICLE	IF	CITATIONS
1786	EDGAR: A software framework for the comparative analysis of prokaryotic genomes. <i>BMC Bioinformatics</i> , 2009, 10, 154.	1.2	401
1787	Genomic taxonomy of vibrios. <i>BMC Evolutionary Biology</i> , 2009, 9, 258.	3.2	168
1788	Exopolysaccharide production by lactose-hydrolyzing bacteria isolated from traditionally fermented milk. <i>International Journal of Food Microbiology</i> , 2009, 131, 260-264.	2.1	27
1789	Universal species concept: pipe dream or a step toward unifying biology?. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 1331-1336.	1.4	20
1790	Occurrence of <i>Halococcus</i> spp. in the nostrils salt glands of the seabird <i>Calonectris diomedea</i> . <i>Extremophiles</i> , 2009, 13, 557-565.	0.9	33
1791	<i>Anoxybacillus thermarum</i> sp. nov., a novel thermophilic bacterium isolated from thermal mud in Euganean hot springs, Abano Terme, Italy. <i>Extremophiles</i> , 2009, 13, 867-874.	0.9	72
1792	The use of <i>gyrB</i> sequence analysis in the phylogeny of the genus <i>Amycolatopsis</i> . <i>Antonie Van Leeuwenhoek</i> , 2009, 95, 1-11.	0.7	33
1793	Diversity of culturable actinomycetes in hyper-arid soils of the Atacama Desert, Chile. <i>Antonie Van Leeuwenhoek</i> , 2009, 95, 121-133.	0.7	185
1794	<i>Arthrobacter halodurans</i> sp. nov., a new halotolerant bacterium isolated from sea water. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 63-70.	0.7	47
1795	<i>Halobacillus naozhouensis</i> sp. nov., a moderately halophilic bacterium isolated from a sea anemone. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 99-107.	0.7	27
1796	<i>Marinobacter zhanjiangensis</i> sp. nov., a marine bacterium isolated from sea water of a tidal flat of the South China Sea. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 295-301.	0.7	17
1797	<i>Virgibacillus litoralis</i> sp. nov., a moderately halophilic bacterium isolated from saline soil. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 323-329.	0.7	15
1798	<i>Halobacillus hunanensis</i> sp. nov., a moderately halophilic bacterium isolated from a subterranean brine. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 497-504.	0.7	9
1799	<i>Virgibacillus zhanjiangensis</i> sp. nov., a marine bacterium isolated from sea water. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 645-652.	0.7	12
1800	<i>Halorubrum cibi</i> sp. nov., an extremely halophilic archaeon from salt-fermented seafood. <i>Journal of Microbiology</i> , 2009, 47, 162-166.	1.3	33
1801	<i>Paenibacillus filicis</i> sp. nov., isolated from the rhizosphere of the fern. <i>Journal of Microbiology</i> , 2009, 47, 524-529.	1.3	14
1802	<i>Paenibacillus pinihumi</i> sp. nov., a cellulolytic bacterium isolated from the rhizosphere of <i>Pinus densiflora</i> . <i>Journal of Microbiology</i> , 2009, 47, 530-535.	1.3	29
1803	<i>Paenibacillus pini</i> sp. nov., a cellulolytic bacterium isolated from the rhizosphere of pine tree. <i>Journal of Microbiology</i> , 2009, 47, 699-704.	1.3	30

#	ARTICLE	IF	CITATIONS
1804	Atypical one-carbon metabolism of an acetogenic and hydrogenogenic <i>Moorella thermoacetica</i> strain. <i>Archives of Microbiology</i> , 2009, 191, 123-131.	1.0	37
1805	Mixotrophic metabolism in <i>Burkholderia kururiensis</i> subsp. <i>thiooxydans</i> subsp. nov., a facultative chemolithoautotrophic thiosulfate oxidizing bacterium isolated from rhizosphere soil and proposal for classification of the type strain of <i>Burkholderia kururiensis</i> as <i>Burkholderia kururiensis</i> subsp. <i>kururiensis</i> subsp. nov.. <i>Archives of Microbiology</i> , 2009, 191, 885-894.	1.0	28
1806	Extracellular enzymes of cold-adapted bacteria from Arctic sea ice, Canada Basin. <i>Polar Biology</i> , 2009, 32, 1539-1547.	0.5	59
1807	Phylogenetic Evidence Suggests That Strains of <i>Aeromonas hydrophila</i> subsp. <i>dhakensis</i> Belong to the Species <i>Aeromonas aquariorum</i> sp. nov.. <i>Current Microbiology</i> , 2009, 58, 76-80.	1.0	43
1808	Morphological, Physiological, and Molecular Characterization of a Newly Isolated Steroid-Degrading Actinomycete, Identified as <i>Rhodococcus ruber</i> Strain Chol-4. <i>Current Microbiology</i> , 2009, 59, 548-553.	1.0	35
1809	Archaeosomes made of <i>Halorubrum tebenquichense</i> total polar lipids: a new source of adjuvancy. <i>BMC Biotechnology</i> , 2009, 9, 71.	1.7	36
1810	Elevation of <i>Francisella philomiragia</i> subsp. <i>noatunensis</i> Mikalsen et al. (2007) to <i>Francisella noatunensis</i> comb. nov. [syn. <i>Francisella piscicida</i> Ottem et al. (2008) syn. nov.] and characterization of <i>Francisella noatunensis</i> subsp. <i>orientalis</i> subsp. nov., two important fish pathogens. <i>Journal of Applied Microbiology</i> , 2009, 106, 1231-1243.	1.4	100
1811	Proposal to transfer <i>Flavobacterium oceanosedimentum</i> Carty and Litchfield 1978 to the genus <i>Curtobacterium</i> as <i>Curtobacterium oceanosedimentum</i> comb. nov.. <i>FEMS Microbiology Letters</i> , 2009, 296, 137-141.	0.7	3
1812	Description of <i>Oxalicibacterium horti</i> sp. nov. and <i>Oxalicibacterium faecigallinarum</i> sp. nov., new aerobic, yellow-pigmented, oxalotrophic bacteria. <i>FEMS Microbiology Letters</i> , 2009, 296, 198-202.	0.7	26
1813	Bacterial strain typing in the genomic era. <i>FEMS Microbiology Reviews</i> , 2009, 33, 892-916.	3.9	278
1814	THE ANIMAL WITHIN: CARCINOGENESIS AND THE CLONAL EVOLUTION OF CANCER CELLS ARE SPECIATION EVENTS SENSU STRICTO. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 1173-1183.	1.1	55
1815	Isolation and molecular characterization of genetically diverse antagonistic, diazotrophic red-pigmented vibrios from different mangrove rhizospheres. <i>FEMS Microbiology Ecology</i> , 2009, 67, 455-467.	1.3	32
1816	Nodulation of <i>Sesbania</i> species by <i>Rhizobium</i> ( <i>Agrobacterium</i> ) strain IRBG74 and other rhizobia. <i>Environmental Microbiology</i> , 2009, 11, 2510-2525.	1.8	120
1817	Current Knowledge on Phylogeny and Taxonomy of <i>Rickettsia</i> spp.. <i>Annals of the New York Academy of Sciences</i> , 2009, 1166, 1-11.	1.8	111
1818	HETEROGENEITY OF THE CYANOBACTERIAL GENUS <i>SYNECHOCYSTIS</i> AND DESCRIPTION OF A NEW GENUS, <i>GEMINOCYSTIS</i> <sup>1</sup> . <i>Journal of Phycology</i> , 2009, 45, 928-937.	1.0	54
1819	A polyphasic approach assigns the pathogenic <i>Erwinia</i> strains from diseased pear trees in Japan to <i>Erwinia pyrifoliae</i> . <i>Letters in Applied Microbiology</i> , 2009, 48, 324-330.	1.0	28
1820	Isolation of <i>Enterobacter cowanii</i> from <i>Eucalyptus</i> showing symptoms of bacterial blight and dieback in Uruguay. <i>Letters in Applied Microbiology</i> , 2009, 49, 461-465.	1.0	28
1821	Tracking bacterial responses to global warming with an ecotype-based systematics. <i>Clinical Microbiology and Infection</i> , 2009, 15, 54-59.	2.8	3

#	ARTICLE	IF	CITATIONS
1822	Isolation and characterization of a newly isolated polycyclic aromatic hydrocarbons-degrading <i>Janibacter anophelis</i> strain JY11. <i>Journal of Hazardous Materials</i> , 2009, 172, 580-586.	6.5	54
1823	Biosynthesis of medium chain length poly(3-hydroxyalkanoates) (mcl PHAs) from cosmetic co-products by <i>Pseudomonas raguenesii</i> sp. nov., isolated from Tetiaroa, French Polynesia. <i>Bioresource Technology</i> , 2009, 100, 6033-6039.	4.8	14
1824	<i>Streptomyces xinghaiensis</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2870-2874.	0.8	48
1825	<i>Nocardiopsis potens</i> sp. nov., isolated from household waste. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2729-2733.	0.8	18
1826	<i>Streptomyces axinellae</i> sp. nov., isolated from the Mediterranean sponge <i>Axinella polypoides</i> (Porifera). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1433-1437.	0.8	31
1827	Lactic acid bacteria biodiversity in Italian marinated seafood salad and their interactions on the growth of <i>Listeria monocytogenes</i> . <i>Food Control</i> , 2009, 20, 462-468.	2.8	19
1828	Amplified fragment length polymorphisms reveal genetic differentiation among strains of <i>Xanthomonas albilineans</i> . <i>Journal of Microbiological Methods</i> , 2009, 76, 43-51.	0.7	4
1829	Molecular identification, typing and tracking of <i>Vibrio harveyi</i> in aquaculture systems: Current methods and future prospects. <i>Aquaculture</i> , 2009, 287, 1-10.	1.7	58
1830	Biochemical Transformations Produced by Malolactic Fermentation. , 2009, , 27-57.		24
1831	New Light on Aerobic Anoxygenic Phototrophs. <i>Advances in Photosynthesis and Respiration</i> , 2009, , 31-55.	1.0	94
1832	Tassonomia, ruolo e rilevanza dei microrganismi negli alimenti. <i>Food</i> , 2009, , 13-40.	0.0	0
1833	Molecular Analysis of the Microbial Communities of Mars Analog Lakes in Western Australia. <i>Astrobiology</i> , 2009, 9, 919-930.	1.5	63
1834	<i>Pediococcus lolii</i> sp. nov., isolated from ryegrass silage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1007-1010.	0.8	27
1836	<i>Rhizobium alkalisoli</i> sp. nov., isolated from <i>Caragana intermedia</i> growing in saline-alkaline soils in the north of China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3006-3011.	0.8	50
1837	<i>Bacillus beijingensis</i> sp. nov. and <i>Bacillus ginsengi</i> sp. nov., isolated from ginseng root. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 729-734.	0.8	24
1838	<i>Brevibacillus panacihumi</i> sp. nov., a $\hat{\text{A}}$ -glucosidase-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1227-1231.	0.8	22
1839	Description of <i>Paenisporosarcina quisquiliarum</i> gen. nov., sp. nov., and reclassification of <i>Sporosarcina macmurdoensis</i> Reddy et al. 2003 as <i>Paenisporosarcina macmurdoensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1364-1370.	0.8	55
1840	Four novel <i>Arthrobacter</i> species isolated from filtration substrate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 856-862.	0.8	62

#	ARTICLE	IF	CITATIONS
1841	<i>Nocardia jinanensis</i> sp. nov., an amicoumacin B-producing actinomycete. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 417-420.	0.8	26
1842	<i>Microbacterium insulae</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1738-1742.	0.8	16
1843	Life as Its Own Designer. Biosemiotics Bookseries, 2009, , .	0.3	33
1844	A Critique of Prokaryotic Species Concepts. Methods in Molecular Biology, 2009, 532, 379-395.	0.4	21
1845	<i>Clostridium tagluense</i> sp. nov., a psychrotolerant, anaerobic, spore-forming bacterium from permafrost. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1421-1426.	0.8	37
1846	<i>Bifidobacterium mongoliense</i> sp. nov., from airag, a traditional fermented mare's milk product from Mongolia. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1535-1540.	0.8	75
1847	<i>Pseudomonas cedrina</i> subsp. <i>fulgida</i> subsp. nov., a fluorescent bacterium isolated from the phyllosphere of grasses; emended description of <i>Pseudomonas cedrina</i> and description of <i>Pseudomonas cedrina</i> subsp. <i>cedrina</i> subsp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1331-1335.	0.8	18
1848	<i>Streptomyces hypolithicus</i> sp. nov., isolated from an Antarctic hypolith community. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2032-2035.	0.8	23
1849	Isolation, Diversity, and Antimicrobial Activity of Rare Actinobacteria from Medicinal Plants of Tropical Rain Forests in Xishuangbanna, China. Applied and Environmental Microbiology, 2009, 75, 6176-6186.	1.4	362
1850	Phylogeny and Identification of <i>Pantoea</i> Species and Typing of <i>Pantoea agglomerans</i> Strains by Multilocus Gene Sequencing. Journal of Clinical Microbiology, 2009, 47, 300-310.	1.8	191
1851	<i>Arthrobacter phenanthrenivorans</i> sp. nov., to accommodate the phenanthrene-degrading bacterium <i>Arthrobacter</i> sp. strain Sphe3. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 275-279.	0.8	59
1852	Molecular Phylogenetic Classification of Streptomyces Isolated from the Rhizosphere of Tropical Legume ( <i>Paraserianthes falcataria</i> ) (L.) Nielsen. HAYATI Journal of Biosciences, 2009, 16, 100-108.	0.1	3
1853	Complete genome sequence of <i>Marinobacter adhaerens</i> type strain (HP15), a diatom-interacting marine microorganism. Standards in Genomic Sciences, 2010, 3, 97-107.	1.5	50
1854	Mathematical Analysis for Growth Depression of <i>Vibrio parahaemolyticus</i> in Shrimp under a High Carbon Dioxide Atmosphere. Food Science and Technology Research, 2010, 17, 63-68.	0.3	5
1856	<i>Nocardioides mesophilus</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2288-2292.	0.8	20
1857	Phylum XIV. Bacteroidetes phyl. nov., 2010, , 25-469.		80
1858	<i>Microbacterium azadiractae</i> sp. nov., a plant-growth-promoting actinobacterium isolated from the rhizoplane of neem seedlings. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1687-1692.	0.8	63
1859	<i>Microbacterium ginsengiterrae</i> sp. nov., a $\beta$ -glucosidase-producing bacterium isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2808-2812.	0.8	19

#	ARTICLE	IF	CITATIONS
1860	<i>Microbacterium radiodurans</i> sp. nov., a UV radiation-resistant bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2665-2670.	0.8	34
1861	<i>Brevundimonas vancouverensis</i> sp. nov., isolated from blood of a patient with endocarditis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2129-2134.	0.8	24
1862	<i>Pseudomonas benzenivorans</i> sp. nov. and <i>Pseudomonas saponiphila</i> sp. nov., Represented by Xenobiotics Degrading Type Strains. <i>Current Microbiology</i> , 2010, 60, 85-91.	1.0	35
1863	<i>Pseudomonas oleovorans</i> subsp. <i>lubricantis</i> subsp. nov., and Reclassification of <i>Pseudomonas pseudoalcaligenes</i> ATCC 17440T as Later Synonym of <i>Pseudomonas oleovorans</i> ATCC 8062T. <i>Current Microbiology</i> , 2010, 60, 294-300.	1.0	45
1864	Identification of Actinomycetes Producing Phospholipase D with High Transphosphatidylase Activity. <i>Current Microbiology</i> , 2010, 60, 365-372.	1.0	10
1865	<i>Caldimonas hydrothermale</i> sp. nov., a novel thermophilic bacterium isolated from roman hot bath in south Tunisia. <i>Archives of Microbiology</i> , 2010, 192, 485-491.	1.0	9
1866	Rapid and Efficient Identification of <i>Agrobacterium</i> Species by <i>recA</i> Allele Analysis. <i>Microbial Ecology</i> , 2010, 60, 862-872.	1.4	111
1867	Inhibition of oxidative stress-induced amyloid $\beta$ formation in NT2 neurons by culture filtrate of a strain of <i>Streptomyces antibioticus</i> . <i>Applied Microbiology and Biotechnology</i> , 2010, 86, 1805-1811.	1.7	7
1868	Relationships between Arctic and Antarctic <i>Shewanella</i> strains evaluated by a polyphasic taxonomic approach. <i>Polar Biology</i> , 2010, 33, 531-541.	0.5	12
1869	Phylogenetic diversity of culturable bacteria from Antarctic sandy intertidal sediments. <i>Polar Biology</i> , 2010, 33, 869-875.	0.5	20
1870	<i>Zhihengliuella salsuginis</i> sp. nov., a moderately halophilic actinobacterium from a subterranean brine. <i>Extremophiles</i> , 2010, 14, 397-402.	0.9	21
1871	Identification of <i>Legionella londiniensis</i> isolated from hot spring water samples in Shizuoka, Japan, and cytotoxicity of isolates. <i>Journal of Infection and Chemotherapy</i> , 2010, 16, 367-371.	0.8	10
1872	Phylogenetic analysis of the genus <i>Kribbella</i> based on the <i>gyrB</i> gene: proposal of a <i>gyrB</i> -sequence threshold for species delineation in the genus <i>Kribbella</i> . <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 131-142.	0.7	33
1873	<i>Desulfovibrio oceani</i> subsp. <i>oceani</i> sp. nov., subsp. nov. and <i>Desulfovibrio oceani</i> subsp. <i>galatae</i> subsp. nov., novel sulfate-reducing bacteria isolated from the oxygen minimum zone off the coast of Peru. <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 221-229.	0.7	46
1874	Rapid discrimination and classification of the <i>Lactobacillus plantarum</i> group based on a partial <i>dnaK</i> sequence and DNA fingerprinting techniques. <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 289-296.	0.7	41
1875	<i>Robinia pseudoacacia</i> in Poland and Japan is nodulated by <i>Mesorhizobium amorphae</i> strains. <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 351-361.	0.7	11
1876	<i>Nocardiopsis terrae</i> sp. nov., a halophilic actinomycete isolated from saline soil. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 31-38.	0.7	25
1877	<i>Salinicoccus kekensis</i> sp. nov., a novel alkaliphile and moderate halophile isolated from Keke Salt Lake in Qinghai, China. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 351-357.	0.7	15



#	ARTICLE	IF	CITATIONS
1878	<i>Yaniella soli</i> sp. nov., a new actinobacterium isolated from non-saline forest soil in China. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 395-401.	0.7	19
1879	<i>Jeotgalibacillus soli</i> sp. nov., isolated from non-saline forest soil, and emended description of the genus <i>Jeotgalibacillus</i> . <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 415-421.	0.7	12
1880	A guide to successful bioprospecting: informed by actinobacterial systematics. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 119-142.	0.7	286
1881	<i>Acinetobacter brisouii</i> sp. nov., isolated from a wetland in Korea. <i>Journal of Microbiology</i> , 2010, 48, 36-39.	1.3	27
1882	<i>Stenotrophomonas panacihumi</i> sp. nov., isolated from soil of a ginseng field. <i>Journal of Microbiology</i> , 2010, 48, 30-35.	1.3	26
1883	<i>Pedobacter yonginense</i> sp. nov., isolated from a mesotrophic artificial Lake in Korea. <i>Journal of Microbiology</i> , 2010, 48, 536-540.	1.3	8
1884	<i>Sphingomonas humi</i> sp. nov., isolated from soil. <i>Journal of Microbiology</i> , 2010, 48, 165-169.	1.3	17
1885	<i>Psychroflexus lacisalsi</i> sp. nov., a moderate halophilic bacterium isolated from a hypersaline lake (Hunazoko-lke) in Antarctica. <i>Journal of Microbiology</i> , 2010, 48, 160-164.	1.3	17
1886	<i>Aquimarina litoralis</i> sp. nov., isolated from a coastal seawater. <i>Journal of Microbiology</i> , 2010, 48, 433-437.	1.3	16
1887	<i>Pseudoxanthomonas icgebensis</i> sp. nov., isolated from the midgut of <i>Anopheles stephensi</i> field-collected larvae. <i>Journal of Microbiology</i> , 2010, 48, 601-606.	1.3	7
1888	<i>Oceanobacillus manasiensis</i> sp. nov., a moderately halophilic bacterium isolated from the salt lakes of Xinjiang, China. <i>Journal of Microbiology</i> , 2010, 48, 312-317.	1.3	14
1889	<i>Bacillus gaemokensis</i> sp. nov., isolated from foreshore tidal flat sediment from the Yellow Sea. <i>Journal of Microbiology</i> , 2010, 48, 867-871.	1.3	66
1890	<i>Oceanobacillus kimchii</i> sp. nov. Isolated from a traditional Korean fermented food. <i>Journal of Microbiology</i> , 2010, 48, 862-866.	1.3	41
1891	<i>Acinetobacter kyonggiensis</i> sp. nov., a $\beta$ -glucosidase-producing bacterium, isolated from sewage treatment plant. <i>Journal of Microbiology</i> , 2010, 48, 754-759.	1.3	23
1892	<i>Sphingomonas ginsenosidimutans</i> sp. nov., with ginsenoside converting activity. <i>Journal of Microbiology</i> , 2010, 48, 760-766.	1.3	24
1893	New taxa in Alphaproteobacteria: <i>Brevundimonas olei</i> sp. nov., an esterase-producing bacterium. <i>Journal of Microbiology</i> , 2010, 48, 616-622.	1.3	11
1894	Taxonomic characterization of <i>Streptomyces</i> strain CH54-4 isolated from mangrove sediment. <i>Annals of Microbiology</i> , 2010, 60, 299-305.	1.1	9
1895	Identification of an alkaliphilic actinomycetes that produces a PrPSc-degrading enzyme. <i>Annals of Microbiology</i> , 2010, 60, 349-353.	1.1	7

#	ARTICLE	IF	CITATIONS
1896	Evaluating Maclaurin and Sterelny's conception of biodiversity in cases of frequent, promiscuous lateral gene transfer. <i>Biology and Philosophy</i> , 2010, 25, 603-621.	0.7	6
1897	Variability of <i>Chroococcus</i> (Cyanobacteria) morphospecies with regard to phylogenetic relationships. <i>Hydrobiologia</i> , 2010, 639, 69-83.	1.0	37
1898	Recent changes (2008) in cyanobacteria taxonomy based on a combination of molecular background with phenotype and ecological consequences (genus and species concept). <i>Hydrobiologia</i> , 2010, 639, 245-259.	1.0	136
1899	Polyhydroxyalkanoate production from anaerobically treated palm oil mill effluent by new bacterial strain <i>Comamonas</i> sp. EB172. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 767-774.	1.7	41
1900	Isolation and characterization of homocholine-degrading <i>Pseudomonas</i> sp. strains A9 and B9b. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1455-1464.	1.7	10
1901	Identification and characterisation of a <i>Streptomyces</i> sp. isolate exhibiting activity against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Microbiological Research</i> , 2010, 165, 82-86.	2.5	26
1902	Evaluation of the use of multilocus sequence analysis (MLSA) to resolve taxonomic conflicts within the genus <i>Marichromatium</i> . <i>Systematic and Applied Microbiology</i> , 2010, 33, 116-121.	1.2	23
1903	<i>Pseudomonas cannabina</i> pv. <i>cannabina</i> pv. nov., and <i>Pseudomonas cannabina</i> pv. <i>alisalensis</i> (Cintas) Tj ETQq1 1 0.784314 rgBT / <i>Over</i> <i>Applied Microbiology</i> , 2010, 33, 105-115.	1.2	52
1904	<i>Genista tinctoria</i> microsymbionts from Poland are new members of <i>Bradyrhizobium japonicum</i> bv. <i>genistearum</i> . <i>Systematic and Applied Microbiology</i> , 2010, 33, 252-259.	1.2	14
1905	Characterization of heterotrophic nitrifying bacteria with respiratory ammonification and denitrification activity – Description of <i>Paenibacillus uliginis</i> sp. nov., an inhabitant of fen peat soil and <i>Paenibacillus purispatii</i> sp. nov., isolated from a spacecraft assembly clean room. <i>Systematic and Applied Microbiology</i> , 2010, 33, 328-336.	1.2	68
1906	Comparing microarrays and next-generation sequencing technologies for microbial ecology research. <i>Trends in Biotechnology</i> , 2010, 28, 291-299.	4.9	142
1907	Spiroplasmas and phytoplasmas: Microbes associated with plant hosts. <i>Biologicals</i> , 2010, 38, 193-203.	0.5	96
1908	Analysis of a change in bacterial community in different environments with addition of chitin or chitosan. <i>Journal of Bioscience and Bioengineering</i> , 2010, 109, 472-478.	1.1	27
1909	Phylogenetic variation of <i>Aggregatibacter actinomycetemcomitans</i> serotype e reveals an aberrant distinct evolutionary stable lineage. <i>Infection, Genetics and Evolution</i> , 2010, 10, 1124-1131.	1.0	12
1910	Natural history of <i>Ehrlichia ruminantium</i> . <i>Veterinary Parasitology</i> , 2010, 167, 123-135.	0.7	117
1911	<i>Vibrio owensii</i> sp. nov., isolated from cultured crustaceans in Australia. <i>FEMS Microbiology Letters</i> , 2010, 302, 175-181.	0.7	87
1912	Characterization of two aerobic ultramicrobacteria isolated from urban soil and a description of <i>Oxalicibacterium solurbis</i> sp. nov.. <i>FEMS Microbiology Letters</i> , 2010, 307, 25-29.	0.7	36
1913	<i>Vibrio mangrovi</i> sp. nov., a diazotrophic bacterium isolated from mangrove-associated wild rice ( <i>Poteresia coarctata</i> Tateoka). <i>FEMS Microbiology Letters</i> , 2010, 307, 35-40.	0.7	15

#	ARTICLE	IF	CITATIONS
1914	<i>Aestuariibacter aggregatus</i> sp. nov., a moderately halophilic bacterium isolated from seawater of the Yellow Sea. <i>FEMS Microbiology Letters</i> , 2010, 309, no-no.	0.7	22
1915	Application of <i>gyrB</i> and <i>parE</i> sequence similarity analyses for differentiation of species within the genus <i>Geobacillus</i> . <i>Microbiology</i> , 2010, 79, 356-369.	0.5	23
1916	<i>Anoxybacillus mongoliensis</i> sp. nov., a novel thermophilic proteinase producing bacterium isolated from alkaline hot spring, Central Mongolia. <i>Microbiology</i> , 2010, 79, 491-499.	0.5	21
1917	<i>Klebsiella alba</i> sp. nov., a novel pesticide-tolerant bacterium from a heavily polluted environment. <i>Journal of General and Applied Microbiology</i> , 2010, 56, 241-247.	0.4	20
1918	<i>Cerasicoccus maritimus</i> sp. nov. and <i>Cerasicoccus frondis</i> sp. nov., two peptidoglycan-less marine verrucomicrobial species, and description of <i>Verrucomicrobia</i> phyl. nov., nom. rev.. <i>Journal of General and Applied Microbiology</i> , 2010, 56, 213-222.	0.4	16
1919	Linking operational clustered taxonomic units (OCTUs) from parallel ultra sequencing (PUS) to nematode species. <i>Zootaxa</i> , 2010, 2427, .	0.2	40
1920	Identification of moderately halophilic bacteria from Thai fermented fish ( pla-ra ) and proposal of <i>Virgibacillus siamensis</i> sp. nov.. <i>Journal of General and Applied Microbiology</i> , 2010, 56, 369-379.	0.4	27
1921	<i>Limnohabitans australis</i> sp. nov., isolated from a freshwater pond, and emended description of the genus <i>Limnohabitans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2946-2950.	0.8	59
1922	<i>Curvibacter fontana</i> sp. nov., a microaerobic bacteria isolated from well water. <i>Journal of General and Applied Microbiology</i> , 2010, 56, 267-271.	0.4	59
1923	<i>Kaistia terrae</i> sp. nov., isolated from a wetland in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 949-952.	0.8	12
1924	<i>Sphingopyxis panaciterrulae</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2358-2363.	0.8	18
1925	<i>Chitinibacter alvei</i> sp. nov., isolated from stream water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1760-1764.	0.8	9
1926	<i>Corynebacterium marinum</i> sp. nov. isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1944-1947.	0.8	25
1927	<i>Streptococcus porci</i> sp. nov., isolated from swine sources. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 104-108.	0.8	16
1928	<i>Flavobacterium algicola</i> sp. nov., isolated from marine algae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 344-348.	0.8	38
1929	<i>Weissella beninensis</i> sp. nov., a motile lactic acid bacterium from submerged cassava fermentations, and emended description of the genus <i>Weissella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2193-2198.	0.8	48
1930	<i>Pseudoalteromonas lipolytica</i> sp. nov., isolated from the Yangtze River estuary. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2176-2181.	0.8	31
1931	<i>Kocuria atrinae</i> sp. nov., isolated from traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 914-918.	0.8	37

#	ARTICLE	IF	CITATIONS
1932	<i>Maribacter stanieri</i> sp. nov., a marine bacterium of the family Flavobacteriaceae. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 214-218.	0.8	39
1933	<i>Vibrio casei</i> sp. nov., isolated from the surfaces of two French red smear soft cheeses. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1745-1749.	0.8	29
1934	<i>Aeromonas fluvialis</i> sp. nov., isolated from a Spanish river. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 72-77.	0.8	56
1935	<i>Laceyella tengchongensis</i> sp. nov., a thermophile isolated from soil of a volcano. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2226-2230.	0.8	18
1936	<i>Vagococcus penaei</i> sp. nov., isolated from spoilage microbiota of cooked shrimp ( <i>Penaeus vannamei</i> ). International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2159-2164.	0.8	35
1937	<i>Paracoccus fistulariae</i> sp. nov., a lipolytic bacterium isolated from bluespotted cornetfish, <i>Fistularia commersonii</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2908-2912.	0.8	27
1938	<i>Pseudoclavibacter chungangensis</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1672-1677.	0.8	18
1939	<i>Sphingomonas histidinilytica</i> sp. nov., isolated from a hexachlorocyclohexane dump site. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1038-1043.	0.8	45
1940	<i>Pusillimonas soli</i> sp. nov., isolated from farm soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2326-2330.	0.8	24
1941	<i>Dyadobacter soli</i> sp. nov., a starch-degrading bacterium isolated from farm soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2577-2582.	0.8	31
1942	<i>Herbidospora yilanensis</i> sp. nov. and <i>Herbidospora daliensis</i> sp. nov., from sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1168-1172.	0.8	20
1943	Reclassification of <i>Herbaspirillum putei</i> as a later heterotypic synonym of <i>Herbaspirillum huttiense</i> , with the description of <i>H. huttiense</i> subsp. <i>huttiense</i> subsp. nov. and <i>H. huttiense</i> subsp. <i>putei</i> subsp. nov., comb. nov., and description of <i>Herbaspirillum aquaticum</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1418-1426.	0.8	55
1944	<i>Chryseoglobus frigidaquae</i> gen. nov., sp. nov., a novel member of the family Microbacteriaceae. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1311-1316.	0.8	26
1945	<i>Virgibacillus byunsanensis</i> sp. nov., isolated from a marine solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 291-295.	0.8	24
1946	<i>Rhizobium soli</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1387-1393.	0.8	33
1947	<i>Nocardiopsis sinuspersici</i> sp. nov., isolated from sandy rhizospheric soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2346-2352.	0.8	27
1948	<i>Jannaschia seohaensis</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 191-195.	0.8	19
1949	<i>Pseudomonas chlororaphis</i> subsp. <i>piscium</i> subsp. nov., isolated from freshwater fish. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2753-2757.	0.8	34

#	ARTICLE	IF	CITATIONS
1950	<i>Sphingobium scionense</i> sp. nov., an aromatic hydrocarbon-degrading bacterium isolated from contaminated sawmill soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 413-416.	0.8	44
1951	Proposal to unify <i>Clostridium orbiscindens</i> Winter et al. 1991 and <i>Eubacterium plautii</i> (SÃ©guin 1928) Hofstad and Aasjord 1982, with description of <i>Flavonifractor plautii</i> gen. nov., comb. nov., and reassignment of <i>Bacteroides capillosus</i> to <i>Pseudoflavonifractor capillosus</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 585-590.	0.8	108
1952	<i>Oceanobacillus locisalsi</i> sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2758-2762.	0.8	32
1953	<i>Terrimonas aquatica</i> sp. nov., isolated from a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2705-2709.	0.8	18
1954	<i>Sphingopyxis ummariensis</i> sp. nov., isolated from a hexachlorocyclohexane dump site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 780-784.	0.8	44
1955	<i>Bacteroides faecis</i> sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2572-2576.	0.8	23
1956	<i>Staphylococcus rostri</i> sp. nov., a haemolytic bacterium isolated from the noses of healthy pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2042-2047.	0.8	18
1957	<i>Stenotrophomonas ginsengisoli</i> sp. nov., isolated from a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1522-1526.	0.8	31
1958	<i>Hafnia paralvei</i> sp. nov., formerly known as <i>Hafnia alvei</i> hybridization group 2. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1725-1728.	0.8	35
1959	<i>Citricoccus zhacaiensis</i> sp. nov., isolated from a bioreactor for saline wastewater treatment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 495-499.	0.8	17
1961	<i>Saccharopolyspora phatthalungensis</i> sp. nov., isolated from rhizosphere soil of <i>Hevea brasiliensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1904-1908.	0.8	17
1962	<i>Friedmanniella luteola</i> sp. nov., <i>Friedmanniella lucida</i> sp. nov., <i>Friedmanniella okinawensis</i> sp. nov. and <i>Friedmanniella sagamiharensis</i> sp. nov., isolated from spiders. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 113-120.	0.8	32
1963	<i>Aeromonas taiwanensis</i> sp. nov. and <i>Aeromonas sanarellii</i> sp. nov., clinical species from Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2048-2055.	0.8	64
1964	<i>Rhodothermus profundus</i> sp. nov., a thermophilic bacterium isolated from a deep-sea hydrothermal vent in the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2729-2734.	0.8	51
1965	<i>Paenibacillus pocheonensis</i> sp. nov., a facultative anaerobe isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1163-1167.	0.8	19
1966	<i>Sphingopyxis bauzanensis</i> sp. nov., a psychrophilic bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2618-2622.	0.8	36
1967	<i>Umboniibacter marinipunicus</i> gen. nov., sp. nov., a marine gammaproteobacterium isolated from the mollusc <i>Umbonium costatum</i> from the Sea of Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 603-609.	0.8	30
1968	<i>Jeotgalicoccus huakuii</i> sp. nov., a halotolerant bacterium isolated from seaside soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1307-1310.	0.8	21

#	ARTICLE	IF	CITATIONS
1969	<i>Lysobacter soli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1543-1547.	0.8	39
1970	<i>Desulfovibrio africanus</i> subsp. uniflagellum subsp. nov., a sulfate-reducing bacterium from a uranium-contaminated subsurface aquifer. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 880-886.	0.8	20
1971	<i>Brucella inopinata</i> sp. nov., isolated from a breast implant infection. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 801-808.	0.8	276
1972	<i>Actinopolymorpha cephalotaxi</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of the plant <i>Cephalotaxus fortunei</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 51-54.	0.8	25
1973	<i>Gracilibacillus thailandensis</i> sp. nov., from fermented fish (pla-ra). International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 944-948.	0.8	33
1974	<i>Dactylosporangium darangshiense</i> sp. nov., isolated from rock soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1256-1260.	0.8	11
1975	<i>Thalassospira xianhensis</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading marine bacterium. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1125-1129.	0.8	65
1976	<i>Ruegeria pelagia</i> is a later heterotypic synonym of <i>Ruegeria mobilis</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1918-1920.	0.8	19
1977	<i>Clostridium arbusti</i> sp. nov., an anaerobic bacterium isolated from pear orchard soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2231-2235.	0.8	20
1978	<i>Paenibacillus prosopidis</i> sp. nov., isolated from the nodules of <i>Prosopis farcta</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2182-2186.	0.8	40
1979	<i>Massilia jejuensis</i> sp. nov. and <i>Naxibacter suwonensis</i> sp. nov., isolated from air samples. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1938-1943.	0.8	42
1980	<i>Litoricola marina</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1303-1306.	0.8	14
1981	Reclassification of <i>Flexibacter tractuosus</i> (Lewin 1969) Leadbetter 1974 and <i>Microscilla sericea</i> ™ Lewin 1969 in the genus <i>Marivirga</i> gen. nov. as <i>Marivirga tractuosa</i> comb. nov. and <i>Marivirga sericea</i> nom. rev., comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1858-1863.	0.8	36
1982	<i>Cohnella luojiensis</i> sp. nov., isolated from soil of a Euphrates poplar forest. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1605-1608.	0.8	33
1983	<i>Terribacillus aidingensis</i> sp. nov., a moderately halophilic bacterium. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2940-2945.	0.8	18
1984	<i>Streptomyces osmaniensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1755-1759.	0.8	10
1985	<i>Fronidhabitans peucedani</i> sp. nov., an actinobacterium isolated from rhizosphere soil, and emended description of the genus <i>Fronidhabitans</i> Greene et al. 2009. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1740-1744.	0.8	24
1986	<i>Pseudidiomarina aestuarii</i> sp. nov., a marine bacterium isolated from shallow coastal seawater. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2071-2075.	0.8	26

#	ARTICLE	IF	CITATIONS
1987	<i>Vogesella mureinivorans</i> sp. nov., a peptidoglycan-degrading bacterium from lake water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2467-2472.	0.8	32
1988	<i>Mucilaginibacter gossypii</i> sp. nov. and <i>Mucilaginibacter gossypicola</i> sp. nov., plant-growth-promoting bacteria isolated from cotton rhizosphere soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2451-2457.	0.8	91
1989	<i>Reinekea aestuarii</i> sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2813-2817.	0.8	14
1990	<i>Castellaniella daejeonensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2056-2060.	0.8	15
1991	<i>Limnohabitans planktonicus</i> sp. nov. and <i>Limnohabitans parvus</i> sp. nov., planktonic betaproteobacteria isolated from a freshwater reservoir, and emended description of the genus <i>Limnohabitans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2710-2714.	0.8	80
1992	<i>Salinimicrobium marinum</i> sp. nov., a halophilic bacterium of the family <i>Flavobacteriaceae</i> , and emended descriptions of the genus <i>Salinimicrobium</i> and <i>Salinimicrobium catena</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2303-2306.	0.8	28
1993	<i>Virgibacillus subterraneus</i> sp. nov., a moderately halophilic Gram-positive bacterium isolated from subsurface saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2763-2767.	0.8	14
1994	<i>Bacillus oceanisediminis</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2924-2929.	0.8	64
1995	<i>Lechevalieria atacamensis</i> sp. nov., <i>Lechevalieria deserti</i> sp. nov. and <i>Lechevalieria roselyniae</i> sp. nov., isolated from hyperarid soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 296-300.	0.8	36
1996	<i>Pseudoruegeria lutimaris</i> sp. nov., isolated from a tidal flat sediment, and emended description of the genus <i>Pseudoruegeria</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1177-1181.	0.8	38
1997	<i>Nocardiopsis nikkonensis</i> sp. nov., isolated from a compost sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2967-2971.	0.8	14
1998	<i>Adhaeribacter aerophilus</i> sp. nov., <i>Adhaeribacter aerolatus</i> sp. nov. and <i>Segetibacter aerophilus</i> sp. nov., isolated from air samples. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2424-2429.	0.8	34
1999	<i>Pontibaca methylaminivorans</i> gen. nov., sp. nov., a member of the family <i>Rhodobacteraceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2170-2175.	0.8	26
2000	<i>Alishewanella agri</i> sp. nov., isolated from landfill soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2199-2203.	0.8	28
2001	<i>Kangiella japonica</i> sp. nov., isolated from a marine environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2583-2586.	0.8	35
2002	<i>Verrucosispora sediminis</i> sp. nov., a cyclodipeptide-producing actinomycete from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1807-1812.	0.8	42
2003	Delineation of two <i>Helicobacter bilis</i> genomospecies: implications for systematics and evolution. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2392-2397.	0.8	8
2004	<i>Nocardioides daedukensis</i> sp. nov., a halotolerant bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1334-1338.	0.8	19

#	ARTICLE	IF	CITATIONS
2005	<i>Chryseobacterium treverense</i> sp. nov., isolated from a human clinical source. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1993-1998.	0.8	31
2006	<i>Serratia glossinae</i> sp. nov., isolated from the midgut of the tsetse fly <i>Glossina palpalis gambiensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1261-1265.	0.8	46
2007	<i>Pontibacillus litoralis</i> sp. nov., a facultatively anaerobic bacterium isolated from a sea anemone, and emended description of the genus <i>Pontibacillus</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 560-565.	0.8	20
2008	<i>Algoriphagus lutimaris</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 200-204.	0.8	26
2009	<i>Haladaptatus cibarius</i> sp. nov., an extremely halophilic archaeon from seafood, and emended description of the genus <i>Haladaptatus</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1187-1190.	0.8	25
2010	<i>Acidocella aluminiidurans</i> sp. nov., an aluminium-tolerant bacterium isolated from <i>Panicum repens</i> grown in a highly acidic swamp in actual acid sulfate soil area of Vietnam. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 764-768.	0.8	32
2011	<i>Actinoplanes toevensis</i> sp. nov. and <i>Actinoplanes tereljensis</i> sp. nov., isolated from Mongolian soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 919-927.	0.8	17
2012	<i>Moraxella porci</i> sp. nov., isolated from pigs. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2446-2450.	0.8	30
2013	Phylogeny of <i>Photorhabdus</i> and <i>Xenorhabdus</i> based on universally conserved protein-coding sequences and implications for the taxonomy of these two genera. Proposal of new taxa: <i>X. vietnamensis</i> sp. nov., <i>P. luminescens</i> subsp. <i>caribbeanensis</i> subsp. nov., <i>P. luminescens</i> subsp. <i>hainanensis</i> subsp. nov., <i>P. temperata</i> subsp. <i>khanii</i> subsp. nov., <i>P. temperata</i> subsp. <i>tasmaniensis</i> subsp. nov., and the reclassification of <i>P. luminescens</i> subsp. <i>thracensis</i> as <i>P. temperata</i> subsp. <i>thracensis</i> comb. nov. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1921-1937.	0.8	158
2014	<i>Pantoea gaviniae</i> sp. nov. and <i>Pantoea calida</i> sp. nov., isolated from infant formula and an infant formula production environment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2786-2792.	0.8	45
2015	<i>Streptomyces iranensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1504-1509.	0.8	25
2016	<i>Sphingobium faniae</i> sp. nov., a pyrethroid-degrading bacterium isolated from activated sludge treating wastewater from pyrethroid manufacture. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 408-412.	0.8	34
2017	<i>Staphylococcus devriesei</i> sp. nov., isolated from teat apices and milk of dairy cows. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2739-2744.	0.8	29
2018	Identification and Characterization of a Novel <i>Terrabacter ginsenosidimutans</i> sp. nov. $\beta$ -Glucosidase That Transforms Ginsenoside Rb1 into the Rare Gypenosides XVII and LXXV. Applied and Environmental Microbiology, 2010, 76, 5827-5836.	1.4	79
2019	<i>Dactylosporangium luridum</i> sp. nov., <i>Dactylosporangium luteum</i> sp. nov. and <i>Dactylosporangium salmoneum</i> sp. nov., nom. rev., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1813-1823.	0.8	30
2020	<i>Neptunomonas antarctica</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1958-1961.	0.8	32
2021	<i>Cobetia crustatorum</i> sp. nov., a novel slightly halophilic bacterium isolated from traditional fermented seafood in Korea. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 620-626.	0.8	33
2022	<i>Enterobacter arachidis</i> sp. nov., a plant-growth-promoting diazotrophic bacterium isolated from rhizosphere soil of groundnut. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1559-1564.	0.8	56



#	ARTICLE	IF	CITATIONS
2023	<i>Aliivibrio finisterrensis</i> sp. nov., isolated from Manila clam, <i>Ruditapes philippinarum</i> and emended description of the genus <i>Aliivibrio</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 223-228.	0.8	25
2024	<i>Corynebacterium pilbarensis</i> sp. nov., a non-lipophilic corynebacterium isolated from a human ankle aspirate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1484-1487.	0.8	18
2025	Taxonomic study of <i>Marinomonas</i> strains isolated from the seagrass <i>Posidonia oceanica</i> , with descriptions of <i>Marinomonas balearica</i> sp. nov. and <i>Marinomonas pollencensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 93-98.	0.8	68
2026	<i>Stappia indica</i> sp. nov., isolated from deep seawater of the Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 733-736.	0.8	31
2027	<i>Psychromonas boydii</i> sp. nov., a gas-vacuolate, psychrophilic bacterium isolated from an Arctic sea-ice core. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 84-92.	0.8	27
2028	Bacteremia Caused by a Novel <i>Helicobacter</i> Species in a 28-Year-Old Man with X-Linked Agammaglobulinemia. <i>Journal of Clinical Microbiology</i> , 2010, 48, 4672-4676.	1.8	17
2029	<i>Planococcus salinarum</i> sp. nov., isolated from a marine solar saltern, and emended description of the genus <i>Planococcus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 754-758.	0.8	47
2030	<i>Burkholderia heleia</i> sp. nov., a nitrogen-fixing bacterium isolated from an aquatic plant, <i>Eleocharis dulcis</i> , that grows in highly acidic swamps in actual acid sulfate soil areas of Vietnam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1152-1157.	0.8	37
2031	<i>Micromonospora marina</i> sp. nov., isolated from sea sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 648-652.	0.8	30
2032	PAMDB, A Multilocus Sequence Typing and Analysis Database and Website for Plant-Associated Microbes. <i>Phytopathology</i> , 2010, 100, 208-215.	1.1	166
2033	<i>Lactobacillus paucivorans</i> sp. nov., isolated from a brewery environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2353-2357.	0.8	21
2034	<i>Psychrobacter aestuarii</i> sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1631-1636.	0.8	11
2035	<i>Arthrobacter antarcticus</i> sp. nov., isolated from an Antarctic marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2263-2266.	0.8	33
2036	<i>Deinococcus wulumuqiensis</i> sp. nov., and <i>Deinococcus xibeiensis</i> sp. nov., isolated from radiation-polluted soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2006-2010.	0.8	47
2037	<i>Sphingobium quisquiliarum</i> sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium isolated from an HCH-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 429-433.	0.8	59
2038	<i>Photobacterium gaetbulicola</i> sp. nov., a lipolytic bacterium isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2587-2591.	0.8	27
2039	<i>Deefgea chitinilytica</i> sp. nov., isolated from a wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1450-1453.	0.8	16
2040	<i>Demequina salsinemoris</i> sp. nov., isolated on agar media supplemented with ascorbic acid or rutin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1206-1209.	0.8	20

#	ARTICLE	IF	CITATIONS
2041	<i>Variovorax ginsengisoli</i> sp. nov., a denitrifying bacterium isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1565-1569.	0.8	29
2042	<i>Bacillus trypoxylicola</i> sp. nov., xylanase-producing alkaliphilic bacteria isolated from the guts of Japanese horned beetle larvae ( <i>Trypoxylus dichotomus septentrionalis</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 61-66.	0.8	36
2043	<i>Mesonia phycicola</i> sp. nov., isolated from seaweed, and emended description of the genus <i>Mesonia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 591-594.	0.8	24
2044	<i>Vibrio atypicus</i> sp. nov., isolated from the digestive tract of the Chinese prawn ( <i>Penaeus chinensis</i> ) Tj ETQq1 1 0.784314 rgBTJ/Overl	0.8	27
2045	<i>Halomonas stevensii</i> sp. nov., <i>Halomonas hamiltonii</i> sp. nov. and <i>Halomonas johnsoniae</i> sp. nov., isolated from a renal care centre. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 369-377.	0.8	52
2046	<i>Williamsia faeni</i> sp. nov., an actinomycete isolated from a hay meadow. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2548-2551.	0.8	20
2047	Structure, Function, and Evolution of the <i>Thiomonas</i> spp. Genome. <i>PLoS Genetics</i> , 2010, 6, e1000859.	1.5	123
2048	<i>Bacillus marcorestrictum</i> sp. nov., a Novel Soil Acylhomoserine Lactone Quorum-Sensing Signal Quenching Bacterium. <i>International Journal of Molecular Sciences</i> , 2010, 11, 507-520.	1.8	23
2049	<i>Rhodanobacter soli</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2935-2939.	0.8	25
2050	<i>Arcicella aurantiaca</i> sp. nov., isolated from stream water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2979-2983.	0.8	10
2051	<i>Salinicoccus carnicancri</i> sp. nov., a halophilic bacterium isolated from a Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 653-658.	0.8	15
2052	<i>Parapusillimonas granuli</i> gen. nov., sp. nov., isolated from granules from a wastewater-treatment bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1401-1406.	0.8	32
2053	<i>Alkalibacillus flavidus</i> sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 434-438.	0.8	10
2054	<i>Bifidobacterium stercoris</i> sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2823-2827.	0.8	19
2055	<i>Burkholderia acidipaludis</i> sp. nov., aluminium-tolerant bacteria isolated from Chinese water chestnut ( <i>Eleocharis dulcis</i> ) growing in highly acidic swamps in South-East Asia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2036-2041.	0.8	46
2056	<i>Gracilibacillus ureilyticus</i> sp. nov., a halotolerant bacterium from a saline alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1383-1386.	0.8	44
2057	<i>Lentibacillus jeotgali</i> sp. nov., a halophilic bacterium isolated from traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1017-1022.	0.8	22
2058	<i>Lysinibacillus xylanilyticus</i> sp. nov., a xylan-degrading bacterium isolated from forest humus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 281-286.	0.8	72

#	ARTICLE	IF	CITATIONS
2059	<i>Bacillus marmarensis</i> sp. nov., an alkaliphilic, protease-producing bacterium isolated from mushroom compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1590-1594.	0.8	42
2060	Reclassification of <i>Geobacillus pallidus</i> (Scholz et al. 1988) Banat et al. 2004 as <i>Aeribacillus pallidus</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1600-1604.	0.8	96
2061	<i>Bacillus rigui</i> sp. nov., isolated from wetland fresh water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2204-2209.	0.8	24
2062	<i>Oceanobacillus neutriphilus</i> sp. nov., isolated from activated sludge in a bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2409-2414.	0.8	28
2063	<i>Listeria marthii</i> sp. nov., isolated from the natural environment, Finger Lakes National Forest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1280-1288.	0.8	185
2064	<i>Cohnella yongneupensis</i> sp. nov. and <i>Cohnella ginsengisoli</i> sp. nov., isolated from two different soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 526-530.	0.8	39
2065	<i>Jeotgalibacillus salarius</i> sp. nov., isolated from a marine saltern, and reclassification of <i>Marinibacillus marinus</i> and <i>Marinibacillus campisalis</i> as <i>Jeotgalibacillus marinus</i> comb. nov. and <i>Jeotgalibacillus campisalis</i> comb. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 15-20.	0.8	34
2066	Digital DNA-DNA hybridization for microbial species delineation by means of genome-to-genome sequence comparison. <i>Standards in Genomic Sciences</i> , 2010, 2, 117-134.	1.5	1,442
2067	Molecular Methods to Detect <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> in Foods. NATO Science for Peace and Security Series A: Chemistry and Biology, 2010, , 185-210.	0.5	1
2069	Notes on the characterization of prokaryote strains for taxonomic purposes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 249-266.	0.8	1,232
2070	Phylum XVI. <i>Tenericutes</i> Murray 1984a, 356VP (Effective publication: Murray 1984b, 33.). , 2010, , 567-723.		34
2071	<i>Aquimarina macrocephali</i> sp. nov., isolated from sediment adjacent to sperm whale carcasses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2298-2302.	0.8	43
2072	<i>Halostagnicola kamekurae</i> sp. nov., an extremely halophilic archaeon from solar salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2828-2831.	0.8	19
2073	<i>Endozoicomonas montiporae</i> sp. nov., isolated from the encrusting pore coral <i>Montipora aequituberculata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1158-1162.	0.8	88
2074	<i>Rhodococcus baikonurensis</i> BTM4c, a Boron-Tolerant Actinobacterial Strain Isolated from Soil. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 178-181.	0.6	12
2075	<i>Aeromicrobium halocynthiae</i> sp. nov., a taurocholic acid-producing bacterium isolated from the marine ascidian <i>Halocynthia roretzi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2793-2798.	0.8	43
2076	Discrimination and Phylogenomic Classification of <i>Bacillus anthracis-cereus-thuringiensis</i> Strains Based on LC-MS/MS Analysis of Whole Cell Protein Digests. <i>Analytical Chemistry</i> , 2010, 82, 145-155.	3.2	32
2077	Letter to the Editor: Authors' Response. <i>Journal of Periodontology</i> , 2010, 81, 338-340.	1.7	0

#	ARTICLE	IF	CITATIONS
2078	<i>Bacillus methylotrophicus</i> sp. nov., a methanol-utilizing, plant-growth-promoting bacterium isolated from rice rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2490-2495.	0.8	127
2079	<i>Halomonas andesensis</i> sp. nov., a moderate halophile isolated from the saline lake Laguna Colorada in Bolivia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 749-753.	0.8	44
2080	Microbial systematics and taxonomy: relevance for a microbial commons. <i>Research in Microbiology</i> , 2010, 161, 430-438.	1.0	71
2081	Understanding patterns of use and scientific opportunities in the emerging global microbial commons. <i>Research in Microbiology</i> , 2010, 161, 407-413.	1.0	20
2082	<i>Mucilaginibacter dorajii</i> sp. nov., isolated from the rhizosphere of <i>Platycodon grandiflorum</i> . <i>FEMS Microbiology Letters</i> , 2010, 309, no-no.	0.7	30
2083	<i>Pseudonocardia adelaidensis</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized stem of a grey box tree ( <i>Eucalyptus microcarpa</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2818-2822.	0.8	30
2084	<i>Nocardia callitridis</i> sp. nov., an endophytic actinobacterium isolated from a surface-sterilized root of an Australian native pine tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1532-1536.	0.8	43
2085	<i>Leifsonia soli</i> sp. nov., a yellow-pigmented actinobacterium isolated from teak rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1322-1327.	0.8	33
2086	Taxonomic evaluation of the <i>Streptomyces griseus</i> clade using multilocus sequence analysis and DNA-DNA hybridization, with proposal to combine 29 species and three subspecies as 11 genomic species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 696-703.	0.8	209
2087	Microbial Systematics. , 2010, , 81-120.		6
2088	<i>Paenibacillus riograndensis</i> sp. nov., a nitrogen-fixing species isolated from the rhizosphere of <i>Triticum aestivum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 128-133.	0.8	74
2089	<i>Oceanibaculum pacificum</i> sp. nov., isolated from hydrothermal field sediment of the south-west Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 219-222.	0.8	30
2090	Effect of Dechlorination and Sulfate Reduction on the Microbial Community Structure in Denitrifying Membrane-Biofilm Reactors. <i>Environmental Science &amp; Technology</i> , 2010, 44, 5159-5164.	4.6	50
2091	<i>Granulosicoccus coccoides</i> sp. nov., isolated from leaves of seagrass ( <i>Zostera marina</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 972-976.	0.8	54
2092	<i>Brevibacterium salitolerans</i> sp. nov., an actinobacterium isolated from salt-lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2991-2995.	0.8	18
2093	<i>Paenibacillus residui</i> sp. nov., isolated from urban waste compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2415-2419.	0.8	23
2094	<i>Acidovorax radidis</i> sp. nov., a wheat-root-colonizing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2589-2594.	0.8	48
2095	<i>Nocardiopsis flavescens</i> sp. nov., an actinomycete isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2640-2645.	0.8	26

#	ARTICLE	IF	CITATIONS
2096	Isolation and characterization of novel thermophilic nitrifying <i>Bacillus</i> sp. from compost. <i>Soil Science and Plant Nutrition</i> , 2011, 57, 150-156.	0.8	15
2097	<i>Comamonas zonglianii</i> sp. nov., isolated from phenol-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 255-258.	0.8	30
2098	Degradation of Cyhalofop-butyl (CyB) by <i>Pseudomonas azotoformans</i> Strain QDZ-1 and Cloning of a Novel Gene Encoding CyB-Hydrolyzing Esterase. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 6040-6046.	2.4	52
2099	Phylogenetic and genetic variation among Fe(II)-oxidizing acidithiobacilli supports the view that these comprise multiple species with different ferrous iron oxidation pathways. <i>Microbiology (United Kingdom)</i> 151: 1077-1087. doi:10.1099/mic/0/000000.0	0.784304	10
2100	<i>Thioalbus denitrificans</i> gen. nov., sp. nov., a chemolithoautotrophic sulfur-oxidizing gammaproteobacterium, isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2045-2051.	0.8	35
2101	Biodiversity and biogeography of microalgae: progress and pitfalls. <i>Environmental Reviews</i> , 2011, 19, 1-15.	2.1	34
2102	Reclassification of <i>Leifsonia ginsengi</i> (Qiu et al. 2007) as <i>Herbiconiux ginsengi</i> gen. nov., comb. nov. and description of <i>Herbiconiux solani</i> sp. nov., an actinobacterium associated with the phyllosphere of <i>Solanum tuberosum</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1039-1047.	0.8	37
2103	<i>Paenibacillus tianmuensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1133-1137.	0.8	26
2104	<i>Paenibacillus wooponensis</i> sp. nov., isolated from wetland freshwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2763-2768.	0.8	30
2105	<i>Jeotgalicoccus nanhaiensis</i> sp. nov., isolated from intertidal sediment, and emended description of the genus <i>Jeotgalicoccus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2029-2034.	0.8	13
2106	<i>Paenibacillus jilunlii</i> sp. nov., a nitrogen-fixing species isolated from the rhizosphere of <i>Begonia semperflorens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1350-1355.	0.8	39
2107	<i>Cellulomonas phragmiteti</i> sp. nov., a cellulolytic bacterium isolated from reed ( <i>Phragmites australis</i> ) periphyton in a shallow soda pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1662-1666.	0.8	31
2108	<i>Halomonas daqiaonensis</i> sp. nov., a moderately halophilic, denitrifying bacterium isolated from a littoral saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1612-1616.	0.8	19
2109	<i>Marinomonas alcarazii</i> sp. nov., <i>M. rhizomae</i> sp. nov., <i>M. foliarum</i> sp. nov., <i>M. posidonica</i> sp. nov. and <i>M. aquiplantarum</i> sp. nov., isolated from the microbiota of the seagrass <i>Posidonia oceanica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2191-2196.	0.8	43
2110	<i>Shimia isopora</i> sp. nov., isolated from the reef-building coral <i>Isopora palifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 823-827.	0.8	35
2113	<i>Arthrobacter equi</i> sp. nov., isolated from veterinary clinical material. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2089-2094.	0.8	18
2114	A Theory-Based Pragmatism for Discovering and Classifying Newly Divergent Bacterial Species. , 2011, , 21-41.		14
2115	<i>Sphingobium wenxiniae</i> sp. nov., a synthetic pyrethroid (SP)-degrading bacterium isolated from activated sludge in an SP-manufacturing wastewater treatment facility. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1776-1780.	0.8	28

#	ARTICLE	IF	CITATIONS
2116	Phylogenetic and taxonomic delimitation of the cyanobacterial genus <i>Aphanothece</i> and description of <i>Anathece</i> gen. nov. European Journal of Phycology, 2011, 46, 315-326.	0.9	37
2117	<i>Primorskyibacter sedentarius</i> gen. nov., sp. nov., a novel member of the class Alphaproteobacteria from shallow marine sediments. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1572-1578.	0.8	25
2118	<i>Acinetobacter rudis</i> sp. nov., isolated from raw milk and raw wastewater. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2837-2843.	0.8	42
2119	<i>Haloferula luteola</i> sp. nov., an endophytic bacterium isolated from the root of a halophyte, <i>Rosa rugosa</i> , and emended description of the genus <i>Haloferula</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1837-1841.	0.8	22
2120	<i>Rubritalea halochordaticola</i> sp. nov., a carotenoid-producing verrucomicrobial species isolated from a marine chordate. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1515-1520.	0.8	17
2121	<i>Ensifer sojae</i> sp. nov., isolated from root nodules of <i>Glycine max</i> grown in saline-alkaline soils. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1981-1988.	0.8	62
2122	<i>Agrococcus carbonis</i> sp. nov., isolated from soil of a coal mine. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1253-1258.	0.8	17
2123	<i>Geodermatophilus ruber</i> sp. nov., isolated from rhizosphere soil of a medicinal plant. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 190-193.	0.8	59
2124	<i>Rhizobium rosettiformans</i> sp. nov., isolated from a hexachlorocyclohexane dump site, and reclassification of <i>Blastobacter aggregatus</i> Hirsch and MÅ¼ller 1986 as <i>Rhizobium aggregatum</i> comb. nov. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1218-1225.	0.8	57
2125	<i>Actinopolymorpha pittospori</i> sp. nov., an endophyte isolated from surface-sterilized leaves of an apricot tree ( <i>Pittosporum phylliraeoides</i> ). International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2616-2620.	0.8	16
2126	<i>Vibrio variabilis</i> sp. nov. and <i>Vibrio maritimus</i> sp. nov., isolated from <i>Palythoa caribaeorum</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 3009-3015.	0.8	43
2127	<i>Streptomyces fenghuangensis</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2811-2815.	0.8	20
2128	<i>Actinopolyspora alba</i> sp. nov. and <i>Actinopolyspora erythraea</i> sp. nov., isolated from a salt field, and reclassification of <i>Actinopolyspora iraqiensis</i> Ruan et al. 1994 as a heterotypic synonym of <i>Saccharomonospora halophila</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1693-1698.	0.8	47
2129	<i>Ochrobactrum daejeonense</i> sp. nov., a nitrate-reducing bacterium isolated from sludge of a leachate treatment plant. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2690-2696.	0.8	30
2130	Bacterial Diversity and Bioprospecting for Cold-Active Hydrolytic Enzymes from Culturable Bacteria Associated with Sediment from Nella Fjord, Eastern Antarctica. Marine Drugs, 2011, 9, 184-195.	2.2	29
2131	<i>Paenibacillus sophorae</i> sp. nov., a nitrogen-fixing species isolated from the rhizosphere of <i>Sophora japonica</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 767-771.	0.8	54
2132	<i>Pseudomonas deceptionensis</i> sp. nov., a psychrotolerant bacterium from the Antarctic. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2401-2405.	0.8	55
2133	Multilocus Sequence Determination and Analysis. Methods in Microbiology, 2011, , 385-407.	0.4	9

#	ARTICLE	IF	CITATIONS
2134	<i>Tistrella bauzanensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2227-2230.	0.8	19
2135	<i>Haloarcula salaria</i> sp. nov. and <i>Haloarcula tradensis</i> sp. nov., isolated from salt in Thai fish sauce. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 231-236.	0.8	44
2136	<i>Lysobacter ruishenii</i> sp. nov., a chlorothalonil-degrading bacterium isolated from a long-term chlorothalonil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 674-679.	0.8	57
2137	<i>Hansschlegelia zhihuaiae</i> sp. nov., isolated from a polluted farmland soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1114-1117.	0.8	15
2138	Isolation, Taxonomy, and Antagonistic Properties of Halophilic Actinomycetes in Saharan Soils of Algeria. <i>Applied and Environmental Microbiology</i> , 2011, 77, 6710-6714.	1.4	69
2139	<i>Methylophila jiangsuensis</i> sp. nov., an aerobic, facultatively methylotrophic bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1561-1566.	0.8	14
2140	Taxonomic investigation of representatives of the genus <i>Sphaerotilus</i> : descriptions of <i>Sphaerotilus montanus</i> sp. nov., <i>Sphaerotilus hippei</i> sp. nov., <i>Sphaerotilus natans</i> subsp. <i>natans</i> subsp. nov. and <i>Sphaerotilus natans</i> subsp. <i>sulfidivorans</i> subsp. nov., and an emended description of the genus <i>Sphaerotilus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 916-925.	0.8	34
2141	<i>Rhizobium pusense</i> sp. nov., isolated from the rhizosphere of chickpea ( <i>Cicer arietinum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2632-2639.	0.8	86
2142	<i>Sphingomonas rubra</i> sp. nov., isolated from bioreactor wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1028-1032.	0.8	18
2143	Taxonomy of Prokaryotes – Introduction. <i>Methods in Microbiology</i> , 2011, 38, 1-5.	0.4	5
2144	Characterization of a novel facultative <i>Methylocystis</i> species capable of growth on methane, acetate and ethanol. <i>Environmental Microbiology Reports</i> , 2011, 3, 174-181.	1.0	85
2145	<i>Halostagnicola alkaliphila</i> sp. nov., an alkaliphilic haloarchaeon from commercial rock salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1149-1152.	0.8	20
2146	<i>Rhizobium vallis</i> sp. nov., isolated from nodules of three leguminous species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2582-2588.	0.8	48
2147	<i>Rhizobium tubonense</i> sp. nov., isolated from root nodules of <i>Oxytropis glabra</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 512-517.	0.8	32
2148	<i>Rhizobium vignae</i> sp. nov., a symbiotic bacterium isolated from multiple legume species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 580-586.	0.8	34
2149	<i>Actinoalloteichus nanshanensis</i> sp. nov., isolated from the rhizosphere of a fig tree ( <i>Ficus religiosa</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1165-1169.	0.8	195
2150	<i>Jeotgalicoccus halophilus</i> sp. nov., isolated from salt lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1720-1724.	0.8	13
2151	<i>Pseudomonas protegens</i> sp. nov., widespread plant-protecting bacteria producing the biocontrol compounds 2,4-diacetylphloroglucinol and pyoluteorin. <i>Systematic and Applied Microbiology</i> , 2011, 34, 180-188.	1.2	304

#	ARTICLE	IF	CITATIONS
2152	<i>Sphingomonas rosea</i> sp. nov. and <i>Sphingomonas swuensis</i> sp. nov., rosy colored $\beta$ -glucosidase-producing bacteria isolated from soil. <i>Journal of Microbiology</i> , 2011, 49, 610-616.	1.3	18
2153	Prokaryotic taxonomy in the sequencing era and the role of MLSA in classification. <i>Microbiology Australia</i> , 2011, 32, 66.	0.1	5
2154	An MLSA-based online scheme for the rapid identification of <i>Stenotrophomonas</i> isolates. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 394-399.	0.8	12
2155	<i>Marivita roseacus</i> sp. nov., of the family Rhodobacteraceae, isolated from a temperate estuary and an emended description of the genus <i>Marivita</i> . <i>Journal of General and Applied Microbiology</i> , 2011, 57, 259-267.	0.4	15
2156	Defining Pathogenic Bacterial Species in the Genomic Era. <i>Frontiers in Microbiology</i> , 2010, 1, 151.	1.5	90
2157	Genomic Species Are Ecological Species as Revealed by Comparative Genomics in <i>Agrobacterium tumefaciens</i> . <i>Genome Biology and Evolution</i> , 2011, 3, 762-781.	1.1	110
2158	Multilocus Sequence Typing of <i>Pseudomonas syringae</i> Sensu Lato Confirms Previously Described Genomespecies and Permits Rapid Identification of <i>P. syringae</i> pv. <i>coriandricola</i> and <i>P. syringae</i> pv. <i>apii</i> Causing Bacterial Leaf Spot on Parsley. <i>Phytopathology</i> , 2011, 101, 847-858.	1.1	94
2159	The First Case of <i>Legionella nagasakiensis</i> Isolation from Hot Spring Water. <i>Biocontrol Science</i> , 2011, 16, 171-176.	0.2	2
2160	The decoupling between genetic structure and metabolic phenotypes in <i>Escherichia coli</i> leads to continuous phenotypic diversity. <i>Journal of Evolutionary Biology</i> , 2011, 24, 1559-1571.	0.8	31
2161	Evaluation of the antibiotic biosynthetic potential of the genus <i>Amycolatopsis</i> and description of <i>Amycolatopsis circi</i> sp. nov., <i>Amycolatopsis equina</i> sp. nov. and <i>Amycolatopsis hippodromi</i> sp. nov. <i>Journal of Applied Microbiology</i> , 2011, 111, 300-311.	1.4	36
2162	<i>Francisella haliotida</i> sp. nov., a pathogen of farmed giant abalone ( <i>Haliotis gigantea</i> ) in Japan. <i>Journal of Applied Microbiology</i> , 2011, 111, 1044-1056.	1.4	55
2163	The expanding Lyme <i>Borrelia</i> complex—clinical significance of genomic species?. <i>Clinical Microbiology and Infection</i> , 2011, 17, 487-493.	2.8	242
2164	Rickettsial evolution in the light of comparative genomics. <i>Biological Reviews</i> , 2011, 86, 379-405.	4.7	219
2165	<i>Burkholderia fungorum</i> DBT1: a promising bacterial strain for bioremediation of PAHs-contaminated soils. <i>FEMS Microbiology Letters</i> , 2011, 319, 11-18.	0.7	52
2166	A new subspecies of <i>Anoxybacillus flavithermus</i> ssp. <i>yunnanensis</i> ssp. nov. with very high ethanol tolerance. <i>FEMS Microbiology Letters</i> , 2011, 320, 72-78.	0.7	41
2167	Life cycle as a stable trait in the evaluation of diversity of <i>Nostoc</i> from biofilms in rivers. <i>FEMS Microbiology Ecology</i> , 2011, 76, 185-198.	1.3	27
2168	Identification of nitrogen-fixing <i>Paenibacillus</i> from different plant rhizospheres and a novel <i>nifH</i> gene detected in the <i>P. stellifer</i> . <i>Microbiology</i> , 2011, 80, 117-124.	0.5	8
2169	<i>Thalassospira permensis</i> sp. nov., a new terrestrial halotolerant bacterium isolated from a naphthalene-utilizing microbial consortium. <i>Microbiology</i> , 2011, 80, 703-712.	0.5	16



#	ARTICLE	IF	CITATIONS
2170	<i>Actinomycetospora iriomotensis</i> sp. nov., a novel actinomycete isolated from a lichen sample. <i>Journal of Antibiotics</i> , 2011, 64, 289-292.	1.0	36
2171	<i>Sphaerisporangium siamense</i> sp. nov., an actinomycete isolated from rubber-tree rhizospheric soil. <i>Journal of Antibiotics</i> , 2011, 64, 293-296.	1.0	11
2172	<i>Streptosporangium oxazolinicum</i> sp. nov., a novel endophytic actinomycete producing new antitrypanosomal antibiotics, spoxazomicins. <i>Journal of Antibiotics</i> , 2011, 64, 297-302.	1.0	46
2173	Applications of whole-cell matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry in systematic microbiology. <i>Systematic and Applied Microbiology</i> , 2011, 34, 2-11.	1.2	264
2174	<i>Tepidanaerobacter acetatoxydans</i> sp. nov., an anaerobic, syntrophic acetate-oxidizing bacterium isolated from two ammonium-enriched mesophilic methanogenic processes. <i>Systematic and Applied Microbiology</i> , 2011, 34, 260-266.	1.2	170
2175	<i>Vibrio plantisponsor</i> sp. nov., a diazotrophic bacterium isolated from a mangrove associated wild rice ( <i>Porteresia coarctata</i> Tateoka). <i>Systematic and Applied Microbiology</i> , 2011, 34, 487-493.	1.2	15
2176	<i>Nocardia rhamnosiphila</i> sp. nov., isolated from soil. <i>Systematic and Applied Microbiology</i> , 2011, 34, 508-512.	1.2	16
2177	<i>Halogramum salarium</i> sp. nov., a halophilic archaeon isolated from sea salt. <i>Systematic and Applied Microbiology</i> , 2011, 34, 576-580.	1.2	21
2178	Detection, selective isolation and characterisation of <i>Dactylosporangium</i> strains from diverse environmental samples. <i>Systematic and Applied Microbiology</i> , 2011, 34, 606-616.	1.2	13
2179	<i>Geobacillus galactosidasius</i> sp. nov., a new thermophilic galactosidase-producing bacterium isolated from compost. <i>Systematic and Applied Microbiology</i> , 2011, 34, 419-423.	1.2	39
2180	The genus <i>Allochromatium</i> (Chromatiales Chromatiaceae) revisited: A study on its intragenic structure based on multilocus sequence analysis (MLSA) and DNA-DNA hybridization (DDH). <i>Systematic and Applied Microbiology</i> , 2011, 34, 590-594.	1.2	4
2181	<i>Marichromatium litoris</i> sp. nov. and <i>Marichromatium chrysaorae</i> sp. nov. isolated from beach sand and from a jelly fish ( <i>Chrysaora colorata</i> ). <i>Systematic and Applied Microbiology</i> , 2011, 34, 600-605.	1.2	17
2182	<i>Branchiibius cervicis</i> sp. nov., a novel species isolated from patients with atopic dermatitis. <i>Systematic and Applied Microbiology</i> , 2011, 34, 503-507.	1.2	10
2183	Population genetics, taxonomy, phylogeny and evolution of <i>Borrelia burgdorferi</i> sensu lato. <i>Infection, Genetics and Evolution</i> , 2011, 11, 1545-1563.	1.0	210
2184	Microbial phylogeny and diversity: Small subunit ribosomal RNA sequence analysis and beyond. <i>Microbiological Research</i> , 2011, 166, 99-110.	2.5	229
2185	A review of <i>Brucella</i> infection in marine mammals, with special emphasis on <i>Brucella pinnipedialis</i> in the hooded seal ( <i>Cystophora cristata</i> ). <i>Veterinary Research</i> , 2011, 42, 93.	1.1	110
2186	In-vitro assessment of the effects of dietary fibers on microbial fermentation and communities from large intestinal digesta of pigs. <i>Food Hydrocolloids</i> , 2011, 25, 180-188.	5.6	65
2187	<i>Bradyrhizobium cytisi</i> sp. nov., isolated from effective nodules of <i>Cytisus villosus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2922-2927.	0.8	81

#	ARTICLE	IF	CITATIONS
2188	<i>Bradyrhizobium lablabi</i> sp. nov., isolated from effective nodules of <i>Lablab purpureus</i> and <i>Arachis hypogaea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2496-2502.	0.8	76
2189	<i>Rhizobium herbae</i> sp. nov. and <i>Rhizobium giardinii</i> -related bacteria, minor microsymbionts of various wild legumes in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1912-1920.	0.8	40
2190	<i>Marmoricola korecus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1628-1631.	0.8	25
2191	<i>Nocardioides ultimimeridianus</i> sp. nov. and <i>Nocardioides maradonensis</i> sp. nov., isolated from rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1933-1937.	0.8	23
2192	<i>Nocardioides iriomotensis</i> sp. nov., an actinobacterium isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2205-2209.	0.8	17
2193	Multilocus sequence analysis of phytopathogenic species of the genus <i>Streptomyces</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2525-2531.	0.8	78
2194	<i>Halorubrum aquaticum</i> sp. nov., an archaeon isolated from hypersaline lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1144-1148.	0.8	19
2195	<i>Bacillus manliponensis</i> sp. nov., a new member of the <i>Bacillus cereus</i> group isolated from foreshore tidal flat sediment. <i>Journal of Microbiology</i> , 2011, 49, 1027-1032.	1.3	70
2196	<i>Gramella jeungdoensis</i> sp. nov., isolated from a solar saltern in Korea. <i>Journal of Microbiology</i> , 2011, 49, 1022-1026.	1.3	13
2197	<i>Leucobacter kyeonggiensis</i> sp. nov., a new species isolated from dye waste water. <i>Journal of Microbiology</i> , 2011, 49, 1044-1049.	1.3	27
2198	<i>Methylothermus subterraneus</i> sp. nov., a moderately thermophilic methanotroph isolated from a terrestrial subsurface hot aquifer. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2646-2653.	0.8	70
2199	Phylogenetic diversity of isolates belonging to genera <i>Geobacillus</i> and <i>Aeribacillus</i> isolated from different geothermal regions of Turkey. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 2683-2696.	1.7	21
2200	<i>Salinivibrio sharmensis</i> sp. nov., a novel haloalkaliphilic bacterium from a saline lake in Ras Mohammed Park (Egypt). <i>Extremophiles</i> , 2011, 15, 213-220.	0.9	31
2201	Gluconotrehalose is the principal organic solute in the psychrotolerant bacterium <i>Carnobacterium</i> strain 17-4. <i>Extremophiles</i> , 2011, 15, 463-472.	0.9	1
2202	<i>Bacillus deserti</i> sp. nov., a novel bacterium isolated from the desert of Xinjiang, China. <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 221-229.	0.7	34
2203	<i>Bacillus zhanjiangensis</i> sp. nov., isolated from an oyster in South China Sea. <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 473-480.	0.7	12
2204	<i>Bacillus hunanensis</i> sp. nov., a slightly halophilic bacterium isolated from non-saline forest soil. <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 481-488.	0.7	19
2205	Description of <i>Citricoccus nitrophenolicus</i> sp. nov., a para-nitrophenol degrading actinobacterium isolated from a wastewater treatment plant and emended description of the genus <i>Citricoccus</i> Altenburger et al. 2002. <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 489-499.	0.7	27

#	ARTICLE	IF	CITATIONS
2206	<i>Bacillus beringensis</i> sp. nov., a psychrotolerant bacterium isolated from the Bering Sea. Antonie Van Leeuwenhoek, 2011, 99, 551-557.	0.7	14
2207	<i>Halomonas aidingensis</i> sp. nov., a moderately halophilic bacterium isolated from Aiding salt lake in Xinjiang, China. Antonie Van Leeuwenhoek, 2011, 99, 663-670.	0.7	16
2208	Description of a novel actinobacterium <i>Kocuria assamensis</i> sp. nov., isolated from a water sample collected from the river Brahmaputra, Assam, India. Antonie Van Leeuwenhoek, 2011, 99, 721-726.	0.7	17
2209	<i>Sphingomonas hunanensis</i> sp. nov., isolated from forest soil. Antonie Van Leeuwenhoek, 2011, 99, 753-760.	0.7	11
2210	<i>Gilvimarinus agarilyticus</i> sp. nov., a new agar-degrading bacterium isolated from the seashore of Jeju Island. Antonie Van Leeuwenhoek, 2011, 100, 67-73.	0.7	10
2211	Genus-specific primers targeting the 16S rRNA gene for PCR detection of members of the genus <i>Verrucosipora</i> . Antonie Van Leeuwenhoek, 2011, 100, 117-128.	0.7	6
2212	<i>Pontibacter rhizosphaera</i> sp. nov., isolated from rhizosphere soil of an Indian medicinal plant <i>Nerium indicum</i> . Antonie Van Leeuwenhoek, 2011, 100, 129-135.	0.7	24
2213	<i>Halomonas qijiaojiangensis</i> sp. nov. and <i>Halomonas flava</i> sp. nov., two moderately halophilic bacteria isolated from a salt lake. Antonie Van Leeuwenhoek, 2011, 100, 365-373.	0.7	20
2214	<i>Nocardiopsis yanglingensis</i> sp. nov., a thermophilic strain isolated from a compost of button mushrooms. Antonie Van Leeuwenhoek, 2011, 100, 415-419.	0.7	15
2215	<i>Bacillus rhizosphaerae</i> sp. nov., an novel diazotrophic bacterium isolated from sugarcane rhizosphere soil. Antonie Van Leeuwenhoek, 2011, 100, 437-444.	0.7	35
2216	Evaluation of the use of <i>recN</i> sequence analysis in the phylogeny of the genus <i>Amycolatopsis</i> . Antonie Van Leeuwenhoek, 2011, 100, 483-496.	0.7	10
2217	<i>Streptomyces shenzhenensis</i> sp. nov., a novel actinomycete isolated from mangrove sediment. Antonie Van Leeuwenhoek, 2011, 100, 631-637.	0.7	22
2218	Analysis of Bacterial Community Composition of a Spring Water from the Western Ghats, India Using Culture Dependent and Molecular Approaches. <i>Current Microbiology</i> , 2011, 62, 7-15.	1.0	12
2219	<i>Luteibacter jiangsuensis</i> sp. nov.: A Methamidophos-Degrading Bacterium Isolated from a Methamidophos-Manufacturing Factory. <i>Current Microbiology</i> , 2011, 62, 289-295.	1.0	16
2220	<i>Joostella atrarenae</i> sp. nov., a novel member of the Flavobacteriaceae originating from the black sea sand of Jeju Island. <i>Current Microbiology</i> , 2011, 62, 606-611.	1.0	7
2221	<i>Vadicella arenosi</i> gen. nov., sp. nov., a Novel Member of the Class Alphaproteobacteria Isolated from Sandy Sediments from the Sea of Japan Seashore. <i>Current Microbiology</i> , 2011, 62, 795-801.	1.0	17
2222	<i>Caldicoprobacter algeriensis</i> sp. nov. a New Thermophilic Anaerobic, Xylanolytic Bacterium Isolated from an Algerian Hot Spring. <i>Current Microbiology</i> , 2011, 62, 826-832.	1.0	72
2223	Description of a Novel Actinobacterium <i>Microbacterium assamensis</i> sp. nov., Isolated from Water Sample Collected from the River Brahmaputra, Assam, India. <i>Current Microbiology</i> , 2011, 62, 1039-1043.	1.0	5

#	ARTICLE	IF	CITATIONS
2224	<i>Cohnella ferri</i> sp. nov. A Novel Member of the Genus <i>Cohnella</i> Isolated from Haematite Ore. <i>Current Microbiology</i> , 2011, 62, 1704-1709.	1.0	14
2225	<i>Chitinolyticbacter meiyuanensis</i> SYBC-H1T, Gen. Nov., sp. Nov., a Chitin-Degrading Bacterium Isolated From Soil. <i>Current Microbiology</i> , 2011, 62, 1732-1738.	1.0	25
2226	<i>Pseudoxanthomonas jiangsuensis</i> sp. Nov., a DDT-Degrading Bacterium Isolated from a Long-Term DDT-Polluted Soil. <i>Current Microbiology</i> , 2011, 62, 1760-1766.	1.0	29
2227	<i>Photobacterium atrarenae</i> sp. nov. a Novel Bacterium Isolated from Sea Sand. <i>Current Microbiology</i> , 2011, 63, 433-438.	1.0	9
2228	Characteristics of a phylogenetically ambiguous, arsenic-oxidizing <i>Thiomonas</i> sp., <i>Thiomonas arsenitoxydans</i> strain 3AsT sp. nov. <i>Archives of Microbiology</i> , 2011, 193, 439-449.	1.0	38
2229	<i>Chromocurvus halotolerans</i> gen. nov., sp. nov., a gammaproteobacterial obligately aerobic anoxygenic phototroph, isolated from a Canadian hypersaline spring. <i>Archives of Microbiology</i> , 2011, 193, 573-582.	1.0	25
2230	Sulfate-reducing bacteria in a denitrification reactor packed with wood as a carbon source. <i>Bioresource Technology</i> , 2011, 102, 2235-2241.	4.8	47
2231	A halotolerant, thermotolerant, and facultative biosurfactant producer: Identification and molecular characterization of a bacterium and evolution of emulsifier stability of a lipopeptide biosurfactant. <i>Biotechnology and Bioprocess Engineering</i> , 2011, 16, 72-80.	1.4	11
2232	<i>Halomonas alkalitolerans</i> sp. nov., a novel moderately halophilic bacterium isolated from soda meadow saline soil in Daqing, China. <i>Journal of Microbiology</i> , 2011, 49, 24-28.	1.3	11
2233	<i>Acinetobacter oleivorans</i> sp. nov. Is capable of adhering to and growing on diesel-oil. <i>Journal of Microbiology</i> , 2011, 49, 29-34.	1.3	64
2234	<i>Ruminococcus faecis</i> sp. nov., isolated from human faeces. <i>Journal of Microbiology</i> , 2011, 49, 487-491.	1.3	17
2235	<i>Microbacterium suwonense</i> sp. nov., isolated from cow dung. <i>Journal of Microbiology</i> , 2011, 49, 852-856.	1.3	14
2236	<i>Pigmentiphaga soli</i> sp. nov., a bacterium isolated from soil. <i>Journal of Microbiology</i> , 2011, 49, 857-861.	1.3	16
2237	Genomic lineages of <i>Rhizobium etli</i> revealed by the extent of nucleotide polymorphisms and low recombination. <i>BMC Evolutionary Biology</i> , 2011, 11, 305.	3.2	40
2238	Analysis of the unexplored features of <i>rrs</i> (16S rDNA) of the Genus <i>Clostridium</i> . <i>BMC Genomics</i> , 2011, 12, 18.	1.2	59
2239	A novel growth-promoting microbe, <i>Methylobacterium funariae</i> sp. nov., isolated from the leaf surface of a common moss. <i>Plant Signaling and Behavior</i> , 2011, 6, 510-515.	1.2	43
2240	Computational Genomic Signatures. <i>Synthesis Lectures on Biomedical Engineering</i> , 2011, 6, 1-129.	0.1	3
2241	Evaluation of a new fluorimetric DNA-DNA hybridization method. <i>Canadian Journal of Microbiology</i> , 2011, 57, 250-255.	0.8	55

#	ARTICLE	IF	CITATIONS
2242	<i>Actinophytocola timorensis</i> sp. nov. and <i>Actinophytocola corallina</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 834-838.	0.8	21
2243	<i>Nonomuraea wenchangensis</i> sp. nov., isolated from mangrove rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1304-1308.	0.8	28
2244	Screening for endophytic nitrogen-fixing bacteria in Brazilian sugar cane varieties used in organic farming and description of <i>Stenotrophomonas pavanii</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 926-931.	0.8	99
2245	<i>Lactobacillus koreensis</i> sp. nov., isolated from the traditional Korean food kimchi. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 772-776.	0.8	25
2246	<i>Flavobacterium ponti</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 81-85.	0.8	27
2247	<i>Streptomyces samsunensis</i> sp. nov., a member of the <i>Streptomyces violaceusniger</i> clade isolated from the rhizosphere of <i>Robinia pseudoacacia</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1309-1314.	0.8	19
2248	<i>Vagococcus acidifermentans</i> sp. nov., isolated from an acidogenic fermentation bioreactor. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1123-1126.	0.8	26
2249	<i>Frateuria terrea</i> sp. nov., isolated from forest soil, and emended description of the genus <i>Frateuria</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 443-447.	0.8	18
2250	<i>Neisseria wadsworthii</i> sp. nov. and <i>Neisseria shayegani</i> sp. nov., isolated from clinical specimens. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 91-98.	0.8	41
2251	<i>Nocardia niwae</i> sp. nov., isolated from human pulmonary sources. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 438-442.	0.8	21
2252	<i>Chryseobacterium yonginense</i> sp. nov., isolated from a mesotrophic artificial lake. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1413-1417.	0.8	15
2253	Influence of Molecular Resolution on Sequence-Based Discovery of Ecological Diversity among <i>Synechococcus</i> Populations in an Alkaline Siliceous Hot Spring Microbial Mat. Applied and Environmental Microbiology, 2011, 77, 1359-1367.	1.4	44
2254	Identification of Enterococci from Broiler Products and a Broiler Processing Plant and Description of <i>Enterococcus viikkiensis</i> sp. nov.. Applied and Environmental Microbiology, 2011, 77, 1196-1203.	1.4	37
2255	<i>Microbacterium mitrae</i> sp. nov., isolated from salted turban shell. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 399-403.	0.8	15
2256	Proposal of <i>Solimonas aquatica</i> sp. nov., reclassification of <i>Sinobacter flavus</i> Zhou et al. 2008 as <i>Solimonas flava</i> comb. nov. and <i>Singularimonas variicoloris</i> Friedrich and Lipski 2008 as <i>Solimonas variicoloris</i> comb. nov. and emended descriptions of the genus <i>Solimonas</i> and its type species <i>Solimonas soli</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2284-2291.	0.8	33
2257	<i>Marinobacterium coralli</i> sp. nov., isolated from mucus of coral ( <i>Mussismilia hispida</i> ). International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 60-64.	0.8	19
2258	<i>Inquilinus ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 201-204.	0.8	20
2259	<i>Amycolatopsis samanae</i> sp. nov., isolated from roots of <i>Samanea saman</i> (Jacq.) Merr.. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 951-955.	0.8	22

#	ARTICLE	IF	CITATIONS
2260	<i>Marinobacter daqiaonensis</i> sp. nov., a moderate halophile isolated from a Yellow Sea salt pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 3003-3008.	0.8	15
2261	Reclassification of <i>Paenibacillus ginsengisoli</i> as a later heterotypic synonym of <i>Paenibacillus anaericanus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2101-2106.	0.8	8
2262	<i>Echinicola jeungdonensis</i> sp. nov., isolated from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2065-2068.	0.8	19
2263	<i>Pantoea allii</i> sp. nov., isolated from onion plants and seed. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 932-937.	0.8	61
2264	Reevaluation of the Taxonomic Status of Recently Described Species of <i>Enterococcus</i> : Evidence that <i>E. thailandicus</i> Is a Senior Subjective Synonym of <i>E. sanguinicola</i> and Confirmation of <i>E. caccae</i> as a Species Distinct from <i>E. silesiacus</i> . <i>Journal of Clinical Microbiology</i> , 2011, 49, 2676-2679.	1.8	16
2265	<i>Citreicella marina</i> sp. nov., isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 728-731.	0.8	19
2266	<i>Shewanella indica</i> sp. nov., isolated from sediment of the Arabian Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2058-2064.	0.8	30
2267	Whole Genome Sequence Comparisons in Taxonomy. <i>Methods in Microbiology</i> , 2011, 38, 409-436.	0.4	8
2268	How to Name New Genera and Species of Prokaryotes?. <i>Methods in Microbiology</i> , 2011, , 437-463.	0.4	9
2269	<i>Pseudomonas composti</i> sp. nov., isolated from compost samples. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2962-2966.	0.8	28
2270	<i>Roseovarius indicus</i> sp. nov., isolated from deep-sea water of the Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2040-2044.	0.8	53
2271	<i>Saccharospirillum aestuarii</i> sp. nov., isolated from tidal flat sediment, and an emended description of the genus <i>Saccharospirillum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 487-492.	0.8	17
2272	<i>Actinoallomurus oryzae</i> sp. nov., an endophytic actinomycete isolated from roots of a Thai jasmine rice plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 737-741.	0.8	29
2273	<i>Pandoraea oxalativorans</i> sp. nov., <i>Pandoraea faecigallinarum</i> sp. nov. and <i>Pandoraea vervacti</i> sp. nov., isolated from oxalate-enriched culture. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2247-2253.	0.8	52
2274	<i>Erwinia oleae</i> sp. nov., isolated from olive knots caused by <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2745-2752.	0.8	45
2275	<i>Nitratireductor pacificus</i> sp. nov., isolated from a pyrene-degrading consortium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1386-1391.	0.8	33
2276	<i>Bacillus xiaoxiensis</i> sp. nov., a slightly halophilic bacterium isolated from non-saline forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2095-2100.	0.8	24
2277	<i>Agromyces soli</i> sp. nov., isolated from farm soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1286-1292.	0.8	17

#	ARTICLE	IF	CITATIONS
2278	<i>Sphingomonas glacialis</i> sp. nov., a psychrophilic bacterium isolated from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 587-591.	0.8	47
2279	<i>Amycolatopsis thailandensis</i> sp. nov., a poly(l-lactic acid)-degrading actinomycete, isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 839-843.	0.8	27
2280	<i>Shinella daejeonensis</i> sp. nov., a nitrate-reducing bacterium isolated from sludge of a leachate treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2123-2128.	0.8	33
2281	<i>Actinobaculum schaalii</i> Causing Fournier's Gangrene. <i>Journal of Clinical Microbiology</i> , 2011, 49, 2369-2371.	1.8	35
2282	<i>Zhongshania antarctica</i> gen. nov., sp. nov. and <i>Zhongshania guokunii</i> sp. nov., gammaproteobacteria respectively isolated from coastal attached (fast) ice and surface seawater of the Antarctic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2052-2057.	0.8	23
2283	<i>Paracoccus caeni</i> sp. nov., isolated from sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1968-1972.	0.8	29
2284	<i>Agromyces flavus</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1705-1709.	0.8	17
2285	Proposal that the arsenite-oxidizing organisms <i>Thiomonas cuprina</i> and <i>Thiomonas arsenivorans</i> <sup>™</sup> be reclassified as strains of <i>Thiomonas delicata</i> , and emended description of <i>Thiomonas delicata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2816-2821.	0.8	25
2286	<i>Mannheimia caviae</i> sp. nov., isolated from epidemic conjunctivitis and otitis media in guinea pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1699-1704.	0.8	21
2287	<i>Mucilaginibacter myungsuensis</i> sp. nov., isolated from a mesotrophic artificial lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1506-1510.	0.8	31
2288	<i>Asanoa hainanensis</i> sp. nov., isolated from rhizosphere soil of <i>Acrostichum speciosum</i> in a mangrove, and emended description of the genus <i>Asanoa</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2384-2388.	0.8	13
2289	<i>Micromonospora humi</i> sp. nov., isolated from peat swamp forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1176-1181.	0.8	14
2290	<i>Limnobacter litoralis</i> sp. nov., a thiosulfate-oxidizing, heterotrophic bacterium isolated from a volcanic deposit, and emended description of the genus <i>Limnobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 404-407.	0.8	68
2291	<i>Actinophytocola xinjiangensis</i> sp. nov., isolated from virgin forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2928-2932.	0.8	16
2292	<i>Erwinia piriflorinigrans</i> sp. nov., a novel pathogen that causes necrosis of pear blossoms. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 561-567.	0.8	51
2293	<i>Nevskia terrae</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1226-1229.	0.8	16
2294	<i>Ignatzschineria indica</i> sp. nov. and <i>Ignatzschineria ureiclastica</i> sp. nov., isolated from adult flesh flies (Diptera: Sarcophagidae). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1360-1369.	0.8	54
2295	<i>Paenibacillus rigui</i> sp. nov., isolated from a freshwater wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 529-534.	0.8	40

#	ARTICLE	IF	CITATIONS
2296	<i>Marinomonas brasilensis</i> sp. nov., isolated from the coral <i>Mussismilia hispida</i> , and reclassification of <i>Marinomonas basaltis</i> as a later heterotypic synonym of <i>Marinomonas communis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1170-1175.	0.8	37
2297	<i>Thermosipho globiformans</i> sp. nov., an anaerobic thermophilic bacterium that transforms into multicellular spheroids with a defect in peptidoglycan formation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1622-1627.	0.8	22
2298	<i>Sunxiuqinia elliptica</i> gen. nov., sp. nov., a member of the phylum Bacteroidetes isolated from sediment in a sea cucumber farm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2885-2889.	0.8	40
2299	<i>Streptomyces coacervatus</i> sp. nov., isolated from the intestinal tract of <i>Armadillidium vulgare</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1073-1077.	0.8	13
2300	<i>Streptomyces lacticiproducens</i> sp. nov., a lactic acid-producing streptomycete isolated from the rhizosphere of tomato plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 35-39.	0.8	5
2301	<i>Kocuria salsicia</i> sp. nov., isolated from salt-fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 286-289.	0.8	28
2302	<i>Dyella thiooxydans</i> sp. nov., a facultatively chemolithotrophic, thiosulfate-oxidizing bacterium isolated from rhizosphere soil of sunflower ( <i>Helianthus annuus</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 392-398.	0.8	44
2303	<i>Pseudoalteromonas donghaensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 351-355.	0.8	26
2304	<i>Olsenella umbonata</i> sp. nov., a microaerotolerant anaerobic lactic acid bacterium from the sheep rumen and pig jejunum, and emended descriptions of <i>Olsenella</i> , <i>Olsenella uli</i> and <i>Olsenella profusa</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 795-803.	0.8	121
2305	<i>Streptomyces youssoufiensis</i> sp. nov., isolated from a Moroccan phosphate mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1104-1108.	0.8	17
2306	<i>Streptomyces zinciresistens</i> sp. nov., a zinc-resistant actinomycete isolated from soil from a copper and zinc mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 616-620.	0.8	24
2307	<i>Myceligenerans halotolerans</i> sp. nov., an actinomycete isolated from a salt lake, and emended description of the genus <i>Myceligenerans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 974-978.	0.8	19
2308	<i>Streptomyces tacrolimicus</i> sp. nov., a low producer of the immunosuppressant tacrolimus (FK506). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1084-1088.	0.8	19
2309	<i>Demequina globuliformis</i> sp. nov., <i>Demequina oxidasica</i> sp. nov. and <i>Demequina aurantiaca</i> sp. nov., actinobacteria isolated from marine environments, and proposal of <i>Demequinaceae</i> fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1322-1329.	0.8	40
2310	<i>Burkholderia bannensis</i> sp. nov., an acid-neutralizing bacterium isolated from torpedo grass ( <i>Panicum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T <i>Microbiology</i> , 2011, 61, 1645-1650.	0.8	30
2311	<i>Actinomadura apis</i> sp. nov., isolated from a honey bee ( <i>Apis mellifera</i> ) hive, and the reclassification of <i>Actinomadura cremaea</i> subsp. <i>rifamycini</i> Gauze et al. 1987 as <i>Actinomadura rifamycini</i> (Gauze et al. 1987) sp. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2271-2277.	0.8	35
2312	<i>Bacillus hemicentroti</i> sp. nov., a moderate halophile isolated from a sea urchin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2950-2955.	0.8	22
2313	<i>Solirubrobacter ginsenosidimutans</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2606-2609.	0.8	25



#	ARTICLE	IF	CITATIONS
2314	<i>Actinomycetospora rishiriensis</i> sp. nov., isolated from a lichen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2621-2625.	0.8	26
2315	<i>Bacillus nanhaiensis</i> sp. nov., isolated from an oyster. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 888-893.	0.8	19
2316	<i>Deinococcus depolymerans</i> sp. nov., a gamma- and UV-radiation-resistant bacterium, isolated from a naturally radioactive site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1448-1453.	0.8	51
2317	Complete Genome Sequence and Updated Annotation of <i>Desulfovibrio alaskensis</i> C20. <i>Journal of Bacteriology</i> , 2011, 193, 4268-4269.	1.0	56
2318	<i>Bifidobacterium kashiwanohense</i> sp. nov., isolated from healthy infant faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2610-2615.	0.8	40
2319	<i>Leucobacter salsicium</i> sp. nov., from a salt-fermented food. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 502-506.	0.8	30
2320	<i>Kordia periserrulae</i> sp. nov., isolated from a marine polychaete <i>Periserrula leucophryna</i> , and emended description of the genus <i>Kordia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 864-869.	0.8	25
2321	<i>Corynebacterium nuruki</i> sp. nov., isolated from an alcohol fermentation starter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2430-2434.	0.8	18
2322	<i>Kaistia geumhonensis</i> sp. nov. and <i>Kaistia dalseonensis</i> sp. nov., two members of the class Alphaproteobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2577-2581.	0.8	14
2323	<i>Thiomonas islandica</i> sp. nov., a moderately thermophilic, hydrogen- and sulfur-oxidizing betaproteobacterium isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 132-137.	0.8	27
2324	<i>Ruegeria marina</i> sp. nov., isolated from Marine Sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 347-350.	0.8	31
2325	<i>Planosporangium mesophilum</i> sp. nov., isolated from rhizosphere soil of <i>Bletilla striata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1330-1333.	0.8	11
2326	<i>Sphaerisporangium krabiense</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2890-2894.	0.8	12
2327	<i>Phycococcus ginsenosidimutans</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 524-528.	0.8	17
2328	<i>Clostridium chromiireducens</i> sp. nov., isolated from Cr(VI)-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2626-2631.	0.8	38
2329	<i>Streptomyces scopuliridis</i> sp. nov., a bacteriocin-producing soil streptomycete. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2112-2116.	0.8	22
2330	<i>Hymenobacter psychrophilus</i> sp. nov., a psychrophilic bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 859-863.	0.8	36
2331	<i>Streptococcus porcorum</i> sp. nov., isolated from domestic and wild pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1585-1589.	0.8	22

#	ARTICLE	IF	CITATIONS
2332	<i>Flavobacterium chungbukense</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2734-2739.	0.8	32
2333	Characterization of Complementary Chromatic Adaptation in <i>Gloeotrichia</i> UTEX 583 and Identification of a Transposon-like Insertion in the <i>cpeBA</i> Operon. <i>Plant and Cell Physiology</i> , 2011, 52, 553-562.	1.5	13
2334	<i>Isopterocola chiayiensis</i> sp. nov., isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1667-1670.	0.8	29
2335	<i>Ohtaekwangia koreensis</i> gen. nov., sp. nov. and <i>Ohtaekwangia kribbensis</i> sp. nov., isolated from marine sand, deep-branching members of the phylum Bacteroidetes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1066-1072.	0.8	65
2336	<i>Rhodanobacter panaciterrae</i> sp. nov., a bacterium with ginsenoside-converting activity isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 3028-3032.	0.8	20
2337	<i>Zobellella aerophila</i> sp. nov., isolated from seashore sand, and emended description of the genus <i>Zobellella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2491-2495.	0.8	14
2338	<i>Litoreibacter albidus</i> gen. nov., sp. nov. and <i>Litoreibacter janthinus</i> sp. nov., members of the class Alphaproteobacteria isolated from the seashore. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 148-154.	0.8	32
2339	<i>Serinicoccus chungangensis</i> sp. nov., isolated from tidal flat sediment, and emended description of the genus <i>Serinicoccus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1299-1303.	0.8	20
2340	<i>Streptomyces caeruleatus</i> sp. nov., with dark blue diffusible pigment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 507-511.	0.8	16
2341	Determination of Lethality Rate Constants and D-Values for Heat-Resistant <i>Bacillus</i> Spores ATCC 29669 Exposed to Dry Heat from 125°C to 200°C. <i>Astrobiology</i> , 2011, 11, 213-223.	1.5	26
2342	<i>Nocardia endophytica</i> sp. nov., an endophytic actinomycete isolated from the oil-seed plant <i>Jatropha curcas</i> L. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1854-1858.	0.8	37
2343	<i>Chryseobacterium ginsenosidimutans</i> sp. nov., a bacterium with ginsenoside-converting activity isolated from soil of a <i>Rhus vernicifera</i> -cultivated field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1430-1435.	0.8	23
2344	<i>Glaciecola arctica</i> sp. nov., isolated from Arctic marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2338-2341.	0.8	30
2345	Descriptions of <i>Actinoplanes ianthinogenes</i> nom. rev. and <i>Actinoplanes octamycinicus</i> corrig. comb. nov., nom. rev.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2916-2921.	0.8	18
2346	<i>Yersinia entomophaga</i> sp. nov., isolated from the New Zealand grass grub <i>Costelytra zealandica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 844-849.	0.8	97
2347	<i>Agarivorans gilvus</i> sp. nov. isolated from seaweed. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 493-496.	0.8	27
2348	<i>Sphingobacterium detergens</i> sp. nov., a surfactant-producing bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 3036-3041.	0.8	24
2349	<i>Streptomyces brevispora</i> sp. nov. and <i>Streptomyces laculatispora</i> sp. nov., actinomycetes isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 478-483.	0.8	18

#	ARTICLE	IF	CITATIONS
2350	<i>Actinomadura sediminis</i> sp. nov., a marine actinomycete isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1110-1116.	0.8	24
2351	<i>Plantactinospora endophytica</i> sp. nov., an actinomycete isolated from <i>Camptotheca acuminata</i> Decne., reclassification of <i>Actinaurispora siamensis</i> as <i>Plantactinospora siamensis</i> comb. nov. and emended descriptions of the genus <i>Plantactinospora</i> and <i>Plantactinospora mayteni</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2435-2442.	0.8	26
2352	Basic Concepts of Bacterial Taxonomy. <i>Taehan Hmsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology</i> , 2012, 15, 79.	0.5	4
2353	<i>Devosia psychrophila</i> sp. nov. and <i>Devosia glacialis</i> sp. nov., from alpine glacier cryoconite, and an emended description of the genus <i>Devosia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 710-715.	0.8	52
2354	<i>Amycolatopsis thermophila</i> sp. nov. and <i>Amycolatopsis viridis</i> sp. nov., thermophilic actinomycetes isolated from arid soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 168-172.	0.8	25
2355	<i>Flavivirga jejuensis</i> gen. nov., sp. nov., and <i>Flavivirga amylovorans</i> sp. nov., new members of the family <i>Flavobacteriaceae</i> isolated from seawater, and emended descriptions of the genera <i>Psychroserpens</i> and <i>Lacinutrix</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1061-1068.	0.8	28
2356	<i>Erwinia typographi</i> sp. nov., isolated from bark beetle ( <i>Ips typographus</i> ) gut. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 942-948.	0.8	30
2357	<i>Knoellia locipacati</i> sp. nov., from soil of the Demilitarized Zone in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 342-346.	0.8	10
2358	<i>Luteimonas cucumeris</i> sp. nov., isolated a from cucumber leaf. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2916-2920.	0.8	29
2359	<i>Mariniflexile aquimaris</i> sp. nov., isolated from seawater, and emended description of the genus <i>Mariniflexile</i> Nedashkovskaya et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 539-544.	0.8	15
2360	<i>Sphingobium lucknowense</i> sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium isolated from HCH-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 618-623.	0.8	33
2361	<i>Intrasporangium chromatireducens</i> sp. nov., a chromate-reducing actinobacterium isolated from manganese mining soil, and emended description of the genus <i>Intrasporangium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 403-408.	0.8	15
2362	<i>Algoriphagus jejuensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 409-413.	0.8	25
2363	<i>Salinicoccus qingdaonensis</i> sp. nov., isolated from coastal seawater during a bloom of green algae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 545-549.	0.8	14
2364	<i>Actinomadura geliboluensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2011-2017.	0.8	13
2365	<i>Parvibaculum hydrocarboniclasticum</i> sp. nov., a mesophilic, alkane-oxidizing alphaproteobacterium isolated from a deep-sea hydrothermal vent on the East Pacific Rise. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2921-2926.	0.8	45
2366	<i>Mycobacterium litorale</i> sp. nov., a rapidly growing mycobacterium from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1204-1207.	0.8	26
2367	Environment drives high phylogenetic turnover among oceanic bacterial communities. <i>Biology Letters</i> , 2012, 8, 562-566.	1.0	19

#	ARTICLE	IF	CITATIONS
2368	<i>Bacillus purgationiresistans</i> sp. nov., isolated from a drinking-water treatment plant. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 71-77.	0.8	28
2369	<i>Massilia flava</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 580-585.	0.8	37
2370	<i>Vibrio alfacensis</i> sp. nov., isolated from marine organisms. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2955-2961.	0.8	24
2371	<i>Pseudomonas zeshuii</i> sp. nov., isolated from herbicide-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2608-2612.	0.8	17
2372	<i>Dysgonomonas oryzaevi</i> sp. nov., isolated from a microbial fuel cell. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 3055-3059.	0.8	50
2373	<i>Algoriphagus aquaeductus</i> sp. nov., isolated from a freshwater pipe. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 675-682.	0.8	26
2374	<i>Microbacterium immunditiarum</i> sp. nov., an actinobacterium isolated from landfill surface soil, and emended description of the genus <i>Microbacterium</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2187-2193.	0.8	28
2375	<i>Deinococcus humi</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2844-2850.	0.8	38
2376	<i>Mongoliococcus roseus</i> gen. nov., sp. nov., an alkaliphilic bacterium isolated from a haloalkaline lake. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2206-2212.	0.8	18
2377	<i>Rhodanobacter caeni</i> sp. nov., isolated from sludge from a sewage disposal plant. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2815-2821.	0.8	20
2378	<i>Kaistia defluvii</i> sp. nov., isolated from river sediment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2878-2882.	0.8	13
2379	Evaluation of Methods for Identification and Determination of the Taxonomic Status of Strains Belonging to the <i>Streptococcus porcinus</i> - <i>Streptococcus pseudoporcinus</i> Complex Isolated from Animal, Human, and Dairy Sources. Journal of Clinical Microbiology, 2012, 50, 3591-3597.	1.8	19
2380	<i>Pedobacter boryungensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 13-17.	0.8	11
2381	<i>Mucilaginibacter angelicae</i> sp. nov., isolated from the rhizosphere of <i>Angelica polymorpha</i> Maxim. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 55-60.	0.8	49
2382	<i>Herbaspirillum canariense</i> sp. nov., <i>Herbaspirillum aurantiacum</i> sp. nov. and <i>Herbaspirillum soli</i> sp. nov., isolated from volcanic mountain soil, and emended description of the genus <i>Herbaspirillum</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1300-1306.	0.8	34
2383	<i>Winogradskyella aquimaris</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1814-1818.	0.8	22
2384	<i>Kistimonas scapharcae</i> sp. nov., isolated from a dead ark clam ( <i>Scapharca broughtonii</i> ), and emended description of the genus <i>Kistimonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2865-2869.	0.8	23
2385	<i>Actinoallomurus radicum</i> sp. nov., isolated from the roots of two plant species. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 295-298.	0.8	18

#	ARTICLE	IF	CITATIONS
2386	<i>Streptomyces panacagri</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 780-785.	0.8	16
2387	<i>Patulibacter ginsengiterrae</i> sp. nov., isolated from soil of a ginseng field, and an emended description of the genus <i>Patulibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 563-568.	0.8	19
2388	<i>Simidia areninigrae</i> sp. nov., an agarolytic bacterium isolated from sea sand. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 906-911.	0.8	16
2389	<i>Catellibacterium nanjingense</i> sp. nov., a propanil-degrading bacterium isolated from activated sludge, and emended description of the genus <i>Catellibacterium</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 495-499.	0.8	43
2390	<i>Aquabacterium limnoticum</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 698-704.	0.8	29
2391	<i>Alishewanella tabrizica</i> sp. nov., isolated from QurugÄŕl Lake. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1986-1991.	0.8	19
2392	The Future of Taxonomy. Advances in Applied Microbiology, 2012, 80, 23-35.	1.3	9
2393	<i>Flammeovirga pacifica</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 937-941.	0.8	33
2394	Description of <i>Belnapia rosea</i> sp. nov. and emended description of the genus <i>Belnapia</i> Reddy et al. 2006. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 705-709.	0.8	15
2395	<i>Shewanella arctica</i> sp. nov., an iron-reducing bacterium isolated from Arctic marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1128-1133.	0.8	32
2396	<i>Oceanicaulis stylophorae</i> sp. nov., isolated from the reef-building coral <i>Stylophora pistillata</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2241-2246.	0.8	20
2397	<i>Actinomadura rupiterrae</i> sp. nov., isolated from cliff soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 990-995.	0.8	13
2398	<i>Sphingobacterium lactis</i> sp. nov. and <i>Sphingobacterium alimentarium</i> sp. nov., isolated from raw milk and a dairy environment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1506-1511.	0.8	56
2399	<i>Streptomyces shaanxiensis</i> sp. nov., a blue pigment-producing streptomycete from sewage irrigation soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1725-1730.	0.8	15
2400	<i>Thalassobius maritimus</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 8-12.	0.8	33
2401	<i>Arthrobacter cryoconiti</i> sp. nov., a psychrophilic bacterium isolated from alpine glacier cryoconite. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 397-402.	0.8	38
2402	<i>Flavobacterium yonginense</i> sp. nov. and <i>Flavobacterium myungsuense</i> sp. nov., isolated from a mesotrophic artificial lake. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 806-810.	0.8	17
2403	<i>Cellulophaga geojensis</i> sp. nov., a member of the family Flavobacteriaceae isolated from marine sand. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1354-1358.	0.8	18

#	ARTICLE	IF	CITATIONS
2404	<i>Planococcus plakortidis</i> sp. nov., isolated from the marine sponge <i>Plakortis simplex</i> (Schulze). International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 883-889.	0.8	29
2405	<i>Psychrobacter sanguinis</i> sp. nov., recovered from four clinical specimens over a 4-year period. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 49-54.	0.8	36
2406	<i>Marinomonas hwangdonensis</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2062-2067.	0.8	30
2407	<i>Ruegeria conchae</i> sp. nov., isolated from the ark clam <i>Scapharca broughtonii</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2851-2857.	0.8	28
2408	<i>Actinoplanes abujensis</i> sp. nov., isolated from Nigerian arid soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 960-965.	0.8	13
2409	<i>Promicromonospora xylanilytica</i> sp. nov., an endophytic actinomycete isolated from surface-sterilized leaves of the medicinal plant <i>Maytenus austroyunnanensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 84-89.	0.8	18
2410	<i>Peptoniphilus duerdenii</i> sp. nov. and <i>Peptoniphilus koenoeneniae</i> sp. nov., isolated from human clinical specimens. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2336-2341.	0.8	32
2411	<i>Tropicimonas sediminicola</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2424-2429.	0.8	14
2412	<i>Muricauda beolgyonensis</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1134-1139.	0.8	31
2413	<i>Idiomarina aquimaris</i> sp. nov., isolated from the reef-building coral <i>Isopora palifera</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1536-1542.	0.8	31
2414	<i>Gordonia caeni</i> sp. nov., isolated from sludge of a sewage disposal plant. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2703-2709.	0.8	10
2415	<i>Caloramator boliviensis</i> sp. nov., a thermophilic, ethanol-producing bacterium isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1679-1686.	0.8	31
2416	<i>Salinimicrobium gaetbulicola</i> sp. nov., isolated from tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1027-1031.	0.8	21
2417	<i>Gaetbulibacter aestuarii</i> sp. nov., isolated from shallow coastal seawater, and emended description of the genus <i>Gaetbulibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 150-154.	0.8	15
2418	<i>Enterococcus ureasiticus</i> sp. nov. and <i>Enterococcus quebecensis</i> sp. nov., isolated from water. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1314-1320.	0.8	37
2419	<i>Actinomadura meridiana</i> sp. nov., isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 217-222.	0.8	10
2420	<i>Isoptericola nanjingensis</i> sp. nov., a mineral-weathering bacterium. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 971-976.	0.8	24
2421	<i>Georgenia daeguensis</i> sp. nov., isolated from 4-chlorophenol enrichment culture. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1703-1709.	0.8	29

#	ARTICLE	IF	CITATIONS
2422	Proposal to reclassify <i>Brenneria quercina</i> (Hildebrand and Schroth 1967) Hauben et al. 1999 into a new genus, <i>Lonsdalea</i> gen. nov., as <i>Lonsdalea quercina</i> comb. nov., descriptions of <i>Lonsdalea quercina</i> subsp. <i>quercina</i> comb. nov., <i>Lonsdalea quercina</i> subsp. <i>iberica</i> subsp. nov. and <i>Lonsdalea quercina</i> subsp. <i>britannica</i> subsp. nov., emendation of the description of the genus <i>Brenneria</i> , rec. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1592-1602.	0.8	194
2423	<i>Arthrobacter cupressi</i> sp. nov., an actinomycete isolated from the rhizosphere soil of <i>Cupressus sempervirens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2731-2736.	0.8	33
2424	<i>Cyclobacterium qasimii</i> sp. nov., a psychrotolerant bacterium isolated from Arctic marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2133-2139.	0.8	30
2425	<i>Massilia tieshanensis</i> sp. nov., isolated from mining soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2356-2362.	0.8	46
2426	Complete genome sequence of <i>Polynucleobacter necessarius</i> subsp. <i>asymbioticus</i> type strain (QLW-P1DMWA-1T). <i>Standards in Genomic Sciences</i> , 2012, 6, 74-83.	1.5	33
2427	Non-contiguous finished genome sequence and description of <i>Kurthia massiliensis</i> sp. nov.. <i>Standards in Genomic Sciences</i> , 2012, 7, 221-232.	1.5	55
2428	Complete genome sequence of <i>Polynucleobacter necessarius</i> subsp. <i>asymbioticus</i> type strain (QLW-P1DMWA-1T). <i>Standards in Genomic Sciences</i> , 2012, 6, 1-14.	1.5	30
2429	Taxonomy, Phylogeny and Evolution. , 2012, , 1-75.		0
2430	Reclassification of <i>Bacillus beijingensis</i> Qiu et al. 2009 and <i>Bacillus ginsengi</i> Qiu et al. 2009 as <i>Bhargavaea beijingensis</i> comb. nov. and <i>Bhargavaea ginsengi</i> comb. nov. and emended description of the genus <i>Bhargavaea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2495-2504.	0.8	22
2431	<i>Variovorax defluvii</i> sp. nov., isolated from sewage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1779-1783.	0.8	22
2432	<i>Methylobacterium oxalidis</i> sp. nov., isolated from leaves of <i>Oxalis corniculata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1647-1652.	0.8	29
2433	Strain-Level Typing and Identification of Bacteria Using Mass Spectrometry-Based Proteomics. <i>Journal of Proteome Research</i> , 2012, 11, 2710-2720.	1.8	50
2434	Bacterial Entomopathogens. , 2012, , 265-349.		76
2435	<i>Natrinema salaciae</i> sp. nov., a halophilic archaeon isolated from the deep, hypersaline anoxic Lake Medee in the Eastern Mediterranean Sea. <i>Systematic and Applied Microbiology</i> , 2012, 35, 368-373.	1.2	36
2436	<i>Gibbsiella dentisursi</i> sp. nov., isolated from the bear oral cavity. <i>Microbiology and Immunology</i> , 2012, 56, 506-512.	0.7	16
2437	Taxonomic relatedness between <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i> , <i>Pectobacterium carotovorum</i> subsp. <i>odoriferum</i> and <i>Pectobacterium carotovorum</i> subsp. <i>brasiliense</i> subsp. nov. <i>Journal of Applied Microbiology</i> , 2012, 113, 904-913.	1.4	94
2438	<i>Aquamicrobium ahrensii</i> sp. nov. and <i>Aquamicrobium segne</i> sp. nov., isolated from experimental biofilters. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2511-2516.	0.8	25
2439	Reclassification and emended description of <i>Caulobacter leidy</i> as <i>Sphingomonas leidy</i> comb. nov., and emendation of the genus <i>Sphingomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2835-2843.	0.8	88

#	ARTICLE	IF	CITATIONS
2440	<i>Microbulbifer marinus</i> sp. nov. and <i>Microbulbifer yueqingensis</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 505-510.	0.8	26
2441	<i>Diaminobutyricimonas aerilata</i> gen. nov., sp. nov., a novel member of the family Microbacteriaceae isolated from an air sample in Korea. <i>Journal of Microbiology</i> , 2012, 50, 1047-1052.	1.3	24
2442	<i>Mesorhizobium silamurunense</i> sp. nov., isolated from root nodules of <i>Astragalus</i> species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2180-2186.	0.8	45
2443	<i>Mesorhizobium muleiense</i> sp. nov., nodulating with <i>Cicer arietinum</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2737-2742.	0.8	77
2444	<i>Ruegeria arenilitoris</i> sp. nov., isolated from the seashore sand around a seaweed farm. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 581-589.	0.7	30
2445	<i>Shewanella litorisediminis</i> sp. nov., a gammaproteobacterium isolated from a tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 591-599.	0.7	15
2446	<i>Kineococcus endophytica</i> sp. nov., a novel endophytic actinomycete isolated from a coastal halophyte in Jiangsu, China. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 621-628.	0.7	30
2447	Reclassification of <i>Nocardioides basaltis</i> Kim et al. 2009 as a later synonym of <i>Nocardioides salarius</i> Kim et al. 2008, and emendation of the species description. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 695-701.	0.7	3
2448	<i>Paenibacillus taohuashanense</i> sp. nov., a nitrogen-fixing species isolated from rhizosphere soil of the root of <i>Caragana kansuensis</i> Pojark. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 735-741.	0.7	26
2449	A genome sequence-based approach to taxonomy of the genus <i>Nocardia</i> . <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 481-491.	0.7	27
2450	Taxonomy and antimicrobial activity of moderately salt-tolerant and alkaliphilic <i>Streptomyces</i> sp. MN 9(V) isolated from solitary wasp mud nest. <i>Annals of Microbiology</i> , 2012, 62, 979-985.	1.1	6
2451	A novel strain of <i>Actinopolyspora mortivallis</i> with antibacterial activity isolated from a Saharan soil. <i>Annals of Microbiology</i> , 2012, 62, 1049-1057.	1.1	8
2452	<i>Vibrio caribbeanicus</i> sp. nov., isolated from the marine sponge <i>Scleritoderma cyanea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1736-1743.	0.8	44
2453	A genomic approach to bacterial taxonomy: an examination and proposed reclassification of species within the genus <i>Neisseria</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 1570-1580.	0.7	153
2454	<i>Actinoplanes rishiriensis</i> sp. nov., a novel motile actinomycete isolated by rehydration and centrifugation method. <i>Journal of Antibiotics</i> , 2012, 65, 249-253.	1.0	10
2455	Demarcation of bacterial ecotypes from DNA sequence data: A comparative analysis of four algorithms. , 2012, , .		4
2456	<i>Vibrio xiamenensis</i> sp. nov., a cellulase-producing bacterium isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1958-1962.	0.8	34
2457	<i>Actinoplanes atraurantiacus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2533-2537.	0.8	10



#	ARTICLE	IF	CITATIONS
2458	<i>Gluconacetobacter tumulicola</i> sp. nov. and <i>Gluconacetobacter asukensis</i> sp. nov., isolated from the stone chamber interior of the Kitara Tumulus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2032-2038.	0.8	40
2459	<i>Chryseobacterium viscerum</i> sp. nov., isolated from diseased fish. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2934-2940.	0.8	45
2460	Molecular Delineation of Species in the Coral Holobiont. <i>Advances in Marine Biology</i> , 2012, 63, 1-65.	0.7	58
2461	<i>Halobacterium piscisalsi</i> Yachai et al. 2008 is a later heterotypic synonym of <i>Halobacterium salinarum</i> Elazari-Volcani 1957. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2160-2162.	0.8	10
2462	<i>Microbacterium amylolyticum</i> sp. nov., isolated from soil from an industrial waste site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2114-2120.	0.8	24
2463	<i>Sphingomonas laterariae</i> sp. nov., isolated from a hexachlorocyclohexane-contaminated dump site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2891-2896.	0.8	27
2464	<i>Streptomyces cocklensis</i> sp. nov., a dioxamycin-producing actinomycete. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 279-283.	0.8	27
2465	<i>Deinococcus daejeonensis</i> sp. nov., isolated from sludge in a sewage disposal plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1265-1270.	0.8	49
2466	<i>Exiguobacterium aquaticum</i> sp. nov., a member of the genus <i>Exiguobacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2150-2155.	0.8	40
2467	<i>Luteimicrobium album</i> sp. nov., a novel actinobacterium isolated from a lichen collected in Japan, and emended description of the genus <i>Luteimicrobium</i> . <i>Journal of Antibiotics</i> , 2012, 65, 427-431.	1.0	87
2468	<i>Delftia litopenaei</i> sp. nov., a poly- $\beta$ -hydroxybutyrate-accumulating bacterium isolated from a freshwater shrimp culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2315-2321.	0.8	45
2469	<i>Planococcus halocryophilus</i> sp. nov., an extreme sub-zero species from high Arctic permafrost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1937-1944.	0.8	78
2470	<i>Marinobacter antarcticus</i> sp. nov., a halotolerant bacterium isolated from Antarctic intertidal sandy sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1838-1844.	0.8	27
2471	<i>Gracilibacillus kekensis</i> sp. nov., a moderate halophile isolated from Keke Salt Lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1032-1036.	0.8	19
2472	Application of MALDI-TOF mass spectrometry for differentiation of closely related species of the <i>Arthrobacter crystallopoietes</i> phylogenetic group. <i>Microbiology</i> , 2012, 81, 696-701.	0.5	8
2473	Genomic basis of broad host range and environmental adaptability of <i>Rhizobium tropici</i> CIAT 899 and <i>Rhizobium</i> sp. PRF 81 which are used in inoculants for common bean ( <i>Phaseolus vulgaris</i> L.). <i>BMC Genomics</i> , 2012, 13, 735.	1.2	118
2474	Defining bacterial species in the genomic era: insights from the genus <i>Acinetobacter</i> . <i>BMC Microbiology</i> , 2012, 12, 302.	1.3	188
2475	<i>Alteribacillus bidgolensis</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Bacillus persepolensis</i> as <i>Alteribacillus persepolensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2691-2697.	0.8	34

#	ARTICLE	IF	CITATIONS
2476	<i>Bacillus endoradicis</i> sp. nov., an endophytic bacterium isolated from soybean root. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 359-363.	0.8	43
2477	Phylum XXVI. Actinobacteria phyl. nov., 2012, , 33-2028.		58
2478	Taxonomy of Halophilic Archaea and Bacteria. , 2012, , 59-80.		11
2479	<i>Toxopsis calypsus</i> gen. nov., sp. nov. (Cyanobacteria, Nostocales) from cave "Franchi"™, Peloponnese, Greece: a morphological and molecular evaluation. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2870-2877.	0.8	32
2480	<i>Bradyrhizobium huanghuaihaiense</i> sp. nov., an effective symbiotic bacterium isolated from soybean ( <i>Glycine max</i> L.) nodules. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1951-1957.	0.8	64
2481	<i>Burkholderia symbiotica</i> sp. nov., isolated from root nodules of <i>Mimosa</i> spp. native to north-east Brazil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2272-2278.	0.8	76
2482	<i>Mucilaginibacter lutimaris</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 515-519.	0.8	40
2483	<i>Salinibacter iranicus</i> sp. nov. and <i>Salinibacter luteus</i> sp. nov., isolated from a salt lake, and emended descriptions of the genus <i>Salinibacter</i> and of <i>Salinibacter ruber</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1521-1527.	0.8	64
2484	<i>Rhizobium petrolearium</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1871-1876.	0.8	54
2485	<i>Herbiconiux moechotypicola</i> sp. nov., a xylanolytic bacterium isolated from the gut of hairy long-horned toad beetles, <i>Moechotypa diphysis</i> (Pascoe). International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 90-95.	0.8	26
2486	<i>Salinisphaera orenii</i> sp. nov., isolated from a solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1877-1883.	0.8	23
2487	<i>Staphylococcus agnetis</i> sp. nov., a coagulase-variable species from bovine subclinical and mild clinical mastitis. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 61-65.	0.8	67
2488	<i>Streptomyces atacamensis</i> sp. nov., isolated from an extreme hyper-arid soil of the Atacama Desert, Chile. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2680-2684.	0.8	34
2489	<i>Streptomyces staurosporininus</i> sp. nov., a staurosporine-producing actinomycete. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 966-970.	0.8	14
2490	<i>Amycolatopsis granulosa</i> sp. nov., <i>Amycolatopsis ruanii</i> sp. nov. and <i>Amycolatopsis thermalba</i> sp. nov., thermophilic actinomycetes isolated from arid soils. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1245-1251.	0.8	23
2491	<i>Cronobacter condimenti</i> sp. nov., isolated from spiced meat, and <i>Cronobacter universalis</i> sp. nov., a species designation for <i>Cronobacter</i> sp. genomospecies 1, recovered from a leg infection, water and food ingredients. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1277-1283.	0.8	264
2492	<i>Halomonas beimenensis</i> sp. nov., isolated from an abandoned saltern. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 3013-3017.	0.8	28
2493	<i>Celeribacter baekdonensis</i> sp. nov., isolated from seawater, and emended description of the genus <i>Celeribacter</i> Ivanova et al. 2010. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1359-1364.	0.8	31

#	ARTICLE	IF	CITATIONS
2494	Flavobacterium rakeshii sp. nov., isolated from marine sediment, and emended description of Flavobacterium beibuense Fu et al. 2011. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2897-2902.	0.8	23
2495	Kangiella geojedonensis sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 511-514.	0.8	36
2496	Description of Lysinibacillus sinduriensis sp. nov., and transfer of Bacillus massiliensis and Bacillus odysseyi to the genus Lysinibacillus as Lysinibacillus massiliensis comb. nov. and. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2347-2355.	0.8	62
2497	Brevibacillus aydinogluensis sp. nov., a moderately thermophilic bacterium isolated from Karakoc hot spring. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 849-855.	0.8	25
2498	Sporosarcina newyorkensis sp. nov. from clinical specimens and raw cow's milk. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 322-329.	0.8	21
2499	Winogradskyella ulvae sp. nov., an epiphyte of a Pacific seaweed, and emended descriptions of the genus Winogradskyella and Winogradskyella thalassocola, Winogradskyella echinorum, Winogradskyella exilis and Winogradskyella. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1450-1456.	0.8	47
2500	Cohnella cellulositytica sp. nov., isolated from buffalo faeces. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1921-1925.	0.8	38
2501	Innovative CO2 pretreatment for enhancing biohydrogen production from the organic fraction of municipal solid waste (OFMSW). International Journal of Hydrogen Energy, 2012, 37, 14062-14071.	3.8	24
2502	Anaerostipes hadrus comb. nov., a dominant species within the human colonic microbiota; reclassification of Eubacterium hadrum Moore et al. 1976. Anaerobe, 2012, 18, 523-529.	1.0	78
2503	Shivajiella indica gen. nov., sp. nov., a marine bacterium of the family Cyclobacteriaceae with nitrate reducing activity. Systematic and Applied Microbiology, 2012, 35, 320-325.	1.2	39
2504	Mesorhizobial strains nodulating Anagyris latifolia and Lotus berthelotii in Tamadaya ravine (Tenerife, Canary Islands) are two symbiobars of the same species, Mesorhizobium tamadayense sp. nov.. Systematic and Applied Microbiology, 2012, 35, 334-341.	1.2	39
2505	Bradyrhizobium rifense sp. nov. isolated from effective nodules of Cytisus villosus grown in the Moroccan Rif. Systematic and Applied Microbiology, 2012, 35, 302-305.	1.2	55
2506	Chryseobacterium tructae sp. nov., isolated from rainbow trout (Oncorhynchus mykiss). Systematic and Applied Microbiology, 2012, 35, 315-319.	1.2	19
2507	Corynebacterium aquatimens sp. nov., a lipophilic Corynebacterium isolated from blood cultures of a patient with bacteremia. Systematic and Applied Microbiology, 2012, 35, 380-384.	1.2	21
2508	Multilocus sequence analysis of the actinobacterial genus Kribbella. Systematic and Applied Microbiology, 2012, 35, 441-446.	1.2	23
2509	Rhizobium cauense sp. nov., isolated from root nodules of the herbaceous legume Kummerowia stipulacea grown in campus lawn soil. Systematic and Applied Microbiology, 2012, 35, 415-420.	1.2	23
2510	An Enterobacteriaceae species isolated from apples controls foodborne pathogens on fresh-cut apples and peaches. Postharvest Biology and Technology, 2012, 74, 118-124.	2.9	20
2511	Microbacterium yannicii sp. nov., isolated from Arabidopsis thaliana roots. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 822-826.	0.8	19

#	ARTICLE	IF	CITATIONS
2512	<i>Arenimonas daejeonensis</i> sp. nov., isolated from compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1674-1678.	0.8	21
2513	<i>Rosevivax isopora</i> sp. nov., isolated from a reef-building coral, and emended description of the genus <i>Rosevivax</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1259-1264.	0.8	24
2514	<i>Bacillus kochii</i> sp. nov., isolated from foods and a pharmaceuticals manufacturing site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1092-1097.	0.8	28
2515	<i>Pseudomonas baetica</i> sp. nov., a fish pathogen isolated from wedge sole, <i>Dicologlossa cuneata</i> (Moreau). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 874-882.	0.8	56
2516	<i>Nocardioides daejeonensis</i> sp. nov., a denitrifying bacterium isolated from sludge in a sewage-disposal plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1199-1203.	0.8	23
2517	Description of <i>Herbiconiux flava</i> sp. nov. and emended description of the genus <i>Herbiconiux</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 795-799.	0.8	16
2518	<i>Brevundimonas viscosa</i> sp. nov., isolated from saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2475-2479.	0.8	23
2519	Characterization of <i>Tetragenococcus</i> strains from sugar thick juice reveals a novel species, <i>Tetragenococcus osmophilus</i> sp. nov., and divides <i>Tetragenococcus halophilus</i> into two subspecies, <i>T. halophilus</i> subsp. <i>halophilus</i> subsp. nov. and <i>T. halophilus</i> subsp. <i>flandriensis</i> subsp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 129-137.	0.8	47
2520	<i>Aquimarina mytili</i> sp. nov., isolated from the gut microflora of a mussel, <i>Mytilus coruscus</i> , and emended description of <i>Aquimarina macrocephali</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1974-1979.	0.8	32
2521	<i>Caenimonas terrae</i> sp. nov., isolated from a soil sample in Korea, and emended description of the genus <i>Caenimonas</i> Ryu et al. 2008. <i>Journal of Microbiology</i> , 2012, 50, 864-868.	1.3	17
2522	<i>Pedobacter jeongneungensis</i> sp. nov., isolated from forest soil. <i>Journal of Microbiology</i> , 2012, 50, 660-664.	1.3	11
2523	<i>Chitinibacter suncheonensis</i> sp. nov., a chitinolytic bacterium from a mud flat in Suncheon Bay. <i>Journal of Microbiology</i> , 2012, 50, 1058-1062.	1.3	7
2524	<i>Microbispora thailandensis</i> sp. nov., an actinomycete isolated from cave soil. <i>Journal of Antibiotics</i> , 2012, 65, 491-494.	1.0	17
2525	<i>Tropicimonas aquimaris</i> sp. nov., isolated from seawater, and emended description of the genus <i>Tropicimonas</i> Harwati et al. 2009. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 688-692.	0.8	18
2526	<i>Conexibacter arvalis</i> sp. nov., isolated from a cultivated field soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2400-2404.	0.8	42
2527	<i>Acinetobacter indicus</i> sp. nov., isolated from a hexachlorocyclohexane dump site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2883-2890.	0.8	48
2528	<i>Gulosibacter chungangensis</i> sp. nov., an actinomycete isolated from a marine sediment, and emended description of the genus <i>Gulosibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1055-1060.	0.8	19
2529	<i>Geodermatophilus arenarius</i> sp. nov., a xerophilic actinomycete isolated from Saharan desert sand in Chad. <i>Extremophiles</i> , 2012, 16, 903-909.	0.9	58

#	ARTICLE	IF	CITATIONS
2530	<i>Actinopolyspora algeriensis</i> sp. nov., a novel halophilic actinomycete isolated from a Saharan soil. <i>Extremophiles</i> , 2012, 16, 771-776.	0.9	25
2531	Construction of a stable genetically engineered rhamnolipid-producing microorganism for remediation of pyrene-contaminated soil. <i>World Journal of Microbiology and Biotechnology</i> , 2012, 28, 2783-2790.	1.7	31
2532	<i>Maritalea porphyrae</i> sp. nov., isolated from a red alga ( <i>Porphyra yezoensis</i> ), and transfer of <i>Zhangella mobilis</i> to <i>Maritalea mobilis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 43-48.	0.8	23
2533	<i>Polaromonas glacialis</i> sp. nov. and <i>Polaromonas cryoconiti</i> sp. nov., isolated from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2662-2668.	0.8	37
2534	Description of <i>Litoreibacter meonggei</i> sp. nov., isolated from the sea squirt <i>Halocynthia roretzi</i> , reclassification of <i>Thalassobacter arenae</i> as <i>Litoreibacter arenae</i> comb. nov. and emended description of the genus <i>Litoreibacter</i> Romanenko et al. 2011. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1825-1831.	0.8	27
2535	A Novel Radio-Tolerant Astaxanthin-Producing Bacterium Reveals a New Astaxanthin Derivative: Astaxanthin Dirhamnoside. <i>Methods in Molecular Biology</i> , 2012, 892, 61-97.	0.4	5
2536	<i>Promicromonospora endophytica</i> sp. nov., an endophytic actinobacterium isolated from the root of an Australian native Grey Box tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1687-1691.	0.8	14
2537	Reclassification of the three species of the genus <i>Krokinobacter</i> into the genus <i>Dokdonia</i> as <i>Dokdonia genika</i> comb. nov., <i>Dokdonia diaphoros</i> comb. nov. and <i>Dokdonia eikasta</i> comb. nov., and emended description of the genus <i>Dokdonia</i> Yoon et al. 2005. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1896-1901.	0.8	27
2538	<i>Phytohabitans flavus</i> sp. nov., <i>Phytohabitans rumicis</i> sp. nov. and <i>Phytohabitans houttuyniae</i> sp. nov., isolated from plant roots, and emended description of the genus <i>Phytohabitans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2717-2723.	0.8	21
2539	<i>Candidimonas bauzanensis</i> sp. nov., isolated from soil, and emended description of the genus <i>Candidimonas</i> Vaz-Moreira et al. 2011. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2084-2089.	0.8	21
2540	<i>Rhodanobacter denitrificans</i> sp. nov., isolated from nitrate-rich zones of a contaminated aquifer. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2457-2462.	0.8	135
2541	<i>Shewanella dokdonensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1636-1643.	0.8	27
2542	Diversity of <i>Melissococcus plutonius</i> from Honeybee Larvae in Japan and Experimental Reproduction of European Foulbrood with Cultured Atypical Isolates. <i>PLoS ONE</i> , 2012, 7, e33708.	1.1	79
2543	<i>Burkholderia dabaoshanensis</i> sp. nov., a Heavy-Metal-Tolerant Bacteria Isolated from Dabaoshan Mining Area Soil in China. <i>PLoS ONE</i> , 2012, 7, e50225.	1.1	36
2544	Rapid and Efficient Methods to Isolate, Type Strains and Determine Species of <i>Agrobacterium</i> spp. in Pure Culture and Complex Environments. , 0, , .		8
2545	Cyanobacteria of the Genus <i>Prochlorothrix</i> . <i>Frontiers in Microbiology</i> , 2012, 3, 173.	1.5	18
2546	Grappling with <i>Proteus</i> : population level approaches to understanding microbial diversity. <i>Frontiers in Microbiology</i> , 2012, 3, 336.	1.5	17
2547	<i>Geobacillus subterraneus</i> subsp. <i>aromaticivorans</i> subsp. nov., a novel thermophilic and alkaliphilic bacterium isolated from a hot spring in SÄ±rnak, Turkey. <i>Journal of General and Applied Microbiology</i> , 2012, 58, 437-446.	0.4	21

#	ARTICLE	IF	CITATIONS
2548	<i>Alpinimonas psychrophila</i> gen. nov., sp. nov., an actinobacterium of the family Microbacteriaceae isolated from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2724-2730.	0.8	25
2549	<i>Marinobacter adhaerens</i> sp. nov., isolated from marine aggregates formed with the diatom <i>Thalassiosira weissflogii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 124-128.	0.8	72
2550	<i>Verrucosispora wenchangensis</i> sp. nov., isolated from mangrove soil. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 1-7.	0.7	78
2551	<i>Lysinibacillus mangiferahumi</i> sp. nov., a new bacterium producing nematocidal volatiles. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 53-59.	0.7	48
2552	<i>Cohnella plantaginis</i> sp. nov., a novel nitrogen-fixing species isolated from plantain rhizosphere soil. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 83-89.	0.7	20
2553	<i>Amycolatopsis bartoniae</i> sp. nov. and <i>Amycolatopsis bullii</i> sp. nov., mesophilic actinomycetes isolated from arid Australian soils. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 91-98.	0.7	22
2554	<i>Streptomyces manipurensis</i> sp. nov., a novel actinomycete isolated from a limestone deposit site in Manipur, India. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 133-139.	0.7	21
2555	Occurrence of bacterial rot of onion caused by <i>Bacillus amyloliquefaciens</i> in Korea. <i>Journal of General Plant Pathology</i> , 2012, 78, 227-232.	0.6	9
2556	<i>Burkholderia zhejiangensis</i> sp. nov., a methyl-parathion-degrading bacterium isolated from a wastewater-treatment system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1337-1341.	0.8	30
2557	<i>Agromyces indicus</i> sp. nov., isolated from mangroves sediment in Chora Island, Goa, India. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 345-352.	0.7	15
2558	<i>Luteolibacter cuticulihirudinis</i> sp. nov., isolated from <i>Hirudo medicinalis</i> . <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 319-324.	0.7	15
2559	<i>Nocardioides panzhuhuaensis</i> sp. nov., a novel endophytic actinomycete isolated from medicinal plant <i>Jatropha curcas</i> L.. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 353-360.	0.7	51
2560	<i>Streptomyces phytohabitans</i> sp. nov., a novel endophytic actinomycete isolated from medicinal plant <i>Curcuma phaeocaulis</i> . <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 289-296.	0.7	28
2561	<i>Methylobacterium gossipiicola</i> sp. nov., a pink-pigmented, facultatively methylotrophic bacterium isolated from the cotton phyllosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 162-167.	0.8	43
2562	<i>Cryobacterium flavum</i> sp. nov. and <i>Cryobacterium luteum</i> sp. nov., isolated from glacier ice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1296-1299.	0.8	38
2563	<i>Williamsia limnetica</i> sp. nov., isolated from a limnetic lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1414-1418.	0.8	15
2564	<i>Corynebacterium deserti</i> sp. nov., isolated from desert sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 791-794.	0.8	23
2565	Isolation of actinomycetes from the root of the plant, <i>Ophiopogon japonicus</i> , and proposal of two new species, <i>Actinoallomurus liliacearum</i> sp. nov. and <i>Actinoallomurus vinaceus</i> sp. nov.. <i>Journal of Antibiotics</i> , 2012, 65, 335-340.	1.0	22

#	ARTICLE	IF	CITATIONS
2566	<i>Sphingobacterium kyonggiense</i> sp. nov., isolated from chloroethene-contaminated soil, and emended descriptions of <i>Sphingobacterium daejeonense</i> and <i>Sphingobacterium mizutaii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2559-2564.	0.8	42
2567	<i>Streptococcus tigurinus</i> sp. nov., isolated from blood of patients with endocarditis, meningitis and spondylodiscitis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2941-2945.	0.8	61
2568	Distinctive <i>Mesorhizobium</i> populations associated with <i>Cicer arietinum</i> L. in alkaline soils of Xinjiang, China. <i>Plant and Soil</i> , 2012, 353, 123-134.	1.8	48
2569	Characterization of novel diesel-degrading strains <i>Acinetobacter haemolyticus</i> MJ01 and <i>Acinetobacter johnsonii</i> MJ4 isolated from oil-contaminated soil. <i>World Journal of Microbiology and Biotechnology</i> , 2012, 28, 2057-2067.	1.7	22
2570	LC-ESI-MS/MS Identification of Polar Lipids of Two Thermophilic Anoxybacillus Bacteria Containing a Unique Lipid Pattern. <i>Lipids</i> , 2012, 47, 729-739.	0.7	20
2571	From aneuploidy to cancer: The evolution of a new species?. <i>Journal of Biosciences</i> , 2012, 37, 211-220.	0.5	14
2572	TBC: A clustering algorithm based on prokaryotic taxonomy. <i>Journal of Microbiology</i> , 2012, 50, 181-185.	1.3	26
2573	<i>Paenibacillus xylaniclasticus</i> sp. nov., a xylanolytic-cellulolytic bacterium isolated from sludge in an anaerobic digester. <i>Journal of Microbiology</i> , 2012, 50, 394-400.	1.3	8
2574	<i>Grimontia marina</i> sp. nov., a marine bacterium isolated from the Yellow Sea. <i>Journal of Microbiology</i> , 2012, 50, 170-174.	1.3	17
2575	<i>Micrococcus terrae</i> sp. nov., a bacterium isolated from soil. <i>Journal of Microbiology</i> , 2012, 50, 547-552.	1.3	7
2576	Characterization of <i>Deinococcus sahariensis</i> sp. nov., a radiation-resistant bacterium isolated from a Saharan hot spring. <i>Archives of Microbiology</i> , 2012, 194, 315-322.	1.0	11
2577	Genetic Diversity of Endophytic Diazotrophs of the Wild Rice, <i>Oryza alta</i> and Identification of the New Diazotroph, <i>Acinetobacter oryzae</i> sp. nov.. <i>Microbial Ecology</i> , 2012, 63, 813-821.	1.4	41
2578	<i>Oleispira lenta</i> sp. nov., a novel marine bacterium isolated from Yellow sea coastal seawater in Qingdao, China. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 787-794.	0.7	14
2579	<i>Roseovarius litoreus</i> sp. nov., isolated from seawater of southern coast of Korean peninsula. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 141-148.	0.7	29
2580	<i>Shewanella seohaensis</i> sp. nov., isolated from a tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 149-156.	0.7	20
2581	<i>Streptosporangium anatoliense</i> sp. nov., isolated from soil in Turkey. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 269-276.	0.7	12
2582	Bartonella bacteria in nature: Where does population variability end and a species start?. <i>Infection, Genetics and Evolution</i> , 2012, 12, 894-904.	1.0	101
2583	<i>Chryseobacterium oncorhynchi</i> sp. nov., isolated from rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Systematic and Applied Microbiology</i> , 2012, 35, 24-29.	1.2	40

#	ARTICLE	IF	CITATIONS
2584	Taxonomic evaluation of the <i>Streptomyces hygrosopicus</i> clade using multilocus sequence analysis and DNA-DNA hybridization, validating the MLSA scheme for systematics of the whole genus. <i>Systematic and Applied Microbiology</i> , 2012, 35, 7-18.	1.2	171
2585	Molecular and phenotypic characterization of strains nodulating <i>Anthyllis vulneraria</i> in mine tailings, and proposal of <i>Aminobacter anthyllidis</i> sp. nov., the first definition of <i>Aminobacter</i> as legume-nodulating bacteria. <i>Systematic and Applied Microbiology</i> , 2012, 35, 65-72.	1.2	55
2586	<i>Microbacterium marinum</i> sp. nov., isolated from deep-sea water. <i>Systematic and Applied Microbiology</i> , 2012, 35, 81-85.	1.2	26
2587	<i>Flavobacterium oncorhynchi</i> sp. nov., a new species isolated from rainbow trout ( <i>Oncorhynchus</i> ) Tj ETQq1 1 0.784314 rgBT / Overlock	1.2	51
2588	Towards a taxonomy of <i>Bacteria</i> and <i>Archaea</i> based on interactive and cumulative data repositories. <i>Environmental Microbiology</i> , 2012, 14, 318-334.	1.8	64
2589	Prokaryotic taxonomy in the sequencing era – the polyphasic approach revisited. <i>Environmental Microbiology</i> , 2012, 14, 291-317.	1.8	128
2590	Bacterial species may exist, metagenomics reveal. <i>Environmental Microbiology</i> , 2012, 14, 347-355.	1.8	210
2591	<i>Poseidonocella pacifica</i> gen. nov., sp. nov. and <i>Poseidonocella sedimentorum</i> sp. nov., novel alphaproteobacteria from the shallow sandy sediments of the Sea of Japan. <i>Archives of Microbiology</i> , 2012, 194, 113-121.	1.0	24
2592	<i>Bacillus berkeleyi</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>Archives of Microbiology</i> , 2012, 194, 215-221.	1.0	13
2593	<i>Saccharothrix</i> sp. PAL54, a new chloramphenicol-producing strain isolated from a Saharan soil. <i>World Journal of Microbiology and Biotechnology</i> , 2012, 28, 943-951.	1.7	30
2594	The dynamics of the vaginal microbiome during infertility therapy with in vitro fertilization-embryo transfer. <i>Journal of Assisted Reproduction and Genetics</i> , 2012, 29, 105-115.	1.2	124
2595	<i>Nitratireductor lucknowense</i> sp. nov., a novel bacterium isolated from a pesticide contaminated soil. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 125-131.	0.7	24
2596	<i>Ornithinibacillus scapharcae</i> sp. nov., isolated from a dead ark clam. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 147-154.	0.7	20
2597	Characterization of <i>Methylobacterium</i> strains isolated from the phyllosphere and description of <i>Methylobacterium longum</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 169-183.	0.7	35
2598	<i>Verrucosipora maris</i> sp. nov., a novel deep-sea actinomycete isolated from a marine sediment which produces abyssomicins. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 185-193.	0.7	63
2599	<i>Kocuria sediminis</i> sp. nov., isolated from a marine sediment sample. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 469-478.	0.7	20
2600	Systematics of prokaryotes: the state of the art. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 3-11.	0.7	31
2601	A call to arms for systematists: revitalising the purpose and practises underpinning the description of novel microbial taxa. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 13-20.	0.7	97



#	ARTICLE	IF	CITATIONS
2602	<i>Streptomyces deserti</i> sp. nov., isolated from hyper-arid Atacama Desert soil. Antonie Van Leeuwenhoek, 2012, 101, 575-581.	0.7	30
2603	<i>Micromonospora haikouensis</i> sp. nov., isolated from mangrove soil. Antonie Van Leeuwenhoek, 2012, 101, 649-655.	0.7	29
2604	<i>Sphingobium cupiresistens</i> sp. nov., a copper-resistant bacterium isolated from copper mine soil, and emended description of the genus <i>Sphingobium</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 604-609.	0.8	33
2605	<i>Sphingobium baderi</i> sp. nov., isolated from a hexachlorocyclohexane dump site. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 673-678.	0.8	29
2606	<i>Anoxybacillus kaynarcensis</i> sp. nov., a moderately thermophilic, xylanase producing bacterium. Journal of Basic Microbiology, 2013, 53, 410-419.	1.8	27
2607	<i>Chryseobacterium yeoncheonense</i> sp. nov., with ginsenoside converting activity isolated from soil of a ginseng field. Archives of Microbiology, 2013, 195, 463-471.	1.0	18
2608	<i>Geodermatophilus saharensis</i> sp. nov., isolated from sand of the Saharan desert in Chad. Archives of Microbiology, 2013, 195, 153-159.	1.0	36
2609	<i>Pannonibacter indica</i> sp. nov., a highly arsenate-tolerant bacterium isolated from a hot spring in India. Archives of Microbiology, 2013, 195, 1-8.	1.0	39
2610	<i>Streptococcus danieliae</i> sp. nov., a novel bacterium isolated from the caecum of a mouse. Archives of Microbiology, 2013, 195, 43-49.	1.0	20
2611	<i>Neisseria oralis</i> sp. nov., isolated from healthy gingival plaque and clinical samples. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1323-1328.	0.8	31
2612	<i>Polaribacter porphyrae</i> sp. nov., isolated from the red alga <i>Porphyra yezoensis</i> , and emended descriptions of the genus <i>Polaribacter</i> and two <i>Polaribacter</i> species. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1665-1672.	0.8	50
2613	When should a DDH experiment be mandatory in microbial taxonomy?. Archives of Microbiology, 2013, 195, 413-418.	1.0	490
2614	Description of <i>Gemmobacter fontiphilus</i> sp. nov., isolated from a freshwater spring, reclassification of <i>Catellibacterium nectariphilum</i> as <i>Gemmobacter nectariphilus</i> comb. nov., <i>Catellibacterium changlense</i> as <i>Gemmobacter changlensis</i> comb. nov., <i>Catellibacterium aquatile</i> as <i>Gemmobacter aquaticus</i> nom. nov., International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 470-478.	0.8	65
2615	<i>Marinococcus tarijensis</i> sp. nov., a moderately halophilic bacterium isolated from a salt mine. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3319-3323.	0.8	7
2616	<i>Chryseobacterium kwangjuense</i> sp. nov., isolated from pepper ( <i>Capsicum annum</i> L.) root. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2835-2840.	0.8	43
2617	Multilocus sequence analysis and 16S rRNA gene sequencing reveal that <i>Yersinia frederiksenii</i> genospecies 2 is <i>Yersinia massiliensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3124-3129.	0.8	5
2618	<i>Flavobacterium jumunjinense</i> sp. nov., isolated from a lagoon, and emended descriptions of <i>Flavobacterium cheniae</i> , <i>Flavobacterium dongtanense</i> and <i>Flavobacterium gelidilacus</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3937-3943.	0.8	36
2619	Proposal to reclassify <i>E. nimipressuralis</i> and <i>E. amnigenus</i> into <i>Lelliottia</i> gen. nov. as <i>Lelliottia nimipressuralis</i> comb. nov. and <i>Lelliottia amnigena</i> comb. nov., respectively, <i>E. gergoviae</i> and <i>E. pyrinus</i> into <i>Pluralibacter</i> gen. nov. as <i>Pluralibacter gergoviae</i> comb. nov. and <i>Pluralibacter pyrinus</i> comb. nov., respectively, <i>E. cowanii</i> , <i>E. radincitans</i> , <i>E. oryzae</i> and <i>E. arachidis</i> into <i>Kosakonia</i> gen. nov. as <i>Kosakonia c.</i> Systematic and Applied Microbiology, 2013, 36, 309-319.	1.2	385

#	ARTICLE	IF	CITATIONS
2620	Halophilic, Acidophilic, and Haloacidophilic Prokaryotes. Cellular Origin and Life in Extreme Habitats, 2013, , 201-213.	0.3	1
2621	<i>Enterobacter sacchari</i> sp. nov., a nitrogen-fixing bacterium associated with sugar cane ( <i>Saccharum</i> ) Tj ETQq1 1 0.784314 rgBT/Overlo	0.8	43
2622	<i>Pleomorphomonas diazotrophica</i> sp. nov., an endophytic N-fixing bacterium isolated from root tissue of <i>Jatropha curcas</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2477-2483.	0.8	46
2623	<i>Actinopolyspora righensis</i> sp. nov., a novel halophilic actinomycete isolated from Saharan soil in Algeria. Antonie Van Leeuwenhoek, 2013, 104, 301-307.	0.7	28
2624	<i>Rothia marina</i> sp. nov., isolated from an intertidal sediment of the South China Sea. Antonie Van Leeuwenhoek, 2013, 104, 331-337.	0.7	14
2625	<i>Rhodococcus jostii</i> : a home for <i>Rhodococcus</i> strain RHA1. Antonie Van Leeuwenhoek, 2013, 104, 435-440.	0.7	12
2626	<i>Loktanella soesokkakensis</i> sp. nov., isolated from the junction between the North Pacific Ocean and a freshwater spring. Antonie Van Leeuwenhoek, 2013, 104, 397-404.	0.7	25
2627	<i>Litorilituus sediminis</i> gen. nov. sp. nov., isolated from coastal sediment of an amphioxus breeding zone in Qingdao, China. Antonie Van Leeuwenhoek, 2013, 104, 423-430.	0.7	9
2628	Genome sequence-based species delimitation with confidence intervals and improved distance functions. BMC Bioinformatics, 2013, 14, 60.	1.2	5,139
2629	<i>Lacibacter daechungensis</i> sp. nov., isolated from deep freshwater of a reservoir. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4519-4523.	0.8	12
2630	<i>Paenibacillus endophyticus</i> sp. nov., isolated from nodules of <i>Cicer arietinum</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4433-4438.	0.8	37
2631	<i>Rhizobium tarimense</i> sp. nov., isolated from soil in the ancient Khyyik River. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2424-2429.	0.8	32
2632	<i>Devosia submarina</i> sp. nov., isolated from deep-sea surface sediments. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3079-3085.	0.8	30
2633	<i>Rhodopirellula rosea</i> sp. nov., a novel bacterium isolated from an ark clam <i>Scapharca broughtonii</i> . Journal of Microbiology, 2013, 51, 301-304.	1.3	21
2634	<i>Deinococcus swuensis</i> sp. nov., a gamma-radiation-resistant bacterium isolated from soil. Journal of Microbiology, 2013, 51, 305-311.	1.3	24
2635	<i>Paenibacillus marinisediminis</i> sp. nov., a bacterium isolated from marine sediment. Journal of Microbiology, 2013, 51, 312-317.	1.3	18
2636	<i>Mucilagibacter ginsenosidivorax</i> sp. nov., with ginsenoside converting activity isolated from sediment. Journal of Microbiology, 2013, 51, 394-399.	1.3	12
2637	<i>Lysinibacillus chungkukjangi</i> sp. nov., isolated from Chungkukjang, Korean fermented soybean food. Journal of Microbiology, 2013, 51, 400-404.	1.3	22

#	ARTICLE	IF	CITATIONS
2638	<i>Bhargavaea indica</i> sp. nov., a member of the phylum Firmicutes, isolated from Arabian Sea sediment. <i>Journal of Microbiology</i> , 2013, 51, 36-42.	1.3	10
2639	<i>Streptacidiphilus durhamensis</i> sp. nov., isolated from a spruce forest soil. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 199-206.	0.7	27
2640	<i>Geodermatophilus africanus</i> sp. nov., a halotolerant actinomycete isolated from Saharan desert sand. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 207-216.	0.7	52
2641	<i>Tenacibaculum caenipelagi</i> sp. nov., a member of the family Flavobacteriaceae isolated from tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 225-231.	0.7	12
2642	<i>Algibacter miyuki</i> sp. nov., a member of the family Flavobacteriaceae isolated from leachate of a brown algae reservoir. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 253-260.	0.7	23
2643	<i>Winogradskyella undariae</i> sp. nov., a member of the family Flavobacteriaceae isolated from a brown algae reservoir. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 619-626.	0.7	22
2644	<i>Halomonas zhaodongensis</i> sp. nov., a slightly halophilic bacterium isolated from saline alkaline soils in Zhaodong, China. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 685-694.	0.7	18
2645	<i>Mariniflexile soesokkakensis</i> sp. nov., a member of the family Flavobacteriaceae isolated from the junction between the North Pacific Ocean and a freshwater spring, and emended description of the genus <i>Mariniflexile</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 769-777.	0.7	11
2646	<i>rpoB</i> gene as a novel molecular marker to infer phylogeny in Planctomycetales. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 477-488.	0.7	54
2647	<i>Sphingomonas cynarae</i> sp. nov., a proteobacterium that produces an unusual type of sphingan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 72-79.	0.8	30
2648	<i>Sphingomonas ginsengisoli</i> sp. nov. and <i>Sphingomonas sediminicola</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 496-501.	0.8	44
2649	<i>Sphingomonas kyungheensis</i> sp. nov., a bacterium with ginsenoside-converting activity isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3848-3853.	0.8	16
2650	<i>Sphingomonas ginsenosidivorax</i> sp. nov., with the ability to transform ginsenosides. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1359-1367.	0.7	10
2651	<i>Streptococcus rubneri</i> sp. nov., isolated from the human throat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4026-4032.	0.8	33
2652	<i>Sunxiuqinia faeciviva</i> sp. nov., a facultatively anaerobic organoheterotroph of the Bacteroidetes isolated from deep seafloor sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1602-1609.	0.8	39
2653	Taxonomy and chemically semi-defined media for the analysis of the tacrolimus producer <i>Streptomyces tsukubaensis</i> ™. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 2139-2152.	1.7	51
2654	<i>Pseudomonas prosekii</i> sp. nov., a Novel Psychrotrophic Bacterium from Antarctica. <i>Current Microbiology</i> , 2013, 67, 637-646.	1.0	38
2655	<i>Alishewanella solinquinati</i> sp. nov., Isolated from Soil Contaminated with Textile Dyes. <i>Current Microbiology</i> , 2013, 67, 454-459.	1.0	16

#	ARTICLE	IF	CITATIONS
2656	<i>Burkholderia humi</i> sp. nov., Isolated from Peat Soil. <i>Current Microbiology</i> , 2013, 66, 300-305.	1.0	4
2657	<i>Salinicola zeshunii</i> sp. nov., a Moderately Halophilic Bacterium Isolated from Soil of a Chicken Farm. <i>Current Microbiology</i> , 2013, 66, 192-196.	1.0	9
2658	<i>Aeromonas cavernicola</i> sp. nov., isolated from fresh water of a brook in a cavern. <i>Current Microbiology</i> , 2013, 66, 197-204.	1.0	25
2659	<i>Polaribacter reichenbachii</i> sp. nov.: A New Marine Bacterium Associated with the Green Alga <i>Ulva fenestrata</i> . <i>Current Microbiology</i> , 2013, 66, 16-21.	1.0	35
2660	<i>Klebsiella michiganensis</i> sp. nov., A New Bacterium Isolated from a Tooth Brush Holder. <i>Current Microbiology</i> , 2013, 66, 72-78.	1.0	85
2661	<i>Lentisphaera marina</i> sp. nov., and emended description of the genus <i>Lentisphaera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1540-1544.	0.8	11
2662	<i>Amnibacterium soli</i> sp. nov., an actinobacterium isolated from grass soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4750-4753.	0.8	17
2663	<i>Oceanobacillus chungangensis</i> sp. nov., isolated from a sand dune. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3666-3671.	0.8	17
2664	<i>Halomonas socia</i> sp. nov., isolated from high salt culture of <i>Dunaliella salina</i> . <i>Extremophiles</i> , 2013, 17, 663-668.	0.9	12
2665	<i>Isoptericola salitolerans</i> sp. nov., a halotolerant filamentous actinobacterium isolated from a salt lake, China. <i>Extremophiles</i> , 2013, 17, 471-476.	0.9	10
2666	<i>Myceligenerans salitolerans</i> sp. nov., a halotolerant actinomycete isolated from a salt lake in Xinjiang, China. <i>Extremophiles</i> , 2013, 17, 147-152.	0.9	7
2667	<i>Streptomyces chilikensis</i> sp. nov., a halophilic streptomycete isolated from brackish water sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2757-2764.	0.8	30
2668	<i>Lactobacillus delbrueckii</i> subsp. <i>jakobsenii</i> subsp. nov., isolated from dolo wort, an alcoholic fermented beverage in Burkina Faso. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3720-3726.	0.8	28
2669	<i>Bacillus thermocopriae</i> sp. nov., isolated from a compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3024-3029.	0.8	21
2670	<i>Methylobacterium tarhaniae</i> sp. nov., isolated from arid soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2823-2828.	0.8	24
2671	Multilocus sequence analysis of <i>Vibrio tapetis</i> , the causative agent of Brown Ring Disease: Description of <i>Vibrio tapetis</i> subsp. <i>britannicus</i> subsp. nov. <i>Systematic and Applied Microbiology</i> , 2013, 36, 183-187.	1.2	29
2672	<i>Zhihengliuella flava</i> sp. nov., an actinobacterium isolated from sea sediment, and emended description of the genus <i>Zhihengliuella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4760-4764.	0.8	20
2673	<i>Salinispota pacifica</i> sp. nov., an actinomycete from marine sediments. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1069-1078.	0.7	50

#	ARTICLE	IF	CITATIONS
2674	<i>Humibacter antri</i> sp. nov., an actinobacterium isolated from a natural cave, and emended description of the genus <i>Humibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4315-4319.	0.8	16
2675	<i>Cryobacterium levicorallinum</i> sp. nov., a psychrophilic bacterium isolated from glacier ice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2819-2822.	0.8	39
2676	<i>Edaphobacillus lindanitolerans</i> gen. nov., sp. nov., isolated from hexachlorocyclohexane (HCH) contaminated soil. <i>Journal of Basic Microbiology</i> , 2013, 53, 758-765.	1.8	12
2677	<i>Gluconacetobacter maltaceti</i> sp. nov., a novel vinegar producing acetic acid bacterium. <i>Systematic and Applied Microbiology</i> , 2013, 36, 17-21.	1.2	39
2678	<i>Corynebacterium frankenforstense</i> sp. nov. and <i>Corynebacterium lactis</i> sp. nov., isolated from raw cow milk. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4495-4501.	0.8	56
2679	<i>Gemmobacter tilapiae</i> sp. nov., a poly- $\beta$ -hydroxybutyrate-accumulating bacterium isolated from a freshwater pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1550-1556.	0.8	26
2680	<i>Hanschlegelia beijingensis</i> sp. nov., an aerobic, pink-pigmented, facultatively methylotrophic bacterium isolated from watermelon rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3715-3719.	0.8	10
2681	<i>Bradyrhizobium arachidis</i> sp. nov., isolated from effective nodules of <i>Arachis hypogaea</i> grown in China. <i>Systematic and Applied Microbiology</i> , 2013, 36, 101-105.	1.2	95
2682	<i>Pseudomonas asturiensis</i> sp. nov., isolated from soybean and weeds. <i>Systematic and Applied Microbiology</i> , 2013, 36, 320-324.	1.2	25
2683	<i>Sphingobacterium changzhouense</i> sp. nov., a bacterium isolated from a rice field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4515-4518.	0.8	13
2684	<i>Pedobacter ruber</i> sp. nov., a psychrophilic bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 339-344.	0.8	27
2685	<i>Streptomyces abietis</i> sp. nov., a cellulolytic bacterium isolated from soil of a pine forest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4754-4759.	0.8	13
2686	<i>Novosphingobium barchaimii</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 667-672.	0.8	46
2687	<i>Kribbella shirazensis</i> sp. nov., isolated from Iranian soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3369-3374.	0.8	16
2688	<i>Kribbella albertanoniae</i> sp. nov., isolated from a Roman catacomb, and emended description of the genus <i>Kribbella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3591-3596.	0.8	25
2689	<i>Amantichitinum ursilacus</i> gen. nov., sp. nov., a chitin-degrading bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 98-103.	0.8	17
2690	<i>Pelagicola litorisediminis</i> sp. nov., a novel alphaproteobacterium isolated from tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 103-110.	0.7	25
2691	The discriminatory power of ribotyping as automatable technique for differentiation of bacteria. <i>Systematic and Applied Microbiology</i> , 2013, 36, 369-375.	1.2	39

#	ARTICLE	IF	CITATIONS
2692	<i>Pseudomonas oryzae</i> sp. nov. isolated from a paddy soil in South China. <i>Archives of Microbiology</i> , 2013, 195, 815-822.	1.0	10
2693	<i>Methanomethylovorans uponensis</i> sp. nov., a methylotrophic methanogen isolated from wetland sediment. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1005-1012.	0.7	46
2694	<i>Litoreibacter halocynthiae</i> sp. nov., isolated from the sea squirt <i>Halocynthia roretzi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3364-3368.	0.8	13
2695	A proposal to unify two subspecies of <i>Staphylococcus equorum</i> : <i>Staphylococcus equorum</i> subsp. <i>equorum</i> and <i>Staphylococcus equorum</i> subsp. <i>linens</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1049-1062.	0.7	14
2696	<i>Weissella diestrammenae</i> sp. nov., isolated from the gut of a camel cricket ( <i>Diestrammena coreana</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2951-2956.	0.8	29
2697	Genome wide sequence analysis grants unbiased definition of species boundaries in <i>Candidatus Phytoplasma</i> . <i>Systematic and Applied Microbiology</i> , 2013, 36, 539-548.	1.2	28
2698	<i>Bacillus halosaccharovorans</i> sp. nov., a moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2776-2781.	0.8	33
2699	<i>Streptomyces harbinensis</i> sp. nov., an endophytic, ikarugamycin-producing actinomycete isolated from soybean root [ <i>Glycine max</i> (L.) Merr.]. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3579-3584.	0.8	34
2700	<i>Devosia lucknowensis</i> sp. nov., a bacterium isolated from hexachlorocyclohexane (HCH) contaminated pond soil. <i>Journal of Microbiology</i> , 2013, 51, 689-694.	1.3	23
2701	<i>Paenibacillus beijingensis</i> sp. nov., a nitrogen-fixing species isolated from wheat rhizosphere soil. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 675-683.	0.7	31
2702	Identification of thermo tolerant lactic acid bacteria isolated from silage prepared in the hot and humid climate of Southwestern Japan. <i>SpringerPlus</i> , 2013, 2, 485.	1.2	9
2703	<i>Microlunatus cavernae</i> sp. nov., a novel actinobacterium isolated from Alu ancient cave, Yunnan, south-west China. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 95-101.	0.7	9
2704	<i>Salinicola peritrichatus</i> sp. nov., isolated from deep-sea sediment. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 55-62.	0.7	14
2705	<i>Mucilagibacter calamicampi</i> sp. nov., a member of the family Sphingobacteriaceae isolated from soil at a field of reeds. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 37-45.	0.7	12
2706	<i>Paracoccus zhejiangensis</i> sp. nov., isolated from activated sludge in wastewater-treatment system. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 123-128.	0.7	11
2707	<i>Micromonospora halotolerans</i> sp. nov., isolated from the rhizosphere of a <i>Pisum sativum</i> plant. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1245-1254.	0.7	19
2708	<i>Saccharomonospora oceani</i> sp. nov. isolated from marine sediments in Little Andaman, India. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1377-1384.	0.7	11
2709	<i>Tenacibaculum halocynthiae</i> sp. nov., a member of the family Flavobacteriaceae isolated from sea squirt <i>Halocynthia roretzi</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1321-1327.	0.7	17

#	ARTICLE	IF	CITATIONS
2710	<i>Saccharopolyspora dendranthema</i> sp. nov. a halotolerant endophytic actinomycete isolated from a coastal salt marsh plant in Jiangsu, China. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1369-1376.	0.7	30
2712	<i>Nonlabens arenilitoris</i> sp. nov., a member of the family Flavobacteriaceae isolated from seashore sand. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1125-1132.	0.7	14
2713	<i>Sunxiuqinia dokdonensis</i> sp. nov., isolated from deep sub-seafloor sediment. <i>Journal of Microbiology</i> , 2013, 51, 741-746.	1.3	16
2714	Identification of Plasmalogen Cardiolipins from <i>Pectinatus</i> by Liquid Chromatography-High Resolution Electrospray Ionization Tandem Mass Spectrometry. <i>Lipids</i> , 2013, 48, 1237-1251.	0.7	8
2715	<i>Streptomyces muensis</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1135-1141.	0.7	6
2716	<i>Colwellia meonggei</i> sp. nov., a novel gammaproteobacterium isolated from sea squirt <i>Halocynthia roretzi</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1021-1027.	0.7	17
2717	<i>Streptacidiphilus hamsterleyensis</i> sp. nov., isolated from a spruce forest soil. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 965-972.	0.7	13
2718	<i>Flavobacterium kyungheensis</i> sp. nov., isolated from soil of a ginseng field. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1029-1037.	0.7	12
2719	<i>Dongia rigui</i> sp. nov., isolated from freshwater of a large wetland in Korea. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1143-1150.	0.7	23
2720	<i>Halarchaeum salinum</i> sp. nov., a moderately acidophilic haloarchaeon isolated from commercial sea salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1138-1142.	0.8	20
2721	<i>Azoarcus olearius</i> sp. nov., a nitrogen-fixing bacterium isolated from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3755-3761.	0.8	38
2722	Future-Generation Sequencing and Clinical Microbiology. <i>Clinics in Laboratory Medicine</i> , 2013, 33, 685-704.	0.7	3
2723	<i>Cyclobacterium caenipelagi</i> sp. nov., isolated from a tidal flat sediment, and emended description of the genus <i>Cyclobacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3158-3163.	0.8	12
2724	<i>Dyella jiangningensis</i> sp. nov., a $\beta$ -proteobacterium isolated from the surface of potassium-bearing rock. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3154-3157.	0.8	36
2725	<i>Halopenitus malekzadehii</i> sp. nov., an extremely halophilic archaeon isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3232-3236.	0.8	17
2726	<i>Pseudomonas guguanensis</i> sp. nov., a gammaproteobacterium isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4591-4598.	0.8	30
2727	<i>Saccharothrix saharensis</i> sp. nov., an actinomycete isolated from Algerian Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3744-3749.	0.8	20
2728	Partial characterization of an exopolysaccharide secreted by a marine bacterium, <i>Vibrio neocaledonicus</i> sp. nov., from New Caledonia. <i>Journal of Applied Microbiology</i> , 2013, 114, 1702-1712.	1.4	20

#	ARTICLE	IF	CITATIONS
2729	Prosthecate sphingomonads: proposal of <i>Sphingomonas canadensis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3214-3219.	0.8	12
2730	<i>Flavitalea gansuensis</i> sp. nov., isolated from soil from an arid area, and emended descriptions of the genus <i>Flavitalea</i> and <i>Flavitalea populi</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 490-495.	0.8	21
2731	<i>Micromonospora equina</i> sp. nov., isolated from soil from a racecourse. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 879-885.	0.8	14
2732	<i>Thermococcus prieurii</i> sp. nov., a hyperthermophilic archaeon isolated from a deep-sea hydrothermal vent. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2920-2926.	0.8	19
2733	<i>Marinoscillum luteum</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3475-3480.	0.8	12
2734	Description of <i>Xenorhabdus khoisanae</i> sp. nov., the symbiont of the entomopathogenic nematode <i>Steinernema khoisanae</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3220-3224.	0.8	42
2735	<i>Actinoallomurus acanthiterrae</i> sp. nov., an actinomycete isolated from rhizosphere soil of the mangrove plant <i>Acanthus ilicifolius</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1874-1879.	0.8	12
2736	<i>Friedmanniella flava</i> sp. nov., a soil actinomycete. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1771-1775.	0.8	13
2737	<i>Micromonospora maritima</i> sp. nov., isolated from mangrove soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 554-559.	0.8	20
2738	<i>Gemmobacter lanyuensis</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4039-4045.	0.8	27
2739	<i>Thalassolituus marinus</i> sp. nov., a hydrocarbon-utilizing marine bacterium. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2234-2238.	0.8	18
2740	<i>Tonsilliphilus suis</i> gen. nov., sp. nov., causing tonsil infections in pigs. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2545-2552.	0.8	10
2741	<i>Geodermatophilus soli</i> sp. nov. and <i>Geodermatophilus terrae</i> sp. nov., two actinobacteria isolated from grass soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2625-2629.	0.8	33
2742	<i>Gibbsiella papilionis</i> sp. nov., isolated from the intestinal tract of the butterfly <i>Mycalesis gotama</i> , and emended description of the genus <i>Gibbsiella</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2607-2611.	0.8	16
2743	<i>Mycetocola miduiensis</i> sp. nov., a psychrotolerant bacterium isolated from Midui glacier. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2661-2665.	0.8	11
2744	<i>Pectobacterium aroidearum</i> sp. nov., a soft rot pathogen with preference for monocotyledonous plants. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2520-2525.	0.8	90
2745	<i>Brevibacterium yomogidense</i> sp. nov., isolated from a soil conditioner made from poultry manure. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 516-520.	0.8	13
2746	<i>Brevibacterium daeguense</i> sp. nov., a nitrate-reducing bacterium isolated from a 4-chlorophenol enrichment culture. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 152-157.	0.8	14



#	ARTICLE	IF	CITATIONS
2747	<i>Caulobacter daechungensis</i> sp. nov., a stalked bacterium isolated from a eutrophic reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2559-2564.	0.8	18
2748	<i>Microbacterium lemovicicum</i> sp. nov., a bacterium isolated from a natural uranium-rich soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2600-2606.	0.8	25
2749	<i>Azospirillum humicireducens</i> sp. nov., a nitrogen-fixing bacterium isolated from a microbial fuel cell. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2618-2624.	0.8	47
2750	Highlights on molecular identification of closely related species. <i>Infection, Genetics and Evolution</i> , 2013, 13, 67-75.	1.0	39
2751	<i>Aeromonas australiensis</i> sp. nov., isolated from irrigation water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2270-2276.	0.8	32
2752	<i>Microbacterium oryzae</i> sp. nov., an actinobacterium isolated from rice field soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2442-2449.	0.8	18
2753	<i>Tepidimonas fonticaldi</i> sp. nov., a slightly thermophilic betaproteobacterium isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1810-1816.	0.8	26
2754	<i>Streptomyces erringtonii</i> sp. nov. and <i>Streptomyces kaempferi</i> sp. nov., isolated from a hay meadow soil. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 79-87.	0.7	14
2755	Two novel species <i>Enterococcus lemanii</i> sp. nov. and <i>Enterococcus eurekaensis</i> sp. nov., isolated from a swine-manure storage pit. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 89-98.	0.7	13
2756	<i>Pseudonocardia hispaniensis</i> sp. nov., a novel actinomycete isolated from industrial wastewater activated sludge. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 135-142.	0.7	19
2757	<i>Tenuibacillus halotolerans</i> sp. nov., a novel bacterium isolated from a soil sample from a salt lake in Xinjiang, China and emended description of the genus <i>Tenuibacillus</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 207-215.	0.7	11
2758	Updating the taxonomic toolbox: classification of <i>Alteromonas</i> spp. using multilocus phylogenetic analysis and MALDI-TOF mass spectrometry. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 265-275.	0.7	13
2759	<i>Actinoplanes hulinensis</i> sp. nov., a novel actinomycete isolated from soybean root ( <i>Glycine max</i> (L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	15
2760	<i>Litoribacillus peritrichatus</i> gen. nov. sp. nov., isolated from coastal sediment of an amphioxus breeding zone in Qingdao, China. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 357-366.	0.7	12
2761	<i>Streptomyces bullii</i> sp. nov., isolated from a hyper-arid Atacama Desert soil. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 367-373.	0.7	37
2762	<i>Amycolatopsis jiangsuensis</i> sp. nov., a novel endophytic actinomycete isolated from a coastal plant in Jiangsu, China. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 433-439.	0.7	48
2763	<i>Bacillus persicus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1229-1234.	0.8	23
2764	<i>Mesorhizobium qingshengii</i> sp. nov., isolated from effective nodules of <i>Astragalus sinicus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2002-2007.	0.8	45

#	ARTICLE	IF	CITATIONS
2765	Mesorhizobium shonense sp. nov., Mesorhizobium hawassense sp. nov. and Mesorhizobium abyssinicae sp. nov., isolated from root nodules of different agroforestry legume trees. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1746-1753.	0.8	58
2766	Mesorhizobium sangaii sp. nov., isolated from the root nodules of Astragalus luteolus and Astragalus ernstii. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2794-2799.	0.8	28
2767	A call to action for the International Committee on Systematics of Prokaryotes. Trends in Microbiology, 2013, 21, 51-52.	3.5	31
2768	Characterization of flavobacteria possibly associated with fish and fish farm environment. Description of three novel Flavobacterium species: Flavobacterium collinsii sp. nov., Flavobacterium branchiarum sp. nov., and Flavobacterium branchiicola sp. nov.. Aquaculture, 2013, 416-417, 346-353.	1.7	34
2769	Reappraisal of the taxonomy of Streptococcus suis serotypes 20, 22, 26, and 33 based on DNA-DNA homology and sodA and recN phylogenies. Veterinary Microbiology, 2013, 162, 842-849.	0.8	82
2770	Bacillus salsus sp. nov., a halophilic bacterium from a hypersaline lake. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3324-3329.	0.8	19
2771	Reclassification of Koreibacter algae as a later heterotypic synonym of Paraoerskovia marina and emended descriptions of the genus Paraoerskovia Khan et al. 2009 and of Paraoerskovia marina Khan et al. 2009. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 219-223.	0.8	7
2772	Lonsdalea quercina subsp. populi subsp. nov., isolated from bark canker of poplar trees. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2309-2313.	0.8	27
2773	Chryseobacterium hispalense sp. nov., a plant-growth-promoting bacterium isolated from a rainwater pond in an olive plant nursery, and emended descriptions of Chryseobacterium defluvii, Chryseobacterium indologenes, Chryseobacterium wanjuense and Chryseobacterium gregarium. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4386-4395.	0.8	187
2774	Algoriphagus shivajiensis sp. nov., isolated from Cochin back water, India. Systematic and Applied Microbiology, 2013, 36, 106-111.	1.2	5
2775	Proposal of Ensifer psoraleae sp. nov., Ensifer sesbaniae sp. nov., Ensifer morelense comb. nov. and Ensifer americanum comb. nov. Systematic and Applied Microbiology, 2013, 36, 467-473.	1.2	56
2776	Photobacterium marinum sp. nov., a marine bacterium isolated from a sediment sample from Palk Bay, India. Systematic and Applied Microbiology, 2013, 36, 160-165.	1.2	18
2777	Defining Taxonomic Ranks. , 2013, , 229-254.		14
2778	Principles of Enrichment, Isolation, Cultivation, and Preservation of Prokaryotes. , 2013, , 149-207.		31
2779	Comparative Genomics. , 2013, , 209-227.		1
2780	Prokaryote Characterization and Identification. , 2013, , 123-147.		0
2781	Reclassification of Agromonas oligotrophica into the genus Bradyrhizobium as Bradyrhizobium oligotrophicum comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1013-1016.	0.8	46
2782	Winogradskyella damuponensis sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 321-326.	0.8	21

#	ARTICLE	IF	CITATIONS
2783	<i>Marivita geojedonensis</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 423-427.	0.8	19
2784	<i>Sphingobium limneticum</i> sp. nov. and <i>Sphingobium boeckii</i> sp. nov., two freshwater planktonic members of the family Sphingomonadaceae, and reclassification of <i>Sphingomonas suberifaciens</i> as <i>Sphingobium suberifaciens</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 735-743.	0.8	61
2785	<i>Flavobacterium tilapiae</i> sp. nov., isolated from a freshwater pond, and emended descriptions of <i>Flavobacterium defluvii</i> and <i>Flavobacterium johnsoniae</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 827-834.	0.8	37
2786	<i>Gaetbulibacter lutimaris</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 995-1000.	0.8	21
2787	<i>Lacinutrix himadriensis</i> sp. nov., a psychrophilic bacterium isolated from a marine sediment, and emended description of the genus <i>Lacinutrix</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 729-734.	0.8	30
2788	<i>Desulfosporosinus burensis</i> sp. nov., a spore-forming, mesophilic, sulfate-reducing bacterium isolated from a deep clay environment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 593-598.	0.8	30
2789	<i>Burkholderia diazotrophica</i> sp. nov., isolated from root nodules of <i>Mimosa</i> spp.. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 435-441.	0.8	94
2790	Microbial Biofilms. , 2013, , 343-372.		13
2791	Borreliae. , 2013, , 353-369.		1
2792	<i>Methanosarcina soligelidi</i> sp. nov., a desiccation- and freeze-thaw-resistant methanogenic archaeon from a Siberian permafrost-affected soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2986-2991.	0.8	74
2793	<i>Halomonas smyrnensis</i> sp. nov., a moderately halophilic, exopolysaccharide-producing bacterium. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 10-18.	0.8	80
2794	<i>Planosporangium thailandense</i> sp. nov., isolated from soil from a Thai hot spring. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1051-1055.	0.8	8
2795	<i>Jeongeupia chitinilytica</i> sp. nov., a chitinolytic bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 934-938.	0.8	10
2796	<i>Cellulomonas soli</i> sp. nov. and <i>Cellulomonas oligotrophica</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 60-65.	0.8	29
2797	<i>Paenibacillus oceanisediminis</i> sp. nov. isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 428-434.	0.8	31
2798	<i>Aureivirga marina</i> gen. nov., sp. nov., a marine bacterium isolated from the Mediterranean sponge <i>Axinella verrucosa</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1089-1095.	0.8	10
2799	<i>Bacillus gottheilii</i> sp. nov., isolated from a pharmaceutical manufacturing site. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 867-872.	0.8	17
2800	<i>Bacillus ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 855-860.	0.8	17

#	ARTICLE	IF	CITATIONS
2801	<i>Chryseobacterium rigui</i> sp. nov., isolated from an estuarine wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1062-1067.	0.8	13
2802	<i>Derxia lacustris</i> sp. nov., a nitrogen-fixing bacterium isolated from a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 965-970.	0.8	13
2803	<i>Chryseobacterium taihuense</i> sp. nov., isolated from a eutrophic lake, and emended descriptions of the genus <i>Chryseobacterium</i> , <i>Chryseobacterium taiwanense</i> , <i>Chryseobacterium jejuense</i> and <i>Chryseobacterium indoltheticum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 913-919.	0.8	65
2804	<i>Comamonas guangdongensis</i> sp. nov., isolated from subterranean forest sediment, and emended description of the genus <i>Comamonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 809-814.	0.8	28
2805	<i>Brevibacterium ammoniilyticum</i> sp. nov., an ammonia-degrading bacterium isolated from sludge of a wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1111-1118.	0.8	28
2806	<i>Fontibacter ferrireducens</i> sp. nov., an Fe(III)-reducing bacterium isolated from a microbial fuel cell. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 925-929.	0.8	22
2807	<i>Duganella sacchari</i> sp. nov. and <i>Duganella radicis</i> sp. nov., two novel species isolated from rhizosphere of field-grown sugar cane. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1126-1131.	0.8	29
2808	<i>Ornithinibacillus halophilus</i> sp. nov., a moderately halophilic, Gram-stain-positive, endospore-forming bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 844-848.	0.8	28
2809	<i>Pseudonocardia antitumoralis</i> sp. nov., a deoxyxyboquinone-producing actinomycete isolated from a deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 893-899.	0.8	35
2810	<i>Streptomyces heilongjiangensis</i> sp. nov., a novel actinomycete that produces borrelidin isolated from the root surface of soybean [ <i>Glycine max</i> (L.) Merr]. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1030-1036.	0.8	18
2811	<i>Halobaculum magnesiophilum</i> sp. nov., a magnesium-dependent haloarchaeon isolated from commercial salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 861-866.	0.8	23
2812	<i>Lutibacter flavus</i> sp. nov., a marine bacterium isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 946-951.	0.8	27
2813	<i>Actinomadura xylanilytica</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 576-580.	0.8	21
2814	<i>Angustibacter peucedani</i> sp. nov., isolated from rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 744-750.	0.8	10
2815	<i>Azorhizobium oxalatophilum</i> sp. nov., and emended description of the genus <i>Azorhizobium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1505-1511.	0.8	17
2817	Properties of <i>Halococcus salifodinae</i> , an Isolate from Permian Rock Salt Deposits, Compared with <i>Halococci</i> from Surface Waters. <i>Life</i> , 2013, 3, 244-259.	1.1	13
2818	<i>Streptomyces hundungensis</i> sp. nov., a novel actinomycete with antifungal activity and plant growth promoting traits. <i>Journal of Antibiotics</i> , 2013, 66, 205-209.	1.0	22
2819	<i>Bacillus composti</i> sp. nov. and <i>Bacillus thermophilus</i> sp. nov., two thermophilic, Fe(III)-reducing bacteria isolated from compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3030-3036.	0.8	29

#	ARTICLE	IF	CITATIONS
2820	Distribution of chitin/chitosan-like bioflocculant-producing potential in the genus <i>Citrobacter</i> . <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 9569-9577.	1.7	10
2821	<i>Sphingopyxis rigui</i> sp. nov. and <i>Sphingopyxis wooonensis</i> sp. nov., isolated from wetland freshwater, and emended description of the genus <i>Sphingopyxis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1297-1303.	0.8	35
2822	<i>Lysobacter oligotrophicus</i> sp. nov., isolated from an Antarctic freshwater lake in Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3313-3318.	0.8	44
2823	<i>Amycolatopsis magusensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1254-1260.	0.8	18
2824	<i>Verrucosipora fiedleri</i> sp. nov., an actinomycete isolated from a fjord sediment which synthesizes proximicins. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 493-502.	0.7	25
2825	<i>Kribbella endophytica</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized leaf of a native apricot tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1249-1253.	0.8	25
2826	<i>Paracoccus tibetensis</i> sp. nov., isolated from Qinghai-Tibet Plateau permafrost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1902-1905.	0.8	22
2827	<i>Paenibacillus profundus</i> sp. nov., a deep sediment bacterium that produces isocoumarin and peptide antibiotics. <i>Archives of Microbiology</i> , 2013, 195, 247-254.	1.0	16
2828	Description of <i>Cobetia amphilecti</i> sp. nov., <i>Cobetia litoralis</i> sp. nov. and <i>Cobetia pacifica</i> sp. nov., classification of <i>Halomonas halodurans</i> as a later heterotypic synonym of <i>Cobetia marina</i> and emended descriptions of the genus <i>Cobetia</i> and <i>Cobetia marina</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 288-297.	0.8	55
2829	Physiology and Biochemistry of the Methane-Producing Archaea. , 2013, , 635-662.		26
2830	<i>Nonomuraea thailandensis</i> sp. nov. isolated from Thai soil. <i>Journal of Antibiotics</i> , 2013, 66, 79-84.	1.0	12
2831	<i>Streptomyces araujoniae</i> sp. nov.: an actinomycete isolated from a potato tubercle. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1235-1244.	0.7	18
2832	<i>Streptomyces halophytocola</i> sp. nov., an endophytic actinomycete isolated from the surface-sterilized stems of a coastal halophyte <i>Tamarix chinensis</i> Lour.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2770-2775.	0.8	17
2833	<i>Modestobacter roseus</i> sp. nov., an endophytic actinomycete isolated from the coastal halophyte <i>Salicornia europaea</i> Linn., and emended description of the genus <i>Modestobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2197-2202.	0.8	37
2834	Definition of a novel symbiovar (sv. <i>retamae</i> ) within <i>Bradyrhizobium retamae</i> sp. nov., nodulating <i>Retama sphaerocarpa</i> and <i>Retama monosperma</i> . <i>Systematic and Applied Microbiology</i> , 2013, 36, 218-223.	1.2	88
2835	<i>Marteella endophytica</i> sp. nov., an antifungal bacterium associated with a halophyte. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2914-2919.	0.8	21
2836	<i>Kangiella sediminitoris</i> sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1001-1006.	0.8	31
2837	<i>Geodermatophilus telluris</i> sp. nov., an actinomycete isolated from Saharan desert sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2254-2259.	0.8	37

#	ARTICLE	IF	CITATIONS
2838	<i>Geodermatophilus normandii</i> sp. nov., isolated from Saharan desert sand. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3437-3443.	0.8	28
2839	<i>Marinobacter persicus</i> sp. nov., a moderately halophilic bacterium from a saline lake in Iran. Antonie Van Leeuwenhoek, 2013, 104, 47-54.	0.7	27
2840	<i>Muricauda antarctica</i> sp. nov., a marine member of the Flavobacteriaceae isolated from Antarctic seawater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3451-3456.	0.8	34
2841	<i>Arenicella chitinivorans</i> sp. nov., a gammaproteobacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4124-4129.	0.8	9
2842	<i>Sphingobacterium cladoniae</i> sp. nov., isolated from lichen, <i>Cladonia</i> sp., and emended description of <i>Sphingobacterium siyangense</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 755-760.	0.8	40
2843	Isolation and characterization of a novel violacein-like pigment producing psychrotrophic bacterial species <i>Janthinobacterium svalbardensis</i> sp. nov. Antonie Van Leeuwenhoek, 2013, 103, 763-769.	0.7	41
2844	<i>Algimonas porphyrae</i> gen. nov., sp. nov., a member of the family Hyphomonadaceae, isolated from the red alga <i>Porphyra yezoensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 314-320.	0.8	32
2845	<i>Paracoccus limosus</i> sp. nov., isolated from activated sludge in a sewage treatment plant. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1311-1316.	0.8	30
2846	<i>Aquimarina gracilis</i> sp. nov., isolated from the gut microflora of a mussel, <i>Mytilus coruscus</i> , and emended description of <i>Aquimarina spongiae</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1782-1787.	0.8	26
2847	<i>Streptomyces chlorus</i> sp. nov. and <i>Streptomyces viridis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1728-1733.	0.8	9
2848	Phenotypic and genotypic characteristics of <i>Phormidium</i> -like cyanobacteria inhabiting microbial mats are correlated with the trophic status of running waters. European Journal of Phycology, 2013, 48, 235-252.	0.9	24
2849	<i>Streptomyces Chiangmaiensis</i> sp. nov. and <i>Streptomyces lannensis</i> sp. nov., isolated from the South-East Asian stingless bee ( <i>Tetragonilla collina</i> ). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1896-1901.	0.8	23
2850	<i>Acidithiobacillus ferridurans</i> sp. nov., an acidophilic iron-, sulfur- and hydrogen-metabolizing chemolithotrophic gammaproteobacterium. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4018-4025.	0.8	110
2851	<i>Epibacterium ulvae</i> gen. nov., sp. nov., epibiotic bacteria isolated from the surface of a marine alga. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1589-1596.	0.8	25
2852	<i>Winogradskyella psychrotolerans</i> sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from Arctic sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1646-1652.	0.8	39
2853	<i>Arenimonas daechungensis</i> sp. nov., isolated from the sediment of a eutrophic reservoir. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 484-489.	0.8	32
2854	Screening and characterization of protease-producing <i>Virgibacillus</i> , <i>Halobacillus</i> and <i>Oceanobacillus</i> strains from Thai fermented fish. Journal of Applied Pharmaceutical Science, 2013, , .	0.7	2
2855	<i>Streptomyces siamensis</i> sp. nov., and <i>Streptomyces similanensis</i> sp. nov., isolated from Thai soils. Journal of Antibiotics, 2013, 66, 633-640.	1.0	22

#	ARTICLE	IF	CITATIONS
2856	<i>Rhodococcus canchipurensis</i> sp. nov., an actinomycete isolated from a limestone deposit site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 114-118.	0.8	19
2857	<i>Paenibacillus thermoaerophilus</i> sp. nov., a moderately thermophilic bacterium isolated from compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3330-3335.	0.8	23
2858	<i>Paenibacillus catalpae</i> sp. nov., isolated from the rhizosphere soil of <i>Catalpa speciosa</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1776-1781.	0.8	31
2859	<i>Micromonospora wenchangensis</i> sp. nov., isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2389-2395.	0.8	21
2860	Advantages and limitations of genomics in prokaryotic taxonomy. <i>Clinical Microbiology and Infection</i> , 2013, 19, 790-795.	2.8	87
2861	<i>Micromonospora schwarzwaldensis</i> sp. nov., a producer of telomycin, isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3812-3817.	0.8	21
2862	<i>Pseudoalteromonas arabiensis</i> sp. nov., a marine polysaccharide-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1805-1809.	0.8	21
2863	<i>Lactobacillus yonginensis</i> sp. nov., a lactic acid bacterium with ginsenoside converting activity isolated from Kimchi. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3274-3279.	0.8	16
2864	<i>Algibacter agarivorans</i> sp. nov. and <i>Algibacter agarilyticus</i> sp. nov., isolated from seawater, reclassification of <i>Marinivirga aestuarii</i> as <i>Algibacter aestuarii</i> comb. nov. and emended description of the genus <i>Algibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3494-3500.	0.8	34
2865	<i>Alteromonas australica</i> sp. nov., isolated from the Tasman Sea. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 877-884.	0.7	37
2866	<i>Rhizobium paknamense</i> sp. nov., isolated from lesser duckweeds ( <i>Lemna aequinoctialis</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3823-3828.	0.8	26
2867	<i>Verrucosipora andamanensis</i> sp. nov., isolated from a marine sponge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3970-3974.	0.8	20
2868	<i>Halarchaeum rubridurum</i> sp. nov., a moderately acidophilic haloarchaeon isolated from commercial sea salt samples. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3143-3147.	0.8	15
2869	<i>Natronoarchaeum philippinense</i> sp. nov., a haloarchaeon isolated from commercial solar salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 920-924.	0.8	11
2870	<i>Nesterenkonia suensis</i> sp. nov., a haloalkaliphilic actinobacterium isolated from a salt pan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 41-46.	0.8	32
2871	<i>Nonomuraea jabiensis</i> sp. nov., isolated from arid soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 212-218.	0.8	18
2872	<i>Listeria fleischmannii</i> sp. nov., isolated from cheese. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 526-532.	0.8	90
2873	<i>Aliifodinibius roseus</i> gen. nov., sp. nov., and <i>Aliifodinibius sediminis</i> sp. nov., two moderately halophilic bacteria isolated from salt mine samples. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2907-2913.	0.8	42

#	ARTICLE	IF	CITATIONS
2874	<i>Hirschia litorea</i> sp. nov., isolated from seashore sediment, and emended description of the genus <i>Hirschia</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1684-1689.	0.8	16
2875	<i>Bacillus paraflexus</i> sp. nov., isolated from compost. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4735-4743.	0.8	12
2876	<i>Geodermatophilus siccatus</i> sp. nov., isolated from arid sand of the Saharan desert in Chad. Antonie Van Leeuwenhoek, 2013, 103, 449-456.	0.7	48
2877	<i>Thalassococcus lentus</i> sp. nov., an alphaproteobacterium isolated from seawater of a seaweed farm. Antonie Van Leeuwenhoek, 2013, 103, 465-473.	0.7	18
2878	<i>Marinobacter nanhaiticus</i> sp. nov., polycyclic aromatic hydrocarbon-degrading bacterium isolated from the sediment of the South China Sea. Antonie Van Leeuwenhoek, 2013, 103, 485-491.	0.7	64
2879	<i>Marinilabilia nitratireducens</i> sp. nov., a lipolytic bacterium of the family Marinilabiliaceae isolated from marine solar saltern. Antonie Van Leeuwenhoek, 2013, 103, 519-525.	0.7	20
2880	<i>Roseomonas musae</i> sp. nov., a new bacterium isolated from a banana phyllosphere. Antonie Van Leeuwenhoek, 2013, 103, 617-624.	0.7	19
2881	<i>Paenibacillus brassicae</i> sp. nov., isolated from cabbage rhizosphere in Beijing, China. Antonie Van Leeuwenhoek, 2013, 103, 647-653.	0.7	9
2882	<i>Prescottia equi</i> gen. nov., comb. nov.: a new home for an old pathogen. Antonie Van Leeuwenhoek, 2013, 103, 655-671.	0.7	35
2883	<i>Amycolatopsis umgeniensis</i> sp. nov., isolated from soil from the banks of the Umgeni River in South Africa. Antonie Van Leeuwenhoek, 2013, 103, 673-681.	0.7	19
2884	<i>Actinopolyspora saharensis</i> sp. nov., a novel halophilic actinomycete isolated from a Saharan soil of Algeria. Antonie Van Leeuwenhoek, 2013, 103, 771-776.	0.7	29
2885	<i>Exiguobacterium himgiriensis</i> sp. nov. a novel member of the genus <i>Exiguobacterium</i> , isolated from the Indian Himalayas. Antonie Van Leeuwenhoek, 2013, 103, 789-796.	0.7	47
2886	<i>Lactobacillus ginsenosidimutans</i> sp. nov., isolated from kimchi with the ability to transform ginsenosides. Antonie Van Leeuwenhoek, 2013, 103, 867-876.	0.7	18
2887	<i>Vibrio zhuhaiensis</i> sp. nov., isolated from a Japanese prawn ( <i>Marsupenaeus japonicus</i> ). Antonie Van Leeuwenhoek, 2013, 103, 989-996.	0.7	8
2888	<i>Halalkalicoccus paucihalophilus</i> sp. nov., a halophilic archaeon from Lop Nur region in Xinjiang, northwest of China. Antonie Van Leeuwenhoek, 2013, 103, 1007-1014.	0.7	26
2889	<i>Oceanospirillum nioense</i> sp. nov., a marine bacterium isolated from sediment sample of Palk bay, India. Antonie Van Leeuwenhoek, 2013, 103, 1015-1021.	0.7	10
2890	<i>Nocardia aciditolerans</i> sp. nov., isolated from a spruce forest soil. Antonie Van Leeuwenhoek, 2013, 103, 1079-1088.	0.7	36
2891	<i>Paracoccus siganidrum</i> sp. nov., isolated from fish gastrointestinal tract. Antonie Van Leeuwenhoek, 2013, 103, 1133-1139.	0.7	16



#	ARTICLE	IF	CITATIONS
2892	<i>Janibacter cremeus</i> sp. nov., an actinobacterium isolated from sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3687-3690.	0.8	18
2893	<i>Paraoerskovia sediminicola</i> sp. nov., an actinobacterium isolated from sea sediment, and emended description of the genus <i>Paraoerskovia</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2637-2641.	0.8	9
2894	<i>Nonomuraea solani</i> sp. nov., an actinomycete isolated from eggplant root ( <i>Solanum melongena</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2418-2423.	0.8	51
2895	<i>Marininema halotolerans</i> sp. nov., a novel thermoactinomycete isolated from a sediment sample, and emended description of the genus <i>Marininema</i> Li et al. 2012. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4562-4567.	0.8	9
2896	<i>Geodermatophilus tzadiensis</i> sp. nov., a UV radiation-resistant bacterium isolated from sand of the Saharan desert. Systematic and Applied Microbiology, 2013, 36, 177-182.	1.2	43
2897	<i>Nocardioides daeguensis</i> sp. nov., a nitrate-reducing bacterium isolated from activated sludge of an industrial wastewater treatment plant. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3727-3732.	0.8	16
2898	<i>Actinopolyspora mزابensis</i> sp. nov., a halophilic actinomycete isolated from an Algerian Saharan soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3787-3792.	0.8	33
2899	<i>Gluconacetobacter tumulisoli</i> sp. nov., <i>Gluconacetobacter takamatsuzukensis</i> sp. nov. and <i>Gluconacetobacter aggeris</i> sp. nov., isolated from Takamatsuzuka Tumulus samples before and during the dismantling work in 2007. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3981-3988.	0.8	29
2900	<i>Gluconacetobacter medellinensis</i> sp. nov., cellulose- and non-cellulose-producing acetic acid bacteria isolated from vinegar. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1119-1125.	0.8	94
2901	<i>Methylobacillus rhizosphaerae</i> sp. nov., a novel plant-associated methylotrophic bacterium isolated from rhizosphere of red pepper. Antonie Van Leeuwenhoek, 2013, 103, 475-484.	0.7	24
2902	<i>Pedobacter ginsengiterrae</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1273-1279.	0.8	17
2903	<i>Saccharomonospora amisosensis</i> sp. nov., isolated from deep marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3782-3786.	0.8	24
2904	<i>Actinoplanes siamensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3037-3042.	0.8	6
2906	<i>Nocardioides szechwanensis</i> sp. nov. and <i>Nocardioides psychrotolerans</i> sp. nov., isolated from a glacier. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 129-133.	0.8	33
2907	<i>Actinopolyspora lacussalsi</i> sp. nov., an extremely halophilic actinomycete isolated from a salt lake. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3009-3013.	0.8	17
2908	<i>Streptomyces yaanensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4719-4723.	0.8	11
2909	<i>Micromonospora sediminicola</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 570-575.	0.8	19
2910	Description of <i>Streptomonospora sediminis</i> sp. nov. and <i>Streptomonospora nanhaiensis</i> sp. nov., and reclassification of <i>Nocardiopsis arabia</i> Hozzein & Goodfellow 2008 as <i>Streptomonospora arabica</i> comb. nov. and emended description of the genus <i>Streptomonospora</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4447-4455.	0.8	37

#	ARTICLE	IF	CITATIONS
2911	<i>Gracilibacillus marinus</i> sp. nov., isolated from the northern South China Sea. Antonie Van Leeuwenhoek, 2013, 104, 695-701.	0.7	10
2912	<i>Pseudoalteromonas xishaensis</i> sp. nov., isolated from <i>Acanthaster planci</i> in the Xisha islands. Antonie Van Leeuwenhoek, 2013, 104, 779-785.	0.7	6
2913	<i>Actinopolyspora dayingensis</i> sp. nov., a novel halophilic actinomycete isolated from a hypersaline lake. Antonie Van Leeuwenhoek, 2013, 104, 787-792.	0.7	11
2914	<i>Gracilibacillus xinjiangensis</i> sp. nov., a new member of the genus <i>Gracilibacillus</i> isolated from Xinjiang region, China. Antonie Van Leeuwenhoek, 2013, 104, 809-816.	0.7	12
2915	Relationships between 16S-23S rRNA gene internal transcribed spacer DNA and genomic DNA similarities in the taxonomy of phototrophic bacteria. Journal of Physics: Conference Series, 2013, 433, 012037.	0.3	2
2916	<i>Demequina flava</i> sp. nov. and <i>Demequina sediminicola</i> sp. nov., isolated from sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 249-253.	0.8	20
2917	<i>Pseudomonas punonensis</i> sp. nov., isolated from straw. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1834-1839.	0.8	30
2918	<i>Phyllobacterium endophyticum</i> sp. nov., isolated from nodules of <i>Phaseolus vulgaris</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 821-826.	0.8	58
2919	<i>Lactobacillus kimchiensis</i> sp. nov., isolated from a fermented food. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1355-1359.	0.8	20
2920	<i>Bradyrhizobium daqingense</i> sp. nov., isolated from soybean nodules. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 616-624.	0.8	69
2921	<i>Vibrio hemicentroti</i> sp. nov., an alginate lyase-producing bacterium, isolated from the gut microflora of sea urchin ( <i>Hemicentrotus pulcherrimus</i> ). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3697-3703.	0.8	26
2922	<i>Chryseobacterium ginsengisoli</i> sp. nov., isolated from the rhizosphere of ginseng and emended description of <i>Chryseobacterium gleum</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2975-2980.	0.8	29
2923	Natural history of <i>Bartonella</i> -infecting rodents in light of new knowledge on genomics, diversity and evolution. Future Microbiology, 2013, 8, 1117-1128.	1.0	84
2924	Culture Collections in the Study of Microbial Diversity, Importance. , 2013, , 1-5.		3
2925	<i>Muricauda zhangzhouensis</i> sp. nov., isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2320-2325.	0.8	32
2926	<i>Paracoccus huijuniae</i> sp. nov., an amide pesticide-degrading bacterium isolated from activated sludge of a wastewater biotreatment system. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1132-1137.	0.8	38
2927	<i>Micromonospora kangleipakensis</i> sp. nov., isolated from a sample of limestone quarry. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4546-4551.	0.8	23
2928	<i>Pseudorhodobacter antarcticus</i> sp. nov., isolated from Antarctic intertidal sandy sediment, and emended description of the genus <i>Pseudorhodobacter</i> Uchino et al. 2002 emend. Jung et al. 2012. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 849-854.	0.8	25

#	ARTICLE	IF	CITATIONS
2929	Deepening the Conception of Functional Information in the Description of Zoonotic Infectious Diseases. <i>Entropy</i> , 2013, 15, 1929-1962.	1.1	8
2930	<i>Halanaerobium sehlinese</i> sp. nov., an extremely halophilic, fermentative, strictly anaerobic bacterium from sediments of the hypersaline lake Sehline Sebkha. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2069-2074.	0.8	31
2931	Transitioning Toward a Universal Species Concept for the Classification of all Organisms. , 2013, , .		1
2932	<i>Sphingobium czechense</i> sp. nov., isolated from a hexachlorocyclohexane dump site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 723-728.	0.8	18
2933	Genome sequence analyses show that <i>Neisseria oralis</i> is the same species as <i>Neisseria mucosa</i> var. <i>heidelbergensis</i> ™. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3920-3926.	0.8	42
2934	Variation of the Virus-Related Elements within Syntenic Genomes of the Hyperthermophilic Archaeon <i>Aeropyrum</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 5891-5898.	1.4	3
2935	<i>Actinokineospora bangkokensis</i> sp. nov., isolated from rhizospheric soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2655-2660.	0.8	27
2936	<i>Pseudorhodobacter wandonensis</i> sp. nov., isolated from wood falls, and emended description of the genus <i>Pseudorhodobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1479-1484.	0.8	21
2937	<i>Rheinheimera tilapiae</i> sp. nov., isolated from a freshwater culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1457-1463.	0.8	28
2938	<i>Mariniflexile jejuense</i> sp. nov., isolated from the junction between seawater and a freshwater spring, and emended description of the genus <i>Mariniflexile</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1329-1334.	0.8	12
2939	<i>Terrimonas pekingensis</i> sp. nov., isolated from bulking sludge, and emended descriptions of the genus <i>Terrimonas</i> , <i>Terrimonas ferruginea</i> , <i>Terrimonas lutea</i> and <i>Terrimonas aquatica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1658-1664.	0.8	34
2940	<i>Asanoa siamensis</i> sp. nov., isolated from soil from a temperate peat swamp forest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 66-71.	0.8	10
2941	Comparative Genomic Analysis of Phylogenetically Closely Related <i>Hydrogenobaculum</i> sp. Isolates from Yellowstone National Park. <i>Applied and Environmental Microbiology</i> , 2013, 79, 2932-2943.	1.4	39
2942	<i>Budvicia diplopodorum</i> sp. nov. and emended description of the genus <i>Budvicia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 260-267.	0.8	12
2943	<i>Neptunomonas qingdaonensis</i> sp. nov., isolated from intertidal sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1673-1677.	0.8	15
2944	<i>Chromobacterium vaccinii</i> sp. nov., isolated from native and cultivated cranberry ( <i>Vaccinium</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1840-1846.	0.8	53
2945	<i>Pedobacter ginsenosidimutans</i> sp. nov., with ginsenoside-converting activity. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4396-4401.	0.8	14
2946	<i>Alcanivorax marinus</i> sp. nov., isolated from deep-sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4428-4432.	0.8	38

#	ARTICLE	IF	CITATIONS
2947	<i>Luteimonas huabeiensis</i> sp. nov., isolated from stratum water. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3352-3357.	0.8	37
2948	<i>Dyadobacter jejuensis</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1788-1792.	0.8	20
2949	<i>Saccharothrix hoggarensis</i> sp. nov., an actinomycete isolated from Saharan soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 549-553.	0.8	26
2950	<i>Chryseobacterium gwangjuense</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4580-4585.	0.8	15
2951	<i>Allokutzneria multivorans</i> sp. nov., an actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4254-4258.	0.8	8
2952	<i>Pontibacter ramchanderi</i> sp. nov., isolated from hexachlorocyclohexane-contaminated pond sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2829-2834.	0.8	40
2953	<i>Sphingobium fontiphilum</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1906-1911.	0.8	12
2954	<i>Shimia haliotis</i> sp. nov., a bacterium isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4248-4253.	0.8	33
2955	<i>Pseudoruegeria haliotis</i> sp. nov., isolated from the gut of the abalone <i>Haliotis discus hannai</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4626-4632.	0.8	19
2956	<i>Chryseobacterium carnipullorum</i> sp. nov., isolated from raw chicken. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3243-3249.	0.8	28
2957	<i>Ferrimonas pelagia</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3175-3179.	0.8	8
2958	<i>Pseudorhodoferrax aquiterrae</i> sp. nov., isolated from groundwater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 169-174.	0.8	14
2959	Isolation and Characterization of <i>Burkholderia rinojensis</i> sp. nov., a Non- <i>Burkholderia cepacia</i> Complex Soil Bacterium with Insecticidal and Miticidal Activities. Applied and Environmental Microbiology, 2013, 79, 7669-7678.	1.4	51
2960	<i>Arcicella rigui</i> sp. nov., isolated from water of a wetland, and emended descriptions of the genus <i>Arcicella</i> , <i>Arcicella aquatica</i> , <i>Arcicella rosea</i> and <i>Arcicella aurantiaca</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 134-140.	0.8	20
2961	<i>Nocardia amikacinitolerans</i> sp. nov., an amikacin-resistant human pathogen. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1056-1061.	0.8	31
2962	<i>Pseudovibrio axinellae</i> sp. nov., isolated from an Irish marine sponge. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 141-145.	0.8	27
2963	<i>Loktanella cinnabarina</i> sp. nov., isolated from a deep seafloor sediment, and emended description of the genus <i>Loktanella</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1390-1395.	0.8	36
2964	<i>Acrocarpospora phusangensis</i> sp. nov., isolated from a temperate peat swamp forest soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2174-2179.	0.8	9

#	ARTICLE	IF	CITATIONS
2965	<i>Sphingobacterium caeni</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2260-2264.	0.8	31
2966	<i>Algibacter undariae</i> sp. nov., isolated from a brown algae reservoir. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3704-3709.	0.8	21
2967	<i>Halarchaeum nitratireducens</i> sp. nov., a moderately acidophilic haloarchaeon isolated from commercial sea salt. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4202-4206.	0.8	17
2968	<i>Algimonas ampicilliniresistens</i> sp. nov., isolated from the red alga <i>Porphyra yezoensis</i> , and emended description of the genus <i>Algimonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4407-4412.	0.8	17
2969	<i>Gordonia alkaliphila</i> sp. nov., an actinomycete isolated from tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 327-331.	0.8	13
2970	<i>Paenalcaligenes hermetiae</i> sp. nov., isolated from the larval gut of <i>Hermetia illucens</i> (Diptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4224-4229.	0.8	23
2971	<i>Algibacter wandonensis</i> sp. nov., isolated from sediment around a brown algae ( <i>Undaria pinnatifida</i> ) reservoir. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4771-4776.	0.8	18
2972	<i>Olleya namhaensis</i> sp. nov., isolated from wood falls, and emended description of the genus <i>Olleya</i> Mancuso Nichols et al. 2005 emend. Lee et al. 2010. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1610-1615.	0.8	17
2973	<i>Luteolibacter yonseiensis</i> sp. nov., isolated from activated sludge using algal metabolites. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1891-1895.	0.8	20
2974	Characterization of a potentially novel "blown pack"™ spoilage bacterium isolated from bovine hide. Journal of Applied Microbiology, 2013, 114, 771-777.	1.4	11
2975	<i>Actinotalea ferrariae</i> sp. nov., isolated from an iron mine, and emended description of the genus <i>Actinotalea</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3398-3403.	0.8	22
2976	<i>Iodobacter arcticus</i> sp. nov., a psychrotolerant bacterium isolated from meltwater stream sediment of an Arctic glacier. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2800-2805.	0.8	16
2977	<i>Sphingopyxis indica</i> sp. nov., isolated from a high dose point hexachlorocyclohexane (HCH)-contaminated dumpsite. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2186-2191.	0.8	25
2978	<i>Edwardsiella piscicida</i> sp. nov., a novel species pathogenic to fish. Journal of Applied Microbiology, 2013, 114, 644-654.	1.4	153
2979	<i>Paraperlucidibaca wandonensis</i> sp. nov., isolated from seawater, and emended description of the genus <i>Paraperlucidibaca</i> Oh et al. 2011. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4113-4117.	0.8	13
2980	<i>Natronococcus roseus</i> sp. nov., a haloalkaliphilic archaeon from a hypersaline lake. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 104-108.	0.8	32
2981	Molecular and phenotypic analyses reveal the non-identity of the <i>Phaeobacter gallaeciensis</i> type strain deposits CIP 105210T and DSM 17395. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4340-4349.	0.8	52
2982	<i>Dokdonella kunshanensis</i> sp. nov., isolated from activated sludge, and emended description of the genus <i>Dokdonella</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1519-1523.	0.8	25

#	ARTICLE	IF	CITATIONS
2983	<i>Algoriphagus chungangensis</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 648-653.	0.8	23
2984	<i>Pseudomonas guariconensis</i> sp. nov., isolated from rhizospheric soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4413-4420.	0.8	43
2985	<i>Mucilaginibacter sabulilitoris</i> sp. nov., isolated from marine sand in a firth. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2865-2871.	0.8	18
2986	<i>Phycoccus badiiscoriae</i> sp. nov., a novel actinomycete isolated from scoria. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 989-994.	0.8	13
2987	<i>Pullulanibacillus uraniitolerans</i> sp. nov., an acidophilic, U(VI)-resistant species isolated from an acid uranium mill tailing effluent and emended description of the genus <i>Pullulanibacillus</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 158-162.	0.8	15
2988	<i>Herbaspirillum psychrotolerans</i> sp. nov., a member of the family Oxalobacteraceae from a glacier forefield. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3197-3203.	0.8	31
2989	<i>Novosphingobium lindaniclasticum</i> sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium isolated from an HCH dumpsite. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2160-2167.	0.8	41
2990	<i>Lactobacillus mudanjiangensis</i> sp. nov., <i>Lactobacillus songhuajiangensis</i> sp. nov. and <i>Lactobacillus nenjiangensis</i> sp. nov., isolated from Chinese traditional pickle and sourdough. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4698-4706.	0.8	42
2991	<i>Dyella kyungheensis</i> sp. nov., isolated from soil of a cornus fruit field. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3807-3811.	0.8	23
2992	<i>Algoriphagus zhangzhouensis</i> sp. nov., isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1621-1626.	0.8	25
2993	<i>Formosa undariae</i> sp. nov., isolated from a reservoir containing the brown algae <i>Undaria pinnatifida</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4130-4135.	0.8	14
2994	<i>Vogesella fluminis</i> sp. nov., isolated from a freshwater river, and emended description of the genus <i>Vogesella</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3043-3049.	0.8	18
2995	<i>Gracilimonas mengyeensis</i> sp. nov., a moderately halophilic bacterium isolated from a salt mine in Yunnan, south-western China. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3989-3993.	0.8	28
2996	Isolation and characterization of novel <i>S</i> -equal-producing bacteria from brines of stinky tofu, a traditional fermented soy food in Taiwan. International Journal of Food Sciences and Nutrition, 2013, 64, 936-943.	1.3	25
2997	<i>Pseudomonas formosensis</i> sp. nov., a gamma-proteobacteria isolated from food-waste compost in Taiwan. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3168-3174.	0.8	24
2998	<i>Pseudomonas guangdongensis</i> sp. nov., isolated from an electroactive biofilm, and emended description of the genus <i>Pseudomonas</i> Migula 1894. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4599-4605.	0.8	27
2999	<i>Bizionia hallyeonensis</i> sp. nov., isolated from seawater in an oyster farm. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 685-690.	0.8	22
3000	<i>Microbulbifer mangrovi</i> sp. nov., a polysaccharide-degrading bacterium isolated from an Indian mangrove. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2532-2537.	0.8	34

#	ARTICLE	IF	CITATIONS
3001	Loktanella sediminilitoris sp. nov., isolated from tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4118-4123.	0.8	19
3002	Aureimonas jatrophae sp. nov. and Aureimonas phyllosphaerae sp. nov., leaf-associated bacteria isolated from Jatropha curcas L. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1702-1708.	0.8	43
3003	Arsenicococcus dermatophilus sp. nov., a hypha-forming bacterium isolated from the skin of greater flamingos (Phoenicopterus roseus) with pododermatitis. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4046-4051.	0.8	12
3004	Revisiting bacterial phylogeny. Mobile Genetic Elements, 2013, 3, e24210.	1.8	52
3005	Hyphomicrobium nitrativorans sp. nov., isolated from the biofilm of a methanol-fed denitrification system treating seawater at the Montreal Biodome. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3777-3781.	0.8	49
3006	Non contiguous-finished genome sequence and description of Dielma fastidiosa gen. nov., sp. nov., a new member of the Family Erysipelotrichaceae. Standards in Genomic Sciences, 2013, 8, 336-351.	1.5	52
3007	Non-contiguous finished genome sequence and description of Kallipyga massiliensis gen. nov., sp. nov., a new member of the family Clostridiales Incertae Sedis XI. Standards in Genomic Sciences, 2013, 8, 500-515.	1.5	23
3008	Non-contiguous finished genome sequence and description of Megasphaera massiliensis sp. nov.. Standards in Genomic Sciences, 2013, 8, 525-538.	1.5	28
3009	Non-contiguous finished genome sequence and description of Oceanobacillus massiliensis sp. nov.. Standards in Genomic Sciences, 2013, 9, 370-384.	1.5	23
3010	Paenibacillus marinum sp. nov., a thermophilic xylanolytic bacterium isolated from a marine hot spring in Tunisia. Journal of Basic Microbiology, 2013, 53, 877-883.	1.8	9
3011	Halomonas johnsoniae: Review of a Medically Underappreciated Genus of Growing Human Importance. American Journal of the Medical Sciences, 2013, 345, 335-338.	0.4	9
3012	Roseomonas tokyonensis sp. nov. Isolated from a Biofilm Sample Obtained from a Cooling Tower in Tokyo, Japan. Biocontrol Science, 2013, 18, 205-209.	0.2	11
3013	Hydrogenophaga electricum sp. nov., isolated from anodic biofilms of an acetate-fed microbial fuel cell. Journal of General and Applied Microbiology, 2013, 59, 261-266.	0.4	25
3014	Phenotypic and phylogenetic characterization of an abamectin-degrading bacterial strain isolated from a citrus orchard. Journal of General and Applied Microbiology, 2013, 59, 215-225.	0.4	1
3015	Geobacter sulfurreducens subsp. ethanolicus, subsp. nov., an ethanol-utilizing dissimilatory Fe(III)-reducing bacterium from a lotus field. Journal of General and Applied Microbiology, 2013, 59, 325-334.	0.4	20
3016	Poles Apart: Arctic and Antarctic Octadecabacter strains Share High Genome Plasticity and a New Type of Xanthorhodopsin. PLoS ONE, 2013, 8, e63422.	1.1	96
3017	Flavobacterium plurextorum sp. nov. Isolated from Farmed Rainbow Trout (Oncorhynchus mykiss). PLoS ONE, 2013, 8, e67741.	1.1	27
3018	Anoxybacillus suryakundensis sp. nov, a Moderately Thermophilic, Alkalitolerant Bacterium Isolated from Hot Spring at Jharkhand, India. PLoS ONE, 2013, 8, e85493.	1.1	30

#	ARTICLE	IF	CITATIONS
3019	Molecular characterization of <i>Flavobacterium columnare</i> isolated from a natural outbreak of columnaris disease in farmed fish, <i>Catla catla</i> from India. <i>Journal of General and Applied Microbiology</i> , 2013, 59, 417-424.	0.4	20
3020	Updating the <i>Vibrio</i> clades defined by multilocus sequence phylogeny: proposal of eight new clades, and the description of <i>Vibrio tritonius</i> sp. nov.. <i>Frontiers in Microbiology</i> , 2013, 4, 414.	1.5	264
3021	<i>Cronobacter sakazakii</i> ( <i>Enterobacter sakazakii</i> ): An Emerging Foodborne Pathogen. <i>International Journal of Biomedical and Advance Research</i> , 2013, 4, 349.	0.1	15
3022	Systematics and Ecology of <i>Bacillus</i> . , 0, , 1-16.		118
3023	Modern Taxonomy for Microbial Diversity. , 2014, , .		2
3024	<i>Marinobacter salarius</i> sp. nov. and <i>Marinobacter similis</i> sp. nov., Isolated from Sea Water. <i>PLoS ONE</i> , 2014, 9, e106514.	1.1	39
3025	A System to Automatically Classify and Name Any Individual Genome-Sequenced Organism Independently of Current Biological Classification and Nomenclature. <i>PLoS ONE</i> , 2014, 9, e89142.	1.1	49
3026	Defining Microbial Diversity-the Species Concept for Prokaryotic and Eukaryotic Microorganisms. , 2014, , 29-39.		11
3027	Speciation and Bacterial Phylopecies. , 2014, , 40-48.		11
3028	Approaches to Identification. , 0, , 49-56.		1
3029	Taxonomic Characterization of Prokaryotic Microorganisms. , 0, , 28-42.		1
3030	Microbial Endemism and Biogeography. , 0, , 225-231.		35
3031	Laboratory Methods Used for Strain Typing of Pathogens: Conventional and Molecular Techniques. , 2014, , 29-62.		2
3032	Phenotypic Characterization and the Principles of Comparative Systematics. , 0, , 330-393.		157
3033	The Family Enterobacteriaceae: Taxonomic Considerations. , 2014, , 7-13.		0
3034	Taxonomy of the <i>Helicobacter</i> Genus. , 2014, , 39-51.		12
3035	<i>Flavobacterium panaciterrae</i> sp. nov., a Î²-glucosidase producing bacterium with ginsenoside-converting activity isolated from the soil of a ginseng field. <i>Journal of General and Applied Microbiology</i> , 2014, 60, 59-64.	0.4	11
3036	<i>Sphingorhabdus arenilitoris</i> sp. nov., isolated from a coastal sand, and reclassification of <i>Sphingopyxis rigui</i> as <i>Sphingorhabdus rigui</i> comb. nov. and <i>Sphingopyxis wooponensis</i> as <i>Sphingorhabdus wooponensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2551-2557.	0.8	23



#	ARTICLE	IF	CITATIONS
3037	<i>Roseomonas rhizosphaerae</i> sp. nov., a triazophos-degrading bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1127-1133.	0.8	27
3038	<i>Methylobacterium pseudosasicola</i> sp. nov. and <i>Methylobacterium phyllostachyos</i> sp. nov., isolated from bamboo leaf surfaces. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2376-2384.	0.8	44
3039	<i>Anaerostipes rhamnosivorans</i> sp. nov., a human intestinal, butyrate-forming bacterium. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 787-793.	0.8	62
3040	<i>Novosphingobium chloroacetimidivorans</i> sp. nov., a chloroacetamide herbicide-degrading bacterium isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2573-2578.	0.8	29
3041	Sequence analysis of 16S rRNA, <i>gyrB</i> and <i>catA</i> genes and DNA-DNA hybridization reveal that <i>Rhodococcus jialingiae</i> is a later synonym of <i>Rhodococcus qingshengii</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 298-301.	0.8	39
3042	<i>Streptomyces graminifolii</i> sp. nov., isolated from bamboo ( <i>Sasa borealis</i> ) litter. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2517-2521.	0.8	11
3043	<i>Chryseobacterium camelliae</i> sp. nov., isolated from green tea. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 851-857.	0.8	19
3044	<i>Rheinheimera arenilitoris</i> sp. nov., isolated from seashore sand. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3749-3754.	0.8	20
3045	<i>Rhodococcus kronopolitis</i> sp. nov., a novel actinobacterium isolated from a millipede ( <i>Kronopolites</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	10
3046	<i>Luteimonas dalianensis</i> sp. nov., an obligate marine bacterium isolated from seawater. Journal of Microbiology, 2014, 52, 729-733.	1.3	23
3047	<i>Streptosporangium subfuscum</i> sp. nov., isolated from the rhizosphere of marigold ( <i>Tagetes erecta</i> L.). Antonie Van Leeuwenhoek, 2014, 106, 1231-1238.	0.7	5
3048	<i>Flavobacterium arsenitoxidans</i> sp. nov., an arsenite-oxidizing bacterium from Thai soil. Antonie Van Leeuwenhoek, 2014, 106, 1239-1246.	0.7	18
3049	<i>Bacillus aequororis</i> sp. nov., Isolated From Marine Sediment. Current Microbiology, 2014, 69, 758-762.	1.0	3
3050	<i>Polaribacter marinivivus</i> sp. nov., a member of the family Flavobacteriaceae isolated from seawater. Antonie Van Leeuwenhoek, 2014, 106, 1139-1146.	0.7	18
3051	<i>Loktanella aestuariicola</i> sp. nov., an alphaproteobacterium isolated from a tidal flat. Antonie Van Leeuwenhoek, 2014, 106, 707-714.	0.7	13
3052	<i>Marteleva radialis</i> sp. nov. and <i>Marteleva mangrovi</i> sp. nov., isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3104-3108.	0.8	18
3053	<i>Catellatospora aurea</i> sp. nov., a novel actinomycete isolated from soil. Antonie Van Leeuwenhoek, 2014, 106, 1185-1190.	0.7	7
3054	<i>Rhizobium rhizoryzae</i> sp. nov., isolated from rice roots. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1373-1377.	0.8	37

#	ARTICLE	IF	CITATIONS
3055	<i>Burkholderia eburnea</i> sp. nov., isolated from peat soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1108-1115.	0.8	12
3056	<i>Algoriphagus taeansensis</i> sp. nov., isolated from a tidal flat, and emended description of <i>Algoriphagus hitonicola</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 21-26.	0.8	21
3057	<i>Sphingobacterium arenae</i> sp. nov., isolated from sandy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 248-253.	0.8	22
3058	<i>Pseudoruegeria sabulitoris</i> sp. nov., isolated from seashore sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3276-3281.	0.8	19
3059	<i>Nocardia sungurluensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1629-1634.	0.8	13
3060	Characterization of <i>Romboutsia ilealis</i> gen. nov., sp. nov., isolated from the gastro-intestinal tract of a rat, and proposal for the reclassification of five closely related members of the genus <i>Clostridium</i> into the genera <i>Romboutsia</i> gen. nov., <i>Intestinibacter</i> gen. nov., <i>Terrisporobacter</i> gen. nov. and <i>Asaccharospora</i> gen. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1600-1616.	0.8	259
3061	Thermotolerant <i>Bacillus kokeshiiformis</i> sp. nov. isolated from marine animal resources compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2668-2674.	0.8	18
3062	<i>Pedobacter nutrimenti</i> sp. nov., isolated from chilled food. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1310-1316.	0.8	34
3063	<i>Formosa arctica</i> sp. nov., isolated from Arctic seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 78-82.	0.8	10
3064	<i>Bacillus qingshengii</i> sp. nov., a rock-weathering bacterium isolated from weathered rock surface. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2473-2479.	0.8	15
3065	16S rRNA Gene-Based Identification of Bacteria and Archaea using the EzTaxon Server. <i>Methods in Microbiology</i> , 2014, 41, 61-74.	0.4	64
3066	<i>Oceanobacillus gochujangensis</i> sp. nov., isolated from gochujang a traditional Korean fermented food. <i>Journal of Microbiology</i> , 2014, 52, 1050-1055.	1.3	8
3067	<i>Geobacter soli</i> sp. nov., a dissimilatory Fe(III)-reducing bacterium isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3786-3791.	0.8	44
3068	<i>Kordia jejudonensis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring, and emended description of the genus <i>Kordia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 657-662.	0.8	15
3069	<i>Glycomyces artemisiae</i> sp. nov., an endophytic actinomycete isolated from the roots of <i>Artemisia argyi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3492-3495.	0.8	24
3070	<i>Sediminibacterium goheungense</i> sp. nov., isolated from a freshwater reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1328-1333.	0.8	43
3071	<i>Comamonas humi</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3976-3982.	0.8	19
3072	<i>Mesoflavibacter sabulitoris</i> sp. nov., isolated from seashore sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3743-3748.	0.8	9

#	ARTICLE	IF	CITATIONS
3073	A Canker Disease of <i>Populus</i> <i>euramericana</i> in China Caused by <i>Lonsdalea quercina</i> subsp. <i>populi</i> . <i>Plant Disease</i> , 2014, 98, 368-378.	0.7	38
3074	<i>Phaeobacter aquaemixtae</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1378-1383.	0.8	58
3075	<i>Sinosporangium siamense</i> sp. nov., isolated from soil and emended description of the genus <i>Sinosporangium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2828-2833.	0.8	8
3076	Description of <i>Lutimonas halocynthiae</i> sp. nov., isolated from a golden sea squirt ( <i>Halocynthia</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock nov. and emended description of the genus <i>Lutimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1984-1990.	0.8	26
3077	<i>Reyranella graminifolii</i> sp. nov., isolated from bamboo ( <i>Phyllostachys bambusoides</i> ) litter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2503-2507.	0.8	13
3078	<i>Marinomonas fungiae</i> sp. nov., isolated from the coral <i>Fungia echinata</i> from the Andaman Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 487-494.	0.8	37
3079	<i>Undibacterium jejuense</i> sp. nov. and <i>Undibacterium seohonense</i> sp. nov., isolated from soil and freshwater, respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 236-241.	0.8	31
3080	<i>Brevibacillus fulvus</i> sp. nov., isolated from a compost pile. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 506-512.	0.8	15
3081	<i>Planomicrobium soli</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2700-2705.	0.8	25
3082	Investigation of taxa of the family Pasteurellaceae isolated from Syrian and European hamsters and proposal of <i>Mesocricetibacter intestinalis</i> gen. nov., sp. nov. and <i>Cricetibacter osteomyelitidis</i> gen. nov., sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3636-3643.	0.8	24
3083	<i>Pedobacter jejuensis</i> sp. nov., isolated from soil of a pine grove, and emended description of the genus <i>Pedobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1789-1794.	0.8	41
3084	Accuracy and efficiency of algorithms for the demarcation of bacterial ecotypes from DNA sequence data. <i>International Journal of Bioinformatics Research and Applications</i> , 2014, 10, 409.	0.1	7
3085	<i>Thermoactinomyces daqus</i> sp. nov., a thermophilic bacterium isolated from high-temperature Daqu. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 206-210.	0.8	24
3086	<i>Endozoicomonas atrinae</i> sp. nov., isolated from the intestine of a comb pen shell <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2312-2318.	0.8	52
3087	<i>Polaribacter atrinae</i> sp. nov., isolated from the intestine of a comb pen shell, <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1654-1661.	0.8	26
3088	Dimensions of biodiversity in Chesapeake Bay demersal fishes: patterns and drivers through space and time. <i>Ecosphere</i> , 2014, 5, 1-48.	1.0	16
3089	Draft Genome Sequence of the <i>Sulfolobales</i> Archaeon AZ1, Obtained through Metagenomic Analysis of a Mexican Hot Spring. <i>Genome Announcements</i> , 2014, 2, .	0.8	19
3090	Re-examination of the taxonomic status of <i>Enterobacter helveticus</i> , <i>Enterobacter pulveris</i> and <i>Enterobacter turicensis</i> as members of the genus <i>Cronobacter</i> and their reclassification in the genera <i>Franconibacter</i> gen. nov. and <i>Siccibacter</i> gen. nov. as <i>Franconibacter helveticus</i> comb. nov., <i>Franconibacter pulveris</i> comb. nov. and <i>Siccibacter turicensis</i> comb. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3402-3410.	0.8	136

#	ARTICLE	IF	CITATIONS
3091	<i>Pseudoxanthomonas wuyuanensis</i> sp. nov., isolated from saline-alkali soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 799-804.	0.8	15
3092	<i>Streptomyces canchipurensis</i> sp. nov., isolated from a limestone habitat. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1119-1126.	0.7	10
3093	MALDI-TOF Mass Spectrometry Applied to Classification and Identification of Bacteria. <i>Methods in Microbiology</i> , 2014, , 275-306.	0.4	56
3094	Whole-Genome Analyses. <i>Methods in Microbiology</i> , 2014, 41, 103-122.	0.4	59
3095	Multi-locus Sequence Analysis. <i>Methods in Microbiology</i> , 2014, 41, 221-251.	0.4	26
3096	<i>Chryseobacterium artocarpi</i> sp. nov., isolated from the rhizosphere soil of <i>Artocarpus integer</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3153-3159.	0.8	35
3097	<i>Defluviimonas aquaemixtae</i> sp. nov., isolated from the junction between a freshwater spring and the ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4191-4197.	0.8	19
3098	<i>Granulosicoccus marinus</i> sp. nov., isolated from Antarctic seawater, and emended description of the genus <i>Granulosicoccus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4103-4108.	0.8	17
3099	<i>Hymenobacter roseus</i> sp. nov., isolated from sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4129-4133.	0.8	19
3100	<i>Paenibacillus susongensis</i> sp. nov., a mineral-weathering bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3958-3963.	0.8	9
3101	<i>Oceanobacillus limi</i> sp. nov., a moderately halophilic bacterium from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1284-1289.	0.8	32
3102	<i>Aquibacillus halophilus</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Virgibacillus koreensis</i> as <i>Aquibacillus koreensis</i> comb. nov. and <i>Virgibacillus albus</i> as <i>Aquibacillus albus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3616-3623.	0.8	36
3103	On K-peptide length in composition vector phylogeny of prokaryotes. <i>Computational Biology and Chemistry</i> , 2014, 53, 166-173.	1.1	16
3104	The Family <i>Acetobacteraceae</i> . , 2014, , 3-78.		41
3105	<i>Youngiibacter fragilis</i> gen. nov., sp. nov., isolated from natural gas production-water and reclassification of <i>Acetivibrio multivorans</i> as <i>Youngiibacter multivorans</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 198-205.	0.8	24
3106	<i>Prostheco bacter algae</i> sp. nov., isolated from activated sludge using algal metabolites. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 663-667.	0.8	19
3107	The Family <i>Aeromonadaceae</i> . , 2014, , 27-57.		10
3108	Revolutionizing Prokaryotic Systematics Through Next-Generation Sequencing. <i>Methods in Microbiology</i> , 2014, , 75-101.	0.4	7

#	ARTICLE	IF	CITATIONS
3109	<i>Rhizobium lemnae</i> sp. nov., a bacterial endophyte of <i>Lemna aequinoctialis</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2455-2460.	0.8	19
3110	<i>Aquimarina pacifica</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1991-1997.	0.8	46
3111	The Family Campylobacteraceae. , 2014, , 307-335.		31
3112	The Family Desulfovibrionaceae. , 2014, , 107-133.		20
3113	<i>Pseudonocardia sediminis</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 745-750.	0.8	18
3114	<i>Bradyrhizobium ganzhouense</i> sp. nov., an effective symbiotic bacterium isolated from <i>Acacia melanoxylon</i> R. Br. nodules. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1900-1905.	0.8	42
3115	<i>Pedobacter rivuli</i> sp. nov., isolated from a freshwater stream. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 4073-4078.	0.8	20
3116	<i>Flavobacterium gyeonganense</i> sp. nov., isolated from freshwater, and emended descriptions of <i>Flavobacterium chungangense</i> , <i>Flavobacterium aquidurensense</i> , <i>Flavobacterium tractae</i> and <i>Flavobacterium granuli</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 4173-4178.	0.8	21
3117	<i>Thalassospira alkalitolerans</i> sp. nov. and <i>Thalassospira mesophila</i> sp. nov., isolated from a decaying bamboo sunken in the marine environment, and emended description of the genus <i>Thalassospira</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 107-115.	0.8	25
3118	<i>Micromonospora polyrhachis</i> sp. nov., an actinomycete isolated from edible Chinese black ant ( <i>Polyrhachis vicina</i> Roger). International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 495-500.	0.8	16
3119	<i>Chryseobacterium aahli</i> sp. nov., isolated from lake trout ( <i>Salvelinus namaycush</i> ) and brown trout ( <i>Salmo trutta</i> ), and emended descriptions of <i>Chryseobacterium ginsenosidimutans</i> and <i>Chryseobacterium gregarium</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1573-1579.	0.8	45
3120	<i>Lysinibacillus varians</i> sp. nov., an endospore-forming bacterium with a filament-to-rod cell cycle. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3644-3649.	0.8	27
3121	The Family Rhodospirillaceae. , 2014, , 533-618.		58
3122	<i>Altererythrobacter aestiaquae</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3943-3949.	0.8	24
3123	<i>Lysobacter panacisoli</i> sp. nov., isolated from ginseng soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2193-2197.	0.8	39
3124	<i>Burkholderia jiangsuensis</i> sp. nov., a methyl parathion degrading bacterium, isolated from methyl parathion contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3247-3253.	0.8	27
3125	Continuing Importance of the "Phenotype" in the Genomic Era. Methods in Microbiology, 2014, 41, 307-320.	0.4	11
3126	<i>Sphingomonas daechungensis</i> sp. nov., isolated from sediment of a eutrophic reservoir. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1412-1418.	0.8	26

#	ARTICLE	IF	CITATIONS
3127	The Family Streptosporangiaceae. , 2014, , 1011-1045.		11
3128	<i>Acinetobacter refrigeratorensis</i> sp. nov., Isolated from a Domestic Refrigerator. <i>Current Microbiology</i> , 2014, 69, 888-893.	1.0	10
3129	<i>Deinococcus citri</i> sp. nov., isolated from citrus leaf canker lesions. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4134-4140.	0.8	14
3130	<i>Psychrosphaera aestuarii</i> sp. nov. and <i>Psychrosphaera haliotis</i> sp. nov., isolated from the marine environment, and emended description of the genus <i>Psychrosphaera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1952-1957.	0.8	15
3131	<i>Rhizobium straminoryzae</i> sp. nov., isolated from the surface of rice straw. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2962-2968.	0.8	17
3132	<i>Planobispora takensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1180-1185.	0.8	5
3133	<i>Allokutzneria oryzae</i> sp. nov., isolated from rhizospheric soil of <i>Oryza sativa</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3559-3564.	0.8	8
3134	Reclassification of <i>Leuconostoc gasicomitatum</i> as <i>Leuconostoc gelidum</i> subsp. <i>gasicomitatum</i> comb. nov., description of <i>Leuconostoc gelidum</i> subsp. <i>aenigmaticum</i> subsp. nov., designation of <i>Leuconostoc gelidum</i> subsp. <i>gelidum</i> subsp. nov. and emended description of <i>Leuconostoc gelidum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1290-1295.	0.8	39
3135	<i>Draconibacterium orientale</i> gen. nov., sp. nov., isolated from two distinct marine environments, and proposal of <i>Draconibacteriaceae</i> fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1690-1696.	0.8	153
3136	<i>Solirubrobacter phytolaccae</i> sp. nov., an endophytic bacterium isolated from roots of <i>Phytolacca acinosa</i> Roxb.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 858-862.	0.8	23
3137	<i>Winogradskyella wandonensis</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1520-1525.	0.8	18
3138	<i>Bacillus panacisoli</i> sp. nov., isolated from ginseng soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 901-906.	0.8	14
3139	<i>Sulfitobacter porphyrae</i> sp. nov., isolated from the red alga <i>Porphyra yezeensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 438-443.	0.8	29
3140	<i>Burkholderia aspalathi</i> sp. nov., isolated from root nodules of the South African legume <i>Aspalathus abietina</i> Thunb. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1906-1912.	0.8	46
3141	<i>Brevundimonas denitrificans</i> sp. nov., a denitrifying bacterium isolated from deep seafloor sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3709-3716.	0.8	50
3142	Harmonized Phylogenetic Trees for The Prokaryotes. , 2014, , 1-3.		10
3143	<i>Meiothermus terrae</i> sp. nov., isolated from a geothermally heated soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 794-798.	0.8	9
3144	<i>Caulobacter profunda</i> sp. nov., isolated from deep freshwater sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 762-767.	0.8	21

#	ARTICLE	IF	CITATIONS
3145	<i>Roseivivax jejudonensis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring at Jeju island, South Korea. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 959-967.	0.7	12
3146	<i>Maribacter caenipelagi</i> sp. nov., a member of the Flavobacteriaceae isolated from a tidal flat sediment of the Yellow Sea in Korea. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 733-742.	0.7	23
3147	<i>Hyphomonas beringensis</i> sp. nov. and <i>Hyphomonas chukchiensis</i> sp. nov., isolated from surface seawater of the Bering Sea and Chukchi Sea. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 657-665.	0.7	21
3148	<i>Bradyrhizobium ottawaense</i> sp. nov., a symbiotic nitrogen fixing bacterium from root nodules of soybeans in Canada. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3202-3207.	0.8	62
3149	<i>Granulosicoccus undariae</i> sp. nov., a member of the family Granulosicoccaceae isolated from a brown algae reservoir and emended description of the genus <i>Granulosicoccus</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 845-852.	0.7	25
3150	<i>Novosphingobium kunmingense</i> sp. nov., isolated from a phosphate mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2324-2329.	0.8	17
3151	<i>Cloacibacterium haliotis</i> sp. nov., isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 72-77.	0.8	21
3152	<i>Lactobacillus apinorum</i> sp. nov., <i>Lactobacillus mellifer</i> sp. nov., <i>Lactobacillus mellis</i> sp. nov., <i>Lactobacillus melliventris</i> sp. nov., <i>Lactobacillus kimbladii</i> sp. nov., <i>Lactobacillus helsingborgensis</i> sp. nov. and <i>Lactobacillus kullabergensis</i> sp. nov., isolated from the honey stomach of the honeybee <i>Apis mellifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3109-3119.	0.8	162
3153	<i>Chitinophaga ginsengihumi</i> sp. nov., isolated from soil of ginseng rhizosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2599-2604.	0.8	10
3154	<i>Altererythrobacter xiamenensis</i> sp. nov., an algicidal bacterium isolated from red tide seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 631-637.	0.8	33
3155	<i>Vibrio ostreicida</i> sp. nov., a new pathogen of bivalve larvae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1641-1646.	0.8	26
3156	<i>Rhodanobacter glycinis</i> sp. nov., a yellow-pigmented gammaproteobacterium isolated from the rhizoplane of field-grown soybean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2023-2028.	0.8	16
3157	<i>Ferruginibacter yonginensis</i> sp. nov., isolated from a mesotrophic artificial lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 846-850.	0.8	21
3158	<i>Flavobacterium oryzae</i> sp. nov., isolated from a flooded rice field, and emended descriptions of <i>Flavobacterium flevense</i> , <i>Flavobacterium yonginense</i> and <i>Flavobacterium myungsuense</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3701-3708.	0.8	11
3159	<i>Litoreibacter ponti</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3810-3815.	0.8	11
3160	Draft Genome Sequence of <i>Rhodomicrobium udaipurensis</i> JA643T with Special Reference to Hopanoid Biosynthesis. <i>DNA Research</i> , 2014, 21, 639-647.	1.5	19
3161	From Prediction to Function Using Evolutionary Genomics: Human-Specific Ecotypes of <i>Lactobacillus reuteri</i> Have Diverse Probiotic Functions. <i>Genome Biology and Evolution</i> , 2014, 6, 1772-1789.	1.1	83
3162	<i>Pseudoalteromonas shioyasakiensis</i> sp. nov., a marine polysaccharide-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 101-106.	0.8	29

#	ARTICLE	IF	CITATIONS
3163	<i>Saccharopolyspora indica</i> sp. nov., an actinomycete isolated from the rhizosphere of <i>Callistemon citrinus</i> (Curtis). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1559-1565.	0.8	10
3164	<i>Brachybacterium ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3063-3068.	0.8	19
3165	<i>Geothermomicrobium terrae</i> gen. nov., sp. nov., a novel member of the family <i>Thermoactinomycetaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2998-3004.	0.8	20
3166	<i>Streptococcus loxodontisalivarius</i> sp. nov. and <i>Streptococcus salivioxodontae</i> sp. nov., isolated from oral cavities of elephants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3288-3292.	0.8	13
3167	Description of <i>Domibacillus indicus</i> sp. nov., isolated from ocean sediments and emended description of the genus <i>Domibacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3010-3015.	0.8	33
3168	<i>Halomonas olivaria</i> sp. nov., a moderately halophilic bacterium isolated from olive-processing effluents. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 46-54.	0.8	22
3169	<i>Azospirillum himalayense</i> sp. nov., a <i>nifH</i> bacterium isolated from Himalayan valley soil, India. <i>Annals of Microbiology</i> , 2014, 64, 259-266.	1.1	13
3170	Taxonomic study of a salt tolerant <i>Streptomyces</i> sp. strain C-2012 and the effect of salt and ectoine on <i>lon</i> expression level. <i>Microbiological Research</i> , 2014, 169, 232-238.	2.5	17
3171	<i>Mycobacterium paragordonae</i> sp. nov., a slowly growing, scotochromogenic species closely related to <i>Mycobacterium gordonae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 39-45.	0.8	43
3172	<i>Bacillus thaonhiensis</i> sp. nov., a New Species, was Isolated from the Forest Soil of Kyonggi University by Using a Modified Culture Method. <i>Current Microbiology</i> , 2014, 68, 88-95.	1.0	29
3173	<i>Methylobacterium pseudosasae</i> sp. nov., a pink-pigmented, facultatively methylotrophic bacterium isolated from the bamboo phyllosphere. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 367-376.	0.7	20
3174	<i>Micromonospora jinlongensis</i> sp. nov., isolated from muddy soil in China and emended description of the genus <i>Micromonospora</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 307-315.	0.7	156
3175	<i>Halococcus sediminicola</i> sp. nov., an extremely halophilic archaeon isolated from a marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 73-79.	0.7	14
3176	<i>Nonomuraea shaanxiensis</i> sp. nov., a novel actinomycete isolated from a soil sample. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 57-64.	0.7	17
3177	<i>Deinococcus radiotolerans</i> sp. nov., a gamma-radiation-resistant bacterium isolated from gamma ray-irradiated soil. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 229-235.	0.7	19
3178	<i>Streptosporangium shengliensis</i> sp. nov., a novel actinomycete isolated from a lake sediment. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 237-243.	0.7	9
3179	<i>Nonomuraea guangzhouensis</i> sp. nov., and <i>Nonomuraea harbinensis</i> sp. nov., two novel actinomycetes isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 109-118.	0.7	23
3180	<i>Bacillus xiamenensis</i> sp. nov., isolated from intestinal tract contents of a flathead mullet ( <i>Mugil</i> ) Tj ETQq1 1 0.784314 rgBT / Overlock 10	0.7	49



#	ARTICLE	IF	CITATIONS
3181	<i>Pedobacter soyangensis</i> sp. nov., isolated from Lake Soyang in Korea. <i>Journal of Microbiology</i> , 2014, 52, 83-87.	1.3	7
3182	<i>Streptomyces catbensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2146-2151.	0.8	11
3183	<i>Thermococcus nautili</i> sp. nov., a hyperthermophilic archaeon isolated from a hydrothermal deep-sea vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1802-1810.	0.8	26
3184	<i>Roseomonas sediminicola</i> sp. nov., isolated from fresh water. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 191-197.	0.7	19
3185	Then and now: a systematic review of the systematics of prokaryotes in the last 80 years. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 43-56.	0.7	97
3186	<i>Sphingomonas kyeonggiense</i> sp. nov., isolated from soil of a ginseng field. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 791-797.	0.7	18
3187	<i>Pseudoxanthomonas gei</i> sp. nov., a novel endophytic bacterium isolated from the stem of <i>Geum aleppicum</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 653-661.	0.7	20
3188	<i>Roseovarius gaetbuli</i> sp. nov., a novel alphaproteobacterium isolated from a tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 723-730.	0.7	17
3189	<i>Pseudomonas sihuiensis</i> sp. nov., isolated from a forest soil in South China. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 781-790.	0.7	11
3190	<i>Actinomycetospora atypica</i> sp. nov., a novel soil actinomycete and emended description of the genus <i>Actinomycetospora</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 891-897.	0.7	13
3191	<i>Roseivivax atlanticus</i> sp. nov., isolated from surface seawater of the Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 863-869.	0.7	6
3192	<i>Pseudomonas hunanensis</i> sp. nov., Isolated from Soil Subjected to Long-Term Manganese Pollution. <i>Current Microbiology</i> , 2014, 69, 19-24.	1.0	14
3193	<i>Deinococcus soli</i> sp. nov., a Gamma-Radiation-Resistant Bacterium Isolated from Rice Field Soil. <i>Current Microbiology</i> , 2014, 68, 777-783.	1.0	30
3194	<i>Paenibacillus swuensis</i> sp. nov., a bacterium isolated from soil. <i>Journal of Microbiology</i> , 2014, 52, 106-110.	1.3	10
3195	<i>Flavobacterium tructae</i> sp. nov. and <i>Flavobacterium piscis</i> sp. nov., isolated from farmed rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 392-399.	0.8	44
3196	Diversity of the Vaginal Microbiome Correlates With Preterm Birth. <i>Reproductive Sciences</i> , 2014, 21, 32-40.	1.1	259
3197	<i>Labrenzia suaedae</i> sp. nov., a marine bacterium isolated from a halophyte, and emended description of the genus <i>Labrenzia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1116-1122.	0.8	38
3198	<i>Flavobacterium spartansii</i> sp. nov., a pathogen of fishes, and emended descriptions of <i>Flavobacterium aquidurense</i> and <i>Flavobacterium araucanum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 406-412.	0.8	50

#	ARTICLE	IF	CITATIONS
3199	A polyphasic strategy incorporating genomic data for the taxonomic description of novel bacterial species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 384-391.	0.8	330
3200	Tracking the blue: A MLST approach to characterise the <i>Pseudomonas fluorescens</i> group. <i>Food Microbiology</i> , 2014, 39, 116-126.	2.1	75
3201	Description of <i>Galbitalea soli</i> gen. nov., sp. nov., and <i>Fron dih abitans sucicola</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 572-578.	0.8	26
3202	Taxonomic use of DNA G+C content and DNA-DNA hybridization in the genomic age. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 352-356.	0.8	526
3203	Nonheterocytous cyanobacteria from Brazilian saline-alkaline lakes. <i>Journal of Phycology</i> , 2014, 50, 675-684.	1.0	59
3204	<i>Microbacterium kyungheense</i> sp. nov. and <i>Microbacterium jejuense</i> sp. nov., isolated from salty soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2267-2273.	0.8	27
3205	<i>Fictibacillus enclensis</i> sp. nov., isolated from marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 461-469.	0.7	21
3206	<i>Phyllobacterium loti</i> sp. nov. isolated from nodules of <i>Lotus corniculatus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 781-786.	0.8	46
3207	Towards a taxonomic coherence between average nucleotide identity and 16S rRNA gene sequence similarity for species demarcation of prokaryotes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 346-351.	0.8	2,463
3208	<i>Halorubrum halophilum</i> sp. nov., an extremely halophilic archaeon isolated from a salt-fermented seafood. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 603-612.	0.7	27
3209	Description of two new thermophilic species of the genus <i>Rubrobacter</i> , <i>Rubrobacter calidifluminis</i> sp. nov. and <i>Rubrobacter naiadicus</i> sp. nov., and emended description of the genus <i>Rubrobacter</i> and the species <i>Rubrobacter bracarensis</i> . <i>Systematic and Applied Microbiology</i> , 2014, 37, 235-243.	1.2	43
3210	<i>Bacillus bingmayongensis</i> sp. nov., isolated from the pit soil of Emperor Qin's Terra-cotta warriors in China. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 501-510.	0.7	66
3211	<i>Alloactinosynnema iranicum</i> sp. nov., a rare actinomycete isolated from a hypersaline wetland, and emended description of the genus <i>Alloactinosynnema</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1173-1179.	0.8	11
3212	<i>Massilia umbonata</i> sp. nov., able to accumulate poly- $\beta$ -hydroxybutyrate, isolated from a sewage sludge compost-soil microcosm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 131-137.	0.8	33
3213	<i>Aridibacter famidurans</i> gen. nov., sp. nov. and <i>Aridibacter kavangonensis</i> sp. nov., two novel members of subdivision 4 of the Acidobacteria isolated from semiarid savannah soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1866-1875.	0.8	68
3214	<i>Rhizobium azibense</i> sp. nov., a nitrogen fixing bacterium isolated from root-nodules of <i>Phaseolus vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1501-1506.	0.8	47
3215	<i>Lunatimonas lonarensis</i> gen. nov., sp. nov., a haloalkaline bacterium of the family Cyclobacteriaceae with nitrate reducing activity. <i>Systematic and Applied Microbiology</i> , 2014, 37, 10-16.	1.2	21
3216	<i>Rhizobium lagerreiae</i> sp. nov. nodulates <i>Vicia faba</i> on several continents. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 242-247.	0.8	93

#	ARTICLE	IF	CITATIONS
3217	Chitinophaga jiangningensis sp. nov., a mineral-weathering bacterium. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 260-265.	0.8	27
3218	Description of Geodermatophilus amargosae sp. nov., to Accommodate the Not Validly Named Geodermatophilus obscurus subsp. amargosae (Luedemann, 1968). Current Microbiology, 2014, 68, 365-371.	1.0	24
3219	Taxonomic Update on Enteric- and Aquatic-Associated Gram-Negative Bacteria: Proposed New Species and Classification Changes. Clinical Microbiology Newsletter, 2014, 36, 1-5.	0.4	4
3220	Ribotyping. , 2014, , 327-344.		0
3221	Arthrobacter gyeryongensis sp. nov., isolated from soil of a Gynostemma pentaphyllum field. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 420-425.	0.8	23
3222	Kocuria indica sp. nov., isolated from a sediment sample. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 869-874.	0.8	33
3223	Novosphingobium malaysiense sp. nov. isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1194-1201.	0.8	40
3224	Nocardia bhagyanesis sp. nov., a novel actinomycete isolated from the rhizosphere of Callistemon citrinus (Curtis), India. Antonie Van Leeuwenhoek, 2014, 105, 443-450.	0.7	15
3225	Geographic divergence of "Sulfolobus islandicus" strains assessed by genomic analyses including electronic DNA hybridization confirms they are geovars. Antonie Van Leeuwenhoek, 2014, 105, 431-435.	0.7	6
3226	Streptomyces tunisiensis sp. nov., a novel Streptomyces species with antibacterial activity. Antonie Van Leeuwenhoek, 2014, 105, 377-387.	0.7	14
3227	Dickeya solani sp. nov., a pectinolytic plant-pathogenic bacterium isolated from potato (Solanum) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50	0.8	228
3228	Simidiua curdlanivorans sp. nov., a curdlan-degrading bacterium isolated from the junction between the ocean and a freshwater spring, and emended description of the genus Simidiua. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3695-3700.	0.8	13
3229	Simidiua litorea sp. nov., isolated from seashore sediments of the Sea of Japan. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2688-2692.	0.8	9
3230	Paracoccus lutimaris sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2763-2769.	0.8	22
3231	Microbacterium mangrovi sp. nov., an amylolytic actinobacterium isolated from mangrove forest soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3513-3519.	0.8	39
3232	Halorientalis persicus sp. nov., an extremely halophilic archaeon isolated from a salt lake and emended description of the genus Halorientalis. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 940-944.	0.8	28
3233	Actinophytocola sediminis sp. nov., an actinomycete isolated from a marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2834-2840.	0.8	11
3234	Streptomyces hokutonensis sp. nov., a novel actinomycete isolated from the strawberry root rhizosphere. Journal of Antibiotics, 2014, 67, 465-470.	1.0	17

#	ARTICLE	IF	CITATIONS
3235	Description of <i>Micrococcus aloeverae</i> sp. nov., an endophytic actinobacterium isolated from <i>Aloe vera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3427-3433.	0.8	49
3236	<i>Vibrio panuliri</i> sp. nov., a marine bacterium isolated from spiny lobster, <i>Panulirus penicillatus</i> and transfer of <i>Vibrio ponticus</i> from <i>Scophthalmi</i> clade to the newly proposed <i>Ponticus</i> clade. <i>Research in Microbiology</i> , 2014, 165, 826-835.	1.0	19
3237	<i>Geodermatophilus brasiliensis</i> sp. nov., isolated from Brazilian soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2841-2848.	0.8	16
3238	<i>Bacillus mesonae</i> sp. nov., isolated from the root of <i>Mesona chinensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3346-3352.	0.8	20
3239	<i>Paenibacillus lupini</i> sp. nov., isolated from nodules of <i>Lupinus albus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3028-3033.	0.8	32
3240	<i>Bacillus cihuensis</i> sp. nov., isolated from rhizosphere soil of a plant in the Cihu area of Taiwan. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1147-1155.	0.7	9
3241	<i>Bacillus fengquiensis</i> sp. nov., isolated from a typical sandy loam soil under long-term fertilization. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2849-2856.	0.8	10
3242	<i>Paenibacillus nicotianae</i> sp. nov., isolated from a tobacco sample. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1199-1205.	0.7	11
3243	<i>Amycolatopsis roodepoortensis</i> sp. nov. and <i>Amycolatopsis speibonae</i> sp. nov.: antibiotic-producing actinobacteria isolated from South African soils. <i>Journal of Antibiotics</i> , 2014, 67, 813-818.	1.0	15
3244	Taxonomic study of the genus <i>Tepidiphilus</i> : transfer of <i>Petrobacter succinatimandens</i> to the genus <i>Tepidiphilus</i> as <i>Tepidiphilus succinatimandens</i> comb. nov., emended description of the genus <i>Tepidiphilus</i> and description of <i>Tepidiphilus thermophilus</i> sp. nov., isolated from a terrestrial hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 228-235.	0.8	46
3245	<i>Photobacterium panuliri</i> sp. nov., an Alkalitolerant Marine Bacterium Isolated from Eggs of Spiny Lobster, <i>Panulirus penicillatus</i> from Andaman Sea. <i>Current Microbiology</i> , 2014, 69, 660-668.	1.0	23
3246	<i>Nonomuraea fuscirosea</i> sp. nov., an actinomycete isolated from the rhizosphere soil of <i>rehmannia</i> ( <i>Rehmannia glutinosa</i> Libosch). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1102-1107.	0.8	10
3247	<i>Paenibacillus guangzhouensis</i> sp. nov., an Fe(III)- and humus-reducing bacterium from a forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3891-3896.	0.8	24
3248	Description of <i>Comamonas serinivorans</i> sp. nov., isolated from wheat straw compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4141-4146.	0.8	27
3249	<i>Flavobacterium faecale</i> sp. nov., an agarase-producing species isolated from stools of Antarctic penguins. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2884-2890.	0.8	26
3250	<i>Halomonas songnenensis</i> sp. nov., a moderately halophilic bacterium isolated from saline and alkaline soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1662-1669.	0.8	36
3251	<i>Streptomyces pluripotens</i> sp. nov., a bacteriocin-producing streptomycete that inhibits methicillin-resistant <i>Staphylococcus aureus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3297-3306.	0.8	71
3252	<i>Leptospira mayottensis</i> sp. nov., a pathogenic species of the genus <i>Leptospira</i> isolated from humans. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4061-4067.	0.8	112

#	ARTICLE	IF	CITATIONS
3253	Comparative Analysis of Type III Secreted Effector Genes Reflects Divergence of <i>Acidovorax citrulli</i> Strains into Three Distinct Lineages. <i>Phytopathology</i> , 2014, 104, 1152-1162.	1.1	53
3254	<i>Rhizobium flavum</i> sp. nov., a triazophos-degrading bacterium isolated from soil under the long-term application of triazophos. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2017-2022.	0.8	27
3255	<i>Micromonospora taraxaci</i> sp. nov., a novel endophytic actinomycete isolated from dandelion root ( <i>Taraxacum mongolicum</i> Hand.-Mazz.). <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 667-674.	0.7	16
3256	<i>Cohnella nanjingensis</i> sp. nov., an extracellular polysaccharide-producing bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3320-3324.	0.8	20
3257	<i>Cellulomonas pakistanensis</i> sp. nov., a moderately halotolerant Actinobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2305-2311.	0.8	34
3258	<i>Bacillus haikouensis</i> sp. nov., a facultatively anaerobic halotolerant bacterium isolated from a paddy soil. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 789-794.	0.7	9
3260	<i>Methanococcoides vulcani</i> sp. nov., a marine methylotrophic methanogen that uses betaine, choline and N,N-dimethylethanolamine for methanogenesis, isolated from a mud volcano, and emended description of the genus <i>Methanococcoides</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1978-1983.	0.8	51
3261	<i>Pseudomonas helmanticensis</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2338-2345.	0.8	42
3262	<i>Acinetobacter gandensis</i> sp. nov. isolated from horse and cattle. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4007-4015.	0.8	31
3263	<i>Pseudomonas soli</i> sp. nov., a novel producer of xantholysin congeners. <i>Systematic and Applied Microbiology</i> , 2014, 37, 412-416.	1.2	37
3264	Physiological features of <i>Halomonas lionensis</i> sp. nov., a novel bacterium isolated from a Mediterranean Sea sediment. <i>Research in Microbiology</i> , 2014, 165, 490-500.	1.0	22
3265	<i>Arthrobacter bambusae</i> sp. nov., isolated from soil of a bamboo grove. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3069-3074.	0.8	25
3266	<i>Streptomyces barkulensis</i> sp. nov., isolated from an estuarine lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1365-1372.	0.8	23
3267	Integrating genomics into the taxonomy and systematics of the Bacteria and Archaea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 316-324.	0.8	483
3268	<i>Nocardiopsis fildesensis</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 174-179.	0.8	20
3269	<i>Sinomonas notoginsensisoli</i> sp. nov., isolated from the rhizosphere of <i>Panax notoginseng</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 827-835.	0.7	16
3270	<i>Microbacterium endophyticum</i> sp. nov. and <i>Microbacterium halimionae</i> sp. nov., endophytes isolated from the salt-marsh plant <i>Halimione portulacoides</i> and emended description of the genus <i>Microbacterium</i> . <i>Systematic and Applied Microbiology</i> , 2014, 37, 474-479.	1.2	46
3271	<i>Mzabimyces algeriensis</i> gen. nov., sp. nov., a halophilic filamentous actinobacterium isolated from a Saharan soil, and proposal of <i>Mzabimycetaceae</i> fam. nov.. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1021-1030.	0.7	26

#	ARTICLE	IF	CITATIONS
3272	<i>Rhizobium smilacinae</i> sp. nov., an endophytic bacterium isolated from the leaf of <i>Smilacina japonica</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 715-723.	0.7	21
3273	<i>Simidiua aestuariiviva</i> sp. nov., a gammaproteobacterium isolated from a tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 927-934.	0.7	7
3274	<i>Rhodococcus enclensis</i> sp. nov., a novel member of the genus <i>Rhodococcus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2693-2697.	0.8	24
3275	<i>Streptomyces zhaozhouensis</i> sp. nov., an actinomycete isolated from candelabra aloe ( <i>Aloe Tj ETQq1</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1096-1101.	0.8	26
3276	<i>Paenibacillus lentus</i> sp. nov., a $\beta$ -mannanolytic bacterium isolated from mixed soil samples in a selective enrichment using guar gum as the sole carbon source. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1166-1172.	0.8	22
3277	<i>Saccharothrix carnea</i> sp. nov., an actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4033-4037.	0.8	10
3278	<i>Bacillus tianshenii</i> sp. nov., isolated from a marine sediment sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1998-2002.	0.8	17
3279	<i>Promicromonospora iranensis</i> sp. nov., an actinobacterium isolated from rhizospheric soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3314-3319.	0.8	14
3280	Diversity of Plant Associated Actinobacteria. <i>Sustainable Development and Biodiversity</i> , 2014, , 41-99.	1.4	14
3281	Symbiont shift towards <i>Rhizobium</i> nodulation in a group of phylogenetically related <i>Phaseolus</i> species. <i>Molecular Phylogenetics and Evolution</i> , 2014, 79, 1-11.	1.2	20
3282	<i>Arthrobacter ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. <i>Archives of Microbiology</i> , 2014, 196, 863-870.	1.0	18
3283	<i>Thioclava atlantica</i> sp. nov., isolated from deep sea sediment of the Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 919-925.	0.7	15
3284	<i>Bizionia psychrotolerans</i> sp. nov., a psychrophilic bacterium isolated from the intestine of a sea cucumber ( <i>Apostichopus japonicus</i> ). <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 837-844.	0.7	16
3285	<i>Streptomyces zagrosensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3434-3440.	0.8	15
3286	Molecular Typing of <i>Borrelia burgdorferi</i> . <i>Current Protocols in Microbiology</i> , 2014, 34, 12C.5.1-31.	6.5	43
3287	Comparative analysis of 16S rRNA signature sequences of the genus <i>Idiomarina</i> and <i>Idiomarina woesei</i> sp. nov., a novel marine bacterium isolated from the Andaman Sea. <i>Research in Microbiology</i> , 2014, 165, 501-507.	1.0	27
3288	<i>Carboxylicivirga</i> gen. nov. in the family Marinilabiliaceae with two novel species, <i>Carboxylicivirga mesophila</i> sp. nov. and <i>Carboxylicivirga taeanensis</i> sp. nov., and reclassification of <i>Cytophaga fermentans</i> as <i>Saccharicrinis fermentans</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1351-1358.	0.8	57
3289	<i>Bifidobacterium faecale</i> sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3134-3139.	0.8	16

#	ARTICLE	IF	CITATIONS
3290	<i>Nonomuraea muscovyensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2467-2472.	0.8	9
3291	<i>Sporosarcina siberiensis</i> sp. nov., isolated from the East Siberian Sea. Antonie Van Leeuwenhoek, 2014, 106, 489-495.	0.7	11
3292	<i>Megasphaera indica</i> sp. nov., an obligate anaerobic bacteria isolated from human faeces. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2250-2256.	0.8	49
3293	<i>Rhodoligotrophos jinshengii</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3325-3330.	0.8	10
3294	<i>Hungatella effluvii</i> gen. nov., sp. nov., an obligately anaerobic bacterium isolated from an effluent treatment plant, and reclassification of <i>Clostridium hathewayi</i> as <i>Hungatella hathewayi</i> gen. nov., comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 710-718.	0.8	65
3295	<i>Micromonospora zeae</i> sp. nov., a novel endophytic actinomycete isolated from corn root ( <i>Zea mays</i> L.). Journal of Antibiotics, 2014, 67, 739-743.	1.0	22
3296	<i>Nesterenkonia rhizosphaerae</i> sp. nov., an alkaliphilic actinobacterium isolated from rhizosphere soil in a saline-alkaline desert. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 4021-4026.	0.8	18
3297	<i>Acinetobacter apis</i> sp. nov., isolated from the intestinal tract of a honey bee, <i>Apis mellifera</i> . Journal of Microbiology, 2014, 52, 639-645.	1.3	44
3298	<i>Marinomonas profundimaris</i> sp. nov., isolated from deep-sea sediment sample of the Arctic Ocean. Antonie Van Leeuwenhoek, 2014, 106, 449-455.	0.7	22
3299	<i>Thalassobius aquaeponi</i> sp. nov., an alphaproteobacterium isolated from seawater. Antonie Van Leeuwenhoek, 2014, 106, 535-542.	0.7	18
3300	<i>Nocardia vulneris</i> sp. nov., isolated from wounds of human patients in North America. Antonie Van Leeuwenhoek, 2014, 106, 543-553.	0.7	28
3301	<i>Clostridium vulturis</i> sp. nov., isolated from the intestine of the cinereous vulture ( <i>Aegypius</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5	0.7	14
3302	<i>Terrabacter koreensis</i> sp. nov., isolated from soil of a flowerbed. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3335-3340.	0.8	6
3303	<i>Petrotoga japonica</i> sp. nov., a thermophilic, fermentative bacterium isolated from Yabase Oilfield in Japan. Archives of Microbiology, 2014, 196, 313-321.	1.0	12
3304	<i>Bacillus mesophilum</i> sp. nov., strain IITR-54T, a novel 4-chlorobiphenyl dechlorinating bacterium. Archives of Microbiology, 2014, 196, 517-523.	1.0	17
3305	<i>Hymenobacter swuensis</i> sp. nov., a Gamma-Radiation-Resistant Bacteria Isolated from Mountain Soil. Current Microbiology, 2014, 68, 305-310.	1.0	30
3306	<i>Niabella thaonhiensis</i> sp. nov., Isolated From the Forest Soil of Kyonggi University in Korea. Current Microbiology, 2014, 69, 176-181.	1.0	11
3307	<i>Cohnella humi</i> sp. nov., Isolated from Russian Soil. Current Microbiology, 2014, 69, 525-531.	1.0	9

#	ARTICLE	IF	CITATIONS
3308	<i>Micromonospora maoerensis</i> sp. nov., isolated from a Chinese pine forest soil. Antonie Van Leeuwenhoek, 2014, 105, 451-459.	0.7	12
3309	<i>Algoriphagus boseongensis</i> sp. nov., a member of the family Cyclobacteriaceae isolated from a tidal flat. Antonie Van Leeuwenhoek, 2014, 105, 523-531.	0.7	15
3310	<i>Ruegeria meonggei</i> sp. nov., an alphaproteobacterium isolated from ascidian <i>Halocynthia roretzi</i> . Antonie Van Leeuwenhoek, 2014, 105, 551-558.	0.7	23
3311	<i>Streptomyces leeuwenhoekii</i> sp. nov., the producer of chaxalactins and chaxamycins, forms a distinct branch in <i>Streptomyces</i> gene trees. Antonie Van Leeuwenhoek, 2014, 105, 849-861.	0.7	62
3312	<i>Roseomonas alkaliterrae</i> sp. nov., isolated from an alkali geothermal soil sample in Tengchong, Yunnan, south-west China. Antonie Van Leeuwenhoek, 2014, 105, 899-905.	0.7	27
3313	<i>Halolamina rubra</i> sp. nov., a haloarchaeon isolated from non-purified solar salt. Antonie Van Leeuwenhoek, 2014, 105, 907-914.	0.7	16
3314	<i>Halobellus rufus</i> sp. nov., an extremely halophilic archaeon isolated from non-purified solar salt. Antonie Van Leeuwenhoek, 2014, 105, 925-932.	0.7	15
3315	Time to revisit polyphasic taxonomy. Antonie Van Leeuwenhoek, 2014, 106, 57-65.	0.7	160
3316	<i>Streptomyces amritsarensis</i> sp. nov., exhibiting broad-spectrum antimicrobial activity. Antonie Van Leeuwenhoek, 2014, 105, 943-949.	0.7	22
3317	<i>Pedobacter seoulensis</i> sp. nov., isolated from soil of a bamboo field. Antonie Van Leeuwenhoek, 2014, 105, 961-970.	0.7	10
3318	<i>Hymenobacter qilianensis</i> sp. nov., isolated from a subsurface sandstone sediment in the permafrost region of Qilian Mountains, China and emended description of the genus <i>Hymenobacter</i> . Antonie Van Leeuwenhoek, 2014, 105, 971-978.	0.7	74
3319	<i>Nocardioides rubroscoriae</i> sp. nov., isolated from volcanic ash. Antonie Van Leeuwenhoek, 2014, 105, 1017-1023.	0.7	21
3320	<i>Streptosporangium nanhuense</i> sp. nov., a novel actinomycete isolated from soil. Antonie Van Leeuwenhoek, 2014, 105, 1025-1031.	0.7	10
3321	<i>Sphingomonas gimensis</i> sp. nov., a novel Gram-negative bacterium isolated from abandoned lead-zinc ore mine. Antonie Van Leeuwenhoek, 2014, 105, 1091-1097.	0.7	23
3322	<i>Aquamicrobium terrae</i> sp. nov., isolated from the polluted soil near a chemical factory. Antonie Van Leeuwenhoek, 2014, 105, 1131-1137.	0.7	22
3323	Description of <i>Niveispirillum fermenti</i> gen. nov., sp. nov., isolated from a fermentor in Taiwan, transfer of <i>Azospirillum irakense</i> (1989) as <i>Niveispirillum irakense</i> comb. nov., and reclassification of <i>Azospirillum amazonense</i> (1983) as <i>Nitrospirillum amazonense</i> gen. nov. Antonie Van Leeuwenhoek, 2014, 105, 1149-1162.	0.7	81
3324	<i>Micromonospora violae</i> sp. nov., isolated from a root of <i>Viola philippica</i> Car. Antonie Van Leeuwenhoek, 2014, 106, 219-225.	0.7	21
3325	<i>Solirubrobacter taibaiensis</i> sp. nov., isolated from a stem of <i>Phytolacca acinosa</i> Roxb.. Antonie Van Leeuwenhoek, 2014, 106, 279-285.	0.7	13



#	ARTICLE	IF	CITATIONS
3326	<i>Streptomonospora algeriensis</i> sp. nov., a halophilic actinomycete isolated from soil in Algeria. Antonie Van Leeuwenhoek, 2014, 106, 287-292.	0.7	18
3327	<i>Aquimarina atlantica</i> sp. nov., isolated from surface seawater of the Atlantic Ocean. Antonie Van Leeuwenhoek, 2014, 106, 293-300.	0.7	23
3328	<i>Isoptericola rhizophila</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil. Antonie Van Leeuwenhoek, 2014, 106, 301-307.	0.7	16
3329	<i>Actibacterium atlanticum</i> sp. nov., isolated from surface seawater of the Atlantic Ocean. Antonie Van Leeuwenhoek, 2014, 106, 325-330.	0.7	13
3330	<i>Bacillus huizhouensis</i> sp. nov., isolated from a paddy field soil. Antonie Van Leeuwenhoek, 2014, 106, 357-363.	0.7	20
3331	<i>Gordonibacter faecihominis</i> sp. nov., isolated from human faeces. Antonie Van Leeuwenhoek, 2014, 106, 439-447.	0.7	18
3332	<i>Vibrio crosai</i> sp. nov., isolated from a cultured oyster <i>Crassostrea gigas</i> . Antonie Van Leeuwenhoek, 2014, 106, 457-463.	0.7	11
3333	A Proposed Genus Boundary for the Prokaryotes Based on Genomic Insights. <i>Journal of Bacteriology</i> , 2014, 196, 2210-2215.	1.0	708
3334	<i>Xenophilus arseniciresistens</i> sp. nov., an arsenite-resistant bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1926-1931.	0.8	10
3335	<i>Pseudomonas chengduensis</i> sp. nov., isolated from landfill leachate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 95-100.	0.8	41
3336	<i>Pelagibaca abyssi</i> sp. nov., of the family Rhodobacteraceae, isolated from deep-sea water. Antonie Van Leeuwenhoek, 2014, 106, 507-513.	0.7	13
3337	<i>Arthrobacter pityocampae</i> sp. nov., isolated from <i>Thaumatococcus panyocampa</i> (Lep., Thaumetopoeidae). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3384-3389.	0.8	18
3338	<i>Pseudoxanthobacter liyangensis</i> sp. nov., isolated from dichlorodiphenyltrichloroethane-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3390-3394.	0.8	23
3339	<i>Acinetobacter guangdongensis</i> sp. nov., isolated from abandoned lead-zinc ore. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3417-3421.	0.8	14
3340	<i>Litoreibacter ascidiaceicola</i> sp. nov., isolated from the golden sea squirt <i>Halocynthia aurantium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2545-2550.	0.8	8
3341	<i>Chryseomicrobium aureum</i> sp. nov., a bacterium isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2682-2687.	0.8	11
3342	Culture-independent metagenomic approach to characterize the surface and subsurface soil bacterial community in the Brahmaputra valley, Assam, North-East India, an Indo-Burma mega-biodiversity hotspot. <i>World Journal of Microbiology and Biotechnology</i> , 2014, 30, 519-528.	1.7	21
3343	Synergistic degradation of deca-BDE by an enrichment culture and zero-valent iron. <i>Environmental Science and Pollution Research</i> , 2014, 21, 7856-7862.	2.7	15

#	ARTICLE	IF	CITATIONS
3344	Characterization and Fungal Inhibition Activity of Siderophore from Wheat Rhizosphere Associated <i>Acinetobacter calcoaceticus</i> Strain HIRFA32. <i>Indian Journal of Microbiology</i> , 2014, 54, 315-322.	1.5	26
3345	<i>Bacillus daqingensis</i> sp. nov., a halophilic, alkaliphilic bacterium isolated from Saline-sodic soil in Daqing, China. <i>Journal of Microbiology</i> , 2014, 52, 548-553.	1.3	14
3346	<i>Dyella jejuensis</i> sp. nov., isolated from soil of Hallasan Mountain in Jeju Island. <i>Journal of Microbiology</i> , 2014, 52, 373-377.	1.3	23
3347	<i>Nocardioides soli</i> sp. nov., a carbendazim-degrading bacterium isolated from soil under the long-term application of carbendazim. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2047-2052.	0.8	28
3348	<i>Janibacter indicus</i> sp. nov., isolated from hydrothermal sediment of the Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2353-2357.	0.8	16
3349	<i>Streptosporangium jomthongense</i> sp. nov., an actinomycete isolated from rhizospheric soil and emendation of the genus <i>Streptosporangium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2400-2406.	0.8	14
3350	<i>Actinoplanes lutulentus</i> sp. nov., isolated from mucky soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1782-1788.	0.8	8
3351	<i>Novosphingobium aquiterrae</i> sp. nov., isolated from ground water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3282-3287.	0.8	17
3353	<i>Streptomyces iconiensis</i> sp. nov. and <i>Streptomyces smyrnaeus</i> sp. nov., two halotolerant actinomycetes isolated from a salt lake and saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3126-3133.	0.8	25
3354	<i>Pontibacter indicus</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 254-259.	0.8	35
3355	<i>Loktanella maritima</i> sp. nov. isolated from shallow marine sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2370-2375.	0.8	22
3356	<i>Flaviflexus salsibiostraticola</i> sp. nov., an actinobacterium isolated from a biofilm reactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3293-3296.	0.8	14
3357	Description of <i>Chishuiella changwenlii</i> gen. nov., sp. nov., isolated from freshwater, and transfer of <i>Wautersiella falsenii</i> to the genus <i>Empedobacter</i> as <i>Empedobacter falsenii</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2723-2728.	0.8	45
3358	Polycyclic Aromatic Hydrocarbon Degradation of Phytoplankton-Associated <i>Arenibacter</i> spp. and Description of <i>Arenibacter algicola</i> sp. nov., an Aromatic Hydrocarbon-Degrading Bacterium. <i>Applied and Environmental Microbiology</i> , 2014, 80, 618-628.	1.4	81
3359	<i>Geobacter anodireducens</i> sp. nov., an exoelectrogenic microbe in bioelectrochemical systems. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3485-3491.	0.8	103
3361	<i>Streptomyces panaciradicis</i> sp. nov., a Î <sup>2</sup> -glucosidase-producing bacterium isolated from ginseng rhizoplane. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3816-3820.	0.8	12
3362	<i>Enterococcus olivae</i> sp. nov., isolated from Spanish-style green-olive fermentations. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2534-2539.	0.8	16
3363	<i>Desulfatiferula berrensensis</i> sp. nov., a n-alkene-degrading sulfate-reducing bacterium isolated from estuarine sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 540-544.	0.8	24

#	ARTICLE	IF	CITATIONS
3364	Definition of Plant-Pathogenic <i>Pseudomonas</i> Genomespecies of the <i>Pseudomonas syringae</i> Complex Through Multiple Comparative Approaches. <i>Phytopathology</i> , 2014, 104, 1274-1282.	1.1	38
3365	<i>Sphaerisporangium rufum</i> sp. nov., an endophytic actinomycete from roots of <i>Oryza sativa</i> L. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1077-1082.	0.8	21
3366	<i>Rosenbergiella australoborealis</i> sp. nov., <i>Rosenbergiella collisarenosi</i> sp. nov. and <i>Rosenbergiella epipactidis</i> sp. nov., three novel bacterial species isolated from floral nectar. <i>Systematic and Applied Microbiology</i> , 2014, 37, 402-411.	1.2	53
3367	First description of French <i>V. tubiashii</i> strains pathogenic to mollusk: I. Characterization of isolates and detection during mortality events. <i>Journal of Invertebrate Pathology</i> , 2014, 123, 38-48.	1.5	35
3368	<i>Pseudomonas kunmingensis</i> sp. nov., an exopolysaccharide-producing bacterium isolated from a phosphate mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 559-564.	0.8	21
3369	<i>Propionibacterium olivae</i> sp. nov. and <i>Propionibacterium damnosum</i> sp. nov., isolated from spoiled packaged Spanish-style green olives. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2980-2985.	0.8	23
3370	<i>Paenibacillus shirakamiensis</i> sp. nov., isolated from the trunk surface of a Japanese oak ( <i>Quercus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.8	9
3371	<i>Xenorhabdus</i> and <i>Photorhabdus</i> , Bacterial Symbionts of the Entomopathogenic Nematodes <i>Steinernema</i> and <i>Heterorhabditis</i> and their <i>in vitro</i> Liquid Mass Culture: A Review. <i>African Entomology</i> , 2014, 22, 1-14.	0.6	27
3372	<i>Brachybacterium huguangmaareense</i> sp. nov., isolated from Lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1673-1678.	0.8	21
3373	<i>Streptococcus moroccensis</i> sp. nov. and <i>Streptococcus rifensis</i> sp. nov., isolated from raw camel milk. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2480-2485.	0.8	18
3374	<i>Chryseobacterium oleae</i> sp. nov., an efficient plant growth promoting bacterium in the rooting induction of olive tree ( <i>Olea europaea</i> L.) cuttings and emended descriptions of the genus <i>Chryseobacterium</i> , <i>C. daecheongense</i> , <i>C. gambrini</i> , <i>C. gleum</i> , <i>C. joostei</i> , <i>C. jejuense</i> , <i>C. luteum</i> , <i>C. shigense</i> , <i>C. taiwanense</i> , <i>C. ureilyticum</i> and <i>C. vrystaatense</i> . <i>Systematic and Applied Microbiology</i> , 2014, 37, 342-350.	1.2	89
3375	<i>Photobacterium piscicola</i> sp. nov., isolated from marine fish and spoiled packed cod. <i>Systematic and Applied Microbiology</i> , 2014, 37, 329-335.	1.2	43
3376	<i>Loktanella variabilis</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2579-2585.	0.8	13
3377	Non-contiguous finished genome sequence and description of <i>Clostridium saudii</i> sp. nov. <i>Standards in Genomic Sciences</i> , 2014, 9, 8.	1.5	15
3378	Phylogenetic Diversity and Biological Activity of Actinobacteria Isolated from the Chukchi Shelf Marine Sediments in the Arctic Ocean. <i>Marine Drugs</i> , 2014, 12, 1281-1297.	2.2	58
3379	Isolation, Identification, Subspecies Differentiation, and Typing of <i>Campylobacter fetus</i> . , 0, , 213-225.		5
3380	Complete genome sequence of DSM 30083T, the type strain (U5/41T) of <i>Escherichia coli</i> , and a proposal for delineating subspecies in microbial taxonomy. <i>Standards in Genomic Sciences</i> , 2014, 9, 2.	1.5	454
3381	<i>Edwardsiella piscicida</i> identified in the southeastern USA by <i>gyrB</i> sequence, species-specific and repetitive sequence-mediated PCR. <i>Diseases of Aquatic Organisms</i> , 2014, 108, 23-35.	0.5	64

#	ARTICLE	IF	CITATIONS
3382	Complete genome sequence of the <i>Phaeobacter gallaeciensis</i> type strain CIP 105210T (= DSM 26640T =) Tj ETQq0,0,0 rgBT /Overlock 1	1.5	21
3383	Non-contiguous finished genome sequence and description of <i>Collinsella massiliensis</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 1144-1158.	1.5	13
3384	Non-contiguous finished genome sequence and description of <i>Paucisalibacillus algeriensis</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 1352-1365.	1.5	6
3385	Genome analyses of the carboxydrotrophic sulfate-reducers <i>Desulfotomaculum nigrificans</i> and <i>Desulfotomaculum carboxydivorans</i> and reclassification of <i>Desulfotomaculum caboxydivorans</i> as a later synonym of <i>Desulfotomaculum nigrificans</i> . Standards in Genomic Sciences, 2014, 9, 655-675.	1.5	25
3386	Non contiguous-finished genome sequence and description of <i>Enorma timonensis</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 970-986.	1.5	10
3387	Non-contiguous finished genome sequence and description of <i>Kurthia senegalensis</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 1321-1332.	1.5	13
3388	Genome sequence and description of <i>Corynebacterium ihumii</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 1128-1143.	1.5	10
3389	Complete genome sequence of <i>Thalassolituus oleivorans</i> R6-15, an obligate hydrocarbonoclastic marine bacterium from the Arctic Ocean. Standards in Genomic Sciences, 2014, 9, 893-901.	1.5	8
3390	Genome sequence and description of <i>Bacteroides timonensis</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 1181-1197.	1.5	10
3391	Non contiguous-finished genome sequence and description of <i>Clostridium jeddahense</i> sp. nov.. Standards in Genomic Sciences, 2014, 9, 1003-1019.	1.5	26
3392	Noncontiguous finished genome sequence and description of <i>Paenibacillus antibioticophila</i> sp. nov. GD11T, the type strain of <i>Paenibacillus antibioticophila</i> . New Microbes and New Infections, 2015, 8, 137-147.	0.8	5
3393	Noncontiguous finished genome sequence and description of <i>Virgibacillus massiliensis</i> sp. nov., a moderately halophilic bacterium isolated from human gut. New Microbes and New Infections, 2015, 8, 78-88.	0.8	10
3394	<i>Clostridium polynesiense</i> sp. nov., a new member of the human gut microbiota in French Polynesia. Anaerobe, 2015, 36, 79-87.	1.0	4
3396	&lt;i>Porphyromonas bronchialis</i> sp. nov. Isolated from Intraoperative Bronchial Fluids of a Patient with Non-Small Cell Lung Cancer. Tohoku Journal of Experimental Medicine, 2015, 237, 31-37.	0.5	6
3402	The Genus <i>Bacillus</i> . , 2015, , 429-466.		2
3423	<i>Sphingomonas arantia</i> sp. nov., isolated from Hoh Xil basin, China. Antonie Van Leeuwenhoek, 2015, 108, 1341-1347.	0.7	9
3424	<i>Nitratireductor soli</i> sp. nov., isolated from phenol-contaminated soil. Antonie Van Leeuwenhoek, 2015, 108, 1139-1146.	0.7	4
3425	<i>Lysobacter hymeniacidonis</i> sp. nov., isolated from a crude oil-contaminated marine sponge. Journal of Ocean University of China, 2015, 14, 1019-1024.	0.6	1

#	ARTICLE	IF	CITATIONS
3426	<i>Enterobacter tabaci</i> sp. nov., a novel member of the genus <i>Enterobacter</i> isolated from a tobacco stem. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1161-1169.	0.7	26
3427	Reclassification of <i>Serpens flexibilis</i> Hespell 1977 as <i>Pseudomonas flexibilis</i> comb. nov., with <i>Pseudomonas tuomuensis</i> Xin et al. 2009 as a later heterotypic synonym. <i>Systematic and Applied Microbiology</i> , 2015, 38, 563-566.	1.2	19
3428	<i>Brachyspira suanatina</i> sp. nov., an enteropathogenic intestinal spirochaete isolated from pigs and mallards: genomic and phenotypic characteristics. <i>BMC Microbiology</i> , 2015, 15, 208.	1.3	39
3429	Pan-genomic analysis to redefine species and subspecies based on quantum discontinuous variation: the <i>Klebsiella</i> paradigm. <i>Biology Direct</i> , 2015, 10, 55.	1.9	33
3430	Non-contiguous finished genome sequence and description of <i>Clostridium ihumii</i> sp. nov.. <i>Standards in Genomic Sciences</i> , 2015, 10, 63.	1.5	11
3431	Genome sequence of the haloarchaeon <i>Haloterrigena jeotgali</i> type strain A29T isolated from salt-fermented food. <i>Standards in Genomic Sciences</i> , 2015, 10, 49.	1.5	4
3432	Complete genome sequence and characterization of the haloacid-degrading <i>Burkholderia caribensis</i> MBA4. <i>Standards in Genomic Sciences</i> , 2015, 10, 114.	1.5	6
3433	<i>Aeromonas rivipollensis</i> sp. nov., a novel species isolated from aquatic samples. <i>Journal of Basic Microbiology</i> , 2015, 55, 1435-1439.	1.8	28
3434	Improvement of Fish Sauce Quality by Strain CMC5: A Novel Species of <i>Staphylococcus</i> sp.. <i>Journal of Food Science</i> , 2015, 80, M2015-22.	1.5	22
3435	Construction of Specific Primers for Rapid Detection of South African Exportable Vegetable Macerogens. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 12356-12370.	1.2	8
3436	Presence of antioxidative agent, Pyrrolo[1,2-a]pyrazine-1,4-dione, hexahydro- in newly isolated <i>Streptomyces mangrovisoli</i> sp. nov.. <i>Frontiers in Microbiology</i> , 2015, 6, 854.	1.5	123
3437	Evaluation of Antioxidative and Cytotoxic Activities of <i>Streptomyces pluripotens</i> MUSC 137 Isolated from Mangrove Soil in Malaysia. <i>Frontiers in Microbiology</i> , 2015, 6, 1398.	1.5	54
3439	<i>Mesorhizobium acaciae</i> sp. nov., isolated from root nodules of <i>Acacia melanoxylon</i> R. Br.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3558-3563.	0.8	22
3440	<i>Saccharothrix tamanrassetensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1316-1320.	0.8	20
3441	<i>Microbacterium enclense</i> sp. nov., isolated from sediment sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2064-2070.	0.8	23
3442	<i>Sphingopyxis fribergensis</i> sp. nov., a soil bacterium with the ability to degrade styrene and phenylacetic acid. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3008-3015.	0.8	37
3443	Similarity-Based Codes Sequentially Assigned to Ebolavirus Genomes Are Informative of Species Membership, Associated Outbreaks, and Transmission Chains. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv024.	0.4	18
3444	<i>Modestobacter lapidis</i> sp. nov. and <i>Modestobacter muralis</i> sp. nov., isolated from a deteriorated sandstone historic building in Salamanca, Spain. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 311-320.	0.7	24

#	ARTICLE	IF	CITATIONS
3445	<i>Pseudomonas coleopterorum</i> sp. nov., a cellulase-producing bacterium isolated from the bark beetle <i>Hylesinus fraxini</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2852-2858.	0.8	50
3446	<i>Lutibacter crassostreae</i> sp. nov., isolated from oyster. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2689-2695.	0.8	19
3447	<i>Pontibacillus salicampi</i> sp. nov., a moderately halophilic bacterium isolated from saltern soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 375-380.	0.8	11
3448	<i>Vibrio olivae</i> sp. nov., isolated from Spanish-style green-olive fermentations. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1895-1901.	0.8	10
3449	<i>Methanobacterium aggregans</i> sp. nov., a hydrogenotrophic methanogenic archaeon isolated from an anaerobic digester. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1975-1980.	0.8	33
3450	<i>Actinoalloteichus hoggarensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2006-2010.	0.8	15
3451	<i>Draconibacterium sediminis</i> sp. nov., isolated from river sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2310-2314.	0.8	10
3452	<i>Glaciimonas alpina</i> sp. nov. isolated from alpine glaciers and reclassification of <i>Glaciimonas immobilis</i> Cr9-12 as the type strain of <i>Glaciimonas alpina</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1779-1785.	0.8	22
3453	<i>Winogradskyella eckloniae</i> sp. nov., a marine bacterium isolated from the brown alga <i>Ecklonia cava</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2791-2796.	0.8	16
3454	<i>Flavobacterium maotaiense</i> sp. nov., isolated from freshwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 171-176.	0.8	22
3455	<i>Burkholderia humisilvae</i> sp. nov., <i>Burkholderia solisilvae</i> sp. nov. and <i>Burkholderia rhizosphaerae</i> sp. nov., isolated from forest soil and rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2986-2992.	0.8	21
3456	Description of <i>Geodermatophilus bullarengiensis</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 415-425.	0.7	19
3457	<i>Marinactinospora endophytica</i> sp. nov., isolated from a medicinal plant. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1577-1582.	0.7	8
3458	<i>Burkholderia metalliresistens</i> sp. nov., a multiple metal-resistant and phosphate-solubilising species isolated from heavy metal-polluted soil in Southeast China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1591-1598.	0.7	34
3459	Comparative 16S rRNA signatures and multilocus sequence analysis for the genus <i>Salinicola</i> and description of <i>Salinicola acroporae</i> sp. nov., isolated from coral <i>Acropora digitifera</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 59-73.	0.7	15
3460	<i>Sphaerisporangium corydalis</i> sp. nov., isolated from the root of <i>Corydalis yanhusuo</i> L.. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 133-139.	0.7	8
3461	<i>Mesorhizobium soli</i> sp. nov., a novel species isolated from the rhizosphere of <i>Robinia pseudoacacia</i> L. in South Korea by using a modified culture method. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 301-310.	0.7	26
3462	Radiation-resistant <i>Macrococcus caseolyticus</i> (A) isolated from radiation-processed semidried prawns. <i>Canadian Journal of Microbiology</i> , 2015, 61, 89-92.	0.8	5

#	ARTICLE	IF	CITATIONS
3463	<i>Mycobacterium anyangense</i> sp. nov., a rapidly growing species isolated from blood of Korean native cattle, Hanwoo ( <i>Bos taurus coreanae</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2277-2285.	0.8	16
3464	<i>Ferrovibrio xuzhouensis</i> sp. nov., a cyhalothrin-degrading bacterium isolated from cyhalothrin contaminated wastewater. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 377-382.	0.7	12
3465	<i>Jiangella mangrovi</i> sp. nov., isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2569-2573.	0.8	13
3466	<i>P uniceibacterium sediminis</i> sp. nov., from intertidal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1462-1466.	0.8	11
3467	<i>Paenibacillus qingshengii</i> sp. nov., isolated from a lead-zinc tailing. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2161-2166.	0.8	6
3468	<i>Oceanobacillus arenosus</i> sp. nov., a moderately halophilic bacterium isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2943-2948.	0.8	12
3469	<i>Pseudoxanthomonas humi</i> sp. nov., a bacterium isolated from rhizospheric soil of <i>Fraxinus chinensis</i> in Gyeonggi Province, South Korea. <i>Archives of Microbiology</i> , 2015, 197, 1165-1172.	1.0	8
3470	Bacterial genospecies that are not ecologically coherent: population genomics of <i>Rhizobium leguminosarum</i> . <i>Open Biology</i> , 2015, 5, 140133.	1.5	160
3471	<i>Roseovarius algicolus</i> sp. nov., isolated from culture fluid of <i>Cochlidinium polykrikoides</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1449-1456.	0.7	4
3472	<i>Catellatospora tagetis</i> sp. nov., isolated from the root of a marigold ( <i>Tagetes erecta</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 563-569.	0.7	7
3473	<i>Psychrobacter fjordensis</i> sp. nov., a psychrotolerant bacterium isolated from an Arctic fjord in Svalbard. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1283-1292.	0.7	16
3474	<i>Actibacter haliotis</i> sp. nov., isolated from the gut of an abalone, <i>Haliotis discus hannai</i> , and emended description of the genus <i>Actibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 49-55.	0.8	25
3475	<i>Citreicella manganoxidans</i> sp. nov., a novel manganese oxidizing bacterium isolated from a shallow water hydrothermal vent in Espalamaca (Azores). <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1433-1439.	0.7	13
3476	Rise of Microbial Culturomics: Noncontiguous Finished Genome Sequence and Description of <i>Beduini massiliensis</i> gen. nov., sp. nov.. <i>OMICS A Journal of Integrative Biology</i> , 2015, 19, 766-776.	1.0	15
3477	CVTree3 Web Server for Whole-genome-based and Alignment-free Prokaryotic Phylogeny and Taxonomy. <i>Genomics, Proteomics and Bioinformatics</i> , 2015, 13, 321-331.	3.0	185
3478	<i>Pseudomonas matsuisoli</i> sp. nov., isolated from a soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 902-909.	0.8	13
3479	<i>Chitinophaga qingshengii</i> sp. nov., isolated from weathered rock surface. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 280-285.	0.8	16
3480	<i>Serratia myotis</i> sp. nov. and <i>Serratia vespertilionis</i> sp. nov., isolated from bats hibernating in caves. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 90-94.	0.8	22

#	ARTICLE	IF	CITATIONS
3481	The Rebirth of Culture in Microbiology through the Example of Culturomics To Study Human Gut Microbiota. <i>Clinical Microbiology Reviews</i> , 2015, 28, 237-264.	5.7	605
3482	<i>Pseudomonas songnenensis</i> sp. nov., isolated from saline and alkaline soils in Songnen Plain, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 711-721.	0.7	16
3483	<i>Lysobacter caeni</i> sp. nov., isolated from the sludge of a pesticide manufacturing factory. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 845-850.	0.8	23
3484	<i>Pseudoceanicola atlanticus</i> gen. nov., sp. nov., isolated from surface seawater of the Atlantic Ocean and reclassification of <i>Oceanicola batsensis</i> , <i>Oceanicola marinus</i> , <i>Oceanicola nitratireducens</i> , <i>Oceanicola nanhaiensis</i> , <i>Oceanicola antarcticus</i> and <i>Oceanicola flagellatus</i> , as <i>Pseudoceanicola batsensis</i> comb. nov., <i>Pseudoceanicola marinus</i> comb. nov., <i>Pseudoceanicola nitratireducens</i> comb. nov., <i>Pseudoceanicola nanhaiensis</i> comb. nov., <i>Pseudoceanicola antarcticus</i> comb. nov., and <i>Pseudoceanicola flagellatus</i> comb. nov. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1065-1074.	0.7	46
3485	<i>Dactylosporangium sucinum</i> sp. nov., isolated from Thai peat swamp forest soil. <i>Journal of Antibiotics</i> , 2015, 68, 379-384.	1.0	7
3486	<i>Chromobacterium amazonense</i> sp. nov. isolated from water samples from the Rio Negro, Amazon, Brazil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1057-1063.	0.7	26
3487	<i>Microbacterium populi</i> sp. nov., isolated from <i>Populus</i> — <i>euramericana</i> bark. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1444-1449.	0.8	9
3488	<i>Aquisalimonas lutea</i> sp. nov., a moderately halophilic bacterium from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1354-1359.	0.8	7
3489	<i>Salisediminibacterium haloalkalitolerans</i> sp. nov., isolated from Lonar soda lake, India, and a proposal for reclassification of <i>Bacillus locisalis</i> as <i>Salisediminibacterium locisalis</i> comb. nov., and the emended description of the genus <i>Salisediminibacterium</i> and of the species <i>Salisediminibacterium halotolerans</i> . <i>Archives of Microbiology</i> , 2015, 197, 553-560.	1.0	17
3490	<i>Bacillus encimensis</i> sp. nov. isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1421-1425.	0.8	19
3491	<i>Gilvimarinus polysaccharolyticus</i> sp. nov., an agar-digesting bacterium isolated from seaweed, and emended description of the genus <i>Gilvimarinus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 562-569.	0.8	21
3492	<i>Alicyclobacillus dauci</i> sp. nov., a slightly thermophilic, acidophilic bacterium isolated from a spoiled mixed vegetable and fruit juice product. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1421-1425.	0.8	21
3493	Dissection of the Genus <i>Actinobaculum</i> : Reclassification of <i>Actinobaculum schaalii</i> Lawson et al. 1997 and <i>Actinobaculum urinale</i> Hall et al. 2003 as <i>Actinotignum schaalii</i> gen. nov., comb. nov. and <i>Actinotignum urinale</i> comb. nov., description of <i>Actinotignum sanguinis</i> sp. nov. and emended descriptions of the genus <i>Actinobaculum</i> and <i>Actinobaculum suis</i> ; and re-examination of the culture deposited as <i>Actinobaculum massiliense</i> CCUG 47753T (≠SDSM 19118T), revealing that it does not represent a strain of this speci. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1421-1425.	0.8	64
3494	<i>Phyllobacterium sophorae</i> sp. nov., a symbiotic bacterium isolated from root nodules of <i>Sophora flavescens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 399-406.	0.8	53
3495	<i>Chitinophaga longshanensis</i> sp. nov., a mineral-weathering bacterium isolated from weathered rock. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 418-423.	0.8	15
3496	<i>Nocardiopsis algeriensis</i> sp. nov., an alkalitolerant actinomycete isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 313-320.	0.7	27
3497	<i>Arcticibacter eurypsychrophilus</i> sp. nov., isolated from ice core. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 639-643.	0.8	9
3498	<i>Idiomarina halophila</i> sp. nov., isolated from a solar saltern sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1268-1273.	0.8	25



#	ARTICLE	IF	CITATIONS
3499	<i>Sphingomonas gei</i> sp. nov., isolated from roots of <i>Geum aleppicum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1160-1166.	0.8	24
3500	<i>Rhodanobacter koreensis</i> sp. nov., a bacterium isolated from tomato rhizosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1180-1185.	0.8	13
3501	<i>Dyadobacter jiangsuensis</i> sp. nov., a methyl red degrading bacterium isolated from a dye-manufacturing factory. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1138-1143.	0.8	16
3502	<i>Pantoea coffeiphila</i> sp. nov., cause of the "potato taste"™ of Arabica coffee from the African Great Lakes region. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 23-29.	0.8	41
3503	Emendation of the family Chlamydiaceae: Proposal of a single genus, Chlamydia, to include all currently recognized species. <i>Systematic and Applied Microbiology</i> , 2015, 38, 99-103.	1.2	156
3504	<i>Nitrosospira lacus</i> sp. nov., a psychrotolerant, ammonia-oxidizing bacterium from sandy lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 242-250.	0.8	49
3505	<i>Zoogloea oleivorans</i> sp. nov., a floc-forming, petroleum hydrocarbon-degrading bacterium isolated from biofilm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 274-279.	0.8	38
3506	<i>Rhodococcus biphenylivorans</i> sp. nov., a polychlorinated biphenyl-degrading bacterium. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 55-63.	0.7	32
3507	<i>Sphingobium subterraneum</i> sp. nov., isolated from ground water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 393-398.	0.8	8
3508	<i>Kushneria pakistanensis</i> sp. nov., a novel moderately halophilic bacterium isolated from rhizosphere of a plant ( <i>Saccharum spontaneum</i> ) growing in salt mines of the Karak area in Pakistan. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 991-1000.	0.7	21
3509	<i>Pedobacter daejeonensis</i> sp. nov. and <i>Pedobacter trunci</i> sp. nov., isolated from an ancient tree trunk, and emended description of the genus <i>Pedobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1241-1246.	0.8	33
3510	<i>Microbacterium panaciterrae</i> sp. nov., isolated from the rhizosphere of ginseng. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 927-933.	0.8	13
3511	<i>Cohnella capsici</i> sp. nov., a novel nitrogen-fixing species isolated from <i>Capsicum annuum</i> rhizosphere soil, and emended description of <i>Cohnella plantaginis</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 133-139.	0.7	15
3512	<i>Sinomonas susongensis</i> sp. nov., isolated from the surface of weathered biotite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1133-1137.	0.8	12
3513	<i>Neptunomonas phycophila</i> sp. nov. isolated from a culture of <i>Symbiodinium</i> sp., a dinoflagellate symbiont of the sea anemone <i>Aiptasia tagetes</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 915-919.	0.8	20
3514	<i>Tahibacter caeni</i> sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 633-638.	0.8	16
3515	<i>Streptomyces lactacystinicus</i> sp. nov. and <i>Streptomyces cyslabdanicus</i> sp. nov., producing lactacystin and cyslabdan, respectively. <i>Journal of Antibiotics</i> , 2015, 68, 322-327.	1.0	37
3516	<i>Pseudomonas zhaodongensis</i> sp. nov., isolated from saline and alkaline soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1022-1030.	0.8	22

#	ARTICLE	IF	CITATIONS
3517	<i>Hymenobacter terrae</i> sp. nov., a Bacterium Isolated from Soil. <i>Current Microbiology</i> , 2015, 70, 643-650.	1.0	27
3518	<i>Streptomyces vulcanius</i> sp. nov., a novel actinomycete isolated from volcanic sediment. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 15-21.	0.7	14
3519	<i>Sphaerisporangium dianthi</i> sp. nov., an endophytic actinomycete isolated from a root of <i>Dianthus chinensis</i> L. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 9-14.	0.7	11
3520	<i>Planifilum caeni</i> sp. nov., A Novel Member of Thermoactinomycete Isolated from Sludge Compost. <i>Current Microbiology</i> , 2015, 70, 135-140.	1.0	14
3521	<i>Streptomyces oryzae</i> sp. nov., an endophytic actinomycete isolated from stems of rice plant. <i>Journal of Antibiotics</i> , 2015, 68, 368-372.	1.0	27
3522	Revision of the taxonomic status of the species <i>Rhizobium lupini</i> and reclassification as <i>Bradyrhizobium lupini</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1213-1219.	0.8	52
3523	Large-scale evaluation of experimentally determined DNA G+C contents with whole genome sequences of prokaryotes. <i>Systematic and Applied Microbiology</i> , 2015, 38, 79-83.	1.2	18
3524	<i>Rhizobium capsici</i> sp. nov., isolated from root tumor of a green bell pepper ( <i>Capsicum annuum</i> var.) Tj ETQq1 1 0.784314 rgBT /Overlacc	0.7	18
3525	<i>Arthrobacter nanjingensis</i> sp. nov., a mineral-weathering bacterium isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 365-369.	0.8	14
3526	<i>Phenylobacterium kunshanense</i> sp. nov., isolated from the sludge of a pesticide manufacturing factory. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 325-330.	0.8	21
3527	Genome sequences as the type material for taxonomic descriptions of prokaryotes. <i>Systematic and Applied Microbiology</i> , 2015, 38, 217-222.	1.2	107
3528	<i>Enterobacillus tribolii</i> gen. nov., sp. nov., a novel member of the family Enterobacteriaceae, isolated from the gut of a red flour beetle, <i>Tribolium castaneum</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1207-1216.	0.7	20
3529	<i>Streptomyces fractus</i> sp. nov., a novel streptomycete isolated from the gut of a South African termite. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1127-1134.	0.7	7
3530	<i>Psychrobacter oceani</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1450-1455.	0.8	17
3531	<i>Deinococcus puniceus</i> sp. nov., a Bacterium Isolated from Soil-Irradiated Gamma Radiation. <i>Current Microbiology</i> , 2015, 70, 464-469.	1.0	16
3532	<i>Pedobacter bambusae</i> sp. nov., isolated from soil of a bamboo plantation. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 565-573.	0.7	11
3533	<i>Sulfitobacter pacificus</i> sp. nov., isolated from the red alga <i>Pyropia yezoensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1155-1163.	0.7	14
3534	<i>Deinococcus enclensis</i> sp. nov., isolated from a marine sediment sample. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 141-148.	0.7	9

#	ARTICLE	IF	CITATIONS
3535	<i>Burkholderia ginsengiterrae</i> sp. nov. and <i>Burkholderia panaciterrae</i> sp. nov., antagonistic bacteria against root rot pathogen <i>Cylindrocarpon destructans</i> , isolated from ginseng soil. <i>Archives of Microbiology</i> , 2015, 197, 439-447.	1.0	48
3536	<i>Streptomyces maoxianensis</i> sp. nov., a novel actinomycete isolated from soil in Maoxian, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1119-1126.	0.7	30
3537	<i>Fusobacterium hwasookii</i> sp. nov., Isolated from a Human Periodontitis Lesion. <i>Current Microbiology</i> , 2015, 70, 169-175.	1.0	28
3538	<i>Rhizobium metallidurans</i> sp. nov., a symbiotic heavy metal resistant bacterium isolated from the <i>Anthyllis vulneraria</i> Zn-hyperaccumulator. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1525-1530.	0.8	31
3539	<i>Paenibacillus ginsengiterrae</i> sp. nov., a ginsenoside-hydrolyzing bacteria isolated from soil of ginseng field. <i>Archives of Microbiology</i> , 2015, 197, 389-396.	1.0	18
3540	Feasibility of mini-sequencing schemes based on nucleotide polymorphisms for microbial identification and population analyses. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 2513-2521.	1.7	5
3541	Characterization of <i>Alkaliphilus hydrothermalis</i> sp. nov., a novel alkaliphilic anaerobic bacterium, isolated from a carbonaceous chimney of the Prony hydrothermal field, New Caledonia. <i>Extremophiles</i> , 2015, 19, 183-188.	0.9	40
3542	Production and Composition of Extracellular Polysaccharide Synthesized by <i>Rhizobium undicola</i> Isolated from Aquatic Legume, <i>Neptunia oleracea</i> Lour.. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2015, 85, 581-590.	0.4	9
3543	Insights from 20 years of bacterial genome sequencing. <i>Functional and Integrative Genomics</i> , 2015, 15, 141-161.	1.4	580
3544	<i>Deinococcus radioresistens</i> sp. nov., a UV and gamma radiation-resistant bacterium isolated from mountain soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 539-545.	0.7	28
3545	<i>Planococcus dechangensis</i> sp. nov., a moderately halophilic bacterium isolated from saline and alkaline soils in Dechang Township, Zhaodong City, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1075-1083.	0.7	17
3546	Past and future species definitions for Bacteria and Archaea. <i>Systematic and Applied Microbiology</i> , 2015, 38, 209-216.	1.2	470
3547	<i>Rufibacter immobilis</i> sp. nov., isolated from a high-altitude saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1592-1597.	0.8	23
3548	<i>Microbacterium proteolyticum</i> sp. nov. isolated from roots of <i>Halimione portulacoides</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1794-1798.	0.8	16
3549	<i>Demequina activiva</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2042-2047.	0.8	8
3550	<i>Paenibacillus rhizoryzae</i> sp. nov., isolated from rice rhizosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3053-3059.	0.8	26
3551	<i>Pseudonocardia nematodicida</i> sp. nov., isolated from mangrove sediment in Hainan, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 571-577.	0.7	9
3552	<i>Gramella lutea</i> sp. nov., a Novel Species of the Family Flavobacteriaceae Isolated from Marine Sediment. <i>Current Microbiology</i> , 2015, 71, 252-258.	1.0	18

#	ARTICLE	IF	CITATIONS
3553	<i>Hydrogenophaga luteola</i> sp. nov. isolated from reed pond water. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 695-701.	0.7	17
3554	<i>Oceanobacillus damuensis</i> sp. nov. and <i>Oceanobacillus rekensis</i> sp. nov., isolated from saline alkali soil samples. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 731-739.	0.7	16
3555	<i>Flavobacterium notoginsengisoli</i> sp. nov., isolated from the rhizosphere of <i>Panax notoginseng</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 545-552.	0.7	15
3556	Draft Genome Sequence of <i>Jiangella alkaliphila</i> KCTC 19222 <sup>T</sup> , Isolated from Cave Soil in Jeju, Republic of Korea. <i>Genome Announcements</i> , 2015, 3, .	0.8	3
3557	<i>Sulfitobacter undariae</i> sp. nov., isolated from a brown algae reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1672-1678.	0.8	18
3558	<i>Sedimenticola thiotaurini</i> sp. nov., a sulfur-oxidizing bacterium isolated from salt marsh sediments, and emended descriptions of the genus <i>Sedimenticola</i> and <i>Sedimenticola selenatireducens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2522-2530.	0.8	76
3559	<i>Prauserella soli</i> sp. nov., isolated from crude oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3060-3065.	0.8	8
3560	<i>Streptomyces mangrovi</i> sp. nov., isolated from mangrove forest sediment. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 783-791.	0.7	7
3561	Genome-scale phylogenetic and DNA composition analyses of Antarctic <i>Pseudoalteromonas</i> bacteria reveal inconsistencies in current taxonomic affiliation. <i>Hydrobiologia</i> , 2015, 761, 85-95.	1.0	13
3562	<i>Lampropedia puyangensis</i> sp. nov., isolated from symptomatic bark of <i>Populus</i> — <i>Aeuramericana</i> canker and emended description of <i>Lampropedia</i> <i>Ahyalina</i> (Ehrenberg 1832) Lee et al. 2004. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 321-328.	0.7	12
3563	<i>Bacillus stamsii</i> sp. nov., a facultatively anaerobic sugar degrader that is numerically dominant in freshwater lake sediment. <i>Systematic and Applied Microbiology</i> , 2015, 38, 379-389.	1.2	17
3564	<i>Actinoallomurus bryophytorum</i> sp. nov., an endophytic actinomycete isolated from moss (Bryophyta). <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 453-459.	0.7	12
3565	<i>Winogradskyella crassostreae</i> sp. nov., isolated from an oyster ( <i>Crassostrea gigas</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2890-2895.	0.8	20
3566	<i>Thermus parvatiensis</i> RLT sp. nov., Isolated from a Hot Water Spring, Located Atop the Himalayan Ranges at Manikaran, India. <i>Indian Journal of Microbiology</i> , 2015, 55, 357-365.	1.5	20
3567	<i>Halocalculus aciditolerans</i> gen. nov., sp. nov., an acid-tolerant haloarchaeon isolated from commercial salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1640-1645.	0.8	17
3568	<i>Halococcus agarilyticus</i> sp. nov., an agar-degrading haloarchaeon isolated from commercial salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1634-1639.	0.8	12
3569	<i>Arcobacter lanthieri</i> sp. nov., isolated from pig and dairy cattle manure. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2709-2716.	0.8	44
3570	<i>Chelatococcus caeni</i> sp. nov., isolated from a biofilm reactor sludge sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 885-889.	0.8	13

#	ARTICLE	IF	CITATIONS
3571	<i>Nonomuraea syzygii</i> sp. nov., an endophytic actinomycete isolated from the roots of a jambolan plum tree ( <i>Syzygium cumini</i> L. Skeels). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1234-1240.	0.8	28
3572	<i>Microbispora bryophytorum</i> sp. nov., an actinomycete isolated from moss (Bryophyta). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1274-1279.	0.8	21
3573	<i>Alteromonas gracilis</i> sp. nov., a marine polysaccharide-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1498-1503.	0.8	30
3574	Reclassification of <i>Bacillus invictae</i> as a later heterotypic synonym of <i>Bacillus altitudinis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2769-2773.	0.8	10
3575	Average nucleotide identity of genome sequences supports the description of <i>Rhizobium lentis</i> sp. nov., <i>Rhizobium bangladeshense</i> sp. nov. and <i>Rhizobium binae</i> sp. nov. from lentil ( <i>Lens culinaris</i> ) nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3037-3045.	0.8	55
3576	<i>Mesononia aquimarina</i> sp. nov., a marine bacterium isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 135-140.	0.8	17
3577	Endophytic actinobacteria of medicinal plants: diversity and bioactivity. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 267-289.	0.7	237
3578	<i>Bacillus coreaensis</i> sp. nov.: a xylan-hydrolyzing bacterium isolated from the soil of Jeju Island, Republic of Korea. <i>Journal of Microbiology</i> , 2015, 53, 448-453.	1.3	10
3579	Phylogenomics and systematics in <i>Pseudomonas</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 214.	1.5	408
3580	<i>Micromonospora costi</i> sp. nov., isolated from a leaf of <i>Costus speciosus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1456-1461.	0.8	40
3581	<i>Aquipuribacter nitratreducens</i> sp. nov., isolated from a soil sample of a mud volcano. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2391-2396.	0.8	9
3582	<i>Escherichia marmotae</i> sp. nov., isolated from faeces of <i>Marmota himalayana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2130-2134.	0.8	75
3583	Diverse novel mesorhizobia nodulate New Zealand native <i>Sophora</i> species. <i>Systematic and Applied Microbiology</i> , 2015, 38, 91-98.	1.2	23
3584	<i>Alcanivorax gelatiniphagus</i> sp. nov., a marine bacterium isolated from tidal flat sediments enriched with crude oil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2204-2208.	0.8	26
3585	<i>Fontibacillus solani</i> sp. nov. isolated from potato ( <i>Solanum tuberosum</i> L.) root. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1315-1321.	0.7	11
3586	Seed-associated subspecies of the genus <i>Clavibacter</i> are clearly distinguishable from <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 811-826.	0.8	52
3587	<i>Amycolatopsis rhabdoformis</i> sp. nov., an actinomycete isolated from a tropical forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1786-1793.	0.8	8
3588	<i>Streptosporangium terrae</i> sp. nov., a novel actinomycete isolated from the rhizosphere of <i>Callistemon citrinus</i> (Curtis), India. <i>Journal of Antibiotics</i> , 2015, 68, 425-430.	1.0	6

#	ARTICLE	IF	CITATIONS
3589	<i>Nonomuraea indica</i> sp. nov., novel actinomycetes isolated from lime-stone open pit mine, India. <i>Journal of Antibiotics</i> , 2015, 68, 491-495.	1.0	13
3590	<i>Paenibacillus wulumuqiensis</i> sp. nov. and <i>Paenibacillus dauci</i> sp. nov., two novel species of the genus <i>Paenibacillus</i> . <i>Archives of Microbiology</i> , 2015, 197, 489-495.	1.0	15
3591	<i>Pseudomonas glareae</i> sp. nov., a marine sediment-derived bacterium with antagonistic activity. <i>Archives of Microbiology</i> , 2015, 197, 693-699.	1.0	15
3592	<i>Sphingomonas aerea</i> sp. nov. from indoor air of a pharmaceutical environment. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 47-53.	0.7	10
3593	Ecophysiological diversity of a novel member of the genus <i>Alteromonas</i> , and description of <i>Alteromonas mediterranea</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 119-132.	0.7	44
3594	<i>Phaeobacter marinintestinus</i> sp. nov., isolated from the intestine of a sea cucumber ( <i>Apostichopus</i> ) Tj ETQq1 1 0.784314 rgBT /Overloed	0.7	11
3595	<i>Bacillus filamentosus</i> sp. nov., isolated from sediment sample. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 433-441.	0.7	12
3596	<i>Wenyngzhuangia heitensis</i> sp. nov., a new species of the family <i>Flavobacteriaceae</i> within the phylum <i>Bacteroidetes</i> isolated from seawater. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 655-661.	0.7	9
3597	<i>Negadavirga shengliensis</i> gen. nov., sp. nov., a novel member of the family <i>Cyclobacteriaceae</i> isolated from oil-contaminated saline soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 663-673.	0.7	26
3598	<i>Cupriavidus yeoncheonense</i> sp. nov., isolated from soil of ginseng. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 749-758.	0.7	22
3599	<i>Sphingobium endophyticus</i> sp. nov., isolated from the root of <i>Hylomecon japonica</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1001-1008.	0.7	16
3600	<i>Streptomyces gilvigriseus</i> sp. nov., a novel actinobacterium isolated from mangrove forest soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1369-1378.	0.7	31
3601	<i>Prauserella endophytica</i> sp. nov., an endophytic actinobacterium isolated from <i>Tamarix taklamakanensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1401-1409.	0.7	14
3602	<i>Hymenobacter humi</i> sp. nov., a bacterium isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1411-1419.	0.7	24
3603	<i>Flavobacterium vireti</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1421-1428.	0.7	16
3604	<i>Delftia deserti</i> sp. nov., isolated from a desert soil sample. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1445-1450.	0.7	26
3605	<i>Streptosporangium sonchi</i> sp. nov. and <i>Streptosporangium kronopolitis</i> sp. nov., two novel actinobacteria isolated from a root of common sowthistle ( <i>Sonchus oleraceus</i> L.) and a millipede ( <i>Kronopolites svenhedind</i> Verhoeff). <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1491-1499.	0.7	10
3606	<i>Kribbella qitaiheensis</i> sp. nov., a novel actinomycete isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1533-1539.	0.7	9

#	ARTICLE	IF	CITATIONS
3607	Diversity and community analysis of fermenting bacteria isolated from eight major Korean fermented foods using arbitrary-primed PCR and 16S rRNA gene sequencing. <i>Journal of the Korean Society for Applied Biological Chemistry</i> , 2015, 58, 453-461.	0.9	10
3608	Antifungal and antibacterial activities of <i>Streptomyces polymachus</i> sp. nov. isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2385-2390.	0.8	21
3609	A polyphasic approach leading to the revision of the genus <i>Planktothrix</i> (Cyanobacteria) and its type species, <i>P. agardhii</i> , and proposal for integrating the emended valid botanical taxa, as well as three new species, <i>Planktothrix paucivesiculata</i> sp. nov.ICNP, <i>Planktothrix tepida</i> sp. nov.ICNP, and <i>Planktothrix sarta</i> sp. nov.ICNP, as genus and species names with nomenclatural standing under the ICNP. <i>Systematic and Applied Microbiology</i> , 2015, 38, 141-158.	1.2	34
3610	<i>Plantactinospora veratri</i> sp. nov., an actinomycete isolated from black false hellebore root ( <i>Veratrum</i> ) Tj ETQq1 1 0,784314 rgBT /Ove	0.8	9
3611	<i>Kangiella profunda</i> sp. nov., isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2315-2319.	0.8	26
3612	Practical Benefits of Knowing the Enemy: Modern Molecular Tools for Diagnosing the Etiology of Bacterial Diseases and Understanding the Taxonomy and Diversity of Plant-Pathogenic Bacteria. <i>Annual Review of Phytopathology</i> , 2015, 53, 157-180.	3.5	69
3613	<i>Micromonospora endophytica</i> sp. nov., an endophytic actinobacteria of Thai upland rice ( <i>Oryza sativa</i> ). <i>Journal of Antibiotics</i> , 2015, 68, 680-684.	1.0	10
3614	<i>Nocardia rhizosphaerae</i> sp. nov., a novel actinomycete isolated from the coastal rhizosphere of <i>Artemisia</i> Linn., China. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 31-39.	0.7	16
3615	Genomic Encyclopedia of Bacterial and Archaeal Type Strains, Phase III: the genomes of soil and plant-associated and newly described type strains. <i>Standards in Genomic Sciences</i> , 2015, 10, 26.	1.5	74
3616	<i>Savagea faecisuis</i> gen. nov., sp. nov., a tylosin- and tetracycline-resistant bacterium isolated from a swine-manure storage pit. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 151-161.	0.7	16
3617	<i>Wenyngzhuangia gracilariae</i> sp. nov., a novel marine bacterium of the phylum Bacteroidetes isolated from the red alga <i>Gracilaria vermiculophylla</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1607-1613.	0.7	12
3618	<i>Aquimarina agarivorans</i> sp. nov., a genome-sequenced member of the class Flavobacteriia isolated from <i>Gelidium amansii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2684-2688.	0.8	23
3619	Taxonomy and Phylogeny of Prokaryotes. , 2015, , 145-190.		6
3620	<i>Epilithonimonas ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 122-128.	0.8	14
3621	<i>Halorubrum persicum</i> sp. nov., an extremely halophilic archaeon isolated from sediment of a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1770-1778.	0.8	23
3622	<i>Halobacillus andaensis</i> sp. nov., a moderately halophilic bacterium isolated from saline and alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1908-1914.	0.8	23
3623	<i>Sinomonas humi</i> sp. nov., an amyolytic actinobacterium isolated from mangrove forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 996-1002.	0.8	20
3624	<i>Exiguobacterium enclense</i> sp. nov., isolated from sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1611-1616.	0.8	32

#	ARTICLE	IF	CITATIONS
3625	<i>Myceligenans cantabricum</i> sp. nov., a barotolerant actinobacterium isolated from a deep cold-water coral. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1328-1334.	0.8	23
3626	<i>Burkholderia insulsa</i> sp. nov., a facultatively chemolithotrophic bacterium isolated from an arsenic-rich shallow marine hydrothermal system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 189-194.	0.8	28
3627	First report of an <i>Anabaena</i> Bory strain containing microcystin-LR in a freshwater body in Africa. <i>African Journal of Aquatic Science</i> , 2015, 40, 21-36.	0.5	6
3628	Proteotyping: Proteomic characterization, classification and identification of microorganisms – A prospectus. <i>Systematic and Applied Microbiology</i> , 2015, 38, 246-257.	1.2	95
3629	<i>Burkholderia susongensis</i> sp. nov., a mineral-weathering bacterium isolated from weathered rock surface. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1031-1037.	0.8	19
3630	<i>Chryseobacterium profundimaris</i> sp. nov., a new member of the family Flavobacteriaceae isolated from deep-sea sediment. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 979-989.	0.7	25
3631	<i>Rheinheimera japonica</i> sp. nov., a novel bacterium with antimicrobial activity from seashore sediments of the Sea of Japan. <i>Archives of Microbiology</i> , 2015, 197, 613-620.	1.0	25
3632	<i>Actinomadura rayongensis</i> sp. nov., isolated from peat swamp forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 890-895.	0.8	9
3633	<i>Paenibacillus lemnae</i> sp. nov., an endophytic bacterium of duckweed ( <i>Lemna aequinoctialis</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 107-112.	0.8	31
3634	<i>Lysobacter lycopersici</i> sp. nov., isolated from tomato plant <i>Solanum lycopersicum</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1261-1270.	0.7	18
3635	<i>Serinibacter tropicus</i> sp. nov., an actinobacterium isolated from the rhizosphere of a mangrove, and emended description of the genus <i>Serinibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1151-1154.	0.8	17
3636	<i>Chryseobacterium shandongense</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1860-1865.	0.8	19
3637	<i>Paracoccus panacisoli</i> sp. nov., isolated from a forest soil cultivated with Vietnamese ginseng. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1491-1497.	0.8	17
3638	<i>Helicobacter himalayensis</i> sp. nov. isolated from gastric mucosa of <i>Marmota himalayana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1719-1725.	0.8	23
3639	<i>Marinobacter shengliensis</i> sp. nov., a moderately halophilic bacterium isolated from oil-contaminated saline soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1085-1094.	0.7	29
3640	<i>Sphingobium phenoxybenzoativorans</i> sp. nov., a 2-phenoxybenzoic-acid-degrading bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1986-1991.	0.8	16
3641	<i>Pseudomonas endophytica</i> sp. nov., isolated from stem tissue of <i>Solanum tuberosum</i> L. in Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2110-2117.	0.8	17
3642	<i>Algoriphagus trabzonensis</i> sp. nov., isolated from freshwater, and emended description of <i>Algoriphagus alkaliphilus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2234-2240.	0.8	19



#	ARTICLE	IF	CITATIONS
3643	<i>Pullulanibacillus pueri</i> sp. nov., isolated from Pu'er tea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2167-2171.	0.8	10
3644	The Pathogen of the Great Barrier Reef Sponge <i>Rhopaloeides odorabile</i> Is a New Strain of <i>Pseudoalteromonas agarivorans</i> Containing Abundant and Diverse Virulence-Related Genes. <i>Marine Biotechnology</i> , 2015, 17, 463-478.	1.1	51
3645	<i>Brevibacterium metallicus</i> sp. nov., an endophytic bacterium isolated from roots of <i>Prosopis laegivata</i> grown at the edge of a mine tailing in Mexico. <i>Archives of Microbiology</i> , 2015, 197, 1151-1158.	1.0	12
3646	<i>Actinospica durhamensis</i> sp. nov., isolated from a spruce forest soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 435-442.	0.7	15
3647	Two new species of the genus <i>Micromonospora</i> : <i>Micromonospora palomenae</i> sp. nov. and <i>Micromonospora harpali</i> sp. nov. isolated from the insects. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 141-150.	0.7	26
3648	<i>Amycolatopsis flava</i> sp. nov., a halophilic actinomycete isolated from Dead Sea. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 879-885.	0.7	17
3649	<i>Meiothermus roseus</i> sp. nov., a thermophilic bacterium isolated from a geothermal area. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 897-905.	0.7	10
3650	<i>Enteractinococcus lamae</i> sp. nov. and <i>Enteractinococcus viverrae</i> sp. nov., isolated from animal faeces. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1477-1483.	0.7	15
3651	<i>Kiloniella litopenaei</i> sp. nov., isolated from the gut microflora of Pacific white shrimp, <i>Litopenaeus vannamei</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1293-1299.	0.7	10
3652	<i>Actinomadura jiaoheensis</i> sp. nov. and <i>Actinomadura sporangiiformans</i> sp. nov., two novel actinomycetes isolated from muddy soil and emended description of the genus <i>Actinomadura</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1331-1339.	0.7	25
3653	<i>Kocuria subflava</i> sp. nov., isolated from marine sediment from the Indian Ocean. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1349-1355.	0.7	13
3654	<i>Micromonospora vulcania</i> sp. nov., isolated from volcanic sediment. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1383-1390.	0.7	9
3655	<i>Spirosoma pulveris</i> sp. nov., a bacterium isolated from a dust sample collected at Chungnam province, South Korea. <i>Journal of Microbiology</i> , 2015, 53, 750-755.	1.3	25
3656	From culturomics to taxonomogenomics: A need to change the taxonomy of prokaryotes in clinical microbiology. <i>Anaerobe</i> , 2015, 36, 73-78.	1.0	119
3657	<i>Paralcaligenes ginsengisoli</i> sp. nov., isolated from ginseng cultivated soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 619-626.	0.7	12
3658	<i>Sphingobacterium rhinocerotis</i> sp. nov., isolated from the faeces of <i>Rhinoceros unicornis</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1099-1105.	0.7	7
3659	<i>Skermanella rubra</i> sp. nov., a bacterium isolated from the desert of Xinjiang, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 627-632.	0.7	15
3660	<i>Nitrincola nitratireducens</i> sp. nov. isolated from a haloalkaline crater lake. <i>Systematic and Applied Microbiology</i> , 2015, 38, 555-562.	1.2	12

#	ARTICLE	IF	CITATIONS
3661	<i>Virgibacillus senegalensis</i> sp. nov., a new moderately halophilic bacterium isolated from human gut. <i>New Microbes and New Infections</i> , 2015, 8, 116-126.	0.8	12
3662	A heavy-metal tolerant novel bacterium, <i>Alcaligenes pakistanensis</i> sp. nov., isolated from industrial effluent in Pakistan. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 859-870.	0.7	28
3663	<i>Sinomonas halotolerans</i> sp. nov., an actinobacterium isolated from a soil sample. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 887-895.	0.7	13
3664	<i>Novosphingobium endophyticum</i> sp. nov. isolated from roots of <i>Glycyrrhiza uralensis</i> . <i>Archives of Microbiology</i> , 2015, 197, 911-918.	1.0	10
3665	<i>Aliisedimentitalea scapharcae</i> gen. nov., sp. nov., isolated from ark shell <i>Scapharca broughtonii</i> . <i>Journal of Microbiology</i> , 2015, 53, 495-502.	1.3	8
3666	<i>Streptomyces kanasensis</i> sp. nov., an Antiviral Glycoprotein Producing Actinomycete Isolated from Forest Soil Around Kanas Lake of China. <i>Current Microbiology</i> , 2015, 71, 627-631.	1.0	23
3667	<i>Dactylosporangium cerinum</i> sp. nov., a novel actinobacterium isolated from the rhizosphere of <i>Pinus koraiensis</i> Sieb. et Zucc.. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 191-199.	0.7	7
3668	<i>Paenibacillus wenxiniae</i> sp. nov., a <i>nifH</i> gene -harbouring endophytic bacterium isolated from maize. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1015-1022.	0.7	17
3669	<i>Nocardia arizonensis</i> sp. nov., obtained from human respiratory specimens. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1129-1137.	0.7	11
3670	A heavy metal tolerant novel bacterium, <i>Bacillus malikii</i> sp. nov., isolated from tannery effluent wastewater. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1319-1330.	0.7	24
3671	<i>Novosphingobium aquaticum</i> sp. nov., isolated from lake water in Suwon, Republic of Korea. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 851-858.	0.7	2
3672	Isolation and Screening of Halophilic Bacteria for Production of Hydrolytic Enzymes. <i>Sustainable Development and Biodiversity</i> , 2015, , 379-401.	1.4	5
3673	<i>Umezawaea endophytica</i> sp. nov., isolated from tobacco root samples. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 667-672.	0.7	11
3674	<i>Lentzea guizhouensis</i> sp. nov., a novel lithophilous actinobacterium isolated from limestone from the Karst area, Guizhou, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1365-1372.	0.7	17
3675	Taxonomic characterisation of <i>Proteus terrae</i> sp. nov., a N <sub>2</sub> O-producing, nitrate-ammonifying soil bacterium. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1457-1468.	0.7	28
3676	<i>Paracoccus aquimaris</i> sp. nov., isolated from seawater. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 871-877.	0.7	3
3677	<i>Paenibacillus gelatinilyticus</i> sp. nov. a psychrotolerant bacterium isolated from a reclaimed soil and amended description of <i>Paenibacillus shenyangensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1197-1203.	0.7	14
3678	Novel isolates double the number of chemotrophic species and allow the first description of higher taxa in Acidobacteria subdivision 4. <i>Systematic and Applied Microbiology</i> , 2015, 38, 534-544.	1.2	121

#	ARTICLE	IF	CITATIONS
3679	<i>Lysobacter agri</i> sp. nov., a bacterium isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 553-561.	0.7	12
3680	<i>Sphingomonas panaciterrae</i> sp. nov., a plant growth-promoting bacterium isolated from soil of a ginseng field. <i>Archives of Microbiology</i> , 2015, 197, 973-981.	1.0	22
3681	<i>Streptomyces bambusae</i> sp. nov., Showing Antifungal and Antibacterial Activities, Isolated from Bamboo (Bambuseae) Rhizosphere Soil Using a Modified Culture Method. <i>Current Microbiology</i> , 2015, 71, 658-668.	1.0	9
3682	New Microbes New Infections promotes modern prokaryotic taxonomy: a new section "TaxonoGenomics: new genomes of microorganisms in humans" <i>New Microbes and New Infections</i> , 2015, 7, 48-49.	0.8	36
3683	<i>Phytomonospora cypria</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1425-1432.	0.7	8
3684	<i>Sphingomonas panacis</i> sp. nov., isolated from rhizosphere of rusty ginseng. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 711-720.	0.7	25
3685	<i>Borrelia burgdorferi</i> and Other <i>Borrelia</i> Species. , 2015, , 1867-1909.		9
3686	<i>Virgibacillus oceani</i> sp. nov. isolated from ocean sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 159-164.	0.8	21
3687	<i>Variovorax guangxiensis</i> sp. nov., an aerobic, 1-aminocyclopropane-1-carboxylate deaminase producing bacterium isolated from banana rhizosphere. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 65-72.	0.7	22
3688	Microbial taxonomy in the post-genomic era: Rebuilding from scratch?. <i>Archives of Microbiology</i> , 2015, 197, 359-370.	1.0	144
3689	<i>Falsirhodobacter deserti</i> sp. nov., isolated from sandy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 650-655.	0.8	15
3690	<i>Corynebacterium atrinae</i> sp. nov., isolated from the gastrointestinal tract of a pen shell, <i>Atrina pectinata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 531-536.	0.8	8
3691	<i>Pseudomonas granadensis</i> sp. nov., a new bacterial species isolated from the Tejada, Almirajara and Alhama Natural Park, Granada, Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 625-632.	0.8	28
3692	<i>Streptomyces xiaopingdaonensis</i> sp. nov., a novel marine actinomycete isolated from the sediment of Xiaopingdao in Dalian, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 511-518.	0.7	7
3693	<i>Lysobacter mobilis</i> sp. nov., isolated from abandoned lead-zinc ore. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 833-837.	0.8	29
3694	Proposal to consistently apply the International Code of Nomenclature of Prokaryotes (ICNP) to names of the oxygenic photosynthetic bacteria (cyanobacteria), including those validly published under the International Code of Botanical Nomenclature (ICBN)/International Code of Nomenclature for algae, fungi and plants (ICN), and proposal to change Principle 2 of the ICNP. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1070-1074.	0.8	18
3695	<i>Halostagnicola bangensis</i> sp. nov., an alkaliphilic haloarchaeon from a soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 754-759.	0.8	13
3696	<i>Brenneria populi</i> sp. nov., isolated from symptomatic bark of <i>Populus</i> —euramericana canker. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 432-437.	0.8	25

#	ARTICLE	IF	CITATIONS
3697	<i>Lysobacter terrae</i> sp. nov. isolated from <i>Aglaia odorata</i> rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 587-592.	0.8	21
3698	<i>Fodinicurvata halophila</i> sp. nov., a moderately halophilic bacterium from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 766-771.	0.8	14
3699	Reprint of "Tracking the blue: A MLST approach to characterise the <i>Pseudomonas fluorescens</i> group"™. <i>Food Microbiology</i> , 2015, 45, 148-158.	2.1	17
3700	<i>Sinomonas mesophila</i> sp. nov., isolated from ancient fort soil. <i>Journal of Antibiotics</i> , 2015, 68, 318-321.	1.0	18
3701	The detection and phylogenetic analysis of the alkane 1-monooxygenase gene of members of the genus <i>Rhodococcus</i> . <i>Systematic and Applied Microbiology</i> , 2015, 38, 1-7.	1.2	32
3702	<i>Idiomarina atlantica</i> sp. nov., a marine bacterium isolated from the deep sea sediment of the North Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 393-401.	0.7	22
3703	<i>Rhizobium yantingense</i> sp. nov., a mineral-weathering bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 412-417.	0.8	30
3704	Description of gamma radiation-resistant <i>Geodermatophilus dictyosporus</i> sp. nov. to accommodate the not validly named <i>Geodermatophilus obscurus</i> subsp. <i>dictyosporus</i> (Luedemann, 1968). <i>Extremophiles</i> , 2015, 19, 77-85.	0.9	28
3705	Description of <i>Kribbella italica</i> sp. nov., isolated from a Roman catacomb. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 491-496.	0.8	14
3706	<i>Vulcanisaeta thermophila</i> sp. nov., a hyperthermophilic and acidophilic crenarchaeon isolated from solfataric soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 201-205.	0.8	13
3707	<i>Metallosphaera tengchongensis</i> sp. nov., an acidothermophilic archaeon isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 537-542.	0.8	19
3708	<i>Rhizobium pakistanensis</i> sp. nov., isolated from groundnut ( <i>Arachis hypogaea</i> ) nodules grown in rainfed Pothwar, Pakistan. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 281-290.	0.7	22
3709	<i>Streptomyces ferrugineus</i> sp. nov., isolated from mangrove soil in Thailand. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 39-45.	0.7	9
3710	<i>Pseudomonas yamanorum</i> sp. nov., a psychrotolerant bacterium isolated from a subantarctic environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 424-431.	0.8	32
3711	<i>Halovivax cerinus</i> sp. nov., an extremely halophilic archaeon from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 65-70.	0.8	11
3712	<i>Thioclava indica</i> sp. nov., isolated from surface seawater of the Indian Ocean. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 297-304.	0.7	14
3713	The relationship of the whole genome sequence identity to DNA hybridization varies between genera of prokaryotes. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 241-249.	0.7	37
3714	<i>Pseudomonas donghuensis</i> sp. nov., exhibiting high-yields of siderophore. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 83-94.	0.7	35

#	ARTICLE	IF	CITATIONS
3715	Phylogenetic analysis of microalgae based on highly abundant proteins using mass spectrometry. <i>Talanta</i> , 2015, 132, 630-634.	2.9	16
3716	<i>Pseudacidovorax austerolens</i> sp. nov., a <i>nifH</i> bacterium isolated from Himalayan valley soil, India. <i>Annals of Microbiology</i> , 2015, 65, 217-223.	1.1	2
3717	<i>Aggregicoccus edonensis</i> gen. nov., sp. nov., an unusually aggregating myxobacterium isolated from a soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 745-753.	0.8	26
3718	<i>Clostridium hastiforme</i> Sepsis in a Patient with Gastrointestinal Malignant Disease. <i>Surgical Infections Case Reports</i> , 2016, 1, 56-58.	0.1	1
3719	Horizontal Gene Transfer: Uptake of Extracellular DNA by Bacteria. , 2016, , 629-629.		1
3720	Resource Development and Investigation of Novel Species from Unidentified Pathogens in NCCP using MALDI-TOF MS and 16S rRNA Gene Analysis. <i>Journal of Bacteriology and Virology</i> , 2016, 46, 201.	0.0	0
3721	Archive of bacterial community in anhydrite crystals from a deep-sea basin provides evidence of past oil-spilling in a benthic environment in the Red Sea. <i>Biogeosciences</i> , 2016, 13, 6405-6417.	1.3	1
3722	Newly Isolated <i>Paenibacillus tyrfis</i> sp. nov., from Malaysian Tropical Peat Swamp Soil with Broad Spectrum Antimicrobial Activity. <i>Frontiers in Microbiology</i> , 2016, 7, 219.	1.5	34
3723	D1FHS, the Type Strain of the Ammonia-Oxidizing Bacterium <i>Nitrosococcus wardiae</i> spec. nov.: Enrichment, Isolation, Phylogenetic, and Growth Physiological Characterization. <i>Frontiers in Microbiology</i> , 2016, 7, 512.	1.5	21
3724	Phylogenomic Study of <i>Burkholderia glathei</i> -like Organisms, Proposal of 13 Novel <i>Burkholderia</i> Species and Emended Descriptions of <i>Burkholderia sordidicola</i> , <i>Burkholderia zhejiangensis</i> , and <i>Burkholderia grimmiae</i> . <i>Frontiers in Microbiology</i> , 2016, 7, 877.	1.5	120
3725	<i>Streptomyces antioxidans</i> sp. nov., a Novel Mangrove Soil Actinobacterium with Antioxidative and Neuroprotective Potentials. <i>Frontiers in Microbiology</i> , 2016, 7, 899.	1.5	78
3726	<i>Burkholderia paludis</i> sp. nov., an Antibiotic-Siderophore Producing Novel <i>Burkholderia cepacia</i> Complex Species, Isolated from Malaysian Tropical Peat Swamp Soil. <i>Frontiers in Microbiology</i> , 2016, 7, 2046.	1.5	84
3727	Bioprospecting Red Sea Coastal Ecosystems for Culturable Microorganisms and Their Antimicrobial Potential. <i>Marine Drugs</i> , 2016, 14, 165.	2.2	30
3728	Current Taxonomical Situation of <i>Streptococcus suis</i> . <i>Pathogens</i> , 2016, 5, 45.	1.2	101
3729	Isolation of <i>Bartonella henselae</i> and Two New <i>Bartonella</i> Subspecies, <i>Bartonella koehlerae</i> Subspecies <i>boulouisii</i> subsp. nov. and <i>Bartonella koehlerae</i> Subspecies <i>bothieri</i> subsp. nov. from Free-Ranging Californian Mountain Lions and Bobcats. <i>PLoS ONE</i> , 2016, 11, e0148299.	1.1	15
3730	<i>Lysobacter humi</i> sp. nov., a bacterium isolated from rice field. <i>Archives of Microbiology</i> , 2016, 198, 1005-1012.	1.0	4
3731	Genetic characterization of strains named as <i>Xanthomonas axonopodis</i> pv. <i>dieffenbachiae</i> leads to a taxonomic revision of the <i>X. axonopodis</i> species complex. <i>Plant Pathology</i> , 2016, 65, 792-806.	1.2	176
3732	Production and characterization of thermostable $\alpha$ -amylase from thermophilic <i>Anoxybacillus flavithermus</i> sp. nov. <i>Starch/Staerke</i> , 2016, 68, 1244-1253.	1.1	12

#	ARTICLE	IF	CITATIONS
3733	<i>Fontibacillus pullulanilyticus</i> sp. nov. isolated from soil. Journal of Basic Microbiology, 2016, 56, 857-863.	1.8	8
3734	<i>Microvirga pakistanensis</i> sp. nov., a novel bacterium isolated from desert soil of Cholistan, Pakistan. Archives of Microbiology, 2016, 198, 933-939.	1.0	25
3735	<i>Flavobacterium panacis</i> sp. nov., isolated from rhizosphere of <i>Panax ginseng</i> . Antonie Van Leeuwenhoek, 2016, 109, 1199-1208.	0.7	7
3736	<i>Bradyrhizobium centrosemae</i> (symbiovar <i>centrosemae</i> ) sp. nov., <i>Bradyrhizobium americanum</i> (symbiovar <i>phaseolarum</i> ) sp. nov. and a new symbiovar ( <i>tropici</i> ) of <i>Bradyrhizobium viridifuturi</i> establish symbiosis with <i>Centrosema</i> species native to America. Systematic and Applied Microbiology, 2016, 39, 378-383.	1.2	48
3737	Production of extracellular fructans by <i>Gluconobacter nephelii</i> P1464. Letters in Applied Microbiology, 2016, 62, 145-152.	1.0	14
3738	<i>Deinococcus rubellus</i> sp. nov., bacteria isolated from the muscle of antarctic fish. Journal of Microbiology, 2016, 54, 796-801.	1.3	1
3739	<i>Modestobacter caceresii</i> sp. nov., novel actinobacteria with an insight into their adaptive mechanisms for survival in extreme hyper-arid Atacama Desert soils. Systematic and Applied Microbiology, 2016, 39, 243-251.	1.2	46
3740	High-quality genome sequence and description of <i>Chryseobacterium senegalense</i> sp. nov.. New Microbes and New Infections, 2016, 10, 93-100.	0.8	4
3741	Noncontiguous finished genome sequence and description of <i>Planococcus massiliensis</i> sp. nov., a moderately halophilic bacterium isolated from the human gut. New Microbes and New Infections, 2016, 10, 36-46.	0.8	14
3742	Genome-wide comparison and taxonomic relatedness of multiple <i>Xylella fastidiosa</i> strains reveal the occurrence of three subspecies and a new <i>Xylella</i> species. Archives of Microbiology, 2016, 198, 803-812.	1.0	63
3743	<i>Thalassospira australica</i> sp. nov. isolated from sea water. Antonie Van Leeuwenhoek, 2016, 109, 1091-1100.	0.7	10
3744	A review of the global ecology, genomics, and biogeography of the toxic cyanobacterium, <i>Microcystis</i> spp.. Harmful Algae, 2016, 54, 4-20.	2.2	776
3745	Complete genome sequence of a low-temperature active and alkaline-stable endoglucanase-producing <i>Paenibacillus</i> sp. strain IHB B 3084 from the Indian Trans-Himalayas. Journal of Biotechnology, 2016, 230, 1-2.	1.9	11
3746	<i>Halobacillus salicampi</i> sp. nov., a moderately halophilic bacterium isolated from a solar saltern sediment. Antonie Van Leeuwenhoek, 2016, 109, 713-720.	0.7	14
3747	16S-gyrB-rpoB multilocus sequence analysis for species identification in the genus <i>Microbispora</i> . Antonie Van Leeuwenhoek, 2016, 109, 801-815.	0.7	16
3748	<i>Cellulosimicrobium marinum</i> sp. nov., an actinobacterium isolated from sea sediment. Archives of Microbiology, 2016, 198, 439-444.	1.0	20
3749	<i>Microbispora camponoti</i> sp. nov., a novel actinomycete isolated from the cuticle of <i>Camponotus japonicus</i> Mayr. Antonie Van Leeuwenhoek, 2016, 109, 215-223.	0.7	20
3750	<i>Bacillus nitroreducens</i> sp. nov., a humus-reducing bacterium isolated from a compost. Archives of Microbiology, 2016, 198, 347-352.	1.0	13

#	ARTICLE	IF	CITATIONS
3751	<i>Pelagibacterium lixinzhangensis</i> sp. nov., a Novel Member of the Genus <i>Pelagibacterium</i> . <i>Current Microbiology</i> , 2016, 72, 551-556.	1.0	15
3752	<i>Streptosporangium lutulentum</i> sp. nov., <i>Streptosporangium fenghuangense</i> sp. nov. and <i>Streptosporangium corydalis</i> sp. nov., three novel actinobacterial species isolated from National Forest Park of Fenghuang Mountain. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 439-448.	0.7	13
3753	Characteristics and distribution of <i>Listeria</i> spp., including <i>Listeria</i> species newly described since 2009. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 5273-5287.	1.7	237
3754	<i>Actinomadura gamaensis</i> sp. nov., a novel actinomycete isolated from soil in Gama, Chad. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 833-839.	0.7	15
3755	<i>Deinococcus arenae</i> sp. nov., a novel species isolated from sand in South Korea. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1055-1062.	0.7	10
3756	<i>Micromonospora yasonensis</i> sp. nov., isolated from a Black Sea sediment. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1019-1028.	0.7	13
3757	<i>Streptacidiphilus toruniensis</i> sp. nov., isolated from a pine forest soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1583-1591.	0.7	18
3758	<i>Corynebacterium phoceense</i> sp. nov., strain MC1T a new bacterial species isolated from human urine. <i>New Microbes and New Infections</i> , 2016, 14, 73-82.	0.8	15
3759	<i>Chryseobacterium zhengzhouense</i> sp. nov., isolated from groundwater of the well in a vegetable field, and emended description of the genus <i>Chryseobacterium</i> . <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1299-1306.	0.7	7
3760	<i>Hyphomonas pacifica</i> sp. nov., isolated from deep sea of the Pacific Ocean. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1111-1119.	0.7	7
3761	<i>Amycolatopsis xuchangensis</i> sp. nov. and <i>Amycolatopsis jiguanensis</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1423-1431.	0.7	11
3762	<i>Mesorhizobium olivaresii</i> sp. nov. isolated from <i>Lotus corniculatus</i> nodules. <i>Systematic and Applied Microbiology</i> , 2016, 39, 557-561.	1.2	22
3763	Advances in biodiversity: metagenomics and the unveiling of biological dark matter. <i>Standards in Genomic Sciences</i> , 2016, 11, 69.	1.5	20
3764	<i>Vibrio barjanei</i> sp. nov., a new species of the <i>Mediterranei</i> clade isolated in a shellfish hatchery. <i>Systematic and Applied Microbiology</i> , 2016, 39, 553-556.	1.2	12
3765	<i>Chelatococcus thermostellatus</i> sp. nov., a new thermophile for bioplastic synthesis: comparative phylogenetic and physiological study. <i>AMB Express</i> , 2016, 6, 39.	1.4	9
3766	Identification and characterization of novel natural pathogen of <i>Drosophila melanogaster</i> isolated from wild captured <i>Drosophila</i> spp.. <i>Microbes and Infection</i> , 2016, 18, 813-821.	1.0	7
3767	<i>Pseudomonas kribbensis</i> sp. nov., isolated from garden soils in Daejeon, Korea. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1433-1446.	0.7	12
3768	<i>Citricoccus lacusdiani</i> sp. nov., an actinobacterium promoting <i>Microcystis</i> growth with limited soluble phosphorus. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1457-1465.	0.7	15

#	ARTICLE	IF	CITATIONS
3769	<i>Actinomyces succiniciruminis</i> sp. nov. and <i>Actinomyces glycerinitolerans</i> sp. nov., two novel organic acid-producing bacteria isolated from rumen. <i>Systematic and Applied Microbiology</i> , 2016, 39, 445-452.	1.2	17
3770	<i>Nocardia lasii</i> sp. nov., a novel actinomycete isolated from the cuticle of an ant ( <i>Lasius fuliginosus</i> L). <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1513-1520.	0.7	14
3771	<i>Deinococcus seoulensis</i> sp. nov., a bacterium isolated from sediment at Han River in Seoul, Republic of Korea. <i>Journal of Microbiology</i> , 2016, 54, 537-542.	1.3	14
3772	<i>Saccharopolyspora griseoalba</i> sp. nov., a novel actinomycete isolated from the Dead Sea. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1635-1641.	0.7	7
3773	Characterization and Recognition of <i>Brachyspira hampsonii</i> sp. nov., a Novel Intestinal Spirochete That Is Pathogenic to Pigs. <i>Journal of Clinical Microbiology</i> , 2016, 54, 2942-2949.	1.8	37
3774	<i>Thermococcus piezophilus</i> sp. nov., a novel hyperthermophilic and piezophilic archaeon with a broad pressure range for growth, isolated from a deepest hydrothermal vent at the Mid-Cayman Rise. <i>Systematic and Applied Microbiology</i> , 2016, 39, 440-444.	1.2	47
3775	<i>Lysinibacillus endophyticus</i> sp. nov., an indole-3-acetic acid producing endophytic bacterium isolated from corn root ( <i>Zea mays</i> cv. Xinken-5). <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1337-1344.	0.7	16
3776	<i>Streptomyces malaysiense</i> sp. nov.: A novel Malaysian mangrove soil actinobacterium with antioxidative activity and cytotoxic potential against human cancer cell lines. <i>Scientific Reports</i> , 2016, 6, 24247.	1.6	64
3777	<i>Paraburkholderia caffeinitolerans</i> sp. nov., a caffeine degrading species isolated from a tea plantation soil sample. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1475-1482.	0.7	9
3778	<i>Streptomyces songpinggouensis</i> sp. nov., a Novel Actinomycete Isolated from Soil in Sichuan, China. <i>Current Microbiology</i> , 2016, 73, 796-801.	1.0	6
3779	<i>Dactylosporangium solaniradicis</i> sp. nov., a novel actinobacterium isolated from a root of tomato ( <i>Solanum lycopersicum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 971-977.	0.7	6
3780	High-quality draft genome sequence and description of <i>Haemophilus massiliensis</i> sp. nov.. <i>Standards in Genomic Sciences</i> , 2016, 11, 31.	1.5	47
3781	<i>Flavobacterium panacisoli</i> sp. nov., isolated from soil of a ginseng field. <i>Archives of Microbiology</i> , 2016, 198, 645-651.	1.0	8
3782	<i>Paenibacillus chinensis</i> sp. nov., isolated from maize ( <i>Zea mays</i> L.) seeds. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 207-213.	0.7	8
3783	<i>Oceanobacillus endoradicis</i> sp. nov., an endophytic bacterial species isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 957-964.	0.7	17
3784	<i>Nocardioides pakistanensis</i> sp. nov., isolated from a hot water spring of Tatta Pani in Pakistan. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1101-1109.	0.7	18
3785	Microbial Culturomics to Map Halophilic Bacterium in Human Gut: Genome Sequence and Description of <i>Oceanobacillus jeddahense</i> sp. nov.. <i>OMICS A Journal of Integrative Biology</i> , 2016, 20, 248-258.	1.0	11
3786	<i>Pseudomonas</i> : Molecular Phylogeny and Current Taxonomy. , 2016, , 1-23.		6



#	ARTICLE	IF	CITATIONS
3787	<i>Streptomyces bryophytorum</i> sp. nov., an endophytic actinomycete isolated from moss (Bryophyta). <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1209-1215.	0.7	19
3788	Impact of genomics on the understanding of microbial evolution and classification: the importance of Darwin's views on classification. <i>FEMS Microbiology Reviews</i> , 2016, 40, 520-553.	3.9	73
3789	Algicidal Activity of <i>Streptomyces eurocidicus</i> JXJ-0089 Metabolites and Their Effects on <i>Microcystis</i> Physiology. <i>Applied and Environmental Microbiology</i> , 2016, 82, 5132-5143.	1.4	44
3790	Approved and novel strategies in diagnostics of rat bite fever and other <i>Streptobacillus</i> infections in humans and animals. <i>Virulence</i> , 2016, 7, 630-648.	1.8	47
3791	Identification of <i>Bacillus cellulosensis</i> strain NIO-1130T as a member of <i>Bacillus altitudinis</i> and emendation of the latter. <i>Archives of Microbiology</i> , 2016, 198, 835-838.	1.0	6
3792	<i>Numidum massiliense</i> gen. nov., sp. nov., a new member of the Bacillaceae family isolated from the human gut. <i>New Microbes and New Infections</i> , 2016, 12, 76-85.	0.8	10
3793	<i>Photobacterium sanguinicancris</i> sp. nov. isolated from marine animals. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 817-825.	0.7	24
3794	Noncontiguous finished genome sequence and description of <i>Gabonia massiliensis</i> gen. nov., sp. nov.. <i>New Microbes and New Infections</i> , 2016, 9, 35-44.	0.8	11
3795	The symbiovar trifolii of <i>Rhizobium bangladeshense</i> and <i>Rhizobium aegyptiacum</i> sp. nov. nodulate <i>Trifolium alexandrinum</i> in Egypt. <i>Systematic and Applied Microbiology</i> , 2016, 39, 275-279.	1.2	44
3796	High-quality draft genome sequence of the <i>Thermus amyloliquefaciens</i> type strain YIM 77409T with an incomplete denitrification pathway. <i>Standards in Genomic Sciences</i> , 2016, 11, 20.	1.5	7
3797	<i>Aeromicrobium halotolerans</i> sp. nov., isolated from desert soil sample. <i>Archives of Microbiology</i> , 2016, 198, 423-427.	1.0	31
3798	<i>Mumia xiangluensis</i> sp. nov., isolated from the rhizosphere of <i>Peucedanum praeruptorum</i> Dunn. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 827-832.	0.7	4
3799	<i>Steroidobacter flavus</i> sp. nov., a microcystin-degrading Gammaproteobacterium isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1073-1079.	0.7	16
3800	Microbiology of Fresh Produce: Route of Contamination, Detection Methods, and Remedy. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 2383-2390.	5.4	29
3801	Bottom-Up Proteomics Methods for Strain-Level Typing and Identification of Bacteria. , 2016, , 83-146.		2
3802	<i>Paenibacillus puernese</i> sp. nov., a $\beta$ -glucosidase-producing bacterium isolated from Pu'er tea. <i>Archives of Microbiology</i> , 2016, 198, 211-217.	1.0	6
3803	<i>Bacillus pseudoflexus</i> sp. nov., a moderately halophilic bacterium isolated from compost. <i>Annals of Microbiology</i> , 2016, 66, 895-905.	1.1	4
3804	<i>Tenacibaculum finnmarkense</i> sp. nov., a fish pathogenic bacterium of the family Flavobacteriaceae isolated from Atlantic salmon. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 273-285.	0.7	44

#	ARTICLE	IF	CITATIONS
3805	<i>Streptomyces hyaluromycini</i> sp. nov., isolated from a tunicate ( <i>Molgula manhattensis</i> ). <i>Journal of Antibiotics</i> , 2016, 69, 159-163.	1.0	19
3806	<i>Photobacterium angustum</i> and <i>Photobacterium kishitanii</i> , Psychrotrophic High-Level Histamine-Producing Bacteria Indigenous to Tuna. <i>Applied and Environmental Microbiology</i> , 2016, 82, 2167-2176.	1.4	29
3807	Description of <i>Kibdelosporangium banguiense</i> sp. nov., a novel actinomycete isolated from soil of the forest of Pama, on the plateau of Bangui, Central African Republic. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 685-695.	0.7	12
3808	<i>Microvirga massiliensis</i> sp. nov., the human commensal with the largest genome. <i>MicrobiologyOpen</i> , 2016, 5, 307-322.	1.2	27
3809	<i>Aeromonas lusitana</i> sp. nov., Isolated from Untreated Water and Vegetables. <i>Current Microbiology</i> , 2016, 72, 795-803.	1.0	27
3810	<i>Micromonospora soli</i> sp. nov., isolated from rice rhizosphere soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 449-456.	0.7	15
3811	<i>Roseomonas chloroacetimidivorans</i> sp. nov., a chloroacetamide herbicide-degrading bacterium isolated from activated sludge. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 611-618.	0.7	16
3812	<i>Streptomyces formicae</i> sp. nov., a novel actinomycete isolated from the head of <i>Camponotus japonicus</i> Mayr. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 253-261.	0.7	21
3813	<i>Chryseobacterium panacis</i> sp. nov., isolated from ginseng soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 187-196.	0.7	9
3814	Classification of thermophilic actinobacteria isolated from arid desert soils, including the description of <i>Amycolatopsis deserti</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 319-334.	0.7	25
3815	<i>Nocardioides flava</i> sp. nov., isolated from rhizosphere of poppy plant, Republic of Korea. <i>Archives of Microbiology</i> , 2016, 198, 279-285.	1.0	10
3816	<i>Pantoea hericii</i> sp. nov., Isolated from the Fruiting Bodies of <i>Heridium erinaceus</i> . <i>Current Microbiology</i> , 2016, 72, 738-743.	1.0	22
3817	<i>Lysinibacillus xyleni</i> sp. nov., isolated from a bottle of xylene. <i>Archives of Microbiology</i> , 2016, 198, 325-332.	1.0	16
3818	<i>Hymenobacter rubidus</i> sp. nov., bacterium isolated from a soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 457-466.	0.7	9
3819	<i>Streptomyces humi</i> sp. nov., an actinobacterium isolated from soil of a mangrove forest. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 467-474.	0.7	18
3820	<i>Noviherbaspirillum humi</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 697-704.	0.7	11
3821	<i>Gordonia didemni</i> sp. nov. an actinomycete isolated from the marine ascidium <i>Didemnum</i> sp.. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 297-303.	0.7	21
3822	Identification, characterization and description of <i>Arcobacter faecis</i> sp. nov., isolated from a human waste septic tank. <i>Systematic and Applied Microbiology</i> , 2016, 39, 93-99.	1.2	31

#	ARTICLE	IF	CITATIONS
3823	<i>Ochrobactrum endophyticum</i> sp. nov., isolated from roots of <i>Glycyrrhiza uralensis</i> . Archives of Microbiology, 2016, 198, 171-179.	1.0	33
3824	<i>Actinomadura algeriensis</i> sp. nov., an actinobacterium isolated from Saharan soil. Antonie Van Leeuwenhoek, 2016, 109, 159-165.	0.7	20
3825	Description of <i>Vogesella oryzae</i> sp. nov., isolated from the rhizosphere of saline tolerant pokkali rice. Systematic and Applied Microbiology, 2016, 39, 20-24.	1.2	27
3826	<i>Vibrio bivalvicida</i> sp. nov., a novel larval pathogen for bivalve molluscs reared in a hatchery. Systematic and Applied Microbiology, 2016, 39, 8-13.	1.2	26
3827	<i>Bacillus cellulasensis</i> sp. nov., isolated from marine sediment. Archives of Microbiology, 2016, 198, 83-89.	1.0	13
3828	<i>Micromonospora lycii</i> sp. nov., a novel endophytic actinomycete isolated from wolfberry root ( <i>Lycium chinense</i> Mill). Journal of Antibiotics, 2016, 69, 153-158.	1.0	12
3829	<i>Catellatospora vulcania</i> sp. nov. and <i>Catellatospora paridis</i> sp. nov., two novel actinobacteria isolated from volcanic sediment and the rhizosphere of <i>Paris polyphylla</i> . Antonie Van Leeuwenhoek, 2016, 109, 43-50.	0.7	13
3830	<i>Bacillus depressus</i> sp. nov., isolated from soil of a sunflower field. Antonie Van Leeuwenhoek, 2016, 109, 13-20.	0.7	13
3831	Identification of epiphytic bacterial communities associated with the brown alga <i>Splachnidium rugosum</i> . Journal of Applied Phycology, 2016, 28, 1891-1901.	1.5	67
3832	<i>Streptomonospora tuzyakensis</i> sp. nov., a halophilic actinomycete isolated from saline soil. Antonie Van Leeuwenhoek, 2016, 109, 35-41.	0.7	15
3833	<i>Actinoplanes bogoriensis</i> sp. nov., a novel actinomycete isolated from leaf litter. Journal of Antibiotics, 2016, 69, 26-30.	1.0	11
3834	Microbial community distribution and genetic analysis in a sludge active treatment for a complex industrial wastewater: a study using microbiological and molecular analysis and principal component analysis. Annals of Microbiology, 2016, 66, 397-405.	1.1	9
3835	<i>Frankia discariae</i> sp. nov.: an infective and effective microsymbiont isolated from the root nodule of <i>Discaria trinervis</i> . Archives of Microbiology, 2017, 199, 641-647.	1.0	33
3836	<i>Neptuniibacter pectenicola</i> sp. nov. and <i>Neptuniibacter marinus</i> sp. nov., two novel species isolated from a Great scallop ( <i>Pecten maximus</i> ) hatchery in Norway and emended description of the genus <i>Neptuniibacter</i> . Systematic and Applied Microbiology, 2017, 40, 80-85.	1.2	17
3837	<i>Streptomyces gamaensis</i> sp. nov., a novel actinomycete with antifungal activity isolated from soil in Gama, Chad. Antonie Van Leeuwenhoek, 2017, 110, 471-477.	0.7	9
3838	<i>Pseudoruegeria marinistellae</i> sp. nov., isolated from an unidentified starfish in Sanya, China. Antonie Van Leeuwenhoek, 2017, 110, 187-194.	0.7	18
3839	A novice <i>Achromobacter</i> sp. EMCC1936 strain acts as a plant-growth-promoting agent. Acta Physiologiae Plantarum, 2017, 39, 1.	1.0	22
3840	<i>Novosphingobium profundum</i> sp. nov. isolated from a deep-sea seamount. Antonie Van Leeuwenhoek, 2017, 110, 19-25.	0.7	24

#	ARTICLE	IF	CITATIONS
3841	A glimpse of the diversity of complex polysaccharide-degrading culturable bacteria from Kongsfjorden, Arctic Ocean. <i>Annals of Microbiology</i> , 2017, 67, 203-214.	1.1	12
3842	<i>Kribbella soli</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 641-649.	0.7	15
3843	New insights into the taxonomy of the genus <i>Sphaerospermopsis</i> (Nostocales, Cyanobacteria) with the description of <i>Sphaerospermopsis crassa</i> sp. nov. <i>Phycologia</i> , 2017, 56, 147-158.	0.6	2
3844	<i>Streptomyces aridus</i> sp. nov., isolated from a high altitude Atacama Desert soil and emended description of <i>Streptomyces noboritoensis</i> Isono et al. 1957. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 705-717.	0.7	26
3845	<i>Acidicapsa ferrireducens</i> sp. nov., <i>Acidicapsa acidiphila</i> sp. nov., and <i>Granulicella acidiphila</i> sp. nov.: novel acidobacteria isolated from metal-rich acidic waters. <i>Extremophiles</i> , 2017, 21, 459-469.	0.9	37
3846	<i>Actinomadura alkaliterrae</i> sp. nov., isolated from an alkaline soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 787-794.	0.7	12
3847	<i>Acinetobacter halotolerans</i> sp. nov., a novel halotolerant, alkalitolerant, and hydrocarbon degrading bacterium, isolated from soil. <i>Archives of Microbiology</i> , 2017, 199, 701-710.	1.0	28
3848	<i>Jindonia aestuariivivens</i> gen. nov., sp. nov., isolated from a tidal flat on the south-western sea in Republic of Korea. <i>Journal of Microbiology</i> , 2017, 55, 421-427.	1.3	4
3849	<i>Streptomyces euryhalinus</i> sp. nov., a new actinomycete isolated from a mangrove forest. <i>Journal of Antibiotics</i> , 2017, 70, 747-753.	1.0	21
3850	<i>Microbacterium zeae</i> sp. nov., an endophytic bacterium isolated from maize stem. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 697-704.	0.7	13
3851	<i>Sulfitobacter pontiacus</i> subsp. <i>fungiae</i> subsp. nov., Isolated from Coral <i>Fungia seychellensis</i> from Andaman Sea, and Description of <i>Sulfitobacter pontiacus</i> subsp. <i>pontiacus</i> subsp. nov.. <i>Current Microbiology</i> , 2017, 74, 404-412.	1.0	6
3852	<i>Mesorhizobium delmotii</i> and <i>Mesorhizobium prunedense</i> are two new species containing rhizobial strains within the symbiovar <i>anthyllidis</i> . <i>Systematic and Applied Microbiology</i> , 2017, 40, 135-143.	1.2	27
3853	Two new species of the genus <i>Streptomyces</i> : <i>Streptomyces camponoti</i> sp. nov. and <i>Streptomyces cuticulae</i> sp. nov. isolated from the cuticle of <i>Camponotus japonicus</i> Mayr. <i>Archives of Microbiology</i> , 2017, 199, 963-970.	1.0	21
3854	The impact of culturomics on taxonomy in clinical microbiology. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1327-1337.	0.7	36
3855	<i>Corynebacterium defluvii</i> sp. nov., isolated from Sewage. <i>Journal of Microbiology</i> , 2017, 55, 435-439.	1.3	6
3856	<i>Massilia chloroacetimidivorans</i> sp. nov., a chloroacetamide herbicide-degrading bacterium isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 751-758.	0.7	31
3857	Practically delineating bacterial species with genealogical concordance. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1311-1325.	0.7	12
3858	<i>Terrimonas suqianensis</i> sp. nov., isolated from a tetrabromobisphenol A-contaminated soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1061-1068.	0.7	5

#	ARTICLE	IF	CITATIONS
3859	Nature and origin of the violet stains on the walls of a Roman tomb. <i>Science of the Total Environment</i> , 2017, 598, 889-899.	3.9	10
3860	<i>Pseudomonas sesami</i> sp. nov., a plant growth-promoting Gammaproteobacteria isolated from the rhizosphere of <i>Sesamum indicum</i> L.. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 843-852.	0.7	11
3861	<i>Altererythrobacter lauratis</i> sp. nov. and <i>Altererythrobacter palmitatis</i> sp. nov., isolated from a Tibetan hot spring. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1077-1086.	0.7	25
3862	<i>Aquimarina seongsanensis</i> sp. nov., isolated from sea water. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1019-1025.	0.7	9
3863	<i>Microbacterium rhizosphaerae</i> sp. nov., isolated from a Ginseng field, South Korea. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 11-18.	0.7	7
3864	<i>Blastococcus colisei</i> sp. nov, isolated from an archaeological amphitheatre. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 339-346.	0.7	18
3865	Comparative genome analysis of fish pathogen <i>Flavobacterium columnare</i> reveals extensive sequence diversity within the species. <i>Infection, Genetics and Evolution</i> , 2017, 54, 7-17.	1.0	43
3866	Taxonomy and identification of bacteria associated with acute oak decline. <i>World Journal of Microbiology and Biotechnology</i> , 2017, 33, 143.	1.7	32
3867	<i>Rhodococcus gannanensis</i> sp. nov., a novel endophytic actinobacterium isolated from root of sunflower ( <i>Helianthus annuus</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1113-1120.	0.7	13
3868	<i>Nocardia tengchongensis</i> sp. nov., isolated from a soil sample. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1149-1155.	0.7	12
3869	<i>Bacillus zanthoxyli</i> sp. nov., a novel nematicidal bacterium isolated from Chinese red pepper ( <i>Zanthoxylum bungeanum</i> Maxim) leaves in China. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1179-1187.	0.7	4
3870	A Flavor of Prokaryotic Taxonomy: Systematics Revisited. , 2017, , 29-44.		7
3871	<i>Bradyrhizobium brasiliense</i> sp. nov., a symbiotic nitrogen-fixing bacterium isolated from Brazilian tropical soils. <i>Archives of Microbiology</i> , 2017, 199, 1211-1221.	1.0	30
3872	<i>Frankia inefficax</i> sp. nov., an actinobacterial endophyte inducing ineffective, non nitrogen-fixing, root nodules on its actinorhizal host plants. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 313-320.	0.7	48
3873	<i>Massilioclostridium coli</i> gen. nov., sp. nov., a new member of the Clostridiaceae family isolated from the left colon of a 27-year-old woman. <i>New Microbes and New Infections</i> , 2017, 16, 63-72.	0.8	1
3874	<i>Pantoea alhagi</i> , a novel endophytic bacterium with ability to improve growth and drought tolerance in wheat. <i>Scientific Reports</i> , 2017, 7, 41564.	1.6	129
3875	<i>Lentzea chajnantorensis</i> sp. nov., an actinobacterium from a very high altitude Cerro Chajnantor gravel soil in northern Chile. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 795-802.	0.7	23
3877	A proposal for a portal to make earth's microbial diversity easily accessible and searchable. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1271-1279.	0.7	15

#	ARTICLE	IF	CITATIONS
3878	<i>Hymenobacter knuensis</i> sp. nov., Isolated From River Water. <i>Current Microbiology</i> , 2017, 74, 515-521.	1.0	12
3879	<i>Geodermatophilus daqingensis</i> sp. nov., isolated from petroleum-contaminated soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 803-809.	0.7	12
3880	<i>Spirosoma luteolum</i> sp. nov. isolated from water. <i>Journal of Microbiology</i> , 2017, 55, 247-252.	1.3	22
3881	<i>Saccharothrix ghardaiensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 399-405.	0.7	16
3882	<i>Deinococcus knuensis</i> sp. nov., a bacterium isolated from river water. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 407-414.	0.7	7
3883	Isolation of <i>Paenibacillus tumbae</i> sp. nov., from the tomb of the emperor Yang of the Sui dynasty, and emended description of the genus <i>Paenibacillus</i> . <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 357-364.	0.7	18
3884	VICTOR: genome-based phylogeny and classification of prokaryotic viruses. <i>Bioinformatics</i> , 2017, 33, 3396-3404.	1.8	401
3885	Classification and Taxonomy of Actinobacteria. , 2017, , 51-77.		7
3886	<i>Staphylococcus agnetis</i> , a potential pathogen in broiler breeders. <i>Veterinary Microbiology</i> , 2017, 212, 1-6.	0.8	26
3887	On monospecific genera in prokaryotic taxonomy. <i>Synthetic and Systems Biotechnology</i> , 2017, 2, 226-235.	1.8	5
3888	Species Diversity of Rhizobia. <i>Soil Biology</i> , 2017, , 215-245.	0.6	3
3889	<i>Rhodiferax koreense</i> sp. nov, an obligately aerobic bacterium within the family Comamonadaceae, and emended description of the genus <i>Rhodiferax</i> . <i>Journal of Microbiology</i> , 2017, 55, 767-774.	1.3	17
3890	Genetic diversity and nitrogen fixation of mesorhizobia symbionts of New Zealand endemic <i>Sophora</i> species. <i>New Zealand Journal of Botany</i> , 2017, 55, 466-478.	0.8	11
3891	The new phylogeny of the genus <i>Mycobacterium</i> : The old and the news. <i>Infection, Genetics and Evolution</i> , 2017, 56, 19-25.	1.0	128
3892	Microbial taxonomy in the era of OMICS: application of DNA sequences, computational tools and techniques. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1357-1371.	0.7	54
3893	<i>Spirosoma gilvum</i> sp. nov., Isolated from Beach Soil. <i>Current Microbiology</i> , 2017, 74, 1425-1431.	1.0	9
3894	Multiple <i>Streptomyces</i> species with distinct secondary metabolomes have identical 16S rRNA gene sequences. <i>Scientific Reports</i> , 2017, 7, 11089.	1.6	96
3895	Examination into the taxonomic position of <i>Bacillus thermotolerans</i> Yang et al., 2013, proposal for its reclassification into a new genus and species <i>Quasibacillus thermotolerans</i> gen. nov., comb. nov. and reclassification of <i>B. encimensis</i> Dastager et al., 2015 as a later heterotypic synonym of <i>B. badius</i> . <i>Systematic and Applied Microbiology</i> , 2017, 40, 411-422.	1.2	14

#	ARTICLE	IF	CITATIONS
3896	<i>Allostreptomyces indica</i> sp. nov., isolated from India. <i>Journal of Antibiotics</i> , 2017, 70, 1000-1003.	1.0	4
3898	A review of bioinformatics platforms for comparative genomics. Recent developments of the EDGAR 2.0 platform and its utility for taxonomic and phylogenetic studies. <i>Journal of Biotechnology</i> , 2017, 261, 2-9.	1.9	22
3899	<i>Kribbella sindirgiensis</i> sp. nov. isolated from soil. <i>Archives of Microbiology</i> , 2017, 199, 1399-1407.	1.0	15
3900	<i>Idiomarina andamanensis</i> sp. nov., an alkalitolerant bacterium isolated from Andaman Sea water. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1581-1592.	0.7	13
3901	<i>Thauera phenolivorans</i> sp. nov., a phenol degrading bacterium isolated from activated sludge. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1681-1690.	0.7	21
3902	<i>Saccharopolyspora hattusasensis</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1719-1727.	0.7	9
3904	<i>Spirosoma lituiforme</i> sp. nov., isolated from soil. <i>Journal of Microbiology</i> , 2017, 55, 856-861.	1.3	8
3905	<i>Lysobacter zhanggongensis</i> sp. nov. Isolated from a Pit Mud. <i>Current Microbiology</i> , 2017, 74, 1389-1393.	1.0	8
3906	Comparative Genomics of All Three <i>Campylobacter sputorum</i> Biovars and a Novel Cattle-Associated <i>C. sputorum</i> Clade. <i>Genome Biology and Evolution</i> , 2017, 9, 1513-1518.	1.1	15
3908	<i>Deinococcus malanensis</i> sp. nov., isolated from radiation-polluted soil. <i>Archives of Microbiology</i> , 2017, 199, 621-626.	1.0	7
3909	<i>Streptomyces asenjonii</i> sp. nov., isolated from hyper-arid Atacama Desert soils and emended description of <i>Streptomyces viridosporus</i> Pridham et al. 1958. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1133-1148.	0.7	42
3910	<i>Pseudomonas aestus</i> sp. nov., a plant growth-promoting bacterium isolated from mangrove sediments. <i>Archives of Microbiology</i> , 2017, 199, 1223-1229.	1.0	5
3911	Statistical optimization of production conditions of Î²-glucosidase from <i>Bacillus stratosphericus</i> strain SG9. <i>3 Biotech</i> , 2017, 7, 221.	1.1	7
3912	Genome-Based Reclassification of <i>Fusobacterium nucleatum</i> Subspecies at the Species Level. <i>Current Microbiology</i> , 2017, 74, 1137-1147.	1.0	71
3913	<i>Hymenobacter daeguensis</i> sp. nov. isolated from river water. <i>Journal of Microbiology</i> , 2017, 55, 253-259.	1.3	15
3914	<i>Azohydromonas riparia</i> sp. nov. and <i>Azohydromonas ureilytica</i> sp. nov. isolated from a riverside soil in South Korea. <i>Journal of Microbiology</i> , 2017, 55, 330-336.	1.3	22
3915	<i>Limnobacter humi</i> sp. nov., a thiosulfate-oxidizing, heterotrophic bacterium isolated from humus soil, and emended description of the genus <i>Limnobacter</i> Spring et al. 2001. <i>Journal of Microbiology</i> , 2017, 55, 508-513.	1.3	26
3916	Detection, isolation and characterization of <i>Fusobacterium gastrosuis</i> sp. nov. colonizing the stomach of pigs. <i>Systematic and Applied Microbiology</i> , 2017, 40, 42-50.	1.2	40

#	ARTICLE	IF	CITATIONS
3917	<i>Planomonospora algeriensis</i> sp. nov., an actinobacterium isolated from a Saharan soil of Algeria. Antonie Van Leeuwenhoek, 2017, 110, 245-252.	0.7	15
3918	<i>Streptomyces xiangtanensis</i> sp. nov., isolated from a manganese-contaminated soil. Antonie Van Leeuwenhoek, 2017, 110, 297-304.	0.7	22
3919	<i>Pedobacter panacis</i> sp. nov., isolated from <i>Panax ginseng</i> soil. Antonie Van Leeuwenhoek, 2017, 110, 235-244.	0.7	10
3920	<i>Pusillimonas caeni</i> sp. nov., isolated from a sludge sample of a biofilm reactor. Antonie Van Leeuwenhoek, 2017, 110, 125-132.	0.7	20
3921	Distinct biogeographical patterns of marine bacterial taxonomy and functional genes. <i>Global Ecology and Biogeography</i> , 2017, 26, 177-190.	2.7	65
3922	<i>Aquamicrobium soli</i> sp. nov., a bacterium isolated from a chlorobenzoate-contaminated soil. Antonie Van Leeuwenhoek, 2017, 110, 305-312.	0.7	16
3923	<i>Sinorhodobacter hungdaonensis</i> sp. nov. isolated from activated sludge collected from a municipal wastewater treatment plant. Antonie Van Leeuwenhoek, 2017, 110, 27-32.	0.7	16
3924	<i>Microbacterium lacusdiani</i> sp. nov., a phosphate-solubilizing novel actinobacterium isolated from mucilaginous sheath of <i>Microcystis</i> . <i>Journal of Antibiotics</i> , 2017, 70, 147-151.	1.0	27
3925	<i>Streptomyces castaneus</i> sp. nov., a novel actinomycete isolated from the rhizosphere of <i>Peucedanum praeruptorum</i> Dunn. <i>Archives of Microbiology</i> , 2017, 199, 45-50.	1.0	8
3926	An arsenate-reducing and alkane-metabolizing novel bacterium, <i>Rhizobium arsenicireducens</i> sp. nov., isolated from arsenic-rich groundwater. <i>Archives of Microbiology</i> , 2017, 199, 191-201.	1.0	36
3927	Evolutionary processes and environmental factors underlying the genetic diversity and lifestyles of <i>Bacillus cereus</i> group bacteria. <i>Research in Microbiology</i> , 2017, 168, 309-318.	1.0	43
3928	Whole-Genome Relationships among <i>Francisella</i> Bacteria of Diverse Origins Define New Species and Provide Specific Regions for Detection. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	40
3929	<i>Novosphingobium pokkali</i> sp nov, a novel rhizosphere-associated bacterium with plant beneficial properties isolated from saline-tolerant pokkali rice. <i>Research in Microbiology</i> , 2017, 168, 113-121.	1.0	52
3931	Draft Genome Sequence of <i>Rathayibacter</i> sp. Strain VKM Ac-2630 Isolated from Leaf Gall Induced by the Knapweed Nematode <i>Mesoanguina picridis</i> on <i>Acroptilon repens</i> . <i>Genome Announcements</i> , 2017, 5, .	0.8	9
3932	Genomic characterization reconfirms the taxonomic status of <i>Lactobacillus parakefiri</i> . <i>Bioscience of Microbiota, Food and Health</i> , 2017, 36, 129-134.	0.8	2
3933	Whole-Genome-Based Phylogeny and Taxonomy for Prokaryotes. , 2017, , .		1
3934	A Theory-Based Pragmatism for Discovering and Classifying Newly Divergent Species of Bacterial Pathogens. , 2017, , 25-49.		4
3935	Comparative Genomics Analysis of a New Exiguobacterium Strain from Salar de Huasco Reveals a Repertoire of Stress-Related Genes and Arsenic Resistance. <i>Frontiers in Microbiology</i> , 2017, 8, 456.	1.5	55



#	ARTICLE	IF	CITATIONS
3936	<i>Streptomyces colonosanans</i> sp. nov., A Novel Actinobacterium Isolated from Malaysia Mangrove Soil Exhibiting Antioxidative Activity and Cytotoxic Potential against Human Colon Cancer Cell Lines. <i>Frontiers in Microbiology</i> , 2017, 8, 877.	1.5	72
3937	Antibacterial Activity of Silver Nanoparticles against <i>Staphylococcus warneri</i> Synthesized Using Endophytic Bacteria by Photo-irradiation. <i>Frontiers in Microbiology</i> , 2017, 8, 1090.	1.5	53
3938	Assessment of MultiLocus Sequence Analysis As a Valuable Tool for the Classification of the Genus <i>Salinivibrio</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 1107.	1.5	19
3939	Exploring Microdiversity in Novel <i>Kordia</i> sp. (Bacteroidetes) with Proteorhodopsin from the Tropical Indian Ocean via Single Amplified Genomes. <i>Frontiers in Microbiology</i> , 2017, 8, 1317.	1.5	7
3940	A Multilocus Sequence Analysis Scheme for Phylogeny of <i>Thioclava</i> Bacteria and Proposal of Two Novel Species. <i>Frontiers in Microbiology</i> , 2017, 8, 1321.	1.5	24
3941	Fluorescence Imaging of <i>Streptococcus pneumoniae</i> with the <i>Helix pomatia</i> agglutinin (HPA) As a Potential, Rapid Diagnostic Tool. <i>Frontiers in Microbiology</i> , 2017, 8, 1333.	1.5	5
3942	Ecogenomics and Taxonomy of Cyanobacteria Phylum. <i>Frontiers in Microbiology</i> , 2017, 8, 2132.	1.5	99
3943	Genome-Scale Data Call for a Taxonomic Rearrangement of Geodermatophilaceae. <i>Frontiers in Microbiology</i> , 2017, 8, 2501.	1.5	105
3944	Genomic diversity within the haloalkaliphilic genus <i>Thioalkalivibrio</i> . <i>PLoS ONE</i> , 2017, 12, e0173517.	1.1	42
3945	<i>Streptomyces cameroonensis</i> sp. nov., a Geldanamycin Producer That Promotes <i>Theobroma cacao</i> Growth. <i>Microbes and Environments</i> , 2017, 32, 24-31.	0.7	22
3946	Introducing EzBioCloud: a taxonomically united database of 16S rRNA gene sequences and whole-genome assemblies. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1613-1617.	0.8	5,862
3947	<i>Streptomyces tunisialbus</i> sp. nov., a novel <i>Streptomyces</i> species with antimicrobial activity. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1571-1581.	0.7	18
3948	<i>Larkinella roseus</i> sp. nov., a species of the family Cytophagaceae isolated from beach soil. <i>Journal of Microbiology</i> , 2018, 56, 30-35.	1.3	9
3949	<i>Streptosporangium minutum</i> sp. nov., isolated from garden soil exposed to microwave radiation. <i>Journal of Antibiotics</i> , 2018, 71, 564-574.	1.0	6
3950	Testing culture purity in prokaryotes: criteria and challenges. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1509-1521.	0.7	5
3951	<i>Cellulosimicrobium arenosum</i> sp. nov., Isolated from Marine Sediment Sand. <i>Current Microbiology</i> , 2018, 75, 901-906.	1.0	12
3952	One More Decade of <i>Agrobacterium</i> Taxonomy. <i>Current Topics in Microbiology and Immunology</i> , 2018, 418, 1-14.	0.7	21
3953	<i>Flavisolibacter carri</i> sp. nov., isolated from an automotive air-conditioning system. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1969-1976.	0.7	3

#	ARTICLE	IF	CITATIONS
3954	Characterization of <i>Solibacillus silvestris</i> strain AM1 that produces amyloid bioemulsifier. <i>Journal of Basic Microbiology</i> , 2018, 58, 523-531.	1.8	8
3955	<i>Pseudopropionibacterium rubrum</i> sp. nov., a novel red-pigmented species isolated from human gingival sulcus. <i>Microbiology and Immunology</i> , 2018, 62, 388-394.	0.7	13
3956	<i>Hoeflea prorocentri</i> sp. nov., isolated from a culture of the marine dinoflagellate <i>Prorocentrum mexicanum</i> PM01. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1845-1853.	0.7	20
3957	Taxonomic description and genome sequence of <i>Halobacillus marinus</i> sp. nov., a novel strain isolated from Chilika Lake, India. <i>Journal of Microbiology</i> , 2018, 56, 223-230.	1.3	9
3958	<i>Acidovorax monticola</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1925-1934.	0.7	11
3959	Reclassification of <i>Nocardia</i> species based on whole genome sequence and associated phenotypic data. <i>Journal of Antibiotics</i> , 2018, 71, 633-641.	1.0	11
3960	Diversity within the novel <i>Dickeya fangzhongdai</i> sp., isolated from infected orchids, water and pears. <i>Plant Pathology</i> , 2018, 67, 1612-1620.	1.2	28
3961	<i>Luteibacter pinisoli</i> sp. nov., a casein degrading bacterium isolated from rhizospheric soil of <i>Pinus koraiensis</i> . <i>Archives of Microbiology</i> , 2018, 200, 1017-1023.	1.0	15
3962	<i>Streptomyces urticae</i> sp. nov., isolated from rhizosphere soil of <i>Urtica urens</i> L.. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1835-1843.	0.7	5
3963	<i>Hymenobacter terrigena</i> sp. nov., isolated from soil. <i>Journal of Microbiology</i> , 2018, 56, 231-237.	1.3	7
3964	<i>Geodermatophilus chilensis</i> sp. nov., from soil of the Yungay core-region of the Atacama Desert, Chile. <i>Systematic and Applied Microbiology</i> , 2018, 41, 427-436.	1.2	25
3965	<i>Bacillus onubensis</i> sp. nov., isolated from the air of two Andalusian caves. <i>Systematic and Applied Microbiology</i> , 2018, 41, 167-172.	1.2	26
3966	<i>Halomonas tabrizica</i> sp. nov., a novel moderately halophilic bacterium isolated from Urmia Lake in Iran. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1139-1148.	0.7	16
3967	<i>Lysobacter spongiae</i> sp. nov., isolated from spongin. <i>Journal of Microbiology</i> , 2018, 56, 97-103.	1.3	13
3968	<i>Bradyrhizobium forestalis</i> sp. nov., an efficient nitrogen-fixing bacterium isolated from nodules of forest legume species in the Amazon. <i>Archives of Microbiology</i> , 2018, 200, 743-752.	1.0	29
3969	<i>Amycolatopsis vastitatis</i> sp. nov., an isolate from a high altitude subsurface soil on Cerro Chajnantor, northern Chile. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1523-1533.	0.7	16
3970	<i>Aquincola amnicola</i> sp. nov., isolated from a freshwater river. <i>Archives of Microbiology</i> , 2018, 200, 811-817.	1.0	9
3971	<i>Chitinophaga caseinilytica</i> sp. nov., a casein hydrolysing bacterium isolated from forest soil. <i>Archives of Microbiology</i> , 2018, 200, 645-651.	1.0	11

#	ARTICLE	IF	CITATIONS
3972	<i>Spirosoma agri</i> sp. nov., Isolated from Apple Orchard Soil. <i>Current Microbiology</i> , 2018, 75, 694-700.	1.0	13
3973	<i>Chryseobacterium chungangensis</i> sp. nov., a bacterium isolated from soil of sweet gourd garden. <i>Archives of Microbiology</i> , 2018, 200, 581-587.	1.0	26
3974	<i>Tepidimonas sediminis</i> sp. nov. and <i>Tepidimonas alkaliphilus</i> sp. nov., two novel moderately thermophilic species isolated from a hot spring. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1023-1031.	0.7	17
3975	<i>Vagococcus teuberi</i> sp. nov., isolated from the Malian artisanal sour milk fãnã. <i>Systematic and Applied Microbiology</i> , 2018, 41, 65-72.	1.2	19
3976	<i>Parendoziocomonas haliclona</i> gen. nov. sp. nov. isolated from a marine sponge of the genus <i>Haliclona</i> and description of the family <i>Endoziocomonadaceae</i> fam. nov. comprising the genera <i>Endoziocomonas</i> , <i>Parendoziocomonas</i> , and <i>Kistimonas</i> . <i>Systematic and Applied Microbiology</i> , 2018, 41, 73-84.	1.2	48
3978	Genome sequence and comparative analysis of <i>Jiangella alba</i> YIM 61503T isolated from a medicinal plant <i>Maytenus austroyunnanensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 667-678.	0.7	1
3979	<i>Glycomyces tritici</i> sp. nov., isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.) and emended description of the genus <i>Glycomyces</i> . <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1087-1093.	0.7	15
3980	Genome-based classification of micromonosporae with a focus on their biotechnological and ecological potential. <i>Scientific Reports</i> , 2018, 8, 525.	1.6	102
3981	<i>Streptomyces flavalbus</i> sp. nov., an actinobacterium isolated from rhizosphere of maize ( <i>Zea mays</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1047-1054.	0.7	4
3982	<i>Kurthia ruminicola</i> sp. nov., isolated from the rumen contents of a Holstein cow. <i>Journal of Microbiology</i> , 2018, 56, 36-41.	1.3	2
3983	<i>Nonomuraea lycopersici</i> sp. nov., isolated from the root of tomato plants ( <i>Solanum lycopersicum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1095-1103.	0.7	5
3984	<i>Vibrio coralliirubri</i> sp. nov., a new species isolated from mucus of red coral ( <i>Corallium rubrum</i> ) collected at Procida island, Italy. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1105-1115.	0.7	18
3985	Studying microbial functionality within the gut ecosystem by systems biology. <i>Genes and Nutrition</i> , 2018, 13, 5.	1.2	31
3986	Clustering of Pan- and Core-genome of <i>Lactobacillus</i> provides Novel Evolutionary Insights for Differentiation. <i>BMC Genomics</i> , 2018, 19, 284.	1.2	65
3987	The hologenome concept of evolution after 10Âyears. <i>Microbiome</i> , 2018, 6, 78.	4.9	326
3988	<i>Mesoflavibacter profundi</i> sp. nov. Isolated from a Deep-Sea Seamount. <i>Current Microbiology</i> , 2018, 75, 1142-1146.	1.0	1
3989	<i>Agromyces mangrovi</i> sp. nov., a novel actinobacterium isolated from the rhizosphere of a mangrove. <i>Archives of Microbiology</i> , 2018, 200, 939-943.	1.0	10
3990	Characterization of <i>Flavobacterium aquimarinum</i> sp. nov., a halotolerant bacterium isolated from seawater. <i>Journal of Microbiology</i> , 2018, 56, 317-323.	1.3	9

#	ARTICLE	IF	CITATIONS
3991	Whole-Genome Sequencing of <i>Aggregatibacter</i> Species Isolated from Human Clinical Specimens and Description of <i>Aggregatibacter kilianii</i> sp. nov. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	25
3992	Robust <i>Frankia</i> phylogeny, species delineation and intraspecies diversity based on Multi-Locus Sequence Analysis (MLSA) and Single-Locus Strain Typing (SLST) adapted to a large sample size. <i>Systematic and Applied Microbiology</i> , 2018, 41, 311-323.	1.2	29
3993	<i>Phenylobacterium terrae</i> sp. nov., isolated from a soil sample of Khyber-Pakhtun-Khwa, Pakistan. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1767-1775.	0.7	10
3994	<i>Flavobacterium chungangensis</i> sp. nov., a Bacterium Isolated from Soil of Chinese Cabbage Garden. <i>Current Microbiology</i> , 2018, 75, 842-848.	1.0	8
3995	<i>Thauera sinica</i> sp. nov., a phenol derivative-degrading bacterium isolated from activated sludge. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 945-954.	0.7	15
3996	Clinical Decisions: How Relevant is Modern Bacterial Taxonomy for Clinical Microbiologists?. <i>Clinical Microbiology Newsletter</i> , 2018, 40, 51-57.	0.4	13
3997	Formal description of <i>Mycobacterium neglectum</i> sp. nov. and <i>Mycobacterium palauense</i> sp. nov., rapidly growing actinobacteria. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1209-1223.	0.7	12
3998	<i>Nibri bacter flagellatus</i> sp. nov., isolated from rhizosphere of <i>Hibiscus syriacus</i> and emended description of the genus <i>Nibri bacter</i> . <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1777-1784.	0.7	4
3999	Draft Genome Sequence of an Extracellular Protease-Producing Bacterium, <i>Stenotrophomonas bentonitica</i> sp. nov., Isolated from Arctic Seawater. <i>Genome Announcements</i> , 2018, 6, .	0.8	2
4000	Microbial Culturomics Application for Global Health: Noncontiguous Finished Genome Sequence and Description of <i>Pseudomonas massiliensis</i> sp. nov. in Brazil. <i>OMICS A Journal of Integrative Biology</i> , 2018, 22, 164-175.	1.0	6
4001	<i>Larkinella terrae</i> sp. nov., isolated from soil on Jeju Island, South Korea. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 333-341.	0.7	8
4002	Revisiting the taxonomy of the genus <i>Elizabethkingia</i> using whole-genome sequencing, optical mapping, and MALDI-TOF, along with proposal of three novel <i>Elizabethkingia</i> species: <i>Elizabethkingia bruniana</i> sp. nov., <i>Elizabethkingia ursingii</i> sp. nov., and <i>Elizabethkingia occulta</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 55-72.	0.7	91
4003	<i>Plantactinospora solaniradicis</i> sp. nov., a novel actinomycete isolated from the root of a tomato plant ( <i>Solanum lycopersicum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 227-235.	0.7	8
4004	Isolation, purification, structural elucidation and antimicrobial activities of kocumarin, a novel antibiotic isolated from actinobacterium <i>Kocuria marina</i> CMG S2 associated with the brown seaweed <i>Pelvetia canaliculata</i> . <i>Microbiological Research</i> , 2018, 206, 186-197.	2.5	47
4005	<i>Streptomyces lasii</i> sp. nov., a Novel Actinomycete with Antifungal Activity Isolated from the Head of an Ant ( <i>Lasius flavus</i> ). <i>Current Microbiology</i> , 2018, 75, 353-358.	1.0	17
4006	<i>Spirosoma terrae</i> sp. nov., Isolated from Soil from Jeju Island, Korea. <i>Current Microbiology</i> , 2018, 75, 492-498.	1.0	16
4007	<i>Ponticoccus alexandrii</i> sp. nov., a novel bacterium isolated from the marine toxigenic dinoflagellate <i>Alexandrium minutum</i> . <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 995-1000.	0.7	10
4008	<i>Caenispillum humi</i> sp. nov., a bacterium isolated from the soil of Korean pine garden. <i>Archives of Microbiology</i> , 2018, 200, 343-348.	1.0	19

#	ARTICLE	IF	CITATIONS
4009	<i>Verrucosipora rhizosphaerae</i> sp. nov., isolated from mangrove rhizosphere soil. Antonie Van Leeuwenhoek, 2018, 111, 125-133.	0.7	1
4010	<i>Streptomyces sediminis</i> sp. nov. isolated from crater lake sediment. Antonie Van Leeuwenhoek, 2018, 111, 493-500.	0.7	23
4011	<i>Streptomyces swartbergensis</i> sp. nov., a novel tyrosinase and antibiotic producing actinobacterium. Antonie Van Leeuwenhoek, 2018, 111, 589-600.	0.7	9
4012	Description of <i>Deinococcus populi</i> sp. nov. from the trunk surface of a Japanese aspen tree. Archives of Microbiology, 2018, 200, 291-297.	1.0	3
4013	First analysis by MALDI-TOF MS technique of <i>Chryseobacterium</i> species relevant to aquaculture. Journal of Fish Diseases, 2018, 41, 389-393.	0.9	4
4014	Nocardiosis from 1888 to 2017. Microbial Pathogenesis, 2018, 114, 369-384.	1.3	100
4015	<i>Cupriavidus malaysiensis</i> sp. nov., a novel poly(3-hydroxybutyrate-co-4-hydroxybutyrate) accumulating bacterium isolated from the Malaysian environment. Antonie Van Leeuwenhoek, 2018, 111, 361-372.	0.7	5
4016	<i>Kribbella podocarpi</i> sp. nov., isolated from the leaves of a yellowwood tree ( <i>Podocarpus latifolius</i> ). Antonie Van Leeuwenhoek, 2018, 111, 875-882.	0.7	13
4017	<i>Maribacter marinus</i> sp. nov. isolated from a deep-sea seamount. Antonie Van Leeuwenhoek, 2018, 111, 883-889.	0.7	0
4018	<i>Spirosoma humi</i> sp. nov., Isolated from Soil in South Korea. Current Microbiology, 2018, 75, 328-335.	1.0	13
4019	<i>Spirosoma harenae</i> sp. nov., a Bacterium Isolated from a Sandy Beach. Current Microbiology, 2018, 75, 179-185.	1.0	11
4020	Genotyping of <i>Bartonella</i> bacteria and their animal hosts: current status and perspectives. Parasitology, 2018, 145, 543-562.	0.7	58
4021	Efficient Ammonium Removal by Bacteria <i>Rhodopseudomonas</i> Isolated from Natural Landscape Water: China Case Study. Water (Switzerland), 2018, 10, 1107.	1.2	6
4022	Draft Genome Sequence of <i>Pseudomonas</i> sp. Strain MWU12-2534b, Isolated from a Wild Cranberry Bog in Truro, Massachusetts. Microbiology Resource Announcements, 2018, 7, .	0.3	5
4023	Draft Genome Sequence of <i>Aquitalea</i> sp. Strain MWU14-2217, Isolated from a Wild Cranberry Bog in Provincetown, Massachusetts. Microbiology Resource Announcements, 2018, 7, .	0.3	4
4024	Draft Genome Sequences of <i>Pseudomonas</i> MWU13-2625 and MWU12-2115, Isolated from a Wild Cranberry Bog at the Cape Cod National Seashore. Microbiology Resource Announcements, 2018, 7, .	0.3	4
4025	<i>k</i> -mer Similarity, Networks of Microbial Genomes, and Taxonomic Rank. MSystems, 2018, 3, .	1.7	30
4027	Polyphyly in 16S rRNA-based LVTreE Versus Monophyly in Whole-genome-based CVTree. Genomics, Proteomics and Bioinformatics, 2018, 16, 310-319.	3.0	8

#	ARTICLE	IF	CITATIONS
4028	ãf†ãf¼ã,¿ãf™ãf¼ã,1ãã,‰ç™ºè   «ãã,Œããã,ãã,»ãfªèŒããã,µãf-ã,°ãf«ãf¼ãf—. Kagaku To Seibutsu, 2018, 56, 459-460. 0		0
4029	Genome Analysis of Vallitalea guaymasensis Strain L81 Isolated from a Deep-Sea Hydrothermal Vent System. Microorganisms, 2018, 6, 63.	1.6	13
4030	Phylogeny and Biodiversity of Prokaryotes. , 2018, , 23-55.		0
4031	Lyngbya regalis sp. nov. (Oscillatoriales, Cyanophyceae), a new tropical marine cyanobacterium. Phytotaxa, 2018, 367, 120.	0.1	3
4032	Parabacteroides chongii sp. nov., isolated from blood of a patient with peritonitis. Journal of Microbiology, 2018, 56, 722-726.	1.3	14
4033	Anaerobic Hydrocarbon-Degrading Deltaproteobacteria. , 2018, , 1-38.		12
4034	Genome-Based Analysis Reveals the Taxonomy and Diversity of the Family Idiominaceae. Frontiers in Microbiology, 2018, 9, 2453.	1.5	48
4035	Comparative genomics of cocci-shaped Sporosarcina strains with diverse spatial isolation. BMC Genomics, 2018, 19, 310.	1.2	9
4036	Roseovarius tibetensis sp. nov., a halophilic bacterium isolated from Lake LongmuCo on Tibetan Plateau. Journal of Microbiology, 2018, 56, 783-789.	1.3	10
4037	Genome sequencing and functional analysis of an environmental isolate Escherichia coli Cont-1 revealed its genetic basis of arsenic-transformation and niche adaptation. Ecological Genetics and Genomics, 2018, 9, 34-42.	0.3	1
4038	Metal Transformation by a Novel Pelosinus Isolate From a Subsurface Environment. Frontiers in Microbiology, 2018, 9, 1689.	1.5	7
4039	Laboratory Methods in Molecular Epidemiology: Bacterial Infections. Microbiology Spectrum, 2018, 6, .	1.2	7
4040	Thermus sediminis sp. nov., a thiosulfate-oxidizing and arsenate-reducing organism isolated from Little Hot Creek in the Long Valley Caldera, California. Extremophiles, 2018, 22, 983-991.	0.9	20
4041	Clinical Mass Spectrometry in the Bioinformatics Era: A Hitchhikerâ€™s Guide. Computational and Structural Biotechnology Journal, 2018, 16, 316-334.	1.9	24
4042	Brevundimonas mongoliensis sp. nov., A Novel Psychrotolerant Bacterium Isolated from Oil-Contaminated Soil. Current Microbiology, 2018, 75, 1530-1536.	1.0	11
4043	Genome-Based Taxonomic Classification of the Phylum Actinobacteria. Frontiers in Microbiology, 2018, 9, 2007.	1.5	2,599
4044	Identification and Classification for the Lactobacillus casei Group. Frontiers in Microbiology, 2018, 9, 1974.	1.5	67
4046	Aestuariibaculum marinum sp. nov., a marine bacterium isolated from seawater in South Korea. Journal of Microbiology, 2018, 56, 614-618.	1.3	14

#	ARTICLE	IF	CITATIONS
4047	<i>Rhodobacter alkalitolerans</i> sp. nov., isolated from an alkaline brown pond. Archives of Microbiology, 2018, 200, 1487-1492.	1.0	26
4048	<i>Scopulibacillus cellulosityticus</i> sp. nov., a cellulose-degrading bacterium isolated from tea. Antonie Van Leeuwenhoek, 2018, 111, 2087-2094.	0.7	3
4049	Towards a congruent reclassification and nomenclature of the thermophilic species of the genus <i>Pseudothermotoga</i> within the order Thermotogales. Systematic and Applied Microbiology, 2018, 41, 555-563.	1.2	24
4050	<i>Nonomuraea insulae</i> sp. nov., isolated from forest soil. Antonie Van Leeuwenhoek, 2018, 111, 2051-2059.	0.7	10
4051	Diversity and Taxonomy of Methanogens. , 2018, , 1-59.		2
4052	<i>Promicromonospora viridis</i> sp. nov., a novel actinomycete isolated from soil. Antonie Van Leeuwenhoek, 2018, 111, 2079-2086.	0.7	2
4053	<i>Fictibacillus iocasae</i> sp. nov., isolated from the deep-sea sediment in Pacmanus, Manus Basin. Archives of Microbiology, 2018, 200, 1123-1128.	1.0	3
4054	<i>Flavobacterium ureilyticum</i> sp. nov., a novel urea hydrolysing bacterium isolated from stream bank soil. Antonie Van Leeuwenhoek, 2018, 111, 2131-2139.	0.7	13
4055	<i>Saccharothrix tharensis</i> sp. nov., an actinobacterium isolated from the Thar Desert, India. Antonie Van Leeuwenhoek, 2018, 111, 2141-2147.	0.7	7
4056	<i>Streptomyces dioscori</i> sp. nov., a Novel Endophytic Actinobacterium Isolated from Bulbil of <i>Dioscorea bulbifera</i> L. Current Microbiology, 2018, 75, 1384-1390.	1.0	15
4057	The Genus <i>Macrococcus</i> . Advances in Applied Microbiology, 2018, 105, 1-50.	1.3	22
4058	<i>Eggerthella timonensis</i> sp. nov, a new species isolated from the stool sample of a pygmy female. MicrobiologyOpen, 2018, 7, e00575.	1.2	5
4059	Taxonomic description and draft genome of <i>Pseudomonas sediminis</i> sp. nov., isolated from the rhizospheric sediment of <i>Phragmites karka</i> . Journal of Microbiology, 2018, 56, 458-466.	1.3	9
4060	<i>Actinoplanes deserti</i> sp. nov., isolated from a desert soil sample. Antonie Van Leeuwenhoek, 2018, 111, 2303-2310.	0.7	8
4061	â€œCandidatus Nitrosotenuis aquarius,â€•an Ammonia-Oxidizing Archaeon from a Freshwater Aquarium Biofilter. Applied and Environmental Microbiology, 2018, 84, .	1.4	36
4062	Description of <i>Hymenobacter daejeonensis</i> sp. nov., isolated from grass soil, based on multilocus sequence analysis of the 16S rRNA gene, <i>gyrB</i> and <i>tuf</i> genes. Antonie Van Leeuwenhoek, 2018, 111, 2283-2292.	0.7	12
4063	Differences in microbial key players in anaerobic degradation between biogas and sewage treatment plants. International Biodeterioration and Biodegradation, 2018, 133, 124-132.	1.9	33
4064	<i>Paenibacillus maysiensis</i> sp. nov., a Nitrogen-Fixing Species Isolated from the Rhizosphere Soil of Maize. Current Microbiology, 2018, 75, 1267-1273.	1.0	6

#	ARTICLE	IF	CITATIONS
4065	<i>Halomonas tibetensis</i> sp. nov., isolated from saline lakes on Tibetan Plateau. <i>Journal of Microbiology</i> , 2018, 56, 493-499.	1.3	11
4066	<i>Microvirga rosea</i> sp. nov.: a nanoparticle producing bacterium isolated from soil of rose garden. <i>Archives of Microbiology</i> , 2018, 200, 1439-1445.	1.0	17
4067	<i>Leifsonia flava</i> sp. nov., a novel actinobacterium isolated from the rhizosphere of <i>Aquilegia viridiflora</i> . <i>Journal of Microbiology</i> , 2018, 56, 549-555.	1.3	7
4068	<i>Mesorhizobium hankyongi</i> sp. nov. Isolated from Soil of Ginseng Cultivating Field. <i>Current Microbiology</i> , 2018, 75, 1453-1459.	1.0	9
4069	<i>Streptomyces nigra</i> sp. nov. Is a Novel Actinobacterium Isolated From Mangrove Soil and Exerts a Potent Antitumor Activity in Vitro. <i>Frontiers in Microbiology</i> , 2018, 9, 1587.	1.5	29
4070	Diversity and Taxonomy of Methanogens. , 2018, , 1-59.		5
4071	Proposal of three novel species of soil bacteria, <i>Variovorax ureilyticus</i> , <i>Variovorax rhizosphaerae</i> , and <i>Variovorax robiniae</i> , in the family Comamonadaceae. <i>Journal of Microbiology</i> , 2018, 56, 485-492.	1.3	19
4072	<i>Vibrio tapetis</i> Displays an Original Type IV Secretion System in Strains Pathogenic for Bivalve Molluscs. <i>Frontiers in Microbiology</i> , 2018, 9, 227.	1.5	12
4073	Ecology, Epidemiology and Disease Management of <i>Ralstonia syzygii</i> in Indonesia. <i>Frontiers in Microbiology</i> , 2018, 9, 419.	1.5	27
4074	Pangenomic Definition of Prokaryotic Species and the Phylogenetic Structure of <i>Prochlorococcus</i> spp.. <i>Frontiers in Microbiology</i> , 2018, 9, 428.	1.5	36
4075	Genotypic and Lipid Analyses of Strains From the Archaeal Genus <i>Halorubrum</i> Reveal Insights Into Their Taxonomy, Divergence, and Population Structure. <i>Frontiers in Microbiology</i> , 2018, 9, 512.	1.5	19
4076	Description and Comparative Genomics of <i>Macrococcus caseolyticus</i> subsp. <i>hominis</i> subsp. nov., <i>Macrococcus goetzii</i> sp. nov., <i>Macrococcus epidermidis</i> sp. nov., and <i>Macrococcus bohemicus</i> sp. nov., Novel <i>Macrococci</i> From Human Clinical Material With Virulence Potential and Suspected Uptake of Foreign DNA by Natural Transformation. <i>Frontiers in Microbiology</i> , 2018, 9, 1178.	1.5	65
4077	Defining the Species <i>Micromonospora saelicesensis</i> and <i>Micromonospora noduli</i> Under the Framework of Genomics. <i>Frontiers in Microbiology</i> , 2018, 9, 1360.	1.5	32
4078	<i>Actinomadura hankyongense</i> sp. nov. Isolated From Soil of Ginseng Cultivating Field. <i>Current Microbiology</i> , 2018, 75, 1401-1407.	1.0	6
4079	<i>Streptomyces xianguensis</i> sp. nov., a novel actinomycete isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2249-2256.	0.7	4
4080	<i>Hymenobacter jeollabukensis</i> sp. nov., isolated from soil. <i>Journal of Microbiology</i> , 2018, 56, 500-506.	1.3	10
4081	<i>Flavobacterium knui</i> sp. nov., a novel member of the family Flavobacteriaceae. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2393-2402.	0.7	6
4082	<i>Streptomyces lutosoli</i> sp. nov., a novel actinomycete isolated from muddy soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2403-2412.	0.7	3



#	ARTICLE	IF	CITATIONS
4083	Analysis of the genome sequence of plant beneficial strain <i>Pseudomonas</i> sp. RU47. <i>Journal of Biotechnology</i> , 2018, 281, 183-192.	1.9	15
4084	<i>Dyadobacter flavus</i> sp. nov. and <i>Dyadobacter terricola</i> sp. nov., two novel members of the family Cytophagaceae isolated from forest soil. <i>Archives of Microbiology</i> , 2018, 200, 1067-1074.	1.0	29
4085	<i>Nonomuraea rhizosphaerae</i> sp. nov., an actinomycete isolated from the rhizosphere soil of a rubber tree ( <i>Hevea brasiliensis</i> Muell. Arg.). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2009-2016.	0.7	4
4086	<i>Ponticaulis profundi</i> sp. nov. isolated from a deep-sea seamount. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1191-1196.	0.7	4
4087	<i>Flavobacterium zaozhuangense</i> sp. nov., a new member of the family Flavobacteriaceae, isolated from metolachlor-contaminated soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1977-1984.	0.7	6
4088	BMScan: using whole genome similarity to rapidly and accurately identify bacterial meningitis causing species. <i>BMC Infectious Diseases</i> , 2018, 18, 405.	1.3	13
4089	<i>Spirillospora tritici</i> sp. nov., a Novel Actinomycete Isolated from Rhizosphere Soil of Triticum aestivum L.. <i>Current Microbiology</i> , 2018, 75, 1477-1483.	1.0	1
4090	Purification and Identification of Astaxanthin and Its Novel Derivative Produced by Radio-tolerant <i>Sphingomonas astaxanthinifaciens</i> . <i>Methods in Molecular Biology</i> , 2018, 1852, 171-192.	0.4	7
4091	<i>Sphingobium tyrosinilyticum</i> sp. nov., a tyrosine hydrolyzing bacterium isolated from Korean radish garden. <i>Archives of Microbiology</i> , 2018, 200, 1143-1149.	1.0	3
4092	<i>Pseudoruegeria litorisediminis</i> sp. nov., a novel lipolytic bacterium of the family Rhodobacteraceae isolated from a tidal flat. <i>Archives of Microbiology</i> , 2018, 200, 1183-1189.	1.0	3
4093	<i>Hymenobacter segetis</i> sp. nov., isolated from soil. <i>Archives of Microbiology</i> , 2018, 200, 1167-1175.	1.0	7
4094	<i>Zhongshania ponticola</i> sp. nov., a novel lipolytic bacterium of the class Gammaproteobacteria isolated from seawater. <i>Archives of Microbiology</i> , 2018, 200, 1177-1182.	1.0	3
4095	Characterization of the Genus <i>Sinomonas</i> . , 2018, , 179-190.		2
4096	<i>Rhizobium tumorigenes</i> sp. nov., a novel plant tumorigenic bacterium isolated from cane gall tumors on thornless blackberry. <i>Scientific Reports</i> , 2018, 8, 9051.	1.6	32
4097	<i>Bacillus ferrooxidans</i> sp. nov., an iron(II)-oxidizing bacterium isolated from paddy soil. <i>Journal of Microbiology</i> , 2018, 56, 472-477.	1.3	5
4098	Noncontiguous finished genome sequence and description of <i>Intestinimonas massiliensis</i> sp. nov strain <i>GD<sup>2</sup>T</i> , the second <i>Intestinimonas</i> species cultured from the human gut. <i>MicrobiologyOpen</i> , 2019, 8, e00621.	1.2	19
4099	<i>Frankia torreyi</i> sp. nov., the first actinobacterium of the genus <i>Frankia</i> Brunchorst 1886, 174AL isolated in axenic culture. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 57-65.	0.7	29
4100	Dialogue on the nomenclature and classification of prokaryotes. <i>Systematic and Applied Microbiology</i> , 2019, 42, 5-14.	1.2	41

#	ARTICLE	IF	CITATIONS
4101	MIMOSA: Algorithms for Microbial Profiling. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2019, 16, 1-1.	1.9	1
4102	Hymenobacter oligotrophus sp. nov., isolated from a contaminated agar plate. Antonie Van Leeuwenhoek, 2019, 112, 1533-1544.	0.7	2
4103	Comparative genomic and functional analysis of Akkermansia muciniphila and closely related species. Genes and Genomics, 2019, 41, 1253-1264.	0.5	33
4104	Antimicrobial properties of the novel bacterial isolate Paenibacillus sp. SMB1 from a halo-alkaline lake in India. Scientific Reports, 2019, 9, 11561.	1.6	21
4105	Labeledella phragmitis sp. nov. and Labeledella populi sp. nov., two endophytic actinobacteria isolated from plants in the Taklamakan Desert and emended description of the genus Labeledella. Systematic and Applied Microbiology, 2019, 42, 126004.	1.2	20
4106	Diversity and Taxonomy of Methanogens. , 2019, , 19-77.		2
4107	Emerging Concepts in Bacterial Taxonomy. , 2019, , 3-22.		1
4108	Genome-based reclassification of Bacillus plakortidis Borchert et al. 2007 and Bacillus lehensis Ghosh et al. 2007 as a later heterotypic synonym of Bacillus oshimensis Yumoto et al. 2005; Bacillus rhizosphaerae Madhaiyan et al. 2011 as a later heterotypic synonym of Bacillus clausii Nielsen et al. 1995. Antonie Van Leeuwenhoek, 2019, 112, 1725-1730.	0.7	25
4109	Amnibacterium setariae sp. nov., an endophytic actinobacterium isolated from dried foxtail. Antonie Van Leeuwenhoek, 2019, 112, 1731-1738.	0.7	17
4110	Re-addressing the biosafety issues of plant growth promoting rhizobacteria. Science of the Total Environment, 2019, 690, 841-852.	3.9	94
4111	Molecular identification and phylogenetic relationships of clinical Nocardia isolates. Antonie Van Leeuwenhoek, 2019, 112, 1755-1766.	0.7	10
4112	Genome-based taxonomic revision detects a number of synonymous taxa in the genus Mycobacterium. Infection, Genetics and Evolution, 2019, 75, 103983.	1.0	61
4113	Mucilagibacter terrigena sp. nov. sp., A Novel Member of the Family Sphingobacteriaceae. Current Microbiology, 2019, 76, 1152-1160.	1.0	8
4114	Analysis of 1,000 Type-Strain Genomes Improves Taxonomic Classification of Bacteroidetes. Frontiers in Microbiology, 2019, 10, 2083.	1.5	1,281
4115	Providencia entomophila sp. nov., a new bacterial species associated with major olive pests in Tunisia. PLoS ONE, 2019, 14, e0223943.	1.1	31
4116	The complete chloroplast genome of an evergreen species <i>Camellia japonica</i>. Mitochondrial DNA Part B: Resources, 2019, 4, 2254-2255.	0.2	2
4117	Improvement of LDA Algorithm Based on Microblog Short Text Hotspot Analysis. Journal of Physics: Conference Series, 2019, 1187, 042087.	0.3	0
4118	Diagnosis of the surface morphology of laser-ablated materials using the weighted-DCT approach in laser speckle interferometry for application to plasma facing materials. Plasma Science and Technology, 2019, 21, 095601.	0.7	2

#	ARTICLE	IF	CITATIONS
4120	&lt;p&gt;Occurrence, Genetic Diversities And Antibiotic Resistance Profiles Of &lt;em&gt;Salmonella &lt;/em&gt; Serovars Isolated From Chickens&lt;p&gt;. Infection and Drug Resistance, 2019, Volume 12, 3327-3342.	1.1	30
4121	Mucilaginibacter limnophilus sp. nov., isolated from a lake. Journal of Microbiology, 2019, 57, 967-975.	1.3	7
4122	Whole-Genome Sequencing Redefines Shewanella Taxonomy. Frontiers in Microbiology, 2019, 10, 1861.	1.5	46
4123	Diversity of Bradyrhizobium strains isolated from root nodules of the shrubby legume Cytisus villosus growing in the Moroccan Rif. Biocatalysis and Agricultural Biotechnology, 2019, 21, 101302.	1.5	1
4124	Marteella lutitoris sp. nov., isolated from a tidal mudflat. Journal of Microbiology, 2019, 57, 976-981.	1.3	12
4125	Characterization of Streptomyces spangiiformans sp. nov., a Novel Soil Actinomycete with Antibacterial Activity against Ralstonia solanacearum. Microorganisms, 2019, 7, 360.	1.6	64
4126	Characterization and Control of Erwinia spp. and Pluralibacter sp. in Tuna Salad Preparations. Journal of Food Protection, 2019, 82, 1071-1081.	0.8	1
4127	Description of <i>Polaribacter aestuariivivens</i> sp. nov., isolated from a tidal flat. FEMS Microbiology Letters, 2019, 366, .	0.7	0
4128	Notoacmeibacter ruber sp. nov., a novel endophytic bacterium isolated from leaf of Rhizophora stylosa. Antonie Van Leeuwenhoek, 2019, 112, 919-925.	0.7	10
4129	Oenococcus sicerae sp. nov., isolated from French cider. Systematic and Applied Microbiology, 2019, 42, 302-308.	1.2	8
4130	TYGS is an automated high-throughput platform for state-of-the-art genome-based taxonomy. Nature Communications, 2019, 10, 2182.	5.8	1,588
4131	Aeromicrobium endophyticum sp. nov., an endophytic actinobacterium isolated from reed (Phragmites) Tj ETQq1 1,0,784314 rgBT /Overlock 10 T	1.3	26
4132	Global Biogeographic Distribution Patterns of Thermoacidophilic Verrucomicrobia Methanotrophs Suggest Allopatric Evolution. Frontiers in Microbiology, 2019, 10, 1129.	1.5	31
4133	When Is A Lineage A Species? A Case Study In <i>Myxacorys</i> gen. nov. (Synechococcales:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.0	51
4134	Antibiotic resistance genes in the Actinobacteria phylum. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 1599-1624.	1.3	37
4135	Paenibacillus lutimineralis sp. nov., Isolated From Bentonite. Current Microbiology, 2019, 76, 995-1002.	1.0	8
4136	Jiella endophytica sp. nov., a novel endophytic bacterium isolated from root of Ficus microcarpa Linn. f.. Antonie Van Leeuwenhoek, 2019, 112, 1457-1463.	0.7	11
4137	Algoriphagus litoralis sp. nov., isolated from the junction between the ocean and a freshwater lake. Antonie Van Leeuwenhoek, 2019, 112, 1545-1552.	0.7	7

#	ARTICLE	IF	CITATIONS
4139	Isolation and characterization of a novel piezotolerant bacterium <i>Lysinibacillus yapensis</i> sp. nov., from deep-sea sediment of the Yap Trench, Pacific Ocean. <i>Journal of Microbiology</i> , 2019, 57, 562-568.	1.3	8
4140	Description of <i>Halegenticoccus soli</i> gen. nov., sp. nov., a halophilic archaeon isolated from a soil sample of Ebi lake. <i>Extremophiles</i> , 2019, 23, 521-528.	0.9	16
4141	Genomic metrics made easy: what to do and where to go in the new era of bacterial taxonomy. <i>Critical Reviews in Microbiology</i> , 2019, 45, 182-200.	2.7	65
4142	Description of <i>Gelidibacter japonicus</i> sp. nov., isolated from the Inland Sea (Setonaikai) in Japan. <i>Archives of Microbiology</i> , 2019, 201, 1019-1024.	1.0	9
4143	<i>Rheinheimera riviphila</i> sp. nov., isolated from a freshwater stream. <i>Archives of Microbiology</i> , 2019, 201, 919-926.	1.0	12
4144	Non-contiguous finished genome sequencing and description of <i>Enterococcus timonensis</i> sp. nov. isolated from human sputum. <i>New Microbes and New Infections</i> , 2019, 29, 100532.	0.8	2
4145	<i>Streptomyces corynorhini</i> sp. nov., isolated from Townsend's big-eared bats ( <i>Corynorhinus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50	0.7	3
4146	<i>Sphingobium chungangianum</i> sp. nov., isolated from rhizosphere of <i>Pinus koraiensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1341-1348.	0.7	3
4147	<i>Lysobacter caseinilyticus</i> , sp. nov., a casein hydrolyzing bacterium isolated from sea water. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1349-1356.	0.7	31
4148	<i>Streptococcus periodonticum</i> sp. nov., Isolated from Human Subgingival Dental Plaque of Periodontitis Lesion. <i>Current Microbiology</i> , 2019, 76, 835-841.	1.0	9
4149	Genomic, phylogenetic and catabolic re-assessment of the <i>Pseudomonas putida</i> clade supports the delineation of <i>Pseudomonas alloputida</i> sp. nov., <i>Pseudomonas inefficax</i> sp. nov., <i>Pseudomonas persica</i> sp. nov., and <i>Pseudomonas shirazica</i> sp. nov. <i>Systematic and Applied Microbiology</i> , 2019, 42, 468-480.	1.2	48
4150	<i>Paracoccus jeotgali</i> sp. nov., isolated from Korean salted and fermented shrimp. <i>Journal of Microbiology</i> , 2019, 57, 444-449.	1.3	6
4151	A bridge too far in naming species: a total evidence approach does not support recognition of four species in <i>Desertifilum</i> (Cyanobacteria). <i>Journal of Phycology</i> , 2019, 55, 898-911.	1.0	34
4152	Characterization a Novel Butyric Acid-Producing Bacterium <i>Collinsella aerofaciens</i> Subsp. <i>Shenzhenensis</i> Subsp. Nov.. <i>Microorganisms</i> , 2019, 7, 78.	1.6	71
4153	<i>Lysobacter helvus</i> sp. nov. and <i>Lysobacter xanthus</i> sp. nov., isolated from Soil in South Korea. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1253-1262.	0.7	25
4154	Uncovering the potential of novel micromonosporae isolated from an extreme hyper-arid Atacama Desert soil. <i>Scientific Reports</i> , 2019, 9, 4678.	1.6	34
4155	<i>Spodiobacter cordisgen</i> . nov. sp. nov., a member of the family <i>Flavobacteriaceae</i> isolated from patients with infective endocarditis. <i>Microbiology and Immunology</i> , 2019, 63, 111-118.	0.7	12
4156	<i>Lysinibacillus capsici</i> sp. nov, isolated from the rhizosphere of a pepper plant. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1161-1167.	0.7	18

#	ARTICLE	IF	CITATIONS
4157	<i>Compactonostoc shennongjiaensis</i> gen. nov. & <i>sp. nov.</i> (Nostocales, Cyanobacteria) from a wet rocky wall in China. <i>Phycologia</i> , 2019, 58, 200-210.	0.6	33
4158	Molecular and phenotypic characterization of <i>Leptospira johnsonii</i> sp. nov., <i>Leptospira ellinghauseni</i> sp. nov. and <i>Leptospira ryugeni</i> sp. nov. isolated from soil and water in Japan. <i>Microbiology and Immunology</i> , 2019, 63, 89-99.	0.7	22
4159	<i>Streptomyces monashensis</i> sp. nov., a novel mangrove soil actinobacterium from East Malaysia with antioxidative potential. <i>Scientific Reports</i> , 2019, 9, 3056.	1.6	33
4160	<i>Streptomyces tirandamycinicus</i> sp. nov., a Novel Marine Sponge-Derived Actinobacterium With Antibacterial Potential Against <i>Streptococcus agalactiae</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 482.	1.5	37
4161	Multilocus Sequence Analysis, a Rapid and Accurate Tool for Taxonomic Classification, Evolutionary Relationship Determination, and Population Biology Studies of the Genus <i>Shewanella</i> . <i>Applied and Environmental Microbiology</i> , 2019, 85, .	1.4	13
4162	<i>Mycobacterium abscessus</i> : Environmental Bacterium Turned Clinical Nightmare. <i>Microorganisms</i> , 2019, 7, 90.	1.6	103
4163	<i>Salipaludibacillus keqinensis</i> sp. nov., a moderately halophilic bacterium isolated from a saline "alkaline lake. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 897-903.	0.7	11
4164	<i>Saccharopolyspora qinghaiensis</i> sp. nov., a novel actinobacterium isolated from a salt lake. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1039-1046.	0.7	1
4165	Genomic characterization of a potentially novel <i>Streptococcus</i> species producing exopolysaccharide. <i>3 Biotech</i> , 2019, 9, 132.	1.1	2
4166	Rapid Bacterial Species Delineation Based on Parameters Derived From Genome Numerical Representations. <i>Computational and Structural Biotechnology Journal</i> , 2019, 17, 118-126.	1.9	10
4167	<i>Flavobacterium petrolei</i> sp. nov., a novel psychrophilic, diesel-degrading bacterium isolated from oil-contaminated Arctic soil. <i>Scientific Reports</i> , 2019, 9, 4134.	1.6	45
4168	Taxonomic insights into the phylogeny of <i>Bacillus badius</i> and proposal for its reclassification to the genus <i>Pseudobacillus</i> as <i>Pseudobacillus badius</i> comb. nov. and reclassification of <i>Bacillus wudalianchiensis</i> Liu et al., 2017 as <i>Pseudobacillus wudalianchiensis</i> comb. nov.. <i>Systematic and Applied Microbiology</i> , 2019, 42, 360-372.	1.2	4
4169	<i>Chitinophaga aurantiaca</i> sp. nov., isolated from a soil sample from a tangerine field. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1189-1197.	0.7	2
4170	<i>Pseudomonas qingdaonensis</i> sp. nov., an aflatoxin-degrading bacterium, isolated from peanut rhizospheric soil. <i>Archives of Microbiology</i> , 2019, 201, 673-678.	1.0	19
4171	<i>Hymenobacter persicinus</i> sp. nov., a novel member of the family Hymenobacteraceae. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1019-1028.	0.7	9
4172	Classification of the inoculant strain of cowpea UFLA03-84 and of other strains from soils of the Amazon region as <i>Bradyrhizobium viridifuturi</i> (symbiovar tropici). <i>Brazilian Journal of Microbiology</i> , 2019, 50, 335-345.	0.8	18
4173	Genome and pan-genome analysis to classify emerging bacteria. <i>Biology Direct</i> , 2019, 14, 5.	1.9	61
4174	<i>Williamsia aurantiacus</i> sp. nov. a novel actinobacterium producer of antimicrobial compounds isolated from the marine sponge. <i>Archives of Microbiology</i> , 2019, 201, 691-698.	1.0	14

#	ARTICLE	IF	CITATIONS
4175	Characterization of <i>Labrenzia polysiphoniae</i> sp. nov. isolated from red alga <i>Polysiphonia</i> sp.. Archives of Microbiology, 2019, 201, 705-712.	1.0	16
4176	<i>Nonomuraea suaedae</i> sp. nov., isolated from rhizosphere soil of <i>Suaeda maritima</i> (L.) Dumort. Journal of Antibiotics, 2019, 72, 518-523.	1.0	9
4177	<i>Microbispora tritici</i> sp. nov., a novel actinomycete isolated from a root of wheat ( <i>Triticum aestivum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	4
4178	The Taxonomy of the Genus <i>Mycobacterium</i> . , 2019, , 1-10.		8
4179	<i>Flavobacterium circumlabens</i> sp. nov. and <i>Flavobacterium cupreum</i> sp. nov., two psychrotrophic species isolated from Antarctic environmental samples. Systematic and Applied Microbiology, 2019, 42, 291-301.	1.2	17
4180	Reclassification of <i>Bacillus aryabhatai</i> Shivaji <i>et al</i> . 2009 as a later heterotypic synonym of <i>Bacillus megaterium</i> de Bary 1884 (Approved Lists 1980). FEMS Microbiology Letters, 2019, 366, .	0.7	11
4182	Taxogenomics Resolves Conflict in the Genus <i>Rhodobacter</i> : A Two and Half Decades Pending Thought to Reclassify the Genus <i>Rhodobacter</i> . Frontiers in Microbiology, 2019, 10, 2480.	1.5	88
4183	Whole Genome Sequencing of <i>Aggregatibacter actinomycetemcomitans</i> Cultured from Blood Stream Infections Reveals Three Major Phylogenetic Groups Including a Novel Lineage Expressing Serotype a Membrane O Polysaccharide. Pathogens, 2019, 8, 256.	1.2	13
4186	<i>Micromonospora azadirachtae</i> sp. nov., isolated from roots of <i>Azadirachta indica</i> A. Juss. var. <i>siamensis</i> Valetton. Antonie Van Leeuwenhoek, 2019, 112, 253-262.	0.7	17
4187	<i>Actinomycetospora callitridis</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilised root of an Australian native pine tree. Antonie Van Leeuwenhoek, 2019, 112, 331-337.	0.7	21
4188	An update on the taxonomy of the genus <i>Frankia</i> Brunchorst, 1886, 174AL. Antonie Van Leeuwenhoek, 2019, 112, 5-21.	0.7	29
4189	<i>Winogradskyella profunda</i> sp. nov. isolated from the Chukchi Sea bottom sediments. Archives of Microbiology, 2019, 201, 45-50.	1.0	9
4190	<i>Sphingobium aromaticivastans</i> sp. nov., a novel aniline- and benzene-degrading, and antimicrobial compound producing bacterium. Archives of Microbiology, 2019, 201, 155-161.	1.0	6
4191	<i>Sphingobium pinisoli</i> sp. nov., isolated from the rhizosphere soil of a Korean native pine tree. Antonie Van Leeuwenhoek, 2019, 112, 815-825.	0.7	9
4192	<i>Roseovarius ponticola</i> sp. nov., a novel lipolytic bacterium of the family <i>Rhodobacteraceae</i> isolated from seawater. Archives of Microbiology, 2019, 201, 215-222.	1.0	3
4193	Description of <i>Wenzhouxiangella salilacus</i> sp. nov., a moderate halophilic bacterium isolated from a salt lake in Xinjiang Province, China. Antonie Van Leeuwenhoek, 2019, 112, 847-855.	0.7	5
4194	<i>Endozoicomonas coralli</i> sp. nov., isolated from the coral <i>Acropora</i> sp.. Archives of Microbiology, 2019, 201, 531-538.	1.0	12
4195	<i>Hymenobacter pomorum</i> sp. nov., Isolated from Apple Orchard Soil. Current Microbiology, 2019, 76, 117-123.	1.0	10

#	ARTICLE	IF	CITATIONS
4196	<i>Rhodococcus daqingensis</i> sp. nov., isolated from petroleum-contaminated soil. Antonie Van Leeuwenhoek, 2019, 112, 695-702.	0.7	4
4197	<i>Paraburkholderia dokdonella</i> sp. nov., isolated from a plant from the genus <i>Campanula</i> . Journal of Microbiology, 2019, 57, 107-112.	1.3	9
4198	Genotypic and phenotypic diversity of <i>Lactobacillus rossiae</i> isolated from beer. Journal of Applied Microbiology, 2019, 126, 1187-1198.	1.4	7
4200	<i>Jiangella anatolica</i> sp. nov. isolated from coastal lake soil. Antonie Van Leeuwenhoek, 2019, 112, 887-895.	0.7	6
4201	<i>Nocardioides speluncae</i> sp. nov., a novel actinobacterium isolated from a karstic subterranean environment sample. Antonie Van Leeuwenhoek, 2019, 112, 857-865.	0.7	7
4202	Nontuberculous mycobacteria: Insights on taxonomy and evolution. Infection, Genetics and Evolution, 2019, 72, 159-168.	1.0	46
4203	<i>Pseudomonas humi</i> sp. nov., isolated from leaf soil. Archives of Microbiology, 2019, 201, 245-251.	1.0	15
4204	<i>Glycomyces luteolus</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Ove	0.7	8
4205	<i>Ornithinimicrobium panacihumi</i> sp. nov., Antagonistic Bacteria Against Root Rot Fungal Pathogens, Isolated from Cultivated Ginseng Soil. Current Microbiology, 2019, 76, 22-28.	1.0	11
4206	<i>Quadrisphaera oryzae</i> sp. nov., an endophytic actinomycete isolated from leaves of rice plant ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Ove	1.0	8
4207	<i>Lentzea isolaginschaensis</i> sp. nov., an actinomycete isolated from desert soil. Antonie Van Leeuwenhoek, 2019, 112, 633-639.	0.7	3
4208	<i>Streptomyces monticola</i> sp. nov., a novel actinomycete isolated from soil. Antonie Van Leeuwenhoek, 2019, 112, 451-460.	0.7	1
4209	Taxonogenomics description of <i>Parabacteroides timonensis</i> sp. nov. isolated from a human stool sample. MicrobiologyOpen, 2019, 8, e00702.	1.2	7
4210	<i>Pseudonocardia tritici</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). Antonie Van Leeuwenhoek, 2019, 112, 765-773.	0.7	16
4211	Cyanobacterial Taxonomy: Morphometry to Molecular Studies. , 2019, , 43-64.		4
4212	Genome analysis provides insights into crude oil degradation and biosurfactant production by extremely halotolerant <i>Halomonas desertis</i> G11 isolated from Chott El-Djerid salt-lake in Tunisian desert. Genomics, 2019, 111, 1802-1814.	1.3	42
4213	A study of three bacteria isolated from marine sediment and description of <i>Micromonospora globispora</i> sp. nov.. Systematic and Applied Microbiology, 2019, 42, 190-197.	1.2	8
4214	<i>Mucilagibacter formosus</i> sp. nov., a bacterium isolated from road-side soil. Antonie Van Leeuwenhoek, 2019, 112, 513-521.	0.7	8

#	ARTICLE	IF	CITATIONS
4215	<i>Marinobacter profundus</i> sp. nov., a slightly halophilic bacterium isolated from a deep-sea sediment sample of the New Britain Trench. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 425-434.	0.7	11
4216	A Polyphasic Taxonomic Approach for Designation and Description of Novel Microbial Species. , 2019, , 137-152.		16
4217	<i>Caballeronia ginsengisoli</i> sp. nov., isolated from ginseng cultivating soil. <i>Archives of Microbiology</i> , 2019, 201, 443-449.	1.0	0
4218	<i>Streptomyces polaris</i> sp. nov. and <i>Streptomyces septentrionalis</i> sp. nov., isolated from frozen soil. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 375-387.	0.7	10
4219	<i>Sphaerimonospora triticiradicis</i> sp. nov., a novel actinomycete isolated from a root of wheat ( <i>Triticum aestivum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 401-407.	0.7	1
4220	<i>Deinococcus terrigena</i> sp. nov., a novel member of the family <i>Deinococcaceae</i> . <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 389-399.	0.7	6
4221	<i>Nonomuraea phyllanthi</i> sp. nov., an endophytic actinomycete isolated from the leaf of <i>Phyllanthus amarus</i> . <i>Archives of Microbiology</i> , 2020, 202, 55-61.	1.0	8
4222	<i>Paenibacillus pinistramenti</i> sp. nov., isolated from pine litter. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 155-163.	0.7	2
4223	<i>Tropicibacter alexandrii</i> sp. nov., a novel marine bacterium isolated from the phycosphere of a dinoflagellate, <i>Alexandrium minutum</i> . <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 311-320.	0.7	5
4224	<i>Bacillus yapensis</i> sp. nov., a novel piezotolerant bacterium isolated from deep-sea sediment of the Yap Trench, Pacific Ocean. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 389-396.	0.7	8
4225	<i>Planctopirus ephydatiae</i> , a novel Planctomycete isolated from a freshwater sponge. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126022.	1.2	52
4226	<i>Micromonospora orduensis</i> sp. nov., isolated from deep marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 397-405.	0.7	16
4227	<i>Lysobacter oculi</i> sp. nov., isolated from human Meibomian gland secretions. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 13-20.	0.7	6
4228	<i>Microlunatus speluncae</i> sp. nov., a novel actinobacterium isolated from a Karstic subterranean environment sample. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 117-125.	0.7	6
4229	<i>Anaerophilus nitritogenes</i> gen. nov., sp. nov., isolated from salt lake sediment in Xinjiang Province, China. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 417-425.	0.7	1
4230	Characterization of a novel <i>Clostridium</i> sp. SP17 and its application for succinic acid production from hevea wood waste hydrolysate. <i>Anaerobe</i> , 2020, 61, 102096.	1.0	2
4231	<i>Rheinheimera pleomorphica</i> sp. nov., a Novel Alkali-Tolerant Bacteria Isolated from Chilika Lake, India. <i>Current Microbiology</i> , 2020, 77, 158-165.	1.0	12
4232	<i>Corynebacterium kroppenstedtii</i> subsp. <i>demodicis</i> is the endobacterium of <i>Demodex folliculorum</i> . <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1043-1049.	1.3	14



#	ARTICLE	IF	CITATIONS
4233	<i>Fluviicola chungangensis</i> sp. nov., a bacterium isolated from rice field. Archives of Microbiology, 2020, 202, 293-298.	1.0	6
4234	Diversity of PKS and NRPS gene clusters between <i>Streptomyces abyssomicinicus</i> sp. nov. and its taxonomic neighbor. Journal of Antibiotics, 2020, 73, 141-151.	1.0	17
4235	<i>Modestobacter excelsi</i> sp. nov., a novel actinobacterium isolated from a high altitude Atacama Desert soil. Systematic and Applied Microbiology, 2020, 43, 126051.	1.2	21
4236	High taxonomic diversity of <i>Micromonospora</i> strains isolated from <i>Medicago sativa</i> nodules in Western Spain and Australia. Systematic and Applied Microbiology, 2020, 43, 126043.	1.2	7
4237	<i>Mucilaginibacter corticis</i> sp. nov., isolated from bark of <i>Pinus koraiensis</i> . Antonie Van Leeuwenhoek, 2020, 113, 491-498.	0.7	2
4238	<i>Actinomadura physcomitrii</i> sp. nov., a novel actinomycete isolated from moss [ <i>Physcomitrium sphaericum</i> (Ludw) Fuernr]. Antonie Van Leeuwenhoek, 2020, 113, 677-685.	0.7	22
4239	<i>Methylobacterium segetis</i> sp. nov., a novel member of the family Methylobacteriaceae isolated from soil on Jeju Island. Archives of Microbiology, 2020, 202, 747-754.	1.0	15
4240	<i>Lysobacter terrigena</i> sp. nov., isolated from a Korean soil sample. Archives of Microbiology, 2020, 202, 637-643.	1.0	7
4241	Development of a <i>Kribbella</i> -specific isolation medium and description of <i>Kribbella capetownensis</i> sp. nov. and <i>Kribbella speibonae</i> sp. nov., isolated from soil. Antonie Van Leeuwenhoek, 2020, 113, 617-628.	0.7	15
4242	Isolation and characterization of an endolichenic actinobacterium from the lichen thallus of <i>Pseudocyphellaria berberina</i> . Symbiosis, 2020, 80, 43-51.	1.2	4
4243	Isolation and characterization of <i>Burkholderia cenocepacia</i> CR318, a phosphate solubilizing bacterium promoting corn growth. Microbiological Research, 2020, 233, 126395.	2.5	50
4244	<i>Lysobacter segetis</i> sp. nov., Isolated from Soil. Current Microbiology, 2020, 77, 166-172.	1.0	8
4245	<i>Pseudomonas khazarica</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from Khazar Sea sediments. Antonie Van Leeuwenhoek, 2020, 113, 521-532.	0.7	21
4246	Panâ€genome analysis of <i>Exiguobacterium</i> reveals species delineation and genomic similarity with <i>Exiguobacterium profundum</i> APHM 11. Environmental Microbiology Reports, 2020, 12, 639-650.	1.0	7
4247	Genotypic Profiling of <i>Bacillus cereus</i> Recovered from Some Retail Foods in Ogun State, Nigeria, and Their Phylogenetic Relationship. International Journal of Microbiology, 2020, 2020, 1-9.	0.9	1
4248	Genomic Virulence Features of Two Novel Species <i>Nocardia barduliensis</i> sp. nov. and <i>Nocardia gipuzkoensis</i> sp. nov., Isolated from Patients with Chronic Pulmonary Diseases. Microorganisms, 2020, 8, 1517.	1.6	24
4249	<i>Haloferax profundus</i> sp. nov. and <i>Haloferax marisrubri</i> sp. nov., Isolated from the Discovery Deep Brine-Seawater Interface in the Red Sea. Microorganisms, 2020, 8, 1475.	1.6	1
4250	Polyphasic characterization and identification of the bioremediation agent <i>Bacillus</i> sp. SFC 500-1E. Genomics, 2020, 112, 4525-4535.	1.3	9

#	ARTICLE	IF	CITATIONS
4252	<i>Aliarcobacter butzleri</i> from Water Poultry: Insights into Antimicrobial Resistance, Virulence and Heavy Metal Resistance. <i>Genes</i> , 2020, 11, 1104.	1.0	9
4253	Biochemical and molecular characterization of a restriction endonuclease <i>Tvu2HI</i> from <i>Thermoactinomyces vulgaris</i> 2H and study of its R-M system. <i>International Journal of Biological Macromolecules</i> , 2020, 164, 3105-3113.	3.6	1
4254	<i>Motilibacter deserti</i> sp. nov. and <i>Motilibacter aurantiacus</i> sp. nov., two novel actinobacteria isolated from soil of Cholistan Desert and emended description of the genus <i>Motilibacter</i> . <i>Systematic and Applied Microbiology</i> , 2020, 43, 126150.	1.2	17
4255	Identification and classification of the <i>Tetrasphaera</i> genus in enhanced biological phosphorus removal process: a review. <i>Reviews in Environmental Science and Biotechnology</i> , 2020, 19, 699-715.	3.9	11
4256	<i>Lentzea indica</i> sp. nov., a novel actinobacteria isolated from Indian Himalayan-soil. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 1411-1423.	0.7	10
4257	Isolation and diversity of sediment bacteria in the hypersaline aiding lake, China. <i>PLoS ONE</i> , 2020, 15, e0236006.	1.1	20
4258	<i>Arthrobacter sedimenti</i> sp. nov., isolated from river sediment in Yuantouzhu park, China. <i>Archives of Microbiology</i> , 2020, 202, 2551-2556.	1.0	4
4259	A novel diterpene agent isolated from <i>Microbispora hainanensis</i> strain CSR-4 and its in vitro and in silico inhibition effects on acetylcholine esterase enzyme. <i>Scientific Reports</i> , 2020, 10, 11058.	1.6	10
4262	<i>Methylomonas rhizoryzae</i> sp. nov., a type I methanotroph isolated from the rhizosphere soil of rice. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 2167-2176.	0.7	4
4263	Biogeochemical Implications of N <sub>2</sub> O-Reducing Thermophilic Campylobacteria in Deep-Sea Vent Fields, and the Description of <i>Nitratiruptor labii</i> sp. nov.. <i>IScience</i> , 2020, 23, 101462.	1.9	16
4264	<i>Acinetobacter mesopotamicus</i> sp. nov., Petroleum-degrading Bacterium, Isolated from Petroleum-Contaminated Soil in Diyarbakir, in the Southeast of Turkey. <i>Current Microbiology</i> , 2020, 77, 3192-3200.	1.0	16
4265	Strain-level epidemiology of microbial communities and the human microbiome. <i>Genome Medicine</i> , 2020, 12, 71.	3.6	75
4267	<i>Streptomyces alkaliterrae</i> sp. nov., isolated from an alkaline soil, and emended descriptions of <i>Streptomyces alkaliphilus</i> , <i>Streptomyces calidiresistens</i> and <i>Streptomyces durbertensis</i> . <i>Systematic and Applied Microbiology</i> , 2020, 43, 126153.	1.2	17
4268	<i>Microbispora celluliformans</i> sp. nov., a novel actinomycete with cellulase activity isolated from soil in the cold region. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 2053-2062.	0.7	11
4269	Molecular and taxonomic characterization of arsenic (As) transforming <i>Bacillus</i> sp. strain IIIJ3 isolated from As-contaminated groundwater of Brahmaputra river basin, India. <i>BMC Microbiology</i> , 2020, 20, 256.	1.3	10
4271	<i>Sphingomonas palmae</i> sp. nov. and <i>Sphingomonas gellani</i> sp. nov., endophytically associated phyllosphere bacteria isolated from economically important crop plants. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 1617-1632.	0.7	13
4272	Characterization of a Novel Endophytic Actinomycete, <i>Streptomyces physcomitrii</i> sp. nov., and Its Biocontrol Potential Against <i>Ralstonia solanacearum</i> on Tomato. <i>Microorganisms</i> , 2020, 8, 2025.	1.6	12
4273	Antimicrobial Resistance and in silico Virulence Profiling of <i>Aliarcobacter butzleri</i> Strains From German Water Poultry. <i>Frontiers in Microbiology</i> , 2020, 11, 617685.	1.5	6

#	ARTICLE	IF	CITATIONS
4274	On a Non-Discrete Concept of Prokaryotic Species. <i>Microorganisms</i> , 2020, 8, 1723.	1.6	3
4275	Towards Genomic Criteria for Delineating Fungal Species. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 246.	1.5	28
4276	<i>Duganella rivus</i> sp. nov., <i>Duganella fentianensis</i> sp. nov., <i>Duganella qianjiadongensis</i> sp. nov. and <i>Massilia guangdongensis</i> sp. nov., isolated from subtropical streams in China and reclassification of all species within genus <i>Pseudoduganella</i> . <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 1155-1165.	0.7	37
4277	<i>Bacillus dafuensis</i> sp. Nov., Isolated from a Forest Soil in China. <i>Current Microbiology</i> , 2020, 77, 2049-2055.	1.0	5
4278	Defining Cyanobacterial Species: Diversity and Description Through Genomics. <i>Critical Reviews in Plant Sciences</i> , 2020, 39, 101-124.	2.7	41
4279	Unlocking the Genomic Taxonomy of the <i>Prochlorococcus</i> Collective. <i>Microbial Ecology</i> , 2020, 80, 546-558.	1.4	12
4280	Diversity within species: interpreting strains in microbiomes. <i>Nature Reviews Microbiology</i> , 2020, 18, 491-506.	13.6	222
4281	<i>Luteimonas granuli</i> sp. nov., Isolated from Granules of the Wastewater Treatment Plant. <i>Current Microbiology</i> , 2020, 77, 2002-2007.	1.0	9
4282	<i>Paraburkholderia panacisoli</i> sp. nov., a potentially antagonistic bacterium against the root rot fungal pathogen <i>Cylindrocarpon destructans</i> , isolated from ginseng cultivation soil. <i>Archives of Microbiology</i> , 2020, 202, 1341-1347.	1.0	7
4283	<i>Ornithinibacillus caprae</i> sp. nov., a moderate halophile isolated from the hides of a white goat. <i>Archives of Microbiology</i> , 2020, 202, 1469-1476.	1.0	10
4284	<i>Oceanobacillus halotolerans</i> sp. nov., a bacterium isolated from salt lake in Xinjiang province, north-west China. <i>Archives of Microbiology</i> , 2020, 202, 1545-1549.	1.0	8
4285	<i>Thermococcus indicus</i> sp. nov., a Fe(III)-reducing hyperthermophilic archaeon isolated from the Onnuri Vent Field of the Central Indian Ocean ridge. <i>Journal of Microbiology</i> , 2020, 58, 260-267.	1.3	13
4286	<i>Streptomyces lydicamycinicus</i> sp. nov. and Its Secondary Metabolite Biosynthetic Gene Clusters for Polyketide and Nonribosomal Peptide Compounds. <i>Microorganisms</i> , 2020, 8, 370.	1.6	17
4287	<i>Luteimonas cellulosityticus</i> sp. nov., Cellulose-Degrading Bacterium Isolated from Soil in Changguangxi National Wetland Park, China. <i>Current Microbiology</i> , 2020, 77, 1341-1347.	1.0	10
4288	Genomic features and copper biosorption potential of a new <i>Alcanivorax</i> sp. VBW004 isolated from the shallow hydrothermal vent (Azores, Portugal). <i>Genomics</i> , 2020, 112, 3268-3273.	1.3	11
4289	Microbiome definition re-visited: old concepts and new challenges. <i>Microbiome</i> , 2020, 8, 103.	4.9	903
4290	<i>Glaciimonas soli</i> sp. nov., a soil bacterium isolated from the forest of a high elevation mountain. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 1213-1223.	0.7	6
4291	<i>Mesorhizobium terrae</i> sp. nov., a novel species isolated from soil in Jangsu, Korea. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 1279-1287.	0.7	9

#	ARTICLE	IF	CITATIONS
4292	Isolation, Classification and Antagonistic Properties of Alkalitolerant Actinobacteria from Algerian Saharan Soils. <i>Geomicrobiology Journal</i> , 2020, 37, 826-836.	1.0	6
4293	<i>Massilia aquatica</i> sp. nov., Isolated from a Subtropical Stream in China. <i>Current Microbiology</i> , 2020, 77, 3185-3191.	1.0	3
4294	Ribotyping: a tool for molecular taxonomy. , 2020, , 373-394.		0
4295	A critical rebuttal of the proposed division of the genus <i>Arcobacter</i> into six genera using comparative genomic, phylogenetic, and phenotypic criteria. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126108.	1.2	33
4296	Genome-based classification of <i>Micromonospora craterilacus</i> sp. nov., a novel actinobacterium isolated from Nemrut Lake. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 791-801.	0.7	11
4297	<i>Ancylobacter lacus</i> sp. nov. and <i>Ancylobacter plantiphilus</i> sp. nov., Novel Aerobic Facultative Methylophilic Bacteria. <i>Microbiology</i> , 2020, 89, 35-43.	0.5	17
4298	<i>Planococcus lenghuensis</i> sp. nov., an oil-degrading bacterium isolated from petroleum-contaminated soil. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 839-850.	0.7	6
4299	Genome-resolved metagenomics analysis provides insights into the ecological role of Thaumarchaeota in the Amazon River and its plume. <i>BMC Microbiology</i> , 2020, 20, 13.	1.3	15
4300	<i>Amycolatopsis pithecelloba</i> sp. nov., a novel actinomycete isolated from roots of <i>Pithecellobium dulce</i> in Thailand. <i>Journal of Antibiotics</i> , 2020, 73, 230-235.	1.0	6
4301	Antibacterial, antitubercular, antimalarial and cytotoxic substances from the endophytic <i>Streptomyces</i> sp. TBRC7642. <i>Phytochemistry</i> , 2020, 172, 112275.	1.4	22
4302	Taxonomic Characterization, and Secondary Metabolite Analysis of <i>Streptomyces triticiradicis</i> sp. nov.: A Novel Actinomycete with Antifungal Activity. <i>Microorganisms</i> , 2020, 8, 77.	1.6	20
4303	Evolution and taxonomy of nematode-associated entomopathogenic bacteria of the genera <i>Xenorhabdus</i> and <i>Photorhabdus</i> : an overview. <i>Symbiosis</i> , 2020, 80, 1-13.	1.2	44
4304	Draft genome sequence of <i>Actinocorallia populi</i> A251T, an actinomycetes producing polyketides and nonribosomal polypeptides. <i>3 Biotech</i> , 2020, 10, 79.	1.1	1
4305	<i>Parahalaea maris</i> sp. nov., isolated from surface seawater and emended description of the genus <i>Parahalaea</i> . <i>Journal of Microbiology</i> , 2020, 58, 92-98.	1.3	13
4306	<i>Rhodobacter xinxiangensis</i> sp. nov., isolated from pakchoi-cultivated soil contaminated with heavy metal and its potential to reduce Cd and Pb accumulation in pakchoi ( <i>Brassica campestris</i> L.). <i>Archives of Microbiology</i> , 2020, 202, 1741-1748.	1.0	4
4307	Reclassification of <i>Brevibacterium frigoritolerans</i> DSM 8801T as <i>Bacillus frigoritolerans</i> comb. nov. Based on Genome Analysis. <i>Current Microbiology</i> , 2020, 77, 1916-1923.	1.0	20
4308	<i>Nonomuraea basaltis</i> sp. nov., a siderophore-producing actinobacteria isolated from surface soil of basaltic parent material. <i>Archives of Microbiology</i> , 2020, 202, 1535-1543.	1.0	10
4309	<i>Streptomyces albicerus</i> sp. nov., a novel actinomycete isolated from the sediments of the Tailan River in Xinjiang, China. <i>Archives of Microbiology</i> , 2020, 202, 1639-1646.	1.0	5

#	ARTICLE	IF	CITATIONS
4310	Fodinicola acaciae sp. nov., an Endophytic Actinomycete Isolated from the Roots of Acacia mangium Willd. and Its Genome Analysis. Microorganisms, 2020, 8, 467.	1.6	6
4311	Isolation, Identification and Characterization of Endophytic Bacterium Rhizobium oryzihabitans sp. nov., from Rice Root with Biotechnological Potential in Agriculture. Microorganisms, 2020, 8, 608.	1.6	15
4312	Analysis of 1,000+ Type-Strain Genomes Substantially Improves Taxonomic Classification of Alphaproteobacteria. Frontiers in Microbiology, 2020, 11, 468.	1.5	1,537
4313	Efficient Nitrogen-Fixing Bacteria Isolated from Soybean Nodules in the Semi-arid Region of Northeast Brazil are Classified as Bradyrhizobium brasilense (Symbiovar Sojae). Current Microbiology, 2020, 77, 1746-1755.	1.0	6
4314	Streptomyces taklimakanensis sp. nov., an actinomycete isolated from the Taklimakan desert. Antonie Van Leeuwenhoek, 2020, 113, 1023-1031.	0.7	6
4315	Characterization of Streptomyces piniterrae sp. nov. and Identification of the Putative Gene Cluster Encoding the Biosynthesis of Heliquinomycins. Microorganisms, 2020, 8, 495.	1.6	5
4316	Arthrobacter sulfonyleivorans sp. nov., isolated from a sulfonyleurea herbicides degrading consortium enriched with birch forest soil. Archives of Microbiology, 2021, 203, 1039-1045.	1.0	1
4317	Nakamurella aerolata sp. Nov., Isolated from an Automobile Air Conditioning System. Current Microbiology, 2021, 78, 371-377.	1.0	7
4318	Sphingomonas horti sp. nov., a novel bacterial species isolated from soil of a tomato garden. Archives of Microbiology, 2021, 203, 543-548.	1.0	7
4319	The one hundred year journey of the genus <i>Brucella</i> (Meyer and Shaw 1920). FEMS Microbiology Reviews, 2021, 45, .	3.9	30
4320	Rufibacter radiotolerans sp. nov., a novel gamma-radiation-resistant bacterium isolated from rice field. Archives of Microbiology, 2021, 203, 347-353.	1.0	0
4321	Luteolibacter luteus sp. nov., isolated from stream bank soil. Archives of Microbiology, 2021, 203, 377-382.	1.0	12
4322	Flexivirga aerolata sp. nov., Isolated from an Automobile Air Conditioning System. Current Microbiology, 2021, 78, 796-802.	1.0	6
4323	Isolation of Harveyi clade Vibrio spp. collected in aquaculture farms: How can the identification issue be addressed?. Journal of Microbiological Methods, 2021, 180, 106106.	0.7	11
4324	Altererythrobacter segetis sp. nov., Isolated from Farmland Soil. Current Microbiology, 2021, 78, 389-396.	1.0	2
4325	Genomic-based classification of Catenulispora pinisilvae sp. nov., novel actinobacteria isolated from a pine forest soil in Poland and emended description of Catenulispora rubra. Systematic and Applied Microbiology, 2021, 44, 126164.	1.2	14
4326	Draft genome sequence of Promicromonospora panici sp. nov., a novel ionizing-radiation-resistant actinobacterium isolated from roots of the desert plant Panicum turgidum. Extremophiles, 2021, 25, 25-38.	0.9	5
4327	gcType: a high-quality type strain genome database for microbial phylogenetic and functional research. Nucleic Acids Research, 2021, 49, D694-D705.	6.5	53

#	ARTICLE	IF	CITATIONS
4328	Criteria for lactic acid bacteria screening to enhance silage quality. <i>Journal of Applied Microbiology</i> , 2021, 130, 341-355.	1.4	31
4329	<i>Lysobacter telluris</i> sp. nov., isolated from Korean rhizosphere soil. <i>Archives of Microbiology</i> , 2021, 203, 287-293.	1.0	2
4330	<i>Streptomyces boncukensis</i> sp. nov., isolated from saltern soil. <i>Archives of Microbiology</i> , 2021, 203, 279-285.	1.0	10
4331	Genome Analysis and Genomic Comparison of the Novel Species <i>Arthrobacter ipsi</i> Reveal Its Potential Protective Role in Its Bark Beetle Host. <i>Microbial Ecology</i> , 2021, 81, 471-482.	1.4	9
4332	<i>Photorhabdus heterorhabditis</i> subsp. <i>aluminescens</i> subsp. nov., <i>Photorhabdus heterorhabditis</i> subsp. <i>heterorhabditis</i> subsp. nov., <i>Photorhabdus australis</i> subsp. <i>thailandensis</i> subsp. nov., <i>Photorhabdus australis</i> subsp. <i>australis</i> subsp. nov., and <i>Photorhabdus aegyptia</i> sp. nov. isolated from <i>Heterorhabditis</i> entomopathogenic nematodes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	37
4333	Genomic insight into a novel actinobacterium, <i>Actinomadura rubrisoli</i> sp. nov., reveals high potential for bioactive metabolites. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 195-208.	0.7	7
4334	<i>Mucilaginibacter glaciei</i> sp. nov. and <i>Mucilaginibacter pankratovii</i> sp. nov., isolated from a glacier on the Tibetan Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	12
4335	Phylogenomics of Foodborne Pathogens: The Case of <i>Listeria monocytogenes</i> . , 2021, , 138-146.		0
4336	Molecular Aspects and Oxygen Relations of Nitrogen Fixation in Cyanobacteria. <i>Soil Biology</i> , 2021, , 521-568.	0.6	2
4337	High Pressure and High-Pressure Environments. , 2021, , 1-29.		0
4338	Defining the <i>Rhizobium leguminosarum</i> Species Complex. <i>Genes</i> , 2021, 12, 111.	1.0	48
4339	Identification and Characterization of Mycobacterial Species Using Whole-Genome Sequences. <i>Methods in Molecular Biology</i> , 2021, 2314, 399-457.	0.4	0
4341	<i>Rhizobium rhizolycopersici</i> sp. nov., Isolated from the Rhizosphere Soil of Tomato Plants in China. <i>Current Microbiology</i> , 2021, 78, 830-836.	1.0	3
4342	Guild-based analysis for understanding gut microbiome in human health and diseases. <i>Genome Medicine</i> , 2021, 13, 22.	3.6	83
4343	<i>Kushneria phosphatilytica</i> sp. nov., a phosphate-solubilizing bacterium isolated from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	8
4344	<i>Pseudomonas nicosulfuronedens</i> sp. nov., a nicosulfuron degrading bacterium, isolated from a microbial consortium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
4346	<i>Cupidesulfovibrio liaohensis</i> gen. nov., sp. nov., a novel sulphate-reducing bacterium isolated from an oil reservoir and reclassification of <i>Desulfovibrio oxamicus</i> and <i>Desulfovibrio termitidis</i> as <i>Cupidesulfovibrio oxamicus</i> comb. nov. and <i>Cupidesulfovibrio termitidis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	22
4347	<i>Streptomyces bathyalis</i> sp. nov., an actinobacterium isolated from the sponge in a deep sea. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 425-435.	0.7	22

#	ARTICLE	IF	CITATIONS
4348	<i>Novosphingobium olei</i> sp. nov., with the ability to degrade diesel oil, isolated from oil-contaminated soil and proposal to reclassify <i>Novosphingobium stygium</i> as a later heterotypic synonym of <i>Novosphingobium aromaticivorans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	13
4349	<i>Myroides fluvii</i> sp. nov., isolated from the Han River, Republic of Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
4350	<i>Heminiphilus faecis</i> gen. nov., sp. nov., a member of the family Muribaculaceae, isolated from mouse faeces and emended description of the genus <i>Muribaculum</i> . <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 275-286.	0.7	19
4351	<i>Alcanivorax profundimaris</i> sp. nov., a Novel Marine Hydrocarbonoclastic Bacterium Isolated from Seawater and Deep-Sea Sediment. <i>Current Microbiology</i> , 2021, 78, 1053-1060.	1.0	14
4352	Comparative evaluation of <i>Vibrio</i> delineation methodologies in post-genomic era. <i>Environmental Microbiology Reports</i> , 2021, 13, 209-217.	1.0	0
4353	Reclassification of <i>Streptomyces costaricanus</i> and <i>Streptomyces phaeoigriseichromatogenes</i> as later heterotypic synonyms of <i>Streptomyces murinus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	10
4354	Proposal of <i>Lentzea deserti</i> (Okoro et al. 2010) Nouioui et al. 2018 as a later heterotypic synonym of <i>Lentzea atacamensis</i> (Okoro et al. 2010) Nouioui et al. 2018 and an emended description of <i>Lentzea atacamensis</i> . <i>PLoS ONE</i> , 2021, 16, e0246533.	1.1	3
4355	The Changing Face of the Family <i>Enterobacteriaceae</i> (Order: <i>Enterobacterales</i> ): New Members, Taxonomic Issues, Geographic Expansion, and New Diseases and Disease Syndromes. <i>Clinical Microbiology Reviews</i> , 2021, 34, .	5.7	81
4356	<i>Roseibium litorale</i> sp. nov., isolated from a tidal flat sediment and proposal for the reclassification of <i>Labrenzia polysiphoniae</i> as <i>Roseibium polysiphoniae</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	15
4357	<i>Bombella favorum</i> sp. nov. and <i>Bombella mellum</i> sp. nov., two novel species isolated from the honeycombs of <i>Apis mellifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	19
4358	<i>Nocardioides stalactiti</i> sp. nov., isolated from a cave stalactite surface. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
4359	<i>Herbidospora solisilvae</i> sp. nov., a novel cellulose-degrading actinobacterium isolated from forest soil. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 581-590.	0.7	2
4361	<i>Micromonospora veneta</i> sp. nov., an endophytic actinobacterium with potential for nitrogen fixation and for bioremediation. <i>Archives of Microbiology</i> , 2021, 203, 2853-2861.	1.0	7
4362	<i>Noviherbaspirillum pedocola</i> sp. nov., isolated from oil-contaminated experimental soil. <i>Archives of Microbiology</i> , 2021, 203, 3071-3076.	1.0	7
4363	<i>Streptomyces typhae</i> sp. nov., a novel endophytic actinomycete with antifungal activity isolated the root of cattail ( <i>Typha angustifolia</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 823-833.	0.7	8
4364	Description and genomic insights into a multidrug resistant novel bacterium <i>Savagea serpentis</i> sp. nov., isolated from the scats of a vine snake ( <i>Ahaetulla nasuta</i> ). <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 687-696.	0.7	1
4365	<i>Micromonospora rubida</i> sp. nov., a novel actinobacterium isolated from soil of Harbin. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 697-708.	0.7	2
4366	The Conservation of Low Complexity Regions in Bacterial Proteins Depends on the Pathogenicity of the Strain and Subcellular Location of the Protein. <i>Genes</i> , 2021, 12, 451.	1.0	5

#	ARTICLE	IF	CITATIONS
4367	Duganella aceris sp. nov., isolated from tree sap and proposal to transfer of Rugamonas aquatica and Rugamonas rivuli to the genus Duganella as Duganella aquatica comb. nov., with the emended description of the genus Rugamonas. Archives of Microbiology, 2021, 203, 2843-2852.	1.0	15
4368	Aerobic Denitrification and Heterotrophic Sulfur Oxidation in the Genus Halomonas Revealed by Six Novel Species Characterizations and Genome-Based Analysis. Frontiers in Microbiology, 2021, 12, 652766.	1.5	19
4369	Isolation of manumycin-type derivatives and genome characterization of a marine Streptomyces sp. C1-2. Research in Microbiology, 2021, 172, 103812.	1.0	2
4370	Streptomyces polyasparticus sp. nov. isolated from cotton field soil by a medium applied with polyaspartic acid. Antonie Van Leeuwenhoek, 2021, 114, 777-786.	0.7	0
4371	Streptomyces himalayensis sp. nov. including Streptomyces himalayensis subsp. himalayensis subsp. nov. and Streptomyces himalayensis subsp. aureolus subsp. nov. isolated from Western Himalaya. Archives of Microbiology, 2021, 203, 2325-2334.	1.0	2
4372	Genomic Metrics Applied to Rhizobiales (Hyphomicrobiales): Species Reclassification, Identification of Unauthentic Genomes and False Type Strains. Frontiers in Microbiology, 2021, 12, 614957.	1.5	38
4373	Aquiflexum lacus sp. nov., isolated from a lake sediment sample. Archives of Microbiology, 2021, 203, 2911-2917.	1.0	9
4374	Aestuariibaculum sediminum sp. nov., a marine bacterium isolated from a tidal flat in Zhoushan. Archives of Microbiology, 2021, 203, 2953-2960.	1.0	8
4375	Genome-guided investigation of secondary metabolites produced by a potential new strain Streptomyces BA2 isolated from an endemic plant rhizosphere in Turkey. Archives of Microbiology, 2021, 203, 2431-2438.	1.0	12
4376	Schlegelella koreensis sp. nov., isolated from evaporator core of automobile air conditioning system. Archives of Microbiology, 2021, 203, 2373-2378.	1.0	7
4377	Taxogenomic and Comparative Genomic Analysis of the Genus Saccharomonospora Focused on the Identification of Biosynthetic Clusters PKS and NRPS. Frontiers in Microbiology, 2021, 12, 603791.	1.5	16
4378	Introducing EzAAI: a pipeline for high throughput calculations of prokaryotic average amino acid identity. Journal of Microbiology, 2021, 59, 476-480.	1.3	155
4379	Affinibrenneria salicis gen. nov. sp. nov. isolated from Salix matsudana bark canker. Archives of Microbiology, 2021, 203, 3473-3481.	1.0	2
4380	Microbacterium helvum sp. nov., a novel actinobacterium isolated from cow dung. Archives of Microbiology, 2021, 203, 3287-3294.	1.0	2
4381	Pikeienuella piscinae gen. nov., sp. nov., a novel genus in the family Rhodobacteraceae. Journal of Microbiology, 2021, 59, 546-551.	1.3	8
4383	Microbulbifer hainanensis sp. nov., a moderately halophilic bacterium isolated from mangrove sediment. Antonie Van Leeuwenhoek, 2021, 114, 1033-1042.	0.7	3
4384	Neochroococcus gongqingensis gen. et sp. nov., a new member of coccoid cyanobacteria from a watercourse, Eastern China. Fottea, 2021, 21, 44-52.	0.4	5
4385	Shimia sediminis sp. nov., a bacterium isolated from marine sediment in the East China Sea. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	14



#	ARTICLE	IF	CITATIONS
4386	<i>Inhella proteolytica</i> sp. nov. and <i>Inhella gelatinilytica</i> sp. nov., two novel species of the genus <i>Inhella</i> isolated from aquaculture water. <i>Archives of Microbiology</i> , 2021, 203, 3191-3200.	1.0	12
4387	<i>Rouxiella aceris</i> sp. nov., isolated from tree sap and the emended description of the genus <i>Rouxiella</i> . <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1013-1024.	0.7	8
4388	<i>Halomonas maris</i> sp. nov., a moderately halophilic bacterium isolated from sediment in the southwest Indian Ocean. <i>Archives of Microbiology</i> , 2021, 203, 3279-3285.	1.0	1
4389	<i>Vibrio nitrifigilis</i> sp. nov., a marine nitrogen-fixing bacterium isolated from the lagoon sediment of an islet inside an atoll. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 933-945.	0.7	12
4390	<i>Phycococcus flavus</i> sp. nov., a novel endophytic actinobacterium isolated from branch of <i>Kandelia candel</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	10
4391	<i>Brachybacterium halotolerans</i> sp. nov., a halotolerant, endophytic actinomycete isolated from branch of <i>Bruguiera gymnoirhiza</i> . <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 875-884.	0.7	10
4392	<i>Halomonas diversa</i> sp. nov., isolated from deep-sea sediment of the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	12
4393	<i>Rhizobium flavescens</i> sp. nov., Isolated from a Chlorothalonil-Contaminated Soil. <i>Current Microbiology</i> , 2021, 78, 2165-2172.	1.0	4
4394	<i>Methylobacterium radiodurans</i> sp. nov., a novel radiation-resistant <i>Methylobacterium</i> . <i>Archives of Microbiology</i> , 2021, 203, 3435-3442.	1.0	5
4395	Prokaryotic taxonomy and nomenclature in the age of big sequence data. <i>ISME Journal</i> , 2021, 15, 1879-1892.	4.4	87
4396	<i>Planococcus soli</i> sp. nov., isolated from antarctic soil. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1107-1115.	0.7	2
4397	Reclassification of <i>Streptomyces cinnamomensis</i> as a later heterotypic synonym of <i>Streptomyces virginiae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
4398	<i>Mycobacterium vicinigordoniae</i> sp. nov., a slow-growing scotochromogenic species isolated from sputum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	11
4399	<i>Paenibacillus roseus</i> sp. nov., a ginsenoside-transforming bacterium isolated from forest soil. <i>Archives of Microbiology</i> , 2021, 203, 3997-4004.	1.0	5
4400	<i>Flavobacterium inviolabile</i> sp. nov. isolated from stream water. <i>Archives of Microbiology</i> , 2021, 203, 3633-3639.	1.0	1
4401	<i>Aureivirga callyspongiae</i> sp. nov., Isolated from Marine Sponge <i>Callyspongia elegans</i> . <i>Microbiology and Biotechnology Letters</i> , 2021, , .	0.2	0
4402	<i>Azohydromonas caseinilytica</i> sp. nov., a Nitrogen-Fixing Bacterium Isolated From Forest Soil by Using Optimized Culture Method. <i>Frontiers in Microbiology</i> , 2021, 12, 647132.	1.5	14
4403	Abyssomicin derivatives from the rhizosphere soil actinomycete <i>Microbispora rhizosphaerae</i> sp. nov. TBRC6028. <i>Phytochemistry</i> , 2021, 185, 112700.	1.4	1

#	ARTICLE	IF	CITATIONS
4404	Maribacter hydrothermalis sp. nov., Isolated from Shallow-Sea Hydrothermal Systems Off Kueishantao Island. <i>Current Microbiology</i> , 2021, 78, 2815-2820.	1.0	2
4405	Genetic characterisation of <i>Campylobacter concisus</i> : Strategies for improved genomospecies discrimination. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126187.	1.2	4
4406	<i>Sphingobacterium lumbrici</i> sp. nov., a novel bacterium isolated from wormcast of <i>Eisenia foetida</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	2
4407	Genomic insight into the <i>Streptomyces aurantiacus</i> clade: reclassification of <i>Streptomyces ederensis</i> as a later heterotypic synonym of <i>Streptomyces umbrinus</i> and <i>Streptomyces glomeroaurantiacus</i> as a later heterotypic synonym of <i>Streptomyces aurantiacus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	12
4408	<i>Qipengyuania soli</i> sp. nov., Isolated from Mangrove Soil. <i>Current Microbiology</i> , 2021, 78, 2806-2814.	1.0	11
4409	<i>Taishania pollutisoli</i> gen. nov., sp. nov., Isolated from Tetrabromobisphenol A-Contaminated Soil. <i>Current Microbiology</i> , 2021, 78, 2563-2568.	1.0	0
4410	Comparative genomic analysis of the genus <i>Novosphingobium</i> and the description of two novel species <i>Novosphingobium aerophilum</i> sp. nov. and <i>Novosphingobium jiangmenense</i> sp. nov. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126202.	1.2	31
4411	High Potential for Secondary Metabolite Production of <i>Paracoccus marcusii</i> CP157, Isolated From the Crustacean Cancer pagurus. <i>Frontiers in Microbiology</i> , 2021, 12, 688754.	1.5	10
4412	<i>Alkalibacillus aidingensis</i> sp. nov., an Bacterium Isolated from Aiding Lake in Xinjiang Province, North-West China. <i>Current Microbiology</i> , 2021, 78, 3307-3312.	1.0	7
4413	Major genetic discontinuity and novel toxigenic species in <i>Clostridioides difficile</i> taxonomy. <i>ELife</i> , 2021, 10, .	2.8	50
4414	<i>Salimicrobium humidisoli</i> sp. nov., Isolated from Saline Alkaline Soil. <i>Current Microbiology</i> , 2021, 78, 3292-3298.	1.0	1
4415	Roseobacters in a Sea of Poly- and Paraphyly: Whole Genome-Based Taxonomy of the Family Rhodobacteraceae and the Proposal for the Split of the "Roseobacter Clade" Into a Novel Family, Roseobacteraceae fam. nov.. <i>Frontiers in Microbiology</i> , 2021, 12, 683109.	1.5	263
4416	<i>Streptomyces coffeae</i> sp. nov., an endophytic actinomycete isolated from the root of <i>Coffea arabica</i> (L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	9
4417	<i>Streptacidiphilus fuscans</i> sp. nov., a novel actinobacterium isolated from the root of pumpkin ( <i>Cucurbita moschata</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	4
4418	<i>Marinobacterium alkalitolerans</i> sp. nov., with nitrate reductase and urease activity isolated from green algal mat collected from a solar saltern. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1117-1130.	0.7	3
4419	<i>Lysinibacillus agricola</i> sp. nov., isolated from soil. <i>Archives of Microbiology</i> , 2021, 203, 4173-4178.	1.0	1
4420	<i>Mangrovivirga cuniculi</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from bioturbated Red Sea mangrove sediment, and proposal of the novel family Mangrovivirgaceae fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	13
4421	<i>Fervidicoccus fontis</i> Strain 3639Fd, the First Crenarchaeon Capable of Growth on Lipids. <i>Microbiology</i> , 2021, 90, 435-442.	0.5	1

#	ARTICLE	IF	CITATIONS
4422	<i>Thermococcus henrietii</i> sp. nov., a novel extreme thermophilic and piezophilic sulfur-reducing archaeon isolated from a deep-sea hydrothermal chimney. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	8
4423	<i>Massilia cellulositytica</i> sp. nov., a novel cellulose-degrading bacterium isolated from rhizosphere soil of rice ( <i>Oryza sativa</i> L.) and its whole genome analysis. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1529-1540.	0.7	11
4424	<i>Rhodococcus spelaei</i> sp. nov., isolated from a cave, and proposals that <i>Rhodococcus biphenylivorans</i> is a later synonym of <i>Rhodococcus pyridinivorans</i> , <i>Rhodococcus qingshengii</i> and <i>Rhodococcus baikonurensis</i> are later synonyms of <i>Rhodococcus erythropolis</i> , and <i>Rhodococcus percolatus</i> and <i>Rhodococcus imtechensis</i> are later synonyms of <i>Rhodococcus opacus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	22
4425	Physiological and genomic features of <i>Henriciella</i> with the description of <i>Henriciella mobilis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
4426	<i>Leucobacter chromiisoli</i> sp. nov., isolated from chromium-containing chemical plant soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	10
4427	<i>Actinocatenispora comari</i> sp. nov., an endophytic actinomycete isolated from aerial parts of <i>Comarum salesowianum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	4
4428	Novel hyperthermophilic crenarchaeon <i>Infirmifilum lucidum</i> gen. nov. sp. nov., reclassification of <i>Thermofilum uzonense</i> as <i>Infirmifilum uzonense</i> comb. nov. and assignment of the family Thermofilaceae to the order Thermofilales ord. nov.. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126230.	1.2	15
4429	<i>Rahnella laticis</i> sp. nov. and <i>Rahnella contaminans</i> sp. nov., and emended description of the genus <i>Rahnella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	17
4430	Diversity and Evolution of <i>Clostridium beijerinckii</i> and Complete Genome of the Type Strain DSM 791T. <i>Processes</i> , 2021, 9, 1196.	1.3	5
4431	Comparative Genomic and Metabolic Analysis of <i>Streptomyces</i> sp. RB110 Morphotypes Illuminates Genomic Rearrangements and Formation of a New 46-Membered Antimicrobial Macrolide. <i>ACS Chemical Biology</i> , 2021, 16, 1482-1492.	1.6	4
4432	<i>Priestia veravalensis</i> sp. nov., isolated from coastal sample. <i>Archives of Microbiology</i> , 2021, 203, 4839-4845.	1.0	5
4433	<i>Salipiger mangrovisoli</i> sp. nov., isolated from mangrove soil and the proposal for the reclassification of <i>Paraphaeobacter pallidus</i> as <i>Salipiger pallidus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	15
4434	<i>Streptomyces musisoli</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
4435	Reclassification of [ <i>Haemophilus</i> ] <i>haemoglobinophilus</i> as <i>Canicola haemoglobinophilus</i> gen. nov., comb. nov. including Bisgaard taxon 35. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	9
4436	<i>Pseudoroseicyclus tamaricis</i> sp. nov., isolated from seashore sediment of a <i>Tamarix chinensis</i> forest and emended descriptions of the genus <i>Pseudoroseicyclus</i> Park et al. 2016. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
4437	<i>Rhodococcus spongiicola</i> sp. nov. and <i>Rhodococcus xishaensis</i> sp. nov., from marine sponges. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	14
4438	<i>Thermosiphon ferrireducens</i> sp. nov., an anaerobic thermophilic iron(III)-reducing bacterium isolated from a deep-sea hydrothermal sulfide deposits. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
4439	Isolation and Characterization of Urease-Producing Soil Bacteria. <i>International Journal of Microbiology</i> , 2021, 2021, 1-11.	0.9	17

#	ARTICLE	IF	CITATIONS
4440	<i>Effusibacillus dendaii</i> sp. nov. isolated from farm soil. Archives of Microbiology, 2021, 203, 4859-4865.	1.0	5
4441	<i>Actinoplanes aureus</i> sp. nov., a novel protease-producing actinobacterium isolated from soil. Antonie Van Leeuwenhoek, 2021, 114, 1517-1527.	0.7	1
4442	<i>Sulfobacillus harzensis</i> sp. nov., an acidophilic bacterium inhabiting mine tailings from a polymetallic mine. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	10
4443	<i>Algoriphagus pacificus</i> sp. nov. and <i>Algoriphagus oliviformis</i> sp. nov., isolated from a mariculture fishpond. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	7
4444	<i>Thermococcus camini</i> sp. nov., a hyperthermophilic and piezophilic archaeon isolated from a deep-sea hydrothermal vent at the Mid-Atlantic Ridge. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	10
4445	<i>Niastella soli</i> sp. nov., isolated from rhizospheric soil of a persimmon tree. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	7
4446	<i>Reticulibacter mediterranei</i> gen. nov., sp. nov., within the new family Reticulibacteraceae fam. nov., and <i>Ktedonospora formicarum</i> gen. nov., sp. nov., <i>Ktedonobacter robiniae</i> sp. nov., <i>Dictyobacter formicarum</i> sp. nov. and <i>Dictyobacter arantiisoli</i> sp. nov., belonging to the class Ktedonobacteria. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	35
4447	Genomic and Phenotypic Biology of Novel Strains of <i>Dickeya zeae</i> Isolated From Pineapple and Taro in Hawaii: Insights Into Genome Plasticity, Pathogenicity, and Virulence Determinants. Frontiers in Plant Science, 2021, 12, 663851.	1.7	15
4448	<i>Rodentibacter haemolyticus</i> sp. nov. isolated from laboratory rodents. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	7
4449	<i>Jinshanibacter allomyrinae</i> sp. nov., isolated from larvae of <i>Allomyrina dichotoma</i> , proposal of <i>Insectihabitans xujianqingii</i> gen. nov., comb. nov. and emended descriptions of the genera <i>Jinshanibacter</i> , <i>Limnobaculum</i> and <i>Pragia</i> . International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	20
4450	Coleofasciculaceae, a Monophyletic Home for the <i>Microcoleus steenstrupii</i> Complex and Other Desiccation-tolerant Filamentous Cyanobacteria. Journal of Phycology, 2021, 57, 1563-1579.	1.0	23
4451	<i>Chryseobacterium paridis</i> sp. nov., an endophytic bacterial species isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . Archives of Microbiology, 2021, 203, 4777-4783.	1.0	3
4452	<i>Faecalibacter rhinopithecii</i> sp. nov., a bacterium isolated from the faeces of <i>Rhinopithecus bieti</i> . International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	7
4453	<i>Mesononia hitae</i> sp. nov., isolated from the seawater of the South Atlantic Ocean. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	5
4454	Phylotaxogenomics for the Reappraisal of the Genus <i>Roseomonas</i> With the Creation of Six New Genera. Frontiers in Microbiology, 2021, 12, 677842.	1.5	182
4455	<i>Ectobacillus aegiceratis</i> sp. nov., a novel bacterium isolated from branch of <i>Aegiceras corniculatum</i> . Antonie Van Leeuwenhoek, 2021, 114, 1565-1574.	0.7	1
4456	<i>Pseudomonas nanhaiensis</i> sp. nov., a lipase-producing bacterium isolated from deep-sea sediment of the South China Sea. Antonie Van Leeuwenhoek, 2021, 114, 1791-1804.	0.7	4
4457	<i>Snuella sedimenti</i> sp. nov., isolated from marine sediment. Archives of Microbiology, 2021, 203, 5437-5443.	1.0	0

#	ARTICLE	IF	CITATIONS
4458	Chitinophaga chungangae sp. nov., isolated from a Korean grape garden and its potential to biosynthesize ginsenoside Rg2. Archives of Microbiology, 2021, 203, 5483-5489.	1.0	2
4459	Glycomyces salinus sp. nov., an actinomycete isolated from a hypersaline habitat. Archives of Microbiology, 2021, 203, 5249-5255.	1.0	7
4460	Metagenome-assembled genome of a Chitinophaga sp. and its potential in plant biomass degradation, as well of affiliated Pandoraea and Labrys species. World Journal of Microbiology and Biotechnology, 2021, 37, 162.	1.7	7
4461	Veronia nyctiphanis gen. nov., sp. nov., Isolated from the Stomach of the Euphausiid Nyctiphanes simplex (Hansen, 1911) in the Gulf of California, and Reclassification of Enterovibrio pacificus as Veronia pacifica comb. nov.. Current Microbiology, 2021, 78, 3782-3790.	1.0	16
4462	Aestuariusphingobium litorale Li et al. 2020 is a later heterotypic synonym of Chakrabartia godavariana Jani et al. 2019. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	2
4463	Psychrosphaera ytuae sp. nov., isolated from the deep-sea cold seep sediment of South China Sea. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	7
4464	Performance assessment of ASTA MicroIDSys, a new matrix assisted laser desorption ionization–time of flight mass spectrometry system, for identification of viridans group streptococci. Microbiology and Immunology, 2021, 65, 566-574.	0.7	0
4465	Photorhabdus hindustanensis sp. nov., Photorhabdus akhurstii subsp. akhurstii subsp. nov., and Photorhabdus akhurstii subsp. bharatensis subsp. nov., isolated from Heterorhabditis entomopathogenic nematodes. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	19
4466	Halegenticoccus tardaogens sp. nov., an extremely halophilic archaeon isolated from a saline soil. Extremophiles, 2021, 25, 483-492.	0.9	6
4467	Comprehensive genome analysis of a novel actinobacterium with high potential for biotechnological applications, Nonomurea aridisoli sp. nov., isolated from desert soil. Antonie Van Leeuwenhoek, 2021, 114, 1963-1975.	0.7	8
4468	Whole Genome Sequencing Based Taxonomic Classification, and Comparative Genomic Analysis of Potentially Human Pathogenic Enterobacter spp. Isolated from Chlorinated Wastewater in the North West Province, South Africa. Microorganisms, 2021, 9, 1928.	1.6	3
4469	Dyella telluris sp. nov. and Dyella acidiphila sp. nov., isolated from forest soil of Dinghushan Biosphere Reserve, China. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	16
4470	An evaluation of the species and subspecies of the genus Salmonella with whole genome sequence data: Proposal of type strains and epithets for novel S. enterica subspecies VII, VIII, IX, X and XI. Genomics, 2021, 113, 3152-3162.	1.3	19
4471	Nisaea sediminum sp. nov., a heavy metal resistant bacterium isolated from marine sediment in the East China Sea. Antonie Van Leeuwenhoek, 2021, 114, 2113-2121.	0.7	2
4472	Massilia rhizosphaerae sp. nov., a rice-associated rhizobacterium with antibacterial activity against Ralstonia solanacearum. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	22
4473	Agromyces mariniharenae sp. nov., a novel indole-acetic acid producing actinobacterium isolated from marine sand. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	4
4474	Potential antibiotic production of Streptomyces justiciae sp. nov., isolated from the root of Justicia subcoriacea. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	6
4475	Pontivivens ytuae sp. nov., isolated from deep sea sediment of the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	5

#	ARTICLE	IF	CITATIONS
4476	Acidisoma silvae sp. nov. and Acidisomacellulosilytica sp. nov., Two Acidophilic Bacteria Isolated from Decaying Wood, Hydrolyzing Cellulose and Producing Poly-3-hydroxybutyrate. <i>Microorganisms</i> , 2021, 9, 2053.	1.6	12
4477	Ruania rhizosphaerae sp. nov., a novel actinobacterium isolated from rhizosphere of Suaeda aralocaspica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
4478	Nonomurea nitratireducens Qu et al. 2020 is a later heterotypic synonym of Nonomurea phyllanthi Klykchung et al. 2020. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	2
4479	Cellulomonas aurantiaca Kim et al. 2020 is a later heterotypic synonym of Cellulomonas algicola Yamamura et al. 2019. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	3
4480	Streptomyces endocoffeicus sp. nov., an endophytic actinomycete isolated from Coffea arabica (L.). <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1889-1898.	0.7	2
4481	Actinoplanes flavus sp. nov., a novel cellulase-producing actinobacterium isolated from coconut palm rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
4482	Pseudoceanicola endophyticus sp. nov., a novel endophytic bacterium isolated from bark Aegiceras corniculatum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
4483	Prediction of Mannheimia haemolytica serotypes based on whole genomic sequences. <i>Veterinary Microbiology</i> , 2021, 262, 109232.	0.8	4
4484	Description and functional testing of four species of the novel phototrophic genus Chioneia gen. nov., isolated from different East Antarctic environments. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126250.	1.2	26
4487	Pseudomonas allii sp. nov., a pathogen causing soft rot of onion in Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	22
4488	Zafaria cholistanensis gen. nov. sp. nov., a moderately thermotolerant and halotolerant actinobacterium isolated from Cholistan desert soil of Pakistan. <i>Archives of Microbiology</i> , 2021, 203, 1717-1729.	1.0	1
4489	Modeling Bacterial Species: Using Sequence Similarity with Clustering Techniques. <i>Computers, Materials and Continua</i> , 2021, 68, 1661-1672.	1.5	0
4490	The Taxonomy of Bacteria in the Genomic Era. , 2021, , 289-309.		2
4491	Solimonas marina sp. nov., isolated from deep seawater of the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
4492	Haloechothrix aidingensis sp. nov., an actinomycete isolated from salt lake in Xinjiang province, north-west China. <i>Archives of Microbiology</i> , 2021, 203, 1801-1806.	1.0	7
4493	Molecular Evolution and Taxonomy of the Cyanobacteria. , 1994, , 1-25.		4
4494	The Family Actinomycetaceae: The Genera Actinomyces, Actinobaculum, Arcanobacterium, Varibaculum, and Mobiluncus. , 2006, , 430-537.		25
4495	The Family Microbacteriaceae. , 2006, , 1020-1098.		75

#	ARTICLE	IF	CITATIONS
4496	The Genera <i>Desulfitobacterium</i> and <i>Desulfosporosinus</i> : Taxonomy. , 2006, , 771-786.		33
4497	The Anaerobic Gram-Positive Cocci. , 2006, , 795-808.		6
4498	The Genera <i>Photorhabdus</i> and <i>Xenorhabdus</i> . , 2006, , 451-494.		26
4499	The Genus <i>Leptospira</i> . , 2006, , 294-317.		6
4500	The Genus <i>Brachyspira</i> . , 2006, , 330-356.		16
4501	Class II. Betaproteobacteria class. nov.. , 2005, , 575-922.		7
4502	Class IV. Deltaproteobacteria class nov.. , 2005, , 922-1144.		5
4503	Polyphasic Taxonomy Of The Genus <i>Frankia</i> . , 2007, , 25-47.		13
4504	Screening for PGPR to improve growth of <i>Cistus ladanifer</i> seedlings for reforestation of degraded mediterranean ecosystems. , 2007, , 59-68.		9
4505	The Evolution of the <i>Pseudomonads</i> . , 2008, , 307-319.		6
4506	RNA Chemotaxonomy of Bacterial Isolates and Natural Microbial Communities. Brock/Springer Series in Contemporary Bioscience, 1990, , 129-159.	0.3	20
4507	Methanogenesis from Propionate in Sludge and Enrichment Systems. , 1990, , 99-111.		25
4508	Systematics of Insect Pathogenic Bacilli: Uses in Strain Identification and Isolation of Novel Pathogens. , 1994, , 275-295.		9
4509	The Use of Molecular Markers for the Detection and Typing of Bacteria in Soil. , 1994, , 137-152.		3
4510	Taxonomy, Role, and Significance of Microorganisms in Foods. , 2000, , 13-34.		5
4512	Taxonomy of <i>Mycobacteria</i> . , 1998, , 1-71.		28
4514	Ribosomal RNA Analysis of Microorganisms as They Occur in Nature. <i>Advances in Microbial Ecology</i> , 1992, , 219-286.	0.1	379
4515	Diversity of Uncultured Microorganisms in the Environment. , 2000, , 57-75.		13

#	ARTICLE	IF	CITATIONS
4516	Biota of the Human Gastrointestinal Tract. , 1997, , 39-58.		10
4517	Thermophilic, Aerobic, Hydrogen-Oxidizing (Knallgas) Bacteria. , 1992, , 3917-3933.		36
4518	Taxonomy and Epidemiology. Advances in Experimental Medicine and Biology, 1997, , 299-306.	0.8	2
4519	Taxonomy of Bacillus. , 1989, , 5-26.		10
4520	Anaerobic Hydrocarbon-Degrading Deltaproteobacteria. , 2019, , 207-243.		10
4521	Molecular Phylogeny of Entomopathogens. Sustainability in Plant and Crop Protection, 2019, , 43-113.	0.2	6
4522	Ehrlichia. , 2009, , 117-164.		2
4523	Taxonomy of Methanogens. , 2010, , 547-558.		18
4524	Developments in the Taxonomy of Aerobic, Endospore-forming Bacteria. Soil Biology, 2011, , 1-29.	0.6	16
4525	The Hypersaline Lakes of Inner Mongolia: The MGAtch Project. , 2011, , 65-107.		2
4526	The Family Spiroplasmataceae. , 2014, , 551-567.		9
4527	The Family Dermabacteraceae. , 2014, , 289-299.		5
4528	The Family Streptomycetaceae. , 2014, , 889-1010.		19
4529	The Family Nocardioideaceae. , 2014, , 651-694.		11
4530	The Family Nocardiaceae. , 2014, , 595-650.		47
4531	The Family Alcaligenaceae. , 2014, , 729-757.		10
4532	The Family Vibrionaceae. , 2014, , 659-747.		15
4533	The Family Shewanellaceae. , 2014, , 597-625.		16



#	ARTICLE	IF	CITATIONS
4534	The Family Moritellaceae. , 2014, , 477-489.		7
4535	The Family Oceanospirillaceae. , 2014, , 491-527.		9
4536	The Family Ferroplasmaceae. , 2014, , 29-34.		5
4537	Sibelia: A Scalable and Comprehensive Synteny Block Generation Tool for Closely Related Microbial Genomes. Lecture Notes in Computer Science, 2013, , 215-229.	1.0	74
4538	Microbiology of Helicobacter pylori. Current Topics in Microbiology and Immunology, 1999, 241, 103-122.	0.7	8
4540	The Hypersaline Lakes of Inner Mongolia: The MGAtech Project. , 2011, , 65-107.		3
4541	Molecular Analyses of the Sediment and Isolation of Extreme Barophiles from the Deepest Mariana Trench. , 1999, , 27-37.		2
4542	Thermophiles. , 1999, , 113-154.		1
4543	Characteristics of Alicyclobacillus. , 2007, , 9-48.		5
4544	Fuel for the Future: Biodiesel “ A Case study. , 2010, , 229-235.		4
4545	Mixed gastric infections and infection with other Helicobacter species. , 1996, , 1-10.		2
4546	Molecular Evolution and Taxonomy of the Cyanobacteria. , 1994, , 1-25.		150
4547	Detection of mRNA and rRNA via reverse transcription and PCR in soil. , 1995, , 245-258.		1
4548	Host-specific virulence genes of Xanthomonas. Developments in Plant Pathology, 1994, , 141-158.	0.1	3
4549	H. pylori species heterogeneity. , 1994, , 28-40.		3
4550	Structure of the Genus Frankia. , 1991, , 629-633.		5
4551	Microbial Systematics: Background and Uses. , 2000, , 1-18.		10
4552	Systematics of Sphingomonas Species that Degrade Xenobiotic Pollutants. , 2000, , 333-365.		2

#	ARTICLE	IF	CITATIONS
4553	A Slow Ramble in the Acid-Fast Lane. , 2000, , 389-419.		3
4554	Recent Developments in Systematics and Their Implications for Plant Pathogenic Bacteria. , 2000, , 135-163.		8
4555	Molecular Biology and Genetic Diversity of Microorganisms. , 2000, , 43-57.		1
4556	DNA Relatedness Among Pathovars of <i>P. syringae</i> and Related Bacteria. <i>Developments in Plant Pathology</i> , 1997, , 445-448.	0.1	21
4557	Taxonomy of <i>Pseudomonas syringae</i> Pathovars: Classification and Nomenclature. , 2003, , 645-652.		2
4558	History of Rhizobial Taxonomy. , 2019, , 23-39.		3
4559	<i>Lysobacter tongrenensis</i> sp. nov., isolated from soil of a manganese factory. <i>Archives of Microbiology</i> , 2018, 200, 439-444.	1.0	6
4560	<i>Shimazuella alba</i> sp. nov. isolated from desert soil and emended description of the genus <i>Shimazuella</i> Park et al. 2007. <i>Archives of Microbiology</i> , 2020, 202, 1831-1838.	1.0	8
4561	<i>Skermanella mucosa</i> sp. nov., isolated from crude oil contaminated soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 1053-1060.	0.7	16
4562	<i>Acidovorax lacteus</i> sp. nov., isolated from a culture of a bloom-forming cyanobacterium ( <i>Microcystis</i> ) Tj ETQq1 1 0.784314 r gBT /Ove	0.7	37
4563	MOLECULAR APPROACH TO MYCOPLASMA PHYLOGENY. , 1989, , 33-69.		10
4564	Clarifying the taxonomy of the causal agent of bacterial leaf spot of lettuce through a polyphasic approach reveals that <i>Xanthomonas cynarae</i> TrÃ©baol et al. 2000 emend. Timilsina et al. 2019 is a later heterotypic synonym of <i>Xanthomonas hortorum</i> Vauterin et al. 1995. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126087.	1.2	59
4565	Primary structure and transcription of genes encoding B870 and photosynthetic reaction center apoproteins from <i>Rubrivivax gelatinosus</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 2477-2484.	1.6	43
4566	Taxonomy of rhizobia. <i>Agronomy for Sustainable Development</i> , 2001, 21, 569-576.	0.8	53
4567	Identification et caractÃ©risation de souches industrielles du genre <i>Bifidobacterium</i> par 2 mÃ©thodes de taxonomie molÃ©culaire. <i>Dairy Science and Technology</i> , 1994, 74, 479-484.	0.9	4
4568	Molecular taxonomic parameters. <i>Microbiology Australia</i> , 2011, 32, 59.	0.1	17
4569	Genomic Encyclopedia of Bacteria and Archaea (GEBA) VI: learning from type strains. <i>Microbiology Australia</i> , 2019, 40, 125.	0.1	3
4570	Grahamellain small woodland mammals in the U.K.: isolation, prevalence and host specificity. <i>Annals of Tropical Medicine and Parasitology</i> , 1994, 88, 317-327.	1.6	110

#	ARTICLE	IF	CITATIONS
4571	SOIL MICROBIAL DIVERSITY: PRESENT AND FUTURE CONSIDERATIONS. <i>Soil Science</i> , 1997, 162, 607-617.	0.9	93
4572	Report of the Ad Hoc Committee on Approaches to Taxonomy within the Proteobacteria. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 213-215.	2.8	175
4573	<i>Actinomyces georgiae</i> sp. nov., <i>Actinomyces gerencseriae</i> sp. nov., Designation of Two Genospecies of <i>Actinomyces naeslundii</i> , and Inclusion of <i>A. naeslundii</i> serotypes II and III and <i>Actinomyces viscosus</i> serotype II in <i>A. naeslundii</i> Genospecies 2. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 273-286.	2.8	160
4574	Taxonomy of the Genus <i>Frankia</i> (Actinomycetales). <i>International Journal of Systematic Bacteriology</i> , 1994, 44, 1-8.	2.8	55
4575	DNA Relatedness among <i>Aeromonas allosaccharophila</i> Strains and DNA Hybridization Groups of the Genus <i>Aeromonas</i> . <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 390-391.	2.8	25
4576	<i>Aeromonas encheleia</i> sp. nov., Isolated from European Eels. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 462-466.	2.8	80
4577	Taxonomic Note: A Pragmatic Approach to the Nomenclature of Phenotypically Similar Genomic Groups. <i>International Journal of Systematic Bacteriology</i> , 1995, 45, 604-604.	2.8	109
4578	Genomic Diversity and Differentiation among <i>Phytoplasma</i> Strains in 16S rRNA Groups I (Aster Yellows) Tj ETQq1 1 0.784314 rgBT /O... <i>Systematic Bacteriology</i> , 1996, 46, 64-75.	2.8	137
4579	Characterization of <i>Lactobacilli</i> by Southern-Type Hybridization with a <i>Lactobacillus plantarum</i> pyrDFE Probe. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 588-594.	2.8	57
4580	Phylogeny of <i>Prostheco bacter</i> , the Fusiform Caulobacters: Members of a Recently Discovered Division of the Bacteria. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 960-966.	2.8	66
4581	Taxonomy of <i>Pseudomonas</i> Strains Isolated from Tomato Pith Necrosis: Emended Description of <i>Pseudomonas corrugata</i> and Proposal of Three Unnamed Fluorescent <i>Pseudomonas</i> Genospecies. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1020-1033.	2.8	55
4582	<i>Nocardioides pyridinolyticus</i> sp. nov., a Pyridine-Degrading Bacterium Isolated from the Oxidic Zone of an Oil Shale Column. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 933-938.	2.8	77
4583	Revised group classification of the genus <i>Spiroplasma</i> . <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 1-12.	2.8	62
4584	<i>Mycobacterium kubicae</i> sp. nov., a slowly growing, scotochromogenic <i>Mycobacterium</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1811-1816.	0.8	37
4585	<i>Methylarcula marina</i> gen. nov., sp. nov. and <i>Methylarcula terricola</i> sp. nov.: novel aerobic, moderately halophilic, facultatively methylotrophic bacteria from coastal saline environments.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1849-1859.	0.8	70
4586	DNA-DNA relatedness among <i>Thermoactinomyces</i> species: <i>Thermoactinomyces candidus</i> as a synonym of <i>Thermoactinomyces vulgaris</i> and <i>Thermoactinomyces thalophilus</i> as a synonym of <i>Thermoactinomyces sacchari</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1905-1908.	0.8	25
4587	Comparative sequence analyses of the ribonuclease P (RNase P) RNA genes from LL-2,6-diaminopimelic acid-containing actinomycetes.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 2021-2029.	0.8	14
4588	<i>Vibrio cyclotrophicus</i> sp. nov., a polycyclic aromatic hydrocarbon (PAH)-degrading marine bacterium.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 61-66.	0.8	120

#	ARTICLE	IF	CITATIONS
4589	Characterization of halobenzoate-degrading, denitrifying <i>Azoarcus</i> and <i>Thauera</i> isolates and description of <i>Thauera chlorobenzoica</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 589-602.	0.8	99
4590	Relationship of 16S rRNA sequence similarity to DNA hybridization in prokaryotes.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 667-678.	0.8	127
4591	<i>Bordetella petrii</i> sp. nov., isolated from an anaerobic bioreactor, and emended description of the genus <i>Bordetella</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1257-1265.	0.8	134
4592	<i>Planomicrobium koreense</i> gen. nov., sp. nov., a bacterium isolated from the Korean traditional fermented seafood jeotgal, and transfer of <i>Planococcus okeanokoites</i> (Nakagawa et al. 1996) and <i>Planococcus mcmeekinii</i> (Junge et al. 1998) to the genus <i>Planomicrobium</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1511-1520.	0.8	75
4593	<i>Pseudomonas kilonensis</i> sp. nov., a bacterium isolated from agricultural soil.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1549-1555.	0.8	43
4594	<i>Bartonella schoenbuchii</i> sp. nov., isolated from the blood of wild roe deer.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1557-1565.	0.8	104
4595	<i>Alicyclobacillus herbarius</i> sp. nov., a novel bacterium containing omega-cycloheptane fatty acids, isolated from herbal tea.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 109-113.	0.8	90
4596	<i>Anaerobaculum mobile</i> sp. nov., a novel anaerobic, moderately thermophilic, peptide-fermenting bacterium that uses crotonate as an electron acceptor, and emended description of the genus <i>Anaerobaculum</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 157-164.	0.8	128
4597	<i>Shewanella frigidimarina</i> and <i>Shewanella livingstonensis</i> sp. nov. isolated from Antarctic coastal areas.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 195-205.	0.8	131
4598	<i>Pseudoalteromonas issachenkonii</i> sp. nov., a bacterium that degrades the thallus of the brown alga <i>Fucus evanescens</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 229-234.	0.8	56
4599	<i>Pseudoalteromonas ruthenica</i> sp. nov., isolated from marine invertebrates.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 235-240.	0.8	46
4600	<i>Methylocapsa acidiphila</i> gen. nov., sp. nov., a novel methane-oxidizing and dinitrogen-fixing acidophilic bacterium from Sphagnum bog.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 251-261.	0.8	240
4601	<i>Pseudomonas mosselii</i> sp. nov., a novel species isolated from clinical specimens.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 363-376.	0.8	60
4602	<i>Weissella kimchii</i> sp. nov., a novel lactic acid bacterium from kimchi.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 507-511.	0.8	83
4603	<i>Paenibacillus graminis</i> sp. nov. and <i>Paenibacillus odorifer</i> sp. nov., isolated from plant roots, soil and food.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 607-616.	0.8	156
4604	<i>Corynebacterium aurimucosum</i> sp. nov. and emended description of <i>Corynebacterium minutissimum</i> Collins and Jones (1983).. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1001-1005.	0.8	33
4605	Report of the ad hoc committee for the re-evaluation of the species definition in bacteriology.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1043-1047.	0.8	971
4606	Proposed minimal standards for describing new taxa of the family Flavobacteriaceae and emended description of the family.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1049-1070.	0.8	1,408

#	ARTICLE	IF	CITATIONS
4607	Phylogenetic study of the genus <i>Oceanospirillum</i> based on 16S rRNA and <i>gyrB</i> genes: emended description of the genus <i>Oceanospirillum</i> , description of <i>Pseudospirillum</i> gen. nov., <i>Oceanobacter</i> gen. nov. and <i>Terasakiella</i> gen. nov. and transfer of <i>Oceanospirillum jannaschii</i> and <i>Pseudomonas stanieri</i> to <i>Marinobacterium</i> as <i>Marinobacterium jannaschii</i> comb. nov. and <i>Marinobacterium stanieri</i> comb. no.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 739-747.	0.8	90
4608	<i>Salinicoccus alkaliphilus</i> sp. nov., a novel alkaliphile and moderate halophile from Baer Soda Lake in Inner Mongolia Autonomous Region, China.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 789-793.	0.8	30
4609	<i>Amycolatopsis eurytherma</i> sp. nov., a thermophilic actinomycete isolated from soil.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 889-894.	0.8	23
4610	<i>Thermobifida cellulolytica</i> sp. nov., a novel lignocellulose-decomposing actinomycete.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1193-1199.	0.8	26
4611	<i>Psychrobacter submarinus</i> sp. nov. and <i>Psychrobacter marincola</i> sp. nov., psychrophilic halophiles from marine environments.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1291-1297.	0.8	67
4612	<i>Gelidibacter mesophilus</i> sp. nov., a novel marine bacterium in the family <i>Flavobacteriaceae</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1325-1329.	0.8	36
4613	<i>Aequorivita</i> gen. nov., a member of the family <i>Flavobacteriaceae</i> isolated from terrestrial and marine Antarctic habitats.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1533-1541.	0.8	82
4614	<i>Pseudomonas indica</i> sp. nov., a novel butane-utilizing species.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1559-1567.	0.8	110
4615	<i>Brachybacterium fresconis</i> sp. nov. and <i>Brachybacterium sacelli</i> sp. nov., isolated from deteriorated parts of a medieval wall painting of the chapel of Castle Herberstein (Austria).. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1641-1646.	0.8	23
4616	<i>Aeromonas culicicola</i> sp. nov., from the midgut of <i>Culex quinquefasciatus</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1723-1728.	0.8	84
4617	Description of <i>Afipia birgiae</i> sp. nov. and <i>Afipia massiliensis</i> sp. nov. and recognition of <i>Afipia felis</i> genospecies A.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1773-1782.	0.8	45
4618	<i>Halococcus dombrowskii</i> sp. nov., an archaeal isolate from a Permian alpine salt deposit.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1807-1814.	0.8	80
4619	<i>Nocardia pseudovaccinii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1825-1829.	0.8	12
4620	<i>Runella zaeae</i> sp. nov., a novel gram-negative bacterium from the stems of surface-sterilized <i>Zea mays</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2061-2063.	0.8	26
4621	<i>Pseudomonas extremorientalis</i> sp. nov., isolated from a drinking water reservoir.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2113-2120.	0.8	27
4622	Characterization of <i>Serratia</i> isolates from soil, ecological implications and transfer of <i>Serratia proteamaculans</i> subsp. <i>quinovora</i> Grimont et al. 1983 to <i>Serratia quinivorans</i> corrig., sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2281-2289.	0.8	26
4623	<i>Nocardiopsis metallicus</i> sp. nov., a metal-leaching actinomycete isolated from an alkaline slag dump.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2291-2295.	0.8	40
4624	Objections to the transfer of <i>Francisella novicida</i> to the subspecies rank of <i>Francisella tularensis</i> "response to Johansson et al.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1718-1720.	0.8	36

#	ARTICLE	IF	CITATIONS
4625	<i>Flavobacterium daemonensis</i> sp. nov., isolated from Daemo Mountain soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 983-989.	0.8	17
4626	<i>Sporolactobacillus shoreae</i> sp. nov. and <i>Sporolactobacillus spathodeae</i> sp. nov., two spore-forming lactic acid bacteria isolated from tree barks in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1220-1226.	0.8	18
4627	<i>Uruburuella testudinis</i> sp. nov., isolated from tortoise ( <i>Testudo</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1251-1255.	0.8	9
4628	<i>Gramella aestuariivivens</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1262-1267.	0.8	15
4629	<i>Actinomadura darangshiensis</i> sp. nov., isolated from a volcanic cone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1431-1436.	0.8	8
4630	<i>Providencia sneebia</i> sp. nov. and <i>Providencia burhodogranariae</i> sp. nov., isolated from wild <i>Drosophila melanogaster</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1108-1111.	0.8	136
4631	<i>Actinomycetospora rhizophila</i> sp. nov., an actinomycete isolated from rhizosphere soil of a peace lily ( <i>Spathi phyllum Kochii</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1520-1524.	0.8	8
4632	<i>Algibacter amylolyticus</i> sp. nov., isolated from intertidal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1556-1560.	0.8	16
4633	<i>Marinomonas mangrovi</i> sp. nov., isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1537-1541.	0.8	14
4634	<i>Bacillus crassostreae</i> sp. nov., isolated from an oyster ( <i>Crassostrea hongkongensis</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1561-1566.	0.8	18
4635	<i>Prausserella isguenensis</i> sp. nov., a halophilic actinomycete isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1598-1603.	0.8	21
4636	<i>Blastomonas aquatica</i> sp. nov., a bacteriochlorophyll-containing bacterium isolated from lake water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1653-1658.	0.8	15
4637	<i>Polaribacter undariae</i> sp. nov., isolated from a brown alga reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1679-1685.	0.8	23
4638	Revision of the taxonomic status of type strains of <i>Mesorhizobium loti</i> and reclassification of strain USDA 3471T as the type strain of <i>Mesorhizobium erdmanii</i> sp. nov. and ATCC 33669T as the type strain of <i>Mesorhizobium jarvisii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1703-1708.	0.8	47
4639	<i>Marmoricola solisilvae</i> sp. nov. and <i>Marmoricola terrae</i> sp. nov., isolated from soil and emended description of the genus <i>Marmoricola</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1825-1830.	0.8	22
4640	<i>Hymenobacter wooonensis</i> sp. nov., isolated from wetland freshwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1871-1876.	0.8	14
4641	<i>Paracoccus sanguinis</i> sp. nov., isolated from clinical specimens of New York State patients. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1877-1882.	0.8	28
4642	<i>Actinomadura syzygii</i> sp. nov., an endophytic actinomycete isolated from the roots of a jambolan plum tree ( <i>Syzygium cumini</i> L. Skeels). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1946-1949.	0.8	15

#	ARTICLE	IF	CITATIONS
4643	<i>Lactobacillus mixtipabuli</i> sp. nov. isolated from total mixed ration silage. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1981-1985.	0.8	12
4644	Description of <i>Octadecabacter temperatus</i> sp. nov., isolated from the southern North Sea, emended descriptions of the genus <i>Octadecabacter</i> and its species and reclassification of <i>Octadecabacter jejudonensis</i> Park and Yoon 2014 as <i>Pseudooctadecabacter jejudonensis</i> gen. nov., comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1967-1974.	0.8	31
4645	<i>Aneurinibacillus tyrosinisolvans</i> sp. nov., a tyrosine-dissolving bacterium isolated from organics- and methane-rich seafloor sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1999-2005.	0.8	15
4646	<i>Youhaiella tibetensis</i> gen. nov., sp. nov., isolated from subsurface sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2048-2055.	0.8	18
4647	<i>Arthrobacter endophyticus</i> sp. nov., an endophytic actinobacterium isolated from root of <i>Salsola affinis</i> C. A. Mey. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2154-2160.	0.8	21
4648	<i>Pontibacter chinhatensis</i> sp. nov., isolated from pond sediment containing discarded hexachlorocyclohexane isomer waste. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2248-2254.	0.8	25
4649	<i>Gelidibacter sediminis</i> sp. nov., isolated from a sediment sample of the Yellow Sea. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2304-2309.	0.8	16
4650	<i>Phycoccus soli</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2351-2356.	0.8	10
4651	<i>Thermus amyloliquefaciens</i> sp. nov., isolated from a hot spring sediment sample. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2491-2495.	0.8	22
4652	<i>Thermoproteus thermophilus</i> sp. nov., a hyperthermophilic crenarchaeon isolated from solfataric soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2507-2510.	0.8	8
4653	<i>Sphingomicrobium aestuariivivum</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2678-2683.	0.8	11
4654	<i>Humibacter ginsengiterrae</i> sp. nov., and <i>Humibacter ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2734-2740.	0.8	15
4655	<i>Sphingomonas lacus</i> sp. nov., an astaxanthin-dideoxyglycoside-producing species isolated from soil near a pond. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2824-2830.	0.8	26
4656	<i>Sphingomonas morindae</i> sp. nov., isolated from Noni ( <i>Morinda citrifolia</i> L.) branch. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2817-2823.	0.8	19
4657	<i>Pseudomonas salina</i> sp. nov., isolated from a salt lake. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2846-2851.	0.8	24
4658	<i>Thermoactinomyces guangxiensis</i> sp. nov., a thermophilic actinomycete isolated from mushroom compost. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2859-2864.	0.8	15
4659	<i>Sphingobium barthaii</i> sp. nov., a high molecular weight polycyclic aromatic hydrocarbon-degrading bacterium isolated from cattle pasture soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2919-2924.	0.8	28
4660	<i>Sphingomonas psychrolutea</i> sp. nov., a psychrotolerant bacterium isolated from glacier ice. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2955-2959.	0.8	55

#	ARTICLE	IF	CITATIONS
4661	<i>Allochromatium humboldtianum</i> sp. nov., isolated from soft coastal sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2980-2985.	0.8	9
4662	<i>Eionea flava</i> sp. nov., isolated from coastal seawater, and emended description of the genus <i>Eionea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2975-2979.	0.8	11
4663	<i>Kocuria dechangensis</i> sp. nov., an actinobacterium isolated from saline and alkaline soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3024-3030.	0.8	15
4664	<i>Maribacter confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3079-3085.	0.8	15
4665	<i>Bizionia fulviae</i> sp. nov., isolated from the gut of an egg cockle, <i>Fulvia mutica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3066-3072.	0.8	12
4666	<i>Streptomyces mangrovi</i> sp. nov., an actinomycete from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3086-3090.	0.8	7
4667	<i>Streptomyces rubrisoli</i> sp. nov., neutrotolerant acidophilic actinomycetes isolated from red soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3103-3108.	0.8	11
4668	<i>Camelimonas fluminis</i> sp. nov., a cyhalothrin-degrading bacterium isolated from river water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3109-3114.	0.8	19
4669	<i>Streptomyces tyrosinilyticus</i> sp. nov., a novel actinomycete isolated from river sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3091-3096.	0.8	11
4670	<i>Thalassomonas actiniarum</i> sp. nov. and <i>Thalassomonas haliotis</i> sp. nov., isolated from marine animals. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 686-690.	0.8	39
4671	<i>Desulfovibrio tunisiensis</i> sp. nov., a novel weakly halotolerant, sulfate-reducing bacterium isolated from exhaust water of a Tunisian oil refinery. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1059-1063.	0.8	33
4672	<i>Lysobacter panaciterrae</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 958-963.	0.8	38
4673	<i>Thiobacillus thiophilus</i> sp. nov., a chemolithoautotrophic, thiosulfate-oxidizing bacterium isolated from contaminated aquifer sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 583-588.	0.8	76
4674	<i>Cellulophaga tyrosinoxidans</i> sp. nov., a tyrosinase-producing bacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 654-657.	0.8	40
4675	<i>Arenimonas oryzae</i> sp. nov., isolated from a field of rice ( <i>Oryza sativa</i> L.) managed under a no-tillage regime, and reclassification of <i>Aspromonas composti</i> as <i>Arenimonas composti</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2967-2972.	0.8	30
4676	<i>Oceanobacillus kapialis</i> sp. nov., from fermented shrimp paste in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2254-2259.	0.8	61
4677	<i>Mesorhizobium shangrilense</i> sp. nov., isolated from root nodules of <i>Caragana</i> species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3012-3018.	0.8	43
4678	<i>Kribbella ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 364-368.	0.8	14



#	ARTICLE	IF	CITATIONS
4679	Proposal of <i>Spirillum winogradskyi</i> sp. nov., a novel microaerophilic species, an emended description of the genus <i>Spirillum</i> and Request for an Opinion regarding the status of the species <i>Spirillum volutans</i> Ehrenberg 1832. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2916-2920.	0.8	15
4680	<i>Nocardiopsis litoralis</i> sp. nov., a halophilic marine actinomycete isolated from a sea anemone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2708-2713.	0.8	42
4681	<i>Geobacter daltonii</i> sp. nov., an Fe(III)- and uranium(VI)-reducing bacterium isolated from a shallow subsurface exposed to mixed heavy metal and hydrocarbon contamination. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 546-553.	0.8	91
4682	<i>Actinomadura sputi</i> sp. nov., isolated from the sputum of a patient with pulmonary infection. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 149-153.	0.8	25
4683	Hans Georg Truper, Life Member of the ICSP - an appreciation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 647-648.	0.8	2
4684	<i>Thalassobacillus hwangdonensis</i> sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2108-2112.	0.8	13
4686	<i>Pseudoxanthomonas indica</i> sp. nov., isolated from a hexachlorocyclohexane dumpsite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2107-2111.	0.8	30
4687	<i>Stenotrophomonas daejeonensis</i> sp. nov., isolated from sewage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 598-604.	0.8	32
4688	<i>Pseudomonas taeanensis</i> sp. nov., isolated from a crude oil-contaminated seashore. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2719-2723.	0.8	20
4689	<i>Rheinheimera nanhaiensis</i> sp. nov., isolated from marine sediments, and emended description of the genus <i>Rheinheimera</i> Brettar et al. 2002 emend. Merchant et al. 2007. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1016-1022.	0.8	30
4690	<i>Streptomyces hyderabadensis</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 76-80.	0.8	16
4691	Reclassification of <i>Dactylosporangium variesporum</i> ™ as <i>Saccharothrix variispora</i> corrig. (ex Tomita) Tj ETQq1 1 0.784314 rgBT 61, 310-314.	0.8	10
4692	<i>Colwellia chukchiensis</i> sp. nov., a psychrotolerant bacterium isolated from the Arctic Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 850-853.	0.8	23
4693	<i>Psychromonas profunda</i> sp. nov., a psychropiezophilic bacterium from deep Atlantic sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 527-532.	0.8	45
4694	<i>Polynucleobacter acidiphobus</i> sp. nov., a representative of an abundant group of planktonic freshwater bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 788-794.	0.8	40
4695	Isolation, pure culture and characterization of <i>Serratia symbiotica</i> sp. nov., the R-type of secondary endosymbiont of the black bean aphid <i>Aphis fabae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2081-2088.	0.8	60
4696	<i>Paenibacillus elgii</i> sp. nov., with broad antimicrobial activity. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2031-2035.	0.8	51
4697	<i>Hymenobacter yonginensis</i> sp. nov., isolated from a mesotrophic artificial lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1511-1514.	0.8	23

#	ARTICLE	IF	CITATIONS
4698	<i>Streptosporangium yunnanense</i> sp. nov. and <i>Streptosporangium purpuratum</i> sp. nov., from soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 719-724.	0.8	18
4699	<i>Flavobacterium ginsenosidimutans</i> sp. nov., a bacterium with ginsenoside converting activity isolated from soil of a ginseng field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1408-1412.	0.8	26
4700	<i>Psychroflexus tropicus</i> sp. nov., an obligately halophilic Cytophaga-like Flavobacterium Bacteroides group bacterium from an Hawaiian hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 935-940.	0.8	69
4701	<i>Rhodococcus gordoniae</i> sp. nov., an actinomycete isolated from clinical material and phenol-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 407-411.	0.8	32
4702	<i>Sphingobium jiangsuense</i> sp. nov., a 3-phenoxybenzoic acid-degrading bacterium isolated from a wastewater treatment system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 800-805.	0.8	24
4703	<i>Amycolatopsis salitolerans</i> sp. nov., a filamentous actinomycete isolated from a hypersaline habitat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 23-27.	0.8	24
4704	<i>Polynucleobacter difficilis</i> sp. nov., a planktonic freshwater bacterium affiliated with subcluster B1 of the genus <i>Polynucleobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 376-383.	0.8	30
4705	<i>Marivita hallyeonensis</i> sp. nov., isolated from seawater, reclassification of <i>Gaetbulicola byunsanensis</i> as <i>Marivita byunsanensis</i> comb. nov. and emended description of the genus <i>Marivita</i> Hwang et al. 2009. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 839-843.	0.8	30
4706	<i>Streptomyces qinglanensis</i> sp. nov., isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 596-600.	0.8	40
4707	<i>Oceanisphaera sediminis</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1552-1557.	0.8	19
4708	<i>Inhella fonticola</i> sp. nov., isolated from spring water, and emended description of the genus <i>Inhella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1048-1055.	0.8	7
4709	<i>Streptomyces herbaceus</i> sp. nov., <i>Streptomyces incanus</i> sp. nov. and <i>Streptomyces pratens</i> sp. nov., isolated from the soil of a hay meadow. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1908-1913.	0.8	11
4710	<i>Marinivirga aestuarii</i> gen. nov., sp. nov., a member of the family Flavobacteriaceae, isolated from marine environments, and emended descriptions of the genera <i>Hyunsoonlella</i> , <i>Jejuia</i> and <i>Pontirhabdus</i> and the species <i>Hyunso</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1524-1531.	0.8	34
4711	<i>Belnapia soli</i> sp. nov., a proteobacterium isolated from grass soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1955-1959.	0.8	13
4712	<i>Comamonas jiangduensis</i> sp. nov., a biosurfactant-producing bacterium isolated from agricultural soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2168-2173.	0.8	25
4713	<i>Massilia lurida</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2118-2123.	0.8	20
4714	Proposal of Motilibacteraceae fam. nov., with the description of <i>Motilibacter rhizosphaerae</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3818-3822.	0.8	18
4715	<i>Arthrobacter siccitolerans</i> sp. nov., a highly desiccation-tolerant, xeroprotectant-producing strain isolated from dry soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4174-4180.	0.8	52

#	ARTICLE	IF	CITATIONS
4716	<i>Actinomyces haliotis</i> sp. nov., a bacterium isolated from the gut of an abalone, <i>Haliotis discus hannai</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 456-461.	0.8	19
4717	<i>Pseudoalteromonas arabiensis</i> sp. nov., a marine polysaccharide-producing bacterium. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3130-3130.	0.8	10
4718	<i>Oceanobacillus luteolus</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1495-1500.	0.8	12
4719	<i>Jannaschia faecimaris</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 945-951.	0.8	14
4720	<i>Thalassomonas eurytherma</i> sp. nov., a marine proteobacterium. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2079-2083.	0.8	31
4721	<i>Pseudonocardia cypriaca</i> sp. nov., <i>Pseudonocardia salamisensis</i> sp. nov., <i>Pseudonocardia hierapolitana</i> sp. nov. and <i>Pseudonocardia kujensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1703-1711.	0.8	22
4722	<i>Wenxinia saemankumensis</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1958-1963.	0.8	13
4723	<i>Streptomyces chumphonensis</i> sp. nov., isolated from marine sediments. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2605-2610.	0.8	24
4724	<i>Weissella uvarum</i> sp. nov., isolated from wine grapes. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3885-3890.	0.8	25
4725	<i>Clostridium hastiforme</i> is a later synonym of <i>Tissierella praeacuta</i> . International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 947-949.	0.8	29
4726	<i>Erythrobacter aquimaris</i> sp. nov., isolated from sea water of a tidal flat of the Yellow Sea in Korea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1981-1985.	0.8	50
4727	<i>Janibacter melonis</i> sp. nov., isolated from abnormally spoiled oriental melon in Korea. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1975-1980.	0.8	55
4728	Reclassification of <i>Streptomyces nigrifaciens</i> as a later synonym of <i>Streptomyces flavovirens</i> ; <i>Streptomyces citreofluorescens</i> , <i>Streptomyces chrysomallus</i> subsp. <i>chrysomallus</i> and <i>Streptomyces fluorescens</i> as later synonyms of <i>Streptomyces anulatus</i> ; <i>Streptomyces chibaensis</i> as a later synonym of <i>Streptomyces corchorusii</i> ; <i>Streptomyces flaviscleroticus</i> as a later synonym of <i>Streptomyces minutiscleroticus</i> ; and <i>Streptomyces lipmanii</i> , <i>Streptomyces griseus</i> subsp. <i>alpha</i> , <i>Streptomyces griseus</i> subsp. <i>cretosus</i> and <i>Streptom.</i> International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1981-1985.	0.8	54
4729	<i>Gordonia nitida</i> Yoon et al. 2000 is a later synonym of <i>Gordonia alkanivorans</i> Kummer et al. 1999. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 695-697.	0.8	15
4730	Novel mycolic acid-containing bacteria in the family Segniliparaceae fam. nov., including the genus <i>Segniliparus</i> gen. nov., with descriptions of <i>Segniliparus rotundus</i> sp. nov. and <i>Segniliparus rugosus</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1615-1624.	0.8	75
4731	<i>Alteromonas addita</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1065-1068.	0.8	46
4732	Proposal of <i>Yaniaceae</i> fam. nov. and <i>Yania flava</i> sp. nov. and emended description of the genus <i>Yania</i> . International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1933-1938.	0.8	33
4733	<i>Marinococcus halotolerans</i> sp. nov., isolated from Qinghai, north-west China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1801-1804.	0.8	33

#	ARTICLE	IF	CITATIONS
4734	<i>Algoriphagus locisalis</i> sp. nov., isolated from a marine solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1635-1639.	0.8	42
4735	<i>Kocuria aegyptia</i> sp. nov., a novel actinobacterium isolated from a saline, alkaline desert soil in Egypt. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 733-737.	0.8	72
4736	<i>Polaromonas hydrogenivorans</i> sp. nov., a psychrotolerant hydrogen-oxidizing bacterium from Alaskan soil. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 616-619.	0.8	57
4737	<i>Pediococcus ethanolidurans</i> sp. nov., isolated from the walls of a distilled-spirit-fermenting cellar. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2405-2408.	0.8	34
4738	<i>Aeromonas bivalvium</i> sp. nov., isolated from bivalve molluscs. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 582-587.	0.8	71
4739	Evolution and devolution of minimal standards for descriptions of species of the class Mollicutes: analysis of two <i>Spiroplasma</i> descriptions. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 201-206.	0.8	4
4740	<i>Enterobacter turicensis</i> sp. nov. and <i>Enterobacter helveticus</i> sp. nov., isolated from fruit powder. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 820-826.	0.8	79
4741	<i>Agromyces allii</i> sp. nov., isolated from the rhizosphere of <i>Allium victorialis</i> var. <i>platyphyllum</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 588-593.	0.8	31
4742	<i>Dyadobacter beijingensis</i> sp. nov., isolated from the rhizosphere of turf grasses in China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 862-865.	0.8	35
4743	<i>Arthrobacter oryzae</i> sp. nov. and <i>Arthrobacter humicola</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 53-56.	0.8	60
4744	<i>Streptomyces emeiensis</i> sp. nov., a novel streptomycete from soil in China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1635-1639.	0.8	15
4745	<i>Pelagicoccus mobilis</i> gen. nov., sp. nov., <i>Pelagicoccus albus</i> sp. nov. and <i>Pelagicoccus litoralis</i> sp. nov., three novel members of subdivision 4 within the phylum "Verrucomicrobia", isolated from seawater by in situ cultivation. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1377-1385.	0.8	58
4746	<i>Terrabacter aerolatus</i> sp. nov., isolated from an air sample. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2106-2109.	0.8	24
4747	<i>Thermoanaerobacter pseudethanolicus</i> sp. nov., a thermophilic heterotrophic anaerobe from Yellowstone National Park. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2191-2193.	0.8	56
4748	<i>Halococcus thailandensis</i> sp. nov., from fish sauce in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2199-2203.	0.8	46
4749	<i>Hydrogenophaga bisanensis</i> sp. nov., isolated from wastewater of a textile dye works. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 393-397.	0.8	43
4750	Genetic and morphological characterization of <i>Rivularia</i> and <i>Calothrix</i> (Nostocales, Cyanobacteria) from running water. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 447-460.	0.8	75
4751	<i>Lysobacter spongiicola</i> sp. nov., isolated from a deep-sea sponge. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 370-374.	0.8	55

#	ARTICLE	IF	CITATIONS
4752	<i>Actinopolymorpha rutila</i> sp. nov., isolated from a forest soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2443-2446.	0.8	15
4753	<i>Streptococcus plurextorum</i> sp. nov., isolated from pigs. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 504-508.	0.8	18
4754	<i>Virgibacillus salarius</i> sp. nov., a halophilic bacterium isolated from a Saharan salt lake. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2409-2414.	0.8	49
4755	<i>Serratia nematodiphila</i> sp. nov., associated symbiotically with the entomopathogenic nematode <i>Heterorhabditoides chongmingensis</i> (Rhabditida: Rhabditidae). International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1603-1608.	0.8	41
4756	<i>Paracoccus aestuarii</i> sp. nov., isolated from tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 790-794.	0.8	41
4757	<i>Niastella gongjuensis</i> sp. nov., isolated from greenhouse soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3115-3118.	0.8	17
4758	<i>Lysobacter novalis</i> sp. nov., isolated from fallow farmland soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3131-3136.	0.8	13
4759	<i>Caenispirillum deserti</i> sp. nov., a spheroplast-forming bacterium isolated from a salt desert. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3119-3124.	0.8	9
4760	<i>Zhihengliuella somnathii</i> sp. nov., a halotolerant actinobacterium from the rhizosphere of a halophyte <i>Salicornia brachiata</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3137-3142.	0.8	36
4761	<i>Kribbella mirabilis</i> sp. nov., isolated from rhizosphere soil of a herbaceous plant, <i>Mirabilis jalapa</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3143-3147.	0.8	9
4762	<i>Streptomonospora halotolerans</i> sp. nov., an actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3183-3189.	0.8	10
4763	<i>Microbacterium rhizomatis</i> sp. nov., a $\beta$ -glucosidase-producing bacterium isolated from rhizome of Korean mountain ginseng. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3196-3202.	0.8	9
4764	Taxonomic description and genome sequence of <i>Bacillus campisalis</i> sp. nov., a member of the genus <i>Bacillus</i> isolated from a solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3235-3240.	0.8	19
4765	<i>Algimonas arctica</i> sp. nov., isolated from intertidal sand, and emended description of the genus <i>Algimonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3256-3261.	0.8	11
4766	<i>Aestuariivita atlantica</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3281-3285.	0.8	10
4767	<i>Terriglobus albidus</i> sp. nov., a member of the family Acidobacteriaceae isolated from Namibian semiarid savannah soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3297-3304.	0.8	18
4768	<i>Pantoea intestinalis</i> sp. nov., isolated from the human gut. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3352-3358.	0.8	27
4769	<i>Lactobacillus vespulae</i> sp. nov., isolated from gut of a queen wasp ( <i>Vespula vulgaris</i> ). International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3326-3332.	0.8	14

#	ARTICLE	IF	CITATIONS
4770	<i>Geodermatophilus sabuli</i> sp. nov., a $\beta$ -radiation-resistant actinobacterium isolated from desert limestone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3365-3372.	0.8	21
4771	<i>Planococcus faecalis</i> sp. nov., a carotenoid-producing species isolated from stools of Antarctic penguins. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3373-3378.	0.8	23
4772	<i>Kordia zhangzhouensis</i> sp. nov., isolated from surface freshwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3379-3383.	0.8	14
4773	<i>Nocardiopsis oceani</i> sp. nov. and <i>Nocardiopsis nanhaiensis</i> sp. nov., actinomycetes isolated from marine sediment of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3384-3391.	0.8	17
4774	<i>Flectobacillus rhizosphaerae</i> sp. nov., isolated from the rhizosphere soil of <i>Oryza sativa</i> (L.), and emended description of the genus <i>Flectobacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3451-3456.	0.8	22
4775	<i>Spirosoma fluviale</i> sp. nov., isolated from river water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3447-3450.	0.8	30
4776	<i>Algoriphagus aestuarii</i> sp. nov., a member of the Cyclobacteriaceae isolated from a tidal-flat sediment of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3439-3446.	0.8	14
4777	<i>Bacillus paralicheniformis</i> sp. nov., isolated from fermented soybean paste. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3487-3492.	0.8	85
4778	<i>Jatrophihabitans fulvus</i> sp. nov., an actinobacterium isolated from grass soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3476-3480.	0.8	13
4779	Phylogenomic analysis shows that <i>Bacillus vanillea</i> <sup>TM</sup> is a later heterotypic synonym of <i>Bacillus siamensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3507-3510.	0.8	19
4780	<i>Fusibacter fontis</i> sp. nov., a sulfur-reducing, anaerobic bacterium isolated from a mesothermic Tunisian spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3501-3506.	0.8	38
4781	<i>Streptomyces gilvifuscus</i> sp. nov., an actinomycete that produces antibacterial compounds isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3493-3500.	0.8	15
4782	<i>Roseomonas oryzae</i> sp. nov., isolated from paddy rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3535-3540.	0.8	23
4783	<i>Alteromonas confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3603-3608.	0.8	21
4784	<i>Aquabacterium olei</i> sp. nov., an oil-degrading bacterium isolated from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3597-3602.	0.8	37
4785	<i>Dysgonomonas alginatilytica</i> sp. nov., an alginate-degrading bacterium isolated from a microbial consortium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3570-3575.	0.8	22
4786	<i>Bacillus glycinifermentans</i> sp. nov., isolated from fermented soybean paste. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3586-3590.	0.8	20
4787	<i>Winogradskyella litoriviva</i> sp. nov., isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3652-3657.	0.8	21

#	ARTICLE	IF	CITATIONS
4788	Taxonomic description and genome sequence of <i>Rheinheimera mesophila</i> sp. nov., isolated from an industrial waste site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3666-3673.	0.8	30
4789	<i>Massilia arvi</i> sp. nov., isolated from fallow-land soil previously cultivated with <i>Brassica oleracea</i> , and emended description of the genus <i>Massilia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3690-3696.	0.8	28
4790	<i>Microbacterium nanhaiense</i> sp. nov., an actinobacterium isolated from sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3697-3702.	0.8	15
4791	<i>Erythrobacter atlanticus</i> sp. nov., a bacterium from ocean sediment able to degrade polycyclic aromatic hydrocarbons. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3714-3719.	0.8	45
4792	<i>Sphingopyxis flava</i> sp. nov., isolated from a hexachlorocyclohexane (HCH)-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3720-3726.	0.8	23
4793	<i>Epilithonimonas psychrotolerans</i> sp. nov., isolated from alpine permafrost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3777-3781.	0.8	14
4794	Proposal for creation of a new genus <i>Neomicrococcus</i> gen. nov. to accommodate <i>Zhihengliuella aestuarii</i> Baik et al. 2011 and <i>Micrococcus lactis</i> Chittipurna et al. 2011 as <i>Neomicrococcus aestuarii</i> comb. nov. and <i>Neomicrococcus lactis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3771-3776.	0.8	14
4795	Multilocus sequence analysis of the genus <i>Kurthia</i> , and a description of <i>Kurthia populi</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3788-3793.	0.8	6
4796	Taxonomic description and genome sequence of <i>Salinicoccus sediminis</i> sp. nov., a halotolerant bacterium isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3794-3799.	0.8	13
4797	<i>Micromonospora oryzae</i> sp. nov., isolated from roots of upland rice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3818-3823.	0.8	34
4798	<i>Halarchaeum grantii</i> sp. nov., a moderately acidophilic haloarchaeon isolated from a commercial salt sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3830-3835.	0.8	12
4799	<i>Paracoccus laeviglucosivorans</i> sp. nov., an l-glucose-utilizing bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3878-3884.	0.8	21
4800	<i>Amycolatopsis stemonae</i> sp. nov., isolated from a Thai medicinal plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3894-3899.	0.8	26
4801	<i>Labrys soli</i> sp. nov., isolated from the rhizosphere of ginseng. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3913-3919.	0.8	10
4802	<i>Polymorphobacter fuscus</i> sp. nov., isolated from permafrost soil, and emended description of the genus <i>Polymorphobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3920-3925.	0.8	24
4803	<i>Paenibacillus kyunghensis</i> sp. nov., isolated from flowers of magnolia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3959-3964.	0.8	19
4804	<i>Primorskyibacter insulae</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3971-3976.	0.8	14
4805	<i>Chryseobacterium echinoideorum</i> sp. nov., isolated from sea urchins ( <i>Tripneustes gratilla</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3985-3990.	0.8	14

#	ARTICLE	IF	CITATIONS
4806	<i>Lutibacter holmesii</i> sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from the sea urchin <i>Strongylocentrotus intermedius</i> , and emended description of the genus <i>Lutibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3991-3996.	0.8	14
4807	70th Anniversary Collection for the Microbiology Society: <i>International Journal of Systematic and Evolutionary Microbiology</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4291-4293.	0.8	2
4808	<i>Sphingomonas hylomeconis</i> sp. nov., isolated from the stem of <i>Hylomecon japonica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4025-4031.	0.8	13
4809	Reclassification of <i>Angiococcus disciformis</i> , <i>Cystobacter minus</i> and <i>Cystobacter violaceus</i> as <i>Archangium disciforme</i> comb. nov., <i>Archangium minus</i> comb. nov. and <i>Archangium violaceum</i> comb. nov., unification of the families Archangiaceae and Cystobacteraceae, and emended descriptions of the families Myxococcaceae and Archangiaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4032-4042.	0.8	36
4810	<i>Bacillus solani</i> sp. nov., isolated from rhizosphere soil of a potato field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4066-4071.	0.8	15
4811	<i>Paenibacillus panaciterrae</i> sp. nov., isolated from ginseng-cultivated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4080-4086.	0.8	8
4812	<i>Donghicola tyrosinivorans</i> sp. nov., a tyrosine-degrading bacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4140-4145.	0.8	7
4813	<i>Undibacterium aquatile</i> sp. nov., isolated from a waterfall. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4128-4133.	0.8	16
4814	<i>Luteipulveratus halotolerans</i> sp. nov., an actinobacterium (Dermacoccaceae) from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4113-4120.	0.8	8
4815	Description of <i>Streptomyces fabae</i> sp. nov., a producer of antibiotics against microbial pathogens, isolated from soybean ( <i>Glycine max</i> ) rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4151-4156.	0.8	8
4816	<i>Kutzneria chonburiensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4169-4174.	0.8	9
4817	<i>Georgenia subflava</i> sp. nov., isolated from a deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4146-4150.	0.8	16
4818	<i>Sphaerisporangium aureirubrum</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4157-4162.	0.8	8
4819	<i>Lentisphaera profundus</i> sp. nov., isolated from deep-sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4186-4190.	0.8	10
4820	<i>Brachybacterium hainanense</i> sp. nov., isolated from noni ( <i>Morinda citrifolia</i> L.) branch. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4196-4201.	0.8	19
4821	<i>Actinoplanes luteus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4227-4232.	0.8	5
4822	<i>Umboniiibacter roseus</i> sp. nov., isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4221-4226.	0.8	6
4823	<i>Rhodococcus lactis</i> sp. nov., an actinobacterium isolated from sludge of a dairy waste treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4215-4220.	0.8	9



#	ARTICLE	IF	CITATIONS
4824	<i>Gramella aquimixticola</i> sp. nov., isolated from water of an estuary environment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4244-4249.	0.8	12
4825	<i>Lysinibacillus louembei</i> sp. nov., a spore-forming bacterium isolated from Ntoba Mbodi, alkaline fermented leaves of cassava from the Republic of the Congo. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4256-4262.	0.8	32
4826	<i>Bacteroides caecigallinarum</i> sp. nov., isolated from caecum of an Indonesian chicken. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4341-4346.	0.8	18
4827	<i>Emticicia aquatica</i> sp. nov., a species of the family Cytophagaceae isolated from fresh water. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4358-4362.	0.8	16
4828	<i>Aeromicrobium camelliae</i> sp. nov., isolated from Pu'er tea. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4369-4373.	0.8	17
4829	<i>Caulobacter flavus</i> sp. nov., a stalked bacterium isolated from rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4374-4380.	0.8	15
4830	<i>Formosa haliotis</i> sp. nov., a brown-alga-degrading bacterium isolated from the gut of the abalone <i>Haliotis gigantea</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4388-4393.	0.8	15
4831	<i>Micromonospora fluostatini</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4417-4423.	0.8	27
4832	<i>Rhizobium marinum</i> sp. nov., a malachite-green-tolerant bacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4449-4454.	0.8	19
4833	<i>Rhizobium helianthi</i> sp. nov., isolated from the rhizosphere of sunflower. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4455-4460.	0.8	10
4834	<i>Halobacillus sediminis</i> sp. nov., a moderately halophilic bacterium isolated from a solar saltern sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4434-4440.	0.8	14
4835	<i>Thermorudis pharmacophila</i> sp. nov., a novel member of the class Thermomicrobia isolated from geothermal soil, and emended descriptions of <i>Thermomicrobium roseum</i> , <i>Thermomicrobium carboxidum</i> , <i>Thermorudis peleae</i> and <i>Sphaerobacter thermophilus</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4479-4487.	0.8	32
4836	Description of <i>Acinetobacter populi</i> sp. nov. isolated from symptomatic bark of <i>Populus euramericana</i> canker. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4461-4468.	0.8	17
4837	<i>Sphingobacterium suaedae</i> sp. nov., isolated from the rhizosphere soil of <i>Suaeda corniculata</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4508-4513.	0.8	16
4838	<i>Roseovarius aquimarinus</i> sp. nov., a slightly halophilic bacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4514-4520.	0.8	17
4839	<i>Saccharothrix ecbatanensis</i> sp. nov., an actinobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4544-4549.	0.8	7
4840	<i>Paenibacillus zeae</i> sp. nov., isolated from maize ( <i>Zea mays</i> L.) seeds. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4533-4538.	0.8	23
4841	<i>Azospirillum soli</i> sp. nov., a nitrogen-fixing species isolated from agricultural soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4601-4607.	0.8	31

#	ARTICLE	IF	CITATIONS
4842	<i>Paenibacillus faecis</i> sp. nov., isolated from human faeces. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4621-4626.	0.8	25
4843	<i>Micromonospora nickelidurans</i> sp. nov., isolated from soil from a nickel-mining site. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4615-4620.	0.8	27
4844	<i>Cryptosporangium cibodasense</i> sp. nov., isolated from leaf litter in Indonesia. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4632-4637.	0.8	7
4845	<i>Sphingomonas hengshuiensis</i> sp. nov., isolated from lake wetland. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4644-4649.	0.8	41
4846	<i>Actinokineospora guangxiensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4650-4654.	0.8	7
4847	<i>Zooshikella marina</i> sp. nov. a cycloprodigiosin- and prodigiosin-producing marine bacterium isolated from beach sand. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4669-4673.	0.8	26
4848	<i>Roseovarius scapharcae</i> sp. nov., isolated from ark shell <i>Scapharca broughtonii</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4695-4700.	0.8	13
4849	<i>Simplicispira piscis</i> sp. nov., isolated from the gut of a Korean rockfish, <i>Sebastes schlegelii</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4689-4694.	0.8	18
4850	<i>Burkholderia dipogonis</i> sp. nov., isolated from root nodules of <i>Dipogon lignosus</i> in New Zealand and Western Australia. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4716-4723.	0.8	48
4851	<i>Clostridium punense</i> sp. nov., an obligate anaerobe isolated from healthy human faeces. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4749-4756.	0.8	34
4852	<i>Actinoplanes rhizophilus</i> sp. nov., an actinomycete isolated from the rhizosphere of <i>Sansevieria trifasciata</i> Prain. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4763-4768.	0.8	8
4853	<i>Halomonas salicampi</i> sp. nov., a halotolerant and alkalitolerant bacterium isolated from a saltern soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4792-4799.	0.8	19
4854	Novel environmental species isolated from the plaster wall surface of mural paintings in the Takamatsuzuka tumulus: <i>Bordetella muralis</i> sp. nov., <i>Bordetella tumulicola</i> sp. nov. and <i>Bordetella tumbae</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4830-4838.	0.8	34
4855	<i>Nocardioides ungoensis</i> sp. nov., isolated from lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4857-4862.	0.8	16
4856	<i>Nocardioides glacieisoli</i> sp. nov., isolated from a glacier. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4845-4849.	0.8	22
4857	<i>Marinobacter confluentis</i> sp. nov., a lipolytic bacterium isolated from a junction between the ocean and a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4873-4879.	0.8	17
4858	<i>Filimonas endophytica</i> sp. nov., isolated from surface-sterilized root of <i>Cosmos bipinnatus</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4863-4867.	0.8	12
4859	<i>Plantactinospora sonchi</i> sp. nov., an actinobacterium isolated from the leaves of common sowthistle ( <i>Sonchus oleraceus</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4895-4901.	0.8	9

#	ARTICLE	IF	CITATIONS
4860	<i>Duganella ginsengisoli</i> sp. nov., isolated from ginseng soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 56-61.	0.8	19
4861	<i>Massilia putida</i> sp. nov., a dimethyl disulfide-producing bacterium isolated from wolfram mine tailing. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 50-55.	0.8	55
4862	<i>Streptomyces alfalfae</i> sp. nov. and comparisons with its closest taxa <i>Streptomyces silaceus</i> , <i>Streptomyces flavofungini</i> and <i>Streptomyces intermedius</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 44-49.	0.8	13
4863	<i>Belliella buryatensis</i> sp. nov., isolated from alkaline lake water. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 137-143.	0.8	10
4864	<i>Rhodovulum aestuarii</i> sp. nov., isolated from a brackish water body. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 165-171.	0.8	19
4865	<i>Alicyclobacillus fodiniaquatis</i> sp. nov., isolated from acid mine water. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4915-4920.	0.8	15
4866	<i>Brachybacterium horti</i> sp. nov., isolated from garden soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 189-195.	0.8	20
4867	<i>Lysobacter hankyongensis</i> sp. nov., isolated from activated sludge and <i>Lysobacter sediminicola</i> sp. nov., isolated from freshwater sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 212-218.	0.8	46
4868	<i>Occallatibacter riparius</i> gen. nov., sp. nov. and <i>Occallatibacter savannae</i> sp. nov., acidobacteria isolated from Namibian soils, and emended description of the family Acidobacteriaceae. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 219-229.	0.8	46
4869	<i>Paenibacillus terreus</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 243-247.	0.8	11
4870	<i>Lactobacillus insicii</i> sp. nov., isolated from fermented raw meat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 236-242.	0.8	10
4871	<i>Bifidobacterium myosotis</i> sp. nov., <i>Bifidobacterium tissieri</i> sp. nov. and <i>Bifidobacterium hapali</i> sp. nov., isolated from faeces of baby common marmosets ( <i>Callithrix jacchus</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 255-265.	0.8	37
4872	<i>Catenulispora fulva</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 271-275.	0.8	8
4873	<i>Octadecabacter ascidiaceicola</i> sp. nov., isolated from a sea squirt ( <i>Halocynthia roretzi</i> ). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 296-301.	0.8	12
4874	<i>Streptomyces actinomycinicus</i> sp. nov., isolated from soil of a peat swamp forest. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 290-295.	0.8	14
4875	<i>Novosphingobium oryzae</i> sp. nov., a potential plant-promoting endophytic bacterium isolated from rice roots. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 302-307.	0.8	32
4876	<i>Reinekea marina</i> sp. nov., isolated from seawater, and emended description of the genus <i>Reinekea</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 360-364.	0.8	11
4877	<i>Marinobacter aromaticivorans</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 353-359.	0.8	37

#	ARTICLE	IF	CITATIONS
4878	<i>Flavobacterium paronense</i> sp. nov., isolated from freshwater of an artificial vegetated island. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 365-370.	0.8	12
4879	<i>Roseomonas eburnea</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 385-390.	0.8	18
4880	<i>Bacillus gobiensis</i> sp. nov., isolated from a soil sample. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 379-384.	0.8	12
4881	<i>Nocardioides albidus</i> sp. nov., an actinobacterium isolated from garden soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 371-378.	0.8	25
4882	<i>Rhizobium acidisoli</i> sp. nov., isolated from root nodules of <i>Phaseolus vulgaris</i> in acid soils. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 398-406.	0.8	40
4883	<i>Halorubrum halodurans</i> sp. nov., an extremely halophilic archaeon isolated from a hypersaline lake. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 435-444.	0.8	16
4884	<i>Salinimicrobium soli</i> sp. nov., isolated from soil of reclaimed land. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 462-467.	0.8	14
4885	<i>Comamonas phosphati</i> sp. nov., isolated from a phosphate mine. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 456-461.	0.8	10
4886	<i>Actinoplanes lichenis</i> sp. nov., isolated from lichen. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 468-473.	0.8	17
4887	<i>Roseomonas elaeocarpi</i> sp. nov., isolated from olive ( <i>Elaeocarpus hygrophilus</i> Kurz.) phyllosphere. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 474-480.	0.8	21
4888	OrthoANI: An improved algorithm and software for calculating average nucleotide identity. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1100-1103.	0.8	2,209
4889	<i>Bacillus ectoiniformans</i> sp. nov., a halotolerant bacterium isolated from deep-sea sediments. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 616-622.	0.8	9
4890	<i>Saccharibacillus deserti</i> sp. nov., isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 623-627.	0.8	15
4891	<i>Roseovarius atlanticus</i> sp. nov., isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 639-644.	0.8	13
4892	<i>Parviterribacter kavangonensis</i> gen. nov., sp. nov. and <i>Parviterribacter multiflagellatus</i> sp. nov., novel members of Parviterribacteraceae fam. nov. within the order Solirubrobacterales, and emended descriptions of the classes Thermoleophilia and Rubrobacteria and their orders and families. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 652-665.	0.8	56
4893	<i>Microclunatus endophyticus</i> sp. nov., an endophytic actinobacterium isolated from bark of <i>Bruguiera sexangula</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 481-486.	0.8	13
4894	<i>Brevibacillus gelatini</i> sp. nov., isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 712-718.	0.8	20
4895	<i>Glaciimonas frigoris</i> sp. nov., a psychrophilic bacterium isolated from ancient Siberian permafrost sediment, and emended description of the genus <i>Glaciimonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 744-748.	0.8	26

#	ARTICLE	IF	CITATIONS
4896	<i>Clostridium liquoris</i> sp. nov., isolated from a fermentation pit used for the production of Chinese strong-flavoured liquor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 749-754.	0.8	24
4897	<i>Comamonas piscis</i> sp. nov., isolated from the intestine of a Korean rockfish, <i>Sebastes schlegelii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 780-785.	0.8	13
4898	<i>Paenibacillus radicis</i> sp. nov., an endophytic bacterium isolated from maize root. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 807-811.	0.8	11
4899	<i>Vogesella facilis</i> sp. nov., isolated from a freshwater river, and emended description of the genus <i>Vogesella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 817-823.	0.8	10
4900	<i>Paenibacillus etheri</i> sp. nov., able to grow on media supplemented with methyl tert-butyl ether (MTBE) and isolated from hydrocarbon-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 862-867.	0.8	12
4901	<i>Acinetobacter equi</i> sp. nov., isolated from horse faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 881-888.	0.8	25
4902	<i>Nonomuraea thermotolerans</i> sp. nov., a thermotolerant actinomycete isolated from mushroom compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 894-900.	0.8	15
4903	Classification of <i>Nonomuraea</i> sp. ATCC 39727, an actinomycete that produces the glycopeptide antibiotic A40926, as <i>Nonomuraea gerenzanensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 912-921.	0.8	33
4904	<i>Tessaracoccus rhinocerotis</i> sp. nov., isolated from the faeces of <i>Rhinoceros unicornis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 922-927.	0.8	22
4905	<i>Luteimonas notoginsengisoli</i> sp. nov., isolated from rhizosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 946-950.	0.8	23
4906	<i>Erwinia endophytica</i> sp. nov., isolated from potato ( <i>Solanum tuberosum</i> L.) stems. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 975-981.	0.8	12
4907	Description of <i>Domibacillus iocasae</i> sp. nov., isolated from deep-sea sediment, and emended description of the genus <i>Domibacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 982-987.	0.8	17
4908	<i>Deinococcus actinosclerus</i> sp. nov., a novel bacterium isolated from soil of a rocky hillside. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1003-1008.	0.8	22
4909	<i>Saccharothrix stipae</i> sp. nov., an actinomycete isolated from the rhizosphere of <i>Stipa grandis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1017-1021.	0.8	7
4910	<i>Streptosporangium algeriense</i> sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1034-1038.	0.8	13
4911	<i>Mucilaginibacter roseus</i> sp. nov., isolated from a freshwater river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1112-1118.	0.8	16
4912	<i>Stenotrophomonas tumulicola</i> sp. nov., a major contaminant of the stone chamber interior in the Takamatsuzuka Tumulus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1119-1124.	0.8	25
4913	<i>Gaetbulibacter aquiaggeris</i> sp. nov., a member of the Flavobacteriaceae isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1131-1137.	0.8	11

#	ARTICLE	IF	CITATIONS
4914	<i>Virgibacillus flavescens</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1138-1143.	0.8	13
4915	<i>Brevundimonas albigilva</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1144-1150.	0.8	12
4916	<i>Tenacibaculum ascidiaceicola</i> sp. nov., isolated from the golden sea squirt <i>Halocynthia aurantium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1174-1179.	0.8	17
4917	<i>Bacillus piscicola</i> sp. nov., isolated from Thai fish sauce (Nam-pla). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1151-1155.	0.8	12
4918	<i>Bacillus zhangzhouensis</i> sp. nov. and <i>Bacillus australimaris</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1193-1199.	0.8	54
4919	<i>Bacillus velezensis</i> is not a later heterotypic synonym of <i>Bacillus amyloliquefaciens</i> ; <i>Bacillus methylotrophicus</i> , <i>Bacillus amyloliquefaciens</i> subsp. <i>plantarum</i> and <i>Bacillus oryzicola</i> ™ are later heterotypic synonyms of <i>Bacillus velezensis</i> based on phylogenomics. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1212-1217.	0.8	246
4920	<i>Kineococcus mangrovi</i> sp. nov., isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1230-1235.	0.8	10
4921	<i>Streptomyces yangpuensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1224-1229.	0.8	6
4922	<i>Rhizobium puerariae</i> sp. nov., an endophytic bacterium from the root nodules of the medicinal plant <i>Pueraria candollei</i> var. <i>candollei</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1236-1241.	0.8	16
4923	<i>Nitrincola alkalisediminis</i> sp. nov., an alkaliphilic bacterium isolated from an alkaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1254-1259.	0.8	18
4924	<i>Paraclostridium benzoelyticum</i> gen. nov., sp. nov., isolated from marine sediment and reclassification of <i>Clostridium bifermentans</i> as <i>Paraclostridium bifermentans</i> comb. nov. Proposal of a new genus <i>Paeniclostridium</i> gen. nov. to accommodate <i>Clostridium sordellii</i> and <i>Clostridium ghonii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1268-1274.	0.8	102
4925	<i>Rhizobium ipomoeae</i> sp. nov., isolated from a water convolvulus field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1633-1640.	0.8	20
4926	<i>Leeuwenhoekiella nanhaiensis</i> sp. nov., isolated from deep-sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1352-1357.	0.8	13
4927	<i>Promicromonospora alba</i> sp. nov., an actinomycete isolated from the cuticle of <i>Camponotus japonicus</i> Mayr. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1340-1345.	0.8	17
4928	<i>Streptomyces daqingensis</i> sp. nov., isolated from saline alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1358-1363.	0.8	23
4929	<i>Pseudahrensia todarodis</i> sp. nov., isolated from the gut of a Japanese flying squid, <i>Todarodes pacificus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1389-1393.	0.8	6
4930	<i>Streptosporangium saharense</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1371-1376.	0.8	17
4931	<i>Asanoa endophytica</i> sp. nov., an endophytic actinomycete isolated from the rhizome of <i>Boesenbergia rotunda</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1377-1382.	0.8	12

#	ARTICLE	IF	CITATIONS
4932	<i>Paenibacillus bovis</i> sp. nov., isolated from raw yak ( <i>Bos grunniens</i> ) milk. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1413-1418.	0.8	15
4933	<i>Luteimonas terrae</i> sp. nov., isolated from rhizosphere soil of <i>Radix ophiopogonis</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1920-1925.	0.8	21
4934	Description of <i>Proteiniphilum saccharofermentans</i> sp. nov., <i>Petrimonas mucosa</i> sp. nov. and <i>Fermentimonas caenicola</i> gen. nov., sp. nov., isolated from mesophilic laboratory-scale biogas reactors, and emended description of the genus <i>Proteiniphilum</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1466-1475.	0.8	208
4935	<i>Azospirillum agricola</i> sp. nov., a nitrogen-fixing species isolated from cultivated soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1453-1458.	0.8	32
4936	<i>Streptomyces polygonati</i> sp. nov., an endophytic actinomycete isolated from a root of <i>Polygonatum odoratum</i> (Mill.). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1488-1493.	0.8	9
4937	<i>Streptomyces arcticus</i> sp. nov., isolated from frozen soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1482-1487.	0.8	15
4938	<i>Tenggerimyces flavus</i> sp. nov., isolated from soil in a karst cave, and emended description of the genus <i>Tenggerimyces</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1499-1505.	0.8	6
4939	Reclassification of <i>Anaerobaculum mobile</i> , <i>Anaerobaculum thermoterrenum</i> , <i>Anaerobaculum hydrogeniformans</i> as <i>Acetomicrobium mobile</i> comb. nov., <i>Acetomicrobium thermoterrenum</i> comb. nov. and <i>Acetomicrobium hydrogeniformans</i> comb. nov., respectively, and emendation of the genus <i>Acetomicrobium</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1506-1509.	0.8	45
4940	<i>Novosphingobium piscinae</i> sp. nov., isolated from a fish culture pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1539-1545.	0.8	17
4941	<i>Hymenobacter paludis</i> sp. nov., isolated from a marsh. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1546-1553.	0.8	12
4942	<i>Erwinia gerundensis</i> sp. nov., a cosmopolitan epiphyte originally isolated from pome fruit trees. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1583-1592.	0.8	33
4943	<i>Bifidobacterium eulemuris</i> sp. nov., isolated from faeces of black lemurs ( <i>Eulemur macaco</i> ). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1567-1576.	0.8	17
4944	<i>Actinopolyspora salinaria</i> sp. nov., a halophilic actinomycete isolated from solar saltern soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1660-1665.	0.8	12
4945	<i>Marinobacterium aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1718-1723.	0.8	24
4946	<i>Thalassobius litorarius</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1666-1672.	0.8	12
4947	<i>Cohnella saccharovorans</i> sp. nov., isolated from ginseng soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1713-1717.	0.8	14
4948	Proposal of <i>Sphaerimonospora cavernae</i> gen. nov., sp. nov. and transfer of <i>Microbispora mesophila</i> () Tj ETQq0 0 0 rgBT /Overlock 10 Tf Systematic and Evolutionary Microbiology, 2016, 66, 1735-1744.	0.8	27
4949	<i>Psychrobacter glaciei</i> sp. nov., isolated from the ice core of an Arctic glacier. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1792-1798.	0.8	21

#	ARTICLE	IF	CITATIONS
4950	<i>Hamadaea flava</i> sp. nov., isolated from a soil sample and emended description of the genus <i>Hamadaea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1818-1822.	0.8	7
4951	<i>Virgibacillus kapii</i> sp. nov., isolated from Thai shrimp paste (Ka-pi). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1832-1837.	0.8	12
4952	<i>Oceanobacillus halophilus</i> sp. nov., a novel moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1317-1322.	0.8	22
4953	<i>Microbulbifer rhizosphaerae</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1844-1850.	0.8	19
4954	Description of <i>Leucobacter holotrichiae</i> sp. nov., isolated from the gut of <i>Holotrichia oblita</i> larvae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1857-1861.	0.8	16
4955	<i>Tessaracoccus flavus</i> sp. nov., isolated from the drainage system of a lindane-producing factory. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1862-1868.	0.8	23
4956	<i>Dermabacter vaginalis</i> sp. nov., isolated from human vaginal fluid. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1881-1886.	0.8	17
4957	<i>Celeribacter persicus</i> sp. nov., a polycyclic-aromatic-hydrocarbon-degrading bacterium isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1875-1880.	0.8	18
4958	<i>Rhizobacter profundus</i> sp. nov., isolated from freshwater sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1926-1931.	0.8	17
4959	<i>Nocardia camponoti</i> sp. nov., an actinomycete isolated from the head of an ant ( <i>Camponotus japonicus</i> ) Tj ETQq1 1 0.784314 rgBT /Ov	0.8	15
4960	<i>Sphingobacterium griseoflavum</i> sp. nov., isolated from the insect <i>Teleogryllus occipitalis</i> living in deserted cropland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1956-1961.	0.8	17
4961	<i>Nocardia rayongensis</i> sp. nov., isolated from Thai peat swamp forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1950-1955.	0.8	11
4962	<i>Saccharopolyspora subtropica</i> sp. nov., a thermophilic actinomycete isolated from soil of a sugar cane field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1990-1995.	0.8	9
4963	<i>Agromyces insulae</i> sp. nov., an actinobacterium isolated from a soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2002-2007.	0.8	11
4964	<i>Nocardioides ginkgobilobae</i> sp. nov., an endophytic actinobacterium isolated from the root of the living fossil <i>Ginkgo biloba</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2013-2018.	0.8	23
4965	<i>Pseudovibrio stylochi</i> sp. nov., isolated from a marine flatworm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2025-2029.	0.8	25
4966	<i>Streptomyces andamanensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2030-2034.	0.8	8
4967	<i>Sphingomonas metalli</i> sp. nov., isolated from an abandoned lead-zinc mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2046-2051.	0.8	14



#	ARTICLE	IF	CITATIONS
4968	<i>Pseudoalteromonas aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2078-2083.	0.8	14
4969	<i>Aliidiomarina iranensis</i> sp. nov., a haloalkaliphilic bacterium from a coastal-marine wetland. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2099-2105.	0.8	15
4970	<i>Proteus cibarius</i> sp. nov., a swarming bacterium from Jeotgal, a traditional Korean fermented seafood, and emended description of the genus <i>Proteus</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2158-2164.	0.8	27
4971	<i>Thermosporothrix narukonensis</i> sp. nov., belonging to the class Ktedonobacteria, isolated from fallen leaves on geothermal soil, and emended description of the genus <i>Thermosporothrix</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2152-2157.	0.8	32
4972	<i>Actinocorallia lasiicapitis</i> sp. nov., an actinomycete isolated from the head of an ant ( <i>Lasius</i> ). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2158-2164.	0.8	12
4973	<i>Kordiimonas lipolytica</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2198-2204.	0.8	21
4974	<i>Tumebacillus soli</i> sp. nov., isolated from non-rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2192-2197.	0.8	25
4975	<i>Pedobacter humicola</i> sp. nov., a member of the genus <i>Pedobacter</i> isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2205-2211.	0.8	36
4976	<i>Hymenobacter marinus</i> sp. nov., isolated from coastal seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2212-2217.	0.8	18
4977	<i>Pontibacter mucosus</i> sp. nov., isolated from hexachlorocyclohexane-contaminated pond sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2234-2240.	0.8	15
4978	<i>Shewanella algicola</i> sp. nov., a marine bacterium isolated from brown algae. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2218-2224.	0.8	23
4979	<i>Paracoccus cavernae</i> sp. nov., isolated from a show cave. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2265-2270.	0.8	20
4980	<i>Nonomuraea zeae</i> sp. nov., isolated from the rhizosphere of corn ( <i>Zea mays</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2259-2264.	0.8	15
4981	<i>Agromyces binzhouensis</i> sp. nov., an actinobacterium isolated from a coastal wetland of the Yellow River Delta. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2278-2283.	0.8	14
4982	<i>Kribbella pittospori</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized stem of an Australian native apricot tree, <i>Pittosporum angustifolium</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2284-2290.	0.8	13
4983	<i>Pedobacter humi</i> sp. nov., isolated from a playground soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2382-2388.	0.8	10
4984	<i>Cupriavidus nantongensis</i> sp. nov., a novel chlorpyrifos-degrading bacterium isolated from sludge. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2335-2341.	0.8	43
4985	Characterization of the N <sub>2</sub> O-producing soil bacterium <i>Rhizobium azooxidifex</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2354-2361.	0.8	17

#	ARTICLE	IF	CITATIONS
4986	<i>Rhodococcus pedocola</i> sp. nov. and <i>Rhodococcus humicola</i> sp. nov., two antibiotic-producing actinomycetes isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2362-2369.	0.8	23
4987	<i>Streptosporangium jiaoheense</i> sp. nov. and <i>Streptosporangium taraxaci</i> sp. nov., actinobacteria isolated from soil and dandelion root ( <i>Taraxacum mongolicum</i> Hand.-Mazz.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2370-2376.	0.8	10
4988	Genome analysis shows <i>Bacillus axarquiensis</i> is not a later heterotypic synonym of <i>Bacillus mojavensis</i> ; reclassification of <i>Bacillus malacitensis</i> and <i>Brevibacterium halotolerans</i> as heterotypic synonyms of <i>Bacillus axarquiensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2438-2443.	0.8	32
4989	<i>Streptomyces indoligenes</i> sp. nov., isolated from rhizosphere soil of <i>Populus euphratica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2424-2428.	0.8	10
4990	<i>Fictibacillus halophilus</i> sp. nov., from a microbial mat of a hot spring atop the Himalayan Range. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2409-2416.	0.8	24
4991	Reclassification of <i>Enterobacter oryziphilus</i> and <i>Enterobacter oryzendophyticus</i> as <i>Kosakonia oryziphila</i> comb. nov. and <i>Kosakonia oryzendophytica</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2780-2783.	0.8	33
4992	<i>Flavobacterium aquicola</i> sp. nov., isolated from river water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2789-2796.	0.8	16
4993	<i>Ideonella sakaiensis</i> sp. nov., isolated from a microbial consortium that degrades poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 115	0.8	115
4994	<i>Mucilaginibacter pocheonensis</i> sp. nov., with ginsenoside-converting activity, isolated from soil of a ginseng-cultivating field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2862-2868.	0.8	11
4995	<i>Shewanella gelidii</i> sp. nov., isolated from the red algae <i>Gelidium amansii</i> , and emended description of <i>Shewanella waksmanii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2899-2905.	0.8	14
4996	<i>Streptosporangium bechareense</i> sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2484-2490.	0.8	22
4997	<i>Altererythrobacter rigui</i> sp. nov., isolated from wetland freshwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2491-2496.	0.8	30
4998	Description of <i>Variovorax humicola</i> sp. nov., isolated from a forest topsoil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2520-2527.	0.8	10
4999	<i>Loktanella marina</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2528-2533.	0.8	11
5000	<i>Tenacibaculum sediminitoris</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2610-2616.	0.8	10
5001	<i>Plantactinospora soyae</i> sp. nov., an endophytic actinomycete isolated from soybean root [ <i>Glycine max</i> (L.) Merr]. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2578-2584.	0.8	14
5002	Description of <i>Salilacibacter albus</i> gen. nov., sp. nov., isolated from a dried salt lake, and reclassification of <i>Paraglycomyces xinjiangensis</i> Luo et al. 2015 as a later heterotypic synonym of <i>Salininema proteolyticum</i> Nikou et al. 2015 with emended descriptions of the genus <i>Salininema</i> and <i>Salininema proteolyticum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2558-2565.	0.8	13
5003	<i>Kordia ulvae</i> sp. nov., a bacterium isolated from the surface of green marine algae <i>Ulva</i> sp.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2623-2628.	0.8	12

#	ARTICLE	IF	CITATIONS
5004	<i>Niabella pedocola</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2650-2656.	0.8	9
5005	<i>Rosevirga maritima</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2664-2670.	0.8	9
5006	<i>Flavobacterium tyrosinilyticum</i> sp. nov., isolated from the rhizosphere of wild strawberry. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2629-2634.	0.8	12
5007	<i>Sulfurovum riftiae</i> sp. nov., a mesophilic, thiosulfate-oxidizing, nitrate-reducing chemolithoautotrophic epsilonproteobacterium isolated from the tube of the deep-sea hydrothermal vent polychaete <i>Riftia pachyptila</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2697-2701.	0.8	68
5008	<i>Bacillus loiseleuriae</i> sp. nov., isolated from rhizosphere soil from a loiseleuria plant. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2678-2683.	0.8	11
5009	<i>Phenylobacterium panacis</i> sp. nov., isolated from the rhizosphere of rusty mountain ginseng. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2691-2696.	0.8	13
5010	<i>Gramella sediminilitoris</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2704-2710.	0.8	12
5011	<i>Paludibacterium purpuratum</i> sp. nov., isolated from wetland soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2711-2716.	0.8	14
5012	<i>Actinomadura adrarensis</i> sp. nov., an actinobacterium isolated from Saharan soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2724-2729.	0.8	17
5013	<i>Phytohabitans kaempferiae</i> sp. nov., an endophytic actinomycete isolated from the leaf of <i>Kaempferia larsenii</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2917-2922.	0.8	7
5014	<i>Anoxybacillus geothermalis</i> sp. nov., a facultatively anaerobic, endospore-forming bacterium isolated from mineral deposits in a geothermal station. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2944-2951.	0.8	21
5015	<i>Larsenimonas suaedae</i> sp. nov., a moderately halophilic, endophytic bacterium isolated from the euhalophyte <i>Suaeda salsa</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2952-2958.	0.8	8
5016	<i>Paracoccus aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2992-2998.	0.8	22
5017	<i>Bacillus nakamurai</i> sp. nov., a black-pigment-producing strain. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2987-2991.	0.8	21
5018	<i>Actinophytocola algeriensis</i> sp. nov., an actinobacterium isolated from Saharan soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2760-2765.	0.8	19
5019	<i>Ammoniphilus resinae</i> sp. nov., an endospore-forming bacterium isolated from resin fragments. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3010-3016.	0.8	7
5020	<i>Pseudoruegeria aestuarii</i> sp. nov., of the family Rhodobacteraceae, isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3125-3131.	0.8	19
5021	<i>Winogradskyella sediminis</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3157-3163.	0.8	16

#	ARTICLE	IF	CITATIONS
5022	<i>Mycobacterium paraintracellulare</i> sp. nov., for the genotype INT-1 of <i>Mycobacterium intracellulare</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3132-3141.	0.8	28
5023	<i>Paenibacillus liaoningensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3150-3156.	0.8	7
5024	<i>Novosphingobium naphthae</i> sp. nov., from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3170-3176.	0.8	50
5025	<i>Vibrio algivorus</i> sp. nov., an alginate- and agarose-assimilating bacterium isolated from the gut flora of a turban shell marine snail. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3164-3169.	0.8	22
5026	<i>Micromonospora sediminis</i> sp. nov., isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3235-3240.	0.8	13
5027	<i>Streptomyces chitinivorans</i> sp. nov., a chitinolytic strain isolated from estuarine lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3241-3248.	0.8	12
5028	<i>Corynebacterium guangdongense</i> sp. nov., isolated from a contaminated plate. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3201-3206.	0.8	6
5029	<i>Planomonospora corallina</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3224-3229.	0.8	8
5030	<i>Colwellia sediminitoris</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3258-3263.	0.8	18
5031	<i>Wenyngzhuangia fucanilytica</i> sp. nov., a sulfated fucan utilizing bacterium isolated from shallow coastal seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3270-3275.	0.8	29
5032	<i>Echinicola rosea</i> sp. nov., a marine bacterium isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3299-3304.	0.8	14
5033	<i>Rhizorhabdus dicambivorans</i> sp. nov., a dicamba-degrading bacterium isolated from compost. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3317-3323.	0.8	15
5034	<i>Actinomadura montaniterrae</i> sp. nov., isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3310-3316.	0.8	16
5035	<i>Nocardia shinanonensis</i> sp. nov., isolated from a patient with endophthalmitis. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3324-3328.	0.8	11
5036	<i>Brevitalea aridisoli</i> , <i>B. deliciosa</i> and <i>Arenimicrobium luteum</i> , three novel species of Acidobacteria subdivision 4 (class Blastocatellia) isolated from savanna soil and description of the novel family Pyrinomonadaceae. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3355-3366.	0.8	58
5037	<i>Rhodovulum algae</i> sp. nov., isolated from an algal mat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3367-3371.	0.8	11
5038	<i>Propionibacterium namnetense</i> sp. nov., isolated from a human bone infection. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3393-3399.	0.8	42
5039	<i>Emticicia paludis</i> sp. nov., isolated from wetland freshwater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3383-3387.	0.8	9

#	ARTICLE	IF	CITATIONS
5040	<i>Aquimarina aggregata</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3406-3412.	0.8	16
5042	<i>Bacillus oryzae</i> sp. nov., isolated from rice rhizosphere. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3432-3436.	0.8	11
5043	<i>Paracoccus acriidae</i> sp. nov., isolated from the insect <i>Acrida cinerea</i> living in deserted cropland. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3492-3497.	0.8	15
5044	<i>Phenylobacterium aquaticum</i> sp. nov., isolated from the reservoir of a water purifier. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3519-3523.	0.8	13
5045	<i>Pseudoalteromonas gelatinilytica</i> sp. nov., isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3538-3545.	0.8	11
5046	<i>Corynebacterium pollutisoli</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3531-3537.	0.8	15
5047	<i>Micromonospora ureilytica</i> sp. nov., <i>Micromonospora noduli</i> sp. nov. and <i>Micromonospora vinacea</i> sp. nov., isolated from <i>Pisum sativum</i> nodules. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3509-3514.	0.8	41
5048	<i>Algoriphagus roseus</i> sp. nov., isolated from a hexachlorocyclohexane-contaminated dumpsite. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3558-3565.	0.8	11
5049	<i>Streptomyces rhizosphaerihabitans</i> sp. nov. and <i>Streptomyces adustus</i> sp. nov., isolated from bamboo forest soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3573-3578.	0.8	33
5050	<i>Flexivirga lutea</i> sp. nov., isolated from the faeces of a crested ibis, <i>Nipponia nippon</i> , and emended description of the genus <i>Flexivirga</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3594-3599.	0.8	9
5051	<i>Streptomyces verrucosisorus</i> sp. nov., isolated from marine sediments. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3607-3613.	0.8	15
5052	<i>Microlunatus nigridraconis</i> sp. nov., an actinobacterium from rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3614-3618.	0.8	8
5053	Description of <i>Novosphingobium flavum</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3642-3650.	0.8	14
5054	<i>Alcanivorax nanhaiticus</i> sp. nov., isolated from deep sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3651-3655.	0.8	20
5055	<i>Massilia pinisoli</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3669-3674.	0.8	14
5056	<i>Thiomicrospira hydrogeniphila</i> sp. nov., an aerobic, hydrogen- and sulfur-oxidizing chemolithoautotroph isolated from a seawater tank containing a block of beef tallow. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3688-3693.	0.8	18
5057	<i>Paenibacillus segetis</i> sp. nov., isolated from soil of a tropical rainforest. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3703-3707.	0.8	7
5058	Reclassification of <i>Alteromonas fuliginea</i> (Romanenko et al. 1995) as <i>Pseudoalteromonas fuliginea</i> comb. nov. and an emended description. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3737-3742.	0.8	8

#	ARTICLE	IF	CITATIONS
5059	<i>Sphingomonas zeicaulis</i> sp. nov., an endophytic bacterium isolated from maize root. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3755-3760.	0.8	17
5060	<i>Enterococcus saigonensis</i> sp. nov., isolated from retail chicken meat and liver. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3779-3785.	0.8	16
5061	<i>Sulfitobacter faviae</i> sp. nov., isolated from the coral <i>Favia veroni</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3786-3792.	0.8	18
5062	<i>Salinicoccus amylolyticus</i> sp. nov., isolated from a saltern. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3814-3820.	0.8	8
5063	<i>Geodermatophilus pulveris</i> sp. nov., a gamma-radiation-resistant actinobacterium isolated from the Sahara desert. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3828-3834.	0.8	34
5064	<i>Nocardiopsis sediminis</i> sp. nov., isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3835-3840.	0.8	15
5065	<i>Streptomyces camponoticapitis</i> sp. nov., an actinomycete isolated from the head of an ant ( <i>Camponotus japonicus</i> Mayr). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3855-3859.	0.8	10
5066	<i>Amycolatopsis albisporea</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3860-3864.	0.8	19
5067	<i>Halomonas sediminicola</i> sp. nov., a moderately halophilic bacterium isolated from a solar saltern sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3865-3872.	0.8	21
5068	<i>Marteella suaedae</i> sp. nov. and <i>Marteella limonii</i> sp. nov., isolated from the root of halophytes. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3917-3922.	0.8	17
5069	<i>Streptomyces phyllanthi</i> sp. nov., isolated from the stem of <i>Phyllanthus amarus</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3923-3928.	0.8	9
5070	<i>Devosia confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater lake, and reclassification of two <i>Vasilyevaea</i> species as <i>Devosia enhydra</i> comb. nov. and <i>Devosia mishustinii</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3935-3941.	0.8	23
5071	<i>Jatrophihabitans huperziae</i> sp. nov., an endophytic actinobacterium isolated from surface-sterilized tissue of the medicinal plant <i>Huperzia serrata</i> (Thunb.). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3972-3977.	0.8	10
5072	<i>Thermodesulfator autotrophicus</i> sp. nov., a thermophilic sulfate-reducing bacterium from the Indian Ocean. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3978-3982.	0.8	13
5073	<i>Lewinella aquimaris</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3989-3994.	0.8	12
5074	<i>Dyadobacter endophyticus</i> sp. nov., an endophytic bacterium isolated from maize root. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4022-4026.	0.8	22
5075	<i>Chryseobacterium montanum</i> sp. nov. isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4051-4056.	0.8	20
5076	Reclassification of <i>Paraburkholderia panaciterrae</i> (Farh et al. 2015) Dobritsa & Samadpour 2016 as a later synonym of <i>Paraburkholderia ginsengiterrae</i> (Farh et al. 2015) Dobritsa & Samadpour 2016. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4085-4087.	0.8	10

#	ARTICLE	IF	CITATIONS
5077	<i>Aurantimonas endophytica</i> sp. nov., a novel endophytic bacterium isolated from roots of <i>Anabasis elatior</i> (C. A. Mey.) Schischk. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4112-4117.	0.8	18
5078	Reclassification of <i>Pseudomonas</i> sp. PB-6250T as <i>Lysobacter firmicutimachus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4162-4166.	0.8	13
5079	<i>Pontibacter litorisediminis</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4172-4178.	0.8	16
5080	<i>Paraburkholderia caffeinilytica</i> sp. nov., isolated from the soil of a tea plantation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4185-4190.	0.8	18
5081	<i>Yimella radidis</i> sp. nov., an endophytic actinobacterium isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4191-4196.	0.8	7
5082	<i>Demequina litorisediminis</i> sp. nov., isolated from a tidal flat, and emended description of the genus <i>Demequina</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4197-4203.	0.8	13
5083	<i>Streptomyces pini</i> sp. nov., an actinomycete isolated from phylloplane of pine ( <i>Pinus sylvestris</i> L.) needle-like leaves. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4204-4210.	0.8	14
5084	<i>Oceanobacillus longus</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4225-4230.	0.8	11
5085	<i>Maribacter litorisediminis</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4236-4242.	0.8	14
5086	<i>Pseudomonas oceani</i> sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4250-4255.	0.8	25
5087	<i>Chitinibacter fontanus</i> sp. nov., isolated from a spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4262-4268.	0.8	6
5088	<i>Sphingomonas prati</i> sp. nov., isolated from alpine meadow soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4269-4275.	0.8	12
5089	<i>Rhizobium gei</i> sp. nov., a bacterial endophyte of <i>Geum aleppicum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4282-4288.	0.8	13
5090	<i>Flaviumibacter sediminis</i> sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4310-4314.	0.8	13
5091	<i>Streptococcus marmotae</i> sp. nov., isolated from the respiratory tract of <i>Marmota himalayana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4315-4322.	0.8	15
5092	<i>Paenibacillus methanolicus</i> sp. nov., a xylanolytic, methanol-utilizing bacterium isolated from the phyllosphere of bamboo ( <i>Pseudosasa japonica</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4362-4366.	0.8	9
5093	<i>Pontibacter virosus</i> sp. nov., isolated from a hexachlorocyclohexane-contaminated dumpsite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4395-4400.	0.8	11
5094	<i>Pseudoalteromonas profundus</i> sp. nov., isolated from a deep-sea seamount. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4416-4421.	0.8	20

#	ARTICLE	IF	CITATIONS
5095	<i>Microbacterium faecale</i> sp. nov., isolated from the faeces of <i>Columba livia</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4445-4450.	0.8	14
5096	Emended description of <i>Mycobacterium abscessus</i> , <i>Mycobacterium abscessus</i> subsp. <i>abscessus</i> and <i>Mycobacterium abscessus</i> subsp. <i>bolletii</i> and designation of <i>Mycobacterium abscessus</i> subsp. <i>massiliense</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4471-4479.	0.8	190
5097	<i>Paenibacillus solani</i> sp. nov., isolated from potato rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4486-4491.	0.8	15
5098	<i>Microbacterium diaminobutyricum</i> sp. nov., isolated from <i>Halimione portulacoides</i> , which contains diaminobutyric acid in its cell wall, and emended description of the genus <i>Microbacterium</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4492-4500.	0.8	37
5099	<i>Croceicoccus pelagius</i> sp. nov. and <i>Croceicoccus mobilis</i> sp. nov., isolated from marine environments. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4506-4511.	0.8	18
5100	<i>Mycobacterium oryzae</i> sp. nov., a scotochromogenic, rapidly growing species is able to infect human macrophage cell line. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4530-4536.	0.8	15
5101	<i>Mucilaginibacter puniceus</i> sp. nov., isolated from wetland freshwater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4549-4554.	0.8	16
5102	<i>Pedobacter psychrotolerans</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4560-4566.	0.8	7
5103	<i>Mucilaginibacter fluminis</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4567-4574.	0.8	9
5104	<i>Polaribacter marinaquae</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4594-4599.	0.8	12
5105	<i>Paenibacillus hispanicus</i> sp. nov. isolated from <i>Triticum aestivum</i> roots. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4628-4632.	0.8	16
5106	<i>Nocardia jiangsuensis</i> sp. nov., an actinomycete isolated from coastal soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4633-4638.	0.8	21
5107	<i>Saccharibacillus qingshengii</i> sp. nov., isolated from a lead-cadmium tailing. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4645-4649.	0.8	9
5108	<i>Pseudomonas turukhanskensis</i> sp. nov., isolated from oil-contaminated soils. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4657-4664.	0.8	14
5109	<i>Microbacterium aureliae</i> sp. nov., a novel actinobacterium isolated from <i>Aurelia aurita</i> , the moon jellyfish. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4665-4670.	0.8	15
5110	<i>Halomonas lutescens</i> sp. nov., a halophilic bacterium isolated from a lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4697-4704.	0.8	11
5111	<i>Brachybacterium aquaticum</i> sp. nov., a novel actinobacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4705-4710.	0.8	17
5112	<i>Hoyosella rhizosphaerae</i> sp. nov., a halotolerant actinobacterium isolated from rhizosphere soil of <i>Suaeda salsa</i> , and emended description of the genus <i>Hoyosella</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4716-4722.	0.8	16



#	ARTICLE	IF	CITATIONS
5113	<i>Scopulibacillus daqui</i> sp. nov., a thermophilic bacterium isolated from high temperature daqu. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4723-4728.	0.8	14
5114	<i>Novosphingobium lotistagni</i> sp. nov., isolated from a lotus pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4729-4734.	0.8	12
5115	<i>Micromonospora profundus</i> sp. nov., isolated from deep marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4735-4743.	0.8	23
5116	<i>Lysobacter rhizophilus</i> sp. nov., isolated from rhizosphere soil of mugunghwa, the national flower of South Korea. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4754-4759.	0.8	26
5117	<i>Pullulanibacillus camelliae</i> sp. nov., isolated from Pu-er tea. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4760-4765.	0.8	8
5118	<i>Xylella taiwanensis</i> sp. nov., causing pear leaf scorch disease. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4766-4771.	0.8	51
5119	Description of <i>Alteribacillus alkaliphilus</i> sp. nov., reassignment of <i>Bacillus iranensis</i> (Bagheri et al.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4772-4778.	0.8	16
5120	<i>Saccharothrix isguenensis</i> sp. nov., an actinobacterium isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4785-4790.	0.8	13
5121	<i>Mesorhizobium sediminum</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4797-4802.	0.8	21
5122	<i>Maribacter arenosus</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4826-4831.	0.8	17
5123	<i>Actinoplanes subglobosus</i> sp. nov., isolated from mixed deciduous forest soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4850-4855.	0.8	9
5124	<i>Streptomyces ovatisporus</i> sp. nov., isolated from deep marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4856-4863.	0.8	10
5125	<i>Blastococcus capsensis</i> sp. nov., isolated from an archaeological Roman pool and emended description of the genus <i>Blastococcus</i> , <i>B. aggregatus</i> , <i>B. saxobsidens</i> , <i>B. jejuensis</i> and <i>B. endophyticus</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4864-4872.	0.8	39
5126	Reclassification of strains MAFF 303099T and R7A into <i>Mesorhizobium japonicum</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4936-4941.	0.8	52
5127	<i>Shewanella inventionis</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4947-4953.	0.8	19
5128	<i>Halopiger thermotolerans</i> sp. nov., a thermo-tolerant haloarchaeon isolated from commercial salt. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4975-4980.	0.8	10
5129	<i>Streptomyces lacrimifluminis</i> sp. nov., a novel actinobacterium that produces antibacterial compounds, isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4981-4986.	0.8	13
5130	<i>Nonomuraea purpurea</i> sp. nov., an actinomycete isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4987-4992.	0.8	17

#	ARTICLE	IF	CITATIONS
5131	<i>Paenibacillus sinopodophylli</i> sp. nov., a siderophore-producing endophytic bacterium isolated from roots of <i>Sinopodophyllum hexandrum</i> (Royle) Ying. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4993-4999.	0.8	15
5132	<i>Pseudoxanthomonas helianthi</i> sp. nov., isolated from roots of Jerusalem artichoke ( <i>Helianthus</i> ) Tj ETQq1 1 0.784314 rgBT /Oygrlock 10 T	0.8	10
5133	<i>Thalassotalea euphylliae</i> sp. nov., isolated from the torch coral <i>Euphyllia glabrescens</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5039-5045.	0.8	19
5134	<i>Patulibacter brassicae</i> sp. nov., isolated from rhizosphere soil of Chinese cabbage ( <i>Brassica</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.8	13
5135	<i>Deinococcus persicinus</i> sp. nov., a radiation-resistant bacterium from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5077-5082.	0.8	11
5136	<i>Novosphingobium bradum</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5083-5090.	0.8	16
5137	<i>Psychrobacter pocilloporae</i> sp. nov., isolated from a coral, <i>Pocillopora eydouxi</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5091-5098.	0.8	16
5138	<i>Deinococcus saudiensis</i> sp. nov., isolated from desert. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5106-5111.	0.8	19
5139	<i>Emticicia fontis</i> sp. nov., isolated from a freshwater pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5161-5166.	0.8	11
5140	Description of <i>Jeotgalibacillus alkaliphilus</i> sp. nov., isolated from a solar salt pan, and <i>Jeotgalibacillus terrae</i> sp. nov., a name to replace "Jeotgalibacillus soli"™ Chen et al. 2010. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5167-5172.	0.8	12
5141	<i>Labrenzia salina</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5173-5180.	0.8	29
5142	Proposal of a type strain for <i>Frankia alni</i> (Woronin 1866) Von Tubeuf 1895, emended description of <i>Frankia alni</i> , and recognition of <i>Frankia casuarinae</i> sp. nov. and <i>Frankia elaeagni</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5201-5210.	0.8	68
5143	Isolation and characterization of a novel Gram-negative bacterium <i>Chromobacterium alkanivorans</i> sp. nov., strain IITR-71T degrading halogenated alkanes. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5228-5235.	0.8	19
5144	<i>Rickettsia amblyommatis</i> sp. nov., a spotted fever group <i>Rickettsia</i> associated with multiple species of <i>Amblyomma</i> ticks in North, Central and South America. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5236-5243.	0.8	100
5145	<i>Brevibacterium sediminis</i> sp. nov., isolated from deep-sea sediments from the Carlsberg and Southwest Indian Ridges. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5268-5274.	0.8	28
5146	<i>Nocardioides flavus</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5275-5280.	0.8	18
5147	<i>Sphingomonas piscinae</i> sp. nov., isolated from a fish pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5301-5308.	0.8	14
5148	<i>Microvirgula curvata</i> sp. nov., isolated from hydrocarbon-contaminated soil, and emended description of the genus <i>Microvirgula</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5309-5313.	0.8	13

#	ARTICLE	IF	CITATIONS
5149	<i>Haloparvum alkalitolerans</i> sp. nov., alkali-tolerant haloarchaeon isolated from commercial salt. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5314-5319.	0.8	6
5150	<i>Rhodococcus sovatus</i> sp. nov., an actinomycete isolated from the hypersaline and heliothermal Lake Ursu. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 190-196.	0.8	18
5151	<i>Phycococcus ginsengisoli</i> sp. nov., isolated from cultivated ginseng soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5320-5327.	0.8	11
5152	<i>Streptomyces kronopolitis</i> sp. nov., an actinomycete that produces phoslactomycins isolated from a millipede ( <i>Kronopolites svenhedind</i> Verhoeff). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5352-5357.	0.8	10
5153	<i>Glycomyces lacisalsi</i> sp. nov., an actinomycete isolated from a hypersaline habitat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5366-5370.	0.8	12
5154	<i>Gilvimarinus japonicus</i> sp. nov., a cellulolytic and agarolytic marine bacterium isolated from coastal debris. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5417-5423.	0.8	9
5155	<i>Verrucosipora sonchi</i> sp. nov., a novel endophytic actinobacterium isolated from the leaves of common sowthistle ( <i>Sonchus oleraceus</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5430-5436.	0.8	11
5156	<i>Algoriphagus litorisediminis</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5437-5443.	0.8	12
5157	Identification and taxonomic characterization of <i>Bordetella pseudohinzii</i> sp. nov. isolated from laboratory-raised mice. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5452-5459.	0.8	37
5158	<i>Sphingomonas lutea</i> sp. nov., isolated from freshwater of an artificial reservoir. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5493-5499.	0.8	17
5159	<i>Raineyella antarctica</i> gen. nov., sp. nov., a psychrotolerant, d-amino-acid-utilizing anaerobe isolated from two geographic locations of the Southern Hemisphere. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5529-5536.	0.8	26
5160	<i>Primorskyibacter aestuariivivens</i> sp. nov., isolated from a tidal flat, and emended description of the genus <i>Primorskyibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5550-5555.	0.8	13
5161	<i>Microbacterium sorbitolivorans</i> sp. nov., a novel member of Microbacteriaceae isolated from fermentation bed in pigpen. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5556-5561.	0.8	15
5162	<i>Polaribacter haliotis</i> sp. nov., isolated from the gut of abalone <i>Haliotis discus hannai</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5562-5567.	0.8	14
5163	<i>Roseovarius aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 25-30.	0.8	13
5164	<i>Colwellia mytili</i> sp. nov., isolated from mussel <i>Mytilus edulis</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 31-36.	0.8	11
5165	<i>Achromobacter aloeverae</i> sp. nov., isolated from the root of <i>Aloe vera</i> (L.) Burm.f.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 37-41.	0.8	13
5166	<i>Streptomyces krungchingensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 50-54.	0.8	8

#	ARTICLE	IF	CITATIONS
5167	<i>Lysinibacillus alkalisolis</i> sp. nov., isolated from saline alkaline soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 67-71.	0.8	14
5168	<i>Flavobacterium inkyongense</i> sp. nov., isolated from an artificial freshwater pond. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 82-86.	0.8	10
5169	<i>Microvirga soli</i> sp. nov., an alphaproteobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 127-132.	0.8	32
5170	<i>Streptomyces capparisidis</i> sp. nov., a novel endophytic actinobacterium isolated from fruits of <i>Capparis spinosa</i> L. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 133-137.	0.8	25
5171	<i>Marinobacter salinus</i> sp. nov., a moderately halophilic bacterium isolated from a tidal flat environment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 205-211.	0.8	22
5172	<i>Niabella hibiscisoli</i> sp. nov., isolated from soil of a Rose of Sharon garden. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 784-788.	0.8	17
5173	<i>Kocuria oceani</i> sp. nov., isolated from a deep-sea hydrothermal plume. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 164-169.	0.8	12
5174	<i>Micromonospora terminaliae</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized stem of the medicinal plant <i>Terminalia mucronata</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 225-230.	0.8	21
5175	<i>Pedobacter zeae</i> sp. nov., an endophytic bacterium isolated from maize root. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 231-236.	0.8	17
5176	<i>Alteromonas lipolytica</i> sp. nov., a poly-beta-hydroxybutyrate-producing bacterium isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 237-242.	0.8	33
5177	Description of <i>Algoriphagus iocasiae</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 243-249.	0.8	15
5178	<i>Paenibacillus silvae</i> sp. nov., isolated from a tropical rainforest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 795-799.	0.8	9
5179	<i>Streptococcus himalayensis</i> sp. nov., isolated from the respiratory tract of <i>Marmota himalayana</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 256-261.	0.8	19
5180	<i>Flavobacterium hibisci</i> sp. nov., isolated from the rhizosphere of <i>Hibiscus syriacus</i> L. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 537-542.	0.8	12
5181	<i>Promicromonospora kermanensis</i> sp. nov., an actinobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 262-267.	0.8	11
5182	<i>Micromonospora parathelypteridis</i> sp. nov., an endophytic actinomycete with antifungal activity isolated from the root of <i>Parathelypteris beddomei</i> (Bak.) Ching. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 268-274.	0.8	17
5183	<i>Desulfobulbus oligotrophicus</i> sp. nov., a sulfate-reducing and propionate-oxidizing bacterium isolated from a municipal anaerobic sewage sludge digester. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 275-281.	0.8	44
5184	<i>Krasilnikoviella muralis</i> gen. nov., sp. nov., a member of the family Promicromonosporaceae, isolated from the Takamatsuzuka Tumulus stone chamber interior and reclassification of <i>Promicromonospora flava</i> as <i>Krasilnikoviella flava</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 294-300.	0.8	13

#	ARTICLE	IF	CITATIONS
5185	<i>Arthrobacter ginkgonis</i> sp. nov., an actinomycete isolated from rhizosphere of <i>Ginkgo biloba</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 319-324.	0.8	17
5186	<i>Aeromicrobium choanae</i> sp. nov., an actinobacterium isolated from the choana of a garden warbler. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 357-361.	0.8	13
5187	<i>Terrimonas rhizosphaerae</i> sp. nov., isolated from ginseng rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 391-395.	0.8	16
5188	<i>Marinobacter halotolerans</i> sp. nov., a halophilic bacterium isolated from a saltern crystallizing pond. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 460-465.	0.8	19
5189	<i>Chryseobacterium endophyticum</i> sp. nov., isolated from a maize leaf. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 570-575.	0.8	16
5190	<i>Paenibacillus qinlingensis</i> sp. nov., an indole-3-acetic acid-producing bacterium isolated from roots of <i>Sinopodophyllum hexandrum</i> (Royle) Ying. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 589-595.	0.8	14
5191	<i>Hymenobacter seoulensis</i> sp. nov., isolated from river water. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 596-601.	0.8	17
5192	<i>Novosphingobium guangzhouense</i> sp. nov., with the ability to degrade 1-methylphenanthrene. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 489-497.	0.8	20
5193	<i>Macrococcus canis</i> sp. nov., a skin bacterium associated with infections in dogs. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 621-626.	0.8	45
5194	<i>Nocardioides cavernae</i> sp. nov., an actinobacterium isolated from a karst cave. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 633-639.	0.8	16
5195	<i>Chryseobacterium nepalense</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 646-652.	0.8	31
5196	<i>Sphingomonas aquatica</i> sp. nov., isolated from tap water. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 845-850.	0.8	16
5197	<i>Acidicapsa acidisoli</i> sp. nov., from the acidic soil of a deciduous forest. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 862-867.	0.8	11
5198	<i>Polaribacter lacunae</i> sp. nov., isolated from a lagoon. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 681-686.	0.8	11
5199	<i>Pseudomonas canadensis</i> sp. nov., a biological control agent isolated from a field plot under long-term mineral fertilization. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 889-895.	0.8	23
5200	<i>Clostridium guangxiense</i> sp. nov. and <i>Clostridium neuense</i> sp. nov., two phylogenetically closely related hydrogen-producing species isolated from lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 710-715.	0.8	32
5201	<i>Aliidiomarina soli</i> sp. nov., isolated from saline–alkaline soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 724-728.	0.8	14
5202	<i>Luteolibacter flavescens</i> sp. nov., isolated from deep seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 729-735.	0.8	18

#	ARTICLE	IF	CITATIONS
5203	<i>Dyella acidisoli</i> sp. nov., <i>D. flagellata</i> sp. nov. and <i>D. nitratreducens</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 736-743.	0.8	25
5204	<i>Alcaligenes endophyticus</i> sp. nov., isolated from roots of <i>Ammodendron bifolium</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 939-943.	0.8	17
5205	<i>Arachidococcus ginsenosidivorans</i> sp. nov., with ginsenoside-converting activity isolated from ginseng cultivating soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1005-1010.	0.8	26
5206	<i>Lysobacter humi</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 951-955.	0.8	16
5207	<i>Brevundimonas canariensis</i> sp. nov., isolated from roots of <i>Triticum aestivum</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 969-973.	0.8	14
5208	<i>Roseomonas nepalensis</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 981-987.	0.8	15
5209	<i>Microbulbifer echini</i> sp. nov., isolated from the gastrointestinal tract of a purple sea urchin, <i>Heliocidaris crassispina</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 998-1004.	0.8	15
5210	<i>Nocardia xestospongiae</i> sp. nov., isolated from a marine sponge in the Andaman Sea. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1451-1456.	0.8	25
5211	<i>Bacillus terrae</i> sp. nov. isolated from <i>Cistus ladanifer</i> rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1478-1481.	0.8	12
5212	<i>Noviherbaspirillum agri</i> sp. nov., isolated from reclaimed grassland soil, and reclassification of <i>Herbaspirillum massiliense</i> (Lagier et al., 2014) as <i>Noviherbaspirillum massiliense</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1508-1515.	0.8	21
5213	<i>Paenibacillus aceris</i> sp. nov., isolated from the rhizosphere of <i>Acer okamotoanum</i> , a plant native to Ulleungdo Island, Republic of Korea. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1039-1045.	0.8	15
5214	<i>Pedobacter jamesrossensis</i> sp. nov., <i>Pedobacter lithocola</i> sp. nov., <i>Pedobacter mendelii</i> sp. nov. and <i>Pedobacter petrophilus</i> sp. nov., isolated from the Antarctic environment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1499-1507.	0.8	32
5215	<i>Nonlabens aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1535-1539.	0.8	7
5216	<i>Nocardioides phosphati</i> sp. nov., an actinomycete isolated from a phosphate mine. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1522-1528.	0.8	14
5217	<i>Streptomyces lasiicapitis</i> sp. nov., an actinomycete that produces kanchanamycin, isolated from the head of an ant ( <i>Lasius fuliginosus</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1529-1534.	0.8	21
5218	<i>Halomonas alkalicola</i> sp. nov., isolated from a household product plant. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1546-1550.	0.8	27
5219	<i>Actinotalea caeni</i> sp. nov., isolated from a sludge sample of a biofilm reactor. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1595-1599.	0.8	8
5220	<i>Aliidiomarina sedimenti</i> sp. nov., a haloalkaliphilic bacterium in the family <i>Idiomarinaceae</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2087-2092.	0.8	12

#	ARTICLE	IF	CITATIONS
5221	<i>Flectobacillus pallidus</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1126-1132.	0.8	12
5222	<i>Glutamicibacter halophytocola</i> sp. nov., an endophytic actinomycete isolated from the roots of a coastal halophyte, <i>Limonium sinense</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1120-1125.	0.8	33
5223	<i>Rhodanobacter humi</i> sp. nov., an acid-tolerant and alkalitolerant gammaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1185-1190.	0.8	24
5224	<i>Hymenobacter aquaticus</i> sp. nov., a radiation-resistant bacterium isolated from a river. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1206-1211.	0.8	26
5225	<i>Rouxiella badensis</i> sp. nov. and <i>Rouxiella silvae</i> sp. nov. isolated from peat bog soil and emendation description of the genus <i>Rouxiella</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1255-1259.	0.8	20
5226	<i>Williamsia spongiae</i> sp. nov., an actinomycete isolated from the marine sponge <i>Amphimedon viridis</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1260-1265.	0.8	15
5227	<i>Frankia coriariae</i> sp. nov., an infective and effective microsymbiont isolated from <i>Coriaria japonica</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1266-1270.	0.8	37
5228	<i>Nioella sediminis</i> sp. nov., isolated from surface sediment and emended description of the genus <i>Nioella</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1271-1274.	0.8	17
5229	<i>Novosphingobium clariflavum</i> sp. nov., isolated from a household product plant. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3150-3155.	0.8	8
5230	<i>Pedobacter lusitanus</i> sp. nov., isolated from sludge of a deactivated uranium mine. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1339-1348.	0.8	26
5231	<i>Spirosoma knui</i> sp. nov., a radiation-resistant bacterium isolated from the Han River. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1359-1365.	0.8	38
5232	Proposal of nine novel species of the <i>Bacillus cereus</i> group. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2499-2508.	0.8	273
5233	<i>Rhodanobacter rhizosphaerae</i> sp. nov., isolated from soil of ginseng rhizosphere. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1387-1392.	0.8	13
5234	<i>Pararhizobium antarcticum</i> sp. nov., isolated from Antarctic water samples. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1650-1655.	0.8	8
5235	<i>Microbulbifer aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1436-1441.	0.8	11
5236	<i>Sphingobacterium cellulitidis</i> sp. nov., isolated from clinical and environmental sources. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1415-1421.	0.8	18
5237	<i>Pontibacter aurantiacus</i> sp. nov. isolated from hexachlorocyclohexane (HCH) contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1400-1407.	0.8	17
5238	<i>Streptomyces jeddahensis</i> sp. nov., an oleaginous bacterium isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1676-1682.	0.8	25

#	ARTICLE	IF	CITATIONS
5239	<i>Emticicia aquatilis</i> sp. nov., isolated from a freshwater sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1703-1708.	0.8	10
5240	<i>Nonomuraea rhodomycinica</i> sp. nov., isolated from peat swamp forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1683-1687.	0.8	21
5241	<i>Thioclava nitratireducens</i> sp. nov., isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2109-2113.	0.8	11
5242	<i>Pseudonocardia profundimaris</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1693-1697.	0.8	15
5243	<i>Flaviaesturariibacter luteus</i> sp. nov., isolated from an agricultural floodplain soil, and emended description of the genus <i>Flaviaesturariibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1727-1734.	0.8	14
5244	<i>Micromonospora fulva</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1746-1751.	0.8	20
5245	<i>Caulobacter rhizosphaerae</i> sp. nov., a stalked bacterium isolated from rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1771-1776.	0.8	13
5246	Reclassification of <i>Arthrobacter viscosus</i> as <i>Rhizobium viscosum</i> comb. nov. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1789-1792.	0.8	13
5247	<i>Rodentibacter</i> gen. nov. including <i>Rodentibacter pneumotropicus</i> comb. nov., <i>Rodentibacter heyltii</i> sp. nov., <i>Rodentibacter myodis</i> sp. nov., <i>Rodentibacter ratti</i> sp. nov., <i>Rodentibacter heidelbergensis</i> sp. nov., <i>Rodentibacter trehalosifermentans</i> sp. nov., <i>Rodentibacter rarus</i> sp. nov., <i>Rodentibacter mrazii</i> and two genomospecies. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1793-1806.	0.8	75
5248	<i>Pseudoxanthomonas putridarboris</i> sp. nov. isolated from rotten tree. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1807-1812.	0.8	10
5249	<i>Sphingopyxis solisilvae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1820-1826.	0.8	12
5250	<i>Pseudorhodobacter ponti</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1855-1860.	0.8	8
5251	<i>Phaeobacter porticola</i> sp. nov., an antibiotic-producing bacterium isolated from a sea harbour. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2153-2159.	0.8	22
5252	Transfer of <i>Pseudomonas pictorum</i> Gray and Thornton 1928 to genus <i>Stenotrophomonas</i> as <i>Stenotrophomonas pictorum</i> comb. nov., and emended description of the genus <i>Stenotrophomonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1894-1900.	0.8	15
5253	<i>Naumannella huperziae</i> sp. nov., an endophytic actinobacterium isolated from <i>Huperzia serrata</i> (Thunb.). International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1867-1872.	0.8	8
5254	<i>Delftia rhizosphaerae</i> sp. nov. isolated from the rhizosphere of <i>Cistus ladanifer</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1957-1960.	0.8	13
5255	Red-pink pigmented <i>Hymenobacter coccineus</i> sp. nov., <i>Hymenobacter lapidarius</i> sp. nov. and <i>Hymenobacter glacialis</i> sp. nov., isolated from rocks in Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1975-1983.	0.8	33
5256	<i>Paenibacillus polysaccharolyticus</i> sp. nov., a xylanolytic and cellulolytic bacteria isolated from leaves of Bamboo <i>Phyllostachys aureosulcata</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2127-2133.	0.8	17



#	ARTICLE	IF	CITATIONS
5257	<i>Sphingomonas spermidinifaciens</i> sp. nov., a novel bacterium containing spermidine as the major polyamine, isolated from an abandoned lead-zinc mine and emended descriptions of the genus <i>Sphingomonas</i> and the species <i>Sphingomonas yangtingensis</i> and <i>Sphingomonas japonica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2160-2165.	0.8	44
5258	<i>Tessaracoccus arenae</i> sp. nov., isolated from sea sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2008-2013.	0.8	15
5259	<i>Saccharopolyspora spongiae</i> sp. nov., a novel actinomycete isolated from the marine sponge <i>Scopalina ruetzleri</i> (Wiedenmayer, 1977). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2019-2025.	0.8	14
5260	<i>Saccharospirillum correiae</i> sp. nov., an endophytic bacterium isolated from the halophyte <i>Halimione portulacoides</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2026-2030.	0.8	13
5261	<i>Massilia phosphatilytica</i> sp. nov., a phosphate solubilizing bacteria isolated from a long-term fertilized soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2514-2519.	0.8	84
5262	<i>Hymenobacter tenuis</i> sp. nov., isolated from wastewater of an acidic water neutralization facility. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2171-2177.	0.8	7
5263	<i>Polaribacter litorisediminis</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2036-2042.	0.8	12
5264	<i>Roseobacter ponti</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2189-2194.	0.8	10
5265	<i>Flavobacterium olei</i> sp. nov., a novel psychrotolerant bacterium isolated from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2211-2218.	0.8	16
5266	<i>Olleya algicola</i> sp. nov., a marine bacterium isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2205-2210.	0.8	11
5267	<i>Paucibacter oligotrophus</i> sp. nov., isolated from fresh water, and emended description of the genus <i>Paucibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2231-2235.	0.8	26
5268	<i>Bradyrhizobium cajani</i> sp. nov. isolated from nodules of <i>Cajanus cajan</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2236-2241.	0.8	25
5269	<i>Salinarchaeum chitinilyticum</i> sp. nov., a chitin-degrading haloarchaeon isolated from commercial salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2274-2278.	0.8	25
5270	<i>Mesorhizobium helmanticense</i> sp. nov., isolated from <i>Lotus corniculatus</i> nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2301-2305.	0.8	21
5271	Description of <i>Lysinibacillus telephonicus</i> sp. nov., isolated from the screen of a cellular phone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2289-2295.	0.8	24
5272	<i>Rhizobium zeae</i> sp. nov., isolated from maize ( <i>Zea mays</i> L.) roots. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2306-2311.	0.8	22
5273	<i>Sphingobacterium soli</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2284-2288.	0.8	16
5274	<i>Clostridium tepidum</i> sp. nov., a close relative of <i>Clostridium sporogenes</i> and <i>Clostridium botulinum</i> Group I. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2317-2322.	0.8	14

#	ARTICLE	IF	CITATIONS
5275	Proposal for transfer of <i>Oceanibulbus indolifex</i> Wagner-DÃ¶bner et al. 2004 to the genus <i>Sulfitobacter</i> as <i>Sulfitobacter indolifex</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2328-2331.	0.8	11
5276	<i>Cellvibrio fontiphilus</i> sp. nov., isolated from a spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2532-2537.	0.8	5
5277	<i>Flaviramulus aestuariivivens</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2337-2342.	0.8	9
5278	<i>Paenibacillus konkukensis</i> sp. nov., isolated from animal feed. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2343-2348.	0.8	11
5279	Isolation and characterization of <i>Kingella negevensis</i> sp. nov., a novel <i>Kingella</i> species detected in a healthy paediatric population. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2370-2376.	0.8	34
5280	<i>Lentzea cavernae</i> sp. nov., an actinobacterium isolated from a karst cave sample, and emended description of the genus <i>Lentzea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2357-2362.	0.8	15
5281	<i>Sporolactobacillus shoreicorticis</i> sp. nov., a lactic acid-producing bacterium isolated from tree bark. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2363-2369.	0.8	10
5282	<i>Planococcus ruber</i> sp. nov., isolated from a polluted farmland soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2549-2554.	0.8	12
5283	<i>Aneurinibacillus sediminis</i> sp. nov., isolated from lagoon sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2544-2548.	0.8	9
5284	<i>Roseomonas suffusca</i> sp. nov., isolated from lagoon sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2390-2396.	0.8	10
5285	<i>Puzihella rosea</i> gen. nov., sp. nov., a novel member of the family <i>Microbacteriaceae</i> isolated from freshwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2383-2389.	0.8	8
5286	<i>Kiloniella antarctica</i> sp. nov., isolated from a polynya of Amundsen Sea in Western Antarctic Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2397-2402.	0.8	8
5287	<i>Novosphingobium fontis</i> sp. nov., isolated from a spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2423-2429.	0.8	16
5288	<i>Mesononia maritimus</i> sp. nov., isolated from seawater of the South Sea of Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2574-2580.	0.8	10
5289	<i>Merdimonas faecis</i> gen. nov., sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2430-2435.	0.8	18
5290	<i>Aliifodinibius salicampi</i> sp. nov., a moderately halophilic bacterium isolated from a grey saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2598-2603.	0.8	13
5291	<i>Flavobacterium soyangense</i> sp. nov., a psychrotolerant bacterium, isolated from an oligotrophic freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2440-2445.	0.8	15
5292	<i>Erythrobacter xanthus</i> sp. nov., isolated from surface seawater of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2459-2464.	0.8	14

#	ARTICLE	IF	CITATIONS
5293	<i>Paracoccus mangrovi</i> sp. nov., isolated from a mangrove. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2689-2695.	0.8	18
5294	<i>Flaviaesturariibacter terrae</i> sp. nov., isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2660-2664.	0.8	8
5295	<i>Flavobacterium flaviflagrans</i> sp. nov., a bacterium of the family Flavobacteriaceae isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2653-2659.	0.8	12
5296	<i>Massilia agri</i> sp. nov., isolated from reclaimed grassland soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2696-2703.	0.8	16
5297	<i>Bacillus swezeyi</i> sp. nov. and <i>Bacillus haynesii</i> sp. nov., isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2720-2725.	0.8	38
5298	<i>Sphingomonas olei</i> sp. nov., with the ability to degrade aliphatic hydrocarbons, isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2731-2738.	0.8	18
5299	<i>Stenotrophomonas bentonitica</i> sp. nov., isolated from bentonite formations. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2779-2786.	0.8	31
5300	<i>Dyella lipolytica</i> sp. nov., a lipolytic bacterium isolated from lower subtropical forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1235-1240.	0.8	12
5301	<i>Caulobacter hibisci</i> sp. nov., isolated from rhizosphere of <i>Hibiscus syriacus</i> L. (Mugunghwa flower). International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3167-3173.	0.8	10
5302	Reclassification of <i>Mzabimyces algeriensis</i> Saker et al. 2015 as <i>Halopolyspora algeriensis</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2787-2790.	0.8	12
5303	<i>Alteromonas aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2791-2797.	0.8	20
5304	Proposal of <i>Henriciella barbarentis</i> sp. nov. and <i>Henriciella algicola</i> sp. nov., stalked species of the genus and emendation of the genus <i>Henriciella</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2804-2810.	0.8	18
5305	<i>Rhizobium wenxiniae</i> sp. nov., an endophytic bacterium isolated from maize root. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2798-2803.	0.8	38
5306	<i>Sphingomonas limnosediminicola</i> sp. nov. and <i>Sphingomonas palustris</i> sp. nov., isolated from freshwater environments. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2834-2841.	0.8	18
5307	<i>Bacillus praedii</i> sp. nov., isolated from purplish paddy soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2823-2828.	0.8	13
5308	<i>Nocardioides thalensis</i> sp. nov., isolated from a desert. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2848-2852.	0.8	19
5309	<i>Mycobacterium eburneum</i> sp. nov., a non-chromogenic, fast-growing strain isolated from sputum. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3174-3181.	0.8	13
5310	<i>Emticicia soli</i> sp. nov., a novel member of the family "Flexibacteraceae"™, isolated from tetrabromobisphenol A-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2885-2890.	0.8	7

#	ARTICLE	IF	CITATIONS
5311	<i>Bacillus wudalianchiensis</i> sp. nov., isolated from grass soils of the Wudalianchi scenic area. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2897-2902.	0.8	9
5312	<i>Nonomuraea stahlianthi</i> sp. nov., an endophytic actinomycete isolated from the stem of <i>Stahlianthus campanulatus</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2879-2884.	0.8	16
5313	<i>Adhaeribacter terrae</i> sp. nov., a novel bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2922-2927.	0.8	11
5314	<i>Erythrobacter aquimixticola</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2964-2969.	0.8	20
5315	<i>Umboniibacter caenipelagi</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2959-2963.	0.8	5
5316	<i>Laceyella thermophila</i> sp. nov., a thermophilic bacterium isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2953-2958.	0.8	8
5317	<i>Sphingobium naphthae</i> sp. nov., with the ability to degrade aliphatic hydrocarbons, isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2986-2993.	0.8	22
5318	<i>Henriciella pelagia</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3020-3025.	0.8	22
5319	<i>Zunongwangia endophytica</i> sp. nov., an endophyte isolated from the salt marsh plant, <i>Halimione portulacoides</i> , and emended description of the genus <i>Zunongwangia</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3004-3009.	0.8	12
5320	<i>Nocardia cavernae</i> sp. nov., a novel actinobacterium isolated from a karst cave sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2998-3003.	0.8	13
5321	<i>Pigmentiphaga aceris</i> sp. nov., isolated from tree sap. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3198-3202.	0.8	10
5322	Description of <i>Actinokineospora acnipugnans</i> sp. nov., an actinomycete isolated from soil, showing potential uses in cosmetics. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3043-3049.	0.8	7
5323	<i>Altererythrobacter halimionae</i> sp. nov. and <i>Altererythrobacter endophyticus</i> sp. nov., two endophytes from the salt marsh plant <i>Halimione portulacoides</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3057-3062.	0.8	25
5324	<i>Conexibacter stalactiti</i> sp. nov., isolated from stalactites in a lava cave and emended description of the genus <i>Conexibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3214-3218.	0.8	18
5325	<i>Blastomonas fulva</i> sp. nov., aerobic photosynthetic bacteria isolated from a <i>Microcystis</i> culture. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3071-3076.	0.8	8
5326	<i>Domibacillus mangrovi</i> sp. nov. and <i>Domibacillus epiphyticus</i> sp. nov., isolated from marine habitats of the central west coast of India. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3063-3070.	0.8	16
5327	<i>Cryptosporangium eucalypti</i> sp. nov., an actinomycete isolated from <i>Eucalyptus camaldulensis</i> roots. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3077-3082.	0.8	14
5328	<i>Filimonas aquilariae</i> sp. nov., isolated from agarwood chips. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3219-3225.	0.8	11

#	ARTICLE	IF	CITATIONS
5329	<i>Paenibacillus aurantiacus</i> sp. nov., isolated from ant nest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3226-3230.	0.8	6
5330	<i>Dyella caseinilytica</i> sp. nov., <i>Dyella flava</i> sp. nov. and <i>Dyella mobilis</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3237-3245.	0.8	21
5331	<i>Algoriphagus aquaemixtae</i> sp. nov., isolated from water in an estuary environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3231-3236.	0.8	9
5332	<i>Mucilagibacter rubeus</i> sp. nov., isolated from rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3099-3104.	0.8	8
5333	<i>Silanimonas algicola</i> sp. nov., isolated from laboratory culture of a bloom-forming cyanobacterium, <i>Microcystis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3274-3278.	0.8	18
5334	<i>Phreatobacter stygius</i> sp. nov., isolated from pieces of wood in a lava cave and emended description of the genus <i>Phreatobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3296-3300.	0.8	13
5335	Description of <i>Rhodobacter azollae</i> sp. nov. and <i>Rhodobacter lacus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3289-3295.	0.8	29
5336	<i>Angustibacter speluncae</i> sp. nov., isolated from a lava cave stalactite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3283-3288.	0.8	16
5337	<i>Polycladomyces subterraneus</i> sp. nov., isolated from soil in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3323-3328.	0.8	6
5338	<i>Flavobacterium gossypii</i> sp. nov. isolated from the root tissue of field-grown cotton. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3345-3350.	0.8	7
5339	<i>Natronoarchaeum persicum</i> sp. nov., a haloarchaeon isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3339-3344.	0.8	8
5340	<i>Echinicola sediminis</i> sp. nov., a marine bacterium isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3351-3357.	0.8	17
5341	<i>Rhodopseudomonas telluris</i> sp. nov., a phototrophic alphaproteobacterium isolated from paddy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3369-3374.	0.8	12
5342	<i>Prauserella oleivorans</i> sp. nov., a halophilic and thermotolerant crude-oil-degrading actinobacterium isolated from an oil-contaminated mud pit. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3381-3386.	0.8	11
5343	<i>Amycolatopsis acidiphila</i> sp. nov., a moderately acidophilic species isolated from coal mine soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3387-3392.	0.8	14
5344	<i>Altererythrobacter aquigaggeris</i> sp. nov., isolated from water of an estuary bank. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3410-3416.	0.8	13
5345	<i>Altererythrobacter aquaemixtae</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3446-3451.	0.8	21
5346	<i>Bacillus endozanthoxylicus</i> sp. nov., an endophytic bacterium isolated from <i>Zanthoxylum bungeanum</i> Maxim leaves. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3699-3705.	0.8	7

#	ARTICLE	IF	CITATIONS
5347	<i>Lactobacillus cerevisiae</i> sp. nov., isolated from a spoiled brewery sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3452-3457.	0.8	18
5348	<i>Nocardia heshunensis</i> sp. nov., an actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3467-3473.	0.8	11
5349	<i>Hydrogenophaga aquatica</i> sp. nov., isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3716-3721.	0.8	15
5350	<i>Bacillus kiskunsagensis</i> sp. nov., a novel alkaliphilic and moderately halophilic bacterium isolated from soda soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3490-3495.	0.8	21
5351	<i>Reyranella aquatilis</i> sp. nov., an alphaproteobacterium isolated from a eutrophic lake. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3496-3500.	0.8	15
5352	<i>Frankia asymbiotica</i> sp. nov., a non-infective actinobacterium isolated from <i>Morella californica</i> root nodule. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4897-4901.	0.8	34
5353	<i>Microvirga indica</i> sp. nov., an arsenite-oxidizing Alphaproteobacterium, isolated from metal industry waste soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3525-3531.	0.8	20
5354	<i>Winogradskyella flava</i> sp. nov., isolated from the brown alga, <i>Sargassum fulvellum</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3540-3546.	0.8	17
5355	<i>Bacillus iocasae</i> sp. nov., isolated from Pacmanus hydrothermal field, Manus Basin. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3547-3552.	0.8	11
5356	<i>Promicromonospora callitridis</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized root of an Australian native pine tree. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3559-3563.	0.8	8
5357	<i>Streptomyces solisilvae</i> sp. nov., isolated from tropical forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3553-3558.	0.8	12
5358	<i>Lewinella maritima</i> sp. nov., and <i>Lewinella lacunae</i> sp. nov., novel bacteria from marine environments. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3603-3609.	0.8	24
5359	<i>Cellvibrio zantedeschiae</i> sp. nov., isolated from the roots of <i>Zantedeschia aethiopica</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3615-3621.	0.8	7
5360	<i>Thalassotalea profundus</i> sp. nov. isolated from a deep-sea seamount. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3739-3743.	0.8	13
5361	<i>Larkinella ripae</i> sp. nov., isolated from seashore soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3759-3764.	0.8	8
5362	<i>Altererythrobacter deserti</i> sp. nov., isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3806-3811.	0.8	19
5363	Defining the taxonomic status of <i>Streptococcus suis</i> serotype 33: the proposal for <i>Streptococcus ruminantium</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3660-3665.	0.8	37
5364	<i>Promicromonospora soli</i> sp. nov., a novel actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3829-3833.	0.8	10

#	ARTICLE	IF	CITATIONS
5365	Description of <i>Mycobacterium chelonae</i> subsp. <i>bovis</i> subsp. nov., isolated from cattle ( <i>Bos taurus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 subsp. <i>chelonae</i> subsp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3882-3887.	0.8	20
5366	<i>Lactobacillus curtus</i> sp. nov., isolated from beer in Finland. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3899-3906.	0.8	13
5367	<i>Bacteroides koreensis</i> sp. nov. and <i>Bacteroides kribbi</i> sp. nov., two new members of the genus <i>Bacteroides</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4352-4357.	0.8	22
5368	<i>Luteolibacter gellanilyticus</i> sp. nov., a gellan-gum-degrading bacterium of the phylum <i>Verrucomicrobia</i> isolated from miniaturized diffusion chambers. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3951-3959.	0.8	25
5369	<i>Flavobacterium quisquiliarum</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3965-3970.	0.8	12
5370	<i>Polaribacter insulae</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4013-4019.	0.8	7
5371	<i>Aalteromonas pelagimontana</i> sp. nov., a marine exopolysaccharide-producing bacterium isolated from the Southwest Indian Ridge. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4032-4038.	0.8	22
5372	<i>Sphingomonas carri</i> sp. nov., isolated from a car air-conditioning system. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4069-4074.	0.8	10
5373	Minimal standards for describing new species belonging to the families <i>Campylobacteraceae</i> and <i>Helicobacteraceae</i> : <i>Campylobacter</i> , <i>Arcobacter</i> , <i>Helicobacter</i> and <i>Wolinella</i> spp.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5296-5311.	0.8	84
5374	<i>Nesterenkonia pannonica</i> sp. nov., a novel alkaliphilic and moderately halophilic actinobacterium. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4116-4120.	0.8	14
5375	<i>Paenibacillus azotifigens</i> sp. nov., a novel nitrogen-fixing bacterium isolated from paddy soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4917-4922.	0.8	12
5376	<i>Loktanella acticola</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4175-4180.	0.8	8
5377	<i>Hydrogenophaga soli</i> sp. nov., isolated from rice field soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4200-4204.	0.8	11
5378	Classification of <i>Actinoplanes</i> sp. ATCC 33076, an actinomycete that produces the glycolipodepsipeptide antibiotic ramoplanin, as <i>Actinoplanes ramoplaninifer</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4181-4188.	0.8	13
5379	<i>Longispora urticae</i> sp. nov., isolated from rhizosphere soil of <i>Urtica urens</i> L., and emended descriptions of the species <i>Longispora albida</i> and <i>Longispora fulva</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4228-4234.	0.8	7
5380	<i>Paracoccus sordidisoli</i> sp. nov., isolated from an agricultural field contaminated with hexachlorocyclohexane isomers. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4365-4371.	0.8	15
5381	<i>Dyella agri</i> sp. nov., isolated from reclaimed grassland soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4246-4252.	0.8	12
5382	<i>Melaminivora jejuensis</i> sp. nov., isolated from Swinery waste. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 9-13.	0.8	12

#	ARTICLE	IF	CITATIONS
5383	<i>Massilia buxea</i> sp. nov., isolated from a rock surface. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4390-4396.	0.8	17
5384	<i>Flavobacterium chuncheonense</i> sp. nov. and <i>Flavobacterium luteum</i> sp. nov., isolated from a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4409-4415.	0.8	17
5385	<i>Flavobacterium dispersum</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4416-4423.	0.8	11
5386	<i>Sphingomonas agri</i> sp. nov., a bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4429-4434.	0.8	11
5387	<i>Ramlibacter monticola</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4468-4474.	0.8	14
5388	<i>Psychrobacillus lasiicapitis</i> sp. nov., isolated from the head of an ant ( <i>Lasius fuliginosus</i> ). International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4462-4467.	0.8	16
5389	<i>Aridibacter nitratreducens</i> sp. nov., a member of the family Blastocatellaceae, class Blastocatellia, isolated from an African soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4487-4493.	0.8	44
5390	<i>Streptococcus bovimastitidis</i> sp. nov., isolated from a dairy cow with mastitis. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 21-27.	0.8	12
5391	<i>Corynebacterium gottingense</i> sp. nov., isolated from a clinical patient. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4494-4499.	0.8	11
5392	<i>Porphyrobacter algicida</i> sp. nov., an algalytic bacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4526-4533.	0.8	18
5393	<i>Arthrobacter silviterrae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4546-4551.	0.8	10
5394	<i>Phaeobacter piscinae</i> sp. nov., a species of the Roseobacter group and potential aquaculture probiont. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4559-4564.	0.8	20
5395	<i>Salirhabdus salicampi</i> sp. nov., a halotolerant bacterium isolated from a saltern. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4578-4583.	0.8	7
5396	<i>Saccharomonospora colocasiae</i> sp. nov., an actinomycete isolated from the rhizosphere of <i>Colocasia esculenta</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4572-4577.	0.8	8
5397	<i>Marinobacter salexigens</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4595-4600.	0.8	13
5398	<i>Bacillus ciccensis</i> sp. nov., isolated from maize ( <i>Zea mays</i> L.) seeds. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4606-4611.	0.8	10
5399	<i>Tenacibaculum aestuariivivum</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4612-4618.	0.8	10
5400	<i>Ruegeria profunda</i> sp. nov. and <i>Ruegeria marisrubri</i> sp. nov., isolated from the brine-seawater interface at Erba Deep in the Red Sea. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4624-4631.	0.8	17



#	ARTICLE	IF	CITATIONS
5401	<i>Lysobacter olei</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4660-4666.	0.8	9
5402	Two novel species of rapidly growing mycobacteria: <i>Mycobacterium lehmannii</i> sp. nov. and <i>Mycobacterium neumannii</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4948-4955.	0.8	12
5403	<i>Lechevalieria rhizosphaerae</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.) and emended description of the genus <i>Lechevalieria</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4655-4659.	0.8	13
5404	<i>Flavobacterium limi</i> sp. nov., isolated from forest mud. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4667-4673.	0.8	6
5405	<i>Sediminibacterium roseum</i> sp. nov., isolated from sewage sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4674-4679.	0.8	12
5406	<i>Franconibacter daqui</i> sp. nov., a facultatively alkaliphilic species isolated from a Daqu sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4962-4966.	0.8	10
5407	<i>Nonomuraea cavernae</i> sp. nov., a novel actinobacterium isolated from a karst cave sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4692-4697.	0.8	19
5408	<i>Phenylobacterium deserti</i> sp. nov., isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4722-4727.	0.8	15
5409	<i>Polaribacter tangerinus</i> sp. nov., isolated from sediment in a sea cucumber culture pond. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4736-4741.	0.8	6
5410	<i>Paraglaciecola aestuariivivens</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4754-4759.	0.8	8
5411	<i>Hymenobacter gummosus</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4728-4735.	0.8	14
5412	<i>Paracoccus litorisediminis</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4760-4766.	0.8	12
5413	Characterization of <i>Marinomonas algicida</i> sp. nov., a novel algicidal marine bacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4777-4784.	0.8	15
5414	<i>Kordia zosteriae</i> sp. nov., isolated from the seaweed, <i>Zostera marina</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4790-4795.	0.8	7
5415	<i>Kineococcus terrestris</i> sp. nov. and <i>Kineococcus aureolus</i> sp. nov., isolated from saline sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4801-4807.	0.8	17
5416	<i>Sphingobacterium tabacisoli</i> sp. nov., isolated from a tobacco field soil sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4808-4813.	0.8	14
5417	<i>Streptomyces amphotericinicus</i> sp. nov., an amphotericin-producing actinomycete isolated from the head of an ant ( <i>Camponotus japonicus</i> Mayr). International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4967-4973.	0.8	16
5418	<i>Pedobacter solisilvae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4814-4819.	0.8	11

#	ARTICLE	IF	CITATIONS
5419	<i>Psychrosphaera aquimarina</i> sp. nov., a marine bacterium isolated from seawater collected from Asan Bay, Republic of Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4820-4824.	0.8	9
5420	<i>Spirosoma litoris</i> sp. nov., a bacterium isolated from beach soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4986-4991.	0.8	9
5421	<i>Desulfonatronum parangueonense</i> sp. nov., a sulfate-reducing bacterium isolated from sediment of an alkaline crater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4999-5005.	0.8	13
5422	<i>Lentzea pudingi</i> sp. nov., isolated from a weathered limestone sample in a karst area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4873-4878.	0.8	12
5423	<i>Kocuria salina</i> sp. nov., an actinobacterium isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> and emended description of <i>Kocuria turfanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5006-5012.	0.8	15
5424	<i>Streptomyces roietensis</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized stem of jasmine rice, <i>Oryza sativa</i> KDML 105. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4868-4872.	0.8	27
5425	<i>Deinococcus hibisci</i> sp. nov., isolated from rhizosphere of <i>Hibiscus syriacus</i> L. (mugunghwa flower). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 28-34.	0.8	9
5426	<i>Nonomuraea glycinis</i> sp. nov., a novel actinomycete isolated from the root of black soya bean [ <i>Glycine max</i> (L.) Merr]. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5026-5031.	0.8	11
5427	Characterization of thermotolerant phototrophic bacteria, <i>Rhodoplanes tepidicaeni</i> sp. nov. and <i>Rhodoplanes azumiensis</i> sp. nov., isolated from a geothermal spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5038-5045.	0.8	14
5428	<i>Actibacterium pelagium</i> sp. nov., a novel alphaproteobacterium, and emended description of the genus <i>Actibacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5080-5086.	0.8	18
5429	<i>Undibacterium amnicola</i> sp. nov., isolated from a freshwater stream. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5094-5101.	0.8	16
5430	<i>Verrucosipora endophytica</i> sp. nov., isolated from the root of wild orchid ( <i>Grosourdyia</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5030. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5114-5119.	0.8	11
5431	<i>Arthrobacter paludis</i> sp. nov., isolated from a marsh. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 47-51.	0.8	13
5432	<i>Nemorella caseinilytica</i> gen. nov., sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 474-481.	0.8	12
5433	<i>Pedobacter kyonggii</i> sp. nov., a psychrotolerant bacterium isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5120-5127.	0.8	11
5434	<i>Gordonia phthalatica</i> sp. nov., a di-n-butyl phthalate-degrading bacterium isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5128-5133.	0.8	11
5435	<i>Nitricola alkalilacustris</i> sp. nov. and <i>Nitricola schmidtii</i> sp. nov., alkaliphilic bacteria isolated from soda pans, and emended description of the genus <i>Nitricola</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5159-5164.	0.8	25
5436	<i>Ciceribacter azotifigens</i> sp. nov., a nitrogen-fixing bacterium isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 482-486.	0.8	9

#	ARTICLE	IF	CITATIONS
5437	<i>Spirosoma koreense</i> sp. nov., a species of the family Cytophagaceae isolated from beach soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5198-5204.	0.8	8
5438	<i>Nioella aestuarii</i> sp. nov., of the family Rhodobacteraceae, isolated from tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5205-5210.	0.8	8
5439	<i>Flavobacterium amniphilum</i> sp. nov., isolated from a stream. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5179-5186.	0.8	15
5440	<i>Pseudomonas floridensis</i> sp. nov., a bacterial pathogen isolated from tomato. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 64-70.	0.8	22
5441	<i>Actinoplanes sediminis</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 71-75.	0.8	12
5442	<i>Rurimicrobium arvi</i> gen. nov., sp. nov., a member of the family Chitinophagaceae isolated from farmland soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5235-5243.	0.8	19
5443	<i>Paenibacillus xanthanilyticus</i> sp. nov., a xanthan-degrading bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 76-80.	0.8	9
5444	<i>Maribacter cobaltidurans</i> sp. nov., a heavy-metal-tolerant bacterium isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5261-5267.	0.8	22
5445	<i>Mitsuaria noduli</i> sp. nov., isolated from the root nodules of <i>Robinia pseudoacacia</i> in a lead-zinc mine. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 87-92.	0.8	14
5446	<i>Pseudoduganella eburnea</i> sp. nov., isolated from lagoon sediments. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5268-5272.	0.8	7
5447	<i>Sphingomonas difficilis</i> sp. nov., a difficultly cultivable bacterium that grows on solid but not in liquid medium, isolated from an abandoned lead-zinc mine. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5273-5278.	0.8	9
5448	Genome analysis-based reclassification of <i>Bacillus weihenstephanensis</i> as a later heterotypic synonym of <i>Bacillus mycoides</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 106-112.	0.8	69
5449	<i>Salibacterium lacus</i> sp. nov., a halophilic, non-spore-forming bacterium isolated from sediment of a saline lake. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 113-117.	0.8	6
5450	<i>Streptomyces capitiformicae</i> sp. nov., a novel actinomycete producing angucyclinone antibiotics isolated from the head of <i>Camponotus japonicus</i> Mayr. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 118-124.	0.8	18
5451	<i>Phenylobacterium hankyongense</i> sp. nov., isolated from ginseng field soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 125-130.	0.8	10
5452	<i>Mucilaginibacter panaciglaebae</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 149-154.	0.8	9
5453	<i>Bacillus populi</i> sp. nov. isolated from <i>Populus euphratica</i> rhizosphere soil of the Taklamakan desert. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 155-159.	0.8	15
5454	<i>Thalassotalea coralli</i> sp. nov., isolated from the torch coral <i>Euphyllia glabrescens</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 185-191.	0.8	10

#	ARTICLE	IF	CITATIONS
5455	<i>Aureimonas populi</i> sp. nov., isolated from poplar tree bark. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 487-491.	0.8	13
5456	<i>Nocardia rhizosphaerihabitans</i> sp. nov., a novel actinomycete isolated from a coastal soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 192-197.	0.8	11
5457	<i>Leucobacter triazinivorans</i> sp. nov., a s-triazine herbicide prometryn-degrading bacterium isolated from sludge. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 204-210.	0.8	14
5458	<i>Microbacterium album</i> sp. nov. and <i>Microbacterium deserti</i> sp. nov., two halotolerant actinobacteria isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 217-222.	0.8	23
5459	<i>Tenacibaculum insulae</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 228-233.	0.8	12
5460	<i>Corynebacterium godavarianum</i> sp. nov., isolated from the Godavari river, India. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 241-247.	0.8	22
5461	<i>Streptomyces tritici</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.8	13
5462	<i>Thalassotalea atypica</i> sp. nov., isolated from seawater, and emended description of <i>Thalassotalea eurytherma</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 271-276.	0.8	15
5463	<i>Rheinheimera marina</i> sp. nov., isolated from a deep-sea seamount. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 266-270.	0.8	17
5464	<i>Herbidospora soli</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 294-298.	0.8	7
5465	<i>Paraburkholderia azotifigens</i> sp. nov., a nitrogen-fixing bacterium isolated from paddy soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 310-316.	0.8	27
5466	Phylogenomic analysis of the species of the <i>Mycobacterium tuberculosis</i> complex demonstrates that <i>Mycobacterium africanum</i> , <i>Mycobacterium bovis</i> , <i>Mycobacterium caprae</i> , <i>Mycobacterium microti</i> and <i>Mycobacterium pinnipedii</i> are later heterotypic synonyms of <i>Mycobacterium tuberculosis</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 324-332.	0.8	130
5467	<i>Sphingopyxis nepalensis</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 364-370.	0.8	9
5468	<i>Mucilagibacter amnicola</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 394-401.	0.8	12
5469	<i>Pseudoceanicola lipolyticus</i> sp. nov., a marine alphaproteobacterium, reclassification of <i>Oceanicola flagellatus</i> as <i>Pseudoceanicola flagellatus</i> comb. nov. and emended description of the genus <i>Pseudoceanicola</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 409-415.	0.8	31
5470	<i>Pedobacter quisquiliarum</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 438-442.	0.8	13
5471	<i>Tessaracoccus terricola</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 529-535.	0.8	9
5472	<i>Proteus columbae</i> sp. nov., isolated from a pigeon in Maananshan, China. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 552-557.	0.8	18

#	ARTICLE	IF	CITATIONS
5473	<i>Bacillus camelliae</i> sp. nov., isolated from Pu-er tea. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 564-569.	0.8	12
5474	<i>Planococcus salinus</i> sp. nov., a moderately halophilic bacterium isolated from a saline-alkali soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 589-595.	0.8	14
5475	<i>Larkinella knui</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 582-588.	0.8	6
5476	<i>Thermostaphylospora grisealba</i> gen. nov., sp. nov., isolated from mushroom compost and transfer of <i>Thermomonospora chromogena</i> Zhang et al. 1998 to <i>Thermostaphylospora chromogena</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 602-608.	0.8	24
5477	<i>Sphingobacterium terrae</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 609-615.	0.8	12
5478	<i>Polaribacter staley</i> sp. nov., a polysaccharide-degrading marine bacterium isolated from the red alga <i>Ahnfeltia tobuchiensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 623-629.	0.8	21
5479	<i>Flavobacterium sediminilitoris</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 630-635.	0.8	9
5480	Reclassification of Bisgaard taxon 5 as <i>Caviibacterium pharyngocola</i> gen. nov., sp. nov. and Bisgaard taxon 7 as <i>Conservatibacter flavescens</i> gen. nov., sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 643-650.	0.8	21
5481	<i>Brevundimonas humi</i> sp. nov., an alphaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 709-714.	0.8	20
5482	<i>Alteromonas oceani</i> sp. nov., isolated from deep-sea sediment of a hydrothermal field. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 657-662.	0.8	12
5483	<i>Sphingobacterium bovisgrunnientis</i> sp. nov., isolated from yak milk. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 636-642.	0.8	19
5484	<i>Jannaschia confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 669-674.	0.8	9
5485	<i>Roseomonas deserti</i> sp. nov., isolated from crude oil contaminated desert sand. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 675-680.	0.8	12
5486	<i>Sphingomonas rhizophila</i> sp. nov., isolated from rhizosphere of <i>Hibiscus syriacus</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 681-686.	0.8	12
5487	<i>Tritonibacter horizontis</i> gen. nov., sp. nov., a member of the Rhodobacteraceae, isolated from the Deepwater Horizon oil spill. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 736-744.	0.8	25
5488	<i>Arenibacter catalasegens</i> sp. nov., isolated from marine surface sediment, and emended description of the genus <i>Arenibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 758-763.	0.8	14
5489	<i>Chitinophaga humicola</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 751-757.	0.8	11
5490	<i>Ornithinibacillus salinisoli</i> sp. nov., a moderately halophilic bacterium isolated from a saline-alkali soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 769-775.	0.8	13

#	ARTICLE	IF	CITATIONS
5491	<i>Actinotalea solisilvae</i> sp. nov., isolated from forest soil and emended description of the genus <i>Actinotalea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 788-794.	0.8	13
5492	<i>Halomonas endophytica</i> sp. nov., isolated from liquid in the stems of <i>Populus euphratica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1633-1638.	0.8	20
5493	Description of <i>Bacillus kexueae</i> sp. nov. and <i>Bacillus manusensis</i> sp. nov., isolated from hydrothermal sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 829-834.	0.8	16
5494	<i>Saccharopolyspora deserti</i> sp. nov., a novel halotolerant actinobacterium isolated from a desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 860-864.	0.8	12
5495	<i>Acinetobacter piscicola</i> sp. nov., isolated from diseased farmed Murray cod ( <i>Maccullochella peelii</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.8	18
5496	<i>Flavisolibacter metallilatus</i> sp. nov., isolated from an automotive air conditioning system and emended description of the genus <i>Flavisolibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 917-923.	0.8	13
5497	<i>Paenibacillus translucens</i> sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 936-941.	0.8	8
5498	<i>Halomonas malpeensis</i> sp. nov., isolated from rhizosphere sand of a coastal sand dune plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1037-1046.	0.8	19
5499	Reclassification of <i>Mameliella phaeodactyli</i> , <i>Mameliella atlantica</i> , <i>Ponticoccus lacteus</i> and <i>Alkalimicrobium pacificum</i> as later heterotypic synonyms of <i>Mameliella alba</i> and an emended description of <i>Mameliella alba</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1047-1051.	0.8	17
5500	<i>Simplicispira soli</i> sp. nov., a betaproteobacterium isolated from stream bank soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 951-956.	0.8	8
5501	<i>Actinorectispora metalli</i> sp. nov., a novel actinomycete isolated from a mine and emended description of the genus <i>Actinorectispora</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1023-1027.	0.8	8
5502	<i>Micromonospora globbae</i> sp. nov., an endophytic actinomycete isolated from roots of <i>Globba winitii</i> C. H. Wright. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1073-1077.	0.8	23
5503	<i>Phyllobacterium salinisoli</i> sp. nov., isolated from a <i>Lotus lancerottensis</i> root nodule in saline soil from Lanzarote. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1085-1089.	0.8	20
5504	<i>Frankia saprophytica</i> sp. nov., an atypical, non-infective (Nodâ€™) and non-nitrogen fixing (Fixâ€™) actinobacterium isolated from <i>Coriaria nepalensis</i> root nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1090-1095.	0.8	20
5505	<i>Vibrio fujianensis</i> sp. nov., isolated from aquaculture water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1146-1152.	0.8	12
5506	<i>Halomonas saliphila</i> sp. nov., a moderately halophilic bacterium isolated from a saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1153-1159.	0.8	22
5507	<i>Blastococcus xanthinilyticus</i> sp. nov., isolated from monument. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1177-1183.	0.8	14
5508	<i>Saccharomonospora piscinae</i> sp. nov., a novel actinobacterium from fishpond sediment in Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1418-1422.	0.8	11

#	ARTICLE	IF	CITATIONS
5509	<i>Bizionia berychis</i> sp. nov., isolated from intestinal tract of a splendid alfonsino ( <i>Beryx splendens</i> ). International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1227-1232.	0.8	12
5510	<i>Hymenobacter rivuli</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1220-1226.	0.8	12
5511	<i>Paracoccus alimentarius</i> sp. nov., isolated from a Korean foodstuff, salted pollack. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1238-1243.	0.8	11
5512	<i>Herbaspirillum robiniae</i> sp. nov., isolated from root nodules of <i>Robinia pseudoacacia</i> in a lead-zinc mine. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1300-1306.	0.8	14
5513	<i>Polaromonas ginsengisoli</i> sp. nov., isolated from ginseng field soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1436-1441.	0.8	11
5514	<i>Pseudonocardia soli</i> sp. nov., isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1307-1312.	0.8	11
5515	<i>Marmoricola silvestris</i> sp. nov., a novel actinobacterium isolated from alpine forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1313-1318.	0.8	12
5516	<i>Rathayibacter oskolensis</i> sp. nov., a novel actinobacterium from <i>Androsace koso-poljanskii</i> Ovcz. (Primulaceae) endemic to the Central Russian Upland. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1442-1447.	0.8	16
5517	<i>Amycolatopsis oliviviridis</i> sp. nov., a novel polylactic acid-bioplastic-degrading actinomycete isolated from paddy soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1448-1454.	0.8	16
5518	<i>Amycolatopsis silviterrae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1455-1460.	0.8	7
5519	<i>Streptococcus penaeicida</i> sp. nov., isolated from a diseased farmed Pacific white shrimp ( <i>Penaeus</i> ) Tj ETQq0 0 0 rgBT/Overlogk 10 Tf 50	0.8	8
5520	<i>Corynebacterium hadale</i> sp. nov. isolated from hadopelagic water of the New Britain Trench. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1474-1478.	0.8	18
5521	<i>Lentzea soli</i> sp. nov., an actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1496-1501.	0.8	11
5522	<i>Chitinophaga varians</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2139-2144.	0.8	14
5523	<i>Amycolatopsis rhizosphaerae</i> sp. nov., isolated from rice rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1546-1551.	0.8	14
5524	<i>Lysobacter silvestris</i> sp. nov., isolated from alpine forest soil, and reclassification of <i>Luteimonas tolerans</i> as <i>Lysobacter tolerans</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1571-1577.	0.8	20
5525	<i>Actinomadura barringtoniae</i> sp. nov., an endophytic actinomycete isolated from the roots of <i>Barringtonia acutangula</i> (L.) Gaertn.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1584-1590.	0.8	11
5526	Emended description of <i>Salinivibrio proteolyticus</i> , including <i>Salinivibrio costicola</i> subsp. <i>vallismortis</i> and five new isolates. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1599-1607.	0.8	6

#	ARTICLE	IF	CITATIONS
5527	Description of <i>Alicyclobacillus montanus</i> sp. nov., a mixotrophic bacterium isolated from acidic hot springs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1608-1615.	0.8	18
5528	<i>Anaerobacillus isosaccharinicus</i> sp. nov., an alkaliphilic bacterium which degrades isosaccharinic acid. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3666-3671.	0.8	17
5529	<i>Deinococcus rufus</i> sp. nov., isolated from soil near an iron factory. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1622-1626.	0.8	5
5530	<i>Subsaxibacter sediminis</i> sp. nov., isolated from Arctic glacial sediment and emended description of the genus <i>Subsaxibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1678-1682.	0.8	17
5531	<i>Stenotrophomonas lactitubi</i> sp. nov. and <i>Stenotrophomonas indicatrix</i> sp. nov., isolated from surfaces with food contact. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1830-1838.	0.8	28
5532	<i>Flavobacterium hankyongi</i> sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1732-1736.	0.8	14
5533	<i>Xanthomonas prunicola</i> sp. nov., a novel pathogen that affects nectarine ( <i>Prunus persica</i> var.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 1857-1866.	0.8	19
5534	<i>Rhodococcus olei</i> sp. nov., with the ability to degrade petroleum oil, isolated from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1749-1756.	0.8	13
5535	<i>Streptacidiphilus monticola</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1757-1761.	0.8	6
5536	<i>Streptomyces boninensis</i> sp. nov., isolated from soil from a limestone cave in the Ogasawara Islands. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1795-1799.	0.8	15
5537	<i>Novosphingobium arvoryzae</i> sp. nov., isolated from a flooded rice field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2151-2157.	0.8	18
5538	<i>Streptomyces manganisoli</i> sp. nov., a novel actinomycete isolated from manganese-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1890-1895.	0.8	15
5539	<i>Propionicimonas ferrireducens</i> sp. nov., isolated from dissimilatory iron(III)-reducing microbial enrichment obtained from paddy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1914-1918.	0.8	8
5540	<i>Paraburkholderia caseinilytica</i> sp. nov., isolated from the pine and broad-leaf mixed forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1963-1968.	0.8	16
5541	<i>Rhodohalobacter barkolensis</i> sp. nov., isolated from a saline lake and emended description of the genus <i>Rhodohalobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1949-1954.	0.8	14
5542	<i>Nocardioides pelophilus</i> sp. nov., isolated from freshwater mud. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1942-1948.	0.8	14
5543	<i>Vibrio gangliei</i> sp. nov., a novel member of Vibrionaceae isolated from sawdust in a pigpen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1969-1974.	0.8	16
5544	<i>Pseudonocardia lutea</i> sp. nov., a novel actinobacterium isolated from soil in Chad. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1992-1997.	0.8	6



#	ARTICLE	IF	CITATIONS
5545	<i>Pseudomonas abyssi</i> sp. nov., isolated from the abyssopelagic water of the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2462-2467.	0.8	17
5546	<i>Hymenobacter aquatilis</i> sp. nov., isolated from a mesotrophic artificial lake. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2036-2041.	0.8	14
5547	<i>Paracoccus fontiphilus</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2054-2060.	0.8	21
5548	<i>Pannonibacter carbonis</i> sp. nov., isolated from coal mine water. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2042-2047.	0.8	11
5549	<i>Arenimonas halophila</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2188-2193.	0.8	8
5550	Isolation and characterization of <i>Streptococcus respiraculi</i> sp. nov. from Marmota himalayana (Himalayan marmot) respiratory tract. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2082-2087.	0.8	13
5551	<i>Pelagibacterium montanilacus</i> sp. nov., an alkaliphilic bacterium isolated from Lake Cuochuolong on the Tibetan Plateau. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2220-2225.	0.8	23
5552	<i>Salipaludibacillus halalkaliphilus</i> sp. nov., a moderately haloalkaliphilic bacterium from a coastal-marine wetland. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2214-2219.	0.8	11
5553	Whole-genome-based revisit of <i>Photorhabdus</i> phylogeny: proposal for the elevation of most <i>Photorhabdus</i> subspecies to the species level and description of one novel species <i>Photorhabdus bodei</i> sp. nov., and one novel subspecies <i>Photorhabdus laumondii</i> subsp. <i>clarkei</i> subsp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2664-2681.	0.8	132
5554	<i>Zobellella maritima</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium, isolated from beach sediment. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2279-2284.	0.8	10
5555	<i>Blastococcus atacamensis</i> sp. nov., a novel strain adapted to life in the Yungay core region of the Atacama Desert. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2712-2721.	0.8	33
5556	<i>Massilia armeniaca</i> sp. nov., isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2319-2324.	0.8	25
5557	<i>Rheinheimera coerulea</i> sp. nov., isolated from a freshwater creek, and emended description of genus <i>Rheinheimera</i> Brettar et al. 2002. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2340-2347.	0.8	12
5558	<i>Actinocorallia populi</i> sp. nov., an endophytic actinomycete isolated from a root of <i>Populus adenopoda</i> (Maxim.). International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2325-2330.	0.8	16
5559	<i>Amycolatopsis antarctica</i> sp. nov., isolated from the surface of an Antarctic brown macroalga. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2348-2356.	0.8	21
5560	<i>Glycomyces sediminimaris</i> sp. nov., a new species of actinobacteria isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2357-2363.	0.8	9
5561	<i>Collimonas antrihumi</i> sp. nov., isolated from a natural cave and emended description of the genus <i>Collimonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2448-2453.	0.8	11
5562	Classification of genera of Pasteurellaceae using conserved predicted protein sequences. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2692-2696.	0.8	21

#	ARTICLE	IF	CITATIONS
5563	<i>Actinophytocola glycyrrhizae</i> sp. nov. isolated from the rhizosphere of <i>Glycyrrhiza inflata</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2504-2508.	0.8	10
5564	<i>Edaphobacter flagellatus</i> sp. nov. and <i>Edaphobacter bradus</i> sp. nov., two acidobacteria isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2530-2537.	0.8	13
5565	<i>Streptomyces geranii</i> sp. nov., a novel endophytic actinobacterium isolated from root of <i>Geranium carolinianum</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2562-2567.	0.8	11
5566	<i>Streptomyces populi</i> sp. nov., a novel endophytic actinobacterium isolated from stem of <i>Populus adenopoda</i> Maxim. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2568-2573.	0.8	11
5567	<i>Sphingomonas tabacisoli</i> sp. nov., a member of the genus <i>Sphingomonas</i> , isolated from rhizosphere soil of <i>Nicotiana tabacum</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2574-2579.	0.8	13
5568	<i>Rhodanobacter hydrolyticus</i> sp. nov., a novel DNA- and tyrosine-hydrolysing gammaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2580-2586.	0.8	12
5569	<i>Shinella pollutisoli</i> sp. nov., isolated from tetrabromobisphenol A-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2602-2606.	0.8	12
5570	<i>Paenibacillus elymi</i> sp. nov., isolated from the rhizosphere of <i>Elymus tsukushiensis</i> , a plant native to the Dokdo Islands, Republic of Korea. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2615-2621.	0.8	10
5571	<i>Rhodococcus electrodiphilus</i> sp. nov., a marine electro active actinobacterium isolated from coral reef. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2644-2649.	0.8	23
5572	<i>Kushneria phyllosphaerae</i> sp. nov. and <i>Kushneria endophytica</i> sp. nov., plant growth promoting endophytes isolated from the halophyte plant <i>Arthrocnemum macrostachyum</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2800-2806.	0.8	18
5573	<i>Winogradskyella tangerina</i> sp. nov., a member of the Flavobacteriaceae isolated from coastal sediment. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2832-2837.	0.8	7
5574	<i>Frankia irregularis</i> sp. nov., an actinobacterium unable to nodulate its original host, <i>Casuarina equisetifolia</i> , but effectively nodulates members of the actinorhizal Rhamnales. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2883-2914.	0.8	28
5575	<i>Lactobacillus terrae</i> sp. nov., a novel species isolated from soil samples in the Republic of Korea. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2906-2911.	0.8	15
5576	<i>Thalassospira marina</i> sp. nov., isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2943-2948.	0.8	13
5577	<i>Pseudonocardia mangrovi</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2949-2955.	0.8	8
5578	<i>Shewanella saliphila</i> sp. nov., <i>Shewanella ulleungensis</i> sp. nov. and <i>Shewanella litoralis</i> sp. nov., isolated from coastal seawater. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2960-2966.	0.8	26
5579	<i>Oceanimonas marisflavi</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading marine bacterium. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2990-2995.	0.8	13
5580	<i>Hymenobacter rufus</i> sp. nov., a bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2983-2989.	0.8	11

#	ARTICLE	IF	CITATIONS
5581	<i>Actinomycetospora endophytica</i> sp. nov., isolated from wild orchid ( <i>Podochilus microphyllus</i> Lindl.) in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3017-3021.	0.8	10
5582	<i>Saccharopolyspora maritima</i> sp. nov., an actinomycete isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3022-3027.	0.8	8
5583	Reclassification of <i>Eubacterium combesii</i> and discrepancies in the nomenclature of botulinum neurotoxin-producing clostridia: Challenging Opinion 69. Request for an Opinion. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3068-3075.	0.8	12
5584	<i>Flavobacterium effusum</i> sp. nov., isolated from a freshwater river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3111-3117.	0.8	8
5585	<i>Glycomyces dulcitolivorans</i> sp. nov., isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3034-3039.	0.8	9
5586	<i>Flavobacterium chryseum</i> sp. nov. and <i>Flavobacterium psychroterrae</i> sp. nov., novel environmental bacteria isolated from Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3132-3139.	0.8	12
5587	<i>Nonomuraea mangrovi</i> sp. nov., an actinomycete isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3144-3148.	0.8	12
5588	<i>Marinobacter fuscus</i> sp. nov., a marine bacterium of Gammaproteobacteria isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3156-3162.	0.8	12
5589	<i>Haloplanus rallus</i> sp. nov., a halophilic archaeon isolated from crude solar salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3226-3231.	0.8	9
5590	<i>Streptomyces triticisoli</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3327-3332.	0.8	21
5591	<i>Streptomyces dengpaensis</i> sp. nov., an actinomycete isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3322-3326.	0.8	12
5592	<i>Streptomyces venetus</i> sp. nov., an actinomycete with a blue aerial mycelium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3333-3339.	0.8	8
5593	<i>Blastococcus litoris</i> sp. nov., isolated from sea-tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3435-3440.	0.8	13
5594	<i>Kribbella monticola</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3441-3446.	0.8	10
5595	<i>Romboutsia hominis</i> sp. nov., the first human gut-derived representative of the genus <i>Romboutsia</i> , isolated from ileostoma effluent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3479-3486.	0.8	37
5596	<i>Actinomyces tangfeifanii</i> sp. nov., isolated from the vulture <i>Aegyptius monachus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3701-3706.	0.8	13
5597	<i>Planococcus halotolerans</i> sp. nov., isolated from a saline soil sample in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3500-3505.	0.8	18
5598	<i>Salibacterium nitratreducens</i> sp. nov., a haloalkalitolerant bacterium isolated from a water sample from Sambhar salt lake, India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3506-3511.	0.8	9

#	ARTICLE	IF	CITATIONS
5599	Lentzea terrae sp. nov., isolated from soil and an emended description of Lentzea soli. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3528-3533.	0.8	12
5600	Description of a novel species of fast growing mycobacterium: Mycobacterium kyogaense sp. nov., a scotochromogenic strain received as Mycobacterium vaccae. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3726-3734.	0.8	10
5601	Microbispora triticiradicis sp. nov., a novel actinomycete isolated from the root of wheat (Triticum) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.8	12
5602	Streptomyces durbertensis sp. nov., isolated from saline "alkali soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3635-3640.	0.8	10
5603	Streptomyces lichenis sp. nov., isolated from lichen. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3641-3646.	0.8	11
5604	Paracoccus salipaludis sp. nov., isolated from saline "alkaline soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3812-3817.	0.8	11
5605	Microbispora soli sp. nov., isolated from soil of a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3863-3868.	0.8	11
5606	Aquabacterium tepidiphilum sp. nov., a moderately thermophilic bacterium isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 337-342.	0.8	16
5607	Reclassification of Xanthomonas gardneri (ex ÅutiÅ•1957) Jones et al. 2006 as a later heterotypic synonym of Xanthomonas cynarae TrÅ©baol et al. 2000 and description of X. cynarae pv. cynarae and X. cynarae pv. gardneri based on whole genome analyses. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 343-349.	0.8	35
5608	Streptomyces reniochaliniae sp. nov. and Streptomyces diacarni sp. nov., from marine sponges. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 99-104.	0.8	23
5609	Nitrincola tibetensis sp. nov., isolated from Lake XuguoCo on the Tibetan Plateau. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 123-128.	0.8	7
5610	Simplicispira lacusdiani sp. nov., a novel betaproteobacterium isolated from a freshwater reservoir. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 129-133.	0.8	8
5611	Nonomuraea lactucae sp. nov., a novel actinomycete isolated from rhizosphere soil of lettuce (Lactuca sativa). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 316-321.	0.8	13
5612	Bacillus safensis subsp. osmophilus subsp. nov., isolated from condensed milk, and description of Bacillus safensis subsp. safensis subsp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 189-195.	0.8	12
5613	Anaerobacillus alkaliphilus sp. nov., a novel alkaliphilic and moderately halophilic bacterium. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 631-637.	0.8	19
5614	Paracandidimonas caeni sp. nov., isolated from sludge. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3332-3337.	0.8	10
5615	Nakamurella deserti sp. nov., isolated from rhizosphere soil of Reaumuria in the Taklamakan desert. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 214-219.	0.8	13
5616	Reclassification of Bisgaard taxon 37 and taxon 44 as Psittacella melopsittaci gen. nov., sp. nov., Psittacella hinzii sp. nov. and Psittacella gerlachiana sp. nov. within Psittacellaceae fam. nov. of the order Pasteurellales. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 350-355.	0.8	15

#	ARTICLE	IF	CITATIONS
5617	<i>Erythrobacter zhengii</i> sp. nov., a bacterium isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 241-248.	0.8	18
5618	<i>Dyella tabacisoli</i> sp. nov., a bacterium isolated from an arable soil sample of <i>Nicotiana tabacum</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3338-3343.	0.8	7
5619	<i>Alteromonas alba</i> sp. nov., a marine bacterium isolated from seawater of the West Pacific Ocean. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 278-284.	0.8	15
5620	<i>Photorhabdus kharii</i> subsp. <i>guanajuatensis</i> subsp. nov., isolated from <i>Heterorhabditis atacamensis</i> , and <i>Photorhabdus luminescens</i> subsp. <i>mexicana</i> subsp. nov., isolated from <i>Heterorhabditis mexicana</i> entomopathogenic nematodes. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 652-661.	0.8	41
5621	<i>Lysobacter tabacisoli</i> sp. nov., isolated from rhizosphere soil of <i>Nicotiana tabacum</i> L.. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1875-1880.	0.8	9
5622	<i>Aeromicrobium lacus</i> sp. nov., a novel actinobacterium isolated from a drinking-water reservoir. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 460-464.	0.8	9
5623	<i>Meridianimarinicoccus roseus</i> gen. nov., sp. nov., a novel genus of the family Rhodobacteraceae isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 504-510.	0.8	12
5624	<i>Paracoccus halotolerans</i> sp. nov., isolated from a salt lake. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 523-528.	0.8	13
5625	<i>Clostridium indicum</i> sp. nov., a novel anaerobic bacterium isolated from the sludge of an industrial effluent. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 672-678.	0.8	7
5626	<i>Streptomyces inhibens</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 688-695.	0.8	64
5627	<i>Micromonospora craniellae</i> sp. nov., isolated from a marine sponge, and reclassification of <i>Jishengella endophytica</i> as <i>Micromonospora endophytica</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 715-720.	0.8	21
5628	<i>Lysobacter psychrotolerans</i> sp. nov., isolated from soil in the Tianshan Mountains, Xinjiang, China. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 926-931.	0.8	10
5629	Polyphasic classification of the gifted natural product producer <i>Streptomyces roseifaciens</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 899-908.	0.8	16
5630	<i>Dyella solisilvae</i> sp. nov., isolated from mixed pine and broad-leaved forest soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 937-943.	0.8	10
5631	<i>Pararhodobacter marinus</i> sp. nov., isolated from deep-sea water of the Indian Ocean. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 932-936.	0.8	15
5632	<i>Glaciecola amylolytica</i> sp. nov., an amylase-producing bacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 957-963.	0.8	10
5633	<i>Marinomonas piezotolerans</i> sp. nov., isolated from deep-sea sediment of the Yap Trench, Pacific Ocean. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 739-744.	0.8	12
5634	<i>Pseudaminobacter arsenicus</i> sp. nov., an arsenic-resistant bacterium isolated from arsenic-rich aquifers. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 791-797.	0.8	18

#	ARTICLE	IF	CITATIONS
5635	<i>Marinomonas shanghaiensis</i> sp. nov., isolated from the junction between an ocean and a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 805-810.	0.8	8
5636	<i>Aureimonas flava</i> sp. nov., a novel endophytic bacterium isolated from leaf of <i>Acrostichum aureum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 846-851.	0.8	9
5637	<i>Cellulomonas rhizosphaerae</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1001-1008.	0.8	13
5638	<i>Dyella monticola</i> sp. nov. and <i>Dyella psychrodurans</i> sp. nov., isolated from monsoon evergreen broad-leaved forest soil of Dinghu Mountain, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1016-1023.	0.8	12
5639	<i>Altererythrobacter insulae</i> sp. nov., a lipolytic bacterium isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1009-1015.	0.8	14
5640	<i>Pusillimonas thiosulfatoxidans</i> sp. nov., a thiosulfate oxidizer isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1041-1046.	0.8	15
5641	<i>Streptacidiphilus bronchialis</i> sp. nov., a ciprofloxacin-resistant bacterium from a human clinical specimen; reclassification of <i>Streptomyces griseoplanus</i> as <i>Streptacidiphilus griseoplanus</i> comb. nov. and emended description of the genus <i>Streptacidiphilus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1047-1056.	0.8	20
5642	<i>Bacillus acidifaciens</i> sp. nov., isolated from farmland soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1075-1080.	0.8	8
5643	The Global Catalogue of Microorganisms (GCM) 10K type strain sequencing project: providing services to taxonomists for standard genome sequencing and annotation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 895-898.	0.8	58
5644	<i>Erythrobacter spongiae</i> sp. nov., isolated from marine sponge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1111-1116.	0.8	17
5645	<i>Microbulbifer flavimaris</i> sp. nov., a halophilic Gammaproteobacteria isolated from marine sediment of the Yellow Sea, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1135-1141.	0.8	8
5646	<i>Modestobacter italicus</i> sp. nov., isolated from Carrara marble quarry and emended descriptions of the genus <i>Modestobacter</i> and the species <i>Modestobacter marinus</i> , <i>Modestobacter multiseptatus</i> , <i>Modestobacter roseus</i> and <i>Modestobacter versicolor</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1537-1545.	0.8	19
5647	<i>Paenibacillus zeisoli</i> sp. nov., isolated from maize-cultivated soil artificially contaminated with cadmium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1149-1154.	0.8	7
5648	<i>Actinomadura craniellae</i> sp. nov., isolated from a marine sponge in the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1207-1212.	0.8	10
5649	<i>Croceicoccus ponticola</i> sp. nov., a lipolytic bacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1551-1556.	0.8	10
5650	<i>Saccharopolyspora rhizosphaerae</i> sp. nov., an actinomycete isolated from rhizosphere soil in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1299-1305.	0.8	8
5651	Genome-based classification of two halotolerant extreme acidophiles, <i>Acidihalobacter prosperus</i> V6 (=DSM 14174 =JCM 32253) and ' <i>Acidihalobacter ferrooxidans</i> ' V8 (=DSM 14175 =JCM 32254) as two new species, <i>Acidihalobacter aeolianus</i> sp. nov. and <i>Acidihalobacter ferrooxydans</i> sp. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1557-1565.	0.8	25
5652	<i>Jiangella rhizosphaerae</i> sp. nov., an actinomycete isolated from the rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1320-1326.	0.8	7

#	ARTICLE	IF	CITATIONS
5653	Genome-based reclassification of <i>Weissella jogaejeotgali</i> as a later heterotypic synonym of <i>Weissella thailandensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3672-3675.	0.8	10
5654	<i>Trinickia dinghuensis</i> sp. nov. and <i>Trinickia fusca</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1390-1397.	0.8	14
5655	<i>Marmoricola mangrovicus</i> sp. nov., an endophytic actinobacterium isolated from <i>Kandelia candel</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1343-1349.	0.8	9
5656	<i>Planomicrobium iranicum</i> sp. nov., a novel slightly halophilic bacterium isolated from a hypersaline wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1433-1437.	0.8	9
5657	Description of novel members of the family Sphingomonadaceae: <i>Aquisediminimonas profunda</i> gen. nov., sp. nov., and <i>Aquisediminimonas sediminicola</i> sp. nov., isolated from freshwater sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2179-2186.	0.8	17
5658	<i>Streptomyces fodineus</i> sp. nov., an actinobacterium with antifungal activity isolated from mine area soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1350-1354.	0.8	14
5659	<i>Dyella dinghuensis</i> sp. nov. and <i>Dyella choica</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1496-1503.	0.8	12
5660	<i>Alteromonas sediminis</i> sp. nov., isolated from sediment in a sea cucumber culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1579-1584.	0.8	8
5661	<i>Amphritea opalescens</i> sp. nov., isolated from sediment adjacent to Fildes Peninsula, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1585-1590.	0.8	8
5662	<i>Bacillus urbisdiaboli</i> sp. nov., isolated from soil sampled in Xinjiang. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1591-1596.	0.8	12
5663	<i>Gemmobacter lutimaris</i> sp. nov., a marine bacterium isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1676-1681.	0.8	19
5664	<i>Altererythrobacter aerophilus</i> sp. nov., isolated from deep-sea water of the north-west Pacific. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1689-1695.	0.8	16
5665	<i>Bailinhaonella thermotolerans</i> gen. nov., sp. nov., a new member of the order Streptosporangiales. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1903-1909.	0.8	9
5666	<i>Streptomyces cyaneochromogenes</i> sp. nov., a blue pigment-producing actinomycete from manganese-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2202-2207.	0.8	16
5667	<i>Altererythrobacter lutipelagi</i> sp. nov., isolated from a tidal mudflat, and emended description of the genus <i>Altererythrobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1980-1985.	0.8	12
5668	Minimal standards for the description of new genera and species of rhizobia and agrobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1852-1863.	0.8	170
5669	<i>Arundinibacter roseus</i> gen. nov., sp. nov., a new member of the family Cytophagaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2076-2081.	0.8	15
5670	<i>Muricauda nanhaiensis</i> sp. nov., isolated from seawater of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2089-2094.	0.8	14

#	ARTICLE	IF	CITATIONS
5671	<i>Marinicauda salina</i> sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2233-2238.	0.8	5
5672	<i>Leucobacter muris</i> sp. nov., isolated from the nose of a laboratory mouse. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2095-2100.	0.8	11
5673	<i>Vagococcus bubulae</i> sp. nov., isolated from ground beef, and <i>Vagococcus vulneris</i> sp. nov., isolated from a human foot wound. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2268-2276.	0.8	26
5674	<i>Streptomyces huasconensis</i> sp. nov., an haloalkalitolerant actinobacterium isolated from a high altitude saline wetland at the Chilean Altiplano. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2315-2322.	0.8	18
5675	<i>Bacillus antri</i> sp. nov., isolated from cave soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2335-2339.	0.8	14
5676	<i>Paenibacillus luteus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2354-2359.	0.8	10
5677	<i>Geodermatophilus marinus</i> sp. nov., isolated from the marine sponge <i>Leucetta chagosensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2966-2971.	0.8	8
5678	<i>Chryseobacterium pennipullorum</i> sp. nov., isolated from poultry feather waste. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2380-2387.	0.8	8
5679	<i>Altererythrobacter aquimixticola</i> sp. nov., isolated from sediment sampled at the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2408-2414.	0.8	7
5680	<i>Inhella crocodyli</i> sp. nov., isolated from a crocodile pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2424-2430.	0.8	6
5681	<i>Streptomyces rhizosphaericola</i> sp. nov., an actinobacterium isolated from the wheat rhizosphere. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2431-2439.	0.8	10
5682	<i>Erythrobacter marisflavi</i> sp. nov., isolated from isolated from estuary water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2696-2702.	0.8	15
5683	<i>Halomicrococcus hydrotolerans</i> gen. nov., sp. nov., an extremely halophilic archaeon isolated from a subterranean salt deposit. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4425-4431.	0.8	11
5684	<i>Kribbella turkmenica</i> sp. nov., isolated from the Karakum Desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2533-2540.	0.8	15
5685	<i>Propionibacterium ruminifibrarum</i> sp. nov., isolated from cow rumen fibrous content. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2584-2590.	0.8	9
5686	Reclassification of <i>Streptomyces rimosus</i> subsp. <i>paromomycinus</i> as <i>Streptomyces paromomycinus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2577-2583.	0.8	26
5687	<i>Amycolatopsis suaedae</i> sp. nov., an endophytic actinomycete isolated from <i>Suaeda maritima</i> roots. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2591-2596.	0.8	11
5688	<i>Streptomyces dangxiongensis</i> sp. nov., isolated from soil of Qinghai-Tibet Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2729-2734.	0.8	15



#	ARTICLE	IF	CITATIONS
5689	<i>Ancylomarina salipaludis</i> sp. nov., isolated from a salt marsh. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2750-2754.	0.8	7
5690	Two novel species of the family Bacillaceae: <i>Oceanobacillus piezotolerans</i> sp. nov. and <i>Bacillus piezotolerans</i> sp. nov., from deep-sea sediment samples of Yap Trench. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3022-3030.	0.8	21
5691	<i>Aquabacter cavernae</i> sp. nov., a bacterium isolated from cave soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3716-3722.	0.8	6
5692	<i>Fudania jinshanensis</i> gen. nov., sp. nov., isolated from faeces of the Tibetan antelope ( <i>Pantholops</i> ) Tj ETQq1 1 0.784314 rgBT /Overlooked. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2942-2947.	0.8	13
5693	<i>Nocardia yunnanensis</i> sp. nov., an actinomycete isolated from a soil sample. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3116-3120.	0.8	9
5694	<i>Rhodococcus subtropicus</i> sp. nov., a new actinobacterium isolated from a cave. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3128-3134.	0.8	12
5695	<i>Pseudomonas edaphica</i> sp. nov., isolated from rhizospheric soil of <i>Cistus ladanifer</i> L. in Spain. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3141-3147.	0.8	13
5696	<i>Sulfitobacter sabulitoris</i> sp. nov., isolated from marine sand. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3230-3236.	0.8	9
5697	<i>Cryobacterium melibiosiphilum</i> sp. nov., a psychrophilic bacterium isolated from glacier ice. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3276-3280.	0.8	16
5698	<i>Erythrobacter suaedae</i> sp. nov., isolated from a rhizosphere mudflat of a halophyte ( <i>Suaeda japonica</i> ). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3287-3292.	0.8	12
5699	<i>Marinomonas flavescens</i> sp. nov., isolated from seawater adjacent to Fildes Peninsula, Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3414-3419.	0.8	7
5700	<i>Micromonospora acroterricola</i> sp. nov., a novel actinobacterium isolated from a high altitude Atacama Desert soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3426-3436.	0.8	16
5701	<i>Tabrizicola alkalilacus</i> sp. nov., isolated from alkaline Lake Dajiaco on the Tibetan Plateau. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3420-3425.	0.8	14
5702	<i>Mycolicibacterium stelleriae</i> sp. nov., a rapidly growing scotochromogenic strain isolated from <i>Stellera chamaejasme</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3465-3471.	0.8	14
5703	<i>Kribbella jiaozuonensis</i> sp. nov., a novel actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3500-3507.	0.8	12
5704	<i>Emticicia agri</i> sp. nov., a novel member of the family Cytophagaceae. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3492-3499.	0.8	6
5705	<i>Lentibacillus lipolyticus</i> sp. nov., a moderately halophilic bacterium isolated from shrimp paste (Ka-pi). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3529-3536.	0.8	15
5706	<i>Dyella amyloliquefaciens</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3560-3566.	0.8	8

#	ARTICLE	IF	CITATIONS
5707	Genome-based reclassification of <i>Bacillus okuhidensis</i> as a later heterotypic synonym of <i>Bacillus halodurans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3599-3602.	0.8	13
5708	<i>Amycolatopsis eburnea</i> sp. nov., an actinomycete associated with arbuscular mycorrhizal fungal spores. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3603-3608.	0.8	13
5709	<i>Paenibacillus ottowii</i> sp. nov. isolated from a fermentation system processing bovine manure. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1463-1469.	0.8	9
5710	<i>Bacillus fungorum</i> sp. nov., a bacterium isolated from spent mushroom substrate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1457-1462.	0.8	17
5711	<i>Pseudidiomarina maritima</i> Wu et al. 2009 is a later heterotypic synonym of <i>Pseudidiomarina tainanensis</i> Jean et al. 2009 and emended description of the species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3765-3768.	0.8	5
5712	<i>Paraburkholderia pallida</i> sp. nov. and <i>Paraburkholderia silviterrae</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3777-3785.	0.8	13
5713	<i>Flavobacterium ranwuense</i> sp. nov., isolated from glacier. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3812-3817.	0.8	10
5714	<i>Halobacteriovorax vibriovivans</i> sp. nov., a novel prokaryotic predator isolated from coastal seawater of China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3917-3923.	0.8	9
5715	<i>Flavobacterium cellulolyticum</i> sp. nov., a novel psychrophilic bacterium isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 44-50.	0.8	6
5716	<i>Nocardioides vastitatis</i> sp. nov., isolated from Taklamakan desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 77-82.	0.8	14
5717	<i>Fluviibacterium aquatile</i> gen. nov., sp. nov., isolated from estuary sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 105-111.	0.8	8
5718	<i>Marinomonas agarivorans</i> sp. nov., an agar-degrading marine bacterium isolated from red algae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 100-104.	0.8	18
5719	<i>Streptomyces cavernae</i> sp. nov., a novel actinobacterium isolated from a karst cave sediment sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 120-125.	0.8	17
5720	<i>Microbispora fusca</i> sp. nov., a novel actinomycete isolated from the ear of wheat ( <i>Triticum aestivum</i> ) Tj ETQq1 1 0.784314 rgBT /Overdo	0.8	11
5721	<i>Streptomyces triticagri</i> sp. nov. and <i>Streptomyces triticirhizae</i> sp. nov., two novel Actinobacteria isolated from the rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 126-138.	0.8	9
5722	<i>Vibrio ouci</i> sp. nov. and <i>Vibrio aquaticus</i> sp. nov., two marine bacteria isolated from the East China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 172-179.	0.8	14
5723	<i>Micromonospora deserti</i> sp. nov., isolated from the Karakum Desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 282-291.	0.8	10
5724	<i>Pseudidiomarina gelatinasegens</i> sp. nov., isolated from surface sediment of the Terra Nova Bay, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 708-714.	0.8	9

#	ARTICLE	IF	CITATIONS
5725	<i>Bacillus taxi</i> sp. nov., a novel endophytic bacterium isolated from root of <i>Taxus chinensis</i> (Pilger) Rehd. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 481-486.	0.8	10
5726	<i>Lactococcus kimchii</i> sp. nov., a new lactic acid bacterium isolated from kimchi. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 505-510.	0.8	17
5727	<i>Azospirillum thermophilum</i> sp. nov., isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 550-554.	0.8	13
5728	<i>Marinospirillum perlucidum</i> sp. nov., a novel helical bacterium isolated from a sea cucumber culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 576-581.	0.8	6
5729	<i>Dyadobacter psychrotolerans</i> sp. nov. and <i>Dyadobacter frigoris</i> sp. nov., two novel psychrotolerant members of the family <i>Cytophagaceae</i> isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 569-575.	0.8	15
5730	<i>Cellulomonas telluris</i> sp. nov., an endoglucanase-producing actinobacterium isolated from Badain Jaran desert sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 631-635.	0.8	14
5731	<i>Putridiphycobacter roseus</i> gen. nov., sp. nov., isolated from Antarctic rotten seaweed. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 648-655.	0.8	17
5732	<i>Altererythrobacter rhizovicinus</i> sp. nov., isolated from rhizosphere soil of <i>Haloxylon ammodendron</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 680-686.	0.8	15
5733	<i>Cryobacterium soli</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 675-679.	0.8	18
5734	<i>Erythrobacter insulae</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1470-1477.	0.8	13
5735	<i>Vibrio sinensis</i> sp. nov. and <i>Vibrio viridaestus</i> sp. nov., two marine bacteria isolated from the East China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 889-896.	0.8	15
5736	<i>Devosia ginsengisoli</i> sp. nov., isolated from ginseng cultivation soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1489-1495.	0.8	12
5737	<i>Ferrovibrio terrae</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1042-1047.	0.8	6
5738	Reclassification of <i>Streptomyces castelarensis</i> and <i>Streptomyces sporoclivatus</i> as later heterotypic synonyms of <i>Streptomyces antimycoticus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1099-1105.	0.8	21
5739	<i>Alteromonas portus</i> sp. nov., an alginate lyase-excreting marine bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1516-1521.	0.8	10
5740	<i>Marinobacter fonticola</i> sp. nov., isolated from deep sea cold seep sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1172-1177.	0.8	11
5741	<i>Desertihabitans brevis</i> sp. nov., an actinobacterium isolated from sand of the Taklamakan desert, and emended description of the genus <i>Desertihabitans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1166-1171.	0.8	12
5742	<i>Frankia soli</i> sp. nov., an actinobacterium isolated from soil beneath <i>Ceanothus jepsonii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1203-1209.	0.8	18

#	ARTICLE	IF	CITATIONS
5743	<i>Flexivirga caeni</i> sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1266-1272.	0.8	6
5744	<i>Herbidospora galbida</i> sp. nov., a novel actinobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1364-1371.	0.8	6
5745	<i>Tessaracoccus antarcticus</i> sp. nov., a rhodopsin-containing bacterium from an Antarctic environment and emended description of the genus <i>Tessaracoccus</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1555-1561.	0.8	9
5746	<i>Pararobbsia silviterrae</i> gen. nov., sp. nov., isolated from forest soil and reclassification of <i>Burkholderia alpina</i> as <i>Pararobbsia alpina</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1412-1420.	0.8	35
5747	<i>Microbulbifer harenosus</i> sp. nov., an alginate-degrading bacterium isolated from coastal sand. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1639-1643.	0.8	11
5748	<i>Lysobacter lacus</i> sp. nov., isolated from from lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2211-2216.	0.8	8
5749	<i>Aidingimonas lacisalsi</i> sp. nov., isolated from a salt lake in China. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1678-1683.	0.8	5
5750	<i>Leeuwenhoekiella aestuarii</i> sp. nov., isolated from salt-water sediment and first insights in the genomes of <i>Leeuwenhoekiella</i> species. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1706-1719.	0.8	24
5751	Genome sequence-based criteria for demarcation and definition of species in the genus <i>Rickettsia</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1738-1750.	0.8	22
5752	<i>Streptomyces qinzhouensis</i> sp. nov., a mangrove soil actinobacterium. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1800-1804.	0.8	6
5753	<i>Saccharothrix deserti</i> sp. nov., an actinomycete isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1882-1887.	0.8	10
5754	<i>Cryobacterium ruanii</i> sp. nov. and <i>Cryobacterium breve</i> sp. nov., isolated from glaciers. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1918-1923.	0.8	12
5755	<i>Streptomyces aquilus</i> sp. nov., a novel actinomycete isolated from a Chinese medicinal plant. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1912-1917.	0.8	22
5756	<i>Paenibacillus paridis</i> sp. nov., an endophytic bacterial species isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1940-1946.	0.8	8
5757	Reclassification of <i>Francisella noatunensis</i> subsp. <i>orientalis</i> Ottem et al. 2009 as <i>Francisella orientalis</i> sp. nov., <i>Francisella noatunensis</i> subsp. <i>chilensis</i> subsp. nov. and emended description of <i>Francisella noatunensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2034-2048.	0.8	38
5758	Genome-based classification of three novel actinobacteria from the Karakum Desert: <i>Jiangella asiatica</i> sp. nov., <i>Jiangella aurantiaca</i> sp. nov. and <i>Jiangella ureilytica</i> sp. nov. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1993-2002.	0.8	15
5759	<i>Paracoccus bengalensis</i> is a later heterotypic synonym of <i>Paracoccus versutu</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2049-2052.	0.8	7
5760	<i>Flavobacterium sandaracinum</i> sp. nov., <i>Flavobacterium caseinilyticum</i> sp. nov., and <i>Flavobacterium hiemivividum</i> sp. nov., novel psychrophilic bacteria isolated from Arctic soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2269-2280.	0.8	14

#	ARTICLE	IF	CITATIONS
5761	<i>Sphingobacterium cavernae</i> sp. nov., a novel bacterium isolated from soil sampled at Tiandong Cave. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2348-2354.	0.8	7
5762	<i>Massilia arenae</i> sp. nov., isolated from sand soil in the Qinghai-Tibetan Plateau. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2435-2439.	0.8	11
5763	Nine novel psychrotolerant species of the genus <i>Pedobacter</i> isolated from Arctic soil with potential antioxidant activities. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2537-2553.	0.8	35
5764	<i>Antarcticimicrobium sediminis</i> gen. nov., sp. nov., isolated from Antarctic intertidal sediment, transfer of <i>Ruegeria lutea</i> to <i>Antarcticimicrobium</i> gen. nov. as <i>Antarcticimicrobium luteum</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2624-2631.	0.8	12
5765	<i>Janthinobacterium violaceinigrum</i> sp. nov., <i>Janthinobacterium aquaticum</i> sp. nov. and <i>Janthinobacterium rivuli</i> sp. nov., isolated from a subtropical stream in China. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2719-2725.	0.8	30
5766	<i>Streptomyces cahuitamycinicus</i> sp. nov., isolated from desert soil and reclassification of <i>Streptomyces galilaeus</i> as a later heterotypic synonym of <i>Streptomyces bobili</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2750-2759.	0.8	26
5767	<i>Halomonas montanilacus</i> sp. nov., isolated from hypersaline Lake Pengyanco on the Tibetan Plateau. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2859-2866.	0.8	13
5768	<i>Marinobacter denitrificans</i> sp. nov., isolated from marine sediment of southern Scott Coast, Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2918-2924.	0.8	12
5769	<i>Pseudomonas kitaguniensis</i> sp. nov., a pathogen causing bacterial rot of Welsh onion in Japan. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3018-3026.	0.8	17
5770	All ANIs are not created equal: implications for prokaryotic species boundaries and integration of ANIs into polyphasic taxonomy. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2937-2948.	0.8	51
5771	<i>Devosia marina</i> sp. nov., isolated from deep seawater of the South China Sea, and reclassification of <i>Devosia subaequoris</i> as a later heterotypic synonym of <i>Devosia soli</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3062-3068.	0.8	16
5772	<i>Nocardiopsis deserti</i> sp. nov., isolated from a high altitude Atacama Desert soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3210-3218.	0.8	15
5773	<i>Streptomyces montanus</i> sp. nov., a novel actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3226-3233.	0.8	8
5774	<i>Rhodococcus oryzae</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil of rice ( <i>Oryza</i> ) Tj ETQq1 1 0.784314 rgBT /Overlo	0.8	6
5775	<i>Catellatospora sichuanensis</i> sp. nov., a novel actinobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3309-3315.	0.8	15
5776	<i>Amycolatopsis anabasis</i> sp. nov., a novel endophytic actinobacterium isolated from roots of <i>Anabasis elatior</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3391-3398.	0.8	10
5777	<i>Halomonas lactosivorans</i> sp. nov., isolated from salt-lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3504-3512.	0.8	17
5778	<i>Modestobacter altitudinis</i> sp. nov., a novel actinobacterium isolated from Atacama Desert soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3513-3527.	0.8	11

#	ARTICLE	IF	CITATIONS
5779	Proposal for transfer of <i>Defluviimonas alba</i> to the genus <i>Frigidibacter</i> as <i>Frigidibacter mobilis</i> nom. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3553-3558.	0.8	10
5780	<i>Claesserella australis</i> sp. nov., isolated from the lungs of pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3686-3692.	0.8	15
5781	<i>Gordonia crocea</i> sp. nov. and <i>Gordonia spumicola</i> sp. nov. isolated from sludge of a wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3718-3723.	0.8	15
5782	<i>Duganella albus</i> sp. nov., <i>Duganella aquatilis</i> sp. nov., <i>Duganella pernnla</i> sp. nov. and <i>Duganella levis</i> sp. nov., isolated from subtropical streams in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3801-3808.	0.8	21
5783	<i>Nonomuraea typhae</i> sp. nov., an endophytic actinomycete isolated from the root of cattail pollen ( <i>Typha angustifolia</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3845-3851.	0.8	6
5784	<i>Salinimonas iocasae</i> sp. nov., a halophilic bacterium isolated from a polychaete tube in a hydrothermal field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3899-3904.	0.8	11
5785	<i>Dickeya oryzae</i> sp. nov., isolated from the roots of rice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4171-4178.	0.8	51
5786	<i>Sphingomonas chungangi</i> sp. nov., a bacterium isolated from garden soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4151-4157.	0.8	13
5787	Reclassification of <i>Streptomyces hygroscopicus</i> subsp. <i>glebosus</i> and <i>Streptomyces libani</i> subsp. <i>rufus</i> as later heterotypic synonyms of <i>Streptomyces platensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4398-4405.	0.8	17
5788	<i>Paracoccus xiamenensis</i> sp. nov., isolated from seawater on the Xiamen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4285-4290.	0.8	10
5789	Reclassification of <i>Streptomyces diastaticus</i> subsp. <i>ardesiacus</i> , <i>Streptomyces gougerotii</i> and <i>Streptomyces rutgersensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4291-4297.	0.8	23
5790	<i>Muricauda hadalis</i> sp. nov., a novel piezophile isolated from hadopelagic water of the Mariana Trench and reclassification of <i>Muricauda antarctica</i> as a later heterotypic synonym of <i>Muricauda teanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4315-4320.	0.8	16
5791	<i>Tepidiphilus olei</i> sp. nov., isolated from the production water of a water-flooded oil reservoir in PR China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4364-4371.	0.8	9
5792	<i>Pseudoceanicola pacificus</i> sp. nov., isolated from deep-sea sediment of the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4372-4377.	0.8	8
5793	<i>Flavobacterium restrictum</i> sp. nov., <i>Flavobacterium rhamnosiphilum</i> sp. nov., and <i>Flavobacterium zepuense</i> sp. nov. isolated from glaciers. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4583-4590.	0.8	12
5794	<i>Wenzhouxiangella limi</i> sp. nov., isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4610-4615.	0.8	10
5795	<i>Staphylococcus ursi</i> sp. nov., a new member of the "Staphylococcus intermedius group"™ isolated from healthy black bears. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4637-4645.	0.8	17
5796	<i>Streptomyces harenosi</i> sp. nov., a home for a gifted strain isolated from Indonesian sand dune soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4874-4882.	0.8	11

#	ARTICLE	IF	CITATIONS
5797	<i>Streptomyces coryli</i> sp. nov., isolated from hazelnut orchard soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4791-4797.	0.8	6
5798	<i>Chitinophaga solisilvae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4808-4815.	0.8	14
5799	<i>Duganella lactea</i> sp. nov., <i>Duganella guangzhouensis</i> sp. nov., <i>Duganella flavida</i> sp. nov. and <i>Massilia rivuli</i> sp. nov., isolated from a subtropical stream in PR China and proposal to reclassify <i>Duganella ginsengisoli</i> as <i>Massilia ginsengisoli</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4822-4830.	0.8	25
5800	<i>Hymenobacter polaris</i> sp. nov., a psychrotolerant bacterium isolated from an Arctic station. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4890-4896.	0.8	13
5801	<i>Rhizobium dioscoreae</i> sp. nov., a plant growth-promoting bacterium isolated from yam ( <i>Dioscorea</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.8	15
5802	Reclassification of <i>Streptomyces fulvissimus</i> as a later heterotypic synonym of <i>Streptomyces microflavus</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5156-5162.	0.8	14
5803	<i>Paenibacillus algicola</i> sp. nov., a novel alginate lyase-producing marine bacterium. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5087-5092.	0.8	12
5804	<i>Metabacillus sediminilitoris</i> sp. nov., a marine bacterium isolated from a tidal sediment. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5211-5216.	0.8	10
5805	<i>Nocardia macrotermitis</i> sp. nov. and <i>Nocardia aurantia</i> sp. nov., isolated from the gut of the fungus-growing termite <i>Macrotermes natalensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5226-5234.	0.8	16
5806	<i>Pseudomonas brassicae</i> sp. nov., a pathogen causing head rot of broccoli in Japan. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5319-5329.	0.8	18
5807	<i>Halomonas pellis</i> sp. nov., a moderately halophilic bacterium isolated from wetsalted hides. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5417-5424.	0.8	13
5808	<i>Streptomyces arboris</i> sp. nov., isolated from <i>Populus euphratica</i> wetland soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5613-5619.	0.8	6
5809	<i>Streptomyces smaragdinus</i> sp. nov., isolated from the gut of the fungus growing-termite <i>Macrotermes natalensis</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5806-5811.	0.8	15
5810	<i>Lactococcus carnosus</i> sp. nov. and <i>Lactococcus paracarnosus</i> sp. nov., two novel species isolated from modified-atmosphere packaged beef steaks. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5832-5840.	0.8	14
5811	<i>Ramlibacter pinisoli</i> sp. nov., a novel bacterial species isolated from pine garden soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5841-5847.	0.8	9
5812	Phylogenomic analyses of the Staphylococcaceae family suggest the reclassification of five species within the genus <i>Staphylococcus</i> as heterotypic synonyms, the promotion of five subspecies to novel species, the taxonomic reassignment of five <i>Staphylococcus</i> species to <i>Mammaliicoccus</i> gen. nov., and the formal assignment of <i>Nosocomiicoccus</i> to the family Staphylococcaceae. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5826-5836.	0.8	198
5813	<i>Tenacibaculum piscium</i> sp. nov., isolated from skin ulcers of sea-farmed fish, and description of <i>Tenacibaculum finnmarkense</i> sp. nov. with subdivision into genomovars <i>finnmarkense</i> and <i>ulcerans</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 6079-6090.	0.8	31
5814	<i>Rheinheimeria mangrovi</i> sp. nov., a bacterium isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 6188-6194.	0.8	19

#	ARTICLE	IF	CITATIONS
5815	<i>Pseudoceanicola aestuarii</i> sp. nov., isolated from the Jiulong River Estuary in PR China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6220-6225.	0.8	7
5816	<i>Muricauda maritima</i> sp. nov., <i>Muricauda aequoris</i> sp. nov. and <i>Muricauda oceanensis</i> sp. nov., three marine bacteria isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6240-6250.	0.8	21
5817	<i>Aurantiacibacter rhizosphaerae</i> sp. nov., isolated from a rhizosphere mudflat of a halophyte and proposal to reclassify <i>Erythrobacter suaedae</i> Lee et al. 2019. and <i>Erythrobacter flavus</i> Yoon et al. 2003 as <i>Aurantiacibacter suaedae</i> comb. nov. and <i>Qipengyuania flava</i> comb. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6257-6265.	0.8	24
5818	<i>Marinobacter halodurans</i> sp. nov., a halophilic bacterium isolated from sediment of a salt flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6294-6300.	0.8	12
5819	<i>Paraburkholderia acidiphila</i> sp. nov., <i>Paraburkholderia acidisoli</i> sp. nov. and <i>Burkholderia guangdongensis</i> sp. nov., isolated from forest soil, and reclassification of <i>Burkholderia ultramafica</i> as <i>Paraburkholderia ultramafica</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	0.8	18
5820	Dark, rare and inspirational microbial matter in the extremobiosphere: 16 000 m of bioprospecting campaigns. <i>Microbiology (United Kingdom)</i> , 2019, 165, 1252-1264.	0.7	40
5829	Evidence that Bacterial Blight of Kiwifruit, Caused by a <i>Pseudomonas</i> sp., was Introduced into New Zealand From China. <i>Journal of Phytopathology</i> , 1999, 147, 89-97.	0.5	8
5830	The Least Common Denominator: Species or Operational Taxonomic Units?. , 0, , 117-130.		7
5832	Are Species Cohesive?-A View from Bacteriology. , 0, , 43-65.		13
5833	Similarity Analysis of DNAs. , 0, , 624-652.		8
5834	Phylogeny and Functionality: Taxonomy as a Roadmap to Genes. , 0, , 288-313.		17
5835	Relationships between plasmids and phenotypes of presumptive strains of <i>Vibrio anguillarum</i> isolated from different fish species. <i>Applied and Environmental Microbiology</i> , 1989, 55, 826-831.	1.4	44
5836	DNA hybridization to compare species compositions of natural bacterioplankton assemblages. <i>Applied and Environmental Microbiology</i> , 1990, 56, 739-746.	1.4	113
5837	Comparison of phenotypic diversity and DNA heterogeneity in a population of soil bacteria. <i>Applied and Environmental Microbiology</i> , 1990, 56, 776-781.	1.4	281
5838	DNA-DNA Solution Hybridization Studies of the Bacterial Symbionts of Hydrothermal Vent Tube Worms ( <i>Riftia pachyptila</i> and <i>Tevnia jerichonana</i> ). <i>Applied and Environmental Microbiology</i> , 1991, 57, 1082-1088.	1.4	22
5839	Genomic Relatedness of <i>Xanthomonas campestris</i> Strains Causing Diseases of Citrus. <i>Applied and Environmental Microbiology</i> , 1991, 57, 2724-2730.	1.4	68
5840	Bacterioplankton community structure and dynamics after large-scale release of nonindigenous bacteria as revealed by low-molecular-weight-RNA analysis. <i>Applied and Environmental Microbiology</i> , 1992, 58, 3387-3394.	1.4	91
5841	DNA relatedness among strains of the sweet potato pathogen <i>Streptomyces ipomoea</i> (Person and) Tj ETQq1 1 0.784314 rgBT/Overl	1.4	30



#	ARTICLE	IF	CITATIONS
5842	Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. <i>Applied and Environmental Microbiology</i> , 1993, 59, 695-700.	1.4	9,925
5843	Rapid Identification of Rhizobia by Restriction Fragment Length Polymorphism Analysis of PCR-Amplified 16S rRNA Genes. <i>Applied and Environmental Microbiology</i> , 1994, 60, 56-63.	1.4	386
5844	Phylogenetic Analysis of <i>Bradyrhizobium japonicum</i> and Photosynthetic Stem-Nodulating Bacteria from <i>Aeschynomene</i> Species Grown in Separated Geographical Regions. <i>Applied and Environmental Microbiology</i> , 1994, 60, 940-946.	1.4	63
5845	Cultural and phylogenetic analysis of mixed microbial populations found in natural and commercial bioleaching environments. <i>Applied and Environmental Microbiology</i> , 1994, 60, 1614-1621.	1.4	268
5846	Identification of <i>Aeromonas</i> Species Isolated from Freshwater Fish with the Microplate Hybridization Method. <i>Applied and Environmental Microbiology</i> , 1994, 60, 3036-3038.	1.4	42
5847	A new <i>Agrobacterium</i> strain isolated from aerial tumors on <i>Ficus benjamina</i> L. <i>Applied and Environmental Microbiology</i> , 1995, 61, 65-73.	1.4	55
5848	Distribution of <i>Aeromonas</i> species in the intestinal tracts of river fish. <i>Applied and Environmental Microbiology</i> , 1995, 61, 4128-4130.	1.4	64
5849	Effect of Two Plant Species, Flax ( <i>Linum usitatissimum</i> L.) and Tomato ( <i>Lycopersicon esculentum</i> Mill.), on the Diversity of Soilborne Populations of Fluorescent <i>Pseudomonads</i> . <i>Applied and Environmental Microbiology</i> , 1995, 61, 1004-1012.	1.4	270
5850	A freshwater anaerobe coupling acetate oxidation to tetrachloroethylene dehalogenation. <i>Applied and Environmental Microbiology</i> , 1996, 62, 4108-4113.	1.4	166
5851	Molecular diversity of soil and marine 16S rRNA gene sequences related to beta-subgroup ammonia-oxidizing bacteria. <i>Applied and Environmental Microbiology</i> , 1996, 62, 4147-4154.	1.4	378
5852	Identifying numerically abundant culturable bacteria from complex communities: an example from a lignin enrichment culture. <i>Applied and Environmental Microbiology</i> , 1996, 62, 4433-4440.	1.4	89
5853	Identification of bacteria in a biodegraded wall painting by denaturing gradient gel electrophoresis of PCR-amplified gene fragments coding for 16S rRNA. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2059-2065.	1.4	173
5854	Characterization of spirochetes isolated from ticks ( <i>Ixodes tanuki</i> , <i>Ixodes turdus</i> , and <i>Ixodes</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2338-2344.	1.4	73
5855	Four unnamed species of nonsymbiotic rhizobia isolated from the rhizosphere of <i>Lotus corniculatus</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 2818-2825.	1.4	151
5856	Nonradioactive method to study genetic profiles of natural bacterial communities by PCR-single-strand-conformation polymorphism. <i>Applied and Environmental Microbiology</i> , 1996, 62, 3112-3120.	1.4	352
5857	Assessment of genetic diversity among strains of <i>Pseudomonas syringae</i> by PCR-restriction fragment length polymorphism analysis of rRNA operons with special emphasis on <i>P. syringae</i> pv. <i>tomato</i> . <i>Applied and Environmental Microbiology</i> , 1997, 63, 498-505.	1.4	102
5858	Relatedness of Strains of <i>Xanthomonas fragariae</i> by Restriction Fragment Length Polymorphism, DNA-DNA Reassociation, and Fatty Acid Analyses. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3961-3965.	1.4	22
5859	Molecular Diversity of Rhizobia Occurring on Native Shrubby Legumes in Southeastern Australia. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3989-3997.	1.4	125

#	ARTICLE	IF	CITATIONS
5860	Comparison of a New <i>Thiomicrospira</i> Strain from the Mid-Atlantic Ridge with Known Hydrothermal Vent Isolates. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4057-4059.	1.4	62
5861	Diversity and Abundance of Bolidophyceae (Heterokonta) in Two Oceanic Regions. <i>Applied and Environmental Microbiology</i> , 1999, 65, 4528-4536.	1.4	72
5862	Biodiversity of <i>Lactococcus garvieae</i> Strains Isolated from Fish in Europe, Asia, and Australia. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1005-1008.	1.4	85
5863	Seasonal Dynamics of Bacterioplankton Community Structure in a Eutrophic Lake as Determined by 5S rRNA Analysis. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3164-3174.	1.4	104
5864	Evidence consistent with horizontal transfer of the gene (emm12) encoding serotype M12 protein between group A and group G pathogenic streptococci. <i>Infection and Immunity</i> , 1992, 60, 1890-1893.	1.0	55
5865	Molecular population genetic evidence of horizontal spread of two alleles of the pyrogenic exotoxin C gene (speC) among pathogenic clones of <i>Streptococcus pyogenes</i> . <i>Infection and Immunity</i> , 1992, 60, 3513-3517.	1.0	49
5866	Ribotypes and virulence gene polymorphisms suggest three distinct <i>Listeria monocytogenes</i> lineages with differences in pathogenic potential. <i>Infection and Immunity</i> , 1997, 65, 2707-2716.	1.0	431
5867	Genomic Analysis Reveals Chromosomal Variation in Natural Populations of the Uncultured Psychrophilic Archaeon <i>Cenarchaeum symbiosum</i> . <i>Journal of Bacteriology</i> , 1998, 180, 5003-5009.	1.0	137
5868	<i>Legionella pneumophila</i> serogroup Lansing 3 isolated from a patient with fatal pneumonia, and descriptions of <i>L. pneumophila</i> subsp. <i>pneumophila</i> subsp. nov., <i>L. pneumophila</i> subsp. <i>fraseri</i> subsp. nov., and <i>L. pneumophila</i> subsp. <i>pascullei</i> subsp. nov. <i>Journal of Clinical Microbiology</i> , 1988, 26, 1695-1703.	1.8	110
5869	Biochemical identification of <i>Aeromonas</i> genospecies isolated from humans. <i>Journal of Clinical Microbiology</i> , 1990, 28, 258-264.	1.8	154
5870	Gen-Probe Rapid Diagnostic System for distinguishing between <i>Mycobacterium avium</i> and <i>Mycobacterium paratuberculosis</i> . <i>Journal of Clinical Microbiology</i> , 1991, 29, 2360-2361.	1.8	1
5871	Proposal of <i>Afipia</i> gen. nov., with <i>Afipia felis</i> sp. nov. (formerly the cat scratch disease bacillus), <i>Afipia clevelandensis</i> sp. nov. (formerly the Cleveland Clinic Foundation strain), <i>Afipia broomeae</i> sp. nov., and three unnamed genospecies. <i>Journal of Clinical Microbiology</i> , 1991, 29, 2450-2460.	1.8	193
5872	<i>Aeromonas trota</i> sp. nov., an ampicillin-susceptible species isolated from clinical specimens. <i>Journal of Clinical Microbiology</i> , 1991, 29, 1206-1210.	1.8	129
5873	Application of colorimetric microdilution plate hybridization for rapid genetic identification of 22 <i>Mycobacterium</i> species. <i>Journal of Clinical Microbiology</i> , 1991, 29, 1596-1603.	1.8	134
5874	Ribotyping of the <i>Acinetobacter calcoaceticus</i> - <i>Acinetobacter baumannii</i> complex. <i>Journal of Clinical Microbiology</i> , 1992, 30, 2680-2685.	1.8	200
5875	Comparison of serologic typing, sodium dodecyl sulfate-polyacrylamide gel electrophoresis protein analysis, and genetic restriction fragment length polymorphism analysis for identification of rickettsiae: characterization of two new rickettsial strains. <i>Journal of Clinical Microbiology</i> , 1992, 30, 1922-1930.	1.8	89
5876	Genomic fingerprinting of <i>Borrelia burgdorferi sensu lato</i> by pulsed-field gel electrophoresis. <i>Journal of Clinical Microbiology</i> , 1993, 31, 2873-2877.	1.8	120
5877	<i>Roseomonas</i> , a new genus associated with bacteremia and other human infections. <i>Journal of Clinical Microbiology</i> , 1993, 31, 3275-3283.	1.8	195

#	ARTICLE	IF	CITATIONS
5878	Endocarditis caused by <i>Rochalimaea quintana</i> in a patient infected with human immunodeficiency virus. <i>Journal of Clinical Microbiology</i> , 1993, 31, 692-694.	1.8	188
5879	<i>Rochalimaea elizabethae</i> sp. nov. isolated from a patient with endocarditis. <i>Journal of Clinical Microbiology</i> , 1993, 31, 872-881.	1.8	404
5880	Genetic characterization of a cryptic genospecies of <i>Haemophilus</i> causing urogenital and neonatal infections. <i>Journal of Clinical Microbiology</i> , 1993, 31, 1111-1116.	1.8	58
5881	Primary identification of <i>Aureobacterium</i> spp. isolated from clinical specimens as " <i>Corynebacterium aquaticum</i> ". <i>Journal of Clinical Microbiology</i> , 1994, 32, 2686-2691.	1.8	42
5882	Characteristics of CDC group 3 and group 5 coryneform bacteria isolated from clinical specimens and assignment to the genus <i>Dermabacter</i> . <i>Journal of Clinical Microbiology</i> , 1994, 32, 1223-1228.	1.8	39
5883	Human infections caused by <i>Brevibacterium casei</i> , formerly CDC groups B-1 and B-3. <i>Journal of Clinical Microbiology</i> , 1994, 32, 1511-1518.	1.8	54
5884	Extensive DNA sequence conservation throughout the <i>Mycobacterium tuberculosis</i> complex. <i>Journal of Clinical Microbiology</i> , 1994, 32, 1639-1643.	1.8	109
5885	Differentiation of <i>Brevibacterium</i> spp. encountered in clinical specimens. <i>Journal of Clinical Microbiology</i> , 1994, 32, 1729-1732.	1.8	65
5886	Genomic diversity among <i>Corynebacterium jeikeium</i> strains and comparison with biochemical characteristics and antimicrobial susceptibilities. <i>Journal of Clinical Microbiology</i> , 1994, 32, 1860-1865.	1.8	71
5887	Recognition of <i>Dermabacter hominis</i> , formerly CDC fermentative coryneform group 3 and group 5, as a potential human pathogen. <i>Journal of Clinical Microbiology</i> , 1994, 32, 1918-1922.	1.8	21
5888	Characterization of <i>Leptospira</i> isolates from serovar hardjo by ribotyping, arbitrarily primed PCR, and mapped restriction site polymorphisms. <i>Journal of Clinical Microbiology</i> , 1994, 32, 1949-1957.	1.8	58
5889	<i>Bordetella holmesii</i> sp. nov., a new gram-negative species associated with septicemia. <i>Journal of Clinical Microbiology</i> , 1995, 33, 1-7.	1.8	197
5890	Genomic and proteomic characterization of strain S, a rickettsia isolated from <i>Rhipicephalus sanguineus</i> ticks in Armenia. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2738-2744.	1.8	29
5891	Differentiation of strains in <i>Mycobacterium tuberculosis</i> complex by DNA sequence polymorphisms, including rapid identification of <i>M. bovis</i> BCG. <i>Journal of Clinical Microbiology</i> , 1995, 33, 840-844.	1.8	57
5892	Correlation between phenotypic characteristics and DNA relatedness within <i>Enterococcus faecium</i> strains. <i>Journal of Clinical Microbiology</i> , 1995, 33, 1520-1523.	1.8	60
5893	Genetic and biochemical characterization of <i>Citrobacter rodentium</i> sp. nov. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2064-2068.	1.8	121
5894	Identification of some clinical strains of CDC coryneform group A-3 and A-4 bacteria as <i>Cellulomonas</i> species and proposal of <i>Cellulomonas hominis</i> sp. nov. for some group A-3 strains. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2091-2097.	1.8	66
5895	Phenotypic and genotypic characterization of <i>Vagococcus fluvialis</i> , including strains isolated from human sources. <i>Journal of Clinical Microbiology</i> , 1997, 35, 2778-2781.	1.8	103

#	ARTICLE	IF	CITATIONS
5896	A new agent of mycobacterial lymphadenitis in children: <i>Mycobacterium heidelbergense</i> sp. nov. <i>Journal of Clinical Microbiology</i> , 1997, 35, 3203-3209.	1.8	54
5897	Amplification and restriction endonuclease digestion of a large fragment of genes coding for rRNA as a rapid method for discrimination of closely related pathogenic bacteria. <i>Journal of Clinical Microbiology</i> , 1997, 35, 1646-1647.	1.8	2
5898	<i>Bartonella clarridgeiae</i> , a newly recognized zoonotic pathogen causing inoculation papules, fever, and lymphadenopathy (cat scratch disease). <i>Journal of Clinical Microbiology</i> , 1997, 35, 1813-1818.	1.8	249
5899	Differentiation of <i>Mycobacterium ulcerans</i> , <i>M. marinum</i> , and <i>M. haemophilum</i> : Mapping of Their Relationships to <i>M. tuberculosis</i> by Fatty Acid Profile Analysis, DNA-DNA Hybridization, and 16S rRNA Gene Sequence Analysis. <i>Journal of Clinical Microbiology</i> , 1998, 36, 918-925.	1.8	157
5900	Distribution of <i>Staphylococcus</i> Species among Human Clinical Specimens and Emended Description of <i>Staphylococcus caprae</i> . <i>Journal of Clinical Microbiology</i> , 1998, 36, 2038-2042.	1.8	83
5901	Molecular Procedure for Rapid Detection of <i>Burkholderia mallei</i> and <i>Burkholderia pseudomallei</i> . <i>Journal of Clinical Microbiology</i> , 1998, 36, 2737-2741.	1.8	73
5902	<i>Bartonella koehlerae</i> sp. nov., Isolated from Cats. <i>Journal of Clinical Microbiology</i> , 1999, 37, 1117-1122.	1.8	115
5903	Recurrent Bacteremia Caused by a Flexispira-Like Organism in a Patient with X-Linked (Bruton's) Agammaglobulinemia. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2439-2445.	1.8	48
5904	Isolation of a New Subspecies, <i>Bartonella vinsonii</i> subsp. <i>arupensis</i> , from a Cattle Rancher: Identity with Isolates Found in Conjunction with <i>Borrelia burgdorferi</i> and <i>Babesia microti</i> among Naturally Infected Mice. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2598-2601.	1.8	177
5905	Evaluation of Amplified Fragment Length Polymorphism Analysis for Inter- and Intraspecific Differentiation of <i>Mycobacterium bovis</i> , <i>M. tuberculosis</i> , and <i>M. ulcerans</i> . <i>Journal of Clinical Microbiology</i> , 2000, 38, 3675-3680.	1.8	33
5906	Misidentifying Helicobacters: the <i>Helicobacter cinaedi</i> Example. <i>Journal of Clinical Microbiology</i> , 2000, 38, 2261-2266.	1.8	95
5907	Social and developmental biology of the myxobacteria. <i>Microbiological Reviews</i> , 1990, 54, 473-501.	10.1	336
5908	Biology of Frankia strains, actinomycete symbionts of actinorhizal plants. <i>Microbiological Reviews</i> , 1993, 57, 293-319.	10.1	428
5909	Phylogenetic identification and in situ detection of individual microbial cells without cultivation. <i>Microbiological Reviews</i> , 1995, 59, 143-169.	10.1	7,112
5910	Polyphasic taxonomy, a consensus approach to bacterial systematics. <i>Microbiological Reviews</i> , 1996, 60, 407-438.	10.1	1,242
5911	Complete Genome Sequence of <i>Candidatus</i> <i>Thioglobus</i> sp. Strain NP1, an Open-Ocean Isolate from the SUP05 Clade of Marine <i>Gammaproteobacteria</i> . <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.3	5
5912	Draft Genome Sequence of <i>Massilia</i> sp. Strain ONC3, a Novel Bacterial Species of the <i>Oxalobacteraceae</i> Family Isolated from Garden Soil. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.3	9
5913	Isolation and characterization of highly thermophilic xylanolytic <i>Thermus thermophilus</i> strains from hot composts. <i>Canadian Journal of Microbiology</i> , 2000, 46, 1029-1035.	0.8	18

#	ARTICLE	IF	CITATIONS
5914	Taxonomy and Biology of Probiotics. , 2005, , 67-90.		1
5916	Old Targets, New Weapons. , 2014, , 277-312.		1
5917	Streptococcal taxonomy based on genome sequence analyses. F1000Research, 2013, 2, 67.	0.8	33
5918	Improving Phylogeny Reconstruction at the Strain Level Using Peptidome Datasets. PLoS Computational Biology, 2016, 12, e1005271.	1.5	4
5919	A Genomic Redefinition of Pseudomonas avellanae species. PLoS ONE, 2013, 8, e75794.	1.1	40
5920	Diversification of Two Lineages of Symbiotic Photobacterium. PLoS ONE, 2013, 8, e82917.	1.1	8
5921	Purification and Characterization of a Cold-Adapted Lipase from Oceanobacillus Strain PT-11. PLoS ONE, 2014, 9, e101343.	1.1	22
5922	Genotypic and Phenotypic Applications for the Differentiation and Species-Level Identification of Achromobacter for Clinical Diagnoses. PLoS ONE, 2014, 9, e114356.	1.1	27
5923	Phenotypic and Genotypic Characteristics of Members of the Genus Streptobacillus. PLoS ONE, 2015, 10, e0134312.	1.1	37
5924	Erwinia teleogrylli sp. nov., a Bacterial Isolate Associated with a Chinese Cricket. PLoS ONE, 2016, 11, e0146596.	1.1	12
5925	Arthrobacter pokkali sp nov, a Novel Plant Associated Actinobacterium with Plant Beneficial Properties, Isolated from Saline Tolerant Pokkali Rice, Kerala, India. PLoS ONE, 2016, 11, e0150322.	1.1	42
5926	Sepsis and Hemocyte Loss in Honey Bees (Apis mellifera) Infected with Serratia marcescens Strain Sicaria. PLoS ONE, 2016, 11, e0167752.	1.1	63
5927	Vibrio japonicus sp. nov., a novel member of the Nereis clade in the genus Vibrio isolated from the coast of Japan. PLoS ONE, 2017, 12, e0172164.	1.1	10
5928	Physiological and genomic features of a novel violacein-producing bacterium isolated from surface seawater. PLoS ONE, 2017, 12, e0179997.	1.1	21
5929	The use of applied systematics to identify foodborne pathogens. , 2003, , 332-359.		1
5930	The genetic diversity of genus Bacillus and the related genera revealed by 16s rRNA gene sequences and ardra analyses isolated from geothermal regions of turkey. Brazilian Journal of Microbiology, 2012, 43, 309-24.	0.8	18
5932	Isolation, Characterization and Antimicrobial Potential of Endophytic Actinomycetes. International Journal of Current Microbiology and Applied Sciences, 2016, 5, 100-116.	0.0	8
5933	Taxonomic studies on yeast-lysing bacteria, and a new species Rarobacter incanus.. Journal of General and Applied Microbiology, 1993, 39, 261-272.	0.4	11

#	ARTICLE	IF	CITATIONS
5934	Comparative sequence analysis on the 18S rRNA gene of <i>Aspergillus oryzae</i> , <i>A. sojae</i> , <i>A. flavus</i> , <i>A. parasiticus</i> , <i>A. niger</i> , <i>A. awamori</i> and <i>A. tamarii</i> .. <i>Journal of General and Applied Microbiology</i> , 1996, 42, 181-187.	0.4	12
5935	Taxonomic heterogeneity of strains comprising <i>Gluconacetobacter hansenii</i> .. <i>Journal of General and Applied Microbiology</i> , 1999, 45, 295-300.	0.4	19
5936	Transfer of ' <i>Thermoactinomyces glaucus</i> ' IFO 12530 and ' <i>Thermoactinomyces monosporus</i> ' IFO 14050 to the genus <i>Saccharomonospora</i> as members of <i>Saccharomonospora glauca</i> .. <i>Journal of General and Applied Microbiology</i> , 2000, 46, 251-256.	0.4	3
5937	<i>Rhodanobacter fulvus</i> sp. nov., a .BETA.-galactosidase-producing gammaproteobacterium. <i>Journal of General and Applied Microbiology</i> , 2004, 50, 143-147.	0.4	33
5938	<i>Kaistia adipata</i> gen. nov., sp. nov., a novel .ALPHA.-proteobacterium. <i>Journal of General and Applied Microbiology</i> , 2004, 50, 249-254.	0.4	37
5939	<i>Geobacillus thermoleovorans</i> subsp. <i>stromboliensis</i> subsp. nov., isolated from the geothermal volcanic environment. <i>Journal of General and Applied Microbiology</i> , 2005, 51, 183-189.	0.4	24
5940	<i>Luedemannella</i> gen. nov., a new member of the family <i>Micromonosporaceae</i> and description of <i>Luedemannella helvata</i> sp. nov. and <i>Luedemannella flava</i> sp. nov.. <i>Journal of General and Applied Microbiology</i> , 2007, 53, 39-51.	0.4	37
5941	<i>Psychrosphaera saromensis</i> gen. nov., sp. nov., within the family <i>Pseudoalteromonadaceae</i> , isolated from Lake Saroma, Japan. <i>Journal of General and Applied Microbiology</i> , 2010, 56, 475-480.	0.4	16
5943	Bacteriology, Taxonomy, and Phylogeny of <i>Rickettsia</i> . <i>Infectious Disease and Therapy</i> , 2007, , 1-14.	0.0	9
5944	Physiological properties of <i>Pseudomonas</i> sp. strain MT-1, denitrifier from the 11,000m-depth of Mariana Trench. <i>Journal of Japanese Society for Extremophiles</i> , 2005, 4, 25-31.	0.0	4
5945	<i>Halomonas</i> sp. strain DT-W, a halophile from the 11,000 m-depth of the Mariana Trench. <i>Journal of Japanese Society for Extremophiles</i> , 2006, 5, 27-33.	0.0	3
5946	Comparative Study on <i>Flexibacter maritimus</i> Strains Isolated from Farmed Sea Bass( <i>Dicentrarchus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	0.4	54
5947	<i>Vibrio carchariae</i> Causes Mass Mortalities in Japanese Abalone, <i>Sulculus diversicolor supratexta</i> .. <i>Fish Pathology</i> , 1998, 33, 495-502.	0.4	51
5948	Genetic Relationships among <i>Xanthomonas</i> Species and Pathovars Based on RFLP Analyses of PCR-amplified 16S, 23S rDNA and rDNA Internal Transcribed Spacer.. <i>Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan</i> , 1999, 65, 437-446.	0.1	11
5949	<i>Flexibacter maritimus</i> is the agent of 'black patch necrosis' in Dover sole in Scotland. <i>Diseases of Aquatic Organisms</i> , 1990, 8, 233-237.	0.5	75
5950	<i>Vibrio tapetis</i> -like strain isolated from introduced Manila clams <i>Ruditapes philippinarum</i> showing symptoms of brown ring disease in Norway. <i>Diseases of Aquatic Organisms</i> , 2008, 81, 153-161.	0.5	32
5951	Isolation of <i>Lacinutrix venerupis</i> strains associated with disease outbreaks in sea bream <i>Sparus aurata</i> and European sea bass <i>Dicentrarchus labrax</i> . <i>Diseases of Aquatic Organisms</i> , 2017, 124, 85-90.	0.5	3
5952	Characterization of <i>Aliivibrio fischeri</i> strains associated with disease outbreak in brill <i>Scophthalmus rhombus</i> . <i>Diseases of Aquatic Organisms</i> , 2017, 124, 215-222.	0.5	6

#	ARTICLE	IF	CITATIONS
5953	Species composition shift of confined bacterioplankton studied at the level of community DNA. <i>Marine Ecology - Progress Series</i> , 1991, 79, 195-201.	0.9	43
5954	Diversity and distribution of coral-associated bacteria. <i>Marine Ecology - Progress Series</i> , 2002, 243, 1-10.	0.9	1,080
5955	Ecology of a novel <i>Synechococcus</i> clade occurring in dense populations in saline Antarctic lakes. <i>Marine Ecology - Progress Series</i> , 2005, 291, 65-80.	0.9	40
5956	Taxonomy and nomenclature of bacteria with clinical and scientific importance: current concepts for pharmacists and pharmaceutical scientists. <i>Acta Pharmaceutica Hungarica</i> , 2020, 89, 99-108.	0.2	5
5958	Isolation and characterization of xylanolytic new strains of <i>Anoxybacillus</i> from some hot springs in Turkey. <i>Turkish Journal of Biology</i> , 0, , .	2.1	6
5959	<i>Acinetobacter antiviralis</i> sp. nov., from Tobacco Plant Roots. <i>Journal of Microbiology and Biotechnology</i> , 2009, 19, 250-6.	0.9	21
5960	<i>Rheinheimera aquatica</i> sp. nov., Antimicrobial Activity-Producing Bacterium Isolated from Freshwater Culture Pond. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 1386-1392.	0.9	54
5961	Isolation of a Novel Thermophilic <i>Anoxybacillus flavithermus</i> SO-13, Production, Characterization and Industrial Applications of its Thermostable alpha-Amylase. <i>Journal of Bioprocessing &amp; Biotechniques</i> , 2015, 05, .	0.2	3
5962	Comparing Resistant Microorganisms Isolated from Patients and Environment in an Intensive Care Unit. <i>Advances in Infectious Diseases</i> , 2014, 04, 30-35.	0.0	6
5963	<i>Mycobacteria</i> Interspersed Repetitive Units-Variable Number of Tandem Repeat, Spoligotyping and Drug Resistance of Isolates from Pulmonary Tuberculosis Patients in Kenya. <i>Advances in Microbiology</i> , 2017, 07, 205-216.	0.3	3
5964	Isolation and Genetic Characterization of a <i>Bartonella</i> Strain Closely Related to <i>Bartonella tribocorum</i> and <i>Bartonella elizabethae</i> in Israeli Commensal Rats. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 55-58.	0.6	31
5966	Cyanobacterial Taxonomy: Current Problems and Prospects for the Integration of Traditional and Molecular Approaches. <i>Algae</i> , 2006, 21, 349-375.	0.9	132
5967	<i>Violetonostoc minutum</i>, gen. et sp. nov. (Nostocales, Cyanobacteria) from a rocky substrate in China. <i>Algae</i> , 2020, 35, 1-16.	0.9	21
5968	Nomenclatural validation of the genetically revised cyanobacterial genus <i>Dolichospermum</i> (RALFS ex) Tj ETQq1 1 0,784314 rgrBT /Overlo 0.4 192	0.4	192
5969	Polyphasic approach and adaptative strategies of <i>Nostoc</i> cf. <i>commune</i> (Nostocales, Nostocaceae) growing on Mayan monuments.. <i>Fottea</i> , 2011, 11, 73-86.	0.4	21
5970	Phylogenetically distant clade of <i>Nostoc</i> -like taxa with the description of <i>Minunostoc</i> gen. nov. and <i>Minunostoc cylindricum</i> sp. nov. <i>Fottea</i> , 2019, 19, 13-24.	0.4	33
5971	Proposal of <i>Purpurea</i> gen. nov. (Nostocales, Cyanobacteria), a novel cyanobacterial genus from wet soil samples in Tibet, China. <i>Fottea</i> , 2020, 20, 86-97.	0.4	20
5973	Thermophilic, Acidophilic Spore-forming Bacilli, <i>Alicyclobacillus</i> , and Spoilage of Acidic Beverages. <i>Japanese Journal of Food Microbiology</i> , 2006, 23, 204-212.	0.3	2

#	ARTICLE	IF	CITATIONS
5974	Characterization of <i>Virgibacillus</i> strain TKNR13-3 from fermented shrimp paste (ka-pi) and its protease production. <i>African Journal of Microbiology Research</i> , 2011, 5, .	0.4	2
5975	Isolation and Characterization of <i>Bacillus</i> Species Possessing Antifungal Activity against Ginseng Root Rot Pathogens. <i>Nong'yag Gwahag Hoeji</i> , 2012, 16, 357-363.	0.1	12
5976	Biases in genome reconstruction from metagenomic data. <i>PeerJ</i> , 2020, 8, e10119.	0.9	32
5977	<i>Clostridium manihotivorum</i> sp. nov., a novel mesophilic anaerobic bacterium that produces cassava pulp-degrading enzymes. <i>PeerJ</i> , 2020, 8, e10343.	0.9	12
5978	Purification and Identification of <i>Paenibacillus</i> sp., Isolated from Diseased Larvae of <i>Allomyrina dichotoma</i> (Linnaeus, 1771) (Coleoptera: Scarabaeidae) in Insect Farms. <i>International Journal of Industrial Entomology</i> , 2012, 25, 195-203.	0.1	2
5979	<i>Catenulispora pinistramenti</i> sp. nov., novel actinobacteria isolated from pine forest soil in Poland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
5980	<i>Flavobacterium hydrocarbonoxydans</i> sp. nov., isolated from polluted soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
5981	Using Cartesian Doubt To Build a Sequencing-Based View of Microbiology. <i>MSystems</i> , 2021, 6, e0057421.	1.7	2
5982	Description and genome analysis of <i>Microvirga antarctica</i> sp. nov., a novel pink-pigmented psychrotolerant bacterium isolated from Antarctic soil. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 2219-2228.	0.7	3
5983	<i>Hanstruepera crassostreae</i> He et al. 2018 is a later heterotypic synonym of <i>Pseudobizionia ponticola</i> Park et al. 2018. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
5984	<i>Mangrovicoccus algicola</i> sp. nov., an alginate lyase “ producing marine bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
5985	<i>Undibacterium baiyunense</i> sp. nov., <i>Undibacterium curvum</i> sp. nov., <i>Undibacterium fentianense</i> sp. nov., <i>Undibacterium flavidum</i> sp. nov., <i>Undibacterium griseum</i> sp. nov., <i>Undibacterium hunanense</i> sp. nov., <i>Undibacterium luofuense</i> sp. nov., <i>Undibacterium nitidum</i> sp. nov., <i>Undibacterium rivi</i> sp. nov., <i>Undibacterium rugosum</i> sp. nov. and <i>Undibacterium umbellatum</i> sp. nov., isolated from streams in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	34
5986	Large-scale k-mer-based analysis of the informational properties of genomes, comparative genomics and taxonomy. <i>PLoS ONE</i> , 2021, 16, e0258693.	1.1	18
5987	<i>Photobacterium arenosum</i> sp. nov., isolated from marine sediment sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
5988	Phylogenetic systematics of <i>Butyrivibrio</i> and <i>Pseudobutyrvibrio</i> genomes illustrate vast taxonomic diversity, open genomes and an abundance of carbohydrate-active enzyme family isoforms. <i>Microbial Genomics</i> , 2021, 7, .	1.0	9
5989	A sulfate-reducing bacterial genus, <i>Desulfosediminicola</i> gen. nov., comprising two novel species cultivated from tidal-flat sediments. <i>Scientific Reports</i> , 2021, 11, 19978.	1.6	10
5990	<i>Pontibacter flavimaris</i> sp. nov., of the family <i>Hymenobacteraceae</i> , isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	4
5991	<i>Luteirhabdus pelagi</i> gen. nov., sp. nov., a novel member of the family <i>Flavobacteriaceae</i> , isolated from the West Pacific Ocean. <i>Archives of Microbiology</i> , 2021, 203, 6021-6031.	1.0	6



#	ARTICLE	IF	CITATIONS
5992	<i>Phycococcus mangrovi</i> sp. nov., a novel endophytic actinobacterium isolated from bark of <i>Sonneratia apetala</i> . <i>Systematic and Applied Microbiology</i> , 2021, 44, 126275.	1.2	4
5993	<i>Saccharopolyspora karakumensis</i> sp. nov., <i>Saccharopolyspora elongata</i> sp. nov., <i>Saccharopolyspora aridisoli</i> sp. nov., <i>Saccharopolyspora terrae</i> sp. nov. and their biotechnological potential revealed by genome analysis. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126270.	1.2	20
5994	Classification, Naming, and Plant Pathogenic Bacteria "What is to be done? , 2001, , 30-37.		0
5995	Transfer of <i>Tsakamurella wratislaviensis</i> Goodfellow et al. 1995 to the genus <i>Rhodococcus</i> as <i>Rhodococcus wratislaviensis</i> comb. nov... <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 749-755.	0.8	22
5996	<i>Streptosporangium subroseum</i> sp. nov., an actinomycete with an unusual phospholipid pattern.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1235-1238.	0.8	6
5997	<i>Sinorhizobium morelense</i> sp. nov., a <i>Leucaena leucocephala</i> -associated bacterium that is highly resistant to multiple antibiotics.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1687-1693.	0.8	42
5998	<i>Paenibacillus daejeonensis</i> sp. nov., a novel alkaliphilic bacterium from soil.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2107-2111.	0.8	14
5999	Phylogeny of <i>Maricaulis</i> Abraham et al. 1999 and proposal of <i>Maricaulis virginensis</i> sp. nov., <i>M. parjimensis</i> sp. nov., <i>M. washingtonensis</i> sp. nov. and <i>M. salignorans</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2191-2201.	0.8	16
6000	<i>Rhodococcus maanshanensis</i> sp. nov., a novel actinomycete from soil.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2121-2126.	0.8	18
6001	Characterization and identification of <i>Acinetobacter</i> strains from clinical specimens in Thailand. <i>Journal of General and Applied Microbiology</i> , 2003, 49, 257-262.	0.4	0
6004	Optimal Culture Conditions and Isolation of a $\beta$ -Carrageenase-producing Marine Bacterium. <i>Journal of Fisheries Science and Technology</i> , 2006, 9, 57-63.	0.2	0
6006	Forces Shaping Bacterial Systematics. <i>Microbe Magazine</i> , 2007, 2, 283-288.	0.4	9
6007	Conservation of Biological Diversity in Agricultural, Forestry, and Marine Systems. , 2007, , 221-243.		0
6008	Section 3 update: Genotyping of bacterial isolates from the environment using Low-Molecular-Weight RNA fingerprints. , 2008, , 2489-2512.		0
6009	Section 2 update: Detection of mRNA and rRNA via reverse transcription and PCR in soil. , 2008, , 2395-2407.		0
6010	"Overview of the Microbial Characteristics, Taxonomy, and Epidemiology of <i>Acinetobacter</i> " <i>Infectious Agents and Pathogenesis</i> , 2008, , 19-45.	0.1	1
6011	Darwin and microbial evolution. , 2010, , 103-118.		0
6012	Identification Method of Molds and Yeasts Based on DNA Sequence. <i>Japanese Journal of Food Microbiology</i> , 2010, 27, 56-62.	0.3	1

#	ARTICLE	IF	CITATIONS
6013	<i>Haloferula rosicola</i> sp. nov., an endophytic bacterium isolated from the root of a halophyte, <i>Rosa rugosa</i> and emended description of the genus <i>Haloferula</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 267-268.	0.8	3
6017	<i>Dactylosporangium luridum</i> sp. nov., <i>Dactylosporangium luteum</i> sp. nov. and <i>Dactylosporangium salmoneum</i> sp. nov., nom. rev., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3546-3546.	0.8	2
6018	Characterization and screening of antimicrobial activity of <i>Micromonospora</i> strains from Thai soils. <i>Malaysian Journal of Microbiology</i> , 2013, , .	0.1	0
6019	The Order Glycomycetales and the Genus <i>Actinocatenispora</i> . , 2014, , 381-390.		0
6020	The Family Dermacoccaceae. , 2014, , 301-315.		0
6021	The Family Micrococcaceae. , 2014, , 455-498.		6
6022	Species (Prokaryote). , 2014, , 1-2.		0
6023	An Exploratory Study of <i>Staphylococcus epidermidis</i> Isolates from Environment and Patient Blood Cultures from an Intensive Care Unit. <i>Infections Journal</i> , 2014, 2, 1-4.	0.0	0
6024	What Makes a Bacterial Species? When Molecular Sequence Data Are Used, Is rRNA Enough?. , 0, , 339-356.		1
6025	Evolutionary History of Chlamydiae: Answers for Some Old Questions, No Answers for Some New Ones. , 1990, , 112-124.		2
6026	Taxonomy, Role, and Significance of Microorganisms in Foods. , 1992, , 13-37.		1
6027	Identification and biochemical testing of coagulase-positive cocci isolated from human oral cavities by the STAPHYOGAM kit.. <i>Japanese Journal of Oral Biology</i> , 1994, 36, 498-509.	0.1	0
6028	Klassische Methoden zur Charakterisierung von Abwasserbakterien – Grenzen und Möglichkeiten. , 1996, , 45-68.		0
6029	Taxonomy, Role, and Significance of Microorganisms in Foods. <i>Food Science Text Series</i> , 1998, , 13-37.	0.3	1
6030	Taxonomy and Biotransformation Activities of Deep-Sea Actinomycetes. , 1999, , 39-54.		0
6031	Mediterranean Spotted Fever and Other Tick-Borne Rickettsioses. , 0, , 302-327.		0
6032	Characterization of Actinomycetes from Smear Ripened Cheeses – A Polyphasic Approach. , 2015, , 51-101.		1
6033	Isolation and Characterization of Actinomycete Strain BK185 Possessing Antifungal Activity against Ginseng Root Rot Pathogens. <i>Nong'yag Gwahag Hoeji</i> , 2014, 18, 396-403.	0.1	0

#	ARTICLE	IF	CITATIONS
6034	Species (Prokaryote). , 2015, , 2306-2307.		0
6035	Taxonomy and Classification of Bacteria. , 0, , 252-269.		3
6036	<i>Streptomyces albiflavescens</i> sp. nov., an actinomycete isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1467-1473.	0.8	7
6037	The Actinobacteria. , 2015, , 505-546.		0
6038	<i>Sinosporangium fuscum</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1764-1769.	0.8	4
6039	<i>Streptomyces olivicoloratus</i> sp. nov., an antibiotic-producing bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3262-3270.	0.8	6
6040	<i>Streptomyces sasae</i> sp. nov., isolated from bamboo ( <i>Sasa borealis</i> ) rhizosphere soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3547-3551.	0.8	10
6041	<i>Paenibacillus yunnanensis</i> sp. nov., isolated from Pu'er tea. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3806-3811.	0.8	11
6042	<i>Pelistega suis</i> sp. nov., isolated from domestic and wild animals. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4909-4914.	0.8	8
6043	<i>Algoriphagus confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 118-124.	0.8	12
6044	Isolation, Identification of TJ430 Strain and the Chemical Structure Elucidation of Antifungal Active Metabolite. Journal of Food & Nutritional Disorders, 2016, 05, .	0.1	0
6045	<i>Ideonella paludis</i> sp. nov., isolated from a marsh. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1052-1057.	0.8	8
6046	<i>Massilia violacea</i> sp. nov., isolated from riverbank soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 707-711.	0.8	11
6047	<i>Pseudofulvibacter marinus</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1301-1305.	0.8	9
6048	<i>Flavobacterium breviviae</i> sp. nov., isolated from river water. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1705-1712.	0.8	15
6049	<i>Marmoricola ginsengisoli</i> sp. nov. and <i>Marmoricola pocheonensis</i> sp. nov. isolated from a ginseng-cultivating field. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1996-2001.	0.8	13
6051	<i>Fulvivirga lutimaris</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2604-2609.	0.8	12
6052	Molecular Taxonomy of Environmental Prokaryotes. , 2016, , 3-35.		0

#	ARTICLE	IF	CITATIONS
6053	<i>Streptomyces canalis</i> sp. nov., an actinomycete isolated from an alkali-removing canal. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3219-3223.	0.8	5
6054	<i>Paenibacillus kimchicus</i> sp. nov., an antimicrobial bacterium isolated from Kimchi. <i>Korean Journal of Microbiology</i> , 2016, 52, 319-326.	0.2	0
6055	Anti-multi drug resistant pathogen activity of siderochelin A, produced by a novel <i>Amycolatopsis</i> sp. KCTC 29142. <i>Korean Journal of Microbiology</i> , 2016, 52, 327-335.	0.2	1
6056	<i>Octadecabacter ponticola</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4179-4184.	0.8	6
6057	<i>Thalassotalea montiporae</i> sp. nov., isolated from the encrusting pore coral <i>Montipora aequituberculata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4077-4084.	0.8	14
6058	<i>Pontibacter rugosus</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4389-4394.	0.8	10
6059	<i>Thalassospira indica</i> sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4942-4946.	0.8	7
6060	<i>Streptomyces tremellae</i> sp. nov., isolated from a culture of the mushroom <i>Tremella fuciformis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5028-5033.	0.8	8
6061	<i>Sphingosaurantiacus capsulatus</i> sp. nov., isolated from mountain soil, and emended description of the genus <i>Sphingosaurantiacus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4930-4935.	0.8	10
6063	<i>Flectobacillus fontis</i> sp. nov., isolated from a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 336-342.	0.8	11
6064	<i>Lutibacter litorisediminis</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 583-588.	0.8	6
6066	<i>Chelatococcus composti</i> sp. nov., isolated from penicillin fermentation fungi residue with pig manure co-compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 565-569.	0.8	6
6067	<i>Aquaspirillum soli</i> sp. nov., isolated from a soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1312-1317.	0.8	5
6068	<i>Actinophytocola xanthii</i> sp. nov., an actinomycete isolated from rhizosphere soil of the plant <i>Xanthium sibiricum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1152-1157.	0.8	8
6069	<i>Calidifontibacter terrae</i> sp. nov., an actinomycete isolated from soil, with potential applications in cosmetics. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1925-1931.	0.8	5
6070	Three novel species of the genus <i>Kibdelosporangium</i> ; <i>Kibdelosporangium kanagawaense</i> sp. nov., <i>Kibdelosporangium rhizosphaerae</i> sp. nov. and <i>Kibdelosporangium rhizovicinum</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1758-1765.	0.8	11
6071	Description of a phototrophic bacterium, <i>Thiorhodococcus alkaliphilus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2323-2327.	0.8	4
6072	<i>Paenibacillus tritici</i> sp. nov., isolated from wheat roots. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2312-2316.	0.8	9

#	ARTICLE	IF	CITATIONS
6073	<i>Arenimonas soli</i> sp. nov., isolated from saline alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2829-2833.	0.8	11
6074	Description of <i>Naumannella cuiyingiana</i> sp. nov., isolated from a ca. 1500-year-old mural painting, and emended description of the genus <i>Naumannella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2609-2614.	0.8	8
6075	Reclassification of <i>Xuhuaishuia manganoxidans</i> Wang et al. 2015 as a later heterotypic synonym of <i>Brevirhabdus pacifica</i> Wu et al. 2015 and emendation of the species description. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3095-3098.	0.8	3
6076	<i>Puniceibacterium confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring, and emended description of the genus <i>Puniceibacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3480-3484.	0.8	6
6077	<i>Lysinimicrobium sediminis</i> sp. nov., an actinobacterium isolated from estuary sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3393-3397.	0.8	5
6078	<i>Planktotalea arctica</i> sp. nov., isolated from Arctic seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3501-3505.	0.8	6
6079	<i>Mycobacterium aquiterrae</i> sp. nov., a rapidly growing bacterium isolated from groundwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4104-4110.	0.8	8
6080	<i>Chryseomicrobium deserti</i> sp. nov., isolated from desert soil in South Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4126-4131.	0.8	5
6082	<i>Streptomyces cerasinus</i> sp. nov., isolated from soil in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3854-3859.	0.8	5
6084	<i>Pseudokineococcus basanitobsidens</i> sp. nov., isolated from volcanic rock. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3824-3828.	0.8	9
6085	<i>Nocardioides litorisoli</i> sp. nov., isolated from lakeside soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4216-4220.	0.8	9
6086	<i>Streptomyces xylanilyticus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4189-4194.	0.8	6
6087	<i>Chitinimonas lacunae</i> sp. nov., isolated from artificial pond in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4323-4327.	0.8	6
6088	<i>Ravibacter arvi</i> gen. nov., sp. nov., isolated from farmland soil during development of new culture techniques. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5252-5260.	0.8	8
6089	<i>Streptococcus azizii</i> sp. nov., isolated from naïve weanling mice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5032-5037.	0.8	5
6090	<i>Stakelama algicida</i> sp. nov., novel algicidal species of the family Sphingomonadaceae isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 317-323.	0.8	9
6091	<i>Paenibacillus shunpengii</i> sp. nov., isolated from farmland soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 211-216.	0.8	6
6092	<i>Litoribrevibacter euphylliae</i> sp. nov., isolated from the torch coral <i>Euphyllia glabrescens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 432-437.	0.8	5

#	ARTICLE	IF	CITATIONS
6093	<i>Ferrovibrio soli</i> sp. nov., a novel cellulolytic bacterium isolated from stream bank soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 427-431.	0.8	6
6094	<i>Glycomyces rhizosphaerae</i> sp. nov., isolated from the root and rhizosphere soil of wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlo	0.8	6
6095	Rhizosphere Microorganismsâ€™™ Collection of IBPPM RAS: Revision of <i>Azospirillum</i> Strains Based on 16S rRNA Gene Sequence Analysis. Izvestiya of Saratov University New Series Series: Chemistry Biology Ecology, 2018, 18, 52-59.	0.0	2
6096	The Identification of Cucumber Soft Rot and Wilting in Ukraine Based on 16S rRNA Gene Sequencing Analysis. MikrobiolohichnyĀ-Zhurnal, 2018, 80, 92-103.	0.2	1
6097	<i>Flavobacterium fluviatile</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1244-1250.	0.8	9
6098	<i>Streptomyces fuscigenes</i> sp. nov., isolated from bamboo ( <i>Sasa borealis</i> ) litter. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1541-1545.	0.8	6
6099	<i>Dokdonia aurantiaca</i> sp. nov., isolated from seaweed <i>Zostera marina</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1697-1701.	0.8	5
6100	<i>Hymenobacter pedocola</i> sp. nov., a novel bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2242-2248.	0.8	5
6101	<i>Sphingomicrobium arenosum</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2551-2556.	0.8	7
6102	<i>Actinomadura deserti</i> sp. nov., isolated from desert soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2930-2935.	0.8	11
6103	<i>Actinomadura rhizosphaerae</i> sp. nov., isolated from rhizosphere soil of the plant <i>Azadirachta indica</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3012-3016.	0.8	9
6104	<i>Sphaerisporangium rhizosphaerae</i> sp. nov., an actinomycete isolated from the rhizosphere soil of a rubber tree ( <i>Hevea brasiliensis</i> Muell. Arg). International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2860-2865.	0.8	6
6105	<i>Paludirhabdus telluriireducens</i> gen. nov., sp. nov. and <i>Paludirhabdus pumila</i> sp. nov., isolated from soil of a mountain wetland and emended description of <i>Gorillibacterium massiliense</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3040-3046.	0.8	11
6106	<i>Pueribacillus theae</i> gen. nov., sp. nov., isolated from Puâ€™™er tea. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2878-2882.	0.8	11
6107	<i>Jishengella zingiberis</i> sp. nov., isolated from root tissue of <i>Zingiber montanum</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3345-3350.	0.8	8
6108	<i>Streptomyces caeni</i> sp. nov., isolated from mangrove mud. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3080-3083.	0.8	5
6109	<i>Pseudoruegeria insulae</i> sp. nov., isolated from a tidal flat. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3587-3592.	0.8	7
6110	Using of k-mers for intraspecific bacterial phylotyping. , 0, , .		0

#	ARTICLE	IF	CITATIONS
6111	<i>Maribacter litoralis</i> sp. nov. a marine bacterium isolated from seashore. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3471-3478.	0.8	8
6112	<i>Psychromicrobium lacuslunae</i> sp. nov., isolated from a high altitude lake. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3416-3423.	0.8	5
6113	<i>Zobellella endophytica</i> sp. nov., isolated from the roots of <i>Phragmites communis</i> in the Kumtag Desert. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3807-3811.	0.8	5
6114	<i>Thermocatellispora soli</i> sp. nov., isolated from hot spring soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 134-138.	0.8	5
6115	<i>Flavobacterium tibetense</i> sp. nov., isolated from a wetland. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 165-170.	0.8	5
6116	<i>Kistimonas alittae</i> sp. nov., a gammaproteobacterium isolated from the marine annelid <i>Alitta succinea</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 235-240.	0.8	12
6117	Working on the Taxonomy, Biodiversity, Ecology and Evolution of Rhizobia. , 2019, , 251-273.		0
6118	Phylogeny and Taxonomy of Agriculturally Important Bacillus Species. Bacilli in Climate Resilient Agriculture and Bioprospecting, 2019, , 143-150.	0.6	2
6119	<i>Nocardia mangyaensis</i> sp. nov., a novel actinomycete isolated from crude-oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 397-403.	0.8	10
6120	<i>Jiangella endophytica</i> sp. nov., an endophytic actinomycete isolated from the rhizome of <i>Kaempferia elegans</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 454-459.	0.8	6
6121	<i>Lutibaculum pontilimi</i> sp. nov., isolated from a tidal mudflat and emended description of the genus <i>Lutibaculum</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 422-426.	0.8	6
6122	<i>Paracoccus sediminilitoris</i> sp. nov., isolated from a tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1035-1040.	0.8	11
6124	<i>Alteromonas indica</i> Lin et al. 2018 is a later heterotypic synonym of <i>Salinimonas sediminis</i> Cao et al. 2018. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1423-1425.	0.8	2
6125	<i>Micromonospora caldifontis</i> sp. nov., isolated from hot spring soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1336-1342.	0.8	8
6126	<i>Tsuneonella suprasediminis</i> sp. nov., isolated from the Pacific Ocean. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	16
6127	<i>Bacillus xiapuensis</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1714-1719.	0.8	6
6128	<i>Microbispora sitophila</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	4
6129	<i>Streptomyces ureilyticus</i> sp. nov. and <i>Streptomyces mesophilus</i> sp. nov., two novel Actinobacteria with antimicrobial activity isolated from lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	7

#	ARTICLE	IF	CITATIONS
6130	<i>Fertoeibacter niger</i> gen. nov., sp. nov. a novel alkaliphilic bacterium of the family Rhodobacteraceae. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	8
6131	<i>Actinomadura litoris</i> sp. nov., an actinobacterium isolated from sandy soil in Sanya. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	6
6132	<i>Nocardia bovisercoris</i> sp. nov., an actinobacterium isolated from cow dung. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	8
6133	<i>Pseudonocardia broussonetiae</i> sp. nov., an endophytic actinomycete isolated from the roots of <i>Broussonetia papyrifera</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	7
6134	<i>Altererythrobacter maritimus</i> sp. nov., isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1566-1572.	0.8	9
6135	<i>Paracoccus amoyensis</i> sp. nov., isolated from the surface seawater along the coast of Xiamen Island, China. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	5
6136	Reclassification of 15 <i>Streptomyces</i> species as synonyms of <i>Streptomyces albogriseolus</i> , <i>Streptomyces althioticus</i> , <i>Streptomyces anthocyanicus</i> , <i>Streptomyces calvus</i> , <i>Streptomyces griseoincarnatus</i> , <i>Streptomyces mutabilis</i> , <i>Streptomyces pilosus</i> or <i>Streptomyces rochei</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	74
6137	<i>Hydrogenophaga aromaticivorans</i> sp. nov., isolated from a para-xylene-degrading enrichment culture, capable of degrading benzene, meta- and para-xylene. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	11
6138	<i>Spirosoma utsteinense</i> sp. nov. isolated from Antarctic ice-free soils from the Utsteinen region, East Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	6
6139	<i>Gordonia asplenii</i> sp. nov., isolated from humic soil on bird's nest fern ( <i>Asplenium nidus</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	6
6140	<i>Gordonia sediminis</i> sp. nov., an actinomycete isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1814-1820.	0.8	13
6141	<i>Serinicoccus sediminis</i> sp. nov., isolated from tidal flat sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1998-2003.	0.8	5
6142	<i>Streptomyces altiplanensis</i> sp. nov., an alkalitolerant species isolated from Chilean Altiplano soil, and emended description of <i>Streptomyces chryseus</i> (Krasil'nikov et al. 1965) Pridham 1970. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2498-2505.	0.8	12
6143	<i>Nocardioides zhouii</i> sp. nov., isolated from the Hailuoguo Glacier in China. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2329-2334.	0.8	7
6144	<i>Chengkuihengella marina</i> sp. nov., isolated from deep-sea sediment of the Pacific Ocean. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2522-2526.	0.8	4
6145	<i>Flavobacterium amnicola</i> sp. nov., isolated from a sub-tropical stream. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2283-2291.	0.8	5
6146	<i>Flavobacterium silvisoli</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2762-2766.	0.8	6
6147	<i>Thermoflavimicrobium daqui</i> sp. nov., a thermophilic microbe isolated from Moutai-flavour Daqu. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2709-2716.	0.8	9



#	ARTICLE	IF	CITATIONS
6148	<i>Diaphorobacter polyhydroxybutyratorans</i> Qiu et al. 2015 is a later heterotypic synonym of <i>Diaphorobacter nitroreducens</i> Khan and Hiraishi 2003. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2954-2957.	0.8	6
6149	<i>Microbacterium bovisstercoris</i> sp. nov., a novel actinomycete isolated from cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2703-2708.	0.8	8
6150	<i>Actinomadura logoneensis</i> sp. nov., a novel actinomycete isolated from the soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2914-2920.	0.8	6
6151	<i>Empedobacter tilapiae</i> sp. nov., isolated from an intestine of Nile tilapia ( <i>Oreochromis niloticus</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2781-2786.	0.8	9
6152	<i>Colwellia ponticola</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3062-3067.	0.8	5
6153	<i>Agromyces tardus</i> sp. nov., an actinobacterium isolated from the rhizosphere soil of wheat ( <i>Triticum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlo	0.8	6
6154	<i>Aquibacillus sediminis</i> sp. nov., a moderately halophilic bacterium isolated from saltern soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3121-3127.	0.8	8
6155	<i>Confluentibacter sediminis</i> sp. nov., isolated from the junction between the ocean and a freshwater lake and emended description of the genus <i>Confluentibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3581-3585.	0.8	5
6156	<i>Photobacterium salinisoli</i> sp. nov., isolated from a sulfonyleurea herbicide-degrading consortium enriched with saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3910-3916.	0.8	13
6157	<i>Lewinella litorea</i> sp. nov., isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 246-250.	0.8	9
6158	<i>Flavobacterium psychrotolerans</i> sp. nov., a psychrotolerant bacterium isolated from Renlongba glacier on the Tibetan Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1031-1036.	0.8	7
6159	<i>Gramella sabulitoris</i> sp. nov., isolated from a marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 909-914.	0.8	7
6160	<i>Serinibacter arcticus</i> sp. nov., isolated from a thawing ancient ice wedge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 929-934.	0.8	4
6161	<i>Bacillus salinus</i> sp. nov., isolated from commercial solar salt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2696-2702.	0.8	5
6162	<i>Serinicoccus hydrothermalis</i> sp. nov., isolated from shallow-sea hydrothermal systems off Kueishantao Island. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3139-3144.	0.8	5
6164	Intestinal Microbiota in Patients with Chronic Heart Failure and Systolic Dysfunction. <i>Russian Journal of Gastroenterology Hepatology Coloproctology</i> , 2020, 30, 35-44.	0.2	4
6165	<i>Marinobacter changyiensis</i> , sp. nov., isolated from offshore sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3004-3011.	0.8	7
6166	<i>Auraticoccus cholistanensis</i> sp. nov., an actinomycete isolated from soil of the Cholistan Desert, and emended description of the genus <i>Auraticoccus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3179-3185.	0.8	8

#	ARTICLE	IF	CITATIONS
6167	<i>Glycomyces albidus</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3096-3104.	0.8	7
6168	<i>Shewanella insulae</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3872-3877.	0.8	5
6169	<i>Actinomyces wuliandei</i> sp. nov., <i>Corynebacterium liangguodongii</i> sp. nov., <i>Corynebacterium yudongzhengii</i> sp. nov. and <i>Oceanobacillus zhaokaii</i> sp. nov., isolated from faeces of Tibetan antelope in the Qinghai-Tibet plateau of China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3763-3774.	0.8	26
6170	<i>Cyclobacterium salsum</i> sp. nov. and <i>Cyclobacterium roseum</i> sp. nov., isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3785-3793.	0.8	9
6171	Genome-based identification of strain KCOM 1265 isolated from subgingival plaque at the species level. <i>International Journal of Oral Biology: Official Journal of the Korean Academy of Oral Biology and the UCLA Dental Research Institute</i> , 2020, 45, 70-75.	0.1	0
6172	<i>Sphingomonas profundi</i> sp. nov., isolated from deep-sea sediment of the Mariana Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3809-3815.	0.8	13
6173	Description of the bacterial RNA polymerase inhibitor GE23077-producer <i>Actinomadura</i> sp. NRRL B-65521T as <i>Actinomadura lepetitiana</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4782-4790.	0.8	7
6174	<i>Yangia mangrovi</i> sp. nov., a novel member of the <i>Roseobacter</i> clade isolated from mangrove soil and emended description of <i>Yangia pacifica</i> Dai et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	9
6175	Simultaneous nitrification and denitrification conducted by <i>Halomonas venusta</i> MA-ZP17-13 under low temperature conditions. <i>Acta Oceanologica Sinica</i> , 2021, 40, 94-104.	0.4	9
6176	<i>Hyphomicrobium album</i> sp. nov., isolated from mountain soil and emended description of genus <i>Hyphomicrobium</i> . <i>Archives of Microbiology</i> , 2021, 203, 5931-5936.	1.0	10
6177	Establishment of a New Filamentous Cyanobacterial Genus, <i>Microcoleusiopsis</i> gen. nov. ( <i>Microcoleaceae</i> , <i>Cyanobacteria</i> ), from Benthic Mats in Open Channel, Jiangxi Province, China. <i>Diversity</i> , 2021, 13, 548.	0.7	7
6178	<i>Actinomadura soli</i> sp. nov., isolated from the top soil layer on basaltic material in Turkey. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
6179	Authors need to be prudent when assigning names to microbial isolates. <i>Archives of Microbiology</i> , 2021, 203, 5845-5848.	1.0	6
6180	Polyphasic approach identifies two new species of <i>Desmonostoc</i> ( <i>Nostocales</i> , <i>Cyanobacteria</i> ) in the coralloid roots of <i>Cycas fairylakea</i> ( <i>Cycadales</i> ). <i>Phycologia</i> , 2021, 60, 653-668.	0.6	8
6181	<i>Pseudomonas xionganensis</i> sp. nov., isolated from Baiyangdian Lake in Xiong'an New Area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6052-6059.	0.8	5
6182	<i>Halomonas lysinitropha</i> sp. nov., a novel halophilic bacterium isolated from a hypersaline wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6098-6105.	0.8	9
6183	<i>Yeosuana marina</i> sp. nov., isolated from shallow-sea hydrothermal systems off Kueishantao Island. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6251-6256.	0.8	4
6184	<i>Streptomyces phaeolivaceus</i> sp. nov. and <i>Streptomyces broussonetiae</i> sp. nov., isolated from the leaves and rhizosphere soil of <i>Broussonetia papyrifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6458-6467.	0.8	12

#	ARTICLE	IF	CITATIONS
6186	New Insights into the Ecology and Physiology of Methanomassiliococcales from Terrestrial and Aquatic Environments. <i>Microorganisms</i> , 2021, 9, 30.	1.6	23
6188	<i>Flammeovirga agarivorans</i> sp. nov., an agar-digesting marine bacterium isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6060-6066.	0.8	8
6189	Comparative genomics and proposal of <i>Streptomyces radidis</i> sp. nov., an endophytic actinomycete from roots of plants in Thailand. <i>Microbiological Research</i> , 2022, 254, 126889.	2.5	2
6190	<i>Sinirhodobacter hankyongi</i> sp. nov., a novel denitrifying bacterium isolated from sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 668-674.	0.8	5
6191	<i>Nocardioides guangzhouensis</i> sp. nov., an actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 112-119.	0.8	8
6192	<i>Flavobacterium macacae</i> sp. nov., isolated from <i>Macaca mulatta</i> faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 51-57.	0.8	6
6193	<i>Aliifodinibius saliphilus</i> sp. nov., a moderately halophilic bacterium isolated from sediment of a crystallizing pond of a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 358-363.	0.8	11
6194	OBSOLETE: Phylogenomics of Foodborne Pathogens: The Case of <i>Listeria monocytogenes</i> . , 2020, , .		0
6195	<i>Nocardia stercoris</i> sp. nov., a novel actinomycete isolated from the cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 493-498.	0.8	8
6196	<i>Marimonas lutisalis</i> sp. nov., isolated from a tidal mudflat and emended description of the genus <i>Marimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 259-266.	0.8	6
6197	<i>Streptomyces oryziradicis</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of rice ( <i>Oryza</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tt	0.8	9
6198	<i>Glycomyces buryatensis</i> sp. nov., an actinobacterium isolated from steppe soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1356-1363.	0.8	10
6199	<i>Cryptosporangium phraense</i> sp. nov., isolated from plant litter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 971-976.	0.8	5
6200	<i>Segnochrobactrum spirostomi</i> gen. nov., sp. nov., isolated from the ciliate <i>Spirostomum yagiui</i> and description of a novel family, <i>Segnochrobactraceae</i> fam. nov. within the order <i>Rhizobiales</i> of the class <i>Alphaproteobacteria</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1250-1258.	0.8	9
6201	<i>Sediminibacillus terrae</i> sp. nov., a moderate halophile isolated from non-saline farm soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1139-1144.	0.8	9
6202	<i>Actinomadura harenae</i> sp. nov., a novel actinomycete isolated from sea sand in Sanya. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 766-772.	0.8	6
6203	<i>Lacibacter luteus</i> sp. nov., isolated from a freshwater river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1404-1411.	0.8	5
6204	<i>Elioraea rosea</i> sp. nov., a plant promoting bacterium isolated from floodwater of a paddy field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2132-2136.	0.8	8

#	ARTICLE	IF	CITATIONS
6205	<i>Segeticoccus rhizosphaerae</i> gen. nov., sp. nov., an actinobacterium isolated from soil of a farming field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1785-1792.	0.8	7
6206	<i>Marmoricola caldifontis</i> sp. nov., a novel actinobacterium isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2053-2058.	0.8	10
6207	<i>Formosa sediminum</i> sp. nov., a starch-degrading bacterium isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2008-2015.	0.8	4
6208	Description of <i>Sulfitobacter sediminilitoris</i> sp. nov., isolated from a tidal flat. <i>FEMS Microbiology Letters</i> , 2020, 367, .	0.7	1
6209	<i>Paracoccus aurantiacus</i> sp. nov., isolated from shallow-sea hydrothermal systems off Kueishantao Island. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2554-2559.	0.8	6
6210	<i>Pseudomonas piscis</i> sp. nov., isolated from the profound head ulcers of farmed Murray cod ( <i>Maccullochella peelii peelii</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2732-2739.	0.8	12
6211	A novel filamentous cyanobacterium <i>Microseira minor</i> sp. nov. (Oscillatoriaceae, Cyanobacteria) from the Ganfu Channel, Jiangxi, China. <i>Phytotaxa</i> , 2021, 524, 178-190.	0.1	2
6212	<i>Halomonas salipaludis</i> sp. nov., isolated from a saline-alkali wetland soil. <i>Archives of Microbiology</i> , 2021, 203, 6033-6039.	1.0	2
6213	<i>Alcanivorax sediminis</i> sp. nov., isolated from deep-sea sediment of the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4280-4284.	0.8	9
6214	THE ANIMAL WITHIN: CARCINOGENESIS AND THE CLONAL EVOLUTION OF CANCER CELLS ARE SPECIATION EVENTS SENSU STRICTO. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 1173-1183.	1.1	2
6215	From Strains to Domains. , 1996, , 19-24.		0
6217	<i>Sphingomonas segetis</i> sp. nov., isolated from spinach farming field soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3905-3911.	0.8	7
6218	<i>Nitrincola iocasae</i> sp. nov., a bacterium isolated from sediment collected at a cold seep field in the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4897-4902.	0.8	7
6219	<i>Aquitalea aquatilis</i> sp. nov., isolated from Jungwon waterfall. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4903-4907.	0.8	7
6220	<i>Streptomyces apocyni</i> sp. nov., an endogenous actinomycete isolated from <i>Apocynum venetum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4883-4889.	0.8	5
6221	<i>Agromyces humi</i> sp. nov., actinobacterium isolated from farm soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5032-5039.	0.8	6
6222	<i>Agriterribacter humi</i> gen. nov., sp. nov., a novel bacterium of the family Chitinophagaceae isolated from soil of a farming field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5123-5130.	0.8	15
6223	<i>Zoogloea dura</i> sp. nov., a N <sub>2</sub> -fixing bacterium isolated from forest soil and emendation of the genus <i>Zoogloea</i> and the species <i>Zoogloea oryzae</i> and <i>Zoogloea ramigera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5312-5318.	0.8	14

#	ARTICLE	IF	CITATIONS
6225	<i>Roseibium limicola</i> sp. nov., isolated from tidal mudflat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
6226	Reclassification of four subspecies in the genus <i>Streptomyces</i> to <i>Streptomyces rubradiris</i> sp. nov., <i>Streptomyces asoensis</i> sp. nov., <i>Streptomyces fructofermentans</i> sp. nov. and <i>Streptomyces ossamyceticus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	17
6227	Characteristics and mechanism of heterotrophic nitrification/aerobic denitrification in a novel <i>Halomonas piezotolerans</i> strain. <i>Journal of Basic Microbiology</i> , 2022, 62, 124-134.	1.8	8
6228	Authors Need to be Prudent When Assigning Names to Microbial Isolates. <i>Current Microbiology</i> , 2021, 78, 4005-4008.	1.0	4
6229	<i>Microbacterium stercoris</i> sp. nov., an indole acetic acid-producing actinobacterium isolated from cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	11
6230	In Silico Analysis of PKS and NRPS Gene Clusters in Arisostatin- and Kosinostatin-Producers and Description of <i>Micromonospora okii</i> sp. nov.. <i>Antibiotics</i> , 2021, 10, 1447.	1.5	9
6231	Differences at Species Level and in Repertoires of Secondary Metabolite Biosynthetic Gene Clusters among <i>Streptomyces coelicolor</i> A3(2) and Type Strains of <i>S. coelicolor</i> and Its Taxonomic Neighbors. <i>Applied Microbiology</i> , 2021, 1, 573-585.	0.7	5
6232	<i>Prauserella cavernicola</i> sp. nov., isolated from cave rock. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	4
6233	<i>Saccharobesius litoralis</i> gen. nov., sp. nov., a novel alginate-degrading bacterium isolated from the surface of intertidal algal turf. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	9
6234	Development of a high resolution melting method based on a novel molecular target for discrimination between <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> . <i>Food Research International</i> , 2022, 151, 110845.	2.9	10
6235	<i>Kaistella soli</i> sp. nov., isolated from oil-contaminated experimental soil. <i>Archives of Microbiology</i> , 2022, 204, 118.	1.0	7
6236	<i>Neobacillus paridis</i> sp. nov., an endophyte of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>Archives of Microbiology</i> , 2022, 204, 129.	1.0	4
6237	Authors need to be prudent when assigning names to microbial isolates. <i>Antonie Van Leeuwenhoek</i> , 2022, 115, 1-5.	0.7	4
6238	<i>Janibacter endophyticus</i> sp. nov., an Endophytic Actinobacterium Isolated from the Root of <i>Paris polyphylla</i> Smith var. <i>Yunnanensis</i> . <i>Current Microbiology</i> , 2022, 79, 52.	1.0	2
6240	The fish pathogen <i>Flavobacterium columnare</i> represents four distinct species: <i>Flavobacterium columnare</i> , <i>Flavobacterium covae</i> sp. nov., <i>Flavobacterium davisii</i> sp. nov. and <i>Flavobacterium oreochromis</i> sp. nov., and emended description of <i>Flavobacterium columnare</i> . <i>Systematic and Applied Microbiology</i> , 2022, 45, 126293.	1.2	59
6241	<i>Frateuria flava</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
6242	<i>Marinobacter arenosus</i> sp. nov., a halotolerant bacterium isolated from a tidal flat. <i>Archives of Microbiology</i> , 2022, 204, 155.	1.0	1
6243	<i>Flavobacterium proteolyticum</i> sp. nov., isolated from aquaculture water. <i>Archives of Microbiology</i> , 2022, 204, 146.	1.0	4

#	ARTICLE	IF	CITATIONS
6244	<i>Stakelama flava</i> sp. nov., a novel endophytic bacterium isolated from a branch of <i>Kandelia candel</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	6
6245	<i>Salegentibacter lacus</i> sp. nov. and <i>Salegentibacter tibetensis</i> sp. nov., isolated from hypersaline lakes on the Tibetan Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	9
6248	International Committee on Systematics of Prokaryotes. Subcommittee on the Taxonomy of Phototrophic Bacteria: Minutes of the meetings, 4 August 2015, TÄ¼bingen, Germany. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6249	<i>Nocardia coffeae</i> sp. nov., an endophytic actinobacterium isolated from the root of <i>Coffea arabica</i> (L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	4
6250	Xylan Deconstruction by Thermophilic Thermoanaerobacterium bryantii Hemicellulases Is Stimulated by Two Oxidoreductases. <i>Catalysts</i> , 2022, 12, 182.	1.6	4
6251	Genome insights into the pharmaceutical and plant growth promoting features of the novel species <i>Nocardiaalni</i> sp. nov. <i>BMC Genomics</i> , 2022, 23, 70.	1.2	10
6252	<i>Streptomyces epipremni</i> sp. nov., an endophytic actinomycete isolated from the root of <i>Epipremnum aureum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	6
6253	Genome-Based Classification of Strain 16-SW-7, a Marine Bacterium Capable of Converting B Red Blood Cells, as <i>Pseudoalteromonas distincta</i> and Proposal to Reclassify <i>Pseudoalteromonas paragorgicola</i> as a Later Heterotypic Synonym of <i>Pseudoalteromonas distincta</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 809431.	1.5	4
6255	<i>Neiella holothuriorum</i> sp. nov., isolated from the gut of a sea cucumber <i>Apostichopus japonicus</i> . <i>Antonie Van Leeuwenhoek</i> , 2022, 115, 497-503.	0.7	2
6256	<i>Aequorivita iocasae</i> sp. nov., a halophilic bacterium isolated from sediment collected at a cold seep field in the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	8
6257	Comparative genome analysis, predicted lifestyle and antimicrobial strategies of <i>Lactococcus carnosus</i> and <i>Lactococcus paracarnosus</i> isolated from meat. <i>Microbiological Research</i> , 2022, 258, 126982.	2.5	4
6258	Taxonomic Positions of a Nyuzenamamide-Producer and Its Closely Related Strains. <i>Microorganisms</i> , 2022, 10, 349.	1.6	15
6261	<i>Clostridium thailandense</i> sp. nov., a novel CO <sub>2</sub> -reducing acetogenic bacterium isolated from peatland soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	11
6262	Relation between two evolutionary clocks reveal new insights in bacterial evolution. <i>Access Microbiology</i> , 2022, 4, 000265.	0.2	0
6263	<i>Lysobacter antarcticus</i> sp. nov., an SUF-system-containing bacterium from Antarctic coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	6
6264	<i>Sutcliffeiella deserti</i> sp. nov., isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	5
6265	<i>Devosia salina</i> sp. nov., isolated from South China Sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	8
6266	The Use and Limitations of the 16S rRNA Sequence for Species Classification of <i>Anaplasma</i> Samples. <i>Microorganisms</i> , 2022, 10, 605.	1.6	17

#	ARTICLE	IF	CITATIONS
6269	<i>Arthrobacter terrae</i> sp. nov., a psychrophilic actinobacterium with multi copies of capA gene isolated from Antarctic soil. Antonie Van Leeuwenhoek, 2022, 115, 635-644.	0.7	2
6270	Characterization of <i>Streptomyces nymphaeiformis</i> sp. nov., and its taxonomic relatedness to other polyhydroxybutyrate-degrading streptomycetes. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	4
6271	<i>Comamonas fluminis</i> sp. nov., isolated from the Han River, Republic of Korea. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	8
6272	A new microsporidian parasite, <i>Ordospora pajunii</i> sp. nov (Ordosporidae), of <i>Daphnia longispina</i> highlights the value of genomic data for delineating species boundaries. Journal of Eukaryotic Microbiology, 2022, 69, e12902.	0.8	7
6273	<i>Thiosulfatihalobacter marinus</i> gen. nov. sp. nov., a novel member of the family Roseobacteraceae, isolated from the West Pacific Ocean. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	7
6274	<i>Jiella sonneratae</i> sp. nov., a novel endophytic bacterium isolated from bark of <i>Sonneratia apetala</i> . International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	8
6275	Machine Learning and Deep Learning Applications in Metagenomic Taxonomy and Functional Annotation. Frontiers in Microbiology, 2022, 13, 811495.	1.5	8
6276	<i>Alicyclobacillus curvatus</i> sp. nov. and <i>Alicyclobacillus mengziensis</i> sp. nov., two acidophilic bacteria isolated from acid mine drainage. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	9
6278	Functional genome mining and taxonomic genomics reveal ecological physiological traits and species distinctiveness of aromatic-degrading <i>Pseudomonas bharatika</i> sp. nov.. Environmental Microbiology Reports, 2022, .	1.0	6
6279	Genomic insights revealed the environmental adaptability of <i>Planococcus halotolerans</i> Y50 isolated from petroleum-contaminated soil on the Qinghai-Tibet Plateau. Gene, 2022, 823, 146368.	1.0	1
6280	<i>Zooshikella harenae</i> sp. nov., Isolated from Pacific Oyster <i>Crassostrea gigas</i> , and Establishment of <i>Zooshikella ganghwensis</i> subsp. marina subsp. nov. and <i>Zooshikella ganghwensis</i> subsp. ganghwensis subsp. nov.. Diversity, 2021, 13, 641.	0.7	15
6281	<i>Paenibacillus tianjinensis</i> sp. nov., isolated from corridor air. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	10
6282	Genome-based reclassification of <i>Evansella polygoni</i> as a later heterotypic synonym of <i>Evansella clarkii</i> and transfer of <i>Bacillus shivajii</i> and <i>Bacillus tamaricis</i> to the genus <i>Evansella</i> as <i>Evansella shivajii</i> comb. nov. and <i>Evansella tamaricis</i> comb. nov. Archives of Microbiology, 2022, 204, 47.	1.0	21
6283	Species (Prokaryote) ., 2022, , 1-2.		0
6284	Comparative Genomic Study of Vinyl Chloride Cluster and Description of Novel Species, <i>Mycolicibacterium vinylchloridicum</i> sp. nov.. Frontiers in Microbiology, 2021, 12, 767895.	1.5	2
6285	<i>Nocardia acididurans</i> sp. nov., an acid-tolerant actinobacterium isolated from bio-fertilizer of <i>Musa</i> species. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	4
6286	<i>Xenorhabdus lircayensis</i> sp. nov., the symbiotic bacterium associated with the entomopathogenic nematode <i>Steinernema unicornum</i> . International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	14
6287	<i>Allobacillus salarius</i> sp. nov., and <i>Allobacillus saliphilus</i> sp. nov., isolated from shrimp paste (ka-pi) in Thailand. Archives of Microbiology, 2022, 204, 71.	1.0	10

#	ARTICLE	IF	CITATIONS
6288	Propioniciclava soli sp. nov., isolated from forest soil, Yunnan, China, and reclassification of the genus Brevilactibacter into the genus Propioniciclava, and Brevilactibacter sinopodophylli, Brevilactibacter flavus, and Brevilactibacter coleopterorum as Propioniciclava sinopodophylli comb. nov., Propioniciclava flava comb. nov., and Propioniciclava coleopterorum comb. nov., respectively. Archives of Microbiology, 2022, 204, 39.	1.0	18
6289	Polyphasic Analysis of Isolates from Kiwifruit Reveal New Genetic Lineages of Pseudomonas syringae pv. actinidifoliorum Look-Alike. Agronomy, 2021, 11, 2464.	1.3	3
6290	Arthrobacter cheniae and Arthrobacter frigidicola sp. nov., isolated from a glacier. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	14
6291	Azospirillum tabaci sp. nov., a bacterium isolated from rhizosphere soil of Nicotiana tabacum L. Archives of Microbiology, 2022, 204, 80.	1.0	3
6292	Viridibacillus soli sp. nov., isolated from forest soil in Ailaoshan National Nature Reserve. Archives of Microbiology, 2022, 204, 60.	1.0	0
6293	Mongoliitalea daihaiensis sp. nov., isolated from Daihai Lake in Inner Mongolia. Archives of Microbiology, 2022, 204, 92.	1.0	6
6294	Genome-based classification of Streptomyces pinistramenti sp. nov., a novel actinomycete isolated from a pine forest soil in Poland with a focus on its biotechnological and ecological properties. Antonie Van Leeuwenhoek, 2022, 115, 783-800.	0.7	3
6295	Nocardia noduli sp. nov., a novel actinobacterium with biotechnological potential. Archives of Microbiology, 2022, 204, 260.	1.0	2
6296	Nocardia albiluteola sp. nov., a novel lignin-degrading actinobacterium isolated from rhizosphere soil of pumpkin. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	4
6297	Paludibacterium denitrificans sp. nov., a Novel Denitrifying Bacterium Isolated from Activated Sludge. Current Microbiology, 2022, 79, 158.	1.0	0
6298	The Retrospective on Atypical Brucella Species Leads to Novel Definitions. Microorganisms, 2022, 10, 813.	1.6	12
6299	Comparative Genomics Reveals Genetic Diversity and Metabolic Potentials of the Genus <i>Qipengyuania</i> and Suggests Fifteen Novel Species. Microbiology Spectrum, 2022, 10, e0126421.	1.2	55
6358	Neobacillus kokaensis sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	5
6359	Streptomyces sennicomposti sp. nov., an actinomycete isolated from compost of Senna siamea (Lam.). International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	7
6360	Pusillimonas minor sp. nov., a novel member of the genus Pusillimonas isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	6
6361	Pelagibius marinus sp. nov., a novel bacterium isolated from marine sediment, and emended description of the genus Pelagibius. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	5
6363	Phenylobacterium glaciei sp. nov., isolated from Vestrebroggerbreen, a valley glacier in Svalbard, Arctic. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	5
6364	FRAGTE2: An Enhanced Algorithm to Pre-Select Closely Related Genomes for Bacterial Species Demarcation. Frontiers in Microbiology, 2022, 13, .	1.5	0



#	ARTICLE	IF	CITATIONS
6366	Comparative Genomics of Acetic Acid Bacteria within the Genus <i>Bombella</i> in Light of Beehive Habitat Adaptation. <i>Microorganisms</i> , 2022, 10, 1058.	1.6	6
6367	Reclassification of <i>Brevibacterium frigoritolerans</i> as <i>Peribacillus frigoritolerans</i> comb. nov. based on phylogenomics and multiple molecular synapomorphies. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	14
6368	New Insights into the Taxonomy of Bacteria in the Genomic Era and a Case Study with <i>Rhizobia</i> . <i>International Journal of Microbiology</i> , 2022, 2022, 1-19.	0.9	12
6369	Pangenome analyses of <i>Bacillus pumilus</i> , <i>Bacillus safensis</i> , and <i>Priestia megaterium</i> exploring the plant-associated features of bacilli strains isolated from canola. <i>Molecular Genetics and Genomics</i> , 2022, 297, 1063-1079.	1.0	19
6370	Diversity of the culturable lichen-derived actinobacteria and the taxonomy of <i>Streptomyces parmotrematis</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2022, 115, 911-920.	0.7	8
6374	<i>Nocardia rosealba</i> sp. nov., a novel ligninase-producing Actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	5
6375	<i>Mycolicibacter acidiphilus</i> sp. nov., an extremely acid-tolerant member of the genus <i>Mycolicibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	8
6376	<i>Orrella daihaiensis</i> sp. nov., a bacterium isolated from Daihai Lake in Inner Mongolia. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	4
6377	<i>Saccharopolyspora soli</i> sp. nov., isolated from Northern Cyprus soil. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	5
6378	<i>Halomonas jincaotanensis</i> sp. nov., isolated from the Pamir Plateau degrading polycyclic aromatic hydrocarbon. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	4
6379	<i>Nonomuraea aurantiaca</i> sp. nov., a novel cellulase-producing actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	6
6380	<i>Catellatospora tritici</i> sp. nov., a novel cellulase-producing actinobacterium isolated from rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.) and emended description of the genus <i>Catellatospora</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	5
6381	Genomic analysis provides novel insights into diversification and taxonomy of <i>Allorhizobium vitis</i> (i.e. <i>Agrobacterium vitis</i> ). <i>BMC Genomics</i> , 2022, 23, .	1.2	13
6382	<i>Halomonas faecis</i> sp. nov., a halophilic bacterium isolated from human faeces. <i>Extremophiles</i> , 2022, 26, .	0.9	1
6383	Genome-based reclassification of <i>Anoxybacillus karvacharensis</i> Panosyan et al. as a later heterotypic synonym of <i>Anoxybacillus kestanbolensis</i> Dulger et al. 2004; <i>A. flavithermus</i> subsp. <i>yunnanensis</i> CCTCC AB2010187T Dai et al. 2011 as a later heterotypic synonym of <i>A. tengchongensis</i> DSM 23211T Zhang et al. 2011. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	0
6384	<i>Bacillus arachidis</i> sp. nov., Isolated from Peanut Rhizosphere Soil. <i>Current Microbiology</i> , 2022, 79, .	1.0	2
6385	<i>Rhodococcus yananensis</i> sp. nov., a novel denitrification actinobacterium isolated from microbial fermentation bed material from a pig farm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	4
6386	<i>Cellulomonas triticagri</i> sp. nov., isolated from the rhizosphere soil of wheat ( <i>Triticum aestivum</i> L.). <i>Archives of Microbiology</i> , 2022, 204, .	1.0	1

#	ARTICLE	IF	CITATIONS
6387	Xinfangfangia pollutisoli sp. nov., Isolated from Clopyralid-Contaminated Soil. Current Microbiology, 2022, 79, .	1.0	0
6388	Nocardioides nematodiphilus sp. nov., isolated from rhizosphere of Arabidopsis thaliana. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	6
6389	Roseomonas rosulenta sp. nov., isolated from rice paddy soil. Archives of Microbiology, 2022, 204, .	1.0	0
6390	Systematic whole-genome sequencing reveals an unexpected diversity among actinomycetoma pathogens and provides insights into their antibacterial susceptibilities. PLoS Neglected Tropical Diseases, 2022, 16, e0010128.	1.3	4
6391	Development of the SeqCode: A proposed nomenclatural code for uncultivated prokaryotes with DNA sequences as type. Systematic and Applied Microbiology, 2022, 45, 126305.	1.2	30
6392	Description of Abyssalbus ytuae gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from the sediment of the Mariana Trench. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	7
6393	FastANI, Mash and Dashing equally differentiate between <i>Klebsiella</i> species. PeerJ, 0, 10, e13784.	0.9	8
6394	Ruegeria alba sp. nov., Isolated from a Tidal Flat Sediment. Current Microbiology, 2022, 79, .	1.0	5
6395	Characterization of symbiotic and nitrogen fixing bacteria. AMB Express, 2022, 12, .	1.4	9
6396	Phytoplasma Taxonomy: Nomenclature, Classification, and Identification. Biology, 2022, 11, 1119.	1.3	33
6397	Vibrio salinus sp. nov., a marine nitrogen-fixing bacterium isolated from the lagoon sediment of an islet inside an atoll in the western Pacific Ocean. Antonie Van Leeuwenhoek, 2022, 115, 1203-1214.	0.7	1
6399	Isolation of a diazinon-degrading strain Sphingobium sp. DI-6 and its novel biodegradation pathway. Frontiers in Microbiology, 0, 13, .	1.5	0
6400	Comparative Genomics Insights into a Novel Biocontrol Agent Paenibacillus peoriae Strain ZF390 against Bacterial Soft Rot. Biology, 2022, 11, 1172.	1.3	2
6401	Enterobase: hierarchical clustering of 100 000s of bacterial genomes into species/subspecies and populations. Philosophical Transactions of the Royal Society B: Biological Sciences, 2022, 377, .	1.8	16
6402	Leucobacter chinensis sp. nov., with plant growth-promoting potential isolated from field soil after seven-years continuous maize cropping. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	3
6403	Saccharothrix obliqua sp. nov., isolated from soil of Sichang Island, Thailand. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	0
6404	Genome insights from the identification of a novel Pandoraea sputorum isolate and its characteristics. PLoS ONE, 2022, 17, e0272435.	1.1	0
6405	Agromyces cavernae sp. nov., a novel member of the genus Agromyces isolated from a karstic cave in Shaoguan. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	0

#	ARTICLE	IF	CITATIONS
6406	<i>Croceicoccus hydrothermalis</i> sp. nov., isolated from shallow-sea hydrothermal system off Kueishantao Island. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6407	Biodegradation of p-nitrophenol by a member of the genus <i>Brachybacterium</i> , isolated from the river Ganges. <i>3 Biotech</i> , 2022, 12, .	1.1	4
6408	<i>Nucisporomicrobium flavum</i> gen. nov., sp. nov., a new member of the family <i>Micromonosporaceae</i> isolated from saline-alkali soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	9
6409	Genome-based taxonomic classification of the closest-to-Comamonadaceae group supports a new family <i>Sphaerotilaceae</i> fam. nov. and taxonomic revisions. <i>Systematic and Applied Microbiology</i> , 2022, 45, 126352.	1.2	12
6410	Relevance of prokaryotic subspecies in the age of genomics. <i>New Microbes and New Infections</i> , 2022, 48, 101024.	0.8	4
6411	Genome-based analyses reveal heterotypic synonyms of <i>Streptomyces</i> species and associated subspecies. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	1
6412	Genome analysis of a new sulphur disproportionating species <i>Thermosulfurimonas</i> strain F29 and comparative genomics of sulfur-disproportionating bacteria from marine hydrothermal vents. <i>Microbial Genomics</i> , 2022, 8, .	1.0	1
6413	Polyphasic Characterization and Taxonomic Evaluation of a Bloom-Forming Strain Morphologically Resembling <i>Radiocystis fernandoi</i> (Chroococcales, Cyanobacteria) from Lake Erhai, China. <i>Diversity</i> , 2022, 14, 816.	0.7	3
6414	<i>Curtobacterium allii</i> sp. nov., the actinobacterial pathogen causing onion bulb rot. <i>Antonie Van Leeuwenhoek</i> , 2023, 116, 83-96.	0.7	6
6415	Phylogenetic placement of thermophilic ammonium-tolerant bacteria and their distribution in various composts. <i>Animal Bioscience</i> , 0, , .	0.8	0
6416	<i>Dyella sedimenti</i> sp. nov., Isolated from the Sediment of a Winery. <i>Current Microbiology</i> , 2022, 79, .	1.0	0
6417	Genome-based reclassification of <i>Anoxybacillus kamchatkensis</i> Keybrin et al. 2005 as a later heterotypic synonym of <i>Anoxybacillus ayderensis</i> Dulger et al. 2004. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	0
6418	Whole-genome sequence analysis for evaluating the safety and probiotic potential of <i>Lactiplantibacillus pentosus</i> 9D3, a gamma-aminobutyric acid (GABA)-producing strain isolated from Thai pickled weed. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	8
6419	<i>Duganella vulcania</i> sp. nov., <i>Rugamonas fusca</i> sp. nov., <i>Rugamonas brunnea</i> sp. nov. and <i>Rugamonas apoptosis</i> sp. nov., isolated from subtropical streams, and phylogenomic analyses of the genera <i>Janthinobacterium</i> , <i>Duganella</i> , <i>Rugamonas</i> , <i>Pseudoduganella</i> and <i>Massilia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	3
6420	<i>Acrocarpospora catenulata</i> sp. nov., a novel actinobacterium isolated from lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6421	Swarming behavior of a novel strain of <i>Brevibacillus thermoruber</i> . <i>Journal of Basic Microbiology</i> , 0, , .	1.8	0
6422	Complete genome sequencing and in silico genome mining reveal the promising metabolic potential in <i>Streptomyces</i> strain CS-7. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	8
6423	Description and genomic characterization of <i>Jiella flava</i> sp. nov., isolated from <i>Acrostichum aureum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	2

#	ARTICLE	IF	CITATIONS
6424	Characterization of <i>Mycobacterium salfingeri</i> sp. nov.: A novel nontuberculous mycobacteria isolated from a human wound infection. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	1
6425	<i>Saccharothrix luteola</i> sp. nov., a novel cellulose-degrading actinobacterium isolated from soil and emended description of the genus <i>Saccharothrix</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6426	<i>Hephaestia mangrovi</i> sp. nov., a novel endophytic bacterium isolated from <i>Aegiceras corniculatum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6427	<i>Metallosphaera javensis</i> sp. nov., a novel species of thermoacidophilic archaea, isolated from a volcanic area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	3
6428	<i>Gordonia pseudamarae</i> sp. nov., a home for novel actinobacteria isolated from stable foams on activated sludge wastewater treatment plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	3
6429	<i>Zavarzinia marina</i> sp. nov., a novel hydrocarbon-degrading bacterium isolated from deep chlorophyll maximum layer seawater of the West Pacific Ocean and emended description of the genus <i>Zavarzinia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6430	<i>Sphaerisporangium fuscum</i> sp. nov., Isolated from Sediment of Anmucuo Lake in Tibet Autonomous Region of China. <i>Current Microbiology</i> , 2022, 79, .	1.0	0
6431	<i>Luteolibacter marinus</i> sp. nov., a novel bacterium in the family <i>Verrucomicrobiaceae</i> , isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6433	<i>Roseovarius carneus</i> sp. nov., a novel bacterium isolated from a coastal phytoplankton bloom in Xiamen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6434	<i>Psychroflexus curvus</i> sp. nov., <i>Psychroflexus longus</i> sp. nov. and <i>Psychroflexus montanilacus</i> sp. nov., isolated from salt lakes on the Tibetan Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6435	<i>Pseudomonas oryzagri</i> sp. nov., isolated from a rice field soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6436	<i>Ideonella alba</i> sp. nov. and <i>Ideonella aquatica</i> sp. nov. isolated from an aquaculture farm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6437	<i>Paenibacillus sabuli</i> sp. nov., isolated from the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6438	<i>Arcanobacterium buesumense</i> sp. nov., isolated from an anal swab of a male harbour seal ( <i>Phoca</i> ) Tj ETQq1 1 0.784314 rgBT <sub>2</sub> Overlode	0.8	0
6439	Phylogenomic analysis of a metagenome-assembled genome indicates a new taxon of an anoxygenic phototroph bacterium in the family <i>Chromatiaceae</i> and the proposal of <i>Candidatus Thioaporhodococcus</i> gen. nov. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	2
6440	<i>Pseudomonas californiensis</i> sp. nov. and <i>Pseudomonas quasicaspiana</i> sp. nov., isolated from ornamental crops in California. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6441	<i>Neobacillus rhizosphaerae</i> sp. nov., isolated from the rhizosphere, and reclassification of <i>Bacillus dielmonensis</i> as <i>Neobacillus dielmonensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	2
6442	Twenty-five years of Genomes OnLine Database (GOLD): data updates and new features in v.9. <i>Nucleic Acids Research</i> , 2023, 51, D957-D963.	6.5	31

#	ARTICLE	IF	CITATIONS
6443	Novel species of Frankia, <i>Frankia gtarii</i> sp. nov. and <i>Frankia tisai</i> sp. nov., isolated from a root nodule of <i>Alnus glutinosa</i> . <i>Systematic and Applied Microbiology</i> , 2022, , 126377.	1.2	3
6444	Computational Genomic Signatures. <i>Synthesis Lectures on Biomedical Engineering</i> , 2011, , .	0.1	0
6445	Introduction to Veterinary Bacteriology. , 2023, , 87-108.		0
6446	Genotypeâ€“phenotype correlations within the Geodermatophilaceae. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	5
6447	Taxogenomic status of phylogenetically distant Frankia clusters warrants their elevation to the rank of genus: A description of <i>Protofrankia</i> gen. nov., <i>Parafrankia</i> gen. nov., and <i>Pseudofrankia</i> gen. nov. as three novel genera within the family Frankiaceae. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	7
6448	<i>Aestuarius zhoushanense</i> is a later heterotypic synonym of <i>Marivivens donghaensis</i> , and transfer of <i>Paradonghicola geojensis</i> to the genus <i>Marivivens</i> as <i>Marivivens geojensis</i> comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6449	<i>Glycomyces amatae</i> sp. nov., isolated from a yellow-ringed grass moth ( <i>Amata spherbus</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6450	Genomic Analysis of a Novel Heavy Metal Resistant Isolate from a Black Sea Contaminated Sediment with the Potential to Degrade Alkanes: <i>Plantactinospira alkalitolerans</i> sp. nov.. <i>Diversity</i> , 2022, 14, 947.	0.7	2
6451	Undescribed Metabolites from an Actinobacteria <i>Acrocarpospora punica</i> and Their Anti-Inflammatory Activity. <i>Molecules</i> , 2022, 27, 7982.	1.7	2
6452	<i>Frankia colletiae</i> sp. nov., a nitrogen-fixing actinobacterium isolated from <i>Colletia cruciata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	4
6453	Antimony oxidation and whole genome sequencing of <i>Phytobacter</i> sp. X4 isolated from contaminated soil near a flotation site. <i>Journal of Hazardous Materials</i> , 2023, 445, 130462.	6.5	5
6454	Description of a new strain of <i>Streptomonospora nanhaiensis</i> and reclassification of <i>Streptomonospora halotolerans</i> as a later heterotypic synonym of <i>Streptomonospora nanhaiensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6456	<i>Limnobacter parvus</i> sp. nov., a Thiosulfate-Oxidizing Bacterium Isolated from Lake Water. <i>Current Microbiology</i> , 2023, 80, .	1.0	3
6457	Phylogenomic analysis of <i>Citrobacter</i> sp. strain AAK_AS5 and its metabolic capabilities to support nitrogen removal behavior. <i>Journal of Basic Microbiology</i> , 0, , .	1.8	1
6458	Methods of Identifying <i>Gordonia</i> Strains in Clinical Samples. <i>Pathogens</i> , 2022, 11, 1496.	1.2	3
6459	<i>Gordonia tangerina</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	2
6460	Genome-based analyses of the genus <i>Acidovorax</i> : proposal of the two novel genera <i>Paracidovorax</i> gen. nov., <i>Paenacidovorax</i> gen. nov. and the reclassification of <i>Acidovorax antarcticus</i> as <i>Comamonas antarctica</i> comb. nov. and emended description of the genus <i>Acidovorax</i> . <i>Archives of Microbiology</i> , 2023, 205, .	1.0	4
6461	¿To be or not to beâ€“ Integrative taxonomy and species delimitation in the daddy long-legs spiders of the genus <i>Physocyclus</i> (Araneae, Pholcidae) using DNA barcoding and morphology. <i>ZooKeys</i> , 0, 1135, 93-118.	0.5	7

#	ARTICLE	IF	CITATIONS
6462	<i>Streptomyces Spinosirectus</i> sp. nov., Isolated From the Medicinal Plant <i>Xanthium Sibiricum</i> . <i>Current Microbiology</i> , 2023, 80, .	1.0	3
6463	<i>Mucilaginibacter aurantiaciroseus</i> sp. nov. and <i>Mucilaginibacter flavidus</i> sp. nov., isolated from Renlongba glacier on the Tibetan Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6464	<i>Nocardiopsis eucommiae</i> sp. nov., a novel endophytic actinomycete isolated from leaves of <i>Eucommia ulmoides</i> Oliv.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	2
6465	<i>Janthinobacterium kumbetense</i> sp. nov., a violacein producing bacterium isolated from spring water in Turkey, and investigation of antimicrobial activity of violacein. <i>FEMS Microbiology Letters</i> , 0, , .	0.7	1
6466	<i>Streptomyces acidipaludis</i> sp. nov., an actinobacterium isolated from peat swamp forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	0
6467	<i>Azospirillum Endophyticum</i> sp. nov., an Endophyte of <i>Paris Polyphylla</i> Smith var. <i>Yunnanensis</i> . <i>Current Microbiology</i> , 2023, 80, .	1.0	0
6468	<i>Canibacter zhuwentaonis</i> sp. nov. and <i>Canibacter zhoujuaniae</i> sp. nov., isolated from <i>Marmota himalayana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	1
6469	Description of <i>Jidongwangia harbinensis</i> gen. nov. sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	1
6470	<i>Weizmannia acidilactici</i> sp. nov., a lactic acid producing bacterium isolated from soils. <i>Systematic and Applied Microbiology</i> , 2023, 46, 126389.	1.2	3
6471	<i>Paracoccus marinaquae</i> sp. nov., isolated from coastal water of the Yellow Sea. <i>Archives of Microbiology</i> , 2023, 205, .	1.0	2
6472	Phylogenomic analysis of the genus <i>Alcanivorax</i> : proposal for division of this genus into the emended genus <i>Alcanivorax</i> and two novel genera <i>Alloalcanivorax</i> gen. nov. and <i>Isoalcanivorax</i> gen. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6473	Dataset of the complete genome of <i>Streptomyces cavourensis</i> strain 2BA6PGT isolated from sediment from the bottom of the salt lake Verkhnee Beloe (Buryatia, Russia). <i>Data in Brief</i> , 2023, 46, 108877.	0.5	0
6474	Description and genomic characterization of <i>Nocardioides bruguierae</i> sp. nov., isolated from <i>Bruguiera gymnorhiza</i> . <i>Systematic and Applied Microbiology</i> , 2023, 46, 126391.	1.2	1
6475	<i>Lutispora saccharofermentans</i> sp. nov., a mesophilic, non-spore-forming bacterium isolated from a lab-scale methanogenic landfill bioreactor digesting anaerobic sludge, and emendation of the genus <i>Lutispora</i> to include species which are non-spore-forming and mesophilic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	1
6476	<i>Vibrio amylolyticus</i> sp. nov. and <i>Vibrio gelatinilyticus</i> sp. nov., two marine bacteria isolated from surface seawater of Qingdao. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6477	Genomic Diversity among <i>Actinomyces naeslundii</i> Strains and Closely Related Species. <i>Microorganisms</i> , 2023, 11, 254.	1.6	1
6478	Characterization of atypical <i>Mycoplasma anserisalpingitidis</i> strains. <i>Veterinary Microbiology</i> , 2023, 280, 109722.	0.8	0
6480	<i>Sandaracinobacteroides sayramensis</i> sp. nov., a yellow-pigmented bacterium isolated from lake water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0

#	ARTICLE	IF	CITATIONS
6481	Genome-based reclassification of <i>Anoxybacillus salavatliensis</i> Cihan et al. 2011 as a later heterotypic synonym of <i>Anoxybacillus gonensis</i> Belduz et al. 2003. <i>Antonie Van Leeuwenhoek</i> , 2023, 116, 415-423.	0.7	1
6482	<i>Nocardiopsis changdeensis</i> sp. nov., an endophytic actinomycete isolated from the roots of <i>Eucommia ulmoides</i> Oliv. <i>Journal of Antibiotics</i> , 2023, 76, 191-197.	1.0	5
6483	<i>Corynebacterium megadyptis</i> sp. nov. with two subspecies, <i>Corynebacterium megadyptis</i> subsp. <i>megadyptis</i> subsp. nov. and <i>Corynebacterium megadyptis</i> subsp. <i>dunedinense</i> subsp. nov. isolated from yellow-eyed penguins. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	3
6484	Three novel <i>Actinoplanes</i> species isolated by using polyaspartic acid as a water-retaining agent for the enrichment in situ. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	2
6485	<i>Nonomuraea sediminis</i> sp. nov., a novel actinobacterium with antimicrobial activity, isolated from sediment of Dianchi Lake. <i>Archives of Microbiology</i> , 2023, 205, .	1.0	0
6486	Taxonomic Positions and Secondary Metabolite-Biosynthetic Gene Clusters of Akazaoxime- and Levantilide-Producers. <i>Life</i> , 2023, 13, 542.	1.1	1
6487	First insights into the gut microbiome of <i>Diatraea saccharalis</i> : From a sugarcane pest to a reservoir of new bacteria with biotechnological potential. <i>Frontiers in Ecology and Evolution</i> , 0, 11, .	1.1	0
6488	<i>Sneathiella marina</i> sp. nov., isolated from a sea anemone in the Western Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6489	Synergy between Genome Mining, Metabolomics, and Bioinformatics Uncovers Antibacterial Chlorinated Carbazole Alkaloids and Their Biosynthetic Gene Cluster from <i>Streptomyces tubbatahanensis</i> sp. nov., a Novel Actinomycete Isolated from Sulu Sea, Philippines. <i>Microbiology Spectrum</i> , 2023, 11, .	1.2	1
6490	<i>Azospirillum Aestuarii</i> sp. nov., a Novel Nitrogen-Fixing and Aerobic Denitrifying Bacteria Isolated from an Estuary of a Freshwater River. <i>Current Microbiology</i> , 2023, 80, .	1.0	1
6491	Naming new taxa of prokaryotes in the 21st century. <i>Canadian Journal of Microbiology</i> , 2023, 69, 151-157.	0.8	0
6492	<i>Acinetobacter nematophilus</i> sp. nov., <i>Alcaligenes nematophilus</i> sp. nov., <i>Enterobacter nematophilus</i> sp. nov., and <i>Kaistia nematophila</i> sp. nov., Isolated from Soil-Borne Nematodes and Proposal for the Elevation of <i>Alcaligenes faecalis</i> subsp. <i>faecalis</i> , <i>Alcaligenes faecalis</i> subsp. <i>parafaecalis</i> , and <i>Alcaligenes faecalis</i> subsp. <i>phenolicus</i> to the Species Level. <i>Taxonomy</i> , 2023, 3, 148-168.	0.4	5
6493	<i>Scleromatobacter humisilvae</i> gen. nov., sp. nov., a novel bacterium isolated from oak forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6494	<i>Microbacterium tenebrionis</i> sp. nov. and <i>Microbacterium allomyrinae</i> sp. nov., isolated from larvae of <i>Tenebrio molitor</i> L. and <i>Allomyrina dichotoma</i> , respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	3
6495	<i>Paenibacillus mangrovi</i> sp. nov., a novel endophytic bacterium isolated from bark of <i>Kandelia candel</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	1
6496	<i>Bifidobacterium mellis</i> sp. nov., isolated from the honey stomach of the honey bee <i>Apis mellifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6497	<i>Croceibacterium selenioxidans</i> sp. nov., isolated from seleniferous soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6498	Recent Progress of Reclassification of the Genus <i>Streptomyces</i> . <i>Microorganisms</i> , 2023, 11, 831.	1.6	10

#	ARTICLE	IF	CITATIONS
6499	<i>Aequorivita vitellina</i> sp. nov. and <i>Aequorivita xiaoshiensis</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	1
6500	Complete Genome Sequence of <i>Streptomyces</i> sp. HP-A2021, a Promising Bacterium for Natural Product Discovery. <i>Biochemical Genetics</i> , 0, , .	0.8	0
6501	Description of <i>Limnobaculum eriocheiris</i> sp. nov., an intestinal bacterium of <i>Eriocheir sinensis</i> , and reclassification of the genera <i>Jinshanibacter</i> and <i>Insectihabitans</i> as <i>Limnobaculum</i> . <i>Antonie Van Leeuwenhoek</i> , 2023, 116, 487-497.	0.7	2
6502	<i>Flavobacterium frigoritolerans</i> sp. nov. and <i>Flavobacterium shii</i> sp. nov., isolated from glaciers on the Tibetan Plateau. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6503	<i>Membranihabitans maritimus</i> sp. nov., a marine bacterium isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6504	<i>Alcanivorax xiamenensis</i> sp. nov., a novel marine hydrocarbonoclastic bacterium isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6505	<i>Aquitalea palustris</i> sp. nov., isolated from a wild cranberry bog in the Cape Cod National Seashore. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6506	<i>Thermococcus argininiproducens</i> sp. nov., an arginine biosynthesis archaeal species isolated from the Central Indian Ocean ridge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6507	Proposal of <i>Streptomyces sporoverrucosus</i> Gause et al. 1983 as a later heterotypic synonym of <i>Streptomyces goshikiensis</i> Niida et al. 1966 and an emended description of <i>Streptomyces goshikiensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2023, 116, 531-540.	0.7	2
6508	<i>Stenomitos nagquensis</i> sp. nov. (Leptolyngbyaceae, Cyanobacteria) from a Meadow Wetland in the Tibet Plateau: A Novel Species Studied Based on a Polyphasic Approach. <i>Diversity</i> , 2023, 15, 536.	0.7	0
6509	<i>Vibrio paucivorans</i> sp. nov. and <i>Vibrio qingdaonensis</i> sp. nov., two marine bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	1
6510	<i>Sphaerisporangium perillae</i> sp. nov., isolated from the root of <i>Perilla frutescens</i> (Linn.) Britt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6511	<i>Mumia quercus</i> sp. nov., isolated from the root of <i>Quercus variabilis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	0
6512	Genome sequencing and multifaceted taxonomic analysis of novel strains of violacein-producing bacteria and non-violacein-producing close relatives. <i>Microbial Genomics</i> , 2023, 9, .	1.0	0
6513	Development of a New Rapid Identification Method for <i>Bifidobacterium globosum</i> and <i>B. pseudolongum</i> Using Published Genome Data. <i>Japanese Journal of Food Microbiology</i> , 2023, 40, 26-35.	0.3	0
6532	Moving Beyond OTU Methods. , 2023, , 227-288.		0
6535	<i>Chitinolyticbacter albus</i> sp. Nov., A Novel Chitin-Degrading Bacterium Isolated from Ancient Wood Rhizosphere Soil. <i>Current Microbiology</i> , 2023, 80, .	1.0	1
6548	Species (Prokaryote). , 2023, , 2806-2808.		0



#	ARTICLE	IF	CITATIONS
6587	Sequence-Based Classification and Identification. Learning Materials in Biosciences, 2023, , 131-151.	0.2	0
6601	Borrelia burgdorferi and other Borrelia species. , 2024, , 1767-1810.		0