

Universal chemical assay for the detection and determination

Analytical Biochemistry

160, 47-56

DOI: 10.1016/0003-2697(87)90612-9

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 9 | Extracellular iron chelation in <i>Cryptococcus neoformans</i> . <i>Medical Mycology</i> , 1987, 25, 415-418. | 0.7 | 34 |
| 10 | Chromosomal-encoded siderophores are required for mouse virulence of enteropathogenic <i>Yersinia</i> species. <i>FEMS Microbiology Letters</i> , 1987, 48, 229-233. | 1.8 | 127 |
| 11 | INFLUENCE OF IRON LIMITATION AND NITROGEN SOURCE ON GROWTH AND SIDEROPHORE PRODUCTION BY CYANOBACTERIA. <i>Journal of Phycology</i> , 1988, 24, 566-571. | 2.3 | 56 |
| 12 | Isolation and partial characterization of siderophore mutants of <i>Azotobacter vinelandii</i> . <i>Current Microbiology</i> , 1988, 17, 343-346. | 2.2 | 3 |
| 13 | Uptake of iron by <i>Geotrichum candidum</i> , a non-siderophore producer. <i>Biology of Metals</i> , 1988, 1, 99-105. | 1.1 | 9 |
| 14 | Characterization of a pyoverdine-deficient mutant of <i>Pseudomonas fluorescens</i> impaired in the secretion of extracellular lipase. <i>Archives of Microbiology</i> , 1988, 150, 523-528. | 2.2 | 14 |
| 15 | Conventional laboratory agar media provide an iron-limited environment for bacterial growth. <i>FEMS Microbiology Letters</i> , 1988, 50, 35-39. | 1.8 | 23 |
| 16 | Summary of presentations concerning bacterial and fungal activities in relation to iron metabolism and plants. <i>Journal of Plant Nutrition</i> , 1988, 11, 1605-1608. | 1.9 | 0 |
| 17 | NOVEL MODES OF ACTION OF AMINOGLYCOSIDE ANTIBIOTICS AGAINST <i>PSEUDOMONAS AERUGINOSA</i> . <i>Lancet, The</i> , 1988, 331, 1359-1361. | 13.7 | 18 |
| 18 | Recent progress and needed research in plant Fe nutrition. <i>Journal of Plant Nutrition</i> , 1988, 11, 1589-1603. | 1.9 | 20 |
| 19 | Capsular extracellular polysaccharide and hydroxamate formation by iron-deficient <i>azotobacter chroococcum</i> . <i>Journal of Plant Nutrition</i> , 1988, 11, 945-957. | 1.9 | 3 |
| 20 | Comparison of <i>Pasteurella multocida</i> Serotype 3, 4 Isolates from Turkeys with Fowl Cholera. <i>Avian Diseases</i> , 1988, 32, 501. | 1.0 | 29 |
| 21 | Chromosome-mediated iron uptake system in pathogenic strains of <i>Vibrio anguillarum</i> . <i>Journal of Bacteriology</i> , 1988, 170, 1920-1925. | 2.2 | 120 |
| 22 | Genetics and regulation of enterobactin genes in <i>Shigella flexneri</i> . <i>Journal of Bacteriology</i> , 1988, 170, 5579-5587. | 2.2 | 41 |
| 23 | Isolation and characterization of <i>Pseudomonas aeruginosa</i> mutants requiring salicylic acid for pyochelin biosynthesis. <i>Journal of Bacteriology</i> , 1988, 170, 5364-5367. | 2.2 | 70 |
| 24 | Nucleotide sequence and regulation of the <i>Escherichia coli</i> gene for ferrienterobactin transport protein FepB. <i>Journal of Bacteriology</i> , 1989, 171, 5443-5451. | 2.2 | 51 |
| 25 | Mechanistically novel iron(III) transport system in <i>Serratia marcescens</i> . <i>Journal of Bacteriology</i> , 1989, 171, 238-243. | 2.2 | 76 |
| 26 | Analysis of ferrichrome biosynthesis in the phytopathogenic fungus <i>Ustilago maydis</i> : cloning of an ornithine-N5-oxygenase gene. <i>Journal of Bacteriology</i> , 1989, 171, 2811-2818. | 2.2 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 27 | Reductive and Non-reductive Mechanisms of Iron Assimilation by the Yeast <i>Saccharomyces cerevisiae</i> . Microbiology (United Kingdom), 1989, 135, 257-263. | 1.8 | 78 |
| 28 | Novel Aerobactin Receptor in <i>Klebsiella pneumoniae</i> . Microbiology (United Kingdom), 1989, 135, 3173-3181. | 1.8 | 9 |
| 29 | Physiological control of amonabactin biosynthesis in <i>Aeromonas hydrophila</i> . Biology of Metals, 1989, 2, 155-160. | 1.1 | 10 |
| 30 | Extracellular and surface-bound biological activities of <i>Vibrio fluvialis</i> , <i>Vibrio furnissii</i> and related species. Medical Microbiology and Immunology, 1989, 178, 279-87. | 4.8 | 5 |
| 31 | A new growth medium for the study of siderophore-mediated interactions. Biology and Fertility of Soils, 1989, 8, 97. | 4.3 | 53 |
| 32 | Nucleotide sequence of the <i>Escherichia coli</i> entE gene. FEMS Microbiology Letters, 1989, 59, 15-19. | 1.8 | 52 |
| 33 | Siderophore production by environmental strains of <i>Salmonella</i> species. FEMS Microbiology Letters, 1989, 57, 7-12. | 1.8 | 18 |
| 34 | Co-ordinated expression of the components of iron transport (mycobactin, exochelin and envelope) Tj ETQq1 1 0.784314 rgBT /Overl | 1.8 | 15 |
| 35 | Utilization of transferrin-bound iron by <i>Haemophilus</i> species of human and porcine origins. FEMS Microbiology Letters, 1989, 65, 123-127. | 1.8 | 59 |
| 36 | Production of haemolysin, aerobactin and enterobactin by strains of <i>Escherichia coli</i> causing bacteraemia in cancer patients, and their resistance to human serum. Research in Microbiology, 1989, 140, 21-26. | 2.1 | 16 |
| 37 | Effects of iron binding agents on <i>Saccharomyces cerevisiae</i> growth and cytochrome P450 content. Canadian Journal of Microbiology, 1989, 35, 945-950. | 1.7 | 4 |
| 38 | Amonabactin, a novel tryptophan- or phenylalanine-containing phenolate siderophore in <i>Aeromonas hydrophila</i> . Journal of Bacteriology, 1989, 171, 1811-1816. | 2.2 | 89 |
| 39 | Nucleotide sequence of <i>Escherichia coli</i> isochorismate synthetase gene entC and evolutionary relationship of isochorismate synthetase and other chorismate-utilizing enzymes. Journal of Bacteriology, 1989, 171, 775-783. | 2.2 | 126 |
| 40 | Point mutations in a conserved region (TonB box) of <i>Escherichia coli</i> outer membrane protein BtuB affect vitamin B12 transport. Journal of Bacteriology, 1989, 171, 6526-6533. | 2.2 | 117 |
| 41 | Characterization of <i>Pasteurella multocida</i> Mutants of Low Virulence. Avian Diseases, 1990, 34, 958. | 1.0 | 4 |
| 42 | Citrate as a siderophore in <i>Bradyrhizobium japonicum</i> . Journal of Bacteriology, 1990, 172, 3298-3303. | 2.2 | 168 |
| 43 | EntG activity of <i>Escherichia coli</i> enterobactin synthetase. Journal of Bacteriology, 1990, 172, 6403-6410. | 2.2 | 30 |
| 44 | In vivo degradation of secreted fusion proteins by the <i>Escherichia coli</i> outer membrane protease OmpT. Journal of Bacteriology, 1990, 172, 491-494. | 2.2 | 163 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 45 | Growth and siderophore production by <i>Bordetella pertussis</i> under iron-restricted conditions. FEMS Microbiology Letters, 1990, 66, 101-105. | 1.8 | 30 |
| 46 | Isolation and characterization of staphyloferrin A, a compound with siderophore activity from <i>Staphylococcus hyicus</i> DSM 20459. FEMS Microbiology Letters, 1990, 67, 201-206. | 1.8 | 120 |
| 47 | Staphyloferrin A: a structurally new siderophore from staphylococci. FEBS Journal, 1990, 191, 65-74. | 0.2 | 135 |
| 48 | Ferrioxamine transport mutants and the identification of the ferrioxamine receptor protein (FoxA) in <i>Erwinia herbicola</i> (<i>Enterobacter agglomerans</i>). Biology of Metals, 1990, 2, 197-202. | 1.1 | 30 |
| 49 | Rhizosphere interactions and siderophores. Plant and Soil, 1990, 129, 101-107. | 3.7 | 39 |
| 50 | Production of siderophore by <i>Edwardsiella tarda</i> . Fish Pathology, 1990, 25, 237-241. | 0.7 | 20 |
| 51 | Bacteriophage Mu as a genetic tool to study <i>Erwinia amylovora</i> pathogenicity and hypersensitive reaction on tobacco. Journal of Bacteriology, 1990, 172, 932-941. | 2.2 | 35 |
| 52 | Characteristics of <i>Salmonella</i> spp. and <i>Escherichia coli</i> Isolated from Broiler Flocks Classified as "Good" or "Poor" Producers. Avian Diseases, 1990, 34, 855. | 1.0 | 2 |
| 53 | Coordinate regulation of siderophore and diphtheria toxin production by iron in <i>Corynebacterium diphtheriae</i> . Microbial Pathogenesis, 1990, 9, 267-273. | 2.9 | 82 |
| 54 | Response of <i>Haemophilus somnus</i> to iron limitation: expression and identification of a bovine-specific transferrin receptor. Microbial Pathogenesis, 1990, 9, 397-406. | 2.9 | 48 |
| 55 | Purification, characterization, and structure of pseudobactin 589 A, a siderophore from a plant growth promoting <i>Pseudomonas</i> . Biochemistry, 1990, 29, 7348-7356. | 2.5 | 49 |
| 56 | Role of the <i>entC</i> gene in enterobactin and menaquinone biosynthesis in <i>Escherichia coli</i> . Archives of Biochemistry and Biophysics, 1990, 276, 331-335. | 3.0 | 25 |
| 57 | A survey of potential virulence markers from avian strains of <i>Pasteurella multocida</i> . Veterinary Microbiology, 1991, 26, 213-225. | 1.9 | 17 |
| 58 | Biological consequences of plasmid transformation of the plant growth promoting rhizobacterium <i>Pseudomonas putida</i> GR12-2. Canadian Journal of Microbiology, 1991, 37, 796-799. | 1.7 | 27 |
| 59 | Siderophore synthesis by mucoid <i>Pseudomonas aeruginosa</i> strains isolated from cystic fibrosis patients. Canadian Journal of Microbiology, 1991, 37, 654-657. | 1.7 | 21 |
| 60 | Siderophore production by <i>Aeromonas salmonicida</i> . Journal of General Microbiology, 1991, 137, 1185-1192. | 2.3 | 42 |
| 61 | Biodeterioration of cultural property: A bibliography. International Biodeterioration, 1991, 28, 229-340. | 0.2 | 16 |
| 62 | Purification of siderophores from cultures of fluorescent <i>Pseudomonas</i> spp by ion-exchange chromatography. Soil Biology and Biochemistry, 1991, 23, 1111-1113. | 8.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 63 | Evidence for non-siderophore-mediated acquisition of transferrin-bound iron by <i>Pasteurella multocida</i> . <i>Microbial Pathogenesis</i> , 1991, 11, 47-56. | 2.9 | 25 |
| 64 | Surface-disorganized, attenuated mutants of <i>Aeromonas salmonicida</i> as furunculosis live vaccines. <i>Microbial Pathogenesis</i> , 1991, 11, 85-99. | 2.9 | 50 |
| 65 | Genetic analysis of the enterobactin gene cluster in <i>Shigella flexneri</i> . <i>Journal of Bacteriology</i> , 1991, 173, 816-825. | 2.2 | 23 |
| 66 | Roles of porphyrins and host iron transport proteins in regulation of growth of <i>Porphyromonas gingivalis</i> W50. <i>Journal of Bacteriology</i> , 1991, 173, 7330-7339. | 2.2 | 135 |
| 67 | Investigation of the mechanism of iron acquisition by the marine bacterium <i>Alteromonas luteoviolaceus</i> : Characterization of siderophore production. <i>Limnology and Oceanography</i> , 1991, 36, 1783-1792. | 3.1 | 69 |
| 68 | Analysis of ⁵⁵ Fe-labeled hydroxamate siderophores by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1991, 537, 259-267. | 3.7 | 11 |
| 69 | Siderophores and related outer membrane proteins in <i>Vibrio</i> spp. which are potential pathogens of fish and shellfish. <i>Journal of Fish Diseases</i> , 1991, 14, 249-263. | 1.9 | 14 |
| 70 | Biochemical and physiological characteristics and plasmid profiles of <i>Aeromonas hydrophila</i> strains, isolated from freshwater fish and from fresh water. <i>Journal of Fish Diseases</i> , 1991, 14, 313-321. | 1.9 | 6 |
| 71 | Organization of genes encoding membrane proteins of the <i>Escherichia coli</i> ferrienterobactin permease. <i>Molecular Microbiology</i> , 1991, 5, 1405-1413. | 2.5 | 85 |
| 72 | Simultaneous expression of a bacteriophage Mu transposase and repressor: a way of preventing killing due to mini-Mu replication. <i>Molecular Microbiology</i> , 1991, 5, 2011-2019. | 2.5 | 4 |
| 73 | <i>Yersinia ruckeri</i> produces four iron-regulated outer membrane proteins but does not produce detectable siderophores. <i>Journal of Fish Diseases</i> , 1991, 14, 563-570. | 1.9 | 14 |
| 74 | Cloning of a sequence of <i>Aquaspirillum magnetotacticum</i> that complements the <i>aroD</i> gene of <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1991, 5, 2261-2264. | 2.5 | 11 |
| 75 | Acquisition of iron from transferrin by <i>Bordetella pertussis</i> . <i>FEMS Microbiology Letters</i> , 1991, 77, 303-308. | 1.8 | 16 |
| 76 | Siderophore production by <i>Salmonella</i> species isolated from different sources. <i>FEMS Microbiology Letters</i> , 1991, 79, 225-232. | 1.8 | 13 |
| 77 | Effect of iron concentration on siderophore synthesis and pigment production by <i>Candida albicans</i> . <i>FEMS Microbiology Letters</i> , 1991, 80, 87-92. | 1.8 | 22 |
| 78 | Evidence that <i>Yersinia ruckeri</i> possesses a high affinity iron uptake system. <i>FEMS Microbiology Letters</i> , 1991, 80, 121-126. | 1.8 | 29 |
| 79 | RESPONSE OF MARINE SYNECHOCOCCUS (CYANOPHYCEAE) CULTURES TO IRON NUTRITION1. <i>Journal of Phycology</i> , 1991, 27, 173-178. | 2.3 | 27 |
| 80 | Analysis of populations and physiological characterization of microorganisms in rhizospheres of plants with antagonistic properties to phytopathogenic nematodes. <i>Plant and Soil</i> , 1991, 136, 95-102. | 3.7 | 78 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 81 | Identification of enterobactin and linear dihydroxybenzoylserine compounds by HPLC and ion spray mass spectrometry (LC/MS and MS/MS). <i>Biology of Metals</i> , 1991, 4, 113-118. | 1.1 | 36 |
| 82 | Effects of iron(III) analogs on growth and pseudobactin synthesis in a chromium-tolerant <i>Pseudomonas</i> isolate. <i>Biology of Metals</i> , 1991, 4, 211-216. | 1.1 | 16 |
| 83 | Rhizoferrin ? a novel siderophore from the fungus <i>Rhizopus microsporus</i> var. <i>rhizopodiformis</i> . <i>Biology of Metals</i> , 1991, 4, 238-243. | 1.1 | 68 |
| 84 | Aluminium toxicity and binding to <i>Escherichia coli</i> . <i>Archives of Microbiology</i> , 1991, 156, 507-512. | 2.2 | 68 |
| 85 | Iron uptake and metabolism in the rhizobia/legume symbioses. <i>Plant and Soil</i> , 1991, 130, 199-209. | 3.7 | 73 |
| 86 | The requirement of chrysobactin dependent iron transport for virulence incited by <i>Erwinia chrysanthemi</i> on <i>Saintpaulia ionantha</i> . <i>Plant and Soil</i> , 1991, 130, 263-271. | 3.7 | 20 |
| 87 | Interactions between iron nutrition and <i>Verticillium</i> wilt resistance in tomato. <i>Plant and Soil</i> , 1991, 134, 281-286. | 3.7 | 10 |
| 88 | Isolation of bacteria producing siderophores under alkaline conditions. <i>Applied Microbiology and Biotechnology</i> , 1991, 36, 130-135. | 3.6 | 19 |
| 89 | Capacity of siderophore ? producing alkalophilic bacteria to accumulate iron, gallium and aluminum. <i>Applied Microbiology and Biotechnology</i> , 1991, 36, 136-141. | 3.6 | 27 |
| 90 | The isolation and immunolocalization of iron-binding compounds produced by <i>Gloeophyllum trabeum</i> . <i>Applied Microbiology and Biotechnology</i> , 1991, 35, 805. | 3.6 | 59 |
| 91 | Competitiveness of <i>Rhizobium leguminosarum</i> bv. <i>phaseoli</i> strains in relation to environmental stress and plant defense mechanisms. <i>Biology and Fertility of Soils</i> , 1991, 12, 170-176. | 4.3 | 28 |
| 92 | Use of chrome azurol S reagents to evaluate siderophore production by rhizosphere bacteria. <i>Biology and Fertility of Soils</i> , 1991, 12, 39-45. | 4.3 | 731 |
| 93 | Effects of iron depletion and sub-inhibitory concentrations of antibiotics on siderophore production by <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 1991, 28, 663-668. | 3.0 | 25 |
| 94 | Growth of <i>Legionella</i> spp. under conditions of iron restriction. <i>Journal of Medical Microbiology</i> , 1991, 34, 113-118. | 1.8 | 26 |
| 95 | Iron sources for <i>Haemophilus ducreyi</i> . <i>Journal of Medical Microbiology</i> , 1991, 34, 317-322. | 1.8 | 54 |
| 96 | Iron Nutrition and Interactions in Plants. , 1991, , . | | 11 |
| 97 | Siderophore production and nitrogen fixation are mutually exclusive strategies in <i>Anabaena</i> 712. <i>Limnology and Oceanography</i> , 1991, 36, 1-12. | 3.1 | 30 |
| 98 | Correlation between the Ability of <i>Haemophilus paragallinarum</i> to Acquire Ovotransferrin-Bound Iron and the Expression of Ovotransferrin-Specific Receptors. <i>Avian Diseases</i> , 1992, 36, 655. | 1.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 99 | Relationship of Complement Resistance and Selected Virulence Factors in Pathogenic Avian <i>Escherichia coli</i> . <i>Avian Diseases</i> , 1992, 36, 679. | 1.0 | 49 |
| 100 | Characteristics of Conjugative R-Plasmids from Pathogenic Avian <i>Escherichia coli</i> . <i>Avian Diseases</i> , 1992, 36, 348. | 1.0 | 26 |
| 101 | Isolation of a novel siderophore from <i>Pseudomonas cepacia</i> . <i>Journal of Medical Microbiology</i> , 1992, 36, 184-189. | 1.8 | 75 |
| 102 | Regulatory roles of Fnr, Fur, and Arc in expression of manganese-containing superoxide dismutase in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 3217-3221. | 7.1 | 101 |
| 103 | Generation of <i>Azotobacter vinelandii</i> strains defective in siderophore production and characterization of a strain unable to produce known siderophores. <i>Journal of General Microbiology</i> , 1992, 138, 587-596. | 2.3 | 14 |
| 104 | Localization of transposon insertions in pathogenicity mutants of <i>Erwinia amylovora</i> and their biochemical characterization. <i>Journal of General Microbiology</i> , 1992, 138, 931-940. | 2.3 | 111 |
| 105 | <i>Frankia</i> produces a hydroxamate siderophore under iron limitation. <i>Journal of Plant Nutrition</i> , 1992, 15, 2193-2201. | 1.9 | 12 |
| 106 | The availability of iron from various solid-phase iron sources to a siderophore producing <i>Pseudomonas</i> strain. <i>Journal of Plant Nutrition</i> , 1992, 15, 2221-2233. | 1.9 | 4 |
| 107 | Iron Acquisition in <i>Haemophilus influenzae</i> : Receptors for Human Transferrin. <i>Journal of Infectious Diseases</i> , 1992, 165, S103-S104. | 4.0 | 36 |
| 108 | Siderophore production and iron transport in <i>Rhizobium leguminosarum</i> bv. <i>viciae</i> MNF710. <i>Journal of Plant Nutrition</i> , 1992, 15, 2203-2220. | 1.9 | 23 |
| 109 | Iron transport systems of <i>Serratia marcescens</i> . <i>Journal of Bacteriology</i> , 1992, 174, 1378-1387. | 2.2 | 85 |
| 110 | Role of antibiotic production by <i>Erwinia herbicola</i> Eh252 in biological control of <i>Erwinia amylovora</i> . <i>Journal of Bacteriology</i> , 1992, 174, 2785-2796. | 2.2 | 114 |
| 111 | Characterization of a high-affinity iron transport system in <i>Acinetobacter baumannii</i> . <i>Journal of Bacteriology</i> , 1992, 174, 7670-7679. | 2.2 | 48 |
| 112 | Modification of <i>Pseudomonas aeruginosa</i> Virulence Factors by Sub-Inhibitory Concentrations of Antibiotics. <i>Journal of Chemotherapy</i> , 1992, 4, 78-81. | 1.5 | 8 |
| 113 | The Role of Siderophores in the Transport of Radionuclides. <i>Materials Research Society Symposia Proceedings</i> , 1992, 294, 765. | 0.1 | 5 |
| 114 | Siderophore Production of <i>Klebsiella</i> Species Isolated from Different Sources. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1992, 276, 481-486. | 0.5 | 38 |
| 115 | Laboratory investigation of virulence among strains of <i>Yersinia enterocolitica</i> and related species isolated from pigs and pork products. <i>Canadian Journal of Microbiology</i> , 1992, 38, 92-97. | 1.7 | 34 |
| 116 | Characterization of trans-acting regulatory elements affecting the expression of Mn-superoxide dismutase (<i>sodA</i>) in <i>Escherichia coli</i> . <i>Current Microbiology</i> , 1992, 25, 135-141. | 2.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 117 | Transcription analysis and nucleotide sequence of <i>tox</i> promoter/operator mutants of corynebacteriophage $\phi 2$. Microbial Pathogenesis, 1992, 13, 85-92. | 2.9 | 16 |
| 118 | Utilization by tomatoes of iron mediated by a siderophore produced by <i>Rhizopus arrhizus</i> . Journal of Plant Nutrition, 1992, 15, 2173-2182. | 1.9 | 88 |
| 119 | Ferric iron uptake in <i>Erwinia chrysanthemi</i> mediated by chrysobactin and related catechol-type compounds. Journal of Bacteriology, 1992, 174, 4783-4789. | 2.2 | 24 |
| 120 | Isolation and characterization of <i>Pseudomonas aeruginosa</i> mutants blocked in the synthesis of pyoverdinin. Journal of Bacteriology, 1992, 174, 5727-5731. | 2.2 | 43 |
| 121 | Iron uptake and molecular recognition in <i>Pseudomonas putida</i> : receptor mapping with ferrichrome and its biomimetic analogs. Journal of Bacteriology, 1992, 174, 78-83. | 2.2 | 36 |
| 122 | High-affinity iron uptake systems present in <i>Erwinia carotovora</i> subsp. <i>carotovora</i> include the hydroxamate siderophore aerobactin. Journal of Bacteriology, 1992, 174, 2993-3003. | 2.2 | 37 |
| 123 | Siderophore and organic acid production in root nodule bacteria. Archives of Microbiology, 1992, 157, 264-271. | 2.2 | 91 |
| 124 | Nutritional pattern and eco-physiology of <i>Hortaea werneckii</i> , agent of human tinea nigra. Antonie Van Leeuwenhoek, 1992, 62, 321-329. | 1.7 | 51 |
| 125 | Isolation and characterization of fluorescent <i>Pseudomonas</i> associated with the roots of rice and banana grown in Sri Lanka. Plant and Soil, 1992, 145, 51-63. | 3.7 | 50 |
| 126 | Rhizobial siderophore as an iron source for clover. Physiologia Plantarum, 1992, 85, 549-553. | 5.2 | 19 |
| 127 | Oxidation of 2-keto-4-thiomethylbutyric acid (KTBA) by iron-binding compounds produced by the wood-decaying fungus <i>Gloeophyllum trabeum</i> . FEMS Microbiology Letters, 1992, 90, 263-266. | 1.8 | 22 |
| 128 | Rhizoferrin: A complexone type siderophore of the morales and entomophthorales (Zygomycetes). FEMS Microbiology Letters, 1992, 94, 37-41. | 1.8 | 108 |
| 129 | Isolation and partial characterization of a compound with siderophore activity from <i>Vibrio parahaemolyticus</i> . FEMS Microbiology Letters, 1992, 94, 181-186. | 1.8 | 19 |
| 130 | Siderophores and related outer membrane proteins produced by pseudomonads isolated from eels and freshwater. FEMS Microbiology Letters, 1992, 98, 269-275. | 1.8 | 9 |
| 131 | Negative transcriptional control of iron transport in <i>Erwinia chrysanthemi</i> involves an iron-responsive two-factor system. Molecular Microbiology, 1992, 6, 2009-2017. | 2.5 | 18 |
| 132 | Isolation and characterization of conditional adherent and non-type 1 fimbriated <i>Salmonella typhimurium</i> mutants. Molecular Microbiology, 1992, 6, 933-945. | 2.5 | 34 |
| 133 | Physicochemical characterization of the microbial Fe^{2+} chelator proferrerosamine from <i>Pseudomonas roseus fluorescens</i> . Journal of Applied Bacteriology, 1992, 72, 44-50. | 1.1 | 4 |
| 134 | The nutritional selectivity of a siderophore-catabolizing bacterium. BioMetals, 1993, 6, 234-8. | 4.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 135 | Growth promotion of synthetic catecholate derivatives on Gram-negative bacteria. <i>BioMetals</i> , 1993, 6, 155. | 4.1 | 15 |
| 136 | Purification and chemical characterization of staphyloferrin B, a hydrophilic siderophore from staphylococci. <i>BioMetals</i> , 1993, 6, 185-92. | 4.1 | 98 |
| 137 | Zinc affects siderophore-mediated high affinity iron uptake systems in the rhizosphere <i>Pseudomonas aeruginosa</i> 7NSK2. <i>BioMetals</i> , 1993, 6, 85-91. | 4.1 | 102 |
| 138 | Responses by iron-efficient and inefficient oat cultivars to inoculation with siderophore-producing bacteria in a calcareous soil. <i>Biology and Fertility of Soils</i> , 1993, 16, 118-124. | 4.3 | 14 |
| 139 | Cloning and characterization of the <i>Vibrio cholerae</i> genes encoding the utilization of iron from haemin and haemoglobin. <i>Molecular Microbiology</i> , 1993, 7, 461-469. | 2.5 | 117 |
| 140 | Virulence of <i>Yersinia enterocolitica</i> is closely associated with siderophore production, expression of an iron-repressible outer membrane polypeptide of 65 000 Da and pesticin sensitivity. <i>Molecular Microbiology</i> , 1993, 8, 397-408. | 2.5 | 186 |
| 141 | Iron requirement and siderophore production in <i>Bradyrhizobium</i> strains isolated from <i>Acacia mangium</i> . <i>Journal of Applied Bacteriology</i> , 1993, 74, 675-682. | 1.1 | 23 |
| 142 | Detection of siderophores in growing cultures of <i>Pseudomonas</i> spp.. <i>Journal of Industrial Microbiology</i> , 1993, 11, 181-186. | 0.9 | 21 |
| 143 | Siderophore-mediated competition for iron and induced resistance in the suppression of fusarium wilt of carnation by fluorescent <i>Pseudomonas</i> spp. <i>European Journal of Plant Pathology</i> , 1993, 99, 277-289. | 0.5 | 107 |
| 144 | Survey on Newly Characterized Iron Uptake Systems of <i>Yersinia enterocolitica</i> . <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1993, 278, 416-424. | 0.5 | 32 |
| 145 | Forms of Lactoferrin: Their Antibacterial Effect on Enterotoxigenic <i>Escherichia coli</i> . <i>Journal of Dairy Science</i> , 1993, 76, 2597-2606. | 3.4 | 66 |
| 146 | Siderophore production and iron-regulated envelope proteins of <i>Helicobacter pylori</i> . <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1993, 280, 113-119. | 0.5 | 19 |
| 147 | Does siderophore production influence the relative abundance of <i>Rhizobium meliloti</i> in two field populations?. <i>Canadian Journal of Microbiology</i> , 1993, 39, 348-351. | 1.7 | 10 |
| 148 | Membrane Protein Expression by <i>Actinobacillus actinomycetemcomitans</i> in Response to Iron Availability. <i>Journal of Dental Research</i> , 1993, 72, 1366-1373. | 5.2 | 30 |
| 149 | Detection of tetracyclines and efflux pump inhibitors. <i>Antimicrobial Agents and Chemotherapy</i> , 1993, 37, 1624-1629. | 3.2 | 30 |
| 150 | Purification of yersiniabactin: a siderophore and possible virulence factor of <i>Yersinia enterocolitica</i> . <i>Journal of General Microbiology</i> , 1993, 139, 2159-2165. | 2.3 | 112 |
| 151 | Transferrin-binding ability of invasive and commensal isolates of <i>Haemophilus</i> spp.. <i>Journal of Medical Microbiology</i> , 1993, 39, 218-224. | 1.8 | 26 |
| 152 | The expression of potential colonization factors of yeasts isolated from fish during different growth conditions. <i>Canadian Journal of Microbiology</i> , 1993, 39, 1135-1141. | 1.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 153 | Alpha-keto acids are novel siderophores in the genera <i>Proteus</i> , <i>Providencia</i> , and <i>Morganella</i> and are produced by amino acid deaminases. <i>Journal of Bacteriology</i> , 1993, 175, 2727-2733. | 2.2 | 90 |
| 154 | Isolation and characterization of <i>Bacillus subtilis</i> genes involved in siderophore biosynthesis: relationship between <i>B. subtilis</i> <i>sfp</i> and <i>Escherichia coli</i> <i>entD</i> genes. <i>Journal of Bacteriology</i> , 1993, 175, 6203-6211. | 2.2 | 62 |
| 155 | CLASSES OF MICROBIAL SIDEROPHORES. , 1993, , 3-26. | | 50 |
| 156 | Isolation and characterization of <i>Bordetella bronchiseptica</i> mutants deficient in siderophore activity. <i>Journal of Bacteriology</i> , 1993, 175, 1144-1152. | 2.2 | 43 |
| 157 | Structures of Two Polyamine-Containing Catecholate Siderophores from <i>Vibrio fluvialis</i> . <i>Journal of Biochemistry</i> , 1993, 113, 538-544. | 1.7 | 51 |
| 158 | Binding of hemin and Congo red by oral hemolytic spirochetes. <i>Oral Microbiology and Immunology</i> , 1993, 8, 245-250. | 2.8 | 25 |
| 159 | Aerobactin production by a planktonic marine <i>Vibrio</i> sp. <i>Limnology and Oceanography</i> , 1993, 38, 1091-1097. | 3.1 | 111 |
| 160 | Coordinate regulation of siderophore and exotoxin A production: molecular cloning and sequencing of the <i>Pseudomonas aeruginosa</i> <i>fur</i> gene. <i>Journal of Bacteriology</i> , 1993, 175, 2589-2598. | 2.2 | 219 |
| 161 | High-molecular-weight protein 2 of <i>Yersinia enterocolitica</i> is homologous to AngR of <i>Vibrio anguillarum</i> and belongs to a family of proteins involved in nonribosomal peptide synthesis. <i>Journal of Bacteriology</i> , 1993, 175, 5488-5504. | 2.2 | 116 |
| 162 | Siderophore-mediated iron transport correlates with the presence of specific iron-regulated proteins in the outer membrane of <i>Rhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 1993, 175, 94-102. | 2.2 | 29 |
| 163 | BIOCHEMICAL AND GENETIC ANALYSIS OF SIDEROPHORES PRODUCED BY PLANT-ASSOCIATED <i>PSEUDOMONAS</i> AND <i>ERWINIA</i> SPECIES. , 1993, , 27-73. | | 5 |
| 164 | Competition between <i>Vibrio fischeri</i> strains during initiation and maintenance of a light organ symbiosis. <i>Journal of Bacteriology</i> , 1994, 176, 1985-1991. | 2.2 | 78 |
| 165 | Acid-sensitive mutants of <i>Salmonella typhimurium</i> identified through a dinitrophenol lethal screening strategy. <i>Journal of Bacteriology</i> , 1994, 176, 2596-2602. | 2.2 | 39 |
| 166 | Iron chelator, exopolysaccharide and protease production in <i>Staphylococcus epidermidis</i> : a comparative study of the effects of specific growth rate in biofilm and planktonic culture. <i>Microbiology (United Kingdom)</i> , 1994, 140, 153-157. | 1.8 | 86 |
| 167 | Phenotypic comparison between rhizosphere and clinical isolates of <i>Burkholderia cepacia</i> . <i>Microbiology (United Kingdom)</i> , 1994, 140, 1069-1077. | 1.8 | 92 |
| 168 | Production of siderophore by coagulase-negative staphylococci and its relation to virulence. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1994, 13, 1063-1066. | 2.9 | 15 |
| 169 | Antimicrobial and cytotoxic activity produced by an isolate of the thermotolerant cyanobacterium (blue-green alga) <i>Phormidium</i> sp.. <i>Biotechnology Letters</i> , 1994, 8, 351-356. | 0.5 | 1 |
| 170 | Detection and differentiation of microbial siderophores by isoelectric focusing and chrome azurol S overlay. <i>BioMetals</i> , 1994, 7, 287-91. | 4.1 | 69 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 171 | Siderophore production by <i>Bradyrhizobium</i> spp. strains nodulating groundnut. <i>Plant and Soil</i> , 1994, 163, 177-187. | 3.7 | 15 |
| 172 | Extent of high-affinity iron transport systems in field isolates of rhizobia. <i>Plant and Soil</i> , 1994, 164, 177-185. | 3.7 | 12 |
| 173 | Structure of vulnibactin, a new polyamine-containing siderophore from <i>Vibrio vulnificus</i> . <i>BioMetals</i> , 1994, 7, 109-16. | 4.1 | 107 |
| 174 | Structure of acinetoferrin, a new citrate-based dihydroxamate siderophore from <i>Acinetobacter haemolyticus</i> . <i>BioMetals</i> , 1994, 7, 170-6. | 4.1 | 41 |
| 175 | Isolation and biological characterization of staphyloferrin B, a compound with siderophore activity from staphylococci. <i>FEMS Microbiology Letters</i> , 1994, 115, 125-130. | 1.8 | 73 |
| 176 | Role of siderophore in iron uptake in cowpea <i>Rhizobium</i> GN1 (peanut isolate): Possible involvement of iron repressible outer membrane proteins. <i>FEMS Microbiology Letters</i> , 1994, 115, 185-189. | 1.8 | 17 |
| 177 | Role of iron in the pathogenicity of <i>Vibrio damsela</i> for fish and mammals. <i>FEMS Microbiology Letters</i> , 1994, 121, 181-188. | 1.8 | 53 |
| 178 | Identification of genes involved in the sequestration of iron in mycobacteria: the ferric exochelin biosynthetic and uptake pathways. <i>Molecular Microbiology</i> , 1994, 14, 557-569. | 2.5 | 83 |
| 179 | Growth inhibition of the salmon pathogen <i>Vibrio ordalii</i> by a siderophore produced by <i>Vibrio anguillarum</i> strain VL4355. <i>Journal of Fish Diseases</i> , 1994, 17, 311-324. | 1.9 | 36 |
| 180 | The pesticin receptor of <i>Yersinia enterocolitica</i> : a novel virulence factor with dual function. <i>Molecular Microbiology</i> , 1994, 13, 253-263. | 2.5 | 160 |
| 181 | Bacterial Antagonists to <i>Verticillium dahliae</i> Kleb.. <i>Journal of Phytopathology</i> , 1994, 141, 99-110. | 1.0 | 61 |
| 182 | Effect of sub-MIC antibiotics on the cell surface and extracellular virulence determinants of <i>Pseudomonas cepacia</i> . <i>Journal of Applied Bacteriology</i> , 1994, 76, 190-195. | 1.1 | 11 |
| 183 | The FET3 gene of <i>S. cerevisiae</i> encodes a multicopper oxidase required for ferrous iron uptake. <i>Cell</i> , 1994, 76, 403-410. | 28.9 | 654 |
| 184 | Methods for the detection of <i>Pseudomonas</i> siderophores. <i>Journal of Microbiological Methods</i> , 1994, 19, 223-234. | 1.6 | 36 |
| 185 | [25] Detection, isolation, and characterization of siderophores. <i>Methods in Enzymology</i> , 1994, 235, 329-344. | 1.0 | 379 |
| 186 | Microbial Iron Transport. <i>Annual Review of Microbiology</i> , 1994, 48, 743-772. | 7.3 | 592 |
| 187 | Specificity of siderophore-mediated transport of iron in rhizobia. <i>Archives of Microbiology</i> , 1994, 161, 333-339. | 2.2 | 24 |
| 188 | Isolation and structure elucidation of acinetobactin., a novel siderophore from <i>Acinetobacter baumannii</i> . <i>Archives of Microbiology</i> , 1994, 162, 249-254. | 2.2 | 114 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 189 | Iron requirement and search for siderophores in lactic acid bacteria. <i>Applied Microbiology and Biotechnology</i> , 1994, 40, 735-739. | 3.6 | 114 |
| 190 | Ecological importance of motility for the plant growth-promoting rhizopseudomonas strain ANP15. <i>Soil Biology and Biochemistry</i> , 1994, 26, 269-277. | 8.8 | 28 |
| 191 | Growth and siderophore formation in six iron-limited strains of <i>Frankia</i> . <i>Soil Biology and Biochemistry</i> , 1994, 26, 561-567. | 8.8 | 17 |
| 192 | Siderophore production by New Zealand strains of <i>Vibrio anguillarum</i> . <i>New Zealand Journal of Marine and Freshwater Research</i> , 1994, 28, 309-315. | 2.0 | 3 |
| 193 | Siderophore-Mediated Utilization of Iron Bound to Transferrin by <i>Vibrio parahaemolyticus</i> . <i>Microbiology and Immunology</i> , 1994, 38, 687-693. | 1.4 | 24 |
| 194 | [27] Identification and isolation of mutants defective in iron acquisition. <i>Methods in Enzymology</i> , 1994, 235, 352-356. | 1.0 | 15 |
| 195 | [28] Identification of receptor-mediated transferrin-iron uptake mechanism in <i>Neisseria gonorrhoeae</i> . <i>Methods in Enzymology</i> , 1994, 235, 356-363. | 1.0 | 9 |
| 196 | [29] Isolation of genes involved in iron acquisition by cloning and complementation of <i>Escherichia coli</i> mutants. <i>Methods in Enzymology</i> , 1994, 235, 363-372. | 1.0 | 2 |
| 197 | <i>Proteus mirabilis</i> amino acid deaminase: cloning, nucleotide sequence, and characterization of aad. <i>Journal of Bacteriology</i> , 1995, 177, 5878-5883. | 2.2 | 66 |
| 198 | Effects of growth rate and nutrient limitation on virulence factor production in <i>Burkholderia cepacia</i> . <i>Journal of Bacteriology</i> , 1995, 177, 4140-4143. | 2.2 | 17 |
| 199 | Influence of <i>Pseudomonas aeruginosa</i> exoproducts on virulence factor production in <i>Burkholderia cepacia</i> : evidence of interspecies communication. <i>Journal of Bacteriology</i> , 1995, 177, 6989-6992. | 2.2 | 137 |
| 200 | Overcoming the metabolic load associated with the presence of plasmid DNA in the plant growth promoting rhizobacterium <i>Pseudomonas putida</i> GR12-2. <i>Canadian Journal of Microbiology</i> , 1995, 41, 624-628. | 1.7 | 10 |
| 201 | PHYSIOLOGICAL PROFILES OF SYNECHOCOCCUS (CYANOPHYCEAE) IN IRON-LIMITING CONTINUOUS CULTURES1. <i>Journal of Phycology</i> , 1995, 31, 79-85. | 2.3 | 32 |
| 202 | Cell-surface hydrophobicity and lipolysis as essential factors in human tinea nigra. <i>Mycoses</i> , 1995, 38, 489-494. | 4.0 | 48 |
| 203 | Structure elucidation of yersiniabactin, a siderophore from highly virulent <i>Yersinia</i> strains. <i>Liebigs Annalen</i> , 1995, 1995, 1727-1733. | 0.8 | 107 |
| 204 | Microbial production of (+)-trans-isochorismic acid. <i>Biotechnology and Bioengineering</i> , 1995, 45, 285-291. | 3.3 | 21 |
| 205 | Isolation and characterization of a visibly luminous variant of <i>Vibrio fischeri</i> strain ES114 from the sepiolid squid <i>Euprymna scolopes</i> . <i>Archives of Microbiology</i> , 1995, 164, 194-202. | 2.2 | 16 |
| 206 | Effects of iron level on the antagonistic action of siderophores from non-pathogenic <i>Staphylococcus</i> spp. <i>Journal of Industrial Microbiology</i> , 1995, 15, 480-485. | 0.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 207 | Ornibactin production and transport properties in strains of <i>Burkholderia vietnamiensis</i> and <i>Burkholderia cepacia</i> (formerly <i>Pseudomonas cepacia</i>). <i>BioMetals</i> , 1995, 8, 309-317. | 4.1 | 79 |
| 208 | Production of the triacetate siderophore protochelin by <i>Azotobacter vinelandii</i> . <i>BioMetals</i> , 1995, 8, 332. | 4.1 | 54 |
| 209 | Studies on siderophore production and effect of iron deprivation on the outer membrane proteins of <i>Madurella mycetomatis</i> . <i>Current Microbiology</i> , 1995, 31, 220-223. | 2.2 | 10 |
| 210 | Structural genes for salicylate biosynthesis from chorismate in <i>Pseudomonas aeruginosa</i> . <i>Molecular Genetics and Genomics</i> , 1995, 249, 217-228. | 2.4 | 184 |
| 211 | Comparison of the main siderophores produced by some species of <i>Streptomyces</i> . <i>Current Microbiology</i> , 1995, 31, 129-133. | 2.2 | 74 |
| 212 | tRNA genes and pathogenicity islands: influence on virulence and metabolic properties of uropathogenic <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1995, 17, 109-121. | 2.5 | 110 |
| 213 | Differential expression of two siderophore-dependent iron-acquisition pathways in <i>Erwinia chrysanthemi</i> 3937: characterization of a novel ferrisiderophore permease of the ABC transporter family. <i>Molecular Microbiology</i> , 1995, 18, 33-43. | 2.5 | 70 |
| 214 | Iron-responsive gene expression in <i>Pseudomonas fluorescens</i> M114; cloning and characterization of a transcription-activating factor, PbrA. <i>Molecular Microbiology</i> , 1995, 15, 297-306. | 2.5 | 43 |
| 215 | Virulence-associated <i>fyuA/irp2</i> gene cluster of <i>Yersinia enterocolitica</i> biotype 1B carries a novel insertion sequence IS1328. <i>FEMS Microbiology Letters</i> , 1995, 129, 287-292. | 1.8 | 38 |
| 216 | Influence of iron depletion on growth kinetics, siderophore production, and protein expression of <i>Staphylococcus aureus</i> . <i>FEMS Microbiology Letters</i> , 1995, 127, 195-200. | 1.8 | 20 |
| 217 | Growth and 2-methylisoborneol production by the cyanobacterium <i>Phormidium</i> LM689. <i>Water Science and Technology</i> , 1995, 31, 181. | 2.5 | 8 |
| 218 | Identification of <i>Pseudomonas fluorescens</i> Strains Isolated from Raw Pork and Chicken That Produce Siderophores Antagonistic towards Foodborne Pathogens. <i>Journal of Food Protection</i> , 1995, 58, 1340-1344. | 1.7 | 40 |
| 219 | <i>Bordetella pertussis</i> <i>fur</i> gene restores iron repressibility of siderophore and protein expression to deregulated <i>Bordetella bronchiseptica</i> mutants. <i>Journal of Bacteriology</i> , 1995, 177, 268-270. | 2.2 | 58 |
| 220 | <i>bvg</i> Repression of alcaligin synthesis in <i>Bordetella bronchiseptica</i> is associated with phylogenetic lineage. <i>Journal of Bacteriology</i> , 1995, 177, 6058-6063. | 2.2 | 50 |
| 221 | Analysis of the pesticin receptor from <i>Yersinia pestis</i> : role in iron-deficient growth and possible regulation by its siderophore. <i>Journal of Bacteriology</i> , 1995, 177, 1824-1833. | 2.2 | 120 |
| 222 | Cooling Raw Milk: Change in the Spoilage Potential of Contaminating <i>Pseudomonas</i> . <i>Journal of Food Protection</i> , 1995, 58, 915-921. | 1.7 | 20 |
| 223 | <i>Fur</i> regulon of <i>Salmonella typhimurium</i> : identification of new iron-regulated genes. <i>Journal of Bacteriology</i> , 1995, 177, 4628-4637. | 2.2 | 135 |
| 224 | <i>Staphylococcus aureus</i> but not <i>Staphylococcus epidermidis</i> can acquire iron from transferrin. <i>Microbiology (United Kingdom)</i> , 1995, 141, 197-203. | 1.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 225 | Effect of Iron Depletion on Protein Profiles of <i>Bilophila wadsworthia</i> . <i>Clinical Infectious Diseases</i> , 1995, 20, S158-S159. | 5.8 | 3 |
| 226 | Potential applications of molecular biology to the study of fish mycobacteriosis. <i>Annual Review of Fish Diseases</i> , 1995, 5, 133-173. | 1.0 | 34 |
| 227 | <i>Lumbricus terrestris</i> in a soil core experiment: Nutrient-enrichment processes (NEP) and gut-associated processes (GAP) and their effect on microbial biomass and microbial activity. <i>Soil Biology and Biochemistry</i> , 1995, 27, 1573-1580. | 8.8 | 82 |
| 228 | Development of a spectrophotometric determination of siderophores using flow-injection analysis. <i>Talanta</i> , 1995, 42, 837-843. | 5.5 | 1 |
| 229 | Uptake of iron by symbiosomes and bacteroids from soybean nodules. <i>FEBS Letters</i> , 1995, 361, 225-228. | 2.8 | 65 |
| 230 | Siderophore-promoted dissolution of hematite. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 3327-3330. | 3.9 | 166 |
| 231 | Utilization of heterologous siderophores and rhizosphere competence of fluorescent <i>Pseudomonas</i> spp.. <i>Canadian Journal of Microbiology</i> , 1995, 41, 126-135. | 1.7 | 179 |
| 232 | Siderophores: Structure and Function of Microbial Iron Transport Compounds. <i>Journal of Biological Chemistry</i> , 1995, 270, 26723-26726. | 3.4 | 1,388 |
| 234 | The repB gene required for production of extracellular enzymes and fluorescent siderophores in <i>Pseudomonas viridiflava</i> is an analog of the gacA gene of <i>Pseudomonas syringae</i> . <i>Canadian Journal of Microbiology</i> , 1996, 42, 177-182. | 1.7 | 33 |
| 235 | Iron-limited growth and kinetics of iron uptake in <i>Magnetospirillum gryphiswaldense</i> . <i>Archives of Microbiology</i> , 1996, 166, 301-307. | 2.2 | 141 |
| 236 | The influence of substrate on siderophore production by fish spoilage bacteria. <i>Journal of Microbiological Methods</i> , 1996, 25, 199-205. | 1.6 | 18 |
| 237 | An isochorismate hydroxymutase isogene in <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1996, 378, 131-134. | 2.8 | 24 |
| 238 | Iron acquisition from hydrous Fe(III)-oxides by an aerobic <i>Pseudomonas</i> sp.. <i>Chemical Geology</i> , 1996, 132, 25-31. | 3.3 | 59 |
| 239 | Iron repressible outer membrane proteins of <i>Moraxella bovis</i> and demonstration of siderophore-like activity. <i>Veterinary Microbiology</i> , 1996, 48, 315-324. | 1.9 | 17 |
| 240 | Metal-Microbe Interactions: Contemporary Approaches. <i>Advances in Microbial Physiology</i> , 1996, 38, 177-243. | 2.4 | 154 |
| 241 | Production of rhizoferrin and new analogues obtained by directed fermentation. <i>Applied Microbiology and Biotechnology</i> , 1996, 45, 664-670. | 3.6 | 12 |
| 242 | Cloning, nucleotide sequencing, and expression of the <i>Azospirillum brasilense</i> lon gene: involvement in iron uptake. <i>Journal of Bacteriology</i> , 1996, 178, 3440-3446. | 2.2 | 20 |
| 243 | Identification and characterization of iron-regulated <i>Bordetella pertussis</i> alcaligin siderophore biosynthesis genes. <i>Journal of Bacteriology</i> , 1996, 178, 4877-4884. | 2.2 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 244 | Energy-coupled transport across the outer membrane of <i>Escherichia coli</i> : ExbB binds ExbD and TonB in vitro, and leucine 132 in the periplasmic region and aspartate 25 in the transmembrane region are important for ExbD activity. <i>Journal of Bacteriology</i> , 1996, 178, 2836-2845. | 2.2 | 102 |
| 245 | Growth, iron requirements, and siderophore production in iron-limited <i>Synechococcus</i> PCC 72. <i>Limnology and Oceanography</i> , 1996, 41, 89-97. | 3.1 | 84 |
| 246 | Siderophore-mediated iron uptake in <i>Alcaligenes eutrophus</i> CH34 and identification of aleB encoding the ferric iron-alcaligin E receptor. <i>Journal of Bacteriology</i> , 1996, 178, 5499-5507. | 2.2 | 39 |
| 247 | The role of fur in the acid tolerance response of <i>Salmonella typhimurium</i> is physiologically and genetically separable from its role in iron acquisition. <i>Journal of Bacteriology</i> , 1996, 178, 5683-5691. | 2.2 | 203 |
| 248 | The ornithine decarboxylase gene <i>odc</i> is required for alcaligin siderophore biosynthesis in <i>Bordetella</i> spp.: putrescine is a precursor of alcaligin. <i>Journal of Bacteriology</i> , 1996, 178, 54-60. | 2.2 | 85 |
| 249 | Ferric uptake regulator (Fur) mutants of <i>Pseudomonas aeruginosa</i> demonstrate defective siderophore-mediated iron uptake, altered aerobic growth, and decreased superoxide dismutase and catalase activities. <i>Journal of Bacteriology</i> , 1996, 178, 3996-4003. | 2.2 | 153 |
| 250 | Utilization of Iron Sources and Its Possible Roles in the Pathogenesis of <i>Vibrio parahaemolyticus</i> . <i>Microbiology and Immunology</i> , 1996, 40, 791-798. | 1.4 | 24 |
| 251 | Effect of Metal Ions on the Quantitative Determination of Hydroxamic Acids. <i>Analytical Chemistry</i> , 1996, 68, 1812-1815. | 6.5 | 10 |
| 252 | Isolation and Characterization of Mutants of the Plant Growth-Promoting Rhizobacterium <i>Pseudomonas putida</i> GR12-2 That Overproduce Indoleacetic Acid. <i>Current Microbiology</i> , 1996, 32, 67-71. | 2.2 | 306 |
| 253 | Strains of the genus <i>Serratia</i> as beneficial rhizobacteria of oilseed rape with antifungal properties. <i>Microbiological Research</i> , 1996, 151, 433-439. | 5.3 | 142 |
| 254 | <i>Stenotrophomonas maltophilia</i> in the rhizosphere of oilseed rape – occurrence, characterization and interaction with phytopathogenic fungi. <i>Microbiological Research</i> , 1996, 151, 19-27. | 5.3 | 113 |
| 255 | Iron withholding by plant polyphenols and resistance to pathogens and rots. <i>Phytochemistry</i> , 1996, 42, 1551-1555. | 2.9 | 89 |
| 256 | Detection and identification of ferricrocin produced by ectendomycorrhizal fungi in the genus <i>Wilcoxina</i> . <i>BioMetals</i> , 1996, 9, 229-234. | 4.1 | 49 |
| 257 | An <i>ideR</i> mutant of <i>Mycobacterium smegmatis</i> has derepressed siderophore production and an altered oxidative-stress response. <i>Molecular Microbiology</i> , 1996, 22, 535-544. | 2.5 | 110 |
| 258 | Ferric uptake regulator mutants of <i>Pseudomonas aeruginosa</i> with distinct alterations in the iron-dependent repression of exotoxin A and siderophores in aerobic and microaerobic environments. <i>Molecular Microbiology</i> , 1996, 21, 1001-1017. | 2.5 | 111 |
| 259 | Exotoxin A production in <i>Pseudomonas aeruginosa</i> requires the iron-regulated <i>pvdS</i> gene encoding an alternative sigma factor. <i>Molecular Microbiology</i> , 1996, 21, 1019-1028. | 2.5 | 141 |
| 260 | Isolation and characterization of a <i>Pseudomonas aeruginosa</i> gene, <i>ptxR</i> , which positively regulates exotoxin A production. <i>Molecular Microbiology</i> , 1996, 21, 97-110. | 2.5 | 74 |
| 261 | Tn5 insertion mutants of <i>Pseudomonas</i> sp. 267 defective in siderophore production and their effect on clover (<i>Trifolium pratense</i>) nodulated with <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> . <i>Plant and Soil</i> , 1996, 179, 269-274. | 3.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 262 | Cryptoendolithic microorganisms from Antarctic sandstone of Linnaeus Terrace (Asgard Range): diversity, properties and interactions. <i>Biodiversity and Conservation</i> , 1996, 5, 1337-1363. | 2.6 | 61 |
| 263 | Production of superoxide dismutases from <i>Proteus mirabilis</i> and <i>Proteus vulgaris</i> . <i>BioMetals</i> , 1996, 9, 131-7. | 4.1 | 5 |
| 264 | Desferrioxamine-dependent iron transport in <i>Erwinia amylovora</i> CFBP1430: cloning of the gene encoding the ferrioxamine receptor FoxR. <i>BioMetals</i> , 1996, 9, 143-50. | 4.1 | 31 |
| 265 | Physical and structural characterization of yersiniophore, a siderophore produced by clinical isolates of <i>Yersinia enterocolitica</i> . <i>BioMetals</i> , 1996, 9, 157-67. | 4.1 | 61 |
| 266 | Purification, spectroscopic analysis and biological activity of the macrocyclic dihydroxamate siderophore alcaligin produced by <i>Bordetella pertussis</i> and <i>Bordetella bronchiseptica</i> . <i>BioMetals</i> , 1996, 9, 191-203. | 4.1 | 53 |
| 267 | Antimicrobial activity of <i>Pseudomonas</i> spp. against food poisoning bacteria and moulds. <i>Letters in Applied Microbiology</i> , 1996, 22, 214-218. | 2.2 | 31 |
| 268 | Iron utilization studies in <i>Citrobacter</i> species. <i>FEMS Microbiology Letters</i> , 1996, 137, 141-146. | 1.8 | 4 |
| 269 | Iron depletion and virulence in <i>Staphylococcus aureus</i> . <i>FEMS Microbiology Letters</i> , 1996, 141, 117-127. | 1.8 | 42 |
| 270 | Interaction between fish spoilage bacteria <i>Pseudomonas</i> sp. and <i>Shewanella putrefaciens</i> in fish extracts and on fish tissue. <i>Journal of Applied Bacteriology</i> , 1996, 80, 589-595. | 1.1 | 127 |
| 271 | Acquisition of iron by the non-siderophore-producing <i>Pseudomonas fragi</i> . <i>Microbiology (United Kingdom)</i> , 1997, 143, 3921-3931. | 1.8 | 50 |
| 272 | Trace Metal Uptake By <i>Pichia</i> <i>Spartinae</i> , an Endosymbiotic Yeast in the Salt Marsh Cord Grass <i>Spartina Alterniflora</i> . <i>Chemistry and Ecology</i> , 1996, 13, 113-131. | 1.6 | 1 |
| 273 | Biological control of <i>Pythium ultimum</i> by <i>Stenotrophomonas maltophilia</i> W81 is mediated by an extracellular proteolytic activity. <i>Microbiology (United Kingdom)</i> , 1997, 143, 3921-3931. | 1.8 | 223 |
| 274 | Influence of iron, growth temperature and plasmids on siderophore production in <i>Aeromonas hydrophila</i> . <i>Journal of Medical Microbiology</i> , 1997, 46, 833-838. | 1.8 | 10 |
| 275 | Hyphal Sheath and Iron-Binding Compound Formation in Liquid Cultures of Wood Decay Fungi <i>Gloeophyllum trabeum</i> and <i>Postia placenta</i> . <i>Holzforschung</i> , 1997, 51, 503-510. | 1.9 | 13 |
| 276 | Cell Envelope Signaling in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 28391-28397. | 3.4 | 91 |
| 277 | Identification of gene loci controlling pectate lyase production and soft-rot pathogenicity in <i>Pseudomonas marginalis</i> . <i>Canadian Journal of Microbiology</i> , 1997, 43, 425-431. | 1.7 | 30 |
| 278 | High Affinity Iron Acquisition in <i>Rhizobium Leguminosarum</i> Requires the cychJKL Operon and the feuPQ Gene Products, which belong to the Family of Two-Component Transcriptional Regulators. <i>Microbiology (United Kingdom)</i> , 1997, 143, 127-134. | 1.8 | 45 |
| 279 | Characterization of <i>Burkholderia pseudomallei</i> and <i>Burkholderia pseudomallei</i> -like strains. <i>Epidemiology and Infection</i> , 1997, 118, 137-148. | 2.1 | 144 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 280 | Salicylic Acid Produced by <i>Serratia marcescens</i> 90-166 Is Not the Primary Determinant of Induced Systemic Resistance in Cucumber or Tobacco. <i>Molecular Plant-Microbe Interactions</i> , 1997, 10, 761-768. | 2.6 | 144 |
| 281 | Cloning of a <i>Vibrio cholerae</i> vibriobactin gene cluster: identification of genes required for early steps in siderophore biosynthesis. <i>Journal of Bacteriology</i> , 1997, 179, 7055-7062. | 2.2 | 82 |
| 282 | An operon containing <i>fumC</i> and <i>sodA</i> encoding fumarase C and manganese superoxide dismutase is controlled by the ferric uptake regulator in <i>Pseudomonas aeruginosa</i> : <i>fur</i> mutants produce elevated alginate levels. <i>Journal of Bacteriology</i> , 1997, 179, 1452-1459. | 2.2 | 96 |
| 283 | Unusual structure of the <i>tonB</i> - <i>exb</i> DNA region of <i>Xanthomonas campestris</i> pv. <i>campestris</i> : <i>tonB</i> , <i>exbB</i> , and <i>exbD1</i> are essential for ferric iron uptake, but <i>exbD2</i> is not. <i>Journal of Bacteriology</i> , 1997, 179, 7103-7110. | 2.2 | 44 |
| 284 | Biosynthesis of pyochelin and dihydroaeruginosic acid requires the iron-regulated <i>pchDCBA</i> operon in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 1997, 179, 248-257. | 2.2 | 155 |
| 285 | Low molecular weight chelators and phenolic compounds isolated from wood decay fungi and their role in the fungal biodegradation of wood1This is paper 2084 of the Maine Agricultural and Forest Experiment Station.1. <i>Journal of Biotechnology</i> , 1997, 53, 133-162. | 3.8 | 380 |
| 286 | Salicylic Acid Produced by the Rhizobacterium <i>Pseudomonas aeruginosa</i> 7NSK2 Induces Resistance to Leaf Infection by <i>Botrytis cinerea</i> on Bean. <i>Phytopathology</i> , 1997, 87, 588-593. | 2.2 | 304 |
| 287 | Microorganisms and soil physico-chemical conditions in the drilosphere of <i>Lumbricus terrestris</i> . <i>Soil Biology and Biochemistry</i> , 1997, 29, 1721-1729. | 8.8 | 75 |
| 288 | Early weaning of seabass larvae, <i>Dicentrarchus labrax</i> : the effect on microbiota, with particular attention to iron supply and exoenzymes. <i>Aquaculture</i> , 1997, 158, 117-127. | 3.5 | 50 |
| 289 | Analysis of epidemic <i>Pseudomonas aeruginosa</i> isolated by isoelectric focusing of pyoverdine and RAPD-PCR: modern tools for an integrated anti-nosocomial infection strategy in burn wound centres. <i>Burns</i> , 1997, 23, 379-386. | 1.9 | 34 |
| 290 | Regions of <i>Escherichia coli</i> TonB and FepA proteins essential for in vivo physical interactions. <i>Journal of Bacteriology</i> , 1997, 179, 3213-3221. | 2.2 | 101 |
| 291 | Corynebactin, a Cyclic Catecholate Siderophore from. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1997, 52, 551-554. | 1.4 | 39 |
| 292 | High affinity iron-uptake systems in <i>Vibrio damsela</i> : role in the acquisition of iron from transferrin. <i>Journal of Applied Microbiology</i> , 1997, 82, 157-167. | 3.1 | 21 |
| 293 | Title is missing!. <i>European Journal of Plant Pathology</i> , 1997, 103, 433-440. | 1.7 | 53 |
| 294 | Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 1997, 14, 31-36. | 3.6 | 17 |
| 295 | Iron uptake and intracellular metal transfer in mycobacteria mediated by xenosiderophores. <i>BioMetals</i> , 1997, 10, 193-203. | 4.1 | 30 |
| 296 | Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 1997, 13, 501-510. | 3.6 | 46 |
| 297 | Structure of putrebactin, a new dihydroxamate siderophore produced by <i>Shewanella putrefaciens</i> . <i>Journal of Biological Inorganic Chemistry</i> , 1997, 2, 93-97. | 2.6 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 298 | A Study of Iron Acquisition Mechanisms of <i>Legionella pneumophila</i> Grown in Chemostat Culture. <i>Current Microbiology</i> , 1997, 34, 238-243. | 2.2 | 35 |
| 299 | Pathogenicity of <i>Vibrio anguillarum</i> serogroup O1 strains compared to plasmids, outer membrane protein profiles and siderophore production. <i>Journal of Applied Microbiology</i> , 1997, 82, 365-371. | 3.1 | 36 |
| 300 | Novel catecholate-type siderophore analogs based on a myo-inositol scaffold. <i>BioMetals</i> , 1998, 11, 243-251. | 4.1 | 5 |
| 301 | Title is missing!. <i>European Journal of Plant Pathology</i> , 1998, 104, 631-643. | 1.7 | 122 |
| 302 | Fe chelates from compost microorganisms improve Fe nutrition of soybean and oat. <i>Plant and Soil</i> , 1998, 200, 139-147. | 3.7 | 46 |
| 303 | Effect of the siderophore alcaligin E on the bioavailability of Cd to <i>Alcaligenes eutrophus</i> CH34. <i>Journal of Industrial Microbiology and Biotechnology</i> , 1998, 20, 61-68. | 3.0 | 37 |
| 304 | Characterization of a free-living maize-rhizosphere population of <i>Burkholderia cepacia</i> : effect of seed treatment on disease suppression and growth promotion of maize. <i>FEMS Microbiology Ecology</i> , 1998, 27, 225-237. | 2.7 | 117 |
| 305 | TheleuX-encoded tRNA ^{Leu} but not the pathogenicity islands I and II influence the survival of the uropathogenic <i>Escherichia coli</i> strain 536 in CD-1 mouse bladder mucus in the stationary phase. <i>FEMS Microbiology Letters</i> , 1998, 162, 135-141. | 1.8 | 13 |
| 306 | Characterization of the catecholate indicator strains <i>S. typhimurium</i> TA2700 as anent <i>fhuC</i> double mutant. <i>FEMS Microbiology Letters</i> , 1998, 163, 79-84. | 1.8 | 10 |
| 307 | Human transferrin as a source of iron for <i>Streptococcus intermedius</i> . <i>FEMS Microbiology Letters</i> , 1998, 166, 127-133. | 1.8 | 6 |
| 308 | Is the <i>fur</i> gene of <i>Rhizobium leguminosarum</i> essential?. <i>FEMS Microbiology Letters</i> , 1998, 168, 289-295. | 1.8 | 17 |
| 309 | Identification of iron-regulated outer membrane proteins in uropathogenic <i>Proteus mirabilis</i> and its relationship with heme uptake. <i>FEMS Microbiology Letters</i> , 1998, 166, 243-248. | 1.8 | 18 |
| 310 | The ability to bind albumin is correlated with nitric oxide sensitivity in <i>Moraxella catarrhalis</i> . <i>FEMS Microbiology Letters</i> , 1998, 166, 249-255. | 1.8 | 6 |
| 311 | Role of siderophores in chickpea (<i>Cicer arietinum</i> L.) α Rhizobium symbiosis. <i>Microbiological Research</i> , 1998, 153, 47-53. | 5.3 | 3 |
| 312 | Combining proteolytic and phloroglucinol-producing bacteria for improved biocontrol of <i>Pythium</i> -mediated damping-off of sugar beet. <i>Plant Pathology</i> , 1998, 47, 299-307. | 2.4 | 120 |
| 313 | The <i>rpfA</i> gene of <i>Xanthomonas campestris</i> pathovar <i>campestris</i> , which is involved in the regulation of pathogenicity factor production, encodes an aconitase. <i>Molecular Microbiology</i> , 1998, 28, 961-970. | 2.5 | 94 |
| 314 | Exochelin genes in <i>Mycobacterium smegmatis</i> : identification of an ABC transporter and two non-ribosomal peptide synthetase genes. <i>Molecular Microbiology</i> , 1998, 29, 629-639. | 2.5 | 69 |
| 315 | Is the <i>fur</i> gene of <i>Rhizobium leguminosarum</i> essential?. <i>FEMS Microbiology Letters</i> , 1998, 168, 289-295. | 1.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 316 | Mechanism of inhibition of tannic acid and related compounds on the growth of intestinal bacteria. Food and Chemical Toxicology, 1998, 36, 1053-1060. | 3.6 | 253 |
| 317 | The role of isochorismate hydroxymutase genes entC and menF in enterobactin and menaquinone biosynthesis in Escherichia coli. Biochimica Et Biophysica Acta - General Subjects, 1998, 1425, 377-386. | 2.4 | 29 |
| 318 | Use of strains of Bacillus isolated in China to suppress take-all and rhizoctonia root rot, and promote seedling growth of glasshouse-grown wheat in Australian soils. Soil Biology and Biochemistry, 1998, 31, 19-29. | 8.8 | 74 |
| 319 | Production of the antibacterial substance by Bacillus sp. strain NM 12, an intestinal bacterium of Japanese coastal fish. Aquaculture, 1998, 165, 269-280. | 3.5 | 159 |
| 320 | Inhibition of In Vitro Growth of Coliform Bacteria by a Monoclonal Antibody Directed Against Ferric Enterobactin Receptor FepA. Journal of Dairy Science, 1998, 81, 1267-1274. | 3.4 | 23 |
| 321 | 6.13 Iron Starvation and Siderophore-Mediated iron Transport. Methods in Microbiology, 1998, , 331-342. | 0.8 | 6 |
| 324 | Pseudomonas. , 1998, , . | | 6 |
| 325 | Antibiotic Resistance and Putative Virulence Factors of Serratia Marcescens with Respect to O and K Serotypes. Journal of Medical Microbiology, 1998, 47, 1105-1113. | 1.8 | 60 |
| 326 | Rhizobium leguminosarum bv. viciae produces a novel cyclic trihydroxamate siderophore, vicibactin. Microbiology (United Kingdom), 1998, 144, 781-791. | 1.8 | 53 |
| 327 | Identification and Characterization of Siderophores of Mycorrhizal Fungi. , 1998, , 243-254. | | 12 |
| 328 | Identification of the contiguous Paracoccus denitrificans ccmF and ccmH genes: disruption of ccmF, encoding a putative transporter, results in formation of an unstable apocytochrome c and deficiency in siderophore production. Microbiology (United Kingdom), 1998, 144, 467-477. | 1.8 | 29 |
| 329 | Population dynamics of bacteria including antifungal species in the rhizosphere of oilseed rape during its life cycle. Archives of Phytopathology and Plant Protection, 1998, 31, 215-224. | 1.3 | 6 |
| 330 | Invasion of Caco-2 Cells and Iron-acquiring Mechanisms by Enterovirulent Escherichia coli isolates. Microbial Ecology in Health and Disease, 1998, 10, 25-32. | 3.5 | 1 |
| 331 | Regulation of the Salmonella typhimurium Flavohemoglobin Gene. Journal of Biological Chemistry, 1998, 273, 34028-34032. | 3.4 | 99 |
| 332 | The Pasteurella haemolytica 35 kDa iron-regulated protein is an FbpA homologue. Microbiology (United Kingdom), 1998, 144, 3425-3436. | 1.8 | 29 |
| 333 | Iron Metabolism and Siderophores in Pseudomonas and Related Species. , 1998, , 201-243. | | 18 |
| 334 | Influence of Iron Depletion on Interactions between Peach Bark Fungi in Vitro. Mycologia, 1998, 90, 947. | 1.9 | 1 |
| 335 | <title>Fluorescence-lifetime technologies for high-throughput screening</title>. , 1998, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 336 | Evidence for the importance of catechol-type siderophores in the iron-limited growth of a cyanobacterium. <i>Limnology and Oceanography</i> , 1998, 43, 992-997. | 3.1 | 28 |
| 337 | Influence of iron depletion on interactions between peach bark fungi in vitro. <i>Mycologia</i> , 1998, 90, 947-953. | 1.9 | 3 |
| 338 | The Yersiniabactin Biosynthetic Gene Cluster of <i>Yersinia enterocolitica</i> : Organization and Siderophore-Dependent Regulation. <i>Journal of Bacteriology</i> , 1998, 180, 538-546. | 2.2 | 192 |
| 339 | Secondary Metabolite- and Endochitinase-Dependent Antagonism toward Plant-Pathogenic Microfungi of <i>Pseudomonas fluorescens</i> Isolates from Sugar Beet Rhizosphere. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3563-3569. | 3.1 | 171 |
| 340 | Influence of Soft Rot Bacteria on Growth of <i>Listeria monocytogenes</i> on Potato Tuber Slices. <i>Journal of Food Protection</i> , 1999, 62, 343-348. | 1.7 | 41 |
| 341 | Hemolytic Activity and Siderophore Production in Different <i>Aeromonas</i> Species Isolated from Fish. <i>Applied and Environmental Microbiology</i> , 1999, 65, 5612-5614. | 3.1 | 62 |
| 342 | Inhibition of <i>Vibrio anguillarum</i> by <i>Pseudomonas fluorescens</i> AH2, a Possible Probiotic Treatment of Fish. <i>Applied and Environmental Microbiology</i> , 1999, 65, 969-973. | 3.1 | 344 |
| 343 | The importance of siderophores in iron nutrition of heterotrophic marine bacteria. <i>Limnology and Oceanography</i> , 1999, 44, 541-555. | 3.1 | 165 |
| 344 | The fhu genes of <i>Rhizobium leguminosarum</i> , specifying siderophore uptake proteins: fhuDCB are adjacent to a pseudogene version of fhuA. <i>Microbiology (United Kingdom)</i> , 1999, 145, 593-601. | 1.8 | 40 |
| 345 | WITHHOLDINGANDEXCHANGINGIRON: Interactions Between <i>Erwinia</i> spp. and Their Plant Hosts. <i>Annual Review of Phytopathology</i> , 1999, 37, 307-334. | 7.8 | 145 |
| 346 | Phase variation of the lpf operon is a mechanism to evade cross-immunity between <i>Salmonella</i> serotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13393-13398. | 7.1 | 46 |
| 347 | Protection of cucumber against <i>Pythium</i> root rot by fluorescent pseudomonads: predominant role of induced resistance over siderophores and antibiosis. <i>Plant Pathology</i> , 1999, 48, 66-76. | 2.4 | 112 |
| 348 | Actinorhodin production by <i>Streptomyces coelicolor</i> A3(2) in iron-restricted media. <i>Letters in Applied Microbiology</i> , 1999, 28, 199-202. | 2.2 | 26 |
| 349 | Characterization of the <i>Acinetobacter baumannii</i> Fur regulator: cloning and sequencing of the fur homolog gene. <i>FEMS Microbiology Letters</i> , 1999, 170, 199-209. | 1.8 | 37 |
| 350 | Effect of microbial siderophores on matrix metalloproteinase-2 activity. <i>Journal of Periodontal Research</i> , 1999, 34, 50-53. | 2.7 | 12 |
| 351 | Title is missing!. <i>BioMetals</i> , 1999, 12, 189-193. | 4.1 | 42 |
| 352 | A Rock-Iron-Solubilizing Compound from Root Exudates of <i>Tephrosia purpurea</i> . <i>Journal of Chemical Ecology</i> , 1999, 25, 2327-2336. | 1.8 | 5 |
| 353 | Siderophores of <i>Cunninghamella blakesleeana</i> NCIM 687. <i>World Journal of Microbiology and Biotechnology</i> , 1999, 15, 265-268. | 3.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 354 | Antagonistic effect of <i>Pseudomonas</i> spp. on pathogenic fungi and enhancement of growth of green gram (<i>Vigna radiata</i>). <i>Biology and Fertility of Soils</i> , 1999, 29, 62-68. | 4.3 | 94 |
| 355 | Diversity of Superoxide-Dismutases Among Clinical and Soil Isolates of <i>Streptomyces</i> Species. <i>Current Microbiology</i> , 1999, 39, 365-368. | 2.2 | 33 |
| 356 | A siderophore from <i>Pseudomonas putida</i> type A1: structural and biological characterization. <i>BBA - Proteins and Proteomics</i> , 1999, 1435, 30-40. | 2.1 | 14 |
| 357 | Effect of urokinase on the extracellular virulence properties of <i>Pseudomonas aeruginosa</i> and <i>Burkholderia cepacia</i> . <i>Journal of Basic Microbiology</i> , 1999, 39, 17-24. | 3.3 | 2 |
| 358 | Screening for Plant Growth-Promoting Rhizobacteria to Promote Early Soybean Growth. <i>Soil Science Society of America Journal</i> , 1999, 63, 1670-1680. | 2.2 | 423 |
| 359 | Isolation of an asporogenic (<i>spoOA</i>) protective antigen-producing strain of <i>Bacillus anthracis</i> . <i>Canadian Journal of Microbiology</i> , 1999, 45, 1-8. | 1.7 | 48 |
| 360 | Comparison of iron uptake in different <i>Helicobacter</i> species. <i>Research in Microbiology</i> , 1999, 150, 475-481. | 2.1 | 35 |
| 361 | Isolation and characterisation of a new antagonistic <i>Burkholderia</i> strain from the rhizosphere of healthy tomato plants. <i>Research in Microbiology</i> , 1999, 150, 45-59. | 2.1 | 12 |
| 362 | Pyrophosphate increases the efficiency of enterobactin-dependent iron uptake in <i>Escherichia coli</i> . <i>Biochimie</i> , 1999, 81, 245-253. | 2.6 | 14 |
| 363 | An <i>Edwardsiella ictaluri</i> Safe and Efficacious as a Live, Attenuated Vaccine. <i>Journal of Aquatic Animal Health</i> , 1999, 11, 358-372. | 1.4 | 54 |
| 364 | Extracellular Iron Reductases: Identification of a New Class of Enzymes by Siderophore-Producing Microorganisms. <i>Archives of Biochemistry and Biophysics</i> , 1999, 364, 75-82. | 3.0 | 52 |
| 365 | Isolation and Partial Characterization of an Extracellular Low-Molecular Mass Component with High Phenoloxidase Activity from <i>Thermoascus aurantiacus</i> . <i>Biochemical and Biophysical Research Communications</i> , 1999, 256, 20-26. | 2.1 | 14 |
| 366 | A Putative ECF σ Factor Gene, <i>rpoL</i> , Regulates Siderophore Production in <i>Rhizobium leguminosarum</i> . <i>Molecular Plant-Microbe Interactions</i> , 1999, 12, 994-999. | 2.6 | 18 |
| 367 | The <i>purMN</i> Genes of <i>Rhizobium leguminosarum</i> and a Superficial Link with Siderophore Production. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 228-231. | 2.6 | 6 |
| 368 | Characterization of siderophore-mediated iron transport from <i>Rhizobium leguminosarum</i> bv. <i>phaseoli</i> . <i>Journal of Plant Nutrition</i> , 2000, 23, 1669-1683. | 1.9 | 9 |
| 369 | Characterization of <i>Vibrio parahaemolyticus</i> Manganese-Resistant Mutants in Reference to the Function of the Ferric Uptake Regulatory Protein. <i>Microbiology and Immunology</i> , 2000, 44, 963-970. | 1.4 | 15 |
| 370 | Identification of conserved traits in fluorescent pseudomonads with antifungal activity. <i>Environmental Microbiology</i> , 2000, 2, 274-284. | 3.8 | 112 |
| 371 | Genotypic and phenotypic differentiation of an antifungal biocontrol strain belonging to <i>Bacillus subtilis</i> . <i>Journal of Applied Microbiology</i> , 2000, 89, 463-471. | 3.1 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 372 | Regulation of quorum sensing in <i>Vibrio harveyi</i> by LuxO and Sigma ⁵⁴ . <i>Molecular Microbiology</i> , 2000, 36, 940-954. | 2.5 | 288 |
| 373 | Evidence that <i>Ralstonia eutropha</i> (<i>Alcaligenes eutrophus</i>) contains a functional homologue of the <i>Ralstonia solanacearum</i> Phc cell density sensing system. <i>Molecular Microbiology</i> , 2000, 38, 359-367. | 2.5 | 27 |
| 374 | Comparison of virulence factors of oral <i>Candida dubliniensis</i> and <i>Candida albicans</i> isolates in healthy people and patients with chronic candidosis. <i>Oral Microbiology and Immunology</i> , 2000, 15, 238-244. | 2.8 | 50 |
| 375 | Growth stimulation of <i>Porphyromonas endodontalis</i> by hemoglobin and protoporphyrin IX. <i>Oral Microbiology and Immunology</i> , 2000, 15, 365-370. | 2.8 | 3 |
| 376 | Fitness in soil and rhizosphere of <i>Pseudomonas fluorescens</i> C7R12 compared with a C7R12 mutant affected in pyoverdine synthesis and uptake. <i>FEMS Microbiology Ecology</i> , 2000, 34, 35-44. | 2.7 | 74 |
| 377 | Antifungal characteristics of a fluorescent <i>Pseudomonas</i> strain involved in the biological control of <i>Rhizoctonia solani</i> . <i>Microbiological Research</i> , 2000, 155, 233-242. | 5.3 | 46 |
| 378 | Pigment Diverse Mutants of <i>Pseudomonas</i> sp.: Inhibition of Fungal Growth and Stimulation of Growth of <i>Cicer arietinum</i> . <i>Biologia Plantarum</i> , 2000, 43, 563-569. | 1.9 | 15 |
| 379 | Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 2000, 16, 567-570. | 3.6 | 31 |
| 380 | New synthetic catecholate-type siderophores based on amino acids and dipeptides. <i>BioMetals</i> , 2000, 13, 333-348. | 4.1 | 13 |
| 381 | Effect of Aluminum on the Production of Siderophore by <i>Rhizobium</i> sp. (<i>Cicer arietinum</i>). <i>Current Microbiology</i> , 2000, 41, 5-10. | 2.2 | 30 |
| 382 | Amonabactin-mediated iron acquisition from transferrin and lactoferrin by <i>Aeromonas hydrophila</i> : direct measurement of individual microscopic rate constants. <i>Journal of Biological Inorganic Chemistry</i> , 2000, 5, 57-66. | 2.6 | 33 |
| 383 | Plant growth promotion and fungicidal activity in a siderophore-producing strain of <i>Proteus</i> sp.. <i>Folia Microbiologica</i> , 2000, 45, 539-543. | 2.3 | 7 |
| 384 | Identification and Characterization of a Membrane Permease Involved in Iron-Hydroxamate Transport in <i>Staphylococcus aureus</i> . <i>Journal of Bacteriology</i> , 2000, 182, 4394-4400. | 2.2 | 128 |
| 385 | The salicylate-derived mycobactin siderophores of <i>Mycobacterium tuberculosis</i> are essential for growth in macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1252-1257. | 7.1 | 500 |
| 386 | <i>Bordetella pertussis</i> TonB, a Bvg-Independent Virulence Determinant. <i>Infection and Immunity</i> , 2000, 68, 1919-1927. | 2.2 | 45 |
| 387 | Role of Molybdate and Other Transition Metals in the Accumulation of Protochelin by <i>Azotobacter vinelandii</i> . <i>Applied and Environmental Microbiology</i> , 2000, 66, 1580-1586. | 3.1 | 46 |
| 389 | Bacterial Growth Stimulation with Exogenous Siderophore and Synthetic N -Acyl Homoserine Lactone Autoinducers under Iron-Limited and Low-Nutrient Conditions. <i>Applied and Environmental Microbiology</i> , 2000, 66, 2797-2803. | 3.1 | 57 |
| 390 | Successful strategy for the selection of new strawberry-associated rhizobacteria antagonistic to <i>Verticillium wilt</i> . <i>Canadian Journal of Microbiology</i> , 2000, 46, 1128-1137. | 1.7 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 391 | Discovery of a Nonclassical Siderophore, Legiobactin, Produced by Strains of <i>Legionella pneumophila</i> . <i>Journal of Bacteriology</i> , 2000, 182, 749-757. | 2.2 | 66 |
| 392 | A Serine Protease-Encoding Gene (<i>aprII</i>) of <i>Alteromonas</i> sp. Strain O-7 Is Regulated by the Iron Uptake Regulator (Fur) Protein. <i>Applied and Environmental Microbiology</i> , 2000, 66, 3778-3783. | 3.1 | 12 |
| 393 | Identification of a Siderophore Receptor Required for Ferric Ornibactin Uptake in <i>Burkholderia cepacia</i> . <i>Infection and Immunity</i> , 2000, 68, 6554-6560. | 2.2 | 57 |
| 394 | Iron-Chelating Activity of Tetracyclines and Its Impact on the Susceptibility of <i>Actinobacillus actinomycetemcomitans</i> to These Antibiotics. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 763-766. | 3.2 | 77 |
| 395 | The Overlapping <i>angB</i> and <i>angG</i> Genes Are Encoded within the trans-Acting Factor Region of the Virulence Plasmid in <i>Vibrio anguillarum</i> : Essential Role in Siderophore Biosynthesis. <i>Journal of Bacteriology</i> , 2000, 182, 6762-6773. | 2.2 | 41 |
| 396 | Quinolobactin, a New Siderophore of <i>Pseudomonas fluorescens</i> ATCC 17400, the Production of Which Is Repressed by the Cognate Pyoverdine. <i>Applied and Environmental Microbiology</i> , 2000, 66, 487-492. | 3.1 | 105 |
| 397 | Pseudobactin Biogenesis in the Plant Growth-Promoting Rhizobacterium <i>Pseudomonas</i> Strain B10: Identification and Functional Analysis of the l-Ornithine N5-Oxygenase (<i>psbA</i>) Gene. <i>Journal of Bacteriology</i> , 2000, 182, 6233-6238. | 2.2 | 35 |
| 398 | In Vivo and in Vitro Interactions between <i>Pseudomonas fluorescens</i> and <i>Pythium ultimum</i> in the Suppression of Damping-off in Tomato Seedlings. <i>Biological Control</i> , 2000, 19, 1-8. | 3.0 | 34 |
| 399 | Cloning the Soil Metagenome: a Strategy for Accessing the Genetic and Functional Diversity of Uncultured Microorganisms. <i>Applied and Environmental Microbiology</i> , 2000, 66, 2541-2547. | 3.1 | 1,076 |
| 400 | Characterization and mutagenesis of <i>fur</i> gene from <i>Burkholderia pseudomallei</i> . <i>Gene</i> , 2000, 254, 129-137. | 2.2 | 38 |
| 401 | Microenvironments of pH in biofilms grown on dissolving silicate surfaces. <i>Chemical Geology</i> , 2000, 171, 1-16. | 3.3 | 85 |
| 402 | Rates of bacteria-promoted solubilization of Fe from minerals: a review of problems and approaches. <i>Chemical Geology</i> , 2000, 169, 357-370. | 3.3 | 158 |
| 403 | Hydroxamate siderophores of root nodule bacteria. <i>Soil Biology and Biochemistry</i> , 2000, 32, 11-21. | 8.8 | 104 |
| 404 | Role of bacterial siderophores in dissolution of hornblende. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 587-602. | 3.9 | 215 |
| 405 | X-ray photoelectron evidence for bacteria-enhanced dissolution of hornblende. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 1331-1343. | 3.9 | 129 |
| 406 | Plant growth-promoting bacteria that decrease heavy metal toxicity in plants. <i>Canadian Journal of Microbiology</i> , 2000, 46, 237-245. | 1.7 | 766 |
| 407 | Siderophore Production and Iron Reduction by <i>Pseudomonas mendocina</i> in Response to Iron Deprivation. <i>Geomicrobiology Journal</i> , 2000, 17, 261-273. | 2.0 | 56 |
| 408 | Purification and Characterization of the 35 Kilodalton Periplasmic Iron-Regulated Protein. <i>Preparative Biochemistry and Biotechnology</i> , 2000, 30, 343-355. | 1.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 409 | Occurrence of Siderophores in Enterococci. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 2000, 289, 807-815. | 0.5 | 9 |
| 410 | Effets de l'inoculation avec des souches de <i>Rhizobium leguminosarum</i> biovar trifolii sur la croissance du blé dans deux sols du Maroc. Canadian Journal of Microbiology, 2001, 47, 590-593. | 1.7 | 51 |
| 411 | Metals and the rhizobial-legume symbiosis – Uptake, utilization and signalling. Advances in Microbial Physiology, 2001, 45, 113-156. | 2.4 | 35 |
| 412 | Mechanisms of wood degradation by brown-rot fungi: chelator-mediated cellulose degradation and binding of iron by cellulose. Journal of Biotechnology, 2001, 87, 43-57. | 3.8 | 161 |
| 413 | Characterization of Fluorescent and Nonfluorescent Peptide Siderophores Produced by <i>Pseudomonas syringae</i> Strains and Their Potential Use in Strain Identification. Applied and Environmental Microbiology, 2001, 67, 1718-1727. | 3.1 | 59 |
| 414 | Temperature dependent siderophore production in <i>Vibrio salmonicida</i> . Microbial Pathogenesis, 2001, 31, 213-219. | 2.9 | 60 |
| 415 | Presence of high-affinity iron uptake systems in fish-isolated and environmental strains of <i>Vibrio anguillarum</i> serotype O3. FEMS Microbiology Letters, 2001, 202, 79-83. | 1.8 | 10 |
| 416 | CAS agar diffusion assay for the measurement of siderophores in biological fluids. Journal of Microbiological Methods, 2001, 44, 89-95. | 1.6 | 135 |
| 417 | A simple agar plate assay for screening siderophore producer yeasts. Journal of Microbiological Methods, 2001, 47, 273-279. | 1.6 | 21 |
| 418 | The <i>dhb</i> Operon of <i>Bacillus subtilis</i> Encodes the Biosynthetic Template for the Catecholic Siderophore 2,3-Dihydroxybenzoate-Glycine-Threonine Trimeric Ester Bacillibactin. Journal of Biological Chemistry, 2001, 276, 7209-7217. | 3.4 | 318 |
| 419 | Analysis of the <i>pmsCEAB</i> Gene Cluster Involved in Biosynthesis of Salicylic Acid and the Siderophore Pseudomonine in the Biocontrol Strain <i>Pseudomonas fluorescens</i> WCS374. Journal of Bacteriology, 2001, 183, 1909-1920. | 2.2 | 161 |
| 420 | Growth of <i>Pseudomonas mendocina</i> on Fe(III) (Hydr)Oxides. Applied and Environmental Microbiology, 2001, 67, 4448-4453. | 3.1 | 56 |
| 421 | Involvement of <i>gacS</i> and <i>rpoS</i> in enhancement of the plant growth-promoting capabilities of <i>Enterobacter cloacae</i> CAL2 and UW4. Canadian Journal of Microbiology, 2001, 47, 698-705. | 1.7 | 143 |
| 422 | Role of Iron in Rhizobacteria-Mediated Induced Systemic Resistance of Cucumber. Phytopathology, 2001, 91, 593-598. | 2.2 | 103 |
| 423 | Uptake of Trace Metals and Rare Earth Elements from Hornblende by a Soil Bacterium. Geomicrobiology Journal, 2001, 18, 37-61. | 2.0 | 82 |
| 424 | The Possibility of Regulating the Species Composition of Marine Phytoplankton Using Organically Complexed Iron.. Analytical Sciences, 2001, 17, 209-211. | 1.6 | 10 |
| 425 | Actinomycetes, promising tools to control plant diseases and to promote plant growth. Phytoprotection, 2001, 82, 85-102. | 0.3 | 209 |
| 426 | Involvement of <i>gacA</i> Gene in the Suppression of Tomato Bacterial Wilt by <i>Pseudomonas fluorescens</i> FPT9601. Journal of General Plant Pathology, 2001, 67, 134-143. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 427 | Virulence factors of clinical isolates of <i>Aeromonas caviae</i> . <i>Folia Microbiologica</i> , 2001, 46, 321-326. | 2.3 | 5 |
| 428 | Selection and evaluation of <i>Azospirillum brasilense</i> strains growing at a sub-optimum temperature in rhizocoenosis with wheat. <i>Folia Microbiologica</i> , 2001, 46, 327-332. | 2.3 | 12 |
| 429 | Collection and detection of natural iron-binding ligands from seawater. <i>Marine Chemistry</i> , 2001, 76, 175-187. | 2.3 | 180 |
| 430 | Biodecolorization screening of synthetic dyes by four white-rot fungi in a solid medium: possible role of siderophores. <i>Letters in Applied Microbiology</i> , 2001, 33, 21-25. | 2.2 | 37 |
| 431 | Violacein biotransformation by basidiomycetes and bacteria. <i>Letters in Applied Microbiology</i> , 2001, 33, 316-319. | 2.2 | 5 |
| 432 | The probiotic potential against vibriosis of the indigenous microflora of rainbow trout. <i>Environmental Microbiology</i> , 2001, 3, 755-765. | 3.8 | 163 |
| 433 | The effect of incorporating straw or manure into the soil on the natural microflora of winter wheat. <i>Plant Pathology</i> , 2001, 50, 537-545. | 2.4 | 9 |
| 434 | Evaluating the basidiomycetes <i>Poria medula-panis</i> and <i>Wolfiporia cocos</i> for xylanase production. <i>Enzyme and Microbial Technology</i> , 2001, 28, 522-526. | 3.2 | 14 |
| 435 | Occurrence of iron-reducing compounds in biodelignified "palo podrido" wood samples. <i>International Biodeterioration and Biodegradation</i> , 2001, 47, 203-208. | 3.9 | 20 |
| 436 | Acquisition of iron from human transferrin by <i>Porphyromonas gingivalis</i> : a role for Arg- and Lys-gingipain activities. <i>Oral Microbiology and Immunology</i> , 2001, 16, 79-87. | 2.8 | 50 |
| 437 | The remarkable hydrophobic effect of a fatty acid side chain on the microbial growth promoting activity of a synthetic siderophore. <i>BioMetals</i> , 2001, 14, 153-157. | 4.1 | 11 |
| 438 | Hydroxamate siderophore synthesis by <i>Phialocephala fortinii</i> , a typical dark septate fungal root endophyte. <i>BioMetals</i> , 2001, 14, 33-42. | 4.1 | 68 |
| 439 | New artificial siderophores based on a monosaccharide scaffold. <i>BioMetals</i> , 2001, 14, 1-11. | 4.1 | 10 |
| 440 | Title is missing!. <i>Biotechnology Letters</i> , 2001, 23, 1759-1763. | 2.2 | 5 |
| 441 | Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 2001, 17, 687-690. | 3.6 | 26 |
| 442 | Presence of high-affinity iron uptake systems in fish-isolated and environmental strains of <i>Vibrio anguillarum</i> serotype O3. <i>FEMS Microbiology Letters</i> , 2001, 202, 79-83. | 1.8 | 10 |
| 443 | Biological activity and colonization pattern of the bioluminescence-labeled plant growth-promoting bacterium <i>Kluyvera ascorbata</i> SUD165/26. <i>FEMS Microbiology Ecology</i> , 2001, 35, 137-144. | 2.7 | 30 |
| 444 | Two structural isomeric siderophores from the freshwater cyanobacterium <i>Anabaena cylindrica</i> (NIES-19). <i>Tetrahedron</i> , 2001, 57, 9093-9099. | 1.9 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 445 | Synthesis of Multiple N-Acylhomoserine Lactones is Wide-spread Among the Members of the Burkholderia cepacia Complex. Systematic and Applied Microbiology, 2001, 24, 1-14. | 2.8 | 139 |
| 446 | Suppression of maize root diseases caused by Macrophomina phaseolina, Fusarium moniliforme and Fusarium graminearum by plant growth promoting rhizobacteria. Microbiological Research, 2001, 156, 209-223. | 5.3 | 176 |
| 447 | Influence of iron on growth, production of siderophore compounds, membrane proteins, and lipase activity in Acinetobacter calcoaceticus BD 413. Microbiological Research, 2001, 155, 263-269. | 5.3 | 16 |
| 448 | Monoclonal antibodies against the iron regulated outer membrane Proteins of Acinetobacter baumannii are bactericidal. BMC Microbiology, 2001, 1, 16. | 3.3 | 64 |
| 449 | Bacterial response to siderophore and quorum-sensing chemical signals in the seawater microbial community. BMC Microbiology, 2001, 1, 27. | 3.3 | 30 |
| 450 | Screening System for Xenosiderophores as Potential Drug Delivery Agents in Mycobacteria. Antimicrobial Agents and Chemotherapy, 2001, 45, 1317-1322. | 3.2 | 27 |
| 451 | Reduced Virulence of a Bordetella bronchiseptica Siderophore Mutant in Neonatal Swine. Infection and Immunity, 2001, 69, 2137-2143. | 2.2 | 24 |
| 452 | Fractionation of Fe isotopes by soil microbes and organic acids. Geology, 2001, 29, 535. | 4.4 | 174 |
| 453 | Regulation of Ornibactin Biosynthesis and N -Acyl- L -Homoserine Lactone Production by CepR in Burkholderia cepacia. Journal of Bacteriology, 2001, 183, 2212-2218. | 2.2 | 109 |
| 454 | Effect of Exogenous Siderophores on Iron Uptake Activity of Marine Bacteria under Iron-Limited Conditions. Applied and Environmental Microbiology, 2001, 67, 1710-1717. | 3.1 | 84 |
| 455 | Transcriptional Activation of Bordetella Alcaligin Siderophore Genes Requires the AlcR Regulator with Alcaligin as Inducer. Journal of Bacteriology, 2001, 183, 483-489. | 2.2 | 46 |
| 456 | Genetic Organization of the Region Encoding Regulation, Biosynthesis, and Transport of Rhizobactin 1021, a Siderophore Produced by Sinorhizobium meliloti. Journal of Bacteriology, 2001, 183, 2576-2585. | 2.2 | 191 |
| 457 | Comparison of Antifungal Activities and 16S Ribosomal DNA Sequences of Clinical and Environmental Isolates of Stenotrophomonas maltophilia. Journal of Clinical Microbiology, 2001, 39, 139-145. | 3.9 | 106 |
| 458 | Iron-Binding Compounds from Agrobacterium spp.: Biological Control Strain Agrobacterium rhizogenes K84 Produces a Hydroxamate Siderophore. Applied and Environmental Microbiology, 2001, 67, 654-664. | 3.1 | 50 |
| 459 | The cep quorum-sensing system of Burkholderia cepacia H111 controls biofilm formation and swarming motility. Microbiology (United Kingdom), 2001, 147, 2517-2528. | 1.8 | 414 |
| 460 | A Phosphopantetheinyl Transferase Homolog Is Essential for Photorhabdus luminescens To Support Growth and Reproduction of the Entomopathogenic Nematode Heterorhabditis bacteriophora. Journal of Bacteriology, 2001, 183, 3117-3126. | 2.2 | 65 |
| 461 | The Bordetella bhu Locus Is Required for Heme Iron Utilization. Journal of Bacteriology, 2001, 183, 4278-4287. | 2.2 | 68 |
| 462 | Growth Interactions during Bacterial Colonization of Seedling Rootlets. Applied and Environmental Microbiology, 2001, 67, 1945-1948. | 3.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 463 | In <i>Staphylococcus aureus</i> , Fur Is an Interactive Regulator with PerR, Contributes to Virulence, and Is Necessary for Oxidative Stress Resistance through Positive Regulation of Catalase and Iron Homeostasis. <i>Journal of Bacteriology</i> , 2001, 183, 468-475. | 2.2 | 252 |
| 464 | Advancing the Quorum in <i>Pseudomonas aeruginosa</i> : MvaT and the Regulation of N-Acylhomoserine Lactone Production and Virulence Gene Expression. <i>Journal of Bacteriology</i> , 2002, 184, 2576-2586. | 2.2 | 234 |
| 465 | Bradyoxetin, a unique chemical signal involved in symbiotic gene regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14446-14451. | 7.1 | 105 |
| 466 | Transcriptional and Proteomic Analysis of a Ferric Uptake Regulator (Fur) Mutant of <i>Shewanella oneidensis</i> : Possible Involvement of Fur in Energy Metabolism, Transcriptional Regulation, and Oxidative Stress. <i>Applied and Environmental Microbiology</i> , 2002, 68, 881-892. | 3.1 | 170 |
| 467 | Molecular Cloning of the fur Gene from <i>Actinobacillus actinomycetemcomitans</i> . <i>Infection and Immunity</i> , 2002, 70, 3170-3179. | 2.2 | 14 |
| 468 | Role of the High-Affinity Zinc Uptake znuABC System in <i>Salmonella enterica</i> Serovar Typhimurium Virulence. <i>Infection and Immunity</i> , 2002, 70, 4721-4725. | 2.2 | 140 |
| 469 | Chrysobactin-dependent Iron Acquisition in <i>Erwinia chrysanthemi</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 2385-2395. | 3.4 | 31 |
| 470 | Use of Subtractive Hybridization To Identify a Diagnostic Probe for a Cystic Fibrosis Epidemic Strain of <i>Pseudomonas aeruginosa</i> . <i>Journal of Clinical Microbiology</i> , 2002, 40, 4607-4611. | 3.9 | 48 |
| 471 | Transfer of the Core Region Genes of the <i>Yersinia enterocolitica</i> WA-C Serotype O:8 High-Pathogenicity Island to <i>Y. enterocolitica</i> MRS40, a Strain with Low Levels of Pathogenicity, Confers a Yersiniabactin Biosynthesis Phenotype and Enhanced Mouse Virulence. <i>Infection and Immunity</i> , 2002, 70, 1832-1841. | 2.2 | 26 |
| 472 | Serotypes, Siderophore Synthesis, and Serum Resistance of Uropathogenic <i>Klebsiella</i> Isolates. , 2000, 485, 237-241. | | 1 |
| 473 | Virulence Factors Associated with <i>Escherichia coli</i> Present in a Commercially Produced Competitive Exclusion Product. <i>Avian Diseases</i> , 2002, 46, 704-707. | 1.0 | 6 |
| 474 | The Role of the Airc Two-component System in Uropathogenic <i>Escherichia coli</i> . , 2000, 485, 137-142. | | 7 |
| 475 | RirA, an iron-responsive regulator in the symbiotic bacterium <i>Rhizobium leguminosarum</i> The GenBank accession number for the RirA sequence is CAC35510.. <i>Microbiology (United Kingdom)</i> , 2002, 148, 4059-4071. | 1.8 | 114 |
| 476 | Intracellular cyclic AMP concentration is decreased in <i>Salmonella typhimurium</i> fur mutants The GenBank accession number for the sequence reported in this paper is AF268282.. <i>Microbiology (United)</i> Tj ETQq1 1.0.7843143rgBT /Overlock 10 | 1.0 | 14 |
| 477 | <i>Brucella abortus</i> strain 2308 produces brucebactin, a highly efficient catecholic siderophore The GenBank accession number for the sequence reported in this paper is AF361942.. <i>Microbiology (United)</i> Tj ETQq0 0.0 rgBT /Overlock 10 | 0.0 | 0 |
| 478 | Loss of Regulatory Protein RfaH Attenuates Virulence of Uropathogenic <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2002, 70, 4406-4413. | 2.2 | 87 |
| 479 | Construction and Characterization of Transposon Insertion Mutations in <i>Corynebacterium diphtheriae</i> That Affect Expression of the Diphtheria Toxin Repressor (DtxR). <i>Journal of Bacteriology</i> , 2002, 184, 5723-5732. | 2.2 | 42 |
| 480 | rpfF Mutants of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> Are Deficient for Virulence and Growth Under Low Iron Conditions. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 463-471. | 2.6 | 110 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 481 | TonB Interacts with Nonreceptor Proteins in the Outer Membrane of Escherichia coli. Journal of Bacteriology, 2002, 184, 1640-1648. | 2.2 | 29 |
| 482 | Siderophore Production and Induction of Iron-regulated Proteins by a Microorganism from Rhizosphere of Barley. Bioscience, Biotechnology and Biochemistry, 2002, 66, 2471-2473. | 1.3 | 11 |
| 483 | Genetics and Assembly Line Enzymology of Siderophore Biosynthesis in Bacteria. Microbiology and Molecular Biology Reviews, 2002, 66, 223-249. | 6.6 | 697 |
| 484 | Novel Plant-Microbe Rhizosphere Interaction Involving Streptomyces lydicus WYEC108 and the Pea Plant (Pisum sativum). Applied and Environmental Microbiology, 2002, 68, 2161-2171. | 3.1 | 353 |
| 485 | Quorum-Sensing Signals and Quorum-Sensing Genes in Burkholderia vietnamiensis. Journal of Bacteriology, 2002, 184, 1187-1191. | 2.2 | 44 |
| 486 | Isolation, Characterization, and Identification of Bacteria Associated with the Zinc Hyperaccumulator Thlaspi caerulescens subsp. Calaminaria. International Journal of Phytoremediation, 2002, 4, 101-115. | 3.1 | 98 |
| 487 | Identification of Peptaibols from Trichoderma virens and Cloning of a Peptaibol Synthetase. Journal of Biological Chemistry, 2002, 277, 20862-20868. | 3.4 | 202 |
| 488 | Siderophore Typing, a Powerful Tool for the Identification of Fluorescent and Nonfluorescent Pseudomonads. Applied and Environmental Microbiology, 2002, 68, 2745-2753. | 3.1 | 189 |
| 489 | Impaired maturation of the siderophore pyoverdine chromophore in Pseudomonas fluorescens ATCC 17400 deficient for the cytochrome biogenesis protein CcmC. FEBS Letters, 2002, 523, 23-28. | 2.8 | 33 |
| 490 | Dissolution of iron hydroxides by marine bacterial siderophore. Chemical Geology, 2002, 184, 1-9. | 3.3 | 61 |
| 491 | Siderophore production by an aerobic Pseudomonas mendocina bacterium in the presence of kaolinite. Chemical Geology, 2002, 188, 161-170. | 3.3 | 32 |
| 492 | Intracellular Fe content influences nodulation competitiveness of Sinorhizobium meliloti strains as inocula of alfalfa. Soil Biology and Biochemistry, 2002, 34, 593-597. | 8.8 | 14 |
| 493 | Highly Antibacterial Active Aminoacyl Penicillin Conjugates with Acylated Bis-Catecholate Siderophores Based on Secondary Diamino Acids and Related Compounds. Journal of Medicinal Chemistry, 2002, 45, 3032-3040. | 6.4 | 63 |
| 494 | Alfalfa growth promotion by bacteria grown under iron limiting conditions. Journal of Environmental Management, 2002, 6, 391-399. | 1.7 | 46 |
| 495 | Cyanobacterial siderophores: the chemical property and the physiological role. Fisheries Science, 2002, 68, 645-646. | 1.6 | 0 |
| 496 | Alcaligin Siderophore Production by Bordetella bronchiseptica Strain RB50 Is Not Repressed by the BvgAS Virulence Control System. Journal of Bacteriology, 2002, 184, 7055-7057. | 2.2 | 4 |
| 497 | Iron-acquisition Ability of Edwardsiella tarda with Involvement in Its Virulence.. Fish Pathology, 2002, 37, 53-57. | 0.7 | 17 |
| 498 | Plant disease suppression and growth promotion by a fluorescent Pseudomonas strain. Folia Microbiologica, 2002, 47, 137-143. | 2.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 499 | Biological activity of secondary metabolites produced by a strain of <i>Pseudomonas fluorescens</i> . <i>Folia Microbiologica</i> , 2002, 47, 359-363. | 2.3 | 22 |
| 500 | Plant growth enhancement and suppression of <i>Macrophomina phaseolina</i> causing charcoal rot of peanut by fluorescent <i>Pseudomonas</i> . <i>Biology and Fertility of Soils</i> , 2002, 35, 399-405. | 4.3 | 106 |
| 501 | Stimulation of nodulation and plant growth of chickpea (<i>Cicer arietinum</i> L .) by <i>Pseudomonas</i> spp. antagonistic to fungal pathogens. <i>Biology and Fertility of Soils</i> , 2002, 36, 391-396. | 4.3 | 46 |
| 502 | The vbs genes that direct synthesis of the siderophore vicibactin in <i>Rhizobium leguminosarum</i> : their expression in other genera requires ECF σ factor RpoI. <i>Molecular Microbiology</i> , 2002, 44, 1153-1166. | 2.5 | 44 |
| 503 | Diversity of siderophore-mediated iron uptake systems in fluorescent pseudomonads: not only pyoverdines. <i>Environmental Microbiology</i> , 2002, 4, 787-798. | 3.8 | 268 |
| 504 | Production of metal chelating compounds by white and brown-rot fungi and their comparative abilities for pulp bleaching. <i>Enzyme and Microbial Technology</i> , 2002, 30, 562-565. | 3.2 | 39 |
| 505 | Characterization of N-acyl homoserine lactone overproducing mutants of <i>Burkholderia multivorans</i> ATCC 17616. <i>FEMS Microbiology Letters</i> , 2002, 206, 201-207. | 1.8 | 10 |
| 506 | Effects of porphyrins and inorganic iron on the growth of <i>Prevotella intermedia</i> . <i>FEMS Microbiology Letters</i> , 2002, 209, 15-21. | 1.8 | 26 |
| 507 | Influence of continuous membrane bioreactor operation on ferrichrome production using <i>Ustilago maydis</i> . <i>Desalination</i> , 2002, 149, 261-266. | 8.2 | 1 |
| 508 | Unusual traits of the pyoverdine-mediated iron acquisition system in <i>Pseudomonas putida</i> strain BTP1. <i>BioMetals</i> , 2002, 15, 1-13. | 4.1 | 18 |
| 509 | Ferricrocin—an ectomycorrhizal siderophore of <i>Cenococcum geophilum</i> . <i>BioMetals</i> , 2002, 15, 73-77. | 4.1 | 60 |
| 510 | Bisucaberin—a dihydroxamate siderophore isolated from <i>Vibrio salmonicida</i> , an important pathogen of farmed Atlantic salmon (<i>Salmo salar</i>). <i>BioMetals</i> , 2002, 15, 153-160. | 4.1 | 53 |
| 511 | New synthetic catecholate-type siderophores with triamine backbone. <i>BioMetals</i> , 2002, 15, 133-144. | 4.1 | 11 |
| 512 | Title is missing!. <i>Russian Journal of Genetics</i> , 2002, 38, 1365-1371. | 0.6 | 1 |
| 513 | Trishydroxamates and triscatecholates based on monosaccharides and myo-inositol as artificial siderophores. <i>BioMetals</i> , 2003, 16, 539-551. | 4.1 | 6 |
| 514 | Growth promotion of <i>Prunus</i> rootstocks by root treatment with specific bacterial strains. <i>Plant and Soil</i> , 2003, 255, 555-569. | 3.7 | 21 |
| 515 | Title is missing!. <i>Plant and Soil</i> , 2003, 256, 291-301. | 3.7 | 12 |
| 516 | Rhizome-associated bacterial communities of healthy and declining reed stands in Lake Velencei, Hungary. <i>Hydrobiologia</i> , 2003, 506-509, 707-713. | 2.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 518 | Virulence factors of the human opportunistic pathogen <i>Serratia marcescens</i> identified by in vivo screening. <i>EMBO Journal</i> , 2003, 22, 1451-1460. | 7.8 | 310 |
| 519 | Is Fe deficiency rather than P deficiency the cause of cluster root formation in <i>Casuarina</i> species?. <i>Plant and Soil</i> , 2003, 248, 229-235. | 3.7 | 21 |
| 520 | Fur mutants of <i>Pseudomonas aeruginosa</i> PAO1: phenotypic characterization in terms of iron-dependent pattern of deregulation of pyoverdinin synthesis. <i>Biotechnology Letters</i> , 2003, 25, 235-239. | 2.2 | 5 |
| 521 | Characterization of two antagonistic strains of <i>Rhizobium aquatilis</i> isolated from soil in Egypt. <i>Folia Microbiologica</i> , 2003, 48, 799-804. | 2.3 | 13 |
| 522 | Characterization of a New <i>Pseudomonas aeruginosa</i> Strain NJ-15 as a Potential Biocontrol Agent. <i>Current Microbiology</i> , 2003, 46, 324-328. | 2.2 | 198 |
| 523 | Function of a Low Molecular Weight Peptide from <i>Trichoderma pseudokoningii</i> S38 During Cellulose Biodegradation. <i>Current Microbiology</i> , 2003, 46, 371-379. | 2.2 | 21 |
| 524 | In vitro reduction of manganese dioxide by a ferrireductase system from the white-rot fungus <i>Phanerochaete sordida</i> YK-624. <i>Journal of Wood Science</i> , 2003, 49, 538-542. | 1.9 | 1 |
| 525 | Antigen recognition by rainbow trout (<i>Oncorhynchus mykiss</i>) of whole cell proteins expressed by <i>Lactococcus garvieae</i> when obtained directly from fish and under iron limited culture conditions. <i>Veterinary Microbiology</i> , 2003, 93, 63-71. | 1.9 | 14 |
| 526 | Combat of iron-deprivation through a plant growth promoting fluorescent <i>Pseudomonas</i> strain GRP3A in mung bean (<i>Vigna radiata</i> L. Wilzeck). <i>Microbiological Research</i> , 2003, 158, 77-81. | 5.3 | 71 |
| 527 | Growth promoting influence of siderophore-producing <i>Pseudomonas</i> strains GRP3A and PRS9 in maize (<i>Zea mays</i> L.) under iron limiting conditions. <i>Microbiological Research</i> , 2003, 158, 243-248. | 5.3 | 234 |
| 528 | Effects of light reduction on growth of the submerged macrophyte <i>Vallisneria spiralis</i> and the community of root-associated heterotrophic bacteria. <i>Journal of Experimental Marine Biology and Ecology</i> , 2003, 291, 199-218. | 1.5 | 37 |
| 529 | Soil Fungal Hyphae Bind and Attack Asbestos Fibers. <i>Angewandte Chemie</i> , 2003, 115, 229-232. | 2.0 | 7 |
| 530 | Einfluss einer kontinuierlichen Prozessführung im Membranbioreaktor auf die Ferrichromproduktion von <i>Ustilago maydis</i> . <i>Chemie-Ingenieur-Technik</i> , 2003, 75, 623-628. | 0.8 | 0 |
| 531 | Soil Fungal Hyphae Bind and Attack Asbestos Fibers. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 219-222. | 13.8 | 45 |
| 532 | Characterization and field trials of a bioluminescent bacterial reporter of iron bioavailability. <i>Marine Chemistry</i> , 2003, 83, 31-46. | 2.3 | 39 |
| 533 | Siderophore production by the magnetic bacterium <i>Magnetospirillum magneticum</i> AMB-1. <i>FEMS Microbiology Letters</i> , 2003, 218, 371-375. | 1.8 | 62 |
| 534 | Methods for isolating and characterizing ACC deaminase-containing plant growth-promoting rhizobacteria. <i>Physiologia Plantarum</i> , 2003, 118, 10-15. | 5.2 | 1,185 |
| 535 | Combination of <i>Pseudomonas aeruginosa</i> and <i>Pochonia chlamydosporia</i> for Control of Root-Infecting Fungi in Tomato. <i>Journal of Phytopathology</i> , 2003, 151, 215-222. | 1.0 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 536 | Use of CAS-agar plate modified to study the effect of different variables on the siderophore production by <i>Aspergillus</i> . <i>Letters in Applied Microbiology</i> , 2003, 36, 177-181. | 2.2 | 109 |
| 537 | Isolation and characterization of phorate degrading soil bacteria of environmental and agronomic significance. <i>Letters in Applied Microbiology</i> , 2003, 36, 349-353. | 2.2 | 61 |
| 538 | Mutations in <i>Bandsit D</i> genes affect manganese-growth requirements in <i>Sinorhizobium meliloti</i> . <i>FEMS Microbiology Letters</i> , 2003, 218, 65-70. | 1.8 | 33 |
| 539 | Phenotypic characterization of microbes in the rhizosphere of <i>Allyssum murale</i> . <i>International Journal of Phytoremediation</i> , 2003, 5, 367-379. | 3.1 | 85 |
| 540 | Function and mechanism of a low-molecular-weight peptide produced by <i>Gloeophyllum trabeum</i> in biodegradation of cellulose. <i>Journal of Biotechnology</i> , 2003, 101, 119-130. | 3.8 | 46 |
| 541 | Dissection of the EntF Condensation Domain Boundary and Active Site Residues in Nonribosomal Peptide Synthesis. <i>Biochemistry</i> , 2003, 42, 1334-1344. | 2.5 | 58 |
| 542 | Induced defence in tobacco by <i>Pseudomonas chlororaphis</i> strain O6 involves at least the ethylene pathway. <i>Physiological and Molecular Plant Pathology</i> , 2003, 63, 27-34. | 2.5 | 82 |
| 543 | Measurement and interpretation of molecular-level forces of interaction between the siderophore azotobactin and mineral surfaces. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 3537-3546. | 3.9 | 28 |
| 544 | Occurrence of the <i>Yersinia</i> high-pathogenicity island and iron uptake systems in clinical isolates of <i>Klebsiella pneumoniae</i> . <i>Microbial Pathogenesis</i> , 2003, 35, 197-202. | 2.9 | 64 |
| 545 | Exopolysaccharide synthesis in <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> is related to various metabolic pathways. <i>Research in Microbiology</i> , 2003, 154, 433-442. | 2.1 | 19 |
| 546 | Understanding the involvement of rhizobacteria-mediated induction of systemic resistance in biocontrol of plant diseases. <i>Canadian Journal of Plant Pathology</i> , 2003, 25, 5-9. | 1.4 | 142 |
| 547 | Role of Metals in Wood Biodegradation. <i>ACS Symposium Series</i> , 2003, , 154-174. | 0.5 | 14 |
| 548 | Performance of Standard Phenotypic Assays for TonB Activity, as Evaluated by Varying the Level of Functional, Wild-Type TonB. <i>Journal of Bacteriology</i> , 2003, 185, 4699-4706. | 2.2 | 31 |
| 549 | Irp9, Encoded by the High-Pathogenicity Island of <i>Yersinia enterocolitica</i> , Is Able To Convert Chorismate into Salicylate, the Precursor of the Siderophore Yersiniabactin. <i>Journal of Bacteriology</i> , 2003, 185, 5648-5653. | 2.2 | 55 |
| 550 | The <i>Yersinia</i> high-pathogenicity island and iron-uptake systems in clinical isolates of <i>Escherichia coli</i> . <i>Journal of Medical Microbiology</i> , 2003, 52, 637-642. | 1.8 | 25 |
| 551 | Identification and Characterization of Genes Required for Biosynthesis and Transport of the Siderophore Vibrioferrin in <i>Vibrio parahaemolyticus</i> . <i>Journal of Bacteriology</i> , 2003, 185, 6938-6949. | 2.2 | 115 |
| 552 | Role of Receptor Proteins for Enterobactin and 2,3-Dihydroxybenzoylserine in Virulence of <i>Salmonella enterica</i> . <i>Infection and Immunity</i> , 2003, 71, 6953-6961. | 2.2 | 69 |
| 553 | Photobactin: a Catechol Siderophore Produced by <i>Photobacterium luminescens</i> , an Entomopathogen Mutually Associated with <i>Heterorhabditis bacteriophora</i> NC1 Nematodes. <i>Applied and Environmental Microbiology</i> , 2003, 69, 4706-4713. | 3.1 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 554 | Structure and membrane affinity of a suite of amphiphilic siderophores produced by a marine bacterium. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 3754-3759. | 7.1 | 175 |
| 555 | <i>Escherichia coli</i> Response to Exogenous Pyrophosphate and Analogs. Journal of Molecular Microbiology and Biotechnology, 2003, 5, 37-45. | 1.0 | 2 |
| 556 | Genetic organization of an <i>Acinetobacter baumannii</i> chromosomal region harbouring genes related to siderophore biosynthesis and transport. Microbiology (United Kingdom), 2003, 149, 1227-1238. | 1.8 | 67 |
| 557 | Elucidation of the <i>Vibrio anguillarum</i> Genetic Response to the Potential Fish Probiotic <i>Pseudomonas fluorescens</i> AH2, Using RNA-Arbitrarily Primed PCR. Journal of Bacteriology, 2003, 185, 831-842. | 2.2 | 32 |
| 558 | <i>luxS</i> and <i>arcB</i> Control Aerobic Growth of <i>Actinobacillus actinomycetemcomitans</i> under Iron Limitation. Infection and Immunity, 2003, 71, 298-308. | 2.2 | 108 |
| 559 | Genetic Organization and Iron-Responsive Regulation of the <i>Brucella abortus</i> 2,3-Dihydroxybenzoic Acid Biosynthesis Operon, a Cluster of Genes Required for Wild-Type Virulence in Pregnant Cattle. Infection and Immunity, 2003, 71, 1794-1803. | 2.2 | 51 |
| 560 | Development and Application of an Assay for Uranyl Complexation by Fungal Metabolites, Including Siderophores. Applied and Environmental Microbiology, 2003, 69, 3600-3606. | 3.1 | 33 |
| 561 | The <i>Escherichia coli</i> BarA-UvrY Two-Component System Is Needed for Efficient Switching between Glycolytic and Gluconeogenic Carbon Sources. Journal of Bacteriology, 2003, 185, 843-853. | 2.2 | 101 |
| 562 | Control of Fusarium Wilt of Radish by Combining <i>Pseudomonas putida</i> Strains that have Different Disease-Suppressive Mechanisms. Phytopathology, 2003, 93, 626-632. | 2.2 | 172 |
| 563 | Detection and Analysis of Iron Uptake Components Expressed by <i>Acinetobacter baumannii</i> Clinical Isolates. Journal of Clinical Microbiology, 2003, 41, 4188-4193. | 3.9 | 48 |
| 564 | Inactivation of the <i>Moraxella catarrhalis</i> 7169 Ferric Uptake Regulator Increases Susceptibility to the Bactericidal Activity of Normal Human Sera. Infection and Immunity, 2003, 71, 1843-1848. | 2.2 | 48 |
| 565 | Virulence of luminous vibrios to <i>Artemia franciscana</i> nauplii. Diseases of Aquatic Organisms, 2003, 53, 231-240. | 1.0 | 100 |
| 566 | Pseudoalterobactin A and B, New Siderophores Excreted by Marine Bacterium <i>Pseudoalteromonas</i> sp. KP20-4. Journal of Antibiotics, 2003, 56, 871-875. | 2.0 | 36 |
| 567 | GacA, the Response Regulator of a Two-Component System, Acts as a Master Regulator in <i>Pseudomonas syringae</i> pv. tomato DC3000 by Controlling Regulatory RNA, Transcriptional Activators, and Alternate Sigma Factors. Molecular Plant-Microbe Interactions, 2003, 16, 1106-1117. | 2.6 | 157 |
| 568 | Characterization of Colicinogenic <i>Escherichia coli</i> Strains Inhibitory to Enterohemorrhagic <i>Escherichia coli</i> . Journal of Food Protection, 2004, 67, 486-492. | 1.7 | 32 |
| 569 | <i>Burkholderia</i> spp. Alter <i>Pseudomonas aeruginosa</i> Physiology through Iron Sequestration. Journal of Bacteriology, 2004, 186, 2376-2384. | 2.2 | 68 |
| 570 | Identification and Characterization of Two Contiguous Operons Required for Aerobactin Transport and Biosynthesis in <i>Vibrio mimicus</i> . Microbiology and Immunology, 2004, 48, 389-398. | 1.4 | 25 |
| 571 | Involvement of Enterobactin Synthesis Pathway in Production of Microcin H47. Antimicrobial Agents and Chemotherapy, 2004, 48, 1235-1241. | 3.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 572 | <i>Burkholderia unamae</i> sp. nov., an N ₂ -fixing rhizospheric and endophytic species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1165-1172. | 1.7 | 196 |
| 573 | Identification and analysis of a siderophore biosynthetic gene cluster from <i>Agrobacterium tumefaciens</i> C58. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3857-3866. | 1.8 | 64 |
| 574 | Identification of <i>rhtX</i> and <i>fptX</i> , Novel Genes Encoding Proteins That Show Homology and Function in the Utilization of the Siderophores Rhizobactin 1021 by <i>Sinorhizobium meliloti</i> and Pyochelin by <i>Pseudomonas aeruginosa</i> , Respectively. <i>Journal of Bacteriology</i> , 2004, 186, 2996-3005. | 2.2 | 78 |
| 575 | <i>Ralstonia solanacearum</i> Iron Scavenging by the Siderophore Staphyloferrin B Is Controlled by PhcA, the Global Virulence Regulator. <i>Journal of Bacteriology</i> , 2004, 186, 7896-7904. | 2.2 | 70 |
| 576 | The <i>Sinorhizobium meliloti</i> <i>fur</i> Gene Regulates, with Dependence on Mn(II), Transcription of the <i>sitABCD</i> Operon, Encoding a Metal-Type Transporter. <i>Journal of Bacteriology</i> , 2004, 186, 3609-3620. | 2.2 | 73 |
| 577 | PchC Thioesterase Optimizes Nonribosomal Biosynthesis of the Peptide Siderophore Pyochelin in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2004, 186, 6367-6373. | 2.2 | 37 |
| 578 | Participation of <i>fad</i> and <i>mbt</i> Genes in Synthesis of Mycobactin in <i>Mycobacterium smegmatis</i> . <i>Journal of Bacteriology</i> , 2004, 186, 374-382. | 2.2 | 33 |
| 579 | Survey of Ferroxidase Expression and Siderophore Production in Clinical Isolates of <i>Pseudomonas aeruginosa</i> . <i>Journal of Clinical Microbiology</i> , 2004, 42, 2806-2809. | 3.9 | 18 |
| 580 | Identification and transcriptional organization of a gene cluster involved in biosynthesis and transport of acinetobactin, a siderophore produced by <i>Acinetobacter baumannii</i> ATCC 19606T. <i>Microbiology (United Kingdom)</i> , 2004, 150, 2587-2597. | 1.8 | 111 |
| 581 | Mutational Analysis and Biochemical Characterization of the <i>Burkholderia thailandensis</i> DW503 Quorum-Sensing Network. <i>Journal of Bacteriology</i> , 2004, 186, 4350-4360. | 2.2 | 48 |
| 582 | Genetic characterization of <i>pcpS</i> , encoding the multifunctional phosphopantetheinyl transferase of <i>Pseudomonas aeruginosa</i> . <i>Microbiology (United Kingdom)</i> , 2004, 150, 795-803. | 1.8 | 37 |
| 583 | Diversity and Antagonistic Potential of Bacteria Associated with Bryophytes from Nutrient-Poor Habitats of the Baltic Sea Coast. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6569-6579. | 3.1 | 123 |
| 584 | Importance of the Ornibactin and Pyochelin Siderophore Transport Systems in <i>Burkholderia cenocepacia</i> Lung Infections. <i>Infection and Immunity</i> , 2004, 72, 2850-2857. | 2.2 | 82 |
| 585 | PGPR mediated management of stem blight of <i>Phyllanthus amarus</i> (Schum and Thonn) caused by <i>Corynespora cassiicola</i> (Berk and Curt) Wei. <i>Archives of Phytopathology and Plant Protection</i> , 2004, 37, 183-199. | 1.3 | 50 |
| 586 | Role of Siderophore Biosynthesis in Virulence of <i>Staphylococcus aureus</i> : Identification and Characterization of Genes Involved in Production of a Siderophore. <i>Infection and Immunity</i> , 2004, 72, 29-37. | 2.2 | 185 |
| 587 | Linkage between Catecholate Siderophores and the Multicopper Oxidase CueO in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2004, 186, 5826-5833. | 2.2 | 116 |
| 588 | Survival of <i>Aspergillus fumigatus</i> in Serum Involves Removal of Iron from Transferrin: the Role of Siderophores. <i>Infection and Immunity</i> , 2004, 72, 1402-1408. | 2.2 | 106 |
| 589 | The siderophore-mediated iron acquisition systems of <i>Acinetobacter baumannii</i> ATCC 19606 and <i>Vibrio anguillarum</i> 775 are structurally and functionally related. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3657-3667. | 1.8 | 136 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 590 | mycoses. Diagnosis, Therapy and Prophylaxis of Fungal Diseases. Mycoses, 2004, 47, i-ii. | 4.0 | 0 |
| 591 | The Pseudomonas siderophore quinolobactin is synthesized from xanthurenic acid, an intermediate of the kynurenine pathway. Molecular Microbiology, 2004, 52, 371-384. | 2.5 | 98 |
| 592 | <i>Erwinia chrysanthemi</i> requires a second iron transport route dependent of the siderophore achromobactin for extracellular growth and plant infection. Molecular Microbiology, 2005, 55, 261-275. | 2.5 | 171 |
| 593 | BIOLOGICAL AVAILABILITY OF IRON TO THE FRESHWATER CYANOBACTERIUM ANABAENA FLOS-AQUAE1. Journal of Phycology, 2004, 40, 879-886. | 2.3 | 32 |
| 594 | Growth promotion and yield enhancement of peanut (<i>Arachis hypogaea</i> L.) by application of plant growth-promoting rhizobacteria. Microbiological Research, 2004, 159, 371-394. | 5.3 | 593 |
| 595 | In silico analysis of nonribosomal peptide synthetases of <i>Xanthomonas axonopodis</i> pv. citri: identification of putative siderophore and lipopeptide biosynthetic genes. Microbiological Research, 2004, 159, 425-437. | 5.3 | 27 |
| 596 | A comparative study of siderophore production by fungi from marine and terrestrial habitats. Journal of Experimental Marine Biology and Ecology, 2004, 311, 1-9. | 1.5 | 84 |
| 597 | Matrix metalloproteinase-2 inhibition and Zn ²⁺ -chelating activities of pyoverdine-type siderophores. Journal of Bioscience and Bioengineering, 2004, 97, 281-283. | 2.2 | 6 |
| 598 | Catecholates and mixed catecholate hydroxamates as artificial siderophores for mycobacteria. BioMetals, 2004, 17, 53-64. | 4.1 | 13 |
| 599 | Microbial growth promotion studies of exochelin MN and analogues thereof. BioMetals, 2004, 17, 99-104. | 4.1 | 4 |
| 600 | Siderophore Production by a Marine <i>Pseudomonas aeruginosa</i> and Its Antagonistic Action Against Phytopathogenic Fungi. Applied Biochemistry and Biotechnology, 2004, 118, 243-252. | 2.9 | 57 |
| 601 | Siderophore mediated plant growth promotion at low temperature by mutant of fluorescent pseudomonad. Plant Growth Regulation, 2004, 42, 239-244. | 3.4 | 71 |
| 602 | PHYSICAL AND BIOCHEMICAL INTERACTIONS OF SOIL FUNGI WITH ASBESTOS FIBERS. Environmental Toxicology and Chemistry, 2004, 23, 938. | 4.3 | 28 |
| 603 | Ferrichrome in <i>Schizosaccharomyces pombe</i> ? an iron transport and iron storage compound. BioMetals, 2004, 17, 647-654. | 4.1 | 65 |
| 604 | Diversity and effectiveness of rhizobial strains from <i>Gliricidia sepium</i> native to Reunion Island, Kenya and New Caledonia. World Journal of Microbiology and Biotechnology, 2004, 20, 703-709. | 3.6 | 10 |
| 605 | Temperature Control of a 3,4-Dihydroxybenzoate (Protocatechuate)-Based Siderophore in <i>Bacillus anthracis</i> . Current Microbiology, 2004, 49, 89-94. | 2.2 | 75 |
| 606 | Siderophore Activity Among Members of the <i>Legionella</i> Genus. Current Microbiology, 2004, 49, 203-7. | 2.2 | 19 |
| 607 | Cloning, identification and expression of an entE homologue angE from <i>Vibrio anguillarum</i> serotype O1. Archives of Microbiology, 2004, 181, 287-293. | 2.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 608 | Inhibition of matrix metalloproteinase-2 activity by siderophores of <i>Pseudomonas</i> species. <i>Applied Microbiology and Biotechnology</i> , 2004, 64, 840-847. | 3.6 | 8 |
| 609 | Siderophores from marine microorganisms and their applications. <i>Journal of Ocean University of China</i> , 2004, 3, 40-47. | 1.2 | 19 |
| 610 | Yersiniabactin and other siderophores produced by clinical isolates of <i>Enterobacter</i> spp. and <i>Citrobacter</i> spp.. <i>FEMS Immunology and Medical Microbiology</i> , 2004, 40, 51-55. | 2.7 | 44 |
| 611 | Characterization of a novel carbofuran degrading <i>Pseudomonas</i> sp. with collateral biocontrol and plant growth promoting potential. <i>FEMS Microbiology Letters</i> , 2004, 231, 13-17. | 1.8 | 76 |
| 612 | <i>Bacillus anthracis</i> requires siderophore biosynthesis for growth in macrophages and mouse virulence. <i>Molecular Microbiology</i> , 2004, 51, 407-417. | 2.5 | 210 |
| 613 | Physiological and molecular genetic evaluation of the dechlorination agent, pyridine-2,6-bis(monothiocarboxylic acid) (PDTC) as a secondary siderophore of <i>Pseudomonas</i> . <i>Environmental Microbiology</i> , 2004, 6, 159-169. | 3.8 | 37 |
| 614 | Strategy to select and assess antagonistic bacteria for biological control of <i>Rhizoctonia solani</i> K₁/4hn. <i>Canadian Journal of Microbiology</i> , 2004, 50, 811-820. | 1.7 | 59 |
| 615 | Only iron-limited cells of the cyanobacterium <i>Anabaena flos-aquae</i> inhibit growth of the green alga <i>Chlamydomonas reinhardtii</i> . <i>Canadian Journal of Botany</i> , 2004, 82, 436-442. | 1.1 | 17 |
| 616 | Petrobactin Sulfonate, a New Siderophore Produced by the Marine Bacterium <i>Marinobacter hydrocarbonoclasticus</i> . <i>Journal of Natural Products</i> , 2004, 67, 1897-1899. | 3.0 | 66 |
| 617 | Evaluation of <i>Pseudomonas</i> sp. PM 11 and <i>Vibrio fluvialis</i> PM 17 on immune indices of tiger shrimp, <i>Penaeus monodon</i> . <i>Fish and Shellfish Immunology</i> , 2004, 17, 115-115. | 3.6 | 1 |
| 618 | <i>Burkholderia tropica</i> sp. nov., a novel nitrogen-fixing, plant-associated bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2155-2162. | 1.7 | 273 |
| 619 | Endophytic bacterial communities of field-grown potato plants and their plant-growth-promoting and antagonistic abilities. <i>Canadian Journal of Microbiology</i> , 2004, 50, 239-249. | 1.7 | 323 |
| 620 | Siderophores of the <i>Pseudomonadaceae</i> sensu stricto (Fluorescent and Non-Fluorescent) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,262 Td (F | | 92 |
| 621 | Hydroxamate-Based Iron Chelators: A Combinatorial Syntheses of Desferrioxamine B Analogues and Evaluation of Binding Affinities. <i>ACS Combinatorial Science</i> , 2004, 6, 239-254. | 3.3 | 34 |
| 622 | Evidence for a copper-dependent iron transport system in the marine, magnetotactic bacterium strain MV-1. <i>Microbiology (United Kingdom)</i> , 2004, 150, 2931-2945. | 1.8 | 81 |
| 623 | Evaluation of <i>Pseudomonas</i> sp. PM 11 and <i>Vibrio fluvialis</i> PM 17 on immune indices of tiger shrimp, <i>Penaeus monodon</i> . <i>Fish and Shellfish Immunology</i> , 2004, 17, 115-120. | 3.6 | 55 |
| 624 | Formation of Fe(III)-minerals by Fe(II)-oxidizing photoautotrophic bacteria 1 1 Associate editor: L. G. Benning. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 1217-1226. | 3.9 | 276 |
| 625 | Fe isotopic fractionation during mineral dissolution with and without bacteria. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3189-3204. | 3.9 | 230 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 626 | Microbial leaching of uranium and other trace elements from shale mine tailings at Ranstad. <i>Geoderma</i> , 2004, 122, 177-194. | 5.1 | 78 |
| 627 | Suppression of <i>Verticillium</i> wilt in olive planting stocks by root-associated fluorescent <i>Pseudomonas</i> spp.. <i>Biological Control</i> , 2004, 30, 474-486. | 3.0 | 165 |
| 628 | Siderophore production of a periplasmic transport binding protein kinase gene defective mutant of <i>Magnetospirillum magneticum</i> AMB-1. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 852-857. | 2.1 | 22 |
| 629 | Secretion of iron-complexing ligands from <i>Closterium aciculare</i> (Charophyceae, Chlorophyta) under iron-deficient conditions. <i>Phycologia</i> , 2004, 43, 632-634. | 1.4 | 6 |
| 630 | Effects of organic iron complexes on the growth of red tide causative phytoplankton. , 0, , . | | 2 |
| 631 | Detection of Iron(III)-Binding Ligands Originating from Marine Phytoplankton Using Cathodic Stripping Voltammetry. <i>Analytical Sciences</i> , 2004, 20, 89-93. | 1.6 | 16 |
| 632 | Structure of synechobactins, new siderophores of the marine cyanobacterium <i>Synechococcus</i> sp. PCC 7002. <i>Limnology and Oceanography</i> , 2005, 50, 1918-1923. | 3.1 | 124 |
| 633 | Alkaline cyanide biodegradation by <i>Pseudomonas pseudoalcaligenes</i> CECT5344. <i>Biochemical Society Transactions</i> , 2005, 33, 168-169. | 3.4 | 47 |
| 634 | Growth Deficiency of a <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> fur Mutant in Rice Leaves Is Rescued by Ascorbic Acid Supplementation. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 644-651. | 2.6 | 50 |
| 635 | Production of Catechol-Siderophore and Utilization of Transferrin-Bound Iron in <i>Bacillus cereus</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 1132-1135. | 1.4 | 25 |
| 636 | A spectrophotometric method to determine the siderophore production by strains of fluorescent <i>Pseudomonas</i> in the presence of copper and iron. <i>Microchemical Journal</i> , 2005, 81, 35-40. | 4.5 | 16 |
| 637 | Effects of the humic substances of de-inking paper sludge on the antagonism between two compost bacteria and <i>Pythium ultimum</i> . <i>FEMS Microbiology Ecology</i> , 2005, 52, 219-227. | 2.7 | 33 |
| 638 | The expression of selected non-ribosomal peptide synthetases in <i>Aspergillus fumigatus</i> is controlled by the availability of free iron. <i>FEMS Microbiology Letters</i> , 2005, 248, 83-91. | 1.8 | 46 |
| 639 | Genome-wide expression analysis of iron regulation in <i>Burkholderia pseudomallei</i> and <i>Burkholderia mallei</i> using DNA microarrays. <i>FEMS Microbiology Letters</i> , 2005, 252, 327-335. | 1.8 | 51 |
| 640 | Influence of growth conditions on <i>Pseudomonas fluorescens</i> strains: A link between metabolite production and the PLFA profile. <i>FEMS Microbiology Letters</i> , 2005, 251, 211-218. | 1.8 | 16 |
| 641 | The <i>exbD</i> gene of <i>Photorhabdus temperata</i> is required for full virulence in insects and symbiosis with the nematode <i>Heterorhabditis</i> . <i>Molecular Microbiology</i> , 2005, 56, 763-773. | 2.5 | 50 |
| 642 | Analysis of <i>Xenorhabdus</i> nematophila metabolic mutants yields insight into stages of <i>Steinernema carpocapsae</i> nematode intestinal colonization. <i>Molecular Microbiology</i> , 2005, 58, 28-45. | 2.5 | 37 |
| 643 | Characterization of antifungal metabolite produced by a new strain <i>Pseudomonas aeruginosa</i> PUPa3 that exhibits broad-spectrum antifungal activity and biofertilizing traits. <i>Journal of Applied Microbiology</i> , 2005, 98, 145-154. | 3.1 | 186 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 644 | Iron acquisition mechanisms of <i>Flavobacterium psychrophilum</i> . <i>Journal of Fish Diseases</i> , 2005, 28, 391-398. | 1.9 | 32 |
| 645 | Virulence factors and pathogenicity of <i>Hafnia alvei</i> for gilthead seabream, <i>Sparus aurata</i> L.. <i>Journal of Fish Diseases</i> , 2005, 28, 411-417. | 1.9 | 14 |
| 646 | Iron limitation induces SpoT-dependent accumulation of ppGpp in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2005, 56, 958-970. | 2.5 | 195 |
| 647 | Hypermotility Impedes Cooperation in Pathogenic Bacteria. <i>Current Biology</i> , 2005, 15, 1968-1971. | 3.9 | 58 |
| 648 | Cadmium-tolerant plant growth-promoting bacteria associated with the roots of Indian mustard (<i>Brassica juncea</i> L. Czern.). <i>Soil Biology and Biochemistry</i> , 2005, 37, 241-250. | 8.8 | 720 |
| 649 | Growth and siderophore production of <i>Xylella fastidiosa</i> under iron-limited conditions. <i>Microbiological Research</i> , 2005, 160, 429-436. | 5.3 | 37 |
| 650 | Antimicrobial activity of <i>Streptomyces</i> species against mushroom blotch disease pathogen. <i>Journal of Basic Microbiology</i> , 2005, 45, 64-71. | 3.3 | 18 |
| 651 | Characterization and screening of bacteria from rhizosphere of maize grown in Indonesian and Pakistani soils. <i>Journal of Basic Microbiology</i> , 2005, 45, 447-459. | 3.3 | 18 |
| 652 | Novel Insights into Siderophore Formation in <i>Myxobacteria</i> . <i>ChemBioChem</i> , 2005, 6, 365-374. | 2.6 | 32 |
| 653 | Isolation and Functional Characterization of Siderophore-Producing Lead- and Cadmium-Resistant <i>Pseudomonas putida</i> KNP9. <i>Current Microbiology</i> , 2005, 50, 233-237. | 2.2 | 167 |
| 654 | Rhizosphere Competent <i>Pseudomonas aeruginosa</i> GRC1 Produces Characteristic Siderophore and Enhances Growth of Indian Mustard (<i>Brassica campestris</i>). <i>Current Microbiology</i> , 2005, 51, 303-309. | 2.2 | 55 |
| 655 | Characterization of a Novel Cr6+ Reducing <i>Pseudomonas</i> sp. with Plant Growth-Promoting Potential. <i>Current Microbiology</i> , 2005, 50, 266-271. | 2.2 | 92 |
| 656 | Gene cloning, expression and functional characterization of a phosphopantetheinyl transferase from <i>Vibrio anguillarum</i> serotype O1. <i>Archives of Microbiology</i> , 2005, 183, 37-44. | 2.2 | 19 |
| 657 | Behaviour of Bacterial Populations Isolated from Rhizosphere of <i>Diplachne fusca</i> Dominant in Industrial Sites. <i>World Journal of Microbiology and Biotechnology</i> , 2005, 21, 1095-1101. | 3.6 | 43 |
| 658 | Petrobactin is the Primary Siderophore Synthesized by <i>Bacillus anthracis</i> Str. Sterne under Conditions of Iron Starvation. <i>BioMetals</i> , 2005, 18, 577-585. | 4.1 | 91 |
| 659 | Secretion activity of white lupin's cluster roots influences bacterial abundance, function and community structure. <i>Plant and Soil</i> , 2005, 268, 181-194. | 3.7 | 60 |
| 660 | Rapid identification of siderophores by combined thin-layer chromatography/matrix-assisted laser desorption/ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 711-720. | 1.5 | 28 |
| 661 | Effect of iron and growth inhibitors on siderophores production by <i>Pseudomonas fluorescens</i> . <i>African Journal of Biotechnology</i> , 2005, 4, 697-702. | 0.6 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 662 | The Uptake and Accumulation of Iron by the Intestinal Bacterium <i>Desulfotomaculum acetoxidans</i> DSM 771. <i>Folia Biologica</i> , 2005, 53, 79-81. | 0.5 | 6 |
| 663 | Novel Role of the Lipopolysaccharide O1 Side Chain in Ferric Siderophore Transport and Virulence of <i>Vibrio anguillarum</i> . <i>Infection and Immunity</i> , 2005, 73, 5864-5872. | 2.2 | 26 |
| 664 | Genotypic and phenotypic characteristics of <i>Pseudomonas aeruginosa</i> isolates associated with ulcerative keratitis. <i>Journal of Medical Microbiology</i> , 2005, 54, 519-526. | 1.8 | 57 |
| 665 | Characterization of the <i>ccilR</i> Quorum-Sensing System in <i>Burkholderia cenocepacia</i> . <i>Infection and Immunity</i> , 2005, 73, 4982-4992. | 2.2 | 86 |
| 666 | Involvement of Bacterial Quorum-Sensing Signals in Spoilage of Bean Sprouts. <i>Applied and Environmental Microbiology</i> , 2005, 71, 3321-3330. | 3.1 | 98 |
| 667 | Polyphosphate Kinase 1 and the Ocular Virulence of <i>Pseudomonas aeruginosa</i> . , 2005, 46, 248. | | 20 |
| 668 | Iron Uptake Mechanisms in the Fish Pathogen <i>Tenacibaculum maritimum</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 6947-6953. | 3.1 | 34 |
| 669 | Isolation of <i>Vibrio alginolyticus</i> and <i>Vibrio splendidus</i> from Aquacultured Carpet Shell Clam (<i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>) <i>Microbiology</i> , 2005, 71, 98-104. | 3.1 | 244 |
| 670 | TolC Is Involved in Enterobactin Efflux across the Outer Membrane of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2005, 187, 6701-6707. | 2.2 | 140 |
| 671 | Desferrioxamine E produced by <i>Streptomyces griseus</i> stimulates growth and development of <i>Streptomyces tanashiensis</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 2899-2905. | 1.8 | 151 |
| 672 | <i>Bordetella</i> AlcS Transporter Functions in Alcaligin Siderophore Export and Is Central to Inducer Sensing in Positive Regulation of Alcaligin System Gene Expression. <i>Journal of Bacteriology</i> , 2005, 187, 3650-3661. | 2.2 | 44 |
| 673 | Analysis of a DtxR-Regulated Iron Transport and Siderophore Biosynthesis Gene Cluster in <i>Corynebacterium diphtheriae</i> . <i>Journal of Bacteriology</i> , 2005, 187, 422-433. | 2.2 | 56 |
| 674 | Plasmid- and Chromosome-Encoded Redundant and Specific Functions Are Involved in Biosynthesis of the Siderophore Anguibactin in <i>Vibrio anguillarum</i> 775: a Case of Chance and Necessity?. <i>Journal of Bacteriology</i> , 2005, 187, 2209-2214. | 2.2 | 41 |
| 675 | Global Analysis of Cellular Factors and Responses Involved in <i>Pseudomonas aeruginosa</i> Resistance to Arsenite. <i>Journal of Bacteriology</i> , 2005, 187, 4853-4864. | 2.2 | 67 |
| 676 | Distribution and Diversity of Natural Product Genes in Marine and Freshwater Cyanobacterial Cultures and Genomes. <i>Applied and Environmental Microbiology</i> , 2005, 71, 7401-7413. | 3.1 | 125 |
| 677 | Role of the Regulatory Gene <i>rirA</i> in the Transcriptional Response of <i>Sinorhizobium meliloti</i> to Iron Limitation. <i>Applied and Environmental Microbiology</i> , 2005, 71, 5969-5982. | 3.1 | 82 |
| 678 | Biological control of collar rot disease with broad-spectrum antifungal bacteria associated with groundnut. <i>Canadian Journal of Microbiology</i> , 2005, 51, 123-132. | 1.7 | 51 |
| 679 | Diverse Mn(II)-Oxidizing Bacteria Isolated from Submarine Basalts at Loihi Seamount. <i>Geomicrobiology Journal</i> , 2005, 22, 127-139. | 2.0 | 195 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 680 | Cesium Desorption from Illite as Affected by Exudates from Rhizosphere Bacteria. <i>Environmental Science & Technology</i> , 2005, 39, 4505-4512. | 10.0 | 37 |
| 681 | Bacterial Degradation of Cyanide and Its Metal Complexes under Alkaline Conditions. <i>Applied and Environmental Microbiology</i> , 2005, 71, 940-947. | 3.1 | 121 |
| 682 | The Metal Permease ZupT from <i>Escherichia coli</i> Is a Transporter with a Broad Substrate Spectrum. <i>Journal of Bacteriology</i> , 2005, 187, 1604-1611. | 2.2 | 196 |
| 683 | Production of a molybdophore during metal-targeted dissolution of silicates by soil bacteria. <i>Chemical Geology</i> , 2005, 220, 285-302. | 3.3 | 83 |
| 684 | Siderophore accumulation and phytopathogenicity in <i>Microbotryum violaceum</i> . <i>Fungal Genetics and Biology</i> , 2005, 42, 579-589. | 2.1 | 22 |
| 685 | A GacS deficiency does not affect <i>Pseudomonas chlororaphis</i> PA23 fitness when growing on canola, in aged batch culture or as a biofilm. <i>Canadian Journal of Microbiology</i> , 2006, 52, 1177-1188. | 1.7 | 50 |
| 686 | Role of ptsP, orfT, and sss Recombinase Genes in Root Colonization by <i>Pseudomonas fluorescens</i> Q8r1-96. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7111-7122. | 3.1 | 44 |
| 687 | A SitABCD homologue from an avian pathogenic <i>Escherichia coli</i> strain mediates transport of iron and manganese and resistance to hydrogen peroxide. <i>Microbiology (United Kingdom)</i> , 2006, 152, 745-758. | 1.8 | 135 |
| 689 | Identification of <i>Burkholderia pseudomallei</i> Genes Required for the Intracellular Life Cycle and In Vivo Virulence. <i>Infection and Immunity</i> , 2006, 74, 3576-3586. | 2.2 | 185 |
| 690 | Differences between two green algae in biological availability of iron bound to strong chelators. <i>Canadian Journal of Botany</i> , 2006, 84, 400-411. | 1.1 | 20 |
| 691 | The Ornibactin Biosynthesis and Transport Genes of <i>Burkholderia cenocepacia</i> Are Regulated by an Extracytoplasmic Function If Factor Which Is a Part of the Fur Regulon. <i>Journal of Bacteriology</i> , 2006, 188, 3631-3644. | 2.2 | 84 |
| 692 | Chemical characterization and quantification of siderophores produced by marine and terrestrial aspergilli. <i>Canadian Journal of Microbiology</i> , 2006, 52, 603-607. | 1.7 | 23 |
| 693 | Photoreactivity of Iron(III)-Aerobactin: A Photoproduct Structure and Iron(III) Coordination. <i>Inorganic Chemistry</i> , 2006, 45, 6028-6033. | 4.0 | 91 |
| 694 | Antitubercular Nucleosides That Inhibit Siderophore Biosynthesis: A SAR of the Glycosyl Domain. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7623-7635. | 6.4 | 78 |
| 695 | Solid-Phase Aqueous Phase Partitioning of Radionuclides by Complexing Compounds Excreted by Subsurface Bacteria. <i>Geomicrobiology Journal</i> , 2006, 23, 621-630. | 2.0 | 15 |
| 696 | Plant growth-promoting rhizobacteria as transplant amendments and their effects on indigenous rhizosphere microorganisms. <i>Applied Soil Ecology</i> , 2006, 31, 91-100. | 4.3 | 111 |
| 697 | Differential cross-utilization of heterologous siderophores by nodule bacteria of <i>Cajanus cajan</i> and its possible role in growth under iron-limited conditions. <i>Applied Soil Ecology</i> , 2006, 34, 19-26. | 4.3 | 44 |
| 698 | A brackishwater isolate of <i>Pseudomonas</i> PS-102, a potential antagonistic bacterium against pathogenic vibrios in penaeid and non-penaeid rearing systems. <i>Aquaculture</i> , 2006, 251, 192-200. | 3.5 | 110 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 699 | Influence of plant growth promoting bacteria and Cr6+ on the growth of Indian mustard. Chemosphere, 2006, 62, 741-748. | 8.2 | 234 |
| 700 | Siderophores of <i>Bacillus anthracis</i> , <i>Bacillus cereus</i> , and <i>Bacillus thuringiensis</i> . Biochemical and Biophysical Research Communications, 2006, 348, 320-325. | 2.1 | 164 |
| 701 | High-resolution analysis of catechol-type siderophores using polyamide thin layer chromatography. Journal of Microbiological Methods, 2006, 67, 390-393. | 1.6 | 7 |
| 702 | Functional characterization of a novel hydrocarbonoclastic <i>Pseudomonas</i> sp. strain PUP6 with plant-growth-promoting traits and antifungal potential. Research in Microbiology, 2006, 157, 538-546. | 2.1 | 40 |
| 703 | The SlyB outer membrane lipoprotein of <i>Burkholderia multivorans</i> contributes to membrane integrity. Research in Microbiology, 2006, 157, 582-592. | 2.1 | 38 |
| 704 | Effects of the substances secreted from <i>Closterium aciculare</i> (Charophyceae, Chlorophyta) on the growth of freshwater phytoplankton under iron-deficient conditions. Plankton and Benthos Research, 2006, 1, 191-199. | 0.6 | 3 |
| 705 | Do Exudates Affect Cadmium Speciation and Bioavailability to the Rhizobacterium <i>Sinorhizobium meliloti</i> ?. Environmental Chemistry, 2006, 3, 424. | 1.5 | 8 |
| 706 | Two Novel MvaT-Like Global Regulators Control Exoproduct Formation and Biocontrol Activity in Root-Associated <i>Pseudomonas fluorescens</i> CHAO. Molecular Plant-Microbe Interactions, 2006, 19, 313-329. | 2.6 | 44 |
| 707 | Influence of Iron on Cylindrocarpus Root Rot Development on Ginseng. Phytopathology, 2006, 96, 1179-1187. | 2.2 | 25 |
| 708 | <i>Pseudomonas aeruginosa</i> Alkaline Protease Can Facilitate Siderophore-Mediated Iron-Uptake via the Proteolytic Cleavage of Transferrins. Biological and Pharmaceutical Bulletin, 2006, 29, 2295-2300. | 1.4 | 22 |
| 709 | Proteases of a <i>Bacillus subtilis</i> Clinical Isolate Facilitate Swarming and Siderophore-Mediated Iron Uptake via Proteolytic Cleavage of Transferrin. Biological and Pharmaceutical Bulletin, 2006, 29, 850-853. | 1.4 | 10 |
| 710 | Optimization of operating conditions for ferrichrome production in a membrane bioreactor using <i>Ustilago maydis</i> . Computer Aided Chemical Engineering, 2006, , 309-314. | 0.5 | 1 |
| 712 | Survival characteristics of <i>Salmonella enterica</i> serovar Enteritidis in chicken egg albumen. Epidemiology and Infection, 2006, 134, 967-976. | 2.1 | 55 |
| 713 | Metabolism of Cyanate and Cyanide in the Alkalophilic Bacterium <i>Pseudomonas pseudoalcaligenes</i> CECT5344. , 0, , 521-525. | | 0 |
| 714 | Identification of erythrobactin, a hydroxamate-type siderophore produced by <i>Saccharopolyspora erythraea</i> . Letters in Applied Microbiology, 2006, 42, 375-380. | 2.2 | 24 |
| 715 | Phenotypic and molecular typing of <i>Vibrio harveyi</i> isolates and their pathogenicity to tiger shrimp larvae. Letters in Applied Microbiology, 2006, 43, 566-570. | 2.2 | 29 |
| 716 | Cyanide utilization in <i>Pseudomonas fluorescens</i> NCIMB 11764 involves a putative siderophore. FEMS Microbiology Letters, 2006, 156, 61-67. | 1.8 | 3 |
| 717 | Iron depletion affects nitrogenase activity and expression of <i>nif</i> genes in <i>Herbaspirillum seropedicae</i> . FEMS Microbiology Letters, 2006, 258, 214-219. | 1.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 718 | Isolation and characterization of a novel banana rhizosphere bacterium as fungal antagonist and microbial adjuvant in micropropagation of banana. <i>Journal of Applied Microbiology</i> , 2006, 100, 926-937. | 3.1 | 89 |
| 719 | Enumeration, isolation and identification of diazotrophs from Korean wetland rice varieties grown with long-term application of N and compost and their short-term inoculation effect on rice plants. <i>Journal of Applied Microbiology</i> , 2006, 102, 061120055200050-??? | 3.1 | 50 |
| 720 | Ferriacillin uptake and hydrolysis in <i>Bacillus subtilis</i> . <i>Molecular Microbiology</i> , 2006, 61, 1413-1427. | 2.5 | 160 |
| 721 | Multiple determinants influence root colonization and induction of induced systemic resistance by <i>Pseudomonas chlororaphis</i> O6. <i>Molecular Plant Pathology</i> , 2006, 7, 463-472. | 4.2 | 39 |
| 722 | Mechanisms of microbially enhanced Fe acquisition in red clover (<i>Trifolium pratense</i> L.). <i>Plant, Cell and Environment</i> , 2006, 29, 888-897. | 5.7 | 108 |
| 723 | Isolation and characterization of autoagglutination factor of <i>Yersinia pestis</i> Hms ⁺ cells. <i>Biochemistry (Moscow)</i> , 2006, 71, 1192-1199. | 1.5 | 5 |
| 724 | Purification of siderophores of <i>Alcaligenes faecalis</i> on Amberlite XAD. <i>Bioresource Technology</i> , 2006, 97, 1026-1029. | 9.6 | 36 |
| 725 | Functional Genetic Analysis Reveals a 2-Alkyl-4-Quinolone Signaling System in the Human Pathogen <i>Burkholderia pseudomallei</i> and Related Bacteria. <i>Chemistry and Biology</i> , 2006, 13, 701-710. | 6.0 | 169 |
| 726 | Evaluation of different carbon sources for production of iron-reducing compounds by <i>Wolffiporia cocos</i> and <i>Perenniporia medulla-panis</i> . <i>Process Biochemistry</i> , 2006, 41, 887-891. | 3.7 | 20 |
| 727 | Structural characterization of vanchrobactin, a new catechol siderophore produced by the fish pathogen <i>Vibrio anguillarum</i> serotype O2. <i>Tetrahedron Letters</i> , 2006, 47, 7113-7116. | 1.4 | 60 |
| 728 | Plant growth promoting potential of free-living diazotrophs and other rhizobacteria isolated from Northern Indian soil. <i>Biotechnology Journal</i> , 2006, 1, 1112-1123. | 3.5 | 34 |
| 729 | Characterization of <i>Erwinia amylovora</i> Strains from Croatia. <i>European Journal of Plant Pathology</i> , 2006, 114, 435-440. | 1.7 | 14 |
| 730 | Changes in Extractability of Cr and Pb in a Polycontaminated Soil After Bioaugmentation With Microbial Producers of Biosurfactants, Organic Acids and Siderophores. <i>Water, Air and Soil Pollution</i> , 2006, 6, 261-279. | 0.8 | 111 |
| 731 | Iron enhances the susceptibility of pathogenic mycobacteria to isoniazid, an antitubercular drug. <i>World Journal of Microbiology and Biotechnology</i> , 2006, 22, 1357-1364. | 3.6 | 11 |
| 732 | Interactions between iron availability, aluminium toxicity and fungal siderophores. <i>BioMetals</i> , 2006, 19, 367-377. | 4.1 | 17 |
| 733 | Basidiochrome – A Novel Siderophore of the Orchidaceous Mycorrhizal Fungi <i>Ceratobasidium</i> and <i>Rhizoctonia</i> spp.. <i>BioMetals</i> , 2006, 19, 335-343. | 4.1 | 35 |
| 734 | Characterization of Schizokinen TM ; a dihydroxamate-type siderophore produced by <i>Rhizobium leguminosarum</i> IARI 917. <i>BioMetals</i> , 2006, 19, 637-649. | 4.1 | 48 |
| 735 | Quorum-sensing system influences root colonization and biological control ability in <i>Pseudomonas fluorescens</i> 2P24. <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 267-280. | 1.7 | 146 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 736 | Chitinase-mediated destructive antagonistic potential of <i>Pseudomonas aeruginosa</i> GRC1 against <i>Sclerotinia sclerotiorum</i> causing stem rot of peanut. <i>BioControl</i> , 2006, 51, 821-835. | 2.0 | 58 |
| 737 | Structure and membrane affinity of new amphiphilic siderophores produced by <i>Ochrobactrum</i> sp. SP18. <i>Journal of Biological Inorganic Chemistry</i> , 2006, 11, 633-641. | 2.6 | 74 |
| 738 | Siderophore-mediated iron transport in <i>Bacillus subtilis</i> and <i>Corynebacterium glutamicum</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2006, 11, 1087-1097. | 2.6 | 46 |
| 739 | Isolation of Marine Bacteria by In Situ Culture on Media-Supplemented Polyurethane Foam. <i>Marine Biotechnology</i> , 2006, 8, 227-237. | 2.4 | 30 |
| 740 | Remediation of Kraft E1 and black liquor effluents by biological and chemical processes. <i>Environmental Chemistry Letters</i> , 2006, 4, 87-91. | 16.2 | 12 |
| 741 | Analysis of the <i>gacS-gacA</i> regulatory genes of spontaneous mutants of <i>Pseudomonas fluorescens</i> biocontrol strain PfG32R. <i>Journal of General Plant Pathology</i> , 2006, 72, 159-167. | 1.0 | 6 |
| 742 | Purification and Properties of a Novel Insecticidal Protein from the Locust Pathogen <i>Serratia marcescens</i> HR-3. <i>Current Microbiology</i> , 2006, 52, 45-49. | 2.2 | 33 |
| 743 | Siderophore Cross-Utilization Amongst Rhizospheric Bacteria and the Role of Their Differential Affinities for Fe ³⁺ on Growth Stimulation Under Iron-Limited Conditions. <i>Current Microbiology</i> , 2006, 53, 141-147. | 2.2 | 59 |
| 744 | Iron nutrition and physiological responses to iron stress in <i>Nitrosomonas europaea</i> . <i>Archives of Microbiology</i> , 2006, 186, 107-118. | 2.2 | 39 |
| 745 | Purification and characteristics of a low-molecular-weight peptide possessing oxidative capacity for phenol from <i>Phanerochaete chrysosporium</i> . <i>Science in China Series C: Life Sciences</i> , 2006, 49, 243-250. | 1.3 | 4 |
| 746 | Differential methods of inoculation of plant growth-promoting rhizobacteria induce synthesis of phenylalanine ammonia-lyase and phenolic compounds differentially in chickpea. <i>Folia Microbiologica</i> , 2006, 51, 463-468. | 2.3 | 35 |
| 747 | <i>Candida albicans</i> can utilize siderophore during candidiasis caused by apotransferrin. <i>Archives of Pharmacal Research</i> , 2006, 29, 249-255. | 6.3 | 11 |
| 748 | Phenotypic structure of <i>Pseudomonas</i> populations is altered under elevated pCO ₂ in the rhizosphere of perennial grasses. <i>Soil Biology and Biochemistry</i> , 2006, 38, 1193-1201. | 8.8 | 30 |
| 749 | Diversity and antagonistic potential of <i>Pseudomonas</i> spp. associated to the rhizosphere of maize grown in a subtropical organic farm. <i>Soil Biology and Biochemistry</i> , 2006, 38, 2434-2447. | 8.8 | 64 |
| 750 | A detailed phenotypic and genotypic description of <i>Pseudomonas</i> strain OX1. <i>Systematic and Applied Microbiology</i> , 2006, 29, 422-430. | 2.8 | 24 |
| 751 | Catechol siderophore excretion by magnetotactic bacterium <i>Magnetospirillum magneticum</i> AMB-1. <i>Journal of Bioscience and Bioengineering</i> , 2006, 101, 445-447. | 2.2 | 27 |
| 752 | Knock-out of SO1377 gene, which encodes the member of a conserved hypothetical bacterial protein family COG2268, results in alteration of iron metabolism, increased spontaneous mutation and hydrogen peroxide sensitivity in <i>Shewanella oneidensis</i> MR-1. <i>BMC Genomics</i> , 2006, 7, 76. | 2.8 | 51 |
| 753 | Effect of iron on the expression of <i>sirR</i> and <i>sitABC</i> in biofilm-associated <i>Staphylococcus epidermidis</i> . <i>BMC Microbiology</i> , 2006, 6, 103. | 3.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 754 | Siderophore production by using free and immobilized cells of two pseudomonads cultivated in a medium enriched with Fe and/or toxic metals (Cr, Hg, Pb). <i>Biotechnology and Bioengineering</i> , 2006, 94, 1080-1088. | 3.3 | 27 |
| 755 | Capillary electrophoresis-mass spectrometry of citrus endophytic bacteria siderophores. <i>Electrophoresis</i> , 2006, 27, 2567-2574. | 2.4 | 17 |
| 756 | Plant growth promotion and induction of resistance in <i>Camellia sinensis</i> by <i>Bacillus megaterium</i> . <i>Journal of Basic Microbiology</i> , 2006, 46, 186-195. | 3.3 | 172 |
| 757 | Role of Histone-Like Proteins H-NS and StpA in Expression of Virulence Determinants of Uropathogenic <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2006, 188, 5428-5438. | 2.2 | 96 |
| 758 | Life on Earth. Extremophiles Continue to Move the Goal Posts. <i>Environmental Chemistry</i> , 2006, 3, 77. | 1.5 | 41 |
| 759 | Characterization of the Siderophore of <i>Francisella tularensis</i> and Role of <i>fslA</i> in Siderophore Production. <i>Journal of Bacteriology</i> , 2006, 188, 3785-3795. | 2.2 | 83 |
| 760 | Identification of <i>Francisella tularensis</i> Genes Affected by Iron Limitation. <i>Infection and Immunity</i> , 2006, 74, 4224-4236. | 2.2 | 102 |
| 761 | Irr regulates brucebactin and 2,3-dihydroxybenzoic acid biosynthesis, and is implicated in the oxidative stress resistance and intracellular survival of <i>Brucella abortus</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 2591-2598. | 1.8 | 34 |
| 762 | Unravelling the role of the ToxR-like transcriptional regulator WmpR in the marine antifouling bacterium <i>Pseudoalteromonas tunicata</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 1385-1394. | 1.8 | 27 |
| 763 | A Homologue of the 3-Oxoacyl-(Acyl Carrier Protein) Synthase III Gene Located in the Glycosylation Island of <i>Pseudomonas syringae</i> pv. <i>tabaci</i> Regulates Virulence Factors via N-Acyl Homoserine Lactone and Fatty Acid Synthesis. <i>Journal of Bacteriology</i> , 2006, 188, 8376-8384. | 2.2 | 60 |
| 764 | Genetic and Transcriptional Analysis of the Siderophore Malleobactin Biosynthesis and Transport Genes in the Human Pathogen <i>Burkholderia pseudomallei</i> K96243. <i>Journal of Bacteriology</i> , 2006, 188, 1551-1566. | 2.2 | 66 |
| 765 | Cellular Response of <i>Shewanella oneidensis</i> to Strontium Stress. <i>Applied and Environmental Microbiology</i> , 2006, 72, 890-900. | 3.1 | 44 |
| 766 | Yersiniabactin Production by <i>Pseudomonas syringae</i> and <i>Escherichia coli</i> , and Description of a Second Yersiniabactin Locus Evolutionary Group. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3814-3825. | 3.1 | 56 |
| 767 | Identification and Characterization of a Major Cell Wall-Associated Iron-Regulated Envelope Protein (Irep-28) in <i>Mycobacterium tuberculosis</i> . <i>Vaccine Journal</i> , 2006, 13, 1137-1142. | 3.1 | 28 |
| 768 | A siderophore biosynthesis gene cluster from the fish pathogen <i>Photobacterium damsela</i> subsp. <i>piscicida</i> is structurally and functionally related to the <i>Yersinia</i> high-pathogenicity island. <i>Microbiology (United Kingdom)</i> , 2006, 152, 3327-3341. | 1.8 | 46 |
| 769 | Microbial Mobilization of Uranium from Shale Mine Waste. <i>Geomicrobiology Journal</i> , 2006, 23, 157-164. | 2.0 | 28 |
| 770 | IbtA and IbtB Are Required for Production of the <i>Legionella pneumophila</i> Siderophore Legiobactin. <i>Journal of Bacteriology</i> , 2006, 188, 1351-1363. | 2.2 | 63 |
| 771 | A gene cluster involved in the biosynthesis of vanchrobactin, a chromosome-encoded siderophore produced by <i>Vibrio anguillarum</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 3517-3528. | 1.8 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 772 | The role of dsbA in colonization of the wheat rhizosphere by <i>Pseudomonas fluorescens</i> Q8r1-96. Microbiology (United Kingdom), 2006, 152, 863-872. | 1.8 | 27 |
| 773 | The <i>Erwinia chrysanthemi</i> 3937 PhoQ Sensor Kinase Regulates Several Virulence Determinants. Journal of Bacteriology, 2006, 188, 3088-3098. | 2.2 | 48 |
| 774 | A 55 kDa hypothetical membrane protein is an iron-regulated virulence factor of <i>Francisella tularensis</i> subsp. <i>novicida</i> U112. Journal of Medical Microbiology, 2007, 56, 1268-1276. | 1.8 | 23 |
| 775 | The Hotdog Thioesterase EntH (YbdB) Plays a Role In Vivo in Optimal Enterobactin Biosynthesis by Interacting with the ArCP Domain of EntB. Journal of Bacteriology, 2007, 189, 7112-7126. | 2.2 | 33 |
| 776 | The Tomato Rhizosphere, an Environment Rich in Nitrogen-Fixing Burkholderia Species with Capabilities of Interest for Agriculture and Bioremediation. Applied and Environmental Microbiology, 2007, 73, 5308-5319. | 3.1 | 211 |
| 777 | Expression of the <i>bviLR</i> and <i>ceiLR</i> Quorum-Sensing Systems of <i>Burkholderia vietnamiensis</i> . Journal of Bacteriology, 2007, 189, 3006-3016. | 2.2 | 22 |
| 778 | Ecophysiology of Magnetotactic Bacteria. , 2006, , 37-75. | | 47 |
| 779 | Stage-specific Adaptation of Hypermutable <i>Pseudomonas aeruginosa</i> isolates during Chronic Pulmonary Infection in Patients with Cystic Fibrosis. Journal of Infectious Diseases, 2007, 195, 70-80. | 4.0 | 119 |
| 780 | <i>Agrobacterium tumefaciens</i> <i>fur</i> Has Important Physiological Roles in Iron and Manganese Homeostasis, the Oxidative Stress Response, and Full Virulence. Applied and Environmental Microbiology, 2007, 73, 4760-4768. | 3.1 | 54 |
| 781 | Siderophore Production by <i>Pseudomonas stutzeri</i> under Aerobic and Anaerobic Conditions. Applied and Environmental Microbiology, 2007, 73, 5857-5864. | 3.1 | 58 |
| 782 | High relatedness selects against hypermutability in bacterial metapopulations. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 1341-1347. | 2.6 | 19 |
| 783 | Comparative genomic hybridization and physiological characterization of environmental isolates indicate that significant (eco-)physiological properties are highly conserved in the species <i>Escherichia coli</i> . Microbiology (United Kingdom), 2007, 153, 2052-2066. | 1.8 | 27 |
| 784 | <i>Pseudomonas</i> Siderophores and their Biological Significance. , 2007, , 193-203. | | 18 |
| 785 | Characterization of the <i>Vibrio alginolyticus</i> <i>fur</i> Gene and Localization of Essential Amino Acid Sites in <i>Fur</i> by Site-Directed Mutagenesis. Journal of Molecular Microbiology and Biotechnology, 2007, 13, 15-21. | 1.0 | 11 |
| 786 | RelA-Dependent (p)ppGpp Production Controls Exoenzyme Synthesis in <i>Erwinia carotovora</i> subsp. <i>atroseptica</i> . Journal of Bacteriology, 2007, 189, 7643-7652. | 2.2 | 19 |
| 787 | <i>Burkholderia bryophila</i> sp. nov. and <i>Burkholderia megapolitana</i> sp. nov., moss-associated species with antifungal and plant-growth-promoting properties. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2228-2235. | 1.7 | 87 |
| 788 | Biological Control of Grape Crown Gall by <i>Rahnella aquatilis</i> HX2. Plant Disease, 2007, 91, 957-963. | 1.4 | 70 |
| 789 | Tenacibactins A ² D, Hydroxamate Siderophores from a Marine-Derived Bacterium, <i>Tenacibaculum</i> sp. A4K-17. Journal of Natural Products, 2007, 70, 563-566. | 3.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 790 | Selection for biocontrol bacteria antagonistic toward <i>Rosellinia necatrix</i> by enrichment of competitive avocado root tip colonizers. <i>Research in Microbiology</i> , 2007, 158, 463-470. | 2.1 | 33 |
| 791 | MgAtr7, a new type of ABC transporter from <i>Mycosphaerella graminicola</i> involved in iron homeostasis. <i>Fungal Genetics and Biology</i> , 2007, 44, 853-863. | 2.1 | 10 |
| 792 | Etch pit formation on iron silicate surfaces during siderophore-promoted dissolution. <i>Chemical Geology</i> , 2007, 240, 326-342. | 3.3 | 98 |
| 793 | O-CAS, a fast and universal method for siderophore detection. <i>Journal of Microbiological Methods</i> , 2007, 70, 127-131. | 1.6 | 295 |
| 794 | The plasticity of global proteome and genome expression analyzed in closely related W3110 and MG1655 strains of a well-studied model organism, <i>Escherichia coli</i> -K12. <i>Journal of Biotechnology</i> , 2007, 128, 747-761. | 3.8 | 29 |
| 795 | Synthesis and studies of catechol-containing mycobactin S and T analogs. <i>Organic and Biomolecular Chemistry</i> , 2007, 5, 1621-1628. | 2.8 | 21 |
| 796 | Microbial Siderophores. <i>Soil Biology</i> , 2007, , . | 0.8 | 14 |
| 797 | Assimilatory and dissimilatory processes of microorganisms affecting metals in the environment. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 867. | 3.0 | 26 |
| 798 | Role of chitinase and β -1,3-glucanase activities produced by a fluorescent pseudomonad and in vitro inhibition of <i>Phytophthora capsici</i> and <i>Rhizoctonia solani</i> . <i>Canadian Journal of Microbiology</i> , 2007, 53, 207-212. | 1.7 | 55 |
| 799 | Reduction of Nickel and Uranium Toxicity and Enhanced Trichloroethylene Degradation to <i>Burkholderia vietnamiensis</i> PR1301 with Hydroxyapatite Amendment. <i>Environmental Science & Technology</i> , 2007, 41, 1877-1882. | 10.0 | 12 |
| 800 | Nocardichelins A and B, Siderophores from <i>Nocardia</i> Strain Acta 3026#. <i>Journal of Natural Products</i> , 2007, 70, 932-935. | 3.0 | 39 |
| 801 | <i>Pseudomonas fluorescens</i> CHA0 Produces Enantio-pyochelin, the Optical Antipode of the <i>Pseudomonas aeruginosa</i> Siderophore Pyochelin. <i>Journal of Biological Chemistry</i> , 2007, 282, 35546-35553. | 3.4 | 100 |
| 802 | Profiling the <i>Bordetella pertussis</i> Proteome during Iron Starvation. <i>Journal of Proteome Research</i> , 2007, 6, 2518-2528. | 3.7 | 40 |
| 803 | Boron Binding by a Siderophore Isolated from Marine Bacteria Associated with the Toxic Dinoflagellate <i>Gymnodinium catenatum</i> . <i>Journal of the American Chemical Society</i> , 2007, 129, 478-479. | 13.7 | 70 |
| 804 | TonB System, In Vivo Assays and Characterization. <i>Methods in Enzymology</i> , 2007, 422, 245-269. | 1.0 | 45 |
| 805 | Characterization of <i>Bacillus</i> and <i>Pseudomonas</i> strains with suppressive traits isolated from tomato hydroponic-slow filtration unit. <i>Canadian Journal of Microbiology</i> , 2007, 53, 784-797. | 1.7 | 17 |
| 806 | Plant Carbohydrate Scavenging through TonB-Dependent Receptors: A Feature Shared by Phytopathogenic and Aquatic Bacteria. <i>PLoS ONE</i> , 2007, 2, e224. | 2.5 | 289 |
| 807 | Rhizosphere competent <i>Mesorhizobium loti</i> MP6 induces root hair curling, inhibits <i>Sclerotinia sclerotiorum</i> and enhances growth of Indian mustard (<i>Brassica campestris</i>). <i>Brazilian Journal of Microbiology</i> , 2007, 38, 124-130. | 2.0 | 118 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 808 | Chromate reducing and plant growth promoting activities of psychrotrophic <i>Rhodococcus erythropolis</i> MtCC 7905. Journal of Basic Microbiology, 2007, 47, 513-517. | 3.3 | 67 |
| 809 | The <i>Pseudomonas aeruginosa</i> 4-Quinolone Signal Molecules HHQ and PQS Play Multifunctional Roles in Quorum Sensing and Iron Entrapment. Chemistry and Biology, 2007, 14, 87-96. | 6.0 | 445 |
| 810 | Formation of dialyzable iron during in-vitro digestion and extraction of mycoprotein. Food Chemistry, 2007, 105, 1630-1635. | 8.2 | 1 |
| 811 | Radioactive and stable metal bioaccumulation, crystalline compound and siderophore detection in <i>Clavariadelphus truncatus</i> . Journal of Environmental Radioactivity, 2007, 97, 57-69. | 1.7 | 10 |
| 812 | Impact of substrates and cell immobilization on siderophore activity by <i>Pseudomonads</i> in a Fe and/or Cr, Hg, Pb containing-medium. Journal of Hazardous Materials, 2007, 144, 229-239. | 12.4 | 21 |
| 813 | Marine amphiphilic siderophores: Marinobactin structure, uptake, and microbial partitioning. Journal of Inorganic Biochemistry, 2007, 101, 1692-1698. | 3.5 | 54 |
| 814 | Temporal changes in functional diversity of culturable bacteria populations in Sitka spruce stumps. Forest Pathology, 2007, 37, 217-235. | 1.1 | 14 |
| 815 | Thioquinolobactin, a <i>Pseudomonas</i> siderophore with antifungal and anti- <i>Pythium</i> activity. Environmental Microbiology, 2007, 9, 425-434. | 3.8 | 122 |
| 816 | Reactivation of the vanchrobactin siderophore system of <i>Vibrio anguillarum</i> by removal of a chromosomal insertion sequence originated in plasmid pJM1 encoding the anguibactin siderophore system. Environmental Microbiology, 2007, 10, 071115115447001-??? | 3.8 | 37 |
| 817 | The development of probiotics for the control of multiple bacterial diseases of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2007, 30, 573-579. | 1.9 | 163 |
| 818 | LuxO controls extracellular protease, haemolytic activities and siderophore production in fish pathogen <i>Vibrio alginolyticus</i> . Journal of Applied Microbiology, 2007, 103, 1525-1534. | 3.1 | 66 |
| 819 | Desorption of zinc by extracellularly produced metabolites of <i>Trichoderma harzianum</i> , <i>Trichoderma reesei</i> and <i>Coriolus versicolor</i> . Journal of Applied Microbiology, 2007, 103, 2240-2247. | 3.1 | 13 |
| 820 | Cultivable bacteria associated with larval gut of prothiofos-resistant, prothiofos-susceptible and field-caught populations of diamondback moth, <i>Plutella xylostella</i> and their potential for, antagonism towards entomopathogenic fungi and host insect nutriti. Journal of Applied Microbiology, 2007, 103, 2664-2675. | 3.1 | 93 |
| 821 | The siderophore biosynthetic gene SID1, but not the ferroxidase gene FET3, is required for full <i>Fusarium graminearum</i> virulence. Molecular Plant Pathology, 2007, 8, 411-421. | 4.2 | 79 |
| 822 | The effect of methanogen growth on mineral substrates: will Ni markers of methanogen-based communities be detectable in the rock record?. Geobiology, 2007, 5, 070210031741001-??? | 2.4 | 22 |
| 823 | Metal-chelating compounds produced by ectomycorrhizal fungi collected from pine plantations. Letters in Applied Microbiology, 2007, 44, 7-12. | 2.2 | 54 |
| 824 | Antimicrobial properties of moderately halotolerant bacteria from cenotes of the Yucatan peninsula. Letters in Applied Microbiology, 2007, 45, 289-294. | 2.2 | 21 |
| 825 | Cold tolerance and plant growth promotion potential of <i>Serratia marcescens</i> strain SRM (MTCC 8708) isolated from flowers of summer squash (<i>Cucurbita pepo</i>). Letters in Applied Microbiology, 2008, 46, 171-175. | 2.2 | 172 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 826 | Siderophore-mediated cooperation and virulence in <i>Pseudomonas aeruginosa</i> . <i>FEMS Microbiology Ecology</i> , 2007, 62, 135-141. | 2.7 | 146 |
| 827 | Sequence analysis of the 181-kb accessory plasmid pSmeSM11b, isolated from a dominant <i>Sinorhizobium melilotis</i> strain identified during a long-term field release experiment. <i>FEMS Microbiology Letters</i> , 2007, 271, 297-309. | 1.8 | 27 |
| 828 | Metal-dependent repression of siderophore and biofilm formation in <i>Actinomyces naeslundii</i> . <i>FEMS Microbiology Letters</i> , 2007, 275, 214-220. | 1.8 | 17 |
| 829 | Transcriptional regulation of the desferrioxamine gene cluster of <i>Streptomyces coelicoloris</i> mediated by binding of DmdR1 to an iron box in the promoter of the <i>desA</i> gene. <i>FEBS Journal</i> , 2007, 274, 1110-1122. | 4.7 | 54 |
| 830 | Screening of bacterial isolates from various European soils for in vitro antagonistic activity towards <i>Rhizoctonia solani</i> and <i>Fusarium oxysporum</i> : Site-dependent composition and diversity revealed. <i>Soil Biology and Biochemistry</i> , 2007, 39, 2818-2828. | 8.8 | 100 |
| 831 | In vitro Antagonism of Rhizobacteria Isolated from <i>Coffea arabica</i> L. against Emerging Fungal Coffee Pathogens. <i>Engineering in Life Sciences</i> , 2007, 7, 577-586. | 3.6 | 48 |
| 832 | Bioformulation of <i>Burkholderia</i> sp. MSSP with a multispecies consortium for growth promotion of <i>Cajanus cajan</i> . <i>Canadian Journal of Microbiology</i> , 2007, 53, 213-222. | 1.7 | 50 |
| 833 | Functional expression of <i>Escherichia coli</i> <i>fhuA</i> gene in <i>Rhizobium</i> spp. of <i>Cajanus cajan</i> provides growth advantage in presence of Fe ³⁺ : ferrichrome as iron source. <i>Archives of Microbiology</i> , 2007, 187, 257-264. | 2.2 | 21 |
| 834 | Rhizosphere <i>Pseudomonas</i> sp. strains reduce occurrence of pre- and post-emergence damping-off in chile and tomato in Central Himalayan region. <i>Archives of Microbiology</i> , 2007, 187, 321-335. | 2.2 | 21 |
| 835 | Isolation, sequencing and characterization of cluster genes involved in the biosynthesis and utilization of the siderophore of marine fish pathogen <i>Vibrio alginolyticus</i> . <i>Archives of Microbiology</i> , 2007, 188, 433-439. | 2.2 | 26 |
| 836 | Isolation and Characterization of Endophytic Bacteria from the Nickel Hyperaccumulator Plant <i>Alyssum bertolonii</i> . <i>Microbial Ecology</i> , 2007, 53, 306-316. | 2.8 | 182 |
| 837 | Impact of Ectomycorrhizosphere on the Functional Diversity of Soil Bacterial and Fungal Communities from a Forest Stand in Relation to Nutrient Mobilization Processes. <i>Microbial Ecology</i> , 2007, 54, 567-577. | 2.8 | 89 |
| 838 | Phytohormone production by three strains of <i>Bradyrhizobium japonicum</i> and possible physiological and technological implications. <i>Applied Microbiology and Biotechnology</i> , 2007, 74, 874-880. | 3.6 | 251 |
| 839 | Plant-growth-promoting compounds produced by two agronomically important strains of <i>Azospirillum brasilense</i> , and implications for inoculant formulation. <i>Applied Microbiology and Biotechnology</i> , 2007, 75, 1143-1150. | 3.6 | 271 |
| 840 | Endophytic bacteria in sunflower (<i>Helianthus annuus</i> L.): isolation, characterization, and production of jasmonates and abscisic acid in culture medium. <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 1145-1152. | 3.6 | 292 |
| 841 | Effects of Iron on Growth, Pigment Content, Photosystem II Efficiency, and Siderophores Production of <i>Microcystis aeruginosa</i> and <i>Microcystis wesenbergii</i> . <i>Current Microbiology</i> , 2007, 55, 94-98. | 2.2 | 55 |
| 842 | Zinc Uptake Regulator (<i>zur</i>) Gene Involved in Zinc Homeostasis and Virulence of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> in Rice. <i>Current Microbiology</i> , 2007, 54, 307-314. | 2.2 | 45 |
| 843 | Biocontrol and PGPR Features in Native Strains Isolated from Saline Soils of Argentina. <i>Current Microbiology</i> , 2007, 55, 314-322. | 2.2 | 97 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 844 | Characterization of <i>Pseudomonas corrugata</i> Strain P94 Isolated from Soil in Beijing as a Potential Biocontrol Agent. <i>Current Microbiology</i> , 2007, 55, 247-253. | 2.2 | 29 |
| 845 | Production and Characterization of Siderophores and its Application in Arsenic Removal from Contaminated Soil. <i>Water, Air, and Soil Pollution</i> , 2007, 180, 199-212. | 2.4 | 150 |
| 846 | Biocontrol of <i>Meloidogyne javanica</i> by <i>Rhizobium</i> and plant growth-promoting rhizobacteria on lentil. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 435-441. | 3.6 | 86 |
| 847 | Isolation and characterization of bacteria from the rhizosphere of wheat. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 895-903. | 3.6 | 67 |
| 848 | Natural occurrence of <i>Azospirillum brasilense</i> in strawberry plants. <i>Plant and Soil</i> , 2007, 295, 169-178. | 3.7 | 43 |
| 849 | Characterization of the chromophores of pyoverdins and related siderophores by electrospray tandem mass spectrometry. <i>BioMetals</i> , 2007, 20, 135-144. | 4.1 | 48 |
| 850 | Iron-uptake in the Euryarchaeon <i>Halobacterium salinarum</i> . <i>BioMetals</i> , 2007, 20, 539-547. | 4.1 | 13 |
| 851 | Iron acquisition mechanisms of the <i>Burkholderia cepacia</i> complex. <i>BioMetals</i> , 2007, 20, 431-452. | 4.1 | 79 |
| 852 | Purification and characterization of rhodobactin: a mixed ligand siderophore from <i>Rhodococcus rhodochrous</i> strain OFS. <i>BioMetals</i> , 2007, 20, 853-867. | 4.1 | 26 |
| 853 | Isolation and characterization of mutants of <i>Pseudomonas maltophilia</i> PM-4 altered in chitinolytic activity and antagonistic activity against root rot pathogens of clusterbean (<i>Cyamopsis</i>) Tj ETQq1 1 0.784314 rgBTz/Overlock610 Tf 503 | 4.1 | 10 |
| 854 | Synthesis and biological activity of saccharide based lipophilic siderophore mimetics as potential growth promoters for mycobacteria. <i>BioMetals</i> , 2008, 21, 41-51. | 4.1 | 12 |
| 855 | Utilization of Fe ³⁺ -acinetoferrin analogs as an iron source by <i>Mycobacterium tuberculosis</i> . <i>BioMetals</i> , 2008, 21, 93-103. | 4.1 | 15 |
| 856 | Identification, isolation, and analysis of a gene cluster involved in iron acquisition by <i>Pseudomonas mendocina</i> ymp. <i>BioMetals</i> , 2008, 21, 353-366. | 4.1 | 17 |
| 857 | Control of fusarium wilt of <i>Solanum melongena</i> by <i>Trichoderma</i> spp.. <i>Biologia Plantarum</i> , 2008, 52, 582-586. | 1.9 | 12 |
| 858 | Diverse mechanisms adopted by fluorescent <i>Pseudomonas</i> PGC2 during the inhibition of <i>Rhizoctonia solani</i> and <i>Phytophthora capsici</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 581-585. | 3.6 | 66 |
| 859 | Characterization of a cold-tolerant plant growth-promoting bacterium <i>Pantoea dispersa</i> 1A isolated from a sub-alpine soil in the North Western Indian Himalayas. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 955-960. | 3.6 | 138 |
| 860 | Induction of defense responses in tomato against <i>Pseudomonas syringae</i> pv. tomato by regulating the stress ethylene level with <i>Methylobacterium oryzae</i> CBMB20 containing 1-aminocyclopropane-1-carboxylate deaminase. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 1037-1045. | 3.6 | 61 |
| 861 | Biological control of root rot fungus <i>Macrophomina phaseolina</i> and growth enhancement of <i>Pinus roxburghii</i> (Sarg.) by rhizosphere competent <i>Bacillus subtilis</i> BN1. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 1669-1679. | 3.6 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 862 | Bioligand-mediated partitioning of radionuclides to the aqueous phase. Journal of Radioanalytical and Nuclear Chemistry, 2008, 277, 637-644. | 1.5 | 4 |
| 863 | Characterisation of a psychrotolerant plant growth promoting <i>Pseudomonas</i> sp. strain PGERs17 (MTCC 9000) isolated from North Western Indian Himalayas. Annals of Microbiology, 2008, 58, 561-568. | 2.6 | 95 |
| 864 | Characterization of two TonB systems in marine fish pathogen <i>Vibrio alginolyticus</i> : their roles in iron utilization and virulence. Archives of Microbiology, 2008, 190, 595-603. | 2.2 | 55 |
| 865 | Selective Enhancement of the Fluorescent <i>Pseudomonad</i> Population After Amending the Recirculating Nutrient Solution of Hydroponically Grown Plants with a Nitrogen Stabilizer. Microbial Ecology, 2008, 56, 538-554. | 2.8 | 10 |
| 866 | Cadmium-Induced Siderophore Production by a High Cd-Resistant Bacterial Strain Relieved Cd Toxicity in Plants Through Root Colonization. Current Microbiology, 2008, 56, 55-60. | 2.2 | 199 |
| 867 | Characterization of Plant Growth-Promoting Traits of Bacteria Isolated from Larval Guts of Diamondback Moth <i>Plutella xylostella</i> (Lepidoptera: Plutellidae). Current Microbiology, 2008, 56, 327-333. | 2.2 | 183 |
| 868 | Rhizoremediation of Cadmium Soil Using a Cadmium-Resistant Plant Growth-Promoting <i>Rhizopseudomonad</i> . Current Microbiology, 2008, 56, 403-407. | 2.2 | 141 |
| 869 | Declination of Copper Toxicity in Pigeon Pea and Soil System by Growth-Promoting <i>Proteus vulgaris</i> KNP3 Strain. Current Microbiology, 2008, 57, 78-82. | 2.2 | 28 |
| 870 | Effect of a Nickel-Tolerant ACC Deaminase-Producing <i>Pseudomonas</i> Strain on Growth of Nontransformed and Transgenic Canola Plants. Current Microbiology, 2008, 57, 170-174. | 2.2 | 64 |
| 871 | Effect of Ferric Iron on Siderophore Production and Pyrene Degradation by <i>Pseudomonas fluorescens</i> 29L. Current Microbiology, 2008, 57, 331-334. | 2.2 | 15 |
| 872 | Small RNA ArrF Regulates the Expression of <i>sodB</i> and <i>feSII</i> Genes in <i>Azotobacter vinelandii</i> . Current Microbiology, 2008, 57, 593-597. | 2.2 | 37 |
| 873 | Function of the iron-binding chelator produced by <i>Coriolus versicolor</i> in lignin biodegradation. Science in China Series C: Life Sciences, 2008, 51, 214-221. | 1.3 | 21 |
| 874 | Characterization of a mutant of <i>Alteromonas aurantia</i> A18 and its application in mariculture. Journal of Ocean University of China, 2008, 7, 55-59. | 1.2 | 13 |
| 875 | Rhizobacteria in Mycorrhizosphere Improved Plant Health and Yield of Banana by Offering Proper Nourishment and Protection against Diseases. Applied Biochemistry and Biotechnology, 2008, 151, 441-451. | 2.9 | 7 |
| 876 | Exploring Antagonistic Metabolites of Established Biocontrol Agent of Marine Origin. Applied Biochemistry and Biotechnology, 2008, 151, 665-675. | 2.9 | 28 |
| 877 | Recovery of plant growth-promoting rhizobacteria from sodium alginate beads after 3 years following storage at 4°C. Journal of Industrial Microbiology and Biotechnology, 2008, 35, 205-209. | 3.0 | 43 |
| 878 | Influence of iron and chelator on siderophore production in <i>Frankia</i> strains nodulating <i>Hippophae salicifolia</i> D. Don. Journal of Basic Microbiology, 2008, 48, 104-111. | 3.3 | 23 |
| 879 | Potential plant growth promoting traits and bioacidulation of rock phosphate by thiosulfate oxidizing bacteria isolated from crop plants. Journal of Basic Microbiology, 2008, 48, 439-447. | 3.3 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 880 | Characterization of metal-resistant plant-growth promoting <i>Bacillus weihenstephanensis</i> isolated from serpentine soil in Portugal. Journal of Basic Microbiology, 2008, 48, 500-508. | 3.3 | 101 |
| 881 | Methylarginine from <i>Pseudomonas syringae</i> pv. <i>syringae</i> 22d/93 Suppresses the Bacterial Blight Caused by Its Close Relative <i>Pseudomonas syringae</i> pv. <i>glycinea</i> . ChemBioChem, 2008, 9, 1913-1920. | 2.6 | 13 |
| 882 | Isolation and Characterization of Three Siderophores from Marine Bacteria. Chinese Journal of Chemistry, 2008, 26, 1332-1334. | 4.9 | 11 |
| 883 | Spectrophotometric ferric ion biosensor from <i>Pseudomonas fluorescens</i> culture. Biotechnology and Bioengineering, 2008, 100, 284-296. | 3.3 | 30 |
| 884 | Studies of Iron-Uptake Mechanisms in Two Bacterial Species of the <i>Shewanella</i> Genus Adapted to Middle-Range (<i>Shewanella putrefaciens</i>) or Antarctic (<i>Shewanella gelidimarina</i>) Temperatures. Chemistry and Biodiversity, 2008, 5, 2113-2123. | 2.1 | 17 |
| 885 | Effects of inoculation of biosurfactant-producing <i>Bacillus</i> sp. J119 on plant growth and cadmium uptake in a cadmium-amended soil. Journal of Hazardous Materials, 2008, 155, 17-22. | 12.4 | 177 |
| 886 | Enhanced growth and nodulation of pigeon pea by co-inoculation of <i>Bacillus</i> strains with <i>Rhizobium</i> spp.. Bioresource Technology, 2008, 99, 4544-4550. | 9.6 | 150 |
| 887 | Model-based determination of changing kinetics in high cell density cultures using respiration data. Chemical Engineering Science, 2008, 63, 4789-4799. | 3.8 | 5 |
| 888 | Effects of inoculation of plant-growth promoting bacteria on Ni uptake by Indian mustard. Bioresource Technology, 2008, 99, 3491-3498. | 9.6 | 177 |
| 889 | Characteristics of an endophytic pyrene-degrading bacterium of <i>Enterobacter</i> sp. 12J1 from <i>Allium macrostemon</i> Bunge. International Biodeterioration and Biodegradation, 2008, 62, 88-95. | 3.9 | 102 |
| 890 | Growth promotion and biological control of root-knot nematodes in micropropagated banana during the nursery stage by treatment with specific bacterial strains. Annals of Applied Biology, 2008, 152, 41-48. | 2.5 | 14 |
| 891 | Characterization of <i>fig</i> operon mutants of <i>Francisella novicida</i> U112. FEMS Microbiology Letters, 2008, 285, 270-277. | 1.8 | 42 |
| 892 | Bioweathering of chrysotile by fungi isolated in ophiolitic sites. FEMS Microbiology Letters, 2008, 285, 242-249. | 1.8 | 41 |
| 893 | Cross-utilization and expression of outer membrane receptor proteins for siderophore uptake by Diamondback moth <i>Plutella xylostella</i> (<i>Lepidoptera: Plutellidae</i>) gut bacteria. FEMS Microbiology Letters, 2008, 289, 27-33. | 1.8 | 16 |
| 894 | Interspecific competition and siderophore-mediated cooperation in <i>Pseudomonas aeruginosa</i> . ISME Journal, 2008, 2, 49-55. | 9.8 | 142 |
| 895 | Characterization of a new isolate of <i>Pseudomonas fluorescens</i> strain Psd as a potential biocontrol agent. Letters in Applied Microbiology, 2008, 47, 98-105. | 2.2 | 21 |
| 896 | The GacA global regulator is required for the appropriate expression of <i>Erwinia chrysanthemi</i> 3937 pathogenicity genes during plant infection. Environmental Microbiology, 2008, 10, 545-559. | 3.8 | 81 |
| 897 | Regulatory role of UvrY in adaptation of <i>Photobacterium luminescens</i> growth inside the insect. Environmental Microbiology, 2008, 10, 1118-1134. | 3.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 898 | A large gene cluster encoding peptide synthetases and polyketide synthases is involved in production of siderophores and oxidative stress response in the cyanobacterium <i>Anabaena</i> sp. strain PCC 7120. <i>Environmental Microbiology</i> , 2008, 10, 2574-2585. | 3.8 | 35 |
| 899 | A novel streptococcal integrative conjugative element involved in iron acquisition. <i>Molecular Microbiology</i> , 2008, 70, 1274-1292. | 2.5 | 55 |
| 900 | Isolation of putative probionts from cod rearing environment. <i>Veterinary Microbiology</i> , 2008, 132, 328-339. | 1.9 | 34 |
| 901 | Transcriptome analysis reveals response regulator SO2426-mediated gene expression in <i>Shewanella oneidensis</i> MR-1 under chromate challenge. <i>BMC Genomics</i> , 2008, 9, 395. | 2.8 | 24 |
| 902 | Assessment of genetic and functional diversity of phosphate solubilizing fluorescent pseudomonads isolated from rhizospheric soil. <i>BMC Microbiology</i> , 2008, 8, 230. | 3.3 | 161 |
| 903 | Biocontrol of charcoal rot in sorghum by fluorescent pseudomonads associated with the rhizosphere. <i>Crop Protection</i> , 2008, 27, 1407-1414. | 2.1 | 48 |
| 904 | Effects of chitin and salicylic acid on biological control activity of <i>Pseudomonas</i> spp. against damping off of pepper. <i>South African Journal of Botany</i> , 2008, 74, 268-273. | 2.5 | 44 |
| 905 | Improvement of <i>Brassica napus</i> growth under cadmium stress by cadmium-resistant rhizobacteria. <i>Soil Biology and Biochemistry</i> , 2008, 40, 74-84. | 8.8 | 364 |
| 906 | Rhizosphere bacteria from sites with higher fungal densities exhibit greater levels of potential antifungal properties. <i>Soil Biology and Biochemistry</i> , 2008, 40, 1542-1544. | 8.8 | 27 |
| 907 | Simple microplate assays to measure iron mobilization and oxalate secretion by ectomycorrhizal tree roots. <i>Soil Biology and Biochemistry</i> , 2008, 40, 2460-2463. | 8.8 | 25 |
| 908 | Arbuscular mycorrhizal fungal spore-associated bacteria affect mycorrhizal colonization, plant growth and potato pathogens. <i>Soil Biology and Biochemistry</i> , 2008, 40, 2494-2501. | 8.8 | 87 |
| 909 | Screening of free-living rhizospheric bacteria for their multiple plant growth promoting activities. <i>Microbiological Research</i> , 2008, 163, 173-181. | 5.3 | 1,124 |
| 910 | In vitro evaluation of antagonistic properties of <i>Pseudomonas corrugata</i> . <i>Microbiological Research</i> , 2008, 163, 329-336. | 5.3 | 124 |
| 911 | Siderophore cross-utilization amongst nodule isolates of the cowpea miscellany group and its effect on plant growth in the presence of antagonistic organisms. <i>Microbiological Research</i> , 2008, 163, 564-570. | 5.3 | 13 |
| 912 | Plant Growth-Promoting Bacteria for Phytostabilization of Mine Tailings. <i>Environmental Science & Technology</i> , 2008, 42, 2079-2084. | 10.0 | 115 |
| 913 | Screening and characterization of antifungal clusterbean (<i>Cyamopsis tetragonoloba</i>) rhizobacteria. <i>Biocontrol Science and Technology</i> , 2008, 18, 139-156. | 1.3 | 9 |
| 914 | Immobilised metal affinity chromatography for the capture of hydroxamate-containing siderophores and other Fe(III)-binding metabolites directly from bacterial culture supernatants. <i>Analyst</i> , 2008, 133, 877. | 3.5 | 29 |
| 915 | Phylogenetic analysis and siderotyping as useful tools in the taxonomy of <i>Pseudomonas stutzeri</i> : description of a novel genomovar. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2309-2315. | 1.7 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 916 | Screening for rock phosphate solubilizing Actinomycetes from Moroccan phosphate mines. <i>Applied Soil Ecology</i> , 2008, 38, 12-19. | 4.3 | 183 |
| 917 | Evaluation of genetic diversity and plant growth promoting activities of nitrogen-fixing bacilli isolated from rice fields in South Brazil. <i>Applied Soil Ecology</i> , 2008, 39, 311-320. | 4.3 | 178 |
| 918 | Effect of expression of Bradyrhizobium japonicum 61A152 fegA gene in Mesorhizobium sp., on its competitive survival and nodule occupancy on Arachis hypogea. <i>Applied Soil Ecology</i> , 2008, 40, 338-347. | 4.3 | 20 |
| 919 | Pathogenicity of Vibrio harveyi to cultured marine fishes in Korea. <i>Aquaculture</i> , 2008, 285, 8-13. | 3.5 | 79 |
| 920 | Genetic and phenotypic diversity of plant-growth-promoting bacilli isolated from wheat fields in southern Brazil. <i>Research in Microbiology</i> , 2008, 159, 244-250. | 2.1 | 93 |
| 921 | A quorum-quenching approach to identify quorum-sensing-regulated functions in Azospirillum lipoferum. <i>Research in Microbiology</i> , 2008, 159, 699-708. | 2.1 | 57 |
| 922 | Isolation, selection, and characterization of beneficial rhizobacteria from pea, lentil, and chickpea grown in western Canada. <i>Canadian Journal of Microbiology</i> , 2008, 54, 248-258. | 1.7 | 112 |
| 923 | Suppression of Pythium ultimum root rot of sorghum by rhizobacterial isolates from Ethiopia and South Africa. <i>Biological Control</i> , 2008, 45, 72-84. | 3.0 | 51 |
| 924 | Production of lytic enzymes and siderophores, and inhibition of germination of basidiospores of Moniliophthora (ex Crinipellis) perniciosa by phylloplane actinomycetes. <i>Biological Control</i> , 2008, 47, 309-314. | 3.0 | 82 |
| 925 | Characterization of heavy metal-resistant endophytic bacteria from rape (Brassica napus) roots and their potential in promoting the growth and lead accumulation of rape. <i>Environmental Pollution</i> , 2008, 156, 1164-1170. | 7.5 | 501 |
| 926 | Bacteria, hypertolerant to arsenic in the rocks of an ancient gold mine, and their potential role in dissemination of arsenic pollution. <i>Environmental Pollution</i> , 2008, 156, 1069-1074. | 7.5 | 111 |
| 927 | Functional analysis of the role of Fur in the virulence of Pseudomonas syringae pv. tabaci 11528: Fur controls expression of genes involved in quorum-sensing. <i>Biochemical and Biophysical Research Communications</i> , 2008, 366, 281-287. | 2.1 | 47 |
| 928 | Isolation and characterization of a heavy metal-resistant Burkholderia sp. from heavy metal-contaminated paddy field soil and its potential in promoting plant growth and heavy metal accumulation in metal-polluted soil. <i>Chemosphere</i> , 2008, 72, 157-164. | 8.2 | 416 |
| 929 | Influence of plant growth promoting bacteria and its mutant on heavy metal toxicity in Brassica juncea grown in fly ash amended soil. <i>Chemosphere</i> , 2008, 72, 678-683. | 8.2 | 158 |
| 930 | Involvement of siderophores in the reduction of metal-induced inhibition of auxin synthesis in Streptomyces spp.. <i>Chemosphere</i> , 2008, 74, 19-25. | 8.2 | 209 |
| 931 | Hydroxamate siderophores produced by Streptomyces acidiscabies E13 bind nickel and promote growth in cowpea (Vigna unguiculata L.) under nickel stress. <i>Canadian Journal of Microbiology</i> , 2008, 54, 163-172. | 1.7 | 216 |
| 932 | Synthesis and biological activity of analogues of vanchrobactin, a siderophore from Vibrio anguillarum serotype O2. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 1278. | 2.8 | 12 |
| 933 | Iron Acquisition by Ornithobacterium rhinotracheale. <i>Avian Diseases</i> , 2008, 52, 419-425. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 934 | Biosynthesis of the 3,4-Dihydroxybenzoate Moieties of Petrobactin by <i>Bacillus anthracis</i> . Journal of Organic Chemistry, 2008, 73, 5759-5765. | 3.2 | 23 |
| 935 | Arsenic-Hypertolerant <i>Pseudomonads</i> Isolated from Ancient Gold and Copper-Bearing Black Shale Deposits. Geomicrobiology Journal, 2008, 25, 357-362. | 2.0 | 18 |
| 936 | Biosynthetic and regulatory elements involved in the production of the siderophore vanchrobactin in <i>Vibrio anguillarum</i> . Microbiology (United Kingdom), 2008, 154, 1400-1413. | 1.8 | 30 |
| 937 | A <i>sopB</i> Deletion Mutation Enhances the Immunogenicity and Protective Efficacy of a Heterologous Antigen Delivered by Live Attenuated <i>Salmonella enterica</i> Vaccines. Infection and Immunity, 2008, 76, 5238-5246. | 2.2 | 65 |
| 938 | Antagonism between <i>Bacillus cereus</i> and <i>Pseudomonas fluorescens</i> in planktonic systems and in biofilms. Biofouling, 2008, 24, 339-349. | 2.2 | 60 |
| 939 | <i>Burkholderia pseudomallei</i> , <i>B. thailandensis</i> , and <i>B. ambifaria</i> Produce 4-Hydroxy-2-Alkylquinoline Analogues with a Methyl Group at the 3 Position That Is Required for Quorum-Sensing Regulation. Journal of Bacteriology, 2008, 190, 5339-5352. | 2.2 | 128 |
| 940 | Alr0397 Is an Outer Membrane Transporter for the Siderophore Schizokinen in <i>Anabaena</i> sp. Strain PCC 7120. Journal of Bacteriology, 2008, 190, 7500-7507. | 2.2 | 77 |
| 941 | Multiple phenotypic alterations caused by a c-type cytochrome maturation <i>ccmC</i> gene mutation in <i>Pseudomonas aeruginosa</i> . Microbiology (United Kingdom), 2008, 154, 127-138. | 1.8 | 11 |
| 942 | The new group of non-pathogenic plant-associated nitrogen-fixing <i>Burkholderia</i> spp. shares a conserved quorum-sensing system, which is tightly regulated by the RsaL repressor. Microbiology (United Kingdom), 2008, 154, 2048-2059. | 1.8 | 45 |
| 943 | The Production In Vivo of Microcin E492 with Antibacterial Activity Depends on Salmochelin and EntF. Journal of Bacteriology, 2008, 190, 5464-5471. | 2.2 | 15 |
| 944 | Histoplasma Requires SID1, a Member of an Iron-Regulated Siderophore Gene Cluster, for Host Colonization. PLoS Pathogens, 2008, 4, e1000044. | 4.7 | 131 |
| 945 | Pleiotropic roles of iron-responsive transcriptional regulator Fur in <i>Burkholderia multivorans</i> . Microbiology (United Kingdom), 2008, 154, 1763-1774. | 1.8 | 39 |
| 946 | The AraC-Like Transcriptional Regulator DhbR Is Required for Maximum Expression of the 2,3-Dihydroxybenzoic Acid Biosynthesis Genes in <i>Brucella abortus</i> 2308 in Response to Iron Deprivation. Journal of Bacteriology, 2008, 190, 1838-1842. | 2.2 | 16 |
| 947 | Structure elucidation and biosynthesis of fuscachelins, peptide siderophores from the moderate thermophile <i>Thermobifida fusca</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15311-15316. | 7.1 | 66 |
| 948 | The Major Facilitator Superfamily-Type Transporter YmfE and the Multidrug-Efflux Activator Mta Mediate Bacillibactin Secretion in <i>Bacillus subtilis</i> . Journal of Bacteriology, 2008, 190, 5143-5152. | 2.2 | 51 |
| 949 | <i>fslE</i> Is Necessary for Siderophore-Mediated Iron Acquisition in <i>Francisella tularensis</i> Schu S4. Journal of Bacteriology, 2008, 190, 5353-5361. | 2.2 | 51 |
| 950 | Identification of Siderophore Biosynthesis Genes Essential for Growth of <i>Aeromonas salmonicida</i> under Iron Limitation Conditions. Applied and Environmental Microbiology, 2008, 74, 2341-2348. | 3.1 | 33 |
| 951 | A mutant in one of two <i>exbD</i> loci of a TonB system in <i>Flavobacterium psychrophilum</i> shows attenuated virulence and confers protection against cold water disease. Microbiology (United Kingdom), 2008, 154, 1400-1413. | 2.2 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 952 | <i>Vibrio cholerae</i> VciB Promotes Iron Uptake via Ferrous Iron Transporters. Journal of Bacteriology, 2008, 190, 5953-5962. | 2.2 | 18 |
| 953 | Characterization and Biological Function of the <i>ISOCHORISMATE SYNTHASE2</i> Gene of Arabidopsis. Plant Physiology, 2008, 147, 1279-1287. | 4.8 | 340 |
| 954 | Characterization of plant growth-promoting <i>Bacillus edaphicus</i> NBT and its effect on lead uptake by Indian mustard in a lead-amended soil. Canadian Journal of Microbiology, 2008, 54, 417-422. | 1.7 | 56 |
| 955 | Whole-cell response of the pennate diatom <i>Phaeodactylum tricornutum</i> to iron starvation. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 10438-10443. | 7.1 | 414 |
| 956 | Effects of harmful algal blooms on competitors: Allelopathic mechanisms of the red tide dinoflagellate <i>Karenia brevis</i> . Limnology and Oceanography, 2008, 53, 531-541. | 3.1 | 107 |
| 957 | Role of <i>rpff</i> in Virulence and Exoenzyme Production of <i>Xanthomonas axonopodis</i> pv. <i>glycines</i> , the Causal Agent of Bacterial Pustule of Soybean. Phytopathology, 2008, 98, 1252-1260. | 2.2 | 36 |
| 958 | Characterization of streptomycetes with potential to promote plant growth and biocontrol. Scientia Agricola, 2008, 65, 50-55. | 1.2 | 56 |
| 959 | Ornicorrugatin, a New Siderophore from <i>Pseudomonas fluorescens</i> AF76. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2008, 63, 8-12. | 1.4 | 36 |
| 960 | Detection of siderophores in endophytic bacteria <i>Methylobacterium</i> spp. associated with <i>Xylella fastidiosa</i> subsp. <i>pauca</i> . Pesquisa Agropecuaria Brasileira, 2008, 43, 521-528. | 0.9 | 57 |
| 961 | Mechanistic Insights into a Novel Exporter-Importer System of <i>Mycobacterium tuberculosis</i> Unravel Its Role in Trafficking of Iron. PLoS ONE, 2008, 3, e2087. | 2.5 | 51 |
| 962 | Biocontrol of wilt disease complex of pigeonpea by fluorescent pseudomonads and <i>Bacillus</i> spp. under pot and field conditions. Acta Phytopathologica Et Entomologica Hungarica, 2008, 43, 77-92. | 0.2 | 7 |
| 963 | Identification and Biological Characterization of Isolates with Activity Inhibitive against <i>Macrophomina phaseolina</i> (Tassi) Goid. Chilean Journal of Agricultural Research, 2009, 69, . | 1.1 | 7 |
| 964 | 2-Amino-3-(Oxirane-2,3-Dicarboxamido)-Propanoyl-Valine, an Effective Peptide Antibiotic from the Epiphyte <i>Pantoea agglomerans</i> 48b/90. Applied and Environmental Microbiology, 2009, 75, 7710-7717. | 3.1 | 27 |
| 965 | <i>Salmonella enterica</i> Serovar Typhimurium Strains with Regulated Delayed Attenuation In Vivo. Infection and Immunity, 2009, 77, 1071-1082. | 2.2 | 146 |
| 966 | FvtA Is the Receptor for the Siderophore Vanchrobactin in <i>Vibrio anguillarum</i> : Utility as a Route of Entry for Vanchrobactin Analogues. Applied and Environmental Microbiology, 2009, 75, 2775-2783. | 3.1 | 26 |
| 967 | Alternative splicing and gene duplication differentially shaped the regulation of isochorismate synthase in <i>Populus</i> and <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 22020-22025. | 7.1 | 71 |
| 968 | Iron Requirement for Mn(II) Oxidation by <i>Leptothrix discophora</i> SS-1. Applied and Environmental Microbiology, 2009, 75, 1229-1235. | 3.1 | 42 |
| 969 | Antifungal Activity of Selected Indigenous <i>Pseudomonas</i> and <i>Bacillus</i> from the Soybean Rhizosphere. International Journal of Microbiology, 2009, 2009, 1-9. | 2.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 970 | <i>Erwinia chrysanthemi</i> Iron Metabolism: the Unexpected Implication of the Inner Membrane Platform within the Type II Secretion System. <i>Journal of Bacteriology</i> , 2009, 191, 795-804. | 2.2 | 9 |
| 971 | Genomic Islands of Uropathogenic <i>Escherichia coli</i> Contribute to Virulence. <i>Journal of Bacteriology</i> , 2009, 191, 3469-3481. | 2.2 | 113 |
| 972 | A <i>Burkholderia cenocepacia</i> Orphan LuxR Homolog Is Involved in Quorum-Sensing Regulation. <i>Journal of Bacteriology</i> , 2009, 191, 2447-2460. | 2.2 | 58 |
| 973 | Evaluation of new generation <i>Salmonella enterica</i> serovar Typhimurium vaccines with regulated delayed attenuation to induce immune responses against PspA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 593-598. | 7.1 | 100 |
| 974 | Characterization of a Phenazine and Hexanoyl Homoserine Lactone Producing <i>Pseudomonas aurantiaca</i> Strain PB-St2, Isolated from Sugarcane Stem. <i>Journal of Microbiology and Biotechnology</i> , 2009, 19, 1688-1694. | 2.1 | 33 |
| 975 | Purification of Legiobactin and Importance of This Siderophore in Lung Infection by <i>Legionella pneumophila</i> . <i>Infection and Immunity</i> , 2009, 77, 2887-2895. | 2.2 | 35 |
| 976 | Chelating and antioxidant activity of lignans from Chilean woods (Cupressaceae). <i>Holzforschung</i> , 2009, 63, . | 1.9 | 20 |
| 977 | Genetics and Virulence Association of the <i>Shigella flexneri</i> Sit Iron Transport System. <i>Infection and Immunity</i> , 2009, 77, 1992-1999. | 2.2 | 45 |
| 978 | Exochelin Production in <i>Mycobacterium neoaurum</i> . <i>International Journal of Molecular Sciences</i> , 2009, 10, 345-353. | 4.1 | 10 |
| 979 | Molecular Basis of Rare Aminoglycoside Susceptibility and Pathogenesis of <i>Burkholderia pseudomallei</i> Clinical Isolates from Thailand. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e519. | 3.0 | 55 |
| 980 | Quantitative Metabolomics Reveals an Epigenetic Blueprint for Iron Acquisition in Uropathogenic <i>Escherichia coli</i> . <i>PLoS Pathogens</i> , 2009, 5, e1000305. | 4.7 | 211 |
| 981 | Analysis of Achromobactin Biosynthesis by <i>Pseudomonas syringae</i> pv. <i>syringae</i> B728a. <i>Journal of Bacteriology</i> , 2009, 191, 4594-4604. | 2.2 | 82 |
| 982 | Viscous medium promotes cooperation in the pathogenic bacterium <i>Pseudomonas aeruginosa</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 3531-3538. | 2.6 | 200 |
| 983 | Roles of <i>Agrobacterium tumefaciens</i> RirA in Iron Regulation, Oxidative Stress Response, and Virulence. <i>Journal of Bacteriology</i> , 2009, 191, 2083-2090. | 2.2 | 56 |
| 984 | Iron-dependent growth of and siderophore production by two heterotrophic bacteria isolated from brackish water of the southern Baltic Sea. <i>Microbiological Research</i> , 2009, 164, 570-577. | 5.3 | 38 |
| 985 | Metal-induced oxidative stress impacting plant growth in contaminated soil is alleviated by microbial siderophores. <i>Soil Biology and Biochemistry</i> , 2009, 41, 154-162. | 8.8 | 238 |
| 986 | Evaluation of functional diversity in rhizobacterial taxa of a wild grass (<i>Saccharum ravennae</i>) colonizing abandoned fly ash dumps in Delhi urban ecosystem. <i>Soil Biology and Biochemistry</i> , 2009, 41, 813-821. | 8.8 | 72 |
| 987 | Efficient mineral weathering is a distinctive functional trait of the bacterial genus <i>Collimonas</i> . <i>Soil Biology and Biochemistry</i> , 2009, 41, 2178-2186. | 8.8 | 69 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 988 | Ecology and physiology of the emerging opportunistic fungi <i>Pseudallescheria boydii</i> and <i>Scedosporium prolificans</i> . Mycoses, 1994, 37, 71-78. | 4.0 | 107 |
| 989 | Genotypic and phenotypic characterisation of <i>Escherichia coli</i> strains associated with porcine pyelonephritis. Veterinary Microbiology, 2009, 134, 318-326. | 1.9 | 12 |
| 990 | Identification of rice blast disease-suppressing bacterial strains from the rhizosphere of rice grown in Pakistan. Crop Protection, 2009, 28, 1052-1060. | 2.1 | 71 |
| 991 | Advantage of using PSIRB over PSRB and IRB to improve plant health of tomato. Biological Control, 2009, 50, 307-316. | 3.0 | 27 |
| 992 | Leaching of spent nuclear fuel in the presence of siderophores. Journal of Radioanalytical and Nuclear Chemistry, 2009, 279, 619-626. | 1.5 | 9 |
| 993 | Iron transport in <i>Francisella</i> in the absence of a recognizable TonB protein still requires energy generated by the proton motive force. BioMetals, 2009, 22, 337-344. | 4.1 | 10 |
| 994 | Iron acquisition functions expressed by the human pathogen <i>Acinetobacter baumannii</i> . BioMetals, 2009, 22, 23-32. | 4.1 | 135 |
| 995 | Siderophores as drug delivery agents: application of the "Trojan Horse" strategy. BioMetals, 2009, 22, 615-624. | 4.1 | 229 |
| 996 | Siderophores of <i>Marinobacter aquaeolei</i> : petrobactin and its sulfonated derivatives. BioMetals, 2009, 22, 565-571. | 4.1 | 42 |
| 997 | Hydroxamate siderophores of <i>Scedosporium apiospermum</i> . BioMetals, 2009, 22, 1019-1029. | 4.1 | 40 |
| 998 | Isolation and characterization of phosphate solubilizing rhizobacteria to improve plant health of tomato. Plant and Soil, 2009, 316, 13-24. | 3.7 | 179 |
| 999 | Iron dynamics in the rhizosphere as a case study for analyzing interactions between soils, plants and microbes. Plant and Soil, 2009, 321, 513-535. | 3.7 | 164 |
| 1000 | Characterisation of naturally occurring <i>Erwinia amylovora</i> strains lacking the common plasmid pEA29 and their detection with real-time PCR. European Journal of Plant Pathology, 2009, 124, 293-302. | 1.7 | 28 |
| 1001 | <i>Exiguobacterium acetylicum</i> strain 1P (MTCC 8707) a novel bacterial antagonist from the North Western Indian Himalayas. World Journal of Microbiology and Biotechnology, 2009, 25, 131-137. | 3.6 | 49 |
| 1002 | Rhizosphere competent <i>Pseudomonas aeruginosa</i> in the management of <i>Heterodera cajani</i> on sesame. World Journal of Microbiology and Biotechnology, 2009, 25, 277-285. | 3.6 | 17 |
| 1003 | Comparison between <i>Bacillus subtilis</i> RP24 and its antibiotic-defective mutants. World Journal of Microbiology and Biotechnology, 2009, 25, 1329-1335. | 3.6 | 12 |
| 1004 | Screening siderophore producing bacteria as potential biological control agent for fungal rice pathogens in Thailand. World Journal of Microbiology and Biotechnology, 2009, 25, 1919-1928. | 3.6 | 108 |
| 1005 | Plant growth promoting potential of the fungus <i>Discosia</i> sp. FIHB 571 from tea rhizosphere tested on chickpea, maize and pea. Indian Journal of Microbiology, 2009, 49, 128-133. | 2.7 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1006 | Comparison of the bacterial community and characterization of plant growth-promoting rhizobacteria from different genotypes of <i>Chrysopogon zizanioides</i> (L.) Roberty (Vetiver) rhizospheres. <i>Journal of Microbiology</i> , 2009, 47, 363-370. | 2.8 | 28 |
| 1007 | Alleviation of drought stress effects in sunflower seedlings by the exopolysaccharides producing <i>Pseudomonas putida</i> strain GAP-P45. <i>Biology and Fertility of Soils</i> , 2009, 46, 17-26. | 4.3 | 508 |
| 1008 | <i>Pseudomonas</i> sp. strain AKM-P6 enhances tolerance of sorghum seedlings to elevated temperatures. <i>Biology and Fertility of Soils</i> , 2009, 46, 45-55. | 4.3 | 213 |
| 1009 | Isolation and characterization of endophytic plant growth-promoting (PGPB) or stress homeostasis-regulating (PSHB) bacteria associated to the halophyte <i>Prosopis strombulifera</i> . <i>Applied Microbiology and Biotechnology</i> , 2009, 85, 371-381. | 3.6 | 347 |
| 1010 | Siderophore-Producing <i>Alcaligenes faecalis</i> Exhibited More Biocontrol Potential Vis-À-Vis Chemical Fungicide. <i>Current Microbiology</i> , 2009, 58, 47-51. | 2.2 | 65 |
| 1011 | Biocontrol Potential of Soybean Bacterial Endophytes Against Charcoal Rot Fungus, <i>Rhizoctonia bataticola</i> . <i>Current Microbiology</i> , 2009, 58, 288-293. | 2.2 | 113 |
| 1012 | Plant Growth-Promoting and Rhizosphere-Competent <i>Acinetobacter rhizosphaerae</i> Strain BIHB 723 from the Cold Deserts of the Himalayas. <i>Current Microbiology</i> , 2009, 58, 371-377. | 2.2 | 132 |
| 1013 | Genetic Diversity of Plant Growth Promoting Rhizobacteria Isolated from Rhizospheric Soil of Wheat Under Saline Condition. <i>Current Microbiology</i> , 2009, 59, 489-496. | 2.2 | 253 |
| 1014 | Proteomic profiling of <i>Cronobacter turicensis</i> 3032, a food-borne opportunistic pathogen. <i>Proteomics</i> , 2009, 9, 3564-3579. | 2.2 | 15 |
| 1015 | Potential of bulb-associated bacteria for biocontrol of hyacinth soft rot caused by <i>Dickeya zeae</i> . <i>Journal of Applied Microbiology</i> , 2009, 106, 268-277. | 3.1 | 26 |
| 1016 | Evaluation of <i>Ochrobactrum anthropi</i> TRS-2 and its talc based formulation for enhancement of growth of tea plants and management of brown root rot disease. <i>Journal of Applied Microbiology</i> , 2009, 107, 625-634. | 3.1 | 87 |
| 1017 | The culturable bacteria isolated from organic-rich black shale potentially useful in biometallurgical procedures. <i>Journal of Applied Microbiology</i> , 2009, 107, 858-866. | 3.1 | 57 |
| 1018 | Development of a biological test to evaluate the bioavailability of iron in culture media. <i>Journal of Applied Microbiology</i> , 2009, 107, 1598-1605. | 3.1 | 7 |
| 1019 | Siderophores mediate reduced and increased uptake of cadmium by <i>Streptomyces tendae</i> F4 and sunflower (<i>Helianthus annuus</i>), respectively. <i>Journal of Applied Microbiology</i> , 2009, 107, 1687-1696. | 3.1 | 326 |
| 1020 | Pyrene degradation and copper and zinc uptake by <i>Fusarium solani</i> and <i>Hypocrea lixii</i> isolated from petrol station soil. <i>Journal of Applied Microbiology</i> , 2009, 108, 2030-40. | 3.1 | 45 |
| 1021 | Identification and pathogenicity to rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), of some aeromonads. <i>Journal of Fish Diseases</i> , 2009, 32, 865-871. | 1.9 | 41 |
| 1022 | Multiple roles of <i>Pseudomonas aeruginosa</i> TBCF10839 PilY1 in motility, transport and infection. <i>Molecular Microbiology</i> , 2009, 71, 730-747. | 2.5 | 50 |
| 1023 | Characterization of staphyloferrin A biosynthetic and transport mutants in <i>Staphylococcus aureus</i> . <i>Molecular Microbiology</i> , 2009, 72, 947-963. | 2.5 | 120 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1024 | Molecular characterization of staphyloferrin B biosynthesis in <i>Staphylococcus aureus</i> . Molecular Microbiology, 2009, 74, 594-608. | 2.5 | 122 |
| 1025 | Quorum-sensing effects in the antagonistic rhizosphere bacterium <i>Serratia plymuthica</i> HRO-C48. FEMS Microbiology Ecology, 2009, 67, 468-478. | 2.7 | 126 |
| 1026 | Phenotypic plasticity of a cooperative behaviour in bacteria. Journal of Evolutionary Biology, 2009, 22, 589-598. | 1.7 | 147 |
| 1027 | Production of the antifungal compound pyrrolnitrin is quorum sensing-regulated in members of the <i>Burkholderia cepacia</i> complex. Environmental Microbiology, 2009, 11, 1422-1437. | 3.8 | 106 |
| 1028 | Isolation and characterization of plant growth-promoting strain <i>Pantoea</i> NII-186. From Western Chat Forest soil, India. Letters in Applied Microbiology, 2009, 49, 20-25. | 2.2 | 46 |
| 1029 | Mechanism of insoluble phosphate solubilization by <i>Pseudomonas fluorescens</i> RAF15 isolated from ginseng rhizosphere and its plant growth-promoting activities. Letters in Applied Microbiology, 2009, 49, 222-228. | 2.2 | 112 |
| 1030 | Improvement of plant growth and nickel uptake by nickel resistant-plant-growth promoting bacteria. Journal of Hazardous Materials, 2009, 166, 1154-1161. | 12.4 | 194 |
| 1031 | Role of metal resistant plant growth promoting bacteria in ameliorating fly ash to the growth of <i>Brassica juncea</i> . Journal of Hazardous Materials, 2009, 170, 51-57. | 12.4 | 146 |
| 1032 | Production, purification and chemical characterization of the catecholate siderophore from potent probiotic strains of <i>Bacillus</i> spp.. Bioresource Technology, 2009, 100, 368-373. | 9.6 | 63 |
| 1033 | Characteristics and function of a low-molecular-weight compound with reductive activity from <i>Phanerochaete chrysosporium</i> in lignin biodegradation. Bioresource Technology, 2009, 100, 2077-2081. | 9.6 | 13 |
| 1034 | Use of plant growth-promoting rhizobacteria for the biocontrol of root-rot disease complex of chickpea. Australasian Plant Pathology, 2009, 38, 44. | 1.0 | 56 |
| 1035 | Denitration of 2,4,6-Trinitrotoluene in Aqueous Solutions Using Small-Molecular-Weight Catalyst(s) Secreted by <i>Pseudomonas aeruginosa</i> ESA-5. Environmental Science & Technology, 2009, 43, 2011-2017. | 10.0 | 22 |
| 1036 | Loihichelins A~F, a Suite of Amphiphilic Siderophores Produced by the Marine Bacterium <i>Halomonas</i> LOB-5. Journal of Natural Products, 2009, 72, 884-888. | 3.0 | 90 |
| 1037 | Increased cadmium and lead uptake of a cadmium hyperaccumulator tomato by cadmium-resistant bacteria. Ecotoxicology and Environmental Safety, 2009, 72, 1343-1348. | 6.0 | 122 |
| 1038 | Reduction in dose of chemical fertilizers and growth enhancement of sesame (<i>Sesamum indicum</i> L.) with application of rhizospheric competent <i>Pseudomonas aeruginosa</i> LES4. European Journal of Soil Biology, 2009, 45, 334-340. | 3.2 | 88 |
| 1039 | Evaluation of fluorescent pseudomonads for plant growth promotion, antifungal activity against <i>Rhizoctonia solani</i> on common bean, and biocontrol potential. Biological Control, 2009, 48, 101-107. | 3.0 | 53 |
| 1040 | Isolation and characterization of Ni mobilizing PGPB from serpentine soils and their potential in promoting plant growth and Ni accumulation by <i>Brassica</i> spp.. Chemosphere, 2009, 75, 719-725. | 8.2 | 127 |
| 1041 | Evidence for a plant-associated natural habitat for <i>Cronobacter</i> spp.. Research in Microbiology, 2009, 160, 608-614. | 2.1 | 115 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1042 | Virulence properties of asymptomatic bacteriuria <i>Escherichia coli</i> . <i>International Journal of Medical Microbiology</i> , 2009, 299, 53-63. | 3.6 | 91 |
| 1043 | Comparative analysis of extracellular enzymes and virulence exhibited by <i>Burkholderia pseudomallei</i> from different sources. <i>Microbial Pathogenesis</i> , 2009, 47, 111-117. | 2.9 | 15 |
| 1044 | A transferrin-like homolog in amphioxus <i>Branchiostoma belcheri</i> : Identification, expression and functional characterization. <i>Molecular Immunology</i> , 2009, 46, 3117-3124. | 2.2 | 24 |
| 1045 | Chapter 12 Role of Iron in Plant-Microbe Interactions. <i>Advances in Botanical Research</i> , 2009, , 491-549. | 1.1 | 64 |
| 1046 | Rhizobial Association with Non-Legumes: Mechanisms and Applications. <i>Critical Reviews in Plant Sciences</i> , 2009, 28, 432-456. | 5.7 | 46 |
| 1047 | Antimicrobial Activity of Coffee Melanoidins—A Study of Their Metal-Chelating Properties. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 432-438. | 5.2 | 192 |
| 1048 | Symbiotic Fungi. <i>Soil Biology</i> , 2009, , . | 0.8 | 8 |
| 1049 | Regulation of Alkyl-dihydrothiazole-carboxylates (ATCs) by Iron and the Pyochelin Gene Cluster in <i>Pseudomonas aeruginosa</i> . <i>ACS Chemical Biology</i> , 2009, 4, 617-623. | 3.4 | 28 |
| 1050 | Identification and Characterization of the <i>Staphylococcus aureus</i> Gene Cluster Coding for Staphyloferrin A. <i>Biochemistry</i> , 2009, 48, 1025-1035. | 2.5 | 85 |
| 1051 | Fungal Diversity Associated with an Active Deep Sea Volcano: Vailulu'u Seamount, Samoa. <i>Geomicrobiology Journal</i> , 2009, 26, 597-605. | 2.0 | 82 |
| 1052 | Characterization of <i>Microbacterium</i> sp. F10a and its role in polycyclic aromatic hydrocarbon removal in low-temperature soil. <i>Canadian Journal of Microbiology</i> , 2009, 55, 529-535. | 1.7 | 49 |
| 1053 | Microbial Ecology of Fe (hydr)oxide Mats and Basaltic Rock from Vailulu'u Seamount, American Samoa. <i>Geomicrobiology Journal</i> , 2009, 26, 581-596. | 2.0 | 70 |
| 1054 | <i>Bacillus amyloliquefaciens</i> GA1 as a source of potent antibiotics and other secondary metabolites for biocontrol of plant pathogens. <i>Microbial Cell Factories</i> , 2009, 8, 63. | 4.0 | 298 |
| 1055 | Detection and Characterization of ACC Deaminase in Plant Growth Promoting Rhizobacteria. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2009, 18, 71-76. | 1.7 | 30 |
| 1056 | Biocontrol of root-knot nematode <i>Meloidogyne incognita</i> by <i>Pseudomonas</i> and <i>Bacillus</i> isolates on <i>Pisum sativum</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2009, 42, 1154-1164. | 1.3 | 30 |
| 1057 | Siderophore-mediated iron acquisition in the entomopathogenic bacterium <i>Pseudomonas entomophila</i> L48 and its close relative <i>Pseudomonas putida</i> KT2440. <i>BioMetals</i> , 2009, 22, 951-964. | 4.1 | 77 |
| 1058 | Isolation, molecular characterization and growth-promotion activities of a cold tolerant bacterium <i>Pseudomonas</i> sp. NARs9 (MTCC9002) from the Indian Himalayas. <i>Biological Research</i> , 2009, 42, . | 3.4 | 77 |
| 1059 | Genetic diversity of siderophore-producing bacteria of tobacco rhizosphere. <i>Brazilian Journal of Microbiology</i> , 2009, 40, 276-284. | 2.0 | 90 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1060 | Efficacy of rhizobacteria for growth promotion in sorghum under greenhouse conditions and selected modes of action studies. <i>Journal of Agricultural Science</i> , 2009, 147, 17-30. | 1.3 | 45 |
| 1061 | The Effect of a Cell-to-Cell Communication Molecule, Pseudomonas Quinolone Signal (PQS), Produced by <i>P. aeruginosa</i> on Other Bacterial Species. <i>Microbes and Environments</i> , 2010, 25, 1-7. | 1.6 | 58 |
| 1062 | Effects of <i>Pseudomonas putida</i> S1Pf1Rif Against Chrysanthemum Yellows Phytoplasma Infection. <i>Phytopathology</i> , 2010, 100, 805-813. | 2.2 | 25 |
| 1063 | Characterization of plant growth-promoting rhizobacterium <i>Exiguobacterium</i> NII-0906 for its growth promotion of cowpea (<i>Vigna unguiculata</i>). <i>Biologia (Poland)</i> , 2010, 65, 197-203. | 1.5 | 24 |
| 1064 | Effect of Indole-3-Acetic Acid (IAA) Produced by <i>Pseudomonas aeruginosa</i> in Suppression of Charcoal Rot Disease of Chickpea. <i>Current Microbiology</i> , 2010, 61, 64-68. | 2.2 | 80 |
| 1065 | Mutations of ferric uptake regulator (<i>fur</i>) impair iron homeostasis, growth, oxidative stress survival, and virulence of <i>Xanthomonas campestris</i> pv. <i>campestris</i> . <i>Archives of Microbiology</i> , 2010, 192, 331-339. | 2.2 | 41 |
| 1066 | Effect of osmotic stress on plant growth promoting <i>Pseudomonas</i> spp.. <i>Archives of Microbiology</i> , 2010, 192, 867-876. | 2.2 | 55 |
| 1067 | Population Dynamics and Identification of Endophytic Bacteria Antagonistic Toward Plant-Pathogenic Fungi in Cotton Root. <i>Microbial Ecology</i> , 2010, 59, 344-356. | 2.8 | 39 |
| 1068 | Effects of Liming on Potential Oxalate Secretion and Iron Chelation of Beech Ectomycorrhizal Root Tips. <i>Microbial Ecology</i> , 2010, 60, 331-339. | 2.8 | 9 |
| 1069 | Isolation and characterization of plant growth promoting endophytic bacterial isolates from root nodule of <i>Lespedeza</i> sp.. <i>Biology and Fertility of Soils</i> , 2010, 46, 807-816. | 4.3 | 124 |
| 1070 | Proteomic and transcriptomic characterization of a virulence-deficient phosphatidylcholine-negative <i>Agrobacterium tumefaciens</i> mutant. <i>Molecular Genetics and Genomics</i> , 2010, 283, 575-589. | 2.1 | 30 |
| 1071 | Disease suppression and crop improvement in moong beans (<i>Vigna radiata</i>) through <i>Pseudomonas</i> and <i>Burkholderia</i> strains isolated from semi arid region of Rajasthan, India. <i>BioControl</i> , 2010, 55, 799-810. | 2.0 | 29 |
| 1072 | Assessment of genetic and functional relationship of antagonistic fluorescent pseudomonads of rice rhizosphere by repetitive sequence, protein coding sequence and functional gene analyses. <i>Journal of Microbiology</i> , 2010, 48, 715-727. | 2.8 | 21 |
| 1073 | Diversity of endophytic bacteria in ginseng and their potential for plant growth promotion. <i>Journal of Microbiology</i> , 2010, 48, 559-565. | 2.8 | 176 |
| 1074 | Characterization of indigenous copper-resistant <i>Streptomyces</i> from chickpea (<i>Cicer arietinum</i> L.) fields. <i>Annals of Microbiology</i> , 2010, 60, 605-614. | 2.6 | 5 |
| 1075 | Evaluation of Probiotic Characteristics of Siderophoregenic <i>Bacillus</i> spp. Isolated from Dairy Waste. <i>Applied Biochemistry and Biotechnology</i> , 2010, 160, 140-155. | 2.9 | 37 |
| 1076 | Growth promotion of wheat seedlings by <i>Exiguobacterium acetylicum</i> 1P (MTCC 8707) a cold tolerant bacterial strain from the Uttarakhand Himalayas. <i>Indian Journal of Microbiology</i> , 2010, 50, 50-56. | 2.7 | 73 |
| 1077 | Growth and siderophores production in <i>Alcaligenes faecalis</i> is regulated by metal ions. <i>Indian Journal of Microbiology</i> , 2010, 50, 179-182. | 2.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1078 | <i>Yersinia ironomics: comparison of iron transporters among Yersinia pestis biotypes and its nearest neighbor, Yersinia pseudotuberculosis</i> . <i>BioMetals</i> , 2010, 23, 275-294. | 4.1 | 33 |
| 1079 | Plasma membrane ferric reductase activity of iron-limited algal cells is inhibited by ferric chelators. <i>BioMetals</i> , 2010, 23, 1029-1042. | 4.1 | 9 |
| 1080 | Characterization of <i>Pseudomonas aeruginosa</i> RM-3 as a Potential Biocontrol Agent. <i>Mycopathologia</i> , 2010, 170, 181-193. | 3.1 | 39 |
| 1081 | Quantitative changes of plant defense enzymes and phytohormone in biocontrol of cucumber Fusarium wilt by <i>Bacillus subtilis</i> B579. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 675-684. | 3.6 | 99 |
| 1082 | Isolation, evaluation and characterization of <i>Bacillus subtilis</i> from cotton rhizospheric soil with biocontrol activity against <i>Fusarium oxysporum</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1187-1194. | 3.6 | 72 |
| 1083 | Isolation and characterization of plant growth promoting bacteria from non-rhizospheric soil and their effect on cowpea (<i>Vigna unguiculata</i> (L.) Walp.) seedling growth. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1233-1240. | 3.6 | 86 |
| 1084 | Biocontrol potential of an endophytic <i>Serratia</i> sp. G3 and its mode of action. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1465-1471. | 3.6 | 47 |
| 1085 | Evaluation of the biological control by the yeast <i>Torulaspora globosa</i> against <i>Colletotrichum sublineolum</i> in sorghum. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1491-1502. | 3.6 | 47 |
| 1086 | Genetic diversity and plant-growth related features of <i>Burkholderia</i> spp. from sugarcane roots. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1829-1836. | 3.6 | 66 |
| 1087 | Root colonization and growth enhancement in wheat and tomato by rhizobacteria isolated from the rhizoplane of grasses. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1837-1846. | 3.6 | 59 |
| 1088 | Plant growth-promoting activity in newly isolated <i>Bacillus thioparas</i> (NII-0902) from Western ghat forest, India. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 2277-2283. | 3.6 | 24 |
| 1089 | Effects of genetically modified potatoes with increased zeaxanthin content on the abundance and diversity of rhizobacteria with in vitro antagonistic activity do not exceed natural variability among cultivars. <i>Plant and Soil</i> , 2010, 326, 437-452. | 3.7 | 36 |
| 1090 | Phosphate-solubilizing peanut associated bacteria: screening for plant growth-promoting activities. <i>Plant and Soil</i> , 2010, 329, 421-431. | 3.7 | 157 |
| 1091 | Induction of toluene degradation and growth promotion in corn and wheat by horizontal gene transfer within endophytic bacteria. <i>Soil Biology and Biochemistry</i> , 2010, 42, 1051-1057. | 8.8 | 67 |
| 1092 | Assessment of the plant growth promotion abilities of six bacterial isolates using <i>Zea mays</i> as indicator plant. <i>Soil Biology and Biochemistry</i> , 2010, 42, 1229-1235. | 8.8 | 273 |
| 1093 | Transcriptome profiling of a <i>Sinorhizobium meliloti</i> fadD mutant reveals the role of rhizobactin 1021 biosynthesis and regulation genes in the control of swarming. <i>BMC Genomics</i> , 2010, 11, 157. | 2.8 | 44 |
| 1094 | Identification of a siderophore utilization locus in nontypeable <i>Haemophilus influenzae</i> . <i>BMC Microbiology</i> , 2010, 10, 113. | 3.3 | 14 |
| 1095 | Colonization of <i>Morus alba</i> L. by the plant-growth-promoting and antagonistic bacterium <i>Burkholderia cepacia</i> strain Lu10-1. <i>BMC Microbiology</i> , 2010, 10, 243. | 3.3 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1096 | The role of sigma factor RpoH1 in the pH stress response of <i>Sinorhizobium meliloti</i> . <i>BMC Microbiology</i> , 2010, 10, 265. | 3.3 | 51 |
| 1097 | Role of extracellular compounds in Cd-sequestration relative to Cd uptake by bacterium <i>Sinorhizobium meliloti</i> . <i>Environmental Pollution</i> , 2010, 158, 2561-2565. | 7.5 | 28 |
| 1098 | Wilt disease management and enhancement of growth and yield of <i>Cajanus cajan</i> (L) var. Manak by bacterial combinations amended with chemical fertilizer. <i>Crop Protection</i> , 2010, 29, 591-598. | 2.1 | 109 |
| 1099 | Biological control of <i>Macrophomina phaseolina</i> by chemotactic fluorescent <i>Pseudomonas aeruginosa</i> PN1 and its plant growth promotory activity in chir-pine. <i>Crop Protection</i> , 2010, 29, 1142-1147. | 2.1 | 52 |
| 1100 | Evaluation of arbuscular mycorrhizal fungus, fluorescent <i>Pseudomonas</i> and <i>Trichoderma harzianum</i> formulation against <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> for the management of tomato wilt. <i>Biological Control</i> , 2010, 53, 24-31. | 3.0 | 179 |
| 1101 | Standardization of liquid formulation of <i>Pseudomonas fluorescens</i> Pf1 for its efficacy against <i>Fusarium</i> wilt of tomato. <i>Biological Control</i> , 2010, 54, 83-89. | 3.0 | 122 |
| 1102 | Spectral and thermodynamic properties of methanobactin from γ -proteobacterial methane oxidizing bacteria: A case for copper competition on a molecular level. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 1240-1247. | 3.5 | 46 |
| 1103 | Isolation and characterization of novel plant growth promoting <i>Micrococcus</i> sp NII-0909 and its interaction with cowpea. <i>Plant Physiology and Biochemistry</i> , 2010, 48, 987-992. | 5.8 | 127 |
| 1104 | Keratinolytic enzyme-mediated biodegradation of recalcitrant feather by a newly isolated <i>Xanthomonas</i> sp. P5. <i>Polymer Degradation and Stability</i> , 2010, 95, 1969-1977. | 5.8 | 37 |
| 1105 | Arsenic release from gold mine rocks mediated by the activity of indigenous bacteria. <i>Hydrometallurgy</i> , 2010, 104, 437-442. | 4.3 | 41 |
| 1106 | Biosynthesis of the Putative Siderophore Erythrochelin Requires Unprecedented Crosstalk between Separate Nonribosomal Peptide Gene Clusters. <i>Chemistry and Biology</i> , 2010, 17, 160-173. | 6.0 | 79 |
| 1107 | Siderophores from Neighboring Organisms Promote the Growth of Uncultured Bacteria. <i>Chemistry and Biology</i> , 2010, 17, 254-264. | 6.0 | 378 |
| 1108 | Genetic diversity and characterization of heavy metal-resistant-endophytic bacteria from two copper-tolerant plant species on copper mine wasteland. <i>Bioresource Technology</i> , 2010, 101, 501-509. | 9.6 | 238 |
| 1109 | Styrylpyrones from the medicinal fungus <i>Phellinus baumii</i> and their antioxidant properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 5459-5461. | 2.2 | 55 |
| 1110 | SIDEROPHORE-INDEPENDENT IRON UPTAKE BY IRON-LIMITED CELLS OF THE CYANOBACTERIUM ANABAENA FLOS-AQUAE1. <i>Journal of Phycology</i> , 2010, 46, 947-957. | 2.3 | 15 |
| 1111 | Microarray analysis of a microbe-mineral interaction. <i>Geobiology</i> , 2010, 8, 446-456. | 2.4 | 37 |
| 1112 | Competitive exclusion as a mode of action of a novel <i>Bacillus cereus</i> aquaculture biological agent. <i>Letters in Applied Microbiology</i> , 2010, 50, 563-570. | 2.2 | 60 |
| 1113 | THE EFFECT OF ELEVATED MUTATION RATES ON THE EVOLUTION OF COOPERATION AND VIRULENCE OF <i>PSEUDOMONAS AERUGINOSA</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 515-521. | 2.3 | 32 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1114 | Bacterial diversity on the surface of potato tubers in soil and the influence of the plant genotype. FEMS Microbiology Ecology, 2010, 74, 114-123. | 2.7 | 46 |
| 1115 | The Tat pathway of plant pathogen <i>Dickeya dadantii</i> 3937 contributes to virulence and fitness. FEMS Microbiology Letters, 2010, 302, 151-158. | 1.8 | 8 |
| 1116 | A new antibacterial and antioxidant S07-2 compound produced by <i>Bacillus subtilis</i> B38. FEMS Microbiology Letters, 2010, 303, 176-182. | 1.8 | 15 |
| 1117 | Genomic and phenotypic characterization of a nonpigmented variant of <i>Pantoea vagans</i> biocontrol strain C9-1 lacking the 530-kb megaplasmid pPag3. FEMS Microbiology Letters, 2010, 308, 48-54. | 1.8 | 27 |
| 1118 | Methanotrophs and copper. FEMS Microbiology Reviews, 2010, 34, 496-531. | 8.6 | 617 |
| 1119 | Erythrochelin "a hydroxamate-type siderophore predicted from the genome of <i>Saccharopolyspora erythraea</i> . FEBS Journal, 2010, 277, 663-676. | 4.7 | 50 |
| 1120 | Identification and characterization of a <i>Vibrio mimicus</i> gene encoding the heme/hemoglobin receptor. Microbiology and Immunology, 2010, 54, 606-617. | 1.4 | 9 |
| 1121 | Enhanced colonization and pathogenicity of <i>Erwinia amylovora</i> strains transformed with the near ubiquitous pEA29 plasmid on pear and apple. Plant Pathology, 2010, 59, 252-261. | 2.4 | 13 |
| 1122 | Differential effects and interactions of endogenous and horizontally acquired HNS-like proteins in pathogenic <i>Escherichia coli</i> . Molecular Microbiology, 2010, 75, 280-293. | 2.5 | 41 |
| 1123 | Elucidation of the complete ferrichrome A biosynthetic pathway in <i>Ustilago maydis</i> . Molecular Microbiology, 2010, 75, 1260-1271. | 2.5 | 68 |
| 1124 | <i>Photorhabdus</i> phase variants express a novel fimbrial locus, <i>mad</i> , essential for symbiosis. Molecular Microbiology, 2010, 77, 1021-1038. | 2.5 | 45 |
| 1125 | Proteobactin and a yersiniabactin-related siderophore mediate iron acquisition in <i>Proteus mirabilis</i> . Molecular Microbiology, 2010, 78, 138-157. | 2.5 | 63 |
| 1126 | <i>Aspergillus fumigatus</i> AcuM regulates both iron acquisition and gluconeogenesis. Molecular Microbiology, 2010, 78, 1038-1054. | 2.5 | 53 |
| 1127 | Biocontrol bacteria selected by a direct plant protection strategy against avocado white root rot show antagonism as a prevalent trait. Journal of Applied Microbiology, 2010, 109, 65-78. | 3.1 | 42 |
| 1128 | The bacterial genus <i>Collimonas</i> : mycophagy, weathering and other adaptive solutions to life in oligotrophic soil environments. Environmental Microbiology, 2010, 12, 281-292. | 3.8 | 118 |
| 1129 | <i>Shewanella oneidensis</i> MR-1 mutants selected for their inability to produce soluble organo-Fe(III) complexes are unable to respire Fe(III) as anaerobic electron acceptor. Environmental Microbiology, 2010, 12, 938-950. | 3.8 | 38 |
| 1130 | Fitness correlates with the extent of cheating in a bacterium. Journal of Evolutionary Biology, 2010, 23, 738-747. | 1.7 | 83 |
| 1131 | Diversity of Bacteria Associated with <i>Bursaphelenchus xylophilus</i> and Other Nematodes Isolated from <i>Pinus pinaster</i> Trees with Pine Wilt Disease. PLoS ONE, 2010, 5, e15191. | 2.5 | 81 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1132 | Isolation and characterization of two plant growth-promoting bacteria from the rhizoplane of a legume (<i>Lupinus albus</i>) in sandy soil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2010, 34, 361-369. | 1.3 | 23 |
| 1133 | Rizobactérias formadoras de endosporos associadas a <i>Tibouchina urvilleana</i> de áreas impactadas por rejeitos da mineração do carvão. <i>Revista Brasileira De Ciencia Do Solo</i> , 2010, 34, 563-567. | 1.3 | 6 |
| 1134 | Biological control of potato black scurf by rhizosphere associated bacteria. <i>Brazilian Journal of Microbiology</i> , 2010, 41, 439-451. | 2.0 | 41 |
| 1135 | Stereospecific recognition of pyochelin and enantio-pyochelin by the PchR proteins in fluorescent pseudomonads. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1772-1782. | 1.8 | 16 |
| 1136 | Role of the FeoB Protein and Siderophore in Promoting Virulence of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> on Rice. <i>Journal of Bacteriology</i> , 2010, 192, 3187-3203. | 2.2 | 106 |
| 1137 | The <i>fslE</i> Homolog, <i>FTL</i> ₀₄₃₉ (<i>fupA/B</i>), Mediates Siderophore-Dependent Iron Uptake in <i>Francisella tularensis</i> LVS. <i>Infection and Immunity</i> , 2010, 78, 4276-4285. | 2.2 | 36 |
| 1138 | Characterization of the Contribution to Virulence of Three Large Plasmids of Avian Pathogenic <i>Escherichia coli</i> 7122 (O78:K80:H9). <i>Infection and Immunity</i> , 2010, 78, 1528-1541. | 2.2 | 65 |
| 1139 | Commonalities and Differences in Regulation of <i>N</i> -Acyl Homoserine Lactone Quorum Sensing in the Beneficial Plant-Associated <i>Burkholderia</i> Species Cluster. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4302-4317. | 3.1 | 55 |
| 1140 | The BpeAB-OprB Efflux Pump of <i>Burkholderia pseudomallei</i> 1026b Does Not Play a Role in Quorum Sensing, Virulence Factor Production, or Extrusion of Aminoglycosides but Is a Broad-Spectrum Drug Efflux System. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 3113-3120. | 3.2 | 97 |
| 1141 | Construction of Recombinant Attenuated <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Vector Strains for Safety in Newborn and Infant Mice. <i>Vaccine Journal</i> , 2010, 17, 354-362. | 3.1 | 33 |
| 1142 | Fine-Tuning Synthesis of <i>Yersinia pestis</i> LcrV from Runaway-Like Replication Balanced-Lethal Plasmid in a <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Induces Protection against a Lethal <i>Y. pestis</i> Challenge in Mice. <i>Infection and Immunity</i> , 2010, 78, 2529-2543. | 2.2 | 25 |
| 1143 | The Type 2 Secretion Pseudopilin, <i>gspJ</i> , Is Required for Multihost Pathogenicity of <i>Burkholderia cenocepacia</i> AU1054. <i>Infection and Immunity</i> , 2010, 78, 4110-4121. | 2.2 | 17 |
| 1144 | Role of Porins in Iron Uptake by <i>Mycobacterium smegmatis</i> . <i>Journal of Bacteriology</i> , 2010, 192, 6411-6417. | 2.2 | 62 |
| 1145 | Plant Fe status affects the composition of siderophore-secreting microbes in the rhizosphere. <i>Annals of Botany</i> , 2010, 105, 835-841. | 2.9 | 87 |
| 1146 | Roles of Siderophores, Oxalate, and Ascorbate in Mobilization of Iron from Hematite by the Aerobic Bacterium <i>Pseudomonas mendocina</i> . <i>Applied and Environmental Microbiology</i> , 2010, 76, 2041-2048. | 3.1 | 60 |
| 1147 | Interplay between Iron Homeostasis and the Osmotic Stress Response in the Halophilic Bacterium <i>Chromohalobacter salexigens</i> . <i>Applied and Environmental Microbiology</i> , 2010, 76, 3575-3589. | 3.1 | 49 |
| 1148 | Gene Cluster Involved in the Biosynthesis of Griseobactin, a Catechol-Peptide Siderophore of <i>Streptomyces</i> sp. ATCC 700974. <i>Journal of Bacteriology</i> , 2010, 192, 426-435. | 2.2 | 77 |
| 1149 | The Multi-Copper-Ion Oxidase CueO of <i>Salmonella enterica</i> Serovar Typhimurium Is Required for Systemic Virulence. <i>Infection and Immunity</i> , 2010, 78, 2312-2319. | 2.2 | 98 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1150 | The adsorption strategies for iron of <i>Anabaena flos-aquae</i> , <i>Oscillatoria mougeotii</i> and <i>Scenedesmus quadricauda</i> . , 2010, , . | | 0 |
| 1151 | The v-myc-induced Q83 Lipocalin Is a Siderocalin. <i>Journal of Biological Chemistry</i> , 2010, 285, 41646-41652. | 3.4 | 23 |
| 1152 | Impact of Siderophore Production by <i>Pseudomonas syringae</i> pv. <i>syringae</i> 22d/93 on Epiphytic Fitness and Biocontrol Activity against <i>Pseudomonas syringae</i> pv. <i>glycinea</i> 1a/96. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2704-2711. | 3.1 | 52 |
| 1153 | Acquisition of Iron by Alkaliphilic <i>Bacillus</i> Species. <i>Applied and Environmental Microbiology</i> , 2010, 76, 6955-6961. | 3.1 | 33 |
| 1154 | Siderophores Are Not Involved in Fe(III) Solubilization during Anaerobic Fe(III) Respiration by <i>Shewanella oneidensis</i> MR-1. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2425-2432. | 3.1 | 39 |
| 1155 | A novel role for a TonB-family protein and photoregulation of iron acclimation in <i>Fremyella diplosiphon</i> . <i>Plant Signaling and Behavior</i> , 2010, 5, 851-853. | 2.4 | 5 |
| 1156 | Characterization of <i>Serratia</i> sp. K1RP-49 for Application to the Rhizoremediation of Heavy Metals. , 2010, , 3-13. | | 2 |
| 1157 | Fractionation of Gallotannins from Mango (<i>Mangifera indica</i> L.) Kernels by High-Speed Counter-Current Chromatography and Determination of Their Antibacterial Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 775-780. | 5.2 | 65 |
| 1158 | Phytoprotective influence of bacteria on growth and cadmium accumulation in the aquatic plant <i>Lemna minor</i> . <i>Water Research</i> , 2010, 44, 4970-4979. | 11.3 | 39 |
| 1159 | Characterization of copper-resistant bacteria and assessment of bacterial communities in rhizosphere soils of copper-tolerant plants. <i>Applied Soil Ecology</i> , 2010, 44, 49-55. | 4.3 | 126 |
| 1160 | Stimulatory effect of phosphate-solubilizing bacteria on plant growth, stevioside and rebaudioside-A contents of <i>Stevia rebaudiana</i> Bertoni. <i>Applied Soil Ecology</i> , 2010, 46, 222-229. | 4.3 | 101 |
| 1161 | Application of plant growth-promoting endophytes (PGPE) isolated from <i>Solanum nigrum</i> L. for phytoextraction of Cd-polluted soils. <i>Applied Soil Ecology</i> , 2010, 46, 383-389. | 4.3 | 158 |
| 1162 | An assay for screening microbial cultures for chalkophore production. <i>Environmental Microbiology Reports</i> , 2010, 2, 295-303. | 2.4 | 43 |
| 1163 | Mobilization of metals from uranium mine waste: the role of pyoverdines produced by <i>Pseudomonas fluorescens</i> . <i>Geobiology</i> , 2010, 8, 278-292. | 2.4 | 30 |
| 1164 | Siderophore production and utilization by milk spoilage <i>Pseudomonas</i> species. <i>Journal of Dairy Science</i> , 2010, 93, 1355-1363. | 3.4 | 8 |
| 1165 | Mutation of <i>nfxB</i> Causes Global Changes in the Physiology and Metabolism of <i>Pseudomonas aeruginosa</i> . <i>Journal of Proteome Research</i> , 2010, 9, 2957-2967. | 3.7 | 83 |
| 1166 | Biocontrol of root-knot nematode <i>Meloidogyne incognita</i> by the isolates of <i>Pseudomonas</i> on tomato. <i>Archives of Phytopathology and Plant Protection</i> , 2010, 43, 1423-1434. | 1.3 | 16 |
| 1167 | Vanchrobactin and Anguibactin Siderophores Produced by <i>Vibrio</i> sp. DS40M4. <i>Journal of Natural Products</i> , 2010, 73, 1038-1043. | 3.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1168 | FdTonB is involved in the photoregulation of cellular morphology during complementary chromatic adaptation in <i>Fremyella diplosiphon</i> . <i>Microbiology (United Kingdom)</i> , 2010, 156, 731-741. | 1.8 | 29 |
| 1169 | <i>Paenibacillus riograndensis</i> sp. nov., a nitrogen-fixing species isolated from the rhizosphere of <i>Triticum aestivum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 128-133. | 1.7 | 74 |
| 1170 | Salkowski's Reagent Test as a Primary Screening Index for Functionalities of Rhizobacteria Isolated from Wild Dipterocarp Saplings Growing Naturally on Medium-Strongly Acidic Tropical Peat Soil. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 2202-2208. | 1.3 | 103 |
| 1171 | N-methyl coprogen B, a potential marker of the airway colonization by <i>Scedosporium apiospermum</i> in patients with cystic fibrosis. <i>Medical Mycology</i> , 2010, 48, S98-S107. | 0.7 | 25 |
| 1172 | Deletion of a <i>fur</i> -Like Gene Affects Iron Homeostasis and Magnetosome Formation in <i>Magnetospirillum gryphiswaldense</i> . <i>Journal of Bacteriology</i> , 2010, 192, 4192-4204. | 2.2 | 64 |
| 1173 | Weathering-Associated Bacteria from the Damma Glacier Forefield: Physiological Capabilities and Impact on Granite Dissolution. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4788-4796. | 3.1 | 186 |
| 1174 | The effects of metabolite molecules produced by drinking water-isolated bacteria on their single and multispecies biofilms. <i>Biofouling</i> , 2011, 27, 685-699. | 2.2 | 21 |
| 1175 | <i>Acidovorax radidis</i> sp. nov., a wheat-root-colonizing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2589-2594. | 1.7 | 48 |
| 1176 | Growth promotion and disease suppression ability of <i>Pseudomonas fluorescens</i> acid lime. <i>Archives of Phytopathology and Plant Protection</i> , 2011, 44, 943-950. | 1.3 | 5 |
| 1177 | Biosynthesis of the Siderophore Rhodochelin Requires the Coordinated Expression of Three Independent Gene Clusters in <i>Rhodococcus jostii</i> RHA1. <i>Journal of the American Chemical Society</i> , 2011, 133, 4587-4595. | 13.7 | 55 |
| 1178 | The Phytopathogen <i>Pseudomonas syringae</i> pv. tomato DC3000 Has Three High-Affinity Iron-Scavenging Systems Functional under Iron Limitation Conditions but Dispensable for Pathogenesis. <i>Journal of Bacteriology</i> , 2011, 193, 2767-2775. | 2.2 | 58 |
| 1179 | Sharing of quorum-sensing signals and role of interspecies communities in a bacterial plant disease. <i>ISME Journal</i> , 2011, 5, 1857-1870. | 9.8 | 133 |
| 1180 | Combined treatment of <i>Pseudomonas aeruginosa</i> biofilm with lactoferrin and xylitol inhibits the ability of bacteria to respond to damage resulting from lactoferrin iron chelation. <i>International Journal of Antimicrobial Agents</i> , 2011, 37, 316-323. | 2.5 | 33 |
| 1181 | Physical and Chemical Deterioration of Silicate and Carbonate Rocks by Meristematic Microcolonial Fungi and Endolithic Lichens (<i>Chaetothyriomycetidae</i>). <i>Geomicrobiology Journal</i> , 2011, 28, 732-744. | 2.0 | 51 |
| 1182 | Structure and Biosynthesis of Amychelin, an Unusual Mixed-Ligand Siderophore from <i>Amycolatopsis</i> sp. AA4. <i>Journal of the American Chemical Society</i> , 2011, 133, 11434-11437. | 13.7 | 103 |
| 1183 | Comparative plant growth promoting traits and distribution of rhizobacteria associated with heavy metals in contaminated soils. <i>International Journal of Environmental Science and Technology</i> , 2011, 8, 807-816. | 3.5 | 19 |
| 1184 | Advances in <i>Mycobacterium</i> siderophore-based drug discovery. <i>Acta Pharmaceutica Sinica B</i> , 2011, 1, 8-13. | 12.0 | 23 |
| 1185 | Combining <i>Pseudomonas</i> , <i>Bacillus</i> and <i>Trichoderma</i> strains with organic amendments and micronutrient to enhance suppression of collar and root rot disease in physic nut. <i>Applied Soil Ecology</i> , 2011, 49, 215-223. | 4.3 | 42 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1186 | Enhancement by gonyautoxin V of the iron(III) reducing or binding activity produced by the dinoflagellate, <i>Alexandrium excavatum</i> . <i>Harmful Algae</i> , 2011, 10, 706-712. | 4.8 | 0 |
| 1187 | The siderophore-producing bacterium, <i>Bacillus subtilis</i> CAS15, has a biocontrol effect on <i>Fusarium</i> wilt and promotes the growth of pepper. <i>European Journal of Soil Biology</i> , 2011, 47, 138-145. | 3.2 | 322 |
| 1188 | Effect of Cd concentration in growth media on <i>Secale cereale</i> roots and Cd interaction with rhizosphere microorganisms originating from different parts of the grain. <i>European Journal of Soil Biology</i> , 2011, 47, 95-101. | 3.2 | 14 |
| 1189 | Streptobactin, a Triccatechol-Type Siderophore from Marine-Derived <i>Streptomyces</i> sp. YM5-799. <i>Journal of Natural Products</i> , 2011, 74, 2371-2376. | 3.0 | 36 |
| 1190 | Chrysobactin Siderophores Produced by <i>Dickeya chrysanthemi</i> EC16. <i>Journal of Natural Products</i> , 2011, 74, 1207-1212. | 3.0 | 36 |
| 1191 | ACC deaminase activity in avirulent <i>Agrobacterium tumefaciens</i> D3. <i>Canadian Journal of Microbiology</i> , 2011, 57, 278-286. | 1.7 | 34 |
| 1192 | <i>Paracoccus sphaerophysae</i> sp. nov., a siderophore-producing, endophytic bacterium isolated from root nodules of <i>Sphaerophysa salsula</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 665-669. | 1.7 | 47 |
| 1193 | Identification of a new protective antigen of <i>Bordetella pertussis</i> . <i>Vaccine</i> , 2011, 29, 8731-8739. | 3.8 | 26 |
| 1194 | Genome-assisted identification of putative iron-utilization genes in <i>Acinetobacter baumannii</i> and their distribution among a genotypically diverse collection of clinical isolates. <i>Research in Microbiology</i> , 2011, 162, 279-284. | 2.1 | 133 |
| 1195 | Radionuclide Geomicrobiology of the Deep Biosphere. <i>Geomicrobiology Journal</i> , 2011, 28, 540-561. | 2.0 | 31 |
| 1196 | Identification and analysis of the gene cluster involved in biosynthesis of paenibactin, a catecholate siderophore produced by <i>Paenibacillus elgii</i> B69. <i>Environmental Microbiology</i> , 2011, 13, 2726-2737. | 3.8 | 42 |
| 1197 | Isolation and characterization of rock phosphate solubilizing actinobacteria from a Togolese phosphate mine. <i>African Journal of Biotechnology</i> , 2011, 11, . | 0.6 | 15 |
| 1198 | DUAL APPLICATION OF <i>BACILLUS PUMILUS</i> AND <i>GLOMUS MOSSEAE</i> FOR IMPROVEMENT OF HEALTH STATUS OF MANDARIN PLANTS. <i>Acta Horticulturae</i> , 2011, , 215-230. | 0.2 | 5 |
| 1199 | Mecanismos de controle da murcha-de-escler cio e promo  o de crescimento em tomateiro mediados por rizobact rias. <i>Tropical Plant Pathology</i> , 2011, 36, 95-103. | 1.5 | 7 |
| 1200 | Using Ecological Knowledge and Molecular Tools to Develop Effective and Safe Biocontrol Strategies. , 2011, , . | | 3 |
| 1201 | Identification and characterization of the endophytic plant growth promoter <i>Bacillus Cereus</i> strain mq23 isolated from <i>Sophora Alopecuroides</i> root nodules. <i>Brazilian Journal of Microbiology</i> , 2011, 42, 567-575. | 2.0 | 36 |
| 1202 | Evaluation of inoculation of plant growth-promoting rhizobacteria on cadmium and lead uptake by canola and barley. <i>African Journal of Microbiology Research</i> , 2011, 5, . | 0.4 | 9 |
| 1203 | Biocontrol of charcoal-rot of sorghum by actinomycetes isolated from herbal vermicompost. <i>African Journal of Biotechnology</i> , 2011, 10, . | 0.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1204 | A simple double-layered chrome azurol S agar (SD-CASA) plate assay to optimize the production of siderophores by a potential biocontrol agent <i>Bacillus</i> . <i>African Journal of Microbiology Research</i> , 2011, 5, . | 0.4 | 22 |
| 1205 | Genetic and functional diversity of <i>Bacillus</i> strains in the soils long-term irrigated with paper and pulp mill effluent. <i>Journal of General and Applied Microbiology</i> , 2011, 57, 183-195. | 0.7 | 16 |
| 1206 | Wider Access to Genotypic Space Facilitates Loss of Cooperation in a Bacterial Mutator. <i>PLoS ONE</i> , 2011, 6, e17254. | 2.5 | 7 |
| 1207 | Deciphering the Multifactorial Nature of <i>Acinetobacter baumannii</i> Pathogenicity. <i>PLoS ONE</i> , 2011, 6, e22674. | 2.5 | 196 |
| 1208 | A Naturally Associated Rhizobacterium of <i>Arabidopsis thaliana</i> Induces a Starvation-Like Transcriptional Response while Promoting Growth. <i>PLoS ONE</i> , 2011, 6, e29382. | 2.5 | 44 |
| 1209 | <i>Staphylococcus aureus</i> Transporters Hts, Sir, and Sst Capture Iron Liberated from Human Transferrin by Staphyloferrin A, Staphyloferrin B, and Catecholamine Stress Hormones, Respectively, and Contribute to Virulence. <i>Infection and Immunity</i> , 2011, 79, 2345-2355. | 2.2 | 115 |
| 1210 | Use of Blue Agar CAS Assay for Siderophore Detection. <i>Journal of Microbiology and Biology Education</i> , 2011, 12, 51-53. | 1.0 | 329 |
| 1211 | Siderophore production by Gram-negative rods isolated from human polymicrobial infections. <i>Biological Letters</i> , 2011, 48, 147-157. | 0.6 | 2 |
| 1212 | Microevolution of the major common <i>Pseudomonas aeruginosa</i> clones C and PA14 in cystic fibrosis lungs. <i>Environmental Microbiology</i> , 2011, 13, 1690-1704. | 3.8 | 136 |
| 1213 | The role of reduction in iron uptake processes in a unicellular, planktonic cyanobacterium. <i>Environmental Microbiology</i> , 2011, 13, 2990-2999. | 3.8 | 105 |
| 1214 | Phosphate-solubilization mechanism and in vitro plant growth promotion activity mediated by <i>Pantoea ecalypti</i> isolated from <i>Lotus tenuis</i> rhizosphere in the Salado River Basin (Argentina). <i>Journal of Applied Microbiology</i> , 2011, 110, 1151-1165. | 3.1 | 90 |
| 1215 | <i>Pseudomonas</i> sp. M174 inhibits the fish pathogen <i>Flavobacterium psychrophilum</i> . <i>Journal of Applied Microbiology</i> , 2011, 111, 266-277. | 3.1 | 58 |
| 1216 | In vitro analyses are not reliable predictors of the plant growth promotion capability of bacteria; a <i>Pseudomonas fluorescens</i> strain that promotes the growth and yield of wheat. <i>Journal of Applied Microbiology</i> , 2011, 111, 683-692. | 3.1 | 50 |
| 1217 | Effect of applying an arsenic-resistant and plant growth-promoting rhizobacterium to enhance soil arsenic phytoremediation by <i>Populus deltoides</i> LH05-17. <i>Journal of Applied Microbiology</i> , 2011, 111, 1065-1074. | 3.1 | 142 |
| 1218 | Inhibitory activity of <i>Pseudomonas</i> sp. on <i>Flavobacterium psychrophilum</i> , in vitro. <i>Journal of Fish Diseases</i> , 2011, 34, 255-264. | 1.9 | 24 |
| 1219 | Chromosomal instability in enterohaemorrhagic <i>Escherichia coli</i> O157:H7: impact on adherence, tellurite resistance and colony phenotype. <i>Molecular Microbiology</i> , 2011, 79, 1024-1044. | 2.5 | 29 |
| 1220 | Secretion, but not overall synthesis, of catecholate siderophores contributes to virulence of extraintestinal pathogenic <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2011, 80, 266-282. | 2.5 | 60 |
| 1221 | The <i>Vibrio cholerae</i> VctPDGC system transports catechol siderophores and a siderophore-free iron ligand. <i>Molecular Microbiology</i> , 2011, 81, 1446-1458. | 2.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1222 | The MAP kinase MpkA controls cell wall integrity, oxidative stress response, gliotoxin production and iron adaptation in <i>Aspergillus fumigatus</i> . <i>Molecular Microbiology</i> , 2011, 82, 39-53. | 2.5 | 125 |
| 1223 | Novel root nodule bacteria belonging to the genus <i>Caulobacter</i> . <i>Letters in Applied Microbiology</i> , 2011, 53, 587-591. | 2.2 | 7 |
| 1224 | The <i>Vibrio parahaemolyticus</i> <i>psuA1</i> gene (formerly termed <i>psuA</i>) encodes a second ferric vibrioferrin receptor that requires <i>tonB2</i> . <i>FEMS Microbiology Letters</i> , 2011, 324, 73-79. | 1.8 | 10 |
| 1225 | Characterization of <i>Staphylococcus aureus</i> strains involved in human and bovine mastitis. <i>FEMS Immunology and Medical Microbiology</i> , 2011, 62, 225-235. | 2.7 | 59 |
| 1226 | Liquid extraction of low molecular mass organic acids and hydroxamate siderophores from boreal forest soil. <i>Soil Biology and Biochemistry</i> , 2011, 43, 2417-2422. | 8.8 | 35 |
| 1227 | <i>Methylobacterium bullatum</i> sp. nov., a methylophilic bacterium isolated from <i>Funaria hygrometrica</i> . <i>Systematic and Applied Microbiology</i> , 2011, 34, 482-486. | 2.8 | 22 |
| 1228 | Non-ribosomal peptides produced by Brazilian cyanobacterial isolates with antimicrobial activity. <i>Microbiological Research</i> , 2011, 166, 161-175. | 5.3 | 81 |
| 1229 | A comparison of Fe bioavailability and binding of a catecholate siderophore with virus-mediated lysates from the marine bacterium <i>Vibrio alginolyticus</i> PWH3a. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 399, 43-47. | 1.5 | 48 |
| 1230 | Inoculation of endophytic bacteria on host and non-host plants—Effects on plant growth and Ni uptake. <i>Journal of Hazardous Materials</i> , 2011, 195, 230-237. | 12.4 | 312 |
| 1231 | Fe(III)-complexes of the tripodal trishydroxamate siderophore basidiochrome: Potential biological implications. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 1670-1674. | 3.5 | 7 |
| 1232 | Detection of hydroxamate siderophores in coastal and Sub-Antarctic waters off the South Eastern Coast of New Zealand. <i>Marine Chemistry</i> , 2011, 126, 97-107. | 2.3 | 81 |
| 1233 | Culturable bacteria in hydroponic cultures of moss <i>Racomitrium japonicum</i> and their potential as biofertilizers for moss production. <i>Journal of Bioscience and Bioengineering</i> , 2011, 112, 32-39. | 2.2 | 24 |
| 1234 | Isolation and characterization of chitinolytic rhizobacteria for the management of <i>Fusarium</i> wilt in tomato. <i>Crop Protection</i> , 2011, 30, 1606-1612. | 2.1 | 49 |
| 1235 | Evaluation of actinomycete isolates obtained from herbal vermicompost for the biological control of <i>Fusarium</i> wilt of chickpea. <i>Crop Protection</i> , 2011, 30, 1070-1078. | 2.1 | 184 |
| 1236 | Effect of plant growth promoting rhizobia on seed germination, growth promotion and suppression of <i>Fusarium</i> wilt of fenugreek (<i>Trigonella foenum-graecum</i> L.). <i>Crop Protection</i> , 2011, 30, 1396-1403. | 2.1 | 44 |
| 1237 | Influence of iron-chelated growth conditions on outer membrane protein production and virulence of <i>Vibrio tubiashii</i> . <i>Food Microbiology</i> , 2011, 28, 1409-1413. | 4.2 | 3 |
| 1238 | Evidence on manganese peroxidase and tyrosinase expression during decolorization of textile industry dyes by <i>Trichosporon akiyoshidainum</i> . <i>International Biodeterioration and Biodegradation</i> , 2011, 65, 1199-1207. | 3.9 | 30 |
| 1239 | Biological management of vascular wilt of tomato caused by <i>Fusarium oxysporum</i> f.sp. <i>lycospersici</i> by plant growth-promoting rhizobacterial mixture. <i>Biological Control</i> , 2011, 57, 85-93. | 3.0 | 98 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1240 | Leaf blast (<i>Magnaporthe oryzae</i>) suppression and growth promotion by rhizobacteria on aerobic rice in Brazil. <i>Biological Control</i> , 2011, 58, 160-166. | 3.0 | 100 |
| 1241 | Characterization of ACC deaminase-producing endophytic bacteria isolated from copper-tolerant plants and their potential in promoting the growth and copper accumulation of <i>Brassica napus</i> . <i>Chemosphere</i> , 2011, 83, 57-62. | 8.2 | 184 |
| 1242 | Analysis and characterization of cultivable heavy metal-resistant bacterial endophytes isolated from Cd-hyperaccumulator <i>Solanum nigrum</i> L. and their potential use for phytoremediation. <i>Chemosphere</i> , 2011, 85, 1130-1138. | 8.2 | 216 |
| 1243 | <i>Brachybacterium saurashtrense</i> sp. nov., a halotolerant root-associated bacterium with plant growth-promoting potential. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2799-2804. | 1.7 | 80 |
| 1244 | Knockout and pullout recombineering for naturally transformable <i>Burkholderia thailandensis</i> and <i>Burkholderia pseudomallei</i> . <i>Nature Protocols</i> , 2011, 6, 1085-1104. | 12.0 | 37 |
| 1245 | Diversity analysis of pseudomonads in rice rhizosphere for multifaceted plant growth promotion. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2011, 58, 247-258. | 0.8 | 1 |
| 1246 | Growth enhancement of black pepper (<i>Piper nigrum</i>) by a newly isolated <i>Bacillus tequilensis</i> NII-0943. <i>Biologia (Poland)</i> , 2011, 66, 801-806. | 1.5 | 15 |
| 1247 | Microbial communities in sugarcane field soils with and without a sugarcane cropping history. <i>Plant and Soil</i> , 2011, 341, 63-73. | 3.7 | 16 |
| 1248 | Rhizoremediation of diesel-contaminated soil using the plant growth-promoting rhizobacterium <i>Gordonia</i> sp. S2RP-17. <i>Biodegradation</i> , 2011, 22, 593-601. | 3.0 | 92 |
| 1249 | Identification of new members within suites of amphiphilic marine siderophores. <i>BioMetals</i> , 2011, 24, 85-92. | 4.1 | 34 |
| 1250 | TonB-dependent outer-membrane proteins and siderophore utilization in <i>Pseudomonas fluorescens</i> Pf-5. <i>BioMetals</i> , 2011, 24, 193-213. | 4.1 | 45 |
| 1251 | Genetic and biochemical analyses of chromosome and plasmid gene homologues encoding ICL and ArCP domains in <i>Vibrio anguillarum</i> strain 775. <i>BioMetals</i> , 2011, 24, 629-643. | 4.1 | 7 |
| 1252 | Endophytic and rhizoplane bacteria associated with <i>Cytisus striatus</i> growing on hexachlorocyclohexane-contaminated soil: isolation and characterisation. <i>Plant and Soil</i> , 2011, 340, 413-433. | 3.7 | 69 |
| 1253 | Screening for candidate bacterial biocontrol agents against soilborne fungal plant pathogens. <i>Plant and Soil</i> , 2011, 340, 505-520. | 3.7 | 143 |
| 1254 | Functionally diverse rhizobacteria of <i>Saccharum munja</i> (a native wild grass) colonizing abandoned morrum mine in Aravalli hills (Delhi). <i>Plant and Soil</i> , 2011, 341, 447-459. | 3.7 | 37 |
| 1255 | Microbial communities associated with the root system of wild olives (<i>Olea europaea</i> L. subsp.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 <i>Verticillium dahliae</i> . <i>Plant and Soil</i> , 2011, 343, 329-345. | 3.7 | 89 |
| 1256 | Analysis of the endophytic lifestyle and plant growth promotion of <i>Burkholderia terricola</i> ZR2-12. <i>Plant and Soil</i> , 2011, 347, 125-136. | 3.7 | 32 |
| 1257 | Potential plant growth-promoting activity of <i>Serratia nematodiphila</i> NII-0928 on black pepper (<i>Piper</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 41 | 3.6 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1258 | <i>Pseudomonas lurida</i> M2RH3 (MTCC 9245), a psychrotolerant bacterium from the Uttarakhand Himalayas, solubilizes phosphate and promotes wheat seedling growth. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 1129-1135. | 3.6 | 83 |
| 1259 | Isolation and characterization endophytic bacteria from hyperaccumulator <i>Sedum alfredii</i> Hance and their potential to promote phytoextraction of zinc polluted soil. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 1197-1207. | 3.6 | 63 |
| 1260 | Evaluation of bacteria isolated from rice rhizosphere for biological control of charcoal rot of sorghum caused by <i>Macrophomina phaseolina</i> (Tassi) Goid.. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 1313-1321. | 3.6 | 99 |
| 1261 | Genetic and metabolic diversity of streptomycetes in pulp and paper mill effluent treated crop fields. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 1603-1613. | 3.6 | 13 |
| 1262 | Isolation and characterization of rhizobacteria associated with coastal agricultural ecosystem of rhizosphere soils of cultivated vegetable crops. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 1625-1632. | 3.6 | 37 |
| 1263 | Oxalic acid, versatile peroxidase secretion and chelating ability of <i>Bjerkandera fumosa</i> in rich and limited culture conditions. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 1885-1891. | 3.6 | 21 |
| 1264 | Effects of inoculation of a plant growth promoting rhizobacterium <i>Burkholderia</i> sp. D54 on plant growth and metal uptake by a hyperaccumulator <i>Sedum alfredii</i> Hance grown on multiple metal contaminated soil. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 2835-2844. | 3.6 | 56 |
| 1265 | Chemical and structural characterization of hydroxamate siderophore produced by marine <i>Vibrio harveyi</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 265-273. | 3.0 | 20 |
| 1266 | Genetic and functional diversities of bacterial communities in the rhizosphere of <i>Arachis hypogaea</i> . <i>Antonie Van Leeuwenhoek</i> , 2011, 100, 161-170. | 1.7 | 14 |
| 1267 | Inoculation of soil by <i>Bacillus subtilis</i> Y-IV improves plant growth and colonization of the rhizosphere and interior tissues of muskmelon (<i>Cucumis melo</i> L.). <i>Biology and Fertility of Soils</i> , 2011, 47, 507-514. | 4.3 | 47 |
| 1268 | Salt-tolerant rhizobacteria-mediated induced tolerance in wheat (<i>Triticum aestivum</i>) and chemical diversity in rhizosphere enhance plant growth. <i>Biology and Fertility of Soils</i> , 2011, 47, 907-916. | 4.3 | 189 |
| 1269 | Effect of Abiotic Stress on Phosphate Solubilization by Biocontrol Fungus <i>Trichoderma</i> sp.. <i>Current Microbiology</i> , 2011, 62, 1521-1526. | 2.2 | 44 |
| 1270 | <i>Delftia</i> sp. JD2: a potential Cr(VI)-reducing agent with plant growth-promoting activity. <i>Archives of Microbiology</i> , 2011, 193, 63-68. | 2.2 | 57 |
| 1271 | <i>Azospirillum brasilense</i> siderophores with antifungal activity against <i>Colletotrichum acutatum</i> . <i>Archives of Microbiology</i> , 2011, 193, 275-286. | 2.2 | 137 |
| 1272 | Plant growth promotion traits of phosphobacteria isolated from Puna, Argentina. <i>Archives of Microbiology</i> , 2011, 193, 489-496. | 2.2 | 47 |
| 1273 | Alleviation of cold stress in inoculated wheat (<i>Triticum aestivum</i> L.) seedlings with psychrotolerant <i>Pseudomonads</i> from NW Himalayas. <i>Archives of Microbiology</i> , 2011, 193, 497-513. | 2.2 | 128 |
| 1274 | Dynamics, Diversity and Function of Endophytic Siderophore-Producing Bacteria in Rice. <i>Microbial Ecology</i> , 2011, 61, 606-618. | 2.8 | 175 |
| 1275 | Isolation and Characterization of Beneficial Bacteria Associated with Citrus Roots in Florida. <i>Microbial Ecology</i> , 2011, 62, 324-336. | 2.8 | 122 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1276 | Purple-Pigmented Violacein-Producing <i>Duganella</i> spp. Inhabit the Rhizosphere of Wild and Cultivated Olives in Southern Spain. <i>Microbial Ecology</i> , 2011, 62, 446-459. | 2.8 | 39 |
| 1277 | Isolation and characterization of endophytic bacterium LRE07 from cadmium hyperaccumulator <i>Solanum nigrum</i> L. and its potential for remediation. <i>Applied Microbiology and Biotechnology</i> , 2011, 89, 1637-1644. | 3.6 | 93 |
| 1278 | Isolation of phosphate solubilizing bacteria and their potential for lead immobilization in soil. <i>Journal of Hazardous Materials</i> , 2011, 185, 829-836. | 12.4 | 190 |
| 1279 | Characterization of lead-resistant and ACC deaminase-producing endophytic bacteria and their potential in promoting lead accumulation of rape. <i>Journal of Hazardous Materials</i> , 2011, 186, 1720-1725. | 12.4 | 140 |
| 1280 | <i>Bacillus</i> spp. of Human Origin: A Potential Siderophoregenic Probiotic Bacteria. <i>Applied Biochemistry and Biotechnology</i> , 2011, 164, 386-400. | 2.9 | 24 |
| 1281 | Chemical Characterization, Crossfeeding and Uptake Studies on Hydroxamate Siderophore of <i>Alcaligenes faecalis</i> . <i>Indian Journal of Microbiology</i> , 2011, 51, 176-181. | 2.7 | 8 |
| 1282 | Biocontrol Potential of Siderophore Producing Heavy Metal Resistant <i>Alcaligenes</i> sp. and <i>Pseudomonas aeruginosa</i> RZS3 vis-À-vis Organophosphorus Fungicide. <i>Indian Journal of Microbiology</i> , 2011, 51, 266-272. | 2.7 | 75 |
| 1283 | Selection and differentiation of <i>Bacillus</i> spp. Antagonistic to <i>Fusarium oxysporum</i> f.sp. <i>lycopersici</i> and <i>Alternaria solani</i> infecting Tomato. <i>Folia Microbiologica</i> , 2011, 56, 170-177. | 2.3 | 19 |
| 1284 | Bacterial structure and characterization of plant growth promoting and oil degrading bacteria from the rhizospheres of mangrove plants. <i>Journal of Microbiology</i> , 2011, 49, 535-543. | 2.8 | 33 |
| 1285 | Identification of multi-trait PGPR isolates and evaluating their potential as inoculants for wheat. <i>Annals of Microbiology</i> , 2011, 61, 893-900. | 2.6 | 165 |
| 1286 | Herbicide degradation and copper complexation by bacterial mixed cultures from a vineyard stormwater basin. <i>Journal of Soils and Sediments</i> , 2011, 11, 860-873. | 3.0 | 19 |
| 1287 | SO2426 is a positive regulator of siderophore expression in <i>Shewanella oneidensis</i> MR-1. <i>BMC Microbiology</i> , 2011, 11, 125. | 3.3 | 0 |
| 1288 | Mutation of L-2,3-diaminopropionic acid synthase genes blocks staphyloferrin B synthesis in <i>Staphylococcus aureus</i> . <i>BMC Microbiology</i> , 2011, 11, 199. | 3.3 | 38 |
| 1289 | Characterization of pyoverdine and achromobactin in <i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> 1448a. <i>BMC Microbiology</i> , 2011, 11, 218. | 3.3 | 58 |
| 1290 | The Fur regulon in anaerobically grown <i>Salmonella enterica</i> sv. Typhimurium: identification of new Fur targets. <i>BMC Microbiology</i> , 2011, 11, 236. | 3.3 | 70 |
| 1291 | Characterisation of two quorum sensing systems in the endophytic <i>Serratia plymuthica</i> strain G3: differential control of motility and biofilm formation according to life-style. <i>BMC Microbiology</i> , 2011, 11, 26. | 3.3 | 58 |
| 1292 | Role of a Fur homolog in iron metabolism in <i>Nitrosomonas europaea</i> . <i>BMC Microbiology</i> , 2011, 11, 37. | 3.3 | 18 |
| 1293 | Biological control of red rot in sugarcane by native pyoluteorin-producing <i>Pseudomonas putida</i> strain NH50 under field conditions and its potential modes of action. <i>Pest Management Science</i> , 2011, 67, 1147-1154. | 3.4 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1294 | Diversity and phylogeny of plant growthâ€promoting bacilli from moderately acidic soil. Journal of Basic Microbiology, 2011, 51, 98-106. | 3.3 | 77 |
| 1295 | The Frataxin Homologue Fra Plays a Key Role in Intracellular Iron Channeling in <i>Bacillus subtilis</i> . ChemBioChem, 2011, 12, 2052-2061. | 2.6 | 17 |
| 1296 | Characterization of a copper-resistant symbiotic bacterium isolated from Medicago lupulina growing in mine tailings. Bioresource Technology, 2011, 102, 703-709. | 9.6 | 79 |
| 1297 | A potential probiotic culture ST2 produces siderophore 2,3-dihydroxybenzoylserine under intestinal conditions. Food Chemistry, 2011, 127, 387-393. | 8.2 | 21 |
| 1298 | Biodegradation of isoproturon using a novel Pseudomonas aeruginosa strain JS-11 as a multi-functional bioinoculant of environmental significance. Journal of Hazardous Materials, 2011, 185, 938-944. | 12.4 | 29 |
| 1299 | A Simple Assay for Screening Microorganisms for Chalkophore Production. Methods in Enzymology, 2011, 495, 247-258. | 1.0 | 14 |
| 1300 | Phosvitin Plays a Critical Role in the Immunity of Zebrafish Embryos via Acting as a Pattern Recognition Receptor and an Antimicrobial Effector. Journal of Biological Chemistry, 2011, 286, 22653-22664. | 3.4 | 83 |
| 1301 | Cloning and Heterologous Expression of the Vibrioferri Biosynthetic Gene Cluster from a Marine Metagenomic Library. Bioscience, Biotechnology and Biochemistry, 2011, 75, 2283-2287. | 1.3 | 33 |
| 1302 | Nickel Solubilizing Capacity and Characterization of Rhizobacteria Isolated from Hyperaccumulating and Non-Hyperaccumulating Subspecies of <i>Alyssum Serpyllifolium</i> . International Journal of Phytoremediation, 2011, 13, 229-244. | 3.1 | 49 |
| 1303 | The pobA gene of Burkholderia cenocepacia encodes a Group I Sfp-type phosphopantetheinyltransferase required for biosynthesis of the siderophores ornibactin and pyochelin. Microbiology (United Kingdom), 2011, 157, 349-361. | 1.8 | 25 |
| 1304 | Biosynthesis of a Complex Yersiniabactin-Like Natural Product via the <i>mic</i> Locus in Phytopathogen Ralstonia solanacearum. Applied and Environmental Microbiology, 2011, 77, 6117-6124. | 3.1 | 52 |
| 1305 | Taking the Escherichia coli TonB Transmembrane Domain â€œOfflineâ€: Nonprotonatable Asn Substitutes Fully for TonB His20. Journal of Bacteriology, 2011, 193, 3693-3701. | 2.2 | 21 |
| 1306 | Transcriptional Profiling of the Iron Starvation Response in Bordetella pertussis Provides New Insights into Siderophore Utilization and Virulence Gene Expression. Journal of Bacteriology, 2011, 193, 4798-4812. | 2.2 | 68 |
| 1307 | Fur Negatively Regulates <i>hns</i> and Is Required for the Expression of HilA and Virulence in <i>Salmonella enterica</i> Serovar Typhimurium. Journal of Bacteriology, 2011, 193, 497-505. | 2.2 | 91 |
| 1308 | Antiparallel and Interlinked Control of Cellular Iron Levels by the Irr and RirA Regulators of Agrobacterium tumefaciens. Journal of Bacteriology, 2011, 193, 3461-3472. | 2.2 | 56 |
| 1309 | Fur regulation of the capsular polysaccharide biosynthesis and iron-acquisition systems in Klebsiella pneumoniae CG43. Microbiology (United Kingdom), 2011, 157, 419-429. | 1.8 | 58 |
| 1310 | The Stringent Response Is Essential for Pseudomonas aeruginosa Virulence in the Rat Lung Agar Bead and Drosophila melanogaster Feeding Models of Infection. Infection and Immunity, 2011, 79, 4094-4104. | 2.2 | 67 |
| 1311 | Phosphate Solubilizing Rhizospherebacterial T21 Isolated from Dongxiang Wild Rice Species Promotes Cultivated Rice Growth. Applied Mechanics and Materials, 2011, 108, 167-175. | 0.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1313 | Characterization of Putative Virulence Genes on the Related RepFIB Plasmids Harbored by Cronobacter spp. Applied and Environmental Microbiology, 2011, 77, 3255-3267. | 3.1 | 96 |
| 1314 | Expression of Multidrug Resistance Efflux Pump Gene <i>norA</i> Is Iron Responsive in Staphylococcus aureus. Journal of Bacteriology, 2012, 194, 1753-1762. | 2.2 | 69 |
| 1315 | Burkholderia pseudomallei Known Siderophores and Hemin Uptake Are Dispensable for Lethal Murine Melioidosis. PLoS Neglected Tropical Diseases, 2012, 6, e1715. | 3.0 | 45 |
| 1316 | Endophytic Streptomyces spp. as Biocontrol Agents of Rice Bacterial Leaf Blight Pathogen (Xanthomonas oryzae pv. oryzae). HAYATI Journal of Biosciences, 2012, 19, 155-162. | 0.4 | 51 |
| 1317 | Enhancement of Nodulation and Yield of Chickpea by Co-inoculation of Indigenous Mesorhizobium spp. and Plant Growth-Promoting Rhizobacteria in Eastern Uttar Pradesh. Communications in Soil Science and Plant Analysis, 2012, 43, 605-621. | 1.4 | 53 |
| 1318 | Interactions of Ocular Isolates of Gram-Negative Bacteria With Lactoferrin. Eye and Contact Lens, 2012, 38, 208-213. | 1.6 | 5 |
| 1319 | Escherichia coli enterobactin synthesis and uptake mutants are hypersensitive to an antimicrobial peptide that limits the availability of iron in addition to blocking Holliday junction resolution. Microbiology (United Kingdom), 2012, 158, 547-559. | 1.8 | 13 |
| 1320 | Influence of Temperature on the Physiology and Virulence of the Insect Pathogen Serratia sp. Strain SCBI. Applied and Environmental Microbiology, 2012, 78, 8840-8844. | 3.1 | 28 |
| 1321 | ExpR Is Not Required for Swarming but Promotes Sliding in Sinorhizobium meliloti. Journal of Bacteriology, 2012, 194, 2027-2035. | 2.2 | 43 |
| 1322 | Suppression of pleiotropic phenotypes of a Burkholderia multivorans fur mutant by oxyR mutation. Microbiology (United Kingdom), 2012, 158, 1284-1293. | 1.8 | 11 |
| 1323 | Use of CAS Colorimetric Assays to Evaluate the Effect of Copper Ion on Methanobactin Production by Methylosinus trichosporium 3011. Advanced Materials Research, 2012, 549, 50-53. | 0.3 | 0 |
| 1324 | Pseudomonas aeruginosa WS-1 for biological control of leaf blight disease of Withania somnifera. Archives of Phytopathology and Plant Protection, 2012, 45, 796-805. | 1.3 | 9 |
| 1325 | Contribution of Siderophore Systems to Growth and Urinary Tract Colonization of Asymptomatic Bacteriuria Escherichia coli. Infection and Immunity, 2012, 80, 333-344. | 2.2 | 96 |
| 1326 | Two distinct pathways for iron acquisition by iron-limited cyanobacterial cells: evidence from experiments using siderophores and synthetic chelators. Botany, 2012, 90, 181-190. | 1.0 | 13 |
| 1327 | Growth enhancement of Sesamum indicum L. by rhizosphere-competent Azotobacter chroococcum AZO2 and its antagonistic activity against Macrophomina phaseolina. Archives of Phytopathology and Plant Protection, 2012, 45, 437-454. | 1.3 | 14 |
| 1328 | Fur-Regulated Iron Uptake System of Edwardsiella ictaluri and Its Influence on Pathogenesis and Immunogenicity in the Catfish Host. Infection and Immunity, 2012, 80, 2689-2703. | 2.2 | 53 |
| 1329 | Iron and Quorum Sensing Coordinately Regulate the Expression of Vulnibactin Biosynthesis in Vibrio vulnificus. Journal of Biological Chemistry, 2012, 287, 26727-26739. | 3.4 | 39 |
| 1330 | Draft Genome Sequence of High-Siderophore-Yielding Pseudomonas sp. Strain HYS. Journal of Bacteriology, 2012, 194, 4121-4121. | 2.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1331 | Response of barley to root colonization by <i>Pseudomonas</i> sp. DSMZ 13134 under laboratory, greenhouse, and field conditions. <i>Journal of Plant Interactions</i> , 2012, 7, 1-9. | 2.1 | 39 |
| 1332 | Evidence of Diversity among Epidemiologically Related Carbapenemase-Producing <i>Acinetobacter baumannii</i> Strains Belonging to International Clonal Lineage II. <i>Journal of Clinical Microbiology</i> , 2012, 50, 590-597. | 3.9 | 36 |
| 1333 | HapX-Mediated Iron Homeostasis Is Essential for Rhizosphere Competence and Virulence of the Soilborne Pathogen <i>Fusarium oxysporum</i> . <i>Plant Cell</i> , 2012, 24, 3805-3822. | 6.6 | 138 |
| 1334 | Production, Purification, and Characterization of Antifungal Metabolite from <i>Pseudomonas aeruginosa</i> SD12, a New Strain Obtained from Tannery Waste Polluted Soil. <i>Journal of Microbiology and Biotechnology</i> , 2012, 22, 674-683. | 2.1 | 33 |
| 1335 | Plant Growth-Promoting Nitrogen-Fixing Enterobacteria Are in Association with Sugarcane Plants Growing in Guangxi, China. <i>Microbes and Environments</i> , 2012, 27, 391-398. | 1.6 | 109 |
| 1336 | Iron acquisition in the marine actinomycete genus <i>Salinispora</i> is controlled by the desferrioxamine family of siderophores. <i>FEMS Microbiology Letters</i> , 2012, 335, 95-103. | 1.8 | 36 |
| 1337 | <i>Methylobacterium oxalidis</i> sp. nov., isolated from leaves of <i>Oxalis corniculata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1647-1652. | 1.7 | 29 |
| 1338 | Molecular Characterization of Endophytic Bacteria from Metal Hyperaccumulator Aquatic Plant (<i>Eichhornia crassipes</i>) and Its Role in Heavy Metal Removal. <i>Geomicrobiology Journal</i> , 2012, 29, 906-915. | 2.0 | 17 |
| 1339 | Plant growth promoting potential and soil enzyme production of the most abundant <i>Streptomyces</i> spp. from wheat rhizosphere. <i>Journal of Applied Microbiology</i> , 2012, 113, 1154-1164. | 3.1 | 94 |
| 1340 | Genomics-driven discovery of taiwachelin, a lipopeptide siderophore from <i>Cupriavidus taiwanensis</i> . <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 9338. | 2.8 | 27 |
| 1341 | Public good dynamics drive evolution of iron acquisition strategies in natural bacterioplankton populations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 20059-20064. | 7.1 | 294 |
| 1342 | Chemistry and Biology of the Copper Chelator Methanobactin. <i>ACS Chemical Biology</i> , 2012, 7, 260-268. | 3.4 | 74 |
| 1343 | Optimal pyoverdine-CPG composites for development of an optical biosensor to detect iron. <i>Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology</i> , 2012, 6, 249-254. | 0.6 | 1 |
| 1344 | Involvement of multiple distinct <i>Bordetella</i> receptor proteins in the utilization of iron liberated from transferrin by host catecholamine stress hormones. <i>Molecular Microbiology</i> , 2012, 84, 446-462. | 2.5 | 33 |
| 1345 | Plant growth enhancing effects by a siderophore-producing endophytic streptomycete isolated from a Thai jasmine rice plant (<i>Oryza sativa</i> L. cv. KDML105). <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 463-472. | 1.7 | 171 |
| 1346 | GacA directly regulates expression of several virulence genes in <i>Pseudomonas syringae</i> pv. <i>tabaci</i> 11528. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 665-672. | 2.1 | 23 |
| 1347 | Genome Sequence and Mutational Analysis of Plant-Growth-Promoting Bacterium <i>Agrobacterium tumefaciens</i> CCNWGS0286 Isolated from a Zinc-Lead Mine Tailing. <i>Applied and Environmental Microbiology</i> , 2012, 78, 5384-5394. | 3.1 | 64 |
| 1349 | Stimulated phytoextraction of metals from fly ash by microbial interventions. <i>Environmental Technology (United Kingdom)</i> , 2012, 33, 2405-2413. | 2.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1350 | Structure and Biosynthetic Assembly of Cupriachelin, a Photoreactive Siderophore from the Bioplastic Producer Cupriavidus necator H16. Journal of the American Chemical Society, 2012, 134, 5415-5422. | 13.7 | 58 |
| 1351 | Mixing and Matching Siderophore Clusters: Structure and Biosynthesis of Serratiochelins from <i>Serratia</i> sp. V4. Journal of the American Chemical Society, 2012, 134, 13550-13553. | 13.7 | 48 |
| 1352 | Proteomics of <i>Pseudomonas aeruginosa</i> Australian Epidemic Strain 1 (AES-1) Cultured under Conditions Mimicking the Cystic Fibrosis Lung Reveals Increased Iron Acquisition via the Siderophore Pyochelin. Journal of Proteome Research, 2012, 11, 776-795. | 3.7 | 45 |
| 1353 | Marine Metabolites and Metal Ion Chelation. , 2012, , 861-892. | | 6 |
| 1354 | Potential of Rhizobia for Sustainable Production of Non-legumes. , 2012, , 659-704. | | 17 |
| 1355 | <i>In Vitro</i> and <i>In Vivo</i> Antimicrobial Activities of Gallium Nitrate against Multidrug-Resistant <i>Acinetobacter baumannii</i> . Antimicrobial Agents and Chemotherapy, 2012, 56, 5961-5970. | 3.2 | 128 |
| 1356 | Isolation, Structure Elucidation, and Biosynthesis of an Unusual Hydroxamic Acid Ester-Containing Siderophore from <i>Actinosynnema mirum</i> . Journal of Natural Products, 2012, 75, 905-914. | 3.0 | 52 |
| 1357 | Influence of siderophore pyoverdine synthesis and iron-uptake on abiotic and biotic surface colonization of <i>Pseudomonas putida</i> S11. BioMetals, 2012, 25, 1113-1128. | 4.1 | 4 |
| 1358 | Genomic Variation among Contemporary <i>Pseudomonas aeruginosa</i> Isolates from Chronically Infected Cystic Fibrosis Patients. Journal of Bacteriology, 2012, 194, 4857-4866. | 2.2 | 79 |
| 1359 | Diversity of plant growth-promoting rhizobacteria communities associated with the stages of canola growth. Applied Soil Ecology, 2012, 55, 44-52. | 4.3 | 121 |
| 1360 | Characterization of cultivable putative endophytic plant growth promoting bacteria associated with maize cultivars (<i>Zea mays</i> L.) and their inoculation effects in vitro. Applied Soil Ecology, 2012, 58, 21-28. | 4.3 | 146 |
| 1361 | Diversity of Bradyrhizobium populations associated to soybean-maize rotations in Quêbec, Eastern Canada, and their potential to improve growth of both plant species. Applied Soil Ecology, 2012, 59, 29-38. | 4.3 | 5 |
| 1362 | Virulence of <i>Vibrio harveyi</i> responsible for the "Bright-red" Syndrome in the Pacific white shrimp <i>Litopenaeus vannamei</i> . Journal of Invertebrate Pathology, 2012, 109, 307-317. | 3.2 | 70 |
| 1363 | <i>Pseudomonas aeruginosa</i> strain WI-1 from Mandovi estuary possesses metallothionein to alleviate lead toxicity and promotes plant growth. Ecotoxicology and Environmental Safety, 2012, 79, 129-133. | 6.0 | 81 |
| 1364 | Biofortification of wheat through inoculation of plant growth promoting rhizobacteria and cyanobacteria. European Journal of Soil Biology, 2012, 50, 118-126. | 3.2 | 300 |
| 1365 | Characterization of plant growth-promoting traits of bacteria isolated from the rhizosphere of grapevine grown in alkaline and acidic soils. European Journal of Soil Biology, 2012, 50, 144-150. | 3.2 | 57 |
| 1366 | Fast LC-MS analysis of gallotannins from mango (<i>Mangifera indica</i> L.) kernels and effects of methanolysis on their antibacterial activity and iron binding capacity. Food Research International, 2012, 45, 422-426. | 6.2 | 27 |
| 1367 | Isolation and selection of plant growth-promoting rhizobacteria as inducers of systemic resistance in melon. Plant and Soil, 2012, 358, 201-212. | 3.7 | 58 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1368 | <i>Phaeobacter gallaeciensis</i> genomes from globally opposite locations reveal high similarity of adaptation to surface life. ISME Journal, 2012, 6, 2229-2244. | 9.8 | 143 |
| 1369 | Syntheses of mycobactin analogs as potent and selective inhibitors of <i>Mycobacterium tuberculosis</i> . Organic and Biomolecular Chemistry, 2012, 10, 7584. | 2.8 | 25 |
| 1370 | Directing the Biosynthesis of Putrebactin or Desferrioxamine B in <i>Shewanella putrefaciens</i> through the Upstream Inhibition of Ornithine Decarboxylase. Chemistry and Biodiversity, 2012, 9, 1880-1890. | 2.1 | 32 |
| 1371 | Role of the small RNA RyhB in the Fur regulon in mediating the capsular polysaccharide biosynthesis and iron acquisition systems in <i>Klebsiella pneumoniae</i> . BMC Microbiology, 2012, 12, 148. | 3.3 | 44 |
| 1372 | Mechanisms of iron and haem transport by <i>Listeria monocytogenes</i> . Molecular Membrane Biology, 2012, 29, 69-86. | 2.0 | 27 |
| 1373 | Molecular and culture-dependent analyses revealed similarities in the endophytic bacterial community composition of leaves from three rice (<i>Oryza sativa</i>) varieties. FEMS Microbiology Ecology, 2012, 80, 696-708. | 2.7 | 51 |
| 1374 | Exploration and characterization of agriculturally and industrially important haloalkaliphilic bacteria from environmental samples of hypersaline Sambhar lake, India. World Journal of Microbiology and Biotechnology, 2012, 28, 3207-3217. | 3.6 | 33 |
| 1375 | <i>Methylobacterium gnaphalii</i> sp. nov., isolated from leaves of <i>Gnaphalium spicatum</i> . International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2602-2607. | 1.7 | 22 |
| 1376 | Practical Application of Methanol-Mediated Mutualistic Symbiosis between <i>Methylobacterium</i> Species and a Roof Greening Moss, <i>Racomitrium japonicum</i> . PLoS ONE, 2012, 7, e33800. | 2.5 | 46 |
| 1377 | Endophytic bacteria from tomato and chilli, their diversity and antagonistic potential against <i>Ralstonia solanacearum</i> . Archives of Phytopathology and Plant Protection, 2012, 45, 344-355. | 1.3 | 22 |
| 1378 | Iron chelation afforded cardioprotection against H ₂ O ₂ -induced H9C2 cell injury: Application of novel 3-hydroxy pyridine-4-one derivatives. International Journal of Cardiology, 2012, 162, 60-63. | 1.7 | 2 |
| 1379 | Isolation and characterization of new plant growth-promoting bacterial endophytes. Applied Soil Ecology, 2012, 61, 217-224. | 4.3 | 299 |
| 1380 | Population density and functional diversity of plant growth promoting rhizobacteria associated with avocado trees in saline soils. Applied Soil Ecology, 2012, 62, 147-154. | 4.3 | 49 |
| 1381 | Screening of plant growth promoting rhizobacteria as potential microbial inoculants. Crop Protection, 2012, 40, 43-48. | 2.1 | 64 |
| 1382 | Biocontrol bacterial communities associated with diseased peanut (<i>Arachis hypogaea</i> L.) plants. European Journal of Soil Biology, 2012, 53, 48-55. | 3.2 | 10 |
| 1383 | Genetic diversity and antifungal activity of native <i>Pseudomonas</i> isolated from maize plants grown in a central region of Argentina. Systematic and Applied Microbiology, 2012, 35, 342-351. | 2.8 | 29 |
| 1384 | 1-Aminocyclopropane-1-carboxylic acid (ACC) deaminase-containing rhizobacteria protect <i>Ocimum sanctum</i> plants during waterlogging stress via reduced ethylene generation. Plant Physiology and Biochemistry, 2012, 58, 227-235. | 5.8 | 182 |
| 1385 | Phytohormone production and colonization of canola (<i>Brassica napus</i> L.) roots by <i>Pseudomonas fluorescens</i> 6-8 under gnotobiotic conditions. Canadian Journal of Microbiology, 2012, 58, 170-178. | 1.7 | 52 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1386 | Isolation and characterization of heavy-metal-mobilizing bacteria from contaminated soils and their potential in promoting Pb, Cu, and Cd accumulation by <i>Coprinus comatus</i> . Canadian Journal of Microbiology, 2012, 58, 45-53. | 1.7 | 22 |
| 1387 | Intrinsic Characteristics of Cr6+-Resistant Bacteria Isolated from an Electroplating Industry Polluted Soils for Plant Growth-Promoting Activities. Applied Biochemistry and Biotechnology, 2012, 167, 1653-1667. | 2.9 | 12 |
| 1388 | Antioxidative and DNA Protective Effects of Bacillomycin D-Like Lipopeptides Produced by B38 Strain. Applied Biochemistry and Biotechnology, 2012, 168, 2245-2256. | 2.9 | 26 |
| 1389 | Deciphering the metabolic capabilities of a lipase producing <i>Pseudomonas aeruginosa</i> SL-72 strain. Folia Microbiologica, 2012, 57, 525-531. | 2.3 | 5 |
| 1390 | The role of a dark septate endophytic fungus, <i>Veronaeopsis simplex</i> Y34, in <i>Fusarium</i> disease suppression in Chinese cabbage. Journal of Microbiology, 2012, 50, 618-624. | 2.8 | 41 |
| 1391 | Effect of co-inoculation of plant growth-promoting rhizobacteria on the growth of amaranth plants. Archives of Agronomy and Soil Science, 2012, 58, 1387-1397. | 2.6 | 12 |
| 1392 | Heterologous production of bisucaberin using a biosynthetic gene cluster cloned from a deep sea metagenome. Molecular BioSystems, 2012, 8, 482-485. | 2.9 | 32 |
| 1393 | Integrated approach for disease management and growth enhancement of <i>Sesamum indicum</i> L. utilizing <i>Azotobacter chroococcum</i> TRA2 and chemical fertilizer. World Journal of Microbiology and Biotechnology, 2012, 28, 3015-3024. | 3.6 | 60 |
| 1394 | Iron utilization and siderophore production by <i>Streptococcus phocae</i> isolated from diseased Atlantic salmon (<i>Salmo salar</i>). Aquaculture, 2012, 364-365, 305-311. | 3.5 | 8 |
| 1395 | A Single Promoter Inversion Switches <i>Photobacterium</i> Between Pathogenic and Mutualistic States. Science, 2012, 337, 88-93. | 12.6 | 114 |
| 1396 | Quorum-sensing regulates biofilm formation in <i>Vibrio scopthalmi</i> . BMC Microbiology, 2012, 12, 287. | 3.3 | 24 |
| 1397 | Rhizobium Promotes Non-Legumes Growth and Quality in Several Production Steps: Towards a Biofertilization of Edible Raw Vegetables Healthy for Humans. PLoS ONE, 2012, 7, e38122. | 2.5 | 155 |
| 1398 | Characterization of Contaminants from a Sanitized Milk Processing Plant. PLoS ONE, 2012, 7, e40189. | 2.5 | 69 |
| 1399 | High-Throughput Identification and Screening of Novel <i>Methylobacterium</i> Species Using Whole-Cell MALDI-TOF/MS Analysis. PLoS ONE, 2012, 7, e40784. | 2.5 | 49 |
| 1400 | Characterization of Bacteria Associated with Pinewood Nematode <i>Bursaphelenchus xylophilus</i> . PLoS ONE, 2012, 7, e46661. | 2.5 | 55 |
| 1401 | Quantitative Proteomic Analysis of the Hfq-Regulon in <i>Sinorhizobium meliloti</i> 2011. PLoS ONE, 2012, 7, e48494. | 2.5 | 46 |
| 1402 | Isolation and Characterization of Bacterial Endophytes from <i>Lycopersicon esculentum</i> Plant and their Plant Growth Promoting Characteristics. Nepal Journal of Biotechnology, 2012, 2, 37-52. | 0.4 | 32 |
| 1403 | Isolation and characterization of phosphate-solubilizing bacteria from aerobic rice. African Journal of Biotechnology, 2012, 11, . | 0.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1404 | Nigribactin, a Novel Siderophore from <i>Vibrio nigripulchritudo</i> , Modulates <i>Staphylococcus aureus</i> Virulence Gene Expression. <i>Marine Drugs</i> , 2012, 10, 2584-2595. | 4.6 | 23 |
| 1405 | Hunger for iron: the alternative siderophore iron scavenging systems in highly virulent <i>Yersinia</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 151. | 3.9 | 68 |
| 1406 | Practical use of CMC-amended rhizobial inoculant for <i>Mucuna pruriens</i> cultivation to enhance the growth and protection against <i>Macrophomina phaseolina</i> . <i>Journal of General and Applied Microbiology</i> , 2012, 58, 121-127. | 0.7 | 9 |
| 1407 | Characterization of siderophore producing bacterial strain <i>Pseudomonas fluorescens</i> Mst 8.2 as plant growth promoting and biocontrol agent in wheat. <i>African Journal of Microbiology Research</i> , 2012, 6, . | 0.4 | 37 |
| 1408 | Pathogenicity of some isolates of <i>Beauveria bassiana</i> (Bals.) Vuill. and <i>Metarhizium anisopliae</i> (Metsch.) Sorokin on 2nd and 4th larval instars of Colorado potato beetle, <i>Leptinotarsa decemlineata</i> (Say) (Col.: Chrysomelidae), under laboratory conditions. <i>African Journal of Microbiology Research</i> , 2012, 6, . | 0.4 | 14 |
| 1409 | Evaluation and biochemical characterization of a distinctive pyoverdinin from a <i>pseudomonas</i> isolated from chickpea rhizosphere. <i>Brazilian Journal of Microbiology</i> , 2012, 43, 639-648. | 2.0 | 40 |
| 1410 | Siderophore-Producing Bacteria from a Sand Dune Ecosystem and the Effect of Sodium Benzoate on Siderophore Production by a Potential Isolate. <i>Scientific World Journal</i> , The, 2012, 2012, 1-8. | 2.1 | 21 |
| 1411 | Effects of plant growth promoting rhizobacteria on maize in greenhouse and field trial. <i>African Journal of Microbiology Research</i> , 2012, 6, . | 0.4 | 12 |
| 1412 | Nematicidal fluorescent pseudomonads for the <i>in vitro</i> and <i>in vivo</i> suppression of root knot (<i>Meloidogyne incognita</i>) of <i>Capsicum annum</i> L.. <i>Pest Management Science</i> , 2012, 68, 1148-1155. | 3.4 | 12 |
| 1413 | Characterization of endophytic bacteria associated with rose plant (<i>Rosa damascena</i> trigintipeta) during flowering stage and their plant growth promoting traits. <i>Journal of Plant Interactions</i> , 2012, 7, 248-253. | 2.1 | 39 |
| 1414 | Fatty Acid Biosynthesis in <i>Pseudomonas aeruginosa</i> Is Initiated by the FabY Class of β^2 -Ketoacyl Acyl Carrier Protein Synthases. <i>Journal of Bacteriology</i> , 2012, 194, 5171-5184. | 2.2 | 58 |
| 1415 | Characterization of a versatile rhizospheric organism from cucumber identified as <i>Ochrobactrum haematophilum</i> . <i>Journal of Basic Microbiology</i> , 2012, 52, 232-244. | 3.3 | 18 |
| 1416 | Isolation of Rhizobacteria from <i>Jatropha curcas</i> and characterization of produced ACC deaminase. <i>Journal of Basic Microbiology</i> , 2012, 52, 285-295. | 3.3 | 30 |
| 1417 | Evaluation of Multispecies Plant-Growth-Promoting Consortia for the Growth Promotion of <i>Jatropha curcas</i> L.. <i>Journal of Plant Growth Regulation</i> , 2012, 31, 588-598. | 5.1 | 51 |
| 1418 | Diversity and antagonistic potential of <i>Bacillus</i> spp. associated to the rhizosphere of tomato for the management of <i>Rhizoctonia solani</i> . <i>Biocontrol Science and Technology</i> , 2012, 22, 203-217. | 1.3 | 62 |
| 1419 | Drought-tolerant endophytic actinobacteria promote growth of wheat (<i>Triticum aestivum</i>) under water stress conditions. <i>Plant Growth Regulation</i> , 2012, 68, 411-420. | 3.4 | 225 |
| 1420 | Phylogenetic profiling of culturable bacteria associated with early phase of mushroom composting assessed by amplified rDNA restriction analysis. <i>Annals of Microbiology</i> , 2012, 62, 675-682. | 2.6 | 9 |
| 1421 | Isolation and characterization of plant growth promoting endophytic bacteria and their effect on tomato (<i>Lycopersicon esculentum</i>) and chilli (<i>Capsicum annum</i>) seedling growth. <i>Annals of Microbiology</i> , 2012, 62, 805-810. | 2.6 | 53 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1422 | Evaluation of fluorescent <i>Pseudomonas</i> spp. with single and multiple PGPR traits for plant growth promotion of sorghum in combination with AM fungi. <i>Plant Growth Regulation</i> , 2012, 67, 133-140. | 3.4 | 35 |
| 1423 | Effect of plant growth promoting <i>Bacillus subtilis</i> and <i>Pseudomonas fluorescens</i> on growth and pigment composition of radish plants (<i>Raphanus sativus</i>) under NaCl stress. <i>Photosynthetica</i> , 2012, 50, 263-272. | 1.7 | 132 |
| 1424 | Isolation and characterization of root-associated bacteria from agricultural crops in the Kavango region of Namibia. <i>Plant and Soil</i> , 2012, 356, 67-82. | 3.7 | 50 |
| 1425 | Contrasting colonization and plant growth promoting capacity between wild type and a gfp-derivative of the endophyte <i>Pseudomonas putida</i> W619 in hybrid poplar. <i>Plant and Soil</i> , 2012, 356, 217-230. | 3.7 | 41 |
| 1426 | The roots of the halophyte <i>Salicornia brachiata</i> are a source of new halotolerant diazotrophic bacteria with plant growth-promoting potential. <i>Plant and Soil</i> , 2012, 356, 265-277. | 3.7 | 253 |
| 1427 | The contribution of nitrogen fixation to sugarcane (<i>Saccharum officinarum</i> L.), and the identification and characterization of part of the associated diazotrophic bacterial community. <i>Plant and Soil</i> , 2012, 356, 35-49. | 3.7 | 131 |
| 1428 | Screening of plant growth promoting Rhizobacteria isolated from sunflower (<i>Helianthus annuus</i> L.). <i>Plant and Soil</i> , 2012, 356, 245-264. | 3.7 | 131 |
| 1429 | Lead and cadmium-induced oxidative stress impacting mycelial growth of <i>Oudemansiella radicata</i> in liquid medium alleviated by microbial siderophores. <i>World Journal of Microbiology and Biotechnology</i> , 2012, 28, 1727-1737. | 3.6 | 29 |
| 1430 | Production of phytohormones, siderophores and population fluctuation of two root-promoting rhizobacteria in <i>Eucalyptus globulus</i> cuttings. <i>World Journal of Microbiology and Biotechnology</i> , 2012, 28, 2003-2014. | 3.6 | 30 |
| 1431 | <i>Burkholderia cepacia</i> XXVI siderophore with biocontrol capacity against <i>Colletotrichum gloeosporioides</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2012, 28, 2615-2623. | 3.6 | 68 |
| 1432 | Accumulation of rare earth elements by siderophore-forming <i>Arthrobacter luteolus</i> isolated from rare earth environment of Chavara, India. <i>Journal of Biosciences</i> , 2012, 37, 25-31. | 1.1 | 43 |
| 1433 | Transformation of pWWO in <i>Rhizobium leguminosarum</i> DPT to Engineer Toluene Degrading Ability for Rhizoremediation. <i>Indian Journal of Microbiology</i> , 2012, 52, 197-202. | 2.7 | 6 |
| 1434 | Isolation and characterization of plant growth-promoting rhizobacteria from wheat roots by wheat germ agglutinin labeled with fluorescein isothiocyanate. <i>Journal of Microbiology</i> , 2012, 50, 191-198. | 2.8 | 50 |
| 1435 | Siderophore production of African dust microorganisms over Trinidad and Tobago. <i>Aerobiologia</i> , 2012, 28, 391-401. | 1.7 | 20 |
| 1436 | Hexavalent chromium reduction and plant growth promotion by <i>Staphylococcus arlettae</i> Strain Cr11. <i>Chemosphere</i> , 2012, 86, 847-852. | 8.2 | 65 |
| 1437 | Assessment of bacterial communities and characterization of lead-resistant bacteria in the rhizosphere soils of metal-tolerant <i>Chenopodium ambrosioides</i> grown on lead-zinc mine tailings. <i>Chemosphere</i> , 2012, 87, 1171-1178. | 8.2 | 86 |
| 1438 | Biodegradation of phorate in soil and rhizosphere of <i>Brassica juncea</i> (L.) (Indian Mustard) by a microbial consortium. <i>International Biodeterioration and Biodegradation</i> , 2012, 71, 36-42. | 3.9 | 29 |
| 1439 | <i>Pseudomonas</i> M162 confers protection against rainbow trout fry syndrome by stimulating immunity. <i>Journal of Applied Microbiology</i> , 2012, 113, 24-35. | 3.1 | 63 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1440 | Interkingdom adenosine signal reduces <i>Pseudomonas aeruginosa</i> pathogenicity. Microbial Biotechnology, 2012, 5, 560-572. | 4.2 | 12 |
| 1441 | Unsuspected control of siderophore production by N-acetylglucosamine in streptomycetes. Environmental Microbiology Reports, 2012, 4, 512-521. | 2.4 | 57 |
| 1442 | Isolation and identification of phosphate solubilizing bacteria able to enhance the growth and aloin-A biosynthesis of <i>Aloe barbadensis</i> Miller. Microbiological Research, 2012, 167, 358-363. | 5.3 | 129 |
| 1443 | Bacillus strains isolated from rhizosphere showed plant growth promoting and antagonistic activity against phytopathogens. Microbiological Research, 2012, 167, 493-499. | 5.3 | 416 |
| 1444 | Anchoring high-throughput screening methods to scale-up bioproduction of siderophores. Process Biochemistry, 2012, 47, 416-421. | 3.7 | 8 |
| 1445 | Rhizospheric bacteria alleviate salt-produced stress in sunflower. Journal of Environmental Management, 2012, 95, S37-S41. | 7.8 | 55 |
| 1446 | A suite of citrate-derived siderophores from a marine <i>Vibrio</i> species isolated following the Deepwater Horizon oil spill. Journal of Inorganic Biochemistry, 2012, 107, 90-95. | 3.5 | 28 |
| 1447 | Regulation of a quorum sensing system by stationary phase sigma factor RpoS and their co-regulation of target genes in <i>Burkholderia pseudomallei</i> . Microbiology and Immunology, 2012, 56, 281-294. | 1.4 | 37 |
| 1448 | Iron deficiency affects plant defence responses and confers resistance to <i>Dickeya dadantii</i> and <i>Botrytis cinerea</i> . Molecular Plant Pathology, 2012, 13, 816-827. | 4.2 | 86 |
| 1449 | Diversity of siderophore-producing bacteria isolated from the intestinal tracts of fish along the Japanese coast. Aquaculture Research, 2012, 43, 481-488. | 1.8 | 16 |
| 1450 | Endophyte-assisted promotion of biomass production and metal-uptake of energy crop sweet sorghum by plant-growth-promoting endophyte <i>Bacillus</i> sp. SLS18. Applied Microbiology and Biotechnology, 2012, 93, 1745-1753. | 3.6 | 160 |
| 1451 | Growth Enhancement of Chickpea in Saline Soils Using Plant Growth-Promoting Rhizobacteria. Journal of Plant Growth Regulation, 2012, 31, 53-62. | 5.1 | 63 |
| 1452 | Plant Growth Promoting Characterization of Indigenous Azotobacteria Isolated from Soils in Iran. Current Microbiology, 2012, 64, 397-403. | 2.2 | 39 |
| 1453 | Biochemistry of TBT-Degrading Marine Pseudomonads Isolated from Indian Coastal Waters. Water, Air, and Soil Pollution, 2012, 223, 99-106. | 2.4 | 23 |
| 1454 | Effect of Inoculation with Plant Growth-Promoting Bacteria on Growth and Copper Uptake by Sunflowers. Water, Air, and Soil Pollution, 2012, 223, 643-654. | 2.4 | 34 |
| 1455 | Effect of heavy metal-solubilizing microorganisms on zinc and cadmium extractions from heavy metal contaminated soil with <i>Tricholoma lobynsis</i> . World Journal of Microbiology and Biotechnology, 2012, 28, 293-301. | 3.6 | 24 |
| 1456 | Evaluation of rhizospheric <i>Pseudomonas</i> and <i>Bacillus</i> as biocontrol tool for <i>Xanthomonas campestris</i> pv <i>campestris</i> . World Journal of Microbiology and Biotechnology, 2012, 28, 693-702. | 3.6 | 60 |
| 1457 | Stimulation of the growth of <i>Jatropha curcas</i> by the plant growth promoting bacterium <i>Enterobacter cancerogenus</i> MSA2. World Journal of Microbiology and Biotechnology, 2012, 28, 891-899. | 3.6 | 67 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1458 | Iron transport in the genus <i>Marinobacter</i> . <i>BioMetals</i> , 2012, 25, 135-147. | 4.1 | 32 |
| 1459 | Siderophore-mediated iron uptake in two clades of <i>Marinobacter</i> spp. associated with phytoplankton: the role of light. <i>BioMetals</i> , 2012, 25, 181-192. | 4.1 | 27 |
| 1460 | Siderophore production by actinomycetes isolates from two soil sites in Western Australia. <i>BioMetals</i> , 2012, 25, 285-296. | 4.1 | 59 |
| 1461 | <i>Kibdelosporangium phytohabitans</i> sp. nov., a novel endophytic actinomycete isolated from oil-seed plant <i>Jatropha curcas</i> L. containing 1-aminocyclopropane-1-carboxylic acid deaminase. <i>Antonie Van Leeuwenhoek</i> , 2012, 101, 433-441. | 1.7 | 35 |
| 1462 | Optimization of media components for chitinase production by chickpea rhizosphere associated <i>Lysinibacillus fusiformis</i> Bâ€œCM18. <i>Journal of Basic Microbiology</i> , 2013, 53, 451-460. | 3.3 | 42 |
| 1463 | Identification of genes in the VirR regulon of <i>Pectobacterium atrosepticum</i> and characterization of their roles in quorum sensingâ€dependent virulence. <i>Environmental Microbiology</i> , 2013, 15, 687-701. | 3.8 | 18 |
| 1464 | Harzianic acid: a novel siderophore from <i>Trichoderma harzianum</i> . <i>FEMS Microbiology Letters</i> , 2013, 347, n/a-n/a. | 1.8 | 139 |
| 1465 | Symbiotic influence of endophytic <i>Bacillus pumilus</i> on growth promotion and probiotic potential of the medicinal plant <i>Ocimum sanctum</i> . <i>Symbiosis</i> , 2013, 60, 91-99. | 2.3 | 16 |
| 1466 | Rock phosphate solubilization by psychrotolerant <i>Pseudomonas</i> spp. and their effect on lentil growth and nutrient uptake under polyhouse conditions. <i>Annals of Microbiology</i> , 2013, 63, 1353-1362. | 2.6 | 32 |
| 1467 | Evaluating the biochemical traits of novel <i>Trichoderma</i> -based biofilms for use as plant growth-promoting inoculants. <i>Annals of Microbiology</i> , 2013, 63, 1147-1156. | 2.6 | 46 |
| 1468 | Effects of long-term chlorimuron-ethyl application on the diversity and antifungal activity of soil <i>Pseudomonas</i> spp. in a soybean field in Northeast China. <i>Annals of Microbiology</i> , 2013, 63, 335-341. | 2.6 | 16 |
| 1469 | Virulence Changes to Harveyi Clade Bacteria Infected with Bacteriophage from <i>Vibrio owensii</i> . <i>Indian Journal of Virology: an Official Organ of Indian Virological Society</i> , 2013, 24, 180-187. | 0.7 | 7 |
| 1470 | Comparison among bacterial communities present in arenized and adjacent areas subjected to different soil management regimes. <i>Plant and Soil</i> , 2013, 373, 339-358. | 3.7 | 22 |
| 1471 | The effects of different fertilization conditions on bacterial plant growth promoting traits: guidelines for directed bacterial prospection and testing. <i>Plant and Soil</i> , 2013, 368, 267-280. | 3.7 | 64 |
| 1472 | Antagonistic Interactions Mediated by Marine Bacteria: The Role of Small Molecules. <i>Journal of Chemical Ecology</i> , 2013, 39, 879-891. | 1.8 | 36 |
| 1473 | Prospects in Bioscience: Addressing the Issues. , 2013, , . | | 5 |
| 1474 | Bacterial siderophores efficiently provide iron to iron-starved tomato plants in hydroponics culture. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 321-330. | 1.7 | 210 |
| 1475 | Effect of metals on a siderophore producing bacterial isolate and its implications on microbial assisted bioremediation of metal contaminated soils. <i>Chemosphere</i> , 2013, 93, 1835-1843. | 8.2 | 69 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1476 | Characterization of Plant-Growth-Promoting Effects and Concurrent Promotion of Heavy Metal Accumulation in the Tissues of the Plants Grown in The Polluted Soil by Burkholderia Strain LD-11. International Journal of Phytoremediation, 2013, 15, 991-1009. | 3.1 | 18 |
| 1477 | The new species Enterobacter oryziphilus sp. nov. and Enterobacter oryzendophyticus sp. nov. are key inhabitants of the endosphere of rice. BMC Microbiology, 2013, 13, 164. | 3.3 | 55 |
| 1478 | Characterization of Halomonassp. ZM3 isolated from the Zelazny Most post-flotation waste reservoir, with a special focus on its mobile DNA. BMC Microbiology, 2013, 13, 59. | 3.3 | 49 |
| 1479 | Bacteria in Agrobiolgy: Disease Management. , 2013, , . | | 31 |
| 1480 | Influence of periplasmic oxidation of glucose on pyoverdine synthesis in Pseudomonas putida S11. Applied Microbiology and Biotechnology, 2013, 97, 5027-5041. | 3.6 | 7 |
| 1481 | ACC Deaminase-Containing Bacillus subtilis Reduces Stress Ethylene-Induced Damage and Improves Mycorrhizal Colonization and Rhizobial Nodulation in Trigonella foenum-graecum Under Drought Stress. Journal of Plant Growth Regulation, 2013, 32, 809-822. | 5.1 | 106 |
| 1482 | Plant Growth-Promoting Rhizobacteria Enhance Abiotic Stress Tolerance in Solanum tuberosum Through Inducing Changes in the Expression of ROS-Scavenging Enzymes and Improved Photosynthetic Performance. Journal of Plant Growth Regulation, 2013, 32, 245-258. | 5.1 | 378 |
| 1483 | Isolation and identification of phytate-degrading rhizobacteria with activity of improving growth of poplar and Masson pine. World Journal of Microbiology and Biotechnology, 2013, 29, 2181-2193. | 3.6 | 23 |
| 1484 | Rhizosphere colonization and arsenic translocation in sunflower (Helianthus annuus L.) by arsenate reducing Alcaligenes sp. strain Dhal-L. World Journal of Microbiology and Biotechnology, 2013, 29, 1931-1940. | 3.6 | 12 |
| 1485 | Assessment of functional and genetic diversity of aerobic endospore forming Bacilli from rhizospheric soil of Phyllanthus amarus L.. World Journal of Microbiology and Biotechnology, 2013, 29, 1597-1610. | 3.6 | 20 |
| 1486 | Inhibition of Flavobacterium psychrophilum biofilm formation using a biofilm of the antagonist Pseudomonas fluorescens FF48. SpringerPlus, 2013, 2, 176. | 1.2 | 24 |
| 1487 | Influence of inoculation of arsenic-resistant Staphylococcus arlettae on growth and arsenic uptake in Brassica juncea (L.) Czern. Var. R-46. Journal of Hazardous Materials, 2013, 262, 1039-1047. | 12.4 | 142 |
| 1488 | Plant-associated bacteria and their role in the success or failure of metal phytoextraction projects: first observations of a field-related experiment. Microbial Biotechnology, 2013, 6, 288-299. | 4.2 | 40 |
| 1489 | Amino acid variability in the peptide composition of a suite of amphiphilic peptide siderophores from an open ocean Vibrio species. Journal of Biological Inorganic Chemistry, 2013, 18, 489-497. | 2.6 | 21 |
| 1490 | Pseudomonas sagittaria sp. nov., a siderophore-producing bacterium isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2410-2417. | 1.7 | 25 |
| 1491 | Effect of Pseudomonas luteola on mobilization of phosphorus and growth of young apple trees (Ligol) Pot experiment. Scientia Horticulturae, 2013, 164, 270-276. | 3.6 | 17 |
| 1492 | Analysis of a ferric uptake regulator (Fur) knockout mutant in Aeromonas salmonicida subsp. salmonicida. Veterinary Microbiology, 2013, 162, 831-841. | 1.9 | 43 |
| 1493 | Siderophore-modified Fenton-like system for the degradation of propranolol in aqueous solutions at near neutral pH values. Chemical Engineering Journal, 2013, 229, 177-182. | 12.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1494 | Virulence factor regulator (<scp>V</scp>fr) controls virulence-associated phenotypes in <i><scp>P</scp>seudomonas syringae</i> pv. <i>tabaci</i> 6605 by a quorum sensing-independent mechanism. Molecular Plant Pathology, 2013, 14, 279-292. | 4.2 | 21 |
| 1495 | Virulence profiles and antibiotic susceptibility patterns of Klebsiella pneumoniae strains isolated from different clinical specimens. Pathologie Et Biologie, 2013, 61, 209-216. | 2.2 | 173 |
| 1496 | <i>Burkholderia</i> sp. <scp>SCMS54</scp> reduces cadmium toxicity and promotes growth in tomato. Annals of Applied Biology, 2013, 163, 494-507. | 2.5 | 39 |
| 1497 | Siderophore mediated uranium sequestration by marine cyanobacterium Synechococcus elongatus BDU 130911. Bioresource Technology, 2013, 130, 204-210. | 9.6 | 39 |
| 1498 | Generic and functional diversity in endophytic actinomycetes from wild Compositae plant species at South Sinai - Egypt. Research in Microbiology, 2013, 164, 761-769. | 2.1 | 32 |
| 1499 | Natural occurrence of Pseudomonas aeruginosa, a dominant cultivable diazotrophic endophytic bacterium colonizing Pennisetum glaucum (L.) R. Br.. Applied Soil Ecology, 2013, 64, 252-261. | 4.3 | 71 |
| 1500 | Role of IAA metabolizing enzymes on production of IAA in root, nodule of Cajanus cajan and its PGP Rhizobium sp. Biocatalysis and Agricultural Biotechnology, 2013, 2, 234-239. | 3.1 | 28 |
| 1501 | Selection and evaluation of potential biocontrol rhizobacteria from a raised bog environment. Crop Protection, 2013, 52, 116-124. | 2.1 | 17 |
| 1502 | Global Control of GacA in Secondary Metabolism, Primary Metabolism, Secretion Systems, and Motility in the Rhizobacterium Pseudomonas aeruginosa M18. Journal of Bacteriology, 2013, 195, 3387-3400. | 2.2 | 38 |
| 1503 | Microbially Enhanced Phytoextraction of Heavy-Metal Fly-Ash Amended Soil. Communications in Soil Science and Plant Analysis, 2013, 44, 3161-3176. | 1.4 | 24 |
| 1504 | Mutualism between autotrophic ammonia-oxidizing bacteria (AOB) and heterotrophs present in an ammonia-oxidizing colony. Archives of Microbiology, 2013, 195, 737-747. | 2.2 | 24 |
| 1505 | Screening of Chromium-Resistant Bacteria for Plant Growth-Promoting Activities. Soil and Sediment Contamination, 2013, 22, 717-736. | 1.9 | 24 |
| 1506 | Structural Characterization of the Heterobactin Siderophores from <i>Rhodococcus erythropolis</i> PR4 and Elucidation of Their Biosynthetic Machinery. Journal of Natural Products, 2013, 76, 2282-2290. | 3.0 | 52 |
| 1507 | ACC deaminase producing Pseudomonas putida strain PSE3 and Rhizobium leguminosarum strain RP2 in synergism improves growth, nodulation and yield of pea grown in alluvial soils. Symbiosis, 2013, 61, 93-104. | 2.3 | 43 |
| 1508 | Complex interactions of Klebsiella pneumoniae with the host immune system in a Galleria mellonella infection model. Journal of Medical Microbiology, 2013, 62, 1790-1798. | 1.8 | 64 |
| 1509 | Bacterial endophytes enhance competition by invasive plants. American Journal of Botany, 2013, 100, 1726-1737. | 1.7 | 78 |
| 1510 | Effect of the amino acid substitution in the DNA-binding domain of the Fur regulator on production of pyoverdine. Folia Microbiologica, 2013, 58, 311-317. | 2.3 | 0 |
| 1511 | Biochemical and molecular characterisation of the bacterial endophytes from native sugarcane varieties of Himalayan region. 3 Biotech, 2013, 3, 205-212. | 2.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1512 | Pesticide tolerant and phosphorus solubilizing <i>Pseudomonas</i> sp. strain SGRAJ09 isolated from pesticides treated <i>Achillea clavennae</i> rhizosphere soil. <i>Ecotoxicology</i> , 2013, 22, 707-717. | 2.4 | 21 |
| 1513 | Siderophore Production by Pathogenic <i>Mucorales</i> and Uptake of Deferoxamine B. <i>Mycopathologia</i> , 2013, 176, 319-328. | 3.1 | 19 |
| 1514 | Linear fusigen as the major hydroxamate siderophore of the ectomycorrhizal Basidiomycota <i>Laccaria laccata</i> and <i>Laccaria bicolor</i> . <i>BioMetals</i> , 2013, 26, 969-979. | 4.1 | 26 |
| 1515 | Characterization of plant growth promoting rhizobacteria and their potential as bioprotectant against tomato bacterial wilt caused by <i>Ralstonia solanacearum</i> . <i>Biological Control</i> , 2013, 67, 75-83. | 3.0 | 55 |
| 1516 | <i>Methylobacterium haplocladii</i> sp. nov. and <i>Methylobacterium brachythecii</i> sp. nov., isolated from bryophytes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3287-3292. | 1.7 | 14 |
| 1517 | The variable hydroxamic acid siderophore metabolome of the marine actinomycete <i>Salinispora tropica</i> CNB-440. <i>Metallomics</i> , 2013, 5, 1519. | 2.4 | 43 |
| 1518 | Presence of virulence markers in environmental <i>Vibrio vulnificus</i> strains. <i>Journal of Applied Microbiology</i> , 2013, 114, 1539-1546. | 3.1 | 9 |
| 1519 | Changes in the population of seed bacteria of transgenerationally Cd-exposed <i>Arabidopsis thaliana</i> . <i>Plant Biology</i> , 2013, 15, 971-981. | 3.8 | 84 |
| 1520 | Fusarium Oxysporum Growth Inhibition by a Siderophore-Producing Endophytic Bacterial Strain. , 2013,, . | | 0 |
| 1521 | The first promoter for conditional gene expression in <i>Acremonium chrysogenum</i> : Iron starvation-inducible mir1P. <i>Journal of Biotechnology</i> , 2013, 163, 77-80. | 3.8 | 18 |
| 1522 | Effects of Bacteria on Cadmium Bioaccumulation in the Cadmium Hyperaccumulator Plant <i>Beta Vulgaris</i> Var. <i>Cicla</i> L.. <i>International Journal of Phytoremediation</i> , 2013, 15, 477-487. | 3.1 | 12 |
| 1523 | Identification and structural characterization of serobactins, a suite of lipopeptide siderophores produced by the grass endophyte <i>Heterobasidium seropedicae</i> . <i>Environmental Microbiology</i> , 2013, 15, 916-927. | 3.8 | 66 |
| 1524 | Study of the siderophore-producing <i>Trichoderma asperellum</i> Q1 on cucumber growth promotion under salt stress. <i>Journal of Basic Microbiology</i> , 2013, 53, 355-364. | 3.3 | 112 |
| 1525 | Multifarious beneficial traits and plant growth promoting potential of <i>Serratia marcescens</i> KiSII and <i>Enterobacter</i> sp. RNF 267 isolated from the rhizosphere of coconut palms (<i>Cocos nucifera</i> L.). <i>World Journal of Microbiology and Biotechnology</i> , 2013, 29, 109-117. | 3.6 | 70 |
| 1526 | Iron in Cyanobacteria. <i>Advances in Botanical Research</i> , 2013, , 57-105. | 1.1 | 68 |
| 1527 | Culturing, Media, and Handling of <i>Legionella</i> . <i>Methods in Molecular Biology</i> , 2013, 954, 151-162. | 0.9 | 15 |
| 1528 | Two <i>Bacillus amyloliquefaciens</i> strains isolated using the competitive tomato root enrichment method and their effects on suppressing <i>Ralstonia solanacearum</i> and promoting tomato plant growth. <i>Crop Protection</i> , 2013, 43, 134-140. | 2.1 | 78 |
| 1529 | Virulence of <i>Dickeya solani</i> biovar 1 and <i>Dickeya dianthicola</i> biovar 7 strains on potato (<i>Solanum tuberosum</i>). <i>Plant Pathology</i> , 2013, 62, 597-610. | 2.4 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1530 | Intraclonal diversity of the <i>Pseudomonas aeruginosa</i> cystic fibrosis airway isolates TBCF10839 and TBCF121838: distinct signatures of transcriptome, proteome, metabolome, adherence and pathogenicity despite an almost identical genome sequence. <i>Environmental Microbiology</i> , 2013, 15, 191-210. | 3.8 | 66 |
| 1531 | Influence of Nickel and Cadmium Resistant PGPB on Metal Accumulation and Growth Responses of <i>Lycopersicon esculentum</i> Plants Grown in Fly Ash Amended Soil. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1. | 2.4 | 6 |
| 1532 | Potential of willow and its genetically engineered associated bacteria to remediate mixed Cd and toluene contamination. <i>Journal of Soils and Sediments</i> , 2013, 13, 176-188. | 3.0 | 52 |
| 1533 | Development of novel agar media for isolating guaiacol producing <i>Alicyclobacillus</i> spp.. <i>International Journal of Food Microbiology</i> , 2013, 164, 1-6. | 4.7 | 10 |
| 1534 | Characterization of endophytic <i>Rahnella</i> sp. JN6 from <i>Polygonum pubescens</i> and its potential in promoting growth and Cd, Pb, Zn uptake by <i>Brassica napus</i> . <i>Chemosphere</i> , 2013, 90, 1960-1965. | 8.2 | 192 |
| 1535 | Bacteria diversity and arsenic mobilization in rock biofilm from an ancient gold and arsenic mine. <i>Science of the Total Environment</i> , 2013, 461-462, 330-340. | 8.0 | 34 |
| 1536 | The congeneric strain <i>Ralstonia pickettii</i> QL-A6 of <i>Ralstonia solanacearum</i> as an effective biocontrol agent for bacterial wilt of tomato. <i>Biological Control</i> , 2013, 65, 278-285. | 3.0 | 50 |
| 1537 | Phytoextraction of heavy metal polluted soils using <i>Sedum plumbizincicola</i> inoculated with metal mobilizing <i>Phyllobacterium myrsinacearum</i> RC6b. <i>Chemosphere</i> , 2013, 93, 1386-1392. | 8.2 | 133 |
| 1538 | Guava (<i>Psidium guajava</i> L.) rhizosphere <i>Glomus mosseae</i> spores harbor actinomycetes with growth promoting and antifungal attributes. <i>Scientia Horticulturae</i> , 2013, 150, 371-376. | 3.6 | 38 |
| 1539 | Putative <i>Trichoderma harzianum</i> mutant promotes cucumber growth by enhanced production of indole acetic acid and plant colonization. <i>Plant and Soil</i> , 2013, 368, 433-444. | 3.7 | 81 |
| 1540 | Bioprospecting in potato fields in the Central Andean Highlands: Screening of rhizobacteria for plant growth-promoting properties. <i>Systematic and Applied Microbiology</i> , 2013, 36, 116-127. | 2.8 | 68 |
| 1541 | Detection of iron-chelating and iron-reducing compounds in four brown rot fungi. <i>Holzforschung</i> , 2013, 67, 99-106. | 1.9 | 11 |
| 1542 | Enhancement of heavy metal phytoremediation by <i>Alnus firma</i> with endophytic <i>Bacillus thuringiensis</i> GDB-1. <i>Journal of Hazardous Materials</i> , 2013, 250-251, 477-483. | 12.4 | 245 |
| 1543 | Biocontrol potential of phylloplane bacterium <i>Ochrobactrum anthropi</i> BMO-111 against blister blight disease of tea. <i>Journal of Applied Microbiology</i> , 2013, 114, 209-218. | 3.1 | 34 |
| 1544 | Native soil bacteria isolates in Mexico exhibit a promising antagonistic effect against <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> . <i>Journal of Basic Microbiology</i> , 2013, 53, 838-847. | 3.3 | 10 |
| 1545 | Isolation, Structure Elucidation, and Iron-Binding Properties of Lystabactins, Siderophores Isolated from a Marine <i>Pseudoalteromonas</i> sp. <i>Journal of Natural Products</i> , 2013, 76, 648-654. | 3.0 | 17 |
| 1546 | Effect of combined oxidative and nitrosative stresses on <i>Staphylococcus aureus</i> transcriptome. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 2563-2573. | 3.6 | 34 |
| 1547 | Seed inoculation with plant growth promoting rhizobacteria enhances photosynthesis and yield of runner bean (<i>Phaseolus coccineus</i> L.). <i>Scientia Horticulturae</i> , 2013, 151, 22-29. | 3.6 | 76 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1548 | Biological Control of Peronosporomycete Phytopathogen by Bacterial Antagonist. , 2013, , 167-218. | | 18 |
| 1549 | Role of the Salmonella enterica serovar Typhi Fur regulator and small RNAs RfrA and RfrB in iron homeostasis and interaction with host cells. Microbiology (United Kingdom), 2013, 159, 591-602. | 1.8 | 46 |
| 1550 | Duganella sacchari sp. nov. and Duganella radialis sp. nov., two novel species isolated from rhizosphere of field-grown sugar cane. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1126-1131. | 1.7 | 29 |
| 1551 | Rhizosphere bacteria of <i>Costularia</i> spp. from ultramafic soils in New Caledonia: diversity, tolerance to extreme edaphic conditions, and role in plant growth and mineral nutrition. Canadian Journal of Microbiology, 2013, 59, 164-174. | 1.7 | 10 |
| 1552 | Identification and characterization of a cluster of genes involved in biosynthesis and transport of acinetoferrin, a siderophore produced by Acinetobacter haemolyticus ATCC 17906T. Microbiology (United Kingdom), 2013, 159, 678-690. | 1.8 | 9 |
| 1553 | The effect of soil bioaugmentation with strains of Pseudomonas on Cd, Zn and Cu uptake by Sinapis alba L. Chemosphere, 2013, 91, 1332-1337. | 8.2 | 42 |
| 1554 | Biotransformation of copper from Kupferschiefer black shale (Fore-Sudetic Monocline, Poland) by yeast Rhodotorula mucilaginosa LM9. Chemosphere, 2013, 91, 1257-1265. | 8.2 | 30 |
| 1555 | Plant growth promoting traits of phosphate-solubilizing rhizobacteria isolated from apple trees in trans Himalayan region of Himachal Pradesh. Archives of Microbiology, 2013, 195, 357-369. | 2.2 | 25 |
| 1556 | Evaluation of yeasts obtained from Antarctic soil samples as biocontrol agents for the management of postharvest diseases of apple (<i>Malus domestica</i>). FEMS Yeast Research, 2013, 13, 189-199. | 2.3 | 95 |
| 1557 | Copper-Resistant Bacteria Enhance Plant Growth and Copper Phytoextraction. International Journal of Phytoremediation, 2013, 15, 573-584. | 3.1 | 26 |
| 1558 | A nonribosomal peptide synthetase mediates siderophore production and virulence in the citrus fungal pathogen <i>Alternaria alternata</i> . Molecular Plant Pathology, 2013, 14, 497-505. | 4.2 | 92 |
| 1559 | Nitrogen-fixing bacteria with multiple plant growth-promoting activities enhance growth of tomato and red pepper. Journal of Basic Microbiology, 2013, 53, 1004-1015. | 3.3 | 75 |
| 1560 | Genome-based cryptic gene discovery and functional identification of NRPS siderophore peptide in Streptomyces peucetius. Applied Microbiology and Biotechnology, 2013, 97, 1213-1222. | 3.6 | 15 |
| 1561 | Mitigation of salt stress in wheat seedlings by halotolerant bacteria isolated from saline habitats. SpringerPlus, 2013, 2, 6. | 1.2 | 226 |
| 1562 | Nodulation and effective nitrogen fixation of Macroptilium atropurpureum (siratro) by Burkholderia tuberum, a nodulating and plant growth promoting beta-proteobacterium, are influenced by environmental factors. Plant and Soil, 2013, 369, 543-562. | 3.7 | 50 |
| 1563 | Plant growth promoting potential of endophytic bacteria isolated from Piper nigrum. Plant Growth Regulation, 2013, 71, 1-11. | 3.4 | 128 |
| 1564 | <i>ACC</i> deaminase and <i>IAA</i> producing growth promoting bacteria from the rhizosphere soil of tropical rice plants. Journal of Basic Microbiology, 2013, 53, 972-984. | 3.3 | 138 |
| 1565 | Acrylamide biodegradation ability and plant growth-promoting properties of Variovorax boronicumulans CGMCC 4969. Biodegradation, 2013, 24, 855-864. | 3.0 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1566 | Effect of indigenous Mesorhizobium spp. and plant growth promoting rhizobacteria on yields and nutrients uptake of chickpea (<i>Cicer arietinum</i> L.) under sustainable agriculture. Ecological Engineering, 2013, 51, 282-286. | 3.6 | 188 |
| 1567 | Role of heavy metal resistant <i>Ochrobactrum</i> sp. and <i>Bacillus</i> spp. strains in bioremediation of a rice cultivar and their PGPR like activities. Journal of Microbiology, 2013, 51, 11-17. | 2.8 | 151 |
| 1568 | Characterization of arsenic resistant bacteria from arsenic rich groundwater of West Bengal, India. Ecotoxicology, 2013, 22, 363-376. | 2.4 | 94 |
| 1569 | Water stress amelioration and plant growth promotion in wheat plants by osmotic stress tolerant bacteria. World Journal of Microbiology and Biotechnology, 2013, 29, 789-803. | 3.6 | 118 |
| 1570 | Effect of mycorrhiza-associated bacteria on enhancing colonization and sporulation of <i>Glomus mosseae</i> and growth promotion in sapota (<i>Manilkara achras</i> (Mill) Forsberg) seedlings. Biological Agriculture and Horticulture, 2013, 29, 118-131. | 1.0 | 9 |
| 1571 | A new approach to studying ion uptake by actinomycetes. Journal of Basic Microbiology, 2013, 53, 913-916. | 3.3 | 8 |
| 1572 | Characterization of <i>Enterobacter intermedius</i> MH8b and its use for the enhancement of heavy metals uptake by <i>Sinapis alba</i> L.. Applied Soil Ecology, 2013, 63, 1-7. | 4.3 | 70 |
| 1573 | Structure and Biosynthesis of Fimsbactins A-F, Siderophores from <i>Acinetobacter baumannii</i> and <i>Acinetobacter baylyi</i> . ChemBioChem, 2013, 14, 633-638. | 2.6 | 72 |
| 1574 | Diversity and plant growth promoting evaluation abilities of bacteria isolated from sugarcane cultivated in the South of Brazil. Applied Soil Ecology, 2013, 63, 94-104. | 4.3 | 141 |
| 1575 | Isolation of phytase-producing bacteria from Himalayan soils and their effect on growth and phosphorus uptake of Indian mustard (<i>Brassica juncea</i>). World Journal of Microbiology and Biotechnology, 2013, 29, 1361-1369. | 3.6 | 97 |
| 1576 | EFFECT OF METAL TOLERANT PLANT GROWTH PROMOTING BACTERIA ON GROWTH AND METAL ACCUMULATION IN <i>ZEA MAYS</i> PLANTS GROWN IN FLY ASH AMENDED SOIL. International Journal of Phytoremediation, 2013, 15, 743-755. | 3.1 | 10 |
| 1577 | Synthesis and antibacterial activity of conjugates between norfloxacin and analogues of the siderophore vanchrobactin. Bioorganic and Medicinal Chemistry, 2013, 21, 295-302. | 3.0 | 36 |
| 1578 | Phosphate solubilisation and plant growth promoting potential by stress tolerant <i>Bacillus</i> sp. isolated from rhizosphere of apple orchards in trans Himalayan region of Himachal Pradesh. Annals of Applied Biology, 2013, 163, 430-443. | 2.5 | 25 |
| 1579 | Detection of Iron Ligands in Seawater and Marine Cyanobacteria Cultures by High-Performance Liquid Chromatography-Inductively Coupled Plasma-Mass Spectrometry. Analytical Chemistry, 2013, 85, 4357-4362. | 6.5 | 75 |
| 1580 | Use of <i>Rhizobium leguminosarum</i> as a potential biofertilizer for <i>Lactuca sativa</i> and <i>Daucus carota</i> crops. Journal of Plant Nutrition and Soil Science, 2013, 176, 876-882. | 1.9 | 99 |
| 1581 | Isolation and structural identification of the trihydroxamate siderophore vicibactin and its degradative products from <i>Rhizobium leguminosarum</i> ATCC 14479 bv. trifolii. BioMetals, 2013, 26, 271-283. | 4.1 | 18 |
| 1582 | Heterologous Production of Desferrioxamines with a Fusion Biosynthetic Gene Cluster. Bioscience, Biotechnology and Biochemistry, 2013, 77, 2467-2472. | 1.3 | 7 |
| 1583 | Disruption of Mycobactin Biosynthesis Leads to Attenuation of <i>Mycobacterium tuberculosis</i> for Growth and Virulence. Journal of Infectious Diseases, 2013, 208, 1255-1265. | 4.0 | 129 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1584 | Interplay between Siderophores and Colibactin Genotoxin Biosynthetic Pathways in <i>Escherichia coli</i> . <i>PLoS Pathogens</i> , 2013, 9, e1003437. | 4.7 | 102 |
| 1585 | Effect of <i>Pseudomonas aeruginosa</i> ZGKD2 on the Growth of <i>Amorpha fruticosa</i> L in Coal Gangue. <i>Advanced Materials Research</i> , 0, 807-809, 2023-2026. | 0.3 | 0 |
| 1586 | An antioxidant role for catecholate siderophores in <i>Salmonella</i> . <i>Biochemical Journal</i> , 2013, 454, 543-549. | 3.7 | 49 |
| 1587 | Plant Growth Promotion Potential Is Equally Represented in Diverse Grapevine Root-Associated Bacterial Communities from Different Biopedoclimatic Environments. <i>BioMed Research International</i> , 2013, 2013, 1-17. | 1.9 | 40 |
| 1588 | Role for Ferredoxin:NAD(P)H Oxidoreductase (FprA) in Sulfate Assimilation and Siderophore Biosynthesis in <i>Pseudomonads</i> . <i>Journal of Bacteriology</i> , 2013, 195, 3876-3887. | 2.2 | 12 |
| 1589 | Iron Transport Systems and Iron Homeostasis in <i>Pseudomonas</i> . <i>Springer Briefs in Molecular Science</i> , 2013, , 67-89. | 0.1 | 5 |
| 1590 | The <i>Vibrio parahaemolyticus</i> Small RNA RyhB Promotes Production of the Siderophore Vibrioferrin by Stabilizing the Polycistronic mRNA. <i>Journal of Bacteriology</i> , 2013, 195, 3692-3703. | 2.2 | 19 |
| 1591 | Iron and citrate export by a major facilitator superfamily pump regulates metabolism and stress resistance in <i>Salmonella</i> Typhimurium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 12054-12059. | 7.1 | 88 |
| 1592 | FeoB-Mediated Uptake of Iron by <i>Francisella tularensis</i> . <i>Infection and Immunity</i> , 2013, 81, 2828-2837. | 2.2 | 30 |
| 1593 | Introduced <i>Pseudomonas fluorescens</i> VUPf5 as an important biocontrol agent for controlling <i>Gaeumannomyces graminis</i> var. <i>tritici</i> the causal agent of take-all disease in wheat. <i>Archives of Phytopathology and Plant Protection</i> , 2013, 46, 2104-2116. | 1.3 | 25 |
| 1594 | Molecular detection of antibiotic related genes from <i>Pseudomonas aeruginosa</i> FP6, an antagonist towards <i>Rhizoctonia solani</i> and <i>Colletotrichum gloeosporioides</i> . <i>Turkish Journal of Biology</i> , 0, , . | 0.8 | 5 |
| 1595 | Exploitation of Rhizobacteria for Functional Traits in Mungbean. <i>International Journal of Agriculture Environment and Biotechnology</i> , 2013, 6, 533. | 0.1 | 3 |
| 1596 | Rapid Screening of Berseem Clover (<i>Trifolium alexandrinum</i>) Endophytic Bacteria for Rice Plant Seedlings Growth-Promoting Agents. <i>ISRN Soil Science</i> , 2013, 2013, 1-9. | 0.8 | 9 |
| 1597 | Characterization of all <i>RND</i> -type multidrug efflux transporters in <i>Vibrio parahaemolyticus</i> . <i>MicrobiologyOpen</i> , 2013, 2, 725-742. | 3.0 | 25 |
| 1598 | Identification of quorum sensing-controlled genes in <i>Burkholderia ambifaria</i> . <i>MicrobiologyOpen</i> , 2013, 2, 226-242. | 3.0 | 39 |
| 1599 | Characterization of <i>Rhizobium</i> sp. Q32 Isolated from Weathered Rocks and its Role in Silicate Mineral Weathering. <i>Geomicrobiology Journal</i> , 2013, 30, 616-622. | 2.0 | 31 |
| 1600 | Abiotic oxidation of Fe(II) by reactive nitrogen species in cultures of the nitrate-reducing Fe(II) oxidizer <i>Acidovorax</i> sp. BoFeN1 – questioning the existence of enzymatic Fe(II) oxidation. <i>Geobiology</i> , 2013, 11, 180-190. | 2.4 | 224 |
| 1601 | Manuka honey inhibits siderophore production in <i>Pseudomonas aeruginosa</i> . <i>Journal of Applied Microbiology</i> , 2013, 115, 86-90. | 3.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1602 | Characterisation of <i>Pseudomonas chlororaphis</i> subsp. <i>aurantiaca</i> strain Pa40 with the ability to control wheat sharp eyespot disease. <i>Annals of Applied Biology</i> , 2013, 163, 444-453. | 2.5 | 8 |
| 1603 | Plant Growth-Promoting Bacteria from Solarized Soil with the Ability to Protect Melon Against Root Rot and Vine Decline Caused by <i>Monosporascus cannonballus</i> . <i>Journal of Phytopathology</i> , 2013, 161, 485-496. | 1.0 | 9 |
| 1604 | Bacterial communities associated with <i>B<sup>B</sup>rassica napus</sup>L<sup>L</sup></i> . grown on trace element-contaminated and non-contaminated fields: a genotypic and phenotypic comparison. <i>Microbial Biotechnology</i> , 2013, 6, 371-384. | 4.2 | 75 |
| 1605 | Characterization of the Achromobactin Iron Acquisition Operon in <i>Sodalis glossinidius</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 2872-2881. | 3.1 | 21 |
| 1606 | Inoculation of phosphate solubilizing bacteria for the improvement of lead accumulation by <i>Brassica juncea</i> . <i>Environmental Technology (United Kingdom)</i> , 2013, 34, 463-469. | 2.2 | 6 |
| 1607 | Identification of volatile compounds produced by the bacterium <i>Burkholderia tropica</i> that inhibit the growth of fungal pathogens. <i>Bioengineered</i> , 2013, 4, 236-243. | 3.2 | 93 |
| 1608 | <i>Aureimonas ferruginea</i> sp. nov. and <i>Aureimonas rubiginis</i> sp. nov., two siderophore-producing bacteria isolated from rusty iron plates. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2430-2435. | 1.7 | 24 |
| 1609 | Characterization of a Gene Encoding the Outer Membrane Receptor for Ferric Enterobactin in <i>Aeromonas hydrophila</i> ATCC 7966^T. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 353-360. | 1.3 | 12 |
| 1610 | PLANT GROWTH-PROMOTING BACTERIAL ENDOPHYTES FROM SUGARCANE AND THEIR POTENTIAL IN PROMOTING GROWTH OF THE HOST UNDER FIELD CONDITIONS. <i>Experimental Agriculture</i> , 2013, 49, 43-52. | 0.9 | 23 |
| 1611 | Identification of <i>Burkholderia cenocepacia</i> Strain H111 Virulence Factors Using Nonmammalian Infection Hosts. <i>Infection and Immunity</i> , 2013, 81, 143-153. | 2.2 | 40 |
| 1612 | Identification of an iron acquisition machinery in <i>Flavobacterium columnare</i> . <i>Diseases of Aquatic Organisms</i> , 2013, 106, 129-138. | 1.0 | 20 |
| 1613 | The contribution of Fe(III) and humic acid reduction to ecosystem respiration in drained thaw lake basins of the Arctic Coastal Plain. <i>Global Biogeochemical Cycles</i> , 2013, 27, 399-409. | 4.9 | 55 |
| 1614 | Bisucaberin B, a Linear Hydroxamate Class Siderophore from the Marine Bacterium <i>Tenacibaculum mesophilum</i> . <i>Molecules</i> , 2013, 18, 3917-3926. | 3.8 | 35 |
| 1615 | Characterization of <i>Alcaligenes faecalis</i> strain AD15 indicating biocontrol activity against plant pathogens. <i>Journal of General and Applied Microbiology</i> , 2013, 59, 89-95. | 0.7 | 18 |
| 1616 | Screening and characterization of native <i>Pseudomonas</i> sp. as plant growth promoting rhizobacteria in chickpea (<i>Cicer arietinum</i> L.) rhizosphere. <i>African Journal of Microbiology Research</i> , 2013, 7, 1465-1474. | 0.4 | 23 |
| 1617 | Enhanced Biological Control of Phytophthora Blight of Pepper by Biosurfactant-Producing <i>Pseudomonas</i> . <i>Plant Pathology Journal</i> , 2013, 29, 418-426. | 1.7 | 26 |
| 1618 | Tn5 siderophore producing mutants of <i>Rhizobium</i> and its role in nitrogen fixation and iron uptake in pigeonpea. <i>African Journal of Microbiology Research</i> , 2013, 7, 1459-1464. | 0.4 | 2 |
| 1619 | Genetic diversity of iturin producing strains of <i>Bacillus</i> species antagonistic to <i>Ralstonia solanacearum</i> causing bacterial wilt disease in tomato. <i>African Journal of Microbiology Research</i> , 2013, 7, 5459-5470. | 0.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1620 | Screening of beneficial properties of rhizobacteria isolated from Saffron (<i>Crocus sativus</i> L) rhizosphere. <i>African Journal of Microbiology Research</i> , 2013, 7, 2905-2910. | 0.4 | 14 |
| 1621 | Phosphate solubilizing rhizobacteria from an organic farm and their influence on the growth and yield of maize (<i>Zea mays</i> L.). <i>Journal of General and Applied Microbiology</i> , 2013, 59, 295-303. | 0.7 | 26 |
| 1622 | Response of <i>Burkholderia cenocepacia</i> H111 to Micro-Oxia. <i>PLoS ONE</i> , 2013, 8, e72939. | 2.5 | 46 |
| 1623 | The Regulatory Role of Ferric Uptake Regulator (Fur) during Anaerobic Respiration of <i>Shewanella piezotolerans</i> WP3. <i>PLoS ONE</i> , 2013, 8, e75588. | 2.5 | 22 |
| 1624 | Turnerbactin, a Novel Triscatecholate Siderophore from the Shipworm Endosymbiont <i>Teredinibacter turnerae</i> T7901. <i>PLoS ONE</i> , 2013, 8, e76151. | 2.5 | 55 |
| 1625 | Stress Conditions Triggering Muroid Morphotype Variation in <i>Burkholderia</i> Species and Effect on Virulence in <i>Galleria mellonella</i> and Biofilm Formation In Vitro. <i>PLoS ONE</i> , 2013, 8, e82522. | 2.5 | 17 |
| 1626 | Colonization and plant growth promoting characterization of endophytic <i>Pseudomonas chlororaphis</i> strain Zong1 isolated from <i>Sophora alopecuroides</i> root nodules. <i>Brazilian Journal of Microbiology</i> , 2013, 44, 629-637. | 2.0 | 39 |
| 1627 | Screening and characterization of rhizobacterial strains of <i>Bacillus</i> spp. isolated from rhizosphere of cauliflower (<i>Brassica oleracea</i> var. <i>botrytis</i> L.). <i>African Journal of Microbiology Research</i> , 2013, 7, 1657-1663. | 0.4 | 4 |
| 1628 | Enhancing grain iron content of rice by the application of plant growth promoting rhizobacteria. <i>Plant, Soil and Environment</i> , 2013, 59, 89-94. | 2.2 | 106 |
| 1629 | In planta selection of plant growth promoting endophytic bacteria for rice (<i>Oryza sativa</i> L.). <i>Journal of Soil Science and Plant Nutrition</i> , 2014, , 0-0. | 3.4 | 28 |
| 1630 | Phase Variation in <i>Myxococcus xanthus</i> Yields Cells Specialized for Iron Sequestration. <i>PLoS ONE</i> , 2014, 9, e95189. | 2.5 | 12 |
| 1631 | Genome Analysis of <i>Bacillus amyloliquefaciens</i> Subsp. <i>plantarum</i> UCMB5113: A Rhizobacterium That Improves Plant Growth and Stress Management. <i>PLoS ONE</i> , 2014, 9, e104651. | 2.5 | 114 |
| 1632 | Hydroxamate Production as a High Affinity Iron Acquisition Mechanism in <i>Paracoccidioides</i> Spp. <i>PLoS ONE</i> , 2014, 9, e105805. | 2.5 | 44 |
| 1633 | Culturable Heavy Metal-Resistant and Plant Growth Promoting Bacteria in V-Ti Magnetite Mine Tailing Soil from Panzhihua, China. <i>PLoS ONE</i> , 2014, 9, e106618. | 2.5 | 72 |
| 1634 | Pyrophosphate-Mediated Iron Acquisition from Transferrin in <i>Neisseria meningitidis</i> Does Not Require TonB Activity. <i>PLoS ONE</i> , 2014, 9, e107612. | 2.5 | 7 |
| 1635 | IscR Regulation of Capsular Polysaccharide Biosynthesis and Iron-Acquisition Systems in <i>Klebsiella pneumoniae</i> CG43. <i>PLoS ONE</i> , 2014, 9, e107812. | 2.5 | 29 |
| 1636 | A Model to Explain Plant Growth Promotion Traits: A Multivariate Analysis of 2,211 Bacterial Isolates. <i>PLoS ONE</i> , 2014, 9, e116020. | 2.5 | 61 |
| 1637 | Diversity, Biocontrol, and Plant Growth Promoting Abilities of Xylem Residing Bacteria from Solanaceous Crops. <i>International Journal of Microbiology</i> , 2014, 2014, 1-14. | 2.3 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1638 | Isolation and Molecular Characterization of Potential Plant Growth Promoting <i>Bacillus cereus</i> GGBSTD1 and <i>Pseudomonas</i> spp. GGBSTD3 from Vermisources. <i>Advances in Agriculture</i> , 2014, 2014, 1-13. | 0.9 | 4 |
| 1639 | Antagonistic Evaluation of Bioactive Metabolite from Endophytic Fungus, <i>Aspergillus flavipes</i> KF671231. <i>Journal of Mycology</i> , 2014, 2014, 1-5. | 0.5 | 20 |
| 1640 | Plant growth promoting capability and genetic diversity of bacteria isolated from mud volcano and lime cave of Andaman and Nicobar Islands. <i>Brazilian Journal of Microbiology</i> , 2014, 45, 1271-1281. | 2.0 | 16 |
| 1641 | Generation and screening of a comprehensive <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> transposon mutant bank. <i>Frontiers in Cellular and Infection Microbiology</i> , 2014, 4, 144. | 3.9 | 13 |
| 1642 | Norepinephrine and dopamine increase motility, biofilm formation, and virulence of <i>Vibrio harveyi</i> . <i>Frontiers in Microbiology</i> , 2014, 5, 584. | 3.5 | 46 |
| 1643 | Efecto de rizobacterias promotoras de crecimiento vegetal solubilizadoras de fosfato en <i>Lactuca sativa</i> cultivar White Boston. <i>Revista Colombiana De Biotecnología</i> , 2014, 16, 122-128. | 0.2 | 11 |
| 1644 | Growth enhancement in vegetable crops by multifunctional resident plant growth promoting rhizobacteria under tropical Island Ecosystem. <i>African Journal of Microbiology Research</i> , 2014, 8, 2436-2448. | 0.4 | 6 |
| 1645 | Production of Avaroferrin and Putrebactin by Heterologous Expression of a Deep-Sea Metagenomic DNA. <i>Marine Drugs</i> , 2014, 12, 4799-4809. | 4.6 | 17 |
| 1646 | Genetic diversity and plant growth promoting activity of salt tolerant rhizobacteria from rice (<i>Oryza</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.4 | 0 |
| 1647 | Control of <i>Fusarium</i> wilt using biological agent <i>Streptomyces</i> sp.CPP-53 isolated from compost with plant growth promoting effect on tomato under greenhouse condition. <i>Journal of Microbiology and Antimicrobials</i> , 2014, 6, 97-103. | 0.1 | 11 |
| 1648 | Genetic diversity and symbiotic compatibility among rhizobial strains and <i>Desmodium incanum</i> and <i>Lotus</i> spp. plants. <i>Genetics and Molecular Biology</i> , 2014, 37, 396-405. | 1.3 | 15 |
| 1649 | Bio Control Potential of <i>Pseudomonas fluorescens</i> against <i>Coleus</i> Root Rot Disease. <i>Journal of Plant Pathology & Microbiology</i> , 2014, 05, . | 0.3 | 10 |
| 1650 | Scrutinizing Rhizobia to Rescue Maize Growth under Reduced Water Conditions. <i>Soil Science Society of America Journal</i> , 2014, 78, 538-545. | 2.2 | 20 |
| 1651 | Screening of free living rhizobacteria associated with wheat rhizosphere for plant growth promoting traits. <i>African Journal of Agricultural Research Vol Pp</i> , 2014, 9, 1094-1100. | 0.5 | 9 |
| 1652 | The Use and Benefits of <i>Bacillus</i> Based Biological Agents in Aquaculture. , 0, , . | | 4 |
| 1653 | Identification of the Hydroxamate Siderophore Ferricrocin in <i>Cladosporium cladosporioides</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900. | 0.5 | 5 |
| 1654 | Gibberellins synthesized by the entomopathogenic bacterium, <i>Photorhabdus temperata</i> M1021 as one of the factors of rice plant growth promotion. <i>Journal of Plant Interactions</i> , 2014, 9, 775-782. | 2.1 | 21 |
| 1655 | Biological control of bacterial spot disease and plant growth-promoting effects of lactic acid bacteria on pepper. <i>Biocontrol Science and Technology</i> , 2014, 24, 763-779. | 1.3 | 51 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1656 | Iron-Induced Virulence of <i>Salmonella enterica</i> Serovar Typhimurium at the Intestinal Epithelial Interface Can Be Suppressed by Carvacrol. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 1664-1670. | 3.2 | 12 |
| 1657 | Isolation and characterization of rhizosphere auxin producing Bacilli and evaluation of their potency on wheat growth improvement. <i>Archives of Agronomy and Soil Science</i> , 2014, 60, 895-905. | 2.6 | 24 |
| 1658 | The Effect of Long-Term Cd and Ni Exposure on Seed Endophytes of <i>Agrostis capillaris</i> and Their Potential Application in Phytoremediation of Metal-Contaminated Soils. <i>International Journal of Phytoremediation</i> , 2014, 16, 643-659. | 3.1 | 46 |
| 1659 | Functional diversity of culturable phosphate solubilizing fluorescent pseudomonads. <i>Indian Journal of Agricultural Research</i> , 2014, 48, 472. | 0.1 | 1 |
| 1660 | Pyoverdine synthesis by the Mn(II)-oxidizing bacterium <i>Pseudomonas putida</i> GB-1. <i>Frontiers in Microbiology</i> , 2014, 5, 202. | 3.5 | 22 |
| 1661 | Biochemical Characterization and Molecular Fingerprinting of Plant Growth Promoting Rhizobacteria. <i>International Journal of Agriculture Environment and Biotechnology</i> , 2014, 7, 491. | 0.1 | 1 |
| 1662 | Genome-wide analysis of copper, iron and zinc transporters in the arbuscular mycorrhizal fungus <i>Rhizophagus irregularis</i> . <i>Frontiers in Plant Science</i> , 2014, 5, 547. | 3.6 | 120 |
| 1663 | Biocontrol of <i>Fusarium</i> Crown and Root Rot and Promotion of Growth of Tomato by <i>Paenibacillus</i> Strains Isolated from Soil. <i>Mycobiology</i> , 2014, 42, 158-166. | 1.7 | 53 |
| 1664 | Evaluation of Phytase Producing Bacteria for Their Plant Growth Promoting Activities. <i>International Journal of Microbiology</i> , 2014, 2014, 1-7. | 2.3 | 86 |
| 1665 | Transcriptomic analysis of <i>Staphylococcus xylosus</i> in the presence of nitrate and nitrite in meat reveals its response to nitrosative stress. <i>Frontiers in Microbiology</i> , 2014, 5, 691. | 3.5 | 30 |
| 1666 | Inhibitors of TonB Function Identified by a High-Throughput Screen for Inhibitors of Iron Acquisition in Uropathogenic <i>Escherichia coli</i> CFT073. <i>MBio</i> , 2014, 5, e01089-13. | 4.1 | 42 |
| 1667 | Species boundaries and nomenclature of <i>Rhizopus arrhizus</i> (syn. <i>R. oryzae</i>). <i>Mycoses</i> , 2014, 57, 108-127. | 4.0 | 56 |
| 1668 | Metallophore mapping in complex matrices by metal isotope coded profiling of organic ligands. <i>Analyst</i> , 2014, 139, 6096-6099. | 3.5 | 30 |
| 1669 | Bacterial biosynthesis of 1-aminocyclopropane-1-carboxylate (ACC) deaminase, a useful trait to elongation and endophytic colonization of the roots of rice under constant flooded conditions. <i>Physiology and Molecular Biology of Plants</i> , 2014, 20, 425-434. | 3.1 | 83 |
| 1670 | Yersiniosis in Atlantic cod, <i>Gadus morhua</i> (<i>L.</i>), characterization of the infective strain and host reactions. <i>Journal of Fish Diseases</i> , 2014, 37, 511-519. | 1.9 | 13 |
| 1671 | Bioweathering of nontronite colloids in hybrid silica gel: implications for iron mobilization. <i>Journal of Applied Microbiology</i> , 2014, 116, 325-334. | 3.1 | 6 |
| 1672 | Effect of Inoculation and Co-inoculation of <i>Acinetobacter</i> sp. RG30 and <i>Pseudomonas putida</i> GN04 on Growth, Fitness, and Copper Accumulation of Maize (<i>Zea mays</i>). <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1. | 2.4 | 36 |
| 1673 | Interactions of three soil bacteria species with phyllosilicate surfaces in hybrid silica gels. <i>FEMS Microbiology Letters</i> , 2014, 354, 37-45. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1674 | Plant growth-promoting potential of bacteria isolated from active volcano sites of Barren Island, India. Letters in Applied Microbiology, 2014, 58, 130-137. | 2.2 | 17 |
| 1675 | ISOLATION AND CHARACTERIZATION OF RHIZOBIA AND PLANT GROWTH-PROMOTING RHIZOBACTERIA AND THEIR EFFECTS ON GROWTH OF RICE SEEDLINGS. American Journal of Agricultural and Biological Science, 2014, 9, 342-360. | 0.4 | 42 |
| 1676 | Host-Nonspecific Iron Acquisition Systems and Virulence in the Zoonotic Serovar of <i>Vibrio vulnificus</i> . Infection and Immunity, 2014, 82, 731-744. | 2.2 | 17 |
| 1677 | Genome Mining: Concept and Strategies for Natural Product Discovery. Progress in the Chemistry of Organic Natural Products, 2014, 99, 199-245. | 1.1 | 15 |
| 1678 | Genetic, physiological and biochemical characterization of <i>Bacillus</i> sp. strain RMB7 exhibiting plant growth promoting and broad spectrum antifungal activities. Microbial Cell Factories, 2014, 13, 144. | 4.0 | 20 |
| 1679 | Antagonistic bacteria with potential for biocontrol on <i>Rhizopus stolonifer</i> obtained from blackberry fruits. Fruits, 2014, 69, 41-46. | 0.4 | 5 |
| 1680 | AcrB, AcrD, and MdtABC Multidrug Efflux Systems Are Involved in Enterobactin Export in <i>Escherichia coli</i> . PLoS ONE, 2014, 9, e108642. | 2.5 | 98 |
| 1681 | Potential plant growth promoting activity of <i>Pseudomonas fluorescens</i> sp. isolated from cotton (<i>Gossypium hirsutum</i>) crop. Indian Journal of Agricultural Research, 2014, 48, 97. | 0.1 | 2 |
| 1682 | <i>Paenibacillus yonginensis</i> sp. nov., a potential plant growth promoting bacterium isolated from humus soil of Yongin forest. Antonie Van Leeuwenhoek, 2014, 106, 935-945. | 1.7 | 32 |
| 1683 | Loss of Social Behaviours in Populations of <i>Pseudomonas aeruginosa</i> Infecting Lungs of Patients with Cystic Fibrosis. PLoS ONE, 2014, 9, e83124. | 2.5 | 77 |
| 1684 | Physiological and Proteomic Analysis of <i>Escherichia coli</i> Iron-Limited Chemostat Growth. Journal of Bacteriology, 2014, 196, 2748-2761. | 2.2 | 69 |
| 1685 | Isolation and selection of fluorescent pseudomonads based on multiple plant growth promotion traits and siderotyping. Chilean Journal of Agricultural Research, 2014, 74, 319-325. | 1.1 | 18 |
| 1686 | Characterization of <i>Aneurinibacillus aneurinilyticus</i> Strain CKMV1 as a Plant Growth Promoting Rhizobacteria. International Journal of Agriculture Environment and Biotechnology, 2014, 7, 37. | 0.1 | 11 |
| 1687 | Innoculant technology in <i>Populus deltoides</i> rhizosphere for effective bioremediation of Polyaromatic hydrocarbons (PAHs) in contaminated soil, Northern India. Emirates Journal of Food and Agriculture, 2014, 26, 786. | 1.0 | 7 |
| 1688 | Dissolution of Arsenic Minerals Mediated by Dissimilatory Arsenate Reducing Bacteria: Estimation of the Physiological Potential for Arsenic Mobilization. BioMed Research International, 2014, 2014, 1-12. | 1.9 | 49 |
| 1689 | <i>Propionibacterium</i> -Produced Coproporphyrin III Induces <i>Staphylococcus aureus</i> Aggregation and Biofilm Formation. MBio, 2014, 5, e01286-14. | 4.1 | 80 |
| 1690 | Colonization by endophytic <i>Ochrobactrum anthropi</i> promotes growth of <i>Jerusalem artichoke</i> . Microbial Biotechnology, 2014, 7, 601-610. | 4.2 | 24 |
| 1691 | The attenuated virulence of a <i>Burkholderia cenocepacia</i> mutant is due to inhibition of quorum sensing by release of phenylacetic acid. Molecular Microbiology, 2014, 94, 522-536. | 2.5 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1692 | <i>Brachybacterium ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3063-3068. | 1.7 | 19 |
| 1693 | Rhizoremediation of phenol and chromium by the synergistic combination of a native bacterial strain and <i>Brassica napus</i> hairy roots. International Biodeterioration and Biodegradation, 2014, 88, 192-198. | 3.9 | 54 |
| 1694 | Isolation and characterization of chitinolytic <i>Streptomyces</i> sp. MT7 and its antagonism towards wood-rotting fungi. Annals of Microbiology, 2014, 64, 531-541. | 2.6 | 31 |
| 1695 | Isolation and characterization of drought-tolerant ACC deaminase and exopolysaccharide-producing fluorescent <i>Pseudomonas</i> sp.. Annals of Microbiology, 2014, 64, 493-502. | 2.6 | 186 |
| 1696 | Genetic and functional diversity of fluorescent <i>Pseudomonas</i> from rhizospheric soils of wheat crop. Journal of Basic Microbiology, 2014, 54, 425-437. | 3.3 | 18 |
| 1697 | Diversity of native rhizobia isolated in south Brazil and their growth promotion effect on white clover (<i>Trifolium repens</i>) and rice (<i>Oryza sativa</i>) plants. Biology and Fertility of Soils, 2014, 50, 123-132. | 4.3 | 13 |
| 1698 | Isolation and characterization of plant growth promoting endophytic diazotrophic bacteria from Korean rice cultivars. Microbiological Research, 2014, 169, 83-98. | 5.3 | 314 |
| 1699 | Plant growth regulation of Bt-cotton through <i>Bacillus</i> species. 3 Biotech, 2014, 4, 305-315. | 2.2 | 26 |
| 1700 | Isolation and characterization of siderophore producing antagonistic rhizobacteria against <i>Rhizoctonia solani</i> . Journal of Basic Microbiology, 2014, 54, 585-597. | 3.3 | 66 |
| 1701 | Structural and functional diversity of rhizobacteria associated with <i>Rauwolfia</i> spp. across the Western Ghats regions of Karnataka, India. World Journal of Microbiology and Biotechnology, 2014, 30, 163-173. | 3.6 | 7 |
| 1702 | Effect of <i>Bacillus subtilis</i> Strain CKT1 as Inoculum on Growth of Tomato Seedlings Under Net House Conditions. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2014, 84, 145-155. | 1.0 | 36 |
| 1703 | Utilizing pyrene-degrading endophytic bacteria to reduce the risk of plant pyrene contamination. Plant and Soil, 2014, 374, 251-262. | 3.7 | 61 |
| 1704 | A novel rhizobacterium Bk7 for biological control of brown sheath rot of rice caused by <i>Pseudomonas fuscovaginae</i> and its mode of action. European Journal of Plant Pathology, 2014, 138, 819-834. | 1.7 | 21 |
| 1705 | <i>Streptomyces</i> sp. S160: a potential antagonist against chickpea charcoal root rot caused by <i>Macrophomina phaseolina</i> (Tassi) Goid. Annals of Microbiology, 2014, 64, 1113-1122. | 2.6 | 8 |
| 1706 | Bacteria associated with yellow lupine grown on a metal-contaminated soil: <i>in vitro</i> screening and <i>in vivo</i> evaluation for their potential to enhance Cd phytoextraction. Plant Biology, 2014, 16, 988-996. | 3.8 | 14 |
| 1707 | The complex interplay of iron, biofilm formation, and mucoidy affecting antimicrobial resistance of <i>Pseudomonas aeruginosa</i> . Pathogens and Disease, 2014, 70, 307-320. | 2.0 | 74 |
| 1708 | The role of bacterial consortium and organic amendment in Cu and Fe isotope fractionation in plants on a polluted mine site. Environmental Science and Pollution Research, 2014, 21, 6836-6844. | 5.3 | 10 |
| 1709 | Development and evaluation of water-in-oil formulation of <i>Pseudomonas fluorescens</i> (FP7) against <i>Colletotrichum musae</i> incitant of anthracnose disease in banana. European Journal of Plant Pathology, 2014, 138, 167-180. | 1.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1710 | Plant Growth-Promoting Traits in <i>Enterobacter cloacae</i> subsp. <i>dissolvens</i> MDSR9 Isolated from Soybean Rhizosphere and its Impact on Growth and Nutrition of Soybean and Wheat Upon Inoculation. <i>Agricultural Research</i> , 2014, 3, 53-66. | 1.7 | 67 |
| 1711 | Bacterial Biosynthesis of 1-Aminocyclopropane-1-Carboxylate (ACC) Deaminase and Indole-3-Acetic Acid (IAA) as Endophytic Preferential Selection Traits by Rice Plant Seedlings. <i>Journal of Plant Growth Regulation</i> , 2014, 33, 654-670. | 5.1 | 88 |
| 1712 | Potential of Siderophore Production by Bacteria Isolated from Heavy Metal: Polluted and Rhizosphere Soils. <i>Current Microbiology</i> , 2014, 68, 717-723. | 2.2 | 23 |
| 1713 | Siderophore Production by <i>Bacillus megaterium</i> : Effect of Growth Phase and Cultural Conditions. <i>Applied Biochemistry and Biotechnology</i> , 2014, 172, 549-560. | 2.9 | 51 |
| 1714 | Isolation of a multi-trait plant growth promoting <i>Brevundimonas</i> sp. and its effect on the growth of Bt-cotton. <i>3 Biotech</i> , 2014, 4, 97-101. | 2.2 | 39 |
| 1715 | <i>Gordonia</i> sp.: a salt tolerant bacterial inoculant for growth promotion of pearl millet under saline soil conditions. <i>3 Biotech</i> , 2014, 4, 553-557. | 2.2 | 11 |
| 1716 | Multifarious plant growth promoting characteristics of chickpea rhizosphere associated <i>Bacilli</i> help to suppress soil-borne pathogens. <i>Plant Growth Regulation</i> , 2014, 73, 91-101. | 3.4 | 62 |
| 1717 | Novel phosphate solubilizing bacteria <i>Pantoea cypripedii</i> PS1 TM along with <i>Enterobacter aerogenes</i> PS16 and <i>Rhizobium ciceri</i> enhance the growth of chickpea (<i>Cicer arietinum</i> L.). <i>Plant Growth Regulation</i> , 2014, 73, 79-89. | 3.4 | 25 |
| 1718 | Siderophore biosynthesis genes of <i>Rhizobium</i> sp. isolated from <i>Cicer arietinum</i> L.. <i>3 Biotech</i> , 2014, 4, 391-401. | 2.2 | 56 |
| 1719 | Isolation and characterization of plant growth promoting endophytic bacteria from the rhizome of <i>Zingiber officinale</i> . <i>3 Biotech</i> , 2014, 4, 197-204. | 2.2 | 132 |
| 1720 | Screening of plant growth-promoting traits in arsenic-resistant bacteria isolated from agricultural soil and their potential implication for arsenic bioremediation. <i>Journal of Hazardous Materials</i> , 2014, 272, 112-120. | 12.4 | 85 |
| 1721 | Enhancement of Cd phytoextraction by two <i>Amaranthus</i> species with endophytic <i>Rahnella</i> sp. JN27. <i>Chemosphere</i> , 2014, 103, 99-104. | 8.2 | 98 |
| 1722 | Screening of plant growth-promoting rhizobacteria as elicitor of systemic resistance against gray leaf spot disease in pepper. <i>Applied Soil Ecology</i> , 2014, 73, 1-8. | 4.3 | 87 |
| 1723 | A novel siderophore-independent strategy of iron uptake in the genus <i>Burkholderia</i> . <i>Molecular Microbiology</i> , 2014, 91, 805-820. | 2.5 | 46 |
| 1724 | Evaluation of plant growth promoting activities of microbial strains and their effect on growth and yield of chickpea (<i>Cicer arietinum</i> L.) in India. <i>Soil Biology and Biochemistry</i> , 2014, 70, 33-37. | 8.8 | 84 |
| 1725 | Influence of <i>Pseudomonas aeruginosa</i> as PGPR on oxidative stress tolerance in wheat under Zn stress. <i>Ecotoxicology and Environmental Safety</i> , 2014, 104, 285-293. | 6.0 | 223 |
| 1726 | Cadmium-tolerant bacteria induce metal stress tolerance in cereals. <i>Environmental Science and Pollution Research</i> , 2014, 21, 11054-11065. | 5.3 | 117 |
| 1727 | Involvement of ligninolytic enzymes in degradation of wheat straw by <i>Trametes trogii</i> . <i>Journal of Applied Microbiology</i> , 2014, 117, 85-95. | 3.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1728 | Effect of Cd-tolerant plant growth-promoting rhizobium on plant growth and Cd uptake by <i>Lolium multiflorum</i> Lam. and <i>Glycine max</i> (L.) Merr. in Cd-contaminated soil. <i>Plant and Soil</i> , 2014, 375, 205-214. | 3.7 | 141 |
| 1729 | A new PGPR co-inoculated with <i>Bradyrhizobium japonicum</i> enhances soybean nodulation. <i>Microbiological Research</i> , 2014, 169, 609-615. | 5.3 | 173 |
| 1730 | Characterization of Bacteria in the Rhizosphere Soils of <i>Polygonum Pubescens</i> and Their Potential in Promoting Growth and Cd, Pb, Zn Uptake by <i>Brassica napus</i> . <i>International Journal of Phytoremediation</i> , 2014, 16, 321-333. | 3.1 | 119 |
| 1731 | Mechanism of phosphate solubilization and antifungal activity of <i>Streptomyces</i> spp. isolated from wheat roots and rhizosphere and their application in improving plant growth. <i>Microbiology (United Kingdom)</i> , 2014, 154, 107-114. | 1.0 | 14 |
| 1732 | Depth-Related Changes in Community Structure of Culturable Mineral Weathering Bacteria and in Weathering Patterns Caused by Them along Two Contrasting Soil Profiles. <i>Applied and Environmental Microbiology</i> , 2014, 80, 29-42. | 3.1 | 50 |
| 1733 | The endophyte <i>Enterobacter</i> sp. FD17: a maize growth enhancer selected based on rigorous testing of plant beneficial traits and colonization characteristics. <i>Biology and Fertility of Soils</i> , 2014, 50, 249-262. | 4.3 | 133 |
| 1734 | Bacterial community compositions of tomato (<i>Lycopersicon esculentum</i> Mill.) seeds and plant growth promoting activity of ACC deaminase producing <i>Bacillus subtilis</i> (HYT-12-1) on tomato seedlings. <i>World Journal of Microbiology and Biotechnology</i> , 2014, 30, 835-845. | 3.6 | 146 |
| 1735 | Role of phosphate-solubilizing bacteria in improving the soil fertility and crop productivity in organic farming. <i>Archives of Agronomy and Soil Science</i> , 2014, 60, 549-564. | 2.6 | 51 |
| 1736 | Isolation and Characterization of Antimicrobial Cyclic Dipeptides from <i>Pseudomonas fluorescens</i> and Their Efficacy on Sorghum Grain Mold Fungi. <i>Chemistry and Biodiversity</i> , 2014, 11, 92-100. | 2.1 | 22 |
| 1737 | Antifungal attributes of siderophore produced by the <i>Pseudomonas aeruginosa</i> . <i>Journal of Basic Microbiology</i> , 2014, 54, 418-424. | 3.3 | 52 |
| 1738 | Involvement of <i>Trichoderma asperellum</i> strain T6 in regulating iron acquisition in plants. <i>Journal of Basic Microbiology</i> , 2014, 54, S115-24. | 3.3 | 45 |
| 1739 | Chlorocatechels A and B from <i>Streptomyces</i> sp.: New Siderophores Containing Chlorinated Catecholate Groups and an Acylguanidine Structure. <i>Organic Letters</i> , 2014, 16, 6108-6111. | 4.6 | 27 |
| 1740 | Growth promotion of the opportunistic human pathogen, <i>Staphylococcus lugdunensis</i> , by heme, hemoglobin, and coculture with <i>Staphylococcus aureus</i> . <i>MicrobiologyOpen</i> , 2014, 3, 182-195. | 3.0 | 20 |
| 1741 | Antagonistic potential of native strain <i>Streptomyces aurantiogriseus</i> VSMGT1014 against sheath blight of rice disease. <i>World Journal of Microbiology and Biotechnology</i> , 2014, 30, 3149-3161. | 3.6 | 39 |
| 1742 | An anti- <i>Aspergillus</i> protein from <i>Escherichia coli</i> DH5 α : Putative inhibitor of siderophore biosynthesis in <i>Aspergillus fumigatus</i> . <i>Mycoses</i> , 2014, 57, 153-162. | 4.0 | 6 |
| 1743 | A new species of <i>Burkholderia</i> isolated from sugarcane roots promotes plant growth. <i>Microbial Biotechnology</i> , 2014, 7, 142-154. | 4.2 | 91 |
| 1744 | Combined effect of chemical fertilisers and rhizosphere-competent <i>Bacillus subtilis</i> BSK17 on yield of <i>Cicer arietinum</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2014, 47, 2305-2318. | 1.3 | 23 |
| 1745 | Enhanced uptake and translocation of arsenic in Cretan brake fern (<i>Pteris cretica</i> L.) through siderophore-arsenic complex formation with an aid of rhizospheric bacterial activity. <i>Journal of Hazardous Materials</i> , 2014, 280, 536-543. | 12.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1746 | Amphiphilic siderophore production by oil-associating microbes. <i>Metallomics</i> , 2014, 6, 1150-1155. | 2.4 | 35 |
| 1747 | The Two-Component Regulators GacS and GacA Positively Regulate a Nonfluorescent Siderophore through the Gac/Rsm Signaling Cascade in High-Siderophore-Yielding <i>Pseudomonas</i> sp. Strain HYS. <i>Journal of Bacteriology</i> , 2014, 196, 3259-3270. | 2.2 | 40 |
| 1748 | The BCESM genomic region contains a regulator involved in quorum sensing and persistence in <i>Burkholderia cenocepacia</i> J2315. <i>Future Microbiology</i> , 2014, 9, 845-860. | 2.0 | 11 |
| 1749 | Identification and functional characteristics of chlorpyrifos-degrading and plant growth promoting bacterium <i>Acinetobacter calcoaceticus</i> . <i>Journal of Basic Microbiology</i> , 2014, 54, 457-463. | 3.3 | 27 |
| 1750 | Unsaturated Macrocylic Dihydroxamic Acid Siderophores Produced by <i>Shewanella putrefaciens</i> Using Precursor-Directed Biosynthesis. <i>ACS Chemical Biology</i> , 2014, 9, 945-956. | 3.4 | 33 |
| 1751 | Mining the Metabiome: Identifying Novel Natural Products from Microbial Communities. <i>Chemistry and Biology</i> , 2014, 21, 1211-1223. | 6.0 | 166 |
| 1752 | Avian pathogenic <i>Escherichia coli</i> Δ tonB mutants are safe and protective live-attenuated vaccine candidates. <i>Veterinary Microbiology</i> , 2014, 173, 289-298. | 1.9 | 9 |
| 1753 | <i>Alcanivorax borkumensis</i> produces an extracellular siderophore in iron-limitation condition maintaining the hydrocarbon-degradation efficiency. <i>Marine Genomics</i> , 2014, 17, 43-52. | 1.1 | 27 |
| 1754 | Reactive oxygen species in the citrus fungal pathogen <i>Alternaria alternata</i> : The roles of NADPH-dependent oxidase. <i>Physiological and Molecular Plant Pathology</i> , 2014, 88, 10-17. | 2.5 | 22 |
| 1755 | Micronutrient Enhancement and Localization in Rice Grains under Influence of Plant Growth Promoting Rhizobacteria. <i>Journal of Crop Improvement</i> , 2014, 28, 502-517. | 1.7 | 5 |
| 1756 | Culturable endophytic bacteria enhance Ni translocation in the hyperaccumulator <i>Noccaea caerulea</i> . <i>Chemosphere</i> , 2014, 117, 538-544. | 8.2 | 68 |
| 1757 | <i>Pseudomonas fluorescens</i> JH 70-4 promotes Pb stabilization and early seedling growth of Sudan grass in contaminated mining site soil. <i>Environmental Technology (United Kingdom)</i> , 2014, 35, 2589-2596. | 2.2 | 18 |
| 1758 | Altered desferrioxamine-mediated iron utilization is a common trait of bald mutants of <i>Streptomyces coelicolor</i> . <i>Metallomics</i> , 2014, 6, 1390-1399. | 2.4 | 36 |
| 1759 | Impact of plant growth promoting <i>Pseudomonas monteilii</i> PsF84 and <i>Pseudomonas plecoglossicida</i> PsF610 on metal uptake and production of secondary metabolite (monoterpenes) by rose-scented geranium (<i>Pelargonium graveolens</i> cv. bourbon) grown on tannery sludge amended soil. <i>Chemosphere</i> , 2014, 117, 433-439. | 8.2 | 55 |
| 1760 | Interaction between atypical microorganisms and <i>E. coli</i> in catheter-associated urinary tract biofilms. <i>Biofouling</i> , 2014, 30, 893-902. | 2.2 | 27 |
| 1761 | Diversity and characterization of culturable bacterial endophytes from <i>Zea mays</i> and their potential as plant growth-promoting agents in metal-degraded soils. <i>Environmental Science and Pollution Research</i> , 2014, 21, 14110-14123. | 5.3 | 77 |
| 1762 | Pumping iron to keep fit: modulation of siderophore secretion helps efficient aromatic utilization in <i>Pseudomonas putida</i> KT2440. <i>Microbiology (United Kingdom)</i> , 2014, 160, 1393-1400. | 1.8 | 15 |
| 1763 | Assessment of ecological diversity of rhizobacterial communities in vermicompost and analysis of their potential to improve plant growth. <i>Biologia (Poland)</i> , 2014, 69, 968-976. | 1.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1764 | Fungal cell-wall lytic enzymes, antifungal metabolite(s) production, and characterization from <i>Streptomyces exfoliatus</i> MT9 for controlling fruit-rotting fungi. Journal of Basic Microbiology, 2014, 54, 1295-1309. | 3.3 | 28 |
| 1765 | Effects of freshwater bacterial siderophore on Microcystis and Anabaena. Biological Control, 2014, 78, 42-48. | 3.0 | 15 |
| 1766 | Non-rhizobial peanut nodule bacteria promote maize (Zea mays L.) and peanut (Arachis hypogaea L.) growth in a simulated crop rotation system. Applied Soil Ecology, 2014, 84, 208-212. | 4.3 | 14 |
| 1767 | Microbial Tailoring of Acyl Peptidic Siderophores. Biochemistry, 2014, 53, 2624-2631. | 2.5 | 14 |
| 1768 | Growth promotion and induction of antioxidant system of tomato seedlings (Solanum lycopersicum) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 3.6 | 13 |
| 1769 | Metachelins, Mannosylated and N-Oxidized Coprogen-Type Siderophores from Metarhizium robertsii. Journal of Natural Products, 2014, 77, 1685-1692. | 3.0 | 33 |
| 1770 | Tomato plant growth promotion and antibacterial related-mechanisms of four rhizobacterial Bacillus strains against Ralstonia solanacearum. Symbiosis, 2014, 63, 59-70. | 2.3 | 69 |
| 1771 | Diazotrophic bacteria associated with sisal (Agave sisalana Perrine ex Engelm): potential for plant growth promotion. Plant and Soil, 2014, 385, 37-48. | 3.7 | 15 |
| 1772 | Hyalachelins Aâ€C, Unusual Siderophores Isolated from the Terrestrial Myxobacterium <i>Hyalangium minutum</i>. Organic Letters, 2014, 16, 4130-4133. | 4.6 | 43 |
| 1773 | Dinuclear [(V^VO(putreba₂)^{1/4}-OCH₃)₂] Formed in Solution as Established from LC-MS Measurements Using ⁵⁰V-Enriched V₂O₅. Inorganic Chemistry, 2014, 53, 5852-5861. | 4.0 | 10 |
| 1774 | The Sinorhizobium meliloti EmrR Regulator Is Required for Efficient Colonization of Medicago sativa Root Nodules. Molecular Plant-Microbe Interactions, 2014, 27, 388-399. | 2.6 | 22 |
| 1775 | Exploring the rhizospheric and endophytic bacterial communities of Acer pseudoplatanus growing on a TNT-contaminated soil: towards the development of a rhizocompetent TNT-detoxifying plant growth promoting consortium. Plant and Soil, 2014, 385, 15-36. | 3.7 | 54 |
| 1776 | Isolation and Characterization of Putative Endophytic Bacteria Antagonistic to Phoma tracheiphila and Verticillium albo-atrum. Applied Biochemistry and Biotechnology, 2014, 174, 365-375. | 2.9 | 21 |
| 1777 | Molecular diversity and functional variability of environmental isolates of Bacillus species. SpringerPlus, 2014, 3, 312. | 1.2 | 39 |
| 1778 | Characterization of arsenite-oxidizing bacteria isolated from arsenic-contaminated groundwater of West Bengal. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2014, 49, 1481-1492. | 1.7 | 39 |
| 1779 | Biosynthesis of Amphi-enterobactin Siderophores by Vibrio harveyi BAA-1116: Identification of a Bifunctional Nonribosomal Peptide Synthetase Condensation Domain. Journal of the American Chemical Society, 2014, 136, 5615-5618. | 13.7 | 45 |
| 1780 | Influence of <i>Bacillus</i> spp. strains on seedling growth and physiological parameters of sorghum under moisture stress conditions. Journal of Basic Microbiology, 2014, 54, 951-961. | 3.3 | 92 |
| 1781 | Multifunctional Exopolysaccharides from Pseudomonas aeruginosa PF23 Involved in Plant Growth Stimulation, Biocontrol and Stress Amelioration in Sunflower Under Saline Conditions. Current Microbiology, 2014, 69, 484-494. | 2.2 | 143 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1782 | Maize development and grain quality are differentially affected by mycorrhizal fungi and a growth-promoting pseudomonad in the field. <i>Mycorrhiza</i> , 2014, 24, 161-170. | 2.8 | 90 |
| 1783 | Functional analysis of pyochelin-/enantiopyochelin-related genes from a pathogenicity island of <i>Pseudomonas aeruginosa</i> strain PA14. <i>BioMetals</i> , 2014, 27, 559-573. | 4.1 | 6 |
| 1784 | Tricalcium phosphate solubilisation by new endophyte <i>Bacillus methylotrophicus</i> CKAM isolated from apple root endosphere and its plant growth-promoting activities. <i>Acta Physiologiae Plantarum</i> , 2014, 36, 2033-2045. | 2.1 | 40 |
| 1785 | Characterization and Fungal Inhibition Activity of Siderophore from Wheat Rhizosphere Associated <i>Acinetobacter calcoaceticus</i> Strain HIRFA32. <i>Indian Journal of Microbiology</i> , 2014, 54, 315-322. | 2.7 | 26 |
| 1786 | Plant Growth Promoting Bacteria from Cow Dung Based Biodynamic Preparations. <i>Indian Journal of Microbiology</i> , 2014, 54, 413-418. | 2.7 | 53 |
| 1787 | Survey of Plant Drought-Resistance Promoting Bacteria from <i>Populus euphratica</i> Tree Living in Arid Area. <i>Indian Journal of Microbiology</i> , 2014, 54, 419-426. | 2.7 | 35 |
| 1788 | Diversity of diazotrophs in arid and semi-arid regions of Haryana and evaluation of their plant growth promoting potential on Bt-cotton and pearl millet. <i>Annals of Microbiology</i> , 2014, 64, 1301-1313. | 2.6 | 8 |
| 1789 | <i>Vicia sativa</i> rhizospheric bacteria interactions to improve phenol remediation. <i>International Journal of Environmental Science and Technology</i> , 2014, 11, 1679-1690. | 3.5 | 8 |
| 1790 | The requirement for the LysR-type regulator PtrA for <i>Pseudomonas chlororaphis</i> PA23 biocontrol revealed through proteomic and phenotypic analysis. <i>BMC Microbiology</i> , 2014, 14, 94. | 3.3 | 10 |
| 1791 | Bacterial Siderophores That Evade or Overwhelm Lipocalin 2 Induce Hypoxia Inducible Factor 1 α and Proinflammatory Cytokine Secretion in Cultured Respiratory Epithelial Cells. <i>Infection and Immunity</i> , 2014, 82, 3826-3836. | 2.2 | 54 |
| 1792 | Phosphate-solubilizing rhizobacteria enhance <i>Zea mays</i> growth in agricultural P-deficient soils. <i>Ecological Engineering</i> , 2014, 73, 526-535. | 3.6 | 123 |
| 1793 | Adaptation of Iron Homeostasis Pathways by a <i>Pseudomonas aeruginosa</i> Pyoverdine Mutant in the Cystic Fibrosis Lung. <i>Journal of Bacteriology</i> , 2014, 196, 2265-2276. | 2.2 | 145 |
| 1794 | FurC Regulates Expression of <i>zupT</i> for the Central Zinc Importer ZupT of <i>Cupriavidus metallidurans</i> . <i>Journal of Bacteriology</i> , 2014, 196, 3461-3471. | 2.2 | 20 |
| 1795 | <i>Proteus mirabilis</i> alleviates zinc toxicity by preventing oxidative stress in maize (<i>Zea mays</i>) plants. <i>Ecotoxicology and Environmental Safety</i> , 2014, 110, 143-152. | 6.0 | 84 |
| 1796 | Identification of a Positively Charged Platform in <i>Staphylococcus aureus</i> HtsA That Is Essential for Ferric Staphyloferrin A Transport. <i>Biochemistry</i> , 2014, 53, 5060-5069. | 2.5 | 11 |
| 1797 | Utilization of endophytic strain <i>Bacillus</i> sp. SBER3 for biodegradation of polyaromatic hydrocarbons (PAH) in soil model system. <i>European Journal of Soil Biology</i> , 2014, 60, 67-76. | 3.2 | 76 |
| 1798 | Evaluation of <i>Bacillus</i> -fortified organic fertilizer for controlling tobacco bacterial wilt in greenhouse and field experiments. <i>Applied Soil Ecology</i> , 2014, 75, 86-94. | 4.3 | 75 |
| 1799 | Characterization of a ferric uptake regulator (Fur)-mutant of the cyanotrophic bacterium <i>Pseudomonas pseudoalcaligenes</i> CECT5344. <i>Journal of Biotechnology</i> , 2014, 190, 2-10. | 3.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1800 | Growth stimulation of barley and biocontrol effect on plant pathogenic fungi by a Cellulosimicrobium sp. strain isolated from salt-affected rhizosphere soil in northwestern Algeria. European Journal of Soil Biology, 2014, 61, 20-26. | 3.2 | 57 |
| 1801 | Diversity of cultivable rhizobacteria across tomato growing regions of Karnataka. Biological Control, 2014, 72, 9-16. | 3.0 | 27 |
| 1802 | Annual ryegrass-associated bacteria with potential for plant growth promotion. Microbiological Research, 2014, 169, 768-779. | 5.3 | 39 |
| 1803 | Evaluation of Streptomyces strains isolated from herbal vermicompost for their plant growth-promotion traits in rice. Microbiological Research, 2014, 169, 40-48. | 5.3 | 144 |
| 1804 | Siderophores in environmental research: roles and applications. Microbial Biotechnology, 2014, 7, 196-208. | 4.2 | 738 |
| 1805 | Effect of seed inoculation with indigenous Rhizobium and plant growth promoting rhizobacteria on nutrients uptake and yields of chickpea (Cicer arietinum L.). European Journal of Soil Biology, 2014, 63, 70-77. | 3.2 | 61 |
| 1806 | Aerobactin Mediates Virulence and Accounts for Increased Siderophore Production under Iron-Limiting Conditions by Hypervirulent (Hypermucoviscous) Klebsiella pneumoniae. Infection and Immunity, 2014, 82, 2356-2367. | 2.2 | 198 |
| 1807 | Identification and characterization of endophytic bacteria from corn (Zea mays L.) roots with biotechnological potential in agriculture. AMB Express, 2014, 4, 26. | 3.0 | 118 |
| 1808 | Diversity of endophytic bacteria in Lolium perenne and their potential to degrade petroleum hydrocarbons and promote plant growth. Chemosphere, 2014, 117, 40-46. | 8.2 | 87 |
| 1809 | Isolation of endophytic bacteria from embryogenic suspension culture of banana and assessment of their plant growth promoting properties. Plant Cell, Tissue and Organ Culture, 2014, 118, 57-66. | 2.3 | 44 |
| 1810 | Phytoremediation of soils co-contaminated by organic compounds and heavy metals: Bioassays with Lupinus luteus L. and associated endophytic bacteria. Journal of Environmental Management, 2014, 143, 197-207. | 7.8 | 48 |
| 1811 | Co-inoculation integrated with P-enriched compost improved nodulation and growth of Chickpea (Cicer arietinum L.) under irrigated and rainfed farming systems. Biology and Fertility of Soils, 2014, 50, 1-12. | 4.3 | 58 |
| 1812 | Isolation and characterization of endophytic plant growth-promoting bacteria (PGPB) associated to the sodicity tolerant polyembryonic mango (Mangifera indica L.) root stock and growth vigour in rice under saline sodic environment. African Journal of Microbiology Research, 2014, 8, 628-636. | 0.4 | 15 |
| 1813 | Growth promotion of the rice genotypes by pgprs isolated from rice rhizosphere. Journal of Soil Science and Plant Nutrition, 2014, , 0-0. | 3.4 | 15 |
| 1814 | Regulators Involved in <i>Dickeya solani</i> Virulence, Genetic Conservation, and Functional Variability. Molecular Plant-Microbe Interactions, 2014, 27, 700-711. | 2.6 | 49 |
| 1815 | Soil Biology. , 2014, , 771-888. | | 1 |
| 1817 | Complementarity among plant growth promoting traits in rhizospheric bacterial communities promotes plant growth. Scientific Reports, 2015, 5, 15500. | 3.3 | 56 |
| 1818 | Siderophore: Structural And Functional Characterisation – A Comprehensive Review. Agriculture, 2015, 61, 97-114. | 0.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1819 | Analysis of hydroxamate siderophores in soil solution using liquid chromatography with mass spectrometry and tandem mass spectrometry with on-line sample preconcentration. Journal of Separation Science, 2015, 38, 3305-3312. | 2.5 | 7 |
| 1820 | A quick rhizobacterial selection tests for the remediation of copper contaminated soils. Journal of Applied Microbiology, 2015, 119, 435-445. | 3.1 | 10 |
| 1821 | Induction of a quorum sensing pathway by environmental signals enhances group A streptococcal resistance to lysozyme. Molecular Microbiology, 2015, 97, 1097-1113. | 2.5 | 38 |
| 1822 | The N-acetyltransferase gene-implicated iron acquisition contributes to host specificity of <i>Pseudomonas cichorii</i> strain SPC9018 and its virulence. Physiological and Molecular Plant Pathology, 2015, 92, 14-21. | 2.5 | 3 |
| 1823 | Comparison of <i>Xenorhabdus bovienii</i> bacterial strain genomes reveals diversity in symbiotic functions. BMC Genomics, 2015, 16, 889. | 2.8 | 22 |
| 1824 | Harnessing Enzymatic Promiscuity in Myxochelin Biosynthesis for the Production of 5- α -Lipoxygenase Inhibitors. ChemBioChem, 2015, 16, 2445-2450. | 2.6 | 21 |
| 1825 | Discovery and Characterization of New Hydroxamate Siderophores, Baumannoferrin A and B, produced by <i>Acinetobacter baumannii</i> . ChemBioChem, 2015, 16, 1896-1904. | 2.6 | 73 |
| 1826 | Beneficial rhizospheric microorganisms mediated plant growth promotion and suppression of aflatoxigenic fungal and aflatoxin contamination in groundnut seeds. Annals of Applied Biology, 2015, 167, 225-235. | 2.5 | 9 |
| 1827 | Plant growth-promoting effects of native <i>Pseudomonas</i> strains on <i>Mentha piperita</i> (peppermint): an <i>in vitro</i> study. Plant Biology, 2015, 17, 1218-1226. | 3.8 | 72 |
| 1828 | IAA production by <i>Bacillus</i> sp. JH 2 promotes Indian mustard growth in the presence of hexavalent chromium. Journal of Basic Microbiology, 2015, 55, 652-658. | 3.3 | 26 |
| 1829 | Influence of psychrotolerant plant growth-promoting rhizobacteria (PGPR) as coinoculants with <i>Rhizobium</i> on growth parameters and yield of lentil (<i>Lens culinaris</i> Medikus). African Journal of Microbiology Research, 2015, 9, 258-264. | 0.4 | 8 |
| 1830 | SOIL FUNGISTASIS AGAINST FUSARIUM GRAMINEARUM UNDER DIFFERENT CROP MANAGEMENT SYSTEMS. Revista Brasileira De Ciencia Do Solo, 2015, 39, 69-77. | 1.3 | 9 |
| 1831 | Antagonistic Activities of <i>Bacillus</i> spp. Strains Isolated from Tidal Flat Sediment Towards Anthracnose Pathogens <i>Colletotrichum acutatum</i> and <i>C. gloeosporioides</i> in South Korea. Plant Pathology Journal, 2015, 31, 165-175. | 1.7 | 59 |
| 1832 | Impact of arbuscular mycorrhizal fungus, <i>Glomus intraradices</i> , <i>Streptomyces</i> and <i>Pseudomonas</i> spp. strain on finger millet (<i>Eleusine coracana</i> L.) cv Korchara under water deficit condition. African Journal of Biotechnology, 2015, 14, 3219-3227. | 0.6 | 9 |
| 1833 | Screening and characterization of endophytic <i>Bacillus</i> and <i>Paenibacillus</i> strains from medicinal plant <i>Lonicera japonica</i> for use as potential plant growth promoters. Brazilian Journal of Microbiology, 2015, 46, 977-989. | 2.0 | 111 |
| 1834 | In vitro antagonism of soil and chickpea nodule isolates against <i>Fusarium oxysporum</i> f. sp. <i>ciceris</i> in chickpea. African Journal of Microbiology Research, 2015, 9, 360-364. | 0.4 | 1 |
| 1835 | Deducing the Bio-Perspective Capabilities of Fe(II) Oxidizing Bacterium Isolated from Extreme Environment. Biochemistry and Analytical Biochemistry: Current Research, 2015, 04, . | 0.4 | 2 |
| 1836 | The <i>icmF3</i> locus is involved in multiple adaptation- and virulence-related characteristics in <i>Pseudomonas aeruginosa</i> PAO1. Frontiers in Cellular and Infection Microbiology, 2015, 5, 70. | 3.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1837 | Root-associated bacterial endophytes from <i>Ralstonia solanacearum</i> resistant and susceptible tomato cultivars and their pathogen antagonistic effects. <i>Frontiers in Microbiology</i> , 2015, 6, 255. | 3.5 | 84 |
| 1838 | Identification of iron and heme utilization genes in <i>Aeromonas</i> and their role in the colonization of the leech digestive tract. <i>Frontiers in Microbiology</i> , 2015, 6, 763. | 3.5 | 19 |
| 1839 | Assessment of Culturable Tea Rhizobacteria Isolated from Tea Estates of Assam, India for Growth Promotion in Commercial Tea Cultivars. <i>Frontiers in Microbiology</i> , 2015, 6, 1252. | 3.5 | 52 |
| 1840 | Root Associated <i>Bacillus</i> sp. Improves Growth, Yield and Zinc Translocation for Basmati Rice (<i>Oryza</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2 | 3.5 | 110 |
| 1841 | A Plasmid-Transposon Hybrid Mutagenesis System Effective in a Broad Range of Enterobacteria. <i>Frontiers in Microbiology</i> , 2015, 6, 1442. | 3.5 | 13 |
| 1842 | Endophytic Cultivable Bacteria of the Metal Bioaccumulator <i>Spartina maritima</i> Improve Plant Growth but Not Metal Uptake in Polluted Marshes Soils. <i>Frontiers in Microbiology</i> , 2015, 6, 1450. | 3.5 | 97 |
| 1843 | Immunogenicity of conserved cork and β -barrel domains of baumannii acinetobactin utilization protein in an animal model. <i>Turkish Journal of Medical Sciences</i> , 2015, 45, 1396-1402. | 0.9 | 12 |
| 1844 | Plants Probiotics as a Tool to Produce Highly Functional Fruits: The Case of <i>Phyllobacterium</i> and Vitamin C in Strawberries. <i>PLoS ONE</i> , 2015, 10, e0122281. | 2.5 | 106 |
| 1845 | Beneficial Bacteria Isolated from Grapevine Inner Tissues Shape <i>Arabidopsis thaliana</i> Roots. <i>PLoS ONE</i> , 2015, 10, e0140252. | 2.5 | 41 |
| 1846 | Isolation of <i>Pantoea ananatis</i> from sugarcane and characterization of its potential for plant growth promotion. <i>Genetics and Molecular Research</i> , 2015, 14, 15301-15311. | 0.2 | 33 |
| 1847 | Plant Beneficial Endophytic Bacteria from the Ethnomedicinal <i>Mussaenda roxburghii</i> (Akshap) of Eastern Himalayan Province, India. <i>Advances in Biology</i> , 2015, 2015, 1-8. | 1.2 | 11 |
| 1848 | Resistance to and Accumulation of Heavy Metals by Actinobacteria Isolated from Abandoned Mining Areas. <i>Scientific World Journal</i> , The, 2015, 2015, 1-14. | 2.1 | 70 |
| 1849 | Production and Metabolism of Indole Acetic Acid in Root Nodules and Symbiont (<i>Rhizobium</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 <i>Journal of Botany</i> , 2015, 2015, 1-11. | 1.2 | 27 |
| 1850 | Screening of plant growth promoting bacteria associated with barley plants (<i>Hordeum vulgare</i> L.) cultivated in South Brazil. <i>Biota Neotropica</i> , 2015, 15, . | 1.0 | 14 |
| 1851 | Bioprospecting glacial ice for plant growth promoting bacteria. <i>Microbiological Research</i> , 2015, 177, 1-7. | 5.3 | 38 |
| 1852 | Growth Inhibition of Bacterial Fish Pathogens and Quorum Sensing Blocking by Bacteria Recovered from Chilean Salmonid Farms. <i>Journal of Aquatic Animal Health</i> , 2015, 27, 112-122. | 1.4 | 19 |
| 1853 | Plant Growth Promoting Rhizobacteria (PGPR): Current and Future Prospects for Development of Sustainable Agriculture. <i>Journal of Microbial & Biochemical Technology</i> , 2015, 07, . | 0.2 | 183 |
| 1854 | <i>Paenibacillus oenotherae</i> sp. nov. and <i>Paenibacillus hemerocallicola</i> sp. nov., isolated from the roots of herbaceous plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2717-2725. | 1.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1855 | Curcumin rescues <i>Caenorhabditis elegans</i> from a <i>Burkholderia pseudomallei</i> infection. <i>Frontiers in Microbiology</i> , 2015, 6, 290. | 3.5 | 33 |
| 1856 | Siderophores Production by <i>Azospirillum</i> : Biological Importance, Assessing Methods and Biocontrol Activity. , 2015, , 251-262. | | 2 |
| 1857 | Isolation and Characterization of a Highly Siderophore Producing <i>Bacillus subtilis</i> Strain. <i>Lecture Notes in Electrical Engineering</i> , 2015, , 83-92. | 0.4 | 2 |
| 1858 | Phytoremediation of Metal Contaminated Soil Using Willow: Exploiting Plant-Associated Bacteria to Improve Biomass Production and Metal Uptake. <i>International Journal of Phytoremediation</i> , 2015, 17, 1123-1136. | 3.1 | 55 |
| 1859 | Complete Genome Sequence and Transcriptomic Analysis of the Novel Pathogen <i>Elizabethkingia anophelis</i> in Response to Oxidative Stress. <i>Genome Biology and Evolution</i> , 2015, 7, 1676-1685. | 2.5 | 34 |
| 1860 | Induction of resistance in <i>Camellia sinensis</i> against <i>Sclerotium rolfsii</i> by dual application of <i>Rhizophagus fasciculatus</i> and <i>Bacillus pumilus</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2015, 48, 825-840. | 1.3 | 3 |
| 1861 | Functional analysis of the <i>amp^r</i> mutation and identification of its binding site in <i>Pseudomonas syringae</i> pv. <i>tabaci</i> ; 11528. <i>Acta Biochimica Et Biophysica Sinica</i> , 2015, 47, 938-945. | 2.0 | 6 |
| 1862 | Application of <i>Bacillus pumilus</i> as a potential biocontrol agent of <i>Fusarium</i> wilt of tomato. <i>Archives of Phytopathology and Plant Protection</i> , 2015, 48, 841-849. | 1.3 | 31 |
| 1863 | 5. Bacterial and Archaeal Diversity on Cave Speleothem and Rock Surfaces: A Carbonate Cave Case Study from Kartchner Caverns. , 2015, , 105-124. | | 1 |
| 1864 | <i>Arachidococcus rhizosphaerae</i> gen. nov., sp. nov., a plant-growth-promoting bacterium in the family Chitinophagaceae isolated from rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 578-586. | 1.7 | 95 |
| 1865 | <i>Paenibacillus yonginensis</i> DCY84T induces changes in <i>Arabidopsis thaliana</i> gene expression against aluminum, drought, and salt stress. <i>Microbiological Research</i> , 2015, 172, 7-15. | 5.3 | 100 |
| 1866 | Development of microbial consortia as a biocontrol agent for effective management of fungal diseases in <i>Glycine max</i> L. <i>Archives of Phytopathology and Plant Protection</i> , 2015, 48, 459-474. | 1.3 | 40 |
| 1867 | Exploring plant growth promoting potential of non rhizobial root nodules endophytes of <i>Vigna radiata</i> . <i>Microbiology</i> , 2015, 84, 80-89. | 1.2 | 55 |
| 1868 | Molecular Analysis of Asymptomatic Bacteriuria <i>Escherichia coli</i> Strain VR50 Reveals Adaptation to the Urinary Tract by Gene Acquisition. <i>Infection and Immunity</i> , 2015, 83, 1749-1764. | 2.2 | 24 |
| 1869 | Biological control of <i>Botrytis cinerea</i> and plant growth promotion potential by <i>Penicillium citrinum</i> in chickpea (<i>Cicer arietinum</i> L.). <i>Biocontrol Science and Technology</i> , 2015, 25, 739-755. | 1.3 | 17 |
| 1870 | Isolation of plant-growth-promoting rhizobacteria from rhizospheric soil of halophytes and their impact on maize (<i>Zea mays</i> L.) under induced soil salinity. <i>Canadian Journal of Microbiology</i> , 2015, 61, 307-313. | 1.7 | 116 |
| 1871 | Assessment of genetic diversity and plant growth promoting attributes of psychrotolerant bacteria allied with wheat (<i>Triticum aestivum</i>) from the northern hills zone of India. <i>Annals of Microbiology</i> , 2015, 65, 1885-1899. | 2.6 | 245 |
| 1872 | Bacterial ability in AsIII oxidation and AsV reduction: Relation to arsenic tolerance, P uptake, and siderophore production. <i>Chemosphere</i> , 2015, 138, 995-1000. | 8.2 | 66 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1873 | Plant-Growth-Promoting Rhizobacteria (PGPR) and Medicinal Plants. Soil Biology, 2015, , . | 0.8 | 24 |
| 1874 | Diversity in Endophyte Populations Reveals Functional and Taxonomic Diversity between Wild and Domesticated Grapevines. American Journal of Enology and Viticulture, 2015, 66, 12-21. | 1.7 | 45 |
| 1875 | Myxochelins Target Human 5-Lipoxygenase. Journal of Natural Products, 2015, 78, 335-338. | 3.0 | 29 |
| 1876 | A new fluorimetric method for the detection and quantification of siderophores using Calcein Blue, with potential as a bacterial detection tool. Applied Microbiology and Biotechnology, 2015, 99, 2339-2349. | 3.6 | 7 |
| 1877 | Interaction of rhizobacterial strains for growth improvement of <i>Crocus sativus</i> L. under tissue culture conditions. Plant Cell, Tissue and Organ Culture, 2015, 121, 325-334. | 2.3 | 24 |
| 1878 | Role of the Carboxy Terminus of SecA in Iron Acquisition, Protein Translocation, and Virulence of the Bacterial Pathogen <i>Acinetobacter baumannii</i> . Infection and Immunity, 2015, 83, 1354-1365. | 2.2 | 13 |
| 1879 | Characterisation of antagonistic <i>Bacillus</i> and <i>Pseudomonas</i> strains for biocontrol potential and suppression of damping-off and root rot diseases. Annals of Applied Biology, 2015, 166, 456-471. | 2.5 | 71 |
| 1880 | Tributyltin Chloride (TBTCl)-Enhanced Exopolysaccharide and Siderophore Production in an Estuarine <i>Alcaligenes faecalis</i> Strain. Archives of Environmental Contamination and Toxicology, 2015, 68, 612-621. | 4.1 | 6 |
| 1881 | <i>Microbacterium panaciterrae</i> sp. nov., isolated from the rhizosphere of ginseng. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 927-933. | 1.7 | 13 |
| 1882 | Tn5 insertion in the <i>tonB</i> gene promoter affects iron-related phenotypes and increases extracellular siderophore levels in <i>Gluconacetobacter diazotrophicus</i> . Archives of Microbiology, 2015, 197, 223-233. | 2.2 | 6 |
| 1883 | Iron limitation enhances acyl homoserine lactone (AHL) production and biofilm formation in clinical isolates of <i>Acinetobacter baumannii</i> . Virulence, 2015, 6, 152-161. | 4.4 | 42 |
| 1884 | Prospecting cold deserts of north western Himalayas for microbial diversity and plant growth promoting attributes. Journal of Bioscience and Bioengineering, 2015, 119, 683-693. | 2.2 | 179 |
| 1885 | Potential use of <i>Pseudomonas koreensis</i> AGB-1 in association with <i>Miscanthus sinensis</i> to remediate heavy metal(loid)-contaminated mining site soil. Journal of Environmental Management, 2015, 151, 160-166. | 7.8 | 210 |
| 1886 | <i>Arachis hypogaea</i> PGPR isolated from Argentine soil modifies its lipids components in response to temperature and salinity. Microbiological Research, 2015, 173, 1-9. | 5.3 | 55 |
| 1887 | Endophytic infection alleviates biotic stress in sunflower through regulation of defence hormones, antioxidants and functional amino acids. European Journal of Plant Pathology, 2015, 141, 803-824. | 1.7 | 75 |
| 1888 | Utilization of rhizospheric <i>Streptomyces</i> for biological control of <i>Rigidoporus</i> sp. causing white root disease in rubber tree. European Journal of Plant Pathology, 2015, 142, 93-105. | 1.7 | 19 |
| 1889 | Antifungal activities of indigenous plant growth promoting <i>Pseudomonas</i> spp. from alfalfa and clover rhizosphere. Frontiers in Life Science: Frontiers of Interdisciplinary Research in the Life Sciences, 2015, 8, 131-138. | 1.1 | 14 |
| 1890 | Zoonotic Potential of <i>Escherichia coli</i> Isolates from Retail Chicken Meat Products and Eggs. Applied and Environmental Microbiology, 2015, 81, 1177-1187. | 3.1 | 156 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1891 | Siderophores. , 2015, , . | | 9 |
| 1892 | Implication of limited iron acquisition by <i>Pseudomonas cichorii</i> strain SPC9018 in its reduced virulence on eggplant. <i>Journal of General Plant Pathology</i> , 2015, 81, 136-141. | 1.0 | 7 |
| 1893 | AM fungi and PGP pseudomonads increase flowering, fruit production, and vitamin content in strawberry grown at low nitrogen and phosphorus levels. <i>Mycorrhiza</i> , 2015, 25, 181-193. | 2.8 | 131 |
| 1894 | Functional diversity of phosphate solubilizing plant growth promoting rhizobacteria isolated from apple trees in the Trans Himalayan region of Himachal Pradesh, India. <i>Biological Agriculture and Horticulture</i> , 2015, 31, 265-288. | 1.0 | 18 |
| 1895 | Ascorbic acid production in root, nodule and <i>Enterobacter</i> spp. (Gammaproteobacteria) isolated from root nodule of the legume <i>Abrus precatorius</i> L. <i>Biocatalysis and Agricultural Biotechnology</i> , 2015, 4, 127-134. | 3.1 | 14 |
| 1896 | Characterization of plant growth promoting <i>Bacillus</i> strains and their potential as crop protectants against <i>Phytophthora capsici</i> in tomato. <i>Biological Agriculture and Horticulture</i> , 2015, 31, 230-244. | 1.0 | 15 |
| 1897 | Cell-cell signalling promotes ferric iron uptake in <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> that contribute to its virulence and growth inside rice. <i>Molecular Microbiology</i> , 2015, 96, 708-727. | 2.5 | 38 |
| 1898 | Indole-3-acetic acid (IAA) production trait, a useful screening to select endophytic and rhizosphere competent bacteria for rice growth promoting agents. <i>MethodsX</i> , 2015, 2, 72-78. | 1.6 | 193 |
| 1899 | Plant growth-promoting traits of phosphate solubilizing bacteria isolated from <i>Hippophae rhamnoides</i> L. (Sea-buckthorn) growing in cold desert Trans-Himalayan Lahul and Spiti regions of India. <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1. | 2.1 | 22 |
| 1900 | Bifidobacteria strains isolated from stools of iron deficient infants can efficiently sequester iron. <i>BMC Microbiology</i> , 2015, 15, 3. | 3.3 | 47 |
| 1901 | Effects of sublethal doses of silver nanoparticles on <i>Bacillus subtilis</i> planktonic and sessile cells. <i>Journal of Applied Microbiology</i> , 2015, 118, 1103-1115. | 3.1 | 46 |
| 1902 | Alleviation of salt stress in germination of <i>Vigna radiata</i> L. by two halotolerant Bacilli sp. isolated from saline habitats of Gujarat. <i>Plant Growth Regulation</i> , 2015, 76, 51-60. | 3.4 | 28 |
| 1903 | <i>Trichoderma</i> species mediated differential tolerance against biotic stress of phytopathogens in <i>Cicer arietinum</i> L. <i>Journal of Basic Microbiology</i> , 2015, 55, 195-206. | 3.3 | 50 |
| 1904 | Effect of cadmium stress and inoculation with a heavy-metal-resistant bacterium on the growth and enzyme activity of <i>Sorghum bicolor</i> . <i>Environmental Science and Pollution Research</i> , 2015, 22, 16098-16109. | 5.3 | 26 |
| 1905 | The plant-growth-promoting bacterium <i>Klebsiella</i> sp. SBP-8 confers induced systemic tolerance in wheat (<i>Triticum aestivum</i>) under salt stress. <i>Journal of Plant Physiology</i> , 2015, 184, 57-67. | 3.5 | 197 |
| 1906 | Rhizobacteria of <i>Populus euphratica</i> Promoting Plant Growth Against Heavy Metals. <i>International Journal of Phytoremediation</i> , 2015, 17, 973-980. | 3.1 | 13 |
| 1907 | Inoculation with endophytic <i>Bacillus megaterium</i> 1Y31 increases Mn accumulation and induces the growth and energy metabolism-related differentially-expressed proteome in Mn hyperaccumulator hybrid pennisetum. <i>Journal of Hazardous Materials</i> , 2015, 300, 513-521. | 12.4 | 35 |
| 1908 | Inoculation with Metal-Mobilizing Plant-Growth-Promoting Rhizobacterium <i>Bacillus</i> sp. SC2b and Its Role in Rhizoremediation. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2015, 78, 931-944. | 2.3 | 67 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1909 | Wild Blueberry (<i>Vaccinium angustifolium</i> Ait.) Polyphenols Target <i>Fusobacterium nucleatum</i> and the Host Inflammatory Response: Potential Innovative Molecules for Treating Periodontal Diseases. Journal of Agricultural and Food Chemistry, 2015, 63, 6999-7008. | 5.2 | 50 |
| 1910 | Biotransformation of tributyltin chloride to less toxic dibutyltin dichloride and monobutyltin trichloride by <i>Klebsiella pneumoniae</i> strain SD9. International Biodeterioration and Biodegradation, 2015, 104, 212-218. | 3.9 | 11 |
| 1911 | Effects of bio-organic fertilizer on pepper growth and <i>Fusarium</i> wilt biocontrol. Scientia Horticulturae, 2015, 193, 114-120. | 3.6 | 45 |
| 1912 | Intracellular siderophore but not extracellular siderophore is required for full virulence in <i>Metarhizium robertsii</i> . Fungal Genetics and Biology, 2015, 82, 56-68. | 2.1 | 32 |
| 1913 | Controlling bacterial leaf blight of rice and enhancing the plant growth with endophytic and rhizobacterial <i>Bacillus</i> strains. Toxicological and Environmental Chemistry, 2015, 97, 766-785. | 1.2 | 26 |
| 1914 | A Transmissible Plasmid-Borne Pathogenicity Island Confers Piscibactin Biosynthesis in the Fish Pathogen <i>Photobacterium damsela</i> subsp. <i>piscicida</i> . Applied and Environmental Microbiology, 2015, 81, 5867-5879. | 3.1 | 48 |
| 1915 | The Sustainability of Agro-Food and Natural Resource Systems in the Mediterranean Basin. , 2015, , . | | 21 |
| 1916 | Comparative genomics of <i>Roseobacter</i> clade bacteria isolated from the accessory nidamental gland of <i>Euprymna scolopes</i> . Frontiers in Microbiology, 2015, 6, 123. | 3.5 | 37 |
| 1917 | Antagonistic effect of <i>Mesorhizobium ciceri</i> isolates on <i>Fusarium oxysporum</i> F. Sp. <i>Ciceri</i> . Legume Research, 2015, 38, 115. | 0.1 | 1 |
| 1918 | Pesticidal activity of metal oxide nanoparticles on plant pathogenic isolates of <i>Pythium</i> . Ecotoxicology, 2015, 24, 1305-1314. | 2.4 | 75 |
| 1919 | Chemical Synthesis of Staphyloferrin B Affords Insight into the Molecular Structure, Iron Chelation, and Biological Activity of a Polycarboxylate Siderophore Deployed by the Human Pathogen <i>Staphylococcus aureus</i> . Journal of the American Chemical Society, 2015, 137, 9117-9127. | 13.7 | 33 |
| 1920 | Diversity and role of plasmids in adaptation of bacteria inhabiting the Lubin copper mine in Poland, an environment rich in heavy metals. Frontiers in Microbiology, 2015, 6, 152. | 3.5 | 83 |
| 1921 | Promotion of arsenic phytoextraction efficiency in the fern <i>Pteris vittata</i> by the inoculation of As-resistant bacteria: a soil bioremediation perspective. Frontiers in Plant Science, 2015, 6, 80. | 3.6 | 107 |
| 1922 | Molecular insights into a molluscan transferrin homolog identified from disk abalone (<i>Haliotis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 107 Comparative Immunology, 2015, 53, 222-233. | 2.3 | 8 |
| 1923 | Environmental Microbial Biotechnology. Soil Biology, 2015, , . | 0.8 | 5 |
| 1924 | A natural rice rhizospheric bacterium abates arsenic accumulation in rice (<i>Oryza sativa</i> L.). Planta, 2015, 242, 1037-1050. | 3.2 | 63 |
| 1925 | Isolation screening and characterisation of local beneficial rhizobacteria based upon their ability to suppress the growth of <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> and tomato foot and root rot. Biocontrol Science and Technology, 2015, 25, 928-949. | 1.3 | 24 |
| 1926 | Biodiversity and plant growth promoting traits of culturable endophytic actinobacteria associated with <i>Jatropha curcas</i> L. growing in Panxi dry-hot valley soil. Applied Soil Ecology, 2015, 93, 47-55. | 4.3 | 89 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1927 | Isolation and characterization of endophytic plant growth-promoting bacteria from date palm tree (<i>Phoenix dactylifera</i> L.) and their potential role in salinity tolerance. Antonie Van Leeuwenhoek, 2015, 107, 1519-1532. | 1.7 | 161 |
| 1928 | Melanogenic actinomycetes from rhizosphere soil â€” antagonistic activity against <i>Xanthomonas oryzae</i> and plant-growth-promoting traits. Canadian Journal of Microbiology, 2015, 61, 164-170. | 1.7 | 21 |
| 1929 | <i>Cupriavidus yeoncheonense</i> sp. nov., isolated from soil of ginseng. Antonie Van Leeuwenhoek, 2015, 107, 749-758. | 1.7 | 22 |
| 1930 | <i>Bacillus thuringiensis</i> C25 which is rich in cell wall degrading enzymes efficiently controls lettuce drop caused by <i>Sclerotinia minor</i> . European Journal of Plant Pathology, 2015, 142, 577-589. | 1.7 | 43 |
| 1931 | Influence of Various Levels of Iron and Other Abiotic Factors on Siderophorogenesis in Paddy Field Cyanobacterium <i>Anabaena oryzae</i> . Applied Biochemistry and Biotechnology, 2015, 176, 372-386. | 2.9 | 12 |
| 1932 | Effects of two plant growth-promoting rhizobacteria containing 1-aminocyclopropane-1-carboxylate deaminase on oat growth in petroleum-contaminated soil. International Journal of Environmental Science and Technology, 2015, 12, 3887-3894. | 3.5 | 23 |
| 1933 | Genome mining reveals unlocked bioactive potential of marine Gram-negative bacteria. BMC Genomics, 2015, 16, 158. | 2.8 | 96 |
| 1934 | Effects of iron availability on competition between <i>Microcystis</i> and <i>Pseudanabaena</i> or <i>Chlorella</i> species. European Journal of Phycology, 2015, 50, 260-270. | 2.0 | 9 |
| 1935 | Lead-resistant strain KQBT-3 inoculants of <i>Tricholoma lobayensis</i> Heim that enhance remediation of lead-contaminated soil. Environmental Technology (United Kingdom), 2015, 36, 2451-2458. | 2.2 | 5 |
| 1936 | Handbook for <i>Azospirillum</i> . , 2015, , . | | 30 |
| 1937 | <i>Epilithonimonas ginsengisoli</i> sp. nov., isolated from soil of a ginseng field. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 122-128. | 1.7 | 14 |
| 1938 | A <i>Pseudomonas guariconensis</i> strain capable of promoting growth and controlling collar rot disease in <i>Arachis hypogaea</i> L. Plant and Soil, 2015, 390, 369-381. | 3.7 | 25 |
| 1939 | Divergent Targets of <i>Aspergillus fumigatus</i> AcuK and AcuM Transcription Factors during Growth <i>In Vitro</i> versus Invasive Disease. Infection and Immunity, 2015, 83, 923-933. | 2.2 | 29 |
| 1940 | Exploring <scp>ComQXPA</scp> quorumâ€sensing diversity and biocontrol potential of <scp><i>B</i></scp><i>acillus</i></i> spp. isolates from tomato rhizoplane. Microbial Biotechnology, 2015, 8, 527-540. | 4.2 | 35 |
| 1941 | Fe³⁺/Fe²⁺ Mycobactinâ€Complex Electrochemistry as an Approach to Determine Mycobactin Levels in Urine. Electroanalysis, 2015, 27, 833-842. | 2.9 | 4 |
| 1942 | Prospecting plant growth promoting bacteria and cyanobacteria as options for enrichment of macro- and micronutrients in grains in riceâ€wheat cropping sequence. Cogent Food and Agriculture, 2015, 1, 1037379. | 1.4 | 62 |
| 1943 | The salmochelin receptor IroN itself, but not salmochelin-mediated iron uptake promotes biofilm formation in extraintestinal pathogenic <i>Escherichia coli</i> (ExPEC). International Journal of Medical Microbiology, 2015, 305, 435-445. | 3.6 | 17 |
| 1944 | Interplay between enterobactin, myeloperoxidase and lipocalin 2 regulates <i>E. coli</i> survival in the inflamed gut. Nature Communications, 2015, 6, 7113. | 12.8 | 96 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1945 | Colonization of lettuce rhizosphere and roots by tagged <i>Streptomyces</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 25. | 3.5 | 79 |
| 1946 | Antifungal modes of action of <i>Saccharomyces</i> and other biocontrol yeasts against fungi isolated from sour and grey rots. <i>International Journal of Food Microbiology</i> , 2015, 204, 91-100. | 4.7 | 42 |
| 1947 | <i>Paracoccus panacisoli</i> sp. nov., isolated from a forest soil cultivated with Vietnamese ginseng. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1491-1497. | 1.7 | 17 |
| 1948 | <i>Bacillus rigiliprofundus</i> sp. nov., an endospore-forming, Mn-oxidizing, moderately halophilic bacterium isolated from deep seafloor basaltic crust. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1992-1998. | 1.7 | 32 |
| 1949 | Comparative genome analysis reveals genetic adaptation to versatile environmental conditions and importance of biofilm lifestyle in <i>Comamonas testosteroni</i> . <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 3519-3532. | 3.6 | 33 |
| 1950 | The hyperaccumulator <i>Sedum plumbizincicola</i> harbors metal-resistant endophytic bacteria that improve its phytoextraction capacity in multi-metal contaminated soil. <i>Journal of Environmental Management</i> , 2015, 156, 62-69. | 7.8 | 251 |
| 1951 | Shotgun proteome analysis of <i>Bordetella pertussis</i> reveals a distinct influence of iron availability on the bacterial metabolism, virulence, and defense response. <i>Proteomics</i> , 2015, 15, 2258-2266. | 2.2 | 12 |
| 1952 | Bio-inoculation of yerba mate seedlings (<i>Ilex paraguariensis</i> St. Hill.) with native plant growth-promoting rhizobacteria: a sustainable alternative to improve crop yield. <i>Biology and Fertility of Soils</i> , 2015, 51, 749-755. | 4.3 | 46 |
| 1953 | Nonantibiotic Effects of Fluoroquinolones in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 22287-22297. | 3.4 | 72 |
| 1954 | Microbial Interaction in Mining Soil. <i>Soil Biology</i> , 2015, , 223-241. | 0.8 | 0 |
| 1955 | <i>Methylophilus turkiensis</i> sp. nov., a new aerobic facultatively methylotrophic phytosymbiont. <i>Microbiology</i> , 2015, 84, 544-552. | 1.2 | 7 |
| 1956 | <i>Paracaligenes ginsengisoli</i> sp. nov., isolated from ginseng cultivated soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 619-626. | 1.7 | 12 |
| 1957 | Isolation and Screening of Rhizosphere Bacteria from Grasses in East Kavango Region of Namibia for Plant Growth Promoting Characteristics. <i>Current Microbiology</i> , 2015, 71, 566-571. | 2.2 | 17 |
| 1958 | Structural characterization of amphiphilic siderophores produced by a soda lake isolate, <i>Halomonas</i> sp. SL01, reveals cysteine-, phenylalanine- and proline-containing head groups. <i>Extremophiles</i> , 2015, 19, 1183-1192. | 2.3 | 13 |
| 1959 | Two Catechol Siderophores, Acinetobactin and Amonabactin, Are Simultaneously Produced by <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> Sharing Part of the Biosynthetic Pathway. <i>ACS Chemical Biology</i> , 2015, 10, 2850-2860. | 3.4 | 38 |
| 1960 | Unearthing the genomes of plant-beneficial <i>Pseudomonas</i> model strains WCS358, WCS374 and WCS417. <i>BMC Genomics</i> , 2015, 16, 539. | 2.8 | 184 |
| 1961 | Using plant growth-promoting rhizobacteria (PGPR) to improve plant growth. <i>Ecological Engineering</i> , 2015, 84, 22-28. | 3.6 | 137 |
| 1962 | The <i>Legionella pneumophila</i> Siderophore Legiobactin Is a Polycarboxylate That Is Identical in Structure to Rhizoferrin. <i>Infection and Immunity</i> , 2015, 83, 3937-3945. | 2.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1963 | Characterization of Mn-resistant endophytic bacteria from Mn-hyperaccumulator <i>Phytolacca americana</i> and their impact on Mn accumulation of hybrid penisetum. <i>Ecotoxicology and Environmental Safety</i> , 2015, 120, 369-376. | 6.0 | 14 |
| 1964 | Catecholate-siderophore produced by As-resistant bacterium effectively dissolved FeAsO ₄ and promoted <i>Pteris vittata</i> growth. <i>Environmental Pollution</i> , 2015, 206, 376-381. | 7.5 | 26 |
| 1965 | Endophytic Bacteria Associated with <i>Hieracium piloselloides</i> : Their Potential for Hydrocarbon-Utilizing and Plant Growth-Promotion. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2015, 78, 860-870. | 2.3 | 12 |
| 1966 | Bacterial endophytes of sweet potato tuberous roots affected by the plant genotype and growth stage. <i>Applied Soil Ecology</i> , 2015, 96, 273-281. | 4.3 | 54 |
| 1967 | <i>Sphingomonas panaciterrae</i> sp. nov., a plant growth-promoting bacterium isolated from soil of a ginseng field. <i>Archives of Microbiology</i> , 2015, 197, 973-981. | 2.2 | 22 |
| 1968 | Determination of Siderophores in Seawater by High Performance Liquid Chromatography-Tandem Mass Spectrometry Coupled with Solid Phase Extraction. <i>Chinese Journal of Analytical Chemistry</i> , 2015, 43, 1285-1290. | 1.7 | 4 |
| 1969 | Extracellular compounds produced by bacterial consortium promoting elements mobilization from polymetallic Kupferschiefer black shale (Fore-Sudetic Monocline, Poland). <i>Chemosphere</i> , 2015, 122, 273-279. | 8.2 | 7 |
| 1970 | Detection and characterization of broad-spectrum antipathogen activity of novel rhizobacterial isolates and suppression of Fusarium crown and root rot disease of tomato. <i>Journal of Applied Microbiology</i> , 2015, 118, 685-703. | 3.1 | 44 |
| 1971 | Isolation and identification of allelochemicals produced by <i>B. sonorensis</i> for suppression of charcoal rot of <i>Arachis hypogaea</i> L.. <i>Journal of Basic Microbiology</i> , 2015, 55, 635-644. | 3.3 | 14 |
| 1972 | Siderophore production by streptomycetes—stability and alteration of ferrihydroxamates in heavy metal-contaminated soil. <i>Environmental Science and Pollution Research</i> , 2015, 22, 19376-19383. | 5.3 | 12 |
| 1973 | Isolation and characterization of bacteria from the rhizosphere and bulk soil of <i>Stellera chamaejasme</i> L.. <i>Canadian Journal of Microbiology</i> , 2015, 61, 171-181. | 1.7 | 9 |
| 1974 | Effect of Iranian strains of <i>Pseudomonas</i> spp. on the control of root-knot nematodes on Pistachios. <i>Biocontrol Science and Technology</i> , 2015, 25, 291-301. | 1.3 | 9 |
| 1975 | Effect of mustard rhizobacteria on wheat growth promotion under cadmium stress: characterization of <i>acdS</i> gene coding ACC deaminase. <i>Annals of Microbiology</i> , 2015, 65, 1679-1687. | 2.6 | 20 |
| 1976 | Resistance induction in pumpkin <i>Cucurbita maxima</i> L. against <i>Watermelon mosaic potyvirus</i> by plant growth-promoting rhizobacteria. <i>Biocontrol Science and Technology</i> , 2015, 25, 525-542. | 1.3 | 11 |
| 1977 | <i>Pseudomonas fluorescens</i> : Fur is required for multiple biological properties associated with pathogenesis. <i>Veterinary Microbiology</i> , 2015, 175, 145-149. | 1.9 | 8 |
| 1978 | Antifungal activity of volatile compounds-producing <i>Pseudomonas</i> P2 strain against <i>Rhizoctonia solani</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2015, 31, 175-185. | 3.6 | 44 |
| 1979 | Reclamation of petrol oil contaminated soil by rhamnolipids producing PGPR strains for growing <i>Withania somnifera</i> a medicinal shrub. <i>World Journal of Microbiology and Biotechnology</i> , 2015, 31, 307-313. | 3.6 | 18 |
| 1980 | Efficiency of plant growth-promoting <i>Bacillus circulans</i> CB7 for enhancement of tomato growth under net house conditions. <i>Journal of Basic Microbiology</i> , 2015, 55, 33-44. | 3.3 | 94 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1981 | Characterization and crop production efficiency of diazotrophic isolates from the rhizosphere of semi-arid tropical grasses of India. <i>Applied Soil Ecology</i> , 2015, 87, 1-10. | 4.3 | 37 |
| 1982 | Characterization of the antifungal and plant growth-promoting effects of diffusible and volatile organic compounds produced by <i>Pseudomonas fluorescens</i> strains. <i>Biological Control</i> , 2015, 81, 83-92. | 3.0 | 193 |
| 1983 | Endophytic colonization and biocontrol performance of <i>Pseudomonas fluorescens</i> PICF7 in olive (<i>Olea europaea</i> L.) are determined neither by pyoverdine production nor swimming motility. <i>Environmental Microbiology</i> , 2015, 17, 3139-3153. | 3.8 | 51 |
| 1984 | Promoting plant growth in a commercial rice cultivar by endophytic diazotrophic bacteria isolated from rice landraces. <i>Annals of Microbiology</i> , 2015, 65, 253-266. | 2.6 | 44 |
| 1985 | Biocontrol efficacy and plant growth promoting activity of <i>Bacillus altitudinis</i> isolated from Darjeeling hills, India. <i>Journal of Basic Microbiology</i> , 2015, 55, 91-104. | 3.3 | 52 |
| 1986 | Validation of nutraceutical properties of honey and probiotic potential of its innate microflora. <i>LWT - Food Science and Technology</i> , 2015, 60, 743-750. | 5.2 | 22 |
| 1987 | Construction and Application of a Novel Impedance Sensor for Siderophore. <i>Analytical Letters</i> , 2015, 48, 259-268. | 1.8 | 2 |
| 1988 | Culturable diversity and functional annotation of psychrotrophic bacteria from cold desert of Leh Ladakh (India). <i>World Journal of Microbiology and Biotechnology</i> , 2015, 31, 95-108. | 3.6 | 132 |
| 1989 | Characterization of the cultivable bacterial populations associated with field grown <i>Brassica napus</i> L.: an evaluation of sampling and isolation protocols. <i>Environmental Microbiology</i> , 2015, 17, 2379-2392. | 3.8 | 20 |
| 1990 | Plant growth-promoting traits of <i>Pseudomonas geniculata</i> isolated from chickpea nodules. <i>3 Biotech</i> , 2015, 5, 653-661. | 2.2 | 44 |
| 1991 | Isolation, characterization and plant growth promotion effects of putative bacterial endophytes associated with sweet sorghum (<i>Sorghum bicolor</i> (L) Moench). <i>Annals of Microbiology</i> , 2015, 65, 1057-1067. | 2.6 | 37 |
| 1992 | New Iron Acquisition System in Bacteroidetes. <i>Infection and Immunity</i> , 2015, 83, 300-310. | 2.2 | 29 |
| 1993 | Scouting contaminated estuaries: Heavy metal resistant and plant growth promoting rhizobacteria in the native metal rhizoaccumulator <i>Spartina maritima</i> . <i>Marine Pollution Bulletin</i> , 2015, 90, 150-159. | 5.0 | 70 |
| 1994 | Characterization and pathogenicity of <i>Vibrio splendidus</i> strains associated with massive mortalities of commercial hatchery-reared larvae of scallop <i>Argopecten purpuratus</i> (Lamarck, 1819). <i>Journal of Invertebrate Pathology</i> , 2015, 124, 61-69. | 3.2 | 84 |
| 1995 | Isolation and characterization of bacterial endophytes from the roots of <i>Cassia tora</i> L. <i>Annals of Microbiology</i> , 2015, 65, 1391-1399. | 2.6 | 67 |
| 1996 | Siderophore-Mediated Iron Acquisition Influences Motility and Is Required for Full Virulence of the Xylem-Dwelling Bacterial Phytopathogen <i>Pantoea stewartii</i> subsp. <i>stewartii</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 139-148. | 3.1 | 45 |
| 1997 | Siderophore Production by Microorganisms Isolated From a Podzol Soil Profile. <i>Geomicrobiology Journal</i> , 2015, 32, 397-411. | 2.0 | 14 |
| 1998 | Characterization of plant growth-promoting bacteria associated with rice cropped in iron-stressed soils. <i>Annals of Microbiology</i> , 2015, 65, 951-964. | 2.6 | 65 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1999 | Deciphering Diversity of Salt-Tolerant Bacilli from Saline Soils of Eastern Indo-gangetic Plains of India. Geomicrobiology Journal, 2015, 32, 170-180. | 2.0 | 51 |
| 2000 | Proposed some interactions at molecular level of PGPR coinoculated with Bradyrhizobium diazoefficiens USDA110 and B. japonicum THA6 on soybean symbiosis and its potential of field application. Applied Soil Ecology, 2015, 85, 38-49. | 4.3 | 47 |
| 2001 | Biological control of eucalyptus bacterial wilt with rhizobacteria. Biological Control, 2015, 80, 14-22. | 3.0 | 30 |
| 2002 | Improved plant resistance to drought is promoted by the root-associated microbiome as a water stress-dependent trait. Environmental Microbiology, 2015, 17, 316-331. | 3.8 | 449 |
| 2003 | Rhizobacteria isolated from a metal-polluted area enhance plant growth in zinc and cadmium-contaminated soil. International Journal of Environmental Science and Technology, 2015, 12, 2127-2142. | 3.5 | 54 |
| 2004 | Understanding the mechanism of biological control of passionfruit bacterial blight promoted by autochthonous phylloplane bacteria. Biological Control, 2015, 80, 40-49. | 3.0 | 24 |
| 2005 | Acidophilic actinomycetes from rhizosphere soil: diversity and properties beneficial to plants. Journal of Antibiotics, 2015, 68, 106-114. | 2.0 | 58 |
| 2006 | Plant Health. , 0, , . | | 0 |
| 2007 | Soil ecophysiological and microbiological indices of soil health: a study of coal mining site in sonbhadra, uttar Pradesh. Journal of Soil Science and Plant Nutrition, 2016, , 0-0. | 3.4 | 13 |
| 2008 | Isolation of Trichoderma Spp. from Desert Soil, Biocontrol Potential Evaluation and Liquid Culture Production of Conidia Using Agricultural Fertilizers. Journal of Fertilizers & Pesticides, 2016, 7, . | 0.2 | 2 |
| 2009 | Biosurfactant-mediated Biocontrol of Macrophomina phaseolina Causing Charcoal Rot in Vigna mungo by a Plant Growth Promoting Enterococcus sp. BS13. Journal of Plant Pathology & Microbiology, 2016, 7, . | 0.3 | 7 |
| 2010 | Screening endophytic actinobacteria with potential antifungal activity against Bipolaris sorokiniana and growth promotion of wheat seedlings. African Journal of Microbiology Research, 2016, 10, 1494-1505. | 0.4 | 4 |
| 2011 | Calcite Dissolution by Brevibacterium sp. SOTI06: A Futuristic Approach for the Reclamation of Calcareous Sodic Soils. Frontiers in Plant Science, 2016, 7, 1828. | 3.6 | 10 |
| 2012 | Virulence factors and antibiotic susceptibility patterns of multidrug resistance Klebsiella pneumoniae isolated from different clinical infections. African Journal of Microbiology Research, 2016, 10, 829-843. | 0.4 | 35 |
| 2013 | Involvement of Acylated Homoserine Lactones (AHLs) of Aeromonas sobria in Spoilage of Refrigerated Turbot (Scophthalmus maximus L.). Sensors, 2016, 16, 1083. | 3.8 | 28 |
| 2014 | Isolation of plant growth-promoting Pseudomonas sp. PPR8 from the rhizosphere of Phaseolus vulgaris L.. Archives of Biological Sciences, 2016, 68, 363-374. | 0.5 | 12 |
| 2015 | Potential of Bacillus amyloliquefaciens for Biocontrol of Bacterial Wilt of Tomato Incited by Ralstonia solanacearum. Journal of Plant Pathology & Microbiology, 2016, 07, . | 0.3 | 28 |
| 2016 | Functional abilities of cultivable plant growth promoting bacteria associated with wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁₇ /Overlook | 1.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2017 | Comparative Genomic Analysis of <i>Delftia tsuruhatensis</i> MTQ3 and the Identification of Functional NRPS Genes for Siderophore Production. <i>BioMed Research International</i> , 2016, 2016, 1-8. | 1.9 | 17 |
| 2018 | Catecholamine-Stimulated Growth of <i>Aeromonas hydrophila</i> Requires the TonB2 Energy Transduction System but Is Independent of the Amonabactin Siderophore. <i>Frontiers in Cellular and Infection Microbiology</i> , 2016, 6, 183. | 3.9 | 17 |
| 2019 | Ferrioxamine Siderophores Detected amongst Iron Binding Ligands Produced during the Remineralization of Marine Particles. <i>Frontiers in Marine Science</i> , 0, 3, . | 2.5 | 40 |
| 2020 | The <i>Lysobacter capsici</i> AZ78 Genome Has a Gene Pool Enabling it to Interact Successfully with Phytopathogenic Microorganisms and Environmental Factors. <i>Frontiers in Microbiology</i> , 2016, 7, 96. | 3.5 | 36 |
| 2021 | When Genome-Based Approach Meets the “Old but Good” Revealing Genes Involved in the Antibacterial Activity of <i>Pseudomonas</i> sp. P482 against Soft Rot Pathogens. <i>Frontiers in Microbiology</i> , 2016, 7, 782. | 3.5 | 27 |
| 2022 | Siderophore Biosynthesis but Not Reductive Iron Assimilation Is Essential for the Dimorphic Fungus <i>Nomuraea rileyi</i> Conidiation, Dimorphism Transition, Resistance to Oxidative Stress, Pigmented Microsclerotium Formation, and Virulence. <i>Frontiers in Microbiology</i> , 2016, 7, 931. | 3.5 | 18 |
| 2023 | Halotolerant Rhizobacteria Promote Growth and Enhance Salinity Tolerance in Peanut. <i>Frontiers in Microbiology</i> , 2016, 7, 1600. | 3.5 | 200 |
| 2024 | Hydrogen Cyanide in the Rhizosphere: Not Suppressing Plant Pathogens, but Rather Regulating Availability of Phosphate. <i>Frontiers in Microbiology</i> , 2016, 7, 1785. | 3.5 | 203 |
| 2025 | Plant-Endophyte Partnerships to Assist Petroleum Hydrocarbon Remediation. , 2016, , 1-34. | | 2 |
| 2026 | Plant-associated fluorescent <i>Pseudomonas</i> from red lateritic soil: Beneficial characteristics and their impact on lettuce growth. <i>Journal of General and Applied Microbiology</i> , 2016, 62, 248-257. | 0.7 | 19 |
| 2027 | Functional Analysis of the Ferric Uptake Regulator Gene <i>fur</i> in <i>Xanthomonas vesicatoria</i> . <i>PLoS ONE</i> , 2016, 11, e0149280. | 2.5 | 14 |
| 2028 | HapX Mediates Iron Homeostasis in the Pathogenic Dermatophyte <i>Arthroderma benhamiae</i> but Is Dispensable for Virulence. <i>PLoS ONE</i> , 2016, 11, e0150701. | 2.5 | 13 |
| 2029 | Genetic and Functional Analysis of the Biosynthesis of a Non-Ribosomal Peptide Siderophore in <i>Burkholderia xenovorans</i> LB400. <i>PLoS ONE</i> , 2016, 11, e0151273. | 2.5 | 22 |
| 2030 | Bioprospecting of Plant Growth Promoting Bacilli and Related Genera Prevalent in Soils of Pristine Sacred Groves: Biochemical and Molecular Approach. <i>PLoS ONE</i> , 2016, 11, e0152951. | 2.5 | 40 |
| 2031 | Plant Growth Promotion and Suppression of Bacterial Leaf Blight in Rice by Inoculated Bacteria. <i>PLoS ONE</i> , 2016, 11, e0160688. | 2.5 | 104 |
| 2032 | Bioaugmentation with Endophytic Bacterium E6S Homologous to <i>Achromobacter piechaudii</i> Enhances Metal Rhizoaccumulation in Host <i>Sedum plumbizincicola</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 75. | 3.6 | 65 |
| 2033 | Rhizospheric Bacterial Strain <i>Brevibacterium casei</i> MH8a Colonizes Plant Tissues and Enhances Cd, Zn, Cu Phytoextraction by White Mustard. <i>Frontiers in Plant Science</i> , 2016, 7, 101. | 3.6 | 49 |
| 2034 | Plant Growth Promoting Rhizobacteria and Silicon Synergistically Enhance Salinity Tolerance of Mung Bean. <i>Frontiers in Plant Science</i> , 2016, 7, 876. | 3.6 | 178 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2035 | Screening and Evaluation of the Bioremediation Potential of Cu/Zn-Resistant, Autochthonous <i>Acinetobacter</i> sp. FQ-44 from <i>Sonchus oleraceus</i> L.. <i>Frontiers in Plant Science</i> , 2016, 7, 1487. | 3.6 | 21 |
| 2036 | A Halotolerant Bacterium <i>Bacillus licheniformis</i> HSW-16 Augments Induced Systemic Tolerance to Salt Stress in Wheat Plant (<i>Triticum aestivum</i>). <i>Frontiers in Plant Science</i> , 2016, 7, 1890. | 3.6 | 131 |
| 2037 | Analysis of plant growth promoting potential of endophytes isolated from <i>echinacea purpurea</i> and <i>lonicera japonica</i> . <i>Journal of Soil Science and Plant Nutrition</i> , 2016, , 0-0. | 3.4 | 4 |
| 2038 | Elevation of Defense Network in Chilli Against <i>Colletotrichum capsici</i> by Phyllospheric <i>Trichoderma</i> Strain. <i>Journal of Plant Growth Regulation</i> , 2016, 35, 377-389. | 5.1 | 21 |
| 2039 | Plant growth-promoting <i>Burkholderia</i> species isolated from annual ryegrass in Portuguese soils. <i>Journal of Applied Microbiology</i> , 2016, 120, 724-739. | 3.1 | 38 |
| 2040 | Increased iron-stress resilience of maize through inoculation of siderophore-producing <i>Arthrobacter globiformis</i> from mine. <i>Journal of Basic Microbiology</i> , 2016, 56, 719-735. | 3.3 | 37 |
| 2041 | Detection of plant growth enhancing features in psychrotolerant yeasts from Patagonia (Argentina). <i>Journal of Basic Microbiology</i> , 2016, 56, 1098-1106. | 3.3 | 26 |
| 2042 | Iron acquisition and siderophore production in the fish pathogen <i>Renibacterium salmoninarum</i> . <i>Journal of Fish Diseases</i> , 2016, 39, 1275-1283. | 1.9 | 48 |
| 2043 | Insights into the virulence-related genes of <i>Edwardsiella tarda</i> isolated from turbot in Europe: genetic homogeneity and evidence for vibrioferrin production. <i>Journal of Fish Diseases</i> , 2016, 39, 565-576. | 1.9 | 11 |
| 2044 | Transposon-mediated random gene disruption with moderate halophilic bacteria and its application for halophilic bacterial siderophore analysis. <i>Journal of Basic Microbiology</i> , 2016, 56, 1354-1359. | 3.3 | 3 |
| 2045 | Serobactins-mediated iron acquisition systems optimize competitive fitness of <i>Herbaspirillum seropedicae</i> inside rice plants. <i>Environmental Microbiology</i> , 2016, 18, 2523-2533. | 3.8 | 17 |
| 2046 | Pyoverdins fail to invade bacterial populations in stationary phase. <i>Journal of Evolutionary Biology</i> , 2016, 29, 1728-1736. | 1.7 | 16 |
| 2047 | Cadmium-induced and trans-generational changes in the cultivable and total seed endophytic community of <i>Arabidopsis thaliana</i> . <i>Plant Biology</i> , 2016, 18, 376-381. | 3.8 | 41 |
| 2048 | Growth and Cadmium Accumulation of <i>Solanum nigrum</i> L. Seedling were Enhanced by Heavy Metal-Tolerant Strains of <i>Pseudomonas aeruginosa</i> . <i>Water, Air, and Soil Pollution</i> , 2016, 227, 1. | 2.4 | 26 |
| 2049 | Selection of <i>Streptomyces</i> against soil borne fungal pathogens by a standardized dual culture assay and evaluation of their effects on seed germination and plant growth. <i>BMC Microbiology</i> , 2016, 16, 272. | 3.3 | 60 |
| 2050 | Growth Promotion Features of the Maize Microbiome: From an Agriculture Perspective. , 2016, , 345-374. | | 11 |
| 2051 | iTRAQ-based quantitative proteomic analysis reveals potential factors associated with the enhancement of phenazine-1-carboxamide production in <i>Pseudomonas chlororaphis</i> P3. <i>Scientific Reports</i> , 2016, 6, 27393. | 3.3 | 43 |
| 2052 | Detection of antimicrobial traits in fluorescent pseudomonads and molecular characterization of an antibiotic pyoluteorin. <i>3 Biotech</i> , 2016, 6, 227. | 2.2 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2053 | An iron detection system determines bacterial swarming initiation and biofilm formation. Scientific Reports, 2016, 6, 36747. | 3.3 | 31 |
| 2054 | Plant Growth-Promoting Endophyte <i>Serratia marcescens</i> AL2-16 Enhances the Growth of <i>Achyranthes aspera</i> L., a Medicinal Plant. HAYATI Journal of Biosciences, 2016, 23, 173-180. | 0.4 | 52 |
| 2055 | Unusual non-fluorescent broad spectrum siderophore activity (SID EGYII) by <i>Pseudomonas aeruginosa</i> strain EGYII DSM 101801 and a new insight towards simple siderophore bioassay. AMB Express, 2016, 6, 26. | 3.0 | 3 |
| 2056 | Antagonistic potential of <i>Pseudomonas graminis</i> 49M against <i>Erwinia amylovora</i> , the causal agent of fire blight. Archives of Microbiology, 2016, 198, 531-539. | 2.2 | 29 |
| 2057 | Pyoverdine and histocorrugatin-mediated iron acquisition in <i>Pseudomonas thivervalensis</i> . BioMetals, 2016, 29, 467-485. | 4.1 | 26 |
| 2058 | Effects of <i>Bacillus velezensis</i> strain BAC03 in promoting plant growth. Biological Control, 2016, 98, 18-26. | 3.0 | 103 |
| 2059 | Variochelins, Lipopeptide Siderophores from <i>Variovorax boronicumulans</i> Discovered by Genome Mining. Journal of Natural Products, 2016, 79, 865-872. | 3.0 | 21 |
| 2060 | Properties of <i>Astragalus</i> sp. microsymbionts and their putative role in plant growth promotion. Archives of Microbiology, 2016, 198, 793-801. | 2.2 | 6 |
| 2061 | Production and Characterization of Desmalonichrome Relative Binding Affinity for Uranyl Ions in Relation to Other Siderophores. Journal of Natural Products, 2016, 79, 1492-1499. | 3.0 | 12 |
| 2062 | Enhancement of ecosystem services during endophyte-assisted aided phytostabilization of metal contaminated mine soil. Science of the Total Environment, 2016, 562, 480-492. | 8.0 | 72 |
| 2063 | Bioalteration of synthetic Fe(III)-, Fe(II)-bearing basaltic glasses and Fe-free glass in the presence of the heterotrophic bacteria strain <i>Pseudomonas aeruginosa</i> : Impact of siderophores. Geochimica Et Cosmochimica Acta, 2016, 188, 147-162. | 3.9 | 36 |
| 2064 | Characterization of cadmium-resistant bacteria for its potential in promoting plant growth and cadmium accumulation in <i>Sesbania bispinosa</i> root. International Journal of Phytoremediation, 2016, 18, 1061-1066. | 3.1 | 36 |
| 2065 | The 5-lipoxygenase inhibitor RF-22c potently suppresses leukotriene biosynthesis in cellulo and blocks bronchoconstriction and inflammation in vivo. Biochemical Pharmacology, 2016, 112, 60-71. | 4.4 | 25 |
| 2066 | Subunit orientation in the <i>Escherichia coli</i> enterobactin biosynthetic EntA-EntE complex revealed by a two-hybrid approach. Biochimie, 2016, 127, 1-9. | 2.6 | 5 |
| 2067 | Iron assimilation and siderophore production by <i>Vibrio ordalii</i> strains isolated from diseased Atlantic salmon <i>Salmo salar</i> in Chile. Diseases of Aquatic Organisms, 2016, 118, 217-226. | 1.0 | 9 |
| 2068 | Potential of endophytes from medicinal plants for biocontrol and plant growth promotion. Journal of General Plant Pathology, 2016, 82, 165-173. | 1.0 | 21 |
| 2069 | Alleviation of salinity-induced damage on wheat plant by an ACC deaminase-producing halophilic bacterium <i>Serratia</i> sp. SL- 12 isolated from a salt lake. Symbiosis, 2016, 69, 101-111. | 2.3 | 66 |
| 2070 | Beneficial cyanobacteria and eubacteria synergistically enhance bioavailability of soil nutrients and yield of okra. Heliyon, 2016, 2, e00066. | 3.2 | 76 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2071 | Biological control of gray mold and growth promotion of tomato using <i>Bacillus</i> spp. isolated from soil. <i>Tropical Plant Pathology</i> , 2016, 41, 169-176. | 1.5 | 21 |
| 2072 | Identification and characterization of <i>Photorhabdus temperata</i> mutants altered in hemolysis and virulence. <i>Canadian Journal of Microbiology</i> , 2016, 62, 657-667. | 1.7 | 0 |
| 2073 | Bioremediation of petroleum contaminated soil to combat toxicity on <i>Withania somnifera</i> through seed priming with biosurfactant producing plant growth promoting rhizobacteria. <i>Journal of Environmental Management</i> , 2016, 174, 79-86. | 7.8 | 48 |
| 2074 | Endophytic bacteria with antagonistic traits inhabit the wood tissues of grapevines from Tunisian vineyards. <i>Biological Control</i> , 2016, 99, 28-37. | 3.0 | 34 |
| 2075 | The ferrichrome receptor A as a new target for <i>Pseudomonas aeruginosa</i> virulence attenuation. <i>FEMS Microbiology Letters</i> , 2016, 363, fnw104. | 1.8 | 15 |
| 2076 | Bacterial siderophore mimicking iron complexes as DNA targeting antimicrobials. <i>RSC Advances</i> , 2016, 6, 39245-39260. | 3.6 | 19 |
| 2077 | Assessment of bacterial populations associated with banana tree roots and development of successful plant probiotics for banana crop. <i>Soil Biology and Biochemistry</i> , 2016, 99, 1-20. | 8.8 | 24 |
| 2078 | Actinomycetes from Eucalyptus and their biological activities for controlling Eucalyptus leaf and shoot blight. <i>Microbiological Research</i> , 2016, 188-189, 42-52. | 5.3 | 41 |
| 2079 | Mitigation of salt stress in wheat plant (<i>Triticum aestivum</i>) by ACC deaminase bacterium <i>Enterobacter</i> sp. SBP-6 isolated from <i>Sorghum bicolor</i> . <i>Acta Physiologiae Plantarum</i> , 2016, 38, 1. | 2.1 | 37 |
| 2080 | Influence of Niche-Specific Nutrients on Secondary Metabolism in <i>Vibrionaceae</i> . <i>Applied and Environmental Microbiology</i> , 2016, 82, 4035-4044. | 3.1 | 18 |
| 2081 | Ammonia-Oligotrophic and Diazotrophic Heavy Metal-Resistant <i>Serratia liquefaciens</i> Strains from Pioneer Plants and Mine Tailings. <i>Microbial Ecology</i> , 2016, 72, 324-346. | 2.8 | 13 |
| 2082 | Heavy metal tolerant <i>Pseudomonas protegens</i> isolates from agricultural well water in northeastern Algeria with plant growth promoting, insecticidal and antifungal activities. <i>European Journal of Soil Biology</i> , 2016, 75, 38-46. | 3.2 | 52 |
| 2083 | Genomic and metagenomic analysis of microbes in a soil environment affected by the 2011 Great East Japan Earthquake tsunami. <i>BMC Genomics</i> , 2016, 17, 53. | 2.8 | 23 |
| 2084 | Assessing the effects of heavy metals in ACC deaminase and IAA production on plant growth-promoting bacteria. <i>Microbiological Research</i> , 2016, 188-189, 53-61. | 5.3 | 109 |
| 2085 | Diverted Total Synthesis of Promysalin Analogs Demonstrates That an Iron-Binding Motif Is Responsible for Its Narrow-Spectrum Antibacterial Activity. <i>Journal of the American Chemical Society</i> , 2016, 138, 5833-5836. | 13.7 | 29 |
| 2086 | Promotion of sunflower growth under saline water irrigation by the inoculation of beneficial microorganisms. <i>Applied Soil Ecology</i> , 2016, 105, 36-47. | 4.3 | 36 |
| 2087 | <i>Medicago truncatula</i> Gaertn. as a model for understanding the mechanism of growth promotion by bacteria from rhizosphere and nodules of alfalfa. <i>Planta</i> , 2016, 243, 1169-1189. | 3.2 | 22 |
| 2088 | The global regulatory effect of <i>Edwardsiella tarda</i> Fur on iron acquisition, stress resistance, and host infection: A proteomics-based interpretation. <i>Journal of Proteomics</i> , 2016, 140, 100-110. | 2.4 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2089 | Isolation and characterization of culturable seed-associated bacterial endophytes from gnotobiotically grown Marama bean seedlings. FEMS Microbiology Ecology, 2016, 92, fiw083. | 2.7 | 90 |
| 2090 | Biological control of Phomopsis leaf blight of brinjal (<i>Solanum melongena</i> L.) with combining phylloplane and rhizosphere colonizing beneficial bacteria. Biological Control, 2016, 101, 123-129. | 3.0 | 14 |
| 2091 | Inhibition of the Flavin-Dependent Monooxygenase Siderophore A (SidA) Blocks Siderophore Biosynthesis and <i>Aspergillus fumigatus</i> Growth. ACS Chemical Biology, 2016, 11, 3035-3042. | 3.4 | 23 |
| 2092 | Identification and characterization of a FAD-dependent putrescine N-hydroxylase (GorA) from <i>Gordonia rubripertincta</i> CWB2. Journal of Molecular Catalysis B: Enzymatic, 2016, 134, 378-389. | 1.8 | 26 |
| 2093 | Plant growth promoting rhizobacteria suppress blast disease caused by <i>Pyricularia oryzae</i> and increase grain yield of rice. BioControl, 2016, 61, 769-780. | 2.0 | 24 |
| 2094 | Bioprospecting of aerobic endospore-forming bacteria with biotechnological potential for growth promotion of banana plants. Scientia Horticulturae, 2016, 212, 81-90. | 3.6 | 27 |
| 2095 | Crop management as a driving force of plant growth promoting rhizobacteria physiology. SpringerPlus, 2016, 5, 1574. | 1.2 | 22 |
| 2096 | Phosphate dissolving fungi: Mechanism and application in alleviation of salt stress in wheat. Microbiological Research, 2016, 193, 94-102. | 5.3 | 38 |
| 2097 | Co-inoculation with endophytic and rhizosphere bacteria allows reduced application rates of N-fertilizer for rice plant. Rhizosphere, 2016, 2, 5-12. | 3.0 | 68 |
| 2098 | Native halo-tolerant plant growth promoting rhizobacteria <i>Enterococcus</i> and <i>Pantoea</i> sp. improve seed yield of Mungbean (<i>Vigna radiata</i> L.) under soil salinity by reducing sodium uptake and stress injury. Physiology and Molecular Biology of Plants, 2016, 22, 445-459. | 3.1 | 70 |
| 2099 | Phytohormone production endowed with antagonistic potential and plant growth promoting abilities of culturable endophytic bacteria isolated from <i>Clerodendrum colebrookianum</i> Walp.. Microbiological Research, 2016, 193, 57-73. | 5.3 | 84 |
| 2100 | Bacteria consortium optimization improves nutrient uptake, nodulation, disease suppression and growth of the common bean (<i>Phaseolus vulgaris</i>) in both pot and field studies. Rhizosphere, 2016, 2, 13-23. | 3.0 | 57 |
| 2101 | Identification of a novel endophytic <i>Bacillus</i> sp. from <i>Capsicum annuum</i> with highly efficient and broad spectrum plant probiotic effect. Journal of Applied Microbiology, 2016, 121, 1079-1094. | 3.1 | 21 |
| 2102 | The <i>Pseudomonas aeruginosa</i> extracellular secondary metabolite, Paerucumarin, chelates iron and is not localized to extracellular membrane vesicles. Journal of Microbiology, 2016, 54, 573-581. | 2.8 | 14 |
| 2103 | Optimization of Copper (II) Removal by Response Surface Methodology Using Root Nodule Endophytic Bacteria Isolated from <i>Vigna unguiculata</i> . Water, Air, and Soil Pollution, 2016, 227, 1. | 2.4 | 12 |
| 2104 | Bio-protective microbial agents from rhizosphere eco-systems trigger plant defense responses provide protection against sheath blight disease in rice (<i>Oryza sativa</i> L.). Microbiological Research, 2016, 192, 300-312. | 5.3 | 87 |
| 2105 | Inoculation of <i>Brassica oxyrrhina</i> with plant growth promoting bacteria for the improvement of heavy metal phytoremediation under drought conditions. Journal of Hazardous Materials, 2016, 320, 36-44. | 12.4 | 205 |
| 2106 | Characterization of efficient plant-growth-promoting bacteria isolated from <i>Sulla coronaria</i> resistant to cadmium and to other heavy metals. Comptes Rendus - Biologies, 2016, 339, 391-398. | 0.2 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2107 | <i>Burkholderia</i> genome mining for nonribosomal peptide synthetases reveals a great potential for novel siderophores and lipopeptides synthesis. <i>MicrobiologyOpen</i> , 2016, 5, 512-526. | 3.0 | 86 |
| 2108 | Intracellular co-localization of the <i>Escherichia coli</i> enterobactin biosynthetic enzymes EntA, EntB, and EntE. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 25-32. | 2.1 | 10 |
| 2109 | Diazotrophic bacilli isolated from the sunflower rhizosphere and the potential of <i>Bacillus mycoides</i> B38V as biofertiliser. <i>Annals of Applied Biology</i> , 2016, 168, 93-110. | 2.5 | 37 |
| 2110 | Multifunctional <i>Pseudomonas putida</i> strain FBKV2 from arid rhizosphere soil and its growth promotional effects on maize under drought stress. <i>Rhizosphere</i> , 2016, 1, 4-13. | 3.0 | 53 |
| 2111 | 7-Hydroxytropolone produced and utilized as an iron-scavenger by <i>Pseudomonas donghuensis</i> . <i>BioMetals</i> , 2016, 29, 817-826. | 4.1 | 17 |
| 2112 | Siderophores in Cloud Waters and Potential Impact on Atmospheric Chemistry: Production by Microorganisms Isolated at the Puy de Dôme Station. <i>Environmental Science & Technology</i> , 2016, 50, 9315-9323. | 10.0 | 25 |
| 2113 | Potential biocontrol actinobacteria: Rhizospheric isolates from the Argentine Pampas lowlands legumes. <i>Journal of Basic Microbiology</i> , 2016, 56, 1289-1298. | 3.3 | 20 |
| 2114 | Evaluation of <i>Brevibacillus brevis</i> as a potential plant growth promoting rhizobacteria for cotton (<i>Gossypium hirsutum</i>) crop. <i>SpringerPlus</i> , 2016, 5, 948. | 1.2 | 59 |
| 2115 | Biogenic Fenton-like Reaction Involvement in Cometabolic Degradation of Tetrabromobisphenol A by <i>Pseudomonas</i> sp. fz. <i>Environmental Science & Technology</i> , 2016, 50, 9981-9989. | 10.0 | 54 |
| 2116 | Assessment of plant growth promoting bacterial populations in the rhizosphere of metallophytes from the Kettara mine, Marrakech. <i>Environmental Science and Pollution Research</i> , 2016, 23, 21751-21765. | 5.3 | 31 |
| 2117 | Nonribosomal peptide synthetase with a unique iterative-alternative-optional mechanism catalyzes a monobactam synthesis in <i>Aeromonas</i> . <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 8453-8463. | 3.6 | 13 |
| 2118 | Morphological, Physiological, and Taxonomic Characterization of Actinobacterial Isolates Living as Endophytes of Cacao Pods and Cacao Seeds. <i>Microbes and Environments</i> , 2016, 31, 56-62. | 1.6 | 20 |
| 2119 | The endophytic bacteria isolated from elephant grass (<i>Pennisetum purpureum</i> Schumacher) promote plant growth and enhance salt tolerance of Hybrid <i>Pennisetum</i> . <i>Biotechnology for Biofuels</i> , 2016, 9, 190. | 6.2 | 80 |
| 2120 | Fungal Applications in Sustainable Environmental Biotechnology. <i>Fungal Biology</i> , 2016, , . | 0.6 | 16 |
| 2121 | Production of Siderophores by <i>Serratia marcescens</i> and the Role of MacAB Efflux Pump in Siderophores Secretion. <i>BioNanoScience</i> , 2016, 6, 480-482. | 3.5 | 13 |
| 2122 | Mycoremediation of Heavy Metal/Metalloid-Contaminated Soil: Current Understanding and Future Prospects. <i>Fungal Biology</i> , 2016, , 249-272. | 0.6 | 6 |
| 2123 | Bioprospecting of Halotolerant Bacterial Isolates for Potassium Recovery from K-feldspar. <i>Chemical Engineering and Technology</i> , 2016, 39, 1645-1652. | 1.5 | 8 |
| 2124 | Critical role of bacterial isochorismatase in the autophagic process induced by <i>Acinetobacter baumannii</i> in mammalian cells. <i>FASEB Journal</i> , 2016, 30, 3563-3577. | 0.5 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2125 | Isolation of plant growth promoting rhizobacteria and their impact on growth and curcumin content in <i>Curcuma longa</i> L. <i>Biocatalysis and Agricultural Biotechnology</i> , 2016, 8, 1-7. | 3.1 | 91 |
| 2126 | InÂvivo validation of the immunogenicity of recombinant Baumannii Acinetobactin Utilization A protein (rBauA). <i>Microbial Pathogenesis</i> , 2016, 98, 77-81. | 2.9 | 22 |
| 2127 | Indigenous salt-tolerant rhizobacterium <i>Pantoea dispersa</i> (PSB3) reduces sodium uptake and mitigates the effects of salt stress on growth and yield of chickpea. <i>Acta Physiologiae Plantarum</i> , 2016, 38, 1. | 2.1 | 51 |
| 2128 | Involvement of type VI secretion system in secretion of iron chelator pyoverdine in <i>Pseudomonas taiwanensis</i> . <i>Scientific Reports</i> , 2016, 6, 32950. | 3.3 | 60 |
| 2129 | Discovery of new diketopiperazines inhibiting <i>Burkholderia cenocepacia</i> quorum sensing in vitro and in vivo. <i>Scientific Reports</i> , 2016, 6, 32487. | 3.3 | 46 |
| 2130 | A novel set of vectors for Fur-controlled protein expression under iron deprivation in <i>Escherichia coli</i> . <i>BMC Biotechnology</i> , 2016, 16, 68. | 3.3 | 4 |
| 2131 | A universal assay for the detection of siderophore activity in natural waters. <i>BioMetals</i> , 2016, 29, 1085-1095. | 4.1 | 9 |
| 2132 | Siderophore production by <i>Pseudomonas aeruginosa</i> FP6, a biocontrol strain for <i>Rhizoctonia solani</i> and <i>Colletotrichum gloeosporioides</i> causing diseases in chilli. <i>Agriculture and Natural Resources</i> , 2016, 50, 250-256. | 0.1 | 61 |
| 2133 | Biotic Interactions Shape the Ecological Distributions of <i>Staphylococcus</i> Species. <i>MBio</i> , 2016, 7, . | 4.1 | 103 |
| 2134 | Phylogenetical coherence of <i>Pseudomonas</i> in unexplored soils of Himalayan region. <i>3 Biotech</i> , 2016, 6, 170. | 2.2 | 10 |
| 2135 | Siderophores, the answer for micro to nanosized asbestos fibre related health hazard. <i>AIP Conference Proceedings</i> , 2016, , . | 0.4 | 3 |
| 2136 | Phytochemical Variations and Enhanced Efficiency of Antioxidant and Antimicrobial Ingredients in <i>Salvia officinalis</i> as Inoculated with Different Rhizobacteria. <i>Chemistry and Biodiversity</i> , 2016, 13, 319-330. | 2.1 | 42 |
| 2137 | Inoculation of new rhizobial isolates improve nutrient uptake and growth of bean (<i>Phaseolus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 96, 3446-3453. | 3.5 | 19 |
| 2138 | Culturable endophytic bacterial communities associated with field-grown soybean. <i>Journal of Applied Microbiology</i> , 2016, 120, 740-755. | 3.1 | 84 |
| 2139 | Analysis of the PGPB Potential of Bacterial Endophytes Associated with Maize. , 2016, , 23-35. | | 5 |
| 2140 | Analysis of Cultivable Endophytic Bacteria in Roots of Maize in a Soil from León Province in Mainland Spain. , 2016, , 45-53. | | 5 |
| 2141 | Study the Effects of Siderophore-Producing Bacteria on Zinc and Phosphorous Nutrition of Canola and Maize Plants. <i>Communications in Soil Science and Plant Analysis</i> , 2016, 47, 1517-1527. | 1.4 | 16 |
| 2142 | Rhizosphere mediated biodegradation of 1,4-dichlorobenzene by plant growth promoting rhizobacteria of <i>Jatropha curcas</i> . <i>Ecological Engineering</i> , 2016, 94, 50-56. | 3.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2143 | Multiplicity and specificity of siderophore uptake in the cyanobacterium <i>Anabaena</i> sp. PCC 7120. <i>Plant Molecular Biology</i> , 2016, 92, 57-69. | 3.9 | 15 |
| 2144 | Identification and characterization of endophytic bacteria isolated from in vitro cultures of peach and pear rootstocks. <i>3 Biotech</i> , 2016, 6, 120. | 2.2 | 60 |
| 2145 | Termitarium-inhabiting <i>Bacillus endophyticus</i> TSH42 and <i>Bacillus cereus</i> TSH77 colonizing <i>Curcuma longa</i> L.: isolation, characterization, and evaluation of their biocontrol and plant-growth-promoting activities. <i>Canadian Journal of Microbiology</i> , 2016, 62, 880-892. | 1.7 | 45 |
| 2146 | Acidobacteria strains from subdivision 1 act as plant growth-promoting bacteria. <i>Archives of Microbiology</i> , 2016, 198, 987-993. | 2.2 | 135 |
| 2148 | Isolation and characterization of bacterial endophytes of <i>Curcuma longa</i> L. <i>3 Biotech</i> , 2016, 6, 60. | 2.2 | 107 |
| 2149 | Application of sodium polyacrylate and plant growth-promoting bacterium, <i>Micrococcaceae</i> HW-2, on the growth of plants cultivated in the rooftop. <i>International Biodeterioration and Biodegradation</i> , 2016, 113, 297-303. | 3.9 | 13 |
| 2150 | Diversity of Culturable Plant Growth-Promoting Bacterial Endophytes Associated with Sugarcane Roots and Their Effect of Growth by Co-Inoculation of Diazotrophs and Actinomycetes. <i>Journal of Plant Growth Regulation</i> , 2016, 35, 1074-1087. | 5.1 | 60 |
| 2151 | Role of Vfr in the regulation of antifungal compound production by <i>Pseudomonas fluorescens</i> FD6. <i>Microbiological Research</i> , 2016, 188-189, 106-112. | 5.3 | 17 |
| 2152 | Characterization of plant growth promoting traits of bacterial isolates from the rhizosphere of barley (<i>Hordeum vulgare</i> L.) and tomato (<i>Solanum lycopersicon</i> L.) grown under Fe sufficiency and deficiency. <i>Plant Physiology and Biochemistry</i> , 2016, 107, 187-196. | 5.8 | 58 |
| 2153 | Mineral Type and Solution Chemistry Affect the Structure and Composition of Actively Growing Bacterial Communities as Revealed by Bromodeoxyuridine Immunocapture and 16S rRNA Pyrosequencing. <i>Microbial Ecology</i> , 2016, 72, 428-442. | 2.8 | 14 |
| 2154 | Selection of metal resistant plant growth promoting rhizobacteria for the growth and metal accumulation of energy maize in a mine soil – Effect of the inoculum size. <i>Geoderma</i> , 2016, 278, 1-11. | 5.1 | 36 |
| 2155 | <i>Trichoderma saturnisporum</i> , a new biological control agent. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 1934-1944. | 3.5 | 37 |
| 2156 | Role of <i>DetR</i> in defence is critical for virulence of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> . <i>Molecular Plant Pathology</i> , 2016, 17, 601-613. | 4.2 | 9 |
| 2157 | Effective Colonization of Spinach Root Surface by <i>Rhizobium</i> . , 2016, , 109-122. | | 8 |
| 2158 | Isolation of plant-growth-promoting and metal-resistant cultivable bacteria from <i>Arthrocnemum macrostachyum</i> in the Odil marshes with potential use in phytoremediation. <i>Marine Pollution Bulletin</i> , 2016, 110, 133-142. | 5.0 | 59 |
| 2159 | Endophytic occupation of legume root nodules by nifH-positive non-rhizobial bacteria, and their efficacy in the groundnut (<i>Arachis hypogaea</i>). <i>Annals of Microbiology</i> , 2016, 66, 1397-1407. | 2.6 | 33 |
| 2160 | Genotypic and Phenotypic Profile of Alkalophile Proteolytic <i>Bacillus</i> sp. Associated with Rhizosphere of Apple Trees in Trans Himalayas. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2016, 86, 331-341. | 1.0 | 5 |
| 2161 | Microbial siderophores and their potential applications: a review. <i>Environmental Science and Pollution Research</i> , 2016, 23, 3984-3999. | 5.3 | 488 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2162 | Lotus japonicus plants of the Gifu B-129 ecotype subjected to alkaline stress improve their Fe ²⁺ bio-availability through inoculation with Pantoea ecalypti M91. Journal of Plant Physiology, 2016, 192, 47-55. | 3.5 | 15 |
| 2163 | Evaluation of Stress-Induced Microbial Siderophore from Pseudomonas aeruginosa Strain S1 as a Potential Matrix Metalloproteinase Inhibitor in Wound Healing Applications. Current Microbiology, 2016, 72, 583-588. | 2.2 | 5 |
| 2164 | Pyoverdine mediated sunlight induced green synthesis of silver nanoparticles. RSC Advances, 2016, 6, 8503-8510. | 3.6 | 6 |
| 2165 | Plant growth-promoting effects of rhizospheric and endophytic bacteria associated with different tomato cultivars and new tomato hybrids. Chemical and Biological Technologies in Agriculture, 2016, 3, . | 4.6 | 88 |
| 2166 | Isolation and Characterization of Salt Tolerant Plant Growth Promoting Rhizobacteria from Plants Grown in Tsunami Affected Regions of Andaman and Nicobar Islands. Geomicrobiology Journal, 2016, 33, 942-947. | 2.0 | 27 |
| 2167 | Isolation of Plant Growth Promoting Rhizobacteria from Ginger (Zingiber officinale Rosc.) Rhizome for Future Studies. The National Academy of Sciences, India, 2016, 39, 53-57. | 1.3 | 6 |
| 2168 | Diversity of bacterial endophytes in 3 and 15 year-old grapevines of Vitis vinifera cv. Corvina and their potential for plant growth promotion and phytopathogen control. Microbiological Research, 2016, 183, 42-52. | 5.3 | 77 |
| 2169 | Endophytic culturable bacteria colonizing Lavandula dentata L. plants: Isolation, characterization and evaluation of their plant growth-promoting activities. Ecological Engineering, 2016, 87, 91-97. | 3.6 | 78 |
| 2170 | Influence of Iron on Production of the Antibacterial Compound Tropodithietic Acid and Its Noninhibitory Analog in Phaeobacter inhibens. Applied and Environmental Microbiology, 2016, 82, 502-509. | 3.1 | 27 |
| 2171 | Rhizosphere and endorhiza of oilseed rape (Brassica napus L.) plant harbor bacteria with multifaceted beneficial effects. Biological Control, 2016, 94, 11-24. | 3.0 | 57 |
| 2172 | Brevundimonas diminuta mediated alleviation of arsenic toxicity and plant growth promotion in Oryza sativa L.. Ecotoxicology and Environmental Safety, 2016, 125, 25-34. | 6.0 | 131 |
| 2173 | Novel components of leaf bacterial communities of field-grown tomato plants and their potential for plant growth promotion and biocontrol of tomato diseases. Research in Microbiology, 2016, 167, 222-233. | 2.1 | 63 |
| 2174 | Phytostimulatory effect of indole-3-acetic acid by Enterobacter cloacae SN19 isolated from Teramnus labialis (L. f.) Spreng rhizosphere. Biocatalysis and Agricultural Biotechnology, 2016, 6, 128-137. | 3.1 | 10 |
| 2175 | Wewakazole B, a Cytotoxic Cyanobactin from the Cyanobacterium Moorea producens Collected in the Red Sea. Journal of Natural Products, 2016, 79, 1213-1218. | 3.0 | 46 |
| 2176 | Rhizospheric bacteria of maize with potential for biocontrol of Fusarium verticillioides. SpringerPlus, 2016, 5, 330. | 1.2 | 75 |
| 2177 | Evaluation of Paenibacillus polymyxa strain SC09-21 for biocontrol of Phytophthora blight and growth stimulation in pepper plants. Tropical Plant Pathology, 2016, 41, 162-168. | 1.5 | 21 |
| 2178 | Mining the genome of Rhodococcus fascians, a plant growth-promoting bacterium gone astray. New Biotechnology, 2016, 33, 706-717. | 4.4 | 39 |
| 2179 | Assessing the prospects of Streptomyces sp. RP1A-12 in managing groundnut stem rot disease caused by Sclerotium rolfsii Sacc. Journal of General Plant Pathology, 2016, 82, 96-104. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2180 | Iron sequestration in brown-rot fungi by oxalate and the production of reactive oxygen species (ROS). <i>International Biodeterioration and Biodegradation</i> , 2016, 109, 185-190. | 3.9 | 32 |
| 2181 | Exploring plant growth-promotion actinomycetes from vermicompost and rhizosphere soil for yield enhancement in chickpea. <i>Brazilian Journal of Microbiology</i> , 2016, 47, 85-95. | 2.0 | 119 |
| 2182 | Relationship between in vitro characterization and comparative efficacy of plant growth-promoting rhizobacteria for improving cucumber salt tolerance. <i>Archives of Microbiology</i> , 2016, 198, 379-387. | 2.2 | 83 |
| 2183 | Cellular dissolution at hypha- and spore-mineral interfaces revealing unrecognized mechanisms and scales of fungal weathering. <i>Geology</i> , 2016, 44, 319-322. | 4.4 | 77 |
| 2184 | Digital image quantification of siderophores on agar plates. <i>Data in Brief</i> , 2016, 6, 890-898. | 1.0 | 12 |
| 2185 | Fluorescent <i>Pseudomonas</i> sp. PF17 as an efficient plant growth regulator and biocontrol agent for sunflower crop under saline conditions. <i>Symbiosis</i> , 2016, 68, 99-108. | 2.3 | 48 |
| 2186 | Selective ciprofloxacin antibiotic detection by fluorescent siderophore pyoverdinin. <i>Biosensors and Bioelectronics</i> , 2016, 81, 274-279. | 10.1 | 31 |
| 2187 | Statistical-based optimization and scale-up of siderophore production process on laboratory bioreactor. <i>3 Biotech</i> , 2016, 6, 69. | 2.2 | 37 |
| 2188 | Metabolite and Mechanistic Basis of Antifungal Property Exhibited by Endophytic <i>Bacillus amyloliquefaciens</i> BmB 1. <i>Applied Biochemistry and Biotechnology</i> , 2016, 179, 830-845. | 2.9 | 19 |
| 2189 | Epigallocatechin-3-Gallate Inhibition of Myeloperoxidase and Its Counter-Regulation by Dietary Iron and Lipocalin 2 in Murine Model of Gut Inflammation. <i>American Journal of Pathology</i> , 2016, 186, 912-926. | 3.8 | 37 |
| 2190 | Wheat seeds harbour bacterial endophytes with potential as plant growth promoters and biocontrol agents of <i>Fusarium graminearum</i> . <i>Microbiological Research</i> , 2016, 186-187, 37-43. | 5.3 | 197 |
| 2191 | Mixing Up the Pieces of the Desferrioxamine B Jigsaw Defines the Biosynthetic Sequence Catalyzed by DesD. <i>ACS Chemical Biology</i> , 2016, 11, 1452-1462. | 3.4 | 28 |
| 2192 | Decoupling Activation of Heme Biosynthesis from Anaerobic Toxicity in a Molecule Active in <i>Staphylococcus aureus</i> . <i>ACS Chemical Biology</i> , 2016, 11, 1354-1361. | 3.4 | 10 |
| 2193 | Isolation of hydrocarbon-degrading and biosurfactant-producing bacteria and assessment their plant growth-promoting traits. <i>Journal of Environmental Management</i> , 2016, 168, 175-184. | 7.8 | 56 |
| 2194 | Plant growth-promoting traits of yeasts isolated from the phyllosphere and rhizosphere of <i>Drosera spatulata</i> Lab.. <i>Fungal Biology</i> , 2016, 120, 433-448. | 2.5 | 130 |
| 2195 | Layer plate CAS assay for the quantitation of siderophore production and determination of exudation patterns for fungi. <i>Journal of Microbiological Methods</i> , 2016, 121, 41-43. | 1.6 | 17 |
| 2196 | Plant growth promoting bacteria confer salt tolerance in <i>Vigna radiata</i> by up-regulating antioxidant defense and biological soil fertility. <i>Plant Growth Regulation</i> , 2016, 80, 23-36. | 3.4 | 202 |
| 2197 | Isolation and characterization of yeasts associated with plants growing in heavy-metal- and arsenic-contaminated soils. <i>Canadian Journal of Microbiology</i> , 2016, 62, 307-319. | 1.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2198 | Suppression of the fungal pathogen <i>Magnaporthe grisea</i> by <i>Stenotrophomonas maltophilia</i> , a seed-borne rice (<i>Oryza sativa</i> L.) endophytic bacterium. Archives of Agronomy and Soil Science, 2016, 62, 1271-1284. | 2.6 | 19 |
| 2199 | Fungal weathering of asbestos in semi arid regions of India. Ecotoxicology and Environmental Safety, 2016, 124, 186-192. | 6.0 | 8 |
| 2200 | Increased growth and root Cu accumulation of Sorghum sudanense by endophytic Enterobacter sp. K3-2: Implications for Sorghum sudanense biomass production and phytostabilization. Ecotoxicology and Environmental Safety, 2016, 124, 163-168. | 6.0 | 21 |
| 2201 | Inhibition of marine Vibrio sp. by pyoverdine from Pseudomonas aeruginosa PA1. Journal of Hazardous Materials, 2016, 302, 217-224. | 12.4 | 44 |
| 2202 | Rhizobacteria isolated from common bean in southern Italy as potential biocontrol agents against common bacterial blight. European Journal of Plant Pathology, 2016, 144, 297-309. | 1.7 | 16 |
| 2203 | Biodegradation of 4-nitroaniline by plant-growth promoting Acinetobacter sp. AVL B2 and toxicological analysis of its biodegradation metabolites. Journal of Hazardous Materials, 2016, 302, 426-436. | 12.4 | 75 |
| 2204 | Nitrogen-Fixing and Plant Growth-Promoting Ability of Two Endophytic Bacterial Strains Isolated from Sugarcane Stalks. Sugar Tech, 2016, 18, 373-379. | 1.8 | 27 |
| 2205 | Arsenite-oxidizing bacteria exhibiting plant growth promoting traits isolated from the rhizosphere of Oryza sativa L.: Implications for mitigation of arsenic contamination in paddies. Journal of Hazardous Materials, 2016, 302, 10-18. | 12.4 | 76 |
| 2206 | Changes in the Weathering Activity and Populations of Culturable Rock-Weathering Bacteria from the Altered Purple Siltstone and the Adjacent Soil. Geomicrobiology Journal, 2016, 33, 724-733. | 2.0 | 12 |
| 2207 | Vesicle self-assembly of amphiphilic siderophores produced by bacterial isolates from Soap Lake, Washington. Canadian Journal of Chemistry, 2016, 94, 35-43. | 1.1 | 4 |
| 2208 | Improving nickel phytoextraction by co-cropping hyperaccumulator plants inoculated by plant growth promoting rhizobacteria. Plant and Soil, 2016, 399, 179-192. | 3.7 | 55 |
| 2209 | Rhizobacterial communities associated with the flora of three serpentine outcrops of the Iberian Peninsula. Plant and Soil, 2016, 403, 233-252. | 3.7 | 22 |
| 2210 | Identification and characterization of the part of the bacterial community associated with field-grown tall fescue (Festuca arundinacea) cv. SFRO Don Tom s in Uruguay. Annals of Microbiology, 2016, 66, 329-342. | 2.6 | 14 |
| 2211 | Direct and indirect plant growth-promoting abilities of Bacillus species on chickpea, isolated from compost and rhizosphere soils. Organic Agriculture, 2017, 7, 31-40. | 2.4 | 17 |
| 2212 | Phytoremediation of a multi contaminated soil: mercury and arsenic phytoextraction assisted by mobilizing agent and plant growth promoting bacteria. Journal of Soils and Sediments, 2017, 17, 1224-1236. | 3.0 | 111 |
| 2213 | In vitro biocontrol activity of halotolerant Streptomyces aureofaciens K20: A potent antagonist against Macrophomina phaseolina (Tassi) Goid. Saudi Journal of Biological Sciences, 2017, 24, 192-199. | 3.8 | 40 |
| 2214 | Plant growth promoting activities of rhizobacteria isolated from Podophyllum hexandrum growing in North-West regions of the Himalaya. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2017, 87, 1443-1457. | 1.0 | 14 |
| 2215 | Antagonistic Actinomycetes Mediated Resistance in Solanum lycopersicon Mill. Against Rhizoctonia solani K  hn. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2017, 87, 789-798. | 1.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2216 | Productivity of capsicum influenced by conjoint application of isolated indigenous PGPR and chemical fertilizers. <i>Journal of Plant Nutrition</i> , 2017, 40, 921-927. | 1.9 | 22 |
| 2217 | Evaluation of Gram-positive rhizosphere and endophytic bacteria for biological control of fungal rice (<i>Oryza sativa</i> L.) pathogens. <i>European Journal of Plant Pathology</i> , 2017, 147, 7-14. | 1.7 | 38 |
| 2218 | Intercropping in Sugarcane Cultivation Influenced the Soil Properties and Enhanced the Diversity of Vital Diazotrophic Bacteria. <i>Sugar Tech</i> , 2017, 19, 136-147. | 1.8 | 47 |
| 2219 | Bisphenol-A removal by the halophyte <i>Juncus acutus</i> in a phytoremediation pilot: Characterization and potential role of the endophytic community. <i>Journal of Hazardous Materials</i> , 2017, 323, 350-358. | 12.4 | 45 |
| 2220 | Deciphering the regulon of a GntR family regulator via transcriptome and ChIP-exo analyses and its contribution to virulence in <i>Xanthomonas citri</i> . <i>Molecular Plant Pathology</i> , 2017, 18, 249-262. | 4.2 | 32 |
| 2221 | Biocontrol Potential Against <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> and <i>Alternaria solani</i> and Tomato Plant Growth Due to Plant Growth-Promoting Rhizobacteria. <i>International Journal of Vegetable Science</i> , 2017, 23, 294-303. | 1.3 | 23 |
| 2222 | Change in mineral weathering behaviors of a bacterium <i>Chitinophaga jiangningensis</i> JN53 under different nutrition conditions. <i>Journal of Basic Microbiology</i> , 2017, 57, 293-301. | 3.3 | 6 |
| 2223 | Furvia inhibits the 3-oxo-C12-HSL-based quorum sensing system of <i>Pseudomonas aeruginosa</i> and QS-dependent phenotypes. <i>Biofouling</i> , 2017, 33, 156-168. | 2.2 | 28 |
| 2224 | Seed-coating fenugreek with Burkholderia rhizobacteria enhances yield in field trials and can combat Fusarium wilt. <i>Rhizosphere</i> , 2017, 3, 92-99. | 3.0 | 21 |
| 2225 | Use of plant growth promoting bacterial strains to improve <i>Cytisus striatus</i> and <i>Lupinus luteus</i> development for potential application in phytoremediation. <i>Science of the Total Environment</i> , 2017, 581-582, 676-688. | 8.0 | 46 |
| 2226 | Metal resistance mechanisms in Gram-negative bacteria and their potential to remove Hg in the presence of other metals. <i>Ecotoxicology and Environmental Safety</i> , 2017, 140, 162-169. | 6.0 | 89 |
| 2227 | Effect of heavy-metal on synthesis of siderophores by <i>Pseudomonas aeruginosa</i> ZGKD3. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 52, 012103. | 0.3 | 6 |
| 2228 | Phenotypic and genotypic analysis of <i>Edwardsiella tarda</i> isolated from olive founder (Paralichthys) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 3.5 | 7 |
| 2229 | Rhizosphere actinobacteria for combating <i>Phytophthora capsici</i> and <i>Sclerotium rolfsii</i> , the major soil borne pathogens of black pepper (<i>Piper nigrum</i> L.). <i>Biological Control</i> , 2017, 109, 1-13. | 3.0 | 42 |
| 2230 | A new insight to adsorption and accumulation of high lead concentration by exopolymer and whole cells of lead-resistant bacterium <i>Acinetobacter junii</i> L. Pb1 isolated from coal mine dump. <i>Environmental Science and Pollution Research</i> , 2017, 24, 10652-10661. | 5.3 | 76 |
| 2231 | Plant-growth promoting <i>Candida</i> sp. AVGB4 with capability of 4-nitroaniline biodegradation under drought stress. <i>Ecotoxicology and Environmental Safety</i> , 2017, 139, 472-480. | 6.0 | 21 |
| 2232 | A novel extracellular low-temperature active phytase from <i>Bacillus aryabhatai</i> RS1 with potential application in plant growth. <i>Biotechnology Progress</i> , 2017, 33, 633-641. | 2.6 | 16 |
| 2233 | Molecular cloning and expression analysis of <i>Megalobrama amblycephala</i> transferrin gene and effects of exposure to iron and infection with <i>Aeromonas hydrophila</i> . <i>Fish Physiology and Biochemistry</i> , 2017, 43, 987-997. | 2.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2234 | Copper-tolerant rhizosphere bacteriaâ€™ characterization and assessment of plant growth promoting factors. Environmental Science and Pollution Research, 2017, 24, 9723-9733. | 5.3 | 25 |
| 2235 | A proteomic analysis of the iron response of Photobacterium damsela subsp. damsela reveals metabolic adaptations to iron levels changes and novel potential virulence factors. Veterinary Microbiology, 2017, 201, 257-264. | 1.9 | 26 |
| 2236 | Comparative study of rhizobacterial communities in pepper greenhouses and examination of the effects of salt accumulation under different cropping systems. Archives of Microbiology, 2017, 199, 303-315. | 2.2 | 9 |
| 2237 | Plant growth-promoting effect and genomic analysis of the beneficial endophyte Streptomyces sp. KLBMP 5084 isolated from halophyte Limonium sinense. Plant and Soil, 2017, 416, 117-132. | 3.7 | 85 |
| 2238 | Alleviation of the adverse effect of salinity stress by inoculation of plant growth promoting rhizobacteria isolated from hot humid tropical climate. Ecological Engineering, 2017, 102, 361-366. | 3.6 | 54 |
| 2239 | Bio-inoculation of Plant Growth-promoting Rhizobacterium Enterobacter cloacae ZNP-3 Increased Resistance Against Salt and Temperature Stresses in Wheat Plant (Triticum aestivum L.). Journal of Plant Growth Regulation, 2017, 36, 783-798. | 5.1 | 39 |
| 2240 | Application of <i>Bacillus megaterium</i> MCR-8 improved phytoextraction and stress alleviation of nickel in <i>Vinca rosea</i> . International Journal of Phytoremediation, 2017, 19, 813-824. | 3.1 | 63 |
| 2241 | Tea polyphenols inhibit the growth and virulence properties of <i>Fusobacterium nucleatum</i> . Scientific Reports, 2017, 7, 44815. | 3.3 | 84 |
| 2242 | Siderophores in clinical isolates of <i>Klebsiella pneumoniae</i> promote ciprofloxacin resistance by inhibiting the oxidative stress. Biochemical and Biophysical Research Communications, 2017, 491, 855-861. | 2.1 | 16 |
| 2243 | Location-Related Differences in Weathering Behaviors and Populations of Culturable Rock-Weathering Bacteria Along a Hillside of a Rock Mountain. Microbial Ecology, 2017, 73, 838-849. | 2.8 | 13 |
| 2244 | Bacterial Siderophores Hijack Neutrophil Functions. Journal of Immunology, 2017, 198, 4293-4303. | 0.8 | 52 |
| 2245 | In vitro PGPR properties and osmotic tolerance of different <i>Azospirillum</i> native strains and their effects on growth of maize under drought stress. Microbiological Research, 2017, 202, 21-29. | 5.3 | 160 |
| 2246 | Selection and characterization of coal mine autochthonous rhizobia for the inoculation of herbaceous legumes. Archives of Microbiology, 2017, 199, 991-1001. | 2.2 | 5 |
| 2247 | Aluminium resistant, plant growth promoting bacteria induce overexpression of Aluminium stress related genes in <i>Arabidopsis thaliana</i> and increase the ginseng tolerance against Aluminium stress. Microbiological Research, 2017, 200, 45-52. | 5.3 | 49 |
| 2248 | Strain identification and quorum sensing inhibition characterization of marine-derived <i>Rhizobium</i> sp. NAO1. Royal Society Open Science, 2017, 4, 170025. | 2.4 | 33 |
| 2249 | Biotransformation of copper oxide nanoparticles by the pathogenic fungus <i>Botrytis cinerea</i> . Chemosphere, 2017, 180, 178-185. | 8.2 | 33 |
| 2250 | Simultaneous use of plant growth promoting rhizobacterium and nitrogenous fertilizers may help in promoting growth, yield, and nutritional quality of okra. Journal of Plant Nutrition, 2017, 40, 1339-1350. | 1.9 | 6 |
| 2251 | Ectopic Expression of Innate Immune Protein, Lipocalin-2, in <i>Lactococcus lactis</i> Protects Against Gut and Environmental Stressors. Inflammatory Bowel Diseases, 2017, 23, 1120-1132. | 1.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2252 | Endosulfan Degradation by Selected Strains of Plant Growth Promoting Rhizobacteria. Bulletin of Environmental Contamination and Toxicology, 2017, 99, 138-145. | 2.7 | 21 |
| 2253 | Effect of halotolerant rhizobacteria isolated from halophytes on the growth of sugar beet (Beta) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 1.8 | 84 |
| 2254 | Crop specific plant growth promoting effects of ACCd enzyme and siderophore producing and cynogenic fluorescent Pseudomonas. 3 Biotech, 2017, 7, 27. | 2.2 | 26 |
| 2255 | Field application of two plant growth promoting rhizobacteria with potent antifungal properties. Rhizosphere, 2017, 3, 170-175. | 3.0 | 15 |
| 2256 | The role of dissimilatory arsenate reducing bacteria in the biogeochemical cycle of arsenic based on the physiological and functional analysis of Aeromonas sp. O23A. Science of the Total Environment, 2017, 598, 680-689. | 8.0 | 30 |
| 2257 | The <i>Trichodesmium</i> consortium: conserved heterotrophic co-occurrence and genomic signatures of potential interactions. ISME Journal, 2017, 11, 1813-1824. | 9.8 | 66 |
| 2258 | Structure&function studies of acinetobactin analogs. Metallomics, 2017, 9, 463-470. | 2.4 | 24 |
| 2259 | Zinc solubilizing bacteria from the rhizosphere of rice as prospective modulator of zinc biofortification in rice. Rhizosphere, 2017, 3, 185-190. | 3.0 | 81 |
| 2260 | Molecular diversity of 1-aminocyclopropane-1-carboxylate (ACC) deaminase producing PGPR from wheat (Triticum aestivum L.) rhizosphere. Plant and Soil, 2017, 414, 213-227. | 3.7 | 97 |
| 2261 | Isolation of As-tolerant bacteria and their potentials of reducing As and Cd accumulation of edible tissues of vegetables in metal(loid)-contaminated soils. Science of the Total Environment, 2017, 579, 179-189. | 8.0 | 57 |
| 2262 | Phenotypic and genetic characterization of <i>Pseudomonas syringae</i> strains associated with the recent citrus bacterial blast and bacterial black pit epidemics in Tunisia. Plant Pathology, 2017, 66, 1081-1093. | 2.4 | 8 |
| 2263 | Survey of Plant Growth-Promoting Mechanisms in Native Portuguese Chickpea Mesorhizobium Isolates. Microbial Ecology, 2017, 73, 900-915. | 2.8 | 39 |
| 2264 | Detection of the florfenicol resistance gene floR in Chryseobacterium isolates from rainbow trout. Exception to the general rule?. FEMS Microbiology Ecology, 2017, 93, . | 2.7 | 17 |
| 2265 | Burkholderia isolates from a sand dune leaf litter display biocontrol activity against the bole rot disease of Agave sisalana. Biological Control, 2017, 112, 41-48. | 3.0 | 15 |
| 2266 | Isolated Bacillus subtilis strain 330-2 and its antagonistic genes identified by the removing PCR. Scientific Reports, 2017, 7, 1777. | 3.3 | 57 |
| 2267 | Genomic and phenotypic analyses of Pseudomonas psychrotolerans PRS08-11306 reveal a turnerbactin biosynthesis gene cluster that contributes to nitrogen fixation. Journal of Biotechnology, 2017, 253, 10-13. | 3.8 | 12 |
| 2268 | A search for glomuferrin: a potential siderophore of arbuscular mycorrhizal fungi of the genus Glomus. BioMetals, 2017, 30, 559-564. | 4.1 | 22 |
| 2269 | Promotion of iron nutrition and growth on peanut by Paenibacillus illinoisensis and Bacillus sp. strains in calcareous soil. Brazilian Journal of Microbiology, 2017, 48, 656-670. | 2.0 | 63 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2270 | Exploiting the biosynthetic machinery of <i>Streptomyces pilosus</i> to engineer a water-soluble zirconium(<i><sc>iv</sc></i>) chelator. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 5719-5730. | 2.8 | 33 |
| 2271 | Isolation and identification of a cold-adapted bacterium and its characterization for biocontrol and plant growth-promoting activity. <i>Ecological Engineering</i> , 2017, 105, 362-369. | 3.6 | 19 |
| 2272 | A novel strain of <i>Pseudomonas</i> inhibits <i>Colletotrichum gloeosporioides</i> and <i>Fusarium oxysporum</i> infections and promotes germination of coffee. <i>Rhizosphere</i> , 2017, 4, 9-15. | 3.0 | 14 |
| 2273 | Stimulation, purification, and chemical characterization of siderophores produced by the rhizospheric bacterial strain <i>Pseudomonas putida</i> . <i>Rhizosphere</i> , 2017, 4, 16-21. | 3.0 | 14 |
| 2274 | Isolation and identification of endophytic bacteria with plant growth promoting and biocontrol potential from oak trees. <i>Forest Pathology</i> , 2017, 47, e12360. | 1.1 | 23 |
| 2275 | Plant growth promotion and suppression of charcoalâ€”rot fungus (<i><i>Macrophomina phaseolina</i></i>) in velvet bean (<i><i>Mucuna pruriens</i></i> L.) by root nodule bacteria. <i>Journal of Phytopathology</i> , 2017, 165, 463-478. | 1.0 | 11 |
| 2276 | The <i><i>Vibrio cholerae</i></i> VexGH RND Efflux System Maintains Cellular Homeostasis by Effluxing Vibriobactin. <i>MBio</i> , 2017, 8, . | 4.1 | 34 |
| 2277 | Multivalent Siderophoreâ€”DOTAM Conjugates as Theranostics for Imaging and Treatment of Bacterial Infections. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8272-8276. | 13.8 | 81 |
| 2278 | Identification of siderophore producing and cynogenic fluorescent <i>Pseudomonas</i> and a simple confrontation assay to identify potential bio-control agent for collar rot of chickpea. <i>3 Biotech</i> , 2017, 7, 137. | 2.2 | 42 |
| 2279 | Probiotic <i>Pseudomonas</i> communities enhance plant growth and nutrient assimilation via diversity-mediated ecosystem functioning. <i>Soil Biology and Biochemistry</i> , 2017, 113, 122-129. | 8.8 | 77 |
| 2280 | The influences of Cr-tolerant rhizobacteria in phytoremediation and attenuation of Cr (VI) stress in agronomic sunflower (<i>Helianthus annuus</i> L.). <i>Chemosphere</i> , 2017, 179, 112-119. | 8.2 | 31 |
| 2281 | Improvement of Growth, Yield, and Pigmentation of Mung Bean Plants Using <i><i>Ochrobactrum intermedium</i></i> CPâ€”2 as Bioinoculant. <i>Clean - Soil, Air, Water</i> , 2017, 45, 1500670. | 1.1 | 9 |
| 2282 | Characterization of the heterotrophic bacteria from a minimally processed vegetables plant. <i>LWT - Food Science and Technology</i> , 2017, 85, 293-300. | 5.2 | 23 |
| 2283 | Leguminosae native nodulating bacteria from a gold mine As-contaminated soil: Multi-resistance to trace elements, and possible role in plant growth and mineral nutrition. <i>International Journal of Phytoremediation</i> , 2017, 19, 925-936. | 3.1 | 26 |
| 2284 | A novel <i>Delftia</i> plant symbiont capable of autotrophic methylotrophy. <i>Microbiology</i> , 2017, 86, 96-105. | 1.2 | 17 |
| 2285 | <i>Pantoea alhagi</i> , a novel endophytic bacterium with ability to improve growth and drought tolerance in wheat. <i>Scientific Reports</i> , 2017, 7, 41564. | 3.3 | 129 |
| 2286 | Endophytes from maize with plant growth promotion and biocontrol activity under drought stress. <i>Russian Agricultural Sciences</i> , 2017, 43, 22-34. | 0.2 | 93 |
| 2287 | Involvement of phenazine-1-carboxylic acid in the interaction between <i>Pseudomonas chlororaphis</i> subsp. <i>aureofaciens</i> strain M71 and <i>Seiridium cardinale</i> in vivo. <i>Microbiological Research</i> , 2017, 199, 49-56. | 5.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2288 | Functional and phylogenetic diversity of cultivable rhizobacterial endophytes of sorghum [<i>Sorghum bicolor</i> (L.) Moench]. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 925-943. | 1.7 | 17 |
| 2289 | Profiling of Virulence Determinants in <i>Cronobacter sakazakii</i> Isolates from Different Plant and Environmental Commodities. <i>Current Microbiology</i> , 2017, 74, 560-565. | 2.2 | 8 |
| 2290 | Glutathione and glutathione-S-transferase activity in <i>Jatropha curcas</i> in association with pyrene degrader <i>Pseudomonas aeruginosa</i> PDB1 in rhizosphere, for alleviation of stress induced by polyaromatic hydrocarbon for effective rhizoremediation. <i>Ecological Engineering</i> , 2017, 102, 422-432. | 3.6 | 29 |
| 2291 | The <i>Pseudomonas aeruginosa</i> PrrF Small RNAs Regulate Iron Homeostasis during Acute Murine Lung Infection. <i>Infection and Immunity</i> , 2017, 85, . | 2.2 | 44 |
| 2292 | Halophilic rhizobacteria from <i>Distichlis spicata</i> promote growth and improve salt tolerance in heterologous plant hosts. <i>Symbiosis</i> , 2017, 73, 179-189. | 2.3 | 39 |
| 2293 | Pseudochelin A, a siderophore of <i>Pseudoalteromonas piscicida</i> S2040. <i>Tetrahedron</i> , 2017, 73, 2633-2637. | 1.9 | 15 |
| 2294 | Disruptions of the genes involved in lysine biosynthesis, iron acquisition, and secondary metabolisms affect virulence and fitness in <i>Metarhizium robertsii</i> . <i>Fungal Genetics and Biology</i> , 2017, 98, 23-34. | 2.1 | 12 |
| 2295 | Identification and genomic analysis of antifungal property of a tomato root endophyte <i>Pseudomonas</i> sp. p21. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 387-397. | 1.7 | 16 |
| 2296 | Effects of two new siderophore-producing rhizobacteria on growth and iron content of maize and canola plants. <i>Journal of Plant Nutrition</i> , 2017, 40, 736-746. | 1.9 | 68 |
| 2297 | Biochar and flyash inoculated with plant growth promoting rhizobacteria act as potential biofertilizer for luxuriant growth and yield of tomato plant. <i>Journal of Environmental Management</i> , 2017, 190, 20-27. | 7.8 | 88 |
| 2298 | Mineral Types and Tree Species Determine the Functional and Taxonomic Structures of Forest Soil Bacterial Communities. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 3.1 | 39 |
| 2299 | <i>Vibrio</i> sp. 33 a potential bacterial antagonist of <i>Vibrio splendidus</i> pathogenic to sea cucumber () Tj ETQq1 1 0.784314 rgBT /Overlock 19 | 3.5 | 19 |
| 2300 | Tricalcium phosphate solubilization and nitrogen fixation by newly isolated <i>Aneurinibacillus aneurinilyticus</i> CKMV1 from rhizosphere of <i>Valeriana jatamansi</i> and its growth promotional effect. <i>Brazilian Journal of Microbiology</i> , 2017, 48, 294-304. | 2.0 | 61 |
| 2301 | Small RNAs regulate the biocontrol property of fluorescent <i>Pseudomonas</i> strain Psd. <i>Microbiological Research</i> , 2017, 196, 80-88. | 5.3 | 5 |
| 2302 | The H ₂ -oxidizing Rhizobacteria Associated with Field-Grown Lentil Promote the Growth of Lentil Inoculated with Hup ⁺ Rhizobium Through Multiple Modes of Action. <i>Journal of Plant Growth Regulation</i> , 2017, 36, 348-361. | 5.1 | 8 |
| 2303 | Identification of the Ferric-Acinetobactin Outer Membrane Receptor in <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> and Structure-Activity Relationships of Synthetic Acinetobactin Analogues. <i>ACS Chemical Biology</i> , 2017, 12, 479-493. | 3.4 | 12 |
| 2304 | Ecosystem services and plant physiological status during endophyte-assisted phytoremediation of metal contaminated soil. <i>Science of the Total Environment</i> , 2017, 584-585, 329-338. | 8.0 | 79 |
| 2305 | Genetic and biochemical characterization of rhizobacterial strains and their potential use in combination with chelants for assisted phytoremediation. <i>Environmental Science and Pollution Research</i> , 2017, 24, 8866-8878. | 5.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2306 | Iron controls over di nitrogen fixation in karst tropical forest. <i>Ecology</i> , 2017, 98, 773-781. | 3.2 | 37 |
| 2307 | Solubilization of Pb-bearing apatite $Pb_5(PO_4)_3Cl$ by bacteria isolated from polluted environment. <i>Chemosphere</i> , 2017, 171, 302-307. | 8.2 | 13 |
| 2308 | Potential for plant biocontrol activity of isolated <i>Pseudomonas aeruginosa</i> and <i>Bacillus stratosphericus</i> strains against bacterial pathogens acting through both induced plant resistance and direct antagonism. <i>FEMS Microbiology Letters</i> , 2017, 364, . | 1.8 | 46 |
| 2309 | Actinobacteria phylogenomics, selective isolation from an iron oligotrophic environment and siderophore functional characterization, unveil new desferrioxamine traits. <i>FEMS Microbiology Ecology</i> , 2017, 93, . | 2.7 | 71 |
| 2310 | Isolation and identification of plant growth promoting rhizobacteria from maize (<i>Zea mays</i> L.) rhizosphere and their plant growth promoting effect on rice (<i>Oryza sativa</i> L.). <i>Journal of Plant Protection Research</i> , 2017, 57, 144-151. | 1.0 | 38 |
| 2311 | Modified microplate method for rapid and efficient estimation of siderophore produced by bacteria. <i>3 Biotech</i> , 2017, 7, 381. | 2.2 | 140 |
| 2312 | Siderophores: Augmentation of Soil Health and Crop Productivity. , 2017, , 291-312. | | 31 |
| 2313 | Physiopathological roles of spontaneously released outer membrane vesicles of <i>Bordetella pertussis</i> . <i>Future Microbiology</i> , 2017, 12, 1247-1259. | 2.0 | 17 |
| 2314 | What Lies Beneath: Root-Associated Bacteria to Improve the Growth and Health of Olive Trees. , 2017, , 107-122. | | 6 |
| 2315 | Differential response of single and co-inoculation of <i>Rhizobium leguminosarum</i> and <i>Mesorhizobium ciceri</i> for inducing water deficit stress tolerance in wheat. <i>Annals of Microbiology</i> , 2017, 67, 739-749. | 2.6 | 18 |
| 2316 | Revisiting the Chrome Azurol S Assay for Various Metal Ions. <i>Solid State Phenomena</i> , 0, 262, 509-512. | 0.3 | 14 |
| 2317 | Remediation Performance and Mechanism of Heavy Metals by a Bottom Up Activation and Extraction System Using Multiple Biochemical Materials. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 30448-30457. | 8.0 | 54 |
| 2318 | Phylogenetic diversity and antagonistic traits of root and rhizosphere pseudomonads of bean from Iran for controlling <i>Rhizoctonia solani</i> . <i>Research in Microbiology</i> , 2017, 168, 760-772. | 2.1 | 16 |
| 2319 | Biological Control and Plant Growth-Promotion Traits of <i>Streptomyces</i> Species Under Greenhouse and Field Conditions in Chickpea. <i>Agricultural Research</i> , 2017, 6, 410-420. | 1.7 | 26 |
| 2320 | Influence of bacterial strains on <i>Oryza sativa</i> grown under arsenic tainted soil: Accumulation and detoxification response. <i>Plant Physiology and Biochemistry</i> , 2017, 119, 93-102. | 5.8 | 30 |
| 2321 | A Highly Conserved Basidiomycete Peptide Synthetase Produces a Trimeric Hydroxamate Siderophore. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 3.1 | 27 |
| 2322 | Ferric Uptake Regulator Fur Is Conditionally Essential in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2017, 199, . | 2.2 | 64 |
| 2323 | High-yield production of indole-3-acetic acid by <i>Enterobacter</i> sp. DMKU-RP206, a rice phyllosphere bacterium that possesses plant growth-promoting traits. <i>3 Biotech</i> , 2017, 7, 305. | 2.2 | 42 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2324 | Roseochelin B, an Algaecidal Natural Product Synthesized by the Roseobacter <i>Phaeobacter inhibens</i> in Response to Algal Sinapic Acid. <i>Organic Letters</i> , 2017, 19, 5138-5141. | 4.6 | 42 |
| 2325 | Molecular characterization and phylogenetic analysis of highly pathogenic <i>Vibrio alginolyticus</i> strains isolated during mortality outbreaks in cultured <i>Ruditapes decussatus</i> juvenile. <i>Microbial Pathogenesis</i> , 2017, 111, 487-496. | 2.9 | 20 |
| 2326 | Investigation of a spontaneous mutant reveals novel features of iron uptake in <i>Shewanella oneidensis</i> . <i>Scientific Reports</i> , 2017, 7, 11788. | 3.3 | 17 |
| 2327 | Isolation and characterization of drought resistance bacteria for plant growth promoting properties and their effect on chilli (<i>Capsicum annuum</i>) seedling under salt stress. <i>Biocatalysis and Agricultural Biotechnology</i> , 2017, 12, 85-89. | 3.1 | 47 |
| 2328 | Characterization of cadmium-resistant <i>Klebsiella pneumoniae</i> MCC 3091 promoted rice seedling growth by alleviating phytotoxicity of cadmium. <i>Environmental Science and Pollution Research</i> , 2017, 24, 24419-24437. | 5.3 | 96 |
| 2329 | Cr(VI) and lindane removal by <i>Streptomyces</i> M7 is improved by maize root exudates. <i>Journal of Basic Microbiology</i> , 2017, 57, 1037-1044. | 3.3 | 14 |
| 2330 | <i>Mortierella alpina</i> CS10E4, an oleaginous fungal endophyte of <i>Crocus sativus</i> L. enhances apocarotenoid biosynthesis and stress tolerance in the host plant. <i>Scientific Reports</i> , 2017, 7, 8598. | 3.3 | 104 |
| 2331 | Siderophore Purification via Immobilized Metal Affinity Chromatography. <i>Solid State Phenomena</i> , 0, 262, 505-508. | 0.3 | 3 |
| 2332 | Differential antagonistic responses of <i>Bacillus pumilus</i> MSUA3 against <i>Rhizoctonia solani</i> and <i>Fusarium oxysporum</i> causing fungal diseases in <i>Fagopyrum esculentum</i> Moench. <i>Microbiological Research</i> , 2017, 205, 40-47. | 5.3 | 69 |
| 2333 | Plant Growth Promoting Bacteria (PGPB): Isolation and Screening of PGP Activities. <i>Current Protocols in Plant Biology</i> , 2017, 2, 190-209. | 2.8 | 23 |
| 2334 | <i>Azotobacter chroococcum</i> as a potentially useful bacterial biofertilizer for cotton (<i>Gossypium</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34. | 0.7 | 61 |
| 2335 | Horizontal transfer and functional evaluation of high pathogenicity islands in Avian <i>Escherichia coli</i> . <i>Polish Journal of Veterinary Sciences</i> , 2017, 20, 395-402. | 0.2 | 3 |
| 2336 | Characterization of the Functional Variance in MbtH-like Protein Interactions with a Nonribosomal Peptide Synthetase. <i>Biochemistry</i> , 2017, 56, 5380-5390. | 2.5 | 30 |
| 2337 | The Small Protein HemP Is a Transcriptional Activator for the Hemin Uptake Operon in <i>Burkholderia multivorans</i> ATCC 17616. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 3.1 | 19 |
| 2338 | Ferrichrome Has Found Its Match: Biomimetic Analogues with Diversified Activity Map Discrete Microbial Targets. <i>Chemistry - A European Journal</i> , 2017, 23, 13181-13191. | 3.3 | 8 |
| 2339 | Nutrients and host attributes modulate the abundance and functional traits of phyllosphere microbiome in rice. <i>Microbiological Research</i> , 2017, 204, 55-64. | 5.3 | 40 |
| 2340 | Analysis of <i>nhaA</i> gene from salt tolerant and plant growth promoting <i>Enterobacter ludwigii</i> . <i>Rhizosphere</i> , 2017, 4, 62-69. | 3.0 | 17 |
| 2341 | Multivalente SiderophorDOTAMKonjugate als Theranostika zur Visualisierung und Behandlung bakterieller Infektionen. <i>Angewandte Chemie</i> , 2017, 129, 8384-8389. | 2.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2342 | Molecular, structural, and functional comparison of N lobe and C lobe of the transferrin from rock bream, <i>Oplegnathus fasciatus</i> , with respect to its immune response. <i>Fish and Shellfish Immunology</i> , 2017, 68, 299-309. | 3.6 | 9 |
| 2343 | Novel multifunctional plant growthâ€‘promoting bacteria in co-compost of palm oil industry waste. <i>Journal of Bioscience and Bioengineering</i> , 2017, 124, 506-513. | 2.2 | 24 |
| 2344 | A novel antibacterial peptide derived from <i>Crocodylus siamensis</i> haemoglobin hydrolysate induces membrane permeabilization causing iron dysregulation, oxidative stress and bacterial death. <i>Journal of Applied Microbiology</i> , 2017, 123, 819-831. | 3.1 | 16 |
| 2345 | Extraction of Ce and Th from Monazite Using REE Tolerant <i>Aspergillus niger</i> . <i>Mineral Processing and Extractive Metallurgy Review</i> , 2017, 38, 312-320. | 5.0 | 22 |
| 2346 | Phylogenetic diversity and functional characterization of the Manila clam microbiota: a culture-based approach. <i>Environmental Science and Pollution Research</i> , 2017, 24, 21721-21732. | 5.3 | 21 |
| 2347 | The rhizosphere microbiome of burned holm-oak: potential role of the genus <i>Arthrobacter</i> in the recovery of burned soils. <i>Scientific Reports</i> , 2017, 7, 6008. | 3.3 | 88 |
| 2348 | Phylloplane bacteria of <i>Jatropha curcas</i> : diversity, metabolic characteristics, and growth-promoting attributes towards vigor of maize seedling. <i>Canadian Journal of Microbiology</i> , 2017, 63, 822-833. | 1.7 | 5 |
| 2350 | The first report on <i>Listeria monocytogenes</i> producing siderophores and responds positively to N-acyl homoserine lactone (AHL) molecules by enhanced biofilm formation. <i>Archives of Microbiology</i> , 2017, 199, 1409-1415. | 2.2 | 8 |
| 2351 | Abiotic stress tolerance of microorganisms associated with oregano (<i>Origanum vulgare</i> L.) in the Yaqui Valley, Sonora. <i>Open Agriculture</i> , 2017, 2, . | 1.7 | 3 |
| 2352 | Bioherbicidal activity of allelopathic bacteria against weeds associated with wheat and their effects on growth of wheat under axenic conditions. <i>BioControl</i> , 2017, 62, 719-730. | 2.0 | 17 |
| 2353 | Phosphorus-Mobilizing Rhizobacterial Strain <i>Bacillus cereus</i> GS6 Improves Symbiotic Efficiency of Soybean on an Aridisol Amended with Phosphorus-Enriched Compost. <i>Pedosphere</i> , 2017, 27, 1049-1061. | 4.0 | 24 |
| 2354 | Multifaceted Rhizobacteria-Mediated Growth Augmentation in Chickpea. <i>Agricultural Research</i> , 2017, 6, 368-377. | 1.7 | 1 |
| 2355 | Nanobiotechnology Applications in Special Reference to Fungi. <i>Fungal Biology</i> , 2017, , 263-287. | 0.6 | 0 |
| 2356 | Diisonitrile Natural Product SF2768 Functions As a Chalkophore That Mediates Copper Acquisition in <i>Streptomyces thioluteus</i> . <i>ACS Chemical Biology</i> , 2017, 12, 3067-3075. | 3.4 | 75 |
| 2357 | Discovery of nicoyamycin A, an inhibitor of uropathogenic <i>Escherichia coli</i> growth in low iron environments. <i>Chemical Communications</i> , 2017, 53, 12778-12781. | 4.1 | 5 |
| 2358 | Effects of <i>Bacillus subtilis</i> on some physiological and biochemical parameters of <i>Triticum aestivum</i> L. (wheat) under salinity. <i>Plant Physiology and Biochemistry</i> , 2017, 121, 80-88. | 5.8 | 88 |
| 2359 | Characterization of siderophore produced by <i>Pseudomonas syringae</i> BAF.1 and its inhibitory effects on spore germination and mycelium morphology of <i>Fusarium oxysporum</i> . <i>Journal of Microbiology</i> , 2017, 55, 877-884. | 2.8 | 20 |
| 2360 | Rhizosphere microorganisms affected by soil solarization and cover cropping in <i>Capsicum annuum</i> and <i>Phaseolus lunatus</i> agroecosystems. <i>Applied Soil Ecology</i> , 2017, 119, 64-71. | 4.3 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2361 | Synergistic effect of <i>Chryseobacterium gleum</i> sp. SUK with ACC deaminase activity in alleviation of salt stress and plant growth promotion in <i>Triticum aestivum</i> L.. 3 Biotech, 2017, 7, 105. | 2.2 | 39 |
| 2362 | Increased production of versiniabactin and an anthranilate analog through media optimization. Biotechnology Progress, 2017, 33, 1193-1200. | 2.6 | 6 |
| 2363 | Hydrocarbon degradation potential and plant growth-promoting activity of culturable endophytic bacteria of <i>Lotus corniculatus</i> and <i>Oenothera biennis</i> from a long-term polluted site. Environmental Science and Pollution Research, 2017, 24, 19640-19652. | 5.3 | 67 |
| 2364 | A novel split-pot bioassay to screen indole acetic acid producing rhizobacteria for the improvement of plant growth in tomato [<i>Solanum lycopersicum</i> L.]. Scientia Horticulturae, 2017, 224, 351-357. | 3.6 | 18 |
| 2365 | Diversity and functional properties of acid-tolerant bacteria isolated from tea plantation soil of Assam. 3 Biotech, 2017, 7, 229. | 2.2 | 30 |
| 2366 | Maize seed endophytic bacteria: dominance of antagonistic, lytic enzyme-producing <i>Bacillus</i> spp.. 3 Biotech, 2017, 7, 232. | 2.2 | 51 |
| 2367 | Serpentine endophytic bacterium <i>Pseudomonas azotoformans</i> ASS1 accelerates phytoremediation of soil metals under drought stress. Chemosphere, 2017, 185, 75-85. | 8.2 | 93 |
| 2368 | Variety specific relationships between effects of rhizobacteria on root exudation, growth and nutrient uptake of soybean. Plant and Soil, 2017, 419, 83-96. | 3.7 | 37 |
| 2369 | <i>Bacillus pumilus</i> strain YSPMK11 as plant growth promoter and biocontrol agent against <i>Sclerotinia sclerotiorum</i> . 3 Biotech, 2017, 7, 90. | 2.2 | 32 |
| 2370 | Nitrogen fixation, plant growth and yield enhancements by diazotrophic growth-promoting bacteria in two cultivars of chickpea (<i>Cicer arietinum</i> L.). Biocatalysis and Agricultural Biotechnology, 2017, 11, 116-123. | 3.1 | 42 |
| 2371 | Indigenous bacteria enhance growth and modify essential oil content in <i>Leptospermum scoparium</i> (mānuka). New Zealand Journal of Botany, 2017, 55, 306-317. | 1.1 | 13 |
| 2372 | Evaluation of environmental bacterial communities as a factor affecting the growth of duckweed <i>Lemna minor</i> . Biotechnology for Biofuels, 2017, 10, 62. | 6.2 | 64 |
| 2373 | Cyanogenic <i>Pseudomonas</i> spp. strains are concentrated in the rhizosphere of alpine pioneer plants. Microbiological Research, 2017, 194, 20-28. | 5.3 | 22 |
| 2374 | Effect of <i>Pseudomonas fluorescens</i> RB4 and <i>Bacillus subtilis</i> 189 on the phytoremediation potential of <i>Catharanthus roseus</i> (L.) in Cu and Pb-contaminated soils. International Journal of Phytoremediation, 2017, 19, 514-521. | 3.1 | 32 |
| 2375 | Role of Ni-tolerant <i>Bacillus</i> spp. and <i>Althea rosea</i> L. in the phytoremediation of Ni-contaminated soils. International Journal of Phytoremediation, 2017, 19, 470-477. | 3.1 | 25 |
| 2376 | Influence of salt tolerant <i>Trichoderma</i> spp. on growth of maize (<i>Zea mays</i>) under different salinity conditions. Journal of Basic Microbiology, 2017, 57, 141-150. | 3.3 | 41 |
| 2377 | Significance of diazotrophic plant growth-promoting <i>Herbaspirillum</i> sp. GW103 on phytoextraction of Pb and Zn by <i>Zea mays</i> L.. Environmental Science and Pollution Research, 2017, 24, 3172-3180. | 5.3 | 18 |
| 2378 | The effect of temperature on the phenotypic features and the maceration ability of <i>Dickeya solani</i> strains isolated in Finland, Israel and Poland. European Journal of Plant Pathology, 2017, 147, 803-817. | 1.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2379 | Assessing the role of endophytic bacteria in the halophyte <i>Arthrocnemum macrostachyum</i> salt tolerance. <i>Plant Biology</i> , 2017, 19, 249-256. | 3.8 | 83 |
| 2380 | Evaluation of biological control of <i>Erwinia amylovora</i> , causal agent of fire blight disease of pear by antagonistic bacteria. <i>Biological Control</i> , 2017, 104, 28-34. | 3.0 | 55 |
| 2381 | Arbuscular mycorrhizal fungi and plant growth-promoting pseudomonads improve yield, quality and nutritional value of tomato: a field study. <i>Mycorrhiza</i> , 2017, 27, 1-11. | 2.8 | 210 |
| 2382 | Enhanced Cd extraction of oilseed rape (<i>Brassica napus</i>) by plant growth-promoting bacteria isolated from Cd hyperaccumulator <i>Sedum alfredii</i> Hance. <i>International Journal of Phytoremediation</i> , 2017, 19, 281-289. | 3.1 | 64 |
| 2383 | Rhizoremediation of cadmium-contaminated soil associated with hydroxamate siderophores isolated from Cd-resistant plant growth-promoting <i>Dietzia maris</i> and <i>Lysinibacillus</i> strains. <i>International Journal of Phytoremediation</i> , 2017, 19, 290-299. | 3.1 | 14 |
| 2384 | A nodule endophytic plant growth-promoting <i>Pseudomonas</i> and its effects on growth, nodulation and metal uptake in <i>Medicago lupulina</i> under copper stress. <i>Annals of Microbiology</i> , 2017, 67, 49-58. | 2.6 | 49 |
| 2385 | Marine Pollution and Microbial Remediation. , 2017, , . | | 13 |
| 2386 | Applications of Siderophore Producing Marine Bacteria in Bioremediation of Metals and Organic Compounds. , 2017, , 177-187. | | 3 |
| 2387 | Plant Growth-Promoting Characteristics of Salt Tolerant <i>Enterobacter cloacae</i> Strain KBPD and Its Efficacy in Amelioration of Salt Stress in <i>Vigna radiata</i> L.. <i>Journal of Plant Growth Regulation</i> , 2017, 36, 215-226. | 5.1 | 37 |
| 2388 | Native rhizobia from Zn mining soil promote the growth of <i>Leucaena leucocephala</i> on contaminated soil. <i>International Journal of Phytoremediation</i> , 2017, 19, 142-156. | 3.1 | 31 |
| 2389 | Xanthoferrin, the α -hydroxycarboxylate-type siderophore of <i>Xanthomonas campestris</i> pv. <i>campestris</i> , is required for optimum virulence and growth inside cabbage. <i>Molecular Plant Pathology</i> , 2017, 18, 949-962. | 4.2 | 54 |
| 2390 | Endophytes of <i>Jatropha curcas</i> promote growth of maize. <i>Rhizosphere</i> , 2017, 3, 20-28. | 3.0 | 16 |
| 2391 | Shared and host-specific microbiome diversity and functioning of grapevine and accompanying weed plants. <i>Environmental Microbiology</i> , 2017, 19, 1407-1424. | 3.8 | 100 |
| 2392 | Temperature-responsive genetic loci in pectinolytic plant pathogenic <i>Dickeya solani</i> . <i>Plant Pathology</i> , 2017, 66, 584-594. | 2.4 | 37 |
| 2393 | Plant growth-promoting potential of endophytic bacteria isolated from roots of wild <i>Dodonaea viscosa</i> L.. <i>Plant Growth Regulation</i> , 2017, 81, 399-408. | 3.4 | 62 |
| 2394 | Phyto-extraction of chromium and influence of plant growth promoting bacteria to enhance plant growth. <i>Journal of Geochemical Exploration</i> , 2017, 182, 269-274. | 3.2 | 52 |
| 2395 | The effect of plant growth-promoting rhizobacteria on the growth, physiology, and Cd uptake of <i>Arundo donax</i> L.. <i>International Journal of Phytoremediation</i> , 2017, 19, 360-370. | 3.1 | 44 |
| 2396 | Rhizobacteria promoted growth and yield of tomato plants and control of <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> . <i>Acta Horticulturae</i> , 2017, , 345-352. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2397 | Interaction Between Beneficial Bacteria and Sugarcane. , 2017, , 1-27. | | 2 |
| 2398 | Bacterial RNAP Inhibitors: Synthesis and Evaluation of Prodrugs of Arylêureidothiopheneâ€carboxylic acids. ChemistrySelect, 2017, 2, 11899-11905. | 1.5 | 2 |
| 2399 | Production, optimization and probiotic characterization of potential lactic acid bacteria producing siderophores. AIMS Microbiology, 2017, 3, 88-107. | 2.2 | 11 |
| 2400 | In vitro biocontrol and biofertilization features study of a <i>Bacillus amyloliquefaciens</i> (4RH) strain isolated from a hot spring soil in Algeria. African Journal of Microbiology Research, 2017, 11, 1564-1572. | 0.4 | 1 |
| 2401 | Tolerance and Reduction of Chromium(VI) by <i>Bacillus</i> sp. MNU16 Isolated from Contaminated Coal Mining Soil. Frontiers in Plant Science, 2017, 8, 778. | 3.6 | 96 |
| 2402 | Impact of <i>Pseudomonas aeruginosa</i> MAJ PIA03 affecting the growth and phytonutrient production of castor, a primary host-plant of <i>Samia ricini</i> . Journal of Soil Science and Plant Nutrition, 2017, , 0-0. | 3.4 | 3 |
| 2403 | Functional Characterization of Endophytic Fungal Community Associated with <i>Oryza sativa</i> L. and <i>Zea mays</i> L.. Frontiers in Microbiology, 2017, 8, 325. | 3.5 | 173 |
| 2404 | Enhanced Plant Performance in <i>Cicer arietinum</i> L. Due to the Addition of a Combination of Plant Growth-Promoting Bacteria. Agriculture (Switzerland), 2017, 7, 40. | 3.1 | 10 |
| 2405 | Evaluation of the Antifungal Activity of <i>Streptomyces</i> sp. on <i>Bipolaris sorokiniana</i> and the Growth Promotion of Wheat Plants. Journal of Agricultural Science, 2017, 9, 229. | 0.2 | 6 |
| 2406 | Secreted Citrate Serves as Iron Carrier for the Marine Pathogen <i>Photobacterium damsela</i> subsp <i>damsela</i> . Frontiers in Cellular and Infection Microbiology, 2017, 7, 361. | 3.9 | 22 |
| 2407 | Plant Growth Promoting Bacteria Associated with <i>Langsdorffia hypogaea</i> -Rhizosphere-Host Biological Interface: A Neglected Model of Bacterial Prospection. Frontiers in Microbiology, 2017, 08, 172. | 3.5 | 32 |
| 2408 | Wide Distribution of Foxicin Biosynthetic Gene Clusters in <i>Streptomyces</i> Strains â€“ An Unusual Secondary Metabolite with Various Properties. Frontiers in Microbiology, 2017, 8, 221. | 3.5 | 6 |
| 2409 | Players over the Surface: Unraveling the Role of Exopolysaccharides in Zinc Biosorption by Fluorescent <i>Pseudomonas</i> Strain Psd. Frontiers in Microbiology, 2017, 8, 284. | 3.5 | 27 |
| 2410 | Phosphate Limitation Triggers the Dissolution of Precipitated Iron by the Marine Bacterium <i>Pseudovibrio</i> sp. FO-BEG1. Frontiers in Microbiology, 2017, 8, 364. | 3.5 | 19 |
| 2411 | An In vitro Study of Bio-Control and Plant Growth Promotion Potential of Salicaceae Endophytes. Frontiers in Microbiology, 2017, 8, 386. | 3.5 | 126 |
| 2412 | Genetic Diversity of Nitrogen-Fixing and Plant Growth Promoting <i>Pseudomonas</i> Species Isolated from Sugarcane Rhizosphere. Frontiers in Microbiology, 2017, 8, 1268. | 3.5 | 116 |
| 2413 | <i>Streptomyces globosus</i> UAE1, a Potential Effective Biocontrol Agent for Black Scorch Disease in Date Palm Plantations. Frontiers in Microbiology, 2017, 8, 1455. | 3.5 | 53 |
| 2414 | Exploring the Potentials of <i>Lysinibacillus sphaericus</i> ZA9 for Plant Growth Promotion and Biocontrol Activities against Phytopathogenic Fungi. Frontiers in Microbiology, 2017, 8, 1477. | 3.5 | 76 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2415 | Determination of Geochemical Bio-Signatures in Mars-Like Basaltic Environments. <i>Frontiers in Microbiology</i> , 2017, 8, 1668. | 3.5 | 15 |
| 2416 | The LacI Family Transcription Factor, RbsR, Is a Pleiotropic Regulator of Motility, Virulence, Siderophore and Antibiotic Production, Gas Vesicle Morphogenesis and Flotation in <i>Serratia</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 1678. | 3.5 | 20 |
| 2417 | Reclassification of <i>Paenibacillus riograndensis</i> as a Genomovar of <i>Paenibacillus sonchi</i> : Genome-Based Metrics Improve Bacterial Taxonomic Classification. <i>Frontiers in Microbiology</i> , 2017, 8, 1849. | 3.5 | 27 |
| 2418 | Biocontrol of Bacterial Leaf Blight of Rice and Profiling of Secondary Metabolites Produced by Rhizospheric <i>Pseudomonas aeruginosa</i> BRp3. <i>Frontiers in Microbiology</i> , 2017, 8, 1895. | 3.5 | 157 |
| 2419 | The Endophytic Symbiont <i>Pseudomonas aeruginosa</i> Stimulates the Antioxidant Activity and Growth of <i>Achyranthes aspera</i> L. <i>Frontiers in Microbiology</i> , 2017, 8, 1897. | 3.5 | 44 |
| 2420 | The PGPR <i>Stenotrophomonas maltophilia</i> SBP-9 Augments Resistance against Biotic and Abiotic Stress in Wheat Plants. <i>Frontiers in Microbiology</i> , 2017, 8, 1945. | 3.5 | 222 |
| 2421 | Characterization of Antimicrobial-Producing Beneficial Bacteria Isolated from Huanglongbing Escape Citrus Trees. <i>Frontiers in Microbiology</i> , 2017, 8, 2415. | 3.5 | 48 |
| 2422 | Contribution of Zinc Solubilizing Bacteria in Growth Promotion and Zinc Content of Wheat. <i>Frontiers in Microbiology</i> , 2017, 8, 2593. | 3.5 | 222 |
| 2423 | Thermochelin, a Hydroxamate Siderophore from <i>Thermococcus</i> <i>agreste</i> DSM 44070. <i>Solid State Phenomena</i> , 2017, 262, 501-504. | 0.3 | 6 |
| 2424 | Rhizospheric <i>Bacillus subtilis</i> Exhibits Biocontrol Effect against <i>Rhizoctonia solani</i> in Pepper (<i>Capsicum annuum</i>). <i>BioMed Research International</i> , 2017, 2017, 1-9. | 1.9 | 21 |
| 2425 | Biological Control of Bacterial Fruit Blotch of Watermelon Pathogen (<i>Acidovorax citrulli</i>) with Rhizosphere Associated Bacteria. <i>Plant Pathology Journal</i> , 2017, 33, 170-183. | 1.7 | 33 |
| 2426 | Using Biotechnology to Solve Engineering Problems: Non-Destructive Testing of Microfabrication Components. <i>Materials</i> , 2017, 10, 788. | 2.9 | 4 |
| 2427 | Evaluation of multifarious plant growth promoting traits, antagonistic potential and phylogenetic affiliation of rhizobacteria associated with commercial tea plants grown in Darjeeling, India. <i>PLoS ONE</i> , 2017, 12, e0182302. | 2.5 | 81 |
| 2428 | Bacterial Compatibility in Combined Inoculations Enhances the Growth of Potato Seedlings. <i>Microbes and Environments</i> , 2017, 32, 14-23. | 1.6 | 53 |
| 2429 | Effect of incubation duration, growth temperature, and abiotic surface type on cell surface properties, adhesion and pathogenicity of biofilm-detached <i>Staphylococcus aureus</i> cells. <i>AMB Express</i> , 2017, 7, 191. | 3.0 | 27 |
| 2430 | Native microorganisms as potent bioinoculants for plant growth promotion in shifting agriculture (Jhum) systems. <i>Journal of Soil Science and Plant Nutrition</i> , 2017, , 0-0. | 3.4 | 14 |
| 2431 | <i>Streptomyces cameroonensisMicrobes and Environments, 2017, 32, 24-31. | 1.6 | 22 |
| 2432 | <i>Klebsiella variicola</i> and <i>Klebsiella quasipneumoniae</i> with capacity to adapt to clinical and plant settings. <i>Salud Publica De Mexico</i> , 2017, 60, 29. | 0.4 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2433 | A plant growth promoting rhizospheric <i>Pseudomonas aeruginosa</i> strain inhibits seed germination in <i>Triticum aestivum</i> (L) and <i>Zea mays</i> (L). <i>Mental Illness</i> , 2017, 8, . | 0.8 | 31 |
| 2434 | Probiotic potential <i>Streptomyces</i> species from the grains of pearl millet (<i>Pennisetum glaucum</i>). <i>African Journal of Microbiology Research</i> , 2017, 11, 553-559. | 0.4 | 2 |
| 2435 | A manganese photosensitive tricarbonyl molecule [Mn(CO) ₃ (tpa- η^3 N)]Br enhances antibiotic efficacy in a multi-drug-resistant <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2017, 163, 1477-1489. | 1.8 | 33 |
| 2436 | Plant Growth Promoting Bacteria Isolated From a Mexican Natural Ecosystem Induce Water Stress Resistance in Maize and Sorghum Plants. <i>Journal of Microbial & Biochemical Technology</i> , 2017, 9, . | 0.2 | 3 |
| 2437 | Isolation and characterization of potential Zn solubilizing bacteria from soil and its effects on soil Zn release rates, soil available Zn and plant Zn content. <i>Geoderma</i> , 2018, 321, 173-186. | 5.1 | 83 |
| 2438 | Role of nutrient limitation in the competition between uropathogenic strains of <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> in mixed biofilms. <i>Biofouling</i> , 2018, 34, 287-298. | 2.2 | 20 |
| 2439 | Immobilized FhuD2 Siderophore-Binding Protein Enables Purification of Salmycin Sideromycins from <i>Streptomyces violaceus</i> DSM 8286. <i>ACS Infectious Diseases</i> , 2018, 4, 845-859. | 3.8 | 12 |
| 2440 | The secreted metabolome of <i>Streptomyces chartreusis</i> and implications for bacterial chemistry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2490-2495. | 7.1 | 69 |
| 2441 | Alleviation of drought stress in pulse crops with ACC deaminase producing rhizobacteria isolated from acidic soil of Northeast India. <i>Scientific Reports</i> , 2018, 8, 3560. | 3.3 | 193 |
| 2442 | Long-Term Microevolution of <i>Pseudomonas aeruginosa</i> Differs between Mildly and Severely Affected Cystic Fibrosis Lungs. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2018, 59, 246-256. | 2.9 | 42 |
| 2443 | Isolation and characterization of N ₂ -fixing bacteria from giant reed and switchgrass for plant growth promotion and nutrient uptake. <i>Journal of Basic Microbiology</i> , 2018, 58, 459-471. | 3.3 | 43 |
| 2444 | Mechanism of arsenic resistance in endophytic bacteria isolated from endemic plant of mine tailings and their arsenophore production. <i>Archives of Microbiology</i> , 2018, 200, 883-895. | 2.2 | 27 |
| 2445 | Enhancing total lipid and stearidonic acid yields in <i>Buglossoides arvensis</i> through PGPR inoculation. <i>Journal of Applied Microbiology</i> , 2018, 125, 203-215. | 3.1 | 10 |
| 2446 | Indigenous plant growth-promoting bacteria enhance plant growth, biomass, and nutrient uptake in degraded forest plants. <i>3 Biotech</i> , 2018, 8, 154. | 2.2 | 12 |
| 2447 | <i>Porostereum</i> sp., Associated with Saffron (<i>Crocus sativus</i> L.), is a Latent Pathogen Capable of Producing Phytotoxic Chlorinated Aromatic Compounds. <i>Current Microbiology</i> , 2018, 75, 880-887. | 2.2 | 11 |
| 2448 | Iron Acquisition and Siderophore Release by Carbapenem-Resistant Sequence Type 258 <i>Klebsiella pneumoniae</i> . <i>MSphere</i> , 2018, 3, . | 2.9 | 36 |
| 2449 | Biofilm inhibition and pathogenicity attenuation in bacteria by <i>Proteus mirabilis</i> . <i>Royal Society Open Science</i> , 2018, 5, 170702. | 2.4 | 14 |
| 2450 | The Role of Iron Competition in the Antagonistic Action of the Rice Endophyte <i>Streptomyces sporocinereus</i> OsiSh-2 Against the Pathogen <i>Magnaporthe oryzae</i> . <i>Microbial Ecology</i> , 2018, 76, 1021-1029. | 2.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2451 | Response of two wheat cultivars to inoculation of diazotrophic bacteria in combination with reduced nitrogen fertilisation under field conditions. South African Journal of Plant and Soil, 2018, 35, 343-350. | 1.1 | 2 |
| 2452 | Paenibacillus panacihumi sp. nov., a potential plant growth-promoting bacterium isolated from ginseng-cultivated soil. Archives of Microbiology, 2018, 200, 1049-1055. | 2.2 | 9 |
| 2453 | Influence of IAA and ACC Deaminase Producing Fluorescent Pseudomonads in Alleviating Drought Stress in Wheat (Triticum aestivum). Agricultural Research, 2018, 7, 290-299. | 1.7 | 47 |
| 2454 | Role of <i>Burkholderia cepacia</i> CS8 in Cd-stress alleviation and phytoremediation by <i>Catharanthus roseus</i> . International Journal of Phytoremediation, 2018, 20, 581-592. | 3.1 | 39 |
| 2455 | A Complex Mechanism Involving LysR and TetR/AcrR That Regulates Iron Scavenger Biosynthesis in Pseudomonas donghuensis HYS. Journal of Bacteriology, 2018, 200, . | 2.2 | 39 |
| 2456 | Characterization of As(III) oxidizing Achromobacter sp. strain N2: effects on arsenic toxicity and translocation in rice. Annals of Microbiology, 2018, 68, 295-304. | 2.6 | 15 |
| 2457 | Identification of interior salt-tolerant bacteria from ice plant Mesembryanthemum crystallinum and evaluation of their promoting effects. Symbiosis, 2018, 76, 243-252. | 2.3 | 10 |
| 2458 | Stress tolerance and plant growth promotion potential of Enterobacter ludwigii PS1 isolated from Seabuckthorn rhizosphere. Biocatalysis and Agricultural Biotechnology, 2018, 14, 438-443. | 3.1 | 14 |
| 2459 | Detection of arsenic-binding siderophores in arsenic-tolerating Actinobacteria by a modified CAS assay. Ecotoxicology and Environmental Safety, 2018, 157, 176-181. | 6.0 | 48 |
| 2460 | Structural and functional delineation of aerobactin biosynthesis in hypervirulent Klebsiella pneumoniae. Journal of Biological Chemistry, 2018, 293, 7841-7852. | 3.4 | 33 |
| 2461 | Cyanotrophic and arsenic oxidizing activities of Pseudomonas mendocina P6115 isolated from mine tailings containing high cyanide concentration. Archives of Microbiology, 2018, 200, 1037-1048. | 2.2 | 5 |
| 2462 | Phenanthrene-degrading bacteria on root surfaces: a natural defense that protects plants from phenanthrene contamination. Plant and Soil, 2018, 425, 335-350. | 3.7 | 18 |
| 2463 | Impact on the Fe redox cycling of organic ligands released by Synechococcus PCC 7002, under different iron fertilization scenarios. Modeling approach. Journal of Marine Systems, 2018, 182, 67-78. | 2.1 | 12 |
| 2464 | Dissociation between Iron and Heme Biosyntheses Is Largely Accountable for Respiration Defects of Shewanella oneidensis fur Mutants. Applied and Environmental Microbiology, 2018, 84, . | 3.1 | 18 |
| 2465 | Microbial Siderophores in Metal Detoxification and Therapeutics: Recent Prospective and Applications. Microorganisms for Sustainability, 2018, , 337-350. | 0.7 | 8 |
| 2466 | Molecular interaction of 1-aminocyclopropane-1-carboxylate deaminase (ACCD)-producing endophytic Streptomyces sp. GMKU 336 towards salt-stress resistance of Oryza sativa L. cv. KDML105. Scientific Reports, 2018, 8, 1950. | 3.3 | 113 |
| 2467 | PGPRs of plum (<i>Prunus domestica</i>) rhizosphere enhance plant growth and antagonise fungal activity <i>in vitro</i> . Acta Agriculturae Scandinavica - Section B Soil and Plant Science, 2018, 68, 367-378. | 0.6 | 1 |
| 2468 | Microorganisms for Green Revolution. Microorganisms for Sustainability, 2018, , . | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2469 | Screening of endofungal bacteria isolated from wild growing mushrooms as potential biological control agents against brown blotch and internal stipe necrosis diseases of <i>Agaricus bisporus</i> . <i>Biological Control</i> , 2018, 119, 20-26. | 3.0 | 28 |
| 2470 | Community Structure of Endophytic Actinobacteria in a New Zealand Native Medicinal Plant <i>Pseudowintera colorata</i> (Horopito) and Their Influence on Plant Growth. <i>Microbial Ecology</i> , 2018, 76, 729-740. | 2.8 | 29 |
| 2471 | Endophytes isolated from ginger rhizome exhibit growth promoting potential for <i>Zea mays</i> . <i>Archives of Agronomy and Soil Science</i> , 2018, 64, 1302-1314. | 2.6 | 25 |
| 2472 | Identification and evaluation of <i>Aspergillus tubingensis</i> as a potential biocontrol agent against grey mould on tomato. <i>Journal of General Plant Pathology</i> , 2018, 84, 148-159. | 1.0 | 20 |
| 2473 | Psychrotrophic Microbiomes: Molecular Diversity and Beneficial Role in Plant Growth Promotion and Soil Health. <i>Microorganisms for Sustainability</i> , 2018, , 197-240. | 0.7 | 44 |
| 2474 | Multifarious plant growth promotion by an entomopathogenic fungus <i>Lecanicillium psalliotae</i> . <i>Microbiological Research</i> , 2018, 207, 153-160. | 5.3 | 50 |
| 2475 | Genome sequencing to develop <i>Paenibacillus donghaensis</i> strain JH8T (KCTC 13049T= LMG 23780T) as a microbial fertilizer and correlation to its plant growth-promoting phenotype. <i>Marine Genomics</i> , 2018, 37, 39-42. | 1.1 | 2 |
| 2476 | The potential contribution of siderophore producing bacteria on growth and Fe ion concentration of sunflower (<i>Helianthus annuus</i>) under water stress. <i>Journal of Plant Nutrition</i> , 2018, 41, 619-626. | 1.9 | 26 |
| 2477 | Rhizosphere-associated <i>Alcaligenes</i> and <i>Bacillus</i> strains that induce resistance against blast and sheath blight diseases, enhance plant growth and improve mineral content in rice. <i>Journal of Applied Microbiology</i> , 2018, 124, 779-796. | 3.1 | 33 |
| 2478 | Bacterial diversity associated with poplar trees grown on a Hg-contaminated site: Community characterization and isolation of Hg-resistant plant growth-promoting bacteria. <i>Science of the Total Environment</i> , 2018, 622-623, 1165-1177. | 8.0 | 65 |
| 2479 | Diversity and characterization of <i>Azotobacter</i> isolates obtained from rice rhizosphere soils in Taiwan. <i>Annals of Microbiology</i> , 2018, 68, 17-26. | 2.6 | 20 |
| 2480 | Probiotic activities of <i>Rhizobium laguerreae</i> on growth and quality of spinach. <i>Scientific Reports</i> , 2018, 8, 295. | 3.3 | 50 |
| 2481 | Suppression of root-knot disease in <i>Pogostemon cablin</i> caused by <i>Meloidogyne incognita</i> in a rhizobacteria mediated activation of phenylpropanoid pathway. <i>Biological Control</i> , 2018, 119, 43-50. | 3.0 | 34 |
| 2482 | Vibrioferin production by the food spoilage bacterium <i>Pseudomonas fragi</i> . <i>FEMS Microbiology Letters</i> , 2018, 365, . | 1.8 | 19 |
| 2483 | Paracetamol toxicity and microbial utilization. <i>Pseudomonas moorei</i> KB4 as a case study for exploring degradation pathway. <i>Chemosphere</i> , 2018, 206, 192-202. | 8.2 | 92 |
| 2484 | Alginate-perlite encapsulated <i>Pseudomonas putida</i> A (ATCC 12633) cells: Preparation, characterization and potential use as plant inoculants. <i>Journal of Biotechnology</i> , 2018, 278, 28-33. | 3.8 | 35 |
| 2485 | Bacterial endophytes modulates the withanolide biosynthetic pathway and physiological performance in <i>Withania somnifera</i> under biotic stress. <i>Microbiological Research</i> , 2018, 212-213, 17-28. | 5.3 | 32 |
| 2486 | Grapevine rootstocks shape underground bacterial microbiome and networking but not potential functionality. <i>Microbiome</i> , 2018, 6, 3. | 11.1 | 194 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2487 | Biotic aspects involved in the control of damping-off producing agents: The role of the thermotolerant microbiota isolated from composting of plant waste. <i>Biological Control</i> , 2018, 124, 82-91. | 3.0 | 20 |
| 2488 | Differences in weathering pattern, stress resistance and community structure of culturable rock-weathering bacteria between altered rocks and soils. <i>RSC Advances</i> , 2018, 8, 14201-14211. | 3.6 | 8 |
| 2489 | Unraveling the multilevel aspects of least explored plant beneficial <i>Trichoderma saturnisporum</i> isolate GITX-Panog (C). <i>European Journal of Plant Pathology</i> , 2018, 152, 169-183. | 1.7 | 19 |
| 2490 | Enhanced exopolysaccharide production and biofilm forming ability in methicillin resistant <i>Staphylococcus sciuri</i> isolated from dairy in response to acyl homoserine lactone (AHL). <i>Journal of Food Science and Technology</i> , 2018, 55, 2087-2094. | 2.8 | 12 |
| 2491 | Consistent associations with beneficial bacteria in the seed endosphere of barley (<i>Hordeum vulgare</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 2.8 | 72 |
| 2492 | Potential applications of <i>Pseudomonas</i> sp. (strain CPSB21) to ameliorate Cr ⁶⁺ stress and phytoremediation of tannery effluent contaminated agricultural soils. <i>Scientific Reports</i> , 2018, 8, 4860. | 3.3 | 70 |
| 2493 | <i>Pseudomonas aeruginosa</i> AlgR Phosphorylation Status Differentially Regulates Pyocyanin and Pyoverdine Production. <i>MBio</i> , 2018, 9, . | 4.1 | 36 |
| 2494 | Effect of inoculation of zinc-resistant bacterium <i>Enterobacter ludwigii</i> CDP-14 on growth, biochemical parameters and zinc uptake in wheat (<i>Triticum aestivum</i> L.) plant. <i>Ecological Engineering</i> , 2018, 116, 163-173. | 3.6 | 34 |
| 2495 | Population diversity of bacterial endophytes from jute (<i>Corchorus olitorius</i>) and evaluation of their potential role as bioinoculants. <i>Microbiological Research</i> , 2018, 208, 43-53. | 5.3 | 42 |
| 2496 | Bioleaching of rare earth elements from bastnaesite-bearing rock by actinobacteria. <i>Chemical Geology</i> , 2018, 483, 544-557. | 3.3 | 63 |
| 2497 | Oxic Fe(III) reduction could have generated Fe(II) in the photic zone of Precambrian seawater. <i>Scientific Reports</i> , 2018, 8, 4238. | 3.3 | 11 |
| 2498 | Development of Microbial Consortia for Growth Attributes and Protein Content in Micropropagated <i>Bacopa monnieri</i> (L.). <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2018, 88, 143-151. | 1.0 | 4 |
| 2499 | Insect Gut Bacteria: A Novel Source for Siderophore Production. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2018, 88, 567-572. | 1.0 | 19 |
| 2500 | <i>Bacillus sonorensis</i> , a Novel Plant Growth Promoting Rhizobacterium in Improving Growth, Nutrition and Yield of Chilly (<i>Capsicum annum</i> L.). <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2018, 88, 813-818. | 1.0 | 16 |
| 2501 | Mass spectrometry-derived systems biology technologies delineate the system's biochemical applications of siderophores. <i>Mass Spectrometry Reviews</i> , 2018, 37, 188-201. | 5.4 | 7 |
| 2502 | Indole-3-Acetic Acid and 1-Aminocyclopropane-1-Carboxylate Deaminase-Producing Bacteria Alleviate Sodium Stress and Promote Wheat Growth. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2018, 42, 1037-1048. | 1.5 | 4 |
| 2503 | The seed endosphere of <i>Anadenanthera colubrina</i> is inhabited by a complex microbiota, including <i>Methylobacterium</i> spp. and <i>Staphylococcus</i> spp. with potential plant-growth promoting activities. <i>Plant and Soil</i> , 2018, 422, 81-99. | 3.7 | 44 |
| 2504 | Effects of <i>Trichoderma asperellum</i> on nutrient uptake and Fusarium wilt of tomato. <i>Crop Protection</i> , 2018, 110, 275-282. | 2.1 | 73 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2505 | Legume Nodule Symbionts. Soil Science Society of America Book Series, 2018, , 199-222. | 0.3 | 6 |
| 2506 | Isolation of Microorganisms Producing Antibiotics. Soil Science Society of America Book Series, 2018, , 379-405. | 0.3 | 1 |
| 2507 | Isolation and Characterization of <i>Rumex acetosa</i> -Associated Mineral-Weathering Bacteria. Geomicrobiology Journal, 2018, 35, 148-155. | 2.0 | 4 |
| 2508 | Enhanced atrazine removal by hydrophyte-bacterium associations and in vitro screening of the isolates for their plant growth-promoting potential. International Journal of Phytoremediation, 2018, 20, 89-97. | 3.1 | 15 |
| 2509 | Properties of Probiotics Kocuria SM1 and Rhodococcus SM2 Isolated from Fish Guts. Probiotics and Antimicrobial Proteins, 2018, 10, 534-542. | 3.9 | 34 |
| 2510 | Isolation of vanadium-resistance endophytic bacterium PRE01 from Pteris vittata in stone coal smelting district and characterization for potential use in phytoremediation. Journal of Hazardous Materials, 2018, 341, 1-9. | 12.4 | 72 |
| 2511 | Effects of green light on the gene expression and virulence of the plant pathogen Pseudomonas cichorii JBC1. European Journal of Plant Pathology, 2018, 150, 223-236. | 1.7 | 15 |
| 2512 | Antagonistic endophytic bacteria associated with nodules of soybean (Glycine max L.) and plant growth-promoting properties. Brazilian Journal of Microbiology, 2018, 49, 269-278. | 2.0 | 115 |
| 2513 | Phosphate solubilization and chromium (VI) remediation potential of Klebsiella sp. strain CPSB4 isolated from the chromium contaminated agricultural soil. Chemosphere, 2018, 192, 318-327. | 8.2 | 40 |
| 2514 | Geochemical fractions and phytoavailability of Zinc in a contaminated calcareous soil affected by biotic and abiotic amendments. Environmental Geochemistry and Health, 2018, 40, 1221-1235. | 3.4 | 34 |
| 2515 | Integrated Nutrient Management for Improved Cauliflower Yield and Soil Health. International Journal of Vegetable Science, 2018, 24, 29-42. | 1.3 | 5 |
| 2516 | Nosocomial, Multidrug-Resistant <i>Klebsiella pneumoniae</i> Strains Isolated from Mexico City Produce Robust Biofilms on Abiotic Surfaces but Not on Human Lung Cells. Microbial Drug Resistance, 2018, 24, 422-433. | 2.0 | 17 |
| 2517 | Petroleum degradation by endophytic Streptomyces spp. isolated from plants grown in contaminated soil of southern Algeria. Ecotoxicology and Environmental Safety, 2018, 147, 602-609. | 6.0 | 83 |
| 2518 | Effect of conjoint application of indigenous PGPR and chemical fertilizers on productivity of maize (Zea mays L.) under mid hills of Himachal Pradesh. Journal of Plant Nutrition, 2018, 41, 297-303. | 1.9 | 15 |
| 2519 | Polyamine is a critical determinant of <i>Pseudomonas chlororaphis</i> O6 for GacS-dependent bacterial cell growth and biocontrol capacity. Molecular Plant Pathology, 2018, 19, 1257-1266. | 4.2 | 27 |
| 2520 | Effective rhizoinoculation and biofilm formation by arsenic immobilizing halophilic plant growth promoting bacteria (PGPB) isolated from mangrove rhizosphere: A step towards arsenic rhizoremediation. Science of the Total Environment, 2018, 610-611, 1239-1250. | 8.0 | 161 |
| 2521 | Root-induced changes of Zn and Pb dynamics in the rhizosphere of sunflower with different plant growth promoting treatments in a heavily contaminated soil. Ecotoxicology and Environmental Safety, 2018, 147, 206-216. | 6.0 | 69 |
| 2522 | Biocontrol of Fusarium wilt of Capsicum annum by rhizospheric bacteria isolated from turmeric endowed with plant growth promotion and disease suppression potential. European Journal of Plant Pathology, 2018, 150, 831-846. | 1.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2523 | Screening of tropically derived, multi-trait plant growth- promoting rhizobacteria and evaluation of corn and soybean colonization ability. Microbiological Research, 2018, 206, 33-42. | 5.3 | 92 |
| 2524 | Physiological evidence that <i>Piscirickettsia salmonis</i> produces siderophores and uses iron from different sources. Journal of Fish Diseases, 2018, 41, 553-558. | 1.9 | 28 |
| 2525 | Influence of fertilizers and rice cultivation methods on the abundance and diversity of phyllosphere microbiome. Journal of Basic Microbiology, 2018, 58, 172-186. | 3.3 | 37 |
| 2526 | Characterization of phosphate solubilizing fluorescent pseudomonads from the rhizosphere of <i>Aloe vera</i> (L.). Archives of Agronomy and Soil Science, 2018, 64, 1032-1040. | 2.6 | 9 |
| 2527 | Bacterial cyclic Î²-(1,2)-glucans sequester iron to protect against iron-induced toxicity. EMBO Reports, 2018, 19, 172-186. | 4.5 | 33 |
| 2528 | Ecological selection of siderophore-producing microbial taxa in response to heavy metal contamination. Ecology Letters, 2018, 21, 117-127. | 6.4 | 97 |
| 2529 | Imperative roles of halotolerant plant growth-promoting rhizobacteria and kinetin in improving salt tolerance and growth of black gram (<i>Phaseolus mungo</i>). Environmental Science and Pollution Research, 2018, 25, 4491-4505. | 5.3 | 50 |
| 2530 | Characterization of endophytic bacteria with plant growth promotion and biological control potential isolated from walnut trees. Forest Pathology, 2018, 48, e12403. | 1.1 | 5 |
| 2531 | Isolation and Characterization of Indigenous Plant Growth-Promoting Rhizobacteria and Their Effects on Growth at the Early Stage of Thai Jasmine Rice (<i>Oryza sativa</i> L. KDML105). Arabian Journal for Science and Engineering, 2018, 43, 3359-3369. | 3.0 | 13 |
| 2532 | Synergistic effect of root-associated bacteria on plant growth and certain physiological parameters of banana plant (<i>Musa acuminata</i>). Archives of Agronomy and Soil Science, 2018, 64, 1021-1031. | 2.6 | 17 |
| 2533 | Plant growth promoting and inducible antifungal activities of irrigation well water-bacteria. Biological Control, 2018, 117, 78-86. | 3.0 | 19 |
| 2535 | An endophytic <i>Bacillus</i> strain promotes growth of oil palm seedling by fine root biofilm formation. Rhizosphere, 2018, 5, 1-7. | 3.0 | 15 |
| 2536 | Anti-fungal activity of bacterial endophytes associated with legumes against <i>Fusarium solani</i> : Assessment of fungi soil suppressiveness and plant protection induction. Applied Soil Ecology, 2018, 124, 131-140. | 4.3 | 44 |
| 2537 | Diversity of cultivable bacterial endophytes in <i>Paullinia cupana</i> and their potential for plant growth promotion and phytopathogen control. Microbiological Research, 2018, 207, 8-18. | 5.3 | 70 |
| 2538 | Extracts from Marine Macroalgae and <i>Opuntia ficus-indica</i> Cladodes Enhance Halotolerance and Enzymatic Potential of Diazotrophic Rhizobacteria and Their Impact on Wheat Germination Under Salt Stress. Pedosphere, 2018, 28, 241-254. | 4.0 | 10 |
| 2539 | Population Structure and Biodiversity of <i>Pectobacterium parmentieri</i> Isolated from Potato Fields in Temperate Climate. Plant Disease, 2018, 102, 154-164. | 1.4 | 37 |
| 2540 | Mining, Isolation and Identification of Siderophore Synthesis Gene from <i>Brevibacillus brevis</i> GZDF3. American Journal of Biochemistry and Biotechnology, 2018, 14, 200-209. | 0.4 | 4 |
| 2541 | Characterization of diazotrophic growth-promoting rhizobacteria isolated from ginger root soil as antagonists against <i>Ralstonia solanacearum</i> . Biotechnology and Biotechnological Equipment, 2018, 32, 1447-1454. | 1.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2542 | Corn sap bacterial endophytes and their potential in plant growth-promotion. <i>Environmental Sustainability</i> , 2018, 1, 341-355. | 2.8 | 11 |
| 2543 | CHARACTERIZATION OF VARIOUS VIRULENCE PROPERTIES OF DRUG-RESISTANT KLEBSIELLA ISOLATES: AN IN VITRO STUDY AMONG “SUPERBUGS”. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2018, 11, 138. | 0.3 | 3 |
| 2545 | Exploring the Potentiality of Novel Rhizospheric Bacterial Strains against the Rice Blast Fungus <i>Magnaporthe oryzae</i> . <i>Plant Pathology Journal</i> , 2018, 34, 126-138. | 1.7 | 14 |
| 2546 | Inoculation with Efficient Nitrogen Fixing and Indoleacetic Acid Producing Bacterial Microsymbiont Enhance Tolerance of the Model Legume <i>Medicago truncatula</i> to Iron Deficiency. <i>BioMed Research International</i> , 2018, 2018, 1-14. | 1.9 | 7 |
| 2547 | Iron biofortification in mungbean using siderophore producing plant growth promoting bacteria. <i>Environmental Sustainability</i> , 2018, 1, 357-365. | 2.8 | 56 |
| 2548 | Characterization of rhizobacterial isolates from <i>Brassica juncea</i> for multitrait plant growth promotion and their viability studies on carriers. <i>Environmental Sustainability</i> , 2018, 1, 253-265. | 2.8 | 21 |
| 2549 | DIVERSIDAD DE BACTERIAS ENDÓFITAS CULTIVABLES ASOCIADAS A PLANTAS DE ARÁNDANO (<i>Vaccinium</i>) Tj ETQq0 0 0 rgBT /Overlock of Agricultural and Animal Sciences, 2018, , 0-0. | 0.2 | 4 |
| 2550 | Rhizobacteria isolated under field first strategy improved chickpea growth and productivity. <i>Environmental Sustainability</i> , 2018, 1, 461-469. | 2.8 | 25 |
| 2551 | Enhanced yield of diverse varieties of chickpea (<i>Cicer arietinum</i> L.) by different isolates of <i>Mesorhizobium ciceri</i> . <i>Environmental Sustainability</i> , 2018, 1, 425-435. | 2.8 | 13 |
| 2552 | Biosorption and Bioaccumulation Abilities of Actinomycetes/Streptomyces Isolated from Metal Contaminated Sites. <i>Separations</i> , 2018, 5, 54. | 2.4 | 91 |
| 2553 | Screening of plant growth promotion ability among bacteria isolated from field-grown sorghum under different managements in Brazilian drylands. <i>World Journal of Microbiology and Biotechnology</i> , 2018, 34, 186. | 3.6 | 21 |
| 2554 | Phenotypic characteristics of rhizobial and non-rhizobial isolates recovered from root nodules of chickpea (<i>Cicer arietinum</i> L.) grown in Ethiopia. <i>African Journal of Microbiology Research</i> , 2018, 12, 73-85. | 0.4 | 7 |
| 2555 | Cloning of the Bisucaberin B Biosynthetic Gene Cluster from the Marine Bacterium <i>Tenacibaculum mesophilum</i> , and Heterologous Production of Bisucaberin B. <i>Marine Drugs</i> , 2018, 16, 342. | 4.6 | 6 |
| 2556 | Antimicrobial Activity of Gallium Compounds on ESKAPE Pathogens. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 316. | 3.9 | 96 |
| 2557 | Characterization of a Cd ²⁺ -resistant plant growth promoting rhizobacterium (<i>Enterobacter</i> sp.) and its effects on rice seedling growth promotion under Cd ²⁺ -stress in vitro. <i>Agriculture and Natural Resources</i> , 2018, 52, 215-221. | 0.1 | 19 |
| 2558 | <i>Lysobacter panacihumi</i> sp. nov., isolated from ginseng cultivated soil. <i>Journal of Microbiology</i> , 2018, 56, 748-752. | 2.8 | 7 |
| 2559 | Genetic Analysis and In Vitro Enzymatic Determination of Bacterial Community in Compost Teas from Different Sources. <i>Compost Science and Utilization</i> , 2018, 26, 256-270. | 1.2 | 9 |
| 2560 | Biotechnological potential of plant growth-promoting bacteria from the roots and rhizospheres of endemic plants in ironstone vegetation in southeastern Brazil. <i>World Journal of Microbiology and Biotechnology</i> , 2018, 34, 156. | 3.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2561 | Biocontrol Rhizobacterium <i>Pseudomonas</i> sp. 23S Induces Systemic Resistance in Tomato (<i>Solanum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Microbiology, 2018, 9, 2119. | 3.5 | 59 |
| 2562 | Uropathogenic enterobacteria use the yersiniabactin metallophore system to acquire nickel. Journal of Biological Chemistry, 2018, 293, 14953-14961. | 3.4 | 46 |
| 2563 | OmpR-Mediated Transcriptional Regulation and Function of Two Heme Receptor Proteins of <i>Yersinia enterocolitica</i> Bio-Serotype 2/O:9. Frontiers in Cellular and Infection Microbiology, 2018, 8, 333. | 3.9 | 13 |
| 2564 | Identification of Soil Bacterial Isolates Suppressing Different <i>Phytophthora</i> spp. and Promoting Plant Growth. Frontiers in Plant Science, 2018, 9, 1502. | 3.6 | 66 |
| 2565 | Ecosystem Ecology and Geochemistry of Cuatro Ciénegas. Cuatro Ciénegas Basin: an Endangered Hyperdiverse Oasis, 2018, , . | 0.4 | 0 |
| 2566 | Plant growth promoting potential of <i>Aspergillus</i> sp. NPF7, isolated from wheat rhizosphere in South Gujarat, India. Environmental Sustainability, 2018, 1, 245-252. | 2.8 | 28 |
| 2567 | Molecular Genetic and Functional Analysis of pks-Harboring, Extra-Intestinal Pathogenic <i>Escherichia coli</i> From India. Frontiers in Microbiology, 2018, 9, 2631. | 3.5 | 19 |
| 2568 | A multispecies consortium of bacteria having plant growth promotion and antifungal activities, for the management of Fusarium wilt complex disease in potato (<i>Solanum tuberosum</i> L.). Biocatalysis and Agricultural Biotechnology, 2018, 16, 614-624. | 3.1 | 18 |
| 2569 | Bacterial Siderophore-Mediated Iron Acquisition in Cuatro Ciénegas Basin: A Complex Community Interplay Made Simpler in the Light of Evolutionary Genomics. Cuatro Ciénegas Basin: an Endangered Hyperdiverse Oasis, 2018, , 123-140. | 0.4 | 0 |
| 2570 | <i>Streptomyces</i> Dominate the Soil Under <i>Betula</i> Trees That Have Naturally Colonized a Red Gypsum Landfill. Frontiers in Microbiology, 2018, 9, 1772. | 3.5 | 16 |
| 2571 | Reduction in arsenic toxicity and uptake in rice (<i>Oryza sativa</i> L.) by As-resistant purple nonsulfur bacteria. Environmental Science and Pollution Research, 2018, 25, 36530-36544. | 5.3 | 42 |
| 2572 | Improved growth and nutrient acquisition of wheat genotypes in phosphorus deficient soils by plant growth-promoting rhizospheric and endophytic bacteria. Soil Science and Plant Nutrition, 2018, 64, 719-727. | 1.9 | 29 |
| 2573 | Actinobacteria associated with <i>Glycyrrhiza inflata</i> Bat. are diverse and have plant growth promoting and antimicrobial activity. Scientific Reports, 2018, 8, 13661. | 3.3 | 17 |
| 2574 | Reduced expression of iron transport and homeostasis genes in <i>Pseudomonas fluorescens</i> during iron uptake from nanoscale iron. NanolImpact, 2018, 12, 42-50. | 4.5 | 5 |
| 2575 | Isolation and Identification of Endophytic Bacteria with Plant Growth Promoting Activity and Biocontrol Potential from Wild Pistachio Trees. Plant Pathology Journal, 2018, 34, 208-217. | 1.7 | 103 |
| 2576 | Composting of rice-residues using lignocellulolytic plant-probiotic <i>Stenotrophomonas maltophilia</i> , and its evaluation for growth enhancement of <i>Oryza sativa</i> L.. Environmental Sustainability, 2018, 1, 185-196. | 2.8 | 12 |
| 2577 | The Sycamore Maple Bacterial Culture Collection From a TNT Polluted Site Shows Novel Plant-Growth Promoting and Explosives Degrading Bacteria. Frontiers in Plant Science, 2018, 9, 1134. | 3.6 | 13 |
| 2578 | Assessment of plant growth promoting activities of five rhizospheric <i>Pseudomonas</i> strains. Biocatalysis and Agricultural Biotechnology, 2018, 16, 285-292. | 3.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2579 | Identification and comprehensive evaluation of a novel biocontrol agent <i>Bacillus atrophaeus</i> JZB120050. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2018, 53, 777-785. | 1.5 | 9 |
| 2580 | Inoculation of <i>Sinorhizobium saheli</i> YH1 Leads to Reduced Metal Uptake for <i>Leucaena leucocephala</i> Grown in Mine Tailings and Metal-Polluted Soils. <i>Frontiers in Microbiology</i> , 2018, 9, 1853. | 3.5 | 14 |
| 2581 | Quantitative RNA-seq Analysis Unveils Osmotic and Thermal Adaptation Mechanisms Relevant for Ectoine Production in <i>Chromohalobacter salexigens</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 1845. | 3.5 | 21 |
| 2582 | Rhizobium strains in the biological control of the phytopathogenic fungi <i>Sclerotium (Athelia) rolfsii</i> on the common bean. <i>Plant and Soil</i> , 2018, 432, 229-243. | 3.7 | 24 |
| 2583 | Isolation and characterization of antagonistic bacteria with the potential for biocontrol of soil-borne wheat diseases. <i>Journal of Applied Microbiology</i> , 2018, 125, 1868-1880. | 3.1 | 34 |
| 2584 | Characterization of siderophore producing arsenic-resistant <i>Staphylococcus</i> sp. strain TA6 isolated from contaminated groundwater of Jorhat, Assam and its possible role in arsenic geocycle. <i>BMC Microbiology</i> , 2018, 18, 104. | 3.3 | 20 |
| 2585 | Isolation, Diversity, and Growth-Promoting Activities of Endophytic Bacteria From Tea Cultivars of Zijuan and Yunkang-10. <i>Frontiers in Microbiology</i> , 2018, 9, 1848. | 3.5 | 63 |
| 2586 | Endophytic <i>Bacillus</i> strains enhance pearl millet growth and nutrient uptake under low-P. <i>Brazilian Journal of Microbiology</i> , 2018, 49, 40-46. | 2.0 | 70 |
| 2587 | Halotolerant bacteria belonging to operational group <i>Bacillus amyloliquefaciens</i> in biocontrol of the rice brown stripe pathogen <i>Acidovorax oryzae</i> . <i>Journal of Applied Microbiology</i> , 2018, 125, 1852-1867. | 3.1 | 26 |
| 2588 | Diversity, plant growth promoting and downy mildew disease suppression potential of cultivable endophytic fungal communities associated with pearl millet. <i>Biological Control</i> , 2018, 127, 127-138. | 3.0 | 19 |
| 2589 | Synergistic effect of co-culture of microalga and actinomycete in diluted chicken manure digestate for lipid production. <i>Algal Research</i> , 2018, 33, 239-247. | 4.6 | 24 |
| 2590 | Drought-Tolerant <i>Pseudomonas</i> spp. Improve the Growth Performance of Finger Millet (Eleusine) Tj ETQq1 1 0.784314 rgBT /Overlock 1 227-240. | 4.0 | 105 |
| 2591 | Genetic diversity of plant growth promoting rhizobacteria and their effects on the growth of maize plants under greenhouse conditions. <i>Annals of Agricultural Sciences</i> , 2018, 63, 25-35. | 2.9 | 49 |
| 2592 | Influence of diazotrophic bacteria on nodulation, nitrogen fixation, growth promotion and yield traits in five cultivars of chickpea. <i>Biocatalysis and Agricultural Biotechnology</i> , 2018, 15, 35-42. | 3.1 | 20 |
| 2593 | Potential of native cold tolerant plant growth promoting bacilli to enhance nutrient use efficiency and yield of <i>Amaranthus hypochondriacus</i> . <i>Plant and Soil</i> , 2018, 428, 307-320. | 3.7 | 17 |
| 2594 | Variability in the production of organic ligands, by <i>Synechococcus</i> PCC 7002, under different iron scenarios. <i>Journal of Oceanography</i> , 2018, 74, 277-286. | 1.7 | 2 |
| 2595 | Distinct mineral weathering effectiveness and metabolic activity between mineral-weathering bacteria <i>Burkholderia metallica</i> F22 and <i>Burkholderia phytofirmans</i> G34. <i>Chemical Geology</i> , 2018, 489, 38-45. | 3.3 | 9 |
| 2596 | Role of peptaibols and lytic enzymes of <i>Trichoderma cerinum</i> Gur1 in biocontrol of <i>Fusarium oxysporum</i> and chickpea wilt. <i>Environmental Sustainability</i> , 2018, 1, 39-47. | 2.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2597 | Effect of plant growth-promoting bacteria <i>Bacillus amyloliquefaciens</i> Y1 on soil properties, pepper seedling growth, rhizosphere bacterial flora and soil enzymes. <i>Plant Protection Science</i> , 2018, 54, 129-137. | 1.4 | 28 |
| 2598 | Identification of rhizobacteria that increase yield and plant tolerance to angular leaf spot disease in cucumber. <i>Plant Protection Science</i> , 2018, 54, 67-73. | 1.4 | 10 |
| 2599 | Physiological and Molecular Characterization of Biosurfactant Producing Endophytic Fungi <i>Xylaria regalis</i> from the Cones of <i>Thuja plicata</i> as a Potent Plant Growth Promoter with Its Potential Application. <i>BioMed Research International</i> , 2018, 2018, 1-11. | 1.9 | 52 |
| 2600 | Optimization of IAA production by endophytic <i>Bacillus</i> spp. from <i>Vigna radiata</i> for their potential use as plant growth promoters. <i>Israel Journal of Plant Sciences</i> , 2018, 65, 83-96. | 0.5 | 62 |
| 2601 | Screening of plant growth promoting traits in heavy metals resistant bacteria: Prospects in phytoremediation. <i>Journal of Genetic Engineering and Biotechnology</i> , 2018, 16, 613-619. | 3.3 | 114 |
| 2602 | Quorum sensing and iron regulate a two-for-one siderophore gene cluster in <i>Vibrio harveyi</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 7581-7586. | 7.1 | 56 |
| 2603 | A uniform cloning platform for mycobacterial genetics and protein production. <i>Scientific Reports</i> , 2018, 8, 9539. | 3.3 | 17 |
| 2604 | Rhizosphere mediated nutrient management in <i>Allium hookeri</i> Thwaites by using phosphate solubilizing rhizobacteria and tricalcium phosphate amended soil. <i>Journal of Plant Interactions</i> , 2018, 13, 256-269. | 2.1 | 8 |
| 2605 | Diversity of cultivable fungal endophytes in <i>Paullinia cupana</i> (Mart.) Ducke and bioactivity of their secondary metabolites. <i>PLoS ONE</i> , 2018, 13, e0195874. | 2.5 | 32 |
| 2606 | Isolation and identification of siderophores produced by cyanobacteria. <i>Folia Microbiologica</i> , 2018, 63, 569-579. | 2.3 | 18 |
| 2607 | Inoculation of siderophore producing rhizobacteria and their consortium for growth enhancement of wheat plant. <i>Biocatalysis and Agricultural Biotechnology</i> , 2018, 15, 264-269. | 3.1 | 87 |
| 2608 | Growth Promoting Rhizospheric and Endophytic Bacteria from <i>Curcuma longa</i> L. as Biocontrol Agents against Rhizome Rot and Leaf Blight Diseases. <i>Plant Pathology Journal</i> , 2018, 34, 218-235. | 1.7 | 57 |
| 2609 | <i>Herbaspirillum seropedicae</i> Differentially Expressed Genes in Response to Iron Availability. <i>Frontiers in Microbiology</i> , 2018, 9, 1430. | 3.5 | 10 |
| 2610 | Oxygen Availability Influences Expression of <i>Dickeya solani</i> Genes Associated With Virulence in Potato (<i>Solanum tuberosum</i> L.) and Chicory (<i>Cichorium intybus</i> L.). <i>Frontiers in Plant Science</i> , 2018, 9, 374. | 3.6 | 30 |
| 2611 | Antarctic <i>Pseudomonas</i> spp. promote wheat germination and growth at low temperatures. <i>Polar Biology</i> , 2018, 41, 2343-2354. | 1.2 | 60 |
| 2612 | The <i>Sesamum indicum</i> Rhizosphere Associated Bacterium: A Source of Antifungal Compound. <i>Current Topics in Medicinal Chemistry</i> , 2018, 18, 88-97. | 2.1 | 2 |
| 2613 | A Growth-Promoting Bacteria, <i>Paenibacillus yonginensis</i> DCY84T Enhanced Salt Stress Tolerance by Activating Defense-Related Systems in <i>Panax ginseng</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 813. | 3.6 | 63 |
| 2614 | Use of statistical experimental methods for optimization of collagenolytic protease production by <i>Bacillus cereus</i> strain SUK grown on fish scales. <i>Environmental Science and Pollution Research</i> , 2018, 25, 28226-28236. | 5.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2615 | Distinct Siderophores Contribute to Iron Cycling in the Mesopelagic at Station ALOHA. <i>Frontiers in Marine Science</i> , 2018, 5, . | 2.5 | 67 |
| 2616 | <i>Aspergillus terreus</i> Inhibits Growth and Induces Morphological Abnormalities in <i>Pythium aphanidermatum</i> and Suppresses <i>Pythium</i> -Induced Damping-Off of Cucumber. <i>Frontiers in Microbiology</i> , 2018, 9, 95. | 3.5 | 48 |
| 2617 | <i>Pseudomonas orientalis</i> F9: A Potent Antagonist against Phytopathogens with Phytotoxic Effect in the Apple Flower. <i>Frontiers in Microbiology</i> , 2018, 9, 145. | 3.5 | 34 |
| 2618 | Characterization of Asymptomatic Bacteriuria <i>Escherichia coli</i> Isolates in Search of Alternative Strains for Efficient Bacterial Interference against Uropathogens. <i>Frontiers in Microbiology</i> , 2018, 9, 214. | 3.5 | 24 |
| 2619 | Enhanced Fluorescent Siderophore Biosynthesis and Loss of Phenazine-1-Carboxamide in Phenotypic Variant of <i>Pseudomonas chlororaphis</i> HT66. <i>Frontiers in Microbiology</i> , 2018, 9, 759. | 3.5 | 19 |
| 2620 | Predator-by-Environment Interactions Mediate Bacterial Competition in the <i>Dictyostelium discoideum</i> Microbiome. <i>Frontiers in Microbiology</i> , 2018, 9, 781. | 3.5 | 2 |
| 2621 | Biological Control of Mango Dieback Disease Caused by <i>Lasiodiplodia theobromae</i> Using Streptomycete and Non-streptomycete Actinobacteria in the United Arab Emirates. <i>Frontiers in Microbiology</i> , 2018, 9, 829. | 3.5 | 61 |
| 2622 | <i>Klebsiella pneumoniae</i> SneBYK Mediates Resistance Against <i>Heterodera glycines</i> and Promotes Soybean Growth. <i>Frontiers in Microbiology</i> , 2018, 9, 1134. | 3.5 | 36 |
| 2623 | Actinobacteria Associated With Arbuscular Mycorrhizal Funnelformis mosseae Spores, Taxonomic Characterization and Their Beneficial Traits to Plants: Evidence Obtained From Mung Bean (<i>Vigna</i>) Tj ETQq0 0 0 rgBT /Overlode 10 Tf 50 | 3.5 | 45 |
| 2624 | <i>Bacillus methylotrophicus</i> CSY-F1 alleviates drought stress in cucumber (<i>Cucumis sativus</i>) grown in soil with high ferulic acid levels. <i>Plant and Soil</i> , 2018, 431, 89-105. | 3.7 | 15 |
| 2625 | <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> chemotaxis components and chemoreceptor Mcp2 are involved in the sensing of constituents of xylem sap and contribute to the regulation of virulence-associated functions and entry into rice. <i>Molecular Plant Pathology</i> , 2018, 19, 2397-2415. | 4.2 | 41 |
| 2626 | Effectiveness of multi-trait <i>Burkholderia contaminans</i> KNU17B11 in growth promotion and management of banded leaf and sheath blight in maize seedling. <i>Microbiological Research</i> , 2018, 214, 8-18. | 5.3 | 35 |
| 2627 | <i>Klebsiella pneumoniae</i> (HR1) assisted alleviation of Cd(II) toxicity in <i>Vigna mungo</i> : a case study of biosorption of heavy metal by an endophytic bacterium coupled with plant growth promotion. <i>Euro-Mediterranean Journal for Environmental Integration</i> , 2018, 3, 1. | 1.3 | 31 |
| 2628 | (Bio)leaching Behavior of Chromite Tailings. <i>Minerals</i> (Basel, Switzerland), 2018, 8, 261. | 2.0 | 17 |
| 2629 | Mining alfalfa (<i>Medicago sativa</i> L.) nodules for salinity tolerant non-rhizobial bacteria to improve growth of alfalfa under salinity stress. <i>Ecotoxicology and Environmental Safety</i> , 2018, 162, 129-138. | 6.0 | 66 |
| 2630 | Analysis of the genome sequence of plant beneficial strain <i>Pseudomonas</i> sp. RU47. <i>Journal of Biotechnology</i> , 2018, 281, 183-192. | 3.8 | 15 |
| 2631 | Biochemical characterization and efficacy of <i>Pleurotus</i> , <i>Lentinus</i> and <i>Ganoderma</i> parent and hybrid mushroom strains as biofertilizers of attapulgit for wheat and tomato growth. <i>Biocatalysis and Agricultural Biotechnology</i> , 2018, 16, 63-72. | 3.1 | 4 |
| 2632 | Indigenous plant-growth-promoting rhizobacteria and chemical fertilisers: impact on wheat (<i>Triticum</i>) Tj ETQq1 1 0.784314 rgBT /Overlode 15 17 <i>Science</i> , 2018, 69, 460. | 1.5 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2633 | Enhancement of toxic Cr (VI), Fe, and other heavy metals phytoremediation by the synergistic combination of native <i>Bacillus cereus</i> strain and <i>Vetiveria zizanioides</i> L. International Journal of Phytoremediation, 2018, 20, 682-691. | 3.1 | 92 |
| 2634 | Genetic diversity and characterization of arsenic-resistant endophytic bacteria isolated from <i>Pteris vittata</i> , an arsenic hyperaccumulator. BMC Microbiology, 2018, 18, 42. | 3.3 | 33 |
| 2635 | Effect of Pb-resistant plant growth-promoting rhizobacteria inoculation on growth and lead uptake by <i>Lathyrus sativus</i> . Journal of Basic Microbiology, 2018, 58, 579-589. | 3.3 | 39 |
| 2636 | Characteristics of the iron uptake-related process of a pathogenic <i>Vibrio splendidus</i> strain associated with massive mortalities of the sea cucumber <i>Apostichopus japonicus</i> . Journal of Invertebrate Pathology, 2018, 155, 25-31. | 3.2 | 17 |
| 2637 | The Siderophore Piscibactin Is a Relevant Virulence Factor for <i>Vibrio anguillarum</i> Favored at Low Temperatures. Frontiers in Microbiology, 2018, 9, 1766. | 3.5 | 40 |
| 2638 | Soil Microorganisms. , 2018, , 457-482. | | 2 |
| 2639 | Putative Iron Acquisition Systems in <i>Stenotrophomonas maltophilia</i> . Molecules, 2018, 23, 2048. | 3.8 | 17 |
| 2640 | Complex Iron Uptake by the Putrebactin-Mediated and Feo Systems in <i>Shewanella oneidensis</i> . Applied and Environmental Microbiology, 2018, 84, . | 3.1 | 17 |
| 2641 | Cadmium Tolerance of Perennial Ryegrass Induced by <i>Aspergillus aculeatus</i> . Frontiers in Microbiology, 2018, 9, 1579. | 3.5 | 15 |
| 2642 | Brazilian Ironstone Plant Communities as Reservoirs of Culturable Bacteria With Diverse Biotechnological Potential. Frontiers in Microbiology, 2018, 9, 1638. | 3.5 | 9 |
| 2643 | Microbial Siderophore Enterobactin Promotes Mitochondrial Iron Uptake and Development of the Host via Interaction with ATP Synthase. Cell, 2018, 175, 571-582.e11. | 28.9 | 124 |
| 2644 | The Endophytic Strain <i>Klebsiella michiganensis</i> Kd70 Lacks Pathogenic Island-Like Regions in Its Genome and Is Incapable of Infecting the Urinary Tract in Mice. Frontiers in Microbiology, 2018, 9, 1548. | 3.5 | 12 |
| 2645 | <i>Pseudomonas knackmussii</i> MLR6, a rhizospheric strain isolated from halophyte, enhances salt tolerance in <i>Arabidopsis thaliana</i> . Journal of Applied Microbiology, 2018, 125, 1836-1851. | 3.1 | 26 |
| 2646 | Rhizoremediation prospects of Polyaromatic hydrocarbon degrading rhizobacteria, that facilitate glutathione and glutathione-S-transferase mediated stress response, and enhance growth of rice plants in pyrene contaminated soil. Ecotoxicology and Environmental Safety, 2018, 164, 579-588. | 6.0 | 37 |
| 2647 | Plant growth promotion and alleviation of salinity stress in <i>Capsicum annuum</i> L. by <i>Bacillus</i> isolated from saline soil in Xinjiang. Ecotoxicology and Environmental Safety, 2018, 164, 520-529. | 6.0 | 90 |
| 2648 | Bio-effective disease control and plant growth promotion in lentil by two pesticide degrading strains of <i>Bacillus</i> sp.. Biological Control, 2018, 127, 55-63. | 3.0 | 32 |
| 2649 | Salt-tolerant and plant-growth-promoting bacteria isolated from high-yield paddy soil. Canadian Journal of Microbiology, 2018, 64, 968-978. | 1.7 | 69 |
| 2650 | <i>Streptomyces</i> sp. as plant growth-promoters and host-plant resistance inducers against <i>Botrytis cinerea</i> in chickpea. Biocontrol Science and Technology, 2018, 28, 1140-1163. | 1.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2651 | Mycobacterial siderophore: A review on chemistry and biology of siderophore and its potential as a target for tuberculosis. <i>European Journal of Medicinal Chemistry</i> , 2018, 157, 783-790. | 5.5 | 21 |
| 2652 | Larvicidal potential of <i>Skermanella</i> sp. against rice leaf folder (<i>Cnaphalocrosis medinalis</i> Guenee) and pink stem borer (<i>Sesamia inferens</i> Walker). <i>Journal of Invertebrate Pathology</i> , 2018, 157, 74-79. | 3.2 | 9 |
| 2653 | Seed Endophyte Microbiome of <i>Crotalaria pumila</i> Unpeeled: Identification of Plant-Beneficial Methylobacteria. <i>International Journal of Molecular Sciences</i> , 2018, 19, 291. | 4.1 | 49 |
| 2654 | Chemical characterization and ligand behaviour of <i>Pseudomonas veronii</i> 2E siderophores. <i>World Journal of Microbiology and Biotechnology</i> , 2018, 34, 134. | 3.6 | 9 |
| 2655 | Effects of co-inoculation of two different plant growth-promoting bacteria on duckweed. <i>Plant Growth Regulation</i> , 2018, 86, 287-296. | 3.4 | 38 |
| 2656 | Fluorinated Analogues of Desferrioxamine B from Precursor-Directed Biosynthesis Provide New Insight into the Capacity of DesBCD. <i>ACS Chemical Biology</i> , 2018, 13, 2456-2471. | 3.4 | 11 |
| 2657 | Analysis of desferrioxamine-like siderophores and their capability to selectively bind metals and metalloids: development of a robust analytical RP-HPLC method. <i>Research in Microbiology</i> , 2018, 169, 598-607. | 2.1 | 18 |
| 2658 | Endophytic bacterium <i>Buttiauxella</i> sp. SaSR13 improves plant growth and cadmium accumulation of hyperaccumulator <i>Sedum alfredii</i> . <i>Environmental Science and Pollution Research</i> , 2018, 25, 21844-21854. | 5.3 | 31 |
| 2659 | Halotolerant plant-growth promoting rhizobacteria modulate gene expression and osmolyte production to improve salinity tolerance and growth in <i>Capsicum annum</i> L.. <i>Environmental Science and Pollution Research</i> , 2018, 25, 23236-23250. | 5.3 | 92 |
| 2660 | Suppression of <i>Alternaria</i> blight disease and plant growth promotion of mustard (<i>Brassica juncea</i> L.) by antagonistic rhizosphere bacteria. <i>Applied Soil Ecology</i> , 2018, 129, 145-150. | 4.3 | 28 |
| 2661 | Modified chrome azurol S method for detection and estimation of siderophores having affinity for metal ions other than iron. <i>Environmental Sustainability</i> , 2018, 1, 81-87. | 2.8 | 69 |
| 2662 | Growth stage and tissue specific colonization of endophytic bacteria having plant growth promoting traits in hybrid and composite maize (<i>Zea mays</i> L.). <i>Microbiological Research</i> , 2018, 214, 101-113. | 5.3 | 68 |
| 2663 | Mitigation of abiotic stresses in <i>Lycopersicon esculentum</i> by endophytic bacteria. <i>Environmental Sustainability</i> , 2018, 1, 71-80. | 2.8 | 18 |
| 2664 | Differences in rice rhizosphere bacterial community structure by application of lignocellulolytic plant-probiotic bacteria with rapid composting traits. <i>Ecological Engineering</i> , 2018, 120, 209-221. | 3.6 | 12 |
| 2665 | <i>Paraburkholderia panacihumi</i> sp. nov., an isolate from ginseng-cultivated soil, is antagonistic against root rot fungal pathogen. <i>Archives of Microbiology</i> , 2018, 200, 1151-1158. | 2.2 | 20 |
| 2666 | Deciphering the tri-dimensional effect of endophytic <i>Streptomyces</i> sp. on chickpea for plant growth promotion, helper effect with <i>Mesorhizobium ciceri</i> and host-plant resistance induction against <i>Botrytis cinerea</i> . <i>Microbial Pathogenesis</i> , 2018, 122, 98-107. | 2.9 | 35 |
| 2667 | Actinobacteria from Rhizosphere. , 2018, , 13-41. | | 86 |
| 2668 | Discovery and development of novel salicylate synthase (MbtI) furanic inhibitors as antitubercular agents. <i>European Journal of Medicinal Chemistry</i> , 2018, 155, 754-763. | 5.5 | 55 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2669 | Biocontrol Efficacy of Siderophore Producing Indigenous <i>Pseudomonas</i> Strains Against Fusarium Wilt in Tomato. The National Academy of Sciences, India, 2018, 41, 133-136. | 1.3 | 21 |
| 2670 | Colonization ability as an indicator of enhanced biocontrol capacity—An example using two <i>Bacillus amyloliquefaciens</i> strains and <i>Botrytis cinerea</i> infection of tomatoes. Journal of Phytopathology, 2018, 166, 601-612. | 1.0 | 32 |
| 2671 | Phylogenetic diversity and investigation of plant growth-promoting traits of actinobacteria in coastal salt marsh plant rhizospheres from Jiangsu, China. Systematic and Applied Microbiology, 2018, 41, 516-527. | 2.8 | 48 |
| 2672 | Halo-tolerant rhizospheric <i>Arthrobacter woluwensis</i> AK1 mitigates salt stress and induces physio-hormonal changes and expression of GmST1 and GmLAX3 in soybean. Symbiosis, 2019, 77, 9-21. | 2.3 | 47 |
| 2673 | Identification of Rhizosphere Bacterial Diversity with Promising Salt Tolerance, PGP Traits and Their Exploitation for Seed Germination Enhancement in Sodic Soil. Agricultural Research, 2019, 8, 36-43. | 1.7 | 29 |
| 2674 | Mass spectrometry and associated technologies delineate the advantageously biomedical capacity of siderophores in different pathogenic contexts. Mass Spectrometry Reviews, 2019, 38, 239-252. | 5.4 | 9 |
| 2675 | Plant Growth-Promoting Potential of Endophytic Bacteria Isolated from <i>Costus speciosus</i> in Tropical Deciduous Forest of Eastern Himalaya. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2019, 89, 841-852. | 1.0 | 9 |
| 2676 | Enhancement of alfalfa yield and quality by plant growth-promoting rhizobacteria under saline-saline conditions. Journal of the Science of Food and Agriculture, 2019, 99, 281-289. | 3.5 | 58 |
| 2677 | Co-cultivation of siderophore-producing bacteria <i>Idiomarina loihiensis</i> RS14 with <i>Chlorella variabilis</i> ATCC 12198, evaluation of micro-algal growth, lipid, and protein content under iron starvation. Journal of Applied Phycology, 2019, 31, 29-39. | 2.8 | 36 |
| 2678 | Isolation and characterization of halotolerant bacilli from chickpea (<i>Cicer arietinum</i> L.) rhizosphere for plant growth promotion and biocontrol traits. European Journal of Plant Pathology, 2019, 153, 787-800. | 1.7 | 35 |
| 2679 | Inoculation of <i>Pseudomonas</i> sp. GHD-4 and mushroom residue carrier increased the soil enzyme activities and microbial community diversity in Pb-contaminated soils. Journal of Soils and Sediments, 2019, 19, 1064-1076. | 3.0 | 24 |
| 2680 | Plant growth promoting <i>Curtobacterium albidum</i> strain SRV4: An agriculturally important microbe to alleviate salinity stress in paddy plants. Ecological Indicators, 2019, 105, 553-562. | 6.3 | 118 |
| 2681 | Genome sequence of <i>Epibacterium ulvae</i> strain DSM 24752T, an indigoidine-producing, macroalga-associated member of the marine <i>Roseobacter</i> group. Environmental Microbiomes, 2019, 14, 4. | 5.0 | 6 |
| 2682 | Antifungal activity of volatile compounds produced by <i>Staphylococcus sciuri</i> strain MarR44 and its potential for the biocontrol of <i>Colletotrichum nymphaeae</i> , causal agent strawberry anthracnose. International Journal of Food Microbiology, 2019, 307, 108276. | 4.7 | 53 |
| 2683 | PGPB Colonizing Three-Year Biochar-Amended Soil: Towards Biochar-Mediated Biofertilization. Journal of Soil Science and Plant Nutrition, 2019, 19, 841-850. | 3.4 | 41 |
| 2684 | Efficacy of an artificial microbial siderophore-Fe(III) with high redox potential on correcting Fe chlorosis in rice. Soil Science and Plant Nutrition, 2019, 65, 471-478. | 1.9 | 1 |
| 2685 | Screening of endophytic bacteria isolated from domesticated and wild growing grapevines as potential biological control agents against crown gall disease. BioControl, 2019, 64, 723-735. | 2.0 | 15 |
| 2686 | Durum Wheat Stress Tolerance Induced by Endophyte <i>Pantoea agglomerans</i> with Genes Contributing to Plant Functions and Secondary Metabolite Arsenal. International Journal of Molecular Sciences, 2019, 20, 3989. | 4.1 | 64 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2687 | Postharvest biocontrol of <i>Colletotrichum gloeosporioides</i> on mango using the marine bacterium <i>Stenotrophomonas rhizophila</i> and its possible mechanisms of action. <i>Journal of Food Science and Technology</i> , 2019, 56, 4992-4999. | 2.8 | 25 |
| 2688 | Growth Promotion of <i>Salicornia bigelovii</i> by <i>Micromonospora chalcone</i> UAE1, an Endophytic 1-Aminocyclopropane-1-Carboxylic Acid Deaminase-Producing Actinobacterial Isolate. <i>Frontiers in Microbiology</i> , 2019, 10, 1694. | 3.5 | 53 |
| 2689 | Iron reduction by diverse actinobacteria under oxic and pH-neutral conditions and the formation of secondary minerals. <i>Chemical Geology</i> , 2019, 525, 390-399. | 3.3 | 32 |
| 2690 | Plant-Endophyte Partnerships to Assist Petroleum Hydrocarbon Remediation. , 2019, , 123-156. | | 0 |
| 2691 | Rhizospheric bacteria from pristine grassland have beneficial traits for plant growth promotion in maize (<i>Zea mays</i> L.). <i>Cogent Biology</i> , 2019, 5, 1630972. | 1.7 | 7 |
| 2692 | Competition for alfalfa nodulation under metal stress by the metal-tolerant strain <i>Ochrobactrum cytisi</i> Azn6.2. <i>Annals of Applied Biology</i> , 2019, 175, 184-192. | 2.5 | 14 |
| 2693 | Isolation, identification and plant growth promotion ability of endophytic bacteria associated with lupine root nodule grown in Tunisian soil. <i>Archives of Microbiology</i> , 2019, 201, 1333-1349. | 2.2 | 37 |
| 2694 | Screening of stress tolerant bacterial strains possessing interesting multi-plant growth promoting traits isolated from root nodules of <i>Phaseolus vulgaris</i> L.. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 20, 101225. | 3.1 | 14 |
| 2695 | Evaluation of <i>Streptomyces</i> spp. and <i>Bacillus</i> spp. for biocontrol of Fusarium wilt in chickpea (<i>Cicer arietinum</i> L.). <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 417-442. | 1.3 | 32 |
| 2696 | Growth-promoting characteristics of potential nitrogen-fixing bacteria in the root of an invasive plant <i>Ageratina adenophora</i> . <i>PeerJ</i> , 2019, 7, e7099. | 2.0 | 20 |
| 2697 | Phytoremediation of Heavy Metal- Contaminated Tailings Soil by Symbiotic Interaction of <i>Cymbopogon Citratus</i> and <i>Solanum Torvum</i> with <i>Bacillus Cereus</i> T1B3. <i>Soil and Sediment Contamination</i> , 2019, 28, 547-568. | 1.9 | 12 |
| 2698 | Siderophore production in groundnut rhizosphere isolate, <i>Achromobacter</i> sp. RZS2 influenced by physicochemical factors and metal ions. <i>Environmental Sustainability</i> , 2019, 2, 117-124. | 2.8 | 49 |
| 2699 | Comparative Study on the Impact of Growth Conditions on the Physiology and the Virulence of <i>Pseudomonas aeruginosa</i> Biofilm and Planktonic Cells. <i>Journal of Food Protection</i> , 2019, 82, 1357-1363. | 1.7 | 4 |
| 2700 | Siderophore Detection Using Chrome Azurol S and Cross-Feeding Assays. <i>Methods in Molecular Biology</i> , 2019, 2021, 97-108. | 0.9 | 25 |
| 2701 | Shotgun proteomic analysis of <i>Bordetella parapertussis</i> provides insights into the physiological response to iron starvation and potential new virulence determinants absent in <i>Bordetella pertussis</i> . <i>Journal of Proteomics</i> , 2019, 206, 103448. | 2.4 | 4 |
| 2702 | Role of plant growth-promoting rhizobacterial consortium in improving the <i>Vigna radiata</i> growth and alleviation of aluminum and drought stresses. <i>Environmental Science and Pollution Research</i> , 2019, 26, 27647-27659. | 5.3 | 61 |
| 2703 | Isolation of Cadmium and Lead Tolerant Plant Growth Promoting Rhizobacteria: <i>Lysinibacillus varians</i> and <i>Pseudomonas putida</i> from Indian Agricultural Soil. <i>Soil and Sediment Contamination</i> , 2019, 28, 601-629. | 1.9 | 25 |
| 2704 | Isolation and Characterization of Halotolerant Plant Growth Promoting Rhizobacteria From Durum Wheat (<i>Triticum turgidum</i> subsp. durum) Cultivated in Saline Areas of the Dead Sea Region. <i>Frontiers in Microbiology</i> , 2019, 10, 1639. | 3.5 | 80 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2705 | Discovery of Two New Sorbicillinoids by Overexpression of the Global Regulator LaeA in a Marine-Derived Fungus <i>Penicillium dipodomyis</i> YJ-11. <i>Marine Drugs</i> , 2019, 17, 446. | 4.6 | 30 |
| 2706 | Anthropogenic remediation of heavy metals selects against natural microbial remediation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190804. | 2.6 | 11 |
| 2707 | Isolation, characterization and the effect of indigenous heavy metal-resistant plant growth-promoting bacteria on sorghum grown in acid mine drainage polluted soils. <i>Journal of General and Applied Microbiology</i> , 2019, 65, 254-264. | 0.7 | 18 |
| 2708 | Rhizospheric Microbiomes: Biodiversity, Mechanisms of Plant Growth Promotion, and Biotechnological Applications for Sustainable Agriculture. , 2019, , 19-65. | | 100 |
| 2709 | Bioprospecting from plant waste composting: Actinobacteria against phytopathogens producing damping-off. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2019, 23, e00354. | 4.4 | 10 |
| 2710 | Comparison of five bacterial strains producing siderophores with ability to chelate iron under alkaline conditions. <i>AMB Express</i> , 2019, 9, 78. | 3.0 | 84 |
| 2711 | Citryl Ornithine Is an Intermediate in a Three-Step Biosynthetic Pathway for Rhizoferrin in <i>Francisella</i> . <i>ACS Chemical Biology</i> , 2019, 14, 1760-1766. | 3.4 | 7 |
| 2712 | Prolonged exposure of <i>Stenotrophomonas maltophilia</i> biofilms to trace levels of clofibric acid alters antimicrobial tolerance and virulence. <i>Chemosphere</i> , 2019, 235, 327-335. | 8.2 | 19 |
| 2714 | Functional diversity of cultivable endophytes from <i>Cicer arietinum</i> and <i>Pisum sativum</i> : Bioprospecting their plant growth potential. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 20, 101229. | 3.1 | 28 |
| 2715 | <i>Bacillus velezensis</i> GF267 as a multi-site antagonist for the control of tomato bacterial spot. <i>Biological Control</i> , 2019, 137, 104013. | 3.0 | 17 |
| 2716 | Isolation, physiological characters and effectivity of bacterial isolates of root nodules from various plants on the growth of <i>Vigna radiata</i> L. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 308, 012042. | 0.3 | 1 |
| 2717 | Bacterial and Fungal Diversity Inside the Medieval Building Constructed with Sandstone Plates and Lime Mortar as an Example of the Microbial Colonization of a Nutrient-Limited Extreme Environment (Wawel Royal Castle, Krakow, Poland). <i>Microorganisms</i> , 2019, 7, 416. | 3.6 | 15 |
| 2718 | Antagonistic and plant-growth promoting novel <i>Bacillus</i> species from long-term organic farming soils from Sikkim, India. <i>3 Biotech</i> , 2019, 9, 416. | 2.2 | 30 |
| 2719 | Bacterial Metabolites Produced Under Iron Limitation Kill Pinewood Nematode and Attract <i>Caenorhabditis elegans</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2166. | 3.5 | 19 |
| 2720 | Root bacterial endophytes as potential biological control agents against fungal rice pathogens. <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 560-581. | 1.3 | 11 |
| 2721 | Re-evaluation of a Tn5::gacA mutant of <i>Pseudomonas syringae</i> pv. tomato DC3000 uncovers roles for uvrC and anmK in promoting virulence. <i>PLoS ONE</i> , 2019, 14, e0223637. | 2.5 | 16 |
| 2722 | Some characteristics of phosphate solubilizing rhizobacteria as an ecological strategy for sustainable agriculture. <i>Materials Today: Proceedings</i> , 2019, 13, 1224-1228. | 1.8 | 5 |
| 2723 | Impact of Elemental Sulfur on the Rhizospheric Bacteria of Durum Wheat Crop Cultivated on a Calcareous Soil. <i>Plants</i> , 2019, 8, 379. | 3.5 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2724 | Co-existence of <i>Leclercia adecarboxylata</i> (LSE-1) and <i>Bradyrhizobium</i> sp. (LSBR-3) in nodule niche for multifaceted effects and profitability in soybean production. <i>World Journal of Microbiology and Biotechnology</i> , 2019, 35, 172. | 3.6 | 21 |
| 2725 | <i>Erythrobacter aureus</i> sp. nov., a plant growth-promoting bacterium isolated from sediment in the Yellow Sea, China. <i>3 Biotech</i> , 2019, 9, 430. | 2.2 | 11 |
| 2726 | Biochemical and molecular identification of <i>Solanum lycopersicum</i> L. temperature tolerant bacterial endophytes. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 22, 101409. | 3.1 | 8 |
| 2727 | Management of sorghum grain mold through induced resistance mechanism using foliar spray of <i>Pseudomonas fluorescens</i> strains and non-conventional chemicals: a field study. <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 969-988. | 1.3 | 1 |
| 2728 | Inhibition of Virulence-Related Traits in <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> by Gunpowder Green Tea Extracts. <i>Frontiers in Microbiology</i> , 2019, 10, 2362. | 3.5 | 14 |
| 2729 | Bacterial Consortium for Improved Maize (<i>Zea mays</i> L.) Production. <i>Microorganisms</i> , 2019, 7, 519. | 3.6 | 47 |
| 2730 | Towards the Biological Control of Devastating Forest Pathogens from the Genus <i>Armillaria</i> . <i>Forests</i> , 2019, 10, 1013. | 2.1 | 28 |
| 2731 | The response of <i>Prorocentrum sigmoides</i> and its associated culturable bacteria to metals and organic pollutants. <i>Journal of Basic Microbiology</i> , 2019, 59, 979-991. | 3.3 | 6 |
| 2732 | Endophytic Bacteria Potentially Promote Plant Growth by Synthesizing Different Metabolites and their Phenotypic/Physiological Profiles in the Biolog GEN III MicroPlate™ Test. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5283. | 4.1 | 58 |
| 2733 | Biological control of the tomato wilt caused by <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> using formulated plant growth-promoting bacteria. <i>Egyptian Journal of Biological Pest Control</i> , 2019, 29, . | 1.8 | 50 |
| 2734 | Role of <i>Curtobacterium herbarum</i> strain CAH5 on aluminum bioaccumulation and enhancement of <i>Lactuca sativa</i> growth under aluminum and drought stresses. <i>Ecotoxicology and Environmental Safety</i> , 2019, 183, 109573. | 6.0 | 41 |
| 2735 | Screening of plant growth promoting bacteria (PGPB) from rhizosphere and bulk soil of <i>Caragana microphylla</i> in different habitats and their effects on the growth of <i>Arabidopsis</i> seedlings. <i>Biotechnology and Biotechnological Equipment</i> , 2019, 33, 921-930. | 1.3 | 13 |
| 2736 | Evolution of Outbreak-Causing Carbapenem-Resistant <i>Klebsiella pneumoniae</i> ST258 at a Tertiary Care Hospital over 8 Years. <i>MBio</i> , 2019, 10, . | 4.1 | 66 |
| 2737 | Potential of a novel endophytic <i>Bacillus velezensis</i> in tomato growth promotion and protection against <i>Verticillium</i> wilt disease. <i>Biological Control</i> , 2019, 139, 104092. | 3.0 | 57 |
| 2738 | Fenton-Mediated Biodegradation of Chlorendic Acid “A Highly Chlorinated Organic Pollutant” By Fungi Isolated From a Polluted Site. <i>Frontiers in Microbiology</i> , 2019, 10, 1892. | 3.5 | 12 |
| 2739 | Impact of intercropping and co-inoculation with strains of plant growth-promoting rhizobacteria on phosphorus and nitrogen concentrations and yield of durum wheat (<i>Triticum durum</i>) and faba bean (<i>Vicia faba</i>). <i>Crop and Pasture Science</i> , 2019, 70, 649. | 1.5 | 12 |
| 2740 | Phytoextraction of iron from contaminated soils by inoculation of iron-tolerant plant growth-promoting bacteria in <i>Brassica juncea</i> L. Czern. <i>Environmental Science and Pollution Research</i> , 2019, 26, 32815-32823. | 5.3 | 28 |
| 2741 | Colonies of marine cyanobacteria <i>Trichodesmium</i> interact with associated bacteria to acquire iron from dust. <i>Communications Biology</i> , 2019, 2, 284. | 4.4 | 43 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2742 | Biocontrol and plant growth-promoting ability of plant-associated bacteria from tomato (<i>Lycopersicon esculentum</i>) under field condition. <i>Microbial Pathogenesis</i> , 2019, 136, 103713. | 2.9 | 20 |
| 2743 | Applications of New Rhizobacteria <i>Pseudomonas</i> Isolates in Agroecology via Fundamental Processes Complementing Plant Growth. <i>Scientific Reports</i> , 2019, 9, 12832. | 3.3 | 83 |
| 2744 | Ferric Uptake Regulator (FurA) is Required for <i>Acidovorax citrulli</i> Virulence on Watermelon. <i>Phytopathology</i> , 2019, 109, 1997-2008. | 2.2 | 24 |
| 2745 | Intervention of bio-protective endophyte <i>Bacillus tequilensis</i> enhance physiological strength of tomato during <i>Fusarium</i> wilt infection. <i>Biological Control</i> , 2019, 139, 104074. | 3.0 | 29 |
| 2746 | An Isotopic Ratio Outlier Analysis Approach for Global Metabolomics of Biosynthetically Talented Actinomycetes. <i>Metabolites</i> , 2019, 9, 181. | 2.9 | 3 |
| 2747 | Comparison of the plant growth-promotion performance of a consortium of Bacilli inoculated as endospores or as vegetative cells. <i>FEMS Microbiology Ecology</i> , 2019, 95, . | 2.7 | 15 |
| 2748 | Enhanced Arsenic Tolerance in <i>Triticum aestivum</i> Inoculated with Arsenic-Resistant and Plant Growth Promoter Microorganisms from a Heavy Metal-Polluted Soil. <i>Microorganisms</i> , 2019, 7, 348. | 3.6 | 40 |
| 2749 | Genome Insights into the Novel Species <i>Microvirga brassicacearum</i> , a Rapeseed Endophyte with Biotechnological Potential. <i>Microorganisms</i> , 2019, 7, 354. | 3.6 | 30 |
| 2750 | Metal Resistant Endophytic Bacteria Reduces Cadmium, Nickel Toxicity, and Enhances Expression of Metal Stress Related Genes with Improved Growth of <i>Oryza Sativa</i> , via Regulating Its Antioxidant Machinery and Endogenous Hormones. <i>Plants</i> , 2019, 8, 363. | 3.5 | 111 |
| 2751 | Characterisation of the <i>Carpinus betulus</i> L. Phyllosymbiome in Urban and Forest Areas. <i>Frontiers in Microbiology</i> , 2019, 10, 1110. | 3.5 | 35 |
| 2752 | ACCD-producing rhizobacteria from an Andean Altiplano native plant (<i>Parastrephia quadrangularis</i>) and their potential to alleviate salt stress in wheat seedlings. <i>Applied Soil Ecology</i> , 2019, 136, 184-190. | 4.3 | 56 |
| 2753 | Individual and combinatorial application of <i>Kocuria rhizophila</i> and citric acid on phytoextraction of multi-metal contaminated soils by <i>Glycine max</i> L. <i>Environmental and Experimental Botany</i> , 2019, 159, 23-33. | 4.2 | 67 |
| 2754 | Plant growth promotion and suppression of bacterial leaf blight in rice by <i>Paenibacillus polymyxa</i> Sx3. <i>Letters in Applied Microbiology</i> , 2019, 68, 423-429. | 2.2 | 65 |
| 2755 | Biodiversity of methylotrophic microbial communities and their potential role in mitigation of abiotic stresses in plants. <i>Biologia (Poland)</i> , 2019, 74, 287-308. | 1.5 | 118 |
| 2756 | Siderophores: From natural roles to potential applications. <i>Advances in Applied Microbiology</i> , 2019, 106, 193-225. | 2.4 | 67 |
| 2757 | Stress-Tolerant Yeasts: Opportunistic Pathogenicity Versus Biocontrol Potential. <i>Genes</i> , 2019, 10, 42. | 2.4 | 58 |
| 2758 | Virulence Characteristics and an Action Mode of Antibiotic Resistance in Multidrug-Resistant <i>Pseudomonas aeruginosa</i> . <i>Scientific Reports</i> , 2019, 9, 487. | 3.3 | 59 |
| 2759 | Effects of growth conditions on siderophore producing bacteria and siderophore production from Indian Ocean sector of Southern Ocean. <i>Journal of Basic Microbiology</i> , 2019, 59, 412-424. | 3.3 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2760 | Characterization of rhizosphere and endophytic bacteria from roots of maize (<i>Zea mays</i> L.) plant irrigated with wastewater with biotechnological potential in agriculture. <i>Biotechnology Reports</i> (Amsterdam, Netherlands), 2019, 21, e00305. | 4.4 | 53 |
| 2761 | Analysis of Iron Requirements and Siderophore Production. <i>Methods in Molecular Biology</i> , 2019, 1921, 3-19. | 0.9 | 0 |
| 2762 | Characterization of novel acidic and thermostable phytase secreting <i>Streptomyces</i> sp. (NCIM 5533) for plant growth promoting characteristics. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 18, 101020. | 3.1 | 13 |
| 2763 | Multi-resistant plant growth-promoting actinobacteria and plant root exudates influence Cr(VI) and lindane dissipation. <i>Chemosphere</i> , 2019, 222, 679-687. | 8.2 | 43 |
| 2764 | Evaluation of ACC-deaminase-producing rhizobacteria to alleviate water-stress impacts in wheat (<i>Triticum aestivum</i> L.) plants. <i>Canadian Journal of Microbiology</i> , 2019, 65, 387-403. | 1.7 | 86 |
| 2765 | Mitigation of As toxicity in wheat by exogenous application of hydroxamate siderophore of <i>Aspergillus</i> origin. <i>Acta Physiologiae Plantarum</i> , 2019, 41, 1. | 2.1 | 25 |
| 2766 | Direct and indirect impact of the bacterial strain <i>Pseudomonas aeruginosa</i> on the dissolution of synthetic Fe(III)- and Fe(II)-bearing basaltic glasses. <i>Chemical Geology</i> , 2019, 523, 9-18. | 3.3 | 14 |
| 2767 | <i>Halomonas</i> Rhizobacteria of <i>Avicennia marina</i> of Indian Sundarbans Promote Rice Growth Under Saline and Heavy Metal Stresses Through Exopolysaccharide Production. <i>Frontiers in Microbiology</i> , 2019, 10, 1207. | 3.5 | 112 |
| 2768 | Eurypsychrophilic <i>Pseudomonas</i> spp. isolated from Venezuelan tropical glaciers as promoters of wheat growth and biocontrol agents of plant pathogens at low temperatures. <i>Environmental Sustainability</i> , 2019, 2, 265-275. | 2.8 | 12 |
| 2769 | Role of bacteria isolated from a plant waste-based compost producing bioactive substances in the control of bacterial spot syndrome caused by <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> . <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 20, 101198. | 3.1 | 7 |
| 2770 | Fungi-assisted phytoextraction of lead: tolerance, plant growth-promoting activities and phytoavailability. <i>Environmental Science and Pollution Research</i> , 2019, 26, 23788-23797. | 5.3 | 23 |
| 2771 | Interactive effects between cadmium stabilized by palygorskite and mobilized by siderophores from <i>Pseudomonas fluorescens</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 181, 265-273. | 6.0 | 13 |
| 2772 | Unravelling the potential of microbes isolated from rhizospheric soil of chickpea (<i>Cicer arietinum</i>) as plant growth promoter. <i>3 Biotech</i> , 2019, 9, 277. | 2.2 | 22 |
| 2773 | A suite of asymmetric citrate siderophores isolated from a marine <i>Shewanella</i> species. <i>Journal of Inorganic Biochemistry</i> , 2019, 198, 110736. | 3.5 | 8 |
| 2774 | Culturable endophytic bacteria of <i>Camellia</i> species endowed with plant growth promoting characteristics. <i>Journal of Applied Microbiology</i> , 2019, 127, 825-844. | 3.1 | 40 |
| 2775 | Enterobactin, an iron chelating bacterial siderophore, arrests cancer cell proliferation. <i>Biochemical Pharmacology</i> , 2019, 168, 71-81. | 4.4 | 23 |
| 2776 | Potential of plant beneficial bacteria and arbuscular mycorrhizal fungi in phytoremediation of metal-contaminated saline soils. <i>Journal of Hazardous Materials</i> , 2019, 379, 120813. | 12.4 | 146 |
| 2777 | ACC Deaminase Producing Bacteria With Multifarious Plant Growth Promoting Traits Alleviates Salinity Stress in French Bean (<i>Phaseolus vulgaris</i>) Plants. <i>Frontiers in Microbiology</i> , 2019, 10, 1506. | 3.5 | 327 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2778 | Identification and Determination of Characteristics of Endophytes from Rice Plants. Reference Series in Phytochemistry, 2019, , 215-247. | 0.4 | 0 |
| 2779 | Actinobacterium isolated from a semi-arid environment improves the drought tolerance in maize (Zea mays L.) cv. BTx623. Journal of Applied Microbiology, 2019, 127, 1035-1045. | 5.8 | 33 |
| 2780 | Foliar Application of Iron Fortified Bacteriosiderophore Improves Growth and Grain Fe Concentration in Wheat and Soybean. Indian Journal of Microbiology, 2019, 59, 344-350. | 2.7 | 17 |
| 2781 | Tomato growth and resistance promotion by <i>Enterobacter hormaechei</i> subsp. <i>steigerwaltii</i> EB8D. Archives of Phytopathology and Plant Protection, 2019, 52, 318-332. | 1.3 | 9 |
| 2782 | Draft genome sequence of a cold-adapted phosphorous-solubilizing <i>Pseudomonas koreensis</i> P2 isolated from Sela Lake, India. 3 Biotech, 2019, 9, 256. | 2.2 | 16 |
| 2783 | The nematocide <i>Serratia plymuthica</i> M24T3 colonizes <i>Arabidopsis thaliana</i> , stimulates plant growth, and presents plant beneficial potential. Brazilian Journal of Microbiology, 2019, 50, 777-789. | 2.0 | 13 |
| 2784 | Bacterial communities associated with anthracnose symptomatic and asymptomatic leaves of guarana, an endogenous tropical crop, and their pathogen antagonistic effects. Archives of Microbiology, 2019, 201, 1061-1073. | 2.2 | 3 |
| 2785 | Rhizosphere response to nickel in a facultative hyperaccumulator. Chemosphere, 2019, 232, 243-253. | 8.2 | 12 |
| 2786 | A comparative evaluation towards the potential of <i>Klebsiella</i> sp. and <i>Enterobacter</i> sp. in plant growth promotion, oxidative stress tolerance and chromium uptake in <i>Helianthus annuus</i> (L.). Journal of Hazardous Materials, 2019, 377, 391-398. | 12.4 | 49 |
| 2787 | pH Influences the Distribution of Microbial Rock-Weathering Phenotypes in Weathered Shale Environments. Geomicrobiology Journal, 2019, 36, 752-763. | 2.0 | 5 |
| 2788 | Functional amyloids promote retention of public goods in bacteria. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20190709. | 2.6 | 7 |
| 2789 | Lead toxicity induced phytotoxic effects on mung bean can be relegated by lead tolerant <i>Bacillus subtilis</i> (PbRB3). Chemosphere, 2019, 234, 70-80. | 8.2 | 33 |
| 2790 | Diversity and probiotic activities of endophytic bacteria associated with the coastal halophyte <i>Messerschmidia sibirica</i> . Applied Soil Ecology, 2019, 143, 35-44. | 4.3 | 7 |
| 2791 | Pathological investigations of <i>Vibrio vulnificus</i> infection in Genetically Improved Farmed Tilapia (<i>Oreochromis niloticus</i> L.) cultured at a floating cage farm of India. Aquaculture, 2019, 511, 734-747. | 3.5 | 18 |
| 2792 | The performance of biochar-microbe multiple biochemical material on bioremediation and soil micro-ecology in the cadmium aged soil. Science of the Total Environment, 2019, 686, 719-728. | 8.0 | 74 |
| 2793 | Phenotypic and genotypic characterization of endophytic bacteria associated with transgenic and non-transgenic soybean plants. Archives of Microbiology, 2019, 201, 1029-1045. | 2.2 | 7 |
| 2794 | <i>Pseudomonas aeruginosa</i> Alters Its Transcriptome Related to Carbon Metabolism and Virulence as a Possible Survival Strategy in Blood from Trauma Patients. MSystems, 2019, 4, . | 3.8 | 11 |
| 2795 | Use of Rhizobacteria and Mycorrhizae Consortium in the Open Field as a Strategy for Improving Crop Nutrition, Productivity and Soil Fertility. Frontiers in Microbiology, 2019, 10, 1106. | 3.5 | 158 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2796 | Simultaneous mitigation of aluminum, salinity and drought stress in <i>Lactuca sativa</i> growth via formulated plant growth promoting <i>Rhodotorula mucilaginosa</i> CAM4. <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 63-72. | 6.0 | 44 |
| 2797 | Tilapia recirculating aquaculture systems as a source of plant growth promoting bacteria. <i>Aquaculture Research</i> , 2019, 50, 2054-2065. | 1.8 | 21 |
| 2798 | Components of rhizospheric bacterial communities of barley and their potential for plant growth promotion and biocontrol of <i>Fusarium</i> wilt of watermelon. <i>Brazilian Journal of Microbiology</i> , 2019, 50, 749-757. | 2.0 | 9 |
| 2799 | Biochemical traits of <i>Bacillus subtilis</i> MF497446: Its implications on the development of cowpea under cadmium stress and ensuring food safety. <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 384-395. | 6.0 | 18 |
| 2800 | Isolation of a novel Co^{2+} -resistant bacterium and the application of its siderophore in Co^{2+} recovery from an aqueous solution. <i>Journal of General and Applied Microbiology</i> , 2019, 65, 273-276. | 0.7 | 2 |
| 2801 | Rhizobacterial colonization of bermudagrass by <i>Bacillus</i> spp. in a Marvyn loamy sand soil. <i>Applied Soil Ecology</i> , 2019, 141, 10-17. | 4.3 | 19 |
| 2802 | Effect of rhizospheric and endophytic bacteria with multiple plant growth promoting traits on wheat growth. <i>Environmental Science and Pollution Research</i> , 2019, 26, 19804-19813. | 5.3 | 64 |
| 2803 | Rapid and high yield synthesis of carbon dots with chelating ability derived from acrylamide/chitosan for selective detection of ferrous ions. <i>Applied Surface Science</i> , 2019, 487, 1167-1175. | 6.1 | 60 |
| 2804 | Assessment of the Potential of Indole-3-Acetic Acid Producing Bacteria to manage Chemical Fertilizers Application. <i>International Journal of Environmental Research</i> , 2019, 13, 603-611. | 2.3 | 11 |
| 2805 | Differential effects of plant growth-promoting bacteria on invasive and native plants. <i>South African Journal of Botany</i> , 2019, 124, 94-101. | 2.5 | 4 |
| 2806 | Cyanobacterial Siderophores—Physiology, Structure, Biosynthesis, and Applications. <i>Marine Drugs</i> , 2019, 17, 281. | 4.6 | 55 |
| 2807 | Iron requirements and uptake strategies of the globally abundant marine ammonia-oxidising archaeon, <i>Nitrosopumilus maritimus</i> SCM1. <i>ISME Journal</i> , 2019, 13, 2295-2305. | 9.8 | 38 |
| 2809 | Production, Optimization, and Characterization of Siderophore by <i>Pseudomonas aeruginosa</i> (C3) Isolated from Rhizospheric Soil. , 2019, , 27-32. | | 0 |
| 2810 | <i>Enterobacter cloacae</i> , an Endophyte That Establishes a Nutrient-Transfer Symbiosis With Banana Plants and Protects Against the Black Sigatoka Pathogen. <i>Frontiers in Microbiology</i> , 2019, 10, 804. | 3.5 | 51 |
| 2811 | Adaption of microarray primers for iron transport and homeostasis gene expression in <i>Pseudomonas fluorescens</i> exposed to nano iron. <i>MethodsX</i> , 2019, 6, 1181-1187. | 1.6 | 3 |
| 2812 | Pan Proteome of <i>Xanthomonas campestris</i> pv. <i>campestris</i> Isolates Contrasting in Virulence. <i>Proteomics</i> , 2019, 19, e1900082. | 2.2 | 4 |
| 2813 | Identification and characterization of plant growth-promoting endophyte RE02 from <i>Trifolium repens</i> L. in mining smelter. <i>Environmental Science and Pollution Research</i> , 2019, 26, 17236-17247. | 5.3 | 22 |
| 2814 | Total Synthesis of Hinduchelins—D, Stereochemical Revision of Hinduchelin A, and Biological Evaluation of Natural and Unnatural Analogues. <i>Journal of Organic Chemistry</i> , 2019, 84, 6459-6464. | 3.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2815 | Antagonistic activity of marine <i>Streptomyces</i> sp. S073 on pathogenic <i>Vibrio parahaemolyticus</i> . <i>Fisheries Science</i> , 2019, 85, 533-543. | 1.6 | 6 |
| 2816 | Induction of systemic resistance in turmeric by rhizospheric isolate <i>Trichoderma asperellum</i> against rhizome rot disease. <i>Journal of Plant Pathology</i> , 2019, 101, 965-980. | 1.2 | 9 |
| 2817 | New insight into structure-activity of furan-based salicylate synthase (MbtI) inhibitors as potential antitubercular agents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019, 34, 823-828. | 5.2 | 25 |
| 2818 | Growth of <i>Salmonella enterica</i> Serovars Typhimurium and Enteritidis in Iron-Poor Media and in Meat: Role of Catecholate and Hydroxamate Siderophore Transporters. <i>Journal of Food Protection</i> , 2019, 82, 548-560. | 1.7 | 8 |
| 2819 | Genomic and Functional Analysis of Emerging Virulent and Multidrug-Resistant <i>Escherichia coli</i> Lineage Sequence Type 648. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, . | 3.2 | 71 |
| 2820 | <i>Variovorax</i> sp. Has an Optimum Cell Density to Fully Function as a Plant Growth Promoter. <i>Microorganisms</i> , 2019, 7, 82. | 3.6 | 13 |
| 2821 | Synergism of <i>Pseudomonas aeruginosa</i> (LSE-2) nodule endophyte with <i>Bradyrhizobium</i> sp. (LSBR-3) for improving plant growth, nutrient acquisition and soil health in soybean. <i>World Journal of Microbiology and Biotechnology</i> , 2019, 35, 47. | 3.6 | 77 |
| 2822 | Plant-Growth Promotion and Biocontrol Properties of Three <i>Streptomyces</i> spp. Isolates to Control Bacterial Rice Pathogens. <i>Frontiers in Microbiology</i> , 2019, 10, 290. | 3.5 | 117 |
| 2823 | Molecular identification and biocontrol activity of sugarcane rhizosphere bacteria against red rot pathogen <i>Colletotrichum falcatum</i> . <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2019, 21, e00317. | 4.4 | 35 |
| 2824 | Beneficial Linkages of Endophytic <i>Burkholderia anthina</i> MYSP113 Towards Sugarcane Growth Promotion. <i>Sugar Tech</i> , 2019, 21, 737-748. | 1.8 | 12 |
| 2825 | Symbiotic association among marine microalgae and bacterial flora: a study with special reference to commercially important <i>Isochrysis galbana</i> culture. <i>Journal of Applied Phycology</i> , 2019, 31, 2259-2266. | 2.8 | 21 |
| 2826 | Evaluation of <i>Bacillus velezensis</i> NKG-2 for bio-control activities against fungal diseases and potential plant growth promotion. <i>Biological Control</i> , 2019, 134, 23-31. | 3.0 | 89 |
| 2827 | Multi-metal Restriction by Calprotectin Impacts De Novo Flavin Biosynthesis in <i>Acinetobacter baumannii</i> . <i>Cell Chemical Biology</i> , 2019, 26, 745-755.e7. | 5.2 | 61 |
| 2828 | <i>Stenotrophomonas</i> : a versatile diazotrophic bacteria from the rhizospheric soils of Western Himalayas and development of its liquid biofertilizer formulation. <i>Vegetos</i> , 2019, 32, 103-109. | 1.5 | 13 |
| 2829 | Exploitation of Rhizosphere Microbiome Services. <i>Rhizosphere Biology</i> , 2019, , 105-132. | 0.6 | 9 |
| 2830 | Methods for Detecting Biocontrol and Plant Growth-Promoting Traits in Rhizobacteria. <i>Rhizosphere Biology</i> , 2019, , 133-149. | 0.6 | 37 |
| 2831 | Absence of Global Stress Regulation in <i>Escherichia coli</i> Promotes Pathoadaptation and Novel c-di-GMP-dependent Metabolic Capability. <i>Scientific Reports</i> , 2019, 9, 2600. | 3.3 | 14 |
| 2832 | Potential of <i>Bacillus amyloliquefaciens</i> for biocontrol of bacterial canker of tomato incited by <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> . <i>Microbial Pathogenesis</i> , 2019, 130, 196-203. | 2.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2833 | Growth and nutrition of cowpea (<i>Vigna unguiculata</i>) under water deficit as influenced by microbial inoculation via seed coating. Journal of Agronomy and Crop Science, 2019, 205, 447-459. | 3.5 | 27 |
| 2834 | The Ectomycorrhizospheric Habitat of Norway Spruce and <i>Tricholoma vaccinum</i> : Promotion of Plant Growth and Fitness by a Rich Microorganismic Community. Frontiers in Microbiology, 2019, 10, 307. | 3.5 | 19 |
| 2835 | Physiological Diversity of Spitsbergen Soil Microbial Communities Suggests Their Potential as Plant Growth-Promoting Bacteria. International Journal of Molecular Sciences, 2019, 20, 1207. | 4.1 | 14 |
| 2836 | Plant growth promoting ability of ACC deaminase producing rhizobacteria native to Sunflower (<i>Helianthus annuus</i> L.). Biocatalysis and Agricultural Biotechnology, 2019, 18, 101089. | 3.1 | 20 |
| 2837 | Metallophore profiling of nitrogen-fixing <i>Frankia</i> spp. to understand metal management in the rhizosphere of actinorhizal plants. Metallomics, 2019, 11, 810-821. | 2.4 | 22 |
| 2838 | Ambiguity of NRPS Structure Predictions: Four Bidentate Chelating Groups in the Siderophore Pacifibactin. Journal of Natural Products, 2019, 82, 990-997. | 3.0 | 15 |
| 2839 | Characterization of cadmium-resistant rhizobacteria and their promotion effects on <i>Brassica napus</i> growth and cadmium uptake. Journal of Basic Microbiology, 2019, 59, 579-590. | 3.3 | 31 |
| 2840 | Alleviation of salt stress response in soybean plants with the endophytic bacterial isolate <i>Curtobacterium</i> sp. SAK1. Annals of Microbiology, 2019, 69, 797-808. | 2.6 | 88 |
| 2841 | Metal tolerant bacteria enhanced phytoextraction of lead by two accumulator ornamental species. Chemosphere, 2019, 227, 561-569. | 8.2 | 35 |
| 2842 | Assessment of Plant Growth Promoting and Abiotic Stress Tolerance Properties of Wheat Endophytic Fungi. BioMed Research International, 2019, 2019, 1-12. | 1.9 | 104 |
| 2843 | Advances in Plant & Microbial Biotechnology. , 2019, , . | | 1 |
| 2844 | Phosphate solubilizing and PGR activities of ericaceous shrubs microorganisms isolated from Mediterranean forest soil. Biocatalysis and Agricultural Biotechnology, 2019, 19, 101128. | 3.1 | 15 |
| 2845 | Genetic and functional characterization of the bacterial community on fruit of three raspberry (<i>Rubus idaeus</i>) cultivars. Journal of Berry Research, 2019, 9, 227-247. | 1.4 | 11 |
| 2846 | Induction of tolerance to salinity in wheat genotypes by plant growth promoting endophytes: Involvement of ACC deaminase and antioxidant enzymes. Plant Physiology and Biochemistry, 2019, 139, 569-577. | 5.8 | 148 |
| 2847 | Isolation and Characterization of Antagonistic Bacteria <i>Paenibacillus jamilae</i> HS-26 and Their Effects on Plant Growth. BioMed Research International, 2019, 2019, 1-13. | 1.9 | 41 |
| 2848 | Adaptations of <i>Alteromonas</i> sp. 76-1 to Polysaccharide Degradation: A CAZyme Plasmid for Ulvan Degradation and Two Alginolytic Systems. Frontiers in Microbiology, 2019, 10, 504. | 3.5 | 30 |
| 2849 | Isolation, screening and molecular characterization of free-living bacteria of potato (<i>Solanum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 107 Mycorrhizal association. Scientia Horticulturae, 2019, 252, 388-397. | 3.6 | 20 |
| 2850 | Identification of Fur in <i>Pasteurella multocida</i> and the Potential of Its Mutant as an Attenuated Live Vaccine. Frontiers in Veterinary Science, 2019, 6, 5. | 2.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2851 | Identification of a novel strain, <i>Streptomyces blastmyceticus</i> JZB130180, and evaluation of its biocontrol efficacy against <i>Monilinia fructicola</i> . <i>Journal of Zhejiang University: Science B</i> , 2019, 20, 84-94. | 2.8 | 4 |
| 2852 | Vermicompost enriched with phosphate-solubilizing bacteria provides plant with enough phosphorus in a sequential cropping under calcareous soil conditions. <i>Journal of Cleaner Production</i> , 2019, 221, 27-37. | 9.3 | 50 |
| 2853 | Impact of phosphate solubilizing bacteria on wheat (<i>Triticum aestivum</i>) in the presence of pesticides. <i>Brazilian Journal of Biology</i> , 2019, 79, 29-37. | 0.9 | 24 |
| 2854 | <i>Sphingomonas pokkali</i> sp. nov., a novel plant associated rhizobacterium isolated from a saline tolerant pokkali rice and its draft genome analysis. <i>Systematic and Applied Microbiology</i> , 2019, 42, 334-342. | 2.8 | 38 |
| 2855 | Cadasides, Calcium-Dependent Acidic Lipopeptides from the Soil Metagenome That Are Active against Multidrug-Resistant Bacteria. <i>Journal of the American Chemical Society</i> , 2019, 141, 3910-3919. | 13.7 | 58 |
| 2856 | <i>Talaromyces trachyspermus</i> , an endophyte from <i>Withania somnifera</i> with plant growth promoting attributes. <i>Environmental Sustainability</i> , 2019, 2, 13-21. | 2.8 | 15 |
| 2857 | <i>Sinorhizobium fredii</i> HH103 RirA Is Required for Oxidative Stress Resistance and Efficient Symbiosis with Soybean. <i>International Journal of Molecular Sciences</i> , 2019, 20, 787. | 4.1 | 14 |
| 2858 | Comparative Genomics, Siderophore Production, and Iron Scavenging Potential of Root Zone Soil Bacteria Isolated from "Concord" Grape Vineyards. <i>Microbial Ecology</i> , 2019, 78, 699-713. | 2.8 | 14 |
| 2859 | Utilization of actinobacteria to enhance the production and quality of date palm (<i>Phoenix dactylifera</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 8.0 | 37 |
| 2860 | High-throughput Siderophore Screening from Environmental Samples: Plant Tissues, Bulk Soils, and Rhizosphere Soils. <i>Journal of Visualized Experiments</i> , 2019, , . | 0.3 | 4 |
| 2862 | Siderophores: A Novel Approach to Fight Antimicrobial Resistance. <i>Environmental Chemistry for A Sustainable World</i> , 2019, , 99-120. | 0.5 | 4 |
| 2863 | First high-quality draft genome of <i>Ochrobactrum haematophilum</i> P6BS-III, a highly glyphosate-tolerant strain isolated from agricultural soil in Argentina. <i>3 Biotech</i> , 2019, 9, 74. | 2.2 | 4 |
| 2864 | Culturable Stress-Tolerant Plant Growth-Promoting Bacterial Endophytes Associated with <i>Adhatoda vasica</i> . <i>Journal of Soil Science and Plant Nutrition</i> , 2019, 19, 290-298. | 3.4 | 11 |
| 2865 | Reducing arsenic in rice grains by leonardite and arsenic-resistant endophytic bacteria. <i>Chemosphere</i> , 2019, 223, 448-454. | 8.2 | 59 |
| 2866 | Combination of heterotrophic nitrifying bacterium and duckweed (<i>Lemna gibba</i> L.) enhances ammonium nitrogen removal efficiency in aquaculture water via mutual growth promotion. <i>Journal of General and Applied Microbiology</i> , 2019, 65, 151-160. | 0.7 | 13 |
| 2867 | Soil Bacterial Communities From the Chilean Andean Highlands: Taxonomic Composition and Culturability. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019, 7, 10. | 4.1 | 34 |
| 2868 | Role of novel bacterial <i>Raoultella</i> sp. strain X13 in plant growth promotion and cadmium bioremediation in soil. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 3887-3897. | 3.6 | 40 |
| 2869 | Phosphate-Solubilizing <i>Pseudomonas</i> sp. Strain P34-L Promotes Wheat Growth by Colonizing the Wheat Rhizosphere and Improving the Wheat Root System and Soil Phosphorus Nutritional Status. <i>Journal of Plant Growth Regulation</i> , 2019, 38, 1314-1324. | 5.1 | 72 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2870 | A Potential Biocontrol Agent <i>Streptomyces violaceusniger</i> AC12AB for Managing Potato Common Scab. <i>Frontiers in Microbiology</i> , 2019, 10, 202. | 3.5 | 23 |
| 2871 | Functional characterization of a putative DNA methyltransferase, EadM, in <i>Xanthomonas axonopodis</i> pv. <i>glycines</i> by proteomic and phenotypic analyses. <i>Scientific Reports</i> , 2019, 9, 2446. | 3.3 | 39 |
| 2872 | Genetic variations in salt tolerant and plant growth promoting rhizobacteria of the Western Himalayas. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2019, 28, 133-142. | 1.7 | 5 |
| 2873 | Advances in Endophytic Fungal Research. <i>Fungal Biology</i> , 2019, , . | 0.6 | 15 |
| 2874 | Biodiversity of Endophytic Fungi from Diverse Niches and Their Biotechnological Applications. <i>Fungal Biology</i> , 2019, , 105-144. | 0.6 | 125 |
| 2875 | Elevated level of arsenic negatively influences <i>nifH</i> gene expression of isolated soil bacteria in culture condition as well as soil system. <i>Environmental Geochemistry and Health</i> , 2019, 41, 1953-1966. | 3.4 | 5 |
| 2876 | Molecular characterization of monocrotophos and chlorpyrifos tolerant bacterial strain for enhancing seed germination of vegetable crops. <i>Chemosphere</i> , 2019, 223, 636-650. | 8.2 | 32 |
| 2877 | Physiological and proteomic analysis of <i>Stenotrophomonas maltophilia</i> grown under the iron-limited condition. <i>Future Microbiology</i> , 2019, 14, 1417-1428. | 2.0 | 2 |
| 2878 | The biological control of the grapevine downy mildew disease using <i>Ochrobactrum</i> sp.. <i>Plant Protection Science</i> , 2020, 56, 52-61. | 1.4 | 21 |
| 2879 | Characterization of sponge-associated actinobacteria with potential to promote plant growth on tidal swamps. <i>Journal of Biological Research (Italy)</i> , 2019, 92, . | 0.1 | 1 |
| 2880 | Efficiency of <i>Pseudomonas</i> spp.-based formulation for controlling root rot disease of black cumin under greenhouse and field conditions. <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 1313-1325. | 1.3 | 6 |
| 2881 | Biorremediación de mercurio y nquel por bacterias endófitas de macrofitas acuáticas. <i>Revista Colombiana De Biotecnología</i> , 2019, 21, 36-44. | 0.2 | 0 |
| 2882 | Genetic architecture constrains exploitation of siderophore cooperation in the bacterium <i>Burkholderia cenocepacia</i> . <i>Evolution Letters</i> , 2019, 3, 610-622. | 3.3 | 17 |
| 2883 | Loss of <i>O</i> -Linked Protein Glycosylation in <i>Burkholderia cenocepacia</i> Impairs Biofilm Formation and Siderophore Activity and Alters Transcriptional Regulators. <i>MSphere</i> , 2019, 4, . | 2.9 | 12 |
| 2884 | Evaluation of <i>Trichoderma asperellum</i> as a potential biocontrol agent against <i>Rigidoporus microporus</i> <i>Hevea brasiliensis</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 639-666. | 1.3 | 10 |
| 2885 | <i>Trichoderma reesei</i> improved the nutrition status of wheat crop under salt stress. <i>Journal of Plant Interactions</i> , 2019, 14, 590-602. | 2.1 | 46 |
| 2886 | Effect of Plant Growth-Promoting Rhizobacteria on <i>Salicornia ramosissima</i> Seed Germination under Salinity, CO ₂ and Temperature Stress. <i>Agronomy</i> , 2019, 9, 655. | 3.0 | 38 |
| 2887 | Production and Uptake of Distinct Endogenous Catecholate-Type Siderophores Are Required for Iron Acquisition and Virulence in <i>Chromobacterium violaceum</i> . <i>Infection and Immunity</i> , 2019, 87, . | 2.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2888 | Composting of Vegetable Waste Using Microbial Consortium and Biocontrol Efficacy of Streptomyces Sp. Al-Dhabi 30 Isolated from the Saudi Arabian Environment for Sustainable Agriculture. Sustainability, 2019, 11, 6845. | 3.2 | 17 |
| 2889 | Glucanolytic Rhizobacteria Produce Antifungal Metabolites and Elicit ROS Scavenging System in Sugarcane. Sugar Tech, 2019, 21, 244-255. | 1.8 | 13 |
| 2890 | Diversity and Tissue Preference of Osmotolerant Bacterial Endophytes Associated with Pearl Millet Genotypes Having Differential Drought Susceptibilities. Microbial Ecology, 2019, 77, 676-688. | 2.8 | 18 |
| 2891 | Plant growth promoting bacteria increases biomass, effective constituent, and modifies rhizosphere bacterial communities of Panax ginseng. Acta Agriculturae Scandinavica - Section B Soil and Plant Science, 2019, 69, 135-146. | 0.6 | 4 |
| 2892 | Exploitation of new endophytic bacteria and their ability to promote sugarcane growth and nitrogen nutrition. Antonie Van Leeuwenhoek, 2019, 112, 283-295. | 1.7 | 37 |
| 2893 | Effect of Indigenous Plant Growth-Promoting Rhizobacteria on Wheat (<i>Triticum Aestivum</i> L.) Productivity and Soil Nutrients. Communications in Soil Science and Plant Analysis, 2019, 50, 141-152. | 1.4 | 14 |
| 2894 | Characterizing the hypertolerance potential of two indigenous bacterial strains (<i>Bacillus</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 T) Applied Microbiology, 2019, 126, 1117-1127. | 3.1 | 28 |
| 2895 | Cyanobacterial Siderophores: Ecological and Biotechnological Significance. , 2019, , 383-397. | | 7 |
| 2896 | Reactive green dye remediation by Alternanthera philoxeroides in association with plant growth promoting Klebsiella sp. VITAJ23: A pot culture study. Microbiological Research, 2019, 220, 42-52. | 5.3 | 17 |
| 2897 | Basidiomycetes fungi as biocontrol agents against take-all disease of wheat. Biological Control, 2019, 130, 34-43. | 3.0 | 17 |
| 2898 | Competition among Nasal Bacteria Suggests a Role for Siderophore-Mediated Interactions in Shaping the Human Nasal Microbiota. Applied and Environmental Microbiology, 2019, 85, . | 3.1 | 57 |
| 2899 | Effect of endosulfan tolerant bacterial isolates (<i>Delftia lacustris</i> IITISM30 and <i>Klebsiella aerogenes</i>) Tj ETQq1 1 0.784314 rgBT /Overlock Ecotoxicology and Environmental Safety, 2019, 168, 315-323. | 6.0 | 14 |
| 2900 | Isolation, identification and in vitro characterization of grapevine rhizobacteria to control ochratoxinogenic <i>Aspergillus</i> spp. on grapes. Biological Control, 2019, 129, 201-211. | 3.0 | 18 |
| 2901 | Rhizospheric and endospheric diazotrophs mediated soil fertility intensification in sugarcane-legume intercropping systems. Journal of Soils and Sediments, 2019, 19, 1911-1927. | 3.0 | 56 |
| 2902 | <i>Pseudomonas protegens</i> MP12: A plant growth-promoting endophytic bacterium with broad-spectrum antifungal activity against grapevine phytopathogens. Microbiological Research, 2019, 219, 123-131. | 5.3 | 71 |
| 2903 | Isolation and characterization of a virulence related <i>Vibrio alginolyticus</i> strain Wz11 pathogenic to cuttlefish, <i>Sepia pharaonis</i> . Microbial Pathogenesis, 2019, 126, 165-171. | 2.9 | 17 |
| 2904 | Integrated phytoremediation system for uranium-contaminated soils by adding a plant growth promoting bacterial mixture and mowing grass. Journal of Soils and Sediments, 2019, 19, 1799-1808. | 3.0 | 30 |
| 2905 | Algae induce siderophore biosynthesis in the freshwater bacterium <i>Cupriavidus necator</i> H16. BioMetals, 2019, 32, 77-88. | 4.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2906 | The bacterial siderophore enterobactin confers survival advantage to Salmonella in macrophages. Gut Microbes, 2019, 10, 412-423. | 9.8 | 26 |
| 2907 | Enhanced uptake of Cd by biofilm forming Cd resistant plant growth promoting bacteria bioaugmented to the rhizosphere of <i>Vetiveria zizanioides</i> . International Journal of Phytoremediation, 2019, 21, 487-495. | 3.1 | 29 |
| 2908 | Proteomic analysis of iron-regulated membrane proteins identify FhuE receptor as a target to inhibit siderophore-mediated iron acquisition in <i>Acinetobacter baumannii</i> . International Journal of Biological Macromolecules, 2019, 125, 1156-1167. | 7.5 | 20 |
| 2909 | The Polycyclic Polyprenylated Acylphloroglucinol Antibiotic PPAP 23 Targets the Membrane and Iron Metabolism in <i>Staphylococcus aureus</i> . Frontiers in Microbiology, 2019, 10, 14. | 3.5 | 22 |
| 2910 | Characterization of the Cd-resistant fungus <i>Aspergillus aculeatus</i> and its potential for increasing the antioxidant activity and photosynthetic efficiency of rice. Ecotoxicology and Environmental Safety, 2019, 171, 373-381. | 6.0 | 23 |
| 2911 | Virulence, attachment and invasion of Caco-2 cells by multidrug-resistant bacteria isolated from wild animals. Microbial Pathogenesis, 2019, 128, 230-235. | 2.9 | 8 |
| 2912 | Diesel degrading bacterial endophytes with plant growth promoting potential isolated from a petroleum storage facility. 3 Biotech, 2019, 9, 35. | 2.2 | 17 |
| 2913 | Characterization of <i>Pseudofusicoccum adansoniae</i> , an Endophytic Fungus Residing in Photosynthetic Root of <i>Tinospora cordifolia</i> , a Medicinal Plant. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2019, 89, 1319-1326. | 1.0 | 4 |
| 2914 | Phosphoproteomic and transcriptomic analyses reveal multiple functions for <i>Aspergillus nidulans</i> MpkA independent of cell wall stress. Fungal Genetics and Biology, 2019, 125, 1-12. | 2.1 | 7 |
| 2915 | Phosphate solubilizing bacteria and fungi in desert soils: species, limitations and mechanisms. Archives of Agronomy and Soil Science, 2019, 65, 1446-1459. | 2.6 | 26 |
| 2916 | Iron fortification of reduced-fat bioyoghurt containing either short- or long-chain inulin. International Journal of Dairy Technology, 2019, 72, 229-239. | 2.8 | 5 |
| 2917 | Screening for Fusarium Antagonistic Bacteria From Contrasting Niches Designated the Endophyte <i>Bacillus halotolerans</i> as Plant Warden Against Fusarium. Frontiers in Microbiology, 2018, 9, 3236. | 3.5 | 91 |
| 2918 | Biological control of potato soft rot caused by <i>Dickeya solani</i> and the survival of bacterial antagonists under cold storage conditions. Plant Pathology, 2019, 68, 297-311. | 2.4 | 30 |
| 2919 | Siderophore-Mediated Iron Acquisition Enhances Resistance to Oxidative and Aromatic Compound Stress in <i>Cupriavidus necator</i> JMP134. Applied and Environmental Microbiology, 2019, 85, . | 3.1 | 30 |
| 2920 | High salt tolerant plant growth promoting rhizobacteria from the common ice-plant <i>Mesembryanthemum crystallinum</i> L. Rhizosphere, 2019, 9, 10-17. | 3.0 | 25 |
| 2921 | Adaptation and diversification in virulence factors among urinary catheter-associated <i>Pseudomonas aeruginosa</i> isolates. Journal of Applied Microbiology, 2019, 126, 641-650. | 3.1 | 17 |
| 2922 | Phenotypic and molecular characterization of diazotrophic bacteria associated with sugarcane in Bangladesh. Organic Agriculture, 2019, 9, 331-343. | 2.4 | 1 |
| 2923 | Metal-tolerant endophytic bacteria associated with <i>Silene vulgaris</i> support the Cd and Zn phytoextraction in non-host plants. Chemosphere, 2019, 219, 250-260. | 8.2 | 46 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2924 | Isolation and characterization of mineral-dissolving bacteria from different levels of altered mica schist surfaces and the adjacent soil. World Journal of Microbiology and Biotechnology, 2019, 35, 2. | 3.6 | 10 |
| 2925 | Biocontrol efficiency of native plant growth promoting rhizobacteria against rhizome rot disease of turmeric. Biological Control, 2019, 129, 55-64. | 3.0 | 61 |
| 2926 | 2D Image Quantification of Microbial Iron Chelators (Siderophores) Using Diffusive Equilibrium in Thin Films Method. Analytical Chemistry, 2019, 91, 1399-1407. | 6.5 | 5 |
| 2927 | Identification and Determination of Characteristics of Endophytes from Rice Plants. Reference Series in Phytochemistry, 2019, , 1-34. | 0.4 | 0 |
| 2928 | The Isoniazid Metabolites Hydrazine and Pyridoxal Isonicotinoyl Hydrazone Modulate Heme Biosynthesis. Toxicological Sciences, 2019, 168, 209-224. | 3.1 | 24 |
| 2929 | Exploring the survival tactics and plant growth promising traits of root-associated bacterial strains under Cd and Pb stress: A modelling based approach. Ecotoxicology and Environmental Safety, 2019, 170, 267-277. | 6.0 | 22 |
| 2930 | Siderophores: Amazing Metabolites of Microorganisms. Studies in Natural Products Chemistry, 2019, , 157-188. | 1.8 | 8 |
| 2931 | Alleviation of drought stress in maize (Zea mays) by inoculation with Azotobacter strains isolated from semi-arid regions. Applied Soil Ecology, 2019, 133, 138-145. | 4.3 | 81 |
| 2932 | Specificity of low molecular weight organic acids on the release of elements from lizardite during fungal weathering. Geochimica Et Cosmochimica Acta, 2019, 256, 20-34. | 3.9 | 19 |
| 2933 | Application of Marine Bacteria Associated with Seaweed, Ulva lactuca, for Degradation of Algal Waste. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2019, 89, 1153-1160. | 1.0 | 6 |
| 2934 | Isolation and characterization of endophytes from nodules of Mimosa pudica with biotechnological potential. Microbiological Research, 2019, 218, 76-86. | 5.3 | 34 |
| 2935 | Isolation and Characterization of Plant Growth Promoting Rhizobacteria From Momordica Charantia L., 2019, , 217-238. | | 4 |
| 2936 | Efficient rhizobacteria promote growth and alleviate NaCl-induced stress in the plant species Sulla carnosa. Applied Soil Ecology, 2019, 133, 104-113. | 4.3 | 56 |
| 2937 | <i>Bradyrhizobium</i> and <i>Pseudomonas</i> strains obtained from coal-mining areas nodulate and promote the growth of <i>Calopogonium muconoides</i> plants used in the reclamation of degraded areas. Journal of Applied Microbiology, 2019, 126, 523-533. | 3.1 | 6 |
| 2938 | <i>Rhizobium panacihumi</i> sp. nov., an isolate from ginseng-cultivated soil, as a potential plant growth promoting bacterium. Archives of Microbiology, 2019, 201, 99-105. | 2.2 | 21 |
| 2939 | Evaluation of the production of exopolysaccharide by plant growth promoting yeast <i>Rhodotorula</i> sp. strain CAH2 under abiotic stress conditions. International Journal of Biological Macromolecules, 2019, 121, 55-62. | 7.5 | 50 |
| 2940 | Appraisal of diversity and functional attributes of thermotolerant wheat associated bacteria from the peninsular zone of India. Saudi Journal of Biological Sciences, 2019, 26, 1882-1895. | 3.8 | 134 |
| 2941 | Isolation and characterization of Pb-resistant plant growth promoting endophytic bacteria and their role in Pb accumulation by fast-growing trees. Environmental Technology (United Kingdom), 2020, 41, 3598-3606. | 2.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2942 | Microremediation of tannery wastewater by siderophore producing marine bacteria. Environmental Technology (United Kingdom), 2020, 41, 3619-3632. | 2.2 | 14 |
| 2943 | Biodegradation of monocrotophos by a plant growth promoting <i>Bacillus aryabhatai</i> (VITNNDJ5) strain in artificially contaminated soil. International Journal of Environmental Science and Technology, 2020, 17, 1475-1490. | 3.5 | 23 |
| 2944 | Composting of Sweet Sorghum Bagasse and its Impact on Plant Growth Promotion. Sugar Tech, 2020, 22, 143-156. | 1.8 | 6 |
| 2945 | Biocontrol activities of rhizobacteria associated with apple, apricot and kiwi rhizosphere against bacterial canker caused by <i>Clavibacter michiganensis</i> . Indian Phytopathology, 2020, 73, 45-56. | 1.2 | 5 |
| 2946 | A multifunctional rhizobacterial strain with wide application in different ferns facilitates arsenic phytoremediation. Science of the Total Environment, 2020, 712, 134504. | 8.0 | 20 |
| 2947 | Potential modes of action of <i>Pseudomonas fluorescens</i> ZX during biocontrol of blue mold decay on postharvest citrus. Journal of the Science of Food and Agriculture, 2020, 100, 744-754. | 3.5 | 35 |
| 2948 | Siderophore-assisted cadmium hyperaccumulation in <i>Bacillus subtilis</i> . International Microbiology, 2020, 23, 277-286. | 2.4 | 32 |
| 2949 | Plant growth promoting and antifungal activity in endophytic <i>Bacillus</i> strains from pearl millet (<i>Pennisetum glaucum</i>). Brazilian Journal of Microbiology, 2020, 51, 229-241. | 2.0 | 51 |
| 2950 | Indigenous strain <i>Bacillus</i> XZM assisted phytoremediation and detoxification of arsenic in <i>Vallisneria denseserrulata</i> . Journal of Hazardous Materials, 2020, 381, 120903. | 12.4 | 57 |
| 2951 | Functional characterization of endophytic bacilli from pearl millet (<i>Pennisetum glaucum</i>) and their possible role in multiple stress tolerance. Plant Biosystems, 2020, 154, 503-514. | 1.6 | 47 |
| 2952 | Structure, properties, and biological functions of nonribosomal lipopeptides from pseudomonads. Natural Product Reports, 2020, 37, 29-54. | 10.3 | 77 |
| 2953 | The maize mycorrhizosphere as a source for isolation of arbuscular mycorrhizae-compatible phosphate rock-solubilizing bacteria. Plant and Soil, 2020, 451, 169-186. | 3.7 | 26 |
| 2954 | Genetic diversity and growth promoting characteristics of diazotrophic bacteria isolated from 20 genotypes of <i>Brachiaria</i> spp.. Plant and Soil, 2020, 451, 187-205. | 3.7 | 6 |
| 2955 | Inoculation with Elite Strains of Phosphate-Solubilizing Bacteria Enhances the Effectiveness of Fertilization with Rock Phosphates. Geomicrobiology Journal, 2020, 37, 22-30. | 2.0 | 26 |
| 2956 | Induction of Systemic Resistance in Chickpea (<i>Cicer arietinum</i> L.) Against <i>Fusarium oxysporum</i> f. sp. <i>ciceris</i> by Antagonistic Rhizobacteria in Assistance with Native Mesorhizobium. Current Microbiology, 2020, 77, 85-98. | 2.2 | 14 |
| 2957 | Insight into the mechanisms of plant growth promoting strain SNB6 on enhancing the phytoextraction in cadmium contaminated soil. Journal of Hazardous Materials, 2020, 385, 121587. | 12.4 | 41 |
| 2958 | Induction of resistance in grapevines against powdery mildew by <i>Bacillus</i> strains. Indian Phytopathology, 2020, 73, 35-44. | 1.2 | 0 |
| 2959 | Combined effects of rhizo-competitive rhizosphere and non-rhizosphere <i>Bacillus</i> in plant growth promotion and yield improvement of Eleusine coracana (Ragi). Canadian Journal of Microbiology, 2020, 66, 111-124. | 1.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2960 | Characterization of phenazine-1-carboxylic acid by <i>Klebsiella</i> sp. NP-C49 from the coral environment in Gulf of Kutch, India. <i>Archives of Microbiology</i> , 2020, 202, 351-359. | 2.2 | 6 |
| 2961 | Insights into non-symbiotic plant growth promotion bacteria associated with nodules of <i>Sphaerophysa salsula</i> growing in northwestern China. <i>Archives of Microbiology</i> , 2020, 202, 399-409. | 2.2 | 12 |
| 2962 | Hfq modulates global protein pattern and stress response in <i>Bordetella pertussis</i> . <i>Journal of Proteomics</i> , 2020, 211, 103559. | 2.4 | 5 |
| 2963 | Complete Genome Sequence of <i>Sphingobacterium psychroaquaticum</i> Strain SJ-25, an Aerobic Bacterium Capable of Suppressing Fungal Pathogens. <i>Current Microbiology</i> , 2020, 77, 115-122. | 2.2 | 23 |
| 2964 | High-throughput analysis of genes involved in biocontrol performance of <i>Pseudomonas fluorescens</i> NBC275 against Gray mold. <i>Journal of Applied Microbiology</i> , 2020, 128, 265-279. | 3.1 | 9 |
| 2965 | The effect of plant growth-promoting rhizobacteria (PGPR) on arsenic accumulation and the growth of rice plants (<i>Oryza sativa</i> L.). <i>Chemosphere</i> , 2020, 242, 125136. | 8.2 | 59 |
| 2966 | Zinc solubilizing bacteria (<i>Bacillus megaterium</i>) with multifarious plant growth promoting activities alleviates growth in <i>Capsicum annuum</i> L.. <i>3 Biotech</i> , 2020, 10, 36. | 2.2 | 86 |
| 2967 | Synergistic effects of arbuscular mycorrhizal fungi and plant growth-promoting bacteria benefit maize growth under increasing soil salinity. <i>Journal of Environmental Management</i> , 2020, 257, 109982. | 7.8 | 88 |
| 2968 | Azido-Desferrioxamine Siderophores as Functional Click-Chemistry Probes Generated in Culture upon Adding a Diazo-Transfer Reagent. <i>ChemBioChem</i> , 2020, 21, 1433-1445. | 2.6 | 6 |
| 2969 | Amelioration effect of chromium-tolerant bacteria on growth, physiological properties and chromium mobilization in chickpea (<i>Cicer arietinum</i>) under chromium stress. <i>Archives of Microbiology</i> , 2020, 202, 887-894. | 2.2 | 36 |
| 2970 | Plant Growth-Promoting Fungi (PGPF) Instigate Plant Growth and Induce Disease Resistance in <i>Capsicum annuum</i> L. upon Infection with <i>Colletotrichum capsici</i> (Syd.) Butler & Bisby. <i>Biomolecules</i> , 2020, 10, 41. | 4.0 | 54 |
| 2971 | Rice-derived facultative endophytic <i>Serratia liquefaciens</i> F2 decreases rice grain arsenic accumulation in arsenic-polluted soil. <i>Environmental Pollution</i> , 2020, 259, 113832. | 7.5 | 23 |
| 2972 | Isolation of Heavy Metal-Tolerant PGPR Strains and Amelioration of Chromium Effect in Wheat in Combination with Biochar. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2020, 44, 1-12. | 1.5 | 20 |
| 2973 | Effects of coinoculation of <i>Rhizobium</i> with plant growth promoting rhizobacteria on the nitrogen fixation and nutrient uptake of <i>Trifolium repens</i> in low phosphorus soil. <i>Journal of Plant Nutrition</i> , 2020, 43, 739-752. | 1.9 | 62 |
| 2974 | Biocontrol potential of <i>Bacillus subtilis</i> RH5 against sheath blight of rice caused by <i>Rhizoctonia solani</i> . <i>Journal of Basic Microbiology</i> , 2020, 60, 268-280. | 3.3 | 59 |
| 2975 | Isolation and characterization of psychrophilic and psychrotolerant plant-growth promoting microorganisms from a high-altitude volcano crater in Mexico. <i>Microbiological Research</i> , 2020, 232, 126394. | 5.3 | 49 |
| 2976 | Siderophore production by bacteria isolated from mangrove sediments: A microcosm study. <i>Journal of Experimental Marine Biology and Ecology</i> , 2020, 524, 151290. | 1.5 | 12 |
| 2977 | Multitrait <i>Pseudomonas</i> spp. Isolated from Monocropped Wheat (<i>Triticum aestivum</i>) Suppress <i>Fusarium</i> Root and Crown Rot. <i>Phytopathology</i> , 2020, 110, 582-592. | 2.2 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2978 | Characterization of endophytic bacteria <i>Enterobacter cloacae</i> MG00145 isolated from <i>Ocimum sanctum</i> with Indole Acetic Acid (IAA) production and plant growth promoting capabilities against selected crops. <i>South African Journal of Botany</i> , 2020, 134, 17-26. | 2.5 | 38 |
| 2979 | Biotransformation and detoxification of chloroacetanilide herbicides by <i>Trichoderma</i> spp. with plant growth-promoting activities. <i>Pesticide Biochemistry and Physiology</i> , 2020, 163, 216-226. | 3.6 | 15 |
| 2980 | <i>Medicago truncatula</i> root developmental changes by growth-promoting microbes isolated from Fabaceae, growing on organic farms, involve cell cycle changes and <i>WOX5</i> gene expression. <i>Planta</i> , 2020, 251, 25. | 3.2 | 5 |
| 2981 | Amelioration of chromium and heat stresses in <i>Sorghum bicolor</i> by Cr6+ reducing-thermotolerant plant growth promoting bacteria. <i>Chemosphere</i> , 2020, 244, 125521. | 8.2 | 75 |
| 2982 | Functional characterization of potential PGPR exhibiting broad-spectrum antifungal activity. <i>Microbiological Research</i> , 2020, 232, 126389. | 5.3 | 96 |
| 2983 | Isolation, Selection and Characterization of Root-Associated Rock Phosphate Solubilizing Bacteria in Moroccan Wheat (<i>Triticum aestivum</i> L.). <i>Geomicrobiology Journal</i> , 2020, 37, 230-241. | 2.0 | 28 |
| 2984 | Modulation of PQQ-dependent glucose dehydrogenase (mGDH and sGDH) activity by succinate in phosphate solubilizing plant growth promoting <i>Acinetobacter</i> sp. SK2. <i>3 Biotech</i> , 2020, 10, 5. | 2.2 | 15 |
| 2985 | Screening of plant growth-promoting endophytic bacteria from the roots of the medicinal plant <i>Aloe vera</i> . <i>South African Journal of Botany</i> , 2020, 134, 3-16. | 2.5 | 18 |
| 2986 | Silencing of Phytopathogen Communication by the Halotolerant PGPR <i>Staphylococcus Equorum</i> Strain EN21. <i>Microorganisms</i> , 2020, 8, 42. | 3.6 | 19 |
| 2987 | Evaluation of antagonistic activity and mechanisms of endophytic yeasts against pathogenic fungi causing economic crop diseases. <i>Folia Microbiologica</i> , 2020, 65, 573-590. | 2.3 | 28 |
| 2988 | Application of Endophytic <i>Bacillus subtilis</i> and Salicylic Acid to Improve Wheat Growth and Tolerance under Combined Drought and <i>Fusarium</i> Root Rot Stresses. <i>Agronomy</i> , 2020, 10, 1343. | 3.0 | 12 |
| 2989 | Genome-Based Insights into the Production of Carotenoids by Antarctic Bacteria, <i>Planococcus</i> sp. ANT_H30 and <i>Rhodococcus</i> sp. ANT_H53B. <i>Molecules</i> , 2020, 25, 4357. | 3.8 | 13 |
| 2990 | Rhizobactin B is the preferred siderophore by a novel <i>Pseudomonas</i> isolate to obtain iron from dissolved organic matter in peatlands. <i>BioMetals</i> , 2020, 33, 415-433. | 4.1 | 13 |
| 2991 | Prospective evaluation of individual and consortia plant growth promoting rhizobacteria for drought stress amelioration in rice (<i>Oryza sativa</i> L.). <i>Plant and Soil</i> , 2020, 457, 225-240. | 3.7 | 43 |
| 2992 | <i>Pseudomonas</i> sp. TK35-L enhances tobacco root development and growth by inducing HRGPnt3 expression in plant lateral root formation. <i>Journal of Integrative Agriculture</i> , 2020, 19, 2549-2560. | 3.5 | 10 |
| 2993 | <i>Variovorax beijingsensis</i> sp. nov., a novel plant-associated bacterial species with plant growth-promoting potential isolated from different geographic regions of Beijing, China. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126135. | 2.8 | 6 |
| 2994 | Phylogenetically conserved host traits and local abiotic conditions jointly drive the geography of parasite intensity. <i>Functional Ecology</i> , 2020, 34, 2477-2487. | 3.6 | 4 |
| 2995 | <i>Acinetobacter baumannii</i> can use multiple siderophores for iron acquisition, but only acinetobactin is required for virulence. <i>PLoS Pathogens</i> , 2020, 16, e1008995. | 4.7 | 75 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2996 | Improved grain yield and lowered arsenic accumulation in rice plants by inoculation with arsenite-oxidizing <i>Achromobacter xylosoxidans</i> GD03. <i>Ecotoxicology and Environmental Safety</i> , 2020, 206, 111229. | 6.0 | 17 |
| 2997 | Complete Genome Sequence of <i>Enterobacter roggenkampii</i> ED5, a Nitrogen Fixing Plant Growth Promoting Endophytic Bacterium With Biocontrol and Stress Tolerance Properties, Isolated From Sugarcane Root. <i>Frontiers in Microbiology</i> , 2020, 11, 580081. | 3.5 | 63 |
| 2998 | Novel Bioformulations Developed from <i>Pseudomonas putida</i> BSP9 and Its Biosurfactant for Growth Promotion of <i>Brassica juncea</i> (L.). <i>Plants</i> , 2020, 9, 1349. | 3.5 | 19 |
| 2999 | Promotion of growth and phytoextraction of cadmium and lead in <i>Solanum nigrum</i> L. mediated by plant-growth-promoting rhizobacteria. <i>Ecotoxicology and Environmental Safety</i> , 2020, 205, 111333. | 6.0 | 82 |
| 3000 | Detection and Characterization of Antibacterial Siderophores Secreted by Endophytic Fungi from <i>Cymbidium aloifolium</i> . <i>Biomolecules</i> , 2020, 10, 1412. | 4.0 | 67 |
| 3001 | Reusing phosphate sludge enriched by phosphate solubilizing bacteria as biofertilizer: Growth promotion of <i>Zea Mays</i> . <i>Biocatalysis and Agricultural Biotechnology</i> , 2020, 30, 101825. | 3.1 | 21 |
| 3002 | Inoculation of <i>Pseudomonas</i> mutant strains can improve growth of soybean and corn plants in soils under salt stress. <i>Rhizosphere</i> , 2020, 16, 100255. | 3.0 | 18 |
| 3003 | Impact of seed-transmitted endophytic bacteria on intra- and inter-cultivar plant growth promotion modulated by certain sets of metabolites in rice crop. <i>Microbiological Research</i> , 2020, 241, 126582. | 5.3 | 22 |
| 3004 | Exploring the properties of chitinolytic <i>Bacillus</i> isolates for the pathogens biological control. <i>Microbial Pathogenesis</i> , 2020, 148, 104462. | 2.9 | 19 |
| 3005 | Biofilm forming rhizobacteria enhance growth and salt tolerance in sunflower plants by stimulating antioxidant enzymes activity. <i>Plant Physiology and Biochemistry</i> , 2020, 156, 242-256. | 5.8 | 61 |
| 3006 | Plant growth promoting potential of bacterial endophytes from three terrestrial mediterranean orchid species. <i>Plant Biosystems</i> , 2021, 155, 1153-1164. | 1.6 | 11 |
| 3007 | Dual transcriptomics and proteomics analyses of the early stage of interaction between <i>Caballeronia mineralivorans</i> PML1 (12) and mineral. <i>Environmental Microbiology</i> , 2020, 22, 3838-3862. | 3.8 | 10 |
| 3008 | In-Vitro Plant Growth Promotion of <i>Rhizobium</i> Strains Isolated from Lentil Root Nodules under Abiotic Stresses. <i>Agronomy</i> , 2020, 10, 1006. | 3.0 | 8 |
| 3009 | Mathematical modelling of fungi-initiated siderophore-iron interactions. <i>Mathematical Medicine and Biology</i> , 2020, 37, 515-550. | 1.2 | 0 |
| 3010 | Comparative Study on Multiway Enhanced Bio- and Phytoremediation of Aged Petroleum-Contaminated Soil. <i>Agronomy</i> , 2020, 10, 947. | 3.0 | 15 |
| 3011 | Coordination of <i>Mesorhizobium</i> sp. and endophytic bacteria as elicitor of biocontrol against <i>Fusarium</i> wilt in chickpea. <i>European Journal of Plant Pathology</i> , 2020, 158, 143-161. | 1.7 | 22 |
| 3012 | Effects of <i>Enterobacter cloacae</i> HG-1 on the Nitrogen-Fixing Community Structure of Wheat Rhizosphere Soil and on Salt Tolerance. <i>Frontiers in Plant Science</i> , 2020, 11, 1094. | 3.6 | 30 |
| 3013 | Bioprospecting of elite plant growth-promoting bacteria for the maize crop. <i>Acta Scientiarum - Agronomy</i> , 0, 42, e44364. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3014 | Biotechnological applications of seed microbiomes for sustainable agriculture and environment. , 2020, , 127-143. | | 5 |
| 3015 | The possible mechanisms of copper resistance in the pathogen <i>Pseudomonas syringae</i> pathovars in stone fruit trees. <i>Phytoparasitica</i> , 2020, 48, 705-718. | 1.2 | 3 |
| 3016 | The marine bivalve molluscs pathogen <i>Vibrio neptunius</i> produces the siderophore amphibactin, which is widespread in molluscs microbiota. <i>Environmental Microbiology</i> , 2020, 22, 5467-5482. | 3.8 | 7 |
| 3017 | Genome Mining and Evaluation of the Biocontrol Potential of <i>Pseudomonas fluorescens</i> BRZ63, a New Endophyte of Oilseed Rape (<i>Brassica napus</i> L.) against Fungal Pathogens. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8740. | 4.1 | 37 |
| 3018 | Pathogenicity and immunogenicity of <i>Edwardsiella piscicida</i> ferric uptake regulator (<i>fur</i>) mutations in zebrafish. <i>Fish and Shellfish Immunology</i> , 2020, 107, 497-510. | 3.6 | 13 |
| 3019 | Microbe-EDTA mediated approach in the phytoremediation of lead-contaminated soils using maize (<i>Zea mays</i> L.) plants. <i>International Journal of Phytoremediation</i> , 2021, 23, 1-12. | 3.1 | 8 |
| 3020 | Selection of the Root Endophyte <i>Pseudomonas brassicacearum</i> CDVBN10 as Plant Growth Promoter for <i>Brassica napus</i> L. <i>Crops. Agronomy</i> , 2020, 10, 1788. | 3.0 | 24 |
| 3021 | Generation of Fluorinated Amychelin Siderophores against <i>Pseudomonas aeruginosa</i> Infections by a Combination of Genome Mining and Mutasynthesis. <i>Cell Chemical Biology</i> , 2020, 27, 1532-1543.e6. | 5.2 | 9 |
| 3022 | Enterobactin induces the chemokine, interleukin-8, from intestinal epithelia by chelating intracellular iron. <i>Gut Microbes</i> , 2020, 12, 1841548. | 9.8 | 12 |
| 3023 | Characterization of antifungal metabolite phenazine from rice rhizosphere fluorescent pseudomonads (FPs) and their effect on sheath blight of rice. <i>Saudi Journal of Biological Sciences</i> , 2020, 27, 3313-3326. | 3.8 | 21 |
| 3024 | Biocontrol and plant growth-promoting properties of <i>Streptomyces</i> isolated from vermicompost soil. <i>Indian Phytopathology</i> , 2020, 73, 655-666. | 1.2 | 4 |
| 3025 | Characterization and genetic diversity of <i>Pantoea agglomerans</i> isolates having dual potentiality to suppress growth of <i>Ralstonia solanacearum</i> and plant growth promoting ability. <i>Indian Phytopathology</i> , 2020, 73, 643-653. | 1.2 | 3 |
| 3026 | Autochthonous halotolerant plant growth-promoting rhizobacteria promote bacoside A yield of <i>Bacopa monnieri</i> (L.) Nash and phytoextraction of salt-affected soil. <i>Pedosphere</i> , 2020, 30, 671-683. | 4.0 | 20 |
| 3027 | Isolation and Identification of Soil Bacteria from Extreme Environments of Chile and Their Plant Beneficial Characteristics. <i>Microorganisms</i> , 2020, 8, 1213. | 3.6 | 23 |
| 3028 | Comparative Genomics of Microbacterium Species to Reveal Diversity, Potential for Secondary Metabolites and Heavy Metal Resistance. <i>Frontiers in Microbiology</i> , 2020, 11, 1869. | 3.5 | 29 |
| 3029 | Discovery and Biosynthesis of Bolagladins: Unusual Lipodepsipeptides from <i>Burkholderia gladioli</i> Clinical Isolates**. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 21553-21561. | 13.8 | 16 |
| 3030 | Screening of Siderophore-Producing PGPRs Isolated from Groundnut (<i>Arachis hypogaea</i> L.) Rhizosphere and Their Influence on Iron Release in Soil. <i>Communications in Soil Science and Plant Analysis</i> , 2020, 51, 1680-1692. | 1.4 | 20 |
| 3031 | A Malian native <i>Azospirillum</i> sp. Az6-based biofertilizer improves growth and yield of both rice (<i>Oryza</i>) Tj ETQq1 1 0,784314 rgBT /Overl | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3032 | Agricultural Utilization of Unused Resources: Liquid Food Waste Material as a New Source of Plant Growth-Promoting Microbes. <i>Agronomy</i> , 2020, 10, 954. | 3.0 | 8 |
| 3033 | Isolation of Efficient Metal-Binding Bacteria from Boreal Peat Soils and Development of Microbial Biosorbents for Improved Nickel Scavenging. <i>Water (Switzerland)</i> , 2020, 12, 2000. | 2.7 | 10 |
| 3034 | Insights into the microbial composition and potential efficiency of selected commercial biofertilisers. <i>Heliyon</i> , 2020, 6, e04342. | 3.2 | 10 |
| 3035 | 4-Hydroxy-3-methyl-2(1 <i>H</i>)-quinolone, originally discovered from a <i>Brassicaceae</i> plant, produced by a soil bacterium of the genus <i>Burkholderia</i> sp.: determination of a preferred tautomer and antioxidant activity. <i>Beilstein Journal of Organic Chemistry</i> , 2020, 16, 1489-1494. | 2.2 | 2 |
| 3036 | Expression of SidD gene and physiological characterization of the rhizosphere plant growth-promoting yeasts. <i>Heliyon</i> , 2020, 6, e04384. | 3.2 | 21 |
| 3037 | Exemplifying rhizobacteria for growth stimulation and disease suppression in finger millet. <i>Journal of Plant Diseases and Protection</i> , 2020, 127, 783-798. | 2.9 | 1 |
| 3038 | <i>Bacillus megaterium</i> Strain CDK25, a Novel Plant Growth Promoting Bacterium Enhances Proximate Chemical and Nutritional Composition of <i>Capsicum annuum</i> L. <i>Frontiers in Plant Science</i> , 2020, 11, 1147. | 3.6 | 10 |
| 3039 | Multi-Trait Biochemical Features of <i>Metarhizium</i> Species and Their Activities That Stimulate the Growth of Tomato Plants. <i>Frontiers in Sustainable Food Systems</i> , 2020, 4, . | 3.9 | 14 |
| 3040 | Mechanisms of halotolerant plant growth promoting <i>Alcaligenes</i> sp. involved in salt tolerance and enhancement of the growth of rice under salinity stress. <i>3 Biotech</i> , 2020, 10, 361. | 2.2 | 46 |
| 3041 | Potential of Mn ²⁺ -Resistant Purple Nonsulfur Bacteria Isolated from Acid Sulfate Soils to Act as Bioremediators and Plant Growth Promoters via Mechanisms of Resistance. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 2364-2378. | 3.4 | 16 |
| 3042 | Bacteria mediated Fenton-like reaction drives the biotransformation of carbon nanomaterials. <i>Science of the Total Environment</i> , 2020, 746, 141020. | 8.0 | 17 |
| 3043 | Rhizobacteria Isolated from Saline Soil Induce Systemic Tolerance in Wheat (<i>Triticum aestivum</i> L.) against Salinity Stress. <i>Agronomy</i> , 2020, 10, 989. | 3.0 | 43 |
| 3044 | <i>Streptomyces</i> . , 2020, , 55-71. | | 8 |
| 3045 | <i>Trifolium repens</i> -Associated Bacteria as a Potential Tool to Facilitate Phytostabilization of Zinc and Lead Polluted Waste Heaps. <i>Plants</i> , 2020, 9, 1002. | 3.5 | 13 |
| 3046 | Diversity of culturable bacteria isolated from ancestral crops of Arica and Parinacota Region, Atacama Desert. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 2123-2137. | 1.7 | 5 |
| 3047 | Isolation and functional characterization of a mVOC producing plant-growth-promoting bacterium isolated from the date palm rhizosphere. <i>Rhizosphere</i> , 2020, 16, 100267. | 3.0 | 9 |
| 3048 | Bryophytes Harbor Cultivable Actinobacteria With Plant Growth Promoting Potential. <i>Frontiers in Microbiology</i> , 2020, 11, 563047. | 3.5 | 4 |
| 3049 | Auxin-producing fungal endophytes promote growth of sunchoke. <i>Rhizosphere</i> , 2020, 16, 100271. | 3.0 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3050 | Bioprospecting of a Novel Plant Growth-Promoting Bacterium <i>Bacillus altitudinis</i> KP-14 for Enhancing <i>Miscanthus A— giganteus</i> Growth in Metals Contaminated Soil. <i>Biology</i> , 2020, 9, 305. | 2.8 | 21 |
| 3051 | Recent developments in siderotyping: procedure and application. <i>World Journal of Microbiology and Biotechnology</i> , 2020, 36, 178. | 3.6 | 9 |
| 3052 | Ferric Uptake Regulator Fur Coordinates Siderophore Production and Defense against Iron Toxicity and Oxidative Stress and Contributes to Virulence in <i>Chromobacterium violaceum</i> . <i>Applied and Environmental Microbiology</i> , 2020, 86, . | 3.1 | 17 |
| 3053 | P-Solubilizing <i>Streptomyces roseocinereus</i> MS1B15 With Multiple Plant Growth-Promoting Traits Enhance Barley Development and Regulate Rhizosphere Microbial Population. <i>Frontiers in Plant Science</i> , 2020, 11, 1137. | 3.6 | 41 |
| 3054 | AmpR of <i>Stenotrophomonas maltophilia</i> is involved in stenobactin synthesis and enhanced β -lactam resistance in an iron-depleted condition. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3544-3551. | 3.0 | 11 |
| 3055 | First Report of Pathogenic Bacterium <i>Kalamiaella piersonii</i> Isolated from Urine of a Kidney Stone Patient: Draft Genome and Evidence for Role in Struvite Crystallization. <i>Pathogens</i> , 2020, 9, 711. | 2.8 | 18 |
| 3056 | Characterization of Soil Microorganism from Humus and Indigenous Microorganism Amendments. <i>Mycobiology</i> , 2020, 48, 392-398. | 1.7 | 9 |
| 3057 | Identification of New Biocontrol Agent against Charcoal Rot Disease Caused by <i>Macrophomina phaseolina</i> in Soybean (<i>Glycine max</i> L.). <i>Sustainability</i> , 2020, 12, 6856. | 3.2 | 29 |
| 3058 | Potential of a rhizobacterium <i>Bacillus subtilis</i> (Bbv 57) on <i>Fusarium oxysporum</i> f. sp. <i>gerberae</i> and <i>Meloidogyne incognita</i> infecting <i>Gerbera</i> grown in protected cultivation. <i>European Journal of Plant Pathology</i> , 2020, 158, 615-632. | 1.7 | 11 |
| 3059 | Identification, Characterization and Evaluation of Multifaceted Traits of Plant Growth Promoting Rhizobacteria from Soil for Sustainable Approach to Agriculture. <i>Current Microbiology</i> , 2020, 77, 3633-3642. | 2.2 | 16 |
| 3060 | Endophytic bacteria naturally inhabiting commercial maize seeds occupy different niches and are efficient plant growth-promoting agents. <i>Symbiosis</i> , 2020, 81, 255-269. | 2.3 | 13 |
| 3061 | Mining the Microbiome of Key Species from African Savanna Woodlands: Potential for Soil Health Improvement and Plant Growth Promotion. <i>Microorganisms</i> , 2020, 8, 1291. | 3.6 | 11 |
| 3062 | Siderophore purification with titanium dioxide nanoparticle solid phase extraction. <i>Analyst</i> , The, 2020, 145, 7303-7311. | 3.5 | 5 |
| 3063 | Mitigation of Salinity Stress in Wheat Seedlings Due to the Application of Phytohormone-Rich Culture Filtrate Extract of Methylophilic Actinobacterium <i>Nocardioides</i> sp. NIMMe6. <i>Frontiers in Microbiology</i> , 2020, 11, 2091. | 3.5 | 29 |
| 3064 | Discovery and Biosynthesis of Bolagladins: Unusual Lipodepsipeptides from <i>Burkholderia gladioli</i> Clinical Isolates**. <i>Angewandte Chemie</i> , 2020, 132, 21737-21745. | 2.0 | 1 |
| 3065 | <i>Beauveria bassiana</i> Multifunction as an Endophyte: Growth Promotion and Biologic Control of <i>Trialeurodes vaporariorum</i> , (Westwood) (Hemiptera: Aleyrodidae) in Tomato. <i>Insects</i> , 2020, 11, 591. | 2.2 | 32 |
| 3066 | Cold stress alleviation using individual and combined inoculation of ACC deaminase producing microbes in <i>Ocimum sanctum</i> . <i>Environmental Sustainability</i> , 2020, 3, 289-301. | 2.8 | 12 |
| 3067 | Indole acetic acid (IAA) producing endophytic bacteria on direct somatic embryogenesis and plant regeneration of <i>Exacum travancoricum</i> Bedd.. <i>Vegetos</i> , 2020, 33, 690-702. | 1.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3068 | Silicate solubilizing bacteria UPMSSB7, a potential biocontrol agent against white root rot disease pathogen of rubber tree. Journal of Rubber Research (Kuala Lumpur, Malaysia), 2020, 23, 227-235. | 1.1 | 5 |
| 3069 | Microbes for Iron Chlorosis Remediation in Peach. , 2020, , . | | 2 |
| 3070 | Screening of Bacterial Endophytes Able to Promote Plant Growth and Increase Salinity Tolerance. Applied Sciences (Switzerland), 2020, 10, 5767. | 2.5 | 23 |
| 3071 | A hyperaccumulator plant <i>Sedum alfredii</i> recruits Cd/Zn-tolerant but not Pb-tolerant endospheric bacterial communities from its rhizospheric soil. Plant and Soil, 2020, 455, 257-270. | 3.7 | 12 |
| 3072 | Characterization of native plant growth promoting rhizobacteria and their anti-oomycete potential against <i>Phytophthora capsici</i> affecting chilli pepper (<i>Capsicum annum</i> L.). Scientific Reports, 2020, 10, 13859. | 3.3 | 45 |
| 3073 | Plant-PGPR interaction study of plant growth-promoting diazotrophs <i>Kosakonia radicincitans</i> BA1 and <i>Stenotrophomonas maltophilia</i> COA2 to enhance growth and stress-related gene expression in <i>Saccharum</i> spp.. Journal of Plant Interactions, 2020, 15, 427-445. | 2.1 | 32 |
| 3074 | Analysis of the Interaction between <i>Pisum sativum</i> L. and <i>Rhizobium laguerreae</i> Strains Nodulating This Legume in Northwest Spain. Plants, 2020, 9, 1755. | 3.5 | 7 |
| 3075 | Characterization and symbiotic evaluation of rhizobium bacteria from various plants on soybean (<i>Glycine Max</i> L) plants in green house. IOP Conference Series: Earth and Environmental Science, 2020, 572, 012011. | 0.3 | 1 |
| 3076 | Enhanced Crop Productivity and Sustainability by Using Native Phosphate Solubilizing Rhizobacteria in the Agriculture of Arid Zones. Frontiers in Sustainable Food Systems, 2020, 4, . | 3.9 | 15 |
| 3077 | Mitigation of Nickel Toxicity and Growth Promotion in Sesame through the Application of a Bacterial Endophyte and Zeolite in Nickel Contaminated Soil. International Journal of Environmental Research and Public Health, 2020, 17, 8859. | 2.6 | 36 |
| 3078 | Processing of Metals and Metalloids by Actinobacteria: Cell Resistance Mechanisms and Synthesis of Metal(loid)-Based Nanostructures. Microorganisms, 2020, 8, 2027. | 3.6 | 31 |
| 3079 | Methanol bioeconomy: promotion of rice crop yield in paddy fields with microbial cells prepared from natural gas-derived C ₁ compound. Microbial Biotechnology, 2021, 14, 1385-1396. | 4.2 | 5 |
| 3080 | Evaluation of <i>Pseudomonas</i> sp. for its multifarious plant growth promoting potential and its ability to alleviate biotic and abiotic stress in tomato (<i>Solanum lycopersicum</i>) plants. Scientific Reports, 2020, 10, 20951. | 3.3 | 39 |
| 3081 | Phenotypic and Genomic Comparison of the Two Most Common ExoU-Positive <i>Pseudomonas aeruginosa</i> Clones, PA14 and ST235. MSystems, 2020, 5, . | 3.8 | 19 |
| 3082 | A <i>Klebsiella pneumoniae</i> ST307 outbreak clone from Germany demonstrates features of extensive drug resistance, hypermucoviscosity, and enhanced iron acquisition. Genome Medicine, 2020, 12, 113. | 8.2 | 82 |
| 3083 | Endospore-Forming Bacteria Present in a Commercial Stabilized Poultry Manure Determines the <i>Fusarium</i> Biocontrol and the Tomato Growth Promotion. Agronomy, 2020, 10, 1636. | 3.0 | 6 |
| 3084 | Exopolysaccharides and indole-3-acetic acid producing <i>Bacillus safensis</i> strain FN13 potential candidate for phytostabilization of heavy metals. Environmental Monitoring and Assessment, 2020, 192, 738. | 2.7 | 12 |
| 3085 | Promiscuous Enzymes Cause Biosynthesis of Diverse Siderophores in <i>Shewanella oneidensis</i> . Applied and Environmental Microbiology, 2020, 86, . | 3.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3086 | Prospection of cyanobacteria producing bioactive substances and their application as potential phytostimulating agents. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2020, 26, e00449. | 4.4 | 28 |
| 3087 | Biocontrol Potential and Growth Promotion Capability of <i>Bacillus</i> sp. LBF-1 for Management of Wilt Disease of <i>Solanum lycopersicum</i> Caused by <i>Fusarium</i> sp.. <i>Russian Agricultural Sciences</i> , 2020, 46, 139-147. | 0.2 | 6 |
| 3088 | Diversity of nitrogen-fixing rhizobacteria associated with sugarcane: a comprehensive study of plant-microbe interactions for growth enhancement in <i>Saccharum</i> spp.. <i>BMC Plant Biology</i> , 2020, 20, 220. | 3.6 | 80 |
| 3089 | RcsAB and Fur Coregulate the Iron-Acquisition System via <i>entC</i> in <i>Klebsiella pneumoniae</i> NTUH-K2044 in Response to Iron Availability. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 282. | 3.9 | 7 |
| 3090 | Plant Growth-Promoting Traits of a Thermophilic Strain of the <i>Klebsiella</i> Group with its Effect on Rice Plant Growth. <i>Current Microbiology</i> , 2020, 77, 2613-2622. | 2.2 | 18 |
| 3091 | Isolation and Characterization of <i>Bacillus</i> spp. Endowed with Multifarious Plant Growth-Promoting Traits and Their Potential Effect on Tomato (<i>Lycopersicon esculentum</i>) Seedlings. <i>Arabian Journal for Science and Engineering</i> , 2020, 45, 4579-4587. | 3.0 | 15 |
| 3092 | Competition for iron drives phytopathogen control by natural rhizosphere microbiomes. <i>Nature Microbiology</i> , 2020, 5, 1002-1010. | 13.3 | 260 |
| 3093 | A Framework for the Selection of Plant Growth-Promoting Rhizobacteria Based on Bacterial Competence Mechanisms. <i>Applied and Environmental Microbiology</i> , 2020, 86, . | 3.1 | 38 |
| 3094 | Characterization of the Plant Growth-Promoting Activities of Endophytic Fungi Isolated from <i>Sophora flavescens</i> . <i>Microorganisms</i> , 2020, 8, 683. | 3.6 | 55 |
| 3095 | The <i>Serratia marcescens</i> Siderophore Serratiochelin Is Necessary for Full Virulence during Bloodstream Infection. <i>Infection and Immunity</i> , 2020, 88, . | 2.2 | 17 |
| 3096 | Quantitative high-throughput approach to chalkophore screening in freshwaters. <i>Science of the Total Environment</i> , 2020, 735, 139476. | 8.0 | 5 |
| 3097 | Rhizosphere engineering through exogenous growth-regulating small molecules improves the colonizing efficiency of a plant growth-promoting rhizobacterium in rice. <i>3 Biotech</i> , 2020, 10, 277. | 2.2 | 7 |
| 3098 | Zinc and phosphate solubilizing <i>Rhizobium radiobacter</i> (LB2) for enhancing quality and yield of loose leaf lettuce in saline soil. <i>Environmental Sustainability</i> , 2020, 3, 209-218. | 2.8 | 29 |
| 3099 | Chemotaxis and physiological adaptation of an indigenous abiotic stress tolerant plant growth promoting <i>Pseudomonas stutzeri</i> : Amelioration of salt stress to <i>Cicer arietinum</i> . <i>Biocatalysis and Agricultural Biotechnology</i> , 2020, 27, 101652. | 3.1 | 13 |
| 3100 | Antimony-oxidizing bacteria alleviate Sb stress in <i>Arabidopsis</i> by attenuating Sb toxicity and reducing Sb uptake. <i>Plant and Soil</i> , 2020, 452, 397-412. | 3.7 | 20 |
| 3101 | Isolation of a novel rhizobacteria having multiple plant growth promoting traits and antifungal activity against certain phytopathogens. <i>Microbiological Research</i> , 2020, 240, 126516. | 5.3 | 21 |
| 3103 | Endophytes from <i>Gnetum gnemon</i> L. can protect seedlings against the infection of phytopathogenic bacterium <i>Ralstonia solanacearum</i> as well as promote plant growth in tomato. <i>Microbiological Research</i> , 2020, 238, 126503. | 5.3 | 39 |
| 3104 | Function and insecticidal activity of bacteria associated with papaya mealybug, <i>Paracoccus marginatus</i> Williams & Granara de Willink (Hemiptera: Pseudococcidae). <i>Biocontrol Science and Technology</i> , 2020, 30, 762-778. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3105 | Characterization of actinomycetes isolates for plant growth promoting traits and their effects on drought tolerance in maize. <i>Journal of Plant Interactions</i> , 2020, 15, 93-105. | 2.1 | 87 |
| 3106 | Isolation and Screening of Extracellular PGPR from the Rhizosphere of Tomato Plants after Long-Term Reduced Tillage and Cover Crops. <i>Plants</i> , 2020, 9, 668. | 3.5 | 27 |
| 3107 | Biocontrol of Rice Seedling Rot Disease Caused by <i>Curvularia lunata</i> and <i>Helminthosporium oryzae</i> by Epiphytic Yeasts from Plant Leaves. <i>Microorganisms</i> , 2020, 8, 647. | 3.6 | 19 |
| 3108 | Role of Inorganic Phosphate Solubilizing Bacilli Isolated from Moroccan Phosphate Rock Mine and Rhizosphere Soils in Wheat (<i>Triticum aestivum</i> L) Phosphorus Uptake. <i>Current Microbiology</i> , 2020, 77, 2391-2404. | 2.2 | 27 |
| 3109 | Novel cultivated endophytic Verrucomicrobia reveal deep-rooting traits of bacteria to associate with plants. <i>Scientific Reports</i> , 2020, 10, 8692. | 3.3 | 30 |
| 3110 | Isolation and characterization of plant growth-promoting endophytic bacteria <i>Bacillus stratosphericus</i> LW-03 from <i>Lilium wardii</i> . <i>3 Biotech</i> , 2020, 10, 305. | 2.2 | 25 |
| 3111 | Isolation and characterization of plant growth-promoting rhizobacteria and their effects on the growth of <i>Medicago sativa</i> L. under salinity conditions. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 1263-1278. | 1.7 | 34 |
| 3112 | Thermotolerance effect of plant growth-promoting <i>Bacillus cereus</i> SA1 on soybean during heat stress. <i>BMC Microbiology</i> , 2020, 20, 175. | 3.3 | 147 |
| 3113 | Culturable Bacterial Endophytes From Sedimentary Humic Acid-Treated Plants. <i>Frontiers in Plant Science</i> , 2020, 11, 837. | 3.6 | 17 |
| 3114 | Plant growth promotion and enhanced uptake of Cd by combinatorial application of <i>Bacillus pumilus</i> and EDTA on <i>Zea mays</i> L.. <i>International Journal of Phytoremediation</i> , 2020, 22, 1372-1384. | 3.1 | 26 |
| 3115 | Impact of spontaneous mutations on physiological traits and biocontrol activity of <i>Pseudomonas chlororaphis</i> M71. <i>Microbiological Research</i> , 2020, 239, 126517. | 5.3 | 11 |
| 3116 | Maize growth and yield promoting endophytes isolated into a legume root nodule by a cross-over approach. <i>Rhizosphere</i> , 2020, 15, 100211. | 3.0 | 18 |
| 3117 | Shedding X-ray Light on the Role of Magnesium in the Activity of <i>Mycobacterium tuberculosis</i> Salicylate Synthase (MbtI) for Drug Design. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 7066-7080. | 6.4 | 21 |
| 3118 | Growth-promoting and disease-suppressing effects of <i>Paenibacillus polymyxa</i> strain YCP16-23 on pepper (<i>Capsicum annuum</i>) plants. <i>Tropical Plant Pathology</i> , 2020, 45, 415-424. | 1.5 | 6 |
| 3119 | Endophytic bacilli from medicinal-aromatic perennial Holy basil (<i>Ocimum tenuiflorum</i> L.) modulate plant growth promotion and induced systemic resistance against <i>Rhizoctonia solani</i> in rice (<i>Oryza</i>) | 3.5 | 10 |
| 3120 | Characterization and bioremediation potential of nickel-resistant endophytic bacteria isolated from the wetland plant <i>Tamarix chinensis</i> . <i>FEMS Microbiology Letters</i> , 2020, 367, . | 1.8 | 24 |
| 3121 | Lon Protease Is Important for Growth under Stressful Conditions and Pathogenicity of the Phytopathogen, <i>Bacterium Dickeya solani</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 3687. | 4.1 | 10 |
| 3122 | Alleviation of Cd phytotoxicity and enhancement of rape seedling growth by plant growth-promoting bacterium <i>Enterobacter</i> sp. Zm-123. <i>Environmental Science and Pollution Research</i> , 2020, 27, 33192-33203. | 5.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3123 | Plant growth-promoting bacteria isolated from wild legume nodules and nodules of <i>Phaseolus vulgaris</i> L. trap plants in central and southern Mexico. <i>Microbiological Research</i> , 2020, 239, 126522. | 5.3 | 34 |
| 3124 | Phylogenetic and Functional Characterization of Culturable Endophytic Actinobacteria Associated With <i>Camellia</i> spp. for Growth Promotion in Commercial Tea Cultivars. <i>Frontiers in Microbiology</i> , 2020, 11, 318. | 3.5 | 49 |
| 3125 | Plant Growth Promotion Abilities of Phylogenetically Diverse Mesorhizobium Strains: Effect in the Root Colonization and Development of Tomato Seedlings. <i>Microorganisms</i> , 2020, 8, 412. | 3.6 | 25 |
| 3126 | A new assay of bacterial selection with Pb reveals an unexpected effect of Pb on bacterial behavior: implications for remediation. <i>Environmental Chemistry Letters</i> , 2020, 18, 983-992. | 16.2 | 6 |
| 3127 | Isolation, plant growth-promoting traits, antagonistic effects on clinical and plant pathogenic organisms and identification of actinomycetes from olive rhizosphere. <i>Microbial Pathogenesis</i> , 2020, 143, 104134. | 2.9 | 19 |
| 3128 | Consortium of endophyte and rhizosphere phosphate solubilizing bacteria improves phosphorous use efficiency in wheat cultivars in phosphorus deficient soils. <i>Rhizosphere</i> , 2020, 14, 100196. | 3.0 | 59 |
| 3129 | Phosphorus and Potassium Solubilization From Rock Minerals by Endophytic <i>Burkholderia</i> sp. Strain FDN2-1 in Soil and Shift in Diversity of Bacterial Endophytes of Corn Root Tissue with Crop Growth Stage. <i>Geomicrobiology Journal</i> , 2020, 37, 550-563. | 2.0 | 27 |
| 3130 | Isolation and Characterization of Plant Growth-Promoting Endophytic Bacteria <i>Paenibacillus polymyxa</i> SK1 from <i>Lilium lancifolium</i> . <i>BioMed Research International</i> , 2020, 2020, 1-17. | 1.9 | 59 |
| 3131 | Yeast Associated with Rice Phylloplane and Their Contribution to Control of Rice Sheath Blight Disease. <i>Microorganisms</i> , 2020, 8, 362. | 3.6 | 18 |
| 3132 | Bacteria from native soil in combination with arbuscular mycorrhizal fungi augment wheat yield and biofortification. <i>Plant Physiology and Biochemistry</i> , 2020, 150, 222-233. | 5.8 | 55 |
| 3133 | Evidence of Biocontrol Activity of Bioinoculants Against a Human Pathogen, <i>Listeria monocytogenes</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 350. | 3.5 | 13 |
| 3134 | New Nocobactin Derivatives with Antimuscarinic Activity, Terpenibactins Aâ€“C, Revealed by Genome Mining of <i>Nocardia terpenica</i> IFM 0406. <i>ChemBioChem</i> , 2020, 21, 2205-2213. | 2.6 | 13 |
| 3135 | <i>Bacillus subtilis</i> EA-CB0575 genome reveals clues for plant growth promotion and potential for sustainable agriculture. <i>Functional and Integrative Genomics</i> , 2020, 20, 575-589. | 3.5 | 38 |
| 3136 | Indigenous soil bacteria and the hyperaccumulator <i>Pteris vittata</i> mediate phytoremediation of soil contaminated with arsenic species. <i>Ecotoxicology and Environmental Safety</i> , 2020, 195, 110458. | 6.0 | 32 |
| 3137 | In Situ Cultivation Approach to Increase the Culturable Bacterial Diversity in the Rhizobiome of Plants. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 1411-1426. | 3.4 | 22 |
| 3138 | Application of <i>Methylopila</i> sp. DKT for Bensulfuron-methyl Degradation and Peanut Growth Promotion. <i>Current Microbiology</i> , 2020, 77, 1466-1475. | 2.2 | 8 |
| 3139 | Evaluation of heterotrophic bacteria associated with healthy and bleached corals of Gulf of Kutch, Gujarat, India for siderophore production and their response to climate change factors. <i>Ecological Indicators</i> , 2020, 113, 106219. | 6.3 | 10 |
| 3140 | Plant growth promotion by <i>Pseudomonas putida</i> KT2440 under saline stress: role of <i>eptA</i> . <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 4577-4592. | 3.6 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3141 | Methanobactin from methanotrophs: genetics, structure, function and potential applications. FEMS Microbiology Letters, 2020, 367, . | 1.8 | 23 |
| 3142 | Sphingobacterium sp. BHU-AV3 Induces Salt Tolerance in Tomato by Enhancing Antioxidant Activities and Energy Metabolism. Frontiers in Microbiology, 2020, 11, 443. | 3.5 | 59 |
| 3143 | Characterization of a Versatile Plant Growth-Promoting Rhizobacterium Pseudomonas mediterranea Strain S58. Microorganisms, 2020, 8, 334. | 3.6 | 19 |
| 3144 | Isolation, screening and characterization of plant growth promoting rhizobacteria from rhizospheric soils of selected pulses. Biocatalysis and Agricultural Biotechnology, 2020, 27, 101685. | 3.1 | 11 |
| 3145 | Role of plant-growth promoting fungi (PGPF) in defensive genes expression of Triticum aestivum against wilt disease. Rhizosphere, 2020, 15, 100223. | 3.0 | 28 |
| 3146 | Bacillus strain selection with plant growth-promoting mechanisms as potential elicitors of systemic resistance to gray mold in pepper plants. Saudi Journal of Biological Sciences, 2020, 27, 1913-1922. | 3.8 | 11 |
| 3147 | Siderophore-Mediated Interactions Determine the Disease Suppressiveness of Microbial Consortia. MSystems, 2020, 5, . | 3.8 | 37 |
| 3148 | Exploring the Pathogenic Potential of Vibrio vulnificus Isolated from Seafood Harvested along the Mangaluru Coast, India. Microorganisms, 2020, 8, 999. | 3.6 | 5 |
| 3149 | Plant Growth Enhancement using Rhizospheric Halotolerant Phosphate Solubilizing Bacterium Bacillus licheniformis QA1 and Enterobacter asburiae QF11 Isolated from Chenopodium quinoa Willd. Microorganisms, 2020, 8, 948. | 3.6 | 72 |
| 3150 | Micromonospora metallophores: A plant growth promotion trait useful for bacterial-assisted phytoremediation?. Science of the Total Environment, 2020, 739, 139850. | 8.0 | 19 |
| 3151 | Amelioration effect of salt-tolerant plant growth-promoting bacteria on growth and physiological properties of rice (Oryza sativa) under salt-stressed conditions. Archives of Microbiology, 2020, 202, 2419-2428. | 2.2 | 45 |
| 3152 | Improvement of manganese phytoremediation by Broussonetia papyrifera with two plant growth promoting (PGP) Bacillus species. Chemosphere, 2020, 260, 127614. | 8.2 | 53 |
| 3153 | Plant growth-promoting bacteria as potential bio-inoculants and biocontrol agents to promote black pepper plant cultivation. Microbiological Research, 2020, 240, 126549. | 5.3 | 31 |
| 3154 | Molecular characterization of siderophore biosynthesis in Paracoccidioides brasiliensis. IMA Fungus, 2020, 11, 11. | 3.8 | 21 |
| 3155 | Isolation and Identification of antifungal metabolite producing endophytic Bacillus subtilis (S17) and its in vitro effect on Colletotrichum falcatum causing red rot in sugarcane. Vegetos, 2020, 33, 493-503. | 1.5 | 3 |
| 3156 | A Systematic Analysis of Mosquito-Microbiome Biosynthetic Gene Clusters Reveals Antimalarial Siderophores that Reduce Mosquito Reproduction Capacity. Cell Chemical Biology, 2020, 27, 817-826.e5. | 5.2 | 17 |
| 3157 | Seed Biopriming with Microbial Inoculant Triggers Local and Systemic Defense Responses against Rhizoctonia solani Causing Banded Leaf and Sheath Blight in Maize (Zea mays L.). International Journal of Environmental Research and Public Health, 2020, 17, 1396. | 2.6 | 41 |
| 3158 | Resource heterogeneity and the evolution of public goods cooperation. Evolution Letters, 2020, 4, 155-163. | 3.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3159 | A study on major plant growth promoting traits of bacteria isolated from marine environment. Materials Today: Proceedings, 2020, 25, 269-273. | 1.8 | 2 |
| 3160 | Phenotypic Adaption of <i>Pseudomonas aeruginosa</i> by Hacking Siderophores Produced by Other Microorganisms. Molecular and Cellular Proteomics, 2020, 19, 589-607. | 3.8 | 40 |
| 3161 | Effects of <i>Trichoderma asperellum</i> and its siderophores on endogenous auxin in <i>Arabidopsis thaliana</i> under iron-deficiency stress. International Microbiology, 2020, 23, 501-509. | 2.4 | 21 |
| 3162 | Effect of copper-resistant <i>Stenotrophomonas maltophilia</i> on maize (<i>Zea mays</i>) growth, physiological properties, and copper accumulation: potential for phytoremediation into biofortification. International Journal of Phytoremediation, 2020, 22, 662-668. | 3.1 | 22 |
| 3163 | Investigation of the quorum-sensing regulon of the biocontrol bacterium <i>Pseudomonas chlororaphis</i> strain PA23. PLoS ONE, 2020, 15, e0226232. | 2.5 | 15 |
| 3164 | Characteristics of endophytic bacteria from <i>Polygonum hydropiper</i> and their use in enhancing P-phytoextraction. Plant and Soil, 2020, 448, 647-663. | 3.7 | 2 |
| 3165 | Induction of systemic resistance in grapevines against powdery mildew by <i>Trichoderma asperelloides</i> strains. Australasian Plant Pathology, 2020, 49, 107-117. | 1.0 | 15 |
| 3166 | Effects of structural differences on the antibacterial activity of biflavonoids from fruits of the Brazilian peppertree (<i>Schinus terebinthifolius</i> Raddi). Food Research International, 2020, 133, 109134. | 6.2 | 21 |
| 3167 | Phenotypic traits of <i>Burkholderia</i> spp. associated with ecological adaptation and plant-host interaction. Microbiological Research, 2020, 236, 126451. | 5.3 | 7 |
| 3168 | <i>Arthrosipiribacter ruber</i> gen. nov., sp. nov., a novel bacterium isolated from <i>Arthrosipira</i> cultures. Systematic and Applied Microbiology, 2020, 43, 126072. | 2.8 | 8 |
| 3169 | Genome Sequencing of <i>Pantoea agglomerans</i> C1 Provides Insights into Molecular and Genetic Mechanisms of Plant Growth-Promotion and Tolerance to Heavy Metals. Microorganisms, 2020, 8, 153. | 3.6 | 37 |
| 3170 | Siderophores from the Entomopathogenic Fungus <i>Beauveria bassiana</i> . Journal of Natural Products, 2020, 83, 296-304. | 3.0 | 13 |
| 3171 | Integrated Application of Organic Amendments with <i>Alcaligenes</i> sp. AZ9 Improves Nutrient Uptake and Yield of Maize (<i>Zea mays</i>). Journal of Plant Growth Regulation, 2020, 39, 1277-1292. | 5.1 | 15 |
| 3172 | Rapid biodegradation of chlorpyrifos by plant growth-promoting psychrophilic <i>Shewanella</i> sp. BT05: An eco-friendly approach to clean up pesticide-contaminated environment. Chemosphere, 2020, 247, 125948. | 8.2 | 44 |
| 3173 | Isolation and screening of indigenous bacteria from phosphogypsum-contaminated soils for their potential in promoting plant growth and trace elements mobilization. Journal of Environmental Management, 2020, 260, 110063. | 7.8 | 14 |
| 3174 | Endophytic Microbes from Diverse Wheat Genotypes and Their Potential Biotechnological Applications in Plant Growth Promotion and Nutrient Uptake. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2020, 90, 969-979. | 1.0 | 97 |
| 3175 | Metabolite profiling reveals a complex response of plants to application of plant growth-promoting endophytic bacteria. Microbiological Research, 2020, 234, 126421. | 5.3 | 37 |
| 3176 | Characterization of potential plant growth-promoting rhizobacteria isolated from sunflower (<i>Helianthus annuus</i> L.) in Iran. Biologia Futura, 2020, 70, 268-277. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3177 | Genome Mining and Biosynthesis of Primary Amine-Acylated Desferrioxamines in a Marine Gliding Bacterium. <i>Organic Letters</i> , 2020, 22, 939-943. | 4.6 | 14 |
| 3178 | Amelioration of drought stress in Foxtail millet (<i>Setaria italica</i> L.) by P-solubilizing drought-tolerant microbes with multifarious plant growth promoting attributes. <i>Environmental Sustainability</i> , 2020, 3, 23-34. | 2.8 | 123 |
| 3179 | Hormonal imbalance triggered by rhizobacteria enhance nutrient use efficiency and biomass in oil palm. <i>Scientia Horticulturae</i> , 2020, 264, 109161. | 3.6 | 11 |
| 3180 | The Role of a Nascent Polypeptide-Associated Complex Subunit Alpha in Siderophore Biosynthesis, Oxidative Stress Response, and Virulence in <i>Alternaria alternata</i> . <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 668-679. | 2.6 | 11 |
| 3181 | Genomic, metabolic and phenotypic variability shapes ecological differentiation and intraspecies interactions of <i>Alteromonas macleodii</i> . <i>Scientific Reports</i> , 2020, 10, 809. | 3.3 | 48 |
| 3182 | Selected autochthonous rhizobia, applied in combination with AM fungi, improve seed quality of common bean cultivated in reduced fertilization condition. <i>Applied Soil Ecology</i> , 2020, 148, 103507. | 4.3 | 31 |
| 3183 | Diversity and plant growth-promoting functions of diazotrophic/N-scavenging bacteria isolated from the soils and rhizospheres of two species of <i>Solanum</i> . <i>PLoS ONE</i> , 2020, 15, e0227422. | 2.5 | 39 |
| 3184 | The (p)ppGpp-mediated stringent response regulatory system globally inhibits primary metabolism and activates secondary metabolism in <i>Pseudomonas protegens</i> H78. <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 3061-3079. | 3.6 | 13 |
| 3185 | Microbial siderophore – A boon to agricultural sciences. <i>Biological Control</i> , 2020, 144, 104214. | 3.0 | 74 |
| 3186 | Selection and validation of reference genes for gene expression studies in <i>Pseudomonas brassicacearum</i> GS20 using real-time quantitative reverse transcription PCR. <i>PLoS ONE</i> , 2020, 15, e0227927. | 2.5 | 17 |
| 3187 | Effects of <i>Bacillus velezensis</i> FKM10 for Promoting the Growth of <i>Malus hupehensis</i> Rehd. and Inhibiting <i>Fusarium verticillioides</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2889. | 3.5 | 52 |
| 3188 | Mercury alters the rhizobacterial community in Brazilian wetlands and it can be bioremediated by the plant-bacteria association. <i>Environmental Science and Pollution Research</i> , 2020, 27, 13550-13564. | 5.3 | 23 |
| 3189 | Isolation and characterization of endophytes: Biochemical and molecular approach. , 2020, , 1-14. | | 5 |
| 3190 | Isolation and characterization of <i>Bacillus subtilis</i> strain 1-L-29, an endophytic bacteria from <i>Camellia oleifera</i> with antimicrobial activity and efficient plant-root colonization. <i>PLoS ONE</i> , 2020, 15, e0232096. | 2.5 | 31 |
| 3191 | Plant growth promoting potential of <i>Brevibacterium sediminis</i> A6 isolated from the tea rhizosphere of Assam, India. <i>Biocatalysis and Agricultural Biotechnology</i> , 2020, 27, 101610. | 3.1 | 16 |
| 3192 | No antibiotic and toxic metabolites produced by the biocontrol agent <i>Pseudomonas putida</i> strain B2017. <i>FEMS Microbiology Letters</i> , 2020, 367, . | 1.8 | 11 |
| 3193 | Evaluation of Antagonistic and Plant Growth Promoting Potential of <i>Streptomyces</i> Åsp. TT3 Isolated from Tea (Camellia sinensis) Rhizosphere Soil. <i>Current Microbiology</i> , 2020, 77, 1829-1838. | 2.2 | 16 |
| 3194 | <i>Paecilomyces variotii</i> as A Plant-Growth Promoter in Horticulture. <i>Agronomy</i> , 2020, 10, 597. | 3.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3195 | Extending thermotolerance to tomato seedlings by inoculation with SA1 isolate of <i>Bacillus cereus</i> and comparison with exogenous humic acid application. <i>PLoS ONE</i> , 2020, 15, e0232228. | 2.5 | 59 |
| 3196 | Bioimmobilization of toxic metals by precipitation of carbonates using <i>Sporosarcina luteola</i> : An in vitro study and application to sulfide-bearing tailings. <i>Science of the Total Environment</i> , 2020, 724, 138124. | 8.0 | 28 |
| 3197 | Taxonomic and functional diversity of cultivable endophytes with respect to the fitness of cultivars against <i>Ralstonia solanacearum</i> . <i>Journal of Plant Diseases and Protection</i> , 2020, 127, 667-676. | 2.9 | 10 |
| 3198 | Effect of rhizospheric inoculation of isolated arsenic (As) tolerant strains on growth, As-uptake and bacterial communities in association with <i>Adiantum capillus-veneris</i> . <i>Ecotoxicology and Environmental Safety</i> , 2020, 196, 110498. | 6.0 | 19 |
| 3199 | Bio-weathering of a uranium-bearing rhyolitic rock from Xiangshan uranium deposit, Southeast China. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 279, 88-106. | 3.9 | 6 |
| 3200 | Enhancing artemisinin yields through an ecologically functional community of endophytes in <i>Artemisia annua</i> . <i>Industrial Crops and Products</i> , 2020, 150, 112375. | 5.2 | 27 |
| 3201 | Inoculation of bacterial consortium increases rice yield (<i>Oryza sativa</i> L.) reducing applications of nitrogen fertilizer in San Martin region, Peru. <i>Rhizosphere</i> , 2020, 14, 100200. | 3.0 | 23 |
| 3202 | Bacterial endophytes of rice (<i>Oryza sativa</i> L.) and their potential for plant growth promotion and antagonistic activities. <i>South African Journal of Botany</i> , 2020, 134, 50-63. | 2.5 | 50 |
| 3203 | Effects of <i>Bacillus methylotrophicus</i> M4 on physiological and biochemical traits of wheat under salinity stress. <i>Journal of Applied Microbiology</i> , 2020, 129, 695-711. | 3.1 | 19 |
| 3204 | <i>Vibrio fischeri</i> siderophore production drives competitive exclusion during dual-species growth. <i>Molecular Microbiology</i> , 2020, 114, 244-261. | 2.5 | 21 |
| 3205 | <i>Fodinicola acaciae</i> sp. nov., an Endophytic Actinomycete Isolated from the Roots of <i>Acacia mangium</i> Willd. and Its Genome Analysis. <i>Microorganisms</i> , 2020, 8, 467. | 3.6 | 6 |
| 3206 | Maximization of Siderophores Production from Biocontrol Agents, <i>Pseudomonas aeruginosa</i> F2 and <i>Pseudomonas fluorescens</i> JY3 Using Batch and Exponential Fed-Batch Fermentation. <i>Processes</i> , 2020, 8, 455. | 2.8 | 14 |
| 3207 | NTO Sensing by Fluorescence Quenching of a Pyoverdine Siderophore—A Mechanistic Approach. <i>ACS Omega</i> , 2020, 5, 9668-9673. | 3.5 | 5 |
| 3208 | Plant growth-promoting endophytic bacteria augment growth and salinity tolerance in rice plants. <i>Plant Biology</i> , 2020, 22, 850-862. | 3.8 | 74 |
| 3209 | Isolation, Identification and Characterization of Endophytic Bacterium <i>Rhizobium oryzihabitans</i> sp. nov., from Rice Root with Biotechnological Potential in Agriculture. <i>Microorganisms</i> , 2020, 8, 608. | 3.6 | 15 |
| 3210 | Isolation, Characterization and Identification of Indigenous Endophytic Bacteria Exhibiting PGP and Antifungal Traits from the Internal Tissue of Sugarcane Crop. <i>Sugar Tech</i> , 2020, 22, 563-573. | 1.8 | 4 |
| 3211 | Polyamine-producing actinobacteria enhance biomass production and seed yield in <i>Salicornia bigelovii</i> . <i>Biology and Fertility of Soils</i> , 2020, 56, 499-519. | 4.3 | 40 |
| 3212 | Antibiotics of <i>Pseudomonas protegens</i> FD6 are essential for biocontrol activity. <i>Australasian Plant Pathology</i> , 2020, 49, 307-317. | 1.0 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3213 | <i>Pseudomonas orientalis</i> F9 Pyoverdine, Safracin, and Phenazine Mutants Remain Effective Antagonists against <i>Erwinia amylovora</i> in Apple Flowers. <i>Applied and Environmental Microbiology</i> , 2020, 86, . | 3.1 | 18 |
| 3214 | Mitigation of Heat Stress in <i>Solanum lycopersicum</i> L. by ACC-deaminase and Exopolysaccharide Producing <i>Bacillus cereus</i> : Effects on Biochemical Profiling. <i>Sustainability</i> , 2020, 12, 2159. | 3.2 | 133 |
| 3215 | Plant growth-promoting rhizobacteria: a novel management strategy for <i>Meloidogyne incognita</i> on turfgrass. <i>Pest Management Science</i> , 2020, 76, 3127-3138. | 3.4 | 6 |
| 3216 | Forest Tree Associated Bacterial Diffusible and Volatile Organic Compounds against Various Phytopathogenic Fungi. <i>Microorganisms</i> , 2020, 8, 590. | 3.6 | 36 |
| 3217 | Alleviation of drought stress in maize (<i>Zea mays</i> L.) by using endogenous endophyte <i>Bacillus subtilis</i> in North West Himalayas. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2020, 70, 361-370. | 0.6 | 11 |
| 3218 | Halotolerant Marine Rhizosphere-Competent Actinobacteria Promote <i>Salicornia bigelovii</i> Growth and Seed Production Using Seawater Irrigation. <i>Frontiers in Microbiology</i> , 2020, 11, 552. | 3.5 | 43 |
| 3219 | Virulence Factors, Drug Resistance and Biofilm Formation in <i>Pseudomonas</i> Species Isolated from Healthcare Water Systems. <i>Current Microbiology</i> , 2020, 77, 1737-1745. | 2.2 | 13 |
| 3220 | Yeast strain <i>Debaryomyces hansenii</i> for amelioration of arsenic stress in rice. <i>Ecotoxicology and Environmental Safety</i> , 2020, 195, 110480. | 6.0 | 16 |
| 3221 | Development and Validation of a <i>Bordetella pertussis</i> Whole-Genome Screening Strategy. <i>Journal of Immunology Research</i> , 2020, 2020, 1-11. | 2.2 | 23 |
| 3222 | Halotolerant rhizobacteria <i>Pseudomonas pseudoalcaligenes</i> and <i>Bacillus subtilis</i> mediate systemic tolerance in hydroponically grown soybean (<i>Glycine max</i> L.) against salinity stress. <i>PLoS ONE</i> , 2020, 15, e0231348. | 2.5 | 82 |
| 3223 | The siderophore repressor SreA maintains growth, hydrogen peroxide resistance, and cell wall integrity in the phytopathogenic fungus <i>Alternaria alternata</i> . <i>Fungal Genetics and Biology</i> , 2020, 139, 103384. | 2.1 | 21 |
| 3224 | Growth and Yield Response of Upland Rice to Application of Plant Growth-Promoting Rhizobacteria. <i>Journal of Plant Growth Regulation</i> , 2021, 40, 494-508. | 5.1 | 29 |
| 3225 | Optimization for Production of a Plant Growth Promoting Agent from the Degradation of Chicken Feather Using Keratinase Producing Novel Isolate <i>Bacillus pumilus</i> JYL. <i>Waste and Biomass Valorization</i> , 2021, 12, 1943-1954. | 3.4 | 9 |
| 3226 | Influence of the plant growth promoting <i>Rhizobium panacihumi</i> on aluminum resistance in <i>Panax ginseng</i> . <i>Journal of Ginseng Research</i> , 2021, 45, 442-449. | 5.7 | 12 |
| 3227 | Improved Phosphorus Uptake by Wheat Plant (<i>Triticum aestivum</i> L.) with Rhizosphere Fluorescent <i>Pseudomonads</i> Strains Under Water-Deficit Stress. <i>Journal of Plant Growth Regulation</i> , 2021, 40, 162-178. | 5.1 | 36 |
| 3228 | Bacterial-fungal interactions revealed by genome-wide analysis of bacterial mutant fitness. <i>Nature Microbiology</i> , 2021, 6, 87-102. | 13.3 | 49 |
| 3229 | Control of postharvest grey spot rot of loquat fruit with <i>Metschnikowia pulcherrima</i> E1 and potential mechanisms of action. <i>Biological Control</i> , 2021, 152, 104406. | 3.0 | 25 |
| 3230 | <i>Pseudomonas</i> spp., a zinc-solubilizing vermicompost bacteria with plant growth-promoting activity moderates zinc biofortification in tomato. <i>International Journal of Vegetable Science</i> , 2021, 27, 398-412. | 1.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3231 | Colonization of <i>Vigna radiata</i> by a halotolerant bacterium <i>Kosakonia sacchari</i> improves the ionic balance, stressor metabolites, antioxidant status and yield under NaCl stress. <i>Applied Soil Ecology</i> , 2021, 158, 103809. | 4.3 | 51 |
| 3232 | Activity assessment of tomato endophytic bacteria bioactive compounds for the postharvest biocontrol of <i>Botrytis cinerea</i> . <i>Postharvest Biology and Technology</i> , 2021, 172, 111389. | 6.0 | 52 |
| 3233 | Newly isolated <i>Bacillus</i> sp. PS-6 assisted phytoremediation of heavy metals using <i>Phragmites communis</i> : Potential application in wastewater treatment. <i>Bioresource Technology</i> , 2021, 320, 124353. | 9.6 | 63 |
| 3234 | <i>Serratia</i> sp., an endophyte of <i>Mimosa pudica</i> nodules with nematocidal, antifungal activity and growth-promoting characteristics. <i>Archives of Microbiology</i> , 2021, 203, 549-559. | 2.2 | 13 |
| 3235 | The genomic attributes of Cd-resistant, hydrocarbonoclastic <i>Bacillus subtilis</i> SR1 for rhizodegradation of benzo(a)pyrene under co-contaminated conditions.. <i>Genomics</i> , 2021, 113, 613-623. | 2.9 | 9 |
| 3236 | Salt-tolerant plant growth-promoting <i>Bacillus pumilus</i> strain JPVS11 to enhance plant growth attributes of rice and improve soil health under salinity stress. <i>Microbiological Research</i> , 2021, 242, 126616. | 5.3 | 102 |
| 3237 | Effect of zinc-resistant <i>Lysinibacillus</i> species inoculation on growth, physiological properties, and zinc uptake in maize (<i>Zea mays</i> L.). <i>Environmental Science and Pollution Research</i> , 2021, 28, 6540-6548. | 5.3 | 16 |
| 3238 | Macrocyclic polyketides with siderophore mode of action from marine heterotrophic <i>Shewanella</i> algae : Prospective anti-infective leads attenuate drug-resistant pathogens. <i>Journal of Applied Microbiology</i> , 2021, 130, 1552-1570. | 3.1 | 7 |
| 3239 | How siderophore production can influence the biocontrol activity of <i>Aureobasidium pullulans</i> against <i>Monilinia laxa</i> on peaches. <i>Biological Control</i> , 2021, 152, 104456. | 3.0 | 18 |
| 3240 | Multifunctional potential of endophytic bacteria from <i>Anacardium othonianum</i> Rizzini in promoting in vitro and ex vitro plant growth. <i>Microbiological Research</i> , 2021, 242, 126600. | 5.3 | 23 |
| 3241 | Pseudoalteropeptide A, a novel lipopeptide from the marine bacterium <i>Pseudoalteromonas piscicida</i> SWA4_PA4 isolated from marine seaweed. <i>Journal of Antibiotics</i> , 2021, 74, 105-110. | 2.0 | 4 |
| 3242 | Membrane vesicles from a <i>Dietzia</i> bacterium containing multiple cargoes and their roles in iron delivery. <i>Environmental Microbiology</i> , 2021, 23, 1009-1019. | 3.8 | 10 |
| 3243 | Inoculation of <i>Bacillus</i> spp. Modulate the soil bacterial communities and available nutrients in the rhizosphere of vetiver plant irrigated with acid mine drainage. <i>Chemosphere</i> , 2021, 263, 128345. | 8.2 | 30 |
| 3244 | Bioaugmentation with copper tolerant endophyte <i>Pseudomonas lurida</i> strain EOO26 for improved plant growth and copper phytoremediation by <i>Helianthus annuus</i> . <i>Chemosphere</i> , 2021, 266, 128983. | 8.2 | 42 |
| 3245 | Beneficial bacteria associated with <i>Mimosa pudica</i> and potential to sustain plant growth-promoting traits under heavy metals stress. <i>Bioremediation Journal</i> , 2021, 25, 1-21. | 2.0 | 5 |
| 3246 | Biological control of <i>Fusarium</i> wilt and growth promotion in pigeon pea (<i>Cajanus cajan</i>) by antagonistic rhizobacteria, displaying multiple modes of pathogen inhibition. <i>Rhizosphere</i> , 2021, 17, 100278. | 3.0 | 28 |
| 3247 | Endophyte inoculation enhances <i>Ulmus minor</i> resistance to Dutch elm disease. <i>Fungal Ecology</i> , 2021, 50, 101024. | 1.6 | 31 |
| 3248 | Heat shock enhances outer-membrane vesicle release in <i>Bordetella</i> spp.. <i>Current Research in Microbial Sciences</i> , 2021, 2, 100009. | 2.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3249 | Siderophore production by <i>Bacillus subtilis</i> MF497446 and <i>Pseudomonas koreensis</i> MG209738 and their efficacy in controlling <i>Cephalosporium maydis</i> in maize plant. Archives of Microbiology, 2021, 203, 1195-1209. | 2.2 | 102 |
| 3250 | Effects of growth-promoting rhizobacteria on maize growth and rhizosphere microbial community under conservation tillage in Northeast China. Microbial Biotechnology, 2021, 14, 535-550. | 4.2 | 46 |
| 3251 | Augmentation of metal-tolerant bacteria elevates growth and reduces metal toxicity in spinach. Bioremediation Journal, 2021, 25, 108-127. | 2.0 | 9 |
| 3252 | The nucleoid-associated protein IHF acts as a σ -transcriptional domain in a protein coordinating the bacterial virulence traits with global transcription. Nucleic Acids Research, 2021, 49, 776-790. | 14.5 | 21 |
| 3253 | Zinc solubilizing <i>Pseudomonas</i> spp. from vermicompost bestowed with multifaceted plant growth promoting properties and having prospective modulation of zinc biofortification in <i>Abelmoschus esculentus</i> L. Journal of Plant Nutrition, 2021, 44, 1023-1038. | 1.9 | 12 |
| 3254 | Maillard reaction products inhibit the periodontal pathogen <i>Aggregatibacter actinomycetemcomitans</i> by chelating iron. Archives of Oral Biology, 2021, 122, 104989. | 1.8 | 6 |
| 3255 | Biogenic fenton-like reaction involvement in aerobic degradation of C60 by <i>Labrys</i> sp. WJW. Environmental Pollution, 2021, 272, 115300. | 7.5 | 6 |
| 3256 | Wheat-associated <i>Pseudomonas taiwanensis</i> WRS8 reduces cadmium uptake by increasing root surface cadmium adsorption and decreasing cadmium uptake and transport related gene expression in wheat. Environmental Pollution, 2021, 268, 115850. | 7.5 | 17 |
| 3257 | Characteristics of plant growth-promoting rhizobacteria SCPG-7 and its effect on the growth of <i>Capsicum annuum</i> L.. Environmental Science and Pollution Research, 2021, 28, 11323-11332. | 5.3 | 5 |
| 3258 | Exploring actinomycetes and endophytes of rice ecosystem for induction of disease resistance against bacterial blight of rice. European Journal of Plant Pathology, 2021, 159, 67-79. | 1.7 | 13 |
| 3259 | Combination of Siderophore-Producing Bacteria and <i>Piriformospora indica</i> Provides an Efficient Approach to Improve Cadmium Tolerance in Alfalfa. Microbial Ecology, 2021, 81, 717-730. | 2.8 | 39 |
| 3260 | Effects of perennial aromatic grass species richness and microbial consortium on soil properties of marginal lands and on biomass production. Land Degradation and Development, 2021, 32, 1008-1021. | 3.9 | 14 |
| 3261 | Appraising the potential of <i>EPS</i> -producing rhizobacteria with <i>ACC</i> -deaminase activity to improve growth and physiology of maize under drought stress. Physiologia Plantarum, 2021, 172, 463-476. | 5.2 | 53 |
| 3262 | Theoretical insight and experimental elucidation of desferrioxamine B from <i>Bacillus</i> sp. AS7 as a green corrosion inhibitor. Corrosion Engineering Science and Technology, 2021, 56, 93-101. | 1.4 | 5 |
| 3263 | Inoculation of Cucumber (<i>Cucumis sativus</i> L.) Seedlings with Salt-Tolerant Plant Growth Promoting Bacteria Improves Nutrient Uptake, Plant Attributes and Physiological Profiles. Journal of Plant Growth Regulation, 2021, 40, 1728-1740. | 5.1 | 22 |
| 3264 | Molecular Identification and In Vitro Plant Growth-Promoting Activities of Culturable Potato (<i>Solanum tuberosum</i> L.) Rhizobacteria in Tanzania. Potato Research, 2021, 64, 67-95. | 2.7 | 15 |
| 3265 | Microbial siderophores an envisaged tool for asbestos bioremediation – A microcosm approach. Materials Today: Proceedings, 2021, 43, 3110-3116. | 1.8 | 2 |
| 3266 | Effects of a tart cherry (<i>Prunus cerasus</i> L.) phenolic extract on <i>Porphyromonas gingivalis</i> and its ability to impair the oral epithelial barrier. PLoS ONE, 2021, 16, e0246194. | 2.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3267 | Isolation, Biochemical and Genomic Characterization of Glyphosate Tolerant Bacteria to Perform Microbe-Assisted Phytoremediation. <i>Frontiers in Microbiology</i> , 2020, 11, 598507. | 3.5 | 12 |
| 3268 | Opportunistic use of catecholamine neurotransmitters as siderophores to access iron by <i>Pseudomonas aeruginosa</i> . <i>Environmental Microbiology</i> , 2022, 24, 878-893. | 3.8 | 22 |
| 3269 | Identifying virulence determinants of multidrug-resistant <i>Klebsiella pneumoniae</i> in <i>Galleria mellonella</i> . <i>Pathogens and Disease</i> , 2021, 79, . | 2.0 | 27 |
| 3270 | Deciphering the Potential of <i>Rhizobium pusense</i> MB-17a, a Plant Growth-Promoting Root Endophyte, and Functional Annotation of the Genes Involved in the Metabolic Pathway. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 617034. | 4.1 | 21 |
| 3271 | Selection and characterization of siderophores of pathogenic <i>Escherichia coli</i> intestinal and extraintestinal isolates. <i>Open Agriculture</i> , 2021, 6, 456-465. | 1.7 | 2 |
| 3272 | Microbial consortia: approaches in crop production and yield enhancement. , 2021, , 293-303. | | 2 |
| 3273 | High-throughput Method for Detecting Siderophore Production by Rhizosphere Bacteria. <i>Bio-protocol</i> , 2021, 11, e4001. | 0.4 | 2 |
| 3274 | Isolation and Characterization of Novel Plant Growth-Promoting Bacteria from the Fronds of Duckweed. <i>Japanese Journal of Water Treatment Biology</i> , 2021, 57, 1-9. | 0.1 | 2 |
| 3275 | Alternative pathways utilize or circumvent putrescine for biosynthesis of putrescine-containing rhizoferrin. <i>Journal of Biological Chemistry</i> , 2021, 296, 100146. | 3.4 | 8 |
| 3276 | Drought-tolerant <i>Bacillus megaterium</i> isolated from semi-arid conditions induces systemic tolerance of wheat under drought conditions. <i>Plant Cell Reports</i> , 2022, 41, 549-569. | 5.6 | 62 |
| 3277 | Heavy-metal resistance mechanisms developed by bacteria from Lerma Chapala basin. <i>Archives of Microbiology</i> , 2021, 203, 1807-1823. | 2.2 | 12 |
| 3279 | Plant-microbe interactions influence the faba bean nodule colonization by diverse endophytic bacteria. <i>FEMS Microbiology Ecology</i> , 2021, 97, . | 2.7 | 8 |
| 3280 | Plant Growth Promoting and Heavy Metal-Tolerant Rhizobia from Algeria. <i>Environmental Science and Engineering</i> , 2021, , 697-701. | 0.2 | 0 |
| 3281 | <i>Magnetospirillum magneticum</i> as a Living Iron Chelator Induces TfR1 Upregulation and Decreases Cell Viability in Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 498. | 4.1 | 4 |
| 3282 | Bioremediation Potential of <i>Streptomyces</i> sp. MOE6 for Toxic Metals and Oil. <i>Polysaccharides</i> , 2021, 2, 47-68. | 4.8 | 11 |
| 3283 | Design, synthesis, molecular docking, anti-quorum sensing, and anti-biofilm activity of pyochelin-zingerone conjugate. <i>Drug Development Research</i> , 2021, 82, 605-615. | 2.9 | 8 |
| 3284 | Rhizobacteria From Root Nodules of an Indigenous Legume Enhance Salinity Stress Tolerance in Soybean. <i>Frontiers in Sustainable Food Systems</i> , 2021, 4, . | 3.9 | 26 |
| 3285 | Chapter Two: Literature Review. , 2021, , 22-31. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3286 | Screening, Identification and Growth-Promotion Products of Multifunctional Bacteria in a Chinese Fir Plantation. <i>Forests</i> , 2021, 12, 120. | 2.1 | 10 |
| 3287 | Dual Microbial Inoculation, a Game Changer? “Bacterial Biostimulants With Multifunctional Growth Promoting Traits to Mitigate Salinity Stress in Spring Mungbean. <i>Frontiers in Microbiology</i> , 2020, 11, 600576. | 3.5 | 40 |
| 3288 | Sustainable Food Production Systems for Climate Change Mitigation: Indigenous Rhizobacteria for Potato Bio-fertilization in Tanzania. , 2021, , 1-27. | | 0 |
| 3289 | Emerging insights on the potential role of plant-associated microorganisms in sustainable agriculture. , 2021, , 3-28. | | 0 |
| 3290 | Indigenous Plant Growth Promoting Rhizobacteria and Chemical Fertilizers: Impact on Soil Health and Productivity of <i>Capsicum</i> (<i>Capsicum Annuum</i> L.) in North Western Himalayan Region. <i>Communications in Soil Science and Plant Analysis</i> , 2021, 52, 948-963. | 1.4 | 6 |
| 3291 | Nano-based soil conditioners eradicate micronutrient deficiency: soil physicochemical properties and plant molecular responses. <i>Environmental Science: Nano</i> , 2021, 8, 2824-2843. | 4.3 | 5 |
| 3292 | Antagonistic Activity of Bacteria Isolated from Apple in Different Fruit Development Stages against Blue Mold Caused by <i>Penicillium expansum</i> . <i>Plant Pathology Journal</i> , 2021, 37, 24-35. | 1.7 | 8 |
| 3293 | Effect of seed inoculation with phosphate solubilizing bacteria isolated from phosphate solid sludge on seedling growth of wheat (<i>Triticum durum</i>) “Karimâ™”. <i>Acta Horticulturae</i> , 2021, , 147-154. | 0.2 | 0 |
| 3294 | Volatile 1-octanol of tea (<i>Camellia sinensis</i> L.) fuels cell division and indole-3-acetic acid production in phylloplane isolate <i>Pseudomonas</i> sp. NEEL19. <i>Scientific Reports</i> , 2021, 11, 2788. | 3.3 | 2 |
| 3295 | Enhancement in Plant Growth and Zinc Biofortification of Chickpea (<i>Cicer arietinum</i> L.) by <i>Bacillus altitudinis</i> . <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 922-935. | 3.4 | 38 |
| 3296 | Bacterial siderophore improves nutrient uptake, leaf physiochemical characteristics, and grain yield of cumin (<i>Cuminum cyminum</i> L.) ecotypes. <i>Journal of Plant Nutrition</i> , 2021, 44, 1794-1806. | 1.9 | 2 |
| 3297 | Effects of temperature and relative humidity on Aflatoxin B1 reduction in corn grains and antagonistic activities against Aflatoxin-producing <i>Aspergillus flavus</i> by a volatile organic compound-producing yeast, <i>Kwoniella heveanensis</i> DMKU-CE82. <i>BioControl</i> , 2021, 66, 433-443. | 2.0 | 11 |
| 3298 | The Screening of Potassium- and Phosphate-Solubilizing Actinobacteria and the Assessment of Their Ability to Promote Wheat Growth Parameters. <i>Microorganisms</i> , 2021, 9, 470. | 3.6 | 62 |
| 3299 | Characterization of Potential Virulence Factors of <i>Vibrio mimicus</i> Isolated from Fishery Products and Water. <i>International Journal of Microbiology</i> , 2021, 2021, 1-7. | 2.3 | 8 |
| 3300 | Combination on endophytic fungal as the Plant Growth-Promoting Fungi (PGPF) on cucumber (<i>Cucumis sativus</i>). <i>Biodiversitas</i> , 2021, 22, . | 0.6 | 7 |
| 3301 | Maize landrace rhizospheric fungi with biocontrol potential against four different <i>Fusarium</i> species complexes. <i>Biocontrol Science and Technology</i> , 2021, 31, 754-772. | 1.3 | 0 |
| 3302 | Rhizobacteria associated with <i>Miscanthus x giganteus</i> improve metal accumulation and plant growth in the flotation tailings. <i>Plant and Soil</i> , 2021, 462, 349-363. | 3.7 | 12 |
| 3303 | Biosurfactant based formulation of <i>Pseudomonas guariconensis</i> LE3 with multifarious plant growth promoting traits controls charcoal rot disease in <i>Helianthus annuus</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2021, 37, 55. | 3.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3304 | Phosphate solubilization and multiple plant growth promoting properties of Mesorhizobium species nodulating chickpea from acidic soils of Ethiopia. Archives of Microbiology, 2021, 203, 2129-2137. | 2.2 | 10 |
| 3305 | Restructuring the Cellular Responses: Connecting Microbial Intervention With Ecological Fitness and Adaptiveness to the Maize (Zea mays L.) Grown in Saline Sodic Soil. Frontiers in Microbiology, 2020, 11, 568325. | 3.5 | 20 |
| 3306 | Phenetic Characterization of Nitrogen Fixing Azotobacter from Rhizospheric Soil of Southern Rajasthan. Journal of Pure and Applied Microbiology, 2021, 15, 428-436. | 0.9 | 5 |
| 3307 | Maize-associated bacteria from the Brazilian semiarid region boost plant growth and grain yield. Symbiosis, 2021, 83, 347-359. | 2.3 | 8 |
| 3308 | Diversity, activity, and effectiveness of Rhizobium bacteria as plant growth promoting rhizobacteria (PGPR) isolated from Dieng, central Java. Iranian Journal of Microbiology, 2021, 13, 130-136. | 0.8 | 6 |
| 3309 | Dynamic proteome response of a marine Vibrio to a gradient of iron and ferrioxamine bioavailability. Marine Chemistry, 2021, 229, 103913. | 2.3 | 5 |
| 3310 | Seed inoculation of desert plant growth promoting rhizobacteria induce biochemical alterations and develop resistance against water stress in wheat. Physiologia Plantarum, 2021, 172, 990-1006. | 5.2 | 21 |
| 3311 | Comparative assessment of multi-trait plant growth-promoting endophytes associated with cultivated and wild Oryza germplasm of Assam, India. Archives of Microbiology, 2021, 203, 2007-2028. | 2.2 | 19 |
| 3312 | Whole Genome Analysis of Sugarcane Root-Associated Endophyte Pseudomonas aeruginosa B18 Plant Growth-Promoting Bacterium With Antagonistic Potential Against Sporisorium scitamineum. Frontiers in Microbiology, 2021, 12, 628376. | 3.5 | 53 |
| 3313 | Diversity of siderophore-producing bacterial cultures from Carlsbad Caverns National Park caves, Carlsbad, New Mexico. Journal of Cave and Karst Studies, 2021, 83, 29-43. | 0.6 | 6 |
| 3314 | Characterisation of Pseudomonas lundensis CP-P-5 as a potential antagonist of foodborne pathogenic bacteria. Acta Alimentaria, 2021, , . | 0.7 | 0 |
| 3315 | Characterization of Pseudomonas bacteria of Piper tuberculatum regarding the production of potentially bio-stimulating compounds for plant growth. Acta Amazonica, 2021, 51, 10-19. | 0.7 | 10 |
| 3316 | Rhizobacteria Associated with a Native Solanaceae Promote Plant Growth and Decrease the Effects of Fusariumoxysporum in Tomato. Agronomy, 2021, 11, 579. | 3.0 | 9 |
| 3317 | Optimization of indole-3-acetic acid using response surface methodology and its effect on vegetative growth of chickpea. Rhizosphere, 2021, 17, 100321. | 3.0 | 12 |
| 3318 | Endophytic fungi associated with soybean plants and their antagonistic activity against Rhizoctonia solani. Egyptian Journal of Biological Pest Control, 2021, 31, . | 1.8 | 25 |
| 3319 | Draft Genomic Analysis of Pseudomonas sp. Strain OA3, a Potential Plant Growth-Promoting Rhizospheric Bacterium. Microbiology Resource Announcements, 2021, 10, . | 0.6 | 0 |
| 3320 | Influence of cadmium-resistant Streptomyces on plant growth and cadmium uptake by Chlorophytum comosum (Thunb.) Jacques. Environmental Science and Pollution Research, 2021, 28, 39398-39408. | 5.3 | 8 |
| 3321 | Unique biocenosis as a foundation to develop a phytobial consortium for effective bioremediation of Cr(VI)-polluted waters and sediments. Environmental Pollution, 2021, 273, 116506. | 7.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3322 | Identification of Rhizospheric Microorganisms That Manages Root Knot Nematode and Improve Oil Yield in Sweet Basil (<i>Ocimum basilicum</i> L.). <i>Agronomy</i> , 2021, 11, 570. | 3.0 | 5 |
| 3323 | Contribution of zinc solubilizing bacterial isolates on enhanced zinc uptake and growth promotion of maize (<i>Zea mays</i> L.). <i>Folia Microbiologica</i> , 2021, 66, 543-553. | 2.3 | 13 |
| 3324 | Mass spectrometry analysis revealed the production of siderophore from <i>Klebsiella oxytoca</i> strain STA01 isolated from sago palm field in Tulehu, Maluku, Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 712, 012011. | 0.3 | 0 |
| 3325 | Groundnut (<i>Arachis hypogaea</i>) nodule <i>Rhizobium</i> and passenger endophytic bacterial cultivable diversity and their impact on plant growth promotion. <i>Rhizosphere</i> , 2021, 17, 100309. | 3.0 | 20 |
| 3326 | In vitro compatibility evaluation of agriusable nanochitosan on beneficial plant growth-promoting rhizobacteria and maize plant. <i>The National Academy of Sciences, India</i> , 2021, 44, 555-559. | 1.3 | 32 |
| 3327 | Role of <i>Bacillus cereus</i> in Improving the Growth and Phytoextractability of <i>Brassica nigra</i> (L.) K. Koch in Chromium Contaminated Soil. <i>Molecules</i> , 2021, 26, 1569. | 3.8 | 52 |
| 3328 | Potato plant spheres and to a lesser extent the soil type influence the proportion and diversity of bacterial isolates with <i>in vitro</i> antagonistic activity towards <i>Ralstonia solanacearum</i> . <i>FEMS Microbiology Ecology</i> , 2021, 97, . | 2.7 | 7 |
| 3329 | Biological characteristics and salt-tolerant plant growth-promoting effects of an ACC deaminase-producing <i>Burkholderia pyrocinia</i> strain isolated from the tea rhizosphere. <i>Archives of Microbiology</i> , 2021, 203, 2279-2290. | 2.2 | 21 |
| 3330 | Integrated Genomic and Greenhouse Assessment of a Novel Plant Growth-Promoting Rhizobacterium for Tomato Plant. <i>Frontiers in Plant Science</i> , 2021, 12, 660620. | 3.6 | 12 |
| 3331 | Characterization of Plant Growth-Promoting Rhizobacteria (PGPR) From Saline Soil in Taiwan. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 709, 012079. | 0.3 | 1 |
| 3333 | Elucidation of crude siderophore extracts from supernatants of <i>Pseudomonas</i> sp. ZnCd2003 cultivated in nutrient broth supplemented with Zn, Cd, and Zn plus Cd. <i>Archives of Microbiology</i> , 2021, 203, 2863-2874. | 2.2 | 5 |
| 3334 | Plant Growth and Drought Tolerance-Promoting Bacterium for Bioremediation of Paraquat Pesticide Residues in Agriculture Soils. <i>Frontiers in Microbiology</i> , 2021, 12, 604662. | 3.5 | 25 |
| 3335 | Halotolerant Endophytic Bacterium <i>Serratia rubidaea</i> ED1 Enhances Phosphate Solubilization and Promotes Seed Germination. <i>Agriculture (Switzerland)</i> , 2021, 11, 224. | 3.1 | 12 |
| 3336 | Lipopeptide production by <i>Bacillus atrophaeus</i> strain B44 and its biocontrol efficacy against cotton rhizoctoniosis. <i>Biotechnology Letters</i> , 2021, 43, 1183-1193. | 2.2 | 8 |
| 3337 | Rhizospheric Phosphate Solubilizing <i>Bacillus atrophaeus</i> GQJK17 S8 Increases Quinoa Seedling, Withstands Heavy Metals, and Mitigates Salt Stress. <i>Sustainability</i> , 2021, 13, 3307. | 3.2 | 16 |
| 3338 | Phytoextraction efficiency of <i>Pteris vittata</i> grown on a naturally As-rich soil and characterization of As-resistant rhizosphere bacteria. <i>Scientific Reports</i> , 2021, 11, 6794. | 3.3 | 20 |
| 3339 | Inorganic Chemical Fertilizer Application to Wheat Reduces the Abundance of Putative Plant Growth-Promoting Rhizobacteria. <i>Frontiers in Microbiology</i> , 2021, 12, 642587. | 3.5 | 23 |
| 3340 | The mineral weathering ability of <i>Collimonas pratensis</i> PMB3(1) involves a Malleobactin-mediated iron acquisition system. <i>Environmental Microbiology</i> , 2022, 24, 784-802. | 3.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3341 | A Novel Marine Pathogen Isolated from Wild Cunnners (<i>Tautogolabrus adspersus</i>): Comparative Genomics and Transcriptome Profiling of <i>Pseudomonas</i> sp. Strain J380. <i>Microorganisms</i> , 2021, 9, 812. | 3.6 | 9 |
| 3342 | <i>Burkholderia gladioli</i> MB39 an Antarctic Strain as a Biocontrol Agent. <i>Current Microbiology</i> , 2021, 78, 2332-2344. | 2.2 | 5 |
| 3343 | Isolation and Characterization of Phosphate Solubilizing <i>Streptomyces</i> sp. Endemic from Sugar Beet Fields of the Beni-Mellal Region in Morocco. <i>Microorganisms</i> , 2021, 9, 914. | 3.6 | 13 |
| 3344 | Multifaceted intervention of <i>Bacillus</i> spp. against salinity stress and <i>Fusarium</i> wilt in tomato. <i>Journal of Applied Microbiology</i> , 2021, 131, 2387-2401. | 3.1 | 15 |
| 3345 | On the potential of <i>Bacillus aryabhattai</i> KMT-4 against <i>Meloidogyne javanica</i> . <i>Egyptian Journal of Biological Pest Control</i> , 2021, 31, . | 1.8 | 8 |
| 3346 | Potential Screening of Indigenous Drought Stress Tolerant Bacteria for Plant Growth Promotion (PGP) Traits: An In-vitro Study. <i>International Research Journal of Pure and Applied Chemistry</i> , 0, , 8-21. | 0.2 | 1 |
| 3347 | The Effects of Plant Growth-Promoting Bacteria with Biostimulant Features on the Growth of a Local Onion Cultivar and a Commercial Zucchini Variety. <i>Agronomy</i> , 2021, 11, 888. | 3.0 | 10 |
| 3349 | Plant Growth-Promoting Rhizobacteria Isolated from the Jujube (<i>Ziziphus lotus</i>) Plant Enhance Wheat Growth, Zn Uptake, and Heavy Metal Tolerance. <i>Agriculture (Switzerland)</i> , 2021, 11, 316. | 3.1 | 41 |
| 3350 | Potential Role of Rhizobacteria Isolated from Citrus Rhizosphere for Biological Control of Citrus Dry Root Rot. <i>Plants</i> , 2021, 10, 872. | 3.5 | 30 |
| 3351 | Plant growth-promoting rhizobacteria associated to candelilla rhizosphere (<i>Euphorbia</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 38 Agrobotanici Cluj-Napoca, 2021, 49, 12294. | 1.1 | 4 |
| 3352 | Bioprospecting of Beneficial Bacteria Traits Associated With Tomato Root in Greenhouse Environment Reveals That Sampling Sites Impact More Than the Root Compartment. <i>Frontiers in Plant Science</i> , 2021, 12, 637582. | 3.6 | 15 |
| 3353 | Discovery of Siderophore and Metallophore Production in the Aerobic Anoxygenic Phototrophs. <i>Microorganisms</i> , 2021, 9, 959. | 3.6 | 9 |
| 3354 | Impact of Seed Applied Rhizobacterial Inoculants on Growth of Wheat (<i>Triticum aestivum</i>) and Cowpea [<i>Vigna unguiculata</i>] and their Influence on Rhizospheric Microbial Diversity. <i>Agricultural Research</i> , 2022, 11, 1-14. | 1.7 | 8 |
| 3355 | Efficiency of plant growth promoting bacteria for growth and yield enhancement of maize (<i>Zea mays</i>) isolated from rock phosphate reserve area Hazara Khyber Pakhtunkhwa, Pakistan. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 2316-2322. | 3.8 | 4 |
| 3356 | CHARACTERIZATION OF ENDOPHYTIC BACTERIA OF THE GENUS <i>BACILLUS</i> AND THEIR INFLUENCE ON THE GROWTH OF MAIZE (<i>ZEAMAYS</i>) IN VIVO. <i>Journal of Microbiology, Biotechnology and Food Sciences</i> , 2021, 10, e3602. | 0.8 | 5 |
| 3357 | A native Zn-solubilising bacterium from mine soil promotes plant growth and facilitates phytoremediation. <i>Journal of Soils and Sediments</i> , 2021, 21, 2301-2314. | 3.0 | 2 |
| 3358 | Isolation and screening of multifunctional phosphate solubilizing bacteria and its growth-promoting effect on Chinese fir seedlings. <i>Scientific Reports</i> , 2021, 11, 9081. | 3.3 | 36 |
| 3359 | Selection of plant growth promoting rhizobacteria sharing suitable features to be commercially developed as biostimulant products. <i>Microbiological Research</i> , 2021, 245, 126672. | 5.3 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3360 | Comprehensive characterization of stress tolerant bacteria with plant growth-promoting potential isolated from glyphosate-treated environment. <i>World Journal of Microbiology and Biotechnology</i> , 2021, 37, 94. | 3.6 | 8 |
| 3361 | Biocontrol of tomato bacterial spot by novel <i>Bacillus</i> and <i>Pseudomonas</i> strains. <i>European Journal of Plant Pathology</i> , 2021, 160, 935-948. | 1.7 | 3 |
| 3362 | Role of Two Plant Growth-Promoting Bacteria in Remediating Cadmium-Contaminated Soil Combined with <i>Miscanthus floridulus</i> (Lab.). <i>Plants</i> , 2021, 10, 912. | 3.5 | 16 |
| 3363 | The First Polish Isolate of a Novel Species <i>Pectobacterium aquaticum</i> Originates from a Pomeranian Lake. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5041. | 2.6 | 6 |
| 3364 | Structural and functional characterization of rhizosphere actinomycetes of major crop plants under shifting cultivation practice in Northeast India. <i>Vegetos</i> , 2021, 34, 638-646. | 1.5 | 2 |
| 3365 | Rhizospheric Soil from Rice Paddy Presents Isolable Bacteria Able to Induce Cold Tolerance in Rice Plants. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 1993-2006. | 3.4 | 11 |
| 3366 | Oak (<i>Quercus robur</i>) Associated Endophytic <i>Paenibacillus</i> sp. Promotes Poplar (<i>Populus</i> spp.) Root Growth In Vitro. <i>Microorganisms</i> , 2021, 9, 1151. | 3.6 | 15 |
| 3367 | Trichovariability in rhizosphere soil samples and their biocontrol potential against downy mildew pathogen in pearl millet. <i>Scientific Reports</i> , 2021, 11, 9517. | 3.3 | 14 |
| 3368 | Genomic appraisal of <i>Klebsiella</i> PGPB isolated from soil to enhance the growth of barley. <i>Genes and Genomics</i> , 2021, 43, 869-883. | 1.4 | 1 |
| 3369 | Potential for plant growth promotion of <i>Kocuria arsenatis</i> Strain ST19 on tomato under salt stress conditions. <i>South African Journal of Botany</i> , 2021, 138, 94-104. | 2.5 | 8 |
| 3370 | HALOBACTERIAS PROMOTORAS DE CRECIMIENTO VEGETAL ASOCIADAS A <i>Lippia palmeri</i> (VERBENACEAE) EN LA ZONA ÁRIDA DEL NOROESTE DE MÉXICO. <i>Acta Biologica Colombiana</i> , 2021, 26, 439-448. | 0.4 | 1 |
| 3371 | Microbial Technique for The Production of Growth Regulator Compounds Indole Butyric Acid (IBA) and Its Role on The Rooting and Growth of <i>Bougainvillea Spectabilis</i> L. Stem Cuttings. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 761, 012003. | 0.3 | 0 |
| 3372 | <i>Klebsiella jilinsis</i> 2N3 promotes maize growth and induces resistance to northern corn leaf blight. <i>Biological Control</i> , 2021, 156, 104554. | 3.0 | 13 |
| 3373 | <i>Mesorhizobium ciceri</i> as biological tool for improving physiological, biochemical and antioxidant state of <i>Cicer arietinum</i> (L.) under fungicide stress. <i>Scientific Reports</i> , 2021, 11, 9655. | 3.3 | 36 |
| 3374 | Biological Control of Chili Damping-Off Disease, Caused by <i>Pythium myriotylum</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 587431. | 3.5 | 11 |
| 3375 | The Impact of Growth-Promoting <i>Streptomyces</i> Isolated from Rhizosphere and Bulk Soil on Oilseed Rape (<i>Brassica napus</i> L.) Growth Parameters. <i>Sustainability</i> , 2021, 13, 5704. | 3.2 | 5 |
| 3376 | Production, Purification, and Characterization of Bacillibactin Siderophore of <i>Bacillus subtilis</i> and Its Application for Improvement in Plant Growth and Oil Content in Sesame. <i>Sustainability</i> , 2021, 13, 5394. | 3.2 | 78 |
| 3377 | Plant growth-promoting traits of yeasts isolated from the tank bromeliad <i>Vriesea minarum</i> L.B. Smith and the effectiveness of <i>Carlososaea vrieseae</i> for promoting bromeliad growth. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 1417-1429. | 2.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3378 | Chickpea (<i>Cicer arietinum</i> L.) as model legume for decoding the co-existence of <i>Pseudomonas fluorescens</i> and <i>Mesorhizobium</i> sp. as bio-fertilizer under diverse agro-climatic zones. Microbiological Research, 2021, 247, 126720. | 5.3 | 7 |
| 3379 | Bio-priming in combination with mineral fertilizer improves nutritional quality and yield of red cabbage under Middle Gangetic Plains, India. Scientia Horticulturae, 2021, 283, 110075. | 3.6 | 23 |
| 3380 | Effect of co-application of <i>Trichoderma</i> spp. with organic composts on plant growth enhancement, soil enzymes and fungal community in soil. Archives of Microbiology, 2021, 203, 4281-4291. | 2.2 | 21 |
| 3381 | Genetic diversity and plant growth-promoting activity of the dominant bacteria from canola plants in Western Iran. Egyptian Journal of Biological Pest Control, 2021, 31, . | 1.8 | 7 |
| 3382 | Interplay between Coumarin Accumulation, Iron Deficiency and Plant Resistance to <i>Dickeya</i> spp.. International Journal of Molecular Sciences, 2021, 22, 6449. | 4.1 | 10 |
| 3383 | Desferrioxamine E produced by an indigenous salt tolerant <i>Pseudomonas stutzeri</i> stimulates iron uptake of <i>Triticum aestivum</i> . Biocatalysis and Agricultural Biotechnology, 2021, 35, 102057. | 3.1 | 3 |
| 3384 | Isolation, Identification, Biocontrol Activity, and Plant Growth Promoting Capability of a Superior <i>Streptomyces tricolor</i> Strain HM10. Polish Journal of Microbiology, 2021, 70, 245-256. | 1.7 | 9 |
| 3385 | Salt Tolerance Mechanism of the Rhizosphere Bacterium JZ-CX1 and Its Effects on Tomato Seed Germination and Seedling Growth. Frontiers in Microbiology, 2021, 12, 657238. | 3.5 | 17 |
| 3387 | Genomic assessment of <i>Stenotrophomonas indicatrix</i> for improved sunflower plant. Current Genetics, 2021, 67, 891-907. | 1.7 | 11 |
| 3388 | Plant growth promoting potential of endophytic <i>Aspergillus niger</i> 9-p isolated from native forage grass in Pantanal of Nhecolândia region, Brazil. Rhizosphere, 2021, 18, 100332. | 3.0 | 25 |
| 3389 | Antagonistic Activity of Siderophore-Producing Bacteria from Black Rice Rhizosphere against Rice Blast Fungus <i>Pyricularia oryzae</i> . Microbiology and Biotechnology Letters, 2021, 49, 217-224. | 0.4 | 7 |
| 3390 | First Report of Shot-hole on Flowering Cherry Caused by <i>Burkholderia contaminans</i> and <i>Pseudomonas syringae</i> pv. <i>syringae</i> . Plant Disease, 2021, , PDIS03210547SC. | 1.4 | 2 |
| 3391 | Screening of siderophore-producing salt-tolerant rhizobacteria suitable for supporting plant growth in saline soils with iron limitation. Journal of Agriculture and Food Research, 2021, 4, 100150. | 2.5 | 28 |
| 3392 | Mining the rhizosphere of halophytic rangeland plants for halotolerant bacteria to improve growth and yield of salinity-stressed wheat. Plant Physiology and Biochemistry, 2021, 163, 139-153. | 5.8 | 31 |
| 3393 | Silicate minerals as a direct source of limiting nutrients: Siderophore synthesis and uptake promote ferric iron bioavailability from olivine and microbial growth. Geobiology, 2021, 19, 618-630. | 2.4 | 5 |
| 3394 | Endophytic fungus <i>Mucor circinelloides</i> DF20 promote tanshinone biosynthesis and accumulation in <i>Salvia miltiorrhiza</i> root. Plant Science, 2021, 307, 110898. | 3.6 | 22 |
| 3395 | Amelioration of Saline Stress on Chia (<i>Salvia hispanica</i> L.) Seedlings Inoculated With Halotolerant Plant Growth-Promoting Bacteria Isolated From Hypersaline Environments. Frontiers in Agronomy, 2021, 3, . | 3.3 | 5 |
| 3397 | Isolation, Characterization, and Efficacy of Actinobacteria Associated with Arbuscular Mycorrhizal Spores in Promoting Plant Growth of Chili (<i>Capsicum flutescens</i> L.). Microorganisms, 2021, 9, 1274. | 3.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3398 | Microbial Phosphorus Mobilization Strategies Across a Natural Nutrient Limitation Gradient and Evidence for Linkage With Iron Solubilization Traits. <i>Frontiers in Microbiology</i> , 2021, 12, 572212. | 3.5 | 8 |
| 3399 | Peroxisomes Implicated in the Biosynthesis of Siderophores and Biotin, Cell Wall Integrity, Autophagy, and Response to Hydrogen Peroxide in the Citrus Pathogenic Fungus <i>Alternaria alternata</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 645792. | 3.5 | 7 |
| 3400 | A novel NRPS cluster, acquired by horizontal gene transfer from algae, regulates siderophore iron metabolism in <i>Burkholderia seminalis</i> R456. <i>International Journal of Biological Macromolecules</i> , 2021, 182, 838-848. | 7.5 | 11 |
| 3401 | Multi-Trait Wheat Rhizobacteria from Calcareous Soil with Biocontrol Activity Promote Plant Growth and Mitigate Salinity Stress. <i>Microorganisms</i> , 2021, 9, 1588. | 3.6 | 5 |
| 3402 | <i>Pectobacterium parmentieri</i> SCC 3193 Mutants with Altered Synthesis of Cell Surface Polysaccharides Are Resistant to N4-Like Lytic Bacteriophage Φ A38 (vB_Ppp_A38) but Express Decreased Virulence in Potato (<i>Solanum tuberosum</i> L.) Plants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7346. | 4.1 | 7 |
| 3403 | ACC deaminase positive <i>Enterobacter</i> -mediated mitigation of salinity stress, and plant growth promotion of <i>Cajanus cajan</i> : a lab to field study. <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 1547-1557. | 3.1 | 9 |
| 3404 | Idification and structural characterisation of a catecholate-type siderophore produced by <i>Stenotrophomonas maltophilia</i> K279a. <i>Microbiology (United Kingdom)</i> , 2021, 167, . | 1.8 | 3 |
| 3405 | Isolation and characterization of fluorescent <i>Pseudomonas</i> with bio-control potential against <i>Ralstonia solanacearum</i> . <i>Indian Phytopathology</i> , 0, , 1. | 1.2 | 3 |
| 3406 | Halotolerant bacteria isolated from extreme environments induce seed germination and growth of chia (<i>Salvia hispanica</i> L.) and quinoa (<i>Chenopodium quinoa</i> Willd.) under saline stress. <i>Ecotoxicology and Environmental Safety</i> , 2021, 218, 112273. | 6.0 | 12 |
| 3407 | Prospecting catabolic diversity of microbial strains for developing microbial consortia and their synergistic effect on Lentil (<i>Lens esculenta</i>) growth, yield and iron biofortification. <i>Archives of Microbiology</i> , 2021, 203, 4913-4928. | 2.2 | 11 |
| 3408 | Alleviation of salinity and metal stress using plant growth-promoting rhizobacteria isolated from semiarid Moroccan copper-mine soils. <i>Environmental Science and Pollution Research</i> , 2021, 28, 67185-67202. | 5.3 | 10 |
| 3409 | Evaluation of seed associated endophytic bacteria from tolerant chilli cv. Firingi Jolokia for their biocontrol potential against bacterial wilt disease. <i>Microbiological Research</i> , 2021, 248, 126751. | 5.3 | 22 |
| 3410 | Cyclic siloxane biosurfactant-producing <i>Bacillus cereus</i> BS14 biocontrols charcoal rot pathogen <i>Macrophomina phaseolina</i> and induces growth promotion in <i>Vigna mungo</i> L.. <i>Archives of Microbiology</i> , 2021, 203, 5043-5054. | 2.2 | 8 |
| 3411 | Evaluation of <i>Bacillus</i> spp. isolates as potential biocontrol agents against charcoal rot caused by <i>Macrophomina phaseolina</i> on common bean. <i>Journal of General Plant Pathology</i> , 2021, 87, 377-386. | 1.0 | 7 |
| 3412 | Antifungal potential against <i>Sclerotinia sclerotiorum</i> (Lib.) de Bary and plant growth promoting abilities of <i>Bacillus</i> isolates from canola (<i>Brassica napus</i> L.) roots. <i>Microbiological Research</i> , 2021, 248, 126754. | 5.3 | 21 |
| 3413 | The Marine Endophytic Polyamine-Producing <i>Streptomyces mutabilis</i> UAE1 Isolated From Extreme Niches in the Arabian Gulf Promotes the Performance of Mangrove (<i>Avicennia marina</i>) Seedlings Under Greenhouse Conditions. <i>Frontiers in Marine Science</i> , 2021, 8, . | 2.5 | 23 |
| 3414 | Phosphate solubilizing rhizobacteria isolated from jujube <i>Ziziphus lotus</i> plant stimulate wheat germination rate and seedlings growth. <i>PeerJ</i> , 2021, 9, e11583. | 2.0 | 6 |
| 3415 | The seed-associated microbiome of four cactus species from Southern Chihuahuan Desert. <i>Journal of Arid Environments</i> , 2021, 190, 104531. | 2.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3416 | Arnebia euchroma, a Plant Species of Cold Desert in the Himalayas, Harbors Beneficial Cultivable Endophytes in Roots and Leaves. <i>Frontiers in Microbiology</i> , 2021, 12, 696667. | 3.5 | 35 |
| 3417 | Characterization of Arsenic-Resistant Endophytic Bacteria From Alfalfa and Chickpea Plants. <i>Frontiers in Plant Science</i> , 2021, 12, 696750. | 3.6 | 9 |
| 3418 | Drought-tolerant <i>Pseudomonas</i> sp. showed differential expression of stress-responsive genes and induced drought tolerance in <i>Arabidopsis thaliana</i> . <i>Physiologia Plantarum</i> , 2022, 174, . | 5.2 | 47 |
| 3419 | Vegetable associated <i>Bacillus</i> spp. suppress the pea (<i>Pisum sativum</i> L.) root rot caused by <i>Fusarium solani</i> . <i>Biological Control</i> , 2021, 158, 104610. | 3.0 | 18 |
| 3420 | Biological Control of Take-All and Growth Promotion in Wheat by <i>Pseudomonas chlororaphis</i> YB-10. <i>Pathogens</i> , 2021, 10, 903. | 2.8 | 12 |
| 3421 | Cadmium-resistant and arginine decarboxylase-producing endophytic <i>Sphingomonas</i> sp. C40 decreases cadmium accumulation in host rice (<i>Oryza sativa</i> Ciliangyou 513). <i>Chemosphere</i> , 2021, 275, 130109. | 8.2 | 30 |
| 3422 | Enhanced phytoextraction of multi-metal contaminated soils under increased atmospheric temperature by bioaugmentation with plant growth promoting <i>Bacillus cereus</i> . <i>Journal of Environmental Management</i> , 2021, 289, 112553. | 7.8 | 22 |
| 3423 | Features of Bacterial Microbiota in the Wild Habitat of <i>Pulsatilla tongkangensis</i> , the Endangered Long-Sepal Donggang Pasque-Flower Plant, Endemic to Karst Topography of Korea. <i>Frontiers in Microbiology</i> , 2021, 12, 656105. | 3.5 | 7 |
| 3424 | Occurrence, Virulence and Antimicrobial Susceptibility Profiles of <i>Cronobacter</i> spp. from Ready-to-Eat Foods. <i>Current Microbiology</i> , 2021, 78, 3403-3416. | 2.2 | 7 |
| 3425 | Exploring Two <i>Streptomyces</i> Species to Control <i>Rhizoctonia solani</i> in Tomato. <i>Agronomy</i> , 2021, 11, 1384. | 3.0 | 25 |
| 3426 | The Nexus between Fire and Soil Bacterial Diversity in the African Miombo Woodlands of Niassa Special Reserve, Mozambique. <i>Microorganisms</i> , 2021, 9, 1562. | 3.6 | 6 |
| 3427 | Bioprospecting beneficial endophytic bacterial communities associated with <i>Rosmarinus officinalis</i> for sustaining plant health and productivity. <i>World Journal of Microbiology and Biotechnology</i> , 2021, 37, 135. | 3.6 | 9 |
| 3428 | Antagonismo de rizobacterias sobre hongos fitopatogénicos, y su actividad microbiana con potencial biofertilizante, bioestimulante y biocontrolador. <i>Revista Colombiana De Biotecnología</i> , 2021, 23, 6-16. | 0.2 | 1 |
| 3429 | Fenton-like reaction driving the degradation and uptake of multi-walled carbon nanotubes mediated by bacterium. <i>Chemosphere</i> , 2021, 275, 129888. | 8.2 | 5 |
| 3430 | Effects of <i>Herbaspirillum</i> sp. p5-19 assisted with alien soil improvement on the phytoremediation of copper tailings by <i>Vetiveria zizanioides</i> L.. <i>Environmental Science and Pollution Research</i> , 2021, 28, 64757-64768. | 5.3 | 4 |
| 3431 | Using Rhizosphere Phosphate Solubilizing Bacteria to Improve Barley (<i>Hordeum vulgare</i>) Plant Productivity. <i>Microorganisms</i> , 2021, 9, 1619. | 3.6 | 15 |
| 3432 | Stress causes interspecific facilitation within a compost community. <i>Ecology Letters</i> , 2021, 24, 2169-2177. | 6.4 | 22 |
| 3434 | Induction of spontaneous phenotype conversion in <i>Ralstonia solanacearum</i> by addition of iron compounds in liquid medium. <i>Journal of Microbiological Methods</i> , 2021, 186, 106233. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3435 | The Endophytic <i>Pseudomonas</i> sp. S57 for Plant-Growth Promotion and the Biocontrol of Phytopathogenic Fungi and Nematodes. <i>Plants</i> , 2021, 10, 1531. | 3.5 | 4 |
| 3436 | The Genome Analysis of the Human Lung-Associated <i>Streptomyces</i> sp. TR1341 Revealed the Presence of Beneficial Genes for Opportunistic Colonization of Human Tissues. <i>Microorganisms</i> , 2021, 9, 1547. | 3.6 | 3 |
| 3437 | Identification and Characterization of <i>Arbutus unedo</i> L. Endophytic Bacteria Isolated from Wild and Cultivated Trees for the Biological Control of <i>Phytophthora cinnamomi</i> . <i>Plants</i> , 2021, 10, 1569. | 3.5 | 3 |
| 3438 | Bacteria Isolated from Wastewater Irrigated Agricultural Soils Adapt to Heavy Metal Toxicity While Maintaining Their Plant Growth Promoting Traits. <i>Sustainability</i> , 2021, 13, 7792. | 3.2 | 25 |
| 3439 | Genomics assisted functional characterization of <i>Paenibacillus polymyxa</i> HK4 as a biocontrol and plant growth promoting bacterium. <i>Microbiological Research</i> , 2021, 248, 126734. | 5.3 | 16 |
| 3440 | Potential Bioinoculants for Sustainable Agriculture Prospected from Ferruginous Caves of the Iron Quadrangle/Brazil. <i>Sustainability</i> , 2021, 13, 9354. | 3.2 | 2 |
| 3441 | Isolation and characterization of endophytic fungi having plant growth promotion traits that biosynthesizes bacosides and withanolides under in vitro conditions. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 1791-1805. | 2.0 | 13 |
| 3442 | Biosurfactant assisted design treatments for remediation of petroleum contaminated soil and metabolomics based interactive study with <i>Brassica nigra</i> L. <i>Environmental Challenges</i> , 2021, 4, 100080. | 4.2 | 5 |
| 3443 | Characterization of Endophytic Fungi, <i>Acremonium</i> sp., from <i>Lilium davidii</i> and Analysis of Its Antifungal and Plant Growth-Promoting Effects. <i>BioMed Research International</i> , 2021, 2021, 1-14. | 1.9 | 22 |
| 3444 | Endophytic rhizobia promote the growth of Cuban rice cultivar. <i>Symbiosis</i> , 2021, 85, 175-190. | 2.3 | 7 |
| 3445 | Synergistic effect of ACC deaminase producing <i>Pseudomonas</i> sp. TR15a and siderophore producing <i>Bacillus aerophilus</i> TR15c for enhanced growth and copper accumulation in <i>Helianthus annuus</i> L. <i>Chemosphere</i> , 2021, 276, 130038. | 8.2 | 47 |
| 3446 | New insights into the construction of wild-type Saba pig-derived <i>Escherichia coli</i> irp2 gene deletion strains. <i>3 Biotech</i> , 2021, 11, 408. | 2.2 | 3 |
| 3447 | Diversity of maize (<i>Zea mays</i> L.) rhizobacteria with potential to promote plant growth. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 1807-1823. | 2.0 | 6 |
| 3448 | In vitro selection of rhizobacteria for increasing drought tolerance of tomato plants. <i>Acta Horticulturae</i> , 2021, , 429-436. | 0.2 | 1 |
| 3449 | A Plant Endophytic Bacterium, <i>Burkholderia seminalis</i> Strain 869T2, Promotes Plant Growth in <i>Arabidopsis</i> , Pak Choi, Chinese Amaranth, Lettuces, and Other Vegetables. <i>Microorganisms</i> , 2021, 9, 1703. | 3.6 | 20 |
| 3450 | Petrobactin, a siderophore produced by <i>Alteromonas</i> , mediates community iron acquisition in the global ocean. <i>ISME Journal</i> , 2022, 16, 358-369. | 9.8 | 30 |
| 3451 | Isolation, characterization, and evaluation of a high-siderophore-yielding bacterium from heavy metal-contaminated soil. <i>Environmental Science and Pollution Research</i> , 2022, 29, 3888-3899. | 5.3 | 6 |
| 3452 | Direct Antibiotic Activity of Bacillibactin Broadens the Biocontrol Range of <i>Bacillus amyloliquefaciens</i> MBI600. <i>MSphere</i> , 2021, 6, e0037621. | 2.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3453 | An improved high-throughput method for assessing the impact of bioformulation on plant parameters: Case study with pigeonpea seeds. <i>Physiological and Molecular Plant Pathology</i> , 2021, 115, 101657. | 2.5 | 0 |
| 3454 | Enrichment of dimeric acid in <i>Monascus</i> -fermented rice and its in vivo antioxidant activity. <i>Food Frontiers</i> , 2021, 2, 547-556. | 7.4 | 4 |
| 3455 | Seed priming with endophytic <i>Bacillus subtilis</i> strain-specifically improves growth of <i>Phaseolus vulgaris</i> plants under normal and salinity conditions and exerts anti-stress effect through induced lignin deposition in roots and decreased oxidative and osmotic damages. <i>Journal of Plant Physiology</i> , 2021, 263, 153462. | 3.5 | 32 |
| 3456 | Bioactives of <i>Penicillium citrinum</i> isolated from a medicinal plant <i>Swertia chirayita</i> . <i>Archives of Microbiology</i> , 2021, 203, 5173-5182. | 2.2 | 9 |
| 3457 | Deep-Sea Actinobacteria Mitigate Salinity Stress in Tomato Seedlings and Their Biosafety Testing. <i>Plants</i> , 2021, 10, 1687. | 3.5 | 21 |
| 3458 | Algal p-coumaric acid induces oxidative stress and siderophore biosynthesis in the bacterial symbiont <i>Phaeobacter inhibens</i> . <i>Cell Chemical Biology</i> , 2022, 29, 670-679.e5. | 5.2 | 9 |
| 3459 | Characterization of <i>Erwinia gerundensis</i> A4, an Almond-Derived Plant Growth-Promoting Endophyte. <i>Frontiers in Microbiology</i> , 2021, 12, 687971. | 3.5 | 12 |
| 3460 | Application potential of <i>Comamonas testosteroni</i> ZG2 for vegetable cultivation in nickel and cadmium polluted soil. <i>Environmental Technology and Innovation</i> , 2021, 23, 101626. | 6.1 | 3 |
| 3461 | Virulence Traits and Population Genomics of the Black Yeast <i>Aureobasidium melanogenum</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 665. | 3.5 | 8 |
| 3462 | Characterization of plant-growth-promoting rhizobacterial isolates associated with food plants in South Africa. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1683-1708. | 1.7 | 8 |
| 3463 | Non-enzymatic electrochemical cholesterol sensor based on strong host-guest interactions with a polymer of intrinsic microporosity (PIM) with DFT study. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6523-6533. | 3.7 | 7 |
| 3464 | Rhizospheric bacteria as potential biocontrol agents against <i>Fusarium</i> wilt and crown and root rot diseases in tomato. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 7460-7471. | 3.8 | 21 |
| 3465 | Beneficial traits of root endophytes and rhizobacteria associated with plants growing in phytomanaged soils with mixed trace metal-polycyclic aromatic hydrocarbon contamination. <i>Chemosphere</i> , 2021, 277, 130272. | 8.2 | 20 |
| 3466 | Siderophore mediated mineralization of struvite: A novel greener route of sustainable phosphate management. <i>Water Research</i> , 2021, 203, 117511. | 11.3 | 10 |
| 3467 | Role of <i>acuK</i> in Control of Iron Acquisition and Gluconeogenesis in <i>Talaromyces marneffeii</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 798. | 3.5 | 7 |
| 3468 | The first member of <i>Exserohilum rostratum</i> beneficial for promoting growth and yield of sunchoke (<i>Helianthus tuberosus</i> L.). <i>Rhizosphere</i> , 2021, 19, 100379. | 3.0 | 7 |
| 3469 | Isolation, Characterization, and Evaluation of Native Rhizobacterial Consortia Developed From the Rhizosphere of Rice Grown in Organic State Sikkim, India, and Their Effect on Plant Growth. <i>Frontiers in Microbiology</i> , 2021, 12, 713660. | 3.5 | 9 |
| 3470 | Plant Growth Promoting Abilities of Novel <i>Burkholderia</i> -Related Genera and Their Interactions With Some Economically Important Tree Species. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, . | 3.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3471 | Acquisition of the Conjugative Virulence Plasmid From a CG23 Hypervirulent <i>Klebsiella pneumoniae</i> Strain Enhances Bacterial Virulence. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 752011. | 3.9 | 21 |
| 3472 | Synthesis, Structural and Physicochemical Characterization of a Titanium(IV) Compound with the Hydroxamate Ligand N,2-Dihydroxybenzamide. <i>Molecules</i> , 2021, 26, 5588. | 3.8 | 2 |
| 3473 | Accumulation of beneficial bacteria in the rhizosphere of maize (<i>Zea mays</i> L.) grown in a saline soil in responding to a consortium of plant growth promoting rhizobacteria. <i>Annals of Microbiology</i> , 2021, 71, . | 2.6 | 20 |
| 3474 | Genomic Analysis of the 1-Aminocyclopropane-1-Carboxylate Deaminase-Producing <i>Pseudomonas thivervalensis</i> SC5 Reveals Its Multifaceted Roles in Soil and in Beneficial Interactions With Plants. <i>Frontiers in Microbiology</i> , 2021, 12, 752288. | 3.5 | 12 |
| 3475 | Antagonistic activity of lipopeptide-biosurfactant producing <i>Bacillus subtilis</i> AKP, against <i>Colletotrichum capsici</i> , the causal organism of anthracnose disease of chilli. <i>Biocatalysis and Agricultural Biotechnology</i> , 2021, 36, 102133. | 3.1 | 10 |
| 3476 | Synergistic effects of plant growth promoting rhizobacteria and silicon dioxide nano-particles for amelioration of drought stress in wheat. <i>Plant Physiology and Biochemistry</i> , 2021, 166, 160-176. | 5.8 | 70 |
| 3477 | Application of Native <i>Bacillus</i> sp. for Sustainable Hum Agro-ecosystem. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2021, 91, 799-810. | 1.0 | 2 |
| 3478 | Draft Genome Sequence of <i>Salegentibacter</i> sp. Strain BDI18, a Plankton-Associated Bacterium in the Northeast Atlantic Ocean. <i>Microbiology Resource Announcements</i> , 2021, 10, e0062821. | 0.6 | 0 |
| 3479 | Suppression of Fusarium Wilt Caused by <i>Fusarium oxysporum</i> f. sp. <i>lactucae</i> and Growth Promotion on Lettuce Using Bacterial Isolates. <i>Journal of Microbiology and Biotechnology</i> , 2021, 31, 1241-1255. | 2.1 | 4 |
| 3480 | Screening for P- and K-solubilizing, and siderophore producing capacity of rhizobacteria from Khao Dawk Mali 105 Aromatic Rice. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 858, 012004. | 0.3 | 4 |
| 3481 | The Mexican giant maize of Jala landrace harbour plant-growth-promoting rhizospheric and endophytic bacteria. <i>3 Biotech</i> , 2021, 11, 447. | 2.2 | 9 |
| 3482 | Inoculated Seed Endophytes Modify the Poplar Responses to Trace Elements in Polluted Soil. <i>Agronomy</i> , 2021, 11, 1987. | 3.0 | 7 |
| 3483 | Plant Growth-Promoting Rhizobacteria of <i>Curcuma longa</i> L. and Their Impact on its Growth. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2021, 91, 769-776. | 1.0 | 3 |
| 3484 | Enhanced Bioremediation of Heavy Metals from Phosphate Processing Wastewater Using the Indigenous Bacterium <i>Serratia rubidaea</i> NCTC12971. <i>Geomicrobiology Journal</i> , 2021, 38, 914-923. | 2.0 | 7 |
| 3485 | The Arac-like transcriptional regulator YqhC is involved in pathogenicity of <i>Erwinia amylovora</i> . <i>Journal of Applied Microbiology</i> , 2022, 132, 1319-1329. | 3.1 | 4 |
| 3486 | A Consortium of Rhizosphere-Competent Actinobacteria Exhibiting Multiple Plant Growth-Promoting Traits Improves the Growth of <i>Avicennia marina</i> in the United Arab Emirates. <i>Frontiers in Marine Science</i> , 2021, 8, . | 2.5 | 17 |
| 3487 | An evaluation into the biosorption and biodegradation of azo dyes by indigenous siderophores-producing bacteria immobilized in chitosan. <i>Biodegradation</i> , 2021, 32, 697-710. | 3.0 | 7 |
| 3488 | Growth Promotion of Rapeseed (<i>Brassica napus</i> L.) and Blackleg Disease (<i>Leptosphaeria maculans</i>) Suppression Mediated by Endophytic Bacteria. <i>Agronomy</i> , 2021, 11, 1966. | 3.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3489 | Prospecting Endophytic Bacteria Endowed With Plant Growth Promoting Potential Isolated From <i>Camellia sinensis</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 738058. | 3.5 | 15 |
| 3490 | Mercury resistance and plant growth promoting traits of endophytic bacteria isolated from mercury-contaminated soil. <i>Bioremediation Journal</i> , 2022, 26, 208-227. | 2.0 | 9 |
| 3491 | Genome analysis of a salinity adapted <i>Achromobacter xylosoxidans</i> rhizobacteria from the date palm. <i>Rhizosphere</i> , 2021, 19, 100401. | 3.0 | 9 |
| 3492 | PGPR-Mediated Plant Growth Attributes and Metal Extraction Ability of <i>Sesbania sesban</i> L. in Industrially Contaminated Soils. <i>Agronomy</i> , 2021, 11, 1820. | 3.0 | 80 |
| 3493 | A Thermotolerant Marine <i>Bacillus amyloliquefaciens</i> S185 Producing Iturin A5 for Antifungal Activity against <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> . <i>Marine Drugs</i> , 2021, 19, 516. | 4.6 | 14 |
| 3494 | From Strain Characterization to Field Authorization: Highlights on <i>Bacillus velezensis</i> Strain B25 Beneficial Properties for Plants and Its Activities on Phytopathogenic Fungi. <i>Microorganisms</i> , 2021, 9, 1924. | 3.6 | 9 |
| 3495 | Construction of a sustainable 3-hydroxybutyrate-producing probiotic <i>Escherichia coli</i> for treatment of colitis. <i>Cellular and Molecular Immunology</i> , 2021, 18, 2344-2357. | 10.5 | 56 |
| 3496 | Development and Characterization of Efficient K-Solubilizing Rhizobacteria and Mesorhizobial Inoculants for Chickpea. <i>Sustainability</i> , 2021, 13, 10240. | 3.2 | 5 |
| 3497 | Enhanced diversity and rock-weathering potential of bacterial communities inhabiting potash trachyte surface beneath mosses and lichens – A case study in Nanjing, China. <i>Science of the Total Environment</i> , 2021, 785, 147357. | 8.0 | 7 |
| 3498 | Identification, evaluation and selection of a bacterial endophyte able to colonise tomato plants, enhance their growth and control <i>Xanthomonas vesicatoria</i> , the causal agent of the spot disease. <i>Canadian Journal of Plant Pathology</i> , 0, , . | 1.4 | 1 |
| 3499 | Biological control of <i>Fusarium</i> wilt caused by <i>Fusarium equiseti</i> in <i>Vicia faba</i> with broad spectrum antifungal plant-associated <i>Bacillus</i> spp.. <i>Biological Control</i> , 2021, 160, 104671. | 3.0 | 23 |
| 3500 | An actinomycete strain of <i>Nocardiopsis lucentensis</i> reduces arsenic toxicity in barley and maize. <i>Journal of Hazardous Materials</i> , 2021, 417, 126055. | 12.4 | 26 |
| 3501 | Isolation and Characterization of Cold-Adapted PGPB and Their Effect on Plant Growth Promotion. <i>Journal of Microbiology and Biotechnology</i> , 2021, 31, 1218-1230. | 2.1 | 7 |
| 3502 | Glucanolytic rhizobacteria associated with wheat- maize cropping system suppress the <i>Fusarium</i> wilt of tomato (<i>Lycopersicon esculentum</i> L). <i>Scientia Horticulturae</i> , 2021, 287, 110275. | 3.6 | 12 |
| 3503 | Epiphytic Bacteria from Sweet Pepper Antagonistic In Vitro to <i>Ralstonia solanacearum</i> BD 261, a Causative Agent of Bacterial Wilt. <i>Microorganisms</i> , 2021, 9, 1947. | 3.6 | 12 |
| 3504 | Dual inoculation of <i>Bradyrhizobium</i> and <i>Enterobacter</i> alleviates the adverse effect of salinity on <i>Glycine max</i> seedling. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2021, 49, 12461. | 1.1 | 24 |
| 3505 | Siderophores: Importance in bacterial pathogenesis and applications in medicine and industry. <i>Microbiological Research</i> , 2021, 250, 126790. | 5.3 | 50 |
| 3506 | Salt-Tolerant Compatible Microbial Inoculants Modulate Physio-Biochemical Responses Enhance Plant Growth, Zn Biofortification and Yield of Wheat Grown in Saline-Sodic Soil. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9936. | 2.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3507 | Isolation and evaluation of bacterial endophytes against <i>Sclerospora graminicola</i> (Sacc.) Schroet, the causal of pearl millet downy mildew. <i>Egyptian Journal of Biological Pest Control</i> , 2021, 31, . | 1.8 | 5 |
| 3508 | Biochar composite with microbes enhanced arsenic biosorption and phytoextraction by <i>Typha latifolia</i> in hybrid vertical subsurface flow constructed wetland. <i>Environmental Pollution</i> , 2021, 291, 118269. | 7.5 | 21 |
| 3509 | Comparative phenotypic characterization of hybrid Shiga toxin-producing / uropathogenic <i>Escherichia coli</i> , canonical uropathogenic and Shiga toxin-producing <i>Escherichia coli</i> . <i>International Journal of Medical Microbiology</i> , 2021, 311, 151533. | 3.6 | 8 |
| 3510 | Easy detection of siderophore production in diluted growth media using an improved CAS reagent. <i>Journal of Microbiological Methods</i> , 2021, 189, 106310. | 1.6 | 14 |
| 3511 | Diversity and biotechnological potential of endophytic <i>Bacillus</i> species originating from the stem apoplast fluid of sugarcane plants. <i>Applied Soil Ecology</i> , 2021, 166, 103985. | 4.3 | 6 |
| 3512 | Biological management of selected weeds of wheat through co-application of allelopathic rhizobacteria and sorghum extract. <i>Biological Control</i> , 2021, 164, 104775. | 3.0 | 13 |
| 3513 | Characterization and low-cost preservation of <i>Chromobacterium violaceum</i> strain TRFM-24 isolated from Tripura state, India. <i>Journal of Genetic Engineering and Biotechnology</i> , 2021, 19, 146. | 3.3 | 3 |
| 3514 | Anti- <i>Vibrio</i> dibutyl phthalate from marine-derived <i>Streptomyces</i> sp. S073. <i>Research in Veterinary Science</i> , 2021, 140, 198-202. | 1.9 | 2 |
| 3515 | <i>Bacillus siamensis</i> CNE6- a multifaceted plant growth promoting endophyte of <i>Cicer arietinum</i> L. having broad spectrum antifungal activities and host colonizing potential. <i>Microbiological Research</i> , 2021, 252, 126859. | 5.3 | 25 |
| 3516 | Screening of <i>Bacillus</i> for the development of bioprotectants for the control of <i>Fusarium oxysporum</i> f. sp. <i>vasinfectum</i> and <i>meloidogyne incognita</i> . <i>Biological Control</i> , 2021, 164, 104764. | 3.0 | 9 |
| 3517 | Bioremediation of petroleum contaminated soil through biosurfactant and <i>Pseudomonas</i> sp. SA3 amended design treatments. <i>Current Research in Microbial Sciences</i> , 2021, 2, 100031. | 2.3 | 14 |
| 3518 | Bioprospecting of endophytic bacteria from nodules and roots of <i>Vigna radiata</i> , <i>Vigna unguiculata</i> and <i>Cajanus cajan</i> for their potential use as bioinoculants. <i>Plant Gene</i> , 2021, 28, 100326. | 2.3 | 16 |
| 3519 | AsIII-oxidizing and Cd-tolerant plant growth-promoting bacteria synergistically reduce arsenic translocation, toxicity and accumulation in KDML105 rice. <i>Environmental and Experimental Botany</i> , 2021, 192, 104660. | 4.2 | 14 |
| 3520 | Preparation of S-iron-enriched yeast using siderophores and its effect on iron deficiency anemia in rats. <i>Food Chemistry</i> , 2021, 365, 130508. | 8.2 | 14 |
| 3521 | Isolation and characterization of cassava root endophytic bacteria with the ability to promote plant growth and control the in vitro and in vivo growth of <i>Phytophthora</i> sp.. <i>Physiological and Molecular Plant Pathology</i> , 2021, 116, 101709. | 2.5 | 7 |
| 3522 | Isolation and characterization of plant growth promoting rhizobacteria isolated from organically grown high yielding pole type native pea (<i>Pisum sativum</i> L.) variety Dentami of Sikkim, India. <i>Current Research in Microbial Sciences</i> , 2021, 2, 100068. | 2.3 | 3 |
| 3523 | Isolation and identification of endophytic bacteria from potato tissues and their effects as biological control agents against bacterial wilt. <i>Physiological and Molecular Plant Pathology</i> , 2021, 116, 101692. | 2.5 | 17 |
| 3524 | Lowered Cd toxicity, uptake and expression of metal transporter genes in maize plant by ACC deaminase-producing bacteria <i>Achromobacter</i> sp.. <i>Journal of Hazardous Materials</i> , 2022, 423, 127036. | 12.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3525 | Characterization of bacterial communities isolated from municipal waste compost and screening of their plant-interactive phenotypes. <i>Science of the Total Environment</i> , 2022, 806, 150592. | 8.0 | 4 |
| 3526 | Exemplifying endophytes of banana (<i>Musa paradisiaca</i>) for their potential role in growth stimulation and management of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> causing panama wilt. <i>Folia Microbiologica</i> , 2021, 66, 317-330. | 2.3 | 6 |
| 3527 | Screening for Microbial Metal-Chelating Siderophores for the Removal of Metal Ions from Solutions. <i>Microorganisms</i> , 2021, 9, 111. | 3.6 | 15 |
| 3528 | Functional Analysis and Genome Mining Reveal High Potential of Biocontrol and Plant Growth Promotion in Nodule-Inhabiting Bacteria Within <i>Paenibacillus polymyxa</i> Complex. <i>Frontiers in Microbiology</i> , 2020, 11, 618601. | 3.5 | 39 |
| 3529 | Multiple Plant Growth-Promotion Traits in Endophytic Bacteria Retrieved in the Vegetative Stage From Passionflower. <i>Frontiers in Plant Science</i> , 2020, 11, 621740. | 3.6 | 20 |
| 3530 | Plant growth promoting and antifungal asset of indigenous rhizobacteria secluded from saffron (<i>Crocus sativus</i> L.) rhizosphere. <i>Microbial Pathogenesis</i> , 2021, 150, 104734. | 2.9 | 32 |
| 3531 | Root Nodule Rhizobia From Undomesticated Shrubs of the Dry Woodlands of Southern Africa Can Nodulate Angolan Teak <i>Pterocarpus angolensis</i> , an Important Source of Timber. <i>Frontiers in Microbiology</i> , 2021, 12, 611704. | 3.5 | 6 |
| 3532 | Improved salinity tolerance of <i>Medicago sativa</i> and soil enzyme activities by PGPR. <i>Biocatalysis and Agricultural Biotechnology</i> , 2021, 31, 101914. | 3.1 | 35 |
| 3533 | Diazotrophic Bacteria <i>Pantoea dispersa</i> and <i>Enterobacter asburiae</i> Promote Sugarcane Growth by Inducing Nitrogen Uptake and Defense-Related Gene Expression. <i>Frontiers in Microbiology</i> , 2020, 11, 600417. | 3.5 | 39 |
| 3535 | Profiling of antimicrobial metabolites of plant growth promoting <i>Pseudomonas</i> spp. isolated from different plant hosts. <i>3 Biotech</i> , 2021, 11, 48. | 2.2 | 12 |
| 3536 | Plant Growth-Promoting Effects of <i>Proteus mirabilis</i> Isolated from Tomato (<i>Lycopersicon esculentum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.5 | 1 |
| 3537 | Isolation and characterization of arsenic-binding siderophores from <i>Rhodococcus erythropolis</i> S43: role of heterobactin B and other heterobactin variants. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 1731-1744. | 3.6 | 11 |
| 3538 | Phosphorus Nutrition and Growth of Cotton Plants Inoculated With Growth-Promoting Bacteria Under Low Phosphate Availability. <i>Frontiers in Sustainable Food Systems</i> , 2021, 4, . | 3.9 | 19 |
| 3540 | Convergent Synthesis of Macrocyclic and Linear Desferrioxamines. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 3650-3659. | 2.4 | 3 |
| 3541 | Phenotypic Changes in Staphylococcal Cell Surface Characteristics Associated with Growth in Human Peritoneal Dialysis Fluid. , 1990, , 453-458. | | 5 |
| 3542 | The Molecular Biology of Iron and Zinc Uptake in <i>Saccharomyces cerevisiae</i> . , 1998, , 342-371. | | 1 |
| 3543 | Immunological Characterization of Fungal Enzymes and Biological Chelators Involved in Lignocellulose Degradation. , 1990, , 361-375. | | 4 |
| 3544 | Siderophore Efficacy of Fluorescent <i>Pseudomonades</i> Affecting Labeled Iron (⁵⁹ Fe) Uptake by Wheat (<i>Triticum aestivum</i> L.) Genotypes Differing in Fe Efficiency. , 2014, , 121-132. | | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3545 | Plant Growth-Promoting Rhizobacteria of Medicinal Plants in NW Himalayas: Current Status and Future Prospects. <i>Soil Biology</i> , 2015, , 381-412. | 0.8 | 8 |
| 3546 | Induced Systemic Resistance Could Explain the Reduction in the Incidence of Black Sigatoka (<i>Mycosphaerella fijiensis</i>) in Banana Plants Inoculated with Bacteria Isolated from Banana Tree Roots in the Dominican Republic. , 2016, , 155-170. | | 2 |
| 3547 | Siderotyping and Bacterial Taxonomy: A Siderophore Bank for a Rapid Identification at the Species Level of Fluorescent and Non-Fluorescent <i>Pseudomonas</i> . , 2007, , 43-65. | | 9 |
| 3548 | Siderotyping, a Tool to Characterize, Classify and Identify Fluorescent <i>Pseudomonads</i> . , 2007, , 67-89. | | 5 |
| 3549 | Siderophores of Mycorrhizal Fungi: Detection, Isolation and Identification. <i>Soil Biology</i> , 2009, , 393-402. | 0.8 | 3 |
| 3550 | Metal-Chelating Agents from Ectomycorrhizal Fungi and Their Biotechnological Potential. <i>Soil Biology</i> , 2011, , 347-369. | 0.8 | 3 |
| 3551 | The Development of a Biological Control Agent against <i>Ralstonia solanacearum</i> Race 3 in Kenya. , 1998, , 337-342. | | 4 |
| 3552 | Fungal Factors Implicated in Pathogenesis. , 1996, , 3-29. | | 5 |
| 3553 | PGPR as Inoculants in Management of Lands Contaminated with Trace Elements. , 2012, , 259-277. | | 8 |
| 3554 | Soil Rhizobacteria Regulating the Uptake of Nutrients and Undesirable Elements by Plants. , 2013, , 147-167. | | 34 |
| 3555 | Iron in Plant-Pathogen Interactions. <i>Springer Briefs in Molecular Science</i> , 2012, , 7-39. | 0.1 | 23 |
| 3556 | Modification of the growth and the competitiveness of a <i>Bradyrhizobium</i> strain obtained through affecting its siderophore-producing ability. , 1995, , 59-66. | | 7 |
| 3557 | Iron uptake and metabolism in the rhizobia/legume symbioses. , 1991, , 239-249. | | 16 |
| 3558 | The requirement of chrysobactin dependent iron transport for virulence incited by <i>Erwinia chrysanthemi</i> on <i>Saintpaulia ionantha</i> . , 1991, , 303-311. | | 2 |
| 3559 | Rhizosphere interactions and siderophores. , 1991, , 263-269. | | 10 |
| 3560 | Iron nutrition of <i>Trichodesmium</i> . , 1992, , 289-306. | | 88 |
| 3561 | Drought-Tolerant Phosphorus-Solubilizing Microbes: Biodiversity and Biotechnological Applications for Alleviation of Drought Stress in Plants. <i>Microorganisms for Sustainability</i> , 2019, , 255-308. | 0.7 | 76 |
| 3562 | Soil: Microbial Cell Factory for Assortment with Beneficial Role in Agriculture. , 2019, , 63-92. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3563 | Microbe-Based Novel Biostimulants for Sustainable Crop Production. , 2019, , 109-144. | | 10 |
| 3564 | Psychrotolerant Microbes: Characterization, Conservation, Strain Improvements, Mass Production, and Commercialization. Rhizosphere Biology, 2020, , 227-246. | 0.6 | 3 |
| 3565 | Bioprospecting and Biotechnological Applications of Microbial Endophytes. Microorganisms for Sustainability, 2020, , 191-228. | 0.7 | 6 |
| 3566 | Isolation and characterization of a visibly luminous variant of <i>Vibrio fischeri</i> strain ES114 from the sepiolid squid <i>Euprymna scolopes</i> . Archives of Microbiology, 1995, 164, 194-202. | 2.2 | 3 |
| 3567 | <i>Pseudomonas atacamensis</i> sp. nov., isolated from the rhizosphere of desert bloom plant in the region of Atacama, Chile. Antonie Van Leeuwenhoek, 2020, 113, 1201-1211. | 1.7 | 16 |
| 3568 | Potential of common bean (<i>Phaseolus vulgaris</i> L.) root microbiome in the biocontrol of root rot disease and traits of performance. Journal of Plant Diseases and Protection, 2020, 127, 453-462. | 2.9 | 26 |
| 3569 | Siderophore production by <i>Salmonella</i> species isolated from different sources. FEMS Microbiology Letters, 1991, 79, 225-231. | 1.8 | 9 |
| 3570 | Rhizoferrin: A complexone type siderophore of the moraxellales and entomophthorales (Zygomycetes). FEMS Microbiology Letters, 1992, 94, 37-41. | 1.8 | 46 |
| 3571 | OVERVIEW OF BACTERIAL IRON TRANSPORT AND SIDEROPHORE SYSTEMS IN RHIZOBIA. , 1993, , 179-195. | | 4 |
| 3572 | ROLE OF IRON IN FUNGAL PHYTOPATHOLOGIES. , 1993, , 251-267. | | 3 |
| 3573 | ASSAYS FOR MICROBIAL SIDEROPHORES. , 1993, , 399-417. | | 4 |
| 3574 | Cultivation dependent formation of siderophores by <i>Gordonia rubripertincta</i> CWB2. Microbiological Research, 2020, 238, 126481. | 5.3 | 15 |
| 3575 | Seed inhabiting bacterial endophytes of finger millet (<i>Eleusine coracana</i> L.) promote seedling growth and development, and protect from fungal disease. South African Journal of Botany, 2020, 134, 91-98. | 2.5 | 16 |
| 3576 | Isolation, Characterization, and Synthesis of Chrysobactin, a Compound with siderophore Activity from <i>Erwinia chrysanthemi</i> . Journal of Biological Chemistry, 1989, 264, 3187-3193. | 3.4 | 105 |
| 3577 | Regulation of iron uptake in <i>Saccharomyces cerevisiae</i> . The ferriredutase and Fe(II) transporter are regulated independently.. Journal of Biological Chemistry, 1992, 267, 20774-20781. | 3.4 | 160 |
| 3578 | The in vitro Conversion of Chorismate to Isochorismate Catalyzed by the <i>Escherichia coli</i> entC Gene Product. Journal of Biological Chemistry, 1989, 264, 20547-20551. | 3.4 | 23 |
| 3579 | BIOCHEMICAL CHARACTERISTICS, SEROGROUPS, AND VIRULENCE FACTORS OF <i>AEROMONAS</i> SPECIES ISOLATED FROM CASES OF DIARRHOEA AND DOMESTIC WATER SAMPLES IN CHENNAI. Indian Journal of Medical Microbiology, 2003, 21, 233-238. | 0.8 | 30 |
| 3580 | Rhizobacteria AK1 remediates the toxic effects of salinity stress via regulation of endogenous phytohormones and gene expression in soybean. Biochemical Journal, 2019, 476, 2393-2409. | 3.7 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3581 | A promising growth promoting <i>Meyerozyma caribbica</i> from <i>Solanum xanthocarpum</i> alleviated stress in maize plants. Bioscience Reports, 2019, 39, . | 2.4 | 22 |
| 3582 | FERRIC CHELATE REDUCTASE ACTIVITY AS AFFECTED BY THE IRON-LIMITED GROWTH RATE IN FOUR SPECIES OF UNICELLULAR GREEN ALGAE (CHLOROPHYTA)1. Journal of Phycology, 2002, 38, 513-519. | 2.3 | 6 |
| 3583 | Virulence factors of <i>Vibrio</i> P1, the causative agent of brown ring disease in the Manila clam, <i>Ruditapes philippinarum</i> . Aquatic Living Resources, 1996, 9, 125-136. | 1.2 | 36 |
| 3584 | Associative diazotrophic bacteria from forage grasses in the Brazilian semi-arid region are effective plant growth promoters. Crop and Pasture Science, 2019, 70, 899. | 1.5 | 14 |
| 3585 | Novel, simple and inexpensive programmed lab experiments to evaluate the biocontrol activity of rhizobacteria on fungal phytopathogens. Journal of Biological Education, 2022, 56, 581-597. | 1.5 | 3 |
| 3586 | Regulators Involved in <i>Dickeya solani</i> Virulence, Genetic Conservation and Functional Variability. Molecular Plant-Microbe Interactions, 2015, 2015, 5-16. | 2.6 | 1 |
| 3587 | Adaptation to public goods cheats in <i>Pseudomonas aeruginosa</i> . Proceedings of the Royal Society B: Biological Sciences, 2017, 284, 20171089. | 2.6 | 48 |
| 3588 | The entD Gene of the Escherichia coli K12 Enterobactin Gene Cluster. Microbiology (United Kingdom), 1989, 135, 3043-3055. | 1.8 | 15 |
| 3589 | Increased dosage of a transcriptional activator gene enhances iron-limited growth of <i>Saccharomyces cerevisiae</i> . Journal of General Microbiology, 1992, 138, 347-354. | 2.3 | 69 |
| 3590 | A factor produced by Escherichia coli K-12 inhibits the growth of E. coli mutants defective in the cytochrome bd quinol oxidase complex: enterochelin rediscovered. Microbiology (United Kingdom), 1998, 144, 3297-3308. | 1.8 | 29 |
| 3591 | Mutational analysis of the <i>Paracoccus denitrificans</i> c-type cytochrome biosynthetic genes ccmABCDG: disruption of ccmC has distinct effects suggesting a role for CcmC independent of CcmAB The GenBank accession number for the sequence determined in this work is Z71971.. Microbiology (United Kingdom), 2000, 146, 829-837. | 1.8 | 23 |
| 3592 | Vanadium interferes with siderophore-mediated iron uptake in <i>Pseudomonas aeruginosa</i> . Microbiology (United Kingdom), 2000, 146, 2425-2434. | 1.8 | 97 |
| 3593 | Analysis of the <i>Rhizobium leguminosarum</i> siderophore-uptake gene <i>fhuA</i> : differential expression in free-living bacteria and nitrogen-fixing bacteroids and distribution of an <i>fhuA</i> pseudogene in different strains The GenBank/EMBL/DBJ accession number for the sequence determined in this work is AJ238208.. Microbiology (United Kingdom), 2000, 146, 829-837. | 1.8 | 32 |
| 3594 | Characterization of a tonB mutation in <i>Erwinia chrysanthemi</i> 3937: TonB Ech is a member of the enterobacterial TonB family The GenBank accession number for the sequence reported in this paper is Y15888.. Microbiology (United Kingdom), 2000, 146, 2051-2058. | 1.8 | 18 |
| 3595 | Functional analysis of yersiniabactin transport genes of <i>Yersinia enterocolitica</i> . Microbiology (United Kingdom), 2001, 147, 1115-1127. | 1.8 | 53 |
| 3596 | The <i>Burkholderia cepacia</i> fur gene: co-localization with <i>omlA</i> and absence of regulation by iron The GenBank accession numbers for the sequences reported in this paper are AF317836 and AF153356.. Microbiology (United Kingdom), 2001, 147, 1303-1314. | 1.8 | 25 |
| 3597 | Expression of <i>Streptococcus mutans</i> <i>fimA</i> is iron-responsive and regulated by a DtxR homologue. Microbiology (United Kingdom), 2001, 147, 1599-1610. | 1.8 | 39 |
| 3598 | Plasmid associated virulence properties of environmental isolates of <i>Aeromonas hydrophila</i> . Journal of Medical Microbiology, 1991, 35, 264-269. | 1.8 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3599 | <i>Massilia arvi</i> sp. nov., isolated from fallow-land soil previously cultivated with <i>Brassica oleracea</i> , and emended description of the genus <i>Massilia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3690-3696. | 1.7 | 28 |
| 3600 | <i>Labrys soli</i> sp. nov., isolated from the rhizosphere of ginseng. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3913-3919. | 1.7 | 10 |
| 3601 | <i>Duganella ginsengisoli</i> sp. nov., isolated from ginseng soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 56-61. | 1.7 | 19 |
| 3602 | <i>Burkholderia jirisanensis</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1260-1267. | 1.7 | 10 |
| 3603 | <i>Paenibacillus arachidis</i> sp. nov., isolated from groundnut seeds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2923-2928. | 1.7 | 11 |
| 3604 | <i>Streptomyces pini</i> sp. nov., an actinomycete isolated from phylloplane of pine (<i>Pinus sylvestris</i> L.) needle-like leaves. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4204-4210. | 1.7 | 14 |
| 3605 | <i>Paenibacillus sinopodophylli</i> sp. nov., a siderophore-producing endophytic bacterium isolated from roots of <i>Sinopodophyllum hexandrum</i> (Royle) Ying. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4993-4999. | 1.7 | 15 |
| 3606 | <i>Phycococcus ginsengisoli</i> sp. nov., isolated from cultivated ginseng soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5320-5327. | 1.7 | 11 |
| 3607 | <i>Ancylobacter sonchi</i> sp. nov., a novel methylotrophic bacterium from roots of <i>Sonchus arvensis</i> L. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4552-4558. | 1.7 | 11 |
| 3608 | Preterm infants harbour diverse <i>Klebsiella</i> populations, including atypical species that encode and produce an array of antimicrobial resistance- and virulence-associated factors. <i>Microbial Genomics</i> , 2020, 6, . | 2.0 | 35 |
| 3609 | Fe ²⁺ chelator proferrosamine A: a gene cluster of <i>Erwinia rhapontici</i> P45 involved in its synthesis and its impact on growth of <i>Erwinia amylovora</i> CFBP1430. <i>Microbiology (United Kingdom)</i> , 2016, 162, 236-245. | 1.8 | 7 |
| 3610 | High intracellular c-di-GMP levels antagonize quorum sensing and virulence gene expression in <i>Burkholderia cenocepacia</i> H111. <i>Microbiology (United Kingdom)</i> , 2017, 163, 754-764. | 1.8 | 34 |
| 3611 | <i>Stenotrophomonas maltophilia</i> produces an EntC-dependent catecholate siderophore that is distinct from enterobactin. <i>Microbiology (United Kingdom)</i> , 2017, 163, 1590-1603. | 1.8 | 27 |
| 3612 | Lack of glyoxylate shunt dysregulates iron homeostasis in <i>Pseudomonas aeruginosa</i> . <i>Microbiology (United Kingdom)</i> , 2018, 164, 587-599. | 1.8 | 24 |
| 3613 | Broad-spectrum antimicrobial activity by <i>Burkholderia cenocepacia</i> TAtl-371, a strain isolated from the tomato rhizosphere. <i>Microbiology (United Kingdom)</i> , 2018, 164, 1072-1086. | 1.8 | 24 |
| 3614 | Role of the phosphopantetheinyltransferase enzyme, PswP, in the biosynthesis of antimicrobial secondary metabolites by <i>Serratia marcescens</i> Db10. <i>Microbiology (United Kingdom)</i> , 2014, 160, 1609-1617. | 1.8 | 20 |
| 3615 | Identification of amino acid residues required for ferric-anguibactin transport in the outer-membrane receptor FatA of <i>Vibrio anguillarum</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 570-584. | 1.8 | 16 |
| 3616 | Co-ordination of iron acquisition, iron porphyrin chelation and iron protoporphyrin export via the cytochrome c biogenesis protein CcmC in <i>Pseudomonas fluorescens</i> . <i>Microbiology (United Kingdom)</i> , 2003, 149, 3543-3552. | 1.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3621 | High affinity iron-uptake systems in <i>Vibrio damsela</i> : role in the acquisition of iron from transferrin. <i>Journal of Applied Microbiology</i> , 1997, 82, 157-167. | 3.1 | 27 |
| 3622 | INFLUENCE OF IRON LIMITATION AND NITROGEN SOURCE ON GROWTH AND SIDEROPHORE PRODUCTION BY CYANOBACTERIA. <i>Journal of Phycology</i> , 1988, 24, 566-571. | 2.3 | 56 |
| 3623 | Iron-Dependent Production of Hydroxamate by Sodium-Dependent <i>Azotobacter chroococcum</i> . <i>Applied and Environmental Microbiology</i> , 1987, 53, 1418-1424. | 3.1 | 33 |
| 3624 | Iron-Binding Compounds Produced by Wood-Decaying Basidiomycetes. <i>Applied and Environmental Microbiology</i> , 1989, 55, 2720-2722. | 3.1 | 81 |
| 3625 | Isolation and Preliminary Characterization of Hydroxamic Acids Formed by Nitrogen-Fixing <i>Azotobacter chroococcum</i> B-8. <i>Applied and Environmental Microbiology</i> , 1989, 55, 298-305. | 3.1 | 14 |
| 3626 | Use of the Chrome Azurol S Agar Plate Technique To Differentiate Strains and Field Isolates of <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> . <i>Applied and Environmental Microbiology</i> , 1989, 55, 707-710. | 3.1 | 32 |
| 3627 | Physiological and Morphological Changes Induced by Nutrient Limitation of <i>Pseudomonas fluorescens</i> 378 in Continuous Culture. <i>Applied and Environmental Microbiology</i> , 1990, 56, 686-692. | 3.1 | 28 |
| 3628 | Identification of an additional ferric-siderophore uptake gene clustered with receptor, biosynthesis, and fur-like regulatory genes in fluorescent <i>Pseudomonas</i> sp. strain M114. <i>Applied and Environmental Microbiology</i> , 1990, 56, 2056-2064. | 3.1 | 22 |
| 3629 | Iron-binding compounds and related outer membrane proteins in <i>Vibrio cholerae</i> non-O1 strains from aquatic environments. <i>Applied and Environmental Microbiology</i> , 1990, 56, 2410-2416. | 3.1 | 30 |
| 3630 | Distribution of plasmid- and chromosome-mediated iron uptake systems in <i>Vibrio anguillarum</i> strains of different origins. <i>Applied and Environmental Microbiology</i> , 1991, 57, 2956-2962. | 3.1 | 44 |
| 3631 | Relative importance of fluorescent siderophores and other factors in biological control of <i>Gaeumannomyces graminis</i> var. <i>tritici</i> by <i>Pseudomonas fluorescens</i> 2-79 and M4-80R. <i>Applied and Environmental Microbiology</i> , 1991, 57, 3270-3277. | 3.1 | 135 |
| 3632 | Characterization of Tn <i>5</i> -Induced Mutants of <i>Xenorhabdus nematophilus</i> ATCC 19061. <i>Applied and Environmental Microbiology</i> , 1991, 57, 1173-1180. | 3.1 | 32 |
| 3633 | The Fe ²⁺ Chelator Proferrosamine A Is Essential for the Siderophore-Mediated Uptake of Iron by <i>Pseudomonas roseus fluorescens</i> . <i>Applied and Environmental Microbiology</i> , 1991, 57, 949-954. | 3.1 | 29 |
| 3634 | Production of the siderophore aerobactin by a halophilic pseudomonad. <i>Applied and Environmental Microbiology</i> , 1991, 57, 2246-2250. | 3.1 | 25 |
| 3635 | Differential Siderophore Utilization and Iron Uptake by Soil and Rhizosphere Bacteria. <i>Applied and Environmental Microbiology</i> , 1992, 58, 119-124. | 3.1 | 80 |
| 3636 | Characterization of lactoferrin binding by <i>Aeromonas hydrophila</i> . <i>Applied and Environmental Microbiology</i> , 1992, 58, 42-47. | 3.1 | 12 |
| 3637 | Characterization of Fluorescent Siderophore-Mediated Iron Uptake in <i>Pseudomonas</i> sp. Strain M114: Evidence for the Existence of an Additional Ferric Siderophore Receptor. <i>Applied and Environmental Microbiology</i> , 1992, 58, 630-635. | 3.1 | 22 |
| 3638 | Cloning and Characterization of Aerobactin Biosynthesis Genes of the Biological Control Agent <i>Enterobacter cloacae</i> . <i>Applied and Environmental Microbiology</i> , 1993, 59, 4189-4197. | 3.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3639 | Inhibitory effect against pathogenic and spoilage bacteria of <i>Pseudomonas</i> strains isolated from spoiled and fresh fish. <i>Applied and Environmental Microbiology</i> , 1993, 59, 2197-2203. | 3.1 | 83 |
| 3640 | Enzymatic determination of itoic acid, a <i>Bacillus subtilis</i> siderophore, and 2,3-dihydroxybenzoic acid. <i>Applied and Environmental Microbiology</i> , 1993, 59, 2343-2345. | 3.1 | 16 |
| 3641 | Electroporation of <i>Alcaligenes eutrophus</i> with (mega) plasmids and genomic DNA fragments. <i>Applied and Environmental Microbiology</i> , 1994, 60, 3585-3591. | 3.1 | 54 |
| 3642 | Two Genomic Regions Involved in Catechol Siderophore Production by <i>Erwinia carotovora</i> . <i>Applied and Environmental Microbiology</i> , 1994, 60, 662-669. | 3.1 | 11 |
| 3643 | Siderophore-Mediated Iron Sequestering by <i>Shewanella putrefaciens</i> . <i>Applied and Environmental Microbiology</i> , 1994, 60, 2132-2136. | 3.1 | 28 |
| 3644 | Iron uptake by <i>Pasteurella piscicida</i> and its role in pathogenicity for fish. <i>Applied and Environmental Microbiology</i> , 1994, 60, 2990-2998. | 3.1 | 84 |
| 3645 | Localization and Characterization of the Carbon Tetrachloride Transformation Activity of <i>Pseudomonas</i> sp. Strain KC. <i>Applied and Environmental Microbiology</i> , 1995, 61, 758-762. | 3.1 | 52 |
| 3646 | Oligotrophic Bacteria Enhance Algal Growth under Iron-Deficient Conditions. <i>Applied and Environmental Microbiology</i> , 1995, 61, 2439-2441. | 3.1 | 75 |
| 3647 | Expression of virulence-related properties by, and intestinal adhesiveness of, <i>Vibrio mimicus</i> strains isolated from aquatic environments. <i>Applied and Environmental Microbiology</i> , 1996, 62, 3871-3874. | 3.1 | 25 |
| 3648 | Siderophore-Mediated Aluminum Uptake by <i>Bacillus megaterium</i> ATCC 19213. <i>Applied and Environmental Microbiology</i> , 1996, 62, 4044-4048. | 3.1 | 96 |
| 3649 | Growth of <i>Actinobacillus pleuropneumoniae</i> is promoted by exogenous hydroxamate and catechol siderophores. <i>Applied and Environmental Microbiology</i> , 1996, 62, 853-859. | 3.1 | 26 |
| 3650 | Involvement of Pyochelin and Pyoverdine in Suppression of Pythium-Induced Damping-Off of Tomato by <i>Pseudomonas aeruginosa</i> 7NSK2. <i>Applied and Environmental Microbiology</i> , 1996, 62, 865-871. | 3.1 | 230 |
| 3651 | Phenotypic characterization of <i>Vibrio vulnificus</i> biotype 2, a lipopolysaccharide-based homogeneous O serogroup within <i>Vibrio vulnificus</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 918-927. | 3.1 | 108 |
| 3652 | Siderophore-mediated iron acquisition mechanisms in <i>Vibrio vulnificus</i> biotype 2. <i>Applied and Environmental Microbiology</i> , 1996, 62, 928-935. | 3.1 | 42 |
| 3653 | Utilization of hemin and hemoglobin by <i>Vibrio vulnificus</i> biotype 2. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2806-2810. | 3.1 | 31 |
| 3654 | <i>Vibrio</i> sp. strain NM 10, isolated from the intestine of a Japanese coastal fish, has an inhibitory effect against <i>Pasteurella piscicida</i> . <i>Applied and Environmental Microbiology</i> , 1997, 63, 4986-4989. | 3.1 | 70 |
| 3655 | The Cytochrome c Maturation Operon Is Involved in Manganese Oxidation in <i>Pseudomonas putida</i> GB-1. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3556-3562. | 3.1 | 55 |
| 3656 | A Plant Growth-Promoting Bacterium That Decreases Nickel Toxicity in Seedlings. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3663-3668. | 3.1 | 419 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3657 | Pathogenicity of <i>Vibrio alginolyticus</i> for Cultured Gilt-Head Sea Bream (<i>Sparus aurata</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 3.1 | 185 |
| 3658 | Utilization of Heterologous Siderophores Enhances Levels of Iron Available to <i>Pseudomonas putida</i> in the Rhizosphere. Applied and Environmental Microbiology, 1999, 65, 5357-5363. | 3.1 | 235 |
| 3659 | Contribution of Active Iron Uptake to <i>Acinetobacter baumannii</i> Pathogenicity. Infection and Immunity, 2019, 87, . | 2.2 | 64 |
| 3660 | Virulence properties and enterotoxin production of <i>Aeromonas</i> strains isolated from fish. Infection and Immunity, 1988, 56, 3285-3293. | 2.2 | 137 |
| 3661 | Iron acquisition by <i>Haemophilus influenzae</i> . Infection and Immunity, 1988, 56, 721-725. | 2.2 | 112 |
| 3662 | Iron acquisition in <i>Pasteurella haemolytica</i> : expression and identification of a bovine-specific transferrin receptor. Infection and Immunity, 1990, 58, 2091-2097. | 2.2 | 117 |
| 3663 | Siderophore presence in sputa of cystic fibrosis patients. Infection and Immunity, 1991, 59, 3997-4000. | 2.2 | 86 |
| 3664 | Siderophore production by <i>Pseudomonas pseudomallei</i> . Infection and Immunity, 1991, 59, 776-780. | 2.2 | 69 |
| 3665 | Iron-dependent regulation of diphtheria toxin and siderophore expression by the cloned <i>Corynebacterium diphtheriae</i> repressor gene <i>dtxR</i> in <i>C. diphtheriae</i> C7 strains. Infection and Immunity, 1991, 59, 1899-1904. | 2.2 | 182 |
| 3666 | Iron uptake in <i>Plesiomonas shigelloides</i> : cloning of the genes for the heme-iron uptake system. Infection and Immunity, 1991, 59, 2706-2711. | 2.2 | 96 |
| 3667 | Relative availability of transferrin-bound iron and cell-derived iron to aerobactin-producing and enterochelin-producing strains of <i>Escherichia coli</i> and to other microorganisms. Infection and Immunity, 1991, 59, 3185-3190. | 2.2 | 55 |
| 3668 | Siderophore production and membrane alterations by <i>Bordetella pertussis</i> in response to iron starvation. Infection and Immunity, 1992, 60, 117-123. | 2.2 | 43 |
| 3669 | Activity and specificity of a mouse monoclonal antibody to ferric aerobactin. Infection and Immunity, 1992, 60, 768-772. | 2.2 | 10 |
| 3670 | Effects of iron limitation on production of a siderophore, outer membrane proteins, and hemolysin and on hydrophobicity, cell adherence, and lethality for mice of <i>Vibrio parahaemolyticus</i> . Infection and Immunity, 1992, 60, 2952-2956. | 2.2 | 58 |
| 3671 | Hemin utilization is related to virulence of <i>Streptococcus pneumoniae</i> . Infection and Immunity, 1993, 61, 5401-5405. | 2.2 | 103 |
| 3672 | Iron acquisition by <i>Helicobacter pylori</i> : importance of human lactoferrin. Infection and Immunity, 1993, 61, 2694-2697. | 2.2 | 130 |
| 3673 | A siderophore production mutant of <i>Bordetella bronchiseptica</i> cannot use lactoferrin as an iron source. Infection and Immunity, 1993, 61, 2698-2702. | 2.2 | 19 |
| 3674 | Growth of <i>Moraxella catarrhalis</i> with human transferrin and lactoferrin: expression of iron-repressible proteins without siderophore production. Infection and Immunity, 1994, 62, 4909-4914. | 2.2 | 70 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3675 | Role of iron, capsule, and toxins in the pathogenicity of <i>Vibrio vulnificus</i> biotype 2 for mice. <i>Infection and Immunity</i> , 1994, 62, 759-763. | 2.2 | 102 |
| 3676 | Staphylococcal iron requirements, siderophore production, and iron-regulated protein expression. <i>Infection and Immunity</i> , 1994, 62, 2309-2314. | 2.2 | 48 |
| 3677 | Characterization of an iron-dependent regulatory protein (IdeR) of <i>Mycobacterium tuberculosis</i> as a functional homolog of the diphtheria toxin repressor (DtxR) from <i>Corynebacterium diphtheriae</i> . <i>Infection and Immunity</i> , 1995, 63, 4284-4289. | 2.2 | 146 |
| 3678 | Absence of siderophore-like activity in <i>Legionella pneumophila</i> supernatants. <i>Infection and Immunity</i> , 1996, 64, 1873-1875. | 2.2 | 19 |
| 3679 | Siderophore production by <i>Staphylococcus aureus</i> and identification of iron-regulated proteins. <i>Infection and Immunity</i> , 1997, 65, 1944-1948. | 2.2 | 80 |
| 3680 | Acquisition of Iron by <i>Gardnerella vaginalis</i> . <i>Infection and Immunity</i> , 1998, 66, 5041-5047. | 2.2 | 51 |
| 3681 | Siderophore Production by Cystic Fibrosis Isolates of <i>Burkholderia cepacia</i> . <i>Infection and Immunity</i> , 1998, 66, 874-877. | 2.2 | 154 |
| 3682 | Receptor-Mediated Recognition and Uptake of Iron from Human Transferrin by <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> . <i>Infection and Immunity</i> , 1998, 66, 3591-3596. | 2.2 | 57 |
| 3683 | Iron Starvation of <i>Bordetella avium</i> Stimulates Expression of Five Outer Membrane Proteins and Regulates a Gene Involved in Acquiring Iron from Serum. <i>Infection and Immunity</i> , 1998, 66, 3597-3605. | 2.2 | 12 |
| 3684 | Common and Specific Characteristics of the High-Pathogenicity Island of <i>Yersinia enterocolitica</i> . <i>Infection and Immunity</i> , 1999, 67, 5265-5274. | 2.2 | 82 |
| 3685 | Identification of Genes in an Extraintestinal Isolate of <i>Escherichia coli</i> with Increased Expression after Exposure to Human Urine. <i>Infection and Immunity</i> , 1999, 67, 5306-5314. | 2.2 | 99 |
| 3686 | Binding and Utilization of Human Transferrin by <i>Prevotella nigrescens</i> . <i>Infection and Immunity</i> , 1999, 67, 576-580. | 2.2 | 22 |
| 3687 | The Siderophore 2,3-Dihydroxybenzoic Acid Is Not Required for Virulence of <i>Brucella abortus</i> in BALB/c Mice. <i>Infection and Immunity</i> , 1999, 67, 2615-2618. | 2.2 | 46 |
| 3688 | Role of Ornibactin Biosynthesis in the Virulence of <i>Burkholderia cepacia</i> : Characterization of <i>pvdA</i> , the Gene Encoding <i>scp</i> -Ornithine <i>N</i> ⁵ -Oxygenase. <i>Infection and Immunity</i> , 1999, 67, 4443-4455. | 2.2 | 127 |
| 3689 | Analysis of the Exochelin Locus in <i>Mycobacterium smegmatis</i> : Biosynthesis Genes Have Homology with Genes of the Peptide Synthetase Family. <i>Journal of Bacteriology</i> , 1998, 180, 4676-4685. | 2.2 | 55 |
| 3690 | Transcriptional Analysis of the <i>Bordetella</i> Alcaligin Siderophore Biosynthesis Operon. <i>Journal of Bacteriology</i> , 1998, 180, 855-861. | 2.2 | 23 |
| 3691 | Identification and Characterization of <i>alcR</i> , a Gene Encoding an AraC-Like Regulator of Alcaligin Siderophore Biosynthesis and Transport in <i>Bordetella pertussis</i> and <i>Bordetella bronchiseptica</i> . <i>Journal of Bacteriology</i> , 1998, 180, 862-870. | 2.2 | 44 |
| 3692 | Identification of <i>AlcR</i> , an AraC-Type Regulator of Alcaligin Siderophore Synthesis in <i>Bordetella bronchiseptica</i> and <i>Bordetella pertussis</i> . <i>Journal of Bacteriology</i> , 1998, 180, 871-880. | 2.2 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3693 | Insertional Inactivation of Genes Encoding the Crystalline Inclusion Proteins of <i>Photorhabdus luminescens</i> Results in Mutants with Pleiotropic Phenotypes. <i>Journal of Bacteriology</i> , 1998, 180, 1261-1269. | 2.2 | 63 |
| 3694 | <i>Salmonella typhimurium</i> IroN and FepA Proteins Mediate Uptake of Enterobactin but Differ in Their Specificity for Other Siderophores. <i>Journal of Bacteriology</i> , 1999, 181, 3610-3612. | 2.2 | 70 |
| 3695 | Essential Role of the Iron-Regulated Outer Membrane Receptor FauA in Alcaligin Siderophore-Mediated Iron Uptake in <i>Bordetella</i> Species. <i>Journal of Bacteriology</i> , 1999, 181, 5958-5966. | 2.2 | 58 |
| 3696 | Molecular Characterization of <i>eutF</i> Mutants of <i>Salmonella typhimurium</i> LT2 Identifies <i>eutF</i> Lesions as Partial-Loss-of-Function <i>tonB</i> Alleles. <i>Journal of Bacteriology</i> , 1999, 181, 368-374. | 2.2 | 6 |
| 3697 | Ferric Enterochelin Transport in <i>Yersinia enterocolitica</i> : Molecular and Evolutionary Aspects. <i>Journal of Bacteriology</i> , 1999, 181, 6387-6395. | 2.2 | 67 |
| 3698 | Quorum Sensing in <i>Burkholderia cepacia</i> : Identification of the LuxRI Homologs CepRI. <i>Journal of Bacteriology</i> , 1999, 181, 748-756. | 2.2 | 304 |
| 3699 | Identification and Characterization of SirA, an Iron-Regulated Protein from <i>Staphylococcus aureus</i> . <i>Journal of Bacteriology</i> , 1999, 181, 1436-1443. | 2.2 | 63 |
| 3700 | Laboratory investigations on the low pathogenic potential of <i>Plesiomonas shigelloides</i> . <i>Journal of Clinical Microbiology</i> , 1991, 29, 148-153. | 3.9 | 68 |
| 3701 | Use of a siderophore detection medium, ethylene glycol degradation, and beta-galactosidase activity in the early presumptive differentiation of <i>Nocardia</i> , <i>Rhodococcus</i> , <i>Streptomyces</i> , and rapidly growing <i>Mycobacterium</i> species. <i>Journal of Clinical Microbiology</i> , 1991, 29, 1533-1535. | 3.9 | 13 |
| 3702 | Siderophore production and DNA hybridization groups of <i>Aeromonas</i> spp. <i>Journal of Clinical Microbiology</i> , 1992, 30, 619-622. | 3.9 | 22 |
| 3703 | Effect of iron-limiting conditions on growth of clinical isolates of <i>Acinetobacter baumannii</i> . <i>Journal of Clinical Microbiology</i> , 1993, 31, 2812-2815. | 3.9 | 44 |
| 3704 | Comparison of siderophore production and utilization in pathogenic and environmental isolates of <i>Yersinia enterocolitica</i> . <i>Journal of Clinical Microbiology</i> , 1994, 32, 32-39. | 3.9 | 37 |
| 3705 | Isolation of an asporogenic (<i>spoOA</i>) protective antigen-producing strain of <i>Bacillus anthracis</i> . <i>Canadian Journal of Microbiology</i> , 1999, 45, 1-8. | 1.7 | 33 |
| 3706 | Genetic, physiological and biochemical characterization of <i>Bacillus</i> sp. strain RMB7 exhibiting plant growth promoting and broad spectrum antifungal activities. <i>Microbial Cell Factories</i> , 2014, 13, 144. | 4.0 | 16 |
| 3707 | <i>Pseudomonas</i> species isolated via high-throughput screening significantly protect cotton plants against verticillium wilt. <i>AMB Express</i> , 2020, 10, 193. | 3.0 | 24 |
| 3708 | Approving the biocontrol method of potato wilt caused by <i>Ralstonia solanacearum</i> (Smith) using <i>Enterobacter cloacae</i> PS14 and <i>Trichoderma asperellum</i> T34. <i>Egyptian Journal of Biological Pest Control</i> , 2020, 30, . | 1.8 | 44 |
| 3710 | Isolation and Characterization of Abiotic Stress Tolerant Plant Growth Promoting <i>Bacillus</i> Spp. from Different Rhizospheric Soils of Telangana. <i>Biosciences, Biotechnology Research Asia</i> , 2018, 15, 485-494. | 0.5 | 10 |
| 3711 | Isolation and Assessment of Metabolic Potentials of Bacteria Endophytic to Carnivorous Plants <i>Drosera burmannii</i> and <i>Utricularia</i> spp.. <i>Biosciences, Biotechnology Research Asia</i> , 2019, 16, 731-741. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3712 | Transcriptional and Proteomic Analysis of the <i>Aspergillus fumigatus</i> Δ prtT Protease-Deficient Mutant. PLoS ONE, 2012, 7, e33604. | 2.5 | 29 |
| 3713 | The <i>Acinetobacter baumannii</i> entA Gene Located Outside the Acinetobactin Cluster Is Critical for Siderophore Production, Iron Acquisition and Virulence. PLoS ONE, 2012, 7, e36493. | 2.5 | 83 |
| 3714 | A Drought Resistance-Promoting Microbiome Is Selected by Root System under Desert Farming. PLoS ONE, 2012, 7, e48479. | 2.5 | 400 |
| 3715 | The Extra-Cytoplasmic Function Sigma Factor SigX Modulates Biofilm and Virulence-Related Properties in <i>Pseudomonas aeruginosa</i> . PLoS ONE, 2013, 8, e80407. | 2.5 | 60 |
| 3716 | Proteomic Profiling of <i>Burkholderia cenocepacia</i> Clonal Isolates with Different Virulence Potential Retrieved from a Cystic Fibrosis Patient during Chronic Lung Infection. PLoS ONE, 2013, 8, e83065. | 2.5 | 34 |
| 3717 | The Reduced Genome of the <i>Francisella tularensis</i> Live Vaccine Strain (LVS) Encodes Two Iron Acquisition Systems Essential for Optimal Growth and Virulence. PLoS ONE, 2014, 9, e93558. | 2.5 | 25 |
| 3718 | Protein as Chemical Cue: Non-Nutritional Growth Enhancement by Exogenous Protein in <i>Pseudomonas putida</i> KT2440. PLoS ONE, 2014, 9, e103730. | 2.5 | 4 |
| 3719 | Diversity, Metabolic Properties and Arsenic Mobilization Potential of Indigenous Bacteria in Arsenic Contaminated Groundwater of West Bengal, India. PLoS ONE, 2015, 10, e0118735. | 2.5 | 85 |
| 3720 | Dual Action of Myricetin on <i>Porphyromonas gingivalis</i> and the Inflammatory Response of Host Cells: A Promising Therapeutic Molecule for Periodontal Diseases. PLoS ONE, 2015, 10, e0131758. | 2.5 | 35 |
| 3721 | In Vitro and In Vivo Plant Growth Promoting Activities and DNA Fingerprinting of Antagonistic Endophytic Actinomycetes Associates with Medicinal Plants. PLoS ONE, 2015, 10, e0139468. | 2.5 | 134 |
| 3722 | <i>Pseudomonas aeruginosa</i> RRALC3 Enhances the Biomass, Nutrient and Carbon Contents of <i>Pongamia pinnata</i> Seedlings in Degraded Forest Soil. PLoS ONE, 2015, 10, e0139881. | 2.5 | 36 |
| 3723 | <i>Arthrobacter pokkali</i> sp nov, a Novel Plant Associated Actinobacterium with Plant Beneficial Properties, Isolated from Saline Tolerant Pokkali Rice, Kerala, India. PLoS ONE, 2016, 11, e0150322. | 2.5 | 42 |
| 3724 | The Multifarious PGPR <i>Serratia marcescens</i> CDP-13 Augments Induced Systemic Resistance and Enhanced Salinity Tolerance of Wheat (<i>Triticum aestivum</i> L.). PLoS ONE, 2016, 11, e0155026. | 2.5 | 208 |
| 3725 | Gut Microbiota Conversion of Dietary Ellagic Acid into Bioactive Phytochemical Urolithin A Inhibits Heme Peroxidases. PLoS ONE, 2016, 11, e0156811. | 2.5 | 99 |
| 3726 | The Bacterial Signature of <i>Leptospermum scoparium</i> (Mānuka) Reveals Core and Accessory Communities with Bioactive Properties. PLoS ONE, 2016, 11, e0163717. | 2.5 | 25 |
| 3727 | Evaluation of <i>Escherichia coli</i> isolates from healthy chickens to determine their potential risk to poultry and human health. PLoS ONE, 2017, 12, e0180599. | 2.5 | 113 |
| 3728 | Evaluation of the biocontrol efficacy of a <i>Serratia marcescens</i> strain indigenous to tea rhizosphere for the management of root rot disease in tea. PLoS ONE, 2018, 13, e0191761. | 2.5 | 71 |
| 3729 | Co-regulation of Iron Metabolism and Virulence Associated Functions by Iron and XibR, a Novel Iron Binding Transcription Factor, in the Plant Pathogen <i>Xanthomonas</i> . PLoS Pathogens, 2016, 12, e1006019. | 4.7 | 64 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3730 | Uranium (VI) Complexation with Siderophores-pyoverdine Produced by <i>Pseudomonas Fluorescens</i> SHA 281. International Journal of Nuclear Energy Science and Engineering, 2013, 3, 95. | 0.5 | 3 |
| 3732 | Role of <i>Acinetobacter</i> sp. CS9 in Improving Growth and Phytoremediation Potential of <i>Catharanthus longifolius</i> under Cadmium Stress. Polish Journal of Environmental Studies, 2018, 28, 435-443. | 1.2 | 22 |
| 3733 | Endophytes from Medicinal Plants as Biocontrol Agents against <i>Fusarium</i> Caused Diseases. MikrobiologichnyĖ Zhurnal, 2020, 82, 41-52. | 0.6 | 2 |
| 3734 | ISOLATION AND IDENTIFICATION OF RHIZOBACTERIA FROM MAIZE (<i>ZEAMAYS</i> L.) IN LUVISOLS AND DOCUMENTATION THEIR PLANT GROWTH PROMOTING TRAITS. Journal of Microbiology, Biotechnology and Food Sciences, 2020, 10, 505-510. | 0.8 | 5 |
| 3735 | Production and Optimization of Fe (III) Specific Ligand, the Siderophore of Soil Inhabiting and Wood Rotting Fungi as Deterrent to Plant Pathogens. Acta Phytopathologica Et Entomologica Hungarica, 2006, 41, 237-248. | 0.2 | 27 |
| 3736 | Isolation and selection of endophytic spore-forming bacteria with plant growth promoting properties isolated from <i>Ilex paraguariensis</i> St. Hil. (yerba mate). Anais Da Academia Brasileira De Ciencias, 2020, 92, e20181381. | 0.8 | 10 |
| 3737 | Occurrence of plant growth-promoting traits in clover-nodulating rhizobia strains isolated from different soils in Rio Grande do Sul state. Revista Brasileira De Ciencia Do Solo, 2009, 33, 1227-1235. | 1.3 | 28 |
| 3738 | Potencialidade antagonística detectada em alguns procariotas agentes de biocontrole de enfermidades de plantas. Summa Phytopathologica, 2008, 34, 121-126. | 0.1 | 8 |
| 3739 | Specific amplification of iron receptor genes in <i>Xylella fastidiosa</i> strains from different hosts. Genetics and Molecular Biology, 2006, 29, 137-141. | 1.3 | 5 |
| 3740 | Genetic diversity of siderophore-producing bacteria of tobacco rhizosphere. Brazilian Journal of Microbiology, 2009, 40, 276-84. | 2.0 | 31 |
| 3741 | Biological control of potato black scurf by rhizosphere associated bacteria. Brazilian Journal of Microbiology, 2010, 41, 439-51. | 2.0 | 10 |
| 3742 | Identification and characterization of the endophytic plant growth promoter <i>Bacillus Cereus</i> strain mq23 isolated from <i>Sophora Alopecuroides</i> root nodules. Brazilian Journal of Microbiology, 2011, 42, 567-75. | 2.0 | 25 |
| 3743 | Characterization of plant growth-promoting bacteria inhabiting <i>Vriesea gigantea</i> Gaud. and <i>Tillandsia aeranthos</i> (Loiseleur) L.B. Smith (Bromeliaceae). Biota Neotropica, 2013, 13, 80-85. | 1.0 | 12 |
| 3744 | Studies on endophytic <i>Burkholderia</i> sp. from sugarcane and its screening for plant growth promoting potential. Journal of Experimental Biology and Agricultural Sciences, 2017, 5, 242-257. | 0.4 | 6 |
| 3745 | Isolation and characterization of plant growth promoting potential of <i>Acinetobacter</i> sp. RSC7 isolated from <i>Saccharum officinarum</i> cultivar Co 671. Journal of Experimental Biology and Agricultural Sciences, 2017, 5, 483-491. | 0.4 | 15 |
| 3746 | Prevalence and Characterization of Plant Growth Promoting Mechanisms of Endophytic and Epiphytic Bacterial Species Isolated from Almond Trees Growing in Diyarbakır Province of Turkey. Kahramanmaraş Sırtçın İktisadi ve İdari Bilimler Üniversitesi Tarım Ve Doğa Dergisi, 2020, 23, 641-654. | 0.7 | 22 |
| 3747 | Sodium-resistant plant growth-promoting rhizobacteria isolated from a halophyte, <i>Salsola grandis</i> , in saline-alkaline soils of Turkey. Eurasian Journal of Soil Science, 2017, 6, 216-216. | 0.6 | 7 |
| 3748 | Lipocalin 2 regulates intestine bacterial survival by interplaying with siderophore in a weaned piglet model of <i>Escherichia coli</i> infection. Oncotarget, 2017, 8, 65386-65396. | 1.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3749 | Effects of Irradiated Carriers, Storage Temperatures, on Rhizobium Bioinoculant at Different Intervals. International Journal of Pure & Applied Bioscience, 2017, 5, 1240-1246. | 0.1 | 1 |
| 3750 | Fungal Siderophores Production in Vitro as Affected by Some Abiotic Factors. International Journal of Current Microbiology and Applied Sciences, 2016, 5, 210-222. | 0.1 | 5 |
| 3751 | Isolation and Characterization of Plant Growth Promoting Bacteria containing ACC Deaminase from Soil Collected from Central Himalayan Region of Uttarakhand, India. International Journal of Current Microbiology and Applied Sciences, 2016, 5, 436-445. | 0.1 | 4 |
| 3752 | Isolation of Nodule Bacteria from Aeschynomene indica and Screening of its Efficiency on PHB Production. International Journal of Current Microbiology and Applied Sciences, 2016, 5, 791-801. | 0.1 | 1 |
| 3753 | Inside the Plants: Endophytic Bacteria and their Functional Attributes for Plant Growth Promotion. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 11-21. | 0.1 | 29 |
| 3754 | Characterization of Siderophore Producing Rhizobacteria and Its Effect on Growth Performance of Different Vegetables. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 1398-1405. | 0.1 | 37 |
| 3755 | Blast of Rice in Manipur and its Biocontrol by Pseudomonas fluorescens and Trichoderma sp.. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 1619-1634. | 0.1 | 7 |
| 3756 | Screening of Native Rhizobia and Pseudomonas Strains for Plant Growth Promoting Activities. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 616-625. | 0.1 | 14 |
| 3757 | Evaluate the Shelf Life of Rhizobium Carrier Based Biofertilizer Stored at Different Temperatures at Different Intervals. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 753-759. | 0.1 | 5 |
| 3758 | Isolation and Screening of Bacterial and Fungal Isolates for Plant Growth Promoting Properties from Tomato (Lycopersicon esculentum Mill.). International Journal of Current Microbiology and Applied Sciences, 2017, 6, 753-761. | 0.1 | 9 |
| 3759 | Phytohormones Production and Phosphate Solubilization Capacities of Fluorescent Pseudomonas sp. Isolated from Shimla Dist. of Himachal Pradesh. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 2447-2454. | 0.1 | 5 |
| 3760 | Bioprospecting Potential of Endophytic Bacteria from Leaves of Gossypium hirsutum. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 1718-1730. | 0.1 | 4 |
| 3761 | Screening of Maize Rhizospheric Phosphate Solubilizing Isolates for Plant Growth Promoting Characteristics. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 2090-2101. | 0.1 | 12 |
| 3762 | Isolation and Characterization of Tomato Leaf Phyllosphere Methylobacterium and Their Effect on Plant Growth. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 2121-2136. | 0.1 | 21 |
| 3763 | Plant Growth Promoting Traits Exhibited by Metal Tolerant Bacterial Isolates of Industrial Effluent. International Journal of Current Microbiology and Applied Sciences, 2018, 7, 3458-3471. | 0.1 | 3 |
| 3764 | Exploitation of Multifarious Abiotic Stresses, Antagonistic Activity and Plant Growth Promoting Attributes of Bacillus amyloliquefaciens AH53 for Sustainable Agriculture Production. International Journal of Current Microbiology and Applied Sciences, 2018, 7, 751-763. | 0.1 | 12 |
| 3765 | Establishment and Functionality of Diverse Endophytic Bacteria from Different Hosts in Chickpea and Wheat Microbiome. International Journal of Current Microbiology and Applied Sciences, 2019, 8, 2273-2286. | 0.1 | 2 |
| 3766 | Siderophoregenic Acinetobacter calcoaceticus isolated from wheat rhizosphere with strong PGPR activity. Malaysian Journal of Microbiology, 2009, , . | 0.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3768 | Biological Control of Tomato Bacterial Wilt Disease by Endophytic <i>Pseudomonas fluorescens</i> and <i>Bacillus subtilis</i> . Egyptian Journal of Botany, 2017, 56, 543-558. | 0.2 | 4 |
| 3769 | ROLE OF ENDOPHYTIC <i>PSEUDOMONAS</i> AS PLANT GROWTH PROMOTERS UNDER DESERT CONDITION. Egyptian Journal of Desert Research, 2016, 66, 305-326. | 0.3 | 2 |
| 3770 | DETECTION, PURIFICATION, AND IDENTIFICATION OF SIDEROPHORES PRODUCED BY <i>Pseudomonas fluorescens</i> ISOLATES USING SDS-PAGE AND HPLC.. Journal of Plant Protection and Pathology, 2011, 2, 691-705. | 0.1 | 1 |
| 3771 | Bacterial Siderophores and Their Potential Applications: A Review. Current Molecular Pharmacology, 2020, 13, 295-305. | 1.5 | 19 |
| 3772 | Design of peptides interfering with iron-dependent regulator (IdeR) and evaluation of growth inhibition. Iranian Journal of Basic Medical Sciences, 2017, 20, 722-728. | 1.0 | 6 |
| 3773 | Antagonism of <i>Pseudomonas putida</i> Against <i>Dematophora nectarix</i> A Major Apple Plant Pathogen and Its Potential Use as a Biostimulant. Journal of Pure and Applied Microbiology, 2016, 10, 2717-2726. | 0.9 | 9 |
| 3774 | Plant Growth Promoting Rhizobacteria of <i>Curcuma amada</i> (Mango ginger). Journal of Pure and Applied Microbiology, 2017, 11, 513-519. | 0.9 | 3 |
| 3775 | Impact of Chlorpyrifos on Plant Growth Promoting Rhizobacteria Isolated from <i>Abelmoschus esculentus</i> . Journal of Pure and Applied Microbiology, 2018, 12, 2149-2157. | 0.9 | 8 |
| 3776 | Characterization of pH Dependent Growth Response of Agriculturally Important Microbes for Development of Plant Growth Promoting Bacterial Consortium. Journal of Pure and Applied Microbiology, 2019, 13, 1053-1061. | 0.9 | 10 |
| 3777 | Biocontrol Properties and Functional Characterization of Rice Rhizobacterium <i>Pseudomonas</i> sp. VSMKU4036. Journal of Pure and Applied Microbiology, 2020, 14, 1545-1556. | 0.9 | 5 |
| 3778 | Plant growth promoting and antagonistic Activity of bacillus strains isolated From rice rhizosphere. International Journal of Pharma and Bio Sciences, 2017, 8, . | 0.1 | 5 |
| 3780 | Effect of the endophytic plant growth promoting <i>Enterobacter ludwigii</i> EB4B on tomato growth. Hellenic Plant Protection Journal, 2020, 13, 54-65. | 0.4 | 9 |
| 3781 | Growth Promotion of Lettuce (<i>Lactuca sativa</i> L.) by a Rhizobacterium <i>Pseudomonas fluorescens</i> Strain LRB3W1 under Iron-Limiting Condition. Environmental Control in Biology, 2008, 46, 139-146. | 0.7 | 6 |
| 3782 | Evaluation of thermotolerant rhizobacteria for multiple plant growth promoting traits from pigeonpea rhizosphere. Journal of Applied and Natural Science, 2018, 10, 518-521. | 0.4 | 7 |
| 3783 | Exploration of multitrait antagonistic microbes against <i>Fusarium oxysporum</i> f.sp. <i>lycopersici</i> . Journal of Applied and Natural Science, 2019, 11, 503-510. | 0.4 | 8 |
| 3784 | Screening of efficient rhizobacteria associated with cauliflower (<i>Brassica oleracea</i> var. <i>botrytis</i> L.) for plant growth promoting traits. Journal of Applied and Natural Science, 2017, 9, 167-172. | 0.4 | 2 |
| 3785 | Exploitation of endophytic <i>Pseudomonas</i> sp. for plant growth promotion and colonization in rice. Journal of Applied and Natural Science, 2017, 9, 1310-1316. | 0.4 | 5 |
| 3786 | Iron Bacterial Phylogeny and their Execution Towards Iron Availability in Equatorial Indian Ocean and Coastal Arabian Sea. Polish Journal of Microbiology, 2013, 62, 391-400. | 1.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3787 | Evaluation of The Pathogenic Potential of Insecticidal <i>Serratia marcescens</i> Strains to Humans. Polish Journal of Microbiology, 2019, 68, 185-191. | 1.7 | 8 |
| 3788 | Virus and siderophore-mediated transfer of available Fe between heterotrophic bacteria: characterization using an Fe-specific bioreporter. Aquatic Microbial Ecology, 2005, 41, 233-245. | 1.8 | 33 |
| 3789 | Cascading nutrient limitation of the cyanobacterium <i>Cylindrospermopsis raciborskii</i> in a Sahelian lake (North Senegal). Aquatic Microbial Ecology, 2006, 44, 219-230. | 1.8 | 16 |
| 3790 | Isolation and identification of plant growth-promoting bacteria associated with tall fescue. Proceedings of the New Zealand Grassland Association, 0, , 211-216. | 0.0 | 10 |
| 3791 | Mortierella Species as the Plant Growth-Promoting Fungi Present in the Agricultural Soils. Agriculture (Switzerland), 2021, 11, 7. | 3.1 | 147 |
| 3792 | Evaluation of Biocontrol Activities of <i>Streptomyces</i> spp. against Rice Blast Disease Fungi. Pathogens, 2020, 9, 126. | 2.8 | 40 |
| 3793 | Enhanced Survival and Nodule Occupancy of Pigeon pea Nodulating <i>Rhizobium</i> sp. ST1 expressing <i>fegA</i> Gene of <i>Bradyrhizobium japonicum</i> 61A152. OnLine Journal of Biological Sciences, 2009, 9, 40-51. | 0.4 | 6 |
| 3794 | Phenotypic and Molecular Characterization of some Virulence Factors in Multidrug Resistance <i>Escherichia coli</i> Isolated from Different Clinical Infections in Iraq. American Journal of Biochemistry and Molecular Biology, 2017, 7, 65-78. | 0.6 | 9 |
| 3795 | Isolation of Fluorescent <i>Pseudomonas</i> spp. from Diverse Agro-Ecosystems of India and Characterization of their PGPR Traits. , 2014, 5, 13-24. | | 9 |
| 3796 | Application of <i>Rhizobium</i> sp. BHURC01 and Plant Growth Promoting <i>Rhizobacteria</i> on Nodulation, Plant Biomass and Yields of Chickpea (<i>Cicer arietinum</i> L.). International Journal of Agricultural Research, 2010, 5, 148-156. | 0.1 | 50 |
| 3797 | Indices to Assess Quality, Productivity and Sustainable Health of Soils Receiving Low Cost Biological and/or Conventional Inputs. International Journal of Soil Science, 2006, 1, 196-206. | 0.7 | 4 |
| 3798 | Effect of <i>Pseudomonas</i> as a Preventive and Curative Control of Tomato Leafminer <i>Tuta absoluta</i> (Lepidoptera: Gelechiidae). Journal of Applied Sciences, 2019, 19, 473-479. | 0.3 | 8 |
| 3799 | Biological Control of Stem and Root-rot of Wheat Caused by <i>Bipolaris</i> spp. by using Antagonistic Bacteria, Fluorescent <i>Pseudomonads</i> and <i>Bacillus</i> spp.. Journal of Biological Sciences, 2005, 5, 347-353. | 0.3 | 11 |
| 3800 | Sensitivity of IS6110, <i>mtp40</i> and 85B-RNA Based Amplification Assays in the Diagnosis and Treatment Follow up of Pulmonary <i>Mycobacterium tuberculosis</i> . Journal of Biological Sciences, 2005, 6, 121-126. | 0.3 | 3 |
| 3801 | Growth Promoting of Some Ornamental Plants by Root Treatment with Specific Fluorescent <i>Pseudomonads</i> . Journal of Biological Sciences, 2006, 6, 610-615. | 0.3 | 14 |
| 3802 | Cadmium-resistant <i>Ralstonia mannitolilytica</i> Relieved Cadmium Toxicity in Mustard Plant Through Root Colonization and Growth Promoting Activity. Research Journal of Microbiology, 2016, 11, 157-168. | 0.2 | 1 |
| 3803 | Potential Plant Growth-promoting Activity of <i>Pseudomonas</i> spp. and <i>Bacillus</i> spp. as Biocontrol Agents Against Damping-off in Alfalfa. Plant Pathology Journal, 2014, 13, 8-17. | 0.2 | 13 |
| 3804 | Characterization of Plant Growth-Promoting Traits of Free-Living Diazotrophic Bacteria and Their Inoculation Effects on Growth and Nitrogen Uptake of Crop Plants. Journal of Microbiology and Biotechnology, 2009, 19, 1213-22. | 2.1 | 43 |

| | | | |
|------|---|-----|----|
| 3806 | Selection of Plant Growth-Promoting Pseudomonas spp. That Enhanced Productivity of Soybean-Wheat Cropping System in Central India. Journal of Microbiology and Biotechnology, 2011, 21, 1127-1142. | 2.1 | 53 |
| 3807 | Biochemical and Molecular Characterization of High Population Density Bacteria Isolated from Sunflower. Journal of Microbiology and Biotechnology, 2012, 22, 437-447. | 2.1 | 33 |
| 3808 | The Endophytic Bacteria <i>Bacillus velezensis</i> Lle-9, Isolated from <i>Lilium leucanthum</i>, Harbors Antifungal Activity and Plant Growth-Promoting Effects. Journal of Microbiology and Biotechnology, 2020, 30, 668-680. | 2.1 | 34 |
| 3809 | Siderophore Production by Rhizosphere Biological Control Bacteria <i>Brevibacillus brevis</i> GZDF3 of <i>Pinellia ternata</i> and Its Antifungal Effects on <i>Candida albicans</i>. Journal of Microbiology and Biotechnology, 2020, 30, 689-699. | 2.1 | 35 |
| 3810 | A Bioactive Fraction from <i>Streptomyces</i> sp. Enhances Maize Tolerance against Drought Stress. Journal of Microbiology and Biotechnology, 2020, 30, 1156-1168. | 2.1 | 19 |
| 3811 | Siderophore mediated metal uptake by <i>Pseudomonas fluorescens</i> and its comparison to Iron (III) chelation. Ceylon Journal of Science (Biological Sciences), 2011, 39, 147. | 0.2 | 14 |
| 3812 | Evaluation of Rhizospheric Bacteria from Ocimum sp. as Potential Pgpr. Journal of Microbial & Biochemical Technology, 2015, 07, . | 0.2 | 4 |
| 3813 | Enhanced Biodegradation of Mobil Oil Hydrocarbons by Biosurfactant Producing Bacterial Consortium in Wheat and Mustard Rhizosphere. Journal of Petroleum & Environmental Biotechnology, 2013, 04, . | 0.3 | 9 |
| 3814 | Genomic and Functional Characterization of a Novel Burkholderia sp. Strain AU4i from Pea Rhizosphere Conferring Plant Growth Promoting Activities. Advancements in Genetic Engineering, 2015, 04, . | 0.1 | 3 |
| 3815 | <i>Pseudomonas aeruginosa</i> BUP2â€”A Novel Strain Isolated from Malabari Goat Produces Type 2 Pyoverdine. Advances in Bioscience and Biotechnology (Print), 2014, 05, 874-885. | 0.7 | 15 |
| 3816 | A Culture-Independent and Culture-Dependent Study of the Bacterial Community from the Bedrock Soil Interface. Advances in Microbiology, 2015, 05, 842-857. | 0.6 | 10 |
| 3817 | A Study of the Microbial Community at the Interface between Granite Bedrock and Soil Using a Culture-Independent and Culture-Dependent Approach. Advances in Microbiology, 2016, 06, 233-245. | 0.6 | 11 |
| 3818 | Isolation, Screening and Molecular Characterization of Multifunctional Plant Growth Promoting Rhizobacteria for a Sustainable Agriculture. American Journal of Plant Sciences, 2020, 11, 773-792. | 0.8 | 11 |
| 3822 | Screening of Antagonistic Bacteria for Biological control of Ginseng Root Rot. Korean Journal of Mycology, 2012, 40, 44-48. | 0.3 | 14 |
| 3823 | Plant Growth-promoting Ability by the Newly Isolated Bacterium Bacillus aerius MH1RS1 from Indigenous Plant in Sand Dune. Daehan Hwan'gyeong Gonghag Hoeji, 2013, 35, 687-693. | 1.1 | 2 |
| 3824 | Isolation and Characterization of Plant Growth-Promoting Bacillus amyloliquefaciens Strain sks_bnj_1 and its Influence on Rhizosphere Soil Properties and Nutrition of Soybean (Glycine max L.) Tj ETQqO O O gBT /Overlock 10 | | |
| 3825 | Keratinase Production by Recalcitrant Feather Degrading Pseudomonas Geniculata and Its Plant Growth Promoting Activity. Journal of Environmental Science International, 2013, 22, 1457-1464. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3826 | Plant Cell Contact-Dependent Virulence Regulation of hrp Genes in <i>Pseudomonas syringae</i> pv. tabaci 11528. <i>Journal of Life Science</i> , 2011, 21, 227-234. | 0.2 | 3 |
| 3827 | A LuxR-type Transcriptional Regulator, PsyR, Coordinates Regulation of Pathogenesis-related Genes in <i>Pseudomonas syringae</i> pv. tabaci. <i>Journal of Life Science</i> , 2015, 25, 136-150. | 0.2 | 2 |
| 3828 | Laboratory Culture Media-Dependent Biocontrol Ability of <i>Burkholderia gladioli</i> strain B543. <i>Plant Pathology Journal</i> , 2007, 23, 161-165. | 1.7 | 11 |
| 3829 | Mutation in <i>clpX</i> Reduces Virulence and Resistance to Oxidative Stress in <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> KACC10859. <i>Plant Pathology Journal</i> , 2011, 27, 89-92. | 1.7 | 3 |
| 3830 | Screening and Application of <i>Bacillus</i> Strains Isolated from Nonrhizospheric Rice Soil for the Biocontrol of Rice Blast. <i>Plant Pathology Journal</i> , 2020, 36, 231-243. | 1.7 | 19 |
| 3831 | Inhibitory Abilities of <i>Bacillus</i> Isolates and Their Culture Filtrates against the Gray Mold Caused by <i>Botrytis cinerea</i> on Postharvest Fruit. <i>Plant Pathology Journal</i> , 2019, 35, 425-436. | 1.7 | 50 |
| 3832 | The Roles of Two <i>hfq</i> Genes in the Virulence and Stress Resistance of <i>Burkholderia glumae</i> . <i>Plant Pathology Journal</i> , 2018, 34, 412-425. | 1.7 | 20 |
| 3833 | Functional Analysis of <i>Bacillus subtilis</i> Isolates and Biological Control of Red Pepper Powdery Mildew Using <i>Bacillus subtilis</i> R2-1. <i>Research in Plant Disease</i> , 2012, 18, 201-209. | 0.8 | 14 |
| 3834 | Selection and evaluation of phosphate-solubilizing bacteria from grapevine rhizospheres for use as biofertilizers. <i>Spanish Journal of Agricultural Research</i> , 2016, 14, e1106. | 0.6 | 32 |
| 3835 | Transferrin and Lactoferrin – Human Iron Sources for Enterococci. <i>Polish Journal of Microbiology</i> , 2017, 66, 419-426. | 1.7 | 6 |
| 3836 | <i>Enterobacter asburiae</i> KUNi5, a Nickel Resistant Bacterium for Possible Bioremediation of Nickel Contaminated Sites. <i>Polish Journal of Microbiology</i> , 2016, 65, 115-118. | 1.7 | 16 |
| 3837 | Isolation and Characterization of Phosphate-Solubilizing Bacteria from Mushroom Residues and their Effect on Tomato Plant Growth Promotion. <i>Polish Journal of Microbiology</i> , 2017, 66, 57-65. | 1.7 | 18 |
| 3838 | Physiological Characteristics of Actinomycetes Isolated from Turfgrass Rhizosphere. <i>Weed & Turfgrass Science</i> , 2015, 4, 348-359. | 0.1 | 5 |
| 3839 | Use of Probiotic Bacteria against Bacterial and Viral Infections in Shellfish and Fish Aquaculture. , 0, , . | | 7 |
| 3844 | Multi-trait plant growth promoting bacteria from tomato rhizosphere and evaluation of their potential as bioinoculants. <i>Applied Biological Research</i> , 2015, 17, 113. | 0.2 | 12 |
| 3845 | Enhancement of Wheat Growth and Zn Content in Grains by Zinc Solubilizing Bacteria. <i>International Journal of Agriculture Environment and Biotechnology</i> , 2013, 6, 363. | 0.1 | 30 |
| 3846 | Screening of Endophytic Bacterial Isolates of tea (<i>Camellia sinensis</i> L.) Roots for their Multiple Plant Growth Promoting Activities.. <i>International Journal of Agriculture Environment and Biotechnology</i> , 2013, 6, 371. | 0.1 | 8 |
| 3847 | Biological Control of Tomato and Red Pepper Powdery Mildew using <i>Paenibacillus polymyxa</i> CW. <i>Nong'yag Gwahag Hoeji</i> , 2013, 17, 379-387. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3848 | Toward a better understanding of the mechanisms of symbiosis: a comprehensive proteome map of a nascent insect symbiont. PeerJ, 2017, 5, e3291. | 2.0 | 21 |
| 3849 | Effect of <i>Burkholderia tropica</i> and <i>Herbaspirillum frisingense</i> strains on sorghum growth is plant genotype dependent. PeerJ, 2018, 6, e5346. | 2.0 | 32 |
| 3850 | A high Mn(II)-tolerance strain, <i>Bacillus thuringiensis</i> HM7, isolated from manganese ore and its biosorption characteristics. PeerJ, 2020, 8, e8589. | 2.0 | 15 |
| 3851 | Siderophore and indolic acid production by <i>Paenibacillus triticisoli</i> BJ-18 and their plant growth-promoting and antimicrobe abilities. PeerJ, 2020, 8, e9403. | 2.0 | 9 |
| 3852 | Endophytic <i>Burkholderia</i> sp. SSG as a potential biofertilizer promoting boxwood growth. PeerJ, 2020, 8, e9547. | 2.0 | 18 |
| 3853 | Investigation of Siderophore production and Antifungal activity against <i>Phytophthora capsici</i> as related to Iron (III) nutrition by <i>Lysobacter antibioticus</i> HS124. Han'guk T'oyang Piryo Hakhoe Chi Han'guk T'oyang Piryo Hakhoe, 2011, 44, 650-656. | 0.9 | 5 |
| 3854 | Comparison between Siderophores Production by Fungi Isolated from Heavy Metals Polluted and Rhizosphere Soils. Han'guk T'oyang Piryo Hakhoe Chi Han'guk T'oyang Piryo Hakhoe, 2012, 45, 798-804. | 0.9 | 6 |
| 3855 | Plant Growth Promoting Activities of Some Rhizosphere Bacteria and their Effect on Brassica rapa Growth. Han'guk T'oyang Piryo Hakhoe Chi Han'guk T'oyang Piryo Hakhoe, 2014, 47, 141-146. | 0.9 | 2 |
| 3856 | Identification of Endophytic Bacteria in Panax ginseng Seeds and Their Potential for Plant Growth Promotion. Korean Journal of Medicinal Crop Science, 2014, 22, 306-312. | 0.4 | 9 |
| 3857 | Molecular Diversity of Rhizobacteria in Ginseng Soil and Their Plant Benefiting Attributes. Korean Journal of Microbiology, 2012, 48, 246-253. | 0.2 | 3 |
| 3858 | Antifungal Activity and Plant Growth Promotion by Rhizobacteria Inhibiting Growth of Plant Pathogenic Fungi. Korean Journal of Microbiology, 2012, 48, 16-21. | 0.2 | 6 |
| 3859 | Improved Germination and Seedling Growth of <i>Echinochloa crus-galli</i> var. <i>frumentacea</i> in Heavy Metal Contaminated Medium by Inoculation of a multiple-Plant Growth Promoting Rhizobacterium (m-PGPR). Journal of Soil and Groundwater Environment, 2011, 16, 9-17. | 0.1 | 4 |
| 3860 | INFLUENCE OF IRON ON GROWTH AND EXTRACELLULAR PRODUCTS OF <i>ACINETOBACTER BAUMANNII</i> . Japanese Journal of Medical Science and Biology, 1998, 51, 25-33. | 0.4 | 8 |
| 3861 | <i>Bacillus thuringiensis</i> Strains Isolated from Agricultural Soils in Mali Tested for Their Potentiality on Plant Growth Promoting Traits. British Microbiology Research Journal, 2016, 14, 1-7. | 0.2 | 1 |
| 3862 | In vitro Evaluation of Bacterial Endophytes for Biocontrol of <i>Pythium aphanidermatum</i> and Plant Growth Promotion in <i>Setaria italica</i> L. Grown in Seedling Trays. Current Journal of Applied Science and Technology, 0, , 1-14. | 0.3 | 1 |
| 3863 | Isolation and Characterization of Plant Growth Promoting Rhizobacteria <i>Enterobacter hormaechei</i> and their Suppression Efficacy against <i>Colletotrichum falcatum</i> in Combination with Chitosan. International Journal of Plant & Soil Science, 2017, 14, 1-12. | 0.2 | 3 |
| 3864 | Biocontrol activity of siderophore producing <i>Bacillus subtilis</i> CTS-G24 against wilt and dry root rot causing fungi in chickpea. IOSR Journal of Agriculture and Veterinary Science, 2014, 7, 63-68. | 0.1 | 20 |
| 3865 | Biological Control of <i>Fusarium Oxysporum</i> and <i>Aspergillus</i> Sp. By <i>Pseudomonas Fluorescens</i> Isolated From Wheat Rhizosphere Soil Of Kashmir.. IOSR Journal of Pharmacy and Biological Sciences, 2012, 1, 24-32. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3866 | Fluorescent Pseudomonads as Plant Growth Promoting Rhizobacteria and Their Siderophoregenesis. IOSR Journal of Pharmacy and Biological Sciences, 2012, 3, 27-32. | 0.1 | 15 |
| 3867 | Non-peptide secondary metabolites from poisonous mushrooms: overview of chemistry, bioactivity, and biosynthesis. Natural Product Reports, 2022, 39, 512-559. | 10.3 | 9 |
| 3868 | Characterisation of Plant Growth-Promoting Endophytic Bacteria from Sugarcane and Their Antagonistic Activity against Fusarium moniliforme. Tropical Life Sciences Research, 2021, 32, 97-118. | 0.9 | 4 |
| 3869 | Streptomyces sp. S-9 promotes plant growth and confers resistance in Pigeon pea (Cajanus cajan) against Fusarium wilt. 3 Biotech, 2021, 11, 459. | 2.2 | 2 |
| 3870 | Isolation and Characterization of Vibrio kanaloae as a Major Pathogen Associated with Mass Mortalities of Ark Clam, Scapharca broughtonii, in Cold Season. Microorganisms, 2021, 9, 2161. | 3.6 | 7 |
| 3871 | Bacillus cereus Improves Performance of Brazilian Green Dwarf Coconut Palms Seedlings With Reduced Chemical Fertilization. Frontiers in Plant Science, 2021, 12, 649487. | 3.6 | 4 |
| 3872 | Siderophores. Springer Protocols, 2022, , 351-359. | 0.3 | 2 |
| 3873 | Enhancing Symbiotic Nitrogen Fixation and Soybean Growth through Co-Inoculation with Bradyrhizobium and Pseudomonas Isolates. Sustainability, 2021, 13, 11539. | 3.2 | 5 |
| 3874 | Growth Promotion of Giant Duckweed <i>Spirodela polyrhiza</i> (Lemnaceae) by <i>Ensifer</i> sp. SP4 Through Enhancement of Nitrogen Metabolism and Photosynthesis. Molecular Plant-Microbe Interactions, 2022, 35, 28-38. | 2.6 | 12 |
| 3875 | Differential Root Exudation and Architecture for Improved Growth of Wheat Mediated by Phosphate Solubilizing Bacteria. Frontiers in Microbiology, 2021, 12, 744094. | 3.5 | 23 |
| 3876 | Vibrio neptunius Produces Piscibactin and Amphibactin and Both Siderophores Contribute Significantly to Virulence for Clams. Frontiers in Cellular and Infection Microbiology, 2021, 11, 750567. | 3.9 | 8 |
| 3877 | Screening and Biocontrol Potential of Rhizobacteria Native to Gangetic Plains and Hilly Regions to Induce Systemic Resistance and Promote Plant Growth in Chilli against Bacterial Wilt Disease. Plants, 2021, 10, 2125. | 3.5 | 32 |
| 3878 | Multifarious effect of ACC deaminase and EPS producing Pseudomonas sp. and Serratia marcescens to augment drought stress tolerance and nutrient status of wheat. World Journal of Microbiology and Biotechnology, 2021, 37, 198. | 3.6 | 27 |
| 3879 | Improved chromium tolerance of Medicago sativa by plant growth-promoting rhizobacteria (PGPR). Journal of Genetic Engineering and Biotechnology, 2021, 19, 149. | 3.3 | 52 |
| 3880 | Rhizospheric and endophytic <i>Pseudomonas aeruginosa</i> in edible vegetable plants share molecular and metabolic traits with clinical isolates. Journal of Applied Microbiology, 2022, 132, 3226-3248. | 3.1 | 11 |
| 3881 | Insight Into Ecology, Metabolic Potential, and the Taxonomic Composition of Bacterial Communities in the Periodic Water Pond on King George Island (Antarctica). Frontiers in Microbiology, 2021, 12, 708607. | 3.5 | 2 |
| 3882 | Effective In Vitro Control of Two Phytopathogens of Agricultural Interest Using Cell-Free Extracts of Pseudomonas fluorescens and Chitosan. Molecules, 2021, 26, 6359. | 3.8 | 6 |
| 3883 | Effectiveness of Augmentative Biological Control of Streptomyces griseorubens UAE2 Depends on 1-Aminocyclopropane-1-Carboxylic Acid Deaminase Activity against Neoscytalidium dimidiatum. Journal of Fungi (Basel, Switzerland), 2021, 7, 885. | 3.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3884 | Induction of Iron Stress in Hepatocellular Carcinoma Cell Lines by Siderophore of <i>Aspergillus nidulans</i> Towards Promising Anticancer Effect. <i>Biological Trace Element Research</i> , 2022, 200, 3594-3607. | 3.5 | 3 |
| 3885 | 2D distribution of <i>Pseudomonas fluorescens</i> activities at the soil-root interface of sunflower grown on vineyard soils: Effects on copper uptake. <i>Soil Biology and Biochemistry</i> , 2021, 163, 108462. | 8.8 | 3 |
| 3886 | Long-term effects of grazing on the biological, chemical, and physical soil properties of the Caatinga biome. <i>Microbiological Research</i> , 2021, 253, 126893. | 5.3 | 0 |
| 3887 | Phosphorus solubilizing bacteria <i>Bacillus thuringiensis</i> and <i>Pantoea ananatis</i> simultaneously promote soil inorganic phosphate dissolution and soil Pb immobilization. <i>Rhizosphere</i> , 2021, 20, 100448. | 3.0 | 13 |
| 3888 | Rhizobaktérium törzsek szaporodásának és vasmegkötésének vizsgálata, Agrokémiai Es Talajtan, 2002, 51, 479-490. | 0.2 | 2 |
| 3889 | Applicability of Fly Ash is Sound for Rhizosphere, Biomass Yield, Enhanced Banana Productivity and Sustainable Eco-System. , 2003, , 423-436. | | 1 |
| 3890 | Is Fe deficiency rather than P deficiency the cause of cluster root formation in <i>Casuarina</i> species?. , 2003, , 229-235. | | 0 |
| 3891 | Isolation and Identification of Rice Root Endophytic Antagonistic <i>Serratia marcescens</i> . <i>Research in Plant Disease</i> , 2004, 10, 63-68. | 0.8 | 0 |
| 3892 | IRON-REGULATED PROTEINS (IRPs) OF <i>LEPTOSPIRA BIFLEXA</i> SEROVAR PATOC STRAIN PATOC I. <i>Indian Journal of Medical Microbiology</i> , 2004, 22, 92-96. | 0.8 | 0 |
| 3893 | Genetic Regulation of Iron in <i>Erwinia chrysanthemi</i> as Pertains to Bacterial Virulence. , 2006, , 215-227. | | 1 |
| 3894 | Characterization of the Inhibitory Strain <i>Pantoea</i> sp. 48b/90 with Potential as a Biocontrol Agent for Bacterial Plant Pathogens. , 2008, , 111-116. | | 1 |
| 3895 | The Effect of NaCl on Their Antibiotic Susceptibility Motile <i>Aeromonas</i> Strains Isolated from the Intestine of Rainbow Trout (<i>Oncorhynchus mykiss</i>). <i>Kafkas Universitesi Veteriner Fakultesi Dergisi</i> , 2009, , . | 0.1 | 3 |
| 3896 | IDENTIFICATION AND CHARACTERIZATION OF <i>Azotobacter chroococcum</i> ISOLATED FROM SOME EGYPTIAN SOILS. <i>Journal of Agricultural Chemistry and Biotechnology</i> , 2010, 1, 93-104. | 0.1 | 4 |
| 3897 | Cloning and sequencing of the <i>Fur</i> gene from marine probiotic <i>Alteromonas aurantia</i> A18 and its possible role in siderophore production. <i>Tropical Agricultural Research and Extension</i> , 2010, 11, 13. | 0.2 | 0 |
| 3898 | Screening of Multifunctional Bacteria with Biocontrol and Biofertilizing Effects. <i>Korean Journal of Mycology</i> , 2011, 39, 126-130. | 0.3 | 2 |
| 3899 | Mixed Siderophoregenic Root Nodulating <i>Enterobacter cloacae</i> shirishii SUP I from <i>Tamarindus indica</i> L.. <i>Indian Journal of Applied Research</i> , 2011, 4, 413-416. | 0.0 | 0 |
| 3900 | FAME Analysis for Identification of Clinical Isolate Siderophore Producing <i>Pseudomonas</i> Species. <i>Indian Journal of Applied Research</i> , 2011, 3, 424-426. | 0.0 | 0 |
| 3901 | Effect of Indigenous Strains of Fluorescent <i>Pseudomonas</i> Sp. on Growth of Apple Plants in Replant Site of Himachal Pradesh. <i>Indian Journal of Applied Research</i> , 2011, 4, 432-437. | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3902 | Evaluation of <i>Pseudomonas</i> sp. VSMKU-4046 for Suppression of Sheath Blight (ShB) of Rice in Detached Leaf Assay. , 2012, , 277-282. | | 0 |
| 3903 | Assessment of Plant Growth Promoting Activities of Phosphorus Solubilizing Bacteria. Han'guk T'oyang Piryo Hakhoe Chi Han'guk T'oyang Piryo Hakhoe, 2012, 45, 66-73. | 0.9 | 1 |
| 3904 | Siderophore-Mediated Iron Acquisition: Target for the Development of Selective Antibiotics Towards <i>Mycobacterium tuberculosis</i> . Springer Briefs in Molecular Science, 2013, , 65-88. | 0.1 | 0 |
| 3905 | Siderophore mediated antagonism of fluorescent <i>Pseudomonads</i> against soil borne plant pathogenic fungi in West Bengal, India. African Journal of Microbiology Research, 2013, 7, 4689-4700. | 0.4 | 1 |
| 3906 | Hairy Vetch Growth-Promoting <i>Rhizobium</i> sp. RH84 and Application to Reclaimed Land. Journal of Applied Biological Chemistry, 2013, 56, 235-239. | 0.4 | 0 |
| 3907 | Solubilization of Inorganic Phosphates and Plant Growth Promotion by <i>Pantoea</i> Strains. Han'guk T'oyang Piryo Hakhoe Chi Han'guk T'oyang Piryo Hakhoe, 2013, 46, 494-501. | 0.9 | 4 |
| 3908 | Phosphate-Solubilizing Bacteria in the Rhizosphere of Some Cultivated legumes from Meknes region, Morocco. British Biotechnology Journal, 2014, 4, 946-956. | 0.4 | 3 |
| 3910 | Production of siderophore-like iron chelators by ericoid and ectomycorrhizal fungi. , 1991, , 309-309. | | 0 |
| 3912 | Isolation and Characterization of <i>Azospirillum</i> Brasilense Mutants Altered in the Production of Siderophores. , 1991, , 291-292. | | 0 |
| 3913 | Physicochemical characterization of the microbial Fe ²⁺ +chelator proferrosamine from <i>Pseudomonas roseus fluorescens</i> . Journal of Applied Microbiology, 1992, 72, 44-50. | 3.1 | 1 |
| 3914 | Involvement of Ion Protease of <i>Azospirillum brasilense</i> in iron uptake. , 1995, , 137-141. | | 0 |
| 3915 | Siderophore production and outer membrane protein synthesis of <i>Vibrio parahaemolyticus</i> strain with different serotypes under iron-limited condition.. Journal of General and Applied Microbiology, 1995, 41, 221-228. | 0.7 | 2 |
| 3916 | Siderophore alcaligin E production by <i>Alcaligenes eutrophus</i> CH34: features of the ale-operon and application perspectives of alcaligin E for leaching of heavy metals. , 1997, , 61-73. | | 1 |
| 3918 | Isolation and biochemical characterization of <i>Rhizobium</i> from pea crop at Swabi. International Journal of Biosciences, 2014, , 231-240. | 0.1 | 2 |
| 3919 | Gene mining: A case study on putative iron-responsive cyanobacterial genetic locus using in silico bioinformatics, ecophysiology and expression-combined approach. Bangladesh Journal of Botany, 2014, 43, 79-86. | 0.4 | 1 |
| 3921 | Antifungal potential of native strain isolated from rhizosphere soil of <i>Valeriana jatamansi</i> from temperate regions of Himachal Pradesh. Journal of Applied Horticulture, 2014, 16, 131-135. | 0.2 | 2 |
| 3922 | Biological Control of Anthracnose (<i>Colletotrichum gloeosporioides</i>) in Red Pepper by <i>Bacillus</i> sp. CS-52. Korean Journal of Microbiology, 2014, 50, 201-209. | 0.2 | 1 |
| 3923 | Regulators Involved in <i>Dickeya solani</i> Virulence, Genetic Conservation and Functional Variability. Molecular Plant-Microbe Interactions, 0, , MPMI-99-99-0003. | 2.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3924 | Regulators Involved in <i>Dickeya solani</i> Virulence, Genetic Conservation and Functional Variability. Molecular Plant-Microbe Interactions, 0, , MPMI-99-99-0004. | 2.6 | 0 |
| 3925 | <i>Pseudomonas</i> sp. G19 Alleviates Salt Stress and Promotes Growth of Chinese Cabbage. Korean Journal of Microbiology, 2014, 50, 368-371. | 0.2 | 2 |
| 3926 | Development of Integrated Disease Control Measures for the Valorisation of Traditional Crops in Southern Italy: The Case Study of Fagioli di Sarconi. , 2015, , 145-158. | | 0 |
| 3927 | Regulators Involved in <i>Dickeya solani</i> Virulence, Genetic Conservation and Functional Variability. Molecular Plant-Microbe Interactions, 2015, 2015, 57-68. | 2.6 | 1 |
| 3928 | ARTIFICIAL ASSOCIATIVE SYMBIOSES BETWEEN TOMATO PLANTS AND FUNGISTATIC <i>Rhizobium</i> . Sel'skokhozyaistvennaya Biologiya, 2015, 50, 107-114. | 0.3 | 0 |
| 3929 | Isolation and Detection of Genes Responsible for Pyoverdines Biosynthesis in <i>Pseudomonas putida</i> KNUK9. Han'guk T'oyang Piryō Hakhoe Chi Han'guk T'oyang Piryō Hakhoe, 2015, 48, 119-124. | 0.9 | 0 |
| 3930 | Isolation and functional characterization of cadmium resistant strains RAN 1 using agronomical parameter of chaulai (<i>Amaranthus tricolor</i>). Asian Journal of Bio Science, 2015, 10, 33-38. | 0.1 | 0 |
| 3931 | Isolation and characterization of <i>Bacillus amyloliquefaciens</i> TK3 inhibiting causative bacteria of atrophic rhinitis and fowl typhoid. Korean Journal of Microbiology, 2015, 51, 177-180. | 0.2 | 1 |
| 3932 | Temperature dependent 2,3-dihydroxybenzoic acid production in <i>Acinetobacter</i> sp. B-W. Korean Journal of Microbiology, 2015, 51, 249-255. | 0.2 | 1 |
| 3933 | Study of Magnetic Field Treatment on Rhizosphere. International Journal of Engineering Research & Technology, 2015, V4, . | 0.2 | 0 |
| 3934 | Phenotypic and genotypic characterization of inhabitant PGPR strains of <i>Pseudomonas</i> from apple orchards. Journal of Applied and Natural Science, 2015, 7, 893-902. | 0.4 | 0 |
| 3935 | Isolation and Characterization of <i>Bacillus</i> Strain as a Potential Biocontrol Agent. Journal of Life Science, 2015, 25, 1408-1414. | 0.2 | 0 |
| 3936 | Inhibition of yeast <i>Candida</i> growth by protein antibiotic produced from <i>Pseudomonas fluorescens</i> BB2. Korean Journal of Microbiology, 2015, 51, 448-452. | 0.2 | 0 |
| 3937 | PATHOGENICITY OF <i>Metarhizium anisopliae</i> (METCHNIKOFF) SOROKIN (DEUTEROMYCOTINA:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 curvignathus (BLATTODEA: RHINOTERMITIDAE). Pakistan Journal of Agricultural Sciences, 2016, , . | 0.2 | 0 |
| 3938 | Phân lập và tuyển chọn vi khuẩn <i>Colletotrichum</i> sp. gây bệnh đốm nâu trên cây chuối. Tạp Chí Khoa Học = Journal of Science, 2016, 47, 16. | 0.1 | 2 |
| 3939 | Isolation and characterization of bacteria and yeasts from contaminated soil. Journal of Agricultural Sciences (Belgrade), 2016, 61, 247-256. | 0.3 | 2 |
| 3940 | Screening of Indigenous Plant Growth Promoting Rhizobacteria Associated with <i>Capsicum annum</i> L. in High Hills Temperate Wet Conditions of Himachal Pradesh (India). Molecular Soil Biology, 0, , . | 0.0 | 0 |
| 3941 | Diversity of root nodule bacteria from leguminous crops. Archives of Biological Sciences, 2016, 68, 195-205. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3942 | Production of Catecholate Siderophores by a Manglicolous fungus <i>Emericella nidulans</i> : A Novel Observation. <i>Studies in Fungi</i> , 2016, 1, 146-149. | 0.4 | 0 |
| 3943 | Evaluation of Rhizobacterial Isolates for Their Antagonistic Effects against Various Phytopathogenic Fungi. <i>Korean Journal of Mycology</i> , 2016, 44, 36-47. | 0.3 | 2 |
| 3944 | Isolation and functional characterization of cadmium resistant strains RCP 1 using agronomical parameter of Chaulai (<i>Amaranthus tricolor</i> L.). <i>Asian Journal of Bio Science</i> , 2016, 11, 6-11. | 0.1 | 0 |
| 3945 | Effect of Heavy Metals and Antibiotics on Siderophores Producing Bacterial Isolates. <i>Acta Physica Polonica A</i> , 2016, 130, 181-183. | 0.5 | 1 |
| 3946 | Isolation and Characterization of PGPR from Roots of <i>Ficus religiosa</i> growing on Concrete Walls and its Effect on Plant Growth in Drought Condition. <i>International Journal of Current Microbiology and Applied Sciences</i> , 2016, 5, 583-593. | 0.1 | 4 |
| 3947 | Effect of plasmid curing on the 2, 3-dihydroxybenzoic acid production and antibiotic resistance of <i>Acinetobacter</i> sp. B-W. <i>Korean Journal of Microbiology</i> , 2016, 52, 254-259. | 0.2 | 0 |
| 3948 | Characterization of <i>agrobacterium tumefaciens</i> Strains isolated from root nodules of <i>vigna trilobata</i> (l) verdc. Cultivars.. <i>International Journal of Pharma and Bio Sciences</i> , 2016, 7, . | 0.1 | 0 |
| 3949 | Ecological Success of Compatible Microbes in Consortia Isolated from Rice Rhizosphere for Growth and Yield of Mung Bean (<i>Vigna radiata</i> L.). <i>Journal of Pure and Applied Microbiology</i> , 2016, 10, 3231-3239. | 0.9 | 1 |
| 3950 | DIFFERENCES IN NITROGEN AND PHOSPHORUS UPTAKE AND YIELD COMPONENTS BETWEEN BARLEY CULTIVARS GROWN UNDER ARBUSCULAR MYCORRHIZAL FUNGUS AND PSEUDOMONAS STRAINS CO-INOCULATION IN RAINFED CONDITION. <i>Applied Ecology and Environmental Research</i> , 2017, 15, 195-216. | 0.5 | 4 |
| 3951 | Xanthoferrin Siderophore Estimation from the Cell-free Culture Supernatants of Different <i>Xanthomonas</i> Strains by HPLC. <i>Bio-protocol</i> , 2017, 7, e2410. | 0.4 | 2 |
| 3952 | Plant Physiology Processes Associated with Plant-Plant Growth-Promoting Rhizobacteria Bioassays for the Enhanced Heavy Metal Removal. , 2017, , 261-273. | | 0 |
| 3953 | Isolation and Characterization of Antagonist Bacteria from Chickpea Rhizosphere against <i>Fusarium oxysporum</i> f. sp. <i>ciceris</i> . <i>Journal of Pure and Applied Microbiology</i> , 2017, 11, 371-378. | 0.9 | 1 |
| 3954 | Screening and Characterization of Multi-Trait Plant Growth Promoting Bacteria Associated with Sugarcane for Their Prospects as Bioinoculants. <i>International Journal of Current Microbiology and Applied Sciences</i> , 2017, 6, 240-252. | 0.1 | 1 |
| 3955 | Isolation and characterization of rhizospheric <i>Streptomyces</i> spp. for the biocontrol of <i>Fusarium</i> wilt (bayoud) disease of date palm (<i>Phoenix dactylifera</i> L.). <i>Journal of Scientific Agriculture</i> , 0, 1, 132. | 0.0 | 4 |
| 3956 | Actinobacteria of Arid and Semi-arid Soils: Antagonism to Fungal Pathogens and Plant Growth Promoting Potential. <i>Journal of Pure and Applied Microbiology</i> , 2017, 11, 1045-1052. | 0.9 | 3 |
| 3957 | Screening of Endophytic and Rhizospheric Actinomycetes with Potential Application for Biocontrol of <i>Fusarium</i> Wilt of <i>Gladiolus</i> . <i>International Journal of Current Microbiology and Applied Sciences</i> , 2017, 6, 1345-1355. | 0.1 | 1 |
| 3959 | Identification of Fluorescent <i>Pseudomonas</i> Isolates with Potential Biocontrol activity from the Rhizosphere of Crops. <i>Journal of Pure and Applied Microbiology</i> , 2017, 11, 1487-1495. | 0.9 | 2 |
| 3960 | Biochemical characterization of <i>Pseudomonas fluorescens</i> against <i>Alternaria alternata</i> in ashwagandha. <i>Agriculture Update</i> , 2017, 12, 1190-1195. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3961 | Evaluate the Shelf Life of Pseudomonas Carrier Based Biofertilizer Stored at Different Temperatures at Different Intervals. International Journal of Pure & Applied Bioscience, 2017, 5, 1295-1301. | 0.1 | 0 |
| 3962 | Functional Attributes of Psychrotolerant Rhizobacteria from Wheat (Triticum aestivum L.) Rhizosphere. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 2065-2078. | 0.1 | 1 |
| 3964 | Resistencia a cadmio (Cd) de bacterias endófitas y bacterias rizosféricas aisladas a partir de Oriza sativa en Colombia. Revista Colombiana De Ciencia Animal Recia, 2017, 9, 281-293. | 0.2 | 1 |
| 3965 | PROFILING OF ANTI-FUNGAL ACTIVITY OF Trichoderma virens 159C INVOLVED IN BIOCONTROL ASSAY OF Ganoderma boninense. Journal of Oil Palm Research, 0, , . | 2.1 | 1 |
| 3966 | Presencia de bacterias rizosféricas resistentes a mercurio en suelos del sur de Bolívar, Colombia. Revista Colombiana De Ciencia Animal Recia, 2017, 9, 301-310. | 0.2 | 0 |
| 3967 | Impact of plant growth-promoting rhizobacteria on yield and disease control of Nicotiana tabacum. Archives of Biological Sciences, 2018, 70, 717-725. | 0.5 | 2 |
| 3968 | Identification of Plant Growth promoting Rhizobacteria (PGPR) from Revegetated Soils of Lignite Mines of Neyveli, Tamilnadu. International Journal of Pharma and Bio Sciences, 2018, 9, . | 0.1 | 1 |
| 3969 | Isolation of Biocontrol (Bacterial) Agents from Chickpea (Cicer arietinum linnaeus). International Journal of Current Microbiology and Applied Sciences, 2018, 7, 2024-2035. | 0.1 | 0 |
| 3970 | Isolation and Characterization of Methanol Utilizing Microorganisms from Leguminous Crops. International Journal of Current Microbiology and Applied Sciences, 2018, 7, 1674-1691. | 0.1 | 0 |
| 3971 | Colonization by Cupriavidus taiwanensis KKU2500-3 Enhances the Growth and Yield of KDML105 Jasmine Rice. Walailak Journal of Science and Technology, 2019, 17, 23-36. | 0.5 | 4 |
| 3972 | Systematic Screening Strategies for Identifying Elite Plant Growth Promoting Rhizobacteria for Coconut (Cocos nucifera L.). International Journal of Current Microbiology and Applied Sciences, 2018, 7, 1051-1074. | 0.1 | 5 |
| 3973 | CONTROLE BIOLÓGICO DE Bursaphelenchus cocophilus POR RIZOBACTERIAS E Trichoderma spp.. Nativa, 2018, 6, 233. | 0.4 | 2 |
| 3975 | Effect of Plant Growth Promoting Bacteria from Crop Field on Growth Performance of Tomato. International Journal of Current Microbiology and Applied Sciences, 2018, 7, 2213-2219. | 0.1 | 0 |
| 3976 | Proteomic Analysis of the GacA Response Regulator in Pseudomonas chlororaphis O6. Research in Plant Disease, 2018, 24, 162-169. | 0.8 | 0 |
| 3977 | Phenotypic and genotypic characterization of Pseudomonas aeruginosa siderophores. Zagazig Journal of Pharmaceutical Sciences, 2018, 27, 22-30. | 0.2 | 2 |
| 3978 | Siderophore –The Iron Chelator Production Potential of Bacteria Associated with Diverse Crops and Growth Medium Optimization for its High Production. International Journal of Current Microbiology and Applied Sciences, 2018, 7, 1052-1062. | 0.1 | 1 |
| 3979 | Screening for Lotus creticus growth promoting rhizobacteria under greenhouse conditions. Eurasian Journal of Soil Science, 2018, 7, 284-291. | 0.6 | 1 |
| 3982 | Evaluation of phyllosphere antagonistic bacteria on the management of Fusarium ear rot of maize caused by Fusarium verticillioides. Journal of Biological Control, 2018, 32, 257-263. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3983 | Fundamental of siderophores in soil. An Asian Journal of Soil Science, 2018, 13, 157-165. | 0.0 | 0 |
| 3984 | Phenotypic Identification of Promising Rhizospheric Antagonistic Microbes of Chilli (Capsicum) Tj ETQq1 1 0.784314rgBT /Oyerlock 10 0.1 | 0.1 | 0 |
| 3985 | Effect of Natural Pesticide Bordeaux Mixture on the Production of Metabolite (EPS and Siderophore) in Some PGPBs. International Journal of Current Microbiology and Applied Sciences, 2019, 8, 1863-1873. | 0.1 | 0 |
| 3986 | Characterization of the antifungal activity of three rhizobacterial strains against Rhizoctonia solani. Spanish Journal of Agricultural Research, 2019, 16, e1011. | 0.6 | 2 |
| 3987 | Identification of Plant Growth Promoting Rhizobacteria as Biofertilizer for Salt Stress Environment. International Journal of Current Microbiology and Applied Sciences, 2019, 8, 2633-2645. | 0.1 | 0 |
| 3988 | Plant Growth Promoting Bacteria and their Prospective Role for Crop Improvement. International Journal of Research Studies in Microbiology and Biotechnology, 2019, 5, . | 0.1 | 0 |
| 3991 | Evaluation of Bacteria Isolated from Wheat Rhizosphere for Plant Growth Promoting Attributes and Antagonistic Activity. International Journal of Current Microbiology and Applied Sciences, 2019, 8, 86-95. | 0.1 | 0 |
| 3992 | Âtiplekte KÂ¶k ve TaÂS ÂtÂ¼rÂ¼klÂ¼ÄYÂ¼ HastalÂ±ÄYÂ± (Phytophthora cactorum)â€™na KarÂYÂ± KÂ¶k Bakterileri ile Biyolojik MÂ¼cadele. Adnan Menderes Âœniversitesi Ziraat FakÂ¼ltesi Dergisi, 0, , 63-71. | 0.8 | 0 |
| 3993 | Characterization of plant growth promoting rhizobacterial strain pseudomonas aeruginosa MCC 3877 with special reference to indole acetic acid (IAA) production. International Journal of Pharma and Bio Sciences, 2019, 10, . | 0.1 | 0 |
| 3995 | Fasulye bitkisinden elde edilen endofit bakterilerin bitki geliÅYimini teÅYvik edici ve antagonistik Â¶zelliklerinin Pseudomonas syringae pv. phaseolicola etmenine karÂYÂ± karakterizasyonu. Bitki Koruma BÂ¼lteni, 2019, 59, 59-69. | 0.5 | 13 |
| 3998 | Diversity and antagonistic potential of apoplastic bacteria against Ralstonia pseudosolanacearum race 4 causing bacterial wilt of ginger. Journal of Biological Control, 2019, 33, 197-216. | 0.2 | 0 |
| 4001 | Pulsotypes and Virulence of Vibrio harveyi from Shrimp Hatcheries in South-east Coast of India. Journal of Coastal Research, 2019, 86, 112. | 0.3 | 0 |
| 4002 | The biocontrol activity of Trichoderma harzianum ID11C against to the biotic stress of Rhizoctonia solani B227 in bean development. Journal of Anatolian Environmental and Animal Sciences, 2019, 4, 302-311. | 0.7 | 0 |
| 4003 | Surfactin Production, Biofilm Formation and Antagonistic Activity Against Phytopathogens by Bacillus velezensis. Asian Journal of Plant Pathology, 2019, 14, 27-35. | 0.3 | 0 |
| 4004 | MORPHOLOGICAL BIOCHEMICAL AND PLANT GROWTH PROMOTING CHARACTERIZATION OF RHIZOBIA ISOLATED FROM ROOT NODULE OF CICER ARIETINUM. Sains Malaysiana, 2020, 1, 59-63. | 0.2 | 3 |
| 4009 | Functional and molecular characterization of plant growth promoting bacteria associated with sugarcane cultivated in Tay Ninh Province, Vietnam. GSC Biological and Pharmaceutical Sciences, 2020, 11, 265-277. | 0.3 | 1 |
| 4011 | Integrated Approach for the Management of Soil Borne Disease Fusarium oxysporum in vitro in Groundnut. International Journal of Current Microbiology and Applied Sciences, 2020, 9, 3032-3044. | 0.1 | 0 |
| 4013 | Determination of antagonistic traits of bacterial isolates obtained from apricot against green fruit rot disease agent <i>Sclerotinia sclerotiorum</i>. Acta Horticulturae, 2020, , 135-142. | 0.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4014 | Plant Growth-Promoting Rhizobacteria (PGPR): Strategies to Improve Heavy Metal Stress Under Sustainable Agriculture. , 2022, , 189-208. | | 2 |
| 4015 | Metabolomics Analyses Reveal Metabolites Affected by Plant Growth-Promoting Endophytic Bacteria in Roots of the Halophyte Mesembryanthemum crystallinum. International Journal of Molecular Sciences, 2021, 22, 11813. | 4.1 | 13 |
| 4016 | The treasure inside barley seeds: microbial diversity and plant beneficial bacteria. Environmental Microbiomes, 2021, 16, 20. | 5.0 | 37 |
| 4017 | Formulation and efficacy testing of bio-organic fertilizer produced through solid-state fermentation of agro-waste by Burkholderia cenocepacia. Chemosphere, 2022, 291, 132762. | 8.2 | 6 |
| 4018 | A novel preparation for siderophore-assisted copper and zinc enrichment in yeast. Journal of Food Processing and Preservation, 0, , e16131. | 2.0 | 2 |
| 4019 | Evaluation of streptomycete actinobacterial isolates as biocontrol agents against royal poinciana stem canker disease caused by the fungal pathogen Neoscytalidium dimidiatum. Biological Control, 2021, 164, 104783. | 3.0 | 16 |
| 4020 | Effect of iron on the seasonal dynamics and growth of <i>Cylindrospermopsis raciborskii</i> and <i>Staurastrum</i> spp.: A case study from Dashahe Reservoir, Guangdong Province. Hupo Kexue/Journal of Lake Sciences, 2020, 32, 1761-1770. | 0.8 | 1 |
| 4021 | Enhanced Performance of Endophytic Bacillus subtilis in Conjunction with Salicylic Acid Meliorated Simultaneous Drought and Fusarium Root Rot Stresses in Triticum aestivum L.. Biology and Life Sciences Forum, 2020, 4, . | 0.6 | 2 |
| 4022 | Plant Growth Promotion and Biocontrol Potential of Various Phytopathogenic Fungi Using Gut Microbes of Allomyrina dichotoma Larva. Research in Plant Disease, 2020, 26, 210-221. | 0.8 | 0 |
| 4023 | Bacillus cereus bacteria endófitas promotora de crecimiento vegetal. Revista Colombiana De Biotecnología, 2020, 22, 18-23. | 0.2 | 0 |
| 4024 | Structural and Biosynthetic Analysis of the Fabrobactins, Unusual Siderophores from <i>Agrobacterium fabrum</i> Strain C58. ACS Chemical Biology, 2021, 16, 125-135. | 3.4 | 4 |
| 4025 | Iron Chlorosis in Peach and Its Eco-Friendly Management: An Outlook. Environmental and Microbial Biotechnology, 2021, , 267-280. | 0.7 | 0 |
| 4028 | Screening and Characterization of Phosphate-Solubilizing Rhizobia Isolated from Hedysarum pallidum in the Northeast of Morocco. Environmental and Microbial Biotechnology, 2020, , 113-124. | 0.7 | 2 |
| 4029 | Fungal Siderophore: Biosynthesis, Transport, Regulation, and Potential Applications. Microorganisms for Sustainability, 2020, , 387-408. | 0.7 | 2 |
| 4030 | Dissecting Structure and Function of Plant Rhizomicrobiome: A Genomic Approach. Microorganisms for Sustainability, 2020, , 73-103. | 0.7 | 0 |
| 4031 | Isolation of endophytic bacteria from <i>Rehmannia glutinosa</i> Libosch and their potential to promote plant growth. Journal of General and Applied Microbiology, 2020, 66, 279-288. | 0.7 | 13 |
| 4032 | Isolation and Screening of Inorganic Phosphate Solubilizing Pseudomonas Strains from the Lotus creticus Rhizosphere Soil from the Northwest of Morocco. Environmental and Microbial Biotechnology, 2020, , 99-111. | 0.7 | 3 |
| 4033 | Description of Azotobacter chroococcum subsp. isscasi subsp. nov. isolated from paddy soil and establishment of Azotobacter chroococcum subsp. chroococcum subsp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2124-2131. | 1.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4034 | <i>Elioraea rosea</i> sp. nov., a plant promoting bacterium isolated from floodwater of a paddy field. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2132-2136. | 1.7 | 8 |
| 4035 | Biocontrol of strawberry anthracnose disease caused by <i>Colletotrichum nymphaeae</i> using <i>Bacillus atrophaeus</i> strain DM6120 with multiple mechanisms. Tropical Plant Pathology, 2022, 47, 245-259. | 1.5 | 15 |
| 4036 | Bactericidal Effect of <i>Pseudomonas oryziphila</i> sp. nov., a Novel <i>Pseudomonas</i> Species Against <i>Xanthomonas oryzae</i> Reduces Disease Severity of Bacterial Leaf Streak of Rice. Frontiers in Microbiology, 2021, 12, 759536. | 3.5 | 12 |
| 4037 | Characterization of rhizobia isolated from leguminous plants and their impact on the growth of ICCV 2 variety of chickpea (<i>Cicer arietinum</i> L.). Heliyon, 2021, 7, e08321. | 3.2 | 14 |
| 4038 | Drought Tolerant <i>Enterobacter</i> sp./ <i>Leclercia adecarboxylata</i> Secretes Indole-3-acetic Acid and Other Biomolecules and Enhances the Biological Attributes of <i>Vigna radiata</i> (L.) R. Wilczek in Water Deficit Conditions. Biology, 2021, 10, 1149. | 2.8 | 33 |
| 4039 | Co-Inoculation of <i>Bacillus</i> spp. for Growth Promotion and Iron Fortification in Sorghum. Sustainability, 2021, 13, 12091. | 3.2 | 33 |
| 4040 | Paediatric Antimicrobial Stewardship for Respiratory Infections in the Emergency Setting: A Systematic Review. Antibiotics, 2021, 10, 1366. | 3.7 | 4 |
| 4041 | Antifungal Activity of Siderophore Isolated From <i>Escherichia coli</i> Against <i>Aspergillus nidulans</i> via Iron-Mediated Oxidative Stress. Frontiers in Microbiology, 2021, 12, 729032. | 3.5 | 11 |
| 4043 | PGPR as Inoculants in Management of Lands Contaminated with Trace Elements. , 2012, , 259-277. | | 2 |
| 4044 | <i>Agromyces humi</i> sp. nov., actinobacterium isolated from farm soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5032-5039. | 1.7 | 6 |
| 4045 | Isolation and Characterization of Siderophore-Producing Bacteria with Various Plant Growth-Promoting Abilities as a Potential Biocontrol Agent. Journal of Environmental Science International, 2020, 29, 925-933. | 0.2 | 0 |
| 4046 | Characterization of Endophytic Bacteria Isolated from Various Cultivated Plants and Determination of their Antagonistic Effects on Plant Pathogenic Bacteria. Yuzuncu Yil University Journal of Agricultural Sciences, 2020, 30, 521-534. | 0.3 | 6 |
| 4129 | Growth of <i>Serpulina</i> (<i>Treponema</i>) <i>hyodysenteriae</i> under iron-restricted conditions. Canadian Journal of Veterinary Research, 1995, 59, 149-53. | 1.1 | 11 |
| 4134 | Passive immunization by recombinant ferric enterobactin protein (FepA) from <i>Escherichia coli</i> O157. Iranian Journal of Microbiology, 2013, 5, 113-9. | 0.8 | 9 |
| 4135 | Production of Non-Ribosomal Peptide Synthetase (NRPS)-Dependent Siderophore by <i>Aeromonas</i> Isolates. Iranian Biomedical Journal, 2016, 20, 235-40. | 0.7 | 0 |
| 4136 | Enhanced Biocontrol of Cucumber <i>Fusarium</i> Wilt by Combined Application of New Antagonistic Bacteria B2 and Phenolic Acid-Degrading Fungus P5. Frontiers in Microbiology, 2021, 12, 700142. | 3.5 | 0 |
| 4137 | Recent trends in characterization of endophytic microorganisms. , 2022, , 31-53. | | 1 |
| 4138 | Novel Genetic Dysregulations and Oxidative Damage in <i>Fusarium graminearum</i> Induced by Plant Defense Eliciting Psychrophilic <i>Bacillus atrophaeus</i> TS1. International Journal of Molecular Sciences, 2021, 22, 12094. | 4.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4139 | A Systematic Study of the Antibacterial Activity of Basidiomycota Crude Extracts. <i>Antibiotics</i> , 2021, 10, 1424. | 3.7 | 7 |
| 4140 | The Role of Phyllosphere Bacteria in Improving Cotton Growth and Yield Under Drought Conditions. <i>Frontiers in Agronomy</i> , 2021, 3, . | 3.3 | 6 |
| 4141 | Plant Growth Promotion Diversity in Switchgrass-Colonizing, Diazotrophic Endophytes. <i>Frontiers in Microbiology</i> , 2021, 12, 730440. | 3.5 | 7 |
| 4142 | Purification and characterization of phytase from <i>Bacillus subtilis</i> P6: Evaluation for probiotic potential for possible application in animal feed. <i>Food Frontiers</i> , 2022, 3, 194-205. | 7.4 | 6 |
| 4143 | Biological control of <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> causing the olive knot disease with epiphytic and endophytic bacteria. <i>Journal of Plant Pathology</i> , 2022, 104, 65-78. | 1.2 | 4 |
| 4144 | Screening of epiphytic rhizosphere-associated bacteria in Argentinian Malbec and Cabernet-Sauvignon vineyards for potential use as biological fertilisers and pathogen-control agents. <i>Oeno One</i> , 2021, 55, 145-157. | 1.4 | 3 |
| 4145 | Evaluation of diverse range microbes for their plant growth promoting abilities and their pesticide compatibility. <i>Environment Conservation Journal</i> , 0, , 47-58. | 0.2 | 0 |
| 4146 | Cross-feeding between intestinal pathobionts promotes their overgrowth during undernutrition. <i>Nature Communications</i> , 2021, 12, 6860. | 12.8 | 17 |
| 4147 | <i>Paenibacillus</i> sp. Strain UY79, Isolated from a Root Nodule of <i>Arachis villosa</i> , Displays a Broad Spectrum of Antifungal Activity. <i>Applied and Environmental Microbiology</i> , 2022, 88, AEM0164521. | 3.1 | 10 |
| 4148 | Assessing the Potential Role of Compost, PGPR, and AMF in Improving Tomato Plant Growth, Yield, Fruit Quality, and Water Stress Tolerance. <i>Journal of Soil Science and Plant Nutrition</i> , 2022, 22, 743-764. | 3.4 | 34 |
| 4149 | FrpA is the outer membrane piscibactin transporter in <i>Vibrio anguillarum</i> : structural elements in synthetic piscibactin analogues required for transport. <i>Journal of Biological Inorganic Chemistry</i> , 2022, 27, 133-142. | 2.6 | 5 |
| 4150 | <i>Bacillus</i> sp. WR12 alleviates iron deficiency in wheat via enhancing siderophore- and phenol-mediated iron acquisition in roots. <i>Plant and Soil</i> , 2022, 471, 247-260. | 3.7 | 7 |
| 4151 | Phenotypic and Molecular Characterization of Commensal, Community-Acquired and Nosocomial <i>Klebsiella</i> spp.. <i>Microorganisms</i> , 2021, 9, 2344. | 3.6 | 11 |
| 4152 | Potassium mobilization and plant growth promotion by soil bacteria isolated from different agroclimatic zones of Odisha, India. <i>Acta Agriculturae Slovenica</i> , 2021, 117, 1. | 0.3 | 1 |
| 4153 | A comparison of induced antiviral resistance by the phytoprotein CAP-34 and isolate P1f of the rhizobacterium <i>Pseudomonas putida</i> . <i>3 Biotech</i> , 2021, 11, 509. | 2.2 | 3 |
| 4154 | Deciphering the Epidemiological Characteristics and Molecular Features of blaKPC ² - or blaNDM ¹ -Positive <i>Klebsiella pneumoniae</i> Isolates in a Newly Established Hospital. <i>Frontiers in Microbiology</i> , 2021, 12, 741093. | 3.5 | 11 |
| 4155 | Endophytic bacteria from the leaves of two types of albino tea plants, indicating the plant growth promoting properties. <i>Plant Growth Regulation</i> , 2022, 96, 331-343. | 3.4 | 15 |
| 4156 | The Temperature-Dependent Expression of the High-Pathogenicity Island Encoding Piscibactin in <i>Vibrionaceae</i> Results From the Combined Effect of the AraC-Like Transcriptional Activator PbtA and Regulatory Factors From the Recipient Genome. <i>Frontiers in Microbiology</i> , 2021, 12, 748147. | 3.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4157 | Unveiling Endophytic Bacterial Community Structures of Different Rice Cultivars Grown in a Cadmium-Contaminated Paddy Field. <i>Frontiers in Microbiology</i> , 2021, 12, 756327. | 3.5 | 13 |
| 4158 | <i>Serratia plymuthica</i> MBSA-MJ1 Increases Shoot Growth and Tissue Nutrient Concentration in Containerized Ornamentals Grown Under Low-Nutrient Conditions. <i>Frontiers in Microbiology</i> , 2021, 12, 788198. | 3.5 | 2 |
| 4159 | Influence of Inorganic Metal (Ag, Cu) Nanoparticles on Biological Activity and Biochemical Properties of <i>Brassica napus</i> Rhizosphere Soil. <i>Agriculture (Switzerland)</i> , 2021, 11, 1215. | 3.1 | 2 |
| 4161 | Ecological performance of multifunctional pesticide tolerant strains of <i>Mesorhizobium</i> sp. in chickpea with recommended pendimethalin, ready-mix of pendimethalin and imazethpyr, carbendazim and chlorpyrifos application. <i>Archives of Microbiology</i> , 2022, 204, 117. | 2.2 | 3 |
| 4162 | The rhizosphere of <i>Sulla spinosissima</i> growing in abandoned mining soils is a reservoir of heavy metals tolerant plant growth-promoting rhizobacteria. <i>Biocatalysis and Agricultural Biotechnology</i> , 2022, 39, 102236. | 3.1 | 5 |
| 4163 | Production of di-rhamnolipid with simultaneous distillery wastewater degradation and detoxification by newly isolated <i>Pseudomonas aeruginosa</i> SRRBL1. <i>Journal of Cleaner Production</i> , 2022, 336, 130429. | 9.3 | 8 |
| 4164 | Actinobacteria-mediated serpentine dissolution and implication for biosignatures on Mars. <i>Chemical Geology</i> , 2022, 590, 120697. | 3.3 | 4 |
| 4165 | Efficacy of citric acid chelate and <i>Bacillus</i> sp. in amelioration of cadmium and chromium toxicity in wheat. <i>Chemosphere</i> , 2022, 290, 133342. | 8.2 | 29 |
| 4166 | Co-inoculation of indigenous <i>Pseudomonas oryzae</i> habitans and <i>Bradyrhizobium</i> sp. modulates the growth, symbiotic efficacy, nutrient acquisition, and grain yield of soybean. <i>Pedosphere</i> , 2022, 32, 438-451. | 4.0 | 19 |
| 4167 | Virulence Determinants of <i>Escherichia Coli</i> strains isolated from surgical site infections at selected hospitals in Syria. <i>Bulletin of Pharmaceutical Sciences</i> , 2020, . | 0.1 | 0 |
| 4168 | IN VITRO SCREENING OF INDIGENOUS RHIZOBIUM ISOLATES OF ARACHIS HYPOGAEA FOR SPECIFIC PLANT GROWTH PROMOTING PHYSIOLOGICAL TRAITS. , 2020, 5, 274-287. | | 0 |
| 4169 | Biological Control Using <i>Streptomyces</i> sp. Kp109810 and Different Genotypes of Pepper (<i>Capsicum</i>) Tj ETQq1 1 0.784314 rgBT /Overdo | 0.1 | 2 |
| 4170 | <i>Lysinibacillus xylanilyticus</i> Strain GIC41 as a Potential Plant Biostimulant. <i>Microbes and Environments</i> , 2021, 36, n/a. | 1.6 | 7 |
| 4171 | Biopriming of durum wheat seeds with Newly halotolerant PGPB bacterial isolates for improving their potential of plant growth under stressful conditions. , 0, , . | | 0 |
| 4172 | Enhanced Biocontrol of Cucumber Fusarium Wilt by Combined Application of New Antagonistic Bacteria <i>Bacillus amyloliquefaciens</i> B2 and Phenolic Acid-Degrading Fungus <i>Pleurotus ostreatus</i> P5. <i>Frontiers in Microbiology</i> , 2021, 12, 700142. | 3.5 | 5 |
| 4173 | Autochthonous plant growth-promoting rhizobacteria enhance <i>Thymus vulgaris</i> growth in well-watered and drought-stressed conditions. <i>Zemdirbyste</i> , 2021, 108, 347-354. | 0.8 | 2 |
| 4174 | Arsenic Resistance Mechanisms in <i>Pseudomonas mendocina</i> SMSKVR-3 Strain Isolated from Khetri Copper Mines, Rajasthan, India. <i>Current Microbiology</i> , 2022, 79, 69. | 2.2 | 2 |
| 4175 | Genomic insights into the plant-associated lifestyle of <i>Kosakonia radicincitans</i> MUSA4, a diazotrophic plant-growth-promoting bacterium. <i>Systematic and Applied Microbiology</i> , 2022, 45, 126303. | 2.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4176 | Metabolic properties, gene functions, and biosafety analysis reveal the action of three rhizospheric plant growth-promoting bacteria of Jujuncao (<i>Pennisetum giganteum</i>). <i>Environmental Science and Pollution Research</i> , 2022, 29, 38435-38449. | 5.3 | 4 |
| 4177 | <i>Pseudomonas</i> Isolates as Potential Biofungicides of Green Mold (<i>Penicillium Digitatum</i>) on Orange Fruit. <i>International Journal of Fruit Science</i> , 2022, 22, 142-150. | 2.4 | 7 |
| 4178 | Full Issue PDF. <i>Molecular Plant-Microbe Interactions</i> , 2022, 35, 1-96. | 2.6 | 0 |
| 4179 | Tenacibactins K ⁺ M, cytotoxic siderophores from a coral-associated gliding bacterium of the genus <i>Tenacibaculum</i> . <i>Beilstein Journal of Organic Chemistry</i> , 2022, 18, 110-119. | 2.2 | 6 |
| 4180 | Ameliorative effects of plant growth promoting bacteria, zinc oxide nanoparticles and oxalic acid on <i>Luffa acutangula</i> grown on arsenic enriched soil. <i>Environmental Pollution</i> , 2022, 300, 118889. | 7.5 | 35 |
| 4181 | Deciphering Cadmium (Cd) Tolerance in Newly Isolated Bacterial Strain, <i>Ochrobactrum intermedium</i> BB12, and Its Role in Alleviation of Cd Stress in Spinach Plant (<i>Spinacia oleracea</i> L.). <i>Frontiers in Microbiology</i> , 2021, 12, 758144. | 3.5 | 10 |
| 4182 | Plant Beneficial Deep-Sea Actinobacterium, <i>Dermacoccus abyssi</i> MT1.1T Promote Growth of Tomato (<i>Solanum lycopersicum</i>) under Salinity Stress. <i>Biology</i> , 2022, 11, 191. | 2.8 | 12 |
| 4183 | Isolation, Classification, and Growth-Promoting Effects of <i>Pantoea</i> sp. YSD J2 from the Aboveground Leaves of <i>Cyperus Esculentus</i> L. var. <i>sativus</i> . <i>Current Microbiology</i> , 2022, 79, 66. | 2.2 | 6 |
| 4184 | Inducible boron resistance via active efflux in <i>Lysinibacillus</i> and <i>Enterococcus</i> isolates from boron-contaminated agricultural soil. <i>BioMetals</i> , 2022, 35, 215. | 4.1 | 4 |
| 4185 | Characterization and quantification of two acylated flavonol glycosides from <i>Camellia sinensis</i> and their antibacterial effect on oral pathogens. <i>Beverage Plant Research</i> , 2022, 2, 1-9. | 1.9 | 3 |
| 4186 | Biological Control of <i>Fusarium culmorum</i> , <i>Fusarium graminearum</i> and <i>Fusarium poae</i> by Antagonistic Yeasts. <i>Pathogens</i> , 2022, 11, 86. | 2.8 | 21 |
| 4187 | Änstige Auswirkungen von pflanzenwachstumsfÄrdernden Rhizobakterien, arbuskulÄren Mykorrhizapilzen und Kompost auf das Wachstum von Salat (<i>Lactuca sativa</i>) unter Feldbedingungen. <i>Gesunde Pflanzen</i> , 2022, 74, 219-235. | 3.0 | 8 |
| 4188 | Different Green Manures (<i>Vicia villosa</i> and <i>Brassica juncea</i>) Construct Different Fungal Structures, Including Plant-Growth-Promoting Effects, after Incorporation into the Soil. <i>Agronomy</i> , 2022, 12, 323. | 3.0 | 5 |
| 4189 | Prospecting the plant growth-promoting activities of endophytic bacteria <i>Franconibacter</i> sp. YSD YN2 isolated from <i>Cyperus esculentus</i> L. var. <i>sativus</i> leaves. <i>Annals of Microbiology</i> , 2022, 72, . | 2.6 | 16 |
| 4190 | Roseobacter group probiotics exhibit differential killing of fish pathogenic <i>Tenacibaculum</i> species. <i>Applied and Environmental Microbiology</i> , 2022, , aem0241821. | 3.1 | 11 |
| 4191 | Effect of endophytic <i>Bacillus</i> and arbuscular mycorrhiza fungi (AMF) against <i>Fusarium</i> wilt of tomato caused by <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> . <i>Egyptian Journal of Biological Pest Control</i> , 2022, 32, . | 1.8 | 33 |
| 4192 | Correlation Between Antimicrobial Resistance, Virulence Determinants and Biofilm Formation Ability Among Extraintestinal Pathogenic <i>Escherichia coli</i> Strains Isolated in Catalonia, Spain. <i>Frontiers in Microbiology</i> , 2021, 12, 803862. | 3.5 | 7 |
| 4193 | Modulation in Plant Growth and Drought Tolerance of Wheat Crop upon Inoculation of Drought-tolerant- <i>Bacillus</i> Species Isolated from Hot Arid Soil of India. <i>Journal of Pure and Applied Microbiology</i> , 2022, 16, 246-262. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4194 | Exploring Potential of Seed Endophytic Bacteria for Enhancing Drought Stress Resilience in Maize (<i>Zea mays</i> L.). <i>Sustainability</i> , 2022, 14, 673. | 3.2 | 16 |
| 4195 | Root Morphogenesis of <i>Arabidopsis thaliana</i> Tuned by Plant Growth-Promoting <i>Streptomyces</i> Isolated From Root-Associated Soil of <i>Artemisia annua</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 802737. | 3.6 | 6 |
| 4197 | The Periplasmic Oxidoreductase DsbA Is Required for Virulence of the Phytopathogen <i>Dickeya solani</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 697. | 4.1 | 7 |
| 4198 | Plant growth-promoting attributes of an endophyte <i>Enterobacter roggenkampii</i> BLS02 isolated from <i>Barleria lupulina</i> Lindl.. <i>Organic Agriculture</i> , 2022, 12, 137-145. | 2.4 | 5 |
| 4199 | Isolation and Characterization of Endophytes Bacterial Strains of <i>Momordica charantia</i> L. and Their Possible Approach in Stress Management. <i>Microorganisms</i> , 2022, 10, 290. | 3.6 | 17 |
| 4200 | Role of Selenium-Tolerant Fungi on Plant Growth Promotion and Selenium Accumulation of Maize Plants Grown in Seleniferous Soils. <i>Water, Air, and Soil Pollution</i> , 2022, 233, 1. | 2.4 | 9 |
| 4201 | PGPR-Mediated Salt Tolerance in Maize by Modulating Plant Physiology, Antioxidant Defense, Compatible Solutes Accumulation and Bio-Surfactant Producing Genes. <i>Plants</i> , 2022, 11, 345. | 3.5 | 118 |
| 4202 | Application of <i>Trichoderma harzianum</i> Strain KABOFT4 for Management of Tomato Bacterial Wilt Under Greenhouse Conditions. <i>Gesunde Pflanzen</i> , 2022, 74, 413-421. | 3.0 | 7 |
| 4203 | Multifarious Indigenous Diazotrophic Rhizobacteria of Rice (<i>Oryza sativa</i> L.) Rhizosphere and Their Effect on Plant Growth Promotion. <i>Frontiers in Nutrition</i> , 2021, 8, 781764. | 3.7 | 19 |
| 4205 | Characterization of root-endophytic actinobacteria from cactus (<i>Opuntia ficus-indica</i>) for plant growth promoting traits. <i>Archives of Microbiology</i> , 2022, 204, 150. | 2.2 | 7 |
| 4206 | Native Rhizospheric and Endophytic Fungi as Sustainable Sources of Plant Growth Promoting Traits to Improve Wheat Growth under Low Nitrogen Input. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 94. | 3.5 | 12 |
| 4207 | <i>Kocuria</i> Strains from Unique Radon Spring Water from Jachymov Spa. <i>Fermentation</i> , 2022, 8, 35. | 3.0 | 6 |
| 4208 | Negatively Regulated Aerobactin and Desferrioxamine E by Fur in <i>Pantoea ananatis</i> Are Required for Full Siderophore Production and Antibacterial Activity, but Not for Virulence. <i>Applied and Environmental Microbiology</i> , 2022, 88, aem0240521. | 3.1 | 1 |
| 4209 | Identification of heavy metals tolerant <i>Brevundimonas</i> sp. from rhizospheric zone of <i>Saccharum munja</i> L. and their efficacy in in-situ phytoremediation. <i>Chemosphere</i> , 2022, 295, 133823. | 8.2 | 29 |
| 4210 | The characterization of <i>Streptomyces alfalfae</i> strain 11F and its effect on seed germination and growth promotion in switchgrass. <i>Biomass and Bioenergy</i> , 2022, 158, 106360. | 5.7 | 4 |
| 4211 | Bacterial inoculant-assisted phytoremediation affects trace element uptake and metabolite content in <i>Salix atrocinerea</i> . <i>Science of the Total Environment</i> , 2022, 820, 153088. | 8.0 | 1 |
| 4212 | Siderophores: an alternative bioremediation strategy?. <i>Science of the Total Environment</i> , 2022, 819, 153144. | 8.0 | 50 |
| 4213 | Bacterial inoculations mitigate different forms of iron (Fe) stress and enhance nutrient uptake in rice seedlings (<i>Oryza sativa</i> L.). <i>Environmental Technology and Innovation</i> , 2022, 26, 102326. | 6.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4214 | Cadmium-tolerant facultative endophytic <i>Rhizobium larrymoorei</i> S28 reduces cadmium availability and accumulation in rice in cadmium-polluted soil. <i>Environmental Technology and Innovation</i> , 2022, 26, 102294. | 6.1 | 5 |
| 4215 | Adding a diazo-transfer reagent to culture to generate secondary metabolite probes for click chemistry. <i>Methods in Enzymology</i> , 2022, 665, 49-71. | 1.0 | 0 |
| 4216 | Enhancing the growth and disease suppression ability of <i>Pseudomonas fluorescens</i> . , 2022, , 351-368. | | 5 |
| 4217 | Biocontrol potential and antifungal mechanism of a novel <i>Streptomyces sichuanensis</i> against <i>Fusarium oxysporum</i> f. sp. cubense tropical race 4 in vitro and in vivo. <i>Applied Microbiology and Biotechnology</i> , 2022, 106, 1633-1649. | 3.6 | 11 |
| 4218 | The ubiquitous catechol moiety elicits siderophore and angucycline production in <i>Streptomyces</i> . <i>Communications Chemistry</i> , 2022, 5, . | 4.5 | 9 |
| 4219 | The potency of culturable fungi from tidal and non-tidal swamplands in Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 976, 012036. | 0.3 | 0 |
| 4220 | Characterization of PGPR isolated from rhizospheric soils of various plant and its effect on growth of radish (<i>Raphanus sativus</i> L.). <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 976, 012037. | 0.3 | 1 |
| 4221 | <i>Rhizobiales</i> -Specific RirA Represses a Naturally “Synthetic” Foreign Siderophore Gene Cluster To Maintain <i>Sinorhizobium</i> -Legume Mutualism. <i>MBio</i> , 2022, 13, e0290021. | 4.1 | 4 |
| 4222 | Dual RNA sequencing reveals dendritic cell reprogramming in response to typhoidal <i>Salmonella</i> invasion. <i>Communications Biology</i> , 2022, 5, 111. | 4.4 | 11 |
| 4223 | Salt Tolerant Indigenous Zn Solubilizing Bacteria Isolated from Forest Organic Soils Promotes Yield and Root Growth in <i>Oryza Sativa</i> under Zinc Deficient Alluvial Soil. <i>Geomicrobiology Journal</i> , 0, , 1-12. | 2.0 | 3 |
| 4224 | Effect of <i>Burkholderia</i> sp. and <i>Pseudomonas</i> spp. inoculation on growth, yield, and absorption of inorganic components in tomato “Micro-Tom” under salinity conditions. <i>Journal of Plant Interactions</i> , 2022, 17, 277-289. | 2.1 | 3 |
| 4225 | Isolation and Screening of 1-aminocyclopropane-1-carboxylic acid (ACC) deaminase producing PGPR from <i>Paeonia lactiflora</i> rhizosphere and enhancement of plant growth. <i>Scientia Horticulturae</i> , 2022, 297, 110956. | 3.6 | 16 |
| 4226 | Comparative Study of Heavy Metal Uptake and Analysis of Plant Growth Promotion Potential of Multiple Heavy Metal-Resistant Bacteria Isolated From Arable Land. <i>Current Microbiology</i> , 2022, 79, 7. | 2.2 | 6 |
| 4227 | Diversity of Bacterial Endophytes of Maize (<i>Zea mays</i>) and Their Functional Potential for Micronutrient Biofortification. <i>Current Microbiology</i> , 2022, 79, 6. | 2.2 | 13 |
| 4229 | Biocontrol Potential of Endophytic Actinobacteria against <i>Fusarium solani</i> , the Causal Agent of Sudden Decline Syndrome on Date Palm in the UAE. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 8. | 3.5 | 24 |
| 4230 | Genomic and Metabolomic Insights into Secondary Metabolites of the Novel <i>Bacillus halotolerans</i> Hil4, an Endophyte with Promising Antagonistic Activity against Gray Mold and Plant Growth Promoting Potential. <i>Microorganisms</i> , 2021, 9, 2508. | 3.6 | 16 |
| 4231 | Bacterial Endophytes as a Promising Approach to Enhance the Growth and Accumulation of Bioactive Metabolites of Three Species of <i>Chenopodium</i> Sprouts. <i>Plants</i> , 2021, 10, 2745. | 3.5 | 13 |
| 4233 | Investigating the Potential of Endophytic Lactic Acid Bacteria Isolated from Papaya Seeds as Plant Growth Promoter and Antifungal Agent. <i>Pertanika Journal of Science and Technology</i> , 2022, 45, 207-233. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4234 | Non-Rhizobial Endophytes Associated with Nodules of <i>Vigna radiata</i> L. and Their Combined Activity with <i>Rhizobium</i> sp.. <i>Current Microbiology</i> , 2022, 79, 103. | 2.2 | 7 |
| 4235 | Extremophiles as Plant Probiotics to Promote Germination and Alleviate Salt Stress in Soybean. <i>Journal of Plant Growth Regulation</i> , 2023, 42, 946-959. | 5.1 | 4 |
| 4236 | Decoding the Plant Growth Promotion and Antagonistic Potential of Bacterial Endophytes From <i>Ocimum sanctum</i> Linn. Against Root Rot Pathogen <i>Fusarium oxysporum</i> in <i>Pisum sativum</i> . <i>Frontiers in Plant Science</i> , 2022, 13, 813686. | 3.6 | 12 |
| 4237 | Application of Psychrotolerant Antarctic Bacteria and Their Metabolites as Efficient Plant Growth Promoting Agents. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, 772891. | 4.1 | 15 |
| 4238 | Modulation in Biofertilization and Biofortification of Wheat Crop by Inoculation of Zinc-Solubilizing Rhizobacteria. <i>Frontiers in Plant Science</i> , 2022, 13, 777771. | 3.6 | 18 |
| 4240 | Induction of Systemic Resistance against Sheath Blight in Rice by Different <i>Pseudomonas</i> Isolates. <i>Life</i> , 2022, 12, 349. | 2.4 | 9 |
| 4241 | Comparative Response of Phosphate Solubilizing Indigenous <i>Bacillus licheniformis</i> , <i>Pantoea dispersa</i> and <i>Staphylococcus</i> sp. From Rice Rhizosphere for Their Multifarious Growth Promoting Characteristics. <i>Geomicrobiology Journal</i> , 2022, 39, 445-452. | 2.0 | 3 |
| 4242 | Metallophores production by bacteria isolated from heavy metal-contaminated soil and sediment at Lerma-Chapala Basin. <i>Archives of Microbiology</i> , 2022, 204, 180. | 2.2 | 3 |
| 4243 | Antagonistic and growth-promoting potential of multifarious bacterial endophytes against <i>Fusarium</i> wilt of chickpea. <i>Egyptian Journal of Biological Pest Control</i> , 2022, 32, . | 1.8 | 12 |
| 4244 | A <i>Pseudomonas aeruginosa</i> PQS quorum-sensing system inhibitor with anti-staphylococcal activity sensitizes polymicrobial biofilms to tobramycin. <i>Cell Chemical Biology</i> , 2022, 29, 1187-1199.e6. | 5.2 | 20 |
| 4245 | Variation of the seed endophytic bacteria among plant populations and their plant growth-promoting activities in a wild mustard plant species, <i>Capsella bursa-pastoris</i> . <i>Ecology and Evolution</i> , 2022, 12, e8683. | 1.9 | 9 |
| 4246 | Genotype to ecotype in niche environments: adaptation of <i>Arthrobacter</i> to carbon availability and environmental conditions. <i>ISME Communications</i> , 2022, 2, . | 4.2 | 9 |
| 4247 | <i>Bacillus altitudinis</i> HNH7 and <i>Bacillus velezensis</i> HNH9 promote plant growth through upregulation of growth-promoting genes in upland cotton. <i>Journal of Applied Microbiology</i> , 2022, 132, 3812-3824. | 3.1 | 13 |
| 4248 | Heterologous Expression and Biochemical Analysis Reveal a Schizokinen-Based Siderophore Pathway in <i>Leptolyngbya</i> (Cyanobacteria). <i>Applied and Environmental Microbiology</i> , 2022, 88, e0237321. | 3.1 | 3 |
| 4249 | Genetic Diversity and Characterization of Plant Growth-Promoting Effects of Bacteria Isolated from Rhizospheric Soils. <i>Current Microbiology</i> , 2022, 79, 132. | 2.2 | 12 |
| 4250 | Biocontrol of <i>Macrophomina phaseolina</i> Using <i>Bacillus amyloliquefaciens</i> Strains in Cowpea (<i>Vigna</i>) TJ ETQq1 1 0.784314 rgBT /Overl | 3.0 | 11 |
| 4251 | An Evaluation of Aluminum Tolerant <i>Pseudomonas aeruginosa</i> A7 for In Vivo Suppression of <i>Fusarium</i> Wilt of Chickpea Caused by <i>Fusarium oxysporum</i> f. sp. <i>ciceris</i> and Growth Promotion of Chickpea. <i>Microorganisms</i> , 2022, 10, 568. | 3.6 | 5 |
| 4252 | Fenton-Mediated Chlorophenol Degradation by Iron-Reducing Compounds Isolated from Endophytic Fungi in Atacama Puna Plateau <i>Lecanicillium</i> ATA01. <i>Fermentation</i> , 2022, 8, 147. | 3.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 4253 | Salt Stress Alleviation in <i>Triticum aestivum</i> Through Primary and Secondary Metabolites Modulation by <i>Aspergillus terreus</i> BTK-1. <i>Frontiers in Plant Science</i> , 2022, 13, 779623. | 3.6 | 9 |
| 4254 | Enhancing productivity of perennial aromatic grasses on marginal lands through plant growth promoting rhizobacteria. <i>Land Degradation and Development</i> , 2022, 33, 2972-2982. | 3.9 | 4 |
| 4255 | Reclassification of <i>Enterobacter</i> sp. FY-07 as <i>Kosakonia oryzendophytica</i> FY-07 and Its Potential to Promote Plant Growth. <i>Microorganisms</i> , 2022, 10, 575. | 3.6 | 5 |
| 4256 | Identification and Characterization of <i>Bacillus tequilensis</i> GYUN-300: An Antagonistic Bacterium Against Red Pepper Anthracnose Caused by <i>Colletotrichum acutatum</i> in Korea. <i>Frontiers in Microbiology</i> , 2022, 13, 826827. | 3.5 | 7 |
| 4257 | Growth Promotion of <i>Phaseolus vulgaris</i> and <i>Arabidopsis</i> Seedlings by <i>Streptomyces</i> Volatile Compounds. <i>Plants</i> , 2022, 11, 875. | 3.5 | 3 |
| 4258 | In vivo growth of <i>Staphylococcus lugdunensis</i> is facilitated by the concerted function of heme and non-heme iron acquisition mechanisms. <i>Journal of Biological Chemistry</i> , 2022, 298, 101823. | 3.4 | 6 |
| 4259 | Priority Effects in the Apple Flower Determine If the Siderophore Desferrioxamine Is a Virulence Factor for <i>Erwinia amylovora</i> CFBP1430. <i>Applied and Environmental Microbiology</i> , 2022, 88, e0243321. | 3.1 | 5 |
| 4260 | Characterization of broad-spectrum biocontrol efficacy of <i>Bacillus velezensis</i> against <i>Fusarium oxysporum</i> in <i>Triticum aestivum</i> L. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2022, 50, 12590. | 1.1 | 4 |
| 4261 | Tobacco Plant Growth-Promoting and Antifungal Activities of Three Endophytic Yeast Strains. <i>Plants</i> , 2022, 11, 751. | 3.5 | 10 |
| 4262 | In-Depth Characterization of Plant Growth Promotion Potentials of Selected Alkanes-Degrading Plant Growth-Promoting Bacterial Isolates. <i>Frontiers in Microbiology</i> , 2022, 13, 863702. | 3.5 | 16 |
| 4263 | Genome Sequencing of <i>Rahnella victoriana</i> JZ-GX1 Provides New Insights Into Molecular and Genetic Mechanisms of Plant Growth Promotion. <i>Frontiers in Microbiology</i> , 2022, 13, 828990. | 3.5 | 5 |
| 4264 | Unraveling the <i>Tropaeolum majus</i> L. (<i>Nasturtium</i>) Root-Associated Bacterial Community in Search of Potential Biofertilizers. <i>Microorganisms</i> , 2022, 10, 638. | 3.6 | 4 |
| 4265 | Amamistatins isolated from <i>Nocardia altamirensis</i> . <i>Beilstein Journal of Organic Chemistry</i> , 2022, 18, 360-367. | 2.2 | 0 |
| 4266 | Cadmium-Tolerant Plant Growth-Promoting Bacteria <i>Curtobacterium oceanosedimentum</i> Improves Growth Attributes and Strengthens Antioxidant System in Chili (<i>Capsicum frutescens</i>). <i>Sustainability</i> , 2022, 14, 4335. | 3.2 | 12 |
| 4268 | Effect of rhizobial isolates and nitrogen fertilizers on nursery performance, nodulation behavior and nitrogenase activity of <i>Dalbergia sissoo</i> Roxb. seedlings. <i>Plant Stress</i> , 2022, 4, 100080. | 5.5 | 5 |
| 4269 | Conjoint application of novel bacterial isolates on dynamic changes in oxidative stress responses of axenic <i>Brassica juncea</i> L. in Hg-stress soils. <i>Journal of Hazardous Materials</i> , 2022, 434, 128854. | 12.4 | 3 |
| 4270 | Alleviation of Salt Stress via Habitat-Adapted Symbiosis. <i>Forests</i> , 2022, 13, 586. | 2.1 | 8 |
| 4271 | Amelioration of aluminum phytotoxicity in <i>Solanum lycopersicum</i> by co-inoculation of plant growth promoting <i>Kosakonia radicincitans</i> strain CABV2 and <i>Streptomyces corchorusii</i> strain CASL5. <i>Science of the Total Environment</i> , 2022, 832, 154935. | 8.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 4272 | Salt-tolerant bacteria enhance the growth of mung bean (<i>Vigna radiata</i> L.) and uptake of nutrients, and mobilize sodium ions under salt stress condition. International Journal of Phytoremediation, 2023, 25, 66-73. | 3.1 | 9 |
| 4273 | New rhizobacteria strains with effective antimycotic compounds against rhizome rot pathogens and identification of genes encoding antimicrobial peptides. Rhizosphere, 2022, 22, 100515. | 3.0 | 7 |
| 4274 | Identification, Characterization, and Efficacy Evaluation of <i>Bacillus velezensis</i> for Shot-Hole Disease Biocontrol in Flowering Cherry. Plant Pathology Journal, 2022, 38, 115-130. | 1.7 | 9 |
| 4275 | Abandoned agriculture soil can be recultivated by promoting biological phosphorus fertility when amended with nano-rock phosphate and suitable bacterial inoculant. Ecotoxicology and Environmental Safety, 2022, 234, 113385. | 6.0 | 13 |
| 4276 | Screening of Siderophore-Producing Bacteria and Their Effects on Promoting the Growth of Plants. Current Microbiology, 2022, 79, 150. | 2.2 | 14 |
| 4277 | Quantitative proteomics and phosphoproteomics elucidate the molecular mechanism of nanostructured TiO ₂ -stimulated biofilm formation. Journal of Hazardous Materials, 2022, 432, 128709. | 12.4 | 4 |
| 4278 | Plant growth-promoting rhizobacteria - <i>Bacillus cereus</i> KMT-5 and <i>B. megaterium</i> KMT-8 effectively suppressed <i>Meloidogyne javanica</i> infection. Applied Soil Ecology, 2022, 174, 104419. | 4.3 | 15 |
| 4279 | Tobacco-associated with <i>Methylophilus</i> sp. FP-6 enhances phytoremediation of benzophenone-3 through regulating soil microbial community, increasing photosynthetic capacity and maintaining redox homeostasis of plant. Journal of Hazardous Materials, 2022, 431, 128588. | 12.4 | 33 |
| 4280 | Optimization of eco-friendly amendments as sustainable asset for salt-tolerant plant growth-promoting bacteria mediated maize (<i>Zea Mays</i> L.) plant growth, Na uptake reduction and saline soil restoration. Environmental Research, 2022, 211, 113081. | 7.5 | 37 |
| 4281 | Analysis of the Genome of the Heavy Metal Resistant and Hydrocarbon-Degrading Rhizospheric <i>Pseudomonas qingdaonensis</i> ZCR6 Strain and Assessment of Its Plant-Growth-Promoting Traits. International Journal of Molecular Sciences, 2022, 23, 214. | 4.1 | 15 |
| 4282 | Potencial de <i>Bacillus</i> spp. em promover o crescimento e controlar <i>Fusarium verticillioides</i> em milho. Summa Phytopathologica, 2021, 47, 195-203. | 0.1 | 1 |
| 4283 | Investigation on the possible use of antagonistic bacteria in biological control of parsley bacterial leaf spot disease (<i>Pseudomonas syringae</i> pv. <i>apii</i>). Mustafa Kemal Üniversitesi Tarım Bilimleri Dergisi, 2021, 26, 649-660. | 0.4 | 2 |
| 4284 | Functional characterization of culturable fungi from microbiomes of the Mexican maize (<i>Zea mays</i> L.) landrace. Archives of Microbiology, 2022, 204, 57. | 2.2 | 3 |
| 4285 | Phenol biodegradation by plant growth promoting bacterium, <i>S. odorifera</i> : kinetic modeling and process optimization. Archives of Microbiology, 2022, 204, 104. | 2.2 | 3 |
| 4286 | Taxonomic and Metabolite Diversities of Moss-Associated Actinobacteria from Thailand. Metabolites, 2022, 12, 22. | 2.9 | 4 |
| 4287 | Selection of ACC deaminase positive, thermohalotolerant and drought tolerance enhancing plant growth-promoting bacteria from rhizospheres of <i>Cyamopsis tetragonoloba</i> grown in arid regions. Letters in Applied Microbiology, 2022, 74, 519-535. | 2.2 | 4 |
| 4288 | Impact of <i>Pseudomonas</i> spp. on Plant Growth, Lytic Enzymes and Secondary Metabolites Production. Frontiers in Agronomy, 2021, 3, . | 3.3 | 3 |
| 4289 | Plant growth promoting potential of multifarious endophytic <i>Pseudomonas lini</i> strain isolated from <i>Cicer arietinum</i> L.. Israel Journal of Plant Sciences, 2021, 69, 50-60. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4290 | Effect of plant growth-promoting rhizobacterial treatment on growth and physiological characteristics of <i>Triticum aestivum</i> L. under salt stress. <i>Applied Biological Chemistry</i> , 2021, 64, . | 1.9 | 10 |
| 4291 | Evaluation of Symbiotic Association between Various Rhizobia, Capable of Producing Plant-Growth-Promoting Biomolecules, and Mung Bean for Sustainable Production. <i>Sustainability</i> , 2021, 13, 13832. | 3.2 | 4 |
| 4292 | Seed Endophytic Bacteria of Pearl Millet (<i>Pennisetum glaucum</i> L.) Promote Seedling Development and Defend Against a Fungal Phytopathogen. <i>Frontiers in Microbiology</i> , 2021, 12, 774293. | 3.5 | 19 |
| 4293 | Friendly microbes help rice to grow and suppress its pathogens: <i>Trichoderma</i> and <i>Bacillus</i> Vs <i>Xanthomonas</i> in rice. <i>Environment Conservation Journal</i> , 0, , 197-209. | 0.2 | 1 |
| 4294 | Effect of <i>Bacillus velezensis</i> JC-K3 on Endophytic Bacterial and Fungal Diversity in Wheat Under Salt Stress. <i>Frontiers in Microbiology</i> , 2021, 12, 802054. | 3.5 | 14 |
| 4295 | Root-Derived Endophytic Diazotrophic Bacteria <i>Pantoea cypripedii</i> AF1 and <i>Kosakonia arachidis</i> EF1 Promote Nitrogen Assimilation and Growth in Sugarcane. <i>Frontiers in Microbiology</i> , 2021, 12, 774707. | 3.5 | 17 |
| 4296 | Biosynthesis Pathways, Transport Mechanisms and Biotechnological Applications of Fungal Siderophores. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 21. | 3.5 | 18 |
| 4297 | <i>Chryseobacterium lecithinasegens</i> sp. nov., a siderophore-producing bacterium isolated from soil at the bottom of a pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, . | 1.7 | 7 |
| 4298 | The diversity of bacterial endophytes from <i>Iris pseudacorus</i> L. and their plant beneficial traits. <i>Current Research in Microbial Sciences</i> , 2022, 3, 100133. | 2.3 | 0 |
| 4300 | <i>Bacillus subtilis</i> suppresses the charcoal rot disease by inducing defence responses and physiological attributes in soybean. <i>Archives of Microbiology</i> , 2022, 204, 266. | 2.2 | 4 |
| 4301 | <i>Bacillus mojavensis</i> , a Metal-Tolerant Plant Growth-Promoting Bacterium, Improves Growth, Photosynthetic Attributes, Gas Exchange Parameters, and Alkalo-Polyphenol Contents in Silver Nanoparticle (Ag-NP)-Treated <i>Withania somnifera</i> L. (Ashwagandha). <i>ACS Omega</i> , 2022, 7, 13878-13893. | 3.5 | 21 |
| 4302 | Native Heavy Metal-Tolerant Plant Growth Promoting Rhizobacteria Improves <i>Sulla spinosissima</i> (L.) Growth in Post-Mining Contaminated Soils. <i>Microorganisms</i> , 2022, 10, 838. | 3.6 | 25 |
| 4303 | Simultaneous biodegradation of λ -cyhalothrin pesticide and <i>Vicia faba</i> growth promotion under greenhouse conditions. <i>AMB Express</i> , 2022, 12, 44. | 3.0 | 11 |
| 4304 | An Alliance of <i>Trifolium repens</i> Rhizobium <i>leguminosarum</i> bv. <i>trifolii</i> Mycorrhizal Fungi From an Old Zn-Pb-Cd Rich Waste Heap as a Promising Tripartite System for Phytostabilization of Metal Polluted Soils. <i>Frontiers in Microbiology</i> , 2022, 13, 853407. | 3.5 | 7 |
| 4306 | The siderophore-producing bacterium, <i>Bacillus siamensis</i> Gxun-6, has an antifungal activity against <i>Fusarium oxysporum</i> and promotes the growth of banana. <i>Egyptian Journal of Biological Pest Control</i> , 2022, 32, . | 1.8 | 13 |
| 4307 | Iron Effects on <i>Clostridioides difficile</i> Toxin Production and Antimicrobial Susceptibilities. <i>Antibiotics</i> , 2022, 11, 537. | 3.7 | 6 |
| 4308 | Improved <i>Medicago sativa</i> Nodulation under Stress Assisted by <i>Variovorax</i> sp. Endophytes. <i>Plants</i> , 2022, 11, 1091. | 3.5 | 17 |
| 4309 | Seed-Borne Probiotic Yeasts Foster Plant Growth and Elicit Health Protection in Black Gram (<i>Vigna</i>) Tj ETQq1 1 0.784314 rgBT /Overlock | 3.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4442 | Whole Genome, Functional Annotation and Comparative Genomics of Plant Growth-Promoting Bacteria <i>Pseudomonas aeruginosa</i> (NG61) with Potential Application in Agro-Industry. <i>Current Microbiology</i> , 2022, 79, 169. | 2.2 | 3 |
| 4443 | Growth and siderophore production by <i>Bordetella pertussis</i> under iron-restricted conditions. <i>FEMS Microbiology Letters</i> , 1990, 66, 101-105. | 1.8 | 29 |
| 4444 | Isolation and partial characterization of a compound with siderophore activity from <i>Vibrio parahaemolyticus</i> . <i>FEMS Microbiology Letters</i> , 1992, 94, 181-186. | 1.8 | 4 |
| 4445 | Dynamics, phylogeny and phyto-stimulating potential of chitinase synthesizing bacterial root endosymbiosome of North Western Himalayan <i>Brassica rapa</i> L.. <i>Scientific Reports</i> , 2022, 12, 6742. | 3.3 | 8 |
| 4446 | Siderophore production in <i>pseudomonas</i> SP. strain SP3 enhances iron acquisition in apple rootstock. <i>Journal of Applied Microbiology</i> , 2022, , . | 3.1 | 11 |
| 4450 | Efflux-Linked Accelerated Evolution of Antibiotic Resistance at a Population Edge. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 4451 | Proteome and Physiological Characterization of Halotolerant Nodule Endophytes: The Case of <i>Rahnella aquatilis</i> and <i>Serratia plymuthica</i> . <i>Microorganisms</i> , 2022, 10, 890. | 3.6 | 3 |
| 4452 | Kinetic modeling and bioremediation study to remove Congo red (Direct Red 28) azo dye using <i>Lactobacillus paracasei</i> SRCM 208836. <i>Separation Science and Technology</i> , 0, , 1-10. | 2.5 | 0 |
| 4453 | Association between Virulence Factors and Antimicrobial Resistance of <i>Klebsiella pneumoniae</i> Clinical Isolates from North Kerala. <i>Journal of Pure and Applied Microbiology</i> , 0, , . | 0.9 | 0 |
| 4454 | Role of Nodulation-Enhancing Rhizobacteria in the Promotion of <i>Medicago sativa</i> Development in Nutrient-Poor Soils. <i>Plants</i> , 2022, 11, 1164. | 3.5 | 10 |
| 4455 | Diversity and antimicrobial potential of the culturable rhizobacteria from medicinal plant <i>Baccharis trimera</i> Less D.C.. <i>Brazilian Journal of Microbiology</i> , 2022, , 1. | 2.0 | 0 |
| 4456 | <i>Streptomyces</i> species from the rhizosphere of the medicinal plant <i>Artemisia herba-alba</i> Asso: screening for biological activities. , 2022, 77, 2281-2299. | | 3 |
| 4457 | Biodegradation of 4-nitroaniline by novel isolate <i>Bacillus</i> sp. strain AVPP64 in the presence of pesticides. <i>Environmental Pollution</i> , 2022, 306, 119453. | 7.5 | 13 |
| 4458 | Phosphate-Solubilizing Bacteria Isolated from Phosphate Solid Sludge and Their Ability to Solubilize Three Inorganic Phosphate Forms: Calcium, Iron, and Aluminum Phosphates. <i>Microorganisms</i> , 2022, 10, 980. | 3.6 | 18 |
| 4459 | Strain <i>Klebsiella</i> ZP-2 inoculation activating soil nutrient supply and altering soil phosphorus cycling. <i>Journal of Soils and Sediments</i> , 2022, 22, 2146-2157. | 3.0 | 3 |
| 4460 | Biopriming of Durum Wheat Seeds with Endophytic Diazotrophic Bacteria Enhances Tolerance to Fusarium Head Blight and Salinity. <i>Microorganisms</i> , 2022, 10, 970. | 3.6 | 6 |
| 4461 | Disease Inhibiting Effect of Strain <i>Bacillus subtilis</i> EG21 and Its Metabolites Against Potato Pathogens <i>Phytophthora infestans</i> and <i>Rhizoctonia solani</i> . <i>Phytopathology</i> , 2022, 112, 2099-2109. | 2.2 | 16 |
| 4462 | ACC deaminase producing rhizobacterium <i>Enterobacter cloacae</i> ZNP-4 enhance abiotic stress tolerance in wheat plant. <i>PLoS ONE</i> , 2022, 17, e0267127. | 2.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4463 | Evaluation of the effect of potassium solubilizing bacterial strains on the growth of wheat (<i>Triticum aestivum</i> L.). Journal of Plant Nutrition, 2023, 46, 1479-1490. | 1.9 | 2 |
| 4464 | Regulating Root Fungal Community Using <i>Mortierella alpina</i> for <i>Fusarium oxysporum</i> Resistance in <i>Panax ginseng</i> . Frontiers in Microbiology, 2022, 13, . | 3.5 | 12 |
| 4465 | <i>Bacillus subtilis</i> HG-15, a Halotolerant Rhizoplane Bacterium, Promotes Growth and Salinity Tolerance in Wheat (<i>Triticum aestivum</i>). BioMed Research International, 2022, 2022, 1-16. | 1.9 | 19 |
| 4466 | FE-SEM/EDX Based Zinc Mobilization Analysis of <i>Burkholderia cepacia</i> and <i>Pantoea rodasii</i> and Their Functional Annotation in Crop Productivity, Soil Quality, and Zinc Biofortification of Paddy. Frontiers in Microbiology, 2022, 13, . | 3.5 | 12 |
| 4467 | A Potential Biofertilizer Siderophilic Bacteria Isolated From the Rhizosphere of <i>Paris polyphylla</i> var. <i>yunnanensis</i> . Frontiers in Microbiology, 2022, 13, . | 3.5 | 15 |
| 4468 | Molecular Identification and Characterization of Plant Growth Promoting Rhizobacteria and their Effect on Seed Germination and Vigour Index of Barley (<i>Hordeum vulgare</i> L.). Journal of Pure and Applied Microbiology, 0, , . | 0.9 | 1 |
| 4469 | Improvement of the Cd and Zn phytoremediation efficiency of rice (<i>Oryza sativa</i>) through the inoculation of a metal-resistant PGPR strain. Chemosphere, 2022, 302, 134900. | 8.2 | 27 |
| 4470 | <i>Lantana</i> charcoal as potent carrier material for <i>Azotobacter chroococcum</i> . Bodenkultur, 2021, 72, 83-91. | 0.2 | 2 |
| 4471 | Improved growth and metabolite accumulation in <i>Codonopsis pilosula</i> (Franch.) Nannf. by inoculation with the endophytic <i>Geobacillus</i> sp. RHBA19 and <i>Pseudomonas fluorescens</i> RHBA17. Journal of Plant Physiology, 2022, 274, 153718. | 3.5 | 7 |
| 4472 | Exploring plant growth-promoting rhizobacteria as stress alleviators: a methodological insight. Archives of Microbiology, 2022, 204, 316. | 2.2 | 5 |
| 4473 | ACTIVIDAD ANTIFUNGICA Y CARACTERÍSTICAS DE PROMOCIÓN DE CRECIMIENTO VEGETAL DE <i>Pseudomonas aeruginosa</i> y <i>Enterobacter</i> sp. DEGRADADORAS DE HIDROCARBUROS AISLADAS DE SUELO CONTAMINADO. Acta Biologica Colombiana, 2022, 27, . | 0.4 | 0 |
| 4474 | Maize-associated <i>Meyerozyma</i> from the Brazilian semiarid region are effective plant growth-promoting yeasts. Rhizosphere, 2022, 22, 100538. | 3.0 | 4 |
| 4475 | Development of siderophore-based rhizobacterial consortium for the mitigation of biotic and abiotic environmental stresses in tomatoes: An <i>in vitro</i> and <i>in planta</i> approach. Journal of Applied Microbiology, 2022, 133, 3276-3287. | 3.1 | 6 |
| 4476 | Combined inoculation of phosphate solubilizing bacteria with mycorrhizae to alleviate the phosphate deficiency in Banana. , 2022, 77, 2657-2666. | | 3 |
| 4477 | Plant growth-promoting actinobacterial inoculant assisted phytoremediation increases cadmium uptake in <i>Sorghum bicolor</i> under drought and heat stresses. Environmental Pollution, 2022, 307, 119489. | 7.5 | 17 |
| 4478 | <i>Tumebacillus amylolyticus</i> sp. nov., isolated from garden soil in Korea. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, . | 1.7 | 8 |
| 4479 | Genomic and Phenotypic Insights into the Potential of <i>Bacillus subtilis</i> YB-15 Isolated from Rhizosphere to Biocontrol against Crown Rot and Promote Growth of Wheat. Biology, 2022, 11, 778. | 2.8 | 10 |
| 4481 | Potential applications of mineral solubilizing rhizospheric and nitrogen fixing endophytic bacteria as microbial consortium for the growth promotion of chilli (<i>Capsicum annum</i> L.). , 0, , . | | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4482 | 2,4-Diacetylphloroglucinol producing <i>Pseudomonas fluorescens</i> JM-1 for management of ear rot disease caused by <i>Fusarium moniliforme</i> in <i>Zea mays</i> L.. 3 Biotech, 2022, 12, . | 2.2 | 3 |
| 4483 | Isolation of Endophytic Fungi from Halophytic Plants and their Identification and Screening for Auxin Production and Other Plant Growth Promoting Traits. Journal of Plant Growth Regulation, 2023, 42, 4707-4723. | 5.1 | 5 |
| 4484 | Evaluation of the Ability of Rhizobacterial Isolates to Solubilize Sparingly Soluble Iron Under In-vitro Conditions. Geomicrobiology Journal, 2022, 39, 804-815. | 2.0 | 3 |
| 4485 | Siderophores of <i>Bacillus pumilus</i> promote 2-ketogulononic acid production in a vitamin C microbial fermentation system. Journal of Basic Microbiology, 2022, 62, 833-842. | 3.3 | 10 |
| 4486 | Potential role of rhizobia to enhance chickpea-growth and yield in low fertility-soils of Tunisia. Antonie Van Leeuwenhoek, 0, . | 1.7 | 0 |
| 4487 | A Diaporthe Fungal Endophyte From a Wild Grass Improves Growth and Salinity Tolerance of Tritordeum and Perennial Ryegrass. Frontiers in Plant Science, 2022, 13, . | 3.6 | 7 |
| 4488 | Barley Rhizosphere Microbiome Transplantation – A Strategy to Decrease Susceptibility of Barley Grown in Soils With Low Microbial Diversity to Powdery Mildew. Frontiers in Microbiology, 2022, 13, . | 3.5 | 8 |
| 4489 | Selection of Newly Identified Growth-Promoting Archaea Haloferax Species With a Potential Action on Cobalt Resistance in Maize Plants. Frontiers in Plant Science, 2022, 13, . | 3.6 | 6 |
| 4490 | Streptomycetaceae and Promicromonosporaceae: Two Actinomycetes Families from Moroccan Oat Soils Enhancing Solubilization of Natural Phosphate. Microorganisms, 2022, 10, 1116. | 3.6 | 1 |
| 4491 | Priestia sp. LWS1 Is a Selenium-Resistant Plant Growth-Promoting Bacterium That Can Enhance Plant Growth and Selenium Accumulation in <i>Oryza sativa</i> L.. Agronomy, 2022, 12, 1301. | 3.0 | 8 |
| 4492 | Shielding of Photosynthetic Apparatus by Consortia of Bacterial Endophytes in Tomato Plants Suffering From <i>Fusarium</i> Wilt. Frontiers in Agronomy, 2022, 4, . | 3.3 | 1 |
| 4493 | Identification and Characterization of a Multifunctional Biocontrol Agent, <i>Streptomyces griseorubiginosus</i> LJS06, Against Cucumber Anthracnose. Frontiers in Microbiology, 2022, 13, . | 3.5 | 6 |
| 4494 | Roles of SmeYZ, SbiAB, and SmeDEF Efflux Systems in Iron Homeostasis of <i>Stenotrophomonas maltophilia</i> . Microbiology Spectrum, 2022, 10, . | 3.0 | 8 |
| 4495 | Isolation of bacterial strains from compost teas and screening of their PGPR properties on potato plants. Environmental Science and Pollution Research, 2022, 29, 75365-75379. | 5.3 | 10 |
| 4496 | Enhancing the Phytoremediation of Heavy Metals by Combining Hyperaccumulator and Heavy Metal-Resistant Plant Growth-Promoting Bacteria. Frontiers in Plant Science, 2022, 13, . | 3.6 | 8 |
| 4497 | Functional characterization of novel phosphate solubilizing bacteria, <i>Chryseomicrobium imtechense</i> , for enhanced strawberry growth and yield parameters. Arabian Journal of Geosciences, 2022, 15, . | 1.3 | 0 |
| 4498 | Effects of 4-Br-A23187 on <i>Bacillus subtilis</i> cells and unilamellar vesicles reveal it to be a potent copper ionophore. Proteomics, 2022, 22, . | 2.2 | 6 |
| 4499 | Isolation of soybean-specific plant growth-promoting rhizobacteria using soybean agglutinin and evaluation of their effects to improve soybean growth, yield, and soil nutritional status. Microbiological Research, 2022, 261, 127076. | 5.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4502 | Fabrication and characterization of nano-hydroxyapatite particles and assessment of the effect of their supplementation on growth of bacterial root endosymbionts of cowpea. Inorganic and Nano-Metal Chemistry, 0, , 1-11. | 1.6 | 1 |
| 4503 | Effect of beneficial indigenous microorganisms on tomato growth performance, productivity, and protection against <i>Verticillium dahliae</i> . Journal of Plant Diseases and Protection, 2022, 129, 1163-1180. | 2.9 | 3 |
| 4504 | Detection of Virulence-Associated Genes and in vitro Gene Transfer From <i>Aeromonas</i> sp. Isolated From Aquatic Environments of Sub-himalayan West Bengal. Frontiers in Veterinary Science, 0, 9, . | 2.2 | 3 |
| 4505 | <i>Pseudomonas aeruginosa</i> Ld-08 isolated from <i>Lilium davidii</i> exhibits antifungal and growth-promoting properties. PLoS ONE, 2022, 17, e0269640. | 2.5 | 8 |
| 4506 | An Isolated <i>Arthrobacter</i> sp. Enhances Rice (<i>Oryza sativa</i> L.) Plant Growth. Microorganisms, 2022, 10, 1187. | 3.6 | 14 |
| 4507 | Bioprospecting Fluorescent <i>Pseudomonas</i> from the Brazilian Amazon for the Biocontrol of Signal Grass Foliar Blight. Agronomy, 2022, 12, 1395. | 3.0 | 3 |
| 4508 | Removal of Dinotefuran, Thiocloprid, and Imidaclothiz Neonicotinoids in Water Using a Novel <i>Pseudomonas montellii</i> FC02â€“Duckweed (<i>Lemna aequinoctialis</i>) Partnership. Frontiers in Microbiology, 0, 13, . | 3.5 | 5 |
| 4509 | Design, Synthesis, and Quorum Quenching Potential of Novel Catecholâ€“Zingerone Conjugate to Find an Elixir to Tackle <i>Pseudomonas aeruginosa</i> Through the Trojan Horse Strategy. Frontiers in Chemistry, 0, 10, . | 3.6 | 2 |
| 4510 | Molecular characterization of plant growth-promoting vermi-bacteria associated with <i>Eisenia fetida</i> gastrointestinal tract. PLoS ONE, 2022, 17, e0269946. | 2.5 | 6 |
| 4511 | Plant growth-promoting of olive and walnut actinobacteria: isolation, screening PGP traits, antifungal activities, identification, and hydroponic production of wheat. Archives of Agronomy and Soil Science, 2023, 69, 1343-1358. | 2.6 | 9 |
| 4512 | Nematicidal Activity of <i>Burkholderia arboris</i> J211 Against <i>Meloidogyne incognita</i> on Tobacco. Frontiers in Microbiology, 0, 13, . | 3.5 | 8 |
| 4513 | Resistance of <i>Dickeya solani</i> strain IPO 2222 to lytic bacteriophage Î¸D5 results in fitness tradeoffs for the bacterium during infection. Scientific Reports, 2022, 12, . | 3.3 | 12 |
| 4514 | Conditional growth defect of <i>Bordetella pertussis</i> and <i>Bordetella bronchiseptica</i> ferric uptake regulator (fur) mutants. FEMS Microbiology Letters, 2022, 369, . | 1.8 | 2 |
| 4515 | The Purified Siderophore from <i>Streptomyces tricolor</i> HM10 Accelerates Recovery from Iron-Deficiency-Induced Anemia in Rats. Molecules, 2022, 27, 4010. | 3.8 | 3 |
| 4516 | Application of plant growth-promoting rhizobacteria combined with compost as a management strategy against <i>Verticillium dahliae</i> in tomato. Canadian Journal of Plant Pathology, 2022, 44, 806-827. | 1.4 | 6 |
| 4517 | Endophytic bacteria from <i>Euphorbia antiquorum</i> L. protect <i>Solanum lycopersicum</i> L. against bacterial wilt caused by <i>Ralstonia solanacearum</i> . Egyptian Journal of Biological Pest Control, 2022, 32, . | 1.8 | 1 |
| 4518 | Consortium of plant growth-promoting rhizobacteria enhances oilseed rape (<i>Brassica napus</i> L.) growth under normal and saline conditions. Archives of Microbiology, 2022, 204, . | 2.2 | 8 |
| 4519 | Draft genome sequence and functional analysis of <i>Lysinibacillus xylanilyticus</i> t26, a plant growth-promoting bacterium isolated from <i>Capsicum chinense</i> rhizosphere. Journal of Biosciences, 2022, 47, . | 1.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4520 | Potential of potent purple nonsulfur bacteria isolated from rice-shrimp systems to ameliorate rice (<i>Oryza sativa</i> L.) growth and yield in saline acid sulfate soil. Journal of Plant Nutrition, 2023, 46, 473-494. | 1.9 | 10 |
| 4521 | Co-application of spent mushroom substrate and PGPR alleviates tomato continuous cropping obstacle by regulating soil microbial properties. Rhizosphere, 2022, 23, 100563. | 3.0 | 11 |
| 4522 | Molecular identification, diversity and functional characterization of fungal communities isolated from <i>Stipa purpurea</i> . South African Journal of Botany, 2022, 149, 117-123. | 2.5 | 1 |
| 4523 | Antibiotic resistance and siderophores production by clinical <i>Escherichia coli</i> strains. Biotechnologia, 2022, 103, 169-184. | 0.9 | 2 |
| 4525 | Screening, Evaluation, and Selection of Yeasts with Nitrogen Fixation and Ammonia Production Ability from the Cherry Tomato (<i>Lycopersicon Esculentum</i> VAR. <i>Cerasiforme</i>) Rhizosphere as a Potential Bio-Fertilizer. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4526 | Phyllosphere of submerged plants: A reservoir of mycobiota. , 2022, , 73-89. | | 0 |
| 4527 | Selection and Characterization of Antagonistic Microorganisms for Biological Control of <i>Acidovorax citrulli</i> Causing Fruit Rot in Watermelon. Research in Plant Disease, 2022, 28, 69-81. | 0.8 | 1 |
| 4528 | Evaluation and Genome Analysis of <i>Bacillus subtilis</i> YB-04 as a Potential Biocontrol Agent Against Fusarium Wilt and Growth Promotion Agent of Cucumber. Frontiers in Microbiology, 0, 13, . | 3.5 | 16 |
| 4529 | Whole genome sequencing and comparative genomic analyses of <i>Pseudomonas aeruginosa</i> strain isolated from arable soil reveal novel insights into heavy metal resistance and codon biology. Current Genetics, 2022, 68, 481-503. | 1.7 | 7 |
| 4530 | Cadmium-resistant <i>Chryseobacterium</i> sp. DEMBc1 strain: characteristics and potential to assist phytoremediation and promote plant growth. Environmental Science and Pollution Research, 2022, 29, 83567-83579. | 5.3 | 2 |
| 4531 | Root Exudates: Mechanistic Insight of Plant Growth Promoting Rhizobacteria for Sustainable Crop Production. Frontiers in Microbiology, 0, 13, . | 3.5 | 74 |
| 4532 | Characteristics of the Phosphorus-Solubilizing Bacteria Derived from the Rhizosphere of Persimmon Tree in Beijing and their Plant Growth-Promoting Potential. Geomicrobiology Journal, 2022, 39, 939-949. | 2.0 | 1 |
| 4533 | Biofilm forming rhizobacteria affect the physiological and biochemical responses of wheat to drought. AMB Express, 2022, 12, . | 3.0 | 6 |
| 4534 | Arsenic and chromium resistance mechanisms in the <i>Micrococcus luteus</i> group. Pedosphere, 2023, 33, 600-611. | 4.0 | 2 |
| 4535 | Evaluation of Plant Growth-Promoting and Salinity Ameliorating Potential of Halophilic Bacteria Isolated From Saline Soil. Frontiers in Plant Science, 0, 13, . | 3.6 | 24 |
| 4536 | Effect of the Monothiol Glutaredoxin GrxD on 2,4-Diacetylphloroglucinol Biosynthesis and Biocontrol Activity of <i>Pseudomonas fluorescens</i> 2P24. Frontiers in Microbiology, 0, 13, . | 3.5 | 4 |
| 4537 | Authentication of putative competitive bacterial endophytes of rice by re-isolation and DNA fingerprinting assay. Journal of Applied Microbiology, 2022, 133, 1808-1820. | 3.1 | 2 |
| 4538 | <i>Pseudomonas aeruginosa</i> isolate PM1 effectively controls virus infection and promotes growth in plants. Archives of Microbiology, 2022, 204, . | 2.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4539 | Sulfur-Oxidizing Bacteria From Coal Mine Enhance Sulfur Nutrition in Pigeonpea (<i>Cajanus cajan</i> L.). <i>Frontiers in Environmental Science</i> , 0, 10, . | 3.3 | 8 |
| 4540 | Genomic and physiological evaluation of two root associated <i>Pseudomonas</i> from <i>Coffea arabica</i> . <i>Microbiological Research</i> , 2022, , 127129. | 5.3 | 1 |
| 4541 | Flavonoid-attracted <i>Aeromonas</i> sp. from the <i>Arabidopsis</i> root microbiome enhances plant dehydration resistance. <i>ISME Journal</i> , 2022, 16, 2622-2632. | 9.8 | 44 |
| 4542 | Microbial consortium of mineral solubilizing and nitrogen fixing bacteria for plant growth promotion of amaranth (<i>Amaranthus hypochondrius</i> L.). <i>Biocatalysis and Agricultural Biotechnology</i> , 2022, 43, 102404. | 3.1 | 15 |
| 4543 | Understanding the mechanism of action of stress-acclimatized rhizospheric microbiome towards salinity stress mitigation in <i>Vigna radiata</i> : A focus on the emission of volatiles. <i>Environmental and Experimental Botany</i> , 2022, 201, 104988. | 4.2 | 1 |
| 4544 | A manganese-oxidizing bacterium- <i>Enterobacter hormaechei</i> strain DS02Eh01: Capabilities of Mn(II) immobilization, plant growth promotion and biofilm formation. <i>Environmental Pollution</i> , 2022, 309, 119775. | 7.5 | 4 |
| 4545 | Isolation and molecular identification of an indigenous abiotic stress-tolerant plant growth-promoting rhizobacteria from the rhizosphere of the olive tree in southern Morocco. <i>Rhizosphere</i> , 2022, 23, 100554. | 3.0 | 9 |
| 4546 | Siderophore, hemolytic, protease, and pyrazinamidase activities and antibiotic resistance in motile <i>Aeromonas</i> isolated from fish. <i>Turkish Journal of Biology</i> , 0, , . | 0.8 | 7 |
| 4547 | Interactions between rhizosphere microorganisms under iron limitation. <i>Archives of Microbiology</i> , 1993, 160, 68-73. | 2.2 | 6 |
| 4548 | The Multifarious Endophytic Actinobacterial Isolate, <i>Streptomyces tubercidicus</i> UAE1, Combined With the Seaweed Biostimulant Further Promotes Growth of <i>Avicennia marina</i> . <i>Frontiers in Marine Science</i> , 0, 9, . | 2.5 | 8 |
| 4549 | Production and Potential Genetic Pathways of Three Different Siderophore Types in <i>Streptomyces tricolor</i> Strain HM10. <i>Fermentation</i> , 2022, 8, 346. | 3.0 | 5 |
| 4550 | Temporal Dynamics of Endogenous Bacterial Composition in Rice Seeds During Maturation and Storage, and Spatial Dynamics of the Bacteria During Seedling Growth. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 6 |
| 4551 | Characterization of plant growth-promoting rhizobacteria (PGPR) in Persian walnut associated with drought stress tolerance. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 11 |
| 4552 | Exploring plant growth-promoting, biocatalytic, and antimicrobial potential of salt tolerant rhizospheric <i>Georgenia soli</i> strain TSm39 for sustainable agriculture. <i>Brazilian Journal of Microbiology</i> , 2022, 53, 1817-1828. | 2.0 | 3 |
| 4553 | Thermal Plasticity and Cotton Production Enhancing Attributes of Phosphate-Solubilizing Bacteria from Cotton Rhizosphere. <i>Journal of Soil Science and Plant Nutrition</i> , 2022, 22, 3885-3900. | 3.4 | 3 |
| 4554 | The 1-aminocyclopropane-1-carboxylic acid deaminase-producing <i>Streptomyces violaceoruber</i> UAE1 can provide protection from sudden decline syndrome on date palm. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 9 |
| 4555 | From Glaciers to Refrigerators: the Population Genomics and Biocontrol Potential of the Black Yeast <i>Aureobasidium subglaciale</i> . <i>Microbiology Spectrum</i> , 2022, 10, . | 3.0 | 8 |
| 4556 | Salt stress mitigation in <i>Lathyrus cicera</i> by combining different microbial inocula. <i>Physiology and Molecular Biology of Plants</i> , 2022, 28, 1191-1206. | 3.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4557 | Pathogenicity of Rhizobacteria <i>Pseudomonas</i> against <i>Ceratitis Capitata</i> Wiedemann (Diptera: Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 742 | 1.2 | 1 |
| 4558 | Biological Control and Plant Growth Promotion Properties of Volatile Organic Compound-Producing Antagonistic <i>Trichoderma</i> spp.. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 25 |
| 4559 | Agronomic efficiency and genome mining analysis of the wheat-biostimulant rhizospheric bacterium <i>Pseudomonas pergaminensis</i> sp. nov. strain 1008T. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 9 |
| 4560 | Actinomycin D: a novel <i>Pseudomonas aeruginosa</i> quorum sensing inhibitor from the endophyte <i>Streptomyces cyaneochromogenes</i> RC1. <i>World Journal of Microbiology and Biotechnology</i> , 2022, 38, . | 3.6 | 13 |
| 4561 | <i>Bacillus thuringiensis</i> PM25 ameliorates oxidative damage of salinity stress in maize via regulating growth, leaf pigments, antioxidant defense system, and stress responsive gene expression. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 54 |
| 4562 | Design and validation of cyanobacteria-rhizobacteria consortia for tomato seedlings growth promotion. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 10 |
| 4563 | Effects of multiple halotolerant rhizobacteria on the tolerance, growth, and yield of rice plants under salt stress. <i>Folia Microbiologica</i> , 2023, 68, 55-72. | 2.3 | 5 |
| 4564 | Characterization of halo-tolerant plant growth promoting endophytic <i>Bacillus licheniformis</i> MHN 12. <i>Journal of Genetic Engineering and Biotechnology</i> , 2022, 20, 113. | 3.3 | 8 |
| 4566 | Synergistic Effect of <i>Azotobacter nigricans</i> and Nitrogen Phosphorus Potassium Fertilizer on Agronomic and Yieldtraits of Maize (<i>Zea mays</i> L.). <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 9 |
| 4567 | High bacterial diversity and siderophore-producing bacteria collectively suppress <i>Fusarium oxysporum</i> in maize/faba bean intercropping. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 6 |
| 4568 | Deciphering the genetic and functional diversity of cultivable bacteria from chasmophytic pigweed (<i>Chenopodium album</i>) from Tsomoriri, Ladakh, India. <i>3 Biotech</i> , 2022, 12, . | 2.2 | 0 |
| 4569 | Characterization of an Endophytic Antagonistic Bacterial Strain <i>Bacillus halotolerans</i> LBG-1-13 with Multiple Plant Growth-Promoting Traits, Stress Tolerance, and Its Effects on Lily Growth. <i>BioMed Research International</i> , 2022, 2022, 1-12. | 1.9 | 7 |
| 4570 | Plant growth-promoting properties of <i>Streptomyces</i> spp. isolates and their impact on mung bean plantletsâ€™ rhizosphere microbiome. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 10 |
| 4571 | Transcriptomic Response of the Diazotrophic Bacteria <i>Gluconacetobacter diazotrophicus</i> Strain PAL5 to Iron Limitation and Characterization of the fur Regulatory Network. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8533. | 4.1 | 3 |
| 4572 | Identification of Key Functions Required for Production and Utilization of the Siderophore Piscibactin Encoded by the High-Pathogenicity Island irp-HPI in <i>Vibrionaceae</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 8865. | 4.1 | 2 |
| 4574 | Effects of the Rhizosphere Fungus <i>Cunninghamella bertholletiae</i> on the <i>Solanum lycopersicum</i> Response to Diverse Abiotic Stresses. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8909. | 4.1 | 5 |
| 4575 | Chromium phytoextraction and physiological responses of the hyperaccumulator <i>Leersia hexandra</i> Swartz to plant growth-promoting rhizobacterium inoculation. <i>Frontiers of Environmental Science and Engineering</i> , 2023, 17, . | 6.0 | 9 |
| 4576 | Insights into the functional potential of bacterial endophytes from the ethnomedicinal plant, <i>Piper longum</i> L.. <i>Symbiosis</i> , 2022, 87, 165-174. | 2.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4577 | Plant growth promoting and antagonistic <i>Enterobacter</i> sp. EPR4 from common bean rhizosphere of garhwal himalayan inhibits a soil-borne pathogen <i>Sclerotinia sclerotiorum</i> . <i>Plant Science Today</i> , 0, , . | 0.7 | 0 |
| 4578 | PGPR <i>Kosakonia Radicincitans</i> KR-17 Increases the Salt Tolerance of Radish by Regulating Ion-Homeostasis, Photosynthetic Molecules, Redox Potential, and Stressor Metabolites. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 15 |
| 4579 | The NtrYX Two-Component System of <i>Paracoccus denitrificans</i> Is Required for the Maintenance of Cellular Iron Homeostasis and for a Complete Denitrification under Iron-Limited Conditions. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9172. | 4.1 | 6 |
| 4580 | Unraveling the Molecular Basis of <i>Bacillus Megaterium</i> Interactions in Rice for Plant Growth Promotion Through Proteomics and Gene Expression. <i>Journal of Plant Growth Regulation</i> , 0, , . | 5.1 | 1 |
| 4581 | Synergism of endophytic <i>Bacillus subtilis</i> and <i>Klebsiella aerogenes</i> modulates plant growth and bacoside biosynthesis in <i>Bacopa monnieri</i> . <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 4 |
| 4582 | Screening of osmotic stress-tolerant bacteria for plant growth promotion in wheat (<i>Triticum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 <i>Microbiology</i> , 2022, 75, 1286-1292. | 2.2 | 3 |
| 4583 | Cold-adapted strains as plant growth-promoting bacteria on soybean seeds and biocontrol agents against <i>Macrophomina phaseolina</i> . <i>Journal of Applied Microbiology</i> , 2022, 133, 2835-2850. | 3.1 | 1 |
| 4584 | A Mix of <i>Agrobacterium</i> Strains Reduces Nitrogen Fertilization While Enhancing Economic Returns in Field Trials with Durum Wheat in Contrasting Agroclimatic Regions. <i>Journal of Soil Science and Plant Nutrition</i> , 2022, 22, 4816-4833. | 3.4 | 4 |
| 4585 | Evidence of an intracellular interaction between the <i>Escherichia coli</i> enzymes EntC and EntB and identification of a potential electrostatic channeling surface. <i>Biochimie</i> , 2022, 202, 159-165. | 2.6 | 2 |
| 4586 | Siderophores Produced by the Fish Pathogen <i>Flavobacterium columnare</i> Strain MS-FC-4 Are Not Essential for Its Virulence. <i>Applied and Environmental Microbiology</i> , 0, , . | 3.1 | 3 |
| 4587 | Screening of endophytic bacteria isolated from <i>Beta vulgaris</i> and <i>Beta maritima</i> plants for suppression of postharvest sugar beet soft rot agent, <i>Enterobacter roggenskampi</i> . <i>Physiological and Molecular Plant Pathology</i> , 2022, 121, 101892. | 2.5 | 3 |
| 4588 | Screening, evaluation, and selection of yeasts with high ammonia production ability under nitrogen free condition from the cherry tomato (<i>Lycopersicon esculentum</i> var. <i>cerasiforme</i>) rhizosphere as a potential bio-fertilizer. <i>Rhizosphere</i> , 2022, 23, 100580. | 3.0 | 6 |
| 4589 | Transformation of arsenic species by diverse endophytic bacteria of rice roots. <i>Environmental Pollution</i> , 2022, 309, 119825. | 7.5 | 11 |
| 4590 | Suppression of <i>Macrophomina</i> root rot, <i>Fusarium</i> wilt and growth promotion of some pulses by antagonistic rhizobacteria. <i>Physiological and Molecular Plant Pathology</i> , 2022, 121, 101876. | 2.5 | 5 |
| 4591 | Rice-associated with <i>Bacillus</i> sp. DRL1 enhanced remediation of DEHP-contaminated soil and reduced the risk of secondary pollution through promotion of plant growth, degradation of DEHP in soil and modulation of rhizosphere bacterial community. <i>Journal of Hazardous Materials</i> , 2022, 440, 129822. | 12.4 | 17 |
| 4592 | <i>Bacillus tequilensis</i> PKDN31 and <i>Bacillus licheniformis</i> PKDL10 “As double headed swords to combat <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> induced tomato wilt. <i>Microbial Pathogenesis</i> , 2022, 172, 105784. | 2.9 | 9 |
| 4593 | Molecular, biochemical, and comparative genome analysis of a rhizobacterial strain <i>Klebsiella</i> Sp. KBG6.2 imparting salt stress tolerance to <i>Oryza sativa</i> L.. <i>Environmental and Experimental Botany</i> , 2022, 203, 105066. | 4.2 | 6 |
| 4594 | <i>Trichoderma longibrachiatum</i> as a biostimulant of micropropagated banana seedlings under acclimatization. <i>Plant Physiology and Biochemistry</i> , 2022, 190, 184-192. | 5.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4595 | Halotolerant rhizobacteria isolated from a mangrove forest alleviate saline stress in <i>Musa acuminata</i> cv. Berangan. <i>Microbiological Research</i> , 2022, 265, 127176. | 5.3 | 6 |
| 4596 | Potential of methyltransferase containing <i>Pseudomonas oleovorans</i> for abatement of arsenic toxicity in rice. <i>Science of the Total Environment</i> , 2023, 856, 158944. | 8.0 | 7 |
| 4597 | Genomic and transcriptomic characterization of the <i>Collimonas</i> quorum sensing genes and regulon. <i>FEMS Microbiology Ecology</i> , 0, , . | 2.7 | 0 |
| 4598 | Synergistic activity of antagonistic <i>Trichoderma</i> spp. and <i>Rhizoctonia solani</i> increases disease severity on strawberry petioles. <i>European Journal of Plant Pathology</i> , 2022, 164, 375-389. | 1.7 | 4 |
| 4599 | Biological control and plant growth promotion properties of <i>Streptomyces albidoflavus</i> St-220 isolated from <i>Salvia miltiorrhiza</i> rhizosphere. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 15 |
| 4600 | Harnessing the saline soil-inhabiting bacteria for antagonistic, antibiotic resistance, and plant growth-promoting attributes. <i>Vegetos</i> , 0, , . | 1.5 | 0 |
| 4601 | Cryptic specialized metabolites drive <i>Streptomyces</i> exploration and provide a competitive advantage during growth with other microbes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 7.1 | 12 |
| 4603 | Diversity and Exploration of Endophytic Bacilli for the Management of Head Scab (<i>Fusarium</i>) Tj ETQq1 1 0.784314 μ g BT /Overlock 10 T | 2.8 | 1 |
| 4604 | Biotic and Abiotic Stress Factors Induce Microbiome Shifts and Enrichment of Distinct Beneficial Bacteria in Tomato Roots. <i>Phytobiomes Journal</i> , 2022, 6, 276-289. | 2.7 | 7 |
| 4605 | Characterization of a <i>Bacillus velezensis</i> strain isolated from <i>Bolbostemmatis Rhizoma</i> displaying strong antagonistic activities against a variety of rice pathogens. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 13 |
| 4606 | Culture dependent and independent characterization of endophytic bacteria in the seeds of highland barley. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 1 |
| 4607 | Bacteriocin Production by <i>Escherichia coli</i> during Biofilm Development. <i>Foods</i> , 2022, 11, 2652. | 4.3 | 2 |
| 4608 | Potential Microbial Consortium Mitigates Drought Stress in Tomato (<i>Solanum lycopersicum</i> L.) Plant by Up-regulating Stress-Responsive Genes and Improving Fruit Yield and Soil Properties. <i>Journal of Soil Science and Plant Nutrition</i> , 2022, 22, 4598-4615. | 3.4 | 3 |
| 4609 | Bacterial bioinoculants adapted for sustainable plant health and soil fertility enhancement in Namibia. <i>Frontiers in Sustainable Food Systems</i> , 0, 6, . | 3.9 | 1 |
| 4611 | Effects of Rhizosphere Bacteria on Strawberry Plants (<i>Fragaria</i> Å— <i>ananassa</i> Duch.) under Water Deficit. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10449. | 4.1 | 7 |
| 4612 | Novel Insights on Pyoverdine: From Biosynthesis to Biotechnological Application. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11507. | 4.1 | 8 |
| 4613 | Impact of Culturable Endophytic Bacteria on Soil Aggregate Formation and Peanut (<i>Arachis hypogaea</i>) Tj ETQq0 0 0 μ g BT /Overlock 10 T | 2.2 | 5 |
| 4614 | Relationship between Biofilm-Formation, Phenotypic Virulence Factors and Antibiotic Resistance in Environmental <i>Pseudomonas</i> Åaeruginosa. <i>Pathogens</i> , 2022, 11, 1015. | 2.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4615 | Semi-Arid-Habitat-Adapted Plant-Growth-Promoting Rhizobacteria Allows Efficient Wheat Growth Promotion. <i>Agronomy</i> , 2022, 12, 2221. | 3.0 | 5 |
| 4616 | <i>Bacillus velezensis</i> QA2 Potentially Induced Salt Stress Tolerance and Enhanced Phosphate Uptake in Quinoa Plants. <i>Microorganisms</i> , 2022, 10, 1836. | 3.6 | 7 |
| 4618 | Biodegradation modeling of phenol using <i>Curtobacterium flaccumfaciens</i> as plant-growth-promoting bacteria. <i>Heliyon</i> , 2022, 8, e10490. | 3.2 | 3 |
| 4619 | Prolific contribution of <i>Pseudomonas protegens</i> in Zn biofortification of wheat by modulating multifaceted physiological response under saline and non-saline conditions. <i>World Journal of Microbiology and Biotechnology</i> , 2022, 38, . | 3.6 | 7 |
| 4620 | Iron-dependent mutualism between <i>Chlorella sorokiniana</i> and <i>Ralstonia pickettii</i> forms the basis for a sustainable bioremediation system. <i>ISME Communications</i> , 2022, 2, . | 4.2 | 12 |
| 4621 | Potential of plant growth promoting bacterial consortium for improving the growth and yield of wheat under saline conditions. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 11 |
| 4622 | Bacteria isolated from e-waste soil enhance plant growth and mobilize trace metals in e-waste-amended soils. <i>International Journal of Phytoremediation</i> , 0, , 1-7. | 3.1 | 0 |
| 4623 | Imprints of PGPB association on the metabolic dynamism of <i>Piper nigrum</i> . <i>Journal of Plant Interactions</i> , 2022, 17, 967-979. | 2.1 | 2 |
| 4624 | Antifungal and growth activity of strains of <i>Trichoderma</i> spp. against the Avocado "tristeza" disease, <i>Phytophthora cinnamomi</i> . <i>Egyptian Journal of Biological Pest Control</i> , 2022, 32, . | 1.8 | 0 |
| 4625 | Antimicrobial capacity of <i>Pseudomonas brassicacearum</i> strain EnPb against potato soft rot agent. <i>European Journal of Plant Pathology</i> , 2023, 165, 215-231. | 1.7 | 2 |
| 4626 | Identification of a Novel <i>Streptomyces</i> sp. Strain HU2014 Showing Growth Promotion and Biocontrol Effect Against <i>Rhizoctonia</i> spp. in Wheat. <i>Plant Disease</i> , 2023, 107, 1139-1150. | 1.4 | 5 |
| 4627 | Comparative proteomic analysis of saline tolerant, phosphate solubilizing endophytic <i>Pantoea</i> sp., and <i>Pseudomonas</i> sp. isolated from <i>Eichhornia</i> rhizosphere. <i>Microbiological Research</i> , 2022, 265, 127217. | 5.3 | 9 |
| 4628 | Seedling growth promotion and potential biocontrol against phytopathogenic <i>Fusarium</i> by native rhizospheric <i>Pseudomonas</i> spp. strains from Amarillo Zamorano maize landrace. <i>Rhizosphere</i> , 2022, 24, 100601. | 3.0 | 5 |
| 4629 | Phytoremediation of DEHP and heavy metals co-contaminated soil by rice assisted with a PGPR consortium: Insights into the regulation of ion homeostasis, improvement of photosynthesis and enrichment of beneficial bacteria in rhizosphere soil. <i>Environmental Pollution</i> , 2022, 314, 120303. | 7.5 | 22 |
| 4630 | Studies on traditional Indian (turmeric) pickle as probiotic pickle for therapeutic uses in view of COVID-19 pandemic. , 2021, 19, . | | 0 |
| 4631 | Interactions of Nitrogen-Fixing Bacteria and Cereal Crops: An Important Dimension. <i>Microorganisms for Sustainability</i> , 2022, , 169-194. | 0.7 | 2 |
| 4632 | Interactions of Rhizobia with Nonleguminous Plants: A Molecular Ecology Perspective for Enhanced Plant Growth. <i>Microorganisms for Sustainability</i> , 2022, , 23-64. | 0.7 | 1 |
| 4633 | Effects of Seed Endophytic Bacteria on Life History and Reproductive Traits in a Cosmopolitan Weed, <i>Capsella bursa-pastoris</i> . <i>Plants</i> , 2022, 11, 2642. | 3.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4634 | A Little Helper: Beneficial Bacteria with Growth-Promoting Mechanisms Can Reduce Asian Soybean Rust Severity in a Cell-Free Formulation. <i>Agronomy</i> , 2022, 12, 2635. | 3.0 | 2 |
| 4635 | Enhanced legume growth and adaptation to degraded estuarine soils using <i>Pseudomonas</i> sp. nodule endophytes. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 5 |
| 4636 | Characterization and diversity of seed endophytic bacteria of the endemic holoparasitic plant <i>Cistanche armena</i> (Orobanchaceae) from a semi-desert area in Armenia. <i>Seed Science Research</i> , 2022, 32, 264-273. | 1.7 | 7 |
| 4637 | Effects of <i>Rhizobium leguminosarum</i> Thy2 on the Growth and Tolerance to Cadmium Stress of Wheat Plants. <i>Life</i> , 2022, 12, 1675. | 2.4 | 9 |
| 4638 | Deciphering the role of non-Frankia nodular endophytes in alder through in vitro and genomic characterization. <i>Canadian Journal of Microbiology</i> , 0, , . | 1.7 | 1 |
| 4639 | Critical Evaluation of Biocontrol Ability of Bayoud Infected Date Palm Phyllospheric <i>Bacillus</i> spp. Suggests That In Vitro Selection Does Not Guarantee Success in Planta. <i>Agronomy</i> , 2022, 12, 2403. | 3.0 | 1 |
| 4640 | Identification and in vitro Evaluation of Environmental Stress Resilient Plant Growth Promoting Rhizobacterial Consortia for Rice (<i>Oryza sativa</i> L.). <i>International Journal of Environment and Climate Change</i> , 0, , 3340-3354. | 0.0 | 0 |
| 4641 | Biofertilizer Based on Biochar and Metal-Tolerant Plant Growth Promoting Rhizobacteria Alleviates Copper Impact on Morphophysiological Traits in <i>Brassica napus</i> L.. <i>Microorganisms</i> , 2022, 10, 2164. | 3.6 | 5 |
| 4642 | Biocontrol Potential of Endophytic Fungi for the Eco-Friendly Management of Root Rot of <i>Cuminum cyminum</i> Caused by <i>Fusarium solani</i> . <i>Agronomy</i> , 2022, 12, 2612. | 3.0 | 4 |
| 4643 | Applied Tests to Select the Most Suitable Fungal Strain for the Recovery of Critical Raw Materials from Electronic Waste Powder. <i>Recycling</i> , 2022, 7, 72. | 5.0 | 2 |
| 4644 | Siderophore Synthesis Ability of the Nitrogen-Fixing Bacterium (NFB) GXGL-4A is Regulated at the Transcriptional Level by a Transcriptional Factor (trX) and an Aminomethyltransferase-Encoding Gene (amt). <i>Current Microbiology</i> , 2022, 79, . | 2.2 | 1 |
| 4645 | Identification and growth-promoting effect of endophytic bacteria in potato. <i>Annals of Microbiology</i> , 2022, 72, . | 2.6 | 1 |
| 4646 | Innovative Rhizosphere-Based Enrichment under P-Limitation Selects for Bacterial Isolates with High-Performance P-Solubilizing Traits. <i>Microbiology Spectrum</i> , 2022, 10, . | 3.0 | 3 |
| 4647 | Morphological and molecular characterization of Actinomycetes isolates and their metabolite fingerprinting. , 2021, 91, . | | 0 |
| 4648 | Abundant and diverse endophytic bacteria associated with medicinal plant <i>Arctium lappa</i> L. and their potential for host plant growth promoting. <i>Antonie Van Leeuwenhoek</i> , 2022, 115, 1405-1420. | 1.7 | 6 |
| 4649 | Management of Cumin Wilt Caused by <i>Fusarium oxysporum</i> Using Native Endophytic Bacteria. <i>Agronomy</i> , 2022, 12, 2510. | 3.0 | 8 |
| 4650 | Isolation and Functional Characterization of Culture-Dependent Endophytes Associated with <i>Vicia villosa</i> Roth. <i>Agronomy</i> , 2022, 12, 2417. | 3.0 | 2 |
| 4651 | Assessing the Various Antagonistic Mechanisms of <i>Trichoderma</i> Strains against the Brown Root Rot Pathogen <i>Pyrrhoderma noxium</i> Infecting Heritage Fig Trees. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 1105. | 3.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4652 | Plant Growth-Promoting Activities of Bacteria Isolated from an Anthropogenic Soil Located in Agrigento Province. <i>Microorganisms</i> , 2022, 10, 2167. | 3.6 | 5 |
| 4653 | Diversity and Bioactivity of Endophytic Actinobacteria Associated with Grapevines. <i>Current Microbiology</i> , 2022, 79, . | 2.2 | 2 |
| 4654 | Stringent Starvation Protein SspA and Iron Starvation Sigma Factor PvdS Coordinately Regulate Iron Uptake and Prodiginine Biosynthesis in <i>Pseudoalteromonas</i> sp. R3. <i>Applied and Environmental Microbiology</i> , 2022, 88, . | 3.1 | 1 |
| 4655 | Characterization of actinobacteria from wheat seeds for plant growth promoting traits and protection against fungal pathogens. <i>Journal of Basic Microbiology</i> , 2023, 63, 439-453. | 3.3 | 10 |
| 4656 | Silicon improves the effect of phosphate-solubilizing bacterium and arbuscular mycorrhizal fungus on phosphorus concentration of salinity-stressed alfalfa (<i>Medicago sativa</i> L.). <i>Rhizosphere</i> , 2022, 24, 100619. | 3.0 | 6 |
| 4657 | The Pex3-mediated peroxisome biogenesis plays a critical role in metabolic biosynthesis, stress response, and pathogenicity in <i>Alternaria alternata</i> . <i>Microbiological Research</i> , 2023, 266, 127236. | 5.3 | 3 |
| 4658 | Potential of <i>Miscanthus floridulus</i> associated with endophytic bacterium <i>Bacillus cereus</i> BL4 to remediate cadmium contaminated soil. <i>Science of the Total Environment</i> , 2023, 857, 159384. | 8.0 | 5 |
| 4659 | The combined use of a plant growth promoting <i>Bacillus</i> sp. strain and GABA promotes the growth of rice under salt stress by regulating antioxidant enzyme system, enhancing photosynthesis and improving soil enzyme activities. <i>Microbiological Research</i> , 2023, 266, 127225. | 5.3 | 19 |
| 4660 | Phytohormones producing rhizobacteria alleviate heavy metals stress in soybean through multilayered response. <i>Microbiological Research</i> , 2023, 266, 127237. | 5.3 | 15 |
| 4661 | Plant-endophytic bacteria interactions associated with root and leaf microbiomes of <i>Cattleya walkeriana</i> and their effect on plant growth. <i>Scientia Horticulturae</i> , 2023, 309, 111656. | 3.6 | 8 |
| 4662 | Identification and characterization of promising endophytic bacteria for growth promotion in chickpea (<i>Cicer arietinum</i>). , 2020, 90, 708-712. | | 1 |
| 4663 | Zinc-Solubilizing <i>Streptomyces</i> spp. as Bioinoculants for Promoting the Growth of Soybean (<i>Glycine max</i> (L.) Merrill). <i>Journal of Microbiology and Biotechnology</i> , 2022, 32, 1435-1446. | 2.1 | 3 |
| 4665 | Treatment with atypical rhizobia, <i>Pararhizobium giardinii</i> and <i>Ochrobactrum</i> sp. modulate the rhizospheric bacterial community, and enhances <i>Lens culinaris</i> growth in fallow-soil. <i>Microbiological Research</i> , 2023, 267, 127255. | 5.3 | 5 |
| 4666 | Rhizosphere bacteria associated with <i>Chenopodium quinoa</i> promote resistance to <i>Alternaria alternata</i> in tomato. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 5 |
| 4667 | Bacterial Siderophores: Classification, Biosynthesis, Perspectives of Use in Agriculture. <i>Plants</i> , 2022, 11, 3065. | 3.5 | 26 |
| 4668 | Pathogenesis of plant-associated <i>Pseudomonas aeruginosa</i> in <i>Caenorhabditis elegans</i> model. <i>BMC Microbiology</i> , 2022, 22, . | 3.3 | 3 |
| 4670 | Genetic Engineering of <i>Talaromyces marneffei</i> to Enhance Siderophore Production and Preliminary Testing for Medical Application Potential. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 1183. | 3.5 | 1 |
| 4671 | Thermophilic bacteria from Peruvian hot springs with high potential application in environmental biotechnology. <i>Environmental Technology</i> (United Kingdom), 2024, 45, 1420-1435. | 2.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4672 | <i>C</i>-Diazoniumdiolate Graminine in the Siderophore Gramibactin Is Photoreactive and Originates from Arginine. ACS Chemical Biology, 2022, 17, 3140-3147. | 3.4 | 9 |
| 4673 | Nematicidal, Acaricidal and Plant Growth-Promoting Activity of Enterobacter Endophytic Strains and Identification of Genes Associated with These Biological Activities in the Genomes. Plants, 2022, 11, 3136. | 3.5 | 1 |
| 4674 | Phosphorus Recycling, Biocontrol, and Growth Promotion Capabilities of Soil Bacterial Isolates from Mexican Oak Forests: An Alternative to Reduce the Use of Agrochemicals in Maize Cultivation. Applied Microbiology, 2022, 2, 965-980. | 1.6 | 1 |
| 4675 | Characterization and selection of endophytic actinobacteria for growth and disease management of Tea (Camellia sinensis L.). Frontiers in Plant Science, 0, 13, . | 3.6 | 3 |
| 4676 | Mitigation of low temperature stress and plant growth promotion in barley (Hordeum vulgare L.) by inoculation of psychrotrophic P-solubilizing Serratia nematodiphila EU-PW75. Cereal Research Communications, 0, , . | 1.6 | 0 |
| 4677 | Adhesion effect and mechanism of siderophore-producing bacteria onto goethite and boron-doped goethite. Colloids and Interface Science Communications, 2022, 51, 100680. | 4.1 | 1 |
| 4678 | Selective purification of catecholate, hydroxamate and "hydroxycarboxylate siderophores with Titanium Dioxide Affinity Chromatography. Separation and Purification Technology, 2022, , 122639. | 7.9 | 0 |
| 4679 | Bioformulation Containing Cohorts of Ensifer adhaerens MSN12 and Bacillus cereus MEN8 for the Nutrient Enhancement of Cicer arietinum L.. Plants, 2022, 11, 3123. | 3.5 | 4 |
| 4681 | Silicon Improves Plant Growth-Promoting Effect of Nodule Non-Rhizobial Bacterium on Nitrogen Concentration of Alfalfa Under Salinity Stress. Journal of Soil Science and Plant Nutrition, 2023, 23, 496-513. | 3.4 | 4 |
| 4682 | Plant growth promoting and antimicrobial functionalities of rhizosphere <i>Pseudomonas</i> species in flooded rice soils of coastal Odisha. Environmental Quality Management, 0, , . | 1.9 | 0 |
| 4683 | Optimization and identification of siderophores produced by Pseudomonas monteilii strain MN759447 and its antagonism toward fungi associated with mortality in Dalbergia sissoo plantation forests. Frontiers in Plant Science, 0, 13, . | 3.6 | 11 |
| 4684 | The potential of novel bacterial isolates from healthy ginseng for the control of ginseng root rot disease (Fusarium oxysporum). PLoS ONE, 2022, 17, e0277191. | 2.5 | 2 |
| 4685 | Effect of Metal-resistant PGPB on the Metal Uptake, Antioxidative Defense, Physiology, and Growth of Atriplex lentiformis (Torr.) S.Wats. in Soil Contaminated with Cadmium and Nickel. Journal of Plant Growth Regulation, 0, , . | 5.1 | 0 |
| 4686 | Nonribosomal peptide synthetase gene clusters and characteristics of predicted NRPS-dependent siderophore synthetases in Armillaria and other species in the Physalacriaceae. Current Genetics, 2023, 69, 7-24. | 1.7 | 2 |
| 4687 | Single and dual inoculation with rhizobacteria on alfalfa (Medicago sativa L.) growth under lead stress conditions. International Journal of Environmental Science and Technology, 0, , . | 3.5 | 0 |
| 4688 | The new isolated Archaea strain improved grain yield, metabolism and quality of wheat plants under Co stress conditions. Journal of Plant Physiology, 2023, 280, 153876. | 3.5 | 2 |
| 4689 | Characterization of a potent plant growth promoting fungal strain Aspergillus fumigatus MCC 1721 with special reference to indole-3-acetic acid production. Plant Science Today, 0, , . | 0.7 | 0 |
| 4690 | Efflux-linked accelerated evolution of antibiotic resistance at a population edge. Molecular Cell, 2022, 82, 4368-4385.e6. | 9.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4691 | Biocontrol activity of <i>Debaryomyces hansenii</i> against blue mold on apple and pear during cold storage. <i>Agrociencia Uruguay</i> , 2021, 25, . | 0.2 | 0 |
| 4692 | Isoavenaciol and 7-hydroxy-isoavenaciol: Zn-chelating metallophores produced by root-endophytic <i>Pezicula ericae</i> in a Zn-accumulating plant, <i>Aucuba japonica</i> . <i>Phytochemistry</i> , 2023, 206, 113547. | 2.9 | 0 |
| 4693 | Urinary tract infection and sepsis causing potential of multidrug-resistant Extraintestinal pathogenic <i>E. coli</i> isolated from plant-origin foods. <i>International Journal of Food Microbiology</i> , 2023, 386, 110048. | 4.7 | 1 |
| 4694 | Deciphering multifarious properties of <i>Pseudomonads</i> suppressing tomato (<i>Solanum lycopersicum</i>) wilt. , 2019, 89, . | | 0 |
| 4695 | Endophytic bacteria <i>Bacillus safensis</i> and <i>Pseudomonas hibiscicola</i> and their ability to increase rice seedling growth. <i>Arquivos Do Instituto Biologico</i> , 0, 89, . | 0.4 | 2 |
| 4697 | Antagonist activities of native rhizosphere micro-flora against groundnut stem rot pathogen, <i>Sclerotium rolfsii</i> Sacc.. <i>Egyptian Journal of Biological Pest Control</i> , 2022, 32, . | 1.8 | 1 |
| 4698 | Characterization of the antagonistic potential of the glyphosate-tolerant <i>Pseudomonas resinovorans</i> SZMC 25872 strain against the plant pathogenic bacterium <i>Agrobacterium tumefaciens</i> . <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 0 |
| 4699 | Insights on strain 115 plant growth-promoting bacteria traits and its contribution in lead stress alleviation in pea (<i>Pisum sativum</i> L.) plants. <i>Archives of Microbiology</i> , 2023, 205, . | 2.2 | 7 |
| 4700 | Promoción del crecimiento de tomate saladette con <i>Bacillus cereus</i> y estiércol solarizado en invernadero. <i>Revista Mexicana De Ciencias Agrícolas</i> , 2022, 13, 1259-1270. | 0.2 | 0 |
| 4702 | Characterization of siderophore produced by <i>Pseudomonas</i> sp. MT and its antagonist activity against <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> and <i>F. oxysporum</i> f. sp. <i>ciceris</i> . <i>Notulae Scientia Biologicae</i> , 2022, 14, 11298. | 0.4 | 0 |
| 4703 | Isolation, screening, characterization, and optimization of bacteria isolated from calcareous soils for siderophore production. <i>Archives of Microbiology</i> , 2022, 204, . | 2.2 | 7 |
| 4704 | Screening of Endophytes for Plant Growth-Promoting Metabolites. <i>Springer Protocols</i> , 2023, , 179-187. | 0.3 | 0 |
| 4705 | Bioprospecting of Multi Trait Plant Growth Promoting <i>Bacillus altitudinis</i> from Phosphate Rich Soil. <i>Geomicrobiology Journal</i> , 0, , 1-9. | 2.0 | 0 |
| 4706 | Nodulation and Growth Promotion of Chickpea by <i>Mesorhizobium</i> Isolates from Diverse Sources. <i>Microorganisms</i> , 2022, 10, 2467. | 3.6 | 1 |
| 4707 | Exploration of the rhizosphere microbiome of native plant <i>Ceanothus velutinus</i> “an excellent resource of plant growth-promoting bacteria. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 5 |
| 4708 | Characteristics of rhizosphere and endogenous bacterial community of Ulleung-sanmaneul, an endemic plant in Korea: application for alleviating salt stress. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 2 |
| 4709 | Genomic Insights into Two Endophytic Strains: <i>Stenotrophomonas geniculata</i> NWUBe21 and <i>Pseudomonas carnis</i> NWUBe30 from Cowpea with Plant Growth-Stimulating Attributes. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 12953. | 2.5 | 3 |
| 4710 | Plant Growth-Promoting Attributes of Zinc Solubilizing <i>Dietzia maris</i> Isolated from Polyhouse Rhizospheric Soil of Punjab. <i>Current Microbiology</i> , 2023, 80, . | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 4711 | Complete genome sequence analysis of a plant growth-promoting phylloplane <i>Bacillus altitudinis</i> FD48 offers mechanistic insights into priming drought stress tolerance in rice. <i>Genomics</i> , 2023, 115, 110550. | 2.9 | 8 |
| 4712 | Prevalance of multifunctional <i>Azospirillum formosense</i> strains in the rhizosphere of pearl millet across diverse edaphoclimatic regions of India. <i>Vegetos</i> , 0, , . | 1.5 | 4 |
| 4713 | Comparative Transcriptome Analysis Unravels the Response Mechanisms of <i>Fusarium oxysporum</i> f.sp. <i>cubense</i> to a Biocontrol Agent, <i>Pseudomonas aeruginosa</i> Gxun-2. <i>International Journal of Molecular Sciences</i> , 2022, 23, 15432. | 4.1 | 2 |
| 4714 | Co-inoculation of native multi-trait plant growth promoting rhizobacteria promotes plant growth and suppresses <i>Alternaria</i> blight disease in castor (<i>Ricinus communis</i> L.). <i>Heliyon</i> , 2022, 8, e11886. | 3.2 | 5 |
| 4715 | Heterologous production and characterization of a pyomelanin of Antarctic <i>Pseudomonas</i> sp. ANT_H4: a metabolite protecting against UV and free radicals, interacting with iron from minerals and exhibiting priming properties toward plant hairy roots. <i>Microbial Cell Factories</i> , 2022, 21, . | 4.0 | 6 |
| 4716 | Application of data integration for rice bacterial strain selection by combining their osmotic stress response and plant growth-promoting traits. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 1 |
| 4717 | Impact of carbendazim on cellular growth, defence system and plant growth promoting traits of <i>Priestia megaterium</i> ANCB-12 isolated from sugarcane rhizosphere. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 4 |
| 4718 | Developing a glyphosate-bioremediation strategy using plants and actinobacteria: Potential improvement of a riparian environment. <i>Journal of Hazardous Materials</i> , 2023, 446, 130675. | 12.4 | 2 |
| 4719 | Diversity of Antimicrobial Peptide Genes in <i>Bacillus</i> from the Andaman and Nicobar Islands: Untapped Island Microbial Diversity for Disease Management in Crop Plants. <i>Current Microbiology</i> , 2023, 80, . | 2.2 | 3 |
| 4720 | Symbiotic and Antagonistic Functions of the Bacterium <i>Burkholderia cepacia</i> BsNLG8, from the <i>Nilaparvata lugens</i> (Stal). <i>Agriculture (Switzerland)</i> , 2022, 12, 2106. | 3.1 | 0 |
| 4721 | Functional Divergence of the N-Lobe and C-Lobe of Transferrin Gene in <i>Pungitius sinensis</i> (Amur) Tj ETQq0 0 0 rgBT/JOverlock 10 Tf 50 3 | 2.3 | 1 |
| 4722 | Phylogenetic affiliation of endophytic actinobacteria associated with selected orchid species and their role in growth promotion and suppression of phytopathogens. <i>Frontiers in Plant Science</i> , 0, 13, . | 3.6 | 3 |
| 4723 | Diazotrophic bacterium <i>Azotobacter vinelandii</i> as a mutualistic growth promoter of an aquatic plant: <i>Lemna minor</i> . <i>Plant Growth Regulation</i> , 2023, 100, 171-180. | 3.4 | 4 |
| 4724 | Characterization of three <i>Stenotrophomonas</i> strains isolated from different ecosystems and proposal of <i>Stenotrophomonas mori</i> sp. nov. and <i>Stenotrophomonas lacuserhaii</i> sp. nov.. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 5 |
| 4725 | Genetic Determinants of Antagonistic Interactions and the Response of New Endophytic Strain <i>Serratia quinivorans</i> KP32 to Fungal Phytopathogens. <i>International Journal of Molecular Sciences</i> , 2022, 23, 15561. | 4.1 | 3 |
| 4726 | Comparative genomic analyses of four novel <i>Ramlibacter</i> species and the cellulose-degrading properties of <i>Ramlibacter cellulositicus</i> sp. nov.. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 5 |
| 4727 | Differential influence of heavy metals on plant growth promoting attributes of beneficial microbes and their ability to promote growth of <i>Vigna radiata</i> (mung bean). <i>Biocatalysis and Agricultural Biotechnology</i> , 2023, 47, 102592. | 3.1 | 2 |
| 4728 | Diversity and adaptation properties of actinobacteria associated with Tunisian stone ruins. <i>Frontiers in Microbiology</i> , 0, 13, . | 3.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4729 | Identification of the symbiovar maamori in Mesorhizobium isolated from nodules of Ononis repens in the Maamora forest (Morocco). Symbiosis, 0, , . | 2.3 | 1 |
| 4730 | Colorimetric Determination of Adenylation Domain Activity in Nonribosomal Peptide Synthetases by Using Chrome Azurol S. ChemBioChem, 2023, 24, . | 2.6 | 3 |
| 4731 | Potential of halotolerant PGPRs in growth and yield augmentation of Triticum aestivum var. HD2687 and Zea mays var. PSCL4642 cultivars under saline conditions. Biotechnologia, 2022, 103, 331-342. | 0.9 | 1 |
| 4732 | Alleviation of salt stress in winter wheat by <i>Pantoea</i> spp. endophytes isolated from spontaneous desert plants of the Sahara. Archives of Phytopathology and Plant Protection, 0, , 1-22. | 1.3 | 1 |
| 4734 | Calendula officinalis "A Great Source of Plant Growth Promoting Endophytic Bacteria (PGPEB) and Biological Control Agents (BCA). Microorganisms, 2023, 11, 206. | 3.6 | 6 |
| 4735 | Biochemical and Molecular Evaluation of Rhizobium spp. and its Growth Promotion Studies with Lentil (Lens culinaris Medik. L.). Journal of Pure and Applied Microbiology, 2023, 17, 155-166. | 0.9 | 2 |
| 4736 | Salinity alleviator bacteria in rice (Oryza sativa L.), their colonization efficacy, and synergism with melatonin. Frontiers in Plant Science, 0, 13, . | 3.6 | 3 |
| 4737 | Taxonomic Study of Three Novel Paenibacillus Species with Cold-Adapted Plant Growth-Promoting Capacities Isolated from Root of Larix gmelinii. Microorganisms, 2023, 11, 130. | 3.6 | 1 |
| 4738 | Effects of Pseudomonas sp. OBA 2.4.1 on Growth and Tolerance to Cadmium Stress in Pisum sativum L.. BioTech, 2023, 12, 5. | 2.6 | 2 |
| 4739 | The co-inoculation of Pseudomonas chlororaphis H1 and Bacillus altitudinis Y1 promoted soybean [Glycine max (L.) Merrill] growth and increased the relative abundance of beneficial microorganisms in rhizosphere and root. Frontiers in Microbiology, 0, 13, . | 3.5 | 2 |
| 4740 | Exploring the Identity and Properties of Two Bacilli Strains and their Potential to Alleviate Drought and Heavy Metal Stress. Horticulturae, 2023, 9, 46. | 2.8 | 7 |
| 4741 | Application of plant growth promoting microbes to enrich zinc in potato for nutritional security and sustainable agriculture. Rhizosphere, 2023, 25, 100665. | 3.0 | 4 |
| 4742 | Screening of indole-3-acetic acid PGPB from three agricultural systems at Nakhon Pathom, Thailand. Biodiversitas, 2022, 23, . | 0.6 | 2 |
| 4743 | Repurposing Over-the-Counter Drugs and an Iron-Chelator as Antibacterial Agents. Biosciences, Biotechnology Research Asia, 2022, 19, 1051-1063. | 0.5 | 0 |
| 4744 | Biochemical characterization of Bacillus species isolated from rice rhizosphere in Odisha. Oryza, 2022, 59, 470-482. | 0.4 | 0 |
| 4745 | Molecular identification and characterization of phytobeneficial osmotolerant endophytic bacteria inhabiting root nodules of the Saharan tree Vachellia tortilis subsp. raddiana. Archives of Microbiology, 2023, 205, . | 2.2 | 5 |
| 4746 | The Effect of Banana Rhizosphere Chemotaxis and Chemoattractants on Bacillus velezensis LG14-3 Root Colonization and Suppression of Banana Fusarium Wilt Disease. Sustainability, 2023, 15, 351. | 3.2 | 3 |
| 4747 | Optimization of Siderophore Production by Bacillus subtilis DR2 and Its Effect on Growth Promotion of Coriandrum sativum. Russian Agricultural Sciences, 2022, 48, 467-475. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4748 | Antigen Discovery for Next-Generation Pertussis Vaccines Using Immunoproteomics and Transposon-Directed Insertion Sequencing. <i>Journal of Infectious Diseases</i> , 2023, 227, 583-591. | 4.0 | 4 |
| 4749 | Screening of <i>Azotobacter</i> , <i>Bacillus</i> and <i>Pseudomonas</i> Species as Plant Growth-Promoting Bacteria. <i>Processes</i> , 2023, 11, 80. | 2.8 | 12 |
| 4750 | Biological Control of Verticillium Wilt and Growth Promotion in Tomato by Rhizospheric Soil-Derived <i>Bacillus amyloliquefaciens</i> OJ-2.16. <i>Pathogens</i> , 2023, 12, 37. | 2.8 | 7 |
| 4751 | Root priming with <i>Bacillus</i> spp. against bacterial wilt disease of tomato caused by <i>Ralstonia solanacearum</i> . , 2017, 87, . | | 0 |
| 4752 | Structure and Function Analysis of Cultivated <i>Meconopsis integrifolia</i> Soil Microbial Community Based on High-Throughput Sequencing and Culturability. <i>Biology</i> , 2023, 12, 160. | 2.8 | 2 |
| 4753 | Endophytic Bacteria in <i>Ricinus communis</i> L.: Diversity of Bacterial Community, Plantâ Growth Promoting Traits of the Isolates and Its Effect on Cu and Cd Speciation in Soil. <i>Agronomy</i> , 2023, 13, 333. | 3.0 | 2 |
| 4754 | <i>Microbacterium elymi</i> sp. nov., Isolated from the Rhizospheric Soil of <i>Elymus tsukushiensis</i> , a Plant Native to the Dokdo Islands, Republic of Korea. <i>Journal of Microbiology and Biotechnology</i> , 2023, 33, 188-194. | 2.1 | 1 |
| 4755 | Enhancement in NiÇCd Phytoremediation Efficiency of <i>Helianthus annuus</i> L. from Battery Waste Contaminated Soil by Bacterial Augmentation, Isolated from E-Waste Contaminated Sites. <i>International Journal of Environmental Research</i> , 2023, 17, . | 2.3 | 2 |
| 4756 | Halophytic Plant <i>Halostachys belangeriana</i> (Moq.) Botsch as a Source of Plant Growth-Promoting Endophytic Bacteria. <i>MikrobiolohichnyĖ Zhurnal</i> , 2023, 84, 30-39. | 0.6 | 0 |
| 4757 | Multi-trait Halotolerant Plant Growth-promoting Bacteria Mitigate Induced Salt Stress and Enhance Growth of <i>Amaranthus Viridis</i> . <i>Journal of Soil Science and Plant Nutrition</i> , 2023, 23, 1860-1883. | 3.4 | 12 |
| 4758 | Impact of plant growth promoting rhizobacteria <i>Serratia nematodiphila</i> RKG and <i>Pseudomonas plecoglossicida</i> RKG on secondary metabolites of turmeric rhizome. <i>Biocatalysis and Agricultural Biotechnology</i> , 2023, 47, 102622. | 3.1 | 6 |
| 4759 | Credibility assessment of cold adaptive <i>Pseudomonas jesenni</i> MP1 and <i>P. palleroniana</i> N26 on growth, rhizosphere dynamics, nutrient status, and yield of the kidney bean cultivated in Indian Central Himalaya. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 4 |
| 4760 | Culture-independent and culture-dependent approaches in symbiont analysis. , 2023, , 743-763. | | 0 |
| 4761 | Harnessing Novel Soil Bacteria for Beneficial Interactions with Soybean. <i>Microorganisms</i> , 2023, 11, 300. | 3.6 | 2 |
| 4763 | The Hyphosphere of Leaf-Cutting Ant Cultivars Is Enriched with Helper Bacteria. <i>Microbial Ecology</i> , 2023, 86, 1773-1788. | 2.8 | 3 |
| 4764 | Assessing Growth-Promoting Activity of Bacteria Isolated from Municipal Waste Compost on <i>Solanum lycopersicum</i> L. <i>Horticulturae</i> , 2023, 9, 214. | 2.8 | 1 |
| 4766 | A bacterial formula with native strains as alternative to chemical fertiliser for tomato crop. <i>Plant Growth Regulation</i> , 2024, 102, 251-266. | 3.4 | 1 |
| 4767 | Stress-buster <i>Enterobacter</i> sp. alleviates salinity stress in <i>Cajanus cajan</i> together with impacting its rhizospheric microbiome. <i>South African Journal of Botany</i> , 2023, 156, 202-212. | 2.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4768 | Coupling effect of ionophore and oxidoreductases produced by halotolerant novel fungal strain <i>Trametes flavida</i> WTFP2 on dye wastewater treatment: An optimized green bioprocess. <i>Journal of Environmental Chemical Engineering</i> , 2023, 11, 109629. | 6.7 | 3 |
| 4769 | Combined forage grass-microbial for remediation of strontium-contaminated soil. <i>Journal of Hazardous Materials</i> , 2023, 450, 131013. | 12.4 | 4 |
| 4770 | Integrated biochemical and transcriptomic analysis reveals the effects of <i>Burkholderia</i> sp. SRB-1 on cadmium accumulating in <i>Chrysopogon zizanioides</i> L. under Cd stress. <i>Journal of Environmental Management</i> , 2023, 337, 117723. | 7.8 | 2 |
| 4771 | Development of Zn biofertilizer microbeads encapsulating <i>Enterobacter ludwigii</i> -PS10 mediated alginate, starch, poultry waste and its efficacy in <i>Solanum lycopersicum</i> growth enhancement. <i>International Journal of Biological Macromolecules</i> , 2023, 240, 124381. | 7.5 | 5 |
| 4772 | Optimized drought tolerance in barley (<i>Hordeum vulgare</i> L.) using plant growth-promoting rhizobacteria (PGPR). <i>Biocatalysis and Agricultural Biotechnology</i> , 2023, 50, 102691. | 3.1 | 10 |
| 4775 | Assessment of cumulative microbial respiration and their ameliorative role in sustaining maize growth under salt stress. <i>Plant Physiology and Biochemistry</i> , 2023, 196, 33-42. | 5.8 | 6 |
| 4776 | PGPR Promotes the Recovery of Submerged Macrophytes via Indigenous Microbiome Modulations under Combined Abiotic Stress. <i>Water (Switzerland)</i> , 2023, 15, 590. | 2.7 | 1 |
| 4777 | Temporal Dynamics of Potassium Release from Waste Mica as Influenced by Potassium Mobilizing Bacteria. <i>Journal of Pure and Applied Microbiology</i> , 2023, 17, 273-288. | 0.9 | 2 |
| 4778 | Targeting Siderophore-Mediated Iron Uptake in <i>M. abscessus</i> : A New Strategy to Limit the Virulence of Non-Tuberculous Mycobacteria. <i>Pharmaceutics</i> , 2023, 15, 502. | 4.5 | 6 |
| 4779 | The Screening of Plant Growth-promoting Rhizobacteria based on the Ability to Promote the Growth and Nodulation of Soybean (<i>Glycine max</i> L.) Seedlings. <i>Journal of Pure and Applied Microbiology</i> , 2023, 17, 231-240. | 0.9 | 0 |
| 4780 | Alleviation of cold stress in wheat with psychrotrophic phosphorus solubilizing <i>Acinetobacter rhizosphaerae</i> EU-KL44. <i>Brazilian Journal of Microbiology</i> , 2023, 54, 371-383. | 2.0 | 5 |
| 4781 | Establishment of seed biopriming in salt stress mitigation of rice plants by mangrove derived <i>Bacillus</i> sp.. <i>Biocatalysis and Agricultural Biotechnology</i> , 2023, 48, 102626. | 3.1 | 6 |
| 4782 | Impact of parabens on drinking water bacteria and their biofilms: The role of exposure time and substrate materials. <i>Journal of Environmental Management</i> , 2023, 332, 117413. | 7.8 | 6 |
| 4783 | Potential of desiccation-tolerant plant growth-promoting rhizobacteria in growth augmentation of wheat (<i>Triticum aestivum</i> L.) under drought stress. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 2 |
| 4784 | Biological control of diseases caused by <i>Rhizoctonia solani</i> AG-2-2 in sugar beet (<i>Beta vulgaris</i> L.) using plant growth-promoting rhizobacteria (PGPR). <i>Physiological and Molecular Plant Pathology</i> , 2023, 124, 101966. | 2.5 | 8 |
| 4785 | Plant-beneficial <i>Bacillus</i> , <i>Pseudomonas</i> , and <i>Staphylococcus</i> spp. from Kumaon Himalayas and their drought tolerance response. <i>Frontiers in Sustainable Food Systems</i> , 0, 7, . | 3.9 | 1 |
| 4787 | <i>Brevibacillus</i> DesertYSK and <i>Rhizobium</i> MAP7 stimulate the growth and pigmentation of <i>Lactuca sativa</i> L.. <i>Journal of Genetic Engineering and Biotechnology</i> , 2023, 21, 17. | 3.3 | 2 |
| 4788 | Antagonistic Strain <i>Bacillus halotolerans</i> Jk-25 Mediates the Biocontrol of Wheat Common Root Rot Caused by <i>Bipolaris sorokiniana</i> . <i>Plants</i> , 2023, 12, 828. | 3.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4789 | Root-Associated Antagonistic <i>Pseudomonas</i> spp. Contribute to Soil Suppressiveness against Banana Fusarium Wilt Disease of Banana. <i>Microbiology Spectrum</i> , 2023, 11, . | 3.0 | 7 |
| 4790 | The Role of the Yersiniachelin Siderophore in the Physiology of <i>Yersinia pestis</i>,. <i>Problemy Osobo Opasnykh Infektsii</i> , 2023, , 75-81. | 0.6 | 0 |
| 4791 | Biomining <i>Sesuvium portulacastrum</i> for halotolerant PGPR and endophytes for promotion of salt tolerance in <i>Vigna mungo</i> L.. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 2 |
| 4792 | Regulation of Multidrug Efflux Pumps by TetR Family Transcriptional Repressor Negatively Affects Secondary Metabolism in <i>Streptomyces coelicolor</i> A3(2). <i>Applied and Environmental Microbiology</i> , 2023, 89, . | 3.1 | 0 |
| 4793 | Entomopathogenic Fungi-Mediated Solubilization and Induction of Fe Related Genes in Melon and Cucumber Plants. <i>Journal of Fungi</i> (Basel, Switzerland), 2023, 9, 258. | 3.5 | 7 |
| 4794 | Production and characterization of bioemulsifier by <i>Parapedobacter indicus</i> . <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 2 |
| 4795 | Diaporthe species associated with the maritime grass <i>Festuca rubra</i> subsp. <i>pruinosa</i> . <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 3 |
| 4796 | A Bacillaceae consortium positively impacts arbuscular mycorrhizal fungus colonisation, plant phosphate nutrition, and tuber yield in <i>Solanum tuberosum</i> cv. Jazzy. <i>Symbiosis</i> , 2023, 89, 235-250. | 2.3 | 0 |
| 4797 | Harnessing bacterial strain from rhizosphere to develop indigenous PGPR consortium for enhancing lobia (<i>Vigna unguiculata</i>) production. <i>Heliyon</i> , 2023, 9, e13804. | 3.2 | 3 |
| 4798 | Antifungal Metabolites of <i>Streptomyces chrestomyceticus</i> STR-2 Inhibits <i>Magnaporthe oryzae</i> , the Incitant of Rice Blast. <i>Current Microbiology</i> , 2023, 80, . | 2.2 | 2 |
| 4799 | <i>Azospirillum</i> – <i>Bacillus</i> associations: synergistic effects on in vitro PGP traits and growth of pearl millet at early seedling stage under limited moisture conditions. <i>3 Biotech</i> , 2023, 13, . | 2.2 | 2 |
| 4800 | Endophytic Bacteria Isolated from Tea Leaves (<i>Camellia sinensis</i> var. <i>assamica</i>) Enhanced Plant-Growth-Promoting Activity. <i>Agriculture</i> (Switzerland), 2023, 13, 533. | 3.1 | 3 |
| 4801 | Virulence factors of Gram-negative bacteria from free-ranging Amazon river dolphins (<i>Inia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 Td | 1.7 | 0 |
| 4802 | Temperature-induced modulation of stress-tolerant PGP genes bioprospeted from <i>Bacillus</i> sp. IHBT-705 associated with saffron (<i>Crocus sativus</i>) rhizosphere: A natural -treasure trove of microbial biostimulants. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 4 |
| 4803 | Self-digestive solution of <i>Lysobacter enzymogenes</i> LE16 as a biofungicide to control plant powdery mildew. <i>Archives of Agronomy and Soil Science</i> , 2023, 69, 2898-2910. | 2.6 | 1 |
| 4805 | Role of <i>Trichoderma</i> against the soil-borne phytopathogens of tomato. , 2023, , 29-80. | | 0 |
| 4807 | Insights into the Biocontrol Function of a <i>Burkholderia gladioli</i> Strain against <i>Botrytis cinerea</i> . <i>Microbiology Spectrum</i> , 2023, 11, . | 3.0 | 6 |
| 4808 | Bioassessment of Phylogenetic Relatedness and Plant Growth Enhancement of Endophytic Bacterial Isolates from Cowpea (<i>Vigna unguiculata</i>) Plant Tissues. <i>Horticulturae</i> , 2023, 9, 332. | 2.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4809 | A Specific High Toxicity of Xinjunan (Dioctyldiethylenetriamine) to <i>Xanthomonas</i> by Affecting the Iron Metabolism. <i>Microbiology Spectrum</i> , 2023, 11, . | 3.0 | 3 |
| 4810 | A Plant Biostimulant from <i>Ascophyllum nodosum</i> Potentiates Plant Growth Promotion and Stress Protection Activity of <i>Pseudomonas protegens</i> CHA0. <i>Plants</i> , 2023, 12, 1208. | 3.5 | 6 |
| 4811 | ACC deaminase producing PGPR modulates nutrients uptake, soil properties and growth of cluster bean (<i>Cyamopsis tetragonoloba</i> L.) under deficit irrigation. , 2023, 78, 2303-2316. | | 4 |
| 4812 | Novel synergism of <i>Cedecea lapagei</i> KU14 and <i>Bacillus subtilis</i> KU21 for sustainable productivity of <i>Rosmarinus officinalis</i> in Northwest Himalayas. <i>Rhizosphere</i> , 2023, 25, 100683. | 3.0 | 0 |
| 4813 | Identification of Multiple Iron Uptake Mechanisms in <i>Enterococcus faecalis</i> and Their Relationship to Virulence. <i>Infection and Immunity</i> , 2023, 91, . | 2.2 | 1 |
| 4814 | Isolation of beneficial bacteria from strawberry (<i>Fragaria x ananassa</i> , Duch). Potentialities for fungal disease control and plant growth promotion. <i>Plant Growth Regulation</i> , 2024, 102, 135-152. | 3.4 | 0 |
| 4815 | Strain <i>Streptomyces</i> sp. P-56 Produces Nonactin and Possesses Insecticidal, Acaricidal, Antimicrobial and Plant Growth-Promoting Traits. <i>Microorganisms</i> , 2023, 11, 764. | 3.6 | 5 |
| 4816 | Internal Transcribed Spacer and 16S Amplicon Sequencing Identifies Microbial Species Associated with Asbestos in New Zealand. <i>Genes</i> , 2023, 14, 729. | 2.4 | 2 |
| 4817 | Not just passengers, but co-pilots! Non-rhizobial nodule-associated bacteria promote cowpea growth and symbiosis with (brady)rhizobia. <i>Journal of Applied Microbiology</i> , 2023, 134, . | 3.1 | 1 |
| 4818 | Mechanisms of Surfactin from <i>Bacillus subtilis</i> SF1 against <i>Fusarium foetens</i> : A Novel Pathogen Inducing Potato Wilt. <i>Journal of Fungi (Basel, Switzerland)</i> , 2023, 9, 367. | 3.5 | 4 |
| 4819 | <i>De novo</i> genomic analysis of <i>Enterobacter asburiae</i> EBRJ12, a plant growth-promoting rhizobacteria isolated from the rhizosphere of <i>Phaseolus vulgaris</i> L. <i>Journal of Applied Microbiology</i> , 2023, 134, . | 3.1 | 6 |
| 4820 | Strategies to Evaluate Microbial Consortia for Mitigating Abiotic Stress in Plants. <i>Microorganisms for Sustainability</i> , 2023, , 177-203. | 0.7 | 2 |
| 4822 | In vitro determination of efficacies of some endophytic and rhizospheric bacteria against <i>Macrophomina phaseolina</i> in beans. <i>Harran TarÄ±m Ve GÄ±da Bilimleri Dergisi</i> , 2023, 27, 42-51. | 0.5 | 0 |
| 4824 | Co-Inoculation of Non-Symbiotic Bacteria <i>Bacillus</i> and <i>Paraburkholderia</i> Can Improve the Soybean Yield, Nutrient Uptake, and Soil Parameters. <i>Molecular Biotechnology</i> , 0, , . | 2.4 | 3 |
| 4825 | Occurrence, identification and characterization of diazotrophic bacteria from aerial roots of <i>Rhynchosyilis retusa</i> (L.) Blume for plant growth-promoting activity. <i>Archives of Microbiology</i> , 2023, 205, . | 2.2 | 0 |
| 4826 | <i>Herbaspirillum</i> sp. ZNX111 Colonization Characters to Different Tea Cultivars and the Effects on Tea Metabolites Profiling on Zijuan (<i>Camellia sinensis</i> var. <i>assamica</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2023, 71, 5283-5292. | 5.2 | 1 |
| 4827 | Two new siderophores produced by <i>Pseudomonas</i> sp. NCIMB 10586: The anti-oomycete non-ribosomal peptide synthetase-dependent mupirochelin and the NRPS-independent triabactin. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 1 |
| 4828 | Genomics assisted characterization of plant growth-promoting and metabolite producing psychrotolerant Himalayan <i>Chryseobacterium cucumeris</i> PCH239. <i>Archives of Microbiology</i> , 2023, 205, . | 2.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4829 | Fungicide sensitivity of grapevine bacteria with plant growth-promoting traits and antagonistic activity as non-target microorganisms. <i>World Journal of Microbiology and Biotechnology</i> , 2023, 39, . | 3.6 | 1 |
| 4830 | Identification and characterization of siderophilic biocontrol strain SL-44 combined with whole genome. <i>Environmental Science and Pollution Research</i> , 0, , . | 5.3 | 0 |
| 4831 | Evaluation of the growth-inducing efficacy of various <i>Bacillus</i> species on the salt-stressed tomato (<i>Lycopersicon esculentum</i> Mill.). <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 23 |
| 4832 | <i>Euphorbia helioscopia</i> a Putative Plant Reservoir of Pathogenic <i>Curtobacterium flaccumfaciens</i> . <i>Current Microbiology</i> , 2023, 80, . | 2.2 | 0 |
| 4833 | The Regulatory Hub of Siderophore Biosynthesis in the Phytopathogenic Fungus <i>Alternaria alternata</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2023, 9, 427. | 3.5 | 1 |
| 4834 | Role of Fungi in Imparting General Disease Suppressiveness in Soil from Organic Field. <i>Microbial Ecology</i> , 2023, 86, 2047-2059. | 2.8 | 3 |
| 4835 | Improvement in Quality and Yield of Mungbean Through Combined Use of Crop-Specific <i>Rhizobium</i> and Physiological Precursors. <i>Gesunde Pflanzen</i> , 0, , . | 3.0 | 0 |
| 4836 | <i>Rothia</i> from the Human Nose Inhibit <i>Moraxella catarrhalis</i> Colonization with a Secreted Peptidoglycan Endopeptidase. <i>MBio</i> , 2023, 14, . | 4.1 | 10 |
| 4837 | Genomic Islands Involved in Iron Uptake. , 2023, , 143-170. | | 0 |
| 4838 | Seed endophytic bacterial profiling from wheat varieties of contrasting heat sensitivity. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 6 |
| 4839 | A new system to study directional volatile-mediated interactions reveals the ability of fungi to specifically react to other fungal volatiles. <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 2.2 | 2 |
| 4840 | Biotechnological potential of <i>Bacillus</i> sp. S26 for alleviation of abiotic and biotic stresses in vine. <i>World Journal of Microbiology and Biotechnology</i> , 2023, 39, . | 3.6 | 4 |
| 4841 | Exploring potential soybean bradyrhizobia from high trehalose-accumulating soybean genotypes for improved symbiotic effectiveness in soybean. <i>International Microbiology</i> , 2023, 26, 973-987. | 2.4 | 2 |
| 4842 | The Plant Growth-Promoting Bacteria Strain <i>Bacillus mojavensis</i> I4 Enhanced Salt Stress Tolerance in Durum Wheat. <i>Current Microbiology</i> , 2023, 80, . | 2.2 | 5 |
| 4843 | <i>Paenibacillus dendrobii</i> sp. nov., an indole-3-acetic acid-producing endophytic bacterium isolated from <i>Dendrobium nobile</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, . | 1.7 | 0 |
| 4844 | Non-rhizobial nodule endophytes improve nodulation, change root exudation pattern and promote the growth of lentil, for prospective application in fallow soil. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 5 |
| 4845 | The combination of multiple plant growth promotion and hydrolytic enzyme producing rhizobacteria and their effect on Jerusalem artichoke growth improvement. <i>Scientific Reports</i> , 2023, 13, . | 3.3 | 6 |
| 4846 | Studies on Endurance of <i>Azospirillum formosense</i> Strains to Osmotic Stress and Modulation of Early Stage Pearl Millet Growth. <i>Applied Biochemistry and Microbiology</i> , 2023, 59, 206-215. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 4847 | Isolation and identification of mycorrhizal helper bacteria of <i>Vaccinium uliginosum</i> and their interaction with mycorrhizal fungi. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 2 |
| 4848 | Impact of soybean-associated plant growth-promoting bacteria on plant growth modulation under alkaline soil conditions. <i>Heliyon</i> , 2023, 9, e14620. | 3.2 | 1 |
| 4849 | Complete genome analysis of sugarcane root associated endophytic diazotroph <i>Pseudomonas aeruginosa</i> DJ06 revealing versatile molecular mechanism involved in sugarcane development. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 3 |
| 4850 | Isolation and characterization of halotolerant plant growth promoting rhizobacteria from mangrove region of Sundarbans, India for enhanced crop productivity. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 10 |
| 4851 | Screening for Multifarious Plant Growth Promoting and Biocontrol Attributes in <i>Bacillus</i> Strains Isolated from Indo Gangetic Soil for Enhancing Growth of Rice Crops. <i>Microorganisms</i> , 2023, 11, 1085. | 3.6 | 2 |
| 4852 | Predation pressure regulates plant growth promoting (PGP) attributes of bacterial species. <i>Journal of Applied Microbiology</i> , 2023, 134, . | 3.1 | 3 |
| 4853 | THE POTENTIAL OF PHOSPHATE SOLUBILIZING AND PLANT GROWTH PROMOTERS OF <i>Burkholderia territorii</i> EF. NAP 1 ISOLATED FROM ACID SOILS FOR THE CONSERVATION OF FORMERLY RUBBER PLANTATION LAND. , 2023, 14, 317-330. | | 1 |
| 4854 | Research progress on iron uptake pathways and mechanisms of foodborne microorganisms and their application in the food sector. <i>Critical Reviews in Food Science and Nutrition</i> , 0, , 1-19. | 10.3 | 0 |
| 4855 | Unraveling the Plant Growth-Promoting Mechanisms of <i>Stenotrophomonas</i> sp. CV83 for Drought Stress Tolerance and Growth Enhancement in Chickpea. <i>Journal of Plant Growth Regulation</i> , 2023, 42, 6760-6775. | 5.1 | 0 |
| 4856 | Seed vectored bacterial endophyte <i>Bacillus pumilus</i> protect sorghum (<i>Sorghum bicolor</i> L.) seedlings from a fungal pathogen <i>Rhizoctonia solani</i> . <i>Biological Control</i> , 2023, 183, 105249. | 3.0 | 6 |
| 4857 | Iron Delivery through Membrane Vesicles in <i>Corynebacterium glutamicum</i> . <i>Microbiology Spectrum</i> , 2023, 11, . | 3.0 | 1 |
| 4858 | Genotypic and phenotypic uniformity among the population of <i>Pectobacterium atrosepticum</i> strains isolated during three growing seasons from potato fields in Poland. <i>European Journal of Plant Pathology</i> , 2023, 167, 99-121. | 1.7 | 1 |
| 4859 | Indigenous plant growth-promoting rhizospheric and endophytic bacteria as liquid bioinoculants for growth of sweet pepper (<i>Capsicum annuum</i> L.). , 2023, 78, 2623-2633. | | 2 |
| 4860 | Evaluation of the Potential of Rhizobacteria in Supplying Nutrients of <i>Zea mays</i> L. Plant with a Focus on Zinc. <i>Journal of Soil Science and Plant Nutrition</i> , 2023, 23, 1816-1829. | 3.4 | 2 |
| 4861 | Isolation of Inorganic Phosphorus-Solubilizing Bacteria from the Rhizosphere of <i>Festuca arundinacea</i> Schreb.. <i>Geomicrobiology Journal</i> , 2023, 40, 538-546. | 2.0 | 0 |
| 4863 | Effects of Microbial Inoculants and Organic Amendments on Wheat Nutrition and Development in a Variety of Soils. <i>Journal of Soil Science and Plant Nutrition</i> , 0, , . | 3.4 | 2 |
| 4864 | A toxin-mediated policing system in <i>Bacillus</i> optimizes division of labor via penalizing cheater-like nonproducers. <i>ELife</i> , 0, 12, . | 6.0 | 2 |
| 4865 | Selenium-oxidizing <i>Agrobacterium</i> sp. T3F4 decreases arsenic uptake by <i>Brassica rapa</i> L. under a native polluted soil. <i>Journal of Environmental Sciences</i> , 2024, 138, 506-515. | 6.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4866 | Metabolically versatile psychrotolerant Antarctic bacterium <i>Pseudomonas</i> sp. ANT_H12B is an efficient producer of siderophores and accompanying metabolites (SAM) useful for agricultural purposes. <i>Microbial Cell Factories</i> , 2023, 22, . | 4.0 | 2 |
| 4867 | Multifarious microbial biostimulants promote growth in <i>Arachis hypogaea</i> L.. <i>Frontiers in Sustainable Food Systems</i> , 0, 7, . | 3.9 | 1 |
| 4868 | Genetic polymorphism and plant growth promotion traits of potent fungal entomopathogens of rice leaf folder. <i>Archives of Microbiology</i> , 2023, 205, . | 2.2 | 1 |
| 4869 | Unveiling a Virulence-Regulating Mechanism in <i>Aeromonas hydrophila</i> : a Quantitative Exoproteomic Analysis of an AraC-Like Protein. <i>Frontiers in Immunology</i> , 0, 14, . | 4.8 | 2 |
| 4870 | Insight into <i>Andrographis paniculata</i> associated bacterial endomicrobiome and assessment of culturable bacterial endophytes for enhancement of industrially important andrographolide content. <i>Industrial Crops and Products</i> , 2023, 200, 116840. | 5.2 | 5 |
| 4871 | In vitro screening of native rhizobacteria and selection of <i>Bacillus atrophaeus</i> for the biocontrol of pepper root rot in the Gansu Province, China. <i>Tropical Plant Pathology</i> , 0, , . | 1.5 | 0 |
| 4872 | Biogeochemical networks in the abandoned historical gold mines affecting mobilization and transport of arsenic in Kolar. <i>Journal of Hazardous Materials Advances</i> , 2023, 10, 100316. | 3.0 | 0 |
| 4873 | Application of halotolerant <i>Azotobacter chroococcum</i> W4ii isolated from technosoils to mitigate salt stress in wheat plant. <i>Open Research Europe</i> , 0, 3, 76. | 2.0 | 0 |
| 4875 | <i>Trichoderma viride</i> establishes biodefense against clubroot (<i>Plasmodiophora brassicae</i>) and fosters plant growth via colonizing root hairs in pak choi (spp.). <i>Biological Control</i> , 2023, 183, 105265. | 3.0 | 7 |
| 4876 | <i>Penicillium chrysogenum</i> strain 34-P promotes plant growth and improves initial development of maize under saline conditions. <i>Rhizosphere</i> , 2023, 26, 100710. | 3.0 | 2 |
| 4877 | Bacterial-Mediated Salinity Stress Tolerance in Maize (<i>Zea mays</i> L.): A Fortunate Way toward Sustainable Agriculture. <i>ACS Omega</i> , 2023, 8, 20471-20487. | 3.5 | 10 |
| 4878 | Halotolerant endophytes promote grapevine regrowth after salt-induced defoliation. <i>Journal of Plant Interactions</i> , 2023, 18, . | 2.1 | 1 |
| 4879 | Metal-Resistant PGPR Strain <i>Azospirillum brasilense</i> EMCC1454 Enhances Growth and Chromium Stress Tolerance of Chickpea (<i>Cicer arietinum</i> L.) by Modulating Redox Potential, Osmolytes, Antioxidants, and Stress-Related Gene Expression. <i>Plants</i> , 2023, 12, 2110. | 3.5 | 2 |
| 4880 | Endophytic bacteria with host-supportive genetic determinants in their genomes induce growth and antioxidant activity related gene functions in transcriptome of black rice (<i>Oryza sativa</i> L.). <i>Environmental and Experimental Botany</i> , 2023, 213, 105396. | 4.2 | 1 |
| 4881 | First Report on Novel Psychrotrophic Phosphorus-Solubilizing <i>Ochrobactrum thiophenivorans</i> EU-KL94 from Keylong Region in Great Himalayas and Their Role in Plant Growth Promotion of Oats (<i>Avena sativa</i> L.). <i>Current Microbiology</i> , 2023, 80, . | 2.2 | 1 |
| 4882 | Aerobic degradation of ketoprofen by marine consortia: Fenton-like reaction and degradation pathway. <i>Science of the Total Environment</i> , 2023, 892, 164520. | 8.0 | 1 |
| 4883 | Plant growth-promoting rhizobacteriaâ€™s (PGPR) effects on <i>Medicago sativa</i> growth, arbuscular mycorrhizal colonisation, and soil enzyme activities. <i>International Journal of Environmental Studies</i> , 0, , 1-19. | 1.6 | 0 |
| 4884 | Characterization of culturable epiphytic and endophytic bacteria of <i>Prunus</i> spp. and their potential for plant growth promotion and antagonistic activity against bacterial canker disease. , 2023, 105, 749-766. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4885 | Complete genome sequence of biocontrol strain <i>Bacillus velezensis</i> YC89 and its biocontrol potential against sugarcane red rot. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 3 |
| 4886 | Unlocking antagonistic potential of <i>Bacillus amyloliquefaciens</i> KRS005 to control gray mold. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 1 |
| 4887 | Improved engineering of <i>Pseudomonas aeruginosa</i> to study the adaptation of pyoverdine production under intra- or inter- specific bacterial competition. <i>Journal of Microbiological Methods</i> , 2023, 210, 106753. | 1.6 | 0 |
| 4888 | The Sigma Factor Asbl Is Required for the Expression of Acinetobactin Siderophore Transport Genes in <i>Aeromonas salmonicida</i> . <i>International Journal of Molecular Sciences</i> , 2023, 24, 9672. | 4.1 | 0 |
| 4889 | Functional insight of siderophore in reducing cadmium stress and inducing growth promotion in <i>Solanum melongena</i> . <i>South African Journal of Botany</i> , 2023, 158, 479-494. | 2.5 | 2 |
| 4890 | Management of damping off disease in tomato (<i>Solanum lycopersicum</i>) using potential biocontrol agent <i>Pseudomonas fluorescens</i> . , 2023, 93, . | | 1 |
| 4891 | Quantitative Determination of Ironâ€“Siderophore Complexes in Peat by Isotope-Exchange Size-Exclusion UPLCâ€“Electrospray Ionization High-Resolution Accurate Mass (HRAM) Mass Spectrometry. <i>Analytical Chemistry</i> , 2023, 95, 9182-9190. | 6.5 | 2 |
| 4892 | Effect of Heavy-Metal-Resistant PGPR Inoculants on Growth, Rhizosphere Microbiome and Remediation Potential of <i>Miscanthus Â— giganteus</i> in Zinc-Contaminated Soil. <i>Microorganisms</i> , 2023, 11, 1516. | 3.6 | 4 |
| 4893 | Antagonistic ability and genome mining of soil <i>Streptomyces</i> spp. against <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> . <i>European Journal of Plant Pathology</i> , 0, , . | 1.7 | 2 |
| 4894 | Culture-Dependent and Metabarcoding Characterization of the Sugar Beet (<i>Beta vulgaris</i> L.) Microbiome for High-Yield Isolation of Bacteria with Plant Growth-Promoting Traits. <i>Microorganisms</i> , 2023, 11, 1538. | 3.6 | 0 |
| 4895 | Statistical optimisation of process parameters involved in siderophore production of marine bacterial isolate <i>Marinobacter</i> sp. SVU_3. <i>Biomass Conversion and Biorefinery</i> , 0, , . | 4.6 | 1 |
| 4896 | Role of <i>Rahnella aquatilis</i> AZO16M2 in Phosphate Solubilization and Ex Vitro Acclimatization of <i>Musa acuminata</i> var. <i>Valery</i> . <i>Microorganisms</i> , 2023, 11, 1596. | 3.6 | 1 |
| 4897 | Biological control of root rot disease-causing <i>Rhizoctonia solani</i> in tomato plant by an endophytic fungus and analysis of growth promoting activities in greenhouse and field. <i>Physiological and Molecular Plant Pathology</i> , 2023, 127, 102080. | 2.5 | 4 |
| 4898 | Isolation and screening of multi-trait plant growth-promoting rhizobacteria (PGPR) colonizing saffron (<i>Crocus sativus</i> L.) rhizosphere. <i>Biocatalysis and Agricultural Biotechnology</i> , 2023, 51, 102730. | 3.1 | 2 |
| 4899 | Antimicrobial Traits of <i>Beauveria bassiana</i> Against <i>Rhizoctonia solani</i> , the Causal Agent of Sheath Blight of Rice Under Field Conditions. <i>Plant Disease</i> , 2023, 107, 1739-1756. | 1.4 | 2 |
| 4900 | Bacillibactin siderophore induces iron mobilisation responses inside aerobic rice variety through YSL15 transporter. <i>Rhizosphere</i> , 2023, 27, 100724. | 3.0 | 2 |
| 4901 | Aluminum-Immobilizing Rhizobacteria Modulate Root Exudation and Nutrient Uptake and Increase Aluminum Tolerance of Pea Mutant E107 (brz). <i>Plants</i> , 2023, 12, 2334. | 3.5 | 0 |
| 4902 | Differences in the Production of Extracellular Polymeric Substances (EPS) and Other Metabolites of <i>Plenodomus</i> (<i>Leptosphaeria</i>) Infecting Winter Oilseed Rape (<i>Brassica napus</i> L.). <i>Metabolites</i> , 2023, 13, 759. | 2.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4903 | Tistrellabactins A and B Are Photoreactive <i>C</i> -Diazoniumdiolate Siderophores from the Marine-Derived Strain <i>Tistrella mobilis</i> KA081020-065. <i>Journal of Natural Products</i> , 2023, 86, 1770-1778. | 3.0 | 1 |
| 4904 | Biological control of Fusarium-wilt and quality improvement of <i>Sesamum indicum</i> cv. ST-1 using fluorescent <i>Pseudomonas</i> . <i>Environment Conservation Journal</i> , 2023, 24, 364-372. | 0.2 | 0 |
| 4906 | Microbe-enriched farm yard manure (MFYM) approach for the suppression of <i>Ralstonia solanacearum</i> Yabuuchi (Smith) inciting bacterial wilt disease in eggplant (<i>Solanum melongena</i> L.). <i>Plant and Soil</i> , 0, , . | 3.7 | 0 |
| 4907 | AlgU controls environmental stress adaptation, biofilm formation, motility, pyochelin synthesis and antagonism potential in <i>Pseudomonas protegens</i> SN15-2. <i>Microbiological Research</i> , 2023, 272, 127396. | 5.3 | 1 |
| 4908 | CysB Is a Key Regulator of the Antifungal Activity of <i>Burkholderia pyrrocinia</i> JK-SH007. <i>International Journal of Molecular Sciences</i> , 2023, 24, 8067. | 4.1 | 1 |
| 4909 | Zinc solubilizing bacteria and their potential as bioinoculant for growth promotion of green soybean (<i>Glycine max</i> L. Merr.). <i>PeerJ</i> , 0, 11, e15128. | 2.0 | 6 |
| 4910 | Spontaneous mutations in <i>hlyD</i> and <i>tuf</i> genes result in resistance of <i>Dickeya solani</i> IPO 2222 to phage Φ D5 but cause decreased bacterial fitness and virulence in planta. <i>Scientific Reports</i> , 2023, 13, . | 3.3 | 2 |
| 4911 | Identification and Biosynthetic Study of the Siderophore Lysochelin in the Biocontrol Agent <i>Lysobacter enzymogenes</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2023, 71, 7418-7426. | 5.2 | 7 |
| 4912 | Synergistic Effect of Melatonin and <i>Lysinibacillus fusiformis</i> L. (PLT16) to Mitigate Drought Stress via Regulation of Hormonal, Antioxidants System, and Physio-Molecular Responses in Soybean Plants. <i>International Journal of Molecular Sciences</i> , 2023, 24, 8489. | 4.1 | 7 |
| 4914 | Efficacy of High-Altitude Biofilm-Forming Novel <i>Bacillus subtilis</i> Species as Plant Growth-Promoting Rhizobacteria on <i>Zea mays</i> L. <i>Applied Biochemistry and Biotechnology</i> , 2024, 196, 643-666. | 2.9 | 0 |
| 4915 | Genetic diversity, symbiotic efficiency, stress tolerance, and plant growth promotion traits of rhizobia nodulating <i>Vachellia tortilis</i> subsp. <i>raddiana</i> growing in dryland soils in southern Morocco. <i>Systematic and Applied Microbiology</i> , 2023, 46, 126434. | 2.8 | 1 |
| 4916 | Inoculation with <i>Actinobacteria</i> spp. Isolated from a Hyper-Arid Environment Enhances Tolerance to Salinity in Lettuce Plants (<i>Lactuca sativa</i> L.). <i>Plants</i> , 2023, 12, 2018. | 3.5 | 3 |
| 4918 | Assessing the role of ACC deaminase-producing bacteria in alleviating salinity stress and enhancing zinc uptake in plants by altering the root architecture of French bean (<i>Phaseolus vulgaris</i>) plants. <i>Planta</i> , 2023, 258, . | 3.2 | 4 |
| 4919 | Identification and Characterization of Infectious Pathogens Associated with Mass Mortalities of Pacific Oyster (<i>Crassostrea gigas</i>) Cultured in Northern China. <i>Biology</i> , 2023, 12, 759. | 2.8 | 5 |
| 4920 | Stress-tolerant Plant Growth-Promoting <i>Mesorhizobium ciceri</i> Isolates from MID-gangetic Plains. <i>Applied Biochemistry and Microbiology</i> , 2023, 59, 349-360. | 0.9 | 0 |
| 4921 | Isolation and Identification Antagonistic Bacterium <i>Paenibacillus tianmuensis</i> YM002 against <i>Acidovorax citrulli</i> . <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 0 |
| 4922 | Intermediates and shunt products of massiliachelin biosynthesis in <i>Massilia</i> sp. NR 4-1. <i>Beilstein Journal of Organic Chemistry</i> , 0, 19, 909-917. | 2.2 | 0 |
| 4923 | Diversity of Endophytic Microbes in <i>Taxus yunnanensis</i> and Their Potential for Plant Growth Promotion and Taxane Accumulation. <i>Microorganisms</i> , 2023, 11, 1645. | 3.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4924 | Diversity of Culturable Bacteria from Endemic Medicinal Plants of the Highlands of the Province of Parinacota, Chile. <i>Biology</i> , 2023, 12, 920. | 2.8 | 0 |
| 4925 | Assessment of halotolerant bacterial and fungal consortia for augmentation of wheat in saline soils. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 5 |
| 4926 | Multifaceted plant growth-promoting traits of indigenous rhizospheric microbes against <i>Phomopsis theae</i> , a causal agent of stem canker in tea plants. <i>World Journal of Microbiology and Biotechnology</i> , 2023, 39, . | 3.6 | 0 |
| 4927 | <i>Rhodotorula mucilaginosa</i> YR29 is able to accumulate Pb ²⁺ in vacuoles: a yeast with bioremediation potential. <i>World Journal of Microbiology and Biotechnology</i> , 2023, 39, . | 3.6 | 2 |
| 4928 | Metabolic Profiling of Endophytic Bacteria in Relation to Their Potential Application as Components of Multi-Task Biopreparations. <i>Microbial Ecology</i> , 0, , . | 2.8 | 1 |
| 4929 | Zinc-solubilizing <i>Bacillus</i> spp. in conjunction with chemical fertilizers enhance growth, yield, nutrient content, and zinc biofortification in wheat crop. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 2 |
| 4930 | Affinity difference determines the assembly and interaction mode of anammox community reconstructed by siderophores. <i>Science of the Total Environment</i> , 2023, 899, 165278. | 8.0 | 3 |
| 4931 | The effects of herbicide application on two soil phosphate solubilizing bacteria: <i>Pantoea agglomerans</i> and <i>Serratia rubidaea</i> . <i>Ecotoxicology</i> , 0, , . | 2.4 | 0 |
| 4932 | Endophytic bacterial taxonomic and functional diversity in the seeds of wheat genotypes from different agroecologies. <i>Journal of Plant Interactions</i> , 2023, 18, . | 2.1 | 0 |
| 4933 | Exploring the Phytobeneficial and Biocontrol Capacities of Endophytic Bacteria Isolated from Hybrid Vanilla Pods. <i>Microorganisms</i> , 2023, 11, 1754. | 3.6 | 0 |
| 4934 | Screening <i>Digitaria eriantha</i> cv. Suvernola Endophytic Bacteria for Maize Growth Promotion. <i>Plants</i> , 2023, 12, 2589. | 3.5 | 0 |
| 4935 | The effect of metal remediation on the virulence and antimicrobial resistance of the opportunistic pathogen <i>Pseudomonas aeruginosa</i> . <i>Evolutionary Applications</i> , 2023, 16, 1377-1389. | 3.1 | 0 |
| 4936 | <i>Histoplasma capsulatum</i> requires peroxisomes for multiple virulence functions including siderophore biosynthesis. <i>MBio</i> , 0, , . | 4.1 | 1 |
| 4937 | Synthesis and antibacterial activities of baulamycin A inspired derivatives. <i>European Journal of Medicinal Chemistry</i> , 2023, 259, 115592. | 5.5 | 0 |
| 4938 | Plant growth-promoting traits of culturable seed microbiome of citrus species from Purvanchal Himalaya. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 1 |
| 4939 | Isolation and selection of microalgae capable of stimulating rice plant development and seed production. <i>Algal Research</i> , 2023, 74, 103203. | 4.6 | 1 |
| 4940 | Isolation and characterization of phosphate-solubilizing bacterium <i>Pantoea rhizosphaerae</i> sp. nov. from <i>Acer truncatum</i> rhizosphere soil and its effect on <i>Acer truncatum</i> growth. <i>Frontiers in Plant Science</i> , 0, 14, . | 3.6 | 2 |
| 4941 | Cooperative microbial interactions drive spatial segregation in porous environments. <i>Nature Communications</i> , 2023, 14, . | 12.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4942 | Plant growth-promoting bacteria and exogenous phytohormones alleviate the adverse effects of drought stress in pigeon pea plants. Plant and Soil, 0, , . | 3.7 | 4 |
| 4943 | Promoting the growth of Sulla flexuosa L. by endophytic root nodule bacteria authors and affiliations. World Journal of Microbiology and Biotechnology, 2023, 39, . | 3.6 | 1 |
| 4944 | Evaluation of Bio-Friendly Formulations from Siderophore-Producing Fluorescent Pseudomonas as Biocontrol Agents for the Management of Soil-Borne Fungi, Fusarium oxysporum and Rhizoctonia solani. Agriculture (Switzerland), 2023, 13, 1418. | 3.1 | 0 |
| 4945 | Cr(VI) Reduction and Fe(II) Regeneration by <i>Penicillium oxalicum</i> SL2-Enhanced Nanoscale Zero-Valent Iron. Environmental Science & Technology, 2023, 57, 11313-11324. | 10.0 | 3 |
| 4946 | Diversity and potential plant growth promoting capacity of seed endophytic bacteria of the holoparasite Cistanche phelypaea (Orobanchaceae). Scientific Reports, 2023, 13, . | 3.3 | 1 |
| 4947 | Trichoderma Mediated Metal Chelator and Its Role in Solanum melongena Growth Under Heavy Metals. Journal of Plant Growth Regulation, 2024, 43, 178-200. | 5.1 | 1 |
| 4948 | Elma (Malus domestica L.) AÄY aÄS larÄ±nda AteÄY YanÄ±klÄ± ÄYÄ± HastalÄ± ÄYÄ± nÄ±n Rizobakteriler ile Biyolojik MÄ±cadelesi. TÄ±rkiye TarÄ±msal AraÄY tÄ±rmalar Dergisi, 0, , . | 0.8 | 1 |
| 4949 | Plant growth-promoting traits and activation of defense enzymes in traditional rice variety by fungal endophytes isolated from seeds of indigenous rice cultivars of Northeast India. South African Journal of Botany, 2023, 160, 483-492. | 2.5 | 1 |
| 4951 | Cadmium-chelating ability of the siderophore DHBS secreted by Leclercia adecarboxylata FCH-CR2 and its action mechanism. Science of the Total Environment, 2023, 900, 165850. | 8.0 | 0 |
| 4952 | Urine-based Detection of Congenital Portosystemic Shunt in C57BL/6 Mice. Function, 2023, 4, . | 2.3 | 0 |
| 4953 | Pseudomonas fluorescens RB5 as a Biocontrol Strain for Controlling Wheat Sheath Blight Caused by Rhizoctonia cerealis. Agronomy, 2023, 13, 1986. | 3.0 | 1 |
| 4954 | Uncovering the Secrets of Slow-Growing Bacteria in Tropical Savanna Soil Through Isolation and Genomic Analysis. Microbial Ecology, 0, , . | 2.8 | 0 |
| 4955 | Isolation and characterization of novel potassium-solubilizing purple nonsulfur bacteria from acidic paddy soils using culture-dependent and culture-independent techniques. Brazilian Journal of Microbiology, 2023, 54, 2333-2348. | 2.0 | 2 |
| 4956 | Extremophilic bacterial strains as plant growth promoters and biocontrol agents against Pythium ultimum and Rhizocotnia solani. , 2023, 105, 1347-1369. | | 1 |
| 4957 | Bacteria associated with Zn-hyperaccumulators Arabidopsis halleri and Arabidopsis arenosa from Znâ€Pbâ€Cd waste heaps in Poland as promising tools for bioremediation. Scientific Reports, 2023, 13, . | 3.3 | 2 |
| 4958 | Enhancing plant defense using rhizobacteria in processing tomatoes: a bioprospecting approach to overcoming Early Blight and Alternaria toxins. Frontiers in Microbiology, 0, 14, . | 3.5 | 0 |
| 4959 | PGPR control Phytophthora capsici in tomato through induced systemic resistance, early hypersensitive response and direct antagonism in a cultivar-specific manner. European Journal of Plant Pathology, 2023, 167, 811-832. | 1.7 | 4 |
| 4960 | Plant growth-promoting endophyte <i>Nigrospora oryzae</i> mitigates abiotic stress in rice (<i>Oryza</i>) Tj ETQq1 1.0, 784314, rgBT /Over | 2.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4961 | Sphingomonas sediminicola Dae20 Is a Highly Promising Beneficial Bacteria for Crop Biostimulation Due to Its Positive Effects on Plant Growth and Development. Microorganisms, 2023, 11, 2061. | 3.6 | 4 |
| 4962 | Plant Growth Promotion and Biocontrol Potentiality of Endophytes Isolated from Root Nodules of Sulla flexuosa L. Plants. International Journal of Agronomy, 2023, 2023, 1-9. | 1.2 | 2 |
| 4963 | Study of the biochemical activity and plant growth promoting bacteria in soils polluted with oxyfluorfen. Cogent Food and Agriculture, 2023, 9, . | 1.4 | 1 |
| 4964 | Encapsulation of <i>Pseudomonas aeruginosa</i> strain KBN12 decolourizes and bioremediates brilliant blue dye mediated toxicity in mung bean (<i>Vigna radiata</i> L.). Journal of Applied Microbiology, 2023, 134, . | 3.1 | 0 |
| 4965 | First Report on Secondary Metabolite and Pigment-Producing Endophytic Fungi of Medicinal Plants of Hilly Regions of Himachal Pradesh. The National Academy of Sciences, India, 0, , . | 1.3 | 0 |
| 4966 | Biocontrol of Rhizoctonia solani in basmati rice by the application of Lactobacillus and Weissella spp.. Scientific Reports, 2023, 13, . | 3.3 | 0 |
| 4967 | Isolation and characterization of soil cyanobacteria and microalgae and evaluation of their potential as plant biostimulants. Plant and Soil, 2023, 493, 115-136. | 3.7 | 0 |
| 4968 | Beneficial microbial consortium improves winter rye performance by modulating bacterial communities in the rhizosphere and enhancing plant nutrient acquisition. Frontiers in Plant Science, 0, 14, . | 3.6 | 1 |
| 4969 | Novel Strains of Pseudomonas fluorescens and Bacillus cereus and their Integrated use with Inorganic Fertilizers Enhancing P Availability, Crop Growth Parameters, and Sugarcane Yield in Subtropical India. Sugar Tech, 0, , . | 1.8 | 0 |
| 4970 | Functional traits and phylogenetic analysis of top-soil inhabiting rhizobacteria associated with tea rhizospheres in North Bengal, India. Current Research in Microbial Sciences, 2023, 5, 100200. | 2.3 | 1 |
| 4971 | Colonization potential of endophytes from halophytic plants growing in the ÆRunn of Kutch salt marshes and their contribution to mitigating salt stress in tomato cultivation. Frontiers in Microbiology, 0, 14, . | 3.5 | 3 |
| 4972 | Contribution of potassium solubilizing bacteria in improved potassium assimilation and cytosolic K ⁺ /Na ⁺ ratio in rice (Oryza sativa L.) under saline-sodic conditions. Frontiers in Microbiology, 0, 14, . | 3.5 | 1 |
| 4974 | The catechol moiety of obafluorin is essential for antibacterial activity. RSC Chemical Biology, 0, , . | 4.1 | 0 |
| 4975 | Diversity and characterization of antagonistic bacteria against <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> isolated from kiwifruit rhizosphere. FEMS Microbiology Letters, 2023, 370, . | 1.8 | 0 |
| 4976 | The Potential of Endophytic Fungi for Enhancing the Growth and Accumulation of Phenolic Compounds and Anthocyanin in Maled Phai Rice (Oryza sativa L.). Journal of Fungi (Basel, Switzerland), 2023, 9, 937. | 3.5 | 2 |
| 4977 | Regulation of 2,4-diacetylphloroglucinol biosynthesis and biocontrol capacity by the BolA family protein IbaG in <i>Pseudomonas fluorescens</i> 2P24. Microbiology Spectrum, 2023, 11, . | 3.0 | 0 |
| 4978 | Directed regulation of anammox communities based on exogenous siderophores for highly efficient nitrogen removal. Water Research, 2023, 243, 120394. | 11.3 | 6 |
| 4979 | Bioprospecting for Isoetes cangae Endophytes with Potential to Promote Plant Growth. International Journal of Microbiology, 2023, 2023, 1-12. | 2.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4980 | Endophytic Seed-Associated Bacteria as Plant Growth Promoters of Cuban Rice (<i>Oryza sativa</i> L.). <i>Microorganisms</i> , 2023, 11, 2317. | 3.6 | 4 |
| 4981 | The Gene <i>paaZ</i> of the Phenylacetic Acid (PAA) Catabolic Pathway Branching Point and <i>ech</i> outside the PAA Catabolon Gene Cluster Are Synergistically Involved in the Biosynthesis of the Iron Scavenger 7-Hydroxytropolone in <i>Pseudomonas donghuensis</i> HYS. <i>International Journal of Molecular Sciences</i> , 2023, 24, 12632. | 4.1 | 1 |
| 4982 | Modulation of ethylene and ROS-scavenging enzymes by multifarious plant growth-promoting endophytes in tomato (<i>Solanum lycopersicum</i>) plants to combat <i>Xanthomonas</i> -induced stress. <i>Plant Physiology and Biochemistry</i> , 2023, 202, 107982. | 5.8 | 1 |
| 4983 | Rhizosphere Bacterial Isolation from Indigenous Plants in Arid and Semi-Arid Algerian Soils: Implications for Plant Growth Enhancement. <i>Processes</i> , 2023, 11, 2907. | 2.8 | 0 |
| 4984 | Mineral weathering by <i>Collimonas pratensis</i> PMB3(1) as a function of mineral properties, solution chemistry and carbon substrate. <i>Npj Materials Degradation</i> , 2023, 7, . | 5.8 | 0 |
| 4985 | Elevated CO ₂ , O ₃ and their interaction have differential impact on soil microbial diversity and functions in wheat agroecosystems. <i>Rhizosphere</i> , 2023, 27, 100777. | 3.0 | 0 |
| 4986 | Biocontrol of bacterial seedling rot of rice plants using combination of <i>Cytobacillus firmus</i> JBRS159 and silicon. <i>PLoS ONE</i> , 2023, 18, e0290049. | 2.5 | 0 |
| 4987 | Characterization of the Pyrroloquinoline Quinone Producing <i>Rhodopseudomonas palustris</i> as a Plant Growth-Promoting Bacterium under Photoautotrophic and Photoheterotrophic Culture Conditions. <i>International Journal of Molecular Sciences</i> , 2023, 24, 14080. | 4.1 | 1 |
| 4988 | Suppression of tomato wilt by cell-free supernatants of <i>Acinetobacter baumannii</i> isolates from wild cacao from the Colombian Amazon. <i>World Journal of Microbiology and Biotechnology</i> , 2023, 39, . | 3.6 | 0 |
| 4989 | Antibacterial MccM as the Major Microcin in <i>Escherichia coli</i> Nissle 1917 against Pathogenic Enterobacteria. <i>International Journal of Molecular Sciences</i> , 2023, 24, 11688. | 4.1 | 1 |
| 4990 | Characterization of three new plant growth-promoting microbes and effects of the interkingdom interactions on plant growth and disease prevention. <i>Plant Cell Reports</i> , 2023, 42, 1757-1776. | 5.6 | 1 |
| 4991 | <i>Chryseobacterium herbae</i> Isolated from the Rhizospheric Soil of <i>Pyrola calliantha</i> H. Andres in Segrila Mountain on the Tibetan Plateau. <i>Microorganisms</i> , 2023, 11, 2017. | 3.6 | 0 |
| 4992 | Transcriptomic and phenotype analysis revealed the role of <i>rpoS</i> in stress resistance and virulence of a novel ST3355 ESBL-producing hypervirulent <i>Klebsiella pneumoniae</i> isolate. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 13, . | 3.9 | 1 |
| 4993 | Two distinct non-ribosomal peptide synthetase-independent siderophore synthetase gene clusters identified in <i>Armillaria</i> and other species in the Physalacriaceae. <i>G3: Genes, Genomes, Genetics</i> , 0, , . | 1.8 | 0 |
| 4994 | Plant growth-promoting endophytic fungi of the wild halophytic rice <i>Oryza coarctata</i> . <i>Annals of Microbiology</i> , 2023, 73, . | 2.6 | 4 |
| 4995 | Inhibitory effects of <i>Bacillus vallismortis</i> T27 against apple Valsa canker caused by <i>Valsa mali</i> . <i>Pesticide Biochemistry and Physiology</i> , 2023, 195, 105564. | 3.6 | 1 |
| 4996 | Bioprospecting Plant-Growth-Promoting Endophytic Bacteria Isolated from Moso Bamboo (<i>Phyllostachys edulis</i>) Shoots. <i>Forests</i> , 2023, 14, 2061. | 2.1 | 0 |
| 4997 | DFT-based analysis of siderophore-metal ion interaction for efficient heavy metal remediation. <i>Environmental Science and Pollution Research</i> , 2023, 30, 91780-91793. | 5.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4998 | ZnO nanoparticles in combination with Zn biofertilizer improve wheat plant growth and grain Zn content without significantly changing the rhizospheric microbiome. <i>Environmental and Experimental Botany</i> , 2023, 213, 105446. | 4.2 | 3 |
| 4999 | Enhance of tomato production and induction of changes on the organic profile mediated by <i>Rhizobium</i> biofortification. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 2 |
| 5000 | <i>Acinetobacter oleivorans</i> IRS14 alleviates cold stress in wheat by regulating physiological and biochemical factors. <i>Journal of Applied Microbiology</i> , 2023, 134, . | 3.1 | 1 |
| 5001 | Application of halotolerant <i>Azotobacter chroococcum</i> W4ii isolated from technosoils to mitigate salt stress in wheat plant. <i>Open Research Europe</i> , 0, 3, 76. | 2.0 | 3 |
| 5002 | PGPR mediated enhancement of saffron corm production in non-traditional area of Himachal Pradesh, India. <i>South African Journal of Botany</i> , 2023, 161, 434-443. | 2.5 | 0 |
| 5003 | Unlocking the potential of rhizobacteria in Moroccan vineyard soils: Biocontrol of grapevine trunk diseases and plant growth promotion. <i>Biological Control</i> , 2023, 186, 105338. | 3.0 | 1 |
| 5006 | <i>Ancylobacter crimeensis</i> sp. nov., a New Species of Aerobic Methylophilic Bacteria Isolated from Oak Phyllosphere. <i>Microbiology</i> , 2023, 92, 598-608. | 1.2 | 0 |
| 5007 | Endophytic fungus-suspension cell co-culture: A new strategy for more rapid and sustainable screening of plant beneficial microorganisms. <i>Industrial Crops and Products</i> , 2023, 205, 117523. | 5.2 | 0 |
| 5009 | Heterologous Production and Biosynthesis of Threonine-16:Odioic acids with a Hydroxamate Moiety. <i>Journal of Natural Products</i> , 0, , . | 3.0 | 0 |
| 5010 | <i>Oryzibacter oryztterrae</i> gen. nov., sp. nov., isolated from rice paddy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, . | 1.7 | 0 |
| 5011 | Genome analysis of a halophilic <i>Virgibacillus halodenitrificans</i> ASH15 revealed salt adaptation, plant growth promotion, and isoprenoid biosynthetic machinery. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 0 |
| 5012 | Siderophore-producing <i>Pantoea ferratrahens</i> sp. nov. isolated from a clinical specimen and <i>Pantoea ferramans</i> sp. nov. isolated from soil at the bottom of a pond. <i>Microbiology and Immunology</i> , 2023, 67, 480-489. | 1.4 | 1 |
| 5013 | Native rhizobacteria suppresses spot blotch disease, improves growth and yield of wheat under salt-affected soils. <i>Plant Stress</i> , 2023, 10, 100234. | 5.5 | 1 |
| 5014 | Halotolerant Plant Growth Promoting Bacilli from Sundarban Mangrove Mitigate the Effects of Salinity Stress on Pearl Millet (<i>Pennisetum glaucum</i> L.) Growth. <i>Journal of Experimental Biology and Agricultural Sciences</i> , 2023, 11, 746-755. | 0.4 | 0 |
| 5015 | Siderophore-producing <i>Bacillus amyloliquefaciens</i> BM3 mitigate arsenic contamination and suppress <i>Fusarium</i> wilt in brinjal plants. <i>Journal of Applied Microbiology</i> , 2023, 134, . | 3.1 | 0 |
| 5016 | Plant Growth-Promoting and Arsenic Accumulation Reduction Effects of Two Endophytic Bacteria Isolated from <i>Brassica napus</i> . <i>Journal of Plant Growth Regulation</i> , 2024, 43, 76-88. | 5.1 | 0 |
| 5017 | <i>Microbacterium plantarum</i> sp. nov. and <i>Microbacterium thalli</i> sp. nov., two endophytic metal-resistant bacteria isolated from <i>Sphaeralcea angustifolia</i> (Cav.) G. Don and <i>Prosopis laevigata</i> (Humb. et Bonpl. ex Willd) M.C. Johnston. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, . | 1.7 | 2 |
| 5018 | Evaluation and Genome Mining of <i>Bacillus stercoris</i> Isolate B.PNR1 as Potential Agent for <i>Fusarium</i> Wilt Control and Growth Promotion of Tomato. <i>Plant Pathology Journal</i> , 2023, 39, 430-448. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5020 | Characterization of new endophytic bacterial strains isolated from brachiaria grass. <i>Acta Horticulturae</i> , 2023, , 259-268. | 0.2 | 0 |
| 5021 | Genomic insights into <i>Bacillus subtilis</i> MBB3B9 mediated aluminium stress mitigation for enhanced rice growth. <i>Scientific Reports</i> , 2023, 13, . | 3.3 | 0 |
| 5022 | Deciphering the antifungal and plant growth-stimulating traits of the stress-tolerant <i>Streptomyces achromogenes</i> subsp. <i>achromogenes</i> strain UMAF16, a bacterium isolated from soils affected by underground fires. <i>Biocatalysis and Agricultural Biotechnology</i> , 2023, 53, 102859. | 3.1 | 1 |
| 5024 | Phosphorus solubilizing stress tolerant rhizobacteria for growth promotion of wheat (<i>Triticum</i>) Tj ETQq1 1 0.784314rgBT /Oyerlock 10 | 1.5 | 0 |
| 5025 | The non-ribosomal peptide synthetase-independent siderophore (NIS) rhizobactin produced by <i>Caballeronia mineralivorans</i> PML1(12) confers the ability to weather minerals. <i>Applied and Environmental Microbiology</i> , 0, , . | 3.1 | 1 |
| 5028 | <i>Methylobacterium</i> spp. mitigation of UV stress in mung bean (<i>Vigna radiata</i> L.). <i>Photochemical and Photobiological Sciences</i> , 2023, 22, 2839-2850. | 2.9 | 1 |
| 5029 | Salt tolerant fungal endophytes alleviate the growth and yield of saline-affected wheat genotype PBW-343. <i>Microbiological Research</i> , 2024, 278, 127514. | 5.3 | 0 |
| 5030 | Buffer-free CAS assay using a diluted growth medium efficiently detects siderophore production and microbial growth. <i>BioMetals</i> , 2024, 37, 223-232. | 4.1 | 0 |
| 5031 | Exploring the Status of an Urban Coral and the Presence of Potential Probiotic Traits in Culturable Bacteria. <i>Journal of Marine Science and Engineering</i> , 2023, 11, 2006. | 2.6 | 0 |
| 5032 | Variable staphyloxanthin production by <i>Staphylococcus aureus</i> drives strain-dependent effects on diabetic wound-healing outcomes. <i>Cell Reports</i> , 2023, 42, 113281. | 6.4 | 3 |
| 5033 | <i>Bacillus</i> Strains with Catalase Enzyme Improve the Physiology and Growth of Rice (<i>Oryza sativa</i> L.). <i>Stresses</i> , 2023, 3, 736-748. | 4.8 | 0 |
| 5034 | Multifarious Characterization and Efficacy of Three Phosphate-Solubilizing <i>Aspergillus</i> Species as Biostimulants in Improving Root Induction of Cassava and Sugarcane Stem Cuttings. <i>Plants</i> , 2023, 12, 3630. | 3.5 | 1 |
| 5035 | Plant growth-promoting endophytes from <i>Stevia rebaudiana</i> identified to possess bio-control potential against maize sheath blight pathogen <i>Rhizoctonia solani</i> . <i>European Journal of Plant Pathology</i> , 0, , . | 1.7 | 1 |
| 5036 | Bacterial Products and Their Effect on the Shrubby Legume <i>Calicotome villosa</i> (Poir.) Link. <i>Diversity</i> , 2023, 15, 1101. | 1.7 | 0 |
| 5037 | Plant Growth Promoting (PGP) Performances and Diversity of Bacterial Species Isolated from Olive (<i>Olea europaea</i> L.) Rhizosphere in Arid and Semi-arid Regions of Morocco. <i>Journal of Pure and Applied Microbiology</i> , 0, , . | 0.9 | 0 |
| 5038 | <i>Pseudomonas aeruginosa</i> Strain 91: A Multifaceted Biocontrol Agent against Banana Fusarium Wilt. <i>Journal of Fungi</i> (Basel, Switzerland), 2023, 9, 1047. | 3.5 | 0 |
| 5039 | Characterisation of key components of biofertiliser produced from mackerel wastewater and commercialisation feasibility analysis of the biofertiliser production process for wastewater valorisation. <i>Sustainable Chemistry and Pharmacy</i> , 2023, 36, 101315. | 3.3 | 0 |
| 5040 | Assessment of soil yeasts <i>Papiliotrema laurentii</i> S-08 and <i>Saitozyma podzolica</i> S-77 for plant growth promotion and biocontrol of <i>Fusarium</i> wilt of brinjal. <i>Journal of Applied Microbiology</i> , 2023, 134, . | 3.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5042 | Isolation and Phenotypic Microarray Profiling of Different <i>Pseudomonas</i> Strains Isolated from the Rhizosphere of <i>Curcuma longa</i> L. Stresses, 2023, 3, 749-761. | 4.8 | 0 |
| 5043 | Metallophore Activity toward the Rare Earth Elements by Bacteria Isolated from Acid Mine Drainage Due to Coal Mining. Microorganisms, 2023, 11, 2672. | 3.6 | 0 |
| 5044 | Characterization and utilization of multi-trait plant growth promoting rhizobacteria from arid soils of western Rajasthan for enhancing drought resilience in an arid legume. Arid Land Research and Management, 0, , 1-20. | 1.6 | 0 |
| 5045 | Potential of <i>Trichoderma virens</i> HZA14 in Controlling Verticillium Wilt Disease of Eggplant and Analysis of Its Genes Responsible for Microsclerotial Degradation. Plants, 2023, 12, 3761. | 3.5 | 0 |
| 5046 | Draft genome sequencing of halotolerant bacterium <i>Salinicola</i> sp. DM10 unravels plant growth-promoting potentials. 3 Biotech, 2023, 13, . | 2.2 | 0 |
| 5047 | Siderophore-producing bacteria mitigate cobalt stress in black gram (<i>Vigna mungo</i> L.), and the mitigation strategies are associated with iron concentration. Environmental Science and Pollution Research, 0, , . | 5.3 | 0 |
| 5048 | Salt tolerant <i>Pseudomonas taiwanensis</i> PWR-1 in combination with a reduced dose of mineral fertilizers improves the nutritional and antioxidant properties of wheatgrass grown in saline soil. World Journal of Microbiology and Biotechnology, 2024, 40, . | 3.6 | 1 |
| 5049 | The Monothiol Glutaredoxin Grx4 Influences Iron Homeostasis and Virulence in <i>Ustilago maydis</i> . Journal of Fungi (Basel, Switzerland), 2023, 9, 1112. | 3.5 | 0 |
| 5050 | Plant growth-promoting rhizobacteria isolated from cultivated soils using <i>Glycine max</i> L. plants as bait. Ciencia Rural, 2024, 54, . | 0.5 | 0 |
| 5051 | Endophytic Bacterium <i>Flexivirga meconopsidis</i> sp. nov. with Plant Growth-Promoting Function, Isolated from the Seeds of <i>Meconopsis integrifolia</i> . Microorganisms, 2023, 11, 2899. | 3.6 | 0 |
| 5052 | Biochemical, Catabolic, and PGP Activity of Microbial Communities and Bacterial Strains from the Root Zone of <i>Baccharis linearis</i> in a Mediterranean Mine Tailing. Microorganisms, 2023, 11, 2639. | 3.6 | 0 |
| 5053 | Assessing the efficacy of phyllospheric growth-promoting and antagonistic bacteria for management of black rot disease of cauliflower incited by <i>Xanthomonas campestris</i> pv. <i>campestris</i> . Folia Microbiologica, 0, , . | 2.3 | 0 |
| 5054 | Diverse biological activities and secondary metabolites profile of <i>Penicillium brevicompactum</i> HE19ct isolated from the high-Andean medicinal plant <i>Perezia coerulescens</i> . Fungal Biology, 2023, 127, 1439-1450. | 2.5 | 1 |
| 5055 | Siderophore-Producing <i>Spinacia Oleracea</i> Bacterial Endophytes Enhance Nutrient Status and Vegetative Growth Under Iron-Deficit Conditions. Journal of Plant Growth Regulation, 0, , . | 5.1 | 0 |
| 5056 | Microbial interaction-induced siderophore dynamics lead to phenotypic differentiation of <i>Staphylococcus aureus</i> . Frontiers in Cellular and Infection Microbiology, 0, 13, . | 3.9 | 0 |
| 5057 | Antimicrobial and antibiofilm activities of chromone derivatives against uropathogenic <i>Escherichia coli</i> . Microbiological Research, 2024, 278, 127537. | 5.3 | 0 |
| 5060 | Selected flavonoids exhibit antibiofilm and antibacterial effects against <i>Vibrio</i> by disrupting membrane integrity, virulence and metabolic activities. Biofilm, 2023, 6, 100165. | 3.8 | 0 |
| 5063 | Potential of a novel endophytic diazotrophic <i>Serratia</i> sp. Wed4 for pyrene biodegradation. International Biodeterioration and Biodegradation, 2024, 186, 105705. | 3.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5064 | Siderophore mediated in vitro synthesis of electrocatalytic nanocrystallite struvite variants for highly efficient and durable hydrogen evolution reaction. International Journal of Hydrogen Energy, 2024, 51, 828-836. | 7.1 | 0 |
| 5065 | Synthetic Biology Toolbox for Nitrogen-Fixing Soil Microbes. ACS Synthetic Biology, 2023, 12, 3623-3634. | 3.8 | 2 |
| 5066 | Genomic and Metabolic Characterization of Plant Growth-Promoting Rhizobacteria Isolated from Nodules of Clovers Grown in Non-Farmed Soil. International Journal of Molecular Sciences, 2023, 24, 16679. | 4.1 | 0 |
| 5067 | Investigating marine Bacillus as an effective growth promoter for chickpea. Journal of Genetic Engineering and Biotechnology, 2023, 21, 137. | 3.3 | 1 |
| 5068 | Endophytic bacteria in different tissue compartments of African wild rice (<i>Oryza longistaminata</i>) promote perennial rice growth. Journal of Integrative Agriculture, 2023, , . | 3.5 | 0 |
| 5069 | Characterization of <i>Rhodotorula mucilaginosa</i> RSRod01 Isolated from <i>Trifolium</i> sp. Root Nodules Growing at a Pb-Zn Mine Site. Microbiology, 2023, 92, 860-867. | 1.2 | 1 |
| 5070 | Groundnut harbours non-nodulating non-rhizobial plant growth-promoting bacterial endophytes. 3 Biotech, 2023, 13, . | 2.2 | 0 |
| 5071 | Identification of hypervirulent <i>Klebsiella pneumoniae</i> based on biomarkers and <i>Galleria mellonella</i> infection model. BMC Microbiology, 2023, 23, . | 3.3 | 0 |
| 5072 | Evaluation of Siderophores Generated by <i>Pseudomonas</i> Bacteria and Their Possible Application as Fe Biofertilizers. Plants, 2023, 12, 4054. | 3.5 | 0 |
| 5073 | In situ mycoremediation of acid rain and heavy metals co-contaminated soil through microbial inoculation with <i>Pleurotus ostreatus</i> . Science of the Total Environment, 2024, 912, 169020. | 8.0 | 0 |
| 5074 | Plant Growth-Promoting Soil Bacteria: Nitrogen Fixation, Phosphate Solubilization, Siderophore Production, and Other Biological Activities. Plants, 2023, 12, 4074. | 3.5 | 3 |
| 5075 | First report of <i>Sinomonas halotolerans</i> from <i>Parkinsonia aculeata</i> rhizosphere. , 0, , . | | 0 |
| 5077 | The Mutation of the DNA-Binding Domain of Fur Protein Enhances the Pathogenicity of <i>Edwardsiella piscicida</i> via Inducing Overpowering Pyroptosis. Microorganisms, 2024, 12, 11. | 3.6 | 0 |
| 5078 | Isolation and Identification of Bacteria from Three Geothermal Sites of the Atacama Desert and Their Plant-Beneficial Characteristics. Microorganisms, 2023, 11, 2635. | 3.6 | 0 |
| 5079 | Complete Genome Sequence and Pan-Genome Analysis of <i>Shewanella oncorhynchi</i> Z-P2, a Siderophore Putrebactin-Producing Bacterium. Microorganisms, 2023, 11, 2961. | 3.6 | 0 |
| 5080 | Hydroxamate Siderophores Secreted by Plant Endophytic <i>Pseudomonas putida</i> Elicit Defense against Blast Disease in Rice Incited by <i>Magnaporthe oryzae</i> . Letters in Applied Microbiology, 0, , . | 2.2 | 1 |
| 5082 | Determination of Bioremediation Potentials and Plant Growth-Promoting Properties of <i>Bacillus</i> Species Isolated from The Rhizosphere of <i>Dactylorhiza urvilleana</i> . Journal of Tekirdag Agricultural Faculty, 0, , . | 0.9 | 0 |
| 5083 | Effects of iron concentration and DFB (Desferrioxamine-B) on transcriptional profiles of an ecologically relevant marine bacterium. PLoS ONE, 2023, 18, e0295257. | 2.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5084 | Effective biological control of Lentil (<i>Lens culinaris</i>) Fusarium wilt and plant growth promotion through native Rhizobacteria. <i>Physiological and Molecular Plant Pathology</i> , 2024, 129, 102203. | 2.5 | 0 |
| 5085 | Assessment of potent Phosphate-Solubilizing Bacteria isolated from Rice Fields in Odisha and Unraveling their Growth-Promoting Efficacies. <i>Geomicrobiology Journal</i> , 2024, 41, 135-148. | 2.0 | 0 |
| 5086 | Co-existence of halo-tolerant <i>Pseudomonas fluorescens</i> and <i>Enterococcus hirae</i> with multifunctional growth promoting traits to ameliorate salinity stress in <i>Vigna radiata</i> . <i>Chemosphere</i> , 2024, 349, 140953. | 8.2 | 1 |
| 5087 | Properties of Potential Plant-Growth-Promoting Bacteria and Their Effect on Wheat Growth Promotion (<i>TriticumÂestivum</i>) and Soil Characteristics. <i>Microbiology Research</i> , 2024, 15, 20-32. | 1.9 | 1 |
| 5088 | The potential of Hungarian bauxite residue isolates for biotechnological applications. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2024, 41, e00825. | 4.4 | 0 |
| 5089 | Analysis of the vibrioferri biosynthetic pathway of <i>Vibrio parahaemolyticus</i> . <i>BioMetals</i> , 0, , . | 4.1 | 0 |
| 5090 | Integrated application of metal tolerant <i>P. fluorescens</i> and press mud for conferring heavy metal tolerance to aloe vera (<i>Aloe barbadensis</i>). <i>Plant Stress</i> , 2024, 11, 100333. | 5.5 | 1 |
| 5091 | Enhancement of mangrove growth performance using fish emulsion and halotolerant plant growth-promoting actinobacteria for sustainable management in the UAE. <i>Marine Pollution Bulletin</i> , 2024, 199, 115916. | 5.0 | 0 |
| 5092 | Assessment of Plant Growth-Promoting Parameters of Endophytes Isolated from <i>Calotropis procera</i> and Their Performance Under Irrigated and Non-irrigated Conditions. <i>Current Microbiology</i> , 2024, 81, . | 2.2 | 1 |
| 5093 | Duckweed-associated bacteria as plant growth-promotor to enhance growth of <i>Spirodela polyrhiza</i> in wastewater effluent from a poultry farm. <i>Archives of Microbiology</i> , 2024, 206, . | 2.2 | 0 |
| 5094 | Characterization of As(III)-oxidizing bacteria <i>Acinetobacter</i> sp. TMKU7 having plant growth promoting features for possible application in arsenic-contaminated crop field. <i>Bioremediation Journal</i> , 0, , 1-15. | 2.0 | 0 |
| 5095 | Alone as effective as together: AMF and <i>Trichoderma</i> inoculation boost maize performance but differentially shape soil and rhizosphere microbiota. , 2024, 3, . | | 0 |
| 5096 | Endophytic bacteria associated with critically endangered medicinal plant <i>Trillium govanianum</i> (Wall) Tj ETQq0 0 0 ggBT /Overlock 10 Tf | 5.5 | 0 |
| 5097 | Contribution of Autophagy to Cellular Iron Homeostasis and Stress Adaptation in <i>Alternaria alternata</i> . <i>International Journal of Molecular Sciences</i> , 2024, 25, 1123. | 4.1 | 0 |
| 5098 | Selection of multi-purpose native rhizobia from a new red clover cultivar developed in Brazil. <i>Rhizosphere</i> , 2024, 29, 100847. | 3.0 | 0 |
| 5099 | Whole-genome analysis revealed the growth-promoting and biological control mechanism of the endophytic bacterial strain <i>Bacillus halotolerans</i> Q2H2, with strong antagonistic activity in potato plants. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 0 |
| 5100 | Preserving the grape-associated microbiota to improve the hologenome plasticity and adaptability to climate change. <i>Acta Horticulturae</i> , 2024, , 103-110. | 0.2 | 0 |
| 5101 | Characterization and evaluation of <i>Bacillus subtilis</i> GYUN-2311 as a biocontrol agent against <i>Colletotrichum</i> spp. on apple and hot pepper in Korea. <i>Frontiers in Microbiology</i> , 0, 14, . | 3.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 5102 | From Sea to Soil: Marine <i>Bacillus subtilis</i> enhancing chickpea production through in vitro and in vivo plant growth promoting traits. <i>Brazilian Journal of Microbiology</i> , 2024, 55, 823-836. | 2.0 | 0 |
| 5103 | Positive effect of inoculation with an <i>Aspergillus</i> strain on phosphorus and iron nutrition plus volatile organic compounds in rice. <i>Folia Microbiologica</i> , 0, , . | 2.3 | 0 |
| 5104 | Role of indigenous microbial communities in the mobilization of potentially toxic elements and rare-earth elements from alkaline mine waste. <i>Journal of Hazardous Materials</i> , 2024, 466, 133504. | 12.4 | 0 |
| 5105 | Phenotypic and genotypic assessment of iron acquisition in diverse bovine-associated non-aureus staphylococcal strains. <i>Veterinary Research</i> , 2024, 55, . | 3.0 | 0 |
| 5106 | Multi-trait efficiency and interactivity of bacterial consortia used to enhance plant performance under water stress conditions. <i>Microbiological Research</i> , 2024, 281, 127610. | 5.3 | 0 |
| 5107 | Evaluation of biocontrol efficacy of rhizosphere dwelling bacteria for management of <i>Fusarium</i> wilt and <i>Botrytis</i> gray mold of chickpea. <i>BMC Genomic Data</i> , 2024, 25, . | 1.7 | 0 |
| 5108 | Yersiniabactin is a quorum-sensing autoinducer and siderophore in uropathogenic <i>Escherichia coli</i> . <i>MBio</i> , 2024, 15, . | 4.1 | 0 |
| 5109 | Transcriptional and biochemical profiling of <i>Bacillus</i> strains regulating the growth of tomato via altering morpho-physiological and hormonal traits. <i>Scientia Horticulturae</i> , 2024, 328, 112881. | 3.6 | 0 |
| 5111 | <i>Bacillus siamensis</i> strain BW enhances rice growth and salinity tolerance through redox equilibrium and hormone modulation. <i>Current Plant Biology</i> , 2024, 37, 100321. | 4.7 | 0 |
| 5112 | Quality control of <i>Bradyrhizobium</i> inoculant strains: detection of <i>nosZ</i> and correlation of symbiotic efficiency with soybean leaf chlorophyll levels. <i>Frontiers in Agronomy</i> , 0, 6, . | 3.3 | 0 |
| 5113 | Endophytic fungi from Himalayan silver birch as potential source of plant growth enhancement and secondary metabolite production. <i>Brazilian Journal of Microbiology</i> , 2024, 55, 557-570. | 2.0 | 0 |
| 5115 | Beneficial role of <i>Burkholderia cepacia</i> in heavy metal bioremediation in metal-polluted soils and enhance the tomato plant growth. <i>Biocatalysis and Agricultural Biotechnology</i> , 2024, 57, 103032. | 3.1 | 0 |
| 5116 | <i>Pseudomonas taetrolens</i> ULE-PH5 and <i>Pseudomonas</i> sp. ULE-PH6 Isolated from the Hop Rhizosphere Increase Phosphate Assimilation by the Plant. <i>Plants</i> , 2024, 13, 402. | 3.5 | 0 |
| 5117 | Microbiome convergence enables siderophore-secreting-rhizobacteria to improve iron nutrition and yield of peanut intercropped with maize. <i>Nature Communications</i> , 2024, 15, . | 12.8 | 0 |
| 5118 | Efficacy of plant growth-promoting rhizobacteria and novel acidified organic amendment to remediate Cd-contaminated soil by <i>Brassica juncea</i> L. <i>Acta Physiologiae Plantarum</i> , 2024, 46, . | 2.1 | 0 |
| 5119 | Antifungal Activity of Siderophore Isolated from <i>Pantoea brenneri</i> Against <i>Fusarium oxysporum</i> . <i>Russian Journal of Plant Physiology</i> , 2023, 70, . | 1.1 | 0 |
| 5120 | Isolation of native bacteria with potential growth promoting mexican native maize (<i>Zea mays</i> L.). <i>Biotechnia</i> , 2023, 26, 83-92. | 0.3 | 0 |
| 5121 | <i>Bacillus pumilus</i> isolated from sabkha rhizosphere ameliorates the behavior of the facultative halophyte <i>Hordeum marinum</i> when salt-challenged by improving nutrient uptake and soil health-related traits. <i>Plant Stress</i> , 2024, 11, 100383. | 5.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 5122 | Plant growth promoting potential of <i>Arthrobacter</i> spp., an early colonizer on the volcanic deposits of Mt. Merapi, Indonesia, as a restorative agent for degraded land. E3S Web of Conferences, 2024, 485, 03011. | 0.5 | 0 |
| 5123 | <i>Actinomycetospora lemnae</i> sp. nov., A Novel Actinobacterium Isolated from <i>Lemna aequinoctialis</i> Able to Enhance Duckweed Growth. Current Microbiology, 2024, 81, . | 2.2 | 0 |
| 5124 | Prevalence and variability of siderophore production in the <i>Achromobacter</i> genus. Microbiology Spectrum, 2024, 12, . | 3.0 | 0 |
| 5125 | Utilization of Antagonistic Bacteria for Managing Potato Brown Leaf Spot Caused by <i>Alternaria tenuissima</i> and Plant-Associated Biochemical Changes During Disease Development. Potato Research, 0, , . | 2.7 | 0 |
| 5126 | Cultural techniques capture diverse phosphate-solubilizing bacteria in rock phosphate-enriched habitats. Frontiers in Microbiology, 0, 15, . | 3.5 | 0 |
| 5127 | Biofilm producing plant growth promoting bacteria in combination with glycine betaine uplift drought stress tolerance of maize plant. Frontiers in Plant Science, 0, 15, . | 3.6 | 0 |
| 5128 | Biocontrol potential of native Algerian bacteria isolated from greenhouses against <i>Botrytis cinerea</i> and <i>Oidium neolycopersici</i> on tomato. Journal of Plant Diseases and Protection, 2024, 131, 847-861. | 2.9 | 0 |
| 5129 | Halotolerant and plant growth-promoting endophytic fungus <i>Aspergillus terreus</i> CR7 alleviates salt stress and exhibits genoprotective effect in <i>Vigna radiata</i> . Frontiers in Microbiology, 0, 15, . | 3.5 | 0 |
| 5130 | Evaluation of antagonistic mechanisms of bacterial species for their biocontrol activity against fire blight (<i>Erwinia amylovora</i>). , 0, , . | | 0 |
| 5131 | Unleashing the potential of multitrait onion seed endophytic bacteria in combating purple blotch incited by <i>Alternaria porri</i> (Ellis) Cif. , 0, , . | | 0 |
| 5132 | Aplicaci3n de t3cnicas moleculares en microbiolog3a del suelo para la identificaci3n de bacterias con potencial agr3cola: una revisi3n y an3lisis bibliom3trico. Revista Colombiana De Ciencias Hort3colas, 2023, 17, . | 0.6 | 0 |
| 5133 | Isolation and characterization of PGPR obtained from different arsenic-contaminated soil samples and their effect on photosynthetic characters of maize grown under arsenic stress. Environmental Science and Pollution Research, 2024, 31, 18656-18671. | 5.3 | 0 |
| 5134 | Genome-guided purification of high amounts of the siderophore ornibactin and detection of potentially novel burkholdine derivatives produced by <i>Burkholderia catarinensis</i> 89T. Journal of Applied Microbiology, 2024, 135, . | 3.1 | 0 |
| 5135 | Screening of heavy metal-resistant rhizobial and non-rhizobial microflora isolated from <i>Trifolium</i> sp. growing in mining areas. Environmental Monitoring and Assessment, 2024, 196, . | 2.7 | 0 |
| 5136 | Mining of rice rhizobacteria to control false smut and improve plant growth in rice (<i>Oryza sativa</i> L.). European Journal of Plant Pathology, 0, , . | 1.7 | 0 |
| 5137 | The Microbial Community Structure in the Rhizosphere of <i>Theobroma cacao</i> L. and <i>Euterpe oleracea</i> Mart. Is Influenced by Agriculture System in the Brazilian Amazon. Microorganisms, 2024, 12, 398. | 3.6 | 0 |
| 5138 | The highly effective cadmium-resistant mechanism of <i>Pseudomonas aeruginosa</i> and the function of pyoverdine induced by cadmium. Journal of Hazardous Materials, 2024, 469, 133876. | 12.4 | 0 |
| 5139 | Correlation between antimicrobial resistance, biofilm formation, and virulence determinants in uropathogenic <i>Escherichia coli</i> from Egyptian hospital. Annals of Clinical Microbiology and Antimicrobials, 2024, 23, . | 3.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5140 | Diversity and Biotechnological Potential of Cultivable Halophilic and Halotolerant Bacteria from the ÆœLos NegritosÆœGeothermal Area. <i>Microorganisms</i> , 2024, 12, 482. | 3.6 | 0 |
| 5141 | Development of a composite microbial agent beneficial to improve drought and salt tolerance of <i>Glycyrrhiza uralensis</i> Fisch.. <i>Industrial Crops and Products</i> , 2024, 211, 118280. | 5.2 | 0 |
| 5142 | <i>Solibacillus feritrahens</i> sp. nov., a novel siderophore-producing bacterium isolated from Wumeng Mountain National Nature Reserve in Yunnan Province. <i>Antonie Van Leeuwenhoek</i> , 2024, 117, . | 1.7 | 0 |
| 5143 | Mitigation of Salt Stress in Rice by the Halotolerant Plant Growth-Promoting Bacterium <i>EnterobacterÆasburiae</i> D2. <i>Journal of Xenobiotics</i> , 2024, 14, 333-349. | 6.7 | 0 |
| 5144 | Cultivar governs plant response to inoculation with single isolates and the microbiome associated with arbuscular mycorrhizal fungi. <i>Applied Soil Ecology</i> , 2024, 197, 105347. | 4.3 | 0 |
| 5145 | Impact of Potassium-Solubilizing Microorganisms with Potassium Sources on the Growth, Physiology, and Productivity of Wheat Crop under Salt-Affected Soil Conditions. <i>Agronomy</i> , 2024, 14, 423. | 3.0 | 0 |
| 5146 | Smart multifaceted potential microbial inoculant isolated from rhizospheric soils of <i>Bergenia ciliata</i> and possible role in developing green biosynthesized nanoparticles. <i>Biocatalysis and Agricultural Biotechnology</i> , 2024, 57, 103087. | 3.1 | 0 |
| 5147 | Inoculation of Methylo trophic Bacteria Ameliorate Summer Heat Stress and Enhance the Black Gram (<i>Vigna mungo</i> L.) Growth, Physiology and Antioxidants Properties. <i>Journal of Plant Growth Regulation</i> , 0, , . | 5.1 | 0 |
| 5148 | ÆœHalotolerant fungi secreting phytohormones and volatile organic compounds enhance growth and mineral content in finger millet under salinity stressÆœ. <i>Plant Stress</i> , 2024, 11, 100426. | 5.5 | 0 |
| 5149 | <i>Erythrobacter oryzae</i> sp. nov., isolated from rice paddy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2024, 74, . | 1.7 | 0 |
| 5150 | Transcriptomic analysis and carbohydrate metabolism-related enzyme expression across different pH values in <i>Rhizopus delemar</i> . <i>Frontiers in Microbiology</i> , 0, 15, . | 3.5 | 0 |
| 5151 | Unleashing <i>Bacillus</i> species as versatile antagonists: Harnessing the biocontrol potentials of the plant growth-promoting rhizobacteria to combat <i>Macrophomina phaseolina</i> infection in <i>Gloriosa superba</i> . <i>Microbiological Research</i> , 2024, 283, 127678. | 5.3 | 0 |
| 5153 | Unraveling the functional characteristics of endophytic bacterial diversity for plant growth promotion and enhanced secondary metabolite production in <i>Pelargonium graveolens</i> . <i>Microbiological Research</i> , 2024, 283, 127673. | 5.3 | 0 |
| 5154 | Genomic insights and anti-phytopathogenic potential of siderophore metabolome of endolithic <i>Nocardia mangyaensis</i> NH1. <i>Scientific Reports</i> , 2024, 14, . | 3.3 | 0 |
| 5155 | Characterization of salt-tolerant diazotrophs with plant growth-promoting potential isolated from soda industry-affected technosoils. <i>Plant and Soil</i> , 0, , . | 3.7 | 0 |
| 5156 | Optimizing tomato seedling growth with indigenous mangrove bacterial inoculants and reduced NPK fertilization. <i>Frontiers in Plant Science</i> , 0, 15, . | 3.6 | 0 |
| 5157 | Cyanobacteria Based Nanoformulation of Biogenic CuO Nanoparticles for Plant Growth Promotion of Rice Under Hydroponics Conditions. <i>Current Microbiology</i> , 2024, 81, . | 2.2 | 0 |
| 5158 | Bioformulation of <i>Azotobacter</i> and <i>Streptomyces</i> for Improved Growth and Yield of Wheat (<i>Triticum</i>) TJ ETQq1 1 0.784314 rgBT /Ove | 5.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5160 | A quorum-sensing regulatory cascade for siderophore-mediated iron homeostasis in <i>Chromobacterium violaceum</i> . <i>MSystems</i> , 2024, 9, . | 3.8 | 0 |
| 5161 | Growth promotion and biological control of fungal diseases in tomato by a versatile rhizobacterium, <i>Pseudomonas chlororaphis</i> subsp. <i>aureofaciens</i> SPS-41. <i>Physiological and Molecular Plant Pathology</i> , 2024, 131, 102274. | 2.5 | 0 |
| 5162 | Bacteria Associated with Spores of Arbuscular Mycorrhizal Fungi Improve the Effectiveness of Fungal Inocula for Red Raspberry Biotization. <i>Microbial Ecology</i> , 2024, 87, . | 2.8 | 0 |
| 5163 | Community-forming traits play role in effective colonization of plant-growth-promoting bacteria and improved plant growth. <i>Frontiers in Plant Science</i> , 0, 15, . | 3.6 | 0 |
| 5164 | Antagonistic activity and mechanism of <i>Bacillus subtilis</i> CG-6 suppression of root rot and growth promotion in Alfalfa. <i>Microbial Pathogenesis</i> , 2024, 190, 106616. | 2.9 | 0 |
| 5165 | ACC deaminase producing bacteria alleviate the polyethylene glycol induced drought stress in black gram (<i>Vigna mungo</i> L.) by enhancing nutrient uptake and soil respiration activity. <i>Scientia Horticulturae</i> , 2024, 331, 113111. | 3.6 | 0 |
| 5166 | A Novel Strain of <i>Bacillus cereus</i> with a Strong Antagonistic Effect Specific to <i>Sclerotinia</i> and Its Genomic and Transcriptomic Analysis. <i>Microorganisms</i> , 2024, 12, 611. | 3.6 | 0 |
| 5167 | Functional characterization of endophytic bacteria isolated from feather grass (<i>Chloris Tj ETQq1 1 0.784314 rgBT /Qverlock 10 | 1.7 | 0 |
| 5168 | Exploration and Profiling of Potential Thermo-alkaliphilic <i>Bacillus licheniformis</i> and <i>Burkholderia</i> sp. from varied Soil of Delhi region, India and their Plant Growth-Promoting Traits. <i>Journal of Experimental Biology and Agricultural Sciences</i> , 2024, 12, 60-75. | 0.4 | 0 |
| 5169 | Zero budget natural farming components Jeevamrit and Beejamrit augment <i>Spinacia oleracea</i> L. (spinach) growth by ameliorating the negative impacts of the salt and drought stress. <i>Frontiers in Microbiology</i> , 0, 15, . | 3.5 | 0 |
| 5170 | Eco-waste of <i>Posidonia oceanica</i> as a reservoir for halophilic cellulolytic bacteria with potentialities for plant growth promotion and waste bioconversion. <i>Biomass Conversion and Biorefinery</i> , 0, , . | 4.6 | 0 |