## Identification of microsatellite sequences in <i>Vitis rip genotyping of different <i>Vitis</i> species

Genome 42, 367-373 DOI: 10.1139/g98-168

**Citation Report** 

#	Article	IF	CITATIONS
1	The use of microsatellites for germplasm management in a Portuguese grapevine collection. Theoretical and Applied Genetics, 1999, 99, 733-739.	3.6	113
2	Historical Genetics: The Parentage of Chardonnay, Gamay, and Other Wine Grapes of Northeastern France. Science, 1999, 285, 1562-1565.	12.6	312
3	Identification of microsatellite loci in olive (Olea europaea) and their characterization in Italian and Iberian olive trees. Molecular Ecology, 2000, 9, 1171-1173.	3.9	357
4	Microsatellite variability in grapevine cultivars from different European regions and evaluation of assignment testing to assess the geographic origin of cultivars. Theoretical and Applied Genetics, 2000, 100, 498-505.	3.6	249
5	Analysis of SSRs derived from grape ESTs. Theoretical and Applied Genetics, 2000, 100, 723-726.	3.6	486
6	Development of simple sequence repeats (SSRs) in olive tree (Olea europaea L.). Theoretical and Applied Genetics, 2000, 101, 984-989.	3.6	189
7	The Greek Vitis Database: A Multimedia Web-backed Genetic Database for Germplasm Management of Vitis Resources in Greece. Journal of Wine Research, 2000, 11, 233-242.	1.5	23
8	A gene controlling sex in grapevines placed on a molecular marker-based genetic map. Genome, 2000, 43, 333-340.	2.0	137
9	Toward the Authentication of Varietal Wines by the Analysis of Grape (Vitis viniferaL.) Residual DNA in Must and Wine Using Microsatellite Markers. Journal of Agricultural and Food Chemistry, 2000, 48, 5035-5040.	5.2	76
10	Simple sequence repeat analysis of a clonally propagated species: A tool for managing a grape germplasm collection. Genome, 2001, 44, 432-438.	2.0	83
11	CHARACTERISATION OF THE MOST IMPORTANT SPANISH GRAPE VARIETIES THROUGH ISOZYME AND MICROSATELLITE ANALYSIS. Acta Horticulturae, 2001, , 371-375.	0.2	1
12	Genetic modification of agronomic traits in fruit crops. , 2002, , 25-113.		2
13	Application of a DNA Analysis Method for the Cultivar Identification of Grape Musts and Experimental and Commercial Wines ofVitis viniferaL. Using Microsatellite Markers. Journal of Agricultural and Food Chemistry, 2002, 50, 6090-6096.	5.2	61
14	Genetic mapping of grapevine (Vitis vinifera L.) applied to the detection of QTLs for seedlessness and berry weight. Theoretical and Applied Genetics, 2002, 105, 780-795.	3.6	202
15	Application of for the identification and management of hybrid poplar accessions. Agroforestry Systems, 2003, 59, 53-59.	2.0	20
16	Molecular linkage maps of Vitis vinifera L. and Vitis riparia Mchx. Theoretical and Applied Genetics, 2003, 106, 1213-1224.	3.6	94
17	Transferability of olive microsatellite loci across the genus Olea. Theoretical and Applied Genetics, 2003, 107, 940-946.	3.6	59
18	Population genetic structure of the lettuce root aphid, Pemphigus bursarius (L.), in relation to geographic distance, gene flow and host plant usage. Heredity, 2003, 91, 217-223.	2.6	51

#	Article	IF	CITATIONS
19	Molecular genetic diversity of the French-American grapevine hybrids cultivated in North America. Genome, 2003, 46, 1037-1048.	2.0	41
20	Molecular tools for assessing genetic diversity inSaccharomyces cerevisiaeand in the grapevine cultivar aglianico del vulture typical of South Italy. Journal of Wine Research, 2004, 15, 179-188.	1.5	1
21	Development of microsatellite markers from an enriched genomic library for genetic analysis of melon (Cucumis melo L.). BMC Plant Biology, 2004, 4, 9.	3.6	112
22	Molecular and morphological characterization of a Vitis gene bank for the establishment of a base collection. Genetic Resources and Crop Evolution, 2004, 51, 403-409.	1.6	38
23	Quantitative trait locus analysis of fungal disease resistance factors on a molecular map of grapevine. Theoretical and Applied Genetics, 2004, 108, 501-515.	3.6	256
24	A microsatellite marker based framework linkage map of Vitis vinifera L Theoretical and Applied Genetics, 2004, 108, 864-872.	3.6	160
25	Mapping 245 SSR markers on the Vitis vinifera genome: a tool for grape genetics. Theoretical and Applied Genetics, 2004, 109, 1017-1027.	3.6	210
26	Development of a standard set of microsatellite reference alleles for identification of grape cultivars. Theoretical and Applied Genetics, 2004, 109, 1448-1458.	3.6	403
27	Grapevine clones discriminated using stilbene synthase–chalcone synthase markers. Journal of the Science of Food and Agriculture, 2004, 84, 1186-1192.	3.5	5
28	Genetic relationship among cultivated and wild grapevine accessions from Tunisia. Genome, 2004, 47, 1211-1219.	2.0	55
29	Diversification within grapevine cultivars goes through chimeric states. Genome, 2004, 47, 579-589.	2.0	129
30	DNA polymorphism among 18 species of Triticum–Aegilops complex using wheat EST–SSRs. Plant Science, 2004, 166, 349-356.	3.6	55
31	Application of microsatellite markers for the characterization of â€~Parraleta': an autochthonous Spanish grapevine cultivar. Scientia Horticulturae, 2004, 101, 343-347.	3.6	9
32	Practical use of microsatellite markers to manageVitis viniferagermplasm: Molecular identification of grapevine samples collected blindly in D.O. "El Bierzo―(Spain). Journal of Horticultural Science and Biotechnology, 2004, 79, 437-440.	1.9	11
33	TCA Microsatellite Repeats in the 5′UTR of the Sat5 Gene of Wild and Cultivated Accessions ofPisumand of Four Closely Related Genera. International Journal of Plant Sciences, 2004, 165, 273-280.	1.3	1
34	Experimental verification of microsatellite null alleles in Norway spruce (Picea abies [L.] Karst.): Implications for population genetic studies. Plant Molecular Biology Reporter, 2005, 23, 113-119.	1.8	34
35	Isolation of (AC)n-microsatellites in Vitis vinifera L. and analysis of genetic background in grapevines under marker assisted selection. Molecular Breeding, 2005, 15, 11-20.	2.1	78
36	Development and characterization of a large set of microsatellite markers in grapevine (Vitis vinifera) Tj ETQq1 1 ———————————————————————————————————	0.784314	l rgBT_/Overlo

#	Article	IF	CITATIONS
37	A Diploid, Interspecific, Fertile Hybrid from Cultivated Sorghum, Sorghum Bicolor, and the Common Johnsongrass Weed Sorghum Halepense. Molecular Breeding, 2005, 16, 93-101.	2.1	47
38	Microsatellite Markers for Characterization of Grape Genetic Resources and Identification of QTLs for Important Agronomical Traits. Biotechnology and Biotechnological Equipment, 2005, 19, 116-123.	1.3	1
39	Discrimination of Portuguese grapevines based on microsatellite markers. Journal of Biotechnology, 2006, 127, 34-44.	3.8	52
40	Genetic diversity and geographical dispersal in grapevine clones revealed by microsatellite markers. Genome, 2006, 49, 1459-1472.	2.0	66
41	SSR-based assessment of genetic diversity in South American Vitis vinifera varieties. Plant Science, 2006, 170, 1036-1044.	3.6	67
42	AFLP analysis of genetic variation within the two economically important Anatolian grapevine (Vitis) Tj ETQq1 1 C	).784314 r 2.0	ggt /Overloo
43	Genetic analysis of the Italian <i>Vitis vinifera</i> cultivar â€̃Tintilia' and related cultivars using SSR markers. Journal of Horticultural Science and Biotechnology, 2006, 81, 989-994.	1.9	8
44	Isolation and characterization of simple sequence repeat loci in Rubus hochstetterorum and their use in other species from the Rosaceae family. Molecular Ecology Notes, 2006, 6, 750-752.	1.7	24
45	Genealogy of wine grape cultivars: â€~Pinot' is related to â€~Syrah'. Heredity, 2006, 97, 102-110.	2.6	74
46	Determination of relationships among autochthonous grapevine varieties (Vitis vinifera L.) in the Northwest of the Iberian Peninsula by using microsatellite markers. Genetic Resources and Crop Evolution, 2006, 53, 1255-1261.	1.6	41
47	Genetic linkage map of the interspecific grape rootstock cross Ramsey (Vitis champinii)Â×ÂRiparia Gloire (Vitis riparia). Theoretical and Applied Genetics, 2006, 112, 1582-1592.	3.6	109
48	An integrated SSR map of grapevine based on five mapping populations. Theoretical and Applied Genetics, 2006, 113, 369-382.	3.6	196
49	Refined mapping of the Pierce's disease resistance locus, PdR1, and Sex on an extended genetic map of Vitis rupestrisÂÁ—ÂV. arizonica. Theoretical and Applied Genetics, 2006, 113, 1317-1329.	3.6	100
50	Tall fescue genomic SSR markers: development and transferability across multiple grass species. Theoretical and Applied Genetics, 2006, 113, 1449-1458.	3.6	113
51	Combining microsatellite markers and capillary gel electrophoresis with laser-induced fluorescence to identify the grape (Vitis vinifera) variety of musts. European Food Research and Technology, 2006, 223, 625-631.	3.3	27
52	Genetic diversity in a collection of ancient cultivars of apple ( <i>Malus</i> × <i>domestica</i> Borkh.) as revealed by SSR-based fingerprinting. Journal of Horticultural Science and Biotechnology, 2006, 81, 39-44.	1.9	46
53	Genetic characterization and relationships of traditional grape cultivars from Transcaucasia and Anatolia. Plant Genetic Resources: Characterisation and Utilisation, 2006, 4, 144-158.	0.8	53
54	A Dense Single-Nucleotide Polymorphism-Based Genetic Linkage Map of Grapevine ( <i>Vitis) Tj ETQq1 1 0.78431 2637-2650.</i>	4 rgBT /Ov 2.9	verlock 10 Tf 126

#	Article	IF	CITATIONS
55	Characterization of Bulgarian Sunflower Cultivars and Inbred Lines with Microsatellite Markers. Biotechnology and Biotechnological Equipment, 2007, 21, 408-412.	1.3	12
56	Microsatellite fingerprinting of homonymous grapevine (Vitis vinifera L.) varieties in neighboring regions of South-East Turkey. Scientia Horticulturae, 2007, 114, 164-169.	3.6	25
57	â€~Cardinal' grape parentage: a case of a breeding mistake. Genome, 2007, 50, 325-328.	2.0	14
58	Characterization of Grapevine Rootstocks using Microsatelite Markers. Biotechnology and Biotechnological Equipment, 2007, 21, 58-62.	1.3	9

59 Novel Preparation Method of Template DNAs from Wine for PCR To Differentiate Grape (Vitis vinifera) Tj ETQq0 0 0.5gBT /Overlock 10 Th

60	Grape. , 2007, , 63-101.		2
61	Naturalised Vitis Rootstocks in Europe and Consequences to Native Wild Grapevine. PLoS ONE, 2007, 2, e521.	2.5	79
62	A set of multiplex panels of microsatellite markers for rapid molecular characterization of rice accessions. BMC Plant Biology, 2007, 7, 23.	3.6	29
63	Untranslated leader region polymorphism of Tvv1, a retrotransposon family, is a novel marker useful for analyzing genetic diversity and relatedness in the genus Vitis. Theoretical and Applied Genetics, 2007, 116, 15-27.	3.6	33
64	Microsatellite analysis of Alpine grape cultivars (Vitis vinifera L.): alleged descendants of Pliny the Elder's Raetica are genetically related. Genetic Resources and Crop Evolution, 2007, 54, 1095-1104.	1.6	18
65	Characterization of sequence polymorphisms from microsatellite flanking regions in Vitis spp. Molecular Breeding, 2008, 22, 455-465.	2.1	13
66	Identification and relationships of accessions grown in the grapevine (Vitis vinifera L.) Germplasm Bank of Castilla y Léon (Spain) and the varieties authorized in the VQPRD areas of the region by SSR-marker analysis. Genetic Resources and Crop Evolution, 2008, 55, 573-583.	1.6	29
67	A grapevine (Vitis vinifera L.) genetic map integrating the position of 139 expressed genes. Theoretical and Applied Genetics, 2008, 116, 1129-1143.	3.6	71
68	A reference integrated map for cultivated grapevine (Vitis vinifera L.) from three crosses, based on 283 SSR and 501 SNP-based markers. Theoretical and Applied Genetics, 2008, 117, 499-511.	3.6	97
69	Fine-scale genetic mapping of two Pierce's disease resistance loci and a major segregation distortion region on chromosome 14 of grape. Theoretical and Applied Genetics, 2008, 117, 671-681.	3.6	56
70	Microsatellite genotyping of cultivars of the Holy Land grapevine, Vitis vinifera ssp. sativa (Vitaceae). Botanical Journal of the Linnean Society, 2008, 156, 513-521.	1.6	16
71	Genetic diversity among Turkish local grape accessions (Vitis vinifera L.) using RAPD markers. Hereditas, 2008, 145, 58-63.	1.4	19
72	Berry and phenology-related traits in grapevine (Vitis vinifera L.): From Quantitative Trait Loci to underlying genes. BMC Plant Biology, 2008, 8, 38.	3.6	165

# 73	ARTICLE A new approach to varietal identification in plants by microsatellite high resolution melting analysis: application to the verification of grapevine and olive cultivars. Plant Methods, 2008, 4, 8.	IF 4.3	CITATIONS
74	Temperate Fruit Crop Breeding. , 2008, , .		73
75	A PCR-based diagnostic tool for distinguishing grape skin color mutants. Plant Science, 2008, 175, 402-409.	3.6	18
76	Grapes. , 2008, , 197-233.		15
77	Identification of and relationships among a number of <i>teinturier</i> grapevines that expanded across Europe in the early 20th century. Australian Journal of Grape and Wine Research, 2008, 14, 223.	2.1	24
78	Gene pool variation and phylogenetic relationships of an indigenous northeast Italian grapevine collection revealed by nuclear and chloroplast SSRs. Genome, 2008, 51, 838-855.	2.0	18
79	Genetic characterization of some Romanian red wine grapevine varieties. , 2008, , .		1
80	Characterization of Citrus Cultivars and Clones in Cyprus Through Microsatellite and RAPD Analysis. Biotechnology and Biotechnological Equipment, 2008, 22, 787-794.	1.3	18
81	Identification of synonyms and homonyms in grapevine cultivars ( <i>Vitis vinifera</i> L.) from Asturias (Spain). Journal of Horticultural Science and Biotechnology, 2008, 83, 683-688.	1.9	15
82	A GENETIC STUDY ON TABLE GRAPE VARIETIES THROUGH MICROSATELLITE ANALYSIS. Acta Horticulturae, 2009, , 115-122.	0.2	1
83	Characterization of Oriental Cultivars of Grapevine Using a Reference Allele System of Microsatellite Data and Assignment Test. Japanese Society for Horticultural Science, 2009, 78, 175-179.	0.8	8
84	A GENETIC LINKAGE MAP OF SEEDLESS TABLE GRAPES (VITIS VINIFERA L.) DEVELOPED FOR THE ANALYSIS OF SEEDLESSNESS AND FRUIT QUALITY QTLS. Acta Horticulturae, 2009, , 369-376.	0.2	1
85	Low Level of Pollen-Mediated Gene Flow from Cultivated to Wild Grapevine: Consequences for the Evolution of the Endangered Subspecies Vitis vinifera L. subsp. silvestris. Journal of Heredity, 2009, 100, 66-75.	2.4	131
86	Genetic relationships between Sardinian and Spanish viticulture: the case of 'Cannonau' and 'Garnacha'. Journal of Horticultural Science and Biotechnology, 2009, 84, 65-71.	1.9	7
87	Synonymy of Two Ancient Grapevine Cultivars ( <i>Vitis vinifera</i> L.)—Cascón and Corbillón—From the D.O. RÃas Baixas Ribeira do Ulla Subzone (Galicia, Spain). International Journal of Fruit Science, 2009, 9, 157-165.	2.4	2
88	Clonal variation and stability assay of chimeric Pinot Meunier (Vitis vinifera L.) and descending sports. Euphytica, 2009, 165, 197.	1.2	17
89	Portuguese traditional grapevine cultivars and wild vines (Vitis vinifera L.) share morphological and genetic traits. Genetic Resources and Crop Evolution, 2009, 56, 975-989.	1.6	44
90	Genotypes and phenotypes of an ex situ Vitis vinifera ssp. sylvestris (Gmel.) Beger germplasm collection from the Upper Rhine Valley. Genetic Resources and Crop Evolution, 2009, 56, 1171-1181.	1.6	22

#	Article	IF	CITATIONS
91	Genetic dissection of sex determinism, inflorescence morphology and downy mildew resistance in grapevine. Theoretical and Applied Genetics, 2009, 118, 1261-1278.	3.6	192
92	A framework map from grapevine V3125 (Vitis vinifera †Schiava grossa'Â׆Riesling')Â×Ârootstc †Börner' (Vitis ripariaÂ×ÂVitis cinerea) to localize genetic determinants of phylloxera root resistance. Theoretical and Applied Genetics, 2009, 119, 1039-1051.	ock cultivai 3.6	- 78
93	Molecular markers for establishing distinctness in vegetatively propagated crops: a case study in grapevine. Theoretical and Applied Genetics, 2009, 119, 1213-1222.	3.6	57
94	The powdery mildew resistance gene REN1 co-segregates with an NBS-LRR gene cluster in two Central Asian grapevines. BMC Genetics, 2009, 10, 89.	2.7	102
95	A Review of the Authentication of Wine Origin by Molecular Markers. Journal of the Institute of Brewing, 2009, 115, 259-264.	2.3	10
96	Identification of grapevine clone genotypes by use of microsatellite markers. Cytology and Genetics, 2009, 43, 371-378.	0.5	5
97	Microsatellite Linkage Map Based on F2 Population from Bulgarian Grapevine Cultivar Storgozia. Biotechnology and Biotechnological Equipment, 2009, 23, 1126-1130.	1.3	8
98	Origin and genetic diversity of Tunisian grapes as revealed by microsatellite markers. Scientia Horticulturae, 2009, 120, 479-486.	3.6	26
99	New insights on the genetic basis of Portuguese grapevine and on grapevine domestication. Genome, 2009, 52, 790-800.	2.0	47
100	Microsatellite Markers for Grapevine: Tools for Cultivar Identification & Pedigree Reconstruction. , 2009, , 565-596.		17
101	Grapevine Molecular Physiology & amp; Biotechnology. , 2009, , .		34
102	<i>Prunus avium</i> : nuclear DNA study in wild populations and sweet cherry cultivars. Genome, 2009, 52, 320-337.	2.0	31
103	Molecular characterisation of ancientPrunus aviumL. germplasm using sweet cherry SSR markers. Journal of Horticultural Science and Biotechnology, 2010, 85, 295-305.	1.9	4
104	A parentage study of closely related Ukrainian wine grape varieties using microsatellite markers. Cytology and Genetics, 2010, 44, 95-102.	0.5	5
105	A multidisciplinary study of archaeological grape seeds. Die Naturwissenschaften, 2010, 97, 205-217.	1.6	82
106	An extensive study of the genetic diversity within seven French wine grape variety collections. Theoretical and Applied Genetics, 2010, 120, 1219-1231.	3.6	81
107	Retrotransposon-based molecular markers for grapevine species and cultivars identification. Tree Genetics and Genomes, 2010, 6, 451-466.	1.6	49
108	Microsatellite analyses for evaluation of genetic diversity among Sicilian grapevine cultivars. Genetic Resources and Crop Evolution, 2010, 57, 703-719.	1.6	43

#	Article	IF	CITATIONS
109	Clone differentiation and varietal identification by means of SSR, AFLP, SAMPL and Mâ€AFLP in order to assess the clonal selection of grapevine: the case study of Manto Negro, Callet and Moll, autochthonous cultivars of Majorca. Annals of Applied Biology, 2010, 157, 213-227.	2.5	25
110	Wild grapevine: <i>silvestris</i> , hybrids or cultivars that escaped from vineyards? Molecular evidence in Sardinia. Plant Biology, 2010, 12, 558-562.	3.8	57
111	Genetics and genomic approaches to improve grape quality for winemaking. , 2010, , 316-364.		5
112	Genetic Relationships of Chinese Grape Accessions to European and American Cultivars Assessed by Microsatellite Markers. Biotechnology and Biotechnological Equipment, 2010, 24, 2054-2059.	1.3	4
113	Preservation and Molecular Characterization of Ancient Varieties in Spanish Grapevine Germplasm Collections. American Journal of Enology and Viticulture, 2010, 61, 557-562.	1.7	11
114	Are rhododendron hybrids distinguishable on the basis of morphology and microsatellite polymorphism?. Scientia Horticulturae, 2010, 125, 469-476.	3.6	3
115	A Fast, Efficient Method for Extracting DNA from Leaves, Stems, and Seeds of <i>Vitis vinifera</i> L American Journal of Enology and Viticulture, 2011, 62, 376-381.	1.7	16
116	Microsatellite characterization of grapevine (Vitis vinifera L.) genetic diversity in Asturias (Northern) Tj ETQq1 1 (	0.784314 ı 3.6	rgβŢ /Overloc
117	Genetic Characterization of Old Slovenian Grapevine Varieties of <i>Vitis vinifera</i> L. by Microsatellite Genotyping. American Journal of Enology and Viticulture, 2011, 62, 250-255.	1.7	20
118	IDENTIFICATION OF A NEW WHITE-BERRIED GRAPEVINE CULTIVAR AS A RESULT FROM BUD SPORT OF THE PORTUGUESE BLUE BLACK CULTIVAR 'ALFROCHEIRO PRETO'. Acta Horticulturae, 2011, , 673-678.	0.2	2
119	Florescimento e produção de maracujazeiro-amarelo obtido por enxertia hipocotiledonar em Jaboticabal-SP e Araguari-MG. Revista Brasileira De Fruticultura, 2011, 33, 227-236.	0.5	2
120	Agronomic and molecular traits of the 'Italia Muscat' clone in Sao Francisco River Valley. Revista Brasileira De Fruticultura, 2011, 33, 297-302.	0.5	0
121	Genetic Characterization of Old Grapevines collected in Oases of the Atacama Desert. Chilean Journal of Agricultural Research, 2011, 71, 476-482.	1.1	3
122	Detection of variation among clonal selections of grapevine ( <i>Vitis vinifera</i> L.) †Kishmish Chernyi' by AFLP analysis. Journal of Horticultural Science and Biotechnology, 2011, 86, 230-234.	1.9	2
123	Genetic variation and biogeography of the disjunct Vitis subg. Vitis (Vitaceae). Journal of Biogeography, 2011, 38, 471-486.	3.0	84
124	Distinguishing species of European sturgeons Acipenser spp. using microsatellite allele sequences. Journal of Fish Biology, 2011, 78, 208-226.	1.6	14
125	Genetic linkage maps of two interspecific grape crosses (Vitis spp.) used to localize quantitative trait loci for downy mildew resistance. Tree Genetics and Genomes, 2011, 7, 153-167.	1.6	92
126	Whole genome amplification and microsatellite genotyping of herbarium DNA revealed the identity of an ancient grapevine cultivar. Die Naturwissenschaften, 2011, 98, 763-772.	1.6	11

#	Article	IF	CITATIONS
127	Construction of a reference linkage map of Vitis amurensis and genetic mapping of Rpv8, a locus conferring resistance to grapevine downy mildew. Theoretical and Applied Genetics, 2011, 123, 43-53.	3.6	132
128	An Enhanced Method for <i>Vitis vinifera</i> L. DNA Extraction from Wines. American Journal of Enology and Viticulture, 2011, 62, 547-552.	1.7	36
129	<i>Vitis californica</i> and <i>Vitis californica</i> × <i>Vitis vinifera</i> Hybrids are Hosts for <i>Grapevine leafroll-associated virus-2</i> and <i>-3</i> and <i>Grapevine virus A</i> and <i>B</i> . Plant Disease, 2011, 95, 657-665.	1.4	47
130	Determination of Genetic Relationships of Albariño and Loureira Cultivars with the CaÃño Group by Microsatellites. American Journal of Enology and Viticulture, 2011, 62, 371-375.	1.7	7
131	Genetic Diversity of Chinese Wild Grape Species by SSR and SRAP Markers. Biotechnology and Biotechnological Equipment, 2012, 26, 2899-2903.	1.3	13
132	WILD GRAPEVINE (VITIS VINIFERA L. SUBSP. SYLVESTRIS (GMELIN) HEGI) IN ITALY: DISTRIBUTION AND PRELIMINARY GENETIC ANALYSIS. Acta Horticulturae, 2012, , 211-216.	0.2	7
133	Collection and genetic characterization of Vitis vinifera ' Žilavka' by microsatellites and AFLP markers. Acta Agriculturae Slovenica, 2012, 99, .	0.3	2
134	Identification and Relationships of Grapevine Cultivars Authorized for Cultivation in Castilla La Mancha (Spain). American Journal of Enology and Viticulture, 2012, 63, 564-567.	1.7	3
135	DNA Extracted with Optimized Protocols Can Be Genotyped to Reconstruct the Varietal Composition of Monovarietal Wines. American Journal of Enology and Viticulture, 2012, 63, 568-573.	1.7	26
136	A framework genetic map of Muscadinia rotundifolia. Theoretical and Applied Genetics, 2012, 125, 1195-1210.	3.6	13
137	A reference genetic map of Muscadinia rotundifolia and identification of Ren5, a new major locus for resistance to grapevine powdery mildew. Theoretical and Applied Genetics, 2012, 125, 1663-1675.	3.6	74
138	Genetic traceability of Asti Spumante and Moscato d'Asti musts and wines using nuclear and chloroplast microsatellite markers. European Food Research and Technology, 2012, 235, 439-446.	3.3	28
139	Identity and genetic relatedness of Bosnia and Herzegovina grapevine germplasm. Scientia Horticulturae, 2012, 143, 122-126.	3.6	13
140	Molecular Markers for Assessing Must Varietal Origin. Food Analytical Methods, 2012, 5, 1252-1259.	2.6	22
141	Comparison of a retrotransposon-based marker with microsatellite markers for discriminating accessions of Vitis vinifera. Genetics and Molecular Research, 2012, 11, 1507-1525.	0.2	9
142	Identification of a Simple Sequence Repeat molecular-marker set for large-scale analyses of pear germplasm. Crop Breeding and Applied Biotechnology, 2012, 12, 118-125.	0.4	6
143	Assessment of the uniformity and stability of grapevine cultivars using a set of microsatellite markers. Euphytica, 2012, 186, 419-432.	1.2	15
144	A Strategy to Investigate the Intravarietal Genetic Variability in Vitis vinifera L. for Clones and Biotypes Identification and to Correlate Molecular Profiles with Morphological Traits or Geographic Origins, Molecular Biotechnology, 2012, 52, 68-81	2.4	17

#	Article	IF	Citations
145	Genetic and geographical structure in grapevines fromÂnorthwestern Spain. Annals of Applied Biology, 2012, 161, 24-35.	2.5	14
146	Development of marker sets useful in the early selection of Ren4 powdery mildew resistance and seedlessness for table and raisin grape breeding. Theoretical and Applied Genetics, 2012, 124, 23-33.	3.6	49
147	Rpv10: a new locus from the Asian Vitis gene pool for pyramiding downy mildew resistance loci in grapevine. Theoretical and Applied Genetics, 2012, 124, 163-176.	3.6	184
148	Evidences for an Alternative Genealogy of â€~Sangiovese'. Molecular Biotechnology, 2013, 53, 278-288.	2.4	20
149	Pedigree Reconstruction of the Italian Grapevine Aglianico (Vitis vinifera L.) from Campania. Molecular Biotechnology, 2013, 54, 634-642.	2.4	26
150	Linkage Mapping and Molecular Diversity at the Flower Sex Locus in Wild and Cultivated Grapevine Reveal a Prominent SSR Haplotype in Hermaphrodite Plants. Molecular Biotechnology, 2013, 54, 1031-1037.	2.4	41
151	Sangiovese and Its Offspring in Southern Italy. Molecular Biotechnology, 2013, 54, 581-589.	2.4	10
152	Landscape discontinuities influence the population structure of <i>Acer opalus</i> ssp. <i>obtusatum</i> Waldst. & Kit. ex Willdenow. Plant Biosystems, 2013, 147, 1029-1042.	1.6	3
153	Genetic investigation of grapevine varieties â€~Ribolla Gialla' (Italy), â€~Rebula' (Slovenia) and â€~Robolaâ (Ionian Islands). Scientia Horticulturae, 2013, 150, 425-431.	€™ 3.6	11
154	Habitat features and genetic integrity of wild grapevine Vitis vinifera L. subsp. sylvestris (C.C. Gmel.) Hegi populations: A case study from Sicily. Flora: Morphology, Distribution, Functional Ecology of Plants, 2013, 208, 538-548.	1.2	21
155	Genetic Characterization of Grapevine Cultivars Collected throughout the Dalmatian Region. American Journal of Enology and Viticulture, 2013, 64, 285-290.	1.7	11
156	Genetic diversity, structure, and patterns of differentiation in the genus Vitis. Plant Systematics and Evolution, 2013, 299, 317-330.	0.9	48
157	VvGAI1 polymorphisms associate with variation for berry traits in grapevine. Euphytica, 2013, 191, 85-98.	1.2	13
158	Naturalised grapevines collected from arid regions in Northern Chile exhibit a high level of genetic diversity. Australian Journal of Grape and Wine Research, 2013, 19, 299-310.	2.1	12
159	Genetic diversity and population structure assessed by SSR and SNP markers in a large germplasm collection of grape. BMC Plant Biology, 2013, 13, 39.	3.6	325
160	Polymorphisms inVvPelassociate with variation in berry texture and bunch size in the grapevine. Australian Journal of Grape and Wine Research, 2013, 19, 193-207.	2.1	16
161	Validation Assay of p3_VvAGL11 Marker in a Wide Range of Genetic Background for Early Selection of Stenospermocarpy in Vitis vinifera L. Molecular Biotechnology, 2013, 54, 1021-1030.	2.4	37
162	Genomics of grapevine: from genomics research on model plants to crops and from science to grapevine breeding. , 2013, , 119-148.		0

#	ARTICLE	IF	CITATIONS
163	Ampelographic and genetic characterisation of ancestral grapevine (<>>Vitis ViniferaL.) accessions present in the Umbria Region (Central Italy). Journal of Horticultural Science and Biotechnology, 2013, 88, 525-530.	1.9	2
164	Assessment of morphological and molecular similarity of Hungarian white grape varieties. Acta Biologica Hungarica, 2013, 64, 231-248.	0.7	2
165	Characterization of Grapevines by the Use of Genetic Markers. , 0, , .		3
166	Portuguese Vitis vinifera L. Germplasm: Accessing Its Diversity and Strategies for Conservation. , 2013, ,		3
167	Application of Microsatellite Markers in Grapevine and Olives. , 2013, , .		5
168	The characterisation of Vitis vinifera 'RefoÅįk' with AFLP and SSR molecular markers and ampelographic traits. Acta Agriculturae Slovenica, 2014, 103, 55-64.	0.3	2
169	SSR and SRAP marker-based linkage map ofVitis viniferaL Biotechnology and Biotechnological Equipment, 2014, 28, 221-229.	1.3	11
170	<b>Use of microsatellite markers to assess the identity and genetic diversity of <i>Vitis labrusca</i>and <i>Vitis rotundifolia</i> cultivars. Acta Scientiarum - Agronomy, 2014, 36, 301.</b>	0.6	3
171	Analysis of Genetic Relationship of Seedless Germplasm and Validation Assay of the P3_VvAGL11 Marker Linked to Seedlessness in Grapevines. Han'guk Yukchong Hakhoe Chi, 2014, 46, 28-36.	0.5	4
172	Morphological Variability in Leaves and Molecular Characterization of Novel Table Grape Candidate Cultivars (Vitis vinifera L.). Molecular Biotechnology, 2014, 56, 557-570.	2.4	9
173	Genetic Variability and Geographic Typicality of Italian Former Prosecco Grape Variety Using PCR-Derived Molecular Markers. Molecular Biotechnology, 2014, 56, 408-420.	2.4	3
174	Segregation and associations of enological and agronomic traits in GracianoÂ×ÂTempranillo wine grape progeny (Vitis vinifera L.). Euphytica, 2014, 195, 259-277.	1.2	14
175	Heritability and identification of QTLs and underlying candidate genes associated with the architecture of the grapevine cluster (Vitis vinifera L.). Theoretical and Applied Genetics, 2014, 127, 1143-1162.	3.6	55
176	Characterization and Identification of Minority Red Grape Varieties Recovered in Rioja, Spain. American Journal of Enology and Viticulture, 2014, 65, 148-152.	1.7	18
177	Microsatellite inferred genetic diversity and structure of Western Balkan grapevines (Vitis vinifera) Tj ETQq0 0 0 r	gBT /Over 1.6	lo <u>ck</u> 10 Tf 50
178	QTL analysis of flowering time and ripening traits suggests an impact of a genomic region on linkage group 1 in Vitis. Theoretical and Applied Genetics, 2014, 127, 1857-1872.	3.6	44
179	Use of SSR and Retrotransposon-Based Markers to Interpret the Population Structure of Native Grapevines from Southern Italy. Molecular Biotechnology, 2014, 56, 1011-1020.	2.4	25
180	Genotyping of Vitis vinifera L. within the Slovak national collection of genetic resources. Open Life Sciences, 2014, 9, 761-767.	1.4	0

#	Article	IF	CITATIONS
181	Italian wild grapevine (Vitis vinifera L. subsp. sylvestris) population: insights into eco-geographical aspects and genetic structure. Tree Genetics and Genomes, 2014, 10, 1369-1385.	1.6	31
182	Molecular Identification and Genetic Relationships of Palestinian Grapevine Cultivars. Molecular Biotechnology, 2014, 56, 546-556.	2.4	15
183	CO-LOCALIZATION OF QTLS FOR SEEDLESSNESS AND DOWNY MILDEW RESISTANCE IN GRAPEVINE. Acta Horticulturae, 2014, , 449-455.	0.2	2
184	ADDITIONAL SOURCES OF REN1-LIKE POWDERY MILDEW RESISTANCE. Acta Horticulturae, 2014, , 35-40.	0.2	1
185	Crop wild relatives as genetic resources – the case of the European wild grape. Canadian Journal of Plant Science, 2015, 95, 905-912.	0.9	17
186	Hybridization of cultivated Vitis vinifera with wild V.Âcalifornica and V.Âgirdiana in California. Ecology and Evolution, 2015, 5, 5671-5684.	1.9	20
187	Grapevine breeding in Austria. , 2015, , 41-63.		1
188	A chemometric approach to identify the grape cultivar employed to produce nutraceutical fruit juice. European Food Research and Technology, 2015, 241, 487-496.	3.3	14
189	A novel method for the identification of seahorses (genus Hippocampus) using cross-species amplifiable microsatellites. Fisheries Research, 2015, 172, 318-324.	1.7	8
190	Whole-genome genotyping of grape using a panel of microsatellite multiplex PCRs. Tree Genetics and Genomes, 2015, 11, 1.	1.6	19
191	Recovery and identification of grapevine varieties cultivated in old vineyards from Navarre (Northeastern Spain). Scientia Horticulturae, 2015, 191, 65-73.	3.6	12
192	Genetic diversity of stilbene metabolism in Vitis sylvestris. Journal of Experimental Botany, 2015, 66, 3243-3257.	4.8	71
193	Population Structure of Vitis rupestris, an Important Resource for Viticulture. American Journal of Enology and Viticulture, 2015, 66, 403-410.	1.7	11
194	Chromosome Replacement and Deletion Lead to Clonal Polymorphism of Berry Color in Grapevine. PLoS Genetics, 2015, 11, e1005081.	3.5	48
195	Mass Spectrometric and Enzymatic Evidence Confirm the Existence of Anthocyanidin 3,5- <i>O</i> -Diglucosides in Cabernet Sauvignon ( <i>Vitis vinifera</i> L.) Grape Berries. Journal of Agricultural and Food Chemistry, 2015, 63, 3251-3260.	5.2	22
196	Genetic characterization of some wild grape populations ( <i>Vitis vinifera</i> subsp. <i>sylvestris</i> ) of Zagros mountains (Iran) to indentify a conservation strategy. Plant Genetic Resources: Characterisation and Utilisation, 2015, 13, 27-35.	0.8	11
197	Cultivar Identity, Intravarietal Variation, and Health Status of Native Grapevine Varieties in Croatia and Montenegro. American Journal of Enology and Viticulture, 2015, 66, 531-541.	1.7	8
198	Development, Polymorphism and Cross-Species Transferability of Genomic SSR Markers in <i>Duabanga Moluccana</i> , an Indigenous Tree Species from Sarawak. OnLine Journal of Biological Sciences, 2016, 16, 56-70.	0.4	0

#	Article	IF	CITATIONS
199	Analysis of SSR and AFLP Markers to Detect Genetic Diversity Among Selected Clones of Grapevine (Vitis vinifera L.) cv. Keshmeshi. South African Journal of Enology and Viticulture, 2016, 30, .	0.4	2
200	Molecular genetic map construction and QTL analysis of fruit maturation period in grapevine. Genetics and Molecular Research, 2016, 15, .	0.2	8
201	Evidence for a Sympatric Origin of Ribolla gialla, Gouais Blanc and Schiava cultivars (V. vinifera L.). South African Journal of Enology and Viticulture, 2016, 35, .	0.4	1
202	The molecular characterization by SSRs reveals a new South Italian kinship and the origin of the cultivar Uva di Troia. SpringerPlus, 2016, 5, 1562.	1.2	7
203	Grapevine red blotch-associated virus is Present in Free-Living <i>Vitis</i> spp. Proximal to Cultivated Grapevines. Phytopathology, 2016, 106, 663-670.	2.2	51
204	High-throughput 18K SNP array to assess genetic variability of the main grapevine cultivars from Sicily. Tree Genetics and Genomes, 2016, 12, 1.	1.6	35
205	Label-free optical biosensor for direct complex DNA detection using Vitis vinifera L. Sensors and Actuators B: Chemical, 2016, 234, 92-97.	7.8	8
206	Experimental Review of DNA-Based Methods for Wine Traceability and Development of a Single-Nucleotide Polymorphism (SNP) Genotyping Assay for Quantitative Varietal Authentication. Journal of Agricultural and Food Chemistry, 2016, 64, 6969-6984.	5.2	39
207	Design and validation of an STR hexaplex assay for DNA profiling of grapevine cultivars. Electrophoresis, 2016, 37, 3059-3067.	2.4	3
208	Origin of Termarina cultivar, another grapevine (Vitis viniferaL.) parthenocarpic somatic variant. Australian Journal of Grape and Wine Research, 2016, 22, 489-493.	2.1	3
209	First genetic linkage map of Taraxacum koksaghyz Rodin based on AFLP, SSR, COS and EST-SSR markers. Scientific Reports, 2016, 6, 31031.	3.3	23
210	Microsatellite markers (SSR) as a tool to assist the identification of grape ( <i>Vitis vinifera</i> ) cultivars. Acta Horticulturae, 2016, , 133-140.	0.2	3
211	The key role of "Moscato bianco―and "Malvasia aromatica di Parma―in the parentage of traditional aromatic grape varieties. Tree Genetics and Genomes, 2016, 12, 1.	1.6	18
212	Pink berry grape (Vitis vinifera L.) characterization: Reflectance spectroscopy, HPLC and molecular markers. Plant Physiology and Biochemistry, 2016, 98, 138-145.	5.8	6
213	An enhanced analytical procedure to discover table grape DNA adulteration in industrial musts. Food Control, 2016, 60, 124-130.	5.5	33
214	Identification of Vitis vinifera L. grape berry skin color mutants and polyphenolic profile. Food Chemistry, 2016, 194, 117-127.	8.2	44
215	Genetic Diversity of Wild Grapevine [ Vitis vinifera L. subsp. sylvestris (Gmel.) Hegi] in the Eastern Adriatic Region. American Journal of Enology and Viticulture, 2017, 68, 252-257.	1.7	10
216	Current distribution and characterization of the wild grapevine populations in Andalusia (Spain). Comptes Rendus - Biologies, 2017, 340, 164-177.	0.2	11

#	Article	IF	CITATIONS
217	Molecular Characterization of Chinese Grape Landraces (Vitis L.) Using Microsatellite DNA Markers. Hortscience: A Publication of the American Society for Hortcultural Science, 2017, 52, 533-540.	1.0	11
218	Genotyping grapevine with chloroplast markers and limits of the method. Acta Horticulturae, 2017, , 143-150.	0.2	0
219	Constructing a genetic linkage map of Vitis aestivalis-derived "Norton―and its use in comparing Norton and Cynthiana. Molecular Breeding, 2017, 37, 1.	2.1	8
220	Identity and parentage of some South American grapevine cultivars present in Argentina. Australian Journal of Grape and Wine Research, 2017, 23, 452-460.	2.1	18
221	In vitro propagation of Italian cultivars of Vitis vinifera and evaluation of genetic stability by SSRs markers. Acta Horticulturae, 2017, , 165-172.	0.2	1
222	The table grape †Victoria' with a long shaped berry: a potential mutation with attractive characteristics for consumers. Journal of the Science of Food and Agriculture, 2017, 97, 5398-5405.	3.5	7
223	Differences in <i>Vvufgt</i> and <i>VvmybA1</i> Gene Expression Levels and Phenolic Composition in Table Grape ( <i>Vitis vinifera</i> L.) â€ĩRed Globe' and Its Somaclonal Variant â€ĩPink Globe'. Journal of Agricultural and Food Chemistry, 2017, 65, 2793-2804.	5.2	7
224	Pedigree reconstruction of wine and table grape crossbreeds created in Italy by Giovanni Dalmasso. Scientia Horticulturae, 2017, 219, 125-130.	3.6	3
225	Local cultivars of Vitis vinifera L. in Spanish islands: Balearic Archipelago. Scientia Horticulturae, 2017, 226, 122-132.	3.6	9
226	Insights into the <i>Vitis</i> complex in the Danube floodplain (Austria). Ecology and Evolution, 2017, 7, 7796-7806.	1.9	20
227	Genetic identification and characterization of Armenian grapevine cultivars. BIO Web of Conferences, 2017, 9, 01020.	0.2	3
228	Phenotypic and molecular characterization of 18 Bulgarian newly bred grapevine varieties in relation to their resistance to downy mildew. Biotechnology and Biotechnological Equipment, 2017, 31, 68-74.	1.3	4
229	Potential of combining morphometry and ancient DNA information to investigate grapevine domestication. Vegetation History and Archaeobotany, 2017, 26, 345-356.	2.1	20
230	Urgent need for preservation of grapevine (Vitis vinifera L. subsp. vinifera) germplasm from small circum-Sicilian islands as revealed by SSR markers and traditional use investigations. Genetic Resources and Crop Evolution, 2017, 64, 1395-1415.	1.6	16
231	A reliable analytical procedure to discover table grape DNA adulteration in industrial wines and musts. Acta Horticulturae, 2017, , 365-370.	0.2	14
232	Single nucleotide polymorphism profiles reveal an admixture genetic structure of grapevine germplasm from Calabria, Italy, uncovering its key role for the diversification of cultivars in the Mediterranean Basin. Australian Journal of Grape and Wine Research, 2018, 24, 345-359.	2.1	19
233	Two dominant loci determine resistance to Phomopsis cane lesions in F1 families of hybrid grapevines. Theoretical and Applied Genetics, 2018, 131, 1173-1189.	3.6	22
234	PCR analysis of experimental and commercial wines by means of nuclear and chloroplast SSRs. European Food Research and Technology, 2018, 244, 2127-2140.	3.3	12

#	Article	IF	CITATIONS
235	Differential genetic stability in vineyards of the cultivar †lay' (Vitis vinifera L.) cultivated in different regions of Southern and Southwestern Brazil. Ciencia E Tecnica Vitivinicola, 2018, 33, 66-77.	0.9	1
236	Microsatellite-based DNA Fingerprinting of Selected Grapevine Cultivars. South African Journal of Enology and Viticulture, 2018, 39, .	0.4	3
237	Genetic Diversity of Vitis davidii Accessions Revealed Using Microsatellite and Sequence-related Amplified Polymorphism Markers. Hortscience: A Publication of the American Society for Hortcultural Science, 2018, 53, 283-287.	1.0	1
238	First characterisation of minor and neglected Vitis vinifera L. cultivars from Mount Etna. Zahradnictvi (Prague, Czech Republic: 1992), 2018, 45, 37-46.	0.9	6
239	Field-Based Metabolomics of Vitis vinifera L. Stems Provides New Insights for Genotype Discrimination and Polyphenol Metabolism Structuring. Frontiers in Plant Science, 2018, 9, 798.	3.6	41
240	SNP markers tightly linked to root knot nematode resistance in grapevine (Vitis cinerea) identified by a genotyping-by-sequencing approach followed by Sequenom MassARRAY validation. PLoS ONE, 2018, 13, e0193121.	2.5	17
241	Armenian national grapevine collection: Conservation, characterization and prospects. BIO Web of Conferences, 2019, 12, 01002.	0.2	4
242	Genetic relationships of some local and introduced grapes (Vitis vinifera L.) by microsatellite markers. Biotechnology and Biotechnological Equipment, 2019, 33, 1303-1310.	1.3	3
243	Extensive genotyping of a large collection of rootstocks, population structure analysis and core collection extrapolation for new breeding programs. Acta Horticulturae, 2019, , 301-304.	0.2	1
244	Molecular and morphological characterization of the grapevine cultivars "Italia―in the Ica and Cañete valleys (Peru). BIO Web of Conferences, 2019, 12, 01017.	0.2	1
245	Grapevine Non- <i>vinifera</i> Genetic Diversity Assessed by Simple Sequence Repeat Markers as a Starting Point for New Rootstock Breeding Programs. American Journal of Enology and Viticulture, 2019, 70, 390-397.	1.7	18
246	Genetic diversity of Iranian and some European grapes as revealed by nuclear and chloroplast microsatellite and SNP molecular markers. Journal of Horticultural Science and Biotechnology, 2019, 94, 599-610.	1.9	16
247	Genetic diversity and parentage analysis of grape rootstocks. Theoretical and Applied Genetics, 2019, 132, 1847-1860.	3.6	62
248	Molecular genetic diversity in segregates of Vitis: implications for the breeding of grapevine aiming at resistance to Pratylenchus brachyurus. Euphytica, 2019, 215, 1.	1.2	1
249	How to integrate wet lab and bioinformatics procedures for wine DNA admixture analysis and compositional profiling: Case studies and perspectives. PLoS ONE, 2019, 14, e0211962.	2.5	14
250	Investigating variability of the cultivar â€~Pinot blanc' under different aspects. Acta Horticulturae, 2019, , 445-456.	0.2	Ο
251	Synthesis of grapevine chimeras. Acta Horticulturae, 2019, , 165-170.	0.2	1
252	Synonyms and homonyms in Herzegovinian and Dalmatian grapevine cultivars. Acta Horticulturae, 2019, , 15-20.	0.2	4

#	Article	IF	CITATIONS
253	True-to-type confirmation of 20 unknown grapevine accessions at a grape germplasm collection in Split, Croatia. Acta Horticulturae, 2019, , 87-94.	0.2	0
254	Valorization of autochthonous Apulian grapevine cultivars for spumante production. Acta Horticulturae, 2019, , 457-462.	0.2	3
255	Short sequence repeat (SSR) genotyping and sodium exclusion phenotyping of a <i>Vitis</i> hybrid population (â€~K51-40' × â€~Schwarzmann'). Acta Horticulturae, 2019, , 513-520.	0.2	3
256	Inventory and descriptions of wild grapevine (Vitis vinifera subsp. sylvestris) from Slovenia, Croatia and Bosnia and Herzegovina. Acta Horticulturae, 2019, , 63-68.	0.2	2
257	Genetical, Morphological and Physicochemical Characterization of the Autochthonous Cultivar â€~Uva Rey' (Vitis vinifera L.). Agronomy, 2019, 9, 563.	3.0	8
258	The genomic diversification of grapevine clones. BMC Genomics, 2019, 20, 972.	2.8	66
259	Phylogenetic Relationship Among Wild and Cultivated Grapevine in Sicily: A Hotspot in the Middle of the Mediterranean Basin. Frontiers in Plant Science, 2019, 10, 1506.	3.6	33
260	Molecular characterization of wine grape cultivars from Calabria. Acta Horticulturae, 2019, , 281-286.	0.2	3
261	Microtubule dynamics modulate sensing during cold acclimation in grapevine suspension cells. Plant Science, 2019, 280, 18-30.	3.6	24
262	SNP genotyping elucidates the genetic diversity of Magna Graecia grapevine germplasm and its historical origin and dissemination. BMC Plant Biology, 2019, 19, 7.	3.6	51
263	In vitro synthesis of grapevine (Vitis vinifera L.) intraspecific chimeras using meristematic bulk tissue grafting. Scientia Horticulturae, 2019, 246, 965-970.	3.6	0
264	Genetic Diversity and Structure Analysis Assessed by SSR Markers in a Large Collection of Vitis Cultivars from the Island of Crete, Greece. Biochemical Genetics, 2020, 58, 294-321.	1.7	9
265	Genetic structure and molecular diversity of Brazilian grapevine germplasm: Management and use in breeding programs. PLoS ONE, 2020, 15, e0240665.	2.5	14
266	Genetic Diversity of Local Greek and Bulgarian Grapevine (Vitis Vinifera L.) Varieties. Diversity, 2020, 12, 273.	1.7	4
267	DNA-based genealogy reconstruction of Nebbiolo, Barbera and other ancient grapevine cultivars from northwestern Italy. Scientific Reports, 2020, 10, 15782.	3.3	22
268	The Potential of HTS Approaches for Accurate Genotyping in Grapevine (Vitis vinifera L.). Genes, 2020, 11, 917.	2.4	4
269	Genetic Structure and Relationships among Wild and Cultivated Grapevines from Central Europe and Part of the Western Balkan Peninsula. Genes, 2020, 11, 962.	2.4	16
270	Population genetic analysis in old Montenegrin vineyards reveals ancient ways currently active to generate diversity in Vitis vinifera. Scientific Reports, 2020, 10, 15000.	3.3	22

#	Article	IF	CITATIONS
271	Genetic Diversity and Population Structure in a Vitis spp. Core Collection Investigated by SNP Markers. Diversity, 2020, 12, 103.	1.7	16
272	Characterization of genetic determinants of the resistance to phylloxera, Daktulosphaira vitifoliae, and the dagger nematode Xiphinema index from muscadine background. BMC Plant Biology, 2020, 20, 213.	3.6	24
273	Marginal Grapevine Germplasm from Apulia (Southern Italy) Represents an Unexplored Source of Genetic Diversity. Agronomy, 2020, 10, 563.	3.0	11
274	Identification of rare traditional grapevine cultivars using SSR markers and their geographical location within the Czech Republic. Czech Journal of Genetics and Plant Breeding, 2020, 56, 71-78.	0.8	7
275	Microsatellite Markers Analysis for the Genetic Characterization and Relationships among Some of Iranian Local Grapevine Accessions ( <i>Vitis Vinifera</i> L.). International Journal of Fruit Science, 2020, 20, S387-S404.	2.4	4
276	Introgression Among Cultivated and Wild Grapevine in Tuscany. Frontiers in Plant Science, 2020, 11, 202.	3.6	22
277	Genomic Designing of Climate-Smart Fruit Crops. , 2020, , .		7
278	Ecology and Genetics of Natural Populations of North American Vitis Species Used as Rootstocks in European Grapevine Breeding Programs. Frontiers in Plant Science, 2020, 11, 866.	3.6	9
279	Genetic Diversity, Population Structure, and Parentage Analysis of Croatian Grapevine Germplasm. Genes, 2020, 11, 737.	2.4	29
280	Using Rapid Chlorophyll Fluorescence Transients to Classify Vitis Genotypes. Plants, 2020, 9, 174.	3.5	10
281	Genetic diversity and traditional uses of aboriginal grape (Vitis vinifera L.) varieties from the main viticultural regions of Armenia. Genetic Resources and Crop Evolution, 2020, 67, 999-1024.	1.6	9
282	Evaluation of the genetic diversity and root architecture under osmotic stress of common grapevine rootstocks and clones. Scientia Horticulturae, 2020, 266, 109283.	3.6	8
284	Classification of a Texan wild grapevine population within the genus <i>Vitis</i> . Acta Horticulturae, 2021, , 131-140.	0.2	1
285	Genetic Diversity and Population Structure Analysis of Chinese Wild Grape Using Simple Sequence Repeat Markers. Journal of the American Society for Horticultural Science, 2021, 146, 158-168.	1.0	1
286	A single resistance factor to solve vineyard degeneration due to grapevine fanleaf virus. Communications Biology, 2021, 4, 637.	4.4	8
287	Applicability of DNA traceability along the entire wine production chain in the real case of a large Italian cooperative winery. Food Control, 2021, 124, 107929.	5.5	17
288	New Insight into the Identity of Italian Grapevine Varieties: The Case Study of Calabrian Germplasm. Agronomy, 2021, 11, 1538.	3.0	4
289	Explore the Rare—Molecular Identification and Wine Evaluation of Two Autochthonous Greek Varieties: "Karnachalades―and "Bogialamades― Plants, 2021, 10, 1556.	3.5	3

		15	0
#	ARTICLE	IF	CITATIONS
290	Oeno One, 2021, 55, 123-140.	1.4	0
291	DNA authentication technologies for product quality monitoring in the wine industry. Food Systems, 2021, 3, 11-14.	0.4	1
292	Genetic and Genomic Approaches for Adaptation of Grapevine to Climate Change. , 2020, , 157-270.		26
293	Microsatellite Markers for Grapevine: A State of the Art. , 2001, , 433-463.		59
294	Sourcing of SSR markers from related plant species , 2001, , 211-224.		56
298	The Tubulin-Based-Polymorphism Method Provides a Simple and Effective Alternative to the Genomic Profiling of Grape. PLoS ONE, 2016, 11, e0163335.	2.5	14
299	PHYLOGENETICS ANALYSIS OF NORTH AMERICAN NATIVE 'CYNTHIANA'/'NORTON' GRAPE CULTIVAR USING DNA MICROSATELLITE MARKERS. Acta Horticulturae, 2009, , 225-228.	0.2	4
300	Genetic characterization of Sardinia grapevine cultivars by SSR markers analysis. Oeno One, 2016, 41, 175.	1.4	15
301	Prié blanc and Legiruela: a unique grape cultivar grown in distant European regions. Oeno One, 2016, 44, 1.	1.4	2
302	Identity of three grapevine varieties from a rediscovered viticulture region in northwest Spain. Oeno One, 2016, 45, 245.	1.4	3
303	Ampelographic and oenological characterization of the ancient grapevine cv. DobriÄɨć grown in the coastal region of Croatia. Oeno One, 2016, 46, 263.	1.4	1
304	Typing European Chestnut (Castanea sativa Mill.) Cultivars Using Oak Simple Sequence Repeat Markers. Hortscience: A Publication of the American Society for Hortcultural Science, 2004, 39, 1212-1216.	1.0	16
305	Genetic Divergence and Chimerism within Ancient Asexually Propagated Winegrape Cultivars. Journal of the American Society for Horticultural Science, 2002, 127, 508-514.	1.0	106
306	Use of SSR Markers to Assess Identity, Pedigree, and Diversity of Cultivated Muscadine Grapes. Journal of the American Society for Horticultural Science, 2008, 133, 559-568.	1.0	25
307	Mapping of Photoperiod-induced Growth Cessation in the Wild Grape Vitis riparia. Journal of the American Society for Horticultural Science, 2009, 134, 261-272.	1.0	37
308	Prospects for DNA authentication in wine production monitoring. Foods and Raw Materials, 2018, 6, 438-448.	2.1	9
309	Genetic Diversity of Grapevine Accessions from Iran, Russia and USA Using Microsatellite Markers. Pakistan Journal of Biological Sciences, 2009, 12, 152-157.	0.5	4
310	Transferability and utility of white oat (Avena sativa) microsatellite markers for genetic studies in black oat (Avena strigosa). Genetics and Molecular Research, 2011, 10, 2916-2923.	0.2	7

#	Article	IF	CITATIONS
311	Quantitative trait locus analysis of grape weight and soluble solid content. Genetics and Molecular Research, 2015, 14, 9872-9881.	0.2	12
314	Identification of autochthonous grapevine varieties in the germplasm collection at the ITA of "Castilla y León" in Zamadueñas Station, Valladolid, Spain. Spanish Journal of Agricultural Research, 2006, 4, 31.	0.6	11
315	Molecular and ampelographic characterisation of Vitis vinifera L. "Albariño", "Savagnin Blanc" and "CaÃño Blanco" shows that they are different cultivars. Spanish Journal of Agricultural Research, 2007, 5, 333.	0.6	29
316	Ampelography and microsatellite DNA analysis of autochthonous and endangered grapevine cultivars in the province of Huesca (Spain). Spanish Journal of Agricultural Research, 2011, 9, 790.	0.6	9
317	Short communication: Identification and relationship of the autochthonous â€~Romé' and â€~Rome Tintoâ€ grapevine cultivars. Spanish Journal of Agricultural Research, 2019, 16, e07SC02.	тм 0.6	6
318	Molecular and ampelographic characterization of some grape hybrids (Vitis vinifera L.). African Journal of Agricultural Research Vol Pp, 2012, 7, .	0.5	4
319	Characterisation of cv. Albarin Blanco ( <em>Vitis vinifera</em> L.). Synonyms, homonyms and errors of identification associated with this cultivar. Oeno One, 2016, 39, 57.	1.4	8
320	Microsatellite marker analysis of macedonian grapevines ( <em>Vitis vinifera</em> L.) compared to Bulgarian and Greek cultivars. Oeno One, 2016, 43, 29.	1.4	2
321	Comparison of genetic diversity between cultivated and wild grape varieties originating from the Near-Caspian zone of Azerbaijan. Oeno One, 2016, 44, 191.	1.4	0
322	Analysis of grape rootstocks by SSR markers. Oeno One, 2016, 45, 199.	1.4	3
323	Genetic diversity and relationships of indigenous and newly bred Bulgarian grape cultivars assessed by nuclear and chloroplast markers. Oeno One, 2016, 46, 113.	1.4	3
324	Unknown grapevine genetic resources in Asturias (Spain) on the edge of extinction. Oeno One, 2016, 47, 249.	1.4	Ο
325	Asmada (Vitis vinifera L.) Klasik Melezleme Sonucu Elde EdilmiÅŸ F1 Genotiplerinin SSR Metodu ile Ebeveyn Tayini. Turkish Journal of Agricultural and Natural Sciences, 0, , 348-354.	0.6	1
329	Genetics and genomic approaches to improve grape quality for winemaking. , 2010, , 395-442.		Ο
330	Ampelographic and molecular characterisation of grapevine varieties in the gene bank of the experimental vineyard †Radmilovac' †Serbia. Oeno One, 2021, 55, 129-144.	1.4	2
331	Construction of a high-density genetic map and detection of a major QTL of resistance to powdery mildew (Erysiphe necator Sch.) in Caucasian grapes (Vitis vinifera L.). BMC Plant Biology, 2021, 21, 528.	3.6	17
332	Genomic Designing for Biotic Stress Resistant Grapevine. , 2022, , 87-255.		11
333	Genetic Diversity of Armenian Grapevine (Vitis vinifera L.) Germplasm: Molecular Characterization and Parentage Analysis. Biology, 2021, 10, 1279.	2.8	6

#	Article	IF	CITATIONS
334	Grapevine Diversity and Genetic Relationships in Northeast Portugal Old Vineyards. Plants, 2021, 10, 2755.	3.5	9
342	First investigation on polyphenols and glycosidic aroma precursors in a spontaneous colour mutant of â€~Glera', the principal grape variety of Prosecco sparkling wine. Journal of the Science of Food and Agriculture, 0, , .	3.5	1
344	Identification and recovery of local <i>Vitis vinifera</i> L. cultivars collected in ancient vineyards in different locations of Argentina. Australian Journal of Grape and Wine Research, 0, , .	2.1	4
345	Demethylation of the 3′ LTR region of retrotransposon in VvMYBA1 allele enhances anthocyanin biosynthesis in berry skin and flesh in â€~Brazil' grape. Plant Science, 2022, 322, 111341.	3.6	6
347	Screening and Validation of SSR Molecular Markers for Identification of Downy Mildew Resistance in Intraspecific Hybrid F1 Progeny (V. vinifera). Horticulturae, 2022, 8, 706.	2.8	6
348	Identification and Genetic Relationship of the Principal Rootstocks Cultivated in Italy. American Journal of Enology and Viticulture, 2009, 60, 349-356.	1.7	13
349	Parentage Analysis of Freedom Rootstock. , 2009, , .		10
350	A Survey of Maltese Grapevine Germplasm Using SSR Markers. American Journal of Enology and Viticulture, 2010, 61, 419-424.	1.7	6
351	Genetic Characterization of Pierce's Disease Resistance in a <i>Vitis arizonica/monticola</i> Wild Grapevine. American Journal of Enology and Viticulture, 2023, 74, 0740003.	1.7	2
352	Garnacha and Garnacha Tintorera: Genetic Relationships and the Origin of Teinturier Varieties Cultivated in Spain. , 2003, 54, .		30
353	Generation of a Common Set of Mapping Markers to Assist Table Grape Breeding. American Journal of Enology and Viticulture, 2007, 58, 102-111.	1.7	16
354	Molecular Characterization of Grapevine Rootstocks Maintained in Germplasm Collections. American Journal of Enology and Viticulture, 2007, 58, 75-86.	1.7	37
355	Determining the Spanish Origin of Representative Ancient American Grapevine Varieties. American Journal of Enology and Viticulture, 2007, 58, 242-251.	1.7	38
356	Genetic Relationships among Table-Grape Varieties. American Journal of Enology and Viticulture, 2009, 60, 35-42.	1.7	67
357	Ampelographic and DNA Characterization of Local Grapevine Accessions of the Tuscia Area (Latium,) Tj ETQq0 0	0 rgBT /Ov ₽.7	verlock 10 Tf
358	Genetic Origins of Cultivated and Wild Grapevines from Morocco. American Journal of Enology and Viticulture, 2010, 61, 83-90.	1.7	17
359	Genetic Composition of the Ornamental Grape Roger's Red. American Journal of Enology and Viticulture, 2010, 61, 266-271.	1.7	4

360	Corinto bianco: A Seedless Mutant of Pedro Ximenes. American Journal of Enology and Viticulture, 2007, 58, 540-543.	1.7	22	
-----	---	-----	----	--

#	Article	IF	CITATIONS
361	Molecular Correlation of Zinfandel (Primitivo) with Austrian, Croatian, and Hungarian Cultivars and KratoÅ <sub>i</sub> ija, an Additional Synonym. American Journal of Enology and Viticulture, 2008, 59, 205-209.	1.7	24
362	Characterization of Grapevine Accessions from Ukraine Using Microsatellite Markers. American Journal of Enology and Viticulture, 2008, 59, 169-178.	1.7	21
363	Use of Genetic Markers to Assess Pedigrees of Grape Cultivars and Breeding Program Selections. American Journal of Enology and Viticulture, 2008, 59, 248-254.	1.7	22
364	Molecular Characterization of Bonarda-type Grapevine ( <i>Vitis vinifera</i> L.) Cultivars from Argentina, Italy, and France. American Journal of Enology and Viticulture, 2008, 59, 287-291.	1.7	6
365	Identification of New Synonymies in Minority Grapevine Cultivars from Galicia (Spain) Using Microsatellite Analysis. American Journal of Enology and Viticulture, 2009, 60, 236-240.	1.7	6
366	Microsatellite and AFLP Analysis of Autochthonous Grapevine Cultivars from Galicia (Spain). American Journal of Enology and Viticulture, 2009, 60, 215-222.	1.7	11
367	Genetic Variation among Koshu ( <i>Vitis vinifera</i> L.) Accessions Generated by Retrotransposon Insertion into Genome. American Journal of Enology and Viticulture, 2009, 60, 490-496.	1.7	5
368	Characterization of a Brazilian Grape Germplasm Collection Using Microsatellite Markers. American Journal of Enology and Viticulture, 2009, 60, 517-524.	1.7	12
369	Genetic Diversity and Structure in a Spanish Grape Germplasm Collection Assessed by SSR Markers. Australian Journal of Grape and Wine Research, 2022, 2022, 1-12.	2.1	2
370	The Technology of Genetic Identification of Varieties and Wild-Growing Forms of Grapes Based on Multilocus Microsatellite Analysis. Applied Biochemistry and Microbiology, 2022, 58, 1050-1059.	0.9	0
372	Analysis of Wine-Producing Vitis vinifera L. Biotypes, Autochthonous to Crete (Greece), Employing Ampelographic and Microsatellite Markers. Life, 2023, 13, 220.	2.4	6
373	Identification of Portuguese traditional grapevines using molecular marker-based strategies. Scientia Horticulturae, 2023, 311, 111826.	3.6	6
374	Genetic diversity, population structure and parentage analysis of Brazilian grapevine hybrids after half a century of genetic breeding. Scientia Horticulturae, 2023, 311, 111825.	3.6	5
375	Morphological and Genetic Clonal Diversity within the â€~Greco Bianco' Grapevine (Vitis vinifera L.) Variety. Plants, 2023, 12, 515.	3.5	4
376	Characterization of the genetic diversity of Citrus species of Nepal using simple sequence repeat (SSR) markers. South African Journal of Botany, 2023, 156, 192-201.	2.5	0
377	Characterization of Nero Antico di Pretalucente Wine and Grape Fungal Microbiota: An Expression of Abruzzo Region Cultivar Heritage. Fermentation, 2023, 9, 150.	3.0	1
379	Distinct Red Blotch Disease Epidemiological Dynamics in Two Nearby Vineyards. Viruses, 2023, 15, 1184.	3.3	0
380	Genetic Diversity and Population Structure Analysis of Anatolian Kara Grapevine (Vitis vinifera L.) Germplasm Using Simple Sequence Repeats. Horticulturae, 2023, 9, 743.	2.8	3

#	Article	IF	Citations
381	Ampelographic and Genetic Diversity Assessment of Some Local Grape Genotypes under Egyptian Conditions. American Journal of Molecular Biology, 2023, 13, 183-196.	0.3	0
382	Development, Identification and Validation of a Novel SSR Molecular Marker for Heat Resistance of Grapes Based on miRNA. Horticulturae, 2023, 9, 931.	2.8	2
383	How to Improve a Successful Product? The Case of "Asproudi―of the Monemvasia Winery Vineyard. Sustainability, 2023, 15, 15597.	3.2	1
384	Exploring Diversity among Grapevines Varieties (Vitis vinifera L.) in Ibiza and Formentera (Balearic) Tj ETQq1 1 0.7 Approach. Horticulturae, 2023, 9, 1307.	'84314 rgl 2.8	3T /Overlock 0
385	Characterisation and Identification of Vines from Fuerteventura (Canary Volcanic Archipelago) Tj ETQq0 0 0 rgBT	/Qvgrlock 2.8	10 Tf 50 582
386	Study of Molecular Biodiversity and Population Structure of Vitis vinifera L. ssp. vinifera on the Volcanic Island of El Hierro (Canary Islands, Spain) by Using Microsatellite Markers. Horticulturae, 2023, 9, 1297.	2.8	2
387	Wild grapes of Armenia: unexplored source of genetic diversity and disease resistance. Frontiers in Plant Science, 0, 14, .	3.6	2
388	Analysis of the Diversity Presented by Vitis vinifera L. in the Volcanic Island of La Gomera (Canary) Tj ETQq1 1 0.7 10, 14.	84314 rgE 2.8	T /Overlock O
389	Epicuticular waxes: A natural packaging to deal with sunburn browning in white grapes. Scientia Horticulturae, 2024, 328, 112856.	3.6	0
390	Investigation of genetic diversity among autochthonous grape cultivars grown in Türkiye using molecular primers. Genetic Resources and Crop Evolution, 0, , .	1.6	Ο

391	High resolution melting analysis of microsatellite markers applied to grapevine varietal fingerprinting throughout the wine production chain. Food Control, 2024, 160, 110368.	5.5	0
392	The role of plant breeding in grapevine production. Advances in Botanical Research. 2024	1.1	0