

CTLA-4 in autoimmune diseases – a general susceptibility

Genes and Immunity

1, 170-184

DOI: [10.1038/sj.gene.6363655](https://doi.org/10.1038/sj.gene.6363655)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Association of DRB1*04-DQB1*0301 Haplotype and Lack of Association of Two Polymorphic Sites at CTLA-4 Gene with Hashimoto's Thyroiditis in an Italian Population. <i>Thyroid</i> , 2001, 11, 171-175. | 2.4 | 88 |
| 2 | Association studies of CTLA-4 , CD28 , and ICOS gene polymorphisms with type 1 diabetes in the Japanese population. <i>Immunogenetics</i> , 2001, 53, 447-454. | 1.2 | 75 |
| 3 | Increased expression of CTLA-4 (CD152) by T and B lymphocytes in Wegener's granulomatosis. <i>Clinical and Experimental Immunology</i> , 2001, 126, 143-150. | 1.1 | 67 |
| 4 | Polymorphism in codon 17 of the CTLA-4 gene (+49 A/G) is not associated with susceptibility to rheumatoid arthritis in British Caucasians. <i>Tissue Antigens</i> , 2001, 58, 50-54. | 1.0 | 26 |
| 5 | Immunogenetics in PSC. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2001, 15, 611-627. | 1.0 | 47 |
| 6 | T cell activation: you can't get good help. <i>Nature Immunology</i> , 2001, 2, 139-140. | 7.0 | 12 |
| 7 | Welcome to Volume Two of Genes and Immunity!. <i>Genes and Immunity</i> , 2001, 2, 1-3. | 2.2 | 0 |
| 8 | No evidence of a functionally significant polymorphism of the BCL2 gene in Danish, Finnish and Basque type 1 diabetes families. <i>Genes and Immunity</i> , 2001, 2, 398-400. | 2.2 | 5 |
| 9 | Identification of a new malaria susceptibility locus (Char4) in recombinant congenic strains of mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 10793-10798. | 3.3 | 86 |
| 10 | Technical Note: Linkage Disequilibrium and Disease-Associated CTLA4 Gene Polymorphisms. <i>Journal of Immunology</i> , 2001, 167, 2457-2458. | 0.4 | 59 |
| 11 | CTLA-4 gene polymorphism in promoter and exon-1 regions in Chinese patients with systemic lupus erythematosus. <i>Lupus</i> , 2001, 10, 647-649. | 0.8 | 45 |
| 12 | Genetics in Autoimmune Hepatitis. <i>Seminars in Liver Disease</i> , 2002, 22, 353-364. | 1.8 | 112 |
| 13 | Coeliac Disease Candidate Genes: No Association with Functional Polymorphisms in Matrix Metalloproteinase 1 and 3 Gene Promoters. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 931-935. | 0.6 | 13 |
| 14 | Mutational Analysis of CD28 in Coeliac Disease. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 536-539. | 0.6 | 0 |
| 15 | Genetic basis of autoimmune adrenal deficiency. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2002, 9, 237-243. | 0.6 | 7 |
| 16 | CTLA4 gene and autoimmune endocrinopathies: A new marker?. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 1001-1005. | 1.8 | 5 |
| 17 | Costimulatory Molecules and Autoimmune Thyroid Diseases. <i>Autoimmunity</i> , 2002, 35, 159-167. | 1.2 | 44 |
| 18 | Polymorphisms in Immunoregulatory Genes. <i>Molecular Diagnosis and Therapy</i> , 2002, 2, 13-23. | 3.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Polymorphism of CTLA-4 gene at position 49 of exon 1 may be associated with schizophrenia in the Korean population. <i>Psychiatry Research</i> , 2002, 110, 19-25. | 1.7 | 18 |
| 20 | Genetic effects on susceptibility, clinical expression, and treatment outcome of type 1 autoimmune hepatitis. <i>Clinics in Liver Disease</i> , 2002, 6, 707-725. | 1.0 | 43 |
| 21 | Functional Tolerance is Maintained Despite Proliferation of CD4 T Cells after Encounter with Tissue-derived Antigen. <i>Autoimmunity</i> , 2002, 9, 173-176. | 0.6 | 1 |
| 22 | CTLA4 dimorphisms and the multiple sclerosis phenotype. <i>Journal of Neuroimmunology</i> , 2002, 131, 208-212. | 1.1 | 32 |
| 23 | CD80 (B7-1) and CD86 (B7-2) genes and genetic susceptibility to coeliac disease. <i>International Journal of Immunogenetics</i> , 2002, 29, 331-333. | 1.2 | 1 |
| 24 | Genetic polymorphism of the human ICOS gene. <i>Immunogenetics</i> , 2002, 53, 1028-1032. | 1.2 | 24 |
| 25 | Association study of the NRAMP1 gene promoter polymorphism and early-onset type 1 diabetes. <i>Immunogenetics</i> , 2002, 54, 282-285. | 1.2 | 23 |
| 26 | Association of CTLA-4 variation with type I diabetes in Filipinos. <i>Immunogenetics</i> , 2002, 54, 310-313. | 1.2 | 17 |
| 27 | Genetics of autoimmune diseases in humans and in animal models. <i>Current Opinion in Immunology</i> , 2002, 14, 803-811. | 2.4 | 53 |
| 28 | Autoimmune endocrine disease. <i>Current Opinion in Immunology</i> , 2002, 14, 760-764. | 2.4 | 28 |
| 29 | Genetics of type 1 diabetes mellitus. <i>Genes and Immunity</i> , 2002, 3, 235-249. | 2.2 | 279 |
| 30 | Genetics of susceptibility to leprosy. <i>Genes and Immunity</i> , 2002, 3, 441-453. | 2.2 | 104 |
| 31 | CTLA-4 gene polymorphisms in systemic lupus erythematosus: a highly significant association with a determinant in the promoter region. <i>Human Genetics</i> , 2002, 111, 452-455. | 1.8 | 129 |
| 32 | Application of genomics and proteomics in Type 1 diabetes pathogenesis research. <i>Expert Review of Molecular Diagnostics</i> , 2003, 3, 743-757. | 1.5 | 21 |
| 33 | Secondary immune deficiencies associated with biological therapeutics. <i>Current Allergy and Asthma Reports</i> , 2003, 3, 389-395. | 2.4 | 11 |
| 34 | Coeliac disease: investigation of proposed causal variants in the CTLA4 gene region. <i>International Journal of Immunogenetics</i> , 2003, 30, 427-432. | 1.2 | 35 |
| 35 | Impaired primary immune response in type-1 diabetes. Functional impairment at the level of APCs and T-cells. <i>Cellular Immunology</i> , 2003, 221, 15-26. | 1.4 | 67 |
| 36 | Increased salivary gland tissue expression of Fas, Fas ligand, cytotoxic T lymphocyte-associated antigen 4, and programmed cell death 1 in primary Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , 2003, 48, 174-185. | 6.7 | 95 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Analysis of major histocompatibility complex and CTLA-4 alleles in Brazilian patients with primary biliary cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1061-1066. | 1.4 | 39 |
| 38 | Association of the T-cell regulatory gene CTLA4 with susceptibility to autoimmune disease. <i>Nature</i> , 2003, 423, 506-511. | 13.7 | 1,980 |
| 39 | Analysis of the CTLA-4, CD28, and inducible costimulator (ICOS) genes in autoimmune thyroid disease. <i>Genes and Immunity</i> , 2003, 4, 586-593. | 2.2 | 79 |
| 40 | Ocular transfer of retinal glial cells transduced ex vivo with adenovirus expressing viral IL-10 or CTLA4-Ig inhibits experimental autoimmune uveoretinitis. <i>Gene Therapy</i> , 2003, 10, 1970-1981. | 2.3 | 39 |
| 41 | Genetic factors in the pathogenesis of primary biliary cirrhosis. <i>Clinics in Liver Disease</i> , 2003, 7, 841-864. | 1.0 | 78 |
| 42 | Cytotoxic T lymphocyte antigen-4 gene polymorphisms do not confer susceptibility to autoimmune hepatitis types 1 and 2 in Brazil. <i>American Journal of Gastroenterology</i> , 2003, 98, 1616-1620. | 0.2 | 5 |
| 43 | Genetic analysis of multiple sclerosis. <i>Journal of Autoimmunity</i> , 2003, 21, 111-116. | 3.0 | 20 |
| 44 | Genetics of Diabetes in Childhood. , 2003, , 1-28. | | 0 |
| 45 | CTLA-4 and its role in autoimmune thyroid disease. <i>Journal of Molecular Endocrinology</i> , 2003, 31, 21-36. | 1.1 | 125 |
| 46 | Association of CTLA4 Polymorphisms with Sustained Response to Interferon and Ribavirin Therapy for Chronic Hepatitis C Virus Infection. <i>Journal of Infectious Diseases</i> , 2003, 187, 1264-1271. | 1.9 | 62 |
| 47 | Activity and Safety of CTLA-4 Blockade Combined with Vaccines in Cynomolgus Macaques. <i>Journal of Immunology</i> , 2003, 171, 6251-6259. | 0.4 | 125 |
| 48 | Cytotoxic T Lymphocyte Antigen-4 Gene Polymorphisms Do Not Confer Susceptibility To Autoimmune Hepatitis Types 1 and 2 in Brazil. <i>American Journal of Gastroenterology</i> , 2003, 98, 1616-1620. | 0.2 | 47 |
| 49 | Polymorphisms in the Cytotoxic T Lymphocyte Antigen-4 Gene Region Confer Susceptibility to Addison's Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 3474-3476. | 1.8 | 105 |
| 50 | Transcriptional Activation of the SH2D2A Gene Is Dependent on a Cyclic Adenosine 5'-Monophosphate-Responsive Element in the Proximal SH2D2A Promoter. <i>Journal of Immunology</i> , 2004, 172, 6144-6151. | 0.4 | 15 |
| 51 | Genetics of liver disease: immunogenetics and disease pathogenesis. <i>Gut</i> , 2004, 53, 599-608. | 6.1 | 137 |
| 52 | Altering immune tolerance therapeutically: the power of negative thinking. <i>Journal of Leukocyte Biology</i> , 2004, 75, 586-599. | 1.5 | 18 |
| 53 | CTLA-4 gene polymorphisms and systemic lupus erythematosus in a population-based study of whites and African-Americans in the southeastern United States. <i>Lupus</i> , 2004, 13, 784-791. | 0.8 | 42 |
| 54 | Analysis of Cytotoxic T Lymphocyte Antigen-4 (CTLA-4) Exon 1 Polymorphism in Patients with Type I Diabetes Mellitus in a Turkish Population. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2004, 17, 731-5. | 0.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Candidate gene region 2q33 in European families with coeliac disease. <i>Tissue Antigens</i> , 2004, 63, 212-222. | 1.0 | 46 |
| 56 | Genetic analysis of the CD28/CTLA4/ICOS (CELIAC3) region in coeliac disease. <i>Tissue Antigens</i> , 2004, 64, 593-599. | 1.0 | 38 |
| 57 | CTLA4+49 A/G and CT60 polymorphisms in Dutch coeliac disease patients. <i>European Journal of Human Genetics</i> , 2004, 12, 782-785. | 1.4 | 59 |
| 58 | Evidence for CTLA4 as a susceptibility gene for systemic lupus erythematosus. <i>European Journal of Human Genetics</i> , 2004, 12, 620-626. | 1.4 | 112 |
| 59 | Genetic association of coeliac disease susceptibility to polymorphisms in the ICOS gene on chromosome 2q33. <i>Genes and Immunity</i> , 2004, 5, 85-92. | 2.2 | 54 |
| 60 | Polymorphic variation in the CBLB gene in human type 1 diabetes. <i>Genes and Immunity</i> , 2004, 5, 232-235. | 2.2 | 18 |
| 61 | Genomic profiling of interpopulation diversity guides prioritization of candidate-genes for autoimmunity. <i>Genes and Immunity</i> , 2004, 5, 493-504. | 2.2 | 10 |
| 62 | A functional polymorphism (1858C/T) in the PTPN22 gene is linked and associated with type I diabetes in multiplex families. <i>Genes and Immunity</i> , 2004, 5, 678-680. | 2.2 | 120 |
| 63 | Association of common T cell activation gene polymorphisms with multiple sclerosis in Australian patients. <i>Journal of Neuroimmunology</i> , 2004, 148, 218-230. | 1.1 | 45 |
| 64 | CTLA-4 gene polymorphism in promoter and exon-1 regions is not associated with Chinese patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2004, 23, 180-181. | 1.0 | 15 |
| 65 | A linkage study of 12 IDDM susceptibility loci in the Finnish population. <i>Diabetes/Metabolism Research and Reviews</i> , 2004, 20, 144-149. | 1.7 | 14 |
| 66 | CTLA-4 polymorphisms in allergy and asthma and the TH1/ TH2 paradigm. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 280-287. | 1.5 | 76 |
| 67 | Patients with early onset of type 1 diabetes have significantly higher GG genotype at position 49 of the CTLA4 gene. <i>Human Immunology</i> , 2004, 65, 719-724. | 1.2 | 52 |
| 68 | Quantitative Association Tests of Immune Responses to Antigens of <i>Mycobacterium Tuberculosis</i> : A Study of Twins in West Africa. <i>Twin Research and Human Genetics</i> , 2004, 7, 578-588. | 1.3 | 3 |
| 69 | Lack of Association between IL-12B Gene Polymorphism and Autoimmune Thyroid Disease in Japanese Patients. <i>Endocrine Journal</i> , 2004, 51, 609-613. | 0.7 | 24 |
| 70 | Quantitative Association Tests of Immune Responses to Antigens of <i>Mycobacterium Tuberculosis</i> : A Study of Twins in West Africa. <i>Twin Research and Human Genetics</i> , 2004, 7, 578-588. | 1.3 | 4 |
| 71 | The CD28 family: a T-cell rheostat for therapeutic control of T-cell activation. <i>Blood</i> , 2005, 105, 13-21. | 0.6 | 276 |
| 72 | Regulation of indoleamine 2,3-dioxygenase and tryptophanyl-tRNA-synthetase by CTLA-4-Fc in human CD4+ T cells. <i>Blood</i> , 2005, 105, 1574-1581. | 0.6 | 169 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Non-MHC Genetic Polymorphisms with Functional Importance for Human Myasthenia Gravis. , 2005, , 101-113. | | 0 |
| 74 | Genetic susceptibility to type 1 diabetes. Current Opinion in Immunology, 2005, 17, 601-608. | 2.4 | 108 |
| 75 | Genetic analysis of the 2q33 region containing CD28-CTLA4-ICOS genes: association with non-Hodgkin's lymphoma. British Journal of Haematology, 2005, 129, 784-790. | 1.2 | 37 |
| 76 | PDCD1: a tissue-specific susceptibility locus for inherited inflammatory disorders. Genes and Immunity, 2005, 6, 430-437. | 2.2 | 42 |
| 77 | CTLA4 polymorphisms are associated with vitiligo, in patients with concomitant autoimmune diseases. Pigment Cell & Melanoma Research, 2005, 18, 55-58. | 4.0 | 57 |
| 78 | Recent findings on genes associated with inflammatory disease. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2005, 573, 136-151. | 0.4 | 46 |
| 79 | Lack of association with the CD28/CTLA4/ICOS gene region among Norwegian multiple sclerosis patients. Journal of Neuroimmunology, 2005, 166, 197-201. | 1.1 | 27 |
| 80 | Ctla4 and multiple sclerosis in the Italian population. Experimental and Molecular Pathology, 2005, 78, 55-57. | 0.9 | 29 |
| 81 | Association ofCTLA4 polymorphism with regulatory T cell frequency. European Journal of Immunology, 2005, 35, 2157-2162. | 1.6 | 79 |
| 82 | Association of Epstein-Barr virus with systemic lupus erythematosus: Effect modification by race, age, and cytotoxic T lymphocyte-associated antigen 4 genotype. Arthritis and Rheumatism, 2005, 52, 1148-1159. | 6.7 | 93 |
| 83 | CTLA-4 polymorphisms and systemic lupus erythematosus (SLE): a meta-analysis. Human Genetics, 2005, 116, 361-367. | 1.8 | 109 |
| 84 | Meta-analysis of the association of CTLA-4 exon-1 +49A/G polymorphism with rheumatoid arthritis. Human Genetics, 2005, 118, 123-132. | 1.8 | 54 |
| 85 | Autoimmunity Correlates With Tumor Regression in Patients With Metastatic Melanoma Treated With Anti-€Cytotoxic T-Lymphocyte Antigen-4. Journal of Clinical Oncology, 2005, 23, 6043-6053. | 0.8 | 989 |
| 86 | Aberrant production of soluble costimulatory molecules CTLA-4, CD28, CD80 and CD86 in patients with systemic lupus erythematosus. Rheumatology, 2005, 44, 989-994. | 0.9 | 119 |
| 87 | SNP Analysis of Genes Implicated in T Cell Proliferation in Primary Biliary Cirrhosis. Clinical and Developmental Immunology, 2005, 12, 259-263. | 3.3 | 30 |
| 88 | Glutathione-s-transferase M1 and T1 polymorphisms and associations with type 1 diabetes age-at-onset. Autoimmunity, 2005, 38, 567-575. | 1.2 | 50 |
| 89 | Two Autoimmune Diabetes Loci Influencing T Cell Apoptosis Control Susceptibility to Experimental Autoimmune Myocarditis. Journal of Immunology, 2005, 174, 2167-2173. | 0.4 | 43 |
| 90 | CBLBvariants in type 1 diabetes and their genetic interaction withCTLA4. Journal of Leukocyte Biology, 2005, 77, 579-585. | 1.5 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | THE NOD MOUSE: A Model of Immune Dysregulation. Annual Review of Immunology, 2005, 23, 447-485. | 9.5 | 949 |
| 92 | Immunoregulatory and Susceptibility Genes in Thyroid and Polyglandular Autoimmunity. Thyroid, 2005, 15, 239-250. | 2.4 | 79 |
| 93 | CTLA-4 Gene Polymorphisms and Susceptibility to Type 1 Diabetes Mellitus: A HuGE Review and Meta-Analysis. American Journal of Epidemiology, 2005, 162, 3-16. | 1.6 | 132 |
| 94 | Genetic factors in pemphigus. Journal of Autoimmunity, 2005, 24, 319-328. | 3.0 | 83 |
| 95 | The genetics of type 1 diabetes: Lessons learned and future challenges. Journal of Autoimmunity, 2005, 25, 34-39. | 3.0 | 19 |
| 96 | CTLA4/CT60 polymorphism is not relevant in susceptibility to autoimmune inflammatory intestinal disorders. Human Immunology, 2005, 66, 321-325. | 1.2 | 23 |
| 97 | Immunogenetics of Hashimoto's thyroiditis. Journal of Autoimmune Diseases, 2005, 2, 1. | 1.0 | 114 |
| 98 | The genetics of generalized vitiligo and associated autoimmune diseases. Journal of Dermatological Science, 2006, 41, 3-10. | 1.0 | 63 |
| 99 | A MOLECULAR PERSPECTIVE OF CTLA-4 FUNCTION. Annual Review of Immunology, 2006, 24, 65-97. | 9.5 | 459 |
| 100 | Genetic analysis and functional evaluation of the C/T(âˆ³318) and A/G(âˆ³1661) polymorphisms of the CTLA-4 gene in patients affected with Graves' disease. Clinical Immunology, 2006, 118, 233-242. | 1.4 | 67 |
| 101 | Insulin-dependent diabetes loci Idd5 and Idd9 increase sensitivity to experimental autoimmune encephalomyelitis. Clinical Immunology, 2006, 118, 219-228. | 1.4 | 10 |
| 102 | Genetic progress towards the molecular basis of autoimmunity. Trends in Molecular Medicine, 2006, 12, 90-98. | 3.5 | 69 |
| 103 | Roles of genetic variations in signalling/immunoregulatory molecules in susceptibility to systemic lupus erythematosus. Seminars in Immunology, 2006, 18, 224-229. | 2.7 | 14 |
| 104 | Possible Association of Cytotoxic T-Lymphocyte Antigen 4 Gene Promoter Single Nucleotide Polymorphism With Acute Rejection of Allogeneic Kidney Transplant. Transplantation Proceedings, 2006, 38, 56-58. | 0.3 | 30 |
| 105 | Inpatient Dose Escalation of Antiâ€“CTLA-4 Antibody in Patients With Metastatic Melanoma. Journal of Immunotherapy, 2006, 29, 455-463. | 1.2 | 246 |
| 106 | Analysis of polymorphisms in 16 genes in type 1 diabetes that have been associated with other immune-mediated diseases. BMC Medical Genetics, 2006, 7, 20. | 2.1 | 51 |
| 107 | Analysis of cytotoxic T lymphocyte associated antigen 4 gene polymorphisms in patients with ulcerative colitis. Journal of Gastroenterology and Hepatology (Australia), 2006, 21, 449-453. | 1.4 | 13 |
| 108 | The 1858T PTPN22 gene variant contributes to a genetic risk of type 1 diabetes in a Ukrainian population. Tissue Antigens, 2006, 67, 430-433. | 1.0 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Association analysis of MYO9B gene polymorphisms and inflammatory bowel disease in a Norwegian cohort. Tissue Antigens, 2006, 68, 249-252. | 1.0 | 21 |
| 110 | Phenotypic and genetic analyses of T-cell-mediated immunoregulation in patients with Type 1 diabetes. Diabetic Medicine, 2006, 23, 1145-1150. | 1.2 | 49 |
| 111 | The downstream modulator of interferon- γ , STAT1 is not genetically associated to the Dutch coeliac disease population. European Journal of Human Genetics, 2006, 14, 1120-1124. | 1.4 | 8 |
| 112 | Association of CTLA-4 gene microsatellite polymorphism with ulcerative colitis in chinese patients. Inflammatory Bowel Diseases, 2006, 12, 369-373. | 0.9 | 25 |
| 113 | The Type 1 Diabetes Genetics Consortium. Annals of the New York Academy of Sciences, 2006, 1079, 1-8. | 1.8 | 116 |
| 114 | Gene expression analysis of mouse chromosome substitution strains. Mammalian Genome, 2006, 17, 598-614. | 1.0 | 29 |
| 115 | The predictive value of CTLA-4 and Tg polymorphisms in the recurrence of graves' disease after antithyroid withdrawal. Endocrine, 2006, 30, 377-381. | 2.2 | 14 |
| 116 | CTLA-4 gene polymorphisms and natural soluble CTLA-4 protein in psoriasis vulgaris. International Journal of Immunogenetics, 2006, 33, 217-224. | 0.8 | 20 |
| 117 | Cytotoxic T lymphocyte antigen-4 promoter variants in breast cancer. Cancer Genetics and Cytogenetics, 2006, 165, 114-120. | 1.0 | 76 |
| 118 | Coding region polymorphisms in T cell signal transduction genes. Prevalence and association to development of multiple sclerosis. Journal of Neuroimmunology, 2006, 177, 40-45. | 1.1 | 2 |
| 119 | Cohort- and time-specific associations of CTLA4 genotypes with HIV-1 disease progression. Aids, 2006, 20, 1583-1590. | 1.0 | 6 |
| 120 | Autoimmunity and Immunotherapy for Cancer. New England Journal of Medicine, 2006, 354, 758-760. | 13.9 | 53 |
| 121 | No major effect of the CD28/CTLA4/ICOS gene region on susceptibility to primary sclerosing cholangitis. Scandinavian Journal of Gastroenterology, 2006, 41, 586-591. | 0.6 | 9 |
| 122 | Association of T-Cell Regulatory Gene Polymorphisms With Susceptibility to Gastric Mucosa-Associated Lymphoid Tissue Lymphoma. Journal of Clinical Oncology, 2006, 24, 3483-3489. | 0.8 | 80 |
| 123 | Immunogenetics of Autoimmune Disease. , 2006, , . | | 0 |
| 124 | Is Tumor Immunity the Same Thing As Autoimmunity? Implications for Cancer Immunotherapy. Journal of Clinical Oncology, 2006, 24, 2230-2232. | 0.8 | 20 |
| 125 | Distribution of CTLA-4 Polymorphisms in Allergic Asthma. International Archives of Allergy and Immunology, 2006, 141, 223-229. | 0.9 | 13 |
| 126 | Autoimmunity: Basic Mechanisms and Implications in Endocrine Diseases. Hormone Research in Paediatrics, 2006, 66, 132-141. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Modeling CTLA4-linked autoimmunity with RNA interference in mice. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 16400-16405. | 3.3 | 41 |
| 128 | Malignant melanoma: genetics and therapeutics in the genomic era. Genes and Development, 2006, 20, 2149-2182. | 2.7 | 436 |
| 129 | Glutamate Cysteine Ligase Catalytic Subunit Promoter Polymorphisms and Associations with Type 1 Diabetes Age-at-onset and GAD65 Autoantibody Levels. Experimental and Clinical Endocrinology and Diabetes, 2007, 115, 221-228. | 0.6 | 24 |
| 130 | More Support for the Judicious Use of High-Dose Interleukin-2 in Patients With Advanced Melanoma. Journal of Clinical Oncology, 2007, 25, 3791-3793. | 0.8 | 11 |
| 131 | No evidence for association of CTLA-4 gene polymorphisms with the risk of developing multiple sclerosis: a meta-analysis. Multiple Sclerosis Journal, 2007, 13, 156-168. | 1.4 | 23 |
| 132 | Quantification of antineural antibodies in autoimmune neurological disorders. Expert Review of Clinical Immunology, 2007, 3, 949-973. | 1.3 | 0 |
| 133 | Donor CTLA-4 +49 A/G*GG genotype is associated with chronic GVHD after HLA-identical haematopoietic stem-cell transplantations. Blood, 2007, 110, 4623-4624. | 0.6 | 34 |
| 135 | Where excludability matters: Material versus intellectual property in academic biomedical research. Research Policy, 2007, 36, 1184-1203. | 3.3 | 148 |
| 136 | IMGT Colliers de Perles and IgSF domain standardization for T cell costimulatory activatory (CD28,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2007, 31, 1050-1072. | 1.0 | 30 |
| 137 | The CD40, CTLA-4, thyroglobulin, TSH receptor, and PTPN22 gene quintet and its contribution to thyroid autoimmunity: Back to the future. Journal of Autoimmunity, 2007, 28, 85-98. | 3.0 | 169 |
| 138 | Helicobacter pylori-induced indoleamine 2,3-dioxygenase activity in vivo is regulated by TGFBI and CTLA4 polymorphisms. Molecular Immunology, 2007, 44, 1011-1014. | 1.0 | 19 |
| 139 | High incidence of CTLA-4 AA (CT60) polymorphism in renal cell cancer. Human Immunology, 2007, 68, 698-704. | 1.2 | 83 |
| 140 | CTLA-4 +49A/G and CT60 gene polymorphisms in primary Sjögren syndrome. Arthritis Research and Therapy, 2007, 9, R24. | 1.6 | 15 |
| 141 | The Genetic Basis of Thyroid Autoimmunity. Thyroid, 2007, 17, 949-961. | 2.4 | 136 |
| 143 | Mechanisms of Disease: genetics of rheumatoid arthritis—ethnic differences in disease-associated genes. Nature Clinical Practice Rheumatology, 2007, 3, 644-650. | 3.2 | 33 |
| 144 | Cytotoxic T-Lymphocyte—Associated Antigen-4 Single Nucleotide Polymorphisms and Haplotypes in Primary Biliary Cirrhosis. Clinical Gastroenterology and Hepatology, 2007, 5, 755-760. | 2.4 | 35 |
| 145 | Interacting alleles of the coinhibitory immunoreceptor genes cytotoxic T-lymphocyte antigen 4 and programmed cell-death 1 influence risk and features of primary biliary cirrhosis. Hepatology, 2007, 47, 563-570. | 3.6 | 44 |
| 146 | Targeting cytotoxic T-lymphocyte antigen-4 (CTLA-4). Cancer, 2007, 110, 2614-2627. | 2.0 | 275 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 147 | A genome-wide association study identifies KIAA0350 as a type 1 diabetes gene. <i>Nature</i> , 2007, 448, 591-594. | 13.7 | 497 |
| 148 | Recipient cytotoxic T lymphocyte antigen-4 +49 G/G genotype is associated with reduced incidence of hepatitis B virus recurrence after liver transplantation among Chinese patients. <i>Liver International</i> , 2007, 27, 070908015728004-??? | 1.9 | 18 |
| 149 | Altered susceptibility to EAE in congenic NOD mice: Altered processing of the encephalitogenic MOG35-55 peptide by NOR/LtJ mice. <i>Clinical Immunology</i> , 2007, 122, 91-100. | 1.4 | 8 |
| 150 | Distribution of the <i>CTLA-4</i> single nucleotide polymorphisms CT60G>A and +49A>G in psoriasis vulgaris patients and control individuals from a Polish Caucasian population. <i>International Journal of Immunogenetics</i> , 2008, 35, 51-55. | 0.8 | 10 |
| 151 | Genetic analysis of the exon 1 position 49 CD152 dimorphism in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2007, 191, 45-50. | 1.1 | 2 |
| 152 | <i>Genetic Factors in Autoimmune Myasthenia Gravis</i> . <i>Annals of the New York Academy of Sciences</i> , 2008, 1132, 180-192. | 1.8 | 79 |
| 153 | Increased frequency of the <i>CTLA-4</i> 49 A/G polymorphism in patients with acquired haemophilia A compared to healthy controls. <i>Haemophilia</i> , 2008, 14, 355-360. | 1.0 | 34 |
| 154 | CTLA-4 and multiple sclerosis: The A49G single nucleotide polymorphism shows no association with multiple sclerosis in a Southern Australian population. <i>Journal of Neuroimmunology</i> , 2008, 196, 139-142. | 1.1 | 8 |
| 155 | Chapter 5 Dysregulation of T Cell Peripheral Tolerance in Type 1 Diabetes. <i>Advances in Immunology</i> , 2008, 100, 125-149. | 1.1 | 28 |
| 156 | Combined Functional and Positional Gene Information for the Identification of Susceptibility Variants in Celiac Disease. <i>Gastroenterology</i> , 2008, 134, 738-746. | 0.6 | 18 |
| 157 | Primary Biliary Cirrhosis Is Associated With a Genetic Variant in the 3' Flanking Region of the CTLA4 Gene. <i>Gastroenterology</i> , 2008, 135, 1200-1206. | 0.6 | 62 |
| 158 | Autoimmune Etiology of Generalized Vitiligo. , 2008, 10, 227-243. | | 130 |
| 161 | CTLA-4 trafficking and surface expression. <i>Trends in Immunology</i> , 2008, 29, 272-279. | 2.9 | 131 |
| 162 | The 3' UTR of the human CTLA4 mRNA can regulate mRNA stability and translational efficiency. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008, 1779, 60-65. | 0.9 | 23 |
| 163 | Genetics and Genomics of Primary Biliary Cirrhosis. <i>Clinics in Liver Disease</i> , 2008, 12, 349-365. | 1.0 | 23 |
| 164 | Genome-Wide Microarray Expression Analysis of CD4+ T Cells from Nonobese Diabetic Congenic Mice Identifies <i>Cd55</i> (<i>Daf1</i>) and <i>Acadl</i> as Candidate Genes for Type 1 Diabetes. <i>Journal of Immunology</i> , 2008, 180, 1071-1079. | 0.4 | 21 |
| 166 | Novel therapies targeting the immune system: CTLA4 blockade with tremelimumab (CP-675,206), a fully human monoclonal antibody. <i>Expert Opinion on Investigational Drugs</i> , 2008, 17, 371-385. | 1.9 | 23 |
| 167 | Candidate Genes Implicated in Type 1 Diabetes Susceptibility. <i>Current Diabetes Reviews</i> , 2008, 4, 110-121. | 0.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 168 | Genetic Polymorphisms in <i>Cytotoxic T-Lymphocyte Antigen 4</i> and Cancer: The Dialectical Nature of Subtle Human Immune Dysregulation. <i>Cancer Research</i> , 2009, 69, 6011-6014. | 0.4 | 58 |
| 169 | Transgenic Expression of Single-Chain Anti-CTLA-4 Fv on Î ² Cells Protects Nonobese Diabetic Mice from Autoimmune Diabetes. <i>Journal of Immunology</i> , 2009, 183, 2277-2285. | 0.4 | 23 |
| 170 | CT60 and +49 polymorphisms of CTLA 4 are associated with ANCA-positive small vessel vasculitis. <i>Rheumatology</i> , 2009, 48, 1502-1505. | 0.9 | 35 |
| 171 | Sexual Dimorphism in Autoimmune Disease. <i>Current Molecular Medicine</i> , 2009, 9, 1058-1079. | 0.6 | 144 |
| 172 | Immunogenetics of drug-induced skin blistering disorders. Part II: Synthesis. <i>Pharmacogenomics</i> , 2009, 10, 779-816. | 0.6 | 6 |
| 173 | The Soluble CTLA-4 Receptor and its Emerging Role in Autoimmune Diseases. <i>Current Immunology Reviews</i> , 2009, 5, 54-68. | 1.2 | 10 |
| 174 | CTLA-4 (CD152) controls homeostasis and suppressive capacity of regulatory T cells in mice. <i>Arthritis and Rheumatism</i> , 2009, 60, 123-132. | 6.7 | 86 |
| 175 | Cytotoxic T lymphocyte antigen-4 promoter -658CT gene polymorphism is associated with ulcerative colitis in Chinese patients. <i>International Journal of Colorectal Disease</i> , 2009, 24, 489-493. | 1.0 | 10 |
| 176 | Genome-wide association studies in type 1 diabetes. <i>Current Diabetes Reports</i> , 2009, 9, 157-163. | 1.7 | 24 |
| 177 | The <i>CTLA-4</i> gene polymorphisms are associated with CTLA-4 protein expression levels in multiple sclerosis patients and with susceptibility to disease. <i>Immunology</i> , 2009, 128, e787-96. | 2.0 | 43 |
| 178 | CD28 and CTLA-4 coreceptor expression and signal transduction. <i>Immunological Reviews</i> , 2009, 229, 12-26. | 2.8 | 739 |
| 179 | CTLA4 exon 1 and promoter polymorphisms in patients with multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2009, 120, 424-429. | 1.0 | 26 |
| 180 | CTLA-4 +49A/G polymorphism is associated with Behçet's disease in a Tunisian population. <i>Tissue Antigens</i> , 2009, 73, 213-217. | 1.0 | 15 |
| 181 | <i>CTLA4</i> gene polymorphisms and soluble CTLA4 protein in Behçet's disease. <i>Tissue Antigens</i> , 2009, 74, 222-227. | 1.0 | 25 |
| 182 | Celiac disease, Behçet, and idiopathic thrombocytopenic purpura in siblings of a patient with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 1368-1371. | 1.4 | 4 |
| 183 | CTLA-4 single-nucleotide polymorphisms in a Caucasian population with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 347-350. | 2.0 | 16 |
| 184 | IL-2 and its high-affinity receptor: Genetic control of immunoregulation and autoimmunity. <i>Seminars in Immunology</i> , 2009, 21, 363-371. | 2.7 | 52 |
| 185 | Genome-wide association studies in type 1 diabetes, inflammatory bowel disease and other immune-mediated disorders. <i>Seminars in Immunology</i> , 2009, 21, 355-362. | 2.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 186 | Influence of CTLA-4 gene polymorphism in autoimmune and infectious diseases. Human Immunology, 2009, 70, 532-535. | 1.2 | 62 |
| 187 | The genetics and epigenetics of autoimmune diseases. Journal of Autoimmunity, 2009, 33, 3-11. | 3.0 | 260 |
| 188 | A common CTLA4 polymorphism confers susceptibility to Autoimmune Thyroid Disease in celiac children. Digestive and Liver Disease, 2009, 41, 385-389. | 0.4 | 14 |
| 190 | Immunotherapy in renal cell carcinoma. Immunotherapy, 2009, 1, 97-107. | 1.0 | 5 |
| 191 | Predictors of response to interferon therapy. Current Opinion in Oncology, 2009, 21, 138-143. | 1.1 | 7 |
| 192 | Association of Genetic Variation in Inducible Costimulator Gene With Outcome of Kidney Transplantation. Transplantation, 2009, 87, 393-396. | 0.5 | 40 |
| 193 | Familial Graves' Disease Associated with Type 1 Diabetes. Internal Medicine, 2009, 48, 701-704. | 0.3 | 1 |
| 194 | The Role of Cytotoxic T-Lymphocyte Associated Antigen 4 (CTLA4) +49A/G and Tumor Necrosis Factor Alpha (TNF- α) -308G/A Polymorphism in the Development of Celiac Disease in Jordanian Patients. Journal of Health Science, 2010, 56, 41-46. | 0.9 | 2 |
| 195 | Immunology of β 2-Cell Destruction. Advances in Experimental Medicine and Biology, 2010, 654, 537-583. | 0.8 | 27 |
| 196 | The soluble CTLA-4 receptor and its role in autoimmune diseases: an update. Autoimmunity Highlights, 2010, 1, 73-81. | 3.9 | 48 |
| 197 | Tumorvakzinierung beim metastasierten Nierenzellkarzinom. Onkopipeline, 2010, 3, 4-10. | 0.0 | 0 |
| 198 | Association of CTLA4 Gene Polymorphism in Iranian Patients with Ankylosing Spondylitis. Journal of Clinical Immunology, 2010, 30, 268-271. | 2.0 | 26 |
| 199 | ctla-4 gene variations may influence cervical cancer susceptibility. Gynecologic Oncology, 2010, 119, 136-139. | 0.6 | 41 |
| 200 | Association of a functional polymorphism of <i>PTPN22</i> encoding a lymphoid protein phosphatase in bilateral Meniere's disease. Laryngoscope, 2010, 120, 103-107. | 1.1 | 41 |
| 201 | HLA-DRB1*11: a strong risk factor for acquired severe ADAMTS13 deficiency-related idiopathic thrombotic thrombocytopenic purpura in Caucasians. Journal of Thrombosis and Haemostasis, 2010, 8, 856-859. | 1.9 | 102 |
| 202 | Evidence for CTLA4 as a susceptibility gene for dilated cardiomyopathy. European Journal of Human Genetics, 2010, 18, 694-699. | 1.4 | 22 |
| 203 | Gene discovery in rheumatoid arthritis highlights the CD40/NF- κ B signaling pathway in disease pathogenesis. Immunological Reviews, 2010, 233, 55-61. | 2.8 | 61 |
| 204 | CTLA4 CT60 gene polymorphism is not associated with differential susceptibility to pemphigus foliaceus. Genetics and Molecular Biology, 2010, 33, 442-444. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 205 | Regulatory T Cells. , 2010, , 87-107. | | 0 |
| 206 | Antigen-Experienced CD4 ^{lo} T Cells Are Linked to Deficient Contraction of the Immune Response in Autoimmune Diabetes. Autoimmune Diseases, 2010, 2010, 1-14. | 2.7 | 4 |
| 207 | Systematic Autoimmune Diseases. Molecular Pathology Library, 2010, , 9-19. | 0.1 | 0 |
| 208 | Can the Genetics of Type 1 and Type 2 Diabetes Shed Light on the Genetics of Latent Autoimmune Diabetes in Adults?. Endocrine Reviews, 2010, 31, 183-193. | 8.9 | 53 |
| 209 | CTLA4 CT60 Single-Nucleotide Polymorphism Is Associated with Slovenian Inflammatory Bowel Disease Patients and Regulates Expression of CTLA4 Isoforms. DNA and Cell Biology, 2010, 29, 603-610. | 0.9 | 28 |
| 210 | RNA Vaccines in Cancer Treatment. Journal of Biomedicine and Biotechnology, 2010, 2010, 1-12. | 3.0 | 37 |
| 211 | Alternative splicing in multiple sclerosis and other autoimmune diseases. RNA Biology, 2010, 7, 462-473. | 1.5 | 66 |
| 212 | Signaling Pathways Associated with Inflammatory Bowel Disease. Recent Patents on Inflammation and Allergy Drug Discovery, 2010, 4, 105-117. | 3.9 | 131 |
| 213 | Genetics of Type 1 Diabetes: What's Next?. Diabetes, 2010, 59, 1561-1571. | 0.3 | 256 |
| 214 | Association between T-lymphocyte regulatory gene CTLA4 single nucleotide polymorphism at position 49 in exon 1 and HLA-DRB1*08 in Japanese patients with psoriasis vulgaris. Journal of Dermatological Science, 2011, 62, 70-71. | 1.0 | 10 |
| 215 | Evaluation of six CTLA-4 polymorphisms in high-risk melanoma patients receiving adjuvant interferon therapy in the He13A/98 multicenter trial. Journal of Translational Medicine, 2010, 8, 108. | 1.8 | 25 |
| 216 | Functional polymorphism in CTLA4 gene influences the response to therapy with inhaled corticosteroids in Slovenian children with atopic asthma. Biomarkers, 2010, 15, 158-166. | 0.9 | 12 |
| 217 | Polymorphisms in the 2q33 and 3q21 chromosome regions including T-cell coreceptor and ligand genes may influence susceptibility to pemphigus foliaceus. Human Immunology, 2010, 71, 809-817. | 1.2 | 24 |
| 218 | CTLA-4 gene polymorphism +49 A/G contributes to genetic susceptibility to two infection-related cancers—hepatocellular carcinoma and cervical cancer. Human Immunology, 2010, 71, 888-891. | 1.2 | 58 |
| 219 | Bone involvement in clusters of autoimmune diseases: Just a complication?. Bone, 2010, 46, 551-555. | 1.4 | 18 |
| 220 | The +49A>G CTLA-4 polymorphism is associated with rheumatoid arthritis in Mexican population. Clinica Chimica Acta, 2010, 411, 725-728. | 0.5 | 32 |
| 221 | Study of the CTLA-4 gene polymorphisms in systemic lupus erythematosus (SLE) samples from Malaysia. Annals of Human Biology, 2010, 37, 275-281. | 0.4 | 34 |
| 222 | Abnormalities of T cell signaling in systemic lupus erythematosus. Arthritis Research and Therapy, 2011, 13, 207. | 1.6 | 157 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 223 | Immunoregulatory gene polymorphisms in women with preeclampsia. Hypertension Research, 2011, 34, 384-388. | 1.5 | 15 |
| 224 | CTLA-4 confers a risk of recurrent schizophrenia, major depressive disorder and bipolar disorder in the Chinese Han population. Brain, Behavior, and Immunity, 2011, 25, 429-433. | 2.0 | 24 |
| 225 | CTLA-4, CD28, and ICOS gene polymorphism associations with non-small-cell lung cancer. Human Immunology, 2011, 72, 947-954. | 1.2 | 48 |
| 226 | Association study between polymorphisms of CD28, CTLA4 and ICOS and non-segmental vitiligo in a Korean population. Experimental and Therapeutic Medicine, 2011, 2, 1145-1149. | 0.8 | 4 |
| 227 | Patents, Material Transfers, and Access to Research Inputs in Biomedical Research. , 2011, , 489-530. | | 4 |
| 228 | Polymorphism analysis of the CTLA-4 gene in paracoccidioidomycosis patients. Memorias Do Instituto Oswaldo Cruz, 2011, 106, 220-226. | 0.8 | 10 |
| 229 | More CLEC16A gene variants associated with multiple sclerosis. Acta Neurologica Scandinavica, 2011, 123, 400-406. | 1.0 | 24 |
| 230 | Cytotoxic T lymphocyte antigen 4 gene +49A/G polymorphism significantly associated with susceptibility to primary biliary cirrhosis: A meta-analysis. Journal of Digestive Diseases, 2011, 12, 428-435. | 0.7 | 9 |
| 231 | Does Vitamin D Affect Risk of Developing Autoimmune Disease?: A Systematic Review. Seminars in Arthritis and Rheumatism, 2011, 40, 512-531.e8. | 1.6 | 153 |
| 232 | Genetic Variants in CTLA4 Are Strongly Associated with Alopecia Areata. Journal of Investigative Dermatology, 2011, 131, 1169-1172. | 0.3 | 43 |
| 233 | Risk allele frequencies of several genes controlling the development of autoimmune pathologies in the population of belarus. Russian Journal of Genetics: Applied Research, 2011, 1, 402-410. | 0.4 | 0 |
| 234 | CTLA-4, Position 49 A/G Polymorphism Associated with Coronary Artery Lesions in Kawasaki Disease. Journal of Clinical Immunology, 2011, 31, 240-244. | 2.0 | 23 |
| 235 | CTLA4 exon1 A49G polymorphism in Slovak patients with rheumatoid arthritis and Hashimoto thyroiditis—results and the review of the literature. Clinical Rheumatology, 2011, 30, 1319-1324. | 1.0 | 36 |
| 236 | The Past, Present, and Future of Genetic Associations in Type 1 Diabetes. Current Diabetes Reports, 2011, 11, 445-53. | 1.7 | 9 |
| 237 | Genome-wide association studies (GWAS): impact on elucidating the aetiology of diabetes. Diabetes/Metabolism Research and Reviews, 2011, 27, 685-696. | 1.7 | 26 |
| 238 | Association of cytotoxic T lymphocyte-associated antigen 4 gene single nucleotide polymorphism with type 1 diabetes mellitus in Madurai population of Southern India. Indian Journal of Human Genetics, 2011, 17, 85. | 0.7 | 12 |
| 239 | CTLA-4 Gene Polymorphism and the Risk of Systemic Lupus Erythematosus in the Chinese Population. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-6. | 3.0 | 20 |
| 240 | A Genome-Wide Meta-Analysis of Six Type 1 Diabetes Cohorts Identifies Multiple Associated Loci. PLoS Genetics, 2011, 7, e1002293. | 1.5 | 297 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 241 | From biomarkers to a clue of biology: a computation-aided perspective of immune gene expression profiles in human type 1 diabetes. <i>Frontiers in Immunology</i> , 2012, 3, 320. | 2.2 | 4 |
| 242 | A Pilot Study on Cytotoxic T Lymphocyte-4 Gene Polymorphisms in Urinary Schistosomiasis. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 488-492. | 0.3 | 9 |
| 243 | Innate and adaptive immune gene expression profiles as biomarkers in human type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2012, 170, 131-138. | 1.1 | 20 |
| 244 | Polymorphisms in genes encoding nonsarcomeric proteins and their role in the pathogenesis of dilated cardiomyopathy. <i>Herz</i> , 2012, 37, 836-842. | 0.4 | 6 |
| 245 | Emerging patterns of genetic overlap across autoimmune disorders. <i>Genome Medicine</i> , 2012, 4, 6. | 3.6 | 133 |
| 246 | Correlations of <scp>CTLA</scp> gene polymorphisms and hepatitis <scp>C</scp> chronic infection. <i>Liver International</i> , 2012, 32, 803-808. | 1.9 | 22 |
| 247 | Association of the PTPN22 gene (+1858C/T, ~1123G/C) polymorphisms with type 1 diabetes mellitus: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 446-452. | 1.1 | 23 |
| 248 | Association of genetic variation in co-stimulatory molecule genes with outcome of liver transplant in Iranian patients. <i>Gene</i> , 2012, 504, 127-132. | 1.0 | 13 |
| 249 | Autoimmunity-mediated antitumor immunity: Tumor as an immunoprivileged self. <i>European Journal of Immunology</i> , 2012, 42, 2584-2596. | 1.6 | 26 |
| 250 | A Multi-Factorial Genetic Model for Prognostic Assessment of High Risk Melanoma Patients Receiving Adjuvant Interferon. <i>PLoS ONE</i> , 2012, 7, e40805. | 1.1 | 16 |
| 251 | Frequency of MYO9B polymorphisms in celiac patients and controls. <i>Revista Espanola De Enfermedades Digestivas</i> , 2012, 104, 566-571. | 0.1 | 10 |
| 252 | Analysis of Cytotoxic T Lymphocyte Antigen-4 (CTLA-4) Promoter ~318C/T and +49A/G Gene Polymorphisms in Turkish Patients with Familial Mediterranean Fever. <i>Cell Biochemistry and Biophysics</i> , 2013, 65, 181-186. | 0.9 | 1 |
| 253 | Association of Hashimoto's thyroiditis with cytotoxic T lymphocyte-associated antigen-4 (CTLA-4) and inducible co-stimulator (ICOS) genes in a Kuwaiti population. <i>Endocrine</i> , 2013, 43, 666-677. | 1.1 | 9 |
| 254 | Hereditary and Autoimmune Myasthenias. , 2013, , 1-17. | | 0 |
| 255 | Autoimmune effector memory T cells: the bad and the good. <i>Immunologic Research</i> , 2013, 57, 12-22. | 1.3 | 84 |
| 256 | Role of viral and host factors in interferon based therapy of hepatitis C virus infection. <i>Virology Journal</i> , 2013, 10, 299. | 1.4 | 30 |
| 257 | ~1722T/C polymorphism (rs733618) of CTLA-4 significantly associated with systemic lupus erythematosus (SLE): A comprehensive meta-analysis. <i>Human Immunology</i> , 2013, 74, 341-347. | 1.2 | 25 |
| 258 | CTLA-4 -1722T/C Polymorphism and Systemic Lupus Erythematosus Susceptibility: A Meta-analysis Involving Ten Separate Studies. <i>Immunological Investigations</i> , 2013, 42, 91-105. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 259 | <i>CTLA-4</i> Polymorphisms and Systemic Lupus Erythematosus: A Comprehensive Meta-Analysis. Genetic Testing and Molecular Biomarkers, 2013, 17, 226-231. | 0.3 | 16 |
| 260 | The $\gamma^{319C/+49G/CT60G}$ Haplotype of CTLA-4 Gene Confers Susceptibility to Rheumatoid Arthritis in Mexican Population. Cell Biochemistry and Biophysics, 2013, 67, 1217-1228. | 0.9 | 29 |
| 261 | Molecular Insights for Optimizing T Cell Receptor Specificity Against Cancer. Frontiers in Immunology, 2013, 4, 154. | 2.2 | 35 |
| 262 | No evidence of association between CTLA-4 polymorphisms and systemic lupus erythematosus in Iranian patients. International Journal of Rheumatic Diseases, 2013, 16, 681-684. | 0.9 | 2 |
| 264 | The codon 17 polymorphism of the CTLA4 gene in type 1 diabetes mellitus in the Baghdad population. Journal of Medical Genetics and Genomics, 2014, 6, 1-5. | 0.2 | 1 |
| 265 | Opposing Effects of CTLA4 Insufficiency on Regulatory versus Conventional T Cells in Autoimmunity Converge on Effector Memory in Target Tissue. Journal of Immunology, 2014, 193, 4368-4380. | 0.4 | 12 |
| 266 | Diverse Mechanisms Regulate the Surface Expression of Immunotherapeutic Target CTLA-4. Frontiers in Immunology, 2014, 5, 619. | 2.2 | 52 |
| 267 | Investigation of CTLA-4 and CD86 gene polymorphisms in Iranian patients with brucellosis infection. Microbiology and Immunology, 2014, 58, 135-141. | 0.7 | 11 |
| 268 | Local tumour ablative therapies: Opportunities for maximising immune engagement and activation. Biochimica Et Biophysica Acta: Reviews on Cancer, 2014, 1846, 510-523. | 3.3 | 21 |
| 269 | Association of CTLA-4 variants with susceptibility to inflammatory bowel disease: A meta-analysis. Human Immunology, 2014, 75, 227-233. | 1.2 | 21 |
| 270 | The <i>CTLA4</i> +49 A/G (rs231775) polymorphism influences susceptibility to <i>SLE</i> in South Indian Tamils. Tissue Antigens, 2014, 83, 418-421. | 1.0 | 18 |
| 271 | Cell-extrinsic <i>CTLA4</i> -mediated regulation of dendritic cell maturation depends on <i>STAT3</i> . European Journal of Immunology, 2014, 44, 1143-1155. | 1.6 | 41 |
| 272 | Cytotoxic-T-Lymphocyte Antigen 4 Receptor Signaling for Lymphocyte Adhesion Is Mediated by C3G and Rap1. Molecular and Cellular Biology, 2014, 34, 978-988. | 1.1 | 15 |
| 273 | Overlap of Genetic Susceptibility to Type 1 Diabetes, Type 2 Diabetes, and Latent Autoimmune Diabetes in Adults. Current Diabetes Reports, 2014, 14, 550. | 1.7 | 40 |
| 274 | CTLA-4 polymorphism in the pathogenesis of chronic spontaneous autoreactive urticaria. Allergologia Et Immunopathologia, 2014, 42, 241-244. | 1.0 | 6 |
| 275 | Analysis of DLA-DQB1 and polymorphisms in CTLA4 in Cocker spaniels affected with immune-mediated haemolytic anaemia. Canine Genetics and Epidemiology, 2015, 2, 8. | 2.9 | 6 |
| 276 | Celiac Disease and Other Autoimmune Disorders. , 2015, , . | | 3 |
| 277 | Association between PDCD1, CTLA4, and MECP2 gene polymorphisms and systemic lupus erythematosus in the Chinese Northern Han. Genetics and Molecular Research, 2015, 14, 17567-17573. | 0.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 278 | Lack of association between cytotoxic T-lymphocyte antigen-4+49A/G polymorphism and psoriasis and vitiligo: A meta-analysis of caseâ€control studies. <i>Gene</i> , 2015, 568, 196-202. | 1.0 | 8 |
| 279 | Cytotoxic T lymphocyte antigen-4 gene polymorphism in systemic lupus erythematosus Egyptian patients. <i>Comparative Clinical Pathology</i> , 2015, 24, 41-45. | 0.3 | 2 |
| 280 | CTLA-4 as a genetic determinant in autoimmune Addisonâ€™s disease. <i>Genes and Immunity</i> , 2015, 16, 430-436. | 2.2 | 30 |
| 281 | Meta-Analysis: The Relationship Between CTLA-4 +49 A/G Polymorphism and Primary Biliary Cirrhosis and Type I Autoimmune Hepatitis. <i>Immunological Investigations</i> , 2015, 44, 331-348. | 1.0 | 23 |
| 282 | Cytotoxic T lymphocyte associated antigen-4 (CTLA-4) +49 A>G gene polymorphism in Egyptian cases with rheumatoid arthritis. <i>Gene</i> , 2015, 558, 103-107. | 1.0 | 21 |
| 283 | Congenital Immunodeficiency Diseases. , 2016, , 45-81. | | 0 |
| 284 | Coinhibitory Pathways in the B7-CD28 Ligand-Receptor Family. <i>Immunity</i> , 2016, 44, 955-972. | 6.6 | 462 |
| 285 | Association of CTLA4 exon-1 polymorphism with the tumor necrosis factor-Î± in the risk of systemic lupus erythematosus among South Indians. <i>Human Immunology</i> , 2016, 77, 158-164. | 1.2 | 15 |
| 286 | Association between 318<sc>C</sc>/<sc>T</sc> polymorphism of the <i><sc>CTLA</sc>â€4</i> gene and systemic lupus erythematosus in Iranian patients. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 2040-2044. | 0.9 | 13 |
| 287 | Rodent Models of Diabetes. , 2017, , 215-238. | | 0 |
| 288 | T Cell-Mediated Chronic Inflammatory Diseases Are Candidates for Therapeutic Tolerance Induction with Heat Shock Proteins. <i>Frontiers in Immunology</i> , 2017, 8, 1408. | 2.2 | 7 |
| 289 | Association of the <sc>HLA</sc>â€B27 antigen and the <i><sc>CTLA</sc>4</i> gene <i><sc>CT</sc>60/rs3087243</i> polymorphism with ankylosing spondylitis in Algerian population: A caseâ€control study. <i>International Journal of Immunogenetics</i> , 2018, 45, 109-117. | 0.8 | 7 |
| 290 | Associations of CTLA4 +49 A/G Dimorphism and HLA-DRB1*/DQB1* Alleles With Type 1 Diabetes from South India. <i>Biochemical Genetics</i> , 2018, 56, 489-505. | 0.8 | 7 |
| 291 | Gestational respiratory infections interacting with offspring HLA and CTLA-4 modifies incident Î²-cell autoantibodies. <i>Journal of Autoimmunity</i> , 2018, 86, 93-103. | 3.0 | 22 |
| 292 | Lupusâ€like cutaneous reaction following pembrolizumab: An immuneâ€related adverse event associated with antiâ€PDâ€1 therapy. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 74-77. | 0.7 | 34 |
| 293 | Multiple sclerosis genetics: Results from meta-analyses of candidate-gene association studies. <i>Cytokine</i> , 2018, 106, 154-164. | 1.4 | 9 |
| 294 | Analysis of CTLA-4 + 49A/G gene polymorphism in cases with leprosy of Azerbaijan, Northwest Iran. <i>Infection, Genetics and Evolution</i> , 2018, 57, 121-127. | 1.0 | 2 |
| 295 | T Cell Calcium Signaling Regulation by the Co-Receptor CD5. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1295. | 1.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 296 | Keeping Tumors in Check: A Mechanistic Review of Clinical Response and Resistance to Immune Checkpoint Blockade in Cancer. <i>Journal of Molecular Biology</i> , 2018, 430, 2014-2029. | 2.0 | 42 |
| 297 | Genetic differences between type 1 diabetes with and without other autoimmune diseases. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3023. | 1.7 | 4 |
| 298 | Association of <i>CTLA4</i> polymorphisms with increased risks of myasthenia gravis. <i>Annals of Human Genetics</i> , 2018, 82, 358-369. | 0.3 | 10 |
| 299 | Message from the new Editors-in-Chief. <i>Genes and Immunity</i> , 2019, 20, 338-339. | 2.2 | 0 |
| 300 | Association of CTLA-4 and CD28 Gene Polymorphisms with Type 1 Diabetes in South Indian Population. <i>Immunological Investigations</i> , 2019, 48, 659-671. | 1.0 | 9 |
| 301 | Management of immune related adverse events induced by immune checkpoint inhibition. <i>Cancer Letters</i> , 2019, 456, 80-87. | 3.2 | 36 |
| 302 | Pre-existing autoimmune disease and the risk of immune-related adverse events among patients receiving checkpoint inhibitors for cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 917-926. | 2.0 | 59 |
| 303 | A significant association of the CTLA4 gene variants with the risk of autoimmune Graves' disease in ethnic Kashmiri population. <i>Cellular Immunology</i> , 2020, 347, 103995. | 1.4 | 4 |
| 304 | Reversible primary adrenal insufficiency related to anti-programmed cell-death 1 protein active immunotherapy: Insight into an unforeseen outcome of a rare immune-related adverse event. <i>International Immunopharmacology</i> , 2020, 89, 107050. | 1.7 | 7 |
| 305 | Antigen-Specific Immunotherapy for Treatment of Autoimmune Liver Diseases. <i>Frontiers in Immunology</i> , 2020, 11, 1586. | 2.2 | 21 |
| 306 | Genetic Association Study of IL2RA, IFIH1, and CTLA-4 Polymorphisms With Autoimmune Thyroid Diseases and Type 1 Diabetes. <i>Frontiers in Pediatrics</i> , 2020, 8, 481. | 0.9 | 10 |
| 307 | A sequencing study of CTLA4 in Pakistani rheumatoid arthritis cases. <i>PLoS ONE</i> , 2020, 15, e0239426. | 1.1 | 9 |
| 308 | Polymorphisms in the CTLA4 promoter sequence are associated with canine hypoadrenocorticism. <i>Canine Medicine and Genetics</i> , 2020, 7, 2. | 1.4 | 2 |
| 309 | The yin and yang of co-inhibitory receptors: toward anti-tumor immunity without autoimmunity. <i>Cell Research</i> , 2020, 30, 285-299. | 5.7 | 129 |
| 310 | CTLA-4: From mechanism to autoimmune therapy. <i>International Immunopharmacology</i> , 2020, 80, 106221. | 1.7 | 132 |
| 311 | Genetic and molecular biology of systemic lupus erythematosus among Iranian patients: an overview. <i>Autoimmunity Highlights</i> , 2021, 12, 2. | 3.9 | 5 |
| 312 | CTLA-4 (+49A/G) Polymorphism in Type 1 Diabetes Children of Sudanese Population. <i>Global Medical Genetics</i> , 2021, 08, 011-018. | 0.4 | 4 |
| 314 | Cytotoxic T Lymphocyte Antigen 4 Gene +49 A/G (rs231775) Polymorphism and Susceptibility to Systemic Lupus Erythematosus. <i>Current Rheumatology Reviews</i> , 2021, 17, 247-251. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 315 | PD-1, CTLA-4, LAG-3, and TIGIT: The roles of immune checkpoint receptors on the regulation of human NK cell phenotype and functions. Immunology Letters, 2021, 240, 15-23. | 1.1 | 19 |
| 316 | CTLA4 polymorphisms in Thai patients with rheumatoid arthritis, systemic lupus erythematosus, and systemic sclerosis. International Journal of Rheumatic Diseases, 2021, 24, 1378-1385. | 0.9 | 2 |
| 317 | Molecular Basis of Primary Biliary Cirrhosis. , 2004, , 221-246. | | 2 |
| 318 | Immunobiology of $\gamma\delta$ -Cell Destruction. Advances in Experimental Medicine and Biology, 2013, 771, 194-218. | 0.8 | 13 |
| 319 | Immunogenetics of Autoimmune Liver Disease. , 2007, , 221-233. | | 1 |
| 320 | Genetics and Autoimmunity: Non-MHC Genes. , 2006, , 273-287. | | 1 |
| 321 | GAD65-reactive T cells are activated in patients with autoimmune type 1a diabetes. Journal of Clinical Investigation, 2002, 109, 895-903. | 3.9 | 137 |
| 322 | GAD65-reactive T cells are activated in patients with autoimmune type 1a diabetes. Journal of Clinical Investigation, 2002, 109, 895-903. | 3.9 | 90 |
| 323 | The impact of rs231775 (+49AG) CTLA4 gene polymorphism on transplanted kidney function. Annals of Transplantation, 2012, 17, 29-35. | 0.5 | 23 |
| 324 | A New Mathematical Model for the Interpretation of Translational Research Evaluating Six CTLA-4 Polymorphisms in High-Risk Melanoma Patients Receiving Adjuvant Interferon. PLoS ONE, 2014, 9, e86375. | 1.1 | 3 |
| 325 | CTLA4 Variants and Haplotype Contribute Genetic Susceptibility to Myasthenia Gravis in Northern Chinese Population. PLoS ONE, 2014, 9, e101986. | 1.1 | 20 |
| 326 | Polymorphism of the promoter region and exon 1 of the CTLA4 gene in endemic pemphigus foliaceus (fogo selvagem). Brazilian Journal of Medical and Biological Research, 2006, 39, 1227-1232. | 0.7 | 17 |
| 327 | CTLA-4 polymorphisms (+49 A/G and -318 C/T) are important genetic determinants of AITD susceptibility and predisposition to high levels of thyroid autoantibodies in Polish children - preliminary study.. Acta Biochimica Polonica, 2013, 60, . | 0.3 | 14 |
| 328 | The Nexus of Stem Cell-Derived Beta-Cells and Genome Engineering. Review of Diabetic Studies, 2017, 14, 39-50. | 0.5 | 9 |
| 329 | Comprehensive analysis of differentially expressed serum microRNAs in humans responding to Brucella infection. Annals of Translational Medicine, 2019, 7, 301-301. | 0.7 | 6 |
| 330 | Associations of ICOS and PD.1 Gene Variants with Colon Cancer Risk in The Iranian Population. Asian Pacific Journal of Cancer Prevention, 2018, 19, 693-698. | 0.5 | 7 |
| 331 | CTLA-4 A49G gene polymorphism is not associated with vitiligo in South Indian population. Indian Journal of Dermatology, 2010, 55, 29. | 0.1 | 14 |
| 332 | Association of CTLA-4 Polymorphisms with Type 1 Diabetes in the Egyptian Population. Journal of Diabetes & Metabolism, 2013, 04, . | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 333 | Host nucleotide polymorphism in hepatitis B virus-associated hepatocellular carcinoma. World Journal of Hepatology, 2016, 8, 485. | 0.8 | 17 |
| 334 | Association of 1661A/G Cytotoxic T lymphocyte Antigen-4 (CTLA-4) Gene Polymorphism With a Clinical Subset of Iranian Children With Systemic Lupus Erythematosus. Thrita, 2014, 3, . | 0.4 | 3 |
| 335 | CTLA-4 Gene in the Pathogenesis of Gravesâ€™ Disease. , 2002, , 103-107. | | 0 |
| 336 | The Genomic Biology of the Human Chromosome 2q33 Costimulatory Receptor Region. , 2002, , 81-102. | | 0 |
| 337 | Autoimmune Type 1 Diabetes. , 2004, , 417-438. | | 0 |
| 338 | Prenatal and Infant Nutrition in the Pathogenesis of Type 1 Diabetes. Nutrition and Disease Prevention, 2004, , 307-329. | 0.1 | 0 |
| 339 | Genetic susceptibility to type 1 diabetes mellitus in humans. Physiological Research, 2007, 56, 255-266. | 0.4 | 36 |
| 340 | Nutrigenomics and Chronic Inflammation. , 2007, , 49-59. | | 0 |
| 341 | Pharmacogenomic Applications in Children. Methods in Pharmacology and Toxicology, 2008, , 447-477. | 0.1 | 0 |
| 342 | Predicting and Increasing Response of Melanoma to Interferon Therapy. Translational Medicine Series, 2008, , 129-142. | 0.0 | 0 |
| 343 | Epidemiology and Genetics of Myasthenia Gravis. , 2009, , 71-78. | | 0 |
| 344 | Association of the T-cell Regulatory Ggene CTLA-4 with Suscep-tibility to Autoimmune Thyroid Disease in Population of Novosibirsk. KliniÄeskaÄ I ÄksperimentalÉnaÄ TireoidologiÄ, 2008, 4, 41. | 0.1 | 0 |
| 345 | The frequencies of autoimmunity risk alleles of some genes in Belarus population. Ecological Genetics, 2010, 8, 50-58. | 0.1 | 0 |
| 346 | Association of -23 HphI, a polymorphic marker of the INS gene, with type 1 diabetes mellitus. Diabetes Mellitus, 2010, 13, 17-20. | 0.5 | 0 |
| 347 | The Use of Proteomics to Dissect the Molecular Specificities of T Cells in Type 1 Diabetes. Journal of Diabetes & Metabolism, 2013, , . | 0.2 | 0 |
| 348 | Rodent Models of Diabetes. , 2016, , 1-25. | | 0 |
| 349 | Disease-Specific and Common HLA and Non-HLA Genetic Markers in Susceptibility to Rheumatoid Arthritis, Type 1 Diabetes Mellitus and Multiple Sclerosis. Journal of Molecular and Genetic Medicine: an International Journal of Biomedical Research, 2016, 10, . | 0.1 | 1 |
| 350 | OtoimmÄ¼n tiroid hastalÄ¼klarÄ¼nda CTLA-4 geninin in silico analizinin deÄYerlendirilmesi. Journal of Medicine and Palliative Care:, 2020, 1, 58-63. | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 351 | Association of cytotoxic T lymphocyte-associated protein 4 gene -1772T/C polymorphism with gastric cancer risk. <i>Medicine (United States)</i> , 2020, 99, e23542. | 0.4 | 2 |
| 352 | Co-Receptors in the Positive and Negative Regulation of T-Cell Immunity. , 2008, , 221-245. | | 0 |
| 353 | Dermatite atopica: genetica. , 2007, , 37-47. | | 1 |
| 354 | Genetics of Autoimmune Myocarditis. , 2006, , 144-154. | | 4 |
| 355 | Genomic Variation and Autoimmune Disease. , 2006, , 13-27. | | 0 |
| 356 | Gastroenterologic and Hepatic Diseases. , 2006, , 92-118. | | 0 |
| 357 | Basic Mechanisms in Autoimmunity. , 2007, , 3-16. | | 0 |
| 359 | Biomarkers for type 1 diabetes. <i>International Journal of Clinical and Experimental Medicine</i> , 2008, 1, 98-116. | 1.3 | 27 |
| 360 | The Role of CD14 and CTLA4 Gene Polymorphisms in Risk of Celiac Disease among Patients of Iranian Ethnicity. <i>Cell Journal</i> , 2014, 16, 171-8. | 0.2 | 0 |
| 361 | Association of the CTLA-4 1722TC polymorphism and systemic lupus erythematosus: a systematic review and meta analysis. <i>Medical Journal of the Islamic Republic of Iran</i> , 2014, 28, 132. | 0.9 | 1 |
| 362 | Association between CTLA-4 gene polymorphism and ankylosing spondylitis: a case-control study. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7421-5. | 0.5 | 4 |
| 363 | Influence of cytotoxic T lymphocyte antigen 4 genetic variants on acute rejection in kidney transplant patients: precision medicine perspective. <i>Journal of Diabetes and Metabolic Disorders</i> , 0, , 1. | 0.8 | 0 |
| 364 | Checkpoint Inhibitors and Induction of Celiac Disease-like Condition. <i>Biomedicines</i> , 2022, 10, 609. | 1.4 | 5 |
| 365 | Survey of the association between polymorphisms of <i>CTLA-4</i> exon 1 49 A/G genes with rheumatoid arthritis in Iran. <i>Journal of Immunoassay and Immunochemistry</i> , 0, , 1-13. | 0.5 | 0 |
| 366 | CERTAIN ASPECTS OF GENETIC PREPOSITION TO THE DEVELOPMENT OF COMBINED AUTOIMMUNE DISEASES IN CHILDREN WITH TYPE 1 DIABETES MELLITUS. , 2021, 30, 5-13. | | 0 |
| 368 | The Role of Cytotoxic T-Lymphocyte Antigen 4 in the Pathogenesis of Multiple Sclerosis. <i>Genes</i> , 2022, 13, 1319. | 1.0 | 3 |
| 369 | Targeting the CTLA-4/B7 axes in glioblastoma: preclinical evidence and clinical interventions. <i>Expert Opinion on Therapeutic Targets</i> , 2022, 26, 949-961. | 1.5 | 4 |
| 370 | Cytotoxic T-lymphocyte associated protein 4 (CTLA4) polymorphisms are linked to systemic lupus erythematosus: an updated meta-analysis. <i>Biotechnology and Genetic Engineering Reviews</i> , 0, , 1-18. | 2.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
|---|---------|----|-----------|