

Multifactor-Dimensionality Reduction Reveals High-On Estrogen-Metabolism Genes in Sporadic Breast Cancer

American Journal of Human Genetics

69, 138-147

DOI: [10.1086/321276](https://doi.org/10.1086/321276)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Epistasis and its possible effects on transmission disequilibrium tests. <i>Annals of Human Genetics</i> , 2001, 65, 565-575.	0.3	5
2	New method links multiple genes to complex diseases. <i>Drug Discovery Today</i> , 2001, 6, 922-923.	3.2	0
3	Epistasis: what it means, what it doesn't mean, and statistical methods to detect it in humans. <i>Human Molecular Genetics</i> , 2002, 11, 2463-2468.	1.4	890
4	Pharmacogenetics of antidepressant and mood-stabilizing drugs: a review of candidate-gene studies and future research directions. <i>International Journal of Neuropsychopharmacology</i> , 2002, 5, 255-75.	1.0	69
6	Wnt signalling in mammary carcinogenesis. <i>Breast Cancer Research</i> , 2002, 4, 1.	2.2	3
7	A Perspective on Epistasis: Limits of Models Displaying No Main Effect. <i>American Journal of Human Genetics</i> , 2002, 70, 461-471.	2.6	337
8	Genes and psychopharmacology: exploring the interface. , 2002, , 3-18.		3
9	Pharmacogenetics of Tardive Dyskinesia Combined Analysis of 780 Patients Supports Association with Dopamine D3 Receptor Gene Ser9Gly Polymorphism. <i>Neuropsychopharmacology</i> , 2002, 27, 105-119.	2.8	217
10	Symbolic discriminant analysis of microarray data in autoimmune disease. <i>Genetic Epidemiology</i> , 2002, 23, 57-69.	0.6	84
11	The relationship between plasma t-PA and PAI-1 levels is dependent on epistatic effects of the ACE I/D and PAI-1 4G/5G polymorphisms. <i>Clinical Genetics</i> , 2002, 62, 53-59.	1.0	26
12	A comparison of combinatorial partitioning and linear regression for the detection of epistatic effects of the ACE I/D and PAI-1 4G/5G polymorphisms on plasma PAI-1 levels. <i>Clinical Genetics</i> , 2002, 62, 74-79.	1.0	27
13	New strategies for identifying gene-gene interactions in hypertension. <i>Annals of Medicine</i> , 2002, 34, 88-95.	1.5	377
14	Markers of genetic susceptibility in human environmental hygiene and toxicology: The role of selected CYP, NAT and GST genes. <i>International Journal of Hygiene and Environmental Health</i> , 2003, 206, 149-171.	2.1	147
15	Optimization of neural network architecture using genetic programming improves detection and modeling of gene-gene interactions in studies of human diseases. <i>BMC Bioinformatics</i> , 2003, 4, 28.	1.2	190
16	Challenges and complexities in estimating both the functional impact and the disease risk associated with the extensive genetic variation in human DNA repair genes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2003, 526, 93-125.	0.4	179
17	Power of multifactor dimensionality reduction for detecting gene-gene interactions in the presence of genotyping error, missing data, phenocopy, and genetic heterogeneity. <i>Genetic Epidemiology</i> , 2003, 24, 150-157.	0.6	515
18	Complex interactions in Parkinson's disease: A two-phased approach. <i>Movement Disorders</i> , 2003, 18, 631-636.	2.2	30
19	Model selection methodology in supervised learning with evolutionary computation. <i>BioSystems</i> , 2003, 72, 187-196.	0.9	38

#	ARTICLE	IF	CITATIONS
20	Detecting susceptibility genes in case-control studies using set association. BMC Genetics, 2003, 4, S9.	2.7	13
21	Gene-gene interaction between the monoamine oxidase A gene and solute carrier family 6 (neurotransmitter transporter, noradrenalin) member 2 gene in anorexia nervosa (restrictive) Tj ETQq1 1 0.7843141rgBT / Overlock 10		
22	Mathematical multi-locus approaches to localizing complex human trait genes. Nature Reviews Genetics, 2003, 4, 701-709.	7.7	251
23	Studying complex biological systems using multifactorial perturbation. Nature Reviews Genetics, 2003, 4, 145-151.	7.7	163
24	Petri net modeling of high-order genetic systems using grammatical evolution. BioSystems, 2003, 72, 177-186.	0.9	39
25	Cross Validation Consistency for the Assessment of Genetic Programming Results in Microarray Studies. Lecture Notes in Computer Science, 2003, , 99-106.	1.0	8
26	Multifactor dimensionality reduction software for detecting gene-gene and gene-environment interactions. Bioinformatics, 2003, 19, 376-382.	1.8	1,067
28	Analysis of the IBD5 locus and potential gene-gene interactions in Crohn's disease. Gut, 2003, 52, 541-546.	6.1	96
29	Investigation of Epistasis Between the Serotonin Transporter and Norepinephrine Transporter Genes in Anorexia Nervosa. Neuropsychopharmacology, 2003, 28, 1351-1355.	2.8	31
30	The Ubiquitous Nature of Epistasis in Determining Susceptibility to Common Human Diseases. Human Heredity, 2003, 56, 73-82.	0.4	662
31	The IBD6 Crohn's disease locus demonstrates complex interactions with CARD15 and IBD5 disease-associated variants. Human Molecular Genetics, 2003, 12, 2569-2575.	1.4	57
32	THE GENETICS AND EPIDEMIOLOGY OF MULTIPLE SCLEROSIS. , 2003, , .		0
33	Disease Associations and Family-Based Tests. Current Protocols in Human Genetics, 2003, 38, Unit 1.12.	3.5	0
34	Analysis of Gene-Gene Interactions. Current Protocols in Human Genetics, 2003, 39, Unit 1.14.	3.5	1
36	The emergence of epidemiology in the genomics age. International Journal of Epidemiology, 2004, 33, 936-944.	0.9	84
37	The Challenges of Whole-Genome Approaches to Common Diseases. JAMA - Journal of the American Medical Association, 2004, 291, 1642-1643.	3.8	133
38	Association in Multifactorial Traits: How to Deal with Rare Observations?. Human Heredity, 2004, 58, 73-81.	0.4	8
39	Pharmacogenetic determinants of outcome in acute lymphoblastic leukaemia. British Journal of Haematology, 2004, 125, 421-434.	1.2	37

#	ARTICLE	IF	CITATIONS
40	Association studies for finding cancer-susceptibility genetic variants. <i>Nature Reviews Cancer</i> , 2004, 4, 850-860.	12.8	417
41	Association study of an SNP combination pattern in the dopaminergic pathway in paranoid schizophrenia: a novel strategy for complex disorders. <i>Molecular Psychiatry</i> , 2004, 9, 510-521.	4.1	41
42	Genetics, statistics and human disease: analytical retooling for complexity. <i>Trends in Genetics</i> , 2004, 20, 640-647.	2.9	230
43	Reporting of model validation procedures in human studies of genetic interactions. <i>Nutrition</i> , 2004, 20, 69-73.	1.1	24
44	An application of conditional logistic regression and multifactor dimensionality reduction for detecting gene-gene interactions on risk of myocardial infarction: the importance of model validation. <i>BMC Bioinformatics</i> , 2004, 5, 49.	1.2	127
45	Multifactor-dimensionality reduction shows a two-locus interaction associated with Type 2 diabetes mellitus. <i>Diabetologia</i> , 2004, 47, 549-554.	2.9	183
46	Tree and spline based association analysis of gene-gene interaction models for ischemic stroke. <i>Statistics in Medicine</i> , 2004, 23, 1439-1453.	0.8	139
47	Screening large-scale association study data: exploiting interactions using random forests. <i>BMC Genetics</i> , 2004, 5, 32.	2.7	369
48	The use of animal models in the study of complex disease: all else is never equal or why do so many human studies fail to replicate animal findings?. <i>BioEssays</i> , 2004, 26, 170-179.	1.2	81
49	Introducing the Multivariate Dale Model in Population-Based Genetic Association Studies. <i>Biometrical Journal</i> , 2004, 46, 187-202.	0.6	2
50	Detecting epistatic interactions contributing to quantitative traits. <i>Genetic Epidemiology</i> , 2004, 27, 141-152.	0.6	166
51	Estrogen-metabolizing gene polymorphisms in the assessment of breast carcinoma risk and fibroadenoma risk in Caucasian women. <i>Cancer</i> , 2004, 101, 264-269.	2.0	84
52	Examination of candidate genes in language disorder: A model of genetic association for treatment studies. <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , 2004, 10, 208-217.	3.5	3
53	Routine discovery of complex genetic models using genetic algorithms. <i>Applied Soft Computing Journal</i> , 2004, 4, 79-86.	4.1	51
54	A pilot study on the application of statistical classification procedures to molecular epidemiological data. <i>Toxicology Letters</i> , 2004, 151, 291-291.	0.4	0
55	MDR and PRP: A Comparison of Methods for High-Order Genotype-Phenotype Associations. <i>Human Heredity</i> , 2004, 58, 82-92.	0.4	59
56	Multilocus Analysis of Hypertension: A Hierarchical Approach. <i>Human Heredity</i> , 2004, 57, 28-38.	0.4	146
57	A pilot study on the application of statistical classification procedures to molecular epidemiological data. <i>Toxicology Letters</i> , 2004, 151, 291-299.	0.4	43

#	ARTICLE	IF	CITATIONS
58	Association of Homozygous Wild-Type Glutathione S-Transferase M1 Genotype with Increased Breast Cancer Risk. <i>Cancer Research</i> , 2004, 64, 1233-1236.	0.4	57
59	Prevention of type 2 diabetes mellitus from the viewpoint of genetics. <i>Diabetes Research and Clinical Practice</i> , 2004, 66, S33-S35.	1.1	9
60	An Improved Grammatical Evolution Strategy for Hierarchical Petri Net Modeling of Complex Genetic Systems. <i>Lecture Notes in Computer Science</i> , 2004, , 63-72.	1.0	6
61	Computational analysis of gene-gene interactions using multifactor dimensionality reduction. <i>Expert Review of Molecular Diagnostics</i> , 2004, 4, 795-803.	1.5	235
62	Renin-Angiotensin System Gene Polymorphisms and Atrial Fibrillation. <i>Circulation</i> , 2004, 109, 1640-1646.	1.6	343
63	Novel Analytical Methods Applied to Type 1 Diabetes Genome-Scan Data. <i>American Journal of Human Genetics</i> , 2004, 74, 647-660.	2.6	20
64	Finding Haplotype Tagging SNPs by Use of Principal Components Analysis. <i>American Journal of Human Genetics</i> , 2004, 75, 850-861.	2.6	113
65	RISK FACTOR INTERACTIONS AND GENETIC EFFECTS ASSOCIATED WITH POST-OPERATIVE ATRIAL FIBRILLATION. , 2005, , .		9
66	Can Neural Network Constraints in GP Provide Power to Detect Genes Associated with Human Disease?. <i>Lecture Notes in Computer Science</i> , 2005, , 44-53.	1.0	6
67	DATA SIMULATION SOFTWARE FOR WHOLE-GENOME ASSOCIATION AND OTHER STUDIES IN HUMAN GENETICS. , 2005, , .		19
68	Learning Petri net models of non-linear gene interactions. <i>BioSystems</i> , 2005, 82, 74-82.	0.9	18
69	Combinatorial Pharmacogenetics. <i>Nature Reviews Drug Discovery</i> , 2005, 4, 911-918.	21.5	106
70	Genome-wide association studies for common diseases and complex traits. <i>Nature Reviews Genetics</i> , 2005, 6, 95-108.	7.7	2,717
71	An association study of the N-methyl-D-aspartate receptor NR1 subunit gene (GRIN1) and NR2B subunit gene (GRIN2B) in schizophrenia with universal DNA microarray. <i>European Journal of Human Genetics</i> , 2005, 13, 807-814.	1.4	98
72	Adjusting multiple testing in multilocus analyses using the eigenvalues of a correlation matrix. <i>Heredity</i> , 2005, 95, 221-227.	1.2	1,227
73	Statistical Issues Arising in the Women's Health Initiative. <i>Biometrics</i> , 2005, 61, 899-911.	0.8	60
75	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 911-912.	0.8	1
76	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 914-918.	0.8	1

#	ARTICLE	IF	CITATIONS
77	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 918-920.	0.8	2
78	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 920-921.	0.8	5
79	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 922-930.	0.8	28
80	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 930-933.	0.8	0
81	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 933-935.	0.8	0
82	Identifying SNPs predictive of phenotype using random forests. <i>Genetic Epidemiology</i> , 2005, 28, 171-182.	0.6	321
83	Identifying interacting SNPs using Monte Carlo logic regression. <i>Genetic Epidemiology</i> , 2005, 28, 157-170.	0.6	195
84	Approaches to detecting gene \times gene interaction in Genetic Analysis Workshop 14 pedigrees. <i>Genetic Epidemiology</i> , 2005, 29, S116-S119.	0.6	3
85	Analysis of ALDH1A2, CYP26A1, CYP26B1, CRABP1, and CRABP2 in human neural tube defects suggests a possible association with alleles in ALDH1A2. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2005, 73, 868-875.	1.6	51
86	Traversing the conceptual divide between biological and statistical epistasis: systems biology and a more modern synthesis. <i>BioEssays</i> , 2005, 27, 637-646.	1.2	301
87	Association between polymorphisms in the nuclear respiratory factor 1 gene and type 2 diabetes mellitus in the Korean population. <i>Diabetologia</i> , 2005, 48, 2033-2038.	2.9	18
88	Multi-locus association study of schizophrenia susceptibility genes with a posterior probability method. <i>Science in China Series C: Life Sciences</i> , 2005, 48, 263-269.	1.3	9
89	Generating Genetic Risk Scores from Intermediate Phenotypes for Use in Association Studies of Clinically Significant Endpoints. <i>Annals of Human Genetics</i> , 2005, 69, 176-186.	0.3	63
90	Extension of multifactor dimensionality reduction for identifying multilocus effects in the GAW14 simulated data. <i>BMC Genetics</i> , 2005, 6, S145.	2.7	25
91	Multifactor-dimensionality reduction versus family-based association tests in detecting susceptibility loci in discordant sib-pair studies. <i>BMC Genetics</i> , 2005, 6, S146.	2.7	4
93	The Need for a Systematic Approach to Complex Pathways in Molecular Epidemiology. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 557-559.	1.1	60
94	Recovery pathway of post-SARS patients. <i>Thorax</i> , 2005, 60, 361-362.	2.7	10
95	Analysis of Separate and Combined Effects of Common Variation in KCNJ11 and PPARC on Risk of Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3629-3637.	1.8	60

#	ARTICLE	IF	CITATIONS
96	Susceptibility and modifier genes in Portuguese transthyretin V30M amyloid polyneuropathy: complexity in a single-gene disease. <i>Human Molecular Genetics</i> , 2005, 14, 543-553.	1.4	108
97	Application of Logistic Regression to Case-Control Association Studies Involving Two Causative Loci. <i>Human Heredity</i> , 2005, 59, 79-87.	0.4	48
98	Cytochrome P-450 1A1 Gene Polymorphisms and Risk of Breast Cancer: A HuGE Review. <i>American Journal of Epidemiology</i> , 2005, 161, 901-915.	1.6	119
99	The Interaction of Four Genes in the Inflammation Pathway Significantly Predicts Prostate Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2563-2568.	1.1	91
100	Genetic association studies in Thorax. <i>Thorax</i> , 2005, 60, 357-359.	2.7	36
101	Peripheral muscle training in COPD: still much to learn. <i>Thorax</i> , 2005, 60, 359-360.	2.7	3
102	Publishing genetic association studies in Thorax. <i>Thorax</i> , 2005, 60, 357-357.	2.7	15
103	Circulating endothelial progenitor cells in pulmonary inflammation. <i>Thorax</i> , 2005, 60, 362-364.	2.7	5
104	Evidence and Implications for Multiplicative Interactions among Loci Predisposing to Human Common Disease. <i>Human Heredity</i> , 2005, 59, 176-184.	0.4	4
105	Multi-Locus Penetrance Variance Analysis Method for Association Study in Complex Diseases. <i>Human Heredity</i> , 2005, 60, 143-149.	0.4	6
106	Large recursive partitioning analysis of complex disease pharmacogenetic studies. II. Statistical considerations. <i>Pharmacogenomics</i> , 2005, 6, 77-89.	0.6	16
107	Discussion on "Statistical Issues Arising in the Women's Health Initiative". <i>Biometrics</i> , 2005, 61, 912-914.	0.8	0
108	Identification of Significant Association and Gene-Gene Interaction of GABA Receptor Subunit Genes in Autism. <i>American Journal of Human Genetics</i> , 2005, 77, 377-388.	2.6	313
109	Bioinformatics approaches for detecting gene-gene and gene-environment interactions in studies of human disease. <i>Neurosurgical Focus</i> , 2005, 19, 1-4.	1.0	19
110	BOHRF guidelines for occupational asthma. <i>Thorax</i> , 2005, 60, 364-366.	2.7	35
111	Statistical tools for linkage analysis and genetic association studies. <i>Expert Review of Molecular Diagnostics</i> , 2005, 5, 781-796.	1.5	11
112	Multifactor dimensionality reduction for detecting gene-gene and gene-environment interactions in pharmacogenomics studies. <i>Pharmacogenomics</i> , 2005, 6, 823-834.	0.6	72
113	Machine Learning for Detecting Gene-Gene Interactions. <i>Applied Bioinformatics</i> , 2006, 5, 77-88.	1.7	209

#	ARTICLE	IF	CITATIONS
114	Data-Mining Methods as Useful Tools for Predicting Individual Drug Response: Application to CYP2D6 Data. <i>Human Heredity</i> , 2006, 62, 119-134.	0.4	21
115	Feature Selection using a Random Forests Classifier for the Integrated Analysis of Multiple Data Types. , 2006, , .		55
116	Understanding the Evolutionary Process of Grammatical Evolution Neural Networks for Feature Selection in Genetic Epidemiology. , 2006, 2006, 1-8.		19
117	Parallel multifactor dimensionality reduction: a tool for the large-scale analysis of gene-gene interactions. <i>Bioinformatics</i> , 2006, 22, 2173-2174.	1.8	67
118	Concordance of multiple analytical approaches demonstrates a complex relationship between DNA repair gene SNPs, smoking and bladder cancer susceptibility. <i>Carcinogenesis</i> , 2006, 27, 1030-1037.	1.3	161
119	A Testing Framework for Identifying Susceptibility Genes in the Presence of Epistasis. <i>American Journal of Human Genetics</i> , 2006, 78, 15-27.	2.6	174
120	Test for Interaction between Two Unlinked Loci. <i>American Journal of Human Genetics</i> , 2006, 79, 831-845.	2.6	112
121	Estrogen Carcinogenesis in Breast Cancer. <i>New England Journal of Medicine</i> , 2006, 354, 270-282.	13.9	1,531
122	Gene-gene interactions for asthma and plasma total IgE concentration in Chinese children. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 127-133.	1.5	74
123	Comparison of Neural Network Optimization Approaches for Studies of Human Genetics. <i>Lecture Notes in Computer Science</i> , 2006, , 103-114.	1.0	25
124	Angiotensinogen Promoter Sequence Variants in Essential Hypertension. <i>American Journal of Hypertension</i> , 2006, 19, 1278-1285.	1.0	14
125	Multilocus analysis of estrogen-related genes in Spanish postmenopausal women suggests an interactive role of ESR1, ESR2 and NRIP1 genes in the pathogenesis of osteoporosis. <i>Bone</i> , 2006, 39, 213-221.	1.4	38
126	Gene-Gene Interactions in Immunology as Exemplified by Studies on Autoantibodies against 60 kDa Heat-shock Protein. , 2006, , 351-370.		0
127	Multifactor dimensionality reduction: An analysis strategy for modelling and detecting gene - gene interactions in human genetics and pharmacogenomics studies. <i>Human Genomics</i> , 2006, 2, 318-28.	1.4	132
128	A survey of data mining methods for linkage disequilibrium mapping. <i>Human Genomics</i> , 2006, 2, 336.	1.4	21
130	SNP selection at the NAT2 locus for an accurate prediction of the acetylation phenotype. <i>Genetics in Medicine</i> , 2006, 8, 76-85.	1.1	23
131	Interaction among 5,10 methylenetetrahydrofolate reductase, plasminogen activator inhibitor and endothelial nitric oxide synthase gene polymorphisms predicts the severity of coronary artery disease in Turkish patients. <i>Coronary Artery Disease</i> , 2006, 17, 413-417.	0.3	16
132	Multilocus genetic interactions and response to efavirenz-containing regimens: an Adult AIDS Clinical Trials Group study. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 837-845.	0.7	59

#	ARTICLE	IF	CITATIONS
133	Classification Method for Predicting the Development of Myocardial Infarction by Using the Interaction between Genetic and Environmental Factors. <i>IP SJ Digital Courier</i> , 2006, 2, 691-709.	0.3	2
134	The challenge for genetic epidemiologists: how to analyze large numbers of SNPs in relation to complex diseases. <i>BMC Genetics</i> , 2006, 7, 23.	2.7	134
135	A role for CETP TaqIB polymorphism in determining susceptibility to atrial fibrillation: a nested case control study. <i>BMC Medical Genetics</i> , 2006, 7, 39.	2.1	39
136	Î2-adrenergic receptor and UCP3 variants modulate the relationship between age and type 2 diabetes mellitus. <i>BMC Medical Genetics</i> , 2006, 7, 85.	2.1	27
137	Interaction of obesity, metabolic syndrome and Framingham risk on steatohepatitis among healthy Taiwanese: population-based nested case-control study. <i>Cardiovascular Diabetology</i> , 2006, 5, 12.	2.7	12
138	A Combinatorial Searching Method for Detecting a Set of Interacting Loci Associated with Complex Traits. <i>Annals of Human Genetics</i> , 2006, 70, 677-692.	0.3	14
139	Is cancer risk related to genes for steroid receptors and estrogen metabolism?. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 549-551.	1.2	13
140	Interactions between genes involved in the antioxidant defence system and breast cancer risk. <i>British Journal of Cancer</i> , 2006, 95, 525-531.	2.9	30
141	A flexible computational framework for detecting, characterizing, and interpreting statistical patterns of epistasis in genetic studies of human disease susceptibility. <i>Journal of Theoretical Biology</i> , 2006, 241, 252-261.	0.8	576
142	Robust and Comprehensive Analysis of 20 Osteoporosis Candidate Genes by Very High-Density Single-Nucleotide Polymorphism Screen Among 405 White Nuclear Families Identified Significant Association and Gene-Gene Interaction. <i>Journal of Bone and Mineral Research</i> , 2006, 21, 1678-1695.	3.1	85
143	Epistatic and pleiotropic effects of polymorphisms in the fibrinogen and coagulation factor XIII genes on plasma fibrinogen concentration, fibrin gel structure and risk of myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2006, 95, 420-427.	1.8	37
144	An algorithm for model construction and its applications to pharmacogenomic studies. <i>Journal of Human Genetics</i> , 2006, 51, 751-759.	1.1	9
145	Investigation of autism and GABA receptor subunit genes in multiple ethnic groups. <i>Neurogenetics</i> , 2006, 7, 167-174.	0.7	141
146	A complete genetic association scan of the 22q11 deletion region and functional evidence reveal an association between DGCR2 and schizophrenia. <i>Human Genetics</i> , 2006, 120, 160-170.	1.8	36
147	Genetic identification of distinct loci controlling mammary tumor multiplicity, latency, and aggressiveness in the rat. <i>Mammalian Genome</i> , 2006, 17, 310-321.	1.0	28
149	The future of epidemiology. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2006, 49, 622-627.	7.2	5
150	Analytic methods for colorectal cancer. <i>Current Colorectal Cancer Reports</i> , 2006, 2, 206-210.	1.0	0
151	SNP-SNP interactions in breast cancer susceptibility. <i>BMC Cancer</i> , 2006, 6, 114.	1.1	146

#	ARTICLE	IF	CITATIONS
152	The use of genetic programming in the analysis of quantitative gene expression profiles for identification of nodal status in bladder cancer. <i>BMC Cancer</i> , 2006, 6, 159.	1.1	61
153	Dissecting trait heterogeneity: a comparison of three clustering methods applied to genotypic data. <i>BMC Bioinformatics</i> , 2006, 7, 204.	1.2	24
154	GPNN: power studies and applications of a neural network method for detecting gene-gene interactions in studies of human disease. <i>BMC Bioinformatics</i> , 2006, 7, 39.	1.2	75
155	Multilocus analysis of SNP and metabolic data within a given pathway. <i>BMC Genomics</i> , 2006, 7, 5.	1.2	6
156	A novel method to identify gene-gene effects in nuclear families: the MDR-PDT. <i>Genetic Epidemiology</i> , 2006, 30, 111-123.	0.6	112
157	The effect of reduction in cross-validation intervals on the performance of multifactor dimensionality reduction. <i>Genetic Epidemiology</i> , 2006, 30, 546-555.	0.6	52
158	Simultaneous estimation of gene-gene and gene-environment interactions for numerous loci using double penalized log-likelihood. <i>Genetic Epidemiology</i> , 2006, 30, 645-651.	0.6	13
159	Exploring SNP-SNP interactions and colon cancer risk using polymorphism interaction analysis. <i>International Journal of Cancer</i> , 2006, 118, 1790-1797.	2.3	79
160	Complex Genetic Interactions. , 0, , 397-421.		0
161	Backward Genotype-Trait Association (BGTA)-Based Dissection of Complex Traits in Case-Control Designs. <i>Human Heredity</i> , 2006, 62, 196-212.	0.4	38
162	Visualizing gene determinants of disease in drug discovery. <i>Pharmacogenomics</i> , 2006, 7, 311-329.	0.6	21
163	Using genetic programming to classify node positive patients in bladder cancer. , 2006, , .		5
165	Multiple association analysis via simulated annealing (MASSA). <i>Bioinformatics</i> , 2006, 22, 573-580.	1.8	3
166	Analysis of epistasis for diabetic nephropathy among type 2 diabetic patients. <i>Human Molecular Genetics</i> , 2006, 15, 2701-2708.	1.4	24
167	Two-Stage Two-Locus Models in Genome-Wide Association. <i>PLoS Genetics</i> , 2006, 2, e157.	1.5	201
168	Immunogenetics of CD4 Lymphocyte Count Recovery during Antiretroviral Therapy: An AIDS Clinical Trials Group Study. <i>Journal of Infectious Diseases</i> , 2006, 194, 1098-1107.	1.9	65
169	Estrogens, Enzyme Variants, and Breast Cancer: A Risk Model. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1620-1629.	1.1	37
170	Multi-factor dimensionality reduction applied to a large prospective investigation on gene-gene and gene-environment interactions. <i>Carcinogenesis</i> , 2006, 28, 414-422.	1.3	70

#	ARTICLE	IF	CITATIONS
171	Logic Regression for Analysis of the Association between Genetic Variation in the Renin-Angiotensin System and Myocardial Infarction or Stroke. <i>American Journal of Epidemiology</i> , 2006, 165, 334-343.	1.6	26
172	Statistical methods in genetics. <i>Briefings in Bioinformatics</i> , 2006, 7, 297-308.	3.2	16
173	Single-Nucleotide Polymorphisms for Diagnosis of Salt-Sensitive Hypertension. <i>Clinical Chemistry</i> , 2006, 52, 352-360.	1.5	103
174	Exploiting Interactions among Polymorphisms Contributing to Complex Disease Traits with Boosted Generative Modeling. <i>Journal of Computational Biology</i> , 2006, 13, 1673-1684.	0.8	4
175	Association of Two Polymorphisms in the Peroxisome Proliferator-Activated Receptor- β Gene With Adenomyosis, Endometriosis, and Leiomyomata in Japanese Women. <i>Journal of the Society for Gynecologic Investigation</i> , 2006, 13, 372-377.	1.9	15
176	Clinical applications of whole-genome association studies: future applications at the bedside. <i>Expert Review of Molecular Diagnostics</i> , 2006, 6, 551-565.	1.5	18
177	Log-linear model-based multifactor dimensionality reduction method to detect gene-gene interactions. <i>Bioinformatics</i> , 2007, 23, 2589-2595.	1.8	82
178	Genotype Matrix Mapping: Searching for Quantitative Trait Loci Interactions in Genetic Variation in Complex Traits. <i>DNA Research</i> , 2007, 14, 217-225.	1.5	31
179	Odds ratio based multifactor-dimensionality reduction method for detecting gene-gene interactions. <i>Bioinformatics</i> , 2007, 23, 71-76.	1.8	144
180	GPDTI: A Genetic Programming Decision Tree Induction method to find epistatic effects in common complex diseases. <i>Bioinformatics</i> , 2007, 23, i167-i174.	1.8	21
181	Linkage Disequilibrium in Genetic Association Studies Improves the Performance of Grammatical Evolution Neural Networks. , 2007, , .		5
182	Detection of Gene-Gene Interactions in Genome-Wide Association Studies of Human Population Data. <i>Human Heredity</i> , 2007, 63, 67-84.	0.4	164
183	The Use of the Restricted Partition Method with Case-Control Data. <i>Human Heredity</i> , 2007, 63, 93-100.	0.4	31
184	Exploiting Gene-Environment Interaction to Detect Genetic Associations. <i>Human Heredity</i> , 2007, 63, 111-119.	0.4	387
185	Symbolic Modeling of Epistasis. <i>Human Heredity</i> , 2007, 63, 120-133.	0.4	51
186	Use of pairwise marker combination and recursive partitioning in a pharmacogenetic genome-wide scan. <i>Pharmacogenomics Journal</i> , 2007, 7, 180-189.	0.9	12
187	Bronchiolitis to Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 108-119.	2.5	191
188	Identifying the genotype behind the phenotype: a role model found in VKORC1 and its association with warfarin dosing. <i>Pharmacogenomics</i> , 2007, 8, 487-496.	0.6	29

#	ARTICLE	IF	CITATIONS
189	Tagging SNPs in non-homologous end-joining pathway genes and risk of glioma. <i>Carcinogenesis</i> , 2007, 28, 1906-1913.	1.3	82
190	A Combinatorial Analysis of Genetic Data for Crohn's Disease. , 2007, , .		3
192	Multilocus analysis of atopy in Korean children using multifactor-dimensionality reduction. <i>Thorax</i> , 2007, 62, 265-269.	2.7	19
193	High-order interactions among genetic polymorphisms in nucleotide excision repair pathway genes and smoking in modulating bladder cancer risk. <i>Carcinogenesis</i> , 2007, 28, 2160-2165.	1.3	64
194	Insulin pathway related genes and risk of colorectal cancer: INSR promoter polymorphism shows a protective effect. <i>Endocrine-Related Cancer</i> , 2007, 14, 733-740.	1.6	39
195	Detecting high-order interactions of single nucleotide polymorphisms using genetic programming. <i>Bioinformatics</i> , 2007, 23, 3280-3288.	1.8	51
196	Human Genomic Association Studies: A Primer for the Infectious Diseases Specialist. <i>Journal of Infectious Diseases</i> , 2007, 195, 1737-1744.	1.9	11
197	A Bayesian Multilocus Association Method: Allowing for Higher-Order Interaction in Association Studies. <i>Genetics</i> , 2007, 176, 1197-1208.	1.2	12
198	High-Order Interactions among Genetic Variants in DNA Base Excision Repair Pathway Genes and Smoking in Bladder Cancer Susceptibility. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 84-91.	1.1	87
199	Nucleotide Excision Repair Pathway Genes and Oral Premalignant Lesions. <i>Clinical Cancer Research</i> , 2007, 13, 3753-3758.	3.2	55
200	Pharmacogenetics/Pharmacogenomics. , 0, , 1427-1455.		0
201	Pattern-based mining strategy to detect multi-locus association and gene \times environment interaction. <i>BMC Proceedings</i> , 2007, 1, S16.	1.8	10
202	Evaluating gene \times gene and gene \times smoking interaction in rheumatoid arthritis using candidate genes in GAW15. <i>BMC Proceedings</i> , 2007, 1, S17.	1.8	17
203	Genetic polymorphism in the pregnancy-associated plasma protein-A associated with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2007, 18, 417-422.	0.3	32
204	Apoptotic Gene Analysis in Idiopathic Talipes Equinovarus (Clubfoot). <i>Clinical Orthopaedics and Related Research</i> , 2007, 462, 32-37.	0.7	34
205	Identification of a two-loci epistatic interaction associated with susceptibility to rheumatoid arthritis through reverse engineering and multifactor dimensionality reduction. <i>Genomics</i> , 2007, 90, 6-13.	1.3	34
206	Methodological aspects of the assessment of gene \times nutrient interactions at the population level. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 82-88.	1.1	4
207	Application of HapMap data to the evaluation of 8 candidate genes for pediatric slow transit constipation. <i>Journal of Pediatric Surgery</i> , 2007, 42, 666-671.	0.8	6

#	ARTICLE	IF	CITATIONS
208	Genetic variation in the mitochondrial enzyme carbamyl-phosphate synthetase I predisposes children to increased pulmonary artery pressure following surgical repair of congenital heart defects: A validated genetic association study. <i>Mitochondrion</i> , 2007, 7, 204-210.	1.6	33
209	Renin-angiotensin system gene polymorphisms and coronary artery disease in a large angiographic cohort: Detection of high order gene-gene interaction. <i>Atherosclerosis</i> , 2007, 195, 172-180.	0.4	107
210	A Generalized Combinatorial Approach for Detecting Gene-by-Gene and Gene-by-Environment Interactions with Application to Nicotine Dependence. <i>American Journal of Human Genetics</i> , 2007, 80, 1125-1137.	2.6	533
211	Information-Theoretic Metrics for Visualizing Gene-Environment Interactions. <i>American Journal of Human Genetics</i> , 2007, 81, 939-963.	2.6	62
212	Multifactor Dimensionality Reduction-Phenomics: A Novel Method to Capture Genetic Heterogeneity with Use of Phenotypic Variables. <i>American Journal of Human Genetics</i> , 2007, 81, 1251-1261.	2.6	53
214	Linkage Disequilibrium and Association Mapping. <i>Methods in Molecular Biology</i> , 2007, , .	0.4	9
215	Interactions of cytokine gene polymorphisms in prostate cancer risk. <i>Carcinogenesis</i> , 2007, 29, 573-578.	1.3	59
216	Association Rule Discovery Has the Ability to Model Complex Genetic Effects. , 2007, 2007, 624-629.		4
218	Polymorphisms of CAK genes and risk for lung cancer: A case-control study in Chinese population. <i>Lung Cancer</i> , 2007, 58, 171-183.	0.9	7
219	Systematic study of association of four GABAergic genes: Glutamic acid decarboxylase 1 gene, glutamic acid decarboxylase 2 gene, GABAB receptor 1 gene and GABAA receptor subunit $\beta 2$ gene, with schizophrenia using a universal DNA microarray. <i>Schizophrenia Research</i> , 2007, 93, 374-384.	1.1	42
220	A graph-theoretical approach for pattern discovery in epidemiological research. <i>IBM Systems Journal</i> , 2007, 46, 135-149.	3.1	23
221	Logistic regression trees for initial selection of interesting loci in case-control studies. <i>BMC Proceedings</i> , 2007, 1, S57.	1.8	2
222	Exploring epistasis in candidate genes for rheumatoid arthritis. <i>BMC Proceedings</i> , 2007, 1, S70.	1.8	10
223	<i>NAT2</i> variation and idiopathic talipes equinovarus (clubfoot). <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 2285-2291.	0.7	28
224	Synergistic association of mitochondrial uncoupling protein (UCP) genes with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 250-253.	1.1	35
225	Genetic variants in MGMT and risk of lung cancer in Southeastern Chinese: a haplotype-based analysis. <i>Human Mutation</i> , 2007, 28, 431-440.	1.1	46
226	Isolation of two regions on rat chromosomes 5 and 18 affecting mammary cancer susceptibility. <i>International Journal of Cancer</i> , 2007, 120, 1678-1683.	2.3	14
227	Interplay between mutagen sensitivity and epidemiological factors in modulating lung cancer risk. <i>International Journal of Cancer</i> , 2007, 120, 2687-2695.	2.3	27

#	ARTICLE	IF	CITATIONS
228	A partially linear tree-based regression model for assessing complex joint gene-gene and gene-environment effects. <i>Genetic Epidemiology</i> , 2007, 31, 238-251.	0.6	22
229	A balanced accuracy function for epistasis modeling in imbalanced datasets using multifactor dimensionality reduction. <i>Genetic Epidemiology</i> , 2007, 31, 306-315.	0.6	337
230	Analysis of multiple SNPs in genetic association studies: comparison of three multi-locus methods to prioritize and select SNPs. <i>Genetic Epidemiology</i> , 2007, 31, 910-921.	0.6	40
231	Genetic heterogeneity is not as threatening as you might think. <i>Genetic Epidemiology</i> , 2007, 31, 797-800.	0.6	15
233	Issues in association mapping with high-density SNP data and diverse family structures. <i>Genetic Epidemiology</i> , 2007, 31, S22-S33.	0.6	4
234	Discussing gene-gene interaction: Warning - translating equations to English may result in Jabberwocky. <i>Genetic Epidemiology</i> , 2007, 31, S61-S67.	0.6	7
235	Genetic programming neural networks: A powerful bioinformatics tool for human genetics. <i>Applied Soft Computing Journal</i> , 2007, 7, 471-479.	4.1	60
236	The Fangshan/Family-based Ischemic Stroke Study In China (FISSIC) protocol. <i>BMC Medical Genetics</i> , 2007, 8, 60.	2.1	31
237	Bayesian inference of epistatic interactions in case-control studies. <i>Nature Genetics</i> , 2007, 39, 1167-1173.	9.4	437
238	DC-SIGN (CD209), pentraxin 3 and vitamin D receptor gene variants associate with pulmonary tuberculosis risk in West Africans. <i>Genes and Immunity</i> , 2007, 8, 456-467.	2.2	164
239	Gene-gene interactions between <i>HNF4A</i> and <i>KCNJ11</i> in predicting Type 2 diabetes in women. <i>Diabetic Medicine</i> , 2007, 24, 1187-1191.	1.2	27
240	Association between candidate genes and lung function growth in Chinese asthmatic children. <i>Clinical and Experimental Allergy</i> , 2007, 37, 070806205546004???	1.4	21
241	Two-sample Comparison Based on Prediction Error, with Applications to Candidate Gene Association Studies. <i>Annals of Human Genetics</i> , 2007, 71, 107-118.	0.3	8
242	Application of multi-locus analytical methods to identify interacting loci in case-control studies. <i>Annals of Human Genetics</i> , 2007, 71, 689-700.	0.3	18
243	Interaction of Genetic Risk Factors Confers Higher Risk for Thrombotic Stroke in Male Chinese: A Multicenter Case-Control Study. <i>Annals of Human Genetics</i> , 2007, 71, 620-629.	0.3	28
244	Methodological issues in detecting gene-gene interactions in breast cancer susceptibility: a population-based study in Ontario. <i>BMC Medicine</i> , 2007, 5, 22.	2.3	39
245	Association study between Apolipoprotein L and schizophrenia by exhaustive and rule-based combination analysis for identification of multilocus interactions. <i>Journal of Bioscience and Bioengineering</i> , 2007, 103, 303-310.	1.1	7
246	Novel methods for detecting epistasis in pharmacogenomics studies. <i>Pharmacogenomics</i> , 2007, 8, 1229-1241.	0.6	61

#	ARTICLE	IF	CITATIONS
247	Genetic epidemiologic studies of preterm birth: guidelines for research. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 107-118.	0.7	133
248	Genomic mining for complex disease traits with "random chemistry". <i>Genetic Programming and Evolvable Machines</i> , 2007, 8, 395-411.	1.5	20
249	Genetic variation in the major mitotic checkpoint genes does not affect familial breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 205-213.	1.1	15
250	Evidence for epistasis between SLC6A4 and ITGB3 in autism etiology and in the determination of platelet serotonin levels. <i>Human Genetics</i> , 2007, 121, 243-256.	1.8	135
251	Systematic screening of lysyl oxidase-like (LOXL) family genes demonstrates that LOXL2 is a susceptibility gene to intracranial aneurysms. <i>Human Genetics</i> , 2007, 121, 377-387.	1.8	36
252	Complex gene-gene interactions in multiple sclerosis: a multifactorial approach reveals associations with inflammatory genes. <i>Neurogenetics</i> , 2007, 8, 11-20.	0.7	35
253	Breast cancer: a candidate gene approach across the estrogen metabolic pathway. <i>Breast Cancer Research and Treatment</i> , 2008, 108, 137-149.	1.1	74
254	Universal risk factors for multifactorial diseases. <i>European Journal of Epidemiology</i> , 2008, 23, 67-74.	2.5	301
255	Synergistic effect of the genetic polymorphisms of the renin-angiotensin-aldosterone system on high-altitude pulmonary edema: a study from Qinghai-Tibet altitude. <i>European Journal of Epidemiology</i> , 2008, 23, 143-152.	2.5	51
256	Two-stage designs to identify the effects of SNP combinations on complex diseases. <i>Journal of Human Genetics</i> , 2008, 53, 739-746.	1.1	11
257	Comparison of multivariate adaptive regression splines and logistic regression in detecting SNP-SNP interactions and their application in prostate cancer. <i>Journal of Human Genetics</i> , 2008, 53, 802-811.	1.1	32
258	Genetic interactions model among Eotaxin gene polymorphisms in asthma. <i>Journal of Human Genetics</i> , 2008, 53, 867-875.	1.1	21
259	Nitric oxide synthase genes and their interactions with environmental factors in Parkinson's disease. <i>Neurogenetics</i> , 2008, 9, 249-262.	0.7	91
260	Exploiting the proteome to improve the genome-wide genetic analysis of epistasis in common human diseases. <i>Human Genetics</i> , 2008, 124, 19-29.	1.8	83
261	Association analyses of the interaction between the ADSS and ATM genes with schizophrenia in a Chinese population. <i>BMC Medical Genetics</i> , 2008, 9, 119.	2.1	15
262	A luteinizing hormone receptor intronic variant is significantly associated with decreased risk of Alzheimer's disease in males carrying an apolipoprotein E ϵ 4 allele. <i>BMC Medical Genetics</i> , 2008, 9, 37.	2.1	19
263	Sample size requirements to detect the effect of a group of genetic variants in case-control studies. <i>Emerging Themes in Epidemiology</i> , 2008, 5, 24.	1.2	2
264	Mixed modeling and multiple imputation for unobservable genotype clusters. <i>Statistics in Medicine</i> , 2008, 27, 2784-2801.	0.8	8

#	ARTICLE	IF	CITATIONS
265	Improving strategies for detecting genetic patterns of disease susceptibility in association studies. <i>Statistics in Medicine</i> , 2008, 27, 6532-6546.	0.8	81
266	Polymorphisms of <i>LIG4</i> and <i>XRCC4</i> involved in the NHEJ pathway interact to modify risk of glioma. <i>Human Mutation</i> , 2008, 29, 381-389.	1.1	64
267	Contributions of <i>IBD5</i> , <i>IL23R</i> , <i>ATG16L1</i> , and <i>NOD2</i> to Crohn's disease risk in a population-based case-control study: Evidence of gene-gene interactions. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 1528-1541.	0.9	68
268	The interaction of <i>CYP3A5</i> polymorphisms along the androgen metabolism pathway in prostate cancer. <i>International Journal of Cancer</i> , 2008, 122, 2511-2516.	2.3	35
269	Nucleotide excision repair genes and risk of lung cancer among San Francisco Bay Area Latinos and African Americans. <i>International Journal of Cancer</i> , 2008, 123, 2095-2104.	2.3	73
270	A support vector machine approach for detecting gene-gene interaction. <i>Genetic Epidemiology</i> , 2008, 32, 152-167.	0.6	95
271	Confronting complexity in late-onset Alzheimer disease: application of two-stage analysis approach addressing heterogeneity and epistasis. <i>Genetic Epidemiology</i> , 2008, 32, 187-203.	0.6	25
272	An ensemble learning approach jointly modeling main and interaction effects in genetic association studies. <i>Genetic Epidemiology</i> , 2008, 32, 285-300.	0.6	15
273	Comparison of approaches for machine learning optimization of neural networks for detecting gene-gene interactions in genetic epidemiology. <i>Genetic Epidemiology</i> , 2008, 32, 325-340.	0.6	103
274	A multiple testing correction method for genetic association studies using correlated single nucleotide polymorphisms. <i>Genetic Epidemiology</i> , 2008, 32, 361-369.	0.6	646
275	A comparison of analytical methods for genetic association studies. <i>Genetic Epidemiology</i> , 2008, 32, 767-778.	0.6	47
276	Ability of epistatic interactions of cytokine single-nucleotide polymorphisms to predict susceptibility to disease subsets in systemic sclerosis patients. <i>Arthritis and Rheumatism</i> , 2008, 59, 974-983.	6.7	35
278	An entropy-based approach for testing genetic epistasis underlying complex diseases. <i>Journal of Theoretical Biology</i> , 2008, 250, 362-374.	0.8	49
279	Examination of association to autism of common genetic variation in genes related to dopamine. <i>Autism Research</i> , 2008, 1, 364-369.	2.1	29
280	A Combinatorial Approach to Detecting Gene-Gene and Gene-Environment Interactions in Family Studies. <i>American Journal of Human Genetics</i> , 2008, 83, 457-467.	2.6	90
281	Oxidative stress-related gene interactions with preterm delivery in Korean women. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 541.e1-541.e7.	0.7	19
282	SNP analyses of postprandial responses in (an)orexigenic hormones and feelings of hunger reveal long-term physiological adaptations to facilitate homeostasis. <i>International Journal of Obesity</i> , 2008, 32, 1790-1798.	1.6	17
283	Genetic and phenotypic heterogeneity in the <i>PTEN</i> hamartoma tumour syndrome. <i>Oncogene</i> , 2008, 27, 5387-5397.	2.6	131

#	ARTICLE	IF	CITATIONS
284	The properties of high-dimensional data spaces: implications for exploring gene and protein expression data. <i>Nature Reviews Cancer</i> , 2008, 8, 37-49.	12.8	483
285	Exploration of gene-gene interaction effects using entropy-based methods. <i>European Journal of Human Genetics</i> , 2008, 16, 229-235.	1.4	81
286	Variable selection in logistic regression for detecting SNP-SNP interactions: the rheumatoid arthritis example. <i>European Journal of Human Genetics</i> , 2008, 16, 735-741.	1.4	14
287	IFN-Regulatory Factor 5 Gene Variants Interact with the Class I MHC Locus in the Swedish Psoriasis Population. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1704-1709.	0.3	13
288	Study of gene-gene interactions for endophenotypic quantitative traits in Chinese asthmatic children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 1031-1039.	2.7	39
289	Polymorphism Interaction Analysis (PIA): a method for investigating complex gene-gene interactions. <i>BMC Bioinformatics</i> , 2008, 9, 146.	1.2	51
290	Alternative contingency table measures improve the power and detection of multifactor dimensionality reduction. <i>BMC Bioinformatics</i> , 2008, 9, 238.	1.2	57
291	A method for detecting epistasis in genome-wide studies using case-control multi-locus association analysis. <i>BMC Genomics</i> , 2008, 9, 360.	1.2	76
292	The effect of alternative permutation testing strategies on the performance of multifactor dimensionality reduction. <i>BMC Research Notes</i> , 2008, 1, 139.	0.6	11
293	Association of schizophrenia with DTNBP1 but not with DAO, DAOA, NRG1 and RGS4 nor their genetic interaction. <i>Journal of Psychiatric Research</i> , 2008, 42, 278-288.	1.5	80
294	Study Designs for Genome-Wide Association Studies. <i>Advances in Genetics</i> , 2008, 60, 465-504.	0.8	46
295	Analysis of Complex Datasets. , 0, , 207-222.		0
297	Interaction between interleukin 3 and dystrobrevin-binding protein 1 in schizophrenia. <i>Schizophrenia Research</i> , 2008, 106, 208-217.	1.1	19
298	Genetic interactions: the missing links for a better understanding of cancer susceptibility, progression and treatment. <i>Molecular Cancer</i> , 2008, 7, 4.	7.9	10
299	XRCC1 polymorphism and lung cancer risk. <i>Expert Review of Molecular Diagnostics</i> , 2008, 8, 761-780.	1.5	43
300	Disease Associations and Family-Based Tests. <i>Current Protocols in Human Genetics</i> , 2008, 58, Unit 1.12.	3.5	4
301	Network-based global inference of human disease genes. <i>Molecular Systems Biology</i> , 2008, 4, 189.	3.2	583
302	Dysbindin (DTNBP1) and the Biogenesis of Lysosome-Related Organelles Complex 1 (BLOC-1): Main and Epistatic Gene Effects Are Potential Contributors to Schizophrenia Susceptibility. <i>Biological Psychiatry</i> , 2008, 63, 24-31.	0.7	54

#	ARTICLE	IF	CITATIONS
303	Gene-Gene Interactions Among CHRNA4, CHRN2, BDNF, and NTRK2 in Nicotine Dependence. <i>Biological Psychiatry</i> , 2008, 64, 951-957.	0.7	60
304	Data Mining and Applications in Genomics. <i>Lecture Notes in Electrical Engineering</i> , 2008, , .	0.3	6
305	Ant Colony Optimization and Swarm Intelligence. <i>Lecture Notes in Computer Science</i> , 2008, , .	1.0	52
306	Interaction Between Physical Activity and Genetic Factors in Complex Metabolic Disease. , 2007, , 155-173.		0
307	Interleukin-1 gene complex single nucleotide polymorphisms in systemic sclerosis: A further step ahead. <i>Human Immunology</i> , 2008, 69, 187-192.	1.2	12
308	Single nucleotide polymorphisms in genes encoding LKB1 (STK11), TORC2 (CRTC2) and AMPK β 2-subunit (PRKAA2) and risk of type 2 diabetes. <i>Molecular Genetics and Metabolism</i> , 2008, 93, 200-209.	0.5	36
309	Molecular Genetics of Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2008, 52, 241-250.	1.2	92
310	The importance of replication in gene-gene interaction studies: multifactor dimensionality reduction applied to a two-stage breast cancer case-control study. <i>Carcinogenesis</i> , 2008, 29, 1215-1218.	1.3	23
311	Odds Ratio-Based Genetic Algorithms for Generating SNP Barcodes of Genotypes to Predict Disease Susceptibility. <i>OMICS A Journal of Integrative Biology</i> , 2008, 12, 71-81.	1.0	24
312	Very large scale ReliefF for genome-wide association analysis. , 2008, , .		16
313	A novel information theoretic method for detecting gene-gene and gene-environment interactions in complex diseases. , 2008, , .		0
314	Penalized logistic regression for detecting gene interactions. <i>Biostatistics</i> , 2008, 9, 30-50.	0.9	314
315	Detecting Pathway-Based Gene-Gene and Gene-Environment Interactions in Pancreatic Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1470-1479.	1.1	45
316	New approach reveals CD28 and IFNG gene interaction in the susceptibility to cervical cancer. <i>Human Molecular Genetics</i> , 2008, 17, 1838-1844.	1.4	38
317	Genetic variants in RUNX3 and risk of bladder cancer: a haplotype-based analysis. <i>Carcinogenesis</i> , 2008, 29, 1973-1978.	1.3	17
318	Commonality of functional annotation: a method for prioritization of candidate genes from genome-wide linkage studies. <i>Nucleic Acids Research</i> , 2008, 36, e26-e26.	6.5	24
319	Modeling Gene-Gene Interactions Using Graphical Chain Models. <i>Human Heredity</i> , 2008, 65, 47-56.	0.4	5
320	DNA Repair Polymorphisms Modify Bladder Cancer Risk: A Multi-factor Analytic Strategy. <i>Human Heredity</i> , 2008, 65, 105-118.	0.4	101

#	ARTICLE	IF	CITATIONS
321	Mask functions for the symbolic modeling of epistasis using genetic programming. , 2008, , .		3
322	Fastanova. , 2008, , .		32
323	A Mixture Model Approach in Geneâ€Gene and Geneâ€Environmental Interactions for Binary Phenotypes. Journal of Biopharmaceutical Statistics, 2008, 18, 1150-1177.	0.4	6
324	AMBIENCE: A Novel Approach and Efficient Algorithm for Identifying Informative Genetic and Environmental Associations With Complex Phenotypes. Genetics, 2008, 180, 1191-1210.	1.2	41
325	Detecting Two-Locus Gene-Gene Effects Using Monotonisation of the Penetrance Matrix. Statistical Applications in Genetics and Molecular Biology, 2008, 7, Article 17.	0.2	0
326	Kernel-Based Association Test. Genetics, 2008, 179, 1057-1068.	1.2	25
327	Lung Cancer Risk Associated with Thr495Pro Polymorphism of GHR in Chinese Population. Japanese Journal of Clinical Oncology, 2008, 38, 308-316.	0.6	22
328	TNFA -308G>A in two international population-based cohorts and risk of asthma. European Respiratory Journal, 2008, 32, 350-361.	3.1	28
329	Identification of Hypertension-Susceptibility Genes and Pathways by a Systemic Multiple Candidate Gene Approach: The Millennium Genome Project for Hypertension. Hypertension Research, 2008, 31, 203-212.	1.5	57
330	Analysis of Geneâ€Gene Interactions. Current Protocols in Human Genetics, 2008, 59, Unit 1.14.	3.5	4
331	Genome-wide efficient attribute selection for purely epistatic models via Shannon entropy. International Journal of Business Intelligence and Data Mining, 2008, 3, 390.	0.2	0
332	FASTCHI: AN EFFICIENT ALGORITHM FOR ANALYZING GENE-GENE INTERACTIONS. , 2008, , .		9
333	Interaction of genes from influx-metabolism-efflux pathway and their influence on methotrexate efficacy in rheumatoid arthritis patients among Indians. Pharmacogenetics and Genomics, 2008, 18, 1041-1049.	0.7	38
334	Solving complex problems in human genetics using GP. ACM SIGEVolution, 2008, 3, 2-8.	0.3	4
335	Genetic variation and antipsychotic drug effects on serum lipids. Personalized Medicine, 2008, 5, 77-81.	0.8	1
336	Interactions among genetic variants from contractile pathway of vascular smooth muscle cell in essential hypertension susceptibility of Chinese Han population. Pharmacogenetics and Genomics, 2008, 18, 459-466.	0.7	30
339	An Information-Theoretic Analysis of Genetics, Gender and Age in Cancer Patients. PLoS ONE, 2008, 3, e1951.	1.1	18
340	Preterm Birth in Caucasians Is Associated with Coagulation and Inflammation Pathway Gene Variants. PLoS ONE, 2008, 3, e3283.	1.1	63

#	ARTICLE	IF	CITATIONS
341	Compressing parameters in Bayesian high-order models with application to logistic sequence models. <i>Bayesian Analysis</i> , 2008, 3, .	1.6	3
342	Gene-to-Gene Interaction between Sodium Channel-Related Genes in Determining the Risk of Antiepileptic Drug Resistance. <i>Journal of Korean Medical Science</i> , 2009, 24, 62.	1.1	37
343	Discovering influential variables: A method of partitions. <i>Annals of Applied Statistics</i> , 2009, 3, .	0.5	35
344	Structures and Assumptions: Strategies to Harness Gene – Gene and Gene – Environment Interactions in GWAS. <i>Statistical Science</i> , 2009, 24, 472-488.	1.6	24
345	Mutual Information for Testing Gene-Environment Interaction. <i>PLoS ONE</i> , 2009, 4, e4578.	1.1	19
346	Clique-Finding for Heterogeneity and Multidimensionality in Biomarker Epidemiology Research: The CHAMBER Algorithm. <i>PLoS ONE</i> , 2009, 4, e4862.	1.1	5
347	Apoptotic Engulfment Pathway and Schizophrenia. <i>PLoS ONE</i> , 2009, 4, e6875.	1.1	35
348	Common Variants of Inflammatory Cytokine Genes Are Associated with Risk of Nephropathy in Type 2 Diabetes among Asian Indians. <i>PLoS ONE</i> , 2009, 4, e5168.	1.1	65
349	<i>ACE</i> Variants Interact with the RAS Pathway to Confer Risk and Protection against Type 2 Diabetic Nephropathy. <i>DNA and Cell Biology</i> , 2009, 28, 141-150.	0.9	61
350	Development and evaluation of an open-ended computational evolution system for the creation of digital organisms with complex genetic architecture. , 2009, , .		1
351	Genetic variation in adipokine genes and risk of colorectal cancer. <i>European Journal of Endocrinology</i> , 2009, 160, 933-940.	1.9	67
352	Methods for optimizing statistical analyses in pharmacogenomics research. <i>Expert Review of Clinical Pharmacology</i> , 2009, 2, 559-570.	1.3	9
353	Role for protein – protein interaction databases in human genetics. <i>Expert Review of Proteomics</i> , 2009, 6, 647-659.	1.3	45
354	SNPHarvester: a filtering-based approach for detecting epistatic interactions in genome-wide association studies. <i>Bioinformatics</i> , 2009, 25, 504-511.	1.8	182
355	Association and Interactions between DNA Repair Gene Polymorphisms and Adult Glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 204-214.	1.1	126
356	DASSO-MB: Detection of Epistatic Interactions in Genome-Wide Association Studies Using Markov Blankets. , 2009, , .		1
357	Sensible initialization using expert knowledge for genome-wide analysis of epistasis using genetic programming. , 2009, 2009, 1289-1296.		14
358	Pathway and network-based analysis of genome-wide association studies in multiple sclerosis. <i>Human Molecular Genetics</i> , 2009, 18, 2078-2090.	1.4	371

#	ARTICLE	IF	CITATIONS
359	Systems biology in pharmacogenomic research: the way to personalized prescribing?. <i>Pharmacogenomics</i> , 2009, 10, 971-981.	0.6	19
360	Mouse models of human AML accurately predict chemotherapy response. <i>Genes and Development</i> , 2009, 23, 877-889.	2.7	235
361	Pre-B-cell leukemia homeobox 1 (PBX1) shows functional and possible genetic association with bone mineral density variation. <i>Human Molecular Genetics</i> , 2009, 18, 679-687.	1.4	29
363	Main-Effects Model Is a Special Kind of Additive Model in the Presence of Linkage Disequilibrium. <i>Human Heredity</i> , 2009, 67, 13-25.	0.4	1
364	Detecting Interactions in Association Studies by Using Simple Allele Recoding. <i>Human Heredity</i> , 2009, 67, 69-75.	0.4	5
365	Exploring the Performance of Multifactor Dimensionality Reduction in Large Scale SNP Studies and in the Presence of Genetic Heterogeneity among Epistatic Disease Models. <i>Human Heredity</i> , 2009, 67, 183-192.	0.4	32
366	The Application of Apriori-Gen Algorithm on the Interaction Analysis of SNPs in Genetic Disease. , 2009, , .		1
367	Complex Diseases, Complex Genes. <i>Epidemiology</i> , 2009, 20, 508-511.	1.2	27
368	Immunogenetics of drug-induced skin blistering disorders. Part I: Perspective. <i>Pharmacogenomics</i> , 2009, 10, 601-621.	0.6	16
369	pHCR: a Parallel Haplotype Configuration Reduction algorithm for haplotype interaction analysis. <i>Journal of Human Genetics</i> , 2009, 54, 634-641.	1.1	2
370	Interaction between variants of two glycosyltransferase genes in IgA nephropathy. <i>Kidney International</i> , 2009, 76, 190-198.	2.6	27
371	An algorithm for learning maximum entropy probability models of disease risk that efficiently searches and sparingly encodes multilocus genomic interactions. <i>Bioinformatics</i> , 2009, 25, 2478-2485.	1.8	49
372	Association of an Intronic Variant of the Heme Oxygenase-1 Gene with Hypertension in Northern Chinese Han Population. <i>Clinical and Experimental Hypertension</i> , 2009, 31, 534-543.	0.5	6
373	EGFR pathway polymorphisms and bladder cancer susceptibility and prognosis. <i>Carcinogenesis</i> , 2009, 30, 1155-1160.	1.3	46
374	Identifying rheumatoid arthritis susceptibility genes using high-dimensional methods. <i>BMC Proceedings</i> , 2009, 3, S79.	1.8	6
375	Efficient algorithms for genome-wide association study. <i>ACM Transactions on Knowledge Discovery From Data</i> , 2009, 3, 1-28.	2.5	6
376	Evaluating epistatic interaction signals in complex traits using quantitative traits. <i>BMC Proceedings</i> , 2009, 3, S82.	1.8	3
377	New evaluation measures for multifactor dimensionality reduction classifiers in gene-gene interaction analysis. <i>Bioinformatics</i> , 2009, 25, 338-345.	1.8	58

#	ARTICLE	IF	CITATIONS
378	Multifactor Dimensionality Reduction for Detecting Haplotype-Haplotype Interaction. , 2009, , .		2
379	Association and interaction analyses of genetic variants in ADIPOQ, ENPP1, GHSR, PPAR α and TCF7L2 genes for diabetic nephropathy in a Taiwanese population with type 2 diabetes. Nephrology Dialysis Transplantation, 2009, 24, 3360-3366.	0.4	71
380	GLOSSI: a method to assess the association of genetic loci-sets with complex diseases. BMC Bioinformatics, 2009, 10, 102.	1.2	31
381	MegaSNPHunter: a learning approach to detect disease predisposition SNPs and high level interactions in genome wide association study. BMC Bioinformatics, 2009, 10, 13.	1.2	86
382	Detecting purely epistatic multi-locus interactions by an omnibus permutation test on ensembles of two-locus analyses. BMC Bioinformatics, 2009, 10, 294.	1.2	31
383	A random forest approach to the detection of epistatic interactions in case-control studies. BMC Bioinformatics, 2009, 10, S65.	1.2	225
384	Detecting disease-associated genotype patterns. BMC Bioinformatics, 2009, 10, S75.	1.2	26
385	Information-theoretic gene-gene and gene-environment interaction analysis of quantitative traits. BMC Genomics, 2009, 10, 509.	1.2	34
386	Accelerating epistasis analysis in human genetics with consumer graphics hardware. BMC Research Notes, 2009, 2, 149.	0.6	36
387	Evaluating new candidate SNPs as low penetrance risk factors in sporadic breast cancer: A two-stage Spanish case-control study. Gynecologic Oncology, 2009, 112, 210-214.	0.6	13
388	An association analysis of Alzheimer disease candidate genes detects an ancestral risk haplotype clade in <i>ACE</i> and putative multilocus association between <i>ACE</i> , <i>A2M</i> , and <i>LRRTM3</i> . American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 721-735.	1.1	34
389	Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 103-113.	1.1	20
390	Association and interaction analysis of variants in <i>CHRNA5/CHRNA3/CHRN4</i> gene cluster with nicotine dependence in African and European Americans. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 745-756.	1.1	53
391	A computationally efficient hypothesis testing method for epistasis analysis using multifactor dimensionality reduction. Genetic Epidemiology, 2009, 33, 87-94.	0.6	80
392	Allelic-based gene-gene interaction associated with quantitative traits. Genetic Epidemiology, 2009, 33, 332-343.	0.6	14
393	Restricted parameter space models for testing gene-gene interaction. Genetic Epidemiology, 2009, 33, 386-393.	0.6	15
394	Identification of gene-gene interactions in the presence of missing data using the multifactor dimensionality reduction method. Genetic Epidemiology, 2009, 33, 646-656.	0.6	22
395	Pathway analysis by adaptive combination of <i>P</i> -values. Genetic Epidemiology, 2009, 33, 700-709.	0.6	248

#	ARTICLE	IF	CITATIONS
396	Bayesian mixture modeling of gene-environment and gene-gene interactions. <i>Genetic Epidemiology</i> , 2010, 34, 16-25.	0.6	35
398	Genotype and haplotype analysis of cell cycle genes in sporadic colorectal cancer in the Czech Republic. <i>Human Mutation</i> , 2009, 30, 661-668.	1.1	47
399	Genomic convergence to identify candidate genes for Alzheimer Disease on chromosome 10. <i>Human Mutation</i> , 2009, 30, 463-471.	1.1	69
400	Lack of association of GPX1 and MnSOD genes with symptom severity and response to clozapine treatment in schizophrenia subjects. <i>Human Psychopharmacology</i> , 2009, 24, 676-679.	0.7	16
401	Association study between glutathione S-transferase GSTM1, GSTT1, and GSTP1 polymorphisms and tardive dyskinesia. <i>Human Psychopharmacology</i> , 2009, 24, 55-60.	0.7	23
402	Genetic polymorphisms in DNA repair genes as modulators of Hodgkin disease risk. <i>Cancer</i> , 2009, 115, 1651-1659.	2.0	34
403	Bladder cancer SNP panel predicts susceptibility and survival. <i>Human Genetics</i> , 2009, 125, 527-539.	1.8	85
404	Association of three-gene interaction among MTHFR, ALOX5AP and NOTCH3 with thrombotic stroke: a multicenter case-control study. <i>Human Genetics</i> , 2009, 125, 649-656.	1.8	33
405	Examination of association of genes in the serotonin system to autism. <i>Neurogenetics</i> , 2009, 10, 209-216.	0.7	67
406	Genetic variation in DNA repair pathway genes and premenopausal breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 115, 613-622.	1.1	46
407	Effect of COX2 -765G>C and c.3618A>G polymorphisms on the risk and survival of sporadic colorectal cancer. <i>Cancer Causes and Control</i> , 2009, 20, 1421-1429.	0.8	30
408	A conditional synergy index to assess biological interaction. <i>European Journal of Epidemiology</i> , 2009, 24, 485-494.	2.5	11
409	Interacting contribution of the five polymorphisms in three genes of Hsp70 family to essential hypertension in Uyгур ethnicity. <i>Cell Stress and Chaperones</i> , 2009, 14, 355-362.	1.2	26
410	A case-control study of childhood acute lymphoblastic leukaemia and polymorphisms in the TGF β 2 and receptor genes. <i>Pediatric Blood and Cancer</i> , 2009, 52, 819-823.	0.8	9
411	No association between variant DNA repair genes and prostate cancer risk among men of African descent. <i>Prostate</i> , 2010, 70, 113-119.	1.2	24
412	Neural networks for modeling gene-gene interactions in association studies. <i>BMC Genetics</i> , 2009, 10, 87.	2.7	23
413	Power of multifactor dimensionality reduction and penalized logistic regression for detecting gene-gene interaction in a case-control study. <i>BMC Medical Genetics</i> , 2009, 10, 127.	2.1	28
414	Genome-wide association reveals three SNPs associated with sporadic amyotrophic lateral sclerosis through a two-locus analysis. <i>BMC Medical Genetics</i> , 2009, 10, 86.	2.1	19

#	ARTICLE	IF	CITATIONS
415	Multifactor dimensionality reduction analysis identifies specific nucleotide patterns promoting genetic polymorphisms. <i>BioData Mining</i> , 2009, 2, 2.	2.2	2
416	The interaction index, a novel information-theoretic metric for prioritizing interacting genetic variations and environmental factors. <i>European Journal of Human Genetics</i> , 2009, 17, 1274-1286.	1.4	28
417	Detecting gene-gene interactions that underlie human diseases. <i>Nature Reviews Genetics</i> , 2009, 10, 392-404.	7.7	1,177
418	Examination of tetrahydrobiopterin pathway genes in autism. <i>Genes, Brain and Behavior</i> , 2009, 8, 753-757.	1.1	12
419	Analysis of the high affinity IgE receptor genes reveals epistatic effects of <i>FCER1A</i> variants on eczema risk. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 875-882.	2.7	29
420	Estrogen Metabolism and Breast Cancer. <i>Annals of the New York Academy of Sciences</i> , 2009, 1155, 68-75.	1.8	62
421	Testing Association with Interactions by Partitioning Chi-Squares. <i>Annals of Human Genetics</i> , 2009, 73, 109-117.	0.3	9
422	Interactions Between <i>HERC2</i> , <i>OCA2</i> and <i>MC1R</i> May Influence Human Pigmentation Phenotype. <i>Annals of Human Genetics</i> , 2009, 73, 160-170.	0.3	96
423	Evaluating the Ability of Tree-Based Methods and Logistic Regression for the Detection of SNP-SNP Interaction. <i>Annals of Human Genetics</i> , 2009, 73, 360-369.	0.3	66
424	Generating SNP barcode to evaluate SNP-SNP interaction of disease by particle swarm optimization. <i>Computational Biology and Chemistry</i> , 2009, 33, 114-119.	1.1	18
425	Systems-level approaches for identifying and analyzing genetic interaction networks in <i>Escherichia coli</i> and extensions to other prokaryotes. <i>Molecular BioSystems</i> , 2009, 5, 1439.	2.9	29
426	Genetic susceptibility to schizophrenia: role of dopaminergic pathway gene polymorphisms. <i>Pharmacogenomics</i> , 2009, 10, 277-291.	0.6	54
427	Epistasis and Its Implications for Personal Genetics. <i>American Journal of Human Genetics</i> , 2009, 85, 309-320.	2.6	326
428	Association analysis techniques for analyzing complex biological data sets. , 2009, , .		1
429	Multiple osteoporosis susceptibility genes on chromosome 1p36 in Chinese. <i>Bone</i> , 2009, 44, 984-988.	1.4	35
430	Genetic interaction of Hsp70 family genes polymorphisms with high-altitude pulmonary edema among Chinese railway constructors at altitudes exceeding 4000 meters. <i>Clinica Chimica Acta</i> , 2009, 405, 17-22.	0.5	38
431	Epistasis in sporadic Alzheimer's disease. <i>Neurobiology of Aging</i> , 2009, 30, 1333-1349.	1.5	111
432	The Association of Haplotype at the Lumican Gene with High Myopia Susceptibility in Taiwanese Patients. <i>Ophthalmology</i> , 2009, 116, 1920-1927.	2.5	43

#	ARTICLE	IF	CITATIONS
433	Interaction of serotonin-related genes affects short-term antidepressant response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1167-1172.	2.5	61
434	Interactive association of heat shock protein 70 genes variants with natural longevity in Xinjiang Hetian Uygur ethnicity. <i>Translational Research</i> , 2009, 154, 257-264.	2.2	7
435	Pharmacogenetics of anti-inflammatory treatment in children with asthma: rationale and design of the PACMAN cohort. <i>Pharmacogenomics</i> , 2009, 10, 1351-1361.	0.6	33
436	Association of Five Single Nucleotide Polymorphism loci with Asthma in Children of Chinese Han Nationality. <i>Journal of Asthma</i> , 2009, 46, 582-585.	0.9	8
437	Applied Statistical Genetics with R. , 2009, , .		66
439	A ground truth based comparative study on detecting epistatic SNPs. , 2009, 1-4, 26-31.		12
440	Gene-Gene Interactions Among Genetic Variants from Obesity Candidate Genes for Nonobese and Obese Populations in Type 2 Diabetes. <i>Genetic Testing and Molecular Biomarkers</i> , 2009, 13, 485-493.	0.3	34
441	Interaction of gender, hypertension, and the angiotensinogen gene haplotypes on the risk of coronary artery disease in a large angiographic cohort. <i>Atherosclerosis</i> , 2009, 203, 249-256.	0.4	24
442	Family-Based Association Studies. , 2009, , 191-240.		2
443	Genetic Risk Profiling and Prediction of Disease Course in Crohn's Disease Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 972-980.e2.	2.4	138
444	Associations between common variants in the MDR1 (ABCB1) gene and ulcerative colitis among North Indians. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 77-85.	0.7	33
445	Haplotype-based association of the renin-angiotensin-aldosterone system genes polymorphisms with essential hypertension among Han Chinese: the Fangshan study. <i>Journal of Hypertension</i> , 2009, 27, 1384-1391.	0.3	67
446	Association analysis of the glutamic acid decarboxylase 2 and the glutamine synthetase genes (GAD2,) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.6	9
447	Multilocus genotypic association with vascular dementia by multifactor dimensionality reduction and entropy-based estimation. <i>Psychiatric Genetics</i> , 2009, 19, 253-258.	0.6	9
448	Gene-gene interactions in folate and adenosine biosynthesis pathways affect methotrexate efficacy and tolerability in rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 935-944.	0.7	51
449	Gene-gene interactions of CYP2A6 and MAOA polymorphisms on smoking behavior in Chinese male population. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 345-352.	0.7	19
450	ENABLING PERSONAL GENOMICS WITH AN EXPLICIT TEST OF EPISTASIS. , 2009, , 327-336.		35
451	Estrogen Exposure, Metabolism, and Enzyme Variants in a Model for Breast Cancer Risk Prediction. <i>Cancer Informatics</i> , 2009, 7, CIN.S2262.	0.9	19

#	ARTICLE	IF	CITATIONS
452	Use of pathway information in molecular epidemiology. <i>Human Genomics</i> , 2009, 4, 21.	1.4	42
453	Genome-wide gene-gene interaction analysis of rheumatoid arthritis. , 2010, , .		0
454	Methodological and statistical issues in pharmacogenomics. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 161-166.	1.2	26
455	Prioritizing GWAS Results: A Review of Statistical Methods and Recommendations for Their Application. <i>American Journal of Human Genetics</i> , 2010, 86, 6-22.	2.6	531
456	Using Principal Components of Genetic Variation for Robust and Powerful Detection of Gene-Gene Interactions in Case-Control and Case-Only Studies. <i>American Journal of Human Genetics</i> , 2010, 86, 331-342.	2.6	41
457	BOOST: A Fast Approach to Detecting Gene-Gene Interactions in Genome-wide Case-Control Studies. <i>American Journal of Human Genetics</i> , 2010, 87, 325-340.	2.6	452
458	A Data Mining Approach for the Detection of High-Risk Breast Cancer Groups. <i>Advances in Intelligent and Soft Computing</i> , 2010, , 43-51.	0.2	27
459	Evidence for a Genetic Basis for Altitude Illness: 2010 Update. <i>High Altitude Medicine and Biology</i> , 2010, 11, 349-368.	0.5	67
460	Association of polymorphisms MTHFR C677T and A1298C with risk of colorectal cancer, genetic and epigenetic characteristic of tumors, and response to chemotherapy. <i>International Journal of Colorectal Disease</i> , 2010, 25, 141-151.	1.0	50
461	Genetic variation in the IL7RA/IL7 pathway increases multiple sclerosis susceptibility. <i>Human Genetics</i> , 2010, 127, 525-535.	1.8	55
462	Genetics of ischemic and hemorrhagic stroke in Chinese population. <i>Frontiers of Medicine in China</i> , 2010, 4, 21-28.	0.1	0
463	Variation in genes required for normal mitosis and risk of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010, 119, 423-430.	1.1	30
464	Interaction between the C(-344)T polymorphism of CYP11B2 and alcohol consumption on the risk of essential hypertension in a Chinese Mongolian population. <i>European Journal of Epidemiology</i> , 2010, 25, 813-821.	2.5	16
465	Genetic association of the GDNF alpha-receptor genes with schizophrenia and clozapine response. <i>Journal of Psychiatric Research</i> , 2010, 44, 700-706.	1.5	39
466	Current findings, challenges and novel approaches in human genetic susceptibility to tuberculosis. <i>Tuberculosis</i> , 2010, 90, 71-83.	0.8	201
467	A comparison of internal validation techniques for multifactor dimensionality reduction. <i>BMC Bioinformatics</i> , 2010, 11, 394.	1.2	20
468	Survival dimensionality reduction (SDR): development and clinical application of an innovative approach to detect epistasis in presence of right-censored data. <i>BMC Bioinformatics</i> , 2010, 11, 416.	1.2	12
469	A multifactorial analysis of obesity as CVD risk factor: Use of neural network based methods in a nutrigenetics context. <i>BMC Bioinformatics</i> , 2010, 11, 453.	1.2	33

#	ARTICLE	IF	CITATIONS
470	A novel approach to simulate gene-environment interactions in complex diseases. <i>BMC Bioinformatics</i> , 2010, 11, 8.	1.2	31
471	Identifying main effects and epistatic interactions from large-scale SNP data via adaptive group Lasso. <i>BMC Bioinformatics</i> , 2010, 11, S18.	1.2	33
472	Comparison of information-theoretic to statistical methods for gene-gene interactions in the presence of genetic heterogeneity. <i>BMC Genomics</i> , 2010, 11, 487.	1.2	21
473	Associations between SNPs in candidate immune-relevant genes and rubella antibody levels: a multigenic assessment. <i>BMC Immunology</i> , 2010, 11, 48.	0.9	40
474	AntEpiSeeker: detecting epistatic interactions for case-control studies using a two-stage ant colony optimization algorithm. <i>BMC Research Notes</i> , 2010, 3, 117.	0.6	111
475	Identification of fetal and maternal single nucleotide polymorphisms in candidate genes that predispose to spontaneous preterm labor with intact membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 431.e1-431.e34.	0.7	77
476	A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 361.e1-361.e30.	0.7	78
477	Paraoxonase 1 gene and glutathione S-transferase γ 1 gene interaction with preterm delivery in Korean women. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 569.e1-569.e7.	0.7	9
478	A cross-validation procedure for general pedigrees and matched odds ratio fitness metric implemented for the multifactor dimensionality reduction pedigree disequilibrium test. <i>Genetic Epidemiology</i> , 2010, 34, 194-199.	0.6	7
479	An "almost exhaustive" search-based sequential permutation method for detecting epistasis in disease association studies. <i>Genetic Epidemiology</i> , 2010, 34, 434-443.	0.6	12
480	The longitudinal nonparametric test as a new tool to explore gene-gene and gene-time effects in cohorts. <i>Genetic Epidemiology</i> , 2010, 34, 469-478.	0.6	9
481	Identifying genetic interactions in genome-wide data using Bayesian networks. <i>Genetic Epidemiology</i> , 2010, 34, 575-581.	0.6	56
482	Effects of estrogen on breast cancer development: Role of estrogen receptor independent mechanisms. <i>International Journal of Cancer</i> , 2010, 127, 1748-1757.	2.3	114
484	Aggressive behavior, related conduct problems, and variation in genes affecting dopamine turnover. <i>Aggressive Behavior</i> , 2010, 36, 158-176.	1.5	34
485	Association and gene-gene interaction of <i>SLC6A4</i> and <i>ITGB3</i> in autism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 477-483.	1.1	41
486	Association of candidate susceptible loci with chronic infection with hepatitis B virus in a Chinese population. <i>Journal of Medical Virology</i> , 2010, 82, 371-378.	2.5	50
487	Association of selected polymorphisms of CCND1, p21, and caspase8 With colorectal cancer risk. <i>Molecular Carcinogenesis</i> , 2010, 49, 75-84.	1.3	40
488	A Markov blanket-based method for detecting causal SNPs in GWAS. <i>BMC Bioinformatics</i> , 2010, 11, S5.	1.2	61

#	ARTICLE	IF	CITATIONS
489	Mapping Haplotype-haplotype Interactions with Adaptive LASSO. BMC Genetics, 2010, 11, 79.	2.7	17
490	Discovering joint associations between disease and gene pairs with a novel similarity test. BMC Genetics, 2010, 11, 86.	2.7	3
491	Polymorphisms in IL-1 β , vitamin D receptor Fok1, and Toll-like receptor 2 are associated with extrapulmonary tuberculosis. BMC Medical Genetics, 2010, 11, 37.	2.1	55
492	ATHENA: A knowledge-based hybrid backpropagation-grammatical evolution neural network algorithm for discovering epistasis among quantitative trait Loci. BioData Mining, 2010, 3, 5.	2.2	43
493	Grammatical evolution decision trees for detecting gene-gene interactions. BioData Mining, 2010, 3, 8.	2.2	14
494	Interaction among variant vascular endothelial growth factor (VEGF) and its receptor in relation to prostate cancer risk. Prostate, 2010, 70, 341-352.	1.2	42
495	Identification of Interacting Genes in Genome-Wide Association Studies Using a Model-Based Two-Stage Approach. Annals of Human Genetics, 2010, 74, 406-415.	0.3	1
496	Past, present and future directions in human genetic susceptibility to tuberculosis. FEMS Immunology and Medical Microbiology, 2010, 58, 3-26.	2.7	109
497	Hint for association of single nucleotide polymorphisms and haplotype in SPINK5 gene with atopic dermatitis in Koreans. Experimental Dermatology, 2010, 19, 1048-1053.	1.4	17
498	A screening methodology based on Random Forests to improve the detection of gene-gene interactions. European Journal of Human Genetics, 2010, 18, 1127-1132.	1.4	47
499	FAM-MDR: A Flexible Family-Based Multifactor Dimensionality Reduction Technique to Detect Epistasis Using Related Individuals. PLoS ONE, 2010, 5, e10304.	1.1	48
500	A General Model for Multilocus Epistatic Interactions in Case-Control Studies. PLoS ONE, 2010, 5, e11384.	1.1	40
501	Genome Simulation. Advances in Genetics, 2010, 72, 1-24.	0.8	14
502	TEAM: efficient two-locus epistasis tests in human genome-wide association study. Bioinformatics, 2010, 26, i217-i227.	1.8	150
503	Statistical analysis of genetic interactions. Genetical Research, 2010, 92, 443-459.	0.3	25
504	Genetic Polymorphisms in Adaptive Immunity Genes and Childhood Acute Lymphoblastic Leukemia. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2152-2163.	1.1	31
505	Transforming Growth Factor Beta-3 and Environmental Factors and Cleft Lip with/without Cleft Palate. DNA and Cell Biology, 2010, 29, 375-380.	0.9	8
506	Identification of epistatic effects using a protein-protein interaction database. Human Molecular Genetics, 2010, 19, 4345-4352.	1.4	23

#	ARTICLE	IF	CITATIONS
508	Buckley-James Boosting for Survival Analysis with High-Dimensional Biomarker Data. Statistical Applications in Genetics and Molecular Biology, 2010, 9, Article24.	0.2	27
509	A Novel Adaptive Method for the Analysis of Next-Generation Sequencing Data to Detect Complex Trait Associations with Rare Variants Due to Gene Main Effects and Interactions. PLoS Genetics, 2010, 6, e1001156.	1.5	211
510	Petri net models and non linear genetic diseases. , 2010, , .		0
511	Data analysis of Genome-Wide Association studies (GWAS) concerning rheumatoid arthritis and multiple sclerosis. , 2010, , .		0
512	Pattern Recognition in Bioinformatics. Lecture Notes in Computer Science, 2010, , .	1.0	1
513	Association of Interleukin-1 β (IL1B) Polymorphisms with Graves' Ophthalmopathy in Taiwan Chinese Patients. , 2010, 51, 6238.		28
514	mbmdr: an R package for exploring gene-gene interactions associated with binary or quantitative traits. Bioinformatics, 2010, 26, 2198-2199.	1.8	90
515	Multifactor dimensionality reduction for graphics processing units enables genome-wide testing of epistasis in sporadic ALS. Bioinformatics, 2010, 26, 694-695.	1.8	76
516	Genome-wide association study for colorectal cancer identifies risk polymorphisms in German familial cases and implicates MAPK signalling pathways in disease susceptibility. Carcinogenesis, 2010, 31, 1612-1619.	1.3	57
517	Predictive rule inference for epistatic interaction detection in genome-wide association studies. Bioinformatics, 2010, 26, 30-37.	1.8	156
518	Interactions Among Genetic Variants in Apoptosis Pathway Genes, Reflux Symptoms, Body Mass Index, and Smoking Indicate Two Distinct Etiologic Patterns of Esophageal Adenocarcinoma. Journal of Clinical Oncology, 2010, 28, 2445-2451.	0.8	40
519	Allelic Based Gene-Gene Interaction in Case-Control Studies. Human Heredity, 2010, 69, 14-27.	0.4	0
520	Pair-Wise Multifactor Dimensionality Reduction Method to Detect Gene-Gene Interactions in A Case-Control Study. Human Heredity, 2010, 69, 60-70.	0.4	13
521	A Simple and Computationally Efficient Sampling Approach to Covariate Adjustment for Multifactor Dimensionality Reduction Analysis of Epistasis. Human Heredity, 2010, 70, 219-225.	0.4	26
522	Polymorphisms of endocrine gland-derived vascular endothelial growth factor gene and its receptor genes are associated with recurrent pregnancy loss. Human Reproduction, 2010, 25, 2923-2930.	0.4	33
523	Detecting two-locus associations allowing for interactions in genome-wide association studies. Bioinformatics, 2010, 26, 2517-2525.	1.8	23
524	Initialization parameter sweep in ATHENA. , 2010, 12, 203-210.		12
525	Fast genome-wide epistasis analysis using ant colony optimization for multifactor dimensionality reduction analysis on graphics processing units. , 2010, , .		10

#	ARTICLE	IF	CITATIONS
526	Concordance of two multiple analytical approaches demonstrate that interaction between BMI and ADIPOQ haplotypes is a determinant of LDL cholesterol in a general French population. <i>Journal of Human Genetics</i> , 2010, 55, 227-231.	1.1	3
527	Bioinformatics challenges for genome-wide association studies. <i>Bioinformatics</i> , 2010, 26, 445-455.	1.8	477
528	Testing multiple gene interactions by the ordered combinatorial partitioning method in case-control studies. <i>Bioinformatics</i> , 2010, 26, 1871-1878.	1.8	10
529	Detecting, Characterizing, and Interpreting Nonlinear Gene-Gene Interactions Using Multifactor Dimensionality Reduction. <i>Advances in Genetics</i> , 2010, 72, 101-116.	0.8	52
530	Effects of MCF2L2, ADIPOQ and SOX2 genetic polymorphisms on the development of nephropathy in type 1 Diabetes Mellitus. <i>BMC Medical Genetics</i> , 2010, 11, 116.	2.1	25
531	Genetic Approaches to Functional Gastrointestinal Disorders. <i>Gastroenterology</i> , 2010, 138, 1276-1285.	0.6	93
533	The application of michigan-style learning classifiersystems to address genetic heterogeneity and epistasis in association studies. , 2010, , .		37
534	<i>Genetic Epidemiology</i> . , 2010, , 617-634.		0
535	Betel quid chewing as an environmental risk factor for breast cancer. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010, 703, 143-148.	0.9	27
536	Analysis of interactions between genetic variants of BMP4 and environmental factors with nonsyndromic cleft lip with or without cleft palate susceptibility. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2010, 39, 50-56.	0.7	28
537	A 3-factor epistatic model predicts digital ulcers in Italian scleroderma patients. <i>European Journal of Internal Medicine</i> , 2010, 21, 347-353.	1.0	7
538	Epistasis of oxidative stress-related enzyme genes on modulating the risks in oral cavity cancer. <i>Clinica Chimica Acta</i> , 2010, 411, 1705-1710.	0.5	14
539	Interactions among genetic variants from SREBP2 activating-related pathway on risk of coronary heart disease in Chinese Han population. <i>Atherosclerosis</i> , 2010, 208, 421-426.	0.4	15
540	Statistical Methods for Pathway Analysis of Genome-Wide Data for Association with Complex Genetic Traits. <i>Advances in Genetics</i> , 2010, 72, 141-179.	0.8	86
541	MicroRNAs and target site screening reveals a pre-microRNA-30e variant associated with schizophrenia. <i>Schizophrenia Research</i> , 2010, 119, 219-227.	1.1	93
542	Practical Issues in Building Risk-Predicting Models for Complex Diseases. <i>Journal of Biopharmaceutical Statistics</i> , 2010, 20, 415-440.	0.4	18
543	Epistatic Interactions. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2010, 9, Article 1.	0.2	48
544	BDNF and CGRP interaction: Implications in migraine susceptibility. <i>Cephalalgia</i> , 2010, 30, 1375-1382.	1.8	41

#	ARTICLE	IF	CITATIONS
545	cuGWAM: Genome-wide association multifactor dimensionality reduction using CUDA-enabled high-performance graphics processing unit. , 2010, , .		0
546	Two-way interaction analysis of obesity trait from Korean population using generalized MDR. , 2010, , .		0
547	Multilocus association analysis under polygenic models. , 2010, , .		1
548	A scalable method for detecting multiple loci associated with traits using TF-IDF weighting and association rule mining. , 2010, , .		0
549	COE: A General Approach for Efficient Genome-Wide Two-Locus Epistasis Test in Disease Association Study. Journal of Computational Biology, 2010, 17, 401-415.	0.8	21
550	A Case-Control Study of Non-parametric Approaches for Detecting SNP-SNP Interactions. , 2011, , .		2
551	Methods for Identifying SNP Interactions: A Review on Variations of Logic Regression, Random Forest and Bayesian Logistic Regression. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2011, 8, 1580-1591.	1.9	81
552	Dedicated hardware accelerators for the epistatic analysis of human genetic data. , 2011, , .		1
553	POMC and TP53 genetic variability and risk of basal cell carcinoma of skin: Interaction between host and genetic factors. Journal of Dermatological Science, 2011, 63, 47-54.	1.0	15
554	Gene Variation in Resistant Hypertension: Multilocus Analysis of the Angiotensin 1-Converting Enzyme, Angiotensinogen, and Endothelial Nitric Oxide Synthase Genes. DNA and Cell Biology, 2011, 30, 555-564.	0.9	30
555	Practical and Theoretical Considerations in Study Design for Detecting Gene-Gene Interactions Using MDR and GMDR Approaches. PLoS ONE, 2011, 6, e16981.	1.1	45
556	A Comparison of Machine Learning Methods for the Prediction of Breast Cancer. Lecture Notes in Computer Science, 2011, , 159-170.	1.0	6
557	Geneâ€“gene interactions contribute to eye colour variation in humans. Journal of Human Genetics, 2011, 56, 447-455.	1.1	57
558	Analysis of Geneâ€“Gene Interactions. Current Protocols in Human Genetics, 2011, 70, Unit1.14.	3.5	39
559	SNPInterForest: A new method for detecting epistatic interactions. BMC Bioinformatics, 2011, 12, 469.	1.2	57
560	bNEAT: a Bayesian network method for detecting epistatic interactions in genome-wide association studies. BMC Genomics, 2011, 12, S9.	1.2	26
561	Analysis of SNP Interaction Combinations to Determine Breast Cancer Risk with PSO. , 2011, , .		6
564	Polygenetic regression model of renin-angiotensin system genes and the risk of coronary artery disease in a large angiographic population. Clinica Chimica Acta, 2011, 412, 619-624.	0.5	5

#	ARTICLE	IF	CITATIONS
565	Age- and gender-specific epistasis between ADA and TNF- α influences human life-expectancy. <i>Cytokine</i> , 2011, 56, 481-488.	1.4	17
566	The effect of TP53 codon 72 and RNASEL codon 462 polymorphisms on the development of cervical cancer in Argentine women. <i>Cancer Genetics</i> , 2011, 204, 270-277.	0.2	10
567	Haplotype-based association of ACE I/D, AT1R 1166A>C, and AGT M235T polymorphisms in renin-angiotensin-aldosterone system genes in Korean women with idiopathic recurrent spontaneous abortions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 158, 225-228.	0.5	23
568	Family-Based Genetic Association Tests. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.top96.	0.2	1
569	On the use of multifactor dimensionality reduction (MDR) and classification and regression tree (CART) to identify haplotype-haplotype interactions in genetic studies. <i>Genomics</i> , 2011, 97, 77-85.	1.3	16
570	Asymptotic distribution for epistatic tests in case-control studies. <i>Genomics</i> , 2011, 98, 145-151.	1.3	18
571	Role of gene-gene/environment interaction in the etiology of eastern Indian ADHD probands. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 577-587.	2.5	38
572	Gene-Gene Interaction and Epistasis. , 2011, , 197-213.		2
573	Statistical Optimization of Pharmacogenomics Association Studies: Key Considerations from Study Design to Analysis. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2011, 9, 41-66.	0.2	11
574	The genetics of breast cancer: risk factors for disease. <i>The Application of Clinical Genetics</i> , 2011, 4, 11.	1.4	32
575	Effects of Six Functional SNPs on the Urinary 8-Isoprostane Level in a General Japanese Population; Shimane COHRE Study. <i>Disease Markers</i> , 2011, 30, 291-298.	0.6	2
576	Multifactor Dimensionality Reduction as a Filter-Based Approach for Genome Wide Association Studies. <i>Frontiers in Genetics</i> , 2011, 2, 80.	1.1	12
577	The Impact of Mitochondrial and Nuclear DNA Variants on Late-Onset Alzheimer's Disease Risk. <i>Journal of Alzheimer's Disease</i> , 2011, 27, 197-210.	1.2	43
578	Estimating and testing linkage disequilibrium from sib data. <i>Statistica Neerlandica</i> , 2011, 65, 239-258.	0.9	0
579	A role for endothelin receptor type A in migraine without aura susceptibility? A study in Portuguese patients. <i>European Journal of Neurology</i> , 2011, 18, 649-655.	1.7	15
580	Permutation and Parametric Bootstrap Tests for Gene-Gene and Gene-Environment Interactions. <i>Annals of Human Genetics</i> , 2011, 75, 36-45.	0.3	69
581	The Effect of Retrospective Sampling on Estimates of Prediction Error for Multifactor Dimensionality Reduction. <i>Annals of Human Genetics</i> , 2011, 75, 46-61.	0.3	3
582	Model-Based Multifactor Dimensionality Reduction for detecting epistasis in case-control data in the presence of noise. <i>Annals of Human Genetics</i> , 2011, 75, 78-89.	0.3	69

#	ARTICLE	IF	CITATIONS
583	Bayesian Analysis of Genetic Interactions in Case-control Studies, with Application to Adiponectin Genes and Colorectal Cancer Risk. <i>Annals of Human Genetics</i> , 2011, 75, 90-104.	0.3	27
584	Significance Levels in Genome-Wide Interaction Analysis (GWIA). <i>Annals of Human Genetics</i> , 2011, 75, 29-35.	0.3	21
585	Importance Measures for Epistatic Interactions in Case-Parent Trios. <i>Annals of Human Genetics</i> , 2011, 75, 122-132.	0.3	13
586	A Robust Multifactor Dimensionality Reduction Method for Detecting Gene-Gene Interactions with Application to the Genetic Analysis of Bladder Cancer Susceptibility. <i>Annals of Human Genetics</i> , 2011, 75, 20-28.	0.3	62
587	Detecting Epistatic SNPs Associated with Complex Diseases via a Bayesian Classification Tree Search Method. <i>Annals of Human Genetics</i> , 2011, 75, 112-121.	0.3	6
588	Genome-Wide Association Scan Allowing for Epistasis in Type 2 Diabetes. <i>Annals of Human Genetics</i> , 2011, 75, 10-19.	0.3	34
589	Using Biological Knowledge to Uncover the Mystery in the Search for Epistasis in Genome-Wide Association Studies. <i>Annals of Human Genetics</i> , 2011, 75, 172-182.	0.3	66
590	A Novel Method to Detect Gene-Gene Interactions in Structured Populations: MDR-SP. <i>Annals of Human Genetics</i> , 2011, 75, 742-754.	0.3	15
591	Association of polymorphisms in genes encoding IL-4, IL-13 and their receptors with atopic dermatitis in a Korean population. <i>Experimental Dermatology</i> , 2011, 20, 915-919.	1.4	56
592	Model-Based Multifactor Dimensionality Reduction to detect epistasis for quantitative traits in the presence of error-free and noisy data. <i>European Journal of Human Genetics</i> , 2011, 19, 696-703.	1.4	28
593	Evidence for epistasis between hemoglobin C and immune genes in human <i>P. falciparum</i> malaria: a family study in Burkina Faso. <i>Genes and Immunity</i> , 2011, 12, 481-489.	2.2	11
594	Gene-gene interaction among cytokine polymorphisms influence susceptibility to aggressive periodontitis. <i>Genes and Immunity</i> , 2011, 12, 473-480.	2.2	20
595	Modeling of environmental and genetic interactions with AMBROSIA, an information-theoretic model synthesis method. <i>Heredity</i> , 2011, 107, 320-327.	1.2	10
596	Variants in the Inflammatory <i>IL6</i> and <i>MPO</i> Genes Modulate Stroke Susceptibility Through Main Effects and Gene-Gene Interactions. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1751-1759.	2.4	19
597	Implementing ReliefF filters to extract meaningful features from genetic lifetime datasets. <i>Journal of Biomedical Informatics</i> , 2011, 44, 361-369.	2.5	25
598	AUC-RF: A New Strategy for Genomic Profiling with Random Forest. <i>Human Heredity</i> , 2011, 72, 121-132.	0.4	122
599	Interrogating the complex role of chromosome 16p13.13 in multiple sclerosis susceptibility: independent genetic signals in the <i>CIITA</i> - <i>CLEC16A</i> - <i>SOCS1</i> gene complex. <i>Human Molecular Genetics</i> , 2011, 20, 3517-3524.	1.4	50
600	A novel survival multifactor dimensionality reduction method for detecting gene-gene interactions with application to bladder cancer prognosis. <i>Human Genetics</i> , 2011, 129, 101-110.	1.8	57

#	ARTICLE	IF	CITATIONS
601	Genes in the insulin and insulin-like growth factor pathway and odds of metachronous colorectal neoplasia. <i>Human Genetics</i> , 2011, 129, 503-512.	1.8	11
602	Simulating Linkage Disequilibrium Structures in a Human Population for SNP Association Studies. <i>Biochemical Genetics</i> , 2011, 49, 395-409.	0.8	16
603	Gene-gene interaction between tuberculosis candidate genes in a South African population. <i>Mammalian Genome</i> , 2011, 22, 100-110.	1.0	45
604	Patterns of herbal combination for the treatment of insomnia commonly employed by highly experienced Chinese medicine physicians. <i>Chinese Journal of Integrative Medicine</i> , 2011, 17, 655-662.	0.7	16
605	Glutathione pathway gene variation and risk of autism spectrum disorders. <i>Journal of Neurodevelopmental Disorders</i> , 2011, 3, 132-143.	1.5	55
606	Tools for efficient epistasis detection in genome-wide association study. <i>Source Code for Biology and Medicine</i> , 2011, 6, 1.	1.7	21
607	The effects of linkage disequilibrium in large scale SNP datasets for MDR. <i>BioData Mining</i> , 2011, 4, 11.	2.2	17
608	Evolving hard problems: Generating human genetics datasets with a complex etiology. <i>BioData Mining</i> , 2011, 4, 21.	2.2	19
609	An R package implementation of multifactor dimensionality reduction. <i>BioData Mining</i> , 2011, 4, 24.	2.2	26
610	A hidden two-locus disease association pattern in genome-wide association studies. <i>BMC Bioinformatics</i> , 2011, 12, 156.	1.2	2
611	Characterizing genetic interactions in human disease association studies using statistical epistasis networks. <i>BMC Bioinformatics</i> , 2011, 12, 364.	1.2	106
612	Performance analysis of novel methods for detecting epistasis. <i>BMC Bioinformatics</i> , 2011, 12, 475.	1.2	61
613	Learning genetic epistasis using Bayesian network scoring criteria. <i>BMC Bioinformatics</i> , 2011, 12, 89.	1.2	79
614	The choice of null distributions for detecting gene-gene interactions in genome-wide association studies. <i>BMC Bioinformatics</i> , 2011, 12, S26.	1.2	6
615	FEPI-MB: identifying SNPs-disease association using a Markov Blanket-based approach. <i>BMC Bioinformatics</i> , 2011, 12, S3.	1.2	18
616	Comparative analysis of methods for detecting interacting loci. <i>BMC Genomics</i> , 2011, 12, 344.	1.2	31
617	Layers of epistasis: genome-wide regulatory networks and network approaches to genome-wide association studies. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2011, 3, 513-526.	6.6	35
618	Hodgkin disease risk: Role of genetic polymorphisms and gene-gene interactions in inflammation pathway genes. <i>Molecular Carcinogenesis</i> , 2011, 50, 36-46.	1.3	36

#	ARTICLE	IF	CITATIONS
619	Hodgkin lymphoma risk: Role of genetic polymorphisms and gene-gene interactions in DNA repair pathways. <i>Molecular Carcinogenesis</i> , 2011, 50, 825-834.	1.3	29
620	Association study of Nogo-related genes with schizophrenia in a Japanese case-control sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 581-592.	1.1	34
621	Direct assessment of multiple testing correction in case-control association studies with related individuals. <i>Genetic Epidemiology</i> , 2011, 35, 70-79.	0.6	5
622	Detecting genetic interactions for quantitative traits with U-statistics. <i>Genetic Epidemiology</i> , 2011, 35, n/a-n/a.	0.6	22
623	Entropy-based information gain approaches to detect and to characterize gene-gene and gene-environment interactions/correlations of complex diseases. <i>Genetic Epidemiology</i> , 2011, 35, 706-721.	0.6	54
624	Variants in folate pathway genes as modulators of genetic instability and lung cancer risk. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 1-12.	1.5	27
625	Prolactin as a biomarker for treatment response and tardive dyskinesia in schizophrenia subjects: old thoughts revisited from a genetic perspective. <i>Human Psychopharmacology</i> , 2011, 26, 21-27.	0.7	5
626	Carotid Plaque and Candidate Genes Related to Inflammation and Endothelial Function in Hispanics From Northern Manhattan. <i>Stroke</i> , 2011, 42, 889-896.	1.0	38
627	Bayesian epistasis association mapping via SNP imputation. <i>Biostatistics</i> , 2011, 12, 211-222.	0.9	7
628	Interactions Among Genetic Variants in Tobacco Metabolizing Genes and Smoking Are Associated with Head and Neck Cancer Susceptibility in North Indians. <i>DNA and Cell Biology</i> , 2011, 30, 611-616.	0.9	8
629	A chi-square test for detecting multiple joint genetic variants in genome-wide association studies. , 2011, , .		3
630	Efficient and Fast Analysis for Detecting High Order Gene-by-Gene Interactions in a Genome-Wide Association Study. , 2011, , .		1
631	Multifactor dimensionality reduction analysis of MTHFR, PAI-1, ACE, PON1, and eNOS gene polymorphisms in patients with early onset coronary artery disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 803-809.	3.1	29
632	Genetic polymorphisms in DNA double-strand break repair genes XRCC5 , XRCC6 and susceptibility to hepatocellular carcinoma. <i>Carcinogenesis</i> , 2011, 32, 530-536.	1.3	33
633	Estrogen Metabolism and Exposure in a Genotypic-Phenotypic Model for Breast Cancer Risk Prediction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1502-1515.	1.1	26
634	Gallbladder Cancer Predisposition: A Multigenic Approach to DNA-Repair, Apoptotic and Inflammatory Pathway Genes. <i>PLoS ONE</i> , 2011, 6, e16449.	1.1	21
635	Multicenter Breast Cancer Collaborative Registry. <i>Cancer Informatics</i> , 2011, 10, CIN.S7845.	0.9	17
636	Gene-gene interaction analysis for the survival phenotype based on the standardized residuals from parametric regression models. , 2011, , .		2

#	ARTICLE	IF	CITATIONS
637	A Comparison of Multifactor Dimensionality Reduction and L1-Penalized Regression to Identify Gene-Gene Interactions in Genetic Association Studies. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2011, 10, Article 4.	0.2	8
638	A Dimension Reduction Approach for Modeling Multi-Locus Interaction in Case-Control Studies. <i>Human Heredity</i> , 2011, 71, 234-245.	0.4	9
639	Adaptive Tests for Detecting Gene-Gene and Gene-Environment Interactions. <i>Human Heredity</i> , 2011, 72, 98-109.	0.4	11
640	Quantitative trait analysis suggests polymorphisms of estrogen-related genes regulate human sperm concentrations and motility. <i>Human Reproduction</i> , 2011, 26, 1585-1596.	0.4	25
641	Genetic regulation of <i>Nrx1</i> expression: an integrative cross-species analysis of schizophrenia candidate genes. <i>Translational Psychiatry</i> , 2011, 1, e25-e25.	2.4	26
642	Association of Toll-like receptor 10 and susceptibility to Crohn's disease independent of NOD2. <i>Genes and Immunity</i> , 2011, 12, 635-642.	2.2	24
643	Evidence for epistatic interactions in antiepileptic drug resistance. <i>Journal of Human Genetics</i> , 2011, 56, 71-76.	1.1	17
644	CWAS-GMDR: A program package for genome-wide scan of gene-gene interactions with covariate adjustment based on multifactor dimensionality reduction. , 2011, , .		2
645	An empirical comparison of several recent epistatic interaction detection methods. <i>Bioinformatics</i> , 2011, 27, 2936-2943.	1.8	61
646	Examining the Joint Effect of Multiple Risk Factors Using Exposure Risk Profiles: Lung Cancer in Nonsmokers. <i>Environmental Health Perspectives</i> , 2011, 119, 84-91.	2.8	45
647	Interaction between functional polymorphic variants in cytokine genes, established risk factors and susceptibility to basal cell carcinoma of skin. <i>Carcinogenesis</i> , 2011, 32, 1849-1854.	1.3	20
648	Polymorphisms in maternal and fetal genes encoding for proteins involved in extracellular matrix metabolism alter the risk for small-for-gestational-age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 362-380.	0.7	17
649	Testing SNPs and sets of SNPs for importance in association studies. <i>Biostatistics</i> , 2011, 12, 18-32.	0.9	36
650	A comparison between gene-gene sub networks associated with complex diseases and genetic loci-sets. , 2011, , .		0
651	Chapter 10: Mining Genome-Wide Genetic Markers. <i>PLoS Computational Biology</i> , 2012, 8, e1002828.	1.5	7
652	Detecting genome-wide epistases based on the clustering of relatively frequent items. <i>Bioinformatics</i> , 2012, 28, 5-12.	1.8	62
653	An integrated approach to reduce the impact of minor allele frequency and linkage disequilibrium on variable importance measures for genome-wide data. <i>Bioinformatics</i> , 2012, 28, 2615-2623.	1.8	14
654	Contributions of Renin-Angiotensin System-Related Gene Interactions to Obesity in a Chinese Population. <i>PLoS ONE</i> , 2012, 7, e42881.	1.1	13

#	ARTICLE	IF	CITATIONS
655	Analysis of autosomal genes reveals gene-gene interactions and higher total genetic risk in men with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 694-699.	0.5	87
656	Choline Acetyltransferase 2384G>A Polymorphism and the Risk of Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2012, 26, 81-87.	0.6	12
657	Gene-Environment Interactions in Genome-Wide Association Studies: A Comparative Study of Tests Applied to Empirical Studies of Type 2 Diabetes. <i>American Journal of Epidemiology</i> , 2012, 175, 191-202.	1.6	102
658	Gene-gene interaction analysis for the survival phenotype based on the Cox model. <i>Bioinformatics</i> , 2012, 28, i582-i588.	1.8	36
659	Travelling the world of gene-gene interactions. <i>Briefings in Bioinformatics</i> , 2012, 13, 1-19.	3.2	164
660	Inferring novel associations between SNP sets and gene sets in eQTL study using sparse graphical model. , 2012, , .		6
661	The Prediction of Wax Precipitation by Neural Network and Genetic Algorithm and Comparison With a Multisolid Model in Crude Oil Systems. <i>Petroleum Science and Technology</i> , 2012, 30, 1369-1378.	0.7	12
662	The Genetic Associations and Epistatic Effects of the CCR5 Promoter and CCR2-V64I Polymorphisms on Susceptibility to HIV-1 Infection in a Northern Han Chinese Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 1369-1375.	0.3	6
663	Estimation of risk and interaction of single nucleotide polymorphisms at angiotensinogen locus causing susceptibility to essential hypertension: a case control study. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2012, 13, 461-471.	1.0	16
664	GxG-Viztool: A program for visualizing gene-gene interactions in genetic association analysis. , 2012, , .		0
665	Clustering subjects in genetic studies with Self Organizing Maps. , 2012, , .		1
666	Epistatic interactions in idiopathic pulmonary arterial hypertension. <i>Indian Journal of Human Genetics</i> , 2012, 18, 56.	0.7	3
667	Algebraic Methods for Studying Interactions Between Epidemiological Variables. <i>Mathematical Modelling of Natural Phenomena</i> , 2012, 7, 227-252.	0.9	0
668	Probabilistic graphical models for genetic association studies. <i>Briefings in Bioinformatics</i> , 2012, 13, 20-33.	3.2	22
669	Ultrafast genome-wide scan for SNP-SNP interactions in common complex disease. <i>Genome Research</i> , 2012, 22, 2230-2240.	2.4	96
670	Joint Analysis for Integrating Two Related Studies of Different Data Types and Different Study Designs Using Hierarchical Modeling Approaches. <i>Human Heredity</i> , 2012, 74, 83-96.	0.4	5
671	Epistatic Interactions Associated with Stevens-Johnson Syndrome. <i>Cornea</i> , 2012, 31, S57-S62.	0.9	4
672	Genetic Association Studies: An Information Content Perspective. <i>Current Genomics</i> , 2012, 13, 566-573.	0.7	18

#	ARTICLE	IF	CITATIONS
673	A 2-phased approach for detecting multiple loci associations with traits. International Journal of Data Mining and Bioinformatics, 2012, 6, 535.	0.1	0
674	Evaluation of polymorphisms in the sulfonamide detoxification genes NAT2, CYB5A, and CYB5R3 in patients with sulfonamide hypersensitivity. Pharmacogenetics and Genomics, 2012, 22, 733-740.	0.7	20
675	Gene-centric gene-gene interaction: A model-based kernel machine method. Annals of Applied Statistics, 2012, 6, .	0.5	43
676	cuGWAM: Genome-wide Association Multifactor Dimensionality reduction using CUDA-enabled high-performance graphics processing unit. International Journal of Data Mining and Bioinformatics, 2012, 6, 471.	0.1	9
677	Multilocus association analysis under polygenic models. International Journal of Data Mining and Bioinformatics, 2012, 6, 482.	0.1	3
678	Methods for SNP Regression Analysis in Clinical Studies. , 2012, , 591-604.		0
679	DNA Methylation Biomarkers Offer Improved Diagnostic Efficiency in Lung Cancer. Cancer Research, 2012, 72, 5692-5701.	0.4	120
680	Mining Functional Gene Modules Linked with Rheumatoid Arthritis Using a SNP-SNP Network. Genomics, Proteomics and Bioinformatics, 2012, 10, 23-34.	3.0	13
681	Serum vitamins A and E as modifiers of lipid trait genetics in the National Health and Nutrition Examination Surveys as part of the Population Architecture using Genomics and Epidemiology (PAGE) study. Human Genetics, 2012, 131, 1699-1708.	1.8	12
682	Challenges and opportunities in genome-wide environmental interaction (GWEI) studies. Human Genetics, 2012, 131, 1591-1613.	1.8	128
683	Genetic variation in MDR1, LPL and eNOS genes and the response to atorvastatin treatment in ischemic stroke. Human Genetics, 2012, 131, 1775-1781.	1.8	13
684	The success of pharmacogenomics in moving genetic association studies from bench to bedside: study design and implementation of precision medicine in the post-GWAS era. Human Genetics, 2012, 131, 1615-1626.	1.8	65
685	Detecting epistatic effects associated with cotton traits by a modified MDR approach. Euphytica, 2012, 187, 289-301.	0.6	13
686	Interaction among nitric oxide (NO)-related genes in migraine susceptibility. Molecular and Cellular Biochemistry, 2012, 370, 183-189.	1.4	34
687	Germline prognostic markers for urinary bladder cancer: Obstacles and opportunities. Urologic Oncology: Seminars and Original Investigations, 2012, 30, 524-532.	0.8	21
688	Incorporating heuristic information into ant colony optimization for epistasis detection. Genes and Genomics, 2012, 34, 321-327.	0.5	26
689	Association of variants in genes involved in environmental chemical metabolism and risk of cryptorchidism and hypospadias. Journal of Human Genetics, 2012, 57, 434-441.	1.1	35
690	Gene-gene Interaction between PPAR α and PPAR β Is Associated with Abdominal Obesity in a Chinese Population. Journal of Genetics and Genomics, 2012, 39, 625-631.	1.7	17

#	ARTICLE	IF	CITATIONS
691	Genetic epistasis in female suicide attempters. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 38, 294-301.	2.5	9
692	Study designs and methods post genome-wide association studies. <i>Human Genetics</i> , 2012, 131, 1525-1531.	1.8	10
693	Multilocus Analysis of Candidate Genes Involved in Neurogenic Inflammation in Pediatric Asthma and Related Phenotypes: A Caseâ€“Control Study. <i>Journal of Asthma</i> , 2012, 49, 329-335.	0.9	15
694	Association study of microRNA polymorphisms with risk of idiopathic recurrent spontaneous abortion in Korean women. <i>Gene</i> , 2012, 494, 168-173.	1.0	72
695	No evidence of association between the synonymous polymorphisms in XRCC1 and ERCC2 and breast cancer susceptibility among nonsmoking Chinese. <i>Gene</i> , 2012, 503, 118-122.	1.0	8
696	Odds Ratio-Based Genetic Algorithm for Prediction of SNP-SNP Interactions in Breast Cancer Association Study. , 2012, , .		1
697	High order interactions of xenobiotic metabolizing genes and P53 codon 72 polymorphisms in acute leukemia. <i>Environmental and Molecular Mutagenesis</i> , 2012, 53, 619-630.	0.9	20
698	Unveiling Caseâ€“Control Relationships in Designing a Simple and Powerful Method for Detecting Geneâ€“Gene Interactions. <i>Genetic Epidemiology</i> , 2012, 36, 710-716.	0.6	3
699	A discussion of geneâ€“gene and geneâ€“environment interactions and longitudinal genetic analysis of complex traits. <i>Statistics in Medicine</i> , 2012, 31, 2565-2568.	0.8	8
700	SNP interaction detection with Random Forests in high-dimensional genetic data. <i>BMC Bioinformatics</i> , 2012, 13, 164.	1.2	83
701	Ultrahigh-dimensional variable selection method for whole-genome gene-gene interaction analysis. <i>BMC Bioinformatics</i> , 2012, 13, 72.	1.2	33
702	Detection for gene-gene co-association via kernel canonical correlation analysis. <i>BMC Genetics</i> , 2012, 13, 83.	2.7	22
703	Predicting the difficulty of pure, strict, epistatic models: metrics for simulated model selection. <i>BioData Mining</i> , 2012, 5, 15.	2.2	30
704	Gene ontology analysis of pairwise genetic associations in two genome-wide studies of sporadic ALS. <i>BioData Mining</i> , 2012, 5, 9.	2.2	11
705	Epistasis among eNOS, MMP-9 and VEGF maternal genotypes in hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2012, 35, 917-921.	1.5	31
707	Polymorphisms of tumor-related genes IL-10, PSCA, MTRR and NOC3L are associated with the risk of gastric cancer in the Chinese Han population. <i>Cancer Epidemiology</i> , 2012, 36, e366-e372.	0.8	38
708	Ocular surface inflammation is regulated by innate immunity. <i>Progress in Retinal and Eye Research</i> , 2012, 31, 551-575.	7.3	80
709	Association between variations in coagulation system genes and carotid plaque. <i>Journal of the Neurological Sciences</i> , 2012, 323, 93-98.	0.3	15

#	ARTICLE	IF	CITATIONS
710	Single nucleotide polymorphism barcoding to evaluate oral cancer risk using odds ratio-based genetic algorithms. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 362-368.	0.8	34
711	A distance-based cluster algorithm for genomic analysis in genetic disease. <i>Interdisciplinary Sciences, Computational Life Sciences</i> , 2012, 4, 90-96.	2.2	1
712	Analysis of Genetic Association Studies. <i>Statistics in the Health Sciences</i> , 2012, , .	0.2	26
713	Human Genome Project, Genomics, and Clinical Research. , 2012, , 707-725.		0
714	A co-evolving memetic wrapper for prediction of patient outcomes in TCM informatics. <i>Frontiers of Computer Science</i> , 2012, 6, 621-629.	1.6	0
715	An approach to predict the risk of glaucoma development by integrating different attribute data. <i>SpringerPlus</i> , 2012, 1, 41.	1.2	6
716	Assessing Gene-Gene Interactions in Pharmacogenomics. <i>Molecular Diagnosis and Therapy</i> , 2012, 16, 15-27.	1.6	58
719	iLOCi: a SNP interaction prioritization technique for detecting epistasis in genome-wide association studies. <i>BMC Genomics</i> , 2012, 13, S2.	1.2	38
720	Gene, pathway and network frameworks to identify epistatic interactions of single nucleotide polymorphisms derived from GWAS data. <i>BMC Systems Biology</i> , 2012, 6, S15.	3.0	41
721	Genetic studies of complex human diseases: Characterizing SNP-disease associations using Bayesian networks. <i>BMC Systems Biology</i> , 2012, 6, S14.	3.0	40
722	Genetic variations in genes involved in heparan sulphate biosynthesis are associated with <i>Plasmodium falciparum</i> parasitaemia: a familial study in Burkina Faso. <i>Malaria Journal</i> , 2012, 11, 108.	0.8	14
723	GAMETES: a fast, direct algorithm for generating pure, strict, epistatic models with random architectures. <i>BioData Mining</i> , 2012, 5, 16.	2.2	184
724	Global tests of P-values for multifactor dimensionality reduction models in selection of optimal number of target genes. <i>BioData Mining</i> , 2012, 5, 3.	2.2	7
725	A comparison of internal model validation methods for multifactor dimensionality reduction in the case of genetic heterogeneity. <i>BMC Research Notes</i> , 2012, 5, 623.	0.6	6
726	Multiple Pathway-Based Genetic Variations Associated with Tobacco Related Multiple Primary Neoplasms. <i>PLoS ONE</i> , 2012, 7, e30013.	1.1	14
727	High-Order SNP Combinations Associated with Complex Diseases: Efficient Discovery, Statistical Power and Functional Interactions. <i>PLoS ONE</i> , 2012, 7, e33531.	1.1	48
728	An Improved PSO Algorithm for Generating Protective SNP Barcodes in Breast Cancer. <i>PLoS ONE</i> , 2012, 7, e37018.	1.1	45
729	HSD3B and Gene-Gene Interactions in a Pathway-Based Analysis of Genetic Susceptibility to Bladder Cancer. <i>PLoS ONE</i> , 2012, 7, e51301.	1.1	18

#	ARTICLE	IF	CITATIONS
730	Genetic Association and Gene-gene interaction of <i>HAS2</i> , <i>HABP1</i> and <i>HYAL3</i> Implicate Hyaluronan Metabolic Genes in Glaucomatous Neurodegeneration. <i>Disease Markers</i> , 2012, 33, 145-154.	0.6	4
731	Replication of Relevant SNPs Associated with Cardiovascular Disease Susceptibility Obtained from GWAs in a Case-Control Study in a Canarian Population. <i>Disease Markers</i> , 2012, 32, 231-239.	0.6	6
732	Six Degrees of Epistasis: Statistical Network Models for GWAS. <i>Frontiers in Genetics</i> , 2011, 2, 109.	1.1	41
733	Bayesian Exploration of Multilocus Interactions on the Genome-Wide Scale. <i>Current Research in Bioinformatics</i> , 2012, 1, 70-78.	0.1	1
734	Evidencia de asociaci3n entre el gen SLC6A4 y efectos epist3ticos con variantes en HTR2A en la etiolog3a del autismo en poblaci3n antioque3a. <i>Biomedica</i> , 2012, 32, .	0.3	3
737	High-Order Interactions in Rheumatoid Arthritis Detected by Bayesian Method using Genome-Wide Association Studies Data. <i>American Medical Journal</i> , 2012, 3, 56-66.	1.0	8
738	A U-Statistic-based random forest approach for genetic interaction study. <i>Frontiers in Bioscience - Elite</i> , 2012, E4, 2607-2617.	0.9	2
739	'Omics' Approaches to Understanding Interstitial Cystitis/Painful Bladder Syndrome/Bladder Pain Syndrome. <i>International Neurourology Journal</i> , 2012, 16, 159.	0.5	19
740	A survey of computational molecular science using graphics processing units. <i>Wiley Interdisciplinary Reviews: Computational Molecular Science</i> , 2012, 2, 734-742.	6.2	33
741	IndOR: a new statistical procedure to test for SNP-SNP epistasis in genome-wide association studies. <i>Statistics in Medicine</i> , 2012, 31, 2359-2373.	0.8	13
742	Germline genetic variation and treatment response on CCG41891. <i>Pediatric Blood and Cancer</i> , 2012, 58, 695-700.	0.8	24
743	A Comparison of Methods Sensitive to Interactions With Small Main Effects. <i>Genetic Epidemiology</i> , 2012, 36, 303-311.	0.6	10
744	A Likelihood Ratio-Based Mann-Whitney Approach Finds Novel Replicable Joint Gene Action for Type 2 Diabetes. <i>Genetic Epidemiology</i> , 2012, 36, 583-593.	0.6	15
745	Multivariate Detection of Gene-Gene Interactions. <i>Genetic Epidemiology</i> , 2012, 36, 622-630.	0.6	20
746	Exploring Data From Genetic Association Studies Using Bayesian Variable Selection and the Dirichlet Process: Application to Searching for Gene-Gene Patterns. <i>Genetic Epidemiology</i> , 2012, 36, 663-674.	0.6	32
747	Association study of <i>IL10</i> and <i>IL23R</i> IL12RB2 in Iranian patients with Behçet's disease. <i>Arthritis and Rheumatism</i> , 2012, 64, 2761-2772.	6.7	76
748	Genome-wide two-locus epistasis scans in prostate cancer using two European populations. <i>Human Genetics</i> , 2012, 131, 1225-1234.	1.8	17
749	The polymorphisms of IL-4, IL-4R and IL-13 genes and bladder cancer risk in a Chinese population: a case-control study. <i>Molecular Biology Reports</i> , 2012, 39, 5349-5357.	1.0	25

#	ARTICLE	IF	CITATIONS
750	Genetics of GABAergic signaling in nicotine and alcohol dependence. <i>Human Genetics</i> , 2012, 131, 843-855.	1.8	36
751	TRM: A Powerful Two-Stage Machine Learning Approach for Identifying SNP-SNP Interactions. <i>Annals of Human Genetics</i> , 2012, 76, 53-62.	0.3	29
752	Evidence for epistatic gene interactions between growth factor genes in stroke outcome. <i>European Journal of Neurology</i> , 2012, 19, 1151-1153.	1.7	15
753	Association of polymorphisms of renin-angiotensin and hemostasis system genes with ischemic stroke in Russians from central Russia. <i>Molecular Biology</i> , 2012, 46, 192-199.	0.4	4
754	A novel method to identify high order gene-gene interactions in genome-wide association studies: Gene-based MDR. <i>BMC Bioinformatics</i> , 2012, 13, S5.	1.2	66
755	Epidemiological, genetic and epigenetic aspects of the research on healthy ageing and longevity. <i>Immunity and Ageing</i> , 2012, 9, 6.	1.8	43
757	SVM-Based Generalized Multifactor Dimensionality Reduction Approaches for Detecting Gene-Gene Interactions in Family Studies. <i>Genetic Epidemiology</i> , 2012, 36, 88-98.	0.6	22
758	Evidence for gene-gene epistatic interactions among susceptibility loci for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012, 64, 485-492.	6.7	53
759	A statistical procedure to map high-order epistasis for complex traits. <i>Briefings in Bioinformatics</i> , 2013, 14, 302-314.	3.2	15
760	A robustness study of parametric and non-parametric tests in model-based multifactor dimensionality reduction for epistasis detection. <i>BioData Mining</i> , 2013, 6, 9.	2.2	20
761	Using Bayesian networks to discover relations between genes, environment, and disease. <i>BioData Mining</i> , 2013, 6, 6.	2.2	71
762	Genetic variants and their interactions in disease risk prediction – machine learning and network perspectives. <i>BioData Mining</i> , 2013, 6, 5.	2.2	40
763	Multifactor dimensionality reduction reveals a three-locus epistatic interaction associated with susceptibility to pulmonary tuberculosis. <i>BioData Mining</i> , 2013, 6, 4.	2.2	34
764	Identification of SNPs associated with variola virus virulence. <i>BioData Mining</i> , 2013, 6, 3.	2.2	2
765	Risk score modeling of multiple gene to gene interactions using aggregated-multifactor dimensionality reduction. <i>BioData Mining</i> , 2013, 6, 1.	2.2	23
766	Gene expression profiling and association studies implicate the neuregulin signaling pathway in Behçet's disease susceptibility. <i>Journal of Molecular Medicine</i> , 2013, 91, 1013-1023.	1.7	12
767	EpiSIM: simulation of multiple epistasis, linkage disequilibrium patterns and haplotype blocks for genome-wide interaction analysis. <i>Genes and Genomics</i> , 2013, 35, 305-316.	0.5	44
768	Epistatic interaction of Arg72Pro TP53 and ~710 C/T VEGFR1 polymorphisms in breast cancer: predisposition and survival. <i>Molecular and Cellular Biochemistry</i> , 2013, 379, 181-190.	1.4	11

#	ARTICLE	IF	CITATIONS
769	Genetic association and gene-gene interaction analyses suggest likely involvement of ITGB3 and TPH2 with autism spectrum disorder (ASD) in the Indian population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 131-143.	2.5	24
770	Gene-gene Interactions of CFH and LOC387715/ARMS2 with Korean Exudative Age-related Macular Degeneration Patients. <i>Ophthalmic Genetics</i> , 2013, 34, 151-159.	0.5	11
771	The complete compositional epistasis detection in genome-wide association studies. <i>BMC Genetics</i> , 2013, 14, 7.	2.7	18
772	CWIS - model-free, fast and exhaustive search for epistatic interactions in case-control GWAS. <i>BMC Genomics</i> , 2013, 14, S10.	1.2	62
773	A pri-miR-218 variant and risk of cervical carcinoma in Chinese women. <i>BMC Cancer</i> , 2013, 13, 19.	1.1	43
774	Efficient techniques for genotype-phenotype correlational analysis. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 41.	1.5	0
775	Identification of ovarian cancer associated genes using an integrated approach in a Boolean framework. <i>BMC Systems Biology</i> , 2013, 7, 12.	3.0	15
776	Translational bioinformatics has now come of age: TBC 2012 collection. <i>BMC Medical Genomics</i> , 2013, 6, 11.	0.7	1
777	Identification of multiple gene-gene interactions for ordinal phenotypes. <i>BMC Medical Genomics</i> , 2013, 6, S9.	0.7	18
778	Polymorphisms of the Interleukin 6 gene contribute to cervical cancer susceptibility in Eastern Chinese women. <i>Human Genetics</i> , 2013, 132, 301-312.	1.8	40
779	Polymorphisms of catechol estrogens metabolism pathway genes and breast cancer risk in Mexican women. <i>Breast</i> , 2013, 22, 335-343.	0.9	32
780	CYP1A1, GCLC, AGT, AGTR1 gene-gene interactions in community-acquired pneumonia pulmonary complications. <i>Molecular Biology Reports</i> , 2013, 40, 6163-6176.	1.0	10
781	Association of miR-146aC>G, miR-196a2T>C, and miR-499A>G Polymorphisms With Risk of Premature Ovarian Failure in Korean Women. <i>Reproductive Sciences</i> , 2013, 20, 60-68.	1.1	41
782	Human genetics of diabetic vascular complications. <i>Journal of Genetics</i> , 2013, 92, 677-694.	0.4	23
783	Machine learning approaches for the discovery of gene-gene interactions in disease data. <i>Briefings in Bioinformatics</i> , 2013, 14, 251-260.	3.2	81
784	Rare variants analysis by risk-based variable-threshold method. <i>Computational Biology and Chemistry</i> , 2013, 46, 32-38.	1.1	2
785	Investigating the association between oral hygiene and head and neck cancer. <i>Oral Oncology</i> , 2013, 49, 1010-1017.	0.8	99
786	The genetic contribution of CIDEA polymorphisms, haplotypes and loci interaction to obesity in a Han Chinese population. <i>Molecular Biology Reports</i> , 2013, 40, 5691-5699.	1.0	12

#	ARTICLE	IF	CITATIONS
787	Construction of gene clusters resembling genetic causal mechanisms for common complex disease with an application to young-onset hypertension. <i>BMC Genomics</i> , 2013, 14, 497.	1.2	6
788	Multivariate generalized multifactor dimensionality reduction to detect gene-gene interactions. <i>BMC Systems Biology</i> , 2013, 7, S15.	3.0	21
789	Biochip for determination of genetic markers of sporadic Alzheimer's disease risk in the Russian Slavic population. <i>Molecular Biology</i> , 2013, 47, 827-835.	0.4	6
790	Risk of GWAS-identified genetic variants for breast cancer in a Chinese population: a multiple interaction analysis. <i>Breast Cancer Research and Treatment</i> , 2013, 142, 637-644.	1.1	18
791	CChi: An efficient cloud epistasis test model in human genome wide association studies. , 2013, , .		4
793	Detecting epistasis in the presence of linkage disequilibrium: A focused comparison. , 2013, , .		2
794	Evaluation of Breast Cancer Susceptibility Using Improved Genetic Algorithms to Generate Genotype SNP Barcodes. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2013, 10, 361-371.	1.9	50
795	Multi-Locus Candidate Gene Analyses of Lipid Levels in a Pediatric Turkish Cohort: Lessons Learned on <i>LPL</i> , <i>CETP</i> , <i>LIPC</i> , <i>ABCA1</i> , and <i>SHBG</i> . <i>OMICS A Journal of Integrative Biology</i> , 2013, 17, 636-645.	1.0	10
796	The role of <i>BDNF</i> , <i>NTRK2</i> gene and their interaction in development of treatment-resistant depression: Data from multicenter, prospective, longitudinal clinic practice. <i>Journal of Psychiatric Research</i> , 2013, 47, 8-14.	1.5	56
797	Gene-gene interactions in <i>IL23/Th17</i> pathway contribute to psoriasis susceptibility in Chinese Han population. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1156-1162.	1.3	26
798	<i>ACAC1</i> gene (rs2268388) and <i>AGTR1</i> gene (rs5186) polymorphism and the risk of nephropathy in Asian Indian patients with type 2 diabetes. <i>Molecular and Cellular Biochemistry</i> , 2013, 372, 191-198.	1.4	41
799	Trees Assembling Mann-Whitney Approach for Detecting Genome-Wide Joint Association Among Low-Marginal Effect Loci. <i>Genetic Epidemiology</i> , 2013, 37, 84-91.	0.6	10
800	HapMap-based study identifies risk sub-region on chromosome 19q13.3 in relation to lung cancer among Chinese. <i>Cancer Epidemiology</i> , 2013, 37, 923-929.	0.8	8
801	Association of the <i>miR-146a</i> , <i>miR-149</i> , <i>miR-196a2</i> , and <i>miR-499</i> Polymorphisms With Ischemic Stroke and Silent Brain Infarction Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 420-430.	1.1	117
802	Association of methionine synthase and thymidylate synthase genetic polymorphisms with idiopathic recurrent pregnancy loss. <i>Fertility and Sterility</i> , 2013, 99, 1674-1680.e3.	0.5	29
803	Epistasis, Complexity, and Multifactor Dimensionality Reduction. <i>Methods in Molecular Biology</i> , 2013, 1019, 465-477.	0.4	18
804	Applications of Multifactor Dimensionality Reduction to Genome-Wide Data Using the R Package "MDR". <i>Methods in Molecular Biology</i> , 2013, 1019, 479-498.	0.4	3
805	Genome-Wide Association Studies and Genomic Prediction. <i>Methods in Molecular Biology</i> , 2013, , .	0.4	53

#	ARTICLE	IF	CITATIONS
806	SYMPHONY, an information-theoretic method for gene-gene and gene-environment interaction analysis of disease syndromes. <i>Heredity</i> , 2013, 110, 548-559.	1.2	9
807	Estrogen receptor-dependent and independent mechanisms of breast cancer carcinogenesis. <i>Steroids</i> , 2013, 78, 161-170.	0.8	178
808	The DAO Gene Is Associated with Schizophrenia and Interacts with Other Genes in the Taiwan Han Chinese Population. <i>PLoS ONE</i> , 2013, 8, e60099.	1.1	14
809	Learning vector quantization with local adaptive weighting for relevance determination in Genome-Wide association studies. , 2013, , .		3
810	A semi-parametric approach to estimate risk functions associated with multi-dimensional exposure profiles: application to smoking and lung cancer. <i>BMC Medical Research Methodology</i> , 2013, 13, 129.	1.4	24
811	Construction and analysis of single nucleotide polymorphism-single nucleotide polymorphism interaction networks. <i>IET Systems Biology</i> , 2013, 7, 170-181.	0.8	0
812	Genetic Polymorphisms in Host Innate Immune Sensor Genes and the Risk of Nasopharyngeal Carcinoma in North Africa. <i>G3: Genes, Genomes, Genetics</i> , 2013, 3, 971-977.	0.8	20
813	Catecholaminergic Gene Variants: Contribution in ADHD and Associated Comorbid Attributes in the Eastern Indian Probands. <i>BioMed Research International</i> , 2013, 2013, 1-12.	0.9	9
814	Association of polymorphisms in microRNA machinery genes (DROSHA, DICER1, RAN, and XPO5) with risk of idiopathic primary ovarian insufficiency in Korean women. <i>Menopause</i> , 2013, 20, 1067-1073.	0.8	27
815	Kinase gene haplotypes and gene-gene interactions in the Ras-Raf-MAPK signaling pathway. <i>International Clinical Psychopharmacology</i> , 2013, 28, 245-254.	0.9	6
816	Predictive models to assess risk of type 2 diabetes, hypertension and comorbidity: machine-learning algorithms and validation using national health data from Kuwait-a cohort study. <i>BMJ Open</i> , 2013, 3, e002457.	0.8	92
817	Optimal Use of Biological Expert Knowledge from Literature Mining in Ant Colony Optimization for Analysis of Epistasis in Human Disease. <i>Lecture Notes in Computer Science</i> , 2013, , 129-140.	1.0	3
818	Genetics of Alzheimer's Disease. <i>BioMed Research International</i> , 2013, 2013, 1-13.	0.9	75
819	Gene-environment interactions in genome-wide association studies: current approaches and new directions. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 1120-1134.	3.1	61
820	A Nonparametric Test to Detect Quantitative Trait Loci Where the Phenotypic Distribution Differs by Genotypes. <i>Genetic Epidemiology</i> , 2013, 37, 323-333.	0.6	26
821	Genetic variations of mTORC1 genes and risk of gastric cancer in an eastern chinese population. <i>Molecular Carcinogenesis</i> , 2013, 52, 70-79.	1.3	118
823	Information fusion of CNVs and SNPs on gene-gene interactions for molecular subtypes of lymphoma. , 2013, , .		0
824	Genetic association and functional role of Crohn disease risk alleles involved in microbial sensing, autophagy, and endoplasmic reticulum (ER) stress. <i>Autophagy</i> , 2013, 9, 2046-2055.	4.3	54

#	ARTICLE	IF	CITATIONS
825	INCREASING POWER BY USING HAPLOTYPE SIMILARITY IN A MULTIMARKER TRANSMISSION/DISEQUILIBRIUM TEST. <i>Journal of Bioinformatics and Computational Biology</i> , 2013, 11, 1250014.	0.3	5
826	Interaction of C1GALT1–IL5RA on the susceptibility to IgA nephropathy in Southern Han Chinese. <i>Journal of Human Genetics</i> , 2013, 58, 40-46.	1.1	18
827	Added value of pharmacogenetic testing in predicting statin response: results from the REGRESS trial. <i>Pharmacogenomics Journal</i> , 2013, 13, 318-324.	0.9	7
828	An omnibus permutation test on ensembles of two-locus analyses can detect pure epistasis and genetic heterogeneity in genome-wide association studies. <i>SpringerPlus</i> , 2013, 2, 230.	1.2	2
829	HLA and non-HLA genes in Beh–et–s disease: a multicentric study in the Spanish population. <i>Arthritis Research and Therapy</i> , 2013, 15, R145.	1.6	50
830	Genetic association of five plasminogen activator inhibitor-1 (PAI-1) polymorphisms and idiopathic recurrent pregnancy loss in Korean women. <i>Thrombosis and Haemostasis</i> , 2013, 110, 742-750.	1.8	27
831	ATHENA: Identifying interactions between different levels of genomic data associated with cancer clinical outcomes using grammatical evolution neural network. <i>BioData Mining</i> , 2013, 6, 23.	2.2	64
832	Role of genetic heterogeneity and epistasis in bladder cancer susceptibility and outcome: a learning classifier system approach. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013, 20, 603-612.	2.2	59
833	Association of Matrix Metalloproteinase 8 Genetic Polymorphisms with Bronchial Asthma in a Japanese Population. <i>Allergy and Rhinology</i> , 2013, 4, ar.2013.4.0063.	0.7	6
834	The Association between Polymorphisms in the MRPL4 and TNF- α Genes and Susceptibility to Allergic Rhinitis. <i>PLoS ONE</i> , 2013, 8, e57981.	1.1	19
835	SNP-SNP Interaction Network in Angiogenesis Genes Associated with Prostate Cancer Aggressiveness. <i>PLoS ONE</i> , 2013, 8, e59688.	1.1	40
836	A Modified Entropy-Based Approach for Identifying Gene-Gene Interactions in Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e69321.	1.1	25
837	Different Genetic Associations of the IgE Production among Fetus, Infancy and Childhood. <i>PLoS ONE</i> , 2013, 8, e70362.	1.1	17
838	Polymorphisms in SELE Gene and Risk of Coal Workers' Pneumoconiosis in Chinese: A Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e73254.	1.1	5
839	Potentially Functional Polymorphisms in the CASP7 Gene Contribute to Gastric Adenocarcinoma Susceptibility in an Eastern Chinese Population. <i>PLoS ONE</i> , 2013, 8, e74041.	1.1	10
840	An Epistatic Interaction between the PAX8 and STK17B Genes in Papillary Thyroid Cancer Susceptibility. <i>PLoS ONE</i> , 2013, 8, e74765.	1.1	9
841	MDR-ER: Balancing Functions for Adjusting the Ratio in Risk Classes and Classification Errors for Imbalanced Cases and Controls Using Multifactor-Dimensionality Reduction. <i>PLoS ONE</i> , 2013, 8, e79387.	1.1	30
842	Development of GMDR-GPU for Gene-Gene Interaction Analysis and Its Application to WTCCC GWAS Data for Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e61943.	1.1	60

#	ARTICLE	IF	CITATIONS
843	eQTL Epistasis – Challenges and Computational Approaches. <i>Frontiers in Genetics</i> , 2013, 4, 51.	1.1	22
844	Discovering epistasis in large scale genetic association studies by exploiting graphics cards. <i>Frontiers in Genetics</i> , 2013, 4, 266.	1.1	5
845	Synergistic Association between Two Alcohol Metabolism Relevant Genes and Coronary Artery Disease among Chinese Hypertensive Patients. <i>PLoS ONE</i> , 2014, 9, e103161.	1.1	6
846	Multivariate Dimensionality Reduction Approaches to Identify Gene-Gene and Gene-Environment Interactions Underlying Multiple Complex Traits. <i>PLoS ONE</i> , 2014, 9, e108103.	1.1	18
847	Gene-Gene Interactions in Renin-Angiotensin-Aldosterone System Contributes to End-Stage Renal Disease Susceptibility in a Han Chinese Population. <i>Scientific World Journal</i> , The, 2014, 2014, 1-9.	0.8	13
848	Detecting Epistatic Interactions in Metagenome-Wide Association Studies by metaBOOST. <i>BioMed Research International</i> , 2014, 2014, 1-12.	0.9	1
849	Reducing Dimensionality in the Search for Gene–Gene Interactions. , 2014, , 25-37.		1
850	Analysis pipeline for the epistasis search – statistical versus biological filtering. <i>Frontiers in Genetics</i> , 2014, 5, 106.	1.1	57
851	A review of multivariate analyses in imaging genetics. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 29.	1.3	98
852	High-Throughput Genetic Interaction Study. , 2014, , 55-80.		0
853	Gene-Gene Interaction Between CCR3 and Eotaxin Genes: The Relationship With Blood Eosinophilia in Asthma. <i>Allergy, Asthma and Immunology Research</i> , 2014, 6, 55.	1.1	8
854	A Case of Eosinophilic Fasciitis Presenting as Pitting Edema of the Lower Extremities. <i>Allergy, Asthma and Immunology Research</i> , 2014, 6, 179.	1.1	5
855	Gene - Gene Interactions Among MCP Genes Polymorphisms in Asthma. <i>Allergy, Asthma and Immunology Research</i> , 2014, 6, 333.	1.1	6
856	Interaction of six candidate genes in essential hypertension. <i>Genetics and Molecular Research</i> , 2014, 13, 8385-8395.	0.3	9
857	CARAT-GxG: CUDA-Accelerated Regression Analysis Toolkit for Large-Scale Gene–Gene Interaction with GPU Computing System. <i>Cancer Informatics</i> , 2014, 13s7, CIN.S16349.	0.9	3
858	Screening of susceptibility genes and multi-gene risk analysis in gastric cancer. <i>Medical Oncology</i> , 2014, 31, 196.	1.2	2
859	Forward LASSO analysis for high-order interactions in genome-wide association study. <i>Briefings in Bioinformatics</i> , 2014, 15, 552-561.	3.2	15
860	Biomarker Interactions Are Better Predictors of Spontaneous Preterm Birth. <i>Reproductive Sciences</i> , 2014, 21, 340-350.	1.1	17

#	ARTICLE	IF	CITATIONS
861	ATHENA: the analysis tool for heritable and environmental network associations. <i>Bioinformatics</i> , 2014, 30, 698-705.	1.8	45
862	Identifying genetic interactions associated with late-onset Alzheimer's disease. <i>BioData Mining</i> , 2014, 7, 35.	2.2	16
863	Oxidative stress in susceptibility to breast cancer: study in Spanish population. <i>BMC Cancer</i> , 2014, 14, 861.	1.1	34
864	Introduction to Statistical Methods for MicroRNA Analysis. <i>Methods in Molecular Biology</i> , 2014, 1107, 129-155.	0.4	6
865	Antioxidant Defense Enzyme Genes and Asthma Susceptibility: Gender-Specific Effects and Heterogeneity in Gene-Gene Interactions between Pathogenetic Variants of the Disease. <i>BioMed Research International</i> , 2014, 2014, 1-17.	0.9	18
866	Weighted Risk Score-Based Multifactor Dimensionality Reduction to Detect Gene-Gene Interactions in Nasopharyngeal Carcinoma. <i>International Journal of Molecular Sciences</i> , 2014, 15, 10724-10737.	1.8	8
867	Ant colony optimisation of decision trees for the detection of gene-gene interactions. , 2014, , .		6
868	Gender Specific Association of RAS Gene Polymorphism with Essential Hypertension: A Case-Control Study. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	35
869	GWIS: A universal GPU interface for exhaustive search of pairwise interactions in case-control GWAS in minutes. , 2014, , .		8
870	Dissecting the obesity disease landscape: Identifying gene-gene interactions that are highly associated with body mass index. , 2014, , .		1
871	Genome-Wide Interaction-Based Association of human diseases - A survey. <i>Tsinghua Science and Technology</i> , 2014, 19, 596-616.	4.1	12
872	Interaction between IL-6 and TNF- α genotypes associated with bacteremia in multiple myeloma patients submitted to autologous stem cell transplantation (ASCT). <i>Leukemia Research Reports</i> , 2014, 3, 76-78.	0.2	3
873	A scalable framework for large-scale analysis of gene-gene interactions. , 2014, , .		0
874	A New Epistasis Detecting Algorithm Based on Ant Colony Optimization. , 2014, , .		1
875	Polymorphisms in DNA repair genes of XRCC1, XPA, XPC, XPD and associations with lung cancer risk in Chinese people. <i>Thoracic Cancer</i> , 2014, 5, 232-242.	0.8	16
876	Efficient Strategy for Detecting Gene-Gene Joint Action and Its Application in Schizophrenia. <i>Genetic Epidemiology</i> , 2014, 38, 60-71.	0.6	5
877	Testing gene-environment interactions in family-based association studies using trait-based ascertained samples. <i>Statistics in Medicine</i> , 2014, 33, 304-318.	0.8	1
878	Stability SCAD: a powerful approach to detect interactions in large-scale genomic study. <i>BMC Bioinformatics</i> , 2014, 15, 62.	1.2	1

#	ARTICLE	IF	CITATIONS
879	Interaction between allelic variations in vitamin D receptor and retinoid X receptor genes on metabolic traits. <i>BMC Genetics</i> , 2014, 15, 37.	2.7	12
880	An Associative Classification Based Approach for Detecting SNP-SNP Interactions in High Dimensional Genome. , 2014, .		3
881	Interaction between ALOX5AP and CYP3A5 gene variants significantly increases the risk for cerebral infarctions in Chinese. <i>NeuroReport</i> , 2014, 25, 452-457.	0.6	10
882	A fast algorithm for detecting gene-gene interactions in genome-wide association studies. <i>Annals of Applied Statistics</i> , 2014, 8, 2292-2318.	0.5	26
883	Allelic heterogeneity in NCF2 associated with systemic lupus erythematosus (SLE) susceptibility across four ethnic populations. <i>Human Molecular Genetics</i> , 2014, 23, 1656-1668.	1.4	67
884	Additive effect of polymorphisms in the β 2-adrenoceptor and NADPH oxidase p22phox genes contributes to the loss of estimated glomerular filtration rate in Chinese. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, n/a-n/a.	0.9	4
885	Extracting predictive SNPs in Crohn's disease using a vacillating genetic algorithm and a neural classifier in case-control association studies. <i>Computers in Biology and Medicine</i> , 2014, 44, 57-65.	3.9	11
886	Learning Classifier Systems: The Rise of Genetics-Based Machine Learning in Biomedical Data Mining. , 2014, , 265-311.		1
887	A unified GMDR method for detecting gene-gene interactions in family and unrelated samples with application to nicotine dependence. <i>Human Genetics</i> , 2014, 133, 139-150.	1.8	23
888	Gene-gene interactions of fatty acid synthase (FASN) using multifactor-dimensionality reduction method in Korean cattle. <i>Molecular Biology Reports</i> , 2014, 41, 2021-2027.	1.0	8
889	Association of single nucleotide polymorphisms in ERCC2 gene and their haplotypes with esophageal squamous cell carcinoma. <i>Tumor Biology</i> , 2014, 35, 4225-4231.	0.8	7
890	Differential association of RANTES-403 and IL-1B-1464 polymorphisms on histological subtypes in male Korean patients with gastric cancer. <i>Tumor Biology</i> , 2014, 35, 3765-3770.	0.8	4
891	Testing Gene-Gene Interactions in Genome Wide Association Studies. <i>Genetic Epidemiology</i> , 2014, 38, 123-134.	0.6	18
892	Potential Contribution of Monoamine Oxidase A Gene Variants in ADHD and Behavioral Co-Morbidities: Scenario in Eastern Indian Probands. <i>Neurochemical Research</i> , 2014, 39, 843-852.	1.6	12
893	Estimation of nonbinary random response. <i>Doklady Mathematics</i> , 2014, 89, 225-229.	0.1	1
894	Association of oxidative stress-related genes with idiopathic recurrent miscarriage. <i>Free Radical Research</i> , 2014, 48, 534-541.	1.5	22
895	A model-free approach for detecting interactions in genetic association studies. <i>Briefings in Bioinformatics</i> , 2014, 15, 1057-1068.	3.2	16
896	Cuckoo search epistasis: a new method for exploring significant genetic interactions. <i>Heredity</i> , 2014, 112, 666-674.	1.2	48

#	ARTICLE	IF	CITATIONS
897	On the choice of degrees of freedom for testing gene-gene interactions. <i>Statistics in Medicine</i> , 2014, 33, 4934-4948.	0.8	4
898	A candidate gene approach for virally induced cancer with application to HIV-related Kaposi's sarcoma. <i>International Journal of Cancer</i> , 2014, 134, 397-404.	2.3	5
899	Association of SLC18A1, TPH1, and RELN gene polymorphisms with risk of paranoid schizophrenia. <i>Molecular Biology</i> , 2014, 48, 546-555.	0.4	16
900	Modeling and testing for joint association using a genetic random field model. <i>Biometrics</i> , 2014, 70, 471-479.	0.8	13
901	Why epistasis is important for tackling complex human disease genetics. <i>Genome Medicine</i> , 2014, 6, 124.	3.6	130
902	Informative Bayesian Model Selection: a method for identifying interactions in genome-wide data. <i>Molecular BioSystems</i> , 2014, 10, 2654-2662.	2.9	1
903	Gene-gene interactions and risk of recurrent miscarriages in carriers of endocrine gland-derived vascular endothelial growth factor and prokineticin receptor polymorphisms. <i>Fertility and Sterility</i> , 2014, 102, 1071-1077.e3.	0.5	12
904	Risk conferred by tagged SNPs of <i>ACT1</i> gene in causing susceptibility to essential hypertension. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 579-585.	0.5	6
905	Practical aspects of genome-wide association interaction analysis. <i>Human Genetics</i> , 2014, 133, 1343-1358.	1.8	32
906	Hidden Risk Genes with High-Order Intragenic Epistasis in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 1039-1056.	1.2	34
907	Computational genetics analysis of grey matter density in Alzheimer's disease. <i>BioData Mining</i> , 2014, 7, 17.	2.2	6
908	A comparative analysis of methods for predicting clinical outcomes using high-dimensional genomic datasets. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2014, 21, e312-e319.	2.2	9
909	A Bayesian clustering approach for detecting gene-gene interactions in high-dimensional genotype data. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2014, 13, 275-97.	0.2	0
910	Variants in TNFSF4, TNFAIP3, TNIP1, BLK, SLC15A4 and UBE2L3 interact to confer risk of systemic lupus erythematosus in Chinese population. <i>Rheumatology International</i> , 2014, 34, 459-464.	1.5	28
911	Natural and orthogonal model for estimating gene-gene interactions applied to cutaneous melanoma. <i>Human Genetics</i> , 2014, 133, 559-574.	1.8	10
912	Impact of Boolean factorization as preprocessing methods for classification of Boolean data. <i>Annals of Mathematics and Artificial Intelligence</i> , 2014, 72, 3-22.	0.9	15
913	A Novel Two-Stage Approach for Epistasis Detection in Genome-Wide Case-Control Studies. <i>Biochemical Genetics</i> , 2014, 52, 403-414.	0.8	3
914	Potential Contribution of Dopaminergic Gene Variants in ADHD Core Traits and Co-Morbidity: A Study on Eastern Indian Probands. <i>Cellular and Molecular Neurobiology</i> , 2014, 34, 549-564.	1.7	17

#	ARTICLE	IF	CITATIONS
915	On Foundation of the Dimensionality Reduction Method for Explanatory Variables. <i>Journal of Mathematical Sciences</i> , 2014, 199, 113-122.	0.1	4
916	Multifactor dimensionality reduction analysis of the correlation of Chinese medicine syndrome evolvement and cardiovascular events in patients with stable coronary heart disease. <i>Chinese Journal of Integrative Medicine</i> , 2014, 20, 341-346.	0.7	5
917	Association of caspase9 promoter polymorphisms with the susceptibility of AML in south Indian subjects. <i>Tumor Biology</i> , 2014, 35, 8813-8822.	0.8	11
918	Association between risk of oral precancer and genetic variations in microRNA and related processing genes. <i>Journal of Biomedical Science</i> , 2014, 21, 48.	2.6	16
919	Cloud computing for detecting high-order genome-wide epistatic interaction via dynamic clustering. <i>BMC Bioinformatics</i> , 2014, 15, 102.	1.2	70
920	Combining techniques for screening and evaluating interaction terms on high-dimensional time-to-event data. <i>BMC Bioinformatics</i> , 2014, 15, 58.	1.2	6
921	Weighted Interaction SNP Hub (WISH) network method for building genetic networks for complex diseases and traits using whole genome genotype data. <i>BMC Systems Biology</i> , 2014, 8, S5.	3.0	42
922	IGENT: efficient entropy based algorithm for genome-wide gene-gene interaction analysis. <i>BMC Medical Genomics</i> , 2014, 7, S6.	0.7	22
923	Interleukin-1beta -511T>C genetic variant contributes to recurrent pregnancy loss risk and peripheral natural killer cell proportion. <i>Fertility and Sterility</i> , 2014, 102, 206-212.e5.	0.5	20
924	Summarizing techniques that combine three non-parametric scores to detect disease-associated 2-way SNP-SNP interactions. <i>Gene</i> , 2014, 533, 304-312.	1.0	14
925	Fast detection of high-order epistatic interactions in genome-wide association studies using information theoretic measure. <i>Computational Biology and Chemistry</i> , 2014, 50, 19-28.	1.1	42
926	Investigation of JAK1 and STAT3 polymorphisms and their gene-gene interactions in nonspecific digestive disorder of rabbits. <i>Gene</i> , 2014, 543, 8-14.	1.0	5
927	FKBP5 polymorphism is associated with major depression but not with bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 164, 33-37.	2.0	86
928	The common occurrence of epistasis in the determination of human pigmentation and its impact on DNA-based pigmentation phenotype prediction. <i>Forensic Science International: Genetics</i> , 2014, 11, 64-72.	1.6	53
929	Identification of Genetic Risk Factors for Maxillary Lateral Incisor Agenesis. <i>Journal of Dental Research</i> , 2014, 93, 452-458.	2.5	36
930	Genetic predisposition to left ventricular dysfunction: a multigenic and multi-analytical approach. <i>Gene</i> , 2014, 546, 309-317.	1.0	14
931	Opposing effects of pro- and anti-inflammatory cytokine gene polymorphisms on the risk for breast cancer in western Indian women: a pilot study. <i>International Journal of Immunogenetics</i> , 2014, 41, 242-249.	0.8	10
932	FPGA-based Acceleration of Detecting Statistical Epistasis in GWAS. <i>Procedia Computer Science</i> , 2014, 29, 220-230.	1.2	24

#	ARTICLE	IF	CITATIONS
933	Common functional polymorphisms in SLC6A4 and COMT genes are associated with circadian phenotypes in a South American sample. <i>Neurological Sciences</i> , 2014, 35, 41-47.	0.9	26
934	Genes and Environment in Autism Spectrum Disorders: An Integrated Perspective. , 2014, , 335-374.		3
936	The Immunoendocrine Network in Breast Cancer. <i>Advances in Neuroimmune Biology</i> , 2014, 5, 109-131.	0.7	5
937	Multiple gene-to-gene interactions in children with sepsis: a combination of five gene variants predicts outcome of life-threatening sepsis. <i>Critical Care</i> , 2014, 18, R1.	2.5	37
938	Multifactor dimensionality reduction analysis for gene-gene interaction of multiple binary traits. , 2014, , .		0
939	Gene-environment interaction between adiponectin gene polymorphisms and environmental factors on the risk of diabetic retinopathy. <i>Journal of Diabetes Investigation</i> , 2015, 6, 56-66.	1.1	14
940	High-speed exhaustive 3-locus interaction epistasis analysis on FPGAs. <i>Journal of Computational Science</i> , 2015, 9, 131-136.	1.5	22
941	Interaction between SNCA, LRRK2 and GAK increases susceptibility to Parkinson's disease in a Chinese population. <i>ENeurologicalSci</i> , 2015, 1, 3-6.	0.5	9
942	Multifactor dimensionality reduction analysis of syndrome characteristics of chronic persistent asthma. <i>Journal of Traditional Chinese Medical Sciences</i> , 2015, 2, 159-165.	0.1	0
943	A Global and Dynamic Route Planning Application for Smart Transportation. , 2015, , .		4
944	LEAP: Biomarker Inference Through Learning and Evaluating Association Patterns. <i>Genetic Epidemiology</i> , 2015, 39, 173-184.	0.6	11
945	Effects of interaction between genetic variants in human leukocyte antigen DQ and granulysin genes in Chinese Han subjects infected with hepatitis B virus. <i>Microbiology and Immunology</i> , 2015, 59, 209-218.	0.7	11
946	Identification of epistatic interactions through genome-wide association studies in sporadic medullary and juvenile papillary thyroid carcinomas. <i>BMC Medical Genomics</i> , 2015, 8, 83.	0.7	15
947	Identifying gene-gene interactions that are highly associated with Body Mass Index using Quantitative Multifactor Dimensionality Reduction (QMDR). <i>BioData Mining</i> , 2015, 8, 41.	2.2	17
948	Chi8: a GPU program for detecting significant interacting SNPs with the Chi-square 8-df test. <i>BMC Research Notes</i> , 2015, 8, 436.	0.6	1
949	Evaluating Methods for Modeling Epistasis Networks with Application to Head and Neck Cancer. <i>Cancer Informatics</i> , 2015, 14s2, CIN.S17289.	0.9	2
950	Classification of clinical outcomes using high-throughput informatics: Part 1 - nonparametric method reviews. <i>Model Assisted Statistics and Applications</i> , 2015, 10, 3-23.	0.2	8
951	Genetic variations in the mTOR gene contribute toward gastric adenocarcinoma susceptibility in an Eastern Chinese population. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 521-530.	0.7	11

#	ARTICLE	IF	CITATIONS
952	A Multiple Interaction Analysis Reveals ADRB3 as a Potential Candidate for Gallbladder Cancer Predisposition via a Complex Interaction with Other Candidate Gene Variations. <i>International Journal of Molecular Sciences</i> , 2015, 16, 28038-28049.	1.8	11
953	A survey about methods dedicated to epistasis detection. <i>Frontiers in Genetics</i> , 2015, 6, 285.	1.1	114
954	Interaction among <i>CYP2C8</i> , <i>EPHX2</i> , and <i>CYP4A11</i> Gene Variants Significantly Increases the Risk for Ischemic Stroke in Chinese Populations. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 1148-1157.	0.9	23
955	Discovering Genetic Interactions in Large-Scale Association Studies by Stage-wise Likelihood Ratio Tests. <i>PLoS Genetics</i> , 2015, 11, e1005502.	1.5	7
956	Evaluation of DNA Variants Associated with Androgenetic Alopecia and Their Potential to Predict Male Pattern Baldness. <i>PLoS ONE</i> , 2015, 10, e0127852.	1.1	51
957	3'UTR Polymorphisms in the MiRNA Machinery Genes DROSHA, DICER1, RAN, and XPO5 Are Associated with Colorectal Cancer Risk in a Korean Population. <i>PLoS ONE</i> , 2015, 10, e0131125.	1.1	44
958	An Efficient Stepwise Statistical Test to Identify Multiple Linked Human Genetic Variants Associated with Specific Phenotypic Traits. <i>PLoS ONE</i> , 2015, 10, e0138700.	1.1	3
959	Effect of High-Density Lipoprotein Metabolic Pathway Gene Variations and Risk Factors on Neovascular Age-Related Macular Degeneration and Polypoidal Choroidal Vasculopathy in China. <i>PLoS ONE</i> , 2015, 10, e0143924.	1.1	17
960	High Order Gene-Gene Interactions in Eight Single Nucleotide Polymorphisms of Renin-Angiotensin System Genes for Hypertension Association Study. <i>BioMed Research International</i> , 2015, 2015, 1-11.	0.9	16
961	Bridging the Gap between Statistical and Biological Epistasis in Alzheimer's Disease. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	26
962	A Comparative Study on Multifactor Dimensionality Reduction Methods for Detecting Gene-Gene Interactions with the Survival Phenotype. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	8
963	Variants of <i>SCARB1</i> and <i>VDR</i> Involved in Complex Genetic Interactions May Be Implicated in the Genetic Susceptibility to Clear Cell Renal Cell Carcinoma. <i>BioMed Research International</i> , 2015, 2015, 1-11.	0.9	11
964	Joint Effect of <i>CFH</i> and <i>ARMS2/HTRA1</i> Polymorphisms on Neovascular Age-Related Macular Degeneration in Chinese Population. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-8.	0.6	8
965	An Improved Opposition-Based Learning Particle Swarm Optimization for the Detection of SNP-SNP Interactions. <i>BioMed Research International</i> , 2015, 2015, 1-12.	0.9	38
966	Detecting Genetic Interactions for Quantitative Traits Using m-Spacing Entropy Measure. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	7
967	Trachoma and Ocular Chlamydial Infection in the Era of Genomics. <i>Mediators of Inflammation</i> , 2015, 2015, 1-22.	1.4	22
968	SNP interactions of <i>Helicobacter pylori</i> -related host genes <i>PGC</i> , <i>PTPN11</i> , <i>IL1B</i> , and <i>TLR4</i> in susceptibility to gastric carcinogenesis. <i>Oncotarget</i> , 2015, 6, 19017-19026.	0.8	23
969	Association of breast cancer-related microRNA polymorphisms with idiopathic primary ovarian insufficiency. <i>Menopause</i> , 2015, 22, 437-443.	0.8	17

#	ARTICLE	IF	CITATIONS
970	Evaluation of a two-stage framework for prediction using big genomic data. <i>Briefings in Bioinformatics</i> , 2015, 16, 912-921.	3.2	6
971	Testing differential networks with applications to the detection of gene-gene interactions. <i>Biometrika</i> , 2015, 102, 247-266.	1.3	74
972	Searching High-Order SNP Combinations for Complex Diseases Based on Energy Distribution Difference. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2015, 12, 695-704.	1.9	20
973	Association of 5 Well-Defined Polymorphisms in the Gene Encoding Transforming Growth Factor- β 1 With Coronary Artery Disease Among Chinese Patients With Hypertension. <i>Angiology</i> , 2015, 66, 652-658.	0.8	7
974	Predicting censored survival data based on the interactions between meta-dimensional omics data in breast cancer. <i>Journal of Biomedical Informatics</i> , 2015, 56, 220-228.	2.5	32
975	Gene-environment interactions in inflammatory bowel disease pathogenesis. <i>Current Opinion in Gastroenterology</i> , 2015, 31, 277-282.	1.0	36
976	Heuristic Identification of Biological Architectures for Simulating Complex Hierarchical Genetic Interactions. <i>Genetic Epidemiology</i> , 2015, 39, 25-34.	0.6	10
977	Ant colony optimisation of decision tree and contingency table models for the discovery of gene-gene interactions. <i>IET Systems Biology</i> , 2015, 9, 218-225.	0.8	4
978	A new information-theoretic approach to detect gene-gene interactions in case-control studies. , 2015, , .		0
979	VizEpis : A visualization and mapping tool for interpreting epistasis. , 2015, , .		2
980	JBASE: Joint Bayesian Analysis of Subphenotypes and Epistasis. <i>Bioinformatics</i> , 2016, 32, 203-210.	1.8	8
981	Pharmacogenetic predictor of extrapyramidal symptoms induced by antipsychotics: Multilocus interaction in the mTOR pathway. <i>European Neuropsychopharmacology</i> , 2015, 25, 51-59.	0.3	30
982	Identification of Genome-Wide SNP-SNP and SNP-Clinical Boolean Interactions in Age-Related Macular Degeneration. <i>Methods in Molecular Biology</i> , 2015, 1253, 217-255.	0.4	3
983	Parallelizing Epistasis Detection in GWAS on FPGA and GPU-Accelerated Computing Systems. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2015, 12, 982-994.	1.9	20
984	Polymorphisms in genes of the renin-angiotensin-aldosterone system and renal cell cancer risk: Interplay with hypertension and intakes of sodium, potassium and fluid. <i>International Journal of Cancer</i> , 2015, 136, 1104-1116.	2.3	44
985	Variants in <i>SELL</i> , <i>MRPS36P2</i> , <i>TP63</i> , <i>DDB2</i> , <i>CACNA9</i> and <i>GABRG2</i> interact to confer risk of acne in Chinese population. <i>Journal of Dermatology</i> , 2015, 42, 378-381.	0.6	9
986	Genetic predictors of outcome following traumatic brain injury. <i>Handbook of Clinical Neurology</i> / Edited By PJ Vinken and G W Bruyn, 2015, 127, 23-41.	1.0	17
987	Development of a genetic marker set to diagnose aspirin-exacerbated respiratory disease in a genome-wide association study. <i>Pharmacogenomics Journal</i> , 2015, 15, 316-321.	0.9	9

#	ARTICLE	IF	CITATIONS
988	Gene-gene interaction of CFH, ARMS2, and ARMS2/HTRA1 on the risk of neovascular age-related macular degeneration and polypoidal choroidal vasculopathy in Chinese population. <i>Eye</i> , 2015, 29, 691-698.	1.1	10
989	Multivariate Quantitative Multifactor Dimensionality Reduction for Detecting Gene-Gene Interactions. <i>Human Heredity</i> , 2015, 79, 168-181.	0.4	21
990	Model-Based Multifactor Dimensionality Reduction for Rare Variant Association Analysis. <i>Human Heredity</i> , 2015, 79, 157-167.	0.4	7
991	Phenome-Wide Association Studies: Embracing Complexity for Discovery. <i>Human Heredity</i> , 2015, 79, 111-123.	0.4	20
992	Single-Nucleotide Polymorphisms on the <i>RYD5</i> Gene in Nasal Polyposis. <i>DNA and Cell Biology</i> , 2015, 34, 633-642.	0.9	3
993	Multifactor-dimensionality reduction reveals interaction of important gene variants involved in allergy. <i>International Journal of Immunogenetics</i> , 2015, 42, 182-189.	0.8	12
994	Confronting the missing epistasis problem: on the reproducibility of gene-gene interactions. <i>Human Genetics</i> , 2015, 134, 837-849.	1.8	13
995	A random forest approach to capture genetic effects in the presence of population structure. <i>Nature Communications</i> , 2015, 6, 7432.	5.8	79
996	GPU-accelerated exhaustive search for third-order epistatic interactions in case-control studies. <i>Journal of Computational Science</i> , 2015, 8, 93-100.	1.5	27
997	Replication the association of 2q32.2-q32.3 and 14q32.11 with hepatocellular carcinoma. <i>Gene</i> , 2015, 561, 63-67.	1.0	9
998	A Systematic Gene-Gene and Gene-Environment Interaction Analysis of DNA Repair Genes <i>XRCC1</i> , <i>XRCC2</i> , <i>XRCC3</i> , <i>XRCC4</i> , and Oral Cancer Risk. <i>OMICS A Journal of Integrative Biology</i> , 2015, 19, 238-247.	1.0	37
999	Four genetic variants interact to confer susceptibility to atopic dermatitis in Chinese Han population. <i>Molecular Genetics and Genomics</i> , 2015, 290, 1493-1498.	1.0	9
1000	Genetic association study between INSULIN pathway related genes and high myopia in a Han Chinese population. <i>Molecular Biology Reports</i> , 2015, 42, 303-310.	1.0	14
1001	MicroRNA-mRNA interaction analysis to detect potential dysregulation in complex diseases. <i>Network Modeling Analysis in Health Informatics and Bioinformatics</i> , 2015, 4, 1.	1.2	10
1002	Screening toll-like receptor markers to predict latent tuberculosis infection and subsequent tuberculosis disease in a Chinese population. <i>BMC Medical Genetics</i> , 2015, 16, 19.	2.1	38
1003	A gene-based information gain method for detecting gene-gene interactions in case-control studies. <i>European Journal of Human Genetics</i> , 2015, 23, 1566-1572.	1.4	20
1004	UGMDR: a unified conceptual framework for detection of multifactor interactions underlying complex traits. <i>Heredity</i> , 2015, 114, 255-261.	1.2	11
1005	Risk of microalbuminuria in relatives of subjects with diabetic nephropathy: a predictive model based on multivariable dimensionality reduction approach. <i>Clinical Nephrology</i> , 2015, 83 (2015), 86-92.	0.4	5

#	ARTICLE	IF	CITATIONS
1006	SNP-SNP interactions of immunity related genes involved in the CD28/B7 pathway with susceptibility to invasive ductal carcinoma of the breast. <i>Gene</i> , 2015, 566, 217-222.	1.0	14
1007	A cautionary note on the impact of protocol changes for genome-wide association SNP-SNP interaction studies: an example on ankylosing spondylitis. <i>Human Genetics</i> , 2015, 134, 761-773.	1.8	17
1008	Interaction of tryptophan hydroxylase 2 gene and life events in susceptibility to major depression in a Chinese Han population. <i>Journal of Affective Disorders</i> , 2015, 188, 304-309.	2.0	18
1009	Investigation of genetic susceptibility to nonspecific digestive disorder between TYK2, JAK1, and STAT3 genes in rabbits. <i>Livestock Science</i> , 2015, 181, 137-142.	0.6	3
1010	Rule-based analysis for detecting epistasis using associative classification mining. <i>Network Modeling Analysis in Health Informatics and Bioinformatics</i> , 2015, 4, 1.	1.2	7
1011	An efficiency analysis of high-order combinations of gene-gene interactions using multifactor-dimensionality reduction. <i>BMC Genomics</i> , 2015, 16, 489.	1.2	23
1012	NFKB1 common variants and PPP1R13L and CD3EAP in relation to lung cancer risk in a Chinese population. <i>Gene</i> , 2015, 567, 31-35.	1.0	5
1013	Identification of Novel Genetic Models of Glaucoma Using the EMERGENT-Genetic Programming-Based Artificial Intelligence System. <i>Genetic and Evolutionary Computation</i> , 2015, , 17-35.	1.0	4
1014	Applicability of gene expression and systems biology to develop pharmacogenetic predictors; antipsychotic-induced extrapyramidal symptoms as an example. <i>Pharmacogenomics</i> , 2015, 16, 1975-1988.	0.6	11
1015	A Joint Location-Scale Test Improves Power to Detect Associated SNPs, Gene Sets, and Pathways. <i>American Journal of Human Genetics</i> , 2015, 97, 125-138.	2.6	48
1016	MDR method for nonbinary response variable. <i>Journal of Multivariate Analysis</i> , 2015, 135, 25-42.	0.5	1
1017	Discriminative pattern mining and its applications in bioinformatics. <i>Briefings in Bioinformatics</i> , 2015, 16, 884-900.	3.2	29
1018	Prediction in Medicine - The Data Mining Algorithms of Predictive Analytics. , 2015, , 239-259.		3
1019	MACOED: a multi-objective ant colony optimization algorithm for SNP epistasis detection in genome-wide association studies. <i>Bioinformatics</i> , 2015, 31, 634-641.	1.8	84
1020	Epistasis. <i>Methods in Molecular Biology</i> , 2015, , .	0.4	10
1021	An overview of SNP interactions in genome-wide association studies. <i>Briefings in Functional Genomics</i> , 2015, 14, 143-155.	1.3	91
1022	Higher-order genetic interactions and their contribution to complex traits. <i>Trends in Genetics</i> , 2015, 31, 34-40.	2.9	134
1023	Meta-dimensional data integration identifies critical pathways for susceptibility, tumorigenesis and progression of endometrial cancer. <i>Oncotarget</i> , 2016, 7, 55249-55263.	0.8	14

#	ARTICLE	IF	CITATIONS
1024	Genotype distribution-based inference of collective effects in genome-wide association studies: insights to age-related macular degeneration disease mechanism. <i>BMC Genomics</i> , 2016, 17, 695.	1.2	12
1025	Modeling Gene-Gene Interactions in Schizophrenia. <i>Handbook of Behavioral Neuroscience</i> , 2016, 23, 327-343.	0.7	0
1026	Application of computational methods in genetic study of inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2016, 22, 949.	1.4	6
1027	Boosting Multifactor Dimensionality Reduction Using Pre-evaluation. <i>ETRI Journal</i> , 2016, 38, 206-215.	1.2	1
1028	Detecting Gene-Gene Interactions Associated with Multiple Complex Traits with U-Statistics. <i>Current Genomics</i> , 2016, 17, 403-415.	0.7	2
1029	Interaction between susceptibility loci in cGAS-STING pathway, MHC gene and HPV infection on the risk of cervical precancerous lesions in Chinese population. <i>Oncotarget</i> , 2016, 7, 84228-84238.	0.8	13
1030	Gene-gene interaction between VANGL1, FZD3, and FZD6 correlated with neural tube defects in Han population of Northern China. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.3	2
1031	miRNA polymorphisms (miR-146a, miR-149, miR-196a2 and miR-499) are associated with the risk of coronary artery disease. <i>Molecular Medicine Reports</i> , 2016, 14, 2328-2342.	1.1	56
1032	Using the Generalized Index of Dissimilarity to Detect Gene-Gene Interactions in Multi-Class Phenotypes. <i>PLoS ONE</i> , 2016, 11, e0158668.	1.1	3
1033	Efficiency of Base Excision Repair of Oxidative DNA Damage and Its Impact on the Risk of Colorectal Cancer in the Polish Population. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-9.	1.9	17
1034	Reflections on the Field of Human Genetics: A Call for Increased Disease Genetics Theory. <i>Frontiers in Genetics</i> , 2016, 7, 106.	1.1	1
1035	Chromosome 9p21 and ABCA1 Genetic Variants and Their Interactions on Coronary Heart Disease and Ischemic Stroke in a Chinese Han Population. <i>International Journal of Molecular Sciences</i> , 2016, 17, 586.	1.8	28
1036	Discovering causal interactions using Bayesian network scoring and information gain. <i>BMC Bioinformatics</i> , 2016, 17, 221.	1.2	38
1037	GCORE-sib: An efficient gene-gene interaction tool for genome-wide association studies based on discordant sib pairs. <i>BMC Bioinformatics</i> , 2016, 17, 273.	1.2	3
1038	Transferring entropy to the realm of GxG interactions. <i>Briefings in Bioinformatics</i> , 2018, 19, bbw086.	3.2	11
1039	Association of Cytochrome P450 Genetic Variants with Clopidogrel Resistance and Outcomes in Acute Ischemic Stroke. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1188-1200.	0.9	41
1040	Single-nucleotide polymorphisms of peroxisome proliferator-activated receptor- β are associated with systemic lupus erythematosus in a Chinese Han population. <i>Clinical and Experimental Dermatology</i> , 2016, 41, 541-546.	0.6	5
1041	Embracing Complex Associations in Common Traits: Critical Considerations for Precision Medicine. <i>Trends in Genetics</i> , 2016, 32, 470-484.	2.9	31

#	ARTICLE	IF	CITATIONS
1042	Association and gene-gene interactions study of reelin signaling pathway related genes with autism in the Han Chinese population. <i>Autism Research</i> , 2016, 9, 436-442.	2.1	9
1043	A Three-Way Interaction among Maternal and Fetal Variants Contributing to Congenital Heart Defects. <i>Annals of Human Genetics</i> , 2016, 80, 20-31.	0.3	9
1044	Epistasis detection using a permutation-based Gradient Boosting Machine. , 2016, , .		2
1045	Detecting high-dimensional genetic associations using a Markov-Blanket in a family-based study. , 2016, , .		0
1046	Developing a robust colorectal cancer (CRC) risk predictive model with the big genetic and environment related CRC data. , 2016, , .		0
1047	An effective approach to identify gene-gene interactions for complex quantitative traits using generalized fuzzy accuracy. , 2016, , .		2
1048	Joint effects of folate intake and one-carbon-metabolizing genetic polymorphisms on breast cancer risk: a case-control study in China. <i>Scientific Reports</i> , 2016, 6, 29555.	1.6	10
1049	Best Linear Unbiased Prediction of Individual Polygenic Susceptibility to Sporadic Vascular Dementia. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1115-1119.	1.2	10
1050	Machine Learning for Health Informatics. <i>Lecture Notes in Computer Science</i> , 2016, , .	1.0	27
1051	KDSNP: A kernel-based approach to detecting high-order SNP interactions. <i>Journal of Bioinformatics and Computational Biology</i> , 2016, 14, 1644003.	0.3	3
1052	Network-Guided Biomarker Discovery. <i>Lecture Notes in Computer Science</i> , 2016, , 319-336.	1.0	4
1053	SNP interaction pattern identifier (SIPI): an intensive search for SNP-SNP interaction patterns. <i>Bioinformatics</i> , 2017, 33, 822-833.	1.8	11
1054	Detecting Pharmacokinetic and Pharmacodynamic Covariates from High-Dimensional Data. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2016, , 277-301.	0.2	0
1056	Discovering SNP Interactions Associated with Breast Cancer Using Evolutionary Algorithms. <i>Procedia Computer Science</i> , 2016, 102, 562-569.	1.2	2
1057	Key Considerations and Methods in the Study of Gene-Environment Interactions. <i>American Journal of Hypertension</i> , 2016, 29, 891-899.	1.0	28
1058	AGGrEGATOR: A Gene-based GENE-Gene interActTiOn test for case-control association studies. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2016, 15, 151-71.	0.2	9
1059	Genetic risk of TNFSF4 and FAM167A-BLK polymorphisms in children with asthma and allergic rhinitis in a Han Chinese population. <i>Journal of Asthma</i> , 2016, 53, 567-575.	0.9	9
1060	Evaluation of associative classification-based multifactor dimensionality reduction in the presence of noise. <i>Network Modeling Analysis in Health Informatics and Bioinformatics</i> , 2016, 5, 1.	1.2	2

#	ARTICLE	IF	CITATIONS
1061	Non-targeted metabolomics identified a common metabolic signature of lethal ventricular tachyarrhythmia (LVTA) in two rat models. <i>Molecular BioSystems</i> , 2016, 12, 2213-2223.	2.9	12
1062	Association study of inflammatory genes with rheumatic heart disease in North Indian population: A multi-analytical approach. <i>Immunology Letters</i> , 2016, 174, 53-62.	1.1	9
1063	A meta-analytic framework for detection of genetic interactions. <i>Genetic Epidemiology</i> , 2016, 40, 534-543.	0.6	2
1064	Multi-variant study of obesity risk genes in African Americans: The Jackson Heart Study. <i>Gene</i> , 2016, 593, 315-321.	1.0	10
1065	A novel fuzzy set based multifactor dimensionality reduction method for detecting gene-gene interaction. <i>Computational Biology and Chemistry</i> , 2016, 65, 193-202.	1.1	16
1066	Genome-wide Association Interaction Studies with MB-MDR and maxT Multiple Testing Correction on FPGAs. <i>Procedia Computer Science</i> , 2016, 80, 639-649.	1.2	6
1067	Breast cancer-associated high-order SNP-SNP interaction of CXCL12/CXCR4-related genes by an improved multifactor dimensionality reduction (MDR-ER). <i>Oncology Reports</i> , 2016, 36, 1739-1747.	1.2	28
1068	A unified model based multifactor dimensionality reduction framework for detecting gene-gene interactions. <i>Bioinformatics</i> , 2016, 32, i605-i610.	1.8	24
1069	Multifactor dimensionality reduction analysis of multiple binary traits for gene-gene interaction. <i>International Journal of Data Mining and Bioinformatics</i> , 2016, 14, 293.	0.1	3
1070	Role of tagged SNPs of the AGT gene in causing susceptibility to essential hypertension. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 520-525.	0.5	7
1071	Poisson Approximation-Based Score Test for Detecting Association of Rare Variants. <i>Annals of Human Genetics</i> , 2016, 80, 221-234.	0.3	1
1072	Association of microRNA polymorphisms with the risk of head and neck squamous cell carcinoma in a Chinese population: a case-control study. <i>Chinese Journal of Cancer</i> , 2016, 35, 77.	4.9	33
1073	Gene-gene Interaction Analyses for Atrial Fibrillation. <i>Scientific Reports</i> , 2016, 6, 35371.	1.6	15
1074	Big Data Analytics in Genomics. , 2016, , .		7
1075	Integrative genomics analyses unveil downstream biological effectors of disease-specific polymorphisms buried in intergenic regions. <i>Npj Genomic Medicine</i> , 2016, 1, .	1.7	19
1076	Robust Methods for Expression Quantitative Trait Loci Mapping. , 2016, , 25-88.		1
1077	CINOEDV: a co-information based method for detecting and visualizing n-order epistatic interactions. <i>BMC Bioinformatics</i> , 2016, 17, 214.	1.2	27
1078	Identification of interactions using model-based multifactor dimensionality reduction. <i>BMC Proceedings</i> , 2016, 10, 135-139.	1.8	3

#	ARTICLE	IF	CITATIONS
1079	Complex systems analysis of bladder cancer susceptibility reveals a role for decarboxylase activity in two genome-wide association studies. <i>BioData Mining</i> , 2016, 9, 40.	2.2	6
1080	Heat shock protein 70 gene polymorphisms TM influence on the electrophysiology of long QT syndrome. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016, 45, 119-130.	0.6	5
1081	A fast and powerful <i>W</i> -test for pairwise epistasis testing. <i>Nucleic Acids Research</i> , 2016, 44, e115-e115.	6.5	21
1082	Identification of genetic interaction networks via an evolutionary algorithm evolved Bayesian network. <i>BioData Mining</i> , 2016, 9, 18.	2.2	8
1083	Associations between gene polymorphisms of the apelin TM APJ system and the risk of hypertension. <i>Blood Pressure</i> , 2016, 25, 257-262.	0.7	11
1084	Association studies reveal the effect of genetic variation in lncRNA UGTRL and its putative target PtoUGT88A1 on wood formation in <i>Populus tomentosa</i> . <i>Tree Genetics and Genomes</i> , 2016, 12, 1.	0.6	8
1085	Statistical Analysis of GWAS. <i>Computational Biology</i> , 2016, , 105-161.	0.1	0
1086	Phenotypes and Genotypes. <i>Computational Biology</i> , 2016, , .	0.1	11
1087	An efficient gene TM gene interaction test for genome-wide association studies in trio families. <i>Bioinformatics</i> , 2016, 32, 1848-1855.	1.8	10
1088	Association and interaction of NFKB1 rs28362491 insertion/deletion ATTG polymorphism and PPP1R13L and CD3EAP related to lung cancer risk in a Chinese population. <i>Tumor Biology</i> , 2016, 37, 5467-5473.	0.8	15
1089	Tests for Gene-Environment Interactions and Joint Effects With Exposure Misclassification. <i>American Journal of Epidemiology</i> , 2016, 183, 237-247.	1.6	14
1090	Genetic variants of vascular endothelial growth factor are associated with recurrent implantation failure in Korean women. <i>Reproductive BioMedicine Online</i> , 2016, 32, 190-196.	1.1	20
1091	Genetics of Lipid Disorders. , 2016, , 159-193.		0
1092	Modified bagging of maximal information coefficient for genome-wide identification. <i>International Journal of Data Mining and Bioinformatics</i> , 2016, 14, 229.	0.1	3
1093	Fetal Val108/158Met catechol-O-methyltransferase (COMT) polymorphism and placental COMT activity are associated with the development of preeclampsia. <i>Fertility and Sterility</i> , 2016, 105, 134-143.e3.	0.5	15
1094	CFH Variants Affect Structural and Functional Brain Changes and Genetic Risk of Alzheimer TM s Disease. <i>Neuropsychopharmacology</i> , 2016, 41, 1034-1045.	2.8	58
1095	Association of genetic variants in INS (rs689), INSR (rs1799816) and PP1G.G (rs1799999) with type 2 diabetes (T2D): a case TM control study in three ethnic groups from North-West India. <i>Molecular Genetics and Genomics</i> , 2016, 291, 205-216.	1.0	16
1096	Review: High-performance computing to detect epistasis in genome scale data sets. <i>Briefings in Bioinformatics</i> , 2016, 17, 368-379.	3.2	39

#	ARTICLE	IF	CITATIONS
1097	MINT: Mutual Information Based Transductive Feature Selection for Genetic Trait Prediction. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2016, 13, 578-583.	1.9	14
1098	Simulation and Analytical Approach to the Identification of Significant Factors. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2016, 45, 1430-1450.	0.6	3
1099	Association of DNA sequence variation in mitochondrial DNA polymerase with mitochondrial DNA synthesis and risk of oral cancer. <i>Gene</i> , 2016, 575, 650-654.	1.0	7
1100	Genetic variations in the homologous recombination repair pathway genes modify risk of glioma. <i>Journal of Neuro-Oncology</i> , 2016, 126, 11-17.	1.4	10
1101	A roadmap to multifactor dimensionality reduction methods. <i>Briefings in Bioinformatics</i> , 2016, 17, 293-308.	3.2	77
1102	Study of single nucleotide polymorphisms of tumour necrosis factors and HSP genes in nasopharyngeal carcinoma in North East India. <i>Tumor Biology</i> , 2016, 37, 271-281.	0.8	8
1103	A new approach to detect epistasis utilizing parallel implementation of ant colony optimization by MapReduce framework. <i>International Journal of Computer Mathematics</i> , 2016, 93, 511-523.	1.0	11
1104	Genetic prediction of long-term survival after neoadjuvant chemoradiation in locally advanced esophageal cancer. <i>Pharmacogenomics Journal</i> , 2017, 17, 252-257.	0.9	6
1105	Searching Genome-Wide Multi-Locus Associations for Multiple Diseases Based on Bayesian Inference. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2017, 14, 600-610.	1.9	14
1106	Fine-Mapping of ABO Gene Identifies Two Novel SNPs Associated with Large Artery Atherosclerotic Stroke in a Chinese Han Population. <i>Molecular Neurobiology</i> , 2017, 54, 2107-2113.	1.9	9
1107	Gene set based association analyses for the WSSV resistance of Pacific white shrimp <i>Litopenaeus vannamei</i> . <i>Scientific Reports</i> , 2017, 7, 40549.	1.6	33
1108	Functional genetic polymorphisms in dopaminergic transporters: Association with ADHD traits in the Indian probands. <i>Meta Gene</i> , 2017, 11, 117-122.	0.3	3
1109	Transdisciplinary approaches enhance the production of translational knowledge. <i>Translational Research</i> , 2017, 182, 123-134.	2.2	41
1110	Detecting High-Order Epistasis in Nonlinear Genotype-Phenotype Maps. <i>Genetics</i> , 2017, 205, 1079-1088.	1.2	120
1111	Haplotype-based gene-gene interaction of bone morphogenetic protein 4 and interferon regulatory factor 6 in the etiology of non-syndromic cleft lip with or without cleft palate in a Chilean population. <i>European Journal of Oral Sciences</i> , 2017, 125, 102-109.	0.7	7
1112	Identification of SNP-SNP interaction for chronic dialysis patients. <i>Computers in Biology and Medicine</i> , 2017, 83, 94-101.	3.9	7
1113	Contextual Correlates of Physical Activity among Older Adults: A Neighborhood Environment-Wide Association Study (NE-WAS). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 495-504.	1.1	30
1114	Components of the folate metabolic pathway and ADHD core traits: an exploration in eastern Indian probands. <i>Journal of Human Genetics</i> , 2017, 62, 687-695.	1.1	19

#	ARTICLE	IF	CITATIONS
1115	CMDR based differential evolution identifies the epistatic interaction in genome-wide association studies. <i>Bioinformatics</i> , 2017, 33, 2354-2362.	1.8	47
1116	Interactions among Variants in Eicosanoid Genes Increase Risk of Atherothrombotic Stroke in Chinese Populations. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 1773-1780.	0.7	5
1117	SNP-SNP Interaction Analysis of Soybean Protein Content under Multiple Environments. <i>Canadian Journal of Plant Science</i> , 2017, , .	0.3	1
1118	A comprehensive contribution of genes for aryl hydrocarbon receptor signaling pathway to hypertension susceptibility. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 57-69.	0.7	32
1119	Inference in the age of big data: Future perspectives on neuroscience. <i>NeuroImage</i> , 2017, 155, 549-564.	2.1	161
1120	Methods to analyze big data in pharmacogenomics research. <i>Pharmacogenomics</i> , 2017, 18, 807-820.	0.6	10
1121	TSGSIS: a high-dimensional grouped variable selection approach for detection of whole-genome SNP-SNP interactions. <i>Bioinformatics</i> , 2017, 33, 3595-3602.	1.8	5
1122	Unfolding the genetic pathways of dyslexia in Asian population: A review. <i>Asian Journal of Psychiatry</i> , 2017, 30, 225-229.	0.9	5
1123	Online Anomaly Detection in Big Data: The First Line of Defense Against Intruders. <i>Studies in Big Data</i> , 2017, , 83-107.	0.8	2
1124	Using knowledge-driven genomic interactions for multi-omics data analysis: metadimensional models for predicting clinical outcomes in ovarian carcinoma. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2017, 24, 577-587.	2.2	41
1125	Investigation of 36 non-HLA (human leucocyte antigen) psoriasis susceptibility loci in a psoriatic arthritis cohort. <i>Archives of Dermatological Research</i> , 2017, 309, 71-77.	1.1	10
1127	Multiobjective differential evolution-based multifactor dimensionality reduction for detecting gene-gene interactions. <i>Scientific Reports</i> , 2017, 7, 12869.	1.6	8
1128	Analysis of Gene-Gene Interactions. <i>Current Protocols in Human Genetics</i> , 2017, 95, 1.14.1-1.14.10.	3.5	34
1129	Toward the automated analysis of complex diseases in genome-wide association studies using genetic programming. , 2017, , .		19
1130	The R-package GenomicTools for multifactor dimensionality reduction and the analysis of (exploratory) Quantitative Trait Loci. <i>Computer Methods and Programs in Biomedicine</i> , 2017, 151, 171-177.	2.6	4
1131	19p13.3 -GADD45B common variants and 19q13.3- PPP1R13L and 19q13.3- CD3EAP in lung cancer risk among Chinese. <i>Chemico-Biological Interactions</i> , 2017, 277, 74-78.	1.7	5
1132	Clinical Assessment of Disease Risk Factors Using SNP Data and Bayesian Methods. <i>Health Information Science</i> , 2017, , 89-102.	0.3	0
1133	Association between TNFSF4 and BLK gene polymorphisms and susceptibility to allergic rhinitis. <i>Molecular Medicine Reports</i> , 2017, 16, 3224-3232.	1.1	8

#	ARTICLE	IF	CITATIONS
1134	Large Scale Medical Data Mining for Accurate Diagnosis: A Blueprint. Scalable Computing and Communications, 2017, , 157-176.	0.5	16
1135	Common lipid features of lethal ventricular tachyarrhythmias (LVTAs) induced by myocardial infarction and myocardial ion channel diseases. Scientific Reports, 2017, 7, 4220.	1.6	9
1136	Grid-based stochastic search for hierarchical gene-gene interactions in population-based genetic studies of common human diseases. BioData Mining, 2017, 10, 19.	2.2	12
1137	Confident gene activity prediction based on single histone modification H2BK5ac in human cell lines. BMC Bioinformatics, 2017, 18, 67.	1.2	11
1138	KNN-MDR: a learning approach for improving interactions mapping performances in genome wide association studies. BMC Bioinformatics, 2017, 18, 184.	1.2	15
1139	An empirical fuzzy multifactor dimensionality reduction method for detecting gene-gene interactions. BMC Genomics, 2017, 18, 115.	1.2	26
1140	Network approaches to systems biology analysis of complex disease: integrative methods for multi-omics data. Briefings in Bioinformatics, 2018, 19, 1370-1381.	3.2	185
1141	Interaction of estrogen receptor β and negative life events in susceptibility to major depressive disorder in a Chinese Han female population. Journal of Affective Disorders, 2017, 208, 628-633.	2.0	13
1142	Identifying gene-gene interactions that are highly associated with four quantitative lipid traits across multiple cohorts. Human Genetics, 2017, 136, 165-178.	1.8	11
1143	The Interaction of TXNIP and AFq1 Genes Increases the Susceptibility of Schizophrenia. Molecular Neurobiology, 2017, 54, 4806-4812.	1.9	12
1144	Epistasis analysis of microRNAs on pathological stages in colon cancer based on an Empirical Bayesian Elastic Net method. BMC Genomics, 2017, 18, 756.	1.2	4
1145	Cluster-based multifactor dimensionality reduction method to identify gene-gene interactions for quantitative traits in genome-wide studies. , 2017, , .		1
1146	A multi-stage approach to detect gene-gene interactions associated with multiple correlated phenotypes. , 2017, , .		1
1147	Analysis of genotype effects for the immunosuppression via two-step method. BIO Web of Conferences, 2017, 8, 02010.	0.1	0
1148	Use of Information Measures and Their Approximations to Detect Predictive Gene-Gene Interaction. Entropy, 2017, 19, 23.	1.1	5
1149	HiSeeker: Detecting High-Order SNP Interactions Based on Pairwise SNP Combinations. Genes, 2017, 8, 153.	1.0	25
1150	Building Up a Robust Risk Mathematical Platform to Predict Colorectal Cancer. Complexity, 2017, 2017, 1-14.	0.9	26
1151	Significant association between SCGB1D4 gene polymorphisms and susceptibility to adenoid hypertrophy in a pediatric population*. Turkish Journal of Medical Sciences, 2017, 47, 201-210.	0.4	3

#	ARTICLE	IF	CITATIONS
1152	Interactions within the MHC contribute to the genetic architecture of celiac disease. PLoS ONE, 2017, 12, e0172826.	1.1	16
1153	A Markov blanket-based approach for finding high-dimensional genetic interactions associated with disease in family-based studies. International Journal of Data Mining and Bioinformatics, 2017, 18, 269.	0.1	0
1154	epiACO - a method for identifying epistasis based on ant Colony optimization algorithm. BioData Mining, 2017, 10, 23.	2.2	51
1155	Nucleotide variation in ATG4A and susceptibility to cervical cancer in Southwestern Chinese women. Oncology Letters, 2017, 15, 2992-3000.	0.8	10
1156	Multifactor dimensionality reduction method based on area under receiver operating characteristic curve. Model Assisted Statistics and Applications, 2017, 12, 245-253.	0.2	0
1157	Taguchi-enhanced binary differential evolution algorithm. , 2017, , .		0
1158	Detection of Epistasis for Flowering Time Using Bayesian Multilocus Estimation in a Barley MAGIC Population. Genetics, 2018, 208, 525-536.	1.2	43
1159	Association of AGTR1 (A1166C) and ACE (I/D) Polymorphisms with Breast Cancer Risk in North Indian Population. Translational Oncology, 2018, 11, 233-242.	1.7	24
1160	Tobacco Smoking Addiction: Epidemiology, Genetics, Mechanisms, and Treatment. , 2018, , .		7
1161	Contribution of Geneâ€“Gene and Geneâ€“Environment Interactions to Tobacco Smoking. , 2018, , 183-197.		0
1162	Common genetic variants in GAL , GAP 43 and NRSN 1 and interaction networks confer susceptibility to Hirschsprung disease. Journal of Cellular and Molecular Medicine, 2018, 22, 3377-3387.	1.6	9
1163	Genes involved in stress response influence lithium efficacy in bipolar patients. Bipolar Disorders, 2018, 20, 753-760.	1.1	10
1164	The genetic component of human longevity: New insights from the analysis of pathwayâ€“based <sc>SNP</sc>â€“<sc>SNP</sc> interactions. Aging Cell, 2018, 17, e12755.	3.0	24
1165	Multiobjective multifactor dimensionality reduction to detect SNPâ€“SNP interactions. Bioinformatics, 2018, 34, 2228-2236.	1.8	31
1166	A multifactor dimensionality reduction model of gene polymorphisms and an environmental interaction analysis in type 2 diabetes mellitus study among Punjabi, a North India population. Meta Gene, 2018, 16, 39-49.	0.3	3
1167	Synergistical action of the Î²2 adrenoceptor and fatty acid binding protein 2 polymorphisms on the loss of glomerular filtration rate in Chinese patients with type 2 diabetic nephropathy. International Urology and Nephrology, 2018, 50, 715-723.	0.6	5
1168	Leptin and Leptin Receptor Genes Are Associated With Obesity-Related Traits Changes in Response to Aerobic Training Program. Journal of Strength and Conditioning Research, 2018, 32, 1036-1044.	1.0	10
1169	The association between Toxoplasma gondii infection and hypertensive disorders in T2DM patients: a case-control study in the Han Chinese population. Parasitology Research, 2018, 117, 689-695.	0.6	8

#	ARTICLE	IF	CITATIONS
1170	Análisis de epistasia de polimorfismos de genes metabólicos asociados a cardiopatía isquémica en Yucatán. <i>Clínica E Investigación En Arteriosclerosis</i> , 2018, 30, 102-111.	0.4	4
1171	Iterative random forests to discover predictive and stable high-order interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1943-1948.	3.3	196
1172	Capturing pair-wise epistatic effects associated with three agronomic traits in barley. <i>Genetica</i> , 2018, 146, 161-170.	0.5	4
1173	A deeper look at two concepts of measuring gene-gene interactions: logistic regression and interaction information revisited. <i>Genetic Epidemiology</i> , 2018, 42, 187-200.	0.6	9
1174	GxGrare: gene-gene interaction analysis method for rare variants from high-throughput sequencing data. <i>BMC Systems Biology</i> , 2018, 12, 19.	3.0	7
1175	Epistasia analysis of metabolic genes polymorphisms associated with ischemic heart disease in Yucatan. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2018, 30, 102-111.	0.1	2
1176	Collective feature selection to identify crucial epistatic variants. <i>BioData Mining</i> , 2018, 11, 5.	2.2	22
1177	Fine mapping of epistatic genetic determinants of blood pressure on rat chromosome 5. <i>Journal of Hypertension</i> , 2018, 36, 1486-1491.	0.3	2
1178	Assessment of DNA repair susceptibility genes identified by whole exome sequencing in head and neck cancer. <i>DNA Repair</i> , 2018, 66-67, 50-63.	1.3	20
1179	Multiple Testing of Submatrices of a Precision Matrix With Applications to Identification of Between Pathway Interactions. <i>Journal of the American Statistical Association</i> , 2018, 113, 328-339.	1.8	13
1180	A Review on Methods for Detecting SNP Interactions in High-Dimensional Genomic Data. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2018, 15, 599-612.	1.9	42
1181	Genetic variations in the <i>TLR3</i> locus are associated with eosinophilic esophagitis. <i>United European Gastroenterology Journal</i> , 2018, 6, 349-357.	1.6	13
1182	The <i>COL5A3</i> and <i>MMP9</i> genes interact in eczema susceptibility. <i>Clinical and Experimental Allergy</i> , 2018, 48, 297-305.	1.4	9
1183	Leveraging putative enhancer-promoter interactions to investigate two-way epistasis in Type 2 Diabetes GWAS. , 2018, , .		2
1184	An ancestry-based approach for detecting interactions. <i>Genetic Epidemiology</i> , 2018, 42, 49-63.	0.6	17
1185	DITGOssi: a two-stage invasive tumor growth optimization algorithm for the detection of SNPSNP interactions. , 2018, , .		0
1186	Improved Multifactor Dimensionality Reduction for Epistasis Detection. , 2018, , .		0
1187	An Efficient Survival Multifactor Dimensionality Reduction Method for Detecting Gene-Gene Interactions of Lung Cancer Onset Age. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
1188	Exploring Scalable Computing Architectures for Interactions Analysis. , 2018, , .		0
1189	Noisy Epistasis Using Deep Learning. , 2018, , .		2
1190	Impact of RFC1, MTHFR, and MTHFD1 polymorphism on unexplained pregnancy loss (UPL): comparative analysis of maternal and fetal components using motherâ€“abortus paired samples. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 231, 152-157.	0.5	3
1191	HisCoM-GGI: Hierarchical structural component analysis of geneâ€“gene interactions. Journal of Bioinformatics and Computational Biology, 2018, 16, 1840026.	0.3	10
1192	[Regular Paper] An Intensive Search for Higher-Order Gene-Gene Interactions by Improving Deep Learning Model. , 2018, , .		2
1193	Improving pharmacogenetic prediction of extrapyramidal symptoms induced by antipsychotics. Translational Psychiatry, 2018, 8, 276.	2.4	12
1194	Unified Cox model based multifactor dimensionality reduction method for gene-gene interaction analysis of the survival phenotype. BioData Mining, 2018, 11, 27.	2.2	4
1195	Convolutional Model for Predicting SNP Interactions. Lecture Notes in Computer Science, 2018, , 127-137.	1.0	0
1196	Aggregation of experts: an application in the field of â€œinteractomicsâ€“ (detection of interactions on) Tj ETQq0 0,0,rgBT /Overlock 10	1.2	1
1197	Energy Sustainability in Smart Cities: Artificial Intelligence, Smart Monitoring, and Optimization of Energy Consumption. Energies, 2018, 11, 2869.	1.6	133
1198	Dvl3 polymorphism interacts with life events and pro-inflammatory cytokines to influence major depressive disorder susceptibility. Scientific Reports, 2018, 8, 14181.	1.6	4
1199	Gene-gene interaction analysis for quantitative trait using cluster-based multifactor dimensionality reduction method. International Journal of Data Mining and Bioinformatics, 2018, 20, 1.	0.1	6
1200	Detecting gene-gene interactions for complex quantitative traits using generalized fuzzy classification. BMC Bioinformatics, 2018, 19, 329.	1.2	3
1201	Identification of epistatic interactions between the human RNA demethylases FTO and ALKBH5 with gene set enrichment analysis informed by differential methylation. BMC Proceedings, 2018, 12, 59.	1.8	7
1202	A deep hybrid model to detect multi-locus interacting SNPs in the presence of noise. International Journal of Medical Informatics, 2018, 119, 134-151.	1.6	10
1203	Machine Learning Approaches: Data Integration for Disease Prediction and Prognosis. Translational Bioinformatics, 2018, , 137-141.	0.0	16
1204	Association Between <i>MALAT1</i> and <i>THRIL</i> Polymorphisms and Precancerous Cervical Lesions. Genetic Testing and Molecular Biomarkers, 2018, 22, 509-517.	0.3	6
1205	Applied Computational Genomics. Translational Bioinformatics, 2018, , .	0.0	0

#	ARTICLE	IF	CITATIONS
1206	Analysis of the association of MIR124-1 and its target gene RGS4 polymorphisms with major depressive disorder and antidepressant response. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 715-723.	1.0	10
1207	rs1800796 of the IL6 gene is associated with increased risk for anti-tuberculosis drug-induced hepatotoxicity in Chinese Han children. <i>Tuberculosis</i> , 2018, 111, 71-77.	0.8	7
1208	Leveraging epigenomics and contactomics data to investigate SNP pairs in GWAS. <i>Human Genetics</i> , 2018, 137, 413-425.	1.8	8
1209	Critical Issues in BDNF Val66Met Genetic Studies of Neuropsychiatric Disorders. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 156.	1.4	99
1210	ClusterMI: Detecting High-Order SNP Interactions Based on Clustering and Mutual Information. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2267.	1.8	18
1211	Allelic interaction effects of DNA damage and repair genes on the predisposition to age-related cataract. <i>PLoS ONE</i> , 2018, 13, e0184478.	1.1	6
1212	Relief-based feature selection: Introduction and review. <i>Journal of Biomedical Informatics</i> , 2018, 85, 189-203.	2.5	723
1213	Machine Learning and Radiogenomics: Lessons Learned and Future Directions. <i>Frontiers in Oncology</i> , 2018, 8, 228.	1.3	54
1214	Benchmarking relief-based feature selection methods for bioinformatics data mining. <i>Journal of Biomedical Informatics</i> , 2018, 85, 168-188.	2.5	156
1215	Fuzzy set-based generalized multifactor dimensionality reduction analysis of gene-gene interactions. <i>BMC Medical Genomics</i> , 2018, 11, 32.	0.7	8
1216	WISARD: workbench for integrated superfast association studies for related datasets. <i>BMC Medical Genomics</i> , 2018, 11, 39.	0.7	11
1217	GLTSCR1, ATM, PPP1R13L and CD3EAP Genetic Variants and Lung Cancer Risk in a Chinese Population. <i>Current Medical Science</i> , 2018, 38, 734-740.	0.7	8
1218	Associations of miR-146aC>G, miR-149C>T, miR-196a2C>T and miR-499A>G polymorphisms with brain tumors. <i>Oncology Reports</i> , 2018, 40, 1813-1823.	1.2	7
1219	Catfish Taguchi-Based Binary Differential Evolution Algorithm for Analyzing Single Nucleotide Polymorphism Interactions in Chronic Dialysis. <i>IEEE Transactions on Nanobioscience</i> , 2018, 17, 291-299.	2.2	12
1220	Gene-Gene and Gene-Environment Interactions. <i>Methods in Molecular Biology</i> , 2018, 1793, 89-110.	0.4	12
1221	AA9int: SNP interaction pattern search using non-hierarchical additive model set. <i>Bioinformatics</i> , 2018, 34, 4141-4150.	1.8	3
1222	Gene-Gene Interactions: An Essential Component to Modeling Complexity for Precision Medicine. , 2019, , 171-177.		0
1223	MTOR Pathway-Based Discovery of Genetic Susceptibility to L-DOPA-Induced Dyskinesia in Parkinson's Disease Patients. <i>Molecular Neurobiology</i> , 2019, 56, 2092-2100.	1.9	17

#	ARTICLE	IF	CITATIONS
1224	SEE: a novel multi-objective evolutionary algorithm for identifying SNP epistasis in genome-wide association studies. <i>Biotechnology and Biotechnological Equipment</i> , 2019, 33, 529-547.	0.5	7
1225	The Effect of AMBP SNPs, Their Haplotypes, and Gene-Environment Interactions on the Risk of Atherothrombotic Stroke Among the Chinese Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2019, 23, 487-494.	0.3	5
1226	Multivariate Cluster-Based Multifactor Dimensionality Reduction to Identify Genetic Interactions for Multiple Quantitative Phenotypes. <i>BioMed Research International</i> , 2019, 2019, 1-10.	0.9	6
1227	DNA-based predictive models for the presence of freckles. <i>Forensic Science International: Genetics</i> , 2019, 42, 252-259.	1.6	27
1229	Significant role of gene-gene interactions of clock genes in mood disorder. <i>Journal of Affective Disorders</i> , 2019, 257, 510-517.	2.0	12
1230	Exploration of a diversity of computational and statistical measures of association for genome-wide genetic studies. <i>BioData Mining</i> , 2019, 12, 14.	2.2	3
1231	Epistasis Detection in Genome-Wide Screening for Complex Human Diseases in Structured Populations. <i>Systems Medicine (New Rochelle, N Y)</i> , 2019, 2, 19-27.	1.4	9
1232	AFSBN: A Method of Artificial Fish Swarm Optimizing Bayesian Network for Epistasis Detection. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2021, 18, 1369-1383.	1.9	3
1233	XRCC1 632 as a candidate for cancer predisposition via a complex interaction with genetic variants of base excision repair and double strand break repair genes. <i>Future Oncology</i> , 2019, 15, 3845-3859.	1.1	2
1234	Detecting SNP-SNP Interactions in Imbalanced Case-Control Study. <i>IEEE Access</i> , 2019, 7, 143036-143045.	2.6	3
1235	Compositional epistasis detection using a few prototype disease models. <i>PLoS ONE</i> , 2019, 14, e0213236.	1.1	1
1236	<i>SHANK1</i> polymorphisms and SNP-SNP interactions among <i>SHANK</i> family: A possible cue for recognition to autism spectrum disorder in infant age. <i>Autism Research</i> , 2019, 12, 375-383.	2.1	10
1237	Epi-GTBN: an approach of epistasis mining based on genetic Tabu algorithm and Bayesian network. <i>BMC Bioinformatics</i> , 2019, 20, 444.	1.2	21
1238	Application of simulation-based CYP26 SNP-environment barcodes for evaluating the occurrence of oral malignant disorders by odds ratio-based binary particle swarm optimization: A case-control study in the Taiwanese population. <i>PLoS ONE</i> , 2019, 14, e0220719.	1.1	3
1239	Discovering genetic interactions bridging pathways in genome-wide association studies. <i>Nature Communications</i> , 2019, 10, 4274.	5.8	52
1240	TrioMDR: Detecting SNP interactions in trio families with model-based multifactor dimensionality reduction. <i>Genomics</i> , 2019, 111, 1176-1182.	1.3	2
1241	An Improved Multi-factor Dimensionality Reduction Approach to Identify Gene-Gene Interactions. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 109-114.	0.5	0
1242	The microRNA polymorphisms in miR-150 and miR-1179 are associated with risk of idiopathic recurrent pregnancy loss. <i>Reproductive BioMedicine Online</i> , 2019, 39, 187-195.	1.1	11

#	ARTICLE	IF	CITATIONS
1243	Evidence for the genetic basis and epistatic interactions underlying oceanâ€and riverâ€maturing ecotypes of Pacific Lamprey (<i>Entosphenus tridentatus</i>) returning to the Klamath River, California. <i>Molecular Ecology</i> , 2019, 28, 3171-3185.	2.0	15
1244	DESeeker: Detecting Epistatic Interactions Using a Two-Stage Differential Evolution Algorithm. <i>IEEE Access</i> , 2019, 7, 69604-69613.	2.6	10
1245	SNCA and mTOR Pathway Single Nucleotide Polymorphisms Interact to Modulate the Age at Onset of Parkinson's Disease. <i>Movement Disorders</i> , 2019, 34, 1333-1344.	2.2	21
1246	New algorithms for detecting multi-effect and multi-way epistatic interactions. <i>Bioinformatics</i> , 2019, 35, 5078-5085.	1.8	17
1247	Apolipoprotein E polymorphisms contribute to statin response in Chinese ASCVD patients with dyslipidemia. <i>Lipids in Health and Disease</i> , 2019, 18, 129.	1.2	18
1248	Confounding of linkage disequilibrium patterns in large scale DNA based gene-gene interaction studies. <i>BioData Mining</i> , 2019, 12, 11.	2.2	29
1249	The multi-faceted high order polymorphic synergistic interactions among nucleotide excision repair genes increase the risk of lung cancer in North Indians. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2019, 816-818, 111673.	0.4	3
1250	Matrix metalloproteinases as target genes for gene regulatory networks driving molecular and cellular pathways related to a multistep pathogenesis of cerebrovascular disease. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 16467-16482.	1.2	27
1251	Relationship between Clinicopathologic Variables in Breast Cancer Overall Survival Using Biogeography-Based Optimization Algorithm. <i>BioMed Research International</i> , 2019, 2019, 1-12.	0.9	4
1252	Investigating Geneâ€Gene and Geneâ€Environment Interactions in the Association Between Overnutrition and Obesity-Related Phenotypes. <i>Frontiers in Genetics</i> , 2019, 10, 151.	1.1	9
1253	<i>C1QA</i> and <i>C1QC</i> modify ageâ€onset in familial amyloid polyneuropathy patients. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 748-754.	1.7	10
1254	How to increase our belief in discovered statistical interactions via large-scale association studies?. <i>Human Genetics</i> , 2019, 138, 293-305.	1.8	12
1255	Effect of CRHR1 and CRHR2 gene polymorphisms and childhood trauma in suicide attempt. <i>Journal of Neural Transmission</i> , 2019, 126, 637-644.	1.4	9
1256	Approaches to treatment effect heterogeneity in the presence of confounding. <i>Statistics in Medicine</i> , 2019, 38, 2797-2815.	0.8	9
1257	Identification of interactions of binary variables associated with survival time using survivalFS. <i>Archives of Toxicology</i> , 2019, 93, 585-602.	1.9	0
1258	Exploiting the Power of Group Differences: Using Patterns to Solve Data Analysis Problems. <i>Synthesis Lectures on Data Mining and Knowledge Discovery</i> , 2019, 11, 1-146.	0.5	5
1259	Whole-genome resequencing from bulked-segregant analysis reveals gene set based association analyses for the <i>Vibrio anguillarum</i> resistance of turbot (<i>Scophthalmus maximus</i>). <i>Fish and Shellfish Immunology</i> , 2019, 88, 76-83.	1.6	27
1260	Prediction of SNP Sequences via Gini Impurity Based Gradient Boosting Method. <i>IEEE Access</i> , 2019, 7, 12647-12657.	2.6	11

#	ARTICLE	IF	CITATIONS
1261	Association and interaction of genetic variants with occurrence of ischemic stroke among Brazilian patients. <i>Gene</i> , 2019, 695, 84-91.	1.0	14
1262	Self-Adjusting Ant Colony Optimization Based on Information Entropy for Detecting Epistatic Interactions. <i>Genes</i> , 2019, 10, 114.	1.0	17
1263	A Review of Ant Colony Optimization Based Methods for Detecting Epistatic Interactions. <i>IEEE Access</i> , 2019, 7, 13497-13509.	2.6	25
1264	Association between IL6 tagging single nucleotide polymorphisms and the risk of lung cancer in China. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e00585.	0.6	12
1265	Improved Multiobjective Multifactor Dimensionality Reduction using Fuzzy Theory. , 2019, , .		0
1266	Ant Colony Optimization with Self-Evolving Parameter for Detecting Epistatic Interactions. , 2019, , .		1
1267	<p>Pharmacogenomics And Hypertension: Current Insights</p>. <i>Pharmacogenomics and Personalized Medicine</i> , 2019, Volume 12, 341-359.	0.4	25
1268	HiSSI: high-order SNP-SNP interactions detection based on efficient significant pattern and differential evolution. <i>BMC Medical Genomics</i> , 2019, 12, 139.	0.7	5
1269	Region-based interaction detection in genome-wide case-control studies. <i>BMC Medical Genomics</i> , 2019, 12, 133.	0.7	7
1270	Association study of the three functional polymorphisms (TAS2R46G>A, OR4C16G>A, and) Tj ETQq1 1 0.784314 rgBT /Overloc 0.5 21		
1271	SNP&€SNP and SNP&€environment interactions of potentially functional <i>HOTAIR</i> SNPs modify the risk of hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2019, 58, 633-642.	1.3	16
1272	An optimization approach to epistasis detection. <i>European Journal of Operational Research</i> , 2019, 274, 1069-1076.	3.5	2
1273	Discovering the pharmacodynamics of conolidine and cannabidiol using a cultured neuronal network based workflow. <i>Scientific Reports</i> , 2019, 9, 121.	1.6	14
1274	Non-additive effects of ACVR2A in preeclampsia in a Philippine population. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 11.	0.9	2
1275	Generalized multifactor dimensionality reduction approaches to identification of genetic interactions underlying ordinal traits. <i>Genetic Epidemiology</i> , 2019, 43, 24-36.	0.6	11
1276	PBMDR: A particle swarm optimization-based multifactor dimensionality reduction for the detection of multilocus interactions. <i>Journal of Theoretical Biology</i> , 2019, 461, 68-75.	0.8	12
1277	Functional Genomics for Cancer Research: Applications In Vivo and In Vitro. <i>Annual Review of Cancer Biology</i> , 2019, 3, 345-363.	2.3	9
1278	Multiple-Criteria Decision Analysis-Based Multifactor Dimensionality Reduction for Detecting Gene&€Gene Interactions. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 416-426.	3.9	10

#	ARTICLE	IF	CITATIONS
1279	Robust genetic interaction analysis. <i>Briefings in Bioinformatics</i> , 2019, 20, 624-637.	3.2	23
1280	Statistical methods for genome-wide association studies. <i>Seminars in Cancer Biology</i> , 2019, 55, 53-60.	4.3	59
1281	Epistasis Analysis Using an Improved Fuzzy C-Means-Based Entropy Approach. <i>IEEE Transactions on Fuzzy Systems</i> , 2020, 28, 718-730.	6.5	18
1282	Fast search of third-order epistatic interactions on CPU and GPU clusters. <i>International Journal of High Performance Computing Applications</i> , 2020, 34, 20-29.	2.4	16
1283	A Tandem Evolutionary Algorithm for Identifying Causal Rules from Complex Data. <i>Evolutionary Computation</i> , 2020, 28, 87-114.	2.3	9
1284	Class Balanced Multifactor Dimensionality Reduction to Detect Gene-Gene Interactions. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2020, 17, 71-81.	1.9	14
1285	Association of miRNA-27a and leptin polymorphisms with recurrent pregnancy loss in Egyptian women. <i>Meta Gene</i> , 2020, 24, 100617.	0.3	2
1286	Identification of gene-environment interactions with marginal penalization. <i>Genetic Epidemiology</i> , 2020, 44, 159-196.	0.6	6
1287	DualWMDR: Detecting epistatic interaction with dual screening and multifactor dimensionality reduction. <i>Human Mutation</i> , 2020, 41, 719-734.	1.1	15
1288	Embracing study heterogeneity for finding genetic interactions in large-scale research consortia. <i>Genetic Epidemiology</i> , 2020, 44, 52-66.	0.6	4
1289	An improved fuzzy set-based multifactor dimensionality reduction for detecting epistasis. <i>Artificial Intelligence in Medicine</i> , 2020, 102, 101768.	3.8	6
1290	Association of UGT2B7 and CaMK4 with response of valproic acid in Chinese children with epilepsy. <i>Therapie</i> , 2020, 75, 261-270.	0.6	4
1291	<i>5-HT2AR</i> and <i>BDNF</i> gene variants in eating disorders susceptibility. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 155-163.	1.1	19
1292	Higher-order clinical risk factor interaction analysis for overall mortality in maintenance hemodialysis patients. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232094906.	1.1	3
1293	Association between Adiponectin Gene Polymorphism and Environmental Risk Factors of Type 2 Diabetes Mellitus among the Chinese Population in Hohhot. <i>BioMed Research International</i> , 2020, 2020, 1-9.	0.9	13
1294	Identification of HIV-1 Vif Protein Attributes Associated With CD4 T Cell Numbers and Viral Loads Using Artificial Intelligence Algorithms. <i>IEEE Access</i> , 2020, 8, 87214-87227.	2.6	6
1295	Applications of machine learning to diagnosis and treatment of neurodegenerative diseases. <i>Nature Reviews Neurology</i> , 2020, 16, 440-456.	4.9	257
1296	Genetic and environmental risk for lymphoma in boxer dogs. <i>Journal of Veterinary Internal Medicine</i> , 2020, 34, 2068-2077.	0.6	8

#	ARTICLE	IF	CITATIONS
1297	What Can Machine Learning Approaches in Genomics Tell Us about the Molecular Basis of Amyotrophic Lateral Sclerosis?. <i>Journal of Personalized Medicine</i> , 2020, 10, 247.	1.1	14
1298	A framework for modeling epistatic interaction. <i>Bioinformatics</i> , 2021, 37, 1708-1716.	1.8	5
1299	Job Scheduling Strategies for Parallel Processing. <i>Lecture Notes in Computer Science</i> , 2020, , .	1.0	0
1300	Association of ESR1 (rs2234693 and rs9340799), CETP (rs708272), MTHFR (rs1801133 and rs2274976) and MS (rs185087) polymorphisms with Coronary Artery Disease (CAD). <i>BMC Cardiovascular Disorders</i> , 2020, 20, 340.	0.7	18
1301	Association between Platelet-Specific Collagen Receptor Glycoprotein 6 Gene Variants, Selected Biomarkers, and Recurrent Pregnancy Loss in Korean Women. <i>Genes</i> , 2020, 11, 862.	1.0	1
1302	Cytokine genes multi-locus analysis reveals synergistic influence on genetic susceptibility in Indian SLE – A multifactor-dimensionality reduction approach. <i>Cytokine</i> , 2020, 135, 155240.	1.4	3
1304	Polymorphisms of C-reactive protein and growth arrest-specific gene 6 modulate ischemic stroke susceptibility through gene-gene interactions in Chinese Han population. <i>Biotechnology and Biotechnological Equipment</i> , 2020, 34, 937-945.	0.5	1
1305	Evaluation of Existing Methods for High-Order Epistasis Detection. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2022, 19, 912-926.	1.9	9
1306	A new efficient method to detect genetic interactions for lung cancer GWAS. <i>BMC Medical Genomics</i> , 2020, 13, 162.	0.7	3
1307	Does the Brain-Derived Neurotrophic Factor Val66Met Polymorphism Modulate the Effects of Physical Activity and Exercise on Cognition?. <i>Neuroscientist</i> , 2022, 28, 69-86.	2.6	10
1308	JS-MA: A Jensen-Shannon Divergence Based Method for Mapping Genome-Wide Associations on Multiple Diseases. <i>Frontiers in Genetics</i> , 2020, 11, 507038.	1.1	6
1309	Deep Learning for Intradialytic Hypotension Prediction in Hemodialysis Patients. <i>IEEE Access</i> , 2020, 8, 82382-82390.	2.6	17
1310	Gene-Gene Interaction Analysis for the Survival Phenotype Based on the Kaplan-Meier Median Estimate. <i>BioMed Research International</i> , 2020, 2020, 1-10.	0.9	5
1311	DNA repair genes hOGG1, XRCC1 and ERCC2 polymorphisms and their molecular mapping in breast cancer patients from India. <i>Molecular Biology Reports</i> , 2020, 47, 5081-5090.	1.0	4
1312	Information Theory in Computational Biology: Where We Stand Today. <i>Entropy</i> , 2020, 22, 627.	1.1	27
1313	Fuzzy Logic System Application for Detecting SNP-SNP Interaction. <i>IEEE Access</i> , 2020, 8, 49951-49960.	2.6	3
1314	Enhanced Permutation Tests via Multiple Pruning. <i>Frontiers in Genetics</i> , 2020, 11, 509.	1.1	4
1315	SHEIB-AGM: A Novel Stochastic Approach for Detecting High-Order Epistatic Interactions Using Bioinformation With Automatic Gene Matrix in Genome-Wide Association Studies. <i>IEEE Access</i> , 2020, 8, 21676-21693.	2.6	0

#	ARTICLE	IF	CITATIONS
1316	An Accidental Genetic Epidemiologist. Annual Review of Genomics and Human Genetics, 2020, 21, 15-36.	2.5	0
1317	A Geometry-Based Multiple Testing Correction for Contingency Tables by Truncated Normal Distribution. Statistics in Biosciences, 2020, 12, 63-77.	0.6	0
1318	Gene-to-gene interactions and the association of TP53, XRCC1, TNF α , HMMR, MDM2 and PALB2 with breast cancer in Kyrgyz females. Breast Cancer, 2020, 27, 938-946.	1.3	5
1319	Multipopulation harmony search algorithm for the detection of high-order SNP interactions. Bioinformatics, 2020, 36, 4389-4398.	1.8	29
1320	The Role of Intergenic Interactions of Neurotrophic and Neurotransmitter System Genes in the Development of Susceptibility to Paranoid Schizophrenia. Russian Journal of Genetics, 2020, 56, 79-87.	0.2	0
1321	The interaction of ASAH1 and NGF gene involving in neurotrophin signaling pathway contributes to schizophrenia susceptibility and psychopathology. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 104, 110015.	2.5	12
1322	A differential evolution based feature combination selection algorithm for high-dimensional data. Information Sciences, 2021, 547, 870-886.	4.0	31
1323	Potential interactions among single nucleotide polymorphisms in bone and cartilage related genes in skeletal malocclusions. Orthodontics and Craniofacial Research, 2021, 24, 277-287.	1.2	25
1324	Evolution in alternating environments with tunable interlandscape correlations. Evolution; International Journal of Organic Evolution, 2021, 75, 10-24.	1.1	11
1325	Investigation of Genetic Polymorphisms in BMP2, BMP4, SMAD6, and RUNX2 and Persistent Apical Periodontitis. Journal of Endodontics, 2021, 47, 278-285.	1.4	13
1326	Interaction between three stress-related gene polymorphisms and food addiction increases the risk to develop obesity in a sample of Mexican people attending a nutrition clinic. Psychoneuroendocrinology, 2021, 125, 105099.	1.3	4
1327	Approaches for the integration of big data in translational medicine: single cell and computational methods. Annals of the New York Academy of Sciences, 2021, 1493, 3-28.	1.8	8
1328	An Approach of Epistasis Detection Using Integer Linear Programming Optimizing Bayesian Network. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2022, 19, 2654-2671.	1.9	1
1329	Impact of xenobiotic-metabolizing gene polymorphisms on breast cancer risk in South Indian women. Breast Cancer Research and Treatment, 2021, 186, 823-837.	1.1	5
1330	Exome-Wide Association Study Identifies <i>FN3KRP</i> and <i>PGP</i> as New Candidate Longevity Genes. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 786-795.	1.7	14
1331	Efficient kernel-based variable selection with sparsistency. Statistica Sinica, 2021, , .	0.2	1
1332	TP53 common variants and interaction with PPP1R13L and CD3EAP SNPs and lung cancer risk and smoking behavior in a Chinese population. Biomedical Journal, 2022, 45, 169-178.	1.4	4
1333	Methods for Association Studies. , 2021, , 89-121.		1

#	ARTICLE	IF	CITATIONS
1334	W-Test for Genetic Epistasis Testing. <i>Methods in Molecular Biology</i> , 2021, 2212, 45-53.	0.4	0
1335	A Framework for Efficient N-Way Interaction Testing in Case/Control Studies With Categorical Data. <i>IEEE Open Journal of Engineering in Medicine and Biology</i> , 2021, 2, 256-262.	1.7	0
1336	Empowering individual trait prediction using interactions for precision medicine. <i>BMC Bioinformatics</i> , 2021, 22, 74.	1.2	3
1337	Association of vitamin D receptor gene polymorphisms with gestational diabetes mellitus-a case control study in Wuhan, China. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 142.	0.9	12
1338	Performance of model-based multifactor dimensionality reduction methods for epistasis detection by controlling population structure. <i>BioData Mining</i> , 2021, 14, 16.	2.2	2
1339	Genome-wide epistasis analysis for Alzheimer's disease and implications for genetic risk prediction. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 55.	3.0	24
1340	Pediatric Non-Alcoholic Fatty Liver Disease Is Affected by Genetic Variants Involved in Lifespan/Healthspan. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 73, 161-168.	0.9	4
1341	A comparative study on the unified model based multifactor dimensionality reduction methods for identifying gene-gene interactions associated with the survival phenotype. <i>BioData Mining</i> , 2021, 14, 17.	2.2	2
1342	Optimized permutation testing for information theoretic measures of multi-gene interactions. <i>BMC Bioinformatics</i> , 2021, 22, 180.	1.2	2
1343	IP6K3 and IPMK variations in LOAD and longevity: Evidence for a multifaceted signaling network at the crossroad between neurodegeneration and survival. <i>Mechanisms of Ageing and Development</i> , 2021, 195, 111439.	2.2	9
1344	Utilizing machine learning dimensionality reduction for risk stratification of chest pain patients in the emergency department. <i>BMC Medical Research Methodology</i> , 2021, 21, 74.	1.4	7
1345	RIL-StEp: epistasis analysis of rice recombinant inbred lines reveals candidate interacting genes that control seed hull color and leaf chlorophyll content. <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .	0.8	6
1346	Genetic interactions effects for cancer disease identification using computational models: a review. <i>Medical and Biological Engineering and Computing</i> , 2021, 59, 733-758.	1.6	7
1347	Association between HOTAIR lncRNA Polymorphisms and Coronary Artery Disease Susceptibility. <i>Journal of Personalized Medicine</i> , 2021, 11, 375.	1.1	9
1348	Single nucleotide polymorphisms of TRAF2 and TRAF5 gene in ankylosing spondylitis: a case-control study. <i>Clinical and Experimental Medicine</i> , 2021, 21, 645-653.	1.9	3
1349	Effect of interaction between obesity-promoting genetic variants and behavioral factors on the risk of obese phenotypes. <i>Molecular Genetics and Genomics</i> , 2021, 296, 919-938.	1.0	6
1350	Progesterone promotes immunomodulation and tumor development in the murine mammary gland. , 2021, 9, e001710.		12
1351	Association of CASR, CALCR, and ORAI1 Genes Polymorphisms With the Calcium Urolithiasis Development in Russian Population. <i>Frontiers in Genetics</i> , 2021, 12, 621049.	1.1	5

#	ARTICLE	IF	CITATIONS
1352	Artificial Intelligence in Epigenetic Studies: Shedding Light on Rare Diseases. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 648012.	1.6	11
1353	Parathyroid Hormone Gene and Genes Involved in the Maintenance of Vitamin D Levels Association with Mandibular Retrognathism. <i>Journal of Personalized Medicine</i> , 2021, 11, 369.	1.1	9
1354	High-Dimensional Interaction Detection With False Sign Rate Control. <i>Journal of Business and Economic Statistics</i> , 2022, 40, 1234-1245.	1.8	4
1355	Genetic Polymorphisms in miR-604A>G, miR-938G>A, miR-1302-3C>T and the Risk of Idiopathic Recurrent Pregnancy Loss. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6127.	1.8	10
1356	Germline Variants and Genetic Interactions of Several EMT Regulatory Genes Increase the Risk of HBV-Related Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 564477.	1.3	2
1357	Association between endothelial nitric oxide synthase and the renin-angiotensin-aldosterone system polymorphisms, blood pressure and training status in normotensive/pre-hypertension and hypertensive older adults: a pilot study. <i>Clinical and Experimental Hypertension</i> , 2021, 43, 661-670.	0.5	4
1358	Novel EDGE encoding method enhances ability to identify genetic interactions. <i>PLoS Genetics</i> , 2021, 17, e1009534.	1.5	5
1359	3â€²-UTR Polymorphisms in Thymidylate Synthase with Colorectal Cancer Prevalence and Prognosis. <i>Journal of Personalized Medicine</i> , 2021, 11, 537.	1.1	4
1360	Investigation of high correlation with carcass traits of SNPs of the PLCB1, C/EBPÎ±, and TDRKH genes and the combinations of SNPs using the MDR method in the Hanwoo. <i>Genes and Genomics</i> , 2021, 43, 961-973.	0.5	1
1361	Genotype Pattern Mining for Pairs of Interacting Variants Underlying Digenic Traits. <i>Genes</i> , 2021, 12, 1160.	1.0	6
1363	Multilevel thresholding based follicle detection and classification of polycystic ovary syndrome from the ultrasound images using machine learning. <i>International Journal of Systems Assurance Engineering and Management</i> , 0, , 1.	1.5	15
1364	The Association between 5-Hydroxytryptamine Receptor 1B rs13212041 Polymorphism and Trait Anxiety in Chinese Han College Subjects. <i>Life</i> , 2021, 11, 882.	1.1	1
1365	Interaction analysis of Mycobacterium tuberculosis between the host environment and highly mutated genes from population genetic structure comparison. <i>Medicine (United States)</i> , 2021, 100, e27125.	0.4	3
1366	MIDESP: Mutual Information-Based Detection of Epistatic SNP Pairs for Qualitative and Quantitative Phenotypes. <i>Biology</i> , 2021, 10, 921.	1.3	3
1367	EpiHNet: Detecting Epistasis by Heterogeneous Molecule Network. <i>Methods</i> , 2021, , .	1.9	3
1368	Utility of linking survey and registry data to evaluate interventions and policies to address disparities in breast cancer survivorship among young women. <i>Evaluation and Program Planning</i> , 2021, 88, 101967.	0.9	0
1369	Role of Genetic Interactions in Lung Diseases Detection using Computational Approaches: A Review. <i>Current Chinese Computer Science</i> , 2021, 01, .	0.5	0
1370	A Belief Degreeâ€”Associated Fuzzy Multifactor Dimensionality Reduction Framework for Epistasis Detection. <i>Methods in Molecular Biology</i> , 2021, 2212, 307-323.	0.4	0

#	ARTICLE	IF	CITATIONS
1371	First-Order Correction of Statistical Significance for Screening Two-Way Epistatic Interactions. <i>Methods in Molecular Biology</i> , 2021, 2212, 181-190.	0.4	0
1372	Association analysis between the interaction of RAS family genes mutations and papillary thyroid carcinoma in the Han Chinese population. <i>International Journal of Medical Sciences</i> , 2021, 18, 441-447.	1.1	4
1373	MOAI: a multi-outcome interaction identification approach reveals an interaction between vaspin and carcinoembryonic antigen on colorectal cancer prognosis. <i>Briefings in Bioinformatics</i> , 2022, 23, .	3.2	0
1374	Obesity, dyslipidaemia and candidate gene polymorphisms: a cross-sectional study among the Liangmai and Mizo tribes of Manipur, India. <i>Annals of Medicine</i> , 2021, 53, 1439-1447.	1.5	0
1375	EpiMC: Detecting Epistatic Interactions Using Multiple Clusterings. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2022, 19, 243-254.	1.9	5
1377	Generalisation and Model Selection in Supervised Learning with Evolutionary Computation. <i>Lecture Notes in Computer Science</i> , 2003, , 119-130.	1.0	10
1379	Cellular Automata and Genetic Algorithms for Parallel Problem Solving in Human Genetics. <i>Lecture Notes in Computer Science</i> , 2002, , 821-830.	1.0	5
1380	Genome-Wide Genetic Analysis Using Genetic Programming: The Critical Need for Expert Knowledge. , 2007, , 11-28.		27
1381	Solving Complex Problems in Human Genetics Using Genetic Programming: The Importance of Theorist-Practitionercomputer Interaction. , 2008, , 69-85.		5
1382	Does Complexity Matter? Artificial Evolution, Computational Evolution and the Genetic Analysis of Epistasis in Common Human Diseases.. <i>Genetic and Evolutionary Computation</i> , 2009, , 1-19.	1.0	7
1383	Environmental Sensing of Expert Knowledge in a Computational Evolution System for Complex Problem Solving in Human Genetics. <i>Genetic and Evolutionary Computation</i> , 2010, , 19-36.	1.0	11
1384	Exploiting Expert Knowledge of Protein-Protein Interactions in a Computational Evolution System for Detecting Epistasis. <i>Genetic and Evolutionary Computation</i> , 2011, , 195-210.	1.0	5
1385	Evolutionary Computation in Microarray Data Analysis. , 2002, , 23-35.		6
1386	Bioinformatics Challenges in Genome-Wide Association Studies (GWAS). <i>Methods in Molecular Biology</i> , 2014, 1168, 63-81.	0.4	40
1387	Epistasis Analysis Using Information Theory. <i>Methods in Molecular Biology</i> , 2015, 1253, 257-268.	0.4	15
1388	Epistasis Analysis Using ReliefF. <i>Methods in Molecular Biology</i> , 2015, 1253, 315-325.	0.4	13
1389	Epistasis Analysis Using Artificial Intelligence. <i>Methods in Molecular Biology</i> , 2015, 1253, 327-346.	0.4	1
1390	Central Limit Theorem Related to MDR-Method. <i>Fields Institute Communications</i> , 2015, , 113-128.	0.6	1

#	ARTICLE	IF	CITATIONS
1391	Linkage Disequilibrium Mapping for Complex Disease Genes. <i>Methods in Molecular Biology</i> , 2007, 376, 85-107.	0.4	5
1392	Strategies to Identify Pharmacogenomic Biomarkers: Candidate Gene, Pathway-Based, and Genome-Wide Approaches. , 2008, , 353-370.		2
1393	DAM: A Bayesian Method for Detecting Genome-wide Associations on Multiple Diseases. <i>Lecture Notes in Computer Science</i> , 2015, , 96-107.	1.0	6
1394	A Multifactor Dimensionality Reduction Based Associative Classification for Detecting SNP Interactions. <i>Lecture Notes in Computer Science</i> , 2015, , 328-336.	1.0	5
1395	Improving Strategy for Discovering Interacting Genetic Variants in Association Studies. <i>Lecture Notes in Computer Science</i> , 2016, , 461-469.	1.0	4
1396	Tuning Hyperparameters for Gene Interaction Models in Genome-Wide Association Studies. <i>Lecture Notes in Computer Science</i> , 2017, , 791-801.	1.0	5
1397	Feature Selection for Detecting Gene-Gene Interactions in Genome-Wide Association Studies. <i>Lecture Notes in Computer Science</i> , 2018, , 33-46.	1.0	2
1398	Genetic Programming Neural Networks as a Bioinformatics Tool for Human Genetics. <i>Lecture Notes in Computer Science</i> , 2004, , 438-448.	1.0	25
1399	Tuning ReliefF for Genome-Wide Genetic Analysis. , 2007, , 166-175.		117
1400	An Expert Knowledge-Guided Mutation Operator for Genome-Wide Genetic Analysis Using Genetic Programming. <i>Lecture Notes in Computer Science</i> , 2007, , 30-40.	1.0	17
1401	Development and Evaluation of an Open-Ended Computational Evolution System for the Genetic Analysis of Susceptibility to Common Human Diseases. , 2008, , 129-140.		23
1402	Ant Colony Optimization for Genome-Wide Genetic Analysis. <i>Lecture Notes in Computer Science</i> , 2008, , 37-47.	1.0	38
1403	Association Analysis Techniques for Bioinformatics Problems. <i>Lecture Notes in Computer Science</i> , 2009, , 1-13.	1.0	17
1404	Optimal Use of Expert Knowledge in Ant Colony Optimization for the Analysis of Epistasis in Human Disease. <i>Lecture Notes in Computer Science</i> , 2009, , 92-103.	1.0	21
1405	COE: A General Approach for Efficient Genome-Wide Two-Locus Epistasis Test in Disease Association Study. <i>Lecture Notes in Computer Science</i> , 2009, , 253-269.	1.0	10
1406	The Informative Extremes: Using Both Nearest and Farthest Individuals Can Improve Relief Algorithms in the Domain of Human Genetics. <i>Lecture Notes in Computer Science</i> , 2010, , 182-193.	1.0	24
1407	A Model Free Method to Generate Human Genetics Datasets with Complex Gene-Disease Relationships. <i>Lecture Notes in Computer Science</i> , 2010, , 74-85.	1.0	2
1408	Grammatical Evolution of Neural Networks for Discovering Epistasis among Quantitative Trait Loci. <i>Lecture Notes in Computer Science</i> , 2010, , 86-97.	1.0	15

#	ARTICLE	IF	CITATIONS
1409	Grammatical Evolution Decision Trees for Detecting Gene-Gene Interactions. Lecture Notes in Computer Science, 2010, , 98-109.	1.0	3
1410	Sensible Initialization of a Computational Evolution System Using Expert Knowledge for Epistasis Analysis in Human Genetics. Adaptation, Learning, and Optimization, 2010, , 215-226.	0.5	9
1411	Novel Two-Stage Analytic Approach in Extraction of Strong Herb-Herb Interactions in TCM Clinical Treatment of Insomnia. Lecture Notes in Computer Science, 2010, , 258-267.	1.0	13
1412	PAKDD Data Mining Competition 2009: New Ways of Using Known Methods. Lecture Notes in Computer Science, 2010, , 99-105.	1.0	6
1413	The Application of Pittsburgh-Style Learning Classifier Systems to Address Genetic Heterogeneity and Epistasis in Association Studies. , 2010, , 404-413.		8
1414	Discovering Influential Variables: A General Computer Intensive Method for Common Genetic Disorders. , 2011, , 87-107.		1
1415	Supervising Random Forest Using Attribute Interaction Networks. Lecture Notes in Computer Science, 2013, , 104-116.	1.0	3
1416	Cell-Based Metrics Improve the Detection of Gene-Gene Interactions Using Multifactor Dimensionality Reduction. Lecture Notes in Computer Science, 2013, , 200-211.	1.0	2
1417	Xenobiotic Metabolism and Cancer Susceptibility. Handbook of Experimental Pharmacology, 2003, , 253-269.	0.9	3
1418	Genetic Contribution of Variants in GABAergic Signaling to Nicotine Dependence. , 2018, , 95-105.		1
1419	Assessing genotype-environment interactions and correlations in the postgenomic era.. , 2003, , 71-86.		14
1420	Generating genetic risk scores from intermediate phenotypes for use in association studies of clinically significant endpoints. Annals of Human Genetics, 2005, 69, 176-86.	0.3	40
1427	Emergence of pathway-level composite biomarkers from converging gene set signals of heterogeneous transcriptomic responses. , 2018, , .		10
1428	BINNING SOMATIC MUTATIONS BASED ON BIOLOGICAL KNOWLEDGE FOR PREDICTING SURVIVAL: AN APPLICATION IN RENAL CELL CARCINOMA. , 2014, , .		24
1429	Combined Genotype Effects of <i>TP53</i> and <i>PAI-1</i> Polymorphisms in Breast Cancer Susceptibility: Multifactor Dimensionality Reduction and in silico Analysis. Human Heredity, 2020, 85, 51-60.	0.4	6
1430	Gene Polymorphism Association with Type 2 Diabetes and Related Gene-Gene and Gene-Environment Interactions in a Uyghur Population. Medical Science Monitor, 2016, 22, 474-87.	0.5	17
1431	Further investigations of the W-test for pairwise epistasis testing. Wellcome Open Research, 2017, 2, 54.	0.9	1
1432	High-order epistasis shapes evolutionary trajectories. PLoS Computational Biology, 2017, 13, e1005541.	1.5	97

#	ARTICLE	IF	CITATIONS
1433	Epistatic Module Detection for Case-Control Studies: A Bayesian Model with a Gibbs Sampling Strategy. <i>PLoS Genetics</i> , 2009, 5, e1000464.	1.5	100
1434	Survival of the Curviest: Noise-Driven Selection for Synergistic Epistasis. <i>PLoS Genetics</i> , 2016, 12, e1006003.	1.5	5
1435	C2 and CFB Genes in Age-Related Maculopathy and Joint Action with CFH and LOC387715 Genes. <i>PLoS ONE</i> , 2008, 3, e2199.	1.1	85
1436	A General Framework for Formal Tests of Interaction after Exhaustive Search Methods with Applications to MDR and MDR-PDT. <i>PLoS ONE</i> , 2010, 5, e9363.	1.1	13
1437	Gene-Gene Interactions Lead to Higher Risk for Development of Type 2 Diabetes in an Ashkenazi Jewish Population. <i>PLoS ONE</i> , 2010, 5, e9903.	1.1	52
1438	The Impact of Phenocopy on the Genetic Analysis of Complex Traits. <i>PLoS ONE</i> , 2010, 5, e11876.	1.1	19
1439	Cardiovascular Risk Associated with Interactions among Polymorphisms in Genes from the Renin-Angiotensin, Bradykinin, and Fibrinolytic Systems. <i>PLoS ONE</i> , 2010, 5, e12757.	1.1	11
1440	Systematical Detection of Significant Genes in Microarray Data by Incorporating Gene Interaction Relationship in Biological Systems. <i>PLoS ONE</i> , 2010, 5, e13721.	1.1	3
1441	Using Genetic Variation and Environmental Risk Factor Data to Identify Individuals at High Risk for Age-Related Macular Degeneration. <i>PLoS ONE</i> , 2011, 6, e17784.	1.1	40
1442	An Exhaustive, Non-Euclidean, Non-Parametric Data Mining Tool for Unraveling the Complexity of Biological Systems – Novel Insights into Malaria. <i>PLoS ONE</i> , 2011, 6, e24085.	1.1	9
1443	Multiple Analytical Approaches Reveal Distinct Gene-Environment Interactions in Smokers and Non Smokers in Lung Cancer. <i>PLoS ONE</i> , 2011, 6, e29431.	1.1	63
1444	Gene-Gene and Gene-Environmental Interactions of Childhood Asthma: A Multifactor Dimension Reduction Approach. <i>PLoS ONE</i> , 2012, 7, e30694.	1.1	50
1445	Gene-Gene Interaction and Functional Impact of Polymorphisms on Innate Immune Genes in Controlling Plasmodium falciparum Blood Infection Level. <i>PLoS ONE</i> , 2012, 7, e46441.	1.1	15
1446	Mining Pure, Strict Epistatic Interactions from High-Dimensional Datasets: Ameliorating the Curse of Dimensionality. <i>PLoS ONE</i> , 2012, 7, e46771.	1.1	14
1447	Epistasis Analysis for Estrogen Metabolic and Signaling Pathway Genes on Young Ischemic Stroke Patients. <i>PLoS ONE</i> , 2012, 7, e47773.	1.1	11
1448	Genome-Wide Search for Gene-Gene Interactions in Colorectal Cancer. <i>PLoS ONE</i> , 2012, 7, e52535.	1.1	35
1449	A Simple and Computationally Efficient Approach to Multifactor Dimensionality Reduction Analysis of Gene-Gene Interactions for Quantitative Traits. <i>PLoS ONE</i> , 2013, 8, e66545.	1.1	82
1450	Polymorphisms in the mTOR Gene and Risk of Sporadic Prostate Cancer in an Eastern Chinese Population. <i>PLoS ONE</i> , 2013, 8, e71968.	1.1	31

#	ARTICLE	IF	CITATIONS
1451	Interaction between \hat{I}^3 -Aminobutyric Acid A Receptor Genes: New Evidence in Migraine Susceptibility. PLoS ONE, 2013, 8, e74087.	1.1	18
1452	The Interaction of BDNF and NTRK2 Gene Increases the Susceptibility of Paranoid Schizophrenia. PLoS ONE, 2013, 8, e74264.	1.1	38
1453	WNT Signaling Pathway Gene Polymorphisms and Risk of Hepatic Fibrosis and Inflammation in HCV-Infected Patients. PLoS ONE, 2013, 8, e84407.	1.1	16
1454	Genetic Variants in MicroRNA Machinery Genes Are Associate with Idiopathic Recurrent Pregnancy Loss Risk. PLoS ONE, 2014, 9, e95803.	1.1	33
1455	Research on Single Nucleotide Polymorphisms Interaction Detection from Network Perspective. PLoS ONE, 2015, 10, e0119146.	1.1	14
1456	Robust Gene-Gene Interaction Analysis in Genome Wide Association Studies. PLoS ONE, 2015, 10, e0135016.	1.1	6
1457	Association of miR-146a, miR-149, miR-196a2, and miR-499 Polymorphisms with Ossification of the Posterior Longitudinal Ligament of the Cervical Spine. PLoS ONE, 2016, 11, e0159756.	1.1	14
1458	SNP-SNP Interaction Analysis on Soybean Oil Content under Multi-Environments. PLoS ONE, 2016, 11, e0163692.	1.1	5
1459	miR-27a and miR-449b polymorphisms associated with a risk of idiopathic recurrent pregnancy loss. PLoS ONE, 2017, 12, e0177160.	1.1	32
1460	A Deep Learning Approach to Detect SNP Interactions. Journal of Software, 2016, 11, 965-975.	0.6	32
1461	Genetic variants in RET, ARHGEF3 and CTNNAL1, and relevant interaction networks, contribute to the risk of Hirschsprung disease. Aging, 2020, 12, 4379-4393.	1.4	7
1462	Gene polymorphisms in the PI3K/AKT/mTOR signaling pathway contribute to prostate cancer susceptibility in Chinese men. Oncotarget, 2017, 8, 61305-61317.	0.8	11
1463	Association of FOXF2 gene polymorphisms with ischemic stroke in Chinese Han population. Oncotarget, 2017, 8, 89867-89875.	0.8	3
1464	The search for gene-gene interactions in genome-wide association studies: challenges in abundance of methods, practical considerations, and biological interpretation. Annals of Translational Medicine, 2018, 6, 157-157.	0.7	69
1465	GMDR: Versatile Software for Detecting Gene-Gene and Gene-Environment Interactions Underlying Complex Traits. Current Genomics, 2016, 17, 396-402.	0.7	44
1466	HS-MMGKG: A Fast Multi-objective Harmony Search Algorithm for Two-locus Model Detection in GWAS. Current Bioinformatics, 2019, 14, 749-761.	0.7	9
1467	On Epistasis: A Methodological Review for Detecting Gene-Gene Interactions Underlying Various Types of Phenotypic Traits. Recent Patents on Biotechnology, 2012, 6, 230-236.	0.4	8
1468	The Pathway Less Traveled: Moving from Candidate Genes to Candidate Pathways in the Analysis of Genome-Wide Data from Large Scale Pharmacogenetic Association Studies. Current Pharmacogenomics and Personalized Medicine, 2008, 6, 150-159.	0.2	42

#	ARTICLE	IF	CITATIONS
1469	Multicollinearity. , 2010, , 836-843.		1
1470	Replication of relevant SNPs associated with cardiovascular disease susceptibility obtained from GWAs in a case-control study in a Canarian population. <i>Disease Markers</i> , 2012, 32, 231-9.	0.6	6
1471	A Polygenic Approach to the Study of Polygenic Diseases. <i>Acta Naturae</i> , 2012, 4, 59-71.	1.7	64
1473	Evaluation of a discrete dynamic systems approach for modeling the hierarchical relationship between genes, biochemistry, and disease susceptibility. <i>Discrete and Continuous Dynamical Systems - Series B</i> , 2003, 4, 275-287.	0.5	2
1474	GA-Based Data Mining Applied to Genetic Data for the Diagnosis of Complex Diseases. , 2010, , 219-239.		5
1475	An Improved Markov Blanket Approach to Detect SNPs-Disease Associations in Case-Control Studies. <i>International Journal of Digital Content Technology and Its Applications</i> , 2012, 6, 278-286.	0.1	2
1476	Epistatic Control of Mammary Cancer Susceptibility in Mice may Depend on the Dietary Environment. <i>Hereditary Genetics: Current Research</i> , 2012, 01, 108.	0.1	2
1477	A Combinatorial Analysis of Genetic Data for Crohn's Disease. <i>Journal of Biomedical Science and Engineering</i> , 2008, 01, 52-58.	0.2	1
1478	Statistical Methods of SNP Data Analysis and Applications. <i>Open Journal of Statistics</i> , 2012, 02, 73-87.	0.3	11
1479	Interaction between ALOX5AP-SG13S114A/T and COX-2-765G/C increases susceptibility to cerebral infarction in a Chinese population. <i>Genetics and Molecular Research</i> , 2013, 12, 1660-1669.	0.3	16
1480	A novel method for identifying SNP disease association based on maximal information coefficient. <i>Genetics and Molecular Research</i> , 2014, 13, 10863-10877.	0.3	9
1481	Lack of Association between Glutathione S-Transferase-M1, -T1, and -P1 Polymorphisms and Olanzapine-Induced Weight Gain in Korean Schizophrenic Patients. <i>Psychiatry Investigation</i> , 2010, 7, 147.	0.7	6
1482	A faster pedigree-based generalized multifactor dimensionality reduction method for detecting gene-gene interactions. <i>Statistics and Its Interface</i> , 2011, 4, 295-304.	0.2	11
1483	Multifactor Dimensionality Reduction(MDR) Analysis by Dummy Variables. <i>Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics</i> , 2009, 22, 435-442.	0.0	4
1484	Detection of superior genotype of fatty acid synthase in Korean native cattle by an environment-adjusted statistical model. <i>Asian-Australasian Journal of Animal Sciences</i> , 2017, 30, 765-772.	2.4	6
1485	Multifactor Dimensionality Reduction (MDR) Analysis to Detect Single Nucleotide Polymorphisms Associated with a Carcass Trait in a Hanwoo Population. <i>Asian-Australasian Journal of Animal Sciences</i> , 2008, 21, 784-788.	2.4	16
1486	A SNP Harvester Analysis to Better Detect SNPs of CCDC158 Gene That Are Associated with Carcass Quality Traits in Hanwoo. <i>Asian-Australasian Journal of Animal Sciences</i> , 2013, 26, 766-771.	2.4	5
1487	Identification of Stearoyl-CoA Desaturase (SCD) Gene Interactions in Korean Native Cattle Based on the Multifactor-dimensionality Reduction Method. <i>Asian-Australasian Journal of Animal Sciences</i> , 2013, 26, 1218-1228.	2.4	10

#	ARTICLE	IF	CITATIONS
1488	Network Graph Analysis of Gene-Gene Interactions in Genome-Wide Association Study Data. <i>Genomics and Informatics</i> , 2012, 10, 256.	0.4	7
1489	Efficient Strategy to Identify Gene-Gene Interactions and Its Application to Type 2 Diabetes. <i>Genomics and Informatics</i> , 2016, 14, 160.	0.4	4
1490	Gene-Gene Interaction Analysis for the Accelerated Failure Time Model Using a Unified Model-Based Multifactor Dimensionality Reduction Method. <i>Genomics and Informatics</i> , 2016, 14, 166.	0.4	7
1491	EFMDR-Fast: An Application of Empirical Fuzzy Multifactor Dimensionality Reduction for Fast Execution. <i>Genomics and Informatics</i> , 2018, 16, e37.	0.4	4
1492	Highly robust methods in data mining. <i>Serbian Journal of Management</i> , 2013, 8, 9-24.	0.4	10
1493	PBEAM: A parallel implementation of BEAM for genome-wide inference of epistatic interactions. <i>Bioinformatics</i> , 2009, 3, 349-351.	0.2	7
1494	Systematic Investigation on Interactions for HIV Drug Resistance and Cross-Resistance among Protease Inhibitors. <i>Journal of Proteome Science and Computational Biology</i> , 2012, 1, 2.	1.0	6
1495	The Methylenetetrahydrofolate Reductase C677T Polymorphism Influences Risk of Esophageal Cancer in Chinese. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 3163-3168.	0.5	5
1496	An extension of multifactor dimensionality reduction method for detecting gene-gene interactions with the survival time. <i>Journal of the Korean Data and Information Science Society</i> , 2014, 25, 1057-1067.	0.0	6
1497	Statistical analysis for genome-wide association study. <i>Journal of Biomedical Research</i> , 2015, 29, 285.	0.7	73
1498	Interaction of Wnt pathway related variants with type 2 diabetes in a Chinese Han population. <i>PeerJ</i> , 2015, 3, e1304.	0.9	5
1499	Spatial rank-based multifactor dimensionality reduction to detect gene-gene interactions for multivariate phenotypes. <i>BMC Bioinformatics</i> , 2021, 22, 480.	1.2	3
1500	Machine Learning to Identify Interaction of Single-Nucleotide Polymorphisms as a Risk Factor for Chronic Drug-Induced Liver Injury. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10603.	1.2	4
1502	Genetic Polymorphism of N -Acetyltransferase Genes as Risk Modifiers of Colorectal Cancer from Consumption of Well-Done Meat. , 2006, , 189-212.		0
1503	Genetic Polymorphism of N -Acetyltransferase Genes as Risk Modifiers of Colorectal Cancer from Consumption of Well-Done Meat. , 2006, , 189-212.		0
1504	ã,çãf¬ãf«ã,®ãf¼ç¬¾æ,£ã®éã¼è ã. Nihon Shoni Arerugi Gakkaiishi the Japanese Journal of Pediatric Allergy and Clinical Immunology, 2007, 21, 69-74.	0.0	0
1506	Human Genome Project, Genomics, and Clinical Research. , 2007, , 405-420.		0
1507	Linkage Disequilibrium and Test for Interaction Between Two Loci. , 2007, , 209-254.		1

#	ARTICLE	IF	CITATIONS
1508	Insulin Resistance and Metabolic Syndrome. , 2007, , 883-928.		0
1510	Major SNP Marker Identification with MDR and CART Application. Communications for Statistical Applications and Methods, 2008, 15, 265-271.	0.1	0
1511	Novel Analytical Methods for Association Studies. , 2008, , 169-187.		0
1512	Statistical Approaches to Studies of Gene-Gene and Gene-Environment Interactions. , 2008, , 145-167.		0
1513	Important SNPs Identification from the Economic Traits for the High Quality Korean Cattle. Communications for Statistical Applications and Methods, 2009, 16, 67-74.	0.1	1
1514	Estrogen-Metabolizing Gene Polymorphisms, Genetic Susceptibility, and Pharmacogenomics. , 2009, , 285-314.		0
1515	A Study on the Comparison between E-MDR and D-MDR in Continuous Data. Communications for Statistical Applications and Methods, 2009, 16, 579-586.	0.1	2
1516	Identify Major Gene-Gene Interaction Effects Using SNPHarvester. Communications for Statistical Applications and Methods, 2009, 16, 915-923.	0.1	2
1517	Study Gene Interaction Effect Based on Expanded Multifactor Dimensionality Reduction Algorithm. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2009, 22, 1239-1247.	0.0	0
1518	Statistics for Testing Gene-Environment Interaction. , 2010, , 53-95.		0
1519	Incorporating Domain Knowledge into Evolutionary Computing for Discovering Gene-Gene Interaction. , 2010, , 394-403.		0
1520	Hashimoto's Thyroiditis with Petri Nets. Lecture Notes in Computer Science, 2010, , 53-61.	1.0	0
1521	Employing Publically Available Biological Expert Knowledge from Protein-Protein Interaction Information. Lecture Notes in Computer Science, 2010, , 395-406.	1.0	0
1523	Statistical Interaction for Major Gene Combinations. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2010, 23, 693-703.	0.0	0
1524	Prediction of SNP interactions in complex diseases with mutual information and boolean algebra. Journal of the Korea Society of Computer and Information, 2010, 15, 215-224.	0.0	1
1525	Grid-Enabled Framework for Large-Scale Analysis of Gene-Gene Interactions. Communications in Computer and Information Science, 2011, , 348-357.	0.4	0
1527	A Comparison Study on SVM MDR and D-MDR for Detecting Gene-Gene Interaction in Continuous Data. Communications for Statistical Applications and Methods, 2011, 18, 413-422.	0.1	0
1529	USE OF MOLECULAR GENETIC METHODS IN THE STUDY OF HEREDITARY PREDISPOSITION TO ATOPIC DISEASES INCHILDREN. Russian Journal of Allergy, 2011, 8, 48-55.	0.1	1

#	ARTICLE	IF	CITATIONS
1530	A Restricted Partition Method to Detect Single Nucleotide Polymorphisms for a Carcass Trait in Hanwoo. Asian-Australasian Journal of Animal Sciences, 2011, 24, 1525-1528.	2.4	0
1531	Exploration of the Gene-Gene Interactions Using the Relative Risks in Distinct Genotypes. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2011, 24, 861-869.	0.0	1
1532	Identification of Superior Single Nucleotide Polymorphisms (SNP) Combinations Related to Economic Traits by Genotype Matrix Mapping (GMM) in Hanwoo (Korean Cattle). Asian-Australasian Journal of Animal Sciences, 2011, 24, 1504-1513.	2.4	1
1533	Polymorphism of DNA repair genes (XRCC1, XRCC3, XPD, XPC) and risk of uterine myoma among women working in petrochemical complex. Ecological Genetics, 2011, 9, 43-51.	0.1	1
1534	Efficient Algorithms for Detecting Genetic Interactions in Genome-Wide Association Study. , 2012, , .		0
1535	Mining Epistatic Interactions from High-Dimensional Data Sets. Intelligent Systems Reference Library, 2012, , 187-209.	1.0	0
1536	Gene-Gene Interactions. Statistics in the Health Sciences, 2012, , 235-256.	0.2	0
1538	Multifactor Dimensionality Reduction for the Analysis of Obesity in a Nutrigenetics Context. Lecture Notes in Computer Science, 2012, , 231-238.	1.0	1
1539	COW: A Co-evolving Memetic Wrapper for Herb-Herb Interaction Analysis in TCM Informatics. Lecture Notes in Computer Science, 2012, , 361-371.	1.0	0
1540	Recent Trends in Hypertension Genetics Research. , 0, , .		0
1541	Major gene interaction identification in Hanwoo by adjusted environmental effects. Journal of the Korean Data and Information Science Society, 2012, 23, 467-474.	0.0	3
1542	Detecting Genetic Association and Gene-Gene Interaction using Network Analysis in Case-Control Study. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2012, 25, 563-573.	0.0	0
1543	Main Gene Combinations and Genotype Identification of Hanwoo Quality with SNPHarvester. Communications for Statistical Applications and Methods, 2012, 19, 799-808.	0.1	2
1544	Major gene interactions effect identification on the quality of Hanwoo by radial graph. Journal of the Korean Data and Information Science Society, 2013, 24, 151-159.	0.0	3
1545	Genetic susceptibility for Stevens-Johnson syndrome/Toxic epidermal necrolysis with mucosal involvements. Inflammation and Regeneration, 2013, 33, 249-260.	1.5	0
1546	Detection and characterization of interactions of genetic risk factors in disease. , 2013, , .		0
1547	The study on risk factors for diagnosis of metabolic syndrome and odds ratio using multifactor dimensionality reduction method. Journal of the Korean Data and Information Science Society, 2013, 24, 867-876.	0.0	1
1548	Major gene identification for LPL gene in Korean cattles. Journal of the Korean Data and Information Science Society, 2013, 24, 1331-1339.	0.0	4

#	ARTICLE	IF	CITATIONS
1549	Modifier Genes in Hypertrophic Cardiomyopathy Patients of South Indian Cohort. International Journal of Genetics and Genomics, 2014, 2, 84.	0.1	0
1550	The FPGA-Based High-Performance Computer RIVYERA for Applications in Bioinformatics. Lecture Notes in Computer Science, 2014, , 383-392.	1.0	10
1551	Dimension Reduction with Gene Expression Data Using Targeted Variable Importance Measurement. , 2014, , 197-220.		0
1553	Scoring, Searching and Evaluating Bayesian Network Models of Gene-phenotype Association. , 2014, , 269-293.		0
1554	Gene-Gene and Gene-Environment Interactions Underlying Complex Traits and their Detection. Biometrics & Biostatistics International Journal, 2014, 1, .	0.2	0
1555	Current Study Designs, Methods, and Future Directions of Genetic Association Mapping. Advances in Bioinformatics and Biomedical Engineering Book Series, 2015, , 323-358.	0.2	0
1557	Influence of Thrombophilic Genes; MTHFR (C677T), FVL (G1691A) and ACE (I28005D) In Pregnant Women with Pre-Eclampsia. Obstetrics & Gynecology International Journal, 2015, 2, .	0.0	0
1558	Modification of immune response genes in various types of chronic lymphocytic leukemia. Učenyje Zapiski Sankt-Peterburgskogo Gosudarstvennogo Medicinskogo Universiteta Im Akad I P Pavlova, 2015, 22, 21-24.	0.0	0
1560	Major gene identification for SREBPs and FABP4 gene which are associated with fatty acid composition of Korean cattle. Journal of the Korean Data and Information Science Society, 2015, 26, 677-685.	0.0	0
1562	The Effects of Breeding Environment Adjustment in FABP4 Gene Identification of Korean Cattle. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2015, 28, 859-870.	0.0	0
1563	Proposal of statistical model adjusted environmental factor in genetic research for high quality Hanwoo production. Journal of the Korean Data and Information Science Society, 2015, 26, 1397-1407.	0.0	1
1564	Methods of Determination of Environmental Factors Joint Impact in Epidemiological Studies for Binary Data. Kibernetika I Vyšislitel'naĭa Tehnika, 2015, 2015, 60-70.	0.3	0
1565	Genetic Association Analysis of Fasting and 1- and 2-Hour Glucose Tolerance Test Data Using a Generalized Index of Dissimilarity Measure for the Korean Population. Genomics and Informatics, 2016, 14, 181.	0.4	1
1567	Breast Cancer Risk Prediction Using Ions Motion Optimization Algorithm. Journal of Life Sciences and Technologies, 2016, , .	0.0	0
1568	Association of Gene Variations POMP, FLG, MTOR and ATG5 gene with the Risk of Asthma in Children. Zdorov'ie Rebenka, 2016, .	0.0	0
1569	Understanding Skin Color Variations as an Adaptation by Detecting Gene-Environment Interactions. , 2016, , 15-52.		0
1571	Parallel Multi-objective Optimization for High-Order Epistasis Detection. Lecture Notes in Computer Science, 2017, , 523-532.	1.0	1
1574	Detection of Risk Factor Interactions in Cerebral Palsy Using Statistical Methods. Iranian Journal of Pediatrics, 2018, 28, .	0.1	0

#	ARTICLE	IF	CITATIONS
1575	Improved Classification Method for Detecting Potential Interactions Between Genes. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 394-403.	0.5	1
1577	Statistical Methods and Software for Substance Use and Dependence Genetic Research. <i>Current Genomics</i> , 2019, 20, 172-183.	0.7	0
1578	EpIntMC: Detecting Epistatic Interactions Using Multiple Clusterings. <i>Lecture Notes in Computer Science</i> , 2020, , 56-67.	1.0	1
1580	Interaction between common variants of MDM2 and PPP1R13L and CD3EAP and TP53 SNPs in relation to lung cancer risk among Chinese. <i>Annals of Translational Medicine</i> , 2020, 8, 934-934.	0.7	2
1582	Analysis of HEPH Gene Polymorphism on the X Chromosome for Identification of Wild Boar and Domestic Pig. <i>Russian Journal of Genetics</i> , 2020, 56, 1099-1108.	0.2	4
1583	The promise of automated machine learning for the genetic analysis of complex traits. <i>Human Genetics</i> , 2022, 141, 1529-1544.	1.8	9
1584	Accelerating 3-Way Epistasis Detection with CPU+GPU Processing. <i>Lecture Notes in Computer Science</i> , 2020, , 106-126.	1.0	7
1585	Improving Maize Trait through Modifying Combination of Genes. <i>Emerging Topics in Statistics and Biostatistics</i> , 2020, , 173-196.	0.1	0
1586	Investigation of gene-gene interactions of clock genes for chronotype in a healthy Korean population. <i>Genomics and Informatics</i> , 2020, 18, e38.	0.4	1
1588	Genetic Interactions Effects of Cardiovascular Disorder Using Computational Models: A Review. <i>Current Biotechnology</i> , 2020, 9, 177-191.	0.2	0
1590	Machine Learning Based Outlook for the Analysis of SNP-SNP Interaction for Biomedical Big Data. <i>Lecture Notes in Electrical Engineering</i> , 2020, , 13-22.	0.3	2
1591	Testing the Significance of Interactions in Genetic Studies Using Interaction Information and Resampling Technique. <i>Lecture Notes in Computer Science</i> , 2020, , 511-524.	1.0	0
1592	Comparative Association Mapping Reveals Conservation of Major Gene Resistance to White Pine Blister Rust in Southwestern White Pine (<i>Pinus strobiformis</i>) and Limber Pine (<i>P. flexilis</i>). <i>Phytopathology</i> , 2022, 112, 1093-1102.	1.1	3
1593	Solving Complex Problems in Human Genetics Using Nature-Inspired Algorithms Requires Strategies which Exploit Domain-Specific Knowledge. , 0, , 1867-1881.		0
1594	Solving Complex Problems in Human Genetics Using Nature-Inspired Algorithms Requires Strategies which Exploit Domain-Specific Knowledge. , 0, , 1867-1881.		0
1595	An Optimum Random Forest Model for Prediction of Genetic Susceptibility to Complex Diseases. , 2007, , 193-204.		4
1596	Determining dependency and redundancy for identifying gene-gene interaction associated with complex disease. <i>Journal of Bioinformatics and Computational Biology</i> , 2020, 18, 2050035.	0.3	0
1597	Disease model identification methods based on maximum test and performance analysis. <i>Journal of Physics: Conference Series</i> , 2020, 1656, 012020.	0.3	0

#	ARTICLE	IF	CITATIONS
1598	Automated detection of informative combined effects in genetic association studies of complex traits. <i>Genome Research</i> , 2003, 13, 1952-60.	2.4	14
1599	Susceptibility genes for gentamicin-induced vestibular dysfunction. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2008, 18, 59-68.	0.8	5
1600	Multiple gene polymorphisms analysis revealed a different profile of genetic polymorphisms of primary open-angle glaucoma in northern Chinese. <i>Molecular Vision</i> , 2009, 15, 89-98.	1.1	29
1602	FastChi: an efficient algorithm for analyzing gene-gene interactions. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2009, , 528-39.	0.7	12
1603	Finding unique filter sets in PLATO: a precursor to efficient interaction analysis in GWAS data. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2010, , 315-26.	0.7	45
1606	FastANOVA: an Efficient Algorithm for Genome-Wide Association Study. <i>KDD: Proceedings</i> , 2008, , 821-829.	1.0	16
1607	A fast algorithm for learning epistatic genomic relationships. <i>AMIA ... Annual Symposium proceedings</i> , 2010, 2010, 341-5.	0.2	19
1608	Linkage Disequilibrium in Genetic Association Studies Improves the Performance of Grammatical Evolution Neural Networks. , 2007, 2007, 1-8.		4
1609	Polymorphisms in steroidogenesis genes, sex steroid levels, and high myopia in the Taiwanese population. <i>Molecular Vision</i> , 2011, 17, 2297-310.	1.1	23
1612	SNP rs1533428 at 2p16.3 as a marker for late-onset primary open-angle glaucoma. <i>Molecular Vision</i> , 2012, 18, 1629-39.	1.1	28
1613	Mask Functions for the Symbolic Modeling of Epistasis Using Genetic Programming. , 2008, 2008, 339-346.		1
1614	A Polygenic Approach to the Study of Polygenic Diseases. <i>Acta Naturae</i> , 2012, 4, 59-71.	1.7	21
1615	Application of Genetic Algorithms to the Discovery of Complex Models for Simulation Studies in Human Genetics. , 2002, 2002, 1150-1155.		16
1616	Statistical epistasis networks reduce the computational complexity of searching three-locus genetic models. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2013, , 397-408.	0.7	8
1617	Systems genetics of alcoholism. <i>Alcohol Research</i> , 2008, 31, 14-25.	1.0	1
1618	Sex hormone pathway gene polymorphisms are associated with risk of advanced hepatitis C-related liver disease in males. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2014, 5, 164-76.	0.4	10
1619	Binning somatic mutations based on biological knowledge for predicting survival: an application in renal cell carcinoma. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2015, , 96-107.	0.7	11
1621	Leveraging putative enhancer-promoter interactions to investigate two-way epistasis in Type 2 Diabetes GWAS. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2018, 23, 548-558.	0.7	2

#	ARTICLE	IF	CITATIONS
1622	Emergence of pathway-level composite biomarkers from converging gene set signals of heterogeneous transcriptomic responses. Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing, 2018, 23, 484-495.	0.7	7
1623	Individual Responsiveness to Exercise-Induced Fat Loss and Improvement of Metabolic Profile in Young Women is Associated with Polymorphisms of Adrenergic Receptor Genes. Journal of Sports Science and Medicine, 2018, 17, 134-144.	0.7	11
1624	The predictive role of toll-like receptor-4 genetic polymorphisms in susceptibility to and prognosis of prostatic hyperplasia. Iranian Journal of Basic Medical Sciences, 2019, 22, 86-92.	1.0	0
1625	Automated Detection of Informative Combined Effects in Genetic Association Studies of Complex Traits. Genome Research, 2003, 13, 1952-1960.	2.4	38
1626	In Search of Complex Disease Risk through Genome Wide Association Studies. Mathematics, 2021, 9, 3083.	1.1	0
1627	GADGETS: a genetic algorithm for detecting epistasis using nuclear families. Bioinformatics, 2021, , .	1.8	1
1628	Information-Theoretic Feature Selection via Tensor Decomposition and Submodularity. IEEE Transactions on Signal Processing, 2021, 69, 6195-6205.	3.2	2
1629	Recognizing Tonal and Nontonal Mandarin Sentences for EEG-Based Brain-Computer Interface. IEEE Transactions on Cognitive and Developmental Systems, 2022, 14, 1666-1677.	2.6	2
1630	New Evaluation Measures for Multifactor Dimensionality Reduction in SNP-SNP Interaction Analysis. , 2020, , .		0
1631	GEP-EpiSeeker: a gene expression programming-based method for epistatic interaction detection in genome-wide association studies. BMC Genomics, 2021, 22, 910.	1.2	4
1632	Lack of association between delayed tooth emergence and single nucleotide polymorphisms in estrogen receptors. Brazilian Dental Journal, 2021, 32, 107-114.	0.5	2
1633	Possible Association Between Polymorphisms in ESR1, COL1A2, BGLAP, SPARC, VDR, and MMP2 Genes and Dental Fluorosis in a Population from an Endemic Region of West Bengal. Biological Trace Element Research, 2022, 200, 4641-4653.	1.9	4
1634	Homologous recombination DNA repair gene RAD51, XRCC2 & XRCC3 polymorphisms and breast cancer risk in South Indian women. PLoS ONE, 2022, 17, e0259761.	1.1	6
1635	Fuzzy-based multiobjective multifactor dimensionality reduction for epistasis analysis. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2022, PP, 1-1.	1.9	0
1636	Comprehensive Statistical and Bioinformatics Analysis in the Deciphering of Putative Mechanisms by Which Lipid-Associated GWAS Loci Contribute to Coronary Artery Disease. Biomedicines, 2022, 10, 259.	1.4	7
1637	Epistasis Detection via the Joint Cumulant. Statistics in Biosciences, 0, , 1.	0.6	0
1639	Evaluating the detection ability of a range of epistasis detection methods on simulated data for pure and impure epistatic models. PLoS ONE, 2022, 17, e0263390.	1.1	7
1640	Maximal Information Coefficient-Based Testing to Identify Epistasis in Case-Control Association Studies. Computational and Mathematical Methods in Medicine, 2022, 2022, 1-12.	0.7	1

#	ARTICLE	IF	CITATIONS
1641	Omnibus testing approach for gene-based gene-gene interaction. <i>Statistics in Medicine</i> , 2022, , .	0.8	0
1642	Gene interaction analysis of psoriasis in Chinese Han population. <i>Molecular Genetics & Genomic Medicine</i> , 2022, , e1858.	0.6	1
1643	PyToxo: a Python tool for calculating penetrance tables of high-order epistasis models. <i>BMC Bioinformatics</i> , 2022, 23, 117.	1.2	2
1644	Nitric Oxide Synthase 2 Promoter Polymorphism Is a Risk Factor for Allergic Asthma in Children. <i>Medicina (Lithuania)</i> , 2021, 57, 1341.	0.8	2
1645	Unravelling Rubber Tree Growth by Integrating GWAS and Biological Network-Based Approaches. <i>Frontiers in Plant Science</i> , 2021, 12, 768589.	1.7	14
1646	Uncovering complementary sets of variants for predicting quantitative phenotypes. <i>Bioinformatics</i> , 2022, 38, 908-917.	1.8	1
1647	Analysis of association between histamine receptor gene <i>HRH1</i>, <i>HRH2</i>, <i>HRH3</i>, <i>HRH4</i> polymorphisms and asthma in children. <i>Pulmonologiya</i> , 2021, 31, 729-738.	0.2	0
1648	Melatonin Receptor 1B Genetic Variants on Susceptibility to Gestational Diabetes Mellitus: A Hospital-Based Case-Control Study in Wuhan, Central China. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022, Volume 15, 1207-1216.	1.1	3
1649	The Impact of Genetic Polymorphisms in Glutamate-Cysteine Ligase, a Key Enzyme of Glutathione Biosynthesis, on Ischemic Stroke Risk and Brain Infarct Size. <i>Life</i> , 2022, 12, 602.	1.1	8
1655	Solving Complex Problems in Human Genetics using Nature-Inspired Algorithms Requires Strategies which Exploit Domain-Specific Knowledge. , 0, , 166-180.		0
1657	Data Mining Methods as Tools for Predicting Individual Drug Response. , 0, , 379-400.		1
1660	ELSSI: parallel SNP-SNP interactions detection by ensemble multi-type detectors. <i>Briefings in Bioinformatics</i> , 2022, 23, .	3.2	5
1661	Genetic variation of six specific SNPs of chronic obstructive pulmonary disease among Chinese population. <i>Pulmonology</i> , 2024, 30, 113-121.	1.0	1
1662	Concurrent outcomes from multiple approaches of epistasis analysis for human body mass index associated loci provide insights into obesity biology. <i>Scientific Reports</i> , 2022, 12, 7306.	1.6	6
1663	Association of Genetic Polymorphisms with Complications of Implanted LVAD Devices in Patients with Congestive Heart Failure: A Kazakhstani Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 744.	1.1	3
1665	What have we learned from genome-wide association studies (GWAS) in Parkinson's disease?. <i>Ageing Research Reviews</i> , 2022, 79, 101648.	5.0	9
1667	Mechanistic Effects of Estrogens on Breast Cancer. <i>Cancer Journal (Sudbury, Mass)</i> , 2022, 28, 224-240.	1.0	8
1668	Genetic Polymorphisms in the 3'-Untranslated Regions of SMAD5, FN3KRP, and RUNX-1 Are Associated with Recurrent Pregnancy Loss. <i>Biomedicines</i> , 2022, 10, 1481.	1.4	2

#	ARTICLE	IF	CITATIONS
1669	FTO rs62033406 A>G associated with the risk of osteonecrosis of the femoral head among the Chinese Han population. BMC Medical Genomics, 2022, 15, .	0.7	0
1670	Feature Selection Using Elephant Herd Principal Component Optimization Technique in Big Data Streams Using Internet of Things. International Journal of E-Collaboration, 2022, 18, 1-14.	0.4	0
1671	Identification of the associations between genes and quantitative traits using entropy-based kernel density estimation. Genomics and Informatics, 2022, 20, e17.	0.4	1
1672	GENETIC POLYMORPHISM OF CASPASE 8 AND 9 IN IRAQ. Iraqi Journal of Agricultural Sciences, 2022, 53, 505-514.	0.1	3
1673	A Review of Feature Selection Methods for Machine Learning-Based Disease Risk Prediction. Frontiers in Bioinformatics, 0, 2, .	1.0	128
1674	A Novel Multitasking Ant Colony Optimization Method for Detecting Multiorder SNP Interactions. Interdisciplinary Sciences, Computational Life Sciences, 2022, 14, 814-832.	2.2	8
1676	Predictive value of common genetic variants in idiopathic pulmonary fibrosis survival. Journal of Molecular Medicine, 2022, 100, 1341-1353.	1.7	4
1677	Information Theoretic Methods for Variable Selection—A Review. Entropy, 2022, 24, 1079.	1.1	5
1678	Development of a Check-All-That-Apply (CATA) Ballot and Machine Learning for Generation Z Consumers for Innovative Traditional Food. Foods, 2022, 11, 2409.	1.9	3
1679	Examining SNP-SNP interactions and risk of clinical outcomes in colorectal cancer using multifactor dimensionality reduction based methods. Frontiers in Genetics, 0, 13, .	1.1	2
1680	Sex-specific analysis in Behçet's disease reveals higher genetic risk in male patients. Journal of Autoimmunity, 2022, 132, 102882.	3.0	9
1681	LPP polymorphisms are risk factors for allergic rhinitis in the Chinese Han population. Cytokine, 2022, 159, 156027.	1.4	1
1682	PEA: Practical Private Epistasis Analysis Using MPC. Lecture Notes in Computer Science, 2022, , 320-339.	1.0	0
1683	Genetic Variations miR-10a>T, miR-30c>G, miR-181a>C, and miR-499b>G and the Risk of Recurrent Pregnancy Loss in Korean Women. Biomedicines, 2022, 10, 2395.	1.4	1
1684	Missing Causality and Heritability of Autoimmune Hepatitis. Digestive Diseases and Sciences, 2023, 68, 1585-1604.	1.1	3
1685	HSICCR: A Lightweight Scoring Criterion Based on Measuring the Degree of Causality for the Detection of SNP Interactions. Mathematics, 2022, 10, 4134.	1.1	0
1686	Multifactor dimensionality reduction reveals the effect of interaction between ERAP1 and IFIH1 polymorphisms in psoriasis susceptibility genes. Frontiers in Genetics, 0, 13, .	1.1	2
1689	EpiReSIM: A Resampling Method of Epistatic Model without Marginal Effects Using Under-Determined System of Equations. Genes, 2022, 13, 2286.	1.0	2

#	ARTICLE	IF	CITATIONS
1690	Dimensionality reduction approach for many-objective epistasis analysis. <i>Briefings in Bioinformatics</i> , 0, , .	3.2	1
1691	MDSN: A Module Detection Method for Identifying High-Order Epistatic Interactions. <i>Genes</i> , 2022, 13, 2403.	1.0	0
1692	Association of CYP19A1 rs28757157 polymorphism with lung cancer risk in the Chinese Han population. <i>World Journal of Surgical Oncology</i> , 2022, 20, .	0.8	1
1694	Antitumor effect of selenium-rich Brazil nuts and selenomethionine dietary supplementation on pre-existing 4T1 mammary tumor growth in mice. <i>PLoS ONE</i> , 2023, 18, e0278088.	1.1	1
1695	Potential loci and candidate genes associated with <i>Vibrio anguillarum</i> resistance in black rockfish (<i>Sebastes schlegelii</i>) revealed by BSA-seq analysis. <i>Aquaculture</i> , 2023, 566, 739201.	1.7	2
1696	EpiMCBN: A Kind of Epistasis Mining Approach Using MCMC Sampling Optimizing Bayesian Network. , 2022, , .		0
1697	Overview of frequent pattern mining. <i>Genomics and Informatics</i> , 2022, 20, e39.	0.4	3
1698	A Distributed Evolutionary Framework for Large-scale SNP-SNP Interaction Detection. , 2022, , .		0
1699	Learning high-order interactions for polygenic risk prediction. <i>PLoS ONE</i> , 2023, 18, e0281618.	1.1	1
1700	Investigating epistasis in suicide ideation using multifactor dimensionality reduction: A population-based study from North India. , 2023, 36, 201161.		0
1701	NSPA: characterizing the disease association of multiple genetic interactions at single-subject resolution. <i>Bioinformatics Advances</i> , 2023, 3, .	0.9	0
1703	Evidence for Epistatic Interaction between HLA-G and LILRB1 in the Pathogenesis of Nonsegmental Vitiligo. <i>Cells</i> , 2023, 12, 630.	1.8	2
1704	Multifactor dimensionality reduction method identifies novel SNP interactions in the WNT protein interaction networks that are associated with recurrence risk in colorectal cancer. <i>Frontiers in Oncology</i> , 0, 13, .	1.3	0
1705	A Survey of Processing Systems for Phylogenetics and Population Genetics. <i>ACM Transactions on Reconfigurable Technology and Systems</i> , 2023, 16, 1-27.	1.9	0
1706	Quantum Machine Learning in Prediction of Breast Cancer. <i>Studies in Computational Intelligence</i> , 2023, , 351-382.	0.7	1
1707	Automated quantitative trait locus analysis (AutoQTL). <i>BioData Mining</i> , 2023, 16, .	2.2	3
1708	Photonic system for real-time detection, discrimination, and quantification of microbes in air. <i>Frontiers in Physics</i> , 0, 11, .	1.0	0
1717	Challenges and Opportunities for RISC-V Architectures Towards Genomics-Based Workloads. <i>Lecture Notes in Computer Science</i> , 2023, , 458-471.	1.0	0

#	ARTICLE	IF	CITATIONS
1719	Oral Cancer Risk Prediction by Using Gray Wolf Optimizer-based Multifactor Dimensionality Reduction. , 2023, , .		0
1729	Genetics of migraine: Delineation of contemporary understanding of the genetic underpinning of migraine. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2023, , 85-103.	1.0	0
1739	KtreeBnlp: An Efficient Epistasis Mining Approach Using K-tree Optimizing Bayesian Network. , 2023, , .		0
1741	Genetics of Lipid Disorders. , 2023, , 163-195.		0