

Toll-like receptors and their role in experimental mode.

Genes and Immunity

4, 87-94

DOI: [10.1038/sj.gene.6363937](https://doi.org/10.1038/sj.gene.6363937)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Toll-Like Receptor-Mediated Activation of Mast Cells: Implications for Allergic Disease?. <i>International Archives of Allergy and Immunology</i> , 2003, 132, 87-97.	0.9	73
3	Intracellular Signaling and Cytokine Induction upon Interactions of <i>Porphyromonas gingivalis</i> Fimbriae with Pattern Recognition Receptors. <i>Immunological Investigations</i> , 2004, 33, 157-172.	1.0	86
4	TLR-Independent Induction of Dendritic Cell Maturation and Adaptive Immunity by Negative-Strand RNA Viruses. <i>Journal of Immunology</i> , 2004, 173, 6882-6889.	0.4	131
5	Toll-Like Receptor 4-Dependent Early Elicited Tumor Necrosis Factor Alpha Expression Is Critical for Innate Host Defense against <i>Bordetella bronchiseptica</i> . <i>Infection and Immunity</i> , 2004, 72, 6650-6658.	1.0	46
6	Toll-Like Receptor 2 Suppresses Immunity against <i>Candida albicans</i> through Induction of IL-10 and Regulatory T Cells. <i>Journal of Immunology</i> , 2004, 172, 3712-3718.	0.4	565
7	Lipopolysaccharide and Double-stranded RNA Up-regulate Toll-like Receptor 2 Independently of Myeloid Differentiation Factor 88. <i>Journal of Biological Chemistry</i> , 2004, 279, 39727-39735.	1.6	52
8	Association between Common Toll-Like Receptor 4 Mutations and Severe Respiratory Syncytial Virus Disease. <i>Journal of Infectious Diseases</i> , 2004, 189, 2057-2063.	1.9	307
9	Cytokines as adjuvants for avian vaccines. <i>Immunology and Cell Biology</i> , 2004, 82, 638-643.	1.0	66
10	Innate immunity in aging: impact on macrophage function. <i>Aging Cell</i> , 2004, 3, 161-167.	3.0	380
11	Toll-like receptor 3 mediates West Nile virus entry into the brain causing lethal encephalitis. <i>Nature Medicine</i> , 2004, 10, 1366-1373.	15.2	998
12	Immunopathogenesis of brain abscess. <i>Journal of Neuroinflammation</i> , 2004, 1, 16.	3.1	96
13	Requirement for a conserved Toll/interleukin-1 resistance domain protein in the <i>Caenorhabditis elegans</i> immune response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6593-6598.	3.3	206
14	Cutting Edge: MyD88 Controls Phagocyte NADPH Oxidase Function and Killing of Gram-Negative Bacteria. <i>Journal of Immunology</i> , 2005, 175, 5596-5600.	0.4	137
15	Oligoclonal T cells in histiocytic necrotizing lymphadenopathy are associated with TLR9+ plasmacytoid dendritic cells. <i>Laboratory Investigation</i> , 2005, 85, 267-275.	1.7	5
16	Inherited disorders of human Toll-like receptor signaling: immunological implications. <i>Immunological Reviews</i> , 2005, 203, 10-20.	2.8	129
18	Toll-like receptor 2 (TLR2) is pivotal for recognition of <i>S. aureus</i> peptidoglycan but not intact bacteria by microglia. <i>Glia</i> , 2005, 49, 567-576.	2.5	120
19	Invertebrates as animal models for <i>Staphylococcus aureus</i> pathogenesis: a window into host-pathogen interaction. <i>FEMS Immunology and Medical Microbiology</i> , 2005, 43, 311-323.	2.7	63
20	Role of TLR4 Receptor Polymorphisms in Boutonneuse Fever. <i>International Journal of Immunopathology and Pharmacology</i> , 2005, 18, 655-660.	1.0	27

#	ARTICLE	IF	CITATIONS
21	Heritable defects of the human TLR signalling pathways. <i>Journal of Endotoxin Research</i> , 2005, 11, 220-224.	2.5	27
22	Comparative Toll-Like Receptor 4-Mediated Innate Host Defense to <i>Bordetella</i> Infection. <i>Infection and Immunity</i> , 2005, 73, 8144-8152.	1.0	63
23	A designed TLR4/MD-2 complex to capture LPS. <i>Journal of Endotoxin Research</i> , 2005, 11, 197-206.	2.5	23
24	Combating Bacterial Pathogens Through Host Defense Gene Programs. <i>Current Immunology Reviews</i> , 2005, 1, 43-54.	1.2	6
25	Worms and Flies as Genetically Tractable Animal Models To Study Host-Pathogen Interactions. <i>Infection and Immunity</i> , 2005, 73, 3833-3841.	1.0	110
26	Lipopolysaccharide Prevents Doxorubicin-Induced Apoptosis in RAW 264.7 Macrophage Cells by Inhibiting p53 Activation. <i>Molecular Cancer Research</i> , 2005, 3, 373-379.	1.5	33
28	The Function of Toll-Like Receptors. , 2005, , 18-55.		12
30	The Complex Mechanism of Antibody-Mediated Clearance of <i>Bordetella</i> from the Lungs Requires TLR4. <i>Journal of Immunology</i> , 2005, 175, 7504-7511.	0.4	41
31	Probiotic alternatives to reduce gastrointestinal infections: the poultry experience. <i>Animal Health Research Reviews</i> , 2005, 6, 105-118.	1.4	124
32	A Toll-interleukin 1 repeat protein at the synapse specifies asymmetric odorant receptor expression via ASK1 MAPKKK signaling. <i>Genes and Development</i> , 2005, 19, 270-281.	2.7	168
34	Two <i>Pseudomonas syringae</i> Type III Effectors Inhibit RIN4-Regulated Basal Defense in <i>Arabidopsis</i> . <i>Cell</i> , 2005, 121, 749-759.	13.5	416
35	The microglial "activation" continuum: from innate to adaptive responses. <i>Journal of Neuroinflammation</i> , 2005, 2, 24.	3.1	376
36	A conjugate vaccine composed of a heat shock protein 60 T-cell epitope peptide (p458) and <i>Neisseria meningitidis</i> type B capsular polysaccharide. <i>Vaccine</i> , 2006, 24, 6555-6563.	1.7	14
37	The Wingless homolog WNT5A and its receptor Frizzled-5 regulate inflammatory responses of human mononuclear cells induced by microbial stimulation. <i>Blood</i> , 2006, 108, 965-973.	0.6	333
38	Lipopolysaccharide-Induced IL-1 β Production by Human Uterine Macrophages Up-Regulates Uterine Epithelial Cell Expression of Human β -Defensin 2. <i>Journal of Immunology</i> , 2006, 176, 6647-6655.	0.4	64
39	Lipopolysaccharide hyporesponsiveness as a risk factor for intensive care unit hospitalization in infants with respiratory syncytial virus bronchiolitis. <i>Clinical and Experimental Immunology</i> , 2006, 144, 48-52.	1.1	47
40	Immunophysiology of epithelial cells and pattern-recognition receptors. <i>Human Physiology</i> , 2006, 32, 224-234.	0.1	7
41	New immunology "immunology of pattern recognition receptors. <i>Biology Bulletin</i> , 2006, 33, 417-426.	0.1	4

#	ARTICLE	IF	CITATIONS
42	Respiratory syncytial virus disease mechanisms implicated by human, animal model, and in vitro data facilitate vaccine strategies and new therapeutics. , 2006, 112, 405-424.		53
43	Induction of chemokine and cytokine genes in astrocytes following infection with Theiler's murine encephalomyelitis virus is mediated by the Toll-like receptor 3. <i>Glia</i> , 2006, 53, 858-867.	2.5	86
44	Peptide p277 of HSP60 signals T cells: inhibition of inflammatory chemotaxis. <i>International Immunology</i> , 2006, 18, 1413-1419.	1.8	39
45	Internalization and phagosome escape required for Francisella to induce human monocyte IL-1 β processing and release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 141-146.	3.3	181
46	Endotoxin-Induced Expression of Murine Bactericidal Permeability/Increasing Protein Is Mediated Exclusively by Toll/IL-1 Receptor Domain-Containing Adaptor Inducing IFN- γ -Dependent Pathways. <i>Journal of Immunology</i> , 2006, 176, 522-528.	0.4	33
47	Microglia Recognize Double-Stranded RNA via TLR3. <i>Journal of Immunology</i> , 2006, 176, 3804-3812.	0.4	174
48	Selective Regulation of IL-10 Signaling and Function by Zymosan. <i>Journal of Immunology</i> , 2006, 176, 4785-4792.	0.4	42
49	Distinct Functions between Toll-Like Receptors 3 and 9 in Retinal Pigment Epithelial Cells. <i>Ophthalmic Research</i> , 2007, 39, 155-163.	1.0	52
50	Delta-Like 4 Induces Notch Signaling in Macrophages. <i>Circulation</i> , 2007, 115, 2948-2956.	1.6	196
51	Platelets as Potential Immunomodulators: Is There a Role for Platelet Toll-Like Receptors?. <i>Current Immunology Reviews</i> , 2007, 3, 109-115.	1.2	12
52	Expression and Function of Toll-like Receptor-3 and -9 in Human Corneal Myofibroblasts. , 2007, 48, 3069.		32
53	Human Toll-like receptor-dependent induction of interferons in protective immunity to viruses. <i>Immunological Reviews</i> , 2007, 220, 225-236.	2.8	147
54	MyD88-independent activation of a novel actin-Cdc42/Rac pathway is required for Toll-like receptor-stimulated phagocytosis. <i>Cell Research</i> , 2008, 18, 745-755.	5.7	121
55	Epithelial-cell recognition of commensal bacteria and maintenance of immune homeostasis in the gut. <i>Nature Reviews Immunology</i> , 2008, 8, 411-420.	10.6	952
56	Glutamine as a modulator of the immune system of critical care patients: Effect on Toll-like receptor expression. A preliminary study. <i>Nutrition</i> , 2008, 24, 522-527.	1.1	31
58	Cellular trafficking of lipoteichoic acid and Toll-like receptor 2 in relation to signaling; role of CD14 and CD36. <i>Journal of Leukocyte Biology</i> , 2008, 84, 280-291.	1.5	128
59	Prevention of infectious diseases in older adults through immunization: the challenge of the senescent immune response. <i>Expert Review of Vaccines</i> , 2009, 8, 593-606.	2.0	42
60	Impaired Priming and Activation of the Neutrophil NADPH Oxidase in Patients with IRAK4 or NEMO Deficiency. <i>Journal of Immunology</i> , 2009, 182, 6410-6417.	0.4	44

#	ARTICLE	IF	CITATIONS
61	Toll-like receptor 7-induced immune response to cutaneous West Nile virus infection. <i>Journal of General Virology</i> , 2009, 90, 2660-2668.	1.3	78
62	Toll-like Receptor 7 Mitigates Lethal West Nile Encephalitis via Interleukin 23-Dependent Immune Cell Infiltration and Homing. <i>Immunity</i> , 2009, 30, 242-253.	6.6	180
63	CNS Infiltration of Peripheral Immune Cells: D-Day for Neurodegenerative Disease?. <i>Journal of NeuroImmune Pharmacology</i> , 2009, 4, 462-475.	2.1	174
64	Regulation of TLR2 Expression and Function in Human Airway Epithelial Cells. <i>Journal of Membrane Biology</i> , 2009, 229, 101-113.	1.0	30
65	Antiviral immune responses: triggers of or triggered by autoimmunity?. <i>Nature Reviews Immunology</i> , 2009, 9, 246-258.	10.6	410
66	Toll gates to periodontal host modulation and vaccine therapy. <i>Periodontology 2000</i> , 2009, 51, 181-207.	6.3	30
67	Screening of innate immune receptors in neurodegenerative diseases: A similar pattern. <i>Neurobiology of Aging</i> , 2009, 30, 759-768.	1.5	202
68	Toll-like Receptor 2 and Toll-like Receptor 4 Expression on Maternal Neutrophils During Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2010, 64, 427-434.	1.2	12
69	Targeting Robo4-Dependent Slit Signaling to Survive the Cytokine Storm in Sepsis and Influenza. <i>Science Translational Medicine</i> , 2010, 2, 23ra19.	5.8	267
70	Frizzled1 is a marker of inflammatory macrophages, and its ligand Wnt3a is involved in reprogramming Mycobacterium tuberculosis-infected macrophages. <i>FASEB Journal</i> , 2010, 24, 4599-4612.	0.2	119
71	Functional Comparison of Innate Immune Signaling Pathways in Primates. <i>PLoS Genetics</i> , 2010, 6, e1001249.	1.5	94
72	Lack of effect of glutamine administration to boost the innate immune system response in trauma patients in the intensive care unit. <i>Critical Care</i> , 2010, 14, R233.	2.5	34
73	Role of Toll-like receptors in host responses to a virulence antigen of <i>Streptococcus mutans</i> expressed by a recombinant, attenuated <i>Salmonella</i> vector vaccine. <i>Vaccine</i> , 2010, 28, 4928-4936.	1.7	6
74	First identification of Toll-like receptor-4 in avian brain: evolution of lipopolysaccharide recognition and inflammation-dependent responses. <i>Immunopharmacology and Immunotoxicology</i> , 2011, 33, 64-72.	1.1	5
75	Toll-like receptors in health and disease in the brain: mechanisms and therapeutic potential. <i>Clinical Science</i> , 2011, 121, 367-387.	1.8	426
76	Maternal Neutrophil Toll-like Receptor mRNA Expression is Down-Regulated in Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2011, 66, 242-248.	1.2	6
77	Innate Immunity Signaling Pathways: Links between Immunonutrition and Responses to Sepsis. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2011, 59, 139-150.	1.0	19
78	Macroevolutionary Immunology: A Role for Immunity in the Diversification of Animal life. <i>Frontiers in Immunology</i> , 2012, 3, 25.	2.2	32

#	ARTICLE	IF	CITATIONS
79	Modeling sepsis using neural nets and biomarkers of organ dysfunction in patients, with links to animal models. <i>Critical Care</i> , 2012, 16, .	2.5	0
80	Extracellular matrix turnover, angiogenesis and endothelial function in acute lung injury: relationship to pulmonary dysfunction and outcome. <i>Critical Care</i> , 2012, 16, .	2.5	1
81	Thalidomide modulates macrophage-mediated inflammatory innate immune response during <i>Klebsiella pneumoniae</i> B5055 infection in BALB/c mice. <i>Critical Care</i> , 2012, 16, .	2.5	0
82	Immunoglobulin therapy of abdominal sepsis in emergency surgery. <i>Critical Care</i> , 2012, 16, .	2.5	0
83	Procalcitonin level as a marker of severe sepsis and septic shock patients who required polymyxin-B immobilized fiber with direct hemoperfusion. <i>Critical Care</i> , 2012, 16, .	2.5	1
84	Diagnostic accuracy of procalcitonin in proven and clinically suspected systemic infection. <i>Critical Care</i> , 2012, 16, .	2.5	1
85	Evaluation of a soluble CD14 subtype in patients with surgical sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
86	Advance directives and end-of-life decision-making in the ICU: results from an observational study. <i>Critical Care</i> , 2012, 16, .	2.5	0
87	Protective effects of FCGR2A polymorphism in invasive pneumococcal diseases. <i>Critical Care</i> , 2012, 16, .	2.5	0
88	Examination of blood filtration membrane removal ability of HMGB1. <i>Critical Care</i> , 2012, 16, .	2.5	1
89	Decreased expression of HLA-DR antigen-associated invariant chain mRNA predicts mortality after septic shock. <i>Critical Care</i> , 2012, 16, .	2.5	0
90	Kaiser Permanente Northern California sepsis mortality reduction initiative. <i>Critical Care</i> , 2012, 16, .	2.5	5
91	Dynamics of lymphocyte subpopulations during Legionnaires' disease. <i>Critical Care</i> , 2012, 16, .	2.5	1
92	Receptor for advanced glycation endproducts controls deleterious lung inflammation in severe <i>Pseudomonas aeruginosa</i> pneumonia in immunosuppressed mice. <i>Critical Care</i> , 2012, 16, .	2.5	0
93	Low-tidal volume ventilation as compared with conventional tidal volume ventilation in patients of sepsis: a randomized controlled trial. <i>Critical Care</i> , 2012, 16, .	2.5	0
94	Impact of daily auditing and weekly feedback on process of care and patient outcome in resuscitation of severe sepsis and septic shock. <i>Critical Care</i> , 2012, 16, .	2.5	0
95	Candida score: a predictor of mortality in patients with candidemia. <i>Critical Care</i> , 2012, 16, .	2.5	0
96	Incidence and prognostic implications of acute kidney injury based on the RIFLE criteria at the time of admission to an Indian ICU. <i>Critical Care</i> , 2012, 16, .	2.5	0

#	ARTICLE	IF	CITATIONS
97	Candiduria in ICUs: incidence, course and outcome. <i>Critical Care</i> , 2012, 16, .	2.5	1
98	Erythropoietin enhances the effects of transplanted mesenchymal stem cells in an experimental model of endotoxemia. <i>Critical Care</i> , 2012, 16, .	2.5	0
101	Development and validation of a bedside prediction score for nosocomial sepsis in the pediatric ICU: a prospective observational cohort study. <i>Critical Care</i> , 2012, 16, .	2.5	0
102	Effects of statins on mitochondrial respiration and outcome during experimental sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
104	Effect of phenolic acids originating from microbes on mitochondria and neutrophils. <i>Critical Care</i> , 2012, 16, .	2.5	3
105	Immunological modulation of estrogen during sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
106	Use of Centre for Disease Control criteria to classify infections in critically ill patients: results from an interobserver agreement study. <i>Critical Care</i> , 2012, 16, .	2.5	1
107	Patients with sepsis exhibit mitochondrial biogenesis in peripheral blood immune cells. <i>Critical Care</i> , 2012, 16, .	2.5	0
108	AMP-activated protein kinase preserves endothelial tight junctions in the coronary microcirculation during sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	2
109	Weibel-Palade body exocytosis as a therapeutic target to improve hemodynamics in Gram-positive sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
110	Effectiveness of nebulized amphotericin B to eradicate <i>Candida</i> colonization from the lower respiratory tracts of ICU patients. <i>Critical Care</i> , 2012, 16, .	2.5	0
111	Clinical and diagnostic significance of apoptosis in the development of neutropenia and bacterial complications in newborns with respiratory distress syndrome. <i>Critical Care</i> , 2012, 16, .	2.5	0
112	Haemodynamic and renal effects of clonidine in an ovine model of severe sepsis and septic acute kidney injury. <i>Critical Care</i> , 2012, 16, .	2.5	0
113	Regional perfusion and oxygenation of the kidney in an ovine model of severe sepsis with hypotension and kidney injury. <i>Critical Care</i> , 2012, 16, .	2.5	0
115	Simplified selective decontamination of the digestive tract reduces Gram-negative bloodstream infection and respiratory tract colonization in intensive care. <i>Critical Care</i> , 2012, 16, .	2.5	0
116	Decreased incidence of SIRS and sepsis by acupuncture in severe multiple traumatic patients via facilitation of vagal activity. <i>Critical Care</i> , 2012, 16, .	2.5	3
117	A study of <i>Candida</i> biofilms in intensive care patients. <i>Critical Care</i> , 2012, 16, .	2.5	0
118	A limited set of molecular biomarkers may provide superior diagnostic outcomes to procalcitonin in sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	1

#	ARTICLE	IF	CITATIONS
119	Monocytic and neutrophilic CD11b and CD64 in severe sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	2
120	Clinical evaluation of the Magicplex Sepsis Real-time Test (Seegene) to detect <i>Candida</i> DNA in pediatric patients. <i>Critical Care</i> , 2012, 16, .	2.5	7
121	Procalcitonin, IL-10 and sCD25 as diagnostic and prognostic markers in critically ill patients. <i>Critical Care</i> , 2012, 16, .	2.5	0
122	Ninjurin 1 contributes to TLR-induced inflammation in endothelial cells. <i>Critical Care</i> , 2012, 16, .	2.5	1
123	Effect of <i>Calotropis procera</i> latex extracts on the hypothalamic TNF α and PGE2 levels in the rat model of yeast-induced pyrexia. <i>Critical Care</i> , 2012, 16, .	2.5	0
124	Regulation of sepsis-induced IFN γ upon natural killer cell or natural killer T cell depletion in vivo. <i>Critical Care</i> , 2012, 16, .	2.5	0
125	Pattern recognition receptors as key players in adrenal gland dysfunction during sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
126	Effects of a TREM-like transcript-1 derived peptide during septic shock in pigs. <i>Critical Care</i> , 2012, 16, .	2.5	0
127	Role of TREM-1 in endothelial dysfunction during experimental sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	1
128	LPS-induced Pellino3 degradation is mediated by p62-dependent autophagy. <i>Critical Care</i> , 2012, 16, .	2.5	1
129	Attenuated NOX2 expression impairs ROS production during the hypoinflammatory phase of sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
130	Kinetic characterization of selective peroxisome-proliferator-activated receptor gamma modulators in vitro. <i>Critical Care</i> , 2012, 16, .	2.5	0
131	IL-6 and IFN γ play a role in fatal cases of 5N1 influenza in children. <i>Critical Care</i> , 2012, 16, .	2.5	0
133	Involvement of thrombopoietin in the development of organ injury in a mouse model of cecal ligation and puncture-induced sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
134	Cholecystokinin protects rats against <i>Staphylococcus aureus</i> -induced sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
135	Polymyxin B-direct hemoperfusion therapy contributes to oxygen delivery in septic patients. <i>Critical Care</i> , 2012, 16, .	2.5	1
136	Sepsis in neonates: experience in a tertiary-care hospital. <i>Critical Care</i> , 2012, 16, .	2.5	1
137	Is urinary kidney injury molecule-1 a good marker for acute kidney injury in septic shock?. <i>Critical Care</i> , 2012, 16, .	2.5	0

#	ARTICLE	IF	CITATIONS
138	Necrotizing fasciitis: modern clinical view. <i>Critical Care</i> , 2012, 16, .	2.5	2
139	Erysipelas: complement system and SIRS. <i>Critical Care</i> , 2012, 16, .	2.5	0
140	Pancreatic stone protein: a new predictor of outcome in patients with peritonitis. <i>Critical Care</i> , 2012, 16, .	2.5	0
141	Audit on patient outcome based on APACHE II scoring in the respiratory ICU of a south Indian university teaching hospital. <i>Critical Care</i> , 2012, 16, .	2.5	0
142	Internal jugular vein catheterization: a comparative study of apical and paracarotid approaches. <i>Critical Care</i> , 2012, 16, .	2.5	0
143	Citrate anticoagulation protocol to treat septic shock patients with liver dysfunction in CPFA extracorporeal therapy. <i>Critical Care</i> , 2012, 16, .	2.5	0
144	Manipulation of nitric oxide levels with a modified hydroxyethyl starch molecule. <i>Critical Care</i> , 2012, 16, .	2.5	0
145	Molecular diagnosis of severe bacterial sepsis in children. <i>Critical Care</i> , 2012, 16, .	2.5	0
146	Insulin exerts anti-inflammatory effects through reduction of IKK/ $\text{I}\kappa\text{B}$ /NF- κB pathway activation in septic rats. <i>Critical Care</i> , 2012, 16, .	2.5	0
147	Severe sepsis with multiple organ dysfunctions caused by <i>Pseudomonas aeruginosa</i> in an immunocompetent child. <i>Critical Care</i> , 2012, 16, .	2.5	3
148	Effects of sesamol against acute kidney injury in cecal-ligation-and-puncture-treated rats. <i>Critical Care</i> , 2012, 16, .	2.5	1
149	Noradrenergic neurons regulate the egress and trafficking of splenic monocytes and influence mortality during Gram-negative infection in mice. <i>Critical Care</i> , 2012, 16, .	2.5	0
150	Mannose-binding lectin deficiency and NOD2 mutations do not predispose to <i>Staphylococcus aureus</i> bloodstream infections but may influence outcome. <i>Critical Care</i> , 2012, 16, .	2.5	0
151	Homogeneity versus diversity: inhibition of plasma PAI-1 in murine sepsis proved lethal in homogeneous cohorts but not in all-inclusive populations. <i>Critical Care</i> , 2012, 16, .	2.5	0
152	Effect of heparin during extracorporeal detoxification in the severity of thrombocytopenia in patients with severe sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
153	Estimation of efficacy early selective LPS sorption in patients with septic shock. <i>Critical Care</i> , 2012, 16, .	2.5	2
154	Audit of the ward-based management of severe sepsis in a large teaching hospital. <i>Critical Care</i> , 2012, 16, .	2.5	1
155	Neutrophil CD64 as a diagnostic marker of sepsis in neonates: impact on clinical care. <i>Critical Care</i> , 2012, 16, .	2.5	0

#	ARTICLE	IF	CITATIONS
156	Pancreatic stone protein as a novel marker for neonatal sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	1
157	A standardized protocol for the multiplex PCR technique Septifast [®] Roche for neonatal samples with suspected sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
158	Toll-like receptor 4 in phagocytosis of <i>Escherichia coli</i> by endotoxin-activated human neutrophils in whole blood. <i>Critical Care</i> , 2012, 16, .	2.5	5
159	CD24-mediated neutrophil death in inflammation: ex vivo study suggesting a potential role in sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	2
160	Resistant <i>Escherichia coli</i> strains circulating in a tertiary-care hospital in New Delhi, India. <i>Critical Care</i> , 2012, 16, .	2.5	0
161	5-Lipoxygenase contributes to PPAR ^γ activation in macrophages in response to apoptotic cells. <i>Critical Care</i> , 2012, 16, .	2.5	0
162	Natural killer cell status and tolerance in mouse and human bacterial sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
163	Raman spectroscopic investigation of the interaction of <i>Enterococcus faecalis</i> and vancomycin: towards a culture-independent antibiotic susceptibility test. <i>Critical Care</i> , 2012, 16, .	2.5	2
164	Transthoracic echocardiographic assessment of IVC diameter variability to determine fluid responsiveness in children with septic shock: a pilot study. <i>Critical Care</i> , 2012, 16, .	2.5	0
165	Do we still accept central venous pressure measurements to assess preload responsiveness in children with septic shock? A single-center experience. <i>Critical Care</i> , 2012, 16, .	2.5	0
166	Emergence of carbapenem resistance in Gram-negative nosocomial bloodstream infections among critically ill children? A single-center experience. <i>Critical Care</i> , 2012, 16, .	2.5	0
167	Development of a point-of-care-testing system for procalcitonin. <i>Critical Care</i> , 2012, 16, .	2.5	0
168	Management of sepsis in Indian ICUs: Indian data from the MOSAICS study. <i>Critical Care</i> , 2012, 16, .	2.5	0
169	Impact of interventions to reduce device-related infections in Indian cancer centre ICUs. <i>Critical Care</i> , 2012, 16, .	2.5	0
170	Early fluid therapy with splanchnic sympathetic blockage prevented microcirculation damage, gut bacterial overgrowth, bacterial translocation and mortality in sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
171	Abdominal organs' microcirculation dysfunction sequence in severe sepsis by SDF microscopy and histology. <i>Critical Care</i> , 2012, 16, .	2.5	0
172	Role of the clarithromycin immune modulator activity on abdominal microhemodynamics and mortality in severe sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	1
173	Preliminary results for the use of proteinase K to achieve release of LPS from the Altecó LPS Adsorber [®] after perfusion with LPS containing blood. <i>Critical Care</i> , 2012, 16, .	2.5	0

#	ARTICLE	IF	CITATIONS
174	PSP/reg and NT-proCNP to predict the occurrence of ICU-acquired sepsis in severe trauma patients: results of a pilot study. <i>Critical Care</i> , 2012, 16, .	2.5	0
175	From positive blood culture to microbiological diagnosis in 4 hours by MALDI-TOF mass spectrometry bacterial identification and rapid antibiogram. <i>Critical Care</i> , 2012, 16, .	2.5	2
176	Relationship between plasma NGAL and serum creatinine is influenced by leucocytosis and neutrophilia in the critically ill. <i>Critical Care</i> , 2012, 16, .	2.5	0
177	Corticosteroid resistance in sepsis is influenced by microRNA-124-induced downregulation of glucocorticoid receptor-1 α . <i>Critical Care</i> , 2012, 16, .	2.5	0
178	Glucocorticoids control systemic inflammatory response by regulation of energy metabolism and cytokine expression. <i>Critical Care</i> , 2012, 16, .	2.5	0
179	Assessment of clinical deterioration and progressive organ failure in moderate-severity emergency department sepsis patients. <i>Critical Care</i> , 2012, 16, .	2.5	0
180	Increased endotoxin activity is associated with clinical deterioration in moderate-severity emergency department sepsis patients: a pilot study. <i>Critical Care</i> , 2012, 16, .	2.5	3
181	Defining the impact of delayed antibiotic administration using a comprehensive electronic health record screen to identify sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	1
182	Effects on outcome of patients with severe sepsis and septic shock admitted to the ICU after implementation cooperative sepsis management protocol. <i>Critical Care</i> , 2012, 16, .	2.5	0
183	Saving 500 Lives Campaign: another way to improve the mortality rate of patients with severe sepsis and septic shock. <i>Critical Care</i> , 2012, 16, .	2.5	4
184	Clinical utility of using C-reactive protein and procalcitonin as biomarkers for a novel neonatal sepsis diagnostic platform (ASCMicroPlat). <i>Critical Care</i> , 2012, 16, .	2.5	0
185	GAPDH: is it a reliable housekeeper gene to use in sepsis research?. <i>Critical Care</i> , 2012, 16, .	2.5	0
186	Cytokine gene expression profiling identifies distinct patterns in severe sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
187	Quantified temporal changes of heart rate variability when developing SIRS. <i>Critical Care</i> , 2012, 16, .	2.5	0
188	Endothelial cell specific molecule 1 is today a relevant marker of respiratory failure in sepsis and polytrauma patients. <i>Critical Care</i> , 2012, 16, .	2.5	0
189	A microbiome approach to sepsis: development and case-study application of novel methods for detection and isolation of microbes from whole blood. <i>Critical Care</i> , 2012, 16, .	2.5	2
190	Antibacterial therapy in treatment of newborns with perinatal sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
191	Use of intravenous and intramuscular immunoglobulin in the practice of treatment for purulent and septic deaths in newborns. <i>Critical Care</i> , 2012, 16, .	2.5	1

#	ARTICLE	IF	CITATIONS
192	An overview of the sepsis situation in the Department of Infection Diseases, University Hospital Center, Tirana. <i>Critical Care</i> , 2012, 16, .	2.5	0
193	Is visceral leishmaniasis a sepsis or not?. <i>Critical Care</i> , 2012, 16, .	2.5	3
194	Evaluation of procalcitonin in patients with sepsis in Albanian adults. <i>Critical Care</i> , 2012, 16, .	2.5	0
195	Role of the membrane receptor ALXR in polymicrobial sepsis. <i>Critical Care</i> , 2012, 16, .	2.5	0
196	Sex-specific signaling through Toll-Like Receptors 2 and 4 contributes to survival outcome of Coxsackievirus B3 infection in C57Bl/6 mice. <i>Biology of Sex Differences</i> , 2012, 3, 25.	1.8	49
197	Genetically Engineered Lactobacilli for Technological and Functional Food Applications. , 2012, , .		1
198	Alterations in innate antibacterial response after immunomodulatory nutrition. <i>Przegląd Gastroenterologiczny</i> , 2012, 3, 115-124.	0.3	0
199	Sulfated polysaccharides of brown seaweeds are ligands of toll-like receptors. <i>Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry</i> , 2012, 6, 75-80.	0.2	8
200	ISG12 is a critical modulator of innate immune responses in murine models of sepsis. <i>Immunobiology</i> , 2013, 218, 1207-1216.	0.8	26
201	Diacylated lipopeptide from <i>Mycoplasma synoviae</i> mediates TLR15 induced innate immune responses. <i>Veterinary Research</i> , 2013, 44, 99.	1.1	43
202	Genetic Polymorphisms of Systemic Inflammation in Community-acquired Pneumonia. <i>Clinical Pulmonary Medicine</i> , 2013, 20, 69-76.	0.3	0
203	NeumonÃa adquirida en la comunidad: variantes gÃ©nicas implicadas en la inflamaciÃ³n sistÃ©mica. <i>Medicina Intensiva</i> , 2014, 38, 315-323.	0.4	2
204	Toll-like receptors in the depressed and suicide brain. <i>Journal of Psychiatric Research</i> , 2014, 53, 62-68.	1.5	135
205	Effect of age on the pathogenesis of DHV-1 in Pekin ducks and on the innate immune responses of ducks to infection. <i>Archives of Virology</i> , 2014, 159, 905-914.	0.9	37
206	TLR signaling controls lethal encephalitis in WNV-infected brain. <i>Brain Research</i> , 2014, 1574, 84-95.	1.1	27
207	Impact of extracellular RNA on endothelial barrier function. <i>Cell and Tissue Research</i> , 2014, 355, 635-645.	1.5	35
208	Community acquired pneumonia: Genetic variants influencing systemic inflammation. <i>Medicina Intensiva (English Edition)</i> , 2014, 38, 315-323.	0.1	0
209	Regulating Biocompatibility of Carbon Spheres via Defined Nanoscale Chemistry and a Careful Selection of Surface Functionalities. <i>Scientific Reports</i> , 2015, 5, 14986.	1.6	46

#	ARTICLE	IF	CITATIONS
210	Respiratory Virus in Cystic Fibrosis – A Review of the Literature. , 2015, , .		1
211	Role of the tumor necrosis factor receptor-associated factor-type zinc finger domain containing protein 1 (TRAFD1) from the hard tick <i>Haemaphysalis longicornis</i> in immunity against bacterial infection. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 36-45.	1.1	10
212	Modulating toll-like receptor-mediated inflammatory responses following exposure of whole cell and lipopolysaccharide component from <i>Porphyromonas gingivalis</i> in wistar rat models. <i>European Journal of Dentistry</i> , 2017, 11, 422-426.	0.8	6
213	Toll-like receptors: Significance, ligands, signaling pathways, and functions in mammals. <i>International Reviews of Immunology</i> , 2018, 37, 20-36.	1.5	334
215	PRR Function of Innate Immune Receptors in Recognition of Bacteria or Bacterial Ligands. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1112, 255-280.	0.8	28
216	P2Y6 Receptors Regulate CXCL10 Expression and Secretion in Mouse Intestinal Epithelial Cells. <i>Frontiers in Pharmacology</i> , 2018, 9, 149.	1.6	13
217	Regulation of Toll-Like Receptor (TLR) Signaling Pathway by Polyphenols in the Treatment of Age-Linked Neurodegenerative Diseases: Focus on TLR4 Signaling. <i>Frontiers in Immunology</i> , 2019, 10, 1000.	2.2	153
218	Toll-like receptors in the functional orientation of cardiac progenitor cells. <i>Journal of Cellular Physiology</i> , 2019, 234, 19451-19463.	2.0	1
219	Bacillus S-Layer-Mediated Innate Interactions During Endophthalmitis. <i>Frontiers in Immunology</i> , 2020, 11, 215.	2.2	19
220	Overview of Toll-Like Receptors in the CNS. <i>Current Topics in Microbiology and Immunology</i> , 2009, 336, 1-14.	0.7	29
221	Mast Cell and Basophils: Interaction with IgE and Responses to Toll like Receptor Activators. , 2009, , 113-133.		2
222	Evolutionary Dynamics of Human Toll-Like Receptors and Their Different Contributions to Host Defense. <i>PLoS Genetics</i> , 2009, 5, e1000562.	1.5	341
223	Host Immune Response to Mosquito-Transmitted Chikungunya Virus Differs from That Elicited by Needle Inoculated Virus. <i>PLoS ONE</i> , 2010, 5, e12137.	1.1	96
224	Clinical characteristics and outcomes among Brazilian patients with severe acute respiratory syndrome coronavirus 2 infection: an observational retrospective study. <i>Sao Paulo Medical Journal</i> , 2020, 138, 490-497.	0.4	12
226	Toll-Like Receptors: Role in Inflammation and Commensal Bacteria. <i>Inflammation and Allergy: Drug Targets</i> , 2011, 10, 198-207.	1.8	31
227	Exposure to Cigarette Smoke Disrupts CCL20-Mediated Antimicrobial Activity in Respiratory Epithelial Cells. <i>The Open Immunology Journal</i> , 2014, 7, 86-93.	1.5	15
228	Fever and hypothermia in systemic inflammation: recent discoveries and revisions. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 2193.	3.0	284
229	Immunity Versus Immunopathology in West Nile Virus Induced Encephalitis. , 0, , .		2

#	ARTICLE	IF	CITATIONS
230	Viral Respiratory Tract Infections in Cystic Fibrosis. , 0, , .		0
231	Modeling Microbial Virulence in a Genomic Era: Impact of Shared Genomic Tools and Data Sets. , 0, , 213-231.		0
232	Immunomodulatory Role of Mycobacterial PE/PPE Family of Proteins. Proceedings of the Indian National Science Academy, 2014, 80, 1055.	0.5	3
233	The PE and PPE Family Proteins of Mycobacterium tuberculosis: What they Are Up To?. , 2019, , 123-150.		3
236	Role of Specialized Pro-Resolving Mediators in Modifying Host Defense and Decreasing Bacterial Virulence. Molecules, 2021, 26, 6970.	1.7	9
237	Resolvin D2 promotes host defense in a 2 - hit model of sepsis with secondary lung infection. Prostaglandins and Other Lipid Mediators, 2022, 159, 106617.	1.0	8
238	Beyond the neuron: Role of non-neuronal cells in stress disorders. Neuron, 2022, 110, 1116-1138.	3.8	18
242	Nucleic acid-sensing toll-like receptors: Important players in Sjögren's syndrome. Frontiers in Immunology, 0, 13, .	2.2	5
243	Alternative pre-mRNA splicing as a mechanism for terminating Toll-like Receptor signaling. Frontiers in Immunology, 0, 13, .	2.2	4