

# Targeting HIF-1 for cancer therapy

Nature Reviews Cancer

3, 721-732

DOI: 10.1038/nrc1187

Citation Report

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Glycolysis module activated by hypoxia-inducible factor 1 $\alpha$ is related to the aggressive phenotype of hepatocellular carcinoma. International Journal of Oncology, 1992, 33, 725.                              | 3.3  | 52        |
| 2  | Analysis of hypoxia-associated gene expression in prostate cancer: lysyl oxidase and glucose transporter-1 expression correlate with Gleason score. Oncology Reports, 1994, 20, 1561.                                 | 2.6  | 34        |
| 3  | The C1772T genetic polymorphism in human HIF-1 $\alpha$ gene associates with expression of HIF-1 $\alpha$ protein in breast cancer. Oncology Reports, 1994, 20, 1181.   | 2.6  | 1         |
| 4  | Rapid detection of the hypoxia-regulated CA-IX and NDRG1 gene expression in different glioblastoma cells in vitro. Oncology Reports, 1994, 20, 413.   | 2.6  | 9         |
| 5  | Vascular Endothelial Growth Factors. , 2002, , 883-XXXV.  |      | 1         |
| 7  | Mechanism of action of 2-methoxyestradiol: new developments. Drug Resistance Updates, 2003, 6, 355-361.   | 14.4 | 151       |
| 8  | Parallels in invasion and angiogenesis provide pivotal points for therapeutic intervention. International Journal of Developmental Biology, 2004, 48, 583-598.  | 0.6  | 64        |
| 9  | HIF-1 $\alpha$ : a Valid Therapeutic Target for Tumor Therapy. Cancer Research and Treatment, 2004, 36, 343.  | 3.0  | 73        |
| 10 | The Hypoxia-Inducible Factor and Tumor Progression Along the Angiogenic Pathway. International Review of Cytology, 2004, 242, 157-213.  | 6.2  | 72        |
| 11 | The Eker Rat: Establishing a Genetic Paradigm Linking Renal Cell Carcinoma and Uterine Leiomyoma. Current Molecular Medicine, 2004, 4, 813-824.   | 1.3  | 47        |
| 12 | Multiple Roles of Vascular Endothelial Growth Factor (VEGF) in Skeletal Development, Growth, and Repair. Current Topics in Developmental Biology, 2004, 65, 169-187.  | 2.2  | 193       |
| 13 | HIF-1: A Target For Cancer, Ischemia and Inflammation“Too Good to be True?. Cell Cycle, 2004, 3, 149-150.   | 2.6  | 231       |
| 14 | Regulation of Endothelial Cell Death and Its Role in Angiogenesis and Vascular Regression. Current Neurovascular Research, 2004, 1, 305-315.  | 1.1  | 35        |
| 16 | Regulation of Transcription and Translation by Hypoxia. Cancer Biology and Therapy, 2004, 3, 492-497.   | 3.4  | 173       |
| 17 | Genetic Analysis of the Role of the Asparaginyl Hydroxylase Factor Inhibiting Hypoxia-inducible Factor (HIF) in Regulating HIF Transcriptional Target Genes. Journal of Biological Chemistry, 2004, 279, 42719-42725. | 3.4  | 137       |
| 18 | Positron Emission Tomography-Based Molecular Imaging in Human Cancer. Clinical Cancer Research, 2004, 10, 2203-2204.  | 7.0  | 30        |
| 19 | Schedule-dependent Inhibition of Hypoxia-inducible Factor-1 $\alpha$ Protein Accumulation, Angiogenesis, and Tumor Growth by Topotecan in U251-HRE Glioblastoma Xenografts. Cancer Research, 2004, 64, 6845-6848.     | 0.9  | 191       |
| 20 | Exploitation of the HIF axis for cancer therapy. Cancer Biology and Therapy, 2004, 3, 608-611.  | 3.4  | 32        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 21 | Targeting Topoisomerase 1 to inhibit Hypoxia Inducible Factor 1. <i>Cell Cycle</i> , 2004, 3, 167-170.   | 2.6 | 35        |
| 22 | Oxygen and the Cell. <i>Biological Chemistry</i> , 2004, 385, 203-4.   | 2.5 | 0         |
| 23 | Defective Acidification of Intracellular Organelles Results in Aberrant Secretion of Cathepsin D in Cancer Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 39982-39988.   | 3.4 | 72        |
| 24 | 9-Î²-d-Arabinofuranosyl-2-fluoroadenine Inhibits Expression of Vascular Endothelial Growth Factor through Hypoxia-Inducible Factor-1 in Human Ovarian Cancer Cells. <i>Molecular Pharmacology</i> , 2004, 66, 178-186.   | 2.3 | 26        |
| 25 | Acute myocardial hypoxia increases BNP gene expression. <i>FASEB Journal</i> , 2004, 18, 1928-1930.  | 0.5 | 172       |
| 26 | Glucose Utilization Is Essential for Hypoxia-Inducible Factor 1Î±-Dependent Phosphorylation of c-Jun. <i>Molecular and Cellular Biology</i> , 2004, 24, 4128-4137.   | 2.3 | 24        |
| 27 | Dysregulation of ferroportin 1 interferes with spleen organogenesis in polycythaemia mice. <i>Development (Cambridge)</i> , 2004, 131, 4871-4881.  | 2.5 | 37        |
| 28 | c-Jun NH2-Terminal Kinase Activation Contributes to Hypoxia-Inducible Factor 1Î±-Dependent P-Glycoprotein Expression in Hypoxia. <i>Cancer Research</i> , 2004, 64, 9057-9061.   | 0.9 | 103       |
| 29 | Effect of Radiation and Ibuprofen on Normoxic Renal Carcinoma Cells Overexpressing Hypoxia-Inducible Factors by Loss of von HippelÎ±Lindau Tumor Suppressor Gene Function. <i>Clinical Cancer Research</i> , 2004, 10, 4158-4164.  | 7.0 | 19        |
| 30 | DNA Damage Is a Prerequisite for p53-Mediated Proteasomal Degradation of HIF-1Î± in Hypoxic Cells and Downregulation of the Hypoxia Marker Carbonic Anhydrase IX. <i>Molecular and Cellular Biology</i> , 2004, 24, 5757-5766.   | 2.3 | 84        |
| 31 | Hypoxia induces adhesion molecules on cancer cells: A missing link between Warburg effect and induction of selectin-ligand carbohydrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 8132-8137.   | 7.1 | 206       |
| 32 | Role of Hypoxia-Inducible Factor 1Î± in Gastric Cancer Cell Growth, Angiogenesis, and Vessel Maturation. <i>Journal of the National Cancer Institute</i> , 2004, 96, 946-956.  | 6.3 | 228       |
| 33 | Cancer Therapy with a Replicating Oncolytic Adenovirus Targeting the Hypoxic Microenvironment of Tumors. <i>Clinical Cancer Research</i> , 2004, 10, 8603-8612.  | 7.0 | 62        |
| 34 | HIF-1, An Oxygen and Metal Responsive Transcription Factor. <i>Cancer Biology and Therapy</i> , 2004, 3, 29-35.  | 3.4 | 210       |
| 35 | Raising the Bar: How HIF-1 Helps Determine Tumor Radiosensitivity. <i>Cell Cycle</i> , 2004, 3, 1105-1108.   | 2.6 | 44        |
| 36 | Siah: New Players in the Cellular Response to Hypoxia. <i>Cell Cycle</i> , 2004, 3, 1345-1347.   | 2.6 | 41        |
| 37 | Small Molecule-Mediated Anti-Cancer Therapy via Hypoxia Inducible Factor-1 Blockade. <i>Cancer Biology and Therapy</i> , 2004, 3, 503-504.   | 3.4 | 20        |
| 38 | Functional Integrity of Nuclear Factor Î±B, Phosphatidylinositol 3Î±-Kinase, and Mitogen-Activated Protein Kinase Signaling Allows Tumor Necrosis Factor Î±-Evoked Bcl-2 Expression to Provoke Internal Ribosome Entry Site-Dependent Translation of Hypoxia-Inducible Factor 1Î±. <i>Cancer Research</i> , 2004, 64, 9041-9048. | 0.9 | 62        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 39 | Depletion of Intracellular Ascorbate by the Carcinogenic Metals Nickel and Cobalt Results in the Induction of Hypoxic Stress. <i>Journal of Biological Chemistry</i> , 2004, 279, 40337-40344.   | 3.4  | 268       |
| 40 | Hypoxia-induced Nucleophosmin Protects Cell Death through Inhibition of p53. <i>Journal of Biological Chemistry</i> , 2004, 279, 41275-41279.  | 3.4  | 129       |
| 41 | Lack of Correlation between Expression of HIF-1 $\pm$ Protein and Oxygenation Status in Identical Tissue Areas of Squamous Cell Carcinomas of the Uterine Cervix. <i>Cancer Research</i> , 2004, 64, 5876-5881.  | 0.9  | 88        |
| 42 | Carbonic Anhydrase IX in Early-Stage Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2004, 10, 7925-7933.  | 7.0  | 87        |
| 43 | Topoisomerase I-Mediated Inhibition of Hypoxia-Inducible Factor 1. <i>Cancer Research</i> , 2004, 64, 1475-1482.   | 0.9  | 303       |
| 44 | Properties of Switch-like Bioregulatory Networks Studied by Simulation of the Hypoxia Response Control System. <i>Molecular Biology of the Cell</i> , 2004, 15, 3042-3052.   | 2.1  | 67        |
| 45 | Oncolytic effects of adenovirus mutant capable of replicating in hypoxic and normoxic regions of solid tumor. <i>Molecular Therapy</i> , 2004, 10, 938-949.  | 8.2  | 56        |
| 46 | Targeting hypoxia-inducible factor-1 for therapy and prevention. <i>Expert Opinion on Therapeutic Patents</i> , 2004, 14, 951-966.   | 5.0  | 0         |
| 47 | VEGFA is necessary for chondrocyte survival during bone development. <i>Development (Cambridge)</i> , 2004, 131, 2161-2171.  | 2.5  | 347       |
| 48 | 6-Phosphofructo-2-kinase (pfkfb3) Gene Promoter Contains Hypoxia-inducible Factor-1 Binding Sites Necessary for Transactivation in Response to Hypoxia. <i>Journal of Biological Chemistry</i> , 2004, 279, 53562-53570.                                 | 3.4  | 213       |
| 49 | ProBNP-derived peptides in cardiac disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2004, 64, 497-510.  | 1.2  | 21        |
| 50 | Kigamicin D, a novel anticancer agent based on a new anti-austerity strategy targeting cancer cells' tolerance to nutrient starvation. <i>Cancer Science</i> , 2004, 95, 547-552.  | 3.9  | 103       |
| 51 | ETS transcription factors: Possible targets for cancer therapy. <i>Cancer Science</i> , 2004, 95, 626-633.   | 3.9  | 162       |
| 52 | Antitumor activity of pyrinium pamoate, 6-(dimethylamino)-2-[2-(2,5-dimethyl-1-phenyl-1H-pyrrol-3-yl)ethenyl]-1-methyl-quinolinium pamoate salt, showing preferential cytotoxicity during glucose starvation. <i>Cancer Science</i> , 2004, 95, 685-690. | 3.9  | 117       |
| 53 | Molecular regulation of the VEGF family "inducers of angiogenesis and lymphangiogenesis. <i>Apmis</i> , 2004, 112, 463-480.  | 2.0  | 139       |
| 54 | mTOR inhibition reverses Akt-dependent prostate intraepithelial neoplasia through regulation of apoptotic and HIF-1-dependent pathways. <i>Nature Medicine</i> , 2004, 10, 594-601.  | 30.7 | 913       |
| 55 | Progenitor cell trafficking is regulated by hypoxic gradients through HIF-1 induction of SDF-1. <i>Nature Medicine</i> , 2004, 10, 858-864.  | 30.7 | 2,385     |
| 56 | Cancer genes and the pathways they control. <i>Nature Medicine</i> , 2004, 10, 789-799.  | 30.7 | 3,689     |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 57 | Cancer as a robust system: implications for anticancer therapy. Nature Reviews Cancer, 2004, 4, 227-235.                           | 28.4 | 412       |
| 58 | Exploiting tumour hypoxia in cancer treatment. Nature Reviews Cancer, 2004, 4, 437-447.  | 28.4 | 2,406     |
| 59 | Integrated global profiling of cancer. Nature Reviews Cancer, 2004, 4, 638-644.  | 28.4 | 132       |
| 61 | Why do cancers have high aerobic glycolysis?. Nature Reviews Cancer, 2004, 4, 891-899.   | 28.4 | 4,181     |
| 62 | Oxygen sensing by HIF hydroxylases. Nature Reviews Molecular Cell Biology, 2004, 5, 343-354.                                       | 37.0 | 1,810     |
| 63 | Multiple cell death pathways as regulators of tumour initiation and progression. Oncogene, 2004, 23, 2746-2756.                    | 5.9  | 281       |
| 64 | Prospective strategies to enforce selectively cell death in cancer cells. Oncogene, 2004, 23, 2967-2975.                           | 5.9  | 83        |
| 65 | HIF-1 and p53: communication of transcription factors under hypoxia. Journal of Cellular and Molecular Medicine, 2004, 8, 423-431. | 3.6  | 157       |
| 66 | Clinical studies of hypoxia modification in radiotherapy. Seminars in Radiation Oncology, 2004, 14, 233-240.                       | 2.2  | 75        |
| 67 | The relationship between hypoxia and angiogenesis. Seminars in Radiation Oncology, 2004, 14, 215-221.                              | 2.2  | 84        |
| 68 | The hypoxic tumor microenvironment and gene expression. Seminars in Radiation Oncology, 2004, 14, 207-214.                         | 2.2  | 100       |
| 69 | Antiangiogenic therapy and tumor progression. Cancer Cell, 2004, 5, 13-17.   | 16.8 | 239       |
| 70 | Intratumoral hypoxia, radiation resistance, and HIF-1. Cancer Cell, 2004, 5, 405-406.  | 16.8 | 199       |
| 71 | Engineered embryonic endothelial progenitor cells as therapeutic Trojan horses. Cancer Cell, 2004, 5, 406-408.                     | 16.8 | 17        |
| 72 | Novel therapeutic targets in squamous cell carcinoma of the head and neck. Seminars in Oncology, 2004, 31, 755-768.                | 2.2  | 19        |
| 73 | Targeting HIF-1: when a magic arrow hits the bull's eye. Drug Discovery Today, 2004, 9, 869.                                       | 6.4  | 2         |
| 74 | New anticancer strategies targeting HIF-1. Biochemical Pharmacology, 2004, 68, 1061-1069.  | 4.4  | 148       |
| 75 | HIF-1: master and commander of the hypoxic world. Biochemical Pharmacology, 2004, 68, 971-980.                                     | 4.4  | 134       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 76 | Loss of HIF-1 $\alpha$ in endothelial cells disrupts a hypoxia-driven VEGF autocrine loop necessary for tumorigenesis. <i>Cancer Cell</i> , 2004, 6, 485-495.  | 16.8 | 494       |
| 77 | Hypoxic gene expression and metastasis. <i>Cancer and Metastasis Reviews</i> , 2004, 23, 293-310.  | 5.9  | 287       |
| 78 | Differential Function of the Prolyl Hydroxylases PHD1, PHD2, and PHD3 in the Regulation of Hypoxia-inducible Factor. <i>Journal of Biological Chemistry</i> , 2004, 279, 38458-38465.  | 3.4  | 918       |
| 79 | A preclinical model for noninvasive imaging of hypoxia-induced gene expression; comparison with an exogenous marker of tumor hypoxia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1530-1538.               | 6.4  | 54        |
| 80 | Hypoxia-inducible factor-1 and oncogenic signalling. <i>BioEssays</i> , 2004, 26, 262-269.   | 2.5  | 178       |
| 81 | Classification and prediction of survival in hepatocellular carcinoma by gene expression profiling. <i>Hepatology</i> , 2004, 40, 667-676.   | 7.3  | 822       |
| 82 | Pretreatment evaluation of combined HIF-1 $\alpha$ , p53 and p21 expression is a useful and sensitive indicator of response to radiation and chemotherapy in esophageal cancer. <i>International Journal of Cancer</i> , 2004, 110, 838-844. | 5.1  | 71        |
| 83 | NS398 reduces hypoxia-inducible factor(HIF)-1 $\alpha$ and HIF-1 activity: Multiple-level effects involving cyclooxygenase-2 dependent and independent mechanisms. <i>International Journal of Cancer</i> , 2004, 112, 585-595.              | 5.1  | 52        |
| 84 | Regulation of HIF prolyl hydroxylases by hypoxia-inducible factors. <i>Journal of Cellular Biochemistry</i> , 2004, 92, 491-501.   | 2.6  | 189       |
| 85 | Locus of fragility in robust breast cancer system. <i>Journal of Cellular Biochemistry</i> , 2004, 92, 1020-1024.  | 2.6  | 20        |
| 86 | Manipulation of hypoxia-inducible factor-1 $\alpha$ transactivation by mutation of C-TAD residues. <i>Expert Opinion on Therapeutic Patents</i> , 2004, 14, 257-259.   | 5.0  | 0         |
| 87 | Hydroxylation of HIF-1: Oxygen Sensing at the Molecular Level. <i>Physiology</i> , 2004, 19, 176-182.  | 3.1  | 732       |
| 88 | The role of hypoxia inducible factor 1 (HIF-1) in hypoxia induced apoptosis. <i>Journal of Clinical Pathology</i> , 2004, 57, 1009-1014.   | 2.0  | 636       |
| 89 | Upstream and downstream of mTOR. <i>Genes and Development</i> , 2004, 18, 1926-1945.   | 5.9  | 3,638     |
| 91 | Laurenditerpenol, a New Diterpene from the Tropical Marine Alga <i>Laurencia intricata</i> that Potently Inhibits HIF-1 Mediated Hypoxic Signaling in Breast Tumor Cells. <i>Journal of Natural Products</i> , 2004, 67, 2002-2007.          | 3.0  | 84        |
| 92 | Improving tumor response to radiotherapy by targeting angiogenesis signaling pathways. <i>Hematology/Oncology Clinics of North America</i> , 2004, 18, 1039-1057.  | 2.2  | 37        |
| 93 | Cellular oxygen sensing need in CNS function: physiological and pathological implications. <i>Journal of Experimental Biology</i> , 2004, 207, 3171-3188.  | 1.7  | 208       |
| 94 | Hypoxia-Inducible Factor-1 Activation by (â <sup>+</sup> )-Epicatechin Gallate:Â Potential Adverse Effects of Cancer Chemoprevention with High-Dose Green Tea Extracts. <i>Journal of Natural Products</i> , 2004, 67, 2063-2069.            | 3.0  | 90        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 95  | Oxidation in rheumatoid arthritis. Arthritis Research, 2004, 6, 265.   | 2.0  | 497       |
| 96  | Hypoxia-inducible factor (HIF-1) $\beta$ : its protein stability and biological functions. Experimental and Molecular Medicine, 2004, 36, 1-12.  | 7.7  | 872       |
| 97  | Renal cell carcinoma: rationale and development of therapeutic inhibitors of angiogenesis. Hematology/Oncology Clinics of North America, 2004, 18, 1143-1159.  | 2.2  | 9         |
| 98  | The relationship between the tumor physiologic microenvironment and angiogenesis. Hematology/Oncology Clinics of North America, 2004, 18, 973-990.   | 2.2  | 16        |
| 99  | Regulation of malignant progression by the hypoxia-sensitive transcription factors HIF-1 $\beta$ and MTF-1. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2004, 139, 495-507.      | 1.6  | 22        |
| 100 | Versatile pharmacological actions of YC-1: anti-platelet to anticancer. Cancer Letters, 2004, 207, 1-7.  | 7.2  | 50        |
| 101 | Regulating cell survival by controlling cellular energy production: novel functions for ancient signaling pathways?. FEBS Letters, 2004, 577, 1-4.   | 2.8  | 21        |
| 102 | Targeting hypoxia tolerance in cancer. Drug Resistance Updates, 2004, 7, 25-40.  | 14.4 | 81        |
| 103 | Cancer cell death by programmed necrosis?. Drug Resistance Updates, 2004, 7, 321-324.  | 14.4 | 33        |
| 104 | Developmental and metabolic implications of the hypoxic ventilatory response. Paediatric Respiratory Reviews, 2004, 5, 173-181.  | 1.8  | 6         |
| 105 | Physiological and Pathological Responses to Hypoxia. American Journal of Pathology, 2004, 164, 1875-1882.  | 3.8  | 435       |
| 106 | Angiogenesis and hepatocellular carcinoma. Journal of Hepatology, 2004, 41, 864-880.   | 3.7  | 322       |
| 107 | The neurovascular unit and its growth factors: coordinated response in the vascular and nervous systems. Neurological Research, 2004, 26, 870-883.   | 1.3  | 116       |
| 108 | Molecular-Targeted Antitumor Agents: The Saururus cernuus Dineolignans Manassantin B and 4-O-Demethylmanassantin B Are Potent Inhibitors of Hypoxia-Activated HIF-1. Journal of Natural Products, 2004, 67, 767-771. | 3.0  | 109       |
| 109 | The STATs of cancer " new molecular targets come of age. Nature Reviews Cancer, 2004, 4, 97-105.   | 28.4 | 2,084     |
| 110 | PERSISTENT HIF-1 $\beta$ ACTIVATION IN GUT ISCHEMIA/REPERFUSION INJURY: POTENTIAL ROLE OF BACTERIA AND LIPOPOLYSACCHARIDE. Shock, 2004, 22, 270-277.   | 2.1  | 53        |
| 111 | Angiogenesis and lymphangiogenesis: highlights of the past year. Current Opinion in Hematology, 2004, 11, 262-271.   | 2.5  | 20        |
| 112 | Angiogenic signaling in Alzheimer's disease. NeuroReport, 2004, 15, 1507-1510.   | 1.2  | 64        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 113 | Endogenous 2-oxoacids differentially regulate expression of oxygen sensors. <i>Biochemical Journal</i> , 2004, 380, 419-424.  | 3.7 | 98        |
| 114 | Pladienolides, New Substances from Culture of <i>Streptomyces platensis</i> Mer-11107 I. Taxonomy, Fermentation, Isolation and Screening. <i>Journal of Antibiotics</i> , 2004, 57, 173-179.                          | 2.0 | 105       |
| 115 | Pladienolides, New Substances from Culture of <i>Streptomyces platensis</i> Mer-11107 III. In Vitro and In Vivo Antitumor Activities. <i>Journal of Antibiotics</i> , 2004, 57, 188-196.                              | 2.0 | 172       |
| 116 | Trophoblast differentiation during embryo implantation and formation of the maternal-fetal interface. <i>Journal of Clinical Investigation</i> , 2004, 114, 744-754.  | 8.2 | 568       |
| 117 | Optical Imaging of Tumor Hypoxia and Evaluation of Efficacy of a Hypoxia-Targeting Drug in Living Animals. <i>Molecular Imaging</i> , 2005, 4, 153535002005051.   | 1.4 | 89        |
| 118 | Chapter 14 Chronic lung vascular hyperpermeability. <i>Advances in Molecular and Cell Biology</i> , 2005, , 401-422.  | 0.1 | 0         |
| 119 | Involvement of Hypoxia-Inducible Factor 1 in Pulmonary Pathophysiology. <i>Chest</i> , 2005, 128, 592S-594S.  | 0.8 | 67        |
| 120 | Real-time Imaging of Hypoxia-inducible Factor-1 Activity in Tumor Xenografts. <i>Journal of Radiation Research</i> , 2005, 46, 93-102.  | 1.6 | 41        |
| 121 | PI3K/Akt/mTOR pathway as a target for cancer therapy. <i>Anti-Cancer Drugs</i> , 2005, 16, 797-803.   | 1.4 | 396       |
| 122 | Hypoxia-inducible factor-1 (HIF-1). <i>Critical Care Medicine</i> , 2005, 33, S423-S425.  | 0.9 | 73        |
| 123 | Hypoxia inducible factor-1: a novel target for cancer therapy. <i>Anti-Cancer Drugs</i> , 2005, 16, 901-909.  | 1.4 | 110       |
| 124 | Hypoxia-reoxygenation induces premature senescence in FA bone marrow hematopoietic cells. <i>Blood</i> , 2005, 106, 75-85.  | 1.4 | 60        |
| 125 | Identification and characterization of the human ARD1â€NATH protein acetyltransferase complex. <i>Biochemical Journal</i> , 2005, 386, 433-443.   | 3.7 | 170       |
| 126 | In response to Dr. Dewhirst et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 63, 971.  | 0.8 | 0         |
| 127 | In regard to Arvold et al. ( <i>Int J Radiat Oncol Biol Phys</i> 2005;62:207â€212). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 63, 970-971.   | 0.8 | 1         |
| 128 | Semi-synthetic mammalian gene regulatory networks. <i>Metabolic Engineering</i> , 2005, 7, 241-250.   | 7.0 | 41        |
| 129 | Nitric oxide signalling and cellular adaptations to changes in oxygenation. <i>Toxicology</i> , 2005, 208, 235-248.   | 4.2 | 35        |
| 130 | New Insight into the Transcriptional Regulation of Vascular Endothelial Growth Factor Expression in the Endometrium by Estrogen and Relaxin. <i>Annals of the New York Academy of Sciences</i> , 2005, 1041, 233-247. | 3.8 | 40        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 131 | Hemangioblasts Representing a Functional Endothelio-Hematopoietic Entity in Ontogeny, Postnatal Life, and CML Neovasculogenesis. <i>Stem Cell Reviews and Reports</i> , 2005, 1, 277-284.  | 5.6  | 10        |
| 132 | Hypoxia-inducible factor-1alpha is associated with angiogenesis, and expression of bFGF, PDGF-BB, and EGFR in invasive breast cancer. <i>Histopathology</i> , 2005, 46, 31-36.   | 2.9  | 169       |
| 133 | Inhibition of immunoglobulin E synthesis through FcgammaRII (CD32) by a mechanism independent of B-cell receptor co-cross-linking. <i>Immunology</i> , 2005, 115, 407-415.   | 4.4  | 11        |
| 134 | Regulation of YKL-40 expression during genotoxic or microenvironmental stress in human glioblastoma cells. <i>Cancer Science</i> , 2005, 96, 183-190.  | 3.9  | 119       |
| 135 | Hypoxia and anaemia in head and neck squamous cell carcinoma - mechanisms of therapy failure and provision of new therapeutic targets. <i>Clinical Otolaryngology</i> , 2005, 30, 99-104.  | 1.2  | 3         |
| 136 | In vitro hypoxia-conditioned colon cancer cell lines derived from HCT116 and HT29 exhibit altered apoptosis susceptibility and a more angiogenic profile in vivo. <i>British Journal of Cancer</i> , 2005, 93, 1356-1363.                | 6.4  | 59        |
| 137 | HIF, a missing link between metabolism and cancer. <i>Nature Medicine</i> , 2005, 11, 1047-1048.   | 30.7 | 58        |
| 138 | Induction of interleukin-8 preserves the angiogenic response in HIF-1 $\alpha$ -deficient colon cancer cells. <i>Nature Medicine</i> , 2005, 11, 992-997.  | 30.7 | 394       |
| 139 | The anaemia of cancer: death by a thousand cuts. <i>Nature Reviews Cancer</i> , 2005, 5, 543-555.  | 28.4 | 144       |
| 141 | Mitochondrial tumour suppressors: a genetic and biochemical update. <i>Nature Reviews Cancer</i> , 2005, 5, 857-866.   | 28.4 | 585       |
| 142 | Regulation of immune cells by local-tissue oxygen tension: HIF1 $\alpha$ and adenosine receptors. <i>Nature Reviews Immunology</i> , 2005, 5, 712-721.   | 22.7 | 480       |
| 143 | Two transactivation mechanisms cooperate for the bulk of HIF-1-responsive gene expression. <i>EMBO Journal</i> , 2005, 24, 3846-3858.  | 7.8  | 133       |
| 144 | VHL protein $\alpha$ -interacting deubiquitinating enzyme 2 deubiquitinates and stabilizes HIF $\alpha$ 1 $\alpha$ . <i>EMBO Reports</i> , 2005, 6, 373-378.   | 4.5  | 175       |
| 145 | Hypoxic Preconditioning and Tolerance via Hypoxia Inducible Factor (HIF) 1 $\alpha$ -linked Induction of P450 2C11 Epoxigenase in Astrocytes. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 939-948.                  | 4.3  | 93        |
| 146 | Desferrioxamine induces leukemic cell differentiation potentially by hypoxia-inducible factor-1 $\alpha$ that augments transcriptional activity of CCAAT/enhancer-binding protein-1 $\alpha$ . <i>Leukemia</i> , 2005, 19, 1239-1247.    | 7.2  | 81        |
| 147 | REDD1 integrates hypoxia-mediated survival signaling downstream of phosphatidylinositol 3-kinase. <i>Oncogene</i> , 2005, 24, 1138-1149.   | 5.9  | 121       |
| 148 | HIF-1 $\alpha$ , STAT3, CBP/p300 and Ref-1/APE are components of a transcriptional complex that regulates Src-dependent hypoxia-induced expression of VEGF in pancreatic and prostate carcinomas. <i>Oncogene</i> , 2005, 24, 3110-3120. | 5.9  | 353       |
| 149 | Accumulation of hypoxia-inducible factor-1 $\alpha$ is limited by transcription-dependent depletion. <i>Oncogene</i> , 2005, 24, 4829-4838.  | 5.9  | 57        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 150 | Targeting Stat3 blocks both HIF-1 and VEGF expression induced by multiple oncogenic growth signaling pathways. <i>Oncogene</i> , 2005, 24, 5552-5560.  | 5.9  | 523       |
| 151 | Array-based comparative gene expression analysis of tumor cells with increased apoptosis resistance after hypoxic selection. <i>Oncogene</i> , 2005, 24, 5914-5922.  | 5.9  | 28        |
| 152 | ERK1/2 inhibition increases antiestrogen treatment efficacy by interfering with hypoxia-induced downregulation of ER $\beta$ : a combination therapy potentially targeting hypoxic and dormant tumor cells. <i>Oncogene</i> , 2005, 24, 6835-6841. | 5.9  | 45        |
| 153 | Akt-regulated pathways in prostate cancer. <i>Oncogene</i> , 2005, 24, 7465-7474.  | 5.9  | 321       |
| 154 | Hypoxia-inducible factor 1 $\alpha$ in oral cancer. <i>Journal of Oral Pathology and Medicine</i> , 2005, 34, 385-389.   | 2.7  | 52        |
| 155 | Mutation analysis of the HIF-1 $\beta$ oxygen-dependent degradation domain in invasive breast cancer. <i>Cancer Genetics and Cytogenetics</i> , 2005, 163, 168-172.  | 1.0  | 19        |
| 156 | Pleiotropic effects of HIF-1 blockade on tumor radiosensitivity. <i>Cancer Cell</i> , 2005, 8, 99-110.   | 16.8 | 381       |
| 157 | HIF overexpression correlates with biallelic loss of fumarate hydratase in renal cancer: Novel role of fumarate in regulation of HIF stability. <i>Cancer Cell</i> , 2005, 8, 143-153.   | 16.8 | 843       |
| 158 | Genetic evidence for a tumor suppressor role of HIF-2 $\beta$ . <i>Cancer Cell</i> , 2005, 8, 131-141.   | 16.8 | 174       |
| 159 | Engaging the vascular component of the tumor response. <i>Cancer Cell</i> , 2005, 8, 89-91.  | 16.8 | 400       |
| 160 | Signalling via the hypoxia-inducible factor-1 $\beta$ requires multiple posttranslational modifications. <i>Cellular Signalling</i> , 2005, 17, 1-9.   | 3.6  | 200       |
| 161 | TOR Signaling: An Odyssey from Cellular Stress to the Cell Growth Machinery. <i>Current Biology</i> , 2005, 15, R139-R141.   | 3.9  | 33        |
| 162 | Negative and positive regulation of HIF-1: A complex network. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2005, 1755, 107-120.   | 7.4  | 180       |
| 163 | Monitor "chemistry. <i>Drug Discovery Today</i> , 2005, 10, 1201.  | 6.4  | 0         |
| 164 | Anti-angiogenic effects and regression of localized murine AML produced by anti-VEGF and anti-Flk-1 antibodies. <i>European Journal of Haematology</i> , 2005, 75, 41-46.  | 2.2  | 7         |
| 165 | Homing to Hypoxia: HIF-1 as a Mediator of Progenitor Cell Recruitment to Injured Tissue. <i>Trends in Cardiovascular Medicine</i> , 2005, 15, 57-63.   | 4.9  | 297       |
| 166 | HIF-1 $\beta$ and p53: the ODD couple?. <i>Trends in Biochemical Sciences</i> , 2005, 30, 426-429.   | 7.5  | 60        |
| 167 | Cellular reaction to hypoxia: sensing and responding to an adverse environment. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 569, 87-100.  | 1.0  | 69        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 168 | Molecular Mechanisms of Breast Cancer Metastases to Bone. <i>Clinical Breast Cancer</i> , 2005, 5, S46-S53.  | 2.4 | 149       |
| 169 | Clinical Significance of Hypoxia-Inducible Factor-1 $\beta$ Messenger RNA Expression in Locally Advanced Non-Small-Cell Lung Cancer After Platinum Agent and Gemcitabine Chemotherapy Followed by Surgery. <i>Clinical Lung Cancer</i> , 2005, 6, 299-303.   | 2.6 | 5         |
| 170 | HIF1-alpha overexpression indicates a good prognosis in early stage squamous cell carcinomas of the oral floor. <i>BMC Cancer</i> , 2005, 5, 84.   | 2.6 | 115       |
| 171 | Does endogenous fatty acid metabolism allow cancer cells to sense hypoxia and mediate hypoxic vasodilatation? Characterization of a novel molecular connection between fatty acid synthase (FAS) and hypoxia-inducible factor-1 $\beta$ (HIF-1 $\beta$ )-related expression of vascular endothelial growth factor (VEGF) in cancer cells overexpressing her-2/neu oncogene. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 857-863. | 2.6 | 28        |
| 172 | Angiostatin's molecular mechanism: Aspects of specificity and regulation elucidated. <i>Journal of Cellular Biochemistry</i> , 2005, 96, 242-261.  | 2.6 | 120       |
| 173 | Hypoxia suppresses the production of matrix metalloproteinases and the migration of human monocyte-derived dendritic cells. <i>European Journal of Immunology</i> , 2005, 35, 3468-3477.   | 2.9 | 44        |
| 174 | Upregulation of proinflammatory and proangiogenic cytokines by leptin in human hepatic stellate cells. <i>Hepatology</i> , 2005, 42, 1339-1348.  | 7.3 | 310       |
| 175 | Macrophage migration and gene expression in response to tumor hypoxia. <i>International Journal of Cancer</i> , 2005, 117, 701-708.  | 5.1 | 176       |
| 176 | Cellular life histories and bow tie biology. <i>American Journal of Human Biology</i> , 2005, 17, 66-80.   | 1.6 | 26        |
| 177 | Augmenting tumor sensitivity to topotecan by transient hypoxia. <i>Cancer Chemotherapy and Pharmacology</i> , 2005, 56, 473-480.   | 2.3 | 7         |
| 178 | Succinate dehydrogenase deficiency in human. <i>Cellular and Molecular Life Sciences</i> , 2005, 62, 2317-2324.  | 5.4 | 79        |
| 179 | When hypoxia signalling meets the ubiquitin-proteasomal pathway, new targets for cancer therapy. <i>Critical Reviews in Oncology/Hematology</i> , 2005, 53, 115-123.   | 4.4 | 32        |
| 180 | Upregulation of BNIP3 by 5-aza-2'-deoxycytidine sensitizes pancreatic cancer cells to hypoxia-mediated cell death. <i>Journal of Gastroenterology</i> , 2005, 40, 504-510.   | 5.1 | 65        |
| 181 | Anti-angiogenic effects of SN38 (active metabolite of irinotecan): inhibition of hypoxia-inducible factor 1 alpha (HIF-1 $\alpha$ )/vascular endothelial growth factor (VEGF) expression of glioma and growth of endothelial cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2005, 131, 205-213.  | 2.5 | 60        |
| 182 | Genomics of pancreatic cancer: Does it make any improvement in diagnosis, prognosis and therapy?. <i>Pathology and Oncology Research</i> , 2005, 11, 69-73.  | 1.9 | 6         |
| 183 | Cyclooxygenase-2 increases hypoxia-inducible factor-1 and vascular endothelial growth factor to promote angiogenesis in gastric carcinoma. <i>Journal of Biomedical Science</i> , 2005, 12, 229-241.   | 7.0 | 103       |
| 184 | Critical role of microenvironmental factors in angiogenesis. <i>Current Atherosclerosis Reports</i> , 2005, 7, 227-234.  | 4.8 | 63        |
| 185 | Employing Tumor Hypoxia for Oncolytic Therapy in Breast Cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2005, 10, 311-318.   | 2.7 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 187 | Tumoral micro-blood vessels and vascular microenvironment in human astrocytic tumors. A transmission electron microscopy study. <i>Journal of Neuro-Oncology</i> , 2005, 73, 211-217.   | 2.9 | 35        |
| 188 | Targeting STAT3 affects melanoma on multiple fronts. <i>Cancer and Metastasis Reviews</i> , 2005, 24, 315-327.  | 5.9 | 255       |
| 189 | Identification of hypoxia-inducible factor-1? (HIF-1?) polymorphism as a mutation in prostate cancer that prevents normoxia-induced degradation. <i>Prostate</i> , 2005, 63, 215-221.   | 2.3 | 98        |
| 190 | Chromatin Immunoprecipitation Analysis of Gene Expression in the Rat Uterus in Vivo: Estrogen-Induced Recruitment of Both Estrogen Receptor $\alpha$ and Hypoxia-Inducible Factor 1 to the Vascular Endothelial Growth Factor Promoter. <i>Molecular Endocrinology</i> , 2005, 19, 2006-2019. | 3.7 | 105       |
| 191 | Down-Regulation of the Expression of the FIH-1 and ARD-1 Genes at the Transcriptional Level by Nickel and Cobalt in the Human Lung Adenocarcinoma A549 Cell Line. <i>International Journal of Environmental Research and Public Health</i> , 2005, 2, 10-13.                                  | 2.6 | 29        |
| 192 | Ascorbate Depletion: A Critical Step in Nickel Carcinogenesis?. <i>Environmental Health Perspectives</i> , 2005, 113, 577-584.  | 6.0 | 64        |
| 193 | HO-1 induction by HIF-1: a new mechanism for delayed cardioprotection?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H522-H524.  | 3.2 | 63        |
| 194 | Targeting Hypoxia-Inducible Factor (HIF) as a Therapeutic Strategy for CNS Disorders. <i>CNS and Neurological Disorders</i> , 2005, 4, 85-92.   | 4.3 | 46        |
| 195 | Stromal Cell-Derived Factor-1 $\alpha$ and CXCR4 Expression in Hemangioblastoma and Clear Cell-Renal Cell Carcinoma: von Hippel-Lindau Loss-of-Function Induces Expression of a Ligand and Its Receptor. <i>Cancer Research</i> , 2005, 65, 6178-6188.  | 0.9 | 250       |
| 196 | Analysis of Hypoxia-Related Gene Expression in Sarcomas and Effect of Hypoxia on RNA Interference of Vascular Endothelial Cell Growth Factor A. <i>Cancer Research</i> , 2005, 65, 5881-5889.   | 0.9 | 134       |
| 197 | Hypoxia-inducible Factor 1 $\alpha$ and Antiangiogenic Activity of Farnesyltransferase Inhibitor SCH66336 in Human Aerodigestive Tract Cancer. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1272-1286.   | 6.3 | 101       |
| 198 | A novel adenoviral vector which mediates hypoxia-inducible gene expression selectively in neurons. <i>Gene Therapy</i> , 2005, 12, 1369-1376.   | 4.5 | 16        |
| 199 | Antitumor Activity of Rapamycin in a Transgenic Mouse Model of ErbB2-Dependent Human Breast Cancer. <i>Cancer Research</i> , 2005, 65, 5325-5336.   | 0.9 | 93        |
| 200 | Effects of androgen suppression and radiation on prostate cancer suggest a role for angiogenesis blockade. <i>Prostate Cancer and Prostatic Diseases</i> , 2005, 8, 127-132.  | 3.9 | 16        |
| 201 | Current Issues in the Utility of Blood Oxygen Level Dependent MRI for the Assessment of Modulations in Tumor Oxygenation. <i>Current Medical Imaging</i> , 2005, 1, 229-243.  | 0.8 | 48        |
| 202 | Adaptive Myogenesis under Hypoxia. <i>Molecular and Cellular Biology</i> , 2005, 25, 3040-3055.   | 2.3 | 128       |
| 203 | Hypoxia-inducible factor 1 $\alpha$ is a new target of microphthalmia-associated transcription factor (MITF) in melanoma cells. <i>Journal of Cell Biology</i> , 2005, 170, 49-59.  | 5.2 | 155       |
| 204 | Enzyme-Linked Immunosorbent Assay for Pharmacological Studies Targeting Hypoxia-Inducible Factor 1 $\alpha$ . <i>Vaccine Journal</i> , 2005, 12, 660-664.   | 3.1 | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 205 | Involvement of Transforming Growth Factor- $\beta$ 1 Signaling in Hypoxia-induced Tolerance to Glucose Starvation. <i>Journal of Biological Chemistry</i> , 2005, 280, 31557-31563.   | 3.4  | 46        |
| 206 | Human Immunodeficiency Virus Type 1-Induced Macrophage Gene Expression Includes the p21 Gene, a Target for Viral Regulation. <i>Journal of Virology</i> , 2005, 79, 4479-4491.  | 3.4  | 102       |
| 207 | Resveratrol inhibits hypoxia-induced accumulation of hypoxia-inducible factor-1 $\alpha$ and VEGF expression in human tongue squamous cell carcinoma and hepatoma cells. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 1465-1474.   | 4.1  | 192       |
| 208 | The oxygen sensing signal cascade under the influence of reactive oxygen species. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005, 360, 2201-2210.   | 4.0  | 49        |
| 209 | Roles of the HIF-1 Hypoxia-inducible Factor during Hypoxia Response in <i>Caenorhabditis elegans</i> *. <i>Journal of Biological Chemistry</i> , 2005, 280, 20580-20588.  | 3.4  | 191       |
| 210 | Microregional Expression of Glucose Transporter-1 and Oxygenation Status: Lack of Correlation in Locally Advanced Cervical Cancers. <i>Clinical Cancer Research</i> , 2005, 11, 2768-2773.  | 7.0  | 69        |
| 211 | Identification of Novel Small Molecule Inhibitors of Hypoxia-Inducible Factor-1 That Differentially Block Hypoxia-Inducible Factor-1 Activity and Hypoxia-Inducible Factor-1 $\alpha$ Induction in Response to Hypoxic Stress and Growth Factors. <i>Cancer Research</i> , 2005, 65, 4918-4928. | 0.9  | 141       |
| 212 | Loss of the von Hippel Lindau Tumor Suppressor Disrupts Iron Homeostasis in Renal Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 30120-30128.   | 3.4  | 35        |
| 213 | Transcriptional regulation of vascular endothelial cell responses to hypoxia by HIF-1. <i>Blood</i> , 2005, 105, 659-669.   | 1.4  | 1,012     |
| 214 | Observation of Incipient Tumor Angiogenesis That Is Independent of Hypoxia and Hypoxia Inducible Factor-1 Activation. <i>Cancer Research</i> , 2005, 65, 5498-5505.   | 0.9  | 83        |
| 215 | Motexafin Gadolinium and Zinc Induce Oxidative Stress Responses and Apoptosis in B-Cell Lymphoma Lines. <i>Cancer Research</i> , 2005, 65, 11676-11688.   | 0.9  | 64        |
| 216 | A Hypoxia-Driven Vascular Endothelial Growth Factor/Flt1 Autocrine Loop Interacts with Hypoxia-Inducible Factor-1 $\alpha$ through Mitogen-Activated Protein Kinase/Extracellular Signal-Regulated Kinase 1/2 Pathway in Neuroblastoma. <i>Cancer Research</i> , 2005, 65, 7267-7275.           | 0.9  | 119       |
| 217 | siRNA-mediated off-target gene silencing triggered by a 7 nt complementation. <i>Nucleic Acids Research</i> , 2005, 33, 4527-4535.  | 14.5 | 327       |
| 218 | Angiogenic and antiangiogenic gene therapy. <i>Gene Therapy</i> , 2005, 12, S159-S169.  | 4.5  | 29        |
| 219 | Cytosolic Action of Thyroid Hormone Leads to Induction of Hypoxia-Inducible Factor-1 $\alpha$ and Glycolytic Genes. <i>Molecular Endocrinology</i> , 2005, 19, 2955-2963.   | 3.7  | 121       |
| 220 | A Hypoxia-Independent Hypoxia-Inducible Factor-1 Activation Pathway Induced by Phosphatidylinositol-3 Kinase/Akt in HER2 Overexpressing Cells. <i>Cancer Research</i> , 2005, 65, 3257-3263.  | 0.9  | 96        |
| 221 | Pelvic malignancy: integrating form and function. <i>British Journal of Radiology</i> , 2005, 78, S86-S93.  | 2.2  | 2         |
| 222 | The Impact of Tumor Physiology on Camptothecin-Based Drug Development. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2005, 5, 1-13.  | 7.0  | 42        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 223 | Functions of the Per/ARNT/Sim Domains of the Hypoxia-inducible Factor. Journal of Biological Chemistry, 2005, 280, 36047-36054.  | 3.4 | 72        |
| 224 | New antiangiogenic strategies for the treatment of proliferative synovitis. Expert Opinion on Investigational Drugs, 2005, 14, 1-17.   | 4.1 | 33        |
| 225 | How Cancer Could be Cured by 2015. Cell Cycle, 2005, 4, 268-277.   | 2.6 | 40        |
| 226 | Attenuation of oxidative stress in HL-1 cardiomyocytes improves mitochondrial function and stabilizes Hif-1 $\alpha$ . Free Radical Research, 2005, 39, 1273-1284.   | 3.3 | 23        |
| 227 | Thyroid Hormone Responsive Genes in Cultured Human Fibroblasts. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 936-943.   | 3.6 | 74        |
| 228 | Heat-shock protein 90 inhibitors in antineoplastic therapy: is it all wrapped up?. Expert Opinion on Investigational Drugs, 2005, 14, 569-589.   | 4.1 | 24        |
| 229 | Both Microtubule-Stabilizing and Microtubule-Destabilizing Drugs Inhibit Hypoxia-Inducible Factor-1 $\alpha$ Accumulation and Activity by Disrupting Microtubule Function. Cancer Research, 2005, 65, 9021-9028.   | 0.9 | 168       |
| 230 | Cancer Metabolic Phenotype. , 2005, , 135-149.   |     | 2         |
| 231 | Restoration of Normoxia by Ozone Therapy May Control Neoplastic Growth: A Review and a Working Hypothesis. Journal of Alternative and Complementary Medicine, 2005, 11, 257-265.   | 2.1 | 35        |
| 232 | Expression of N-Acetyl Transferase Human and Human Arrest Defective 1 Proteins in Thyroid Neoplasms. Thyroid, 2005, 15, 1131-1136.   | 4.5 | 39        |
| 233 | Epidermal Growth Factor and Hypoxia-induced Expression of CXC Chemokine Receptor 4 on Non-small Cell Lung Cancer Cells Is Regulated by the Phosphatidylinositol 3-Kinase/PTEN/AKT/Mammalian Target of Rapamycin Signaling Pathway and Activation of Hypoxia Inducible Factor-1 $\alpha$ . Journal of Biological Chemistry, 2005, 280, 22473-22481. | 3.4 | 293       |
| 234 | Reversible Inactivation of HIF-1 Prolyl Hydroxylases Allows Cell Metabolism to Control Basal HIF-1*. Journal of Biological Chemistry, 2005, 280, 41928-41939.  | 3.4 | 341       |
| 235 | Regulation of phosphoglucose isomerase/autocrine motility factor expression by hypoxia. FASEB Journal, 2005, 19, 1422-1430.  | 0.5 | 89        |
| 236 | Mechanism of von Hippel-Lindau Protein-Mediated Suppression of Nuclear Factor kappa B Activity. Molecular and Cellular Biology, 2005, 25, 7546-7556.   | 2.3 | 100       |
| 237 | Silencing of Epidermal Growth Factor Receptor Suppresses Hypoxia-Inducible Factor-2 $\alpha$ “Driven VHL $\alpha$ ”/“ $\alpha$ ” Renal Cancer. Cancer Research, 2005, 65, 5221-5230.   | 0.9 | 329       |
| 238 | The candidate tumor suppressor ING4 represses activation of the hypoxia inducible factor (HIF). Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 7481-7486.   | 7.1 | 154       |
| 239 | Hypoxia-inducible Factor-1-dependent Overexpression of Myeloid Cell Factor-1 Protects Hypoxic Cells against tert-Butyl Hydroperoxide-induced Apoptosis. Journal of Biological Chemistry, 2005, 280, 9336-9344.   | 3.4 | 114       |
| 240 | Prediction of Radiation Sensitivity Using a Gene Expression Classifier. Cancer Research, 2005, 65, 7169-7176.  | 0.9 | 197       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 242 | Drugs to suppress cough. Expert Opinion on Investigational Drugs, 2005, 14, 19-27.   | 4.1 | 40        |
| 243 | The Effects of L-Arginine on Neurological Function, Histopathology, and Expression of Hypoxia-Inducible Factor-1 Alpha following Spinal Cord Ischemia in Rats. European Surgical Research, 2005, 37, 323-329.  | 1.3 | 9         |
| 244 | Microenvironmental Effects on Tumour Progression and Metastasis. , 2005, , 1-22.   |     | 2         |
| 245 | Hypoxia Stimulates Carcinoma Invasion by Stabilizing Microtubules and Promoting the Rab11 Trafficking of the $\alpha_6\beta_4$ Integrin. Cancer Research, 2005, 65, 2761-2769.   | 0.9 | 203       |
| 246 | Reduced Expression of Hypoxia-Inducible Factor-1 $\alpha$ in Perinecrotic Regions of Solid Tumors. Cancer Research, 2005, 65, 7259-7266.   | 0.9 | 117       |
| 247 | Progress and Promise of FDG-PET Imaging for Cancer Patient Management and Oncologic Drug Development. Clinical Cancer Research, 2005, 11, 2785-2808.   | 7.0 | 582       |
| 248 | Differential prognostic impact of hypoxia induced and diffuse HIF-1 $\alpha$ expression in invasive breast cancer. Journal of Clinical Pathology, 2005, 58, 172-177.   | 2.0 | 200       |
| 249 | Molecular Targets from VHL Studies into the Oxygen-Sensing Pathway. Current Cancer Drug Targets, 2005, 5, 345-356.   | 1.6 | 17        |
| 250 | An Emerging Molecular Target in Melanoma: Cellular Carbonyl Stress and the Inhibition of Mitochondrial Survival Pathways by Carbonyl Scavenger Agents. Current Cancer Therapy Reviews, 2005, 1, 271-276.   | 0.3 | 6         |
| 251 | Activation of HIF-prolyl Hydroxylases by R59949, an Inhibitor of the Diacylglycerol Kinase. Journal of Biological Chemistry, 2005, 280, 24238-24244.   | 3.4 | 52        |
| 252 | Suppression of Hypoxia-inducible Factor 1 $\alpha$ (HIF-1 $\alpha$ ) Transcriptional Activity by the HIF Prolyl Hydroxylase EGLN1. Journal of Biological Chemistry, 2005, 280, 38102-38107.  | 3.4 | 92        |
| 253 | Targeting the molecular basis for tumour hypoxia. Expert Reviews in Molecular Medicine, 2005, 7, 1-16.   | 3.9 | 48        |
| 254 | YC-1 [3-(5-Hydroxymethyl-2-furyl)-1-benzyl Indazole] Exhibits a Novel Antiproliferative Effect and Arrests the Cell Cycle in G0-G1 in Human Hepatocellular Carcinoma Cells. Journal of Pharmacology and Experimental Therapeutics, 2005, 312, 917-925. | 2.5 | 51        |
| 255 | Regulation of Hypoxia-Inducible Factor (HIF)-1 Activity and Expression of HIF Hydroxylases in Response to Insulin-Like Growth Factor I. Molecular Endocrinology, 2005, 19, 1304-1317.  | 3.7 | 106       |
| 256 | Mitochondrial Reactive Oxygen Species Activation of p38 Mitogen-Activated Protein Kinase Is Required for Hypoxia Signaling. Molecular and Cellular Biology, 2005, 25, 4853-4862.   | 2.3 | 245       |
| 257 | Polymorphism in the hypoxia-inducible factor 1 $\alpha$ gene may confer susceptibility to androgen-independent prostate cancer. Cancer Biology and Therapy, 2005, 4, 1222-1225.  | 3.4 | 74        |
| 258 | Teratogens as Anticancer Drugs. Cell Cycle, 2005, 4, 1518-1521.  | 2.6 | 90        |
| 259 | A Noninvasive Approach for Assessing Tumor Hypoxia in Xenografts: Developing a Urinary Marker for Hypoxia. Cancer Research, 2005, 65, 6151-6158.   | 0.9 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 260 | Cancer Scene Investigation: how a cold virus became a tumor killer. <i>Future Oncology</i> , 2005, 1, 247-258.   | 2.4 | 18        |
| 261 | How avastin potentiates chemotherapeutic drugs: Action and reaction in antiangiogenic therapy. <i>Cancer Biology and Therapy</i> , 2005, 4, 1307-1310.   | 3.4 | 71        |
| 262 | Modulation of TRAIL-induced tumor cell apoptosis in a hypoxic environment. <i>Cancer Biology and Therapy</i> , 2005, 4, 1068-1074.   | 3.4 | 17        |
| 263 | Regulation of HIF by Prolyl hydroxylases: Recruitment of the Candidate Tumor Suppressor Protein ING4. <i>Cell Cycle</i> , 2005, 4, 1153-1156.  | 2.6 | 36        |
| 264 | Genetic Instability: The Dark Side of THE Hypoxic Response. <i>Cell Cycle</i> , 2005, 4, 881-882.  | 2.6 | 28        |
| 265 | Mechanism of Taurine: $\alpha$ -Ketoglutarate Dioxygenase (TauD) from <i>Escherichia coli</i> . <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 4245-4254.  | 2.0 | 178       |
| 266 | Enhanced response to radiotherapy in tumours deficient in the function of hypoxia-inducible factor-1. <i>Radiotherapy and Oncology</i> , 2005, 75, 89-98.  | 0.6 | 122       |
| 267 | The hypoxic proteome is influenced by gene-specific changes in mRNA translation. <i>Radiotherapy and Oncology</i> , 2005, 76, 177-186.   | 0.6 | 105       |
| 268 | Prognostic value of tumor oxygenation in 397 head and neck tumors after primary radiation therapy. An international multi-center study. <i>Radiotherapy and Oncology</i> , 2005, 77, 18-24.  | 0.6 | 867       |
| 269 | Hypoxia upregulates osteopontin expression in NIH-3T3 cells via a Ras-activated enhancer. <i>Oncogene</i> , 2005, 24, 6555-6563.   | 5.9 | 73        |
| 270 | Hypoxia in Breast Cancer. , 2005, 566, 333-342.  |     | 71        |
| 271 | The Unfolded Protein Response: A Novel Component of the Hypoxic Stress Response in Tumors. <i>Molecular Cancer Research</i> , 2005, 3, 597-605.  | 3.4 | 276       |
| 272 | Hypoxia-Inducible Factor-1 Signaling System. , 2005, , 311-323.  |     | 0         |
| 273 | Hsp27 Upregulation by HIF-1 Signaling Offers Protection against Retinal Ischemia in Rats. , 2005, 46, 1092.  |     | 121       |
| 274 | Contrasting Properties of Hypoxia-Inducible Factor 1 (HIF-1) and HIF-2 in von Hippel-Lindau-Associated Renal Cell Carcinoma. <i>Molecular and Cellular Biology</i> , 2005, 25, 5675-5686.  | 2.3 | 847       |
| 275 | Echinomycin, a Small-Molecule Inhibitor of Hypoxia-Inducible Factor-1 DNA-Binding Activity. <i>Cancer Research</i> , 2005, 65, 9047-9055.  | 0.9 | 458       |
| 276 | Evidence for the Presence of a Guanine Quadruplex Forming Region within a Polypurine Tract of the Hypoxia Inducible Factor 1 Promoter. <i>Biochemistry</i> , 2005, 44, 16341-16350.  | 2.5 | 260       |
| 277 | Carbonic Anhydrase Inhibitors. Design of Fluorescent Sulfonamides as Probes of Tumor-Associated Carbonic Anhydrase IX That Inhibit Isozyme IX-Mediated Acidification of Hypoxic Tumors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4834-4841. | 6.4 | 205       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 278 | Terpenoid Tetrahydroisoquinoline Alkaloids Emetine, Klugine, and Isocephaeline Inhibit the Activation of Hypoxia-Inducible Factor-1 in Breast Tumor Cells. <i>Journal of Natural Products</i> , 2005, 68, 947-950. | 3.0 | 62        |
| 279 | CXC Chemokines in Cancer. <i>Current Topics in Membranes</i> , 2005, 55, 255-288.  | 0.9 | 0         |
| 280 | Mitochondrial regulation of oxygen sensing. <i>Mitochondrion</i> , 2005, 5, 322-332.   | 3.4 | 114       |
| 281 | OS-9 Interacts with Hypoxia-Inducible Factor 1 $\alpha$ and Prolyl Hydroxylases to Promote Oxygen-Dependent Degradation of HIF-1 $\alpha$ . <i>Molecular Cell</i> , 2005, 17, 503-512.                             | 9.7 | 203       |
| 282 | HIF-1 $\alpha$ Induces Genetic Instability by Transcriptionally Downregulating MutS $\alpha$ Expression. <i>Molecular Cell</i> , 2005, 17, 793-803.  | 9.7 | 332       |
| 283 | An expanding role for mTOR in cancer. <i>Trends in Molecular Medicine</i> , 2005, 11, 353-361.   | 6.7 | 472       |
| 284 | Saururus cernuus lignans—Potent small molecule inhibitors of hypoxia-inducible factor-1. <i>Biochemical and Biophysical Research Communications</i> , 2005, 333, 1026-1033.  | 2.1 | 66        |
| 285 | Epigallocatechin gallate inhibits HIF-1 $\alpha$ degradation in prostate cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 543-548.  | 2.1 | 80        |
| 286 | Signalling hypoxia by HIF hydroxylases. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 617-626.   | 2.1 | 305       |
| 287 | Dioxygenases as O <sub>2</sub> -dependent regulators of the hypoxic response pathway. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 639-647.   | 2.1 | 51        |
| 288 | The metal-responsive transcription factor-1 contributes to HIF-1 activation during hypoxic stress. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 860-867.                                | 2.1 | 40        |
| 289 | Targeting key steps in metastatic tumour progression. <i>Current Opinion in Genetics and Development</i> , 2005, 15, 77-86.  | 3.3 | 67        |
| 290 | Virus-based reporter systems for monitoring transcriptional activity of hypoxia-inducible factor 1. <i>Gene</i> , 2005, 350, 89-98.  | 2.2 | 30        |
| 291 | Transcription factors and drug resistance. <i>European Journal of Cancer</i> , 2005, 41, 2577-2586.  | 2.8 | 64        |
| 292 | Is the hypoxia-inducible factor pathway important in gastric cancer?. <i>European Journal of Cancer</i> , 2005, 41, 2792-2805.   | 2.8 | 71        |
| 293 | Hypoxia-inducible factor 1: regulation by hypoxic and non-hypoxic activators. <i>International Journal of Biochemistry and Cell Biology</i> , 2005, 37, 535-540.   | 2.8 | 467       |
| 294 | Overexpression of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase-4 in the human breast and colon malignant tumors. <i>Biochimie</i> , 2005, 87, 1005-1010.   | 2.6 | 79        |
| 295 | Enhanced antitumor activity of xanthohumol, a diacylglycerol acyltransferase inhibitor, under hypoxia. <i>Cancer Letters</i> , 2005, 219, 215-222.   | 7.2 | 42        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 296 | Recent developments in the regulation of the angiogenic switch by cellular stress factors in tumors. Cancer Letters, 2005, 218, 1-14.  | 7.2 | 122       |
| 297 | Negative regulation of hypoxia inducible factor-1 $\alpha$ by necdin. FEBS Letters, 2005, 579, 3797-3801.  | 2.8 | 31        |
| 298 | The role of adrenomedullin in angiogenesis. Peptides, 2005, 26, 1670-1675.   | 2.4 | 62        |
| 299 | Hypoxia and anemia: effects on tumor biology and treatment resistance. Transfusion Clinique Et Biologique, 2005, 12, 5-10.   | 0.4 | 128       |
| 300 | Hypoxia and HIF-1 $\alpha$ in chondrogenesis. Seminars in Cell and Developmental Biology, 2005, 16, 539-546.   | 5.0 | 94        |
| 301 | The interaction between HIF-1 and AP-1 transcription factors in response to low oxygen. Seminars in Cell and Developmental Biology, 2005, 16, 502-513.   | 5.0 | 51        |
| 302 | Hypoxia-induced dedifferentiation of tumor cells – A mechanism behind heterogeneity and aggressiveness of solid tumors. Seminars in Cell and Developmental Biology, 2005, 16, 554-563.                 | 5.0 | 262       |
| 303 | Control of the hypoxic response through regulation of mRNA translation. Seminars in Cell and Developmental Biology, 2005, 16, 487-501.   | 5.0 | 141       |
| 304 | Role of coactivators in transcriptional activation by the aryl hydrocarbon receptor. Archives of Biochemistry and Biophysics, 2005, 433, 379-386.  | 3.0 | 284       |
| 305 | The –Emigration, Migration, and Immigration– of Prostate Cancer. Clinical Prostate Cancer, 2005, 4, 24-30.   | 2.1 | 57        |
| 306 | Akt-directed metabolic alterations in cancer. Drug Discovery Today Disease Mechanisms, 2005, 2, 255-262.   | 0.8 | 9         |
| 307 | Expression of HIF-1 $\alpha$ , CA IX, VEGF, and MMP-9 in surgically resected non-small cell lung cancer. Lung Cancer, 2005, 49, 325-335.   | 2.0 | 159       |
| 308 | Antineovascular therapy, a novel antiangiogenic approach. Expert Opinion on Therapeutic Targets, 2005, 9, 63-76.   | 3.4 | 20        |
| 309 | A3 Adenosine Receptors Modulate Hypoxia-inducible Factor-1 $\alpha$ Expression in Human A375 Melanoma Cells. Neoplasia, 2005, 7, 894-903.  | 5.3 | 77        |
| 310 | OVER EXPRESSION OF HYPOXIA-INDUCIBLE FACTOR-1 $\alpha$ IN RENAL AND BLADDER CANCER CELLS INCREASES TUMORIGENIC POTENCY. Journal of Urology, 2005, 173, 1762-1766.                                      | 0.4 | 24        |
| 311 | Reduction of Macrophage Infiltration and Chemoattractant Gene Expression Changes in White Adipose Tissue of Morbidly Obese Subjects After Surgery-Induced Weight Loss. Diabetes, 2005, 54, 2277-2286.  | 0.6 | 992       |
| 312 | Redox regulation of the hypoxia-inducible factor. Biological Chemistry, 2006, 387, 1337-46.  | 2.5 | 162       |
| 313 | Phenanthroquinolizidine Alkaloids from the Roots of Boehmeria pannosa Potently Inhibit Hypoxia-Inducible Factor-1 in AGS Human Gastric Cancer Cells. Journal of Natural Products, 2006, 69, 1095-1097. | 3.0 | 51        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 315 | Hypoxia: Importance in tumor biology, noninvasive measurement by imaging, and value of its measurement in the management of cancer therapy. International Journal of Radiation Biology, 2006, 82, 699-757. | 1.8  | 561       |
| 316 | Principles of Radiation Oncology. , 2006, , 41-57.   |      | 4         |
| 317 | Cancer Drug Resistance. , 2006, , .  |      | 21        |
| 318 | Cobalt induces hypoxia-inducible factor-1 $\pm$ (HIF-1 $\pm$ ) in HeLa cells by an iron-independent, but ROS-, PI-3K- and MAPK-dependent mechanism. Free Radical Research, 2006, 40, 847-856.              | 3.3  | 102       |
| 319 | Tumor-associated Carbonic Anhydrases and Their Clinical Significance. Advances in Clinical Chemistry, 2006, 42, 167-216.   | 3.7  | 124       |
| 321 | Apigenin inhibits tumor angiogenesis through decreasing HIF-1 $\pm$ and VEGF expression. Carcinogenesis, 2006, 28, 858-864.  | 2.8  | 193       |
| 322 | Lysyl Oxidase Mediates Hypoxic Control of Metastasis: Figure 1.. Cancer Research, 2006, 66, 10238-10241.   | 0.9  | 188       |
| 323 | Hypoxia signalling in cancer and approaches to enforce tumour regression. Nature, 2006, 441, 437-443.  | 27.8 | 1,525     |
| 324 | Hypoxia protects HepG2 cells against etoposide-induced apoptosis VIA a HIF-1-independent pathway. Experimental Cell Research, 2006, 312, 2908-2920.  | 2.6  | 54        |
| 325 | Immunophilin-ligands FK506 and CsA inhibit HIF1 $\pm$ expression by a VHL- and ubiquitin-independent mechanism. FEBS Letters, 2006, 580, 6182-6186.  | 2.8  | 11        |
| 326 | CCI-779 Inhibits Rhabdomyosarcoma Xenograft Growth by an Antiangiogenic Mechanism Linked to the Targeting of mTOR/Hif-1 $\pm$ /VEGF Signaling. Neoplasia, 2006, 8, 394-401.                                | 5.3  | 136       |
| 327 | Role of the NEDD8 Modification of Cul2 in the Sequential Activation of ECV Complex. Neoplasia, 2006, 8, 956-963.   | 5.3  | 34        |
| 328 | Stromal derived factor-1 (SDF-1/CXCL12) and CXCR4 in renal cell carcinoma metastasis. Molecular Cancer, 2006, 5, 56.   | 19.2 | 147       |
| 329 | Tumor cell invasion of von Hippel Lindau renal cell carcinoma cells is mediated by membrane type-1 matrix metalloproteinase. Molecular Cancer, 2006, 5, 66.  | 19.2 | 36        |
| 330 | Targeting the ERK signaling pathway in cancer therapy. Annals of Medicine, 2006, 38, 200-211.  | 3.8  | 357       |
| 331 | Carbonic Anhydrase Inhibitors: Hypoxia-Activatable Sulfonamides Incorporating Disulfide Bonds that Target the Tumor-Associated Isoform IX $\pm$ . Journal of Medicinal Chemistry, 2006, 49, 5544-5551.     | 6.4  | 100       |
| 332 | Total Synthesis and Stereochemical Confirmation of Manassantin A, B, and B1. Organic Letters, 2006, 8, 5477-5480.  | 4.6  | 56        |
| 333 | Tumor-associated macrophages (TAMs) as new target in anticancer therapy. Drug Discovery Today: Therapeutic Strategies, 2006, 3, 361-366.   | 0.5  | 13        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 334 | Targeting transcription factors in cancer: Challenges and evolving strategies. Drug Discovery Today: Technologies, 2006, 3, 261-267.   | 4.0  | 19        |
| 335 | The Anti-VEGF Antibody Bevacizumab Potently Reduces the Growth Rate of High-Risk Neuroblastoma Xenografts. Pediatric Research, 2006, 60, 576-581.  | 2.3  | 83        |
| 336 | Vascular endothelial growth factor in the lung. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2006, 290, L209-L221.   | 2.9  | 370       |
| 337 | Overcoming Physiologic Barriers to Cancer Treatment by Molecularly Targeting the Tumor Microenvironment. Molecular Cancer Research, 2006, 4, 61-70.  | 3.4  | 316       |
| 338 | Regulation of Angiogenesis by Hypoxia and Hypoxia-Inducible Factors. Current Topics in Developmental Biology, 2006, 76, 217-257.   | 2.2  | 230       |
| 339 | Gene expression profiling reveals the profound upregulation of hypoxia-responsive genes in primary human astrocytes. Physiological Genomics, 2006, 25, 435-449.  | 2.3  | 115       |
| 340 | Sodwanone and Yardenone Triterpenes from a South African Species of the Marine Sponge <i>Axinella</i> Inhibit Hypoxia-Inducible Factor-1 (HIF-1) Activation in Both Breast and Prostate Tumor Cells. Journal of Natural Products, 2006, 69, 1715-1720. | 3.0  | 49        |
| 341 | Lipopolysaccharide from <i>Escherichia coli</i> induces the expression of vascular endothelial growth factor via toll-like receptor 4 in human limbal fibroblasts. Experimental Eye Research, 2006, 83, 1373-1377.                                     | 2.6  | 21        |
| 342 | Proteasome-dependent regulation of signal transduction in retinal pigment epithelial cells. Experimental Eye Research, 2006, 83, 1472-1481.  | 2.6  | 29        |
| 343 | Cancer Metastasis: Building a Framework. Cell, 2006, 127, 679-695.   | 28.9 | 3,702     |
| 344 | Chronic in vivo hypoxia in various organs: Hypoxia-inducible factor-1 $\alpha$ and apoptosis. Biochemical and Biophysical Research Communications, 2006, 342, 875-880.   | 2.1  | 35        |
| 345 | AMPK activation inhibits the expression of HIF-1 $\alpha$ induced by insulin and IGF-1. Biochemical and Biophysical Research Communications, 2006, 342, 1197-1202.   | 2.1  | 52        |
| 346 | Knockdown of hypoxia-inducible factor-1 $\alpha$ in breast carcinoma MCF-7 cells results in reduced tumor growth and increased sensitivity to methotrexate. Biochemical and Biophysical Research Communications, 2006, 342, 1341-1351.                 | 2.1  | 61        |
| 347 | Desferrioxamine, an iron chelator, enhances HIF-1 $\alpha$ accumulation via cyclooxygenase-2 signaling pathway. Biochemical and Biophysical Research Communications, 2006, 343, 8-14.  | 2.1  | 96        |
| 348 | Inhibition of cytochrome c oxidase subunit 4 precursor processing by the hypoxia mimic cobalt chloride. Biochemical and Biophysical Research Communications, 2006, 344, 1086-1093.   | 2.1  | 33        |
| 349 | Reconstitution of human hypoxia inducible factor HIF-1 in yeast: A simple in vivo system to identify and characterize HIF-1 $\alpha$ effectors. Biochemical and Biophysical Research Communications, 2006, 346, 1289-1296.                             | 2.1  | 9         |
| 350 | Suppression of hypoxia inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) by YC-1 is dependent on murine double minute 2 (Mdm2). Biochemical and Biophysical Research Communications, 2006, 348, 1443-1448.   | 2.1  | 45        |
| 351 | mTOR and cancer: reason for dancing at the crossroads?. Current Opinion in Genetics and Development, 2006, 16, 78-84.  | 3.3  | 75        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 352 | An alternatively spliced transcript of the PHD3 gene retains prolyl hydroxylase activity. Cancer Letters, 2006, 233, 131-138.  | 7.2  | 31        |
| 353 | Tumor hypoxia and cancer progression. Cancer Letters, 2006, 237, 10-21.  | 7.2  | 252       |
| 354 | Hypoxia confers protection against apoptosis via PI3K/Akt and ERK pathways in lung cancer cells. Cancer Letters, 2006, 242, 231-238.   | 7.2  | 66        |
| 355 | Transcriptional anti-angiogenesis therapy of human pancreatic cancer. Cytokine and Growth Factor Reviews, 2006, 17, 147-156.   | 7.2  | 65        |
| 356 | Patterns of tumor oxygenation and their influence on the cellular hypoxic response and hypoxia-directed therapies. Drug Resistance Updates, 2006, 9, 185-197.  | 14.4 | 37        |
| 357 | Class II Histone Deacetylases Are Associated with VHL-Independent Regulation of Hypoxia-Inducible Factor 1 $\alpha$ . Cancer Research, 2006, 66, 8814-8821.  | 0.9  | 292       |
| 358 | Cancer's Molecular Sweet Tooth and the Warburg Effect. Cancer Research, 2006, 66, 8927-8930.   | 0.9  | 1,086     |
| 359 | Mitochondrial disorders in renal tumors. Mitochondrion, 2006, 6, 105-117.  | 3.4  | 25        |
| 360 | p53 Stabilization and Transactivation by a von Hippel-Lindau Protein. Molecular Cell, 2006, 22, 395-405.   | 9.7  | 224       |
| 361 | Myeloid progenitors differentiate into microglia and promote vascular repair in a model of ischemic retinopathy. Journal of Clinical Investigation, 2006, 116, 3266-3276.  | 8.2  | 224       |
| 363 | Hypoxia-inducible factor-1 $\alpha$ induces the epithelial-mesenchymal transition of human prostate cancer cells. Chinese Medical Journal, 2006, 119, 713-718.   | 2.3  | 36        |
| 364 | Radiation Therapy and Apoptosis. , 0, , 1049-1086.   |      | 2         |
| 365 | Scatter Factors in Tumor Progression. , 2006, , 111-142.   |      | 0         |
| 366 | Inhibition of Angiogenesis and HIF-1 $\alpha$ Activity by Antimycin A1. Biological and Pharmaceutical Bulletin, 2006, 29, 1344-1348.   | 1.4  | 24        |
| 367 | Anthracyclines, Small-Molecule Inhibitors of Hypoxia-Inducible Factor-1 Alpha Activation. Biological and Pharmaceutical Bulletin, 2006, 29, 1999-2003.   | 1.4  | 12        |
| 368 | Crinamine from <i>Crinum asiaticum</i> var. <i>japonicum</i> Inhibits Hypoxia Inducible Factor-1 Activity But Not Activity of Hypoxia Inducible Factor-2. Biological and Pharmaceutical Bulletin, 2006, 29, 2140-2142. | 1.4  | 22        |
| 369 | Hypoxia in Cancer. , 0, , 777-798.   |      | 0         |
| 370 | Hypoxic induction of an HIF-1 $\alpha$ -dependent bFGF autocrine loop drives angiogenesis in human endothelial cells. Blood, 2006, 107, 2705-2712.   | 1.4  | 220       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 371 | Biology and Impact of Signal Transducers and Activators of Transcription and Their Regulators as Targets in Cancer Therapy. <i>Current Signal Transduction Therapy</i> , 2006, 1, 337-351.                                   | 0.5 | 1         |
| 372 | Noscapine inhibits hypoxia-mediated HIF-1 $\alpha$ expression and angiogenesis in vitro: a novel function for an old drug. <i>International Journal of Oncology</i> , 2006, 28, 1121.  | 3.3 | 15        |
| 373 | Natural Product-Based Inhibitors of Hypoxia-Inducible Factor-1 (HIF-1). <i>Current Drug Targets</i> , 2006, 7, 355-369.  | 2.1 | 87        |
| 374 | Oncogenic properties of the endogenous fatty acid metabolism: molecular pathology of fatty acid synthase in cancer cells. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006, 9, 346-357.                | 2.5 | 81        |
| 375 | Chemokines in Lung Cancer. <i>Clinical Pulmonary Medicine</i> , 2006, 13, 356-364.   | 0.3 | 0         |
| 376 | Leukocyte's Hif-1 Expression and Training-Induced Erythropoietic Response in Swimmers. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1410-1417.   | 0.4 | 23        |
| 377 | Erythropoietin activates the phosphoinositide 3-kinase/Akt pathway in human melanoma cells. <i>Melanoma Research</i> , 2006, 16, 275-283.  | 1.2 | 31        |
| 378 | Oxygen-sensing in tumors. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006, 9, 366-378.  | 2.5 | 27        |
| 379 | Proliferating Cell Nuclear Antigen, Survivin, and CD34 Expressions in Pancreatic Cancer and Their Correlation With Hypoxia-Inducible Factor 1 $\alpha$ . <i>Pancreas</i> , 2006, 32, 159-163.                                | 1.1 | 21        |
| 380 | Comparative proteomic analysis of hypoxia-treated and untreated human leukemic U937 cells. <i>Proteomics</i> , 2006, 6, 3262-3274.   | 2.2 | 38        |
| 381 | Proteomic identification of a role for the von Hippel Lindau tumour suppressor in changes in the expression of mitochondrial proteins and septin $\alpha$ 2 in renal cell carcinoma. <i>Proteomics</i> , 2006, 6, 3880-3893. | 2.2 | 60        |
| 382 | INTRARENAL OXYGENATION IN CHRONIC RENAL FAILURE. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 989-996.   | 1.9 | 125       |
| 383 | The host cell transcription factor hypoxia-inducible factor 1 is required for <i>Toxoplasma gondii</i> growth and survival at physiological oxygen levels. <i>Cellular Microbiology</i> , 2006, 8, 339-352.                  | 2.1 | 103       |
| 384 | Over-expression of hypoxia-inducible factor-1 $\alpha$ increases the invasive potency of LNCaP cells in vitro. <i>BJU International</i> , 2006, 98, 1315-1319.   | 2.5 | 40        |
| 385 | Angiogenesis in Gliomas: Biology and Molecular Pathophysiology. <i>Brain Pathology</i> , 2005, 15, 297-310.  | 4.1 | 298       |
| 386 | Angiogenesis in Gliomas: Imaging and Experimental Therapeutics. <i>Brain Pathology</i> , 2005, 15, 342-363.  | 4.1 | 48        |
| 387 | Induction of transcription factor CEBP homology protein mediates hypoglycaemia-induced necrotic cell death in human neuroblastoma cells. <i>Journal of Neurochemistry</i> , 2006, 99, 952-964.                               | 3.9 | 13        |
| 388 | Cationized gelatin delivery of a plasmid DNA expressing small interference RNA for VEGF inhibits murine squamous cell carcinoma. <i>Cancer Science</i> , 2006, 97, 313-321.  | 3.9 | 64        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 389 | Expression of Ets-1 in human clear cell renal cell carcinomas: Implications for angiogenesis. <i>Cancer Science</i> , 2006, 97, 875-882.  | 3.9  | 29        |
| 390 | Invasive growth: a MET-driven genetic programme for cancer and stem cells. <i>Nature Reviews Cancer</i> , 2006, 6, 637-645.   | 28.4 | 492       |
| 391 | The place of VEGF inhibition in the current management of renal cell carcinoma. <i>British Journal of Cancer</i> , 2006, 94, 1217-1220.   | 6.4  | 19        |
| 392 | HIF-1 and tumour radiosensitivity. <i>British Journal of Cancer</i> , 2006, 95, 1-5.  | 6.4  | 162       |
| 393 | Growth factor signalling in prostatic growth: significance in tumour development and therapeutic targeting. <i>British Journal of Pharmacology</i> , 2006, 147, S144-S152.                  | 5.4  | 64        |
| 394 | Vascular defects and liver damage by the acute inactivation of the VHL gene during mouse embryogenesis. <i>Laboratory Investigation</i> , 2006, 86, 664-675.                                | 3.7  | 25        |
| 395 | Hypoxia-inducible factor 1 and VEGF upregulate CXCR4 in glioblastoma: implications for angiogenesis and glioma cell invasion. <i>Laboratory Investigation</i> , 2006, 86, 1221-1232.        | 3.7  | 349       |
| 396 | PML inhibits HIF-1 $\alpha$ translation and neoangiogenesis through repression of mTOR. <i>Nature</i> , 2006, 442, 779-785.   | 27.8 | 354       |
| 397 | Hypoxia and HIF-1 $\alpha$ protect A549 cells from drug-induced apoptosis. <i>Cell Death and Differentiation</i> , 2006, 13, 1611-1613.   | 11.2 | 44        |
| 398 | Gene expression during acute and prolonged hypoxia is regulated by distinct mechanisms of translational control. <i>EMBO Journal</i> , 2006, 25, 1114-1125.                                 | 7.8  | 328       |
| 399 | Metastasis-associated protein 1 enhances stability of hypoxia-inducible factor-1 $\alpha$ protein by recruiting histone deacetylase 1. <i>EMBO Journal</i> , 2006, 25, 1231-1241.           | 7.8  | 187       |
| 400 | Failure to prolyl hydroxylate hypoxia-inducible factor $\alpha$ phenocopies VHL inactivation in vivo. <i>EMBO Journal</i> , 2006, 25, 4650-4662.  | 7.8  | 210       |
| 401 | The phosphorylation status of PAS-B distinguishes HIF-1 $\alpha$ from HIF-2 $\alpha$ in NBS1 repression. <i>EMBO Journal</i> , 2006, 25, 4784-4794.   | 7.8  | 111       |
| 402 | Jak3- and JNK-dependent vascular endothelial growth factor expression in cutaneous T-cell lymphoma. <i>Leukemia</i> , 2006, 20, 1759-1766.  | 7.2  | 103       |
| 403 | Proline oxidase activates both intrinsic and extrinsic pathways for apoptosis: the role of ROS/superoxides, NFAT and MEK/ERK signaling. <i>Oncogene</i> , 2006, 25, 5640-5647.              | 5.9  | 157       |
| 404 | Hypoxia-inducible factor-1 $\alpha$ expression requires PI 3-kinase activity and correlates with Akt1 phosphorylation in invasive breast carcinomas. <i>Oncogene</i> , 2006, 25, 6123-6127. | 5.9  | 54        |
| 405 | ROLE OF ABCG2/BCRP IN BIOLOGY AND MEDICINE. <i>Annual Review of Pharmacology and Toxicology</i> , 2006, 46, 381-410.  | 9.4  | 326       |
| 406 | Development of novel therapeutic strategies that target HIF-1. <i>Expert Opinion on Therapeutic Targets</i> , 2006, 10, 267-280.  | 3.4  | 110       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 407 | Involvement of Niemann-Pick Type C2 Protein in Hematopoiesis Regulation. <i>Stem Cells</i> , 2006, 24, 1549-1555.  | 3.2 | 13        |
| 408 | Antitumor protein therapy; Application of the protein transduction domain to the development of a protein drug for cancer treatment. <i>Breast Cancer</i> , 2006, 13, 16-26.   | 2.9 | 53        |
| 409 | Hypoxia-Inducible Factor-1 (HIF-1). <i>Molecular Pharmacology</i> , 2006, 70, 1469-1480.   | 2.3 | 1,399     |
| 410 | Hypoxia and HIF-1 $\alpha$ in Chondrogenesis. <i>Annals of the New York Academy of Sciences</i> , 2006, 1068, 66-73.   | 3.8 | 47        |
| 411 | Antioxidant Enzymes during Hypoxia-Anoxia Signaling Events in <i>Crocus sativus</i> L. <i>Corm. Annals of the New York Academy of Sciences</i> , 2006, 1091, 65-75.  | 3.8 | 19        |
| 412 | Physiological roles for ecto-5 $\beta$ -nucleotidase (CD73). <i>Purinergic Signalling</i> , 2006, 2, 351-360.  | 2.2 | 443       |
| 413 | Notch Signaling in Breast Cancer and Tumor Angiogenesis: Cross-Talk and Therapeutic Potentials. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2006, 11, 41-52.   | 2.7 | 68        |
| 414 | Hypoxia inducible factor-1 $\alpha$ correlates with VEGF-C expression and lymphangiogenesis in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006, 99, 135-141.   | 2.5 | 98        |
| 415 | Molecular targeting of the lymphovascular system for imaging and therapy. <i>Cancer and Metastasis Reviews</i> , 2006, 25, 185-201.  | 5.9 | 29        |
| 416 | Role of tumor-associated macrophages in tumor progression and invasion. <i>Cancer and Metastasis Reviews</i> , 2006, 25, 315-322.  | 5.9 | 789       |
| 417 | Involvement of HIF-1 in Invasion of Mum2B Uveal Melanoma Cells. <i>Clinical and Experimental Metastasis</i> , 2006, 23, 87-96.   | 3.3 | 35        |
| 418 | Distinct patterns of hypoxic expression of carbonic anhydrase IX (CA IX) in human malignant glioma cell lines. <i>Journal of Neuro-Oncology</i> , 2006, 81, 27-38.   | 2.9 | 33        |
| 419 | Hypoxia, angiogenesis and apoptosis markers in locally advanced rectal cancer. <i>International Journal of Colorectal Disease</i> , 2006, 21, 248-257.   | 2.2 | 31        |
| 420 | Expression of hypoxia-inducible factor (HIF)-1 $\alpha$ as a biomarker of outcome in soft-tissue sarcomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 449, 673-681. | 2.8 | 51        |
| 421 | Tumor-associated carbonic anhydrases are linked to metastases in primary cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 302-308.  | 2.5 | 56        |
| 422 | Tumor angiogenesis and antiangiogenic therapy: current status and perspective. <i>International Journal of Clinical Oncology</i> , 2006, 11, 71-72.  | 2.2 | 2         |
| 423 | Role of hypoxia-inducible factor-1 $\alpha$ in formation of multidrug resistance induced by microenvironment in hepatocellular carcinoma. <i>Chinese-German Journal of Clinical Oncology</i> , 2006, 5, 178-183.             | 0.1 | 2         |
| 424 | Efficacy of 2-halogen substituted d-glucose analogs in blocking glycolysis and killing $\alpha$ -hypoxic tumor cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 58, 725-734.                                       | 2.3 | 67        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 425 | Endogenous Hypoxia Markers in Locally Advanced Cancers of the Uterine Cervix: Reality or Wishful Thinking?. <i>Strahlentherapie Und Onkologie</i> , 2006, 182, 501-510.   | 2.0  | 37        |
| 426 | Vascular network remodeling via vessel cooption, regression and growth in tumors. <i>Journal of Theoretical Biology</i> , 2006, 241, 903-918.   | 1.7  | 111       |
| 427 | Regulation of angiogenesis by hypoxia-inducible factor 1. <i>Critical Reviews in Oncology/Hematology</i> , 2006, 59, 15-26.   | 4.4  | 423       |
| 428 | Tumor metabolism: new opportunities for cancer therapy. <i>Clinical and Translational Oncology</i> , 2006, 8, 711-716.  | 2.4  | 35        |
| 429 | A precious metal: Iron, an essential nutrient for all cells. <i>Genes and Nutrition</i> , 2006, 1, 25-39.   | 2.5  | 216       |
| 430 | Erythropoietin disrupts hypoxia-inducible factor signaling in ovarian cancer cells. <i>Gynecologic Oncology</i> , 2006, 100, 14-19.   | 1.4  | 15        |
| 431 | Alteration of subcellular redox equilibrium and the consequent oxidative modification of nuclear factor $\kappa$ B are critical for anticancer cytotoxicity by emodin, a reactive oxygen species-producing agent. <i>Free Radical Biology and Medicine</i> , 2006, 40, 2183-2197. | 2.9  | 53        |
| 432 | Differential utilization of two ATP-generating pathways is regulated by p53. <i>Cancer Cell</i> , 2006, 10, 4-6.  | 16.8 | 42        |
| 433 | Recruitment of HIF-1 $\alpha$ and HIF-2 $\alpha$ to common target genes is differentially regulated in neuroblastoma: HIF-2 $\alpha$ promotes an aggressive phenotype. <i>Cancer Cell</i> , 2006, 10, 413-423.  | 16.8 | 624       |
| 434 | Glucose metabolism and cancer. <i>Current Opinion in Cell Biology</i> , 2006, 18, 598-608.  | 5.4  | 495       |
| 435 | FSH signaling pathways in immature granulosa cells that regulate target gene expression: Branching out from protein kinase A. <i>Cellular Signalling</i> , 2006, 18, 1351-1359.   | 3.6  | 341       |
| 436 | Biphasic electric current stimulates proliferation and induces VEGF production in osteoblasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 907-916.  | 4.1  | 104       |
| 437 | Adenosine modulates vascular endothelial growth factor expression via hypoxia-inducible factor-1 in human glioblastoma cells. <i>Biochemical Pharmacology</i> , 2006, 72, 19-31.  | 4.4  | 110       |
| 438 | Molecular Pathways in Renal Cell Carcinoma—Rationale for Targeted Treatment. <i>Seminars in Oncology</i> , 2006, 33, 588-595.   | 2.2  | 62        |
| 439 | Mammalian Target of Rapamycin Inhibitors in Renal Cell Carcinoma: Current Status and Future Applications. <i>Seminars in Oncology</i> , 2006, 33, 607-613.  | 2.2  | 24        |
| 440 | Mechanisms of Action of Bevacizumab as a Component of Therapy for Metastatic Colorectal Cancer. <i>Seminars in Oncology</i> , 2006, 33, S1-S7.  | 2.2  | 125       |
| 441 | Motexafin gadolinium: A novel redox active drug for cancer therapy. <i>Seminars in Cancer Biology</i> , 2006, 16, 466-476.  | 9.6  | 147       |
| 442 | ARDeT about acetylation and deacetylation in hypoxia signalling. <i>Trends in Cell Biology</i> , 2006, 16, 616-621.   | 7.9  | 33        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 443 | Hypoxia-inducible gene expression system using the erythropoietin enhancer and 3' untranslated region for the VEGF gene therapy. <i>Journal of Controlled Release</i> , 2006, 115, 113-119.  | 9.9 | 36        |
| 444 | Suppression of tumor growth by intratumoral injection of short hairpin RNA-expressing plasmid DNA targeting $\beta$ -catenin or hypoxia-inducible factor 1 $\alpha$ . <i>Journal of Controlled Release</i> , 2006, 116, 90-95.                                   | 9.9 | 26        |
| 445 | Sensing and responding to hypoxia via HIF in model invertebrates. <i>Journal of Insect Physiology</i> , 2006, 52, 349-364.   | 2.0 | 140       |
| 446 | Oxygen sensing in the body. <i>Progress in Biophysics and Molecular Biology</i> , 2006, 91, 249-286.   | 2.9 | 256       |
| 447 | Hypoxia-inducible transcription factor-1 $\alpha$ promotes hypoxia-induced A549 apoptosis via a mechanism that involves the glycolysis pathway. <i>BMC Cancer</i> , 2006, 6, 26.   | 2.6 | 65        |
| 448 | Angiogenesis inhibition with bevacizumab and the surgical management of colorectal cancer. <i>British Journal of Surgery</i> , 2006, 93, 1456-1463.  | 0.3 | 50        |
| 449 | Differential levels of tissue hypoxia in the developing chicken heart. <i>Developmental Dynamics</i> , 2006, 235, 115-123.   | 1.8 | 55        |
| 450 | Apoptosis in the developing mouse heart. <i>Developmental Dynamics</i> , 2006, 235, 2592-2602.   | 1.8 | 38        |
| 451 | Ascorbate depletion mediates up-regulation of hypoxia-associated proteins by cell density and nickel. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 1025-1035.   | 2.6 | 64        |
| 452 | Knockdown of hypoxia-inducible factor-1 $\alpha$ by siRNA inhibits C2C12 myoblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2006, 98, 642-649.  | 2.6 | 41        |
| 453 | Hypoxia and DNA-damaging agent bleomycin both increase the cellular level of the protein 4E-BP. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 126-132.   | 2.6 | 17        |
| 454 | Disruption of the Arnt gene in endothelial cells causes hepatic vascular defects and partial embryonic lethality in mice. <i>Hepatology</i> , 2006, 44, 550-560.   | 7.3 | 45        |
| 455 | Hypoxia inducible factor-1 $\alpha$ is a prognostic marker in premenopausal patients with intermediate to highly differentiated breast cancer but not a predictive marker for tamoxifen response. <i>International Journal of Cancer</i> , 2006, 118, 2609-2616. | 5.1 | 70        |
| 456 | Tumor-stromal cell interaction under hypoxia increases the invasiveness of pancreatic cancer cells through the hepatocyte growth factor/c-Met pathway. <i>International Journal of Cancer</i> , 2006, 119, 2750-2759.  | 5.1 | 118       |
| 457 | Pharmacologic transgene control systems for gene therapy. <i>Journal of Gene Medicine</i> , 2006, 8, 535-556.  | 2.8 | 89        |
| 458 | Clinicopathologic significance of hypoxia-inducible factor 1 $\alpha$ overexpression in gastric carcinomas. <i>Journal of Surgical Oncology</i> , 2006, 94, 149-154.   | 1.7 | 56        |
| 459 | Soluble nickel inhibits HIF-prolyl-hydroxylases creating persistent hypoxic signaling in A549 cells. <i>Molecular Carcinogenesis</i> , 2006, 45, 479-489.  | 2.7 | 79        |
| 460 | Association between ulcerative growth and hypoxia inducible factor-1 $\alpha$ polymorphisms in colorectal cancer patients. <i>Molecular Carcinogenesis</i> , 2006, 45, 833-840.  | 2.7 | 67        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 461 | Degradation of the Hypoxia-Inducible Factor 1 $\alpha$ , Where Does it Happen?. Cell Cycle, 2006, 5, 2720-2722.  | 2.6  | 10        |
| 462 | The Positive Regulation of p53 by the Tumor Suppressor VHL. Cell Cycle, 2006, 5, 2054-2056.  | 2.6  | 52        |
| 463 | Translational control of gene expression during hypoxia. Cancer Biology and Therapy, 2006, 5, 749-755.   | 3.4  | 126       |
| 464 | Radiation Sensitivity of GL261 Murine Glioma Model and Enhanced Radiation Response by Flavopiridol. Cell Cycle, 2006, 5, 93-99.  | 2.6  | 22        |
| 465 | Mammalian Gene Expression Program Resiliency: The Roles of Multiple Coactivator Mechanisms in Hypoxia-Responsive Transcription. Cell Cycle, 2006, 5, 142-146.  | 2.6  | 44        |
| 466 | Effects of Histone Deacetylase Inhibitors on HIF-1. Cell Cycle, 2006, 5, 2430-2435.  | 2.6  | 80        |
| 467 | Mitogen-Activated Protein Kinase Signaling, Oxygen Sensors and Hypoxic Induction of Neurogenesis. Neurodegenerative Diseases, 2006, 3, 50-55.  | 1.4  | 17        |
| 468 | Irradiation and hypoxia promote homing of haematopoietic progenitor cells towards gliomas by TGF- $\beta$ -dependent HIF-1 $\alpha$ -mediated induction of CXCL12. Brain, 2006, 129, 2426-2435.  | 7.6  | 116       |
| 469 | A Novel Low Molecular Weight Inhibitor of Dendritic Cells and B Cells Blocks Allergic Inflammation. American Journal of Respiratory and Critical Care Medicine, 2006, 173, 599-606.  | 5.6  | 41        |
| 471 | Regulation of the chemokine receptor CXCR4 and metastasis by hypoxia-inducible factor in non small cell lung cancer cell lines. Cancer Biology and Therapy, 2006, 5, 1320-1326.  | 3.4  | 64        |
| 472 | Role of Hypoxia-Inducible Factor (HIF)-1 $\alpha$ versus HIF-2 $\alpha$ in the Regulation of HIF Target Genes in Response to Hypoxia, Insulin-Like Growth Factor-I, or Loss of von Hippel-Lindau Function: Implications for Targeting the HIF Pathway. Cancer Research, 2006, 66, 6264-6270. | 0.9  | 321       |
| 473 | CA IX is an Independent Prognostic Marker in Premenopausal Breast Cancer Patients with One to Three Positive Lymph Nodes and a Putative Marker of Radiation Resistance. Clinical Cancer Research, 2006, 12, 6421-6431.   | 7.0  | 123       |
| 474 | Increased Safety with Preserved Antitumoral Efficacy on Hepatocellular Carcinoma with Dual-Regulated Oncolytic Adenovirus. Clinical Cancer Research, 2006, 12, 6523-6531.  | 7.0  | 48        |
| 475 | Antiangiogenic therapy in human gastrointestinal malignancies. Gut, 2006, 55, 1497-1511.   | 12.1 | 10        |
| 476 | Preconditioning of the Tumor Vasculature and Tumor Cells by Intermittent Hypoxia: Implications for Anticancer Therapies. Cancer Research, 2006, 66, 11736-11744.   | 0.9  | 175       |
| 477 | Natural Product-Derived Small Molecule Activators of Hypoxia-Inducible Factor-1 (HIF-1). Current Pharmaceutical Design, 2006, 12, 2673-2688.   | 1.9  | 62        |
| 478 | Role of Carbonic Anhydrases in the Progression of Renal Cell Carcinoma Subtypes: Proposal of a Unified Hypothesis. Cancer Investigation, 2006, 24, 754-779.  | 1.3  | 31        |
| 479 | Effects of geldanamycin on HIF-1 $\alpha$ mediated angiogenesis and invasion in prostate cancer cells. Prostate Cancer and Prostatic Diseases, 2006, 9, 126-135.   | 3.9  | 36        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 480 | Can we Target the Chemokine Network for Cancer Therapeutics?. Current Cancer Drug Targets, 2006, 6, 659-670.   | 1.6  | 12        |
| 481 | Chemokine-Directed Metastasis. , 2006, 13, 170-190.  |      | 17        |
| 482 | ERBB2-Mediated Transcriptional Up-regulation of the $\alpha_5\beta_1$ Integrin Fibronectin Receptor Promotes Tumor Cell Survival Under Adverse Conditions. Cancer Research, 2006, 66, 3715-3725.   | 0.9  | 65        |
| 483 | EC5S Ubiquitin Complex Is Recruited by KSHV Latent Antigen LANA for Degradation of the VHL and p53 Tumor Suppressors. PLoS Pathogens, 2006, 2, e116.   | 4.7  | 174       |
| 484 | Hypoxia Enhances Lysophosphatidic Acid Responsiveness in Ovarian Cancer Cells and Lysophosphatidic Acid Induces Ovarian Tumor Metastasis In vivo. Cancer Research, 2006, 66, 7983-7990.  | 0.9  | 132       |
| 485 | Casein kinase 2 inhibition decreases hypoxia-inducible factor-1 activity under hypoxia through elevated p53 protein level. Journal of Cell Science, 2006, 119, 3351-3362.  | 2.0  | 56        |
| 486 | The regulation of trophoblast differentiation by oxygen in the first trimester of pregnancy. Human Reproduction Update, 2006, 12, 137-144.   | 10.8 | 158       |
| 487 | Baffled by Bafilomycin: An Anticancer Agent That Induces Hypoxia-Inducible Factor-1 $\alpha$ Expression: Fig. 1.. Molecular Pharmacology, 2006, 70, 1841-1843.   | 2.3  | 9         |
| 488 | Hypoxia-inducible factor-1 in human breast and prostate cancer. Endocrine-Related Cancer, 2006, 13, 739-749.   | 3.1  | 211       |
| 489 | Role of hypoxia-inducible factor-1 $\alpha$ as a cancer therapy target. Endocrine-Related Cancer, 2006, 13, S61-S75.   | 3.1  | 110       |
| 490 | von Hippel-Lindau Tumor Suppressor Protein Regulates the Assembly of Intercellular Junctions in Renal Cancer Cells through Hypoxia-Inducible Factor-Independent Mechanisms. Cancer Research, 2006, 66, 1553-1560.                        | 0.9  | 69        |
| 491 | 5 $\alpha$ -AMP-Activated Protein Kinase (AMPK) Is Induced by Low-Oxygen and Glucose Deprivation Conditions Found in Solid-Tumor Microenvironments. Molecular and Cellular Biology, 2006, 26, 5336-5347.                                 | 2.3  | 395       |
| 492 | Inhibiting Hypoxia-Inducible Factor 1 for Cancer Therapy: FIGURE 1.. Molecular Cancer Research, 2006, 4, 601-605.  | 3.4  | 152       |
| 493 | Hypoxic Culture Induces Expression of Sialin, a Sialic Acid Transporter, and Cancer-Associated Gangliosides Containing Non-Human Sialic Acid on Human Cancer Cells. Cancer Research, 2006, 66, 2937-2945.                                | 0.9  | 149       |
| 494 | Pericellular Proteases in Angiogenesis and Vasculogenesis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 716-728.  | 2.4  | 348       |
| 495 | Randomized Phase II Trial Comparing Nitroglycerin Plus Vinorelbine and Cisplatin With Vinorelbine and Cisplatin Alone in Previously Untreated Stage IIIB/IV Non-Small-Cell Lung Cancer. Journal of Clinical Oncology, 2006, 24, 688-694. | 1.6  | 162       |
| 496 | Hypoxia-Inducible Factor-1 $\alpha$ Expression Predicts a Poor Response to Primary Chemoendocrine Therapy and Disease-Free Survival in Primary Human Breast Cancer. Clinical Cancer Research, 2006, 12, 4562-4568.                       | 7.0  | 223       |
| 497 | Regulation of E-cadherin Expression by VHL and Hypoxia-Inducible Factor. Cancer Research, 2006, 66, 3567-3575.   | 0.9  | 248       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 498 | Nitroglycerin Treatment May Enhance Chemosensitivity to Docetaxel and Carboplatin in Patients with Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2006, 12, 6748-6757.   | 7.0 | 121       |
| 499 | Inhibition of angiogenesis and endothelial cell functions are novel sulforaphane-mediated mechanisms in chemoprevention. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 575-585.  | 4.1 | 169       |
| 500 | Direct spectroscopic detection of a C-H-cleaving high-spin Fe(IV) complex in a prolyl-4-hydroxylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 14738-14743.                    | 7.1 | 289       |
| 501 | Cell-Type-Specific Regulation of Degradation of Hypoxia-Inducible Factor 1 $\alpha$ : Role of Subcellular Compartmentalization. <i>Molecular and Cellular Biology</i> , 2006, 26, 4628-4641.   | 2.3 | 51        |
| 502 | Respecting Cancer Drug Transportability: A Basis for Successful Lead Selection. <i>Journal of the National Cancer Institute</i> , 2006, 98, 1098-1099.   | 6.3 | 2         |
| 503 | MSF-A Interacts with Hypoxia-Inducible Factor-1 $\alpha$ and Augments Hypoxia-Inducible Factor Transcriptional Activation to Affect Tumorigenicity and Angiogenesis. <i>Cancer Research</i> , 2006, 66, 856-866.                         | 0.9 | 63        |
| 504 | HIF-1: hypoxia-inducible factor or dysoxia-inducible factor?. <i>FASEB Journal</i> , 2006, 20, 828-832.  | 0.5 | 76        |
| 505 | Proteasomal Inhibition Attenuates Transcriptional Activity of Hypoxia-Inducible Factor 1 (HIF-1) via Specific Effect on the HIF-1 $\alpha$ C-Terminal Activation Domain. <i>Molecular and Cellular Biology</i> , 2006, 26, 5895-5907.    | 2.3 | 109       |
| 506 | Nitric Oxide Is a Factor in the Stabilization of Hypoxia-Inducible Factor-1 $\alpha$ in Cancer: Role of Free Radical Formation. <i>Cancer Research</i> , 2006, 66, 770-774.  | 0.9 | 102       |
| 507 | Targeted Anti- $\alpha$ -Vascular Endothelial Growth Factor Receptor-2 Therapy Leads to Short-term and Long-term Impairment of Vascular Function and Increase in Tumor Hypoxia. <i>Cancer Research</i> , 2006, 66, 3639-3648.            | 0.9 | 150       |
| 508 | Histone Deacetylase Inhibitors Repress the Transactivation Potential of Hypoxia-inducible Factors Independently of Direct Acetylation of HIF-1 $\alpha$ . <i>Journal of Biological Chemistry</i> , 2006, 281, 13612-13619.               | 3.4 | 103       |
| 509 | Hypoxia-Inducible Factor 1 as a Possible Target for Cancer Chemoprevention: Figure 1.. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2332-2335.   | 2.5 | 46        |
| 510 | Imatinib inhibits c-Kit-induced hypoxia-inducible factor-1 $\alpha$ activity and vascular endothelial growth factor expression in small cell lung cancer cells. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 1415-1422.               | 4.1 | 96        |
| 511 | Renal cancer cells lacking hypoxia inducible factor (HIF)-1 $\alpha$ expression maintain vascular endothelial growth factor expression through HIF-2 $\alpha$ . <i>Carcinogenesis</i> , 2006, 28, 529-536.                               | 2.8 | 145       |
| 512 | Epithelial-Restricted Gene Profile of Primary Cultures from Human Prostate Tumors: A Molecular Approach to Predict Clinical Behavior of Prostate Cancer. <i>Molecular Cancer Research</i> , 2006, 4, 79-92.                              | 3.4 | 96        |
| 513 | Expression of Carbonic Anhydrase IX in Astrocytic Tumors Predicts Poor Prognosis. <i>Clinical Cancer Research</i> , 2006, 12, 473-477.   | 7.0 | 120       |
| 514 | Targeting Tumor Angiogenesis with Histone Deacetylase Inhibitors: the Hydroxamic Acid Derivative LBH589. <i>Clinical Cancer Research</i> , 2006, 12, 634-642.  | 7.0 | 264       |
| 515 | Endogenous Markers of Two Separate Hypoxia Response Pathways (hypoxia inducible factor 2 $\alpha$ ) Tj ETQq1 1 0.784314 rgBT /Overl<br>Recruited in the CHART Randomized Trial. <i>Journal of Clinical Oncology</i> , 2006, 24, 727-735. | 1.6 | 276       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 516 | The Oxygen Sensor Factor-Inhibiting Hypoxia-Inducible Factor-1 Controls Expression of Distinct Genes through the Bifunctional Transcriptional Character of Hypoxia-Inducible Factor-1 $\hat{\pm}$ . Cancer Research, 2006, 66, 3688-3698. | 0.9 | 263       |
| 517 | Mutations in the PI3K/PTEN/TSC2 Pathway Contribute to Mammalian Target of Rapamycin Activity and Increased Translation under Hypoxic Conditions. Cancer Research, 2006, 66, 1561-1569.  | 0.9 | 77        |
| 518 | Effect of Connective Tissue Growth Factor on Hypoxia-Inducible Factor 1 $\hat{\pm}$ Degradation and Tumor Angiogenesis. Journal of the National Cancer Institute, 2006, 98, 984-995.  | 6.3 | 74        |
| 519 | Novel Thioredoxin Inhibitors Paradoxically Increase Hypoxia-Inducible Factor-1 $\hat{\pm}$ Expression but Decrease Functional Transcriptional Activity, DNA Binding, and Degradation. Clinical Cancer Research, 2006, 12, 5384-5394.      | 7.0 | 46        |
| 520 | Cancers as Wounds that Do Not Heal: Differences and Similarities between Renal Regeneration/Repair and Renal Cell Carcinoma. Cancer Research, 2006, 66, 7216-7224.  | 0.9 | 109       |
| 521 | Low Oxygen Concentrations Inhibit Trophoblast Cell Invasion from Early Gestation Placental Explants via Alterations in Levels of the Urokinase Plasminogen Activator System1. Biology of Reproduction, 2006, 74, 403-409.                 | 2.7 | 61        |
| 522 | The role of hypoxia inducible factor-1 in cell metabolism “ a possible target in cancer therapy. Expert Opinion on Therapeutic Targets, 2006, 10, 583-599.  | 3.4 | 14        |
| 523 | Hypoxia-Inducible Factor-1 $\hat{\pm}$ Promotes Nonhypoxia-Mediated Proliferation in Colon Cancer Cells and Xenografts. Cancer Research, 2006, 66, 1684-1693.   | 0.9 | 108       |
| 524 | Direct Transcriptional Up-regulation of Cyclooxygenase-2 by Hypoxia-Inducible Factor (HIF)-1 Promotes Colorectal Tumor Cell Survival and Enhances HIF-1 Transcriptional Activity during Hypoxia. Cancer Research, 2006, 66, 6683-6691.    | 0.9 | 270       |
| 525 | Overexpression and nuclear translocation of hypoxia-inducible factor prolyl hydroxylase PHD2 in head and neck squamous cell carcinoma is associated with tumor aggressiveness.. Clinical Cancer Research, 2006, 12, 1080-1087.            | 7.0 | 83        |
| 526 | Identification of novel small-molecule inhibitors of hypoxia-inducible factor-1 transactivation and DNA binding. Molecular Cancer Therapeutics, 2006, 5, 2193-2202.   | 4.1 | 60        |
| 527 | Inhibition of signal transducer and activator of transcription 3 activity results in down-regulation of Survivin following irradiation. Molecular Cancer Therapeutics, 2006, 5, 2659-2665.  | 4.1 | 49        |
| 528 | The Proangiogenic Capacity of Polymorphonuclear Neutrophils Delineated by Microarray Technique and by Measurement of Neovascularization in Wounded Skin of CD18-Deficient Mice. Journal of Vascular Research, 2006, 43, 1-11.             | 1.4 | 29        |
| 529 | Inhibition of Hypoxia-Inducible Factor-1 $\hat{\pm}$ and Endothelial Progenitor Cell Differentiation by Adenoviral Transfer of Small Interfering RNA in vitro. Journal of Vascular Research, 2006, 43, 511-521.                           | 1.4 | 31        |
| 530 | Histone Deacetylase Inhibitors Induce VHL and Ubiquitin-Independent Proteasomal Degradation of Hypoxia-Inducible Factor 1 $\hat{\pm}$ . Molecular and Cellular Biology, 2006, 26, 2019-2028.  | 2.3 | 254       |
| 531 | Concordant Regulation of Gene Expression by Hypoxia and 2-Oxoglutarate-dependent Dioxygenase Inhibition. Journal of Biological Chemistry, 2006, 281, 15215-15226.   | 3.4 | 434       |
| 532 | Induction of the Heat Shock Pathway during Hypoxia Requires Regulation of Heat Shock Factor by Hypoxia-inducible Factor-1. Journal of Biological Chemistry, 2006, 281, 38675-38681.   | 3.4 | 129       |
| 533 | Hypoxia-Independent Overexpression of Hypoxia-Inducible Factor 1 $\hat{\pm}$ as an Early Change in Mouse Hepatocarcinogenesis. Cancer Research, 2006, 66, 11263-11270.  | 0.9 | 99        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 534 | Activation of Hypoxia-Inducible Factor-1 $\alpha$ Is Necessary for Lysophosphatidic Acid-Induced Vascular Endothelial Growth Factor Expression. <i>Clinical Cancer Research</i> , 2006, 12, 6351-6358.  | 7.0 | 85        |
| 535 | Calpain Mediates a von Hippel-Lindau Protein-independent Destruction of Hypoxia-inducible Factor-1 $\alpha$ . <i>Molecular Biology of the Cell</i> , 2006, 17, 1549-1558.   | 2.1 | 53        |
| 536 | The Met pathway: master switch and drug target in cancer progression. <i>FASEB Journal</i> , 2006, 20, 1611-1621.   | 0.5 | 117       |
| 537 | Use of APO2L/TRAIL with mTOR inhibitors in the treatment of glioblastoma multiforme. <i>Expert Review of Anticancer Therapy</i> , 2006, 6, 1313-1322.   | 2.4 | 22        |
| 538 | Formation of Primary Cilia in the Renal Epithelium Is Regulated by the von Hippel-Lindau Tumor Suppressor Protein. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1801-1806.  | 6.1 | 148       |
| 539 | The Length of Peptide Substrates Has a Marked Effect on Hydroxylation by the Hypoxia-inducible Factor Prolyl 4-Hydroxylases. <i>Journal of Biological Chemistry</i> , 2006, 281, 28712-28720.   | 3.4 | 111       |
| 540 | Bafilomycin Induces the p21-Mediated Growth Inhibition of Cancer Cells under Hypoxic Conditions by Expressing Hypoxia-Inducible Factor-1 $\alpha$ . <i>Molecular Pharmacology</i> , 2006, 70, 1856-1865.  | 2.3 | 68        |
| 541 | Prolyl hydroxylase-1 negatively regulates I $\kappa$ B kinase-beta, giving insight into hypoxia-induced NF $\kappa$ B activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18154-18159.  | 7.1 | 687       |
| 542 | Clioquinol, a Cu(II)/Zn(II) Chelator, Inhibits Both Ubiquitination and Asparagine Hydroxylation of Hypoxia-inducible Factor-1 $\alpha$ , Leading to Expression of Vascular Endothelial Growth Factor and Erythropoietin in Normoxic Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 34056-34063. | 3.4 | 58        |
| 543 | Targeting XBP-1 as a novel anti-cancer strategy. <i>Cancer Biology and Therapy</i> , 2006, 5, 756-759.  | 3.4 | 109       |
| 545 | Phase I/II Study of the Mammalian Target of Rapamycin Inhibitor Everolimus (RAD001) in Patients with Relapsed or Refractory Hematologic Malignancies. <i>Clinical Cancer Research</i> , 2006, 12, 5165-5173.  | 7.0 | 281       |
| 546 | Thioredoxin-1 Modulates Transcription of Cyclooxygenase-2 via Hypoxia-Inducible Factor-1 $\alpha$ in Non-Small Cell Lung Cancer. <i>Cancer Research</i> , 2006, 66, 143-150.  | 0.9 | 84        |
| 548 | Proteomic Analysis of Colorectal Cancer Reveals Alterations in Metabolic Pathways. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1119-1130.   | 3.8 | 139       |
| 549 | A family with erythrocytosis establishes a role for prolyl hydroxylase domain protein 2 in oxygen homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 654-659.   | 7.1 | 292       |
| 550 | Genetics of Mitochondrial Electron Transport Chain in Regulating Oxygen Sensing. <i>Methods in Enzymology</i> , 2007, 435, 447-461.   | 1.0 | 12        |
| 551 | Structural Basis for Depletion of Heat Shock Protein 90 Client Proteins by Deguelin. <i>Journal of the National Cancer Institute</i> , 2007, 99, 949-961.   | 6.3 | 141       |
| 552 | Beyond Detection: Novel Applications for PET Imaging to Guide Cancer Therapy. <i>Journal of Nuclear Medicine</i> , 2007, 48, 855-856.   | 5.0 | 22        |
| 553 | Hypoxia and Hypoxia-Inducible Factor-1 Expression Enhance Osteolytic Bone Metastases of Breast Cancer. <i>Cancer Research</i> , 2007, 67, 4157-4163.  | 0.9 | 217       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 554 | Hepatitis C Virus Stabilizes Hypoxia-Inducible Factor 1 $\alpha$ and Stimulates the Synthesis of Vascular Endothelial Growth Factor. <i>Journal of Virology</i> , 2007, 81, 10249-10257.   | 3.4 | 119       |
| 555 | Inhibition of Hypoxia-inducible Factor (HIF) Hydroxylases by Citric Acid Cycle Intermediates. <i>Journal of Biological Chemistry</i> , 2007, 282, 4524-4532.   | 3.4 | 441       |
| 556 | Suppression of the Hypoxia-Inducible Factor-1 Response in Cervical Carcinoma Xenografts by Proteasome Inhibitors. <i>Cancer Research</i> , 2007, 67, 1735-1743.  | 0.9 | 61        |
| 557 | Hypoxia-inducible Factor-1 Mediates Neuronal Expression of the Receptor for Advanced Glycation End Products following Hypoxia/Ischemia. <i>Journal of Biological Chemistry</i> , 2007, 282, 36330-36340.   | 3.4 | 92        |
| 558 | Mucin 1 Oncoprotein Blocks Hypoxia-inducible Factor 1 $\alpha$ Activation in a Survival Response to Hypoxia. <i>Journal of Biological Chemistry</i> , 2007, 282, 257-266.  | 3.4 | 64        |
| 559 | Constitutive/Hypoxic Degradation of HIF-1 $\alpha$ Proteins by the Proteasome Is Independent of von Hippel Lindau Protein Ubiquitylation and the Transactivation Activity of the Protein. <i>Journal of Biological Chemistry</i> , 2007, 282, 15498-15505. | 3.4 | 70        |
| 560 | Interaction of Hydroxylated Collagen IV with the von Hippel-Lindau Tumor Suppressor. <i>Journal of Biological Chemistry</i> , 2007, 282, 13264-13269.  | 3.4 | 57        |
| 561 | Hypoxia-inducible factor-1 confers resistance to the glycolytic inhibitor 2-deoxy- $\alpha$ -D-glucose. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 732-741.   | 4.1 | 96        |
| 562 | AKAP12 Regulates Human Blood-Retinal Barrier Formation by Downregulation of Hypoxia-Inducible Factor-1 $\alpha$ . <i>Journal of Neuroscience</i> , 2007, 27, 4472-4481.  | 3.6 | 91        |
| 563 | Mitochondrial Reactive Oxygen Species Trigger Hypoxia-Inducible Factor-Dependent Extension of the Replicative Life Span during Hypoxia. <i>Molecular and Cellular Biology</i> , 2007, 27, 5737-5745.   | 2.3 | 202       |
| 564 | Hypoxia-Inducible Factor 1 and Dysregulated c-Myc Cooperatively Induce Vascular Endothelial Growth Factor and Metabolic Switches Hexokinase 2 and Pyruvate Dehydrogenase Kinase 1. <i>Molecular and Cellular Biology</i> , 2007, 27, 7381-7393.            | 2.3 | 540       |
| 565 | Targeted Cancer Gene Therapy Using a Hypoxia Inducible Factor-Dependent Oncolytic Adenovirus Armed with Interleukin-4. <i>Cancer Research</i> , 2007, 67, 6872-6881.   | 0.9 | 95        |
| 566 | Detection of Reactive Oxygen Species via Endogenous Oxidative Pentose Phosphate Cycle Activity in Response to Oxygen Concentration. <i>Journal of Biological Chemistry</i> , 2007, 282, 36790-36796.   | 3.4 | 67        |
| 567 | Adenovirus-mediated hypoxia-targeting cytosine deaminase gene therapy enhances radiotherapy in tumour xenografts. <i>British Journal of Cancer</i> , 2007, 96, 1871-1878.  | 6.4 | 24        |
| 568 | The p53 codon 72 proline allele is endowed with enhanced cell-death inducing potential in cancer cells exposed to hypoxia. <i>British Journal of Cancer</i> , 2007, 96, 1302-1308.   | 6.4 | 23        |
| 569 | The Unfolded Protein Response and Integrated Stress Response to Anoxia: Fig. 1.. <i>Clinical Cancer Research</i> , 2007, 13, 2537-2540.  | 7.0 | 47        |
| 570 | Hypoxia and Metastasis: Fig. 1.. <i>Clinical Cancer Research</i> , 2007, 13, 1947-1949.  | 7.0 | 88        |
| 571 | The Peptidyl Prolyl cis/trans Isomerase FKBP38 Determines Hypoxia-Inducible Transcription Factor Prolyl-4-Hydroxylase PHD2 Protein Stability. <i>Molecular and Cellular Biology</i> , 2007, 27, 3758-3768.   | 2.3 | 100       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 572 | Tumor Hypoxia and Targeted Gene Therapy. International Review of Cytology, 2007, 257, 181-212.   | 6.2 | 10        |
| 573 | Arginase, Nitric Oxide Synthase, and Novel Inhibitors of L-Arginine Metabolism in Immune Modulation. , 2007, , 369-399.  |     | 0         |
| 574 | Dead or alive: gene expression profiles of advanced atherosclerotic plaques from autopsy and surgery. Physiological Genomics, 2007, 30, 335-341.   | 2.3 | 40        |
| 575 | Endothelin-1 and Endothelin-3 Promote Invasive Behavior via Hypoxia-Inducible Factor-1 $\pm$ in Human Melanoma Cells. Cancer Research, 2007, 67, 1725-1734.  | 0.9 | 84        |
| 576 | Activation of Insulin-like Growth Factor Signaling Induces Apoptotic Cell Death Under Prolonged Hypoxia by Enhancing Endoplasmic Reticulum Stress Response. Cancer Research, 2007, 67, 8095-8103.                    | 0.9 | 35        |
| 577 | Stroma-derived factor (SDF-1/CXCL12) and human tumor pathogenesis. American Journal of Physiology - Cell Physiology, 2007, 292, C987-C995.   | 4.6 | 290       |
| 578 | Carbonic Anhydrase Inhibitors and the Management of Cancer. Current Topics in Medicinal Chemistry, 2007, 7, 865-878.   | 2.1 | 47        |
| 579 | Expression of HIF-1 $\pm$ in Injured Arteries Controls SDF-1 $\pm$ -Mediated Neointima Formation in Apolipoprotein E $\pm$ -Deficient Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 2540-2547. | 2.4 | 88        |
| 580 | Reactive oxygen species regulate insulin-induced VEGF and HIF-1 $\pm$ expression through the activation of p70S6K1 in human prostate cancer cells. Carcinogenesis, 2007, 28, 28-37.                                  | 2.8 | 88        |
| 581 | Tumor-Specific Efficacy of Transforming Growth Factor- $\beta$ RI Inhibition in Eker Rats. Clinical Cancer Research, 2007, 13, 3087-3099.  | 7.0 | 66        |
| 582 | Chemopreventive agents modulate the protein expression profile of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone plus benzo[a]pyrene-induced lung tumors in A/J mice. Carcinogenesis, 2007, 29, 610-619.             | 2.8 | 22        |
| 583 | Tribute to P. L. Lutz: putting life on 'pause' $\pm$ molecular regulation of hypometabolism. Journal of Experimental Biology, 2007, 210, 1700-1714.  | 1.7 | 239       |
| 584 | Inhibitor of DNA Binding 1 Activates Vascular Endothelial Growth Factor through Enhancing the Stability and Activity of Hypoxia-Inducible Factor-1 $\pm$ . Molecular Cancer Research, 2007, 5, 321-329.              | 3.4 | 50        |
| 585 | Cell Type $\pm$ -Specific, Topoisomerase II $\pm$ -Dependent Inhibition of Hypoxia-Inducible Factor-1 $\pm$ Protein Accumulation by NSC 644221. Clinical Cancer Research, 2007, 13, 1010-1018.                       | 7.0 | 47        |
| 586 | Evidence for sustained renal hypoxia and transient hypoxia adaptation in experimental rhabdomyolysis-induced acute kidney injury. Nephrology Dialysis Transplantation, 2007, 23, 1135-1143.                          | 0.7 | 41        |
| 587 | Relation of a Hypoxia Metagene Derived from Head and Neck Cancer to Prognosis of Multiple Cancers. Cancer Research, 2007, 67, 3441-3449.   | 0.9 | 349       |
| 588 | SEPT9_V1 protein expression is associated with human cancer cell resistance to microtubule disrupting agents. Cancer Biology and Therapy, 2007, 6, 1926-1931.  | 3.4 | 34        |
| 589 | Hypoxic Suppression of the Cell Cycle Gene <i>CDC25A</i> in Tumor Cells. Cell Cycle, 2007, 6, 1919-1926.   | 2.6 | 54        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 590 | Multimodality optical imaging and 18F-FDG uptake in wild-type p53-containing and p53-null human colon tumor xenografts. <i>Cancer Biology and Therapy</i> , 2007, 6, 1649-1653.   | 3.4 | 13        |
| 591 | Low Dose Geldanamycin Inhibits Hepatocyte Growth Factor- and Hypoxia-Stimulated Invasion of Cancer Cells. <i>Cell Cycle</i> , 2007, 6, 1393-1402.   | 2.6 | 57        |
| 592 | Detecting changes in tumor hypoxia with carbonic anhydrase IX and pimonidazole. <i>Cancer Biology and Therapy</i> , 2007, 6, 70-75.   | 3.4 | 38        |
| 593 | Energy sensing and regulation of gene expression in skeletal muscle. <i>Journal of Applied Physiology</i> , 2007, 102, 529-540.   | 2.5 | 70        |
| 594 | KCl Depolarization Increases HIF-1 Transcriptional Activity via the Calcium-Independent Pathway in SGC7901 Gastric Cancer Cells. <i>Tumor Biology</i> , 2007, 28, 173-180.  | 1.8 | 4         |
| 595 | Microarray analysis of p53-dependent gene expression in response to hypoxia and DNA damage. <i>Cancer Biology and Therapy</i> , 2007, 6, 1858-1866.   | 3.4 | 28        |
| 596 | Hypoxia Inducible Factor-2 $\pm$ in Cancer. <i>Cell Cycle</i> , 2007, 6, 919-926.   | 2.6 | 168       |
| 597 | Effects of Hypoxia on Heterotypic Macrophage Interactions. <i>Cell Cycle</i> , 2007, 6, 2620-2624.  | 2.6 | 7         |
| 598 | PDGFR $\hat{2}$ and HIF-1 $\hat{1}\pm$ inhibition with imatinib and radioimmunotherapy of experimental prostate cancer. <i>Cancer Biology and Therapy</i> , 2007, 6, 1763-1772.   | 3.4 | 15        |
| 599 | Prognostic Value of Carbonic Anhydrase IX and Ki-67 Expression in Squamous Cell Carcinoma of the Tongue. <i>Japanese Journal of Clinical Oncology</i> , 2007, 37, 812-819.  | 1.3 | 53        |
| 600 | Estrogen-Induced Activation of Hypoxia-Inducible Factor-1 $\hat{1}\pm$ , Vascular Endothelial Growth Factor Expression, and Edema in the Uterus Are Mediated by the Phosphatidylinositol 3-Kinase/Akt Pathway. <i>Endocrinology</i> , 2007, 148, 2363-2374. | 2.8 | 119       |
| 601 | HIF-1-Regulated Glucose Metabolism: A Key to Apoptosis Resistance?. <i>Cell Cycle</i> , 2007, 6, 790-792.   | 2.6 | 83        |
| 602 | Survival and invasiveness of astrocytomas promoted by erythropoietin. <i>Journal of Neurosurgery</i> , 2007, 106, 338-350.  | 1.6 | 31        |
| 603 | Inhibition of Stat3 activity by YC-1 enhances chemo-sensitivity in hepatocellular carcinoma. <i>Cancer Biology and Therapy</i> , 2007, 6, 1900-1907.  | 3.4 | 57        |
| 604 | Differential Regulation of Hypoxia-Inducible Factor-1 through Receptor Tyrosine Kinase Transactivation in Vascular Smooth Muscle Cells. <i>Endocrinology</i> , 2007, 148, 4023-4031.  | 2.8 | 47        |
| 605 | Hypoxia and Regulation of Messenger RNA Translation. <i>Methods in Enzymology</i> , 2007, 435, 247-273.   | 1.0 | 45        |
| 606 | Comparative Expression Profiling in Pulmonary Fibrosis Suggests a Role of Hypoxia-inducible Factor-1 $\hat{1}\pm$ in Disease Pathogenesis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 176, 1108-1119.                        | 5.6 | 178       |
| 607 | Identification of a New Natural Camptothecin Analogue in Targeted Screening for HIF-1 $\hat{1}\pm$ Inhibitors. <i>Planta Medica</i> , 2007, 73, 49-52.  | 1.3 | 27        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 608 | A yeast two-hybrid system reconstituting substrate recognition of the von Hippel-Lindau tumor suppressor protein. <i>Nucleic Acids Research</i> , 2007, 35, e142-e142.   | 14.5 | 12        |
| 609 | Dual Role of Mitochondrial Reactive Oxygen Species in Hypoxia Signaling: Activation of Nuclear Factor- $\kappa$ B via c-SRCa€ and Oxidant-Dependent Cell Death. <i>Cancer Research</i> , 2007, 67, 7368-7377.  | 0.9  | 204       |
| 610 | IRE1 Signaling Is Essential for Ischemia-Induced Vascular Endothelial Growth Factor-A Expression and Contributes to Angiogenesis and Tumor Growth <i>In vivo</i>. <i>Cancer Research</i> , 2007, 67, 6700-6707.                                      | 0.9  | 197       |
| 611 | RACK1 vs. HSP90: Competition for HIF-1 $\pm$ Degradation vs. Stabilization. <i>Cell Cycle</i> , 2007, 6, 656-659.  | 2.6  | 129       |
| 612 | Hypoxiaa€Inducible Factors Per/ARNT/Sim Domains: Structure and Function. <i>Methods in Enzymology</i> , 2007, 435, 1-24.   | 1.0  | 18        |
| 613 | Up-regulation of Tumor Susceptibility Gene 101 Protein in Ovarian Carcinomas Revealed by Proteomics Analyses. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 294-304.   | 3.8  | 34        |
| 614 | Caffeine Inhibits Adenosine-Induced Accumulation of Hypoxia-Inducible Factor-1 $\pm$ , Vascular Endothelial Growth Factor, and Interleukin-8 Expression in Hypoxic Human Colon Cancer Cells. <i>Molecular Pharmacology</i> , 2007, 72, 395-406.      | 2.3  | 149       |
| 615 | Effect of Hypoxia on 2-Deoxyglucose Uptake and Cell Cycle Regulatory Protein Expression of Mouse Embryonic Stem Cells: Involvement of Ca<sup>2+</sup> /PKC, MAPKs and HIF-1 $\pm$ . <i>Cellular Physiology and Biochemistry</i> , 2007, 19, 269-282. | 1.6  | 29        |
| 616 | Hypoxia-Inducible Factor-1 $\pm$ Is a Key Regulator of Metastasis in a Transgenic Model of Cancer Initiation and Progression. <i>Cancer Research</i> , 2007, 67, 563-572.  | 0.9  | 322       |
| 617 | Cytotoxic Metabolites from an Indonesian Sponge <i>Lendenfeldia</i> sp.. <i>Journal of Natural Products</i> , 2007, 70, 1824-1826.   | 3.0  | 61        |
| 618 | Differential Toxic Mechanisms of 2-Deoxy-D-Glucose<i>versus</i>2-Fluorodeoxy-D -Glucose in Hypoxic and Normoxic Tumor Cells. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 1383-1390.   | 5.4  | 136       |
| 619 | Testosterone-stimulated growth of the rat prostate may be driven by tissue hypoxia and hypoxia-inducible factor-1 $\pm$ . <i>Journal of Endocrinology</i> , 2007, 196, 11-19.  | 2.6  | 23        |
| 620 | An Endoplasmic Reticulum Transmembrane Prolyl 4-Hydroxylase Is Induced by Hypoxia and Acts on Hypoxia-inducible Factor 1 $\pm$ . <i>Journal of Biological Chemistry</i> , 2007, 282, 30544-30552.  | 3.4  | 124       |
| 621 | 1 $\pm$ ,25-dihydroxyvitamin D3 (Calcitriol) inhibits hypoxia-inducible factor-1/vascular endothelial growth factor pathway in human cancer cells. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1433-1439.  | 4.1  | 211       |
| 622 | The exon-junction-complex-component metastatic lymph node 51 functions in stress-granule assembly. <i>Journal of Cell Science</i> , 2007, 120, 2774-2784.  | 2.0  | 69        |
| 623 | Why do tumors metastasize?. <i>Cancer Biology and Therapy</i> , 2007, 6, 141-144.  | 3.4  | 16        |
| 624 | Hypoxic Regulation of Id-1 and Activation of the Unfolded Protein Response Are Aberrant in Neuroblastoma. <i>Journal of Biological Chemistry</i> , 2007, 282, 240-248.   | 3.4  | 29        |
| 625 | Developmental regulation of hypoxia-inducible factor 1 and prolyl-hydroxylases in pulmonary vascular smooth muscle cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18789-18794.           | 7.1  | 37        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 626 | Metabolic targeting of hypoxia and HIF1 in solid tumors can enhance cytotoxic chemotherapy. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 9445-9450.                           | 7.1 | 152       |
| 627 | Hif-1 $\pm$ regulates differentiation of limb bud mesenchyme and joint development. Journal of Cell Biology, 2007, 177, 451-464.   | 5.2 | 181       |
| 628 | Characterization of Ankyrin Repeat-Containing Proteins as Substrates of the Asparaginyl Hydroxylase Factor Inhibiting Hypoxia-Inducible Transcription Factor. Methods in Enzymology, 2007, 435, 61-85.                       | 1.0 | 24        |
| 629 | MgcRacGAP Interacts with HIF-1 $\pm$ and Regulates its Transcriptional Activity. Cellular Physiology and Biochemistry, 2007, 20, 995-1006.   | 1.6 | 37        |
| 630 | Hypoxia up-regulates the angiogenic cytokine secretoneurin via an HIF-1 $\pm$ -and basic FGF-dependent pathway in muscle cells. FASEB Journal, 2007, 21, 2906-2917.  | 0.5 | 62        |
| 631 | HIF Gene Expression in Cancer Therapy. Methods in Enzymology, 2007, 435, 323-345.  | 1.0 | 24        |
| 632 | Adenosine A2areceptor-mediated, normoxic induction of HIF-1 through PKC and PI-3K-dependent pathways in macrophages. Journal of Leukocyte Biology, 2007, 82, 392-402.  | 3.3 | 69        |
| 633 | HIF1 $\pm$ regulation of <i>Sox9</i> is necessary to maintain differentiation of hypoxic prechondrogenic cells during early skeletogenesis. Development (Cambridge), 2007, 134, 3917-3928.                                   | 2.5 | 260       |
| 634 | Nicotine Induces Hypoxia-Inducible Factor-1 $\pm$ Expression in Human Lung Cancer Cells via Nicotinic Acetylcholine Receptor-Mediated Signaling Pathways. Clinical Cancer Research, 2007, 13, 4686-4694.                     | 7.0 | 146       |
| 635 | Epidermal growth factor receptor inhibition sensitizes renal cell carcinoma cells to the cytotoxic effects of bortezomib. Molecular Cancer Therapeutics, 2007, 6, 61-69.   | 4.1 | 51        |
| 636 | Prolyl Hydroxylase Domain 2 Protein Suppresses Hypoxia-Induced Endothelial Cell Proliferation. Hypertension, 2007, 49, 178-184.  | 2.7 | 37        |
| 637 | Thioredoxin 1 and Thioredoxin 2 Have Opposed Regulatory Functions on Hypoxia-inducible Factor-1 $\pm$ . Journal of Biological Chemistry, 2007, 282, 7482-7490.   | 3.4 | 68        |
| 638 | From critters to cancers: bridging comparative and clinical research on oxygen sensing, HIF signaling, and adaptations towards hypoxia. Integrative and Comparative Biology, 2007, 47, 552-577.                              | 2.0 | 28        |
| 639 | A Potential $\pm$ -Helix Motif in the Amino Terminus of LANA Encoded by Kaposi's Sarcoma-Associated Herpesvirus Is Critical for Nuclear Accumulation of HIF-1 $\pm$ in Normoxia. Journal of Virology, 2007, 81, 10413-10423. | 3.4 | 75        |
| 640 | The concurrent chemoradiation paradigm—general principles. Nature Clinical Practice Oncology, 2007, 4, 86-100.   | 4.3 | 353       |
| 641 | An Up-to-Date Anti-Cancer Treatment Strategy Focusing on HIF-1.ALPHA. Suppression: Its Application for Refractory Ovarian Cancer. Acta Histochemica Et Cytochemica, 2007, 40, 139-142.                                       | 1.6 | 13        |
| 642 | Imaging and Targeting of Hypoxic Tumor Cells by Use of HIF-1. Proceedings of the Japanese Society of Animal Models for Human Diseases, 2007, 23, 43-50.  | 0.0 | 0         |
| 643 | Rakicidin A: A Hypoxia-Selective Cytotoxin. Biological and Pharmaceutical Bulletin, 2007, 30, 261-265.   | 1.4 | 41        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 644 | Blueprint for the Response of Blood and Bone Marrow-Derived Stem Cells and Their Progeny to Hypoxia. , 2007, , 61-84.  |      | 1         |
| 645 | IOP1, a novel hydrogenase-like protein that modulates hypoxia-inducible factor-1 $\alpha$ activity. Biochemical Journal, 2007, 401, 341-352.   | 3.7  | 41        |
| 646 | Silencing hypoxia-inducible factor-1 $\alpha$ inhibits cell migration and invasion under hypoxic environment in malignant gliomas. International Journal of Oncology, 2007, , .  | 3.3  | 46        |
| 647 | Hypoxia-induced assembly of prolyl hydroxylase PHD3 into complexes: implications for its activity and susceptibility for degradation by the E3 ligase Siah2. Biochemical Journal, 2007, 401, 217-226.                                | 3.7  | 52        |
| 648 | THE CRITICAL ROLE OF VASCULAR ENDOTHELIAL GROWTH FACTOR IN PULMONARY VASCULAR REMODELING AFTER LUNG INJURY. Shock, 2007, 28, 4-14.   | 2.1  | 56        |
| 649 | Development of a novel fluorescent imaging probe for tumor hypoxia by use of a fusion protein with oxygen-dependent degradation domain of HIF-1 $\alpha$ . , 2007, , .   |      | 2         |
| 650 | Modulation of vascular gene expression by hypoxia. Current Opinion in Lipidology, 2007, 18, 508-514.   | 2.7  | 24        |
| 651 | ARC-111 inhibits hypoxia-mediated hypoxia-inducible factor-1 $\alpha$ accumulation. Anti-Cancer Drugs, 2007, 18, 435-445.  | 1.4  | 10        |
| 652 | Targeting Angiogenesis in Head and Neck Cancer. Current Cancer Drug Targets, 2007, 7, 643-649.   | 1.6  | 9         |
| 653 | Activation of hypoxia-inducible factor 1 in human T-cell leukaemia virus type $\Delta$ 1-infected cell lines and primary adult T-cell leukaemia cells. Biochemical Journal, 2007, 406, 317-323.                                      | 3.7  | 40        |
| 654 | Human telomere, oncogenic promoter and 5'-UTR G-quadruplexes: diverse higher order DNA and RNA targets for cancer therapeutics. Nucleic Acids Research, 2007, 35, 7429-7455.   | 14.5 | 812       |
| 655 | Fludarabine reduces survivability of HepG2 cells through VEGF under hypoxia. Archives of Biochemistry and Biophysics, 2007, 468, 100-106.  | 3.0  | 5         |
| 656 | The maximum uptake of 18F-deoxyglucose on positron emission tomography scan correlates with survival, hypoxia inducible factor-1 $\alpha$ and GLUT-1 in non-small cell lung cancer. European Journal of Cancer, 2007, 43, 1392-1398. | 2.8  | 188       |
| 657 | Hypoxia increases expression of selective facilitative glucose transporters (GLUT) and 2-deoxy-d-glucose uptake in human adipocytes. Biochemical and Biophysical Research Communications, 2007, 361, 468-473.                        | 2.1  | 125       |
| 658 | Comparison of hypoxia-inducible factor-1 alpha in hypoxia-sensitive and hypoxia-tolerant fish species. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2007, 2, 177-186.                                    | 1.0  | 54        |
| 659 | Hypoxia-Inducible Factors, Stem Cells, and Cancer. Cell, 2007, 129, 465-472.   | 28.9 | 1,025     |
| 660 | AKT/PKB Signaling: Navigating Downstream. Cell, 2007, 129, 1261-1274.  | 28.9 | 5,261     |
| 661 | RSUME, a Small RWD-Containing Protein, Enhances SUMO Conjugation and Stabilizes HIF-1 $\alpha$ during Hypoxia. Cell, 2007, 131, 309-323.   | 28.9 | 280       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 662 | Anti-PlGF Inhibits Growth of VEGF(R)-Inhibitor-Resistant Tumors without Affecting Healthy Vessels. Cell, 2007, 131, 463-475.  | 28.9 | 722       |
| 663 | Vascular endothelial growth factor: Biology and therapeutic applications. International Journal of Biochemistry and Cell Biology, 2007, 39, 1349-1357.  | 2.8  | 146       |
| 664 | The effects of camptothecin on RNA polymerase II transcription: Roles of DNA topoisomerase I. Biochimie, 2007, 89, 482-489.   | 2.6  | 44        |
| 665 | Mitochondria and reactive oxygen species in renal cancer. Biochimie, 2007, 89, 1080-1088.   | 2.6  | 67        |
| 666 | Dual role of hydrogen peroxide in cancer: Possible relevance to cancer chemoprevention and therapy. Cancer Letters, 2007, 252, 1-8.   | 7.2  | 605       |
| 667 | Preclinical evaluation of YC-1, a HIF inhibitor, for the prevention of tumor spreading. Cancer Letters, 2007, 255, 107-116.   | 7.2  | 76        |
| 668 | Inhibitory effects of nitric oxide on invasion of human cancer cells. Cancer Letters, 2007, 257, 274-282.   | 7.2  | 27        |
| 669 | Evidence of HIF-1 functional binding activity to caspase-3 promoter after photothrombotic cerebral ischemia. Molecular and Cellular Neurosciences, 2007, 34, 40-47.   | 2.2  | 43        |
| 670 | Regulation of HIF-1 $\alpha$ Stability through S-Nitrosylation. Molecular Cell, 2007, 26, 63-74.  | 9.7  | 399       |
| 671 | p53 and NF- $\kappa$ B Crosstalk: IKK $\alpha$ Tips the Balance. Molecular Cell, 2007, 26, 158-159.   | 9.7  | 94        |
| 672 | Can Irradiated Tumors Take NO for an Answer?. Molecular Cell, 2007, 26, 157-158.  | 9.7  | 2         |
| 673 | FOXO3a Is Activated in Response to Hypoxic Stress and Inhibits HIF1-Induced Apoptosis via Regulation of CITED2. Molecular Cell, 2007, 28, 941-953.  | 9.7  | 240       |
| 674 | Niche-to-niche migration of bone-marrow-derived cells. Trends in Molecular Medicine, 2007, 13, 72-81.   | 6.7  | 204       |
| 675 | Targeting the mTOR signaling network in cancer. Trends in Molecular Medicine, 2007, 13, 433-442.  | 6.7  | 306       |
| 676 | Tumor microvasculature and microenvironment: Targets for anti-angiogenesis and normalization. Microvascular Research, 2007, 74, 72-84.  | 2.5  | 592       |
| 677 | A novel adenoviral vector-mediated neuronal selective gene expression in neonatal mouse brain in response to hypoxia. Neuroscience Letters, 2007, 419, 23-27.   | 2.1  | 6         |
| 678 | Expression of hypoxia-inducible factor 1 $\alpha$ , hypoxia-inducible factor 2 $\alpha$ , and von Hippel-Lindau protein in epithelial ovarian neoplasms and allelic loss of von Hippel-Lindau gene: nuclear expression of hypoxia-inducible factor 1 $\alpha$ is an independent prognostic factor in ovarian carcinoma. Human Pathology, 2007, 38, 1310-1320. | 2.0  | 114       |
| 679 | HIF-1 $\alpha$ expression is associated with an atheromatous inflammatory plaque phenotype and upregulated in activated macrophages. Atherosclerosis, 2007, 195, e69-e75.   | 0.8  | 109       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 680 | Hypoxia increases cytoplasmic expression of NDRG1, but is insufficient for its membrane localization in human hepatocellular carcinoma. FEBS Letters, 2007, 581, 989-994.                 | 2.8  | 49        |
| 681 | Oxygen, a source of life and stress. FEBS Letters, 2007, 581, 3582-3591.  | 2.8  | 310       |
| 682 | Wondonin, a novel compound, inhibits hypoxia-induced angiogenesis through hypoxia-inducible factor 1 alpha. FEBS Letters, 2007, 581, 4977-4982.   | 2.8  | 16        |
| 683 | A role for CITED2, a CBP/p300 interacting protein, in colon cancer cell invasion. FEBS Letters, 2007, 581, 5904-5910.   | 2.8  | 47        |
| 684 | Novel method for visualizing and modeling the spatial distribution of neural stem cells within intracranial glioma. NeuroImage, 2007, 37, S18-S26.  | 4.2  | 28        |
| 685 | Imaging the hypoxia surrogate marker CA IX requires expression and catalytic activity for binding fluorescent sulfonamide inhibitors. Radiotherapy and Oncology, 2007, 83, 367-373.       | 0.6  | 157       |
| 686 | Regulation of Cited2 expression provides a functional link between translational and transcriptional responses during hypoxia. Radiotherapy and Oncology, 2007, 83, 346-352.              | 0.6  | 24        |
| 687 | Exploring the role of HIF-1 in early angiogenesis and response to radiotherapy. Radiotherapy and Oncology, 2007, 83, 249-255.   | 0.6  | 44        |
| 688 | Hypoxia-Inducible Factor-1 Facilitates Cervical Cancer Progression in Human Papillomavirus Type 16 Transgenic Mice. American Journal of Pathology, 2007, 171, 667-681.                    | 3.8  | 31        |
| 689 | Human Placental Hypoxia-Inducible Factor-1 $\pm$ Expression Correlates with Clinical Outcomes in Chronic Hypoxia in Vivo. American Journal of Pathology, 2007, 170, 2171-2179.            | 3.8  | 101       |
| 690 | Mitochondrial Membrane Permeabilization in Cell Death. Physiological Reviews, 2007, 87, 99-163.   | 28.8 | 3,126     |
| 692 | An Investigation Into the Prognostic Significance of Necrosis and Hypoxia in High Grade and Invasive Bladder Cancer. Journal of Urology, 2007, 178, 677-682.                              | 0.4  | 52        |
| 693 | Breast tumour angiogenesis. Breast Cancer Research, 2007, 9, 216.   | 5.0  | 146       |
| 695 | Antitumor Activity, X-ray Crystal Structure, and DNA Binding Properties of Thiocoraline A, a Natural Bisintercalating Thiodipeptide. Journal of Medicinal Chemistry, 2007, 50, 3322-3333. | 6.4  | 58        |
| 696 | (Aryloxyacetyl amino)benzoic Acid Analogues: A New Class of Hypoxia-Inducible Factor-1 Inhibitors. Journal of Medicinal Chemistry, 2007, 50, 1675-1684.                                   | 6.4  | 122       |
| 697 | A wrinkle in the unfolding of hypoxic response: HIF and ATF4. Blood, 2007, 110, 3492-3493.  | 1.4  | 3         |
| 698 | Hematopoietic cell transplantation: a lifelong commitment. Blood, 2007, 110, 3493-3494.   | 1.4  | 2         |
| 699 | Silibinin Inhibits Inflammatory and Angiogenic Attributes in Photocarcinogenesis in SKH-1 Hairless Mice. Cancer Research, 2007, 67, 3483-3491.  | 0.9  | 139       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 700 | BNIP3 Is an RB/E2F Target Gene Required for Hypoxia-Induced Autophagy. <i>Molecular and Cellular Biology</i> , 2007, 27, 6229-6242.   | 2.3 | 340       |
| 701 | Modulating Hypoxia-Inducible Transcription by Disrupting the HIF-1 $\alpha$ -DNA Interface. <i>ACS Chemical Biology</i> , 2007, 2, 561-571.   | 3.4 | 120       |
| 702 | Digitoxin as an anticancer agent with selectivity for cancer cells: possible mechanisms involved. <i>Expert Opinion on Therapeutic Targets</i> , 2007, 11, 1043-1053.   | 3.4 | 117       |
| 703 | Reducing a Biomarkers List via Mathematical Programming: Application to Gene Signatures to Detect Time-Dependent Hypoxia in Cancer. , 2007, , .   |     | 1         |
| 704 | The flavonoid quercetin induces hypoxia-inducible factor-1 $\beta$ (HIF-1 $\beta$ ) and inhibits cell proliferation by depleting intracellular iron. <i>Free Radical Research</i> , 2007, 41, 342-356.  | 3.3 | 44        |
| 705 | 2IBGSOM: interior and irregular boundaries growing self-organizing maps. , 2007, , .  |     | 12        |
| 706 | Targeting tumour-associated macrophages. <i>Expert Opinion on Therapeutic Targets</i> , 2007, 11, 1219-1229.  | 3.4 | 56        |
| 707 | The transcription factor HIF-1 $\beta$ plays a critical role in the growth factor-dependent regulation of both aerobic and anaerobic glycolysis. <i>Genes and Development</i> , 2007, 21, 1037-1049.  | 5.9 | 340       |
| 708 | Molecular-Targeted Antitumor Agents. 15. Neolamellarins from the Marine Sponge <i>Dendrilla nigra</i> Inhibit Hypoxia-Inducible Factor-1 Activation and Secreted Vascular Endothelial Growth Factor Production in Breast Tumor Cells. <i>Journal of Natural Products</i> , 2007, 70, 1741-1745. | 3.0 | 59        |
| 709 | Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. , 2007, , 79-100.  |     | 10        |
| 710 | Targeting mitochondria in the treatment of human cancer: a coordinated attack against cancer cell energy metabolism and signalling. <i>Expert Opinion on Therapeutic Targets</i> , 2007, 11, 1055-1069.   | 3.4 | 25        |
| 711 | Hypoxia-Selective Antitumor Agents: Norsesterterpene Peroxides from the Marine Sponge <i>Diacarnus levii</i> Preferentially Suppress the Growth of Tumor Cells under Hypoxic Conditions. <i>Journal of Natural Products</i> , 2007, 70, 130-133.  | 3.0 | 25        |
| 712 | Chrysin inhibits expression of hypoxia-inducible factor-1 $\beta$ through reducing hypoxia-inducible factor-1 $\beta$ stability and inhibiting its protein synthesis. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 220-226.  | 4.1 | 155       |
| 713 | The Mammalian Target of Rapamycin Signaling Pathway: Twists and Turns in the Road to Cancer Therapy. <i>Clinical Cancer Research</i> , 2007, 13, 3109-3114.   | 7.0 | 239       |
| 714 | Total Synthesis and Absolute Configuration of Laurenditerpenol: A Hypoxia Inducible Factor-1 Activation Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6299-6302.   | 6.4 | 27        |
| 715 | Abietane Diterpenes from <i>Salvia miltiorrhiza</i> Inhibit the Activation of Hypoxia-Inducible Factor-1. <i>Journal of Natural Products</i> , 2007, 70, 1093-1097.   | 3.0 | 64        |
| 716 | Deubiquitinating enzymes as novel anticancer targets. <i>Future Oncology</i> , 2007, 3, 191-199.  | 2.4 | 107       |
| 717 | Expression patterns of the hypoxia-related genes osteopontin, CA9, erythropoietin, VEGF and HIF-1 $\beta$ in human glioma in vitro and in vivo. <i>Radiotherapy and Oncology</i> , 2007, 83, 398-405.   | 0.6 | 90        |



| #   | ARTICLE   | IF    | CITATIONS |
|-----|---|-------|-----------|
| 718 | Cyclin D1, a Novel Molecular Marker of Minimal Residual Disease, in Metastatic Neuroblastoma. Journal of Molecular Diagnostics, 2007, 9, 237-241.   | 2.8   | 21        |
| 719 | Cancer cell: using inflammation to invade the host. Molecular Cancer, 2007, 6, 29.  | 19.2  | 41        |
| 720 | Differential effects of hypoxia on etoposide-induced apoptosis according to the cancer cell lines. Molecular Cancer, 2007, 6, 61.   | 19.2  | 40        |
| 721 | Responses of cancer cells with wild-type or tyrosine kinase domain-mutated epidermal growth factor receptor (EGFR) to EGFR-targeted therapy are linked to downregulation of hypoxia-inducible factor-1 $\pm$ . Molecular Cancer, 2007, 6, 63. | 19.2  | 55        |
| 722 | Transcriptional Profiling of Human Cord Blood CD133+ and Cultured Bone Marrow Mesenchymal Stem Cells in Response to Hypoxia. Stem Cells, 2007, 25, 1003-1012.   | 3.2   | 161       |
| 723 | The Lethal Phenotype of Cancer: The Molecular Basis of Death Due to Malignancy. Ca-A Cancer Journal for Clinicians, 2007, 57, 225-241.  | 329.8 | 145       |
| 724 | Dynamics of Tumor Hypoxia Measured with Bioreductive Hypoxic Cell Markers. Radiation Research, 2007, 167, 127-145.  | 1.5   | 153       |
| 725 | Chronic hypoxia as a mechanism for progressive renal fibrosis. Drug Discovery Today Disease Mechanisms, 2007, 4, 29-36.   | 0.8   | 1         |
| 726 | Significance of the expression of phosphorylated-STAT3, -Akt, and -ERK1/2 in several tumors of the epidermis. Journal of Dermatological Science, 2007, 48, 71-73.   | 1.9   | 15        |
| 727 | Metabolic catastrophe as a means to cancer cell death. Journal of Cell Science, 2007, 120, 379-383.   | 2.0   | 200       |
| 728 | Central Role of Muc5ac Expression in Mucous Metaplasia and Its Regulation by Conserved 5 $\alpha$ Elements. American Journal of Respiratory Cell and Molecular Biology, 2007, 37, 273-290.  | 2.9   | 155       |
| 729 | Hypoxia-Inducible Factor 1 Inhibitors. Methods in Enzymology, 2007, 435, 385-402.   | 1.0   | 38        |
| 730 | Targeting tumors with hypoxia-activated cytotoxins. Frontiers in Bioscience - Landmark, 2007, 12, 3483.   | 3.0   | 54        |
| 731 | Signaling Mechanisms of Endogenous Angiogenesis Inhibitors Derived from Type IV Collagen. Gene Regulation and Systems Biology, 2007, 1, GRSB.S345.  | 2.3   | 20        |
| 732 | Targeting the molecular effects of a hypoxic tumor microenvironment. Frontiers in Bioscience - Landmark, 2007, 12, 4061.  | 3.0   | 21        |
| 733 | Altered macrophage differentiation and immune dysfunction in tumor development. Journal of Clinical Investigation, 2007, 117, 1155-1166.  | 8.2   | 1,031     |
| 734 | Wireless communication. , 2007, , 69-70.  |       | 0         |
| 735 | The Role of Glucose Metabolism and Glucose-Associated Signalling in Cancer. Perspectives in Medicinal Chemistry, 2007, 1, 1177391X0700100.  | 4.6   | 13        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 736 | Proteomics analyses of ovarian cancer using genetically defined human ovarian cancer models. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 5166.   | 3.0  | 4         |
| 737 | Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma. <i>Journal of Clinical Investigation</i> , 2007, 117, 2713-2722.                            | 8.2  | 347       |
| 738 | Flux analysis shows that hypoxia-inducible-factor-1-alpha minimally affects intracellular metabolism in tumor spheroids. <i>Biotechnology and Bioengineering</i> , 2007, 96, 1167-1182.                                      | 3.3  | 30        |
| 739 | Genotype-phenotype correlations in von Hippel-Lindau disease. <i>Human Mutation</i> , 2007, 28, 143-149.   | 2.5  | 209       |
| 740 | The involvement of hypoxia-inducible factor-1 $\alpha$ in the susceptibility to $\beta$ -rays and chemotherapeutic drugs of oral squamous cell carcinoma cells. <i>International Journal of Cancer</i> , 2007, 120, 268-277. | 5.1  | 86        |
| 741 | HIF $\alpha$ and CA IX staining in invasive breast carcinomas: Prognosis and treatment outcome. <i>International Journal of Cancer</i> , 2007, 120, 1451-1458.   | 5.1  | 202       |
| 742 | Excessive superoxide anion generation plays a key role in carcinogenesis. <i>International Journal of Cancer</i> , 2007, 120, 1378-1380.   | 5.1  | 59        |
| 743 | Hypoxia can induce c-Met expression in glioma cells and enhance SF/HGF-induced cell migration. <i>International Journal of Cancer</i> , 2007, 121, 276-283.  | 5.1  | 123       |
| 744 | Increased HIF1 $\alpha$ in SDH and FH deficient tumors does not cause microsatellite instability. <i>International Journal of Cancer</i> , 2007, 121, 1386-1389.   | 5.1  | 21        |
| 745 | Hypoxia upregulates carcinoembryonic antigen expression in cancer cells. <i>International Journal of Cancer</i> , 2007, 121, 2443-2450.  | 5.1  | 29        |
| 746 | Prolyl-hydroxylase inhibition and HIF activation in osteoblasts promotes an adipocytic phenotype. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 762-772.  | 2.6  | 36        |
| 747 | Phenotypic expression of human hepatoma cells in culture. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 1081-1085.  | 2.6  | 1         |
| 748 | Tumor microenvironment abnormalities: Causes, consequences, and strategies to normalize. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 937-949.   | 2.6  | 498       |
| 749 | Microenvironmental influences in melanoma progression. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 862-872.   | 2.6  | 77        |
| 750 | Effects of prolyl hydroxylase inhibitors on adipogenesis and hypoxia inducible factor 1 alpha levels under normoxic conditions. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 1545-1557.                              | 2.6  | 32        |
| 751 | Acute L-glutamine deprivation compromises VEGF-a upregulation in A549/8 human carcinoma cells. <i>Journal of Cellular Physiology</i> , 2007, 212, 463-472.   | 4.1  | 48        |
| 752 | Nitric oxide, a double edged sword in cancer biology: Searching for therapeutic opportunities. <i>Medicinal Research Reviews</i> , 2007, 27, 317-352.  | 10.5 | 402       |
| 753 | Correlation between tumor blood flow assessed by perfusion CT and effect of neoadjuvant therapy in advanced esophageal cancers. <i>Journal of Surgical Oncology</i> , 2007, 96, 220-229.                                     | 1.7  | 39        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 754 | Synthesis and structure-activity relationships of 16-modified analogs of 2-methoxyestradiol. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 7524-7537.   | 3.0  | 22        |
| 755 | Synthesis of (aryloxyacetyl-amino)-isonicotinic/nicotinic acid analogues as potent hypoxia-inducible factor (HIF)-1 $\alpha$ inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 6305-6310. | 2.2  | 29        |
| 756 | The Hypoxic Tumour Microenvironment, Patient Selection and Hypoxia-modifying Treatments. <i>Clinical Oncology</i> , 2007, 19, 385-396.  | 1.4  | 68        |
| 757 | The FTO (fat mass and obesity associated) gene codes for a novel member of the non-heme dioxygenase superfamily. <i>BMC Biochemistry</i> , 2007, 8, 23.   | 4.4  | 171       |
| 758 | Role of the ubiquitin proteasome system in renal cell carcinoma. , 2007, 8, S4.   |      | 21        |
| 759 | High levels of HIF-2 $\alpha$ highlight an immature neural crest-like neuroblastoma cell cohort located in a perivascular niche. <i>Journal of Pathology</i> , 2008, 214, 482-488.                                | 4.5  | 105       |
| 760 | The homozygous P582S mutation in the oxygen-dependent degradation domain of HIF-1 $\alpha$ is associated with increased risk for prostate cancer. <i>Prostate</i> , 2007, 67, 8-13.                               | 2.3  | 48        |
| 761 | Hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) gene polymorphisms, circulating insulin-like growth factor binding protein (IGFBP)-3 levels and prostate cancer. <i>Prostate</i> , 2007, 67, 1354-1361.     | 2.3  | 49        |
| 762 | Dermcidin expression confers a survival advantage in prostate cancer cells subjected to oxidative stress or hypoxia. <i>Prostate</i> , 2007, 67, 1308-1317.   | 2.3  | 32        |
| 763 | Selective silencing of the hypoxia-inducible factor 1 target gene BNIP3 by histone deacetylation and methylation in colorectal cancer. <i>Oncogene</i> , 2007, 26, 132-141.                                       | 5.9  | 61        |
| 764 | Serrated carcinomas form a subclass of colorectal cancer with distinct molecular basis. <i>Oncogene</i> , 2007, 26, 312-320.  | 5.9  | 136       |
| 765 | Constitutively active CCK2 receptor splice variant increases Src-dependent HIF-1 $\alpha$ expression and tumor growth. <i>Oncogene</i> , 2007, 26, 1013-1019.   | 5.9  | 32        |
| 766 | Role of hypoxia inducible factor-1 alpha in modulation of apoptosis resistance. <i>Oncogene</i> , 2007, 26, 2027-2038.  | 5.9  | 146       |
| 767 | Selective inhibition of MEK1/2 reveals a differential requirement for ERK1/2 signalling in the regulation of HIF-1 in response to hypoxia and IGF-1. <i>Oncogene</i> , 2007, 26, 3920-3929.                       | 5.9  | 57        |
| 768 | Significance of HIF-1-active cells in angiogenesis and radioresistance. <i>Oncogene</i> , 2007, 26, 7508-7516.  | 5.9  | 124       |
| 769 | HIF-2 $\alpha$ specifically activates the VE-cadherin promoter independently of hypoxia and in synergy with Ets-1 through two essential ETS-binding sites. <i>Oncogene</i> , 2007, 26, 7480-7489.                 | 5.9  | 71        |
| 770 | Under-expression of VHL and over-expression of HDAC-1, HIF-1 $\alpha$ , LL-37, and IAP-2 in affected skin biopsies of patients with psoriasis. <i>International Journal of Dermatology</i> , 2007, 46, 239-246.   | 1.0  | 89        |
| 771 | Interaction between $\beta$ -catenin and HIF-1 promotes cellular adaptation to hypoxia. <i>Nature Cell Biology</i> , 2007, 9, 210-217.  | 10.3 | 433       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 772 | Non-heme dioxygenases: cellular sensors and regulators jelly rolled into one?. <i>Nature Chemical Biology</i> , 2007, 3, 144-153.   | 8.0  | 201       |
| 773 | The tumour microenvironment as a target for chemoprevention. <i>Nature Reviews Cancer</i> , 2007, 7, 139-147.   | 28.4 | 700       |
| 774 | G-protein-coupled receptors and cancer. <i>Nature Reviews Cancer</i> , 2007, 7, 79-94.  | 28.4 | 1,153     |
| 775 | Fatty acid synthase and the lipogenic phenotype in cancer pathogenesis. <i>Nature Reviews Cancer</i> , 2007, 7, 763-777.  | 28.4 | 2,355     |
| 776 | Models, mechanisms and clinical evidence for cancer dormancy. <i>Nature Reviews Cancer</i> , 2007, 7, 834-846.  | 28.4 | 1,413     |
| 777 | Extracellular heat shock protein-90 $\alpha$ : linking hypoxia to skin cell motility and wound healing. <i>EMBO Journal</i> , 2007, 26, 1221-1233.  | 7.8  | 255       |
| 778 | Hypoxia-inducible factor-1 $\alpha$ expression in the gastric carcinogenesis sequence and its prognostic role in gastric and gastro-oesophageal adenocarcinomas. <i>British Journal of Cancer</i> , 2007, 96, 95-103.                   | 6.4  | 94        |
| 779 | Target gene selectivity of hypoxia-inducible factor-1 $\alpha$ in renal cancer cells is conveyed by post-DNA-binding mechanisms. <i>British Journal of Cancer</i> , 2007, 96, 1284-1292.  | 6.4  | 98        |
| 780 | Induction of heme oxygenase-1 by cobalt protoporphyrin enhances the antitumour effect of bortezomib in adult T-cell leukaemia cells. <i>British Journal of Cancer</i> , 2007, 97, 1099-1105.  | 6.4  | 38        |
| 781 | p53-induced inhibition of Hif-1 causes cardiac dysfunction during pressure overload. <i>Nature</i> , 2007, 446, 444-448.  | 27.8 | 809       |
| 782 | Hypoxia and hepatocellular carcinoma: The therapeutic target for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 1178-1182.   | 2.8  | 180       |
| 783 | Functional dissection of transformation by c-Src and v-Src. <i>Genes To Cells</i> , 2008, 13, 1-12.   | 1.2  | 44        |
| 784 | Hypoxia inducible factor-1 influences sensitivity to paclitaxel of human lung cancer cell lines under normoxic conditions. <i>Cancer Science</i> , 2007, 98, 1394-1401.   | 3.9  | 45        |
| 785 | Effects of decreased insulin-like growth factor-1 stimulation on hypoxia inducible factor 1 $\alpha$ protein synthesis and function during cutaneous repair in diabetic mice. <i>Wound Repair and Regeneration</i> , 2007, 15, 628-635. | 3.0  | 22        |
| 786 | Sustained expression of Hif-1 $\alpha$ in the diabetic environment promotes angiogenesis and cutaneous wound repair. <i>Wound Repair and Regeneration</i> , 2007, 15, 636-645.  | 3.0  | 147       |
| 787 | Therapeutic Potential of H11 Kinase for the Ischemic Heart. <i>Cardiovascular Drug Reviews</i> , 2007, 25, 14-29.   | 4.1  | 30        |
| 788 | Reduced oxygen tension attenuates differentiation capacity of human mesenchymal stem cells and prolongs their lifespan. <i>Aging Cell</i> , 2007, 6, 745-757.   | 6.7  | 442       |
| 789 | BRCA1 accumulates in the nucleus in response to hypoxia and TRAIL and enhances TRAIL-induced apoptosis in breast cancer cells. <i>FEBS Journal</i> , 2007, 274, 5137-5146.  | 4.7  | 6         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 790 | Pyruvate reduces DNA damage during hypoxia and after reoxygenation in hepatocellular carcinoma cells. FEBS Journal, 2007, 274, 5188-5198.  | 4.7  | 20        |
| 791 | Dual effect of echinomycin on hypoxia-inducible factor-1 activity under normoxic and hypoxic conditions. FEBS Journal, 2007, 274, 5533-5542.   | 4.7  | 52        |
| 792 | Transient potential receptor channel-4 controls thrombospondin-1 secretion and angiogenesis in renal cell carcinoma. FEBS Journal, 2007, 274, 6365-6377.   | 4.7  | 73        |
| 793 | Oxidative Stress Mediates CoCl <sub>2</sub> -Induced Prostate Tumour Cell Adhesion: Role of Protein Kinase C and p38 Mitogen-Activated Protein Kinase. Basic and Clinical Pharmacology and Toxicology, 2007, 101, 41-46.         | 2.5  | 7         |
| 794 | Clinical and biological factors affecting response to radiotherapy in patients with head and neck cancer: a review. Clinical Otolaryngology, 2007, 32, 337-345.  | 1.2  | 52        |
| 795 | Global gene expression profiling in human lung cells exposed to cobalt. BMC Genomics, 2007, 8, 147.  | 2.8  | 37        |
| 796 | Three autocrine feedback loops determine HIF1 $\alpha$ expression in chronic hypoxia. Biochimica Et Biophysica Acta - Molecular Cell Research, 2007, 1773, 1511-1525.  | 4.1  | 40        |
| 797 | Harnessing the hypoxia-inducible factor in cancer and ischemic disease. Biochemical Pharmacology, 2007, 73, 450-457.   | 4.4  | 102       |
| 798 | Cisplatin and doxorubicin repress Vascular Endothelial Growth Factor expression and differentially down-regulate Hypoxia-inducible Factor I activity in human ovarian cancer cells. Biochemical Pharmacology, 2007, 74, 191-201. | 4.4  | 61        |
| 799 | Up-regulation of HIF-1 $\alpha$ expression induced by ginkgolides in hypoxic neurons. Brain Research, 2007, 1166, 1-8.   | 2.2  | 21        |
| 800 | Inflammation and cancer: Breast cancer as a prototype. Breast, 2007, 16, 27-33.  | 2.2  | 181       |
| 801 | HIF-2 $\alpha$ Promotes Hypoxic Cell Proliferation by Enhancing c-Myc Transcriptional Activity. Cancer Cell, 2007, 11, 335-347.  | 16.8 | 702       |
| 802 | HIF-1 Inhibits Mitochondrial Biogenesis and Cellular Respiration in VHL-Deficient Renal Cell Carcinoma by Repression of C-MYC Activity. Cancer Cell, 2007, 11, 407-420.  | 16.8 | 760       |
| 803 | HIF and c-Myc: Sibling Rivals for Control of Cancer Cell Metabolism and Proliferation. Cancer Cell, 2007, 12, 108-113.   | 16.8 | 676       |
| 804 | HIF-Dependent Antitumorigenic Effect of Antioxidants In Vivo. Cancer Cell, 2007, 12, 230-238.  | 16.8 | 466       |
| 805 | An investigation of relationships between hypoxia-inducible factor-1 $\alpha$ gene polymorphisms and ovarian, cervical and endometrial cancers. Cancer Detection and Prevention, 2007, 31, 102-109.                              | 2.1  | 54        |
| 806 | Hypoxia signalling controls metabolic demand. Current Opinion in Cell Biology, 2007, 19, 223-229.  | 5.4  | 279       |
| 807 | PI3K/PTEN/AKT signaling regulates prostate tumor angiogenesis. Cellular Signalling, 2007, 19, 2487-2497.   | 3.6  | 182       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 808 | Are postnatal hemangioblasts generated by dedifferentiation from committed hematopoietic stem cells?. <i>Experimental Hematology</i> , 2007, 35, 691-701.  | 0.4 | 19        |
| 809 | Modulation of hypoxia-inducible factor-1 alpha in cultured primary cells by intracellular ascorbate. <i>Free Radical Biology and Medicine</i> , 2007, 42, 765-772.   | 2.9 | 98        |
| 810 | The role of ascorbate in the modulation of HIF-1 $\pm$ protein and HIF-dependent transcription by chromium(VI) and nickel(II). <i>Free Radical Biology and Medicine</i> , 2007, 42, 1246-1257.                               | 2.9 | 51        |
| 811 | Evaluation of HIF-1 inhibitors as anticancer agents. <i>Drug Discovery Today</i> , 2007, 12, 853-859.  | 6.4 | 355       |
| 813 | Confluence-dependent resistance to doxorubicin in human MDA-MB-231 breast carcinoma cells requires hypoxia-inducible factor-1 activity. <i>Experimental Cell Research</i> , 2007, 313, 867-877.                              | 2.6 | 51        |
| 814 | Survivin protein expression and hypoxia in advanced cervical carcinoma of patients treated by radiotherapy. <i>Gynecologic Oncology</i> , 2007, 104, 139-144.  | 1.4 | 24        |
| 815 | Potential predictors of chemotherapy response in ovarian cancerâ€”How do we define chemosensitivity?. <i>Gynecologic Oncology</i> , 2007, 104, 345-351.  | 1.4 | 21        |
| 816 | Up-regulation and stabilization of HIF-1 $\pm$ in colorectal carcinomas. <i>Surgical Oncology</i> , 2007, 16, 25-27.   | 1.6 | 31        |
| 817 | Fetal Growth Plate. <i>Annals of the New York Academy of Sciences</i> , 2007, 1117, 26-39.   | 3.8 | 60        |
| 818 | Mammalian synthetic biology: Engineering of sophisticated gene networks. <i>Journal of Biotechnology</i> , 2007, 130, 329-345.   | 3.8 | 92        |
| 819 | Malignant astrocytic glioma: genetics, biology, and paths to treatment. <i>Genes and Development</i> , 2007, 21, 2683-2710.  | 5.9 | 1,952     |
| 820 | Hypoxia-inducible factors: central regulators of the tumor phenotype. <i>Current Opinion in Genetics and Development</i> , 2007, 17, 71-77.  | 3.3 | 412       |
| 821 | The Hypoxic Environment in Tumor-Stromal Cells Accelerates Pancreatic Cancer Progression via the Activation of Paracrine Hepatocyte Growth Factor/c-Met Signaling. <i>Annals of Surgical Oncology</i> , 2007, 14, 2600-2607. | 1.5 | 90        |
| 822 | Sirolimus Inhibits Human Pancreatic Carcinoma Cell Proliferation by a Mechanism Linked to the Targeting of mTOR/HIF-1 $\alpha$ /VEGF Signaling. <i>ILBMB Life</i> , 2007, 59, 717-721.                                       | 3.4 | 19        |
| 823 | Triterpenoids and diarylheptanoids from <i>alnus hirsuta</i> inhibit HIF-1 in ags cells. <i>Archives of Pharmacal Research</i> , 2007, 30, 412-418.  | 6.3 | 39        |
| 824 | Hypoxia-induced genetic instabilityâ€”a calculated mechanism underlying tumor progression. <i>Journal of Molecular Medicine</i> , 2007, 85, 139-148.   | 3.9 | 128       |
| 825 | Hypoxia and cancer. <i>Journal of Molecular Medicine</i> , 2007, 85, 1301-1307.  | 3.9 | 617       |
| 826 | Hypoxia inducible factor (HIF) function in innate immunity and infection. <i>Journal of Molecular Medicine</i> , 2007, 85, 1339-1346.  | 3.9 | 236       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 827 | The interaction of superoxide with nitric oxide destabilizes hypoxia-inducible factor-1 $\alpha$ . Cellular and Molecular Life Sciences, 2007, 64, 3295-3305.  | 5.4 | 13        |
| 828 | Common Molecular Mechanisms of Mammary Gland Development and Breast Cancer. Cellular and Molecular Life Sciences, 2007, 64, 3233-3247.   | 5.4 | 101       |
| 829 | Targeting the hypoxia inducible factor pathway with mitochondrial uncouplers. Molecular and Cellular Biochemistry, 2007, 296, 35-44.   | 3.1 | 13        |
| 830 | Promise and Progress for Functional and Molecular Imaging of Response to Targeted Therapies. Pharmaceutical Research, 2007, 24, 1172-1185.   | 3.5 | 66        |
| 831 | HIF-1 mediates the Warburg effect in clear cell renal carcinoma. Journal of Bioenergetics and Biomembranes, 2007, 39, 231-234.   | 2.3 | 255       |
| 832 | Actuality of Warburg's views in our understanding of renal cancer metabolism. Journal of Bioenergetics and Biomembranes, 2007, 39, 235-241.  | 2.3 | 42        |
| 833 | MTA Family of Transcriptional Metaregulators in Mammary Gland Morphogenesis and Breast Cancer. Journal of Mammary Gland Biology and Neoplasia, 2007, 12, 115-125.  | 2.7 | 37        |
| 834 | Molecular interactions between breast cancer cells and the bone microenvironment drive skeletal metastases. Cancer and Metastasis Reviews, 2007, 25, 621-633.  | 5.9 | 89        |
| 835 | Metastasis and stem cell pathways. Cancer and Metastasis Reviews, 2007, 26, 261-271.   | 5.9 | 61        |
| 836 | Hypoxia-dependent anti-inflammatory pathways in protection of cancerous tissues. Cancer and Metastasis Reviews, 2007, 26, 273-279.   | 5.9 | 89        |
| 837 | Hypoxia in cancer: significance and impact on clinical outcome. Cancer and Metastasis Reviews, 2007, 26, 225-239.  | 5.9 | 1,918     |
| 838 | Targeting hypoxia cell signaling for cancer therapy. Cancer and Metastasis Reviews, 2007, 26, 341-352.   | 5.9 | 205       |
| 839 | Effects of hypoxia on tumor metabolism. Cancer and Metastasis Reviews, 2007, 26, 291-298.  | 5.9 | 123       |
| 840 | Hypoxia-driven selection of the metastatic phenotype. Cancer and Metastasis Reviews, 2007, 26, 319-331.  | 5.9 | 387       |
| 841 | Regulation of tumor pH and the role of carbonic anhydrase 9. Cancer and Metastasis Reviews, 2007, 26, 299-310.   | 5.9 | 470       |
| 842 | Hypoxia: A key regulator of angiogenesis in cancer. Cancer and Metastasis Reviews, 2007, 26, 281-290.  | 5.9 | 631       |
| 843 | The role of autocrine motility factor in tumor and tumor microenvironment. Cancer and Metastasis Reviews, 2007, 26, 725-735.   | 5.9 | 62        |
| 844 | Role of phosphatidylinositol signaling pathway in the development of cross-resistance of tumor cells to hormonal cytostatics and hypoxia. Bulletin of Experimental Biology and Medicine, 2007, 143, 244-247. | 0.8 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 845 | Dysregulation of the expression and secretion of inflammation-related adipokines by hypoxia in human adipocytes. <i>Pflugers Archiv European Journal of Physiology</i> , 2007, 455, 479-492.                       | 2.8 | 325       |
| 846 | Drug distribution in tumors: Mechanisms, role in drug resistance, and methods for modification. <i>Current Oncology Reports</i> , 2007, 9, 109-114.  | 4.0 | 73        |
| 847 | Hypoxia-inducible factor 1 $\alpha$ is closely linked to an aggressive phenotype in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 465-475.   | 2.5 | 140       |
| 848 | Imaging of tumor glucose utilization with positron emission tomography. <i>Cancer and Metastasis Reviews</i> , 2008, 27, 545-554.  | 5.9 | 65        |
| 849 | Molecular profiling of uterine cervix carcinoma: an overview with a special focus on rationally designed target-based anticancer agents. <i>Cancer and Metastasis Reviews</i> , 2008, 27, 737-750.                 | 5.9 | 11        |
| 850 | Graded hypoxia modulates the invasive potential of HT1080 fibrosarcoma and MDA MB231 carcinoma cells. <i>Clinical and Experimental Metastasis</i> , 2008, 25, 253-264.   | 3.3 | 19        |
| 851 | Regulation of Breast Cancer Metastasis by IGF Signaling. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2008, 13, 431-441.  | 2.7 | 29        |
| 852 | The magic of the hypoxia-signaling cascade. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 1133-1149.   | 5.4 | 101       |
| 853 | Prognostic Impact of HIF-1 $\alpha$ Expression in Patients with Definitive Radiotherapy for Cervical Cancer. <i>Strahlentherapie Und Onkologie</i> , 2008, 184, 169-174.   | 2.0 | 56        |
| 854 | Immunohistochemical Detection of HIF-1 $\alpha$ and CAIX in Advanced Head-and-Neck Cancer. <i>Strahlentherapie Und Onkologie</i> , 2008, 184, 393-399.   | 2.0 | 38        |
| 856 | Connective tissue growth factor (CTGF) and cancer progression. <i>Journal of Biomedical Science</i> , 2008, 15, 675-685.   | 7.0 | 118       |
| 857 | A Dialogue between the Hypoxia-Inducible Factor and the Tumor Microenvironment. <i>Cancer Microenvironment</i> , 2008, 1, 53-68.   | 3.1 | 79        |
| 858 | Inhibitory effect of Hypoxia inducible factor-1 antisense oligonucleotide on growth of human hepatocellular carcinoma cells. <i>Medical Oncology</i> , 2008, 25, 88-92.  | 2.5 | 10        |
| 859 | Circulating and imaging markers for angiogenesis. <i>Angiogenesis</i> , 2008, 11, 321-335.   | 7.2 | 40        |
| 860 | Presence of HIF-1 and related genes in normal mucosa, adenomas and carcinomas of the colorectum. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 535-544. | 2.8 | 43        |
| 861 | Experimental obstructive cholestasis: the wound-like inflammatory liver response. <i>Fibrogenesis and Tissue Repair</i> , 2008, 1, 6.  | 3.4 | 48        |
| 862 | Deubiquitylating enzymes and disease. <i>BMC Biochemistry</i> , 2008, 9, S3.   | 4.4 | 67        |
| 863 | The mTOR target 4E $\beta$ BP1 contributes to differential protein expression during normoxia and hypoxia through changes in mRNA translation efficiency. <i>Proteomics</i> , 2008, 8, 1019-1028.                  | 2.2 | 45        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 864 | Potential of 2-Methoxyestradiol-induced cytotoxicity by blocking endothelin A receptor in prostate cancer cells. <i>Prostate</i> , 2008, 68, 679-689.  | 2.3  | 6         |
| 865 | HIF-1: A key survival factor for serum-deprived prostate cancer cells. <i>Prostate</i> , 2008, 68, 1405-1415.  | 2.3  | 27        |
| 866 | Increase in dopaminergic neurons from mouse embryonic stem cell-derived neural progenitor/stem cells is mediated by hypoxia inducible factor-1. <i>Journal of Neuroscience Research</i> , 2008, 86, 2353-2362.                               | 2.9  | 38        |
| 867 | STAT3: A critical transcription activator in angiogenesis. <i>Medicinal Research Reviews</i> , 2008, 28, 185-200.  | 10.5 | 261       |
| 868 | Anticancer and carcinogenic properties of curcumin: Considerations for its clinical development as a cancer chemopreventive and chemotherapeutic agent. <i>Molecular Nutrition and Food Research</i> , 2008, 52 Suppl 1, S103-27.            | 3.3  | 191       |
| 869 | Inhibition of HIF-1 alpha and VEGF expression by the chemopreventive bioflavonoid apigenin is accompanied by Akt inhibition in human prostate carcinoma PC3 cells. <i>Molecular Carcinogenesis</i> , 2008, 47, 686-700.                      | 2.7  | 86        |
| 870 | Familial chronic myeloproliferative disorders: the state of the art. <i>Hematological Oncology</i> , 2008, 26, 131-138.  | 1.7  | 30        |
| 871 | Identification of novel antiangiogenic anticancer activities of deguelin targeting hypoxia-inducible factor-1 alpha. <i>International Journal of Cancer</i> , 2008, 122, 5-14.   | 5.1  | 71        |
| 872 | PX-478, an inhibitor of hypoxia-inducible factor-1, enhances radiosensitivity of prostate carcinoma cells. <i>International Journal of Cancer</i> , 2008, 123, 2430-2437.  | 5.1  | 95        |
| 873 | Hypoxia-inducible factor 1 and cancer pathogenesis. <i>IUBMB Life</i> , 2008, 60, 591-597.   | 3.4  | 145       |
| 874 | Ginkgolides protect PC12 cells against hypoxia-induced injury by p42/p44 MAPK pathway-dependent upregulation of HIF-1 expression and HIF-1 DNA-binding activity. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 564-575.               | 2.6  | 36        |
| 875 | Does inhibition of degradation of hypoxia-inducible factor (HIF) 1 always lead to activation of HIF? lessons learnt from the effect of proteasomal inhibition on HIF activity. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 536-544. | 2.6  | 25        |
| 876 | AKT as locus of fragility in robust cancer system. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 2071-2077.   | 2.6  | 18        |
| 877 | Egr-1 and serum response factor are involved in growth factors- and serum-mediated induction of E2-EPF UCP expression that regulates the VHL-HIF pathway. <i>Journal of Cellular Biochemistry</i> , 2008, 105, 1117-1127.                    | 2.6  | 12        |
| 878 | Lysophosphatidic acid activates telomerase in ovarian cancer cells through hypoxia-inducible factor-1 and the PI3K pathway. <i>Journal of Cellular Biochemistry</i> , 2008, 105, 1194-1201.  | 2.6  | 29        |
| 879 | A23187, ionomycin and thapsigargin upregulate mRNA of HIF-1 via endoplasmic reticulum stress rather than a rise in intracellular calcium. <i>Journal of Cellular Physiology</i> , 2008, 215, 708-714.  | 4.1  | 49        |
| 880 | Cancer stem cells in prostate adenocarcinoma: a target for new anticancer strategies. <i>Journal of Cellular Physiology</i> , 2008, 216, 571-575.  | 4.1  | 10        |
| 881 | Can biomarkers play a role in the decision about treatment of the clinically negative neck in patients with head and neck cancer?. <i>Head and Neck</i> , 2008, 30, 525-538.   | 2.0  | 36        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 882 | The inflammatory micro-environment in tumor progression: The role of tumor-associated macrophages. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 66, 1-9.   | 4.4 | 866       |
| 883 | Pancreatic cancer: From molecular signature to target therapy. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 68, 197-211.   | 4.4 | 40        |
| 884 | Genetic causes of erythrocytosis and the oxygen-sensing pathway. <i>Blood Reviews</i> , 2008, 22, 321-332.   | 5.7 | 41        |
| 885 | Hypoxia-inducible factor-1 and nuclear factor- $\kappa$ B inhibitory meroterpenes analogues of bakuchiol, a constituent of the seeds of <i>Psoralea corylifolia</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2619-2623. | 2.2 | 37        |
| 886 | Discovery of novel hydroxy-thiazoles as HIF-1 $\alpha$ prolyl hydroxylase inhibitors: SAR, synthesis, and modeling evaluation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3925-3928.  | 2.2 | 41        |
| 887 | Origin of Cancer Stem Cells: The Role of Self-Renewal and Differentiation. <i>Annals of Surgical Oncology</i> , 2008, 15, 407-414.   | 1.5 | 54        |
| 888 | Inhibition of Hypoxia Inducible Factor Hydroxylases Protects Against Renal Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 39-46.  | 6.1 | 246       |
| 889 | Hypoxia Causes Downregulation of Mismatch Repair System and Genomic Instability in Stem Cells. <i>Stem Cells</i> , 2008, 26, 2052-2062.  | 3.2 | 76        |
| 890 | Molecular chaperone Hsp70 protects neuroblastoma SK-N-SH cells from hypoxic stress. <i>Cell and Tissue Biology</i> , 2008, 2, 232-238.   | 0.4 | 4         |
| 891 | Cancer micrometastasis and tumour dormancy. <i>Apmis</i> , 2008, 116, 754-770.   | 2.0 | 147       |
| 892 | Imaging angiogenesis and the microenvironment. <i>Apmis</i> , 2008, 116, 695-715.  | 2.0 | 139       |
| 893 | Overexpression of phosphorylated $\alpha$ -ATF2 and STAT3 in cutaneous angiosarcoma and pyogenic granuloma. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 722-730.   | 1.3 | 33        |
| 894 | Arginine regulation by myeloid derived suppressor cells and tolerance in cancer: mechanisms and therapeutic perspectives. <i>Immunological Reviews</i> , 2008, 222, 180-191.   | 6.0 | 591       |
| 895 | Seed-based systematic discovery of specific transcription factor target genes. <i>FEBS Journal</i> , 2008, 275, 3178-3192.   | 4.7 | 15        |
| 896 | CSB protein is (a direct target of HIF-1 and) a critical mediator of the hypoxic response. <i>EMBO Journal</i> , 2008, 27, 2545-2556.  | 7.8 | 69        |
| 897 | Rapid degradation of hypoxia-inducible factor-1 $\alpha$ by KRH102053, a new activator of prolyl hydroxylase 2. <i>British Journal of Pharmacology</i> , 2008, 154, 114-125.   | 5.4 | 44        |
| 898 | Effects of lentivirus-mediated HIF-1 $\alpha$ knockdown on hypoxia-related cisplatin resistance and their dependence on p53 status in fibrosarcoma cells. <i>Cancer Gene Therapy</i> , 2008, 15, 449-455.                                      | 4.6 | 50        |
| 899 | Collagen matrix assembly is driven by the interaction of von Hippel-Lindau tumor suppressor protein with hydroxylated collagen IV alpha 2. <i>Oncogene</i> , 2008, 27, 1004-1012.  | 5.9 | 78        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 900 | The ternary complex factor Net/Elk-3 participates in the transcriptional response to hypoxia and regulates HIF-1 $\alpha$ . <i>Oncogene</i> , 2008, 27, 1333-1341.  | 5.9  | 37        |
| 901 | The TWIST1 oncogene is a direct target of hypoxia-inducible factor-2 $\alpha$ . <i>Oncogene</i> , 2008, 27, 1501-1510.  | 5.9  | 119       |
| 902 | Hypoxia induced HIF-1 accumulation and VEGF expression in gastric epithelial mucosa cells: Involvement of ERK1/2 and PI3K/Akt. <i>Molecular Biology</i> , 2008, 42, 403-412.  | 1.3  | 13        |
| 903 | Maspin modulates prostate cancer cell apoptotic and angiogenic response to hypoxia via targeting AKT. <i>Oncogene</i> , 2008, 27, 7171-7179.  | 5.9  | 34        |
| 904 | Human mismatch repair gene, MLH1, is transcriptionally repressed by the hypoxia-inducible transcription factors, DEC1 and DEC2. <i>Oncogene</i> , 2008, 27, 4200-4209.  | 5.9  | 81        |
| 905 | Reciprocal relationship between expression of hypoxia inducible factor 1 $\alpha$ (HIF-1 $\alpha$ ) and the pro-apoptotic protein Bid in ex vivo colorectal cancer. <i>British Journal of Cancer</i> , 2008, 99, 459-463. | 6.4  | 11        |
| 906 | Inhibition of HIF-1 $\alpha$ by the anticancer drug TAS106 enhances X-ray-induced apoptosis in vitro and in vivo. <i>British Journal of Cancer</i> , 2008, 99, 1442-1452.   | 6.4  | 31        |
| 907 | A hypoxic twist in metastasis. <i>Nature Cell Biology</i> , 2008, 10, 253-254.  | 10.3 | 46        |
| 908 | Deficiency or inhibition of oxygen sensor Phd1 induces hypoxia tolerance by reprogramming basal metabolism. <i>Nature Genetics</i> , 2008, 40, 170-180.   | 21.4 | 433       |
| 909 | The interplay between MYC and HIF in cancer. <i>Nature Reviews Cancer</i> , 2008, 8, 51-56.   | 28.4 | 535       |
| 910 | Cycling hypoxia and free radicals regulate angiogenesis and radiotherapy response. <i>Nature Reviews Cancer</i> , 2008, 8, 425-437.   | 28.4 | 907       |
| 911 | Modes of resistance to anti-angiogenic therapy. <i>Nature Reviews Cancer</i> , 2008, 8, 592-603.  | 28.4 | 2,603     |
| 912 | Hypoxia, HIF1 and glucose metabolism in the solid tumour. <i>Nature Reviews Cancer</i> , 2008, 8, 705-713.  | 28.4 | 1,440     |
| 913 | Hypoxia signalling through mTOR and the unfolded protein response in cancer. <i>Nature Reviews Cancer</i> , 2008, 8, 851-864.   | 28.4 | 787       |
| 914 | The von Hippel-Lindau tumour suppressor protein: O <sub>2</sub> sensing and cancer. <i>Nature Reviews Cancer</i> , 2008, 8, 865-873.  | 28.4 | 616       |
| 915 | The impact of O <sub>2</sub> availability on human cancer. <i>Nature Reviews Cancer</i> , 2008, 8, 967-975.   | 28.4 | 1,179     |
| 916 | Carrot and stick: HIF-1 $\alpha$ engages c-Myc in hypoxic adaptation. <i>Cell Death and Differentiation</i> , 2008, 15, 672-677.  | 11.2 | 128       |
| 917 | Inhibition of tumor cell growth in the liver by RNA interference-mediated suppression of HIF-1 $\alpha$ expression in tumor cells and hepatocytes. <i>Gene Therapy</i> , 2008, 15, 572-582.                               | 4.5  | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 918 | Metabolic and Morphological Differences between Rapidly Proliferating Cancerous and Normal Breast Epithelial Cells. <i>Biotechnology Progress</i> , 2008, 24, 334-341.  | 2.6 | 52        |
| 919 | Expression of hypoxia-inducible factor 1 $\alpha$ gene affects the outcome in patients with ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 499-505.   | 2.5 | 41        |
| 920 | Interaction of caveolin-1, nitric oxide, and nitric oxide synthases in hypoxic human SK-N-BE-MC neuroblastoma cells. <i>Journal of Neurochemistry</i> , 2008, 107, 478-487.   | 3.9 | 21        |
| 921 | Molecular mechanisms of carbonic anhydrase IX-mediated pH regulation under hypoxia. <i>BJU International</i> , 2008, 101, 8-15.   | 2.5 | 88        |
| 922 | Induction of hepatocyte growth factor activator gene expression under hypoxia activates the hepatocyte growth factor/c-Met system via hypoxia inducible factor-1 in pancreatic cancer. <i>Cancer Science</i> , 2008, 99, 1341-1347.               | 3.9 | 105       |
| 923 | Phosphatidylinositol 3-kinase inhibitors: promising drug candidates for cancer therapy. <i>Cancer Science</i> , 2008, 99, 1734-1740.  | 3.9 | 140       |
| 924 | TS-1 enhances the effect of radiotherapy by suppressing radiation-induced hypoxia-inducible factor-1 activation and inducing endothelial cell apoptosis. <i>Cancer Science</i> , 2008, 99, 2327-2335.   | 3.9 | 47        |
| 925 | Hypoxia inducible factor-alpha activation in lymphoma and relationship to the thioredoxin family. <i>British Journal of Haematology</i> , 2008, 141, 676-680.   | 2.5 | 40        |
| 926 | <i>Caenorhabditis elegans</i> par2.1/mtssb-1 is essential for mitochondrial DNA replication and its defect causes comprehensive transcriptional alterations including a hypoxia response. <i>Experimental Cell Research</i> , 2008, 314, 103-114. | 2.6 | 28        |
| 927 | The specific contribution of hypoxia-inducible factor-2 $\alpha$ to hypoxic gene expression in vitro is limited and modulated by cell type-specific and exogenous factors. <i>Experimental Cell Research</i> , 2008, 314, 2016-2027.              | 2.6 | 61        |
| 928 | Roles for hypoxia-regulated genes during cervical carcinogenesis: Somatic evolution during the hypoxia-glycolysis-acidosis sequence. <i>Gynecologic Oncology</i> , 2008, 108, 377-384.  | 1.4 | 52        |
| 929 | ENMD-1198, a novel tubulin-binding agent reduces HIF-1 $\alpha$ and STAT3 activity in human hepatocellular carcinoma(HCC) cells, and inhibits growth and vascularization in vivo. <i>BMC Cancer</i> , 2008, 8, 206.                               | 2.6 | 57        |
| 930 | Hypoxia-inducible factor 1 alpha expression increases during colorectal carcinogenesis and tumor progression. <i>BMC Cancer</i> , 2008, 8, 320.   | 2.6 | 58        |
| 931 | Prognostic significance of Hypoxia-Inducible Factor 1 alpha(HIF-1 $\alpha$ ) expression in serous ovarian cancer: an immunohistochemical study. <i>BMC Cancer</i> , 2008, 8, 335.   | 2.6 | 58        |
| 932 | Single Nucleotide Polymorphisms in the Hypoxia-inducible Factor-1 $\alpha$ (HIF-1 $\alpha$ ) Gene in Human Sporadic Breast Cancer. <i>Archives of Medical Research</i> , 2008, 39, 338-345.   | 3.3 | 48        |
| 933 | The mitochondrial thioredoxin system regulates nitric oxide-induced HIF-1 $\alpha$ protein. <i>Free Radical Biology and Medicine</i> , 2008, 44, 91-98.   | 2.9 | 38        |
| 934 | Flavonoids induce HIF-1 $\alpha$ but impair its nuclear accumulation and activity. <i>Free Radical Biology and Medicine</i> , 2008, 44, 657-670.  | 2.9 | 75        |
| 935 | VDUP1 mediates nuclear export of HIF1 $\alpha$ via CRM1-dependent pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 838-848.  | 4.1 | 57        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 936 | Genetics and epigenetics of renal cell cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2008, 1785, 133-155.   | 7.4  | 110       |
| 937 | The controversial place of vitamin C in cancer treatment. <i>Biochemical Pharmacology</i> , 2008, 76, 1644-1652.  | 4.4  | 86        |
| 938 | Matrix Metalloproteinase-9 Is Required for Tumor Vasculogenesis but Not for Angiogenesis: Role of Bone Marrow-Derived Myelomonocytic Cells. <i>Cancer Cell</i> , 2008, 13, 193-205.   | 16.8 | 408       |
| 939 | VHL Inactivation: A New Road to Senescence. <i>Cancer Cell</i> , 2008, 13, 295-297.   | 16.8 | 8         |
| 940 | Q39, a novel synthetic Quinoxaline 1,4-Di-N-oxide compound with anti-cancer activity in hypoxia. <i>European Journal of Pharmacology</i> , 2008, 581, 262-269.  | 3.5  | 38        |
| 941 | A quassinoid 6Î±-tigloyloxychaparrinone inhibits hypoxia-inducible factor-1 pathway by inhibition of eukaryotic translation initiation factor 4E phosphorylation. <i>European Journal of Pharmacology</i> , 2008, 592, 41-47. | 3.5  | 21        |
| 942 | Novel Imaging Approaches to Head and Neck Cancer. <i>Seminars in Oncology</i> , 2008, 35, 262-273.  | 2.2  | 2         |
| 943 | Targeting Angiogenesis in Head and Neck Cancer. <i>Seminars in Oncology</i> , 2008, 35, 274-285.  | 2.2  | 79        |
| 944 | Macrophage polarization in tumour progression. <i>Seminars in Cancer Biology</i> , 2008, 18, 349-355.   | 9.6  | 1,026     |
| 945 | The A3 adenosine receptor: An enigmatic player in cell biology. , 2008, 117, 123-140.   |      | 197       |
| 946 | HIF-1 regulation: not so easy come, easy go. <i>Trends in Biochemical Sciences</i> , 2008, 33, 526-534.   | 7.5  | 292       |
| 947 | Hypoxia in adipose tissue: a basis for the dysregulation of tissue function in obesity?. <i>British Journal of Nutrition</i> , 2008, 100, 227-235.  | 2.3  | 391       |
| 948 | Regulation of HIF: Prolyl Hydroxylases. <i>Novartis Foundation Symposium</i> , 2008, , 15-32.   | 1.1  | 48        |
| 949 | Determinants of $V_{O_2 \max}$ decline with aging: an integrated perspective. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 130-140.  | 1.9  | 117       |
| 951 | Hypoxia induces protection against etoposide-induced apoptosis: molecular profiling of changes in gene expression and transcription factor activity. <i>Molecular Cancer</i> , 2008, 7, 27.                                   | 19.2 | 69        |
| 952 | Hypoxia-Inducible Factor Augments Experimental Colitis Through an MIF-Dependent Inflammatory Signaling Cascade. <i>Gastroenterology</i> , 2008, 134, 2036-2048.e3.  | 1.3  | 146       |
| 953 | Hypoxia, Hypoxia-Inducible Transcription Factor, and Macrophages in Human Atherosclerotic Plaques Are Correlated With Intraplaque Angiogenesis. <i>Journal of the American College of Cardiology</i> , 2008, 51, 1258-1265.   | 2.8  | 395       |
| 954 | The role of bevacizumab in breast cancer. <i>European Journal of Cancer, Supplement</i> , 2008, 6, 26-29.   | 2.2  | 2         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 955 | A New Weapon for Attacking Tumor Blood Vessels. New England Journal of Medicine, 2008, 358, 2066-2067.   | 27.0 | 39        |
| 956 | HIF and reactive oxygen species regulate oxidative phosphorylation in cancer. Carcinogenesis, 2008, 29, 1528-1537.   | 2.8  | 84        |
| 957 | Gene Expression Analysis of Collembola in Cadmium Containing Soil. Environmental Science & Technology, 2008, 42, 8152-8157.  | 10.0 | 61        |
| 958 | Neural Stem Cell Tropism to Glioma: Critical Role of Tumor Hypoxia. Molecular Cancer Research, 2008, 6, 1819-1829.   | 3.4  | 156       |
| 959 | Thymoquinone inhibits tumor angiogenesis and tumor growth through suppressing AKT and extracellular signal-regulated kinase signaling pathways. Molecular Cancer Therapeutics, 2008, 7, 1789-1796.           | 4.1  | 312       |
| 960 | Up-regulation of the hypoxia-inducible factor-1 transcriptional pathway in colorectal carcinomas. Human Pathology, 2008, 39, 1483-1494.  | 2.0  | 32        |
| 961 | Cell death recognition model for the immune system. Medical Hypotheses, 2008, 70, 585-596.   | 1.5  | 25        |
| 962 | Oxygen Sensing by Metazoans: The Central Role of the HIF Hydroxylase Pathway. Molecular Cell, 2008, 30, 393-402.   | 9.7  | 2,614     |
| 963 | Abundance of asparaginyl-hydroxylase FIH is regulated by Siah-1 under normoxic conditions. Neuroscience Letters, 2008, 433, 209-214.   | 2.1  | 31        |
| 964 | Monocytes and dendritic cells in a hypoxic environment: Spotlights on chemotaxis and migration. Immunobiology, 2008, 213, 733-749.   | 1.9  | 138       |
| 965 | Nitric oxide, apoptosis and macrophage polarization during tumor progression. Nitric Oxide - Biology and Chemistry, 2008, 19, 95-102.  | 2.7  | 127       |
| 966 | Solid tumor physiology and hypoxia-induced chemo/radio-resistance: Novel strategy for cancer therapy: Nitric oxide donor as a therapeutic enhancer. Nitric Oxide - Biology and Chemistry, 2008, 19, 205-216. | 2.7  | 181       |
| 967 | Expression and significance of hypoxemia-inducible factor-1 $\pm$ in osteosarcoma of the jaws. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 106, 254-257.                 | 1.4  | 20        |
| 968 | Targeting the Mitochondria for Cancer Therapy: Regulation of Hypoxia-Inducible Factor by Mitochondria. Antioxidants and Redox Signaling, 2008, 10, 635-640.  | 5.4  | 30        |
| 969 | Genetic aspects of inflammation and cancer. Biochemical Journal, 2008, 410, 225-235.   | 3.7  | 116       |
| 970 | Tumor Angiogenesis. New England Journal of Medicine, 2008, 358, 2039-2049.   | 27.0 | 1,996     |
| 971 | Hypoxic regulation of mRNA expression. Cell Cycle, 2008, 7, 1916-1924.   | 2.6  | 68        |
| 972 | Nutrition-induced catch-up growth increases hypoxia inducible factor 1 $\pm$ RNA levels in the growth plate. Bone, 2008, 42, 505-515.  | 2.9  | 35        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 973 | Hypoxia in microscopic tumors. Cancer Letters, 2008, 264, 172-180.   | 7.2  | 60        |
| 974 | Transcriptional adaptation of neuroblastoma cells to hypoxia. Biochemical and Biophysical Research Communications, 2008, 366, 1054-1060.   | 2.1  | 23        |
| 975 | AMP-activated protein kinase is essential for survival in chronic hypoxia. Biochemical and Biophysical Research Communications, 2008, 370, 230-234.                                  | 2.1  | 22        |
| 976 | Heterogeneity in binding and gene-expression regulation by HIF-2 $\beta$ . Biochemical and Biophysical Research Communications, 2008, 371, 251-255.                                  | 2.1  | 6         |
| 977 | Hypoxia enhances CXCR4 expression favoring microglia migration via HIF-1 $\beta$ activation. Biochemical and Biophysical Research Communications, 2008, 371, 283-288.                | 2.1  | 82        |
| 978 | Diameter of tumor blood vessels is a good parameter to estimate HIF-1-active regions in solid tumors. Biochemical and Biophysical Research Communications, 2008, 373, 533-538.       | 2.1  | 20        |
| 979 | Stem cell factor induces HIF-1 $\beta$ at normoxia in hematopoietic cells. Biochemical and Biophysical Research Communications, 2008, 377, 98-103.                                   | 2.1  | 66        |
| 980 | Rare variant of hypoxia-inducible factor-1 $\beta$ (HIF-1A) and breast cancer risk in Korean women. Clinica Chimica Acta, 2008, 389, 167-170.  | 1.1  | 42        |
| 981 | Regulation of gene expression by hypoxia: Integration of the HIF-transduced hypoxic signal at the hypoxia-responsive element. Clinica Chimica Acta, 2008, 395, 6-13.                 | 1.1  | 131       |
| 982 | The Biology of Cancer: Metabolic Reprogramming Fuels Cell Growth and Proliferation. Cell Metabolism, 2008, 7, 11-20.   | 16.2 | 3,421     |
| 983 | Multi-functional nanocarriers to overcome tumor drug resistance. Cancer Treatment Reviews, 2008, 34, 592-602.  | 7.7  | 381       |
| 984 | Hungry for Blood Vessels: Linking Metabolism and Angiogenesis. Developmental Cell, 2008, 14, 313-314.  | 7.0  | 11        |
| 985 | Fundamentals of Molecular Imaging: Rationale and Applications With Relevance for Radiation Oncology. Seminars in Nuclear Medicine, 2008, 38, 119-128.                                | 4.6  | 25        |
| 986 | RNA-Binding Proteins HuR and PTB Promote the Translation of Hypoxia-Inducible Factor 1 $\beta$ . Molecular and Cellular Biology, 2008, 28, 93-107.                                   | 2.3  | 257       |
| 987 | Hypoxia Inducible Factor-1 $\beta$ Inactivation Unveils a Link between Tumor Cell Metabolism and Hypoxia-Induced Cell Death. American Journal of Pathology, 2008, 173, 1186-1201.    | 3.8  | 39        |
| 988 | Hypoxia- and Vascular Endothelial Growth Factor-Induced Stromal Cell-Derived Factor-1 $\beta$ /CXCR4 Expression in Glioblastomas. American Journal of Pathology, 2008, 173, 545-560. | 3.8  | 182       |
| 989 | Attenuation of p38 MAPK activity upon contact inhibition in fibroblasts. Molecular and Cellular Biochemistry, 2008, 308, 65-73.  | 3.1  | 5         |
| 990 | Tumorâ€™s Microenvironment Interactions: Dangerous Liaisons. Advances in Cancer Research, 2008, 100, 203-229.  | 5.0  | 113       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 991  | BH3 Mimetics Reactivate Autophagic Cell Death in Anoxia-Resistant Malignant Glioma Cells. <i>Neoplasia</i> , 2008, 10, 873-885.   | 5.3  | 24        |
| 992  | Increased Expression of Hypoxia-inducible Factor-1 $\pm$ in Venous Stenosis of Arteriovenous Polytetrafluoroethylene Grafts in a Chronic Renal Insufficiency Porcine Model. <i>Journal of Vascular and Interventional Radiology</i> , 2008, 19, 260-265.              | 0.5  | 32        |
| 993  | Mammalian target of rapamycin as a therapeutic target in oncology. <i>Expert Opinion on Therapeutic Targets</i> , 2008, 12, 209-222.  | 3.4  | 82        |
| 994  | Targeting transcription factors for therapeutic benefit. <i>Molecular BioSystems</i> , 2008, 4, 909.  | 2.9  | 42        |
| 995  | Roles of Integrins in Tumor Angiogenesis and Lymphangiogenesis. <i>Lymphatic Research and Biology</i> , 2008, 6, 155-163.   | 1.1  | 82        |
| 996  | In situ calcium mapping in the mouse retina via time-of-flight secondary ion mass spectrometry: modulation of retinal angiogenesis by calcium ion in development and oxygen-induced retinopathy. <i>Biochemistry and Cell Biology</i> , 2008, 86, 459-467.            | 2.0  | 7         |
| 997  | Endocannabinoids in endocrine and related tumours. <i>Endocrine-Related Cancer</i> , 2008, 15, 391-408.   | 3.1  | 59        |
| 998  | Modern cancer drug discovery: integrating targets, technologies and treatments. , 2008, , 3-38.   |      | 4         |
| 999  | Latrunculin A and Its C-17- <i>O</i> -Carbamates Inhibit Prostate Tumor Cell Invasion and HIF-1 Activation in Breast Tumor Cells. <i>Journal of Natural Products</i> , 2008, 71, 396-402.   | 3.0  | 62        |
| 1000 | Molecular Imaging of Hypoxia. <i>Journal of Nuclear Medicine</i> , 2008, 49, 129S-148S.   | 5.0  | 455       |
| 1001 | Hypoxia and Angiogenesis in Glioblastomas. , 2008, , 195-214.   |      | 0         |
| 1002 | Tumor Versus Tumor-Associated Macrophages: How Hot is the Link?. <i>Integrative Cancer Therapies</i> , 2008, 7, 90-95.  | 2.0  | 62        |
| 1003 | Significant antitumor activity <i>in vivo</i> following treatment with the microtubule agent ENMD-1198. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1472-1482.  | 4.1  | 64        |
| 1004 | Intronically encoded siRNAs improve dynamic range of mammalian gene regulation systems and toggle switch. <i>Nucleic Acids Research</i> , 2008, 36, e101.   | 14.5 | 48        |
| 1005 | Kinase requirements in human cells: III. Altered kinase requirements in VHL <sup>+/+</sup> cancer cells detected in a pilot synthetic lethal screen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16484-16489. | 7.1  | 137       |
| 1006 | Molecular Targeting in Hepatocellular Carcinoma. , 2008, , 165-210.   |      | 1         |
| 1007 | Enhancement of Angiogenesis Through Stabilization of Hypoxia-inducible Factor-1 by Silencing Prolyl Hydroxylase Domain-2 Gene. <i>Molecular Therapy</i> , 2008, 16, 1227-1234.  | 8.2  | 48        |
| 1008 | Combination Strategy Targeting the Hypoxia Inducible Factor-1 $\pm$ with Mammalian Target of Rapamycin and Histone Deacetylase Inhibitors. <i>Clinical Cancer Research</i> , 2008, 14, 3589-3597.   | 7.0  | 105       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1010 | Monoclonal Antibody-Based Screening Assay for Factor Inhibiting Hypoxia-Inducible Factor Inhibitors. <i>Journal of Biomolecular Screening</i> , 2008, 13, 494-503.  | 2.6 | 28        |
| 1011 | Tocotrienol Inhibits Secretion of Angiogenic Factors from Human Colorectal Adenocarcinoma Cells by Suppressing Hypoxia-Inducible Factor-1 $\alpha$ . <i>Journal of Nutrition</i> , 2008, 138, 2136-2142.  | 2.9 | 70        |
| 1012 | Lack of Hypoxic Response in Uterine Leiomyomas despite Severe Tissue Hypoxia. <i>Cancer Research</i> , 2008, 68, 4719-4726.   | 0.9 | 85        |
| 1013 | Preferential Cytotoxicity of Bortezomib toward Hypoxic Tumor Cells via Overactivation of Endoplasmic Reticulum Stress Pathways. <i>Cancer Research</i> , 2008, 68, 9323-9330.   | 0.9 | 126       |
| 1014 | Decreased $\alpha$ 2 $\beta$ 1 Promotes Metastatic Potentials of Hepatocellular Carcinoma by Altering Secretion of Vascular Endothelial Growth Factor. <i>Clinical Cancer Research</i> , 2008, 14, 1025-1031.   | 7.0 | 35        |
| 1015 | Anemia Is a Significant Prognostic Factor in Local Relapse-Free Survival of Premenopausal Primary Breast Cancer Patients Receiving Adjuvant Cyclophosphamide/Methotrexate/5-Fluorouracil Chemotherapy. <i>Clinical Cancer Research</i> , 2008, 14, 2082-2087. | 7.0 | 28        |
| 1016 | Maintenance Treatment with Bevacizumab Prolongs Survival in an <i>In vivo</i> Ovarian Cancer Model. <i>Clinical Cancer Research</i> , 2008, 14, 7781-7789.  | 7.0 | 93        |
| 1017 | A RNA antagonist of hypoxia-inducible factor-1 $\alpha$ , EZN-2968, inhibits tumor cell growth. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 3598-3608.  | 4.1 | 237       |
| 1018 | Poly(ADP-Ribose) Polymerase 1 Promotes Tumor Cell Survival by Coactivating Hypoxia-Inducible Factor-1 $\alpha$ -Dependent Gene Expression. <i>Molecular Cancer Research</i> , 2008, 6, 282-290.   | 3.4 | 64        |
| 1019 | Signal Transducer and Activator of Transcription 3 Is Required for Hypoxia-Inducible Factor-1 $\alpha$ RNA Expression in Both Tumor Cells and Tumor-Associated Myeloid Cells. <i>Molecular Cancer Research</i> , 2008, 6, 1099-1105.                          | 3.4 | 162       |
| 1020 | Inhibition of VEGF blocks TGF- $\beta$ 1 production through a PI3K/Akt signalling pathway. <i>European Respiratory Journal</i> , 2008, 31, 523-531.   | 6.7 | 78        |
| 1021 | Synthesis and Anticancer Properties of Water-Soluble Zinc Ionophores. <i>Cancer Research</i> , 2008, 68, 5318-5325.   | 0.9 | 83        |
| 1022 | Disruption of Signaling through SEK1 and MKK7 Yields Differential Responses in Hypoxic Colon Cancer Cells Treated with Oxaliplatin. <i>Molecular Pharmacology</i> , 2008, 74, 246-254.  | 2.3 | 8         |
| 1023 | Synergistic induction of HIF-1 $\alpha$ transcriptional activity by hypoxia and lipopolysaccharide in macrophages. <i>Cell Cycle</i> , 2008, 7, 232-241.  | 2.6 | 58        |
| 1024 | Inhibition of Mxi1 suppresses HIF-2 $\alpha$ -dependent renal cancer tumorigenesis. <i>Cancer Biology and Therapy</i> , 2008, 7, 1619-1627.   | 3.4 | 16        |
| 1025 | EF24, a novel curcumin analog, disrupts the microtubule cytoskeleton and inhibits HIF-1. <i>Cell Cycle</i> , 2008, 7, 2409-2417.  | 2.6 | 109       |
| 1026 | Targeting Apoptosis Resistance in Rhabdomyosarcoma. <i>Current Cancer Drug Targets</i> , 2008, 8, 536-544.  | 1.6 | 18        |
| 1027 | (2 <i>R</i> )-[(4-Biphenyl)sulfonyl]amino- <i>N</i> -hydroxy-3-phenylpropionamide (BiPS), a Matrix Metalloprotease Inhibitor, Is a Novel and Potent Activator of Hypoxia-Inducible Factors. <i>Molecular Pharmacology</i> , 2008, 74, 282-288.                | 2.3 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1028 | Cancer-Associated Carbonic Anhydrases and Their Inhibition. Current Pharmaceutical Design, 2008, 14, 685-698.  | 1.9 | 159       |
| 1029 | Regulation of Jumonji-domain-containing histone demethylases by hypoxia-inducible factor (HIF)-1 $\alpha$ . Biochemical Journal, 2008, 416, 387-394.   | 3.7 | 278       |
| 1030 | HIF-1 $\alpha$ mRNA gene expression levels in improved diagnosis of early stages of prostate cancer. Biomarkers, 2008, 13, 680-691.  | 1.9 | 33        |
| 1031 | The Interplay Between MYC and HIF in the Warburg Effect. Ernst Schering Research Foundation Workshop, 2008, , 35-53.   | 0.7 | 82        |
| 1032 | Tumor Cell Metabolism Imaging. Journal of Nuclear Medicine, 2008, 49, 43S-63S.   | 5.0 | 270       |
| 1034 | Hypoxia and the endocrine and signalling role of white adipose tissue. Archives of Physiology and Biochemistry, 2008, 114, 267-276.  | 2.1 | 115       |
| 1035 | Inhibitors of tumor angiogenesis. , 2008, , 351-381.   |     | 0         |
| 1036 | Cancer-Causing Mutations in a Novel Transcription-Dependent Nuclear Export Motif of VHL Abrogate Oxygen-Dependent Degradation of Hypoxia-Inducible Factor. Molecular and Cellular Biology, 2008, 28, 302-314.                              | 2.3 | 16        |
| 1037 | Abnormal Sympathoadrenal Development and Systemic Hypotension in $\alpha$ -PHD3 <sup>+/+</sup> Mice. Molecular and Cellular Biology, 2008, 28, 3386-3400.  | 2.3 | 176       |
| 1038 | Atypical CRM1-dependent Nuclear Export Signal Mediates Regulation of Hypoxia-inducible Factor-1 $\alpha$ by MAPK. Journal of Biological Chemistry, 2008, 283, 27620-27627.   | 3.4 | 84        |
| 1039 | Tumor-associated Carbonic Anhydrase 9 Spatially Coordinates Intracellular pH in Three-dimensional Multicellular Growths. Journal of Biological Chemistry, 2008, 283, 20473-20483.  | 3.4 | 185       |
| 1040 | Involvement of Hypoxia-inducing Factor-1 $\alpha$ -dependent Plasminogen Activator Inhibitor-1 Up-regulation in Cyr61/CCN1-induced Gastric Cancer Cell Invasion. Journal of Biological Chemistry, 2008, 283, 15807-15815.                  | 3.4 | 58        |
| 1041 | Hypoxia-induced resistance to anticancer drugs is associated with decreased senescence and requires hypoxia-inducible factor-1 activity. Molecular Cancer Therapeutics, 2008, 7, 1961-1973.  | 4.1 | 205       |
| 1042 | Hypoxia-Inducible Factor-1 Target Genes as Indicators of Tumor Vessel Response to Vascular Endothelial Growth Factor Inhibition. Cancer Research, 2008, 68, 1872-1880.   | 0.9 | 69        |
| 1043 | Inhibition of the mTORC1 pathway suppresses intestinal polyp formation and reduces mortality in $\Delta$ Apc <sup>716</sup> mice. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 13544-13549. | 7.1 | 148       |
| 1044 | Overexpression of the Oxygen Sensors PHD-1, PHD-2, PHD-3, and FIH Is Associated with Tumor Aggressiveness in Pancreatic Endocrine Tumors. Clinical Cancer Research, 2008, 14, 6634-6639.   | 7.0 | 84        |
| 1045 | Identification of Hypoxia-Inducible Factor-1 $\alpha$ as a Novel Target for $\Delta$ miR-17-92 MicroRNA Cluster. Cancer Research, 2008, 68, 5540-5545.   | 0.9 | 290       |
| 1046 | Translational repression during chronic hypoxia is dependent on glucose levels. Rna, 2008, 14, 771-781.  | 3.5 | 18        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1047 | Review: Behaviour of endothelial cells faced with hypoxia. Bio-Medical Materials and Engineering, 2008, 18, 295-299.  | 0.6 | 15        |
| 1048 | Hypoxia-inducible factor (HIF)-1 $\alpha$ directly enhances the transcriptional activity of stem cell factor (SCF) in response to hypoxia and epidermal growth factor (EGF). Carcinogenesis, 2008, 29, 1853-1861.           | 2.8 | 120       |
| 1049 | Macrophage inhibitory cytokine-1 activates AKT and ERK-1/2 via the transactivation of ErbB2 in human breast and gastric cancer cells. Carcinogenesis, 2008, 29, 704-712.  | 2.8 | 99        |
| 1050 | Hypoxic Regulation of Metastasis via Hypoxia-Inducible Factors. Current Molecular Medicine, 2008, 8, 60-67.   | 1.3 | 121       |
| 1051 | In Vivo Bioluminescence Imaging Monitoring of Hypoxia-Inducible Factor 1 $\alpha$ , a Promoter That Protects Cells, in Response to Chemotherapy. American Journal of Roentgenology, 2008, 191, 1779-1784.                   | 2.2 | 32        |
| 1052 | Role of hypoxia-inducible factor-1 $\alpha$ in hypoxia-induced expressions of IL-8, MMP-1 and MMP-3 in rheumatoid fibroblast-like synoviocytes. Rheumatology, 2008, 47, 834-839.  | 1.9 | 91        |
| 1053 | The aryl hydrocarbon receptor (AhR) inhibits vanadate-induced vascular endothelial growth factor (VEGF) production in TRAMP prostates. Carcinogenesis, 2008, 29, 1077-1082.   | 2.8 | 41        |
| 1055 | Hypoxia-Inducible Factor-1 $\alpha$ Obstructs a Wnt Signaling Pathway by Inhibiting the hARD1-Mediated Activation of $\beta$ -Catenin. Cancer Research, 2008, 68, 5177-5184.  | 0.9 | 86        |
| 1056 | Oxygen regulation of arterial smooth muscle cell proliferation and survival. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H839-H852.   | 3.2 | 14        |
| 1057 | Redox mechanisms switch on hypoxia-dependent epithelial $\rightarrow$ mesenchymal transition in cancer cells. Carcinogenesis, 2008, 29, 2267-2278.  | 2.8 | 274       |
| 1058 | Stable expression of HIF-1 $\alpha$ in tubular epithelial cells promotes interstitial fibrosis. American Journal of Physiology - Renal Physiology, 2008, 295, F1023-F1029.  | 2.7 | 234       |
| 1059 | The thioredoxin system: a key target in tumour and endothelial cells. British Journal of Radiology, 2008, 81, S57-S68.  | 2.2 | 76        |
| 1060 | hsa-miR-210 Is Induced by Hypoxia and Is an Independent Prognostic Factor in Breast Cancer. Clinical Cancer Research, 2008, 14, 1340-1348.  | 7.0 | 617       |
| 1061 | Chemosensitization by emodin, a plant-derived anti-cancer agent: mechanism of action. Cancer Biology and Therapy, 2008, 7, 476-478.   | 3.4 | 12        |
| 1062 | The Biphasic Role of the Hypoxia-Inducible Factor Prolyl-4-Hydroxylase, PHD2, in Modulating Tumor-Forming Potential. Molecular Cancer Research, 2008, 6, 829-842.   | 3.4 | 46        |
| 1063 | Hypoxia-Associated Factor, a Novel E3-Ubiquitin Ligase, Binds and Ubiquitinates Hypoxia-Inducible Factor 1 $\alpha$ , Leading to Its Oxygen-Independent Degradation. Molecular and Cellular Biology, 2008, 28, 7081-7095.   | 2.3 | 150       |
| 1064 | Metallothionein Induction by Hypoxia Involves Cooperative Interactions between Metal-Responsive Transcription Factor-1 and Hypoxia-Inducible Transcription Factor-1 $\alpha$ . Molecular Cancer Research, 2008, 6, 483-490. | 3.4 | 70        |
| 1065 | Regulation of hypoxia-inducible genes by ETS1 transcription factor. Carcinogenesis, 2008, 29, 1493-1499.  | 2.8 | 65        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1066 | Topotecan inhibits vascular endothelial growth factor production and angiogenic activity induced by hypoxia in human neuroblastoma by targeting hypoxia-inducible factor-1 $\alpha$ and -2 $\alpha$ . Molecular Cancer Therapeutics, 2008, 7, 1974-1984. | 4.1 | 73        |
| 1067 | Yin-Yang Activities and Vicious Cycles in the Tumor Microenvironment. Cancer Research, 2008, 68, 9-13.   | 0.9 | 115       |
| 1068 | Fatty Acid Synthase Gene Is Up-regulated by Hypoxia via Activation of Akt and Sterol Regulatory Element Binding Protein-1. Cancer Research, 2008, 68, 1003-1011.   | 0.9 | 337       |
| 1069 | Hypoxic Conditioning Suppresses Nitric Oxide Production upon Myocardial Reperfusion. Experimental Biology and Medicine, 2008, 233, 766-774.  | 2.4 | 16        |
| 1070 | Effects of Paclitaxel on human lung cancer cell lines in vitro and in vivo. IFMBE Proceedings, 2008, , 518-523.  | 0.3 | 0         |
| 1071 | Is cancer a disease of abnormal cellular metabolism? New angles on an old idea. Genetics in Medicine, 2008, 10, 767-777.   | 2.4 | 192       |
| 1072 | Hypoxia-Mediated Induction of the Polyamine System Provides Opportunities for Tumor Growth Inhibition by Combined Targeting of Vascular Endothelial Growth Factor and Ornithine Decarboxylase. Cancer Research, 2008, 68, 9291-9301.                     | 0.9 | 38        |
| 1073 | Emodin enhances cytotoxicity of chemotherapeutic drugs in prostate cancer cells: The mechanisms involve ROS-mediated suppression of multidrug resistance and hypoxia inducible factor-1. Cancer Biology and Therapy, 2008, 7, 468-475.                   | 3.4 | 93        |
| 1074 | Requirement of hypoxia-inducible factor-1 $\alpha$ down-regulation in mediating the antitumor activity of the anti-epidermal growth factor receptor monoclonal antibody cetuximab. Molecular Cancer Therapeutics, 2008, 7, 1207-1217.                    | 4.1 | 59        |
| 1075 | The ubiquitin ligase Siah2 regulates tumorigenesis and metastasis by HIF-dependent and -independent pathways. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 16713-16718.                                   | 7.1 | 90        |
| 1076 | Cancer related mutations in <i>NRF2</i> impair its recognition by Keap1-Cul3 E3 ligase and promote malignancy. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 13568-13573.                                  | 7.1 | 634       |
| 1077 | Transcriptional Regulation of SDHa Flavoprotein by Nuclear Respiratory Factor-1 Prevents Pseudo-hypoxia in Aerobic Cardiac Cells. Journal of Biological Chemistry, 2008, 283, 10967-10977.   | 3.4 | 43        |
| 1078 | A novel triple-regulated oncolytic adenovirus carrying <i>p53</i> gene exerts potent antitumor efficacy on common human solid cancers. Molecular Cancer Therapeutics, 2008, 7, 1598-1603.  | 4.1 | 58        |
| 1079 | Silibinin inhibits cytokine-induced signaling cascades and down-regulates inducible nitric oxide synthase in human lung carcinoma A549 cells. Molecular Cancer Therapeutics, 2008, 7, 1817-1826.   | 4.1 | 64        |
| 1080 | Modulation of Matrix Metalloproteinase Secretion by Adenosine A3 Receptor in Preeclamptic Villous Explants. Reproductive Sciences, 2008, 15, 939-949.  | 2.5 | 14        |
| 1081 | Intratumoral Spatial Distribution of Hypoxia and Angiogenesis Assessed by <sup>18</sup> F-FAZA and <sup>125</sup> I-Gluco-RGD Autoradiography. Journal of Nuclear Medicine, 2008, 49, 597-605.   | 5.0 | 38        |
| 1082 | A Retroinhibition Approach Reveals a Tumor Cell's Autonomous Response to Rapamycin in Head and Neck Cancer. Cancer Research, 2008, 68, 1144-1153.  | 0.9 | 44        |
| 1083 | Visualization of Hypoxia-Inducible Factor-1 Transcriptional Activation in C6 Glioma Using Luciferase and Sodium Iodide Symporter Genes. Journal of Nuclear Medicine, 2008, 49, 1489-1497.  | 5.0 | 22        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1084 | Chemosensitization of Cancer by Nitric Oxide. Current Pharmaceutical Design, 2008, 14, 1113-1123.   | 1.9  | 93        |
| 1085 | A Gain-of-Function Mutation in the <i>HIF2A</i> Gene in Familial Erythrocytosis. New England Journal of Medicine, 2008, 358, 162-168.   | 27.0 | 287       |
| 1086 | Physiological Targeting to Improve Anticancer Drug Selectivity. Australian Journal of Chemistry, 2008, 61, 647.   | 0.9  | 24        |
| 1087 | Molecular Targeting Agents in Renal Cell Carcinoma: Present Strategies and Future Perspectives. Current Pharmaceutical Design, 2008, 14, 1058-1077.   | 1.9  | 6         |
| 1088 | Hypoxic regulation of miR-210: Shrinking targets expand HIF-1's Influence. Cancer Biology and Therapy, 2008, 7, 265-267.  | 3.4  | 44        |
| 1089 | Adventitial transplantation of blood outgrowth endothelial cells in porcine haemodialysis grafts alleviates hypoxia and decreases neointimal proliferation through a matrix metalloproteinase-9-mediated pathway—a pilot study. Nephrology Dialysis Transplantation, 2008, 24, 85-96. | 0.7  | 31        |
| 1090 | Molecular Imaging of Metastatic Potential. Journal of Nuclear Medicine, 2008, 49, 96S-112S.   | 5.0  | 55        |
| 1091 | Targeting the hallmarks of cancer. Cancer Biology and Therapy, 2008, 7, 740-741.  | 3.4  | 8         |
| 1092 | Hypoxia-inducible factor-1 $\alpha$ expression correlates with focal macrophage infiltration, angiogenesis and unfavourable prognosis in urothelial carcinoma. Journal of Clinical Pathology, 2008, 61, 658-664.  | 2.0  | 77        |
| 1093 | Involvement of estrogen-related receptors in transcriptional response to hypoxia and growth of solid tumors. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 7821-7826.   | 7.1  | 118       |
| 1094 | Sphingosine Kinase 1: A New Modulator of Hypoxia Inducible Factor 1 $\alpha$ during Hypoxia in Human Cancer Cells. Cancer Research, 2008, 68, 8635-8642.  | 0.9  | 133       |
| 1095 | Expanded adipose tissue: "out of breath" and inflamed. British Journal of Nutrition, 2008, 100, 236-237.  | 2.3  | 1         |
| 1096 | Hypoxia-induced epithelial VEGF-C/VEGFR-3 upregulation in carcinoma cell lines. International Journal of Oncology, 2008, , .  | 3.3  | 19        |
| 1097 | Accumulation of hypoxia-inducible factor-1 $\alpha$ protein and its role in the differentiation of myeloid leukemic cells induced by all-trans retinoic acid. Haematologica, 2008, 93, 1480-1487.   | 3.5  | 26        |
| 1098 | Targeting vessels to treat hepatocellular carcinoma. Clinical Science, 2008, 114, 467-477.  | 4.3  | 12        |
| 1099 | Regulation of adult erythropoiesis by prolyl hydroxylase domain proteins. Blood, 2008, 111, 3229-3235.  | 1.4  | 231       |
| 1100 | The effect of hypoxic microenvironment on matrix metalloproteinase expression in xenografts of human oral squamous cell carcinoma. International Journal of Oncology, 0, , .  | 3.3  | 5         |
| 1101 | HIF-1-regulated glucose metabolism in the control of apoptosis signaling. Expert Review of Endocrinology and Metabolism, 2008, 3, 303-308.  | 2.4  | 2         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1102 | Predicting Response to Clinical Radiotherapy: Past, Present, and Future Directions. <i>Cancer Control</i> , 2008, 15, 151-156.   | 1.8 | 35        |
| 1103 | Zebularine-induced reduction in VEGF secretion by HIF-1 $\alpha$ degradation in oral squamous cell carcinoma. <i>Molecular Medicine Reports</i> , 2008, , .  | 2.4 | 3         |
| 1104 | mTOR Pathway and mTOR Inhibitors as Agents for Cancer Therapy. <i>Current Cancer Drug Targets</i> , 2008, 8, 647-665.  | 1.6 | 94        |
| 1105 | Carbon Monoxide Ameliorates Renal Cold Ischemia-Reperfusion Injury With an Upregulation of Vascular Endothelial Growth Factor by Activation of Hypoxia-Inducible Factor. <i>Transplantation</i> , 2008, 85, 1833-1840. | 1.0 | 72        |
| 1106 | Expression of Hypoxia-Inducible Factor-1 $\alpha$ , Histone Deacetylase 1, and Metastasis-Associated Protein 1 in Pancreatic Carcinoma. <i>Pancreas</i> , 2008, 36, e1-e9.   | 1.1 | 149       |
| 1107 | Posttranscription Regulation of Prostate Cancer Growth. <i>Cancer Journal (Sudbury, Mass )</i> , 2008, 14, 46-53.  | 2.0 | 16        |
| 1108 | G-protein coupled chemoattractant receptors and cancer. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 3352.  | 3.0 | 33        |
| 1109 | Pathophysiology of placentation abnormalities in pregnancy-induced hypertension. <i>Vascular Health and Risk Management</i> , 2008, Volume 4, 1301-1313.   | 2.3 | 67        |
| 1110 | Suppression of renal cell carcinoma growth by inhibition of Notch signaling in vitro and in vivo. <i>Journal of Clinical Investigation</i> , 2008, 118, 217-228.   | 8.2 | 157       |
| 1111 | Targeting Cancer Cells by an Oxidant-Based Therapy. <i>Current Molecular Pharmacology</i> , 2008, 1, 80-92.  | 1.5 | 29        |
| 1112 | Prognostic significance of HIF-2 $\alpha$ . expression on tumor infiltrating macrophages in patients with uterine cervical cancer undergoing radiotherapy. <i>Journal of Medical Investigation</i> , 2008, 55, 78-86.  | 0.5 | 38        |
| 1113 | Heat shock transcription factor 1 preserves cardiac angiogenesis and adaptation during pressure overload. <i>Nature Precedings</i> , 2008, , .   | 0.1 | 0         |
| 1114 | Oxygen and Cell Fate Decisions. <i>Gene Regulation and Systems Biology</i> , 2008, 2, GRSB.S434.   | 2.3 | 32        |
| 1115 | Oxidative stress in neurodegeneration and available means of protection. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 3288.   | 3.0 | 103       |
| 1116 | Molecular Imaging of Hypoxia-Inducible Factor 1 $\alpha$ and von Hippel-Lindau Interaction in Mice. <i>Molecular Imaging</i> , 2008, 7, 7290.2008.00017.   | 1.4 | 7         |
| 1117 | System Recovery. , 2009, , 185-222.  |     | 1         |
| 1119 | Synthesis of Neolamellarin A, an Inhibitor of Hypoxia-Inducible Factor-1. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.  | 0.5 | 5         |
| 1120 | Multiple roles and therapeutic implications of Akt signaling in cancer. <i>OncoTargets and Therapy</i> , 2009, 2, 135.   | 2.0 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1121 | An Algorithm for Identifying Novel Targets of Transcription Factor Families: Application to Hypoxia-inducible Factor 1 Targets. <i>Cancer Informatics</i> , 2009, 7, CIN.S1054.   | 1.9 | 7         |
| 1122 | The Fathers of Italian Histology. <i>European Journal of Histochemistry</i> , 2009, 51, 1.  | 1.5 | 5         |
| 1123 | Genetics, cellular biology and tumor microenvironment of melanoma. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 918.   | 3.0 | 13        |
| 1124 | Chemokines and B cells in renal inflammation and allograft rejection. <i>Frontiers in Bioscience - Scholar</i> , 2009, S1, 13-22.   | 2.1 | 52        |
| 1125 | Regulation of Oxygen Delivery by Red Cells and Red Cell Substitutes. , 0, , 29-53.  |     | 0         |
| 1126 | Gefitinib circumvents hypoxia-induced drug resistance by the modulation of HIF-1 $\pm$ . <i>Oncology Reports</i> , 2009, , .  | 2.6 | 8         |
| 1127 | Hypoxia-inducible factor-1 $\pm$ expression predicts the response to 5-fluorouracil-based adjuvant chemotherapy in advanced gastric cancer. <i>Oncology Reports</i> , 2009, 22, 693-9.                                    | 2.6 | 15        |
| 1128 | Imaging and Targeting of the Hypoxia-inducible Factor 1-active Microenvironment. <i>Journal of Toxicologic Pathology</i> , 2009, 22, 93-100.  | 0.7 | 9         |
| 1130 | Associations between hypoxia-inducible factor-1 $\pm$ (HIF-1 $\pm$ ) gene polymorphisms and risk of developing breast cancer. <i>Neoplasma</i> , 2009, 56, 441-447.   | 1.6 | 27        |
| 1131 | HIF-1 Modulates Dietary Restriction-Mediated Lifespan Extension via IRE-1 in <i>Caenorhabditis elegans</i> . <i>PLoS Genetics</i> , 2009, 5, e1000486.  | 3.5 | 232       |
| 1132 | Real-Time Imaging of HIF-1 $\pm$ Stabilization and Degradation. <i>PLoS ONE</i> , 2009, 4, e5077.   | 2.5 | 99        |
| 1133 | Avicin D: A Protein Reactive Plant Isoprenoid Dephosphorylates Stat 3 by Regulating Both Kinase and Phosphatase Activities. <i>PLoS ONE</i> , 2009, 4, e5578.   | 2.5 | 26        |
| 1134 | Modulating Temporal and Spatial Oxygenation over Adherent Cellular Cultures. <i>PLoS ONE</i> , 2009, 4, e6891.  | 2.5 | 72        |
| 1135 | The Warburg Effect Is Genetically Determined in Inherited Pheochromocytomas. <i>PLoS ONE</i> , 2009, 4, e7094.  | 2.5 | 203       |
| 1136 | Hypoxia-induced CCR7 expression via HIF-1 $\pm$ and HIF-2 $\pm$ correlates with migration and invasion in lung cancer cells. <i>Cancer Biology and Therapy</i> , 2009, 8, 322-330.  | 3.4 | 64        |
| 1137 | HIF2 $\pm$ inhibition promotes p53 pathway activity, tumor cell death, and radiation responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 14391-14396.          | 7.1 | 176       |
| 1138 | Hypoxia drives prostate tumour progression and impairs the effectiveness of therapy, but can also promote cell death and serve as a therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2009, 13, 219-225. | 3.4 | 25        |
| 1139 | Cellular Respiration and Carcinogenesis. , 2009, , .  |     | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1140 | Chemically induced pheochromocytomas in rats: mechanisms and relevance for human risk assessment. <i>Critical Reviews in Toxicology</i> , 2009, 39, 695-718.   | 3.9 | 51        |
| 1141 | A Feedback Loop Involving the Phd3 Prolyl Hydroxylase Tunes the Mammalian Hypoxic Response In Vivo. <i>Molecular and Cellular Biology</i> , 2009, 29, 5729-5741.   | 2.3 | 143       |
| 1142 | Astrocyte elevated gene-1 (AEG-1) functions as an oncogene and regulates angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21300-21305.  | 7.1 | 186       |
| 1143 | Expression and Correlation of Hypoxia-inducible Factor-1 $\alpha$ , Vascular Endothelial Growth Factor and Microvessel Density in Experimental Rat Hepatocarcinogenesis. <i>Journal of International Medical Research</i> , 2009, 37, 417-425.                       | 1.0 | 32        |
| 1144 | Prognostic significance of hypoxia-inducible factor-1 $\alpha$ , TWIST1 and Snail expression in resectable non-small cell lung cancer. <i>Thorax</i> , 2009, 64, 1082-1089.  | 5.6 | 185       |
| 1145 | Targeting the hypoxia-inducible factor (HIF) pathway in cancer. <i>Expert Reviews in Molecular Medicine</i> , 2009, 11, e26.   | 3.9 | 173       |
| 1146 | Effects of Nickel on Cyclin Expression, Cell Cycle Progression and Cell Proliferation in Human Pulmonary Cells. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1720-1729.  | 2.5 | 45        |
| 1147 | Methylalpinumisoflavone Inhibits Hypoxia-inducible Factor-1 (HIF-1) Activation by Simultaneously Targeting Multiple Pathways. <i>Journal of Biological Chemistry</i> , 2009, 284, 5859-5868.   | 3.4 | 65        |
| 1148 | Integrative analysis of HIF binding and transactivation reveals its role in maintaining histone methylation homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4260-4265.                              | 7.1 | 366       |
| 1149 | Cockayne Syndrome B protein (CSB): Linking p53, HIF-1 and p300 to robustness, lifespan, cancer and cell fate decisions. <i>Cell Cycle</i> , 2009, 8, 693-696.  | 2.6 | 30        |
| 1150 | Longitudinal and multimodal in vivo imaging of tumor hypoxia and its downstream molecular events. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 14004-14009.   | 7.1 | 60        |
| 1151 | mTOR in renal cell cancer: modulator of tumor biology and therapeutic target. <i>Expert Review of Molecular Diagnostics</i> , 2009, 9, 231-241.  | 3.1 | 64        |
| 1152 | Control of HIF-1 $\alpha$ Expression by eIF2 $\alpha$ Phosphorylation $\alpha$ -Mediated Translational Repression. <i>Cancer Research</i> , 2009, 69, 1836-1843.   | 0.9 | 53        |
| 1153 | Human cancers converge at the HIF-2 $\alpha$ oncogenic axis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21306-21311.  | 7.1 | 118       |
| 1154 | The Cooperative Induction of Hypoxia-Inducible Factor-1 $\alpha$ and STAT3 during Hypoxia Induced an Impairment of Tumor Susceptibility to CTL-Mediated Cell Lysis. <i>Journal of Immunology</i> , 2009, 182, 3510-3521.   | 0.8 | 175       |
| 1155 | Chemokine-Enhanced Chemotaxis of Lymphangiomiomatosis Cells with Mutations in the Tumor Suppressor <i>TSC2</i> Gene. <i>Journal of Immunology</i> , 2009, 182, 1270-1277.  | 0.8 | 48        |
| 1156 | Epidermal Growth Factor-activated Aryl Hydrocarbon Receptor Nuclear Translocator/HIF-1 $\alpha$ Signal Pathway Up-regulates Cyclooxygenase-2 Gene Expression Associated with Squamous Cell Carcinoma. <i>Journal of Biological Chemistry</i> , 2009, 284, 9908-9916. | 3.4 | 22        |
| 1157 | Hypoxia-induced Expression of Carbonic Anhydrase 9 Is Dependent on the Unfolded Protein Response. <i>Journal of Biological Chemistry</i> , 2009, 284, 24204-24212.   | 3.4 | 57        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1158 | BCL-xL Is a Target Gene Regulated by Hypoxia-inducible Factor-1 $\pm$ . Journal of Biological Chemistry, 2009, 284, 10004-10012.   | 3.4 | 148       |
| 1159 | Polyphyllin D Exerts Potent Anti-tumour Effects on Lewis Cancer Cells under Hypoxic Conditions. Journal of International Medical Research, 2009, 37, 631-640.  | 1.0 | 26        |
| 1160 | Hypoxia-Inducible Factor 1 $\pm$ Induces Fibrosis and Insulin Resistance in White Adipose Tissue. Molecular and Cellular Biology, 2009, 29, 4467-4483.   | 2.3 | 720       |
| 1161 | Hypoxia, Snail and incomplete epithelial $\rightarrow$ mesenchymal transition in breast cancer. British Journal of Cancer, 2009, 101, 1769-1781.   | 6.4 | 138       |
| 1162 | Acridine inhibits HIF-1 dimerization, tumor growth, and vascularization. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 17910-17915.  | 7.1 | 426       |
| 1163 | Hitting HIF1 in cancer. Science-Business EXchange, 2009, 2, 1461-1461.   | 0.0 | 0         |
| 1164 | Regulation of glucose metabolism-related genes and VEGF by HIF-1 $\pm$ and HIF-1 $\pm^2$ , but not HIF-2 $\pm$ , in gastric cancer. Experimental and Molecular Medicine, 2009, 41, 51.                                     | 7.7 | 38        |
| 1165 | G3139, an Anti-Bcl-2 Antisense Oligomer That Binds Heparin-Binding Growth Factors and Collagen I, Alters <i>in vitro</i> Endothelial Cell Growth and Tubular Morphogenesis. Clinical Cancer Research, 2009, 15, 2797-2807. | 7.0 | 20        |
| 1166 | Chronic Hypoxia Activates the Akt and $\beta$ -Catenin Pathways in Human Macrophages. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 1664-1670.   | 2.4 | 39        |
| 1167 | Ethnic variability of HIF-1 $\pm$ polymorphisms. Cancer Biomarkers, 2009, 5, 273-277.  | 1.7 | 6         |
| 1168 | HIF at a glance. Journal of Cell Science, 2009, 122, 1055-1057.  | 2.0 | 195       |
| 1169 | The antihypoxia $\rightarrow$ adenosinergic pathogenesis as a result of collateral damage by overactive immune cells. Journal of Leukocyte Biology, 2009, 86, 545-548.   | 3.3 | 13        |
| 1170 | Kinome Sirna Screen Identifies SMG-1 as a Negative Regulator of Hypoxia-inducible Factor-1 $\pm$ in Hypoxia. Journal of Biological Chemistry, 2009, 284, 16752-16758.  | 3.4 | 25        |
| 1171 | Cellular hypoxia and adipose tissue dysfunction in obesity. Proceedings of the Nutrition Society, 2009, 68, 370-377.   | 1.0 | 226       |
| 1172 | Inhibition of hypoxia-inducible factor-1 function enhances the sensitivity of multiple myeloma cells to melphalan. Molecular Cancer Therapeutics, 2009, 8, 2329-2338.  | 4.1 | 59        |
| 1173 | Guggulsterone enhances head and neck cancer therapies via inhibition of signal transducer and activator of transcription-3. Carcinogenesis, 2009, 30, 1848-1856.   | 2.8 | 96        |
| 1174 | Control of ovulation in mice by progesterone receptor-regulated gene networks. Molecular Human Reproduction, 2009, 15, 821-828.  | 2.8 | 67        |
| 1175 | The Role of Carbonic Anhydrase 9 in Regulating Extracellular and Intracellular pH in Three-dimensional Tumor Cell Growths. Journal of Biological Chemistry, 2009, 284, 20299-20310.  | 3.4 | 249       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1176 | Hypoxia-Inducible Factor-1 $\alpha$ Suppresses Squamous Carcinogenic Progression and Epithelial-Mesenchymal Transition. <i>Cancer Research</i> , 2009, 69, 2638-2646.  | 0.9 | 62        |
| 1177 | Targeting Angiogenesis via a c-Myc/Hypoxia-Inducible Factor-1 $\alpha$ -Dependent Pathway in Multiple Myeloma. <i>Cancer Research</i> , 2009, 69, 5082-5090.   | 0.9 | 89        |
| 1178 | Hypoxia Enhances Sphingosine Kinase 2 Activity and Provokes Sphingosine-1-Phosphate-Mediated Chemoresistance in A549 Lung Cancer Cells. <i>Molecular Cancer Research</i> , 2009, 7, 393-401.                                   | 3.4 | 99        |
| 1179 | Inhibition of Prolyl Hydroxylase Domain Proteins Promotes Therapeutic Revascularization. <i>Circulation</i> , 2009, 120, 50-59.  | 1.6 | 73        |
| 1180 | Preoperative integrated PET-CT scanning reduces the number of futile thoracotomies for lung cancer. <i>Thorax</i> , 2009, 64, 1089-1089.   | 5.6 | 1         |
| 1181 | Effect of siRNA Targeting HIF-1 $\alpha$ Combined L-ascorbate on Biological Behavior of Hypoxic MiaPaCa2 Cells. <i>Technology in Cancer Research and Treatment</i> , 2009, 8, 235-240.   | 1.9 | 5         |
| 1182 | Phosphorylated ER $\alpha$ , HIF-1 $\alpha$ , and MAPK Signaling As Predictors of Primary Endocrine Treatment Response and Resistance in Patients With Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 227-234. | 1.6 | 116       |
| 1183 | Melanoma and Immunosuppression. <i>Dermatology</i> , 2009, 218, 88-88.   | 2.1 | 11        |
| 1184 | Anti-angiogenic properties of metronomic topotecan in ovarian carcinoma. <i>Cancer Biology and Therapy</i> , 2009, 8, 1596-1603.   | 3.4 | 43        |
| 1185 | p62 degradation by autophagy: Another way for cancer cells to survive under hypoxia. <i>Autophagy</i> , 2009, 5, 410-412.  | 9.1 | 43        |
| 1186 | Activation of a unique p53-dependent DNA damage response. <i>Cell Cycle</i> , 2009, 8, 1630-1632.  | 2.6 | 13        |
| 1187 | The hypoxic response and aging. <i>Cell Cycle</i> , 2009, 8, 2324-2324.  | 2.6 | 32        |
| 1188 | Antiangiogenic agents and HIF-1 inhibitors meet at the crossroads. <i>Cell Cycle</i> , 2009, 8, 4040-4043.   | 2.6 | 23        |
| 1189 | In Situ Modulation of Oxidative Stress: A Novel and Efficient Strategy to Kill Cancer Cells. <i>Current Medicinal Chemistry</i> , 2009, 16, 1821-1830.   | 2.4 | 68        |
| 1190 | Nitric Oxide: Cancer Target or Anticancer Agent?. <i>Current Cancer Drug Targets</i> , 2009, 9, 214-236.   | 1.6 | 51        |
| 1191 | Chapter 4 Assessing Metabolic Stress and Autophagy Status in Epithelial Tumors. <i>Methods in Enzymology</i> , 2009, 453, 53-81.   | 1.0 | 31        |
| 1192 | Subcellular dynamics of the VHL tumor suppressor: on the move for HIF degradation. <i>Future Oncology</i> , 2009, 5, 85-95.  | 2.4 | 4         |
| 1193 | HIF-1 $\alpha$ and Calcium Signaling as Targets for Treatment of Prostate Cancer by Cardiac Glycosides. <i>Current Cancer Drug Targets</i> , 2009, 9, 881-887.   | 1.6 | 34        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1194 | Effects of Lipoxin A <sub>4</sub> on CoCl <sub>2</sub> -Induced Angiogenesis and Its Possible Mechanisms in Human Umbilical Vein Endothelial Cells. <i>Pharmacology</i> , 2009, 84, 17-23.   | 2.2 | 21        |
| 1195 | Role of Oxygen in Cancer: Looking Beyond Hypoxia. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2009, 9, 517-525.   | 1.7 | 19        |
| 1196 | Role of the Phosphatidylinositol-3-Kinase and Extracellular Regulated Kinase Pathways in the Induction of Hypoxia-Inducible Factor (HIF)-1 Activity and the HIF-1 Target Vascular Endothelial Growth Factor in Ovarian Granulosa Cells in Response to Follicle-Stimulating Hormone. <i>Endocrinology</i> , 2009, 150, 915-928. | 2.8 | 102       |
| 1197 | Guanylyl cyclase C in colorectal cancer: susceptibility gene and potential therapeutic target. <i>Future Oncology</i> , 2009, 5, 509-522.  | 2.4 | 30        |
| 1198 | Systemic therapy of kidney cancer: tyrosine kinase inhibitors, antiangiogenesis or IL-2?. <i>Future Oncology</i> , 2009, 5, 871-888.   | 2.4 | 6         |
| 1199 | HIF-1 $\pm$ and HIF-2 $\pm$ Are Differentially Regulated <i>in vivo</i> in Neuroblastoma: High HIF-1 $\pm$ Correlates Negatively to Advanced Clinical Stage and Tumor Vascularization. <i>Clinical Cancer Research</i> , 2009, 15, 7130-7136.  | 7.0 | 68        |
| 1200 | DNA Cross-Links in Human Tumor Cells Exposed to the Prodrug PR-104A: Relationships to Hypoxia, Bio-reductive Metabolism, and Cytotoxicity. <i>Cancer Research</i> , 2009, 69, 3884-3891.   | 0.9 | 76        |
| 1201 | Increased antitumor activity of bevacizumab in combination with hypoxia inducible factor-1 inhibition. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 1867-1877.  | 4.1 | 157       |
| 1202 | Sphingosine-1-Phosphate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 902-908.  | 2.4 | 58        |
| 1203 | Hypoxia Inducible Factor 1 as a Therapeutic Target in Ischemic Stroke. <i>Current Medicinal Chemistry</i> , 2009, 16, 4593-4600.   | 2.4 | 136       |
| 1205 | Hypoxia-induced alveolar epithelial-mesenchymal transition requires mitochondrial ROS and hypoxia-inducible factor 1. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009, 297, L1120-L1130.   | 2.9 | 189       |
| 1206 | Selective Killing of Hypoxia-Inducible Factor-1 $\pm$ Active Cells Improves Survival in a Mouse Model of Invasive and Metastatic Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 3433-3441.   | 7.0 | 84        |
| 1207 | Targeting Heat Shock Protein 90 Overrides the Resistance of Lung Cancer Cells by Blocking Radiation-Induced Stabilization of Hypoxia-Inducible Factor-1 $\pm$ . <i>Cancer Research</i> , 2009, 69, 1624-1632.  | 0.9 | 124       |
| 1208 | Hypoxia-inducible factor-2 $\pm$ mRNA expression in human renal cell carcinoma. <i>Acta Oncologica</i> , 2009, 48, 909-914.  | 1.8 | 13        |
| 1209 | Inhibition of Prolyl Hydroxylase Domain-Containing Protein Suppressed Lipopolysaccharide-Induced TNF- $\pm$ Expression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 2132-2137.   | 2.4 | 69        |
| 1210 | Complementary but Distinct Roles for MRI and <sup>18</sup> F-Fluoromisonidazole PET in the Assessment of Human Glioblastomas. <i>Journal of Nuclear Medicine</i> , 2009, 50, 36-44.  | 5.0 | 137       |
| 1211 | Identification of a Novel Small Molecule HIF-1 $\pm$ Translation Inhibitor. <i>Clinical Cancer Research</i> , 2009, 15, 6128-6136.   | 7.0 | 102       |
| 1212 | Activation of a prometastatic gene expression program in hypoxic neuroblastoma cells. <i>Endocrine-Related Cancer</i> , 2009, 16, 991-1004.  | 3.1 | 32        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1213 | Kruppel-like Factor 2 Inhibits Hypoxia-inducible Factor 1 $\alpha$ Expression and Function in the Endothelium. Journal of Biological Chemistry, 2009, 284, 20522-20530.  | 3.4 | 76        |
| 1214 | Key Role for Activin B in Cellular Transformation after Loss of the von Hippel-Lindau Tumor Suppressor. Molecular and Cellular Biology, 2009, 29, 1707-1718.   | 2.3 | 22        |
| 1215 | The selective hypoxia inducible factor-1 inhibitor PX-478 provides <i>in vivo</i> radiosensitization through tumor stromal effects. Molecular Cancer Therapeutics, 2009, 8, 947-958.   | 4.1 | 84        |
| 1216 | Enhanced Interferon- $\gamma$ Gene Expression in T Cells and Reduced Ovalbumin-Dependent Lung Eosinophilia in Hypoxia-Inducible Factor-1 $\alpha$ -Deficient Mice. International Archives of Allergy and Immunology, 2009, 149, 98-102.              | 2.1 | 37        |
| 1217 | Drug Discovery for Overcoming Chronic Kidney Disease (CKD): Prolyl-Hydroxylase Inhibitors to Activate Hypoxia-Inducible Factor (HIF) as a Novel Therapeutic Approach in CKD. Journal of Pharmacological Sciences, 2009, 109, 24-31.                  | 2.5 | 37        |
| 1218 | Targeting both HIF-1 and HIF-2 in human colon cancer cells improves tumor response to sunitinib treatment. Molecular Cancer Therapeutics, 2009, 8, 1148-1156.  | 4.1 | 56        |
| 1219 | Mechanism of Cancer Cell Adaptation to Metabolic Stress. Molecular and Cellular Proteomics, 2009, 8, 70-85.  | 3.8 | 64        |
| 1220 | Radiotherapy Decreases Vascular Density and Causes Hypoxia with Macrophage Aggregation in TRAMP-C1 Prostate Tumors. Clinical Cancer Research, 2009, 15, 1721-1729.   | 7.0 | 117       |
| 1221 | Where did they come from? The origin of endogenous $\gamma$ -H2AX foci in tumor cells. Cell Cycle, 2009, 8, 2324-2324.   | 2.6 | 12        |
| 1222 | Identification of Chemical Compounds that Induce HIF-1 $\alpha$ Activity. Toxicological Sciences, 2009, 112, 153-163.  | 3.1 | 55        |
| 1223 | Hypoxia-Induced Autophagy Is Mediated through Hypoxia-Inducible Factor Induction of BNIP3 and BNIP3L via Their BH3 Domains. Molecular and Cellular Biology, 2009, 29, 2570-2581.   | 2.3 | 1,228     |
| 1224 | Characterization of a Robust Enzymatic Assay for Inhibitors of 2-Oxoglutarate-Dependent Hydroxylases. Journal of Biomolecular Screening, 2009, 14, 627-635.  | 2.6 | 13        |
| 1225 | An Akt/Hypoxia-Inducible Factor-1 $\alpha$ /Platelet-Derived Growth Factor-BB Autocrine Loop Mediates Hypoxia-Induced Chemoresistance in Liver Cancer Cells and Tumorigenic Hepatic Progenitor Cells. Clinical Cancer Research, 2009, 15, 3462-3471. | 7.0 | 106       |
| 1226 | Blood Flow-Metabolism Mismatch: Good for the Tumor, Bad for the Patient. Clinical Cancer Research, 2009, 15, 5294-5296.  | 7.0 | 43        |
| 1227 | Hypoxia Regulates Insulin Receptor Substrate-2 Expression to Promote Breast Carcinoma Cell Survival and Invasion. Cancer Research, 2009, 69, 8894-8901.  | 0.9 | 37        |
| 1228 | Participation of the lipoprotein receptor LRP1 in hypoxia-HSP90 $\alpha$ autocrine signaling to promote keratinocyte migration. Journal of Cell Science, 2009, 122, 1495-1498.   | 2.0 | 67        |
| 1229 | Proliferation of Immature Tumor Vessels Is a Novel Marker of Clinical Progression in Prostate Cancer. Cancer Research, 2009, 69, 4708-4715.  | 0.9 | 90        |
| 1230 | Angiogenesis as a Therapeutic Target in Malignant Gliomas. Oncologist, 2009, 14, 621-636.  | 3.7 | 106       |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1231 | Emerging role of Notch signaling in epidermal differentiation and skin cancer. <i>Cancer Biology and Therapy</i> , 2009, 8, 1986-1993.  | 3.4 | 82        |
| 1232 | Endothelin-1 Stimulates Lymphatic Endothelial Cells and Lymphatic Vessels to Grow and Invade. <i>Cancer Research</i> , 2009, 69, 2669-2676.   | 0.9 | 87        |
| 1233 | The association between hypoxia inducible factor-1 $\alpha$ gene polymorphisms and increased susceptibility to oral cancer. <i>Oral Oncology</i> , 2009, 45, e222-e226.   | 1.5 | 51        |
| 1234 | Nutrient transporters in cancer: Relevance to Warburg hypothesis and beyond. , 2009, 121, 29-40.  |     | 613       |
| 1235 | Regulation of cancer cell metabolism by hypoxia-inducible factor 1. <i>Seminars in Cancer Biology</i> , 2009, 19, 12-16.  | 9.6 | 410       |
| 1236 | Cancer Stem Cells, Hypoxia and Metastasis. <i>Seminars in Radiation Oncology</i> , 2009, 19, 106-111.   | 2.2 | 213       |
| 1237 | Therapeutic Targets in Malignant Glioblastoma Microenvironment. <i>Seminars in Radiation Oncology</i> , 2009, 19, 163-170.  | 2.2 | 60        |
| 1238 | An antiendothelial combination therapy strategy to increase survival in experimental pancreatic cancer. <i>Surgery</i> , 2009, 146, 241-249.  | 1.9 | 15        |
| 1239 | Maternal diabetes alters transcriptional programs in the developing embryo. <i>BMC Genomics</i> , 2009, 10, 274.  | 2.8 | 99        |
| 1240 | The l1-l2 regularization framework unmasks the hypoxia signature hidden in the transcriptome of a set of heterogeneous neuroblastoma cell lines. <i>BMC Genomics</i> , 2009, 10, 474.   | 2.8 | 27        |
| 1241 | Increased serum hepcidin-25 level and increased tumor expression of hepcidin mRNA are associated with metastasis of renal cell carcinoma. <i>BMC Cancer</i> , 2009, 9, 270.   | 2.6 | 55        |
| 1242 | No evidence for promoter region methylation of the succinate dehydrogenase and fumarate hydratase tumour suppressor genes in breast cancer. <i>BMC Research Notes</i> , 2009, 2, 194.   | 1.4 | 13        |
| 1243 | Hypoxia regulates inflammatory gene expression in endothelial cells. <i>Experimental Cell Research</i> , 2009, 315, 733-747.  | 2.6 | 28        |
| 1244 | HIF-1 $\alpha$ induces MXI1 by alternate promoter usage in human neuroblastoma cells. <i>Experimental Cell Research</i> , 2009, 315, 1924-1936.   | 2.6 | 24        |
| 1245 | Endothelial monocyte activating polypeptide-II modulates endothelial cell responses by degrading hypoxia-inducible factor-1 $\alpha$ through interaction with PSMA7, a component of the proteasome. <i>Experimental Cell Research</i> , 2009, 315, 1850-1859. | 2.6 | 28        |
| 1246 | Regulation of glucose metabolism by 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatases in cancer. <i>Experimental and Molecular Pathology</i> , 2009, 86, 174-179.   | 2.1 | 335       |
| 1248 | E2F1 represses $\beta$ -catenin/TCF activity by direct up-regulation of Siah1. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 1719-1727.   | 3.6 | 20        |
| 1249 | RNA-binding proteins implicated in the hypoxic response. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2759-2769.   | 3.6 | 66        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1250 | Transcriptional regulation of hypoxia-inducible factor 1 $\alpha$ by HIPK2 suggests a novel mechanism to restrain tumor growth. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 368-377.                       | 4.1  | 48        |
| 1251 | Identification of DHIC-2 as a HIF-1 independent protein involved in the adaptive response to hypoxia in tumor cells: A putative role in metastasis. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 1676-1690. | 4.1  | 3         |
| 1252 | Tumor cell energy metabolism and its common features with yeast metabolism. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2009, 1796, 252-265.  | 7.4  | 86        |
| 1253 | Metastasis mechanisms. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2009, 1796, 293-308.   | 7.4  | 277       |
| 1254 | Dioxin-induced toxicity on vascular remodeling of the placenta. <i>Biochemical Pharmacology</i> , 2009, 77, 660-669.  | 4.4  | 31        |
| 1255 | Transcriptional activation of hypoxia-inducible factor 1 $\alpha$ by HDAC4 and HDAC5 involves differential recruitment of p300 and FIH1. <i>FEBS Letters</i> , 2009, 583, 55-60.  | 2.8  | 55        |
| 1256 | Increase in mitochondrial biogenesis, oxidative stress, and glycolysis in murine lymphomas. <i>Free Radical Biology and Medicine</i> , 2009, 46, 387-396.   | 2.9  | 48        |
| 1257 | Control of Cyclin D1 and Breast Tumorigenesis by the EglN2 Prolyl Hydroxylase. <i>Cancer Cell</i> , 2009, 16, 413-424.  | 16.8 | 120       |
| 1258 | The redox state of glutathione regulates the hypoxic induction of HIF-1. <i>European Journal of Pharmacology</i> , 2009, 606, 45-49.  | 3.5  | 49        |
| 1260 | Transcriptional upregulation of HSP70 $\alpha$ by HIF1 in cancer cells in response to hypoxia. <i>International Journal of Cancer</i> , 2009, 124, 298-305.   | 5.1  | 54        |
| 1261 | NO $\alpha$ -sulindac inhibits the hypoxia response of PC $\alpha$ 3 prostate cancer cells <i>via</i> the Akt signalling pathway. <i>International Journal of Cancer</i> , 2009, 124, 223-232.  | 5.1  | 39        |
| 1262 | Interferon $\gamma$ reverses the immunosuppressive and protumoral properties and prevents the generation of human tumor-associated macrophages. <i>International Journal of Cancer</i> , 2009, 125, 367-373.                                | 5.1  | 262       |
| 1263 | Hospicells (ascites-derived stromal cells) promote tumorigenicity and angiogenesis. <i>International Journal of Cancer</i> , 2010, 126, 2090-2101.  | 5.1  | 70        |
| 1264 | HIF1 $\alpha$ is an unfavorable determinant of relapse in gastric cancer patients who underwent curative surgery followed by adjuvant 5-FU chemotherapy. <i>International Journal of Cancer</i> , 2010, 127, 1158-1171.                     | 5.1  | 32        |
| 1265 | MMP $\alpha$ 2 alters VEGF expression <i>via</i> $\alpha$ 2 $\beta$ integrin-mediated PI3K/AKT signaling in A549 lung cancer cells. <i>International Journal of Cancer</i> , 2010, 127, 1081-1095.  | 5.1  | 176       |
| 1266 | Circulating biomarkers for vascular endothelial growth factor inhibitors in renal cell carcinoma. <i>Cancer</i> , 2009, 115, 2346-2354.   | 4.1  | 25        |
| 1267 | Altered hypoxia-inducible factor 1 $\alpha$ expression levels correlate with coronary vessel anomalies. <i>Developmental Dynamics</i> , 2009, 238, 2688-2700.   | 1.8  | 41        |
| 1268 | Role of hypoxia in the hallmarks of human cancer. <i>Journal of Cellular Biochemistry</i> , 2009, 107, 1053-1062.   | 2.6  | 418       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1269 | The Apeâ€1/Refâ€1 redox antagonist E3330 inhibits the growth of tumor endothelium and endothelial progenitor cells: Therapeutic implications in tumor angiogenesis. Journal of Cellular Physiology, 2009, 219, 209-218.   | 4.1 | 74        |
| 1270 | Oxygenâ€independent degradation of HIFâ€1 via bioengineered VHL tumour suppressor complex. EMBO Molecular Medicine, 2009, 1, 66-78.   | 6.9 | 21        |
| 1271 | Increase in gene dosage is a mechanism of HIFâ€1 constitutive expression in head and neck squamous cell carcinomas. Genes Chromosomes and Cancer, 2009, 48, 441-454.   | 2.8 | 18        |
| 1272 | The relation between hypoxiaâ€inducible factor (HIF)â€1alpha expression with p53 expression and outcome in surgically treated supraglottic laryngeal cancer. Journal of Surgical Oncology, 2009, 99, 373-378.   | 1.7 | 19        |
| 1273 | Human inflammatory synovial fibroblasts induce enhanced myeloid cell recruitment and angiogenesis through a hypoxiaâ€inducible transcription factor 1/vascular endothelial growth factorâ€mediated pathway in immunodeficient mice. Arthritis and Rheumatism, 2009, 60, 2926-2934.                | 6.7 | 84        |
| 1274 | Effect of intermittent hypoxic training on HIF gene expression in human skeletal muscle and leukocytes. European Journal of Applied Physiology, 2009, 105, 515-524.   | 2.5 | 29        |
| 1275 | Effects of acute hypoxia tests on blood markers in high-level endurance athletes. European Journal of Applied Physiology, 2009, 106, 713-720.   | 2.5 | 23        |
| 1276 | An allelotype analysis indicating the presence of two distinct ovarian clear-cell carcinogenic pathways: endometriosis-associated pathway vs. clear-cell adenofibroma-associated pathway. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2009, 455, 261-270. | 2.8 | 22        |
| 1277 | Cancerâ€s craving for sugar: an opportunity for clinical exploitation. Journal of Cancer Research and Clinical Oncology, 2009, 135, 867-877.   | 2.5 | 50        |
| 1278 | Effects of HIF-1 on human gastric cancer cell apoptosis at different CO2 pressures. Clinical and Experimental Medicine, 2009, 9, 139-147.   | 3.6 | 9         |
| 1279 | The expression of HIF-1 and VEGF as well as their correlation with angiogenesis in esophageal squamous cell carcinomas. Chinese-German Journal of Clinical Oncology, 2009, 8, 199-202.  | 0.1 | 1         |
| 1280 | Backbone Resonance Assignment of a Proteolysis-Resistant Fragment in the Oxygen-Dependent Degradation Domain of the Hypoxia Inducible Factor 1. Molecules and Cells, 2009, 27, 493-496.   | 2.6 | 5         |
| 1281 | Association of the Hypoxia Inducible Factor-1 Gene Polymorphisms with Gastric Cancer in Tibetans. Biochemical Genetics, 2009, 47, 625-634.  | 1.7 | 32        |
| 1282 | Combined analysis of hypoxia-inducible factor 1 alpha and metallothionein indicates an aggressive subtype of colorectal carcinoma. International Journal of Colorectal Disease, 2009, 24, 1287-1296.  | 2.2 | 21        |
| 1283 | Structure-based virtual screening approach to the discovery of novel inhibitors of factor-inhibiting HIF-1: Identification of new chelating groups for the active-site ferrous ion. Bioorganic and Medicinal Chemistry, 2009, 17, 7769-7774.  | 3.0 | 4         |
| 1284 | Dual role of HIF-1 in delivering a survival or death signal in hypoxia exposed human K562 erythroleukemia cells. Cell Biology International, 2009, 33, 49-56.   | 3.0 | 5         |
| 1285 | Inhibition of PKHD1 may cause Sâ€phase entry via mTOR signaling pathway. Cell Biology International, 2009, 33, 926-933.  | 3.0 | 12        |
| 1286 | The tumor microenvironment and metastatic disease. Clinical and Experimental Metastasis, 2009, 26, 19-34.   | 3.3 | 265       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1287 | Three-dimensional context regulation of metastasis. <i>Clinical and Experimental Metastasis</i> , 2009, 26, 35-49.  | 3.3  | 285       |
| 1288 | Marine natural products as inhibitors of hypoxic signaling in tumors. <i>Phytochemistry Reviews</i> , 2009, 8, 415-429.   | 6.5  | 37        |
| 1289 | Inhibition of protein synthesis by imexon reduces HIF-1 $\alpha$ expression in normoxic and hypoxic pancreatic cancer cells. <i>Investigational New Drugs</i> , 2009, 27, 89-98.  | 2.6  | 11        |
| 1290 | Regression of Dalton's lymphoma in vivo via decline in lactate dehydrogenase and induction of apoptosis by a ruthenium(II)-complex containing 4-carboxy N-ethylbenzamide as ligand. <i>Investigational New Drugs</i> , 2009, 27, 503-516. | 2.6  | 29        |
| 1291 | HIF-1 $\alpha$ siRNA leads to apoptosis of pancreatic cancer cells under hypoxic conditions. <i>Chinese Journal of Clinical Oncology</i> , 2009, 6, 10-15.  | 0.0  | 1         |
| 1292 | Expression of hypoxia-inducible factor-1 $\alpha$ in liver tumors after transcatheter arterial embolization in an animal model. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2009, 29, 776-781.   | 1.0  | 8         |
| 1293 | Effect of Small Interference RNA Targeting HIF-1 $\alpha$ Mediated by rAAV Combined l-Ascorbate on Pancreatic Tumors in Athymic Mice. <i>Pathology and Oncology Research</i> , 2009, 15, 109-114.   | 1.9  | 14        |
| 1294 | Pharmacophore-based 3D-QSAR of HIF-1 inhibitors. <i>Archives of Pharmacal Research</i> , 2009, 32, 317-323.   | 6.3  | 9         |
| 1295 | In vivo therapeutic silencing of hypoxia-inducible factor 1 alpha (HIF-1 $\alpha$ ) using single-walled carbon nanotubes noncovalently coated with siRNA. <i>Nano Research</i> , 2009, 2, 279-291.  | 10.4 | 102       |
| 1296 | Role of hypoxia-inducible factor-1 $\alpha$ in angiogenic-osteogenic coupling. <i>Journal of Molecular Medicine</i> , 2009, 87, 583-590.  | 3.9  | 157       |
| 1297 | Endothelial oxygen sensors regulate tumor vessel abnormalization by instructing pericyte endothelial cells. <i>Journal of Molecular Medicine</i> , 2009, 87, 561-569.   | 3.9  | 33        |
| 1298 | Reactive oxygen species-dependent signaling regulates cancer. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 3663-3673.  | 5.4  | 241       |
| 1299 | Hypoxia, hypoxia-inducible factors (HIF), HIF hydroxylases and oxygen sensing. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 3539-3554.   | 5.4  | 229       |
| 1300 | Proteomics-based identification of two novel direct targets of hypoxia-inducible factor-1 and their potential roles in migration/invasion of cancer cells. <i>Proteomics</i> , 2009, 9, 3901-3912.  | 2.2  | 77        |
| 1301 | Novel concepts in atherogenesis: angiogenesis and hypoxia in atherosclerosis. <i>Journal of Pathology</i> , 2009, 218, 7-29.  | 4.5  | 324       |
| 1302 | A HIF-1 $\alpha$ -dependent autocrine feedback loop promotes survival of serum-deprived prostate cancer cells. <i>Prostate</i> , 2009, 69, 263-275.   | 2.3  | 16        |
| 1303 | Ets-1 and hypoxia inducible factor-1 $\alpha$ inhibition by angiotensin II type-1 receptor blockade in hormone-refractory prostate cancer. <i>Prostate</i> , 2010, 70, 162-169.   | 2.3  | 40        |
| 1304 | Potent antitumor activity of double-regulated oncolytic adenovirus-mediated ST13 for colorectal cancer. <i>Cancer Science</i> , 2009, 100, 678-683.   | 3.9  | 22        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1305 | Significance of nitroimidazole compounds and hypoxia-inducible factor-1 for imaging tumor hypoxia. <i>Cancer Science</i> , 2009, 100, 1366-1373.  | 3.9  | 201       |
| 1306 | SDH mutations in tumorigenesis and inherited endocrine tumours: lesson from the pheochromocytoma-paranglioma syndromes. <i>Journal of Internal Medicine</i> , 2009, 266, 19-42.   | 6.0  | 252       |
| 1307 | SEN3 is responsible for HIF-1 transactivation under mild oxidative stress via p300 de-SUMOylation. <i>EMBO Journal</i> , 2009, 28, 2748-2762.   | 7.8  | 172       |
| 1308 | Intravenous injection of siRNA directed against hypoxia-inducible factors prolongs survival in a Lewis lung carcinoma cancer model. <i>Cancer Gene Therapy</i> , 2009, 16, 195-205.                                     | 4.6  | 36        |
| 1309 | Regulation of endocytosis via the oxygen-sensing pathway. <i>Nature Medicine</i> , 2009, 15, 319-324.   | 30.7 | 178       |
| 1310 | Oxygen sensor boosts growth factor signaling. <i>Nature Medicine</i> , 2009, 15, 246-247.   | 30.7 | 21        |
| 1311 | Intolerant of glucose and gasping for oxygen. <i>Nature Medicine</i> , 2009, 15, 247-249.   | 30.7 | 8         |
| 1312 | When integrins fail to integrate. <i>Nature Medicine</i> , 2009, 15, 249-250.   | 30.7 | 7         |
| 1313 | Molecular targets for cancer chemoprevention. <i>Nature Reviews Drug Discovery</i> , 2009, 8, 213-225.  | 46.4 | 126       |
| 1314 | Inhibition of oxygen sensors as a therapeutic strategy for ischaemic and inflammatory disease. <i>Nature Reviews Drug Discovery</i> , 2009, 8, 139-152.   | 46.4 | 302       |
| 1315 | Generating specificity and diversity in the transcriptional response to hypoxia. <i>Nature Reviews Genetics</i> , 2009, 10, 821-832.  | 16.3 | 310       |
| 1316 | Hypoxia-activated autophagy accelerates degradation of SQSTM1/p62. <i>Oncogene</i> , 2009, 28, 334-344.   | 5.9  | 144       |
| 1317 | Silibinin inhibits hypoxia-inducible factor-1 $\alpha$ and mTOR/p70S6K/4E-BP1 signalling pathway in human cervical and hepatoma cancer cells: implications for anticancer therapy. <i>Oncogene</i> , 2009, 28, 313-324. | 5.9  | 161       |
| 1318 | VHL Type 2B gene mutation moderates HIF dosage in vitro and in vivo. <i>Oncogene</i> , 2009, 28, 1694-1705.   | 5.9  | 37        |
| 1319 | Reactivating HIF prolyl hydroxylases under hypoxia results in metabolic catastrophe and cell death. <i>Oncogene</i> , 2009, 28, 4009-4021.  | 5.9  | 108       |
| 1320 | Hypoxia promotes expansion of the CD133-positive glioma stem cells through activation of HIF-1 $\alpha$ . <i>Oncogene</i> , 2009, 28, 3949-3959.  | 5.9  | 628       |
| 1321 | The von Hippel-Lindau protein sensitizes renal carcinoma cells to apoptotic stimuli through stabilization of BIMEL. <i>Oncogene</i> , 2009, 28, 1864-1874.  | 5.9  | 27        |
| 1322 | HIF-1 $\alpha$ determines the metastatic potential of gastric cancer cells. <i>British Journal of Cancer</i> , 2009, 100, 772-781.  | 6.4  | 80        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1323 | Expression of carbonic anhydrase IX suggests poor outcome in rectal cancer. British Journal of Cancer, 2009, 100, 874-880.   | 6.4 | 97        |
| 1324 | Co-expression of Hif1 $\alpha$ and CAIX is associated with poor prognosis in oral squamous cell carcinoma patients. Journal of Oral Pathology and Medicine, 2010, 39, 313-317.                         | 2.7 | 47        |
| 1325 | Melatonin down-regulates HIF-1 $\alpha$ expression through inhibition of protein translation in prostate cancer cells. Journal of Pineal Research, 2009, 46, 415-421.                                  | 7.4 | 70        |
| 1326 | Concordant overexpression of phosphorylated ATF2 and STAT3 in extramammary Paget's disease. Journal of Cutaneous Pathology, 2009, 36, 402-408.   | 1.3 | 11        |
| 1327 | Impact of cyclic hypoxia on HIF-1 $\alpha$ regulation in endothelial cells – new insights for anti-tumor treatments. FEBS Journal, 2009, 276, 509-518.   | 4.7 | 41        |
| 1328 | Hypoxia-inducible factor-1 $\alpha$ blocks differentiation of malignant gliomas. FEBS Journal, 2009, 276, 7291-7304.   | 4.7 | 35        |
| 1329 | Cellular oxygen sensing, signalling and how to survive translational arrest in hypoxia. Acta Physiologica, 2009, 195, 205-230.   | 3.8 | 49        |
| 1330 | AMP-activated protein kinase and cancer. Acta Physiologica, 2009, 196, 55-63.  | 3.8 | 149       |
| 1331 | HIF-1 $\alpha$ protein expression is associated with the environmental inflammatory reaction in Barrett's metaplasia. Ecological Management and Restoration, 2009, 22, 694-699.                        | 0.4 | 15        |
| 1332 | Expression of Vascular Endothelial Growth Factor and Hypoxia Inducible Factor-1 $\alpha$ in Cervical Neoplasia. Annals of the New York Academy of Sciences, 2009, 1171, 105-110.                       | 3.8 | 22        |
| 1333 | Role of Hypoxia-inducible Factors in Epigenetic Regulation via Histone Demethylases. Annals of the New York Academy of Sciences, 2009, 1177, 185-197.  | 3.8 | 98        |
| 1334 | Regulation of Vascularization by Hypoxia-inducible Factor 1. Annals of the New York Academy of Sciences, 2009, 1177, 2-8.  | 3.8 | 48        |
| 1335 | Expression of KIT Receptor Tyrosine Kinase in Endothelial Cells of Juvenile Brain Tumors. Brain Pathology, 2010, 20, 763-770.  | 4.1 | 17        |
| 1336 | Development of targeted angiogenic medicine. Journal of Thrombosis and Haemostasis, 2009, 7, 21-33.  | 3.8 | 73        |
| 1337 | Induction of trefoil factor (TFF)1, TFF2 and TFF3 by hypoxia is mediated by hypoxia inducible factor-1: implications for gastric mucosal healing. British Journal of Pharmacology, 2009, 156, 262-272. | 5.4 | 67        |
| 1338 | Vitamin C: update on physiology and pharmacology. British Journal of Pharmacology, 2009, 157, 1097-1110.   | 5.4 | 356       |
| 1339 | Analysis of HIF-1 inhibition by manassantin A and analogues with modified tetrahydrofuran configurations. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 3783-3786.                             | 2.2 | 24        |
| 1340 | Gene regulation in response to graded hypoxia: The non-redundant roles of the oxygen sensors and FIH in the HIF pathway. Journal of Theoretical Biology, 2009, 259, 304-316.                           | 1.7 | 50        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1341 | Concomitant chemo-radiotherapy in clinical trials: To promote step by step rational development. Critical Reviews in Oncology/Hematology, 2009, 70, 206-215.                                       | 4.4  | 6         |
| 1342 | Hypoxia-inducible factor in cancer angiogenesis: Structure, regulation and clinical perspectives. Critical Reviews in Oncology/Hematology, 2009, 70, 93-102.                                       | 4.4  | 65        |
| 1343 | On the Path to Seeking Novel Radiosensitizers. International Journal of Radiation Oncology Biology Physics, 2009, 73, 988-996.   | 0.8  | 35        |
| 1344 | Immunohistochemical Detection of Changes in Tumor Hypoxia. International Journal of Radiation Oncology Biology Physics, 2009, 73, 1177-1186.   | 0.8  | 58        |
| 1345 | Usefulness of HIF-1 Imaging for Determining Optimal Timing of Combining Bevacizumab and Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2009, 75, 463-467.              | 0.8  | 21        |
| 1346 | 1-[4-(N-Benzylamino)phenyl]-3-phenylurea derivatives as a new class of hypoxia-inducible factor-1 $\pm$ inhibitors. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 3166-3169.               | 2.2  | 25        |
| 1347 | IFATS Collection: Adipose Stromal Cells Adopt a Proangiogenic Phenotype Under the Influence of Hypoxia. Stem Cells, 2009, 27, 266-274.   | 3.2  | 131       |
| 1348 | Chemokines in Lung Cancer Metastasis. , 2009, , 155-172.   |      | 0         |
| 1349 | Expression of the cellular oxygen sensor PHD2 (EGLN-1) predicts radiation sensitivity in squamous cell cancer of the head and neck. International Journal of Radiation Biology, 2009, 85, 900-908. | 1.8  | 14        |
| 1350 | Metabolic transformation in cancer. Carcinogenesis, 2009, 30, 1269-1280.   | 2.8  | 206       |
| 1351 | The HIF-1-active microenvironment: An environmental target for cancer therapy. Advanced Drug Delivery Reviews, 2009, 61, 623-632.  | 13.7 | 67        |
| 1352 | Transcriptionally regulated, prostate-targeted gene therapy for prostate cancer. Advanced Drug Delivery Reviews, 2009, 61, 572-588.  | 13.7 | 31        |
| 1353 | Regulation of Osteogenesis-Angiogenesis Coupling by HIFs and VEGF. Journal of Bone and Mineral Research, 2009, 24, 1347-1353.  | 2.8  | 321       |
| 1354 | The Role of Vascular Endothelial Growth Factor Genetic Variability in Cancer. Clinical Cancer Research, 2009, 15, 5297-5302.   | 7.0  | 76        |
| 1355 | Relationships between Cycling Hypoxia, HIF-1, Angiogenesis and Oxidative Stress. Radiation Research, 2009, 172, 653-665.   | 1.5  | 208       |
| 1356 | The <i>Caulerpa</i> Pigment Caulerpin Inhibits HIF-1 Activation and Mitochondrial Respiration. Journal of Natural Products, 2009, 72, 2104-2109.   | 3.0  | 52        |
| 1357 | Nonrenal regulation of EPO synthesis. Kidney International, 2009, 75, 682-688.   | 5.2  | 70        |
| 1358 | Nucleophilic Addition of Organozinc Reagents to 2-Sulfonyl Cyclic Ethers: Stereoselective Synthesis of Manassantins A and B. Organic Letters, 2009, 11, 89-92.                                     | 4.6  | 41        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1359 | Cellular Signal Transduction of the Hypoxia Response. <i>Journal of Biochemistry</i> , 2009, 146, 757-765.   | 1.7 | 76        |
| 1360 | Chapter 2 PI3K/PTEN Signaling in Angiogenesis and Tumorigenesis. <i>Advances in Cancer Research</i> , 2009, 102, 19-65.  | 5.0 | 469       |
| 1361 | Grape seed extract inhibits VEGF expression via reducing HIF-1 $\alpha$ protein expression. <i>Carcinogenesis</i> , 2009, 30, 636-644.   | 2.8 | 42        |
| 1363 | Pharmaceutical Perspectives of Cancer Therapeutics. , 2009, , .  |     | 15        |
| 1364 | Erythropoietin: An Historical Overview of Physiology, Molecular Biology and Gene Regulation. , 2009, , 1-18.   |     | 0         |
| 1365 | Regulation of Angiogenesis by Oxygen and Metabolism. <i>Developmental Cell</i> , 2009, 16, 167-179.  | 7.0 | 361       |
| 1366 | Antiangiogenic effect of ZSTK474, a novel phosphatidylinositol 3-kinase inhibitor. <i>European Journal of Cancer</i> , 2009, 45, 857-865.  | 2.8 | 66        |
| 1367 | Effect of HIF-1 modulation on the response of two- and three-dimensional cultures of human colon cancer cells to 5-fluorouracil. <i>European Journal of Cancer</i> , 2009, 45, 890-898.                          | 2.8 | 36        |
| 1368 | Drug-metabolising enzymes are down-regulated by hypoxia in differentiated human hepatoma HepaRG cells: HIF-1 $\alpha$ involvement in CYP3A4 repression. <i>European Journal of Cancer</i> , 2009, 45, 2882-2892. | 2.8 | 56        |
| 1369 | The role of angiogenesis in solid tumours: An overview. <i>European Journal of Internal Medicine</i> , 2009, 20, 663-671.  | 2.2 | 117       |
| 1370 | Revisiting the seed and soil in cancer metastasis. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 1452-1462.  | 2.8 | 105       |
| 1371 | Mitochondrial reticulum network dynamics in relation to oxidative stress, redox regulation, and hypoxia. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 1790-1804.                    | 2.8 | 88        |
| 1372 | Hypoxia and HIF-1 $\alpha$ expression in the epiphyseal cartilage following ischemic injury to the immature femoral head. <i>Bone</i> , 2009, 45, 280-288.   | 2.9 | 46        |
| 1373 | Cinnamon extract suppresses tumor progression by modulating angiogenesis and the effector function of CD8 + T cells. <i>Cancer Letters</i> , 2009, 278, 174-182.   | 7.2 | 90        |
| 1374 | Development of the pan-DAC inhibitor panobinostat (LBH589): Successes and challenges. <i>Cancer Letters</i> , 2009, 280, 233-241.  | 7.2 | 358       |
| 1375 | Upregulated expression of periostin by hypoxia in non-small-cell lung cancer cells promotes cell survival via the Akt/PKB pathway. <i>Cancer Letters</i> , 2009, 281, 213-219.                                   | 7.2 | 92        |
| 1376 | PI3K/Akt activity has variable cell-specific effects on expression of HIF target genes, CA9 and VEGF, in human cancer cell lines. <i>Cancer Letters</i> , 2009, 282, 109-115.                                    | 7.2 | 53        |
| 1377 | Iron metabolism in the eye: A review. <i>Experimental Eye Research</i> , 2009, 88, 204-215.  | 2.6 | 43        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1378 | Heterozygous Deficiency of PHD2 Restores Tumor Oxygenation and Inhibits Metastasis via Endothelial Normalization. <i>Cell</i> , 2009, 136, 839-851.  | 28.9 | 727       |
| 1379 | Endothelial Cells Form a Phalanx to Block Tumor Metastasis. <i>Cell</i> , 2009, 136, 810-812.  | 28.9 | 29        |
| 1380 | Oxygen Sensors at the Crossroad of Metabolism. <i>Cell Metabolism</i> , 2009, 9, 11-22.  | 16.2 | 251       |
| 1381 | Intestinal Hypoxia-Inducible Transcription Factors Are Essential for Iron Absorption following Iron Deficiency. <i>Cell Metabolism</i> , 2009, 9, 152-164.   | 16.2 | 353       |
| 1382 | Estrogen and hypoxia regulate estrogen receptor alpha in a synergistic manner. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 842-846.  | 2.1  | 23        |
| 1383 | Hypoxia enhances MUC1 expression in a lung adenocarcinoma cell line. <i>Biochemical and Biophysical Research Communications</i> , 2009, 379, 1060-1065.  | 2.1  | 32        |
| 1384 | Comparative proteome analysis using amine-reactive isobaric tagging reagents coupled with 2D LC/MS/MS in 3T3-L1 adipocytes following hypoxia or normoxia. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 135-140. | 2.1  | 17        |
| 1385 | A novel benzimidazole analogue inhibits the hypoxia-inducible factor (HIF)-1 pathway. <i>Biochemical and Biophysical Research Communications</i> , 2009, 385, 16-21.   | 2.1  | 52        |
| 1386 | STAT1 represses hypoxia-inducible factor-1-mediated transcription. <i>Biochemical and Biophysical Research Communications</i> , 2009, 387, 806-810.  | 2.1  | 25        |
| 1387 | TNF $\alpha$ induces HIF-1 $\alpha$ expression through activation of IKK $\beta$ . <i>Biochemical and Biophysical Research Communications</i> , 2009, 389, 640-644.  | 2.1  | 25        |
| 1388 | Silibinin inhibits expression of HIF-1 $\alpha$ through suppression of protein translation in prostate cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 71-76.  | 2.1  | 47        |
| 1389 | FLT3-ITD induces ara-C resistance in myeloid leukemic cells through the repression of the ENT1 expression. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 1001-1006.  | 2.1  | 38        |
| 1390 | Hammerhead ribozyme targeting human hypoxia inducible factor-1 $\alpha$ gene effectively attenuates HeLa xenograft tumors. <i>World Neurosurgery</i> , 2009, 72, S8-S16.   | 1.3  | 3         |
| 1392 | Potential vascular actions of 2-methoxyestradiol. <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 374-379.   | 7.1  | 50        |
| 1393 | Clinical implications of hypoxia inducible factor in renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009, 27, 238-245.   | 1.6  | 50        |
| 1394 | In vivo characterization of a reporter gene system for imaging hypoxia-induced gene expression. <i>Nuclear Medicine and Biology</i> , 2009, 36, 821-831.   | 0.6  | 15        |
| 1395 | T regulatory cells: hypoxia-adenosinergic suppression and re-direction of the immune response. <i>Trends in Immunology</i> , 2009, 30, 102-108.  | 6.8  | 170       |
| 1396 | Tumour angiogenesis: Its mechanism and therapeutic implications in malignant gliomas. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 1119-1130.   | 1.5  | 98        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1397 | Angiogenesis, hypoxia and VEGF expression during tumour growth in a human xenograft tumour model. <i>Microvascular Research</i> , 2009, 77, 96-103.  | 2.5  | 84        |
| 1398 | Adenovirus-mediated brain-derived neurotrophic factor expression regulated by hypoxia response element protects brain from injury of transient middle cerebral artery occlusion in mice. <i>Neuroscience Letters</i> , 2009, 465, 220-225. | 2.1  | 63        |
| 1399 | Regulatory role of HIF-1 $\alpha$ in the pathogenesis of age-related macular degeneration (AMD). <i>Ageing Research Reviews</i> , 2009, 8, 349-358.  | 10.9 | 127       |
| 1400 | Adenosine Receptors and Cancer. <i>Handbook of Experimental Pharmacology</i> , 2009, , 399-441.  | 1.8  | 124       |
| 1401 | A <i>Drosophila</i> model for congenital heart disease. <i>Drug Discovery Today: Disease Models</i> , 2009, 6, 47-54.  | 1.2  | 4         |
| 1402 | Hypoxia-HIF-1 $\alpha$ -C/EBP $\beta$ /Runx1 signaling in leukemic cell differentiation. <i>Pathophysiology</i> , 2009, 16, 297-303.   | 2.2  | 19        |
| 1403 | Redox Regulation of Multidrug Resistance in Cancer Chemotherapy: Molecular Mechanisms and Therapeutic Opportunities. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 99-133.   | 5.4  | 116       |
| 1404 | Taking advantage of tumor cell adaptations to hypoxia for developing new tumor markers and treatment strategies. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 1-39.   | 5.2  | 167       |
| 1405 | Micro-Environmental Mechanical Stress Controls Tumor Spheroid Size and Morphology by Suppressing Proliferation and Inducing Apoptosis in Cancer Cells. <i>PLoS ONE</i> , 2009, 4, e4632.   | 2.5  | 368       |
| 1406 | Inhibition of HIF-1 $\alpha$ activity by homeodomain-interacting protein kinase-2 correlates with sensitization of chemoresistant cells to undergo apoptosis. <i>Molecular Cancer</i> , 2009, 8, 1.  | 19.2 | 114       |
| 1407 | Expression and function of hypoxia inducible factor-1 $\alpha$ in human melanoma under non-hypoxic conditions. <i>Molecular Cancer</i> , 2009, 8, 104.   | 19.2 | 65        |
| 1408 | Identification of small molecule compounds that inhibit the HIF-1 signaling pathway. <i>Molecular Cancer</i> , 2009, 8, 117.   | 19.2 | 26        |
| 1409 | CLU $\alpha$ and Out $\alpha$ . <i>Advances in Cancer Research</i> , 2009, 105, 93-113.  | 5.0  | 25        |
| 1410 | The Dose of Growth Factors Influences the Synergistic Effect of Vascular Endothelial Growth Factor on Bone Morphogenetic Protein $\alpha$ -Induced Ectopic Bone Formation. <i>Tissue Engineering - Part A</i> , 2009, 15, 2123-2133.       | 3.1  | 51        |
| 1411 | CD147 silencing inhibits lactate transport and reduces malignant potential of pancreatic cancer cells in in vivo and in vitro models. <i>Gut</i> , 2009, 58, 1391-1398.  | 12.1 | 137       |
| 1412 | Direct Inhibition of Hypoxia-Inducible Transcription Factor Complex with Designed Dimeric Epidithiodiketopiperazine. <i>Journal of the American Chemical Society</i> , 2009, 131, 18078-18088.   | 13.7 | 75        |
| 1413 | Cyclooxygenase-2 in Cancer and Angiogenesis. <i>Angiology</i> , 2009, 60, 242-253.   | 1.8  | 66        |
| 1414 | Mitochondrial Regulation of Cell Survival and Death During Low-Oxygen Conditions. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 2673-2683.   | 5.4  | 51        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1415 | Preferential binding of HIF-1 to transcriptionally active loci determines cell-type specific response to hypoxia. <i>Genome Biology</i> , 2009, 10, R113.   | 9.6  | 131       |
| 1416 | A2B and A3 Adenosine Receptors Modulate Vascular Endothelial Growth Factor and Interleukin-8 Expression in Human Melanoma Cells Treated with Etoposide and Doxorubicin. <i>Neoplasia</i> , 2009, 11, 1064-1073.                 | 5.3  | 66        |
| 1417 | Solid tumours arising from differently pre-oxygenated cells: Comparable growth rates despite dissimilar tissue oxygenation. <i>International Journal of Radiation Biology</i> , 2009, 85, 981-988.                              | 1.8  | 1         |
| 1418 | An integrative genomics approach identifies Hypoxia Inducible Factor-1 (HIF-1)-target genes that form the core response to hypoxia. <i>Nucleic Acids Research</i> , 2009, 37, 4587-4602.  | 14.5 | 400       |
| 1419 | Deficient carbonic anhydrase 9 expression in UPR-impaired cells is associated with reduced survival in an acidic microenvironment. <i>Radiotherapy and Oncology</i> , 2009, 92, 437-442.  | 0.6  | 23        |
| 1420 | Imaging of CA IX with fluorescent labelled sulfonamides distinguishes hypoxic and (re)-oxygenated cells in a xenograft tumour model. <i>Radiotherapy and Oncology</i> , 2009, 92, 423-428.                                      | 0.6  | 185       |
| 1421 | Pyruvate into lactate and back: From the Warburg effect to symbiotic energy fuel exchange in cancer cells. <i>Radiotherapy and Oncology</i> , 2009, 92, 329-333.  | 0.6  | 463       |
| 1422 | Expression and Functional Regulation of Myoglobin in Epithelial Cancers. <i>American Journal of Pathology</i> , 2009, 175, 201-206.   | 3.8  | 74        |
| 1423 | Resistance to arginine deiminase treatment in melanoma cells is associated with induced argininosuccinate synthetase expression involving c-Myc/HIF-1 $\alpha$ /Sp4. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 3223-3233. | 4.1  | 113       |
| 1424 | Hypoxia, melanocytes and melanoma " survival and tumor development in the permissive microenvironment of the skin. <i>Pigment Cell and Melanoma Research</i> , 2009, 22, 166-174.   | 3.3  | 111       |
| 1425 | Transcriptional Regulation of Urokinase-type Plasminogen Activator Receptor by Hypoxia-Inducible Factor 1 Is Crucial for Invasion of Pancreatic and Liver Cancer. <i>Neoplasia</i> , 2009, 11, 196-199.                         | 5.3  | 63        |
| 1426 | Nitroimidazole-based bioreductive compounds bearing a quinazoline or a naphthyridine chromophore. <i>Anti-Cancer Drugs</i> , 2009, 20, 493-502.   | 1.4  | 5         |
| 1427 | Paraganglioma of the Head and Neck. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2009, 32, 304-307.   | 1.3  | 57        |
| 1428 | EVODIAMINE REPRESSES HYPOXIA-INDUCED INFLAMMATORY PROTEINS EXPRESSION AND HYPOXIA-INDUCIBLE FACTOR 1 $\alpha$ ACCUMULATION IN RAW264.7. <i>Shock</i> , 2009, 32, 263-269.   | 2.1  | 58        |
| 1429 | Dynamic Contrast-enhanced Magnetic Resonance Imaging as a Predictor of Clinical Outcome in Canine Spontaneous Soft Tissue Sarcomas Treated with Thermoradiotherapy. <i>Clinical Cancer Research</i> , 2009, 15, 4993-5001.      | 7.0  | 32        |
| 1430 | Signaling by Hypoxia-Inducible Factors Is Critical for Ovulation In Mice. <i>Endocrinology</i> , 2009, 150, 3392-3400.  | 2.8  | 125       |
| 1432 | PTEN suppression of YY1 induces HIF-2 activity in von hippel lindau null renal cell carcinoma. <i>Cancer Biology and Therapy</i> , 2009, 8, 1389-1401.  | 3.4  | 49        |
| 1433 | Chemotactic cytokines, obesity and type 2 diabetes:in vivoandin vitroevidence for a possible causal correlation?. <i>Proceedings of the Nutrition Society</i> , 2009, 68, 378-384.  | 1.0  | 53        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1434 | Endothelial progenitor cell homing: prominent role of the IGF2-IGF2R-PLC $\beta$ 2 axis. <i>Blood</i> , 2009, 113, 233-243.   | 1.4 | 136       |
| 1435 | Aberrant regulation of pVHL levels by microRNA promotes the HIF/VEGF axis in CLL B cells. <i>Blood</i> , 2009, 113, 5568-5574.  | 1.4 | 129       |
| 1436 | SNS-032 prevents hypoxia-mediated glioblastoma cell invasion by inhibiting hypoxia inducible factor-1 $\alpha$ expression. <i>International Journal of Oncology</i> , 2009, 34, 1051-60.                                      | 3.3 | 14        |
| 1437 | Imaging probe for tumor malignancy. , 2009, , .   |     | 0         |
| 1438 | Upregulation of Hypoxia-Inducible Factor-1 $\alpha$ mRNA and its Clinical Significance in Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2009, 4, 284-290.   | 1.1 | 45        |
| 1439 | In Vitro Effects of Hypoxia-Inducible Factor 1 $\alpha$ on the Biological Characteristics of the SiHa Uterine Cervix Cancer Cell Line. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 898-904.              | 2.5 | 5         |
| 1440 | MUC1 oncoprotein promotes autophagy in a survival response to glucose deprivation. <i>International Journal of Oncology</i> , 2009, 34, 1691-9.   | 3.3 | 41        |
| 1441 | Aging and Diabetes Impair the Neovascular Potential of Adipose-Derived Stromal Cells. <i>Plastic and Reconstructive Surgery</i> , 2009, 123, 475-485.   | 1.4 | 91        |
| 1442 | Recent Advances in the Signal Transduction Targeting of Colorectal Cancer: The Paradigm of Translational Medicine. <i>Current Signal Transduction Therapy</i> , 2009, 4, 6-21.  | 0.5 | 0         |
| 1443 | Regulation of Autophagy Through Multiple Independent Hypoxic Signaling Pathways. <i>Current Molecular Medicine</i> , 2009, 9, 417-424.  | 1.3 | 101       |
| 1444 | Hypoxic Tumor Microenvironment and Cancer Cell Differentiation. <i>Current Molecular Medicine</i> , 2009, 9, 425-434.   | 1.3 | 153       |
| 1445 | The Basic Science of Vascular Biology: Implications for the Practicing Surgeon. <i>Plastic and Reconstructive Surgery</i> , 2010, 126, 1528-1538.   | 1.4 | 39        |
| 1446 | Hypoxia Inducible Factor-1 in Cancer Immune Suppression. <i>Current Immunology Reviews</i> , 2010, 6, 260-271.  | 1.2 | 9         |
| 1447 | Tumour Reactions to Hypoxia. <i>Current Molecular Medicine</i> , 2010, 10, 381-386.   | 1.3 | 36        |
| 1448 | Vascular Disrupting Agents (VDAs) in Anticancer Therapy. <i>Current Clinical Pharmacology</i> , 2010, 5, 178-185.   | 0.6 | 19        |
| 1449 | Recent Advances in Structural Studies of the Carbonic Anhydrase Family: The Crystal Structure of Human CA IX and CA XIII. <i>Current Pharmaceutical Design</i> , 2010, 16, 3246-3254.   | 1.9 | 32        |
| 1450 | Double Immunohistochemical Staining Method for HIF-1 $\alpha$ and its Regulators PHD2 and PHD3 in Formalin-fixed Paraffin-embedded Tissues. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2010, 18, 375-381. | 1.2 | 9         |
| 1451 | MOSCATILIN REPRESSED LIPOPOLYSACCHARIDE-INDUCED HIF-1 $\alpha$ ACCUMULATION AND NF- $\kappa$ B ACTIVATION IN MURINE RAW264.7 CELLS. <i>Shock</i> , 2010, 33, 70-75.   | 2.1 | 29        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1452 | Endothelial Cell Energy Metabolism, Proliferation, and Apoptosis in Pulmonary Hypertension. , 2011, 1, 357-372.   |     | 77        |
| 1453 | Activated STAT3 Regulates Hypoxia-Induced Angiogenesis and Cell Migration in Human Glioblastoma. Neurosurgery, 2010, 67, 1386-1395.   | 1.1 | 60        |
| 1454 | Integration of Anti-Vascular Endothelial Growth Factor Therapies With Cytotoxic Chemotherapy in the Treatment of Colorectal Cancer. Cancer Journal (Sudbury, Mass ), 2010, 16, 220-225.                                 | 2.0 | 4         |
| 1455 | Role of intermittent hypoxia in the treatment of bronchial asthma and chronic obstructive pulmonary disease. Current Opinion in Allergy and Clinical Immunology, 2010, 10, 206-213.                                     | 2.3 | 22        |
| 1456 | Treatment with HIF-1 $\pm$ Antagonist PX-478 Inhibits Progression and Spread of Orthotopic Human Small Cell Lung Cancer and Lung Adenocarcinoma in Mice. Journal of Thoracic Oncology, 2010, 5, 940-949.                | 1.1 | 63        |
| 1457 | Rodent-specific hypoxia response elements enhance PAI-1 expression through HIF-1 or HIF-2 in mouse hepatoma cells. International Journal of Oncology, 2010, 37, 1627-38.  | 3.3 | 17        |
| 1458 | Oxygen: Stress and adaptation in cold-hardy insects. , 2010, , 141-165.   |     | 43        |
| 1459 | Cycling hypoxia increases U87 glioma cell radioresistance via ROS induced higher and long-term HIF-1 signal transduction activity. Oncology Reports, 2010, 24, 1629-36.   | 2.6 | 97        |
| 1460 | Thymosin $\beta$ 4 expression correlates with lymph node metastasis through hypoxia inducible factor-1 $\alpha$ induction in breast cancer. Oncology Reports, 2010, 25, .   | 2.6 | 2         |
| 1461 | Low-dose radiation augments vasculogenesis signaling through HIF-1 $\alpha$ dependent and $\alpha$ independent SDF-1 induction. Blood, 2010, 116, 3669-3676.  | 1.4 | 60        |
| 1462 | Macrophages give Gas(6) to cancer. Blood, 2010, 115, 2122-2123.   | 1.4 | 7         |
| 1463 | Porcupine expression is associated with the expression of S100P and other cancer-related molecules in non-small cell lung carcinoma. International Journal of Oncology, 2010, 36, 1015-21.                              | 3.3 | 13        |
| 1464 | Deguelin promotes apoptosis and inhibits angiogenesis of gastric cancer. Oncology Reports, 2010, , .  | 2.6 | 0         |
| 1465 | Effect of hypoxia-inducible factor 1 $\alpha$ on Survivin in colorectal cancer. Molecular Medicine Reports, 2010, 3, 409-15.  | 2.4 | 21        |
| 1466 | Current Advancement in Radiation Therapy for Uterine Cervical Cancer. Journal of Radiation Research, 2010, 51, 1-8.   | 1.6 | 43        |
| 1467 | The Suppression of Hypoxia-inducible Factor and Vascular Endothelial Growth Factor by siRNA Does not Affect the Radiation Sensitivity of Multicellular Tumor Spheroids. Journal of Radiation Research, 2010, 51, 47-55. | 1.6 | 11        |
| 1468 | Role of the RNA-Binding Protein HuR in Apoptosis and Apoptosome Function. , 2010, , 203-220.  |     | 4         |
| 1469 | xCT modulation in gliomas: Relevance to energy metabolism and tumor microenvironment normalization. Annals of Anatomy, 2010, 192, 309-313.  | 1.9 | 35        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1470 | Molecular interactions in cancer cell metastasis. Acta Histochemica, 2010, 112, 3-25.  | 1.8  | 260       |
| 1471 | The Control of the Metabolic Switch in Cancers by Oncogenes and Tumor Suppressor Genes. Science, 2010, 330, 1340-1344.   | 12.6 | 1,070     |
| 1472 | Correlation of Hypoxia-Inducible Factor 1 $\alpha$ with Angiogenesis in Liver Tumors After Transcatheter Arterial Embolization in an Animal Model. CardioVascular and Interventional Radiology, 2010, 33, 806-812.     | 2.0  | 55        |
| 1473 | Se-methylselenocysteine sensitizes hypoxic tumor cells to irinotecan by targeting hypoxia-inducible factor 1 $\alpha$ . Cancer Chemotherapy and Pharmacology, 2010, 66, 899-911.                                       | 2.3  | 67        |
| 1474 | Role of hypoxia-inducible transcription factor 1 $\alpha$ for progression and chemosensitivity of murine hepatocellular carcinoma. Journal of Molecular Medicine, 2010, 88, 817-827.                                   | 3.9  | 34        |
| 1475 | Impaired retinal vascular development in anencephalic human fetus. Histochemistry and Cell Biology, 2010, 134, 277-284.  | 1.7  | 12        |
| 1476 | Hypoxia stimulates lactate release and modulates monocarboxylate transporter (MCT1, MCT2, and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5<br>509-518.   | 2.8  | 131       |
| 1477 | Hypoxia and metabolic phenotypes during breast carcinogenesis: expression of HIF-1 $\alpha$ , GLUT1, and CAIX. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2010, 457, 53-61. | 2.8  | 80        |
| 1478 | Hypoxia induced paclitaxel resistance in human ovarian cancers via hypoxia-inducible factor 1 $\alpha$ . Journal of Cancer Research and Clinical Oncology, 2010, 136, 447-456.   | 2.5  | 54        |
| 1479 | Expression of hypoxia-inducible factor-1 alpha (HIF-1 $\alpha$ ) in patients with the gallbladder carcinoma. International Journal of Clinical Oncology, 2010, 15, 59-64.  | 2.2  | 27        |
| 1481 | Molecular targeted therapy for advanced hepatocellular carcinoma: current status and future perspectives. Journal of Gastroenterology, 2010, 45, 794-807.  | 5.1  | 61        |
| 1482 | Molecular imaging of inflammation and intraplaque vasa vasorum: A step forward to identification of vulnerable plaques?. Journal of Nuclear Cardiology, 2010, 17, 897-912.   | 2.1  | 55        |
| 1483 | Perspectives in drug development for metastatic renal cell cancer. Targeted Oncology, 2010, 5, 139-156.  | 3.6  | 9         |
| 1484 | Genome-wide identification and annotation of HIF-1 $\alpha$ binding sites in two cell lines using massively parallel sequencing. The HUGO Journal, 2010, 4, 35-48.   | 4.1  | 43        |
| 1485 | Von Hippel-Lindau syndrome: molecular mechanisms of the disease. Clinical and Translational Oncology, 2010, 12, 160-165.   | 2.4  | 18        |
| 1486 | New Developments in Targeted Therapy for Soft Tissue Sarcoma. Current Oncology Reports, 2010, 12, 261-265.   | 4.0  | 14        |
| 1487 | Cardiac microvascular endothelial cells express and release nerve growth factor but not fibroblast growth factor-2. In Vitro Cellular and Developmental Biology - Animal, 2010, 46, 469-476.                           | 1.5  | 9         |
| 1488 | No evidence for DNA methylation of von Hippel-Lindau ubiquitin ligase complex genes in breast cancer. Breast Cancer Research and Treatment, 2010, 124, 853-856.  | 2.5  | 2         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1489 | The regulation of energy metabolism and the IGF-1/mTOR pathways by the p53 protein. Trends in Cell Biology, 2010, 20, 427-434.  | 7.9  | 316       |
| 1490 | Potent inhibition of tumoral hypoxia-inducible factor 1 $\alpha$ by albendazole. BMC Cancer, 2010, 10, 143.   | 2.6  | 48        |
| 1491 | Relationships between hypoxia markers and the leptin system, estrogen receptors in human primary and metastatic breast cancer: effects of preoperative chemotherapy. BMC Cancer, 2010, 10, 320.   | 2.6  | 31        |
| 1492 | The cytoprotective drug amifostine modifies both expression and activity of the pro-angiogenic factor VEGF-A. BMC Medicine, 2010, 8, 19.  | 5.5  | 20        |
| 1493 | Blood cell gene expression associated with cellular stress defense is modulated by antioxidant-rich food in a randomised controlled clinical trial of male smokers. BMC Medicine, 2010, 8, 54.  | 5.5  | 72        |
| 1494 | The VHL-dependent regulation of microRNAs in renal cancer. BMC Medicine, 2010, 8, 64.   | 5.5  | 150       |
| 1495 | Hypoxia and mitochondrial oxidative metabolism. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 1171-1177.   | 1.0  | 474       |
| 1496 | Activation of the sonic hedgehog signaling controls human pulmonary arterial smooth muscle cell proliferation in response to hypoxia. Biochimica Et Biophysica Acta - Molecular Cell Research, 2010, 1803, 1359-1367.                               | 4.1  | 52        |
| 1497 | Dissecting the transcriptional functions of human DNA topoisomerase I by selective inhibitors: Implications for physiological and therapeutic modulation of enzyme activity. Biochimica Et Biophysica Acta: Reviews on Cancer, 2010, 1806, 240-250. | 7.4  | 27        |
| 1498 | Synchronised phosphorylation of BNIP3, Bcl-2 and Bcl-xL in response to microtubule-active drugs is JNK-independent and requires a mitotic kinase. Biochemical Pharmacology, 2010, 79, 1562-1572.  | 4.4  | 18        |
| 1499 | Flavonoids inhibit hypoxia-induced vascular endothelial growth factor expression by a HIF-1 independent mechanism. Biochemical Pharmacology, 2010, 79, 1600-1609.   | 4.4  | 68        |
| 1500 | Apoptosis and cancer stem cells: Implications for apoptosis targeted therapy. Biochemical Pharmacology, 2010, 80, 423-430.  | 4.4  | 78        |
| 1501 | The IGF1R inhibitor NVP-AEW541 disrupts a pro-survival and pro-angiogenic IGF-STAT3-HIF1 pathway in human glioblastoma cells. Biochemical Pharmacology, 2010, 80, 455-462.  | 4.4  | 67        |
| 1502 | LW6, a novel HIF-1 inhibitor, promotes proteasomal degradation of HIF-1 $\alpha$ via upregulation of VHL in a colon cancer cell line. Biochemical Pharmacology, 2010, 80, 982-989.  | 4.4  | 113       |
| 1503 | Modulation of cell sensitivity to antitumor agents by targeting survival pathways. Biochemical Pharmacology, 2010, 80, 1459-1465.   | 4.4  | 17        |
| 1504 | Siah2-Dependent Concerted Activity of HIF and FoxA2 Regulates Formation of Neuroendocrine Phenotype and Neuroendocrine Prostate Tumors. Cancer Cell, 2010, 18, 23-38.   | 16.8 | 208       |
| 1505 | Consequences of IkappaB alpha hydroxylation by the factor inhibiting HIF (FIH). FEBS Letters, 2010, 584, 4725-4730.   | 2.8  | 19        |
| 1506 | Reactive oxygen species produced by the knockdown of manganese-superoxide dismutase up-regulate hypoxia-inducible factor-1 $\alpha$ expression in oral squamous cell carcinoma cells. Free Radical Biology and Medicine, 2010, 48, 1321-1329.       | 2.9  | 38        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1507 | HIF-1 $\alpha$ signaling is augmented during intermittent hypoxia by induction of the Nrf2 pathway in NOX1-expressing adenocarcinoma A549 cells. <i>Free Radical Biology and Medicine</i> , 2010, 48, 1626-1635.                               | 2.9  | 126       |
| 1508 | Retention of prolyl hydroxylase PHD2 in the cytoplasm prevents PHD2-induced anchorage-independent carcinoma cell growth. <i>Experimental Cell Research</i> , 2010, 316, 1169-1178.   | 2.6  | 12        |
| 1509 | Liprin- $\beta$ 4 is a new hypoxia-inducible target gene required for maintenance of cell-cell contacts. <i>Experimental Cell Research</i> , 2010, 316, 2883-2892.   | 2.6  | 17        |
| 1510 | MFTZ $\alpha$ 1 reduces constitutive and inducible HIF $\alpha$ 1 $\alpha$ accumulation and VEGF secretion independent of its topoisomerase II inhibition. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 2281-2291.            | 3.6  | 14        |
| 1511 | Tumour hypoxia induces a metabolic shift causing acidosis: a common feature in cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 771-794.  | 3.6  | 536       |
| 1512 | Oxygen-mediated endocytosis in cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 496-503.  | 3.6  | 33        |
| 1513 | The role of HIF prolyl hydroxylases in tumour growth. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 758-770.   | 3.6  | 83        |
| 1514 | Antiangiogenesis agents in the treatment of soft tissue sarcomas. <i>Cancer</i> , 2010, 116, 1177-1183.  | 4.1  | 23        |
| 1515 | Bisphosphonates suppress insulin-like growth factor 1-induced angiogenesis via the HIF $\alpha$ 1 $\alpha$ /VEGF signaling pathways in human breast cancer cells. <i>International Journal of Cancer</i> , 2010, 126, 90-103.                  | 5.1  | 77        |
| 1516 | VEGF $\alpha$ expression in osteoclasts is regulated by NF $\kappa$ B induction of HIF $\alpha$ 1 $\alpha$ . <i>Journal of Cellular Biochemistry</i> , 2010, 110, 343-351.   | 2.6  | 47        |
| 1517 | The transcriptional response of normal and rheumatoid arthritis synovial fibroblasts to hypoxia. <i>Arthritis and Rheumatism</i> , 2010, 62, 3584-3594.  | 6.7  | 49        |
| 1518 | Hypoxia inducible factor $\alpha$ 1 $\alpha$ gene polymorphism G1790A and its interaction with tobacco and alcohol consumptions increase susceptibility to hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2010, 102, 163-169. | 1.7  | 51        |
| 1519 | Cobalt chloride, a chemical inducer of hypoxia-inducible factor-1 $\alpha$ in U251 human glioblastoma cell line. <i>Journal of Saudi Chemical Society</i> , 2010, 14, 197-201.   | 5.2  | 39        |
| 1520 | Anti-HIF-1 $\alpha$ antibody-conjugated pluronic triblock copolymers encapsulated with Paclitaxel for tumor targeting therapy. <i>Biomaterials</i> , 2010, 31, 2302-2312.  | 11.4 | 106       |
| 1521 | Boron-containing phenoxyacetanilide derivatives as hypoxia-inducible factor (HIF)-1 $\alpha$ inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 1453-1456.  | 2.2  | 57        |
| 1522 | Development of novel inhibitors targeting HIF-1 $\alpha$ towards anticancer drug discovery. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 6426-6429.   | 2.2  | 17        |
| 1523 | Irradiation-Dependent Effects on Tumor Perfusion and Endogenous and Exogenous Hypoxia Markers in an A549 Xenograft Model. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1500-1508.                            | 0.8  | 16        |
| 1524 | The role of HIF-1 in up-regulating MICA expression on human renal proximal tubular epithelial cells during hypoxia/reoxygenation. <i>BMC Cell Biology</i> , 2010, 11, 91.  | 3.0  | 43        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1525 | PC-3 prostate carcinoma cells release signal substances that influence the migratory activity of cells in the tumor's microenvironment. <i>Cell Communication and Signaling</i> , 2010, 8, 17.   | 6.5  | 12        |
| 1526 | Presenilin-1 regulates induction of hypoxia inducible factor-1 $\alpha$ : altered activation by a mutation associated with familial Alzheimer's disease. <i>Molecular Neurodegeneration</i> , 2010, 5, 38.                                     | 10.8 | 32        |
| 1527 | Engineering Nanocomposite Materials for Cancer Therapy. <i>Small</i> , 2010, 6, 2336-2357.   | 10.0 | 224       |
| 1528 | Oxygen homeostasis. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2010, 2, 336-361.   | 6.6  | 288       |
| 1529 | VHL and HIF signalling in renal cell carcinogenesis. <i>Journal of Pathology</i> , 2010, 221, 125-138.   | 4.5  | 258       |
| 1530 | Altered expression of mRNA for <i>HIF-1<math>\alpha</math></i> and its target genes <i>RTP801</i> and <i>VEGF</i> in patients with oral lichen planus. <i>Oral Diseases</i> , 2010, 16, 299-304.   | 3.0  | 11        |
| 1531 | Prospective evaluation of angiogenic, hypoxic and EGFR-related biomarkers in recurrent glioblastoma multiforme treated with cetuximab, bevacizumab and irinotecan. <i>Apmis</i> , 2010, 118, 585-594.  | 2.0  | 36        |
| 1532 | Up-regulation of pro-inflammatory genes as adaptation to hypoxia in MCF7 cells and in human mammary invasive carcinoma microenvironment. <i>Cancer Science</i> , 2010, 101, 1014-1023.   | 3.9  | 57        |
| 1533 | Correlation of hypoxic signalling to histological grade and outcome in cartilage tumours. <i>Histopathology</i> , 2010, 56, 641-651.   | 2.9  | 46        |
| 1534 | Expression of key hypoxia sensing prolyl hydroxylases PHD1, 2 and 3 in pancreaticobiliary cancer. <i>Histopathology</i> , 2010, 56, 908-920.   | 2.9  | 38        |
| 1535 | Expression and clinicopathological significance of human growth and transformation-dependent protein (HGTDP) in uterine cervical cancer. <i>Histopathology</i> , 2010, 57, 479-482.  | 2.9  | 3         |
| 1536 | DNA methylation analysis of the HIF-1 $\alpha$ prolyl hydroxylase domain genes <i>PHD1</i> , <i>PHD2</i> , <i>PHD3</i> and the factor inhibiting HIF gene <i>FIH</i> in invasive breast carcinomas. <i>Histopathology</i> , 2010, 57, 451-460. | 2.9  | 15        |
| 1537 | Hypoxic stress up-regulates the expression of Toll-like receptor 4 in macrophages via hypoxia-inducible factor. <i>Immunology</i> , 2010, 129, 516-524.  | 4.4  | 152       |
| 1538 | Transglutaminase 2 suppresses apoptosis by modulating caspase 3 and NF- $\kappa$ B activity in hypoxic tumor cells. <i>Oncogene</i> , 2010, 29, 356-367.   | 5.9  | 115       |
| 1539 | Q's next: the diverse functions of glutamine in metabolism, cell biology and cancer. <i>Oncogene</i> , 2010, 29, 313-324.  | 5.9  | 1,078     |
| 1540 | Regulation of autophagy by ATF4 in response to severe hypoxia. <i>Oncogene</i> , 2010, 29, 4424-4435.  | 5.9  | 320       |
| 1541 | Multiple receptor tyrosine kinases regulate HIF-1 $\alpha$ and HIF-2 $\alpha$ in normoxia and hypoxia in neuroblastoma: implications for antiangiogenic mechanisms of multikinase inhibitors. <i>Oncogene</i> , 2010, 29, 2938-2949.           | 5.9  | 69        |
| 1542 | Hypoxia potentiates Notch signaling in breast cancer leading to decreased E-cadherin expression and increased cell migration and invasion. <i>British Journal of Cancer</i> , 2010, 102, 351-360.  | 6.4  | 292       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1543 | â€˜Desperate house genesâ€™™: the dramatic example of hypoxia. British Journal of Cancer, 2010, 102, 1037-1043.  | 6.4  | 74        |
| 1544 | High levels of carbonic anhydrase IX in tumour tissue and plasma are biomarkers of poor prognostic in patients with non-small cell lung cancer. British Journal of Cancer, 2010, 102, 1627-1635. | 6.4  | 156       |
| 1545 | Detecting treatment response in a model of human breast adenocarcinoma using hyperpolarised [1-13C]pyruvate and [1,4-13C2]fumarate. British Journal of Cancer, 2010, 103, 1400-1406.             | 6.4  | 124       |
| 1546 | The tumour suppressor C/EBPÎ² inhibits FBXW7 expression and promotes mammary tumour metastasis. EMBO Journal, 2010, 29, 4106-4117.   | 7.8  | 95        |
| 1547 | HIF-1 antagonizes p53-mediated apoptosis through a secreted neuronal tyrosinase. Nature, 2010, 465, 577-583.   | 27.8 | 179       |
| 1548 | Muscle-specific expression of hypoxia-inducible factor in human skeletal muscle. Experimental Physiology, 2010, 95, 899-907.   | 2.0  | 29        |
| 1549 | Silencing of HIF-1Î± suppresses tumorigenicity of renal cell carcinoma through induction of apoptosis. Cancer Gene Therapy, 2010, 17, 212-222.   | 4.6  | 27        |
| 1550 | Posttranslational modifications of collagens as targets of hypoxia and Hif1Î± in endochondral bone development. Annals of the New York Academy of Sciences, 2010, 1192, 317-321.                 | 3.8  | 12        |
| 1551 | The relevance of a hypoxic tumour microenvironment in prostate cancer. BJU International, 2010, 105, 8-13.   | 2.5  | 94        |
| 1552 | Novel systemic approaches to treatment of HCC. Wspolczesna Onkologia, 2010, 1, 23-30.  | 1.4  | 0         |
| 1553 | Angiogenesis Signaling Pathways as Targets in Cancer Therapy. , 2010, , 2895-2905.   |      | 4         |
| 1554 | Building Cell Selectivity into CPP-Mediated Strategies. Pharmaceuticals, 2010, 3, 1456-1490.   | 3.8  | 46        |
| 1555 | Effects of HIF-1 and HIF2 on Growth and Metabolism of Clear-Cell Renal Cell Carcinoma 786-O Xenografts. Journal of Oncology, 2010, 2010, 1-14.   | 1.3  | 76        |
| 1556 | Molecular Targeting of Carbonic Anhydrase IX in Mice with Hypoxic HT29 Colorectal Tumor Xenografts. PLoS ONE, 2010, 5, e10857.   | 2.5  | 52        |
| 1557 | Inhibition of Hypoxia-Inducible Factor-1Î± (HIF-1Î±) Protein Synthesis by DNA Damage Inducing Agents. PLoS ONE, 2010, 5, e10522.   | 2.5  | 48        |
| 1558 | Bcl-2 Regulates HIF-1Î± Protein Stabilization in Hypoxic Melanoma Cells via the Molecular Chaperone HSP90. PLoS ONE, 2010, 5, e11772.  | 2.5  | 72        |
| 1559 | Hypoxia-Inducible Factor 1Î± Determines Gastric Cancer Chemosensitivity via Modulation of p53 and NF-ÎºB. PLoS ONE, 2010, 5, e12038.   | 2.5  | 110       |
| 1560 | Ets-1 Regulates Energy Metabolism in Cancer Cells. PLoS ONE, 2010, 5, e13565.  | 2.5  | 49        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1561 | In Vivo Imaging of HIF-Active Tumors by an Oxygen-Dependent Degradation Protein Probe with an Interchangeable Labeling System. PLoS ONE, 2010, 5, e15736.                                | 2.5 | 34        |
| 1562 | HIF-1 $\pm$ is a Prognostic Marker in Oral Squamous Cell Carcinomas. International Journal of Biological Markers, 2010, 25, 87-92.   | 1.8 | 38        |
| 1563 | The role of hypoxia and acidosis in promoting metastasis and resistance to chemotherapy. Frontiers in Bioscience - Landmark, 2010, 15, 213.  | 3.0 | 101       |
| 1564 | From antiangiogenesis to hypoxia: current research and future directions. Cancer Management and Research, 0, , 9.  | 1.9 | 0         |
| 1565 | Positron Emission Tomography Imaging of Tumor Hypoxia. Current Medical Imaging, 2010, 6, 8-16.   | 0.8 | 4         |
| 1566 | A STAT3-mediated metabolic switch is involved in tumour transformation and STAT3 addiction. Aging, 2010, 2, 823-842.   | 3.1 | 231       |
| 1567 | A New View of Carcinogenesis and an Alternative Approach to Cancer Therapy. Molecular Medicine, 2010, 16, 144-153.   | 4.4 | 94        |
| 1568 | Immunohistochemical Expression and Prognostic Value of VEGF, HIF-1 $\pm$ , EGFR in Non-Small Cell Lung Cancer. Tuberculosis and Respiratory Diseases, 2010, 68, 22.                      | 1.8 | 1         |
| 1569 | Roles of protein kinase B Akt in lung cancer. Frontiers in Bioscience - Elite, 2010, E2, 1472-1484.  | 1.8 | 27        |
| 1570 | Inhibition of Hypoxia-Induced Cell Motility by p16 in MDA-MB-231 Breast Cancer Cells. Journal of Cancer, 2010, 1, 126-135.   | 2.5 | 18        |
| 1571 | Adrenomedullin as a therapeutic target in angiogenesis. Expert Opinion on Therapeutic Targets, 2010, 14, 1059-1072.  | 3.4 | 20        |
| 1572 | Elevated expression of protein kinase C $\delta$ induces cell scattering upon serum deprivation. Journal of Cell Science, 2010, 123, 2901-2913.  | 2.0 | 18        |
| 1573 | Feedback regulators of hypoxia-inducible factors and their role in cancer biology. Cell Cycle, 2010, 9, 2821-2835.   | 2.6 | 44        |
| 1574 | NFE2L2 Gene Mutation in Male Japanese Squamous Cell Carcinoma of the Lung. Journal of Thoracic Oncology, 2010, 5, 786-789.   | 1.1 | 22        |
| 1575 | Hypoxia-inducible Factor-1 Activation in Nonhypoxic Conditions: The Essential Role of Mitochondrial-derived Reactive Oxygen Species. Molecular Biology of the Cell, 2010, 21, 3247-3257. | 2.1 | 144       |
| 1576 | Receptor Channel TRPC6 Is a Key Mediator of Notch-Driven Glioblastoma Growth and Invasiveness. Cancer Research, 2010, 70, 418-427.   | 0.9 | 173       |
| 1577 | Signaling pathways in renal cell carcinoma. Cancer Biology and Therapy, 2010, 10, 658-664.   | 3.4 | 173       |
| 1578 | Aminoflavone, a Ligand of the Aryl Hydrocarbon Receptor, Inhibits HIF-1 $\pm$ Expression in an AhR-Independent Fashion. Cancer Research, 2010, 70, 6837-6848.                            | 0.9 | 96        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1579 | Potent Preclinical Impact of Metronomic Low-Dose Oral Topotecan Combined with the Antiangiogenic Drug Pazopanib for the Treatment of Ovarian Cancer. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 996-1006.    | 4.1  | 102       |
| 1580 | Hypoxia stimulates CXCR4 signalling in ileal carcinoids. <i>Endocrine-Related Cancer</i> , 2010, 17, 303-316.   | 3.1  | 35        |
| 1581 | Active HIF-1 in the Normal Human Retina. <i>Journal of Histochemistry and Cytochemistry</i> , 2010, 58, 247-254.  | 2.5  | 44        |
| 1582 | Myricetin inhibits UVB-induced angiogenesis by regulating PI-3 kinase in vivo. <i>Carcinogenesis</i> , 2010, 31, 911-917.   | 2.8  | 70        |
| 1583 | The Lysyl Oxidases LOX and LOXL2 Are Necessary and Sufficient to Repress E-cadherin in Hypoxia. <i>Journal of Biological Chemistry</i> , 2010, 285, 6658-6669.  | 3.4  | 213       |
| 1584 | Hypoxia Modulates EWS-FLI1 Transcriptional Signature and Enhances the Malignant Properties of Ewing's Sarcoma Cells <i>in vitro</i> . <i>Cancer Research</i> , 2010, 70, 4015-4023.                               | 0.9  | 65        |
| 1585 | Low Ascorbate Levels Are Associated with Increased Hypoxia-Inducible Factor-1 Activity and an Aggressive Tumor Phenotype in Endometrial Cancer. <i>Cancer Research</i> , 2010, 70, 5749-5758.                     | 0.9  | 116       |
| 1586 | Longitudinal optical imaging of tumor metabolism and hemodynamics. <i>Journal of Biomedical Optics</i> , 2010, 15, 011112.  | 2.6  | 57        |
| 1587 | A Seven-Gene Set Associated with Chronic Hypoxia of Prognostic Importance in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2010, 16, 4278-4288.   | 7.0  | 56        |
| 1588 | Fumarase tumor suppressor gene and MET oncogene cooperate in upholding transformation and tumorigenesis. <i>FASEB Journal</i> , 2010, 24, 2680-2688.  | 0.5  | 12        |
| 1589 | Decreased Selenium-Binding Protein 1 in Esophageal Adenocarcinoma Results from Posttranscriptional and Epigenetic Regulation and Affects Chemosensitivity. <i>Clinical Cancer Research</i> , 2010, 16, 2009-2021. | 7.0  | 69        |
| 1590 | MicroRNA-519c Suppresses Hypoxia-Inducible Factor-1 $\alpha$ Expression and Tumor Angiogenesis. <i>Cancer Research</i> , 2010, 70, 2675-2685.   | 0.9  | 187       |
| 1591 | Targetfinder.org: a resource for systematic discovery of transcription factor target genes. <i>Nucleic Acids Research</i> , 2010, 38, W233-W238.  | 14.5 | 29        |
| 1592 | High <sup>18</sup> F-FDG Uptake in Microscopic Peritoneal Tumors Requires Physiologic Hypoxia. <i>Journal of Nuclear Medicine</i> , 2010, 51, 632-638.  | 5.0  | 38        |
| 1593 | Novel Metastasis-Related Gene CIM Functions in the Regulation of Multiple Cellular Stress Response Pathways. <i>Cancer Research</i> , 2010, 70, 9949-9958.  | 0.9  | 23        |
| 1594 | The Histone Demethylase JMJD2B Is Regulated by Estrogen Receptor $\alpha$ and Hypoxia, and Is a Key Mediator of Estrogen Induced Growth. <i>Cancer Research</i> , 2010, 70, 6456-6466.                            | 0.9  | 167       |
| 1595 | Prolyl Hydroxylases 2 and 3 Act in Gliomas as Protective Negative Feedback Regulators of Hypoxia-Inducible Factors. <i>Cancer Research</i> , 2010, 70, 357-366.   | 0.9  | 104       |
| 1596 | Hypoxia and Hypoxia-Inducible Factors: Master Regulators of Metastasis. <i>Clinical Cancer Research</i> , 2010, 16, 5928-5935.  | 7.0  | 597       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1597 | Bone Marrow Mesenchymal Stem Cells Induce Angiogenesis and Promote Bladder Cancer Growth in a Rabbit Model. <i>Urologia Internationalis</i> , 2010, 84, 94-99.   | 1.3  | 23        |
| 1598 | Gensenoside Rg3 Inhibits Hypoxia-induced VEGF Expression in Human Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 849-858.   | 1.6  | 72        |
| 1599 | CXCL12-CXCR4 Axis in Angiogenesis, Metastasis and Stem Cell Mobilization. <i>Current Pharmaceutical Design</i> , 2010, 16, 3903-3920.  | 1.9  | 193       |
| 1600 | HIF-2 $\alpha$ deletion promotes Kras-driven lung tumor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14182-14187.  | 7.1  | 117       |
| 1601 | VEGF receptor signaling links inflammation and tumorigenesis in colitis-associated cancer. <i>Journal of Experimental Medicine</i> , 2010, 207, 2855-2868.   | 8.5  | 152       |
| 1602 | Differential Effects of Hypoxic Stress in Alveolar Epithelial Cells and Microvascular Endothelial Cells. <i>Cellular Physiology and Biochemistry</i> , 2010, 25, 135-144.  | 1.6  | 40        |
| 1603 | The diseased endothelium: Would it explain it all?. <i>Pulmonary Vascular Research Institute (PVRI) Review</i> , 2010, 2, 5.   | 0.1  | 0         |
| 1604 | Targeting mTOR pathway: A new concept in cancer therapy. <i>Indian Journal of Medical and Paediatric Oncology</i> , 2010, 31, 132-136.   | 0.2  | 64        |
| 1605 | G-rich Oligonucleotides Inhibit HIF-1 $\alpha$ and HIF-2 $\alpha$ and Block Tumor Growth. <i>Molecular Therapy</i> , 2010, 18, 188-197.  | 8.2  | 21        |
| 1606 | Atherosclerotic Plaque Angiogenesis as a Mechanism of Intraplaque Hemorrhage and Acute Coronary Rupture. , 2010, , 213-236.  |      | 0         |
| 1607 | Jumonji Domain Containing 1A Is a Novel Prognostic Marker for Colorectal Cancer: In vivo Identification from Hypoxic Tumor Cells. <i>Clinical Cancer Research</i> , 2010, 16, 4636-4646.   | 7.0  | 88        |
| 1609 | Emetine Promotes von Hippel-Lindau-Independent Degradation of Hypoxia-Inducible Factor-2 $\alpha$ in Clear Cell Renal Carcinoma. <i>Molecular Pharmacology</i> , 2010, 78, 1072-1078.  | 2.3  | 18        |
| 1610 | Knockout of HIF-1 $\alpha$ in tumor-associated macrophages enhances M2 polarization and attenuates their pro-angiogenic responses. <i>Carcinogenesis</i> , 2010, 31, 1863-1872.  | 2.8  | 142       |
| 1611 | Hypoxia inducible factor-1 mediates expression of galectin-1: the potential role in migration/invasion of colorectal cancer cells. <i>Carcinogenesis</i> , 2010, 31, 1367-1375.  | 2.8  | 123       |
| 1612 | DNA topoisomerase I inhibition by camptothecin induces escape of RNA polymerase II from promoter-proximal pause site, antisense transcription and histone acetylation at the human HIF-1 $\alpha$ gene locus. <i>Nucleic Acids Research</i> , 2010, 38, 159-171. | 14.5 | 100       |
| 1613 | Impact of the hypoxic tumor microenvironment on the regulation of cancer stem cell characteristics. <i>Cancer Biology and Therapy</i> , 2010, 9, 949-956.  | 3.4  | 98        |
| 1614 | Reactive Oxygen Species: Stuck in the Middle of Neurodegeneration. <i>Journal of Alzheimer's Disease</i> , 2010, 20, S357-S367.  | 2.6  | 216       |
| 1615 | Casein kinase 1 regulates human hypoxia-inducible factor HIF-1. <i>Journal of Cell Science</i> , 2010, 123, 2976-2986.   | 2.0  | 66        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1616 | miR-31: A crucial overseer of tumor metastasis and other emerging roles. <i>Cell Cycle</i> , 2010, 9, 2124-2129.  | 2.6 | 106       |
| 1617 | Hypoxia Inducible Factor 1 $\alpha$ Signaling in Fractionated Radiation-Induced Lung Injury: Role of Oxidative Stress and Tissue Hypoxia. <i>Radiation Research</i> , 2010, 173, 165-174.   | 1.5 | 69        |
| 1618 | HIF, hypoxia and the role of angiogenesis in non-small cell lung cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2010, 14, 1047-1057.  | 3.4 | 63        |
| 1619 | The HIF-2 $\alpha$ -Driven Pseudo-Hypoxic Phenotype in Tumor Aggressiveness, Differentiation, and Vascularization. <i>Current Topics in Microbiology and Immunology</i> , 2010, 345, 1-20.  | 1.1 | 49        |
| 1620 | Hypoxia inducible factors regulate pluripotency and proliferation in human embryonic stem cells cultured at reduced oxygen tensions. <i>Reproduction</i> , 2010, 139, 85-97.  | 2.6 | 342       |
| 1621 | NADPH oxidase-mediated reactive oxygen species production activates hypoxia-inducible factor-1 (HIF-1) via the ERK pathway after hyperthermia treatment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20477-20482. | 7.1 | 130       |
| 1622 | Viral-based gene delivery and regulated gene expression for targeted cancer therapy. <i>Expert Opinion on Drug Delivery</i> , 2010, 7, 19-35.   | 5.0 | 24        |
| 1623 | From Vessel Sprouting to Normalization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2331-2336.  | 2.4 | 60        |
| 1624 | The functional role of Notch signaling in human gliomas. <i>Neuro-Oncology</i> , 2010, 12, 199-211.   | 1.2 | 105       |
| 1625 | Phase IB Study of the mTOR Inhibitor Ridaforolimus With Capecitabine. <i>Journal of Clinical Oncology</i> , 2010, 28, 4554-4561.  | 1.6 | 47        |
| 1626 | Hypoxia-Inducible Factor-1 $\alpha$ Expression Predicts Superior Survival in Patients With Diffuse Large B-Cell Lymphoma Treated With R-CHOP. <i>Journal of Clinical Oncology</i> , 2010, 28, 1017-1024.  | 1.6 | 57        |
| 1627 | Adaptation to oxygen deprivation in cultures of human pluripotent stem cells, endothelial progenitor cells, and umbilical vein endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 298, C1527-C1537.                                       | 4.6 | 88        |
| 1628 | A therapeutic role for targeting c-Myc/Hif-1- dependent signaling pathways. <i>Cell Cycle</i> , 2010, 9, 1722-1728.   | 2.6 | 72        |
| 1630 | Hypoxia and Metastasis in Breast Cancer. <i>Current Topics in Microbiology and Immunology</i> , 2010, 345, 121-139.   | 1.1 | 28        |
| 1631 | A Novel Ca <sup>2+</sup> /Calmodulin Antagonist HBC Inhibits Angiogenesis and Down-regulates Hypoxia-inducible Factor. <i>Journal of Biological Chemistry</i> , 2010, 285, 25867-25874.   | 3.4 | 34        |
| 1632 | Terpestacin Inhibits Tumor Angiogenesis by Targeting UQCRCB of Mitochondrial Complex III and Suppressing Hypoxia-induced Reactive Oxygen Species Production and Cellular Oxygen Sensing. <i>Journal of Biological Chemistry</i> , 2010, 285, 11584-11595.                 | 3.4 | 101       |
| 1633 | Carbon Monoxide Promotes VEGF Expression by Increasing HIF-1 $\alpha$ Protein Level via Two Distinct Mechanisms, Translational Activation and Stabilization of HIF-1 $\alpha$ Protein. <i>Journal of Biological Chemistry</i> , 2010, 285, 32116-32125.                   | 3.4 | 131       |
| 1634 | HIF-1 $\alpha$ dysfunction in diabetes. <i>Cell Cycle</i> , 2010, 9, 75-79.   | 2.6 | 170       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1635 | P53-induced microRNA-107 inhibits HIF-1 and tumor angiogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 6334-6339.   | 7.1  | 398       |
| 1636 | Combined deficiency for MAP kinase-interacting kinase 1 and 2 (Mnk1 and Mnk2) delays tumor development. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 13984-13990.                                     | 7.1  | 182       |
| 1637 | Metabolic rate depression. Advances in Clinical Chemistry, 2010, 52, 77-108.   | 3.7  | 107       |
| 1638 | Acute Exposure to Ozone Exacerbates Acetaminophen-Induced Liver Injury in Mice. Toxicological Sciences, 2010, 115, 267-285.  | 3.1  | 18        |
| 1639 | TransFind—predicting transcriptional regulators for gene sets. Nucleic Acids Research, 2010, 38, W275-W280.  | 14.5 | 33        |
| 1640 | Reactive Oxygen Species Enhance TLR10 Expression in the Human Monocytic Cell Line THP-1. International Journal of Molecular Sciences, 2010, 11, 3769-3782.   | 4.1  | 32        |
| 1641 | Roles of Arrest-Defective Protein 1225 and Hypoxia-Inducible Factor 1 $\alpha$ in Tumor Growth and Metastasis. Journal of the National Cancer Institute, 2010, 102, 426-442.   | 6.3  | 20        |
| 1642 | Mechanism of hypoxia-inducible factor 1 $\alpha$ -mediated Mcl1 regulation in Helicobacter pylori-infected human gastric epithelium. American Journal of Physiology - Renal Physiology, 2010, 299, G1177-G1186.                                      | 3.4  | 39        |
| 1643 | Hypoxia-Inducible Factor-1 as a Therapeutic Target in Endometrial Cancer Management. Obstetrics and Gynecology International, 2010, 2010, 1-8.   | 1.3  | 18        |
| 1644 | Systemic Inflammation in Chronic Obstructive Pulmonary Disease: May Adipose Tissue Play a Role? Review of the Literature and Future Perspectives. Mediators of Inflammation, 2010, 2010, 1-11.   | 3.0  | 67        |
| 1645 | <i>Int6</i> /eIF3e Silencing Promotes Functional Blood Vessel Outgrowth and Enhances Wound Healing by Upregulating Hypoxia-Induced Factor 2 $\alpha$ Expression. Circulation, 2010, 122, 910-919.  | 1.6  | 41        |
| 1646 | Cardiovascular Safety of VEGF-Targeting Therapies: Current Evidence and Handling Strategies. Oncologist, 2010, 15, 683-694.  | 3.7  | 43        |
| 1647 | Cross-species comparison of genomewide gene expression profiles reveals induction of hypoxia-inducible factor-responsive genes in iron-deprived intestinal epithelial cells. American Journal of Physiology - Cell Physiology, 2010, 299, C930-C938. | 4.6  | 22        |
| 1648 | Identification of Multiple Hypoxia Signatures in Neuroblastoma Cell Lines by l1-l2Regularization and Data Reduction. Journal of Biomedicine and Biotechnology, 2010, 2010, 1-11.   | 3.0  | 10        |
| 1649 | Modulation of Carbonic Anhydrase 9 (CA9) in Human Brain Cancer. Current Pharmaceutical Design, 2010, 16, 3288-3299.  | 1.9  | 49        |
| 1650 | The pro-migratory and pro-invasive role of the procoagulant tissue factor in malignant gliomas. Cell Adhesion and Migration, 2010, 4, 515-522.   | 2.7  | 13        |
| 1651 | MAD2 downregulation in hypoxia is independent of promoter hypermethylation. Cell Cycle, 2010, 9, 2928-2937.  | 2.6  | 9         |
| 1652 | Oxidative Stress in Tumor Angiogenesis - Therapeutic Targets. Current Pharmaceutical Design, 2010, 16, 3877-3894.  | 1.9  | 42        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1653 | The mTOR Pathway: A New Target in Cancer Therapy. <i>Current Cancer Drug Targets</i> , 2010, 10, 484-495.   | 1.6 | 152       |
| 1654 | Cell Responses to Oxidative Stressors. <i>Current Pharmaceutical Design</i> , 2010, 16, 1387-1395.  | 1.9 | 55        |
| 1655 | HIF-2 $\beta$ : Many cancers, one engine?. <i>Cell Cycle</i> , 2010, 9, 859-860.  | 2.6 | 4         |
| 1656 | Downregulation of c-MYC Protein Levels Contributes to Cancer Cell Survival under Dual Deficiency of Oxygen and Glucose. <i>Cancer Research</i> , 2010, 70, 10213-10223.   | 0.9 | 87        |
| 1657 | Hypoxia-Inducible Factor-1 as Regulator of Angiogenesis in Rheumatoid Arthritis - Therapeutic Implications. <i>Current Medicinal Chemistry</i> , 2010, 17, 254-263.   | 2.4 | 54        |
| 1658 | Neovascularization in diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2010, 5, 99-111.   | 2.4 | 5         |
| 1659 | Oxygen Sensing: A Common Crossroad in Cancer and Neurodegeneration. <i>Current Topics in Microbiology and Immunology</i> , 2010, 345, 71-103.   | 1.1 | 21        |
| 1660 | Gene expression profiling of sex differences in HIF1-dependent adaptive cardiac responses to chronic hypoxia. <i>Journal of Applied Physiology</i> , 2010, 109, 1195-1202.  | 2.5 | 48        |
| 1661 | Hyperpolarized $^{13}\text{C}$ Spectroscopic Imaging Informs on Hypoxia-Inducible Factor-1 and Myc Activity Downstream of Platelet-Derived Growth Factor Receptor. <i>Cancer Research</i> , 2010, 70, 7400-7410.  | 0.9 | 67        |
| 1662 | Association of Tumor Necrosis With Pathological Features and Clinical Outcome in 754 Patients Undergoing Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: An International Validation Study. <i>Journal of Urology</i> , 2010, 184, 1895-1900.  | 0.4 | 57        |
| 1663 | Development of a Resistance-like Phenotype to Sorafenib by Human Hepatocellular Carcinoma Cells Is Reversible and Can Be Delayed by Metronomic UFT Chemotherapy. <i>Neoplasia</i> , 2010, 12, 928-940.  | 5.3 | 64        |
| 1664 | Dual Inhibitor AEE78 Reduces Tumor Growth in Preclinical Models of Medulloblastoma. <i>Translational Oncology</i> , 2010, 3, 326-335.   | 3.7 | 16        |
| 1665 | Regulation of G1 Arrest and Apoptosis in Hypoxia by PERK and GCN2-Mediated eIF2 $\beta$ Phosphorylation. <i>Neoplasia</i> , 2010, 12, 61-IN6.   | 5.3 | 53        |
| 1666 | Hypoxia-induced Phenotypic Switch of Fibroblasts to Myofibroblasts through a Matrix Metalloproteinase 2/Tissue Inhibitor of Metalloproteinase-mediated Pathway: Implications for Venous Neointimal Hyperplasia in Hemodialysis Access. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 896-902. | 0.5 | 54        |
| 1668 | HIF-1 $\beta$ and Cancer Therapy. <i>Recent Results in Cancer Research</i> , 2010, 180, 15-34.  | 1.8 | 65        |
| 1669 | HIF-1 $\beta$ links $\beta$ -adrenoceptor agonists and pancreatic cancer cells under normoxic condition. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 102-110.   | 6.1 | 34        |
| 1670 | Prolyl hydroxylase domain-containing protein inhibitors as stabilizers of hypoxia-inducible factor: small molecule-based therapeutics for anemia. <i>Expert Opinion on Therapeutic Patents</i> , 2010, 20, 1219-1245.   | 5.0 | 80        |
| 1671 | Mammalian Hibernation: Physiology, Cell Signaling, and Gene Controls on Metabolic Rate Depression. <i>Topics in Current Genetics</i> , 2010, , 227-252.   | 0.7 | 23        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1672 | Interactions of Multiple Gas-Transducing Systems: Hallmarks and Uncertainties of CO, NO, and H <sub>2</sub> S Gas Biology. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 157-192.   | 5.4  | 250       |
| 1673 | Targeted therapy of hepatocellular cancer. <i>Expert Opinion on Investigational Drugs</i> , 2010, 19, 265-274.  | 4.1  | 50        |
| 1674 | The Differences Between Neovascularization of Chronic Total Occlusion and Intraplaque Angiogenesis. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 806-810.   | 5.3  | 14        |
| 1675 | Mechanisms associated with mitochondrial-generated reactive oxygen species in cancerThis article is one of a selection of papers published in a Special Issue on Oxidative Stress in Health and Disease.. <i>Canadian Journal of Physiology and Pharmacology</i> , 2010, 88, 204-219. | 1.4  | 54        |
| 1676 | A biology-driven approach identifies the hypoxia gene signature as a predictor of the outcome of neuroblastoma patients. <i>Molecular Cancer</i> , 2010, 9, 185.  | 19.2 | 85        |
| 1677 | Oncogenic KRAS modulates mitochondrial metabolism in human colon cancer cells by inducing HIF-1 $\alpha$ and HIF-2 $\alpha$ target genes. <i>Molecular Cancer</i> , 2010, 9, 293.   | 19.2 | 92        |
| 1678 | Epithelial $\rightarrow$ Mesenchymal Transition: From Molecular Mechanisms, Redox Regulation to Implications in Human Health and Disease. <i>Antioxidants and Redox Signaling</i> , 2010, 12, 1383-1430.  | 5.4  | 226       |
| 1679 | Prolyl Hydroxylase-3 Is Down-regulated in Colorectal Cancer Cells and Inhibits IKK $\beta$ Independent of Hydroxylase Activity. <i>Gastroenterology</i> , 2010, 138, 606-615.   | 1.3  | 141       |
| 1680 | Construction of a Dominant Negative Form of Human Hypoxia-Inducible Factor-2 $\alpha$ . <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 2100-2102.  | 1.3  | 4         |
| 1681 | Redox Control of Endoplasmic Reticulum Function. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 77-108.  | 5.4  | 75        |
| 1682 | Identification of HSP60 as a Primary Target of <i>o</i> -Carboranylphenoxyacetanilide, an HIF-1 $\alpha$ Inhibitor. <i>Journal of the American Chemical Society</i> , 2010, 132, 11870-11871.   | 13.7 | 89        |
| 1683 | XQ2, a Novel TPZ Derivative, Induced G2/M Phase Arrest and Apoptosis under Hypoxia in Non-Small Cell Lung Cancer Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 1181-1187.  | 1.3  | 5         |
| 1684 | Diabetic nephropathy: a disorder of oxygen metabolism?. <i>Nature Reviews Nephrology</i> , 2010, 6, 83-95.  | 9.6  | 70        |
| 1685 | Hepatitis C Virus-Linked Mitochondrial Dysfunction Promotes Hypoxia-Inducible Factor 1 $\alpha$ -Mediated Glycolytic Adaptation. <i>Journal of Virology</i> , 2010, 84, 647-660.  | 3.4  | 145       |
| 1686 | p16 Modulates VEGF Expression via Its Interaction With HIF-1 $\alpha$ in Breast Cancer Cells. <i>Cancer Investigation</i> , 2010, 28, 588-597.  | 1.3  | 32        |
| 1687 | Inhibition of Hypoxia Inducible Factor 1 $\alpha$ Transcription Coactivator Interaction by a Hydrogen Bond Surrogate $\alpha$ -Helix. <i>Journal of the American Chemical Society</i> , 2010, 132, 941-943.   | 13.7 | 134       |
| 1688 | Hsp70 and CHIP Selectively Mediate Ubiquitination and Degradation of Hypoxia-inducible Factor (HIF)-1 $\alpha$ but Not HIF-2 $\alpha$ . <i>Journal of Biological Chemistry</i> , 2010, 285, 3651-3663.  | 3.4  | 201       |
| 1689 | Neuroprotective Multifunctional Iron Chelators: From Redox-Sensitive Process to Novel Therapeutic Opportunities. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 919-949.   | 5.4  | 79        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1690 | Sirtuin 1 Modulates Cellular Responses to Hypoxia by Deacetylating Hypoxia-Inducible Factor 1 $\alpha$ . Molecular Cell, 2010, 38, 864-878.  | 9.7  | 645       |
| 1691 | Negative Regulation of Hypoxic Responses via Induced Reptin Methylation. Molecular Cell, 2010, 39, 71-85.  | 9.7  | 152       |
| 1692 | Activation of a Metabolic Gene Regulatory Network Downstream of mTOR Complex 1. Molecular Cell, 2010, 39, 171-183.   | 9.7  | 1,598     |
| 1693 | IDH mutations in glioma and acute myeloid leukemia. Trends in Molecular Medicine, 2010, 16, 387-397.   | 6.7  | 322       |
| 1694 | Neuroprotection of deferoxamine on rotenone-induced injury via accumulation of HIF-1 $\alpha$ and induction of autophagy in SH-SY5Y cells. Neurochemistry International, 2010, 57, 198-205.  | 3.8  | 97        |
| 1695 | CD95 is a key mediator of invasion and accelerated outgrowth of mouse colorectal liver metastases following radiofrequency ablation. Journal of Hepatology, 2010, 53, 1069-1077.   | 3.7  | 52        |
| 1696 | High-throughput screening identifies CHMP4A associated with hypoxia-inducible factor 1. Life Sciences, 2010, 87, 604-608.  | 4.3  | 15        |
| 1697 | The Warburg effect and mitochondrial stability in cancer cells. Molecular Aspects of Medicine, 2010, 31, 60-74.  | 6.4  | 181       |
| 1698 | The molecular therapy of colorectal cancer. Molecular Aspects of Medicine, 2010, 31, 171-178.  | 6.4  | 52        |
| 1699 | Hormonally regulated follicle differentiation and luteinization in the mouse is associated with hypoxia inducible factor activity. Molecular and Cellular Endocrinology, 2010, 327, 47-55.   | 3.2  | 42        |
| 1700 | Distinctions and similarities of cell bioenergetics and the role of mitochondria in hypoxia, cancer, and embryonic development. International Journal of Biochemistry and Cell Biology, 2010, 42, 604-622.                                     | 2.8  | 88        |
| 1701 | Crosstalk between the DNA damage response, histone modifications and neovascularisation. International Journal of Biochemistry and Cell Biology, 2010, 42, 193-197.  | 2.8  | 12        |
| 1702 | Hypoxia-inducible factor (HIF)-3 $\alpha$ is subject to extensive alternative splicing in human tissues and cancer cells and is regulated by HIF-1 but not HIF-2. International Journal of Biochemistry and Cell Biology, 2010, 42, 1189-1200. | 2.8  | 90        |
| 1703 | Modulation of hypoxia-inducible factor-1 $\alpha$ expression by mitochondrial NADP <sup>+</sup> -dependent isocitrate dehydrogenase. Biochimie, 2010, 92, 1908-1913.   | 2.6  | 6         |
| 1704 | Glioblastoma and endothelial cells cross-talk, mediated by SDF-1, enhances tumour invasion and endothelial proliferation by increasing expression of cathepsins B, S, and MMP-9. Cancer Letters, 2010, 289, 53-61.                             | 7.2  | 80        |
| 1705 | Photodynamic therapy-driven induction of suicide cytosine deaminase gene. Cancer Letters, 2010, 290, 216-222.  | 7.2  | 7         |
| 1706 | Forkhead box M1 transcription factor: A novel target for cancer therapy. Cancer Treatment Reviews, 2010, 36, 151-156.  | 7.7  | 139       |
| 1707 | Evading tumor evasion: Current concepts and perspectives of anti-angiogenic cancer therapy. Drug Resistance Updates, 2010, 13, 16-28.  | 14.4 | 208       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1708 | Hypoxia upregulates adhesion ability to peritoneum through a transforming growth factor- $\beta$ -dependent mechanism in diffuse-type gastric cancer cells. <i>European Journal of Cancer</i> , 2010, 46, 995-1005.  | 2.8  | 23        |
| 1709 | Interleukin- $1\beta$ regulates the migratory potential of MDAMB231 breast cancer cells through the hypoxia-inducible factor- $1\alpha$ . <i>European Journal of Cancer</i> , 2010, 46, 3400-3408.   | 2.8  | 44        |
| 1710 | Hypoxia-induced decoy receptor 2 gene expression is regulated via a hypoxia-inducible factor $1\alpha$ -mediated mechanism. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 1274-1279.   | 2.1  | 19        |
| 1711 | Hypoxia-inducible factor- $1\alpha$ mediates oral squamous cell carcinoma invasion via upregulation of $\beta$ 5 integrin and fibronectin. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 11-15.  | 2.1  | 62        |
| 1712 | Identification of the KAI1 metastasis suppressor gene as a hypoxia target gene. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 179-184.   | 2.1  | 18        |
| 1713 | Hypoxic preconditioning advances CXCR4 and CXCR7 expression by activating HIF- $1\alpha$ in MSCs. <i>Biochemical and Biophysical Research Communications</i> , 2010, 401, 509-515.   | 2.1  | 213       |
| 1714 | Pheochromocytomas: The (pseudo)-hypoxia hypothesis. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2010, 24, 957-968.  | 4.7  | 94        |
| 1715 | Functional changes in murine mammary cancer cells elicited by CoCl <sub>2</sub> -induced hypoxia. <i>Nitric Oxide - Biology and Chemistry</i> , 2010, 23, 234-241.   | 2.7  | 17        |
| 1716 | ATX expression and LPA signalling are vital for the development of the nervous system. <i>Developmental Biology</i> , 2010, 339, 451-464.  | 2.0  | 133       |
| 1717 | Differential expression of phosphofructokinase-1 isoforms correlates with the glycolytic efficiency of breast cancer cells. <i>Molecular Genetics and Metabolism</i> , 2010, 100, 372-378.   | 1.1  | 84        |
| 1718 | Clotrimazole potentiates the inhibitory effects of ATP on the key glycolytic enzyme 6-phosphofructo-1-kinase. <i>Archives of Biochemistry and Biophysics</i> , 2010, 497, 62-67.   | 3.0  | 27        |
| 1719 | Tumor-Specific, Hypoxia-Regulated, WW Domain-Containing Oxidoreductase-Expressing Adenovirus Inhibits Human Non-Small Cell Lung Cancer Growth In Vivo. <i>Human Gene Therapy</i> , 2010, 21, 27-39.  | 2.7  | 8         |
| 1720 | Growth and progression of melanoma and non-melanoma skin cancers regulated by ubiquitination. <i>Pigment Cell and Melanoma Research</i> , 2010, 23, 338-351.   | 3.3  | 22        |
| 1721 | Hypoxia Inducible-Factor $1\alpha$ Regulates the Metabolic Shift of Pulmonary Hypertensive Endothelial Cells. <i>American Journal of Pathology</i> , 2010, 176, 1130-1138.   | 3.8  | 225       |
| 1722 | Hypoxia Increases the Expression of Stem-Cell Markers and Promotes Clonogenicity in Glioblastoma Neurospheres. <i>American Journal of Pathology</i> , 2010, 177, 1491-1502.  | 3.8  | 306       |
| 1723 | Increased Expression of HIF- $1\alpha$ , VEGF-A and Its Receptors, MMP-2, TIMP-1, and ADAMTS-1 at the Venous Stenosis of Arteriovenous Fistula in a Mouse Model with Renal Insufficiency. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 1255-1261. | 0.5  | 61        |
| 1724 | Metabolic Modulation of Glioblastoma with Dichloroacetate. <i>Science Translational Medicine</i> , 2010, 2, 31ra34.  | 12.4 | 606       |
| 1725 | Precise control over the oxygen conditions within the Boyden chamber using a microfabricated insert. <i>Lab on A Chip</i> , 2010, 10, 2366.  | 6.0  | 55        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1726 | Regulation of Redox Signaling Involving Chemical Conjugation of Protein Thiols by Nitric Oxide and Electrophiles. <i>Bioconjugate Chemistry</i> , 2010, 21, 1121-1129.  | 3.6 | 38        |
| 1729 | BRAF mutation influences hypoxia-inducible factor-1 $\alpha$ expression levels in papillary thyroid cancer. <i>Modern Pathology</i> , 2010, 23, 1052-1060.  | 5.5 | 44        |
| 1730 | The Tumor Microenvironment. , 2010, , .   |     | 6         |
| 1733 | Role of Carcinoma-Associated Fibroblasts and Hypoxia in Tumor Progression. <i>Current Topics in Microbiology and Immunology</i> , 2010, 345, 31-45.   | 1.1 | 27        |
| 1735 | Signalisation par l'oxygène et l'oxyde nitrique. , 2010, , 189-198.   |     | 0         |
| 1737 | Natural Products as Probes of Selected Targets in Tumor Cell Biology and Hypoxic Signaling. , 2010, , 651-683.  |     | 3         |
| 1738 | Bioinorganic aspects of angiogenesis. <i>Dalton Transactions</i> , 2010, 39, 7625.  | 3.3 | 45        |
| 1739 | Preoperative radiotherapy downregulates the nuclear expression of hypoxia-inducible factor-1 $\alpha$ in rectal cancer. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 340-348.                  | 1.5 | 10        |
| 1740 | Inhibition of lactate dehydrogenase A induces oxidative stress and inhibits tumor progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2037-2042. | 7.1 | 1,150     |
| 1741 | Bioengineering approaches to study multidrug resistance in tumor cells. <i>Integrative Biology (United Kingdom)</i> 10.1039/c1ib00018a  | 1.3 | 18        |
| 1742 | Honokiol inhibits hypoxia-inducible factor-1 pathway. <i>International Journal of Radiation Biology</i> , 2011, 87, 579-590.  | 1.8 | 26        |
| 1743 | Gene Expression Profiles and Metabolic Changes in Embryonic Neural Progenitor Cells Under Low Oxygen. <i>Cellular Reprogramming</i> , 2011, 13, 113-120.  | 0.9 | 10        |
| 1744 | HIF-1 $\alpha$ in Epidermis: Oxygen Sensing, Cutaneous Angiogenesis, Cancer, and Non-Cancer Disorders. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1793-1805.                                    | 0.7 | 114       |
| 1746 | Reciprocal influence of the p53 and the hypoxic pathways. <i>Cell Death and Disease</i> , 2011, 2, e164-e164.   | 6.3 | 234       |
| 1747 | Dioxygen Transmembrane Distributions and Partitioning Thermodynamics in Lipid Bilayers and Micelles. <i>Biochemistry</i> , 2011, 50, 3975-3983.   | 2.5 | 20        |
| 1748 | Wnt $\beta$ -catenin Signaling Protects Against Hepatic Ischemia and Reperfusion Injury in Mice. <i>Gastroenterology</i> , 2011, 141, 707-718.e5.   | 1.3 | 97        |
| 1749 | Metabolomic profiling of asthma: Diagnostic utility of urine nuclear magnetic resonance spectroscopy. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 757-764.e6.                              | 2.9 | 152       |
| 1750 | Impaired expression of hypoxia-inducible factor-1 $\alpha$ in cystic fibrosis airway epithelial cells: A role for HIF-1 in the pathophysiology of CF? <i>Journal of Cystic Fibrosis</i> , 2011, 10, 286-290.  | 0.7 | 27        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1751 | Development of EGFR-Targeted Polymer Blend Nanocarriers for Combination Paclitaxel/Lonidamine Delivery To Treat Multi-Drug Resistance in Human Breast and Ovarian Tumor Cells. Molecular Pharmaceutics, 2011, 8, 185-203. | 4.6  | 132       |
| 1752 | Heme Oxygenase in the Regulation of Vascular Biology: From Molecular Mechanisms to Therapeutic Opportunities. Antioxidants and Redox Signaling, 2011, 14, 137-167.  | 5.4  | 194       |
| 1753 | Hypoxia-inducible factor inhibitors: a survey of recent patented compounds (2004 â€“ 2010). Expert Opinion on Therapeutic Patents, 2011, 21, 131-146.   | 5.0  | 39        |
| 1754 | The emerging role of hypoxia, HIF-1 and HIF-2 in multiple myeloma. Leukemia, 2011, 25, 1533-1542.   | 7.2  | 117       |
| 1755 | Current and Emerging Pharmacological Treatments for Gastrointestinal Stromal Tumour. Drugs, 2011, 71, 321-330.  | 10.9 | 7         |
| 1757 | Oxygen Sensing, Homeostasis, and Disease. New England Journal of Medicine, 2011, 365, 1845-1846.  | 27.0 | 35        |
| 1758 | Cancer and diet: How are they related?. Free Radical Research, 2011, 45, 864-879.   | 3.3  | 50        |
| 1759 | Hypertrophy. , 2011, , 1791-1791.   |      | 0         |
| 1760 | Induction Chemotherapy. , 2011, , .   |      | 5         |
| 1761 | New era for drug discovery and development in renal disease. Nature Reviews Nephrology, 2011, 7, 469-477.   | 9.6  | 17        |
| 1762 | Tumors of the Central Nervous System, Volume 2. , 2011, , .   |      | 3         |
| 1763 | Heparanase Inhibitors. , 2011, , 1651-1656.   |      | 0         |
| 1764 | Cancer Stem Cells in Solid Tumors. , 2011, , .  |      | 7         |
| 1765 | Targeting tumour angiogenesis with small molecule inhibitors of hypoxia inducible factor. Chemical Society Reviews, 2011, 40, 4307.   | 38.1 | 66        |
| 1766 | Inhibition of 2-oxoglutarate dependent oxygenases. Chemical Society Reviews, 2011, 40, 4364.  | 38.1 | 336       |
| 1768 | Expression of Hypoxic Marker CA IX Is Regulated by Site-Specific DNA Methylation and Is Associated with the Histology of Gastric Cancer. American Journal of Pathology, 2011, 178, 515-524.                               | 3.8  | 33        |
| 1769 | Hypoxia regulates cell proliferation and steroidogenesis through protein kinase A signaling in bovine corpus luteum. Animal Reproduction Science, 2011, 129, 152-161.   | 1.5  | 35        |
| 1770 | Pyruvate Kinase M2 Is a PHD3-Stimulated Coactivator for Hypoxia-Inducible Factor 1. Cell, 2011, 145, 732-744.   | 28.9 | 1,210     |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1771 | Vessel abnormalization: another hallmark of cancer?Molecular mechanisms and therapeutic implications. Current Opinion in Genetics and Development, 2011, 21, 73-79.  | 3.3 | 175       |
| 1772 | Waves of gene regulation suppress and then restore oxidative phosphorylation in cancer cells. International Journal of Biochemistry and Cell Biology, 2011, 43, 950-968.   | 2.8 | 186       |
| 1773 | Basic fibroblast growth factor regulates glucose metabolism through glucose transporter 1 induced by hypoxia-inducible factor-1 $\alpha$ in adipocytes. International Journal of Biochemistry and Cell Biology, 2011, 43, 1602-1611. | 2.8 | 26        |
| 1774 | The emerging role of nuclear factor kappa B in renal cell carcinoma. International Journal of Biochemistry and Cell Biology, 2011, 43, 1537-1549.  | 2.8 | 67        |
| 1775 | Reduced expression of PHD2 prolyl hydroxylase gene in primary advanced uterine cervical carcinoma. Biomedicine and Pharmacotherapy, 2011, 65, 298-302.   | 5.6 | 17        |
| 1776 | Pentamidine reduces expression of hypoxia-inducible factor-1 $\alpha$ in DU145 and MDA-MB-231 cancer cells. Cancer Letters, 2011, 303, 39-46.  | 7.2 | 24        |
| 1777 | Stem cell factor/c-kit signaling enhances invasion of pancreatic cancer cells via HIF-1 $\alpha$ under normoxic condition. Cancer Letters, 2011, 303, 108-117.   | 7.2 | 42        |
| 1778 | Noscapine sensitizes chemoresistant ovarian cancer cells to cisplatin through inhibition of HIF-1 $\alpha$ . Cancer Letters, 2011, 305, 94-99.   | 7.2 | 41        |
| 1779 | Hypoxia-inducible factors in OSCC. Cancer Letters, 2011, 313, 1-8.   | 7.2 | 67        |
| 1780 | Hypoxia, stem cells and bone tumor. Cancer Letters, 2011, 313, 129-136.  | 7.2 | 58        |
| 1781 | Inhibition of hypoxia-induced retinal neovascularization in mice with short hairpin RNA targeting Rac1, possibly via blockading redox signaling. Experimental Eye Research, 2011, 92, 473-481.                                       | 2.6 | 7         |
| 1782 | Adenosine receptors and cancer. Biochimica Et Biophysica Acta - Biomembranes, 2011, 1808, 1400-1412.   | 2.6 | 186       |
| 1783 | The essential role of FKBP38 in regulating phosphatase of regenerating liver 3 (PRL-3) protein stability. Biochemical and Biophysical Research Communications, 2011, 406, 305-309.   | 2.1 | 20        |
| 1784 | Prolyl hydroxylase domain protein 3 targets Pax2 for destruction. Biochemical and Biophysical Research Communications, 2011, 409, 315-320.   | 2.1 | 17        |
| 1785 | Acacetin inhibits VEGF expression, tumor angiogenesis and growth through AKT/HIF-1 $\alpha$ pathway. Biochemical and Biophysical Research Communications, 2011, 413, 299-305.  | 2.1 | 46        |
| 1786 | Single nucleotide polymorphisms associated with metastatic tumour antigen 1 overexpression in patients with hepatocellular carcinoma. Liver International, 2012, 32, 457-466.  | 3.9 | 12        |
| 1787 | Combination therapy targeting cancer metabolism. Medical Hypotheses, 2011, 76, 169-172.  | 1.5 | 21        |
| 1788 | Ontological hypothesis of the cancer etiology: Discord between cells' survival determinism and their disposition to biological altruism. Medical Hypotheses, 2011, 77, 389-400.  | 1.5 | 2         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1789 | Predictors of tumor response after preoperative chemoradiotherapy for rectal adenocarcinomas. Human Pathology, 2011, 42, 1702-1709.   | 2.0  | 28        |
| 1790 | Prolonged mechanical stretch is associated with upregulation of hypoxia-inducible factors and reduced contraction in rat inferior vena cava. Journal of Vascular Surgery, 2011, 53, 764-773.                | 1.1  | 55        |
| 1791 | Pre-treatment with isoflurane ameliorates renal ischemicâ€“reperfusion injury in mice. Life Sciences, 2011, 88, 1102-1107.  | 4.3  | 37        |
| 1792 | Hypoxia enhances transcriptional activity of androgen receptor through hypoxia-inducible factor-1Î± in a low androgen environment. Journal of Steroid Biochemistry and Molecular Biology, 2011, 123, 58-64. | 2.5  | 54        |
| 1793 | Heat shock transcription factor 1 protects heart after pressure overload through promoting myocardial angiogenesis in male mice. Journal of Molecular and Cellular Cardiology, 2011, 51, 821-829.           | 1.9  | 41        |
| 1794 | Blocking HIF1Î± Activity Eliminates Hematological Cancer Stem Cells. Cell Stem Cell, 2011, 8, 354-356.  | 11.1 | 7         |
| 1795 | Interactions between nitric oxide and hypoxia-inducible factor signaling pathways in inflammatory disease. Nitric Oxide - Biology and Chemistry, 2011, 25, 125-137.   | 2.7  | 121       |
| 1796 | MiR-148a inhibits angiogenesis by targeting ERBB3. Journal of Biomedical Research, 2011, 25, 170-177.   | 1.6  | 65        |
| 1797 | Genetic and Functional Studies Implicate <i>HIF1</i>Î± as a 14q Kidney Cancer Suppressor Gene. Cancer Discovery, 2011, 1, 222-235.  | 9.4  | 347       |
| 1798 | The Role of Hypoxia and Hyperthermia in Chemotherapy. , 2011, , 59-69.  |      | 0         |
| 1799 | Cancer and Altered Metabolism: Potential Importance of Hypoxia-Inducible Factor and 2-Oxoglutarate-Dependent Dioxygenases. Cold Spring Harbor Symposia on Quantitative Biology, 2011, 76, 335-345.          | 1.1  | 143       |
| 1800 | Glucose Metabolism in Breast Cancer and its Implication in Cancer Therapy. International Journal of Clinical Medicine, 2011, 02, 110-128.   | 0.2  | 9         |
| 1801 | Estrogen receptor beta inhibits transcriptional activity of hypoxia inducible factor-1 through the downregulation of arylhydrocarbon receptor nuclear translocator. Breast Cancer Research, 2011, 13, R32.  | 5.0  | 34        |
| 1802 | The Role of the Hypoxia-Inducible Factor 1 Binding Site in the Induction of Aquaporin-1 mRNA Expression by Hypoxia. DNA and Cell Biology, 2011, 30, 539-544.  | 1.9  | 23        |
| 1803 | Advances in Characterization of Human Sirtuin Isoforms: Chemistries, Targets and Therapeutic Applications. Current Medicinal Chemistry, 2011, 18, 1919-1935.  | 2.4  | 59        |
| 1804 | Hypoxia and Inflammation. New England Journal of Medicine, 2011, 364, 656-665.  | 27.0 | 1,692     |
| 1805 | Thyroid Cancerâ€“Indications and Opportunities for Positron Emission Tomography/Computed Tomography Imaging. Seminars in Nuclear Medicine, 2011, 41, 121-138.   | 4.6  | 68        |
| 1806 | Translational control is a major contributor to hypoxia induced gene expression. Radiotherapy and Oncology, 2011, 99, 379-384.  | 0.6  | 37        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1807 | Genetic Variants of NPAT-ATM and AURKA are Associated With an Early Adverse Reaction in the Gastrointestinal Tract of Patients With Cervical Cancer Treated With Pelvic Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2011, 81, 1144-1152. | 0.8 | 17        |
| 1808 | Impact of Hypoxia on the Metastatic Potential of Human Prostate Cancer Cells. International Journal of Radiation Oncology Biology Physics, 2011, 81, 521-528.  | 0.8 | 71        |
| 1809 | HIF-1 as a Target for Cancer Chemotherapy, Chemosensitization and Chemoprevention. Current Molecular Pharmacology, 2011, 4, 62-77.   | 1.5 | 59        |
| 1810 | Muscular ultrasound “ introduction. , 2011, , 1025-1029.   |     | 0         |
| 1811 | Upregulated stromal EGFR and vascular remodeling in mouse xenograft models of angiogenesis inhibitor“resistant human lung adenocarcinoma. Journal of Clinical Investigation, 2011, 121, 1313-1328.   | 8.2 | 141       |
| 1812 | Microenvironmental Hypoxia Orchestrating the Cell Stroma Cross Talk, Tumor Progression and Antitumor Response. Critical Reviews in Immunology, 2011, 31, 357-377.  | 0.5 | 83        |
| 1813 | VEGF and HIF in Renal Cell Carcinogenesis. Recent Patents on Biomarkers, 2011, 1, 60-67.   | 0.2 | 0         |
| 1814 | Metabolic alterations in cancer cells and therapeutic implications. Chinese Journal of Cancer, 2011, 30, 508-525.  | 4.9 | 82        |
| 1815 | Peroxiredoxin-4 is Over-Expressed in Colon Cancer and its Down-Regulation Leads to Apoptosis. Cancer Growth and Metastasis, 2011, 4, CGM.S6584.  | 3.5 | 1         |
| 1816 | RLN2 and its role in cancer. Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2011, , .   | 0.1 | 0         |
| 1817 | Gene Therapy Strategy for Tumour Hypoxia. , 0, , .   |     | 0         |
| 1818 | New Therapeutic Strategies in Gliomas Treatment. , 2011, , .   |     | 2         |
| 1819 | The Molecular Mechanism for Differentiation Therapy of Malignant Glioma. , 0, , .  |     | 1         |
| 1820 | The Three-Layer Concentric Model of Glioblastoma: Cancer Stem Cells, Microenvironmental Regulation, and Therapeutic Implications. Scientific World Journal, The, 2011, 11, 1829-1841.  | 2.1 | 74        |
| 1821 | Overexpression of MMP-9 and HIF-1 $\pm$ in Breast Cancer Cells under Hypoxic Conditions. Journal of Breast Cancer, 2011, 14, 88.   | 1.9 | 123       |
| 1822 | Epithelial Tumor, Invasion and Stroma. Annals of Dermatology, 2011, 23, 125.   | 0.9 | 20        |
| 1823 | Cytotoxic T cells “ Stroma interactions. Bulletin Du Cancer, 2011, 98, E19-E24.  | 1.6 | 9         |
| 1824 | Mouse Models of Human Familial Paraganglioma. , 0, , .   |     | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1825 | Post-Transcriptional Control of the Hypoxic Response by RNA-Binding Proteins and MicroRNAs. <i>Frontiers in Molecular Neuroscience</i> , 2011, 4, 7.  | 2.9 | 98        |
| 1826 | Emerging Metabolic Targets in Cancer Therapy. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 1844.   | 3.0 | 70        |
| 1827 | Differential Effects of HIF-1 Inhibition by YC-1 on the Overall Outcome and Blood-Brain Barrier Damage in a Rat Model of Ischemic Stroke. <i>PLoS ONE</i> , 2011, 6, e27798.  | 2.5 | 72        |
| 1828 | Aberrant Promoter CpG Methylation Is a Mechanism for Impaired PHD3 Expression in a Diverse Set of Malignant Cells. <i>PLoS ONE</i> , 2011, 6, e14617.   | 2.5 | 36        |
| 1829 | MicroRNA-22 Regulates Hypoxia Signaling in Colon Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e20291.   | 2.5 | 116       |
| 1830 | Role and Mechanism of Arsenic in Regulating Angiogenesis. <i>PLoS ONE</i> , 2011, 6, e20858.  | 2.5 | 62        |
| 1831 | Pronounced Hypoxia in Models of Murine and Human Leukemia: High Efficacy of Hypoxia-Activated Prodrug PR-104. <i>PLoS ONE</i> , 2011, 6, e23108.  | 2.5 | 108       |
| 1832 | NADPH Oxidase Subunit 4-Mediated Reactive Oxygen Species Contribute to Cycling Hypoxia-Promoted Tumor Progression in Glioblastoma Multiforme. <i>PLoS ONE</i> , 2011, 6, e23945.                                      | 2.5 | 93        |
| 1833 | Therapeutic Efficacy and Safety of Paclitaxel/Lonidamine Loaded EGFR-Targeted Nanoparticles for the Treatment of Multi-Drug Resistant Cancer. <i>PLoS ONE</i> , 2011, 6, e24075.                                      | 2.5 | 82        |
| 1834 | PI3K and ERK-Induced Rac1 Activation Mediates Hypoxia-Induced HIF-1 $\alpha$ Expression in MCF-7 Breast Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e25213.  | 2.5 | 96        |
| 1835 | Detection of the Onset of Ischemia and Carcinogenesis by Hypoxia-Inducible Transcription Factor-Based In Vivo Bioluminescence Imaging. <i>PLoS ONE</i> , 2011, 6, e26640.   | 2.5 | 8         |
| 1836 | Prolyl Hydroxylase PHD3 Enhances the Hypoxic Survival and G1 to S Transition of Carcinoma Cells. <i>PLoS ONE</i> , 2011, 6, e27112.   | 2.5 | 35        |
| 1837 | Combinational Therapy of Interferon- $\gamma$ and Chemotherapy Normalizes Tumor Vasculature by Regulating Pericytes Including the Novel Marker RGS5 in Melanoma. <i>Journal of Immunotherapy</i> , 2011, 34, 320-326. | 2.4 | 22        |
| 1838 | Update on targeted therapies for clear cell renal cell carcinoma. <i>Current Opinion in Oncology</i> , 2011, 23, 283-289.   | 2.4 | 56        |
| 1839 | Hypoxia-Induced Overexpression of BNIP3 is Not Dependent on Hypoxia-Inducible Factor 1 $\alpha$ in Mouse Hepatocytes. <i>Shock</i> , 2011, 36, 196-202.   | 2.1 | 16        |
| 1840 | Hypoxia-Inducible Factor-1 in Arterial Disease: A Putative Therapeutic Target. <i>Current Vascular Pharmacology</i> , 2011, 9, 333-349.   | 1.7 | 47        |
| 1841 | Marizomib, a Proteasome Inhibitor for All Seasons: Preclinical Profile and a Framework for Clinical Trials. <i>Current Cancer Drug Targets</i> , 2011, 11, 254-284.   | 1.6 | 200       |
| 1842 | Tumor Physiology and Charge Dynamics of Anticancer Drugs: Implications for Camptothecin-based Drug Development. <i>Current Medicinal Chemistry</i> , 2011, 18, 1367-1372.   | 2.4 | 46        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1843 | Mammalian target of rapamycin mediates the angiogenic effects of leptin in human hepatic stellate cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, G210-G219.  | 3.4 | 39        |
| 1844 | Three-dimensional culture promotes reconstitution of the tumor-specific hypoxic microenvironment under TGF $\beta$ 2 stimulation. <i>International Journal of Oncology</i> , 2011, 39, 1327-36.  | 3.3 | 9         |
| 1845 | COMP-Ang1 stimulates HIF-1 $\alpha$ -mediated SDF-1 overexpression and recovers ischemic injury through BM-derived progenitor cell recruitment. <i>Blood</i> , 2011, 117, 4376-4386.   | 1.4 | 86        |
| 1846 | Hypoxia-inducible factors in human pulmonary arterial hypertension: a link to the intrinsic myeloid abnormalities. <i>Blood</i> , 2011, 117, 3485-3493.  | 1.4 | 118       |
| 1847 | Conditional HIF-1 induction produces multistage neovascularization with stage-specific sensitivity to VEGFR inhibitors and myeloid cell independence. <i>Blood</i> , 2011, 117, 4142-4153.   | 1.4 | 79        |
| 1848 | Pathophysiological Response to Hypoxia $\alpha$ From the Molecular Mechanisms of Malady to Drug Discovery: Epigenetic Regulation of the Hypoxic Response via Hypoxia-Inducible Factor and Histone Modifying Enzymes. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 453-458.                                  | 2.5 | 33        |
| 1849 | Rhapontigenin Inhibited Hypoxia Inducible Factor 1 Alpha Accumulation and Angiogenesis in Hypoxic PC-3 Prostate Cancer Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 850-855.   | 1.4 | 18        |
| 1850 | Pazopanib in the treatment of renal cell carcinoma. <i>Clinical Investigation</i> , 2011, 1, 75-85.  | 0.0 | 3         |
| 1851 | PI3K/AKT/mTOR Pathway in Angiogenesis. <i>Frontiers in Molecular Neuroscience</i> , 2011, 4, 51.   | 2.9 | 1,002     |
| 1852 | Pathophysiological Response to Hypoxia $\alpha$ From the Molecular Mechanisms of Malady to Drug Discovery: Hypoxia-Inducible Factor-1 (HIF-1)-Active Cells as a Target for Cancer Therapy. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 440-445.  | 2.5 | 11        |
| 1853 | Pathophysiological Response to Hypoxia $\alpha$ From the Molecular Mechanisms of Malady to Drug Discovery: Inflammatory Responses of Hypoxia-Inducible Factor 1 $\alpha$ (HIF-1 $\alpha$ ) in T Cells Observed in Development of Vascular Remodeling. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 433-439. | 2.5 | 6         |
| 1854 | Pathophysiological Response to Hypoxia $\alpha$ From the Molecular Mechanisms of Malady to Drug Discovery: Drug Discovery for Targeting the Tumor Microenvironment. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 446-452.   | 2.5 | 15        |
| 1855 | The anti-tumor effects of calorie restriction are correlated with reduced oxidative stress in ENU-induced gliomas. <i>Pathobiology of Aging &amp; Age Related Diseases</i> , 2011, 1, 7189.  | 1.1 | 14        |
| 1856 | Metabolic remodeling precedes mitochondrial outer membrane permeabilization in human glioma xenograft cells. <i>International Journal of Oncology</i> , 2012, 40, 509-18.  | 3.3 | 5         |
| 1857 | Gene expression analysis in clear cell renal cell carcinoma using gene set enrichment analysis for biostatistical management. <i>BJU International</i> , 2011, 108, E29-E35.   | 2.5 | 14        |
| 1858 | Underexpressed microRNA-19b targets Hypoxia-inducible Factor-1 $\alpha$ in hepatocellular carcinoma and predicts prognosis of hepatocellular carcinoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1630-1637.  | 2.8 | 59        |
| 1859 | Potential anti-cancer activity of N-hydroxy-7-(2-naphthylthio) heptanamide (HNHA), a histone deacetylase inhibitor, against breast cancer both <i>in vitro</i> and <i>in vivo</i> . <i>Cancer Science</i> , 2011, 102, 343-350.  | 3.9 | 11        |
| 1860 | Hypoglycemic/hypoxic condition <i>in vitro</i> mimicking the tumor microenvironment markedly reduced the efficacy of anticancer drugs. <i>Cancer Science</i> , 2011, 102, 975-982.   | 3.9 | 51        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1861 | Persistent vascular normalization as an alternative goal of anti-angiogenic cancer therapy. <i>Cancer Science</i> , 2011, 102, 1253-1256.  | 3.9  | 51        |
| 1862 | Hypoxia-induced $\beta$ -catenin downregulation involves p53-dependent activation of Siah1. <i>Cancer Science</i> , 2011, 102, 1322-1328.  | 3.9  | 13        |
| 1863 | Evaluation of [ <sup>125</sup> I]IPOS as a molecular imaging probe for hypoxia-inducible factor-1 active regions in a tumor: Comparison among single-photon emission computed tomography/X-ray computed tomography imaging, autoradiography, and immunohistochemistry. <i>Cancer Science</i> , 2011, 102, 2090-2096. | 3.9  | 14        |
| 1864 | Coexpression of hypoxia-inducible factor-1 $\alpha$ and glucose transporter-1 is associated with poor prognosis in oral squamous cell carcinoma patients. <i>Histopathology</i> , 2011, 58, 1136-1147.   | 2.9  | 66        |
| 1865 | Hypoxia-inducible factors $\alpha$ regulation, role and comparative aspects in tumorigenesis. <i>Veterinary and Comparative Oncology</i> , 2011, 9, 16-37.   | 1.8  | 17        |
| 1866 | Sphingosine kinase 1 pathway is involved in melatonin-induced HIF-1 $\alpha$ inactivation in hypoxic PC-3 prostate cancer cells. <i>Journal of Pineal Research</i> , 2011, 51, 87-93.  | 7.4  | 75        |
| 1867 | What is the malignant nature of human ductal carcinoma in situ?. <i>Nature Reviews Cancer</i> , 2011, 11, 68-75.   | 28.4 | 89        |
| 1868 | Targeting hypoxia in cancer therapy. <i>Nature Reviews Cancer</i> , 2011, 11, 393-410.   | 28.4 | 2,607     |
| 1869 | Prolyl-4-hydroxylase PHD2- and hypoxia-inducible factor 2-dependent regulation of amphiregulin contributes to breast tumorigenesis. <i>Oncogene</i> , 2011, 30, 548-560.   | 5.9  | 63        |
| 1870 | Opposite functions of HIF-1 isoforms in VEGF induction by TGF- $\beta$ 1 under non-hypoxic conditions. <i>Oncogene</i> , 2011, 30, 1213-1228.  | 5.9  | 50        |
| 1871 | Oncogenic kinase NPM/ALK induces expression of HIF1 $\alpha$ mRNA. <i>Oncogene</i> , 2011, 30, 1372-1378.  | 5.9  | 32        |
| 1872 | Regulation of transcription of hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) by heat shock factors HSF2 and HSF4. <i>Oncogene</i> , 2011, 30, 2570-2580.   | 5.9  | 40        |
| 1873 | Sirt3 suppresses hypoxia inducible factor 1 $\alpha$ and tumor growth by inhibiting mitochondrial ROS production. <i>Oncogene</i> , 2011, 30, 2986-2996.   | 5.9  | 394       |
| 1874 | Pro-apoptotic activity of inhibitory PAS domain protein (IPAS), a negative regulator of HIF-1, through binding to pro-survival Bcl-2 family proteins. <i>Cell Death and Differentiation</i> , 2011, 18, 1711-1725.   | 11.2 | 31        |
| 1875 | Glioblastoma, Cancer Stem Cells and Hypoxia. <i>Brain Pathology</i> , 2011, 21, 119-129.   | 4.1  | 98        |
| 1876 | Two sides to every story: the HIF-dependent and HIF-independent functions of pVHL. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 187-195.  | 3.6  | 76        |
| 1877 | Multi-modal strategies for overcoming tumor drug resistance: Hypoxia, the Warburg effect, stem cells, and multifunctional nanotechnology. <i>Journal of Controlled Release</i> , 2011, 155, 237-247.   | 9.9  | 112       |
| 1878 | Neuroblastoma aggressiveness in relation to sympathetic neuronal differentiation stage. <i>Seminars in Cancer Biology</i> , 2011, 21, 276-282.   | 9.6  | 28        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1879 | Dietary hyperglycemia, glycemic index and metabolic retinal diseases. <i>Progress in Retinal and Eye Research</i> , 2011, 30, 18-53.  | 15.5 | 132       |
| 1880 | Reappraising antiangiogenic therapy for breast cancer. <i>Breast</i> , 2011, 20, S56-S60.   | 2.2  | 55        |
| 1881 | Anticancer activity of the iron facilitator LS081. <i>Journal of Experimental and Clinical Cancer Research</i> , 2011, 30, 34.  | 8.6  | 8         |
| 1882 | Conditioned medium from hypoxia-treated adipocytes renders muscle cells insulin resistant. <i>European Journal of Cell Biology</i> , 2011, 90, 1000-1015.   | 3.6  | 31        |
| 1883 | Antibody inhibiting enzymatic activity of tumour-associated carbonic anhydrase isoform IX. <i>European Journal of Pharmacology</i> , 2011, 657, 173-183.  | 3.5  | 42        |
| 1884 | Ischemic insult induced apoptotic changes in PC12 cells: Protection by trans resveratrol. <i>European Journal of Pharmacology</i> , 2011, 666, 5-11.  | 3.5  | 50        |
| 1885 | The therapeutic potential of oxygen tension manipulation via hypoxia inducible factors and mimicking agents in guided bone regeneration. A review. <i>Archives of Oral Biology</i> , 2011, 56, 1466-1475.   | 1.8  | 30        |
| 1886 | Tumor Necrosis as a Prognostic Factor for Stage IA Non-Small Cell Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2011, 91, 1668-1673.   | 1.3  | 67        |
| 1887 | Regulation of iron pathways in response to hypoxia. <i>Free Radical Biology and Medicine</i> , 2011, 50, 645-666.   | 2.9  | 88        |
| 1888 | Electron microscopy morphology of the mitochondrial network in gliomas and their vascular microenvironment. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 602-608.   | 1.0  | 60        |
| 1889 | CITED2 controls the hypoxic signaling by snatching p300 from the two distinct activation domains of HIF-1 $\alpha$ . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 2008-2016.  | 4.1  | 28        |
| 1890 | Uncovering the role of hypoxia inducible factor-1 $\alpha$ in skin carcinogenesis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2011, 1816, 1-12.  | 7.4  | 19        |
| 1891 | The multiple roles of amphiregulin in human cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2011, 1816, 119-131.  | 7.4  | 148       |
| 1892 | Design, synthesis and insight into the structure-activity relationship of 1,3-disubstituted indazoles as novel HIF-1 inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 6297-6300.   | 2.2  | 18        |
| 1893 | Hypoxia-induced angiogenesis is delayed in aging mouse brain. <i>Brain Research</i> , 2011, 1389, 50-60.  | 2.2  | 64        |
| 1894 | Molecular characterization of hypoxia and hypoxia-inducible factor 1 $\alpha$ (HIF-1 $\alpha$ ) from Taiwan voles ( <i>Microtus kikuchii</i> ). <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2011, 158, 183-188. | 1.8  | 2         |
| 1895 | Characterization of novel antisense HIF-1 $\alpha$ transcripts in human cancers. <i>Cell Cycle</i> , 2011, 10, 3189-3197.   | 2.6  | 92        |
| 1896 | Quercetin induces protective autophagy in gastric cancer cells: Involvement of Akt-mTOR- and hypoxia-induced factor 1 $\alpha$ -mediated signaling. <i>Autophagy</i> , 2011, 7, 966-978.  | 9.1  | 335       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1897 | Antiangiogenic Therapy for Primary Liver Cancer: Correlation of Changes in Dynamic Contrast-Enhanced Magnetic Resonance Imaging with Tissue Hypoxia Markers and Clinical Response. <i>Annals of Surgical Oncology</i> , 2011, 18, 2192-2199. | 1.5 | 76        |
| 1898 | Isolation of hypoxia-inducible factor 1 (HIF-1) inhibitors from frankincense using a molecularly imprinted polymer. <i>Investigational New Drugs</i> , 2011, 29, 1081-1089.  | 2.6 | 9         |
| 1899 | PET Imaging of Hypoxia-Inducible Factor-1-Active Tumor Cells with Pretargeted Oxygen-Dependent Degradable Streptavidin and a Novel 18F-Labeled Biotin Derivative. <i>Molecular Imaging and Biology</i> , 2011, 13, 1003-1010.                | 2.6 | 22        |
| 1901 | Modulation of adipokine production, glucose uptake and lactate release in human adipocytes by small changes in oxygen tension. <i>Pflügers Archiv European Journal of Physiology</i> , 2011, 462, 469-477.                                   | 2.8 | 52        |
| 1902 | Techniques of assessing hypoxia at the bench and bedside. <i>Angiogenesis</i> , 2011, 14, 119-124.   | 7.2 | 8         |
| 1903 | Potent and sustained inhibition of HIF-1 $\pm$ and downstream genes by a polyethyleneglycol-SN38 conjugate, EZN-2208, results in anti-angiogenic effects. <i>Angiogenesis</i> , 2011, 14, 245-53.  | 7.2 | 57        |
| 1904 | At the crossroads of cancer and inflammation: Ras rewires an HIF-driven IL-1 autocrine loop. <i>Journal of Molecular Medicine</i> , 2011, 89, 91-94.   | 3.9 | 17        |
| 1905 | Altered gene expression and spongiotrophoblast differentiation in placenta from a mouse model of diabetes in pregnancy. <i>Diabetologia</i> , 2011, 54, 1909-1920.   | 6.3 | 36        |
| 1906 | Targeting acute hypoxic cancer cells by doxorubicin-immunoliposomes directed by monoclonal antibodies specific to RON receptor tyrosine kinase. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 67, 1073-1083.                           | 2.3 | 21        |
| 1907 | Vascular normalization: a real benefit?. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 275-278.  | 2.3 | 15        |
| 1908 | Targeting NF- $\kappa$ B and HIF-1 Pathways for the Treatment of Cancer: Part II. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2011, 59, 301-307.  | 2.3 | 28        |
| 1909 | The cytoprotective role of the Keap1 $\pm$ Nrf2 pathway. <i>Archives of Toxicology</i> , 2011, 85, 241-272.  | 4.2 | 830       |
| 1910 | Can we develop effective combination antiangiogenic therapy for patients with hepatocellular carcinoma?. <i>Oncology Reviews</i> , 2011, 5, 177-184.   | 1.8 | 12        |
| 1911 | MicroRNA Dysregulation in Colon Cancer Microenvironment Interactions: The Importance of Small Things in Metastases. <i>Cancer Microenvironment</i> , 2011, 4, 155-162.   | 3.1 | 16        |
| 1912 | Can metabolic plasticity be a cause for cancer? Warburg $\pm$ Waddington legacy revisited. <i>Clinical Epigenetics</i> , 2011, 2, 113-122.   | 4.1 | 12        |
| 1913 | Luminal and basal-like breast cancer cells show increased migration induced by hypoxia, mediated by an autocrine mechanism. <i>BMC Cancer</i> , 2011, 11, 158.   | 2.6 | 36        |
| 1914 | Differential utilization of ketone bodies by neurons and glioma cell lines: a rationale for ketogenic diet as experimental glioma therapy. <i>BMC Cancer</i> , 2011, 11, 315.  | 2.6 | 182       |
| 1915 | Overexpression of carbonic anhydrase and HIF-1 $\pm$ in Wilms tumours. <i>BMC Cancer</i> , 2011, 11, 390.  | 2.6 | 19        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1916 | Targeting hypoxic tumour cells to overcome metastasis. BMC Cancer, 2011, 11, 504.  | 2.6 | 96        |
| 1917 | Comparative analysis of novel and conventional Hsp90 inhibitors on HIF activity and angiogenic potential in clear cell renal cell carcinoma: implications for clinical evaluation. BMC Cancer, 2011, 11, 520.  | 2.6 | 27        |
| 1918 | Role of hypoxia and glycolysis in the development of multi-drug resistance in human tumor cells and the establishment of an orthotopic multi-drug resistant tumor model in nude mice using hypoxic pre-conditioning. Cancer Cell International, 2011, 11, 3. | 4.1 | 103       |
| 1919 | Functional characterization of human Cd33+ And Cd11b+ myeloid-derived suppressor cell subsets induced from peripheral blood mononuclear cells co-cultured with a diverse set of human tumor cell lines. Journal of Translational Medicine, 2011, 9, 90.      | 4.4 | 186       |
| 1920 | Regulation of hypoxia inducible factor-1 $\alpha$ expression by the alteration of redox status in HepG2 cells. Journal of Experimental and Clinical Cancer Research, 2011, 30, 61.   | 8.6 | 33        |
| 1921 | Suffocating cancer: hypoxia-associated epimutations as targets for cancer therapy. Clinical Epigenetics, 2011, 3, 9.   | 4.1 | 17        |
| 1922 | Phosphorylated Akt up-regulates angiotensin II type-1 receptor expression in castration resistant prostate cancer. Prostate, 2011, 71, 1510-1517.  | 2.3 | 14        |
| 1923 | Combined treatment targeting HIF-1 $\alpha$ and Stat3 is a potent strategy for prostate cancer therapy. Prostate, 2011, 71, 1796-1809.   | 2.3 | 29        |
| 1924 | A role for CD95 signaling in ischemia/reperfusion-induced invasion and outgrowth of colorectal micrometastases in mouse liver. Journal of Surgical Oncology, 2011, 104, 198-204.   | 1.7 | 11        |
| 1925 | Combined effects of TNF- $\alpha$ , IL-1 $\beta$ , and HIF-1 $\alpha$ on MMP-2 production in ACL fibroblasts under mechanical stretch: An in vitro study. Journal of Orthopaedic Research, 2011, 29, 1008-1014.  | 2.3 | 33        |
| 1926 | Thrombin induces expression of twist and cell motility via the hypoxia-inducible factor-1 $\alpha$ translational pathway in colorectal cancer cells. Journal of Cellular Physiology, 2011, 226, 1060-1068.   | 4.1 | 36        |
| 1927 | Imaging tumor hypoxia by magnetic resonance methods. NMR in Biomedicine, 2011, 24, 1-16.   | 2.8 | 86        |
| 1928 | Hypoxic stress and cancer: imaging the axis of evil in tumor metastasis. NMR in Biomedicine, 2011, 24, 569-581.  | 2.8 | 40        |
| 1929 | Antihepatoma activity of chaetocin due to deregulated splicing of hypoxia-inducible factor 1 $\alpha$ pre-mRNA in mice and in vitro. Hepatology, 2011, 53, 171-180.  | 7.3 | 51        |
| 1930 | Role of cyclophilin B in tumorigenesis and cisplatin resistance in hepatocellular carcinoma in humans. Hepatology, 2011, 54, 1661-1678.  | 7.3 | 49        |
| 1931 | Boosting the hypoxia-induced adaptive response in inflammatory bowel disease: A novel concept of treatment. Inflammatory Bowel Diseases, 2011, 17, 2019-2022.  | 1.9 | 4         |
| 1933 | Hypoxia-mediated biological control. Journal of Cellular Biochemistry, 2011, 112, 735-744.   | 2.6 | 135       |
| 1934 | Chalcone-based inhibitors against hypoxia-inducible factor 1 $\alpha$ ”Structure activity relationship studies. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 555-557.   | 2.2 | 18        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1935 | The role of hypoxia inducible factor-1alpha in gynecological cancer. Critical Reviews in Oncology/Hematology, 2011, 78, 173-184.  | 4.4  | 73        |
| 1936 | HIF-1 $\pm$ inhibitors: Synthesis and biological evaluation of novel moracin O and P analogues. European Journal of Medicinal Chemistry, 2011, 46, 2386-2396.   | 5.5  | 51        |
| 1937 | Nanoprobes for biomedical imaging in living systems. Nano Today, 2011, 6, 204-220.  | 11.9 | 129       |
| 1938 | Deterministic and stochastic aspects of VEGF-A production and the cooperative behavior of tumoral cell colony. Journal of Theoretical Biology, 2011, 272, 55-63.  | 1.7  | 6         |
| 1939 | Hypoxia-inducible factor-1 $\pm$ protein expression is associated with poor survival in normal karyotype adult acute myeloid leukemia. Leukemia Research, 2011, 35, 579-584.  | 0.8  | 70        |
| 1940 | Role of Sp Transcription Factors in the Regulation of Cancer Cell Metabolism. Genes and Cancer, 2011, 2, 712-719.   | 1.9  | 46        |
| 1941 | Chemokines, costimulatory molecules and fusion proteins for the immunotherapy of solid tumors. Immunotherapy, 2011, 3, 1317-1340.   | 2.0  | 53        |
| 1942 | Texaphyrins: Tumor Localizing Redox Active Expanded Porphyrins. Anti-Cancer Agents in Medicinal Chemistry, 2011, 11, 222-232.   | 1.7  | 32        |
| 1943 | Emerging Therapies Targeting Tumor Vasculature in Multiple Myeloma and other Hematologic and Solid Malignancies. Current Cancer Drug Targets, 2011, 11, 1005-1024.  | 1.6  | 21        |
| 1944 | Interplay of Hypoxia and A2B Adenosine Receptors in Tissue Protection. Advances in Pharmacology, 2011, 61, 145-186.   | 2.0  | 69        |
| 1945 | The Biology of HIF $\pm$ Proteins in Cell Differentiation and Disease. Vitamins and Hormones, 2011, 87, 367-379.  | 1.7  | 6         |
| 1946 | Combination Therapy for Renal Cell Cancer: What Are Possible Options?. Oncology, 2011, 81, 220-229.   | 1.9  | 18        |
| 1947 | Brain-Derived Neurotrophic Factor/Tyrosine Kinase B Signaling Regulates Human Trophoblast Growth in an in Vivo Animal Model of Ectopic Pregnancy. Endocrinology, 2011, 152, 1090-1100.                                      | 2.8  | 48        |
| 1948 | Oxygen Sensing, Homeostasis, and Disease. New England Journal of Medicine, 2011, 365, 968-968.  | 27.0 | 2         |
| 1949 | Influence of the tumor microenvironment on angiogenesis. Future Oncology, 2011, 7, 395-408.   | 2.4  | 20        |
| 1950 | Quassinoids: From Traditional Drugs to New Cancer Therapeutics. Current Medicinal Chemistry, 2011, 18, 316-328.   | 2.4  | 63        |
| 1951 | Cancer Therapeutic Agents Targeting Hypoxia-Inducible Factor-1. Current Medicinal Chemistry, 2011, 18, 3168-3189.   | 2.4  | 57        |
| 1952 | Hypoxia Specific SDF-1 Expression by Retinal Pigment Epithelium Initiates Bone Marrow-derived Cells to Participate in Choroidal Neovascularization in a Laser-induced Mouse Model. Current Eye Research, 2011, 36, 838-849. | 1.5  | 35        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1953 | Astrocyte-elevated gene-1 (AEG-1): Glioblastoma's helping hand during times of hypoxia and glucose deprivation?. <i>Cancer Biology and Therapy</i> , 2011, 11, 40-42.  | 3.4 | 7         |
| 1954 | Anticancer imidazoacridinone C-1311 inhibits hypoxia-inducible factor-1 $\pm$ (HIF-1 $\pm$ ), vascular endothelial growth factor (VEGF) and angiogenesis. <i>Cancer Biology and Therapy</i> , 2011, 12, 586-597.   | 3.4 | 18        |
| 1955 | Hypoxia-associated protein expression in primary central nervous system diffuse large B-cell lymphoma: does it predict prognosis?. <i>Leukemia and Lymphoma</i> , 2011, 52, 205-213.   | 1.3 | 18        |
| 1956 | Transcriptional Control of Cellular Metabolism by mTOR Signaling. <i>Cancer Research</i> , 2011, 71, 2815-2820.  | 0.9 | 135       |
| 1957 | Hypoxia Inducible Factor $\pm$ Dependent Regulation of Angiogenesis by Nitro $\pm$ Fatty Acids. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1360-1367.   | 2.4 | 21        |
| 1958 | Mitoxantrone Inhibits HIF-1 $\pm$ Expression in a Topoisomerase II $\pm$ Independent Pathway. <i>Clinical Cancer Research</i> , 2011, 17, 5026-5037.   | 7.0 | 30        |
| 1959 | Thyroid Hormone Is a MAPK-Dependent Growth Factor for Human Myeloma Cells Acting via $\alpha$ 2 $\beta$ 3 Integrin. <i>Molecular Cancer Research</i> , 2011, 9, 1385-1394.   | 3.4 | 50        |
| 1960 | Propofol inhibits lipopolysaccharide-induced lung epithelial cell injury by reducing hypoxia-inducible factor-1 $\pm$ expression. <i>British Journal of Anaesthesia</i> , 2011, 106, 590-599.  | 3.4 | 56        |
| 1961 | Loss of epidermal hypoxia-inducible factor-1 $\pm$ accelerates epidermal aging and affects re-epithelialization in human and mouse. <i>Journal of Cell Science</i> , 2011, 124, 4172-4183.   | 2.0 | 76        |
| 1962 | HDAC4 Protein Regulates HIF1 $\pm$ Protein Lysine Acetylation and Cancer Cell Response to Hypoxia. <i>Journal of Biological Chemistry</i> , 2011, 286, 38095-38102.  | 3.4 | 169       |
| 1963 | HIF-1 $\pm$ Dependent Stromal Adaptation to Ischemia Mediates <i>In Vivo</i> Tumor Radiation Resistance. <i>Molecular Cancer Research</i> , 2011, 9, 259-270.  | 3.4 | 24        |
| 1964 | Activation of PI3 kinase/Akt/HIF-1 $\pm$ pathway contributes to hypoxia-induced epithelial-mesenchymal transition and chemoresistance in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2011, 40, 461-8.   | 3.3 | 64        |
| 1965 | 18F-Fluorodeoxy-glucose Positron Emission Tomography Marks MYC-Overexpressing Human Basal-Like Breast Cancers. <i>Cancer Research</i> , 2011, 71, 5164-5174.   | 0.9 | 113       |
| 1966 | Differential Hypoxic Regulation of Hypoxia-Inducible Factors 1 $\pm$ and 2 $\pm$ . <i>Molecular Cancer Research</i> , 2011, 9, 757-765.  | 3.4 | 113       |
| 1967 | Oocyte and Cumulus Cell Transcripts from Cultured Mouse Follicles Are Induced to Deviate from Normal <i>In Vivo</i> Conditions by Combinations of Insulin, Follicle-Stimulating Hormone, and Human Chorionic Gonadotropin. <i>Biology of Reproduction</i> , 2011, 85, 565-574.               | 2.7 | 34        |
| 1968 | Combined fluorescence and reflectance spectroscopy for <i>in vivo</i> quantification of cancer biomarkers in low- and high-grade glioma surgery. <i>Journal of Biomedical Optics</i> , 2011, 16, 116007.   | 2.6 | 112       |
| 1969 | Green tea polyphenol EGCG suppresses lung cancer cell growth through upregulating miR-210 expression caused by stabilizing HIF-1 $\pm$ . <i>Carcinogenesis</i> , 2011, 32, 1881-1889.  | 2.8 | 237       |
| 1970 | Pharmacological Characterization of 1-(5-Chloro-6-(trifluoromethoxy)-1 <i>H</i> -benzoimidazol-2-yl)-1 <i>H</i> -pyrazole-4-carboxylic Acid (JNJ-42041935), a Potent and Selective Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitor. <i>Molecular Pharmacology</i> , 2011, 79, 910-920. | 2.3 | 70        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1971 | Hypoxia-Dependent Inhibition of Tumor Cell Susceptibility to CTL-Mediated Lysis Involves NANOG Induction in Target Cells. <i>Journal of Immunology</i> , 2011, 187, 4031-4039.   | 0.8  | 57        |
| 1972 | Regulation of Anoxic Death in <i>Caenorhabditis elegans</i> by Mammalian Apoptosis Signal-Regulating Kinase (ASK) Family Proteins. <i>Genetics</i> , 2011, 187, 785-792.   | 2.9  | 29        |
| 1973 | Human T <sub>H</sub> 17 Cells Are Long-Lived Effector Memory Cells. <i>Science Translational Medicine</i> , 2011, 3, 104ra100.   | 12.4 | 236       |
| 1974 | JAG2 Induction in Hypoxic Tumor Cells Alters Notch Signaling and Enhances Endothelial Cell Tube Formation. <i>Molecular Cancer Research</i> , 2011, 9, 626-636.  | 3.4  | 56        |
| 1975 | Close and Stable Relationship between Proliferation and a Hypoxia Metagene in Aromatase Inhibitor-Treated ER-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3005-3012.                                | 7.0  | 31        |
| 1976 | Unveiling Molecular Events in the Brain by Noninvasive Imaging. <i>Neuroscientist</i> , 2011, 17, 539-559.   | 3.5  | 19        |
| 1977 | Hypoxia Is Present in Murine Atherosclerotic Plaques and Has Multiple Adverse Effects on Macrophage Lipid Metabolism. <i>Circulation Research</i> , 2011, 109, 1141-1152.  | 4.5  | 138       |
| 1978 | Combined Hyperthermia and Radiotherapy for the Treatment of Cancer. <i>Cancers</i> , 2011, 3, 3799-3823.   | 3.7  | 88        |
| 1979 | Generation of a Mouse Model of Von Hippel-Lindau Kidney Disease Leading to Renal Cancers by Expression of a Constitutively Active Mutant of <i>HIF1<math>\alpha</math></i> . <i>Cancer Research</i> , 2011, 71, 6848-6856. | 0.9  | 85        |
| 1980 | Inhibitors of Glioma Growth that Reveal the Tumour to the Immune System. <i>Clinical Medicine Insights: Oncology</i> , 2011, 5, CMO.S7685.   | 1.3  | 34        |
| 1981 | Microtubule disruption targets HIF-1 $\alpha$ mRNA to cytoplasmic P-bodies for translational repression. <i>Journal of Cell Biology</i> , 2011, 192, 83-99.  | 5.2  | 87        |
| 1982 | Hypoxia-induced methylation of a pontin chromatin remodeling factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13510-13515.                                      | 7.1  | 100       |
| 1983 | Adipose tissue remodeling and obesity. <i>Journal of Clinical Investigation</i> , 2011, 121, 2094-2101.  | 8.2  | 1,455     |
| 1984 | Molecular and functional imaging of invasion and metastasis: Windows into the metastatic cascade. <i>Cancer Biomarkers</i> , 2011, 7, 173-188.   | 1.7  | 7         |
| 1985 | Glioma-derived T Cell Immunoglobulin- and Mucin Domain-containing Molecule-4 (TIM4) Contributes to Tumor Tolerance. <i>Journal of Biological Chemistry</i> , 2011, 286, 36694-36699.                                       | 3.4  | 26        |
| 1986 | Recording Intracellular Molecular Events from the Outside: Glycosylphosphatidylinositol-Anchored Avidin as a Reporter Protein for In Vivo Imaging. <i>Journal of Nuclear Medicine</i> , 2011, 52, 445-452.                 | 5.0  | 7         |
| 1988 | Gene expression inhibition of N-Myc downregulated gene 1 (NDRG1) monitoring and facilitation via transfectional transfer of NDRG1-siRNA constructs into in vitro-cultured human glioblastoma cells. , 2011, , .            |      | 0         |
| 1989 | Clinicopathological significance of carbonic anhydrase 9, glucose transporter-1, Ki-67 and p53 expression in oral squamous cell carcinoma. <i>Oncology Reports</i> , 2011, 25, 1227-33.                                    | 2.6  | 30        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1990 | Baicalin increases VEGF expression and angiogenesis by activating the ERR $\alpha$ /PGC-1 $\alpha$ pathway. Cardiovascular Research, 2011, 89, 426-435.  | 3.8  | 80        |
| 1991 | Ex vivo carbon monoxide delivery inhibits intimal hyperplasia in arterialized vein grafts. Cardiovascular Research, 2011, 89, 457-463.   | 3.8  | 28        |
| 1992 | Loss of either hypoxia inducible factor 1 or 2 promotes lung cancer cell colonization. Cell Cycle, 2011, 10, 2233-2234.  | 2.6  | 7         |
| 1993 | Targeting the Warburg Effect That Arises in Tumor Cells Expressing Membrane Type-1 Matrix Metalloproteinase. Journal of Biological Chemistry, 2011, 286, 14691-14704.  | 3.4  | 68        |
| 1994 | Dual Role of CO <sub>2</sub> /HCO <sub>3</sub> <sup>-</sup> Buffer in the Regulation of Intracellular pH of Three-dimensional Tumor Growths. Journal of Biological Chemistry, 2011, 286, 13815-13826.  | 3.4  | 75        |
| 1995 | VHL loss in renal cell carcinoma leads to up-regulation of CUB domain-containing protein 1 to stimulate PKC $\delta$ -driven migration. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1931-1936. | 7.1  | 80        |
| 1996 | Coactivators necessary for transcriptional output of the hypoxia inducible factor, HIF, are directly recruited by ARNT PAS-B. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 7739-7744.           | 7.1  | 58        |
| 1997 | A Hypoxia-Induced Positive Feedback Loop Promotes Hypoxia-Inducible Factor 1 $\alpha$ Stability through miR-210 Suppression of Glycerol-3-Phosphate Dehydrogenase 1-Like. Molecular and Cellular Biology, 2011, 31, 2696-2706.                 | 2.3  | 195       |
| 1998 | Low oxygen levels induce the expression of the embryonic morphogen Nodal. Molecular Biology of the Cell, 2011, 22, 4809-4821.  | 2.1  | 39        |
| 1999 | Hypoxia Induces the Gene Expression and Extracellular Transmission of Persistent Lymphocytic Choriomeningitis Virus. Journal of Virology, 2011, 85, 13069-13076.   | 3.4  | 12        |
| 2000 | Rapid non-genomic signalling by 17 $\beta$ -oestradiol through c-Src involves mTOR-dependent expression of HIF-1 $\alpha$ in breast cancer cells. British Journal of Cancer, 2011, 105, 953-960.   | 6.4  | 39        |
| 2001 | Suppression of hepatic tumor growth and metastasis by metronomic therapy in a rat model of hepatocellular carcinoma. Experimental and Molecular Medicine, 2011, 43, 305.   | 7.7  | 11        |
| 2002 | Oxidative stress and therapeutic opportunities: focus on the Ewing's sarcoma family of tumors. Expert Review of Anticancer Therapy, 2011, 11, 229-249.   | 2.4  | 30        |
| 2003 | Hypoxia. 1. Intracellular sensors for oxygen and oxidative stress: novel therapeutic targets. American Journal of Physiology - Cell Physiology, 2011, 300, C226-C231.  | 4.6  | 118       |
| 2004 | Lactate Influx through the Endothelial Cell Monocarboxylate Transporter MCT1 Supports an NF- $\kappa$ B/IL-8 Pathway that Drives Tumor Angiogenesis. Cancer Research, 2011, 71, 2550-2560.   | 0.9  | 637       |
| 2005 | The NSAID sulindac is chemopreventive in the mouse distal colon but carcinogenic in the proximal colon. Gut, 2011, 60, 350-360.  | 12.1 | 31        |
| 2006 | Histone Deacetylase Inhibitors: The Epigenetic Therapeutics That Repress Hypoxia-Inducible Factors. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-14.  | 3.0  | 61        |
| 2007 | Hypoxia-Inducible Factor Directs POMC Gene to Mediate Hypothalamic Glucose Sensing and Energy Balance Regulation. PLoS Biology, 2011, 9, e1001112.   | 5.6  | 89        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2008 | ATP-competitive inhibitors of mTOR: new perspectives in the treatment of renal cell carcinoma. Biochemical Society Transactions, 2011, 39, 492-494.  | 3.4 | 7         |
| 2009 | 4F2hc stabilizes GLUT1 protein and increases glucose transport activity. American Journal of Physiology - Cell Physiology, 2011, 300, C1047-C1054.   | 4.6 | 29        |
| 2010 | Erythropoietin-driven proliferation of cells with mutations in the tumor suppressor gene TSC2. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2011, 300, L64-L72.                  | 2.9 | 13        |
| 2011 | A Lyophilized Red Grape Pomace Containing Proanthocyanidin-Rich Dietary Fiber Induces Genetic and Metabolic Alterations in Colon Mucosa of Female C57BL/6J Mice. Journal of Nutrition, 2011, 141, 1597-1604. | 2.9 | 44        |
| 2012 | Dynamic nuclear polarization in metabolic imaging of metastasis: Common sense, hypersense and compressed sensing. Cancer Biomarkers, 2011, 7, 189-199.   | 1.7 | 7         |
| 2013 | Target Therapies in Lung Cancer. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-5.  | 3.0 | 9         |
| 2014 | Reduced Expression of von Hippel-Lindau Protein Correlates with Decreased Apoptosis and High Chondrosarcoma Grade. Journal of Bone and Joint Surgery - Series A, 2011, 93, 1833-1840.                        | 3.0 | 12        |
| 2015 | An Evaluation on Transfection Efficiency of pHRE-Egr1-EGFP in Hepatocellular Carcinoma Cells Bel-7402 Mediated by PEI-MZF-NPs. Journal of Nanomaterials, 2011, 2011, 1-10.                                   | 2.7 | 4         |
| 2016 | Androgen deprivation induces rapid involution and recovery of human prostate vasculature. American Journal of Physiology - Endocrinology and Metabolism, 2011, 300, E263-E275.                               | 3.5 | 44        |
| 2017 | Emerging Glycolysis Targeting and Drug Discovery from Chinese Medicine in Cancer Therapy. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-13.   | 1.2 | 32        |
| 2018 | A novel microtubule-modulating agent EM011 inhibits angiogenesis by repressing the HIF-1 $\alpha$ axis and disrupting cell polarity and migration. Carcinogenesis, 2012, 33, 1769-1781.                      | 2.8 | 17        |
| 2019 | Hypoxia-inducible Factor 1 Mediates Nasal Polypogenesis by Inducing Epithelial-to-Mesenchymal Transition. American Journal of Respiratory and Critical Care Medicine, 2012, 185, 944-954.                    | 5.6 | 109       |
| 2020 | The polymorphisms in the VHL and HIF1A genes are associated with the prognosis but not the development of renal cell carcinoma. Annals of Oncology, 2012, 23, 981-989.                                       | 1.2 | 52        |
| 2021 | Tumor Heterogeneity: Mechanisms and Bases for a Reliable Application of Molecular Marker Design. International Journal of Molecular Sciences, 2012, 13, 1951-2011.   | 4.1 | 132       |
| 2022 | Complementary and Alternative Medicine and Cancer Survivorship. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-2.  | 1.2 | 2         |
| 2023 | The Role of Immunoglobulin Superfamily Cell Adhesion Molecules in Cancer Metastasis. International Journal of Cell Biology, 2012, 2012, 1-9.   | 2.5 | 140       |
| 2024 | Breast Cancer Chemoprevention: Old and New Approaches. Journal of Biomedicine and Biotechnology, 2012, 2012, 1-15.   | 3.0 | 52        |
| 2025 | A Potential Role for Pro-Inflammatory Cytokines in the Development of Insulin Resistance in Horses. Animals, 2012, 2, 243-260.   | 2.3 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2026 | PPARs and HCV-Related Hepatocarcinoma: A Mitochondrial Point of View. PPAR Research, 2012, 2012, 1-11.  | 2.4 | 7         |
| 2027 | Hitting the target: where do molecularly targeted therapies fit in the treatment scheduling of neuroendocrine tumours?. Endocrine-Related Cancer, 2012, 19, R73-R92.  | 3.1 | 11        |
| 2028 | The translational repressor 4E-BP mediates the hypoxia-induced defects in myotome cells. Journal of Cell Science, 2012, 125, 3989-4000.   | 2.0 | 13        |
| 2029 | Dynamic Change of Chromatin Conformation in Response to Hypoxia Enhances the Expression of GLUT3 (SLC2A3) by Cooperative Interaction of Hypoxia-Inducible Factor 1 and KDM3A. Molecular and Cellular Biology, 2012, 32, 3018-3032.      | 2.3 | 230       |
| 2030 | Activation of Peroxisome Proliferator-activated Receptor $\alpha$ (PPAR $\alpha$ ) Suppresses Hypoxia-inducible Factor-1 $\alpha$ (HIF-1 $\alpha$ ) Signaling in Cancer Cells. Journal of Biological Chemistry, 2012, 287, 35161-35169. | 3.4 | 69        |
| 2031 | The role of hypoxia-inducible factor 1 in atherosclerosis: Figure 1. Journal of Clinical Pathology, 2012, 65, 872-876.  | 2.0 | 82        |
| 2032 | Upregulation of APE/ref-1 in recurrence stage I, non small cell lung cancer. Asian Cardiovascular and Thoracic Annals, 2012, 20, 36-41.   | 0.5 | 4         |
| 2033 | RNA interference-mediated downregulation of hypoxia-inducible factor-1 $\alpha$ inhibits angiogenesis and survival of oral squamous cell carcinoma in vitro and in vivo. European Journal of Cancer Prevention, 2012, 21, 289-299.      | 1.3 | 12        |
| 2034 | Low-Dose Metronomic Oral Dosing of a Prodrug of Gemcitabine (LY2334737) Causes Antitumor Effects in the Absence of Inhibition of Systemic Vasculogenesis. Molecular Cancer Therapeutics, 2012, 11, 680-689.                             | 4.1 | 38        |
| 2035 | A Novel Fusicoccin Derivative Preferentially Targets Hypoxic Tumor Cells and Inhibits Tumor Growth in Xenografts. Anti-Cancer Agents in Medicinal Chemistry, 2012, 12, 791-800.   | 1.7 | 33        |
| 2036 | Lactate, a Novel Trigger of Transforming Growth Factor- $\beta$ Activation in Idiopathic Pulmonary Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 701-703.  | 5.6 | 19        |
| 2037 | Synthetic 2-Methoxyestradiol Derivatives: Structure-Activity Relationships. Current Medicinal Chemistry, 2012, 19, 4142-4156.   | 2.4 | 31        |
| 2038 | Low expression of prolyl hydroxylase 2 is associated with tumor grade and poor prognosis in patients with colorectal cancer. Experimental Biology and Medicine, 2012, 237, 860-866.   | 2.4 | 16        |
| 2039 | Exercise modulation of the host-tumor interaction in an orthotopic model of murine prostate cancer. Journal of Applied Physiology, 2012, 113, 263-272.  | 2.5 | 98        |
| 2040 | Targeting Energetic Metabolism. American Journal of Respiratory and Critical Care Medicine, 2012, 185, 260-266.   | 5.6 | 148       |
| 2041 | Hypoxia-Induced Pulmonary Arterial Smooth Muscle Cell Proliferation Is Controlled by Forkhead Box M1. American Journal of Respiratory Cell and Molecular Biology, 2012, 46, 431-436.  | 2.9 | 47        |
| 2042 | Dual PI3K/mTOR inhibitor NVP-BEZ235 suppresses hypoxia-inducible factor (HIF)-1 $\alpha$ expression by blocking protein translation and increases cell death under hypoxia. Cancer Biology and Therapy, 2012, 13, 1102-1111.            | 3.4 | 33        |
| 2043 | Operable Non-Small Cell Lung Cancer: Correlation of Volumetric Helical Dynamic Contrast-enhanced CT Parameters with Immunohistochemical Markers of Tumor Hypoxia. Radiology, 2012, 264, 581-589.  | 7.3 | 47        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2044 | It's Time for a STAT Assessment of Bronchoscopy Skills. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 703-705.   | 5.6 | 16        |
| 2045 | Downregulation of Hypoxia-related Responses by Novel Antitumor Histone Deacetylase Inhibitors in MDAMB231 Breast Cancer Cells. Anti-Cancer Agents in Medicinal Chemistry, 2012, 12, 407-413.  | 1.7 | 10        |
| 2046 | Essential Roles of EphB Receptors and EphrinB Ligands in Endothelial Cell Function and Angiogenesis. Advances in Cancer Research, 2012, 114, 21-57.   | 5.0 | 118       |
| 2047 | Hypoxia-inducible factor-1 $\alpha$ expression indicates poor prognosis in myelodysplastic syndromes. Leukemia and Lymphoma, 2012, 53, 2412-2418.   | 1.3 | 30        |
| 2048 | Adenovirus-mediated E2-EPF UCP Gene Transfer Prevents Autoamputation in a Mouse Model of Hindlimb Ischemia. Molecular Therapy, 2012, 20, 778-787.   | 8.2 | 3         |
| 2049 | <i>HIF1A</i> C1772T polymorphism leads to HIF-1 $\alpha$ mRNA overexpression in prostate cancer patients. Cancer Biology and Therapy, 2012, 13, 720-726.  | 3.4 | 21        |
| 2050 | The "Sharp" blade against HIF-mediated metastasis. Cell Cycle, 2012, 11, 4530-4535.   | 2.6 | 15        |
| 2051 | Association Between <i>VHL</i> Single Nucleotide Polymorphism (rs779805) and the Susceptibility to Prostate Cancer in Chinese. DNA and Cell Biology, 2012, 31, 790-796.   | 1.9 | 7         |
| 2052 | Engineering Biomaterials for Regenerative Medicine. , 2012, , .   |     | 16        |
| 2053 | Hypoxia promotes ligand-independent EGF receptor signaling via hypoxia-inducible factor-mediated upregulation of caveolin-1. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 4892-4897.                             | 7.1 | 120       |
| 2054 | Differential Gene Expression Profile in Bovine Blastocysts Resulting from Hyperglycemia Exposure During Early Cleavage Stages. Biology of Reproduction, 2012, 86, 50.   | 2.7 | 52        |
| 2055 | The HIF-pathway inhibitor NSC-134754 induces metabolic changes and anti-tumour activity while maintaining vascular function. British Journal of Cancer, 2012, 106, 1638-1647.   | 6.4 | 40        |
| 2056 | The role of EZH2 in tumour progression. British Journal of Cancer, 2012, 106, 243-247.  | 6.4 | 307       |
| 2057 | Cyclin-dependent kinase inhibitor, P276-00, inhibits HIF-1 $\alpha$ and induces G2/M arrest under hypoxia in prostate cancer cells. Prostate Cancer and Prostatic Diseases, 2012, 15, 15-27.  | 3.9 | 19        |
| 2058 | Microtubules Regulate Hypoxia-inducible Factor-1 $\alpha$ Protein Trafficking and Activity. Journal of Biological Chemistry, 2012, 287, 11859-11869.  | 3.4 | 57        |
| 2059 | <i>Pseudomonas aeruginosa</i> Alkyl Quinolones Repress Hypoxia-Inducible Factor 1 (HIF-1) Signaling through HIF-1 $\alpha$ Degradation. Infection and Immunity, 2012, 80, 3985-3992.  | 2.2 | 42        |
| 2060 | $\beta$ -Catenin and Peroxisome Proliferator-activated Receptor- $\gamma$ Coordinate Dynamic Chromatin Loops for the Transcription of Vascular Endothelial Growth Factor A Gene in Colon Cancer Cells. Journal of Biological Chemistry, 2012, 287, 41364-41373. | 3.4 | 21        |
| 2062 | Cells Lacking the Fumarate Tumor Suppressor Are Protected from Apoptosis through a Hypoxia-Inducible Factor-Independent, AMPK-Dependent Mechanism. Molecular and Cellular Biology, 2012, 32, 3081-3094.   | 2.3 | 29        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2063 | Neuronal Hypoxia Induces Hsp40-Mediated Nuclear Import of Type 3 Deiodinase As an Adaptive Mechanism to Reduce Cellular Metabolism. <i>Journal of Neuroscience</i> , 2012, 32, 8491-8500.  | 3.6 | 57        |
| 2064 | Alpha Particle Emitter Radiolabeled Antibody for Metastatic Cancer: What Can We Learn from Heavy Ion Beam Radiobiology?. <i>Antibodies</i> , 2012, 1, 124-148.   | 2.5 | 16        |
| 2065 | Monitoring the Switch: The Warburg Effect and Targeted Proteomic Analysis of Cancer Metabolism. <i>Current Proteomics</i> , 2012, 9, 26-39.  | 0.3 | 0         |
| 2066 | Dormancy in breast cancer. <i>Breast Cancer: Targets and Therapy</i> , 2012, 4, 183.   | 1.8 | 25        |
| 2067 | Preeclampsia: Molecular Mechanisms, Predisposition, and Treatment. <i>Journal of Pregnancy</i> , 2012, 2012, 1-2.  | 2.4 | 6         |
| 2068 | Molecular Mechanisms of Preeclampsia. <i>Journal of Pregnancy</i> , 2012, 2012, 1-5.   | 2.4 | 34        |
| 2069 | A potentially common peptide target in secreted heat shock protein-90 $\alpha$ for hypoxia-inducible factor-1 $\alpha$ positive tumors. <i>Molecular Biology of the Cell</i> , 2012, 23, 602-613.  | 2.1 | 60        |
| 2070 | Notch Signaling Modulates Hypoxia-Induced Neuroendocrine Differentiation of Human Prostate Cancer Cells. <i>Molecular Cancer Research</i> , 2012, 10, 230-238.   | 3.4 | 63        |
| 2071 | Apolipoprotein A-I Mimetic Peptides Inhibit Expression and Activity of Hypoxia-Inducible Factor-1 $\alpha$ in Human Ovarian Cancer Cell Lines and a Mouse Ovarian Cancer Model. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 342, 255-262. | 2.5 | 39        |
| 2072 | Genetic polymorphisms in HIF1A are associated with prostate cancer risk in a Chinese population. <i>Asian Journal of Andrology</i> , 2012, 14, 864-869.  | 1.6 | 43        |
| 2073 | Acid-extrusion from Tissue: The Interplay Between Membrane Transporters and pH Buffers. <i>Current Pharmaceutical Design</i> , 2012, 18, 1331-1337.  | 1.9 | 15        |
| 2074 | CD24 Is an Effector of HIF-1 $\alpha$ -Driven Primary Tumor Growth and Metastasis. <i>Cancer Research</i> , 2012, 72, 5600-5612.   | 0.9 | 115       |
| 2075 | Understanding the hypoxic niche of multiple myeloma: therapeutic implications and contributions of mouse models. <i>DMM Disease Models and Mechanisms</i> , 2012, 5, 763-771.  | 2.4 | 51        |
| 2076 | A QSAR Analysis of 2-phenoxy-N-substituted Acetamide Analogues as Hypoxia-Inducible Factor-1 (HIF-1) Inhibitors: A Rational Approach to Anticancer Drug Design. <i>Medicinal Chemistry</i> , 2012, 8, 599-614.   | 1.5 | 0         |
| 2077 | Hypoxia imaging with PET. <i>Nuclear Medicine Communications</i> , 2012, 33, 217-222.  | 1.1 | 25        |
| 2078 | Ascorbic Acid in Cancer Chemoprevention: Translational Perspectives and Efficacy. <i>Current Drug Targets</i> , 2012, 13, 1757-1771.   | 2.1 | 30        |
| 2079 | Mitochondria and Organismal Longevity. <i>Current Genomics</i> , 2012, 13, 519-532.  | 1.6 | 76        |
| 2080 | Microenvironmental Regulation of Cancer Stem Cell Phenotypes. <i>Current Stem Cell Research and Therapy</i> , 2012, 7, 197-216.  | 1.3 | 93        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2082 | MRP3 gene expression correlates with NRF2 mutations in lung squamous cell carcinomas. <i>Molecular Medicine Reports</i> , 2012, 6, 705-708.  | 2.4  | 9         |
| 2083 | Targeting PI3 Kinase/AKT/mTOR Signaling in Cancer. <i>Critical Reviews in Oncogenesis</i> , 2012, 17, 69-95.   | 0.4  | 204       |
| 2084 | Hypoxia downregulates the expression of cell surface MICA without increasing soluble MICA in osteosarcoma cells in a HIF-1 $\alpha$ -dependent manner. <i>International Journal of Oncology</i> , 2012, 41, 2005-2012.   | 3.3  | 51        |
| 2085 | Increased NRF2 gene (NFE2L2) copy number correlates with mutations in lung squamous cell carcinomas. <i>Molecular Medicine Reports</i> , 2012, 6, 391-394.   | 2.4  | 17        |
| 2086 | The hypoxia-mimetic agent cobalt chloride induces cell cycle arrest and alters gene expression in U266 multiple myeloma cells. <i>International Journal of Molecular Medicine</i> , 2012, 30, 1180-1186.   | 4.0  | 35        |
| 2087 | Hypoxia inducible factor-1 $\alpha$ is necessary for invasive phenotype in Vegf-deleted islet cell tumors. <i>Scientific Reports</i> , 2012, 2, 494.   | 3.3  | 17        |
| 2089 | Hypoxia-regulated neurotrophin-3 expression by multicopy hypoxia response elements reduces apoptosis in PC12 cells. <i>International Journal of Molecular Medicine</i> , 2012, 30, 1173-1179.  | 4.0  | 6         |
| 2090 | Regulation of glucose transporter protein-1 and vascular endothelial growth factor by hypoxia inducible factor 1 $\alpha$ under hypoxic conditions in Hep-2 human cells. <i>Molecular Medicine Reports</i> , 2012, 6, 1418-1422.                                       | 2.4  | 10        |
| 2091 | - Cost-Effective Evaluation of Cervical Cancer Using Reflectance and Fluorescence Spectroscopy. , 2012, , 254-281.   |      | 0         |
| 2092 | Functional Optical Imaging-based Biosensors. , 2012, , 3-19.   |      | 0         |
| 2093 | Expression of endothelial cell-specific molecule-1 regulated by hypoxia inducible factor-1 $\alpha$ in human colon carcinoma: Impact of ESM-1 on prognosis and its correlation with clinicopathological features. <i>Oncology Reports</i> , 2012, 28, 1701-1708.       | 2.6  | 60        |
| 2094 | Inhibitory effects of epigallocatechin-3-gallate on cell proliferation and the expression of HIF-1 $\alpha$ and P-gp in the human pancreatic carcinoma cell line PANC-1. <i>Oncology Reports</i> , 2012, 27, 1567-72.  | 2.6  | 18        |
| 2095 | Hypoxic Preconditioning. <i>Circulation Journal</i> , 2012, 76, 823-824.   | 1.6  | 0         |
| 2096 | Anti-tumor Activity of the Novel Hexahydrocannabinol Analog LYR-8 in Human Colorectal Tumor Xenograft Is Mediated through the Inhibition of Akt and Hypoxia-Inducible Factor-1 $\alpha$ Activation. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 924-932. | 1.4  | 14        |
| 2097 | Effects of Clotrimazole Analogues on the Hypoxia-Inducible Factor Pathway and Intracellular Mobilization of Metal Ions. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 2160-2169.   | 1.4  | 4         |
| 2099 | Reversible Off-on Fluorescence Probe for Hypoxia and Imaging of Hypoxia-Normoxia Cycles in Live Cells. <i>Journal of the American Chemical Society</i> , 2012, 134, 19588-19591.   | 13.7 | 110       |
| 2100 | Targeting tumor cell metabolism with statins. <i>Oncogene</i> , 2012, 31, 4967-4978.   | 5.9  | 193       |
| 2101 | Proteomics Identification of Annexin A2 as a Key Mediator in the Metastasis and Proangiogenesis of Endometrial Cells in Human Adenomyosis. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M112.017988-1-M112.017988-24.  | 3.8  | 77        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2102 | Loss of the respiratory enzyme citrate synthase directly links the Warburg effect to tumor malignancy. <i>Scientific Reports</i> , 2012, 2, 785.  | 3.3  | 108       |
| 2103 | Synthesis and Structure–Activity Relationship of (E)-Phenoxyacrylic Amide Derivatives as Hypoxia-Inducible Factor (HIF) 1 $\alpha$ Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10564-10571.         | 6.4  | 27        |
| 2104 | Hypoxia induces gefitinib resistance in non-small-cell lung cancer with both mutant and wild-type epidermal growth factor receptors. <i>Cancer Science</i> , 2012, 103, 1946-1954.                                    | 3.9  | 61        |
| 2105 | Inflammation and type 2 diabetes. <i>Diabetes and Metabolism</i> , 2012, 38, 183-191.   | 2.9  | 363       |
| 2106 | The Roles of Hypoxia-Inducible Factors in Regulating Neural Stem Cells Migration to Glioma Stem Cells and Determinating Their Fates. <i>Neurochemical Research</i> , 2012, 37, 2659-2666.                             | 3.3  | 21        |
| 2107 | Metabolism of L-Arginine by Myeloid-Derived Suppressor Cells in Cancer: Mechanisms of T cell suppression and Therapeutic Perspectives. <i>Immunological Investigations</i> , 2012, 41, 614-634.                       | 2.0  | 238       |
| 2108 | Targeting the Metabolic Microenvironment of Tumors. <i>Advances in Pharmacology</i> , 2012, 65, 63-107.   | 2.0  | 151       |
| 2109 | Loss of Fibroblast HIF-1 $\alpha$ Accelerates Tumorigenesis. <i>Cancer Research</i> , 2012, 72, 3187-3195.  | 0.9  | 55        |
| 2110 | The real face of HIF1 $\alpha$ in the tumor process. <i>Cell Cycle</i> , 2012, 11, 3932-3936.   | 2.6  | 31        |
| 2111 | Bone marrow-derived, alternatively activated macrophages enhance solid tumor growth and lung metastasis of mammary carcinoma cells in a Balb/C mouse orthotopic model. <i>Breast Cancer Research</i> , 2012, 14, R81. | 5.0  | 94        |
| 2112 | A Unique 3D In Vitro Cellular Invasion Assay. <i>Journal of Biomolecular Screening</i> , 2012, 17, 1088-1095.   | 2.6  | 13        |
| 2113 | Identification of Cys255 in HIF-1 $\alpha$ as a novel site for development of covalent inhibitors of HIF-1 $\alpha$ /ARNT PasB domain protein–protein interaction. <i>Protein Science</i> , 2012, 21, 1885-1896.      | 7.6  | 64        |
| 2114 | Prognostic value of HIF-1 $\alpha$ expression during fractionated irradiation. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 1031-1037.  | 2.0  | 5         |
| 2115 | Quercetin enhances hypoxia-mediated apoptosis via direct inhibition of AMPK activity in HCT116 colon cancer. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2012, 17, 938-949.                 | 4.9  | 72        |
| 2116 | Hypoxia-induced protein CAIX is associated with somatic loss of BRCA1 protein and pathway activity in triple negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 67-75.                  | 2.5  | 46        |
| 2117 | Strategies for Improving the Clinical Benefit of Antiangiogenic Drug Based Therapies for Breast Cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2012, 17, 229-239.                                    | 2.7  | 34        |
| 2118 | Hyperoxia resensitizes chemoresistant human glioblastoma cells to temozolomide. <i>Journal of Neuro-Oncology</i> , 2012, 109, 467-475.  | 2.9  | 37        |
| 2119 | Tristetraprolin: Roles in cancer and senescence. <i>Ageing Research Reviews</i> , 2012, 11, 473-484.  | 10.9 | 58        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2120 | ANKHD1 regulates cell cycle progression and proliferation in multiple myeloma cells. FEBS Letters, 2012, 586, 4311-4318.   | 2.8 | 30        |
| 2121 | Int6 silencing causes induction of angiogenic factors in neuronal cells via accumulation of hypoxia-inducible factor 21± and decreases brain damage in rats. Neuroscience Letters, 2012, 528, 83-88.   | 2.1 | 5         |
| 2122 | Hypoxia and hypoxia-inducible factors in glioblastoma multiforme progression and therapeutic implications. Experimental Cell Research, 2012, 318, 2417-2426.   | 2.6 | 153       |
| 2124 | IDH Mutations in Human Glioma. Neurosurgery Clinics of North America, 2012, 23, 471-480.   | 1.7 | 53        |
| 2125 | cAMP-dependent protein kinase is essential for hypoxia-mediated epithelialâ€mesenchymal transition, migration, and invasion in lung cancer cells. Cellular Signalling, 2012, 24, 2396-2406.  | 3.6 | 76        |
| 2126 | Targeting Angiogenesis as a Promising Modality for the Treatment of Prostate Cancer. Urologic Clinics of North America, 2012, 39, 547-560.   | 1.8 | 7         |
| 2127 | Ron receptor-dependent gene regulation in a mouse model of endotoxin-induced acute liver failure. Hepatobiliary and Pancreatic Diseases International, 2012, 11, 383-392.  | 1.3 | 4         |
| 2128 | Comparisons of the Efficacy of a Jak1/2 Inhibitor (AZD1480) with a VEGF Signaling Inhibitor (Cediranib) and Sham Treatments in Mouse Tumors Using DCE-MRI, DW-MRI, and Histology. Neoplasia, 2012, 14, 54-64.  | 5.3 | 35        |
| 2129 | Multilevel regulation of HIF-1 signaling by TTP. Molecular Biology of the Cell, 2012, 23, 4129-4141.   | 2.1 | 15        |
| 2130 | Design and synthesis of fluorescence-labeled closo-dodecaborate lipid: its liposome formation and in vivo imaging targeting of tumors for boronneutron capture therapy. Organic and Biomolecular Chemistry, 2012, 10, 1374-1380.   | 2.8 | 39        |
| 2131 | Cadmium Increases HIF-1 and VEGF Expression through ROS, ERK, and AKT Signaling Pathways and Induces Malignant Transformation of Human Bronchial Epithelial Cells. Toxicological Sciences, 2012, 125, 10-19.   | 3.1 | 182       |
| 2132 | Modulation of an IDP binding mechanism and rates by helix propensity and non-native interactions: association of HIF11± with CBP. Molecular BioSystems, 2012, 8, 256-267.  | 2.9 | 83        |
| 2133 | Activation of hypoxia signaling is marker of poor prognosis in myelodysplasia. Leukemia and Lymphoma, 2012, 53, 2337-2338.   | 1.3 | 1         |
| 2134 | Expression profiling of uterine leiomyomata cytogenetic subgroups reveals distinct signatures in matched myometrium: transcriptional profiling of the t(12;14) and evidence in support of predisposing genetic heterogeneity. Human Molecular Genetics, 2012, 21, 2312-2329. | 2.9 | 44        |
| 2135 | Role of the Hypoxia-Related Gene, JMJD1A, in Hepatocellular Carcinoma: Clinical Impact on Recurrence after Hepatic Resection. Annals of Surgical Oncology, 2012, 19, 355-364.  | 1.5 | 78        |
| 2136 | IL-17 and tumour necrosis factor 1± combination induces a HIF-11±-dependent invasive phenotype in synoviocytes. Annals of the Rheumatic Diseases, 2012, 71, 1393-1401.   | 0.9 | 61        |
| 2137 | Phenazine Methosulfate Decreases HIF-11± Accumulation during the Exposure of Cells to Hypoxia. Bioscience, Biotechnology and Biochemistry, 2012, 76, 1682-1687.  | 1.3 | 5         |
| 2138 | Metabolomics-on-a-chip and metabolic flux analysis for label-free modeling of the internal metabolism of HepG2/C3A cells. Molecular BioSystems, 2012, 8, 1908.   | 2.9 | 37        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2139 | Analysis of Urinary Metabolic Signatures of Early Hepatocellular Carcinoma Recurrence after Surgical Removal Using Gas Chromatography–Mass Spectrometry. <i>Journal of Proteome Research</i> , 2012, 11, 4361-4372.   | 3.7 | 62        |
| 2140 | Mechanism-based Screening for Cancer Therapeutics with Examples from the Discovery of Marine Natural Product-based HIF-1 Inhibitors. , 2012, , 1111-1144.   |     | 2         |
| 2141 | Implication of Tumor Microenvironment in Chemoresistance: Tumor-Associated Stromal Cells Protect Tumor Cells from Cell Death. <i>International Journal of Molecular Sciences</i> , 2012, 13, 9545-9571.   | 4.1 | 228       |
| 2142 | Coordinated Action of Hypoxia-inducible Factor-1 $\alpha$ and $\beta$ -Catenin in Androgen Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 33594-33606.   | 3.4 | 53        |
| 2143 | Synthesis and biological activity of furanylindazoles as inhibitors of hypoxia inducible factor (HIF)-1 transcriptional activity. <i>MedChemComm</i> , 2012, 3, 1455.   | 3.4 | 21        |
| 2144 | HIF-1 $\alpha$ and NOTCH signaling in ductal and lobular carcinomas of the breast. <i>Cellular Oncology (Dordrecht)</i> , 2012, 35, 435-442.  | 4.4 | 12        |
| 2145 | Sorafenib Inhibits Hypoxia-Inducible Factor-1 $\alpha$ Synthesis: Implications for Antiangiogenic Activity in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2012, 18, 5662-5671.  | 7.0 | 104       |
| 2146 | Increased activation of the hypoxia-inducible factor pathway in varicose veins. <i>Journal of Vascular Surgery</i> , 2012, 55, 1427-1439.e1.  | 1.1 | 41        |
| 2147 | $\alpha$ 242 production in brain capillary endothelial cells after oxygen and glucose deprivation. <i>Molecular and Cellular Neurosciences</i> , 2012, 49, 415-422.   | 2.2 | 59        |
| 2148 | Cancer invasion and resistance: interconnected processes of disease progression and therapy failure. <i>Trends in Molecular Medicine</i> , 2012, 18, 13-26.   | 6.7 | 139       |
| 2149 | Metalloproteinases facilitate connection of wound bed vessels to pre-existing skin graft vasculature. <i>Microvascular Research</i> , 2012, 84, 16-23.  | 2.5 | 8         |
| 2150 | Sarcomatoid conversion of clear cell renal cell carcinoma in relation to epithelial-to-mesenchymal transition. <i>Human Pathology</i> , 2012, 43, 708-719.  | 2.0 | 54        |
| 2151 | Mechanical characterization of adult stem cells from bone marrow and perivascular niches. <i>Journal of Biomechanics</i> , 2012, 45, 1280-1287.   | 2.1 | 16        |
| 2152 | Metabolic effects of anti-angiogenic therapy in tumors. <i>Biochimie</i> , 2012, 94, 925-931.   | 2.6 | 12        |
| 2153 | Structure–activity relationship of 2,2-dimethyl-2H-chromene based arylsulfonamide analogs of 3,4-dimethoxy-N-[(2,2-dimethyl-2H-chromen-6-yl)methyl]-N-phenylbenzenesulfonamide, a novel small molecule hypoxia inducible factor-1 (HIF-1) pathway inhibitor and anti-cancer agent. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 4590-4597. | 3.0 | 35        |
| 2154 | HS-116, a novel phosphatidylinositol 3-kinase inhibitor induces apoptosis and suppresses angiogenesis of hepatocellular carcinoma through inhibition of the PI3K/AKT/mTOR pathway. <i>Cancer Letters</i> , 2012, 316, 187-195.  | 7.2 | 34        |
| 2155 | Intussusceptive microvascular growth in tumors. <i>Cancer Letters</i> , 2012, 316, 126-131.   | 7.2 | 100       |
| 2156 | Bcl-2 family members: Essential players in skin cancer. <i>Cancer Letters</i> , 2012, 320, 1-13.  | 7.2 | 26        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2157 | The anti-EGFR antibody cetuximab sensitizes human head and neck squamous cell carcinoma cells to radiation in part through inhibiting radiation-induced upregulation of HIF-1 $\alpha$ . Cancer Letters, 2012, 322, 78-85.                 | 7.2  | 47        |
| 2158 | Chemopreventive effects of dietary phytochemicals against cancer invasion and metastasis: Phenolic acids, monophenol, polyphenol, and their derivatives. Cancer Treatment Reviews, 2012, 38, 76-87.  | 7.7  | 408       |
| 2159 | Cancer nanomedicines targeting tumor extracellular pH. Colloids and Surfaces B: Biointerfaces, 2012, 99, 116-126.  | 5.0  | 110       |
| 2160 | Four-and-a-Half LIM Domain Proteins Inhibit Transactivation by Hypoxia-inducible Factor 1. Journal of Biological Chemistry, 2012, 287, 6139-6149.  | 3.4  | 44        |
| 2161 | Lactate Activates HIF-1 in Oxidative but Not in Warburg-Phenotype Human Tumor Cells. PLoS ONE, 2012, 7, e46571.  | 2.5  | 204       |
| 2162 | Biomarkers for Renal Cell Carcinoma. , 2012, , 47-65.  |      | 1         |
| 2163 | Mitochondrial reactive oxygen species mediates nicotine-induced hypoxia-inducible factor-1 $\alpha$ expression in human non-small cell lung cancer cells. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2012, 1822, 852-861. | 3.8  | 52        |
| 2164 | Gene expression differences induced by equimolar low doses of LH or hCG in combination with FSH in cultured mouse antral follicles. Journal of Endocrinology, 2012, 215, 269-280.  | 2.6  | 12        |
| 2165 | Gene-Targeting of Phd2 Improves Tumor Response to Chemotherapy and Prevents Side-Toxicity. Cancer Cell, 2012, 22, 263-277.   | 16.8 | 117       |
| 2166 | The challenge of increasing vitamin C content in plant foods. Biotechnology Journal, 2012, 7, 1110-1121.   | 3.5  | 41        |
| 2167 | Prolyl hydroxylase 2 dependent and Von-Hippel-Lindau independent degradation of Hypoxia-inducible factor 1 and 2 alpha by selenium in clear cell renal cell carcinoma leads to tumor growth inhibition. BMC Cancer, 2012, 12, 293.         | 2.6  | 54        |
| 2168 | Astragalus saponins downregulate vascular endothelial growth factor under cobalt chloride-stimulated hypoxia in colon cancer cells. BMC Complementary and Alternative Medicine, 2012, 12, 160.   | 3.7  | 48        |
| 2169 | Expression of Hypoxia-Inducible Factor (HIF)-1 $\alpha$ -Vascular Endothelial Growth Factor (VEGF)-Inhibitory Growth Factor (iNGF)-4 axis in sarcoidosis patients. BMC Research Notes, 2012, 5, 654.                                       | 1.4  | 26        |
| 2170 | PGE <sub>2</sub> -Driven Induction and Maintenance of Cancer-Associated Myeloid-Derived Suppressor Cells. Immunological Investigations, 2012, 41, 635-657.   | 2.0  | 131       |
| 2171 | Estrogen Modulates Metabolic Pathway Adaptation to Available Glucose in Breast Cancer Cells. Molecular Endocrinology, 2012, 26, 2058-2070.   | 3.7  | 58        |
| 2172 | Ascorbic acid: Chemistry, biology and the treatment of cancer. Biochimica Et Biophysica Acta: Reviews on Cancer, 2012, 1826, 443-457.  | 7.4  | 635       |
| 2173 | Epigenetic regulation of HIF-1 $\alpha$ in renal cancer cells involves HIF-1 $\alpha$ /2 $\alpha$ binding to a reverse hypoxia-response element. Oncogene, 2012, 31, 1065-1072.  | 5.9  | 32        |
| 2174 | Involvement of COX $\alpha$ 2/PGE <sub>2</sub> signalling in hypoxia-induced angiogenic response in endothelial cells. Journal of Cellular and Molecular Medicine, 2012, 16, 1840-1855.  | 3.6  | 43        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2175 | Metastasis-associated gene, <i>magi1</i> improves tumour microenvironmental adaptation and potentiates tumour metastasis. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 3037-3051.   | 3.6  | 3         |
| 2176 | Regulation of Inflammation-Mediated Chronic Diseases by Botanicals. <i>Advances in Botanical Research</i> , 2012, , 57-132.  | 1.1  | 12        |
| 2177 | New Insights into the Regulation of Epithelial-Mesenchymal Transition and Tissue Fibrosis. <i>International Review of Cell and Molecular Biology</i> , 2012, 294, 171-221.   | 3.2  | 141       |
| 2178 | Targeting alpha-helix based protein interactions; nuclear receptors as a case study. <i>Amino Acids, Peptides and Proteins</i> , 2012, , 238-272.  | 0.7  | 0         |
| 2179 | Notch Signaling and Brain Tumors. <i>Advances in Experimental Medicine and Biology</i> , 2012, 727, 289-304.   | 1.6  | 24        |
| 2180 | Design and in Vitro Activities of <i>N</i> -Alkyl- <i>N</i> -(8- <i>R</i> -2,2-dimethyl-2- <i>H</i> -chromen-6-yl)methyl]heteroarylsulfonamides, Novel, Small-Molecule Hypoxia Inducible Factor-1 Pathway Inhibitors and Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 6738-6750. | 6.4  | 49        |
| 2181 | Recent trends in cancer drug resistance reversal strategies using nanoparticles. <i>Expert Opinion on Drug Delivery</i> , 2012, 9, 287-301.  | 5.0  | 42        |
| 2182 | A global view of the biochemical pathways involved in the regulation of the metabolism of cancer cells. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 423-433.   | 7.4  | 79        |
| 2183 | Prognostic or predictive plasma cytokines and angiogenic factors for patients treated with pazopanib for metastatic renal-cell cancer: a retrospective analysis of phase 2 and phase 3 trials. <i>Lancet Oncology</i> , The, 2012, 13, 827-837.  | 10.7 | 240       |
| 2184 | Polyacetal-stilbene conjugates – The first examples of polymer therapeutics for the inhibition of HIF-1 in the treatment of solid tumours. <i>Journal of Controlled Release</i> , 2012, 164, 314-322.  | 9.9  | 26        |
| 2185 | An oxygen-permeable spheroid culture system for the prevention of central hypoxia and necrosis of spheroids. <i>Biomaterials</i> , 2012, 33, 8430-8441.  | 11.4 | 189       |
| 2186 | Effect of homotypic and heterotypic interaction in 3D on the E-selectin mediated adhesive properties of breast cancer cell lines. <i>Biomaterials</i> , 2012, 33, 9037-9048.   | 11.4 | 35        |
| 2187 | Combining angiogenesis inhibition and radiotherapy: A double-edged sword. <i>Drug Resistance Updates</i> , 2012, 15, 173-182.  | 14.4 | 60        |
| 2188 | Anti-angiogenic and anti-tumor activity of Bavachinin by targeting hypoxia-inducible factor-1. <i>European Journal of Pharmacology</i> , 2012, 691, 28-37.   | 3.5  | 56        |
| 2189 | Neuroprotection of neurotrophin-3 against focal cerebral ischemia/reperfusion injury is regulated by hypoxia-responsive element in rats. <i>Neuroscience</i> , 2012, 222, 1-9.   | 2.3  | 28        |
| 2190 | HDAC inhibitor-based therapies: Can we interpret the code?. <i>Molecular Oncology</i> , 2012, 6, 637-656.  | 4.6  | 271       |
| 2191 | Identification of heat shock protein 60 as the regulator of the hypoxia-inducible factor subunit HIF-1. <i>Pure and Applied Chemistry</i> , 2012, 84, 2325-2337.   | 1.9  | 12        |
| 2192 | Down-Regulation of Survivin and Hypoxia-Inducible Factor-1 by $\beta$ -elemene Enhances the Radiosensitivity of Lung Adenocarcinoma Xenograft. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2012, 27, 56-64.  | 1.0  | 34        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2193 | The unfolded protein response controls induction and activation of ADAM17/TACE by severe hypoxia and ER stress. <i>Oncogene</i> , 2012, 31, 3621-3634.                                   | 5.9  | 66        |
| 2194 | Systems Biology of Pancreatic Cancer: The Role of Tumor-Microenvironment Communication in Development, Progression and Therapy Resistance. , 2012, , 135-164.                            |      | 0         |
| 2195 | Hypoxia Inducible Factors-Mediated Inhibition of Cancer by GM-CSF: A Mathematical Model. <i>Bulletin of Mathematical Biology</i> , 2012, 74, 2752-77.                                    | 1.9  | 33        |
| 2196 | Hypoxic Cell Waves Around Necrotic Cores in Glioblastoma: A Biomathematical Model and Its Therapeutic Implications. <i>Bulletin of Mathematical Biology</i> , 2012, 74, 2875-2896.       | 1.9  | 99        |
| 2197 | Post-transcriptional regulation in cancer progression. <i>Journal of Cell Communication and Signaling</i> , 2012, 6, 233-248.  | 3.4  | 32        |
| 2198 | p16INK4A Represses Breast Stromal Fibroblasts Migration/Invasion and Their VEGF-A-dependent Promotion of Angiogenesis through Akt Inhibition. <i>Neoplasia</i> , 2012, 14, 1269-1277.    | 5.3  | 31        |
| 2199 | Bone Marrow Cell Therapies for Endothelial Repair and Their Relevance to Kidney Disease. <i>Seminars in Nephrology</i> , 2012, 32, 215-223.  | 1.6  | 11        |
| 2200 | STAT3 can serve as a hit in the process of malignant transformation of primary cells. <i>Cell Death and Differentiation</i> , 2012, 19, 1390-1397.                                       | 11.2 | 57        |
| 2201 | The von Hippel-Lindau tumor suppressor protein regulates gene expression and tumor growth through histone demethylase JARID1C. <i>Oncogene</i> , 2012, 31, 776-786.                      | 5.9  | 133       |
| 2202 | HIF-1 $\alpha$ is critical for hypoxia-mediated maintenance of glioblastoma stem cells by activating Notch signaling pathway. <i>Cell Death and Differentiation</i> , 2012, 19, 284-294. | 11.2 | 260       |
| 2203 | Phase I study of bevacizumab, everolimus, and panobinostat (LBH-589) in advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 70, 251-258.                          | 2.3  | 43        |
| 2204 | Roles of Polo-like kinase 3 in suppressing tumor angiogenesis. <i>Experimental Hematology and Oncology</i> , 2012, 1, 5.   | 5.0  | 21        |
| 2205 | Inhibition of Hypoxia Inducible Factor-2 Transcription: Isolation of Active Modulators from Marine Sponges. <i>Journal of Natural Products</i> , 2012, 75, 1632-1636.                    | 3.0  | 15        |
| 2206 | Intermittent Hypoxia and Human Diseases. , 2012, , .   |      | 16        |
| 2208 | Insulin-like Growth Factors and Cancer. , 2012, , .  |      | 16        |
| 2209 | Patenting Nanomedicines. , 2012, , .   |      | 3         |
| 2210 | Synergistic Enhancement of the Potency and Selectivity of Small Molecule Transcriptional Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 30-34.                            | 2.8  | 8         |
| 2212 | Vascular responses to radiotherapy and androgen-deprivation therapy in experimental prostate cancer. <i>Radiation Oncology</i> , 2012, 7, 75.  | 2.7  | 25        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2213 | Up-regulation of hypoxia inducible factor-1 $\alpha$ by cobalt chloride correlates with proliferation and apoptosis in PC-2 cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012, 31, 28. | 8.6 | 81        |
| 2214 | Time-Dependent Stabilization of Hypoxia Inducible Factor-1 $\alpha$ by Different Intracellular Sources of Reactive Oxygen Species. <i>PLoS ONE</i> , 2012, 7, e38388.  | 2.5 | 77        |
| 2215 | Suppression of Glioma Progression by Egl $\alpha$ 3. <i>PLoS ONE</i> , 2012, 7, e40053.  | 2.5 | 22        |
| 2216 | The Importance of GLUT3 for De Novo Lipogenesis in Hypoxia-Induced Lipid Loading of Human Macrophages. <i>PLoS ONE</i> , 2012, 7, e42360.  | 2.5 | 18        |
| 2217 | Hypoxia Regulates CD44 and Its Variant Isoforms through HIF-1 $\alpha$ in Triple Negative Breast Cancer. <i>PLoS ONE</i> , 2012, 7, e44078.  | 2.5 | 125       |
| 2218 | HIF1-Alpha Expression Predicts Survival of Patients with Squamous Cell Carcinoma of the Oral Cavity. <i>PLoS ONE</i> , 2012, 7, e45228.  | 2.5 | 40        |
| 2219 | NOTCH1, HIF1A and Other Cancer-Related Proteins in Lung Tissue from Uranium Miners—Variation by Occupational Exposure and Subtype of Lung Cancer. <i>PLoS ONE</i> , 2012, 7, e45305.                           | 2.5 | 13        |
| 2220 | Luteolin Inhibits Human Prostate Tumor Growth by Suppressing Vascular Endothelial Growth Factor Receptor 2-Mediated Angiogenesis. <i>PLoS ONE</i> , 2012, 7, e52279.   | 2.5 | 90        |
| 2221 | Hypoxia-Induced Modulation of Apoptosis and BCL-2 Family Proteins in Different Cancer Cell Types. <i>PLoS ONE</i> , 2012, 7, e47519.   | 2.5 | 57        |
| 2222 | UPR-Induced Resistance to Etoposide Is Downstream of PERK and Independent of Changes in Topoisomerase III $\alpha$ Levels. <i>PLoS ONE</i> , 2012, 7, e47931.  | 2.5 | 7         |
| 2223 | Targeting COX-2/PGE2 Pathway in HIPK2 Knockdown Cancer Cells: Impact on Dendritic Cell Maturation. <i>PLoS ONE</i> , 2012, 7, e48342.  | 2.5 | 20        |
| 2224 | Sulforaphane Inhibits Prostaglandin E2 Synthesis by Suppressing Microsomal Prostaglandin E Synthase 1. <i>PLoS ONE</i> , 2012, 7, e49744.  | 2.5 | 16        |
| 2225 | Peroxiredoxin 1 Stimulates Endothelial Cell Expression of VEGF via TLR4 Dependent Activation of HIF-1 $\alpha$ . <i>PLoS ONE</i> , 2012, 7, e50394.  | 2.5 | 68        |
| 2226 | SKLB1002, a novel inhibitor of VEGF receptor 2 signaling, induces vascular normalization to improve systemically administered chemotherapy efficacy. <i>Neoplasia</i> , 2012, 59, 486-493.                     | 1.6 | 21        |
| 2227 | On the Pro-Metastatic Stress Response to Cancer Therapies: Evidence for a Positive Co-Operation between TIMP-1, HIF-1 $\alpha$ , and miR-210. <i>Frontiers in Pharmacology</i> , 2012, 3, 134.                 | 3.5 | 35        |
| 2228 | Targeting the Tumor Microenvironment: Focus on Angiogenesis. <i>Journal of Oncology</i> , 2012, 2012, 1-16.  | 1.3 | 93        |
| 2229 | Clostridial Spores for Cancer Therapy: Targeting Solid Tumour Microenvironment. <i>Journal of Toxicology</i> , 2012, 2012, 1-8.  | 3.0 | 30        |
| 2230 | Regulation of ROS Production and Vascular Function by Carbon Monoxide. <i>Oxidative Medicine and Cellular Longevity</i> , 2012, 2012, 1-17.  | 4.0 | 35        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2231 | Anticancer Drug Metabolism: Chemotherapy Resistance and New Therapeutic Approaches. , 0, , .  |      | 19        |
| 2232 | The Roles of VHL-Dependent Ubiquitination in Signaling and Cancer. <i>Frontiers in Oncology</i> , 2012, 2, 35.  | 2.8  | 33        |
| 2233 | Targeting Tumor Microenvironments for Cancer Prevention and Therapy. , 2012, , .  |      | 4         |
| 2234 | Immunohistochemical profile of HIF-1 $\alpha$ , VEGF-A, VEGFR2 and MMP9 proteins in tegumentary leishmaniasis. <i>Anais Brasileiros De Dermatologia</i> , 2012, 87, 709-713.  | 1.1  | 12        |
| 2235 | RagD gene expression and NRF2 mutations in lung squamous cell carcinomas. <i>Oncology Letters</i> , 2012, 4, 1167-1170.   | 1.8  | 19        |
| 2236 | The Interfaces Between Signal Transduction Pathways: IGF-1/mTor, p53 and the Parkinson Disease Pathway. <i>Oncotarget</i> , 2012, 3, 1301-1307.   | 1.8  | 20        |
| 2237 | In Vivo Topoisomerase I Inhibition Attenuates the Expression of Hypoxia-Inducible Factor 1 $\alpha$ Target Genes and Decreases Tumor Angiogenesis. <i>Molecular Medicine</i> , 2012, 18, 83-94.                                     | 4.4  | 36        |
| 2238 | Glucose Metabolism and Cancer. , 2012, , .  |      | 2         |
| 2239 | MicroRNAs Regulation of Tumor Angiogenesis. , 0, , .  |      | 0         |
| 2240 | Monocyte Subsets and Their Role in Tumor Progression. , 0, , .  |      | 4         |
| 2241 | Microregional antitumor activity of a small-molecule hypoxia-inducible factor 1 inhibitor. <i>International Journal of Molecular Medicine</i> , 2012, 29, 541-549.  | 4.0  | 9         |
| 2242 | From tumor hypoxia to cancer progression: the implications of hypoxia-inducible factor-1 expression in cancers. <i>Anatomy and Cell Biology</i> , 2012, 45, 73.   | 1.0  | 24        |
| 2243 | Updates from the Intestinal Front Line: Autophagic Weapons against Inflammation and Cancer. <i>Cells</i> , 2012, 1, 535-557.  | 4.1  | 10        |
| 2244 | HIF-1 activation induces doxorubicin resistance in MCF7 3-D spheroids via P-glycoprotein expression: a potential model of the chemo-resistance of invasive micropapillary carcinoma of the breast. <i>BMC Cancer</i> , 2012, 12, 4. | 2.6  | 142       |
| 2245 | Enhancement of lung tumorigenesis in a Gprc5a Knockout mouse by chronic extrinsic airway inflammation. <i>Molecular Cancer</i> , 2012, 11, 4.   | 19.2 | 29        |
| 2246 | Various atomic charge calculation schemes of CoMFA on HIF $\alpha$ 1 inhibitors of moracin analogs. <i>International Journal of Quantum Chemistry</i> , 2012, 112, 995-1005.  | 2.0  | 8         |
| 2247 | The adenoma hunt in colorectal cancer screening: defining the target. <i>Journal of Pathology</i> , 2012, 226, 1-6.   | 4.5  | 30        |
| 2248 | The multifactorial role of leptin in driving the breast cancer microenvironment. <i>Nature Reviews Endocrinology</i> , 2012, 8, 263-275.  | 9.6  | 162       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2249 | Metabolic reprogramming of the tumor. <i>Oncogene</i> , 2012, 31, 3999-4011.   | 5.9 | 102       |
| 2250 | Induction of Gastrin Expression in Gastrointestinal Cells by Hypoxia or Cobalt Is Independent of Hypoxia-Inducible Factor (HIF). <i>Endocrinology</i> , 2012, 153, 3006-3016.  | 2.8 | 15        |
| 2251 | A high-fat diet increases angiogenesis, solid tumor growth, and lung metastasis of CT26 colon cancer cells in obesity-resistant BALB/c mice. <i>Molecular Carcinogenesis</i> , 2012, 51, 869-880.                          | 2.7 | 75        |
| 2252 | Expression and stability of hypoxia inducible factor 1 $\alpha$ in osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2012, 59, 1215-1222.  | 1.5 | 34        |
| 2253 | Hypoxic priming of mESCs accelerates vascular lineage differentiation through HIF1 $\alpha$ -mediated inverse regulation of Oct4 and VEGF. <i>EMBO Molecular Medicine</i> , 2012, 4, 924-938.                              | 6.9 | 54        |
| 2254 | Antagonistic effects of selenium and lipid peroxides on growth control in early hepatocellular carcinoma. <i>Hepatology</i> , 2012, 55, 1112-1121.   | 7.3 | 52        |
| 2255 | Potential role of Hsp90 inhibitors in overcoming cisplatin resistance of bladder cancer-initiating cells. <i>International Journal of Cancer</i> , 2012, 131, 987-996.   | 5.1 | 63        |
| 2256 | HIF1A induces expression of the WASF3 metastasis-associated gene under hypoxic conditions. <i>International Journal of Cancer</i> , 2012, 131, E905-15.  | 5.1 | 29        |
| 2257 | State of the Science: An Update on Renal Cell Carcinoma. <i>Molecular Cancer Research</i> , 2012, 10, 859-880.   | 3.4 | 142       |
| 2258 | Hypoxia-driven pathways in bone development, regeneration and disease. <i>Nature Reviews Rheumatology</i> , 2012, 8, 358-366.  | 8.0 | 231       |
| 2259 | Multifaceted link between cancer and inflammation. <i>Bioscience Reports</i> , 2012, 32, 1-15.   | 2.4 | 287       |
| 2260 | Supramolecular Organisation of the Mitochondrial Respiratory Chain: A New Challenge for the Mechanism and Control of Oxidative Phosphorylation. <i>Advances in Experimental Medicine and Biology</i> , 2012, 748, 107-144. | 1.6 | 94        |
| 2261 | A cytokine and angiogenic factor (CAF) analysis in plasma for selection of sorafenib therapy in patients with metastatic renal cell carcinoma. <i>Annals of Oncology</i> , 2012, 23, 46-52.                                | 1.2 | 125       |
| 2262 | Gene, Stem Cell, and Future Therapies for Orphan Diseases. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 92, 182-192.  | 4.7 | 19        |
| 2263 | HIF1 $\alpha$ is required for survival maintenance of chronic myeloid leukemia stem cells. <i>Blood</i> , 2012, 119, 2595-2607.  | 1.4 | 172       |
| 2264 | Imaging Molecular Pathways: Reporter Genes. <i>Radiation Research</i> , 2012, 177, 508-513.  | 1.5 | 29        |
| 2265 | Die Strahlensensitivit t humaner Tumorzelllinien ist unabh ngig von der basalen HIF-1 $\alpha$ -Expression. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 353-358.  | 2.0 | 12        |
| 2266 | Regulation of p53 by ING family members in suppression of tumor initiation and progression. <i>Cancer and Metastasis Reviews</i> , 2012, 31, 55-73.  | 5.9 | 41        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2267 | Flavonoids, a ubiquitous dietary phenolic subclass, exert extensive in vitro anti-invasive and in vivo anti-metastatic activities. <i>Cancer and Metastasis Reviews</i> , 2012, 31, 323-351.   | 5.9  | 187       |
| 2268 | Farnesyltransferase Inhibitor Manumycin Targets IL1 $\beta$ -Ras-HIF-1 $\alpha$ Axis in Tumor Cells of Diverse Origin. <i>Inflammation</i> , 2012, 35, 516-519.  | 3.8  | 12        |
| 2269 | Adrenomedullin promotes human endothelial cell proliferation via HIF-1 $\alpha$ . <i>Molecular and Cellular Biochemistry</i> , 2012, 365, 263-273.   | 3.1  | 21        |
| 2270 | Identification of novel potential HIF-prolyl hydroxylase inhibitors by in silico screening. <i>Molecular Diversity</i> , 2012, 16, 193-202.  | 3.9  | 16        |
| 2271 | Estrogen improved metabolic syndrome through down-regulation of VEGF and HIF-1 $\alpha$ to inhibit hypoxia of periaortic and intra-abdominal fat in ovariectomized female rats. <i>Molecular Biology Reports</i> , 2012, 39, 8177-8185.                                | 2.3  | 35        |
| 2272 | Circulating Biomarkers in Advanced Renal Cell Carcinoma: Clinical Applications. <i>Current Oncology Reports</i> , 2012, 14, 221-229.   | 4.0  | 27        |
| 2273 | From Transcriptional Profiling to Tumor Biology in Pheochromocytoma and Paraganglioma. <i>Endocrine Pathology</i> , 2012, 23, 15-20.   | 9.0  | 16        |
| 2274 | The Interrelating Dynamics of Hypoxic Tumor Microenvironments and Cancer Cell Phenotypes in Cancer Metastasis. <i>Cancer Microenvironment</i> , 2012, 5, 59-72.  | 3.1  | 22        |
| 2275 | Phase I study for ridaforolimus, an oral mTOR inhibitor, in Japanese patients with advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 69, 1099-1105.   | 2.3  | 21        |
| 2276 | HIF-1 $\alpha$ regulation in mammalian hibernators: role of non-coding RNA in HIF-1 $\alpha$ control during torpor in ground squirrels and bats. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2012, 182, 849-859. | 1.5  | 49        |
| 2277 | Molecular oxygen sensing: implications for visceral surgery. <i>Langenbeck's Archives of Surgery</i> , 2012, 397, 603-610.   | 1.9  | 8         |
| 2278 | Correlation of expression of hypoxia-related proteins with prognosis in oral squamous cell carcinoma patients. <i>Oral and Maxillofacial Surgery</i> , 2012, 16, 189-196.  | 1.3  | 56        |
| 2281 | <scp>PLOD</scp>2 induced under hypoxia is a novel prognostic factor for hepatocellular carcinoma after curative resection. <i>Liver International</i> , 2012, 32, 110-118.   | 3.9  | 73        |
| 2282 | HIF1 $\alpha$ and HIF2 $\alpha$ : sibling rivalry in hypoxic tumour growth and progression. <i>Nature Reviews Cancer</i> , 2012, 12, 9-22.   | 28.4 | 1,391     |
| 2283 | Vasohibin induces prolyl hydroxylase-mediated degradation of hypoxia-inducible factor-1 $\alpha$ in human umbilical vein endothelial cells. <i>FEBS Letters</i> , 2012, 586, 1067-1072.  | 2.8  | 14        |
| 2284 | HIF-1 $\alpha$ protein is upregulated in HIF-2 $\alpha$ depleted cells via enhanced translation. <i>FEBS Letters</i> , 2012, 586, 1652-1657.   | 2.8  | 19        |
| 2285 | Recent advances in hypoxia-inducible factor (HIF)-1 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012, 49, 24-40.  | 5.5  | 257       |
| 2286 | The biological kinship of hypoxia with CSC and EMT and their relationship with deregulated expression of miRNAs and tumor aggressiveness. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 272-296.   | 7.4  | 116       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2287 | HIF-1 $\alpha$ up-regulation is associated with adverse clinicopathological and biological factors in neuroblastomas. <i>Histopathology</i> , 2012, 61, 417-427.  | 2.9 | 13        |
| 2288 | Mesenchymal Stromal Cell Therapy and Treatment of Ischaemic Disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 110, 483-486.  | 2.5 | 1         |
| 2289 | Hypoxia Gene Expression Signatures as Prognostic and Predictive Markers in Head and Neck Radiotherapy. <i>Seminars in Radiation Oncology</i> , 2012, 22, 119-127.   | 2.2 | 66        |
| 2290 | Time-dependent changes in protein expression in rainbow trout muscle following hypoxia. <i>Journal of Proteomics</i> , 2012, 75, 2342-2351.   | 2.4 | 30        |
| 2291 | A high HIF-1 $\alpha$ expression genotype is associated with poor prognosis of upper aerodigestive tract carcinoma patients. <i>Oral Oncology</i> , 2012, 48, 130-135.  | 1.5 | 37        |
| 2292 | The Werner syndrome gene product (WRN): a repressor of hypoxia-inducible factor-1 activity. <i>Experimental Cell Research</i> , 2012, 318, 1620-1632.   | 2.6 | 21        |
| 2293 | Iron facilitator <sc>LS</sc>081 reduces hypoxia-inducible factor-1 $\alpha$ protein and functions as anticancer agent in hepatocellular carcinoma. <i>Cancer Science</i> , 2012, 103, 767-774.  | 3.9 | 8         |
| 2294 | MiR-21 regulates epithelial-mesenchymal transition phenotype and hypoxia-inducible factor-1 $\alpha$ expression in third-sphere forming breast cancer stem cell-like cells. <i>Cancer Science</i> , 2012, 103, 1058-1064.                                   | 3.9 | 126       |
| 2295 | Notch1 activation promotes renal cell carcinoma growth via <sc>PI</sc>3<sc>K</sc>/<sc>A</sc>kt signaling. <i>Cancer Science</i> , 2012, 103, 1253-1258.   | 3.9 | 23        |
| 2296 | Glucose-activated RUNX2 phosphorylation promotes endothelial cell proliferation and an angiogenic phenotype. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 282-292.  | 2.6 | 26        |
| 2297 | Ascochlorin inhibits growth factor-induced HIF-1 $\alpha$ activation and tumor-angiogenesis through the suppression of EGFR/ERK/p70S6K signaling pathway in human cervical carcinoma cells. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 1302-1313. | 2.6 | 26        |
| 2298 | New developments in mammalian target of rapamycin inhibitors for the treatment of sarcoma. <i>Cancer</i> , 2012, 118, 1486-1497.  | 4.1 | 21        |
| 2299 | Metabolic consequences of treatment with AKT inhibitor perifosine in breast cancer cells. <i>NMR in Biomedicine</i> , 2012, 25, 379-388.  | 2.8 | 23        |
| 2300 | Modulation of hypoxia-inducible factors (HIF) from an integrative pharmacological perspective. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 519-534.   | 5.4 | 15        |
| 2301 | Involvement of TNF $\alpha$ -induced TLR4-NF- $\kappa$ B and TLR4-HIF-1 $\alpha$ feed-forward loops in the regulation of inflammatory responses in glioma. <i>Journal of Molecular Medicine</i> , 2012, 90, 67-80.  | 3.9 | 74        |
| 2302 | Differential response to CoCl <sub>2</sub> -stimulated hypoxia on HIF-1 $\alpha$ , VEGF, and MMP-2 expression in ligament cells. <i>Molecular and Cellular Biochemistry</i> , 2012, 360, 235-242.   | 3.1 | 26        |
| 2303 | Opportunities and challenges facing biomarker development for personalized head and neck cancer treatment. <i>Head and Neck</i> , 2013, 35, 294-306.  | 2.0 | 32        |
| 2304 | Toll-like receptor 4 mediates microglial activation and production of inflammatory mediators in neonatal rat brain following hypoxia: role of TLR4 in hypoxic microglia. <i>Journal of Neuroinflammation</i> , 2013, 10, 23.                                | 7.2 | 236       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2305 | [18F]Fluorodeoxyglucose accumulation as a biological marker of hypoxic status but not glucose transport ability in gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013, 32, 34.  | 8.6  | 30        |
| 2306 | Functional characterization of SAG/RBX2/ROC2/RNF7, an antioxidant protein and an E3 ubiquitin ligase. <i>Protein and Cell</i> , 2013, 4, 103-116.   | 11.0 | 74        |
| 2307 | Clinicopathological significance of hypoxia-inducible factor-1 alpha polymorphisms in cancers: evidence from a meta-analysis. <i>Tumor Biology</i> , 2013, 34, 2477-2487.   | 1.8  | 3         |
| 2308 | In papillary thyroid carcinoma, TIMP-1 expression correlates with BRAF V600E mutation status and together with hypoxia-related proteins predicts aggressive behavior. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 437-444. | 2.8  | 20        |
| 2309 | Phospholipid Composition and Electric Charge in Healthy and Cancerous Parts of Human Kidneys. <i>Journal of Membrane Biology</i> , 2013, 246, 421-425.  | 2.1  | 37        |
| 2310 | New Advances on Disease Biomarkers and Molecular Targets in Biomedicine. , 2013, , .  |      | 0         |
| 2311 | Synthesis and biological evaluation of ortho-carborane containing benzoxazole as an inhibitor of hypoxia inducible factor (HIF)-1 transcriptional activity. <i>Journal of Organometallic Chemistry</i> , 2013, 747, 189-194.  | 1.8  | 20        |
| 2312 | Metabolic Roles of AMPK and Metformin in Cancer Cells. <i>Molecules and Cells</i> , 2013, 36, 279-287.  | 2.6  | 97        |
| 2313 | Hypoxia induced CA9 inhibitory targeting by two different sulfonamide derivatives including Acetazolamide in human Glioblastoma. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3949-3957.   | 3.0  | 51        |
| 2314 | Development of Inhibitors of the PAS-B Domain of the HIF-2 $\alpha$ Transcription Factor. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 1739-1747.  | 6.4  | 101       |
| 2315 | Chronic inhibition of tumor cell-derived VEGF enhances the malignant phenotype of colorectal cancer cells. <i>BMC Cancer</i> , 2013, 13, 229.   | 2.6  | 31        |
| 2316 | Targeting PI3K/Akt represses Hypoxia inducible factor-1 $\alpha$ activation and sensitizes Rhabdomyosarcoma and Ewing's sarcoma cells for apoptosis. <i>Cancer Cell International</i> , 2013, 13, 36.   | 4.1  | 76        |
| 2317 | Hedgehog signaling regulates hypoxia induced epithelial to mesenchymal transition and invasion in pancreatic cancer cells via a ligand-independent manner. <i>Molecular Cancer</i> , 2013, 12, 66.  | 19.2 | 147       |
| 2318 | Passage-dependent cancerous transformation of human mesenchymal stem cells under carcinogenic hypoxia. <i>FASEB Journal</i> , 2013, 27, 2788-2798.  | 0.5  | 29        |
| 2319 | Computational Repositioning and Experimental Validation of Approved Drugs for HIF-Prolyl Hydroxylase Inhibition. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 1818-1824.   | 5.4  | 12        |
| 2320 | Wogonin inhibits tumor angiogenesis via degradation of HIF-1 $\alpha$ protein. <i>Toxicology and Applied Pharmacology</i> , 2013, 271, 144-155.   | 2.8  | 64        |
| 2321 | The chemotherapeutic agent topotecan differentially modulates the phenotype and function of dendritic cells. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1315-1326.   | 4.2  | 21        |
| 2322 | Nanopreparations to overcome multidrug resistance in cancer. <i>Advanced Drug Delivery Reviews</i> , 2013, 65, 1748-1762.   | 13.7 | 294       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2323 | The Role of Vascular Endothelial Growth Factor in the Pathogenesis, Diagnosis and Treatment of Malignant Pleural Effusion. <i>Current Oncology Reports</i> , 2013, 15, 207-216.  | 4.0  | 61        |
| 2324 | Altering HIF-1 $\pm$ Through 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) Exposure Affects Coronary Vessel Development. <i>Cardiovascular Toxicology</i> , 2013, 13, 161-167.  | 2.7  | 10        |
| 2325 | RNA interference targeting adrenomedullin induces apoptosis and reduces the growth of human bladder urothelial cell carcinoma. <i>Medical Oncology</i> , 2013, 30, 616.  | 2.5  | 14        |
| 2326 | P2Y12 receptor inhibition augments cytotoxic effects of cisplatin in breast cancer. <i>Medical Oncology</i> , 2013, 30, 567.   | 2.5  | 21        |
| 2327 | Angiotensin II type 1 receptor antagonist prevents hepatic carcinoma in rats with nonalcoholic steatohepatitis. <i>Journal of Gastroenterology</i> , 2013, 48, 491-503.  | 5.1  | 48        |
| 2328 | Biological and molecular aspects of lymph node metastasis in gastro-intestinal cancer. <i>International Journal of Clinical Oncology</i> , 2013, 18, 762-765.  | 2.2  | 3         |
| 2329 | Role of stressâ€inducible proteinâ€1 in recruitment of bone marrow derived cells into the ischemic brains. <i>EMBO Molecular Medicine</i> , 2013, 5, 1227-1246.  | 6.9  | 20        |
| 2330 | Hypoxia-Induced Snail Expression Through Transcriptional Regulation by HIF-1 $\pm$ in Pancreatic Cancer Cells. <i>Digestive Diseases and Sciences</i> , 2013, 58, 3503-3515.   | 2.3  | 46        |
| 2331 | Chronic activation of vasopressin V2 receptor signalling lowers renal medullary oxygen levels in rats. <i>Acta Physiologica</i> , 2013, 207, 721-731.  | 3.8  | 6         |
| 2332 | Zinc Promotes the Death of Hypoxic Astrocytes by Upregulating Hypoxiaâ€induced Hypoxiaâ€inducible Factorâ€1 alpha Expression via Poly(ADP-ribose) Polymeraseâ€1. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 511-520. | 3.9  | 34        |
| 2333 | Pattern analysis accounts for heterogeneity observed in MRI studies of tumor angiogenesis. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1481-1490.  | 3.0  | 9         |
| 2335 | Nervous system involvement in von Hippelâ€Lindau disease: pathology and mechanisms. <i>Acta Neuropathologica</i> , 2013, 125, 333-350.   | 7.7  | 45        |
| 2336 | Respiratory complex I is essential to induce a Warburg profile in mitochondria-defective tumor cells. <i>Cancer &amp; Metabolism</i> , 2013, 1, 11.  | 5.0  | 75        |
| 2337 | Balancing glycolytic flux: the role of 6-phosphofructo-2-kinase/fructose 2,6-bisphosphatases in cancer metabolism. <i>Cancer &amp; Metabolism</i> , 2013, 1, 8.  | 5.0  | 198       |
| 2338 | Identification of Malate Dehydrogenaseâ€2 as a Target Protein of the HIFâ€1 Inhibitor LW6 using Chemical Probes. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10286-10289.                                     | 13.8 | 77        |
| 2339 | Oligometastases: the new paradigm and options for radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2013, 189, 357-363.  | 2.0  | 23        |
| 2340 | High HIF-1 $\pm$ expression genotypes in oral lichen planus. <i>Clinical Oral Investigations</i> , 2013, 17, 2011-2015.  | 3.0  | 17        |
| 2341 | Overexpression of Hypoxia Inducible Factor-1 Alpha is an Independent Risk Factor for Recurrence After Curative Resection of Colorectal Liver Metastases. <i>Annals of Surgical Oncology</i> , 2013, 20, 527-536.               | 1.5  | 28        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2342 | Epigenetic expansion of VHL-HIF signal output drives multiorgan metastasis in renal cancer. <i>Nature Medicine</i> , 2013, 19, 50-56.   | 30.7 | 174       |
| 2343 | A multivalent peptide as an activator of hypoxia inducible factor-1 $\alpha$ . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 1716-1719.   | 2.2  | 1         |
| 2344 | Hypoxia, metabolism, and growth factor signaling in head and neck squamous cell carcinoma: Correlation between primary and xenograft tumors. <i>Head and Neck</i> , 2013, 36, n/a-n/a.  | 2.0  | 9         |
| 2345 | Hypoxia inducible factor-1 (HIF-1) $\alpha$ -flavin containing monooxygenase-2 (FMO-2) signaling acts in silver nanoparticles and silver ion toxicity in the nematode, <i>Caenorhabditis elegans</i> . <i>Toxicology and Applied Pharmacology</i> , 2013, 270, 106-113. | 2.8  | 36        |
| 2346 | CHC promotes tumor growth and angiogenesis through regulation of HIF-1 $\alpha$ and VEGF signaling. <i>Cancer Letters</i> , 2013, 331, 58-67.   | 7.2  | 35        |
| 2347 | Differential in vitro and cellular effects of iron chelators for hypoxia inducible factor hydroxylases. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 864-873.   | 2.6  | 29        |
| 2348 | The Roles of Reactive Oxygen Species and Autophagy in Mediating the Tolerance of Tumor Cells to Cycling Hypoxia. <i>Seminars in Radiation Oncology</i> , 2013, 23, 252-261.   | 2.2  | 41        |
| 2349 | Arginase, Nitric Oxide Synthase, and Novel Inhibitors of L-arginine Metabolism in Immune Modulation. , 2013, , 597-634.   |      | 6         |
| 2350 | Ascofuranone suppresses EGF-induced HIF-1 $\alpha$ protein synthesis by inhibition of the Akt/mTOR/p70S6K pathway in MDA-MB-231 breast cancer cells. <i>Toxicology and Applied Pharmacology</i> , 2013, 273, 542-550.   | 2.8  | 30        |
| 2351 | Arsenic induces the expressions of angiogenesis-related factors through PI3K and MAPK pathways in SV-HUC-1 human uroepithelial cells. <i>Toxicology Letters</i> , 2013, 222, 303-311.   | 0.8  | 45        |
| 2352 | Model animals for the study of oxidative stress from complex II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2013, 1827, 588-597.  | 1.0  | 43        |
| 2353 | Mitochondrial Dysfunction and Permeability Transition in Osteosarcoma Cells Showing the Warburg Effect. <i>Journal of Biological Chemistry</i> , 2013, 288, 33303-33311.  | 3.4  | 51        |
| 2354 | Targeting Cancer Metabolisms. , 2013, , 159-174.  |      | 0         |
| 2355 | The Oncogene HER2/neu (ERBB2) Requires the Hypoxia-inducible Factor HIF-1 for Mammary Tumor Growth and Anoikis Resistance. <i>Journal of Biological Chemistry</i> , 2013, 288, 15865-15877.   | 3.4  | 68        |
| 2357 | Stop feeding cancer: Pro-inflammatory role of visceral adiposity in liver cancer. <i>Cytokine</i> , 2013, 64, 626-637.  | 3.2  | 37        |
| 2358 | Mitochondrial dysfunction represses HIF-1 $\alpha$ protein synthesis through AMPK activation in human hepatoma HepG2 cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 4743-4751.  | 2.4  | 42        |
| 2359 | Nrf2 is a potential therapeutic target in radioresistance in human cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 88, 706-715.  | 4.4  | 88        |
| 2360 | Prostate Cancer: Shifting from Morphology to Biology. , 2013, , .   |      | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2361 | Wnt/ $\beta$ -catenin signaling enhances hypoxia-induced epithelial $\rightarrow$ mesenchymal transition in hepatocellular carcinoma via crosstalk with hif-1 $\alpha$ signaling. <i>Carcinogenesis</i> , 2013, 34, 962-973.         | 2.8 | 208       |
| 2362 | MiR-199a suppresses the hypoxia-induced proliferation of non-small cell lung cancer cells through targeting HIF1 $\alpha$ . <i>Molecular and Cellular Biochemistry</i> , 2013, 384, 173-180.   | 3.1 | 53        |
| 2363 | Angiogenic and anti-angiogenic factor gene transcript level quantitation by quantitative real time PCR in patients with hepatocellular carcinoma. <i>Molecular Biology Reports</i> , 2013, 40, 5843-5852.                            | 2.3 | 10        |
| 2364 | Prognostic assessment of hypoxia and metabolic markers in cervical cancer using automated digital image analysis of immunohistochemistry. <i>Journal of Translational Medicine</i> , 2013, 11, 185.                                  | 4.4 | 57        |
| 2365 | Association of Gankyrin and Stemness Factor Expression in Human Colorectal Cancer. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2337-2344.   | 2.3 | 25        |
| 2366 | Adverse reactions to targeted and non-targeted chemotherapeutic drugs with emphasis on hypersensitivity responses and the invasive metastatic switch. <i>Cancer and Metastasis Reviews</i> , 2013, 32, 723-761.                      | 5.9 | 52        |
| 2367 | Effects of endostatin and a new drug terpestacin against human neuroblastoma xenograft and cell lines. <i>Pediatric Surgery International</i> , 2013, 29, 1327-1340.   | 1.4 | 8         |
| 2368 | Primary Tumor Vascularity, HIF-1 $\alpha$ and VEGF expression in vulvar squamous cell carcinomas: their relationships with clinicopathological characteristics and prognostic impact. <i>BMC Cancer</i> , 2013, 13, 506.             | 2.6 | 14        |
| 2369 | Sperm-Associated Antigen 4, a Novel Hypoxia-Inducible Factor 1 Target, Regulates Cytokinesis, and Its Expression Correlates with the Prognosis of Renal Cell Carcinoma. <i>American Journal of Pathology</i> , 2013, 182, 2191-2203. | 3.8 | 27        |
| 2370 | ATR controls cellular adaptation to hypoxia through positive regulation of hypoxia-inducible factor 1 (HIF-1) expression. <i>Oncogene</i> , 2013, 32, 4387-4396.   | 5.9 | 43        |
| 2371 | Regionale Therapie maligner Tumoren. , 2013, , .   |     | 1         |
| 2372 | Systems Biology of Tumor Dormancy. <i>Advances in Experimental Medicine and Biology</i> , 2013, , .  | 1.6 | 9         |
| 2373 | INPP4B-mediated tumor resistance is associated with modulation of glucose metabolism via hexokinase 2 regulation in laryngeal cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 440, 137-142.         | 2.1 | 48        |
| 2374 | Disruption of the PI3K/AKT/mTOR signaling cascade and induction of apoptosis in HL-60 cells by an essential oil from <i>Monarda citriodora</i> . <i>Food and Chemical Toxicology</i> , 2013, 62, 246-254.                            | 3.6 | 54        |
| 2375 | Th17 Cells in Cancer. , 2013, , 129-147.   |     | 0         |
| 2376 | Boron lipid-based liposomal boron delivery system for neutron capture therapy: recent development and future perspective. <i>Future Medicinal Chemistry</i> , 2013, 5, 715-730.  | 2.3 | 34        |
| 2377 | Treatment with the vascular disruptive agent OXi4503 induces an immediate and widespread epithelial to mesenchymal transition in the surviving tumor. <i>Cancer Medicine</i> , 2013, 2, 595-610.                                     | 2.8 | 13        |
| 2378 | Peroxiredoxin-5 targeted to the mitochondrial intermembrane space attenuates hypoxia-induced reactive oxygen species signalling. <i>Biochemical Journal</i> , 2013, 456, 337-346.  | 3.7 | 55        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2379 | Comparative proteomics analysis of sodium selenite-induced apoptosis in human prostate cancer cells. <i>Metallomics</i> , 2013, 5, 541.   | 2.4  | 20        |
| 2380 | Deletion of <i>Phd2</i> in Myeloid Lineage Attenuates Hypertensive Cardiovascular Remodeling. <i>Journal of the American Heart Association</i> , 2013, 2, e000178.  | 3.7  | 30        |
| 2381 | Determination human brain tumor marker gene carbonic anhydrase 9 (CA9) gene expression in different type of brain tumor cells. , 2013, , .  |      | 0         |
| 2382 | Clinical opportunities and challenges in targeting tumour dormancy. <i>Nature Reviews Clinical Oncology</i> , 2013, 10, 41-51.  | 27.6 | 59        |
| 2383 | Cancer stem cells, the epithelial to mesenchymal transition (EMT) and radioresistance: Potential role of hypoxia. <i>Cancer Letters</i> , 2013, 341, 63-72.   | 7.2  | 203       |
| 2384 | Reporter Ligand NMR Screening Method for 2-Oxoglutarate Oxygenase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 547-555.  | 6.4  | 59        |
| 2385 | Synthesis and Biological Evaluation of Diaryl-Substituted Carboranes as Inhibitors of Hypoxia Inducible Factor (HIF)-1 Transcriptional Activity. <i>ChemMedChem</i> , 2013, 8, 265-271.                         | 3.2  | 17        |
| 2386 | Hypoxia-Inducible Factor 1 Alpha Contributes to Cardiac Healing in Mesenchymal Stem Cells-Mediated Cardiac Repair. <i>Stem Cells and Development</i> , 2013, 22, 501-511.                                       | 2.1  | 69        |
| 2387 | Hypoxia-inducing factors as master regulators of stemness properties and altered metabolism of cancer and metastasis-initiating cells. <i>Journal of Cellular and Molecular Medicine</i> , 2013, 17, 30-54.     | 3.6  | 282       |
| 2388 | A novel imidazopyridine derivative, HS-106, induces apoptosis of breast cancer cells and represses angiogenesis by targeting the PI3K/mTOR pathway. <i>Cancer Letters</i> , 2013, 329, 59-67.                   | 7.2  | 34        |
| 2389 | Melatonin suppresses tumor progression by reducing angiogenesis stimulated by HIF-1 in a mouse tumor model. <i>Journal of Pineal Research</i> , 2013, 54, 264-270.  | 7.4  | 88        |
| 2390 | Hypoxia-inducible factor 1 alpha mediates epidermal growth factor-induced down-regulation of E-cadherin expression and cell invasion in human ovarian cancer cells. <i>Cancer Letters</i> , 2013, 329, 197-206. | 7.2  | 62        |
| 2391 | The Tumor Microenvironment: Characterization, Redox Considerations, and Novel Approaches for Reactive Oxygen Species-Targeted Gene Therapy. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 854-895.        | 5.4  | 97        |
| 2392 | Hypoxia-related molecules HIF-1 $\pm$ , CA9, and osteopontin. <i>Strahlentherapie Und Onkologie</i> , 2013, 189, 147-154.   | 2.0  | 37        |
| 2393 | Hard-metal (WC-Co) particles trigger a signaling cascade involving p38 MAPK, HIF-1 $\pm$ , HMOX1, and p53 activation in human PBMC. <i>Archives of Toxicology</i> , 2013, 87, 259-268.                          | 4.2  | 28        |
| 2394 | Protein N-terminal acetyltransferases in cancer. <i>Oncogene</i> , 2013, 32, 269-276.   | 5.9  | 139       |
| 2395 | Development of High Boron Content Liposomes and Their Promising Antitumor Effect for Neutron Capture Therapy of Cancers. <i>Bioconjugate Chemistry</i> , 2013, 24, 124-132.                                     | 3.6  | 74        |
| 2396 | Thioredoxins, Glutaredoxins, and Peroxiredoxins—Molecular Mechanisms and Health Significance: from Cofactors to Antioxidants to Redox Signaling. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 1539-1605. | 5.4  | 557       |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2397 | Hypoxia and Adipose Tissue Function and Dysfunction in Obesity. <i>Physiological Reviews</i> , 2013, 93, 1-21.   | 28.8 | 658       |
| 2398 | Migration of Resident Cardiac Stem Cells in Myocardial Infarction. <i>Anatomical Record</i> , 2013, 296, 184-191.  | 1.4  | 18        |
| 2399 | Recent agents targeting HIF-1 $\alpha$ for cancer therapy. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 498-509.   | 2.6  | 104       |
| 2400 | AKT as locus of cancer positive feedback loops and extreme robustness. <i>Journal of Cellular Physiology</i> , 2013, 228, 522-524.   | 4.1  | 17        |
| 2401 | AKT as locus of cancer multidrug resistance and fragility. <i>Journal of Cellular Physiology</i> , 2013, 228, 671-674.   | 4.1  | 32        |
| 2402 | Regulation of intracellular pH in cancer cell lines under normoxia and hypoxia. <i>Journal of Cellular Physiology</i> , 2013, 228, 743-752.  | 4.1  | 97        |
| 2403 | New insights on the function of SCF ubiquitin E3 ligases in the lung. <i>Cellular Signalling</i> , 2013, 25, 1792-1798.  | 3.6  | 16        |
| 2404 | A new anti-angiogenic small molecule, G0811, inhibits angiogenesis via targeting hypoxia inducible factor (HIF)-1 $\alpha$ signal transduction. <i>Biochemical and Biophysical Research Communications</i> , 2013, 441, 399-404.   | 2.1  | 6         |
| 2405 | Calreticulin transacetylase mediated upregulation of thioredoxin by 7,8-diacetoxy-4-methylcoumarin enhances the antioxidant potential and the expression of vascular endothelial growth factor in peripheral blood mononuclear cells. <i>Chemico-Biological Interactions</i> , 2013, 206, 327-336. | 4.0  | 8         |
| 2406 | Hypoxia inducible factor-1 is activated by transcriptional co-activator with PDZ-binding motif (TAZ) versus WWdomain-containing oxidoreductase (WWOX) in hypoxic microenvironment of bone metastasis from breast cancer. <i>European Journal of Cancer</i> , 2013, 49, 2608-2618.                  | 2.8  | 60        |
| 2407 | Indenoisoquinoline derivatives as topoisomerase I inhibitors that suppress angiogenesis by affecting the HIF signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2013, 67, 715-722.  | 5.6  | 6         |
| 2408 | Tumor hypoxia and metabolism – Towards novel anticancer approaches. <i>Annales D'Endocrinologie</i> , 2013, 74, 111-114.   | 1.4  | 26        |
| 2409 | Enhancement of in vitro cell motility and invasiveness of human malignant pleural mesothelioma cells through the HIF-1 $\alpha$ -MUC1 pathway. <i>Cancer Letters</i> , 2013, 339, 82-92.   | 7.2  | 9         |
| 2410 | A Cyclic Peptide Inhibitor of HIF-1 Heterodimerization That Inhibits Hypoxia Signaling in Cancer Cells. <i>Journal of the American Chemical Society</i> , 2013, 135, 10418-10425.  | 13.7 | 160       |
| 2411 | Enhanced siRNA Delivery Using a Combination of an Arginine-Grafted Bioreducible Polymer, Ultrasound, and Microbubbles in Cancer Cells. <i>Molecular Pharmaceutics</i> , 2013, 10, 2021-2030.   | 4.6  | 23        |
| 2412 | Phenotypic Features of the Dynamics of HIF-1 $\alpha$ Levels in Rat Neocortex in Different Hypoxia Regimens. <i>Bulletin of Experimental Biology and Medicine</i> , 2013, 154, 718-722.  | 0.8  | 21        |
| 2413 | Tumor Cells Upregulate Normoxic HIF-1 $\alpha$ in Response to Doxorubicin. <i>Cancer Research</i> , 2013, 73, 6230-6242.   | 0.9  | 95        |
| 2414 | A cell-penetrating peptide suppresses the hypoxia inducible factor-1 function by binding to the helix-loop-helix domain of the aryl hydrocarbon receptor nuclear translocator. <i>Chemico-Biological Interactions</i> , 2013, 203, 401-411.  | 4.0  | 6         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2415 | Targeting the Heat Shock Response in Cancer. <i>Surgical Oncology Clinics of North America</i> , 2013, 22, 665-684.  | 1.5  | 4         |
| 2416 | The role of short-term oxygen administration in the prevention of intimal hyperplasia. <i>Journal of Vascular Surgery</i> , 2013, 58, 452-459.   | 1.1  | 10        |
| 2417 | A small molecule approach to engineering vascularized tissue. <i>Biomaterials</i> , 2013, 34, 3053-3063.   | 11.4 | 31        |
| 2418 | Gene batteries and synexpression groups applied in a multivariate statistical approach to dose-response analysis of toxicogenomic data. <i>Regulatory Toxicology and Pharmacology</i> , 2013, 67, 63-74.   | 2.7  | 5         |
| 2419 | Clinicopathological and prognostic significance of HIF-1 $\pm$ and HIF-2 $\pm$ expression in small cell lung cancer. <i>Pathology Research and Practice</i> , 2013, 209, 184-189.                          | 2.3  | 26        |
| 2420 | 1790 G/A polymorphism, but not 1772 C/T polymorphism, is significantly associated with Cancers: An update study. <i>Gene</i> , 2013, 523, 58-63.   | 2.2  | 5         |
| 2421 | A deletion mutation of the VHL gene associated with a patient with sporadic von Hippel-Lindau disease. <i>Journal of Clinical Neuroscience</i> , 2013, 20, 842-847.  | 1.5  | 9         |
| 2422 | SIRT1 attenuates neointima formation by inhibiting HIF-1 $\pm$ expression in neointimal lesion of a murine wire-injured femoral artery. <i>International Journal of Cardiology</i> , 2013, 168, 4393-4396. | 1.7  | 14        |
| 2423 | The Role of Hypoxia-Inducible Factor-1 $\pm$ and -2 $\pm$ in Androgen Insensitive Prostate Cancer Cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1448-1456.             | 1.6  | 10        |
| 2424 | Exposure to hypoxia following irradiation increases radioresistance in prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1106-1116.                        | 1.6  | 34        |
| 2425 | Relevance of Mitochondrial Genetics and Metabolism in Cancer Development. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a011411-a011411.  | 5.5  | 88        |
| 2426 | Hypoxia inducible factor-1 $\pm$ -mediated activation of survivin in cervical cancer cells. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 555-563.                                     | 1.3  | 27        |
| 2427 | Notch1 is required for hypoxia-induced proliferation, invasion and chemoresistance of T-cell acute lymphoblastic leukemia cells. <i>Journal of Hematology and Oncology</i> , 2013, 6, 3.                   | 17.0 | 100       |
| 2428 | Activated lymphocytes as a metabolic model for carcinogenesis. <i>Cancer &amp; Metabolism</i> , 2013, 1, 5.  | 5.0  | 72        |
| 2429 | The Warburg effect: Insights from the past decade. , 2013, 137, 318-330.   |      | 190       |
| 2430 | Focus on the role of the CXCL12/CXCR4 chemokine axis in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2013, 35, 1819-1828.   | 2.0  | 38        |
| 2431 | Diabetic nephropathy: are there new and potentially promising therapies targeting oxygen biology?. <i>Kidney International</i> , 2013, 84, 693-702.  | 5.2  | 60        |
| 2432 | Increased anaerobic metabolism is a distinctive signature in a colorectal cancer cellular model of resistance to antiepidermal growth factor receptor antibody. <i>Proteomics</i> , 2013, 13, 866-877.     | 2.2  | 21        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2433 | Biological characteristics of intratumoral [F-18]-fluoromisonidazole distribution in a rodent model of glioma. <i>International Journal of Oncology</i> , 2013, 42, 823-830.   | 3.3  | 22        |
| 2434 | Allosteric inhibition of hypoxia inducible factor-2 with small molecules. <i>Nature Chemical Biology</i> , 2013, 9, 271-276.   | 8.0  | 234       |
| 2435 | Molecular basis of the inner blood-retinal barrier and its breakdown in diabetic macular edema and other pathological conditions. <i>Progress in Retinal and Eye Research</i> , 2013, 34, 19-48.                                 | 15.5 | 539       |
| 2436 | Systems biology of adipose tissue metabolism: regulation of growth, signaling and inflammation. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2013, 5, 425-447.   | 6.6  | 32        |
| 2437 | MicroRNA-138 suppresses ovarian cancer cell invasion and metastasis by targeting SOX4 and HIF-1 $\alpha$ . <i>International Journal of Cancer</i> , 2013, 133, 867-878.  | 5.1  | 210       |
| 2438 | Selective Inhibition of Hypoxia-Inducible Factor 1 $\alpha$ Ameliorates Adipose Tissue Dysfunction. <i>Molecular and Cellular Biology</i> , 2013, 33, 904-917.   | 2.3  | 192       |
| 2439 | Regulation of Angiogenesis by Tumour Suppressor Pathways. , 2013, , 79-99.   |      | 0         |
| 2440 | Molecular mechanisms for survival regulation of chronic myeloid leukemia stem cells. <i>Protein and Cell</i> , 2013, 4, 186-196.   | 11.0 | 34        |
| 2441 | HIF-1 $\alpha$ Confers Resistance to Induced Stress in Bone Marrow-derived Mesenchymal Stem Cells. <i>Archives of Medical Research</i> , 2013, 44, 185-193.  | 3.3  | 39        |
| 2442 | Synergistic Activation of the Nrf2-Signaling Pathway by Glyceollins under Oxidative Stress Induced by Glutathione Depletion. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 4072-4078.                            | 5.2  | 8         |
| 2443 | Development, characterisation and biocompatibility testing of a cobalt-containing titanium phosphate-based glass for engineering of vascularized hard tissues. <i>Materials Science and Engineering C</i> , 2013, 33, 2104-2112. | 7.3  | 25        |
| 2444 | HIFs, angiogenesis, and cancer. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 967-974.  | 2.6  | 156       |
| 2445 | Downregulation of miR-145 associated with cancer progression and VEGF transcriptional activation by targeting N-RAS and IRS1. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 239-247.           | 1.9  | 81        |
| 2446 | Worms under stress: <i>C. elegans</i> stress response and its relevance to complex human disease and aging. <i>Trends in Genetics</i> , 2013, 29, 367-374.   | 6.7  | 172       |
| 2447 | Ecological photodynamic therapy: New trend to disrupt the intricate networks within tumor ecosystem. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2013, 1835, 86-99.  | 7.4  | 14        |
| 2448 | Pentoxifylline inhibits melanoma tumor growth and angiogenesis by targeting STAT3 signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2013, 67, 399-405.   | 5.6  | 39        |
| 2449 | Hypoxia-inducible factor prolyl hydroxylases as targets for neuroprotection by $\alpha$ -antioxidant-metal chelators: From ferroptosis to stroke. <i>Free Radical Biology and Medicine</i> , 2013, 62, 26-36.                    | 2.9  | 119       |
| 2450 | Oxygen sensing and hypoxia signalling pathways in animals: the implications of physiology for cancer. <i>Journal of Physiology</i> , 2013, 591, 2027-2042.   | 2.9  | 235       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2451 | A dynamic model of the hypoxia-inducible factor 1-alpha (HIF-1 $\alpha$ ) network. Journal of Cell Science, 2013, 126, 1454-63.  | 2.0  | 112       |
| 2452 | Inhibition of metastasis by HEXIM1 through effects on cell invasion and angiogenesis. Oncogene, 2013, 32, 3829-3839.   | 5.9  | 29        |
| 2453 | Joint Immobilization Induced Hypoxic and Inflammatory Conditions in Rat Knee Joints. Connective Tissue Research, 2013, 54, 210-217.  | 2.3  | 30        |
| 2454 | Genotype analysis of the NRF2 gene mutation in lung cancer. International Journal of Molecular Medicine, 2013, 31, 1135-1138.  | 4.0  | 26        |
| 2455 | HIF-1 $\alpha$ stimulates aromatase expression driven by prostaglandin E2 in breast adipose stroma. Breast Cancer Research, 2013, 15, R30.   | 5.0  | 44        |
| 2456 | Development of hypoxia-inducible factor (HIF)-1 $\alpha$ inhibitors: Effect of ortho-carborane substituents on HIF transcriptional activity under hypoxia. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 806-810.                              | 2.2  | 24        |
| 2457 | Inhibition of mTORC2 but not mTORC1 Up-Regulates E-Cadherin Expression and Inhibits Cell Motility by Blocking HIF-2 $\alpha$ Expression in Human Renal Cell Carcinoma. Journal of Urology, 2013, 189, 1921-1929.                                       | 0.4  | 24        |
| 2458 | Low microvascular density at the tumor center is related to the expression of metalloproteases and their inhibitors and with the occurrence of distant metastasis in breast carcinomas. International Journal of Clinical Oncology, 2013, 18, 629-640. | 2.2  | 11        |
| 2459 | Central and peripheral nervous systems: master controllers in cancer metastasis. Cancer and Metastasis Reviews, 2013, 32, 603-621.   | 5.9  | 30        |
| 2460 | HIF-1 $\alpha$ downregulates miR-17/20a directly targeting p21 and STAT3: a role in myeloid leukemic cell differentiation. Cell Death and Differentiation, 2013, 20, 408-418.  | 11.2 | 85        |
| 2461 | Antiangiogenic Alkaloids from Plants. , 2013, , 1439-1467.   |      | 1         |
| 2462 | Cellular, Molecular, and Biological Perspective of Polyphenols in Chemoprevention and Therapeutic Adjunct in Cancer. , 2013, , 2175-2254.  |      | 5         |
| 2463 | New strategies for targeting the hypoxic tumour microenvironment in breast cancer. Cancer Treatment Reviews, 2013, 39, 171-179.  | 7.7  | 167       |
| 2464 | Defining hypoxic microenvironments by non-invasive functional optical imaging. European Journal of Cancer, 2013, 49, 264-271.  | 2.8  | 10        |
| 2465 | Potent antitumoral effects of targeted promoter-driven oncolytic adenovirus armed with Dm-dNK for breast cancer in vitro and in vivo. Cancer Letters, 2013, 328, 95-103.   | 7.2  | 14        |
| 2466 | Novel Hereditary Forms of Pheochromocytomas and Paragangliomas. Frontiers of Hormone Research, 2013, 41, 79-91.  | 1.0  | 13        |
| 2467 | Discovery of Indenopyrazoles as a New Class of Hypoxia Inducible Factor (HIF)-1 Inhibitors. ACS Medicinal Chemistry Letters, 2013, 4, 297-301.   | 2.8  | 46        |
| 2468 | Metabolic gradients as key regulators in zonation of tumor energy metabolism: A tissue-scale model-based study. Biotechnology Journal, 2013, 8, 1058-1069.   | 3.5  | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2469 | Constitutive stabilization of hypoxia-inducible factor alpha selectively promotes the self-renewal of mesenchymal progenitors and maintains mesenchymal stromal cells in an undifferentiated state. <i>Experimental and Molecular Medicine</i> , 2013, 45, e44-e44.  | 7.7 | 55        |
| 2470 | The influence of pH and hypoxia on tumor metastasis. <i>Expert Review of Anticancer Therapy</i> , 2013, 13, 1229-1242.   | 2.4 | 39        |
| 2471 | Differential expression and activation of Epidermal Growth Factor Receptor 1 (EGFR1), ERK, AKT, STAT3, and TWIST1 in nonsmall cell lung cancer (NSCLC). <i>Experimental Lung Research</i> , 2013, 39, 387-398.   | 1.2 | 6         |
| 2472 | Identification of HIF-1 $\pm$ promoter and expression regulation of HIF-1 $\pm$ gene by LPS and hypoxia in zebrafish. <i>Fish Physiology and Biochemistry</i> , 2013, 39, 1153-1163.   | 2.3 | 14        |
| 2473 | Correlation of Nrf2 and HIF-1 $\pm$ in glioblastoma and their relationships to clinicopathologic features and survival. <i>Neurological Research</i> , 2013, 35, 1044-1050.  | 1.3 | 24        |
| 2474 | Role of hypoxia-inducible factors in breast cancer metastasis. <i>Future Oncology</i> , 2013, 9, 1623-1636.  | 2.4 | 225       |
| 2475 | AKT as locus of cancer angiogenic robustness and fragility. <i>Journal of Cellular Physiology</i> , 2013, 228, 21-24.  | 4.1 | 26        |
| 2476 | Gene expression analysis in prostate cancer: The importance of the endogenous control. <i>Prostate</i> , 2013, 73, 382-390.  | 2.3 | 13        |
| 2477 | Glioblastoma cancer stem cells: Role of the microenvironment and therapeutic targeting. <i>Biochemical Pharmacology</i> , 2013, 85, 612-622.   | 4.4 | 136       |
| 2478 | Mitochondrial activation by inhibition of PDKII suppresses HIF1a signaling and angiogenesis in cancer. <i>Oncogene</i> , 2013, 32, 1638-1650.  | 5.9 | 156       |
| 2479 | Texaphyrins and water-soluble zinc(II) ionophores: development, mechanism of anticancer activity, and synergistic effects. <i>Bioinorganic Reaction Mechanisms</i> , 2013, 9, 3-14.  | 0.4 | 3         |
| 2480 | HSP60 as a Drug Target. <i>Current Pharmaceutical Design</i> , 2013, 19, 441-451.  | 1.9 | 34        |
| 2481 | Molecular Hierarchy of Heparin-Binding EGF-like Growth Factorâ€‘Regulated Angiogenesis in Triple-Negative Breast Cancer. <i>Molecular Cancer Research</i> , 2013, 11, 506-517.   | 3.4 | 45        |
| 2483 | HIF isoforms in the skin differentially regulate systemic arterial pressure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17570-17575.  | 7.1 | 57        |
| 2484 | Prognostic significance of hypoxia inducible factor-1 $\pm$ and vascular endothelial growth factor expression in patients with diffuse large B-cell lymphoma treated with rituximab. <i>Leukemia and Lymphoma</i> , 2013, 54, 959-966.   | 1.3 | 9         |
| 2485 | Progress of Molecular Targeted Therapies for Advanced Renal Cell Carcinoma. <i>BioMed Research International</i> , 2013, 2013, 1-9.  | 1.9 | 35        |
| 2486 | HEXIM1 down-regulates hypoxia-inducible factor-1 $\pm$ protein stability. <i>Biochemical Journal</i> , 2013, 456, 195-204.   | 3.7 | 11        |
| 2487 | Activation of AMP-Activated Protein Kinase $\langle \text{mml:math} \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{mathvariant="bold-italic"} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle$ and Extracellular Signal-Regulated Kinase Mediates CB-PIC-Induced Apoptosis in Hypoxic SW620 Colorectal Cancer Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-11. | 1.2 | 23        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2488 | Von Hippel-Lindau Disease: A Genetic and Clinical Review. <i>Seminars in Ophthalmology</i> , 2013, 28, 377-386.  | 1.6 | 53        |
| 2489 | Regulation of Bone Marrow Angiogenesis by Osteoblasts during Bone Development and Homeostasis. <i>Frontiers in Endocrinology</i> , 2013, 4, 85.  | 3.5 | 25        |
| 2490 | Hypoxia-inducible Factor-1 (HIF-1)-independent Hypoxia Response of the Small Heat Shock Protein hsp-16.1 Gene Regulated by Chromatin-remodeling Factors in the Nematode <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2013, 288, 1582-1589. | 3.4 | 17        |
| 2491 | Role of STAT3 in Cancer Metastasis and Translational Advances. <i>BioMed Research International</i> , 2013, 2013, 1-15.  | 1.9 | 318       |
| 2492 | Oncogenic Alternative Splicing Switches: Role in Cancer Progression and Prospects for Therapy. <i>International Journal of Cell Biology</i> , 2013, 2013, 1-17.  | 2.5 | 89        |
| 2493 | Sorafenib suppresses the rapid progress of hepatocellular carcinoma after insufficient radiofrequency ablation therapy: An experiment <i>in vivo</i> . <i>Acta Radiologica</i> , 2013, 54, 199-204.  | 1.1 | 43        |
| 2494 | HIF- and Non-HIF-Regulated Hypoxic Responses Require the Estrogen-Related Receptor in <i>Drosophila melanogaster</i> . <i>PLoS Genetics</i> , 2013, 9, e1003230.   | 3.5 | 86        |
| 2495 | Antiapoptotic Effects of EGb 761. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-18.   | 1.2 | 19        |
| 2496 | The Role of Chronic Inflammation in Obesity-Associated Cancers. <i>ISRN Oncology</i> , 2013, 2013, 1-25.   | 2.1 | 85        |
| 2497 | Adipose tissue immunity and cancer. <i>Frontiers in Physiology</i> , 2013, 4, 275.   | 2.8 | 119       |
| 2498 | MiR199b Suppresses Expression of Hypoxia-Inducible Factor 1 $\alpha$ (HIF-1 $\alpha$ ) in Prostate Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2013, 14, 8422-8436.   | 4.1 | 23        |
| 2499 | Low Oxygen Tension Maintains Multipotency, Whereas Normoxia Increases Differentiation of Mouse Bone Marrow Stromal Cells. <i>International Journal of Molecular Sciences</i> , 2013, 14, 2119-2134.  | 4.1 | 69        |
| 2500 | Vascular Endothelial Growth Factor-A and Islet Vascularization Are Necessary in Developing, but Not Adult, Pancreatic Islets. <i>Diabetes</i> , 2013, 62, 4154-4164.   | 0.6 | 82        |
| 2501 | Hypoxia Induces Netrin-1 and Unc5b in Atherosclerotic Plaques. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 1180-1188.  | 2.4 | 88        |
| 2502 | Identification of the Hypoxia-inducible Factor 2 $\alpha$ Nuclear Interactome in Melanoma Cells Reveals Master Proteins Involved in Melanoma Development. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 736-748.  | 3.8 | 18        |
| 2503 | Transcription Factor YY1 Contributes to Tumor Growth by Stabilizing Hypoxia Factor HIF-1 $\alpha$ in a p53-Independent Manner. <i>Cancer Research</i> , 2013, 73, 1787-1799.   | 0.9 | 62        |
| 2504 | Vascularisation of tissue-engineered constructs. , 2013, , 77-103a.  |     | 0         |
| 2505 | PERK/eIF2 $\alpha$ signaling protects therapy resistant hypoxic cells through induction of glutathione synthesis and protection against ROS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 4622-4627.            | 7.1 | 193       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2506 | Blood manipulation: current challenges from an anti-doping perspective. Hematology American Society of Hematology Education Program, 2013, 2013, 627-631.  | 2.5 | 13        |
| 2507 | Radioprotective effect on HepG2 cells of low concentrations of cobalt chloride: induction of hypoxia-inducible factor-1 alpha and clearance of reactive oxygen species. Journal of Radiation Research, 2013, 54, 203-209.          | 1.6 | 16        |
| 2508 | Hypoxia-Inducible Factor Signaling in Pheochromocytoma: Turning the Rudder in the Right Direction. Journal of the National Cancer Institute, 2013, 105, 1270-1283.   | 6.3 | 146       |
| 2509 | HIF1± Genetic Variants and Protein Expressions Determine the Response to Platinum Based Chemotherapy and Clinical Outcome in Patients with Advanced NSCLC. Cellular Physiology and Biochemistry, 2013, 32, 1566-1576.              | 1.6 | 20        |
| 2510 | TRAF6 Upregulates Expression of HIF-1± and Promotes Tumor Angiogenesis. Cancer Research, 2013, 73, 4950-4959.  | 0.9 | 85        |
| 2511 | Licochalcone E Present in Licorice Suppresses Lung Metastasis in the 4T1 Mammary Orthotopic Cancer Model. Cancer Prevention Research, 2013, 6, 603-613.  | 1.5 | 40        |
| 2512 | Hypoxia Induces the Expression of Transketolase-Like 1 in Human Colorectal Cancer. Digestion, 2013, 88, 182-192.   | 2.3 | 23        |
| 2513 | Tumor Necrosis Factor Alpha-Induced Hypoxia-Inducible Factor 1±-Catenin Axis Regulates Major Histocompatibility Complex Class I Gene Activation through Chromatin Remodeling. Molecular and Cellular Biology, 2013, 33, 2718-2731. | 2.3 | 46        |
| 2514 | Hypoxia induces a phase transition within a kinase signaling network in cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E1352-60.  | 7.1 | 61        |
| 2515 | Protein domain mimetics as in vivo modulators of hypoxia-inducible factor signaling. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 15602-15607.                                      | 7.1 | 83        |
| 2516 | Long±Term Binge and Escalating Ethanol Exposure Causes Necroinflammation and Fibrosis in Rat Liver. Alcoholism: Clinical and Experimental Research, 2013, 37, 213-222.   | 2.4 | 24        |
| 2517 | Current and Future Therapeutic Approaches for Metastatic Pheochromocytoma and Paraganglioma: Focus on SDHB Tumors. Hormone and Metabolic Research, 2013, 45, 147-153.  | 1.5 | 29        |
| 2518 | Prolyl 4 Hydroxylase: A Critical Target in the Pathophysiology of Diseases. Korean Journal of Physiology and Pharmacology, 2013, 17, 111.  | 1.2 | 14        |
| 2519 | Biochemical Basis and Therapeutic Implications of Angiogenesis. , 2013, , .  |     | 5         |
| 2520 | Hypoxia-Inducible Factors: Mediators of Cancer Progression; Prognostic and Therapeutic Targets in Soft Tissue Sarcomas. Cancers, 2013, 5, 320-333.   | 3.7 | 51        |
| 2521 | Antioxidant properties of glutamine and its role in VEGF-Akt pathways in portal hypertension gastropathy. World Journal of Gastroenterology, 2013, 19, 4464.   | 3.3 | 19        |
| 2522 | Hypoxia-inducible factor-1± as prognostic marker. Expert Opinion on Medical Diagnostics, 2013, 7, 53-70.   | 1.6 | 9         |
| 2523 | ATF4 and HIF-1± in bone: An intriguing relationship. Journal of Bone and Mineral Research, 2013, 28, 1866-1869.  | 2.8 | 1         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2524 | <i>In vivo</i> delivery of siRNA targeting vasohibin-2 decreases tumor angiogenesis and suppresses tumor growth in ovarian cancer. <i>Cancer Science</i> , 2013, 104, 1705-1710.  | 3.9 | 39        |
| 2525 | Hexokinase $\text{K}_{\text{HK}}$ in breast carcinoma: A potent prognostic factor associated with hypoxia-inducible factor $\text{HIF-1}\alpha$ and $\text{K}_{\text{HK}}$ . <i>Cancer Science</i> , 2013, 104, 1380-1388.  | 3.9 | 59        |
| 2526 | TCTP increases stability of hypoxia-inducible factor $\text{HIF-1}\alpha$ by interaction with and degradation of the tumour suppressor VHL. <i>Biology of the Cell</i> , 2013, 105, 208-218.  | 2.0 | 20        |
| 2527 | Nickel alloys in the oral environment. <i>Expert Review of Medical Devices</i> , 2013, 10, 519-539.   | 2.8 | 20        |
| 2528 | Reporter gene approaches for mapping cell fate decisions by MRI: promises and pitfalls. <i>Contrast Media and Molecular Imaging</i> , 2013, 8, 424-431.   | 0.8 | 21        |
| 2529 | Expression of hypoxia inducible factor $\text{HIF-1}\alpha$ and vascular endothelia growth factor in vocal polyps. <i>Laryngoscope</i> , 2013, 123, 2184-2188.  | 2.0 | 10        |
| 2530 | Differential Effects of Pharmacological HIF Preconditioning of Donors Versus Recipients in Rat Cardiac Allografts. <i>American Journal of Transplantation</i> , 2013, 13, 600-610.  | 4.7 | 16        |
| 2531 | Exploring $\text{r}^2$ and $\text{r}^1$ as imaging biomarkers of tumor oxygenation. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 429-434.   | 3.4 | 44        |
| 2532 | How does cancer cell metabolism affect tumor migration and invasion?. <i>Cell Adhesion and Migration</i> , 2013, 7, 395-403.  | 2.7 | 165       |
| 2533 | cAMP-response Element-binding Protein (CREB) and NF- $\kappa$ B Transcription Factors Are Activated during Prolonged Hypoxia and Cooperatively Regulate the Induction of Matrix Metalloproteinase MMP1. <i>Journal of Biological Chemistry</i> , 2013, 288, 22584-22595.                      | 3.4 | 56        |
| 2534 | $^{18}\text{F}$ -EF5 PET Imaging as an Early Response Biomarker for the Hypoxia-Activated Prodrug SN30000 Combined with Radiation Treatment in a Non-Small Cell Lung Cancer Xenograft Model. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1339-1346.  | 5.0 | 31        |
| 2535 | HIF proteins connect the RB-E2F factors to angiogenesis. <i>Transcription</i> , 2013, 4, 62-66.   | 3.1 | 19        |
| 2536 | Studies Targeting $\alpha$ -Glucosidase Inhibition, Antiangiogenic Effects, and Lipid Modification Regulation: Background, Evaluation, and Challenges in the Development of Food Ingredients for Therapeutic Purposes. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 900-908. | 1.3 | 26        |
| 2537 | Strengthened glycolysis under hypoxia supports tumor symbiosis and hexosamine biosynthesis in pancreatic adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3919-3924.   | 7.1 | 359       |
| 2538 | Anti-angiogenic therapy increases intratumoral adenovirus distribution by inducing collagen degradation. <i>Gene Therapy</i> , 2013, 20, 318-327.   | 4.5 | 24        |
| 2539 | Wnt/beta-Catenin Signaling and Small Molecule Inhibitors. <i>Current Pharmaceutical Design</i> , 2013, 19, 634-664.   | 1.9 | 194       |
| 2540 | Identification of CDCP1 as a hypoxia-inducible factor $\text{HIF-2}\alpha$ target gene that is associated with survival in clear cell renal cell carcinoma patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3483-3488.           | 7.1 | 57        |
| 2541 | Hypoxia-mediated regulation of macrophage functions in pathophysiology. <i>International Immunology</i> , 2013, 25, 67-75.  | 4.0 | 69        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2542 | <sup>18</sup> F-Fluoromisonidazole PET Uptake Is Correlated with Hypoxia-Inducible Factor-1 $\alpha$ Expression in Oral Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1060-1065.   | 5.0 | 49        |
| 2543 | Activities of First-Choice Antimicrobials against Gamma Interferon-Treated <i>Chlamydia trachomatis</i> Differ in Hypoxia. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2828-2830.   | 3.2 | 16        |
| 2544 | Resveratrol Suppresses Cancer Cell Glucose Uptake by Targeting Reactive Oxygen Species $\alpha$ -Mediated Hypoxia-Inducible Factor-1 $\alpha$ Activation. <i>Journal of Nuclear Medicine</i> , 2013, 54, 2161-2167.  | 5.0 | 101       |
| 2545 | Molecular-targeted therapy hypoxia in head and neck squamous cell carcinoma patients. <i>Molecular and Clinical Oncology</i> , 2013, 1, 12-14.   | 1.0 | 1         |
| 2546 | Hypoxia-inducible factor-1 $\alpha$ overexpression indicates poor clinical outcomes in tongue squamous cell carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2013, 5, 112-118.  | 1.8 | 19        |
| 2547 | The Role of Hypoxia in the Regulation of Osteogenesis and Angiogenesis Coupling in Intraoral Regenerative Procedures: A Review of the Literature. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2013, 33, 519-524.                | 1.0 | 4         |
| 2548 | Inhibition of the hypoxia-inducible factor pathway by a G-quadruplex binding small molecule. <i>Scientific Reports</i> , 2013, 3, 2799.  | 3.3 | 35        |
| 2549 | miR-21 modulates paclitaxel sensitivity and hypoxia-inducible factor-1 $\alpha$ expression in human ovarian cancer cells. <i>Oncology Letters</i> , 2013, 6, 795-800.  | 1.8 | 53        |
| 2550 | Screening of a Novel Peptide Targeting the Proteoglycan-Like Region of Human Carbonic Anhydrase IX. <i>Molecular Imaging</i> , 2013, 12, 7290.2013.00066.  | 1.4 | 17        |
| 2551 | 2011 AND 2012 EARLY CAREERS ACHIEVEMENT AWARDS: Metabolic priorities during heat stress with an emphasis on skeletal muscle <sup>1,2</sup> . <i>Journal of Animal Science</i> , 2013, 91, 2492-2503.   | 0.5 | 66        |
| 2552 | Cobalt chloride inhibits tumor formation in osteosarcoma cells through upregulation of HIF-1 $\alpha$ . <i>Oncology Letters</i> , 2013, 5, 911-916.  | 1.8 | 10        |
| 2553 | The potential of hypoxia markers as target for breast molecular imaging $\alpha$ a systematic review and meta-analysis of human marker expression. <i>BMC Cancer</i> , 2013, 13, 538.  | 2.6 | 18        |
| 2554 | Identification of Malate Dehydrogenase $\alpha$ 2 as a Target Protein of the HIF $\alpha$ 1 Inhibitor LW6 using Chemical Probes. <i>Angewandte Chemie</i> , 2013, 125, 10476-10479.  | 2.0 | 3         |
| 2555 | HIF-1 $\alpha$ is a crucial factor in the development of peritoneal dissemination via natural metastatic routes in scirrhous gastric cancer. <i>International Journal of Oncology</i> , 2013, 43, 1431-1440.   | 3.3 | 32        |
| 2556 | Overexpression of HIF-1 $\alpha$ indicates a poor prognosis in tongue carcinoma and may be associated with tumour metastasis. <i>Oncology Letters</i> , 2013, 5, 1285-1289.  | 1.8 | 29        |
| 2557 | HIF-1 $\alpha$ knockdown by miRNA decreases survivin expression and inhibits A549 cell growth in vitro and in vivo. <i>International Journal of Molecular Medicine</i> , 2013, 32, 271-280.  | 4.0 | 28        |
| 2558 | Ephrin-A1 mRNA is associated with poor prognosis of colorectal cancer. <i>International Journal of Oncology</i> , 2013, 42, 549-555.   | 3.3 | 27        |
| 2559 | Isoflurane, a Commonly Used Volatile Anesthetic, Enhances Renal Cancer Growth and Malignant Potential $\alpha$ via $\alpha$ the Hypoxia-inducible Factor Cellular Signaling Pathway $\alpha$ In Vitro $\alpha$ . <i>Anesthesiology</i> , 2013, 119, 593-605. | 2.5 | 177       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2560 | Targeting Hypoxia for Sensitization of Tumors to Radio- and Chemotherapy. <i>Current Cancer Drug Targets</i> , 2013, 13, 670-685.   | 1.6 | 63        |
| 2561 | State of the art paper Function and expression of prolyl hydroxylase 3 in cancers. <i>Archives of Medical Science</i> , 2013, 4, 589-593.   | 0.9 | 7         |
| 2562 | Clinicopathological Implications of the Expression of Hypoxia-related Proteins in Gastric Cancer. <i>International Journal of Medical Sciences</i> , 2013, 10, 1217-1223.   | 2.5 | 25        |
| 2563 | The Many Faces of C/EBP $\beta$ and their Relevance for Inflammation and Cancer. <i>International Journal of Biological Sciences</i> , 2013, 9, 917-933.  | 6.4 | 127       |
| 2564 | Tumorigenesis: cell defense against hypoxia?. <i>Oncology Reviews</i> , 2013, 7, 1.   | 1.8 | 14        |
| 2565 | Induction of erythropoietin increases the cell proliferation rate in a hypoxia-inducible factor-1-dependent and -independent manner in renal cell carcinoma cell lines. <i>Oncology Letters</i> , 2013, 5, 1765-1770.                 | 1.8 | 7         |
| 2566 | Mouse renal 4T1 cell engraftment as a model to study the influence of hypoxia in breast cancer progression. <i>Acta Cirurgica Brasileira</i> , 2013, 28, 142-147.   | 0.7 | 2         |
| 2567 | Effect of advanced glycation end products on the expression of hypoxia-inducible factor-1 $\alpha$ and vascular endothelial growth factor proteins in RF/6A cells. <i>Experimental and Therapeutic Medicine</i> , 2013, 5, 1519-1522. | 1.8 | 9         |
| 2568 | Hypoxia/Reoxygenation Cardiac Injury and Regeneration in Zebrafish Adult Heart. <i>PLoS ONE</i> , 2013, 8, e53748.  | 2.5 | 68        |
| 2569 | High Concentrations of L-Ascorbic Acid Specifically Inhibit the Growth of Human Leukemic Cells via Downregulation of HIF-1 $\alpha$ Transcription. <i>PLoS ONE</i> , 2013, 8, e62717.   | 2.5 | 49        |
| 2570 | Alpha-Particle Emitting <sup>213</sup> Bi-Anti-EGFR Immunoconjugates Eradicate Tumor Cells Independent of Oxygenation. <i>PLoS ONE</i> , 2013, 8, e64730.   | 2.5 | 64        |
| 2571 | Sphingosine-1-Phosphate as a Regulator of Hypoxia-Induced Factor-1 $\alpha$ in Thyroid Follicular Carcinoma Cells. <i>PLoS ONE</i> , 2013, 8, e66189.   | 2.5 | 32        |
| 2572 | Melittin Suppresses HIF-1 $\alpha$ /VEGF Expression through Inhibition of ERK and mTOR/p70S6K Pathway in Human Cervical Carcinoma Cells. <i>PLoS ONE</i> , 2013, 8, e69380.   | 2.5 | 55        |
| 2573 | Cannabidiol, a Non-Psychoactive Cannabinoid Compound, Inhibits Proliferation and Invasion in U87-MG and T98G Glioma Cells through a Multitarget Effect. <i>PLoS ONE</i> , 2013, 8, e76918.  | 2.5 | 115       |
| 2574 | Anti-Cancer Activity of an Osthole Derivative, NBM-T-BMX-OS01: Targeting Vascular Endothelial Growth Factor Receptor Signaling and Angiogenesis. <i>PLoS ONE</i> , 2013, 8, e81592.   | 2.5 | 16        |
| 2575 | The Association between Hypoxia-Inducible Factor-1 $\alpha$ Gene C1772T Polymorphism and Cancer Risk: A Meta-Analysis of 37 Case-Control Studies. <i>PLoS ONE</i> , 2013, 8, e83441.  | 2.5 | 17        |
| 2576 | Cobalt-Alloy Implant Debris Induce HIF-1 $\alpha$ Hypoxia Associated Responses: A Mechanism for Metal-Specific Orthopedic Implant Failure. <i>PLoS ONE</i> , 2013, 8, e67127.   | 2.5 | 57        |
| 2577 | Valproic Acid Treatment Inhibits Hypoxia-Inducible Factor 1 $\alpha$ Accumulation and Protects against Burn-Induced Gut Barrier Dysfunction in a Rodent Model. <i>PLoS ONE</i> , 2013, 8, e77523.                                     | 2.5 | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2578 | The evolution of genome-scale models of cancer metabolism. <i>Frontiers in Physiology</i> , 2013, 4, 237.  | 2.8 | 79        |
| 2579 | Cullin-RING Ligases as Attractive Anti-cancer Targets. <i>Current Pharmaceutical Design</i> , 2013, 19, 3215-3225.   | 1.9 | 216       |
| 2580 | In Vitro Antimetastatic Effect of Phosphatidylinositol 3-Kinase Inhibitor ZSTK474 on Prostate Cancer PC3 Cells. <i>International Journal of Molecular Sciences</i> , 2013, 14, 13577-13591.  | 4.1 | 34        |
| 2581 | Synthesis and Evaluation of <sup>99m</sup> Tc Chelate-conjugated Bevacizumab. <i>Current Radiopharmaceuticals</i> , 2013, 6, 12-19.  | 0.8 | 7         |
| 2582 | <sup>18</sup> F-Fluorothymidine-Pet Imaging of Glioblastoma Multiforme: Effects of Radiation Therapy on Radiotracer Uptake and Molecular Biomarker Patterns. <i>Scientific World Journal</i> , The, 2013, 2013, 1-12.  | 2.1 | 10        |
| 2583 | Novel Approaches for Molecular Targeted Therapy of Breast Cancer: Interfering with PI3K/AKT/mTOR Signaling. <i>Current Cancer Drug Targets</i> , 2013, 13, 188-204.  | 1.6 | 72        |
| 2584 | From Gliomagenesis to Multimodal Therapeutic Approaches into High-Grade Glioma Treatment. , 0, , .   |     | 0         |
| 2585 | Hypoxia, Angiogenesis and Mechanisms for Invasion of Malignant Gliomas. , 0, , .   |     | 4         |
| 2586 | Gliomas Biology: Angiogenesis and Invasion. , 2013, , .  |     | 2         |
| 2587 | Signaling hypoxia by hypoxia-inducible factor protein hydroxylases: a historical overview and future perspectives. <i>Hypoxia (Auckland, N Z)</i> , 2014, 2, 197.  | 1.9 | 40        |
| 2588 | Vasa vasorum anti-angiogenesis through H <sub>2</sub> O <sub>2</sub> , HIF-1&alpha;, NF-&kappa;B, and iNOS inhibition by mangosteen pericarp ethanolic extract ( <i>Garcinia mangostana</i> Linn) in hypercholesterol-diet-given <i>Rattus norvegicus</i> Wistar strain. <i>Vascular Health and Risk Management</i> , 2014, 10, 523. | 2.3 | 26        |
| 2589 | Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitor Prevents Steroid-Associated Osteonecrosis of the Femoral Head in Rabbits by Promoting Angiogenesis and Inhibiting Apoptosis. <i>PLoS ONE</i> , 2014, 9, e107774.   | 2.5 | 30        |
| 2590 | ITE and TCDD Differentially Regulate the Vascular Remodeling of Rat Placenta via the Activation of AhR. <i>PLoS ONE</i> , 2014, 9, e86549.   | 2.5 | 26        |
| 2591 | Effect of Proline Analogues on Activity of Human Prolyl Hydroxylase and the Regulation of HIF Signal Transduction Pathway. <i>PLoS ONE</i> , 2014, 9, e95692.  | 2.5 | 8         |
| 2592 | The Anti-Proliferative Effect of L-Carnosine Correlates with a Decreased Expression of Hypoxia Inducible Factor 1 alpha in Human Colon Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e96755.  | 2.5 | 51        |
| 2593 | Chronic Hypoxia Promotes Pulmonary Artery Endothelial Cell Proliferation through H <sub>2</sub> O <sub>2</sub> -Induced 5-Lipoxygenase. <i>PLoS ONE</i> , 2014, 9, e98532.   | 2.5 | 38        |
| 2594 | Capsaicin-Induced Activation of p53-SMAR1 Auto-Regulatory Loop Down-Regulates VEGF in Non-Small Cell Lung Cancer to Restrain Angiogenesis. <i>PLoS ONE</i> , 2014, 9, e99743.  | 2.5 | 63        |
| 2595 | The Transcription Factor MEF2C Negatively Controls Angiogenic Sprouting of Endothelial Cells Depending on Oxygen. <i>PLoS ONE</i> , 2014, 9, e101521.  | 2.5 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2596 | Ginsenoside 20(S)-Rg3 Targets HIF-1 $\alpha$ to Block Hypoxia-Induced Epithelial-Mesenchymal Transition in Ovarian Cancer Cells. PLoS ONE, 2014, 9, e103887.                                   | 2.5 | 67        |
| 2597 | Retinoblastoma Binding Protein 2 (RBP2) Promotes HIF-1 $\alpha$ -VEGF-Induced Angiogenesis of Non-Small Cell Lung Cancer via the Akt Pathway. PLoS ONE, 2014, 9, e106032.                      | 2.5 | 34        |
| 2598 | The Suppressive Effect of Resveratrol on HIF-1 $\alpha$ and VEGF Expression after Warm Ischemia and Reperfusion in Rat Liver. PLoS ONE, 2014, 9, e109589.                                      | 2.5 | 34        |
| 2599 | Identification and Analysis of Genome-Wide SNPs Provide Insight into Signatures of Selection and Domestication in Channel Catfish ( <i>Ictalurus punctatus</i> ). PLoS ONE, 2014, 9, e109666.  | 2.5 | 55        |
| 2600 | The Impact of HIF1 $\alpha$ on the Per2 Circadian Rhythm in Renal Cancer Cell Lines. PLoS ONE, 2014, 9, e109693.   | 2.5 | 32        |
| 2601 | Role of Compartmentalization on HIF-1 $\alpha$ Degradation Dynamics during Changing Oxygen Conditions: A Computational Approach. PLoS ONE, 2014, 9, e110495.                                   | 2.5 | 10        |
| 2602 | Inhibition of Survivin Reduces HIF-1 $\alpha$ , TGF- $\beta$ 1 and TFE3 in Salivary Adenoid Cystic Carcinoma. PLoS ONE, 2014, 9, e114051.  | 2.5 | 17        |
| 2603 | MiR-338-3p Inhibits Hepatocarcinoma Cells and Sensitizes These Cells to Sorafenib by Targeting Hypoxia-Induced Factor 1 $\alpha$ . PLoS ONE, 2014, 9, e115565.                                 | 2.5 | 93        |
| 2604 | The Hypoxia-Inducible Factor Pathway, Prolyl Hydroxylase Domain Protein Inhibitors, and Their Roles in Bone Repair and Regeneration. BioMed Research International, 2014, 2014, 1-11.          | 1.9 | 70        |
| 2605 | Nonsteroidal Anti-Inflammatory Drugs and Prostatic Diseases. BioMed Research International, 2014, 2014, 1-6.   | 1.9 | 29        |
| 2606 | Accumulation of Extracellular Hyaluronan by Hyaluronan Synthase 3 Promotes Tumor Growth and Modulates the Pancreatic Cancer Microenvironment. BioMed Research International, 2014, 2014, 1-15. | 1.9 | 99        |
| 2607 | Near-infrared dye loaded polymeric nanoparticles for cancer imaging and therapy and cellular response after laser-induced heating. Beilstein Journal of Nanotechnology, 2014, 5, 313-322.      | 2.8 | 15        |
| 2608 | From Genotype to Functional Phenotype: Unraveling the Metabolomic Features of Colorectal Cancer. Genes, 2014, 5, 536-560.  | 2.4 | 39        |
| 2609 | Biosynthetic Modularity Rules in the Bisintercalator Family of Antitumor Compounds. Marine Drugs, 2014, 12, 2668-2699.   | 4.6 | 18        |
| 2610 | CEACAM1 Confers Resistance Toward Oxygen-Induced Vessel Damage in a Mouse Model of Retinopathy of Prematurity. Investigative Ophthalmology and Visual Science, 2014, 55, 7950-7960.            | 3.3 | 7         |
| 2611 | Update meta-analysis on 1790G/A polymorphism and cancer risk: Evidence from 26 studies. Neoplasma, 2014, 61, 340-351.  | 1.6 | 2         |
| 2612 | Optical Scanning of Tissue Oxygen Tension and Hypoxia Imaging in Solid Tumors. Advanced Biomedical Engineering, 2014, 3, 65-71.  | 0.6 | 0         |
| 2613 | Complex role of HIF in cancer: the known, the unknown, and the unexpected. Hypoxia (Auckland, N Z), 2014, 2, 59.   | 1.9 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2614 | Targeting Aerobic Glycolysis and HIF-1 $\alpha$ Expression Enhance Imiquimod-induced Apoptosis in Cancer Cells. <i>Oncotarget</i> , 2014, 5, 1363-1381.   | 1.8 | 46        |
| 2615 | Hypoxia-inducible factor-mediated induction of WISP-2 contributes to attenuated progression of breast cancer. <i>Hypoxia (Auckland, N Z)</i> , 2014, 2, 23.   | 1.9 | 15        |
| 2616 | Development of a Novel Anti-HIF-1 $\alpha$ Screening System Coupled with Biochemical and Biological Validation for Rapidly Selecting Potent Anti-Cancer Compounds. <i>Journal of Cancer</i> , 2014, 5, 417-424.         | 2.5 | 5         |
| 2617 | Targeting hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) in combination with antiangiogenic therapy: A phase I trial of bortezomib plus bevacizumab. <i>Oncotarget</i> , 2014, 5, 10280-10292.                   | 1.8 | 49        |
| 2618 | Editorial (Thematic Issue: Signalling Pathways in Anti-cancer Drug Resistance). <i>Current Medicinal Chemistry</i> , 2014, 21, 3007-3008.   | 2.4 | 11        |
| 2619 | MiR-143 acts as a tumor suppressor by targeting N-RAS and enhances temozolomide-induced apoptosis in glioma. <i>Oncotarget</i> , 2014, 5, 5416-5427.  | 1.8 | 125       |
| 2620 | Expression Profiling as Biomarkers in Colorectal Serrated Carcinoma. , 2014, , 1-23.  |     | 0         |
| 2621 | The Rate-Limiting Step of O <sub>2</sub> Activation in the $\alpha$ -Ketoglutarate Oxygenase Factor Inhibiting Hypoxia Inducible Factor. <i>Biochemistry</i> , 2014, 53, 8077-8084.                                     | 2.5 | 15        |
| 2622 | Low-Oxygen Tension and IGF-I Promote Proliferation and Multipotency of Placental Mesenchymal Stem Cells (PMSCs) from Different Gestations via Distinct Signaling Pathways. <i>Endocrinology</i> , 2014, 155, 1386-1397. | 2.8 | 20        |
| 2624 | Detailed assessment of gene activation levels by multiple hypoxia-responsive elements under various hypoxic conditions. <i>Annals of Nuclear Medicine</i> , 2014, 28, 1011-1019.  | 2.2 | 7         |
| 2625 | Regulation of invadopodia by the tumor microenvironment. <i>Cell Adhesion and Migration</i> , 2014, 8, 226-235.   | 2.7 | 64        |
| 2626 | Multi-Modality Atherosclerosis Imaging and Diagnosis. , 2014, , .   |     | 15        |
| 2627 | Knowledge-driven genomic interactions: an application in ovarian cancer. <i>BioData Mining</i> , 2014, 7, 20.   | 4.0 | 21        |
| 2628 | Stereotactic body radiotherapy (SBRT)/stereotactic ablative body radiotherapy (SABR) for $\alpha$ -radioresistant renal cell carcinoma (RCC). <i>Journal of Radiation Oncology</i> , 2014, 3, 339-346.                  | 0.7 | 7         |
| 2629 | Association between HIF-1 $\alpha$ C1772T/G1790A polymorphisms and cancer susceptibility: an updated systematic review and meta-analysis based on 40 case-control studies. <i>BMC Cancer</i> , 2014, 14, 950.           | 2.6 | 21        |
| 2630 | SNP 1772 C > T of HIF-1 $\alpha$ gene associates with breast cancer risk in a Taiwanese population. <i>Cancer Cell International</i> , 2014, 14, 87.  | 4.1 | 8         |
| 2631 | Anti-angiogenic potential of an ethanol extract of <i>Annona atemoya</i> seeds in vitro and in vivo. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 353.   | 3.7 | 16        |
| 2632 | A HIF-1 network reveals characteristics of epithelial-mesenchymal transition in acute promyelocytic leukemia. <i>Genome Medicine</i> , 2014, 6, 84.   | 8.2 | 18        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2633 | The role of angiogenic factors in fibroid pathogenesis: potential implications for future therapy. Human Reproduction Update, 2014, 20, 194-216.  | 10.8 | 116       |
| 2634 | Knockdown of $\beta$ -catenin with Dicer-Substrate siRNAs Reduces Liver Tumor Burden In vivo. Molecular Therapy, 2014, 22, 92-101.  | 8.2  | 55        |
| 2635 | Tax contributes apoptosis resistance to HTLV-1-infected T cells via suppression of Bid and Bim expression. Cell Death and Disease, 2014, 5, e1575-e1575.  | 6.3  | 32        |
| 2636 | Regulation of $^{18}$ F-FDG Accumulation in Colorectal Cancer Cells with Mutated <i>KRAS</i> . Journal of Nuclear Medicine, 2014, 55, 2038-2044.  | 5.0  | 65        |
| 2637 | BNIP3 Upregulation by ERK and JNK Mediates Cadmium-Induced Necrosis in Neuronal Cells. Toxicological Sciences, 2014, 140, 393-402.  | 3.1  | 27        |
| 2638 | RAGE is essential for oncogenic KRAS-mediated hypoxic signaling in pancreatic cancer. Cell Death and Disease, 2014, 5, e1480-e1480.   | 6.3  | 66        |
| 2639 | Imaging Tumor Hypoxia to Advance Radiation Oncology. Antioxidants and Redox Signaling, 2014, 21, 313-337.   | 5.4  | 77        |
| 2640 | Multiple Components of the VHL Tumor Suppressor Complex Are Frequently Affected by DNA Copy Number Loss in Pheochromocytoma. International Journal of Endocrinology, 2014, 2014, 1-9.   | 1.5  | 7         |
| 2641 | Relative quantitative expression of hypoxia-inducible factor 1 alpha messenger ribonucleic acid in recurrent craniopharyngiomas. Neurology India, 2014, 62, 53.   | 0.4  | 11        |
| 2642 | Kinetics of the angiogenic response in lung endothelium following acute inflammatory injury with bleomycin. Experimental Lung Research, 2014, 40, 415-425.  | 1.2  | 4         |
| 2643 | Pien Tze Huang inhibits hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells through suppression of the HIF-1 pathway. Experimental and Therapeutic Medicine, 2014, 7, 1237-1242.                 | 1.8  | 19        |
| 2644 | Development of Novel Anti-Cancer Strategies Based on Angiogenesis Inhibition. , 2014, , 147-190.  |      | 0         |
| 2645 | Association of Tissue mRNA and Serum Antigen Levels of Members of the Urokinase-Type Plasminogen Activator System with Clinical and Prognostic Parameters in Prostate Cancer. BioMed Research International, 2014, 2014, 1-9. | 1.9  | 16        |
| 2646 | Increased Tumor Ascorbate is Associated with Extended Disease-Free Survival and Decreased Hypoxia-Inducible Factor-1 Activation in Human Colorectal Cancer. Frontiers in Oncology, 2014, 4, 10.                               | 2.8  | 52        |
| 2647 | The Clinicopathologic Importance of Serum Lactic Dehydrogenase in Patients with Gastric Cancer. Disease Markers, 2014, 2014, 1-7.   | 1.3  | 19        |
| 2648 | Kaposi's Sarcoma Herpesvirus MicroRNAs Induce Metabolic Transformation of Infected Cells. PLoS Pathogens, 2014, 10, e1004400.   | 4.7  | 103       |
| 2649 | Hypoxic Signaling During Tissue Repair and Regenerative Medicine. International Journal of Molecular Sciences, 2014, 15, 19791-19815.   | 4.1  | 91        |
| 2650 | Combinatorial Control of Transgene Expression by Hypoxia-Responsive Promoter and MicroRNA Regulation for Neural Stem Cell-Based Cancer Therapy. BioMed Research International, 2014, 2014, 1-9.                               | 1.9  | 20        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2651 | Isocudraxanthone K Induces Growth Inhibition and Apoptosis in Oral Cancer Cells via Hypoxia Inducible Factor-1. BioMed Research International, 2014, 2014, 1-14.                                      | 1.9  | 18        |
| 2652 | Effect of hypoxia on angiogenesis related factors in glioblastoma cells. Oncology Reports, 2014, 31, 1947-1953.   | 2.6  | 13        |
| 2653 | Over expression of HIF-1 $\alpha$ in human mesenchymal stem cells increases their supportive functions for hematopoietic stem cells in an experimental co-culture model. Hematology, 2014, 19, 85-98. | 1.5  | 17        |
| 2654 | Celastrol inhibits the HIF-1 $\alpha$ pathway by inhibition of mTOR/p70S6K/eIF4E and ERK1/2 phosphorylation in human hepatoma cells. Oncology Reports, 2014, 32, 235-242.                             | 2.6  | 40        |
| 2655 | Hypoxia-induced miR-210 in epithelial ovarian cancer enhances cancer cell viability via promoting proliferation and inhibiting apoptosis. International Journal of Oncology, 2014, 44, 2111-2120.     | 3.3  | 52        |
| 2656 | Inflammatory cues acting on the adult intestinal stem cells and the early onset of cancer (Review). International Journal of Oncology, 2014, 45, 959-968.   | 3.3  | 18        |
| 2657 | Cell culture metabolomics in the diagnosis of lung cancer—the influence of cell culture conditions. Journal of Breath Research, 2014, 8, 027109.  | 3.0  | 38        |
| 2658 | Smooth muscle cell-specific Hif-1 $\alpha$ deficiency suppresses angiotensin II-induced vascular remodelling in mice. Cardiovascular Research, 2014, 102, 460-468.                                    | 3.8  | 51        |
| 2659 | RUNX3 inhibits hypoxia-inducible factor-1 $\alpha$ protein stability by interacting with prolyl hydroxylases in gastric cancer cells. Oncogene, 2014, 33, 1458-1467.                                  | 5.9  | 40        |
| 2660 | The Clinical Importance of Assessing Tumor Hypoxia: Relationship of Tumor Hypoxia to Prognosis and Therapeutic Opportunities. Antioxidants and Redox Signaling, 2014, 21, 1516-1554.                  | 5.4  | 323       |
| 2661 | Why electroporation is a useful technique for cancer treatments. , 2014, , 103-125.   |      | 11        |
| 2662 | Lin28/let-7 axis regulates aerobic glycolysis and cancer progression via PDK1. Nature Communications, 2014, 5, 5212.  | 12.8 | 142       |
| 2663 | Intratumoral heterogeneity and intracolonial plasticity: from warburg to oxygen and back again. Neuro-Oncology, 2014, 16, 1025-1026.  | 1.2  | 4         |
| 2664 | Expression of Cox-2 in human breast cancer cells as a critical determinant of epithelial-to-mesenchymal transition and invasiveness. Expert Opinion on Therapeutic Targets, 2014, 18, 121-135.        | 3.4  | 102       |
| 2665 | Hypoxia Imaging of Tumor and Spatiotemporal Analysis during Oxygen Inhalation. Electronics and Communications in Japan, 2014, 97, 17-23.  | 0.5  | 0         |
| 2666 | Knockdown of Nrf2 suppresses glioblastoma angiogenesis by inhibiting hypoxia-induced activation of HIF-1 $\alpha$ . International Journal of Cancer, 2014, 135, 574-584.                              | 5.1  | 94        |
| 2667 | Bone resorption facilitates osteoblastic bone metastatic colonization by cooperation of insulin-like growth factor and hypoxia. Cancer Science, 2014, 105, 553-559.                                   | 3.9  | 11        |
| 2668 | Hydrogen sulfide treatment induces angiogenesis after cerebral ischemia. Journal of Neuroscience Research, 2014, 92, 1520-1528.   | 2.9  | 67        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2669 | Serous neoplasms of the pancreas share many, but not all aspects of their microvascular and angiogenic profile with low-grade clear cell renal cell carcinomas. <i>Pathology Research and Practice</i> , 2014, 210, 901-908.  | 2.3  | 7         |
| 2670 | RABbing cancer the wrong way. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11230-11231.  | 7.1  | 2         |
| 2672 | Distinct profile of $\text{HIF-1}\alpha$ , $\text{PTCH}$ , $\text{EphA2}$ , or $\text{DNA}$ repair protein expression and $\text{BRAF}$ mutation in colorectal serrated adenoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 1192-1199. | 2.8  | 10        |
| 2673 | Angiogenesis and expression of $\text{PDGF-C}$ , $\text{VEGF}$ , $\text{CD105}$ and $\text{HIF-1}\alpha$ in human glioblastoma. <i>Neuropathology</i> , 2014, 34, 343-352.  | 1.2  | 68        |
| 2674 | Targeting angiogenic pathway for chemoprevention of experimental colon cancer using C-phycocyanin as cyclooxygenase-2 inhibitor. <i>Biochemistry and Cell Biology</i> , 2014, 92, 206-218.  | 2.0  | 48        |
| 2675 | Luteolin inhibits Cr(VI)-induced malignant cell transformation of human lung epithelial cells by targeting ROS mediated multiple cell signaling pathways. <i>Toxicology and Applied Pharmacology</i> , 2014, 281, 230-241.  | 2.8  | 87        |
| 2676 | The basic helix-loop-helix (bHLH) transcription factor DEC2 negatively regulates Twist1 through an E-box element. <i>Biochemical and Biophysical Research Communications</i> , 2014, 455, 390-395.  | 2.1  | 7         |
| 2677 | Q6, a novel hypoxia-targeted drug, regulates hypoxia-inducible factor signaling via an autophagy-dependent mechanism in hepatocellular carcinoma. <i>Autophagy</i> , 2014, 10, 111-122.   | 9.1  | 39        |
| 2678 | High-Resolution Array CGH and Gene Expression Profiling of Alveolar Soft Part Sarcoma. <i>Clinical Cancer Research</i> , 2014, 20, 1521-1530.   | 7.0  | 28        |
| 2679 | Acidosis overrides oxygen deprivation to maintain mitochondrial function and cell survival. <i>Nature Communications</i> , 2014, 5, 3550.   | 12.8 | 141       |
| 2680 | The role of CXC-chemokine receptor CXCR2 and suppressor of cytokine signaling-3 (SOCS-3) in renal cell carcinoma. <i>BMC Cancer</i> , 2014, 14, 149.  | 2.6  | 18        |
| 2681 | The basal epithelial marker P-cadherin associates with breast cancer cell populations harboring a glycolytic and acid-resistant phenotype. <i>BMC Cancer</i> , 2014, 14, 734.   | 2.6  | 25        |
| 2682 | Cytotoxicity of lipophilic statins depends on their combined actions on $\text{HIF-1}\alpha$ expression and redox status in B16.F10 melanoma cells. <i>Anti-Cancer Drugs</i> , 2014, 25, 393-405.   | 1.4  | 17        |
| 2683 | Overexpression of Hypoxia-Inducible Factor-1 $\alpha$ Is a Predictor of Poor Prognosis in Cervical Cancer: A Clinicopathologic Study and a Meta-analysis. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1054-1064.                                 | 2.5  | 41        |
| 2684 | Characterizing the Metabolomic Effects of Pancreatic Cancer. , 2014, , 323-343.   |      | 0         |
| 2685 | Expression of astrocyte elevated gene-1 closely correlates with the angiogenesis of gastric cancer. <i>Oncology Letters</i> , 2014, 7, 1447-1454.   | 1.8  | 12        |
| 2686 | Molecular Aspects of the Warburg Effect. , 2014, , 371-382.   |      | 0         |
| 2687 | Principles of the Warburg Effect and Cancer Cell Metabolism. , 2014, , 355-369.   |      | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2688 | Pin1, a new player in the fate of HIF-1 $\beta$ degradation: an hypothetical mechanism inside vascular damage as Alzheimer's disease risk factor. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 1.  | 3.7 | 242       |
| 2690 | Hypoxia-Mediated Metastasis. <i>Advances in Experimental Medicine and Biology</i> , 2014, 772, 55-81.  | 1.6 | 59        |
| 2691 | Analysis of Expression of Vascular Endothelial Growth Factor A and Hypoxia Inducible Factor-1 $\alpha$ in Patients Operated on Stage I Non-Small-Cell Lung Cancer. <i>Lung Cancer International</i> , 2014, 2014, 1-6.                             | 1.2 | 3         |
| 2692 | Systems Molecular Imaging: Right Around the Corner. <i>Nano Biomedicine and Engineering</i> , 2014, 6, .   | 0.9 | 1         |
| 2693 | Overexpression of hypoxia-inducible factor-1 $\beta$ and vascular endothelial growth factor in sacral giant cell tumors and the correlation with tumor microvessel density. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 1453-1458.     | 1.8 | 8         |
| 2694 | The Emerging Immunological Role of Post-Translational Modifications by Reactive Nitrogen Species in Cancer Microenvironment. <i>Frontiers in Immunology</i> , 2014, 5, 69.   | 4.8 | 58        |
| 2695 | Computational identification of surrogate genes for prostate cancer phases using machine learning and molecular network analysis. <i>Theoretical Biology and Medical Modelling</i> , 2014, 11, 37.   | 2.1 | 5         |
| 2696 | VEGF/VEGFR-2 Upregulates EZH2 Expression in Lung Adenocarcinoma Cells and EZH2 Depletion Enhances the Response to Platinum-Based and VEGFR-2-Targeted Therapy. <i>Clinical Cancer Research</i> , 2014, 20, 3849-3861.                              | 7.0 | 62        |
| 2697 | Saikosaponin-D Enhances Radiosensitivity of Hepatoma Cells under Hypoxic Conditions by Inhibiting Hypoxia-Inducible Factor-1 $\alpha$ . <i>Cellular Physiology and Biochemistry</i> , 2014, 33, 37-51.   | 1.6 | 39        |
| 2698 | Upregulation of miR-184 Enhances the Malignant Biological Behavior of Human Glioma Cell Line A172 by Targeting FIH-1. <i>Cellular Physiology and Biochemistry</i> , 2014, 34, 1125-1136.   | 1.6 | 21        |
| 2699 | Constitutive Expression of HIF-1 $\beta$ Plays a Major Role in Generation of Clear-cell Phenotype in Human Primary and Metastatic Renal Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 642-647.               | 1.2 | 11        |
| 2700 | Fish oil supplementation induces expression of genes related to cell cycle, endoplasmic reticulum stress and apoptosis in peripheral blood mononuclear cells: a transcriptomic approach. <i>Journal of Internal Medicine</i> , 2014, 276, 498-511. | 6.0 | 33        |
| 2701 | MicroRNA target site polymorphisms in the VHL-HIF1 $\beta$ pathway predict renal cell carcinoma risk. <i>Molecular Carcinogenesis</i> , 2014, 53, 1-7.   | 2.7 | 21        |
| 2702 | The heterogeneous immune microenvironment in breast cancer is affected by hypoxia-related genes. <i>Immunobiology</i> , 2014, 219, 158-165.  | 1.9 | 39        |
| 2703 | Metabolomics in cancer biomarker discovery: Current trends and future perspectives. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 87, 1-11.   | 2.8 | 284       |
| 2704 | The prolyl isomerase Pin1 regulates hypoxia-inducible transcription factor (HIF) activity. <i>Cellular Signalling</i> , 2014, 26, 1649-1656.   | 3.6 | 17        |
| 2705 | Suppression of tumorigenesis in mitochondrial NADP <sup>+</sup> -dependent isocitrate dehydrogenase knock-out mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 135-143.                                       | 3.8 | 30        |
| 2706 | Nucleoside 5'-phosphorothioate derivatives are highly effective neuroprotectants. <i>Biochemical Pharmacology</i> , 2014, 88, 384-392.   | 4.4 | 8         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2707 | A perylene derivative regulates HIF-1 $\alpha$ and Stat3 signaling pathways. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 1496-1505.  | 3.0  | 11        |
| 2708 | Hypoxia and lymphangiogenesis in tumor microenvironment and metastasis. <i>Cancer Letters</i> , 2014, 346, 6-16.   | 7.2  | 134       |
| 2709 | Theileria induces oxidative stress and HIF1 $\alpha$ activation that are essential for host leukocyte transformation. <i>Oncogene</i> , 2014, 33, 1809-1817.   | 5.9  | 34        |
| 2710 | Photodynamic therapy suppresses tumor growth in an in vivo model of human hemangioma. <i>Archives of Dermatological Research</i> , 2014, 306, 81-91.   | 1.9  | 2         |
| 2711 | Markers of mechanical asphyxia: immunohistochemical study on autaptic lung tissues. <i>International Journal of Legal Medicine</i> , 2014, 128, 117-125.   | 2.2  | 44        |
| 2712 | How far is the horizon? From current targets to future drugs in advanced renal cancer. <i>World Journal of Urology</i> , 2014, 32, 69-77.  | 2.2  | 0         |
| 2713 | Hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) C1772T polymorphism significantly contributes to the risk of malignancy from a meta-analysis. <i>Tumor Biology</i> , 2014, 35, 4113-4122.                | 1.8  | 3         |
| 2714 | Clinicopathological and prognostic significance of hypoxia-inducible factor-1 $\alpha$ in esophageal squamous cell carcinoma: a meta-analysis. <i>Tumor Biology</i> , 2014, 35, 4401-4409.                     | 1.8  | 28        |
| 2715 | Growth factor and signaling pathways and their relevance to prostate cancer therapeutics. <i>Cancer and Metastasis Reviews</i> , 2014, 33, 581-594.  | 5.9  | 27        |
| 2716 | Hypoxia-Inducible Factor-1 $\alpha$ and its Role in the Proliferation of Retinoblastoma Cells. <i>Pathology and Oncology Research</i> , 2014, 20, 557-563.   | 1.9  | 9         |
| 2718 | Cell adhesion molecules and their relation to (cancer) cell stemness. <i>Carcinogenesis</i> , 2014, 35, 747-759.   | 2.8  | 154       |
| 2719 | Pre-treatment Haemoglobin and Peripheral Blood Lymphocyte Count as Independent Predictors of Outcome in Carcinoma of Cervix. <i>Clinical Oncology</i> , 2014, 26, 179-184.                                     | 1.4  | 24        |
| 2720 | A mathematical model of HIF-1-mediated response to hypoxia on the G1/S transition. <i>Mathematical Biosciences</i> , 2014, 248, 31-39.   | 1.9  | 24        |
| 2721 | Hypoxia-responsive polymeric nanoparticles for tumor-targeted drug delivery. <i>Biomaterials</i> , 2014, 35, 1735-1743.  | 11.4 | 296       |
| 2722 | FOXO1 and its oncogenic signaling in pancreatic cancer pathogenesis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1845, 104-116.  | 7.4  | 47        |
| 2723 | Metabolic requirements for the maintenance of self-renewing stem cells. <i>Nature Reviews Molecular Cell Biology</i> , 2014, 15, 243-256.  | 37.0 | 848       |
| 2724 | Polyubiquitinated proteins, proteasome, and glycogen characterize the particle-rich cytoplasmic structure (PaCS) of neoplastic and fetal cells. <i>Histochemistry and Cell Biology</i> , 2014, 141, 483-497.   | 1.7  | 8         |
| 2725 | Analysis of acquired resistance to metronomic oral topotecan chemotherapy plus pazopanib after prolonged preclinical potent responsiveness in advanced ovarian cancer. <i>Angiogenesis</i> , 2014, 17, 661-73. | 7.2  | 19        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2726 | The quinoxaline di-N-oxide DCQ blocks breast cancer metastasis in vitro and in vivo by targeting the hypoxia inducible factor-1 pathway. <i>Molecular Cancer</i> , 2014, 13, 12.  | 19.2 | 39        |
| 2727 | Polymorphisms of HIF1A gene are associated with prognosis of early stage non-small-cell lung cancer patients after surgery. <i>Medical Oncology</i> , 2014, 31, 877.  | 2.5  | 15        |
| 2728 | Pilot trial of EZN-2968, an antisense oligonucleotide inhibitor of hypoxia-inducible factor-1 alpha (HIF-1 $\alpha$ ), in patients with refractory solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 343-348.               | 2.3  | 129       |
| 2729 | Impact of hexavalent chromium on mammalian cell bioenergetics: phenotypic changes, molecular basis and potential relevance to chromate-induced lung cancer. <i>BioMetals</i> , 2014, 27, 409-443.   | 4.1  | 30        |
| 2730 | Dichloroacetate attenuates hypoxia-induced resistance to 5-fluorouracil in gastric cancer through the regulation of glucose metabolism. <i>Experimental Cell Research</i> , 2014, 321, 219-230.   | 2.6  | 70        |
| 2731 | Hypoxia-Inducible Factors Have Distinct and Stage-Specific Roles during Reprogramming of Human Cells to Pluripotency. <i>Cell Stem Cell</i> , 2014, 14, 592-605.  | 11.1 | 193       |
| 2732 | Hypoxia and Cancer. <i>Cancer Drug Discovery and Development</i> , 2014, , .  | 0.4  | 7         |
| 2733 | Inhibition of tumour angiogenesis and growth by small hairpin <sc>HIF</sc> and <sc>IL</sc> in hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 632-642.   | 3.9  | 27        |
| 2734 | The H <sup>+</sup> -ATP synthase: A gate to ROS-mediated cell death or cell survival. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 1099-1112.   | 1.0  | 91        |
| 2735 | MUC1: a multifaceted oncoprotein with a key role in cancer progression. <i>Trends in Molecular Medicine</i> , 2014, 20, 332-342.  | 6.7  | 592       |
| 2736 | Transcriptional activation of hypoxia-inducible factor-1 (HIF-1) in myeloid cells promotes angiogenesis through VEGF and S100A8. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2698-2703. | 7.1  | 90        |
| 2737 | Advancing simulations of biological materials: applications of coarse-grained models on graphics processing unit hardware. <i>Molecular Simulation</i> , 2014, 40, 802-820.   | 2.0  | 3         |
| 2738 | Ultrasound-assisted siRNA delivery via arginine-grafted bioreducible polymer and microbubbles targeting VEGF for ovarian cancer treatment. <i>Journal of Controlled Release</i> , 2014, 183, 1-8.   | 9.9  | 50        |
| 2739 | Overexpression of hypoxia-inducible factor 1 alpha impacts FoxP3 levels in mycosis fungoides Cutaneous T-cell lymphoma: Clinical implications. <i>International Journal of Cancer</i> , 2014, 134, 2136-2145.                                   | 5.1  | 12        |
| 2740 | Global microRNA depletion suppresses tumor angiogenesis. <i>Genes and Development</i> , 2014, 28, 1054-1067.  | 5.9  | 66        |
| 2741 | The chemistry, physiology and pathology of pH in cancer. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130099.   | 4.0  | 412       |
| 2742 | Photoacoustic Imaging for Cancer Diagnosis and Therapy Guidance. , 2014, , 139-158.   |      | 7         |
| 2743 | Inhibitors of Tumor Angiogenesis. , 2014, , 275-317.  |      | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2744 | Obesity and renal cancer. <i>Oncolmmunology</i> , 2014, 3, e27810.  | 4.6  | 55        |
| 2745 | Cell-specific blood-brain barrier regulation in health and disease: a focus on hypoxia. <i>British Journal of Pharmacology</i> , 2014, 171, 1210-1230.  | 5.4  | 129       |
| 2746 | Rational Design of Topographical Helix Mimics as Potent Inhibitors of Protein-Protein Interactions. <i>Journal of the American Chemical Society</i> , 2014, 136, 7877-7888.                                       | 13.7 | 116       |
| 2747 | Hypoxia as a biomarker for radioresistant cancer stem cells. <i>International Journal of Radiation Biology</i> , 2014, 90, 636-652.   | 1.8  | 115       |
| 2748 | Hypoxia-regulated gene network in drug resistance and cancer progression. <i>Experimental Biology and Medicine</i> , 2014, 239, 779-792.  | 2.4  | 45        |
| 2749 | GBM's multifaceted landscape: highlighting regional and microenvironmental heterogeneity. <i>Neuro-Oncology</i> , 2014, 16, 1167-1175.  | 1.2  | 125       |
| 2750 | Validation of a hypoxia-inducible factor-1 alpha specimen collection procedure and quantitative enzyme-linked immunosorbent assay in solid tumor tissues. <i>Analytical Biochemistry</i> , 2014, 459, 1-11.       | 2.4  | 11        |
| 2751 | Cucurbitacin B inhibits the translational expression of hypoxia-inducible factor-1 $\alpha$ . <i>European Journal of Pharmacology</i> , 2014, 723, 46-54.   | 3.5  | 25        |
| 2752 | Hypoxia and the extracellular matrix: drivers of tumour metastasis. <i>Nature Reviews Cancer</i> , 2014, 14, 430-439.   | 28.4 | 1,110     |
| 2753 | Uremic Toxin p-Cresol Induces Akt-Pathway-Selective Insulin Resistance in Bone Marrow-Derived Mesenchymal Stem Cells. <i>Stem Cells</i> , 2014, 32, 2443-2453.  | 3.2  | 18        |
| 2754 | Antiangiogenic Therapy Inhibits Venous Thrombus Resolution. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 565-570.  | 2.4  | 49        |
| 2755 | Persistent organic pollutants meet adipose tissue hypoxia: does cross-talk contribute to inflammation during obesity?. <i>Obesity Reviews</i> , 2014, 15, 19-28.  | 6.5  | 32        |
| 2756 | Molecular Mechanisms of Action and Therapeutic Uses of Pharmacological Inhibitors of HIF-Prolyl 4-Hydroxylases for Treatment of Ischemic Diseases. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 2631-2665. | 5.4  | 35        |
| 2757 | The association between HIF-1 $\alpha$ polymorphism and cancer risk: a systematic review and meta-analysis. <i>Tumor Biology</i> , 2014, 35, 903-916.   | 1.8  | 18        |
| 2758 | Targeting hexokinase $\alpha$ to mitochondria to modulate energy metabolism and reduce ischaemia-reperfusion injury in heart. <i>British Journal of Pharmacology</i> , 2014, 171, 2067-2079.                      | 5.4  | 91        |
| 2759 | Inflammatory response to acute hypoxia in humans. <i>Pulmonary Pharmacology and Therapeutics</i> , 2014, 27, 208-211.   | 2.6  | 8         |
| 2760 | Hypoxia and cancer cell metabolism. <i>Acta Biochimica Et Biophysica Sinica</i> , 2014, 46, 214-219.  | 2.0  | 58        |
| 2761 | Emerging strategies to overcome the resistance to current mTOR inhibitors in renal cell carcinoma. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1845, 221-231.                                 | 7.4  | 46        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2762 | Increased HIF-1 $\alpha$ Expression Correlates With Cell Proliferation and Vascular Markers CD31 and VEGF-A in Uveal Melanoma. , 2014, 55, 1277.  |      | 37        |
| 2763 | Regulation of the HIF-system in human macrophages â€“ Differential regulation of HIF-1 $\alpha$ subunits under sustained hypoxia. Molecular Immunology, 2014, 57, 226-235.  | 2.2  | 24        |
| 2764 | Oxygen sensing strategies in mammals and bacteria. Journal of Inorganic Biochemistry, 2014, 133, 63-72.   | 3.5  | 45        |
| 2765 | Early treatment with xenon protects against the cold ischemia associated with chronic allograft nephropathy in rats. Kidney International, 2014, 85, 112-123.   | 5.2  | 30        |
| 2766 | The role of reactive oxygen species and metabolism on cancer cells and their microenvironment. Seminars in Cancer Biology, 2014, 25, 23-32.   | 9.6  | 243       |
| 2767 | EAF2 Suppresses Hypoxia-Induced Factor 1 $\alpha$ Transcriptional Activity by Disrupting Its Interaction with Coactivator CBP/p300. Molecular and Cellular Biology, 2014, 34, 1085-1099.  | 2.3  | 33        |
| 2768 | Tumor Microenvironment and Cellular Stress. Advances in Experimental Medicine and Biology, 2014, 772, v-viii.   | 1.6  | 29        |
| 2769 | Hypoxia and Regulation of Cancer Cell Stemness. Advances in Experimental Medicine and Biology, 2014, 772, 41-53.  | 1.6  | 64        |
| 2770 | Abdomen and Thoracic Imaging. , 2014, , .   |      | 5         |
| 2771 | In vitro models of tumor vessels and matrix: Engineering approaches to investigate transport limitations and drug delivery in cancer. Advanced Drug Delivery Reviews, 2014, 69-70, 205-216.   | 13.7 | 60        |
| 2772 | Diaryl-substituted ortho-carboranes as a new class of hypoxia inducible factor-1 $\alpha$ inhibitors. Dalton Transactions, 2014, 43, 4941-4944.   | 3.3  | 19        |
| 2773 | Sorafenib Blocks the HIF-1 $\alpha$ /VEGFA Pathway, Inhibits Tumor Invasion, and Induces Apoptosis in Hepatoma Cells. DNA and Cell Biology, 2014, 33, 275-281.  | 1.9  | 30        |
| 2774 | Visualization of Hypoxiaâ€“Inducible Factor 1 $\alpha$ -p300 Interactions in Live Cells by Fluorescence Resonance Energy Transfer. Journal of Cellular Biochemistry, 2014, 115, 271-280.  | 2.6  | 3         |
| 2775 | Review of highâ€“dose intravenous vitamin <sc>C</sc> as an anticancer agent. Asia-Pacific Journal of Clinical Oncology, 2014, 10, 22-37.  | 1.1  | 70        |
| 2776 | Switchable Waterâ€“Adhesive, Superhydrophobic Palladiumâ€“Layered Silicon Nanowires Potentiate the Angiogenic Efficacy of Human Stem Cell Spheroids. Advanced Materials, 2014, 26, 7043-7050.   | 21.0 | 73        |
| 2777 | Glioma Cell Biology. , 2014, , .  |      | 3         |
| 2778 | Angiogenesis in Gliomas. , 2014, , 187-219.   |      | 0         |
| 2779 | Expression of hypoxiaâ€“inducible factorâ€“1 $\alpha$ , vascular endothelial growth factor and prolyl hydroxylase domain protein 2 in cutaneous squamous cell carcinoma and precursor lesions and their relationship with histological stages and clinical features. Journal of Dermatology, 2014, 41, 76-83. | 1.2  | 18        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2780 | 15-LOX-1 suppression of hypoxia-induced metastatic phenotype and HIF-1 $\alpha$ expression in human colon cancer cells. <i>Cancer Medicine</i> , 2014, 3, 472-484.   | 2.8  | 20        |
| 2781 | Metastatic tumor antigen in hepatocellular carcinoma: golden roads toward personalized medicine. <i>Cancer and Metastasis Reviews</i> , 2014, 33, 965-980.   | 5.9  | 30        |
| 2782 | Mesenchymal stem cells and hypoxia: Where are we?. <i>Mitochondrion</i> , 2014, 19, 105-112.   | 3.4  | 110       |
| 2783 | Translational suppression of HIF-1 $\alpha$ by miconazole through the mTOR signaling pathway. <i>Cellular Oncology (Dordrecht)</i> , 2014, 37, 269-279.  | 4.4  | 15        |
| 2784 | Targeting hypoxia signalling for the treatment of ischaemic and inflammatory diseases. <i>Nature Reviews Drug Discovery</i> , 2014, 13, 852-869.   | 46.4 | 291       |
| 2785 | Apoptotic Cell Death Under Hypoxia. <i>Physiology</i> , 2014, 29, 168-176.   | 3.1  | 127       |
| 2786 | Glucose-6-phosphatase Is a Key Metabolic Regulator of Glioblastoma Invasion. <i>Molecular Cancer Research</i> , 2014, 12, 1547-1559.   | 3.4  | 64        |
| 2787 | A novel long non-coding RNA ENST00000480739 suppresses tumour cell invasion by regulating OS-9 and HIF-1 $\alpha$ in pancreatic ductal adenocarcinoma. <i>British Journal of Cancer</i> , 2014, 111, 2131-2141.                                      | 6.4  | 94        |
| 2788 | Bioinformatic analysis reveals a pattern of STAT3-associated gene expression specific to basal-like breast cancers in human tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12787-12792. | 7.1  | 44        |
| 2789 | Suppression of angiogenic response in local vein wall is associated with reduced thrombus resolution. <i>Thrombosis Research</i> , 2014, 134, 682-685.   | 1.7  | 12        |
| 2790 | Reactive Species from Cold Atmospheric Plasma: Implications for Cancer Therapy. <i>Plasma Processes and Polymers</i> , 2014, 11, 1120-1127.  | 3.0  | 227       |
| 2791 | Probing hypoxia-induced staurosporine resistance in prostate cancer cells with a microfluidic culture system. <i>Analyst</i> , 2014, 139, 3274-3280.   | 3.5  | 26        |
| 2792 | HIF-1 promotes the expression of its $\beta$ -subunit via an epigenetically regulated transactivation loop. <i>Molecular BioSystems</i> , 2014, 10, 2505-2508.   | 2.9  | 11        |
| 2793 | Prostate cancer cell malignancy via modulation of HIF-1 $\alpha$ pathway with isoflurane and propofol alone and in combination. <i>British Journal of Cancer</i> , 2014, 111, 1338-1349.   | 6.4  | 203       |
| 2794 | Role of hypoxia-induced transglutaminase 2 in pulmonary artery smooth muscle cell proliferation. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2014, 307, L576-L585.  | 2.9  | 40        |
| 2795 | The Natural Inhibitor of DNA Topoisomerase I, Camptothecin, Modulates HIF-1 $\alpha$ Activity by Changing miR Expression Patterns in Human Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 239-248.                                   | 4.1  | 63        |
| 2796 | Anticancer activity of HS-527, a novel inhibitor targeting PI3-kinase in human pancreatic cancer cells. <i>Cancer Letters</i> , 2014, 353, 68-77.  | 7.2  | 11        |
| 2797 | Tetracycline analogues with a selective inhibitory effect on HIF-1 $\alpha$ . <i>MedChemComm</i> , 2014, 5, 923.   | 3.4  | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2798 | Polymer-controlled core-shell nanoparticles: a novel strategy for sequential drug release. RSC Advances, 2014, 4, 30430-30439.   | 3.6  | 46        |
| 2799 | HOIL-1L Functions as the PKC $\eta$ Ubiquitin Ligase to Promote Lung Tumor Growth. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 688-698.   | 5.6  | 34        |
| 2800 | Metabolic control of cell death. Science, 2014, 345, 1250256.  | 12.6 | 527       |
| 2801 | Exploring the Formation and Recognition of an Important G-Quadruplex in a HIF1 $\alpha$ Promoter and Its Transcriptional Inhibition by a Benzo[ <i>a</i> ]phenanthridine Derivative. Journal of the American Chemical Society, 2014, 136, 2583-2591. | 13.7 | 50        |
| 2802 | Arginine Metabolism, a Major Pathway for the Suppressive Function of Myeloid-Derived Suppressor Cells. , 2014, , 369-386.  |      | 1         |
| 2803 | HIF-1 $\alpha$ inhibition blocks the cross talk between multiple myeloma plasma cells and tumor microenvironment. Experimental Cell Research, 2014, 328, 444-455.  | 2.6  | 27        |
| 2804 | Molecular Pathways: Preclinical Models and Clinical Trials with Metformin in Breast Cancer. Clinical Cancer Research, 2014, 20, 2508-2515.   | 7.0  | 45        |
| 2805 | Activity of the Monocarboxylate Transporter 1 Inhibitor AZD3965 in Small Cell Lung Cancer. Clinical Cancer Research, 2014, 20, 926-937.  | 7.0  | 256       |
| 2806 | Distinct regulatory mechanisms of the human ferritin gene by hypoxia and hypoxia mimetic cobalt chloride at the transcriptional and post-transcriptional levels. Cellular Signalling, 2014, 26, 2702-2709.   | 3.6  | 38        |
| 2807 | Targeting Mitochondrial Oxidative Metabolism in Melanoma Causes Metabolic Compensation through Glucose and Glutamine Utilization. Cancer Research, 2014, 74, 3535-3545.  | 0.9  | 74        |
| 2808 | MDM2 Regulates Hypoxic Hypoxia-inducible Factor 1 $\alpha$ Stability in an E3 Ligase, Proteasome, and PTEN-Phosphatidylinositol 3-Kinase-AKT-dependent Manner. Journal of Biological Chemistry, 2014, 289, 22785-22797.                              | 3.4  | 81        |
| 2809 | Whole transcriptome RNA-seq analysis: tumorigenesis and metastasis of melanoma. Gene, 2014, 548, 234-243.  | 2.2  | 25        |
| 2810 | Site-directed delivery of nitric oxide to cancers. Nitric Oxide - Biology and Chemistry, 2014, 43, 8-16.   | 2.7  | 39        |
| 2811 | Effects of copper on CHO cells: Insights from gene expression analyses. Biotechnology Progress, 2014, 30, 429-442.   | 2.6  | 47        |
| 2812 | Normoxic regulation of HIF-1 $\alpha$ in prostate cancer. Nature Reviews Urology, 2014, 11, 419-419.   | 3.8  | 22        |
| 2813 | Genetic polymorphisms in hypoxia-inducible factor-1 $\alpha$ gene and its association with HBV-related hepatocellular carcinoma in a Chinese population. Medical Oncology, 2014, 31, 200.  | 2.5  | 12        |
| 2814 | Understanding the Pathobiology of Head and Neck Squamous Cell Carcinoma. Current Oral Health Reports, 2014, 1, 196-203.  | 1.6  | 2         |
| 2815 | Nestin expression in mesenchymal stromal cells: regulation by hypoxia and osteogenesis. BMC Veterinary Research, 2014, 10, 173.  | 1.9  | 24        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2816 | Hypoxia inducible factors in liver disease and hepatocellular carcinoma: Current understanding and future directions. <i>Journal of Hepatology</i> , 2014, 61, 1397-1406.  | 3.7  | 152       |
| 2817 | Synthesis and structure-activity relationships of novel, potent, orally active hypoxia-inducible factor-1 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 5513-5529.   | 3.0  | 5         |
| 2818 | Prolyl-hydroxylase PHD3 interacts with pyruvate dehydrogenase (PDH)-E1 $\alpha$ and regulates the cellular PDH activity. <i>Biochemical and Biophysical Research Communications</i> , 2014, 451, 288-294.  | 2.1  | 24        |
| 2819 | Bilobalide attenuates hypoxia induced oxidative stress, inflammation, and mitochondrial dysfunctions in 3T3-L1 adipocytes via its antioxidant potential. <i>Free Radical Research</i> , 2014, 48, 1206-1217.   | 3.3  | 36        |
| 2820 | Substrate Positioning by Gln <sup>239</sup> Stimulates Turnover in Factor Inhibiting HIF, an $\alpha$ -KG-Dependent Hydroxylase. <i>Biochemistry</i> , 2014, 53, 5750-5758.  | 2.5  | 5         |
| 2821 | Cell cycle progression in response to oxygen levels. <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 3569-3582.  | 5.4  | 91        |
| 2822 | Advantage of FMISO-PET over FDG-PET for predicting histological response to preoperative chemotherapy in patients with oral squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 2031-2041.                                | 6.4  | 29        |
| 2823 | Influence of preoperative transcatheter arterial chemoembolization on gene expression in the HIF-1 $\alpha$ pathway in patients with hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 1507-1515.                               | 2.5  | 27        |
| 2824 | Differential Expression of Transcription Factors and Inflammation-, ROS-, and Cell Death-Related Genes in Organotypic Cultures in the Modiolus, the Organ of Corti and the Stria Vascularis of Newborn Rats. <i>Cellular and Molecular Neurobiology</i> , 2014, 34, 523-538. | 3.3  | 17        |
| 2825 | A systematic quantitative approach to rational drug design and discovery of novel human carbonic anhydrase IX inhibitors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2014, 29, 571-581.   | 5.2  | 9         |
| 2826 | Nonhypoxic regulation and role of hypoxia-inducible factor 1 in aromatase inhibitor resistant breast cancer. <i>Breast Cancer Research</i> , 2014, 16, R15.  | 5.0  | 31        |
| 2827 | Identification of microRNAs involved in the modulation of pro-angiogenic factors in atherosclerosis by a polyphenol-rich extract from propolis. <i>Archives of Biochemistry and Biophysics</i> , 2014, 557, 28-35.   | 3.0  | 43        |
| 2828 | Mechanotransduction in the Endothelium: Role of Membrane Proteins and Reactive Oxygen Species in Sensing, Transduction, and Transmission of the Signal with Altered Blood Flow. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 899-913.                                 | 5.4  | 72        |
| 2829 | The Pan-Cancer analysis of pseudogene expression reveals biologically and clinically relevant tumour subtypes. <i>Nature Communications</i> , 2014, 5, 3963.   | 12.8 | 143       |
| 2830 | Sumoylation of hypoxia inducible factor-1 $\alpha$ and its significance in cancer. <i>Science China Life Sciences</i> , 2014, 57, 657-664.   | 4.9  | 19        |
| 2831 | Prolyl Hydroxylase Inhibitors Protect from the Bone Loss in Ovariectomy Rats by Increasing Bone Vascularity. <i>Cell Biochemistry and Biophysics</i> , 2014, 69, 141-149.  | 1.8  | 36        |
| 2832 | HIF-1 $\alpha$ Genetic Variants and Protein Expression Confer the Susceptibility and Prognosis of Gliomas. <i>NeuroMolecular Medicine</i> , 2014, 16, 578-586.   | 3.4  | 15        |
| 2833 | Urothelial carcinoma associated 1 is a hypoxia-inducible factor-1 $\alpha$ -targeted long noncoding RNA that enhances hypoxic bladder cancer cell proliferation, migration, and invasion. <i>Tumor Biology</i> , 2014, 35, 6901-6912.  | 1.8  | 129       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2834 | Carnosine inhibits carbonic anhydrase IX-mediated extracellular acidosis and suppresses growth of HeLa tumor xenografts. <i>BMC Cancer</i> , 2014, 14, 358.   | 2.6  | 22        |
| 2835 | The role of cancer-associated fibroblasts, solid stress and other microenvironmental factors in tumor progression and therapy resistance. <i>Cancer Cell International</i> , 2014, 14, 41.  | 4.1  | 152       |
| 2836 | Epidithiodiketopiperazines (ETPs) exhibit in vitro antiangiogenic and in vivo antitumor activity by disrupting the HIF-1 $\alpha$ /p300 complex in a preclinical model of prostate cancer. <i>Molecular Cancer</i> , 2014, 13, 91.          | 19.2 | 73        |
| 2837 | Hypoxia-inducible factors and RAB22A mediate formation of microvesicles that stimulate breast cancer invasion and metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E3234-42. | 7.1  | 367       |
| 2838 | Radiation promotes malignant progression of glioma cells through HIF-1 $\alpha$ stabilization. <i>Cancer Letters</i> , 2014, 354, 132-141.  | 7.2  | 53        |
| 2839 | Pushing tumor cells towards a malignant phenotype: Stimuli from the microenvironment, intercellular communications and alternative roads. <i>International Journal of Cancer</i> , 2014, 135, 1265-1276.                                    | 5.1  | 51        |
| 2840 | Hereditary erythrocytosis, thrombocytosis and neutrophilia. <i>Best Practice and Research in Clinical Haematology</i> , 2014, 27, 95-106.   | 1.7  | 21        |
| 2841 | HBx mutants differentially affect the activation of hypoxia-inducible factor-1 $\alpha$ in hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2014, 110, 1066-1073.   | 6.4  | 52        |
| 2842 | Identification of Hypoxia-Regulated Proteins Using MALDI-Mass Spectrometry Imaging Combined with Quantitative Proteomics. <i>Journal of Proteome Research</i> , 2014, 13, 2297-2313.  | 3.7  | 32        |
| 2843 | Tumor-Induced Immune Suppression. , 2014, , .   |      | 3         |
| 2844 | Expression of HSP90 and HIF-1 $\alpha$ in human colorectal cancer tissue and its significance. <i>Asian Pacific Journal of Tropical Medicine</i> , 2014, 7, 720-724.  | 0.8  | 3         |
| 2845 | Hypoxia and Adipocyte Physiology: Implications for Adipose Tissue Dysfunction in Obesity. <i>Annual Review of Nutrition</i> , 2014, 34, 207-236.  | 10.1 | 154       |
| 2846 | Proangiogenic tumor proteins as potential predictive or prognostic biomarkers for bevacizumab therapy in metastatic colorectal cancer. <i>International Journal of Cancer</i> , 2014, 135, 731-741.   | 5.1  | 27        |
| 2847 | The Vav3 oncogene enhances the malignant potential of prostate cancer cells under chronic hypoxia. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 101-109.  | 1.6  | 12        |
| 2848 | HIF-1 $\alpha$ /ARNT complex regulates hair development via induction of p21 Waf1/Cip1 and p27 Kip1. <i>FASEB Journal</i> , 2014, 28, 2517-2524.  | 0.5  | 4         |
| 2849 | Peptides extracted from common bean ( <i>Phaseolus vulgaris</i> L.) non-digestible fraction caused differential gene expression of HCT116 and RKO human colorectal cancer cells. <i>Food Research International</i> , 2014, 62, 193-204.    | 6.2  | 19        |
| 2850 | Intracellular ascorbate enhances hypoxia-inducible factor (HIF)-hydroxylase activity and preferentially suppresses the HIF-1 transcriptional response. <i>Free Radical Biology and Medicine</i> , 2014, 69, 308-317.                        | 2.9  | 90        |
| 2851 | Hypoxia-inducible factor 1 and its role in viral carcinogenesis. <i>Virology</i> , 2014, 456-457, 370-383.  | 2.4  | 63        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2852 | Bone Marrow Endosteal Mesenchymal Progenitors Depend on HIF Factors for Maintenance and Regulation of Hematopoiesis. Stem Cell Reports, 2014, 2, 794-809.  | 4.8  | 23        |
| 2853 | An Aggressive Hypoxia Related Subpopulation of Melanoma Cells is TRP-2 Negative. Translational Oncology, 2014, 7, 206-212.   | 3.7  | 15        |
| 2854 | The Meaning, Measurement and Modification of Hypoxia in the Laboratory and the Clinic. Clinical Oncology, 2014, 26, 277-288.   | 1.4  | 173       |
| 2855 | Molecular Mechanisms of Angiogenesis. , 2014, , .  |      | 5         |
| 2856 | Molecular mechanisms and physiology of disease. , 2014, , .  |      | 1         |
| 2857 | Synthesis and Biological Evaluation of Quinaldopeptin. Journal of Organic Chemistry, 2014, 79, 2580-2590.  | 3.2  | 15        |
| 2858 | Overexpression of ER $\alpha$ is sufficient to inhibit hypoxia-inducible factor-1 transactivation. Biochemical and Biophysical Research Communications, 2014, 450, 261-266.  | 2.1  | 17        |
| 2859 | Molecular Imaging of Tumor Hypoxia with Positron Emission Tomography. Radiation Research, 2014, 181, 335-349.  | 1.5  | 41        |
| 2860 | Challenges associated with penetration of nanoparticles across cell and tissue barriers: A review of current status and future prospects. Nano Today, 2014, 9, 223-243.  | 11.9 | 878       |
| 2861 | Phosphofructokinase: A mediator of glycolytic flux in cancer progression. Critical Reviews in Oncology/Hematology, 2014, 92, 312-321.  | 4.4  | 85        |
| 2862 | Increased Expression of EIF5A2, Via Hypoxia or Gene Amplification, Contributes to Metastasis and Angiogenesis of Esophageal Squamous Cell Carcinoma. Gastroenterology, 2014, 146, 1701-1713.e9.  | 1.3  | 87        |
| 2863 | Single domain antibody against carcinoembryonic antigen-related cell adhesion molecule 6 (CEACAM6) inhibits proliferation, migration, invasion and angiogenesis of pancreatic cancer cells. European Journal of Cancer, 2014, 50, 713-721. | 2.8  | 29        |
| 2864 | Hypoxia and Metabolic Properties of Hematopoietic Stem Cells. Antioxidants and Redox Signaling, 2014, 20, 1891-1901.   | 5.4  | 120       |
| 2865 | Design of Photoaffinity Probe Molecules for Identification and Modification of Target Proteins. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2014, 27, 453-458.   | 0.3  | 3         |
| 2866 | 4â€²,6-Dihydroxy-4-methoxyisoaurone Inhibits the HIF-1 $\alpha$ Pathway Through Inhibition of Akt/mTOR/p70S6K/4E-BP1 Phosphorylation. Journal of Pharmacological Sciences, 2014, 125, 193-201.   | 2.5  | 29        |
| 2867 | KrÄ¶ppel-like factor 8 involved in hypoxia promotes the invasion and metastasis of gastric cancer via epithelial to mesenchymal transition. Oncology Reports, 2014, 32, 2397-2404.   | 2.6  | 26        |
| 2868 | Inactivation of von Hippel-Lindau increases ovarian cancer cell aggressiveness through the HIF1 $\alpha$ /miR-210/VMP1 signaling pathway. International Journal of Molecular Medicine, 2014, 33, 1236-1242.                                | 4.0  | 24        |
| 2869 | Genetic Kidney Cancer Syndromes. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 1347-1355.   | 4.9  | 26        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2870 | Expression and significance of MMP2 and HIF-1 $\alpha$ in hepatocellular carcinoma. <i>Oncology Letters</i> , 2014, 8, 539-546.  | 1.8 | 47        |
| 2871 | Correlation between Expression of Biological Markers and [ $^{18}$ F]Fluorodeoxyglucose Uptake in Endometrial Cancer. <i>Oncology Research and Treatment</i> , 2014, 37, 30-34.  | 1.2 | 15        |
| 2872 | Preservation of Kidneys by Machine Perfusion Influences Gene Expression and May Limit Ischemia/Reperfusion Injury. <i>Progress in Transplantation</i> , 2014, 24, 19-26.   | 0.7 | 17        |
| 2873 | Mutation of isocitrate dehydrogenase 1 induces glioma cell proliferation via nuclear factor- $\kappa$ B activation in a hypoxia-inducible factor 1- $\alpha$ dependent manner. <i>Molecular Medicine Reports</i> , 2014, 9, 1799-1805.             | 2.4 | 27        |
| 2874 | Effects of the HIF-1 $\alpha$ and NF- $\kappa$ B loop on epithelial-mesenchymal transition and chemoresistance induced by hypoxia in pancreatic cancer cells. <i>Oncology Reports</i> , 2014, 31, 1891-1898.                                       | 2.6 | 55        |
| 2875 | SCGB2A1 is a novel prognostic marker for colorectal cancer associated with chemoresistance and radioresistance. <i>International Journal of Oncology</i> , 2014, 44, 1521-1528.  | 3.3 | 26        |
| 2876 | KLF5 promotes hypoxia-induced survival and inhibits apoptosis in non-small cell lung cancer cells via HIF-1 $\alpha$ . <i>International Journal of Oncology</i> , 2014, 45, 1507-1514.   | 3.3 | 50        |
| 2877 | Mitochondrial reactive oxygen species and cancer. <i>Cancer &amp; Metabolism</i> , 2014, 2, 17.  | 5.0 | 574       |
| 2878 | Antitumor effect of a selective COX-2 inhibitor, celecoxib, may be attributed to angiogenesis inhibition through modulating the PTEN/PI3K/Akt/HIF-1 pathway in an H22 murine hepatocarcinoma model. <i>Oncology Reports</i> , 2014, 31, 2252-2260. | 2.6 | 38        |
| 2879 | Association between ephrin-A1 mRNA expression and poor prognosis after hepatectomy to treat hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2014, 45, 1051-1058.  | 3.3 | 22        |
| 2880 | Biological characteristics of prostate cancer cells are regulated by hypoxia-inducible factor 1 $\alpha$ . <i>Oncology Letters</i> , 2014, 8, 1217-1221.   | 1.8 | 7         |
| 2881 | Anticancer activity of SAHA, a potent histone deacetylase inhibitor, in NCI-H460 human large-cell lung carcinoma cells in vitro and in vivo. <i>International Journal of Oncology</i> , 2014, 44, 451-458.   | 3.3 | 27        |
| 2882 | Transglutaminase 2-Mediated Gene Regulation. , 2015, , 153-170.  |     | 1         |
| 2883 | Hypoxia-Inducible Factor: Pattern of the Effects and Their Dualism. <i>Neurophysiology</i> , 2015, 47, 252-261.  | 0.3 | 1         |
| 2884 | Metabolic Plasticity of Metastatic Breast Cancer Cells: Adaptation to Changes in the Microenvironment. <i>Neoplasia</i> , 2015, 17, 671-684.   | 5.3 | 115       |
| 2885 | microRNA-18a regulates gastric carcinoma cell apoptosis and invasion by suppressing hypoxia-inducible factor-1 $\alpha$ expression. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 717-722.  | 1.8 | 32        |
| 2886 | Associations among pretreatment tumor necrosis and the expression of HIF-1 $\alpha$ and PD-L1 in advanced oral squamous cell carcinoma and the prognostic impact thereof. <i>Oral Oncology</i> , 2015, 51, 1004-1010.                              | 1.5 | 61        |
| 2888 | Cellular density-dependent down-regulation of EP 4 prostanoid receptors via the up-regulation of hypoxia-inducible factor-1 $\alpha$ in HCA-7 human colon cancer cells. <i>Pharmacology Research and Perspectives</i> , 2015, 3, e00083.           | 2.4 | 8         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2889 | The mammalian blastema: regeneration at our fingertips. <i>Regeneration</i> (Oxford, England), 2015, 2, 93-105.   | 6.3 | 63        |
| 2890 | Anterior gradient 2 is a binding stabilizer of hypoxia inducible factor-1 $\alpha$ that enhances CoCl <sub>2</sub> -induced doxorubicin resistance in breast cancer cells. <i>Cancer Science</i> , 2015, 106, 1041-1049.                | 3.9 | 34        |
| 2891 | Autoacetylation regulates differentially the roles of ARD1 variants in tumorigenesis. <i>International Journal of Oncology</i> , 2015, 46, 99-106.  | 3.3 | 8         |
| 2892 | Hypoxia Decreases Glucagon-Like Peptide-1 Secretion from the GLUTag Cell Line. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 514-521.   | 1.4 | 7         |
| 2893 | Endostar enhances the antitumor effects of radiation by affecting energy metabolism and alleviating the tumor microenvironment in a Lewis lung carcinoma mouse model. <i>Oncology Letters</i> , 2015, 10, 3067-3072.                    | 1.8 | 9         |
| 2894 | Hypoxia-inducible miR-182 enhances HIF1 $\alpha$ signaling via targeting PHD2 and FIH1 in prostate cancer. <i>Scientific Reports</i> , 2015, 5, 12495.  | 3.3 | 74        |
| 2895 | Tetrathiomolybdate inhibits mitochondrial complex IV and mediates degradation of hypoxia-inducible factor-1 $\alpha$ in cancer cells. <i>Scientific Reports</i> , 2015, 5, 14296.   | 3.3 | 38        |
| 2896 | Tanshinone IIA exerts antitumor activity against vestibular schwannoma cells by inhibiting the expression of hypoxia-inducible factor-1 $\alpha$ . <i>Molecular Medicine Reports</i> , 2015, 12, 4604-4609.                             | 2.4 | 12        |
| 2897 | Upregulation of HIF-1 $\alpha$ protects neuroblastoma cells from hypoxia-induced apoptosis in a RhoA-dependent manner. <i>Molecular Medicine Reports</i> , 2015, 12, 7123-7131.   | 2.4 | 7         |
| 2898 | MicroRNA-210 is upregulated by hypoxia-inducible factor-1 $\alpha$ in the stromal cells of giant cell tumors of bone. <i>Molecular Medicine Reports</i> , 2015, 12, 6185-6192.  | 2.4 | 24        |
| 2899 | SNP rs2057482 in HIF1A gene predicts clinical outcome of aggressive hepatocellular carcinoma patients after surgery. <i>Scientific Reports</i> , 2015, 5, 11846.  | 3.3 | 30        |
| 2900 | Metabolic profiling reveals potential metabolic markers associated with Hypoxia Inducible Factor-mediated signalling in hypoxic cancer cells. <i>Scientific Reports</i> , 2015, 5, 15649.   | 3.3 | 30        |
| 2901 | SENP1 desensitizes hypoxic ovarian cancer cells to cisplatin by up-regulating HIF-1 $\alpha$ . <i>Scientific Reports</i> , 2015, 5, 16396.  | 3.3 | 42        |
| 2902 | Hypoxia regulates the expression and localization of CCAAT/enhancer binding protein 1 $\alpha$ by hypoxia inducible factor-1 $\alpha$ in bladder transitional carcinoma cells. <i>Molecular Medicine Reports</i> , 2015, 12, 2121-2127. | 2.4 | 4         |
| 2904 | Differential hypoxic regulation of the microRNA-146a/CXCR4 pathway in normal and leukemic monocytic cells: impact on response to chemotherapy. <i>Haematologica</i> , 2015, 100, 1160-1171.   | 3.5 | 20        |
| 2905 | Effect of HIF-1 $\alpha$ on biological activation of human tongue squamous cell carcinoma SCC-15 cells in vitro. <i>International Journal of Oncology</i> , 2015, 46, 2346-2354.  | 3.3 | 8         |
| 2906 | Resveratrol abrogates the effects of hypoxia on cell proliferation, invasion and EMT in osteosarcoma cells through downregulation of the HIF-1 $\alpha$ protein. <i>Molecular Medicine Reports</i> , 2015, 11, 1975-1981.               | 2.4 | 37        |
| 2907 | Modeling the interplay between the HIF-1 and p53 pathways in hypoxia. <i>Scientific Reports</i> , 2015, 5, 13834.   | 3.3 | 60        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2908 | Design and Functions of Fluorous Nanospaces with Microgel Star Polymers and Amphiphilic Random Copolymers. <i>Kobunshi Ronbunshu</i> , 2015, 72, 691-706.  | 0.2 | 1         |
| 2909 | HIF-1-mediated metabolic reprogramming reduces ROS levels and facilitates the metastatic colonization of cancers in lungs. <i>Scientific Reports</i> , 2014, 4, 3793.  | 3.3 | 94        |
| 2910 | Cellular Adaptation to VEGF-Targeted Antiangiogenic Therapy Induces Evasive Resistance by Overproduction of Alternative Endothelial Cell Growth Factors in Renal Cell Carcinoma. <i>Neoplasia</i> , 2015, 17, 805-816.   | 5.3 | 17        |
| 2911 | Cyclic AMP Response Element Binding Protein Mediates Pathological Retinal Neovascularization via Modulating DLL4-NOTCH1 Signaling. <i>EBioMedicine</i> , 2015, 2, 1767-1784.   | 6.1 | 21        |
| 2912 | Correlation of hypoxia-inducible factor-1 alpha (HIF-1 $\alpha$ ) and vascular endothelial growth factor (VEGF) expressions with clinico-pathological features of oral squamous cell carcinoma (OSCC). <i>Tanta Dental Journal</i> , 2015, 12, S1-S14.           | 0.1 | 7         |
| 2913 | Interleukin-6 trans-signaling increases the expression of carcinoembryonic antigen-related cell adhesion molecules 5 and 6 in colorectal cancer cells. <i>BMC Cancer</i> , 2015, 15, 975.  | 2.6 | 34        |
| 2914 | Activity of the monocarboxylate transporter 1 inhibitor AZD3965 in small cell lung cancer. <i>Annals of Oncology</i> , 2015, 26, ii15.   | 1.2 | 2         |
| 2915 | Cyclometalated Ruthenium(II) Anthraquinone Complexes Exhibit Strong Anticancer Activity in Hypoxic Tumor Cells. <i>Chemistry - A European Journal</i> , 2015, 21, 15308-15319.   | 3.3 | 79        |
| 2916 | Transcriptome profiling of bovine inner cell mass and trophectoderm derived from in vivo generated blastocysts. <i>BMC Developmental Biology</i> , 2015, 15, 49.   | 2.1 | 40        |
| 2917 | Autophagy contributes to the chemo-resistance of non-small cell lung cancer in hypoxic conditions. <i>Respiratory Research</i> , 2015, 16, 138.  | 3.6 | 65        |
| 2918 | Effects of the aqueous extract of a Tibetan herb, <i>Rhodiola algida</i> var. <i>tangutica</i> on proliferation and HIF-1 $\alpha$ , HIF-2 $\alpha$ expression in MCF-7 cells under hypoxic condition in vitro. <i>Cancer Cell International</i> , 2015, 15, 81. | 4.1 | 9         |
| 2919 | DFO Enhances the Targeting of CD34-Positive Cells and Improves Neovascularization. <i>Cell Transplantation</i> , 2015, 24, 2353-2366.  | 2.5 | 6         |
| 2920 | Foldamers as Anticancer Therapeutics: Targeting Protein-Protein Interactions and the Cell Membrane. <i>ChemBioChem</i> , 2015, 16, 1840-1853.  | 2.6 | 22        |
| 2921 | Regulation of HIF-1 alpha by the proprotein convertases furin and PC7 in human squamous carcinoma cells. <i>Molecular Carcinogenesis</i> , 2015, 54, 698-706.  | 2.7 | 9         |
| 2922 | Xenon Treatment Protects against Remote Lung Injury after Kidney Transplantation in Rats. <i>Anesthesiology</i> , 2015, 122, 1312-1326.  | 2.5 | 27        |
| 2923 | Neovascularization of the atherosclerotic plaque. <i>Current Opinion in Lipidology</i> , 2015, 26, 405-411.  | 2.7 | 28        |
| 2924 | Expression Patterns of HIF-1 $\alpha$ Under Hypoxia in Vascular Smooth Muscle Cells of Venous Malformations. <i>Annals of Plastic Surgery</i> , 2015, 75, 332-337.   | 0.9 | 2         |
| 2925 | Differential Regulation of Gene Expression of Alveolar Epithelial Cell Markers in Human Lung Adenocarcinoma-Derived A549 Clones. <i>Stem Cells International</i> , 2015, 2015, 1-20.   | 2.5 | 20        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2926 | Anti-Warburg effect of rosmarinic acid via miR-155 in gastric cancer cells. Drug Design, Development and Therapy, 2015, 9, 2695.  | 4.3 | 56        |
| 2927 | Effects of Hypoxia, Surrounding Fibroblasts, and p16 Expression on Breast Cancer Cell Migration and Invasion. Journal of Cancer, 2015, 6, 430-437.  | 2.5 | 6         |
| 2928 | Salternamide A Suppresses Hypoxia-Induced Accumulation of HIF-1 $\alpha$ and Induces Apoptosis in Human Colorectal Cancer Cells. Marine Drugs, 2015, 13, 6962-6976.   | 4.6 | 32        |
| 2929 | Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. , 2015, , 173-196.   |     | 15        |
| 2930 | Temporal regulation of HIF-1 and NF- $\kappa$ B in hypoxic hepatocarcinoma cells. Oncotarget, 2015, 6, 9409-9419.   | 1.8 | 55        |
| 2931 | Breast Cancer Metabolism and Mitochondrial Activity: The Possibility of Chemoprevention with Metformin. BioMed Research International, 2015, 2015, 1-9.   | 1.9 | 28        |
| 2932 | The Subcellular Location of Selenoproteins and the Impact on Their Function. Nutrients, 2015, 7, 3938-3948.   | 4.1 | 31        |
| 2933 | Crosstalk between nitric oxide and hypoxia-inducible factor signaling pathways: an update. Research and Reports in Biochemistry, 0, , 147.  | 1.6 | 21        |
| 2934 | Hypoxia: from basic mechanisms to therapeutics &ndash; a meeting report on the Keystone and HypoxiaNet Symposium. Hypoxia (Auckland, N Z ), 2015, 3, 67.  | 1.9 | 2         |
| 2935 | Melanoma and Hypoxia. Journal of Pigmentary Disorders, 2015, 02, .  | 0.2 | 0         |
| 2936 | Evaluation of carbonic anhydrase IX as a therapeutic target for inhibition of breast cancer invasion and metastasis using a series of <i>in vitro</i> breast cancer models. Oncotarget, 2015, 6, 24856-24870. | 1.8 | 76        |
| 2937 | Von Hippel-Lindau status influences phenotype of liver cancers arising from PTEN loss. Gastrointestinal Cancer: Targets and Therapy, 2015, 5, 61.   | 5.5 | 1         |
| 2938 | Effects of autologous SCF- and G-CSF-mobilized bone marrow stem cells on hypoxia-inducible factor-1 in rats with ischemia-reperfusion renal injury. Genetics and Molecular Research, 2015, 14, 4102-4112.     | 0.2 | 13        |
| 2939 | Co-expression of CXCL8 and HIF-1 $\alpha$ is associated with metastasis and poor prognosis in hepatocellular carcinoma. Oncotarget, 2015, 6, 22880-22889.   | 1.8 | 51        |
| 2940 | Activation of hypoxia signaling induces phenotypic transformation of glioma cells: implications for bevacizumab antiangiogenic therapy. Oncotarget, 2015, 6, 11882-11893.                                     | 1.8 | 68        |
| 2941 | Hypoxia-Induced Signaling Promotes Prostate Cancer Progression: Exosomes Role as Messenger of Hypoxic Response in Tumor Microenvironment. Critical Reviews in Oncogenesis, 2015, 20, 419-434.                 | 0.4 | 95        |
| 2942 | Fucoidan Suppresses Hypoxia-Induced Lymphangiogenesis and Lymphatic Metastasis in Mouse Hepatocarcinoma. Marine Drugs, 2015, 13, 3514-3530.   | 4.6 | 58        |
| 2943 | Low Molecular Weight Fucoidan Inhibits Tumor Angiogenesis through Downregulation of HIF-1/VEGF Signaling under Hypoxia. Marine Drugs, 2015, 13, 4436-4451.  | 4.6 | 120       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2944 | Recent Advances in Developing Inhibitors for Hypoxia-Inducible Factor Prolyl Hydroxylases and Their Therapeutic Implications. <i>Molecules</i> , 2015, 20, 20551-20568.                 | 3.8 | 58        |
| 2945 | Does Amifostine Reduce Metabolic Rate? Effect of the Drug on Gas Exchange and Acute Ventilatory Hypoxic Response in Humans. <i>Pharmaceuticals</i> , 2015, 8, 186-195.                  | 3.8 | 3         |
| 2946 | Hypoxia-Inducible Factor as an Angiogenic Master Switch. <i>Frontiers in Pediatrics</i> , 2015, 3, 33.  | 1.9 | 167       |
| 2947 | MicroRNAs in Renal Cell Carcinoma. <i>MicroRNA (Sharjah, United Arab Emirates)</i> , 2015, 4, 26-35.  | 1.2 | 32        |
| 2948 | Resveratrol Inhibits Hypoxia-Induced Vascular Endothelial Growth Factor Expression and Pathological Neovascularization. <i>Yonsei Medical Journal</i> , 2015, 56, 1678.                 | 2.2 | 28        |
| 2949 | HIF-1 $\alpha$ Contributes to Proliferation and Invasiveness of Neuroblastoma Cells via SHH Signaling. <i>PLoS ONE</i> , 2015, 10, e0121115.  | 2.5 | 41        |
| 2950 | Intermittent Induction of HIF-1 $\alpha$ Produces Lasting Effects on Malignant Progression Independent of Its Continued Expression. <i>PLoS ONE</i> , 2015, 10, e0125125.               | 2.5 | 14        |
| 2951 | Differential HIF-1 $\alpha$ and HIF-2 $\alpha$ Expression in Mammary Epithelial Cells during Fat Pad Invasion, Lactation, and Involution. <i>PLoS ONE</i> , 2015, 10, e0125771.         | 2.5 | 14        |
| 2952 | Molecular Heterogeneity in a Patient-Derived Glioblastoma Xenoline Is Regulated by Different Cancer Stem Cell Populations. <i>PLoS ONE</i> , 2015, 10, e0125838.                        | 2.5 | 25        |
| 2953 | Increased Expression of Angiogenic and Inflammatory Proteins in the Vitreous of Patients with Ischemic Central Retinal Vein Occlusion. <i>PLoS ONE</i> , 2015, 10, e0126859.            | 2.5 | 56        |
| 2954 | Analyses of the Transcriptome and Metabolome Demonstrate That HIF1 $\alpha$ Mediates Altered Tumor Metabolism in Clear Cell Renal Cell Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0120649. | 2.5 | 27        |
| 2955 | HIF-1 Dimerization Inhibitor Acriflavine Enhances Antitumor Activity of Sunitinib in Breast Cancer Model. <i>Oncology Research</i> , 2015, 22, 139-145.                                 | 1.5 | 26        |
| 2956 | Decreased Expression of MiRNA-204-5p Contributes to Glioma Progression and Promotes Glioma Cell Growth, Migration and Invasion. <i>PLoS ONE</i> , 2015, 10, e0132399.                   | 2.5 | 60        |
| 2957 | Heterogeneous Effects of Direct Hypoxia Pathway Activation in Kidney Cancer. <i>PLoS ONE</i> , 2015, 10, e0134645.  | 2.5 | 48        |
| 2958 | The Apoptotic Effect of HIF-1 $\alpha$ Inhibition Combined with Glucose plus Insulin Treatment on Gastric Cancer under Hypoxic Conditions. <i>PLoS ONE</i> , 2015, 10, e0137257.        | 2.5 | 14        |
| 2959 | Hypoxia-Targeted Drug Q6 Induces G2-M Arrest and Apoptosis via Poisoning Topoisomerase II under Hypoxia. <i>PLoS ONE</i> , 2015, 10, e0144506.  | 2.5 | 9         |
| 2960 | Oxygen Availability for Porphyrin Biosynthesis Enzymes Determines the Production of Protoporphyrin IX (PpIX) during Hypoxia. <i>PLoS ONE</i> , 2015, 10, e0146026.                      | 2.5 | 15        |
| 2961 | The malignant progression effects of regorafenib in human colon cancer cells. <i>Journal of Medical Investigation</i> , 2015, 62, 195-198.  | 0.5 | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2962 | Targeting Apoptosis and Multiple Signaling Pathways with Icariside II in Cancer Cells. International Journal of Biological Sciences, 2015, 11, 1100-1112.   | 6.4 | 116       |
| 2963 | Hypoxia Induces Epithelial-Mesenchymal Transition in Follicular Thyroid Cancer: Involvement of Regulation of Twist by Hypoxia Inducible Factor-1 $\alpha$ . Yonsei Medical Journal, 2015, 56, 1503.   | 2.2 | 35        |
| 2964 | Progress toward overcoming hypoxia-induced resistance to solid tumor therapy. Cancer Management and Research, 2015, 7, 253.   | 1.9 | 66        |
| 2966 | Therapeutic inhibition of prolyl hydroxylase domain-containing enzymes in surgery: putative applications and challenges. Hypoxia (Auckland, N Z ), 2015, 3, 1.  | 1.9 | 21        |
| 2967 | Influential Factors and Synergies for Radiation-Gene Therapy on Cancer. Analytical Cellular Pathology, 2015, 2015, 1-8.   | 1.4 | 2         |
| 2968 | Clinicopathological Significance of MicroRNA-20b Expression in Hepatocellular Carcinoma and Regulation of HIF-1 $\alpha$ and VEGF Effect on Cell Biological Behaviour. Disease Markers, 2015, 2015, 1-10.   | 1.3 | 25        |
| 2969 | Diabetes and Its Link with Cancer: Providing the Fuel and Spark to Launch an Aggressive Growth Regime. BioMed Research International, 2015, 2015, 1-11.   | 1.9 | 29        |
| 2970 | Antioxidant Mechanisms and ROS-Related MicroRNAs in Cancer Stem Cells. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-13.   | 4.0 | 63        |
| 2971 | Prognostic Impact of Hypoxia-Inducible $\alpha$ miRNA-210 $\alpha$ in Patients with Lung Adenocarcinoma. Journal of Oncology, 2015, 2015, 1-8.  | 1.3 | 31        |
| 2972 | Interleukin-1 $\alpha$ <sup>2</sup> Affects MDAMB231 Breast Cancer Cell Migration under Hypoxia: Role of HIF-1 $\alpha$ and NF $\kappa$ B Transcription Factors. Mediators of Inflammation, 2015, 2015, 1-10.   | 3.0 | 25        |
| 2973 | The Role of Oxygen Sensors, Hydroxylases, and HIF in Cardiac Function and Disease. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-10.   | 4.0 | 11        |
| 2974 | Mechanistic Insights to the Cytotoxicity of Amaryllidaceae Alkaloids. Natural Product Communications, 2015, 10, 1934578X1501000.  | 0.5 | 8         |
| 2977 | Investigation of the Regulation of Roundabout4 by Hypoxia-Inducible Factor-1 $\alpha$ in Microvascular Endothelial Cells. , 2015, 56, 2586.   |     | 16        |
| 2978 | Chronic exposure of VEGF inhibitors promotes the malignant phenotype of colorectal cancer cells. Journal of Medical Investigation, 2015, 62, 75-79.   | 0.5 | 4         |
| 2979 | Potent efficacy of metronomic topotecan and pazopanib combination therapy in preclinical models of primary or late stage metastatic triple-negative breast cancer. Oncotarget, 2015, 6, 42396-42410.  | 1.8 | 51        |
| 2980 | MALDI-Mass Spectrometric Imaging Revealing Hypoxia-Driven Lipids and Proteins in a Breast Tumor Model. Analytical Chemistry, 2015, 87, 5947-5956.   | 6.5 | 61        |
| 2981 | Nijmegen breakage syndrome protein 1 (NBS1) modulates hypoxia inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) stability and promotes in vitro migration and invasion under ionizing radiation. International Journal of Biochemistry and Cell Biology, 2015, 64, 229-238. | 2.8 | 10        |
| 2982 | The BH3-mimetic obatoclax reduces HIF-1 $\alpha$ levels and HIF-1 transcriptional activity and sensitizes hypoxic colon adenocarcinoma cells to 5-fluorouracil. Cancer Letters, 2015, 364, 156-164.   | 7.2 | 24        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2983 | Emerging roles of hypoxia-inducible factors and reactive oxygen species in cancer and pluripotent stem cells. Kaohsiung Journal of Medical Sciences, 2015, 31, 279-286.  | 1.9  | 59        |
| 2984 | The critical role of Akt in cardiovascular function. Vascular Pharmacology, 2015, 74, 38-48.   | 2.1  | 299       |
| 2985 | Targeting Mitochondria: A Powerhouse Approach to Cancer Treatment. , 2015, , 263-276.  |      | 1         |
| 2986 | Tumour Hypoxia and the Hypoxia-Inducible Transcription Factors: Key Players in Cancer Progression and Metastasis. , 2015, , 65-98.   |      | 4         |
| 2987 | Synthesis and biological evaluation of meta-carborane-containing phenoxyacetanilides as inhibitors of hypoxia-inducible factor (HIF)-1 transcriptional activity. Journal of Organometallic Chemistry, 2015, 798, 189-195.          | 1.8  | 20        |
| 2988 | PIM kinase (and Akt) biology and signaling in tumors. , 2015, 151, 41-49.  |      | 154       |
| 2989 | ortho-Carboranylphenoxyacetanilides as inhibitors of hypoxia-inducible factor (HIF)-1 transcriptional activity and heat shock protein (HSP) 60 chaperon activity. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 2624-2628. | 2.2  | 18        |
| 2990 | Unravelling the Complexity and Functions of MTA Coregulators in Human Cancer. Advances in Cancer Research, 2015, 127, 1-47.  | 5.0  | 27        |
| 2991 | Elevated Endothelial Hypoxia-Inducible Factor-1 $\alpha$ Contributes to Glomerular Injury and Promotes Hypertensive Chronic Kidney Disease. Hypertension, 2015, 66, 75-84.   | 2.7  | 59        |
| 2992 | Tip110 Regulates the Cross Talk between p53 and Hypoxia-Inducible Factor 1 $\alpha$ under Hypoxia and Promotes Survival of Cancer Cells. Molecular and Cellular Biology, 2015, 35, 2254-2264.                                      | 2.3  | 17        |
| 2994 | Wnt/Arb1 effect regulated by amphiregulin in the development of colorectal cancer. Cancer Medicine, 2015, 4, 575-587.  | 2.8  | 40        |
| 2995 | HIF1 $\alpha$ deficiency reduces colon inflammation in a mouse model of proximal colon cancer. DMM Disease Models and Mechanisms, 2015, 8, 1093-103.   | 2.4  | 15        |
| 2996 | Correlations between ADC values and molecular markers of Ki-67 and HIF-1 $\alpha$ in hepatocellular carcinoma. European Journal of Radiology, 2015, 84, 2464-2469.   | 2.6  | 39        |
| 2997 | Hypoxia-induced gene expression results from selective mRNA partitioning to the endoplasmic reticulum. Nucleic Acids Research, 2015, 43, 3219-3236.  | 14.5 | 38        |
| 2998 | The pleckstrin homology domain of phospholipase D1 accelerates EGFR endocytosis by increasing the expression of the Rab5 effector, rabaptin-5. Experimental and Molecular Medicine, 2015, 47, e200-e200.                           | 7.7  | 7         |
| 2999 | Phase I/II study of the hypoxia-activated prodrug PR104 in refractory/relapsed acute myeloid leukemia and acute lymphoblastic leukemia. Haematologica, 2015, 100, 927-934.   | 3.5  | 93        |
| 3000 | Combining Optical Reporter Proteins with Different Half-lives to Detect Temporal Evolution of Hypoxia and Reoxygenation in Tumors. Neoplasia, 2015, 17, 871-881.   | 5.3  | 29        |
| 3001 | Nitric Oxide, Coagulation and Cancer. , 2015, , 281-295.   |      | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3002 | Pomegranate extract inhibits EMT in clear cell renal cell carcinoma in a NF- $\kappa$ B and JNK dependent manner. Asian Journal of Urology, 2015, 2, 38-45.  | 1.2 | 9         |
| 3003 | Transglutaminases. , 2015, , .   |     | 10        |
| 3004 | Design, Synthesis, and Biological Activity Evaluation of Thiazolidinones Containing Alkynyl and Alkenyl Furans for Disrupting Protein-Protein Interactions between HIF-1 $\alpha$ and p300. Heterocycles, 2015, 91, 351. | 0.7 | 0         |
| 3005 | Expression of RAP1B is associated with poor prognosis and promotes an aggressive phenotype in gastric cancer. Oncology Reports, 2015, 34, 2385-2394.   | 2.6 | 21        |
| 3006 | Oligomer procyanidins (F2) isolated from grape seeds inhibits tumor angiogenesis and cell invasion by targeting HIF-1 $\alpha$ in vitro. International Journal of Oncology, 2015, 46, 708-720.                           | 3.3 | 22        |
| 3007 | Deferoxamine inhibits TRAIL-mediated apoptosis via regulation of autophagy in human colon cancer cells. Oncology Reports, 2015, 33, 1171-1176.   | 2.6 | 22        |
| 3008 | Inhibitory action of pristimerin on hypoxia-mediated metastasis involves stem cell characteristics and EMT in PC-3 prostate cancer cells. Oncology Reports, 2015, 33, 1388-1394.   | 2.6 | 31        |
| 3009 | Propranolol represses infantile hemangioma cell growth through the $\beta$ 2-adrenergic receptor in a HIF-1 $\alpha$ -dependent manner. Oncology Reports, 2015, 33, 3099-3107.   | 2.6 | 35        |
| 3010 | Selective enhancement of hypoxic cell killing by tempol-regulated suicide gene expression. Oncology Reports, 2015, 34, 1065-1073.  | 2.6 | 0         |
| 3011 | Hypoxia-induced fibroblast growth factor 11 stimulates capillary-like endothelial tube formation. Oncology Reports, 2015, 34, 2745-2751.   | 2.6 | 33        |
| 3012 | M410, a combretastatin A4 analogue, disrupts microtubules and inhibits HIF-1 $\alpha$ in human breast cancer cells. Oncology Reports, 2015, 34, 334-340.   | 2.6 | 6         |
| 3013 | Proresolution effects of hydrogen sulfide during colitis are mediated through hypoxia-inducible factor-1 $\alpha$ . FASEB Journal, 2015, 29, 1591-1602.  | 0.5 | 52        |
| 3014 | PACAP38/PAC1 Signaling Induces Bone Marrow-Derived Cells Homing to Ischemic Brain. Stem Cells, 2015, 33, 1153-1172.  | 3.2 | 16        |
| 3015 | Aberrant IDH3 $\alpha$ expression promotes malignant tumor growth by inducing HIF-1-mediated metabolic reprogramming and angiogenesis. Oncogene, 2015, 34, 4758-4766.  | 5.9 | 82        |
| 3016 | Modulation of p75 neurotrophin receptor under hypoxic conditions induces migration and invasion of C6 glioma cells. Clinical and Experimental Metastasis, 2015, 32, 73-81.   | 3.3 | 21        |
| 3017 | Phase II trial of hypofractionated intensity-modulated radiation therapy combined with temozolomide and bevacizumab for patients with newly diagnosed glioblastoma. Journal of Neuro-Oncology, 2015, 122, 135-143.       | 2.9 | 29        |
| 3018 | Inhibition of the HIF-1 $\alpha$ -p300 interaction by quinone- and indandione-mediated ejection of structural Zn(II). European Journal of Medicinal Chemistry, 2015, 94, 509-516.  | 5.5 | 33        |
| 3019 | Anti-Tumor Effect of the Mammalian Target of Rapamycin Inhibitor Everolimus in Oral Squamous Cell Carcinoma. Pathology and Oncology Research, 2015, 21, 765-773.   | 1.9 | 13        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3020 | Combining clinicopathological predictors and molecular biomarkers in the oncogenic K-RAS/Ki67/HIF-1 $\alpha$ pathway to predict survival in resectable pancreatic cancer. <i>British Journal of Cancer</i> , 2015, 112, 514-522.                | 6.4 | 39        |
| 3021 | Hypoxia promotes 786-O cells invasiveness and resistance to sorafenib via HIF-2 $\alpha$ /COX-2. <i>Medical Oncology</i> , 2015, 32, 419.   | 2.5 | 27        |
| 3022 | In vitro anti-angiogenic effects of <i>Hemidesmus indicus</i> in hypoxic and normoxic conditions. <i>Journal of Ethnopharmacology</i> , 2015, 162, 261-269.   | 4.1 | 7         |
| 3023 | Role of tumor hypoxia in acquisition of resistance to microtubule-stabilizing drugs. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2015, 1855, 172-182.   | 7.4 | 15        |
| 3024 | Functional regulation of hypoxia inducible factor-1 $\alpha$ by SET9 lysine methyltransferase. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 881-891.  | 4.1 | 26        |
| 3025 | Depletion of PHD3 protects heart from ischemia/reperfusion injury by inhibiting cardiomyocyte apoptosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 80, 156-165.   | 1.9 | 43        |
| 3026 | IGFBP-2 - taking the lead in growth, metabolism and cancer. <i>Journal of Cell Communication and Signaling</i> , 2015, 9, 125-142.  | 3.4 | 61        |
| 3027 | A Group of Novel HIF-1 $\alpha$ Inhibitors, Glyceollins, Blocks HIF-1 $\alpha$ Synthesis and Decreases Its Stability via Inhibition of the PI3K/AKT/mTOR Pathway and Hsp90 Binding. <i>Journal of Cellular Physiology</i> , 2015, 230, 853-862. | 4.1 | 70        |
| 3028 | Multi-Targeted Approach to Treatment of Cancer. , 2015, , .   |     | 1         |
| 3029 | Gain of HIF-1 $\alpha$ under Normoxia in Cancer Mediates Immune Adaptation through the AKT/ERK and VEGFA Axes. <i>Clinical Cancer Research</i> , 2015, 21, 1438-1446.   | 7.0 | 46        |
| 3030 | HIF-1 $\alpha$ Expression under Normoxia in Prostate Cancer” Which Pathways to Target?. <i>Journal of Urology</i> , 2015, 193, 763-770.   | 0.4 | 40        |
| 3031 | Selection by phage display of nanobodies directed against hypoxia inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ). <i>Biotechnology and Applied Biochemistry</i> , 2015, 62, 738-745.   | 3.1 | 6         |
| 3032 | Hypoxia-inducible factor 1 and breast cancer metastasis. <i>Journal of Zhejiang University: Science B</i> , 2015, 16, 32-43.  | 2.8 | 171       |
| 3033 | HIF-1 $\alpha$ suppressing small molecule, LW6, inhibits cancer cell growth by binding to calcineurin b homologous protein 1. <i>Biochemical and Biophysical Research Communications</i> , 2015, 458, 14-20.                                    | 2.1 | 25        |
| 3034 | Potent antitumor activity of Oct4 and hypoxia dual-regulated oncolytic adenovirus against bladder cancer. <i>Gene Therapy</i> , 2015, 22, 305-315.  | 4.5 | 13        |
| 3035 | Cellular memory of hypoxia elicits neuroblastoma metastasis and enables invasion by non-aggressive neighbouring cells. <i>Oncogenesis</i> , 2015, 4, e138-e138.   | 4.9 | 45        |
| 3036 | PTEN/PI3K/Akt/VEGF signaling and the cross talk to KRIT1, CCM2, and PDCD10 proteins in cerebral cavernous malformations. <i>Neurosurgical Review</i> , 2015, 38, 229-237.   | 2.4 | 30        |
| 3037 | HIF-1 $\alpha$ (1772C>T) polymorphism as marker for breast cancer development. <i>Tumor Biology</i> , 2015, 36, 3215-3220.  | 1.8 | 13        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3038 | Beyond Warburg effect – dual metabolic nature of cancer cells. <i>Scientific Reports</i> , 2014, 4, 4927.   | 3.3  | 167       |
| 3039 | Impact of isoflurane on malignant capability of ovarian cancer in vitro. <i>British Journal of Anaesthesia</i> , 2015, 114, 831-839.  | 3.4  | 93        |
| 3040 | The von Hippel–Lindau tumor suppressor regulates programmed cell death 5-mediated degradation of Mdm2. <i>Oncogene</i> , 2015, 34, 771-779.   | 5.9  | 20        |
| 3041 | Biochemical changes associated with ascorbic acid–cisplatin combination therapeutic efficacy and protective effect on cisplatin-induced toxicity in tumor-bearing mice. <i>Toxicology Reports</i> , 2015, 2, 489-503.   | 3.3  | 21        |
| 3042 | Inflammation and hypoxia linked to renal injury by CCAAT/enhancer-binding protein $\beta$ . <i>Kidney International</i> , 2015, 88, 262-275.  | 5.2  | 64        |
| 3043 | Tumor hypoxia induces nuclear paraspeckle formation through HIF-2 $\alpha$ dependent transcriptional activation of NEAT1 leading to cancer cell survival. <i>Oncogene</i> , 2015, 34, 4482-4490.  | 5.9  | 245       |
| 3044 | Diaryl-substituted carboranes as inhibitors of hypoxia inducible factor-1 transcriptional activity. <i>Pure and Applied Chemistry</i> , 2015, 87, 143-154.  | 1.9  | 10        |
| 3045 | Efficient apoptosis and necrosis induction by proteasome inhibitor: bortezomib in the DLD-1 human colon cancer cell line. <i>Molecular and Cellular Biochemistry</i> , 2015, 398, 165-173.  | 3.1  | 14        |
| 3046 | Effects of High-Dose Microbeam Irradiation on Tumor Microvascular Function and Angiogenesis. <i>Radiation Research</i> , 2015, 183, 147.  | 1.5  | 19        |
| 3047 | Eicosapentaenoic acid upregulates VEGF-A through both GPR120 and PPAR $\beta$ mediated pathways in 3T3-L1 adipocytes. <i>Molecular and Cellular Endocrinology</i> , 2015, 406, 10-18.   | 3.2  | 56        |
| 3048 | YLT192, a Novel, Orally Active Bioavailable Inhibitor of VEGFR2 Signaling with Potent Antiangiogenic Activity and Antitumor Efficacy in Preclinical Models. <i>Scientific Reports</i> , 2015, 4, 6031.  | 3.3  | 31        |
| 3049 | Dietary glucosylceramides suppress tumor growth in a mouse xenograft model of head and neck squamous cell carcinoma by the inhibition of angiogenesis through an increase in ceramide. <i>International Journal of Clinical Oncology</i> , 2015, 20, 438-446. | 2.2  | 21        |
| 3050 | Crosstalk between PI3K and Ras pathways via protein phosphatase 2A in human ovarian clear cell carcinoma. <i>Cancer Biology and Therapy</i> , 2015, 16, 325-335.  | 3.4  | 12        |
| 3051 | In vitro inhibitory activities of six gypenosides on human liver cancer cell line HepG2 and possible role of HIF-1 $\alpha$ pathway in them. <i>Chemico-Biological Interactions</i> , 2015, 238, 48-54.   | 4.0  | 19        |
| 3052 | Hypoxia inducible factor 1 $\alpha$ down regulates cell surface expression of $\alpha$ 1,2–fucosylated glycans in human pancreatic adenocarcinoma cells. <i>FEBS Letters</i> , 2015, 589, 2359-2366.  | 2.8  | 20        |
| 3053 | Both GLUT-1 and GLUT-14 are Independent Prognostic Factors in Gastric Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 822-831.   | 1.5  | 36        |
| 3054 | Clinical significance of hypoxia-inducible factor 1 and VEGF-A in osteosarcoma. <i>International Journal of Clinical Oncology</i> , 2015, 20, 1233-1243.  | 2.2  | 30        |
| 3055 | HIF-1 $\alpha$ pathway: role, regulation and intervention for cancer therapy. <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 378-389.  | 12.0 | 1,377     |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3056 | Deletion of prolyl hydroxylase domain proteins (PHD1, PHD3) stabilizes hypoxia inducible factor-1 alpha, promotes neovascularization, and improves perfusion in a murine model of hind-limb ischemia. <i>Microvascular Research</i> , 2015, 97, 181-188. | 2.5 | 27        |
| 3057 | Simulation Predicts IGFBP2-HIF1 $\alpha$ Interaction Drives Glioblastoma Growth. <i>PLoS Computational Biology</i> , 2015, 11, e1004169.   | 3.2 | 19        |
| 3058 | Sirtuins and the Metabolic Hurdles in Cancer. <i>Current Biology</i> , 2015, 25, R569-R583.  | 3.9 | 60        |
| 3059 | Antiangiogenic Activity of the Lipophilic Antimicrobial Peptides from an Endophytic Bacterial Strain Isolated from Red Pepper Leaf. <i>Molecules and Cells</i> , 2015, 38, 273-278.  | 2.6 | 23        |
| 3060 | AMPK-HDAC5 pathway facilitates nuclear accumulation of HIF-1 $\alpha$ and functional activation of HIF-1 by deacetylating Hsp70 in the cytosol. <i>Cell Cycle</i> , 2015, 14, 2520-2536.   | 2.6 | 85        |
| 3061 | 3D-printed dimethyloxallyl glycine delivery scaffolds to improve angiogenesis and osteogenesis. <i>Biomaterials Science</i> , 2015, 3, 1236-1244.  | 5.4 | 79        |
| 3062 | Molecular Connections between Cancer Cell Metabolism and the Tumor Microenvironment. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11055-11086.   | 4.1 | 104       |
| 3063 | KSHV induces aerobic glycolysis and angiogenesis through HIF-1-dependent upregulation of pyruvate kinase 2 in Kaposi's sarcoma. <i>Angiogenesis</i> , 2015, 18, 477-488.   | 7.2 | 78        |
| 3064 | STIM1 Mediates Hypoxia-Driven Hepatocarcinogenesis via Interaction with HIF-1. <i>Cell Reports</i> , 2015, 12, 388-395.  | 6.4 | 61        |
| 3065 | Inhalational Anesthetic Agents and Their Effects on Cancer Cell Biology. <i>Current Anesthesiology Reports</i> , 2015, 5, 268-277.   | 2.0 | 2         |
| 3066 | Optimal radiation fractionation for low-grade gliomas: Insights from a mathematical model. <i>Mathematical Biosciences</i> , 2015, 267, 1-9.   | 1.9 | 25        |
| 3068 | Probing the epigenetic regulation of HIF-1 $\alpha$ transcription in developing tissue. <i>Molecular BioSystems</i> , 2015, 11, 2780-2785.   | 2.9 | 5         |
| 3069 | Antitumor effect of D-erythrose in an abdominal metastatic model of colon carcinoma. <i>Oncology Letters</i> , 2015, 9, 769-773.   | 1.8 | 8         |
| 3070 | Selecting bioactive phenolic compounds as potential agents to inhibit proliferation and VEGF expression in human ovarian cancer cells. <i>Oncology Letters</i> , 2015, 9, 1444-1450.   | 1.8 | 44        |
| 3071 | Functional role of inorganic trace elements in angiogenesis—Part II: Cr, Si, Zn, Cu, and S. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 96, 143-155.  | 4.4 | 109       |
| 3072 | Modulation of the tumor vasculature and oxygenation to improve therapy. , 2015, 153, 107-124.  |     | 104       |
| 3073 | Oxygen Deprivation and the Cellular Response to Hypoxia in Adipocytes – Perspectives on White and Brown Adipose Tissues in Obesity. <i>Frontiers in Endocrinology</i> , 2015, 6, 19.   | 3.5 | 66        |
| 3074 | Multiplicity of Hypoxia-Inducible Transcription Factors and Their Connection to the Circadian Clock in the Zebrafish. <i>Physiological and Biochemical Zoology</i> , 2015, 88, 146-157.  | 1.5 | 28        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3075 | Hypoxia signalling manipulation for bone regeneration. <i>Expert Reviews in Molecular Medicine</i> , 2015, 17, e6.   | 3.9  | 59        |
| 3076 | Targeting Cullin-RING E3 ubiquitin ligases for drug discovery: structure, assembly and small-molecule modulation. <i>Biochemical Journal</i> , 2015, 467, 365-386.   | 3.7  | 168       |
| 3077 | Chemical analysis of multicellular tumour spheroids. <i>Analyst</i> , 2015, 140, 3910-3920.  | 3.5  | 41        |
| 3078 | Boron-Based Drug Design. <i>Chemical Record</i> , 2015, 15, 616-635.   | 5.8  | 119       |
| 3079 | IGFBP-2: The dark horse in metabolism and cancer. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 329-346.   | 7.2  | 79        |
| 3080 | Hypoxia-inducible factor-1 modulates the expression of vascular endothelial growth factor and endothelial nitric oxide synthase induced by eccentric exercise. <i>Journal of Applied Physiology</i> , 2015, 118, 1075-1083.                              | 2.5  | 44        |
| 3081 | Reovirus double-stranded RNA genomes and poly(C) induce down-regulation of hypoxia-inducible factor 1 $\alpha$ . <i>Biochemical and Biophysical Research Communications</i> , 2015, 460, 1041-1046.  | 2.1  | 10        |
| 3082 | Hypoxia and Prostate Cancer Aggressiveness: A Tale With Many Endings. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 295-301.  | 1.9  | 76        |
| 3083 | Increased expression of PHD3 represses the HIF-1 signaling pathway and contributes to poor neovascularization in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology</i> , 2015, 50, 975-983.   | 5.1  | 14        |
| 3084 | Structural Elucidation and Synthesis of Eudistidine A: An Unusual Polycyclic Marine Alkaloid that Blocks Interaction of the Protein Binding Domains of p300 and HIF-1 $\alpha$ . <i>Journal of the American Chemical Society</i> , 2015, 137, 5569-5575. | 13.7 | 35        |
| 3085 | 18F-FAZA PET Imaging Response Tracks the Reoxygenation of Tumors in Mice upon Treatment with the Mitochondrial Complex I Inhibitor BAY 87-2243. <i>Clinical Cancer Research</i> , 2015, 21, 335-346.   | 7.0  | 24        |
| 3086 | A Lactate-Induced Response to Hypoxia. <i>Cell</i> , 2015, 161, 595-609.   | 28.9 | 364       |
| 3087 | Lipid starvation and hypoxia synergistically activate ICAM1 and multiple genes in an Sp1-dependent manner to promote the growth of ovarian cancer. <i>Molecular Cancer</i> , 2015, 14, 77.   | 19.2 | 29        |
| 3088 | The effects of ROS in prostatic stromal cells under hypoxic environment. <i>Aging Male</i> , 2015, 18, 84-88.  | 1.9  | 17        |
| 3089 | Secalonic Acid-D Represses HIF1 $\alpha$ /VEGF-Mediated Angiogenesis by Regulating the Akt/mTOR/p70S6K Signaling Cascade. <i>Cancer Research</i> , 2015, 75, 2886-2896.  | 0.9  | 62        |
| 3090 | Hypoxia and Predicting Radiation Response. <i>Seminars in Radiation Oncology</i> , 2015, 25, 260-272.  | 2.2  | 73        |
| 3091 | Hypoxia upregulates Rab11-family interacting protein 4 through HIF-1 $\alpha$ to promote the metastasis of hepatocellular carcinoma. <i>Oncogene</i> , 2015, 34, 6007-6017.  | 5.9  | 43        |
| 3092 | Design, synthesis, and structure-activity relationships of 1-ethylpyrazole-3-carboxamide compounds as novel hypoxia-inducible factor (HIF)-1 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 1776-1787.                                | 3.0  | 24        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3093 | Phosphatidylinositol-3-kinase as a putative target for anticancer action of clotrimazole. <i>International Journal of Biochemistry and Cell Biology</i> , 2015, 62, 132-141.   | 2.8  | 13        |
| 3094 | Hypoxia-inducible TAp73 supports tumorigenesis by regulating the angiogenic transcriptome. <i>Nature Cell Biology</i> , 2015, 17, 511-523.   | 10.3 | 48        |
| 3095 | Advances in the treatment of prostate cancer with radiotherapy. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 95, 144-153.  | 4.4  | 14        |
| 3096 | The effect of photoinitiators on intracellular AKT signaling pathway in tissue engineering application. <i>Biomaterials Science</i> , 2015, 3, 250-255.  | 5.4  | 46        |
| 3097 | Translational Activation of HIF1 $\alpha$ by YB-1 Promotes Sarcoma Metastasis. <i>Cancer Cell</i> , 2015, 27, 682-697.   | 16.8 | 226       |
| 3098 | Metabolic pathways in cancers: key targets and implications in cancer therapy. <i>RSC Advances</i> , 2015, 5, 41751-41762.   | 3.6  | 9         |
| 3099 | Sunitinib reduces tumor hypoxia and angiogenesis, and radiosensitizes prostate cancer stem-like cells. <i>Prostate</i> , 2015, 75, 1137-1149.  | 2.3  | 35        |
| 3100 | Novel therapeutic targets and predictive markers for hepatocellular carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 973-983.   | 3.4  | 9         |
| 3101 | Enhancement of vascular endothelial growth factor release in long-term drug-treated breast cancer via transient receptor potential channel 5-Ca <sup>2+</sup> -hypoxia-inducible factor 1 $\alpha$ pathway. <i>Pharmacological Research</i> , 2015, 93, 36-42. | 7.1  | 36        |
| 3102 | Adipose tissue dysfunction and its effects on tumor metabolism. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2015, 21, 17-41.   | 0.7  | 31        |
| 3103 | Inhibition of NADPH Oxidase-4 Potentiates 2-Deoxy-D-Glucose-Induced Suppression of Glycolysis, Migration, and Invasion in Glioblastoma Cells: Role of the Akt/HIF1 $\alpha$ /HK-2 Signaling Axis. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 665-681. | 5.4  | 25        |
| 3104 | Dynamic combinatorial chemistry: a tool to facilitate the identification of inhibitors for protein targets. <i>Chemical Society Reviews</i> , 2015, 44, 2455-2488.   | 38.1 | 176       |
| 3105 | Postsurgical adjuvant or metastatic renal cell carcinoma therapy models reveal potent antitumor activity of metronomic oral topotecan with pazopanib. <i>Science Translational Medicine</i> , 2015, 7, 282ra50.  | 12.4 | 48        |
| 3106 | Adenosine A2b receptor promotes progression of human oral cancer. <i>BMC Cancer</i> , 2015, 15, 563.   | 2.6  | 62        |
| 3107 | Synthesis and Biological Evaluation of Manassantin Analogues for Hypoxia-Inducible Factor 1 $\alpha$ Inhibition. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 7659-7671.  | 6.4  | 19        |
| 3108 | Modulation of epithelial-to-mesenchymal cancerous transition by natural products. <i>Anti-cancer Therapy</i> , 2015, 106, 247-255.   | 2.2  | 15        |
| 3109 | Activation by zinc of the human gastrin gene promoter in colon cancer cells in vitro and in vivo. <i>Metallomics</i> , 2015, 7, 1390-1398.   | 2.4  | 15        |
| 3110 | NcoA2-Dependent Inhibition of HIF-1 $\alpha$ Activation Is Regulated via AhR. <i>Toxicological Sciences</i> , 2015, 148, 517-530.  | 3.1  | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3111 | A novel method to visually determine the intracellular pH of xenografted tumor in vivo by utilizing fluorescent protein as an indicator. Biochemical and Biophysical Research Communications, 2015, 464, 1151-1156.                  | 2.1 | 4         |
| 3112 | Identifying novel hypoxia-associated markers of chemoresistance in ovarian cancer. BMC Cancer, 2015, 15, 547.  | 2.6 | 37        |
| 3113 | Autophagy and its function in radiosensitivity. Tumor Biology, 2015, 36, 4079-4087.  | 1.8 | 37        |
| 3114 | VEGF and Notch Signaling in Angiogenesis. , 2015, , 3-46.  |     | 1         |
| 3115 | Tumor cell survival pathways activated by photodynamic therapy: a molecular basis for pharmacological inhibition strategies. Cancer and Metastasis Reviews, 2015, 34, 643-690.   | 5.9 | 191       |
| 3116 | Role of Nitric Oxide in the Regulation of the Pro-tumorigenic Hypoxic Phenotype: From Instigation to Mitigation. , 2015, , 65-84.  |     | 0         |
| 3117 | Antiangiogenic activity of herboxidiene via downregulation of vascular endothelial growth factor receptor-2 and hypoxia-inducible factor-1. Archives of Pharmacal Research, 2015, 38, 1728-1735.                                     | 6.3 | 13        |
| 3118 | Enhanced expression of CD31/platelet endothelial cell adhesion molecule 1 (PECAM1) correlates with hypoxia inducible factor-1 alpha (HIF-1) in human glioblastoma multiforme. Experimental Cell Research, 2015, 339, 407-416.        | 2.6 | 35        |
| 3119 | Metabolic changes in type 2 diabetes are reflected in peripheral blood cells, revealing aberrant cytotoxicity, a viral signature, and hypoxia inducible factor activity. BMC Medical Genomics, 2015, 8, 20.                          | 1.5 | 20        |
| 3120 | Perioperative Interventions During Cancer Surgery: Can Anesthetic and Analgesic Techniques Influence Outcome?. Current Anesthesiology Reports, 2015, 5, 318-330.   | 2.0 | 1         |
| 3121 | Cellular and Molecular Mechanisms Underlying Oxygen-Dependent Radiosensitivity. Radiation Research, 2015, 183, 487-496.  | 1.5 | 47        |
| 3122 | Lycopene Enriched Tomato Extract Inhibits Hypoxia, Angiogenesis, and Metastatic Markers in early Stage N-Nitrosodiethylamine Induced Hepatocellular Carcinoma. Nutrition and Cancer, 2015, 67, 1270-1277.                            | 2.0 | 42        |
| 3123 | Prognostic value of <sup>18</sup> F-fluoroazomycin arabinoside PET/CT in patients with advanced non-small cell lung cancer. Cancer Science, 2015, 106, 1554-1560.  | 3.9 | 24        |
| 3124 | Dihydrotanshinone I inhibits the translational expression of hypoxia-inducible factor-1. Chemico-Biological Interactions, 2015, 240, 48-58.  | 4.0 | 11        |
| 3125 | PHD3 Stabilizes the Tight Junction Protein Occludin and Protects Intestinal Epithelial Barrier Function. Journal of Biological Chemistry, 2015, 290, 20580-20589.  | 3.4 | 53        |
| 3126 | Tumor microenvironment: Sanctuary of the devil. Cancer Letters, 2015, 368, 7-13.   | 7.2 | 601       |
| 3127 | Hepatocellular Carcinoma: A Phase II Randomized Controlled Double-Blind Trial of Transarterial Chemoembolization in Combination with Biweekly Intravenous Administration of Bevacizumab or a Placebo. Radiology, 2015, 277, 903-912. | 7.3 | 60        |
| 3128 | Cinnamic aldehyde suppresses hypoxia-induced angiogenesis via inhibition of hypoxia-inducible factor-1 expression during tumor progression. Biochemical Pharmacology, 2015, 98, 41-50.   | 4.4 | 25        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3129 | Mechanisms of Cancer Cell Dormancy—Another Hallmark of Cancer?. <i>Cancer Research</i> , 2015, 75, 5014-5022.  | 0.9  | 168       |
| 3130 | Novel potent HIF-1 inhibitors for the prevention of tumor metastasis: discovery and optimization of 3-aryl-5-indazole-1,2,4-oxadiazole derivatives. <i>RSC Advances</i> , 2015, 5, 81817-81830.  | 3.6  | 15        |
| 3131 | Metabolic Reprogramming of Immune Cells in Cancer Progression. <i>Immunity</i> , 2015, 43, 435-449.  | 14.3 | 480       |
| 3132 | The Role of Hypoxia and Cancer Stem Cells in Renal Cell Carcinoma Pathogenesis. <i>Stem Cell Reviews and Reports</i> , 2015, 11, 919-943.  | 5.6  | 72        |
| 3133 | Chemical biology approach for the development of hypoxia inducible factor (HIF) inhibitor LW6 as a potential anticancer agent. <i>Archives of Pharmacal Research</i> , 2015, 38, 1563-1574.  | 6.3  | 11        |
| 3134 | Vessel network formation in response to intermittent hypoxia is frequency dependent. <i>Journal of Bioscience and Bioengineering</i> , 2015, 120, 347-350.   | 2.2  | 16        |
| 3135 | pH-responsive hybrid quantum dots for targeting hypoxic tumor siRNA delivery. <i>Journal of Controlled Release</i> , 2015, 220, 529-544.   | 9.9  | 61        |
| 3136 | Rod metabolic demand drives progression in retinopathies. <i>Taiwan Journal of Ophthalmology</i> , 2015, 5, 105-108.   | 0.7  | 14        |
| 3137 | Tuning Graft- and Host-Derived Vascularization in Modular Tissue Constructs: A Potential Role of HIF1 Activation. <i>Tissue Engineering - Part A</i> , 2015, 21, 803-816.  | 3.1  | 5         |
| 3138 | Systemic delivery of axitinib with nanohybrid liposomal nanoparticles inhibits hypoxic tumor growth. <i>Journal of Materials Chemistry B</i> , 2015, 3, 408-416.   | 5.8  | 37        |
| 3139 | Gli-1 is crucial for hypoxia-induced epithelial-mesenchymal transition and invasion of breast cancer. <i>Tumor Biology</i> , 2015, 36, 3119-3126.  | 1.8  | 47        |
| 3140 | Galbanic acid inhibits HIF-1 $\alpha$ expression via EGFR/HIF-1 $\alpha$ pathway in cancer cells. <i>FASEB J</i> , 2015, 101, 1-12.  | 2.2  | 48        |
| 3141 | Therapeutic targeting of hypoxia and hypoxia-inducible factor 1 alpha in multiple myeloma. <i>Translational Research</i> , 2015, 165, 641-650.   | 5.0  | 47        |
| 3142 | Effect of 17 $\beta$ -estradiol on mediators involved in mesenchymal stromal cell trafficking in cell therapy of diabetes. <i>Cytotherapy</i> , 2015, 17, 46-57.   | 0.7  | 23        |
| 3143 | Role of copper in regression of cardiac hypertrophy. , 2015, 148, 66-84.   |      | 46        |
| 3144 | New Insights into the Connection Between Histone Deacetylases, Cell Metabolism, and Cancer. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 30-50.   | 5.4  | 11        |
| 3145 | 5,3 $\alpha$ -Dihydroxy-6,7,4 $\alpha$ -trimethoxyflavanone exerts its anticancer and antiangiogenesis effects through regulation of the Akt/mTOR signaling pathway in human lung cancer cells. <i>Chemico-Biological Interactions</i> , 2015, 225, 32-39. | 4.0  | 21        |
| 3146 | Warburg meets non-coding RNAs: the emerging role of ncRNA in regulating the glucose metabolism of cancer cells. <i>Tumor Biology</i> , 2015, 36, 81-94.  | 1.8  | 26        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3147 | Hypoxia and the pharmaceutical diclofenac influence the circadian responses of three-spined stickleback. <i>Aquatic Toxicology</i> , 2015, 158, 116-124.  | 4.0  | 24        |
| 3148 | GAPDH enhances the aggressiveness and the vascularization of non-Hodgkin's B lymphomas via NF- $\kappa$ B-dependent induction of HIF-1 $\alpha$ . <i>Leukemia</i> , 2015, 29, 1163-1176.  | 7.2  | 55        |
| 3149 | The enhancement of gene silencing efficiency with chitosan-coated liposome formulations of siRNAs targeting HIF-1 $\alpha$ and VEGF. <i>International Journal of Pharmaceutics</i> , 2015, 478, 147-154.                          | 5.2  | 44        |
| 3150 | Incorporation of a Prolyl Hydroxylase Inhibitor into Scaffolds: A Strategy for Stimulating Vascularization. <i>Tissue Engineering - Part A</i> , 2015, 21, 1106-1115.   | 3.1  | 1         |
| 3151 | Cancer cell metabolism and the modulating effects of nitric oxide. <i>Free Radical Biology and Medicine</i> , 2015, 79, 324-336.  | 2.9  | 86        |
| 3152 | Blood flow changes of the anterior humeral circumflex artery decrease with the scapula in internal rotation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1467-1472.   | 4.2  | 11        |
| 3153 | Diet-induced hypoxia responsive element demethylation increases CEACAM6 expression, favouring Crohn's disease-associated <i>Escherichia coli</i> colonisation. <i>Gut</i> , 2015, 64, 428-437.                                    | 12.1 | 35        |
| 3154 | Tumors of the neural crest: Common themes in development and cancer. <i>Developmental Dynamics</i> , 2015, 244, 311-322.  | 1.8  | 91        |
| 3155 | Radiation sensitivity assay with a panel of patient-derived spheroids of small cell carcinoma of the cervix. <i>International Journal of Cancer</i> , 2015, 136, 2949-2960.   | 5.1  | 27        |
| 3156 | Curcumin inhibits hypoxia-induced migration in K1 papillary thyroid cancer cells. <i>Experimental Biology and Medicine</i> , 2015, 240, 925-935.  | 2.4  | 32        |
| 3157 | The Warburg effect: Evolving interpretations of an established concept. <i>Free Radical Biology and Medicine</i> , 2015, 79, 253-263.   | 2.9  | 161       |
| 3158 | Assessment of Metabolic Flexibility of Old and Adult Mice Using Three Noninvasive, Indirect Calorimetry-Based Treatments. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 282-293. | 3.6  | 20        |
| 3159 | EFNA3 long noncoding RNAs induced by hypoxia promote metastatic dissemination. <i>Oncogene</i> , 2015, 34, 2609-2620.   | 5.9  | 91        |
| 3160 | Tissue inhibitor of metalloproteinases-1 induces a pro-tumourigenic increase of miR-210 in lung adenocarcinoma cells and their exosomes. <i>Oncogene</i> , 2015, 34, 3640-3650.   | 5.9  | 168       |
| 3161 | Expression of hypoxic signaling markers in head and neck squamous cell carcinoma and its clinical significance. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 219-228.   | 1.6  | 13        |
| 3163 | Expression of LPA2 is associated with poor prognosis in human breast cancer and regulates HIF-1 $\alpha$ expression and breast cancer cell growth. <i>Oncology Reports</i> , 2016, 36, 3479-3487.                                 | 2.6  | 24        |
| 3164 | Inhibition of hypoxia inducible factor 1 and topoisomerase with acriflavine sensitizes perihilar cholangiocarcinomas to photodynamic therapy. <i>Oncotarget</i> , 2016, 7, 3341-3356.   | 1.8  | 56        |
| 3165 | Crossroad of Inflammation and Oxidative Stress in Cancer. <i>SSRN Electronic Journal</i> , 2016, , .  | 0.4  | 0         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3166 | Prognostic role of hypoxia-inducible factor-1 alpha expression in osteosarcoma: a meta-analysis. OncoTargets and Therapy, 2016, 9, 1477.   | 2.0 | 24        |
| 3167 | Roles of SHARP1 in thyroid cancer. Molecular Medicine Reports, 2016, 13, 5365-5371.  | 2.4 | 4         |
| 3168 | mTOR as a Modulator of Metabolite Sensing Relevant to Angiogenesis. , 2016, , 229-243.   |     | 4         |
| 3169 | Selection, Analysis and Improvement of Anti-Angiogenesis Compounds Identified by an Anti-HIF-1 $\alpha$ Screening and Validation System. Journal of Cancer, 2016, 7, 1926-1938.                                  | 2.5 | 7         |
| 3170 | Modulation of Innate Immunity by Hypoxia. , 2016, , 81-106.  |     | 0         |
| 3171 | Bufalin suppresses hepatocellular carcinoma invasion and metastasis by targeting HIF-1 $\alpha$ via the PI3K/AKT/mTOR pathway. Oncotarget, 2016, 7, 20193-20208.   | 1.8 | 98        |
| 3172 | TRIM44 promotes proliferation and metastasis in non-small cell lung cancer via mTOR signaling pathway. Oncotarget, 2016, 7, 30479-30491.   | 1.8 | 53        |
| 3173 | Metabolic Shunt Pathways, Carcinoma, and mTOR. , 2016, , 429-438.  |     | 0         |
| 3174 | The altered glucose metabolism in tumor and a tumor acidic microenvironment associated with extracellular matrix metalloproteinase inducer and monocarboxylate transporters. Oncotarget, 2016, 7, 23141-23155.   | 1.8 | 39        |
| 3175 | Pathophysiology of colorectal peritoneal carcinomatosis: Role of the peritoneum. World Journal of Gastroenterology, 2016, 22, 7692.  | 3.3 | 109       |
| 3176 | LY6E: a conductor of malignant tumor growth through modulation of the PTEN/PI3K/Akt/HIF-1 axis. Oncotarget, 2016, 7, 65837-65848.  | 1.8 | 35        |
| 3177 | In vivo genetic dissection of tumor growth and the Warburg effect. ELife, 2016, 5, .   | 6.0 | 78        |
| 3178 | Atypical Diabetic Foot Ulcer Keratinocyte Protein Signaling Correlates with Impaired Wound Healing. Journal of Diabetes Research, 2016, 2016, 1-10.  | 2.3 | 21        |
| 3179 | Redox Homeostasis and Cellular Antioxidant Systems: Crucial Players in Cancer Growth and Therapy. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-16.   | 4.0 | 225       |
| 3180 | Chromobox Homolog 4 is Positively Correlated to Tumor Growth, Survival and Activation of HIF-1 $\alpha$ Signaling in Human Osteosarcoma under Normoxic Condition. Journal of Cancer, 2016, 7, 427-435.           | 2.5 | 23        |
| 3181 | Silver nanoparticles inhibit the function of hypoxia-inducible factor-1 and target genes: insight into the cytotoxicity and antiangiogenesis. International Journal of Nanomedicine, 2016, Volume 11, 6679-6692. | 6.7 | 84        |
| 3182 | Hypoxia-targeted 131I therapy of hepatocellular cancer after systemic mesenchymal stem cell-mediated sodium iodide symporter gene delivery. Oncotarget, 2016, 7, 54795-54810.                                    | 1.8 | 31        |
| 3183 | Targeting Leukemia Stem Cells: Which Pathways Drive Self-Renewal Activity in T-Cell Acute Lymphoblastic Leukemia?. Current Oncology, 2016, 23, 34-41.  | 2.2 | 18        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3184 | Hypoxia-Inducible Factors (HIFs) and Phosphorylation: Impact on Stability, Localization, and Transactivity. <i>Frontiers in Cell and Developmental Biology</i> , 2016, 4, 11.   | 3.7  | 141       |
| 3185 | T Cells and Cancer: How Metabolism Shapes Immunity. <i>Frontiers in Immunology</i> , 2016, 7, 20.   | 4.8  | 77        |
| 3186 | Aberrant Lipid Metabolism Promotes Prostate Cancer: Role in Cell Survival under Hypoxia and Extracellular Vesicles Biogenesis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1061.                                       | 4.1  | 77        |
| 3187 | Nutrient-Deprived Retinal Progenitors Proliferate in Response to Hypoxia: Interaction of the HIF-1 and mTOR Pathway. <i>Journal of Developmental Biology</i> , 2016, 4, 17.   | 1.7  | 8         |
| 3188 | Stimuli-Responsive Gold Nanoparticles for Cancer Diagnosis and Therapy. <i>Journal of Functional Biomaterials</i> , 2016, 7, 19.  | 4.4  | 32        |
| 3189 | Hypoxia Decreases Invasin-Mediated <i>Yersinia enterocolitica</i> Internalization into Caco-2 Cells. <i>PLoS ONE</i> , 2016, 11, e0146103.  | 2.5  | 17        |
| 3190 | Peptidyl Prolyl Isomerase PIN1 Directly Binds to and Stabilizes Hypoxia-Inducible Factor-1 $\alpha$ . <i>PLoS ONE</i> , 2016, 11, e0147038.   | 2.5  | 48        |
| 3191 | A Novel Malate Dehydrogenase 2 Inhibitor Suppresses Hypoxia-Inducible Factor-1 by Regulating Mitochondrial Respiration. <i>PLoS ONE</i> , 2016, 11, e0162568.   | 2.5  | 40        |
| 3192 | Reference Genes for Addressing Gene Expression of Bladder Cancer Cell Models under Hypoxia: A Step Towards Transcriptomic Studies. <i>PLoS ONE</i> , 2016, 11, e0166120.  | 2.5  | 18        |
| 3193 | Adenosine Stimulate Proliferation and Migration in Triple Negative Breast Cancer Cells. <i>PLoS ONE</i> , 2016, 11, e0167445.   | 2.5  | 41        |
| 3194 | Metformin suppresses hypoxia-induced stabilization of HIF-1 $\alpha$ through reprogramming of oxygen metabolism in hepatocellular carcinoma. <i>Oncotarget</i> , 2016, 7, 873-884.  | 1.8  | 89        |
| 3195 | Identification of Targets of the HIF-1 Inhibitor IDF-11774 Using Alkyne-Conjugated Photoaffinity Probes. <i>Bioconjugate Chemistry</i> , 2016, 27, 1911-1920.   | 3.6  | 25        |
| 3196 | Intelligent Albumin-MnO <sub>2</sub> Nanoparticles as pH/H <sub>2</sub> O <sub>2</sub> -Responsive Dissociable Nanocarriers to Modulate Tumor Hypoxia for Effective Combination Therapy. <i>Advanced Materials</i> , 2016, 28, 7129-7136. | 21.0 | 882       |
| 3197 | Hypoxia-Inducible Factor-1: A Critical Player in the Survival Strategy of Stressed Cells. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 267-278.   | 2.6  | 85        |
| 3198 | MRI In rectal cancer: Correlations between MRI features and molecular markers Ki-67, HIF-1 $\alpha$ , and VEGF. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 594-600.   | 3.4  | 33        |
| 3199 | The mTOR Complexes in Cancer Cell Metabolism. <i>Cancer Drug Discovery and Development</i> , 2016, , 29-63.   | 0.4  | 2         |
| 3200 | Hypoxia Promotes the Inflammatory Response and Stemness Features in Visceral Fat Stem Cells From Obese Subjects. <i>Journal of Cellular Physiology</i> , 2016, 231, 668-679.  | 4.1  | 26        |
| 3201 | Multifunctional Polymeric Nanosystems for Dual-Targeted Combinatorial Chemo/Antiangiogenesis Therapy of Tumors. <i>Advanced Healthcare Materials</i> , 2016, 5, 1447-1461.  | 7.6  | 37        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3202 | Hypoxia and classical activation limits Mycobacterium tuberculosis survival by Akt-dependent glycolytic shift in macrophages. <i>Cell Death Discovery</i> , 2016, 2, 16022.  | 4.7 | 32        |
| 3203 | Differential cell-matrix responses in hypoxia-stimulated aortic versus mitral valves. <i>Journal of the Royal Society Interface</i> , 2016, 13, 20160449.  | 3.4 | 21        |
| 3204 | Hypoxia inducible factor-1 $\alpha$ -dependent epithelial to mesenchymal transition under hypoxic conditions in prostate cancer cells. <i>Oncology Reports</i> , 2016, 36, 521-527.  | 2.6 | 18        |
| 3205 | Silencing of hypoxia-inducible factor-1 $\alpha$ promotes thyroid cancer cell apoptosis and inhibits invasion by downregulating WWP2, WWP9, VEGF and VEGFR2. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 3735-3741.             | 1.8 | 19        |
| 3206 | Anti-cancer effect of pristimerin by inhibition of HIF-1 $\alpha$ involves the SPHK-1 pathway in hypoxic prostate cancer cells. <i>BMC Cancer</i> , 2016, 16, 701.   | 2.6 | 32        |
| 3207 | Different cyclical intermittent hypoxia severities have different effects on hippocampal microvasculature. <i>Journal of Applied Physiology</i> , 2016, 121, 78-88.  | 2.5 | 17        |
| 3208 | Carotid artery stenosis with a high-intensity signal plaque on time-of-flight magnetic resonance angiography and association with evidence of intraplaque hypoxia. <i>Journal of Neurosurgery</i> , 2016, 126, 1873-1878.                    | 1.6 | 9         |
| 3209 | Promotion of a cancer-like phenotype, through chronic exposure to inflammatory cytokines and hypoxia in a bronchial epithelial cell line model. <i>Scientific Reports</i> , 2016, 6, 18907.  | 3.3 | 6         |
| 3210 | Erythropoietin and thrombopoietin mimetics: Natural alternatives to erythrocyte and platelet disorders. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 108, 175-186.   | 4.4 | 9         |
| 3211 | The acute and delayed effects of perinatal hypoxic brain damage in children and in model experiments with rodents. <i>Neurochemical Journal</i> , 2016, 10, 258-272.   | 0.5 | 6         |
| 3212 | Co-targeting EGFR and survivin with a bivalent aptamer-dual siRNA chimera effectively suppresses prostate cancer. <i>Scientific Reports</i> , 2016, 6, 30346.  | 3.3 | 52        |
| 3213 | Development of a real-time imaging system for hypoxic cell apoptosis. <i>Molecular Therapy - Methods and Clinical Development</i> , 2016, 3, 16009.  | 4.1 | 2         |
| 3214 | Expression of glucose transporter-1 is correlated with hypoxia-inducible factor 1 $\alpha$ and malignant potential in pancreatic neuroendocrine tumors. <i>Oncology Letters</i> , 2016, 12, 3337-3343.                                       | 1.8 | 21        |
| 3215 | Hypoxia increases genome-wide bivalent epigenetic marking by specific gain of H3K27me3. <i>Epigenetics and Chromatin</i> , 2016, 9, 46.  | 3.9 | 63        |
| 3216 | Thermal Assessment of Ablation Limit of Subsurface Tumor During Focused Ultrasound and Laser Heating. <i>Journal of Thermal Science and Engineering Applications</i> , 2016, 8, .  | 1.5 | 13        |
| 3217 | MicroRNA-199a-5p inhibits tumor proliferation in melanoma by mediating HIF-1 $\alpha$ . <i>Molecular Medicine Reports</i> , 2016, 13, 5241-5247.   | 2.4 | 34        |
| 3218 | Oxalomalate reduces expression and secretion of vascular endothelial growth factor in the retinal pigment epithelium and inhibits angiogenesis: Implications for age-related macular degeneration. <i>Redox Biology</i> , 2016, 10, 211-220. | 9.0 | 13        |
| 3219 | Simultaneous mapping of unevenly distributed tissue hypoxia and vessel permeability in tumor microenvironment. <i>Biomedical Physics and Engineering Express</i> , 2016, 2, 065017.  | 1.2 | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3220 | Resveratrol inhibits hypoxia-driven ROS-induced invasive and migratory ability of pancreatic cancer cells via suppression of the Hedgehog signaling pathway. <i>Oncology Reports</i> , 2016, 35, 1718-1726.   | 2.6  | 74        |
| 3221 | Hypoxia-inducible factor 1 $\alpha$ -mediated characteristic features of cancer cells for tumor radioresistance. <i>Journal of Radiation Research</i> , 2016, 57, i99-i105.   | 1.6  | 81        |
| 3222 | Biological and Prognostic Significance of the Morphological Types and Vascular Patterns in Colorectal Liver Metastases (CRLM). <i>Medicine (United States)</i> , 2016, 95, e2924.   | 1.0  | 24        |
| 3223 | Nonlinear ghost waves accelerate the progression of high-grade brain tumors. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2016, 39, 360-380.   | 3.3  | 9         |
| 3224 | Role of mitochondrial dysfunction in cancer progression. <i>Experimental Biology and Medicine</i> , 2016, 241, 1281-1295.   | 2.4  | 212       |
| 3226 | The ever-expanding role of HIF in tumour and stromal biology. <i>Nature Cell Biology</i> , 2016, 18, 356-365.   | 10.3 | 337       |
| 3227 | l-carnosine dipeptide overcomes acquired resistance to 5-fluorouracil in HT29 human colon cancer cells via downregulation of HIF1 $\alpha$ and induction of apoptosis. <i>Biochimie</i> , 2016, 127, 196-204.   | 2.6  | 14        |
| 3228 | Role of HIF-1 on phosphofructokinase and fructose 1, 6-bisphosphatase expression during hypoxia in the white shrimp <i>Litopenaeus vannamei</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2016, 198, 1-7. | 1.8  | 45        |
| 3229 | PEGylated lipid bilayer-supported mesoporous silica nanoparticle composite for synergistic co-delivery of axitinib and celastrol in multi-targeted cancer therapy. <i>Acta Biomaterialia</i> , 2016, 39, 94-105.  | 8.3  | 116       |
| 3230 | Nanoparticles for Targeting Intratumoral Hypoxia: Exploiting a Potential Weakness of Glioblastoma. <i>Pharmaceutical Research</i> , 2016, 33, 2059-2077.  | 3.5  | 21        |
| 3231 | A comprehensive assessment of networks and pathways of hypoxia-associated proteins and identification of responsive protein modules. <i>Network Modeling Analysis in Health Informatics and Bioinformatics</i> , 2016, 5, 1.                                      | 2.1  | 4         |
| 3232 | Amperometric sensing of HIF1 $\alpha$ expressed in cancer cells and the effect of hypoxic mimicking agents. <i>Biosensors and Bioelectronics</i> , 2016, 83, 312-318.   | 10.1 | 22        |
| 3233 | Overexpression of HIF1 $\alpha$ and CAXI predicts poor outcome in early-stage triple negative breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 183-190.                                    | 2.8  | 38        |
| 3234 | Direct visualization of the phenotype of hypoxic tumor cells at single cell resolution in vivo using a new hypoxia probe. <i>Intravital</i> , 2016, 5, e1187803.  | 2.0  | 24        |
| 3235 | Upregulation of miR-183 expression and its clinical significance in human brain glioma. <i>Neurological Sciences</i> , 2016, 37, 1341-1347.   | 1.9  | 20        |
| 3236 | Heregulin/ErbB3 Signaling Enhances CXCR4-Driven Rac1 Activation and Breast Cancer Cell Motility via Hypoxia-Inducible Factor 1 $\alpha$ . <i>Molecular and Cellular Biology</i> , 2016, 36, 2011-2026.  | 2.3  | 46        |
| 3237 | Metabolic remodeling in early development and cardiomyocyte maturation. <i>Seminars in Cell and Developmental Biology</i> , 2016, 52, 84-92.  | 5.0  | 62        |
| 3238 | Rhapontigenin inhibits TGF- $\beta$ -mediated epithelial-mesenchymal transition via the PI3K/AKT/mTOR pathway and is not associated with HIF-1 $\alpha$ degradation. <i>Oncology Reports</i> , 2016, 35, 2887-2895.   | 2.6  | 21        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3239 | In Vivo Chemiluminescent Imaging Agents for Nitroreductase and Tissue Oxygenation. <i>Analytical Chemistry</i> , 2016, 88, 4995-5002.   | 6.5  | 109       |
| 3240 | Inhibitors of Growth 1b Suppresses Peroxisome Proliferator-Activated Receptor- $\beta$ Expression Through Downregulation of Hypoxia-Inducible Factor 1 $\alpha$ in Osteoblast Differentiation. <i>DNA and Cell Biology</i> , 2016, 35, 184-191. | 1.9  | 3         |
| 3241 | ITGA6 is directly regulated by hypoxia-inducible factors and enriches for cancer stem cell activity and invasion in metastatic breast cancer models. <i>Molecular Cancer</i> , 2016, 15, 26.  | 19.2 | 147       |
| 3242 | Age-dependent modulation of vascular niches for haematopoietic stem cells. <i>Nature</i> , 2016, 532, 380-384.  | 27.8 | 355       |
| 3243 | In vitro mechanistic and in vivo anti-tumor studies of Glycosmis pentaphylla (Retz.) DC against breast cancer. <i>Journal of Ethnopharmacology</i> , 2016, 186, 159-168.  | 4.1  | 7         |
| 3244 | A novel gene expression signature for bone metastasis in breast carcinomas. <i>Breast Cancer Research and Treatment</i> , 2016, 156, 249-259.   | 2.5  | 77        |
| 3245 | Hypoxia-inducible factors as molecular targets for liver diseases. <i>Journal of Molecular Medicine</i> , 2016, 94, 613-627.  | 3.9  | 104       |
| 3246 | Hypoxia-inducible factor 1 $\alpha$ -induced epithelial $\rightarrow$ mesenchymal transition of endometrial epithelial cells may contribute to the development of endometriosis. <i>Human Reproduction</i> , 2016, 31, 1327-1338.               | 0.9  | 73        |
| 3247 | HIF inhibitors for ischemic retinopathies and cancers: options beyond anti-VEGF therapies. <i>Angiogenesis</i> , 2016, 19, 257-273.   | 7.2  | 22        |
| 3248 | A causal link from ALK to hexokinase II overexpression and hyperactive glycolysis in EML4-ALK-positive lung cancer. <i>Oncogene</i> , 2016, 35, 6132-6142.  | 5.9  | 34        |
| 3249 | Synthesis and biological evaluation of 1,2-dithiol-3-thiones and pyrrolo[1,2-a]pyrazines as novel hypoxia inducible factor-1 (HIF-1) inhibitor. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 2843-2851.                                | 3.0  | 25        |
| 3250 | Screening and Biological Effects of Marine Pyrroloiminoquinone Alkaloids: Potential Inhibitors of the HIF-1 $\alpha$ /p300 Interaction. <i>Journal of Natural Products</i> , 2016, 79, 1267-1275.   | 3.0  | 46        |
| 3251 | Therapeutic targeting of hypoxia and hypoxia-inducible factors in cancer. , 2016, 164, 152-169.   |      | 507       |
| 3252 | Balancing efficacy of and host immune responses to cancer therapy: the yin and yang effects. <i>Nature Reviews Clinical Oncology</i> , 2016, 13, 611-626.   | 27.6 | 103       |
| 3253 | Hypoxia-responsive nanocarriers for cancer imaging and therapy: recent approaches and future perspectives. <i>Chemical Communications</i> , 2016, 52, 8492-8500.  | 4.1  | 125       |
| 3254 | Hypoxic tumor microenvironment: Opportunities to develop targeted therapies. <i>Biotechnology Advances</i> , 2016, 34, 803-812.   | 11.7 | 152       |
| 3255 | MiR-186 inhibited aerobic glycolysis in gastric cancer via HIF-1 $\alpha$ regulation. <i>Oncogenesis</i> , 2016, 5, e224-e224.  | 4.9  | 92        |
| 3256 | Major Action of Endogenous Lysyl Oxidase in Clear Cell Renal Cell Carcinoma Progression and Collagen Stiffness Revealed by Primary Cell Cultures. <i>American Journal of Pathology</i> , 2016, 186, 2473-2485.                                  | 3.8  | 36        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3257 | Quantitative Proteomic Profiling Reveals That Diverse Metabolic Pathways Are Influenced by Melatonin in an in Vivo Model of Ovarian Carcinoma. <i>Journal of Proteome Research</i> , 2016, 15, 3872-3882.  | 3.7 | 34        |
| 3258 | Hypoxia and antitumor CD8 <sup>+</sup> T cells: An incompatible alliance?. <i>Oncolmmunology</i> , 2016, 5, e1232236.  | 4.6 | 61        |
| 3259 | pVHL mediates K63-linked ubiquitination of IKK $\beta$ , leading to IKK $\beta$ inactivation. <i>Cancer Letters</i> , 2016, 383, 1-8.  | 7.2 | 15        |
| 3260 | Longer warm ischemia can accelerate tumor growth through the induction of HIF-1 $\alpha$ and the IL-6/JAK-STAT3 signaling pathway in a rat hepatocellular carcinoma model. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 771-779.   | 2.6 | 10        |
| 3261 | Stress, Exercise, and Epigenetic Modulation of Cancer. <i>Energy Balance and Cancer</i> , 2016, , 147-166.   | 0.2 | 1         |
| 3262 | Correlation of HIF-1 $\alpha$ /HIF-2 $\alpha$ expression with FDG uptake in lung adenocarcinoma. <i>Annals of Nuclear Medicine</i> , 2016, 30, 708-715.  | 2.2 | 13        |
| 3263 | Hepatitis B virus X protein in liver tumor microenvironment. <i>Tumor Biology</i> , 2016, 37, 15371-15381.   | 1.8 | 17        |
| 3264 | SYP-5, a novel HIF-1 inhibitor, suppresses tumor cells invasion and angiogenesis. <i>European Journal of Pharmacology</i> , 2016, 791, 560-568.  | 3.5 | 22        |
| 3265 | Synthesis and biological evaluation of C-ring truncated deguelin derivatives as heat shock protein 90 (HSP90) inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 6082-6093.   | 3.0 | 24        |
| 3266 | Epigenetics, Energy Balance, and Cancer. <i>Energy Balance and Cancer</i> , 2016, , .  | 0.2 | 2         |
| 3267 | Hyaluronan Production Regulates Metabolic and Cancer Stem-like Properties of Breast Cancer Cells via Hexosamine Biosynthetic Pathway-coupled HIF-1 Signaling. <i>Journal of Biological Chemistry</i> , 2016, 291, 24105-24120.   | 3.4 | 60        |
| 3268 | Discovery of a VHL and HIF-1 $\alpha$ interaction inhibitor with in vivo angiogenic activity via structure-based virtual screening. <i>Chemical Communications</i> , 2016, 52, 12837-12840.  | 4.1 | 42        |
| 3269 | Investigation of hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) gene polymorphisms in individuals with high levels of hemoglobin / Hemoglobin seviyesi yüksek bireylerde hipoksi ile indüklenen faktör-1 $\alpha$ (HIF-1 $\alpha$ ) gen polimorfizminin araştırılması. <i>Turkish Journal of Biochemistry</i> , 2016, 41, . | 0.5 | 0         |
| 3270 | Dexamethasone downregulates expression of carbonic anhydrase IX via HIF-1 $\alpha$ and NF- $\kappa$ B-dependent mechanisms. <i>International Journal of Oncology</i> , 2016, 49, 1277-1288.  | 3.3 | 19        |
| 3271 | Bortezomib alleviates experimental pulmonary hypertension by regulating intracellular calcium homeostasis in PSMCs. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 311, C482-C497.  | 4.6 | 20        |
| 3272 | PMEPA1, a TGF- $\beta$ - and hypoxia-inducible gene that participates in hypoxic gene expression networks in solid tumors. <i>Biochemical and Biophysical Research Communications</i> , 2016, 479, 615-621.  | 2.1 | 10        |
| 3273 | Kamebakaurin inhibits the expression of hypoxia-inducible factor-1 $\alpha$ and its target genes to confer antitumor activity. <i>Oncology Reports</i> , 2016, 35, 2045-2052.  | 2.6 | 6         |
| 3274 | HIF-2 $\alpha$ -dependent arginase axis is essential for the development of pulmonary hypertension. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 8801-8806.   | 7.1 | 140       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3275 | Hypoxia-Inducible Factor-1 $\alpha$ Expression in Macrophages Promotes Development of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 1782-1790.  | 2.4 | 113       |
| 3276 | Perillyl alcohol efficiently scavenges activity of cellular ROS and inhibits the translational expression of hypoxia-inducible factor-1 $\alpha$ via mTOR/4E-BP1 signaling pathways. <i>International Immunopharmacology</i> , 2016, 39, 1-9.        | 3.8 | 24        |
| 3277 | Acidic tumor microenvironment in human melanoma. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 508-523.  | 3.3 | 87        |
| 3278 | Mitochondria, cholesterol and cancer cell metabolism. <i>Clinical and Translational Medicine</i> , 2016, 5, 22.  | 4.0 | 127       |
| 3279 | Inhibition of HIF-1 $\alpha$ enhances anti-tumor effects of dendritic cell-based vaccination in a mouse model of breast cancer. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 1159-1167.   | 4.2 | 74        |
| 3281 | Metabolism in Cancer. <i>Recent Results in Cancer Research</i> , 2016, , .   | 1.8 | 5         |
| 3282 | Observation of reversible, rapid changes in drug susceptibility of hypoxic tumor cells in a microfluidic device. <i>Analytica Chimica Acta</i> , 2016, 936, 179-184.   | 5.4 | 15        |
| 3283 | 15-Deoxy- $\Delta^{12,14}$ -prostaglandin J <sub>2</sub> stabilizes hypoxia inducible factor-1 $\alpha$ through induction of heme oxygenase-1 and direct modification of prolyl-4-hydroxylase 2. <i>Free Radical Research</i> , 2016, 50, 1140-1152. | 3.3 | 9         |
| 3284 | Regulation of Hematopoiesis and Osteogenesis by Blood Vessel-Derived Signals. <i>Annual Review of Cell and Developmental Biology</i> , 2016, 32, 649-675.  | 9.4 | 115       |
| 3285 | Imaging of Tumor Metabolism Using Positron Emission Tomography (PET). <i>Recent Results in Cancer Research</i> , 2016, 207, 177-205.   | 1.8 | 10        |
| 3286 | Hypoxia and hypoxia-inducible factors in chronic kidney disease. <i>Renal Replacement Therapy</i> , 2016, 2, .   | 0.7 | 24        |
| 3287 | Dual Targeting of 3-Hydroxy-3-methylglutaryl Coenzyme A Reductase and Histone Deacetylase as a Therapy for Colorectal Cancer. <i>EBioMedicine</i> , 2016, 10, 124-136.   | 6.1 | 28        |
| 3288 | Diosmin induce apoptosis through modulation of STAT-3 signaling in 7,12 dimethylbenz(a)anthracene induced hamster buccal pouch carcinogenesis. <i>Biomedicine and Pharmacotherapy</i> , 2016, 83, 1064-1070.   | 5.6 | 17        |
| 3289 | Impact of microenvironmental changes on respiratory tract infections with intracellular bacteria. <i>FEBS Letters</i> , 2016, 590, 3887-3904.  | 2.8 | 27        |
| 3290 | Silencing of hypoxia inducible factor-1 $\alpha$ gene attenuated angiotensin II-induced abdominal aortic aneurysm in apolipoprotein E-deficient mice. <i>Atherosclerosis</i> , 2016, 252, 40-49.   | 0.8 | 25        |
| 3291 | Dual Action Enhancement of Gold Nanoparticle Radiosensitization by Pentamidine in Triple Negative Breast Cancer. <i>Radiation Research</i> , 2016, 185, 549.   | 1.5 | 29        |
| 3293 | Isorhamnetin Inhibits Reactive Oxygen Species-Dependent Hypoxia Inducible Factor (HIF)-1 $\alpha$ Accumulation. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 1830-1838.   | 1.4 | 33        |
| 3294 | Gold Nanoparticle-Mediated Targeted Delivery of Recombinant Human Endostatin Normalizes Tumour Vasculature and Improves Cancer Therapy. <i>Scientific Reports</i> , 2016, 6, 30619.  | 3.3 | 90        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3295 | Pharmacokinetic and anti-cancer properties of high dose ascorbate in solid tumours of ascorbate-dependent mice. <i>Free Radical Biology and Medicine</i> , 2016, 99, 451-462.  | 2.9  | 54        |
| 3296 | Bioengineered and biohybrid bacteria-based systems for drug delivery. <i>Advanced Drug Delivery Reviews</i> , 2016, 106, 27-44.  | 13.7 | 262       |
| 3297 | Transcription factor HIF1A: downstream targets, associated pathways, polymorphic hypoxia response element (HRE) sites, and initiative for standardization of reporting in scientific literature. <i>Tumor Biology</i> , 2016, 37, 14851-14861. | 1.8  | 65        |
| 3298 | KDM6B histone demethylase is an epigenetic regulator of estrogen receptor $\beta$ expression in human pleural mesothelioma. <i>Epigenomics</i> , 2016, 8, 1227-1238.   | 2.1  | 15        |
| 3299 | The Pulmonary Vascular Research Institute. <i>Pulmonary Circulation</i> , 2016, 6, 1-2.  | 1.7  | 1         |
| 3300 | Expression of hypoxia-inducible factor-1 $\alpha$ affects tumor proliferation and antiapoptosis in surgically resected lung cancer. <i>Molecular and Clinical Oncology</i> , 2016, 5, 295-300.   | 1.0  | 17        |
| 3301 | Role of thrombospondin-1 expression in colorectal liver metastasis and its molecular mechanism. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 565-573.  | 2.6  | 20        |
| 3302 | Bile acids destabilise HIF-1 $\alpha$ and promote anti-tumour phenotypes in cancer cell models. <i>BMC Cancer</i> , 2016, 16, 476.   | 2.6  | 27        |
| 3303 | Hypoxia-directed and activated theranostic agent: Imaging and treatment of solid tumor. <i>Biomaterials</i> , 2016, 104, 119-128.  | 11.4 | 84        |
| 3304 | Matriptase activation and shedding through PDGF-D-mediated extracellular acidosis. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 310, C293-C304.   | 4.6  | 13        |
| 3305 | Dexmedetomidine protects against lung ischemia-reperfusion injury by the PI3K/Akt/HIF-1 $\alpha$ signaling pathway. <i>Journal of Anesthesia</i> , 2016, 30, 826-833.  | 1.7  | 37        |
| 3306 | Role of HIF-1 $\alpha$ in the hypoxia inducible expression of the thiamine transporter, SLC19A3. <i>Gene</i> , 2016, 595, 212-220.   | 2.2  | 9         |
| 3307 | Docetaxel induced-JNK2/PHD1 signaling pathway increases degradation of HIF-1 $\alpha$ and causes cancer cell death under hypoxia. <i>Scientific Reports</i> , 2016, 6, 27382.  | 3.3  | 33        |
| 3308 | Suppression of the expression of hypoxia-inducible factor-1 $\alpha$ by RNA interference alleviates hypoxia-induced pulmonary hypertension in adult rats. <i>International Journal of Molecular Medicine</i> , 2016, 38, 1786-1794.            | 4.0  | 17        |
| 3309 | Tricin, 4,5,7-trihydroxy-3,5-dimethoxyflavone, exhibits potent antiangiogenic activity in vitro. <i>International Journal of Oncology</i> , 2016, 49, 1497-1504.   | 3.3  | 20        |
| 3310 | Changes in Choroidal Thickness follow the RNFL Changes in Leber's Hereditary Optic Neuropathy. <i>Scientific Reports</i> , 2016, 6, 37332.   | 3.3  | 30        |
| 3311 | Hypoxia: A Double-Edged Sword in Cancer Therapy. <i>Cancer Investigation</i> , 2016, 34, 536-545.  | 1.3  | 129       |
| 3312 | Cancer stem cell metabolism: a potential target for cancer therapy. <i>Molecular Cancer</i> , 2016, 15, 69.  | 19.2 | 154       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3313 | The influence of genetic variants of sorafenib on clinical outcomes and toxic effects in patients with advanced renal cell carcinoma. Scientific Reports, 2016, 6, 20089.  | 3.3 | 22        |
| 3314 | Development of 1-aryl-3-furanyl/thienyl-imidazopyridine templates for inhibitors against hypoxia inducible factor (HIF)-1 transcriptional activity. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 5887-5890. | 2.2 | 26        |
| 3315 | Hypoxia-inducible factor-targeting prodrug <sc>TOP</sc>3 combined with gemcitabine or <sc>TS</sc> improves pancreatic cancer survival in an orthotopic model. Cancer Science, 2016, 107, 1151-1158.                  | 3.9 | 17        |
| 3316 | Current and Emerging Targeting Strategies for Treatment of Pancreatic Cancer. Progress in Molecular Biology and Translational Science, 2016, 144, 277-320.   | 1.7 | 9         |
| 3317 | Irradiation of Epithelial Carcinoma Cells Upregulates Calcium-Binding Proteins That Promote Survival under Hypoxic Conditions. Journal of Proteome Research, 2016, 15, 4258-4264.                                    | 3.7 | 9         |
| 3318 | Metabolic Production of H2O2 in Carcinogenesis and Cancer Treatment. Oxidative Stress in Applied Basic Research and Clinical Practice, 2016, , 103-124.  | 0.4 | 1         |
| 3319 | Metal-based glycoconjugates and their potential in targeted anticancer chemotherapy. Metallodrugs, 2016, 1, .  | 1.7 | 14        |
| 3320 | Lifespan-regulating genes in C. elegans. Npj Aging and Mechanisms of Disease, 2016, 2, 16010.  | 4.5 | 130       |
| 3321 | Oligooxopiperazines as Topographical Helix Mimetics. Topics in Heterocyclic Chemistry, 2016, , 1-24.   | 0.2 | 1         |
| 3322 | Prognostic impact of serum soluble LR11 in newly diagnosed diffuse large B-cell lymphoma: A multicenter prospective analysis. Clinica Chimica Acta, 2016, 463, 47-52.  | 1.1 | 7         |
| 3323 | NECAB3 Promotes Activation of Hypoxia-inducible factor-1 during Normoxia and Enhances Tumorigenicity of Cancer Cells. Scientific Reports, 2016, 6, 22784.  | 3.3 | 30        |
| 3324 | Phenanthroindolizidine alkaloids from Tylophora atrofolliculata with hypoxia-inducible factor-1 (HIF-1) inhibitory activity. RSC Advances, 2016, 6, 79958-79967.   | 3.6 | 16        |
| 3325 | Pathology and Mechanism of Eye Diseases. , 2016, , 3-32.   |     | 0         |
| 3326 | Crosstalk between toll-like receptors and hypoxia-dependent pathways in health and disease. Journal of Investigative Medicine, 2016, 64, 369-375.  | 1.6 | 7         |
| 3327 | Epigenetics, TET proteins, and hypoxia in epithelial-mesenchymal transition and tumorigenesis.   |     |           |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3331 | <scp>PAK</scp>1â€œcofilin phosphorylation mediates human lung adenocarcinoma cells migration induced by apelinâ€œ13. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2016, 43, 569-579.  | 1.9  | 36        |
| 3332 | Silencing of hypoxia inducible factorâ€œ1<i>HIF1</i> by <scp>RNA</scp> interference inhibits growth of <scp>SK</scp>â€œ<scp>NEP</scp>â€œ1 Wilms tumour cells <i>in vitro</i>, and suppresses tumorigenesis and angiogenesis <i>in vivo</i>. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2016, 43, 626-633. | 1.9  | 8         |
| 3333 | Effect of hypoxia on tissue factor pathway inhibitor expression in breast cancer. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 387-396.   | 3.8  | 18        |
| 3334 | Difference in CXCR4 expression between sporadic and VHL-related hemangioblastoma. <i>Familial Cancer</i> , 2016, 15, 607-616.   | 1.9  | 11        |
| 3335 | Dynamic Contrast Enhanced MRI Assessing the Antiangiogenic Effect of Silencing HIF-1â€œ with Targeted Multifunctional ECO/siRNA Nanoparticles. <i>Molecular Pharmaceutics</i> , 2016, 13, 2497-2506.  | 4.6  | 18        |
| 3336 | Sprouty2 Protein Regulates Hypoxia-inducible Factor-1â€œ (HIF1â€œ) Protein Levels and Transcription of HIF1â€œ-responsive Genes. <i>Journal of Biological Chemistry</i> , 2016, 291, 16787-16801.   | 3.4  | 11        |
| 3337 | Prolyl hydroxylase-2 inhibits liver tumor cell proliferation and cyclin D1 expression in a hydroxylase-dependent manner. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 77, 129-140.   | 2.8  | 8         |
| 3338 | The world of protein acetylation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016, 1864, 1372-1401.   | 2.3  | 601       |
| 3339 | Periostin (POSTN) Regulates Tumor Resistance to Antiangiogenic Therapy in Glioma Models. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 2187-2197.  | 4.1  | 69        |
| 3340 | Poor outcome of hepatocellular carcinoma with stemness marker under hypoxia: resistance to transarterial chemoembolization. <i>Modern Pathology</i> , 2016, 29, 1038-1049.  | 5.5  | 52        |
| 3341 | MUFFINN: cancer gene discovery via network analysis of somatic mutation data. <i>Genome Biology</i> , 2016, 17, 129.  | 8.8  | 126       |
| 3342 | Photonanomedicine: a convergence of photodynamic therapy and nanotechnology. <i>Nanoscale</i> , 2016, 8, 12471-12503.   | 5.6  | 144       |
| 3343 | Activation of Epidermal Growth Factor Receptor/p38/Hypoxia-inducible Factor-1â€œ Is Pivotal for Angiogenesis and Tumorigenesis of Malignantly Transformed Cells Induced by Hexavalent Chromium. <i>Journal of Biological Chemistry</i> , 2016, 291, 16271-16281.  | 3.4  | 36        |
| 3344 | Differential effects of patient-related factors on the outcome of radiation therapy for rectal cancer. <i>Journal of Radiation Oncology</i> , 2016, 5, 279-286.   | 0.7  | 10        |
| 3345 | Inhibition of hypoxia-inducible factor 1 with acriflavine sensitizes hypoxic tumor cells to photodynamic therapy with zinc phthalocyanine-encapsulating cationic liposomes. <i>Nano Research</i> , 2016, 9, 1639-1662.  | 10.4 | 82        |
| 3346 | Time-dependent PPARâ€œ3 Modulation of HIF-1â€œ Signaling in Hypoxic Pulmonary Artery Smooth Muscle Cells. <i>American Journal of the Medical Sciences</i> , 2016, 352, 71-79.   | 1.1  | 23        |
| 3347 | Clinical relevance of the tumor microenvironment and immune escape of oral squamous cell carcinoma. <i>Journal of Translational Medicine</i> , 2016, 14, 85.  | 4.4  | 79        |
| 3348 | LRG1 modulates epithelial-mesenchymal transition and angiogenesis in colorectal cancer via HIF-1â€œ activation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 29.   | 8.6  | 118       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3349 | KDR Amplification Is Associated with VEGF-Induced Activation of the mTOR and Invasion Pathways but does not Predict Clinical Benefit to the VEGFR TKI Vandetanib. <i>Clinical Cancer Research</i> , 2016, 22, 1940-1950.   | 7.0  | 15        |
| 3350 | Antimycin-type depsipeptides: discovery, biosynthesis, chemical synthesis, and bioactivities. <i>Natural Product Reports</i> , 2016, 33, 1146-1165.  | 10.3 | 62        |
| 3351 | Modulation of the Hypoxic Response. <i>Advances in Experimental Medicine and Biology</i> , 2016, 903, 259-271.   | 1.6  | 41        |
| 3352 | Implications of Oxygen Homeostasis for Tumor Biology and Treatment. <i>Advances in Experimental Medicine and Biology</i> , 2016, 903, 169-185.   | 1.6  | 11        |
| 3353 | Cycling hypoxia: A key feature of the tumor microenvironment. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016, 1866, 76-86.   | 7.4  | 150       |
| 3354 | MiR-548an, Transcriptionally Downregulated by HIF1 $\alpha$ /HDAC1, Suppresses Tumorigenesis of Pancreatic Cancer by Targeting Vimentin Expression. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 2209-2219.  | 4.1  | 53        |
| 3355 | HNF4 $\alpha$ is a therapeutic target that links AMPK to WNT signalling in early-stage gastric cancer. <i>Gut</i> , 2016, 65, 19-32.   | 12.1 | 91        |
| 3356 | Orchestrating the network of molecular pathways affecting aging: Role of nonselective autophagy and mitophagy. <i>Mechanisms of Ageing and Development</i> , 2016, 153, 30-40.   | 4.6  | 40        |
| 3357 | Exposure of Persian sturgeon ( <i>Acipenser persicus</i> ) to cadmium results in biochemical, histological and transcriptional alterations. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2016, 181-182, 1-8.   | 2.6  | 16        |
| 3358 | The molecular mechanisms of hemodialysis vascular access failure. <i>Kidney International</i> , 2016, 89, 303-316.   | 5.2  | 173       |
| 3359 | Identification of pancreatic tumors in vivo with ligand-targeted, pH responsive mesoporous silica nanoparticles by multispectral optoacoustic tomography. <i>Journal of Controlled Release</i> , 2016, 231, 60-67.   | 9.9  | 77        |
| 3360 | Methylation-dependent regulation of HIF-1 $\alpha$ stability restricts retinal and tumour angiogenesis. <i>Nature Communications</i> , 2016, 7, 10347.   | 12.8 | 159       |
| 3361 | Overcoming bioanalytical challenges associated with the separation and quantitation of GSK1278863, a HIF-prolyl hydroxylase inhibitor, and its 14 stereoisomeric metabolites. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1009-1010, 7-16. | 2.3  | 16        |
| 3362 | Hypoxia regulates ABCG2 activity through the activation of ERK1/2/HIF-1 $\alpha$ and contributes to chemoresistance in pancreatic cancer cells. <i>Cancer Biology and Therapy</i> , 2016, 17, 188-198.   | 3.4  | 79        |
| 3363 | Eukaryotic translation initiation factor 5A (eIF5A) is essential for HIF-1 $\alpha$ activation in hypoxia. <i>Biochemical and Biophysical Research Communications</i> , 2016, 470, 417-424.  | 2.1  | 14        |
| 3364 | Activated Schwann cells in pancreatic cancer are linked to analgesia via suppression of spinal astroglia and microglia. <i>Gut</i> , 2016, 65, 1001-1014.  | 12.1 | 65        |
| 3365 | PRL-3 promotes gastric cancer migration and invasion through a NF- $\kappa$ B-HIF-1 $\alpha$ -miR-210 axis. <i>Journal of Molecular Medicine</i> , 2016, 94, 401-415.  | 3.9  | 35        |
| 3366 | New insights into BaP-induced toxicity: role of major metabolites in transcriptomics and contribution to hepatocarcinogenesis. <i>Archives of Toxicology</i> , 2016, 90, 1449-1458.  | 4.2  | 60        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3367 | Facilitative glucose transporters: Implications for cancer detection, prognosis and treatment. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 124-139.   | 3.4  | 304       |
| 3368 | Extreme protraction for low-grade gliomas: theoretical proof of concept of a novel therapeutical strategy. <i>Mathematical Medicine and Biology</i> , 2016, 33, 253-271.   | 1.2  | 21        |
| 3369 | Tumor hypoxia: a new PET imaging biomarker in clinical oncology. <i>International Journal of Clinical Oncology</i> , 2016, 21, 619-625.  | 2.2  | 31        |
| 3370 | Bioconjugated Manganese Dioxide Nanoparticles Enhance Chemotherapy Response by Priming Tumor-Associated Macrophages toward M1-like Phenotype and Attenuating Tumor Hypoxia. <i>ACS Nano</i> , 2016, 10, 633-647. | 14.6 | 524       |
| 3371 | Hypoxia-Activated Prodrug TH-302 Targets Hypoxic Bone Marrow Niches in Preclinical Leukemia Models. <i>Clinical Cancer Research</i> , 2016, 22, 1687-1698.   | 7.0  | 66        |
| 3372 | What's Next for Gastrointestinal Disorders: No Needles?. <i>Journal of Controlled Release</i> , 2016, 221, 48-61.  | 9.9  | 4         |
| 3373 | Effects of Curcumin on Transcription Factors and Enzyme Activities in Visceral Organs and the Brain. , 2016, , 151-181.  |      | 0         |
| 3374 | Overexpression of Carbonic Anhydrase IX is a Dismal Prognostic Marker in Breast Carcinoma in Egyptian Patients. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, 405-413.                | 1.2  | 1         |
| 3375 | Bovine lactoferrin regulates cell survival, apoptosis and inflammation in intestinal epithelial cells and preterm pig intestine. <i>Journal of Proteomics</i> , 2016, 139, 95-102.                               | 2.4  | 54        |
| 3376 | The Biology of Hemodialysis Vascular Access Failure. <i>Seminars in Interventional Radiology</i> , 2016, 33, 015-020.  | 0.8  | 27        |
| 3377 | Nox on tumour's door: oxidative stress drives tumour vascularization. <i>Acta Physiologica</i> , 2016, 216, 392-394.   | 3.8  | 0         |
| 3378 | Cellular and molecular aspects of pancreatic cancer. <i>Acta Histochemica</i> , 2016, 118, 305-316.  | 1.8  | 30        |
| 3379 | Impaired mitophagy activates mtROS/HIF-1 $\alpha$ interplay and increases cancer aggressiveness in gastric cancer cells under hypoxia. <i>International Journal of Oncology</i> , 2016, 48, 1379-1390.           | 3.3  | 40        |
| 3380 | Induction of hypoxia-inducible factor-1 $\alpha$ by BDNF protects retinoblastoma cells against chemotherapy-induced apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2016, 414, 77-84.                    | 3.1  | 16        |
| 3381 | The expression and function of E3 ligase SIAH2 in acute T lymphoblastic leukemia. <i>Leukemia Research</i> , 2016, 42, 28-36.  | 0.8  | 12        |
| 3382 | Prognostic value of PET/CT with 18F-fluoroazomycin arabinoside for patients with head and neck squamous cell carcinomas receiving chemoradiotherapy. <i>Annals of Nuclear Medicine</i> , 2016, 30, 217-224.      | 2.2  | 15        |
| 3383 | Targeting the tumour microenvironment in ovarian cancer. <i>European Journal of Cancer</i> , 2016, 56, 131-143.  | 2.8  | 84        |
| 3384 | Secreted IGFBP5 mediates mTORC1-dependent feedback inhibition of IGF-1 signalling. <i>Nature Cell Biology</i> , 2016, 18, 319-327.   | 10.3 | 55        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3385 | The Role of Microenvironment in the Control of Tumor Angiogenesis. , 2016, , .  |      | 3         |
| 3386 | The hypoxia-mimetic agent CoCl <sub>2</sub> induces chemotherapy resistance in LOVO colorectal cancer cells. Molecular Medicine Reports, 2016, 13, 2583-2589.   | 2.4  | 26        |
| 3387 | Prenatal hypoxia promotes atherosclerosis via vascular inflammation in the offspring rats. Atherosclerosis, 2016, 245, 28-34.   | 0.8  | 14        |
| 3388 | Stabilization of HIF-1 $\alpha$ by FG-4592 promotes functional recovery and neural protection in experimental spinal cord injury. Brain Research, 2016, 1632, 19-26.  | 2.2  | 54        |
| 3389 | Hypoxia-inducible factor (HIF) inhibitors: a patent survey (2011-2015). Expert Opinion on Therapeutic Patents, 2016, 26, 309-322.   | 5.0  | 40        |
| 3390 | HIF-1 $\alpha$ /MDR1 pathway confers chemoresistance to cisplatin in bladder cancer. Oncology Reports, 2016, 35, 1549-1556.   | 2.6  | 34        |
| 3391 | Melatonin and the von Hippel $\ddot{a}$ €Lindau/HIF-1 oxygen sensing mechanism: A review. Biochimica Et Biophysica Acta: Reviews on Cancer, 2016, 1865, 176-183.  | 7.4  | 47        |
| 3392 | HIF-1 Mediates Renal Fibrosis in OVE26 Type 1 Diabetic Mice. Diabetes, 2016, 65, 1387-1397.   | 0.6  | 106       |
| 3393 | Baseline [18F]FMISO $\hat{1}/4$ PET as a Predictive Biomarker for Response to HIF-1 $\alpha$ Inhibition Combined with 5-FU Chemotherapy in a Human Colorectal Cancer Xenograft Model. Molecular Imaging and Biology, 2016, 18, 606-616. | 2.6  | 11        |
| 3394 | Therapeutic Potentials of Curcumin for Alzheimer Disease. , 2016, , .   |      | 13        |
| 3395 | The Microenvironment of Lung Cancer and Therapeutic Implications. Advances in Experimental Medicine and Biology, 2016, 890, 75-110.   | 1.6  | 96        |
| 3396 | Lysyl Oxidase, a Targetable Secreted Molecule Involved in Cancer Metastasis. Cancer Research, 2016, 76, 188-192.  | 0.9  | 133       |
| 3397 | The LINK-A lncRNA activates normoxic HIF1 $\alpha$ signalling in triple-negative breast cancer. Nature Cell Biology, 2016, 18, 213-224.   | 10.3 | 444       |
| 3398 | Oncogenic roles of carbonic anhydrase 8 in human osteosarcoma cells. Tumor Biology, 2016, 37, 7989-8005.  | 1.8  | 21        |
| 3399 | Loss of SIRT3 Provides Growth Advantage for B Cell Malignancies. Journal of Biological Chemistry, 2016, 291, 3268-3279.   | 3.4  | 75        |
| 3400 | PIAS3 enhances the transcriptional activity of HIF-1 $\alpha$ by increasing its protein stability. Biochemical and Biophysical Research Communications, 2016, 469, 470-476.   | 2.1  | 9         |
| 3401 | $\hat{1}$ -Solanine inhibits vascular endothelial growth factor expression by down-regulating the ERK1/2-HIF-1 $\alpha$ and STAT3 signaling pathways. European Journal of Pharmacology, 2016, 771, 93-98.                               | 3.5  | 26        |
| 3402 | Selective Intracellular Delivery of Recombinant Arginine Deiminase (ADI) Using pH-Sensitive Cell Penetrating Peptides To Overcome ADI Resistance in Hypoxic Breast Cancer Cells. Molecular Pharmaceutics, 2016, 13, 262-271.            | 4.6  | 47        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3403 | A new ER-specific photosensitizer unravels 1O <sub>2</sub> -driven protein oxidation and inhibition of deubiquitinases as a generic mechanism for cancer PDT. <i>Oncogene</i> , 2016, 35, 3976-3985.                           | 5.9 | 31        |
| 3405 | Differentiation of mammary tumors and reduction in metastasis upon <i>Malat1</i> lncRNA loss. <i>Genes and Development</i> , 2016, 30, 34-51.  | 5.9 | 488       |
| 3406 | Synergistic role of three dimensional niche and hypoxia on conservation of cancer stem cell phenotype. <i>International Journal of Biological Macromolecules</i> , 2016, 90, 20-26.  | 7.5 | 14        |
| 3407 | The tumor microenvironment: An irreplaceable element of tumor budding and epithelial-mesenchymal transition-mediated cancer metastasis. <i>Cell Adhesion and Migration</i> , 2016, 10, 1-13.                                   | 2.7 | 72        |
| 3408 | A novel quinazolinone chalcone derivative induces mitochondrial dependent apoptosis and inhibits PI3K/Akt/mTOR signaling pathway in human colon cancer HCT-116 cells. <i>Food and Chemical Toxicology</i> , 2016, 87, 1-11.    | 3.6 | 61        |
| 3409 | Tubb3 regulation by the Erk and Akt signaling pathways: a mechanism involved in the effect of arginine ADP-ribosyltransferase 1 (Art1) on apoptosis of colon carcinoma CT26 cells. <i>Tumor Biology</i> , 2016, 37, 2353-2363. | 1.8 | 16        |
| 3410 | Targeting antioxidant pathways with ferrocenylated N-heterocyclic carbene supported gold( <i>sc</i> ) complexes in A549 lung cancer cells. <i>Chemical Science</i> , 2016, 7, 1245-1256.                                       | 7.4 | 82        |
| 3411 | The application of antitumor drug-targeting models on liver cancer. <i>Drug Delivery</i> , 2016, 23, 1667-1675.  | 5.7 | 3         |
| 3412 | The hypoxic tumor microenvironment: A driving force for breast cancer progression. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 382-391.   | 4.1 | 418       |
| 3413 | Uncovering metabolism in rhabdomyosarcoma. <i>Cell Cycle</i> , 2016, 15, 184-195.  | 2.6 | 17        |
| 3414 | The neuropathology and cerebrovascular mechanisms of dementia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 172-186.   | 4.3 | 307       |
| 3415 | Metabolic reprogramming in glioblastoma: the influence of cancer metabolism on epigenetics and unanswered questions. <i>Neuro-Oncology</i> , 2016, 18, 160-172.  | 1.2 | 214       |
| 3416 | Targeting cullin-RING ligases for cancer treatment: rationales, advances and therapeutic implications. <i>Cytotechnology</i> , 2016, 68, 1-8.  | 1.6 | 9         |
| 3417 | Normoxic accumulation of HIF1 $\alpha$ is associated with glutaminolysis. <i>Clinical Oral Investigations</i> , 2017, 21, 211-224.   | 3.0 | 27        |
| 3418 | Cross Talk in HEK293 Cells Between Nrf2, HIF, and NF- $\kappa$ B Activities upon Challenges with Redox Therapeutics Characterized with Single-Cell Resolution. <i>Antioxidants and Redox Signaling</i> , 2017, 26, 229-246.    | 5.4 | 41        |
| 3419 | Synthesis and evaluation of N-(benzofuran-5-yl)aromaticsulfonamide derivatives as novel HIF-1 inhibitors that possess anti-angiogenic potential. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 1737-1746.              | 3.0 | 14        |
| 3420 | Hypoxia Stress Response Pathways: Modeling and Targeted Therapy. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 875-885.   | 6.3 | 10        |
| 3421 | Prolyl Hydroxylase Inhibition Enhances Liver Regeneration Without Induction of Tumor Growth. <i>Annals of Surgery</i> , 2017, 265, 782-791.  | 4.2 | 31        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3422 | Cinnamon extract reduces VEGF expression via suppressing HIF-1 $\alpha$ gene expression and inhibits tumor growth in mice. <i>Molecular Carcinogenesis</i> , 2017, 56, 436-446.  | 2.7  | 28        |
| 3423 | Macrophage Polarization: Anti-Cancer Strategies to Target Tumor-Associated Macrophage in Breast Cancer. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 2484-2501.  | 2.6  | 135       |
| 3424 | Oxygen imaging of living cells and tissues using luminescent molecular probes. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2017, 30, 71-95.  | 11.6 | 98        |
| 3425 | Nutritional effects on T $\alpha$ cell immunometabolism. <i>European Journal of Immunology</i> , 2017, 47, 225-235.  | 2.9  | 115       |
| 3426 | Oxidative Stress and Vascular Injury. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2017, , 47-57.   | 0.4  | 0         |
| 3427 | HDAC6 regulates sensitivity to cell death in response to stress and post-stress recovery. <i>Cell Stress and Chaperones</i> , 2017, 22, 253-261.   | 2.9  | 21        |
| 3428 | Hypoxia-Inducible Factors and Cancer. <i>Current Sleep Medicine Reports</i> , 2017, 3, 1-10.   | 1.4  | 154       |
| 3429 | Tumor suppressor SPOP ubiquitinates and degrades EglN2 to compromise growth of prostate cancer cells. <i>Cancer Letters</i> , 2017, 390, 11-20.  | 7.2  | 37        |
| 3430 | NF- $\kappa$ B Signaling Activation Induced by Chloroquine Requires Autophagosome, p62 Protein, and c-Jun N-terminal Kinase (JNK) Signaling and Promotes Tumor Cell Resistance. <i>Journal of Biological Chemistry</i> , 2017, 292, 3379-3388. | 3.4  | 54        |
| 3431 | Transarterial Therapies for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2017, 6, 27-33.  | 7.7  | 44        |
| 3432 | Adrenomedullin promotes angiogenesis in epithelial ovarian cancer through upregulating hypoxia-inducible factor-1 $\alpha$ and vascular endothelial growth factor. <i>Scientific Reports</i> , 2017, 7, 40524.                                 | 3.3  | 35        |
| 3433 | The effect of indatraline on angiogenesis suppression through HIF-1 $\alpha$ -mediated VEGF inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2017, 485, 349-354.   | 2.1  | 11        |
| 3434 | Chemotherapy-Induced Ca <sup>2+</sup> Release Stimulates Breast Cancer Stem Cell Enrichment. <i>Cell Reports</i> , 2017, 18, 1946-1957.  | 6.4  | 129       |
| 3435 | Obstructive Sleep Apnea and Cancer: Insights from Intermittent Hypoxia Experimental Models. <i>Current Sleep Medicine Reports</i> , 2017, 3, 22-29.  | 1.4  | 2         |
| 3436 | Cell physiology regulation by hypoxia inducible factor-1: Targeting oxygen-related nanomachineries of hypoxic cells. <i>International Journal of Biological Macromolecules</i> , 2017, 99, 46-62.  | 7.5  | 30        |
| 3437 | Vascular precursor cells in tissue injury repair. <i>Translational Research</i> , 2017, 184, 77-100.   | 5.0  | 30        |
| 3438 | Delphinidin inhibits angiogenesis through the suppression of HIF-1 $\alpha$ and VEGF expression in A549 lung cancer cells. <i>Oncology Reports</i> , 2017, 37, 777-784.  | 2.6  | 65        |
| 3439 | Oncogenic role of PDK4 in human colon cancer cells. <i>British Journal of Cancer</i> , 2017, 116, 930-936.   | 6.4  | 80        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3440 | Hypoxia Selectively Enhances Integrin $\alpha 5 \beta 1$ Receptor Expression in Breast Cancer to Promote Metastasis. <i>Molecular Cancer Research</i> , 2017, 15, 723-734.   | 3.4  | 99        |
| 3441 | Novel hypoxia-targeting Pt(IV) prodrugs. <i>Chemical Communications</i> , 2017, 53, 3749-3752.   | 4.1  | 42        |
| 3442 | Small Molecule Inhibition of microRNA-210 Reprograms an Oncogenic Hypoxic Circuit. <i>Journal of the American Chemical Society</i> , 2017, 139, 3446-3455.   | 13.7 | 140       |
| 3443 | VHL promotes immune response against renal cell carcinoma via NF- $\kappa$ B-dependent regulation of VCAM-1. <i>Journal of Cell Biology</i> , 2017, 216, 835-847.  | 5.2  | 39        |
| 3444 | Zinc induces normoxic accumulation of transcriptionally active hypoxia-inducible factor 1-alpha in mammary epithelial cells. <i>Molecular Biology</i> , 2017, 51, 89-95.   | 1.3  | 4         |
| 3445 | Extracellular Acidic pH Activates the Sterol Regulatory Element-Binding Protein 2 to Promote Tumor Progression. <i>Cell Reports</i> , 2017, 18, 2228-2242.   | 6.4  | 129       |
| 3446 | HIF1A gene polymorphisms and human diseases: Graphical review of 97 association studies. <i>Genes Chromosomes and Cancer</i> , 2017, 56, 439-452.  | 2.8  | 32        |
| 3447 | Cancer acidity: An ultimate frontier of tumor immune escape and a novel target of immunomodulation. <i>Seminars in Cancer Biology</i> , 2017, 43, 74-89.   | 9.6  | 414       |
| 3448 | GATA3 interacts with and stabilizes HIF-1 $\alpha$ to enhance cancer cell invasiveness. <i>Oncogene</i> , 2017, 36, 4243-4252.   | 5.9  | 68        |
| 3449 | Functional constraints on adaptive evolution of protein ubiquitination sites. <i>Scientific Reports</i> , 2017, 7, 39949.  | 3.3  | 6         |
| 3450 | In Vivo Hypoxia PET Imaging Quantifies the Severity of Arthritic Joint Inflammation in Line with Overexpression of Hypoxia-Inducible Factor and Enhanced Reactive Oxygen Species Generation. <i>Journal of Nuclear Medicine</i> , 2017, 58, 853-860. | 5.0  | 19        |
| 3451 | Hypoxia-enhanced adhesion of red blood cells in microscale flow. <i>Microcirculation</i> , 2017, 24, e12374.   | 1.8  | 40        |
| 3452 | Hyperbaric oxygen inhibits venous neointimal hyperplasia following arteriovenous fistulization. <i>International Journal of Molecular Medicine</i> , 2017, 39, 1299-1306.  | 4.0  | 11        |
| 3454 | PEGylated bilirubin nanoparticle as an anti-oxidative and anti-inflammatory demulcent in pancreatic islet xenotransplantation. <i>Biomaterials</i> , 2017, 133, 242-252.   | 11.4 | 76        |
| 3455 | Diesel exhaust particles (DEP) pre-exposure contributes to the anti-oxidant response impairment in hCMEC/D3 during post-oxygen and glucose deprivation damage. <i>Toxicology Letters</i> , 2017, 274, 1-7.   | 0.8  | 6         |
| 3456 | Trimodal rescue of hind limb ischemia with growth factors, cells, and nanocarriers: fundamentals to clinical trials. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017, 95, 1125-1140.   | 1.4  | 3         |
| 3457 | Nanoparticles for modulating tumor microenvironment to improve drug delivery and tumor therapy. <i>Pharmacological Research</i> , 2017, 126, 97-108.   | 7.1  | 181       |
| 3458 | Nkx3.2 induces oxygen concentration-independent and lysosome-dependent degradation of HIF-1 $\alpha$ to modulate hypoxic responses in chondrocytes. <i>Cellular Signalling</i> , 2017, 36, 127-138.  | 3.6  | 15        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3459 | Efficacy of pEgr-1-endostatin combined with ionizing radiation on hypoxic conditions in nude mice bearing SKOV3 ovarian carcinoma. <i>Oncology Letters</i> , 2017, 13, 1101-1108.   | 1.8  | 2         |
| 3460 | Activation of STAT3/HIF-1 $\alpha$ /Hes-1 axis promotes trastuzumab resistance in HER2-overexpressing breast cancer cells via down-regulation of PTEN. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 1970-1980. | 2.4  | 44        |
| 3461 | Hypoxia decreases ROS level in human fibroblasts. <i>International Journal of Biochemistry and Cell Biology</i> , 2017, 88, 133-144.  | 2.8  | 25        |
| 3462 | Tissue transglutaminase (TG2) enables survival of human malignant pleural mesothelioma cells in hypoxia. <i>Cell Death and Disease</i> , 2017, 8, e2592-e2592.  | 6.3  | 20        |
| 3463 | Hypoxia favors the generation of human plasma cells. <i>Cell Cycle</i> , 2017, 16, 1104-1117.   | 2.6  | 10        |
| 3464 | Plaque angiogenesis and intraplaque hemorrhage in atherosclerosis. <i>European Journal of Pharmacology</i> , 2017, 816, 107-115.  | 3.5  | 127       |
| 3465 | Hypoxia inducible factor (HIF) as a model for studying inhibition of protein-protein interactions. <i>Chemical Science</i> , 2017, 8, 4188-4202.  | 7.4  | 30        |
| 3466 | Function of microRNA-143 in different signal pathways in cancer: New insights into cancer therapy. <i>Biomedicine and Pharmacotherapy</i> , 2017, 91, 121-131.  | 5.6  | 28        |
| 3467 | Protective effect of pilose antler peptide on cerebral ischemia/reperfusion (I/R) injury through Nrf-2/OH-1/NF- $\kappa$ B pathway. <i>International Journal of Biological Macromolecules</i> , 2017, 102, 741-748.                     | 7.5  | 25        |
| 3468 | STAT3 targeting by polyphenols: Novel therapeutic strategy for melanoma. <i>BioFactors</i> , 2017, 43, 347-370.   | 5.4  | 34        |
| 3469 | Hypoxia-Inducible Factor 1 $\alpha$ Signaling Promotes Repair of the Alveolar Epithelium after Acute Lung Injury. <i>American Journal of Pathology</i> , 2017, 187, 1772-1786.  | 3.8  | 86        |
| 3470 | 125I seed irradiation induces apoptosis and inhibits angiogenesis by decreasing HIF-1 $\alpha$ and VEGF expression in lung carcinoma xenografts. <i>Oncology Reports</i> , 2017, 37, 3075-3083.   | 2.6  | 20        |
| 3471 | Physiological Effects of Chronic Hypoxia. <i>New England Journal of Medicine</i> , 2017, 376, 1965-1971.  | 27.0 | 109       |
| 3472 | Subcellular Energetics and Metabolism: A Cross-Species Framework. <i>Anesthesia and Analgesia</i> , 2017, 124, 1857-1871.   | 2.2  | 21        |
| 3473 | Synthesis and biological evaluation of kresoxim-methyl analogues as novel inhibitors of hypoxia-inducible factor (HIF)-1 accumulation in cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3026-3029.         | 2.2  | 19        |
| 3474 | Acute hypoxic stress: Effect on blood parameters, antioxidant enzymes, and expression of HIF-1 $\alpha$ and GLUT-1 genes in largemouth bass ( <i>Micropterus salmoides</i> ). <i>Fish and Shellfish Immunology</i> , 2017, 67, 449-458. | 3.6  | 85        |
| 3475 | Hodgkin Disease. , 2017, , 2096-2098.   |      | 0         |
| 3476 | Endothelial cell metabolism in health and disease: impact of hypoxia. <i>EMBO Journal</i> , 2017, 36, 2187-2203.  | 7.8  | 186       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3477 | Role of Epicardial Adipose Tissue in Health and Disease: A Matter of Fat?. , 2017, 7, 1051-1082.   |      | 104       |
| 3478 | C9a drives hypoxia-mediated gene repression for breast cancer cell survival and tumorigenesis. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 7077-7082.      | 7.1  | 105       |
| 3479 | Effect of propofol on androgen receptor activity in prostate cancer cells. European Journal of Pharmacology, 2017, 809, 242-252.   | 3.5  | 14        |
| 3480 | Chemokines in the cancer microenvironment and their relevance in cancer immunotherapy. Nature Reviews Immunology, 2017, 17, 559-572.   | 22.7 | 1,448     |
| 3481 | The novel hypoxia-inducible factor-1 $\alpha$ inhibitor IDF-11774 regulates cancer metabolism, thereby suppressing tumor growth. Cell Death and Disease, 2017, 8, e2843-e2843.                             | 6.3  | 65        |
| 3482 | Mesenchymal stem cells homing to improve bone healing. Journal of Orthopaedic Translation, 2017, 9, 19-27.   | 3.9  | 141       |
| 3483 | Hypoxia reduces the E-cadherin expression and increases OSCC cell migration regardless of the E-cadherin methylation profile. Pathology Research and Practice, 2017, 213, 496-501.                         | 2.3  | 18        |
| 3484 | Functional inhibition of acid sphingomyelinase by Fluphenazine triggers hypoxia-specific tumor cell death. Cell Death and Disease, 2017, 8, e2709-e2709.   | 6.3  | 30        |
| 3485 | Hypoxia Inducible Factor (HIF) Hydroxylases as Regulators of Intestinal Epithelial Barrier Function. Cellular and Molecular Gastroenterology and Hepatology, 2017, 3, 303-315.                             | 4.5  | 67        |
| 3486 | MYC and HIF in shaping immune response and immune metabolism. Cytokine and Growth Factor Reviews, 2017, 35, 63-70.   | 7.2  | 69        |
| 3487 | NADPH oxidase 1 supports proliferation of colon cancer cells by modulating reactive oxygen species-dependent signal transduction. Journal of Biological Chemistry, 2017, 292, 7866-7887.                   | 3.4  | 70        |
| 3488 | Imperatorin suppresses proliferation and angiogenesis of human colon cancer cell by targeting HIF-1 $\alpha$ via the mTOR/p70S6K/4E-BP1 and MAPK pathways. Journal of Ethnopharmacology, 2017, 203, 27-38. | 4.1  | 88        |
| 3489 | Isocitrate Dehydrogenase Mutation and (<i>R</i>)-2-Hydroxyglutarate: From Basic Discovery to Therapeutics Development. Annual Review of Biochemistry, 2017, 86, 305-331.                                   | 11.1 | 161       |
| 3490 | Molecular and metabolic features of oncocytomas: Seeking the blueprints of indolent cancers. Biochimica Et Biophysica Acta - Bioenergetics, 2017, 1858, 591-601.   | 1.0  | 17        |
| 3491 | Hypoxia regulates CD44 expression via hypoxia-inducible factor-1 $\alpha$ in human gastric cancer cells. Oncology Letters, 2017, 13, 967-972.  | 1.8  | 26        |
| 3492 | Very Small Embryonic-like Stem Cells Are Mobilized in Human Peripheral Blood during Hypoxemic COPD Exacerbations and Pulmonary Hypertension. Stem Cell Reviews and Reports, 2017, 13, 561-566.             | 5.6  | 20        |
| 3493 | Hypoxia, pseudohypoxia and cellular differentiation. Experimental Cell Research, 2017, 356, 192-196.   | 2.6  | 41        |
| 3494 | Pseudohypoxia induced by miR-126 deactivation promotes migration and therapeutic resistance in renal cell carcinoma. Cancer Letters, 2017, 394, 65-75.   | 7.2  | 45        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3495 | Roles of RUNX in Hypoxia-Induced Responses and Angiogenesis. <i>Advances in Experimental Medicine and Biology</i> , 2017, 962, 449-469.   | 1.6 | 26        |
| 3496 | Involvement of Notch1 signaling in malignant progression of A549 cells subjected to prolonged cadmium exposure. <i>Journal of Biological Chemistry</i> , 2017, 292, 7942-7953.  | 3.4 | 55        |
| 3497 | Polymeric Nanoparticle-Mediated Gene Delivery for Lung Cancer Treatment. <i>Topics in Current Chemistry</i> , 2017, 375, 35.  | 5.8 | 41        |
| 3498 | Weight loss-induced cellular stress in subcutaneous adipose tissue and the risk for weight regain in overweight and obese adults. <i>International Journal of Obesity</i> , 2017, 41, 894-901.                                      | 3.4 | 25        |
| 3500 | MR Imagingâ€‘derived Oxygen Metabolism and Neovascularization Characterization for Grading and IDH Gene Mutation Detection of Gliomas. <i>Radiology</i> , 2017, 283, 799-809.   | 7.3 | 56        |
| 3501 | FGF11 induced by hypoxia interacts with HIF1 $\alpha$ and enhances its stability. <i>FEBS Letters</i> , 2017, 591, 348-357.   | 2.8 | 21        |
| 3502 | Halofuginone enhances the chemo-sensitivity of cancer cells by suppressing NRF2 accumulation. <i>Free Radical Biology and Medicine</i> , 2017, 103, 236-247.  | 2.9 | 117       |
| 3503 | Propofol attenuates pancreatic cancer malignant potential via inhibition of NMDA receptor. <i>European Journal of Pharmacology</i> , 2017, 795, 150-159.  | 3.5 | 54        |
| 3504 | Bioluminescent Probe for Tumor Hypoxia Detection via CYP450 Reductase in Living Animals. <i>Analytical Chemistry</i> , 2017, 89, 12488-12493.   | 6.5 | 27        |
| 3506 | Impact of hypoxia in head and neck cancer radiotherapy. <i>Clinical and Translational Imaging</i> , 2017, 5, 497-505.   | 2.1 | 3         |
| 3507 | Dual-target cancer theranostic for glutathione S-transferase and hypoxia-inducible factor-1 $\alpha$ inhibition. <i>Chemical Communications</i> , 2017, 53, 12406-12409.  | 4.1 | 11        |
| 3508 | Low-dose YC-1 combined with glucose and insulin selectively induces apoptosis in hypoxic gastric carcinoma cells by inhibiting anaerobic glycolysis. <i>Scientific Reports</i> , 2017, 7, 12653.                                    | 3.3 | 20        |
| 3509 | Mangiferin ameliorates insulin resistance by inhibiting inflammation and regulating adipokine expression in adipocytes under hypoxic condition. <i>Chinese Journal of Natural Medicines</i> , 2017, 15, 664-673.                    | 1.3 | 9         |
| 3510 | Methyl 3-(3-(4-(2,4,4-Trimethylpentan-2-yl)phenoxy)-propanamido)benzoate as a Novel and Dual Malate Dehydrogenase (MDH) 1/2 Inhibitor Targeting Cancer Metabolism. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 8631-8646.     | 6.4 | 24        |
| 3511 | A positive circuit of VEGF increases Glut-1 expression by increasing HIF-1 $\alpha$ gene expression in human retinal endothelial cells. <i>Archives of Pharmacal Research</i> , 2017, 40, 1433-1442.                                | 6.3 | 13        |
| 3512 | Th17/Treg immunoregulation and implications in treatment of sulfur mustard gas-induced lung diseases. <i>Expert Review of Clinical Immunology</i> , 2017, 13, 1173-1188.  | 3.0 | 12        |
| 3513 | Quercetin Inhibits Cell Migration and Invasion in Human Osteosarcoma Cells. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 553-567.  | 1.6 | 65        |
| 3514 | Correlations between the iodine concentrations from dual energy computed tomography and molecular markers Ki-67 and HIF-1 $\alpha$ in rectal cancer: A preliminary study. <i>European Journal of Radiology</i> , 2017, 96, 109-114. | 2.6 | 19        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3515 | Dynamic mRNA and miRNA expression analysis in response to hypoxia and reoxygenation in the blunt snout bream ( <i>Megalobrama amblycephala</i> ). <i>Scientific Reports</i> , 2017, 7, 12846.           | 3.3  | 16        |
| 3516 | Pharmacological HIF-inhibition attenuates postoperative adhesion formation. <i>Scientific Reports</i> , 2017, 7, 13151.   | 3.3  | 24        |
| 3517 | Oxidative stress regulates cellular bioenergetics in esophageal squamous cell carcinoma cell. <i>Bioscience Reports</i> , 2017, 37, .   | 2.4  | 11        |
| 3518 | Vitamins and regulation of angiogenesis: [A, B1, B2, B3, B6, B9, B12, C, D, E, K]. <i>Journal of Functional Foods</i> , 2017, 38, 180-196.  | 3.4  | 22        |
| 3519 | Zinc and its transporter ZIP6 are key mediators of breast cancer cell survival under high glucose conditions. <i>FEBS Letters</i> , 2017, 591, 3348-3359.   | 2.8  | 24        |
| 3520 | VEGF as a potential target in lung cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2017, 21, 959-966.  | 3.4  | 159       |
| 3521 | Preventative effects of a HIF inhibitor, 17-DMAG, on partial bladder outlet obstruction-induced bladder dysfunction. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F1149-F1160. | 2.7  | 24        |
| 3522 | Vasculogenesis and angiogenesis initiation under normoxic conditions through Wnt/ $\beta$ 2-catenin pathway in gliomas. <i>Reviews in the Neurosciences</i> , 2017, 29, 71-91.                          | 2.9  | 102       |
| 3523 | Origin and production of inflammatory perivascular macrophages in pulmonary hypertension. <i>Cytokine</i> , 2017, 100, 11-15.   | 3.2  | 28        |
| 3524 | Polo-like kinase 3, hypoxic responses, and tumorigenesis. <i>Cell Cycle</i> , 2017, 16, 2032-2036.  | 2.6  | 18        |
| 3525 | Levobupivacaine-Induced Dissemination of A549 Lung Cancer Cells. <i>Scientific Reports</i> , 2017, 7, 8646.   | 3.3  | 8         |
| 3526 | Tumor cells and their crosstalk with endothelial cells in 3D spheroids. <i>Scientific Reports</i> , 2017, 7, 10428.   | 3.3  | 81        |
| 3527 | BRG1 promotes VEGF-A expression and angiogenesis in human colorectal cancer cells. <i>Experimental Cell Research</i> , 2017, 360, 236-242.  | 2.6  | 29        |
| 3528 | <i>ANGPTL1</i> Interacts with Integrin $\alpha$ 1 $\beta$ 1 to Suppress HCC Angiogenesis and Metastasis by Inhibiting JAK2/STAT3 Signaling. <i>Cancer Research</i> , 2017, 77, 5831-5845.               | 0.9  | 63        |
| 3529 | Endothelial adenosine A2a receptor-mediated glycolysis is essential for pathological retinal angiogenesis. <i>Nature Communications</i> , 2017, 8, 584.   | 12.8 | 77        |
| 3530 | RAS protein activator-like 1 is functionally involved in hypoxia resistance in breast cancer cells by targeting hypoxia inducible factor-1 $\alpha$ . <i>Oncology Letters</i> , 2017, 14, 3839-3845.    | 1.8  | 5         |
| 3531 | Exercise-dependent regulation of the tumour microenvironment. <i>Nature Reviews Cancer</i> , 2017, 17, 620-632.   | 28.4 | 190       |
| 3532 | BIRC3 is a biomarker of mesenchymal habitat of glioblastoma, and a mediator of survival adaptation in hypoxia-driven glioblastoma habitats. <i>Scientific Reports</i> , 2017, 7, 9350.                  | 3.3  | 20        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3533 | Hypoxia induces cancer-associated cAMP/PKA signalling through HIF-mediated transcriptional control of adenylyl cyclases VI and VII. <i>Scientific Reports</i> , 2017, 7, 10121.   | 3.3  | 37        |
| 3534 | Immune Cell Metabolism in Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1011, 163-196.   | 1.6  | 23        |
| 3535 | Regulation of Metabolism Across Different Subsets of T Cells in Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1011, 197-209.   | 1.6  | 2         |
| 3536 | The copper dependent-lysyl oxidases contribute to the pathogenesis of pulmonary emphysema in chronic obstructive pulmonary disease patients. <i>Journal of Trace Elements in Medicine and Biology</i> , 2017, 44, 247-255.  | 3.0  | 23        |
| 3537 | Identification of essential transcription factors for adequate DNA damage response after benzo(a)pyrene and aflatoxin B1 exposure by combining transcriptomics with functional genomics. <i>Toxicology</i> , 2017, 390, 74-82.  | 4.2  | 31        |
| 3538 | Antiangiogenic activity of phthalides-enriched <i>Angelica Sinensis</i> extract by suppressing WSB-1/pVHL/HIF-1 $\alpha$ /VEGF signaling in bladder cancer. <i>Scientific Reports</i> , 2017, 7, 5376.  | 3.3  | 21        |
| 3539 | 18 F-Fluoromisonidazole positron emission tomography (FMISO-PET) may reflect hypoxia and cell proliferation activity in oral squamous cell carcinoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 124, 261-270.                         | 0.4  | 12        |
| 3540 | Trophoblast survival signaling during human placentation requires HSP70 activation of MMP2-mediated HBEGF shedding. <i>Cell Death and Differentiation</i> , 2017, 24, 1772-1783.  | 11.2 | 18        |
| 3541 | Expression of hypoxia inducible factor 1 alpha and its clinical significance in esophageal carcinoma: A meta-analysis. <i>Tumor Biology</i> , 2017, 39, 101042831771798.  | 1.8  | 10        |
| 3542 | Oncogenic Activities of IDH1/2 Mutations: From Epigenetics to Cellular Signaling. <i>Trends in Cell Biology</i> , 2017, 27, 738-752.  | 7.9  | 99        |
| 3543 | The association of genetic polymorphisms of hypoxia inducible factor-1 alpha and vascular endothelial growth factor with increased risk of chronic obstructive pulmonary disease: A case-control study. <i>Kaohsiung Journal of Medical Sciences</i> , 2017, 33, 433-441. | 1.9  | 20        |
| 3544 | A marine sponge alkaloid derivative 4-chloro faspaplysin inhibits tumor growth and VEGF mediated angiogenesis by disrupting PI3K/Akt/mTOR signaling cascade. <i>Chemico-Biological Interactions</i> , 2017, 275, 47-60.   | 4.0  | 57        |
| 3545 | UCHL1-HIF-1 axis-mediated antioxidant property of cancer cells as a therapeutic target for radiosensitization. <i>Scientific Reports</i> , 2017, 7, 6879.   | 3.3  | 53        |
| 3546 | NADPH oxidase 5 (NOX5)-induced reactive oxygen signaling modulates normoxic HIF-1 $\alpha$ and p27 <sup>Kip1</sup> expression in malignant melanoma and other human tumors. <i>Molecular Carcinogenesis</i> , 2017, 56, 2643-2662.  | 2.7  | 31        |
| 3547 | Inhibitory effect of a redox-silent analogue of tocotrienol on hypoxia adaptation in prostate cancer cells. <i>Anti-Cancer Drugs</i> , 2017, 28, 289-297.   | 1.4  | 10        |
| 3548 | Dual-Stage Light Amplified Photodynamic Therapy against Hypoxic Tumor Based on an O <sub>2</sub> -Self-Sufficient Nanoplatform. <i>Small</i> , 2017, 13, 1701621.   | 10.0 | 194       |
| 3549 | Embryonic Stem Cell Differentiation to Functional Arterial Endothelial Cells through Sequential Activation of ETV2 and NOTCH1 Signaling by HIF1 $\alpha$ . <i>Stem Cell Reports</i> , 2017, 9, 796-806.   | 4.8  | 35        |
| 3550 | Design of nanocarriers based on complex biological barriers in vivo for tumor therapy. <i>Nano Today</i> , 2017, 15, 56-90.   | 11.9 | 103       |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3551 | Upregulation of Wnt signaling under hypoxia promotes lung cancer progression. <i>Oncology Reports</i> , 2017, 38, 1706-1714.   | 2.6  | 33        |
| 3552 | Prodrug-embedded angiogenic vessel-targeting nanoparticle: A positive feedback amplifier in hypoxia-induced chemo-photo therapy. <i>Biomaterials</i> , 2017, 144, 188-198.   | 11.4 | 57        |
| 3553 | Selective HIF-1 Regulation under Nonhypoxic Conditions by the p42/p44 MAP Kinase Inhibitor PD184161. <i>Molecular Pharmacology</i> , 2017, 92, 510-518.  | 2.3  | 5         |
| 3554 | Mitochondrial energetics in the kidney. <i>Nature Reviews Nephrology</i> , 2017, 13, 629-646.  | 9.6  | 758       |
| 3555 | Design and synthesis of benzopyran-based inhibitors of the hypoxia-inducible factor-1 pathway with improved water solubility. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017, 32, 992-1001.                          | 5.2  | 7         |
| 3556 | SIM2l attenuates resistance to hypoxia and tumor growth by transcriptional suppression of HIF1A in uterine cervical squamous cell carcinoma. <i>Scientific Reports</i> , 2017, 7, 14574.   | 3.3  | 7         |
| 3557 | A Microdevice Platform Recapitulating Hypoxic Tumor Microenvironments. <i>Scientific Reports</i> , 2017, 7, 15233.   | 3.3  | 30        |
| 3558 | Akt inhibition improves long-term tumour control following radiotherapy by altering the microenvironment. <i>EMBO Molecular Medicine</i> , 2017, 9, 1646-1659.   | 6.9  | 12        |
| 3559 | HIF-1 $\alpha$ - Targeting Acriflavine Provides Long Term Survival and Radiological Tumor Response in Brain Cancer Therapy. <i>Scientific Reports</i> , 2017, 7, 14978.  | 3.3  | 62        |
| 3560 | Mint3 in bone marrow-derived cells promotes lung metastasis in breast cancer model mice. <i>Biochemical and Biophysical Research Communications</i> , 2017, 490, 688-692.  | 2.1  | 10        |
| 3561 | Manipulating tumor hypoxia toward enhanced photodynamic therapy (PDT). <i>Biomaterials Science</i> , 2017, 5, 1500-1511.   | 5.4  | 254       |
| 3562 | Chlorogenic acid modulates hypoxia response of Hep3B cells. <i>Personalized Medicine Universe</i> , 2017, 6, 12-16.  | 0.3  | 10        |
| 3563 | MUC1 and HIF-1 $\alpha$ Signaling Crosstalk Induces Anabolic Glucose Metabolism to Impart Gemcitabine Resistance to Pancreatic Cancer. <i>Cancer Cell</i> , 2017, 32, 71-87.e7.  | 16.8 | 373       |
| 3564 | Shikonin suppresses proliferation and induces cell cycle arrest through the inhibition of hypoxia-inducible factor-1 $\alpha$ signaling. <i>Chemico-Biological Interactions</i> , 2017, 274, 58-67.                                      | 4.0  | 27        |
| 3565 | Recent trends and methodologies in gold nanoparticle synthesis – A prospective review on drug delivery aspect. <i>OpenNano</i> , 2017, 2, 37-46.   | 4.8  | 196       |
| 3567 | Endothelial Cells. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1003, 71-91.   | 1.6  | 183       |
| 3568 | Histone deacetylase 5 promotes the migration and invasion of hepatocellular carcinoma via increasing the transcription of hypoxia-inducible factor-1 $\alpha$ under hypoxia condition. <i>Tumor Biology</i> , 2017, 39, 101042831770503. | 1.8  | 18        |
| 3569 | HIF-2 $\alpha$ not HIF-1 $\alpha$ overexpression confers poor prognosis in non-small cell lung cancer. <i>Tumor Biology</i> , 2017, 39, 101042831770963.   | 1.8  | 31        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3570 | Efficacy of Intravitreal injection of 2-Methoxyestradiol in regression of neovascularization of a retinopathy of prematurity rat model. <i>BMC Ophthalmology</i> , 2017, 17, 38.  | 1.4  | 10        |
| 3571 | HIF-1 $\pm$ promoted vasculogenic mimicry formation in hepatocellular carcinoma through LOXL2 up-regulation in hypoxic tumor microenvironment. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 60.                        | 8.6  | 144       |
| 3572 | P4HA1: A single-gene surrogate of hypoxia signatures in oral squamous cell carcinoma patients. <i>Clinical and Translational Radiation Oncology</i> , 2017, 5, 6-11.  | 1.7  | 21        |
| 3573 | uPA/uPAR system activation drives a glycolytic phenotype in melanoma cells. <i>International Journal of Cancer</i> , 2017, 141, 1190-1200.  | 5.1  | 40        |
| 3574 | Hypoxia inducible factor down-regulation, cancer and cancer stem cells (CSCs): ongoing success stories. <i>MedChemComm</i> , 2017, 8, 21-52.  | 3.4  | 19        |
| 3575 | Iron, Cancer, and Hypoxia-Inducible Factor Signaling. , 2017, , 203-213.  |      | 0         |
| 3576 | A tumoural angiogenic gateway blocker, Benzophenone-1B represses the HIF-1 $\pm$ nuclear translocation and its target gene activation against neoplastic progression. <i>Biochemical Pharmacology</i> , 2017, 125, 26-40.                         | 4.4  | 35        |
| 3577 | BP-1T, an antiangiogenic benzophenone-thiazole pharmacophore, counteracts HIF-1 signalling through p53/MDM2-mediated HIF-1 $\pm$ proteasomal degradation. <i>Angiogenesis</i> , 2017, 20, 55-71.  | 7.2  | 43        |
| 3578 | Rho-associated kinase 1 inhibition is synthetically lethal with von Hippel-Lindau deficiency in clear cell renal cell carcinoma. <i>Oncogene</i> , 2017, 36, 1080-1089.   | 5.9  | 29        |
| 3579 | The antitumor efficacy of anti-p21Ras scFv mediated by the dual-promoter-regulated recombinant adenovirus KGHV300. <i>Gene Therapy</i> , 2017, 24, 40-48.   | 4.5  | 12        |
| 3580 | Hypoxia-induced production of peptidylarginine deiminases and citrullinated proteins in malignant glioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 50-56.  | 2.1  | 24        |
| 3581 | Molecular targeting of hypoxia in radiotherapy. <i>Advanced Drug Delivery Reviews</i> , 2017, 109, 45-62.   | 13.7 | 146       |
| 3582 | Acetylation of PGK1 promotes liver cancer cell proliferation and tumorigenesis. <i>Hepatology</i> , 2017, 65, 515-528.  | 7.3  | 200       |
| 3583 | Roles of HIF-1 $\pm$ , VEGF, and NF- $\kappa$ B in Ischemic Preconditioning-Mediated Neuroprotection of Hippocampal CA1 Pyramidal Neurons Against a Subsequent Transient Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2017, 54, 6984-6998.  | 4.0  | 32        |
| 3584 | Ankyrin Repeat Proteins of Orf Virus Influence the Cellular Hypoxia Response Pathway. <i>Journal of Virology</i> , 2017, 91, .  | 3.4  | 14        |
| 3585 | Silibinin inhibits hypoxia-induced HIF-1 $\pm$ mediated signaling, angiogenesis and lipogenesis in prostate cancer cells: In vitro evidence and in vivo functional imaging and metabolomics. <i>Molecular Carcinogenesis</i> , 2017, 56, 833-848. | 2.7  | 49        |
| 3586 | Nitric Oxide Synthase-2-Derived Nitric Oxide Drives Multiple Pathways of Breast Cancer Progression. <i>Antioxidants and Redox Signaling</i> , 2017, 26, 1044-1058.  | 5.4  | 67        |
| 3587 | Knockdown of Hypoxia-Inducible Factor 1 $\pm$ Improved the Efficacy of Low-Dose Metronomic Chemotherapy of Paclitaxel in Human Colon Cancer Xenografts. <i>Technology in Cancer Research and Treatment</i> , 2017, 16, 609-619.                   | 1.9  | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3588 | The Two Faces of Reactive Oxygen Species in Cancer. Annual Review of Cancer Biology, 2017, 1, 79-98.  | 4.5 | 395       |
| 3589 | Mechanical stretch and hypoxia inducible factor-1 alpha affect the vascular endothelial growth factor and the connective tissue growth factor in cultured ACL fibroblasts. Connective Tissue Research, 2017, 58, 407-413. | 2.3 | 3         |
| 3590 | A novel "donor-two-acceptor" type fluorophore-based probe for fast detection and intracellular imaging of nitroreductase. Dyes and Pigments, 2017, 136, 627-632.  | 3.7 | 30        |
| 3591 | Evolutionarily conserved dual lysine motif determines the non-chaperone function of secreted Hsp90alpha in tumour progression. Oncogene, 2017, 36, 2160-2171.   | 5.9 | 57        |
| 3592 | Differentially expressed mitochondrial genes in breast cancer cells: Potential new targets for anti-cancer therapies. Gene, 2017, 596, 45-52.   | 2.2 | 18        |
| 3593 | Biochemical and Pathophysiological Premises to Positron Emission Tomography With Choline Radiotracers. Journal of Cellular Physiology, 2017, 232, 270-275.  | 4.1 | 28        |
| 3594 | Reprogramming the Transcriptional Response to Hypoxia with a Chromosomally Encoded Cyclic Peptide HIF-1 Inhibitor. ACS Synthetic Biology, 2017, 6, 518-527.   | 3.8 | 23        |
| 3595 | Drug-induced co-assembly of albumin/catalase as smart nano-theranostics for deep intra-tumoral penetration, hypoxia relieve, and synergistic combination therapy. Journal of Controlled Release, 2017, 263, 79-89.        | 9.9 | 165       |
| 3596 | Docosahexaenoic Acid-mediated Inhibition of Heat Shock Protein 90-p23 Chaperone Complex and Downstream Client Proteins in Lung and Breast Cancer. Nutrition and Cancer, 2017, 69, 92-104.                                 | 2.0 | 7         |
| 3597 | Oxygen "the forgotten nutrient. Journal of Nutritional Science, 2017, 6, e47.   | 1.9 | 11        |
| 3598 | Hypoxia modulates the stem cell population and induces EMT in the MCF-10A breast epithelial cell line. Oncology Reports, 2017, 39, 483-490.   | 2.6 | 13        |
| 3599 | Molecular Regulation of Sprouting Angiogenesis. , 2017, 8, 153-235.   |     | 47        |
| 3600 | TLR4 promotes the expression of HIF-1 by triggering reactive oxygen species in cervical cancer cells in vitro-implications for therapeutic intervention. Molecular Medicine Reports, 2018, 17, 2229-2238.                 | 2.4 | 19        |
| 3601 | A combinatorial approach to construct core and generic gene co-expression networks of colon cancer. , 2017, , .   |     | 1         |
| 3602 | Overexpression of hypoxia-inducible factor and metabolic pathways: possible targets of cancer. Cell and Bioscience, 2017, 7, 62.  | 4.8 | 126       |
| 3603 | Crosstalk Between Hypoxia and the Tumour via Exosomes. , 2017, , .  |     | 0         |
| 3604 | The Critical Role of Hypoxia in Tumor-Mediated Immunosuppression. , 0, , .  |     | 1         |
| 3605 | HEXOKINASES IN BREAST CANCER. International Journal of Biosciences and Biotechnology, 2017, 4, 110.   | 0.2 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3606 | Abnormalities in alternative splicing of angiogenesis-related genes and their role in HIV-related cancers. HIV/AIDS - Research and Palliative Care, 2017, Volume 9, 77-93.                             | 0.8 | 10        |
| 3607 | Targeting Hypoxia Inducible Factors-1 $\pm$ As a Novel Therapy in Fibrosis. Frontiers in Pharmacology, 2017, 8, 326.   | 3.5 | 61        |
| 3608 | STAT3 in Pancreatic Cancer Metastasis. , 2017, , 351-361.  |     | 1         |
| 3609 | Copper and Hypoxia-Inducible Transcription Factor Regulation of Gene Expression. , 2017, , 101-113.  |     | 1         |
| 3610 | Pleiotropic Role of Puupehenones in Biomedical Research. Marine Drugs, 2017, 15, 325.  | 4.6 | 11        |
| 3611 | Cardiovascular adaptation to hypoxia and the role of peripheral resistance. ELife, 2017, 6, .  | 6.0 | 28        |
| 3612 | Targeting Tumor Adaption to Chronic Hypoxia: Implications for Drug Resistance, and How It Can Be Overcome. International Journal of Molecular Sciences, 2017, 18, 1854.                                | 4.1 | 62        |
| 3613 | The Role of Angiogenesis in Cancer Treatment. Biomedicines, 2017, 5, 34.   | 3.2 | 419       |
| 3614 | Integrins and Cell Metabolism: An Intimate Relationship Impacting Cancer. International Journal of Molecular Sciences, 2017, 18, 189.  | 4.1 | 96        |
| 3615 | Vanillin Suppresses Cell Motility by Inhibiting STAT3-Mediated HIF-1 $\pm$ mRNA Expression in Malignant Melanoma Cells. International Journal of Molecular Sciences, 2017, 18, 532.                    | 4.1 | 30        |
| 3616 | Hypoxic Preconditioning Promotes the Bioactivities of Mesenchymal Stem Cells via the HIF-1 $\pm$ -GRP78-Akt Axis. International Journal of Molecular Sciences, 2017, 18, 1320.                         | 4.1 | 100       |
| 3617 | Daam2 driven degradation of VHL promotes gliomagenesis. ELife, 2017, 6, .  | 6.0 | 22        |
| 3618 | Similarities in the Metabolic Reprogramming of Immune System and Endothelium. Frontiers in Immunology, 2017, 8, 837.   | 4.8 | 45        |
| 3619 | Relative Contribution of Prolyl Hydroxylase-Dependent and -Independent Degradation of HIF-1 $\alpha$ by Proteasomal Pathways in Cerebral Ischemia. Frontiers in Neuroscience, 2017, 11, 239.           | 2.8 | 17        |
| 3620 | Metabolic Cooperation and Competition in the Tumor Microenvironment: Implications for Therapy. Frontiers in Oncology, 2017, 7, 68.   | 2.8 | 142       |
| 3621 | Parthenolide suppresses hypoxia-inducible factor-1 $\pm$ signaling and hypoxia induced epithelial-mesenchymal transition in colorectal cancer. International Journal of Oncology, 2017, 51, 1809-1820. | 3.3 | 31        |
| 3622 | The eIF4E2-Directed Hypoxic Cap-Dependent Translation Machinery Reveals Novel Therapeutic Potential for Cancer Treatment. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-12.                 | 4.0 | 20        |
| 3623 | Contribution of the Microenvironmental Niche to Glioblastoma Heterogeneity. BioMed Research International, 2017, 2017, 1-13.   | 1.9 | 47        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3624 | KLF2 inhibits cell growth via regulating HIF-1 $\pm$ /Notch-1 signal pathway in human colorectal cancer HCT116 cells. <i>Oncology Reports</i> , 2017, 38, 584-590.  | 2.6  | 43        |
| 3625 | Ginsenoside Rd regulates the Akt/mTOR/p70S6K signaling cascade and suppresses angiogenesis and breast tumor growth. <i>Oncology Reports</i> , 2017, 38, 359-367.  | 2.6  | 47        |
| 3626 | Hypoxia in Mesenchymal Stem Cell. , 2017, , .   |      | 1         |
| 3627 | Update on hypoxia-inducible factors and hydroxylases in oxygen regulatory pathways: from physiology to therapeutics. <i>Hypoxia (Auckland, N Z)</i> , 2017, Volume 5, 11-20.  | 1.9  | 26        |
| 3628 | Localized Delivery of shRNA against PHD2 Protects the Heart from Acute Myocardial Infarction through Ultrasound-Targeted Cationic Microbubble Destruction. <i>Theranostics</i> , 2017, 7, 51-66.  | 10.0 | 46        |
| 3629 | A mathematical model describes the malignant transformation of low grade gliomas: Prognostic implications. <i>PLoS ONE</i> , 2017, 12, e0179999.  | 2.5  | 26        |
| 3630 | Role of Hypoxia-Inducible Factor (HIF) in the Initiation of Cancer and Its Therapeutic Inhibitors. , 2017, , 131-159.   |      | 1         |
| 3631 | Potential Anticancer Activity of Tocotrienols. <i>Vitamins &amp; Minerals</i> , 2017, 06, .   | 0.2  | 0         |
| 3632 | Effects of Histone Deacetylase Inhibitor (Valproic Acid) on the Expression of Hypoxia-inducible Factor-1 Alpha in Human Retinal MÄ¼ller Cells. <i>Korean Journal of Ophthalmology: KJO</i> , 2017, 31, 80.  | 1.1  | 7         |
| 3633 | LncRNA PVT1 regulate expression of HIF1 $\pm$ via functioning as ceRNA for miRâ€™199aâ€™5p in nonâ€™small cell lung cancer under hypoxia. <i>Molecular Medicine Reports</i> , 2018, 17, 1105-1110.  | 2.4  | 50        |
| 3634 | Dietary oleuropein inhibits tumor angiogenesis and lymphangiogenesis in the B16F10 melanoma allograft model: a mechanism for the suppression of high-fat diet-induced solid tumor growth and lymph node metastasis. <i>Oncotarget</i> , 2017, 8, 32027-32042. | 1.8  | 31        |
| 3635 | A novel small-molecule arylsulfonamide causes energetic stress and suppresses breast and lung tumor growth and metastasis. <i>Oncotarget</i> , 2017, 8, 99245-99260.  | 1.8  | 8         |
| 3636 | Mn&lt;sup&gt;2+&lt;/sup&gt;-coordinated PDA@DOX/PLGA nanoparticles as a smart theranostic agent for synergistic chemo-photothermal tumor therapy. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 3331-3345.                                  | 6.7  | 78        |
| 3637 | Effects of siRNA-mediated HIF-1 $\pm$ gene silencing on angiogenesis in osteosarcoma. <i>Pakistan Journal of Medical Sciences</i> , 2017, 33, 341-346.  | 0.6  | 11        |
| 3638 | ERK expression and its correlation with STAT1 in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 45249-45258.  | 1.8  | 19        |
| 3639 | miR-199a modulates cisplatin resistance in ovarian cancer by targeting Hif1&amp;alpha;. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 5899-5906.  | 2.0  | 17        |
| 3640 | Independent Prognostic Value of Hypoxia-inducible Factor 1-alpha Expression in Small Cell Lung Cancer. <i>International Journal of Medical Sciences</i> , 2017, 14, 785-790.  | 2.5  | 18        |
| 3641 | Methotrexate-coupled nanoparticles and magnetic nanochemothermia for the relapse-free treatment of T24 bladder tumors. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 2793-2811.   | 6.7  | 15        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3642 | Redox activated polymeric nanoparticles in tumor therapy. , 2017, , 327-354.  |      | 4         |
| 3643 | HPV-associated differential regulation of tumor metabolism in oropharyngeal head and neck cancer. Oncotarget, 2017, 8, 51530-51541.   | 1.8  | 40        |
| 3644 | Glucose transporter GLUT1 expression and clinical outcome in solid tumors: a systematic review and meta-analysis. Oncotarget, 2017, 8, 16875-16886.   | 1.8  | 144       |
| 3645 | Warburg effect, hexokinase-II, and radioresistance of laryngeal carcinoma. Oncotarget, 2017, 8, 14133-14146.  | 1.8  | 37        |
| 3646 | Discovery of the Hypoxia-Activated Prodrug SN30000. , 2017, , 58-94.  |      | 4         |
| 3647 | Hypoxia-inducible factor-1 $\pm$ regulates microglial functions affecting neuronal survival in the acute phase of ischemic stroke in mice. Oncotarget, 2017, 8, 111508-111521.  | 1.8  | 43        |
| 3648 | Targeting the microenvironment in solid tumors. Cancer Treatment Reviews, 2018, 65, 22-32.  | 7.7  | 342       |
| 3649 | Coreâ€‘shell TaOx@MnO <sub>2</sub> nanoparticles as a nano-radiosensitizer for effective cancer radiotherapy. Journal of Materials Chemistry B, 2018, 6, 2250-2257.   | 5.8  | 45        |
| 3650 | The ST6Gal-I sialyltransferase protects tumor cells against hypoxia by enhancing HIF-1 $\pm$ signaling. Journal of Biological Chemistry, 2018, 293, 5659-5667.  | 3.4  | 59        |
| 3651 | Î—ypoxia-inducible factor 1- $\pm$ promotes colon cell proliferation and migration by upregulating AMPK-related protein kinase 5 under hypoxic conditions. Oncology Letters, 2018, 15, 3639-3645.   | 1.8  | 8         |
| 3652 | Tumorâ€‘associated myeloid cells: new understandings on their metabolic regulation and their influence in cancer immunotherapy. FEBS Journal, 2018, 285, 717-733.   | 4.7  | 45        |
| 3653 | Understanding the Pathophysiology of Psychological Distress and Pancreatic Cancer. Pancreas, 2018, 47, 376-381.   | 1.1  | 13        |
| 3654 | Basics of Planning and Management of Patients during Radiation Therapy. , 2018, , .   |      | 2         |
| 3655 | Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. Journal of Cell Biology, 2018, 217, 1915-1928.  | 5.2  | 1,091     |
| 3656 | Effects of propofol on cancer development and chemotherapy: Potential mechanisms. European Journal of Pharmacology, 2018, 831, 46-51.   | 3.5  | 87        |
| 3657 | Chemoresistance Evolution in Triple-Negative Breast Cancer Delineated by Single-Cell Sequencing. Cell, 2018, 173, 879-893.e13.  | 28.9 | 777       |
| 3658 | Hiding in Plain Sight: Rediscovering the Importance of Noncoding RNA in Human Malignancy. Cancer Research, 2018, 78, 2149-2158.   | 0.9  | 9         |
| 3659 | Modified Shenlingbaizhu decoction reduces intestinal adenoma formation in adenomatous polyposis coli multiple intestinal neoplasia mice by suppression of hypoxia-inducible factor 1 $\pm$ -induced CD4 + CD25+ forkhead box P3 regulatory T cells. Journal of Traditional Chinese Medicine = Chung I Tsa Chih Ying Wen Pan / Sponsored By All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine, 2018, 38, 22-32. | 0.4  | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3660 | Emerging roles and mechanisms of FOXC2 in cancer. Clinica Chimica Acta, 2018, 479, 84-93.  | 1.1 | 43        |
| 3661 | Regulatory mechanisms of hypoxia-inducible factor 1 activity: Two decades of knowledge. Cancer Science, 2018, 109, 560-571.  | 3.9 | 156       |
| 3662 | hMiro. , 2018, , 2402-2402.  |     | 0         |
| 3663 | Hemicentin. , 2018, , 2340-2340.   |     | 0         |
| 3664 | Role of hypoxia in Diffuse Large B-cell Lymphoma: Metabolic repression and selective translation of HK2 facilitates development of DLBCL. Scientific Reports, 2018, 8, 744.  | 3.3 | 36        |
| 3665 | Pyruvate Dehydrogenase PDH-E1 $\alpha$ Controls Tumor Progression by Altering the Metabolic Status of Cancer Cells. Cancer Research, 2018, 78, 1592-1603.  | 0.9 | 34        |
| 3666 | Melatonin attenuated retinal neovascularization and neuroglial dysfunction by inhibition of $\text{HIF-1}\alpha$ and $\text{VEGF}$ pathway in oxygen-induced retinopathy mice. Journal of Pineal Research, 2018, 64, e12473.                 | 7.4 | 74        |
| 3667 | Tumor Hypoxia As an Enhancer of Inflammation-Mediated Metastasis: Emerging Therapeutic Strategies. Targeted Oncology, 2018, 13, 157-173.   | 3.6 | 22        |
| 3668 | Development of single nanometer-sized ultrafine oxygen bubbles to overcome the hypoxia-induced resistance to radiation therapy via the suppression of hypoxia-inducible factor-1. International Journal of Oncology, 2018, 52, 679-686.      | 3.3 | 12        |
| 3669 | Cadmium disrupts signaling of the hypoxia-inducible (HIF) and transforming growth factor (TGF- $\beta$ ) pathways in placental JEG-3 trophoblast cells via reactive oxygen species. Toxicology and Applied Pharmacology, 2018, 342, 108-115. | 2.8 | 16        |
| 3670 | The interplay between HIF-1 and calcium signalling in cancer. International Journal of Biochemistry and Cell Biology, 2018, 97, 73-77.   | 2.8 | 42        |
| 3671 | Intradermal delivery of STAT3 siRNA to treat melanoma via dissolving microneedles. Scientific Reports, 2018, 8, 1117.  | 3.3 | 85        |
| 3672 | The hypoxic tumour microenvironment. Oncogenesis, 2018, 7, 10.   | 4.9 | 722       |
| 3673 | Repeated photon and C-ion irradiations in vivo have different impact on alteration of tumor characteristics. Scientific Reports, 2018, 8, 1458.  | 3.3 | 10        |
| 3674 | $\text{VBP-1}$ represses cancer metastasis by enhancing $\text{HIF-1}\alpha$ degradation induced by $\text{pVHL}$ . FEBS Journal, 2018, 285, 115-126.  | 4.7 | 28        |
| 3675 | Hypoxia-induced microRNA-590-5p promotes colorectal cancer progression by modulating matrix metalloproteinase activity. Cancer Letters, 2018, 416, 31-41.  | 7.2 | 46        |
| 3676 | Pluripotency Transcription Factors and Metabolic Reprogramming of Mitochondria in Tumor-Initiating Stem-like Cells. Antioxidants and Redox Signaling, 2018, 28, 1080-1089.   | 5.4 | 13        |
| 3678 | Analysis of Hypoxia and the Hypoxic Response in Tumor Xenografts. Methods in Molecular Biology, 2018, 1742, 283-300.   | 0.9 | 6         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3679 | Scarless wound healing: Transitioning from fetal research to regenerative healing. Wiley Interdisciplinary Reviews: Developmental Biology, 2018, 7, e309.  | 5.9  | 91        |
| 3680 | Discovery of bicyclo[3,3,1]non-2-ene as a novel skeleton for HIF-1 inhibitors. Bioorganic and Medicinal Chemistry, 2018, 26, 3345-3351.  | 3.0  | 10        |
| 3681 | Synergistic antitumor effect of polysaccharide from Lachnum sp. in combination with cyclophosphamide in hepatocellular carcinoma. Carbohydrate Polymers, 2018, 196, 33-46.                             | 10.2 | 46        |
| 3682 | Exercise induces new cardiomyocyte generation in the adult mammalian heart. Nature Communications, 2018, 9, 1659.  | 12.8 | 134       |
| 3683 | Prolyl hydroxylase 2 is dispensable for homeostasis of intestinal epithelium in mice. Acta Biochimica Et Biophysica Sinica, 2018, 50, 540-546.   | 2.0  | 6         |
| 3684 | Enhancement of mitochondrial biogenesis and paradoxical inhibition of lactate dehydrogenase mediated by 14-3-3 $\sigma$ in oncocytoomas. Journal of Pathology, 2018, 245, 361-372.                     | 4.5  | 17        |
| 3685 | Intermittent hypoxia induces a metastatic phenotype in breast cancer. Oncogene, 2018, 37, 4214-4225.   | 5.9  | 100       |
| 3686 | Bisphenol A and Its Derivatives Induce Degradation of HIF-1 $\alpha$ & via the Lysosomal Pathway in Human Hepatocarcinoma Cell Line, Hep3B. Biological and Pharmaceutical Bulletin, 2018, 41, 374-382. | 1.4  | 9         |
| 3687 | Identification of a MET-eIF4G1 translational regulation axis that controls HIF-1 $\pm$ levels under hypoxia. Oncogene, 2018, 37, 4181-4196.  | 5.9  | 19        |
| 3688 | The role of VEGF in the diagnosis and treatment of malignant pleural effusion in patients with non-small cell lung cancer (Review). Molecular Medicine Reports, 2018, 17, 8019-8030.                   | 2.4  | 50        |
| 3689 | Integrated omics profiling identifies hypoxia-regulated genes in HCT116 colon cancer cells. Journal of Proteomics, 2018, 188, 139-151.   | 2.4  | 13        |
| 3690 | Mycoplasma infection and hypoxia initiate succinate accumulation and release in the VM-M3 cancer cells. Biochimica Et Biophysica Acta - Bioenergetics, 2018, 1859, 975-983.                            | 1.0  | 24        |
| 3691 | Biodegradable Polymeric Nanoparticles for Therapeutic Cancer Treatments. Annual Review of Chemical and Biomolecular Engineering, 2018, 9, 105-127.   | 6.8  | 161       |
| 3692 | Tumor oxygenation and cancer therapy—then and now. British Journal of Radiology, 2019, 92, 20170955.   | 2.2  | 37        |
| 3693 | Metastasis in context: modeling the tumor microenvironment with cancer-on-a-chip approaches. DMM Disease Models and Mechanisms, 2018, 11, .  | 2.4  | 98        |
| 3694 | A novel HDAC6 inhibitor exerts an anti-cancer effect by triggering cell cycle arrest and apoptosis in gastric cancer. European Journal of Pharmacology, 2018, 828, 67-79.                              | 3.5  | 26        |
| 3695 | Induction of hemangiosarcoma in mice after chronic treatment with S1P-modulator siponimod and its lack of relevance to rat and human. Archives of Toxicology, 2018, 92, 1877-1891.                     | 4.2  | 3         |
| 3696 | Effects of Low-Intensity Pulsed Ultrasound for Preventing Joint Stiffness in Immobilized Knee Model in Rats. Ultrasound in Medicine and Biology, 2018, 44, 1244-1256.                                  | 1.5  | 13        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3697 | Sotetsuflavone suppresses invasion and metastasis in non-small-cell lung cancer A549 cells by reversing EMT via the TNF- $\alpha$ /NF- $\kappa$ B and PI3K/AKT signaling pathway. <i>Cell Death Discovery</i> , 2018, 4, 26. | 4.7  | 69        |
| 3698 | Adenosine and adenosine receptors in the immunopathogenesis and treatment of cancer. <i>Journal of Cellular Physiology</i> , 2018, 233, 2032-2057.   | 4.1  | 116       |
| 3699 | Molecular modeling on HIF-2 $\alpha$ -ARNT dimer destabilization caused by R171A and/or V192D mutations in HIF-2 $\alpha$ . <i>Journal of Molecular Graphics and Modelling</i> , 2018, 79, 35-45.                            | 2.4  | 1         |
| 3700 | Clinical and prognostic value of the C-Met/HGF signaling pathway in cervical cancer. <i>Journal of Cellular Physiology</i> , 2018, 233, 4490-4496.   | 4.1  | 38        |
| 3701 | HIF-2 $\alpha$ activated lncRNA NEAT1 promotes hepatocellular carcinoma cell invasion and metastasis by affecting the epithelial-mesenchymal transition. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 3247-3256.     | 2.6  | 57        |
| 3702 | Hypoxia inducible factor as a therapeutic target for atherosclerosis. , 2018, 183, 22-33.  |      | 154       |
| 3703 | Pathophysiology, screening and treatment of ROP: A multi-disciplinary perspective. <i>Progress in Retinal and Eye Research</i> , 2018, 62, 77-119.   | 15.5 | 109       |
| 3704 | Obesity and breast cancer – Role of estrogens and the molecular underpinnings of aromatase regulation in breast adipose tissue. <i>Molecular and Cellular Endocrinology</i> , 2018, 466, 15-30.                              | 3.2  | 95        |
| 3705 | Redox-sensitive transcription factors play a significant role in the development of rheumatoid arthritis. <i>International Reviews of Immunology</i> , 2018, 37, 129-143.  | 3.3  | 24        |
| 3706 | Glucose stimulates intestinal epithelial crypt proliferation by modulating cellular energy metabolism. <i>Journal of Cellular Physiology</i> , 2018, 233, 3465-3475.   | 4.1  | 25        |
| 3707 | CMOS Circuits for Biological Sensing and Processing. , 2018, , .   |      | 2         |
| 3708 | Targeted and imaging-guided in vivo photodynamic therapy for tumors using dual-function, aggregation-induced emission nanoparticles. <i>Nano Research</i> , 2018, 11, 2756-2770.   | 10.4 | 32        |
| 3709 | Implantable Microsystems for Personalised Anticancer Therapy. , 2018, , 259-286.   |      | 9         |
| 3710 | Re: Effect of Longer-interval Versus Standard Dosing of Zoledronic Acid on Skeletal Events in Patients with Bone Metastases. <i>European Urology</i> , 2018, 73, 304.  | 1.9  | 0         |
| 3711 | Protein S-glutathionylation induced by hypoxia increases hypoxia-inducible factor-1 $\alpha$ in human colon cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 212-216.                   | 2.1  | 13        |
| 3712 | Re: Targeting Renal Cell Carcinoma with a HIF-2 Antagonist. <i>European Urology</i> , 2018, 73, 304-305.   | 1.9  | 1         |
| 3713 | Modulators of Redox Metabolism in Head and Neck Cancer. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 1660-1690.   | 5.4  | 14        |
| 3714 | Secretion-mediated STAT3 activation promotes self-renewal of glioma stem-like cells during hypoxia. <i>Oncogene</i> , 2018, 37, 1107-1118.   | 5.9  | 71        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3715 | Renal hypoxia in kidney disease: Cause or consequence?. <i>Acta Physiologica</i> , 2018, 222, e12999.  | 3.8 | 97        |
| 3716 | Models and Molecular Mechanisms of World Health Organization Group 2 to 4 Pulmonary Hypertension. <i>Hypertension</i> , 2018, 71, 34-55.   | 2.7 | 18        |
| 3717 | 18-Fluorodeoxyglucose Positron Emission Tomography Predicts Recurrence in Resected Pancreatic Ductal Adenocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 279-287.   | 1.7 | 23        |
| 3718 | Carboxymethyl dextran-based hypoxia-responsive nanoparticles for doxorubicin delivery. <i>International Journal of Biological Macromolecules</i> , 2018, 110, 399-405.   | 7.5 | 57        |
| 3719 | Renal Cell Carcinoma: Molecular Aspects. <i>Indian Journal of Clinical Biochemistry</i> , 2018, 33, 246-254.   | 1.9 | 39        |
| 3720 | Chemical Approaches to Intervening in Ubiquitin Specific Protease 7 (USP7) Function for Oncology and Immune Oncology Therapies. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 422-443.   | 6.4 | 35        |
| 3721 | Epigenetic drivers of tumourigenesis and cancer metastasis. <i>Seminars in Cancer Biology</i> , 2018, 51, 149-159.   | 9.6 | 246       |
| 3722 | Autophagy induction plays a protective role against hypoxic stress in human dental pulp cells. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 1992-2002.   | 2.6 | 24        |
| 3723 | The receptor for advanced glycation end products: A fuel to pancreatic cancer. <i>Seminars in Cancer Biology</i> , 2018, 49, 37-43.  | 9.6 | 33        |
| 3724 | Structural basis for Cullins and RING component inhibition: Targeting E3 ubiquitin pathway conductors for cancer therapeutics. <i>International Journal of Biological Macromolecules</i> , 2018, 106, 532-543.                               | 7.5 | 12        |
| 3725 | Analysis of the binding mode of a novel HIF1 $\alpha$ inhibitor through molecular modelling. <i>General Physiology and Biophysics</i> , 2018, 37, 121-127.   | 0.9 | 1         |
| 3726 | The effects of 2-hydroxyglutarate on the tumorigenesis of gliomas. <i>Wspolczesna Onkologia</i> , 2018, 22, 215-222.   | 1.4 | 23        |
| 3727 | Radiation Therapy-Induced Metastasis Promotes Secondary Malignancy in Cancer Patients. , 2018, , .   |     | 1         |
| 3728 | NKX3.2 plays a key role in regulating HIF1 $\alpha$ -directed angiogenesis in chondrocytes. <i>Biotarget</i> , 0, 2, 11-11.  | 0.5 | 1         |
| 3729 | Lutein inhibits proliferation, invasion and migration of hypoxic breast cancer cells via downregulation of HES1. <i>International Journal of Oncology</i> , 2018, 52, 2119-2129.   | 3.3 | 22        |
| 3730 | Cellular densityâ€dependent increases in <sc>HIF</sc>â€1 compete with câ€Myc to downâ€regulate human <sc>EP</sc>4 receptor promoter activity through Spâ€1â€binding region. <i>Pharmacology Research and Perspectives</i> , 2018, 6, e00441. | 2.4 | 6         |
| 3731 | Functions of chemokines in the perineural invasion of tumors (Review). <i>International Journal of Oncology</i> , 2018, 52, 1369-1379.   | 3.3 | 9         |
| 3732 | Targeting the hypoxia pathway in malignant plasma cells by using 17-allylamino-17-demethoxygeldanamycin. <i>Acta Biochimica Polonica</i> , 2018, 65, 101-109.  | 0.5 | 8         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3733 | Identification of imatinib-resistant long non-coding RNAs in gastrointestinal stromal tumors. <i>Oncology Letters</i> , 2018, 17, 2283-2295.   | 1.8  | 10        |
| 3734 | Transcriptomic profiling of VHL-dependent long noncoding RNAs in clear cell renal cell carcinoma. <i>European Urology Supplements</i> , 2018, 17, e2956.   | 0.1  | 0         |
| 3735 | Epithelial-Mesenchymal Transition in Tumor Microenvironment Induced by Hypoxia. , 0, , .   |      | 4         |
| 3736 | 3D hydrogel breast cancer models for studying the effects of hypoxia on epithelial to mesenchymal transition. <i>Oncotarget</i> , 2018, 9, 32191-32203.  | 1.8  | 43        |
| 3737 | FOXC1, the new player in the cancer sandbox. <i>Oncotarget</i> , 2018, 9, 8165-8178.   | 1.8  | 53        |
| 3738 | Acquired and Intrinsic Resistance to Colorectal Cancer Treatment. , 2018, , .  |      | 6         |
| 3739 | High Doses of Vitamin C and Leukemia: In Vitro Update. , 2018, , .   |      | 1         |
| 3740 | Hypoxia-inducible factor 1 $\alpha$ and ROCK1 regulate proliferation and collagen synthesis in hepatic stellate cells under hypoxia. <i>Molecular Medicine Reports</i> , 2018, 18, 3997-4003.                                    | 2.4  | 10        |
| 3741 | Selenium-Binding Protein 1 in Human Health and Disease. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3437.   | 4.1  | 65        |
| 3743 | Interplay between hypoxia and androgen controls a metabolic switch conferring resistance to androgen/AR-targeted therapy. <i>Nature Communications</i> , 2018, 9, 4972.  | 12.8 | 40        |
| 3744 | The role of hypoxia in shaping the recruitment of proangiogenic and immunosuppressive cells in the tumor microenvironment. <i>Wspolczesna Onkologia</i> , 2018, 2018, 7-13.  | 1.4  | 23        |
| 3745 | Cancer RNome: Evolution and Sustenance. , 2018, , 113-242.   |      | 1         |
| 3746 | MTA1 promotes the invasion and migration of pancreatic cancer cells potentially through the HIF-1 $\alpha$ /VEGF pathway. <i>Journal of Receptor and Signal Transduction Research</i> , 2018, 38, 352-358.                       | 2.5  | 15        |
| 3747 | A 3D microvascular network model to study the impact of hypoxia on the extravasation potential of breast cell lines. <i>Scientific Reports</i> , 2018, 8, 17949.   | 3.3  | 62        |
| 3748 | HIF-1 as a Marker of Age-Related Diseases Associated with Tissue Hypoxia. <i>Biology Bulletin Reviews</i> , 2018, 8, 497-508.  | 0.9  | 1         |
| 3749 | Oxygen-laden mesenchymal stem cells enhance the effect of gastric cancer chemotherapy <i>in vitro</i> . <i>Oncology Letters</i> , 2018, 17, 1245-1252.   | 1.8  | 5         |
| 3750 | Low HIF-1 $\alpha$ and low EGFR mRNA Expression Significantly Associate with Poor Survival in Soft Tissue Sarcoma Patients; the Proteins React Differently. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3842. | 4.1  | 8         |
| 3751 | Propofol (TIVA) Versus Volatile-Based Anesthetics: Is There Any Oncological Benefit?. <i>Current Anesthesiology Reports</i> , 2018, 8, 399-410.  | 2.0  | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3752 | Hif-1 $\pm$ paralogs play a role in the hypoxic ventilatory response of larval and adult zebrafish (<i>Danio) Tj ETQq0 0 0,rgBT /Overlock 10 Tf   | 1.7 | 16        |
| 3753 | Dictamnine promotes apoptosis and inhibits epithelial-mesenchymal transition, migration, invasion and proliferation by downregulating the HIF-1 $\pm$ and Slug signaling pathways. <i>Chemico-Biological Interactions</i> , 2018, 296, 134-144. | 4.0 | 33        |
| 3754 | Hypoxia promotes the migration and invasion of human hepatocarcinoma cells through the HIF-1 $\pm$ â€“IL-8â€“Akt axis. <i>Cellular and Molecular Biology Letters</i> , 2018, 23, 46.  | 7.0 | 22        |
| 3755 | Hypoxia inducible factor 1 $\pm$ in hepatocellular carcinoma with cirrhosis: Association with prognosis. <i>Pathology Research and Practice</i> , 2018, 214, 1987-1992.   | 2.3 | 18        |
| 3756 | The long non-coding RNA MALAT1 is increased in renal ischemia-reperfusion injury and inhibits hypoxia-induced inflammation. <i>Renal Failure</i> , 2018, 40, 527-533.   | 2.1 | 48        |
| 3757 | Hypoxia-Inducible Factor 1 $\pm$ Regulates the Transforming Growth Factor $\beta$ 1/SMAD Family Member 3 Pathway to Promote Breast Cancer Progression. <i>Journal of Breast Cancer</i> , 2018, 21, 259.   | 1.9 | 31        |
| 3758 | Synthesis and Evaluation of Bakuchiol Derivatives as Potential Anticancer Agents. <i>Molecules</i> , 2018, 23, 515.   | 3.8 | 9         |
| 3759 | Loss of Prolyl-Hydroxylase 1 Protects against Biliary Fibrosis via Attenuated Activation of Hepatic Stellate Cells. <i>American Journal of Pathology</i> , 2018, 188, 2826-2838.  | 3.8 | 13        |
| 3760 | Drugging the RNA World. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a034769.  | 5.5 | 50        |
| 3761 | Preclinical Evaluation of Discorhabdins in Antiangiogenic and Antitumor Models. <i>Marine Drugs</i> , 2018, 16, 241.  | 4.6 | 21        |
| 3762 | Signature miRNAs in peripheral blood monocytes of patients with gastric or breast cancers. <i>Open Biology</i> , 2018, 8, 180051.   | 3.6 | 9         |
| 3763 | Hypoxia-activated prodrugs and redox-responsive nanocarriers. <i>International Journal of Nanomedicine</i> , 2018, Volume 13, 6551-6574.  | 6.7 | 56        |
| 3764 | Regulating glioma stem cells by hypoxia through the Notch1 and Oct3/4 signaling pathway. <i>Oncology Letters</i> , 2018, 16, 6315-6322.   | 1.8 | 9         |
| 3765 | Effects of curcumin on hypoxia-inducible factor as a new therapeutic target. <i>Pharmacological Research</i> , 2018, 137, 159-169.  | 7.1 | 38        |
| 3766 | Advanced nanomaterials targeting hypoxia to enhance radiotherapy. <i>International Journal of Nanomedicine</i> , 2018, Volume 13, 5925-5936.  | 6.7 | 42        |
| 3767 | Metabolic deregulation in prostate cancer. <i>Molecular Omics</i> , 2018, 14, 320-329.  | 2.8 | 15        |
| 3768 | Severe hypoxia increases expression of ATM and DNA-PKcs and it increases their activities through Src and AMPK signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 13-19.                               | 2.1 | 15        |
| 3769 | Oxygen-Carrying Micro/Nanobubbles: Composition, Synthesis Techniques and Potential Prospects in Photo-Triggered Theranostics. <i>Molecules</i> , 2018, 23, 2210.  | 3.8 | 58        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3770 | Oriented Feature Selection SVM Applied to Cancer Prediction in Precision Medicine. IEEE Access, 2018, 6, 48510-48521.  | 4.2  | 22        |
| 3771 | Combinations of Bevacizumab With Cancer Immunotherapy. Cancer Journal (Sudbury, Mass ), 2018, 24, 193-204.   | 2.0  | 144       |
| 3772 | HIF-1 $\alpha$ -mediated BMP6 down-regulation leads to hyperproliferation and abnormal differentiation of keratinocytes in vitro. Experimental Dermatology, 2018, 27, 1287-1293.                           | 2.9  | 20        |
| 3773 | Tumor suppressor protein p53 negatively regulates ischemia-induced angiogenesis and arteriogenesis. Journal of Vascular Surgery, 2018, 68, 222S-233S.e1.   | 1.1  | 25        |
| 3774 | Use of ozonated water as a new therapeutic approach to solve current concerns around antitumor treatment. Experimental and Therapeutic Medicine, 2018, 16, 1597-1602.                                      | 1.8  | 3         |
| 3775 | Phosphoglycerate Mutase 1 (PGAM1) Promotes Pancreatic Ductal Adenocarcinoma (PDAC) Metastasis by Acting as a Novel Downstream Target of the PI3K/Akt/mTOR Pathway. Oncology Research, 2018, 26, 1123-1131. | 1.5  | 31        |
| 3776 | HDAC as onco target: Reviewing the synthetic approaches with SAR study of their inhibitors. European Journal of Medicinal Chemistry, 2018, 158, 620-706.   | 5.5  | 67        |
| 3777 | Ubiquitination and SUMOylation in the chronic inflammatory tumor microenvironment. Biochimica Et Biophysica Acta: Reviews on Cancer, 2018, 1870, 165-175.  | 7.4  | 27        |
| 3778 | Heme oxygenase metabolites improve astrocytic mitochondrial function via a Ca <sup>2+</sup> -dependent HIF-1 $\alpha$ /ERR $\alpha$ circuit. PLoS ONE, 2018, 13, e0202039.                                 | 2.5  | 23        |
| 3779 | Metabolic Switch in the Tumor Microenvironment Determines Immune Responses to Anti-cancer Therapy. Frontiers in Oncology, 2018, 8, 284.  | 2.8  | 80        |
| 3780 | AngiomiRs: MicroRNAs driving angiogenesis in cancer (Review). International Journal of Molecular Medicine, 2019, 43, 657-670.  | 4.0  | 35        |
| 3781 | Hypoxia-inducible factor-1 promotes cancer progression through activating AKT/Cyclin D1 signaling pathway in osteosarcoma. Biomedicine and Pharmacotherapy, 2018, 105, 1-9.                                | 5.6  | 44        |
| 3782 | Augmentation of the cytotoxic effects of nitrogen-containing bisphosphonates in hypoxia. Journal of Pharmacy and Pharmacology, 2018, 70, 1040-1047.  | 2.4  | 2         |
| 3783 | Autophagy mediates enhancement of proangiogenic activity by hypoxia in mesenchymal stromal/stem cells. Biochemical and Biophysical Research Communications, 2018, 501, 941-947.                            | 2.1  | 28        |
| 3784 | Roles of heat shock factor 1 beyond the heat shock response. Cellular and Molecular Life Sciences, 2018, 75, 2897-2916.  | 5.4  | 124       |
| 3785 | Oxygen and Pt(II) self-generating conjugate for synergistic photo-chemo therapy of hypoxic tumor. Nature Communications, 2018, 9, 2053.  | 12.8 | 219       |
| 3786 | Molecular characterization and gene expression analysis of hypoxia-inducible factor and its inhibitory factors in kuruma shrimp Marsupenaeus japonicus. Fish and Shellfish Immunology, 2018, 79, 168-174.  | 3.6  | 18        |
| 3787 | NDRC3 lowers the metastatic potential in prostate cancer as a feedback controller of hypoxia-inducible factors. Experimental and Molecular Medicine, 2018, 50, 1-13.                                       | 7.7  | 11        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3788 | CO2-sensitive tRNA modification associated with human mitochondrial disease. <i>Nature Communications</i> , 2018, 9, 1875.  | 12.8 | 87        |
| 3789 | AEG-1 Contributes to Metastasis in Hypoxia-Related Ovarian Cancer by Modulating the HIF-1 $\alpha$ /NF- $\kappa$ B/VEGF Pathway. <i>BioMed Research International</i> , 2018, 2018, 1-8.                                | 1.9  | 26        |
| 3790 | Hypoxia Detection in Infiltrative Astrocytoma: Ferumoxylol-based Quantitative BOLD MRI with Intraoperative and Histologic Validation. <i>Radiology</i> , 2018, 288, 821-829.  | 7.3  | 11        |
| 3791 | Novel therapeutic strategy for cancer and autoimmune conditions: Modulating cell metabolism and redox capacity. , 2018, 191, 148-161.   |      | 24        |
| 3792 | Hypoxia-Targeting Organometallic Ru(II)â€Arene Complexes with Enhanced Anticancer Activity in Hypoxic Cancer Cells. <i>Inorganic Chemistry</i> , 2018, 57, 8396-8403.   | 4.0  | 35        |
| 3793 | Molecular Pathogenesis of Uterine Fibroids. <i>Comprehensive Gynecology and Obstetrics</i> , 2018, , 37-57.   | 0.0  | 0         |
| 3794 | Identification of cathepsin B as a novel target of hypoxia-inducible factor-1- $\alpha$ in HepG2 cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 1057-1062.                              | 2.1  | 15        |
| 3795 | How do cancer cells replenish their fuel supply?. <i>Cancer Reports</i> , 2018, 1, e1003.   | 1.4  | 5         |
| 3797 | Atorvastatin Inhibits the HIF1 $\pm$ -PPAR Axis, Which Is Essential for Maintaining the Function of Human Induced Pluripotent Stem Cells. <i>Molecular Therapy</i> , 2018, 26, 1715-1734.                               | 8.2  | 14        |
| 3798 | Melatonin Inhibits Reactive Oxygen Species-Driven Proliferation, Epithelial-Mesenchymal Transition, and Vasculogenic Mimicry in Oral Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.       | 4.0  | 44        |
| 3799 | Sodium Tanshinone IIA Sulfonate Decreases Cigarette Smoke-Induced Inflammation and Oxidative Stress via Blocking the Activation of MAPK/HIF-1 $\pm$ Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2018, 9, 263. | 3.5  | 47        |
| 3800 | MCT1 regulates aggressive and metabolic phenotypes in bladder cancer. <i>Journal of Cancer</i> , 2018, 9, 2492-2501.  | 2.5  | 41        |
| 3801 | Effects of hypoxic preconditioning on neuroblastoma tumour oxygenation and metabolic signature in a chick embryo model. <i>Bioscience Reports</i> , 2018, 38, .   | 2.4  | 6         |
| 3802 | Tumor-targeted hybrid protein oxygen carrier to simultaneously enhance hypoxia-dampened chemotherapy and photodynamic therapy at a single dose. <i>Theranostics</i> , 2018, 8, 3584-3596.                               | 10.0 | 98        |
| 3803 | Pheochromocytoma and paraganglioma in Fontan patients: Common more than expected. <i>Congenital Heart Disease</i> , 2018, 13, 608-616.  | 0.2  | 21        |
| 3804 | pH/hypoxia programmable triggered cancer photo-chemotherapy based on a semiconducting polymer dot hybridized mesoporous silica framework. <i>Chemical Science</i> , 2018, 9, 7390-7399.                                 | 7.4  | 59        |
| 3805 | Apigenin: A natural bioactive flavone-type molecule with promising therapeutic function. <i>Journal of Functional Foods</i> , 2018, 48, 457-471.  | 3.4  | 85        |
| 3806 | Adenosine Receptor Ligands on Cancer Therapy: A Review of Patent Literature. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2018, 13, 40-69.   | 1.6  | 15        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3807 | Altered susceptibility to apoptosis and N-glycan profiles of hematopoietic KG1a cells following co-culture with bone marrow-derived stromal cells under hypoxic conditions. <i>Oncology Reports</i> , 2018, 40, 1477-1486. | 2.6  | 5         |
| 3808 | Context-dependent AMPK activation distinctly regulates TAp73 stability and transcriptional activity. <i>Signal Transduction and Targeted Therapy</i> , 2018, 3, 20.  | 17.1 | 2         |
| 3809 | Toward Developing Chemical Modulators of Hsp60 as Potential Therapeutics. <i>Frontiers in Molecular Biosciences</i> , 2018, 5, 35.   | 3.5  | 87        |
| 3810 | Active Role of the Necrotic Zone in Desensitization of Hypoxic Macrophages and Regulation of CSC-Fate: A hypothesis. <i>Frontiers in Oncology</i> , 2018, 8, 235.  | 2.8  | 24        |
| 3811 | HIF-1 $\alpha$ promotes the migration and invasion of hepatocellular carcinoma cells via the IL-8 $\alpha$ -NF- $\kappa$ B axis. <i>Cellular and Molecular Biology Letters</i> , 2018, 23, 26.                             | 7.0  | 37        |
| 3812 | Metabolic Alterations in Cancer Cells and the Emerging Role of Oncometabolites as Drivers of Neoplastic Change. <i>Antioxidants</i> , 2018, 7, 16.   | 5.1  | 27        |
| 3813 | VHL and Hypoxia Signaling: Beyond HIF in Cancer. <i>Biomedicines</i> , 2018, 6, 35.  | 3.2  | 80        |
| 3814 | Recent Progress in the Design of Hypoxia-specific Nano Drug Delivery Systems for Cancer Therapy. <i>Advanced Therapeutics</i> , 2018, 1, 1800026.  | 3.2  | 44        |
| 3815 | Angiogenesis and Anti-Angiogenic Therapy in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 43.   | 4.1  | 72        |
| 3816 | Inhibition of HIF1 $\alpha$ -Dependent Upregulation of Phospho-F-Actin Resensitizes Multiple Myeloma Cells to Frontline Therapy. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1551.                      | 4.1  | 9         |
| 3817 | Regulation of Cellular Metabolism by High-Risk Human Papillomaviruses. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1839.  | 4.1  | 49        |
| 3818 | Molecular Targets of Active Anticancer Compounds Derived from Marine Sources. <i>Marine Drugs</i> , 2018, 16, 175.   | 4.6  | 26        |
| 3819 | Carbonic Anhydrase IX (CAIX), Cancer, and Radiation Responsiveness. <i>Metabolites</i> , 2018, 8, 13.  | 2.9  | 52        |
| 3820 | A Versatile Pt-Based Core-Shell Nanoplatform as a Nanofactory for Enhanced Tumor Therapy. <i>Advanced Functional Materials</i> , 2018, 28, 1801783.  | 14.9 | 106       |
| 3822 | GDF11 Improves Angiogenic Function of EPCs in Diabetic Limb Ischemia. <i>Diabetes</i> , 2018, 67, 2084-2095.   | 0.6  | 45        |
| 3823 | Weak HIF-1 $\alpha$ expression indicates poor prognosis in resectable pancreatic ductal adenocarcinoma. <i>World Journal of Surgical Oncology</i> , 2018, 16, 127.   | 1.9  | 8         |
| 3824 | Osteoglycin (OGN) reverses epithelial to mesenchymal transition and invasiveness in colorectal cancer via EGFR/Akt pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 41.                    | 8.6  | 59        |
| 3825 | Sweet Binders: Carbonic Anhydrase IX in Complex with Sucralose. <i>ACS Medicinal Chemistry Letters</i> , 2018, 9, 657-661.   | 2.8  | 10        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3826 | Monocyte Chemoattractant Protein-1 Induced Protein 1 Targets Hypoxia-Inducible Factor 1 $\alpha$ to Protect Against Hepatic Ischemia/Reperfusion Injury. <i>Hepatology</i> , 2018, 68, 2359-2375.                        | 7.3  | 31        |
| 3827 | NHERF1 and tumor microenvironment: a new scene in invasive breast carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 96.   | 8.6  | 16        |
| 3828 | Berberine decelerates glucose metabolism via suppression of mTOR-dependent HIF-1 $\alpha$ protein synthesis in colon cancer cells. <i>Oncology Reports</i> , 2018, 39, 2436-2442.  | 2.6  | 50        |
| 3830 | Bridging the gap by discerning SNPs in linkage disequilibrium and their role in breast cancer. <i>Gene</i> , 2018, 679, 44-56.   | 2.2  | 3         |
| 3831 | Combinations of Bevacizumab With Immune Checkpoint Inhibitors in Renal Cell Carcinoma. <i>Cancer Journal (Sudbury, Mass )</i> , 2018, 24, 171-179.   | 2.0  | 18        |
| 3832 | New Directions in the Study and Treatment of Metastatic Cancer. <i>Frontiers in Oncology</i> , 2018, 8, 258.   | 2.8  | 14        |
| 3833 | Clinical imaging of hypoxia: Current status and future directions. <i>Free Radical Biology and Medicine</i> , 2018, 126, 296-312.  | 2.9  | 31        |
| 3834 | Resistance to retinopathy development in obese, diabetic and hypertensive ZSF1 rats: an exciting model to identify protective genes. <i>Scientific Reports</i> , 2018, 8, 11922.   | 3.3  | 4         |
| 3835 | Autophagy Suppresses Invasiveness of Endometrial Cells through Reduction of Fascin-1. <i>BioMed Research International</i> , 2018, 2018, 1-9.  | 1.9  | 13        |
| 3836 | Pathobiological Pseudohypoxia as a Putative Mechanism Underlying Myelodysplastic Syndromes. <i>Cancer Discovery</i> , 2018, 8, 1438-1457.  | 9.4  | 38        |
| 3837 | The Hypoxia-Inducible Factor-1 $\alpha$ in Angiogenesis and Cancer: Insights from the Drosophila Model. , 2018, , .  |      | 2         |
| 3838 | Dual mechanism of DICER downregulation facilitates cancer metastasis. <i>Molecular and Cellular Oncology</i> , 2018, 5, e1472056.  | 0.7  | 1         |
| 3839 | Copper levels affect targeting of hypoxia-inducible factor 1 $\alpha$ to the promoters of hypoxia-regulated genes. <i>Journal of Biological Chemistry</i> , 2018, 293, 14669-14677.                                      | 3.4  | 28        |
| 3840 | Azo-based small molecular hypoxia responsive theranostic for tumor-specific imaging and therapy. <i>Journal of Controlled Release</i> , 2018, 288, 14-22.  | 9.9  | 60        |
| 3841 | Tumor Oxygenation and Hypoxia Inducible Factor-1 Functional Inhibition via a Reactive Oxygen Species Responsive Nanoplatfor for Enhancing Radiation Therapy and Abscopal Effects. <i>ACS Nano</i> , 2018, 12, 8308-8322. | 14.6 | 213       |
| 3842 | Role of hypoxia-induced exosomes in tumor biology. <i>Molecular Cancer</i> , 2018, 17, 120.  | 19.2 | 211       |
| 3843 | Hypoxia-Induced PLOD2 is a Key Regulator in Epithelial-Mesenchymal Transition and Chemoresistance in Biliary Tract Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 3728-3737.                                     | 1.5  | 31        |
| 3844 | Fructose 2,6-Bisphosphate in Cancer Cell Metabolism. <i>Frontiers in Oncology</i> , 2018, 8, 331.  | 2.8  | 83        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3845 | Thioredoxin overexpression in both the cytosol and mitochondria accelerates age-related disease and shortens lifespan in male C57BL/6 mice. <i>GeroScience</i> , 2018, 40, 453-468.   | 4.6  | 18        |
| 3846 | Current understanding and clinical utility of miRNAs regulation of colon cancer stem cells. <i>Seminars in Cancer Biology</i> , 2018, 53, 232-247.  | 9.6  | 46        |
| 3847 | Recent Advances in the Development of Indazole-based Anticancer Agents. <i>ChemMedChem</i> , 2018, 13, 1490-1507.   | 3.2  | 101       |
| 3848 | Volumetric tumor growth rates of meningiomas involving the intracranial venous sinuses. <i>Acta Neurochirurgica</i> , 2018, 160, 1531-1538.   | 1.7  | 7         |
| 3849 | Synergizing Upconversion Nanophotosensitizers with Hyperbaric Oxygen to Remodel the Extracellular Matrix for Enhanced Photodynamic Cancer Therapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 22985-22996.                           | 8.0  | 56        |
| 3850 | Down-regulation of HIF-1 $\alpha$ inhibits the proliferation, migration, and invasion of gastric cancer by inhibiting PI3K/AKT pathway and VEGF expression. <i>Bioscience Reports</i> , 2018, 38, .   | 2.4  | 35        |
| 3851 | SN-38 Acts as a Radiosensitizer for Colorectal Cancer by Inhibiting the Radiation-induced Up-regulation of HIF-1 $\alpha$ . <i>Anticancer Research</i> , 2018, 38, 3323-3331.   | 1.1  | 21        |
| 3852 | Interferon- $\gamma$ interferes with host cell metabolism during intracellular <i>Chlamydia trachomatis</i> infection. <i>Cytokine</i> , 2018, 112, 95-101.   | 3.2  | 17        |
| 3853 | Differentiated embryo chondrocyte plays a crucial role in DNA damage response via transcriptional regulation under hypoxic conditions. <i>PLoS ONE</i> , 2018, 13, e0192136.  | 2.5  | 9         |
| 3854 | MicroRNA-31 enhances the Warburg effect <i>via</i> targeting FIH. <i>FASEB Journal</i> , 2019, 33, 545-556.   | 0.5  | 45        |
| 3855 | Aspirin inhibits the proliferation of hepatoma cells through controlling GLUT1-mediated glucose metabolism. <i>Acta Pharmacologica Sinica</i> , 2019, 40, 122-132.  | 6.1  | 47        |
| 3856 | Intratumor lactate levels reflect HER2 addiction status in HER2-positive breast cancer. <i>Journal of Cellular Physiology</i> , 2019, 234, 1768-1779.   | 4.1  | 31        |
| 3857 | Hypermethylated gene ANKDD1A is a candidate tumor suppressor that interacts with FIH1 and decreases HIF1 $\alpha$ stability to inhibit cell autophagy in the glioblastoma multiforme hypoxia microenvironment. <i>Oncogene</i> , 2019, 38, 103-119. | 5.9  | 37        |
| 3858 | Role of glycosylation in hypoxia-driven cell migration and invasion. <i>Cell Adhesion and Migration</i> , 2019, 13, 13-22.  | 2.7  | 21        |
| 3859 | Immunometabolic Dysfunction of Natural Killer Cells Mediated by the Hypoxia-CD73 Axis in Solid Tumors. <i>Frontiers in Molecular Biosciences</i> , 2019, 6, 60.   | 3.5  | 76        |
| 3860 | Transcriptional regulation of FoxM1 by HIF-1 $\alpha$ mediates hypoxia-induced EMT in prostate cancer. <i>Oncology Reports</i> , 2019, 42, 1307-1318.   | 2.6  | 28        |
| 3861 | HIF-1 $\alpha$ /Wnt signaling-dependent control of gene transcription regulates neuronal differentiation of glioblastoma stem cells. <i>Theranostics</i> , 2019, 9, 4860-4877.  | 10.0 | 29        |
| 3862 | The Importance of Gender-Related Anticancer Research on Mitochondrial Regulator Sodium Dichloroacetate in Preclinical Studies In Vivo. <i>Cancers</i> , 2019, 11, 1210.   | 3.7  | 9         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3863 | Acute vs. Chronic vs. Cyclic Hypoxia: Their Differential Dynamics, Molecular Mechanisms, and Effects on Tumor Progression. <i>Biomolecules</i> , 2019, 9, 339.   | 4.0  | 157       |
| 3864 | Short Overview of ROS as Cell Function Regulators and Their Implications in Therapy Concepts. <i>Cells</i> , 2019, 8, 793.   | 4.1  | 192       |
| 3865 | A genome-wide positioning systems network algorithm for in silico drug repurposing. <i>Nature Communications</i> , 2019, 10, 3476.   | 12.8 | 134       |
| 3866 | Hypoxia increased malondialdehyde from membrane damages is highly correlated to HIF-1 $\pm$ but not to renin expression in rat kidney. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 217, 012062.                            | 0.3  | 0         |
| 3867 | Lysophosphatidic Acid and Autotaxin-associated Effects on the Initiation and Progression of Colorectal Cancer. <i>Cancers</i> , 2019, 11, 958.   | 3.7  | 19        |
| 3868 | Viral hijacking of cellular metabolism. <i>BMC Biology</i> , 2019, 17, 59.   | 3.8  | 318       |
| 3869 | Antineoplastic effects of auranofin in human pancreatic adenocarcinoma preclinical models. <i>Surgery Open Science</i> , 2019, 1, 56-63.   | 1.2  | 19        |
| 3870 | Dual Effects of Chinese Herbal Medicines on Angiogenesis in Cancer and Ischemic Stroke Treatments: Role of HIF-1 Network. <i>Frontiers in Pharmacology</i> , 2019, 10, 696.  | 3.5  | 31        |
| 3871 | Systematic expression analysis of the mitochondrial respiratory chain protein subunits identifies COX5B as a prognostic marker in clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2019, 26, 910-916.                      | 1.0  | 10        |
| 3872 | Regulation of Gene Expression under Hypoxic Conditions. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3278.   | 4.1  | 65        |
| 3873 | Modeling the regulation of p53 activation by HIF-1 $\alpha$ upon hypoxia. <i>FEBS Letters</i> , 2019, 593, 2596-2611.  | 2.8  | 39        |
| 3874 | Evaluation of [18F]FDC/[18F]FLT/[18F]FMISO-based micro-positron emission tomography in detection of liver metastasis in human colorectal cancer. <i>Nuclear Medicine and Biology</i> , 2019, 72-73, 36-44.   | 0.6  | 3         |
| 3875 | Carnosine Supplementation Enhances Post Ischemic Hind Limb Revascularization. <i>Frontiers in Physiology</i> , 2019, 10, 751.  | 2.8  | 13        |
| 3876 | Visualizing the cell ferroptosis via a novel polysiloxane-based fluorescent schiff base. <i>Sensors and Actuators B: Chemical</i> , 2019, 298, 126843.   | 7.8  | 11        |
| 3877 | Gold nano particles synthesized from <i>Magnolia officinalis</i> and anticancer activity in A549 lung cancer cells. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2019, 47, 3101-3109.   | 2.8  | 30        |
| 3878 | Promoting antitumor efficacy by suppressing hypoxia via nano self-assembly of two irinotecan-based dual drug conjugates having a HIF-1 $\pm$ inhibitor. <i>Journal of Materials Chemistry B</i> , 2019, 7, 5352-5362.                                | 5.8  | 31        |
| 3879 | Fabrication of H <sub>2</sub> O <sub>2</sub> -driven nanoreactors for innovative cancer treatments. <i>Nanoscale</i> , 2019, 11, 16164-16186.  | 5.6  | 46        |
| 3880 | Respiratory exposure to nano-TiO <sub>2</sub> induces pulmonary toxicity in mice involving reactive free radical-activated TGF $\beta$ 2/Smad/p38MAPK/Wnt pathways. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 2567-2575. | 4.0  | 18        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3881 | Hypoxic ER stress suppresses $\beta$ -catenin expression and promotes cooperation between the transcription factors XBP1 and HIF1 $\alpha$ for cell survival. <i>Journal of Biological Chemistry</i> , 2019, 294, 13811-13821. | 3.4  | 31        |
| 3882 | Tumour-Secreted Hsp90 $\alpha$ on External Surface of Exosomes Mediates Tumour - Stromal Cell Communication via Autocrine and Paracrine Mechanisms. <i>Scientific Reports</i> , 2019, 9, 15108.                                | 3.3  | 54        |
| 3883 | Hypoxia-inducible factor-1 $\alpha$ is the therapeutic target of the SGLT2 inhibitor for diabetic nephropathy. <i>Scientific Reports</i> , 2019, 9, 14754.   | 3.3  | 106       |
| 3884 | Endocytic Pathways and Intracellular Transport of Aptamer-Drug Conjugates in Live Cells Monitored by Single-Particle Tracking. <i>Analytical Chemistry</i> , 2019, 91, 13818-13823.  | 6.5  | 16        |
| 3885 | Gene-Specific Targeting of DNA Methylation in the Mammalian Genome. <i>Cancers</i> , 2019, 11, 1515.   | 3.7  | 53        |
| 3886 | Targeting ER $\alpha$ in Macrophage Reduces Crown-like Structures in Adipose Tissue by Inhibiting Osteopontin and HIF-1 $\alpha$ . <i>Scientific Reports</i> , 2019, 9, 15762.   | 3.3  | 30        |
| 3888 | Role of Hypoxia and Metabolism in the Development of Neointimal Hyperplasia in Arteriovenous Fistulas. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5387.  | 4.1  | 19        |
| 3889 | Cullin Ring Ubiquitin Ligases (CRLs) in Cancer: Responses to Ionizing Radiation (IR) Treatment. <i>Frontiers in Physiology</i> , 2019, 10, 1144.   | 2.8  | 42        |
| 3890 | Role of hypoxia in cancer therapy by regulating the tumor microenvironment. <i>Molecular Cancer</i> , 2019, 18, 157.   | 19.2 | 1,121     |
| 3891 | Platelet-Mimicking Biotaxis Targeting Vasculature-Disrupted Tumors for Cascade Amplification of Hypoxia-Sensitive Therapy. <i>ACS Nano</i> , 2019, 13, 14230-14240.  | 14.6 | 60        |
| 3892 | Novel HDGF/HIF-1 $\alpha$ /VEGF axis in oral cancer impacts disease prognosis. <i>BMC Cancer</i> , 2019, 19, 1083.   | 2.6  | 30        |
| 3893 | A role for spinal cord hypoxia in neurodegeneration. <i>Cell Death and Disease</i> , 2019, 10, 861.  | 6.3  | 24        |
| 3894 | Integrin $\alpha$ 2 $\beta$ 3-Mediated Effects of Thyroid Hormones on Mesenchymal Stem Cells in Tumor Angiogenesis. <i>Thyroid</i> , 2019, 29, 1843-1857.  | 4.5  | 23        |
| 3895 | Interleukin-15 Signaling in HIF-1 $\alpha$ Regulation in Natural Killer Cells, Insights Through Mathematical Models. <i>Frontiers in Immunology</i> , 2019, 10, 2401.  | 4.8  | 16        |
| 3896 | Interaction of heat shock protein 90 with hypoxia inducible factor and signal transducer and activator of transcription in colon cancer. <i>Process Biochemistry</i> , 2019, 86, 151-158.                                      | 3.7  | 3         |
| 3897 | RUNX1 mutations promote leukemogenesis of myeloid malignancies in ASXL1-mutated leukemia. <i>Journal of Hematology and Oncology</i> , 2019, 12, 104.   | 17.0 | 23        |
| 3898 | MicroRNA-576-3p inhibits the migration and proangiogenic abilities of hypoxia-treated glioma cells through hypoxia-inducible factor-1 $\alpha$ . <i>International Journal of Molecular Medicine</i> , 2019, 43, 2387-2397.     | 4.0  | 19        |
| 3899 | Dynamic contrast-enhanced perfusion parameters in ovarian cancer: Good accuracy in identifying high HIF-1 $\alpha$ expression. <i>PLoS ONE</i> , 2019, 14, e0221340.   | 2.5  | 14        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3900 | Hypoxia-Inducible Factors as an Alternative Source of Treatment Strategy for Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-10.   | 4.0  | 50        |
| 3901 | On the optimal design of metabolic RNA labeling experiments. <i>PLoS Computational Biology</i> , 2019, 15, e1007252.  | 3.2  | 16        |
| 3902 | An overview of carbonic anhydrases and membrane channels of synoviocytes in inflamed joints. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019, 34, 1615-1622.                             | 5.2  | 7         |
| 3903 | HIF-transcribed p53 chaperones HIF-1 $\alpha$ . <i>Nucleic Acids Research</i> , 2019, 47, 10212-10234.  | 14.5 | 43        |
| 3904 | Improving Cancer Immunotherapy by Targeting the Hypoxic Tumor Microenvironment: New Opportunities and Challenges. <i>Cells</i> , 2019, 8, 1083.   | 4.1  | 153       |
| 3905 | Two-tier combinatorial structure to integrate various gene co-expression networks of prostate cancer. <i>Gene</i> , 2019, 721, 144102.  | 2.2  | 2         |
| 3906 | Pheochromocytoma. <i>Endocrine Regulations</i> , 2019, 53, 191-212.   | 1.3  | 79        |
| 3907 | Induced Expression of <i>VEGFC</i> , <i>ANGPT</i> , and <i>EFNB2</i> and Their Receptors Characterizes Neovascularization in Proliferative Diabetic Retinopathy. , 2019, 60, 4084.                          |      | 28        |
| 3908 | The Cancer Clock Is (Not) Ticking: Links between Circadian Rhythms and Cancer. <i>Clocks &amp; Sleep</i> , 2019, 1, 435-458.  | 2.0  | 29        |
| 3909 | Annexin A2 upregulation protects human retinal endothelial cells from oxygen-glucose deprivation injury by activating autophagy. <i>Experimental and Therapeutic Medicine</i> , 2019, 18, 2901-2908.        | 1.8  | 10        |
| 3910 | Phosphoethanolamine Accumulation Protects Cancer Cells under Glutamine Starvation through Downregulation of PCYT2. <i>Cell Reports</i> , 2019, 29, 89-103.e7.   | 6.4  | 29        |
| 3911 | Causes and Consequences of A Glutamine Induced Normoxic HIF1 Activity for the Tumor Metabolism. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4742.  | 4.1  | 19        |
| 3912 | The Antioxidant and Antiproliferative Activities of 1,2,3-Triazolyl-L-Ascorbic Acid Derivatives. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4735.                                       | 4.1  | 15        |
| 3913 | Near-infrared light and tumor microenvironment dual responsive size-switchable nanocapsules for multimodal tumor theranostics. <i>Nature Communications</i> , 2019, 10, 4418.                               | 12.8 | 153       |
| 3914 | A signature of hypoxia-related factors reveals functional dysregulation and robustly predicts clinical outcomes in stage I/II colorectal cancer patients. <i>Cancer Cell International</i> , 2019, 19, 243. | 4.1  | 18        |
| 3915 | Hypoxia enhances IL-10-producing B cell generation through upregulating high-mobility group B1 on tumor cell-released autophagosomes. <i>Immunology Letters</i> , 2019, 216, 36-42.                         | 2.5  | 12        |
| 3916 | Regulation of Selective Proteolysis in Cancer. , 2019, , .  |      | 0         |
| 3917 | <i>EGLN2</i> DNA methylation and expression interact with <i>HIF1A</i> to affect survival of early-stage NSCLC. <i>Epigenetics</i> , 2019, 14, 118-129.   | 2.7  | 28        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3918 | Exosomes from human umbilical cord mesenchymal stem cells enhance fracture healing through HIF-1 $\alpha$ -mediated promotion of angiogenesis in a rat model of stabilized fracture. <i>Cell Proliferation</i> , 2019, 52, e12570.        | 5.3  | 163       |
| 3919 | HGF regulate HTR-8/SVneo trophoblastic cells migration/invasion under hypoxic conditions through increased HIF-1 $\alpha$ expression via MAPK and PI3K pathways. <i>Journal of Cell Communication and Signaling</i> , 2019, 13, 503-521.  | 3.4  | 22        |
| 3920 | Association of the hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) gene polymorphisms with prognosis in ovarian clear cell carcinoma. <i>Journal of Ovarian Research</i> , 2019, 12, 7.   | 3.0  | 1         |
| 3921 | Angiogenesis in 90Y-Radioembolization of Colorectal Liver Metastases. <i>Seminars in Nuclear Medicine</i> , 2019, 49, 204-210.  | 4.6  | 5         |
| 3922 | Reactive Oxygen Species Signaling Promotes Hypoxia-Inducible Factor 1 $\alpha$ Stabilization in Sonic Hedgehog-Driven Cerebellar Progenitor Cell Proliferation. <i>Molecular and Cellular Biology</i> , 2019, 39, .                       | 2.3  | 20        |
| 3923 | Targeted Co-delivery of the Iron Chelator Deferoxamine and a HIF1 $\alpha$ Inhibitor Impairs Pancreatic Tumor Growth. <i>ACS Nano</i> , 2019, 13, 2176-2189.  | 14.6 | 46        |
| 3924 | LIMS1 Promotes Pancreatic Cancer Cell Survival under Oxygen $\alpha$ -Glucose Deprivation Conditions by Enhancing HIF1A Protein Translation. <i>Clinical Cancer Research</i> , 2019, 25, 4091-4103.                                       | 7.0  | 35        |
| 3925 | Photoacoustic Therapy for Precise Eradication of Glioblastoma with a Tumor Site Blood $\alpha$ -Brain Barrier Permeability Upregulating Nanoparticle. <i>Advanced Functional Materials</i> , 2019, 29, 1808601.                           | 14.9 | 42        |
| 3926 | Mitochondrial Rieske iron-sulfur protein in pulmonary artery smooth muscle: A key primary signaling molecule in pulmonary hypertension. <i>Archives of Biochemistry and Biophysics</i> , 2019, 664, 68-75.                                | 3.0  | 13        |
| 3927 | Altered hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) signaling contributes to impaired angiogenesis in fetal lambs with persistent pulmonary hypertension of the newborn (PPHN). <i>Physiological Reports</i> , 2019, 7, e13986. | 1.7  | 8         |
| 3928 | Oxygen-rich chemotherapy<i>via</i>modified Abraxane to inhibit the growth and metastasis of triple-negative breast cancer. <i>Biomaterials Science</i> , 2019, 7, 168-177.  | 5.4  | 22        |
| 3929 | Flavonoids as Emerging Anticancer Agents: Current Trends and Recent Advances in Phytotherapy. , 2019, , 91-123.   |      | 0         |
| 3930 | Therapeutic Strategies to Block the Hypoxic Response. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1136, 141-157.   | 1.6  | 8         |
| 3931 | Why is it worth testing the ability of zinc to protect against ischaemia reperfusion injury for human application. <i>Metallomics</i> , 2019, 11, 1330-1343.  | 2.4  | 16        |
| 3932 | <p></p>Hypoxia-active nanoparticles used in tumor theranostic<p></p>. <i>International Journal of Nanomedicine</i> , 2019, Volume 14, 3705-3722.  | 6.7  | 48        |
| 3933 | Hypoxia and aging. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-15.   | 7.7  | 92        |
| 3934 | Multifunctional Nanoregulator Reshapes Immune Microenvironment and Enhances Immune Memory for Tumor Immunotherapy. <i>Advanced Science</i> , 2019, 6, 1900037.  | 11.2 | 94        |
| 3935 | Endothelial Progenitor Cells and Their Niches. , 2019, , 423-423.   |      | 0         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3936 | Involvement of A3 Adenosine Receptor in Neuroblastoma Progression via Modulation of the Hypoxic/Angiogenic Pathway. <i>Journal of Molecular Neuroscience</i> , 2019, 69, 166-176.                                     | 2.3 | 4         |
| 3937 | Lipid metabolism and Calcium signaling in epithelial ovarian cancer. <i>Cell Calcium</i> , 2019, 81, 38-50.   | 2.4 | 36        |
| 3938 | Resolution of Gastric Cancer-Promoting Inflammation: A Novel Strategy for Anti-cancer Therapy. <i>Current Topics in Microbiology and Immunology</i> , 2019, 421, 319-359.   | 1.1 | 29        |
| 3939 | AMPK activation inhibits the functions of myeloid-derived suppressor cells (MDSC): impact on cancer and aging. <i>Journal of Molecular Medicine</i> , 2019, 97, 1049-1064.  | 3.9 | 78        |
| 3940 | LINKA IncRNA functions in the metastasis of osteosarcoma by upregulating HIF1 $\pm$ . <i>Oncology Letters</i> , 2019, 17, 5005-5011.  | 1.8 | 15        |
| 3941 | Electrochemical mapping of oxygenation in the three-dimensional multicellular tumour hemi-spheroid. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2019, 475, 20180647. | 2.1 | 4         |
| 3942 | Effect of Hypoxia-Induced MicroRNA-210 Expression on Cardiovascular Disease and the Underlying Mechanism. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-12.  | 4.0 | 44        |
| 3943 | Clinical Perspective of Posttranslational Modifications. , 2019, , 37-68.   |     | 4         |
| 3944 | Gastric Leptin and Tumorigenesis: Beyond Obesity. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2622.  | 4.1 | 18        |
| 3945 | Endocrine Resistance in Hormone Receptor Positive Breast Cancerâ€œFrom Mechanism to Therapy. <i>Frontiers in Endocrinology</i> , 2019, 10, 245.   | 3.5 | 150       |
| 3946 | The dark proteome of cancer: Intrinsic disorderedness and functionality of HIF-1 $\pm$ along with its interacting proteins. <i>Progress in Molecular Biology and Translational Science</i> , 2019, 166, 371-403.      | 1.7 | 25        |
| 3947 | Hypoxia and Cancer Metastasis. <i>Advances in Experimental Medicine and Biology</i> , 2019, , .   | 1.6 | 5         |
| 3948 | Molecular Mechanisms of Inflammation: Induction, Resolution and Escape by <i>Helicobacter pylori</i> . <i>Current Topics in Microbiology and Immunology</i> , 2019, , .   | 1.1 | 5         |
| 3949 | <p>c-Src is required for hypoxia-induced metastasis-associated functions in prostate cancer cells</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 3519-3529.   | 2.0 | 18        |
| 3950 | Bishonokiol A inhibits breast cancer cell invasion and migration by suppressing hypoxia inducible factor-1 $\pm$ . <i>Journal of Bioenergetics and Biomembranes</i> , 2019, 51, 239-248.                              | 2.3 | 7         |
| 3951 | Effect of resveratrol on the radiosensitivity of 5â€œFU in human breast cancer MCFâ€œ7 cells. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 15671-15677.   | 2.6 | 14        |
| 3952 | Salmonella-Based Targeted Cancer Therapy: Updates on A Promising and Innovative Tumor Immunotherapeutic Strategy. <i>Biomedicines</i> , 2019, 7, 36.  | 3.2 | 26        |
| 3953 | Pheochromocytomas and Paragangliomas: Bypassing Cellular Respiration. <i>Cancers</i> , 2019, 11, 683.   | 3.7 | 22        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3954 | Micro/nano particle-based oxygen sensing film for monitoring respiration of cells cultured in a microfluidic device. Japanese Journal of Applied Physics, 2019, 58, SDDK03.                                 | 1.5  | 4         |
| 3955 | Lipid metabolism in cancer cells under metabolic stress. British Journal of Cancer, 2019, 120, 1090-1098.   | 6.4  | 212       |
| 3956 | A RASSF1A-HIF1 $\alpha$ loop drives Warburg effect in cancer and pulmonary hypertension. Nature Communications, 2019, 10, 2130.   | 12.8 | 77        |
| 3957 | NK cells to cure cancer. Seminars in Immunology, 2019, 41, 101272.  | 5.6  | 70        |
| 3958 | Artificial Red Blood Cells Constructed by Replacing Heme with Perfluorodecalin for Hypoxia-Induced Radioresistance. Advanced Therapeutics, 2019, 2, 1900031.  | 3.2  | 19        |
| 3959 | Hypoxia Rescues Frataxin Loss by Restoring Iron Sulfur Cluster Biogenesis. Cell, 2019, 177, 1507-1521.e16.  | 28.9 | 80        |
| 3960 | Knockdown of cZNF292 suppressed hypoxic human hepatoma SMMC7721 cell proliferation, vasculogenic mimicry, and radioresistance. Cellular Signalling, 2019, 60, 122-135.                                      | 3.6  | 42        |
| 3961 | Immunometabolism: A new target for improving cancer immunotherapy. Advances in Cancer Research, 2019, 143, 195-253.   | 5.0  | 30        |
| 3962 | Tumour microenvironment responsive nanoconstructs for cancer theranostic. Nano Today, 2019, 26, 16-56.  | 11.9 | 113       |
| 3963 | Reduction and pH dual-responsive block copolymers containing pendent p-nitrobenzyl carbamate functionalities: Synthesis and self-assembly behavior. Journal of Polymer Science Part A, 2019, 57, 1333-1343. | 2.3  | 7         |
| 3964 | A fixation method for the optimisation of western blotting. Scientific Reports, 2019, 9, 6649.  | 3.3  | 25        |
| 3965 | Effects of hypoxia on the biological behavior of MSCs seeded in demineralized bone scaffolds with different stiffness. Acta Mechanica Sinica/Lixue Xuebao, 2019, 35, 309-320.                               | 3.4  | 7         |
| 3966 | Azodyes as markers for tumor hypoxia imaging and therapy: An up-to-date review. Chemico-Biological Interactions, 2019, 307, 91-104.   | 4.0  | 33        |
| 3967 | Cancerous phenotypes associated with hypoxia-inducible factors are not influenced by the volatile anesthetic isoflurane in renal cell carcinoma. PLoS ONE, 2019, 14, e0215072.                              | 2.5  | 11        |
| 3968 | Glutaminase 1 expression in colorectal cancer cells is induced by hypoxia and required for tumor growth, invasion, and metastatic colonization. Cell Death and Disease, 2019, 10, 40.                       | 6.3  | 129       |
| 3969 | Stabilization of E2-EPF UCP protein is implicated in hepatitis B virus-associated hepatocellular carcinoma progression. Cellular and Molecular Life Sciences, 2019, 76, 2647-2662.                          | 5.4  | 6         |
| 3970 | Cellular and radiobiological effects of carbonic anhydrase IX in human breast cancer cells. Oncology Reports, 2019, 41, 2585-2594.  | 2.6  | 22        |
| 3971 | Nanoconjugates of Ag/Au/Carbon Nanotube for Alkyne-Mediated Ratiometric SERS Imaging of Hypoxia in Hepatic Ischemia. Analytical Chemistry, 2019, 91, 4529-4536.   | 6.5  | 42        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 3972 | Molecular and functional imaging insights into the role of hypoxia in cancer aggression. <i>Cancer and Metastasis Reviews</i> , 2019, 38, 51-64.  | 5.9  | 21        |
| 3973 | Bortezomib-induced aerobic glycolysis contributes to chemotherapy-induced painful peripheral neuropathy. <i>Molecular Pain</i> , 2019, 15, 174480691983742.   | 2.1  | 29        |
| 3974 | Testosterone induces renal tubular epithelial cell death through the HIF-1 $\alpha$ /BNIP3 pathway. <i>Journal of Translational Medicine</i> , 2019, 17, 62.  | 4.4  | 23        |
| 3975 | Glucose transporter 1-mediated vascular translocation of nanomedicines enhances accumulation and efficacy in solid tumors. <i>Journal of Controlled Release</i> , 2019, 301, 28-41.                           | 9.9  | 56        |
| 3976 | Metabolic reprogramming of macrophages during infections and cancer. <i>Cancer Letters</i> , 2019, 452, 14-22.  | 7.2  | 120       |
| 3977 | C-Met as a Key Factor Responsible for Sustaining Undifferentiated Phenotype and Therapy Resistance in Renal Carcinomas. <i>Cells</i> , 2019, 8, 272.  | 4.1  | 21        |
| 3978 | Hypoxia/pseudohypoxia $\alpha$ -mediated activation of hypoxia-inducible factor-1 $\alpha$ in cancer. <i>Cancer Science</i> , 2019, 110, 1510-1517.   | 3.9  | 143       |
| 3979 | Overcoming Radioresistance: Small Molecule Radiosensitisers and Hypoxia-activated Prodrugs. <i>Clinical Oncology</i> , 2019, 31, 290-302.   | 1.4  | 22        |
| 3980 | Asymmetric dimeric ent-kauranoids from <i>Croton tonkinensis</i> and their cytotoxicity. <i>Tetrahedron Letters</i> , 2019, 60, 1099-1102.  | 1.4  | 1         |
| 3981 | A Tungsten Nitride-Based O <sub>2</sub> Self-Sufficient Nanoplatforam for Enhanced Photodynamic Therapy against Hypoxic Tumors. <i>Advanced Therapeutics</i> , 2019, 2, 1900012.                              | 3.2  | 22        |
| 3982 | Histone modifiers are oxygen sensors. <i>Science</i> , 2019, 363, 1148-1149.  | 12.6 | 15        |
| 3983 | Oncogenic MSH6-CXCR4-TGFB1 Feedback Loop: A Novel Therapeutic Target of Photothermal Therapy in Glioblastoma Multiforme. <i>Theranostics</i> , 2019, 9, 1453-1473.  | 10.0 | 32        |
| 3984 | CoCl <sub>2</sub> simulated hypoxia induce cell proliferation and alter the expression pattern of hypoxia associated genes involved in angiogenesis and apoptosis. <i>Biological Research</i> , 2019, 52, 12. | 3.4  | 82        |
| 3985 | TNF $\alpha$ inhibits xenograft tumor formation by A549 lung cancer cells in nude mice via the HIF-1 $\alpha$ /VASP signaling pathway. <i>Oncology Reports</i> , 2019, 41, 2418-2430.                         | 2.6  | 5         |
| 3986 | Antitumor Effect of a Metal-Nonoate Through Angiogenesis Impairment. , 2019, , 59-64.   |      | 0         |
| 3987 | Macrophages-Mediated Delivery of Small Gold Nanorods for Tumor Hypoxia Photoacoustic Imaging and Enhanced Photothermal Therapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 15251-15261.        | 8.0  | 71        |
| 3988 | Targeting cancer vulnerabilities with high-dose vitamin C. <i>Nature Reviews Cancer</i> , 2019, 19, 271-282.  | 28.4 | 244       |
| 3989 | miR-517a is up-regulated in glioma and promotes glioma tumorigenesis <i>in vitro</i> and <i>in vivo</i> . <i>Bioscience Reports</i> , 2019, 39, .   | 2.4  | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3990 | Marine macroalga <i>Caulerpa</i> : role of its metabolites in modulating cancer signaling. <i>Molecular Biology Reports</i> , 2019, 46, 3545-3555.  | 2.3 | 19        |
| 3991 | Targeting transcription factors in multiple myeloma: evolving therapeutic strategies. <i>Expert Opinion on Investigational Drugs</i> , 2019, 28, 445-462.   | 4.1 | 13        |
| 3992 | Short chain fatty acid butyrate uptake reduces expressions of prostanoid EP4 receptors and their mediation of cyclooxygenase-2 induction in HCA-7 human colon cancer cells. <i>European Journal of Pharmacology</i> , 2019, 853, 308-315. | 3.5 | 16        |
| 3993 | Drug Delivery to Hypoxic Tumors Targeting Carbonic Anhydrase IX. <i>ACS Symposium Series</i> , 2019, , 223-252.   | 0.5 | 1         |
| 3994 | The Role of SVZ Stem Cells in Glioblastoma. <i>Cancers</i> , 2019, 11, 448.   | 3.7 | 53        |
| 3995 | Epithelial to Mesenchymal Transition and Cell Biology of Molecular Regulation in Endometrial Carcinogenesis. <i>Journal of Clinical Medicine</i> , 2019, 8, 439.  | 2.4 | 45        |
| 3996 | Eight autopsy cases of melanoma brain metastases showing angiotropism and pericytic mimicry. Implications for extravascular migratory metastasis. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 570-578.                              | 1.3 | 14        |
| 3997 | Dual-response CuS@MnO <sub>2</sub> nanoparticles with activatable CT/MR-enhanced in vivo imaging guided photothermal therapy. <i>RSC Advances</i> , 2019, 9, 2718-2730.   | 3.6 | 15        |
| 3998 | Investigation of B,C-ring truncated deguelin derivatives as heat shock protein 90 (HSP90) inhibitors for use as anti-breast cancer agents. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 1370-1381.                               | 3.0 | 16        |
| 3999 | Extracellular Vesicles as Transmitters of Hypoxia Tolerance in Solid Cancers. <i>Cancers</i> , 2019, 11, 154.   | 3.7 | 46        |
| 4000 | Oxygen—A Critical, but Overlooked, Nutrient. <i>Frontiers in Nutrition</i> , 2019, 6, 10.   | 3.7 | 25        |
| 4001 | Evolution of Nanoparticle-Mediated Photodynamic Therapy: From Superficial to Deep-Seated Cancers. <i>Molecules</i> , 2019, 24, 520.   | 3.8 | 72        |
| 4002 | CXCR7 promotes melanoma tumorigenesis via Src kinase signaling. <i>Cell Death and Disease</i> , 2019, 10, 191.  | 6.3 | 21        |
| 4003 | Discovery of new ureido benzenesulfonamides incorporating 1,3,5-triazine moieties as carbonic anhydrase I, II, IX and XII inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 1588-1594.                                    | 3.0 | 47        |
| 4004 | 3-D Longitudinal Imaging of Tumor Angiogenesis in Mice in Vivo Using Ultrafast Doppler Tomography. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1284-1296.   | 1.5 | 15        |
| 4005 | Ketamine inhibits colorectal cancer cells malignant potential via blockage of NMDA receptor. <i>Experimental and Molecular Pathology</i> , 2019, 107, 171-178.  | 2.1 | 29        |
| 4006 | The Flavone Baicalein and Its Use in Gastrointestinal Disease. , 2019, , 145-155.   |     | 1         |
| 4007 | A Feedback Loop between Hypoxia and Matrix Stress Relaxation Increases Oxygen-Axis Migration and Metastasis in Sarcoma. <i>Cancer Research</i> , 2019, 79, 1981-1995.   | 0.9 | 22        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4008 | Differential Oxygenation in Tumor Microenvironment Modulates Macrophage and Cancer Cell Crosstalk: Novel Experimental Setting and Proof of Concept. <i>Frontiers in Oncology</i> , 2019, 9, 43.                               | 2.8  | 56        |
| 4009 | Myalgic encephalomyelitis or chronic fatigue syndrome: how could the illness develop?. <i>Metabolic Brain Disease</i> , 2019, 34, 385-415.  | 2.9  | 50        |
| 4010 | Identification and expression analysis of zebrafish testis-specific gene 10 (tsga10). <i>International Journal of Developmental Biology</i> , 2019, 63, 623-629.  | 0.6  | 1         |
| 4011 | Hypoxia-Inducible Factor 1A Upregulates HMGN5 by Increasing the Expression of GATA1 and Plays a Role in Osteosarcoma Metastasis. <i>BioMed Research International</i> , 2019, 2019, 1-8.                                      | 1.9  | 8         |
| 4012 | Cockayne syndrome. , 2019, , 135-152.   |      | 2         |
| 4013 | Quantitative Proteomics Reveal Peroxiredoxin Perturbation Upon Persistent Lymphocytic Choriomeningitis Virus Infection in Human Cells. <i>Frontiers in Microbiology</i> , 2019, 10, 2438.                                     | 3.5  | 7         |
| 4015 | Integrated Analysis of mRNA and miRNA Expression Profiles in the Ovary of <i>Oryctolagus cuniculus</i> in Response to Gonadotrophic Stimulation. <i>Frontiers in Endocrinology</i> , 2019, 10, 744.                           | 3.5  | 16        |
| 4016 | Matrine Reverses the Warburg Effect and Suppresses Colon Cancer Cell Growth via Negatively Regulating HIF-1 $\alpha$ . <i>Frontiers in Pharmacology</i> , 2019, 10, 1437.   | 3.5  | 36        |
| 4017 | Molecular and Cellular Response of Co-cultured Cells toward Cobalt Chloride (CoCl <sub>2</sub> )-Induced Hypoxia. <i>ACS Omega</i> , 2019, 4, 20882-20893.  | 3.5  | 40        |
| 4018 | The association between hypoxia inducible factor 1 subunit alpha gene rs2057482 polymorphism and cancer risk: a meta-analysis. <i>BMC Cancer</i> , 2019, 19, 1123.  | 2.6  | 5         |
| 4019 | HIF-1 $\alpha$ , EGR1 and SP1 co-regulate the erythropoietin receptor expression under hypoxia: an essential role in the growth of non-small cell lung cancer cells. <i>Cell Communication and Signaling</i> , 2019, 17, 152. | 6.5  | 21        |
| 4020 | Optical Imaging Approaches to Investigating Radiation Resistance. <i>Frontiers in Oncology</i> , 2019, 9, 1152.   | 2.8  | 4         |
| 4021 | Extravascular gelation shrinkage-derived internal stress enables tumor starvation therapy with suppressed metastasis and recurrence. <i>Nature Communications</i> , 2019, 10, 5380.   | 12.8 | 93        |
| 4022 | Role of Matrix Metalloproteinases in Angiogenesis and Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 1370.   | 2.8  | 570       |
| 4023 | Sanguinarine inhibits epithelial-mesenchymal transition via targeting HIF-1 $\alpha$ /TGF- $\beta$ 2 feed-forward loop in hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2019, 10, 939.                            | 6.3  | 57        |
| 4024 | Preservation of Microvascular Integrity in Murine Orthotopic Tracheal Allografts by Clopidogrel. <i>Transplantation</i> , 2019, 103, 899-908.   | 1.0  | 9         |
| 4025 | Molecular Mechanisms of Adipose Tissue Survival during Severe Hypoxia: Implications for Autologous Fat Graft Performance. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2275.                           | 0.6  | 9         |
| 4026 | Hypoxia: Overview on Hypoxia-Mediated Mechanisms with a Focus on the Role of HIF Genes. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6140.  | 4.1  | 227       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4027 | Search for Intracellular Sensors Involved in the Functioning of Monovalent Cations as Secondary Messengers. <i>Biochemistry (Moscow)</i> , 2019, 84, 1280-1295.   | 1.5  | 11        |
| 4028 | Targeting mTOR and Metabolism in Cancer: Lessons and Innovations. <i>Cells</i> , 2019, 8, 1584.   | 4.1  | 149       |
| 4029 | The Roles of Hypoxia-Inducible Factors and Non-Coding RNAs in Gastrointestinal Cancer. <i>Genes</i> , 2019, 10, 1008.   | 2.4  | 14        |
| 4030 | Epigenetic modulation of metabolism in glioblastoma. <i>Seminars in Cancer Biology</i> , 2019, 57, 45-51.   | 9.6  | 76        |
| 4031 | Epigenetic regulation of the hypoxic response. <i>Current Opinion in Physiology</i> , 2019, 7, 1-8.   | 1.8  | 5         |
| 4032 | Design, synthesis, and screening of novel ursolic acid derivatives as potential anti-cancer agents that target the HIF-1 $\alpha$ pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 853-858.   | 2.2  | 16        |
| 4033 | Hypoxia-Inducible Factor Drives Vascularization of Modularly Assembled Engineered Tissue. <i>Tissue Engineering - Part A</i> , 2019, 25, 1127-1136.   | 3.1  | 1         |
| 4034 | Antiangiogenic effects of the chemopreventive agent tributyrin, a butyric acid prodrug, during the promotion phase of hepatocarcinogenesis. <i>Carcinogenesis</i> , 2019, 40, 979-988.  | 2.8  | 9         |
| 4035 | Disturbed Flow Increases UBE2C (Ubiquitin E2 Ligase C) via Loss of miR-483-3p, Inducing Aortic Valve Calcification by the pVHL (von Hippel-Lindau Protein) and HIF-1 $\alpha$ (Hypoxia-Inducible Factor-1 $\alpha$ ) Pathway in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 467-481. | 2.4  | 54        |
| 4036 | Hypoxia-tropic Protein Nanocages for Modulation of Tumor- and Chemotherapy-Associated Hypoxia. <i>ACS Nano</i> , 2019, 13, 236-247.   | 14.6 | 64        |
| 4037 | Metabolism and Redox in Pulmonary Vascular Physiology and Pathophysiology. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 752-769.   | 5.4  | 12        |
| 4038 | Deferasirox selectively induces cell death in the clinically relevant population of leukemic CD34+CD38 $^{\text{low}}$ cells through iron chelation, induction of ROS, and inhibition of HIF1 $\alpha$ expression. <i>Experimental Hematology</i> , 2019, 70, 55-69.e4.   | 0.4  | 16        |
| 4039 | Inflammation and Hypoxia: HIF and PHD Isoform Selectivity. <i>Trends in Molecular Medicine</i> , 2019, 25, 33-46.   | 6.7  | 151       |
| 4040 | White Adipose Tissue Metabolic Responses to Hypoxia. , 2019, , 213-223.   |      | 0         |
| 4041 | Simulated physiological oocyte maturation has side effects on bovine oocytes and embryos. <i>Journal of Assisted Reproduction and Genetics</i> , 2019, 36, 413-424.   | 2.5  | 10        |
| 4043 | Hypoxia induced $\beta$ -Catenin to enhance mice hepatocellular carcinoma progression via Wnt signaling. <i>Experimental Cell Research</i> , 2019, 374, 94-103.   | 2.6  | 12        |
| 4044 | Recent Applications of Diazirines in Chemical Proteomics. <i>Chemistry - A European Journal</i> , 2019, 25, 4885-4898.  | 3.3  | 46        |
| 4045 | Nanotheranostics for Cancer Applications. <i>Bioanalysis</i> , 2019, , .  | 0.1  | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4046 | Dormancy in cancer. <i>Cancer Science</i> , 2019, 110, 474-480.  | 3.9  | 121       |
| 4047 | Nonmosaic somatic <i>HIF2A</i> mutations associated with late onset polycythemia $\rightarrow$ paraganglioma syndrome: Newly recognized subclass of polycythemia $\rightarrow$ paraganglioma syndrome. <i>Cancer</i> , 2019, 125, 1258-1266.                   | 4.1  | 11        |
| 4048 | Contribution and prognostic value of <i>TSGA10</i> gene expression in patients with acute myeloid leukemia (AML). <i>Pathology Research and Practice</i> , 2019, 215, 506-511.   | 2.3  | 9         |
| 4049 | Tristetraprolin-mediated hexokinase 2 expression regulation contributes to glycolysis in cancer cells. <i>Molecular Biology of the Cell</i> , 2019, 30, 542-553.   | 2.1  | 13        |
| 4050 | EGFR (Epidermal Growth Factor Receptor) Signaling and the Mitochondria Regulate sFlt-1 (Soluble) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 2.7  | 50        |
| 4051 | Endometrial injury increases expression of hypoxia-inducible factor and angiogenesis in the endometrium of women with recurrent implantation failure. <i>Reproductive BioMedicine Online</i> , 2019, 38, 761-767.  | 2.4  | 17        |
| 4052 | Hif-1 $\Delta$ Deletion May Lead to Adverse Treatment Effect in a Mouse Model of $\Delta$ MLL-AF9-Driven AML. <i>Stem Cell Reports</i> , 2019, 12, 112-121.  | 4.8  | 10        |
| 4053 | Interventional Photothermal Therapy Enhanced Brachytherapy: A New Strategy to Fight Deep Pancreatic Cancer. <i>Advanced Science</i> , 2019, 6, 1801507.  | 11.2 | 53        |
| 4054 | Penehyclidine effects the angiogenic potential of pulmonary microvascular endothelial cells. <i>Pulmonary Pharmacology and Therapeutics</i> , 2019, 55, 5-16.  | 2.6  | 1         |
| 4055 | Radioprotective effects of roxadustat ( <i>FG</i> ) in haematopoietic system. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 349-356.   | 3.6  | 15        |
| 4056 | C-MYC, HIF-1 $\Delta$ , ERG, TKT, and GSTP1: an Axis in Prostate Cancer?. <i>Pathology and Oncology Research</i> , 2019, 25, 1423-1429.  | 1.9  | 11        |
| 4057 | Synthesis and cytotoxic activities of novel copper and silver complexes of 1,3-diaryltriazene-substituted sulfonamides. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019, 34, 110-116.   | 5.2  | 24        |
| 4058 | Reciprocal regulations between miRNAs and HIF-1 $\Delta$ in human cancers. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 453-471.  | 5.4  | 38        |
| 4059 | Challenges facing antiangiogenesis therapy: The significant role of hypoxia-inducible factor and MET in development of resistance to anti-vascular endothelial growth factor-targeted therapies. <i>Journal of Cellular Physiology</i> , 2019, 234, 5655-5663. | 4.1  | 27        |
| 4060 | Green synthesis of gold nanoparticles using <i>Croton Caudatus</i> Geisel leaf extract and their biological studies. <i>Materials Letters</i> , 2019, 236, 19-22.  | 2.6  | 108       |
| 4061 | Corpus Luteum Formation. , 2019, , 255-267.  |      | 2         |
| 4062 | Design, synthesis and biological evaluation of novel ureido benzenesulfonamides incorporating 1,3,5-triazine moieties as potent carbonic anhydrase IX inhibitors. <i>Bioorganic Chemistry</i> , 2019, 82, 117-122.   | 4.1  | 44        |
| 4063 | Targeting the RhoGTPase/ROCK pathway for the treatment of VHL/HIF pathway-driven cancers. <i>Small GTPases</i> , 2020, 11, 32-38.  | 1.6  | 1         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4064 | Insights from molecular dynamics simulations and steered molecular dynamics simulations to exploit new trends of the interaction between HIF-1 $\alpha$ and p300. Journal of Biomolecular Structure and Dynamics, 2020, 38, 1-12. | 3.5  | 70        |
| 4065 | Adjuvant drug-assisted bone healing: Part II – Modulation of angiogenesis. Clinical Hemorheology and Microcirculation, 2020, 73, 409-438.   | 1.7  | 5         |
| 4066 | 3D gastrointestinal models and organoids to study metabolism in human colon cancer. Seminars in Cell and Developmental Biology, 2020, 98, 98-104.   | 5.0  | 21        |
| 4067 | Adaptive response of reproduction to high-altitude hypoxic stress by altering mRNA expression of hypoxia-inducible factors in female yaks ( <i>Bos grunniens</i> ). Animal Biotechnology, 2020, 31, 373-375.                      | 1.5  | 4         |
| 4068 | Cancer Metabolism. , 2020, , 127-138.e4.  |      | 3         |
| 4069 | Impaired Neovascularization in Aging. Advances in Wound Care, 2020, 9, 111-126.   | 5.1  | 14        |
| 4070 | Study of the intracellular delivery mechanism of a pH-sensitive peptide modified with enhanced green fluorescent protein. Journal of Drug Targeting, 2020, 28, 408-418.   | 4.4  | 3         |
| 4071 | Mechanisms and Consequences of Oxygen and Carbon Dioxide Sensing in Mammals. Physiological Reviews, 2020, 100, 463-488.   | 28.8 | 75        |
| 4072 | Stabilization of myeloid-derived HIFs promotes vascular regeneration in retinal ischemia. Angiogenesis, 2020, 23, 83-90.  | 7.2  | 15        |
| 4073 | Mechanisms of ischaemic neural progenitor proliferation: a regulatory role of the HIF-1 $\alpha$ -CBX7 pathway. Neuropathology and Applied Neurobiology, 2020, 46, 391-405.   | 3.2  | 11        |
| 4074 | A review on transcriptional regulation responses to hypoxia in mesenchymal stem cells. Cell Biology International, 2020, 44, 14-26.   | 3.0  | 9         |
| 4075 | HIF-1 $\alpha$ is over-expressed in leukemic cells from <i>TP53</i> -disrupted patients and is a promising therapeutic target in chronic lymphocytic leukemia. Haematologica, 2020, 105, 1042-1054.                               | 3.5  | 39        |
| 4076 | Metabolic targeting of HIF-1 $\alpha$ potentiates the therapeutic efficacy of oxaliplatin in colorectal cancer. Oncogene, 2020, 39, 414-427.  | 5.9  | 47        |
| 4077 | Design, synthesis, and evaluation of indeno[2,1-c]pyrazolones for use as inhibitors against hypoxia-inducible factor (HIF)-1 transcriptional activity. Bioorganic and Medicinal Chemistry, 2020, 28, 115207.                      | 3.0  | 14        |
| 4078 | TSGA10 overexpression inhibits angiogenesis of HUVECs: A HIF-2 $\alpha$ biased perspective. Microvascular Research, 2020, 128, 103952.  | 2.5  | 7         |
| 4079 | Programming DNA Nanoassembly for Enhanced Photodynamic Therapy. Angewandte Chemie, 2020, 132, 1913-1921.  | 2.0  | 14        |
| 4080 | Programming DNA Nanoassembly for Enhanced Photodynamic Therapy. Angewandte Chemie - International Edition, 2020, 59, 1897-1905.   | 13.8 | 99        |
| 4081 | A novel lncRNA HITT forms a regulatory loop with HIF-1 $\alpha$ to modulate angiogenesis and tumor growth. Cell Death and Differentiation, 2020, 27, 1431-1446.   | 11.2 | 66        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4082 | MRI-Based Radiomics: Associations With the Recurrence-Free Survival of Patients With Hepatocellular Carcinoma Treated With Conventional Transcatheter Arterial Chemoembolization. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 461-473.                                  | 3.4  | 57        |
| 4083 | The PI3K-AKT network at the interface of oncogenic signalling and cancer metabolism. <i>Nature Reviews Cancer</i> , 2020, 20, 74-88.   | 28.4 | 1,087     |
| 4084 | Nanomedicine-Enabled Modulation of Tumor Hypoxic Microenvironment for Enhanced Cancer Therapy. <i>Advanced Therapeutics</i> , 2020, 3, 1900083.  | 3.2  | 21        |
| 4085 | Analyses of the 2019 Nobel Prize in Physiology or Medicine: Molecular Machinery for Cellular Oxygen Level Response. <i>Science and Technology Libraries</i> , 2020, 39, 1-27.  | 1.8  | 1         |
| 4086 | Enhancing Photodynamic Therapy Efficacy of Upconversion-Based Nanoparticles Conjugated with a Long-Lived Triplet Excited State Iridium(III)-Naphthalimide Complex: Toward Highly Enhanced Hypoxia-Inducible Factor-1. <i>ACS Applied Bio Materials</i> , 2020, 3, 252-262.           | 4.6  | 31        |
| 4087 | Dual ultrasound-activatable nanodroplets for highly-penetrative and efficient ovarian cancer theranostics. <i>Journal of Materials Chemistry B</i> , 2020, 8, 380-390.   | 5.8  | 31        |
| 4088 | Chimeric antigen receptor T cells in solid tumors: a war against the tumor microenvironment. <i>Science China Life Sciences</i> , 2020, 63, 180-205.   | 4.9  | 40        |
| 4089 | Hypoxia-responsive nanoparticle based drug delivery systems in cancer therapy: An up-to-date review. <i>Journal of Controlled Release</i> , 2020, 319, 135-156.  | 9.9  | 160       |
| 4090 | The Effects of Propofol on Autophagy. <i>DNA and Cell Biology</i> , 2020, 39, 197-209.   | 1.9  | 10        |
| 4091 | Cancer-Derived Succinate Promotes Macrophage Polarization and Cancer Metastasis via Succinate Receptor. <i>Molecular Cell</i> , 2020, 77, 213-227.e5.  | 9.7  | 274       |
| 4092 | Anti-LDLR modified TPZ@Ce6-PEG complexes for tumor hypoxia-targeting chemo-/radio-/photodynamic/photothermal therapy. <i>Journal of Materials Chemistry B</i> , 2020, 8, 648-654.  | 5.8  | 34        |
| 4093 | Photodynamic Therapy and the Biophysics of the Tumor Microenvironment. <i>Photochemistry and Photobiology</i> , 2020, 96, 232-259.   | 2.5  | 55        |
| 4094 | Yes-associated protein (YAP) and transcriptional coactivator with a PDZ-binding motif (TAZ): a nexus between hypoxia and cancer. <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 947-960.   | 12.0 | 29        |
| 4095 | STAT3 signaling in ovarian cancer: a potential therapeutic target. <i>Journal of Cancer</i> , 2020, 11, 837-848.   | 2.5  | 62        |
| 4096 | Atezolizumab in combination with bevacizumab, paclitaxel and carboplatin for the first-line treatment of patients with metastatic non-squamous non-small cell lung cancer, including patients with EGFR mutations. <i>Expert Review of Respiratory Medicine</i> , 2020, 14, 125-136. | 2.5  | 51        |
| 4097 | Metabolic rewiring and redox alterations in malignant pleural mesothelioma. <i>British Journal of Cancer</i> , 2020, 122, 52-61.   | 6.4  | 22        |
| 4098 | Friend or foe, the role of EGR-1 in cancer. <i>Medical Oncology</i> , 2020, 37, 7.   | 2.5  | 40        |
| 4099 | Synthesis and evaluation of the HIF-1 $\alpha$ inhibitory activity of 3(5)-substituted-4-(quinolin-4-yl)- and 4-(2-phenylpyridin-4-yl)pyrazoles as inhibitors of ALK5. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 126822.   | 2.2  | 9         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4100 | Hypoxia-induced autophagy drives colorectal cancer initiation and progression by activating the PRKC/PKC-EZR (ezrin) pathway. <i>Autophagy</i> , 2020, 16, 1436-1452.  | 9.1  | 114       |
| 4101 | Metabolic reprogramming by tobacco-specific nitrosamines (TSNAs) in cancer. <i>Seminars in Cell and Developmental Biology</i> , 2020, 98, 154-166.   | 5.0  | 23        |
| 4102 | Voluntary exercise increases brain tissue oxygenation and spatially homogenizes oxygen delivery in a mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020, 88, 11-23.                     | 3.1  | 17        |
| 4103 | Honokiol: A Review of Its Anticancer Potential and Mechanisms. <i>Cancers</i> , 2020, 12, 48.  | 3.7  | 102       |
| 4104 | Hepatic Artery Embolization Induces the Local Overexpression of Transforming Growth Factor $\beta$ 1 in a Rat Hepatoma Model. <i>Liver Cancer</i> , 2020, 9, 63-72.  | 7.7  | 9         |
| 4105 | Proteome dynamics analysis identifies functional roles of SDE2 and hypoxia in DNA damage response in prostate cancer cells. <i>NAR Cancer</i> , 2020, 2, zcaa010.  | 3.1  | 7         |
| 4106 | Translation reprogramming by eIF3 linked to glioblastoma resistance. <i>NAR Cancer</i> , 2020, 2, zcaa020.   | 3.1  | 9         |
| 4107 | Breast cancer-associated macrophages promote tumorigenesis by suppressing succinate dehydrogenase in tumor cells. <i>Science Signaling</i> , 2020, 13, .   | 3.6  | 34        |
| 4108 | Histone demethylase JMJD2D activates HIF1 signaling pathway via multiple mechanisms to promote colorectal cancer glycolysis and progression. <i>Oncogene</i> , 2020, 39, 7076-7091.                          | 5.9  | 24        |
| 4109 | Oxygenation and A2AR blockade to eliminate hypoxia/HIF-1 $\alpha$ -adenosinergic immunosuppressive axis and improve cancer immunotherapy. <i>Current Opinion in Pharmacology</i> , 2020, 53, 84-90.          | 3.5  | 14        |
| 4110 | The Endoplasmic Reticulum Cargo Receptor SURF4 Facilitates Efficient Erythropoietin Secretion. <i>Molecular and Cellular Biology</i> , 2020, 40, .   | 2.3  | 23        |
| 4111 | Metabolic Profiling of Human Gastric Cancer Cells Treated With Salazosulfapyridine. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303382092862.  | 1.9  | 5         |
| 4112 | Cancer Metabolism: Phenotype, Signaling and Therapeutic Targets. <i>Cells</i> , 2020, 9, 2308.   | 4.1  | 211       |
| 4113 | Novel diphenyl urea derivative serves as an inhibitor on human lung cancer cell migration by disrupting EMT via Wnt/ $\beta$ -catenin and PI3K/Akt signaling. <i>Toxicology in Vitro</i> , 2020, 69, 105000. | 2.4  | 12        |
| 4114 | Hypoxia-responsive fluorescent nanoprobe for imaging and cancer therapy. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 131, 116010.   | 11.4 | 17        |
| 4115 | The Oncogenic PRL Protein Causes Acid Addiction of Cells by Stimulating Lysosomal Exocytosis. <i>Developmental Cell</i> , 2020, 55, 387-397.e8.  | 7.0  | 25        |
| 4116 | Ambrisentan, an endothelin receptor type A-selective antagonist, inhibits cancer cell migration, invasion, and metastasis. <i>Scientific Reports</i> , 2020, 10, 15931.                                      | 3.3  | 11        |
| 4117 | Using Genomic Sequencing to Explain an Exceptional Response to Therapy in a Malignant Phyllodes Tumor. <i>JCO Precision Oncology</i> , 2020, 4, 1263-1266.   | 3.0  | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4118 | Structural Basis of Nanomolar Inhibition of Tumor-Associated Carbonic Anhydrase IX: X-Ray Crystallographic and Inhibition Study of Lipophilic Inhibitors with Acetazolamide Backbone. Journal of Medicinal Chemistry, 2020, 63, 13064-13075. | 6.4  | 26        |
| 4119 | Preconditioning of surgical pedicle flaps with DNA plasmid expressing hypoxia-inducible factor-1 $\pm$ (HIF-1 $\pm$ ) promotes tissue viability. Gene Therapy, 2021, 28, 319-328.  | 4.5  | 8         |
| 4120 | HIF1 $\pm$ is not a target of 14q deletion in clear cell renal cancer. Scientific Reports, 2020, 10, 17642.  | 3.3  | 10        |
| 4121 | Towards an Integral Therapeutic Protocol for Breast Cancer Based upon the New H $\pm$ -Centered Anticancer Paradigm of the Late Post-Warburg Era. International Journal of Molecular Sciences, 2020, 21, 7475.                               | 4.1  | 4         |
| 4122 | PRKAR2B $\pm$ HIF $\pm$ 1 $\pm$ loop promotes aerobic glycolysis and tumour growth in prostate cancer. Cell Proliferation, 2020, 53, e12918.   | 5.3  | 36        |
| 4123 | Hypoxia Alters the Response to Anti-EGFR Therapy by Regulating EGFR Expression and Downstream Signaling in a DNA Methylation $\pm$ Specific and HIF-Dependent Manner. Cancer Research, 2020, 80, 4998-5010.                                  | 0.9  | 20        |
| 4124 | Nanomaterials to relieve tumor hypoxia for enhanced photodynamic therapy. Nano Today, 2020, 35, 100960.  | 11.9 | 111       |
| 4125 | Hypoxia Promotes Mitochondrial Complex I Abundance via HIF-1 $\pm$ in Complex III and Complex IV Deficient Cells. Cells, 2020, 9, 2197.  | 4.1  | 6         |
| 4127 | Advanced nanomaterials for hypoxia tumor therapy: challenges and solutions. Nanoscale, 2020, 12, 21497-21518.  | 5.6  | 32        |
| 4128 | The peptidyl prolyl isomerase, PIN1 induces angiogenesis through direct interaction with HIF-2 $\pm$ . Biochemical and Biophysical Research Communications, 2020, 533, 995-1003.   | 2.1  | 5         |
| 4129 | Targeting hypoxia-inducible factor-1, for cancer treatment: Recent advances in developing small-molecule inhibitors from natural compounds. Seminars in Cancer Biology, 2022, 80, 379-390.   | 9.6  | 87        |
| 4130 | Compromised Lactate Efflux Renders Vulnerability of Oligodendrocyte Precursor Cells to Metabolic Stresses. ACS Chemical Neuroscience, 2020, 11, 2717-2727.   | 3.5  | 7         |
| 4131 | Pharmacological activation of Nrf2 promotes wound healing. European Journal of Pharmacology, 2020, 886, 173395.  | 3.5  | 42        |
| 4132 | Tumor microenvironment triggered biodegradation of inorganic nanoparticles for enhanced tumor theranostics. RSC Advances, 2020, 10, 26742-26751.   | 3.6  | 11        |
| 4133 | Gas6/Axl Signaling Pathway in the Tumor Immune Microenvironment. Cancers, 2020, 12, 1850.  | 3.7  | 70        |
| 4134 | Fabrication of hypoxia-responsive and uperconversion nanoparticles-modified RBC micro-vehicles for oxygen delivery and chemotherapy enhancement. Biomaterials Science, 2020, 8, 4595-4602.   | 5.4  | 17        |
| 4135 | Hypoxia induced ferritin light chain (FTL) promoted epithelia mesenchymal transition and chemoresistance of glioma. Journal of Experimental and Clinical Cancer Research, 2020, 39, 137.   | 8.6  | 75        |
| 4136 | HIF-1a regulates hypoxia-induced autophagy via translocation of ANKRD37 in colon cancer. Experimental Cell Research, 2020, 395, 112175.  | 2.6  | 25        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4137 | Hypoxia-inducible factors in arteriovenous fistula maturation: A prospective cohort study. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13350.  | 3.4 | 3         |
| 4138 | Activation of TNFR1 and TLR4 following oxygen glucose deprivation promotes mitochondrial fission in C6 astroglial cells. <i>Cellular Signalling</i> , 2020, 75, 109714.   | 3.6 | 5         |
| 4139 | Polymerized human hemoglobin facilitated modulation of tumor oxygenation is dependent on tumor oxygenation status and oxygen affinity of the hemoglobin-based oxygen carrier. <i>Scientific Reports</i> , 2020, 10, 11372.              | 3.3 | 16        |
| 4140 | The clinical utility of the pain assessment tool in ventilated, sedated, and muscle-relaxed neonates. <i>Australian Critical Care</i> , 2020, 34, 333-339.  | 1.3 | 0         |
| 4141 | Enhanced recovery after surgery in colorectal surgery: Identification of predictive variables of failure in a monocentric series on 733 patients. <i>European Journal of Surgical Oncology</i> , 2020, 46, e6-e7.                       | 1.0 | 0         |
| 4144 | Dependence of the structure, optical, and dynamic properties of novel cadmium phosphate glass on vanadium content. <i>Journal of Materials Research and Technology</i> , 2020, 9, 14178-14189.  | 5.8 | 20        |
| 4145 | Results of laparoscopic intragastric surgery. <i>Journal of Visceral Surgery</i> , 2020, 158, 469-475.  | 0.8 | 2         |
| 4147 | Hypoxia and Non-alcoholic Fatty Liver Disease. <i>Frontiers in Medicine</i> , 2020, 7, 578001.  | 2.6 | 18        |
| 4148 | PIMT Binding to C-Terminal Ala459 of CAIX Is Involved in Inside-Out Signaling Necessary for Its Catalytic Activity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8545.  | 4.1 | 2         |
| 4149 | Nanoengineering of stem cells for musculoskeletal regeneration. , 2020, , 159-196.  |     | 1         |
| 4150 | Effects of dietary glycerol monolaurate on the growth performance, digestive enzymes, body composition and non-specific immune response of white shrimp ( <i>Litopenaeus vannamei</i> ). <i>Aquaculture Reports</i> , 2020, 18, 100535. | 1.7 | 10        |
| 4151 | CARINAL INJURY AFTER BLUNT CHEST TRAUMA. <i>Chest</i> , 2020, 157, A32.   | 0.8 | 0         |
| 4152 | Whole-brain interactions underlying zebrafish behavior. <i>Current Opinion in Neurobiology</i> , 2020, 65, 88-99.   | 4.2 | 19        |
| 4153 | Motion of finite-size spheres released in a turbulent boundary layer. <i>International Journal of Multiphase Flow</i> , 2020, 133, 103462.  | 3.4 | 5         |
| 4154 | Packaging reliability estimation of high-power device modules by utilizing silver sintering technology. <i>Microelectronics Reliability</i> , 2020, 114, 113890.  | 1.7 | 3         |
| 4155 | A preliminary risk prediction model for cannabis use disorder. <i>Preventive Medicine Reports</i> , 2020, 20, 101228.   | 1.8 | 9         |
| 4156 | Clinicopathological significance and angiogenic role of the constitutive phosphorylation of the FOXO1 transcription factor in colorectal cancer. <i>Pathology Research and Practice</i> , 2020, 216, 153150.                            | 2.3 | 5         |
| 4157 | Physicochemical and electrochemical characterization of Ce/carbonaceous matrices-based composites. <i>Solid State Sciences</i> , 2020, 110, 106479.   | 3.2 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4161 | How DIY PKI often negates the promise of public key encryption. Network Security, 2020, 2020, 14-17.  | 0.8 | 1         |
| 4162 | Isotope hydrology and hydrogeochemical modeling of Troodos Fractured Aquifer, Cyprus: The development of hydrogeological descriptions of observed water types. Applied Geochemistry, 2020, 123, 104780.           | 3.0 | 7         |
| 4163 | Same-Day Cancellations of Transesophageal Echocardiography: Targeted Remediation to Improve Operational Efficiency. Journal of the American Society of Echocardiography, 2020, 33, 1409-1410.                     | 2.8 | 1         |
| 4164 | The utilization and impact of adjuvant therapy following neoadjuvant therapy and resection of pancreatic adenocarcinoma: does more really matter?. Hpb, 2020, 22, 1530-1541.                                      | 0.3 | 4         |
| 4165 | Effects of saturation temperature on the boiling properties of carbon dioxide in small diameter pipes at low vapour quality: Pressure drop. International Journal of Heat and Mass Transfer, 2020, 163, 120209.   | 4.8 | 5         |
| 4166 | Reply to the letter by C.ÂBuesaquillo, D.ÂPÃ©rez, J.ÂA. Calvache. Orthopaedics and Traumatology: Surgery and Research, 2020, 106, 1661.   | 2.0 | 0         |
| 4167 | Oxyfunctionalized turpentine: Evaluation of properties as automotive fuel. Renewable Energy, 2020, 162, 2210-2219.  | 8.9 | 5         |
| 4168 | INCREASED APOPTOSIS ASSOCIATED WITH ELEVATED WALL SHEAR STRESS AND INCREASED LEVELS OF AORTA-SPECIFIC CELL-FREE DNA IN BICUSPID VALVE AORTOPATHY. Canadian Journal of Cardiology, 2020, 36, S26-S27.              | 1.7 | 0         |
| 4169 | Compositional data analysis of 24-hour movement behaviors and mental health in workers. Preventive Medicine Reports, 2020, 20, 101213.  | 1.8 | 19        |
| 4170 | Scott Bader joins bio-based polymers project. Reinforced Plastics, 2020, 64, 292-292.   | 0.1 | 0         |
| 4171 | The Clinical Utility of Faecal Calprotectin in Patients with Differentiated and Undifferentiated Spondyloarthritis: Relevance and Clinical Implications. ReumatologÃ­a ClÃ­nica, 2020, 18, 69-69.                 | 0.5 | 4         |
| 4172 | Core and matrix thalamic sub-populations relate to spatio-temporal cortical connectivity gradients. NeuroImage, 2020, 222, 117224.  | 4.2 | 58        |
| 4173 | Revisiting Glycogen in Cancer: A Conspicuous and Targetable Enabler of Malignant Transformation. Frontiers in Oncology, 2020, 10, 592455.   | 2.8 | 24        |
| 4177 | Advanced lipoprotein panel testing for predicting risk of hypertriglyceridemic pancreatitis. Atherosclerosis, 2020, 315, e24.   | 0.8 | 0         |
| 4178 | Scavenger receptor SR-BI splice variants 1 and 2 differ by cellular localization and interaction with HDL and LDL in endothelial cells. Atherosclerosis, 2020, 315, e64-e65.                                      | 0.8 | 0         |
| 4179 | Establishing reference intervals for triglyceride containing lipoprotein sub-fraction metabolites measured using nuclear magnetic resonance spectroscopy in a UK population. Atherosclerosis, 2020, 315, e95-e96. | 0.8 | 0         |
| 4180 | HIV-infected adults are predisposed to proatherogenic biochemical changes. Atherosclerosis, 2020, 315, e120-e121.   | 0.8 | 0         |
| 4181 | RNA-SEQ transcriptome analysis of stable and unstable atherosclerotic plaques. Atherosclerosis, 2020, 315, e133.  | 0.8 | 4         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4182 | Obese children displayed deteriorated reverse cholesterol transport in association with insulin resistance, vascular inflammation and altered lipid metabolism. <i>Atherosclerosis</i> , 2020, 315, e230.   | 0.8 | 0         |
| 4183 | Analysis of rare variants in genes related to aberrations of lipid metabolism in patients with coronary atherosclerosis. <i>Atherosclerosis</i> , 2020, 315, e231.  | 0.8 | 0         |
| 4184 | Pharmacogenomics of dyslipidaemia drugs in Portugal. <i>Atherosclerosis</i> , 2020, 315, e275.  | 0.8 | 0         |
| 4188 | Interconnectable solid-liquid protein extraction unit and chip-based dilution for multiplexed consumer immunodiagnosics. <i>Analytica Chimica Acta</i> , 2020, 1140, 190-198.   | 5.4 | 13        |
| 4189 | Parotitis caused by <i>Mycobacteroides abscessus</i> subspecies <i>abscessus</i> . <i>Auris Nasus Larynx</i> , 2020, , .  | 1.2 | 3         |
| 4193 | Pulse wave velocity with an oscillometric method in comparison with a tonometric method: a population-based study. <i>Atherosclerosis</i> , 2020, 315, e72.   | 0.8 | 0         |
| 4194 | PCSK9 monoclonal antibody treatment promotes small fibre regeneration in heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2020, 315, e215.  | 0.8 | 4         |
| 4195 | The effects of sarcopenia and sarcopenic obesity after pancreaticoduodenectomy in patients with pancreatic head cancer. <i>Hpb</i> , 2020, 22, 1782-1792.   | 0.3 | 27        |
| 4197 | Problems and pitfalls in subgroup analysis and meta-regression. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 158, 901-904.   | 1.7 | 26        |
| 4199 | Older women's experience with breast cancer treatment: A systematic review of qualitative literature. <i>Breast</i> , 2020, 54, 293-302.  | 2.2 | 7         |
| 4200 | JVIR 3.037. It's about the Work. A Decade as the JVIR Editor. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 1965-1968.  | 0.5 | 0         |
| 4201 | Intermittent normobaric oxygen inhalation enhances subcutaneous prevascularization for cell transplantation. <i>Microvascular Research</i> , 2020, 132, 104070.   | 2.5 | 5         |
| 4203 | 15788 The standardized extract of <i>Centella asiatica</i> , ECa 233, enhances post-laser resurfacing wound healing on the face: A split-face, double-blind, randomized, placebo-controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, AB159. | 1.2 | 0         |
| 4204 | 18309 The impact of a photoprotection product and the effects of seasonality on photo-aged Chinese women. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, AB210.  | 1.2 | 0         |
| 4205 | Acquired Hemifacial Microsomia: Combined TMJ and Orthognathic Surgery in a Patient with Neurofibromatosis Type 1. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020, 78, e79-e80.   | 1.2 | 1         |
| 4206 | Bayesian hierarchical methods for modeling electrical grid component failures. <i>Electric Power Systems Research</i> , 2020, 189, 106789.  | 3.6 | 3         |
| 4207 | Potential role of the gut microbiota in neuromyelitis optica spectrum disorder: Implication for intervention. <i>Journal of Clinical Neuroscience</i> , 2020, 82, 193-199.  | 1.5 | 7         |
| 4208 | The disubstituted adamantyl derivative LW1564 inhibits the growth of cancer cells by targeting mitochondrial respiration and reducing hypoxia-inducible factor (HIF)-1 $\alpha$ accumulation. <i>Experimental and Molecular Medicine</i> , 2020, 52, 1845-1856.             | 7.7 | 10        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4209 | Hmox1 (Heme Oxygenase-1) Protects Against Ischemia-Mediated Injury via Stabilization of HIF-1 $\alpha$ (Hypoxia-Inducible Factor-1 $\alpha$ ). Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 317-330.                             | 2.4 | 36        |
| 4210 | Heparanase and the hallmarks of cancer. Journal of Translational Medicine, 2020, 18, 453.   | 4.4 | 78        |
| 4211 | IDH Signalling Pathway in Cholangiocarcinoma: From Biological Rationale to Therapeutic Targeting. Cancers, 2020, 12, 3310.  | 3.7 | 25        |
| 4212 | Activation and blockade of 5-HT <sub>6</sub> receptor in the medial septum-diagonal band recover working memory in the hemiparkinsonian rats. Brain Research, 2020, 1748, 147072.   | 2.2 | 5         |
| 4213 | Gravedad de la enfermedad coronaria definida por ultrasonido intravascular o tomografía de coherencia óptica y su relación con los Índices fisiológicos. Revista Espanola De Cardiología, 2020, 73, 812-821.                                      | 1.2 | 6         |
| 4214 | Daily CO <sub>2</sub> Emission Reduction Indicates the Control of Activities to Contain COVID-19 in China. Innovation(China), 2020, 1, 100062.  | 9.1 | 25        |
| 4216 | COVID-19: psychological effects on a COVID-19 quarantined population in Bangladesh. Heliyon, 2020, 6, e05481.   | 3.2 | 34        |
| 4217 | Varian de 87 años con impactación esofágica. Medicine, 2020, 13, 417e1-417e3.   | 0.0 | 0         |
| 4218 | The Importance of the Tumor Microenvironment and Hypoxia in Delivering a Precision Medicine Approach to Veterinary Oncology. Frontiers in Veterinary Science, 2020, 7, 598338.  | 2.2 | 9         |
| 4219 | Deciphering the Role of the Coagulation Cascade and Autophagy in Cancer-Related Thrombosis and Metastasis. Frontiers in Oncology, 2020, 10, 605314.   | 2.8 | 10        |
| 4220 | Unusual presentation of primary myelofibrosis with spontaneous bleeding after laparoscopic adrenalectomy: A case report. International Journal of Surgery Case Reports, 2020, 75, 345-347.  | 0.6 | 0         |
| 4221 | Boundary Disputes: In Inflamed Skin, Mast Cells Expand and Disorganize Stable Clonal Territories. Journal of Investigative Dermatology, 2020, 140, 2329-2331.   | 0.7 | 0         |
| 4222 | Grosor epitelial corneal un año después de la cirugía de LASIK miópico, medido mediante tomografía de coherencia óptica de segmento anterior combinado con disco de Plácido. Archivos De La Sociedad Espanola De Oftalmología, 2020, 95, 544-549. | 0.2 | 0         |
| 4223 | How Do Oil and Natural Gas Prices affect U.S. industrial production? Utilizing wavelet nonlinear denoised based quantile analysis. Energy Strategy Reviews, 2020, 32, 100550.   | 7.3 | 14        |
| 4225 | Impact of co-management on tree diversity and carbon sequestration in protected areas: Experiences from Bangladesh. Trees, Forests and People, 2020, 2, 100033.   | 1.9 | 10        |
| 4226 | LONG TERM SEX SPECIFIC OUTCOMES IN PATIENTS WITH THORACIC AORTIC DISEASE. Canadian Journal of Cardiology, 2020, 36, S99-S100.   | 1.7 | 0         |
| 4227 | Geochemical transformations beneath man-made ponds: Implications for arsenic mobilization in South Asian aquifers. Geochimica Et Cosmochimica Acta, 2020, 288, 262-281.   | 3.9 | 9         |
| 4228 | Lyme disease presenting as an Anterior Ischemic Optic Neuropathy: A case report. Journal Francais D'Ophthalmologie, 2020, 43, e263-e265.  | 0.4 | 2         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4229 | Artificial neural network to predict the performance of the phosphoric acid production. Procedia Computer Science, 2020, 177, 444-449.   | 2.0  | 8         |
| 4230 | Hemicorporal paresthesias in a parvovirusinfection. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2020, 156-157, 113.   | 0.9  | 0         |
| 4231 | Cool-down time of a polypropylene vial quenched in liquid nitrogen. International Communications in Heat and Mass Transfer, 2020, 118, 104821.   | 5.6  | 6         |
| 4232 | Method of creating control framework for environmental safety of car tires. Transportation Research Procedia, 2020, 50, 689-697.   | 1.5  | 7         |
| 4233 | Polymer nanotube membranes synthesized via liquid deposition in anodic alumina. Colloids and Interface Science Communications, 2020, 39, 100334.   | 4.1  | 8         |
| 4234 | Collision risk reduction of N-trailer agricultural machinery by off-track minimization. Computers and Electronics in Agriculture, 2020, 178, 105757.   | 7.7  | 11        |
| 4235 | «Red flags» en pacientes con polineuropatía amiloide familiar relacionada con transtiretina (hATTR) en el momento del diagnóstico en un área no endémica de España. Neurología, 2023, 38, 87-92.   | 0.7  | 1         |
| 4236 | Resultados estandarizados del Montreal Cognitive Assessment (MoCA) para cribado neurocognitivo en población chilena. Neurología, 2023, 38, 246-255.  | 0.7  | 9         |
| 4238 | Vascular mimicry: Triggers, molecular interactions and in vivo models. Advances in Cancer Research, 2020, 148, 27-67.  | 5.0  | 47        |
| 4239 | Oxygenated Water Inhibits Adipogenesis and Attenuates Hepatic Steatosis in High-Fat Diet-Induced Obese Mice. International Journal of Molecular Sciences, 2020, 21, 5493.                          | 4.1  | 0         |
| 4240 | The Significance of Mitochondrial Dysfunction in Cancer. International Journal of Molecular Sciences, 2020, 21, 5598.  | 4.1  | 141       |
| 4241 | Injectable redox and light responsive MnO <sub>2</sub> hybrid hydrogel for simultaneous melanoma therapy and multidrug-resistant bacteria-infected wound healing. Biomaterials, 2020, 260, 120314. | 11.4 | 130       |
| 4242 | DNA methylation repels binding of hypoxia-inducible transcription factors to maintain tumor immunotolerance. Genome Biology, 2020, 21, 182.  | 8.8  | 39        |
| 4243 | Recent Advancements in CD47 Signal Transduction Pathways Involved in Vascular Diseases. BioMed Research International, 2020, 2020, 1-11.   | 1.9  | 9         |
| 4244 | Targeting Hypoxia-Driven Metabolic Reprogramming to Constrain Tumor Progression and Metastasis. International Journal of Molecular Sciences, 2020, 21, 5487.                                       | 4.1  | 29        |
| 4245 | Loss of HIF1A From Pancreatic Cancer Cells Increases Expression of PPP1R1B and Degradation of p53 to Promote Invasion and Metastasis. Gastroenterology, 2020, 159, 1882-1897.e5.                   | 1.3  | 79        |
| 4246 | In vitro affinity maturation to improve the efficacy of a hypoxia-inducible factor 1 single-domain intrabody. Biochemical and Biophysical Research Communications, 2020, 529, 936-942.             | 2.1  | 13        |
| 4248 | 3-Bromopyruvate-Conjugated Nanoplatform-Induced Pro-Death Autophagy for Enhanced Photodynamic Therapy against Hypoxic Tumor. ACS Nano, 2020, 14, 9711-9727.  | 14.6 | 105       |

|      |  |     |    |
|------|--|-----|----|
| 4250 | Optimization of bio-oil steam reforming process by thermodynamic analysis. International Journal of Hydrogen Energy, 2020, 45, 28350-28360.  | 7.1 | 13 |
| 4251 | A physically-based model for dissolved pollutant transport over impervious surfaces. Journal of Hydrology, 2020, 590, 125478.  | 5.4 | 7  |
| 4252 | A phase II study of Guadecitabine (G) with Irinotecan (IRI) vs regorafenib or TAS-102 in metastatic colorectal cancer (mCRC) patients (pts). European Journal of Cancer, 2020, 138, S12.   | 2.8 | 0  |
| 4253 | Long noncoding RNA functions as a direct transcriptional target of p73 and plays a critical role in suppression of cancer cell migration, invasion and metastasis via sponging of miR-1273g-3p. European Journal of Cancer, 2020, 138, S30.  | 2.8 | 0  |
| 4254 | Gemcitabine stimulates HLA class I expression in pancreatic cancer cells. European Journal of Cancer, 2020, 138, S34.  | 2.8 | 0  |
| 4257 | Meningococcal Serogroup B Vaccine Policies and Recommendations at U.S. Colleges and Universities. American Journal of Preventive Medicine, 2020, 59, 618-619.  | 3.0 | 0  |
| 4258 | Wellness Preferences Among Rehabilitation Patients. Archives of Physical Medicine and Rehabilitation, 2020, 101, e101.   | 0.9 | 0  |
| 4259 | Moving From Multidisciplinary Phenotyping to Biological Classification of Fibrotic Interstitial Lung Disease. Chest, 2020, 158, 1814-1815.   | 0.8 | 0  |
| 4260 | Parental attendance in two early-childhood training programmes to improve nurturing care: A randomized controlled trial. Children and Youth Services Review, 2020, 118, 105418.  | 1.9 | 9  |
| 4261 | Applying Non-canonical Redox Cofactors in Fermentation Processes. IScience, 2020, 23, 101471.  | 4.1 | 11 |
| 4262 | 64 - Real-World Use of Once-Weekly Semaglutide in Patients With Type 2 Diabetes: Results From SURE Canada. Canadian Journal of Diabetes, 2020, 44, S27-S28.  | 0.8 | 0  |
| 4263 | Brief comparative evaluation of six open one-step RT-qPCR mastermixes for the detection of SARS-CoV-2 RNA using a Taqman probe. Journal of Clinical Virology, 2020, 132, 104636.   | 3.1 | 4  |
| 4264 | Atypical hemolytic uremic syndrome associated with a factor B genetic variant and fluid-phase complement activation: an exception to the rule?. Kidney International, 2020, 98, 1084-1087.   | 5.2 | 8  |
| 4265 | Construction of traveling waves patterns of $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si12.svg">\langle mml:mrow>\langle mml:mo stretchy="false">(\langle mml:mo>\langle mml:mn>1\langle mml:mn>\langle mml:mo\rangle Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 Td (linebreak="badbreak">$ | 4.1 | 28 |
| 4266 | equation in plasma physics. Results in Physics, 2020, 19, 103330.<br>From oxygen sensing to angiogenesis: Targeting the hypoxia signaling pathway in metastatic kidney cancer. American Journal of Health-System Pharmacy, 2020, 77, 2064-2073.  | 1.0 | 11 |
| 4267 | Up-regulation of long non-coding RNA LOXL1-AS1 functions as an oncogene in cervical squamous cell carcinoma by sponging miR-21. Archives of Physiology and Biochemistry, 2023, 129, 143-147.   | 2.1 | 4  |
| 4268 | The effect of miRNA and autophagy on colorectal cancer. Cell Proliferation, 2020, 53, e12900.  | 5.3 | 43 |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4269 | Investigating Disturbances of Oxygen Homeostasis: From Cellular Mechanisms to the Clinical Practice. <i>Frontiers in Physiology</i> , 2020, 11, 947.  | 2.8  | 18        |
| 4270 | Autonomous glucose metabolic reprogramming of tumour cells under hypoxia: opportunities for targeted therapy. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 185.  | 8.6  | 13        |
| 4271 | <p><em>Lycium barbarum</em></p> Polysaccharide Inhibited Hypoxia-Inducible Factor 1 in COPD Patients<p></p>. <i>International Journal of COPD</i> , 2020, Volume 15, 1997-2004.   | 2.3  | 4         |
| 4272 | The Prognostic Model of Pre-Treatment Complete Blood Count (CBC) for Recurrence in Early Cervical Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 2960.  | 2.4  | 2         |
| 4273 | Metabolic rivalry: circadian homeostasis and tumorigenesis. <i>Nature Reviews Cancer</i> , 2020, 20, 645-661.   | 28.4 | 65        |
| 4274 | Strengthened Tumor Photodynamic Therapy Based on a Visible Nanoscale Covalent Organic Polymer Engineered by Microwave Assisted Synthesis. <i>Advanced Functional Materials</i> , 2020, 30, 2004834.                                       | 14.9 | 27        |
| 4275 | The Target of Rapamycin Signalling Pathway in Ageing and Lifespan Regulation. <i>Genes</i> , 2020, 11, 1043.  | 2.4  | 59        |
| 4276 | Comparative analysis, distribution, and characterization of microsatellites in Orf virus genome. <i>Scientific Reports</i> , 2020, 10, 13852.   | 3.3  | 6         |
| 4277 | Mint3 depletion restricts tumor malignancy of pancreatic cancer cells by decreasing SKP2 expression via HIF-1. <i>Oncogene</i> , 2020, 39, 6218-6230.   | 5.9  | 16        |
| 4278 | The updated landscape of tumor microenvironment and drug repurposing. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 166.   | 17.1 | 563       |
| 4279 | Optimization of the spherical integrity for sustained-release alginate microcarriers-encapsulated doxorubicin by the Taguchi method. <i>Scientific Reports</i> , 2020, 10, 21758.   | 3.3  | 6         |
| 4280 | Systems Pharmacology Study of the Anticervical Cancer Mechanisms of FDY003. <i>Natural Product Communications</i> , 2020, 15, 1934578X2097736.  | 0.5  | 1         |
| 4281 | The Shuganhuazheng Formula in Triple-Negative Breast Cancer: A Study Based on Network Pharmacology and In Vivo Experiments. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-10.                              | 1.2  | 1         |
| 4282 | Perineural invasion, lactate dehydrogenase, globulin, and serum sodium predicting occult metastasis in oral cancer. <i>Oral Diseases</i> , 2022, 28, 132-141.   | 3.0  | 7         |
| 4283 | Hypoxic exosomes orchestrate tumorigenesis: molecular mechanisms and therapeutic implications. <i>Journal of Translational Medicine</i> , 2020, 18, 474.  | 4.4  | 53        |
| 4284 | Iron: An Essential Element of Cancer Metabolism. <i>Cells</i> , 2020, 9, 2591.  | 4.1  | 56        |
| 4286 | A strategy for repression of arsenic toxicity through nuclear factor E2 related factor 2 activation mediated by the (E)-2-alkenals in <i>Coriandrum sativum</i> L. leaf extract. <i>Food and Chemical Toxicology</i> , 2020, 145, 111706. | 3.6  | 3         |
| 4287 | Modified hydrological regime from the Three Gorges Dam increases the risk of food shortages for wintering waterbirds in Poyang Lake. <i>Global Ecology and Conservation</i> , 2020, 24, e01286.   | 2.1  | 15        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4288 | Screening of polyhydroxybutyrate producing indigenous bacteria from polluted lake soil. Heliyon, 2020, 6, e05381.   | 3.2  | 28        |
| 4289 | Ayo game approach to mitigate free riding in peer-to-peer networks. Journal of King Saud University - Computer and Information Sciences, 2022, 34, 2451-2460.   | 3.9  | 4         |
| 4290 | Observations of different effects of an anti-cyclonic eddy on internal solitary waves in the South China Sea. Progress in Oceanography, 2020, 188, 102422.  | 3.2  | 14        |
| 4291 | Computing the power profiles for an Airborne Wind Energy system based on large-scale wind data. Renewable Energy, 2020, 162, 766-778.   | 8.9  | 18        |
| 4292 | Current trends in the oxidative stress and ageing of social hymenopterans. Advances in Insect Physiology, 2020, , 43-69.  | 2.7  | 6         |
| 4293 | Molecular Crosstalk Between MYC and HIF in Cancer. Frontiers in Cell and Developmental Biology, 2020, 8, 590576.  | 3.7  | 50        |
| 4294 | Quality Improvement Showcase. AORN Journal, 2020, 112, 499-501.   | 0.3  | 0         |
| 4295 | 93: Changing Landscape of Interstitial Brachytherapy in Canada: A Pan-Canadian Survey of Radiation Oncologists Treating Cervical Cancer. Radiotherapy and Oncology, 2020, 150, S41-S42.                                       | 0.6  | 0         |
| 4296 | 143: Depression in Cancer: An Evaluation of Online Patient Education Resources. Radiotherapy and Oncology, 2020, 150, S62.  | 0.6  | 0         |
| 4297 | 146: Peer Review of Contours and Full Plan for Lung SBRT: Can Treatment Be Expedited?. Radiotherapy and Oncology, 2020, 150, S63.   | 0.6  | 0         |
| 4298 | 152: Toxicity Assessment of Individualized Dosimetry Adjusted PRRT - Interim Report of the Ontario Consortium Trial OZM 067. Radiotherapy and Oncology, 2020, 150, S65-S66.   | 0.6  | 0         |
| 4299 | DÃ©finition et Ã©valuation de lâ€™asthme sÃ©vÃ©re. Revue Des Maladies Respiratoires Actualites, 2020, 12, S3-S60  | 0.6  | 0         |
| 4300 | Relationship between quadriceps thickness measured by ultrasound and nutritional status at admission for hip fracture. Clinical Nutrition ESPEN, 2020, 40, 466.   | 1.2  | 0         |
| 4301 | Multiple sclerosis (MS) risk: an incident case-control-study of dietary habits and nutritional status. Clinical Nutrition ESPEN, 2020, 40, 537.   | 1.2  | 0         |
| 4302 | A nutrition therapy cost-effectiveness model informs potential cost-savings for healthcare, in Brazil. Clinical Nutrition ESPEN, 2020, 40, 687.   | 1.2  | 0         |
| 4303 | Balanitis y vaginitis. FMC Formacion Medica Continuada En Atencion Primaria, 2020, 27, 6-11.  | 0.0  | 0         |
| 4307 | Reactive transport modeling of the geochemical behavior of highly reactive tailings in different environmental conditions. Applied Geochemistry, 2020, 122, 104761.   | 3.0  | 9         |
| 4308 | Expansive behavior of an alkali-carbonate reactive dolostone from Argentina: Proposal of an osmotic theory-based model to explain the expansion caused by the alkali attack. Cement and Concrete Research, 2020, 138, 106239. | 11.0 | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4309 | Evaluating the effect of seasonal temperature changes on the efficiency of a rhizofiltration system in nitrogen removal from urban runoff. <i>Journal of Environmental Management</i> , 2020, 274, 111192.                     | 7.8  | 7         |
| 4310 | A comprehensive assessment of two-decade radioactivity monitoring around the Channel Islands. <i>Journal of Environmental Radioactivity</i> , 2020, 223-224, 106381.   | 1.7  | 6         |
| 4311 | Fabrication of preferentially oriented Al4043 alloy and its wear anisotropy. <i>Materials Letters</i> , 2020, 280, 128578.   | 2.6  | 21        |
| 4312 | Reactive Oxygen Species and Antioxidants in Carcinogenesis and Tumor Therapy. <i>Biochemistry (Moscow)</i> , 2020, 85, 1254-1266.  | 1.5  | 16        |
| 4313 | Secondhand exposure from vaping marijuana: Concentrations, emissions, and exposures determined using both research-grade and low-cost monitors. <i>Atmospheric Environment: X</i> , 2020, 8, 100093.                           | 1.4  | 11        |
| 4314 | On infinite system of Caputo fractional differential inclusions with boundary conditions for convex-compact multivalued mappings. <i>AEJ - Alexandria Engineering Journal</i> , 2020, 59, 3233-3238.                           | 6.4  | 2         |
| 4316 | Influence of periodic side-to-side and heaving motions on the performance of a Stirling pulse tube cryocooler. <i>Cryogenics</i> , 2020, 111, 103164.  | 1.7  | 4         |
| 4317 | Analysis of Standard Operational Procedures implementation on medical records completion at Stella Maris Hospital in Makassar, Indonesia. <i>EnfermerAa ClÁnica</i> , 2020, 30, 35-39.   | 0.3  | 1         |
| 4318 | Fabrication and properties of developed collagen/strontium-doped Bioglass scaffolds for bone tissue engineering. <i>Journal of Materials Research and Technology</i> , 2020, 9, 14799-14817.                                   | 5.8  | 47        |
| 4319 | A novel tropoelastin-based resorbable surgical mesh for pelvic organ prolapse repair. <i>Materials Today Bio</i> , 2020, 8, 100081.  | 5.5  | 17        |
| 4320 | Anteroposterior Wnt-RA Gradient Defines Adhesion and Migration Properties of Neural Progenitors in Developing Spinal Cord. <i>Stem Cell Reports</i> , 2020, 15, 898-911.   | 4.8  | 10        |
| 4321 | Antitumor Therapy under Hypoxic Microenvironment by the Combination of 2-Methoxyestradiol and Sodium Dichloroacetate on Human Non-Small-Cell Lung Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-12. | 4.0  | 6         |
| 4322 | Expression of Hypoxia-Inducible Factors in Different Stages of Pancreatic Tumor Progression. <i>Reports</i> , 2020, 3, 30.   | 0.5  | 5         |
| 4323 | Mineralized manganese dioxide channel as the stent coating for in situ precise tumor navigation. <i>Nano Research</i> , 2021, 14, 2145.  | 10.4 | 2         |
| 4324 | Transplant programmes in areas with high SARS-CoV-2 transmission. <i>Lancet, The</i> , 2020, 396, 1395-1396.   | 13.7 | 3         |
| 4325 | The US election 2020. <i>Lancet, The</i> , 2020, 396, 1373.  | 13.7 | 1         |
| 4326 | Sofi Filtration signs â,3mn financing round. <i>Filtration Industry Analyst</i> , 2020, 2020, 2-3.   | 0.0  | 0         |
| 4327 | Residual disease after mastectomy. <i>Lancet Oncology, The</i> , 2020, 21, e499.   | 10.7 | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4329 | Policy and accountability in global HIV responses. Lancet HIV, 2020, 7, e731.   | 4.7  | 0         |
| 4331 | Response to Buxbaum et al.. American Journal of Human Genetics, 2020, 107, 1004.  | 6.2  | 3         |
| 4332 | What Are the Risk Factors for Methicillin-resistant Staphylococcus Aureus Infection Among Patients in a Neonatal Intensive Care Unit?. American Journal of Infection Control, 2020, 48, S17.  | 2.3  | 0         |
| 4333 | 263 Utilizing Telemedicine in a Novel Approach to COVID-19 Management and Patient Experience in the Emergency Department. Annals of Emergency Medicine, 2020, 76, S101.   | 0.6  | 1         |
| 4334 | Expert Urges Providers to Implement New Hypertension Guidelines. Caring for the Ages, 2020, 21, 17.   | 0.0  | 0         |
| 4336 | Impact of COVID-19 Pandemic on Mechanical Reperfusion for Patients With STEMI. Journal of the American College of Cardiology, 2020, 76, 2321-2330.  | 2.8  | 154       |
| 4337 | Machine Learning for Advanced Additive Manufacturing. Matter, 2020, 3, 1541-1556.   | 10.0 | 122       |
| 4338 | Pseudoxantoma elastico infantil en paciente con $\beta^0$ -talasemia. Archivos De La Sociedad Espanola De Oftalmologia, 2020, 95, 555-558.  | 0.2  | 0         |
| 4342 | Torsional and flexural resonant column testing of grouted sands. Soil Dynamics and Earthquake Engineering, 2020, 139, 106360.   | 3.8  | 6         |
| 4343 | Contribution of hypoxia inducible factor-1 during viral infections. Virulence, 2020, 11, 1482-1500.   | 4.4  | 24        |
| 4344 | Dream power. New Scientist, 2020, 248, 34-38.   | 0.0  | 4         |
| 4345 | Small scale screening of yeast strains enables high-throughput evaluation of performance in lignocellulose hydrolysates. Bioresource Technology Reports, 2020, 11, 100532.  | 2.7  | 6         |
| 4347 | Protecting Peer Review. Journal of the American College of Cardiology, 2020, 76, 1902-1904.   | 2.8  | 1         |
| 4348 | Visitor Incidents in Western Australian Protected Areas, 2011-2017. Wilderness and Environmental Medicine, 2020, 31, 303-311.   | 0.9  | 5         |
| 4349 | High-throughput screening in multicellular spheroids for target discovery in the tumor microenvironment. Expert Opinion on Drug Discovery, 2020, 15, 955-967.   | 5.0  | 11        |
| 4350 | Metabolic Plasticity of Melanoma Cells and Their Crosstalk With Tumor Microenvironment. Frontiers in Oncology, 2020, 10, 722.   | 2.8  | 66        |
| 4351 | Protein Kinase CK2 in Cancer Energetics. Frontiers in Oncology, 2020, 10, 893.  | 2.8  | 42        |
| 4352 | First- and third-generation epidermal growth factor receptor inhibitors mediate distinct phosphoprotein signalling networks: implications for adverse dermatological reactions. British Journal of Dermatology, 2020, 183, 1105-1107. | 1.5  | 0         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4353 | Biomimetic potential of cerium oxide nanoparticles in modulating the metabolic gene signature in GBM-derived cell lines. <i>Journal of Materials Science</i> , 2020, 55, 11622-11636.                   | 3.7  | 8         |
| 4354 | HIF1A C1772T genetic variation is associated with the elevated risk of breast cancer among Asians: An updated meta-analysis. <i>Meta Gene</i> , 2020, 25, 100722.                                       | 0.6  | 0         |
| 4355 | The dormant cancer cell life cycle. <i>Nature Reviews Cancer</i> , 2020, 20, 398-411.   | 28.4 | 286       |
| 4356 | TiPARP forms nuclear condensates to degrade HIF-1 $\alpha$ and suppress tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 13447-13456. | 7.1  | 46        |
| 4357 | HIF1A expression correlates with increased tumor immune and stromal signatures and aggressive phenotypes in human cancers. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 877-888.                    | 4.4  | 25        |
| 4358 | Inflammation, diet, and type 2 diabetes: a mini-review. <i>Journal of Immunoassay and Immunochemistry</i> , 2020, 41, 768-777.  | 1.1  | 10        |
| 4359 | Micheliolide Enhances Radiosensitivities of p53-Deficient Non-Small-Cell Lung Cancer via Promoting HIF-1 $\alpha$ Degradation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3392.     | 4.1  | 12        |
| 4360 | Oxygen Pathology and Oxygen-Functional Materials for Therapeutics. <i>Matter</i> , 2020, 2, 1115-1147.  | 10.0 | 8         |
| 4361 | The hypoxic tumour microenvironment: A safe haven for immunosuppressive cells and a therapeutic barrier to overcome. <i>Cancer Letters</i> , 2020, 487, 34-44.  | 7.2  | 32        |
| 4362 | Loss of hypoxia-inducible factor 1 $\alpha$ affects hypoxia tolerance in larval and adult zebrafish ( <i>Danio rerio</i> ). <i>Development</i> , 2020, 147, 187-197.                                    | 2.6  | 18        |
| 4363 | Expression of Angiopoietins and Angiogenic Signaling Pathway Molecules in Chronic Subdural Hematomas. <i>Journal of Neurotrauma</i> , 2020, 37, 2493-2498.  | 3.4  | 14        |
| 4364 | Angiogenesis in Breast Cancer Progression, Diagnosis, and Treatment. <i>Journal of Cancer</i> , 2020, 11, 4474-4494.  | 2.5  | 128       |
| 4365 | Regulators of glucose uptake in thyroid cancer cell lines. <i>Cell Communication and Signaling</i> , 2020, 18, 83.  | 6.5  | 43        |
| 4366 | Association between HIF-1 $\alpha$ gene polymorphisms and lung cancer. <i>Medicine (United States)</i> , 2020, 99, e20610.  | 1.0  | 7         |
| 4367 | Emerging Roles of Long non-coding RNAs in The Tumor Microenvironment. <i>International Journal of Biological Sciences</i> , 2020, 16, 2094-2103.  | 6.4  | 25        |
| 4368 | Mitochondrial Dysfunction Inhibits Hypoxia-Induced HIF-1 $\alpha$ Stabilization and Expression of Its Downstream Targets. <i>Frontiers in Oncology</i> , 2020, 10, 770.                                 | 2.8  | 16        |
| 4369 | Weighing the Risk: effects of Obesity on the Mammary Gland and Breast Cancer Risk. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2020, 25, 115-131.   | 2.7  | 11        |
| 4370 | Hypoxia-driven epigenetic regulation in cancer progression: A focus on histone methylation and its modifying enzymes. <i>Cancer Letters</i> , 2020, 489, 41-49.   | 7.2  | 27        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4371 | Imaging of Tumor Hypoxia for Radiotherapy: Current Status and Future Directions. <i>Seminars in Nuclear Medicine</i> , 2020, 50, 562-583.  | 4.6  | 40        |
| 4372 | Benzo[ <i>a</i> ]pyrene at human blood equivalent level induces human lung epithelial cell invasion and migration via aryl hydrocarbon receptor signaling. <i>Journal of Applied Toxicology</i> , 2020, 40, 1087-1098.                                     | 2.8  | 18        |
| 4373 | Therapeutic Targeting of SDHB-Mutated Pheochromocytoma/Paraganglioma with Pharmacologic Ascorbic Acid. <i>Clinical Cancer Research</i> , 2020, 26, 3868-3880.  | 7.0  | 29        |
| 4374 | Glucose Metabolism on Tumor Plasticity, Diagnosis, and Treatment. <i>Frontiers in Oncology</i> , 2020, 10, 317.  | 2.8  | 94        |
| 4375 | Application of nanotechnology for enhancing photodynamic therapy via ameliorating, neglecting, or exploiting tumor hypoxia. <i>View</i> , 2020, 1, e6.   | 5.3  | 51        |
| 4376 | Isolinderalactone suppresses human glioblastoma growth and angiogenic activity in 3D microfluidic chip and in vivo mouse models. <i>Cancer Letters</i> , 2020, 478, 71-81.   | 7.2  | 18        |
| 4377 | The prognostic value of miRNA-18a-5p in clear cell renal cell carcinoma and its function via the miRNA-18a-5p/HIF1A/PVT1 pathway. <i>Journal of Cancer</i> , 2020, 11, 2737-2748.  | 2.5  | 10        |
| 4378 | A fluorinated low-molecular-weight PEI/HIF-1 $\alpha$ shRNA polyplex system for hemangioma therapy. <i>Biomaterials Science</i> , 2020, 8, 2129-2142.  | 5.4  | 10        |
| 4379 | Competitive binding of HIF-1 $\alpha$ and CITED2 to the TAZ1 domain of CBP from molecular simulations. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 8118-8127.   | 2.8  | 15        |
| 4380 | Silencing of HOXB9 suppresses cellular proliferation, angiogenesis, migration and invasion of prostate cancer cells. <i>Journal of Biosciences</i> , 2020, 45, 1.  | 1.1  | 8         |
| 4381 | Concurrent imaging of vascularization and metabolism in a mouse model of paraganglioma under anti-angiogenic treatment. <i>Theranostics</i> , 2020, 10, 3518-3532.   | 10.0 | 12        |
| 4382 | Inhibition of Oxidative Phosphorylation Reverses Bone Marrow Hypoxia Visualized in Imageable Syngeneic B-ALL Mouse Model. <i>Frontiers in Oncology</i> , 2020, 10, 991.  | 2.8  | 11        |
| 4383 | <p>Von Hippel-Lindau Disease: Current Challenges and Future Prospects</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 5669-5690.  | 2.0  | 66        |
| 4384 | Targeting Altered Energy Metabolism in Colorectal Cancer: Oncogenic Reprogramming, the Central Role of the TCA Cycle and Therapeutic Opportunities. <i>Cancers</i> , 2020, 12, 1731.   | 3.7  | 37        |
| 4385 | Emerging roles and the regulation of aerobic glycolysis in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 126.  | 8.6  | 290       |
| 4386 | miR-34a Regulates the Activity of HIF-1 $\alpha$ and P53 Signaling Pathways by Promoting GLUT1 in Genetically Improved Farmed Tilapia ( <i>GIFT</i> , <i>Oreochromis niloticus</i> ) Under Hypoxia Stress. <i>Frontiers in Physiology</i> , 2020, 11, 670. | 2.8  | 21        |
| 4387 | Mapping transient hypoxia from in situ activation of 15O by photon beams: A simulation study. <i>Radiation Physics and Chemistry</i> , 2020, 172, 108815.  | 2.8  | 0         |
| 4388 | Danlou Tablet Improves Chronic Intermittent Hypoxia-Induced Dyslipidemia and Arteriosclerosis by HIF-1 $\alpha$ -Angptl4 mRNA Signaling Pathway. <i>Chinese Journal of Integrative Medicine</i> , 2022, 28, 509-517.                                       | 1.6  | 10        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4389 | Intracellular delivery of cytochrome C using hypoxia-responsive polypeptide micelles for efficient cancer therapy. <i>Materials Science and Engineering C</i> , 2020, 114, 111069.   | 7.3  | 23        |
| 4390 | Bclaf1 is a direct target of HIF-1 and critically regulates the stability of HIF-1 $\alpha$ under hypoxia. <i>Oncogene</i> , 2020, 39, 2807-2818.  | 5.9  | 17        |
| 4391 | Intermittent hypoxia exacerbates tumor progression in a mouse model of lung cancer. <i>Scientific Reports</i> , 2020, 10, 1854.  | 3.3  | 33        |
| 4392 | Neuronal HIF-1 $\alpha$ in the nucleus tractus solitarius contributes to ventilatory acclimatization to hypoxia. <i>Journal of Physiology</i> , 2020, 598, 2021-2034.  | 2.9  | 19        |
| 4393 | &lt;p&gt;Foretinib Inhibits Cancer Stemness and Gastric Cancer Cell Proliferation by Decreasing CD44 and c-MET Signaling&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 1027-1035.                                   | 2.0  | 20        |
| 4394 | Pathological Crosstalk between Metastatic Breast Cancer Cells and the Bone Microenvironment. <i>Biomolecules</i> , 2020, 10, 337.  | 4.0  | 30        |
| 4395 | Targeting cancer stem cells from a metabolic perspective. <i>Experimental Biology and Medicine</i> , 2020, 245, 465-476.   | 2.4  | 22        |
| 4396 | Hypoxia and the hypoxia inducible factor 1 $\alpha$ activate protein kinase A by repressing RII beta subunit transcription. <i>Oncogene</i> , 2020, 39, 3367-3380.   | 5.9  | 28        |
| 4397 | Fluorescence resonance energy transfer-based drug delivery systems for enhanced photodynamic therapy. <i>Journal of Materials Chemistry B</i> , 2020, 8, 3772-3788.  | 5.8  | 41        |
| 4398 | Organic/inorganic nanohybrids rejuvenate photodynamic cancer therapy. <i>Journal of Materials Chemistry B</i> , 2020, 8, 4748-4763.  | 5.8  | 39        |
| 4399 | Bioengineered smart bacterial carriers for combinational targeted therapy of solid tumours. <i>Journal of Drug Targeting</i> , 2020, 28, 700-713.  | 4.4  | 24        |
| 4400 | Ternary Co(II), Ni(II) and Cu(II) complexes containing dipyrrophenazine and saccharin: Structures, reactivity, binding interactions with biomolecules and DNA damage activity. <i>Inorganica Chimica Acta</i> , 2020, 506, 119532. | 2.4  | 16        |
| 4401 | Upregulation of LncRNA PVT1 Facilitates Pancreatic Ductal Adenocarcinoma Cell Progression and Glycolysis by Regulating MiR-519d-3p and HIF-1A. <i>Journal of Cancer</i> , 2020, 11, 2572-2579.                                     | 2.5  | 31        |
| 4402 | Complexity in regulating microRNA biogenesis in cancer. <i>Experimental Biology and Medicine</i> , 2020, 245, 395-401.   | 2.4  | 9         |
| 4403 | MicroRNA-mRNA Interactions at Low Levels of Compressive Solid Stress Implicate mir-548 in Increased Glioblastoma Cell Motility. <i>Scientific Reports</i> , 2020, 10, 311.   | 3.3  | 12        |
| 4404 | Frequent mutation of hypoxia-related genes in persistent pulmonary hypertension of the newborn. <i>Respiratory Research</i> , 2020, 21, 53.  | 3.6  | 5         |
| 4405 | Recent progress of hypoxia-modulated multifunctional nanomedicines to enhance photodynamic therapy: opportunities, challenges, and future development. <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 1382-1396.                   | 12.0 | 161       |
| 4406 | Polystyrene nanoplastic induces ROS production and affects the MAPK-HIF-1/NFkB-mediated antioxidant system in <i>Daphnia pulex</i> . <i>Aquatic Toxicology</i> , 2020, 220, 105420.  | 4.0  | 154       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4407 | Suppression of HIF-1 $\alpha$ accumulation by betulinic acid through proteasome activation in hypoxic cervical cancer. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 726-732. | 2.1  | 16        |
| 4409 | Computational Staining of Pathology Images to Study the Tumor Microenvironment in Lung Cancer. <i>Cancer Research</i> , 2020, 80, 2056-2066.  | 0.9  | 88        |
| 4410 | Evaluation of Hypoxia-Inducible Factor-1 Alpha (HIF-1 $\alpha$ ) in Equine Sarcoid: An Immunohistochemical and Biochemical Study. <i>Pathogens</i> , 2020, 9, 58.                                       | 2.8  | 5         |
| 4411 | Sema3A and HIF1 $\alpha$ co-overexpressed iPSCs/HA scaffold facilitates the repair of calvarial defect in a mouse model. <i>Journal of Cellular Physiology</i> , 2020, 235, 6754-6766.                  | 4.1  | 11        |
| 4412 | The pH-centered paradigm in cancer. , 2020, , 53-97.  |      | 2         |
| 4413 | The pROS of Autophagy in Neuronal Health. <i>Journal of Molecular Biology</i> , 2020, 432, 2546-2559.   | 4.2  | 19        |
| 4414 | The interplay between HIF-1 $\alpha$ and noncoding RNAs in cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 27.  | 8.6  | 55        |
| 4415 | <p>Circular RNA HIPK3 Promotes EMT of Cervical Cancer Through Sponging miR-338-3p to Up-Regulate HIF-1</p></p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 177-187.                       | 1.9  | 55        |
| 4416 | Understanding the Oxygen-Sensing Pathway and Its Therapeutic Implications in Diseases. <i>American Journal of Pathology</i> , 2020, 190, 1584-1595.   | 3.8  | 33        |
| 4417 | Significance of Selective Protein Degradation in the Development of Novel Targeted Drugs and Its Implications in Cancer Therapy. <i>Advanced Therapeutics</i> , 2020, 3, 1900210.                       | 3.2  | 2         |
| 4418 | Dolastatin 15 from a Marine Cyanobacterium Suppresses HIF-1 $\alpha$ Mediated Cancer Cell Viability and Vascularization. <i>ChemBioChem</i> , 2020, 21, 2356-2366.                                      | 2.6  | 19        |
| 4419 | Anti-tumor effects and mechanisms of Astragalus membranaceus (AM) and its specific immunopotential: Status and prospect. <i>Journal of Ethnopharmacology</i> , 2020, 258, 112797.                       | 4.1  | 64        |
| 4420 | Overexpression of HIF-1 $\alpha$ protects PC12 cells against OGD/R-evoked injury by reducing miR-134 expression. <i>Cell Cycle</i> , 2020, 19, 990-999.   | 2.6  | 6         |
| 4421 | HIF-1 $\alpha$ : a potential treatment target in chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 105, 856-858.   | 3.5  | 5         |
| 4422 | Silencing c-Myc Enhances the Antitumor Activity of Bufalin by Suppressing the HIF-1 $\alpha$ /SDF-1/CXCR4 Pathway in Pancreatic Cancer Cells. <i>Frontiers in Pharmacology</i> , 2020, 11, 495.         | 3.5  | 17        |
| 4423 | Melatonin: An atypical hormone with major functions in the regulation of angiogenesis. <i>IUBMB Life</i> , 2020, 72, 1560-1584.   | 3.4  | 17        |
| 4424 | Phosphorescent Ir (III) complexes as cellular staining agents for biomedical molecular imaging. <i>Coordination Chemistry Reviews</i> , 2020, 416, 213344.  | 18.8 | 44        |
| 4425 | Cell plasticity in cancer: A complex interplay of genetic, epigenetic mechanisms and tumor micro-environment. <i>Surgical Oncology</i> , 2020, 34, 154-162.   | 1.6  | 13        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4426 | Tumor microenvironment-induced structure changing drug/gene delivery system for overcoming delivery-associated challenges. <i>Journal of Controlled Release</i> , 2020, 323, 203-224.                      | 9.9  | 55        |
| 4427 | Intelligent Bimetallic Nanoagents as Reactive Oxygen Species Initiator System for Effective Combination Phototherapy. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 423.                 | 4.1  | 1         |
| 4428 | Biomimetic nanoscale metal-organic framework harnesses hypoxia for effective cancer radiotherapy and immunotherapy. <i>Chemical Science</i> , 2020, 11, 7641-7653.   | 7.4  | 78        |
| 4429 | Fibroblast-specific ERK5 deficiency changes tumor vasculature and exacerbates tumor progression in a mouse model. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 1239-1250.            | 3.0  | 3         |
| 4430 | Overcoming the hypoxia-induced drug resistance in liver tumor by the concurrent use of apigenin and paclitaxel. <i>Biochemical and Biophysical Research Communications</i> , 2020, 526, 321-327.           | 2.1  | 12        |
| 4431 | Novel and recurrent germline mutations in the VHL gene in 5 Arab patients with Von Hippel-Lindau disease. <i>Cancer Genetics</i> , 2020, 243, 1-6.   | 0.4  | 2         |
| 4432 | The Interplay among miRNAs, Major Cytokines, and Cancer-Related Inflammation. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 20, 606-620.  | 5.1  | 68        |
| 4433 | Cytotoxic necrotizing factor 1 promotes bladder cancer angiogenesis through activating RhoC. <i>FASEB Journal</i> , 2020, 34, 7927-7940.   | 0.5  | 20        |
| 4434 | PHF20L1 as a H3K27me2 reader coordinates with transcriptional repressors to promote breast tumorigenesis. <i>Science Advances</i> , 2020, 6, eaaz0356.   | 10.3 | 26        |
| 4435 | The suppressing effects of VEGF-mediated angiogenesis at different administration sequences of apatinib and transarterial embolization in vivo. <i>Translational Cancer Research</i> , 2020, 9, 1133-1143. | 1.0  | 0         |
| 4436 | Hypoxia and Macrophages Act in Concert Towards a Beneficial Outcome in Colon Cancer. <i>Cancers</i> , 2020, 12, 818.   | 3.7  | 9         |
| 4437 | A Precision Strategy to Cure Renal Cell Carcinoma by Targeting Transglutaminase 2. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2493.  | 4.1  | 5         |
| 4438 | MiR-375 Impairs the Invasive Capabilities of Hepatoma Cells by Targeting HIF1 $\alpha$ Under Hypoxia. <i>Digestive Diseases and Sciences</i> , 2021, 66, 493-502.  | 2.3  | 10        |
| 4439 | The journey from erythropoietin to 2019 Nobel Prize: Focus on hypoxia-inducible factors in the kidney. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 60-67.                              | 1.7  | 10        |
| 4440 | “Take My Bone Away?” Hypoxia and bone: A narrative review. <i>Journal of Cellular Physiology</i> , 2021, 236, 721-740.   | 4.1  | 33        |
| 4441 | Ubiquitin-proteasome system-targeted therapy for uveal melanoma: what is the evidence?. <i>Acta Pharmacologica Sinica</i> , 2021, 42, 179-188.   | 6.1  | 9         |
| 4442 | Metabolic crosstalk in the tumor microenvironment regulates antitumor immunosuppression and immunotherapy resistance. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 173-193.                     | 5.4  | 72        |
| 4443 | What do 3d-4f butterflies tell us?. <i>Coordination Chemistry Reviews</i> , 2021, 426, 213490.   | 18.8 | 45        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4444 | Nanodiamonds and hydrogen-substituted graphdiyne heteronanostructure for the sensitive impedimetric aptasensing of myocardial infarction and cardiac troponin I. <i>Analytica Chimica Acta</i> , 2021, 1141, 110-119.                             | 5.4 | 31        |
| 4445 | Evaluating the effectiveness of a smartphone speed limit advisory application: An on-road study in Port-Harcourt, Nigeria. <i>IATSS Research</i> , 2021, 45, 190-197.   | 3.4 | 3         |
| 4446 | Modified discrete element method (MDEM) as a numerical tool for cement sheath integrity in wells. <i>Journal of Petroleum Science and Engineering</i> , 2021, 196, 107720.  | 4.2 | 10        |
| 4447 | Behavior Medicine in Exotic Animal Practice. <i>Veterinary Clinics of North America - Exotic Animal Practice</i> , 2021, 24, xiii-xiv.  | 0.7 | 0         |
| 4448 | Pre-treatment with <i>Bifidobacterium infantis</i> and its specific antibodies enhance targeted radiosensitization in a murine model for lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 411-422.               | 2.5 | 9         |
| 4449 | Seizure-induced thoracolumbar burst fracture secondary to cirrhosis: A case report. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , 2021, 23, 100935.  | 0.3 | 1         |
| 4450 | Implementing Bayesian networks for ISO 31000:2018-based maritime oil spill risk management: State-of-art, implementation benefits and challenges, and future research directions. <i>Journal of Environmental Management</i> , 2021, 278, 111520. | 7.8 | 24        |
| 4451 | Smartphone-based sound level measurement apps: Evaluation of directional response. <i>Applied Acoustics</i> , 2021, 171, 107673.  | 3.3 | 4         |
| 4452 | Fluorescent angiography used as a tool to guide angiosome-directed endovascular therapy for diabetic foot ulcers. <i>Journal of Vascular Surgery Cases and Innovative Techniques</i> , 2021, 7, 159-163.  | 0.6 | 1         |
| 4453 | Ethylene glycol poisoning: A diagnostic challenge in a patient with persistent seizures and a severe metabolic acidosis. <i>African Journal of Emergency Medicine</i> , 2021, 11, 37-38.  | 1.1 | 3         |
| 4454 | A bidirectional graph neural network for traveling salesman problems on arbitrary symmetric graphs. <i>Engineering Applications of Artificial Intelligence</i> , 2021, 97, 104061.  | 8.1 | 16        |
| 4455 | A comparative experimental study on the physical behavior of mono and hybrid RBD palm olein based nanofluids using CuO nanoparticles and PANI nanofibers. <i>International Communications in Heat and Mass Transfer</i> , 2021, 120, 105006.      | 5.6 | 20        |
| 4456 | MITOCHONDRIAL CHOLESTEROL AND CANCER. <i>Seminars in Cancer Biology</i> , 2021, 73, 76-85.  | 9.6 | 24        |
| 4457 | Yttrium-90 Radioembolization and Tumor Hypoxia: Gas-challenge BOLD Imaging in the VX2 Rabbit Model of Hepatocellular Carcinoma. <i>Academic Radiology</i> , 2020, 28, 849-858.  | 2.5 | 6         |
| 4458 | Designing Hypoxia-Responsive Nanotheranostic Agents for Tumor Imaging and Therapy. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001277.   | 7.6 | 39        |
| 4459 | APCCDC20-mediated degradation of PHD3 stabilizes HIF-1a and promotes tumorigenesis in hepatocellular carcinoma. <i>Cancer Letters</i> , 2021, 496, 144-155.   | 7.2 | 44        |
| 4460 | Angiogenesis in gynecological cancers and the options for anti-angiogenesis therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2021, 1875, 188446.  | 7.4 | 41        |
| 4461 | Targeting cancer-cell mitochondria and metabolism to improve radiotherapy response. <i>Translational Oncology</i> , 2021, 14, 100905.   | 3.7 | 44        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4462 | Active matching circuit to enhance the generated power of triboelectric nanogenerators. <i>Nano Energy</i> , 2021, 80, 105588.   | 16.0 | 4         |
| 4463 | A decision-making model for a retailer considering a new short-term contract and flexible demands. <i>Electric Power Systems Research</i> , 2021, 192, 106960.   | 3.6  | 10        |
| 4464 | Genome-wide association mapping for key seed metabolites using a large panel of natural and derived forms of <i>Brassica rapa</i> L.. <i>Industrial Crops and Products</i> , 2021, 159, 113073.  | 5.2  | 2         |
| 4465 | Prevalence of Erectile Dysfunction in Patients With End-Stage Renal Disease: A Systematic Review and Meta-Analysis. <i>Journal of Sexual Medicine</i> , 2021, 18, 113-120.   | 0.6  | 17        |
| 4466 | The potential of web awareness as a determinant of dually defined customer value. <i>Technological Forecasting and Social Change</i> , 2021, 163, 120443.  | 11.6 | 5         |
| 4467 | Uncertainty causes humans to use social heuristics and to cooperate more: An experiment among Belgian university students. <i>Evolution and Human Behavior</i> , 2021, 42, 223-229.  | 2.2  | 5         |
| 4468 | Passive linear continuous-time systems: Characterization through structure. <i>Systems and Control Letters</i> , 2021, 147, 104816.  | 2.3  | 4         |
| 4469 | Sphingosine 1-phosphate in sepsis and beyond: Its role in disease tolerance and host defense and the impact of carrier molecules. <i>Cellular Signalling</i> , 2021, 78, 109849.   | 3.6  | 8         |
| 4470 | The role of KrÄ¼ppel-like factor 8 in cancer biology: Current research and its clinical relevance. <i>Biochemical Pharmacology</i> , 2021, 183, 114351.  | 4.4  | 9         |
| 4471 | Hypoxia-mediated drug resistance in breast cancers. <i>Cancer Letters</i> , 2021, 502, 189-199.  | 7.2  | 52        |
| 4472 | Activation of Wnt/Î²-catenin signalling and HIF1Î± stabilisation alters pluripotency and differentiation/proliferation properties of humanÎ€nduced pluripotent stem cells. <i>Biology of the Cell</i> , 2021, 113, 133-145.              | 2.0  | 1         |
| 4473 | Cancer stem cells: Culprits in endocrine resistance and racial disparities in breast cancer outcomes. <i>Cancer Letters</i> , 2021, 500, 64-74.  | 7.2  | 5         |
| 4474 | Predicting the effect of disordered linkers on effective concentrations and avidity with the Î€C calculatorÎ€app. <i>Methods in Enzymology</i> , 2021, 647, 145-171.   | 1.0  | 20        |
| 4475 | On the confidentiality of controller states under sensor attacks. <i>Automatica</i> , 2021, 123, 109329.   | 5.0  | 8         |
| 4476 | Evaluation of direct light processing for the fabrication of bioactive ceramic scaffolds: Effect of pore/strut size on manufacturability and mechanical performance. <i>Journal of the European Ceramic Society</i> , 2021, 41, 892-900. | 5.7  | 26        |
| 4477 | Humoral immune responses and neutralizing antibodies against SARS-CoV-2; implications in pathogenesis and protective immunity. <i>Biochemical and Biophysical Research Communications</i> , 2021, 538, 187-191.                          | 2.1  | 86        |
| 4478 | GHR signalling: Receptor activation and degradation mechanisms. <i>Molecular and Cellular Endocrinology</i> , 2021, 520, 111075.   | 3.2  | 22        |
| 4479 | Modeling urban sprinkling with cellular automata. <i>Sustainable Cities and Society</i> , 2021, 65, 102586.  | 10.4 | 31        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4480 | Mobilising urban knowledge in an infodemic: Urban observatories, sustainable development and the COVID-19 crisis. <i>World Development</i> , 2021, 140, 105295.   | 4.9 | 14        |
| 4481 | Extreme Learning Machine-Based Thermal Model for Lithium-Ion Batteries of Electric Vehicles under External Short Circuit. <i>Engineering</i> , 2021, 7, 395-405.  | 6.7 | 82        |
| 4482 | Thermal desorption of trimethylphosphine (TMP) on the HY zeolite followed by FT-IR and <sup>31</sup> P MAS NMR. <i>Journal of Solid State Chemistry</i> , 2021, 294, 121862.  | 2.9 | 7         |
| 4483 | Influence of gold nanoparticles in polymer nanocomposite on space-temporal-irradiation dependent diffraction grating recording. <i>Polymer</i> , 2021, 214, 123240.   | 3.8 | 5         |
| 4485 | Ridge-furrow configuration significantly improves soil water availability, crop water use efficiency, and grain yield in dryland agroecosystems of the Loess Plateau. <i>Agricultural Water Management</i> , 2021, 245, 106657.                             | 5.6 | 29        |
| 4487 | Microplastics interfere with mixotrophic <i>Ochromonas</i> eliminating toxic <i>Microcystis</i> . <i>Chemosphere</i> , 2021, 265, 129030.   | 8.2 | 12        |
| 4488 | Experimental investigation and optimization of proton exchange membrane fuel cell using different flow fields. <i>Energy</i> , 2021, 217, 119313.   | 8.8 | 36        |
| 4489 | Feasibility study of new generation of wind turbine (INVELOX), is it competitive with the Conventional Horizontal Axis Wind Turbine?. <i>Energy</i> , 2021, 217, 119350.  | 8.8 | 4         |
| 4490 | Study on thermal insulating properties of PCM incorporated wall panels. <i>Materials Today: Proceedings</i> , 2021, 46, 5118-5122.  | 1.8 | 4         |
| 4491 | Evaluation of core-wide fuel pin burst during LOCA in APR1400. <i>Nuclear Engineering and Design</i> , 2021, 371, 110955.   | 1.7 | 1         |
| 4493 | CMPK2 of triploid crucian carp is involved in immune defense against bacterial infection. <i>Developmental and Comparative Immunology</i> , 2021, 116, 103924.  | 2.3 | 17        |
| 4494 | Simple and complete separation of copper from nickel in the ammoniacal leach solutions of metal coated ABS plastic waste by antagonistic extraction using a mixture of LIX 84-I and TBP. <i>Separation and Purification Technology</i> , 2021, 255, 117712. | 7.9 | 10        |
| 4495 | Letter from the Editors. <i>Seminars in Nuclear Medicine</i> , 2021, 51, 99-101.  | 4.6 | 1         |
| 4498 | Distributed economic dispatch via a predictive scheme: Heterogeneous delays and privacy preservation. <i>Automatica</i> , 2021, 123, 109356.  | 5.0 | 26        |
| 4499 | NaoXinTong Capsule ameliorates memory deficit in APP/PS1 mice by regulating inflammatory cytokines. <i>Biomedicine and Pharmacotherapy</i> , 2021, 133, 110964.   | 5.6 | 13        |
| 4500 | Experimental investigation on the effects of microwave irradiation on kimberlite and granite rocks. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2021, 13, 267-274.  | 8.1 | 27        |
| 4501 | Low frequency broadband noise radiated by highly skewed propeller ingesting inflow turbulence. <i>Journal of Sound and Vibration</i> , 2021, 490, 115709.   | 3.9 | 11        |
| 4502 | Microwave-assisted synthesis of various Cu <sub>2</sub> O/Cu/TiO <sub>2</sub> and Cu <sub>x</sub> S/TiO <sub>2</sub> composite nanoparticles towards visible-light photocatalytic applications. <i>Materials Chemistry and Physics</i> , 2021, 259, 123986. | 4.0 | 5         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4505 | Does information about gender pay matter to investors? An experimental investigation. Accounting, Organizations and Society, 2021, 90, 101193.   | 2.8  | 6         |
| 4506 | Preparation of ultra-thin TiO <sub>2</sub> shell by peroxo titanium complex (PTC) solution-based green surface modification, and photocatalytic activity of homo-core/shell TiO <sub>2</sub> . Applied Surface Science, 2021, 540, 148399.               | 6.1  | 11        |
| 4507 | Maternal long-chain polyunsaturated fatty acid status during early pregnancy: Association with child behavioral problems and the role of autonomic nervous system activity. Clinical Nutrition, 2021, 40, 3338-3345.                                     | 5.0  | 1         |
| 4509 | Perforation Mechanisms, Risk Stratification, and Management in the Post-Coronary Artery Bypass Grafting Patient. Interventional Cardiology Clinics, 2021, 10, 101-107.   | 0.4  | 5         |
| 4510 | Experimental investigation on H <sub>2</sub> S and SO <sub>2</sub> sulphur poisoning and regeneration of a commercially available Ni-catalyst during methane tri-reforming. International Journal of Hydrogen Energy, 2021, 46, 3437-3452.               | 7.1  | 30        |
| 4511 | Alkaline protease production by halophilic Bacillus sp. strain SP II-4 and characterization with special reference to contact lens cleansing. Materials Today: Proceedings, 2021, 45, 1757-1760.   | 1.8  | 4         |
| 4512 | FinTech, SME efficiency and national culture: Evidence from OECD countries. Technological Forecasting and Social Change, 2021, 163, 120454.  | 11.6 | 73        |
| 4513 | Rapid generation of inoculum of a plant RNA virus using overlap PCR. Virology, 2021, 553, 46-50.   | 2.4  | 4         |
| 4514 | Engineering a photosensitizer nanoplatform for amplified photodynamic immunotherapy <i>via</i> tumor microenvironment modulation. Nanoscale Horizons, 2021, 6, 120-131.  | 8.0  | 108       |
| 4515 | Editorial Commentary: Arthroscopic Elbow Arthritis Treatment With Osteocapsular Debridement Yields Favorable Results: On Second Thought, the Elbow Isn't That Unforgiving. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 759-760. | 2.7  | 0         |
| 4516 | Intentional rounding in the context of student learning. Collegian, 2021, 28, 289-295.   | 1.3  | 3         |
| 4517 | Networking to accelerate the pace of SME innovations. Journal of Innovation & Knowledge, 2021, 6, 43-49.   | 14.0 | 71        |
| 4518 | Toxoplasmosis of the central nervous system: Manifestations vary with immune responses. Journal of the Neurological Sciences, 2021, 420, 117223.   | 0.6  | 15        |
| 4519 | Factors for Assisting Adolescents with Autism Develop Health Self-Management. Journal for Nurse Practitioners, 2021, 17, 445-452.  | 0.8  | 3         |
| 4520 | Adverse Environmental Exposure and Respiratory Health in Children. Pediatric Clinics of North America, 2021, 68, 277-291.  | 1.8  | 8         |
| 4521 | An efficient and accurate three-dimensional imaging algorithm for forward-looking linear-array sar with constant acceleration based on FrFT. Signal Processing, 2021, 178, 107764.   | 3.7  | 6         |
| 4522 | Interplay of long non-coding RNAs and HIF-1 $\alpha$ : A new dimension to understanding hypoxia-regulated tumor growth and metastasis. Cancer Letters, 2021, 499, 49-59.   | 7.2  | 32        |
| 4523 | Dementia: How does spouse perceive it?. EnfermerĀa ClĀnica, 2021, 31, S16-S19.   | 0.3  | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4524 | Prevalence and associated factors of depression, anxiety, and stress among Hubei pediatric nurses during COVID-19 pandemic. <i>Comprehensive Psychiatry</i> , 2021, 104, 152217.   | 3.1  | 50        |
| 4525 | Solidification cracking sensibility of narrow gap laser welding on ITER-grade austenitic stainless steel. <i>Fusion Engineering and Design</i> , 2021, 162, 112068.  | 1.9  | 5         |
| 4526 | Effect of magnetic field on tribological properties of Co-based alloy layer produced by laser cladding on 42CrMo. <i>Materials Letters</i> , 2021, 282, 128893.  | 2.6  | 12        |
| 4527 | Rational modification in the photochromic and self-bleaching performance of hierarchical microsphere Cu@h-WO <sub>3</sub> /WO <sub>3</sub> ·nH <sub>2</sub> O composites. <i>Solar Energy Materials and Solar Cells</i> , 2021, 219, 110784. | 6.2  | 26        |
| 4528 | Synthesis of galactooligosaccharides by <i>Cryptococcus laurentii</i> and <i>Aspergillus oryzae</i> using different kinds of acid whey. <i>International Dairy Journal</i> , 2021, 112, 104867.  | 3.0  | 13        |
| 4529 | The impact of light on the rate and mechanism of dissolution and leaching of natural iron-containing sphalerite, (Zn,Fe)S. <i>Minerals Engineering</i> , 2021, 160, 106702.  | 4.3  | 6         |
| 4530 | Distress and risk perception in people living with multiple sclerosis during the early phase of the COVID-19 pandemic. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 47, 102618.   | 2.0  | 25        |
| 4531 | Altered Regulation of HIF-1 $\alpha$ in Naive- and Drug-Resistant EGFR-Mutant NSCLC: Implications for a Vascular Endothelial Growth Factor-Dependent Phenotype. <i>Journal of Thoracic Oncology</i> , 2021, 16, 439-451.                     | 1.1  | 34        |
| 4532 | Role of Regular Physical Exercise in Tumor Vasculature: Favorable Modulator of Tumor Milieu. <i>International Journal of Sports Medicine</i> , 2021, 42, 389-406.  | 1.7  | 9         |
| 4533 | CircDUSP16 Contributes to Cell Development in Esophageal Squamous Cell Carcinoma by Regulating miR-497-5p/TKTL1 Axis. <i>Journal of Surgical Research</i> , 2021, 260, 64-75.  | 1.6  | 12        |
| 4534 | Dual-mode endogenous and exogenous sensitization of tumor radiotherapy through antifouling dendrimer-entrapped gold nanoparticles. <i>Theranostics</i> , 2021, 11, 1721-1731.  | 10.0 | 27        |
| 4535 | Joanna Maselko: using the power of science to change lives. <i>Lancet Psychiatry</i> , the, 2021, 8, 21.   | 7.4  | 1         |
| 4536 | Long noncoding RNA CCDC26 as a modulator of transcriptional switching between fetal and embryonic globins. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 118931.  | 4.1  | 2         |
| 4537 | Potentiostatic vs galvanostatic operation of a Microbial Electrolysis Cell for ammonium recovery and biogas upgrading. <i>Biochemical Engineering Journal</i> , 2021, 167, 107886.   | 3.6  | 12        |
| 4538 | The effects of computer-assisted adaptive instruction and elaborated feedback on learning outcomes. A randomized control trial. <i>Computers in Human Behavior</i> , 2021, 120, 106666.  | 8.5  | 11        |
| 4539 | Adhesive bonding of noble metals with a thiohydantoin primer. <i>Dental Materials</i> , 2021, 37, e176-e181.   | 3.5  | 5         |
| 4540 | Intangible capital in U.S. manufacturing. <i>Economics Letters</i> , 2021, 199, 109697.  | 1.9  | 1         |
| 4541 | Branch-and-cut approach based on generalized benders decomposition for facility location with limited choice rule. <i>European Journal of Operational Research</i> , 2021, 293, 109-119.   | 5.7  | 20        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4542 | Straw incorporation plus biochar addition improved the soil quality index focused on enhancing crop yield and alleviating global warming potential. Environmental Technology and Innovation, 2021, 21, 101316. | 6.1  | 8         |
| 4543 | Treatment of Actinic Keratosis: Does Effectiveness Depend on the Location?. Journal of Investigative Dermatology, 2021, 141, 248-249.  | 0.7  | 0         |
| 4544 | Adsorption studies of nucleobases on Îµ-arsenene nanosheet based on first-principles research. Journal of Molecular Graphics and Modelling, 2021, 103, 107827.   | 2.4  | 16        |
| 4545 | Modeling Burn Progression Using Comb Burns: The Impact of Thermal Contact Duration on Model Outcomes. Journal of Surgical Research, 2021, 260, 155-162.  | 1.6  | 4         |
| 4546 | Turnover premia in China's stock markets. Pacific-Basin Finance Journal, 2021, 65, 101487.   | 3.9  | 9         |
| 4547 | “Did you hear the crunch sound?” Humor and metapragmatic stereotypes in the Greek Master Chef contest. Journal of Pragmatics, 2021, 172, 197-214.  | 1.5  | 3         |
| 4550 | Investigation on resistive humidity sensing in sulfosuccinic acid doped polyaniline films. Synthetic Metals, 2021, 272, 116662.  | 3.9  | 5         |
| 4551 | Evolutionary Dynamics in Vascularised Tumours under Chemotherapy: Mathematical Modelling, Asymptotic Analysis and Numerical Simulations. Vietnam Journal of Mathematics, 2021, 49, 143-167.                    | 0.8  | 11        |
| 4552 | Glioma stem cells and their roles within the hypoxic tumor microenvironment. Theranostics, 2021, 11, 665-683.  | 10.0 | 89        |
| 4553 | Thermal characteristics of porous concrete in a hydronic road heating system. Applied Thermal Engineering, 2021, 182, 116074.  | 6.0  | 2         |
| 4554 | On the domination number of permutation graphs and an application to strong fixed points. Discrete Applied Mathematics, 2021, 288, 20-34.  | 0.9  | 0         |
| 4555 | Neuronal calcitonin gene-related peptide promotes prostate tumor growth in the bone microenvironment. Peptides, 2021, 135, 170423.   | 2.4  | 7         |
| 4556 | Tyre and road wear particles - A calculation of generation, transport and release to water and soil with special regard to German roads. Science of the Total Environment, 2021, 752, 141939.                  | 8.0  | 95        |
| 4557 | Deep Pathway Analysis V2.0: A Pathway Analysis Framework Incorporating Multi-Dimensional Omics Data. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2021, 18, 373-385.                     | 3.0  | 1         |
| 4558 | Tumor microenvironment. , 2021, , 1-10.  |      | 2         |
| 4559 | The association between hypoxia-inducible factor 1a, autophagy and cell stemness in tumor cells. AIP Conference Proceedings, 2021, , .   | 0.4  | 1         |
| 4560 | NIR-triggered engineered photosynthetic micro“nanodevice for reversing the hypoxic tumor immunosuppressive microenvironment. Materials Chemistry Frontiers, 2021, 5, 2234-2246.                                | 5.9  | 2         |
| 4561 | Proanthocyanidins as a Potential Novel Way for the Treatment of Hemangioma. BioMed Research International, 2021, 2021, 1-10.   | 1.9  | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4562 | The Investigative Therapeutic Pipeline for Cholangiocarcinoma: Insights from Model Systems. , 2021, , 555-575.   |     | 0         |
| 4563 | Research Progress on the Effect of Hydrogen Sulfide on the Secretion of Clotting Substances in Endothelial Cells. Advances in Clinical Medicine, 2021, 11, 3152-3157.  | 0.0 | 0         |
| 4564 | Hybrid PET-CT-Ultrasound Imaging. , 2021, , 213-232.   |     | 0         |
| 4565 | PEG Linker Length Strongly Affects Tumor Cell Killing by PEGylated Carbonic Anhydrase Inhibitors in Hypoxic Carcinomas Expressing Carbonic Anhydrase IX. International Journal of Molecular Sciences, 2021, 22, 1120.                                      | 4.1 | 8         |
| 4566 | Nanobody: a promising toolkit for molecular imaging and disease therapy. EJNMMI Research, 2021, 11, 6.   | 2.5 | 75        |
| 4567 | Effects of Hypoxia and HIF-1 on Glutamine Metabolism. Bioprocess, 2021, 11, 1-8.   | 0.0 | 0         |
| 4568 | CRISPR/Cas9 in epigenetics studies of health and disease. Progress in Molecular Biology and Translational Science, 2021, 181, 309-343.   | 1.7 | 6         |
| 4569 | Oxygen Desaturation Is Associated With Fibrocyte Activation via Epidermal Growth Factor Receptor/ Hypoxia-Inducible Factor-1 $\alpha$ Axis in Chronic Obstructive Pulmonary Disease. SSRN Electronic Journal, 0, , .                                       | 0.4 | 0         |
| 4570 | Mimicking Tumor Hypoxia in Non-Small Cell Lung Cancer Employing Three-Dimensional In Vitro Models. Cells, 2021, 10, 141.   | 4.1 | 28        |
| 4571 | Partial EMT in Squamous Cell Carcinoma: A Snapshot. International Journal of Biological Sciences, 2021, 17, 3036-3047.   | 6.4 | 26        |
| 4572 | Polymeric Carriers for Transporting Nucleic Acids—Contributions to the Field. , 2021, , 133-150.   |     | 0         |
| 4573 | Cutaneous Expression of Familial Cancer Syndromes. Acta Dermato-Venereologica, 2021, 101, adv00505.  | 1.3 | 1         |
| 4574 | Hypoxia-inducible factor (HIF) inhibitors: a patent survey (2016–2020). Expert Opinion on Therapeutic Patents, 2021, 31, 387-397.  | 5.0 | 20        |
| 4575 | Synthesis of phenyl (6-(2-fluoro-4-nitrophenoxy)pyrimidin-4-yl)carbamate. AIP Conference Proceedings, 2021, , .  | 0.4 | 0         |
| 4576 | Glabridin and Anti-Non-Muscle Myosin IIA Therapy Disrupts Non-Small Cell Lung Carcinoma Motility. Advances in Lung Cancer (Irvine), 2021, 10, 11-19.   | 0.2 | 0         |
| 4577 | A novel humanized Frizzled-7-targeting antibody enhances antitumor effects of Bevacizumab against triple-negative breast cancer via blocking Wnt/ $\beta$ 2-catenin signaling pathway. Journal of Experimental and Clinical Cancer Research, 2021, 40, 30. | 8.6 | 23        |
| 4579 | HIF in Nephrotoxicity during Cisplatin Chemotherapy: Regulation, Function and Therapeutic Potential. Cancers, 2021, 13, 180.   | 3.7 | 9         |
| 4580 | 1,2-Dithioles. , 2021, , 766-766.  |     | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4581 | Vitamin C activates pyruvate dehydrogenase (PDH) targeting the mitochondrial tricarboxylic acid (TCA) cycle in hypoxic KRAS mutant colon cancer. <i>Theranostics</i> , 2021, 11, 3595-3606.  | 10.0 | 27        |
| 4582 | Hypoxia-inducible factor-1alpha protects the liver against ischemia-reperfusion injury by regulating the A2B adenosine receptor. <i>Bioengineered</i> , 2021, 12, 3737-3752.   | 3.2  | 15        |
| 4583 | Ways into Understanding HIF Inhibition. <i>Cancers</i> , 2021, 13, 159.  | 3.7  | 26        |
| 4584 | HIF-1 $\pm$ Metabolic Pathways in Human Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1280, 243-260.  | 1.6  | 24        |
| 4585 | Evaluation of potential tumor markers that may predict neoadjuvant treatment efficiency in rectal cancer. <i>Biyokimya Dergisi</i> , 2021, 46, 445-454.  | 0.5  | 0         |
| 4586 | Water as a reactant in the differential expression of proteins in cancer. <i>Computational and Systems Oncology</i> , 2021, 1, e1007.  | 1.5  | 6         |
| 4587 | The potential role and trend of HIF-1 $\pm$ in intervertebral disc degeneration: Friend or foe? (Review). <i>Molecular Medicine Reports</i> , 2021, 23, .  | 2.4  | 16        |
| 4588 | Feedback of hypoxia-inducible factor-1alpha (HIF-1alpha) transcriptional activity via redox factor-1 (Ref-1) induction by reactive oxygen species (ROS). <i>Free Radical Research</i> , 2021, 55, 154-164.   | 3.3  | 19        |
| 4589 | Chelerythrine and Chelidonine Decrease Extracellular Adenosine Improving Cd8 <sup>+</sup> T Anti-Tumor Immunity. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4  | 0         |
| 4590 | Multifunctional hypoxia imaging-guided tumor nanotheranostics. , 2021, , 99-113.   |      | 0         |
| 4591 | Long non-coding RNA VCAN-AS1 promotes the malignant behaviors of breast cancer by regulating the miR-106a-5p-mediated STAT3/HIF-1 $\pm$ pathway. <i>Bioengineered</i> , 2021, 12, 5028-5044.   | 3.2  | 14        |
| 4592 | Angiogenesis: Basics of Vascular Biology. <i>Reference Series in Biomedical Engineering</i> , 2021, , 3-31.  | 0.1  | 3         |
| 4593 | Imaging Hypoxia. , 2021, , 869-895.  |      | 0         |
| 4594 | The Beneficial Effects of Saffron Extract on Potential Oxidative Stress in Cardiovascular Diseases. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-14.   | 4.0  | 19        |
| 4595 | Hypoxia stimulates the migration and invasion of osteosarcoma via up-regulating the NUSAP1 expression. <i>Open Medicine (Poland)</i> , 2021, 16, 1083-1089.  | 1.3  | 5         |
| 4596 | circAGFG1 sponges miR-28-5p to promote non-small-cell lung cancer progression through modulating HIF-1 $\pm$ level. <i>Open Medicine (Poland)</i> , 2021, 16, 703-717.   | 1.3  | 14        |
| 4597 | Effect of 3-Day and 21-Day Hypoxic Preconditioning on Recovery Following Cerebral Ischemia in Rats. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1269, 317-322.  | 1.6  | 1         |
| 4598 | Mitochondrial malic enzyme 2 promotes breast cancer metastasis via stabilizing HIF-1 $\pm$ under hypoxia. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2021, 33, 308-322. | 2.2  | 7         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4599 | HIF2alpha-Associated Pseudohypoxia Promotes Radioresistance in Pheochromocytoma: Insights from 3D Models. <i>Cancers</i> , 2021, 13, 385.  | 3.7  | 10        |
| 4600 | MSH6 Aggravates the Hypoxic Microenvironment via Regulating HIF1A to Promote the Metastasis of Glioblastoma Multiforme. <i>DNA and Cell Biology</i> , 2021, 40, 93-100.  | 1.9  | 4         |
| 4601 | The Multifaced Role of STAT3 in Cancer and Its Implication for Anticancer Therapy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 603.   | 4.1  | 120       |
| 4602 | A study of evaluating specific tissue oxygen saturation values of gastrointestinal tumors by removing adherent substances in oxygen saturation imaging. <i>PLoS ONE</i> , 2021, 16, e0243165.                                | 2.5  | 3         |
| 4603 | Atrial fibrillation: the role of hypoxia-inducible factor-1-regulated cytokines. <i>Molecular and Cellular Biochemistry</i> , 2021, 476, 2283-2293.  | 3.1  | 14        |
| 4604 | HIF-Prolyl Hydroxylase Domain Proteins (PHDs) in Cancer—Potential Targets for Anti-Tumor Therapy?. <i>Cancers</i> , 2021, 13, 988.   | 3.7  | 16        |
| 4605 | Dimethyloxalylglycine, a small molecule, synergistically increases the homing and angiogenic properties of human mesenchymal stromal cells when cultured as 3D spheroids. <i>Biotechnology Journal</i> , 2021, 16, e2000389. | 3.5  | 16        |
| 4606 | Increased Tenascin C, Osteopontin and HSP90 Levels in Plasmatic Small Extracellular Vesicles of Pediatric ALK-Positive Anaplastic Large Cell Lymphoma: New Prognostic Biomarkers?. <i>Diagnostics</i> , 2021, 11, 253.       | 2.6  | 4         |
| 4608 | The role of EMT-related lncRNA in the process of triple-negative breast cancer metastasis. <i>Bioscience Reports</i> , 2021, 41, .   | 2.4  | 21        |
| 4609 | Dual Targeting Oncoproteins MYC and HIF1 $\alpha$ Regresses Tumor Growth of Lung Cancer and Lymphoma. <i>Cancers</i> , 2021, 13, 694.  | 3.7  | 9         |
| 4610 | Melatonin and Cancer: A Polyhedral Network Where the Source Matters. <i>Antioxidants</i> , 2021, 10, 210.  | 5.1  | 25        |
| 4611 | The regulation of Hypoxia-Inducible Factor-1 (HIF-1 $\alpha$ ) expression by Protein Disulfide Isomerase (PDI). <i>PLoS ONE</i> , 2021, 16, e0246531.  | 2.5  | 6         |
| 4612 | MiR-199a-5p—HIF-1 $\alpha$ -STAT3 Positive Feedback Loop Contributes to the Progression of Non-Small Cell Lung Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 620615.                                 | 3.7  | 13        |
| 4613 | Volatile Anesthetics Regulate Anti-Cancer Relevant Signaling. <i>Frontiers in Oncology</i> , 2021, 11, 610514.   | 2.8  | 7         |
| 4614 | Gatorbulin-1, a distinct cyclodepsipeptide chemotype, targets a seventh tubulin pharmacological site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .                  | 7.1  | 47        |
| 4615 | Metabolism in Pulmonary Hypertension. <i>Annual Review of Physiology</i> , 2021, 83, 551-576.  | 13.1 | 68        |
| 4616 | Significance of HIF-1 $\alpha$ Expression and LOXL-2 Localization in Progression of Oral Squamous Cell Carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021, 22, 341-347.                                     | 1.2  | 5         |
| 4617 | A Cyclodextrin-Hosted Ir(III) Complex for Ratiometric Mapping of Tumor Hypoxia In Vivo. <i>Advanced Science</i> , 2021, 8, 2004044.  | 11.2 | 22        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4618 | PACAP is Protective Against Cellular Stress in Retinal Pigment Epithelial Cells. <i>International Journal of Peptide Research and Therapeutics</i> , 2021, 27, 1221-1228.   | 1.9 | 1         |
| 4619 | Signaling, metabolism, and cancer: An important relationship for therapeutic intervention. <i>Journal of Cellular Physiology</i> , 2021, 236, 5512-5532.  | 4.1 | 30        |
| 4620 | The Mevalonate Pathway, a Metabolic Target in Cancer Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 626971.  | 2.8 | 64        |
| 4621 | Discrepancies on the Role of Oxygen Gradient and Culture Condition on Mesenchymal Stem Cell Fate. <i>Advanced Healthcare Materials</i> , 2021, 10, e2002058.  | 7.6 | 42        |
| 4622 | Hippocampal neurons respond to brain activity with functional hypoxia. <i>Molecular Psychiatry</i> , 2021, 26, 1790-1807.   | 7.9 | 28        |
| 4623 | HACE1 blocks HIF1 $\alpha$ accumulation under hypoxia in a RAC1 dependent manner. <i>Oncogene</i> , 2021, 40, 1988-2001.  | 5.9 | 5         |
| 4624 | STAT3 governs the HIF-1 $\alpha$ response in IL-15 primed human NK cells. <i>Scientific Reports</i> , 2021, 11, 7023.   | 3.3 | 7         |
| 4625 | Mechanisms of Resistance to PI3K Inhibitors in Cancer: Adaptive Responses, Drug Tolerance and Cellular Plasticity. <i>Cancers</i> , 2021, 13, 1538.   | 3.7 | 37        |
| 4626 | Does hypoxia-inducible factor 1 $\alpha$ play a role in regulating cutaneous oxygen flux in larval zebrafish ( <i>Danio rerio</i> )?. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2021, 191, 645-655. | 1.5 | 2         |
| 4627 | Molecular Evaluation of HIF-1 $\alpha$ Gene Variation and Determination of Its Frequency and Association with Breast Cancer Susceptibility in Saudi Arabia. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2021, 21, 544-553.            | 1.2 | 1         |
| 4628 | The relationship between hypoxia-inducible factor 1 $\alpha$ (HIF-1 $\alpha$ ) and patient survival in breast cancer: Systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 159, 103231.                              | 4.4 | 20        |
| 4629 | Snail-Family Proteins: Role in Carcinogenesis and Prospects for Antitumor Therapy. <i>Acta Naturae</i> , 2021, 13, 76-90.   | 1.7 | 7         |
| 4630 | Paeoniflorin treatment regulates TLR4/NF- $\kappa$ B signaling, reduces cerebral oxidative stress and improves white matter integrity in neonatal hypoxic brain injury. <i>Korean Journal of Physiology and Pharmacology</i> , 2021, 25, 97-109.            | 1.2 | 9         |
| 4631 | Signaling pathways in intestinal homeostasis and colorectal cancer: KRAS at centre stage. <i>Cell Communication and Signaling</i> , 2021, 19, 31.   | 6.5 | 19        |
| 4632 | Regulation of the SIAH2-HIF-1 Axis by Protein Kinases and Its Implication in Cancer Therapy. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 646687.  | 3.7 | 11        |
| 4633 | Nanobody: A Small Antibody with Big Implications for Tumor Therapeutic Strategy. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 2337-2356.   | 6.7 | 51        |
| 4634 | Platelet-Membrane-Coated Nanoparticles Enable Vascular Disrupting Agent Combining Anti-Angiogenic Drug for Improved Tumor Vessel Impairment. <i>Nano Letters</i> , 2021, 21, 2588-2595.   | 9.1 | 77        |
| 4635 | An Oxygen-Concentration-Controllable Multiorgan Microfluidic Platform for Studying Hypoxia-Induced Lung Cancer-Liver Metastasis and Screening Drugs. <i>ACS Sensors</i> , 2021, 6, 823-832.   | 7.8 | 28        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4636 | Anesthetics may modulate cancer surgical outcome: a possible role of miRNAs regulation. BMC Anesthesiology, 2021, 21, 71.   | 1.8  | 13        |
| 4637 | The expanding world of tRNA modifications and their disease relevance. Nature Reviews Molecular Cell Biology, 2021, 22, 375-392.  | 37.0 | 282       |
| 4638 | Hypoxia in Breast Cancer—Scientific Translation to Therapeutic and Diagnostic Clinical Applications. Frontiers in Oncology, 2021, 11, 652266.   | 2.8  | 35        |
| 4639 | Multi-omics analysis of tumor angiogenesis characteristics and potential epigenetic regulation mechanisms in renal clear cell carcinoma. Cell Communication and Signaling, 2021, 19, 39.  | 6.5  | 31        |
| 4640 | Hypoxic colorectal cancer-derived extracellular vesicles deliver microRNA-361a-3p to facilitate cell proliferation by targeting TRAF3 via the noncanonical NF- $\kappa$ B pathways. Clinical and Translational Medicine, 2021, 11, e349.      | 4.0  | 23        |
| 4641 | Metabolite Profiling and Characterization of LW6, a Novel HIF-1 $\alpha$ Inhibitor, as an Antitumor Drug Candidate in Mice. Molecules, 2021, 26, 1951.  | 3.8  | 3         |
| 4642 | In vivo uptake of antisense oligonucleotide drugs predicted by ab initio quantum mechanical calculations. Scientific Reports, 2021, 11, 6321.   | 3.3  | 3         |
| 4643 | A Comprehensive Understanding of the Anticancer Mechanisms of FDY2004 Against Cervical Cancer Based on Network Pharmacology. Natural Product Communications, 2021, 16, 1934578X2110043.   | 0.5  | 2         |
| 4644 | The Clinicopathological Significance of YAP/TAZ Expression in Hepatocellular Carcinoma with Relation to Hypoxia and Stemness. Pathology and Oncology Research, 2021, 27, 604600.  | 1.9  | 8         |
| 4645 | Heme oxygenase-1(HO-1) regulates Golgi stress and attenuates endotoxin-induced acute lung injury through hypoxia inducible factor-1 $\alpha$ (HIF-1 $\alpha$ )/HO-1 signaling pathway. Free Radical Biology and Medicine, 2021, 165, 243-253. | 2.9  | 37        |
| 4648 | Cartilage Endplate Stem Cells Transdifferentiate Into Nucleus Pulposus Cells via Autocrine Exosomes. Frontiers in Cell and Developmental Biology, 2021, 9, 648201.  | 3.7  | 25        |
| 4649 | Food Processing, Dysbiosis, Gastrointestinal Inflammatory Diseases, and Antiangiogenic Functional Foods or Beverages. Annual Review of Food Science and Technology, 2021, 12, 235-258.  | 9.9  | 7         |
| 4650 | Heat shock protein-90 $\alpha$ (Hsp90 $\alpha$ ) stabilizes hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) in support of spermatogenesis and tumorigenesis. Cancer Gene Therapy, 2021, 28, 1058-1070.                                  | 4.6  | 17        |
| 4651 | Pharmacokinetic Characterization of LW6, a Novel Hypoxia-Inducible Factor-1 $\alpha$ (HIF-1 $\alpha$ ) Inhibitor in Mice. Molecules, 2021, 26, 2226.  | 3.8  | 2         |
| 4652 | Potential role of mitochondria in gastric cancer detection: Fission and glycolysis (Review). Oncology Letters, 2021, 21, 439.   | 1.8  | 8         |
| 4653 | The Role of MicroRNAs in Lung Cancer Metabolism. Cancers, 2021, 13, 1716.   | 3.7  | 17        |
| 4654 | Death Receptor 5 (TNFRSF10B) Is Upregulated and TRAIL Resistance Is Reversed in Hypoxia and Normoxia in Colorectal Cancer Cell Lines after Treatment with Skyrin, the Active Metabolite of Hypericum spp.. Cancers, 2021, 13, 1646.           | 3.7  | 6         |
| 4655 | From Proteomic Mapping to Invasion-Metastasis-Cascade Systemic Biomarkering and Targeted Drugging of Mutant BRAF-Dependent Human Cutaneous Melanomagenesis. Cancers, 2021, 13, 2024.  | 3.7  | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4656 | Targeting SLC1A5 and SLC3A2/SLC7A5 as a Potential Strategy to Strengthen Anti-Tumor Immunity in the Tumor Microenvironment. <i>Frontiers in Immunology</i> , 2021, 12, 624324.   | 4.8 | 56        |
| 4657 | Dichloroacetate and PX-478 exhibit strong synergistic effects in a various number of cancer cell lines. <i>BMC Cancer</i> , 2021, 21, 481.   | 2.6 | 10        |
| 4659 | Thioredoxin-interacting protein is a favored target of miR-125b, promoting metastasis and progression of pancreatic cancer via the HIF1 $\alpha$ pathway. <i>Journal of Biochemical and Molecular Toxicology</i> , 2021, 35, e22782. | 3.0 | 8         |
| 4660 | Common genetic variants and pathways in diabetes and associated complications and vulnerability of populations with different ethnic origins. <i>Scientific Reports</i> , 2021, 11, 7504.  | 3.3 | 26        |
| 4661 | Differential Cytotoxicity Mechanisms of Copper Complexed with Disulfiram in Oral Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3711.  | 4.1 | 22        |
| 4662 | Regulation of Endothelial and Vascular Functions by Carbon Monoxide via Crosstalk With Nitric Oxide. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 649630.  | 2.4 | 20        |
| 4663 | Elevated Asparagine Biosynthesis Drives Brain Tumor Stem Cell Metabolic Plasticity and Resistance to Oxidative Stress. <i>Molecular Cancer Research</i> , 2021, 19, 1375-1388.   | 3.4 | 6         |
| 4665 | The Role of Introns for the Development of Inflammation-Mediated Cancer Cell. , 0, , .   |     | 0         |
| 4666 | Molecular biological investigation of temozolomide and KC7F2 combination in U87MG glioma cell line. <i>Gene</i> , 2021, 776, 145445.   | 2.2 | 2         |
| 4667 | Tumour Hypoxia-Mediated Immunosuppression: Mechanisms and Therapeutic Approaches to Improve Cancer Immunotherapy. <i>Cells</i> , 2021, 10, 1006.   | 4.1 | 45        |
| 4668 | The Choice of Candidates in Survival Markers Based on Coordinated Gene Expression in Renal Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 615787.  | 2.8 | 6         |
| 4669 | Sodium salicylate reduced mRNA abundance of hypoxia-associated genes in MAC-T cells. <i>JDS Communications</i> , 2021, 2, 159-164.   | 1.5 | 0         |
| 4670 | Prion protein is associated with a worse prognosis of head and neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2021, 50, 985-994.  | 2.7 | 10        |
| 4671 | Protective effects of caffeic acid phenethyl ester on cadmium-induced testicular injury: A crucial role of antioxidant enzymes in male mice infertility. <i>Heliyon</i> , 2021, 7, e06965.   | 3.2 | 6         |
| 4672 | Intersecting Mechanisms of Hypoxia and Prostaglandin E2-Mediated Inflammation in the Comparative Biology of Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 539361.   | 2.8 | 7         |
| 4673 | From Metabolism to Genetics and Vice Versa: The Rising Role of Oncometabolites in Cancer Development and Therapy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5574.   | 4.1 | 6         |
| 4674 | Hypoxia-Induced MALAT1 Promotes the Proliferation and Migration of Breast Cancer Cells by Sponging MiR-3064-5p. <i>Frontiers in Oncology</i> , 2021, 11, 658151.   | 2.8 | 29        |
| 4675 | Dichotomy in Growth and Invasion from Low- to High-Grade Glioma Cellular Variants. <i>Cellular and Molecular Neurobiology</i> , 2022, 42, 2219-2234.   | 3.3 | 2         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4676 | Quercetin Inhibits Colorectal Cancer Cells Induced-Angiogenesis in Both Colorectal Cancer Cell and Endothelial Cell through Downregulation of VEGF-A/VEGFR2. <i>Scientia Pharmaceutica</i> , 2021, 89, 23.  | 2.0  | 4         |
| 4677 | Effects of HIF-1 $\alpha$ on renal fibrosis in cisplatin-induced chronic kidney disease. <i>Clinical Science</i> , 2021, 135, 1273-1288.  | 4.3  | 19        |
| 4678 | Refinement of an Established Procedure and Its Application for Identification of Hypoxia in Prostate Cancer Xenografts. <i>Cancers</i> , 2021, 13, 2602.  | 3.7  | 2         |
| 4679 | Epithelial-mesenchymal transition: Insights into nickel-induced lung diseases. <i>Seminars in Cancer Biology</i> , 2021, 76, 99-109.  | 9.6  | 40        |
| 4680 | Role of ARK5 in cancer and other diseases (Review). <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 697.   | 1.8  | 9         |
| 4681 | Tumor-related stress regulates functional plasticity of MDSCs. <i>Cellular Immunology</i> , 2021, 363, 104312.  | 3.0  | 10        |
| 4682 | Renal dysfunction and podocyturia in pre-eclampsia may be explained by increased urinary VEGF. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1109-1117.  | 0.7  | 6         |
| 4683 | $\beta$ -arrestin 2 stimulates degradation of HIF-1 $\alpha$ and modulates tumor progression of glioblastoma. <i>Cell Death and Differentiation</i> , 2021, 28, 3092-3104.                                  | 11.2 | 13        |
| 4684 | ATF5 and HIF1 $\alpha$ cooperatively activate HIF1 signaling pathway in esophageal cancer. <i>Cell Communication and Signaling</i> , 2021, 19, 53.  | 6.5  | 7         |
| 4685 | Mechanisms of neuronal cell death in ischemic stroke and their therapeutic implications. <i>Medicinal Research Reviews</i> , 2022, 42, 259-305.   | 10.5 | 234       |
| 4686 | Hypoxia-induced HIF1 $\alpha$ dependent COX2 promotes ovarian cancer progress. <i>Journal of Bioenergetics and Biomembranes</i> , 2021, 53, 441-448.  | 2.3  | 12        |
| 4687 | Opposed Interplay between IDH1 Mutations and the WNT/ $\beta$ -Catenin Pathway: Added Information for Glioma Classification. <i>Biomedicines</i> , 2021, 9, 619.  | 3.2  | 5         |
| 4688 | Excessively Enlarged Mitochondria in the Kidneys of Diabetic Nephropathy. <i>Antioxidants</i> , 2021, 10, 741.  | 5.1  | 10        |
| 4689 | Hypoxia Promotes Pancreatic Cancer Cell Dedifferentiation to Stem-Like Cell Phenotypes With High Tumorigenic Potential by the HIF-1 $\alpha$ /Notch Signaling Pathway. <i>Pancreas</i> , 2021, 50, 756-765. | 1.1  | 11        |
| 4690 | NF- $\kappa$ B-activated SPRY4-IT1 promotes cancer cell metastasis by downregulating TCEB1 mRNA via Staufen1-mediated mRNA decay. <i>Oncogene</i> , 2021, 40, 4919-4929.                                    | 5.9  | 15        |
| 4691 | Determinants of resistance to VEGF-TKI and immune checkpoint inhibitors in metastatic renal cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 186.                    | 8.6  | 77        |
| 4692 | WDR5 facilitates EMT and metastasis of CCA by increasing HIF-1 $\alpha$ accumulation in Myc-dependent and independent pathways. <i>Molecular Therapy</i> , 2021, 29, 2134-2150.                             | 8.2  | 44        |
| 4693 | A Key Pathway to Cancer Resilience: The Role of Autophagy in Glioblastomas. <i>Frontiers in Oncology</i> , 2021, 11, 652133.  | 2.8  | 4         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4694 | Metabolic Reprogramming of Colorectal Cancer Cells and the Microenvironment: Implication for Therapy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6262.  | 4.1  | 53        |
| 4695 | The non-canonical functions of HIF prolyl hydroxylases and their dual roles in cancer. <i>International Journal of Biochemistry and Cell Biology</i> , 2021, 135, 105982.   | 2.8  | 10        |
| 4696 | Drug-herb interactions between <i>Scutellaria baicalensis</i> and pharmaceutical drugs: Insights from experimental studies, mechanistic actions to clinical applications. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111445. | 5.6  | 32        |
| 4697 | Tumor hypoxia: The major culprit behind cisplatin resistance in cancer patients. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 162, 103327.  | 4.4  | 27        |
| 4699 | Surgically induced ischemia has no impact on protein expression levels of HIF-1 $\alpha$ and related biomarkers in renal cell carcinoma. <i>Apmis</i> , 2021, 129, 535-547.   | 2.0  | 0         |
| 4700 | Perinatal Nutritional and Metabolic Pathways: Early Origins of Chronic Lung Diseases. <i>Frontiers in Medicine</i> , 2021, 8, 667315.   | 2.6  | 18        |
| 4701 | Reversing Hypoxia with PLGA-Encapsulated Manganese Dioxide Nanoparticles Improves Natural Killer Cell Response to Tumor Spheroids. <i>Molecular Pharmaceutics</i> , 2021, 18, 2935-2946.  | 4.6  | 31        |
| 4702 | Spherical Nucleic Acids for Near-Infrared Light-Responsive Self-Delivery of Small-Interfering RNA and Antisense Oligonucleotide. <i>ACS Nano</i> , 2021, 15, 11929-11939.   | 14.6 | 54        |
| 4703 | PCAT-1 facilitates breast cancer progression via binding to RACK1 and enhancing oxygen-independent stability of HIF-1 $\alpha$ . <i>Molecular Therapy - Nucleic Acids</i> , 2021, 24, 310-324.  | 5.1  | 15        |
| 4704 | Targeting HIF-1 alpha transcriptional activity drives cytotoxic immune effector cells into melanoma and improves combination immunotherapy. <i>Oncogene</i> , 2021, 40, 4725-4735.  | 5.9  | 70        |
| 4705 | Biogenic silver nanoparticles synthesized from <i>Piper longum</i> fruit extract inhibit HIF-1 $\alpha$ /VEGF mediated angiogenesis in prostate cancer cells. <i>Cumhuriyet Science Journal</i> , 2021, 42, 236-244.                  | 0.3  | 4         |
| 4706 | An Overview of the Recent Development of Anticancer Agents Targeting the HIF-1 Transcription Factor. <i>Cancers</i> , 2021, 13, 2813.   | 3.7  | 40        |
| 4707 | Insights into Temperature and Hypoxia Tolerance in Cowpea Weevil via HIF-1. <i>Pathogens</i> , 2021, 10, 704.   | 2.8  | 0         |
| 4708 | Antioxidant effects on hypoxia-induced oxidative stress and apoptosis in rat rotator cuff fibroblasts. , 2021, 41, 680-693.   |      | 8         |
| 4709 | Phytocompounds Targeting Metabolic Reprogramming in Cancer: An Assessment of Role, Mechanisms, Pathways, and Therapeutic Relevance. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 6897-6928.                          | 5.2  | 13        |
| 4710 | The Role of Macrophage Migration Inhibitory Factor in Adipose-Derived Stem Cells Under Hypoxia. <i>Frontiers in Physiology</i> , 2021, 12, 638448.  | 2.8  | 6         |
| 4711 | Norcantharidin counteracts acquired everolimus resistance in renal cell carcinoma by dual inhibition of mammalian target of rapamycin complex 1 and complex 2 pathways in Vitro. <i>Anti-Cancer Drugs</i> , 2022, 33, e94-e102.       | 1.4  | 3         |
| 4712 | Effect of the Hypoxia Inducible Factor on Sorafenib Resistance of Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 641522.  | 2.8  | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4713 | Identification and host response interaction study of SARS-CoV-2 encoded miRNA-like sequences: an in silico approach. <i>Computers in Biology and Medicine</i> , 2021, 134, 104451.   | 7.0 | 10        |
| 4714 | Pan-Cancer Survey of Tumor Mass Dormancy and Underlying Mutational Processes. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 698659.   | 3.7 | 3         |
| 4715 | Triple therapy with osimertinib, bevacizumab and cetuximab in EGFR <sup>+</sup> mutant lung cancer with HIF-1 <sup>+</sup> /TGF $\beta$ 1 <sup>+</sup> expression. <i>Oncology Letters</i> , 2021, 22, 639.                         | 1.8 | 1         |
| 4716 | HIF-1 <sup>+</sup> RNAi Combined with Asparagus Polysaccharide Exerts an Antiangiogenesis Effect on Hepatocellular Carcinoma In Vitro and In Vivo. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-13. | 1.2 | 3         |
| 4717 | Correlation between hypoxia-inducible factor-1 <sup>+</sup> C1772T/G1790A polymorphisms and head and neck cancer risk: a meta-analysis. <i>World Journal of Surgical Oncology</i> , 2021, 19, 210.                                  | 1.9 | 6         |
| 4718 | Hyperbaric Oxygen Therapy Represses the Warburg Effect and Epithelial $\rightarrow$ Mesenchymal Transition in Hypoxic NSCLC Cells via the HIF-1 <sup>+</sup> /PFKP Axis. <i>Frontiers in Oncology</i> , 2021, 11, 691762.           | 2.8 | 18        |
| 4719 | Lung but not brain cancer cell malignancy inhibited by commonly used anesthetic propofol during surgery: Implication of reducing cancer recurrence risk. <i>Journal of Advanced Research</i> , 2021, 31, 1-12.                      | 9.5 | 11        |
| 4720 | Anthelmintic niclosamide inhibits tumor growth and invasion in cisplatin <sup>+</sup> resistant human epidermal growth factor receptor <sup>+</sup> positive breast cancer. <i>Oncology Letters</i> , 2021, 22, 666.                | 1.8 | 14        |
| 4721 | Impact of microRNA-210 on wound healing among the patients with diabetic foot ulcer. <i>PLoS ONE</i> , 2021, 16, e0254921.  | 2.5 | 10        |
| 4722 | E3 ubiquitin ligases: styles, structures and functions. <i>Molecular Biomedicine</i> , 2021, 2, 23.   | 4.4 | 97        |
| 4723 | IL-1 <sup>+</sup> and colorectal cancer pathogenesis: Enthralling candidate for anti-cancer therapy. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 163, 103398.  | 4.4 | 11        |
| 4724 | Carbonic anhydrase IX and hypoxia-inducible factor 1 attenuate cardiac dysfunction after myocardial infarction. <i>Pflügers Archiv European Journal of Physiology</i> , 2021, 473, 1273-1285.                                       | 2.8 | 7         |
| 4725 | Protein Phosphorylation in Cancer: Role of Nitric Oxide Signaling Pathway. <i>Biomolecules</i> , 2021, 11, 1009.  | 4.0 | 32        |
| 4726 | HIF-1: structure, biology and natural modulators. <i>Chinese Journal of Natural Medicines</i> , 2021, 19, 521-527.  | 1.3 | 24        |
| 4727 | USP29-mediated HIF1 <sup>+</sup> stabilization is associated with Sorafenib resistance of hepatocellular carcinoma cells by upregulating glycolysis. <i>Oncogenesis</i> , 2021, 10, 52.   | 4.9 | 33        |
| 4728 | Consequences of Extracellular Matrix Remodeling in Headway and Metastasis of Cancer along with Novel Immunotherapies: A Great Promise for Future Endeavor. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2022, 22, 1257-1271.  | 1.7 | 5         |
| 4729 | Metabolic reprogramming in prostate cancer. <i>British Journal of Cancer</i> , 2021, 125, 1185-1196.  | 6.4 | 72        |
| 4730 | High altitude and cancer: An old controversy. <i>Respiratory Physiology and Neurobiology</i> , 2021, 289, 103655.   | 1.6 | 2         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4731 | Antitumor Effects of Carvacrol and Thymol: A Systematic Review. <i>Frontiers in Pharmacology</i> , 2021, 12, 702487.   | 3.5  | 42        |
| 4732 | Pharmacological Mechanisms Underlying the Hepatoprotective Effects of Ecliptae herba on Hepatocellular Carcinoma. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-17.         | 1.2  | 11        |
| 4733 | TSGA10 as a Potential Key Factor in the Process of Spermatid Differentiation/Maturation: Deciphering Its Association with Autophagy Pathway. <i>Reproductive Sciences</i> , 2021, 28, 3228-3240.           | 2.5  | 8         |
| 4734 | Ultra-Small Platinum Nanoparticle-Enabled Catalysis and Corrosion Susceptibility Reverse Tumor Hypoxia for Cancer Chemoimmunotherapy. <i>ACS Applied Bio Materials</i> , 2021, 4, 6527-6538.               | 4.6  | 5         |
| 4735 | Metabolic Reprogramming: A Friend or Foe to Cancer Therapy?. <i>Cancers</i> , 2021, 13, 3351.  | 3.7  | 10        |
| 4736 | Intermittent Hypoxia Mediates Paraspeckle Protein-1 Upregulation in Sleep Apnea. <i>Cancers</i> , 2021, 13, 3888.  | 3.7  | 8         |
| 4737 | Hypoxia-Inducible Factor (HIF): Fuel for Cancer Progression. <i>Current Molecular Pharmacology</i> , 2021, 14, 321-332.  | 1.5  | 20        |
| 4738 | Emergence of Cardiac Glycosides as Potential Drugs: Current and Future Scope for Cancer Therapeutics. <i>Biomolecules</i> , 2021, 11, 1275.  | 4.0  | 22        |
| 4739 | Therapeutic approaches targeting molecular signaling pathways common to diabetes, lung diseases and cancer. <i>Advanced Drug Delivery Reviews</i> , 2021, 178, 113918.                                     | 13.7 | 16        |
| 4740 | Association of Exosomal miR-210 with Signaling Pathways Implicated in Lung Cancer. <i>Genes</i> , 2021, 12, 1248.  | 2.4  | 8         |
| 4741 | Hypoxia-inducible factor-1: Regulatory mechanisms and drug development in stroke. <i>Pharmacological Research</i> , 2021, 170, 105742.   | 7.1  | 44        |
| 4742 | Repair Mechanisms of the Neurovascular Unit after Ischemic Stroke with a Focus on VEGF. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8543.   | 4.1  | 37        |
| 4744 | The Transcriptional Coactivator, ALL1- $\beta$ -Fused Gene From Chromosome 9, Simultaneously Sustains Hypoxia Tolerance and Metabolic Advantages in Liver Cancer. <i>Hepatology</i> , 2021, 74, 1952-1970. | 7.3  | 10        |
| 4745 | Kidney cancer: from genes to therapy. <i>Current Problems in Cancer</i> , 2021, 45, 100773.  | 2.0  | 5         |
| 4746 | MicroRNA-221-3p Suppresses the Microglia Activation and Seizures by Inhibiting of HIF-1 $\alpha$ in Valproic Acid-Resistant Epilepsy. <i>Frontiers in Pharmacology</i> , 2021, 12, 714556.                 | 3.5  | 12        |
| 4747 | Effects of hypoxia on DNA hydroxymethylase Tet methylcytosine dioxygenase 2 in a KG-1 human acute myeloid leukemia cell line and its mechanism. <i>Oncology Letters</i> , 2021, 22, 692.                   | 1.8  | 5         |
| 4748 | Hypoxic Hepatocellular Carcinoma Cells Acquire Arsenic Trioxide Resistance by Upregulating HIF-1 $\alpha$ Expression. <i>Digestive Diseases and Sciences</i> , 2021, , 1.                                  | 2.3  | 3         |
| 4749 | Hypoxic Jumbo Spheroids On-A-Chip (HOnAChip): Insights into Treatment Efficacy. <i>Cancers</i> , 2021, 13, 4046.   | 3.7  | 11        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4750 | A Mitochondrial Oxidative Stress Amplifier to Overcome Hypoxia Resistance for Enhanced Photodynamic Therapy. <i>Small Methods</i> , 2021, 5, e2100581.  | 8.6  | 32        |
| 4751 | An Integrated Strategy for Rapid Hemostasis during Tumor Resection and Prevention of Postoperative Tumor Recurrence of Hepatocellular Carcinoma by Antibacterial Shape Memory Cryogel. <i>Small</i> , 2021, 17, e2101356. | 10.0 | 46        |
| 4752 | A hypoxia responsive nanoassembly for tumor specific oxygenation and enhanced sonodynamic therapy. <i>Biomaterials</i> , 2021, 275, 120822.   | 11.4 | 57        |
| 4753 | MiR-7-5p Is Involved in Ferroptosis Signaling and Radioresistance Thru the Generation of ROS in Radioresistant HeLa and SAS Cell Lines. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8300.              | 4.1  | 40        |
| 4754 | Targeting the tumor microenvironment in B-cell lymphoma: challenges and opportunities. <i>Journal of Hematology and Oncology</i> , 2021, 14, 125.   | 17.0 | 42        |
| 4755 | Targeting Metabolic Reprogramming to Improve Breast Cancer Treatment: An In Vitro Evaluation of Selected Metabolic Inhibitors Using a Metabolomic Approach. <i>Metabolites</i> , 2021, 11, 556.                           | 2.9  | 7         |
| 4756 | Cell Membrane-Derived Nanoparticles with Notch-1 Suppressor Delivery Promote Hypoxic Cell Packing and Inhibit Angiogenesis Acting as a Two-Edged Sword. <i>Advanced Materials</i> , 2021, 33, e2101558.                   | 21.0 | 6         |
| 4757 | NAD <sup>+</sup> metabolism controls growth inhibition by HIF1 in normoxia and determines differential sensitivity of normal and cancer cells. <i>Cell Cycle</i> , 2021, 20, 1812-1827.                                   | 2.6  | 4         |
| 4758 | Hipoksi ve Kanser. <i>Acta Mathematica Spalatensia</i> , 0, , .   | 0.3  | 0         |
| 4759 | Osmium-Tellurium Nanozymes for Pentamodal Combinatorial Cancer Therapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 44124-44135.  | 8.0  | 20        |
| 4761 | Modulating tumor-associated macrophages to enhance the efficacy of immune checkpoint inhibitors: A TAM-paring approach. , 2022, 231, 107986.  |      | 30        |
| 4762 | Imaging of Tumor Hypoxia With Radionuclide-Labeled Tracers for PET. <i>Frontiers in Oncology</i> , 2021, 11, 731503.  | 2.8  | 22        |
| 4763 | Activated Pancreatic Stellate Cells Enhance the Warburg Effect to Cause the Malignant Development in Chronic Pancreatitis. <i>Frontiers in Oncology</i> , 2021, 11, 714598.   | 2.8  | 5         |
| 4764 | Loss of Function Genetic Screening Identifies Aldolase A as an Essential Driver for Liver Cancer Cell Growth Under Hypoxia. <i>Hepatology</i> , 2021, 74, 1461-1479.  | 7.3  | 53        |
| 4765 | miR-519d-3p suppresses tumorigenicity and metastasis by inhibiting Bcl-w and HIF-1 $\alpha$ in NSCLC. <i>Molecular Therapy - Oncolytics</i> , 2021, 22, 368-379.  | 4.4  | 6         |
| 4766 | Harnessing Metabolic Reprogramming to Improve Cancer Immunotherapy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10268.   | 4.1  | 11        |
| 4768 | Hypoxia and TLR9 activation drive CXCL4 production in systemic sclerosis plasmacytoid dendritic cells via mtROS and HIF-2 $\alpha$ . <i>Rheumatology</i> , 2022, 61, 2682-2693.   | 1.9  | 6         |
| 4769 | Triggering Reactive Oxygen Species Field Effect Transistor Based on HIF-1 $\alpha$ Signaling for Enhanced Chemodynamic Therapy. <i>Advanced Functional Materials</i> , 2021, 31, 2106471.                                 | 14.9 | 9         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4770 | HIF1 $\alpha$ Regulates IL17 Signaling Pathway Influencing Sensitivity of Taxane-Based Chemotherapy for Breast Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 729965.  | 3.7  | 5         |
| 4771 | Pharmacological or genetic inhibition of hypoxia signaling attenuates oncogenic RAS-induced cancer phenotypes. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .   | 2.4  | 6         |
| 4772 | The role of hypoxia-inducible factors in the development of chronic pathology. <i>Ukrainian Biochemical Journal</i> , 2021, 93, 18-25.  | 0.5  | 1         |
| 4773 | Landscape of extracellular vesicles in the tumour microenvironment: Interactions with stromal cells and with non-cell components, and impacts on metabolic reprogramming, horizontal transfer of neoplastic traits, and the emergence of therapeutic resistance. <i>Seminars in Cancer Biology</i> , 2021, 74, 24-44. | 9.6  | 34        |
| 4774 | The metabolic flexibility of quiescent CSC: implications for chemotherapy resistance. <i>Cell Death and Disease</i> , 2021, 12, 835.  | 6.3  | 44        |
| 4775 | Engineering strategies to capture the biological and biophysical tumor microenvironment in vitro. <i>Advanced Drug Delivery Reviews</i> , 2021, 176, 113852.  | 13.7 | 13        |
| 4776 | Effects of Hypoxia on Proliferation and Apoptosis of Osteosarcoma Cells. <i>Anticancer Research</i> , 2021, 41, 4781-4787.  | 1.1  | 3         |
| 4777 | Total synthesis and biological evaluation of 7-hydroxyneolamellarin A as hypoxia-inducible factor-1 $\alpha$ inhibitor for cancer therapy. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 50, 128338.  | 2.2  | 4         |
| 4778 | Bioinorganic systems responsive to the diatomic gases O <sub>2</sub> , NO, and CO: From biological sensors to therapy. <i>Coordination Chemistry Reviews</i> , 2021, 445, 214096.   | 18.8 | 14        |
| 4779 | HIF-1 $\alpha$ Hydroxyprolines Modulate Oxygen-Dependent Protein Stability Via Single VHL Interface With Comparable Effect on Ubiquitination Rate. <i>Journal of Molecular Biology</i> , 2021, 433, 167244.   | 4.2  | 12        |
| 4780 | Double-edged Swords: Diaryl pyrazoline thiazolidinediones synchronously targeting cancer epigenetics and angiogenesis. <i>Bioorganic Chemistry</i> , 2021, 116, 105350.   | 4.1  | 7         |
| 4781 | Nitro-Pyrazinotriazapentalene scaffoldsâ€™ nitroreductase quantification and in vitro fluorescence imaging of hypoxia. <i>Sensors and Actuators B: Chemical</i> , 2021, 346, 130504.  | 7.8  | 12        |
| 4782 | A comprehensive review on functional properties of preserved eggs as an excellent food ingredient with anti-inflammatory and anti-cancer aspects. <i>Food Bioscience</i> , 2021, 44, 101347.  | 4.4  | 11        |
| 4783 | Metabolic reprogramming and immunity in cancer. , 2022, , 137-196.  |      | 1         |
| 4784 | The hallmarks of cancer and immunology. , 2022, , 1-17.   |      | 0         |
| 4785 | Yin and Yang of YY1 regulation on tumor metabolic reprogramming. , 2021, , 79-99.   |      | 0         |
| 4786 | Modeling the Emergence of Phenotypic Heterogeneity in Vascularized Tumors. <i>SIAM Journal on Applied Mathematics</i> , 2021, 81, 434-453.  | 1.8  | 13        |
| 4787 | Enhanced anti-tumor efficacy by inhibiting HIF-1 $\alpha$ to reprogram TAMs via core-satellite upconverting nanoparticles with curcumin mediated photodynamic therapy. <i>Biomaterials Science</i> , 2021, 9, 6403-6415.  | 5.4  | 18        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4788 | The potential of A. Muricata Bioactive Compounds to Inhibit HIF1 and #945; Expression Via Disruption of Tyrosine Kinase Receptor Activity: an In Silico Study. Acta Informatica Medica, 2021, 29, 176. | 1.1 | 4         |
| 4789 | Studies in lung cancer cytokine proteomics: a review. Expert Review of Proteomics, 2021, 18, 49-64.  | 3.0 | 21        |
| 4790 | Hypoxia and the Tumor Microenvironment. Technology in Cancer Research and Treatment, 2021, 20, 153303382110363.  | 1.9 | 116       |
| 4791 | Hypoxia-sensitive long noncoding RNA CASC15 promotes lung tumorigenesis by regulating the SOX4/ $\beta$ -catenin axis. Journal of Experimental and Clinical Cancer Research, 2021, 40, 12.             | 8.6 | 16        |
| 4792 | Hypoxia favors chemoresistance in T-ALL through an HIF1 $\alpha$ -mediated mTORC1 inhibition loop. Blood Advances, 2021, 5, 513-526.   | 5.2 | 14        |
| 4793 | Hypoxia activated long non-coding RNA HABON regulates the growth and proliferation of hepatocarcinoma cells by binding to and antagonizing HIF-1 $\alpha$ . RNA Biology, 2021, 18, 1791-1806.          | 3.1 | 10        |
| 4794 | HIF $\alpha$ 1 $\alpha$ interacts with Kindlin $\alpha$ 2 and influences breast cancer elasticity: A study based on shear wave elastography imaging. Cancer Medicine, 2020, 9, 4971-4979.              | 2.8 | 11        |
| 4795 | Role of Microenvironment on Gene Expression, Angiogenesis and Microvascular Function in Tumors. , 2005, , 23-36.   |     | 4         |
| 4796 | 7.2 Genetics and Gene Expression of Glycolysis. , 2007, , 771-778.   |     | 4         |
| 4797 | Endogenous Hypoxia Markers: Case Not Proven!. , 2008, 614, 127-136.  |     | 35        |
| 4798 | Lipid Generation and Signaling in Ovarian Cancer. Cancer Treatment and Research, 2009, 149, 241-267.   | 0.5 | 5         |
| 4799 | Breast cancer secreted factors alter the bone microenvironment. Cancer Metastasis - Biology and Treatment, 2007, , 241-258.  | 0.1 | 1         |
| 4800 | Functions of Autocrine Motility Factor at the Tumor Microenvironment. , 2008, , 11-25.   |     | 1         |
| 4801 | Effects of Molecularly Targeting Hypoxia in Oncology. , 2009, , 117-135.   |     | 1         |
| 4802 | Protein Transduction Domain-Mediated Delivery of Anticancer Proteins. , 2009, , 297-319.   |     | 3         |
| 4803 | HIF-Mediated Hypoxic Response is Missing in Severely Hypoxic Uterine Leiomyomas. Advances in Experimental Medicine and Biology, 2010, 662, 399-405.  | 1.6 | 21        |
| 4804 | Combining Antiangiogenic Drugs with Vascular Disrupting Agents Rationale and Mechanisms of Action. , 2010, , 117-134.  |     | 1         |
| 4805 | Combination Strategies Targeting Hypoxia Inducible Factor 1 (HIF-1) for Cancer Therapy. , 2010, , 3-21.  |     | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4806 | The Tumor Microenvironment: New Insights into Regulation of Tumor pH by Carbonic Anhydrases. , 2010, , 23-41.   |     | 1         |
| 4807 | Hypoxia, Gene Expression, and Metastasis. , 2010, , 43-58.  |     | 8         |
| 4808 | Glycolytic Pathway as a Target for Tumor Inhibition. , 2010, , 91-118.  |     | 2         |
| 4809 | Oxygen Supply for Tissue Engineering. , 2012, , 41-86.  |     | 6         |
| 4810 | Insights into the Regulation of Tumor Dormancy by Angiogenesis in Experimental Tumors. Advances in Experimental Medicine and Biology, 2013, 734, 37-52. | 1.6 | 18        |
| 4811 | Molecular Biology of Clear Cell Renal Carcinoma. , 2012, , 27-47.   |     | 1         |
| 4812 | Regulation of Angiogenesis by Hypoxia-Inducible Factors. , 2013, , 93-106.  |     | 2         |
| 4813 | Hypoxia-Directed Drug Strategies to Target the Tumor Microenvironment. Advances in Experimental Medicine and Biology, 2014, 772, 111-145.               | 1.6 | 19        |
| 4814 | Cancer Cell Respiration: Hypoxia and pH in Solid Tumors. , 2013, , 183-206.   |     | 1         |
| 4815 | Tumor Vasculature, EPR Effect, and Anticancer Nanomedicine: Connecting the Dots. , 2013, , 207-239.   |     | 2         |
| 4816 | Preclinical Visualization of Hypoxia, Proliferation and Glucose Metabolism in Non-small Cell Lung Cancer and Its Metastasis. , 2014, , 509-522.         |     | 1         |
| 4817 | Exploiting ‘Hif Addiction’ For Cancer Therapy. Cancer Drug Discovery and Development, 2014, , 329-341.  | 0.4 | 2         |
| 4818 | Hypoxia, Metastasis, and Antiangiogenic Therapies. Cancer Drug Discovery and Development, 2014, , 205-227.  | 0.4 | 2         |
| 4819 | Cancer Hypoxia and the Tumour Microenvironment as Effectors of Cancer Metabolism. SpringerBriefs in Systems Biology, 2014, , 7-14.                      | 0.3 | 2         |
| 4820 | Molecular Determinants of Intrinsic Multidrug Resistance in Cancer Cells and Tumors. , 2006, , 241-260.   |     | 2         |
| 4821 | Influence of Tumor pH on Therapeutic Response. , 2006, , 21-42.   |     | 56        |
| 4822 | Transcriptional Regulation of Genes via Hypoxia-Inducible Factor. Methods in Molecular Biology, 2012, 809, 189-199.                                     | 0.9 | 1         |
| 4823 | Endothelial Cells (ECs) Metabolism: A Valuable Piece to Disentangle Cancer Biology. Advances in Experimental Medicine and Biology, 2020, 1219, 143-159. | 1.6 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4824 | GLI2-Mediated Inflammation in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1263, 55-65.    | 1.6 | 8         |
| 4825 | MicroRNAs in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1277, 1-31.                      | 1.6 | 12        |
| 4826 | The Role of eNOS in Vascular Permeability in ENU-Induced Gliomas. <i>Acta Neurochirurgica Supplementum</i> , 2010, 106, 277-282.       | 1.0 | 21        |
| 4828 | Pulmonary Hypertension as a Metabolic Disease. , 2016, , 135-145.  |     | 1         |
| 4829 | Anti-angiogenics and Radiation Therapy. , 2017, , 1-10.  |     | 2         |
| 4830 | Mechanisms of Tumor Angiogenesis. , 2019, , 3-31.  |     | 2         |
| 4831 | Hypoxia and Tumour Angiogenesis. , 2008, , 171-194.  |     | 3         |
| 4832 | The Angiogenic Switch in Tumorigenesis. , 2008, , 67-88.   |     | 6         |
| 4833 | Pathophysiology of Solid Tumors. <i>Medical Radiology</i> , 2009, , 51-92.   | 0.1 | 43        |
| 4834 | The Role of Hypoxia in Adipocyte Function and Dysfunction. <i>Research and Perspectives in Endocrine Interactions</i> , 2010, , 45-60. | 0.2 | 2         |
| 4835 | Nanomedicine and Brain Tumors Treatment. , 2012, , 167-203.  |     | 3         |
| 4836 | Essentials of Angiogenesis. , 2015, , 137-165.   |     | 1         |
| 4837 | Development and Evolution of the Concept of Metronomic Chemotherapy: A Personal Perspective. , 2014, , 3-21.                           |     | 2         |
| 4838 | Agonists and Antagonists: Molecular Mechanisms and Therapeutic Applications. , 2010, , 301-317.  |     | 3         |
| 4839 | Regulation of Second Messenger Systems and Intracellular Pathways. , 2010, , 61-73.  |     | 5         |
| 4840 | The Clinical Application of Ozonotherapy. , 2010, , 97-232.  |     | 11        |
| 4841 | Could Be Systems-Directed Therapy Approaches Promising in Glioblastoma Patients?. , 2010, , 133-157.                                   |     | 2         |
| 4842 | MicroRNAs and Cancer Metabolism. , 2011, , 485-497.  |     | 2         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4843 | The Roles of Cullin-2 E3 Ubiquitin Ligase Complex in Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1217, 173-186.   | 1.6  | 12        |
| 4844 | Preparation of artificial red cell and its application on alleviation of tumor hypoxia. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 160, 446-454.  | 5.0  | 16        |
| 4845 | Novel hydrazinocurcumin derivative loaded chitosan, ZnO, and Au nanoparticles formulations for drug release and cell cytotoxicity. <i>International Journal of Biological Macromolecules</i> , 2020, 158, 1216-1226.             | 7.5  | 17        |
| 4846 | Single-Cell RNA Sequencing of Tumor-Infiltrating NK Cells Reveals that Inhibition of Transcription Factor HIF-1 $\alpha$ Unleashes NK Cell Activity. <i>Immunity</i> , 2020, 52, 1075-1087.e8.                                   | 14.3 | 167       |
| 4847 | MicroRNA-130a targeting hypoxia-inducible factor 1 $\alpha$ suppresses cell metastasis and Warburg effect of NSCLC cells under hypoxia. <i>Life Sciences</i> , 2020, 255, 117826.  | 4.3  | 10        |
| 4848 | Methanolic extract of <i>Boswellia serrata</i> exhibits anti-cancer activities by targeting microsomal prostaglandin H synthase-1 in human colon cancer cells. <i>Prostaglandins and Other Lipid Mediators</i> , 2017, 131, 1-8. | 1.9  | 33        |
| 4849 | A novel hypoxia response element regulates oxygen-related repression of tissue factor pathway inhibitor in the breast cancer cell line MCF-7. <i>Thrombosis Research</i> , 2017, 157, 111-116.                                   | 1.7  | 21        |
| 4850 | Cancer metabolism. , 0, , 295-308.   |      | 1         |
| 4851 | Another road leads to HIF-1 activation: implications for prostate cancer progression. <i>Asian Journal of Andrology</i> , 2012, 14, 241-242.   | 1.6  | 2         |
| 4852 | Progenitor cell trafficking is regulated by hypoxic gradients through HIF-1 induction of SDF-1. , 0, .   |      | 2         |
| 4853 | Hypoxia-induced GBE1 expression promotes tumor progression through metabolic reprogramming in lung adenocarcinoma. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 54.  | 17.1 | 50        |
| 4854 | The sensitive detection of single-cell secreted lactic acid for glycolytic inhibitor screening with a microdroplet biosensor. <i>Analytical Methods</i> , 2020, 12, 3250-3259.   | 2.7  | 4         |
| 4855 | Oxygen sensing and hypoxia-induced responses. <i>Essays in Biochemistry</i> , 2007, 43, 1-16.  | 4.7  | 51        |
| 4856 | Hypoxia in cancer cell metabolism and pH regulation. <i>Essays in Biochemistry</i> , 2007, 43, 165-178.  | 4.7  | 86        |
| 4857 | Co-expression of KIAA1199 and hypoxia-inducible factor 1 $\alpha$ is a biomarker for an unfavorable prognosis in hepatocellular carcinoma. <i>Medicine (United States)</i> , 2020, 99, e23369.                                   | 1.0  | 5         |
| 4858 | Signaling circuitry in vascular morphogenesis. <i>Current Opinion in Hematology</i> , 2010, 17, 1.   | 2.5  | 28        |
| 4859 | Two common variants of human papillomavirus type 16 E6 differentially deregulate sugar metabolism and hypoxia signalling in permissive human keratinocytes. <i>Journal of General Virology</i> , 2017, 98, 2310-2319.            | 2.9  | 25        |
| 4864 | Hypoxia and the hypoxia-inducible factors in the skeleton. <i>IBMS BoneKEy</i> , 2008, 5, 275-284.   | 0.0  | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4865 | Nutrient Sensing in Cancer. Annual Review of Cancer Biology, 2018, 2, 251-269.  | 4.5 | 29        |
| 4866 | Role of NADH Dehydrogenase (Ubiquinone) 1 Alpha Subcomplex 4-Like 2 in Clear Cell Renal Cell Carcinoma. Clinical Cancer Research, 2016, 22, 2791-2801.  | 7.0 | 51        |
| 4868 | Hydrogen Sulfide and SIRT3 Gene, the Strong Preventive and Therapeutic Agent in Aging and Age Related Diseases. American Journal of BioScience, 2014, 2, 222.   | 0.3 | 2         |
| 4869 | HIF1 $\alpha$ -mediated TRAIL Expression Regulates Lacrimal Gland Inflammation in Dry Eye Disease. , 2020, 61, 3.   |     | 9         |
| 4870 | Interleukin-17 limits hypoxia-inducible factor 1 $\alpha$ and development of hypoxic granulomas during tuberculosis. JCI Insight, 2017, 2, .  | 5.0 | 45        |
| 4871 | Dengue virus induces PCSK9 expression to alter antiviral responses and disease outcomes. Journal of Clinical Investigation, 2020, 130, 5223-5234.   | 8.2 | 41        |
| 4872 | Trophoblast differentiation during embryo implantation and formation of the maternal-fetal interface. Journal of Clinical Investigation, 2004, 114, 744-754.  | 8.2 | 381       |
| 4873 | Human $\alpha$ 1 type IV collagen NC1 domain exhibits distinct antiangiogenic activity mediated by $\alpha$ 1 $\beta$ 1 integrin. Journal of Clinical Investigation, 2005, 115, 2801-2810.                              | 8.2 | 145       |
| 4874 | Endothelial NOS, estrogen receptor $\beta$ , and HIFs cooperate in the activation of a prognostic transcriptional pattern in aggressive human prostate cancer. Journal of Clinical Investigation, 2009, 119, 1093-1108. | 8.2 | 110       |
| 4875 | The tumor suppressor gene ARHI regulates autophagy and tumor dormancy in human ovarian cancer cells. Journal of Clinical Investigation, 2008, 118, 3917-29.   | 8.2 | 370       |
| 4876 | The von Hippel-Lindau Chuvash mutation promotes pulmonary hypertension and fibrosis in mice. Journal of Clinical Investigation, 2010, 120, 827-839.   | 8.2 | 125       |
| 4877 | HIF2 $\alpha$ cooperates with RAS to promote lung tumorigenesis in mice. Journal of Clinical Investigation, 2009, 119, 2160-2170.   | 8.2 | 129       |
| 4878 | Lipocalin 2 is essential for chronic kidney disease progression in mice and humans. Journal of Clinical Investigation, 2010, 120, 4065-4076.  | 8.2 | 310       |
| 4879 | Retinopathy of prematurity: understanding ischemic retinal vasculopathies at an extreme of life. Journal of Clinical Investigation, 2010, 120, 3022-3032.   | 8.2 | 213       |
| 4880 | Herpesvirus entry mediator regulates hypoxia-inducible factor $\alpha$ 1 and erythropoiesis in mice. Journal of Clinical Investigation, 2011, 121, 4810-4819.   | 8.2 | 12        |
| 4881 | PHD3-dependent hydroxylation of HCLK2 promotes the DNA damage response. Journal of Clinical Investigation, 2012, 122, 2827-2836.  | 8.2 | 73        |
| 4882 | HIF1 $\alpha$ and HIF2 $\alpha$ independently activate SRC to promote melanoma metastases. Journal of Clinical Investigation, 2013, 123, 2078-2093.   | 8.2 | 132       |
| 4883 | HIF2 $\alpha$ signaling inhibits adherens junctional disruption in acute lung injury. Journal of Clinical Investigation, 2015, 125, 652-664.  | 8.2 | 105       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4884 | HIF-1 $\pm$ promotes autophagic proteolysis of Dicer and enhances tumor metastasis. Journal of Clinical Investigation, 2017, 128, 625-643.   | 8.2 | 56        |
| 4885 | The flow-metabolism ratio might predict treatment response and survival in patients with locally advanced esophageal squamous cell carcinoma. EJNMMI Research, 2020, 10, 57.   | 2.5 | 2         |
| 4886 | Hypoxia-Inducible Factor-1 $\pm$ Protects Cervical Carcinoma Cells from Apoptosis Induced by Radiation via Modulation of Vascular Endothelial Growth Factor and p53 under Hypoxia. Medical Science Monitor, 2015, 21, 318-325. | 1.1 | 51        |
| 4887 | Isoflurane Promotes Non-Small Cell Lung Cancer Malignancy by Activating the Akt-Mammalian Target of Rapamycin (mTOR) Signaling Pathway. Medical Science Monitor, 2016, 22, 4644-4650.  | 1.1 | 26        |
| 4888 | Cancer cachexia has many symptoms but only one cause: anoxia. F1000Research, 0, 9, 250.  | 1.6 | 2         |
| 4889 | Glucose and glutamine availability regulate HepG2 transcriptional responses to low oxygen. Wellcome Open Research, 2018, 3, 126.   | 1.8 | 6         |
| 4890 | RNA-seq analysis of PHD and VHL inhibitors reveals differences and similarities to the hypoxia response.. Wellcome Open Research, 2019, 4, 17.   | 1.8 | 14        |
| 4891 | Vasa Vasorum Angiogenesis through Increased Levels of H <sub>2</sub> O <sub>2</sub> , HIF-1 $\pm$ , NF- $\kappa$ B and iNOS: In Vivo Study of Atherosclerosis. Journal of Medical and Bioengineering, 2015, 4, 342-349.        | 0.5 | 2         |
| 4892 | The Disparate Roles of Cobalt in Erythropoiesis, and Doping Relevance. Open Journal of Hematology, 2012, 3, 1.   | 0.4 | 23        |
| 4893 | Phosphorylation of seryl-tRNA synthetase by ATM/ATR is essential for hypoxia-induced angiogenesis. PLoS Biology, 2020, 18, e3000991.   | 5.6 | 15        |
| 4894 | Macrophage Migration Inhibitory Factor Activates Hypoxia-Inducible Factor in a p53-Dependent Manner. PLoS ONE, 2008, 3, e2215.   | 2.5 | 96        |
| 4895 | RNA Modulators of Complex Phenotypes in Mammalian Cells. PLoS ONE, 2009, 4, e4758.   | 2.5 | 5         |
| 4896 | Targeting Hypoxia in Cancer Cells by Restoring Homeodomain Interacting Protein-Kinase 2 and p53 Activity and Suppressing HIF-1 $\pm$ . PLoS ONE, 2009, 4, e6819.   | 2.5 | 47        |
| 4897 | Hypoxia and TGF- $\beta$ Drive Breast Cancer Bone Metastases through Parallel Signaling Pathways in Tumor Cells and the Bone Microenvironment. PLoS ONE, 2009, 4, e6896.   | 2.5 | 189       |
| 4898 | Regulation of HIF-1 $\pm$ and VEGF by miR-20b Tunes Tumor Cells to Adapt to the Alteration of Oxygen Concentration. PLoS ONE, 2009, 4, e7629.  | 2.5 | 182       |
| 4899 | Murine Neural Stem/Progenitor Cells Protect Neurons against Ischemia by HIF-1 $\pm$ -Regulated VEGF Signaling. PLoS ONE, 2010, 5, e9767.   | 2.5 | 83        |
| 4900 | Endothelin-1 Inhibits Prolyl Hydroxylase Domain 2 to Activate Hypoxia-Inducible Factor-1 $\pm$ in Melanoma Cells. PLoS ONE, 2010, 5, e11241.   | 2.5 | 50        |
| 4901 | Dynamic, Large-Scale Profiling of Transcription Factor Activity from Live Cells in 3D Culture. PLoS ONE, 2010, 5, e14026.  | 2.5 | 29        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4902 | Zinc Downregulates HIF-1 $\alpha$ and Inhibits Its Activity in Tumor Cells In Vitro and In Vivo. PLoS ONE, 2010, 5, e15048.  | 2.5 | 96        |
| 4903 | MiR-21 Induced Angiogenesis through AKT and ERK Activation and HIF-1 $\alpha$ Expression. PLoS ONE, 2011, 6, e19139.   | 2.5 | 408       |
| 4904 | Nuclear Factor- $\kappa$ B-Dependent Epithelial to Mesenchymal Transition Induced by HIF-1 $\alpha$ Activation in Pancreatic Cancer Cells under Hypoxic Conditions. PLoS ONE, 2011, 6, e23752.       | 2.5 | 83        |
| 4905 | The von Hippel-Lindau Tumor Suppressor Protein Promotes c-Cbl-Independent Poly-Ubiquitylation and Degradation of the Activated EGFR. PLoS ONE, 2011, 6, e23936.                                      | 2.5 | 41        |
| 4906 | Targeting the Lactate Transporter MCT1 in Endothelial Cells Inhibits Lactate-Induced HIF-1 Activation and Tumor Angiogenesis. PLoS ONE, 2012, 7, e33418.   | 2.5 | 412       |
| 4907 | Insufficient Radiofrequency Ablation Promotes Angiogenesis of Residual Hepatocellular Carcinoma via HIF-1 $\alpha$ /VEGFA. PLoS ONE, 2012, 7, e37266.  | 2.5 | 111       |
| 4908 | Ubiquitous [Na <sup>+</sup> ]/[K <sup>+</sup> ]-Sensitive Transcriptome in Mammalian Cells: Evidence for Ca <sup>2+</sup> -Independent Excitation-Transcription Coupling. PLoS ONE, 2012, 7, e38032. | 2.5 | 59        |
| 4909 | Optimization of a Novel Peptide Ligand Targeting Human Carbonic Anhydrase IX. PLoS ONE, 2012, 7, e38279.   | 2.5 | 16        |
| 4910 | Blocking Fibroblast Growth Factor Receptor Signaling Inhibits Tumor Growth, Lymphangiogenesis, and Metastasis. PLoS ONE, 2012, 7, e39540.  | 2.5 | 39        |
| 4911 | Expression of MUC17 Is Regulated by HIF1 $\alpha$ -Mediated Hypoxic Responses and Requires a Methylation-Free Hypoxia Responsible Element in Pancreatic Cancer. PLoS ONE, 2012, 7, e44108.           | 2.5 | 21        |
| 4912 | Hypoxic Conditions Induce a Cancer-Like Phenotype in Human Breast Epithelial Cells. PLoS ONE, 2012, 7, e46543.   | 2.5 | 38        |
| 4913 | Transcriptome Analysis of Renal Ischemia/Reperfusion Injury and Its Modulation by Ischemic Pre-Conditioning or Hemin Treatment. PLoS ONE, 2012, 7, e49569.   | 2.5 | 45        |
| 4914 | The Role of Hypoxia-Inducible Factor 1 $\alpha$ in Determining the Properties of Castrate-Resistant Prostate Cancers. PLoS ONE, 2013, 8, e54251.   | 2.5 | 70        |
| 4915 | Characterization of Two Novel Cell Lines with Distinct Heterogeneity Derived from a Single Human Bile Duct Carcinoma. PLoS ONE, 2013, 8, e54377.   | 2.5 | 7         |
| 4916 | High-Throughput Screening for Growth Inhibitors Using a Yeast Model of Familial Paraganglioma. PLoS ONE, 2013, 8, e56827.  | 2.5 | 20        |
| 4917 | Development of Lymphoproliferative Diseases by Hypoxia Inducible Factor-1 $\alpha$ Is Associated with Prolonged Lymphocyte Survival. PLoS ONE, 2013, 8, e57833.                                      | 2.5 | 11        |
| 4918 | Hypoxia-Inducible Factors Activate CD133 Promoter through ETS Family Transcription Factors. PLoS ONE, 2013, 8, e66255.   | 2.5 | 36        |
| 4919 | IMD-0354 Targets Breast Cancer Stem Cells: A Novel Approach for an Adjuvant to Chemotherapy to Prevent Multidrug Resistance in a Murine Model. PLoS ONE, 2013, 8, e73607.                            | 2.5 | 49        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4920 | c-Src and Neural Wiskott-Aldrich Syndrome Protein (N-WASP) Promote Low Oxygen-Induced Accelerated Brain Invasion by Gliomas. PLoS ONE, 2013, 8, e75436.  | 2.5 | 18        |
| 4921 | Paradoxical Regulation of Hypoxia Inducible Factor-1 $\alpha$ (HIF-1 $\alpha$ ) by Histone Deacetylase Inhibitor in Diffuse Large B-Cell Lymphoma. PLoS ONE, 2013, 8, e81333.                              | 2.5 | 18        |
| 4922 | Hypoxic Tumor Environments Exhibit Disrupted Collagen I Fibers and Low Macromolecular Transport. PLoS ONE, 2013, 8, e81869.  | 2.5 | 16        |
| 4923 | HIF-1 $\alpha$ Expression Profile in Intratumoral and Peritumoral Inflammatory Cells as a Prognostic Marker for Squamous Cell Carcinoma of the Oral Cavity. PLoS ONE, 2014, 9, e84923.                     | 2.5 | 17        |
| 4924 | Over-Expressed Testis-Specific Protein Y-Encoded 1 as a Novel Biomarker for Male Hepatocellular Carcinoma. PLoS ONE, 2014, 9, e89219.  | 2.5 | 10        |
| 4925 | Clinical and Prognostic Significance of HIF-1 $\alpha$ , PTEN, CD44v6, and Survivin for Gastric Cancer: A Meta-Analysis. PLoS ONE, 2014, 9, e91842.  | 2.5 | 42        |
| 4926 | Hypoxia Imaging Endoscopy Equipped with Laser Light Source from Preclinical Live Animal Study to First-In-Human Subject Research. PLoS ONE, 2014, 9, e99055.   | 2.5 | 20        |
| 4927 | Altered Expression of Hypoxia-Inducible Factor-1 $\alpha$ (HIF-1 $\alpha$ ) and Its Regulatory Genes in Gastric Cancer Tissues. PLoS ONE, 2014, 9, e99835.   | 2.5 | 59        |
| 4928 | Wnt Pathway Activation Increases Hypoxia Tolerance during Development. PLoS ONE, 2014, 9, e103292.   | 2.5 | 8         |
| 4929 | Intermittent Hypoxia Effect on Osteoclastogenesis Stimulated by Neuroblastoma Cells. PLoS ONE, 2014, 9, e105555.   | 2.5 | 9         |
| 4930 | The Histone Deacetylase Inhibitor, Vorinostat, Represses Hypoxia Inducible Factor 1 Alpha Expression through Translational Inhibition. PLoS ONE, 2014, 9, e106224.   | 2.5 | 83        |
| 4931 | Combined Efficacy of Cediranib and Quinacrine in Glioma Is Enhanced by Hypoxia and Causally Linked to Autophagic Vacuole Accumulation. PLoS ONE, 2014, 9, e114110.   | 2.5 | 11        |
| 4932 | A Combined Gene Signature of Hypoxia and Notch Pathway in Human Glioblastoma and Its Prognostic Relevance. PLoS ONE, 2015, 10, e0118201.   | 2.5 | 45        |
| 4933 | Phosphorescence Monitoring of Hypoxic Microenvironment in Solid-Tumors to Evaluate Chemotherapeutic Effects Using the Hypoxia-Sensitive Iridium (III) Coordination Compound. PLoS ONE, 2015, 10, e0121293. | 2.5 | 18        |
| 4934 | Melatonin Cytotoxicity Is Associated to Warburg Effect Inhibition in Ewing Sarcoma Cells. PLoS ONE, 2015, 10, e0135420.  | 2.5 | 55        |
| 4935 | Synergistic Antivascular and Antitumor Efficacy with Combined Cediranib and SC6889 in Intracranial Mouse Glioma. PLoS ONE, 2015, 10, e0144488.   | 2.5 | 6         |
| 4936 | Hypoxia Induces Autophagy through Translational Up-Regulation of Lysosomal Proteins in Human Colon Cancer Cells. PLoS ONE, 2016, 11, e0153627.   | 2.5 | 35        |
| 4937 | Perfluorocarbon-Loaded Lipid Nanocapsules to Assess the Dependence of U87-Human Glioblastoma Tumor pO <sub>2</sub> on In Vitro Expansion Conditions. PLoS ONE, 2016, 11, e0165479.                         | 2.5 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4938 | Deep-proteome mapping of WM-266-4 human metastatic melanoma cells: From oncogenic addiction to druggable targets. PLoS ONE, 2017, 12, e0171512.  | 2.5 | 21        |
| 4939 | Tubastatin ameliorates pulmonary fibrosis by targeting the TGF $\beta$ <sup>2</sup> -PI3K-Akt pathway. PLoS ONE, 2017, 12, e0186615.   | 2.5 | 76        |
| 4940 | Immunohistochemical analysis of PDK1, PHD3 and HIF-1 $\alpha$ expression defines the hypoxic status of neuroblastoma tumors. PLoS ONE, 2017, 12, e0187206.   | 2.5 | 10        |
| 4941 | The quaternary state of polymerized human hemoglobin regulates oxygenation of breast cancer solid tumors: A theoretical and experimental study. PLoS ONE, 2018, 13, e0191275.                        | 2.5 | 24        |
| 4942 | Hypoxia-inducible factor-1 alpha as a therapeutic target for primary effusion lymphoma. PLoS Pathogens, 2017, 13, e1006628.  | 4.7 | 30        |
| 4943 | PreSMo Target-Binding Signatures in Intrinsically Disordered Proteins. Molecules and Cells, 2018, 41, 889-899.   | 2.6 | 15        |
| 4944 | Aryl Sulfonamides Induce Degradation of Aryl Hydrocarbon Receptor Nuclear Translocator through CRL4DCAF15 E3 Ligase. Molecules and Cells, 2020, 43, 935-944.   | 2.6 | 8         |
| 4945 | Long Noncoding RNA Expression Profiling Reveals Upregulation of Uroplakin 1A and Uroplakin 1A Antisense RNA 1 under Hypoxic Conditions in Lung Cancer Cells. Molecules and Cells, 2020, 43, 975-988. | 2.6 | 13        |
| 4946 | Angiogenesis and the role of bone marrow endothelial cells in haematological malignancies. Histology and Histopathology, 2004, 19, 935-50.   | 0.7 | 28        |
| 4947 | Altered growth pattern, not altered growth per se, is the hallmark of early lesions preceding cancer development. Histology and Histopathology, 2009, 24, 101-6.                                     | 0.7 | 5         |
| 4948 | Role of angiogenesis on bone formation. Histology and Histopathology, 2012, 27, 559-66.  | 0.7 | 95        |
| 4949 | EIF5A2 promotes tumor metastasis and angiogenesis. Science Proceedings, 0, , .   | 0.0 | 1         |
| 4950 | Functional expression and impact of testis-specific gene antigen 10 in breast cancer: a combined in vitro and in silico analysis. BiolImpacts, 2019, 9, 145-159.                                     | 1.5 | 10        |
| 4951 | OMA1 reprograms metabolism under hypoxia to promote colorectal cancer development. EMBO Reports, 2021, 22, e50827.   | 4.5 | 69        |
| 4952 | Role of HIF1 $\alpha$ Regulatory Factors in Stem Cells. International Journal of Stem Cells, 2019, 12, 8-20.   | 1.8 | 26        |
| 4953 | Hypoxia-Inducible Factor 1 Alpha (HIF-1 $\alpha$ ) and Its Prognostic Value in Acute Myeloid Leukemia. Hematology & Transfusion International Journal, 2017, 4, .                                    | 0.1 | 5         |
| 4954 | Glioblastoma Genomics: A Very Complicated Story. , 0, , 3-25.  |     | 18        |
| 4955 | Pathology of the Nervous System in Von Hippel-Lindau Disease. Journal of Kidney Cancer and VHL, 2015, 2, 114-129.  | 1.0 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4956 | HIF1 $\alpha$ -dependent mitophagy facilitates cardiomyoblast differentiation. <i>Cell Stress</i> , 2020, 4, 99-113.  | 3.2 | 38        |
| 4957 | HIF-1 $\alpha$ Levels in patients receiving chemoradiotherapy for locally advanced non-small cell lung carcinoma. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 1295-1299. | 0.7 | 3         |
| 4958 | La obesidad como factor de riesgo en el desarrollo de cáncer. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2015, 32, 766.                                       | 0.4 | 12        |
| 4959 | HIF-1 $\alpha$ antagonizes p53-mediated apoptosis by triggering HIPK2 degradation. <i>Aging</i> , 2011, 3, 33-43.   | 3.1 | 45        |
| 4960 | Regulation of life span by mitochondrial respiration: the HIF-1 and ROS connection. <i>Aging</i> , 2011, 3, 304-310.  | 3.1 | 80        |
| 4961 | Hypoxia-induced microRNA-10b-3p promotes esophageal squamous cell carcinoma growth and metastasis by targeting TSCA10. <i>Aging</i> , 2019, 11, 10374-10384.                            | 3.1 | 31        |
| 4962 | Dynamic scenario of metabolic pathway adaptation in tumors and therapeutic approach. <i>Oncoscience</i> , 2015, 2, 225-232.   | 2.2 | 9         |
| 4963 | Exogenous pyruvate facilitates cancer cell adaptation to hypoxia by serving as an oxygen surrogate. <i>Oncotarget</i> , 2016, 7, 47494-47510.   | 1.8 | 20        |
| 4964 | Potential role of the N-MYC downstream-regulated gene family in reprogramming cancer metabolism under hypoxia. <i>Oncotarget</i> , 2016, 7, 57442-57451.                                | 1.8 | 27        |
| 4965 | Bone marrow adipocytes promote the Warburg phenotype in metastatic prostate tumors via HIF-1 $\alpha$ activation. <i>Oncotarget</i> , 2016, 7, 64854-64877.                             | 1.8 | 87        |
| 4966 | c-Myc targeted regulators of cell metabolism in a transgenic mouse model of papillary lung adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 65514-65539.                                    | 1.8 | 19        |
| 4967 | Proteomic analysis reveals diverse proline hydroxylation-mediated oxygen-sensing cellular pathways in cancer cells. <i>Oncotarget</i> , 2016, 7, 79154-79169.                           | 1.8 | 26        |
| 4968 | Molecular and functional evaluation of a novel HIF inhibitor, benzopyranyl 1,2,3-triazole compound. <i>Oncotarget</i> , 2017, 8, 7801-7813.   | 1.8 | 22        |
| 4969 | Homeodomain-interacting protein kinase 2 (HIPK2): a promising target for anti-cancer therapies. <i>Oncotarget</i> , 2017, 8, 20452-20461.   | 1.8 | 48        |
| 4970 | The hypoxia signalling pathway in haematological malignancies. <i>Oncotarget</i> , 2017, 8, 36832-36844.  | 1.8 | 37        |
| 4971 | Association between HIF1A rs11549465 polymorphism and risk of prostate cancer: a meta-analysis. <i>Oncotarget</i> , 2017, 8, 44910-44916.   | 1.8 | 7         |
| 4972 | Myc-induced glutaminolysis bypasses HIF-driven glycolysis in hypoxic small cell lung carcinoma cells. <i>Oncotarget</i> , 2017, 8, 48983-48995.   | 1.8 | 19        |
| 4973 | HIF-1 $\alpha$ downregulation and apoptosis in hypoxic prostate tumor cells infected with oncolytic Mammalian Orthoreovirus. <i>Oncotarget</i> , 2014, 5, 561-574.                      | 1.8 | 24        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4974 | Cell type-dependent HIF1 $\uparrow$ -mediated effects of hypoxia on proliferation, migration and metastatic potential of human tumor cells. <i>Oncotarget</i> , 2017, 8, 44498-44510.  | 1.8 | 32        |
| 4975 | The zebrafish miR-125c is induced under hypoxic stress via hypoxia-inducible factor 1 $\uparrow$ and functions in cellular adaptations and embryogenesis. <i>Oncotarget</i> , 2017, 8, 73846-73859.  | 1.8 | 10        |
| 4976 | Riluzole: a potential therapeutic intervention in human brain tumor stem-like cells. <i>Oncotarget</i> , 2017, 8, 96697-96709.   | 1.8 | 19        |
| 4977 | Downregulation of miR-199a-5p promotes prostate adeno-carcinoma progression through loss of its inhibition of HIF-1 $\uparrow$ . <i>Oncotarget</i> , 2017, 8, 83523-83538.   | 1.8 | 40        |
| 4978 | MicroRNA-200c increases radiosensitivity of human cancer cells with activated EGFR-associated signaling. <i>Oncotarget</i> , 2017, 8, 65457-65468.   | 1.8 | 37        |
| 4979 | Oligomer procyanidins (F2) repress HIF-1 $\uparrow$ expression in human U87 glioma cells by inhibiting the EGFR/AKT/mTOR and MAPK/ERK1/2 signaling pathways <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2017, 8, 85252-85262. | 1.8 | 10        |
| 4980 | Trefoil factor 3 contributes to the malignancy of glioma via regulating HIF-1 $\uparrow$ . <i>Oncotarget</i> , 2017, 8, 76770-76782.   | 1.8 | 8         |
| 4981 | Alpha lipoic acid attenuates radiation-induced oral mucositis in rats. <i>Oncotarget</i> , 2017, 8, 72739-72747.   | 1.8 | 16        |
| 4982 | Immunohistochemical biomarkers and volumetric parameters for predicting radiotherapy-based outcomes in patients with p16-negative pharyngeal cancer. <i>Oncotarget</i> , 2017, 8, 72342-72351.   | 1.8 | 1         |
| 4983 | Lactate stimulates CA IX expression in normoxic cancer cells. <i>Oncotarget</i> , 2017, 8, 77819-77835.  | 1.8 | 34        |
| 4984 | The anti-tumor activator sMEK1 and paclitaxel additively decrease expression of HIF-1 $\uparrow$ and VEGF via mTORC1-S6K/4E-BP-dependent signaling pathways. <i>Oncotarget</i> , 2014, 5, 6540-6551.                                       | 1.8 | 19        |
| 4985 | Bioenergetics of acquired cisplatin resistant H1299 non-small cell lung cancer and P31 mesothelioma cells. <i>Oncotarget</i> , 2017, 8, 94711-94725.   | 1.8 | 8         |
| 4986 | Elevating VEGF-A and PDGF-BB secretion by salidroside enhances neoangiogenesis in diabetic hind-limb ischemia. <i>Oncotarget</i> , 2017, 8, 97187-97205.   | 1.8 | 23        |
| 4987 | “Paradoxical” findings of tumor vascularity and oxygenation in recurrent glioblastomas refractory to bevacizumab. <i>Oncotarget</i> , 2017, 8, 103890-103899.  | 1.8 | 14        |
| 4988 | Transcriptional response to hypoxic stress in melanoma and prognostic potential of GBE1 and BNIP3. <i>Oncotarget</i> , 2017, 8, 108786-108801.   | 1.8 | 22        |
| 4989 | Beclin-1-independent autophagy positively regulates internal ribosomal entry site-dependent translation of hypoxia-inducible factor 1 $\uparrow$ under nutrient deprivation. <i>Oncotarget</i> , 2014, 5, 7525-7539.                       | 1.8 | 20        |
| 4990 | Protein Kinase D1 attenuates tumorigenesis in colon cancer by modulating $\beta$ -catenin/T cell factor activity. <i>Oncotarget</i> , 2014, 5, 6867-6884.  | 1.8 | 20        |
| 4991 | Trichostatin A resistance is facilitated by HIF-1 $\uparrow$ acetylation in HeLa human cervical cancer cells under normoxic conditions. <i>Oncotarget</i> , 2018, 9, 2035-2049.  | 1.8 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4992 | The metal-nonoate Ni(SalPipNONO) inhibits <i>in vitro</i> tumor growth, invasiveness and angiogenesis. Oncotarget, 2018, 9, 13353-13365.  | 1.8 | 17        |
| 4993 | HS-133, a novel fluorescent phosphatidylinositol 3-kinase inhibitor as a potential imaging and anticancer agent for targeted therapy. Oncotarget, 2014, 5, 10180-10197.   | 1.8 | 5         |
| 4994 | V-ATPase-dependent repression of androgen receptor in prostate cancer cells. Oncotarget, 2018, 9, 28921-28934.  | 1.8 | 16        |
| 4995 | Hypoxia-inducible factors enhance glutamate signaling in cancer cells. Oncotarget, 2014, 5, 8853-8868.  | 1.8 | 56        |
| 4996 | COPD-Type lung inflammation promotes K-ras mutant lung cancer through epithelial HIF-1 $\pm$ mediated tumor angiogenesis and proliferation. Oncotarget, 2018, 9, 32972-32983.                                     | 1.8 | 32        |
| 4997 | WMJ-S-001, a novel aliphatic hydroxamate derivative, exhibits anti-angiogenic activities via Src-homology-2-domain-containing protein tyrosine phosphatase 1. Oncotarget, 2015, 6, 85-100.                        | 1.8 | 13        |
| 4998 | Pyruvate kinase M2 regulates glucose metabolism by functioning as a coactivator for hypoxia-inducible factor 1 in cancer cells. Oncotarget, 2011, 2, 551-556.   | 1.8 | 164       |
| 4999 | Hypoxia induces a lipogenic cancer cell phenotype via HIF1 $\pm$ -dependent and -independent pathways. Oncotarget, 2015, 6, 1920-1941.  | 1.8 | 72        |
| 5000 | Distinct von Hippel-Lindau gene and hypoxia-regulated alterations in gene and protein expression patterns of renal cell carcinoma and their effects on metabolism. Oncotarget, 2015, 6, 11395-11406.              | 1.8 | 23        |
| 5001 | The novel dual PI3K/mTOR inhibitor NVP-BGT226 displays cytotoxic activity in both normoxic and hypoxic hepatocarcinoma cells. Oncotarget, 2015, 6, 17147-17160.   | 1.8 | 30        |
| 5002 | Genome-wide analysis discloses reversal of the hypoxia-induced changes of gene expression in colon cancer cells by zinc supplementation. Oncotarget, 2011, 2, 1191-1202.  | 1.8 | 26        |
| 5003 | eIF4E binding protein 1 expression is associated with clinical survival outcomes in colorectal cancer. Oncotarget, 2015, 6, 24092-24104.  | 1.8 | 16        |
| 5004 | sMEK1 inhibits endothelial cell proliferation by attenuating VEGFR-2-dependent-Akt/eNOS/HIF-1 $\pm$ signaling pathways. Oncotarget, 2015, 6, 31830-31843.   | 1.8 | 26        |
| 5005 | The long noncoding RNA MALAT1 promotes tumor-driven angiogenesis by up-regulating pro-angiogenic gene expression. Oncotarget, 2016, 7, 8663-8675.   | 1.8 | 97        |
| 5006 | Identification of approved and investigational drugs that inhibit hypoxia-inducible factor-1 signaling. Oncotarget, 2016, 7, 8172-8183.   | 1.8 | 21        |
| 5007 | Loss of PIG3 increases HIF-1 $\pm$ level by promoting protein synthesis <i>via</i> mTOR pathway in renal cell carcinoma cells. Oncotarget, 2016, 7, 27176-27184.  | 1.8 | 6         |
| 5008 | Zinc finger protein 91 (ZFP91) activates HIF-1 $\pm$ <i>via</i> NF- $\kappa$ B/p65 to promote proliferation and tumorigenesis of colon cancer. Oncotarget, 2016, 7, 36551-36562.                                  | 1.8 | 42        |
| 5009 | Lysophosphatidic acid stimulates epithelial to mesenchymal transition marker Slug/Snail2 in ovarian cancer cells <i>via</i> G $\alpha$ i2, Src, and HIF1 $\pm$ signaling nexus. Oncotarget, 2016, 7, 37664-37679. | 1.8 | 44        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5010 | Crosstalk between the HIF-1 and Toll-like receptor/nuclear factor- $\kappa$ B pathways in the oral squamous cell carcinoma microenvironment. <i>Oncotarget</i> , 2016, 7, 37773-37789.   | 1.8 | 63        |
| 5011 | Regulation of <i>HK2</i> expression through alterations in CpG methylation of the <i>HK2</i> promoter during progression of hepatocellular carcinoma. <i>Oncotarget</i> , 0, 7, 41798-41810.   | 1.8 | 43        |
| 5012 | Albumin-based nanoparticles: a promising strategy to overcome cancer drug resistance. , 2020, 3, 930-946.  |     | 28        |
| 5013 | Low hypoxia inducible factor-1 $\pm$ (HIF-1 $\pm$ ) expression in testicular germ cell tumors “a major reason for enhanced chemosensitivity?. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2017, 29, 374-378. | 2.2 | 8         |
| 5014 | From antiangiogenesis to hypoxia: current research and future directions. <i>Cancer Management and Research</i> , 2010, 3, 9.  | 1.9 | 13        |
| 5015 | Imaging Agents in Targeting Tumor Hypoxia. <i>Current Medicinal Chemistry</i> , 2016, 23, 1775-1800.   | 2.4 | 8         |
| 5016 | Hypoxia Responsive Drug Delivery Systems in Tumor Therapy. <i>Current Pharmaceutical Design</i> , 2016, 22, 2808-2820.   | 1.9 | 34        |
| 5017 | Adenosine Receptors as Novel Targets for the Treatment of Various Cancers. <i>Current Pharmaceutical Design</i> , 2019, 25, 2828-2841.   | 1.9 | 17        |
| 5018 | Treatment of Pancreatic Cancer with Pharmacological Ascorbate. <i>Current Pharmaceutical Biotechnology</i> , 2015, 16, 759-770.  | 1.6 | 41        |
| 5019 | Gene Therapy for Gastric Diseases. <i>Current Gene Therapy</i> , 2008, 8, 187-200.   | 2.0 | 24        |
| 5020 | Cell Metabolism Under Microenvironmental Low Oxygen Tension Levels in Stemness, Proliferation and Pluripotency. <i>Current Molecular Medicine</i> , 2015, 15, 343-359.   | 1.3 | 35        |
| 5021 | Small Molecule Inhibitors of Multidrug Resistance Gene (MDR1) Expression: Preclinical Evaluation and Mechanisms of Action. <i>Current Cancer Drug Targets</i> , 2013, 13, 814-828.   | 1.6 | 16        |
| 5022 | In Vitro and In Vivo Antimetastatic Effects of ZSTK474 on Prostate Cancer DU145 Cells. <i>Current Cancer Drug Targets</i> , 2019, 19, 321-329.   | 1.6 | 7         |
| 5023 | Molecular Imaging of Hypoxia: Strategies for Probe Design and Application. <i>Current Organic Synthesis</i> , 2011, 8, 593-603.  | 1.3 | 42        |
| 5024 | Insights into the Biological Evaluation of Pterocarpanquinones and Carbapterocarpan with Anti-tumor Activity against MDR Leukemias. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 19, 29-37.  | 1.7 | 2         |
| 5025 | Indazole Derivatives: Promising Anti-tumor Agents. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 18, 1228-1234.   | 1.7 | 36        |
| 5026 | Nanoparticle-based Cerebral Drug-Delivery Systems and Antiangiogenic Approach in Gliomas Treatment. <i>Recent Patents on Nanotechnology</i> , 2011, 5, 239-244.  | 1.3 | 5         |
| 5027 | HIF-1 $\pm$ Promotes A Hypoxia-Independent Cell Migration. <i>The Open Biology Journal</i> , 2010, 3, 8-14.  | 0.5 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5028 | Hypoxia and the Malignant Glioma Microenvironment: Regulation and Implications for Therapy. Current Molecular Pharmacology, 2009, 2, 263-284.   | 1.5 | 86        |
| 5029 | Aging and Inflammation: Etiological Culprits of Cancer. Current Aging Science, 2009, 2, 174-186.  | 1.2 | 72        |
| 5030 | Dysfunction of Mitochondrial ATP Production As a Target for Personalized Cancer Therapy. Current Pharmacogenomics and Personalized Medicine, 2009, 7, 27-39.  | 0.2 | 2         |
| 5031 | Enhanced Expression of Fibroblast Growth Factor Receptor 3 in Human Skin Cancer Cells. The Open Circulation & Vascular Journal, 2009, 2, 30-36.   | 0.2 | 2         |
| 5032 | Analysis of Hypoxiamir-Gene Regulatory Network Identifies Critical MiRNAs Influencing Cell-Cycle Regulation Under Hypoxic Conditions. MicroRNA (Sharjah, United Arab Emirates), 2019, 8, 223-236.   | 1.2 | 8         |
| 5033 | Multicellular Spheroids as a Model for Hypoxia-induced EMT. Anticancer Research, 2016, 36, 6259-6264.   | 1.1 | 1         |
| 5034 | HIF1 $\pm$ in Tumorigenesis of Adenoid Cystic Carcinoma. Anticancer Research, 2017, 37, 599-606.  | 1.1 | 2         |
| 5035 | Inhibition of Ubiquitin-conjugating Enzyme E2 May Activate the Degradation of Hypoxia-inducible Factors and, thus, Overcome Cellular Resistance to Radiation in Colorectal Cancer. Anticancer Research, 2017, 37, 2425-2436.  | 1.1 | 17        |
| 5036 | Strong Prolyl Hydroxylase Domain 1 Expression Predicts Poor Outcome in Radiotherapy-treated Patients with Classical Hodgkin $\pm$ Lymphoma. Anticancer Research, 2018, 38, 329-336.   | 1.1 | 5         |
| 5037 | Hypoxia-inducible Factor-1 $\pm$ Suppression in Ovarian Clear-cell Carcinoma Cells by Silibinin Administration. Anticancer Research, 2020, 40, 6791-6798.   | 1.1 | 6         |
| 5038 | Potential microRNA-related Targets for Therapeutic Intervention with Ovarian Cancer Metastasis. Cancer Genomics and Proteomics, 2018, 15, 1-15.   | 2.0 | 33        |
| 5039 | Tav $\pm$ an korneas $\pm$ nda y $\pm$ ¼ksek doz metilprednizolonun yan $\pm$ s $\pm$ ra ozon (O3) tedavisinin hipoksi ile ind $\pm$ ¼klenebilir fakt $\pm$ r-1 alfa (HIF-1 $\alpha$ ) ekspresyonu $\pm$ ¼zerine etkisi. Family Practice and Palliative Care, 0, , 126-129. | 0.3 | 1         |
| 5040 | Hereditary Leiomyomatosis and Renal Cell Cancer. Acta Dermato-Venereologica, 2020, 100, 1-7.  | 1.3 | 7         |
| 5041 | Nitric Oxide Attenuates Hypoxia-Induced 5-FU Resistance of Oral Squamous Cell Carcinoma Cells. International Journal of Cancer and Clinical Research, 2015, 2, .  | 0.1 | 3         |
| 5042 | Role of TWEAK and Fn14 in tumor biology. Frontiers in Bioscience - Landmark, 2007, 12, 2761.  | 3.0 | 41        |
| 5043 | Limitations to the Therapeutic Potential of Tyrosine Kinase Inhibitors and Alternative Therapies for Kidney Cancer. Ochsner Journal, 2019, 19, 138-151.   | 1.1 | 26        |
| 5044 | Hypoxia-Inducible Factor1 $\pm$ (HIF1 $\pm$ ) and Vascular Endothelial Growth Factor-A (VEGF-A) Expression in De Novo AML Patients. Asian Pacific Journal of Cancer Prevention, 2019, 20, 705-710.  | 1.2 | 21        |
| 5045 | Cancer-specific Therapeutic Potential of Resveratrol: Metabolic Approach against Hallmarks of Cancer. Functional Foods in Health and Disease, 2013, 3, 332.   | 0.6 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5046 | Conditional inactivation of HIF-1 using intrabodies. <i>Cellular Oncology</i> , 2008, 30, 397-409.  | 1.9 | 10        |
| 5047 | Different angiogenic potential in low and high grade sporadic clear cell renal cell carcinoma is not related to alterations in the von Hippel-Lindau gene. <i>Cellular Oncology</i> , 2009, 31, 371-82.                                   | 1.9 | 12        |
| 5048 | Effects of the knockdown of hypoxia inducible factor-1 $\alpha$ expression by adenovirus-mediated shRNA on angiogenesis and tumor growth in hepatocellular carcinoma cell lines. <i>The Korean Journal of Hepatology</i> , 2010, 16, 280. | 1.5 | 12        |
| 5049 | Involvement of the ERK/HIF-1 $\alpha$ /EMT Pathway in XCL1-Induced Migration of MDA-MB-231 and SK-BR-3 Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 89.  | 4.1 | 17        |
| 5050 | Stimuli-Responsive Gold Nanoparticles for Cancer Diagnosis and Therapy. <i>Journal of Functional Biomaterials</i> , 2016, 7, 19.  | 4.4 | 22        |
| 5051 | The Anticancer Peptide CIGB-552 Exerts Anti-Inflammatory and Anti-Angiogenic Effects through COMMD1. <i>Molecules</i> , 2021, 26, 152.  | 3.8 | 6         |
| 5052 | Study on Using Magnetic Iron Oxide Nanoparticles as HIF-1 $\alpha$ shRNA Gene Carrier to Reverse Cisplatin Resistance of A549/CDDP Cell Lines*. <i>Progress in Biochemistry and Biophysics</i> , 2010, 37, 1090-1100.                     | 0.3 | 5         |
| 5053 | Research Progress on Bioenergy Metabolic Mechanism of Cancer*. <i>Progress in Biochemistry and Biophysics</i> , 2011, 38, 585-592.  | 0.3 | 2         |
| 5054 | Expression of von Hippel-Lindau tumor suppressor and tumor-associated carbonic anhydrases IX and XII in normal and neoplastic colorectal mucosa. <i>World Journal of Gastroenterology</i> , 2005, 11, 2616.                               | 3.3 | 47        |
| 5055 | p53-expressing conditionally replicative adenovirus CNHK500-p53 against hepatocellular carcinoma<i>in vitro</i>. <i>World Journal of Gastroenterology</i> , 2007, 13, 683.  | 3.3 | 13        |
| 5056 | Expression and significance of TLR4 and HIF-1 $\alpha$ in pancreatic ductal adenocarcinoma. <i>World Journal of Gastroenterology</i> , 2010, 16, 2881.  | 3.3 | 86        |
| 5057 | Oxidative stress and hypoxia-induced factor 1 $\alpha$ expression in gastric ischemia. <i>World Journal of Gastroenterology</i> , 2011, 17, 1915.   | 3.3 | 29        |
| 5058 | Anti-angiogenic therapies for metastatic colorectal cancer: Current and future perspectives. <i>World Journal of Gastroenterology</i> , 2013, 19, 7955.   | 3.3 | 30        |
| 5059 | Hypoxia inducible factor in hepatocellular carcinoma: A therapeutic target. <i>World Journal of Gastroenterology</i> , 2015, 21, 12171.   | 3.3 | 101       |
| 5060 | Hypoxia-inducible factor-1 modulates upregulation of mutT homolog-1 in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2015, 21, 13447.   | 3.3 | 8         |
| 5062 | HIF-1 $\alpha$ attenuates neuronal apoptosis by upregulating EPO expression following cerebral ischemia-reperfusion injury in a rat MCAO model. <i>International Journal of Molecular Medicine</i> , 2020, 45, 1027-1036.                 | 4.0 | 26        |
| 5063 | Heparanase from triple-negative breast cancer and platelets acts as an enhancer of metastasis. <i>International Journal of Oncology</i> , 2020, 57, 890-904.  | 3.3 | 8         |
| 5064 | MicroRNA-214 upregulates HIF-1 $\alpha$ and VEGF by targeting ING4 in lung cancer cells. <i>Molecular Medicine Reports</i> , 2019, 19, 4935-4945.   | 2.4 | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5065 | Long non-coding RNA HOXA <sup>AS2</sup> promotes the expression levels of hypoxia-inducible factor-1 $\alpha$ and programmed death-ligand <sup>1</sup> , and regulates nasopharyngeal carcinoma progression via miR-519. <i>Oncology Letters</i> , 2020, 20, 1-1.                    | 1.8 | 13        |
| 5066 | Understanding and targeting resistance to anti-angiogenic therapies. <i>Journal of Gastrointestinal Oncology</i> , 2013, 4, 253-63.  | 1.4 | 66        |
| 5067 | Unveiling the role of tumor reactive stroma in cholangiocarcinoma: an opportunity for new therapeutic strategies. <i>Translational Gastrointestinal Cancer</i> , 2013, 2, 130-144.   | 3.0 | 27        |
| 5068 | Hidden secret in hepatitis B viral X protein mutation and hypoxia-inducible factor-1 $\alpha$ in hepatocarcinoma cancer. <i>Hepatobiliary Surgery and Nutrition</i> , 2014, 3, 115-7.  | 1.5 | 1         |
| 5069 | HIF-1 $\alpha$ regulated tongue squamous cell carcinoma cell growth via regulating VEGF expression in a xenograft model. <i>Annals of Translational Medicine</i> , 2014, 2, 92.  | 1.7 | 8         |
| 5070 | MKP-1 Modulates Mitochondrial Transcription Factors, Oxidative Phosphorylation, and Glycolysis. <i>ImmunoHorizons</i> , 2020, 4, 245-258.  | 1.8 | 11        |
| 5071 | Role of Carbon Monoxide in Neurovascular Repair Processing. <i>Biomolecules and Therapeutics</i> , 2018, 26, 93-100.   | 2.4 | 26        |
| 5072 | The Role of a Neurovascular Signaling Pathway Involving Hypoxia-Inducible Factor and Notch in the Function of the Central Nervous System. <i>Biomolecules and Therapeutics</i> , 2020, 28, 45-57.  | 2.4 | 31        |
| 5073 | Tumour Regression via Integrative Regulation of Neurological, Inflammatory, and Hypoxic Tumour Microenvironment. <i>Biomolecules and Therapeutics</i> , 2020, 28, 119-130.   | 2.4 | 13        |
| 5074 | The clinical importance of serum urokinase plasminogen activator receptor and carbonic anhydrase IX levels and the effect of anthracycline-based adjuvant chemotherapy on these biomarkers in breast cancer. <i>Journal of Cancer Research and Therapeutics</i> , 2018, 14, 608-613. | 0.9 | 3         |
| 5075 | Anticancer effect of <i>Andrographis paniculata</i> by suppression of tumor altered hypoxia signaling cascade in mouse melanoma cells. <i>Journal of Cancer Research and Practice</i> , 2019, 6, 117.  | 0.2 | 9         |
| 5076 | Antitumor effects of ethanol extracts from <i>Hyptis Rhomboidea</i> in H22 tumor-bearing mice. <i>Pharmacognosy Magazine</i> , 2017, 13, 571.  | 0.6 | 4         |
| 5077 | Neurovascular patterning cues and implications for central and peripheral neurological disease. , 2017, 8, 208.  |     | 7         |
| 5078 | Prognostic Significance of Glycolytic Metabolic Change Related to HIF-1 $\alpha$ in Oral Squamous Cell Carcinomas. <i>Korean Journal of Pathology</i> , 2010, 44, 360.   | 1.3 | 2         |
| 5079 | bHLH-Orange Transcription Factors in Development and Cancer. <i>Translational Oncogenomics</i> , 2007, 2, 107-120.   | 1.7 | 41        |
| 5080 | A model System for Validation of PET Radiopharmaceuticals: Focusing on Tumor Microenvironment. <i>International Journal of Medical Physics, Clinical Engineering and Radiation Oncology</i> , 2013, 02, 19-29.   | 0.1 | 5         |
| 5081 | Cancer: Tumor Iron Metabolism, Mitochondrial Dysfunction and Tumor Immunosuppression; "A Tight Partnership" Was Warburg Correct? <i>Journal of Cancer Therapy</i> , 2012, 03, 278-311.   | 0.4 | 21        |
| 5082 | Suppression of NF- $\kappa$ B/p65 Inhibits the Proliferation in Oral Squamous Cancer Cells. <i>Journal of Cancer Therapy</i> , 2013, 04, 891-897.  | 0.4 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5083 | Thymoquinone Suppresses Cellular Proliferation, Inhibits VEGF Production and Obstructs Tumor Progression and Invasion in the Rat Model of DMH-Induced Colon Carcinogenesis. <i>Pharmacology &amp; Pharmacy</i> , 2013, 04, 7-17. | 0.7 | 21        |
| 5084 | Tumor progression-dependent angiogenesis in gastric cancer and its potential application. <i>World Journal of Gastrointestinal Oncology</i> , 2019, 11, 686-704.   | 2.0 | 35        |
| 5085 | Surgery for colorectal liver metastases: The evolution of determining prognosis. <i>World Journal of Gastrointestinal Oncology</i> , 2013, 5, 207.   | 2.0 | 64        |
| 5086 | The expression of hypoxia-inducible factor-1 $\pm$ and its clinical significance in lung cancer: a systematic review and meta-analysis. <i>Swiss Medical Weekly</i> , 2013, 143, w13855.   | 1.6 | 54        |
| 5087 | Synthesis and Biological Evaluation of 2-Aminoisonicotinic Acid Analogues as HIF-1 $\pm$ Inhibitors. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 3826-3829.   | 1.9 | 6         |
| 5088 | Design of Human FIH-1 Inhibitors through Virtual Screening. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 1407-1410.  | 1.9 | 2         |
| 5089 | Responses of developmental and physiological traits to manipulated incubation conditions in broiler embryos at hypoxic high altitude. <i>Archives Animal Breeding</i> , 2018, 61, 337-349.                                       | 1.4 | 1         |
| 5090 | CITED2 and the modulation of the hypoxic response in cancer. <i>World Journal of Clinical Oncology</i> , 2020, 11, 260-274.  | 2.3 | 10        |
| 5091 | Hypoxia and cytokines regulate carbonic anhydrase 9 expression in hepatocellular carcinoma cells <i>in vitro</i> . <i>World Journal of Clinical Oncology</i> , 2012, 3, 82.  | 2.3 | 17        |
| 5092 | Inhibition of N-Myc down regulated gene 1 in vitro cultured human glioblastoma cells. <i>World Journal of Clinical Oncology</i> , 2012, 3, 104.  | 2.3 | 2         |
| 5093 | Positron emission tomography to assess hypoxia and perfusion in lung cancer. <i>World Journal of Clinical Oncology</i> , 2014, 5, 824.   | 2.3 | 10        |
| 5094 | ERG is a novel and reliable marker for endothelial cells in central nervous system tumors. , 2015, 34, 117-127.  |     | 24        |
| 5095 | New deals on the transcriptional and post-transcriptional regulation of TRP channel target genes during the angiogenesis of glioma. <i>Journal of Experimental and Integrative Medicine</i> , 2011, 1, 221.                      | 0.1 | 6         |
| 5096 | The novel peptide F29 facilitates the DNA-binding ability of hypoxia-inducible factor-1 $\pm$ . <i>BMB Reports</i> , 2009, 42, 737-742.  | 2.4 | 3         |
| 5097 | Mitochondrial superoxide anion (O <sub>2</sub> <sup>-</sup> ) inducible "mev-1" animal models for aging research. <i>BMB Reports</i> , 2011, 44, 298-305.  | 2.4 | 32        |
| 5098 | Human selenium binding protein-1 (hSP56) is a negative regulator of HIF-1 $\pm$ and suppresses the malignant characteristics of prostate cancer cells. <i>BMB Reports</i> , 2014, 47, 411-416.                                   | 2.4 | 21        |
| 5099 | Suppression of Akt-HIF-1 $\pm$ signaling axis by diacetyl atractylodioid inhibits hypoxia-induced angiogenesis. <i>BMB Reports</i> , 2016, 49, 508-513.  | 2.4 | 13        |
| 5100 | Mitochondrial DNA Somatic Mutation in Cancer. <i>Toxicological Research</i> , 2014, 30, 235-242.   | 2.1 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5101 | A new twist in neuroendocrine tumor research: Pacak-Zhuang syndrome, HIF-2 $\alpha$ as the major player in its pathogenesis and future therapeutic options. Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia, 2014, 158, 175-180. | 0.6 | 10        |
| 5102 | Hypoxia-induced chemoresistance in cancer cells: The role of not only HIF-1. Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia, 2015, 159, 166-177.  | 0.6 | 88        |
| 5103 | The glycomic profile of invasive ductal carcinoma of the breast is altered in patients with hypoxic regions: implications for tumor behavior. Folia Histochemica Et Cytobiologica, 2014, 52, 96-103.   | 1.5 | 2         |
| 5104 | Contribution of [64Cu]-ATSM PET in molecular imaging of tumour hypoxia compared to classical [18F]-MISO â€” a selected review. Nuclear Medicine Review, 2011, 14, 90-95.   | 0.5 | 67        |
| 5105 | Dysregulated pH in Tumor Microenvironment Checkmates Cancer Therapy. BiolImpacts, 2013, 3, 149-62.   | 1.5 | 123       |
| 5106 | Targeting tumor microenvironment: crossing tumor interstitial fluid by multifunctional nanomedicines. BiolImpacts, 2014, 4, 55-67.   | 1.5 | 84        |
| 5107 | Topics on Drug Metabolism. , 2012, , .   |     | 9         |
| 5108 | New Insight on the Role of Transient Receptor Potential (TRP) Channels in Driven Gliomagenesis Pathways. , 0, , .  |     | 1         |
| 5109 | The Involvement of the ERK-Hypoxia-Angiogenesis Signaling Axis and HIF-1 in Hepatocellular Carcinoma. , 0, , .   |     | 1         |
| 5110 | Overexpression of KAI1 Protein in Diabetic Skin Tissues. Archives of Plastic Surgery, 2014, 41, 248.   | 0.9 | 4         |
| 5111 | Comparative study of antioxidants as cancer preventives through inhibition of HIF-1 alpha activity. Bioinformation, 2009, 4, 233-236.  | 0.5 | 19        |
| 5112 | The effect of HIF-1 $\alpha$ on glucose metabolism, growth and apoptosis of pancreatic cancerous cells. Asia Pacific Journal of Clinical Nutrition, 2014, 23, 174-80.  | 0.4 | 53        |
| 5113 | Oxygen as a regulator of serine dehydratase (SerDH) gene expression. Biopolymers and Cell, 2007, 23, 391-397.  | 0.4 | 1         |
| 5114 | Importance of the physicochemical properties of fluorescent dyes for obtaining target-specific in vivo images by membrane-permeable macromolecular imaging probes. Journal of Pharmaceutical Technology & Drug Research, 2013, 2, 2.   | 1.0 | 2         |
| 5115 | MicroRNA Expression Profile Analysis Reveals Diagnostic Biomarker for Human Prostate Cancer. Asian Pacific Journal of Cancer Prevention, 2012, 13, 3313-3317.  | 1.2 | 19        |
| 5116 | Expression of Endogenous Hypoxia Markers in Vulvar Squamous Cell Carcinoma. Asian Pacific Journal of Cancer Prevention, 2012, 13, 3675-3680.   | 1.2 | 10        |
| 5117 | Application of Stem Cells in Targeted Therapy of Breast Cancer: A Systematic Review. Asian Pacific Journal of Cancer Prevention, 2013, 14, 2789-2800.  | 1.2 | 15        |
| 5118 | Hypoxia-inducible Factor 1 Alpha (HIF-1 $\alpha$ ) as a Prognostic Indicator in Patients with Gastric Tumors: A Meta-analysis. Asian Pacific Journal of Cancer Prevention, 2013, 14, 4195-4198.  | 1.2 | 25        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5119 | Concomitant EGFR Inhibitors Combined with Radiation for Treatment of Non-small Cell Lung Carcinoma. Asian Pacific Journal of Cancer Prevention, 2013, 14, 4485-4494.  | 1.2 | 16        |
| 5120 | Genetic Variations in the HIF1A Gene Modulate Response to Adjuvant Chemotherapy after Surgery in Patients with Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2014, 15, 4637-4642.  | 1.2 | 7         |
| 5121 | Expression of Hypoxia-inducible Factor Prolyl Hydroxylase 3 HIFPH3 in Human Non-small Cell Lung Cancer (NSCLC) and Its Correlation with Prognosis. Asian Pacific Journal of Cancer Prevention, 2014, 15, 5819-5823.                                       | 1.2 | 5         |
| 5122 | Upregulation of HIF-1 $\alpha$ by Hypoxia Protect Neuroblastoma Cells from Apoptosis by Promoting Survivin Expression. Asian Pacific Journal of Cancer Prevention, 2014, 15, 8251-8257.   | 1.2 | 14        |
| 5123 | No Association of Hypoxia Inducible Factor-1 $\alpha$ Gene Polymorphisms with Breast Cancer in North-West Indians. Asian Pacific Journal of Cancer Prevention, 2014, 15, 9973-9978.   | 1.2 | 12        |
| 5124 | HIF-1 $\alpha$ regulates IL-1 $\beta$ and IL-17 in sarcoidosis. ELife, 2019, 8, .   | 6.0 | 50        |
| 5125 | Dichotomous role of the human mitochondrial Na <sup>+</sup> /Ca <sup>2+</sup> /Li <sup>+</sup> exchanger NCLX in colorectal cancer growth and metastasis. ELife, 2020, 9, .   | 6.0 | 39        |
| 5126 | Cell cycle progression in glioblastoma cells is unaffected by pathophysiological levels of hypoxia. PeerJ, 2016, 4, e1755.  | 2.0 | 17        |
| 5127 | Chemical composition and the potential for proteomic transformation in cancer, hypoxia, and hyperosmotic stress. PeerJ, 2017, 5, e3421.   | 2.0 | 13        |
| 5128 | Endothelial cell-initiated extravasation of cancer cells visualized in zebrafish. PeerJ, 2014, 2, e688.   | 2.0 | 21        |
| 5129 | Delphinidin Suppresses Angiogenesis via the Inhibition of HIF-1 $\alpha$ and STAT3 Expressions in PC3M Cells. Korean Journal of Food Science and Technology, 2016, 48, 66-71.   | 0.3 | 3         |
| 5130 | Dormancy in the Tumor Microenvironment. Advances in Experimental Medicine and Biology, 2021, 1329, 35-49.   | 1.6 | 4         |
| 5131 | Application of Cluster Analysis of Time Evolution for Magnetic Resonance Imaging -Derived Oxygen Extraction Fraction Mapping: A Promising Strategy for the Genetic Profile Prediction and Grading of Glioma. Frontiers in Neuroscience, 2021, 15, 736891. | 2.8 | 6         |
| 5132 | Establishment of a novel ferroptosis-related lncRNA pair prognostic model in colon adenocarcinoma. Aging, 2021, 13, 23072-23095.  | 3.1 | 18        |
| 5133 | MicroRNAs: Important Players in Breast Cancer Angiogenesis and Therapeutic Targets. Frontiers in Molecular Biosciences, 2021, 8, 764025.  | 3.5 | 15        |
| 5134 | Mechanisms and triggers of adaptation to hypoxia. Reviews on Clinical Pharmacology and Drug Therapy, 2021, 19, 269-280.   | 0.6 | 0         |
| 5135 | Metabolic Reprogramming in COVID-19. International Journal of Molecular Sciences, 2021, 22, 11475.  | 4.1 | 34        |
| 5136 | Hypoxia effects on cancer stem cell phenotype in colorectal cancer: a mini-review. Molecular Biology Reports, 2021, 48, 7527-7535.  | 2.3 | 6         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5137 | Research Progress on Circular RNA in Glioma. <i>Frontiers in Oncology</i> , 2021, 11, 705059.  | 2.8 | 3         |
| 5138 | Anticancer Mechanisms of Bioactive Compounds from Solanaceae: An Update. <i>Cancers</i> , 2021, 13, 4989.  | 3.7 | 12        |
| 5139 | Pancreatic Neuroendocrine Tumors: Molecular Mechanisms and Therapeutic Targets. <i>Cancers</i> , 2021, 13, 5117.   | 3.7 | 31        |
| 5140 | The Role of General Anesthetic Drug Selection in Cancer Outcome. <i>BioMed Research International</i> , 2021, 2021, 1-8.   | 1.9 | 3         |
| 5141 | Regulation of Tumor Metabolism and Extracellular Acidosis by the TIMP-10â€“CD63 Axis in Breast Carcinoma. <i>Cells</i> , 2021, 10, 2721.                                   | 4.1 | 5         |
| 5142 | Can We Predict Differentiated Thyroid Cancer Behavior? Role of Genetic and Molecular Markers. <i>Medicina (Lithuania)</i> , 2021, 57, 1131.                                | 2.0 | 8         |
| 5143 | Simple oligonucleotide-based multiplexing of single-cell chromatin accessibility. <i>Molecular Cell</i> , 2021, 81, 4319-4332.e10.   | 9.7 | 22        |
| 5144 | Pharmacological inhibition of Mint3 attenuates tumour growth, metastasis, and endotoxic shock. <i>Communications Biology</i> , 2021, 4, 1165.                              | 4.4 | 4         |
| 5145 | SETD7 regulates chondrocyte differentiation and glycolysis via the Hippo signaling pathway and HIFâ€™1Î±. <i>International Journal of Molecular Medicine</i> , 2021, 48, . | 4.0 | 12        |
| 5146 | Microenvironmental Reactive Oxygen Species in Colorectal Cancer: Involved Processes and Therapeutic Opportunities. <i>Cancers</i> , 2021, 13, 5037.                        | 3.7 | 20        |
| 5147 | Long Non-coding RNA DANCER in Cancer: Roles, Mechanisms, and Implications. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 753706.                           | 3.7 | 17        |
| 5148 | USP29 coordinates MYC and HIF1Î± stabilization to promote tumor metabolism and progression. <i>Oncogene</i> , 2021, 40, 6417-6429.   | 5.9 | 19        |
| 5149 | Lactate in the tumour microenvironment: From immune modulation to therapy. <i>EBioMedicine</i> , 2021, 73, 103627.   | 6.1 | 132       |
| 5151 | Overview of molecular target-based drugs. <i>Drug Delivery System</i> , 2006, 21, 18-23.   | 0.0 | 2         |
| 5152 | Can Post-Transcription Modifiers Change the Course of Prostate Cancer?. <i>Translational Medicine Series</i> , 2006, , 179-194.  | 0.0 | 0         |
| 5153 | Interactions entre les cellules tumorales et le microenvironnement tissulaire : Â« Quand le dialogue remplace le monologue Â». , 2007, , 97-123.                           |     | 0         |
| 5154 | Angiogenesis-Targeted Redox-Based Therapeutics. , 2007, , 155-164.   |     | 0         |
| 5157 | Targeting Angiogenesis with Oral Agents. , 2007, , 253-268.  |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5160 | Therapeutic Strategies that Target the HIF System. , 2008, , 359-373.   |     | 0         |
| 5161 | Emerging Molecular Therapies: Drugs Interfering With Signal Transduction Pathways. , 2008, , 317-365.   |     | 0         |
| 5162 | Hypoxic Regulation of Angiogenesis by HIF-1. , 2008, , 169-179.   |     | 0         |
| 5163 | Metabonomics and its application in oncobiology research. World Chinese Journal of Digestology, 2008, 16, 3877.   | 0.1 | 0         |
| 5164 | Imaging and Targeting Tumors by Fusion Proteins with ODD Domain of HIF-1 $\pm$ . Journal of the Society of Japanese Women Scientists, 2008, 9, 13-19.   | 0.0 | 0         |
| 5165 | Differentiation of the invasive cytotrophoblast lineage in normal pregnancy and in preeclampsia. Reproductive Medicine and Assisted Reproductive Techniques Series, 2008, , 454-465.              | 0.1 | 0         |
| 5167 | Functional Role of a Conserved Sequence Motif in the Oxygen-dependent Degradation Domain of Hypoxia-inducible Factor 1 $\pm$ in the Recognition of p53. Genomics and Informatics, 2008, 6, 72-76. | 0.8 | 0         |
| 5168 | Cellular Respiration and Tumor Suppressor Genes. , 2009, , 131-144.   |     | 0         |
| 5169 | HIF-1 Regulation of Chemokine Receptor Expression. , 2009, , 47-61.   |     | 0         |
| 5170 | Tumor Microvasculature and Microenvironment: Therapeutic Targets for Inhibition of Tumor Angiogenesis and Metastasis. , 2009, , 1-47.   |     | 0         |
| 5171 | The Regulation of the IGF-1/mTOR Pathway by the p53 Tumor Suppressor Gene Functions. , 2009, , 37-48.   |     | 0         |
| 5172 | Chemokines and B cells in renal inflammation and allograft rejection. Frontiers in Bioscience - Elite, 2009, 1, 13.   | 1.8 | 17        |
| 5173 | The Matrix Reloaded: New Insights from Type IV Collagen Derived Endogenous Angiogenesis Inhibitors and their Mechanism of Action. Journal of Bioequivalence & Bioavailability, 2009, 01, .        | 0.1 | 5         |
| 5174 | Modulation of Protein Stability: Targeting the VHL Pathway. , 2009, , 45-63.  |     | 0         |
| 5175 | Medical Applications of Biointerface. Hyomen Kagaku, 2009, 30, 236-247.   | 0.0 | 0         |
| 5176 | Therapeutic Targeting of MYC and HIF Networks in Cancer. Journal of Medical Sciences, 2009, 2, 46-51.   | 0.2 | 0         |
| 5177 | RAS Oncogenes and Tumor-Vascular Interface. , 2010, , 133-165.  |     | 2         |
| 5178 | von Hippel-Lindau Tumor Suppressor, Hypoxia-Inducible Factor-1, and Tumor Vascularization. , 2010, , 119-132.   |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5179 | Anti-Vascular Endothelial Growth Factor Monoclonal Antibodies. , 2010, , 465-491.   |     | 0         |
| 5180 | Expression of Notch 1,HIF-1 $\pm$ in human renal carcinoma and its relation with clinical tumor staging. Academic Journal of Second Military Medical University, 2009, 29, 970-971.   | 0.0 | 0         |
| 5181 | Establishment of a Stable Cell Line Expressing Green Fluorescence Protein-fused Hypoxia Inducible Factor-1 $\pm$ for Assessment of Carcinogenicity of Chemical Toxicants. Toxicological Research, 2009, 25, 189-193.                              | 2.1 | 0         |
| 5182 | Role of Inducible Nitric Oxide Synthase (iNOS) in Regulation of Nitric Oxide (NO) Production and Stabilization of HIF-1 $\pm$ : Potential Role of Se-Methylselenocysteine (MSC), an Antioxidant Multi-targeted Small Molecule. , 2010, , 479-488. |     | 0         |
| 5183 | Role of Nitric Oxide for Modulation of Cancer Therapy Resistance. , 2010, , 265-282.  |     | 0         |
| 5184 | Angiogenesis and Lymphangiogenesis in Colon Cancer Metastasis. Cancer Metastasis - Biology and Treatment, 2010, , 243-287.  | 0.1 | 1         |
| 5185 | Radiotherapy and Chemotherapy. , 2010, , 82-94.   |     | 0         |
| 5186 | Prognostic Significance of iNOS in Human Melanoma. , 2010, , 293-307.   |     | 0         |
| 5187 | The Role of Hypoxia-Induced Factors. , 2010, , 107-123.   |     | 1         |
| 5188 | Prognostic Significance of iNOS in Hepatocellular Carcinoma. , 2010, , 309-328.   |     | 2         |
| 5192 | The novel sumoylation enhancer RSUME is implicated in pituitary tumour pathogenesis. Experimental and Clinical Endocrinology and Diabetes, 2010, 118, .   | 1.2 | 0         |
| 5193 | Head and Neck Cancer and the PI3K/Akt/mTOR Signaling Network: Novel Molecular Targeted Therapies. , 2011, , 407-429.  |     | 1         |
| 5194 | Regulation of Oxygen Homeostasis by Prolyl Hydroxylase Domains. , 2011, , 419-436.  |     | 0         |
| 5195 | Novel Therapeutic Approaches Against Oxidative Stress and Hypoxia, Targeting Intracellular Sensor Molecules for Oxygen and Oxidative Stress. , 2011, , 633-656.   |     | 0         |
| 5196 | Oxygen-Sensitive Transcription Factors and Hypoxia-Mediated Pulmonary Hypertension. , 2011, , 713-723.  |     | 0         |
| 5197 | Influence of the Embryonic Microenvironment on Tumor Progression. , 2011, , 223-242.  |     | 0         |
| 5198 | Principes de la chimioradioth rapie concomitante. , 2011, , 17-22.  |     | 0         |
| 5199 | Hypoxia in Head and Neck Cancers: Clinical Relevance and Treatment. , 2011, , 169-178.  |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5200 | Impact of Tumor Hypoxia, Src, and Met Signaling in the Dissemination of Tumor Cells. , 2011, , 171-194.   |     | 0         |
| 5201 | Patients with Recurrent High-Grade Glioma: Therapy with Combination of Bevacizumab and Irinotecan. , 2011, , 289-299.   |     | 0         |
| 5204 | Hypoxia-Inducible Factor 1. , 2011, , 1796-1797.  |     | 0         |
| 5205 | Chronic Hypoxia Emerging as One of the Driving Forces behind Gene Expression and Prognosis of Hepatocellular Carcinoma. ISRN Pathology, 2011, 2011, 1-10.       | 0.4 | 0         |
| 5206 | IGF-1 Cellular Action and its Relationship to Cancer: Evidence from in Vitro and in Vivo Studies. , 2012, , 105-146.  |     | 1         |
| 5207 | Transcriptional Stress by Camptothecin: Mechanisms and Implications for the Drug Antitumor Activity. Cancer Drug Discovery and Development, 2012, , 309-324.    | 0.4 | 0         |
| 5208 | Natural Products as Inhibitors of Hypoxia-Inducible Factor-1. , 2011, , 187-264.  |     | 0         |
| 5209 | Hypoxia Inhibits DNA Repair to Promote Malignant Progression. , 0, , .  |     | 0         |
| 5210 | Neuroblastoma: Role of Hypoxia and Hypoxia Inducible Factors in Tumor Progression. Pediatric Cancer, 2012, , 137-149.   | 0.0 | 0         |
| 5211 | Myeloid-Derived Suppressor Cells in Cancer: Mechanisms and Therapeutic Perspectives. , 2012, , 319-334.   |     | 0         |
| 5212 | STAT3 and Src Signaling in Melanoma. , 2012, , 89-105.  |     | 0         |
| 5213 | Antisense Oligonucleotides in the Treatment of Malignant Gliomas. , 2012, , 215-246.  |     | 1         |
| 5214 | Vitamin D and Cancer. , 0, , .  |     | 2         |
| 5215 | Gene Expression Profile, Androgen Independence and Prostate Cancer. Journal of Cancer Therapy, 2012, 03, 637-644.   | 0.4 | 3         |
| 5216 | Hypoxia Imaging of Tumor and Spatiotemporal Analysis during Oxygen Inhalation. IEEJ Transactions on Electronics, Information and Systems, 2012, 132, 1602-1607. | 0.2 | 0         |
| 5217 | Stereotactic radiosurgery: radiobiology and physics aspects of treatment. , 2012, , 253-267.  |     | 0         |
| 5218 | Anticancer Effects of Intermittent Hypoxia in Acute Myeloid Leukemia. , 2012, , 229-238.  |     | 0         |
| 5219 | Biological Aspects in Renal Cell Carcinoma. , 0, , .  |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5220 | Distinct Role for ARNT/HIF-1 $\beta$ in Pancreatic Beta-Cell Function, Insulin Secretion and Type 2 Diabetes. , 0, , .  |     | 0         |
| 5221 | The Role of Hypoxia in Re-educating Macrophages in the Tumour Environment. , 0, , .   |     | 0         |
| 5222 | Angiogenesis in Breast Cancer: Molecular Markers, Therapeutic Targets, Antiangiogenic Therapy & Inhibitors. , 2012, , 68-89.  |     | 0         |
| 5224 | Development of hepatic metastases in colorectal cancer â€“ new insights. The Sri Lanka Journal of Surgery, 2012, 30, 13.  | 0.0 | 0         |
| 5225 | Tocotrienols, Inflammation, and Cancer. , 2012, , 209-224.  |     | 0         |
| 5226 | Antiangiogenic Effects of Tocotrienol. , 2012, , 79-88.   |     | 0         |
| 5227 | Myeloid-Derived Suppressor Cells in Cancer: Mechanisms and Therapeutic Perspectives. , 2013, , 315-333.   |     | 1         |
| 5228 | DNA-PK, a Pharmacological Target in Cancer Chemotherapy and Radiotherapy?. , 2013, , 25-44.   |     | 1         |
| 5229 | Die Rolle der Hypoxie und Hyperthermie in der Chemotherapie. , 2013, , 55-64.   |     | 0         |
| 5230 | Targeting HIF-1 $\beta$ and HIF-2 $\beta$ to Overcome Treatment Resistance Mediated by Oncogenic KRAS in Colorectal Cancer. Journal of Cancer Therapy, 2013, 04, 1132-1139. | 0.4 | 0         |
| 5231 | Targeting the Stem Cell Plasticity of Tumor Cells. , 2013, , 441-448.   |     | 0         |
| 5232 | Targeting Tumor Angiogenesis. , 2013, , 221-231.  |     | 0         |
| 5233 | Counteracting Hypoxia in Radio-Resistant Metastatic Lesions. , 2013, , 255-269.   |     | 0         |
| 5235 | Oxidative Stress and Angiogenesis in Tumor Progression. , 2013, , 394-425.  |     | 0         |
| 5236 | Tumor Angiogenesis Regulators in Breast Cancer. , 2013, , 387-410.  |     | 0         |
| 5237 | Molecular Imaging of Inflammation and Intraplaque Vasa Vasorum. , 2014, , 299-316.  |     | 0         |
| 5239 | Effects of obesity on vascular endothelial growth factor and erythropoietin in patients with arterial hypertension. Biological Markers and Guided Therapy, 0, 1, 95-108.    | 0.1 | 0         |
| 5240 | Essentials of Angiogenesis. , 2014, , 1-34.   |     | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5241 | Reciprocal Crosstalk Between Angiogenesis and Metabolism. , 2014, , 219-233.   |     | 0         |
| 5242 | Pathophysiology of HCC. , 2014, , 15-32.   |     | 0         |
| 5243 | Can aging be reversed?. Postdoc Journal, 2014, 2, .  | 0.4 | 0         |
| 5244 | EPAS1 (Endothelial PAS Domain Protein 1). Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2014, , .  | 0.1 | 0         |
| 5245 | Module 4: Sensors and Effectors. Cell Signalling Biology, 2014, 6, csb0001004.   | 1.0 | 2         |
| 5246 | Development of Combination Therapy with Targeted Agents. , 2015, , 349-375.  |     | 0         |
| 5248 | Expression Profiling as Biomarkers in Colorectal Serrated Carcinoma. Biomarkers in Disease, 2015, , 631-657.   | 0.1 | 0         |
| 5249 | Biomarkers for Renal Cell Carcinoma. , 2015, , 59-82.  |     | 0         |
| 5250 | Targeting Cancer Stem Cells and the Tumor Microenvironment. , 2015, , 445-476.   |     | 0         |
| 5252 | Obesity-Related Genes and Oral Cancer: A Bioinformatics Approach and Systematic Review. Journal of Applied Bioinformatics & Computational Biology, 2016, 05, .       | 0.2 | 0         |
| 5254 | Therapeutic Strategies, the Concept of "Normalization" and the Role of VEGF Inhibition. , 2016, , 51-60.   |     | 0         |
| 5255 | Mechanisms of Tumor Angiogenesis. , 2016, , 1-29.  |     | 0         |
| 5256 | Epigenetic Tumor Response to Hypoxia: An Epimutation Pattern and a Method of Multi Targeted Epigenetic Therapy (MTET). Journal of Cancer Therapy, 2016, 07, 254-269. | 0.4 | 2         |
| 5257 | mTOR Pathway in Renal Cell Carcinoma. , 2016, , 417-428.   |     | 0         |
| 5258 | The Role of Hypoxia and Hyperthermia in Chemotherapy. , 2016, , 61-71.   |     | 0         |
| 5259 | Angiogenesis: Basics of Vascular Biology. , 2016, , 1-29.  |     | 1         |
| 5260 | Hypoxia in Head and Neck Cancers: Clinical Relevance and Treatment. , 2016, , 229-242.   |     | 0         |
| 5261 | Application of HaloTag® Technology to <i>in Vivo</i> Molecular Imaging Using Protein Probes Labeled by Metallic Radionuclides. Radioisotopes, 2016, 65, 247-255.     | 0.2 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5262 | Disturbances of Lipid Metabolism in a Cancer Cell and How This Knowledge Increases Its Role in Clinical Oncology. , 2016, , 761-789.  |     | 0         |
| 5264 | Zoledronic Acid Inhibits Angiogenesis Through Promoting HIF-1<math>\alpha</math> Protein Degradation in Human Umbilical Vein Endothelial Cells. Journal of Biomaterials and Tissue Engineering, 2016, 6, 745-753. | 0.1 | 1         |
| 5265 | Glycemic Index and Eye Health. , 2016, , 219-271.   |     | 0         |
| 5266 | Role of STAT3 in Colorectal Cancer Development. , 2017, , 269-298.  |     | 4         |
| 5268 | Domiciliary Oxygen: Facts and fallacies. Clinical Research and Trials, 2017, 3, .   | 0.1 | 0         |
| 5269 | Hypoxia-Inducible Factor (HIF)-1<math>\alpha</math> and Its Regulation in Pancreatic Cancer. , 2017, , 371-378.   |     | 1         |
| 5270 | Overview of Transcription Factors in Esophagus Cancer. , 2017, , 33-44.   |     | 0         |
| 5272 | Locally Advanced Non-small Cell Lung Cancer and Targeted Therapy. , 2017, , 155-165.  |     | 0         |
| 5274 | Hypoxia-Inducible Factor-1. , 2017, , 2190-2192.  |     | 0         |
| 5275 | The Tumor Microenvironment in Cutaneous Melanoma: Friend or Foe. , 2017, , 481-506.   |     | 0         |
| 5276 | Role of STAT3 in Liver Cancer. , 2017, , 479-493.   |     | 0         |
| 5279 | Topotecan Decreases the Expression of Programmed Death-Ligand 1 in Glioblastoma Cell Lines; Implications for Immunotherapy. Matters, 0, , .   | 1.0 | 3         |
| 5280 | Meme Kanseri H&Acr勒lerinde Zamana Ba&Auml;ll&Auml; HIF-2&Auml; &Auml;fadesi De&Auml;Yi&Auml;Yiminin Analizi. Mehmet Akif Ersoy &Auml;niversitesi Fen Bilimleri Enstit&Auml;4s&Auml;4 Dergisi, 0, , .              | 0.3 | 1         |
| 5281 | The Clinical Impact of Hypoxia in Head and Neck Squamous Cell Carcinoma. Current Cancer Research, 2018, , 397-438.  | 0.2 | 0         |
| 5282 | VEGF in Renal Cell Carcinoma &Auml;“ A Mini Review. International Journal of Current Research and Review (discontinued), 2018, 10, 01-05.   | 0.1 | 0         |
| 5283 | Multi-target analysis of neoplasms for the evaluation of tumor progression: stochastic approach of biologic processes. AIMS Molecular Science, 2018, 5, 14-62.  | 0.5 | 0         |
| 5284 | Hypoxia-Inducible Factor-1. , 2018, , 2489-2498.  |     | 0         |
| 5285 | Using Concurrent or Sequential Chemotherapy and Biomolecules. , 2018, , 265-290.  |     | 0         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5286 | Pre/post-surgical investigation of some angiogenic factors due to cancer and obesity. Medical Science and Discovery, 0, , 97-102.   | 0.1  | 0         |
| 5287 | A Cardioprotective Role of Nerium oleander with the Expression of Hypoxia Inducible Factor 2A mRNA by Increasing Antioxidant Enzymes in Rat Heart Tissue. Acta Scientiae Veterinariae, 2018, 46, 8.   | 0.2  | 3         |
| 5291 | Molecular Docking and Drug-Likeness for the Identification of Inhibitory Action of Acetogenins from Annona muricata as Potential Anticancer against Hypoxia Inducible Factor 1 Alpha. Biomedical and Pharmacology Journal, 2018, 11, 1301-1307. | 0.5  | 0         |
| 5293 | Blockade of Hypoxia: The Impact on Tumor Growth in an Experimental Tumor Model. Immunoregulation, 0, , 153-158.   | 0.2  | 0         |
| 5294 | Lactate dehydrogenase and maternal and perinatal outcome in preeclamptic women. Archives of Medicine and Health Sciences, 2019, 7, 163.   | 0.1  | 0         |
| 5295 | Metabolic Adaptations in Diabetes Mellitus and Cancer. , 2019, , 53-69.   |      | 0         |
| 5297 | Anti-angiogenics and Radiation Therapy. , 2019, , 349-358.  |      | 0         |
| 5299 | The role of tumor-derived exosomes in tumor angiogenesis and tumor progression. Current Issues in Pharmacy and Medical Sciences, 2019, 32, 193-202.   | 0.4  | 12        |
| 5302 | Diet-induced obesity, inflammation, and cancer. Journal of Food and Drug Analysis, 2012, 20, .  | 1.9  | 0         |
| 5304 | Conditional Antisense Oligonucleotides Triggered by miRNA. ACS Chemical Biology, 2021, 16, 2255-2267.   | 3.4  | 8         |
| 5305 | Vascular endothelial growth factor (VEGF) and hypoxia inducible factor-1 alpha (HIF-1 $\alpha$ ) in lacrimal gland Adenoid cystic carcinoma: Correlation with clinical outcome. Annals of Diagnostic Pathology, 2021, 56, 151846.               | 1.3  | 2         |
| 5306 | Chemoprotective and chemosensitizing effects of apigenin on cancer therapy. Cancer Cell International, 2021, 21, 574.   | 4.1  | 28        |
| 5307 | Modulating hypoxia inducible factor by nanomaterials for effective cancer therapy. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2022, 14, e1766.  | 6.1  | 9         |
| 5308 | Targeting Hypoxia: Revival of Old Remedies. Biomolecules, 2021, 11, 1604.   | 4.0  | 8         |
| 5309 | Current understandings and clinical translation of nanomedicines for breast cancer therapy. Advanced Drug Delivery Reviews, 2022, 180, 114034.  | 13.7 | 32        |
| 5310 | Effects of an Environmentally Relevant Mixture of Organophosphate Esters Derived From House Dust on Endochondral Ossification in Murine Limb Bud Cultures. Toxicological Sciences, 2021, 180, 62-75.  | 3.1  | 7         |
| 5311 | Gene Expression Signatures of a Preclinical Mouse Model during Colorectal Cancer Progression under Low-Dose Metronomic Chemotherapy. Cancers, 2021, 13, 49.   | 3.7  | 7         |
| 5312 | HIF-1 $\alpha$ as a Potential Therapeutic Target for Tuberculosis Treatment. , 2021, , 41-59.   |      | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5313 | Digitoxin promotes apoptosis and inhibits proliferation and migration by reducing HIF-1 $\alpha$ and STAT3 in KRAS mutant human colon cancer cells. <i>Chemico-Biological Interactions</i> , 2022, 351, 109729.                        | 4.0  | 8         |
| 5314 | Effects of Hypoxic and Normoxic Training in Altitude on HIF-1 $\alpha$ and PGC-1 $\alpha$ Levels in Elite Endurance Runners. <i>Journal of Exercise Science and Medicine</i> , 2020, 11, 61-70.  | 0.0  | 1         |
| 5315 | Angiogenesis: A Therapeutic Target for Cancer. , 2020, , 165-183.  |      | 2         |
| 5316 | Signaling Pathways Involved in Kidney and Urinary Tract Physiology and Pathology. , 2020, , 163-193.   |      | 0         |
| 5317 | Reprogramming of Cancer Cell Metabolism: Warburg and Reverse Warburg Hypothesis. , 2020, , 15-26.  |      | 0         |
| 5318 | The Influence of Bcl-3 Expression on Cell Migration and Chemosensitivity of Gastric Cancer Cells via Regulating Hypoxia-Induced Protective Autophagy. <i>Journal of Gastric Cancer</i> , 2020, 20, 95.                                 | 2.5  | 6         |
| 5319 | Role of Selected Transcription Factors in Pancreatic and Colorectal Cancer Growth and Metastasis. <i>Diagnostics and Therapeutic Advances in GI Malignancies</i> , 2020, , 193-207.  | 0.2  | 0         |
| 5320 | HIF and COX-2 expression in triple negative breast cancer cells with hypoxia and 5-fluorouracil. <i>Current Cancer Reports</i> , 2020, 2, 54-63.   | 1.2  | 2         |
| 5321 | Generation and characterization of human embryonic stem cells with increased expression of HIF-2 $\alpha$ . <i>Genes and Cells</i> , 2020, 15, 29-36.  | 0.2  | 0         |
| 5322 | Clinical and prognostic association of oncogene cadherin 11 in gastric cancer. <i>Oncology Letters</i> , 2020, 19, 4011-4023.  | 1.8  | 4         |
| 5323 | Hypoxia-inducible factor-1 $\alpha$ regulates Lipin1 differently in preadipocytes and mature adipocytes. <i>Molecular Medicine Reports</i> , 2020, 22, 559-565.  | 2.4  | 1         |
| 5324 | In Vitro Investigation Demonstrates IGFR/VEGFR Receptor Cross Talk and Potential of Combined Inhibition in Pediatric Central Nervous System Atypical Teratoid Rhabdoid Tumors. <i>Current Cancer Drug Targets</i> , 2020, 20, 295-305. | 1.6  | 1         |
| 5325 | Self-Remedied Nanomedicine for Surmounting the Achilles' Heel of Photodynamic Tumor Therapy. <i>ACS Applied Bio Materials</i> , 2021, 4, 8023-8032.  | 4.6  | 7         |
| 5326 | PDGFR $\beta$ modulates aerobic glycolysis in osteosarcoma HOS cells via the PI3K/AKT/mTOR/c-Myc pathway. <i>Biochemistry and Cell Biology</i> , 2022, 100, 75-84.   | 2.0  | 9         |
| 5327 | Target-Based Radiosensitization Strategies: Concepts and Companion Animal Model Outlook. <i>Frontiers in Oncology</i> , 2021, 11, 768692.  | 2.8  | 5         |
| 5328 | Preconditioning of Hypoxic Culture Increases The Therapeutic Potential of Adipose Derived Mesenchymal Stem Cells. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2021, 9, 505-515.  | 0.2  | 1         |
| 5329 | Molecular insights of metastasis and cancer progression derived using 3D cancer spheroid co-culture in vitro platform. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 168, 103511.   | 4.4  | 10        |
| 5330 | Dynamic nano-assemblies based on two-dimensional inorganic nanoparticles: Construction and preclinical demonstration. <i>Advanced Drug Delivery Reviews</i> , 2022, 180, 114031.   | 13.7 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5331 | HIF1 and ID1 Interplay Confers Adaptive Survival to HIF1±-Inhibition. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 724059.   | 3.7 | 0         |
| 5332 | Matrix metalloproteinase±1 expression is regulated by HIF±1±dependent and epigenetic mechanisms and serves a tumor±suppressive role in gastric cancer progression. <i>International Journal of Oncology</i> , 2021, 59, . | 3.3 | 9         |
| 5333 | Tumor-intrinsic FABP5 is a novel driver for colon cancer cell growth via the HIF-1 signaling pathway. <i>Cancer Genetics</i> , 2021, 258-259, 151-156.  | 0.4 | 10        |
| 5334 | The Key Role of the WNT/±2-Catenin Pathway in Metabolic Reprogramming in Cancers under Normoxic Conditions. <i>Cancers</i> , 2021, 13, 5557.  | 3.7 | 36        |
| 5336 | Signalling Pathways Leading to Furin Expression in Cancer. , 2006, , 27-45.   |     | 1         |
| 5337 | The Maturation of Vessels ±A Limitation to Forced Neovascularization?. , 2007, , 139-158.   |     | 0         |
| 5339 | Regulation of Erythropoietin Expression in the Nervous System: The Hypoxia Inducible Factor. , 2006, , 49-67.   |     | 0         |
| 5340 | Modeling Cancer as A Complex Adaptive System: Genetic Instability and Evolution. , 2006, , 537-556.   |     | 0         |
| 5341 | Role of Genetic Susceptibility in Environmental Exposure Induced Diseases. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2007, , 103-123.   | 0.2 | 0         |
| 5342 | Novel Therapeutic Strategies For Posterior Segment Neovascularization. , 2008, , 445-526.   |     | 0         |
| 5345 | Gastric Cancer: Overexpression of Hypoxia-Inducible Factor 1 as a Prognostic Factor. , 2008, , 171-180.   |     | 0         |
| 5346 | The Role of Tumor Hypoxia in Head and Neck Cancer Radiotherapy. , 2005, , 145-163.  |     | 1         |
| 5347 | Targeted Therapies in Head and Neck Cancer. , 2005, , 239-261.  |     | 0         |
| 5348 | The Cycle Between Angiogenesis, Perfusion, and Hypoxia in Tumors. , 2006, , 3-19.   |     | 1         |
| 5349 | Tumor Oxygenation and Treatment Response. , 2006, , 43-66.  |     | 0         |
| 5351 | Angiogenesis Inhibitors for the Treatment of Lung Cancer. , 2008, , 409-426.  |     | 2         |
| 5352 | Hypoxia-Inducible Factor 1 in the Angiogenesis of Prostate Cancer. , 2008, , 209-221.   |     | 0         |
| 5353 | Antiangiogenic Therapies in Renal Cell Carcinoma. , 2008, , 449-456.  |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5354 | Biological Therapies for Metastatic Breast Cancer: Antiangiogenesis. , 2006, , 671-704.   |     | 0         |
| 5356 | A Glucose-Triptolide Conjugate Selectively Targets Cancer Cells under Hypoxia. IScience, 2020, 23, 101536.  | 4.1 | 16        |
| 5357 | Tumor-Induced Metabolism and T Cells Located in Tumor Environment. Current Cancer Drug Targets, 2020, 20, 741-756.  | 1.6 | 1         |
| 5358 | Microvascular adaptive changes in experimental endogenous brain gliomas. Histology and Histopathology, 2009, 24, 693-706.   | 0.7 | 24        |
| 5360 | The role of glucose metabolism and glucose-associated signalling in cancer. Perspectives in Medicinal Chemistry, 2008, 1, 64-82.  | 4.6 | 32        |
| 5369 | Targeted genes and interacting proteins of hypoxia inducible factor-1. International Journal of Biochemistry and Molecular Biology, 2012, 3, 165-78.  | 0.1 | 138       |
| 5370 | Regulation of Aerobic Glycolysis by microRNAs in Cancer. Molecular and Cellular Pharmacology, 2011, 3, 125-134.   | 1.7 | 52        |
| 5371 | The diverse and complex roles of radiation on cancer treatment: therapeutic target and genome maintenance. American Journal of Cancer Research, 2012, 2, 372-82.  | 1.4 | 6         |
| 5374 | Age-related macular degeneration: beyond anti-angiogenesis. Molecular Vision, 2014, 20, 46-55.  | 1.1 | 26        |
| 5375 | Hypoxia promotes the proliferation of cervical carcinoma cells through stimulating the secretion of IL-8. International Journal of Clinical and Experimental Pathology, 2014, 7, 575-83.  | 0.5 | 16        |
| 5378 | Molecular imaging of hypoxia-inducible factor 1 alpha and von Hippel-Lindau interaction in mice. Molecular Imaging, 2008, 7, 139-46.  | 1.4 | 4         |
| 5379 | Immunohistochemical expression of CD117 and vascular endothelial growth factor in retinoblastoma: possible targets of new therapies. International Journal of Clinical and Experimental Pathology, 2014, 7, 5725-37.                              | 0.5 | 13        |
| 5380 | Genetic association between the HIF-1 $\alpha$ P582S polymorphism and cervical cancer risk: a meta analysis. International Journal of Clinical and Experimental Pathology, 2014, 7, 6085-90.  | 0.5 | 3         |
| 5381 | Down-regulation of hypoxia-inducible factor-1 suppresses malignant biological behavior of triple-negative breast cancer cells. International Journal of Clinical and Experimental Medicine, 2014, 7, 3933-40.                                     | 1.3 | 7         |
| 5382 | Melatonin combined with exercise cannot alleviate cerebral injury in a rat model of focal cerebral ischemia/reperfusion injury. Neural Regeneration Research, 2012, 7, 993-9.   | 3.0 | 4         |
| 5383 | Minocycline attenuates hypoxia-inducible factor-1 $\alpha$ expression correlated with modulation of p53 and AKT/mTOR/p70S6K/4E-BP1 pathway in ovarian cancer: in vitro and in vivo studies. American Journal of Cancer Research, 2015, 5, 575-88. | 1.4 | 18        |
| 5384 | The association between the rs11549465 polymorphism in the hif-1 $\alpha$ gene and cancer risk: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 1561-74.   | 1.3 | 10        |
| 5385 | Effect of simvastatin on mitochondrial enzyme activities, ghrelin, hypoxia-inducible factor 1 $\alpha$ in hepatic tissue during early phase of sepsis. International Journal of Clinical and Experimental Medicine, 2015, 8, 3640-50.             | 1.3 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5386 | Hispidulin prevents hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells. American Journal of Cancer Research, 2015, 5, 1047-61.  | 1.4 | 16        |
| 5387 | Preventing effects of joint contracture by high molecular weight hyaluronan injections in a rat immobilized knee model. International Journal of Clinical and Experimental Pathology, 2015, 8, 3426-40.             | 0.5 | 8         |
| 5388 | T-cell lymphoma with von Hippel-Lindau disease: a rare case report and review of literature. International Journal of Clinical and Experimental Pathology, 2015, 8, 5837-43.  | 0.5 | 0         |
| 5389 | Distribution and inhibition effect of Seleno-L-Methionine on 4T1 mouse mammary carcinoma. International Journal of Physiology, Pathophysiology and Pharmacology, 2015, 7, 76-86.                                    | 0.8 | 4         |
| 5390 | A preclinical study on the combination therapy of everolimus and transarterial chemoembolization in hepatocellular carcinoma. American Journal of Cancer Research, 2015, 5, 2376-86.                                | 1.4 | 4         |
| 5391 | Bortezomib enhances the radiosensitivity of hypoxic cervical cancer cells by inhibiting HIF-1 $\alpha$ expression. International Journal of Clinical and Experimental Pathology, 2015, 8, 9032-41.                  | 0.5 | 13        |
| 5392 | The In Vitro and In Vivo Activity of the Microtubule Disruptor STX140 Is Mediated by Hif-1 Alpha and CAIX Expression. Anticancer Research, 2015, 35, 5249-61.   | 1.1 | 8         |
| 5393 | Chemokine CCL17 induced by hypoxia promotes the proliferation of cervical cancer cell. American Journal of Cancer Research, 2015, 5, 3072-84.   | 1.4 | 12        |
| 5395 | HIF-1 $\alpha$ regulates Cx40-dependent vasodilatation following hemorrhagic shock in rats. American Journal of Translational Research (discontinued), 2017, 9, 1277-1286.  | 0.0 | 4         |
| 5396 | GC7 blocks epithelial-mesenchymal transition and reverses hypoxia-induced chemotherapy resistance in hepatocellular carcinoma cells. American Journal of Translational Research (discontinued), 2017, 9, 2608-2617. | 0.0 | 11        |
| 5397 | Design, Synthesis and Biological Evaluation of Novel HIF1 $\alpha$ Inhibitors. Anticancer Research, 2015, 35, 3849-59.  | 1.1 | 17        |
| 5399 | The molecular mechanism and clinical significance of LDHA in HER2-mediated progression of gastric cancer. American Journal of Translational Research (discontinued), 2018, 10, 2055-2067.                           | 0.0 | 15        |
| 5400 | Examining correlations of oxygen sensitive MRI (BOLD/TOLD) with [F]FMISO PET in rat prostate tumors. American Journal of Nuclear Medicine and Molecular Imaging, 2019, 9, 156-167.                                  | 1.0 | 7         |
| 5401 | eIF3a mediates HIF1 $\alpha$ -dependent glycolytic metabolism in hepatocellular carcinoma cells through translational regulation. American Journal of Cancer Research, 2019, 9, 1079-1090.                          | 1.4 | 7         |
| 5402 | PGK1-mediated cancer progression and drug resistance. American Journal of Cancer Research, 2019, 9, 2280-2302.  | 1.4 | 34        |
| 5403 | Co-expression of HIF-1 and TLR3 is associated with poor prognosis in oral squamous cell carcinoma. International Journal of Clinical and Experimental Pathology, 2020, 13, 65-72.                                   | 0.5 | 3         |
| 5404 | Current statuses of molecular targeted and immune checkpoint therapies in hepatocellular carcinoma. American Journal of Cancer Research, 2020, 10, 1522-1533.   | 1.4 | 4         |
| 5406 | Epithelial-mesenchymal transition and metastatic ability of CD133 colorectal cancer stem-like cells under hypoxia. Oncology Letters, 2021, 21, 19.  | 1.8 | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5407 | Non-coding RNAs: emerging regulators of glucose metabolism in hepatocellular carcinoma. American Journal of Cancer Research, 2020, 10, 4066-4084.   | 1.4  | 2         |
| 5408 | Potential Role of Glucose Transporter-1 Expression in Gastric Cancer: A Meta-Analysis and Systematic Review. Iranian Journal of Public Health, 2020, 49, 2044-2053.                                       | 0.5  | 0         |
| 5409 | BMP4 augments the survival of hepatocellular carcinoma (HCC) cells under hypoxia and hypoglycemia conditions by promoting the glycolysis pathway. American Journal of Cancer Research, 2021, 11, 793-811. | 1.4  | 5         |
| 5410 | Conditioned CAR-T cells by hypoxia-inducible transcription amplification (HiTA) system significantly enhances systemic safety and retains antitumor efficacy. , 2021, 9, .                                |      | 2         |
| 5411 | A reciprocal feedback loop between HIF-1 $\alpha$ and HPIP controls phenotypic plasticity in breast cancer cells. Cancer Letters, 2022, 526, 12-28.   | 7.2  | 10        |
| 5412 | Microtubule Targeting Agents in Disease: Classic Drugs, Novel Roles. Cancers, 2021, 13, 5650.   | 3.7  | 54        |
| 5413 | Antiangiogenic Therapy in Clear Cell Renal Carcinoma (CCRC): Pharmacological Basis and Clinical Results. Cancers, 2021, 13, 5896.   | 3.7  | 15        |
| 5414 | SLC7A5 is linked to increased expression of genes related to proliferation and hypoxia in estrogenâ€receptorâ€positive breast cancer. Oncology Reports, 2021, 47, .                                       | 2.6  | 5         |
| 5415 | Intraoperative Fractions of Inspiratory Oxygen Are Associated With Recurrence-Free Survival After Elective Cancer Surgery. Frontiers in Medicine, 2021, 8, 761786.  | 2.6  | 0         |
| 5416 | A paradoxical role for sestrin 2 protein in tumor suppression and tumorigenesis. Cancer Cell International, 2021, 21, 606.  | 4.1  | 11        |
| 5417 | How cancer cells remodel lipid metabolism: strategies targeting transcription factors. Lipids in Health and Disease, 2021, 20, 163.   | 3.0  | 21        |
| 5419 | A Role for Fructose Metabolism in Development of Sheep and Pig Conceptuses. Advances in Experimental Medicine and Biology, 2022, 1354, 49-62.   | 1.6  | 4         |
| 5420 | Targeting the Tumor Microenvironment: A Literature Review of the Novel Anti-Tumor Mechanism of Statins. Frontiers in Oncology, 2021, 11, 761107.  | 2.8  | 20        |
| 5421 | The role of immune cells in pulmonary hypertension: Focusing on macrophages. Human Immunology, 2022, 83, 153-163.   | 2.4  | 7         |
| 5422 | Hypoxia and Its Influence on Radiotherapy Response of HPV-Positive and HPV-Negative Head and Neck Cancer. Cancers, 2021, 13, 5959.  | 3.7  | 13        |
| 5423 | Aqueous angiopoietin-like levels correlate with optical coherence tomography angiography metrics in diabetic macular edema. International Journal of Ophthalmology, 2021, 14, 1888-1894.                  | 1.1  | 2         |
| 5424 | Fumarate is a terminal electron acceptor in the mammalian electron transport chain. Science, 2021, 374, 1227-1237.  | 12.6 | 96        |
| 5425 | Prognostic Stratification Based on HIF-1 Signaling for Evaluating Hypoxic Status and Immune Infiltration in Pancreatic Ductal Adenocarcinomas. Frontiers in Immunology, 2021, 12, 790661.                 | 4.8  | 11        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5427 | Vitexin Inhibits Gastric Cancer Growth and Metastasis through HMGB1-mediated Inactivation of the PI3K/AKT/mTOR/HIF-1 $\alpha$ Signaling Pathway. <i>Journal of Gastric Cancer</i> , 2021, 21, 439.   | 2.5  | 20        |
| 5428 | Downregulation of the Long Non-Coding RNA MALAT1 in Tenofovir-Treated Pregnant Women with Hepatitis B Virus Infection Promotes Immune Recovery of Natural Killer Cells Via the has-miR-155-5p/HIF-1 $\alpha$ Axis. <i>SSRN Electronic Journal</i> , 0, , . | 0.4  | 0         |
| 5429 | Hypoxia induction of SH2D3A triggers malignant progression of lung cancer. <i>Stem Cell Research</i> , 2022, 58, 102630.   | 0.7  | 0         |
| 5430 | Targeted Anti-Cancer Provascular Therapy Using Ultrasound, Microbubbles, and Nitrite to Increase Radiotherapy Efficacy. <i>Bioconjugate Chemistry</i> , 2022, 33, 1093-1105.   | 3.6  | 7         |
| 5431 | Context-dependent transcriptional regulations of YAP/TAZ in stem cell and differentiation. <i>Stem Cell Research and Therapy</i> , 2022, 13, 10.   | 5.5  | 25        |
| 5432 | Capsaicin inhibits HIF-1 $\alpha$ accumulation through suppression of mitochondrial respiration in lung cancer cells. <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112500.  | 5.6  | 13        |
| 5433 | Proteolysis of a histone acetyl reader, ATAD2, induces chemoresistance of cancer cells under severe hypoxia by inhibiting cell cycle progression in S phase. <i>Cancer Letters</i> , 2022, 528, 76-84.   | 7.2  | 5         |
| 5434 | Thioredoxin and aging: What have we learned from the survival studies?. <i>Aging Pathobiology and Therapeutics</i> , 2020, 2, 126-133.   | 0.5  | 4         |
| 5435 | Potential Role of Glucose Transporter-1 Expression in Gastric Cancer: A Meta-Analysis and Systematic Review. <i>Iranian Journal of Public Health</i> , 2020, 49, 2044-2053.  | 0.5  | 0         |
| 5436 | Epithelial $\rightarrow$ mesenchymal transition and metastatic ability of CD133+ colorectal cancer stem $\rightarrow$ like cells under hypoxia. <i>Oncology Letters</i> , 2020, 21, 1-1.   | 1.8  | 5         |
| 5437 | Monitoring and Modulating mtDNA G-Quadruplex Dynamics Reveal Its Close Relationship to Cell Glycolysis. <i>Journal of the American Chemical Society</i> , 2021, 143, 20779-20791.  | 13.7 | 45        |
| 5438 | Improving therapeutic resistance: beginning with targeting the tumor microenvironment. <i>Journal of Chemotherapy</i> , 2022, 34, 492-516.   | 1.5  | 2         |
| 5439 | Molecular Mechanisms of Glucose Uptake Regulation in Thyroid Cancer. , 0, , .  |      | 1         |
| 5440 | Kinetically Orthogonal Probe for Simultaneous Measurement of H <sub>2</sub> S and Nitroreductase: A Refined Method to Predict the Invasiveness of Tumor Cells. <i>Analytical Chemistry</i> , 2022, 94, 1769-1777.  | 6.5  | 4         |
| 5441 | DNA Origami $\rightarrow$ Anthraquinone Hybrid Nanostructures for In Vivo Quantitative Monitoring of the Progression of Tumor Hypoxia Affected by Chemotherapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 6387-6403.                       | 8.0  | 11        |
| 5442 | SIPA1 Enhances Aerobic Glycolysis Through HIF-2 $\alpha$ Pathway to Promote Breast Cancer Metastasis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 779169.  | 3.7  | 9         |
| 5443 | Atezolizumab and bevacizumab with transarterial chemoembolization in hepatocellular carcinoma: the DEMAND trial protocol. <i>Future Oncology</i> , 2022, 18, 1423-1435.  | 2.4  | 14        |
| 5444 | Hypoxia-Induced Stress Responses in Cancer and Cancer Stem Cells. , 2022, , 1829-1843.   |      | 0         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5445 | Interaction Among Noncoding RNAs, DNA Damage Reactions, and Genomic Instability in the Hypoxic Tumor: Is it Therapeutically Exploitable Practice?. <i>Current Molecular Medicine</i> , 2023, 23, 200-215.   | 1.3  | 2         |
| 5446 | Selected molecular mechanisms of metal toxicity and carcinogenicity. , 2022, , 253-278.   |      | 1         |
| 5447 | Hypoxia-inducible factor (HIF)-1 $\alpha$ -induced regulation of lung injury in pulmonary aspiration is mediated through NF- $\kappa$ B. <i>FASEB BioAdvances</i> , 2022, 4, 309-328.   | 2.4  | 4         |
| 5448 | ROS/PI3K/Akt and Wnt/ $\beta$ -catenin signalings activate HIF-1 $\alpha$ -induced metabolic reprogramming to impart 5-fluorouracil resistance in colorectal cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 15.                                      | 8.6  | 121       |
| 5449 | The functional role of Pescadillo ribosomal biogenesis factor 1 in cancer. <i>Journal of Cancer</i> , 2022, 13, 268-277.  | 2.5  | 7         |
| 5450 | Molecular Mechanism of HIF-1 $\alpha$ and CD31 Promoting Metastasis and Invasion of Advanced Hepatocellular Carcinoma. <i>Advances in Clinical Medicine</i> , 2022, 12, 236-245.  | 0.0  | 0         |
| 5451 | Tumor-Acidity and Bioorthogonal Chemistry-Mediated On-Site Size Transformation Clustered Nanosystem to Overcome Hypoxic Resistance and Enhance Chemoimmunotherapy. <i>ACS Nano</i> , 2022, 16, 721-735.   | 14.6 | 41        |
| 5453 | microRNA-671-5p reduces tumorigenicity of ovarian cancer via suppressing HDAC5 and HIF-1 $\alpha$ expression. <i>Chemico-Biological Interactions</i> , 2022, 355, 109780.   | 4.0  | 9         |
| 5454 | An ApoA-I Mimic Peptide of 4F Promotes SDF-1 $\alpha$ Expression in Endothelial Cells Through PI3K/Akt/ERK/HIF-1 $\alpha$ Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 760908.   | 3.5  | 3         |
| 5455 | Personalized Medicine for Prostate Cancer: Is Targeting Metabolism a Reality?. <i>Frontiers in Oncology</i> , 2021, 11, 778761.   | 2.8  | 8         |
| 5456 | Imaging the Rewired Metabolism in Lung Cancer in Relation to Immune Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 786089.   | 2.8  | 2         |
| 5457 | Quenching Epigenetic Drug Resistance Using Antihypoxic Microparticles in Glioblastoma Patient-Derived Chips. <i>Advanced Healthcare Materials</i> , 2021, , 2102226.  | 7.6  | 5         |
| 5458 | DNA demethylase ALKBH1 promotes adipogenic differentiation via regulation of HIF-1 signaling. <i>Journal of Biological Chemistry</i> , 2022, 298, 101499.   | 3.4  | 14        |
| 5459 | Kaempferol increases intracellular ATP content in C2C12 myotubes under hypoxic conditions by suppressing the HIF-1 $\alpha$ stabilization and/or by enhancing the mitochondrial complex IV activity. <i>Journal of Nutritional Biochemistry</i> , 2022, 103, 108949.                  | 4.2  | 12        |
| 5460 | Photomedicine based on heme-derived compounds. <i>Advanced Drug Delivery Reviews</i> , 2022, 182, 114134.   | 13.7 | 20        |
| 5461 | Hypoxia inducible factor 1 $\alpha$ inhibitor PX-478 reduces atherosclerosis in mice. <i>Atherosclerosis</i> , 2022, 344, 20-30.  | 0.8  | 16        |
| 5462 | A tiered approach to investigate the inhalation toxicity of cobalt substances. Tier 2a: Grouping cobalt compounds based on their capacity to stabilize HIF-1 $\alpha$ in human alveolar epithelial cells in vitro. <i>Regulatory Toxicology and Pharmacology</i> , 2022, 130, 105121. | 2.7  | 8         |
| 5463 | Zinc-enriched nanosystem for dual glycolysis regulation and photothermal therapy to synergistically inhibit primary melanoma and lung metastasis. <i>Chemical Engineering Journal</i> , 2022, 435, 134781.  | 12.7 | 15        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5464 | Shed syndecan-2 enhances colon cancer progression by increasing cooperative angiogenesis in the tumor microenvironment. <i>Matrix Biology</i> , 2022, 107, 40-58.   | 3.6  | 8         |
| 5465 | Osthole Exerts Inhibitory Effects on Hypoxic Colon Cancer Cells via EIF2 $\alpha$ Phosphorylation-mediated Apoptosis and Regulation of HIF-1 $\alpha$ . <i>The American Journal of Chinese Medicine</i> , 2022, , 1-17. | 3.8  | 7         |
| 5466 | Conditioned CAR-T cells by hypoxia-inducible transcription amplification (HiTA) system significantly enhances systemic safety and retains antitumor efficacy. , 2021, 9, e002755.                                       |      | 17        |
| 5467 | Interplay Among Metabolism, Epigenetic Modifications, and Gene Expression in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 793428.  | 3.7  | 30        |
| 5468 | Silencing of HOXB9 suppresses cellular proliferation, angiogenesis, migration and invasion of prostate cancer cells. <i>Journal of Biosciences</i> , 2020, 45, .  | 1.1  | 3         |
| 5469 | Sensitization of breast cancer to Herceptin by redox active nanoparticles. <i>American Journal of Cancer Research</i> , 2021, 11, 4884-4899.  | 1.4  | 0         |
| 5471 | Neuronal STAT3/HIF-1 $\alpha$ /PTRF axis-mediated bioenergetic disturbance exacerbates cerebral ischemia-reperfusion injury via PLA2G4A. <i>Theranostics</i> , 2022, 12, 3196-3216.                                     | 10.0 | 19        |
| 5472 | Targeting KCTD1 as a Potential Novel Therapy Ameliorates Hepatocellular Carcinoma Progression via the HIF-1 $\alpha$ /VEGF Pathway. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4  | 0         |
| 5473 | Three-Dimensional Growth of Prostate Cancer Cells Exposed to Simulated Microgravity. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 841017.   | 3.7  | 12        |
| 5474 | Ropivacaine Inhibits Lung Cancer Cell Malignancy Through Downregulation of Cellular Signaling Including HIF-1 $\alpha$ In Vitro. <i>Frontiers in Pharmacology</i> , 2021, 12, 806954.                                   | 3.5  | 5         |
| 5475 | Does Normobaric Hypoxic Resistance Training Confer Benefit over Normoxic Training in Athletes? A Narrative Review. <i>Journal of Science in Sport and Exercise</i> , 2022, 4, 306-314.                                  | 1.0  | 3         |
| 5476 | TAMpepK Suppresses Metastasis through the Elimination of M2-Like Tumor-Associated Macrophages in Triple-Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2157.                    | 4.1  | 5         |
| 5477 | Role of mitochondrial reactive oxygen species in homeostasis regulation. <i>Redox Report</i> , 2022, 27, 45-52.   | 4.5  | 102       |
| 5478 | Oxygen Self-Supply Engineering $\alpha$ -Ferritin for the Relief of Hypoxia in Tumors and the Enhancement of Photodynamic Therapy Efficacy. <i>Small</i> , 2022, 18, e2200116.  | 10.0 | 63        |
| 5479 | iASPP is essential for HIF-1 $\alpha$ stabilization to promote angiogenesis and glycolysis via attenuating VHL-mediated protein degradation. <i>Oncogene</i> , 2022, 41, 1944-1958.                                     | 5.9  | 4         |
| 5480 | Blockage of citrate export prevents TCA cycle fragmentation via Irg1 inactivation. <i>Cell Reports</i> , 2022, 38, 110391.  | 6.4  | 29        |
| 5481 | Tissue miRNA Combinations for the Differential Diagnosis of Adrenocortical Carcinoma and Adenoma Established by Artificial Intelligence. <i>Cancers</i> , 2022, 14, 895.  | 3.7  | 9         |
| 5482 | Molecular Mechanisms and Clinical Challenges of Glioma Invasion. <i>Brain Sciences</i> , 2022, 12, 291.   | 2.3  | 6         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5483 | Tumor Dormancy: Biologic and Therapeutic Implications. World Journal of Oncology, 2022, 13, 8-19.   | 1.5  | 9         |
| 5484 | The evolutionarily conserved arginyltransferase 1 mediates a pVHL-independent oxygen-sensing pathway in mammalian cells. Developmental Cell, 2022, 57, 654-669.e9.                    | 7.0  | 5         |
| 5485 | Targeting Stearoyl-CoA Desaturase in Solid Tumors. Cancer Research, 2022, 82, 1682-1688.  | 0.9  | 13        |
| 5486 | Quercetin Inhibits Glioblastoma Growth and Prolongs Survival Rate through Inhibiting Glycolytic Metabolism. Chemotherapy, 2022, 67, 132-141.  | 1.6  | 4         |
| 5487 | Lipid metabolic reprogramming by hypoxia-inducible factor-1 in the hypoxic tumour microenvironment. Pflugers Archiv European Journal of Physiology, 2022, 474, 591-601.               | 2.8  | 9         |
| 5488 | Precise tumor immune rewiring via synthetic CRISPRa circuits gated by concurrent gain/loss of transcription factors. Nature Communications, 2022, 13, 1454.                           | 12.8 | 6         |
| 5489 | Regulatory miRNAs in Cardiovascular and Alzheimer's Disease: A Focus on Copper. International Journal of Molecular Sciences, 2022, 23, 3327.  | 4.1  | 3         |
| 5490 | Adenosine-A2A Receptor Pathway in Cancer Immunotherapy. Frontiers in Immunology, 2022, 13, 837230.  | 4.8  | 51        |
| 5491 | Extracellular ATP promotes breast cancer chemoresistance via HIF-1 $\alpha$ signaling. Cell Death and Disease, 2022, 13, 199.   | 6.3  | 11        |
| 5492 | Pan-cancer Bioinformatics Analysis of the Double-edged Role of Hypoxia-inducible Factor 1 $\alpha$ (HIF-1 $\alpha$ ) in Human Cancer. Cancer Diagnosis & Prognosis, 2022, 2, 263-278. | 0.7  | 0         |
| 5493 | Regulation of Glucose, Fatty Acid and Amino Acid Metabolism by Ubiquitination and SUMOylation for Cancer Progression. Frontiers in Cell and Developmental Biology, 2022, 10, 849625.  | 3.7  | 8         |
| 5495 | Therapeutic potential of CDK4/6 inhibitors in renal cell carcinoma. Nature Reviews Urology, 2022, 19, 305-320.  | 3.8  | 9         |
| 5496 | Adipose tissue: a neglected organ in the response to severe trauma?. Cellular and Molecular Life Sciences, 2022, 79, 207.   | 5.4  | 7         |
| 5497 | Hypoxia and Hypoxia-Inducible Factors in Lymphedema. Frontiers in Pharmacology, 2022, 13, 851057.   | 3.5  | 4         |
| 5498 | Targeting the COP9 signalosome for cancer therapy. Cancer Biology and Medicine, 2022, 19, 573-590.  | 3.0  | 5         |
| 5499 | Glycogen synthase kinase GSK3 $\alpha$ promotes tumorigenesis by activating HIF1/VEGFA signaling pathway in NSCLC tumor. Cell Communication and Signaling, 2022, 20, 32.              | 6.5  | 3         |
| 5500 | A novel AMPK activator shows therapeutic potential in hepatocellular carcinoma by suppressing HIF1 $\alpha$ -mediated aerobic glycolysis. Molecular Oncology, 2022, 16, 2274-2294.    | 4.6  | 8         |
| 5501 | Ginseng derivatives synthesized from 20(R)-panaxotriol: Synthesis, characterization, and antitumor activity targeting HIF-1 pathway. Journal of Ginseng Research, 2022, 46, 738-749.  | 5.7  | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5502 | Hypoxia and HIF-1 Trigger Marek's Disease Virus Reactivation in Lymphoma-Derived Latently Infected T Lymphocytes. <i>Journal of Virology</i> , 2022, 96, JVI0142721.   | 3.4 | 3         |
| 5503 | Hypoxia Enhances HIF1 $\alpha$ Transcription Activity by Upregulating KDM4A and Mediating H3K9me3, Thus Inducing Ferroptosis Resistance in Cervical Cancer Cells. <i>Stem Cells International</i> , 2022, 2022, 1-16.  | 2.5 | 13        |
| 5504 | Cytokine-induced killer cells mediated pathways in the treatment of colorectal cancer. <i>Cell Communication and Signaling</i> , 2022, 20, 41.   | 6.5 | 7         |
| 5505 | Comparing the Secretomes of Chemorefractory and Chemoresistant Ovarian Cancer Cell Populations. <i>Cancers</i> , 2022, 14, 1418.   | 3.7 | 5         |
| 5506 | IP-Se-06, a Selenylated Imidazo[1,2-a]pyridine, Modulates Intracellular Redox State and Causes Akt/mTOR/HIF-1 $\alpha$ and MAPK Signaling Inhibition, Promoting Antiproliferative Effect and Apoptosis in Glioblastoma Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-18. | 4.0 | 15        |
| 5507 | Targeting HIF-1 $\alpha$ abrogates PD-L1-mediated immune evasion in tumor microenvironment but promotes tolerance in normal tissues. <i>Journal of Clinical Investigation</i> , 2022, 132, .   | 8.2 | 42        |
| 5508 | Naphthalimide-Based Azo-Functionalized Supramolecular Vesicle in Hypoxia-Responsive Drug Delivery. <i>Langmuir</i> , 2022, 38, 3480-3492.  | 3.5 | 7         |
| 5509 | CD133(+)HIF-1 $\alpha$ Expression After Chemoradiotherapy Predicts Poor Prognosis in Rectal Cancer. <i>Anticancer Research</i> , 2022, 42, 2033-2043.  | 1.1 | 2         |
| 5510 | Tie2 Receptor in Tumor-Infiltrating Macrophages Is Dispensable for Tumor Angiogenesis and Tumor Relapse after Chemotherapy. <i>Cancer Research</i> , 2022, 82, 1353-1364.  | 0.9 | 13        |
| 5511 | Correlations between <scp>DWI</scp>, <scp>IVIM,</scp> and <scp>HIF</scp> $\alpha$ expression based on <scp>MRI</scp> and pathology in a murine model of rhabdomyosarcoma. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 871-879.   | 3.0 | 4         |
| 5512 | Gas regulation of complex II reversal via electron shunting to fumarate in the mammalian ETC. <i>Trends in Biochemical Sciences</i> , 2022, 47, 689-698.   | 7.5 | 8         |
| 5513 | NLGP regulates RGS5 $\alpha$ -TGF $\beta$ <sup>2</sup> axis to promote pericyte-dependent vascular normalization during restricted tumor growth. <i>FASEB Journal</i> , 2022, 36, e22268.  | 0.5 | 1         |
| 5514 | Aptamer-drug conjugates: New probes for imaging and targeted therapy. <i>Biosensors and Bioelectronics: X</i> , 2022, 10, 100126.  | 1.7 | 3         |
| 5515 | Hypoxic preconditioning improves the survival and pro-angiogenic capacity of transplanted human umbilical cord mesenchymal stem cells via HIF-1 $\alpha$ signaling in a rat model of bronchopulmonary dysplasia. <i>Biochemical and Biophysical Research Communications</i> , 2022, 605, 111-118.  | 2.1 | 5         |
| 5516 | Downregulation of the long non-coding RNA MALAT1 in tenofovir-treated pregnant women with hepatitis B virus infection promotes immune recovery of natural killer cells via the has-miR-155-5p/HIF-1 $\alpha$ axis. <i>International Immunopharmacology</i> , 2022, 107, 108701.                    | 3.8 | 7         |
| 5517 | MoS2/LaF3 for enhanced photothermal therapy performance of poorly-differentiated hepatoma. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022, 214, 112462.  | 5.0 | 4         |
| 5518 | Regulation of epithelial-to-mesenchymal transition in hypoxia by the HIF $\alpha$ network. <i>FEBS Letters</i> , 2022, 596, 338-349.   | 2.8 | 5         |
| 5519 | HIF $\alpha$ in cerebral ischemia (Review). <i>Molecular Medicine Reports</i> , 2021, 25, .  | 2.4 | 14        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5520 | Apigenin Induces Autophagy and Cell Death by Targeting EZH2 under Hypoxia Conditions in Gastric Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13455.  | 4.1  | 28        |
| 5521 | The Expression of Glutaminases and their Association with Clinicopathological Parameters in the Head and Neck Cancers. <i>Current Cancer Drug Targets</i> , 2022, 22, 169-179.   | 1.6  | 3         |
| 5522 | HIF-1 $\alpha$ switches the functionality of TGF- $\beta$ signaling via changing the partners of smads to drive glucose metabolic reprogramming in non-small cell lung cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 398.        | 8.6  | 32        |
| 5523 | Trident cold atmospheric plasma blocks three cancer survival pathways to overcome therapy resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .  | 7.1  | 14        |
| 5524 | A novel targeted multifunctional nanoplatform for visual chemo-hyperthermia synergy therapy on metastatic lymph nodes via lymphatic delivery. <i>Journal of Nanobiotechnology</i> , 2021, 19, 432.   | 9.1  | 10        |
| 5525 | Ionophore Ability of Carnosine and Its Trehalose Conjugate Assists Copper Signal in Triggering Brain-Derived Neurotrophic Factor and Vascular Endothelial Growth Factor Activation In Vitro. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13504. | 4.1  | 4         |
| 5526 | Diagnostic and Therapeutic Values of Angiogenic Factors in Endometrial Cancer. <i>Biomolecules</i> , 2022, 12, 7.  | 4.0  | 10        |
| 5527 | Siah1 in cancer and nervous system diseases (Review). <i>Oncology Reports</i> , 2021, 47, .  | 2.6  | 9         |
| 5528 | Differentially Expressed Genes Correlated with Fibrosis in a Rat Model of Chronic Partial Bladder Outlet Obstruction. <i>Processes</i> , 2021, 9, 2219.  | 2.8  | 0         |
| 5529 | Homeostatic Regulation of Glucocorticoid Receptor Activity by Hypoxia-Inducible Factor 1: From Physiology to Clinic. <i>Cells</i> , 2021, 10, 3441.  | 4.1  | 6         |
| 5531 | Impact of cancer metabolism on therapy resistance – Clinical implications. <i>Drug Resistance Updates</i> , 2021, 59, 100797.  | 14.4 | 43        |
| 5532 | HIF-Dependent CKB Expression Promotes Breast Cancer Metastasis, Whereas Cyclocreatine Therapy Impairs Cellular Invasion and Improves Chemotherapy Efficacy. <i>Cancers</i> , 2022, 14, 27.   | 3.7  | 9         |
| 5533 | Canagliflozin Modulates Hypoxia-Induced Metastasis, Angiogenesis and Glycolysis by Decreasing HIF-1 $\alpha$ Protein Synthesis via AKT/mTOR Pathway. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13336.   | 4.1  | 17        |
| 5534 | HIF-1 $\alpha$ Is Associated with Resistance to Hypoxia-Induced Apoptosis in Ameloblastoma. <i>International Journal of Dentistry</i> , 2021, 2021, 1-10.  | 1.5  | 8         |
| 5535 | HIF-1 $\alpha$ Is a Rational Target for Future Ovarian Cancer Therapies. <i>Frontiers in Oncology</i> , 2021, 11, 785111.  | 2.8  | 14        |
| 5536 | Biological Functions and Regulatory Mechanisms of Hypoxia-Inducible Factor-1 $\alpha$ in Ischemic Stroke. <i>Frontiers in Immunology</i> , 2021, 12, 801985.   | 4.8  | 46        |
| 5537 | Induction of lncRNA NORAD accounts for hypoxia-induced chemoresistance and vasculogenic mimicry in colorectal cancer by sponging the miR-495-3p/ hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ). <i>Bioengineered</i> , 2022, 13, 950-962.                  | 3.2  | 16        |
| 5538 | Understanding p300-transcription factor interactions using sequence variation and hybridization. <i>RSC Chemical Biology</i> , 2022, 3, 592-603.   | 4.1  | 2         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5539 | Uncovering a Hub Signaling Pathway of Antimicrobial-Antifungal-Anticancer Peptidesâ€™ Axis on Short Cationic Peptides via Network Pharmacology Study. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2655.  | 4.1  | 1         |
| 5540 | Identification of a 5-Nutrient Stress-Sensitive Gene Signature to Predict Survival for Colorectal Cancer. <i>BioMed Research International</i> , 2022, 2022, 1-13.  | 1.9  | 1         |
| 5541 | Role of the IL-6/Jak/Stat Pathway in Tumor Angiogenesis: Influence of Estrogen Status. , 0, , .   |      | 1         |
| 5542 | Introducing the brain erythropoietin circle to explain adaptive brain hardware upgrade and improved performance. <i>Molecular Psychiatry</i> , 2022, 27, 2372-2379.   | 7.9  | 11        |
| 5543 | Boron Chemicals in Drug Discovery and Development: Synthesis and Medicinal Perspective. <i>Molecules</i> , 2022, 27, 2615.  | 3.8  | 39        |
| 5544 | Ultrasensitive Hypoxia Sensing at the Single-Molecule Level via Super-Resolution Quantum Dot-Linked Immunosandwich Assay. <i>ACS Sensors</i> , 2022, 7, 1372-1380.  | 7.8  | 9         |
| 5545 | The highly effective therapy of ovarian cancer by Bismuth-doped oxygen-deficient BaTiO <sub>3</sub> with enhanced sono-piezocatalytic effects. <i>Chemical Engineering Journal</i> , 2022, 442, 136380.   | 12.7 | 27        |
| 5546 | Chemokines and Matrix Metalloproteinases in Colorectal Cancer. , 2006, , 255-300.   |      | 0         |
| 5595 | Tumor Angiogenesis: Biology and Therapeutic Implications for Lung Cancer. , 0, , 369-385.   |      | 0         |
| 5597 | HIF1 may promote glycolysis in psoriasis vulgaris via upregulation of CD147 and GLUT1. <i>Journal of Central South University (Medical Sciences)</i> , 2021, 46, 333-344.   | 0.1  | 5         |
| 5598 | Anti-hypoxic Effect of Polysaccharide Extract of Brown Seaweed <i>Sargassum dentifolium</i> in Tongue Squamous Cell Carcinoma. <i>Frontiers in Nutrition</i> , 2022, 9, 854780.   | 3.7  | 0         |
| 5601 | The roles of E3 ligases in Hepatocellular carcinoma.. <i>American Journal of Cancer Research</i> , 2022, 12, 1179-1214.   | 1.4  | 0         |
| 5602 | Royal Jelly Extract Accelerates Keratinocyte Proliferation, and Upregulates Laminin &lt;i>Î±&lt;i>3 and Integrin &lt;i>Î²&lt;i>1 mRNA Expression, via Akt/mTOR/HIF-1&lt;i>Î±&lt;i> Pathway. <i>Journal of Cosmetics Dermatological Sciences and Applications</i> , 2022, 12, 83-94. | 0.2  | 1         |
| 5603 | mTOR regulates aerobic glycolysis through NEAT1 and nuclear paraspeckle-mediated mechanism in hepatocellular carcinoma. <i>Theranostics</i> , 2022, 12, 3518-3533.  | 10.0 | 18        |
| 5604 | Development and Validation of a Novel Hypoxia Score for Predicting Prognosis and Immune Microenvironment in Rectal Cancer. <i>Frontiers in Surgery</i> , 2022, 9, 881554.   | 1.4  | 0         |
| 5605 | PHD3 inhibits cell proliferation through hydroxylation of PAX2 at proline 9. <i>Acta Biochimica Et Biophysica Sinica</i> , 2022, 54, 708-715.   | 2.0  | 3         |
| 5606 | Inhibition of Hypoxia-Inducible Factor Prolyl-Hydroxylase Modulates Platelet Function. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1693-1705.  | 3.4  | 5         |
| 5607 | The Synergistic Cooperation between TGF- $\beta^2$ and Hypoxia in Cancer and Fibrosis. <i>Biomolecules</i> , 2022, 12, 635.   | 4.0  | 17        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5608 | Oxygen Desaturation Is Associated With Fibrocyte Activation via Epidermal Growth Factor Receptor/Hypoxia-Inducible Factor-1 $\alpha$ Axis in Chronic Obstructive Pulmonary Disease. <i>Frontiers in Immunology</i> , 2022, 13, . | 4.8  | 2         |
| 5609 | Synthesis and anticancer screening of some novel Pd-catalysed 3-methyl indole based analogues on Mia PaCa-2 cell line. <i>Journal of Molecular Structure</i> , 2022, 1264, 133211.   | 3.6  | 6         |
| 5610 | The Mechanism of Long Non-coding RNA in Cancer Radioresistance/Radiosensitivity: A Systematic Review. <i>Frontiers in Pharmacology</i> , 2022, 13, .   | 3.5  | 12        |
| 5611 | Targeting HIF-1 $\alpha$ Function in Cancer through the Chaperone Action of NQO1: Implications of Genetic Diversity of NQO1. <i>Journal of Personalized Medicine</i> , 2022, 12, 747.  | 2.5  | 12        |
| 5612 | Regulating Acidosis and Relieving Hypoxia by Platelet Membrane-Coated Nanoparticle for Enhancing Tumor Chemotherapy. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, .  | 4.1  | 8         |
| 5613 | A potent PDK1 antagonist reveals PDK1 regulates the production of IL-1 $\beta$ and IL-6. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 4180-4192.   | 12.0 | 9         |
| 5616 | Accounting Conformational Dynamics into Structural Modeling Reflected by Cryo-EM with Deep Learning. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2022, 25, .  | 1.1  | 0         |
| 5617 | A Novel Predictive Model for Adrenocortical Carcinoma Based on Hypoxia- and Ferroptosis-Related Gene Expression. <i>Frontiers in Medicine</i> , 2022, 9, .   | 2.6  | 2         |
| 5618 | Hypoxia-Responsive Luminescent CEST MRI Agent for <i>In Vitro</i> and <i>In Vivo</i> Tumor Detection and Imaging. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 7106-7117.   | 6.4  | 7         |
| 5619 | Manganese Dioxide-Based Nanocarrier Delivers Paclitaxel to Enhance Chemotherapy against Orthotopic Glioma through Hypoxia Relief. <i>Small Methods</i> , 2022, 6, e2101531.  | 8.6  | 18        |
| 5620 | Carotenoid transporter CD36 expression depends on hypoxia-inducible factor-1 $\alpha$ in mouse soleus muscles. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2022, , .   | 1.4  | 2         |
| 5621 | An Extensive Review on Preclinical and Clinical Trials of Oncolytic Viruses Therapy for Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2022, 12, .  | 2.8  | 6         |
| 5622 | From Tissue Physoxia to Cancer Hypoxia, Cost-Effective Methods to Study Tissue-Specific O <sub>2</sub> Levels in Cellular Biology. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5633.                          | 4.1  | 4         |
| 5623 | Crosstalk of Epigenetic and Metabolic Signaling Underpinning Glioblastoma Pathogenesis. <i>Cancers</i> , 2022, 14, 2655.   | 3.7  | 6         |
| 5624 | Hypoxia, a key factor in the immune microenvironment. <i>Biomedicine and Pharmacotherapy</i> , 2022, 151, 113068.  | 5.6  | 9         |
| 5625 | Tirapazamine-loaded CalliSpheres microspheres enhance synergy between tirapazamine and embolization against liver cancer in an animal model. <i>Biomedicine and Pharmacotherapy</i> , 2022, 151, 113123.                         | 5.6  | 3         |
| 5626 | The Regulation of Hypoxia Inducible Factor (HIF) 1 $\alpha$ Expression by Quercetin: an <i>In Silico</i> Study. <i>Acta Informatica Medica</i> , 2022, 30, 96.   | 1.1  | 2         |
| 5627 | Dual Stimuli Responsive Nanoparticle Conjugates for Hypoxia Targeted Drug Delivery. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4  | 0         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5628 | Action Sites and Clinical Application of HIF-1 $\alpha$ Inhibitors. <i>Molecules</i> , 2022, 27, 3426.  | 3.8  | 11        |
| 5629 | Paeoniflorin alleviates the progression of retinal vein occlusion via inhibiting hypoxia inducible factor-1 $\alpha$ /vascular endothelial growth factor/STAT3 pathway. <i>Bioengineered</i> , 2022, 13, 13622-13631. | 3.2  | 2         |
| 5630 | <scp>UBE2C</scp> triggers <scp>HIF</scp>- $\alpha$ 1 $\alpha$ -glycolytic flux in head and neck squamous cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 3716-3725.                     | 3.6  | 8         |
| 5631 | Tumour Angiogenesis in Breast Cancer. , 0, , .  |      | 0         |
| 5632 | Methanol fixed feeder layers altered the pluripotency and metabolism of bovine pluripotent stem cells. <i>Scientific Reports</i> , 2022, 12, .  | 3.3  | 2         |
| 5633 | Neuroinflammation in Vascular Cognitive Impairment and Dementia: Current Evidence, Advances, and Prospects. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6224.                                      | 4.1  | 39        |
| 5634 | Hypoxia-inducible factors: master regulators of hypoxic tumor immune escape. <i>Journal of Hematology and Oncology</i> , 2022, 15, .  | 17.0 | 112       |
| 5635 | Naked mole-rat and Damaraland mole-rat exhibit lower respiration in mitochondria, cellular and organismal levels. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2022, 1863, 148582.                          | 1.0  | 6         |
| 5636 | High-Dose Vitamin C for Cancer Therapy. <i>Pharmaceuticals</i> , 2022, 15, 711.   | 3.8  | 23        |
| 5637 | Identification of Differentially Expressed Genes and miRNAs for Ulcerative Colitis Using Bioinformatics Analysis. <i>Frontiers in Genetics</i> , 0, 13, .   | 2.3  | 4         |
| 5638 | Hypoxia-driven metabolic heterogeneity and immune evasive behaviour of gastrointestinal cancers: Elements of a recipe for disaster. <i>Cytokine</i> , 2022, 156, 155917.  | 3.2  | 1         |
| 5643 | Targeting Cancer Cells by an Oxidant-Based Therapy. <i>Current Molecular Pharmacology</i> , 2008, 1, 80-92.   | 1.5  | 7         |
| 5644 | ARNT Inhibits H5N1 Influenza A Virus Replication by Interacting with the PA Protein. <i>Viruses</i> , 2022, 14, 1347.   | 3.3  | 1         |
| 5645 | Histone Demethylase JMJD2D: A Novel Player in Colorectal and Hepatocellular Cancers. <i>Cancers</i> , 2022, 14, 2841.   | 3.7  | 2         |
| 5646 | Interleukin-17 governs hypoxic adaptation of injured epithelium. <i>Science</i> , 2022, 377, .  | 12.6 | 75        |
| 5647 | Ginsenoside Rh3 Inhibits Lung Cancer Metastasis by Targeting Extracellular Signal-Regulated Kinase: A Network Pharmacology Study. <i>Pharmaceuticals</i> , 2022, 15, 758.   | 3.8  | 7         |
| 5648 | A mitochondrion-targeting two-photon photosensitizer with aggregation-induced emission characteristics for hypoxia-tolerant photodynamic therapy. <i>Chemical Engineering Journal</i> , 2022, 448, 137604.            | 12.7 | 22        |
| 5649 | The multifaceted role of EGLN family prolyl hydroxylases in cancer: going beyond HIF regulation. <i>Oncogene</i> , 2022, 41, 3665-3679.   | 5.9  | 9         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5650 | EV-Mediated Chemoresistance in the Tumor Microenvironment: Is NF- $\kappa$ B a Player?. <i>Frontiers in Oncology</i> , 0, 12, .  | 2.8  | 2         |
| 5651 | Novel Drugs with High Efficacy against Tumor Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6934.  | 4.1  | 35        |
| 5652 | A Novel Hypoxia-inducible Factor 1 $\alpha$ Inhibitor KC7F2 Attenuates Oxygen-induced Retinal Neovascularization. , 2022, 63, 13.  |      | 7         |
| 5653 | Functional genomics screening identifies aspartyl-tRNA synthetase as a novel prognostic marker and a therapeutic target for gastric cancers. <i>Journal of Pathology</i> , 2022, 258, 106-120.                                       | 4.5  | 2         |
| 5654 | Self-Sustained Regulation or Self-Perpetuating Dysregulation: ROS-dependent HIF-YAP-Notch Signaling as a Double-Edged Sword on Stem Cell Physiology and Tumorigenesis. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, . | 3.7  | 4         |
| 5655 | Celastrol inhibits pathologic neovascularization in oxygen-induced retinopathy by targeting the miR-17-5p/HIF-1 $\alpha$ /VEGF pathway. <i>Cell Cycle</i> , 2022, 21, 2091-2108.   | 2.6  | 9         |
| 5656 | Effect of chronic intermittent hypoxia-induced HIF-1 $\alpha$ /ATAD2 expression on lung cancer stemness. <i>Cellular and Molecular Biology Letters</i> , 2022, 27, .   | 7.0  | 13        |
| 5657 | Cascade Reaction of $Mn^{2+}$ -Catechol-Triggered by $H_2O_2$ to Integrate Firm Tumor Vessel Embolization and Hypoxic Response Relief. <i>Advanced Healthcare Materials</i> , 2022, 11, .  | 7.6  | 3         |
| 5658 | Pharmacological Activation of the HIF Pathway Exerts Distinct Proliferative Effects in MDA-MB-231 and MCF7 cells*. <i>ChemistrySelect</i> , 2022, 7, .   | 1.5  | 0         |
| 5659 | HIF-1 $\alpha$ -mediated augmentation of miRNA-18b-5p facilitates proliferation and metastasis in osteosarcoma through attenuation PHF2. <i>Scientific Reports</i> , 2022, 12, .   | 3.3  | 6         |
| 5660 | The Epigenetic Regulation of Nonhistone Proteins by SETD7: New Targets in Cancer. <i>Frontiers in Genetics</i> , 0, 13, .  | 2.3  | 4         |
| 5661 | Applications of resveratrol in the treatment of gastrointestinal cancer. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113274.   | 5.6  | 15        |
| 5662 | PLIN2 promotes HCC cells proliferation by inhibiting the degradation of HIF1 $\alpha$ . <i>Experimental Cell Research</i> , 2022, 418, 113244.   | 2.6  | 5         |
| 5663 | Regulatory perspectives of nanomaterials for theranostic application. , 2022, , 373-384.   |      | 2         |
| 5664 | Biomimetically constructing a hypoxia-activated programmable phototheranostics at the molecular level. <i>Chemical Science</i> , 2022, 13, 8979-8988.  | 7.4  | 8         |
| 5665 | Degradable polyprodrugs: design and therapeutic efficiency. <i>Chemical Society Reviews</i> , 2022, 51, 6652-6703.   | 38.1 | 28        |
| 5666 | Protective Effect of Cardiomyocyte-Specific Prolyl-4-Hydroxylase 2 Inhibition on Ischemic Injury in a Mouse MI Model. <i>Journal of the American College of Surgeons</i> , 2022, 235, 240-254.                                       | 0.5  | 5         |
| 5667 | Contribution of fatty acid oxidation to the pathogenesis of pulmonary hypertension. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2022, 323, L355-L371.   | 2.9  | 8         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5668 | Research Progress of DUB Enzyme in Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 0, 12, .  | 2.8  | 5         |
| 5669 | Curcumenol Targeting YWHAG Inhibits the Pentose Phosphate Pathway and Enhances Antitumor Effects of Cisplatin. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-12.                             | 1.2  | 5         |
| 5670 | Hypoxia signaling in human health and diseases: implications and prospects for therapeutics. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, .   | 17.1 | 81        |
| 5671 | Mitochondrial oxidative phosphorylation became functional under aglycemic hypoxia conditions in A549 cells. <i>Molecular Biology Reports</i> , 0, , .   | 2.3  | 2         |
| 5672 | Effects of glycolysis and polyamine predation on intestinal epithelial barrier in colorectal cancer. <i>Frontiers in Oncology</i> , 0, 12, .  | 2.8  | 1         |
| 5673 | Orexin-A Reverse Bone Mass Loss Induced by Chronic Intermittent Hypoxia Through OX1R-Nrf2/HIF-1 $\alpha$ Pathway. <i>Drug Design, Development and Therapy</i> , 0, Volume 16, 2145-2160.                                    | 4.3  | 2         |
| 5674 | Cancer-Associated Fibroblasts in the Hypoxic Tumor Microenvironment. <i>Cancers</i> , 2022, 14, 3321.   | 3.7  | 23        |
| 5675 | The Role of Imaging Biomarkers to Guide Pharmacological Interventions Targeting Tumor Hypoxia. <i>Frontiers in Pharmacology</i> , 0, 13, .  | 3.5  | 15        |
| 5676 | Recent Advances on the Role of ATGL in Cancer. <i>Frontiers in Oncology</i> , 0, 12, .  | 2.8  | 7         |
| 5677 | The role of microglia immunometabolism in neurodegeneration: Focus on molecular determinants and metabolic intermediates of metabolic reprogramming. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113412.            | 5.6  | 12        |
| 5678 | Organophosphate flame retardant TDCPP: A risk factor for renal cancer?. <i>Chemosphere</i> , 2022, 305, 135485.   | 8.2  | 7         |
| 5679 | Dual active nanozyme-loaded MXene enables hyperthermia-enhanced tumor nanocatalytic therapy. <i>Chemical Engineering Journal</i> , 2022, 449, 137847.   | 12.7 | 28        |
| 5680 | Expression of Erythropoietin and Erythropoietin Receptor in Non-“Small Cell Lung Carcinomas. <i>Clinical Cancer Research</i> , 2005, 11, 993-999.   | 7.0  | 65        |
| 5682 | Identification of a Novel Small-Molecule Inhibitor of the Hypoxia-Inducible Factor 1 Pathway. <i>Cancer Research</i> , 2005, 65, 605-612.   | 0.9  | 108       |
| 5683 | Role of glycine and glycine receptors in vascular endothelium: a new perspective for the management of the post-ischemic injury-. <i>Current Vascular Pharmacology</i> , 2022, 20, .  | 1.7  | 1         |
| 5684 | Pull the plug: Anti-angiogenesis potential of natural products in gastrointestinal cancer therapy. <i>Phytotherapy Research</i> , 2022, 36, 3371-3393.  | 5.8  | 13        |
| 5685 | Postoperative Long-Term Outcomes and Independent Risk Factors of Non-Small-Cell Lung Cancer Patients With Propofol versus Sevoflurane Anesthesia: A Retrospective Cohort Study. <i>Frontiers in Pharmacology</i> , 0, 13, . | 3.5  | 3         |
| 5686 | Hypoxia-mediated stabilization of HIF1A in prostatic intraepithelial neoplasia promotes cell plasticity and malignant progression. <i>Science Advances</i> , 2022, 8, .   | 10.3 | 18        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5687 | Immune Evasion and Drug Resistance Mediated by USP22 in Cancer: Novel Targets and Mechanisms. <i>Frontiers in Immunology</i> , 0, 13, .   | 4.8  | 13        |
| 5688 | Hypoxia and Alpha-Synuclein: Inextricable Link Underlying the Pathologic Progression of Parkinson's Disease. <i>Frontiers in Aging Neuroscience</i> , 0, 14, .  | 3.4  | 10        |
| 5689 | <i>Campylobacter jejuni</i> induces differentiation of human neutrophils to the CD16hi/CD62Llo subtype. <i>Journal of Leukocyte Biology</i> , 2022, 112, 1457-1470.   | 3.3  | 3         |
| 5690 | Spatial meta-transcriptomics reveal associations of intratumor bacteria burden with lung cancer cells showing a distinct oncogenic signature. , 2022, 10, e004698.  |      | 18        |
| 5691 | The Thioredoxin-1 Inhibitor 1-Methylpropyl 2-Imidazolyl Disulfide (PX-12) Decreases Vascular Permeability in Tumor Xenografts Monitored by Dynamic Contrast Enhanced Magnetic Resonance Imaging. <i>Clinical Cancer Research</i> , 2005, 11, 529-536. | 7.0  | 49        |
| 5692 | Molecular Pathways and Genomic Landscape of Glioblastoma Stem Cells: Opportunities for Targeted Therapy. <i>Cancers</i> , 2022, 14, 3743.   | 3.7  | 14        |
| 5693 | Hypoxia: molecular pathophysiological mechanisms in human diseases. <i>Journal of Physiology and Biochemistry</i> , 2022, 78, 739-752.  | 3.0  | 15        |
| 5694 | Hypoxia mimetics restore bone biomineralisation in hyperglycaemic environments. <i>Scientific Reports</i> , 2022, 12, .   | 3.3  | 3         |
| 5695 | Adaptation to Hypoxia May Promote Therapeutic Resistance to Androgen Receptor Inhibition in Triple-Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8844.   | 4.1  | 4         |
| 5696 | Association of hypoxia inducible factor 1-Alpha gene polymorphisms with multiple disease risks: A comprehensive meta-analysis. <i>PLoS ONE</i> , 2022, 17, e0273042.  | 2.5  | 2         |
| 5697 | Relationship between metabolic reprogramming and drug resistance in breast cancer. <i>Frontiers in Oncology</i> , 0, 12, .  | 2.8  | 5         |
| 5698 | FA-HA-Amygdalin@Fe2O3 and/or $\gamma$ -Rays Affecting SIRT1 Regulation of YAP/TAZ-p53 Signaling and Modulates Tumorigenicity of MDA-MB231 or MCF-7 Cancer Cells. <i>Current Cancer Drug Targets</i> , 2023, 23, 118-144.                              | 1.6  | 2         |
| 5699 | Cell-Type Dependent Regulation of the Electrogenic Na <sup>+</sup> /HCO <sub>3</sub> <sup>-</sup> Cotransporter 1 (NBCe1) by Hypoxia and Acidosis in Glioblastoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8975.               | 4.1  | 2         |
| 5700 | Acriflavine, an Acridine Derivative for Biomedical Application: Current State of the Art. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 11415-11432.  | 6.4  | 12        |
| 5701 | Engineering micro oxygen factories to slow tumour progression via hyperoxic microenvironments. <i>Nature Communications</i> , 2022, 13, .   | 12.8 | 28        |
| 5702 | Oxidative stress: An essential factor in the process of arteriovenous fistula failure. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .  | 2.4  | 7         |
| 5703 | Non-coding RNAs in lung cancer: emerging regulators of angiogenesis. <i>Journal of Translational Medicine</i> , 2022, 20, .   | 4.4  | 13        |
| 5704 | Curcumin Sensitises Cancerous Kidney Cells to TRAIL Induced Apoptosis via Let-7C Mediated Deregulation of Cell Cycle Proteins and Cellular Metabolism. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9569.                           | 4.1  | 7         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5705 | FOXA1 inhibits hypoxia programs through transcriptional repression of HIF1A. <i>Oncogene</i> , 2022, 41, 4259-4270.  | 5.9  | 6         |
| 5706 | The Hypoxia-Adenosine Link during Myocardial Ischemiaâ€”Reperfusion Injury. <i>Biomedicines</i> , 2022, 10, 1939.  | 3.2  | 18        |
| 5707 | A narrative review of circulating tumor cells clusters: A key morphology of cancer cells in circulation promote hematogenous metastasis. <i>Frontiers in Oncology</i> , 0, 12, .   | 2.8  | 5         |
| 5708 | SF3B1 facilitates HIF1-signaling and promotes malignancy in pancreatic cancer. <i>Cell Reports</i> , 2022, 40, 111266.   | 6.4  | 4         |
| 5709 | Uropathogenic <i>Escherichia coli</i> subverts mitochondrial metabolism to enable intracellular bacterial pathogenesis in urinary tract infection. <i>Nature Microbiology</i> , 2022, 7, 1348-1360.  | 13.3 | 14        |
| 5710 | Von Hippelâ€”Lindau (VHL) disease and VHL-associated tumors in Indian subjects: VHL gene testing in a resource constraint setting. <i>Egyptian Journal of Medical Human Genetics</i> , 2022, 23, .   | 1.0  | 0         |
| 5711 | RING-finger E3 ligases regulatory network in PI3K/AKT-mediated glucose metabolism. <i>Cell Death Discovery</i> , 2022, 8, .  | 4.7  | 14        |
| 5712 | Inhibition of hypoxia-inducible factor 1 by acriflavine renders glioblastoma sensitive for photodynamic therapy. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2022, 234, 112537.   | 3.8  | 3         |
| 5713 | Soft tissue sarcoma: correlation of dynamic contrast-enhanced magnetic resonance imaging features with HIF-1 $\alpha$ expression and patient outcomes. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 4823-4836.                            | 2.0  | 2         |
| 5714 | Vitamin C-induced competitive binding of HIF-1 $\alpha$ and p53 to ubiquitin E3 ligase CBL contributes to anti-breast cancer progression through p53 deacetylation. <i>Food and Chemical Toxicology</i> , 2022, 168, 113321.                                 | 3.6  | 4         |
| 5715 | Injectable hyaluronan/MnO <sub>2</sub> nanocomposite hydrogel constructed by metal-hydrazide coordinated crosslink mineralization for relieving tumor hypoxia and combined phototherapy. <i>Journal of Colloid and Interface Science</i> , 2022, 628, 79-94. | 9.4  | 10        |
| 5716 | Evaluation of the potential of ultrasound-mediated drug delivery for the treatment of ovarian cancer through preclinical studies. <i>Frontiers in Oncology</i> , 0, 12, .  | 2.8  | 1         |
| 5717 | Precise gliomas therapy: Hypoxia-activated prodrugs sensitized by nano-photosensitizers. <i>Biomaterials</i> , 2022, 289, 121770.  | 11.4 | 12        |
| 5718 | Engineered biomimetic nanoreactor for synergistic photodynamic-chemotherapy against hypoxic tumor. <i>Journal of Controlled Release</i> , 2022, 351, 151-163.  | 9.9  | 12        |
| 5719 | Emerging Metabolic Regulation of Redox Status in Cancer Stem Cells Progression and Metastasis. , 2022, , 2281-2295.  |      | 0         |
| 5720 | Platinum nanoplatforms: classic catalysts claiming a prominent role in cancer therapy. <i>Chemical Society Reviews</i> , 2022, 51, 7662-7681.  | 38.1 | 19        |
| 5721 | Molecular Characterisation of Coding Regions of HIF-1 $\alpha$ Gene in Vechur Cattle by Cdna Sequencing. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4  | 0         |
| 5722 | Signaling Metabolite Succinylacetone Activates HIF-1 $\alpha$ and Promotes Angiogenesis in &lt;i>GSTZ1&lt;/i>-Deficient Hepatocellular Carcinoma. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4  | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5723 | Dynamic fluorescence probing glycolysis suppression process in the cancer cells treated with Trichostatin A. Analyst, The, 0, , .   | 3.5  | 0         |
| 5724 | CCL22-based peptide vaccines induce anti-cancer immunity by modulating tumor microenvironment. OncolImmunology, 2022, 11, .   | 4.6  | 10        |
| 5725 | Overcoming the Impact of Hypoxia in Driving Radiotherapy Resistance in Head and Neck Squamous Cell Carcinoma. Cancers, 2022, 14, 4130.  | 3.7  | 6         |
| 5726 | S100A9 Derived from Chemoembolization-Induced Hypoxia Governs Mitochondrial Function in Hepatocellular Carcinoma Progression. Advanced Science, 2022, 9, .  | 11.2 | 13        |
| 5727 | Integrated System Pharmacology Approaches to Elucidate Multi-Target Mechanism of Solanum surattense against Hepatocellular Carcinoma. Molecules, 2022, 27, 6220.  | 3.8  | 5         |
| 5728 | Caveolin-1 suppresses hippocampal neuron apoptosis via the regulation of HIF1 $\alpha$ in hypoxia in naked mole-rats. Cell Biology International, 2022, 46, 2060-2074.  | 3.0  | 2         |
| 5729 | The Role of Hypoxia-Inducible Factor Isoforms in Breast Cancer and Perspectives on Their Inhibition in Therapy. Cancers, 2022, 14, 4518.  | 3.7  | 4         |
| 5730 | Hypoxia-induced long non-coding RNA plasmacytoma variant translocation 1 upregulation aggravates pulmonary arterial smooth muscle cell proliferation by regulating autophagy via miR-186/Srf/Ctgf and miR-26b/Ctgf signaling pathways. International Journal of Cardiology, 2023, 370, 368-377. | 1.7  | 4         |
| 5731 | Twist alters the breast tumor microenvironment via choline kinase to facilitate an aggressive phenotype. Molecular and Cellular Biochemistry, 0, , .  | 3.1  | 0         |
| 5732 | The hypoxia-driven crosstalk between tumor and tumor-associated macrophages: mechanisms and clinical treatment strategies. Molecular Cancer, 2022, 21, .  | 19.2 | 58        |
| 5733 | Drivers of Radioresistance in Prostate Cancer. Journal of Clinical Medicine, 2022, 11, 5637.  | 2.4  | 6         |
| 5734 | Targeting Glucose Metabolism Enzymes in Cancer Treatment: Current and Emerging Strategies. Cancers, 2022, 14, 4568.   | 3.7  | 25        |
| 5735 | Brusatol inhibits the growth of prostate cancer cells and reduces HIF-1 $\alpha$ /VEGF expression and glycolysis under hypoxia. Quality Assurance and Safety of Crops and Foods, 2022, 14, 13-22.   | 3.4  | 2         |
| 5736 | Pulmonary Thrombosis Promotes Tumorigenesis via Myeloid Hypoxia-Inducible Factors. Biomolecules, 2022, 12, 1354.  | 4.0  | 4         |
| 5737 | Pharmacological features, health benefits and clinical implications of honokiol. Journal of Biomolecular Structure and Dynamics, 2023, 41, 7511-7533.   | 3.5  | 13        |
| 5738 | Conductive target range of breast cancer: Hypoxic tumor microenvironment. Frontiers in Oncology, 0, 12, .   | 2.8  | 2         |
| 5739 | Recent progress of biocompatible carbon dots in hypoxia-related fields. Journal of Biomaterials Applications, 0, , 088532822211253.   | 2.4  | 0         |
| 5740 | Modeling Preclinical Cancer Studies under Physioxia to Enhance Clinical Translation. Cancer Research, 2022, 82, 4313-4321.  | 0.9  | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5741 | Human Umbilical Vein Endothelial Cells Survive on the Ischemic TCA Cycle under Lethal Ischemic Conditions. <i>Journal of Proteome Research</i> , 2022, 21, 2385-2396.  | 3.7 | 0         |
| 5742 | Identification of a functional circRNA-miRNA-mRNA regulatory network in infantile hemangioma by bioinformatics analysis. <i>Medicine (United States)</i> , 2022, 101, e30791.                                  | 1.0 | 2         |
| 5743 | Fluorinated Hyaluronic Acid Encapsulated Perfluorocarbon Nanoparticles as Tumor-Targeted Oxygen Carriers to Enhance Radiotherapy. <i>Molecular Pharmaceutics</i> , 2022, 19, 3948-3958.                        | 4.6 | 6         |
| 5744 | Cutting edge: interleukin-17a prompts HIF1 $\alpha$ for wound healing. <i>Trends in Immunology</i> , 2022, 43, 861-863.  | 6.8 | 2         |
| 5745 | Activation of Piezo1 contributes to matrix stiffness-induced angiogenesis in hepatocellular carcinoma. <i>Cancer Communications</i> , 2022, 42, 1162-1184.   | 9.2 | 27        |
| 5746 | Regulation of Lipid Metabolism Under Stress and Its Role in Cancer. <i>Sub-Cellular Biochemistry</i> , 2022, , 81-113.   | 2.4 | 0         |
| 5747 | Antibody therapeutics for epithelial ovarian cancer. <i>Expert Opinion on Biological Therapy</i> , 2022, 22, 1379-1391.  | 3.1 | 1         |
| 5748 | Neurological applications of belzutifan in von Hippel-Lindau disease. <i>Neuro-Oncology</i> , 2023, 25, 827-838.   | 1.2 | 5         |
| 5749 | Hypoxia-Inducible Factor-1 $\alpha$ in Rods Is Neuroprotective Following Retinal Detachment. , 2022, 63, 7.  |     | 5         |
| 5750 | PX478-loaded silk fibroin nanoparticles reverse multidrug resistance by inhibiting the hypoxia-inducible factor. <i>International Journal of Biological Macromolecules</i> , 2022, 222, 2309-2317.             | 7.5 | 7         |
| 5751 | Novel Implications of Nanoparticle-Enhanced Radiotherapy and Brachytherapy: Z-Effect and Tumor Hypoxia. <i>Metabolites</i> , 2022, 12, 943.  | 2.9 | 7         |
| 5752 | Differential Expression of HIF1A, EPAS1, and VEGF Genes in Benign and Malignant Ovarian Neoplasia. <i>Cancers</i> , 2022, 14, 4899.  | 3.7 | 5         |
| 5753 | Monoamine Oxidase Inhibitors Prevent Glucose-Dependent Energy Production, Proliferation and Migration of Bladder Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11747.        | 4.1 | 3         |
| 5754 | Zinc Finger Proteins: Functions and Mechanisms in Colon Cancer. <i>Cancers</i> , 2022, 14, 5242.   | 3.7 | 8         |
| 5755 | Metabolic features of innate lymphoid cells. <i>Journal of Experimental Medicine</i> , 2022, 219, .  | 8.5 | 2         |
| 5756 | BANCR positively regulates the HIF $\alpha$ /VEGF $\alpha$ /VEGFR $\beta$ pathway in a hypoxic microenvironment to promote lymphangiogenesis in pancreatic cancer cells. <i>Oncology Letters</i> , 2022, 24, . | 1.8 | 8         |
| 5757 | Extracellular vesicles from gastric epithelial GES-1 cells infected with <i>Helicobacter pylori</i> promote changes in recipient cells associated with malignancy. <i>Frontiers in Oncology</i> , 0, 12, .     | 2.8 | 2         |
| 5758 | Obstructive sleep apnoea is related to melanoma aggressiveness through paraspeckle protein-1 upregulation. <i>European Respiratory Journal</i> , 2023, 61, 2200707.  | 6.7 | 6         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5760 | Hypoxia-Regulated lncRNA USP2-AS1 Drives Head and Neck Squamous Cell Carcinoma Progression. Cells, 2022, 11, 3407.  | 4.1 | 4         |
| 5761 | The Clinical and Molecular Features in the VHL Renal Cancers; Close or Distant Relatives with Sporadic Clear Cell Renal Cell Carcinoma?. Cancers, 2022, 14, 5352.                                       | 3.7 | 2         |
| 5762 | The Rate of Cisplatin Dosing Affects the Resistance and Metastatic Potential of Triple Negative Breast Cancer Cells, Independent of Hypoxia. Pharmaceutics, 2022, 14, 2184.                             | 4.5 | 0         |
| 5763 | VHL syndrome without clear family history: A rare case report and literature review of Chinese patients. Frontiers in Neurology, 0, 13, .   | 2.4 | 0         |
| 5764 | Genetically Encoded Whole Cell Biosensor for Drug Discovery of HIF-1 Interaction Inhibitors. ACS Synthetic Biology, 2022, 11, 3182-3189.  | 3.8 | 2         |
| 5765 | Nanocatalase-Based Oxygen-Generating Nanocarriers for Active Oxygen Delivery to Relieve Hypoxia in Pancreatic Cancer. ACS Applied Nano Materials, 2022, 5, 17248-17257.                                 | 5.0 | 6         |
| 5766 | Methyltransferase SMYD3 impairs hypoxia tolerance by augmenting hypoxia signaling independent of its enzymatic activity. Journal of Biological Chemistry, 2022, 298, 102633.                            | 3.4 | 5         |
| 5769 | Targeting lactate-related cell cycle activities for cancer therapy. Seminars in Cancer Biology, 2022, 86, 1231-1243.  | 9.6 | 15        |
| 5770 | SOCS5 knockdown suppresses metastasis of hepatocellular carcinoma by ameliorating HIF-1 $\alpha$ -dependent mitochondrial damage. Cell Death and Disease, 2022, 13, .                                   | 6.3 | 2         |
| 5771 | Integrated approach to elucidate metal-implant related adverse outcome pathways. Regulatory Toxicology and Pharmacology, 2022, 136, 105277.   | 2.7 | 2         |
| 5772 | Regulation of pleiotropic physiological roles of nitric oxide signaling. Cellular Signalling, 2023, 101, 110496.  | 3.6 | 14        |
| 5773 | CD8+ T cell metabolic changes in breast cancer. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2023, 1869, 166565.   | 3.8 | 0         |
| 5774 | The malignant phenotype. , 2006, 116, .   |     | 0         |
| 5775 | Investigation of the effects of isoeugenol-based phenolic compounds on migration and proliferation of HT29 colon cancer cells at cellular and molecular level. Bioorganic Chemistry, 2023, 130, 106230. | 4.1 | 4         |
| 5776 | Tumorigenesis Mechanisms Found in Hereditary Renal Cell Carcinoma: A Review. Genes, 2022, 13, 2122.   | 2.4 | 7         |
| 5777 | EGFR-dependent aerotaxis is a common trait of breast tumour cells. Journal of Experimental and Clinical Cancer Research, 2022, 41, .  | 8.6 | 4         |
| 5778 | Single-cell RNA sequencing reveals cellular and molecular reprogramming landscape of gliomas and lung cancer brain metastases. Clinical and Translational Medicine, 2022, 12, .                         | 4.0 | 12        |
| 5779 | <sc>ZBTB2</sc> links p53 deficiency to <sc>HIF</sc>-mediated hypoxia signaling to promote cancer aggressiveness. EMBO Reports, 2023, 24, .  | 4.5 | 4         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5780 | Regulation of Metastatic Tumor Dormancy and Emerging Opportunities for Therapeutic Intervention. International Journal of Molecular Sciences, 2022, 23, 13931.   | 4.1  | 6         |
| 5781 | Biomedical engineered nanomaterials to alleviate tumor hypoxia for enhanced photodynamic therapy. Pharmacological Research, 2022, 186, 106551.   | 7.1  | 15        |
| 5782 | Pan-cancer analysis of tissue and single-cell HIF-pathway activation using a conserved gene signature. Cell Reports, 2022, 41, 111652.   | 6.4  | 5         |
| 5783 | Extracellular Vesicles in Multiple Myeloma“Cracking the Code to a Better Understanding of the Disease. Cancers, 2022, 14, 5575.  | 3.7  | 3         |
| 5784 | Hypoxia Enhances Glioma Resistance to Sulfasalazine-Induced Ferroptosis by Upregulating SLC7A11 via PI3K/AKT/HIF-1 $\beta$ Axis. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-22.  | 4.0  | 18        |
| 5785 | Pleotropic effects of hypoxia-inducible factor-prolyl hydroxylase domain inhibitors: are they clinically relevant?. Kidney Research and Clinical Practice, 2023, 42, 27-38.  | 2.2  | 4         |
| 5788 | Heme oxygenase-1 protects against PM2.5 induced endothelial dysfunction through inhibition of HIF1 $\beta$ . Environmental Toxicology and Pharmacology, 2023, 97, 104024.  | 4.0  | 2         |
| 5789 | Hypoxia alleviating platinum(IV)/chlorin e6-based combination chemotherapeutic-photodynamic nanomedicine for oropharyngeal carcinoma. Journal of Photochemistry and Photobiology B: Biology, 2023, 238, 112627.  | 3.8  | 11        |
| 5790 | Mitochondrial physiology: An overview. , 2023, , 1-27.   |      | 0         |
| 5791 | Effect of Angelica Sinensis extract on the angiogenesis of preovulatory follicles (F1“F3) in late-phase laying hens. Poultry Science, 2023, 102, 102415.   | 3.4  | 1         |
| 5792 | Anti-hypoxic Agents for Improving Head and Neck Cancer Therapy. , 2022, , .  |      | 0         |
| 5793 | Chapter 10. Microfluidic Models of the Tumor Microenvironment. Biomaterials Science Series, 2022, , 252-278.   | 0.2  | 0         |
| 5794 | Progression of hepatocellular carcinoma after radiofrequency ablation: Current status of research. Frontiers in Oncology, 0, 12, .   | 2.8  | 3         |
| 5795 | Multi-omics consensus portfolio to refine the classification of lung adenocarcinoma with prognostic stratification, tumor microenvironment, and unique sensitivity to first-line therapies. Translational Lung Cancer Research, 2022, 11, 2243-2260.     | 2.8  | 1         |
| 5796 | A self-amplified necrotic targeting theranostic nanoparticle with deep tumor penetration for imaging-guided personalized chemo-photodynamic therapy. Chemical Engineering Journal, 2023, 455, 140465.  | 12.7 | 0         |
| 5797 | A deubiquitination module essential for T <sub>reg</sub> fitness in the tumor microenvironment. Science Advances, 2022, 8, .   | 10.3 | 14        |
| 5798 | Folate receptor-targetable and tumor microenvironment-responsive manganese dioxide-based nano-photosensitizer for enhancing hypoxia alleviation-triggered phototherapeutic effects. Journal of Industrial and Engineering Chemistry, 2023, 119, 428-438. | 5.8  | 1         |
| 5799 | Cancer-specific cytotoxicity of pyridinium-based ionic liquids by regulating hypoxia-inducible factor-1 $\beta$ -centric cancer metabolism. Ecotoxicology and Environmental Safety, 2022, 248, 114334.   | 6.0  | 3         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5800 | The Role of the Chemokine CXCL12 on the Pathogenesis of Several Diseases. Medical Journal of Bakirkoy, 2022, 18, 419-426.   | 0.1  | 0         |
| 5801 | <scp>PI3K</scp>/<scp>AKT</scp> pathway promotes keloid fibroblasts proliferation by enhancing glycolysis under hypoxia. Wound Repair and Regeneration, 2023, 31, 139-155.   | 3.0  | 2         |
| 5802 | Molecular characterisation of coding regions OF HIF-1 $\alpha$ gene in Vechur cattle by cDNA sequencing. Heliyon, 2022, , e12578.   | 3.2  | 0         |
| 5803 | Hypoxia deactivates epigenetic feedbacks via enzyme-derived clicking proteolysis-targeting chimeras. Science Advances, 2022, 8, .   | 10.3 | 14        |
| 5804 | Hypoxia-induced factor and its role in liver fibrosis. PeerJ, 0, 10, e14299.  | 2.0  | 3         |
| 5805 | ROS-responsive mechanically and electronically controllable conductive hydrogel sensor with NIR modulated photothermal therapy. Chemical Engineering Journal, 2023, 455, 140729.  | 12.7 | 5         |
| 5807 | NSD1 promotes esophageal cancer tumorigenesis via HIF1 $\alpha$ signaling. Cell Biology and Toxicology, 2023, 39, 1835-1850.  | 5.3  | 4         |
| 5808 | Hypoxia Increases the Proliferative and Metastatic Ability of Canine Mammary Tumor Cells<i>via</i> Up-regulation of TSC-6. Anticancer Research, 2022, 42, 5803-5812.  | 1.1  | 0         |
| 5809 | Systemic Delivery of Divalent Europium from Ligand Screening with Implications to Direct Imaging of Hypoxia. Journal of the American Chemical Society, 2022, 144, 23053-23060.  | 13.7 | 4         |
| 5810 | Visualization of hypoxia in cancer cells from effusions in animals and cancer patients. Frontiers in Oncology, 0, 12, .   | 2.8  | 3         |
| 5811 | Association of hypoxia-inducible factor 1 expressions with prognosis role as a survival prognostic biomarker in the patients with osteosarcoma: a meta-analysis. Expert Review of Molecular Diagnostics, 2022, 22, 1099-1106.                 | 3.1  | 2         |
| 5812 | Role of STAT3 and NRF2 in Tumors: Potential Targets for Antitumor Therapy. Molecules, 2022, 27, 8768.   | 3.8  | 4         |
| 5813 | Prognostic Factors for the Efficiency of Radiation Therapy in Dogs with Oral Melanoma: A Pilot Study of Hypoxia in Intraosseous Lesions. Veterinary Sciences, 2023, 10, 4.  | 1.7  | 0         |
| 5814 | Lactate-dependent chaperone-mediated autophagy induces oscillatory HIF-1 $\alpha$ activity promoting proliferation of hypoxic cells. Cell Systems, 2022, 13, 1048-1064.e7.  | 6.2  | 10        |
| 5815 | Analysis of on-treatment cancer safety events with daprodustat versus conventional erythropoiesis-stimulating agents”<i>post hoc</i> analyses of the ASCEND-ND and ASCEND-D trials. Nephrology Dialysis Transplantation, 2023, 38, 1890-1897. | 0.7  | 3         |
| 5816 | Head&sup tilt does not enhance prostate tumor perfusion or oxygenation in young rats. Physiological Reports, 2022, 10, .  | 1.7  | 1         |
| 5817 | Prognostic Role of Vascular Endothelial Growth Factor and Correlation with Oxidative Stress Markers in Locally Advanced and Metastatic Ovarian Cancer Patients. Diagnostics, 2023, 13, 166.   | 2.6  | 3         |
| 5818 | Metabolic adaptations of cancer in extreme tumor microenvironments. Cancer Science, 2023, 114, 1200-1207.   | 3.9  | 2         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5819 | <scp>IDH2</scp> stabilizes <scp>HIF</scp>â€”induced metabolic reprogramming and promotes chemoresistance in urothelial cancer. EMBO Journal, 2023, 42, .   | 7.8  | 14        |
| 5820 | Hypoxia-induced miR-653 enhances colorectal cancer progression by targeting circSETD3/KLF6 axis. Journal of Cancer, 2023, 14, 163-173.   | 2.5  | 3         |
| 5821 | Cancer plasticity: Investigating the causes for this agility. Seminars in Cancer Biology, 2023, 88, 138-156.   | 9.6  | 8         |
| 5822 | Hypoxia signaling pathway: A central mediator in endocrine tumors. Frontiers in Endocrinology, 0, 13, .  | 3.5  | 3         |
| 5823 | Tumor hypoxia: From basic knowledge to therapeutic implications. Seminars in Cancer Biology, 2023, 88, 172-186.  | 9.6  | 21        |
| 5824 | MicroRNA-223 attenuates hepatocarcinogenesis by blocking hypoxia-driven angiogenesis and immunosuppression. Gut, 2023, 72, 1942-1958.  | 12.1 | 16        |
| 5825 | Druggable Biomarkers Altered in Clear Cell Renal Cell Carcinoma: Strategy for the Development of Mechanism-Based Combination Therapy. International Journal of Molecular Sciences, 2023, 24, 902.                              | 4.1  | 2         |
| 5826 | Network Pharmacology Analysis and Experimental Verification on Antiangiogenesis Mechanism of Hedyotis diffusa Willd in Liver Cancer. Evidence-based Complementary and Alternative Medicine, 2023, 2023, 1-11.                  | 1.2  | 0         |
| 5827 | Ferroptosis in life: To be or not to be. Biomedicine and Pharmacotherapy, 2023, 159, 114241.   | 5.6  | 26        |
| 5828 | Transcriptomic Network Analysis Using Exfoliative Cervical Cells Could Discriminate a Potential Risk of Progression to Cancer in HPV-related Cervical Lesions: A Pilot Study. Cancer Genomics and Proteomics, 2023, 20, 75-87. | 2.0  | 2         |
| 5829 | Expression of HIF-1â€” and Genes Involved in Glucose Metabolism Is Increased in Cervical Cancer and HPV-16-Positive Cell Lines. Pathogens, 2023, 12, 33.   | 2.8  | 5         |
| 5830 | Hypoxia signaling and cholesterol/steroidogenic acute regulatory protein 1 axis: interplay and role in alcohol and non-alcohol-related liver diseases. , 0, , 170-186.   |      | 0         |
| 5831 | Phosphofructokinase 1 Platelet Isoform Enhances VEGF Expression in Part Through HIF-1â€” Up-regulation in Breast Cancer. Anticancer Research, 2023, 43, 75-84.   | 1.1  | 2         |
| 5832 | Acidic and hypoxic tumor microenvironment regulation by CaO2-loaded polydopamine nanoparticles. Journal of Nanobiotechnology, 2022, 20, .  | 9.1  | 12        |
| 5833 | Hypoxia Affects the Antioxidant Activity of Glutaredoxin 3 in Scylla paramamosain through Hypoxia Response Elements. Antioxidants, 2023, 12, 76.   | 5.1  | 0         |
| 5835 | Metabolic reprogramming by miRNAs in the tumor microenvironment: Focused on immunometabolism. Frontiers in Oncology, 0, 12, .  | 2.8  | 7         |
| 5836 | Lactate-related metabolic reprogramming and immune regulation in colorectal cancer. Frontiers in Endocrinology, 0, 13, .   | 3.5  | 1         |
| 5837 | Hypoxia inducible factorâ€”1 activator muncâ€”18â€”interacting protein 3 promotes tumour progression in urothelial carcinoma. Clinical and Translational Discovery, 2023, 3, .   | 0.5  | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5838 | NOX Dependent ROS Generation and Cell Metabolism. International Journal of Molecular Sciences, 2023, 24, 2086.   | 4.1  | 24        |
| 5839 | Prognostic histological markers in oral tongue squamous cell carcinoma patients treated with (chemo)radiotherapy. Apmis, 0, , .  | 2.0  | 0         |
| 5840 | Glycogen as an Effective Target in Cancer Therapy. , 2023, , 1-12.   |      | 0         |
| 5841 | Mint3â€targeted therapy: A novel therapeutic strategy for urothelial carcinoma. Clinical and Translational Discovery, 2023, 3, .   | 0.5  | 0         |
| 5842 | Expression of fructose-1,6-bisphosphatase 1 is associated with [18F]FDG uptake and prognosis in patients with mesial temporal lobe epilepsy. European Radiology, 0, , .                    | 4.5  | 0         |
| 5843 | Ferroptosisâ€modulating small molecules for targeting drugâ€resistant cancer: Challenges and opportunities in manipulating redox signaling. Medicinal Research Reviews, 2023, 43, 614-682. | 10.5 | 20        |
| 5844 | Hypercapnic Tissue Gene Expression and Survival in Early-Stage Pancreatic Ductal Adenocarcinoma. Journal of the American College of Surgeons, 0, Publish Ahead of Print, .                 | 0.5  | 2         |
| 5845 | Encoding and Decoding of p53 Dynamics in Cellular Response to Stresses. Cells, 2023, 12, 490.  | 4.1  | 5         |
| 5846 | Organometallic anti-tumor agents: targeting from biomolecules to dynamic bioprocesses. Chemical Society Reviews, 2023, 52, 2790-2832.  | 38.1 | 28        |
| 5847 | Hypoxiaâ€inducible <scp>IncRNA MIR210HG</scp> promotes <scp>HIF1Î±</scp> expression by inhibiting <scp>miR</scp>â€93â€5p in renal tubular cells. FEBS Journal, 2023, 290, 4040-4056.       | 4.7  | 0         |
| 5848 | Molecular principles of tissue invasion and metastasis. American Journal of Physiology - Cell Physiology, 2023, 324, C971-C991.  | 4.6  | 4         |
| 5849 | Cancer metabolism within tumor microenvironments. Biochimica Et Biophysica Acta - General Subjects, 2023, 1867, 130330.  | 2.4  | 7         |
| 5850 | 3D printing of lithium osteogenic bioactive composite scaffold for enhanced bone regeneration. Composites Part B: Engineering, 2023, 256, 110641.  | 12.0 | 16        |
| 5851 | The role of metabolic reprogramming of tumor-associated macrophages in shaping the immunosuppressive tumor microenvironment. Biomedicine and Pharmacotherapy, 2023, 161, 114504.           | 5.6  | 5         |
| 5852 | l-carvone decreases breast cancer cells adhesion, migration, and invasion by suppressing FAK activation. Chemico-Biological Interactions, 2023, 378, 110480.                               | 4.0  | 5         |
| 5853 | Icariin promotes osteogenic differentiation by upregulating alpha-enolase expression. Biochemistry and Biophysics Reports, 2023, 34, 101471.   | 1.3  | 0         |
| 5854 | Insight into the transcription factors regulating Ischemic stroke and glioma in response to shared stimuli. Seminars in Cancer Biology, 2023, 92, 102-127.                                 | 9.6  | 3         |
| 5855 | L3MBTL3 is induced by HIF-1Î± and fine tunes the HIF-1Î± degradation under hypoxia in vitro. Heliyon, 2023, 9, e13222.   | 3.2  | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5856 | Interactions between non-coding RNAs and HIF-1 $\alpha$ in the context of cancer. <i>European Journal of Pharmacology</i> , 2023, 943, 175535.  | 3.5  | 2         |
| 5857 | The role of metabolic reprogramming of oxygen $\alpha$ -induced macrophages in the dynamic changes of atherosclerotic plaques. <i>FASEB Journal</i> , 2023, 37, .   | 0.5  | 5         |
| 5858 | HuMSC-EV induce monocyte/macrophage mobilization to orchestrate neovascularization in wound healing process following radiation injury. <i>Cell Death Discovery</i> , 2023, 9, .  | 4.7  | 10        |
| 5859 | An overview of hyperbaric oxygen preconditioning against ischemic stroke. <i>Metabolic Brain Disease</i> , 2023, 38, 855-872.   | 2.9  | 0         |
| 5860 | Could senescence phenotypes strike the balance to promote tumor dormancy?. <i>Cancer and Metastasis Reviews</i> , 2023, 42, 143-160.  | 5.9  | 2         |
| 5861 | Cardiomyocyte infection by <i>Trypanosoma cruzi</i> promotes innate immune response and glycolysis activation. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 13, .   | 3.9  | 10        |
| 5862 | Down-regulation of ALDOB during metabolic reprogramming mediates malignant behavior in hepatocellular carcinoma and insensitivity to postoperative adjuvant transarterial chemoembolization. <i>Clinical Science</i> , 2023, 137, 303-316.          | 4.3  | 2         |
| 5863 | Microfluidics $\alpha$ -enabled Serial Assembly of Lipid $\alpha$ -siRNA $\alpha$ -sorafenib Nanoparticles for Synergetic Hepatocellular Carcinoma Therapy. <i>Advanced Materials</i> , 2023, 35, .   | 21.0 | 6         |
| 5864 | Potential Pathophysiological Pathways in the Complex Relationships between OSA and Cancer. <i>Cancers</i> , 2023, 15, 1061.   | 3.7  | 11        |
| 5865 | HDAC8 Deacetylates HIF-1 $\alpha$ and Enhances Its Protein Stability to Promote Tumor Growth and Migration in Melanoma. <i>Cancers</i> , 2023, 15, 1123.  | 3.7  | 7         |
| 5866 | Review: Mechanisms and perspective treatment of radioresistance in non-small cell lung cancer. <i>Frontiers in Immunology</i> , 0, 14, .  | 4.8  | 2         |
| 5867 | MicroRNA-223: a key regulator of liver tumour microenvironment. <i>Gut</i> , 2023, 72, 1811-1812.   | 12.1 | 0         |
| 5868 | <scp>HIF</scp>: a master regulator of nutrient availability and metabolic cross $\alpha$ -talk in the tumor microenvironment. <i>EMBO Journal</i> , 2023, 42, .   | 7.8  | 13        |
| 5869 | Participation of adhesion molecules in changing cell interactions during metastasis development. <i>Genes and Cells</i> , 2020, 15, 27-32.  | 0.2  | 0         |
| 5870 | Exploiting moderate hypoxia to benefit patients with brain disease: Molecular mechanisms and translational research in progress. , 2023, 1, 55-65.  |      | 6         |
| 5871 | Hypoxia in Skin Cancer: Molecular Basis and Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2023, 24, 4430.   | 4.1  | 3         |
| 5872 | Expression Dynamics of CA IX Epitope in Cancer Cells under Intermittent Hypoxia Correlates with Extracellular pH Drop and Cell Killing by Ureido-Sulfonamide CA IX Inhibitors. <i>International Journal of Molecular Sciences</i> , 2023, 24, 4595. | 4.1  | 3         |
| 5873 | Albumin-based smart nanoplatform for ultrasound-mediated enhanced chemo $\alpha$ -sonodynamic combination therapy. <i>Materials and Design</i> , 2023, 227, 111794.   | 7.0  | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5874 | Co-expression prognostic-related genes signature base on propofol and sevoflurane anesthesia predict prognosis and immunotherapy response in glioblastoma. <i>Annals of Medicine</i> , 2023, 55, 778-792.   | 3.8 | 2         |
| 5875 | HIPK2 in Angiogenesis: A Promising Biomarker in Cancer Progression and in Angiogenic Diseases. <i>Cancers</i> , 2023, 15, 1566.   | 3.7 | 3         |
| 5876 | Host-Related Factors in the Interplay among Inflammation, Immunity and Dormancy in Breast Cancer Recurrence and Prognosis: An Overview for Clinicians. <i>International Journal of Molecular Sciences</i> , 2023, 24, 4974.   | 4.1 | 2         |
| 5878 | Targeting c-Met in the treatment of urologic neoplasms: Current status and challenges. <i>Frontiers in Oncology</i> , 0, 13, .  | 2.8 | 3         |
| 5879 | <scp>SIRT3</scp>â€dependent delactylation of cyclin <scp>E2</scp> prevents hepatocellular carcinoma growth. <i>EMBO Reports</i> , 2023, 24, .   | 4.5 | 18        |
| 5880 | An optimized reporter of the transcription factor hypoxia-inducible factor 1 $\pm$ reveals complex HIF-1 $\pm$ activation dynamics in single cells. <i>Journal of Biological Chemistry</i> , 2023, 299, 104599.   | 3.4 | 1         |
| 5881 | A comprehensive review on the indazole based derivatives as targeted anticancer agents. <i>Journal of Molecular Structure</i> , 2023, 1284, 135327.   | 3.6 | 3         |
| 5882 | Ã–rÃ¶kletes vesetumor-szindrÃ³mÃ¡jk.. <i>Orvosi Hetilap</i> , 2023, 164, 363-375.   | 0.4 | 1         |
| 5883 | 3D Biomimetic Models to Reconstitute Tumor Microenvironment In Vitro: Spheroids, Organoids, and Tumorâ€onâ€â€Chip. <i>Advanced Healthcare Materials</i> , 2023, 12, .   | 7.6 | 7         |
| 5884 | An In Vitro Analysis of TKI-Based Sequence Therapy in Renal Cell Carcinoma Cell Lines. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5648.   | 4.1 | 2         |
| 5885 | Carbonic anhydrase IX-related tumoral hypoxia predicts worse prognosis in breast cancer: A systematic review and meta-analysis. <i>Frontiers in Medicine</i> , 0, 10, .   | 2.6 | 3         |
| 5886 | High Expression of COA6 Is Related to Unfavorable Prognosis and Enhanced Oxidative Phosphorylation in Lung Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5705.   | 4.1 | 4         |
| 5887 | Hypoxia-induced autophagy in triple negative breast cancer: association with prognostic variables, patientsâ€™ survival and response to neoadjuvant chemotherapy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2023, 482, 823-837. | 2.8 | 1         |
| 5888 | Evaluation of Fruquintinib in the Continuum of Care of Patients with Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5840.  | 4.1 | 1         |
| 5889 | The Clinical Applications of Hypoxia-Inducible Factor-1Alpha (HIF-1 $\pm$ ). , 0, 36, 1300-1304.  |     | 0         |
| 5890 | Biomimetic gene editing system for precise tumor cell reprogramming and augmented tumor therapy. <i>Journal of Controlled Release</i> , 2023, 356, 663-677.   | 9.9 | 4         |
| 5891 | Expression of RSUME is Associated With Poor Prognosis in Clear Cell Renal Carcinoma: Involvement of ROS Related Metabolism. <i>Clinical Genitourinary Cancer</i> , 2023, 21, 393-402.e5.  | 1.9 | 0         |
| 5892 | Oxygen-Generating Biomaterials for Translational Bone Regenerative Engineering. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 50721-50741.  | 8.0 | 5         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5893 | HIF-1 $\pm$ signaling: Essential roles in tumorigenesis and implications in targeted therapies. Genes and Diseases, 2024, 11, 234-251.  | 3.4 | 8         |
| 5894 | Navigating through the PD-1/PDL-1 Landscape: A Systematic Review and Meta-Analysis of Clinical Outcomes in Hepatocellular Carcinoma and Their Influence on Immunotherapy and Tumor Microenvironment. International Journal of Molecular Sciences, 2023, 24, 6495. | 4.1 | 6         |
| 5895 | Preoperative contrast-enhanced CT-based radiomics signature for predicting hypoxia-inducible factor 1 $\pm$ expression in retroperitoneal sarcoma. Clinical Radiology, 2023, , .  | 1.1 | 0         |
| 5896 | Hypoxia switches TET1 from being tumor-suppressive to oncogenic. Oncogene, 2023, 42, 1634-1648.   | 5.9 | 1         |
| 5897 | Positron emission tomography imaging sheds new light on hypoxia and antitumor therapies. , 2023, 1, .   |     | 8         |
| 5898 | HIF 1 É“ a promising target for the treatment of meningiomas. Medicine and Pharmacy Reports, 2023, 96, 170-174.   | 0.4 | 2         |
| 5899 | Hypoxia Increases ATX Expression by Histone Crotonylation in a HIF-2 $\pm$ -Dependent Manner. International Journal of Molecular Sciences, 2023, 24, 7031.  | 4.1 | 1         |
| 5900 | HIGD1A inactivated by DNA hypermethylation promotes invasion of kidney renal clear cell carcinoma. Pathology Research and Practice, 2023, 245, 154463.  | 2.3 | 0         |
| 5901 | Hallmarks of an Aging and Malignant Tumor Microenvironment and the Rise of Resilient Cell Subpopulations. Current Cancer Research, 2023, , 113-137.   | 0.2 | 0         |
| 5902 | A deep learning and docking simulation-based virtual screening strategy enables the rapid identification of HIF-1 $\pm$ pathway activators from a marine natural product database. Journal of Biomolecular Structure and Dynamics, 2024, 42, 629-651.             | 3.5 | 1         |
| 5903 | Role of Hypoxia in Cancer Therapy: Introduction. , 2023, , 245-250.   |     | 0         |
| 5904 | Hypoxia and Senescence: Role of Oxygen in Modulation of Tumor Suppression. , 2023, , 89-117.  |     | 1         |
| 5905 | Hypoxia and Extracellular Matrix-Major Drivers of Tumor Metastasis. , 2023, , 217-244.  |     | 0         |
| 5906 | HIF1 $\pm$ -dependent and independent pathways regulate the expression of PD-L1 in prostate cancer. , 2023, 40, .   |     | 1         |
| 5907 | Self-adaptive nanoassembly enabling turn-on hypoxia illumination and periphery/center closed-loop tumor eradication. Cell Reports Medicine, 2023, 4, 101014.  | 6.5 | 3         |
| 5908 | Lauric Acid Overcomes Hypoxia-Induced Gemcitabine Chemoresistance in Pancreatic Ductal Adenocarcinoma. International Journal of Molecular Sciences, 2023, 24, 7506.   | 4.1 | 3         |
| 5909 | The Involvement of Glucose and Lipid Metabolism Alteration in Rheumatoid Arthritis and Its Clinical Implication. Journal of Inflammation Research, 0, Volume 16, 1837-1852.   | 3.5 | 1         |
| 5910 | Strategic Design of Conquering Hypoxia in Tumor for Advanced Photodynamic Therapy. Advanced Healthcare Materials, 2023, 12, .   | 7.6 | 22        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5911 | Insight into Tumor Hypoxia: Radionuclide-based Biomarker as Diagnostic Tools. Current Topics in Medicinal Chemistry, 2023, 23, .  | 2.1  | 0         |
| 5912 | Alpha-ketoglutarate-dependent enzymes in breast cancer and therapeutic implications. Endocrinology, 0, , .  | 2.8  | 0         |
| 5913 | Immunometabolic reprogramming, another cancer hallmark. Frontiers in Immunology, 0, 14, .   | 4.8  | 6         |
| 5914 | Glutamate dehydrogenase1 supports <sc>HIF</sc>â€¹ stability to promote colorectal tumorigenesis under hypoxia. EMBO Journal, 2023, 42, .  | 7.8  | 0         |
| 5916 | The interactions of docetaxel with tumor microenvironment. International Immunopharmacology, 2023, 119, 110214.   | 3.8  | 15        |
| 5917 | Cigarette smoking, by accelerating the cell cycle, promotes the progression of non-small cell lung cancer through an HIF-1â€¹-METTL3-m6A/CDK2AP2 axis. Journal of Hazardous Materials, 2023, 455, 131556.                     | 12.4 | 7         |
| 5918 | Metal phenolic networks (MPNs)-based pH-sensitive stimulus responsive nanosystems for drug delivery in tumor microenvironment. Journal of Drug Delivery Science and Technology, 2023, 84, 104536.                             | 3.0  | 1         |
| 5919 | Destabilization of HIF-1a by Diabetes, Oxidative Stress, Obesity and Other Related Disorders. Journal of Diabetes Mellitus, 2023, 13, 142-162.  | 0.3  | 0         |
| 5920 | Nicotine activates HIF-1â€¹ and regulates acid extruders through the nicotinic acetylcholine receptor to promote the Warburg effect in non-small cell lung cancer cells. European Journal of Pharmacology, 2023, 950, 175778. | 3.5  | 0         |
| 5921 | The Sweet Side of HIPK2. Cancers, 2023, 15, 2678.   | 3.7  | 2         |
| 5922 | Association of dynamic contrast-enhanced MRI and 18F-Fluorodeoxyglucose PET/CT parameters with neoadjuvant therapy response and survival in esophagogastric cancer. European Journal of Surgical Oncology, 2023, 49, 106934.  | 1.0  | 0         |
| 5923 | Functions of Key Enzymes of Glycolytic Metabolism in Tumor Microenvironment. Cellular Reprogramming, 2023, 25, 91-98.   | 0.9  | 2         |
| 5924 | The Anti-Cancer Effect of Cinnamon Aqueous Extract: A Focus on Hematological Malignancies. Life, 2023, 13, 1176.  | 2.4  | 7         |
| 5925 | HILPDA, a new player in NASH-driven HCC, links hypoxia signaling with ceramide synthesis. Journal of Hepatology, 2023, , .  | 3.7  | 0         |
| 5926 | Identification of Hif1â€¹ as a Potential Participant in Autoimmune Uveitis Pathogenesis Using Single-Cell Transcriptome Analysis. , 2023, 64, 24.   |      | 3         |
| 5927 | Association of Smoking and Respiratory Disease History with Pancreatic Pathologies Requiring Surgical Resection. Cancers, 2023, 15, 2935.   | 3.7  | 1         |
| 5928 | Vitamin C: From nutrition to oxygen sensing and epigenetics. Redox Biology, 2023, 63, 102753.   | 9.0  | 7         |
| 5929 | ZBTB2 is Recruited to a Specific Subset of HIF-1 Target Loci to Facilitate Full Gene Expression Under Hypoxia. Journal of Molecular Biology, 2023, 435, 168162.   | 4.2  | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5930 | PHD3 inhibits colon cancer cell metastasis through the occludin-p38 pathway. <i>Acta Biochimica Et Biophysica Sinica</i> , 2023, 55, 1749-1757.  | 2.0  | 1         |
| 5931 | Korean Red Ginseng-Induced SIRT3 Promotes the Tom22-HIF-1 $\alpha$ Circuit in Normoxic Astrocytes. <i>Cells</i> , 2023, 12, 1512.  | 4.1  | 0         |
| 5932 | Angiogenesis and prostate cancer: MicroRNAs comes into view. <i>Pathology Research and Practice</i> , 2023, 248, 154591.   | 2.3  | 5         |
| 5934 | Analyses of <i>Elaeocarpus sphaericus</i> Extract for Antioxidant, Antiproliferative and Gene Repression Activities against HIF-1 $\alpha$ and VEGF. <i>Chemistry and Biodiversity</i> , 2023, 20, .                   | 2.1  | 0         |
| 5935 | ZLDI-8 suppresses angiogenesis and vasculogenic mimicry in drug-resistant NSCLC in vitro and in vivo. <i>Lung Cancer</i> , 2023, 182, 107279.  | 2.0  | 2         |
| 5936 | Immunohistochemistry and oxygen saturation endoscopic imaging reveal hypoxia in submucosal invasive esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2023, 12, 15809-15819.                                | 2.8  | 0         |
| 5937 | N4-Acetylcytidine Drives Glycolysis Addiction in Gastric Cancer via NAT10/SEPT9/HIF-1 $\alpha$ Positive Feedback Loop. <i>Advanced Science</i> , 2023, 10, .   | 11.2 | 5         |
| 5938 | Anti-oxidant potential of plants and probiotic spp. in alleviating oxidative stress induced by H2O2. <i>Biomedicine and Pharmacotherapy</i> , 2023, 165, 115022.   | 5.6  | 7         |
| 5939 | Advanced in vitro models for renal cell carcinoma therapy design. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2023, 1878, 188942.  | 7.4  | 1         |
| 5940 | Mechanism of the HIF-1 $\alpha$ /VEGF/VEGFR $\alpha$ 2 pathway in the proliferation and apoptosis of human haemangioma endothelial cells. <i>International Journal of Experimental Pathology</i> , 2023, 104, 258-268. | 1.3  | 2         |
| 5941 | Remote Ischemic Conditioning Relieves Necrotizing Enterocolitis Through Regulation of Redox and Inflammation. <i>Journal of Interferon and Cytokine Research</i> , 2023, 43, 216-228.                                  | 1.2  | 0         |
| 5943 | Gas6/AXL pathway: immunological landscape and therapeutic potential. <i>Frontiers in Oncology</i> , 0, 13, .   | 2.8  | 1         |
| 5944 | Angiogenic signaling pathways and anti-angiogenic therapy for cancer. <i>Signal Transduction and Targeted Therapy</i> , 2023, 8, .   | 17.1 | 68        |
| 5945 | The Intriguing Role of Hypoxia-Inducible Factor in Myocardial Ischemia and Reperfusion: A Comprehensive Review. <i>Journal of Cardiovascular Development and Disease</i> , 2023, 10, 215.                              | 1.6  | 2         |
| 5946 | A Paradigm Shift in Primary Liver Cancer Therapy Utilizing Genomics, Molecular Biomarkers, and Artificial Intelligence. <i>Cancers</i> , 2023, 15, 2791.   | 3.7  | 1         |
| 5947 | Roxadustat promotes hypoxia-inducible factor-1 $\alpha$ /vascular endothelial growth factor signalling to enhance random skin flap survival in rats. <i>International Wound Journal</i> , 2023, 20, 3586-3598.         | 2.9  | 3         |
| 5948 | Role of the ST6GAL1 sialyltransferase in regulating ovarian cancer cell metabolism. <i>Glycobiology</i> , 2023, 33, 626-636.   | 2.5  | 2         |
| 5949 | Genomic and transcriptomic analyses illuminate the molecular basis of the unique lifestyle of a tubeworm, <i>Lamellibrachia satsuma</i> . <i>DNA Research</i> , 2023, 30, .  | 3.4  | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5950 | Functional Imaging of Hypoxia: PET and MRI. <i>Cancers</i> , 2023, 15, 3336.  | 3.7  | 2         |
| 5951 | Inhibiting redox-mediated endothelial migration by gadofullerenes for inducing tumor vascular normalization and improving chemotherapy. <i>Science Bulletin</i> , 2023, 68, 1651-1661.        | 9.0  | 3         |
| 5952 | Glycolytic activity is required for the onset of neural plate folding during neural tube closure in mouse embryos. <i>Frontiers in Cell and Developmental Biology</i> , 0, 11, .              | 3.7  | 0         |
| 5953 | Discovery of Cycloalkyl[ <i>c</i> ]thiophenes as Novel Scaffolds for Hypoxia-Inducible Factor-2 $\beta$ Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2023, 66, 8666-8686.              | 6.4  | 0         |
| 5954 | The emerging roles of SUMOylation in the tumor microenvironment and therapeutic implications. <i>Experimental Hematology and Oncology</i> , 2023, 12, .                                       | 5.0  | 2         |
| 5955 | The Use of Integrated Molecular Testing in the Assessment and Management of Pancreatic Cysts. <i>Current Gastroenterology Reports</i> , 0, , .  | 2.5  | 1         |
| 5956 | Prediction of Distant Metastases in Patients with Kidney Cancer Based on Gene Expression and Methylation Analysis. <i>Diagnostics</i> , 2023, 13, 2289.                                       | 2.6  | 1         |
| 5957 | Extracellular Succinate: A Physiological Messenger and a Pathological Trigger. <i>International Journal of Molecular Sciences</i> , 2023, 24, 11165.  | 4.1  | 4         |
| 5958 | A delayed ovulation of progestin-primed ovarian stimulation (PPOS) by downregulating the LHCGR/PGR pathway. <i>IScience</i> , 2023, 26, 107357.   | 4.1  | 4         |
| 5959 | Hypoxia: syndicating triple negative breast cancer against various therapeutic regimens. <i>Frontiers in Oncology</i> , 0, 13, .  | 2.8  | 3         |
| 5960 | Engineered Bioâ€Heterojunction with Infectionâ€Primed H <sub>2</sub> S Liberation for Boosted Angiogenesis and Infectious Cutaneous Regeneration. <i>Small</i> , 2023, 19, .                  | 10.0 | 4         |
| 5961 | Salidroside affects the Th17/Treg cell balance in aplastic anemia via the STAT3/HIF-1 $\beta$ /ROR $\gamma$ t pathway. <i>Redox Report</i> , 2023, 28, .                                      | 4.5  | 0         |
| 5962 | Glioma angiogenesis is boosted by ELK3 activating the HIF-1 $\alpha$ /VEGF-A signaling axis. <i>BMC Cancer</i> , 2023, 23, .  | 2.6  | 1         |
| 5963 | Unravelling the Therapeutic Potential of Antibiotics in Hypoxia in a Breast Cancer MCF-7 Cell Line Model. <i>International Journal of Molecular Sciences</i> , 2023, 24, 11540.               | 4.1  | 1         |
| 5964 | In Silico Evaluation of HN-N07 Small Molecule as an Inhibitor of Angiogenesis and Lymphangiogenesis Oncogenic Signatures in Non-Small Cell Lung Cancer. <i>Biomedicines</i> , 2023, 11, 2011. | 3.2  | 0         |
| 5965 | Lipoylation is dependent on the ferredoxin FDX1 and dispensable under hypoxia in human cells. <i>Journal of Biological Chemistry</i> , 2023, 299, 105075.                                     | 3.4  | 5         |
| 5966 | In vivo optical imaging of tumor stromal cells with hypoxiaâ€inducible factor activity. <i>Cancer Science</i> , 0, , .  | 3.9  | 1         |
| 5967 | Function, mechanism and drug discovery of ubiquitin and ubiquitin-like modification with multiomics profiling for cancer therapy. <i>Acta Pharmaceutica Sinica B</i> , 2023, 13, 4341-4372.   | 12.0 | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5968 | Unveiling the veil of lactate in tumor-associated macrophages: a successful strategy for immunometabolic therapy. <i>Frontiers in Immunology</i> , 0, 14, .   | 4.8  | 6         |
| 5969 | The XOR-IDH3 $\pm$ axis controls macrophage polarization in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2023, , .  | 3.7  | 1         |
| 5970 | 14-3-3 $\beta$ -NEDD4L axis promotes ubiquitination and degradation of HIF-1 $\pm$ in colorectal cancer. <i>Cell Reports</i> , 2023, 42, 112870.  | 6.4  | 1         |
| 5972 | Deciphering the Tumorâ€“Immuneâ€“Microbe Interactions in HPV-Negative Head and Neck Cancer. <i>Genes</i> , 2023, 14, 1599.  | 2.4  | 1         |
| 5973 | Induction of heme oxygenaseâ€“1 antagonizes PM2.5â€“induced pulmonary VEGFA expression through regulating HIFâ€“1 $\pm$ . <i>Journal of Biochemical and Molecular Toxicology</i> , 0, , .   | 3.0  | 0         |
| 5974 | Update of pericytes function and their roles in kidney diseases. <i>Journal of the Formosan Medical Association</i> , 2023, , .   | 1.7  | 4         |
| 5975 | A predictive survival model for patients with stage IV oropharyngeal squamous cell carcinoma treated with chemoradiation. <i>European Archives of Oto-Rhino-Laryngology</i> , 0, , .  | 1.6  | 1         |
| 5976 | Loss of NDUFS1 promotes gastric cancer progression by activating the mitochondrial ROS-HIF1 $\pm$ -FBLN5 signaling pathway. <i>British Journal of Cancer</i> , 0, , .   | 6.4  | 0         |
| 5977 | Precision radiation oncology in head and neck cancer: beyond physical precision - a narrative review. <i>Journal of Cancer Metastasis and Treatment</i> , 0, , .  | 0.8  | 0         |
| 5978 | Discovery of three-dimensional bicyclo[3.3.1]nonanols as novel heat shock protein 90 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2023, 93, 117463.  | 3.0  | 0         |
| 5979 | Origin and functional diversification of PAS domain, a ubiquitous intracellular sensor. <i>Science Advances</i> , 2023, 9, .  | 10.3 | 6         |
| 5980 | Intranasal delivery of Borneol/R8dGR peptide modified PLGA nanoparticles co-loaded with curcumin and cisplatin alleviate hypoxia in pediatric brainstem glioma which improves the synergistic therapy. <i>Journal of Controlled Release</i> , 2023, 362, 121-137. | 9.9  | 1         |
| 5981 | Hypoxia-inducible factor upregulation by roxadustat attenuates drug reward by altering brain iron homeostasis. <i>Signal Transduction and Targeted Therapy</i> , 2023, 8, .   | 17.1 | 0         |
| 5982 | Hypoxia-driven ncRNAs in breast cancer. <i>Frontiers in Oncology</i> , 0, 13, .   | 2.8  | 0         |
| 5983 | Semisynthesis and anti-cancer properties of novel honokiol derivatives in human nasopharyngeal carcinoma CNE-2Z cells. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2023, 38, .  | 5.2  | 0         |
| 5984 | Unveiling the role of regulatory T cells in the tumor microenvironment of pancreatic cancer through single-cell transcriptomics and in vitro experiments. <i>Frontiers in Immunology</i> , 0, 14, .   | 4.8  | 0         |
| 5985 | Glycolytic reprogramming in macrophages and MSCs during inflammation. <i>Frontiers in Immunology</i> , 0, 14, .   | 4.8  | 4         |
| 5986 | Tumor Abnormality-Oriented Nanomedicine Design. <i>Chemical Reviews</i> , 2023, 123, 10920-10989.   | 47.7 | 9         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5987 | Obesity and Inflammation. Contemporary Endocrinology, 2023, , 15-53.  | 0.1  | 1         |
| 5988 | Inhibition of Hypoxia-Inducible Transcription Factor (HIF-1 $\alpha$ ) Signaling with Sulfonyl- $\beta$ -AApeptide Helices. Journal of the American Chemical Society, 2023, 145, 20009-20020. | 13.7 | 0         |
| 5989 | Dual hypoxia-responsive supramolecular complex for cancer target therapy. Nature Communications, 2023, 14, .  | 12.8 | 1         |
| 5990 | An extra-erythrocyte role of haemoglobin body in chondrocyte hypoxia adaption. Nature, 2023, 622, 834-841.  | 27.8 | 1         |
| 5991 | Ginkgolide K delays the progression of osteoarthritis by regulating <scp>YAP</scp> to promote the formation of cartilage extracellular matrix. Phytotherapy Research, 2023, 37, 5205-5222.    | 5.8  | 1         |
| 5992 | Effect of Moxibustion Combined With Cisplatin on Tumor Microenvironment Hypoxia and Vascular Normalization in Lewis Lung Cancer Mice. Integrative Cancer Therapies, 2023, 22, .               | 2.0  | 0         |
| 5993 | IMF deposition ceRNA network analysis and functional study of HIF1 $\alpha$ in yak. Frontiers in Veterinary Science, 0, 10, .   | 2.2  | 1         |
| 5994 | Fumarate hydratase (FH) and cancer: a paradigm of oncometabolism. British Journal of Cancer, 2023, 129, 1546-1557.  | 6.4  | 4         |
| 5995 | G-quadruplexes in cancer-related gene promoters: from identification to therapeutic targeting. Expert Opinion on Therapeutic Patents, 2023, 33, 745-773.                                      | 5.0  | 0         |
| 5996 | MUC1-C intersects chronic inflammation with epigenetic reprogramming by regulating the set1a compass complex in cancer progression. Communications Biology, 2023, 6, .                        | 4.4  | 0         |
| 5997 | PRC2 mediated KLF2 down regulation: a therapeutic and diagnostic axis during tumor progression. Cancer Cell International, 2023, 23, .  | 4.1  | 3         |
| 5998 | Glycolysis in pulmonary arterial hypertension and metabolic reprogramming. , 2024, , 267-296.   |      | 0         |
| 5999 | Natural products and mitochondrial allies in colorectal cancer therapy. Biomedicine and Pharmacotherapy, 2023, 167, 115473.   | 5.6  | 2         |
| 6000 | Roles of circRNAs in regulating the tumor microenvironment. , 2023, 40, .   |      | 1         |
| 6001 | Exploring the tumor immune microenvironment in ovarian cancer: a way-out to the therapeutic roadmap. Expert Opinion on Therapeutic Targets, 2023, 27, 841-860.                                | 3.4  | 0         |
| 6002 | Glycometabolic Reprogramming of Microglia in Neurodegenerative Diseases: Insights from Neuroinflammation. , 2023, .   |      | 0         |
| 6003 | Hypoxia promotes immune escape of pancreatic cancer cells by lncRNA NNT-AS1/METTL3-HuR-mediated ITGB1 m6A modification. Experimental Cell Research, 2023, 432, 113764.                        | 2.6  | 2         |
| 6004 | Mitochondrial leak metabolism induces the Spemann-Mangold Organizer via Hif-1 $\alpha$ in Xenopus. Developmental Cell, 2023, 58, 2597-2613.e4.  | 7.0  | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6005 | Expanding the ubiquitin code in pancreatic cancer. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2024, 1870, 166884.  | 3.8 | 1         |
| 6006 | Hyperoxic BOLD-MRI-Based Characterization of Breast Cancer Molecular Subtypes Is Independent of the Supplied Amount of Oxygen: A Preclinical Study. <i>Diagnostics</i> , 2023, 13, 2946.  | 2.6 | 1         |
| 6007 | Factor-inhibiting HIF (FIH) promotes lung cancer progression. <i>JCI Insight</i> , 2023, 8, .   | 5.0 | 0         |
| 6008 | The Warburg effect on radioresistance: Survival beyond growth. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2023, 1878, 188988.  | 7.4 | 3         |
| 6009 | High Accuracy Protein Identification: Fusion of Solidâ€State Nanopore Sensing and Machine Learning. <i>Small Methods</i> , 2023, 7, .  | 8.6 | 5         |
| 6011 | The decoy oligodeoxynucleotide against HIF-1Î± and STAT5 ameliorates atopic dermatitis-like mouse model. <i>Molecular Therapy - Nucleic Acids</i> , 2023, 34, 102036.   | 5.1 | 0         |
| 6012 | Association of mismatch repair deficiency in endometrial cancer with 18F-FDG PET/CT and clinicopathological features and their prognostic value. <i>Annals of Nuclear Medicine</i> , 2023, 37, 655-664.   | 2.2 | 1         |
| 6014 | Pathogenesis of Reinke's Edema of the Vocal Fold. <i>Laryngoscope</i> , 0, , .  | 2.0 | 0         |
| 6015 | Hypoxia activates <sc>SREBP2</sc> through Golgi disassembly in bone marrowâ€derived monocytes forÂenhanced tumor growth. <i>EMBO Journal</i> , 2023, 42, .   | 7.8 | 1         |
| 6016 | GPRASP1 loss-of-function links to arteriovenous malformations by endothelial activating GPR4 signals. <i>Brain</i> , 0, , .   | 7.6 | 1         |
| 6017 | Potential roles of tumor microenvironment in gefitinib-resistant non-small cell lung cancer: A narrative review. <i>Medicine (United States)</i> , 2023, 102, e35086.   | 1.0 | 0         |
| 6018 | Hypoxia-Induced Changes in L-Cysteine Metabolism and Antioxidative Processes in Melanoma Cells. <i>Biomolecules</i> , 2023, 13, 1491.   | 4.0 | 0         |
| 6019 | CDCA8 promotes bladder cancer survival by stabilizing HIF1Î± expression under hypoxia. <i>Cell Death and Disease</i> , 2023, 14, .  | 6.3 | 0         |
| 6020 | Genetic and pharmaceutical targeting of HIF1Î± allows combo-immunotherapy to boost graft vs. leukemia without exacerbation graft vs. host disease. <i>Cell Reports Medicine</i> , 2023, 4, 101236.  | 6.5 | 1         |
| 6021 | Regenerative potential of mesenchymal stromal cells in wound healing: unveiling the influence of normoxic and hypoxic environments. <i>Frontiers in Cell and Developmental Biology</i> , 0, 11, .   | 3.7 | 1         |
| 6022 | Metabolic advantages of regulatory T cells dictated by cancer cells. <i>International Immunology</i> , 2024, 36, 75-86.   | 4.0 | 1         |
| 6023 | Synthesis of the diazatricycloundecane scaffold <i>via</i> gold(<sc>i</sc>)-catalysed Conia-ene-type 5-<i>exo-dig</i> cyclization and stepwise substituent assembly for the construction of an sp<sup>3</sup>-rich compound library. <i>Organic and Biomolecular Chemistry</i> , 0, , . | 2.8 | 0         |
| 6024 | Drugs targeting the particle for arrangement of quaternary structure (PAQosome) and protein complex assembly. <i>Expert Opinion on Drug Discovery</i> , 2024, 19, 57-71.  | 5.0 | 0         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 6025 | Tumor cellsâ€derived exosomal noncoding RNAs in cancer angiogenesis: Molecular mechanisms and prospective. <i>Cell Biochemistry and Function</i> , 2023, 41, 1008-1015.  | 2.9  | 1         |
| 6026 | CA9 and PRELID2; hypoxia-responsive potential therapeutic targets for pancreatic ductal adenocarcinoma as per bioinformatics analyses. <i>Journal of Pharmacological Sciences</i> , 2023, 153, 232-242.               | 2.5  | 0         |
| 6027 | NanoFIRE: A NanoLuciferase and Fluorescent Integrated Reporter Element for Robust and Sensitive Investigation of HIF and Other Signalling Pathways. <i>Biomolecules</i> , 2023, 13, 1545.                             | 4.0  | 0         |
| 6028 | M. tb Rv0927c suppresses the activation of HIF-1 pathway through VHL-mediated ubiquitination and NF-Î²B/COX-2 pathway to enhance mycobacteria survival. <i>Microbiological Research</i> , 2024, 278, 127529.          | 5.3  | 0         |
| 6029 | Nanomedicine Strategies in Conquering and Utilizing the Cancer Hypoxia Environment. <i>ACS Nano</i> , 2023, 17, 20875-20924.  | 14.6 | 4         |
| 6030 | A new ferroptosis-related signature model including messenger RNAs and long non-coding RNAs predicts the prognosis of gastric cancer patients. <i>Journal of Translational Internal Medicine</i> , 2023, 11, 145-155. | 2.5  | 4         |
| 6031 | Precision Nutrition and Cancer. , 2024, , 277-298.  |      | 1         |
| 6032 | Polymer composite microspheres loading 177Lu radionuclide for interventional radioembolization therapy and real-time SPECT imaging of hepatic cancer. <i>Biomaterials Research</i> , 2023, 27, .                      | 6.9  | 1         |
| 6033 | Enhancing radiotherapy outcomes in rectal cancer: A systematic review of targeting hypoxia-induced radioresistance. <i>Clinical and Translational Radiation Oncology</i> , 2024, 44, 100695.                          | 1.7  | 0         |
| 6034 | A fully 3D-printed versatile tumor-on-a-chip allows multi-drug screening and correlation with clinical outcomes for personalized medicine. <i>Communications Biology</i> , 2023, 6, .                                 | 4.4  | 0         |
| 6035 | HIF-1 inhibition by MO-2097, a novel chiral-free benzofuran targeting hnRNPA2B1. <i>Journal of Advanced Research</i> , 2023, , .  | 9.5  | 1         |
| 6036 | Evolutionary reversion in tumorigenesis. <i>Frontiers in Oncology</i> , 0, 13, .  | 2.8  | 0         |
| 6037 | Longitudinal dynamics of the tumor hypoxia response: From enzyme activity to biological phenotype. <i>Science Advances</i> , 2023, 9, .   | 10.3 | 1         |
| 6038 | Herba Patriniae and its component Isovitexin show anti-colorectal cancer effects by inducing apoptosis and cell-cycle arrest via p53 activation. <i>Biomedicine and Pharmacotherapy</i> , 2023, 168, 115690.          | 5.6  | 0         |
| 6039 | Predominant factors influencing reactive oxygen species in cancer stem cells. <i>Journal of Cellular Biochemistry</i> , 0, , .  | 2.6  | 0         |
| 6040 | PI3K/AKT signaling activates HIF1 to modulate the biological effects of invasive breast cancer with microcalcification. <i>Npj Breast Cancer</i> , 2023, 9, .   | 5.2  | 0         |
| 6041 | HIF1 elevations at tissue and serum levels and their association with metabolic disorders in obese children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 0, , .   | 3.6  | 0         |
| 6042 | IGF1R and HIF-1 Gene Silencing Inhibits Cancer Cell Growth. , 2023, 1, e17.   |      | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 6043 | Prognostic value of glucose transporter proteins-1 (GLUT1) in breast carcinoma. Libyan Journal of Medicine, 2023, 18, .   | 1.6  | 0         |
| 6044 | Establishment of ganglioside GD2-expressing extranodal NK/T-cell lymphoma cell line with scRNA-seq analysis. Experimental Hematology, 2024, 130, 104132.  | 0.4  | 0         |
| 6045 | Identification of hypoxia-related gene signatures based on multi-omics analysis in lung adenocarcinoma. Journal of Cellular and Molecular Medicine, 0, , .  | 3.6  | 0         |
| 6046 | Epigenetic remodelling under hypoxia. Seminars in Cancer Biology, 2024, 98, 1-10.   | 9.6  | 0         |
| 6047 | Radiation Therapy and Myeloid-Derived Suppressor Cells: Breaking Down Their Cancerous Partnership. International Journal of Radiation Oncology Biology Physics, 2024, 119, 42-55.   | 0.8  | 1         |
| 6048 | Oncofetal reprogramming in tumor development and progression: novel insights into cancer therapy. MedComm, 2023, 4, .   | 7.2  | 1         |
| 6049 | 1,8-Dihydroxy-3-methoxy-anthraquinone inhibits tumor angiogenesis through HIF-1 $\alpha$ downregulation. Biochemical Pharmacology, 2024, 220, 115972.   | 4.4  | 0         |
| 6050 | The Interplay Between HIF-1 $\alpha$ and EZH2 in Lung Cancer and Dual-Targeted Drug Therapy. Advanced Science, 2024, 11, .  | 11.2 | 0         |
| 6051 | The Role of Tumor Metabolic Reprogramming in Tumor Immunity. International Journal of Molecular Sciences, 2023, 24, 17422.  | 4.1  | 1         |
| 6052 | Roles of lncRNA in the diagnosis and prognosis of triple-negative breast cancer. Journal of Zhejiang University: Science B, 2023, 24, 1123-1140.  | 2.8  | 1         |
| 6053 | Exploring mRNA translation strategies for hypoxia adaptation across distantly related metazoans. Epigenomics, 2023, 15, 1069-1084.  | 2.1  | 0         |
| 6055 | Hypoxia-Responsive Golgi-Targeted Prodrug Assembled with Anthracycline for Improved Antitumor and Antimetastasis Efficacy. ACS Nano, 0, , .   | 14.6 | 0         |
| 6056 | Does the VHL polymorphisms rs779805 and rs1642742 affect renal cell carcinoma susceptibility, prognosis and survival in Central European population?. Medicine (United States), 2023, 102, e36540.                                      | 1.0  | 0         |
| 6057 | Reduced oxygen concentrations regulate the phenotype and function of human granulosa cells <i>in vitro</i> and cause a diminished steroidogenic but increased inflammatory cellular reaction. Molecular Human Reproduction, 2023, 30, . | 2.8  | 0         |
| 6058 | scRNA m6A modifications regulate crosstalk between tumor metabolism and immunity. Wiley Interdisciplinary Reviews RNA, 2024, 15, .  | 6.4  | 0         |
| 6059 | Induction of Fatty Acid Oxidation Underlies DNA Damage-Induced Cell Death and Ameliorates Obesity-Driven Chemoresistance. Advanced Science, 2024, 11, .   | 11.2 | 0         |
| 6060 | Decoding the roles of heat shock proteins in liver cancer. Cytokine and Growth Factor Reviews, 2024, 75, 81-92.   | 7.2  | 0         |
| 6061 | Metal-Organic Framework Nanocomposites in Conquering Hypoxia for Tumor Therapy. Advanced Functional Materials, 2024, 34, .  | 14.9 | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 6062 | Associations between HIFs and tumor immune checkpoints: mechanism and therapy. <i>Discover Oncology</i> , 2024, 15, .  | 2.1  | 1         |
| 6063 | Unraveling the molecular mechanisms of cell migration impairment and apoptosis associated with steroid sulfatase deficiency: Implications for X-linked ichthyosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2024, 1870, 167004. | 3.8  | 0         |
| 6064 | Intercellular crosstalk shapes purinergic metabolism and signaling in cancer cells. <i>Cell Reports</i> , 2024, 43, 113643.  | 6.4  | 0         |
| 6065 | Hypoxia-Mediated Upregulation of Xanthine Oxidoreductase Causes DNA Damage of Colonic Epithelial Cells in Colitis. <i>Inflammation</i> , 0, , .  | 3.8  | 0         |
| 6066 | DNA mechanocapsules for programmable piconewton responsive drug delivery. <i>Nature Communications</i> , 2024, 15, .   | 12.8 | 0         |
| 6067 | Anticancer potential of garlic bioactive constituents: Allicin, Z-ajoene, and organosulfur compounds. <i>Pharmacia</i> , 0, 71, 1-23.  | 1.2  | 1         |
| 6068 | Non-Contrast-Enhanced Multiparametric MRI of the Hypoxic Tumor Microenvironment Allows Molecular Subtyping of Breast Cancer: A Pilot Study. <i>Cancers</i> , 2024, 16, 375.  | 3.7  | 0         |
| 6069 | Smart Stimuli-Responsive Spherical Nucleic Acids: Cutting-Edge Platforms for Biosensing, Bioimaging, and Therapeutics. <i>Small</i> , 0, , .   | 10.0 | 0         |
| 6070 | DDX5 enhances HIF-1 $\alpha$ activity by promoting the interaction of HIF-1 $\alpha$ with HIF-1 $\beta$ and recruiting the resulting heterodimer to its target gene loci. <i>Biology of the Cell</i> , 2024, 116, .  | 2.0  | 0         |
| 6071 | Osteogenic-angiogenic coupled response of cobalt-containing mesoporous bioactive glasses in vivo. <i>Acta Biomaterialia</i> , 2024, 176, 445-457.  | 8.3  | 0         |
| 6074 | Capsaicin Enhanced the Efficacy of Photodynamic Therapy Against Osteosarcoma via a Pro-Death Strategy by Inducing Ferroptosis and Alleviating Hypoxia. <i>Small</i> , 0, , .   | 10.0 | 0         |
| 6075 | Bridging tissue repair and epithelial carcinogenesis: epigenetic memory and field cancerization. <i>Cell Death and Differentiation</i> , 0, , .  | 11.2 | 0         |
| 6076 | Advances in RNA therapeutics for modulation of "undruggable" targets. <i>Progress in Molecular Biology and Translational Science</i> , 2024, , 249-294.  | 1.7  | 0         |
| 6077 | SIRT3 Activation a Promise in Drug Development? New Insights into SIRT3 Biology and Its Implications on the Drug Discovery Process. <i>Journal of Medicinal Chemistry</i> , 2024, 67, 1662-1689.   | 6.4  | 0         |
| 6078 | Hyperthermia in Combination with Emerging Targeted and Immunotherapies as a New Approach in Cancer Treatment. <i>Cancers</i> , 2024, 16, 505.  | 3.7  | 0         |
| 6079 | Metabolic Signature of Warburg Effect in Cancer: An Effective and Obligatory Interplay between Nutrient Transporters and Catabolic/Anabolic Pathways to Promote Tumor Growth. <i>Cancers</i> , 2024, 16, 504.  | 3.7  | 1         |
| 6080 | The HIF-1 $\alpha$ and mTOR Pathways Amplify Heterotopic Ossification. <i>Biomolecules</i> , 2024, 14, 147.  | 4.0  | 0         |
| 6081 | Biomimetic Nanomedicine Targeting Orchestrated Metabolism Coupled with Regulatory Factors to Disrupt the Metabolic Plasticity of Breast Cancer. <i>ACS Nano</i> , 2024, 18, 4360-4375.   | 14.6 | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 6082 | External Mechanical Stability Regulates Hematoma Vascularization in Bone Healing Rather than Endothelial YAP/TAZ Mechanotransduction. <i>Advanced Science</i> , 2024, 11, .  | 11.2 | 0         |
| 6083 | An inexpensive “do-it-yourself” device for rapid generation of uniform tumor spheroids. , 2024, 2, 100255.   |      | 1         |
| 6084 | Targeting Angiogenesis Alone and in Combination with Immune Checkpoint Inhibitors in Advanced Gastroesophageal Malignancies. <i>Current Gastroenterology Reports</i> , 2024, 26, 57-67.  | 2.5  | 0         |
| 6086 | Spatiotemporal Controllable Sonoâ€Nanovaccines Driven by Freeâ€Field Based Wholeâ€Body Ultrasound for Personalized Cancer Therapy. <i>Advanced Science</i> , 2024, 11, .   | 11.2 | 0         |
| 6087 | Effect of cell adhesiveness of Cell Dome shell on enclosed HeLa cells. <i>Journal of Bioscience and Bioengineering</i> , 2024, 137, 313-320.   | 2.2  | 0         |
| 6088 | Roles of lysophosphatidic acid (LPA) receptor-mediated signaling in cellular functions modulated by endothelial cells in pancreatic cancer cells under hypoxic conditions. <i>Pathology Research and Practice</i> , 2024, 255, 155192. | 2.3  | 0         |
| 6089 | HIF1A transcriptional regulation of COX4I2 impacts angiogenesis in pheochromocytoma. <i>Biochemical and Biophysical Research Communications</i> , 2024, 704, 149638.   | 2.1  | 0         |
| 6090 | Study on the mechanism of MDSC-platelets and their role in the breast cancer microenvironment. <i>Frontiers in Cell and Developmental Biology</i> , 0, 12, .   | 3.7  | 0         |
| 6091 | PX-478, an HIF-1Î± inhibitor, impairs mesoCAR T cell antitumor function in cervical cancer. <i>Frontiers in Oncology</i> , 0, 14, .  | 2.8  | 0         |
| 6092 | Experimental evidence for cancer resistance in a bat species. <i>Nature Communications</i> , 2024, 15, .   | 12.8 | 0         |
| 6093 | Dissemination of Circulating Tumor Cells in Breast and Prostate Cancer: Implications for Early Detection. <i>Endocrinology</i> , 2024, 165, .  | 2.8  | 0         |
| 6094 | The Perspective of Using Flow Cytometry for Unpuzzling Hypoxia-Inducible Factors Signalling. <i>Drug Research</i> , 2024, 74, 113-122.   | 1.7  | 0         |
| 6095 | DKC1 aggravates gastric cancer cell migration and invasion through up-regulating the expression of TNFAIP6. <i>Functional and Integrative Genomics</i> , 2024, 24, .   | 3.5  | 0         |
| 6096 | Integrative singleâ€cell expression and functional studies unravels a sensitization to cytarabineâ€based chemotherapy through HIF pathway inhibition in AML leukemia stem cells. <i>HemaSphere</i> , 2024, 8, .                        | 2.7  | 0         |
| 6098 | HIF-1 inhibition reverses opacity in a rat model of galactose-induced cataract. <i>PLoS ONE</i> , 2024, 19, e0299145.  | 2.5  | 0         |
| 6099 | PHA-665752â€™s Antigrowth and Proapoptotic Effects on HSC-3 Human Oral Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2024, 25, 2871.  | 4.1  | 0         |
| 6100 | Cobalt-doped hydroxyapatite for bone tissue engineering: Synthesis, characterization and in vitro biocompatibility of real-time extract. <i>Materials Today Communications</i> , 2024, 38, 108554.                                     | 1.9  | 0         |
| 6101 | Cryptotanshinone inhibits PFK-mediated aerobic glycolysis by activating AMPK pathway leading to blockade of cutaneous melanoma. <i>Chinese Medicine</i> , 2024, 19, .  | 4.0  | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 6102 | Deformable nanocarriers for enhanced drug delivery and cancer therapy. Exploration, 0, , .  | 11.0 | 0         |
| 6103 | Redox proteomics of PANC-1 cells reveals the significance of HIF-1 signaling protein oxidation in pancreatic ductal adenocarcinoma pathogenesis. Journal of Translational Medicine, 2024, 22, .                           | 4.4  | 0         |
| 6104 | Aglycemia induces apoptosis under hypoxic conditions in A549 cells. Cell Biochemistry and Function, 2024, 42, .   | 2.9  | 0         |
| 6105 | Marine-Derived Leads as Anticancer Candidates by Disrupting Hypoxic Signaling through Hypoxia-Inducible Factors Inhibition. Marine Drugs, 2024, 22, 143.  | 4.6  | 0         |
| 6106 | “Three birds with one stone” nanoplatform: Efficient near-infrared-triggered type I AIE photosensitizer for mitochondria-targeted photodynamic therapy against hypoxic tumors. Aggregate, 0, , .                          | 9.9  | 0         |
| 6107 | Ubiquitinome Analysis Uncovers Alterations in Synaptic Proteins and Glucose Metabolism Enzymes in the Hippocampi of Adolescent Mice Following Cold Exposure. Cells, 2024, 13, 570.  | 4.1  | 0         |
| 6108 | Mechanisms of angiogenesis in tumour. Frontiers in Oncology, 0, 14, .   | 2.8  | 0         |
| 6109 | A Review of the Use of Targeted Therapy for Cancer Treatment. Clinical Cancer Investigation Journal, 2023, 12, 33-37.   | 0.9  | 0         |
| 6110 | Identification and Development of Cyclic Peptide Inhibitors of Hypoxia Inducible Factors 1 and 2 That Disrupt Hypoxia-Response Signaling in Cancer Cells. Journal of the American Chemical Society, 2024, 146, 8877-8886. | 13.7 | 0         |
| 6111 | PDGFR <sup>2</sup> + cell HIF2 <sup>1</sup> is dispensable for white adipose tissue metabolic remodeling and hepatic lipid accumulation in obese mice. Lipids in Health and Disease, 2024, 23, .                          | 3.0  | 0         |