

Face recognition using Laplacianfaces

IEEE Transactions on Pattern Analysis and Machine Intelligence
27, 328-340

DOI: [10.1109/tpami.2005.55](https://doi.org/10.1109/tpami.2005.55)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Discriminant Analysis with Tensor Representation. , 0, , .		64
2	Multi-graph enabled active learning for multimodal web image retrieval. , 2005, , .		4
3	Attractor-based person identification. , 2005, , .		0
4	Face Recognition Using OPRA-Faces. , 0, , .		4
5	Discriminant Locality Preserving Projections: A New Method to Face Representation and Recognition. , 0, , .		4
6	Face Recognition with Weighted Locally Linear Embedding. , 0, , .		13
7	LPP/QR for under-sampled image recognition. , 2005, , .		1
8	Where are linear feature extraction methods applicable?. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2005, 27, 1934-1944.	9.7	115
9	Face Recognition using Self-Organizing Map and Principal Component Analysis. , 0, , .		14
10	Kernel PCA with doubly nonlinear mapping for face recognition. , 2005, , .		0
11	Face recognition with MRC-boosting. , 2005, , .		6
12	Extending Manifold Learning Algorithms by Neural Networks. , 2006, , .		1
13	Gabor-based kernel PCA with doubly nonlinear mapping for face recognition with a single face image. IEEE Transactions on Image Processing, 2006, 15, 2481-2492.	6.0	104
14	Expression-Invariant Face Recognition with Expression Classification. , 0, , .		17
15	Face Recognition Based on Geodesic Preserving Projection Algorithm with 3D Morphable Model. , 2006, , .		0
16	Elastic Local Reconstruction for Human Face Recognition. , 0, , .		0
17	Integrating Spatial and Discriminant Strength for Feature Selection and Linear Dimensionality Reduction. , 0, , .		1
18	Orthogonal Laplacianfaces for Face Recognition. IEEE Transactions on Image Processing, 2006, 15, 3608-3614.	6.0	684

#	ARTICLE	IF	CITATIONS
19	Learning nonlinear image manifolds by global alignment of local linear models. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2006, 28, 1236-1250.	9.7	74
20	Improved Manifold Coordinate Representations of Large-Scale Hyperspectral Scenes. IEEE Transactions on Geoscience and Remote Sensing, 2006, 44, 2786-2803.	2.7	139
21	A Two-Phase Framework based on 2-D feature extraction algorithms. , 2006, , .		0
22	Three-dimensional face pose estimation based on novel nonlinear discriminant representation. Optical Engineering, 2006, 45, 090503.	0.5	2
23	Sampling design for face recognition. , 2006, 6202, 176.		3
24	Supervised locality pursuit embedding for pattern classification. Image and Vision Computing, 2006, 24, 819-826.	2.7	10
25	Local structure based supervised feature extraction. Pattern Recognition, 2006, 39, 1546-1550.	5.1	89
26	Face recognition from a single image per person: A survey. Pattern Recognition, 2006, 39, 1725-1745.	5.1	628
27	Discriminant neighborhood embedding for classification. Pattern Recognition, 2006, 39, 2240-2243.	5.1	56
28	Laplacian linear discriminant analysis. Pattern Recognition, 2006, 39, 136-139.	5.1	18
29	A new nonlinear feature extraction method for face recognition. Neurocomputing, 2006, 69, 949-953.	3.5	18
30	Sub-intrapersonal space analysis for face recognition. Neurocomputing, 2006, 69, 1796-1801.	3.5	7
31	An alternative formulation of kernel LPP with application to image recognition. Neurocomputing, 2006, 69, 1733-1738.	3.5	60
32	Locally principal component learning for face representation and recognition. Neurocomputing, 2006, 69, 1697-1701.	3.5	11
33	Combining labeled and unlabeled data with graph embedding. Neurocomputing, 2006, 69, 2385-2389.	3.5	20
34	Neighborhood Discriminant Projection for Face Recognition. , 2006, , .		0
35	Learning Non-Metric Partial Similarity Based on Maximal Margin Criterion. , 0, , .		7
36	Face Recognition Using Angular LDA and SVM Ensembles. , 2006, , .		8

#	ARTICLE	IF	CITATIONS
37	PCA in wavelet domain for face recognition. , 2006, , .		6
38	Local-information-based uncorrelated feature extraction. Optical Engineering, 2006, 45, 020505.	0.5	9
39	Unsupervised Discriminant Projection Analysis for Feature Extr. , 2006, , .		6
40	Semi-Supervised Clustering of Corner-Oriented Attributed Graphs. , 2006, , .		0
41	Two Dimensional Laplacianfaces Method for Face Recognition. Lecture Notes in Computer Science, 2006, , 852-861.	1.0	2
42	A Comparison of Features Spaces for Face Recognition Problem. , 0, , .		0
43	"Non-locality" Preserving Projection and Its Application to Palmprint Recognition. , 2006, , .		3
44	Face Recognition Based on Extended Locally Linear Embedding. , 2006, , .		2
45	Face Recognition using Laplacian+OPRA-faces. , 2006, , .		3
46	A Comprehensive Empirical Study on Linear Subspace Methods for Facial Expression Analysis. , 0, , .		20
47	Face Recognition Based on an Alternative Formulation of Orthogonal LPP. , 2007, , .		5
48	Linear Laplacian Discrimination for Feature Extraction. , 2007, , .		41
49	Spectral regression. , 2007, , .		82
50	Local learning projections. , 2007, , .		33
51	Face Recognition Using Parzenfaces. Lecture Notes in Computer Science, 2007, , 200-209.	1.0	0
52	Gabor-Based Improved Locality Preserving Projections for Face Recognition. Proceedings International Conference on Image Processing, 2007, , .	0.0	4
53	Document Image Registration Based on Geometric Invariant and Contour Matching. , 2007, , .		3
54	Laplacianfaces incorporated inside nonnegative matrix factorization for face recognition. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
55	An Improved 2DLPP Method on Gabor Features for Palmprint Recognition. , 2007, , .		1
56	Clustering and searching WWW images using link and page layout analysis. ACM Transactions on Multimedia Computing, Communications and Applications, 2007, 3, 10.	3.0	41
57	Regularized regression on image manifold for retrieval. , 2007, , .		10
58	Maximum variance projections for face recognition. Optical Engineering, 2007, 46, 067206.	0.5	17
59	Ranking with semi-supervised distance metric learning and its application to housing potential estimation. , 2007, , .		0
60	Optimal dimensionality of metric space for classification. , 2007, , .		30
61	Appearance-based video clustering in 2D locality preserving projection subspace. , 2007, , .		6
62	A Human Face Recognition System Using Neural Classifiers. , 2007, , .		1
63	Optimal Dimensionality Discriminant Analysis and Its Application to Image Recognition. , 2007, , .		13
64	Face Verification With Balanced Thresholds. IEEE Transactions on Image Processing, 2007, 16, 262-268.	6.0	9
65	Face Recognition using Discriminatively Trained Orthogonal Rank One Tensor Projections. , 2007, , .		35
66	Bilateral Two-Dimensional Locality Preserving Projections. , 2007, , .		6
67	Visual tracking and recognition based on robust locality preserving projection. Optical Engineering, 2007, 46, 046401.	0.5	0
68	Localized versus Locality-Preserving Subspace Projections for Face Recognition. Eurasip Journal on Image and Video Processing, 2007, 2007, 1-8.	1.7	4
69	Kernel uncorrelated neighborhood discriminative embedding for feature extraction. Optical Engineering, 2007, 46, 120502.	0.5	0
70	Locality preserving projections as a new manifold analysis approach for robust face super-resolution. , 2007, , .		2
71	Simultaneous Eye Tracking and Blink Detection with Interactive Particle Filters. Eurasip Journal on Advances in Signal Processing, 2007, 2008, .	1.0	22
72	A Level Structure Based Hybrid Evolutionary Algorithm for the Edge Bisection Problem. , 2007, , .		4

#	ARTICLE	IF	CITATIONS
73	Application of Radial Basis Function Network and Locality Preserving Projections for Face Recognition. , 2007, , .		1
74	Adaptive Edge Weights for Supervised Graph Embedding. , 2007, , .		0
75	Extracting the Optimal Dimensionality for Discriminant Analysis. , 2007, , .		2
76	Globally Maximizing, Locally Minimizing: Unsupervised Discriminant Projection with Applications to Face and Palm Biometrics. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2007, 29, 650-664.	9.7	469
77	Integrating Motion, Illumination, and Structure in Video Sequences with Applications in Illumination-Invariant Tracking. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2007, 29, 793-806.	9.7	28
78	Orthogonal Neighborhood Preserving Projections: A Projection-Based Dimensionality Reduction Technique. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2007, 29, 2143-2156.	9.7	263
79	Graph Embedding and Extensions: A General Framework for Dimensionality Reduction. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2007, 29, 40-51.	9.7	2,599
80	Discriminant Embedding for Local Image Descriptors. , 2007, , .		122
81	Extensions of Manifold Learning Algorithms in Kernel Feature Space. Lecture Notes in Computer Science, 2007, , 449-454.	1.0	0
82	Spectral Regression: A Unified Approach for Sparse Subspace Learning. , 2007, , .		163
83	Breaking the Limitation of Manifold Analysis for Super-Resolution of Facial Images. , 2007, , .		30
84	Semi-supervised Discriminant Analysis. , 2007, , .		588
85	An image matrix compression based supervised locality preserving projections for face recognition. , 2007, , .		1
86	Selecting the Principal Feature Components in the Three-dimensional Parameter Space for Face Recognition. , 2007, , .		0
87	Hierarchical Structuring of Data on Manifolds. , 2007, , .		4
88	Marginal Fisher Analysis and Its Variants for Human Gait Recognition and Content- Based Image Retrieval. IEEE Transactions on Image Processing, 2007, 16, 2811-2821.	6.0	239
89	Laplacian Discriminant Projection with Optimized Kernels for Supervised Feature Extraction and Classification. , 2007, , .		0
90	Spectral Regression for Efficient Regularized Subspace Learning. , 2007, , .		274

#	ARTICLE	IF	CITATIONS
91	IMD-Isomap for Data Visualization and Classification. , 2007, , .		4
92	VCDECIS -- Knowledge Online Advanced Content Management Using a Semantic Network. , 2007, , .		5
93	Time Series Classification Using Locality Preserving Projections. , 2007, , .		0
94	Laplacian PCA and Its Applications. , 2007, , .		38
95	Learning and Matching of Dynamic Shape Manifolds for Human Action Recognition. IEEE Transactions on Image Processing, 2007, 16, 1646-1661.	6.0	138
96	Face recognition by using characteristic matrix and ring rotation invariant transform. Applied Mathematics and Computation, 2007, 189, 116-125.	1.4	0
97	RegionBoost learning for 2D+3D based face recognition. Pattern Recognition Letters, 2007, 28, 2063-2070.	2.6	29
98	Two-dimensional locality preserving projections (2DLPP) with its application to palmprint recognition. Pattern Recognition, 2007, 40, 339-342.	5.1	268
99	Face recognition using spectral features. Pattern Recognition, 2007, 40, 2786-2797.	5.1	28
100	A multi-expert approach for wavelet-based face detection. Pattern Recognition Letters, 2007, 28, 1541-1547.	2.6	5
101	Gabor feature-based face recognition using supervised locality preserving projection. Signal Processing, 2007, 87, 2473-2483.	2.1	100
102	2D-LPP: A two-dimensional extension of locality preserving projections. Neurocomputing, 2007, 70, 912-921.	3.5	156
103	Face recognition based on orthogonal discriminant locality preserving projections. Neurocomputing, 2007, 70, 1543-1546.	3.5	79
104	Locality preserving CCA with applications to data visualization and pose estimation. Image and Vision Computing, 2007, 25, 531-543.	2.7	195
105	Neighborhood discriminant projection for face recognition. Pattern Recognition Letters, 2007, 28, 1156-1163.	2.6	28
106	A multi-matcher for ear authentication. Pattern Recognition Letters, 2007, 28, 2219-2226.	2.6	73
107	ICA-based neighborhood preserving analysis for face recognition. Computer Vision and Image Understanding, 2008, 112, 286-295.	3.0	15
108	Face recognition using elastic local reconstruction based on a single face image. Pattern Recognition, 2008, 41, 406-417.	5.1	24

#	ARTICLE	IF	CITATIONS
109	Approximate information discriminant analysis: A computationally simple heteroscedastic feature extraction technique. <i>Pattern Recognition</i> , 2008, 41, 1548-1557.	5.1	40
110	Person recognition by fusing palmprint and palm vein images based on Laplacianpalm representation. <i>Pattern Recognition</i> , 2008, 41, 1514-1527.	5.1	247
111	1D-LDA vs. 2D-LDA: When is vector-based linear discriminant analysis better than matrix-based?. <i>Pattern Recognition</i> , 2008, 41, 2156-2172.	5.1	86
112	A Direct Locality Preserving Projections (DLPP) Algorithm for Image Recognition. <i>Neural Processing Letters</i> , 2008, 27, 247-255.	2.0	31
113	Face recognition using Two Dimensional Laplacian EigenMap. <i>Journal of Electronics</i> , 2008, 25, 616-621.	0.2	1
114	Median Fisher Discriminator: a robust feature extraction method with applications to biometrics. <i>Frontiers of Computer Science</i> , 2008, 2, 295-305.	0.6	12
115	Multimodal biometrics using geometry preserving projections. <i>Pattern Recognition</i> , 2008, 41, 805-813.	5.1	66
116	Comment on two-dimensional locality preserving projections (2DLPP) with its application to palmprint recognition. <i>Pattern Recognition</i> , 2008, 41, 1427.	5.1	53
117	Two-dimensional Laplacianfaces method for face recognition. <i>Pattern Recognition</i> , 2008, 41, 3237-3243.	5.1	33
118	Feature extraction using constrained maximum variance mapping. <i>Pattern Recognition</i> , 2008, 41, 3287-3294.	5.1	120
119	1D correlation filter based class-dependence feature analysis for face recognition. <i>Pattern Recognition</i> , 2008, 41, 3834-3841.	5.1	23
120	Classification of multivariate time series using locality preserving projections. <i>Knowledge-Based Systems</i> , 2008, 21, 581-587.	4.0	45
121	Supervised kernel neighborhood preserving projections for radar target recognition. <i>Signal Processing</i> , 2008, 88, 2335-2339.	2.1	21
122	Palmprint identification using restricted fusion. <i>Applied Mathematics and Computation</i> , 2008, 205, 927-934.	1.4	35
123	Face recognition using a fusion method based on bidirectional 2DPCA. <i>Applied Mathematics and Computation</i> , 2008, 205, 601-607.	1.4	30
124	Two-stage optimal component analysis. <i>Computer Vision and Image Understanding</i> , 2008, 110, 91-101.	3.0	6
125	Visual learning and recognition of sequential data manifolds with applications to human movement analysis. <i>Computer Vision and Image Understanding</i> , 2008, 110, 153-172.	3.0	47
126	Diffusion polynomial frames on metric measure spaces. <i>Applied and Computational Harmonic Analysis</i> , 2008, 24, 329-353.	1.1	71

#	ARTICLE	IF	CITATIONS
127	Palmprint recognition with improved two-dimensional locality preserving projections. Image and Vision Computing, 2008, 26, 1261-1268.	2.7	33
128	Kernel class-wise locality preserving projection. Information Sciences, 2008, 178, 1825-1835.	4.0	96
129	Comment on: "Two-dimensional locality preserving projections (2DLPP) with its application to palmprint recognition". Pattern Recognition, 2008, 41, 1426.	5.1	5
130	Optimizing the data-dependent kernel under a unified kernel optimization framework. Pattern Recognition, 2008, 41, 2107-2119.	5.1	37
131	Orthogonal neighborhood preserving discriminant analysis for face recognition. Pattern Recognition, 2008, 41, 2045-2054.	5.1	77
132	A unified framework for semi-supervised dimensionality reduction. Pattern Recognition, 2008, 41, 2789-2799.	5.1	166
133	Wavelet decomposition tree selection for palm and face authentication. Pattern Recognition Letters, 2008, 29, 343-353.	2.6	27
134	Recovering the 3D shape and poses of face images based on the similarity transform. Pattern Recognition Letters, 2008, 29, 712-723.	2.6	23
135	A multi-modal method based on the competitors of FVC2004 and on palm data combined with tokenised random numbers. Pattern Recognition Letters, 2008, 29, 1344-1350.	2.6	6
136	Noisy manifold learning using neighborhood smoothing embedding. Pattern Recognition Letters, 2008, 29, 1613-1620.	2.6	23
137	A novel class-dependence feature analysis method for face recognition. Pattern Recognition Letters, 2008, 29, 1907-1914.	2.6	7
138	Semi-supervised sub-manifold discriminant analysis. Pattern Recognition Letters, 2008, 29, 1806-1813.	2.6	31
139	Classification and Feature Extraction by Simplexization. IEEE Transactions on Information Forensics and Security, 2008, 3, 91-100.	4.5	69
140	Local Temporal Common Spatial Patterns for Robust Single-Trial EEG Classification. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2008, 16, 131-139.	2.7	83
141	Discriminant analysis of the two-dimensional Gabor features for face recognition. IET Computer Vision, 2008, 2, 37.	1.3	15
142	Locality sensitive semi-supervised feature selection. Neurocomputing, 2008, 71, 1842-1849.	3.5	161
143	Facial expression recognition based on two-dimensional discriminant locality preserving projections. Neurocomputing, 2008, 71, 1730-1734.	3.5	66
144	Image Classification Using Correlation Tensor Analysis. IEEE Transactions on Image Processing, 2008, 17, 226-234.	6.0	85

#	ARTICLE	IF	CITATIONS
145	Generalized Face Super-Resolution. IEEE Transactions on Image Processing, 2008, 17, 873-886.	6.0	109
146	Human Age Estimation With Regression on Discriminative Aging Manifold. IEEE Transactions on Multimedia, 2008, 10, 578-584.	5.2	362
147	Palmprint recognition based on multiple feature information fusion. , 2008, , .		3
148	Eigenfeature Regularization and Extraction in Face Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 383-394.	9.7	258
149	Riemannian Manifold Learning. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 796-809.	9.7	328
150	Comments on "Globally Maximizing, Locally Minimizing: Unsupervised Discriminant Projection with Application to Face and Palm Biometrics". IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 1503-1504.	9.7	52
151	Model Driven Segmentation of Articulating Humans in Laplacian Eigenspace. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 1771-1785.	9.7	43
152	Correlation Metric for Generalized Feature Extraction. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 2229-2235.	9.7	102
153	Tied Factor Analysis for Face Recognition across Large Pose Differences. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 970-984.	9.7	164
154	Discriminant Locally Linear Embedding With High-Order Tensor Data. IEEE Transactions on Systems, Man, and Cybernetics, 2008, 38, 342-352.	5.5	250
155	Face recognition based on neighbourhood discriminant preserving embedding. , 2008, , .		2
156	Feature Extraction base on Local Maximum Margin Criterion. , 2008, , .		1
157	A novel scheme for face recognition and authentication with illumination and expression changes. , 2008, , .		0
158	Handwritten Chinese character recognition using Local Discriminant Projection with Prior Information. , 2008, , .		8
159	Effective video event detection via subspace projection. , 2008, , .		0
160	Face hallucination using OLPP and Kernel Ridge Regression. , 2008, , .		11
161	Design and Implementation of a Face Recognition System Using Fast PCA. , 2008, , .		6
162	Face Recognition Using 3D Head Scan Data Based on Procrustes Distance. , 2008, , .		2

#	ARTICLE	IF	CITATIONS
163	Multimodal preserving embedding for face recognition. , 2008, , .		0
164	Transductive Component Analysis. , 2008, , .		47
165	Topology Preserving Non-negative Matrix Factorization for Face Recognition. IEEE Transactions on Image Processing, 2008, 17, 574-584.	6.0	127
166	GLLE: An improved nonlinear manifold learning method with global topological preservation. , 2008, , .		0
167	Gabor-Based Discriminative Common Vectors for Gait Recognition. , 2008, , .		7
168	Uncorrelated Discriminant Locality Preserving Projections. IEEE Signal Processing Letters, 2008, 15, 361-364.	2.1	33
169	Efficient classification scheme based on hybrid global and local properties of feature. , 2008, , .		0
170	Face recognition using direct LPP algorithm. , 2008, , .		4
171	An adaptive learning method for face hallucination using Locality Preserving Projections. , 2008, , .		26
172	Semi-Supervised Discriminant Analysis using robust path-based similarity. , 2008, , .		23
173	Minimal local reconstruction error measure based discriminant feature extraction and classification. , 2008, , .		4
174	Class Distance Weighted Locality Preserving Projection for Automatic Age Estimation. , 2008, , .		9
175	Gait Components and Their Application to Gender Recognition. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2008, 38, 145-155.	3.3	227
176	Local Maximal Marginal Embedding with Application to Face Recognition. , 2008, , .		6
177	SRDA: An Efficient Algorithm for Large-Scale Discriminant Analysis. IEEE Transactions on Knowledge and Data Engineering, 2008, 20, 1-12.	4.0	334
178	Locality Versus Globality: Query-Driven Localized Linear Models for Facial Image Computing. IEEE Transactions on Circuits and Systems for Video Technology, 2008, 18, 1741-1752.	5.6	25
179	Face recognition with Neighboring Discriminant Analysis. , 2008, , .		0
180	Classification via semi-Riemannian spaces. , 2008, , .		7

#	ARTICLE	IF	CITATIONS
181	Computing oil sand particle size distribution by snake-PCA algorithm. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	5
182	Harmonizing Hierarchical Manifolds for Multimedia Document Semantics Understanding and Cross-Media Retrieval. IEEE Transactions on Multimedia, 2008, 10, 437-446.	5.2	199
183	A Modified Backpropagation Learning Algorithm With Added Emotional Coefficients. IEEE Transactions on Neural Networks, 2008, 19, 1896-1909.	4.8	88
184	Identification of Causal Variables for Building Energy Fault Detection by Semi-supervised LDA and Decision Boundary Analysis. , 2008, , .		4
185	Ensemble of Multiple Pedestrian Representations. IEEE Transactions on Intelligent Transportation Systems, 2008, 9, 365-369.	4.7	33
186	Multimodal biometrics fusion using Correlation Filter Bank. , 2008, , .		20
187	Semi-supervised Laplacianfaces from Pairwise Constraints for Face Recognition. , 2008, , .		1
188	An efficient regularized neighborhood discriminant analysis through QR decomposition. , 2008, , .		0
189	Face Recognition Using Kernel-Based NPE. , 2008, , .		5
190	Face Manifold Analysis Based on LFA Features. , 2008, , .		0
191	Feature Extraction by Dynamically Revising the Discriminant Information in the Objective Space. , 2008, , .		0
192	Gabor Feature-Based Face Recognition Using Riemannian Manifold Learning. , 2008, , .		0
193	Discriminant simplex analysis. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	0
194	Gabor-based Discriminant Locality Preserving Projections for face recognition. , 2008, , .		0
195	Cost-sensitive face recognition. , 2008, , .		1
196	Direct Hallucination: Direct Locality Preserving Projections (DLPP) for Face Super-Resolution. , 2008, , .		4
197	A Novel Two-Stage Cancer Classification Method for Microarray Data Based on Supervised Manifold Learning. , 2008, , .		4
198	Local Lighting Invariant features for face recognition. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
199	Two-Dimensional Local Graph Embedding Analysis(2DLGEA) for Face Recognition. , 2008, , .		0
200	Palmprint identification based on directional representation. Conference Proceedings IEEE International Conference on Systems, Man, and Cybernetics, 2008, , .	0.0	9
201	Flexible X-Y patches for face recognition. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	12
202	Gabor-based Orthogonal Locality Sensitive Discriminant Analysis for face recognition. , 2008, , .		2
203	Feature extraction using supervised spectral analysis. , 2008, , .		1
204	Real-time human action recognition by luminance field trajectory analysis. , 2008, , .		35
205	Learning a Maximum Margin Subspace for Image Retrieval. IEEE Transactions on Knowledge and Data Engineering, 2008, 20, 189-201.	4.0	161
206	Kernel uncorrelated neighbourhood discriminative embedding for radar target recognition. Electronics Letters, 2008, 44, 154.	0.5	4
207	Monitoring visual focus of attention via local discriminant projection. , 2008, , .		7
208	Relevance aggregation projections for image retrieval. , 2008, , .		6
209	Multi-view ear recognition based on B-Spline pose manifold construction. , 2008, , .		10
210	Dynamic Laplacian Principle Component Analysis on Objective Space. , 2008, , .		0
211	Constrained Maximum Variance Mapping. , 2008, , .		0
212	Local Fisher Discriminant Embedding for face recognition. , 2008, , .		0
213	Multi-view face recognition based on manifold learning and multilinear representation. , 2008, , .		2
214	An empirical comparison of graph-based dimensionality reduction algorithms on facial expression recognition tasks. , 2008, , .		0
215	New Concept for Discriminator Design: From Classifier to Discriminator. , 2008, , .		0
216	A study of using locality preserving projections for feature extraction in speech recognition. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	19

#	ARTICLE	IF	CITATIONS
217	Neighborhood smoothing embedding for noisy manifold learning. , 2008, , .		1
218	Exploiting side information in locality preserving projection. , 2008, , .		12
219	Enhanced face recognition using tensor neighborhood preserving discriminant projections. , 2008, , .		1
220	A novel unsupervised feature extraction based on image matrix. , 2008, , .		0
221	Time-Embedding 2D Locality Preserving Projection for Video Summarization. , 2008, , .		1
222	A novel method of feature extraction based on local scatter and nonlocal scatter. , 2008, , .		0
223	Discriminant spectral analysis for facial expression recognition. , 2008, , .		4
224	Semi-supervised Discriminant Analyze with Instance-Level Constraints. , 2008, , .		0
225	Boosting simple projections for multi-class dimensionality reduction. Conference Proceedings IEEE International Conference on Systems, Man, and Cybernetics, 2008, , .	0.0	2
226	Large-scale manifold learning. , 2008, , .		107
227	2DUDP: Novel method of feature extraction based on image matrix. , 2008, , .		0
228	Locality preserving multi-nominal logistic regression. , 2008, , .		7
229	Correlation Embedding Analysis. , 2008, , .		5
230	Locality-Preserved Maximum Information Projection. IEEE Transactions on Neural Networks, 2008, 19, 571-585.	4.8	78
231	Misalignment-robust face recognition. , 2008, , .		4
232	Subspace Analysis Methods plus Motion History Image for Human Action Recognition. , 2008, , .		0
233	Two Dimension Locally Principal Component Analysis for Face Recognition. , 2008, , .		2
234	Training Linear Discriminant Analysis in Linear Time. , 2008, , .		39

#	ARTICLE	IF	CITATIONS
235	(2D)2UDP: A New Two-Directional Two-Dimensional Unsupervised Discriminant Projection for Face Recognition. , 2008, , .		0
236	Locality preserving projections plus affinity propagation: a fast method for face recognition. Optical Engineering, 2008, 47, 040501.	0.5	0
237	Semi-supervised dimensionality reduction for image retrieval. , 2008, , .		0
238	Face Recognition by Discriminative Orthogonal Rank-one Tensor Decomposition. , 0, , .		2
239	Intelligent Local Face Recognition. , 2008, , .		6
240	Direct Neighborhood Discriminant Analysis for Face Recognition. Mathematical Problems in Engineering, 2008, 2008, 1-15.	0.6	0
241	Integrated KL (K-means + Laplacian) Clustering: A New Clustering Approach by Combining Attribute Data and Pairwise Relations. , 2009, , .		32
242	Face Recognition Based on Human Visual Perception Theories and Unsupervised ANN. , 2009, , .		2
243	Stepwise Correlation metric based Discriminant Analysis and multi-probe images fusion for face recognition. , 2009, , .		1
244	Relative Distance-Based Laplacian Eigenmaps. , 2009, , .		2
245	Elastic block set reconstruction for face recognition. , 2009, , .		1
246	Weightiness image partition in 3D face recognition. , 2009, , .		1
247	A fast feature extraction method. , 2009, , .		2
248	Sparse Locality Preserving Embedding. , 2009, , .		11
249	Two dimension locality preserving projections with class information for face recognition. , 2009, , .		2
250	A new feature extraction method for image recognition using structural two-dimensional locality preserving projections. , 2009, , .		0
251	An approach for face recognition based on fusion of DTCWT and Manifold Regularized Orthogonal Discriminant Analysis. , 2009, , .		0
252	Speaker diarization using unsupervised discriminant analysis of inter-channel delay features. , 2009, , .		8

#	ARTICLE	IF	CITATIONS
253	Uncorrelated multilinear geometry preserving projections for multimodal biometrics recognition. , 2009, , .		0
254	A robust elastic and partial matching metric for face recognition. , 2009, , .		22
255	Histogram-enhanced principal component analysis for face recognition. , 2009, , .		0
256	Binary Sparse Nonnegative Matrix Factorization. IEEE Transactions on Circuits and Systems for Video Technology, 2009, 19, 772-777. , .	5.6	47
257	On ear biometrics. , 2009, , .		10
258	Face alignment by minimizing the closest classification distance. , 2009, , .		3
259	Orthogonal locality discriminant embedding for document classification. , 2009, , .		0
260	Feature extraction using randomwalks. , 2009, , .		1
261	Optimal Regularization Parameter Estimation for Spectral Regression Discriminant Analysis. IEEE Transactions on Circuits and Systems for Video Technology, 2009, 19, 1921-1926. , .	5.6	10
262	Identification of Human Faces Using Orthogonal Locality Preserving Projections. , 2009, , .		6
263	Joint and implicit registration for face recognition. , 2009, , .		3
264	Two-directional two-dimensional discriminant locality preserving projections for image recognition. , 2009, , .		1
265	From Laplacian Eigenmaps to Kernel Locality Preserving Projections: Equivalence or Improvement?. , 2009, , .		2
266	Doubly weighted nonnegative matrix factorization for imbalanced face recognition. , 2009, , .		3
267	Gabor Boost Linear Discriminant Analysis for face recognition. , 2009, , .		1
268	The application of intrinsic variable preserving manifold learning method to tracking multiple people with occlusion reasoning. , 2009, , .		5
269	Kernel LDP Based Discriminant Analysis for Face Recognition. , 2009, , .		0
270	Cascade Two-dimensional Locality Preserving Projections for Face Recognition. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
271	Unlabeled data improves word prediction. , 2009, , .		2
272	Untangling fibers by quotient appearance manifold mapping for grayscale shape classification. , 2009, , .		0
273	Discriminant feature extraction based on center distance. , 2009, , .		0
274	A Novel Approach for Face Recognition Based on Weightiness Image Partition. , 2009, , .		0
275	Face Recognition Base on Uncorrelated Linear Extension of Graph Embedding. , 2009, , .		0
276	Visyllable-specific facial transition motion embedding and extraction. , 2009, , .		0
277	Two-Dimensional Local Graph Embedding Discriminant Analysis(F2DLGEDA) with Its Application to Face and Palm Biometrics. , 2009, , .		1
278	Agglomerative Mean-Shift Clustering via Query Set Compression. , 2009, , .		7
279	Boosting Graph Embedding with Application to Facial Expression Recognition. , 2009, , .		1
280	Facial expression recognition based on graph-preserving sparse non-negative matrix factorization. , 2009, , .		1
281	Robust Discriminant Analysis Based on Nonparametric Maximum Entropy. Lecture Notes in Computer Science, 2009, , 120-134.	1.0	31
282	Laplacian MinMax Discriminant Projections. , 2009, , .		0
283	Enhanced Marginal Fisher Analysis for Face Recognition. , 2009, , .		7
284	Learning a Locality Preserving Subspace for ISAR Target Recognition. , 2009, , .		0
285	Face Recognition Using Marginal Manifold Learning and SVM. , 2009, , .		0
286	Maximum neighborhood margin criterion in face recognition. Optical Engineering, 2009, 48, 047205.	0.5	4
287	Supervised feature extraction based on orthogonal discriminant projection. Neurocomputing, 2009, 73, 191-196.	3.5	92
288	Orthogonal discriminant linear local tangent space alignment for face recognition. Neurocomputing, 2009, 72, 1319-1323.	3.5	29

#	ARTICLE	IF	CITATIONS
289	Image retrieval using nonlinear manifold embedding. <i>Neurocomputing</i> , 2009, 72, 3922-3929.	3.5	20
290	Two-dimensional local graph embedding discriminant analysis (2DLGEDA) with its application to face and palm biometrics. <i>Neurocomputing</i> , 2009, 73, 197-203.	3.5	41
291	One improvement to two-dimensional locality preserving projection method for use with face recognition. <i>Neurocomputing</i> , 2009, 73, 245-249.	3.5	63
292	Normal maps vs. visible images: Comparing classifiers and combining modalities. <i>Journal of Visual Languages and Computing</i> , 2009, 20, 156-168.	1.8	2
293	A multiexpert collaborative biometric system for people identification. <i>Journal of Visual Languages and Computing</i> , 2009, 20, 91-100.	1.8	7
294	Audio-visual human recognition using semi-supervised spectral learning and hidden Markov models. <i>Journal of Visual Languages and Computing</i> , 2009, 20, 188-195.	1.8	13
295	Face Recognition Under Occlusions and Variant Expressions With Partial Similarity. <i>IEEE Transactions on Information Forensics and Security</i> , 2009, 4, 217-230.	4.5	72
296	Fast Haar Transform Based Feature Extraction for Face Representation and Recognition. <i>IEEE Transactions on Information Forensics and Security</i> , 2009, 4, 441-450.	4.5	50
297	Extracting the optimal dimensionality for local tensor discriminant analysis. <i>Pattern Recognition</i> , 2009, 42, 105-114.	5.1	71
298	Fusion of color spaces for ear authentication. <i>Pattern Recognition</i> , 2009, 42, 1906-1913.	5.1	76
299	Finding representative landmarks of data on manifolds. <i>Pattern Recognition</i> , 2009, 42, 2335-2352.	5.1	8
300	Feature extraction based on Laplacian bidirectional maximum margin criterion. <i>Pattern Recognition</i> , 2009, 42, 2327-2334.	5.1	67
301	marginFace: A novel face recognition method by average neighborhood margin maximization. <i>Pattern Recognition</i> , 2009, 42, 2863-2875.	5.1	54
302	A supervised method to discriminate between impostors and genuine in biometry. <i>Expert Systems With Applications</i> , 2009, 36, 10401-10407.	4.4	21
303	Optimal Local Basis: A Reinforcement Learning Approach for Face Recognition. <i>International Journal of Computer Vision</i> , 2009, 81, 191-204.	10.9	36
304	Kernel neighborhood preserving embedding for classification. <i>Journal of Electronics</i> , 2009, 26, 374-379.	0.2	1
305	Biologically Inspired Tensor Features. <i>Cognitive Computation</i> , 2009, 1, 327-341.	3.6	19
306	Subspace Semi-supervised Fisher Discriminant Analysis. <i>Zidonghua Xuebao/Acta Automatica Sinica</i> , 2009, 35, 1513-1519.	1.5	3

#	ARTICLE	IF	CITATIONS
307	Bagging null space locality preserving discriminant classifiers for face recognition. Pattern Recognition, 2009, 42, 1853-1858.	5.1	14
308	Two-dimensional discriminant locality preserving projections for face recognition. Pattern Recognition Letters, 2009, 30, 1378-1383.	2.6	24
309	Fusion of classifiers for illumination robust face recognition. Expert Systems With Applications, 2009, 36, 8946-8954.	4.4	13
310	An efficient discriminant-based solution for small sample size problem. Pattern Recognition, 2009, 42, 857-866.	5.1	67
311	Enhanced graph-based dimensionality reduction with repulsion Laplaceans. Pattern Recognition, 2009, 42, 2392-2402.	5.1	23
312	Face recognition across pose: A review. Pattern Recognition, 2009, 42, 2876-2896.	5.1	410
313	Neighbourhood preserving discriminant embedding in face recognition. Journal of Visual Communication and Image Representation, 2009, 20, 532-542.	1.7	37
314	Face recognition using message passing based clustering method. Journal of Visual Communication and Image Representation, 2009, 20, 608-613.	1.7	4
315	Learning a locality discriminating projection for classification. Knowledge-Based Systems, 2009, 22, 562-568.	4.0	18
316	Subspace manifold learning with sample weights. Image and Vision Computing, 2009, 27, 80-86.	2.7	3
317	A novel texture clustering method based on shift invariant DWT and locality preserving projection. Journal of Zhejiang University: Science A, 2009, 10, 247-252.	1.3	2
318	Multimodal biometric authentication based on score level fusion using support vector machine. Opto-electronics Review, 2009, 17, .	2.4	43
319	Face Recognition Using Dual-Tree Complex Wavelet Features. IEEE Transactions on Image Processing, 2009, 18, 2593-2599.	6.0	61
320	Feature Extraction for Face Recognition Based on Gabor Filters and Two-Dimensional Locality Preserving Projections. , 2009, , .		5
321	HCL2000 - A Large-scale Handwritten Chinese Character Database for Handwritten Character Recognition. , 2009, , .		50
322	Manifold Discriminant Analysis. , 2009, , .		175
323	Facial Metrical and Caricature-Pattern-Based Learning in Neural Network System for Face Recognition. , 2009, , .		1
324	Robust faces manifold modeling: Most expressive Vs. most Sparse criterion. , 2009, , .		1

#	ARTICLE	IF	CITATIONS
325	Compressed sensing for face recognition. , 2009, , .		6
326	Coupled Spectral Regression for matching heterogeneous faces. , 2009, , .		31
327	B2DPCA vs B2DLDA: Face Feature Extraction Based on Image Matrix. , 2009, , .		0
328	Bilinear Neighborhood Discriminant Embedding and Its Non-Iterative Solution Algorithm. , 2009, , .		0
329	Investigating the spatial support of signal and noise in face recognition. , 2009, , .		1
330	Integrating Global and Local Structures in Semi-supervised Discriminant Analysis. , 2009, , .		6
331	Static hand sign recognition using linear projection methods. , 2009, , .		4
332	Ubiquitously Supervised Subspace Learning. IEEE Transactions on Image Processing, 2009, 18, 241-249.	6.0	18
333	Aircraft Pose Recognition Using Locally Linear Embedding. , 2009, , .		4
334	Multilinear Isometric Embedding for visual pattern analysis. , 2009, , .		3
335	Effective face pose classification method. , 2009, , .		5
336	Supervised Vector Angle Embedding Learning for Face Recognition. , 2009, , .		0
337	Kernel Non-Locality Preserving Projection and Its Application to Face Recognition. , 2009, , .		0
338	Face Recognition Based on LFDA and LS-SVM. , 2009, , .		2
339	Research Advances in Face Recognition. , 2009, , .		5
340	Synthesizing Novel Dimension Reduction Algorithms in Matrix Trace Oriented Optimization Framework. , 2009, , .		2
341	MIC_FS : A novel model for feature selection by mutual information guided by clustering. , 2009, , .		2
342	Adaptive Monte Carlo Retinex Method for Illumination and Reflectance Separation and Color Image Enhancement. , 2009, , .		10

#	ARTICLE	IF	CITATIONS
343	Coefficients' co-occurrence histogram of DWFT based feature extraction with ONPP for face recognition. , 2009, , .		0
344	Laplacian Linear Discriminant Analysis Approach to Unsupervised Feature Selection. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2009, 6, 605-614.	1.9	43
345	Kernel Neighborhood Preserving Embedding and its Essence Analysis. , 2009, , .		3
346	Synchronized Submanifold Embedding for Person-Independent Pose Estimation and Beyond. IEEE Transactions on Image Processing, 2009, 18, 202-210.	6.0	60
347	Locally constrained diffusion process on locally densified distance spaces with applications to shape retrieval. , 2009, , .		114
348	Audio-Guided Video-Based Face Recognition. IEEE Transactions on Circuits and Systems for Video Technology, 2009, 19, 955-964.	5.6	15
349	Implicit elastic matching with random projections for pose-variant face recognition. , 2009, , .		58
350	Volterrafaces: Discriminant analysis using Volterra kernels. , 2009, , .		39
351	Local Graph Embedding Discriminant Analysis for Face Recognition with Single Training Sample Per Person. , 2009, , .		3
352	Head pose estimation using Spectral Regression Discriminant Analysis. , 2009, , .		4
353	Face Recognition Using Two-Dimensional Discriminant Locality Preserving Projections. , 2009, , .		1
354	Introducing set of internal parameters for Laplacian faces to enhance performance under varying conditions. , 2009, , .		2
355	Robust Face Recognition via Sparse Representation. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2009, 31, 210-227.	9.7	8,010
356	Enhancing Bilinear Subspace Learning by Element Rearrangement. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2009, 31, 1913-1920.	9.7	25
357	Hierarchical video summarization in reference subspace. IEEE Transactions on Consumer Electronics, 2009, 55, 1551-1557.	3.0	21
358	Semi-Supervised Bilinear Subspace Learning. IEEE Transactions on Image Processing, 2009, 18, 1671-1676.	6.0	41
359	Nonnegative-Least-Square Classifier for Face Recognition. Lecture Notes in Computer Science, 2009, , 449-456.	1.0	15
360	Distributed recognition of human actions using wearable motion sensor networks. Journal of Ambient Intelligence and Smart Environments, 2009, 1, 103-115.	0.8	130

#	ARTICLE	IF	CITATIONS
361	A New Two-Directional Two-Dimensional Feature Extraction Based on Manifold Learning. , 2009, , .		0
362	Bezier Control Points image: A novel shape representation approach for medical imaging. , 2009, 2009, 1094-1098.		1
363	Illumination-Robust Face Recognition form a Single Image per Person Using Matrix Polar Decomposition. IEICE Transactions on Information and Systems, 2009, E92-D, 1561-1569.	0.4	1
364	Uncorrelated Discriminant Locality Aware Embedding for Face Recognition. , 2009, , .		0
365	Nonlinear manifold based discriminant analysis for face recognition. Proceedings of SPIE, 2009, , .	0.8	0
366	Pseudo-inverse Locality Preserving Projections. , 2009, , .		1
367	Notice of Retraction: Maximum Generalized Fisher Criterion. , 2010, , .		1
368	A Framework for Face Recognition Using Laplacian Eigenmaps and Nearest Feature Mixtures. , 2010, , .		1
369	Facial Image Recognition Based on a Statistical Uncorrelated Near Class Discriminant Approach. IEICE Transactions on Information and Systems, 2010, E93-D, 934-937.	0.4	5
370	Face recognition based on DCT pyramid feature extraction. , 2010, , .		4
371	A Quadrature Formula for Diffusion Polynomials Corresponding to a Generalized Heat Kernel. Journal of Fourier Analysis and Applications, 2010, 16, 629-657.	0.5	53
372	Locality preserving and global discriminant projection with prior information. Machine Vision and Applications, 2010, 21, 577-585.	1.7	13
373	Predicting trait impressions of faces using local face recognition techniques. Expert Systems With Applications, 2010, 37, 5086-5093.	4.4	9
374	A novel statistical generative model dedicated to face recognition. Image and Vision Computing, 2010, 28, 101-110.	2.7	13
375	Eignets for function approximation on manifolds. Applied and Computational Harmonic Analysis, 2010, 29, 63-87.	1.1	40
376	Robust, accurate and efficient face recognition from a single training image: A uniform pursuit approach. Pattern Recognition, 2010, 43, 1748-1762.	5.1	97
377	On minimum class locality preserving variance support vector machine. Pattern Recognition, 2010, 43, 2753-2762.	5.1	44
378	Feature extraction by learning Lorentzian metric tensor and its extensions. Pattern Recognition, 2010, 43, 3298-3306.	5.1	25

#	ARTICLE	IF	CITATIONS
379	Two-dimensional supervised local similarity and diversity projection. <i>Pattern Recognition</i> , 2010, 43, 3359-3363.	5.1	39
380	Face recognition using Intrinsicfaces. <i>Pattern Recognition</i> , 2010, 43, 3580-3590.	5.1	29
381	LPP solution schemes for use with face recognition. <i>Pattern Recognition</i> , 2010, 43, 4165-4176.	5.1	169
382	Improving face recognition by combination of natural and Gabor faces. <i>Pattern Recognition Letters</i> , 2010, 31, 1453-1460.	2.6	12
383	Laplacian smoothing transform for face recognition. <i>Science China Information Sciences</i> , 2010, 53, 2415-2428.	2.7	14
384	Face recognition via adaptive image combination. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2010, 15, 600-603.	0.5	0
385	On the use of phase of the Fourier transform for face recognition under variations in illumination. <i>Signal, Image and Video Processing</i> , 2010, 4, 353-358.	1.7	26
386	Subcellular Localization of Gram-Negative Bacterial Proteins Using Sparse Learning. <i>Protein Journal</i> , 2010, 29, 195-203.	0.7	3
387	Perfect histogram matching PCA for face recognition. <i>Multidimensional Systems and Signal Processing</i> , 2010, 21, 213-229.	1.7	4
388	Multiple kernels for generalised discriminant analysis. <i>IET Computer Vision</i> , 2010, 4, 117.	1.3	6
389	Preserving global and local information – a combined approach for recognising face images. <i>IET Computer Vision</i> , 2010, 4, 173.	1.3	9
390	Face recognition using enhanced linear discriminant analysis. <i>IET Computer Vision</i> , 2010, 4, 195.	1.3	11
391	Orthogonal Fuzzy Neighborhood Discriminant Analysis for Multifunction Myoelectric Hand Control. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 1410-1419.	2.5	91
392	Live-Cell Tracking Using SIFT Features in DIC Microscopic Videos. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 2219-2228.	2.5	29
393	A Doubly Weighted Approach for Appearance-Based Subspace Learning Methods. <i>IEEE Transactions on Information Forensics and Security</i> , 2010, 5, 71-81.	4.5	38
394	Face Matching and Retrieval Using Soft Biometrics. <i>IEEE Transactions on Information Forensics and Security</i> , 2010, 5, 406-415.	4.5	189
395	Face Recognition in Global Harmonic Subspace. <i>IEEE Transactions on Information Forensics and Security</i> , 2010, 5, 416-424.	4.5	17
396	A general kernelization framework for learning algorithms based on kernel PCA. <i>Neurocomputing</i> , 2010, 73, 959-967.	3.5	85

#	ARTICLE	IF	CITATIONS
397	Outlier-resisting graph embedding. <i>Neurocomputing</i> , 2010, 73, 968-974.	3.5	49
398	Constrained Laplacian Eigenmap for dimensionality reduction. <i>Neurocomputing</i> , 2010, 73, 951-958.	3.5	35
399	Discriminant analysis via support vectors. <i>Neurocomputing</i> , 2010, 73, 1669-1675.	3.5	26
400	Quotient vs. difference: Comparison between the two discriminant criteria. <i>Neurocomputing</i> , 2010, 73, 1808-1817.	3.5	13
401	Feature extraction based on fuzzy 2DLDA. <i>Neurocomputing</i> , 2010, 73, 1556-1561.	3.5	35
402	Principal component analysis based on non-parametric maximum entropy. <i>Neurocomputing</i> , 2010, 73, 1840-1852.	3.5	44
403	Efficient face recognition using tensor subspace regression. <i>Neurocomputing</i> , 2010, 73, 2744-2753.	3.5	15
404	Locality preserving discriminant projections for face and palmprint recognition. <i>Neurocomputing</i> , 2010, 73, 2696-2707.	3.5	93
405	Analysis of unsupervised learning techniques for face recognition. <i>International Journal of Imaging Systems and Technology</i> , 2010, 20, 261-267.	2.7	6
406	Dominant singular value decomposition representation for face recognition. <i>Signal Processing</i> , 2010, 90, 2087-2093.	2.1	19
407	Projected gradient method for kernel discriminant nonnegative matrix factorization and the applications. <i>Signal Processing</i> , 2010, 90, 2150-2163.	2.1	17
408	Emulating biological strategies for uncontrolled face recognition. <i>Pattern Recognition</i> , 2010, 43, 2210-2223.	5.1	22
409	An online core vector machine with adaptive MEB adjustment. <i>Pattern Recognition</i> , 2010, 43, 3468-3482.	5.1	21
410	Marginal discriminant projections: An adaptable margin discriminant approach to feature reduction and extraction. <i>Pattern Recognition Letters</i> , 2010, 31, 1965-1974.	2.6	8
411	An adaptively weighted sub-pattern locality preserving projection for face recognition. <i>Journal of Network and Computer Applications</i> , 2010, 33, 323-332.	5.8	27
412	Sample-dependent graph construction with application to dimensionality reduction. <i>Neurocomputing</i> , 2010, 74, 301-314.	3.5	47
413	Laplacian bidirectional PCA for face recognition. <i>Neurocomputing</i> , 2010, 74, 487-493.	3.5	20
414	Modeling cognitive and emotional processes: A novel neural network architecture. <i>Neural Networks</i> , 2010, 23, 1155-1163.	3.3	34

#	ARTICLE	IF	CITATIONS
415	Complete neighborhood preserving embedding for face recognition. Pattern Recognition, 2010, 43, 1008-1015.	5.1	40
416	A regularization framework for robust dimensionality reduction with applications to image reconstruction and feature extraction. Pattern Recognition, 2010, 43, 1269-1281.	5.1	8
417	Graph-optimized locality preserving projections. Pattern Recognition, 2010, 43, 1993-2002.	5.1	129
418	Super-resolution of human face image using canonical correlation analysis. Pattern Recognition, 2010, 43, 2532-2543.	5.1	251
419	Face recognition using discriminant locality preserving projections based on maximum margin criterion. Pattern Recognition, 2010, 43, 3572-3579.	5.1	95
420	A novel local preserving projection scheme for use with face recognition. Expert Systems With Applications, 2010, 37, 6718-6721.	4.4	36
421	Subspace methods for face recognition. Computer Science Review, 2010, 4, 1-17.	10.2	30
422	Comparing and combining lighting insensitive approaches for face recognition. Computer Vision and Image Understanding, 2010, 114, 135-145.	3.0	25
423	Gabor texture representation method for face recognition using the Gamma and generalized Gaussian models. Image and Vision Computing, 2010, 28, 177-187.	2.7	45
424	Linear discriminant projection embedding based on patches alignment. Image and Vision Computing, 2010, 28, 1624-1636.	2.7	10
425	Infrared moving target detection and tracking based on tensor locality preserving projection. Infrared Physics and Technology, 2010, 53, 77-83.	1.3	38
426	Two-Dimensional Locality Discriminant Preserving Projections for Face Recognition. Advanced Materials Research, 0, 121-122, 391-398.	0.3	2
427	Sparse Representation for Face Verification in Social Insurance System. , 2010, , .		0
429	Spectral Partial Least Squares Regression. , 2010, , .		0
430	Optimal Locality Preserving Projection. , 2010, , .		2
431	Cost-sensitive subspace learning for face recognition. , 2010, , .		39
432	Towards an Interpretable Sparseness for Face Recognition: An Empirical Study. , 2010, , .		0
433	A novel feature extraction algorithm of acoustic targets based on locality preserving discriminant projections. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
434	Multiple Granularity-Based Feature Combination for Face Recognition. , 2010, , .		1
435	Cost-sensitive subspace learning for human age estimation. , 2010, , .		10
436	Tangent space discriminant analysis for feature extraction. , 2010, , .		1
437	Low-Resolution Face Recognition via Color Information and Regularized Coupled Mappings. , 2010, , .		2
438	Face Classification Using Sparse Reconstruction Embedding. , 2010, , .		2
439	Maximum Margin Subspace Projections for Face Recognition. , 2010, , .		0
440	A new scheme for 3D face recognition. , 2010, , .		2
441	View recognition of human gait sequences in videos. , 2010, , .		3
442	Facial expression recognition based orthogonal supervised spectral discriminant analysis. , 2010, , .		1
443	Research of Classification Algorithm Based on Local Coordination. , 2010, , .		0
444	Feature extraction based on the embedded zero-tree DCT for face recognition. , 2010, , .		1
445	Data Classification on Multiple Manifolds. , 2010, , .		2
446	ISO-Container Projection for feature extraction. , 2010, , .		1
447	Similarity-based image classification via kernelized sparse representation. , 2010, , .		4
448	Graph-modified neighborhood preserving embedding based on feature fusion. , 2010, , .		2
449	Semi-supervised learning for location recognition from wearable video. , 2010, , .		5
450	Two-Dimensional Robust Neighborhood Discriminant Embedding in face recognition. , 2010, , .		1
451	A union of incoherent spaces model for classification. , 2010, , .		5

#	ARTICLE	IF	CITATIONS
452	CPGL: A classification method combining PCA and the Group Lasso method. , 2010, , .		1
453	Manifold Modeling with Learned Distance in Random Projection Space for Face Recognition. , 2010, , .		2
454	3D Face recognition using Tensor Orthogonal Locality Sensitive Discriminant Analysis. , 2010, , .		1
455	Metaface learning for sparse representation based face recognition. , 2010, , .		256
456	Weighted Neighbourhood Preserving Embedding in face recognition. , 2010, , .		0
457	Sparse margin based discriminant analysis for face recognition. , 2010, , .		2
458	Feature Extraction Based on Class Mean Embedding (CME). , 2010, , .		0
459	Enhanced Fuzzy Local Maximal Margin Discriminant Analysis. , 2010, , .		0
460	Orthogonal linear local spline discriminant embedding for face recognition. , 2010, , .		1
461	Rapid face recognition using hashing. , 2010, , .		36
462	Discriminant uncorrelated locality preserving projection. , 2010, , .		3
463	Free form face recognition using kernel sparse representation. , 2010, , .		0
464	Face recognition based on 2D locally discriminating projection method. , 2010, , .		1
465	Face recognition based on Log-Gabor and uncorrelated LDE. , 2010, , .		0
466	Kernel uncorrelated supervised Discriminant Projections with its application to face recognition. , 2010, , .		0
467	Classifier fusion of improved Laplacianfaces. , 2010, , .		0
468	Face recognition based on Two-Dimensional Discriminant Locality Preserving Projection. , 2010, , .		1
469	Local preserving projections and within-class scatter based semi-supervised support vector machines. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
470	An efficient face recognition algorithm based on robust principal component analysis. , 2010, , .		6
471	Video-based face recognition. , 2010, , .		7
472	Palmprint recognition based on Kernel Locality Preserving Projections. , 2010, , .		4
473	Exploring the natural discriminative information of sparse representation for feature extraction. , 2010, , .		9
474	On the Dimensionality Reduction for Sparse Representation Based Face Recognition. , 2010, , .		63
475	Sparse Representation Classifier Steered Discriminative Projection. , 2010, , .		17
476	Gabor Feature Based Sparse Representation for Face Recognition with Gabor Occlusion Dictionary. Lecture Notes in Computer Science, 2010, , 448-461.	1.0	274
477	Kernel Discriminant Learning for Ordinal Regression. IEEE Transactions on Knowledge and Data Engineering, 2010, 22, 906-910.	4.0	114
478	Incremental Embedding and Learning in the Local Discriminant Subspace With Application to Face Recognition. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2010, 40, 580-591.	3.3	29
479	Multimodal Biometric Human Recognition for Perceptual Human-Computer Interaction. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2010, 40, 676-681.	3.3	38
480	An eye localization, tracking and blink pattern recognition system. ACM Transactions on Multimedia Computing, Communications and Applications, 2010, 6, 1-23.	3.0	10
481	Two-dimensional neighborhood preserving discriminant analysis for face recognition. , 2010, , .		1
482	Robust Face Recognition via Accurate Face Alignment and Sparse Representation. , 2010, , .		4
483	Linear Dimensionality Reduction through Eigenvector Selection for Object Recognition. Lecture Notes in Computer Science, 2010, , 276-285.	1.0	3
484	Fusing Local Patterns of Gabor Magnitude and Phase for Face Recognition. IEEE Transactions on Image Processing, 2010, 19, 1349-1361.	6.0	316
485	Enhanced Local Texture Feature Sets for Face Recognition Under Difficult Lighting Conditions. IEEE Transactions on Image Processing, 2010, 19, 1635-1650.	6.0	2,175
486	Training-Free, Generic Object Detection Using Locally Adaptive Regression Kernels. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2010, 32, 1688-1704.	9.7	111
487	Cost-Sensitive Face Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2010, 32, 1758-1769.	9.7	130

#	ARTICLE	IF	CITATIONS
488	Age Synthesis and Estimation via Faces: A Survey. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2010, 32, 1955-1976.	9.7	563
489	FARO: FAcE Recognition Against Occlusions and Expression Variations. IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans, 2010, 40, 121-132.	3.4	44
490	Learning an Intrinsic-Variable Preserving Manifold for Dynamic Visual Tracking. IEEE Transactions on Systems, Man, and Cybernetics, 2010, 40, 868-880.	5.5	42
491	Regularized Locality Preserving Projections and Its Extensions for Face Recognition. IEEE Transactions on Systems, Man, and Cybernetics, 2010, 40, 958-963.	5.5	123
492	L1-Norm-Based 2DPCA. IEEE Transactions on Systems, Man, and Cybernetics, 2010, 40, 1170-1175.	5.5	204
493	Low-memory requirement and efficient face recognition system based on DCT pyramid. IEEE Transactions on Consumer Electronics, 2010, 56, 1542-1548.	3.0	21
494	Design and Implementation of Car Black Box Based on Embedded System. , 2010, , .		20
495	Neighborhood discriminant embedding in face recognition. Optical Engineering, 2010, 49, 077203.	0.5	7
496	Locality projection discriminant analysis with an application to face recognition. Optical Engineering, 2010, 49, 077201.	0.5	5
497	Facial expression recognition based on the daul-tree complex wavelet transform and supervised spectral analysis. , 2010, , .		1
498	Hardware-Based Speed Up of Face Recognition Towards Real-Time Performance. , 2010, , .		3
499	Kernel Sparse Representation for Image Classification and Face Recognition. Lecture Notes in Computer Science, 2010, , 1-14.	1.0	192
500	Manifold Learning for Biomarker Discovery in MR Imaging. Lecture Notes in Computer Science, 2010, , 116-123.	1.0	16
501	Bregman Divergence-Based Regularization for Transfer Subspace Learning. IEEE Transactions on Knowledge and Data Engineering, 2010, 22, 929-942.	4.0	392
502	Deterministic Column-Based Matrix Decomposition. IEEE Transactions on Knowledge and Data Engineering, 2010, 22, 145-149.	4.0	66
503	A novel semi-supervised face recognition for video. , 2010, , .		6
504	Using Manifold Learning and Minimax Probability Machine for Face Recognition. , 2010, , .		0
505	DST Feature Based Locality Preserving Projections for Face Recognition. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
506	Hybrid Face Recognition with Locally Discriminating Projection. , 2010, , .		3
507	Face Recognition Using a Multi-manifold Discriminant Analysis Method. , 2010, , .		8
508	Uncorrelated Discriminant Nearest Feature Line Analysis for Face Recognition. IEEE Signal Processing Letters, 2010, 17, 185-188.	2.1	68
509	Flexible Manifold Embedding: A Framework for Semi-Supervised and Unsupervised Dimension Reduction. IEEE Transactions on Image Processing, 2010, 19, 1921-1932.	6.0	439
510	Semi-supervised Transductive Discriminant Analysis. , 2010, , .		3
511	Enhanced semi-supervised local fisher discriminant analysis for gene expression data classification. , 2010, , .		0
512	Extended Locality Preserving Discriminant Analysis for Face Recognition. , 2010, , .		1
513	Maximum Margin Local Learning Projection for Face Recognition. , 2010, , .		0
514	Normalized Laplacian based Optimal Locality Preserving Projection. , 2010, , .		0
515	Smile stages classification based on kernel Laplacian-lips using selection of non linear function maximum value. , 2010, , .		3
516	Robust Head Pose Estimation Using Supervised Manifold Learning. Lecture Notes in Computer Science, 2010, , 518-531.	1.0	45
517	Directional Two-dimensional Neighborhood Preserving Projection for Face Recognition. , 2010, , .		0
518	Ordinary preserving manifold analysis for human age estimation. , 2010, , .		20
519	Face recognition uiiing trichotomic combination Of SVD, DF-LDA and LPP. , 2010, , .		1
520	Tensor Distance Based Multilinear Locality-Preserved Maximum Information Embedding. IEEE Transactions on Neural Networks, 2010, 21, 1848-1854.	4.8	60
521	Face recognition with multimodal subspace analysis. , 2010, , .		0
522	A data analysis and visualization algorithm based on locally linear approximating for WSN. , 2010, , .		2
523	Misalignment-Robust Face Recognition. IEEE Transactions on Image Processing, 2010, 19, 1087-1096.	6.0	27

#	ARTICLE	IF	CITATIONS
524	Decision rule steered discriminant analysis: A paradigm of unifying dimension reduction and classification into a framework. , 2010, , .		0
525	Orthogonal sparsity preserving projections for feature extraction. , 2010, , .		0
526	A Pivot-Based Distributed Pseudo Facial Image Retrieval in Manifold Spaces: An Efficiency Study. , 2010, , .		0
527	Performance of MPEG-7 edge histogram descriptor in face recognition using Principal Component Analysis. , 2010, , .		3
528	Kernel Uncorrelated Adjacent-class Discriminant Analysis. , 2010, , .		3
529	Recognizing Cartoon Image Gestures for Retrieval and Interactive Cartoon Clip Synthesis. IEEE Transactions on Circuits and Systems for Video Technology, 2010, 20, 1745-1756.	5.6	16
530	A linear subspace learning approach via sparse coding. , 2011, , .		27
531	Object recognition in ocean imagery using feature selection and compressive sensing. , 2011, , .		24
532	Ensemble of furthest subspace pairs for enhanced image set matching. , 2011, , .		0
533	Tongue verification with manifold learning. , 2011, , .		0
534	Adaptive maximum margin criterion for image classification. , 2011, , .		5
535	A new scheme for 3D face recognition based on 2D Gabor Wavelet Transform plus LBP. , 2011, , .		3
536	Face recognition based on fractional Fourier transform and PCA. , 2011, , .		0
537	The multifactor extension of Grassmann manifolds for face recognition. , 2011, , .		7
538	A Novel Subspace Discriminant Locality Preserving Projections for Face Recognition. , 2011, , .		1
539	Electromyogram (EMG) based fingers movement recognition using Neighborhood Preserving Analysis with QR-decomposition. , 2011, , .		9
540	Locality repulsion projections for image-to-set face recognition. , 2011, , .		0
541	Gene Expression Data Classification Using Locality Preserving Projections. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
542	An Effective Approach to Pose Invariant 3D Face Recognition. Lecture Notes in Computer Science, 2011, , 217-228.	1.0	3
543	Sparse cost-sensitive classifier with application to face recognition. , 2011, , .		8
544	Nearest Feature Space Analysis for Classification. IEEE Signal Processing Letters, 2011, 18, 55-58.	2.1	32
545	Gabor Texture Information for Face Recognition Using the Generalized Gaussian Model. , 2011, , .		2
546	A Linear Subspace Learning Approach via Low Rank Decomposition. , 2011, , .		1
547	Tensor Locally Linear Discriminative Analysis. IEEE Signal Processing Letters, 2011, 18, 643-646.	2.1	23
548	A Convergent Solution to Matrix Bidirectional Projection Based Feature Extraction with Application to Face Recognition. International Journal of Computational Intelligence Systems, 2011, 4, 863-873.	1.6	3
549	Face recognition using maximum local Fisher Discriminant Analysis. , 2011, , .		7
550	A framework for training and testing of complex pattern recognition systems. , 2011, , .		3
551	Local Linear Discriminant Analysis Framework Using Sample Neighbors. IEEE Transactions on Neural Networks, 2011, 22, 1119-1132.	4.8	174
552	ITR-Score algorithm: An efficient Trace ratio criterion based algorithm for supervised dimensionality reduction. , 2011, , .		5
553	Robust face recognition from single training image per person via auto-associative memory neural network. , 2011, , .		5
554	Multilinear locality preserving canonical correlation analysis for face recognition. , 2011, , .		1
555	Compressed Locally Embedding. , 2011, , .		0
556	Linear Subspace Learning-Based Dimensionality Reduction. IEEE Signal Processing Magazine, 2011, 28, 16-26.	4.6	140
557	Combining Perceptual Features With Diffusion Distance for Face Recognition. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2011, 41, 577-588.	3.3	21
558	NABS: Novel Approaches for Biometric Systems. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2011, 41, 481-493.	3.3	35
559	Teaching and learning pattern recognition using neural networks. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
560	Method for Preceding Vehicle Type Classification Based on Sparse Representation. Transportation Research Record, 2011, 2243, 74-80.	1.0	4
561	Handbook of Face Recognition. , 2011, , .		635
562	Face Subspace Learning. , 2011, , 51-77.		1
563	Learning Video Manifold for Segmenting Crowd Events and Abnormality Detection. Lecture Notes in Computer Science, 2011, , 439-449.	1.0	7
564	Cross-dataset facial expression recognition. , 2011, , .		5
565	Robust face recognition with class dependent factor analysis. , 2011, , .		3
566	Optimized Projection for Sparse Representation Based Classification. Lecture Notes in Computer Science, 2011, , 83-90.	1.0	1
567	A Self-Configurable Systolic Architecture for Face Recognition System Based on Principal Component Neural Network. IEEE Transactions on Circuits and Systems for Video Technology, 2011, 21, 1071-1084.	5.6	31
568	Radial Basis Function Neural Network With Incremental Learning for Face Recognition. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 940-949.	5.5	51
569	Max-Min Distance Analysis by Using Sequential SDP Relaxation for Dimension Reduction. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2011, 33, 1037-1050.	9.7	139
570	Facial Deblur Inference Using Subspace Analysis for Recognition of Blurred Faces. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2011, 33, 838-845.	9.7	65
571	Maximum Correntropy Criterion for Robust Face Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2011, 33, 1561-1576.	9.7	517
572	Discriminative Learning of Local Image Descriptors. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2011, 33, 43-57.	9.7	366
573	Graph-Preserving Sparse Nonnegative Matrix Factorization With Application to Facial Expression Recognition. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 38-52.	5.5	184
574	Learning Similarity With Multikernel Method. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 131-138.	5.5	20
575	Fast Eigenspace Decomposition of Images of Objects With Variation in Illumination and Pose. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 318-329.	5.5	8
576	Face Image Modeling by Multilinear Subspace Analysis With Missing Values. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 881-892.	5.5	51
577	Gaussian Process for Dimensionality Reduction in Transfer Learning. , 2011, , .		4

#	ARTICLE	IF	CITATIONS
578	Dimensionality Reduction Techniques for Face Recognition. , 2011, , .		2
579	Multilinear Supervised Neighborhood Embedding with Local Descriptor Tensor for Face Recognition. IEICE Transactions on Information and Systems, 2011, E94-D, 158-161.	0.4	3
580	Class-Distance-Based Discriminant Analysis and Its Application to Supervised Automatic Age Estimation. IEICE Transactions on Information and Systems, 2011, E94-D, 1683-1689.	0.4	0
581	Face recognition with discriminant locality preserving projections in complete kernel space. , 2011, , .		0
582	Secure wavelet-based isometric projection for face recognition. Proceedings of SPIE, 2011, , .	0.8	2
583	Orthogonal isometric projection for face recognition. Journal of China Universities of Posts and Telecommunications, 2011, 18, 91-128.	0.8	2
584	Sparse two-dimensional local discriminant projections for feature extraction. Neurocomputing, 2011, 74, 629-637.	3.5	47
585	Local margin based semi-supervised discriminant embedding for visual recognition. Neurocomputing, 2011, 74, 812-819.	3.5	13
586	Modified locally linear discriminant embedding for plant leaf recognition. Neurocomputing, 2011, 74, 2284-2290.	3.5	43
587	Illumination robust single sample face recognition using multi-directional orthogonal gradient phase faces. Neurocomputing, 2011, 74, 2291-2298.	3.5	11
588	Stochastic neighbor projection on manifold for feature extraction. Neurocomputing, 2011, 74, 2780-2789.	3.5	12
589	Regularized locality preserving discriminant analysis for face recognition. Neurocomputing, 2011, 74, 3036-3042.	3.5	8
590	Ear recognition based on uncorrelated local Fisher discriminant analysis. Neurocomputing, 2011, 74, 3103-3113.	3.5	24
591	Improved discriminant locality preserving projections for face and palmprint recognition. Neurocomputing, 2011, 74, 3760-3767.	3.5	24
592	Exponential locality preserving projections for small sample size problem. Neurocomputing, 2011, 74, 3654-3662.	3.5	44
593	Modified orthogonal discriminant projection for classification. Neurocomputing, 2011, 74, 3690-3694.	3.5	11
594	Discriminative concept factorization for data representation. Neurocomputing, 2011, 74, 3800-3807.	3.5	22
595	Optimal locality preserving projection for face recognition. Neurocomputing, 2011, 74, 3941-3945.	3.5	13

#	ARTICLE	IF	CITATIONS
596	A genetically modified fuzzy linear discriminant analysis for face recognition. Journal of the Franklin Institute, 2011, 348, 2701-2717.	1.9	8
597	Large margin based nonnegative matrix factorization and partial least squares regression for face recognition. Pattern Recognition Letters, 2011, 32, 1822-1835.	2.6	15
598	Kernel Discriminant Embedding in face recognition. Journal of Visual Communication and Image Representation, 2011, 22, 634-642.	1.7	7
599	Face recognition using regularised generalised discriminant locality preserving projections. IET Computer Vision, 2011, 5, 107.	1.3	5
600	Feature extraction based on fuzzy local discriminant embedding with applications to face recognition. IET Computer Vision, 2011, 5, 301.	1.3	15
601	Use of matrix polar decomposition for illumination-tolerant face recognition in discrete cosine transform domain. IET Image Processing, 2011, 5, 25.	1.4	13
602	Face Verification Using the LARK Representation. IEEE Transactions on Information Forensics and Security, 2011, 6, 1275-1286.	4.5	131
603	Face Recognition by Exploring Information Jointly in Space, Scale and Orientation. IEEE Transactions on Image Processing, 2011, 20, 247-256.	6.0	139
604	Normalization of Face Illumination Based on Large-and Small-Scale Features. IEEE Transactions on Image Processing, 2011, 20, 1807-1821.	6.0	118
605	Graph Laplace for Occluded Face Completion and Recognition. IEEE Transactions on Image Processing, 2011, 20, 2329-2338.	6.0	72
606	A Combined Manifold Learning Analysis of Shape and Appearance to Characterize Neonatal Brain Development. IEEE Transactions on Medical Imaging, 2011, 30, 2072-2086.	5.4	43
607	Face Recognition Using Nearest Feature Space Embedding. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2011, 33, 1073-1086.	9.7	38
608	Maximal Linear Embedding for Dimensionality Reduction. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2011, 33, 1776-1792.	9.7	55
609	Three-dimensional modular discriminant analysis (3DMDA): A new feature extraction approach for face recognition. Computers and Electrical Engineering, 2011, 37, 811-823.	3.0	13
610	Matrix pattern based minimum within-class scatter support vector machines. Applied Soft Computing Journal, 2011, 11, 5602-5610.	4.1	11
611	Local discriminative spatial patterns for movement-related potentials-based EEG classification. Biomedical Signal Processing and Control, 2011, 6, 427-431.	3.5	13
612	Tracking feature extraction based on manifold learning framework. Journal of Experimental and Theoretical Artificial Intelligence, 2011, 23, 23-38.	1.8	9
613	Manifold elastic net: a unified framework for sparse dimension reduction. Data Mining and Knowledge Discovery, 2011, 22, 340-371.	2.4	163

#	ARTICLE	IF	CITATIONS
614	Feature Extraction Using Laplacian Maximum Margin Criterion. Neural Processing Letters, 2011, 33, 99-110.	2.0	14
615	Orthogonal Complete Discriminant Locality Preserving Projections for Face Recognition. Neural Processing Letters, 2011, 33, 235-250.	2.0	2
616	Locally Minimizing Embedding and Globally Maximizing Variance: Unsupervised Linear Difference Projection for Dimensionality Reduction. Neural Processing Letters, 2011, 33, 267-282.	2.0	6
617	Supervised Discriminant Projection with Its Application to Face Recognition. Neural Processing Letters, 2011, 34, 1-12.	2.0	4
618	Face Recognition Using Kernel UDP. Neural Processing Letters, 2011, 34, 177-192.	2.0	8
619	Manifold learning for face recognition under changing illumination. Telecommunication Systems, 2011, 47, 185-195.	1.6	7
620	Learning a tensor subspace for semi-supervised dimensionality reduction. Soft Computing, 2011, 15, 383-395.	2.1	13
621	Locality preserving multimodal discriminative learning for supervised feature selection. Knowledge and Information Systems, 2011, 27, 473-490.	2.1	14
622	Maximal local interclass embedding with application to face recognition. Machine Vision and Applications, 2011, 22, 619-627.	1.7	6
623	Exemplar based Laplacian Discriminant Projection. Expert Systems With Applications, 2011, 38, 1061-1065.	4.4	2
624	Feature extraction using two-dimensional local graph embedding based on maximum margin criterion. Applied Mathematics and Computation, 2011, 217, 9659-9668.	1.4	16
625	Transfer latent variable model based on divergence analysis. Pattern Recognition, 2011, 44, 2358-2366.	5.1	24
626	Facial expression recognition on multiple manifolds. Pattern Recognition, 2011, 44, 107-116.	5.1	92
627	Unified formulation of linear discriminant analysis methods and optimal parameter selection. Pattern Recognition, 2011, 44, 307-319.	5.1	6
628	From classifiers to discriminators: A nearest neighbor rule induced discriminant analysis. Pattern Recognition, 2011, 44, 1387-1402.	5.1	57
629	Face recognition based on the multi-scale local image structures. Pattern Recognition, 2011, 44, 2565-2575.	5.1	46
630	Contextual constraints based linear discriminant analysis. Pattern Recognition Letters, 2011, 32, 626-632.	2.6	8
631	Tangent space learning and generalization. Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities, 2011, 6, 27-42.	0.6	9

#	ARTICLE	IF	CITATIONS
632	Kernel feature extraction methods observed from the viewpoint of generating-kernels. <i>Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities</i> , 2011, 6, 43-55.	0.6	3
633	Finger-knuckle-print recognition using Gabor feature and MMDA. <i>Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities</i> , 2011, 6, 374-380.	0.6	10
634	An optimization criterion for generalized marginal Fisher analysis on undersampled problems. <i>International Journal of Automation and Computing</i> , 2011, 8, 193-200.	4.5	5
635	Bearing performance degradation assessment using locality preserving projections. <i>Expert Systems With Applications</i> , 2011, 38, 7440-7450.	4.4	96
636	A generalized diffusion frame for parsimonious representation of functions on data defined manifolds. <i>Neural Networks</i> , 2011, 24, 345-359.	3.3	17
637	Augmented DT-CWT feature based classification using Regularized Neighborhood Projection Discriminant Analysis for face recognition. <i>Pattern Recognition</i> , 2011, 44, 519-531.	5.1	6
638	A survey of multilinear subspace learning for tensor data. <i>Pattern Recognition</i> , 2011, 44, 1540-1551.	5.1	342
639	A multi-manifold discriminant analysis method for image feature extraction. <i>Pattern Recognition</i> , 2011, 44, 1649-1657.	5.1	159
640	A structure-preserved local matching approach for face recognition. <i>Pattern Recognition Letters</i> , 2011, 32, 494-504.	2.6	14
641	Orthogonal local spline discriminant projection with application to face recognition. <i>Pattern Recognition Letters</i> , 2011, 32, 615-625.	2.6	2
642	Neighborhood preserving regression for image retrieval. <i>Neurocomputing</i> , 2011, 74, 1467-1473.	3.5	7
643	Kernel-view based discriminant approach for embedded feature extraction in high-dimensional space. <i>Neurocomputing</i> , 2011, 74, 1478-1484.	3.5	6
644	Face recognition using second-order discriminant tensor subspace analysis. <i>Neurocomputing</i> , 2011, 74, 2142-2156.	3.5	22
645	Discriminative learning by sparse representation for classification. <i>Neurocomputing</i> , 2011, 74, 2176-2183.	3.5	43
646	Distance metric learning by minimal distance maximization. <i>Pattern Recognition</i> , 2011, 44, 639-649.	5.1	17
647	Bearing performance degradation assessment using locality preserving projections and Gaussian mixture models. <i>Mechanical Systems and Signal Processing</i> , 2011, 25, 2573-2588.	4.4	218
648	Local Fisher Discriminant Analysis with Maximum Margin Criterion for Image Recognition. , 2011, , .		1
649	Face recognition using improved local texture patterns. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
650	Discriminant subclass-center manifold preserving projection for face feature extraction. , 2011, , .		4
651	Matrix Exponential LPP for face recognition. , 2011, , .		0
652	Laplacian of smoothed image as representation for face recognition. , 2011, , .		1
654	Subpattern Complete Two Dimensional Locality Preserving Principal Component Analysis and its application to gait recognition. , 2011, , .		0
655	Minimum entropy linear embedding based on Gaussian mixture model. , 2011, , .		0
656	Two-Dimensional Neighborhood Structure Preserving Projection. , 2011, , .		0
657	Supervised local sparsity preserving projection for face feature extraction. , 2011, , .		1
658	L1-Norm-Based 2DLPP. , 2011, , .		6
659	A Novel Regularized Locality Preserving Projections for Face Recognition. , 2011, , .		1
660	A New Algorithm for Robust Pedestrian Tracking Based on Manifold Learning and Feature Selection. IEEE Transactions on Intelligent Transportation Systems, 2011, 12, 1195-1208.	4.7	18
661	Locality-constrained group sparse representation for robust face recognition. , 2011, , .		45
662	Smile Expression Classification Using the Improved BIF Feature. , 2011, , .		3
663	Linear dependency modeling for feature fusion. , 2011, , .		9
664	Orthogonal Complex Locality Preserving Projections Based on Image Space Metric for Finger-Knuckle-Print Recognition. , 2011, , .		6
665	Face recognition based on local uncorrelated and weighted global uncorrelated discriminant transforms. , 2011, , .		9
666	Notice of Violation of IEEE Publication Principles - Neural network based intelligent local face recognition using local pattern averaging. , 2011, , .		0
667	Kernel Orthogonal Neighborhood Preserving Discriminant Analysis. Advanced Materials Research, 2011, 339, 571-574.	0.3	0
668	Direct Orthogonal Neighborhood Preserving Discriminant Analysis. Advanced Materials Research, 0, 179-180, 1254-1259.	0.3	1

#	ARTICLE	IF	CITATIONS
669	Uncorrelated and discriminative graph embedding for face recognition. Optical Engineering, 2011, 50, 077206.	0.5	0
670	Infrared face recognition based on intensity of local micropatternâ€“weighted local binary pattern. Optical Engineering, 2011, 50, 077201.	0.5	3
671	Improved support vectors for classification through preserving neighborhood geometric structure constraint. Optical Engineering, 2011, 50, 087202.	0.5	3
672	Research on Dimensionality Reduction Based on Neighborhood Preserving Embedding and Sparse Representation. Applied Mechanics and Materials, 0, 58-60, 547-550.	0.2	1
673	An Efficient Feature Extraction Method, Global Between Maximum and Local Within Minimum, and Its Applications. Mathematical Problems in Engineering, 2011, 2011, 1-15.	0.6	3
674	Relationship Matrix Nonnegative Decomposition for Clustering. Mathematical Problems in Engineering, 2011, 2011, 1-15.	0.6	4
675	Manifold learning combining imaging with non-imaging information. , 2011, , .		6
676	An Image Retrieval Model Based on Local Fisher Discriminant Analysis. Advanced Materials Research, 0, 255-260, 2057-2061.	0.3	0
678	Contourlet-Based Feature Extraction with LPP for Face Recognition. , 2011, , .		7
679	Semi-supervised face recognition with LDA self-training. , 2011, , .		21
680	Discriminative multi-manifold analysis for face recognition from a single training sample per person. , 2011, , .		41
681	Sparse bilinear preserving projections. , 2011, , .		0
682	The MCF Model: Utilizing Multiple Colors for Face Recognition. , 2011, , .		2
683	Real-Time Face Recognition Using Adaptive Skin-Color Model. , 2011, , .		2
684	Weighted biased linear discriminant analysis for misalignment-robust facial expression recognition. , 2011, , .		0
685	Supervised Gabor-Based Kernel Locality Preserving Projections for Face Recognition. , 2011, , .		0
686	Class-imbalance learning based discriminant analysis. , 2011, , .		1
687	SAR target configuration recognition using Locality Preserving Projections. , 2011, , .		4

#	ARTICLE	IF	CITATIONS
688	A comprehensive comparative performance analysis of Laplacianfaces and Eigenfaces for face recognition. <i>Imaging Science Journal</i> , 2011, 59, 32-40.	0.2	7
689	Eigenvector Weighting Function in Face Recognition. <i>Discrete Dynamics in Nature and Society</i> , 2011, 2011, 1-15.	0.5	5
690	Tracking uncooperative person using a dynamic vision platform. <i>Transactions of the Institute of Measurement and Control</i> , 2011, 33, 823-845.	1.1	3
691	Two-Dimensional Orthogonal Unsupervised Discriminant Projection. <i>Advanced Materials Research</i> , 2012, 542-543, 1343-1346.	0.3	1
692	A New Manifold Learning Technique for Face Recognition. <i>Communications in Computer and Information Science</i> , 2012, , 282-286.	0.4	2
693	Multi-scale Patch Based Collaborative Representation for Face Recognition with Margin Distribution Optimization. <i>Lecture Notes in Computer Science</i> , 2012, , 822-835.	1.0	117
694	A Kernel Gabor-Based Weighted Region Covariance Matrix for Face Recognition. <i>Sensors</i> , 2012, 12, 7410-7422.	2.1	16
695	A New Extension of Locality Preserving Projections for Image Feature Extraction. <i>Applied Mechanics and Materials</i> , 2012, 241-244, 1715-1718.	0.2	0
696	Direct Orthogonal Marginal Fisher Analysis. <i>Advanced Materials Research</i> , 0, 468-471, 1203-1206.	0.3	0
697	SUPERVISED REGULARIZATION LOCALITY-PRESERVING PROJECTION METHOD FOR FACE RECOGNITION. <i>International Journal of Wavelets, Multiresolution and Information Processing</i> , 2012, 10, 1250053.	0.9	6
698	Face Recognition Using Local Variation. <i>Applied Mechanics and Materials</i> , 0, 236-237, 875-880.	0.2	0
699	Dimensionality reduction via locally reconstructive patch alignment. <i>Optical Engineering</i> , 2012, 51, 077208.	0.5	2
700	Manifold learning-based sample selection method for facial image super-resolution. <i>Optical Engineering</i> , 2012, 51, 047003.	0.5	3
701	Face recognition using two-dimensional nonnegative principal component analysis. <i>Journal of Electronic Imaging</i> , 2012, 21, 033011.	0.5	3
702	Theoretical analysis of locality preserving projection and a fast orthogonal locality preserving projection algorithm. <i>Journal of Electronic Imaging</i> , 2012, 21, 033024-1.	0.5	0
703	Two-Dimensional Extensions of Neighborhood Preserving Embedding. <i>Applied Mechanics and Materials</i> , 0, 198-199, 420-425.	0.2	0
704	Identification of great apes using gabor features and locality preserving projections. , 2012, , .		6
705	Image label completion by pursuing contextual decomposability. <i>ACM Transactions on Multimedia Computing, Communications and Applications</i> , 2012, 8, 1-20.	3.0	12

#	ARTICLE	IF	CITATIONS
706	Finger vein verification system based on sparse representation. Applied Optics, 2012, 51, 6252.	0.9	31
707	Analysis of Different Subspace Mixture Models in Handwriting Recognition. , 2012, , .		1
708	Pattern Classification Using Eigenspace Projection. , 2012, , .		1
709	Vehicle logo super-resolution by canonical correlation analysis. , 2012, , .		5
710	Factor analysis of Laplacian approach for speaker recognition. , 2012, , .		2
711	Video-based face recognition using image averaging technique. , 2012, , .		0
712	Kernel-based Regularized Neighbourhood Preserving Embedding in face recognition. , 2012, , .		0
713	Geodesic Based Semi-supervised Multi-manifold Feature Extraction. , 2012, , .		8
714	An improved LPP algorithm. , 2012, , .		0
715	Orthogonal Nearest Neighbor Feature Space Embedding. , 2012, , .		0
716	Low-rank matrix recovery with structural incoherence for robust face recognition. , 2012, , .		58
717	Local linear regression classifier for image recognition. , 2012, , .		0
718	Multi-scale invariant abstracted under varying illumination. , 2012, , .		1
719	MULTI-SCALE GRADIENT INVARIANT FOR FACE RECOGNITION UNDER VARYING ILLUMINATION. International Journal of Pattern Recognition and Artificial Intelligence, 2012, 26, 1256016.	0.7	4
720	DESIGN OF A PREDICTION MODEL FOR CEMENT ROTARY KILN USING WAVELET PROJECTION FUZZY INFERENCE SYSTEM. Cybernetics and Systems, 2012, 43, 369-397.	1.6	8
721	Facial expression recognition based on tensor local linear discriminant analysis. , 2012, , .		9
722	Combined Learning of Salient Local Descriptors and Distance Metrics for Image Set Face Verification. , 2012, , .		10
723	Proximity-Based Frameworks for Generating Embeddings from Multi-Output Data. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 2216-2232.	9.7	28

#	ARTICLE	IF	CITATIONS
724	Face Recognition Based on Combination of Human Perception and Local Binary Pattern. Lecture Notes in Computer Science, 2012, , 365-373.	1.0	4
725	An efficient face recognition system based on embedded DCT pyramid. IEEE Transactions on Consumer Electronics, 2012, 58, 1285-1293.	3.0	11
726	Improved similarity measure-based graph embedding for face recognition. Journal of Electronic Imaging, 2012, 21, 013002.	0.5	6
727	Feature extraction of multimodal data by cluster-based correlation discriminative analysis. , 2012, , .		0
728	Visual tracking based on direct orthogonal locality preserving projections. , 2012, , .		0
729	On the Theoretical and Computational Analysis between SDA and Lap-LDA. , 2012, , .		2
730	An Improved Robust Sparse Coding for Face Recognition with Disguise. International Journal of Advanced Robotic Systems, 2012, 9, 126.	1.3	3
731	Face Recognition and Gender Classification Using Orthogonal Nearest Neighbour Feature Line Embedding. International Journal of Advanced Robotic Systems, 2012, 9, 101.	1.3	1
732	Grassmannian locality preserving discriminant analysis to view invariant gait recognition with image sets. , 2012, , .		5
733	Equivalence of MSE and MaxEnt as objective function of PCA. , 2012, , .		0
734	A Comparison of Graph Embedding Methods for Vertex Nomination. , 2012, , .		5
735	An intelligent fault diagnosis method of rolling bearings based on regularized kernel Marginal Fisher analysis. Journal of Physics: Conference Series, 2012, 364, 012042.	0.3	0
736	Adaptively weighted subpattern-based sparse preserving projection for face recognition. , 2012, , .		0
737	Face recognition with manifold-based kernel discriminant analysis. , 2012, , .		3
738	Subspace Learning from Image Gradient Orientations. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 2454-2466.	9.7	196
739	Constrained Nonnegative Matrix Factorization for Image Representation. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 1299-1311.	9.7	449
740	Trainable Convolution Filters and Their Application to Face Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 1423-1436.	9.7	39
741	Extended SRC: Undersampled Face Recognition via Intra-class Variant Dictionary. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 1864-1870.	9.7	589

#	ARTICLE	IF	CITATIONS
742	Semiconductor Manufacturing Process Monitoring Using Gaussian Mixture Model and Bayesian Method With Local and Nonlocal Information. IEEE Transactions on Semiconductor Manufacturing, 2012, 25, 480-493.	1.4	36
743	Orthogonal discriminant vector for face recognition across pose. Pattern Recognition, 2012, 45, 4069-4079.	5.1	42
744	Class dependent factor analysis and its application to face recognition. Pattern Recognition, 2012, 45, 4092-4102.	5.1	10
745	Generalized Multiview Analysis: A discriminative latent space. , 2012, , .		479
746	Face Recognition Using Multilinear Manifold Analysis of Local Descriptors. Lecture Notes in Computer Science, 2012, , 734-742.	1.0	0
748	Human identification system based on feature level fusion using face and gait biometrics. , 2012, , .		9
749	Uncorrelated Discriminant Isometric Projection for Face Recognition. Communications in Computer and Information Science, 2012, , 138-145.	0.4	2
750	Face feature extraction and recognition based on discriminant subclass-center manifold preserving projection. Pattern Recognition Letters, 2012, 33, 709-717.	2.6	5
751	Fuzzy local maximal marginal embedding for feature extraction. Soft Computing, 2012, 16, 77-87.	2.1	17
752	Coupled Discriminant Analysis for Heterogeneous Face Recognition. IEEE Transactions on Information Forensics and Security, 2012, 7, 1707-1716.	4.5	82
753	Monogenic Binary Coding: An Efficient Local Feature Extraction Approach to Face Recognition. IEEE Transactions on Information Forensics and Security, 2012, 7, 1738-1751.	4.5	93
754	Face recognition via local preserving average neighborhood margin maximization and extreme learning machine. Soft Computing, 2012, 16, 1515-1523.	2.1	12
755	Feature extraction using maximum variance sparse mapping. Neural Computing and Applications, 2012, 21, 1827-1833.	3.2	10
756	Weighted linear embedding: utilizing local and nonlocal information sufficiently. Neural Computing and Applications, 2012, 21, 1845-1853.	3.2	1
757	From NLDA to LDA/GSVD: a modified NLDA algorithm. Neural Computing and Applications, 2012, 21, 1575-1583.	3.2	2
758	Maximum inter-class and marginal discriminant embedding (MIMDE) for feature extraction and classification. Neural Computing and Applications, 2012, 21, 1737-1743.	3.2	8
759	Exploiting visual quasi-periodicity for real-time chewing event detection using active appearance models and support vector machines. Personal and Ubiquitous Computing, 2012, 16, 729-739.	1.9	26
760	Tensorized Feature Extraction Technique for Multimodality Preserving Manifold Visualization. Journal of Mathematical Imaging and Vision, 2012, 44, 295-314.	0.8	0

#	ARTICLE	IF	CITATIONS
761	Towards collaborative feature extraction for face recognition. Natural Computing, 2012, 11, 395-404.	1.8	1
762	Generalized locality preserving Maxiâ€“Min Margin Machine. Neural Networks, 2012, 36, 18-24.	3.3	1
763	Uncorrelated Local Maximum Margin Criterion: An Efficient Dimensionality Reduction Method for Text Classification. Procedia Technology, 2012, 4, 370-374.	1.1	4
764	LoPP: Locality Preserving Projections for Moving Object Detection. Procedia Technology, 2012, 4, 624-628.	1.1	12
765	Face recognition based on two dimensional locality preserving projections in frequency domain. Neurocomputing, 2012, 98, 135-142.	3.5	12
766	User modeling in changeable environments. , 2012, , .		2
767	Graph-Optimized Line Discriminant Analysis for Face Recognition. , 2012, , .		0
768	A face recognition algorithm using Gabor wavelet and orthogonal locality preserving projection. , 2012, , .		2
769	Adaptive Weighted Nearest Feature Space Analysis and Its Application to Feature Extraction. , 2012, , .		1
770	Discriminant local information distance preserving projection for text-independent speaker recognition. , 2012, , .		1
771	Globally maximizing, locally minimizing: Regularized Nonnegative Matrix Factorization for hyperspectral data feature extraction. , 2012, , .		4
772	Face recognition via discriminative atom decomposition and linear subspace learning. , 2012, , .		0
773	Learning Boltzmann Distance Metric for Face Recognition. , 2012, , .		2
774	An improved coupled spectral regression for heterogeneous face recognition. , 2012, , .		16
775	Gene Classification Using Parameter-Free Semi-Supervised Manifold Learning. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2012, 9, 818-827.	1.9	20
776	Overlapping Local Phase Feature (OLPF) for Robust Face Recognition in Surveillance. Lecture Notes in Computer Science, 2012, , 246-257.	1.0	0
777	Supervised and Unsupervised Parallel Subspace Learning for Large-Scale Image Recognition. IEEE Transactions on Circuits and Systems for Video Technology, 2012, 22, 1497-1511.	5.6	20
778	Extracting the informative constraints for semi-supervised marginal projections in multimodal dimensionality reduction. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
779	Similar looking Gujarati printed character recognition using Locality Preserving Projection and artificial neural networks. , 2012, , .		8
780	Fast multi-scale local phase quantization histogram for face recognition. Pattern Recognition Letters, 2012, 33, 1761-1767.	2.6	28
781	Patch Distribution Compatible Semisupervised Dimension Reduction for Face and Human Gait Recognition. IEEE Transactions on Circuits and Systems for Video Technology, 2012, 22, 479-488.	5.6	21
782	On nonlinear dimensionality reduction for face recognition. Image and Vision Computing, 2012, 30, 355-366.	2.7	24
783	Dynamic fault diagnosis using extended matrix and tensor locality preserving discriminant analysis. Chemometrics and Intelligent Laboratory Systems, 2012, 116, 41-46.	1.8	13
784	Comprehensive Common Spatial Patterns With Temporal Structure Information of EEG Data: Minimizing Nontask Related EEG Component. IEEE Transactions on Biomedical Engineering, 2012, 59, 2496-2505.	2.5	25
785	Face recognition using nonparametric-weighted Fisherfaces. Eurasip Journal on Advances in Signal Processing, 2012, 2012, .	1.0	12
786	Spice: discovery of phenotype-determining component interplays. BMC Systems Biology, 2012, 6, 40.	3.0	11
787	Direct Discriminant Locality Preserving Projection With Hammerstein Polynomial Expansion. IEEE Transactions on Image Processing, 2012, 21, 4858-4867.	6.0	9
788	Agglomerative Mean-Shift Clustering. IEEE Transactions on Knowledge and Data Engineering, 2012, 24, 209-219.	4.0	41
789	Laplacian Regularized Subspace Learning for interactive image re-ranking. , 2012, , .		0
790	Supervised sparse representation with coefficients' group constraint. , 2012, , .		0
791	Face Recognition based on Fuzzy Linear Discriminant Analysis. IERI Procedia, 2012, 2, 873-879.	0.3	6
792	A unified classifier for robust face recognition based on combining multiple subspace algorithms. Optics Communications, 2012, 285, 4324-4332.	1.0	5
793	The small sample size problem of ICA: A comparative study and analysis. Pattern Recognition, 2012, 45, 4438-4450.	5.1	36
794	A Novel Feature Extraction Method. Procedia Engineering, 2012, 29, 1196-1200.	1.2	0
795	Sparse Approximation to the Eigensubspace for Discrimination. IEEE Transactions on Neural Networks and Learning Systems, 2012, 23, 1948-1960.	7.2	59
796	Conjunctive Patches Subspace Learning With Side Information for Collaborative Image Retrieval. IEEE Transactions on Image Processing, 2012, 21, 3707-3720.	6.0	59

#	ARTICLE	IF	CITATIONS
797	Collaborative Representation Based Projections for Face Recognition. Communications in Computer and Information Science, 2012, , 276-283.	0.4	4
798	Gabor face recognition by multi-channel classifier fusion of supervised kernel manifold learning. Neurocomputing, 2012, 97, 398-404.	3.5	23
799	Selective local texture features based face recognition with single sample per class. Journal of the Brazilian Computer Society, 2012, 18, 229-235.	0.8	3
800	Decoding Lifespan Changes of the Human Brain Using Resting-State Functional Connectivity MRI. PLoS ONE, 2012, 7, e44530.	1.1	100
801	Automatic Age Estimation System for Face Images. International Journal of Advanced Robotic Systems, 2012, 9, 216.	1.3	11
802	A Tensor Based Isometric Projection Algorithm. Advanced Engineering Forum, 2012, 4, 183-188.	0.3	0
803	Fisher Difference Discriminant Analysis: Determining the Effective Discriminant Subspace Dimensions for Face Recognition. Neural Processing Letters, 2012, 35, 203-220.	2.0	6
804	Dimensionality reduction with latent variable model. Frontiers of Electrical and Electronic Engineering, 2012, 7, 116-126.	0.4	0
805	Random walk-based fuzzy linear discriminant analysis for dimensionality reduction. Soft Computing, 2012, 16, 1393-1409.	2.1	3
806	Feature extraction using orthogonal discriminant local tangent space alignment. Pattern Analysis and Applications, 2012, 15, 249-259.	3.1	18
807	Enhanced semi-supervised local Fisher discriminant analysis for face recognition. Future Generation Computer Systems, 2012, 28, 244-253.	4.9	37
808	Commuter time guided transformation for feature extraction. Computer Vision and Image Understanding, 2012, 116, 473-483.	3.0	18
809	A local spectral distribution approach to face recognition. Computer Vision and Image Understanding, 2012, 116, 663-675.	3.0	2
810	High-throughput-derived biologically-inspired features for unconstrained face recognition. Image and Vision Computing, 2012, 30, 159-168.	2.7	3
811	Gene expression data classification based on improved semi-supervised local Fisher discriminant analysis. Expert Systems With Applications, 2012, 39, 2314-2320.	4.4	11
812	User modeling: Through statistical analysis and subspace learning. Expert Systems With Applications, 2012, 39, 5243-5250.	4.4	12
813	Face recognition using discriminant sparsity neighborhood preserving embedding. Knowledge-Based Systems, 2012, 31, 119-127.	4.0	56
814	Nonlinear dimensionality reduction combining MR imaging with non-imaging information. Medical Image Analysis, 2012, 16, 819-830.	7.0	50

#	ARTICLE	IF	CITATIONS
815	Learning optimal spatial filters by discriminant analysis for brain-computer-interface. Neurocomputing, 2012, 77, 20-27.	3.5	30
816	Regularized locality preserving discriminant embedding for face recognition. Neurocomputing, 2012, 77, 156-166.	3.5	15
817	Two-dimensional margin, similarity and variation embedding. Neurocomputing, 2012, 86, 179-183.	3.5	16
818	Local similarity and diversity preserving discriminant projection for face and handwriting digits recognition. Neurocomputing, 2012, 86, 150-157.	3.5	18
819	Reconstructive discriminant analysis: A feature extraction method induced from linear regression classification. Neurocomputing, 2012, 87, 41-50.	3.5	24
820	Complete local Fisher discriminant analysis with Laplacian score ranking for face recognition. Neurocomputing, 2012, 89, 64-77.	3.5	16
821	Local CCA alignment and its applications. Neurocomputing, 2012, 89, 78-88.	3.5	4
822	Structured sparse linear graph embedding. Neural Networks, 2012, 27, 38-44.	3.3	13
823	Supervised optimal locality preserving projection. Pattern Recognition, 2012, 45, 186-197.	5.1	105
824	Robust regression for face recognition. Pattern Recognition, 2012, 45, 104-118.	5.1	123
825	Recursive "concave" convex-Fisher Linear Discriminant with applications to face, handwritten digit and terrain recognition. Pattern Recognition, 2012, 45, 54-65.	5.1	22
826	Beyond sparsity: The role of L1-optimizer in pattern classification. Pattern Recognition, 2012, 45, 1104-1118.	5.1	216
827	Extract minimum positive and maximum negative features for imbalanced binary classification. Pattern Recognition, 2012, 45, 1136-1145.	5.1	25
828	A novel supervised dimensionality reduction algorithm: Graph-based Fisher analysis. Pattern Recognition, 2012, 45, 1471-1481.	5.1	31
829	Trace ratio criterion based generalized discriminative learning for semi-supervised dimensionality reduction. Pattern Recognition, 2012, 45, 1482-1499.	5.1	72
830	A supervised non-linear dimensionality reduction approach for manifold learning. Pattern Recognition, 2012, 45, 2432-2444.	5.1	115
831	Feature space locality constraint for kernel based nonlinear discriminant analysis. Pattern Recognition, 2012, 45, 2733-2742.	5.1	5
832	Discriminant sparse neighborhood preserving embedding for face recognition. Pattern Recognition, 2012, 45, 2884-2893.	5.1	229

#	ARTICLE	IF	CITATIONS
833	Face recognition using Elasticfaces. Pattern Recognition, 2012, 45, 3866-3876.	5.1	20
834	Generalized Biased Discriminant Analysis for Content-Based Image Retrieval. IEEE Transactions on Systems, Man, and Cybernetics, 2012, 42, 282-290.	5.5	55
835	Multiview Face Recognition: From TensorFace to V-TensorFace and K-TensorFace. IEEE Transactions on Systems, Man, and Cybernetics, 2012, 42, 320-333.	5.5	24
836	Cost-Sensitive Semi-Supervised Discriminant Analysis for Face Recognition. IEEE Transactions on Information Forensics and Security, 2012, 7, 944-953.	4.5	38
837	Spatially Optimized Data-Level Fusion of Texture and Shape for Face Recognition. IEEE Transactions on Image Processing, 2012, 21, 859-872.	6.0	111
838	Multilinear Supervised Neighborhood Embedding of a Local Descriptor Tensor for Scene/Object Recognition. IEEE Transactions on Image Processing, 2012, 21, 1314-1326.	6.0	18
839	A Unified Feature and Instance Selection Framework Using Optimum Experimental Design. IEEE Transactions on Image Processing, 2012, 21, 2379-2388.	6.0	21
840	Face Recognition Based on Sparse Representation and Joint Sparsity Model with Matrix Completion. IEEE Latin America Transactions, 2012, 10, 1344-1351.	1.2	3
841	Endoscopic Video Manifolds for Targeted Optical Biopsy. IEEE Transactions on Medical Imaging, 2012, 31, 637-653.	5.4	30
842	Bridging the Semantic Gap via Functional Brain Imaging. IEEE Transactions on Multimedia, 2012, 14, 314-325.	5.2	34
843	Semi-Supervised Dimension Reduction Using Trace Ratio Criterion. IEEE Transactions on Neural Networks and Learning Systems, 2012, 23, 519-526.	7.2	91
844	Probabilistic Models for Inference about Identity. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 144-157.	9.7	166
845	Feature fusion of palmprint and face via tensor analysis and curvelet transform. Opto-electronics Review, 2012, 20, .	2.4	4
846	Low-dimensional representation of Gaussian mixture model supervector for language recognition. Eurasip Journal on Advances in Signal Processing, 2012, 2012, .	1.0	1
847	Feature Extraction Using a Complete Kernel Extension of Supervised Graph Embedding. Neural Processing Letters, 2012, 35, 159-175.	2.0	0
848	SEMISUPERVISED MULTIMODAL DIMENSIONALITY REDUCTION. Computational Intelligence, 2013, 29, 70-110.	2.1	1
849	Automatic face recognition from frontal images. , 2013, , .		5
850	Role-based identity recognition for TV broadcasts. Multimedia Tools and Applications, 2013, 63, 501-520.	2.6	1

#	ARTICLE	IF	CITATIONS
851	Feature Extraction Based on Maximum Nearest Subspace Margin Criterion. <i>Neural Processing Letters</i> , 2013, 37, 355-375.	2.0	12
852	Face recognition with contiguous occlusion using linear regression and level set method. <i>Neurocomputing</i> , 2013, 122, 386-397.	3.5	20
853	Robust spectral regression for face recognition. <i>Neurocomputing</i> , 2013, 118, 33-40.	3.5	8
854	Financial time series forecasting using LPP and SVM optimized by PSO. <i>Soft Computing</i> , 2013, 17, 805-818.	2.1	75
855	Face recognition with enhanced local directional patterns. <i>Neurocomputing</i> , 2013, 119, 375-384.	3.5	83
856	An improved palmprint recognition system using iris features. <i>Journal of Real-Time Image Processing</i> , 2013, 8, 253-263.	2.2	10
857	Fuzzy two-dimensional local graph embedding discriminant analysis (F2DLGEDA) with its application to face and palm biometrics. <i>Neural Computing and Applications</i> , 2013, 23, 201-207.	3.2	2
858	Sparse margin-based discriminant analysis for feature extraction. <i>Neural Computing and Applications</i> , 2013, 23, 1523-1529.	3.2	4
859	A novel matrix-based method for face recognition. <i>Neural Computing and Applications</i> , 2013, 23, 2261-2265.	3.2	2
860	Face recognition using fuzzy maximum scatter discriminant analysis. <i>Neural Computing and Applications</i> , 2013, 23, 957-964.	3.2	4
861	Fast Fisher Sparsity Preserving Projections. <i>Neural Computing and Applications</i> , 2013, 23, 691-705.	3.2	12
862	Robust Kernel Representation With Statistical Local Features for Face Recognition. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2013, 24, 900-912.	7.2	103
863	Random walk distances in data clustering and applications. <i>Advances in Data Analysis and Classification</i> , 2013, 7, 83-108.	0.9	6
864	Illumination Compensation for Face Recognition Using Only One Image. <i>Zidonghua Xuebao/Acta Automatica Sinica</i> , 2013, 39, 2090-2099.	1.5	4
865	Tone-aware sparse representation for face recognition. , 2013, , .		1
866	Multiple kernel local Fisher discriminant analysis for face recognition. <i>Signal Processing</i> , 2013, 93, 1496-1509.	2.1	34
867	Fault diagnosis by Locality Preserving Discriminant Analysis and its kernel variation. <i>Computers and Chemical Engineering</i> , 2013, 49, 105-113.	2.0	18
868	Normalized discriminant analysis for dimensionality reduction. <i>Neurocomputing</i> , 2013, 110, 153-159.	3.5	7

#	ARTICLE	IF	CITATIONS
869	Discriminant subspace learning constrained by locally statistical uncorrelation for face recognition. <i>Neural Networks</i> , 2013, 42, 28-43.	3.3	24
870	Feature extraction based on semi-supervised kernel Marginal Fisher analysis and its application in bearing fault diagnosis. <i>Mechanical Systems and Signal Processing</i> , 2013, 41, 113-126.	4.4	87
871	Local Structure-Based Image Decomposition for Feature Extraction With Applications to Face Recognition. <i>IEEE Transactions on Image Processing</i> , 2013, 22, 3591-3603.	6.0	40
872	Dimensionality reduction with adaptive graph. <i>Frontiers of Computer Science</i> , 2013, 7, 745-753.	1.6	15
873	Two-Dimensional Maximum Local Variation Based on Image Euclidean Distance for Face Recognition. <i>IEEE Transactions on Image Processing</i> , 2013, 22, 3807-3817.	6.0	30
874	An automated chimpanzee identification system using face detection and recognition. <i>Eurasip Journal on Image and Video Processing</i> , 2013, 2013, .	1.7	48
875	Discriminant embedding by sparse representation and nonparametric discriminant analysis for face recognition. <i>Journal of Central South University</i> , 2013, 20, 3564-3572.	1.2	3
876	Ranking Fisher discriminant analysis. <i>Neurocomputing</i> , 2013, 120, 54-60.	3.5	9
877	Discriminative histograms of local dominant orientation (D-HLDO) for biometric image feature extraction. <i>Pattern Recognition</i> , 2013, 46, 2724-2739.	5.1	49
878	Ranking Graph Embedding for Learning to Rerank. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2013, 24, 1292-1303.	7.2	52
879	Online face recognition and learning for cognitive robots. , 2013, , .		2
880	Multiple information projection based on Locality Preserving Projections. , 2013, , .		0
881	Automated Induction of Heterogeneous Proximity Measures for Supervised Spectral Embedding. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2013, 24, 1575-1587.	7.2	4
882	General Subspace Learning With Corrupted Training Data Via Graph Embedding. <i>IEEE Transactions on Image Processing</i> , 2013, 22, 4380-4393.	6.0	28
883	Unsupervised multi-view dimensionality reduction with application to audio-visual speaker retrieval. , 2013, , .		3
884	Sparse Variation Pattern for Texture Classification. , 2013, , .		0
885	A secure face recognition scheme using noisy images based on kernel sparse representation. , 2013, , .		4
886	Principal Component Analysis Integrating Mahalanobis Distance for Face Recognition. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
887	Neighborhood preserving concept factorization algorithm for data representation. , 2013, , .		0
888	Trace Ratio Linear Discriminant Analysis for Medical Diagnosis: A Case Study of Dementia. IEEE Signal Processing Letters, 2013, 20, 431-434.	2.1	18
889	Face Recognition via Archetype Hull Ranking. , 2013, , .		11
890	Classification of Multivariate Time Series Using Supervised Locality Preserving Projection. , 2013, , .		0
891	Kernel semi-supervised marginal fisher analysis and its application to face recognition. , 2013, , .		1
892	Collaborative reconstruction-based manifold-manifold distance for face recognition with image sets. , 2013, , .		0
893	Fast pedestrian detection using BWLSD for ROI. , 2013, , .		2
894	A Robust Dimensionality Reduction Method from Laplacian Orientations. , 2013, , .		0
895	An Improved Face Verification Approach Based on Speedup Robust Features and Pairwise Matching. , 2013, , .		2
896	Local Coordinates Alignment With Global Preservation for Dimensionality Reduction. IEEE Transactions on Neural Networks and Learning Systems, 2013, 24, 106-117.	7.2	35
897	Enhanced and parameterless Locality Preserving Projections for face recognition. Neurocomputing, 2013, 99, 448-457.	3.5	39
898	Exponential Local Discriminant Embedding and Its Application to Face Recognition. IEEE Transactions on Cybernetics, 2013, 43, 921-934.	6.2	60
899	Discriminative Multimanifold Analysis for Face Recognition from a Single Training Sample per Person. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2013, 35, 39-51.	9.7	349
900	Cost-Sensitive Subspace Analysis and Extensions for Face Recognition. IEEE Transactions on Information Forensics and Security, 2013, 8, 510-519.	4.5	55
901	Learning orthogonal projections for Isomap. Neurocomputing, 2013, 103, 149-154.	3.5	7
902	Efficient optimally regularized discriminant analysis. Neurocomputing, 2013, 117, 12-21.	3.5	15
903	A supervised orthogonal discriminant projection for tumor classification using gene expression data. Computers in Biology and Medicine, 2013, 43, 568-575.	3.9	11
904	Texture representations using subspace embeddings. Pattern Recognition Letters, 2013, 34, 1130-1137.	2.6	10

#	ARTICLE	IF	CITATIONS
905	Fusion of lattice independent and linear features improving face identification. <i>Neurocomputing</i> , 2013, 114, 80-85.	3.5	6
906	Vision-Based Interaction. <i>Synthesis Lectures on Computer Vision</i> , 2013, 4, 1-134.	0.4	0
907	Maximal Similarity Embedding. <i>Neurocomputing</i> , 2013, 99, 423-438.	3.5	9
908	A semi-supervised approach for dimensionality reduction with distributional similarity. <i>Neurocomputing</i> , 2013, 103, 210-221.	3.5	7
909	Locality constrained representation based classification with spatial pyramid patches. <i>Neurocomputing</i> , 2013, 101, 104-115.	3.5	17
910	Feature extraction using two-dimensional neighborhood margin and variation embedding. <i>Computer Vision and Image Understanding</i> , 2013, 117, 525-531.	3.0	10
911	Low-rank representation based discriminative projection for robust feature extraction. <i>Neurocomputing</i> , 2013, 111, 13-20.	3.5	38
912	Quasiconformal kernel common locality discriminant analysis with application to breast cancer diagnosis. <i>Information Sciences</i> , 2013, 223, 256-269.	4.0	12
913	Entropy and Flow-based Approach for Anomalous Traffic Filtering. <i>Procedia Technology</i> , 2013, 7, 360-369.	1.1	0
914	Singing speaker clustering based on subspace learning in the GMM mean supervector space. <i>Speech Communication</i> , 2013, 55, 653-666.	1.6	15
915	Joint geometry and variability for image recognition. <i>Neurocomputing</i> , 2013, 99, 241-249.	3.5	4
916	High order pLSA for indexing tagged images. <i>Signal Processing</i> , 2013, 93, 2212-2228.	2.1	13
917	Reconstruction based face occlusion elimination for recognition. <i>Neurocomputing</i> , 2013, 101, 68-72.	3.5	10
918	Face recognition using Weber local descriptors. <i>Neurocomputing</i> , 2013, 122, 272-283.	3.5	50
919	Stable Orthogonal Local Discriminant Embedding for Linear Dimensionality Reduction. <i>IEEE Transactions on Image Processing</i> , 2013, 22, 2521-2531.	6.0	53
920	Gabor feature based robust representation and classification for face recognition with Gabor occlusion dictionary. <i>Pattern Recognition</i> , 2013, 46, 1865-1878.	5.1	129
921	Online Support Vector Machine Based on Convex Hull Vertices Selection. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2013, 24, 593-609.	7.2	63
922	A comparative study of nonlinear manifold learning methods for cancer microarray data classification. <i>Expert Systems With Applications</i> , 2013, 40, 2189-2197.	4.4	28

#	ARTICLE	IF	CITATIONS
923	Sparse Representation With Kernels. IEEE Transactions on Image Processing, 2013, 22, 423-434.	6.0	159
924	An Explicit Nonlinear Mapping for Manifold Learning. IEEE Transactions on Cybernetics, 2013, 43, 51-63.	6.2	73
925	Robust Face Representation Using Hybrid Spatial Feature Interdependence Matrix. IEEE Transactions on Image Processing, 2013, 22, 3247-3259.	6.0	6
926	Face illumination compensation dictionary. Neurocomputing, 2013, 101, 139-148.	3.5	4
927	A comparative study on local binary pattern (LBP) based face recognition: LBP histogram versus LBP image. Neurocomputing, 2013, 120, 365-379.	3.5	142
928	From the idea of "sparse representation" to a representation-based transformation method for feature extraction. Neurocomputing, 2013, 113, 168-176.	3.5	29
929	Optimized projections for sparse representation based classification. Neurocomputing, 2013, 113, 213-219.	3.5	57
930	Image-to-Set Face Recognition Using Locality Repulsion Projections and Sparse Reconstruction-Based Similarity Measure. IEEE Transactions on Circuits and Systems for Video Technology, 2013, 23, 1070-1080.	5.6	34
931	Discriminant diffusion maps analysis: A robust manifold learner for dimensionality reduction and its applications in machine condition monitoring and fault diagnosis. Mechanical Systems and Signal Processing, 2013, 34, 277-297.	4.4	52
932	Robust face recognition using the GAP feature. Pattern Recognition, 2013, 46, 2647-2657.	5.1	12
933	Regularized Discriminative Spectral Regression Method for Heterogeneous Face Matching. IEEE Transactions on Image Processing, 2013, 22, 353-362.	6.0	64
934	An effective unconstrained correlation filter and its kernelization for face recognition. Neurocomputing, 2013, 119, 201-211.	3.5	6
935	Muscle computer interfaces for driver distraction reduction. Computer Methods and Programs in Biomedicine, 2013, 110, 137-149.	2.6	54
936	Sparse Representation Classifier Steered Discriminative Projection With Applications to Face Recognition. IEEE Transactions on Neural Networks and Learning Systems, 2013, 24, 1023-1035.	7.2	184
937	Face recognition via Weighted Sparse Representation. Journal of Visual Communication and Image Representation, 2013, 24, 111-116.	1.7	209
938	Enhancing sparsity via $\ell_{p,1}$ minimization for robust face recognition. Neurocomputing, 2013, 99, 592-602.	3.5	59
939	Simultaneous discriminative projection and dictionary learning for sparse representation based classification. Pattern Recognition, 2013, 46, 346-354.	5.1	58
940	Handwriting representation and recognition through a sparse projection and low-rank recovery framework. , 2013, , .		8

#	ARTICLE	IF	CITATIONS
941	Learning from local and global discriminative information for semi-supervised dimensionality reduction. , 2013, , .		3
942	Orthogonal discriminant improved local tangent space alignment based feature fusion for face recognition. Journal of Shanghai Jiaotong University (Science), 2013, 18, 425-433.	0.5	0
943	Discovering Discriminative Graphlets for Aerial Image Categories Recognition. IEEE Transactions on Image Processing, 2013, 22, 5071-5084.	6.0	264
944	An Improved Self-Training for Face Recognition. , 2013, , .		0
945	Joint Global and Local Structure Discriminant Analysis. IEEE Transactions on Information Forensics and Security, 2013, 8, 626-635.	4.5	44
946	A soft label based linear discriminant analysis for semi-supervised dimensionality reduction. , 2013, , .		4
947	Linear Dependency Modeling for Classifier Fusion and Feature Combination. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2013, 35, 1135-1148.	9.7	78
948	Discriminative dictionary learning with low-rank regularization for face recognition. , 2013, , .		8
949	New one-versus-all solving intraâ€“inter class imbalance with extended manifold regularization and localized relative maximum margin. Neurocomputing, 2013, 115, 106-121.	3.5	7
950	Pairwise Sparsity Preserving Embedding for Unsupervised Subspace Learning and Classification. IEEE Transactions on Image Processing, 2013, 22, 4640-4651.	6.0	48
951	SAR Target Configuration Recognition Using Locality Preserving Property and Gaussian Mixture Distribution. IEEE Geoscience and Remote Sensing Letters, 2013, 10, 268-272.	1.4	38
952	Blessing of Dimensionality: High-Dimensional Feature and Its Efficient Compression for Face Verification. , 2013, , .		458
953	Face recognition using Hog feature and group sparse coding. , 2013, , .		6
954	Kernel Uncorrelated Local Fisher Discriminant Analysis and Its Application to Face Recognition. , 2013, , .		0
955	Supervised linear dimensionality reduction with robust margins for object recognition. , 2013, , .		0
956	On approaching 2D-FPCA technique to improve image representation in frequency domain. , 2013, , .		5
957	A Collaborative Neighbor Representation Based Face Recognition Algorithm. Mathematical Problems in Engineering, 2013, 2013, 1-9.	0.6	2
958	Low-Rank Matrix Recovery with Discriminant Regularization. Lecture Notes in Computer Science, 2013, , 437-448.	1.0	11

#	ARTICLE	IF	CITATIONS
959	Sparse representation based face recognition using weighted regions. , 2013, , .		0
960	Cost-Sensitive Sparsity Preserving Projections for Face Recognition. Advanced Materials Research, 2013, 760-762, 1615-1620.	0.3	1
961	Locality-Based Discriminant Neighborhood Embedding. Computer Journal, 2013, 56, 1063-1082.	1.5	27
962	Face Recognition by Geometrical Feature-Point Bilateral Matching. Applied Mechanics and Materials, 0, 479-480, 883-888.	0.2	1
963	Robust Face Recognition via Block Sparse Bayesian Learning. Mathematical Problems in Engineering, 2013, 2013, 1-13.	0.6	8
964	Pseudo-Gabor wavelet for face recognition. Journal of Electronic Imaging, 2013, 22, 023029.	0.5	2
965	Classification of hyperspectral remote-sensing images based on sparse manifold learning. Journal of Applied Remote Sensing, 2013, 7, 073464.	0.6	10
966	Local minimum squared error for face and handwritten character recognition. Journal of Electronic Imaging, 2013, 22, 033027.	0.5	2
967	Robust face recognition via gradient-based sparse representation. Journal of Electronic Imaging, 2013, 22, 013018.	0.5	7
968	Locality Preserving Maximum Scatter Difference Projection for Face Recognition. Applied Mechanics and Materials, 0, 411-414, 1179-1184.	0.2	0
969	Coupled cross-regression for low-resolution face recognition. Journal of Electronic Imaging, 2013, 22, 023015.	0.5	1
970	A New Kernel Orthogonal Projection Analysis Approach for Face Recognition. Advanced Materials Research, 0, 760-762, 1627-1632.	0.3	0
971	Dynamic Building Tracking from UAVs Based on Image Manifold Learning. Advanced Materials Research, 2013, 756-759, 4121-4125.	0.3	0
972	A Fuzzy Adaptive K-SVD Dictionary Algorithm for Face Recognition. Applied Mechanics and Materials, 0, 347-350, 3797-3803.	0.2	2
973	Training boosting-like algorithms with semi-supervised subspace learning. , 2013, , .		0
974	Maximum margin sparse representation discriminative mapping with application to face recognition. Optical Engineering, 2013, 52, 027202.	0.5	3
975	Kernel Coupled Cross-Regression for Low-Resolution Face Recognition. Mathematical Problems in Engineering, 2013, 2013, 1-9.	0.6	0
976	Improved complete neighbourhood preserving embedding for face recognition. IET Computer Vision, 2013, 7, 71-79.	1.3	4

#	ARTICLE	IF	CITATIONS
977	A novel borderline preserving embedding manifold learning algorithm. , 2013, , .		1
978	A near optimal projection for Sparse representation based classification. , 2013, , .		0
979	Multisource data fusion for image classification using fisher criterion based nearest feature space approach. , 2013, , .		1
980	Chimpanzee identification using global and local features. , 2013, , .		1
981	Activity-based human identification. , 2013, , .		4
982	Feature Extraction Based on Nearest Feature Line and Compressive Sensing. , 2013, , .		1
983	The Generalized Laplacian Distance and Its Applications for Visual Matching. , 2013, , .		3
984	Ordinary Preserving Manifold Analysis for Human Age and Head Pose Estimation. IEEE Transactions on Human-Machine Systems, 2013, 43, 249-258.	2.5	94
985	Prediction for Rational Synthesis Based on Weighted Feature Selection Method. Molecular Informatics, 2013, 32, 765-774.	1.4	0
986	Biometric face recognition: from classical statistics to future challenges. Wiley Interdisciplinary Reviews: Computational Statistics, 2013, 5, 288-308.	2.1	13
987	Discriminative sparsity preserving embedding for face recognition. , 2013, , .		11
988	The role of dictionary learning on sparse representation-based classification. , 2013, , .		7
989	Nonlinear Dynamic Model for Visual Object Tracking on Grassmann Manifolds With Partial Occlusion Handling. IEEE Transactions on Cybernetics, 2013, 43, 2005-2019.	6.2	27
990	Learning from a single labeled face and a stream of unlabeled data. , 2013, , .		2
991	Gabor feature based classification using Enhance Two-direction Variation of 2DPCA discriminant analysis for face verification. , 2013, , .		4
992	Revisiting Link-Based Cluster Ensembles for Microarray Data Classification. , 2013, , .		5
993	Coupled-layer neighbor embedding for surveillance face hallucination. , 2013, , .		1
994	Coupled latent least squares regression for heterogeneous face recognition. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
995	Face recognition on Lorentzian manifold. , 2013, , .		1
996	Similarity preserving analysis based on sparse representation for image feature extraction and classification. , 2013, , .		0
997	An unsupervised kernel optimization in dimensional reduction. , 2013, , .		0
998	KERNEL SUPERVISED DISCRIMINANT PROJECTION AND ITS APPLICATION FOR FACE RECOGNITION. International Journal of Pattern Recognition and Artificial Intelligence, 2013, 27, 1356003.	0.7	3
999	Kernel least absolute shrinkage and selection operator regression classifier for pattern classification. IET Computer Vision, 2013, 7, 48-55.	1.3	11
1000	Enhanced Gabor Feature Based Classification Using a Regularized Locally Tensor Discriminant Model for Multiview Gait Recognition. IEEE Transactions on Circuits and Systems for Video Technology, 2013, 23, 1274-1286.	5.6	72
1001	Kernel Fisher Discriminant Analysis with Locality Preserving for Feature Extraction and Recognition. International Journal of Computational Intelligence Systems, 2013, 6, 1059.	1.6	1
1002	Manifold Adaptive Kernel Semisupervised Discriminant Analysis for Gait Recognition. Advances in Mechanical Engineering, 2013, 5, 206251.	0.8	0
1003	A Multifaceted Independent Performance Analysis of Facial Subspace Recognition Algorithms. PLoS ONE, 2013, 8, e56510.	1.1	11
1004	Enlarge the Training Set Based on Inter-Class Relationship for Face Recognition from One Image per Person. PLoS ONE, 2013, 8, e68539.	1.1	8
1005	Membership-Degree Preserving Discriminant Analysis with Applications to Face Recognition. Computational and Mathematical Methods in Medicine, 2013, 2013, 1-7.	0.7	0
1006	Semisupervised Kernel Marginal Fisher Analysis for Face Recognition. Scientific World Journal, The, 2013, 2013, 1-13.	0.8	5
1007	Face Recognition Using a Coarse-to-Fine Level Set Scheme. Research Journal of Applied Sciences, Engineering and Technology, 2013, 5, 760-766.	0.1	0
1008	Maximum Neighborhood Margin Discriminant Projection for Classification. Scientific World Journal, The, 2014, 2014, 1-16.	0.8	18
1009	New Fuzzy Support Vector Machine for the Class Imbalance Problem in Medical Datasets Classification. Scientific World Journal, The, 2014, 2014, 1-12.	0.8	18
1010	Movement-related cortical potentials in paraplegic patients: abnormal patterns and considerations for BCI-rehabilitation. Frontiers in Neuroengineering, 2014, 7, 35.	4.8	21
1011	Multiview Discriminative Geometry Preserving Projection for Image Classification. Scientific World Journal, The, 2014, 2014, 1-11.	0.8	3
1012	A new locally linear KNN method with an improved marginal Fisher analysis for image classification. , 2014, , .		5

#	ARTICLE	IF	CITATIONS
1013	Algorithm Analysis and System Implementation of Advanced Facial Information Extraction and Face Recognition under Wireless Networks. , 2014, , .		0
1014	Non-negative matrix factorization with local preservation for hyperspectral image dimensionality reduction. Remote Sensing Letters, 2014, 5, 793-802.	0.6	3
1015	And-Or Graph Model for Faces. , 2014, , 1-9.		0
1016	Deep Embedding Network for Clustering. , 2014, , .		102
1017	Two-dimensional direct discriminant locality preserving projection analysis for face recognition. , 2014, , .		1
1018	ROBUST FACE RECOGNITION BY UTILIZING COLOR INFORMATION AND SPARSE REPRESENTATION. International Journal of Pattern Recognition and Artificial Intelligence, 2014, 28, 1456004.	0.7	4
1019	Pattern Recognition for Biometrics and Bioinformatics. , 2014, , 727-745.		0
1020	FACE REPRESENTATION WITH GRADIENT ORIENTATIONS AND EULER MAPPING: APPLICATION TO FACE RECOGNITION. International Journal of Pattern Recognition and Artificial Intelligence, 2014, 28, 1456014.	0.7	1
1021	Discriminant Locality Preserving Projections Based on L1-Norm Maximization. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 2065-2074.	7.2	73
1022	Hybrid Manifold Embedding. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 2295-2302.	7.2	21
1023	OLPP-based Gabor feature dimensionality reduction for facial expression recognition. , 2014, , .		2
1024	Shape primitive histogram: low-level face representation for face recognition. IET Biometrics, 2014, 3, 325-334.	1.6	0
1025	A General Nonlinear Embedding Framework Based on Deep Neural Network. , 2014, , .		3
1026	Fault diagnosis of rolling bearings based on Marginal Fisher analysis. JVC/Journal of Vibration and Control, 2014, 20, 470-480.	1.5	24
1027	Kernel Null Space Marginal Fisher Analysis for Face Recognition. Advanced Materials Research, 0, 889-890, 1065-1068.	0.3	0
1028	Orthogonal Semi-Supervised Marginal Fisher Analysis. Advanced Materials Research, 2014, 989-994, 2551-2554.	0.3	0
1029	Fractional low-order independent component analysis for face recognition robust to partial occlusion. , 2014, , .		2
1030	Optimization Method for Crop Growth Characteristics Based on Improved Locality Preserving Projection. Journal of Applied Mathematics, 2014, 2014, 1-7.	0.4	0

#	ARTICLE	IF	CITATIONS
1031	Generic Learning-Based Ensemble Framework for Small Sample Size Face Recognition in Multi-Camera Networks. Sensors, 2014, 14, 23509-23538.	2.1	6
1032	Improvement of image representation for large-scale image retrieval. , 2014, , .		0
1033	Multi-granularity distance metric learning via neighborhood granule margin maximization. Information Sciences, 2014, 282, 321-331.	4.0	34
1034	Kinship verification in the wild: The first kinship verification competition. , 2014, , .		25
1035	An MPCA/LDA Based Dimensionality Reduction Algorithm for Face Recognition. Mathematical Problems in Engineering, 2014, 2014, 1-12.	0.6	14
1036	A Kernel Based Neighborhood Discriminant Submanifold Learning for Pattern Classification. Journal of Applied Mathematics, 2014, 2014, 1-10.	0.4	0
1037	Neighbourhood sensitive preserving embedding for pattern classification. IET Image Processing, 2014, 8, 489-497.	1.4	7
1038	A Face Recognition Method on Mobile Terminals Based on Manifold Learning. Applied Mechanics and Materials, 0, 610, 307-311.	0.2	0
1039	Dimension Reduction Using Samplesâ€™ Inner Structure Based Graph for Face Recognition. Mathematical Problems in Engineering, 2014, 2014, 1-11.	0.6	1
1040	Pose-invariant face recognition via SIFT feature extraction and manifold projection with Hausdorff distance metric. , 2014, , .		0
1041	Data structure based discriminant score for feature selection. , 2014, , .		0
1042	Compressive neighborhood embedding for classification. , 2014, , .		0
1043	Fault diagnosis based semi-supervised global LSSVM for analog circuit. , 2014, , .		5
1044	Online Regression of Grandmother-Cell Responses with Visual Experience Learning for Face Recognition. , 2014, , .		2
1045	A deep graph embedding network model for face recognition. , 2014, , .		9
1046	Fast neighbourhood component analysis with spatially smooth regulariser for robust noisy face recognition. IET Biometrics, 2014, 3, 278-290.	1.6	1
1047	Comparative Study. , 2014, , .		0
1048	Parametric Dictionaries and Feature Augmentation for Continuous Domain Adaptation. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
1049	Self-training-based face recognition using semi-supervised linear discriminant analysis and affinity propagation. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2014, 31, 1.	0.8	22
1050	Locality sensitive discriminant analysis for classification of hyperspectral data. , 2014, , .		1
1051	Class specific dictionary learning for face recognition. , 2014, , .		9
1052	Yaw Estimation Using Cylindrical and Ellipsoidal Face Models. IEEE Transactions on Intelligent Transportation Systems, 2014, 15, 2308-2320.	4.7	18
1053	Laplacian object: One-shot object detection by locality preserving projection. , 2014, , .		5
1054	Batch bioprocess monitoring using multiway localized discriminant embedding approach. , 2014, , .		0
1055	Using cluster ensemble to improve classification of student dropout in Thai university. , 2014, , .		7
1056	Pairwise Costs in Semisupervised Discriminant Analysis for Face Recognition. IEEE Transactions on Information Forensics and Security, 2014, 9, 1569-1580.	4.5	18
1057	Similarity-balanced Discriminant Neighborhood Embedding. , 2014, , .		1
1058	System Light-Loading Technology for mHealth: Manifold-Learning-Based Medical Data Cleansing and Clinical Trials in WE-CARE Project. IEEE Journal of Biomedical and Health Informatics, 2014, 18, 1581-1589.	3.9	26
1059	Vehicle color classification using manifold learning methods from urban surveillance videos. Eurasip Journal on Image and Video Processing, 2014, 2014, .	1.7	8
1060	A Study on Cross-Population Age Estimation. , 2014, , .		23
1061	A simplified feature line approach for face recognition. , 2014, , .		0
1062	An enhanced Local Ternary Patterns method for face recognition. , 2014, , .		4
1063	Learning Discriminant Face Descriptor. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2014, 36, 289-302.	9.7	282
1064	Merging Neuroimaging and Multimedia: Methods, Opportunities, and Challenges. IEEE Transactions on Human-Machine Systems, 2014, 44, 270-280.	2.5	8
1065	Linear Subspace Learning via sparse dimension reduction. , 2014, , .		0
1066	Optimal Uncorrelated Unsupervised Discriminant Projection. Applied Mechanics and Materials, 2014, 701-702, 54-57.	0.2	1

#	ARTICLE	IF	CITATIONS
1067	Synthetically occluded face recognition using local complex binary pattern. , 2014, , .		1
1068	Unsupervised Discriminant Canonical Correlation Analysis for Feature Fusion. , 2014, , .		6
1069	Face recognition using local features by LPP approach. , 2014, , .		5
1070	Uncorrelated regularized local Fisher discriminant analysis for face recognition. Journal of Electronic Imaging, 2014, 23, 043017.	0.5	2
1072	Sequential Projection Pursuit with Kernel Matrix Update and Symbolic Model Selection. IEEE Transactions on Cybernetics, 2014, 44, 2458-2469.	6.2	3
1073	Single-sample-per-person-based face recognition using fast Discriminative Multi-manifold Analysis. , 2014, , .		10
1074	Human Face Recognition Biometric Techniques: Analysis and Review. Advances in Intelligent Systems and Computing, 2014, , 455-463.	0.5	6
1075	Robust Tensor Preserving Projection for Multispectral Face Recognition. Mathematical Problems in Engineering, 2014, 2014, 1-10.	0.6	6
1076	Method of Redundant Features Eliminating Based on K-Means Clustering. Applied Mechanics and Materials, 2014, 488-489, 1023-1026.	0.2	1
1077	Automatic target recognition using group-structured sparse representation. , 2014, , .		0
1078	ROBUSTNESS INSTEAD OF ACCURACY SHOULD BE THE PRIMARY OBJECTIVE FOR SUBJECTIVE PATTERN RECOGNITION RESEARCH: STABILITY ANALYSIS ON MULTICANDIDATE ELECTORAL COLLEGE VERSUS DIRECT POPULAR VOTE. Computational Intelligence, 2014, 30, 167-204.	2.1	3
1079	Motor Bearing Fault Diagnosis Using Trace Ratio Linear Discriminant Analysis. IEEE Transactions on Industrial Electronics, 2014, 61, 2441-2451.	5.2	361
1080	Weighted local and global regressive mapping: A new manifold learning method for machine fault classification. Engineering Applications of Artificial Intelligence, 2014, 30, 118-128.	4.3	27
1081	Stable locality sensitive discriminant analysis for image recognition. Neural Networks, 2014, 54, 49-56.	3.3	26
1082	Sparse dimensionality reduction of hyperspectral image based on semi-supervised local Fisher discriminant analysis. International Journal of Applied Earth Observation and Geoinformation, 2014, 31, 122-129.	1.4	22
1083	Improved discriminant sparsity neighborhood preserving embedding for hyperspectral image classification. Neurocomputing, 2014, 136, 224-234.	3.5	29
1084	Fractional-order embedding canonical correlation analysis and its applications to multi-view dimensionality reduction and recognition. Pattern Recognition, 2014, 47, 1411-1424.	5.1	65
1085	Text style analysis using trace ratio criterion patch alignment embedding. Neurocomputing, 2014, 136, 201-212.	3.5	1

#	ARTICLE	IF	CITATIONS
1086	Semi-supervised Discriminant Analysis and Sparse Representation-based self-training for Face Recognition. <i>Optik</i> , 2014, 125, 2170-2174.	1.4	5
1087	A Survey on Perception Methods for Human-Robot Interaction in Social Robots. <i>International Journal of Social Robotics</i> , 2014, 6, 85-119.	3.1	100
1088	Two-dimensional complete neighborhood preserving embedding. <i>Neural Computing and Applications</i> , 2014, 24, 1505-1517.	3.2	1
1089	Median-mean line based discriminant analysis. <i>Neurocomputing</i> , 2014, 123, 233-246.	3.5	17
1090	Face Recognition with Integrating Multiple Cues. <i>Journal of Signal Processing Systems</i> , 2014, 74, 391-404.	1.4	1
1091	Human facial expression analysis based on image granule LPP. <i>International Journal of Machine Learning and Cybernetics</i> , 2014, 5, 907-921.	2.3	4
1092	A General Exponential Framework for Dimensionality Reduction. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 920-930.	6.0	65
1093	Personalized Geo-Specific Tag Recommendation for Photos on Social Websites. <i>IEEE Transactions on Multimedia</i> , 2014, 16, 588-600.	5.2	42
1094	Hierarchical Manifold Learning With Applications to Supervised Classification for High-Resolution Remotely Sensed Images. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 1677-1692.	2.7	13
1095	Transfer dimensionality reduction by Gaussian process in parallel. <i>Knowledge and Information Systems</i> , 2014, 38, 567-597.	2.1	0
1096	An approach to facial expression recognition integrating radial basis function kernel and multidimensional scaling analysis. <i>Soft Computing</i> , 2014, 18, 1363-1371.	2.1	5
1097	Low-resolution face recognition: a review. <i>Visual Computer</i> , 2014, 30, 359-386.	2.5	100
1098	Multilinear Graph Embedding: Representation and Regularization for Images. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 741-754.	6.0	15
1099	Extended feed forward neural networks with random weights for face recognition. <i>Neurocomputing</i> , 2014, 136, 96-102.	3.5	32
1100	Multi-resolution feature fusion for face recognition. <i>Pattern Recognition</i> , 2014, 47, 556-567.	5.1	62
1101	Local histogram specification for face recognition under varying lighting conditions. <i>Image and Vision Computing</i> , 2014, 32, 335-347.	2.7	26
1102	A Markov Random Field Groupwise Registration Framework for Face Recognition. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2014, 36, 657-669.	9.7	19
1103	Sparse representation for face recognition by discriminative low-rank matrix recovery. <i>Journal of Visual Communication and Image Representation</i> , 2014, 25, 763-773.	1.7	46

#	ARTICLE	IF	CITATIONS
1104	Feature extraction using two-dimensional maximum embedding difference. Information Sciences, 2014, 274, 55-69.	4.0	55
1105	Sparse regularization discriminant analysis for face recognition. Neurocomputing, 2014, 128, 341-362.	3.5	13
1106	Global and Local Structure Preservation for Feature Selection. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 1083-1095.	7.2	135
1107	A Regularized Approach for Geodesic-Based Semisupervised Multimanifold Learning. IEEE Transactions on Image Processing, 2014, 23, 2133-2147.	6.0	14
1108	Neighborhood Repulsed Metric Learning for Kinship Verification. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2014, 36, 331-345.	9.7	348
1109	Fault diagnosis of rolling element bearings via discriminative subspace learning: Visualization and classification. Expert Systems With Applications, 2014, 41, 3391-3401.	4.4	74
1110	A parameterized fuzzy adaptive K-SVD approach for the multi-classes study of pursuit algorithms. Neurocomputing, 2014, 123, 131-139.	3.5	12
1111	Histogram of visual words based on locally adaptive regression kernels descriptors for image feature extraction. Neurocomputing, 2014, 129, 516-527.	3.5	5
1112	Hyperspectral Image Classification Using Nearest Feature Line Embedding Approach. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 278-287.	2.7	35
1113	Enhanced Low-Latency Detection of Motor Intention From EEG for Closed-Loop Brain-Computer Interface Applications. IEEE Transactions on Biomedical Engineering, 2014, 61, 288-296.	2.5	168
1114	Visual Words Assignment Via Information-Theoretic Manifold Embedding. IEEE Transactions on Cybernetics, 2014, 44, 1924-1937.	6.2	26
1115	Gradient-Oriented-Based PCA Subspace for Novel Face Recognition. IEEE Access, 2014, 2, 914-920.	2.6	37
1116	Discriminant Hyper-Laplacian projections with its application to face recognition. , 2014, , .		6
1117	Discriminative Discriminant Common Vector in face verification. , 2014, , .		0
1118	Multiset Canonical Correlations Using Globality Preserving Projections With Applications to Feature Extraction and Recognition. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 1131-1146.	7.2	35
1119	Integrating Local and Global Manifold structures for unsupervised dimensionality reduction. , 2014, , .		4
1120	A comparative study of face recognition algorithms on R1 face database. , 2014, , .		1
1121	Recursive soft margin subspace learning. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
1122	Supervised trace lasso for robust face recognition. , 2014, , .		6
1123	A Minimax Framework for Classification with Applications to Images and High Dimensional Data. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2014, 36, 2117-2130.	9.7	24
1124	Extended linear regression for undersampled face recognition. Journal of Visual Communication and Image Representation, 2014, 25, 1800-1809.	1.7	8
1125	Reduced robust facial feature descriptor using DTCWT and PCA. , 2014, , .		0
1126	Modified Principal Component Analysis: An Integration of Multiple Similarity Subspace Models. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 1538-1552.	7.2	54
1127	Multiview face recognition based on multilinear decomposition and pose manifold. IET Image Processing, 2014, 8, 300-309.	1.4	9
1128	Boosting Separability in Semisupervised Learning for Object Classification. IEEE Transactions on Circuits and Systems for Video Technology, 2014, 24, 1197-1208.	5.6	10
1129	Simultaneous Tensor Decomposition and Completion Using Factor Priors. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2014, 36, 577-591.	9.7	239
1130	Multilayer Surface Albedo for Face Recognition With Reference Images in Bad Lighting Conditions. IEEE Transactions on Image Processing, 2014, 23, 4709-4723.	6.0	15
1131	Equidistant prototypes embedding for single sample based face recognition with generic learning and incremental learning. Pattern Recognition, 2014, 47, 3738-3749.	5.1	59
1132	Robust locality preserving projection based on maximum correntropy criterion. Journal of Visual Communication and Image Representation, 2014, 25, 1676-1685.	1.7	10
1133	Multiview Gait Recognition Based on Patch Distribution Features and Uncorrelated Multilinear Sparse Local Discriminant Canonical Correlation Analysis. IEEE Transactions on Circuits and Systems for Video Technology, 2014, 24, 617-630.	5.6	37
1134	Learning Regularized LDA by Clustering. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 2191-2201.	7.2	97
1135	Beyond visual word ambiguity: Weighted local feature encoding with governing region. Journal of Visual Communication and Image Representation, 2014, 25, 1387-1398.	1.7	3
1136	Locally linear representation Fisher criterion based tumor gene expressive data classification. Computers in Biology and Medicine, 2014, 53, 48-54.	3.9	9
1137	Multi-feature multi-manifold learning for single-sample face recognition. Neurocomputing, 2014, 143, 134-143.	3.5	53
1138	Face recognition based on curvelets and local binary pattern features via using local property preservation. Journal of Systems and Software, 2014, 95, 209-216.	3.3	15
1139	Robust Face Recognition with Individual and Group Sparsity Constraints. Advances in Intelligent Systems and Computing, 2014, , 105-114.	0.5	0

#	ARTICLE	IF	CITATIONS
1140	Graph regularized multiset canonical correlations with applications to joint feature extraction. <i>Pattern Recognition</i> , 2014, 47, 3907-3919.	5.1	41
1141	Enhancing sparsity via full rank decomposition for robust face recognition. <i>Neural Computing and Applications</i> , 2014, 25, 1043-1052.	3.2	5
1142	Global-local fisher discriminant approach for face recognition. <i>Neural Computing and Applications</i> , 2014, 25, 1137-1144.	3.2	7
1143	Nonnegative class-specific entropy component analysis with adaptive step search criterion. <i>Pattern Analysis and Applications</i> , 2014, 17, 113-127.	3.1	6
1144	Robust sparsity-preserved learning with application to image visualization. <i>Knowledge and Information Systems</i> , 2014, 39, 287-304.	2.1	5
1145	Head pose estimation and face recognition using a non-linear tensor-based model. <i>IET Computer Vision</i> , 2014, 8, 54-65.	1.3	9
1146	Human Detection by Quadratic Classification on Subspace of Extended Histogram of Gradients. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 287-297.	6.0	55
1147	Comparative study among three strategies of incorporating spatial structures to ordinal image regression. <i>Neurocomputing</i> , 2014, 136, 152-161.	3.5	17
1148	Regularized discriminant entropy analysis. <i>Pattern Recognition</i> , 2014, 47, 806-819.	5.1	11
1149	Fisher Discriminant Analysis With L1-Norm. <i>IEEE Transactions on Cybernetics</i> , 2014, 44, 828-842.	6.2	177
1150	A review of recent advances in visual speech decoding. <i>Image and Vision Computing</i> , 2014, 32, 590-605.	2.7	127
1151	Kernel locality-constrained collaborative representation based discriminant analysis. <i>Knowledge-Based Systems</i> , 2014, 70, 212-220.	4.0	15
1152	A Closed-Loop Brain-Computer Interface Triggering an Active Ankle-Foot Orthosis for Inducing Cortical Neural Plasticity. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 2092-2101.	2.5	137
1153	Subspace-Based Discrete Transform Encoded Local Binary Patterns Representations for Robust Periocular Matching on NIST's Face Recognition Grand Challenge. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 3490-3505.	6.0	64
1154	Reduced Analytic Dependency Modeling: Robust Fusion for Visual Recognition. <i>International Journal of Computer Vision</i> , 2014, 109, 233-251.	10.9	73
1155	Emotion recognition from thermal infrared images using deep Boltzmann machine. <i>Frontiers of Computer Science</i> , 2014, 8, 609-618.	1.6	38
1156	Robust Face Recognition With Structurally Incoherent Low-Rank Matrix Decomposition. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 3294-3307.	6.0	73
1157	Gene Selection Using Locality Sensitive Laplacian Score. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2014, 11, 1146-1156.	1.9	47

#	ARTICLE	IF	CITATIONS
1158	Principal Component Analysis With Complex Kernel: The Widely Linear Model. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 1719-1726.	7.2	42
1159	Discriminative Orthogonal Nonnegative matrix factorization with flexibility for data representation. Expert Systems With Applications, 2014, 41, 1283-1293.	4.4	37
1160	Double linear regressions for single labeled image per person face recognition. Pattern Recognition, 2014, 47, 1547-1558.	5.1	11
1161	A Novel Local Pattern Descriptor—Local Vector Pattern in High-Order Derivative Space for Face Recognition. IEEE Transactions on Image Processing, 2014, 23, 2877-2891.	6.0	143
1162	Fisher discrimination based low rank matrix recovery for face recognition. Pattern Recognition, 2014, 47, 3502-3511.	5.1	26
1163	Enhanced iterative projection for subclass discriminant analysis under EM-alike framework. Pattern Recognition, 2014, 47, 1113-1125.	5.1	8
1164	Sparse tensor embedding based multispectral face recognition. Neurocomputing, 2014, 133, 427-436.	3.5	18
1165	Image clustering by hyper-graph regularized non-negative matrix factorization. Neurocomputing, 2014, 138, 209-217.	3.5	86
1166	Locality and similarity preserving embedding for feature selection. Neurocomputing, 2014, 128, 304-315.	3.5	57
1167	Producing virtual face images for single sample face recognition. Optik, 2014, 125, 5017-5024.	1.4	15
1168	Local maximal margin discriminant embedding for face recognition. Journal of Visual Communication and Image Representation, 2014, 25, 296-305.	1.7	13
1169	Dimensionality reduction: An interpretation from manifold regularization perspective. Information Sciences, 2014, 277, 694-714.	4.0	12
1170	Supervised orthogonal discriminant subspace projects learning for face recognition. Neural Networks, 2014, 50, 33-46.	3.3	12
1171	A novel supervised feature extraction and classification fusion algorithm for land cover recognition of the off-land scenario. Neurocomputing, 2014, 140, 77-83.	3.5	4
1172	Weighted discriminative sparsity preserving embedding for face recognition. Knowledge-Based Systems, 2014, 57, 136-145.	4.0	17
1173	Global plus local: A complete framework for feature extraction and recognition. Pattern Recognition, 2014, 47, 1433-1442.	5.1	38
1174	Similarity preserving low-rank representation for enhanced data representation and effective subspace learning. Neural Networks, 2014, 53, 81-94.	3.3	56
1175	A Rayleigh—Ritz style method for large-scale discriminant analysis. Pattern Recognition, 2014, 47, 1698-1708.	5.1	15

#	ARTICLE	IF	CITATIONS
1176	Feature extraction using local structure preserving discriminant analysis. <i>Neurocomputing</i> , 2014, 140, 104-113.	3.5	87
1177	“Symmetrical face” based improved LPP method for face recognition. <i>Optik</i> , 2014, 125, 3530-3533.	1.4	10
1178	Generalized multiple maximum scatter difference feature extraction using QR decomposition. <i>Journal of Visual Communication and Image Representation</i> , 2014, 25, 1460-1471.	1.7	6
1179	Discriminant similarity and variance preserving projection for feature extraction. <i>Neurocomputing</i> , 2014, 139, 180-188.	3.5	15
1180	Hybrid structure for robust dimensionality reduction. <i>Neurocomputing</i> , 2014, 124, 131-138.	3.5	6
1181	Fault diagnosis for a wind turbine transmission system based on manifold learning and Shannon wavelet support vector machine. <i>Renewable Energy</i> , 2014, 62, 1-9.	4.3	164
1182	Soft label based Linear Discriminant Analysis for image recognition and retrieval. <i>Computer Vision and Image Understanding</i> , 2014, 121, 86-99.	3.0	26
1183	A novel binary adaptive weight GSA based feature selection for face recognition using local gradient patterns, modified census transform, and local binary patterns. <i>Engineering Applications of Artificial Intelligence</i> , 2014, 33, 80-90.	4.3	36
1184	Weighted group sparse representation for undersampled face recognition. <i>Neurocomputing</i> , 2014, 145, 402-415.	3.5	71
1185	Multi-subregion based correlation filter bank for robust face recognition. <i>Pattern Recognition</i> , 2014, 47, 3487-3501.	5.1	41
1186	A general soft label based Linear Discriminant Analysis for semi-supervised dimensionality reduction. <i>Neural Networks</i> , 2014, 55, 83-97.	3.3	57
1187	Face image super-resolution using 2D CCA. <i>Signal Processing</i> , 2014, 103, 184-194.	2.1	58
1188	Group Sparse Multiview Patch Alignment Framework With View Consistency for Image Classification. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 3126-3137.	6.0	83
1189	How to Estimate the Regularization Parameter for Spectral Regression Discriminant Analysis and its Kernel Version?. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2014, 24, 211-223.	5.6	31
1190	Learning locality-constrained collaborative representation for robust face recognition. <i>Pattern Recognition</i> , 2014, 47, 2794-2806.	5.1	85
1191	A locality correlation preserving support vector machine. <i>Pattern Recognition</i> , 2014, 47, 3168-3178.	5.1	47
1192	Image recognition via two-dimensional random projection and nearest constrained subspace. <i>Journal of Visual Communication and Image Representation</i> , 2014, 25, 1187-1198.	1.7	7
1193	Flexible orthogonal semisupervised learning for dimension reduction with image classification. <i>Neurocomputing</i> , 2014, 144, 417-426.	3.5	7

#	ARTICLE	IF	CITATIONS
1194	Two-dimensional bilinear preserving projections for image feature extraction and classification. Neural Computing and Applications, 2014, 24, 901-909.	3.2	4
1195	Learning a Two-Dimensional Fuzzy Discriminant Locality Preserving Subspace for Visual Recognition. IEICE Transactions on Information and Systems, 2014, E97.D, 2434-2442.	0.4	1
1196	Robust Subspace Discovery through Supervised Low-Rank Constraints. , 2014, , .		51
1197	Classification via atomic representation. , 2015, , .		0
1200	Direct Density Ratio Estimation with Convolutional Neural Networks with Application in Outlier Detection. IEICE Transactions on Information and Systems, 2015, E98.D, 1073-1079.	0.4	8
1201	Discriminative analysis based nonlinear subspace approach for expression recognition. , 2015, , .		0
1202	Cost sensitive discriminant analysis by swarm intelligence for access control system. , 2015, , .		0
1203	Biased discriminant analysis with feature line embedding for interactive image retrieval. , 2015, , .		1
1204	Feature-aging for age-invariant face recognition. , 2015, , .		3
1205	Multi-stage face recognition for biometric access. , 2015, , .		1
1206	Applying compressive sensing to TEM video: a substantial frame rate increase on any camera. Advanced Structural and Chemical Imaging, 2015, 1, .	4.0	55
1207	Fault Detection Based on Diffusion Maps and k -Nearest Neighbor Diffusion Distance of Feature Space. Journal of Chemical Engineering of Japan, 2015, 48, 756-765.	0.3	16
1208	A bottom-up dictionary learning based classification for face recognition. , 2015, , .		0
1209	Collaborative Representation-Based Robust Face Recognition by Discriminative Low-Rank Representation. , 2015, , .		1
1210	A study on fuzzy clustering-based k -anonymization for privacy preserving crowd movement analysis with face recognition. , 2015, , .		5
1211	Graph Regularized Within-Class Sparsity Preserving Projection for Face Recognition. Information (Switzerland), 2015, 6, 152-161.	1.7	1
1212	A Dimension Reduction Framework for HSI Classification Using Fuzzy and Kernel NFLE Transformation. Remote Sensing, 2015, 7, 14292-14326.	1.8	6
1213	Supervised Kernel Optimized Locality Preserving Projection with Its Application to Face Recognition and Palm Biometrics. Mathematical Problems in Engineering, 2015, 2015, 1-10.	0.6	6

#	ARTICLE	IF	CITATIONS
1214	Face Recognition Using Double Sparse Local Fisher Discriminant Analysis. Mathematical Problems in Engineering, 2015, 2015, 1-9.	0.6	3
1215	Fault Diagnosis of Supervision and Homogenization Distance Based on Local Linear Embedding Algorithm. Mathematical Problems in Engineering, 2015, 2015, 1-8.	0.6	3
1216	Graph Structure for Visual Signal Sensing. Springer Theses, 2015, , 45-62.	0.0	0
1217	Greedy column subset selection for large-scale data sets. Knowledge and Information Systems, 2015, 45, 1-34.	2.1	41
1218	Discriminative sparsity preserving projections for image recognition. Pattern Recognition, 2015, 48, 2543-2553.	5.1	52
1219	Joint Feature Learning for Face Recognition. IEEE Transactions on Information Forensics and Security, 2015, 10, 1371-1383.	4.5	94
1220	Semi-supervised local ridge regression for local matching based face recognition. Neurocomputing, 2015, 167, 132-146.	3.5	18
1221	Customized Orthogonal Locality Preserving Projections With Soft-Margin Maximization for Face Recognition. IEEE Transactions on Instrumentation and Measurement, 2015, 64, 2417-2426.	2.4	39
1222	Grassmannian sparse representations. Journal of Electronic Imaging, 2015, 24, 033008.	0.5	1
1223	Learning a Nonnegative Sparse Graph for Linear Regression. IEEE Transactions on Image Processing, 2015, 24, 2760-2771.	6.0	72
1224	Locally principal component analysis based on L_1 -norm maximisation. IET Image Processing, 2015, 9, 91-96.	1.4	9
1225	Bilinear Feature Line Analysis for Face Recognition. , 2015, , .		1
1226	Subclass Marginal Fisher Analysis. , 2015, , .		3
1227	Sparse support faces. , 2015, , .		4
1228	Graph regularized discriminant analysis and its application to face recognition. , 2015, , .		0
1229	Learning Hypergraph-regularized Attribute Predictors. , 2015, , .		78
1230	A Projection Free Method for Generalized Eigenvalue Problem with a Nonsmooth Regularizer. , 2015, 2015, 1841-1849.		5
1231	New insights into Laplacian similarity search. , 2015, , .		2

#	ARTICLE	IF	CITATIONS
1232	Local Weighted Semi-supervised Discriminant Analysis for Dimensionality Reduction. , 2015, , .		1
1233	Robust semi-supervised nonnegative matrix factorization. , 2015, , .		6
1234	Graph Embedding Exploiting Subclasses. , 2015, , .		2
1235	Face recognition using Euler Principal Component Analysis. , 2015, , .		0
1236	Robust face recognition via low-rank sparse representation-based classification. International Journal of Automation and Computing, 2015, 12, 579-587.	4.5	20
1237	Semi-supervised Component Analysis. , 2015, , .		1
1238	Robust Learning from Ortho-Diffusion Decompositions. Lecture Notes in Computer Science, 2015, , 546-557.	1.0	1
1239	3-D Face Recognition Using Geodesic-Map Representation and Statistical Shape Modelling. Lecture Notes in Computer Science, 2015, , 199-212.	1.0	0
1240	Ortho-diffusion decompositions for face recognition from low quality images. , 2015, , .		0
1241	Nonnegative linear reconstruction measure based face recognition system. , 2015, , .		0
1242	Multi-stage classification network for automatic age estimation from facial images. , 2015, , .		1
1243	The 2D factor analysis and its application to face recognition with a single sample per person. , 2015, , .		2
1244	Similarity Learning of Manifold Data. IEEE Transactions on Cybernetics, 2015, 45, 1744-1756.	6.2	20
1245	On Reducing the Effect of Silhouette Quality on Individual Gait Recognition: A Feature Fusion Approach. , 2015, , .		3
1246	Face recognition using Som Neural Network with Ddct facial feature extraction techniques. , 2015, , .		8
1247	Morphological mapping for non-linear dimensionality reduction. IET Computer Vision, 2015, 9, 226-233.	1.3	11
1248	Controllable Face Privacy. , 2015, , .		4
1249	Controllable face privacy. , 2015, , .		7

#	ARTICLE	IF	CITATIONS
1250	Biased Discriminant Analysis With Feature Line Embedding for Relevance Feedback-Based Image Retrieval. IEEE Transactions on Multimedia, 2015, 17, 2245-2258.	5.2	12
1251	A New System of Face Recognition: Using Fuzziness and Sparsity. International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems, 2015, 23, 829-844.	0.9	3
1252	Heteroscedastic max-min distance analysis. , 2015, , .		19
1253	Face Recognition Based on Randomized Subspace Feature. , 2015, , .		0
1254	Linguistic descriptors in face recognition: A literature survey and the perspectives of future development. , 2015, , .		13
1255	The application of cosine transform and principal components for foreground detection in video. , 2015, , .		1
1256	Neuromorphic Hardware Accelerated Adaptive Authentication System. , 2015, , .		10
1257	Burgeoning Methods: Binary Descriptors. SpringerBriefs in Computer Science, 2015, , 43-67.	0.2	0
1258	Improving face classification with multiple-clustering induced feature reduction. , 2015, , .		1
1259	Face recognition using local gradient binary count pattern. Journal of Electronic Imaging, 2015, 24, 063003.	0.5	2
1260	Synthetic face generation under various operational conditions in video surveillance. , 2015, , .		16
1261	Sparse concept discriminant matrix factorization for image representation. , 2015, , .		1
1262	Feature extraction via multi-view non-negative matrix factorization with local graph regularization. , 2015, , .		33
1263	Feature Extraction via Vector Bundle Learning. , 2015, , 143-157.		0
1264	Expanding dictionary for robust face recognition: pixel is not necessary while sparsity is. IET Computer Vision, 2015, 9, 648-654.	1.3	1
1265	Diversity-driven generation of link-based cluster ensemble and application to data classification. Expert Systems With Applications, 2015, 42, 8259-8273.	4.4	19
1266	Feature extraction using adaptive slow feature discriminant analysis. Neurocomputing, 2015, 154, 139-148.	3.5	21
1267	Image classification via least square semi-supervised discriminant analysis with flexible kernel regression for out-of-sample extension. Neurocomputing, 2015, 153, 96-107.	3.5	5

#	ARTICLE	IF	CITATIONS
1268	Learning latent features by nonnegative matrix factorization combining similarity judgments. <i>Neurocomputing</i> , 2015, 155, 43-52.	3.5	8
1269	Nonlinear Metric Learning with Kernel Density Estimation. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2015, 27, 1602-1614.	4.0	16
1270	Discriminative cost sensitive Laplacian score for face recognition. <i>Neurocomputing</i> , 2015, 152, 333-344.	3.5	19
1271	A novel semi-supervised learning for face recognition. <i>Neurocomputing</i> , 2015, 152, 69-76.	3.5	31
1272	Regression analysis of locality preserving projections via sparse penalty. <i>Information Sciences</i> , 2015, 303, 1-14.	4.0	16
1273	Kernel collaborative face recognition. <i>Pattern Recognition</i> , 2015, 48, 3025-3037.	5.1	61
1274	Nuclear Norm-Based 2-DPCA for Extracting Features From Images. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2015, 26, 2247-2260.	7.2	76
1275	Manifold Regularized Local Sparse Representation for Face Recognition. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2015, 25, 651-659.	5.6	26
1276	Manifold learning on brain functional networks in aging. <i>Medical Image Analysis</i> , 2015, 20, 52-60.	7.0	57
1277	Using Bayesian statistics and Gabor Wavelets for recognition of human faces. , 2015, , .		0
1278	Graph regularized linear discriminant analysis and its generalization. <i>Pattern Analysis and Applications</i> , 2015, 18, 639-650.	3.1	8
1279	Low-resolution degradation face recognition over long distance based on CCA. <i>Neural Computing and Applications</i> , 2015, 26, 1645-1652.	3.2	17
1280	Sparse discriminant learning with ℓ_1 -graph for hyperspectral remote-sensing image classification. <i>International Journal of Remote Sensing</i> , 2015, 36, 1307-1328.	1.3	7
1281	Double Nuclear Norm-Based Matrix Decomposition for Occluded Image Recovery and Background Modeling. <i>IEEE Transactions on Image Processing</i> , 2015, 24, 1956-1966.	6.0	95
1282	A Sparse Projection and Low-Rank Recovery Framework for Handwriting Representation and Salient Stroke Feature Extraction. <i>ACM Transactions on Intelligent Systems and Technology</i> , 2015, 6, 1-26.	2.9	15
1283	Relevance Preserving Projection and Ranking for Web Image Search Reranking. <i>IEEE Transactions on Image Processing</i> , 2015, 24, 4137-4147.	6.0	23
1284	SV-M/D: Support Vector Machine-Singular Value Decomposition Based Face Recognition. <i>Advances in Intelligent Systems and Computing</i> , 2015, , 61-76.	0.5	0
1285	Graph optimized Laplacian eigenmaps for face recognition. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
1286	Discriminative and Compact Coding for Robust Face Recognition. IEEE Transactions on Cybernetics, 2015, 45, 1900-1912.	6.2	24
1287	Latent space robust subspace segmentation based on low-rank and locality constraints. Expert Systems With Applications, 2015, 42, 6598-6608.	4.4	17
1288	Patterns of Weber magnitude and orientation for uncontrolled face representation and recognition. Neurocomputing, 2015, 165, 190-201.	3.5	12
1289	Bilinear low-rank coding framework and extension for robust image recovery and feature representation. Knowledge-Based Systems, 2015, 86, 143-157.	4.0	18
1290	Combined supervised information with PCA via discriminative component selection. Information Processing Letters, 2015, 115, 812-816.	0.4	10
1291	2DPCA versus PCA for face recognition. Journal of Central South University, 2015, 22, 1809-1816.	1.2	9
1292	Discriminant sparse local spline embedding with application to face recognition. Knowledge-Based Systems, 2015, 89, 47-55.	4.0	11
1293	Fuzzy local discriminant embedding for image feature extraction. Computers and Electrical Engineering, 2015, 46, 231-240.	3.0	18
1294	Selecting feature subset with sparsity and low redundancy for unsupervised learning. Knowledge-Based Systems, 2015, 86, 210-223.	4.0	40
1295	Face Recognition Using Laplacianfaces and Artificial Neural Network. Applied Mechanics and Materials, 2015, 734, 633-636.	0.2	0
1296	Robust face recognition using sparse representation in LDA space. Machine Vision and Applications, 2015, 26, 837-847.	1.7	11
1297	Bilateral filtering inspired locality preserving projections for hyperspectral images. Neurocomputing, 2015, 164, 300-306.	3.5	25
1298	Ortho-diffusion decompositions of graph-based representation of images. Pattern Recognition, 2015, 48, 4097-4115.	5.1	3
1299	Single-Sample Face Recognition Based on Intra-Class Differences in a Variation Model. Sensors, 2015, 15, 1071-1087.	2.1	28
1300	Learning from normalized local and global discriminative information for semi-supervised regression and dimensionality reduction. Information Sciences, 2015, 324, 286-309.	4.0	59
1301	Local regularization concept factorization and its semi-supervised extension for image representation. Neurocomputing, 2015, 158, 1-12.	3.5	30
1302	Sparse representation-based robust face recognition by graph regularized low-rank sparse representation recovery. Neurocomputing, 2015, 164, 220-229.	3.5	28
1303	Multi-manifold LLE learning in pattern recognition. Pattern Recognition, 2015, 48, 2947-2960.	5.1	58

#	ARTICLE	IF	CITATIONS
1304	Hyperspectral remote sensing images terrain classification in DCT SRDA subspace. Journal of China Universities of Posts and Telecommunications, 2015, 22, 65-71.	0.8	10
1305	Fusing hierarchical multi-scale local binary patterns and virtual mirror samples to perform face recognition. Neural Computing and Applications, 2015, 26, 2013-2026.	3.2	18
1306	High-Resolution Face Verification Using Pore-Scale Facial Features. IEEE Transactions on Image Processing, 2015, 24, 2317-2327.	6.0	46
1307	Robust Nonnegative Patch Alignment for Dimensionality Reduction. IEEE Transactions on Neural Networks and Learning Systems, 2015, 26, 2760-2774.	7.2	26
1308	Adaptive unsupervised slow feature analysis for feature extraction. Journal of Electronic Imaging, 2015, 24, 023021.	0.5	0
1309	Oblique Decision Tree Ensemble via Multisurface Proximal Support Vector Machine. IEEE Transactions on Cybernetics, 2015, 45, 2165-2176.	6.2	105
1310	Optimization of modular granular neural networks using a hierarchical genetic algorithm based on the database complexity applied to human recognition. Information Sciences, 2015, 309, 73-101.	4.0	50
1311	Multiscale Logarithm Difference Edgemaps for Face Recognition Against Varying Lighting Conditions. IEEE Transactions on Image Processing, 2015, 24, 1735-1747.	6.0	54
1312	A Framework of Joint Graph Embedding and Sparse Regression for Dimensionality Reduction. IEEE Transactions on Image Processing, 2015, 24, 1341-1355.	6.0	57
1313	High-dimensional semi-supervised learning via a fusion-refinement procedure. Signal Processing, 2015, 114, 171-182.	2.1	4
1314	Manifold discriminant regression learning for image classification. Neurocomputing, 2015, 166, 475-486.	3.5	35
1315	Facing the high-dimensions: Inverse projection with radial basis functions. Computers and Graphics, 2015, 48, 35-47.	1.4	12
1316	Dual Graph Regularized Latent Low-Rank Representation for Subspace Clustering. IEEE Transactions on Image Processing, 2015, 24, 4918-4933.	6.0	110
1317	Subclass Graph Embedding and a Marginal Fisher Analysis paradigm. Pattern Recognition, 2015, 48, 4024-4035.	5.1	19
1318	Unbalanced graph-based transduction on superpixels for automatic cervigram image segmentation. , 2015, , .		7
1319	Robust 2DPCA With Non-greedy ℓ_1 -Norm Maximization for Image Analysis. IEEE Transactions on Cybernetics, 2015, 45, 1108-1112.	6.2	94
1320	<i>Spartans</i> : Single-Sample Periocular-Based Alignment-Robust Recognition Technique Applied to Non-Frontal Scenarios. IEEE Transactions on Image Processing, 2015, 24, 4780-4795.	6.0	58
1321	Two-dimensional principal component analysis based on Schatten p -norm for image feature extraction. Journal of Visual Communication and Image Representation, 2015, 32, 55-62.	1.7	11

#	ARTICLE	IF	CITATIONS
1322	A novel dimensionality reduction technique based on kernel optimization through graph embedding. Signal, Image and Video Processing, 2015, 9, 3-10.	1.7	2
1323	Constructing a Nonnegative Low-Rank and Sparse Graph With Data-Adaptive Features. IEEE Transactions on Image Processing, 2015, 24, 3717-3728.	6.0	96
1324	L1-norm plus L2-norm sparse parameter for image recognition. Optik, 2015, 126, 4078-4082.	1.4	3
1325	Loose L1 / 2 regularised sparse representation for face recognition. IET Computer Vision, 2015, 9, 251-258.	1.3	5
1326	Dimensionality Reduction of Hyperspectral Images With Sparse Discriminant Embedding. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 5160-5169.	2.7	41
1327	Robust coarse-to-fine face recognition method. Optik, 2015, 126, 4159-4165.	1.4	0
1328	Local Structure-Based Sparse Representation for Face Recognition. ACM Transactions on Intelligent Systems and Technology, 2015, 7, 1-20.	2.9	20
1329	Optimal combination of feature selection and classification via local hyperplane based learning strategy. BMC Bioinformatics, 2015, 16, 219.	1.2	11
1330	A Filter Feature Selection Method Based on MFA Score and Redundancy Excluding and Its Application to Tumor Gene Expression Data Analysis. Interdisciplinary Sciences, Computational Life Sciences, 2015, 7, 391-396.	2.2	3
1331	Face recognition: challenges, achievements and future directions. IET Computer Vision, 2015, 9, 614-626.	1.3	134
1332	Multisource Data Fusion and Fisher Criterion-Based Nearest Feature Space Approach to Landslide Classification. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2015, 8, 576-588.	2.3	11
1333	Simultaneous Sparse Graph Embedding for Hyperspectral Image Classification. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 6114-6133.	2.7	52
1334	Bayesian sample steered discriminative regression for biometric image classification. Applied Soft Computing Journal, 2015, 37, 48-59.	4.1	79
1335	Local similarity preserving projections for face recognition. AEU - International Journal of Electronics and Communications, 2015, 69, 1724-1732.	1.7	9
1336	Angular-Similarity-Preserving Binary Signatures for Linear Subspaces. IEEE Transactions on Image Processing, 2015, 24, 4372-4380.	6.0	13
1337	Image Outlier Detection and Feature Extraction via L1-Norm-Based 2D Probabilistic PCA. IEEE Transactions on Image Processing, 2015, 24, 4834-4846.	6.0	50
1338	Similarity-balanced discriminant neighbor embedding and its application to cancer classification based on gene expression data. Computers in Biology and Medicine, 2015, 64, 236-245.	3.9	12
1339	Exploring Relative Motion Features for Gait Recognition with Kinect. Lecture Notes in Computer Science, 2015, , 523-530.	1.0	0

#	ARTICLE	IF	CITATIONS
1340	Multi-class semi-supervised kernel minimum squared error for face recognition. <i>Optik</i> , 2015, 126, 3496-3500.	1.4	4
1341	Dimensionality Reduction by Integrating Sparse Representation and Fisher Criterion and its Applications. <i>IEEE Transactions on Image Processing</i> , 2015, 24, 5684-5695.	6.0	32
1343	Double adjacency graphs-based discriminant neighborhood embedding. <i>Pattern Recognition</i> , 2015, 48, 1734-1742.	5.1	37
1344	MiLDA: A graph embedding approach to multi-view face recognition. <i>Neurocomputing</i> , 2015, 151, 1255-1261.	3.5	11
1345	An improved locality sensitive discriminant analysis approach for feature extraction. <i>Multimedia Tools and Applications</i> , 2015, 74, 85-104.	2.6	15
1346	Automatic method for detection of characteristic areas in thermal face images. <i>Multimedia Tools and Applications</i> , 2015, 74, 4351-4368.	2.6	23
1347	Discriminative structure discovery via dimensionality reduction for facial image manifold. <i>Neural Computing and Applications</i> , 2015, 26, 373-381.	3.2	2
1348	Semi-supervised LPP algorithms for learning-to-rank-based visual search reranking. <i>Information Sciences</i> , 2015, 302, 83-93.	4.0	22
1349	Projection-optimal local Fisher discriminant analysis for feature extraction. <i>Neural Computing and Applications</i> , 2015, 26, 589-601.	3.2	14
1350	Combining Fisher locality preserving projections and passband DCT for efficient palmprint recognition. <i>Neurocomputing</i> , 2015, 152, 179-189.	3.5	19
1351	Random projection-based partial feature extraction for robust face recognition. <i>Neurocomputing</i> , 2015, 149, 1232-1244.	3.5	14
1352	A Projection Pursuit framework for supervised dimension reduction of high dimensional small sample datasets. <i>Neurocomputing</i> , 2015, 149, 767-776.	3.5	32
1353	A fusion feature and its improvement based on locality preserving projections for rolling element bearing fault classification. <i>Journal of Sound and Vibration</i> , 2015, 335, 367-383.	2.1	95
1354	Singular Value Decomposition Projection for solving the small sample size problem in face recognition. <i>Journal of Visual Communication and Image Representation</i> , 2015, 26, 265-274.	1.7	8
1355	A sparse and discriminative tensor to vector projection for human gait feature representation. <i>Signal Processing</i> , 2015, 106, 245-252.	2.1	21
1356	Scatter Balance: An Angle-Based Supervised Dimensionality Reduction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2015, 26, 277-289.	7.2	35
1357	A unified multiset canonical correlation analysis framework based on graph embedding for multiple feature extraction. <i>Neurocomputing</i> , 2015, 148, 397-408.	3.5	45
1358	A collaborative representation based projections method for feature extraction. <i>Pattern Recognition</i> , 2015, 48, 20-27.	5.1	203

#	ARTICLE	IF	CITATIONS
1359	Sparse and Dense Hybrid Representation via Dictionary Decomposition for Face Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2015, 37, 1067-1079.	9.7	142
1360	Face recognition from a single registered image for conference socializing. Expert Systems With Applications, 2015, 42, 973-979.	4.4	9
1361	Locality Regularization Embedding for face verification. Pattern Recognition, 2015, 48, 86-102.	5.1	8
1362	Noise-free representation based classification and face recognition experiments. Neurocomputing, 2015, 147, 307-314.	3.5	12
1363	Simple yet effective color principal and discriminant feature extraction for representing and recognizing color images. Neurocomputing, 2015, 149, 1058-1073.	3.5	7
1364	Multispectral palmprint recognition using multiclass projection extreme learning machine and digital shearlet transform. Neural Computing and Applications, 2016, 27, 143-153.	3.2	31
1365	A novel supervised feature extraction algorithm: enhanced within-class linear discriminant analysis. International Journal of Computational Science and Engineering, 2016, 13, 13.	0.4	12
1366	Face Recognition: Issues, Methods and Alternative Applications. , 0, , .		22
1367	Trace Ratio Criterion-Based Kernel Discriminant Analysis for Fault Diagnosis of Rolling Element Bearings Using Binary Immune Genetic Algorithm. Shock and Vibration, 2016, 2016, 1-15.	0.3	2
1368	Modified Kernel Marginal Fisher Analysis for Feature Extraction and Its Application to Bearing Fault Diagnosis. Shock and Vibration, 2016, 2016, 1-16.	0.3	9
1369	Robust Structure Preserving Nonnegative Matrix Factorization for Dimensionality Reduction. Mathematical Problems in Engineering, 2016, 2016, 1-14.	0.6	0
1370	A Unified Factors Analysis Framework for Discriminative Feature Extraction and Object Recognition. Mathematical Problems in Engineering, 2016, 2016, 1-12.	0.6	1
1371	A Fusion Face Recognition Approach Based on 7-Layer Deep Learning Neural Network. Journal of Electrical and Computer Engineering, 2016, 2016, 1-7.	0.6	13
1372	Orthogonal Discriminant Diversity and Similarity Preserving Projection for Face Recognition. MATEC Web of Conferences, 2016, 61, 02012.	0.1	0
1373	A Survey of 2D Face Recognition Techniques. Computers, 2016, 5, 21.	2.1	64
1374	A Generally Semisupervised Dimensionality Reduction Method with Local and Global Regression Regularizations for Recognition. , 2016, , .		0
1375	Single-Sample Face Recognition Based on LPP Feature Transfer. IEEE Access, 2016, 4, 2873-2884.	2.6	32
1376	Biometric Recognition in Automated Border Control. ACM Computing Surveys, 2017, 49, 1-39.	16.1	62

#	ARTICLE	IF	CITATIONS
1377	Semi-supervised discriminant analysis based on sparse-coding theory. , 2016, , .		3
1378	An overview on data representation learning: From traditional feature learning to recent deep learning. Journal of Finance and Data Science, 2016, 2, 265-278.	1.8	120
1379	An improved method for face recognition using local ternary pattern with GA and SVM classifier. , 2016, , .		1
1380	Combining graph embedding and sparse regression with structure low-rank representation for semi-supervised learning. Complex Adaptive Systems Modeling, 2016, 4, .	1.6	1
1381	Asymmetric Transitivity Preserving Graph Embedding. , 2016, , .		721
1382	Euler 2D-PCA for SAR target recognition. , 2016, , .		0
1383	The improved relative entropy for face recognition. MATEC Web of Conferences, 2016, 63, 04006.	0.1	3
1384	A supervised class-preserving Laplacian eigenmaps for dimensionality reduction. , 2016, , .		0
1385	Semisupervised Dimension Reduction Based on Pairwise Constraint Propagation for Hyperspectral Images. IEEE Geoscience and Remote Sensing Letters, 2016, 13, 1880-1884.	1.4	3
1386	Ensemble of multiresolution probabilistic neural network classifiers with fuzzy integral for face recognition. Journal of Intelligent and Fuzzy Systems, 2016, 31, 405-414.	0.8	7
1387	On unsupervised clustering under the union of tensor subspaces. , 2016, , .		0
1388	Trace Quotient Meets Sparsity: A Method for Learning Low Dimensional Image Representations. , 2016, , .		14
1389	A discriminant manifold non-negative matrix factorization algorithm for facial expression recognition. , 2016, , .		1
1390	Kernel class specific centralized dictionary learning for face recognition. , 2016, , .		0
1391	A new hybrid face recognition algorithm based on discrete wavelet transform and direct LDA. , 2016, , .		4
1392	Improved face recognition algorithm using extended vector quantization histogram features. , 2016, , .		1
1393	Face recognition using extended vector quantization histogram features. , 2016, , .		4
1394	Integrating GWTM and BAT algorithm for face recognition in low-resolution images. Imaging Science Journal, 2016, 64, 441-452.	0.2	18

#	ARTICLE	IF	CITATIONS
1395	Face recognition using locality sparsity preserving projections. , 2016, , .		3
1396	Feature space distance metric learning for discriminant graph embedding. , 2016, , .		1
1397	Nuclear-norm regularized neighborhood preserving projection. , 2016, , .		2
1399	A Probabilistic Collaborative Representation Based Approach for Pattern Classification. , 2016, , .		196
1400	Face Classification Based on Natural Features and Decision Tree. , 2016, , .		3
1401	Uncorrelated enhanced diversity fisher discriminant analysis for face recognition. , 2016, , .		0
1402	Light Reference Video Quality Estimation with Embedding of Compact Features. , 2016, , .		0
1403	Audio-Visual Speaker Recognition via Multi-modal Correlated Neural Networks. , 2016, , .		8
1404	Face Recognition Based on Discriminative Low-Rank Matrix Recovery with Sparse Constraint. , 2016, , .		1
1405	Recognition of low-resolution face images using sparse coding of local features. , 2016, , .		6
1406	Sparsity induced locality preserving projection approaches for dimensionality reduction. Neurocomputing, 2016, 200, 35-46.	3.5	11
1407	Pose robust low-resolution face recognition via coupled kernel-based enhanced discriminant analysis. IEEE/CAA Journal of Automatica Sinica, 2016, 3, 203-212.	8.5	12
1408	Intrinsic structure based feature transform for image classification. Journal of Visual Communication and Image Representation, 2016, 38, 735-744.	1.7	2
1409	Exponential Discriminant Locality Preserving Projection for face recognition. Neurocomputing, 2016, 208, 373-377.	3.5	30
1410	Flickr Circles: Aesthetic Tendency Discovery by Multi-View Regularized Topic Modeling. IEEE Transactions on Multimedia, 2016, 18, 1555-1567.	5.2	57
1411	Adaptive linear discriminant regression classification for face recognition. , 2016, 55, 78-84.		15
1412	Kernel collaborative representation based dictionary learning and discriminative projection. Neurocomputing, 2016, 207, 300-309.	3.5	12
1413	Multiple empirical kernel learning with locality preserving constraint. Knowledge-Based Systems, 2016, 105, 107-118.	4.0	12

#	ARTICLE	IF	CITATIONS
1414	Sparse Codes Auto-Extractor for Classification: A Joint Embedding and Dictionary Learning Framework for Representation. IEEE Transactions on Signal Processing, 2016, 64, 3790-3805.	3.2	68
1415	Face recognition using class specific dictionary learning for sparse representation and collaborative representation. Neurocomputing, 2016, 204, 198-210.	3.5	49
1416	Cauchy estimator discriminant analysis for face recognition. Neurocomputing, 2016, 199, 144-153.	3.5	2
1417	Joint Low-Rank and Sparse Principal Feature Coding for Enhanced Robust Representation and Visual Classification. IEEE Transactions on Image Processing, 2016, 25, 2429-2443.	6.0	98
1418	Extended local binary patterns for face recognition. Information Sciences, 2016, 358-359, 56-72.	4.0	111
1419	Identification of gramineous grass seeds using Gabor and locality preserving projections. Multimedia Tools and Applications, 2016, 75, 16551-16576.	2.6	2
1420	Recursive locality preserving projection for feature extraction. Soft Computing, 2016, 20, 4099-4109.	2.1	0
1421	A Novel Semi-Supervised Dimensionality Reduction Framework. IEEE MultiMedia, 2016, 23, 28-41.	1.5	1
1422	Face Recognition in the Scrambled Domain via Saliency-Aware Ensembles of Many Kernels. IEEE Transactions on Information Forensics and Security, 2016, 11, 1807-1817.	4.5	27
1423	A dimensionality reduction method based on structured sparse representation for face recognition. Artificial Intelligence Review, 2016, 46, 431-443.	9.7	11
1424	Electronic Door Access Control using MyAccess Two-Factor Authentication Scheme featuring Near-Field Communication and Eigenface-based Face Recognition using Principal Component Analysis. , 2016, , .		8
1425	Fast Robust PCA on Graphs. IEEE Journal on Selected Topics in Signal Processing, 2016, 10, 740-756.	7.3	78
1426	Semi-supervised classification via discriminative sparse manifold regularization. Signal Processing: Image Communication, 2016, 47, 207-217.	1.8	3
1427	Locality-preserving sparse representation-based classification in hyperspectral imagery. Journal of Applied Remote Sensing, 2016, 10, 042004.	0.6	13
1428	Semi-supervised subspace learning with L2graph. Neurocomputing, 2016, 208, 143-152.	3.5	11
1429	Multi-patch embedding canonical correlation analysis for multi-view feature learning. Journal of Visual Communication and Image Representation, 2016, 41, 47-57.	1.7	6
1430	Learning iterative quantization binary codes for face recognition. Neurocomputing, 2016, 214, 629-642.	3.5	6
1432	Recursively global and local discriminant analysis for semi-supervised and unsupervised dimension reduction with image analysis. Neurocomputing, 2016, 216, 672-683.	3.5	3

#	ARTICLE	IF	CITATIONS
1433	Orthogonal discriminant analysis revisited. Pattern Recognition Letters, 2016, 84, 149-155.	2.6	1
1434	Face recognition via collaborative representation based multiple one-dimensional embedding. International Journal of Wavelets, Multiresolution and Information Processing, 2016, 14, 1640003.	0.9	4
1435	Subclass representation-based face recognition algorithm derived from the structure scatter of training samples. IET Computer Vision, 2016, 10, 493-502.	1.3	7
1436	C 2 DMCP: View-consistent collaborative discriminative multiset correlation projection for data representation. Journal of Visual Communication and Image Representation, 2016, 40, 393-405.	1.7	6
1437	Collaborative representation discriminant embedding for image classification. Journal of Visual Communication and Image Representation, 2016, 41, 212-224.	1.7	8
1438	A jointly local structured sparse deep learning network for face recognition. , 2016, , .		5
1439	Sparse Representation Based Complete Kernel Marginal Fisher Analysis Framework for Computational Art Painting Categorization. Lecture Notes in Computer Science, 2016, , 612-627.	1.0	8
1440	A multi-phase sparse probability framework via entropy minimization for single sample face recognition. , 2016, , .		2
1441	Making use of longitudinal information in pattern recognition. Human Brain Mapping, 2016, 37, 4385-4404.	1.9	5
1442	Supervised bilateral two-dimensional locality preserving projection algorithm based on Gabor wavelet. Signal, Image and Video Processing, 2016, 10, 1441-1448.	1.7	11
1443	Comparing Four Dimension Reduction Algorithms to Classify Algae Concentration Levels in Water Samples Using Hyperspectral Imaging. Water, Air, and Soil Pollution, 2016, 227, 1.	1.1	4
1444	MBLDA: A novel multiple between-class linear discriminant analysis. Information Sciences, 2016, 369, 199-220.	4.0	14
1445	Orthogonal least squares regression for feature extraction. Neurocomputing, 2016, 216, 200-207.	3.5	35
1446	High-order local ternary patterns with locality preserving projection for smoke detection and image classification. Information Sciences, 2016, 372, 225-240.	4.0	85
1447	Two-Stage Tensor Locality-Preserving Projection Face Recognition. , 2016, , .		1
1448	Multi-locality correlation feature learning for image recognition. , 2016, , .		1
1449	Approximation SR1-based algorithms for nonlinear image processing. , 2016, , .		0
1450	Kernel dictionary learning based discriminant analysis. Journal of Visual Communication and Image Representation, 2016, 40, 470-484.	1.7	13

#	ARTICLE	IF	CITATIONS
1451	Multiple collaborative representations for face recognition. , 2016, , .		1
1452	Face recognition using adaptive local ternary patterns method. Neurocomputing, 2016, 213, 183-190.	3.5	60
1453	Multiple Kernel Sparse Representation based Orthogonal Discriminative Projection and Its Cost-Sensitive Extension. IEEE Transactions on Image Processing, 2016, 25, 1-1.	6.0	20
1454	Patch Based Face Recognition via Fast Collaborative Representation Based Classification and Expression Insensitive Two-Stage Voting. Lecture Notes in Computer Science, 2016, , 562-570.	1.0	3
1455	A Bayesian Hashing approach and its application to face recognition. Neurocomputing, 2016, 213, 5-13.	3.5	11
1456	Robust face image alignment using structural priors. , 2016, , .		0
1457	Leveraging 2D and 3D cues for fine-grained object classification. , 2016, , .		3
1458	Multi objective Cost sensitive subspace reduction technique for access control system. , 2016, , .		0
1460	Locality preserving partial least squares for neighbor embedding-based face hallucination. , 2016, , .		10
1461	Semi-supervised feature selection with exploiting shared information among multiple tasks. Journal of Visual Communication and Image Representation, 2016, 41, 272-280.	1.7	12
1462	Collaborative Sparse Preserving Projections for Feature Extraction. , 2016, , .		0
1463	Mixture of Bilateral-Projection Two-Dimensional Probabilistic Principal Component Analysis. , 2016, , .		2
1464	Cross-modal subspace learning for sketch-based image retrieval: A comparative study. , 2016, , .		12
1465	Discriminative sparsity preserving graph embedding. , 2016, , .		5
1466	Out-of-label suppression dictionary learning with cluster regularization. , 2016, , .		1
1467	Relative distance features for gait recognition with Kinect. Journal of Visual Communication and Image Representation, 2016, 39, 209-217.	1.7	56
1468	Transfer subspace learning for cross-dataset facial expression recognition. Neurocomputing, 2016, 208, 165-173.	3.5	35
1469	Biased subspace learning for misalignment-robust facial expression recognition. Neurocomputing, 2016, 208, 202-209.	3.5	6

#	ARTICLE	IF	CITATIONS
1470	Double nuclear norm-based robust principal component analysis for image disocclusion and object detection. <i>Neurocomputing</i> , 2016, 205, 481-489.	3.5	12
1471	Modifications to the Eigenphases Method for Face Recognition Based on SVM. <i>Ingeniería Investigaci3n Y Tecnologa</i> , 2016, 17, 119-129.	0.2	5
1472	Quality-Related Statistical Process Monitoring Method Based on Global and Local Partial Least-Squares Projection. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 1609-1622.	1.8	54
1473	Fuzzy Local Mean Discriminant Analysis for Dimensionality Reduction. <i>Neural Processing Letters</i> , 2016, 44, 701-718.	2.0	4
1474	CLEAR: Clustering based on locality embedding and reconstruction. , 2016, , .		1
1475	Kernel Local Sparse Representation Based Classifier. <i>Neural Processing Letters</i> , 2016, 43, 85-95.	2.0	7
1476	Statistical shape modelling for expression-invariant face analysis and recognition. <i>Pattern Analysis and Applications</i> , 2016, 19, 765-781.	3.1	7
1477	Embedded Manifold-Based Kernel Fisher Discriminant Analysis for Face Recognition. <i>Neural Processing Letters</i> , 2016, 43, 1-16.	2.0	42
1478	Relevance and irrelevance graph based marginal Fisher analysis for image search reranking. <i>Signal Processing</i> , 2016, 121, 139-152.	2.1	6
1479	Block Principal Component Analysis With Nongreedy ℓ_{1} -Norm Maximization. <i>IEEE Transactions on Cybernetics</i> , 2016, 46, 2543-2547.	6.2	26
1480	On the selection of 2D Krawtchouk moments for face recognition. <i>Pattern Recognition</i> , 2016, 54, 83-93.	5.1	46
1481	Can the Virtual Labels Obtained by Traditional LP Approaches Be Well Encoded in WLR?. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016, 27, 1591-1598.	7.2	18
1482	Discriminant structure embedding for image recognition. <i>Neurocomputing</i> , 2016, 174, 850-857.	3.5	11
1483	Discriminative Transfer Subspace Learning via Low-Rank and Sparse Representation. <i>IEEE Transactions on Image Processing</i> , 2016, 25, 850-863.	6.0	246
1484	Kernel propagation strategy: A novel out-of-sample propagation projection for subspace learning. <i>Journal of Visual Communication and Image Representation</i> , 2016, 36, 69-79.	1.7	6
1485	Face identification with second-order pooling in single-layer networks. <i>Neurocomputing</i> , 2016, 187, 11-18.	3.5	9
1486	Discriminant Manifold Learning via Sparse Coding for Image Analysis. <i>Lecture Notes in Computer Science</i> , 2016, , 244-255.	1.0	1
1487	Orthogonal enhanced linear discriminant analysis for face recognition. <i>IET Biometrics</i> , 2016, 5, 100-110.	1.6	2

#	ARTICLE	IF	CITATIONS
1488	Face recognition method based on HOG and DMMA from single training sample. Multimedia Tools and Applications, 2016, 75, 13163-13177.	2.6	7
1489	Enhanced algorithm for high-dimensional data classification. Applied Soft Computing Journal, 2016, 40, 1-9.	4.1	8
1490	Face Recognition Using A Low Rank Representation Based Projections Method. Neural Processing Letters, 2016, 43, 823-835.	2.0	2
1491	Low-Rank Matrix Factorization With Adaptive Graph Regularizer. IEEE Transactions on Image Processing, 2016, 25, 2196-2205.	6.0	17
1492	Synthetic aperture radar target configuration recognition using locality-preserving property and the Gamma distribution. IET Radar, Sonar and Navigation, 2016, 10, 256-263.	0.9	21
1493	Out-of-Sample Generalizations for Supervised Manifold Learning for Classification. IEEE Transactions on Image Processing, 2016, 25, 1410-1424.	6.0	27
1494	Dimension reduction using collaborative representation reconstruction based projections. Neurocomputing, 2016, 193, 1-6.	3.5	19
1495	Local-Gravity-Face (LG-face) for Illumination-Invariant and Heterogeneous Face Recognition. IEEE Transactions on Information Forensics and Security, 2016, 11, 1412-1424.	4.5	63
1496	L1-norm and maximum margin criterion based discriminant locality preserving projections via trace Lasso. Pattern Recognition, 2016, 55, 207-214.	5.1	21
1497	Endogenous sensory discrimination and selection by a fast brain switch for a high transfer rate brain-computer interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 901-910.	2.7	22
1498	Effective face recognition using bag of features with additive kernels. Journal of Electronic Imaging, 2016, 25, 013025.	0.5	10
1499	Local structure based multi-phase collaborative representation for face recognition with single sample per person. Information Sciences, 2016, 346-347, 198-215.	4.0	13
1500	Face recognition using discriminative locality preserving vectors. , 2016, 50, 103-113.		11
1501	Sparsity embedding projections for sparse representation-based classification. Optik, 2016, 127, 3605-3613.	1.4	1
1502	Label propagation based on collaborative representation for face recognition. Neurocomputing, 2016, 171, 1193-1204.	3.5	14
1503	Towards multi-scale fuzzy sparse discriminant analysis using local third-order tensor model of face images. Neurocomputing, 2016, 185, 53-63.	3.5	5
1504	Optimized projection for Collaborative Representation based Classification and its applications to face recognition. Pattern Recognition Letters, 2016, 73, 83-90.	2.6	31
1505	Face image classification by pooling raw features. Pattern Recognition, 2016, 54, 94-103.	5.1	46

#	ARTICLE	IF	CITATIONS
1506	Extreme learning machine for out-of-sample extension in Laplacian eigenmaps. Pattern Recognition Letters, 2016, 74, 68-73.	2.6	9
1507	Hybrid human detection and recognition in surveillance. Neurocomputing, 2016, 194, 10-23.	3.5	19
1508	Quadratic projection based feature extraction with its application to biometric recognition. Pattern Recognition, 2016, 56, 40-49.	5.1	10
1509	Discriminant Incoherent Component Analysis. IEEE Transactions on Image Processing, 2016, 25, 2021-2034.	6.0	9
1510	Discriminant sparse label-sensitive embedding: Application to image-based face pose estimation. Engineering Applications of Artificial Intelligence, 2016, 50, 168-176.	4.3	6
1511	Parameterless reconstructive discriminant analysis for feature extraction. Neurocomputing, 2016, 190, 50-59.	3.5	67
1512	Comments on "Joint Global and Local Structure Discriminant Analysis". IEEE Transactions on Information Forensics and Security, 2016, 11, 426-428.	4.5	2
1513	Blending 2D and 3D Face Recognition. , 2016, , 305-331.		2
1514	Optimal feature extraction methods for classification methods and their applications to biometric recognition. Knowledge-Based Systems, 2016, 99, 112-122.	4.0	11
1515	Weighted sparse representation for human ear recognition based on local descriptor. Journal of Electronic Imaging, 2016, 25, 013036.	0.5	9
1516	Graph Maximum Margin Criterion for Face Recognition. Neural Processing Letters, 2016, 44, 387-405.	2.0	6
1517	Discriminative Manifold Learning Based Detection of Movement-Related Cortical Potentials. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 921-927.	2.7	22
1518	Robust dynamic process monitoring based on sparse representation preserving embedding. Journal of Process Control, 2016, 40, 119-133.	1.7	27
1519	Corrupted and occluded face recognition via cooperative sparse representation. Pattern Recognition, 2016, 56, 77-87.	5.1	21
1520	Semi-supervised linear discriminant analysis for dimension reduction and classification. Pattern Recognition, 2016, 57, 179-189.	5.1	111
1521	Clustering boundary detection for high dimensional space based on space inversion and Hopkins statistics. Knowledge-Based Systems, 2016, 98, 216-225.	4.0	15
1522	Rebuttal to "Comments on "Joint Global and Local Structure Discriminant Analysis"™. IEEE Transactions on Information Forensics and Security, 2016, 11, 429-430.	4.5	0
1523	Canonical principal angles correlation analysis for two-view data. Journal of Visual Communication and Image Representation, 2016, 35, 209-219.	1.7	11

#	ARTICLE	IF	CITATIONS
1524	Discriminative sparse representation for face recognition. <i>Multimedia Tools and Applications</i> , 2016, 75, 3973-3992.	2.6	13
1525	Privacy-Protected Facial Biometric Verification Using Fuzzy Forest Learning. <i>IEEE Transactions on Fuzzy Systems</i> , 2016, 24, 779-790.	6.5	26
1526	Multi-class Fukunaga Koontz discriminant analysis for enhanced face recognition. <i>Pattern Recognition</i> , 2016, 52, 186-205.	5.1	24
1527	Local manifold distance based on neighborhood graph reordering. <i>Pattern Recognition</i> , 2016, 53, 195-211.	5.1	8
1528	Face recognition using part-based dense sampling local features. <i>Neurocomputing</i> , 2016, 184, 176-187.	3.5	23
1529	Learning discriminative singular value decomposition representation for face recognition. <i>Pattern Recognition</i> , 2016, 50, 1-16.	5.1	21
1530	Periocular authentication based on FEM using Laplace's Beltrami eigenvalues. <i>Pattern Recognition</i> , 2016, 50, 178-194.	5.1	7
1531	Discriminant Hyper-Laplacian Projections and its scalable extension for dimensionality reduction. <i>Neurocomputing</i> , 2016, 173, 145-153.	3.5	15
1532	Improved the minimum squared error algorithm for face recognition by integrating original face images and the mirror images. <i>Optik</i> , 2016, 127, 883-889.	1.4	12
1533	Laplacian Regularized Low-Rank Representation and Its Applications. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2016, 38, 504-517.	9.7	339
1534	Robust Regression. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2016, 38, 363-375.	9.7	54
1535	Discriminative Nonnegative Matrix Factorization for dimensionality reduction. <i>Neurocomputing</i> , 2016, 173, 212-223.	3.5	66
1536	A-Optimal Projection for Image Representation. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2016, 38, 1009-1015.	9.7	20
1537	Representative Vector Machines: A Unified Framework for Classical Classifiers. <i>IEEE Transactions on Cybernetics</i> , 2016, 46, 1877-1888.	6.2	60
1538	Learning Robust and Discriminative Subspace With Low-Rank Constraints. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016, 27, 2160-2173.	7.2	112
1539	Collaborative Graph Embedding: A Simple Way to Generally Enhance Subspace Learning Algorithms. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2016, 26, 1835-1845.	5.6	3
1540	Visual search reranking with RElevant Local Discriminant Analysis. <i>Neurocomputing</i> , 2016, 173, 172-180.	3.5	8
1541	A novel dimensionality reduction method with discriminative generalized eigen-decomposition. <i>Neurocomputing</i> , 2016, 173, 163-171.	3.5	6

#	ARTICLE	IF	CITATIONS
1542	Manifold Learning and Spectral Clustering for Image Phylogeny Forests. IEEE Transactions on Information Forensics and Security, 2016, 11, 5-18.	4.5	31
1543	Sequential three-way decision and granulation for cost-sensitive face recognition. Knowledge-Based Systems, 2016, 91, 241-251.	4.0	226
1544	Enhanced Local Gradient Order Features and Discriminant Analysis for Face Recognition. IEEE Transactions on Cybernetics, 2016, 46, 2656-2669.	6.2	52
1545	Local and global regularized sparse coding for data representation. Neurocomputing, 2016, 175, 188-197.	3.5	13
1546	A regularized least square based discriminative projections for feature extraction. Neurocomputing, 2016, 175, 198-205.	3.5	90
1547	Recursive Dimension Reduction for semisupervised learning. Neurocomputing, 2016, 171, 1629-1636.	3.5	1
1548	An online generalized eigenvalue version of Laplacian Eigenmaps for visual big data. Neurocomputing, 2016, 173, 127-136.	3.5	25
1549	A Novel Framework for Learning Geometry-Aware Kernels. IEEE Transactions on Neural Networks and Learning Systems, 2016, 27, 939-951.	7.2	21
1550	Classification and saliency detection by semi-supervised low-rank representation. Pattern Recognition, 2016, 51, 281-294.	5.1	14
1551	Low-Rank Preserving Projections. IEEE Transactions on Cybernetics, 2016, 46, 1900-1913.	6.2	131
1552	On incremental semi-supervised discriminant analysis. Pattern Recognition, 2016, 52, 135-147.	5.1	17
1553	Sparse discriminative multi-manifold embedding for one-sample face identification. Pattern Recognition, 2016, 52, 249-259.	5.1	65
1554	Graph Regularized Sparsity Discriminant Analysis for face recognition. Neurocomputing, 2016, 173, 290-297.	3.5	33
1555	Facial expression recognition using sparse local Fisher discriminant analysis. Neurocomputing, 2016, 174, 756-766.	3.5	54
1556	Approximate Orthogonal Sparse Embedding for Dimensionality Reduction. IEEE Transactions on Neural Networks and Learning Systems, 2016, 27, 723-735.	7.2	150
1557	Diagonal principal component analysis with non-greedy $\hat{\alpha}$, " l_1 -norm maximization for face recognition. Neurocomputing, 2016, 171, 57-62.	3.5	17
1558	Unsupervised discriminant canonical correlation analysis based on spectral clustering. Neurocomputing, 2016, 171, 425-433.	3.5	19
1559	Facial Image Hallucination Through Coupled-Layer Neighbor Embedding. IEEE Transactions on Circuits and Systems for Video Technology, 2016, 26, 1674-1684.	5.6	84

#	ARTICLE	IF	CITATIONS
1560	Linear dimensionality reduction based on Hybrid structure preserving projections. <i>Neurocomputing</i> , 2016, 173, 518-529.	3.5	24
1561	One Shot Detection with <i>Laplacian Object</i> and Fast Matrix Cosine Similarity. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2016, 38, 546-562.	9.7	33
1562	A novel face recognition method based on IWLD and IWBC. <i>Multimedia Tools and Applications</i> , 2016, 75, 6979-7002.	2.6	13
1563	Image preprocessing method based on local approximation gradient with application to face recognition. <i>Pattern Analysis and Applications</i> , 2017, 20, 101-112.	3.1	5
1564	Improved student dropout prediction in Thai University using ensemble of mixed-type data clusterings. <i>International Journal of Machine Learning and Cybernetics</i> , 2017, 8, 497-510.	2.3	36
1565	Towards a face recognition method based on uncorrelated discriminant sparse preserving projection. <i>Multimedia Tools and Applications</i> , 2017, 76, 17669-17683.	2.6	82
1566	Locality-Constrained Collaborative Model for Robust Visual Tracking. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2017, 27, 313-325.	5.6	17
1567	Spectral-Spatial Shared Linear Regression for Hyperspectral Image Classification. <i>IEEE Transactions on Cybernetics</i> , 2017, 47, 934-945.	6.2	31
1568	Learning the Conformal Transformation Kernel for Image Recognition. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2017, 28, 149-163.	7.2	9
1569	Half-Face Dictionary Integration for Representation-Based Classification. <i>IEEE Transactions on Cybernetics</i> , 2017, 47, 142-152.	6.2	18
1570	Mean Laplacian mappings-based difference LDA for face recognition. <i>Multimedia Tools and Applications</i> , 2017, 76, 2243-2265.	2.6	1
1571	Discriminant sparse locality preserving projection for face recognition. <i>Multimedia Tools and Applications</i> , 2017, 76, 2697-2712.	2.6	6
1572	Laplacian multiset canonical correlations for multiview feature extraction and image recognition. <i>Multimedia Tools and Applications</i> , 2017, 76, 731-755.	2.6	26
1573	A manifold framework of multiple-kernel learning for hyperspectral image classification. <i>Neural Computing and Applications</i> , 2017, 28, 3429-3439.	3.2	4
1574	Class specific centralized dictionary learning for face recognition. <i>Multimedia Tools and Applications</i> , 2017, 76, 4159-4177.	2.6	11
1575	Learning Kernel Extended Dictionary for Face Recognition. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2017, 28, 1082-1094.	7.2	43
1576	A sparse neighborhood preserving non-negative tensor factorization algorithm for facial expression recognition. <i>Pattern Analysis and Applications</i> , 2017, 20, 453-471.	3.1	3
1577	Automatic Subspace Learning via Principal Coefficients Embedding. <i>IEEE Transactions on Cybernetics</i> , 2017, 47, 3583-3596.	6.2	73

#	ARTICLE	IF	CITATIONS
1578	Marginal patch alignment for dimensionality reduction. <i>Soft Computing</i> , 2017, 21, 2347-2356.	2.1	5
1579	Kinship verification in multi-linear coherent spaces. <i>Multimedia Tools and Applications</i> , 2017, 76, 4105-4122.	2.6	19
1580	Local graph embedding based on maximum margin criterion via fuzzy set. <i>Fuzzy Sets and Systems</i> , 2017, 318, 120-131.	1.6	54
1581	Two-dimensional discriminant locality preserving projections (2DDLPP) and its application to feature extraction via fuzzy set. <i>Multimedia Tools and Applications</i> , 2017, 76, 355-371.	2.6	33
1582	Two-Dimensional Discriminant Locality Preserving Projection Based on $\hat{\alpha}$, "1-norm Maximization. <i>Pattern Recognition Letters</i> , 2017, 87, 147-154.	2.6	11
1583	MR-NTD: Manifold Regularization Nonnegative Tucker Decomposition for Tensor Data Dimension Reduction and Representation. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2017, 28, 1787-1800.	7.2	81
1584	Collaborative representation analysis methods for feature extraction. <i>Neural Computing and Applications</i> , 2017, 28, 225-231.	3.2	6
1585	Using supervised kernel entropy component analysis for fault diagnosis of rolling bearings. <i>JVC/Journal of Vibration and Control</i> , 2017, 23, 2167-2178.	1.5	12
1586	Constructing the L2-Graph for Robust Subspace Learning and Subspace Clustering. <i>IEEE Transactions on Cybernetics</i> , 2017, 47, 1053-1066.	6.2	205
1587	Rotational Invariant Dimensionality Reduction Algorithms. <i>IEEE Transactions on Cybernetics</i> , 2017, 47, 3733-3746.	6.2	89
1588	Face recognition under pose and illumination variations using the combination of Information set and PLPP features. <i>Applied Soft Computing Journal</i> , 2017, 53, 396-406.	4.1	8
1589	On the effect of hyperedge weights on hypergraph learning. <i>Image and Vision Computing</i> , 2017, 57, 89-101.	2.7	20
1590	A two-stage learning approach to face recognition. <i>Journal of Visual Communication and Image Representation</i> , 2017, 43, 21-29.	1.7	17
1591	A general subspace ensemble learning framework via totally-corrective boosting and tensor-based and local patch-based extensions for gait recognition. <i>Pattern Recognition</i> , 2017, 66, 280-294.	5.1	13
1592	Graph regularized multilayer concept factorization for data representation. <i>Neurocomputing</i> , 2017, 238, 139-151.	3.5	28
1593	Discriminative multi-scale sparse coding for single-sample face recognition with occlusion. <i>Pattern Recognition</i> , 2017, 66, 302-312.	5.1	45
1594	Fault discriminant enhanced kernel principal component analysis incorporating prior fault information for monitoring nonlinear processes. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017, 162, 21-34.	1.8	52
1595	Improved immune computation for high-precision face recognition. <i>Soft Computing</i> , 2017, 21, 5989-5999.	2.1	2

#	ARTICLE	IF	CITATIONS
1596	Robust Neighborhood Preserving Projection by Nuclear/L2,1-Norm Regularization for Image Feature Extraction. IEEE Transactions on Image Processing, 2017, 26, 1607-1622.	6.0	132
1597	Two-dimensional discriminant analysis based on Schatten p -norm for image feature extraction. Journal of Visual Communication and Image Representation, 2017, 45, 87-94.	1.7	14
1598	Discriminative multi-layer illumination-robust feature extraction for face recognition. Pattern Recognition, 2017, 67, 201-212.	5.1	32
1599	An improved face recognition method using Local Binary Pattern method. , 2017, , .		6
1600	Fuzzy Linear Regression Discriminant Projection for Face Recognition. IEEE Access, 2017, 5, 4340-4349.	2.6	26
1601	Semi-Supervised Multi-View Discrete Hashing for Fast Image Search. IEEE Transactions on Image Processing, 2017, 26, 2604-2617.	6.0	38
1602	A One-Sample per Individual Face Recognition Algorithm Based on Multiple One-Dimensional Projection Lines. International Journal of Pattern Recognition and Artificial Intelligence, 2017, 31, 1756012.	0.7	0
1603	Manifold matching using shortest-path distance and joint neighborhood selection. Pattern Recognition Letters, 2017, 92, 41-48.	2.6	9
1604	Low-Rank Embedding for Robust Image Feature Extraction. IEEE Transactions on Image Processing, 2017, 26, 2905-2917.	6.0	111
1605	Evaluation of periocular features for kinship verification in the wild. Computer Vision and Image Understanding, 2017, 160, 24-35.	3.0	28
1606	Nuclear Norm-Based 2DLPP for Image Classification. IEEE Transactions on Multimedia, 2017, 19, 2391-2403.	5.2	26
1607	Cross-Label Suppression: A Discriminative and Fast Dictionary Learning With Group Regularization. IEEE Transactions on Image Processing, 2017, 26, 3859-3873.	6.0	22
1608	Sparse locality preserving discriminative projections for face recognition. Neurocomputing, 2017, 260, 321-330.	3.5	27
1609	Sparse discriminant manifold projections for bearing fault diagnosis. Journal of Sound and Vibration, 2017, 399, 330-344.	2.1	29
1610	Sparse representation for robust face recognition by dictionary decomposition. Journal of Visual Communication and Image Representation, 2017, 46, 260-268.	1.7	9
1611	Rolling fault diagnosis via robust semi-supervised model with capped $l_{2,1}$ -norm regularization. , 2017, , .		4
1612	Active learning via local structure reconstruction. Pattern Recognition Letters, 2017, 92, 81-88.	2.6	10
1613	Enhanced regularized least square based discriminative projections for feature extraction. Signal Processing, 2017, 139, 182-189.	2.1	6

#	ARTICLE	IF	CITATIONS
1614	Post-processing of dimensionality reduction methods for face recognition. Pattern Recognition and Image Analysis, 2017, 27, 266-275.	0.6	3
1615	Assessment of high pressure processed mandarin juice in the headspace by using electronic nose and chemometric analysis. Innovative Food Science and Emerging Technologies, 2017, 42, 33-41.	2.7	28
1616	Multi-Manifold Locality Graph Embedding Based on the Maximum Margin Criterion (MLGE/MMC) for Face Recognition. IEEE Access, 2017, 5, 9823-9830.	2.6	8
1617	Face recognition in real-world images. , 2017, , .		26
1618	Radar target recognition using kernel uncorrelated discriminant local tangent space alignment. , 2017, , .		0
1619	Multiple Laplacian graph regularised low-rank representation with application to image representation. IET Image Processing, 2017, 11, 370-378.	1.4	8
1620	Metric Learning for Facial Kinship Verification. SpringerBriefs in Computer Science, 2017, , 37-62.	0.2	1
1621	Improved facial expression recognition using graph signal processing. Electronics Letters, 2017, 53, 718-720.	0.5	17
1622	Orthogonal extreme learning machine for image classification. Neurocomputing, 2017, 266, 458-464.	3.5	22
1623	Centre-based restricted nearest feature plane with angle classifier for face recognition. Journal of Modern Optics, 2017, 64, 2097-2102.	0.6	1
1624	Stationary Signal Processing on Graphs. IEEE Transactions on Signal Processing, 2017, 65, 3462-3477.	3.2	136
1625	Locality constrained Graph Optimization for Dimensionality Reduction. Neurocomputing, 2017, 245, 55-67.	3.5	24
1626	Unsupervised 2D Dimensionality Reduction with Adaptive Structure Learning. Neural Computation, 2017, 29, 1352-1374.	1.3	18
1627	Hyperspectral band selection with objective image quality assessment. International Journal of Remote Sensing, 2017, 38, 3656-3668.	1.3	19
1628	A Sparse Representation Model Using the Complete Marginal Fisher Analysis Framework and Its Applications to Visual Recognition. IEEE Transactions on Multimedia, 2017, 19, 1757-1770.	5.2	14
1629	Local Centre of Mass Face for face recognition under varying illumination. Multimedia Tools and Applications, 2017, 76, 19211-19240.	2.6	5
1630	Robust Locality Preserving Projections With Cosine-Based Dissimilarity for Linear Dimensionality Reduction. IEEE Access, 2017, 5, 2676-2684.	2.6	16
1631	Fractional Bat and Multi-Kernel-Based Spherical SVM for Low Resolution Face Recognition. International Journal of Pattern Recognition and Artificial Intelligence, 2017, 31, 1756014.	0.7	12

#	ARTICLE	IF	CITATIONS
1632	A wavelet-based classification of hyperspectral images using Schroedinger eigenmaps. International Journal of Remote Sensing, 2017, 38, 3608-3634.	1.3	6
1633	Multilinear Spatial Discriminant Analysis for Dimensionality Reduction. IEEE Transactions on Image Processing, 2017, 26, 2669-2681.	6.0	26
1634	Evolutionary Cost-Sensitive Discriminative Learning With Application to Vision and Olfaction. IEEE Transactions on Instrumentation and Measurement, 2017, 66, 198-211.	2.4	5
1635	Subspace ensemble learning via totally-corrective boosting for gait recognition. Neurocomputing, 2017, 224, 119-127.	3.5	8
1636	Nonnegative low-rank representation based manifold embedding for semi-supervised learning. Knowledge-Based Systems, 2017, 136, 121-129.	4.0	20
1637	Robust Alternating Low-Rank Representation by $\text{min}_{L_1} \ \mathbf{X}\ _{\text{F}} + \lambda \ \mathbf{Z}\ _{\text{F}}$ $\text{min}_{L_1} \ \mathbf{X}\ _{\text{F}} + \lambda \ \mathbf{Z}\ _{\text{F}}$ $\text{min}_{L_1} \ \mathbf{X}\ _{\text{F}} + \lambda \ \mathbf{Z}\ _{\text{F}}$	3.3	26
1638	CUPID: consistent unlabeled probability of identical distribution for image classification. Knowledge-Based Systems, 2017, 137, 115-122.	4.0	1
1639	Geometry-adapted Gaussian random field regression. , 2017, , .		3
1640	Multi-View Nonparametric Discriminant Analysis for Image Retrieval and Recognition. IEEE Signal Processing Letters, 2017, 24, 1537-1541.	2.1	16
1641	Combined multi-spectrum and orthogonal Laplacianfaces for fast CB-XLCT imaging with single-view data. Optical Review, 2017, 24, 693-704.	1.2	2
1642	GMFLM: A general manifold framework unifying three classic models for dimensionality reduction. Engineering Applications of Artificial Intelligence, 2017, 65, 421-432.	4.3	5
1643	Multi-view dimensionality reduction via subspace structure agreement. Multimedia Tools and Applications, 2017, 76, 17437-17460.	2.6	8
1644	A novel deep learning algorithm for incomplete face recognition: Low-rank-recovery network. Neural Networks, 2017, 94, 115-124.	3.3	23
1645	Locality correlation preserving based one-class support vector machine. , 2017, , .		1
1646	Efficient dynamic graph construction for inductive semi-supervised learning. Neural Networks, 2017, 94, 192-203.	3.3	24
1647	Evaluation of graph embedding approach for dimensionality reduction using different kernels. , 2017, , .		0
1648	Discriminant Manifold Learning via Sparse Coding for Robust Feature Extraction. IEEE Access, 2017, 5, 13978-13991.	2.6	10
1649	Low-rank preserving embedding. Pattern Recognition, 2017, 70, 112-125.	5.1	63

#	ARTICLE	IF	CITATIONS
1650	Robust Subspace Learning. Advanced Information and Knowledge Processing, 2017, , 45-71.	0.2	2
1651	Face recognition using modified deep learning neural network. , 2017, , .		22
1653	Collaborative Representation Based Neighborhood Preserving Projection for Dimensionality Reduction. Communications in Computer and Information Science, 2017, , 449-460.	0.4	0
1654	Towards a Generic Multi-agent Approach for Medical Image Segmentation. Lecture Notes in Computer Science, 2017, , 198-211.	1.0	2
1655	Deep Learning Based Face Recognition with Sparse Representation Classification. Lecture Notes in Computer Science, 2017, , 665-674.	1.0	9
1656	A Regularized Margin Fisher Analysis Method for Face Recognition. Lecture Notes in Computer Science, 2017, , 423-433.	1.0	0
1657	G-CNN and F-CNN: Two CNN based architectures for face recognition. , 2017, , .		5
1658	Anti-drift in E-nose: A subspace projection approach with drift reduction. Sensors and Actuators B: Chemical, 2017, 253, 407-417.	4.0	82
1659	Fast and Orthogonal Locality Preserving Projections for Dimensionality Reduction. IEEE Transactions on Image Processing, 2017, 26, 5019-5030.	6.0	122
1660	Dimension reduction using kernel collaborative representation based projection. AEU - International Journal of Electronics and Communications, 2017, 81, 23-30.	1.7	4
1661	Weighted contourlet binary patterns and image-based fisher linear discriminant for face recognition. Neurocomputing, 2017, 267, 436-446.	3.5	7
1662	A Non-Greedy Algorithm for L1-Norm LDA. IEEE Transactions on Image Processing, 2017, 26, 684-695.	6.0	94
1663	Coupled locality preserving projections for cross-view gait recognition. Neurocomputing, 2017, 224, 37-44.	3.5	19
1664	Evolutionary Cost-Sensitive Extreme Learning Machine. IEEE Transactions on Neural Networks and Learning Systems, 2017, 28, 3045-3060.	7.2	131
1665	Manifold regularized cross-modal embedding for zero-shot learning. Information Sciences, 2017, 378, 48-58.	4.0	31
1666	Discriminative sparse flexible manifold embedding with novel graph for robust visual representation and label propagation. Pattern Recognition, 2017, 61, 492-510.	5.1	46
1667	Tied factors analysis for high-dimensional image feature extraction and recognition application. Pattern Analysis and Applications, 2017, 20, 587-600.	3.1	0
1668	Learning in multimodal and mixmodal data: locality preserving discriminant analysis with kernel and sparse representation techniques. Multimedia Tools and Applications, 2017, 76, 15465-15489.	2.6	7

#	ARTICLE	IF	CITATIONS
1669	Collaborative probabilistic labels for face recognition from single sample per person. Pattern Recognition, 2017, 62, 125-134.	5.1	47
1670	Minimum class variance support vector ordinal regression. International Journal of Machine Learning and Cybernetics, 2017, 8, 2025-2034.	2.3	5
1671	Dual structural consistency based multi-modal correlation propagation projections for data representation. Multimedia Tools and Applications, 2017, 76, 20909-20933.	2.6	0
1672	Motor Imagery Classification Based on Bilinear Sub-Manifold Learning of Symmetric Positive-Definite Matrices. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 504-516.	2.7	81
1673	Adaptive maximum margin analysis for image recognition. Pattern Recognition, 2017, 61, 339-347.	5.1	7
1674	A supervised dimensionality reduction method-based sparse representation for face recognition. Journal of Modern Optics, 2017, 64, 799-806.	0.6	9
1675	Sparse multiple maximum scatter difference for dimensionality reduction. , 2017, 62, 91-100.		4
1676	Regularized coplanar discriminant analysis for dimensionality reduction. Pattern Recognition, 2017, 62, 87-98.	5.1	34
1677	Fog Computing Based Face Identification and Resolution Scheme in Internet of Things. IEEE Transactions on Industrial Informatics, 2017, 13, 1910-1920.	7.2	180
1678	A Spectral Graph Theoretical Approach to Oriented Energy Features. International Journal of Pattern Recognition and Artificial Intelligence, 2017, 31, 1755001.	0.7	1
1679	Semi-supervised classification for rolling fault diagnosis via robust sparse and low-rank model. , 2017, , .		5
1680	Bilateral Two-Dimensional Neighborhood Preserving Discriminant Embedding for Face Recognition. IEEE Access, 2017, 5, 17201-17212.	2.6	13
1681	Supervised orthogonal discriminant projection based on double adjacency graphs for image classification. IET Image Processing, 2017, 11, 1050-1058.	1.4	2
1682	Modelling neuroanatomical variation during childhood and adolescence with neighbourhood-preserving embedding. Scientific Reports, 2017, 7, 17796.	1.6	24
1683	Dependence structure of Gabor wavelets for face recognition. , 2017, , .		1
1684	Sparse representation with dense matching for face recognition from single sample per person. , 2017, , .		0
1685	Remote sensing textual image classification based on extreme learning machine and hybrid rice optimization algorithm. , 2017, , .		7
1686	Multi-Algorithm of Palmprint Recognition System Based on Fusion of Local Binary Pattern and Two-Dimensional Locality Preserving Projection. Procedia Computer Science, 2017, 115, 482-492.	1.2	18

#	ARTICLE	IF	CITATIONS
1687	Partial discharge pattern recognition of XLPE cables at DC voltage based on the compressed sensing theory. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 2977-2985.	1.8	20
1688	A supervised multimanifold method with locality preserving for face recognition using single sample per person. Journal of Central South University, 2017, 24, 2853-2861.	1.2	7
1689	Approximate Grassmannian Intersections: Subspace-Valued Subspace Learning. , 2017, , .		0
1690	SphereFace: Deep Hypersphere Embedding for Face Recognition. , 2017, , .		1,633
1691	An improved quality-related statistical process monitoring method based on global plus local projection to latent structures (GPLPLS). , 2017, , .		1
1692	Extended class-wise sparse representation for face recognition. , 2017, , .		1
1693	Face recognition under variations in illumination using the phase of fractional Fourier transform. , 2017, , .		1
1694	A novel SRC based method for face recognition with low quality images. , 2017, , .		1
1695	Face recognition based on geodesic distance approximations between multivariate normal distributions. , 2017, , .		2
1696	Person authentication using nearest feature line embedding transformation and biased discriminant analysis. , 2017, , .		3
1697	Low-rank constrained collaborative representation for robust face recognition. , 2017, , .		5
1698	Towards Automated Visual Monitoring of Individual Gorillas in the Wild. , 2017, , .		44
1699	Face recognition using adaptive local directional pattern. , 2017, , .		0
1700	Graph based semi-supervised classification via capped $l_{\infty, 2}$ -norm regularized dictionary learning. , 2017, , .		4
1701	Learning cognitive manifolds of faces. , 2017, , .		0
1702	L1-2DPCA Revisit via Optimization on Product Manifolds. , 2017, , .		0
1703	Brand key asset discovery via cluster-wise biased discriminant projection. , 2017, , .		3
1704	Sample group and misplaced atom dictionary learning for face recognition. Turkish Journal of Electrical Engineering and Computer Sciences, 2017, 25, 4421-4430.	0.9	0

#	ARTICLE	IF	CITATIONS
1705	Dimensionality Reduction of Hyperspectral Image with Graph-Based Discriminant Analysis Considering Spectral Similarity. Remote Sensing, 2017, 9, 323.	1.8	63
1706	Kernel low-rank embedding dictionary learning for face recognition. , 2017, , .		1
1707	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle K \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle$ Important Neighbors: A Novel Approach to Binary Classification in High Dimensional Data. BioMed Research International, 2017, 2017, 1-9.	0.9	11
1708	Video quality assessment using motion-compensated temporal filtering and manifold feature similarity. PLoS ONE, 2017, 12, e0175798.	1.1	1
1709	Kernel nonnegative matrix factorization with RBF kernel function for face recognition. , 2017, , .		6
1710	Recursive Orthogonal Label Regression: A Framework for Semisupervised Dimension Reduction. Computing in Science and Engineering, 2017, 19, 30-43.	1.2	1
1711	Laplacian sparse dictionary learning for image classification based on sparse representation. Frontiers of Information Technology and Electronic Engineering, 2017, 18, 1795-1805.	1.5	4
1712	Density-based multi-manifold ISOMAP for data classification. , 2017, , .		4
1713	Sar target configuration recognition using class-dependent locality preserving projections. , 2017, , .		0
1714	Enhanced Adaptive Locality Preserving Projections for Face Recognition. , 2017, , .		6
1715	Learning Corpus-Invariant Discriminant Feature Representations for Speech Emotion Recognition. IEICE Transactions on Information and Systems, 2017, E100.D, 1136-1139.	0.4	6
1716	Block-Diagonal Constrained Low-Rank and Sparse Graph for Discriminant Analysis of Image Data. Sensors, 2017, 17, 1475.	2.1	2
1717	Self-learning for face clustering. Pattern Recognition, 2018, 79, 279-289.	5.1	19
1718	Fault Detection Based on Modified Kernel Semi-Supervised Locally Linear Embedding. IEEE Access, 2018, 6, 479-487.	2.6	34
1719	BULDP: Biomimetic Uncorrelated Locality Discriminant Projection for Feature Extraction in Face Recognition. IEEE Transactions on Image Processing, 2018, 27, 2575-2586.	6.0	107
1720	Vectorial Dimension Reduction for Tensors Based on Bayesian Inference. IEEE Transactions on Neural Networks and Learning Systems, 2018, 29, 4579-4592.	7.2	11
1721	A Nuclear Norm Based Matrix Regression Based Projections Method for Feature Extraction. IEEE Access, 2018, 6, 7445-7451.	2.6	14
1722	Collaborative representation based local discriminant projection for feature extraction. , 2018, 76, 84-93.		30

#	ARTICLE	IF	CITATIONS
1723	Face recognition based on Volterra kernels direct discriminant analysis and effective feature classification. <i>Information Sciences</i> , 2018, 441, 187-197.	4.0	10
1724	Regularized fisher linear discriminant through two threshold variation strategies for imbalanced problems. <i>Knowledge-Based Systems</i> , 2018, 150, 57-73.	4.0	2
1725	Dimensionality Reduction for Identification of Hepatic Tumor Samples Based on Terahertz Time-Domain Spectroscopy. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2018, 8, 271-277.	2.0	34
1726	Disentangling the Modes of Variation in Unlabelled Data. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2018, 40, 2682-2695.	9.7	9
1727	Scarce face recognition via two-layer collaborative representation. <i>IET Biometrics</i> , 2018, 7, 56-62.	1.6	9
1728	Local Regression and Global Information-Embedded Dimension Reduction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2018, 29, 4882-4893.	7.2	31
1729	Topology Preserving Structural Matching for Automatic Partial Face Recognition. <i>IEEE Transactions on Information Forensics and Security</i> , 2018, 13, 1823-1837.	4.5	26
1730	Approximate Low-Rank Projection Learning for Feature Extraction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2018, 29, 5228-5241.	7.2	84
1731	2D-LPCCA and 2D-SPCCA: Two new canonical correlation methods for feature extraction, fusion and recognition. <i>Neurocomputing</i> , 2018, 284, 148-159.	3.5	14
1732	Bilinear Regularized Locality Preserving Learning on Riemannian Graph for Motor Imagery BCI. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 698-708.	2.7	30
1733	Diverse Non-Negative Matrix Factorization for Multiview Data Representation. <i>IEEE Transactions on Cybernetics</i> , 2018, 48, 2620-2632.	6.2	111
1734	Joint Sparse Locality Preserving Projections. <i>Lecture Notes in Computer Science</i> , 2018, , 125-133.	1.0	2
1735	Semi-supervised dimension reduction based on hypergraph embedding for hyperspectral images. <i>International Journal of Remote Sensing</i> , 2018, 39, 1696-1712.	1.3	21
1736	A Regularized Locality Projection-Based Sparsity Discriminant Analysis for Face Recognition. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , 2018, 32, 1856006.	0.7	4
1737	Parallel Heat Kernel Volume Based Local Binary Pattern on Multi-Orientation Planes for Face Representation. <i>International Journal of Parallel Programming</i> , 2018, 46, 943-962.	1.1	1
1738	Elastic preserving projections based on L1-norm maximization. <i>Multimedia Tools and Applications</i> , 2018, 77, 21671-21691.	2.6	3
1739	A noise-robust semi-supervised dimensionality reduction method for face recognition. <i>Optik</i> , 2018, 157, 858-865.	1.4	7
1740	Fault detection based on difference locality preserving projections for the semiconductor process. <i>Journal of Chemometrics</i> , 2018, 32, e3035.	0.7	2

#	ARTICLE	IF	CITATIONS
1741	SAR Target Configuration Recognition via Two-Stage Sparse Structure Representation. IEEE Transactions on Geoscience and Remote Sensing, 2018, 56, 2220-2232.	2.7	28
1742	GAR: An efficient and scalable graph-based activity regularization for semi-supervised learning. Neurocomputing, 2018, 296, 46-54.	3.5	21
1743	Binarized features with discriminant manifold filters for robust single-sample face recognition. Signal Processing: Image Communication, 2018, 65, 1-10.	1.8	3
1744	Improved Graph Embedding for Robust Recognition with outliers. Scientific Reports, 2018, 8, 4231.	1.6	1
1745	A Quality-Related Statistical Process Monitoring Method Based on Global plus Local Projection to Latent Structures. Industrial & Engineering Chemistry Research, 2018, 57, 5323-5337.	1.8	31
1746	Joint of locality- and globality-preserving projections. Signal, Image and Video Processing, 2018, 12, 565-572.	1.7	2
1747	HyperSSR: A hypergraph based semi-supervised ranking method for visual search reranking. Neurocomputing, 2018, 274, 50-57.	3.5	13
1748	Unsupervised multi-manifold linear differential projection(UMLDP) for face recognition. Multimedia Tools and Applications, 2018, 77, 3795-3811.	2.6	1
1749	L1-Norm Distance Linear Discriminant Analysis Based on an Effective Iterative Algorithm. IEEE Transactions on Circuits and Systems for Video Technology, 2018, 28, 114-129.	5.6	83
1750	A Combined Rule-Based & Machine Learning Audio-Visual Emotion Recognition Approach. IEEE Transactions on Affective Computing, 2018, 9, 3-13.	5.7	59
1751	A unified framework for harmonic analysis of functions on directed graphs and changing data. Applied and Computational Harmonic Analysis, 2018, 44, 611-644.	1.1	15
1752	Robust Structured Nonnegative Matrix Factorization for Image Representation. IEEE Transactions on Neural Networks and Learning Systems, 2018, 29, 1947-1960.	7.2	195
1753	Efficient kNN Classification With Different Numbers of Nearest Neighbors. IEEE Transactions on Neural Networks and Learning Systems, 2018, 29, 1774-1785.	7.2	775
1754	Semi-supervised transfer subspace for domain adaptation. Pattern Recognition, 2018, 75, 235-249.	5.1	46
1755	Discriminant Analysis with Local Gaussian Similarity Preserving for Feature Extraction. Neural Processing Letters, 2018, 47, 39-55.	2.0	6
1756	A survey of virtual sample generation technology for face recognition. Artificial Intelligence Review, 2018, 50, 1-20.	9.7	46
1757	Local sparsity preserving projection and its application to biometric recognition. Multimedia Tools and Applications, 2018, 77, 1069-1092.	2.6	15
1758	Regularized Label Relaxation Linear Regression. IEEE Transactions on Neural Networks and Learning Systems, 2018, 29, 1006-1018.	7.2	85

#	ARTICLE	IF	CITATIONS
1759	Local descriptor margin projections (LDMP) for face recognition. International Journal of Machine Learning and Cybernetics, 2018, 9, 1387-1398.	2.3	5
1760	Orthogonal Principal Coefficients Embedding for Unsupervised Subspace Learning. IEEE Transactions on Cognitive and Developmental Systems, 2018, 10, 280-289.	2.6	0
1761	Kernel Embedding Multiorientation Local Pattern for Image Representation. IEEE Transactions on Cybernetics, 2018, 48, 1124-1135.	6.2	14
1762	Supervised neighborhood regularized collaborative representation for face recognition. Multimedia Tools and Applications, 2018, 77, 29509-29529.	2.6	6
1763	Robust Latent Subspace Learning for Image Classification. IEEE Transactions on Neural Networks and Learning Systems, 2018, 29, 2502-2515.	7.2	74
1764	A multilinear unsupervised discriminant projections method for feature extraction. Multimedia Tools and Applications, 2018, 77, 3857-3870.	2.6	3
1765	Coupled local-global adaptation for multi-source transfer learning. Neurocomputing, 2018, 275, 247-254.	3.5	36
1766	Manifold sparsity preserving projection for face and palmprint recognition. Multimedia Tools and Applications, 2018, 77, 12233-12258.	2.6	8
1767	Global similarity preserving hashing. Soft Computing, 2018, 22, 2105-2120.	2.1	3
1768	Semi-supervised graph-based retargeted least squares regression. Signal Processing, 2018, 142, 188-193.	2.1	4
1769	Robust face recognition via discriminative and common hybrid dictionary learning. Applied Intelligence, 2018, 48, 156-165.	3.3	17
1770	Matrix exponential based discriminant locality preserving projections for feature extraction. Neural Networks, 2018, 97, 127-136.	3.3	25
1771	Robust extraction of basis functions for simultaneous and proportional myoelectric control via sparse non-negative matrix factorization. Journal of Neural Engineering, 2018, 15, 026017.	1.8	51
1772	An iterative paradigm of joint feature extraction and labeling for semi-supervised discriminant analysis. Neurocomputing, 2018, 273, 466-480.	3.5	10
1773	Exponential elastic preserving projections for facial expression recognition. Neurocomputing, 2018, 275, 711-724.	3.5	15
1774	Multi-view local discrimination and canonical correlation analysis for image classification. Neurocomputing, 2018, 275, 1087-1098.	3.5	20
1775	Robust Discriminant Regression for Feature Extraction. IEEE Transactions on Cybernetics, 2018, 48, 2472-2484.	6.2	70
1776	Frankenstein: Learning Deep Face Representations Using Small Data. IEEE Transactions on Image Processing, 2018, 27, 293-303.	6.0	96

#	ARTICLE	IF	CITATIONS
1777	Multi-view Discriminative Manifold Embedding for Pattern Classification. <i>Advances in Intelligent Systems and Computing</i> , 2018, , 167-174.	0.5	0
1778	A clustering method based on extreme learning machine. <i>Neurocomputing</i> , 2018, 277, 108-119.	3.5	30
1779	Dual regularized multi-view non-negative matrix factorization for clustering. <i>Neurocomputing</i> , 2018, 294, 1-11.	3.5	47
1780	Multiview max-margin subspace learning for cross-view gait recognition. <i>Pattern Recognition Letters</i> , 2018, 107, 75-82.	2.6	12
1781	An integrated optimisation algorithm for feature extraction, dictionary learning and classification. <i>Neurocomputing</i> , 2018, 275, 2740-2751.	3.5	4
1782	Locality-regularized linear regression discriminant analysis for feature extraction. <i>Information Sciences</i> , 2018, 429, 164-176.	4.0	14
1783	Improved principal component analysis and linear regression classification for face recognition. <i>Signal Processing</i> , 2018, 145, 175-182.	2.1	32
1784	Multi-graph embedding discriminative correlation feature learning for image recognition. <i>Signal Processing: Image Communication</i> , 2018, 60, 173-182.	1.8	5
1785	Stable and orthogonal local discriminant embedding using trace ratio criterion for dimensionality reduction. <i>Multimedia Tools and Applications</i> , 2018, 77, 3071-3081.	2.6	20
1786	Locality similarity and dissimilarity preserving support vector machine. <i>International Journal of Machine Learning and Cybernetics</i> , 2018, 9, 1663-1674.	2.3	3
1787	Robust Adaptive Embedded Label Propagation With Weight Learning for Inductive Classification. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2018, 29, 3388-3403.	7.2	53
1788	Robust $\ell_{2,1}$ Norm-Based Sparse Dictionary Coding Regularization of Homogenous and Heterogenous Graph Embeddings for Image Classifications. <i>Neural Processing Letters</i> , 2018, 47, 1149-1175.	2.0	3
1789	Structured dictionary learning for abnormal event detection in crowded scenes. <i>Pattern Recognition</i> , 2018, 73, 99-110.	5.1	42
1790	Discriminative unsupervised 2D dimensionality reduction with graph embedding. <i>Multimedia Tools and Applications</i> , 2018, 77, 3189-3207.	2.6	3
1791	Twin Support Vector Machine With Local Structural Information for Pattern Classification. <i>IEEE Access</i> , 2018, 6, 64237-64249.	2.6	3
1792	ISAR Target Recognition Based on Two-dimensional Locality Preserving Projection. <i>Journal of Physics: Conference Series</i> , 2018, 1060, 012006.	0.3	2
1793	Multi-feature shape regression for face alignment. <i>Eurasip Journal on Advances in Signal Processing</i> , 2018, 2018, .	1.0	5
1794	Sparse Low-Rank Component Coding for Face Recognition with Illumination And Corruption. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
1795	Reversible Discriminant Analysis. IEEE Access, 2018, 6, 72551-72562.	2.6	0
1796	A joint optimization framework of low-dimensional projection and collaborative representation for discriminative classification. , 2018, , .		12
1797	Novel Approach of Face Identification Based on Multi-scale Local Binary Pattern. , 2018, , .		1
1798	Joint Collaborative Representation and Discriminative Projection for Pattern Classification. , 2018, , .		0
1799	Image Size, Color Depth, Age variant on Convolution Neural Network. , 2018, , .		0
1800	Multilinear Discriminant Analysis Through Tensor-Tensor Eigendecomposition. , 2018, , .		5
1801	Multiple Kernel Clustering With Global and Local Structure Alignment. IEEE Access, 2018, 6, 77911-77920.	2.6	15
1802	Wavelet-Based Facial recognition. , 2018, , .		1
1803	Facial Expression Recognition Based on G-2DPCA Feature and Sparse Representation Classification. , 2018, , .		0
1804	Low Dimensional Representation of Space Structure and Clustering of Categorical Data. , 2018, , .		0
1805	Sparse Representation Based Discriminant Locality Preserving Dictionary Learning via Volterrafaces for Face Recognition. , 2018, , .		0
1806	Quality Monitoring in Wire-Arc Additive Manufacturing Based on Spectrum. , 2018, , .		3
1807	Handcraft and Learned Feature Extraction Techniques for Robust Face Recognition : A Review. , 2018, , .		3
1808	Optimal Similarity Measurement for Discriminant Vector Machines. , 2018, , .		0
1809	AF-Softmax for Face Recognition. , 2018, , .		1
1810	Achieving Sar Target Configuration Recognition By Combining Sparse Graph And Locality Preserving Projections. , 2018, , .		1
1811	Video-Based Disguise Face Recognition Based on Deep Spiking Neural Network. , 2018, , .		5
1812	Sparse Multi-label Bilinear Embedding on Stiefel Manifolds. Lecture Notes in Computer Science, 2018, , 203-213.	1.0	0

#	ARTICLE	IF	CITATIONS
1813	Face Pattern Recognition Using Convolutional Macropixel Approach. , 2018, , .		0
1814	Nuclear Norm Based Superposed Collaborative Representation Classifier for Robust Face Recognition. Lecture Notes in Computer Science, 2018, , 219-232.	1.0	0
1815	An Effective Face Recognition Framework With Subspace Learning Based on Local Texture Patterns. , 2018, , .		3
1816	Finding your Lookalike: Measuring Face Similarity Rather than Face Identity. , 2018, , .		10
1817	Sparsity and Geometry Preserving Graph Embedding for Dimensionality Reduction. IEEE Access, 2018, 6, 75748-75766.	2.6	24
1818	Flexible and Discriminative Non-linear Embedding with Feature Selection for Image Classification. , 2018, , .		2
1819	A Unified Neighbor Reconstruction Method for Embeddings. , 2018, , .		1
1820	Dimensionality Reduction Using Sparse Locality Preserving Projections and Its Application in Face Recognition. , 2018, , .		0
1821	An Adaptive Entropy Based Scale Invariant Face Recognition Face Altered by Plastic Surgery. Pattern Recognition and Image Analysis, 2018, 28, 813-829.	0.6	9
1822	Face recognition based on texture information and geodesic distance approximations between multivariate normal distributions. Measurement Science and Technology, 2018, 29, 114001.	1.4	6
1823	Fast matching pursuit for sparse representation-based face recognition. IET Image Processing, 2018, 12, 1807-1814.	1.4	9
1824	On the role of sparsity in feature selection and an innovative method LRMI. Neurocomputing, 2018, 321, 237-250.	3.5	0
1825	Visualized mixed-type data analysis via dimensionality reduction. Intelligent Data Analysis, 2018, 22, 981-1007.	0.4	1
1826	Efficient location, imaging and recognition of faces by single-pixel camera. Journal of Optics (United Tj ETQq1 1 0.784314 rgBT /Over	1.0	0
1827	SKEPRID. ACM Transactions on Multimedia Computing, Communications and Applications, 2018, 14, 1-24.	3.0	9
1828	Fast and Flexible Large Graph Embedding Based on Anchors. IEEE Journal on Selected Topics in Signal Processing, 2018, 12, 1465-1475.	7.3	6
1829	Trace Ratio Criterion based Discriminative Feature Selection via l2,-norm regularization for supervised learning. Neurocomputing, 2018, 321, 1-16.	3.5	19
1830	Robust Adaptive Sparse Learning Method for Graph Clustering. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
1831	Elastic Net Representation-based Projections for Bearing Fault Classification. , 2018, , .		0
1832	Deep Convolutional Neural Network Used in Single Sample per Person Face Recognition. Computational Intelligence and Neuroscience, 2018, 2018, 1-11.	1.1	27
1833	Adaptive non-negative projective semi-supervised learning for inductive classification. Neural Networks, 2018, 108, 128-145.	3.3	15
1834	Face Recognition Based on Texture Descriptors. , 0, , .		0
1835	Discriminative Feature Selection via Joint Trace Ratio Criterion and $l_{2,1}$ -norm Regularization. , 2018, , .		0
1836	Enhanced Parameter-Free Diversity Discriminant Preserving Projections for Face Recognition. International Journal of Pattern Recognition and Artificial Intelligence, 2018, 32, 1856013.	0.7	2
1837	Configuration Recognition via Class-Dependent Structure Preserving Projections With Application to Targets in SAR Images. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 2134-2146.	2.3	12
1838	Multi-ethnic Chinese facial characterization and analysis. Multimedia Tools and Applications, 2018, 77, 30311-30329.	2.6	4
1839	Face recognition based on two-dimensional discriminant sparse preserving projection. AIP Conference Proceedings, 2018, , .	0.3	0
1840	Probabilistic semi-supervised random subspace sparse representation for classification. Multimedia Tools and Applications, 2018, 77, 23245-23271.	2.6	3
1841	Adaptive Projected Matrix Factorization method for data clustering. Neurocomputing, 2018, 306, 182-188.	3.5	18
1842	A novel hybrid algorithm for feature selection. Personal and Ubiquitous Computing, 2018, 22, 971-985.	1.9	13
1843	Low Rank Subspace Clustering via Discrete Constraint and Hypergraph Regularization for Tumor Molecular Pattern Discovery. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2018, 15, 1500-1512.	1.9	10
1844	Heteroscedastic Maxâ€“Min Distance Analysis for Dimensionality Reduction. IEEE Transactions on Image Processing, 2018, 27, 4052-4065.	6.0	6
1845	A collaborative representation face classification on separable adaptive directional wavelet transform based completed local binary pattern features. Engineering Science and Technology, an International Journal, 2018, 21, 611-624.	2.0	7
1846	Discriminant sparse and collaborative preserving embedding for bearing fault diagnosis. Neurocomputing, 2018, 313, 259-270.	3.5	9
1847	Greedy orthogonal matching pursuit for subspace clustering to improve graph connectivity. Information Sciences, 2018, 459, 135-148.	4.0	8
1848	On connections between RÃ©nyi entropy Principal Component Analysis, kernel learning and graph embedding. Pattern Recognition Letters, 2018, 112, 125-130.	2.6	5

#	ARTICLE	IF	CITATIONS
1849	Linear regression based projections for dimensionality reduction. Information Sciences, 2018, 467, 74-86.	4.0	12
1850	Robust face recognition based on non-negative sparse discriminative low-rank representation. , 2018, , .		3
1851	Matrix regression preserving projections for robust feature extraction. Knowledge-Based Systems, 2018, 161, 35-46.	4.0	7
1852	Dimensionality reduction by LPP. IET Computer Vision, 2018, 12, 659-665.	1.3	12
1853	Deep residual network with regularised fisher framework for detection of melanoma. IET Computer Vision, 2018, 12, 1096-1104.	1.3	38
1854	Low-Rank Sparse Preserving Projections for Dimensionality Reduction. IEEE Transactions on Image Processing, 2018, 27, 5261-5274.	6.0	48
1855	Dynamic graph embedding for fault detection. Computers and Chemical Engineering, 2018, 117, 359-371.	2.0	11
1856	Experimental validation of a deep neural network's Sparse representation classification ensemble method. Structural Design of Tall and Special Buildings, 2018, 27, e1504.	0.9	14
1857	Improving Sparse Representation-Based Classification Using Local Principal Component Analysis. Studies in Computational Intelligence, 2018, , 165-206.	0.7	3
1858	Rectified Gaussian Scale Mixtures and the Sparse Non-Negative Least Squares Problem. IEEE Transactions on Signal Processing, 2018, 66, 3124-3139.	3.2	15
1859	Symmetric low-rank preserving projections for subspace learning. Neurocomputing, 2018, 315, 381-393.	3.5	8
1860	Low-rank and sparse embedding for dimensionality reduction. Neural Networks, 2018, 108, 202-216.	3.3	22
1861	Face Recognition Based on Rearranged Modular Two-Dimensional Locality Preserving Projection. International Journal of Pattern Recognition and Artificial Intelligence, 2018, 32, 1856016.	0.7	6
1862	Face recognition system based on MOTIF features. Journal of Modern Optics, 2018, 65, 2124-2132.	0.6	2
1863	An improved locality preserving projection with ℓ_1 -norm minimization for dimensionality reduction. Neurocomputing, 2018, 316, 322-331.	3.5	17
1864	Automatic Tongue Verification Based on Appearance Manifold Learning in Image Sequences for the Internet of Medical Things Platform. IEEE Access, 2018, 6, 43885-43891.	2.6	5
1865	Facial expression recognition using intra-class variation reduced features and manifold regularisation dictionary pair learning. IET Computer Vision, 2018, 12, 458-465.	1.3	10
1866	Modeling of facial aging and kinship: A survey. Image and Vision Computing, 2018, 80, 58-79.	2.7	20

#	ARTICLE	IF	CITATIONS
1867	Feature extraction based on Low-rank affinity matrix for biological recognition. Journal of Computational Science, 2018, 27, 199-205.	1.5	1
1868	Lp- and Ls-Norm Distance Based Robust Linear Discriminant Analysis. Neural Networks, 2018, 105, 393-404.	3.3	44
1869	Binary Multi-View Clustering. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2019, 41, 1774-1782.	9.7	342
1870	Generalized Discriminant Local Median Preserving Projections (GDLMP) for Face Recognition. Neural Processing Letters, 2019, 49, 951-963.	2.0	13
1871	A Pareto-Based Sparse Subspace Learning Framework. IEEE Transactions on Cybernetics, 2019, 49, 3859-3872.	6.2	9
1872	Machine health monitoring based on locally linear embedding with kernel sparse representation for neighborhood optimization. Mechanical Systems and Signal Processing, 2019, 114, 25-34.	4.4	56
1873	Sparse Low-Rank Component-Based Representation for Face Recognition With Low-Quality Images. IEEE Transactions on Information Forensics and Security, 2019, 14, 251-261.	4.5	24
1874	Face Recognition: Novel Comparison of Various Feature Extraction Techniques. Advances in Intelligent Systems and Computing, 2019, , 1189-1198.	0.5	7
1875	Nonnegative matrix factorization with manifold structure for face recognition. International Journal of Wavelets, Multiresolution and Information Processing, 2019, 17, 1940006.	0.9	4
1876	Structurally Incoherent Low-Rank 2DLPP for Image Classification. IEEE Transactions on Circuits and Systems for Video Technology, 2019, 29, 1701-1714.	5.6	20
1877	Discriminative Probabilistic Latent Semantic Analysis with Application to Single Sample Face Recognition. Neural Processing Letters, 2019, 49, 1273-1298.	2.0	11
1878	Joint sparse representation and locality preserving projection for feature extraction. International Journal of Machine Learning and Cybernetics, 2019, 10, 1731-1745.	2.3	27
1879	Generalized Robust Regression for Jointly Sparse Subspace Learning. IEEE Transactions on Circuits and Systems for Video Technology, 2019, 29, 756-772.	5.6	52
1880	An improve face representation and recognition method based on graph regularized non-negative matrix factorization. Multimedia Tools and Applications, 2019, 78, 22109-22126.	2.6	3
1881	Locally Joint Sparse Marginal Embedding for Feature Extraction. IEEE Transactions on Multimedia, 2019, 21, 3038-3052.	5.2	13
1882	Classification via semi-supervised multi-random subspace sparse representation. Signal, Image and Video Processing, 2019, 13, 1387-1394.	1.7	3
1883	Globality-Locality Preserving Maximum Variance Extreme Learning Machine. Complexity, 2019, 2019, 1-18.	0.9	2
1884	Discriminative feature extraction based on sparse and low-rank representation. Neurocomputing, 2019, 362, 129-138.	3.5	17

#	ARTICLE	IF	CITATIONS
1885	Efficient Linear Feature Extraction Based on Large Margin Nearest Neighbor. IEEE Access, 2019, 7, 78616-78624.	2.6	2
1886	Multiple Feature Learning Based on Edge-Preserving Features for Hyperspectral Image Classification. IEEE Access, 2019, 7, 106861-106872.	2.6	5
1887	Learning sparse discriminant low-rank features for low-resolution face recognition. Journal of Visual Communication and Image Representation, 2019, 63, 102590.	1.7	7
1888	Maximally Correlated Principal Component Analysis Based on Deep Parameterization Learning. ACM Transactions on Knowledge Discovery From Data, 2019, 13, 1-17.	2.5	7
1889	Locality Preserving Joint Transfer for Domain Adaptation. IEEE Transactions on Image Processing, 2019, 28, 6103-6115.	6.0	185
1890	Discriminative low-rank preserving projection for dimensionality reduction. Applied Soft Computing Journal, 2019, 85, 105768.	4.1	71
1891	Similarity mapping for robust face recognition via a single training sample per person. Pattern Recognition Letters, 2019, 128, 459-466.	2.6	4
1892	A novel strategy of near-infrared spectroscopy dimensionality reduction for discrimination of grades, varieties and origins of green tea. Vibrational Spectroscopy, 2019, 105, 102984.	1.2	24
1893	A Fault Monitoring Method Based on Transfer Subspace Learning. , 2019, , .		1
1894	A Low-Rank Representation Method Regularized by Dual-Hypergraph Laplacian for Selecting Differentially Expressed Genes. Human Heredity, 2019, 84, 21-33.	0.4	2
1895	Co-Training Based Sequential Three-Way Decisions for Cost-Sensitive Classification. , 2019, , .		5
1896	Learning Discriminative and Complementary Patches for Face Recognition. , 2019, , .		0
1897	Graph-based semisupervised and manifold learning for image retrieval with SVM-based relevant feedback. Journal of Intelligent and Fuzzy Systems, 2019, 37, 711-722.	0.8	3
1898	Neighbors-Based Graph Construction for Dimensionality Reduction. IEEE Access, 2019, 7, 138963-138971.	2.6	1
1899	Novel Pattern Recognition Using Bootstrap-Based Discriminant Locality-Preserving Projection and Its Application to Fault Diagnosis. Industrial & Engineering Chemistry Research, 2019, 58, 17906-17917.	1.8	13
1900	ALG: Adaptive low-rank graph regularization for scalable semi-supervised and unsupervised learning. Neurocomputing, 2019, 370, 16-27.	3.5	16
1901	Robust dimensionality reduction via feature space to feature space distance metric learning. Neural Networks, 2019, 112, 1-14.	3.3	66
1902	Learning Latent Stable Patterns for Image Understanding With Weak and Noisy Labels. IEEE Transactions on Cybernetics, 2019, 49, 4243-4252.	6.2	8

#	ARTICLE	IF	CITATIONS
1903	Jointly discriminative projection and dictionary learning for domain adaptive collaborative representation-based classification. <i>Pattern Recognition</i> , 2019, 90, 325-336.	5.1	10
1904	Bilateral Two-Dimensional Matrix Regression Preserving Discriminant Embedding for Corrupted Image Recognition. <i>IEEE Access</i> , 2019, 7, 13803-13816.	2.6	1
1905	Efficient Face Recognition Using Regularized Adaptive Non-Local Sparse Coding. <i>IEEE Access</i> , 2019, 7, 10653-10662.	2.6	7
1906	Facial Expression Recognition Using Graph Signal Processing on HOG. <i>IETE Journal of Research</i> , 2021, 67, 667-673.	1.8	12
1907	2DRLPP: Robust two-dimensional locality preserving projection with regularization. <i>Knowledge-Based Systems</i> , 2019, 169, 53-66.	4.0	13
1908	Robust auto-weighted projective low-rank and sparse recovery for visual representation. <i>Neural Networks</i> , 2019, 117, 201-215.	3.3	23
1909	Subspace structural constraint-based discriminative feature learning via nonnegative low rank representation. <i>PLoS ONE</i> , 2019, 14, e0215450.	1.1	13
1910	RIMFRA: Rotation-invariant multi-spectral facial recognition approach by using orthogonal polynomials. <i>Multimedia Tools and Applications</i> , 2019, 78, 26537-26567.	2.6	3
1911	A cyber network attack detection based on GM Median Nearest Neighbors LDA. <i>Computers and Security</i> , 2019, 86, 63-74.	4.0	10
1912	Global-and-local-structure-based neural network for fault detection. <i>Neural Networks</i> , 2019, 118, 43-53.	3.3	32
1913	Quantum Algorithm for Spectral Regression for Regularized Subspace Learning. <i>IEEE Access</i> , 2019, 7, 4825-4832.	2.6	5
1914	Graph-Regularized Discriminative Analysis-Synthesis Dictionary Pair Learning for Image Classification. <i>IEEE Access</i> , 2019, 7, 55398-55406.	2.6	10
1915	Intrinsic Metric Learning With Subspace Representation. <i>IEEE Access</i> , 2019, 7, 68572-68583.	2.6	1
1916	Manifold regularized discriminative feature selection for multi-label learning. <i>Pattern Recognition</i> , 2019, 95, 136-150.	5.1	189
1917	Supervised discriminative manifold learning with subsidiary-view information for near infrared spectroscopic classification of crop seeds. <i>Pattern Recognition Letters</i> , 2019, 125, 381-388.	2.6	4
1918	Multiplet selection. , 2019, , .		2
1919	Dimensionality reduction by collaborative preserving Fisher discriminant analysis. <i>Neurocomputing</i> , 2019, 356, 228-243.	3.5	24
1920	Feature Selective Projection with Low-Rank Embedding and Dual Laplacian Regularization. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2019, , 1-1.	4.0	58

#	ARTICLE	IF	CITATIONS
1921	Robust Jointly Sparse Regression with Generalized Orthogonal Learning for Image Feature Selection. <i>Pattern Recognition</i> , 2019, 93, 164-178.	5.1	26
1922	Sensors Information Fusion System with Fault Detection Based on Multi-Manifold Regularization Neighborhood Preserving Embedding. <i>Sensors</i> , 2019, 19, 1440.	2.1	5
1923	Learning Low-Rank Regularized Generic Representation With Block-Sparse Structure for Single Sample Face Recognition. <i>IEEE Access</i> , 2019, 7, 30573-30587.	2.6	11
1924	Flexible non-greedy discriminant subspace feature extraction. <i>Neural Networks</i> , 2019, 116, 166-177.	3.3	5
1925	Latent graph-regularized inductive robust principal component analysis. <i>Knowledge-Based Systems</i> , 2019, 177, 68-81.	4.0	5
1926	An Empirical Study of Image Resolution and Pose on Automatic Face Recognition. , 2019, , .		2
1927	A novel framework for face recognition using robust local representationâ€“based classification. <i>International Journal of Distributed Sensor Networks</i> , 2019, 15, 155014771983608.	1.3	0
1928	Face Recognition with Symmetrical Face Training Samples Based on Local Binary Patterns and the Gabor Filter. <i>Symmetry</i> , 2019, 11, 157.	1.1	18
1929	Multiview discriminative marginal metric learning for makeup face verification. <i>Neurocomputing</i> , 2019, 333, 339-350.	3.5	12
1930	Face recognition via Deep Stacked Denoising Sparse Autoencoders (DSDSA). <i>Applied Mathematics and Computation</i> , 2019, 355, 325-342.	1.4	37
1931	A review of face recognition methods using deep learning network. <i>Journal of Information and Optimization Sciences</i> , 2019, 40, 547-558.	0.2	20
1932	A Semisupervised Spatial Spectral Regularized Manifold Local Scaling Cut With HGF for Dimensionality Reduction of Hyperspectral Images. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 3423-3435.	2.7	7
1933	Process Monitoring Based on Orthogonal Locality Preserving Projection with Maximum Likelihood Estimation. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 5579-5587.	1.8	11
1934	Deep Sparse Representation Classifier for facial recognition and detection system. <i>Pattern Recognition Letters</i> , 2019, 125, 71-77.	2.6	67
1935	Efficient Large Margin-Based Feature Extraction. <i>Neural Processing Letters</i> , 2019, 50, 1257-1279.	2.0	4
1936	Face recognition in low-quality images using adaptive sparse representations. <i>Image and Vision Computing</i> , 2019, 85, 46-58.	2.7	20
1937	Weighted Neighborhood Preserving Ensemble Embedding. <i>Electronics (Switzerland)</i> , 2019, 8, 219.	1.8	8
1938	Fractional fuzzy 2DLDA approach for pomegranate fruit grade classification. <i>Computers and Electronics in Agriculture</i> , 2019, 162, 95-105.	3.7	19

#	ARTICLE	IF	CITATIONS
1939	A General Approach for Achieving Supervised Subspace Learning in Sparse Representation. IEEE Access, 2019, 7, 74017-74028.	2.6	1
1940	Co-occurrence matching of local binary patterns for improving visual adaption and its application to smoke recognition. IET Computer Vision, 2019, 13, 178-187.	1.3	8
1941	A Robust Face Recognition Method Combining LBP with Multi-mirror Symmetry for Images with Various Face Interferences. International Journal of Automation and Computing, 2019, 16, 671-682.	4.5	17
1942	Sparse Low-Rank Preserving Projection for Dimensionality Reduction. IEEE Access, 2019, 7, 22941-22951.	2.6	13
1943	A nonlinear and explicit framework of supervised manifold-feature extraction for hyperspectral image classification. Neurocomputing, 2019, 337, 315-324.	3.5	28
1944	Histogram-Based CRC for 3D-Aided Pose-Invariant Face Recognition. Sensors, 2019, 19, 759.	2.1	8
1945	Oceanic Data Analysis with Deep Learning Models. Cognitive Computation Trends, 2019, , 139-160.	1.7	0
1946	Manifold Smoothed Class-specific Discriminant Collaborative Representation for Face Recognition. , 2019, , .		1
1947	Dynamic Laplacian eigenmaps for process monitoring. , 2019, , .		0
1948	Orthogonal Locality Preserving Projections Thermography for Subsurface Defect Detection. , 2019, , .		2
1949	Capped $l_{2,1}$ -Norm Regularized Dictionary Coding for Scalable Semi-Supervised Learning. , 2019, , .		0
1950	Sub-Graph Regularization for Scalable Semi-supervised Classification. , 2019, , .		0
1951	Attendance System Based on Face Recognition System Using CNN-PCA Method and Real-time Camera. , 2019, , .		31
1952	Structure-Constrained Feature Extraction by Autoencoders for Subspace Clustering. , 2019, , .		0
1953	Capped $l_{2,1}$ -Norm Regularization on Kernel Regression for Robust Semi-supervised Learning. , 2019, , .		1
1954	Novel multispectral face descriptor using orthogonal walsh codes. IET Image Processing, 2019, 13, 1097-1104.	1.4	6
1955	Multiple Kernel Feature Line Embedding for Hyperspectral Image Classification. Remote Sensing, 2019, 11, 2892.	1.8	6
1956	Unsupervised Dimension Reduction Using Supervised Orthogonal Discriminant Projection for Clustering. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
1957	Granular Approach for Recognizing Surgically Altered Face Images Using Keypoint Descriptors and Artificial Neural Network. , 2019, , .		0
1958	Semi-supervised Sparse Representation Classification with Insufficient Samples. , 2019, , .		1
1959	Sparse Coding with Outliers. , 2019, , .		0
1960	Scalable Robust Spectral Ensemble Clustering. , 2019, , .		0
1961	Augmented SRC for face recognition under quality distortions. IET Biometrics, 2019, 8, 431-442.	1.6	2
1962	Feature extraction and classification for spoken letter recognition using locality preserving partial least squares discriminant analysis. AIP Conference Proceedings, 2019, , .	0.3	0
1963	Authnet: Biometric Authentication Through Adversarial Learning. , 2019, , .		5
1964	Notice of Retraction: Interpretable Facial Semantic Extractor Based on Axiomatic Fuzzy Set. IEEE Access, 2019, 7, 164294-164303.	2.6	1
1965	Learning mappings onto regularized latent spaces for biometric authentication. , 2019, , .		4
1966	Remaining useful life prediction of rolling bearing using adaptive sparsest narrow-band decomposition and locality preserving projections. Advances in Mechanical Engineering, 2019, 11, 168781401988977.	0.8	3
1967	Nonpeaked Discriminant Analysis for Data Representation. IEEE Transactions on Neural Networks and Learning Systems, 2019, 30, 3818-3832.	7.2	102
1968	Multiview Clustering via Robust Neighboring Constraint Nonnegative Matrix Factorization. Mathematical Problems in Engineering, 2019, 2019, 1-10.	0.6	3
1969	L_{α} -Regularization-Based Sparse Semi-Supervised Learning for Data with Complex Distributions. , 2019, , .		0
1970	Dimensionality Reduction via Locality Constrained Competitive Sparse Representation by L2-Norm Regularization. , 2019, , .		1
1971	A Similar Distribution Discriminant Analysis with Orthogonal and Nearly Statistically Uncorrelated Characteristics. Mathematical Problems in Engineering, 2019, 2019, 1-10.	0.6	2
1972	When collaborative representation meets subspace projection: A novel supervised framework of graph construction augmented by anti-collaborative representation. Neurocomputing, 2019, 328, 157-170.	3.5	7
1973	Quality-Relevant Fault Monitoring Based on Locally Linear Embedding Orthogonal Projection to Latent Structure. Industrial & Engineering Chemistry Research, 2019, 58, 1262-1272.	1.8	30
1974	Quality monitoring in wire-arc additive manufacturing based on cooperative awareness of spectrum and vision. Optik, 2019, 181, 351-360.	1.4	31

#	ARTICLE	IF	CITATIONS
1975	Learning a discriminant graph-based embedding with feature selection for image categorization. <i>Neural Networks</i> , 2019, 111, 35-46.	3.3	39
1976	Density-sensitive Robust Fuzzy Kernel Principal Component Analysis technique. <i>Neurocomputing</i> , 2019, 329, 210-226.	3.5	15
1977	Manifold embedding for zero-shot recognition. <i>Cognitive Systems Research</i> , 2019, 55, 34-43.	1.9	3
1978	A Robust Group-Sparse Representation Variational Method With Applications to Face Recognition. <i>IEEE Transactions on Image Processing</i> , 2019, 28, 2785-2798.	6.0	27
1979	Greedy Sensor Placement With Cost Constraints. <i>IEEE Sensors Journal</i> , 2019, 19, 2642-2656.	2.4	56
1980	Low-Rank Projection Learning via Graph Embedding. <i>Neurocomputing</i> , 2019, 348, 97-106.	3.5	7
1981	A survey on Laplacian eigenmaps based manifold learning methods. <i>Neurocomputing</i> , 2019, 335, 336-351.	3.5	39
1982	Embedded feature selection accounting for unknown data heterogeneity. <i>Expert Systems With Applications</i> , 2019, 119, 350-361.	4.4	42
1983	Face feature extraction and recognition via local binary pattern and two-dimensional locality preserving projection. <i>Multimedia Tools and Applications</i> , 2019, 78, 14971-14987.	2.6	6
1984	Dual Pursuit for Subspace Learning. <i>IEEE Transactions on Multimedia</i> , 2019, 21, 1399-1411.	5.2	18
1985	Toward Efficient Image Representation: Sparse Concept Discriminant Matrix Factorization. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2019, 29, 3184-3198.	5.6	11
1986	Laplacian regularized low-rank representation for cancer samples clustering. <i>Computational Biology and Chemistry</i> , 2019, 78, 504-509.	1.1	9
1987	A multilinear collaborative representation preserving projections method for feature extraction. <i>Journal of Computational Science</i> , 2019, 30, 48-54.	1.5	1
1989	Simultaneously Learning Neighborhood and Projection Matrix for Supervised Dimensionality Reduction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2019, 30, 2779-2793.	7.2	29
1990	Feature Classification Based on Manifold Dimension Reduction for Night-Vision Images. , 2019, , 87-125.		0
1991	Night-Vision Data Classification Based on Sparse Representation and Random Subspace. , 2019, , 127-173.		0
1992	Robust heterogeneous discriminative analysis for face recognition with single sample per person. <i>Pattern Recognition</i> , 2019, 89, 91-107.	5.1	43
1993	Diversity-induced fuzzy clustering. <i>International Journal of Approximate Reasoning</i> , 2019, 106, 89-106.	1.9	5

#	ARTICLE	IF	CITATIONS
1994	Unsupervised robust discriminative manifold embedding with self-expressiveness. <i>Neural Networks</i> , 2019, 113, 102-115.	3.3	8
1995	Dual Hypergraph Regularized PCA for Biclustering of Tumor Gene Expression Data. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2019, 31, 2292-2303.	4.0	8
1996	Nonrigid Point Set Registration With Robust Transformation Learning Under Manifold Regularization. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2019, 30, 3584-3597.	7.2	108
1997	Feature extraction based on graph discriminant embedding and its applications to face recognition. <i>Soft Computing</i> , 2019, 23, 7015-7028.	2.1	9
1998	Shearlet feature manifold for face recognition. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2019, 10, 3453-3460.	3.3	3
1999	Wearable Computing for Internet of Things: A Discriminant Approach for Human Activity Recognition. <i>IEEE Internet of Things Journal</i> , 2019, 6, 2749-2759.	5.5	61
2000	Self-Tuned Discrimination-Aware Method for Unsupervised Feature Selection. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2019, 30, 2275-2284.	7.2	13
2001	Appropriate points choosing for subspace learning over image classification. <i>Journal of Supercomputing</i> , 2019, 75, 688-703.	2.4	4
2002	Discriminant locality preserving projections based on L2,-norm for image feature extraction and recognition. <i>Journal of Visual Communication and Image Representation</i> , 2019, 58, 166-177.	1.7	12
2003	Classification of symmetric positive definite matrices based on bilinear isometric Riemannian embedding. <i>Pattern Recognition</i> , 2019, 87, 94-105.	5.1	13
2004	Local polynomial contrast binary patterns for face recognition. <i>Neurocomputing</i> , 2019, 355, 1-12.	3.5	19
2005	Angle-based embedding quality assessment method for manifold learning. <i>Neural Computing and Applications</i> , 2019, 31, 839-849.	3.2	3
2006	Facial semantic representation for ethnical Chinese minorities based on geometric similarity. <i>International Journal of Machine Learning and Cybernetics</i> , 2019, 10, 463-483.	2.3	1
2007	Low-Rank 2-D Neighborhood Preserving Projection for Enhanced Robust Image Representation. <i>IEEE Transactions on Cybernetics</i> , 2019, 49, 1859-1872.	6.2	47
2008	WpmDecolor: weighted projection maximum solver for contrast-preserving decolorization. <i>Visual Computer</i> , 2019, 35, 205-221.	2.5	14
2009	Multiple feature subspaces analysis for single sample per person face recognition. <i>Visual Computer</i> , 2019, 35, 239-256.	2.5	19
2010	Low-Rank Preserving Projection Via Graph Regularized Reconstruction. <i>IEEE Transactions on Cybernetics</i> , 2019, 49, 1279-1291.	6.2	118
2011	Sparse two-dimensional discriminant locality-preserving projection (S2DDLPP) for feature extraction. <i>Soft Computing</i> , 2019, 23, 5511-5518.	2.1	13

#	ARTICLE	IF	CITATIONS
2012	Horizontal and Vertical Nuclear Norm-Based 2DLDA for Image Representation. IEEE Transactions on Circuits and Systems for Video Technology, 2019, 29, 941-955.	5.6	18
2013	Adaptive Structure Discovery for Multimedia Analysis Using Multiple Features. IEEE Transactions on Cybernetics, 2019, 49, 1826-1834.	6.2	35
2014	Transfer Independently Together: A Generalized Framework for Domain Adaptation. IEEE Transactions on Cybernetics, 2019, 49, 2144-2155.	6.2	208
2015	Local binary patterns based on directional wavelet transform for expression and pose-invariant face recognition. Applied Computing and Informatics, 2019, 15, 163-171.	3.7	32
2016	Sparsity Regularization Discriminant Projection for Feature Extraction. Neural Processing Letters, 2019, 49, 539-553.	2.0	8
2017	Recognition of plastic surgery faces and the surgery types: An approach with entropy based scale invariant features. Journal of King Saud University - Computer and Information Sciences, 2019, 31, 554-560.	2.7	6
2018	Feature Selection Based Transfer Subspace Learning for Speech Emotion Recognition. IEEE Transactions on Affective Computing, 2020, 11, 373-382.	5.7	52
2020	Spectral Clustering by Joint Spectral Embedding and Spectral Rotation. IEEE Transactions on Cybernetics, 2020, 50, 247-258.	6.2	60
2021	Hyper-Laplacian Regularized Multilinear Multiview Self-Representations for Clustering and Semisupervised Learning. IEEE Transactions on Cybernetics, 2020, 50, 572-586.	6.2	114
2022	Unidirectional Representation-Based Efficient Dictionary Learning. IEEE Transactions on Circuits and Systems for Video Technology, 2020, 30, 59-74.	5.6	5
2024	PCAPool: unsupervised feature learning for face recognition using PCA, LBP, and pyramid pooling. Pattern Analysis and Applications, 2020, 23, 673-682.	3.1	14
2025	Collaborative representation-based discriminant neighborhood projections for face recognition. Neural Computing and Applications, 2020, 32, 5815-5832.	3.2	21
2026	Trace Quotient with Sparsity Priors for Learning Low Dimensional Image Representations. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2020, 42, 3119-3135.	9.7	11
2027	Local tangent space alignment based on Hilbert-Schmidt independence criterion regularization. Pattern Analysis and Applications, 2020, 23, 855-868.	3.1	4
2028	Logistic Regression Confined by Cardinality-Constrained Sample and Feature Selection. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2020, 42, 1713-1728.	9.7	32
2029	Two-dimensional joint local and nonlocal discriminant analysis-based 2D image feature extraction for deep learning. Neural Computing and Applications, 2020, 32, 6009-6024.	3.2	12
2030	Optimal Discriminative Projection for Sparse Representation-Based Classification via Bilevel Optimization. IEEE Transactions on Circuits and Systems for Video Technology, 2020, 30, 1065-1077.	5.6	17
2031	Discriminative globality-locality preserving extreme learning machine for image classification. Neurocomputing, 2020, 387, 13-21.	3.5	6

#	ARTICLE	IF	CITATIONS
2032	Multi-view diffusion maps. Information Fusion, 2020, 55, 127-149.	11.7	22
2033	Early warning system: From face recognition by surveillance cameras to social media analysis to detecting suspicious people. Physica A: Statistical Mechanics and Its Applications, 2020, 540, 123151.	1.2	21
2034	A generalized least-squares approach regularized with graph embedding for dimensionality reduction. Pattern Recognition, 2020, 98, 107023.	5.1	39
2035	Graph constraint-based robust latent space low-rank and sparse subspace clustering. Neural Computing and Applications, 2020, 32, 8187-8204.	3.2	5
2036	Dimensionality Reduction Using Discriminant Collaborative Locality Preserving Projections. Neural Processing Letters, 2020, 51, 611-638.	2.0	4
2037	Discrimination-Aware Projected Matrix Factorization. IEEE Transactions on Knowledge and Data Engineering, 2020, 32, 809-814.	4.0	18
2038	Laplacian-Uniform Mixture-Driven Iterative Robust Coding With Applications to Face Recognition Against Dense Errors. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 3620-3633.	7.2	6
2039	Multiview Uncorrelated Locality Preserving Projection. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 3442-3455.	7.2	34
2040	A local multiple patterns feature descriptor for face recognition. Neurocomputing, 2020, 373, 109-122.	3.5	42
2041	Weighted-fusion feature of MB-LBPUH and HOG for facial expression recognition. Soft Computing, 2020, 24, 5859-5875.	2.1	13
2042	A new intelligent fault identification method based on transfer locality preserving projection for actual diagnosis scenario of rotating machinery. Mechanical Systems and Signal Processing, 2020, 135, 106344.	4.4	51
2043	On the optimal solution to maximum margin projection pursuit. Multimedia Tools and Applications, 2020, 79, 35441-35461.	2.6	0
2044	Structured optimal graph based sparse feature extraction for semi-supervised learning. Signal Processing, 2020, 170, 107456.	2.1	111
2045	Spatial-Neighborhood Manifold Learning for Nondestructive Testing of Defects in Polymer Composites. IEEE Transactions on Industrial Informatics, 2020, 16, 4639-4649.	7.2	43
2046	Unsupervised Manifold-Preserving and Weakly Redundant Band Selection Method for Hyperspectral Imagery. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 1156-1170.	2.7	20
2047	Jointly Sparse Locality Regression for Image Feature Extraction. IEEE Transactions on Multimedia, 2020, 22, 2873-2888.	5.2	4
2048	Attention-based convolutional neural network for deep face recognition. Multimedia Tools and Applications, 2020, 79, 5595-5616.	2.6	55
2049	Incremental and dynamic graph construction with application to image classification. Expert Systems With Applications, 2020, 144, 113117.	4.4	7

#	ARTICLE	IF	CITATIONS
2050	Robust Flexible Preserving Embedding. IEEE Transactions on Cybernetics, 2020, 50, 4495-4507.	6.2	15
2051	Structured Optimal Graph-Based Clustering With Flexible Embedding. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 3801-3813.	7.2	7
2052	Face recognition based on multi-scale local directional value. Multimedia Tools and Applications, 2020, 79, 2409-2425.	2.6	5
2053	Discriminative globality and locality preserving graph embedding for dimensionality reduction. Expert Systems With Applications, 2020, 144, 113079.	4.4	36
2054	Adaptive Sample-Level Graph Combination for Partial Multiview Clustering. IEEE Transactions on Image Processing, 2020, 29, 2780-2794.	6.0	15
2055	A manifold learning regularization approach to enhance 3D CT image-based lung nodule classification. International Journal of Computer Assisted Radiology and Surgery, 2020, 15, 287-295.	1.7	45
2056	SRSC: Selective, Robust, and Supervised Constrained Feature Representation for Image Classification. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 4290-4302.	7.2	26
2057	A Novel Angle-Based Learning Framework on Semi-supervised Dimensionality Reduction in High-Dimensional Data with Application to Action Recognition. Arabian Journal for Science and Engineering, 2020, 45, 11051-11063.	1.7	0
2058	Two-Dimensional Semi-Supervised Feature Selection. , 2020, , .		1
2059	Dimensionality Reduction of Tensors Based on Local Homeomorphism and Global Subspace Projection Distance Minimum. IEEE Access, 2020, 8, 116064-116077.	2.6	4
2060	Face recognition: Past, present and future (a review). , 2020, 106, 102809.		98
2061	Face Recognition Using RLDA Method Based on Mutated Cuckoo Search Algorithm to Extract Optimal Features. International Journal of Applied Metaheuristic Computing, 2020, 11, 118-133.	0.5	4
2062	Modulated Broadband Mode Decomposition for the Feature Extraction of Double Pulse Metal Inert Gas Welding. IEEE Access, 2020, 8, 134031-134041.	2.6	4
2063	Facial Expression Recognition via a CBAM Embedded Network. Procedia Computer Science, 2020, 174, 463-477.	1.2	21
2064	Feature Extraction of Double Pulse Metal Inert Gas Welding Based on Broadband Mode Decomposition and Locality Preserving Projection. Mathematical Problems in Engineering, 2020, 2020, 1-16.	0.6	2
2065	Multi-fidelity sensor selection: Greedy algorithms to place cheap and expensive sensors with cost constraints. IEEE Sensors Journal, 2020, , 1-1.	2.4	19
2066	Joint Sparsity and Collaboration Preserving Projections for Rotating Electrical Machinery Fault Diagnosis. IEEE Access, 2020, 8, 189842-189854.	2.6	2
2067	Multiview Consensus Structure Discovery. IEEE Transactions on Cybernetics, 2022, 52, 3469-3482.	6.2	9

#	ARTICLE	IF	CITATIONS
2068	Minimum Eigenvector Collaborative Representation Discriminant Projection for Feature Extraction. Sensors, 2020, 20, 4778.	2.1	2
2069	Adversarial Learning of Mappings Onto Regularized Spaces for Biometric Authentication. IEEE Access, 2020, 8, 149316-149331.	2.6	1
2070	Isomap-Based Three-Dimensional Operational Modal Analysis. Scientific Programming, 2020, 2020, 1-18.	0.5	5
2071	Low-Rank Discriminative Adaptive Graph Preserving Subspace Learning. Neural Processing Letters, 2020, 52, 2127-2149.	2.0	5
2072	New Variants of Global-Local Partial Least Squares Discriminant Analysis for Appearance-Based Face Recognition. IEEE Access, 2020, 8, 166703-166720.	2.6	6
2073	A dynamic inverse distance weighting-based local face descriptor. Multimedia Tools and Applications, 2020, 79, 31087-31102.	2.6	1
2074	Minimum class variance multiple kernel learning. Knowledge-Based Systems, 2020, 208, 106469.	4.0	6
2075	Robust Image Feature Extraction via Approximate Orthogonal Low-Rank Embedding. IEEE Access, 2020, 8, 193226-193237.	2.6	0
2076	Concept Factorization With Local Centroids. IEEE Transactions on Neural Networks and Learning Systems, 2021, 32, 5247-5253.	7.2	8
2077	Learning Robust Discriminant Subspace Based on Joint $L_{2,1}$ - and $L_{2,1}$ -Norm Distance Metrics. IEEE Transactions on Neural Networks and Learning Systems, 2022, 33, 130-144.	7.2	80
2078	Manifold Learning Based on Straight-Like Geodesics and Local Coordinates. IEEE Transactions on Neural Networks and Learning Systems, 2020, 32, 1-15.	7.2	2
2079	Occluded face recognition using NonCoherent dictionary. Journal of Intelligent and Fuzzy Systems, 2020, 38, 6423-6435.	0.8	7
2080	Double graphs-based discriminant projections for dimensionality reduction. Neural Computing and Applications, 2020, 32, 17533-17550.	3.2	17
2081	Regularized least squares locality preserving projections with applications to image recognition. Neural Networks, 2020, 128, 322-330.	3.3	16
2082	A Hybrid Features Extraction on Face for Efficient Face Recognition. Multimedia Tools and Applications, 2020, 79, 22595-22616.	2.6	13
2083	Research on feature selection for rotating machinery based on Supervision Kernel Entropy Component Analysis with Whale Optimization Algorithm. Applied Soft Computing Journal, 2020, 92, 106245.	4.1	28
2084	Robust Manifold Embedding for Face Recognition. IEEE Access, 2020, 8, 101224-101234.	2.6	4
2085	Fully Convolutional Networks and a Manifold Graph Embedding-Based Algorithm for PolSAR Image Classification. Remote Sensing, 2020, 12, 1467.	1.8	10

#	ARTICLE	IF	CITATIONS
2086	Orthogonal neighborhood preserving discriminant analysis with patch embedding for face recognition. Pattern Recognition, 2020, 106, 107450.	5.1	10
2087	Discriminative sparse embedding based on adaptive graph for dimension reduction. Engineering Applications of Artificial Intelligence, 2020, 94, 103758.	4.3	31
2088	An Efficient Privacy-preserving IoT System for Face Recognition. , 2020, , .		5
2089	Large Graph Clustering With Simultaneous Spectral Embedding and Discretization. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2021, 43, 4426-4440.	9.7	46
2090	Diagnosis of schizophrenia from R-fMRI data using Ripplet transform and OLPP. Multimedia Tools and Applications, 2020, 79, 23401-23423.	2.6	6
2091	Regularized Negative Label Relaxation Least Squares Regression for Face Recognition. Neural Processing Letters, 2020, 51, 2629-2647.	2.0	13
2092	Semi-supervised partial least squares. International Journal of Wavelets, Multiresolution and Information Processing, 2020, 18, 2050014.	0.9	2
2093	Unsupervised Discriminative Projection for Feature Selection. IEEE Transactions on Knowledge and Data Engineering, 2022, 34, 942-953.	4.0	18
2094	On general matrix exponential discriminant analysis methods for high dimensionality reduction. Calcolo, 2020, 57, 1.	0.6	2
2095	Fast and incremental algorithms for exponential semi-supervised discriminant embedding. Pattern Recognition, 2020, 108, 107530.	5.1	3
2096	Robust Bi-stochastic Graph Regularized Matrix Factorization for Data Clustering. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2020, 44, 1-1.	9.7	40
2097	Biometric System for Identification Person by Face Image. , 2020, , .		0
2098	Linear regression classification steered discriminative projection for dimension reduction. Multimedia Tools and Applications, 2020, 79, 11993-12005.	2.6	6
2099	A Kernel-Based Probabilistic Collaborative Representation for Face Recognition. IEEE Access, 2020, 8, 37946-37957.	2.6	6
2100	Local preserving logistic l-Relief for semi-supervised feature selection. Neurocomputing, 2020, 399, 48-64.	3.5	18
2101	Deep learning approach based on dimensionality reduction for designing electromagnetic nanostructures. Npj Computational Materials, 2020, 6, .	3.5	139
2102	A Geometric Understanding of Deep Learning. Engineering, 2020, 6, 361-374.	3.2	64
2103	Face recognition using patch manifold learning across plastic surgery from a single training exemplar per enrolled person. Signal, Image and Video Processing, 2020, 14, 1071-1077.	1.7	3

#	ARTICLE	IF	CITATIONS
2104	Scalable spectral ensemble clustering via building representative co-association matrix. Neurocomputing, 2020, 390, 158-167.	3.5	9
2105	Tongue Image Alignment via Conformal Mapping for Disease Detection. IEEE Access, 2020, 8, 9796-9808.	2.6	11
2106	Verifying the Effectiveness of New Face Spoofing DB with Capture Angle and Distance. Electronics (Switzerland), 2020, 9, 661.	1.8	6
2107	Supervised Structural Sparse Subspace Learning Based on Hierarchical Locality Preservation for Multimodal and Mixmodal Data. IEEE Access, 2020, 8, 52245-52256.	2.6	1
2108	Exponential sparsity preserving projection with applications to image recognition. Pattern Recognition, 2020, 104, 107357.	5.1	9
2109	Randomized Generalized Singular Value Decomposition. Communications on Applied Mathematics and Computation, 2021, 3, 137-156.	0.7	4
2110	An iterative method for classification of binary data. Information and Inference, 2021, 10, 261-283.	0.9	1
2111	Protein Fold Recognition Based on Auto-Weighted Multi-view Graph Embedding Learning Model. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2021, 18, 1-1.	1.9	7
2112	Robust Kernelized Multiview Self-Representation for Subspace Clustering. IEEE Transactions on Neural Networks and Learning Systems, 2021, 32, 868-881.	7.2	39
2113	Modal-Regression-Based Structured Low-Rank Matrix Recovery for Multiview Learning. IEEE Transactions on Neural Networks and Learning Systems, 2021, 32, 1204-1216.	7.2	4
2114	Dissimilarity-based nearest neighbor classifier for single-sample face recognition. Visual Computer, 2021, 37, 673-684.	2.5	7
2115	Hyperspectral and Multispectral Image Fusion via Graph Laplacian-Guided Coupled Tensor Decomposition. IEEE Transactions on Geoscience and Remote Sensing, 2021, 59, 648-662.	2.7	51
2116	Application of Locality Preserving Projection-Based Unsupervised Learning in Predicting the Oil Production for Low-Permeability Reservoirs. SPE Journal, 2021, 26, 1302-1313.	1.7	6
2117	2D-human face recognition using SIFT and SURF descriptors of face's feature regions. Visual Computer, 2021, 37, 447-456.	2.5	110
2118	Relaxed local preserving regression for image feature extraction. Multimedia Tools and Applications, 2021, 80, 3729-3748.	2.6	1
2119	Projected fuzzy C-means clustering with locality preservation. Pattern Recognition, 2021, 113, 107748.	5.1	38
2120	Deep face recognition: A survey. Neurocomputing, 2021, 429, 215-244.	3.5	348
2121	LMZMPM: Local Modified Zernike Moment Per-Unit Mass for Robust Human Face Recognition. IEEE Transactions on Information Forensics and Security, 2021, 16, 495-509.	4.5	15

#	ARTICLE	IF	CITATIONS
2122	Unsupervised double weighted domain adaptation. <i>Neural Computing and Applications</i> , 2021, 33, 3545-3566.	3.2	5
2123	Ratio sum formula for dimensionality reduction. <i>Multimedia Tools and Applications</i> , 2021, 80, 4367-4382.	2.6	3
2124	Classical and modern face recognition approaches: a complete review. <i>Multimedia Tools and Applications</i> , 2021, 80, 4825-4880.	2.6	61
2125	SVMs multi-class loss feedback based discriminative dictionary learning for image classification. <i>Pattern Recognition</i> , 2021, 112, 107690.	5.1	16
2126	Discriminative metric learning for face verification using enhanced Siamese neural network. <i>Multimedia Tools and Applications</i> , 2021, 80, 8563-8580.	2.6	11
2127	Low-rank adaptive graph embedding for unsupervised feature extraction. <i>Pattern Recognition</i> , 2021, 113, 107758.	5.1	39
2128	Local improvement approach and linear discriminant analysis-based local binary pattern for face recognition. <i>Neural Computing and Applications</i> , 2021, 33, 7691-7707.	3.2	11
2129	A novel dimensionality reduction method: Similarity order preserving discriminant analysis. <i>Signal Processing</i> , 2021, 182, 107933.	2.1	12
2130	A neighborhood prior constrained collaborative representation for classification. <i>International Journal of Wavelets, Multiresolution and Information Processing</i> , 2021, 19, 2050073.	0.9	7
2131	Laplacian regularized low-rank sparse representation transfer learning. <i>International Journal of Machine Learning and Cybernetics</i> , 2021, 12, 807-821.	2.3	4
2132	Eccentricity based kinship verification from facial images in the wild. <i>Pattern Analysis and Applications</i> , 2021, 24, 119-144.	3.1	8
2133	Face recognition with a new local descriptor based on strings of successive values. <i>Multimedia Tools and Applications</i> , 2021, 80, 27017-27044.	2.6	1
2134	Change Detection in Landsat Images Using Unsupervised Learning and RBF-Based Clustering. <i>IEEE Transactions on Emerging Topics in Computational Intelligence</i> , 2021, 5, 284-297.	3.4	13
2135	Non-negative sparse Laplacian regularized latent multi-view subspace clustering. <i>Journal of Algorithms and Computational Technology</i> , 2021, 15, 174830262110249.	0.4	2
2136	Low-Rank Joint Embedding and Its Application for Robust Process Monitoring. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-13.	2.4	14
2137	Proposed big data architecture for facial recognition using machine learning. <i>AIMS Electronics and Electrical Engineering</i> , 2021, 5, 68-92.	0.8	8
2138	Pseudo Bidirectional Linear Discriminant Analysis for Multivariate Time Series Classification. <i>IEEE Access</i> , 2021, 9, 88674-88684.	2.6	1
2139	Dimensionality Reduction for Tensor Data Based on Local Decision Margin Maximization. <i>IEEE Transactions on Image Processing</i> , 2021, 30, 234-248.	6.0	7

#	ARTICLE	IF	CITATIONS
2140	Unsupervised dimensionality reduction based on fusing multiple clustering results. IEEE Transactions on Knowledge and Data Engineering, 2021, , 1-1.	4.0	0
2141	Feature Line Embedding Based on Support Vector Machine for Hyperspectral Image Classification. Remote Sensing, 2021, 13, 130.	1.8	19
2142	Generating transferable adversarial examples based on perceptually-aligned perturbation. International Journal of Machine Learning and Cybernetics, 2021, 12, 3295-3307.	2.3	7
2143	Deep Metric Learning for K Nearest Neighbor Classification. IEEE Transactions on Knowledge and Data Engineering, 2021, , 1-1.	4.0	5
2144	Feature Weighted Non-Negative Matrix Factorization. IEEE Transactions on Cybernetics, 2023, 53, 1093-1105.	6.2	7
2145	Entropy K-Means Clustering With Feature Reduction Under Unknown Number of Clusters. IEEE Access, 2021, 9, 67736-67751.	2.6	23
2146	Face Recognition Using Transfer Learning on Facenet: Application to Banking Operations. Studies in Computational Intelligence, 2021, , 301-309.	0.7	3
2147	IOT-Based Occlusion Invariant Face Recognition System. Lecture Notes in Networks and Systems, 2021, , 423-430.	0.5	1
2148	Adversarial Attacks Against Face Recognition: A Comprehensive Study. IEEE Access, 2021, 9, 92735-92756.	2.6	25
2149	Identification of Gramineous Grass Seeds Using Gabor and Locality Preserving Projections. , 2021, , 23-37.		1
2150	Multi-View Clustering Based on Invisible Weights. IEEE Signal Processing Letters, 2021, 28, 1051-1055.	2.1	9
2151	Joint Dynamic Manifold and Discriminant Information Learning for Feature Extraction. IEEE Transactions on Neural Networks and Learning Systems, 2023, 34, 2753-2766.	7.2	2
2152	Sparse Graph Embedding Based on the Fuzzy Set for Image Classification. Complexity, 2021, 2021, 1-10.	0.9	1
2153	Heterogeneous Domain Adaptation With Structure and Classification Space Alignment. IEEE Transactions on Cybernetics, 2022, 52, 10328-10338.	6.2	15
2154	A Deep Learning-Based Human Identification System With Wi-Fi CSI Data Augmentation. IEEE Access, 2021, 9, 91913-91920.	2.6	3
2155	L1-Norm and Trace Lasso Based Locality Correlation Projection. Communications in Computer and Information Science, 2021, , 73-84.	0.4	0
2156	Audio-Visual Biometric Recognition and Presentation Attack Detection: A Comprehensive Survey. IEEE Access, 2021, 9, 37431-37455.	2.6	17
2157	Local-Friis-Radiation-Pattern (LFRP) for Face Recognition. Sensing and Imaging, 2021, 22, 1.	1.0	5

#	ARTICLE	IF	CITATIONS
2158	Robust Discriminant Projection Via Joint Margin and Locality Structure Preservation. <i>Neural Processing Letters</i> , 2021, 53, 959-982.	2.0	3
2159	Joint Lp-Norm and L2,1-Norm Constrained Graph Laplacian PCA for Robust Tumor Sample Clustering and Gene Network Module Discovery. <i>Frontiers in Genetics</i> , 2021, 12, 621317.	1.1	3
2160	A Novel Discriminant Locality Preserving Projections Method. <i>Journal of Mathematical Imaging and Vision</i> , 2021, 63, 541.	0.8	14
2161	Force Field Feature Extraction Using Fast Algorithm for Face Recognition Performance. <i>Journal of Physics: Conference Series</i> , 2021, 1818, 012195.	0.3	0
2162	Optimum Feature Selection with Particle Swarm Optimization to Face Recognition System Using Gabor Wavelet Transform and Deep Learning. <i>BioMed Research International</i> , 2021, 2021, 1-13.	0.9	29
2163	Sparse representation for face recognition: A review paper. <i>IET Image Processing</i> , 2021, 15, 1825-1844.	1.4	8
2164	Efficient high-speed framework for sparse representation-based iris recognition. <i>IET Biometrics</i> , 2021, 10, 304-314.	1.6	1
2165	Uncorrelated discriminant graph embedding for fault classification. <i>Canadian Journal of Chemical Engineering</i> , 2021, 99, S245.	0.9	6
2166	Feature Extraction via Sparse Fuzzy Difference Embedding (SFDE) for Robust Subspace Learning. <i>Neural Processing Letters</i> , 2021, 53, 2113-2128.	2.0	2
2167	Deep Regularized Discriminative Network. <i>SN Computer Science</i> , 2021, 2, 1.	2.3	1
2168	Feature extraction via prototype margin distance maximizing criterion for subspace learning. <i>Optik</i> , 2021, 231, 166491.	1.4	2
2169	Learning to Recognize Masked Faces by Data Synthesis. , 2021, , .		4
2170	FoggySight: A Scheme for Facial Lookup Privacy. <i>Proceedings on Privacy Enhancing Technologies</i> , 2021, 2021, 204-226.	2.3	3
2171	Principal component analysis is limited to low-resolution analysis in cryoEM. <i>Acta Crystallographica Section D: Structural Biology</i> , 2021, 77, 835-839.	1.1	10
2172	Robust Graph Structure Learning for Multimedia Data Analysis. <i>Wireless Communications and Mobile Computing</i> , 2021, 2021, 1-12.	0.8	4
2173	Identification with Face Recognition Methods in Real Life Applications. <i>International Journal of Engineering Technologies IJET</i> , 2021, 7, 47-53.	0.1	0
2174	Classification of Facial Expression Recognition using Machine Learning Algorithms. <i>Journal of Physics: Conference Series</i> , 2021, 1937, 012001.	0.3	2
2175	Speech Emotion Recognition Based on Robust Discriminative Sparse Regression. <i>IEEE Transactions on Cognitive and Developmental Systems</i> , 2021, 13, 343-353.	2.6	14

#	ARTICLE	IF	CITATIONS
2176	Sparse non-negative transition subspace learning for image classification. <i>Signal Processing</i> , 2021, 183, 107988.	2.1	10
2177	Low-rank nonnegative sparse representation and local preservation-based matrix regression for supervised image feature selection. <i>IET Image Processing</i> , 2021, 15, 3021.	1.4	2
2178	Joint feature extraction and classification in a unified framework for cost-sensitive face recognition. <i>Pattern Recognition</i> , 2021, 115, 107927.	5.1	21
2179	Applying inverse stereographic projection to manifold learning and clustering. <i>Applied Intelligence</i> , 2022, 52, 4443-4457.	3.3	3
2180	Sparse fuzzy two-dimensional discriminant local preserving projection (SF2DDLPP) for robust image feature extraction. <i>Information Sciences</i> , 2021, 563, 1-15.	4.0	27
2181	Unsupervised, Supervised and Semi-supervised Dimensionality Reduction by Low-Rank Regression Analysis. <i>Chinese Journal of Electronics</i> , 2021, 30, 603-610.	0.7	1
2183	Robust and accurate prediction of protein-protein interactions by exploiting evolutionary information. <i>Scientific Reports</i> , 2021, 11, 16910.	1.6	12
2184	Nonnegative spectral clustering and adaptive graph-based matrix regression for unsupervised image feature selection. <i>Multimedia Tools and Applications</i> , 2021, 80, 32885.	2.6	1
2185	Neighboring Discriminant Component Analysis for Asteroid Spectrum Classification. <i>Remote Sensing</i> , 2021, 13, 3306.	1.8	5
2186	Kernel alignment unsupervised discriminative dimensionality reduction. <i>Neurocomputing</i> , 2021, 453, 181-194.	3.5	3
2187	A real-time classification model based on joint sparse-collaborative representation. <i>Journal of Real-Time Image Processing</i> , 2021, 18, 1837-1849.	2.2	5
2188	Embedding Tangent Space Extreme Learning Machine for EEG Decoding in Brain Computer Interface Systems. <i>Journal of Control Science and Engineering</i> , 2021, 2021, 1-11.	0.8	2
2189	Dimensionality reduction of tensors based on manifold-regularized tucker decomposition and its iterative solution. <i>International Journal of Machine Learning and Cybernetics</i> , 2022, 13, 509-522.	2.3	2
2190	A deep network construction that adapts to intrinsic dimensionality beyond the domain. <i>Neural Networks</i> , 2021, 141, 404-419.	3.3	12
2191	Dimension reduction of multimodal data by auto-weighted local discriminant analysis. <i>Neurocomputing</i> , 2021, 461, 27-40.	3.5	5
2192	Two-dimensional jointly sparse robust discriminant regression. <i>Signal Processing: Image Communication</i> , 2021, 98, 116391.	1.8	1
2193	No Need of Data Pre-processing. <i>ACM Transactions on Internet of Things</i> , 2021, 2, 1-26.	3.4	2
2194	Theoretical framework in graph embedding-based discriminant dimensionality reduction. <i>Signal Processing</i> , 2021, 189, 108289.	2.1	5

#	ARTICLE	IF	CITATIONS
2195	Robust sparse low-rank embedding for image dimension reduction. Applied Soft Computing Journal, 2021, 113, 107907.	4.1	18
2196	Knowledge Preserving and Distribution Alignment for Heterogeneous Domain Adaptation. ACM Transactions on Information Systems, 2022, 40, 1-29.	3.8	16
2197	Evaluation of Dimensionality Reduction Techniques for Load Profiling Application in Smart Grid Environment. Canadian Journal of Electrical and Computer Engineering, 2021, 44, 41-49.	1.5	5
2198	Learning Unsupervised and Supervised Representations via General Covariance. IEEE Signal Processing Letters, 2021, 28, 145-149.	2.1	3
2199	Supervised Low-Rank Embedded Regression (SLRER) for Robust Subspace Learning. IEEE Transactions on Circuits and Systems for Video Technology, 2022, 32, 1917-1927.	5.6	24
2200	Triple-Regularized Latent Subspace Discriminative Regression for Hyperspectral Image Classification. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2021, 14, 7310-7323.	2.3	1
2201	Sparse Individual Low-Rank Component Representation for Face Recognition in the IoT-Based System. IEEE Internet of Things Journal, 2021, 8, 17320-17332.	5.5	7
2202	Designing a new recurrent convolutional neural network for face detection and recognition in a color image. Iran Journal of Computer Science, 2021, 4, 185-194.	1.8	2
2203	VD-GAN: A Unified Framework for Joint Prototype and Representation Learning From Contaminated Single Sample per Person. IEEE Transactions on Information Forensics and Security, 2021, 16, 2246-2259.	4.5	14
2204	Multi-Block Color-Binarized Statistical Images for Single-Sample Face Recognition. Sensors, 2021, 21, 728.	2.1	48
2206	Neighborhood Preserving Projections (NPP): A Novel Linear Dimension Reduction Method. Lecture Notes in Computer Science, 2005, , 117-125.	1.0	70
2207	Appearance Manifold of Facial Expression. Lecture Notes in Computer Science, 2005, , 221-230.	1.0	59
2208	Face Recognition Using Neighborhood Preserving Projections. Lecture Notes in Computer Science, 2005, , 854-864.	1.0	14
2209	Illumination Invariant Feature Selection for Face Recognition. Lecture Notes in Computer Science, 2005, , 946-957.	1.0	1
2211	Riemannian Manifold Learning for Nonlinear Dimensionality Reduction. Lecture Notes in Computer Science, 2006, , 44-55.	1.0	42
2212	Trace Quotient Problems Revisited. Lecture Notes in Computer Science, 2006, , 232-244.	1.0	24
2214	Face Recognition Using Neural Networks and Pattern Averaging. Lecture Notes in Computer Science, 2006, , 98-103.	1.0	18
2216	Gabor Feature Based Face Recognition Using Supervised Locality Preserving Projection. Lecture Notes in Computer Science, 2006, , 644-653.	1.0	10

#	ARTICLE	IF	CITATIONS
2217	Extraction of Discriminative Manifold for Face Recognition. Lecture Notes in Computer Science, 2006, , 197-206.	1.0	2
2218	Intelligent Face Recognition: Local Versus Global Pattern Averaging. Lecture Notes in Computer Science, 2006, , 956-961.	1.0	9
2219	Some Recent Advances in Multiscale Geometric Analysis of Point Clouds. Applied and Numerical Harmonic Analysis, 2011, , 199-225.	0.1	11
2220	A Flexible and Effective Linearization Method for Subspace Learning. , 2013, , 177-203.		2
2221	Machine Learning Techniques for Biometrics. Advances in Pattern Recognition, 2009, , 247-271.	0.8	1
2222	Joint and Progressive Learning from High-Dimensional Data for Multi-label Classification. Lecture Notes in Computer Science, 2018, , 478-493.	1.0	27
2223	Manifold Learning. , 2020, , 1-6.		4
2224	Region Based Adversarial Synthesis of Facial Action Units. Lecture Notes in Computer Science, 2020, , 514-526.	1.0	7
2225	Eigenfaces, Fisherfaces, Laplacianfaces, Marginfaces – How to Face the Face Verification Task. Advances in Intelligent Systems and Computing, 2013, , 187-196.	0.5	10
2226	M-Estimators and Half-Quadratic Minimization. SpringerBriefs in Computer Science, 2014, , 3-11.	0.2	5
2227	Geometric Feature-Based Facial Emotion Recognition Using Two-Stage Fuzzy Reasoning Model. Lecture Notes in Computer Science, 2014, , 344-351.	1.0	11
2229	Exploiting On-Device Image Classification for Energy Efficiency in Ambient-Aware Systems. , 2015, , 167-199.		4
2230	Feature Extraction and Learning Using Context Cue and Rényi Entropy Based Mutual Information. Lecture Notes in Computer Science, 2015, , 69-88.	1.0	3
2231	Chimpanzee Faces in the Wild: Log-Euclidean CNNs for Predicting Identities and Attributes of Primates. Lecture Notes in Computer Science, 2016, , 51-63.	1.0	47
2232	Face Recognition Based on Structural Incoherence and Low Rank Projection. Lecture Notes in Computer Science, 2016, , 68-78.	1.0	1
2233	Photometric Stereo for 3D Face Reconstruction Using Non Linear Illumination Models. Lecture Notes in Computer Science, 2017, , 140-152.	1.0	2
2234	LBDAG-DNE: Locality Balanced Subspace Learning for Image Recognition. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2017, , 199-210.	0.2	2
2235	Cost Sensitive Matrix Factorization for Face Recognition. Lecture Notes in Computer Science, 2017, , 136-145.	1.0	1

#	ARTICLE	IF	CITATIONS
2236	An Open-Source Dialog System with Real-Time Engagement Tracking for Job Interview Training Applications. Lecture Notes in Electrical Engineering, 2019, , 199-207.	0.3	10
2237	Learning a Person-Independent Representation for Precise 3D Pose Estimation. Lecture Notes in Computer Science, 2007, , 297-306.	1.0	10
2238	Intelligent Face Recognition. Studies in Computational Intelligence, 2008, , 383-406.	0.7	1
2239	Measuring Graph Similarity Using Spectral Geometry. Lecture Notes in Computer Science, 2008, , 517-526.	1.0	18
2240	Analyzing Facial Expression by Fusing Manifolds. , 2007, , 621-630.		13
2241	Mixture-of-Laplacian Faces and Its Application to Face Recognition. , 2007, , 568-575.		3
2242	Large-Scale Clustering through Functional Embedding. Lecture Notes in Computer Science, 2008, , 266-281.	1.0	6
2243	Transferred Dimensionality Reduction. Lecture Notes in Computer Science, 2008, , 550-565.	1.0	71
2244	A Graph Based Subspace Semi-supervised Learning Framework for Dimensionality Reduction. Lecture Notes in Computer Science, 2008, , 664-677.	1.0	13
2245	A New Solution Scheme of Unsupervised Locality Preserving Projection Method for the SSS Problem. Lecture Notes in Computer Science, 2008, , 775-781.	1.0	3
2246	Bilateral Two-Dimensional Locality Preserving Projections with Its Application to Face Recognition. Lecture Notes in Computer Science, 2009, , 423-428.	1.0	5
2247	Spatially Smooth Subspace Face Recognition Using LOG and DOG Penalties. Lecture Notes in Computer Science, 2009, , 439-448.	1.0	4
2248	Why Is Facial Occlusion a Challenging Problem?. Lecture Notes in Computer Science, 2009, , 299-308.	1.0	48
2249	Semi Supervised Image Spam Hunter: A Regularized Discriminant EM Approach. Lecture Notes in Computer Science, 2009, , 152-164.	1.0	14
2250	Locality Preserving Discriminant Projections. Lecture Notes in Computer Science, 2009, , 566-572.	1.0	11
2251	Locality Preserving Fisher Discriminant Analysis for Face Recognition. Lecture Notes in Computer Science, 2009, , 261-269.	1.0	4
2252	Heteroscedastic Probabilistic Linear Discriminant Analysis with Semi-supervised Extension. Lecture Notes in Computer Science, 2009, , 602-616.	1.0	8
2253	Lorentzian Discriminant Projection and Its Applications. Lecture Notes in Computer Science, 2010, , 311-320.	1.0	3

#	ARTICLE	IF	CITATIONS
2254	A Supervised Locality Preserving Projections Based Local Matching Algorithm for Face Recognition. Lecture Notes in Computer Science, 2010, , 28-37.	1.0	6
2255	Nonparametric Marginal Fisher Analysis for Feature Extraction. Lecture Notes in Computer Science, 2010, , 221-228.	1.0	1
2256	A Rotation Invariant Face Recognition Method Based on Complex Network. Lecture Notes in Computer Science, 2010, , 426-433.	1.0	16
2257	Semi-supervised Classification by Local Coordination. Lecture Notes in Computer Science, 2010, , 517-524.	1.0	11
2258	Semi-supervised Neighborhood Preserving Discriminant Embedding: A Semi-supervised Subspace Learning Algorithm. Lecture Notes in Computer Science, 2011, , 199-212.	1.0	6
2259	Targeted Optical Biopsies for Surveillance Endoscopies. Lecture Notes in Computer Science, 2011, 14, 83-90.	1.0	4
2260	A Discriminative Non-linear Manifold Learning Technique for Face Recognition. Communications in Computer and Information Science, 2011, , 339-353.	0.4	1
2261	Application Research of Gabor Filter and LPP Algorithms in Face Recognition. Lecture Notes in Electrical Engineering, 2012, , 483-489.	0.3	3
2262	A New Proposal for Locality Preserving Projection. Lecture Notes in Computer Science, 2012, , 298-305.	1.0	2
2263	A Block-Based Orthogonal Locality Preserving Projection Method for Face Super-Resolution. Lecture Notes in Computer Science, 2012, , 253-262.	1.0	3
2264	Face Recognition Based on Adaptive Kernel Logistic Regression. Advances in Intelligent and Soft Computing, 2012, , 257-262.	0.2	2
2265	Improved Personal Identification Using Face and Hand Geometry Fusion and Support Vector Machines. Communications in Computer and Information Science, 2012, , 253-261.	0.4	6
2266	Reduced Analytical Dependency Modeling for Classifier Fusion. Lecture Notes in Computer Science, 2012, , 792-805.	1.0	3
2267	Image Search Reranking with Semi-supervised LPP and Ranking SVM. Lecture Notes in Computer Science, 2013, , 217-227.	1.0	2
2268	Hybrid Client Specific Discriminant Analysis and its Application to Face Verification. Smart Innovation, Systems and Technologies, 2013, , 137-156.	0.5	2
2269	A Novel Unconstrained Correlation Filter and Its Application in Face Recognition. Lecture Notes in Computer Science, 2013, , 32-39.	1.0	4
2270	Ten-LoPP: Tensor Locality Preserving Projections Approach for Moving Object Detection and Tracking. Advances in Intelligent Systems and Computing, 2013, , 291-300.	0.5	6
2272	A New Feature Fusion Approach Based on LBP and Sparse Representation and Its Application to Face Recognition. Lecture Notes in Computer Science, 2013, , 364-373.	1.0	4

#	ARTICLE	IF	CITATIONS
2273	A New Weighted Sparse Representation Based on MSLBP and Its Application to Face Recognition. Lecture Notes in Computer Science, 2013, , 104-115.	1.0	1
2274	Data and Information Dimensionality in Non-cooperative Face Recognition. Lecture Notes in Electrical Engineering, 2014, , 1-35.	0.3	3
2275	A Unified Framework for Probabilistic Component Analysis. Lecture Notes in Computer Science, 2014, , 469-484.	1.0	5
2276	Multimodal HALEF: An Open-Source Modular Web-Based Multimodal Dialog Framework. Lecture Notes in Electrical Engineering, 2017, , 233-244.	0.3	7
2277	Deep Learning in Face Recognition Across Variations in Pose and Illumination. , 2019, , 59-90.		2
2279	Locality adaptive preserving projections for linear dimensionality reduction. Expert Systems With Applications, 2020, 151, 113352.	4.4	25
2280	Scalable out-of-sample extension of graph embeddings using deep neural networks. Pattern Recognition Letters, 2017, 94, 1-6.	2.6	5
2281	Coherency Preserving Feature Transformation for Semantic Segmentation. , 2018, , .		1
2282	Learning Multiple Parameters for Kernel Collaborative Representation Classification. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 5068-5078.	7.2	12
2283	Robust Matrix Factorization With Spectral Embedding. IEEE Transactions on Neural Networks and Learning Systems, 2021, 32, 5698-5707.	7.2	12
2284	Generalized Embedding Regression: A Framework for Supervised Feature Extraction. IEEE Transactions on Neural Networks and Learning Systems, 2022, 33, 185-199.	7.2	16
2285	Optimal neighbor graph-based orthogonal tensor locality preserving projection for image recognition. Journal of Electronic Imaging, 2016, 25, 063017.	0.5	4
2286	Locality sensitive discriminant projection for feature extraction and face recognition. Journal of Electronic Imaging, 2019, 28, 1.	0.5	7
2287	Statistical and computational analysis of locality preserving projection. , 2005, , .		42
2288	Personalized tag recommendation using graph-based ranking on multi-type interrelated objects. , 2009, , .		106
2289	Robust Adaptive Linear Discriminant Analysis with Bidirectional Reconstruction Constraint. ACM Transactions on Knowledge Discovery From Data, 2020, 14, 1-20.	2.5	4
2290	Multiparameter Space Decision Voting and Fusion Features for Facial Expression Recognition. Computational Intelligence and Neuroscience, 2020, 2020, 1-17.	1.1	4
2291	A New Supervised Laplacian Eigenmap for Expression Recognition. Journal of Information and Computational Science, 2013, 10, 4445-4451.	0.1	1

#	ARTICLE	IF	CITATIONS
2292	New Modelling of Modified Two Dimensional Fisherface Based Feature Extraction. Telkomnika (Telecommunication Computing Electronics and Control), 2014, 12, 115.	0.6	8
2293	Growing Locally Linear Embedding for Manifold Learning. Journal of Pattern Recognition Research, 2007, 2, 1-16.	0.9	8
2294	Learning Low-Rank Class-Specific Dictionary and Sparse Intra-Class Variant Dictionary for Face Recognition. PLoS ONE, 2015, 10, e0142403.	1.1	3
2295	Semi-Supervised Feature Transformation for Tissue Image Classification. PLoS ONE, 2016, 11, e0166413.	1.1	8
2296	Image Processing for Face Recognition Rate Enhancement. International Journal of Advanced Science and Technology, 2014, 64, 1-10.	0.3	3
2297	Dimensionality Reduction Based on Supervised Slow Feature Analysis for Face Recognition. International Journal of Signal Processing, Image Processing and Pattern Recognition, 2014, 7, 13-26.	0.2	2
2298	Face Recognition using Symmetric Local Graph Structure. Indian Journal of Science and Technology, 2015, 8, .	0.5	8
2299	Emotion Analysis Based on Facial Expression Recognition in Virtual Learning Environment. International Journal of Computer and Communication Engineering, 2017, 6, 49-56.	0.2	4
2300	Effective feature fusion for pattern classification based on intra-class and extra-class discriminative correlation analysis. , 2017, , .		2
2301	Complete Discriminant Locality Preserving Projections for Face Recognition. Ruan Jian Xue Bao/Journal of Software, 2010, 21, 1277-1286.	0.3	2
2302	Subspace Semi-supervised Fisher Discriminant Analysis. Zidonghua Xuebao/Acta Automatica Sinica, 2010, 35, 1513-1519.	0.3	3
2303	Supervised Feature Extraction Based on Information Fusion of Local Structure and Diversity Information. Zidonghua Xuebao/Acta Automatica Sinica, 2010, 36, 1107-1114.	0.3	7
2304	Locality-preserved Maximum Information Variance $\langle l \rangle \langle l \rangle$ -support Vector Machine. Zidonghua Xuebao/Acta Automatica Sinica, 2012, 38, 97-108.	0.3	2
2305	2-dimensional Projective Non-negative Matrix Factorization and Its Application to Face Recognition. Zidonghua Xuebao/Acta Automatica Sinica, 2012, 38, 1503.	0.3	2
2306	Evaluation of Histograms Local Features and Dimensionality Reduction for 3D Face Verification. Journal of Information Processing Systems, 0, , .	1.0	3
2307	A Survey of Face Recognition Techniques. Journal of Information Processing Systems, 2009, 5, 41-68.	1.0	489
2308	A Novel Multiple Kernel Sparse Representation based Classification for Face Recognition. KSII Transactions on Internet and Information Systems, 2014, 8, 1463-1480.	0.7	8
2309	A novel discriminant minimum class locality preserving canonical correlation analysis and its applications. Journal of Industrial and Management Optimization, 2015, 12, 251-268.	0.8	3

#	ARTICLE	IF	CITATIONS
2310	Machine Learning Applications in Computer Vision. , 2012, , 99-132.		1
2311	Convolutional Approach Also Benefits Traditional Face Pattern Recognition Algorithm [208!]. International Journal of Software Science and Computational Intelligence, 2019, 11, 1-16.	1.8	8
2312	A Novel Feature Selection Algorithm Based on Hypothesis-Margin. Journal of Computers, 2008, 3, .	0.4	7
2313	Multi-feature Fusion Face Recognition Based on Kernel Discriminate Local Preserve Projection Algorithm under Smart Environment. Journal of Computers, 2012, 7, .	0.4	11
2314	Orthogonal Maximum Margin Projection for Face Recognition. Journal of Computers, 2012, 7, .	0.4	3
2315	Optimal Kernel Marginal Fisher Analysis for Face Recognition. Journal of Computers, 2012, 7, .	0.4	7
2316	Dimensionality Reduction using SOM based Technique for Face Recognition. Journal of Multimedia, 2008, 3, .	0.3	4
2317	Manifold Adaptive Kernel Local Fisher Discriminant Analysis for Face Recognition. Journal of Multimedia, 2012, 7, .	0.3	23
2318	Multi-Layer Kernel Learning Method Faced on Roller Bearing Fault Diagnosis. Journal of Software, 2012, 7, .	0.6	5
2319	Genetic Programming based Face Recognition. International Journal of Computer Applications, 2013, 69, 1-6.	0.2	12
2320	An Investigation on Face Detection Applications. International Journal of Computer Applications, 2019, 177, 17-23.	0.2	2
2321	SEMI-SUPERVISED MARGINAL FISHER ANALYSIS FOR HYPERSPECTRAL IMAGE CLASSIFICATION. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, 1-3, 377-382.	0.0	30
2322	SPECTRAL REGRESSION DISCRIMINANT ANALYSIS FOR HYPERSPECTRAL IMAGE CLASSIFICATION. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XXXIX-B3, 503-508.	0.2	3
2323	3-D Shape Matching for Face Analysis and Recognition. , 2015, , .		1
2324	Pairwise Macropixel Comparison Can Work at Least as Well as Advanced Holistic Algorithms for Face Recognition. , 2010, , .		4
2325	Histogram of Body Poses and Spectral Regression Discriminant Analysis for Human Action Categorization. , 2010, , .		22
2327	Intelligent Global Face Recognition. , 0, , .		2
2328	Subspace Methods for Face Recognition: Singularity, Regularization, and Robustness. , 0, , .		3

#	ARTICLE	IF	CITATIONS
2329	Face Recognition. , 2021, , 438-447.		0
2330	Manifold Learning. , 2021, , 784-789.		0
2332	SAR Target Configuration Recognition via Multi-Manifold Based Sparse Representation. , 2021, , .		0
2333	SAR Target Configuration Recognition Based on Integrated Graph Model. , 2021, , .		0
2334	An Efficient Approach towards Face Recognition using Deep Reinforcement Learning, Viola Jones and K-nearest neighbor. , 2021, , .		1
2335	Gd-containing scintillators for thermal neutron detection via graph-based particle discrimination. Review of Scientific Instruments, 2021, 92, 103304.	0.6	6
2336	A Unified Framework of Deep Learning-Based Facial Expression Recognition System for Diversified Applications. Applied Sciences (Switzerland), 2021, 11, 9174.	1.3	18
2337	3D Face Recognition Based on an Attention Mechanism and Sparse Loss Function. Electronics (Switzerland), 2021, 10, 2539.	1.8	10
2338	Classifying Faces with Discriminant Isometric Feature Mapping. Lecture Notes in Computer Science, 2005, , 565-573.	1.0	1
2340	Design of a Feature Set for Face Recognition Problem. Lecture Notes in Computer Science, 2006, , 239-247.	1.0	1
2342	A New Subspace Analysis Approach Based on Laplacianfaces. Lecture Notes in Computer Science, 2006, , 253-259.	1.0	1
2345	Neural Network Modeling of Spectral Embedding. , 2006, , .		5
2346	Combining Geometric and Gabor Features for Face Recognition. Lecture Notes in Computer Science, 2006, , 140-149.	1.0	1
2347	Capturing 3D Human Motion from Monocular Images Using Orthogonal Locality Preserving Projection. Lecture Notes in Computer Science, 2007, , 304-313.	1.0	0
2348	A New Orthogonal Discriminant Projection Based Prediction Method for Bioinformatic Data. Lecture Notes in Computer Science, 2008, , 1047-1054.	1.0	0
2349	Reliable Representation of Data on Manifolds. , 2008, , .		0
2350	New face recognition algorithm based on nonlinear dimensionality reduction. Journal of Computer Applications, 2008, 28, 2030-2032.	0.1	0
2351	Fractal Indexing in Multimodal Biometric Contexts. Studies in Computational Intelligence, 2009, , 93-120.	0.7	1

#	ARTICLE	IF	CITATIONS
2352	Andê€Or Graph Model for Faces. , 2009, , 36-40.		0
2353	Multi-view Ear Recognition Based on Moving Least Square Pose Interpolation. Lecture Notes in Computer Science, 2009, , 1085-1095.	1.0	0
2354	Laplacian Discriminant Projection Based on Affinity Propagation. Lecture Notes in Computer Science, 2009, , 313-321.	1.0	0
2355	Localized versus Locality Preserving Representation Methods in Face Recognition Tasks. Studies in Computational Intelligence, 2009, , 81-103.	0.7	0
2356	Informative Laplacian Projection. Lecture Notes in Computer Science, 2009, , 359-368.	1.0	0
2357	A Novel Local Sensitive Frontier Analysis for Feature Extraction. Lecture Notes in Computer Science, 2009, , 556-565.	1.0	1
2358	New supervised locality-preserving projections algorithm for face recognition. Journal of Computer Applications, 2009, 29, 1416-1418.	0.1	1
2359	Method of modular 2DLPP and its application in face recognition. Journal of Computer Applications, 2009, 29, 2056-2059.	0.1	0
2360	Face recognition based on feature level fusion. Journal of Computer Applications, 2009, 29, 2662-2664.	0.1	0
2361	A Multi-dimensional Trustworthy Behavior Monitoring Method Based on Discriminant Locality Preserving Projections. Lecture Notes in Computer Science, 2010, , 435-442.	1.0	0
2362	Face Recognition Using Sparse Representations and Manifold Learning. Lecture Notes in Computer Science, 2010, , 509-518.	1.0	1
2363	Face Recognition Using Wavelet Based Kernel Locally Discriminating Projection. International Journal of Computer Theory and Engineering, 2010, , 636-641.	3.2	0
2364	Electoral College and Direct Popular Vote for Multi-Candidate Election. , 2010, , .		0
2365	Face recognition based on manifold learning and Rényi entropy. Natural Science, 2010, 02, 49-53.	0.2	1
2366	Exemplar Based Laplacian Discriminant Projection. Lecture Notes in Computer Science, 2010, , 367-374.	1.0	0
2367	Face Recognition via AAM and Multi-features Fusion on Riemannian Manifolds. Lecture Notes in Computer Science, 2010, , 591-600.	1.0	1
2368	Semi-supervised Nearest Neighbor Discriminant Analysis Using Local Mean for Face Recognition. Lecture Notes in Computer Science, 2010, , 331-338.	1.0	0
2370	PROXIMITY-BASED GRAPH EMBEDDINGS FOR MULTI-LABEL CLASSIFICATION. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
2372	An Orthogonal Feature Extraction Method Based on the Within-class Preserving for Small Sample Size Problem. Zidonghua Xuebao/Acta Automatica Sinica, 2010, 36, 644-649.	0.3	0
2373	Towards a robust face recognition system using compressive sensing. , 0, , .		6
2374	Unsupervised spike extraction and classification based on locality preserving projection. Journal of Computer Applications, 2010, 30, 2559-2562.	0.1	0
2375	Feature extraction of acoustic targets based on uncorrelated neighborhood pre-serving discriminant projections. Journal of Electronic Measurement and Instrument, 2010, 24, 905-910.	0.1	0
2376	Uncorrelated Discriminant Neighborhood Preserving Projections for Millimeter Wave Radar Target Recognition. Dianzi Yu Xinxi Xuebao/Journal of Electronics and Information Technology, 2010, 32, 2751-2754.	0.1	0
2377	Subspaces Versus Submanifolds "A Comparative Study of Face Recognition. , 2011, , 447-484.		2
2378	The Analysis of Parameters t and k of LPP on Several Famous Face Databases. Lecture Notes in Computer Science, 2011, , 333-339.	1.0	1
2379	Maximum Variance Sparse Mapping. Lecture Notes in Computer Science, 2011, , 1-8.	1.0	0
2380	Face Recognition Using Spatially Smooth and Maximum Minimum Value of Manifold Preserving. Communications in Computer and Information Science, 2011, , 194-204.	0.4	0
2381	Adaptively Weighted Subpattern-Based Isometric Projection for Face Recognition. Lecture Notes in Computer Science, 2011, , 554-561.	1.0	0
2383	Understanding Facial Expression. , 2011, , 69-93.		0
2384	A Novel Probabilistic Linear Subspace Approach for Face Applications. Lecture Notes in Computer Science, 2011, , 257-266.	1.0	0
2385	Uncorrelated Neighborhood Preserving Projections for Face Recognition. Lecture Notes in Computer Science, 2011, , 513-520.	1.0	0
2386	Feature Extraction via Balanced Average Neighborhood Margin Maximization. Lecture Notes in Computer Science, 2011, , 109-116.	1.0	0
2388	An Efficient Bayesian Approach to Face Recognition Based on Wavelet Transform. International Journal of Computer Applications, 2011, 15, 22-26.	0.2	3
2389	A Supervised LPP Algorithm and Its Application to Face Recognition. Dianzi Yu Xinxi Xuebao/Journal of Electronics and Information Technology, 2011, 30, 539-541.	0.1	6
2390	Appearance Global and Local Structure Fusion for Face Image Recognition. Telkomnika (Telecommunication Computing Electronics and Control), 2011, 9, 125.	0.6	22
2391	Null Space Locality Preserving Discriminant Intrinsicface. Dianzi Yu Xinxi Xuebao/Journal of Electronics and Information Technology, 2011, 33, 962-966.	0.1	0

#	ARTICLE	IF	CITATIONS
2392	Face Feature Extraction Based on Maximum Margin Criterion and Image Matrix Bidirectional Projection. Zidonghua Xuebao/Acta Automatica Sinica, 2011, 36, 1645-1654.	0.3	1
2393	Exploiting Samples Quality in Evaluating and Improving Performance of Biometric Systems. International Journal for Digital Society, 2011, 2, 462-468.	0.1	0
2394	Locally Discriminant Projection Algorithm Based on the Block Optimization and Combination Strategy. Dianzi Yu Xinxu Xuebao/Journal of Electronics and Information Technology, 2011, 33, 2175-2180.	0.1	0
2395	Neighborhood Preserving Fisher Discriminant Analysis. Information Technology Journal, 2011, 10, 2464-2469.	0.3	4
2396	Supervised discriminant projection in Kernel space. , 2011, , .		0
2397	Gabor Feature-Based Fast Neighborhood Component Analysis for Face Recognition. Lecture Notes in Computer Science, 2012, , 266-273.	1.0	0
2398	Distance Adaptive Tensor Discriminative Geometry Preserving Projection for Face Recognition. International Journal of Advanced Robotic Systems, 2012, 9, 90.	1.3	1
2400	Learning Manifolds. Advances in Bioinformatics and Biomedical Engineering Book Series, 2012, , 374-402.	0.2	1
2401	Optimal Combination of Feature Weight Learning and Classification Based on Local Approximation. Lecture Notes in Computer Science, 2012, , 86-94.	1.0	0
2402	Face Recognition by Searching Most Similar Sample with Immune Learning. Lecture Notes in Computer Science, 2012, , 1-13.	1.0	0
2403	A New Supervised Discriminant Locality Preserving Projections Algorithm. Advances in Intelligent and Soft Computing, 2012, , 833-839.	0.2	0
2404	Domain Transfer Dimensionality Reduction via Discriminant Kernel Learning. Lecture Notes in Computer Science, 2012, , 280-291.	1.0	0
2405	Discriminant Graph Based Linear Embedding. Lecture Notes in Computer Science, 2012, , 401-406.	1.0	0
2406	A Spectral Graph Approach to Object Recognition. Advances in Intelligent and Soft Computing, 2012, , 269-276.	0.2	0
2407	Kernel Based Enhanced Maximum Margin Criterion for Feature Extraction. Lecture Notes in Computer Science, 2012, , 348-355.	1.0	0
2408	Multilinear Supervised Neighborhood Preserving Embedding Analysis of Local Descriptor Tensor. , 0, , .		0
2409	The Maximum Non-Linear Feature Selection of Kernel Based on Object Appearance. , 0, , .		0
2410	Analysis of the Performance of Eigenfaces Technique in Recognizing Non-Caucasian Faces. International Journal of Computer Vision and Image Processing, 2012, 2, 37-50.	0.3	0

#	ARTICLE	IF	CITATIONS
2411	(2D) ² LDALPP: A Novel Approach to Face Recognition. International Journal of Advanced Robotic Systems, 2012, 9, 221.	1.3	1
2412	Face Recognition Using Semi-Supervised Sparse Discriminant Neighborhood Preserving Embedding. Lecture Notes in Electrical Engineering, 2013, , 587-596.	0.3	0
2413	Real-Time Face Recognition Based on Sparse Representation. Lecture Notes in Electrical Engineering, 2013, , 191-201.	0.3	0
2414	The new method of Extraction and Analysis of Non-linear Features for face recognition. International Journal of Electrical and Computer Engineering, 2012, 2, .	0.5	0
2415	Non-linear Feature Fusion Based on Polynomial Correlation Filter for Face Recognition. Lecture Notes in Computer Science, 2013, , 312-319.	1.0	0
2416	3-D Face Analysis and Identification Based on Statistical Shape Modelling. , 2013, , .		0
2417	Kernel Optimal Unsupervised Discriminant Projection and Its Application to Face Recognition. Advances in Intelligent Systems and Computing, 2013, , 89-95.	0.5	1
2418	The Maximized Discriminative Subspace for Manifold Learning Problem. Lecture Notes in Computer Science, 2013, , 784-792.	1.0	0
2419	A Novel Permutation Based Approach for Effective and Efficient Representation of Face Images under Varying Illuminations. International Journal of Advanced Computer Science and Applications, 2013, 4, .	0.5	0
2420	Face Recognition Using Fast Neighborhood Component Analysis with Spatially Smooth Regularizer. Lecture Notes in Computer Science, 2013, , 450-457.	1.0	0
2421	Cost-Sensitive Sparsity Preserving Projections for Face Recognition. , 2013, , .		0
2422	Sparsity Sharing Embedding for Face Verification. Lecture Notes in Computer Science, 2013, , 627-638.	1.0	0
2423	Spectral Regression based Local Discriminant Embedding Algorithm for Face Recognition. , 2013, , .		0
2424	Multi-feature Subspace Learning via Sparse Correlation Fusion and Embedding. Lecture Notes in Computer Science, 2013, , 598-607.	1.0	0
2425	Robust Marginal Fisher Analysis. Lecture Notes in Computer Science, 2013, , 51-61.	1.0	1
2426	Global and Local Information Based Spherical Marginal Fisher Analysis for Face Recognition. Journal of Information and Computational Science, 2013, 10, 1025-1034.	0.1	2
2427	A Kernel-based Collaborative Preserving Projection Based Face Recognition. Information Technology Journal, 2013, 12, 1184-1191.	0.3	0
2428	Minimum variance support vector data description. Journal of Computer Applications, 2013, 32, 416-418.	0.1	0

#	ARTICLE	IF	CITATIONS
2429	Extended Marginal Fisher Analysis Based on Difference Criterion. Journal of Information and Computational Science, 2013, 10, 2051-2058.	0.1	1
2430	Semi-supervised Discriminant Analysis Based on Maximum Scatter Difference. Journal of Information and Computational Science, 2013, 10, 3773-3780.	0.1	0
2431	Dimensionality analysis of singing speech based on locality preserving projections. , 0, , .		1
2432	Facial Expression Recognition Based on Linear Discriminant Locality Preserving Analysis Algorithm. Journal of Information and Computational Science, 2013, 10, 4037-4046.	0.1	0
2433	A Priori Laplacian with Hamming Distance: Advanced Dimension Reduction Technique. International Journal of Computer Applications, 2013, 77, 42-48.	0.2	1
2435	Kernel-Based Enhanced Maximum Margin Criterion Algorithm for High-Dimensional Feature Extraction. Lecture Notes in Electrical Engineering, 2014, , 191-199.	0.3	0
2436	Efficient multimodal fusion for person authentication combining three biometric modalities. , 0, , .		0
2437	Heterogeneous Co-transfer Spectral Clustering. Lecture Notes in Computer Science, 2014, , 352-363.	1.0	3
2438	Extended Extreme Learning Machine for Tensorial Signal Classification. Communications in Computer and Information Science, 2014, , 420-424.	0.4	0
2439	Optimal Subspace Learning for Sparse Representation Based Classifier via Discriminative Principal Subspaces Alignment. Lecture Notes in Computer Science, 2014, , 320-331.	1.0	0
2440	Feature Line-Based Local Discriminant Analysis for Image Feature Extraction. Advances in Intelligent Systems and Computing, 2014, , 471-478.	0.5	0
2441	A Novel Feature Extraction Algorithm in Shearlets Domain. Lecture Notes in Computer Science, 2014, , 282-289.	1.0	0
2443	A Weighted Regional Voting Based Ensemble of Multiple Classifiers for Face Recognition. Lecture Notes in Computer Science, 2014, , 482-491.	1.0	2
2445	Face Recognition System Invariant to Expression. Lecture Notes in Computer Science, 2014, , 299-307.	1.0	1
2447	Face Identification. , 2014, , 279-285.		1
2448	Local Linear Embedding Algorithm with Adaptively Determining Neighborhood. Journal of Networks, 2014, 9, .	0.4	1
2449	A Face Recognition System by Embedded Hidden Markov Model and Discriminating Set Approach. International Journal of Modern Education and Computer Science, 2014, 6, 25-30.	2.4	0
2450	Face Recognition Invariant to Partial Occlusions. KSII Transactions on Internet and Information Systems, 2014, 8, .	0.7	1

#	ARTICLE	IF	CITATIONS
2451	One New Constructing Multi-layer Pyramid Adjacency Graph Method for Locality Preserving Projections Based on HOG Features. Journal of Information and Computational Science, 2014, 11, 5385-5393.	0.1	0
2452	Discriminant Locality Preserving Projections Based on Neighborhood Maximum Margin. International Journal of Hybrid Information Technology, 2014, 7, 165-174.	0.6	0
2453	Video-based Semi-supervised Face Recognition Using Clustering. Journal of Information and Computational Science, 2014, 11, 6847-6856.	0.1	2
2454	Constraint Sparse Neighborhood Preserving Embedding. Open Cybernetics and Systemics Journal, 2015, 8, 208-216.	0.3	0
2455	Access Control, Logical. , 2015, , 1-5.		0
2456	Face Recognition based on Sub-pattern Sparsity Preserving Projection. , 0, , .		0
2457	Marginal Fisher Regression Classification for Face Recognition. Lecture Notes in Computer Science, 2015, , 453-462.	1.0	0
2458	Revealing Smooth Structure of Visual Data by Permutation on Manifolds. , 2015, , .		0
2459	A new approach: the local feature extraction based on the new regulation of the locally preserving projection. Applied Mathematical Sciences, 0, 9, 5065-5078.	0.0	5
2460	Locality Preserving Vector and Image-Specific Topic Model for Visual Recognition. Journal of Computers, 2015, 10, 81-89.	0.4	0
2461	Spatiotemporal Derivative Pattern: A Dynamic Texture Descriptor for Video Matching. Lecture Notes in Computer Science, 2015, , 626-641.	1.0	0
2463	Learning a speech manifold for signal subspace speech denoising. , 0, , .		0
2464	Design of an observer-based decentralized fuzzy controller for discrete-time interconnected fuzzy systems. Journal of Korean Institute of Intelligent Systems, 2015, 25, 437-443.	0.0	1
2465	Time Series Clustering Ensemble Algorithm Based on Locality Preserving Projection. , 2015, , .		0
2467	Direct Discriminant Analysis Using Volterra Kernels for Face Recognition. Communications in Computer and Information Science, 2016, , 404-412.	0.4	2
2469	Novel Face Hallucination Through Patch Position Based Multiple Regressors Fusion. Communications in Computer and Information Science, 2016, , 369-382.	0.4	2
2470	NEW SUPERVISED LOCALLY LINEAR EMBEDDING FOR DIMENSIONALITY REDUCTION USING DISTANCE METRIC LEARNING. Neural Network World, 2016, 26, 449-459.	0.5	0
2472	Beauty Analysis by Learning Machine and Subspace Extension. , 2016, , 167-197.		0

#	ARTICLE	IF	CITATIONS
2473	Maximum Value of the Symmetrical Diagonal Matrix Based Two - Dimensional Eigenface s for Facial Recognition on the Variant Lighting and Expressions. International Journal on Electrical Engineering and Informatics, 2016, 8, 132-146.	0.3	0
2474	Null Space Diversity Fisher Discriminant Analysis for Face Recognition. Advances in Intelligent Systems and Computing, 2017, , 316-321.	0.5	0
2475	Maximal Margin Local Preserving Median Fisher Discriminant Analysis for Face Recognition. Journal of Software, 2016, 11, 1172-1181.	0.6	0
2476	Graph-Based Multimodal Music Mood Classification in Discriminative Latent Space. Lecture Notes in Computer Science, 2017, , 152-163.	1.0	3
2477	Personalized Tag Recommendation. Springer Theses, 2017, , 75-99.	0.0	0
2478	Using Original Face Image and Its Virtual Image for Face Recognition. Lecture Notes in Computer Science, 2017, , 231-238.	1.0	1
2479	A Novel Automatic Grouping Algorithm for Feature Selection. Communications in Computer and Information Science, 2017, , 592-603.	0.4	2
2481	Face Recognition via Domain Adaptation and Manifold Distance Metric Learning. Lecture Notes in Computer Science, 2017, , 3-10.	1.0	0
2482	Model and Dictionary Guided Face Inpainting in the Wild. Lecture Notes in Computer Science, 2017, , 62-78.	1.0	0
2483	Truncated Nuclear Norm Based Low Rank Embedding. Lecture Notes in Computer Science, 2017, , 708-715.	1.0	1
2484	An Overview of Numerical Acceleration Techniques for Nonlinear Dimension Reduction. Applied and Numerical Harmonic Analysis, 2017, , 797-829.	0.1	2
2485	Novel Sparse Kernel Manifold Learner for Image Classification Applications. Intelligent Systems Reference Library, 2017, , 91-114.	1.0	1
2486	Low-Frequency Representation for Face Recognition. Lecture Notes in Computer Science, 2017, , 510-519.	1.0	0
2487	Sparse Gradient Pursuit for Robust Visual Analysis. Lecture Notes in Computer Science, 2017, , 369-384.	1.0	1
2488	A New Inverse Nth Gravitation Based Clustering Method for Data Classification. Lecture Notes in Computer Science, 2017, , 9-18.	1.0	0
2489	Spacecraft Relative Navigation Using Appearance Matching and Sensor Fusion. , 0, , .		1
2490	Multi Modal Biometric System: A Review on Recognition Method. International Journal of Engineering Research & Technology, 2017, V6, .	0.2	0
2491	An embedded system for face classification in infrared video using sparse representation. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
2492	Collaborative Error Propagation for Single Sample Face Recognition. Lecture Notes in Computer Science, 2018, , 339-348.	1.0	0
2493	Zero-Shot Learning with Manifold Embedding. Lecture Notes in Computer Science, 2018, , 135-147.	1.0	1
2494	Least-Squares Regulation Based Graph Embedding. Lecture Notes in Computer Science, 2018, , 526-533.	1.0	0
2496	LPPNet: A Learning Network for Image Feature Extraction and Classification. Lecture Notes in Computer Science, 2018, , 189-197.	1.0	0
2497	Face Recognition using Locality Preserving Projection on Wavelet Subband and Artificial Neural Network. International Journal of Computer Trends and Technology, 2018, 55, 31-35.	0.1	0
2498	Unconstrained Face Recognition. , 2018, , 1640-1661.		0
2500	Manifold-Regularized Adaptive Lasso. Lecture Notes in Computer Science, 2018, , 545-556.	1.0	0
2501	An Information Distance Metric Preserving Projection Algorithm. Communications in Computer and Information Science, 2018, , 263-272.	0.4	0
2502	Domain Regularized Subspace Projection Method. , 2018, , 173-191.		0
2503	Shared Deep Kernel Learning for Dimensionality Reduction. Lecture Notes in Computer Science, 2018, , 297-308.	1.0	0
2504	Robust Face Recognition Using Enhanced Local Binary Pattern. Bulletin of Electrical Engineering and Informatics, 2018, 7, 96-101.	0.6	3
2505	Joint and collaborative representation with local Volterra kernels convolution feature for face recognition. , 2018, , .		0
2506	Combining Locality Preserving Projection with Global Information for Efficient Recognition. International Journal of Fuzzy Logic and Intelligent Systems, 2018, 18, 120-125.	0.6	3
2507	Nuclear norm-based two-dimensional discriminant locality preserving projection for face recognition. Journal of Electronic Imaging, 2018, 27, 1.	0.5	1
2508	Manifold aware discriminant collaborative graph embedding for face recognition. , 2018, , .		0
2509	A New Learning-Based One Shot Detection Framework for Natural Images. Lecture Notes in Computer Science, 2019, , 93-104.	1.0	0
2510	Two Dimensional Orthogonal Constrained Maximum Variance Mapping for Face Recognition. Advances in Intelligent Systems and Computing, 2019, , 462-467.	0.5	0
2511	Face Recognition. Cognitive Intelligence and Robotics, 2019, , 49-85.	0.6	0

#	ARTICLE	IF	CITATIONS
2512	The Vending Shopper Science Lab: Deep Learning for Consumer Research. Lecture Notes in Computer Science, 2019, , 307-317.	1.0	3
2513	Locality Preserving Projection of Functional Connectivity for Regression. , 2019, , 123-147.		0
2514	Face Recognition System Based on Modified Sparse Representation. , 2019, , .		0
2516	Classification Scheme for Binary Data with Extensions. Applied and Numerical Harmonic Analysis, 2019, , 129-151.	0.1	0
2517	Semi-supervised Learning via Adaptive Low-Rank Graph. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2019, , 434-443.	0.2	0
2518	Robust Embedding Regression for Face Recognition. Lecture Notes in Computer Science, 2019, , 102-113.	1.0	0
2519	Constrained Dual Graph Regularized NMF for Image Clustering. Lecture Notes in Computer Science, 2019, , 103-117.	1.0	0
2520	Matrix Completion. , 2019, , 549-568.		0
2521	Adaptive Graph Fusion for Unsupervised Feature Selection. Lecture Notes in Computer Science, 2019, , 3-15.	1.0	0
2522	Pattern Recognition for Biometrics and Bioinformatics. , 2019, , 853-870.		0
2523	Illumination invariant face recognition using dual-tree complex wavelet transform in logarithm domain. Journal of Electrical Engineering, 2019, 70, 113-121.	0.4	8
2524	Incremental L2-Norm Method for Application to a Face Classification and Recognition. Transactions of the Korean Society of Automotive Engineers, 2019, 27, 339-344.	0.1	0
2525	Dimension Reduction of Arc Spectrum for Porosity Detection in P-GTAW Process. , 2020, , 111-136.		0
2526	Supervised kernel discriminant local tangent space alignment for high-resolution range profile-based radar target recognition. Journal of Applied Remote Sensing, 2019, 13, 1.	0.6	0
2527	Sub-Graph Regularization on Kernel Regression for Robust Semi-Supervised Dimensionality Reduction. Entropy, 2019, 21, 1125.	1.1	2
2528	Noise Robust Illumination Invariant Face Recognition via Contourlet Transform in Logarithm Domain. Lecture Notes in Computer Science, 2020, , 231-240.	1.0	1
2529	Deep Neural Networks for Out-of-sample Classification of Nonlinear Manifolds. Advances in Intelligent Systems and Computing, 2020, , 383-397.	0.5	0
2530	Robust canonical correlation analysis based on L1-norm minimization for feature learning and image recognition. Journal of Electronic Imaging, 2020, 29, 1.	0.5	3

#	ARTICLE	IF	CITATIONS
2531	Robust principal component analysis with projection learning for image classification. Journal of Modern Optics, 2020, 67, 704-720.	0.6	1
2532	Hybridization of Enhanced Orthogonal and Uncorrelated Locality Preserving Projection for Dimensionality Reduction: An HEOLPP Strategy. International Journal of Intelligent Engineering and Systems, 2020, 13, 46-55.	0.8	0
2533	A discriminant kernel entropy-based framework for feature representation learning. Journal of Visual Communication and Image Representation, 2021, 81, 103366.	1.7	2
2534	Locality Preserving Discriminant Projection for Speaker Verification. Journal of Computer and Communications, 2020, 08, 14-22.	0.6	0
2535	Face Recognition Based on Deep Features. Journal of Physics: Conference Series, 2020, 1693, 012157.	0.3	0
2536	Face Recognition. , 2021, , 1-10.		0
2537	A Sparse Local Preserving Projection Method Based On Graph Embedding. , 2020, , .		1
2538	Local-Tetra-Patterns for Face Recognition Encoded on Spatial Pyramid Matching. Computers, Materials and Continua, 2022, 70, 5039-5058.	1.5	2
2539	Low Rank Feature Learning. Information Fusion and Data Science, 2020, , 135-160.	0.3	0
2540	A Promising Nonlinear Dimensionality Reduction Method: Kernel-Based Within Class Collaborative Preserving Discriminant Projection. IEEE Signal Processing Letters, 2020, 27, 2034-2038.	2.1	4
2542	Comparative Study and Analysis of Various Facial Emotion Recognition Techniques. Asset Analytics, 2020, , 157-172.	0.4	2
2543	Effect of Laplacian Smoothing Stochastic Gradient Descent with Angular Margin Softmax Loss on Face Recognition. Communications in Computer and Information Science, 2020, , 549-561.	0.4	2
2544	Face Recognition Using the Combination of Weighted Sparse Representation-based Classification and Singular Value Decomposition Face. , 2020, 20, .		0
2545	Nuclear-Norm-Based Jointly Sparse Regression for Two-Dimensional Image Regression. Lecture Notes in Computer Science, 2020, , 355-368.	1.0	0
2546	Classical 2D Face Recognition: A Survey on Methods, Face Databases, and Performance Evaluation. Lecture Notes in Networks and Systems, 2020, , 375-383.	0.5	1
2547	Sparse Feature Learning. Information Fusion and Data Science, 2020, , 103-133.	0.3	0
2548	Learning a minimum similarity projection and lowest correlation representation for image classification. IET Image Processing, 2020, 14, 782-788.	1.4	0
2549	SDD-FIQA: Unsupervised Face Image Quality Assessment with Similarity Distribution Distance. , 2021, , .		43

#	ARTICLE	IF	CITATIONS
2550	Polynomial approximation to manifold learning. Journal of Intelligent and Fuzzy Systems, 2021, , 1-19.	0.8	0
2551	Collaborative representation-based locality preserving projections for image classification. Journal of Engineering, 2020, 2020, 310-315.	0.6	1
2552	Machine Learning Applications in Computer Vision. , 0, , 896-926.		0
2553	Unconstrained Face Recognition. Advances in Computational Intelligence and Robotics Book Series, 0, , 16-37.	0.4	1
2554	Automatic Face Image Tagging in Large Collections. Advances in Computational Intelligence and Robotics Book Series, 0, , 336-358.	0.4	0
2555	Face Searching in Large Databases. , 0, , 16-41.		0
2556	Probabilistic Methods for Face Registration and Recognition. , 0, , 178-197.		1
2557	Face Recognition. , 2008, , 43-70.		5
2559	A Manifolded AdaBoost for Face Recognition. Lecture Notes in Computer Science, 0, , 123-130.	1.0	0
2561	Subspace Clustering by Integrating Sparseness and Spatial-Closeness Priors. Journal of Physics: Conference Series, 2020, 1631, 012145.	0.3	0
2562	On the Extension of the Haar Cascade Algorithm for Face Recognition: Case Study and Results. , 2020, , .		0
2563	Medical diagnosis in Alzheimer's disease based on supervised and semisupervised learning. , 2021, , 177-195.		0
2564	Attendance Management System Using Facial Recognition and Image Augmentation Technique. , 2021, , .		4
2565	Tensor Laplacian Regularized Low-Rank Representation for Non-Uniformly Distributed Data Subspace Clustering. IEEE Signal Processing Letters, 2022, 29, 612-616.	2.1	3
2566	Fusion of Centroid-Based Clustering With Graph Clustering: An Expectation-Maximization-Based Hybrid Clustering. IEEE Transactions on Neural Networks and Learning Systems, 2023, 34, 4068-4082.	7.2	11
2568	Fault Diagnosis Using Improved Discrimination Locality Preserving Projections Integrated With Sparse Autoencoder. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-8.	2.4	17
2569	Bearing performance degradation assessment based on the continuous-scale mathematical morphological particle and feature fusion. Measurement: Journal of the International Measurement Confederation, 2022, 188, 110571.	2.5	7
2572	Robust doubly stochastic graph clustering. Neurocomputing, 2022, 475, 15-25.	3.5	1

#	ARTICLE	IF	CITATIONS
2573	A Novel Locally Linear KNN Method With Applications to Visual Recognition. IEEE Transactions on Neural Networks and Learning Systems, 2017, 28, 2010-2021.	7.2	46
2574	Survey on High-Dimensional Medical Data Clustering. , 2020, , .		0
2575	Multilinear Jointly Sparse Robust Discriminant Regression. , 2020, , .		0
2576	Face Recognition for Smart Door Lock System using Hierarchical Network. , 2020, , .		14
2577	Novel L2-Discriminant Locality Preserving Projection Integrated with Adaboost and Its Application to Fault Diagnosis. , 2020, , .		2
2578	AN ADOPTION OF 2D-PCA/ICA BASED POST-PROCESSING DIMENSIONALITY REDUCTION ALGORITHM FOR FACIAL RECOGNITION SYSTEM. , 2020, 3, 222-235.		0
2579	Mask Aware Network for Masked Face Recognition in the Wild. , 2021, , .		6
2580	Personalized Convolution for Face Recognition. International Journal of Computer Vision, 2022, 130, 344-362.	10.9	4
2581	Research on Real-Time Face Key Point Detection Algorithm Based on Attention Mechanism. Computational Intelligence and Neuroscience, 2022, 2022, 1-11.	1.1	2
2582	Simple and Robust Locality Preserving Projections Based on Maximum Difference Criterion. Neural Processing Letters, 2022, 54, 1783-1804.	2.0	3
2583	Collaborative representation-based fuzzy discriminant analysis for Face recognition. Visual Computer, 2022, 38, 1383.	2.5	2
2584	Internet of Things with Deep Learning-Based Face Recognition Approach for Authentication in Control Medical Systems. Computational and Mathematical Methods in Medicine, 2022, 2022, 1-17.	0.7	20
2585	Local-Dictionary Sparsity Discriminant Preserving Projections for Rotating Machinery Fault Diagnosis Based on Pre-Selected Multi-Domain Features. IEEE Sensors Journal, 2022, 22, 8781-8794.	2.4	4
2586	Entropy Minimizing Matrix Factorization. IEEE Transactions on Neural Networks and Learning Systems, 2022, PP, 1-14.	7.2	1
2587	A Sparse Reconstructive Evidential <i></i>-Nearest Neighbor Classifier for High-dimensional Data. IEEE Transactions on Knowledge and Data Engineering, 2022, , 1-1.	4.0	8
2588	Robust Latent Common Subspace Learning for Transferable Feature Representation. Electronics (Switzerland), 2022, 11, 810.	1.8	4
2589	Grassmannian diffusion maps based surrogate modeling via geometric harmonics. International Journal for Numerical Methods in Engineering, 0, , .	1.5	4
2590	A Real-Time Framework for Human Face Detection and Recognition in CCTV Images. Mathematical Problems in Engineering, 2022, 2022, 1-12.	0.6	24

#	ARTICLE	IF	CITATIONS
2591	Low dimensional multi-block neighborhood combination pattern for biomedical image retrieval. Multimedia Tools and Applications, 0, , 1.	2.6	0
2592	A study of convolutional neural networks in face recognition. , 2022, , .		0
2593	Novel and robust color texture descriptors for color face recognition. Multimedia Tools and Applications, 2022, 81, 21313-21347.	2.6	1
2594	A Novel Enhanced Nonnegative Matrix Factorization Method for Face Recognition. International Journal of Pattern Recognition and Artificial Intelligence, 2022, 36, .	0.7	0
2595	Improved Reliable Deep Face Recognition Method Using Separated Components. Brilliant Engineering, 2022, 3, 1-7.	0.3	0
2596	A new method to build the adaptive k-nearest neighbors similarity graph matrix for spectral clustering. Neurocomputing, 2022, 493, 191-203.	3.5	8
2597	Unsupervised feature selection via adaptive autoencoder with redundancy control. Neural Networks, 2022, 150, 87-101.	3.3	47
2598	Semi-supervised Subspace Metric Learning. , 2021, , .		0
2599	Fast Tensor Singular Value Decomposition Using the Low-Resolution Features of Tensors. , 2021, , .		3
2600	Research on Face Image Digital Processing and Recognition Based on Data Dimensionality Reduction Algorithm. Computational Intelligence and Neuroscience, 2021, 2021, 1-10.	1.1	5
2601	Large Margin Graph Embedding-Based Discriminant Dimensionality Reduction. Scientific Programming, 2021, 2021, 1-12.	0.5	2
2602	Cross-Batch Hard Example Mining With Pseudo Large Batch for ID vs. Spot Face Recognition. IEEE Transactions on Image Processing, 2022, 31, 3224-3235.	6.0	6
2603	Privacy-Preserving and verifiable $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si41.svg"} \rangle \langle \text{mml:mi mathvariant="script"} \rangle \text{SRC} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ -based face recognition with cloud/edge server assistance. Computers and Security, 2022, 118, 102740.	4.0	4
2604	Vision-Based Interaction. , 2006, , 948-950.		0
2605	Pose and Illumination Invariant Face Recognition Using Video Sequences. , 2007, , 9-25.		0
2609	Open-Source Face Recognition Frameworks: A Review of the Landscape. IEEE Access, 2022, 10, 50601-50623.	2.6	2
2610	Hyper-Laplacian Regularized Nonconvex Low-Rank Representation for Multi-View Subspace Clustering. IEEE Transactions on Signal and Information Processing Over Networks, 2022, 8, 376-388.	1.6	6
2612	A Solution for Monitoring the Eye's Viewing Distance from Electronical Displays. , 2022, , .		2

#	ARTICLE	IF	CITATIONS
2613	A Finger Vein Feature Extraction Method Incorporating Principal Component Analysis and Locality Preserving Projections. <i>Sensors</i> , 2022, 22, 3691.	2.1	5
2614	Semi-supervised multi-view clustering with dual hypergraph regularized partially shared non-negative matrix factorization. <i>Science China Technological Sciences</i> , 2022, 65, 1349-1365.	2.0	7
2615	COMSATS Face: A Dataset of Face Images with Pose Variations, Its Design, and Aspects. <i>Mathematical Problems in Engineering</i> , 2022, 2022, 1-11.	0.6	1
2616	Multi-dictionary induced low-rank representation with multi-manifold regularization. <i>Applied Intelligence</i> , 2023, 53, 3576-3593.	3.3	1
2617	Fast multiplicative algorithms for symmetric nonnegative tensor factorization. <i>Neurocomputing</i> , 2022, 500, 255-267.	3.5	2
2619	Adaptively Discriminant Locality Preserving Projection. , 2021, , .		0
2620	Robust Twin Bounded Support Vector Classifier With Manifold Regularization. <i>IEEE Transactions on Cybernetics</i> , 2023, 53, 5135-5150.	6.2	4
2621	Analyzing the Scientific Evolution of Face Recognition Research and Its Prominent Subfields. <i>IEEE Access</i> , 2022, 10, 68175-68201.	2.6	3
2622	A Deep Learning Based Fast Face Detection and Recognition Algorithm for Forensic Analysis. , 2022, , .		1
2623	iFace 1.1: A Proof-of-Concept of a Facial Authentication Based Digital ID for Smart Cities. <i>IEEE Access</i> , 2022, 10, 71791-71804.	2.6	3
2624	An Improved Dictionary-Based Method for Gas Identification with Electronic Nose. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 6650.	1.3	0
2625	WiVi: WiFi-Video Cross-Modal Fusion based Multi-Path Gait Recognition System. , 2022, , .		2
2626	Multi-Manifold Based Sparse Representation With Application to SAR Target Configuration Recognition. <i>Radio Science</i> , 2022, 57, .	0.8	1
2627	Simultaneous p- and s-orders minmax robust locality preserving projection. <i>Multimedia Tools and Applications</i> , 0, , .	2.6	0
2628	A novel vibro-acoustic fault diagnosis method of rolling bearings via entropy-weighted nuisance attribute projection and orthogonal locality preserving projections under various operating conditions. <i>Applied Acoustics</i> , 2022, 196, 108889.	1.7	12
2629	Fast algorithms for incremental and decremental semi-supervised discriminant analysis. <i>Pattern Recognition</i> , 2022, 131, 108888.	5.1	2
2631	Locality Preserving Projection for Domain Adaptation with Multi-Objective Learning. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , 2014, 28, .	3.6	4
2632	Measurement System of the Interpersonal Proximity using a Wearable Eye-Tracker. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
2633	Quality-Relevant Process Monitoring with Concurrent Locality-Preserving Dynamic Latent Variable Method. ACS Omega, 2022, 7, 27249-27262.	1.6	2
2634	Noise Robust Illumination Invariant Face Recognition Via Bivariate Wavelet Shrinkage in Logarithm Domain. Journal of Artificial Intelligence and Soft Computing Research, 2022, 12, 169-180.	3.5	4
2635	ExprGAN: Facial Expression Editing With Controllable Expression Intensity. Proceedings of the AAAI Conference on Artificial Intelligence, 2018, 32, .	3.6	85
2636	Learning Low-Rank Representations with Classwise Block-Diagonal Structure for Robust Face Recognition. Proceedings of the AAAI Conference on Artificial Intelligence, 2014, 28, .	3.6	6
2637	Similarity-Preserving Binary Signature for Linear Subspaces. Proceedings of the AAAI Conference on Artificial Intelligence, 2014, 28, .	3.6	1
2638	Facial Recognition Automation System Using Machine Learning. , 2022, , .		0
2639	Nonparametric locality reforming projection for linear discriminative dimensionality reduction. Journal of Electronic Imaging, 2022, 31, .	0.5	0
2640	Principal component analysis based on graph embedding. Multimedia Tools and Applications, 0, , .	2.6	0
2641	Learning Representations for Face Recognition: A Review from Holistic to Deep Learning. Advances in Technology Innovation, 2022, 7, 279-294.	0.3	0
2642	Prediction of the Age and Gender Based on Human Face Images Based on Deep Learning Algorithm. Computational and Mathematical Methods in Medicine, 2022, 2022, 1-16.	0.7	9
2643	Robust local-coordinate non-negative matrix factorization with adaptive graph for robust clustering. Information Sciences, 2022, 610, 1058-1077.	4.0	7
2645	Mixed noise face hallucination via adaptive weighted residual and nuclear-norm regularization. Applied Intelligence, 0, , .	3.3	0
2646	Low-rank 2D local discriminant graph embedding for robust image feature extraction. Pattern Recognition, 2023, 133, 109034.	5.1	15
2647	Contrast Retention De-coloring Based on Cosine Similarity. Communications in Computer and Information Science, 2022, , 155-164.	0.4	0
2648	Class-Oriented Self-Learning Graph Embedding for Image Compact Representation. IEEE Transactions on Circuits and Systems for Video Technology, 2023, 33, 74-87.	5.6	1
2649	Graph Convolutional Enhanced Discriminative Broad Learning System for Hyperspectral Image Classification. IEEE Access, 2022, 10, 90299-90311.	2.6	4
2650	Dual collaborative representation based discriminant projection for face recognition. Computers and Electrical Engineering, 2022, 102, 108281.	3.0	1
2651	Unified discriminant manifold learning for rotating machinery fault diagnosis. Journal of Intelligent Manufacturing, 0, , .	4.4	0

#	ARTICLE	IF	CITATIONS
2652	Effective weight function in graphs-based discriminant neighborhood embedding. International Journal of Machine Learning and Cybernetics, 0, , .	2.3	1
2653	Multi-view multi-manifold learning with local and global structure preservation. Applied Intelligence, 0, , .	3.3	1
2654	Complete joint global and local collaborative marginal fisher analysis. Applied Intelligence, 0, , .	3.3	1
2655	Squeeze-Loss: A Utility-Free Defense Against Membership Inference Attacks. Communications in Computer and Information Science, 2022, , 294-306.	0.4	0
2656	Discriminative and Geometry-Preserving Adaptive Graph Embedding for dimensionality reduction. Neural Networks, 2023, 157, 364-376.	3.3	7
2657	A New Low-Rank Structurally Incoherent Algorithm for Robust Image Feature Extraction. Mathematics, 2022, 10, 3648.	1.1	1
2658	Fast neighborhood reconstruction with adaptive weights learning. Knowledge-Based Systems, 2022, , 110082.	4.0	0
2659	Classification of Adversarial Attacks Using Ensemble Clustering Approach. Computers, Materials and Continua, 2023, 74, 2479-2498.	1.5	0
2660	Deep Autoencoder-like NMF with Contrastive Regularization and Feature Relationship Preservation. Expert Systems With Applications, 2023, 214, 119051.	4.4	7
2661	Low-rank constraint based dual projections learning for dimensionality reduction. Signal Processing, 2023, 204, 108817.	2.1	6
2662	Nonnegative Spectral Clustering with Discriminative Regularization. Proceedings of the AAAI Conference on Artificial Intelligence, 2011, 25, 555-560.	3.6	53
2663	Two-Stage Sparse Representation for Robust Recognition on Large-Scale Database. Proceedings of the AAAI Conference on Artificial Intelligence, 2010, 24, 475-480.	3.6	27
2664	Non-Negative Matrix Factorization with Constraints. Proceedings of the AAAI Conference on Artificial Intelligence, 2010, 24, 506-511.	3.6	26
2665	Discriminant Laplacian Embedding. Proceedings of the AAAI Conference on Artificial Intelligence, 2010, 24, 618-623.	3.6	10
2666	Face Recognition and Detection Algorithm—A Review. Lecture Notes in Electrical Engineering, 2022, , 729-734.	0.3	1
2667	A local-holistic graph-based descriptor for facial recognition. Multimedia Tools and Applications, 0, , .	2.6	1
2669	Multi-level regularization-based unsupervised multi-view feature selection with adaptive graph learning. International Journal of Machine Learning and Cybernetics, 2023, 14, 1695-1709.	2.3	3
2670	Locality preserving triplet discriminative projections for dimensionality reduction. Neurocomputing, 2023, 520, 284-300.	3.5	1

#	ARTICLE	IF	CITATIONS
2671	Local Linear Embedding with Adaptive Neighbors. Pattern Recognition, 2023, 136, 109205.	5.1	12
2672	Maximum Margin Correlation Filter Based on Data Spatial Distribution Information. IEEE Access, 2022, 10, 124945-124959.	2.6	0
2673	OTFace: Hard Samples Guided Optimal Transport Loss for Deep Face Representation. IEEE Transactions on Multimedia, 2023, 25, 1427-1438.	5.2	3
2674	Possibilistic Neighborhood Graph: A New Concept of Similarity Graph Learning. IEEE Transactions on Emerging Topics in Computational Intelligence, 2023, 7, 1636-1650.	3.4	0
2675	Collaborative Representation Based Graph Embedding Discriminant Analysis for Face Recognition. Jisuanji Fuzhu Sheji Yu Tuxingxue Xuebao/Journal of Computer-Aided Design and Computer Graphics, 2022, 34, 878-891.	0.2	0
2676	Enhance decoding of functional lower-limb movements by combining sensory motor rhythm and movement-related cortical potential features. , 2022, , .		0
2677	Image-based Jointly Sparse Maximum Margin Criterion with Pairwise Constrain for Feature Extraction. , 2022, , .		0
2678	A Review on Security Issues and Solutions for Precision Health in Internet-of-Medical-Things Systems. , 0, , .		0
2679	Multiview nonnegative matrix factorization with dual HSIC constraints for clustering. International Journal of Machine Learning and Cybernetics, 2023, 14, 2007-2022.	2.3	1
2680	SIGMA: Spectral Interpretation using Gaussian Mixtures and Autoencoder. Geochemistry, Geophysics, Geosystems, 0, , .	1.0	0
2681	Preliminary Findings: Use of CNN Powered Criminal Identification System. , 2022, , .		0
2682	Comparing Performance And Computational Efficiency Of Face Recognition Approaches. , 2022, , .		0
2683	Face Recognition Based Attendance System Using OpenCV Python. , 2022, , 52-56.		0
2684	Laplacian-Based Dimensionality Reduction. , 2023, , 249-284.		0
2685	A Unified Model for Face Matching and Presentation Attack Detection using an Ensemble of Vision Transformer Features. , 2023, , .		3
2686	Deep Image Feature Learning With Fuzzy Rules. IEEE Transactions on Emerging Topics in Computational Intelligence, 2024, 8, 724-737.	3.4	1
2687	Optimum "Eye Location" Problem for Spectral Clustering With Cosine Distance. IEEE Access, 2023, 11, 34238-34249.	2.6	0
2688	Two-Dimensional Exponential Sparse Discriminant Local Preserving Projections. Mathematics, 2023, 11, 1722.	1.1	0

#	ARTICLE	IF	CITATIONS
2689	68 landmarks are efficient for 3D face alignment: what about more?. Multimedia Tools and Applications, 2023, 82, 41435-41469.	2.6	4
2690	ViCTer: A semi-supervised video character tracker. Machine Learning With Applications, 2023, 12, 100460.	3.0	1
2691	An Improved Face Recognition Approach using Principal Component Analysis. , 2014, 2, 15-25.		0
2692	Robust Dimensionality Reduction via Low-rank Laplacian Graph Learning. ACM Transactions on Intelligent Systems and Technology, 2023, 14, 1-24.	2.9	4
2693	Dimensionality reduction by regularized least squares weighted discriminant projection. , 2021, , .		0
2694	Image-Based Attendance System using Facial Recognition. , 2022, , .		1
2695	Performance Face Image Quality Assessment under the Difference of Illumination Directions in Face Recognition System using FaceQnet, SDD-FIQA, and SER-FIQ. , 2022, , .		1
2696	Non-negative low-rank adaptive preserving sparse matrix regression model for supervised image feature selection and classification. IET Image Processing, 2023, 17, 2056-2071.	1.4	1
2697	Designing face resemblance technique using near set theory under varying facial features. Multimedia Tools and Applications, 0, , .	2.6	0
2698	Face recognition using feature dimension decrease arithmetic [^] -. , 2022, , .		0
2699	Combination of Different-Granularity Beliefs for Sensor-Based Human Activity Recognition. IEEE Sensors Journal, 2023, 23, 12309-12319.	2.4	2
2700	A Review of Deep Learning Approaches for Human Gait Recognition. , 2023, , .		0
2706	Multiview Human Gait Recognition using a Hybrid CNN Approach. , 2023, , .		0
2713	Computer vision based automated attendance system using face recognition approach. AIP Conference Proceedings, 2023, , .	0.3	0
2714	Weak Correlation-Based Discriminative Dictionary Learning for Image Classification. Lecture Notes in Computer Science, 2023, , 159-170.	1.0	0
2715	Evaluating Effectiveness of Using Multi-Features to Differentiate Real from Fake Facial Images. , 2022, , .		0
2724	Collaborative Representation Based Fisher Discrimination Dictionary Learning For Image Classification. , 2023, , .		0
2725	Face Image Lighting Enhancement Using a 3D Model. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
2727	Optimal latent space for Low-shot Face Recognition. , 2023, , .		0
2733	Artificial Intelligence in Computer Science. Advances in Computational Intelligence and Robotics Book Series, 2023, , 43-60.	0.4	3
2736	Deep Learning-Based System for Real-Time Face Tracking and Expression Recognition. , 2023, , .		1
2738	Student Surveillance System using Face Recognition. , 2023, , .		1
2739	NR-Isomap: An Incremental Approach with Gaussian Process Kernels for Denoising. , 2023, , .		0
2747	Enforcement ofÂDNN withÂLDA-PCA-ELM forÂPIE Invariant Few-Shot Face Recognition. Lecture Notes in Computer Science, 2023, , 791-801.	1.0	0
2748	Nonnegative Preserving Projection for Dimensionality Reduction. , 2023, , .		0
2749	Kernel locality preserving projections algorithm based on T-class weighted kernel functions with center kernel alignment. , 2023, , .		0
2750	Biometric and Bio-Cryptography. Studies in Computational Intelligence, 2023, , 153-224.	0.7	0
2751	Face Recognition using Convolutional Neural Network Algorithms. , 2023, , 60-69.		0
2753	Research of Facial Recognition Systems and Criteria for Identification. , 2023, , .		0
2754	Character Detection in First Person Shooter Game Scenes Using YOLO-v5 and YOLO-v7 Networks. , 2023, , .		0
2755	MaskDiffuse: Text-Guided Face Mask Removal Based onÂDiffusion Models. Lecture Notes in Computer Science, 2024, , 435-446.	1.0	0
2757	Face Recognition Research and Development. , 2024, , 3-36.		0
2759	Subspace Interpolation and Indexing on Stiefel and Grassmann Manifolds as a Lightweight Inference Engine. , 2023, , .		0
2760	Collation of Face Recognition Techniques: Image Registration and Dimension Reduction Approaches. , 2023, , .		0
2763	Creating a Learning Profile by Using Face and Emotion Recognition. , 2023, , .		0