

Very high resolution interpolated climate surfaces for g

International Journal of Climatology

25, 1965-1978

DOI: [10.1002/joc.1276](https://doi.org/10.1002/joc.1276)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | What temporal processes in trees tell us about competition, community structure and speciation. , 0, , 41-81. | | 0 |
| 2 | Observing temporal processes in nature. , 0, , 9-10. | | 0 |
| 7 | Influence of Zero Locations on the Number of Extrema in the Step Response. , 1991, , . | | 34 |
| 9 | Interaction of 5-lipoxygenase with cellular proteins. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 1881-1885. | 3.3 | 112 |
| 10 | Homogenization of a random non-stationary convection-diffusion problem. Russian Mathematical Surveys, 2002, 57, 729-751. | 0.2 | 16 |
| 11 | Tibetan Medicinal Plants. South African Journal of Botany, 2002, 68, 117. | 1.2 | 1 |
| 12 | Approximation of functions by polynomials with Hermitian interpolation and restrictions on the coefficients. Izvestiya Mathematics, 2003, 67, 183-206. | 0.1 | 4 |
| 13 | Methods, results and policy implications of poverty and food security mapping assessments. Food Policy, 2005, 30, 453-460. | 2.8 | 52 |
| 14 | Novel methods improve prediction of speciesâ€™ distributions from occurrence data. Ecography, 2006, 29, 129-151. | 2.1 | 6,691 |
| 15 | Evolutionary and Ecological Causes of the Latitudinal Diversity Gradient in Hylid Frogs: Treefrog Trees Unearth the Roots of High Tropical Diversity. American Naturalist, 2006, 168, 579-596. | 1.0 | 365 |
| 16 | Geographic Distribution of Common and Dwarf Bunt Resistance in Landraces of Triticum aestivum subsp. aestivum. Crop Science, 2006, 46, 1622-1629. | 0.8 | 38 |
| 17 | DOES NICHE CONSERVATISM PROMOTE SPECIATION? A CASE STUDY IN NORTH AMERICAN SALAMANDERS. Evolution; International Journal of Organic Evolution, 2006, 60, 2604-2621. | 1.1 | 401 |
| 18 | Conservation biogeography in North-east India: hierarchical analysis of cross-taxon distributional congruence. Diversity and Distributions, 2006, 13, 061117052025002-???. | 1.9 | 23 |
| 19 | Climate change and the origin of migratory pathways in the Swainson's thrush, Catharus ustulatus. Journal of Biogeography, 2006, 33, 1172-1182. | 1.4 | 106 |
| 20 | ORIGINAL ARTICLE: Predicting species distributions from small numbers of occurrence records: a test case using cryptic geckos in Madagascar. Journal of Biogeography, 2006, 34, 102-117. | 1.4 | 2,346 |
| 21 | Divergence in mating signals correlates with ecological variation in the migratory songbird, Swainson's thrush (Catharus ustulatus). Molecular Ecology, 2006, 15, 3147-3156. | 2.0 | 70 |
| 22 | The ability of climate envelope models to predict the effect of climate change on species distributions. Global Change Biology, 2006, 12, 2272-2281. | 4.2 | 917 |
| 23 | A comparison of methods for mapping species ranges and species richness. Global Ecology and Biogeography, 2006, 15, 578-587. | 2.7 | 322 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 24 | Plant communities of the Mongolian Transaltay Gobi. Feddes Repertorium, 2006, 117, 526-570. | 0.2 | 19 |
| 26 | Guidelines for assessing the suitability of spatial climate data sets. International Journal of Climatology, 2006, 26, 707-721. | 1.5 | 464 |
| 27 | DOES NICHE CONSERVATISM PROMOTE SPECIATION? A CASE STUDY IN NORTH AMERICAN SALAMANDERS. Evolution; International Journal of Organic Evolution, 2006, 60, 2604. | 1.1 | 109 |
| 28 | GIS-based characterization of the geographic distributions of wild and cultivated populations of the Mesoamerican fruit tree <i>Spondias purpurea</i> (Anacardiaceae). American Journal of Botany, 2006, 93, 1757-1767. | 0.8 | 51 |
| 29 | HISTORICAL PROCESSES CONSTRAIN PATTERNS IN GLOBAL DIATOM DIVERSITY. Ecology, 2007, 88, 1924-1931. | 1.5 | 261 |
| 30 | Locating Pleistocene Refugia: Comparing Phylogeographic and Ecological Niche Model Predictions. PLoS ONE, 2007, 2, e563. | 1.1 | 444 |
| 31 | Phylogenetic relationships and biogeographic considerations of four new species of <i>Cnemalobus</i> (Coleoptera: Carabidae) from Patagonia. Insect Systematics and Evolution, 2007, 38, 267-292. | 0.2 | 11 |
| 32 | Cross-Mining Binary and Numerical Attributes. , 2007, , . | | 7 |
| 33 | The status of <i>Sarcopoterium spinosum</i> (Rosaceae) at the western periphery of its range: Ecological constraints lead to conservation concerns. Israel Journal of Plant Sciences, 2007, 55, 1-13. | 0.3 | 34 |
| 34 | Variation in adult shell morphology and life-history traits in the land snail <i>Oreohelix cooperi</i> in relation to biotic and abiotic factors. Journal of Molluscan Studies, 2007, 73, 129-137. | 0.4 | 31 |
| 35 | Limits to elevational distributions in two species of emberizine finches: disentangling the role of interspecific competition, autoecology, and geographic variation in the environment. Ecography, 2007, 30, 491-504. | 2.1 | 47 |
| 36 | Modelagem da distribuição geográfica de espécies lenhosas de cerrado no Estado de São Paulo. Revista Brasileira De Botanica, 2007, 30, 233. | 0.5 | 22 |
| 37 | Opinion of the Scientific Panel on Animal Health and Welfare (AHAW) on the EFSA Selfmandate on bluetongue origin and occurrence. EFSA Journal, 2007, 5, 480. | 0.9 | 2 |
| 38 | GEOGRAPHY AND RESOURCE LIMITATION COMPLICATE METABOLISM-BASED PREDICTIONS OF SPECIES RICHNESS. Ecology, 2007, 88, 1895-1898. | 1.5 | 23 |
| 39 | Study on species invasion warning modeling using GIS and data mining. , 2007, , . | | 0 |
| 40 | Mapping the annual cycle of temperature in Iceland. Meteorologische Zeitschrift, 2007, 16, 45-56. | 0.5 | 19 |
| 41 | PAPER PRESENTED AT INTERNATIONAL WORKSHOP ON INCREASING WHEAT YIELD POTENTIAL, CIMMYT, OBREGON, MEXICO, 20-24 MARCH 2006 Use of spatial analyses for global characterization of wheat-based production systems. Journal of Agricultural Science, 2007, 145, 115. | 0.6 | 46 |
| 42 | Mountain forest islands and Holocene environmental changes in Central Asia: A case study from the southern Gobi Altay, Mongolia. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 250, 150-166. | 1.0 | 84 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 43 | Threshold criteria for conversion of probability of species presence to either "or presence" absence. <i>Acta Oecologica</i> , 2007, 31, 361-369. | 0.5 | 676 |
| 44 | Ecogeographic and evolutionary approaches to improving adaptation of autumn-sown chickpea (<i>Cicer</i>) Tj ETQq1 1 0.784314 rgBT /Over Research, 2007, 104, 112-122. | 2.3 | 37 |
| 45 | Conservation assessment and prioritization of areas in Northeast India: Priorities for amphibians and reptiles. <i>Biological Conservation</i> , 2007, 136, 346-361. | 1.9 | 116 |
| 46 | Seed germination of five mountain steppe species of Central Asia. <i>Journal of Arid Environments</i> , 2007, 71, 404-410. | 1.2 | 18 |
| 47 | A Mutual Temperature Range method for Quaternary palaeoclimatic analysis using European nonmarine Ostracoda. <i>Quaternary Science Reviews</i> , 2007, 26, 1398-1415. | 1.4 | 95 |
| 48 | Accounting for regional niche variation in habitat suitability models. <i>Oikos</i> , 2007, 116, 99-110. | 1.2 | 69 |
| 49 | A null model for significance testing of presence-only species distribution models. <i>Ecography</i> , 2007, 30, 727-736. | 2.1 | 403 |
| 50 | The Potential Geographic Distribution of <i>Radopholus similis</i> in China. <i>Agricultural Sciences in China</i> , 2007, 6, 1444-1449. | 0.6 | 26 |
| 51 | FEEDING HABITS OF BARN OWLS ALONG A VEGETATIVE GRADIENT IN NORTHERN PATAGONIA. <i>Journal of Raptor Research</i> , 2007, 41, 277-287. | 0.2 | 18 |
| 52 | METABOLIC THEORY AND DIVERSITY GRADIENTS: WHERE DO WE GO FROM HERE?. <i>Ecology</i> , 2007, 88, 1898-1902. | 1.5 | 47 |
| 53 | Climatic zonation drives latitudinal variation in speciation mechanisms. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 2995-3003. | 1.2 | 160 |
| 54 | Applications of Ecological Niche Modeling for Species Delimitation: A Review and Empirical Evaluation Using Day Geckos (<i>Phelsuma</i>) from Madagascar. <i>Systematic Biology</i> , 2007, 56, 907-923. | 2.7 | 363 |
| 55 | Dry zone forests of Fiji: Species composition, life history traits, and conservation. <i>New Zealand Journal of Botany</i> , 2007, 45, 545-563. | 0.8 | 27 |
| 56 | Distributional Dynamics of Invasion and Hybridization by <i>Strix</i> spp. in Western North America. <i>Ornithological Monographs</i> , 2007, , 55-66. | 1.3 | 1 |
| 57 | Ecological and evolutionary determinants of a key plant functional trait: wood density and its community-wide variation across latitude and elevation. <i>American Journal of Botany</i> , 2007, 94, 451-459. | 0.8 | 419 |
| 58 | Infections of the Malaria Parasite, <i>Plasmodium Floridaense</i> , in the Invasive Lizard, <i>Anolis Sagrei</i> , in Florida. <i>Journal of Herpetology</i> , 2007, 41, 750-754. | 0.2 | 11 |
| 59 | A Method to Classify Ecoclimatic Arid and Semiarid Zones in Circum-Saharan Africa Using Monthly Dynamics of Multiple Indicators. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2007, 45, 4000-4007. | 2.7 | 9 |
| 60 | Adding More Ecology into Species Delimitation: Ecological Niche Models and Phylogeography Help Define Cryptic Species in the Black Salamander (<i>Aneides flavipunctatus</i>). <i>Systematic Biology</i> , 2007, 56, 924-942. | 2.7 | 395 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 61 | GBD-Explorer: Extending open source java GIS for exploring ecoregion-based biodiversity data. <i>Ecological Informatics</i> , 2007, 2, 94-102. | 2.3 | 12 |
| 62 | Relationships between climate, productivity and vegetation in southern Mongolian drylands. <i>Basic and Applied Dryland Research</i> , 2007, 1, 100-120. | 0.7 | 30 |
| 63 | Opinion of the Scientific Panel on Animal Health and Welfare (AHAW) on request from the Commission on bluetongue vectors and vaccines. <i>EFSA Journal</i> , 2007, 5, 479. | 0.9 | 0 |
| 64 | The effect of ancient population bottlenecks on human phenotypic variation. <i>Nature</i> , 2007, 448, 346-348. | 13.7 | 291 |
| 65 | Limits to elevational distributions in two species of emberizine finches: disentangling the role of interspecific competition, autoecology, and geographic variation in the environment. <i>Ecography</i> , 2007, 30, 491-504. | 2.1 | 9 |
| 66 | Sex ratio variation in gynodioecious <i>Lobelia siphilitica</i> : effects of population size and geographic location. <i>Journal of Evolutionary Biology</i> , 2007, 20, 1396-1405. | 0.8 | 54 |
| 67 | Evidence of climatic niche shift during biological invasion. <i>Ecology Letters</i> , 2007, 10, 701-709. | 3.0 | 903 |
| 68 | Human impacts on environmentâ€™ diversity relationships: evidence for biotic homogenization from butterfly species richness patterns. <i>Global Ecology and Biogeography</i> , 2007, 16, 290-299. | 2.7 | 60 |
| 69 | Geographical and environmental range expansion through polyploidy in wild potatoes (<i>Solanum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 | 2.7 | 124 |
| 70 | Where will species go? Incorporating new advances in climate modelling into projections of species distributions. <i>Global Change Biology</i> , 2007, 13, 1368-1385. | 4.2 | 157 |
| 71 | Global evidence that deforestation amplifies flood risk and severity in the developing world. <i>Global Change Biology</i> , 2007, 13, 2379-2395. | 4.2 | 430 |
| 72 | The odd man out? Might climate explain the lower tree ã€ˆ diversity of African rain forests relative to Amazonian rain forests?. <i>Journal of Ecology</i> , 2007, 95, 1058-1071. | 1.9 | 115 |
| 73 | Ecology matters: Atlantic?Mediterranean disjunction in the sand-dune shrub <i>Armeria pungens</i> (Plumbaginaceae). <i>Molecular Ecology</i> , 2007, 16, 2155-2171. | 2.0 | 71 |
| 74 | Tests of phenotypic and genetic concordance and their application to the conservation of Panamanian golden frogs (<i>Anura</i> , Bufonidae). <i>Molecular Ecology</i> , 2007, 16, 3119-3133. | 2.0 | 20 |
| 75 | Biogeography of European land mammals shows environmentally distinct and spatially coherent clusters. <i>Journal of Biogeography</i> , 2007, 34, 1053-1064. | 1.4 | 88 |
| 76 | Ecological niches and potential geographical distributions of Mediterranean fruit fly (<i>Ceratitis) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 1.4 | 56 |
| 77 | Predicting species distributions from herbarium collections: does climate bias in collection sampling influence model outcomes?. <i>Journal of Biogeography</i> , 2008, 35, 105-116. | 1.4 | 125 |
| 78 | Distribution modelling and statistical phylogeography: an integrative framework for generating and testing alternative biogeographical hypotheses. <i>Journal of Biogeography</i> , 2007, 34, 1833-1845. | 1.4 | 245 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 79 | Limiting similarity and species assemblages in the short-tailed fruit bats. <i>Journal of Zoology</i> , 2007, 273, 249-256. | 0.8 | 12 |
| 80 | The application of predictive modelling of species distribution to biodiversity conservation. <i>Diversity and Distributions</i> , 2007, 13, 243-251. | 1.9 | 325 |
| 81 | Squamate richness in the Brazilian Cerrado and its environmental climatic associations. <i>Diversity and Distributions</i> , 2007, 13, 714-724. | 1.9 | 69 |
| 82 | The invasive shrub <i>Buddleja davidii</i> performs better in its introduced range. <i>Diversity and Distributions</i> , 2008, 14, 225-233. | 1.9 | 61 |
| 83 | A PHYLOGENETIC PERSPECTIVE ON ELEVATIONAL SPECIES RICHNESS PATTERNS IN MIDDLE AMERICAN TREEFROGS: WHY SO FEW SPECIES IN LOWLAND TROPICAL RAINFORESTS?. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1188-1207. | 1.1 | 115 |
| 84 | TESTING THE ROLE OF INTERSPECIFIC COMPETITION IN THE EVOLUTIONARY ORIGIN OF ELEVATIONAL ZONATION: AN EXAMPLE WITH BUARREMON BRUSH-FINCHES (AVES, EMBERIZIDAE) IN THE NEOTROPICAL MOUNTAINS. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1120-1136. | 1.1 | 47 |
| 85 | INTEGRATING COALESCENT AND ECOLOGICAL NICHE MODELING IN COMPARATIVE PHYLOGEOGRAPHY. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1439-1454. | 1.1 | 290 |
| 86 | LOSS AND RE-EVOLUTION OF COMPLEX LIFE CYCLES IN MARSUPIAL FROGS: DOES ANCESTRAL TRAIT RECONSTRUCTION MISLEAD?. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1886-1899. | 1.1 | 99 |
| 87 | MITOCHONDRIAL INTROGRESSION AND INCOMPLETE LINEAGE SORTING THROUGH SPACE AND TIME: PHYLOGENETICS OF CROTAPHYTID LIZARDS. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 2879-2897. | 1.1 | 246 |
| 88 | ECOLOGICAL NICHE CONSERVATISM AND PLEISTOCENE REFUGIA IN THE THRUSH-LIKE MOURNER, SCHIFFORNIS SP., IN THE NEOTROPICS. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 62, 071115145922003-??? | 1.1 | 98 |
| 89 | Coupling Genetic and Ecological-Niche Models to Examine How Past Population Distributions Contribute to Divergence. <i>Current Biology</i> , 2007, 17, 940-946. | 1.8 | 148 |
| 90 | Ecological Niche Modeling of <i>Coccidioides</i> spp. in Western North American Deserts. <i>Annals of the New York Academy of Sciences</i> , 2007, 1111, 35-46. | 1.8 | 68 |
| 91 | Evaluation of the Sensitivity of European Soils to the Deposition of Acid Compounds: Different Approaches Provide Different Results. <i>Water, Air, and Soil Pollution</i> , 2007, 185, 293-303. | 1.1 | 4 |
| 92 | Spatial patterns of diversity and genetic erosion of traditional cassava (<i>Manihot esculenta</i> Crantz) in the Peruvian Amazon: An evaluation of socio-economic and environmental indicators. <i>Genetic Resources and Crop Evolution</i> , 2007, 54, 1599-1612. | 0.8 | 29 |
| 93 | Modelling the potential geographic distribution of invasive ant species in New Zealand. <i>Biological Invasions</i> , 2007, 9, 723-735. | 1.2 | 182 |
| 94 | Microsatellite markers reveal spatial genetic structure of <i>Tetranychus urticae</i> (Acari: Tetranychidae) populations along a latitudinal gradient in Europe. <i>Experimental and Applied Acarology</i> , 2007, 41, 225-241. | 0.7 | 48 |
| 95 | Heritable variation in the foliar secondary metabolite sideroxylonal in <i>Eucalyptus</i> confers cross-resistance to herbivores. <i>Oecologia</i> , 2007, 153, 891-901. | 0.9 | 71 |
| 96 | A new methodology to map irrigated areas using multi-temporal MODIS and ancillary data: An application example in the continental US. <i>Remote Sensing of Environment</i> , 2008, 112, 3520-3537. | 4.6 | 224 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 97 | Predicting the potential distribution of the alien invasive American bullfrog (<i>Lithobates catesbeianus</i>) in Brazil. <i>Biological Invasions</i> , 2008, 10, 585-590. | 1.2 | 135 |
| 98 | Predicting potential distributions of invasive species: the exotic Barbary ground squirrel in the Canarian archipelago and the west Mediterranean region. <i>Biological Invasions</i> , 2008, 10, 1027-1040. | 1.2 | 27 |
| 99 | Giants invading the tropics: the oriental vessel fern, <i>Angiopteris evecta</i> (Marattiaceae). <i>Biological Invasions</i> , 2008, 10, 1215-1228. | 1.2 | 23 |
| 100 | Predicting species distributions in poorly-studied landscapes. <i>Biodiversity and Conservation</i> , 2008, 17, 1353-1366. | 1.2 | 164 |
| 101 | The effect of exposure on landscape scale soil surface temperatures and species distribution models. <i>Landscape Ecology</i> , 2008, 23, 211-225. | 1.9 | 57 |
| 102 | Germination ecology of Central Asian <i>Stipa</i> spp: differences among species, seed provenances, and the importance of field studies. <i>Plant Ecology</i> , 2008, 196, 269-280. | 0.7 | 35 |
| 103 | Palaeoclimatic applications of large databases: developing and testing methods of palaeotemperature reconstruction using nonmarine ostracods. <i>Senckenbergiana Lethaea</i> , 2008, 88, 93-112. | 0.3 | 36 |
| 104 | New evidence for a postglacial homoploid hybrid origin of the widespread Central European <i>Scabiosa columbaria</i> L. s. str. (Dipsacaceae). <i>Plant Systematics and Evolution</i> , 2008, 274, 179-191. | 0.3 | 4 |
| 105 | Contrasting patterns of diameter and biomass increment across tree functional groups in Amazonian forests. <i>Oecologia</i> , 2008, 158, 521-534. | 0.9 | 29 |
| 106 | Tropical moist <i>Polylepis</i> stands at the treeline in East Bolivia: the effect of elevation on stand microclimate, above- and below-ground structure, and regeneration. <i>Trees - Structure and Function</i> , 2008, 22, 303-315. | 0.9 | 52 |
| 107 | Climate-related variability in carbon and oxygen stable isotopes among populations of Aleppo pine grown in common-garden tests. <i>Trees - Structure and Function</i> , 2008, 22, 759-769. | 0.9 | 96 |
| 108 | Physiographically sensitive mapping of climatological temperature and precipitation across the conterminous United States. <i>International Journal of Climatology</i> , 2008, 28, 2031-2064. | 1.5 | 2,307 |
| 109 | Factors controlling specific sediment yield in the upper Indus River basin, northern Pakistan. <i>Hydrological Processes</i> , 2008, 22, 3102-3114. | 1.1 | 40 |
| 110 | Integrating Landsat TM and SRTM-DEM derived variables with decision trees for habitat classification and change detection in complex neotropical environments. <i>Remote Sensing of Environment</i> , 2008, 112, 2145-2159. | 4.6 | 182 |
| 111 | Modeling distribution of Amazonian tree species and diversity using remote sensing measurements. <i>Remote Sensing of Environment</i> , 2008, 112, 2000-2017. | 4.6 | 202 |
| 112 | The effect of climate change on crop wild relatives. <i>Agriculture, Ecosystems and Environment</i> , 2008, 126, 13-23. | 2.5 | 305 |
| 113 | Systems dynamics and the spatial distribution of methane emissions from African domestic ruminants to 2030. <i>Agriculture, Ecosystems and Environment</i> , 2008, 126, 122-137. | 2.5 | 100 |
| 114 | Predicting the spread of an invasive plant: combining experiments and ecological niche model. <i>Ecography</i> , 2008, 31, 709-719. | 2.1 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 115 | GENETIC, MORPHOLOGICAL, AND ECOLOGICAL CHARACTERIZATION OF A HYBRID ZONE THAT SPANS A MIGRATORY DIVIDE. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 452-466. | 1.1 | 92 |
| 116 | AMPHIBIANS DO NOT FOLLOW BERGMANN'S RULE. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 413-420. | 1.1 | 163 |
| 117 | ENVIRONMENTAL FACTORS PREDICT ADAPTIVE PHENOTYPIC DIFFERENTIATION WITHIN AND BETWEEN TWO WILD ANDEAN TOMATOES. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 774-792. | 1.1 | 86 |
| 118 | NEOENDEMISM IN MADAGASCAN SCALY TREE FERNS RESULTS FROM RECENT, COINCIDENT DIVERSIFICATION BURSTS. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 1876-1889. | 1.1 | 88 |
| 119 | PATTERNS OF ENDEMISM AND SPECIES RICHNESS IN MALAGASY COPHYLINE FROGS SUPPORT A KEY ROLE OF MOUNTAINOUS AREAS FOR SPECIATION. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 1890-1907. | 1.1 | 137 |
| 120 | ENVIRONMENTAL NICHE EQUIVALENCY VERSUS CONSERVATISM: QUANTITATIVE APPROACHES TO NICHE EVOLUTION. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 2868-2883. | 1.1 | 1,957 |
| 121 | Evaluating condition-specific and asymmetric competition in a species distribution context. <i>Oikos</i> , 2008, 117, 1175-1184. | 1.2 | 18 |
| 122 | Why do mountains support so many species of birds?. <i>Ecography</i> , 2008, 31, 306-315. | 2.1 | 107 |
| 123 | Determinants of species richness, endemism and turnover in European longhorn beetles. <i>Ecography</i> , 2008, 31, 263-271. | 2.1 | 120 |
| 124 | Inferring evolutionary scenarios with geostatistics and geographical information systems for the viperid snakes <i>Vipera latastei</i> and <i>Vipera monticola</i> . <i>Biological Journal of the Linnean Society</i> , 0, 95, 790-806. | 0.7 | 32 |
| 125 | Phylogenetic analysis of the endemic New Caledonian cockroach <i>Lauraesilpha</i> . Testing competing hypotheses of diversification. <i>Cladistics</i> , 2008, 24, 802-812. | 1.5 | 34 |
| 126 | Influence of Representation Targets on the Total Area of Conservation Area Networks. <i>Conservation Biology</i> , 2008, 22, 673-682. | 2.4 | 34 |
| 127 | Environmental gradients explaining the prevalence and intensity of infection with the amphibian chytrid fungus: the host's perspective. <i>Animal Conservation</i> , 2008, 11, 513-517. | 1.5 | 38 |
| 128 | Divergent character clines across a recent secondary contact zone in a Hispaniolan lizard. <i>Journal of Zoology</i> , 2008, 274, 292-300. | 0.8 | 7 |
| 129 | Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the <i>Uroplatus</i> leaf-tailed gecko radiation of Madagascar. <i>Journal of Zoology</i> , 2008, 275, 423-440. | 0.8 | 54 |
| 130 | The influence of sampling intensity on the perception of the spatial distribution of tropical diversity and endemism: a case study of ferns from Bolivia. <i>Diversity and Distributions</i> , 2008, 14, 123-130. | 1.9 | 46 |
| 131 | GIS-based niche models identify environmental correlates sustaining a contact zone between three species of European vipers. <i>Diversity and Distributions</i> , 2008, 14, 452-461. | 1.9 | 70 |
| 132 | Combined modelling of distribution and niche in invasion biology: a case study of two invasive <i>Tetramorium</i> ant species. <i>Diversity and Distributions</i> , 2008, 14, 538-545. | 1.9 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 133 | Is UK biofuel supply from <i>Miscanthus</i> water-limited?. <i>Soil Use and Management</i> , 2008, 24, 235-245. | 2.6 | 77 |
| 134 | Prediction of plant species distributions across six millennia. <i>Ecology Letters</i> , 2008, 11, 357-369. | 3.0 | 183 |
| 135 | Climate warming will reduce growth and survival of Scots pine except in the far north. <i>Ecology Letters</i> , 2008, 11, 588-597. | 3.0 | 210 |
| 136 | Why is the choice of future climate scenarios for species distribution modelling important?. <i>Ecology Letters</i> , 2008, 11, 1135-1146. | 3.0 | 257 |
| 137 | Applying climatically associated species pools to the modelling of compositional change in tropical montane forests. <i>Global Ecology and Biogeography</i> , 2008, 17, 262-273. | 2.7 | 27 |
| 138 | Spatial patterns of woody plant and bird diversity: functional relationships or environmental effects?. <i>Global Ecology and Biogeography</i> , 2008, 17, 327-339. | 2.7 | 197 |
| 139 | Reconstructing the demise of Tethyan plants: climate-driven range dynamics of <i>Laurus</i> since the Pliocene. <i>Global Ecology and Biogeography</i> , 2008, 17, 685-695. | 2.7 | 101 |
| 140 | The global biogeography of semi-arid periodic vegetation patterns. <i>Global Ecology and Biogeography</i> , 2008, 17, 715-723. | 2.7 | 227 |
| 141 | Testing the thermal melanism hypothesis: a macrophysiological approach. <i>Functional Ecology</i> , 2008, 22, 232-238. | 1.7 | 140 |
| 142 | Variability in 20th century climate change reconstructions and its consequences for predicting geographic responses of California mammals. <i>Global Change Biology</i> , 2008, 14, 2215-2231. | 4.2 | 36 |
| 143 | Modelling the distributions and spatial coincidence of bluetongue vectors <i>Culicoides imicola</i> and the <i>Culicoides obsoletus</i> group throughout the Iberian peninsula. <i>Medical and Veterinary Entomology</i> , 2008, 22, 124-134. | 0.7 | 69 |
| 144 | The California Hotspots Project: identifying regions of rapid diversification of mammals. <i>Molecular Ecology</i> , 2008, 17, 120-138. | 2.0 | 103 |
| 145 | Postglacial recolonization at a snail's pace (<i>Trochulus villosus</i>): confronting competing refugia hypotheses using model selection. <i>Molecular Ecology</i> , 2008, 17, 2449-2462. | 2.0 | 72 |
| 146 | Lineage diversification and historical demography of a sky island salamander, <i>Plethodon ouachitae</i> , from the Interior Highlands. <i>Molecular Ecology</i> , 2008, 17, 5315-5335. | 2.0 | 87 |
| 147 | Detecting the influence of climatic variables on species distributions: a test using GIS niche-based models along a steep longitudinal environmental gradient. <i>Journal of Biogeography</i> , 2008, 35, 637-646. | 1.4 | 63 |
| 148 | Predicting species distributions across the Amazonian and Andean regions using remote sensing data. <i>Journal of Biogeography</i> , 2008, 35, 1160-1176. | 1.4 | 178 |
| 149 | Historical climate modelling predicts patterns of current biodiversity in the Brazilian Atlantic forest. <i>Journal of Biogeography</i> , 2008, 35, 1187-1201. | 1.4 | 638 |
| 150 | Explaining the elevational diversity pattern of geometrid moths from Borneo: a test of five hypotheses. <i>Journal of Biogeography</i> , 2008, 35, 1452-1464. | 1.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 151 | Climate-driven range dynamics of the freshwater limpet, <i>Ancylus fluviatilis</i> (Pulmonata, Tj ETQq0 0 0 rgBT/Overlock, 10 Tf 50 7 | 1.4 | 29 |
| 152 | Stepless models for regional environmental variation in Norway. <i>Journal of Biogeography</i> , 2008, 35, 1906-1922. | 1.4 | 66 |
| 153 | A Meta-Analysis of the Impact of African Elephants on Savanna Vegetation. <i>Journal of Wildlife Management</i> , 2008, 72, 892-899. | 0.7 | 131 |
| 154 | Integrating diverse methods to understand climate-land interactions in East Africa. <i>Geoforum</i> , 2008, 39, 898-911. | 1.4 | 68 |
| 155 | Cloud frequency correlates to plant species composition in the high Andes of Ecuador. <i>Basic and Applied Ecology</i> , 2008, 9, 504-513. | 1.2 | 24 |
| 156 | Natural infraspecific variation in fatty acid composition of <i>Cuphea</i> (Lythraceae) seed oils. <i>Industrial Crops and Products</i> , 2008, 27, 279-287. | 2.5 | 21 |
| 157 | Predicting geographical distribution models of high-value timber trees in the Amazon Basin using remotely sensed data. <i>Ecological Modelling</i> , 2008, 211, 309-323. | 1.2 | 52 |
| 158 | Thermal tolerance in a south-east African population of the tsetse fly <i>Glossina pallidipes</i> (Diptera, Tj ETQq1 1 0.784314 rgBT/Overlock, 0.9 131 | 0.9 | 131 |
| 159 | A new species of <i>Lonchophylla</i> (Chiroptera: Phyllostomidae) from the eastern Andes of northwestern South America. <i>American Museum Novitates</i> , 2008, 3635, 1. | 0.2 | 10 |
| 160 | Measuring the Meltdown: Drivers of Global Amphibian Extinction and Decline. <i>PLoS ONE</i> , 2008, 3, e1636. | 1.1 | 351 |
| 161 | Aboveground biomass and leaf area index (LAI) mapping for Niassa Reserve, northern Mozambique. <i>Journal of Geophysical Research</i> , 2008, 113, . | 3.3 | 42 |
| 162 | Spatial prediction of <i>Plasmodium falciparum</i> prevalence in Somalia. <i>Malaria Journal</i> , 2008, 7, 159. | 0.8 | 65 |
| 163 | Nocturnal Foraging Observations of the Blue-crowned Motmot (<i>Momotus momota</i>) in San Jos , Costa Rica. <i>Wilson Journal of Ornithology</i> , 2008, 120, 653-654. | 0.1 | 6 |
| 164 | Predicting Geographic and Ecological Distributions of Triatomine Species in the Southern Mexican State of Puebla Using Ecological Niche Modeling. <i>Journal of Medical Entomology</i> , 2008, 45, 540-546. | 0.9 | 19 |
| 165 | Impact of a drier Early-Mid-Holocene climate upon Amazonian forests. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008, 363, 1829-1838. | 1.8 | 165 |
| 166 | TEMPERATURE AS A KEY DRIVER OF ECOLOGICAL SORTING AMONG INVASIVE PEST SPECIES IN THE TROPICAL ANDES. <i>Ecological Applications</i> , 2008, 18, 1795-1809. | 1.8 | 80 |
| 167 | Digital Soil Mapping with Limited Data. , 2008, , . | | 56 |
| 168 | BIRD METACOMMUNITIES IN TEMPERATE SOUTH AMERICAN FOREST: VEGETATION STRUCTURE, AREA, AND CLIMATE EFFECTS. <i>Ecology</i> , 2008, 89, 981-990. | 1.5 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 169 | The regional carbon budget of East Asia simulated with a terrestrial ecosystem model and validated using AsiaFlux data. <i>Agricultural and Forest Meteorology</i> , 2008, 148, 738-747. | 1.9 | 80 |
| 170 | Integrating GIS-based environmental data into evolutionary biology. <i>Trends in Ecology and Evolution</i> , 2008, 23, 141-148. | 4.2 | 413 |
| 171 | The Giant Hummingbird (<i>Patagona gigas</i>) in the Mountains of Central Argentina and a Climatic Envelope Model for its Distribution. <i>Wilson Journal of Ornithology</i> , 2008, 120, 648-651. | 0.1 | 1 |
| 172 | Modelling the partially unknown distribution of wall lizards (<i>Podarcis</i>) in North Africa: ecological affinities, potential areas of occurrence, and methodological constraints. <i>Canadian Journal of Zoology</i> , 2008, 86, 992-1001. | 0.4 | 48 |
| 173 | New data on the status and distribution of the bush dog (<i>Speothos venaticus</i>): Evaluating its quality of protection and directing research efforts. <i>Biological Conservation</i> , 2008, 141, 2494-2505. | 1.9 | 62 |
| 174 | Growth and survival of <i>Prosopis africana</i> provenances tested in Niger and related to rainfall gradients in the West African Sahel. <i>Forest Ecology and Management</i> , 2008, 256, 585-592. | 1.4 | 52 |
| 175 | Heavy metals in European soils: A geostatistical analysis of the FOREGS Geochemical database. <i>Geoderma</i> , 2008, 148, 189-199. | 2.3 | 275 |
| 176 | Changes of reanalysis-derived Northern Hemisphere summer warm extreme indices during 1948–2006 and links with climate variability. <i>Global and Planetary Change</i> , 2008, 63, 67-78. | 1.6 | 36 |
| 177 | Phylogeography and predicted distribution of African-Arabian and Malagasy populations of giant mastiff bats, <i>Otomops</i> spp. (Chiroptera: Molossidae). <i>Acta Chiropterologica</i> , 2008, 10, 21-40. | 0.2 | 34 |
| 178 | Embedding and extending GIS for exploratory analysis of large-scale species distribution data. , 2008, , . | | 6 |
| 179 | Potential Distribution of Two Species in the Medically Important <i>Anopheles minimus</i> Complex (Diptera: Culicidae). <i>Journal of Medical Entomology</i> , 2008, 45, 852-860. | 0.9 | 27 |
| 180 | Description and phylogenetic relationships of two new species of <i>Baripus</i> (Coleoptera: Carabidae: Tj ETQq1 1 0.784314 rgBT /Overlo 211-227. | 0.1 | 13 |
| 181 | First Observed Instance of Polygyny in Flammulated Owls. <i>Wilson Journal of Ornithology</i> , 2008, 120, 645-648. | 0.1 | 2 |
| 182 | Diet of the Long-eared Owl in the Northern and Central Negev Desert, Israel. <i>Wilson Journal of Ornithology</i> , 2008, 120, 641-645. | 0.1 | 8 |
| 183 | Giant Hummingbirds (<i>Patagona gigas</i>) Ingest Calcium-rich Minerals. <i>Wilson Journal of Ornithology</i> , 2008, 120, 651-653. | 0.1 | 11 |
| 184 | Diversity Patterns in Iberian <i>Calathus</i> (Coleoptera, Carabidae: Harpalinae): Species Turnover Shows a Story Overlooked by Species Richness. <i>Environmental Entomology</i> , 2008, 37, 1488-1497. | 0.7 | 7 |
| 185 | A method for quantifying biodiversity loss and its application to a 50-year record of deforestation across Madagascar. <i>Conservation Letters</i> , 2008, 1, 173-181. | 2.8 | 110 |
| 186 | Distribution of <i>Geraecormobius sylvorum</i> (Opiliones, Gonyleptidae): Range modeling based on bioclimatic variables. <i>Journal of Arachnology</i> , 2008, 36, 574-582. | 0.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 187 | CLIMATE MODELS AND ORNITHOLOGY. <i>Auk</i> , 2008, 125, 1-10. | 0.7 | 36 |
| 188 | Mapping and exploring the distribution of the Vulnerable grey-winged cotinga <i>Tijuca condita</i> . <i>Oryx</i> , 2008, 42, 562. | 0.5 | 10 |
| 189 | Global Significance of Extensive Grazing Lands and Pastoral Societies: An Introduction. , 2008, , 1-24. | | 60 |
| 190 | Geographic variation in floral morphology and style:morph ratios in a sexually polymorphic daffodil. <i>American Journal of Botany</i> , 2008, 95, 185-195. | 0.8 | 49 |
| 191 | GIS-based modeling approach for energy systems. <i>International Journal of Energy Sector Management</i> , 2008, 2, 368-384. | 1.2 | 11 |
| 192 | To grow or to seed: ecotypic variation in reproductive allocation and cone production by young female Aleppo pine (<i>Pinus halepensis</i> , Pinaceae). <i>American Journal of Botany</i> , 2008, 95, 833-842. | 0.8 | 116 |
| 193 | Potential Distribution of Two Species in the Medically Important <i>Anopheles minimus</i> Complex (Diptera: Tj ETQq0 0,0,rgBT /Overlock 10 | 0.9 | 33 |
| 194 | Constructing Retrospective Gridded Daily Precipitation and Temperature Datasets for the Conterminous United States. <i>Journal of Applied Meteorology and Climatology</i> , 2008, 47, 475-497. | 0.6 | 226 |
| 195 | The Limits and Intensity of <i>Plasmodium falciparum</i> Transmission: Implications for Malaria Control and Elimination Worldwide. <i>PLoS Medicine</i> , 2008, 5, e38. | 3.9 | 344 |
| 196 | An Integrative Method for Delimiting Cohesion Species: Finding the Population-Species Interface in a Group of Californian Trapdoor Spiders with Extreme Genetic Divergence and Geographic Structuring. <i>Systematic Biology</i> , 2008, 57, 628-646. | 2.7 | 192 |
| 197 | Floristic Relationships Among Vegetation Types of New Zealand and the Southern Andes: Similarities and Biogeographic Implications. <i>Annals of Botany</i> , 2008, 101, 1401-1412. | 1.4 | 17 |
| 198 | Paleodistributions and Comparative Molecular Phylogeography of Leafcutter Ants (<i>Atta</i> spp.) Provide New Insight into the Origins of Amazonian Diversity. <i>PLoS ONE</i> , 2008, 3, e2738. | 1.1 | 77 |
| 199 | All across Africa: highly individual migration routes of Eleonora's falcon. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 2887-2896. | 1.2 | 83 |
| 200 | Uncoupled Geographical Variation between Leaves and Flowers in a South-Andean Proteaceae. <i>Annals of Botany</i> , 2008, 102, 79-91. | 1.4 | 33 |
| 201 | Predicting Geographic and Ecological Distributions of Triatomine Species in the Southern Mexican State of Puebla Using Ecological Niche Modeling. <i>Journal of Medical Entomology</i> , 2008, 45, 540-546. | 0.9 | 21 |
| 202 | Identifying critical areas for conservation: Biodiversity and climate change in central America, Mexico, and the Dominican Republic. <i>Biodiversity</i> , 2008, 9, 89-99. | 0.5 | 10 |
| 203 | Evolutionary Relationships of Pocket Gophers (<i>Cratogeomys castanops</i> Species Group) of the Mexican Altiplano. <i>Journal of Mammalogy</i> , 2008, 89, 190-208. | 0.6 | 19 |
| 204 | Applications of Computational Intelligence in Biology. <i>Studies in Computational Intelligence</i> , 2008, , . | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 205 | Are autosomal sex-determining factors of the housefly (<i>Musca domestica</i>) spreading north?. <i>Genetical Research</i> , 2008, 90, 157-165. | 0.3 | 44 |
| 206 | Multiscale Integration for Spatio-Temporal Ecoclimatic Ecoregioning Delineation. , 2008, , . | | 2 |
| 207 | Root and Crown Rot Fungi Associated with Spring, Facultative, and Winter Wheat in Turkey. <i>Plant Disease</i> , 2008, 92, 1299-1306. | 0.7 | 122 |
| 208 | Higher taxa as paleoecological and paleoclimatic indicators: A search for the modern analog of the Florissant fossil flora. , 2008, , . | | 9 |
| 209 | Regional variation in tropical forest tree species composition in the Central African Republic: an assessment based on inventories by forest companies. <i>Journal of Tropical Ecology</i> , 2008, 24, 663-674. | 0.5 | 51 |
| 210 | Applying Niche-Based Models to Predict Endangered-Hyloid Potential Distributions: Are Neotropical Protected Areas Effective Enough?. <i>Tropical Conservation Science</i> , 2008, 1, 417-445. | 0.6 | 49 |
| 211 | Predicting habitat suitability for the endemic mountain nyala (<i>Tragelaphus buxtoni</i>) in Ethiopia. <i>Wildlife Research</i> , 2008, 35, 409. | 0.7 | 29 |
| 212 | Ecogeography of the Old World lupins. 1. Ecotypic variation in yellow lupin (<i>Lupinus luteus</i> L.). <i>Australian Journal of Agricultural Research</i> , 2008, 59, 691. | 1.5 | 34 |
| 213 | Claims of Potential Expansion throughout the U.S. by Invasive Python Species Are Contradicted by Ecological Niche Models. <i>PLoS ONE</i> , 2008, 3, e2931. | 1.1 | 58 |
| 214 | Coarse-scale spatial and ecological analysis of tuberculosis in cattle: an investigation in Jalisco, Mexico. <i>Geospatial Health</i> , 2008, 3, 29. | 0.3 | 3 |
| 215 | A Method for Estimating Pan Evaporation for Inland and Coastal Regions of the Southeastern U.S.. <i>Southeastern Geographer</i> , 2008, 48, 149-171. | 0.1 | 5 |
| 216 | A new species of <i>Splendeptychia</i> from the Magdalena Valley in Colombia (Lepidoptera: Nymphalidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 | 0.2 | 3 |
| 217 | Ecological niche models for four native cockroach species (Blattaria: Blattellidae: Ectobiinae) in the Netherlands. <i>Contributions To Zoology</i> , 2009, 78, 149-156. | 0.2 | 3 |
| 218 | LOCALITY UNCERTAINTY AND THE DIFFERENTIAL PERFORMANCE OF FOUR COMMON NICHE-BASED MODELING TECHNIQUES. <i>Biodiversity Informatics</i> , 2009, 6, . | 3.0 | 27 |
| 219 | Analysis of the geographical distribution of <i>Psammolestes Bergroth</i> (Hemiptera: Heteroptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 187 Jurberg. <i>Zootaxa</i> , 2009, 2033, 41-48. | 0.2 | 14 |
| 220 | Complicated histories: three new species of poison frogs of the genus <i>Ameerega</i> (Anura:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 | 0.2 | 48 |
| 221 | Cladistic, biogeographic and environmental niche analysis of the species of Agathemera Stål (Phasmatida, Agathemeridae). <i>Zootaxa</i> , 2009, 2308, 43-57. | 0.2 | 21 |
| 222 | DescriÃ§Ã£o do girino de <i>Cochranella resplendens</i> e redescrÃ§Ã£o do girino de <i>Hyalinobatrachium aureoguttatum</i> (Anura, Centrolenidae). <i>Phyllomedusa</i> , 2009, 8, 105. | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 223 | Basin-wide variations in foliar properties of Amazonian forest: phylogeny, soils and climate. <i>Biogeosciences</i> , 2009, 6, 2677-2708. | 1.3 | 295 |
| 224 | Productivity Differences Between and Within Countries. <i>SSRN Electronic Journal</i> , 2009, , . | 0.4 | 5 |
| 226 | ENVIRONMENTAL CORRELATION STRUCTURE AND ECOLOGICAL NICHE MODEL PROJECTIONS. <i>Biodiversity Informatics</i> , 2009, 6, . | 3.0 | 51 |
| 227 | An evaluation of methods for modelling distribution of Patagonian insects. <i>Revista Chilena De Historia Natural</i> , 2009, 82, . | 0.5 | 62 |
| 228 | Present habitat suitability for <i>Anopheles atroparvus</i> (Diptera, Culicidae) and its coincidence with former malaria areas in mainland Portugal. <i>Geospatial Health</i> , 2009, 3, 177. | 0.3 | 21 |
| 229 | DistribuiÃ§Ã£o geogrÃ¡fica potencial de espÃ©cies americanas do caranguejo "violinista" (<i>Uca</i> spp.) (Crustacea, Decapoda) com base em modelagem de nicho ecolÃ³gico. <i>Iheringia - Serie Zoologia</i> , 2009, 99, 92-98. | 0.5 | 9 |
| 230 | A Mechanistic Niche Model for Measuring Species' Distributional Responses to Seasonal Temperature Gradients. <i>PLoS ONE</i> , 2009, 4, e7921. | 1.1 | 56 |
| 231 | A Pleistocene Clone of Palmer's Oak Persisting in Southern California. <i>PLoS ONE</i> , 2009, 4, e8346. | 1.1 | 43 |
| 232 | A 44-Year Daily Gridded Precipitation Dataset for Asia Based on a Dense Network of Rain Gauges. <i>Scientific Online Letters on the Atmosphere</i> , 2009, 5, 137-140. | 0.6 | 500 |
| 233 | The potential distribution of the red imported fire ant, <i>Solenopsis invicta</i> Buren (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Ove | 0.3 | 9 |
| 234 | Chapter 3 Regional Vulnerability of Climate Change Impacts on Asian Rice Production and Scope for Adaptation. <i>Advances in Agronomy</i> , 2009, 102, 91-133. | 2.4 | 402 |
| 235 | Yields and water productivity of rainfed grain crops in the Volta Basin, West Africa. <i>Water International</i> , 2009, 34, 104-118. | 0.4 | 13 |
| 236 | Climatic extremes improve predictions of spatial patterns of tree species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19723-19728. | 3.3 | 314 |
| 237 | Pleistocene Impacts on the Phylogeography of the Desert Pocket Mouse (<i>Chaetodipus penicillatus</i>). <i>Journal of Mammalogy</i> , 2009, 90, 306-320. | 0.6 | 58 |
| 238 | Political complexity predicts the spread of ethnolinguistic groups. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7339-7344. | 3.3 | 148 |
| 239 | Quantifying ecological, morphological, and genetic variation to delimit species in the coast horned lizard species complex (<i>Phrynosoma</i>). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12418-12423. | 3.3 | 212 |
| 240 | Modelling the range of Syrian spadefoot toad (<i>Pelobates syriacus</i>) with combination of GIS-based approaches. <i>Amphibia - Reptilia</i> , 2009, 30, 401-412. | 0.1 | 10 |
| 241 | Birdsong tuned to the environment: green hylia song varies with elevation, tree cover, and noise. <i>Behavioral Ecology</i> , 2009, 20, 1089-1095. | 1.0 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 242 | Reconstruction of the climate envelopes of salamanders and their evolution through time. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19715-19722. | 3.3 | 50 |
| 243 | Morphological and genetic variation in <i>Mormopterus jugularis</i> (Chiroptera: Molossidae) in different bioclimatic regions of Madagascar with natural history notes. Mammalia, 2009, 73, . | 0.3 | 10 |
| 244 | On the conspecificity of <i>Allactaga hotsoni</i> Thomas, 1920 and <i>Allactaga firouzi</i> Womochel, 1978 (Rodentia: Dipodoidea). Mammalia, 2009, 73, . | 0.3 | 9 |
| 245 | Ecology of leaf teeth: A multi-site analysis from an Australian subtropical rainforest. American Journal of Botany, 2009, 96, 738-750. | 0.8 | 43 |
| 246 | Geographic Distribution and Ecology of Potential Malaria Vectors in the Republic of Korea. Journal of Medical Entomology, 2009, 46, 680-692. | 0.9 | 36 |
| 247 | Congruent Climate-Related Genealogical Responses from Molecular Markers and Quantitative Traits for Western White Pine (<i>Pinus monticola</i>). International Journal of Plant Sciences, 2009, 170, 1120-1131. | 0.6 | 37 |
| 248 | Climate Change, Habitat Loss, Protected Areas and the Climate Adaptation Potential of Species in Mediterranean Ecosystems Worldwide. PLoS ONE, 2009, 4, e6392. | 1.1 | 294 |
| 249 | Modelling Bedriaga's rock lizard distribution in Sardinia: An ensemble approach. Amphibia - Reptilia, 2009, 30, 413-424. | 0.1 | 19 |
| 250 | Primate Densities in the Atlantic Forest of Southeast Brazil: The Role of Habitat Quality and Anthropogenic Disturbance. , 2009, , 413-431. | | 15 |
| 251 | Adaptation of tropical and subtropical pine plantation forestry to climate change: Realignment of <i>Pinus patula</i> and <i>Pinus tecunumanii</i> genotypes to 2020 planting site climates. Scandinavian Journal of Forest Research, 2009, 24, 483-493. | 0.5 | 13 |
| 252 | Testing Species-Level Diversification Hypotheses in Madagascar: The Case of Microendemic Brookesia Leaf Chameleons. Systematic Biology, 2009, 58, 641-656. | 2.7 | 65 |
| 253 | Phylogeographic Analyses and Paleodistribution Modeling Indicate Pleistocene In Situ Survival of <i>Hordeum</i> Species (Poaceae) in Southern Patagonia without Genetic or Spatial Restriction. Molecular Biology and Evolution, 2009, 26, 907-923. | 3.5 | 107 |
| 254 | Thermally activated energy and critical magnetic fields of $\text{SmFeAsO}_{0.9}\text{F}_{0.1}$. Superconductor Science and Technology, 2009, 22, 065012. | 1.8 | 43 |
| 255 | Climate shaped the worldwide distribution of human mitochondrial DNA sequence variation. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 3447-3455. | 1.2 | 117 |
| 256 | Human-related processes drive the richness of exotic birds in Europe. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 47-53. | 1.2 | 61 |
| 257 | Distance from Africa, not climate, explains within-population phenotypic diversity in humans. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 809-814. | 1.2 | 124 |
| 258 | Life history influences rates of climatic niche evolution in flowering plants. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 4345-4352. | 1.2 | 129 |
| 259 | Evaluating the invasiveness of <i>Acacia paradoxa</i> in South Africa. South African Journal of Botany, 2009, 75, 485-496. | 1.2 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 260 | Ecological correlates of bluetongue virus in Spain: Predicted spatial occurrence and its relationship with the observed abundance of the potential <i>Culicoides</i> spp. vector. <i>Veterinary Journal</i> , 2009, 182, 235-243. | 0.6 | 32 |
| 261 | The subterranean genus <i>Niphargus</i> (Crustacea, Amphipoda) in the Middle East: A faunistic overview with descriptions of two new species. <i>Zoologischer Anzeiger</i> , 2009, 248, 137-150. | 0.4 | 20 |
| 262 | Time series analysis of optical remote sensing data for the mapping of temporary surface water bodies in sub-Saharan western Africa. <i>Journal of Hydrology</i> , 2009, 370, 52-63. | 2.3 | 93 |
| 263 | Pleistocene glacial refugia across the Appalachian Mountains and coastal plain in the millipede genus <i>Narceus</i> : Evidence from population genetic, phylogeographic, and paleoclimatic data. <i>BMC Evolutionary Biology</i> , 2009, 9, 25. | 3.2 | 66 |
| 264 | Environment, Land, and Rural Out-migration in the Southern Ecuadorian Andes. <i>World Development</i> , 2009, 37, 457-468. | 2.6 | 188 |
| 265 | Climate and geographic trends in hatch delay of the treehole mosquito, <i>Aedes triseriatus</i> Say (Diptera: Tj ETQq1 1 0.784314 rgBT /Over | 0.5 | 26 |
| 266 | The present distribution and predicted geographic expansion of the floodwater mosquito <i>Aedes sticticus</i> in Sweden. <i>Journal of Vector Ecology</i> , 2009, 34, 141-147. | 0.5 | 27 |
| 267 | GOBLET: An open-source geographic overlaying database and query module for spatial targeting in agricultural systems. <i>Computers and Electronics in Agriculture</i> , 2009, 68, 114-128. | 3.7 | 4 |
| 268 | Analysis of Andean blackberry (<i>Rubus glaucus</i>) production models obtained by means of artificial neural networks exploiting information collected by small-scale growers in Colombia and publicly available meteorological data. <i>Computers and Electronics in Agriculture</i> , 2009, 69, 198-208. | 3.7 | 26 |
| 269 | GIS-based modeling of the geographic distribution of <i>Quercus emoryi</i> Torr. (Fagaceae) in MÃ©xico and identification of significant environmental factors influencing the species's distribution. <i>Ecological Modelling</i> , 2009, 220, 3599-3611. | 1.2 | 6 |
| 270 | Effects of experimental protocol on global vegetation model accuracy: A comparison of simulated and observed vegetation patterns for Asia. <i>Ecological Modelling</i> , 2009, 220, 1481-1491. | 1.2 | 17 |
| 271 | Environmental and geographic correlates of the taxonomic structure of primate communities. <i>American Journal of Physical Anthropology</i> , 2009, 139, 382-393. | 2.1 | 67 |
| 272 | The relative role of drift and selection in shaping the human skull. <i>American Journal of Physical Anthropology</i> , 2010, 141, 76-82. | 2.1 | 92 |
| 273 | Assessing regional geodiversity: the Iberian Peninsula. <i>Earth Surface Processes and Landforms</i> , 2009, 34, 1433-1445. | 1.2 | 128 |
| 274 | Predicting the distribution of the crested tinamous, <i>Eudromia</i> spp. (Aves, Tinamiformes). <i>Journal of Ornithology</i> , 2009, 150, 75. | 0.5 | 21 |
| 275 | Difference in cuticular transpiration and sclerophylly in juvenile and adult pine needles relates to the species-specific rates of development. <i>Trees - Structure and Function</i> , 2009, 23, 501-508. | 0.9 | 26 |
| 276 | The Link Between Rapid Enigmatic Amphibian Decline and the Globally Emerging Chytrid Fungus. <i>EcoHealth</i> , 2009, 6, 358-372. | 0.9 | 56 |
| 277 | Scaling-up productivity (NPP) using light or water use efficiencies (LUE, WUE) from a two-layer tropical plantation. <i>Agroforestry Systems</i> , 2009, 76, 409-422. | 0.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 278 | Modelling the potential distribution of the invasive tomato red spider mite, <i>Tetranychus evansi</i> (Acari:) Tj ETQq0 0 0, rgBT /Overlock 10 T | 0.7 | 68 |
| 279 | On the origin of <i>Echinodorus grandiflorus</i> (Alismataceae) in Florida (âœE. floridanusâœ), and its estimated potential as an invasive species. <i>Hydrobiologia</i> , 2009, 635, 107-112. | 1.0 | 6 |
| 280 | Modeling the Geographical Distribution and Fundamental Niches of <i>Cacajao</i> spp. and <i>Chiropotes israelita</i> in Northwestern Amazonia via a Maximum Entropy Algorithm. <i>International Journal of Primatology</i> , 2009, 30, 217-228. | 0.9 | 99 |
| 281 | Combining top-down and bottom-up dynamics in land use modeling: exploring the future of abandoned farmlands in Europe with the Dyna-CLUE model. <i>Landscape Ecology</i> , 2009, 24, 1167-1181. | 1.9 | 612 |
| 282 | Towards a climate change adaptation strategy for coffee communities and ecosystems in the Sierra Madre de Chiapas, Mexico. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2009, 14, 605-625. | 1.0 | 158 |
| 283 | What parts of the US mainland are climatically suitable for invasive alien pythons spreading from Everglades National Park?. <i>Biological Invasions</i> , 2009, 11, 241-252. | 1.2 | 60 |
| 284 | Near term climate projections for invasive species distributions. <i>Biological Invasions</i> , 2009, 11, 1373-1379. | 1.2 | 63 |
| 285 | Systematic conservation assessment for the Mesoamerica, ChocÃ³, and Tropical Andes biodiversity hotspots: a preliminary analysis. <i>Biodiversity and Conservation</i> , 2009, 18, 1793-1828. | 1.2 | 40 |
| 286 | Chilean Bromeliaceae: diversity, distribution and evaluation of conservation status. <i>Biodiversity and Conservation</i> , 2009, 18, 2449-2471. | 1.2 | 56 |
| 287 | Physical and biological variables related to habitat preferences of rodents. <i>Biodiversity and Conservation</i> , 2009, 18, 2779-2797. | 1.2 | 2 |
| 288 | Comparing alternative systematic conservation planning strategies against a politically driven conservation plan. <i>Biodiversity and Conservation</i> , 2009, 18, 3061-3083. | 1.2 | 7 |
| 289 | Effect of characteristics of butterfly species on the accuracy of distribution models in an arid environment. <i>Biodiversity and Conservation</i> , 2009, 18, 3629-3641. | 1.2 | 26 |
| 290 | Environmental risk factors for equine West Nile virus disease cases in Texas. <i>Veterinary Research Communications</i> , 2009, 33, 461-471. | 0.6 | 11 |
| 291 | Geographical parthenogenesis, genome size variation and pollen production in the arctic-alpine species <i>Hieracium alpinum</i> . <i>Botanica Helvetica</i> , 2009, 119, 41-51. | 1.1 | 50 |
| 292 | A Quantitative Climate-Match Score for Risk-Assessment Screening of Reptile and Amphibian Introductions. <i>Environmental Management</i> , 2009, 44, 590-607. | 1.2 | 45 |
| 293 | Spatial analysis of plague in California: niche modeling predictions of the current distribution and potential response to climate change. <i>International Journal of Health Geographics</i> , 2009, 8, 38. | 1.2 | 75 |
| 294 | Optimum land cover products for use in a <i>Glossina-morsitans</i> habitat model of Kenya. <i>International Journal of Health Geographics</i> , 2009, 8, 39. | 1.2 | 9 |
| 295 | Relationships between deforestation, riparian forest buffers and benthic macroinvertebrates in neotropical headwater streams. <i>Freshwater Biology</i> , 2009, 54, 165-180. | 1.2 | 149 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 296 | Climate change at the landscape scale: predicting fine-grained spatial heterogeneity in warming and potential refugia for vegetation. <i>Global Change Biology</i> , 2009, 15, 656-667. | 4.2 | 142 |
| 297 | From introduction to equilibrium: reconstructing the invasive pathways of the Argentine ant in a Mediterranean region. <i>Global Change Biology</i> , 2009, 15, 2101-2115. | 4.2 | 38 |
| 298 | Sharing natural resources: mountain gorillas and people in the Parc National des Volcans, Rwanda. <i>African Journal of Ecology</i> , 2010, 48, 621-627. | 0.4 | 8 |
| 299 | Competition at the range boundary in the slimy salamander: using reciprocal transplants for studies on the role of biotic interactions in spatial distributions. <i>Journal of Animal Ecology</i> , 2009, 78, 52-62. | 1.3 | 59 |
| 300 | Identifying hotspots for plant invasions and forecasting focal points of further spread. <i>Journal of Applied Ecology</i> , 2009, 46, 1219-1228. | 1.9 | 72 |
| 301 | Ecological niche modelling of montane mammals in the Great Basin, North America: examining past and present connectivity of species across basins and ranges. <i>Journal of Biogeography</i> , 2009, 36, 148-161. | 1.4 | 121 |
| 302 | The effect of island area on body size in a primate species from the Sunda Shelf Islands. <i>Journal of Biogeography</i> , 2009, 36, 362-371. | 1.4 | 20 |
| 303 | A comparison of native and invasive populations of three clonal plant species in Germany and New Zealand. <i>Journal of Biogeography</i> , 2009, 36, 865-878. | 1.4 | 33 |
| 304 | Geohistorical and current environmental influences on floristic differentiation in the Ryukyu Archipelago, Japan. <i>Journal of Biogeography</i> , 2009, 36, 919-928. | 1.4 | 46 |
| 305 | Ice age distributions of European small mammals: insights from species distribution modelling. <i>Journal of Biogeography</i> , 2009, 36, 1152-1163. | 1.4 | 82 |
| 306 | Tropical niche conservatism and the species richness gradient of North American butterflies. <i>Journal of Biogeography</i> , 2009, 36, 1698-1711. | 1.4 | 77 |
| 307 | Evolutionary history, biogeography and eco-climatological differentiation of the genus <i>Anthemis</i> L. (Compositae, Anthemideae) in the circum-Mediterranean area. <i>Journal of Biogeography</i> , 2009, 36, 1313-1332. | 1.4 | 59 |
| 308 | Is current climatic equilibrium a guarantee for the transferability of distribution model predictions? A case study of the spotted hyena. <i>Journal of Biogeography</i> , 2009, 36, 1645-1655. | 1.4 | 60 |
| 309 | Climate-based models of spatial patterns of species richness in Egypt's butterfly and mammal fauna. <i>Journal of Biogeography</i> , 2009, 36, 2085-2095. | 1.4 | 63 |
| 310 | Modelling the distribution of a threatened habitat: the California sage scrub. <i>Journal of Biogeography</i> , 2009, 36, 2176-2188. | 1.4 | 46 |
| 311 | Predicting the distribution of Sasquatch in western North America: anything goes with ecological niche modelling. <i>Journal of Biogeography</i> , 2009, 36, 1623-1627. | 1.4 | 137 |
| 312 | Biogeography of Iberian freshwater fishes revisited: the roles of historical versus contemporary constraints. <i>Journal of Biogeography</i> , 2009, 36, 2096-2110. | 1.4 | 67 |
| 313 | A critical assessment of two species distribution models: a case study of the vervet monkey (<i>Cercopithecus aethiops</i>). <i>Journal of Biogeography</i> , 2009, 36, 2300-2312. | 1.4 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 314 | Spatially autocorrelated sampling falsely inflates measures of accuracy for presence-only niche models. <i>Journal of Biogeography</i> , 2009, 36, 2290-2299. | 1.4 | 488 |
| 315 | Establishment success of invasive ring-necked and monk parakeets in Europe. <i>Journal of Biogeography</i> , 2009, 36, 2264-2278. | 1.4 | 110 |
| 316 | Decomposition in tropical forests: a pan-tropical study of the effects of litter type, litter placement and mesofaunal exclusion across a precipitation gradient. <i>Journal of Ecology</i> , 2009, 97, 801-811. | 1.9 | 256 |
| 317 | Global patterns in plant height. <i>Journal of Ecology</i> , 2009, 97, 923-932. | 1.9 | 611 |
| 318 | Do facilitative interactions increase species richness at the entire community level?. <i>Journal of Ecology</i> , 2009, 97, 1181-1191. | 1.9 | 480 |
| 319 | Inferring the past to predict the future: climate modelling predictions and phylogeography for the freshwater gastropod <i>Radix balthica</i> (Pulmonata, Basommatophora). <i>Molecular Ecology</i> , 2009, 18, 534-544. | 2.0 | 106 |
| 320 | Landscape genetics of California mule deer (<i>Odocoileus hemionus</i>): the roles of ecological and historical factors in generating differentiation. <i>Molecular Ecology</i> , 2009, 18, 1848-1862. | 2.0 | 76 |
| 321 | Phylogeographic and demographic effects of Pleistocene climatic fluctuations in a montane salamander, <i>Plethodon fourchensis</i> . <i>Molecular Ecology</i> , 2009, 18, 2243-2262. | 2.0 | 84 |
| 322 | Reduced genetic diversity, increased isolation and multiple introductions of invasive giant hogweed in the western Swiss Alps. <i>Molecular Ecology</i> , 2009, 18, 2819-2831. | 2.0 | 53 |
| 323 | Alpine biogeography of Parnassian butterflies during Quaternary climate cycles in North America. <i>Molecular Ecology</i> , 2009, 18, 3471-3485. | 2.0 | 37 |
| 324 | Lineage diversification in a widespread species: roles for niche divergence and conservatism in the common kingsnake, <i>Lampropeltis getula</i> . <i>Molecular Ecology</i> , 2009, 18, 3443-3457. | 2.0 | 122 |
| 325 | Bridging the gap between community ecology and historical biogeography: niche conservatism and community structure in emydid turtles. <i>Molecular Ecology</i> , 2009, 18, 4664-4679. | 2.0 | 53 |
| 326 | Plant invasions along mountain roads: the altitudinal amplitude of alien Asteraceae forbs in their native and introduced ranges. <i>Ecography</i> , 2009, 32, 334-344. | 2.1 | 74 |
| 327 | The velocity of climate change. <i>Nature</i> , 2009, 462, 1052-1055. | 13.7 | 1,930 |
| 328 | The importance of dispersal related and local factors in shaping the taxonomic structure of diatom metacommunities. <i>Oikos</i> , 2009, 118, 1239-1249. | 1.2 | 167 |
| 329 | Landscape-scale Environmental and Floristic Variation in Costa Rican Old-growth Rain Forest Remnants. <i>Biotropica</i> , 2009, 41, 16-26. | 0.8 | 42 |
| 330 | Vegetative Community Compositional Gradients of Tropical Hardwood Hammocks along the Florida Keys. <i>Biotropica</i> , 2009, 41, 27-36. | 0.8 | 2 |
| 331 | Estimated plant richness pattern across northwest South America provides similar support for the species-energy and spatial heterogeneity hypotheses. <i>Ecography</i> , 2009, 32, 433-448. | 2.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 332 | The impact of ecological differentiation and dispersal limitation on species turnover and phylogenetic structure of inselberg's plant communities. <i>Ecography</i> , 2009, 32, 613-622. | 2.1 | 37 |
| 333 | Plio-Pleistocene climate change and geographic heterogeneity in plant diversity-environment relationships. <i>Ecography</i> , 2009, 32, 13-21. | 2.1 | 46 |
| 334 | Modelling the impact of <i>Hieracium</i> spp. on protected areas in Australia under future climates. <i>Ecography</i> , 2009, 32, 757-764. | 2.1 | 39 |
| 335 | Botanical richness and endemism patterns of Borneo derived from species distribution models. <i>Ecography</i> , 2009, 32, 180-192. | 2.1 | 149 |
| 336 | Disentangling regional and local tree diversity in the Amazon. <i>Ecography</i> , 2009, 32, 46-54. | 2.1 | 61 |
| 337 | THE EVOLUTION OF LOCAL ENDEMISM IN MADAGASCAR: WATERSHED VERSUS CLIMATIC GRADIENT HYPOTHESES EVALUATED BY NULL BIOGEOGRAPHIC MODELS. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 959-967. | 1.1 | 100 |
| 338 | WHEN COLD IS BETTER: CLIMATE-DRIVEN ELEVATION SHIFTS YIELD COMPLEX PATTERNS OF DIVERSIFICATION AND DEMOGRAPHY IN AN ALPINE SPECIALIST (AMERICAN PIKA, <i>OCHOTONA PRINCEPS</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 2848-2863. | 1.1 | 218 |
| 339 | COMMUNITY ASSEMBLY THROUGH EVOLUTIONARY DIVERSIFICATION AND DISPERSAL IN MIDDLE AMERICAN TREEFROGS. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 3228-3247. | 1.1 | 40 |
| 340 | DOES NICHE DIVERGENCE ACCOMPANY ALLOPATRIC DIVERGENCE IN <i>APHELOCOMA</i> JAYS AS PREDICTED UNDER ECOLOGICAL SPECIATION?: INSIGHTS FROM TESTS WITH NICHE MODELS. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 64, 1231-44. | 1.1 | 225 |
| 341 | Speciation mirrors geomorphology and palaeoclimatic history in African laminate-toothed rats (Muridae: Otomyini) of the <i>Otomys denti</i> and <i>Otomys lacustris</i> species-complexes in the "Montane Circle" of East Africa. <i>Biological Journal of the Linnean Society</i> , 0, 96, 913-941. | 0.7 | 45 |
| 342 | Species' diversity in the New Caledonian endemic genera <i>Cephalidiosus</i> and <i>Nobarnus</i> (Insecta: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3). <i>Journal of the Linnean Society</i> , 0, 97, 177-184. | 0.7 | 58 |
| 343 | Genetic variation and its evolutionary implications in a Mediterranean island endemic lizard. <i>Biological Journal of the Linnean Society</i> , 0, 98, 661-676. | 0.7 | 12 |
| 344 | Molecules, ecology, morphology, and songs in concert: how many species is <i>Arremon torquatus</i> (Aves: Emberizidae)?. <i>Biological Journal of the Linnean Society</i> , 2009, 99, 152-176. | 0.7 | 65 |
| 345 | Seed germination of four Jordanian <i>Stipa</i> spp: differences in temperature regimes and seed provenances. <i>Plant Species Biology</i> , 2009, 24, 127-132. | 0.6 | 24 |
| 346 | Geographic variations of seasonality and coexistence in communities: The role of diversity and climate. <i>Austral Ecology</i> , 2009, 34, 741-750. | 0.7 | 31 |
| 347 | Managing biodiversity data within the context of climate change: towards best practice. <i>Austral Ecology</i> , 2010, 35, 392-405. | 0.7 | 8 |
| 348 | Bergmann's rule in amphibians: combining demographic and ecological parameters to explain body size variation among populations in the common toad <i>Bufo bufo</i> . <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009, 47, 171-180. | 0.6 | 72 |
| 349 | Geographical patterns of morphological variation and environmental correlates in contact zones: a multi-scale approach using two Mediterranean vipers (Serpentes). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009, 47, 357-367. | 0.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 350 | A morphometric approach to the geographic variation of the terrestrial isopod species <i>Armadillo tuberculatus</i> (Isopoda: Oniscidea). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009, 47, 219-226. | 0.6 | 13 |
| 351 | Assessing concurrent patterns of environmental niche and morphological evolution among species of horned lizards (<i>Phrynosoma</i>). <i>Journal of Evolutionary Biology</i> , 2009, 22, 1669-1678. | 0.8 | 26 |
| 352 | Body size as a primary determinant of ecomorphological diversification and the evolution of mimicry in the lampropeltine snakes (Serpentes: Colubridae). <i>Journal of Evolutionary Biology</i> , 2009, 22, 2057-2067. | 0.8 | 38 |
| 353 | Projected impacts of climate change on a continent-wide protected area network. <i>Ecology Letters</i> , 2009, 12, 420-431. | 3.0 | 240 |
| 354 | Drivers of moth species richness on tropical altitudinal gradients: a cross-regional comparison. <i>Global Ecology and Biogeography</i> , 2009, 18, 361-371. | 2.7 | 24 |
| 355 | Macroecological analyses reveal historical factors influencing seed dispersal strategies in Brazilian <i>Araucaria</i> forests. <i>Global Ecology and Biogeography</i> , 2009, 18, 314-326. | 2.7 | 18 |
| 356 | Can the tropical conservatism hypothesis explain temperate species richness patterns? An inverse latitudinal biodiversity gradient in the New World snake tribe Lampropeltini. <i>Global Ecology and Biogeography</i> , 2009, 18, 406-415. | 2.7 | 75 |
| 357 | Fire regimes of China: inference from statistical comparison with the United States. <i>Global Ecology and Biogeography</i> , 2009, 18, 626-639. | 2.7 | 21 |
| 358 | Global trends in senesced leaf nitrogen and phosphorus. <i>Global Ecology and Biogeography</i> , 2009, 18, 532-542. | 2.7 | 220 |
| 359 | Niche shift versus niche conservatism? Climatic characteristics of the native and invasive ranges of the Mediterranean house gecko (<i>Hemidactylus turcicus</i>). <i>Global Ecology and Biogeography</i> , 2009, 18, 674-687. | 2.7 | 179 |
| 360 | Modeling the Effects of Anthropogenic Habitat Change on Savanna Snake Invasions into African Rainforest. <i>Conservation Biology</i> , 2009, 23, 81-92. | 2.4 | 9 |
| 361 | Plant Diversity Hotspots in the Atlantic Coastal Forests of Brazil. <i>Conservation Biology</i> , 2009, 23, 151-163. | 2.4 | 215 |
| 362 | Ecological niche modelling as a technique for assessing threats and setting conservation priorities for Asian slow lorises (Primates: <i>Nycticebus</i>). <i>Diversity and Distributions</i> , 2009, 15, 289-298. | 1.9 | 236 |
| 363 | The effect of enemy release and climate conditions on invasive birds: a regional test using the rose-ringed parakeet (<i>Psittacula krameri</i>) as a case study. <i>Diversity and Distributions</i> , 2009, 15, 310-318. | 1.9 | 60 |
| 364 | Different climatic envelopes among invasive populations may lead to underestimations of current and future biological invasions. <i>Diversity and Distributions</i> , 2009, 15, 409-420. | 1.9 | 263 |
| 365 | Distribution models for the amphibian chytrid <i>Batrachochytrium dendrobatidis</i> in Costa Rica: proposing climatic refuges as a conservation tool. <i>Diversity and Distributions</i> , 2009, 15, 401-408. | 1.9 | 144 |
| 366 | Potential distribution of orchid bees outside their native range: The cases of <i>Eulaema polychroma</i> (Mocsány) and <i>Euglossa viridissima</i> Friese in the USA (Hymenoptera: Apidae). <i>Diversity and Distributions</i> , 2009, 15, 421-428. | 1.9 | 24 |
| 367 | Environmental correlates for tropical tree diversity and distribution patterns in Borneo. <i>Diversity and Distributions</i> , 2009, 15, 523-532. | 1.9 | 90 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 368 | Effects of slope and riparian habitat connectivity on gene flow in an endangered Panamanian frog, <i>Atelopus varius</i> . Diversity and Distributions, 2009, 15, 796-806. | 1.9 | 49 |
| 369 | Combining genetic and ecological data to assess the conservation status of the endangered Ethiopian walia ibex. Animal Conservation, 2009, 12, 89-100. | 1.5 | 59 |
| 370 | Landscape features and crustacean prey as predictors of the Southern river otter distribution in Chile.. Animal Conservation, 2009, 12, 522-530. | 1.5 | 13 |
| 371 | Adaptation and colonization history affect the evolution of clines in two introduced species. New Phytologist, 2009, 183, 678-690. | 3.5 | 128 |
| 372 | Divergence in an obligate mutualism is not explained by divergent climatic factors. New Phytologist, 2009, 183, 589-599. | 3.5 | 44 |
| 373 | Croppers to livestock keepers: livelihood transitions to 2050 in Africa due to climate change. Environmental Science and Policy, 2009, 12, 427-437. | 2.4 | 239 |
| 374 | Fascioliasis transmission by <i>Lymnaea neotropica</i> confirmed by nuclear rDNA and mtDNA sequencing in Argentina. Veterinary Parasitology, 2009, 166, 73-79. | 0.7 | 39 |
| 375 | Low-temperature tolerance of false codling moth <i>Thaumatotibia leucotreta</i> (Meyrick) (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overl 1.1 38 | | |
| 376 | Climatic growing conditions of <i>Jatropha curcas</i> L. Biomass and Bioenergy, 2009, 33, 1481-1485. | 2.9 | 145 |
| 377 | Freezing injury in primary and secondary needles of Mediterranean pine species of contrasting ecological niches. Annals of Forest Science, 2009, 66, 407-407. | 0.8 | 46 |
| 378 | Vegetation and Fire at the Last Glacial Maximum in Tropical South America. Developments in Paleoenvironmental Research, 2009, , 89-112. | 7.5 | 25 |
| 379 | Millennial-Scale Ecological Changes in Tropical South America Since the Last Glacial Maximum. Developments in Paleoenvironmental Research, 2009, , 283-300. | 7.5 | 33 |
| 380 | The influence of shade trees on coffee quality in small holder coffee agroforestry systems in Southern Colombia. Agriculture, Ecosystems and Environment, 2009, 129, 253-260. | 2.5 | 115 |
| 381 | Climate and land-use influences on avifauna in central Argentina: Broad-scale patterns and implications of agricultural conversion for biodiversity. Agriculture, Ecosystems and Environment, 2009, 132, 135-142. | 2.5 | 34 |
| 382 | Niches and distributional areas: Concepts, methods, and assumptions. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19644-19650. | 3.3 | 927 |
| 383 | Habitat suitability, threats and conservation of isolated populations of the smooth snake (<i>Coronella</i>) Tj ETQq1 1 0.784314 rgBT /Overl 1.9 27 | | |
| 384 | A multi-scale approach to facultative pedomorphosis of European newts (Salamandridae) in the Montenegrin karst: Distribution pattern, environmental variables, and conservation. Biological Conservation, 2009, 142, 509-517. | 1.9 | 39 |
| 385 | Interactions between climate, beaver activity, and pond occupancy by the cold-adapted mink frog in New York State, USA. Biological Conservation, 2009, 142, 2059-2068. | 1.9 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 386 | Planning iterative investment for landscape restoration: Choice of biodiversity indicator makes a difference. <i>Biological Conservation</i> , 2009, 142, 2202-2216. | 1.9 | 22 |
| 387 | Biogeography and conservation of taxa from remote regions: An application of ecological-niche based models and GIS to North-African canids. <i>Biological Conservation</i> , 2009, 142, 3020-3029. | 1.9 | 92 |
| 388 | Major current and future gaps of Brazilian reserves to protect Neotropical savanna birds. <i>Biological Conservation</i> , 2009, 142, 3039-3050. | 1.9 | 62 |
| 389 | Spiny invaders – Patterns and determinants of cacti invasion in Europe. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2009, 204, 485-494. | 0.6 | 16 |
| 390 | Climate change impact predictions on <i>Pinus patula</i> and <i>Pinus tecunumanii</i> populations in Mexico and Central America. <i>Forest Ecology and Management</i> , 2009, 257, 1566-1576. | 1.4 | 48 |
| 391 | Spatial interpolation of the deuterium and oxygen-18 composition of global precipitation using temperature as ancillary variable. <i>Journal of Geochemical Exploration</i> , 2009, 101, 175-184. | 1.5 | 67 |
| 392 | A groundwater isoscape (δD , $\delta^{18}O$) for Mexico. <i>Journal of Geochemical Exploration</i> , 2009, 102, 123-136. | 1.5 | 154 |
| 393 | The prehistoric and preindustrial deforestation of Europe. <i>Quaternary Science Reviews</i> , 2009, 28, 3016-3034. | 1.4 | 703 |
| 394 | Diversity and spatial distribution of <i>Opuntia</i> spp. in the Mediterranean Basin. <i>Journal of Arid Environments</i> , 2009, 73, 1058-1066. | 1.2 | 29 |
| 395 | Ecology of North American Triatominae. <i>Acta Tropica</i> , 2009, 110, 178-186. | 0.9 | 86 |
| 396 | Ecology of <i>Amblyomma neumanni</i> (Acari: Ixodidae). <i>Acta Tropica</i> , 2009, 111, 226-236. | 0.9 | 17 |
| 397 | Historical and projected climate data for natural resource management in western Canada. <i>Agricultural and Forest Meteorology</i> , 2009, 149, 881-890. | 1.9 | 88 |
| 398 | Geographic and Phylogeographic Variation in <i>Chaerephon leucogaster</i> (Chiroptera: Molossidae) of Madagascar and the Western Indian Ocean Islands of Mayotte and Pemba. <i>Acta Chiropterologica</i> , 2009, 11, 25-52. | 0.2 | 23 |
| 399 | Predicting <i>Leptodactylus</i> (Amphibia, Anura, Leptodactylidae) Distributions: Broad-Ranging Versus Patchily Distributed Species Using a Presence-Only Environmental Niche Modeling Technique. <i>South American Journal of Herpetology</i> , 2009, 4, 103-116. | 0.5 | 7 |
| 400 | Phylogenetic structure in tropical hummingbird communities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19673-19678. | 3.3 | 341 |
| 401 | Geographic Distribution and Morphological Variation of Striped and Nonstriped Populations of the Brazilian Atlantic Forest Treefrog <i>Hypsiboas bischoffi</i> (Anura: Hylidae). <i>Journal of Herpetology</i> , 2009, 43, 351-361. | 0.2 | 13 |
| 402 | ANDEAN SPECIATION AND VICARIANCE IN NEOTROPICAL MACROCARPAEA (GENTIANACEAE – HELIEAE). <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 450-469. | 1.3 | 44 |
| 403 | Predicting the Potential Geographical Distribution of <i>Rhodnius neglectus</i> (Hemiptera, Tj ETQq1 1,0,784314 rgBT /Ove | 0.9 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 404 | Using Spatial Models to Predict Areas of Endemism and Gaps in the Protection of Andean Slope Birds. <i>Auk</i> , 2009, 126, 554-565. | 0.7 | 48 |
| 405 | Insect Rateâ€Temperature Relationships: Environmental Variation and the Metabolic Theory of Ecology. <i>American Naturalist</i> , 2009, 174, 819-835. | 1.0 | 144 |
| 406 | Distribution, ecology and conservation of an endangered Andean hummingbird: the Violet-throated Metaltail (<i>Metallura baroni</i>). <i>Bird Conservation International</i> , 2009, 19, 63-76. | 0.7 | 67 |
| 407 | Intuitive simulation, querying, and visualization for river basin policy and management. <i>IBM Journal of Research and Development</i> , 2009, 53, 7:1-7:18. | 3.2 | 3 |
| 408 | Will future anthropogenic climate change increase the potential distribution of the alien invasive Cuban treefrog (<i>Anura: Hylidae</i>)?. <i>Journal of Natural History</i> , 2009, 43, 1207-1217. | 0.2 | 34 |
| 409 | Scale effects in species distribution models: implications for conservation planning under climate change. <i>Biology Letters</i> , 2009, 5, 39-43. | 1.0 | 204 |
| 410 | The evolution of water balance in <i>Glossina</i> (Diptera: Glossinidae): correlations with climate. <i>Biology Letters</i> , 2009, 5, 93-96. | 1.0 | 23 |
| 412 | Regional Aspects of Climate-Terrestrial-Hydrologic Interactions in Non-boreal Eastern Europe. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2009, , . | 0.1 | 3 |
| 413 | The influence of rainfall, vegetation, elephants and people on fire frequency of miombo woodlands, Northern Mozambique. , 2009, , . | | 2 |
| 414 | Diversity and distribution models of horse fl ies (Diptera: Tabanidae) from Ecuador. <i>Annales De La Societe Entomologique De France</i> , 2009, 45, 511-528. | 0.4 | 21 |
| 415 | Global Amphibian Extinction Risk Assessment for the Panzootic Chytrid Fungus. <i>Diversity</i> , 2009, 1, 52-66. | 0.7 | 141 |
| 416 | <i>Coquillettidia</i> (Culicidae, Diptera) mosquitoes are natural vectors of avian malaria in Africa. <i>Malaria Journal</i> , 2009, 8, 193. | 0.8 | 74 |
| 417 | Space-time variation of malaria incidence in Yunnan province, China. <i>Malaria Journal</i> , 2009, 8, 180. | 0.8 | 78 |
| 418 | DETERMINANTS AND PREDICTION OF BROAD-SCALE PLANT RICHNESS ACROSS THE WESTERN NEOTROPICS1. <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 470-491. | 1.3 | 16 |
| 419 | Predicted Geographic Ranges for North American Sylvatic <i>Trichinella</i> Species. <i>Journal of Parasitology</i> , 2009, 95, 829-837. | 0.3 | 18 |
| 420 | Towards an integrated approach to modelling the risks and impacts of invasive forest species. <i>Environmental Reviews</i> , 2009, 17, 163-178. | 2.1 | 26 |
| 421 | The potential for behavioral thermoregulation to buffer â€œcold-bloodedâ€ animals against climate warming. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3835-3840. | 3.3 | 865 |
| 422 | Species distribution and forest type mapping in Mexico. , 2009, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 423 | Multivariate forecasts of potential distributions of invasive plant species. <i>Ecological Applications</i> , 2009, 19, 359-375. | 1.8 | 91 |
| 424 | A study of the impact of climate change on the potential distribution of Qinghai spruce (<i>Picea</i>) in the Tibetan Plateau. <i>Journal of Ecology</i> , 2009, 97, 964-971. | 1.9 | 17 |
| 425 | Spatial variation of crop yield response to climate change in East Africa. <i>Global Environmental Change</i> , 2009, 19, 54-65. | 3.6 | 317 |
| 426 | Towards a physical description of habitat: quantifying environmental adversity (abiotic stress) in temperate forest and woodland ecosystems. <i>Journal of Ecology</i> , 2009, 97, 964-971. | 1.9 | 17 |
| 427 | Riparian forest buffers mitigate the effects of deforestation on fish assemblages in tropical headwater streams. <i>Ecological Applications</i> , 2009, 19, 468-479. | 1.8 | 157 |
| 428 | Climate, Niche Evolution, and Diversification of the "Bird's Nest" Evening Primroses (<i>Oenothera</i>) in the Himalayas. <i>Journal of Ecology</i> , 2009, 97, 964-971. | 1.0 | 276 |
| 429 | Diet of the Andean Frog <i>Ranitomeya virolinensis</i> (Athesphatanura: Dendrobatidae). <i>Journal of Herpetology</i> , 2009, 43, 114-123. | 0.2 | 28 |
| 430 | Potential Geographical Distributions of the Fruit Flies <i>Ceratitis capitata</i> , <i>Ceratitis cosyra</i> , and <i>Ceratitis rosa</i> in China. <i>Journal of Economic Entomology</i> , 2009, 102, 1781-1790. | 0.8 | 30 |
| 431 | Climate-proofing Europe: A comparative analysis of national adaptation strategies. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009, 6, 392029. | 0.2 | 1 |
| 432 | Climate change mitigation by carbon stock – the case of semi-arid West Africa. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009, 8, 012004. | 0.2 | 4 |
| 433 | Nitrogen deposition, catchment productivity, and climate as determinants of lake stoichiometry. <i>Limnology and Oceanography</i> , 2009, 54, 2520-2528. | 1.6 | 63 |
| 434 | Climate change sensitivity of the African ivory nut palm, <i>Hyphaene petersiana</i> Klotzsch ex Mart. (Arecaceae) – a keystone species in SE Africa. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009, 8, 012014. | 0.2 | 7 |
| 435 | Plant communities of the southern Mongolian Gobi. <i>Phytocoenologia</i> , 2009, 39, 331-376. | 1.2 | 32 |
| 436 | Low diversity and high intra-island variation in prevalence of avian <i>Haemoproteus</i> parasites on Barbados, Lesser Antilles. <i>Parasitology</i> , 2009, 136, 1121-1131. | 0.7 | 35 |
| 437 | Temperature and Income: Reconciling New Cross-Sectional and Panel Estimates. <i>American Economic Review</i> , 2009, 99, 198-204. | 4.0 | 321 |
| 438 | The past protecting the future. <i>International Journal of Climate Change Strategies and Management</i> , 2009, 1, 92-99. | 1.5 | 8 |
| 441 | Applications of Regression Kriging and GIS in Detecting the Variation in Leaf Nitrogen and Phosphorus of Spruce in Europe. , 2009, , . | | 1 |
| 442 | Big moving day for biodiversity? A macroecological assessment of the scope for assisted colonization as a conservation strategy under global warming. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009, 8, 012017. | 0.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 443 | A revision of Madagascan <i>Bertiera</i> (<i>Rubiaceae</i>). <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , 2010, 55, 105-110. | 0.1 | 3 |
| 444 | Gender, Natural Capital, and Migration in the Southern Ecuadorian Andes. <i>Environment and Planning A</i> , 2010, 42, 678-696. | 2.1 | 38 |
| 445 | Could anthropogenic soil erosion have influenced Mediterranean vegetation distribution over the Holocene?. <i>IOP Conference Series: Earth and Environmental Science</i> , 2010, 9, 012011. | 0.2 | 3 |
| 446 | Effects of Climate Change on Subtropical Forests of South America. <i>Tropical Conservation Science</i> , 2010, 3, 423-437. | 0.6 | 21 |
| 447 | Storm Sewer Infrastructure Planning with Climate Change Risk: The City of Alexandria Virginia Case Study. <i>Water Practice and Technology</i> , 2010, 5, . | 1.0 | 3 |
| 448 | Decoupled conservatism of Grinnellian and Eltonian niches in an invasive arthropod. <i>Ecosphere</i> , 2010, 1, 1-13. | 1.0 | 50 |
| 449 | Ecology Driving Genetic Variation: A Comparative Phylogeography of Jungle Cat (<i>Felis chaus</i>) and Leopard Cat (<i>Prionailurus bengalensis</i>) in India. <i>PLoS ONE</i> , 2010, 5, e13724. | 1.1 | 45 |
| 450 | What do myrmecophagous geckos eat when ants are not available?: comparative diets of three Socotran species. <i>African Zoology</i> , 2010, 45, 115-120. | 0.2 | 4 |
| 451 | Selection of Scenarios for Exposure of Soil Organisms to Plant Protection Products. <i>EFSA Journal</i> , 2010, 8, 1642. | 0.9 | 16 |
| 453 | Phylogenetic signals in the climatic niches of the world's amphibians. <i>Ecography</i> , 2010, 33, 242-250. | 2.1 | 48 |
| 454 | The big questions for biodiversity informatics. <i>Systematics and Biodiversity</i> , 2010, 8, 159-168. | 0.5 | 64 |
| 455 | Geographic distribution and environmental characterization of livestock production systems in Eastern Africa. <i>Agriculture, Ecosystems and Environment</i> , 2010, 135, 98-110. | 2.5 | 63 |
| 456 | Quantifying the global environmental niche of an underutilised tropical fruit tree (<i>Tamarindus</i>) Tj ETQq0 0 0 rGBT /Overlock 10 Tf 50 262 | 2.5 | 13 |
| 457 | Explanative power of variables used in species distribution modelling: an issue of general model transferability or niche shift in the invasive Greenhouse frog (<i>Eleutherodactylus planirostris</i>). <i>Die Naturwissenschaften</i> , 2010, 97, 781-796. | 0.6 | 60 |
| 458 | Gyr Falcon nest distribution in Alaska based on a predictive GIS model. <i>Polar Biology</i> , 2010, 33, 347-358. | 0.5 | 23 |
| 459 | Predicting the occurrence of rare Brazilian birds with species distribution models. <i>Journal of Ornithology</i> , 2010, 151, 857-866. | 0.5 | 40 |
| 460 | The Cold European Winter of 2005-2006 Assisted the Spread and Persistence of H5N1 Influenza Virus in Wild Birds. <i>EcoHealth</i> , 2010, 7, 226-236. | 0.9 | 26 |
| 461 | Identifying the global potential for baobab tree cultivation using ecological niche modelling. <i>Agroforestry Systems</i> , 2010, 80, 191-201. | 0.9 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 462 | Geographic patterns of morphological variation in <i>Turnera sidoides</i> subsp. <i>pinnatifida</i> (Turneraceae). <i>Plant Systematics and Evolution</i> , 2010, 284, 231-253. | 0.3 | 26 |
| 463 | Gridded Croatian climatology for 1961–1990. <i>Theoretical and Applied Climatology</i> , 2010, 102, 87-103. | 1.3 | 44 |
| 464 | Genotypic and environmental variation in specific leaf area in a widespread Alpine plant after transplantation to different altitudes. <i>Oecologia</i> , 2010, 164, 141-150. | 0.9 | 138 |
| 465 | The impacts of climate change on the wintering distribution of an endangered migratory bird. <i>Oecologia</i> , 2010, 164, 555-565. | 0.9 | 58 |
| 466 | Intraspecific variation and plasticity in growth and foliar morphology along a climate gradient in the Canary Island pine. <i>Trees - Structure and Function</i> , 2010, 24, 343-350. | 0.9 | 22 |
| 467 | Validating the demarcation of eco-geographical regions: a geostatistical application. <i>Environmental Earth Sciences</i> , 2010, 59, 1327-1336. | 1.3 | 5 |
| 468 | Old museum samples and recent taxonomy: A taxonomic, biogeographic and conservation perspective of the <i>Niphargus tatrensis</i> species complex (Crustacea: Amphipoda). <i>Organisms Diversity and Evolution</i> , 2010, 10, 5-22. | 0.7 | 24 |
| 469 | Patterns of above- and belowground biomass allocation in China's grasslands: Evidence from individual-level observations. <i>Science China Life Sciences</i> , 2010, 53, 851-857. | 2.3 | 66 |
| 470 | Spatial prediction and analysis of Himalayan marmot plague natural epidemic foci in China based on HJ-1 satellite data. <i>Science China Earth Sciences</i> , 2010, 53, 8-15. | 2.3 | 11 |
| 471 | Spatio-temporal variation of photosynthetically active radiation in China in recent 50 years. <i>Journal of Chinese Geography</i> , 2010, 20, 803-817. | 1.5 | 53 |
| 472 | Invasibility or invasiveness? Effects of habitat, genotype, and their interaction on invasive <i>Rhododendron ponticum</i> populations. <i>Biological Invasions</i> , 2010, 12, 657-676. | 1.2 | 34 |
| 473 | Invasive and flexible: niche shift in the drosophilid <i>Zaprionus indianus</i> (Insecta, Diptera). <i>Biological Invasions</i> , 2010, 12, 1231-1241. | 1.2 | 71 |
| 474 | <i>Anthidium vigintiduopunctatum</i> Friese (Hymenoptera: Megachilidae): the elusive "dwarf bee" of the Galápagos Archipelago?. <i>Biological Invasions</i> , 2010, 12, 2381-2383. | 1.2 | 15 |
| 475 | The ecological niche and reciprocal prediction of the disjunct distribution of an invasive species: the example of <i>Ailanthus altissima</i> . <i>Biological Invasions</i> , 2010, 12, 2413-2427. | 1.2 | 33 |
| 476 | Predicted impact of exotic vines on an endangered ecological community under future climate change. <i>Biological Invasions</i> , 2010, 12, 4049-4063. | 1.2 | 30 |
| 477 | Sampling bias and the use of ecological niche modeling in conservation planning: a field evaluation in a biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2010, 19, 883-899. | 1.2 | 183 |
| 478 | Impacts of climate change on the amphibians and reptiles of Southeast Asia. <i>Biodiversity and Conservation</i> , 2010, 19, 1043-1062. | 1.2 | 136 |
| 479 | Potential loss of genetic variability despite well established network of reserves: the case of the Iberian endemic lizard <i>Lacerta schreiberi</i> . <i>Biodiversity and Conservation</i> , 2010, 19, 2651-2666. | 1.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 480 | Reinforcing and expanding the predictions of the disturbance vicariance hypothesis in Amazonian harlequin frogs: a molecular phylogenetic and climate envelope modelling approach. <i>Biodiversity and Conservation</i> , 2010, 19, 2125-2146. | 1.2 | 20 |
| 481 | On the relationship between a resource based measure of geodiversity and broad scale biodiversity patterns. <i>Biodiversity and Conservation</i> , 2010, 19, 2751-2766. | 1.2 | 105 |
| 482 | Conservation of important plants from the Ionian Islands at the Balkan Botanic Garden of Kroussia, N Greece: using GIS to link the in situ collection data with plant propagation and ex situ cultivation. <i>Biodiversity and Conservation</i> , 2010, 19, 3583-3603. | 1.2 | 31 |
| 483 | Plant communities of the ironstone ranges of South Western Australia: hotspots for plant diversity and mineral deposits. <i>Biodiversity and Conservation</i> , 2010, 19, 3951-3962. | 1.2 | 83 |
| 484 | Spline models of contemporary, 2030, 2060 and 2090 climates for Mexico and their use in understanding climate-change impacts on the vegetation. <i>Climatic Change</i> , 2010, 102, 595-623. | 1.7 | 158 |
| 485 | Genetic diversity in a narrowly endemic, recently described dusky salamander, <i>Desmognathus folkertsi</i> , from the southern Appalachian Mountains. <i>Conservation Genetics</i> , 2010, 11, 835-854. | 0.8 | 16 |
| 486 | Correlations and clines in tree growth and wood density of <i>Balanites aegyptiaca</i> (L.) Delile provenances in Niger. <i>New Forests</i> , 2010, 39, 39-49. | 0.7 | 29 |
| 487 | Models of climate associations and distributions of amphibians in Italy. <i>Ecological Research</i> , 2010, 25, 103-111. | 0.7 | 17 |
| 488 | How did the exposed seafloor function in postglacial northward range expansion of <i>Kalopanax septemlobus</i> ? Evidence from ecological niche modelling. <i>Ecological Research</i> , 2010, 25, 1183-1195. | 0.7 | 40 |
| 489 | Marshalling existing biodiversity data to evaluate biodiversity status and trends in planning exercises. <i>Ecological Research</i> , 2010, 25, 947-957. | 0.7 | 28 |
| 490 | Phylogenetic relationships and macro-evolutionary patterns within the <i>Drosophila tripunctata</i> "radiation" (Diptera: Drosophilidae). <i>Genetica</i> , 2010, 138, 725-735. | 0.5 | 27 |
| 491 | Stress gradients select for ecotype formation in <i>Cicer judaicum</i> Boiss., a wild relative of domesticated chickpea. <i>Genetic Resources and Crop Evolution</i> , 2010, 57, 193-202. | 0.8 | 20 |
| 492 | A multisource solution for a complex problem in biodiversity research: Description of the cryptic ant species <i>Tetramorium alpestre</i> sp.n. (Hymenoptera: Formicidae). <i>Zoologischer Anzeiger</i> , 2010, 249, 223-254. | 0.4 | 36 |
| 493 | Quantifying blue and green virtual water contents in global crop production as well as potential production losses without irrigation. <i>Journal of Hydrology</i> , 2010, 384, 198-217. | 2.3 | 570 |
| 494 | Advances in ungauged streamflow prediction using artificial neural networks. <i>Journal of Hydrology</i> , 2010, 386, 27-37. | 2.3 | 155 |
| 495 | Forest canopy effects on snow accumulation and ablation: An integrative review of empirical results. <i>Journal of Hydrology</i> , 2010, 392, 219-233. | 2.3 | 245 |
| 496 | A potential of pollen-based climate reconstruction using a modern pollen "climate dataset from arid northern and western China. <i>Review of Palaeobotany and Palynology</i> , 2010, 160, 111-125. | 0.8 | 33 |
| 497 | Past tree range dynamics in the Iberian Peninsula inferred through phylogeography and palaeodistribution modelling: A review. <i>Review of Palaeobotany and Palynology</i> , 2010, 162, 507-521. | 0.8 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 498 | Forest soil respiration and its heterotrophic and autotrophic components: Global patterns and responses to temperature and precipitation. <i>Soil Biology and Biochemistry</i> , 2010, 42, 1236-1244. | 4.2 | 119 |
| 499 | Recent range-wide demographic expansion in a Taiwan endemic montane bird, Steere's <i>Liocichla</i> (<i>Liocichla steerii</i>). <i>BMC Evolutionary Biology</i> , 2010, 10, 71. | 3.2 | 12 |
| 500 | Patterns of molecular and phenotypic diversity in pearl millet [<i>Pennisetum glaucum</i> (L.) R. Br.] from West and Central Africa and their relation to geographical and environmental parameters. <i>BMC Plant Biology</i> , 2010, 10, 216. | 1.6 | 55 |
| 501 | Modeling a spatially restricted distribution in the Neotropics: How the size of calibration area affects the performance of five presence-only methods. <i>Ecological Modelling</i> , 2010, 221, 215-224. | 1.2 | 132 |
| 502 | Impact of the quality of climate models for modelling species occurrences in countries with poor climatic documentation: a case study from Bolivia. <i>Ecological Modelling</i> , 2010, 221, 1221-1229. | 1.2 | 101 |
| 503 | Does the choice of climate baseline matter in ecological niche modelling?. <i>Ecological Modelling</i> , 2010, 221, 2280-2286. | 1.2 | 57 |
| 504 | Similarity in ectoparasite faunas of Palaearctic rodents as a function of host phylogenetic, geographic or environmental distances: Which matters the most?. <i>International Journal for Parasitology</i> , 2010, 40, 807-817. | 1.3 | 69 |
| 505 | A long history of cloud and forest migration from Lake Consuelo, Peru. <i>Quaternary Research</i> , 2010, 73, 364-373. | 1.0 | 56 |
| 506 | Evidence for progressive Holocene aridification in southern Africa recorded in Namibian hyrax middens: Implications for African Monsoon dynamics and the "African Humid Period". <i>Quaternary Research</i> , 2010, 74, 36-45. | 1.0 | 105 |
| 507 | Richness and diversity of sand flies (Diptera, Psychodidae) in an Atlantic rainforest reserve in southeastern Brazil. <i>Journal of Vector Ecology</i> , 2010, 35, 325-332. | 0.5 | 15 |
| 508 | Ecometrics: The traits that bind the past and present together. <i>Integrative Zoology</i> , 2010, 5, 88-101. | 1.3 | 83 |
| 509 | Species Distribution Modeling. <i>Geography Compass</i> , 2010, 4, 490-509. | 1.5 | 196 |
| 510 | Evaluating the spatiotemporal variations of water budget across China over 1951–2006 using IBIS model. <i>Hydrological Processes</i> , 2010, 24, 429-445. | 1.1 | 18 |
| 511 | Distribution and status of medicinal leeches (genus <i>Hirudo</i>) in the Western Palaearctic: anthropogenic, ecological, or historical effects?. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 198-210. | 0.9 | 40 |
| 512 | Fading of the last giants: an assessment of habitat availability of the Sunda gharial (<i>Tomistoma schlegelii</i>) and coverage with protected areas. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 678-684. | 0.9 | 13 |
| 513 | Remote sensing of structural complexity indices for habitat and species distribution modeling. <i>Remote Sensing of Environment</i> , 2010, 114, 792-804. | 4.6 | 53 |
| 514 | Estimating rainforest biomass stocks and carbon loss from deforestation and degradation in Papua New Guinea 1972–2002: Best estimates, uncertainties and research needs. <i>Journal of Environmental Management</i> , 2010, 91, 995-1001. | 3.8 | 66 |
| 515 | Geographic distribution modeling and spatial cluster analysis for equine piroplasms in Greece. <i>Infection, Genetics and Evolution</i> , 2010, 10, 1013-1018. | 1.0 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 516 | Analysis of the geographical distribution of <i>Triatoma vitticeps</i> (Stål, 1859) based on data of species occurrence in Minas Gerais, Brazil. <i>Infection, Genetics and Evolution</i> , 2010, 10, 720-726. | 1.0 | 13 |
| 517 | Phylogeography of endemic toads and post-Pliocene persistence of the Brazilian Atlantic Forest. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 1018-1031. | 1.2 | 224 |
| 518 | Modelling supply and demand of bioenergy from short rotation coppice and <i>Miscanthus</i> in the UK. <i>Bioresource Technology</i> , 2010, 101, 8132-8143. | 4.8 | 81 |
| 519 | Ecological niche model of <i>Phlebotomus alexandri</i> and <i>P. papatasi</i> (Diptera: Phlebotomidae) in the Middle East. <i>International Journal of Health Geographics</i> , 2010, 9, 2. | 1.2 | 63 |
| 520 | Determinants of tick-borne encephalitis in counties of southern Germany, 2001-2008. <i>International Journal of Health Geographics</i> , 2010, 9, 42. | 1.2 | 29 |
| 521 | Minimizing false negatives when predicting the potential distribution of an invasive species: a bioclimatic envelope for the red-eared slider at global and regional scales. <i>Animal Conservation</i> , 2010, 13, 5-15. | 1.5 | 31 |
| 522 | Widespread occurrence of the amphibian chytrid fungus in Kenya. <i>Animal Conservation</i> , 2010, 13, 36-43. | 1.5 | 33 |
| 523 | Phylogeography of declining relict and lowland leopard frogs in the desert Southwest of North America. <i>Journal of Zoology</i> , 2010, 280, 343-354. | 0.8 | 15 |
| 524 | Length-weight allometries in lizards. <i>Journal of Zoology</i> , 2010, 281, 218-226. | 0.8 | 112 |
| 525 | Predicting the potential distribution of the endangered Przewalski's gazelle. <i>Journal of Zoology</i> , 2010, 282, 54-63. | 0.8 | 46 |
| 526 | Distribution and abundance of the introduced ectomycorrhizal fungus <i>Amanita phalloides</i> in North America. <i>New Phytologist</i> , 2010, 185, 803-816. | 3.5 | 71 |
| 527 | Biological stoichiometry of plant production: metabolism, scaling and ecological response to global change. <i>New Phytologist</i> , 2010, 186, 593-608. | 3.5 | 741 |
| 528 | Enhancing the survival and expansion potential of a founder population through clonality. <i>New Phytologist</i> , 2010, 188, 868-878. | 3.5 | 25 |
| 529 | Genetic Structure of Herpetofauna on Halmahera Island, Indonesia: Implications for Aketajawe-Lolobata National Park. <i>Conservation Biology</i> , 2010, 24, 553-562. | 2.4 | 4 |
| 530 | Ecological Niche Modeling and Prioritization of Conservation Area Networks for Mexican Herpetofauna. <i>Conservation Biology</i> , 2010, 24, 1031-1041. | 2.4 | 92 |
| 531 | Consequences of Buffelgrass Pasture Development for Primary Productivity, Perennial Plant Richness, and Vegetation Structure in the Drylands of Sonora, Mexico. <i>Conservation Biology</i> , 2010, 24, 1664-1673. | 2.4 | 39 |
| 532 | Profile or group discriminative techniques? Generating reliable species distribution models using pseudo-absences and target-group absences from natural history collections. <i>Diversity and Distributions</i> , 2010, 16, 84-94. | 1.9 | 128 |
| 533 | Discerning the impact of human-mediated factors on biodiversity using bioclimatic envelope models and partial regression techniques. <i>Diversity and Distributions</i> , 2010, 16, 300-309. | 1.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 534 | Assessing biogeographical relationships of ecologically related species using favourability functions: a case study on British deer. <i>Diversity and Distributions</i> , 2010, 16, 515-528. | 1.9 | 44 |
| 535 | Can distribution models help refine inventory-based estimates of conservation priority? A case study in the Eastern Arc forests of Tanzania and Kenya. <i>Diversity and Distributions</i> , 2010, 16, 628-642. | 1.9 | 45 |
| 536 | Tracking greenery across a latitudinal gradient in central Asia – the migration of the saiga antelope. <i>Diversity and Distributions</i> , 2010, 16, 663-675. | 1.9 | 54 |
| 537 | Potential consequences of climate warming for tropical plant species in high mountains of southern Ethiopia. <i>Diversity and Distributions</i> , 2010, 16, 593-605. | 1.9 | 30 |
| 538 | Disentangling the relative effects of environmental versus human factors on the abundance of native and alien plant species in Mediterranean sandy shores. <i>Diversity and Distributions</i> , 2010, 16, 537-546. | 1.9 | 62 |
| 539 | BIODIVERSITY RESEARCH: Native and introduced fish species richness in Mediterranean streams: the role of multiple landscape influences. <i>Diversity and Distributions</i> , 2010, 16, 773-785. | 1.9 | 23 |
| 540 | Testing the accuracy of species distribution models using species records from a new field survey. <i>Oikos</i> , 2010, 119, 1326-1334. | 1.2 | 42 |
| 541 | Testing for the influence of niche and neutral factors on sapling community assembly beneath isolated woody plants in grasslands. <i>Journal of Vegetation Science</i> , 2010, 21, 462-471. | 1.1 | 24 |
| 542 | Effects of the number of presences on reliability and stability of MARS species distribution models: the importance of regional niche variation and ecological heterogeneity. <i>Journal of Vegetation Science</i> , 2010, 21, 908-922. | 1.1 | 48 |
| 543 | A biogeographical analysis of the European Atlantic lowland heathlands. <i>Journal of Vegetation Science</i> , 2010, 21, 832-842. | 1.1 | 52 |
| 544 | Floristic diversity of an eastern Mediterranean dwarf shrubland: the importance of soil pH. <i>Journal of Vegetation Science</i> , 2010, 21, 1125-1137. | 1.1 | 31 |
| 545 | LATITUDINAL VARIATION IN SPECIATION MECHANISMS IN FROGS. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 429-443. | 1.1 | 56 |
| 546 | GEOGRAPHIC VARIATION IN THE SONGS OF NEOTROPICAL SINGING MICE: TESTING THE RELATIVE IMPORTANCE OF DRIFT AND LOCAL ADAPTATION. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 1955-72. | 1.1 | 117 |
| 547 | UNRAVELING CRYPTIC RETICULATE RELATIONSHIPS AND THE ORIGIN OF ORPHAN HYBRID DISJUNCT POPULATIONS IN <i>NARCISSUS</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 2353-68. | 1.1 | 32 |
| 548 | Egg hatching response to a range of air humidities for six species of predatory mites. <i>Entomologia Experimentalis Et Applicata</i> , 2010, 135, 237-244. | 0.7 | 43 |
| 549 | Using ground-derived data to assess the environmental niche of the spinose ear tick, <i>Otobius megnini</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2010, 137, 132-142. | 0.7 | 6 |
| 550 | The uncertain nature of absences and their importance in species distribution modelling. <i>Ecography</i> , 2010, 33, 103-114. | 2.1 | 490 |
| 551 | A comparative approach to understanding factors limiting abundance patterns and distributions in a fig tree – fig wasp mutualism. <i>Ecography</i> , 2010, 33, 148-158. | 2.1 | 266 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 552 | The effects of climate data precision on fitting and projecting species niche models. <i>Ecography</i> , 2010, 33, 115-127. | 2.1 | 77 |
| 553 | Niche and area of distribution modeling: a population ecology perspective. <i>Ecography</i> , 2010, 33, 159-167. | 2.1 | 260 |
| 554 | Determinants of palm species distributions across Africa: the relative roles of climate, non-climatic environmental factors, and spatial constraints. <i>Ecography</i> , 2010, 33, 380-391. | 2.1 | 86 |
| 555 | Northern glacial refugia for the pygmy shrew <i>Sorex minutus</i> in Europe revealed by phylogeographic analyses and species distribution modelling. <i>Ecography</i> , 2010, 33, 260-271. | 2.1 | 24 |
| 556 | Biogeography of body size in Pacific island birds. <i>Ecography</i> , 2010, 33, 369-379. | 2.1 | 35 |
| 557 | Species distribution models reveal apparent competitive and facilitative effects of a dominant species on the distribution of tundra plants. <i>Ecography</i> , 2010, 33, 1004-1014. | 2.1 | 148 |
| 558 | Within-taxon niche structure: niche conservatism, divergence and predicted effects of climate change. <i>Ecography</i> , 2010, 33, 990-1003. | 2.1 | 181 |
| 559 | Biotic attrition from tropical forests correcting for truncated temperature niches. <i>Global Change Biology</i> , 2010, 16, 1830-1836. | 4.2 | 117 |
| 560 | From climate change predictions to actions – conserving vulnerable animal groups in hotspots at a regional scale. <i>Global Change Biology</i> , 2010, 16, 3257-3270. | 4.2 | 119 |
| 561 | Evidence for climatic niche and biome shifts between native and novel ranges in plant species introduced to Australia. <i>Journal of Ecology</i> , 2010, 98, 790-799. | 1.9 | 185 |
| 562 | Genetic structure is correlated with phenotypic divergence rather than geographic isolation in the highly polymorphic strawberry poison-dart frog. <i>Molecular Ecology</i> , 2010, 19, 447-458. | 2.0 | 191 |
| 563 | Population demography influences climatic niche evolution: evidence from diploid American <i>Hordeum</i> species (Poaceae). <i>Molecular Ecology</i> , 2010, 19, 1423-1438. | 2.0 | 57 |
| 564 | Climatic stability and genetic divergence in the tropical insular lizard <i>Anolis krugi</i> , the Puerto Rican <i>“Lagartijo Jardinero de la Montaña”</i> . <i>Molecular Ecology</i> , 2010, 19, 1860-1876. | 2.0 | 29 |
| 565 | Genomic signals of diversification along ecological gradients in a tropical lizard. <i>Molecular Ecology</i> , 2010, 19, 3773-3788. | 2.0 | 99 |
| 566 | Ecological partitioning among parapatric cryptic species. <i>Molecular Ecology</i> , 2010, 19, 3206-3225. | 2.0 | 36 |
| 567 | Exploring the population genetic consequences of the colonization process with spatio-temporally explicit models: insights from coupled ecological, demographic and genetic models in montane grasshoppers. <i>Molecular Ecology</i> , 2010, 19, 3727-3745. | 2.0 | 100 |
| 568 | Spatial modelling and landscape-level approaches for visualizing intra-specific variation. <i>Molecular Ecology</i> , 2010, 19, 3532-3548. | 2.0 | 60 |
| 569 | Multiple Pleistocene refugia and Holocene range expansion of an abundant southwestern American desert plant species (<i>Melampodium leucanthum</i> , Asteraceae). <i>Molecular Ecology</i> , 2010, 19, 3421-3443. | 2.0 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 570 | The discordance of diversification: evolution in the tropicalâ€‘montane frogs of the Eastern Arc Mountains of Tanzania. <i>Molecular Ecology</i> , 2010, 19, 4046-4060. | 2.0 | 58 |
| 571 | Patterns of differential introgression in a salamander hybrid zone: inferences from genetic data and ecological niche modelling. <i>Molecular Ecology</i> , 2010, 19, 4265-4282. | 2.0 | 46 |
| 572 | The making of a rapid plant invader: genetic diversity and differentiation in the native and invaded range of <i>Senecio inaequidens</i> . <i>Molecular Ecology</i> , 2010, 19, 3952-3967. | 2.0 | 100 |
| 573 | Refugial persistence and postglacial recolonization of North America by the coldâ€‘tolerant herbaceous plant <i>Orthilia secunda</i> . <i>Molecular Ecology</i> , 2010, 19, 5009-5021. | 2.0 | 70 |
| 574 | A phylogenetic approach to disentangling the role of competition and habitat filtering in community assembly of Neotropical forest birds. <i>Journal of Animal Ecology</i> , 2010, 79, 1181-1192. | 1.3 | 140 |
| 575 | Global estimation of invasion risk zones for the western corn rootworm <i>Diabrotica virgifera virgifera</i> : integrating distribution models and physiological thresholds to assess climatic favourability. <i>Journal of Applied Ecology</i> , 2010, 47, 1026-1035. | 1.9 | 62 |
| 576 | Plant species richnessâ€‘environment relationships across the Subantarcticâ€‘Patagonian transition zone. <i>Journal of Biogeography</i> , 2010, 37, 449-464. | 1.4 | 40 |
| 577 | Body sizeâ€‘climate relationships of European spiders. <i>Journal of Biogeography</i> , 2010, 37, 477-485. | 1.4 | 83 |
| 578 | Patterns of ant species diversity and turnover across 2000â€‘fkm of Amazonian floodplain forest. <i>Journal of Biogeography</i> , 2010, 37, 432-440. | 1.4 | 67 |
| 579 | Modelling the responses of Andean and Amazonian plant species to climate change: the effects of georeferencing errors and the importance of data filtering. <i>Journal of Biogeography</i> , 2010, 37, 733-740. | 1.4 | 67 |
| 580 | Climatic water deficit, tree species ranges, and climate change in Yosemite National Park. <i>Journal of Biogeography</i> , 2010, 37, 936-950. | 1.4 | 217 |
| 581 | Forest aboveground biomass along an elevational transect in Sulawesi, Indonesia, and the role of Fagaceae in tropical montane rain forests. <i>Journal of Biogeography</i> , 2010, 37, 960-974. | 1.4 | 121 |
| 582 | Assessing the impact of deforestation and climate change on the range size and environmental niche of bird species in the Atlantic forests, Brazil. <i>Journal of Biogeography</i> , 2010, 37, 1288-1301. | 1.4 | 40 |
| 583 | The effect of the extent of the study region on GIS models of species geographic distributions and estimates of niche evolution: preliminary tests with montane rodents (genus <i>Nephelomys</i>) in Venezuela. <i>Journal of Biogeography</i> , 2010, 37, 1378-1393. | 1.4 | 455 |
| 584 | Identifying refugia from climate change. <i>Journal of Biogeography</i> , 2010, 37, 1407-1413. | 1.4 | 243 |
| 585 | Reassessment of phylogeographical structure in an eastern North American tree using Monmonierâ€™s algorithm and ecological niche modelling. <i>Journal of Biogeography</i> , 2010, 37, 1657-1667. | 1.4 | 46 |
| 586 | Predicting invasive alien plant distributions: how geographical bias in occurrence records influences model performance. <i>Journal of Biogeography</i> , 2010, 37, 1797-1810. | 1.4 | 42 |
| 587 | Contrasting responses to water deficits of <i>Nothofagus</i> species from tropical New Guinea and highâ€‘latitude temperate forests: can rainfall regimes constrain latitudinal range?. <i>Journal of Biogeography</i> , 2010, 37, 1962-1976. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 588 | Habitat availability does not explain the species richness patterns of European lentic and lotic freshwater animals. <i>Journal of Biogeography</i> , 2010, 37, 1919-1926. | 1.4 | 21 |
| 589 | Evaluating the potential causes of range limits of birds of the Colombian Andes. <i>Journal of Biogeography</i> , 2010, 37, 1863-1875. | 1.4 | 33 |
| 590 | Ecogeographic variation of body size in the spectacled salamanders (<i>Salamandrina</i>): influence of genetic structure and local factors. <i>Journal of Biogeography</i> , 2010, 37, 2358-2370. | 1.4 | 18 |
| 591 | Multiple environmental determinants of regional species richness and effects of geographic range size. <i>Ecography</i> , 2010, 33, 796-808. | 2.1 | 56 |
| 592 | The geographic and seasonal dimensions of habitat use in <i>Galerida</i> larks: implications for species coexistence and range limits. <i>Ecography</i> , 2010, 33, 961-970. | 2.1 | 8 |
| 593 | Richness-environment relationships in epigeic ants across the Subantarctic-Patagonian transition zone. <i>Insect Conservation and Diversity</i> , 2010, 3, 278-290. | 1.4 | 12 |
| 594 | Delimiting species boundaries within the Neotropical bamboo <i>Otatea</i> (Poaceae: Bambusoideae) using molecular, morphological and ecological data. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 344-356. | 1.2 | 35 |
| 595 | Diversification in species complexes: Tests of species origin and delimitation in the <i>Bursera</i> simaruba clade of tropical trees (Burseraceae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 798-811. | 1.2 | 33 |
| 596 | Ecophenotypic variation and phylogenetic inheritance in first lower molar shape of extant Italian populations of <i>Microtus (Terricola) savii</i> (Rodentia). <i>Biological Journal of the Linnean Society</i> , 0, 99, 632-647. | 0.7 | 19 |
| 597 | Strong genetic cohesiveness between Italy and North Africa in four butterfly species. <i>Biological Journal of the Linnean Society</i> , 0, 99, 818-830. | 0.7 | 36 |
| 598 | Biogeography meets conservation: the genetic structure of the endangered lycaenid butterfly <i>Lycaena helle</i> (Denis & Schiffermüller, 1775). <i>Biological Journal of the Linnean Society</i> , 2010, 101, 155-168. | 0.7 | 35 |
| 599 | Unisexual rock lizard might be outcompeting its bisexual progenitors in the Caucasus. <i>Biological Journal of the Linnean Society</i> , 0, 101, 447-460. | 0.7 | 36 |
| 600 | Biogeography and contemporary climatic differentiation among Moroccan <i>Salamandra algira</i> . <i>Biological Journal of the Linnean Society</i> , 2010, 101, 626-641. | 0.7 | 38 |
| 601 | The use of geostatistics and GIS for evolutionary history studies: the case of the nose-horned viper (<i>Vipera ammodytes</i>) in the Balkan Peninsula. <i>Biological Journal of the Linnean Society</i> , 2010, 101, 651-666. | 0.7 | 9 |
| 602 | Rivers as islands: determinants of the distribution of Andean astrolepid catfishes. <i>Journal of Fish Biology</i> , 2010, 77, 2373-2390. | 0.7 | 24 |
| 603 | Can mechanism inform species' distribution models?. <i>Ecology Letters</i> , 2010, 13, 1041-1054. | 3.0 | 400 |
| 604 | Spatial analysis of gypsy moth populations in Sardinia using geostatistical and climate models. <i>Agricultural and Forest Entomology</i> , 2010, 12, 417-426. | 0.7 | 10 |
| 605 | Environmental correlates of tree biomass, basal area, wood specific gravity and stem density gradients in Borneo's tropical forests. <i>Global Ecology and Biogeography</i> , 2010, 19, 50-60. | 2.7 | 269 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 606 | Niche shifts during the global invasion of the Asian tiger mosquito, <i>Aedes albopictus</i> Skuse (Culicidae), revealed by reciprocal distribution models. <i>Global Ecology and Biogeography</i> , 2010, 19, 122-133. | 2.7 | 280 |
| 607 | Environmental factors covary with plant diversityâ€“productivity relationships among Chinese grassland sites. <i>Global Ecology and Biogeography</i> , 2010, 19, 233-243. | 2.7 | 150 |
| 608 | The role of nonâ€“native plants and vertebrates in defining patterns of compositional dissimilarity within and across continents. <i>Global Ecology and Biogeography</i> , 2010, 19, 332-342. | 2.7 | 52 |
| 609 | Deconstructing spatial patterns in species composition of ectoparasite communities: the relative contribution of host composition, environmental variables and geography. <i>Global Ecology and Biogeography</i> , 2010, 19, 515-526. | 2.7 | 31 |
| 610 | Ecogeographical variation of body size in the newt <i>Triturus carnifex</i> : comparing the hypotheses using an informationâ€“theoretic approach. <i>Global Ecology and Biogeography</i> , 2010, 19, 485-495. | 2.7 | 37 |
| 611 | The range implications of lizard traits in changing environments. <i>Global Ecology and Biogeography</i> , 2010, 19, 452-464. | 2.7 | 32 |
| 612 | Biogeography of the Amazon molly: ecological niche and range limits of an asexual hybrid species. <i>Global Ecology and Biogeography</i> , 2010, 19, 442-451. | 2.7 | 18 |
| 613 | Current and future molecular approaches to investigate the white pine blister rust pathosystem. <i>Forest Pathology</i> , 2010, 40, 314-331. | 0.5 | 19 |
| 614 | Predicting potential distribution of chestnut phylloxerid (Hemiptera: Phylloxeridae) based on GARP and Maxent ecological niche models. <i>Journal of Applied Entomology</i> , 2010, 134, 45-54. | 0.8 | 51 |
| 615 | Ecological niche modelling as an exploratory tool for identifying species limits: an example based on Mexican murid rodents. <i>Journal of Evolutionary Biology</i> , 2010, 23, 259-270. | 0.8 | 34 |
| 616 | The role of historical factors and natural selection in the evolution of breeding systems of <i>Oxalis alpina</i> in the Sonoran desert â€“Sky Islandsâ€™. <i>Journal of Evolutionary Biology</i> , 2010, 23, 2163-2175. | 0.8 | 29 |
| 617 | Absence of populationâ€“level phenotype matching in an obligate pollination mutualism. <i>Journal of Evolutionary Biology</i> , 2010, 23, 2739-2746. | 0.8 | 18 |
| 618 | A new herbaceous genus endemic to Madagascar: <i>Phialiphora</i> (Spermacoceae, Rubiaceae). <i>Taxon</i> , 2010, 59, 1815-1829. | 0.4 | 10 |
| 619 | Development of APHRO_JP, the first Japanese high-resolution daily precipitation product for more than 100 years. <i>Hydrological Research Letters</i> , 2010, 4, 60-64. | 0.3 | 130 |
| 620 | Description of a new species of <i>Osmia</i> (Hymenoptera: Megachilidae) from southwestern North America, with a redescription of the enigmatic species <i>Osmia foxi</i> Cameron. <i>Zootaxa</i> , 2010, 2512, 26. | 0.2 | 0 |
| 621 | Five new (extinct?) species of <i>Atelopus</i> (Anura: Bufonidae) from Andean Colombia, Ecuador, and Peru. <i>Zootaxa</i> , 2010, 2574, 1. | 0.2 | 36 |
| 622 | Description of the male of the spider <i>Dubiaranea difficilis</i> (Araneae: Linyphiidae), with new records and modeling of its potential geographic distribution. <i>Zootaxa</i> , 2010, 2405, 55. | 0.2 | 7 |
| 623 | New species of reed frog from the Congo basin with discussion of parapatry in Cinnamon-belly reed frogs. <i>Zootaxa</i> , 2010, 2501, . | 0.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 624 | A new species of Asphinctopone (Hymenoptera: Formicidae: Ponerinae) from Tanzania. Zootaxa, 2010, 2480, . | 0.2 | 3 |
| 625 | Modeling the Distribution of <i>Sematophyllum substrumulosum</i> (Hampe) E. Britton as a Signal of Climatic Changes in Europe. , 2011, , 427-440. | | 10 |
| 626 | Predictive Association between Trait Data and Ecogeographic Data for Nordic Barley Landraces. Crop Science, 2010, 50, 2418-2430. | 0.8 | 50 |
| 627 | Climatology-based regional modelling of potential vegetation and average annual long-term runoff for Mesoamerica. Hydrology and Earth System Sciences, 2010, 14, 1801-1817. | 1.9 | 19 |
| 628 | The role of climatic and terrain attributes in estimating baseflow recession in tropical catchments. Hydrology and Earth System Sciences, 2010, 14, 2193-2205. | 1.9 | 51 |
| 629 | Modelling the Species Distribution of Flat-Headed Cats (<i>Prionailurus planiceps</i>), an Endangered South-East Asian Small Felid. PLoS ONE, 2010, 5, e9612. | 1.1 | 89 |
| 630 | High Resolution Niche Models of Malaria Vectors in Northern Tanzania: A New Capacity to Predict Malaria Risk?. PLoS ONE, 2010, 5, e9396. | 1.1 | 63 |
| 631 | Modeling the Potential Distribution of <i>Bacillus anthracis</i> under Multiple Climate Change Scenarios for Kazakhstan. PLoS ONE, 2010, 5, e9596. | 1.1 | 65 |
| 632 | Conserving the Stage: Climate Change and the Geophysical Underpinnings of Species Diversity. PLoS ONE, 2010, 5, e11554. | 1.1 | 233 |
| 633 | Projected Loss of a Salamander Diversity Hotspot as a Consequence of Projected Global Climate Change. PLoS ONE, 2010, 5, e12189. | 1.1 | 135 |
| 634 | Economic Conditions Predict Prevalence of West Nile Virus. PLoS ONE, 2010, 5, e15437. | 1.1 | 59 |
| 635 | Impactos potenciais das alteraÃ§Ãµes no CÃ³digo Florestal sobre a vegetaÃ§Ã£o de campos rupestres e campos de altitude. Biota Neotropica, 2010, 10, 239-246. | 1.0 | 30 |
| 636 | Activities realized within the Service Level Agreement between JRC and EFSA, as a support of the FATE Working Group of EFSA PPR in support of the revision of the guidance document Persistence in Soil. EFSA Supporting Publications, 2010, 7, . | 0.3 | 4 |
| 637 | Modeling the distribution of <i>Culex tritaeniorhynchus</i> to predict Japanese encephalitis distribution in the Republic of Korea. Geospatial Health, 2010, 5, 45. | 0.3 | 30 |
| 638 | Temperature-derived potential for the establishment of phlebotomine sandflies and visceral leishmaniasis in Germany. Geospatial Health, 2010, 5, 59. | 0.3 | 45 |
| 639 | How many studies are necessary to compare niche-based models for geographic distributions? Inductive reasoning may fail at the end. Brazilian Journal of Biology, 2010, 70, 263-269. | 0.4 | 29 |
| 640 | Global Prospects for Utility-Scale Solar Power: Toward Spatially Explicit Modeling of Renewable Energy Systems. SSRN Electronic Journal, 2010, , . | 0.4 | 3 |
| 641 | PadrÃµes espaciais na distribuiÃ§Ã£o de abelhas Euglossina (Hymenoptera, Apidae) da regiÃ£o Neotropical. Papeis Avulsos De Zoologia, 2010, 50, 667-679. | 0.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 642 | Genetic variation in walnuts (<i>Juglans regia</i> and <i>J. sigillata</i> ; Juglandaceae): Species distinctions, human impacts, and the conservation of agrobiodiversity in Yunnan, China. <i>American Journal of Botany</i> , 2010, 97, 660-671. | 0.8 | 87 |
| 643 | Potential distribution of threatened <i>Leptopelis</i> spp. (Anura, Arthroleptidae) in Ethiopia derived from climate and land-cover data. <i>Endangered Species Research</i> , 2010, 9, 117-124. | 1.2 | 15 |
| 644 | Estimating Daily Land Surface Temperatures in Mountainous Environments by Reconstructed MODIS LST Data. <i>Remote Sensing</i> , 2010, 2, 333-351. | 1.8 | 285 |
| 645 | Stable Epigenetic Effects Impact Adaptation in Allopolyploid Orchids (Dactylorhiza: Orchidaceae). <i>Molecular Biology and Evolution</i> , 2010, 27, 2465-2473. | 3.5 | 185 |
| 646 | Environmental heterogeneity of World Wildlife Fund for Nature ecoregions and implications for conservation in Neotropical biodiversity hotspots. <i>Environmental Conservation</i> , 2010, 37, 116-127. | 0.7 | 13 |
| 647 | Variability of water relations and photosynthesis in <i>Eucryphia cordifolia</i> Cav. (Cunoniaceae) over the range of its latitudinal and altitudinal distribution in Chile. <i>Tree Physiology</i> , 2010, 30, 574-585. | 1.4 | 18 |
| 648 | (2+2)-Dimensional Discrete Soliton Equations and Integrable Coupling System. <i>Communications in Theoretical Physics</i> , 2010, 53, 793-798. | 1.1 | 0 |
| 649 | High-temperature environments of human evolution in East Africa based on bond ordering in paleosol carbonates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11245-11249. | 3.3 | 363 |
| 650 | Canopy and litter ant assemblages share similar climate-species density relationships. <i>Biology Letters</i> , 2010, 6, 769-772. | 1.0 | 23 |
| 651 | Thermoregulatory behaviour affects prevalence of chytrid fungal infection in a wild population of Panamanian golden frogs. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 519-528. | 1.2 | 164 |
| 652 | Combining Historical Biogeography with Niche Modeling in the Caprifolium Clade of Lonicera (Caprifoliaceae, Dipsacales). <i>Systematic Biology</i> , 2010, 59, 322-341. | 2.7 | 97 |
| 653 | Ecological niche and potential geographic distribution of the invasive fruit fly <i>Bactrocera invadens</i> (Diptera, Tephritidae). <i>Bulletin of Entomological Research</i> , 2010, 100, 35-48. | 0.5 | 124 |
| 654 | Ecogeography of ploidy variation in cultivated potato (<i>Solanum</i> sect. <i>Petota</i>). <i>American Journal of Botany</i> , 2010, 97, 2049-2060. | 0.8 | 57 |
| 655 | Mapping Malaria Risk in Bangladesh Using Bayesian Geostatistical Models. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 861-867. | 0.6 | 41 |
| 656 | Combining radio-telemetry and random observations to model the habitat of Near Threatened Caucasian grouse <i>Tetrao mlokosiewiczi</i> . <i>Oryx</i> , 2010, 44, 491-500. | 0.5 | 6 |
| 657 | Climate Change and Risk of Leishmaniasis in North America: Predictions from Ecological Niche Models of Vector and Reservoir Species. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e585. | 1.3 | 252 |
| 658 | Species Delimitation: A Case Study in a Problematic Ant Taxon. <i>Systematic Biology</i> , 2010, 59, 162-184. | 2.7 | 115 |
| 659 | Coldwater fish oxythermal habitat in Minnesota lakes: influence of total phosphorus, July air temperature, and relative depth. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2010, 67, 2002-2013. | 0.7 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 660 | Interactions among predators and the cascading effects of vertebrate insectivores on arthropod communities and plants. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 7335-7340. | 3.3 | 175 |
| 661 | Genetic population structure of an autumn-emerging caddisfly with inherently low dispersal capacity and insights into its phylogeography. Journal of the North American Benthological Society, 2010, 29, 1100-1118. | 3.0 | 37 |
| 662 | Disentangling the role of environmental and human pressures on biological invasions across Europe. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 12157-12162. | 3.3 | 470 |
| 663 | Range-wide Determinants of Plague Distribution in North America. American Journal of Tropical Medicine and Hygiene, 2010, 83, 736-742. | 0.6 | 42 |
| 664 | Dynamic tiled map services. , 2010, , . | | 6 |
| 665 | Heterogeneous selection on trichome production in Alaskan Arabidopsis kamchatica (Brassicaceae). American Journal of Botany, 2010, 97, 1098-1108. | 0.8 | 18 |
| 666 | Potential for reduced methane and carbon dioxide emissions from livestock and pasture management in the tropics. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 19667-19672. | 3.3 | 247 |
| 667 | Influence of climate on malaria transmission depends on daily temperature variation. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 15135-15139. | 3.3 | 443 |
| 668 | Reevaluation of the Geographical Distribution of <i>Bradypus tridactylus</i> Linnaeus, 1758 and <i>B. variegatus</i> Schinz, 1825. Edentata, 2010, 11, 53-61. | 0.5 | 13 |
| 669 | Modeling Animal Landscapes. Physiological and Biochemical Zoology, 2010, 83, 705-712. | 0.6 | 21 |
| 670 | The multispectral separability of Costa Rican rainforest types with support vector machines and Random Forest decision trees. International Journal of Remote Sensing, 2010, 31, 2885-2909. | 1.3 | 73 |
| 671 | Genetic and environmental contributions to variation and population divergence in a broad-spectrum foliar defence of <i>Eucalyptus tricarpa</i> . Annals of Botany, 2010, 105, 707-717. | 1.4 | 49 |
| 672 | Chagas Disease Risk in Texas. PLoS Neglected Tropical Diseases, 2010, 4, e836. | 1.3 | 117 |
| 673 | Modeling the Effects of Weather and Climate Change on Malaria Transmission. Environmental Health Perspectives, 2010, 118, 620-626. | 2.8 | 285 |
| 674 | The International Limits and Population at Risk of <i>Plasmodium vivax</i> Transmission in 2009. PLoS Neglected Tropical Diseases, 2010, 4, e774. | 1.3 | 405 |
| 675 | Genome size variation in diploid and tetraploid wild wheats. AoB PLANTS, 2010, 2010, plq015. | 1.2 | 27 |
| 676 | Spatial and temporal segregation allows coexistence in a hybrid zone among two Mediterranean vipers (<i>Vipera aspis</i> and <i>V. latastei</i>). Amphibia - Reptilia, 2010, 31, 195-212. | 0.1 | 24 |
| 677 | A Gap Analysis Methodology for Collecting Crop Genepools: A Case Study with Phaseolus Beans. PLoS ONE, 2010, 5, e13497. | 1.1 | 148 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 678 | Modelling suitable areas for <i>Hyla meridionalis</i> under current and future hypothetical expansion scenarios. <i>Amphibia - Reptilia</i> , 2010, 31, 37-50. | 0.1 | 14 |
| 679 | Systematic revision, cladistics and biogeography of the genus <i>Neogutierrezia</i> Martnez (Coleoptera:Scarabaeidae) and its phylogenetic placement in Rutelinae based on structural alignment of 28S rDNA sequences. <i>Invertebrate Systematics</i> , 2010, 24, 81. | 0.5 | 13 |
| 680 | Climatological modeling of monthly air temperature and precipitation in Egypt through GIS techniques. <i>Climate Research</i> , 2010, 42, 161-176. | 0.4 | 17 |
| 681 | Predictive niche modelling to identify potential areas of conflicts between human activities and expanding predator populations: a case study of game management and the grey mongoose, <i>Herpestes ichneumon</i> , in Spain. <i>Wildlife Research</i> , 2010, 37, 343. | 0.7 | 22 |
| 682 | Sexual Dimorphism, Diet, Reproduction, and Their Geographic Variation in Sympatric Psammophiids, <i>Psammophis crucifer</i> and <i>Psammophylax rhombeatus rhombeatus</i> , from Southern Africa. <i>Copeia</i> , 2010, 2010, 578-590. | 1.4 | 3 |
| 683 | Shrubby and forest fringe communities of the inselberg - rainforest ecotone in Atlantic Central Africa. <i>Plant Ecology and Evolution</i> , 2010, 143, 128-137. | 0.3 | 4 |
| 684 | Modelling the distribution of the moss species <i>Hypopterygium tamarisci</i> (Hypopterygiaceae, Bryophyta) in Central and South America. <i>Nova Hedwigia</i> , 2010, 91, 399-420. | 0.2 | 14 |
| 685 | Indexing large-scale raster geospatial data using massively parallel GPGPU computing. , 2010, , . | | 17 |
| 686 | High-latitude diversification within Eurasian least shrews and Alaska tiny shrews (Soricidae). <i>Journal of Mammalogy</i> , 2010, 91, 1041-1057. | 0.6 | 44 |
| 687 | Toward a new instrument for identifying the Italian hotspots of biodiversity: A case study of the amphibians and reptiles of Sicily. <i>Italian Journal of Zoology</i> , 2010, 77, 453-459. | 0.6 | 3 |
| 688 | Body Size Evolution in Mammals: Complexity in Tempo and Mode. <i>American Naturalist</i> , 2010, 175, 727-738. | 1.0 | 150 |
| 689 | Incorporating Clade Identity in Analyses of Phylogenetic Community Structure: An Example with Hummingbirds. <i>American Naturalist</i> , 2010, 176, 573-587. | 1.0 | 40 |
| 690 | Climate Change Risks and Conservation Implications for a Threatened Small-Range Mammal Species. <i>PLoS ONE</i> , 2010, 5, e10360. | 1.1 | 121 |
| 691 | Simulating the effects of using different types of species distribution data in reserve selection. <i>Biological Conservation</i> , 2010, 143, 426-438. | 1.9 | 59 |
| 692 | Methods and data sources for spatial prediction of rainfall. <i>Geophysical Monograph Series</i> , 2010, , 189-214. | 0.1 | 3 |
| 693 | Future potential distribution of the emerging amphibian chytrid fungus under anthropogenic climate change. <i>Diseases of Aquatic Organisms</i> , 2010, 92, 201-207. | 0.5 | 59 |
| 694 | The dominant <i>Anopheles</i> vectors of human malaria in Africa, Europe and the Middle East: occurrence data, distribution maps and bionomic prcis. <i>Parasites and Vectors</i> , 2010, 3, 117. | 1.0 | 508 |
| 695 | The dominant <i>Anopheles</i> vectors of human malaria in the Americas: occurrence data, distribution maps and bionomic prcis. <i>Parasites and Vectors</i> , 2010, 3, 72. | 1.0 | 270 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 696 | Effects of Seasonality on Brain Size Evolution: Evidence from Strepsirrhine Primates. <i>American Naturalist</i> , 2010, 176, 758-767. | 1.0 | 108 |
| 697 | Temporal and spatial patterns of NDVI and their relationship to precipitation in the Loess Plateau of China. <i>International Journal of Remote Sensing</i> , 2010, 31, 1943-1958. | 1.3 | 38 |
| 698 | Wild and Cultivated Potato (<i>Solanum</i> sect. <i>Petota</i>) Escaped and Persistent Outside of its Natural Range. <i>Invasive Plant Science and Management</i> , 2010, 3, 286-293. | 0.5 | 10 |
| 699 | Inter-annual rainfall variability in Central Asia – A contribution to the discussion on the importance of environmental stochasticity in drylands. <i>Journal of Arid Environments</i> , 2010, 74, 1212-1215. | 1.2 | 31 |
| 700 | Ant diversity along a wide rainfall gradient in the Paraguayan dry Chaco. <i>Journal of Arid Environments</i> , 2010, 74, 1149-1155. | 1.2 | 21 |
| 701 | Vulnerability of <i>Pinus cembra</i> L. in the Alps and the Carpathian mountains under present and future climates. <i>Forest Ecology and Management</i> , 2010, 259, 750-761. | 1.4 | 49 |
| 702 | EU-wide maps of growing stock and above-ground biomass in forests based on remote sensing and field measurements. <i>Forest Ecology and Management</i> , 2010, 260, 252-261. | 1.4 | 117 |
| 703 | Modelling exploration of the future of European beech (<i>Fagus sylvatica</i> L.) under climate change – Range, abundance, genetic diversity and adaptive response. <i>Forest Ecology and Management</i> , 2010, 259, 2213-2222. | 1.4 | 206 |
| 704 | Allometric relations for biomass partitioning of <i>Nothofagus antarctica</i> trees of different crown classes over a site quality gradient. <i>Forest Ecology and Management</i> , 2010, 259, 1118-1126. | 1.4 | 62 |
| 705 | Assisted migration of plants: Changes in latitudes, changes in attitudes. <i>Biological Conservation</i> , 2010, 143, 18-27. | 1.9 | 321 |
| 706 | Applying ecological niche modelling to plan conservation actions for the Red-spectacled Amazon (<i>Amazona pretrei</i>). <i>Biological Conservation</i> , 2010, 143, 102-112. | 1.9 | 63 |
| 707 | Prioritizing areas for conservation and vegetation restoration in post-agricultural landscapes: A Biosphere Reserve plan for Bioko, Equatorial Guinea. <i>Biological Conservation</i> , 2010, 143, 787-794. | 1.9 | 26 |
| 708 | Using ecological niche modelling to infer past, present and future environmental suitability for <i>Leiopelma hochstetteri</i> , an endangered New Zealand native frog. <i>Biological Conservation</i> , 2010, 143, 1375-1384. | 1.9 | 43 |
| 709 | Woody species diversity in temperate Andean forests: The need for new conservation strategies. <i>Biological Conservation</i> , 2010, 143, 2080-2091. | 1.9 | 16 |
| 710 | Conservation priorities differ at opposing species borders of a European orchid. <i>Biological Conservation</i> , 2010, 143, 2207-2220. | 1.9 | 30 |
| 711 | Overcoming the rare species modelling paradox: A novel hierarchical framework applied to an Iberian endemic plant. <i>Biological Conservation</i> , 2010, 143, 2647-2657. | 1.9 | 187 |
| 712 | Characterization of phenotypic diversity, yield and response to drought stress in a collection of Rhodes grass (<i>Chloris gayana</i> Kunth) accessions. <i>Field Crops Research</i> , 2010, 118, 57-72. | 2.3 | 12 |
| 713 | Improved estimation of trawling tracks using cubic Hermite spline interpolation of position registration data. <i>Fisheries Research</i> , 2010, 101, 108-115. | 0.9 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 714 | Dissolved silica mobilization in the conterminous USA. <i>Chemical Geology</i> , 2010, 270, 90-109. | 1.4 | 67 |
| 715 | The potential of plant biomarker evidence derived from rock hyrax middens as an indicator of palaeoenvironmental change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 285, 321-330. | 1.0 | 35 |
| 716 | Southern-most <i>Nothofagus</i> trees enduring ice ages: Genetic evidence and ecological niche retrodiction reveal high latitude (54°S) glacial refugia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 247-256. | 1.0 | 59 |
| 717 | Recording effort biases the species richness cited in plant distribution atlases. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2010, 12, 57-65. | 1.1 | 29 |
| 718 | Evaluation of different aspects of maximum entropy for niche-based modeling. <i>Procedia Environmental Sciences</i> , 2010, 2, 990-1001. | 1.3 | 3 |
| 719 | Assessing rapid evolution in a changing environment. <i>Trends in Ecology and Evolution</i> , 2010, 25, 692-698. | 4.2 | 89 |
| 720 | Erosion of Lizard Diversity by Climate Change and Altered Thermal Niches. <i>Science</i> , 2010, 328, 894-899. | 6.0 | 1,430 |
| 721 | Detrimental effect of temperature increase on the fitness of an amphibian (<i>Lissotriton helveticus</i>). <i>Acta Oecologica</i> , 2010, 36, 179-183. | 0.5 | 17 |
| 722 | Edge effects on epigeic ant assemblages in a grassland-forest mosaic in southern Brazil. <i>Acta Oecologica</i> , 2010, 36, 365-371. | 0.5 | 19 |
| 723 | Adapting to climate change: Agricultural system and household impacts in East Africa. <i>Agricultural Systems</i> , 2010, 103, 73-82. | 3.2 | 172 |
| 724 | Spatial variation of climatology monthly crop reference evapotranspiration and sensitivity coefficients in Shiyang river basin of northwest China. <i>Agricultural Water Management</i> , 2010, 97, 1506-1516. | 2.4 | 72 |
| 726 | Taxonomic Revision of <i>Desmognathus wrighti</i> (Caudata: Plethodontidae). <i>Herpetologica</i> , 2010, 66, 283-295. | 0.2 | 25 |
| 727 | Patterns of Population Structure and Environmental Associations to Aridity Across the Range of Loblolly Pine (<i>Pinus taeda</i> L., Pinaceae). <i>Genetics</i> , 2010, 185, 969-982. | 1.2 | 332 |
| 728 | Global mapping of <i>Jatropha curcas</i> yield based on response of fitness to present and future climate. <i>GCB Bioenergy</i> , 2010, 2, 139-151. | 2.5 | 54 |
| 729 | Natural history of the Iberian solifuge <i>Gluvia dorsalis</i> (Solifuges: Daesiidae). <i>Journal of Arachnology</i> , 2010, 38, 466-474. | 0.3 | 7 |
| 730 | Parrot claylick distribution in South America: do patterns of "where" help answer the question "why"? <i>Ecography</i> , 2010, 33, 503-513. | 2.1 | 38 |
| 731 | Observations on the Reproductive Behavior of a Neotropical Glassfrog, <i>Hyalinobatrachium fleischmanni</i> (Anura: Centrolenidae). <i>South American Journal of Herpetology</i> , 2010, 5, 1-12. | 0.5 | 45 |
| 732 | Modeling environmentally associated morphological and genetic variation in a rainforest bird, and its application to conservation prioritization. <i>Evolutionary Applications</i> , 2010, 3, 1-16. | 1.5 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 733 | Towards Standardisation of Population Estimates: Defecation Rates of Elephants Should be Assessed using a Rainfall Model. <i>Annales Zoologici Fennici</i> , 2010, 47, 398-402. | 0.2 | 11 |
| 734 | Climatic variables and altitude as predictors of anuran species richness and number of reproductive modes in Brazil. <i>Journal of Tropical Ecology</i> , 2010, 26, 423-432. | 0.5 | 49 |
| 735 | Geographic distribution and historical occurrence of <i>Dromiciops gliroides</i> Thomas (Metatheria: Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 0.6 | 57 |
| 736 | Modeling the consequences of thermal trait variation for the cane toad invasion of Australia. <i>Ecological Applications</i> , 2010, 20, 2273-2285. | 1.8 | 76 |
| 737 | Relict Species. , 2010, , . | | 42 |
| 738 | Plant geography upon the basis of functional traits: an example from eastern North American trees. <i>Ecology</i> , 2010, 91, 2234-2241. | 1.5 | 127 |
| 739 | Digital Soil Mapping. , 2010, , . | | 63 |
| 740 | Potential geographic distribution of <i>Myotis ruber</i> (Chiroptera, Vespertilionidae), a threatened Neotropical bat species. <i>Mammalia</i> , 2010, 74, 333-338. | 0.3 | 8 |
| 741 | Camelina (<i>Camelina sativa</i> (L.) Crantz) as an alternative oilseed: molecular and ecogeographic analyses. <i>Genome</i> , 2010, 53, 558-567. | 0.9 | 88 |
| 742 | Globally downscaled climate projections for assessing the conservation impacts of climate change. <i>Ecological Applications</i> , 2010, 20, 554-565. | 1.8 | 171 |
| 743 | Potential Distribution of the Alien Invasive Brown Tree Snake, <i>Boiga irregularis</i> (Reptilia: Colubridae). <i>Pacific Science</i> , 2010, 64, 11-22. | 0.2 | 26 |
| 744 | Small mammal survey in the upper Seli River valley, Sierra Leone. <i>Mammalia</i> , 2010, 74, . | 0.3 | 11 |
| 745 | What do Myrmecophagous Geckos Eat When Ants are not Available?: Comparative Diets of Three Socotran Species. <i>African Zoology</i> , 2010, 45, 115-120. | 0.2 | 4 |
| 746 | Land Snail Faunas in Polish Forests: Patterns of Richness and Composition in a Post-Glacial Landscape. <i>Malacologia</i> , 2010, 53, 77-134. | 0.2 | 41 |
| 747 | Carbon Stocks and Fluxes in Rangelands of the R o de la Plata Basin. <i>Rangeland Ecology and Management</i> , 2010, 63, 94-108. | 1.1 | 47 |
| 748 | The South American Dung Beetle Genus <i>Ennearabdus</i> Lansberge (Coleoptera: Scarabaeidae) Tj ETQq1 1 0.784314 rgBT /Overlock | 0.6 | 8 |
| 749 | Ecological Correlates of Microfilariae Prevalence in Endangered Gal pagos Birds. <i>Journal of Parasitology</i> , 2010, 96, 259-272. | 0.3 | 15 |
| 750 | Late Pleistocene Potential Distribution of the North African Sengi or Elephant-Shrew <i>Elephantulus rozeti</i> (Mammalia: Macroscelidea). <i>African Zoology</i> , 2010, 45, 330-339. | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 751 | Determinants of ground-dwelling spider assemblages at a regional scale in the Yukon Territory, Canada. <i>Ecoscience</i> , 2010, 17, 287-297. | 0.6 | 31 |
| 752 | Biogeographic Breaks in Vanuatu, A Nascent Oceanic Archipelago. <i>Pacific Science</i> , 2010, 64, 149-159. | 0.2 | 21 |
| 753 | The Andes basins: biophysical and developmental diversity in a climate of change. <i>Water International</i> , 2010, 35, 472-492. | 0.4 | 28 |
| 754 | Monitoring air and Land Surface Temperatures from remotely sensed data for climate-human health applications. , 2010, , . | | 9 |
| 755 | The bioclimatic envelope of the wolverine (<i>Gulo gulo</i>): do climatic constraints limit its geographic distribution?. <i>Canadian Journal of Zoology</i> , 2010, 88, 233-246. | 0.4 | 99 |
| 756 | Intestinal Helminth Parasites of Wall Lizards, <i>Podarcis vaucheri</i> Complex (Sauria: Lacertidae) from Algeria. <i>Journal of Herpetology</i> , 2011, 45, 385-388. | 0.2 | 12 |
| 757 | Redescription of the pocket gopher <i>Thomomys atrovarius</i> from the Pacific coast of mainland Mexico. <i>Journal of Mammalogy</i> , 2011, 92, 1367-1382. | 0.6 | 17 |
| 758 | The Effect of Scale, Climate and Environment on Species Richness and Spatial Distribution of Finnish Birds. <i>Annales Zoologici Fennici</i> , 2011, 48, 257-274. | 0.2 | 5 |
| 759 | Molecular Footprints of Local Adaptation in Two Mediterranean Conifers. <i>Molecular Biology and Evolution</i> , 2011, 28, 101-116. | 3.5 | 172 |
| 760 | Modelling Species' Climatic Distributions Under Habitat Constraints: A Case Study with <i>Coturnix coturnix</i> . <i>Annales Zoologici Fennici</i> , 2011, 48, 147-160. | 0.2 | 13 |
| 761 | The Global Extent and Determinants of Savanna and Forest as Alternative Biome States. <i>Science</i> , 2011, 334, 230-232. | 6.0 | 1,039 |
| 762 | The impact of inter-annual variability in remote sensing time series on modeling tree species distributions. , 2011, , . | | 1 |
| 763 | Testing climate-based species distribution models with recent field surveys of pond-breeding amphibians in eastern Missouri. <i>Canadian Journal of Zoology</i> , 2011, 89, 1074-1083. | 0.4 | 7 |
| 764 | Adaptive Approach for a Maximum Entropy Algorithm in Ecological Niche Modeling. <i>IEEE Latin America Transactions</i> , 2011, 9, 331-338. | 1.2 | 4 |
| 765 | Decomposing environmental, spatial, and spatiotemporal components of species distributions. <i>Ecological Monographs</i> , 2011, 81, 329-347. | 2.4 | 67 |
| 766 | Biogeographic Distributions of Selected North American Grassland Plant Species. <i>Physical Geography</i> , 2011, 32, 583-602. | 0.6 | 13 |
| 767 | Tropical amphibian populations experience higher disease risk in natural habitats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9893-9898. | 3.3 | 144 |
| 768 | Climate limitations on the distribution and phenology of a large carpenter bee, <i>Xylocopa virginica</i> (Hymenoptera: Apidae). <i>Canadian Journal of Zoology</i> , 2011, 89, 785-795. | 0.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 769 | The nature and impact of climate change in the Challenge Program on Water and Food (CPWF) basins. <i>Water International</i> , 2011, 36, 96-124. | 0.4 | 21 |
| 770 | The future of terrestrial mammals in the Mediterranean basin under climate change. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011, 366, 2681-2692. | 1.8 | 87 |
| 771 | Response to Comment on "Erosion of Lizard Diversity by Climate Change and Altered Thermal Niches". <i>Science</i> , 2011, 332, 537-537. | 6.0 | 32 |
| 772 | Incorporating Population-Level Variation in Thermal Performance into Predictions of Geographic Range Shifts. <i>Integrative and Comparative Biology</i> , 2011, 51, 733-750. | 0.9 | 96 |
| 773 | Global Occurrence and Spread of Highly Pathogenic Avian Influenza Virus of the Subtype H5N1. <i>Avian Diseases</i> , 2011, 55, 21-28. | 0.4 | 16 |
| 774 | Current Knowledge of Leishmania Vectors in Mexico: How Geographic Distributions of Species Relate to Transmission Areas. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 85, 839-846. | 0.6 | 44 |
| 775 | Influence of different species range types on the perception of macroecological patterns. <i>Systematics and Biodiversity</i> , 2011, 9, 159-170. | 0.5 | 10 |
| 776 | Causes of Plant Diversification in the Cape Biodiversity Hotspot of South Africa. <i>Systematic Biology</i> , 2011, 60, 343-357. | 2.7 | 180 |
| 777 | Modelling the potential winter distribution of the endangered Black-capped Vireo (<i>Vireo</i>). <i>Ornithological Monographs</i> , 2011, 75, 422-427. | 0.7 | 8 |
| 778 | Glacial history and local adaptation explain differentiation in phenotypic traits in the Alpine grassland herb <i>Campanula barbata</i> . <i>Plant Ecology and Diversity</i> , 2011, 4, 403-413. | 1.0 | 10 |
| 779 | The global Landsat imagery database for the FAO FRA remote sensing survey. <i>International Journal of Digital Earth</i> , 2011, 4, 2-21. | 1.6 | 18 |
| 780 | The pCO ₂ in boreal lakes: Organic carbon as a universal predictor?. <i>Global Biogeochemical Cycles</i> , 2011, 25, n/a-n/a. | 1.9 | 61 |
| 781 | Predicting organic carbon in lakes from climate drivers and catchment properties. <i>Global Biogeochemical Cycles</i> , 2011, 25, n/a-n/a. | 1.9 | 35 |
| 782 | Cloud cover conditions and stability of the Western Ghats montane wet forests. <i>Journal of Geophysical Research</i> , 2011, 116, . | 3.3 | 5 |
| 783 | Mapping forest canopy height globally with spaceborne lidar. <i>Journal of Geophysical Research</i> , 2011, 116, . | 3.3 | 855 |
| 784 | A data mining approach to predictive vegetation mapping using probabilistic graphical models. <i>Ecological Informatics</i> , 2011, 6, 111-124. | 2.3 | 12 |
| 785 | The Brazilian Atlantic Forest: A Shrinking Biodiversity Hotspot. , 2011, , 405-434. | | 161 |
| 786 | Geospatial tools address emerging issues in spatial ecology: a review and commentary on the Special Issue. <i>International Journal of Geographical Information Science</i> , 2011, 25, 337-365. | 2.2 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 787 | Biogeographic Implications of the Striking Discovery of a 4,000 Kilometer Disjunct Population of the Wild Potato <i>Solanum morelliforme</i> in South America. <i>Systematic Botany</i> , 2011, 36, 1062-1067. | 0.2 | 14 |
| 788 | A new distribution record of the Japanese Pipistrelle (<i>Pipistrellus abramus</i> (Temminck, 1840); Mammalia.) <i>Tj ETQq1 1.0.784314 rgBT /Qw</i> | 0.3 | 2 |
| 789 | Forests and Drugs: Coca-Driven Deforestation in Tropical Biodiversity Hotspots. <i>Environmental Science & Technology</i> , 2011, 45, 1219-1227. | 4.6 | 138 |
| 790 | Vanishing winters in Germany: soil frost dynamics and snow cover trends, and ecological implications. <i>Climate Research</i> , 2011, 46, 269-276. | 0.4 | 101 |
| 791 | Range Size Heritability in Carnivora Is Driven by Geographic Constraints. <i>American Naturalist</i> , 2011, 177, 767-779. | 1.0 | 30 |
| 792 | Constraints on global fire activity vary across a resource gradient. <i>Ecology</i> , 2011, 92, 121-132. | 1.5 | 348 |
| 793 | Exploring the effects of quantity and location of pseudo-absences and sampling biases on the performance of distribution models with limited point occurrence data. <i>Journal for Nature Conservation</i> , 2011, 19, 1-7. | 0.8 | 148 |
| 794 | Lizards as conservation targets in Argentinean Patagonia. <i>Journal for Nature Conservation</i> , 2011, 19, 60-67. | 0.8 | 31 |
| 795 | Predicting the potential distribution of an endangered cryptic subterranean mammal from few occurrence records. <i>Journal for Nature Conservation</i> , 2011, 19, 87-94. | 0.8 | 51 |
| 796 | Land use is more important than climate for species richness and composition of bat assemblages on a regional scale. <i>Mammalian Biology</i> , 2011, 76, 451-460. | 0.8 | 29 |
| 797 | Contribution of Current and Historical Processes to Patterns of Tree Diversity and Composition of the Amazon. , 2011, , 347-359. | | 11 |
| 798 | The Influence of Late Quaternary Climate-Change Velocity on Species Endemism. <i>Science</i> , 2011, 334, 660-664. | 6.0 | 665 |
| 799 | Floristic Composition and Natural History Characteristics of Dry Forests in the Pacific. <i>Pacific Science</i> , 2011, 65, 127-141. | 0.2 | 18 |
| 800 | Predicted Impact of Climate Change on Coffee Supply Chains. <i>Climate Change Management</i> , 2011, , 703-723. | 0.6 | 36 |
| 801 | Consequences of long- and short-term fragmentation on the genetic diversity and differentiation of a late successional rainforest conifer. <i>Australian Journal of Botany</i> , 2011, 59, 351. | 0.3 | 20 |
| 802 | Climate change in south-west Australia and north-west China: challenges and opportunities for crop production. <i>Crop and Pasture Science</i> , 2011, 62, 445. | 0.7 | 85 |
| 803 | A late Miocene leaf assemblage from Coromandel Peninsula, New Zealand, and its climatic implications. <i>Alcheringa</i> , 2011, 35, 103-121. | 0.5 | 10 |
| 804 | Geospatial Analysis of Environmental Health. , 2011, , . | | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 805 | Distinct Niche Divergence Characterizes the Homoploid Hybrid Speciation of <i>Pinus densata</i> on the Tibetan Plateau. <i>American Naturalist</i> , 2011, 177, 424-439. | 1.0 | 87 |
| 806 | Diversification within the Mexican Vole (<i>Microtus mexicanus</i>) and the Role of Post-Pleistocene Climate Change. <i>Western North American Naturalist</i> , 2011, 71, 176-194. | 0.2 | 2 |
| 807 | Evaluation of precipitation products over complex mountainous terrain: A water resources perspective. <i>Advances in Water Resources</i> , 2011, 34, 1222-1231. | 1.7 | 140 |
| 808 | Predicting and mapping productivity of short rotation willow plantations in Sweden based on climatic data using a non-parametric method. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 875-881. | 1.9 | 6 |
| 809 | Interpretation of commercial production information: A case study of lulo (<i>Solanum quitoense</i>), an under-researched Andean fruit. <i>Agricultural Systems</i> , 2011, 104, 258-270. | 3.2 | 21 |
| 810 | Changing environmental characteristics of European cropland. <i>Agricultural Systems</i> , 2011, 104, 522-532. | 3.2 | 35 |
| 811 | Forest productivity and tree diversity relationships depend on ecological context within mid-Atlantic and Appalachian forests (USA). <i>Forest Ecology and Management</i> , 2011, 261, 1315-1324. | 1.4 | 39 |
| 812 | Assessing forest vulnerability and the potential distribution of pine beetles under current and future climate scenarios in the Interior West of the US. <i>Forest Ecology and Management</i> , 2011, 262, 307-316. | 1.4 | 92 |
| 813 | Atmospheric CO ₂ consumption by chemical weathering in North America. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 7829-7854. | 1.6 | 59 |
| 814 | Projection of climatic suitability for <i>Aedes albopictus</i> Skuse (Culicidae) in Europe under climate change conditions. <i>Global and Planetary Change</i> , 2011, 78, 54-64. | 1.6 | 116 |
| 815 | Will climate change reduce the efficacy of protected areas for amphibian conservation in Italy?. <i>Biological Conservation</i> , 2011, 144, 989-997. | 1.9 | 72 |
| 816 | Combining genetic structure and ecological niche modeling to establish units of conservation: A case study of an imperiled salamander. <i>Biological Conservation</i> , 2011, 144, 1441-1450. | 1.9 | 27 |
| 817 | Local knowledge and species distribution models™ contribution towards mammalian conservation. <i>Biological Conservation</i> , 2011, 144, 1451-1463. | 1.9 | 19 |
| 818 | Predicting the invasion risk by the alien bee-hawking Yellow-legged hornet <i>Vespa velutina nigrithorax</i> across Europe and other continents with niche models. <i>Biological Conservation</i> , 2011, 144, 2142-2150. | 1.9 | 140 |
| 819 | Landscape changes caused by high altitude ski-pistes affect bird species richness and distribution in the Alps. <i>Biological Conservation</i> , 2011, 144, 2958-2967. | 1.9 | 42 |
| 820 | Increased productivity through integrated soil fertility management in cassava-legume intercropping systems in the highlands of Sud-Kivu, DR Congo. <i>Field Crops Research</i> , 2011, 120, 76-85. | 2.3 | 98 |
| 821 | Trees in the desert: Reproduction and genetic structure of fragmented <i>Ulmus pumila</i> forests in Mongolian drylands. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2011, 206, 91-99. | 0.6 | 33 |
| 822 | Wood anatomy reflects the distribution of <i>Krascheninnikovia ceratoides</i> (Chenopodiaceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2011, 206, 300-309. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 823 | Phylogenetic Methods in Biogeography. Annual Review of Ecology, Evolution, and Systematics, 2011, 42, 441-464. | 3.8 | 222 |
| 824 | Current and potential distribution of <i>Myotis simus</i> (Chiroptera, Vespertilionidae). Mammalia, 2011, 75, . | 0.3 | 18 |
| 825 | Phylogeny and palaeoecology of <i>Polyommatus</i> blue butterflies show Beringia was a climate-regulated gateway to the New World. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 2737-2744. | 1.2 | 98 |
| 826 | Environmental Components and Boundaries of Morphological Variation in the Short-Tailed Fruit Bat (<i>Carollia</i> spp.) in Ecuador. Acta Chiropterologica, 2011, 13, 319-340. | 0.2 | 5 |
| 827 | Rehabilitation of arid rangelands: Intensifying water pulses from low-intensity winter rainfall. Journal of Arid Environments, 2011, 75, 185-193. | 1.2 | 9 |
| 828 | Chill tolerance variability within and among populations in the dung beetle <i>Canthon humectus hidalgoensis</i> along an altitudinal gradient in the mexican semiarid high plateau. Journal of Arid Environments, 2011, 75, 119-124. | 1.2 | 8 |
| 829 | Living on the edge? On the thermobiology and activity pattern of the large herbivorous desert lizard <i>Uromastix aegyptia microlepis</i> Blanford, 1875 at Mahazat as-Sayd Protected Area, Saudi Arabia. Journal of Arid Environments, 2011, 75, 636-647. | 1.2 | 25 |
| 830 | Patterns of alien plant invasions in northwestern Patagonia, Argentina. Journal of Arid Environments, 2011, 75, 890-897. | 1.2 | 49 |
| 831 | Latitudinal and altitudinal patterns of the endemic cacti from the Atacama desert to Mediterranean Chile. Journal of Arid Environments, 2011, 75, 991-997. | 1.2 | 43 |
| 832 | Biogeography and conservation of viperids from North-West Africa: An application of ecological niche-based models and GIS. Journal of Arid Environments, 2011, 75, 1029-1037. | 1.2 | 48 |
| 833 | Raised fields in the Bolivian Amazonia: a prehistoric green revolution or a flood risk mitigation strategy?. Journal of Archaeological Science, 2011, 38, 502-512. | 1.2 | 74 |
| 834 | Distribution parameters of guanaco (<i>Lama guanicoe</i>), pampas deer (<i>Ozotoceros bezoarticus</i>) and marsh deer (<i>Blastocerus dichotomus</i>) in Central Argentina: Archaeological and paleoenvironmental implications. Journal of Archaeological Science, 2011, 38, 1405-1416. | 1.2 | 49 |
| 835 | Statistical inference and spatial patterns in correlates of IQ. Intelligence, 2011, 39, 303-310. | 1.6 | 33 |
| 836 | Interactions between abiotic filters, landscape structure and species traits as determinants of dairy farmland plant diversity. Landscape and Urban Planning, 2011, 99, 248-258. | 3.4 | 33 |
| 837 | Sensitising rural policy: Assessing spatial variation in rural development options for Europe. Land Use Policy, 2011, 28, 447-459. | 2.5 | 112 |
| 838 | Inclusion of habitat availability in species distribution models through multi-temporal remote-sensing data?. , 2011, 21, 3285-3298. | | 51 |
| 839 | Ecological niche modeling in Maxent: the importance of model complexity and the performance of model selection criteria. , 2011, 21, 335-342. | | 1,527 |
| 840 | Climate niches of milkweeds with plesiomorphic traits (Secamonoideae; Apocynaceae) and the milkweed sister group link ancient African climates and floral evolution. American Journal of Botany, 2011, 98, 1966-1977. | 0.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 841 | High-resolution bioclimatic dataset derived from future climate projections for plant species distribution modeling. <i>Ecological Informatics</i> , 2011, 6, 196-204. | 2.3 | 11 |
| 842 | A 19.5 kyr vegetation history from the central Cederberg Mountains, South Africa: Palynological evidence from rock hyrax middens. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 309, 253-270. | 1.0 | 56 |
| 843 | Vegetation, climate and fire in the eastern Andes (Bolivia) during the last 18,000years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 312, 115-126. | 1.0 | 26 |
| 844 | Biological Flora of Central Europe: <i>Euphorbia palustris</i> L.. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2011, 13, 57-71. | 1.1 | 4 |
| 845 | Ecological zoning of soybean rust, coffee rust and banana black sigatoka based on Brazilian climate changes. <i>Procedia Environmental Sciences</i> , 2011, 6, 35-49. | 1.3 | 23 |
| 846 | Forecasting Biomes Of Protected Areas. <i>Procedia Environmental Sciences</i> , 2011, 7, 44-49. | 1.3 | 1 |
| 847 | Modelling climatic suitability and dispersal for disease vectors: the example of a phlebotomine sandfly in Europe. <i>Procedia Environmental Sciences</i> , 2011, 7, 164-169. | 1.3 | 21 |
| 848 | Paleoglaciological reconstructions for the Tibetan Plateau during the last glacial cycle: evaluating numerical ice sheet simulations driven by GCM-ensembles. <i>Quaternary Science Reviews</i> , 2011, 30, 248-267. | 1.4 | 37 |
| 849 | Postglacial fire, vegetation, and climate history across an elevational gradient in the Northern Rocky Mountains, USA and Canada. <i>Quaternary Science Reviews</i> , 2011, 30, 2520-2533. | 1.4 | 51 |
| 850 | Palaeoglaciology of Bayan Har Shan, NE Tibetan Plateau: exposure ages reveal a missing LGM expansion. <i>Quaternary Science Reviews</i> , 2011, 30, 1988-2001. | 1.4 | 68 |
| 851 | Variation in baobab seedling morphology and its implications for selecting superior planting material. <i>Scientia Horticulturae</i> , 2011, 130, 109-117. | 1.7 | 29 |
| 852 | The shape of mammalian phylogeny: patterns, processes and scales. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011, 366, 2462-2477. | 1.8 | 64 |
| 853 | Adaptation to Climate Across the <i>Arabidopsis thaliana</i> Genome. <i>Science</i> , 2011, 334, 83-86. | 6.0 | 636 |
| 854 | Distance-based methods for the analysis of maps produced by species distribution models. <i>Methods in Ecology and Evolution</i> , 2011, 2, 623-633. | 2.2 | 16 |
| 855 | Specialization in Plant-Hummingbird Networks Is Associated with Species Richness, Contemporary Precipitation and Quaternary Climate-Change Velocity. <i>PLoS ONE</i> , 2011, 6, e25891. | 1.1 | 142 |
| 856 | Climatic Predictors of Temperature Performance Curve Parameters in Ectotherms Imply Complex Responses to Climate Change. <i>American Naturalist</i> , 2011, 177, 738-751. | 1.0 | 384 |
| 857 | Does climate affect pollen morphology? Optimal size and shape of pollen grains under various desiccation intensity. <i>Ecosphere</i> , 2011, 2, art117. | 1.0 | 46 |
| 858 | Relationship between the genetic structure of the Andean toad <i>Rhinella spinulosa</i> (Anura: Bufonidae) and the northern Chile landscape (21°- 24° S). <i>Revista Chilena De Historia Natural</i> , 2011, 84, 391-406. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 859 | Geographical distribution of <i>Discocyrtus prospicius</i> (Arachnida: Opiliones: Gonyleptidae): Is there a pattern?. <i>Zootaxa</i> , 2011, 3043, . | 0.2 | 12 |
| 860 | Cambio climático y enfermedades parasitarias. <i>Biomedica</i> , 2011, 31, 19. | 0.3 | 0 |
| 861 | Biodiversity in a Rapidly Changing World: How to Manage and Use Information?. , 2011, , . | | 0 |
| 862 | Distribution and conservation status of nominate <i>Euptychia cesarensis</i> in the East Andes of Colombia. <i>Zootaxa</i> , 2011, 2906, . | 0.2 | 0 |
| 863 | A new species of <i>Polypedilum</i> Kieffer from bromeliads in Parque Nacional Cusuco, Honduras (Chironomidae: Chironominae). <i>Zootaxa</i> , 2011, 3062, 46. | 0.2 | 6 |
| 864 | A new species of Satyrinae butterfly from Peru (Nymphalidae: Satyrini: <i>Euptychiina</i>). <i>Zootaxa</i> , 2011, 2802, 63. | 0.2 | 4 |
| 865 | Description of the advertisement call of <i>Phasmahyla spectabilis</i> Cruz, Feio & Nascimento, 2008 (Anura: Phyllomedusinae) with comments on its distribution and reproduction. <i>Zootaxa</i> , 2011, 2767, . | 0.2 | 3 |
| 866 | Update to the zodariid spider fauna of the Iberian Peninsula and Madeira (Araneae: Zodariidae). <i>Zootaxa</i> , 2011, 2814, . | 0.2 | 14 |
| 867 | Hybridisation, introgression and climate change: a case study of the tree genus <i>Fraxinus</i> (Oleaceae). , 0, , 320-342. | | 5 |
| 868 | Assessing the effectiveness of a protected area network in the face of climatic change. , 2011, , 345-364. | | 3 |
| 869 | Geographical information systems and remote sensing. , 0, , 69-90. | | 1 |
| 870 | Climate envelope models in systematics and evolutionary research: theory and practice. , 0, , 243-264. | | 1 |
| 871 | Continent-wide association of H5N1 outbreaks in wild and domestic birds in Europe. <i>Geospatial Health</i> , 2011, 5, 247. | 0.3 | 19 |
| 872 | Urban and Peri-Urban Tree Cover in European Cities: Current Distribution and Future Vulnerability Under Climate Change Scenarios. , 2011, , . | | 1 |
| 873 | Does native bromeliads represent important breeding sites for <i>Aedes aegypti</i> (L.) (Diptera: Culicidae) in urbanized areas?. <i>Neotropical Entomology</i> , 2011, 40, 278-281. | 0.5 | 8 |
| 874 | Distribution of <i>Oecomys catherinae</i> Thomas, 1909 (Rodentia: Cricetidae) in northeastern Brazil with karyotypical and morphometrical notes. <i>Biota Neotropica</i> , 2011, 11, 415-424. | 1.0 | 10 |
| 875 | Modelación de la distribución de especies y ecosistemas en el tiempo y en el espacio: una revisión de las nuevas herramientas y enfoques disponibles. <i>Revista De Geografía Norte Grande</i> , 2011, , 61-79. | 0.1 | 42 |
| 876 | Input variable selection for interpolating high-resolution climate surfaces for the Western Cape. <i>Water S A</i> , 2011, 37, . | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 877 | Environmental Drivers of NDVI-Based Vegetation Phenology in Central Asia. <i>Remote Sensing</i> , 2011, 3, 203-246. | 1.8 | 87 |
| 878 | Height-diameter allometry of tropical forest trees. <i>Biogeosciences</i> , 2011, 8, 1081-1106. | 1.3 | 396 |
| 879 | Is body size variation in the platypus (<i>Ornithorhynchus anatinus</i>) associated with environmental variables?. <i>Australian Journal of Zoology</i> , 2011, 59, 201. | 0.6 | 10 |
| 880 | Crocodiles in the Sahara Desert: An Update of Distribution, Habitats and Population Status for Conservation Planning in Mauritania. <i>PLoS ONE</i> , 2011, 6, e14734. | 1.1 | 47 |
| 881 | Ecological Niche Modelling and nDNA Sequencing Support a New, Morphologically Cryptic Beetle Species Unveiled by DNA Barcoding. <i>PLoS ONE</i> , 2011, 6, e16662. | 1.1 | 43 |
| 882 | Building Regional Threat-Based Networks for Estuaries in the Western United States. <i>PLoS ONE</i> , 2011, 6, e17407. | 1.1 | 16 |
| 883 | Tracking a Medically Important Spider: Climate Change, Ecological Niche Modeling, and the Brown Recluse (<i>Loxosceles reclusa</i>). <i>PLoS ONE</i> , 2011, 6, e17731. | 1.1 | 54 |
| 884 | Increasing Potential Risk of a Global Aquatic Invader in Europe in Contrast to Other Continents under Future Climate Change. <i>PLoS ONE</i> , 2011, 6, e18429. | 1.1 | 52 |
| 885 | Turtle Carapace Anomalies: The Roles of Genetic Diversity and Environment. <i>PLoS ONE</i> , 2011, 6, e18714. | 1.1 | 48 |
| 886 | Climate Change Affects Winter Chill for Temperate Fruit and Nut Trees. <i>PLoS ONE</i> , 2011, 6, e20155. | 1.1 | 267 |
| 887 | The Spatial Heterogeneity between Japanese Encephalitis Incidence Distribution and Environmental Variables in Nepal. <i>PLoS ONE</i> , 2011, 6, e22192. | 1.1 | 77 |
| 888 | Climate Change Hastens the Conservation Urgency of an Endangered Ungulate. <i>PLoS ONE</i> , 2011, 6, e22873. | 1.1 | 59 |
| 889 | Predicting the Timing of Cherry Blossoms in Washington, DC and Mid-Atlantic States in Response to Climate Change. <i>PLoS ONE</i> , 2011, 6, e27439. | 1.1 | 48 |
| 890 | The baobab tree in Malawi. <i>Fruits</i> , 2011, 66, 405-416. | 0.3 | 18 |
| 891 | A New Cryptic Species of Salamander, Genus <i>Oedipina</i> (Caudata: Plethodontidae), from Premontane Elevations in Northern Nicaragua, with Comments on the Systematic Status of the Nicaraguan Paratypes of <i>O. pseudouniformis</i> Brame, 1968. <i>Breviora</i> , 2011, 526, 1-16. | 0.2 | 1 |
| 892 | Winter crop and residue biomass potential in China. <i>Biofuels</i> , 2011, 2, 503-513. | 1.4 | 5 |
| 893 | How will climate change affect the potential distribution of Eurasian tree sparrows <i>Passer montanus</i> in North America?. <i>Environmental Epigenetics</i> , 2011, 57, 648-654. | 0.9 | 11 |
| 894 | Effect of a Traditional Processing Method on the Chemical Composition of Local White Lupin (<i>Lupinus</i>) Tj ETQq1 1 0.784314 rgBT /Over <i>Biosciences</i> , 2011, 66, 403-408. | 0.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 895 | Identification of Regional Climatic Conditions Favorable for Development of European Canker of Apple. <i>Phytopathology</i> , 2011, 101, 135-146. | 1.1 | 40 |
| 896 | Agriculture and food systems in sub-Saharan Africa in a 4 th world. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2011, 369, 117-136. | 1.6 | 287 |
| 897 | Mammal Associations in the Pleistocene of Britain: Implications of Ecological Niche Modelling and a Method for Reconstructing Palaeoclimate. <i>Developments in Quaternary Sciences</i> , 2011, , 279-304. | 0.1 | 30 |
| 898 | Potential impacts of climate change on groundwater resources – a global review. <i>Journal of Water and Climate Change</i> , 2011, 2, 213-229. | 1.2 | 132 |
| 899 | Threatening processes and conservation management of endemic freshwater fish in the Mediterranean basin: a review. <i>Marine and Freshwater Research</i> , 2011, 62, 244. | 0.7 | 101 |
| 900 | Strategies for the Development of Core Collections Based on Ecogeographical Data. <i>Crop Science</i> , 2011, 51, 656-666. | 0.8 | 5 |
| 901 | Modeling distribution of <i>Phoneutria bahiensis</i> (Araneae: Ctenidae): an endemic and threatened spider from Brazil. <i>Zoologia</i> , 2011, 28, 432-439. | 0.5 | 6 |
| 902 | The climate of cloud forests. , 2011, , 39-56. | | 7 |
| 904 | Predicting the Potential Distribution and Conservation Needs of Travancore Flying Squirrel, <i>Petinomys fuscocapillus</i> , in Peninsular India and Sri Lanka, using GARP. <i>Tropical Conservation Science</i> , 2011, 4, 172-186. | 0.6 | 9 |
| 905 | Edge expansion of <i>Araucaria</i> forest over southern Brazilian grasslands relies on nurse plant effect. <i>Community Ecology</i> , 2011, 12, 196-201. | 0.5 | 17 |
| 906 | Genetic differentiation in life-history traits of introduced and native common ragweed (<i>Ambrosia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.8 | 99 |
| 907 | Assessing the threat to montane biodiversity from discordant shifts in temperature and precipitation in a changing climate. <i>Ecology Letters</i> , 2011, 14, 1236-1245. | 3.0 | 214 |
| 908 | Taxonomy, phylogeography and climate relations of the Western Palaearctic spurge hawkmoth (Lepidoptera, Sphingidae, Macroglossinae). <i>Zoologica Scripta</i> , 2011, 40, 403-417. | 0.7 | 15 |
| 909 | Dominant climate influences on North American bird distributions. <i>Global Ecology and Biogeography</i> , 2011, 20, 114-118. | 2.7 | 60 |
| 910 | Historical and phylogenetic constraints on the incidence of entire leaf margins: insights from a new South American model. <i>Global Ecology and Biogeography</i> , 2011, 20, 380-390. | 2.7 | 45 |
| 911 | Revisiting the historical distribution of Seasonally Dry Tropical Forests: new insights based on palaeodistribution modelling and palynological evidencegeb. <i>Global Ecology and Biogeography</i> , 2011, 20, 272-288. | 2.7 | 250 |
| 912 | Deconstructing the mammal species richness pattern in Europe - towards an understanding of the relative importance of climate, biogeographic history, habitat heterogeneity and humans. <i>Global Ecology and Biogeography</i> , 2011, 20, 218-230. | 2.7 | 64 |
| 913 | Latitudinal decrease in folivory within <i>Nothofagus pumilio</i> forests: dual effect of climate on insect density and leaf traits?. <i>Global Ecology and Biogeography</i> , 2011, 20, 609-619. | 2.7 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 914 | Geographic disparities and moral hazards in the predicted impacts of climate change on human populations. <i>Global Ecology and Biogeography</i> , 2011, 20, 532-544. | 2.7 | 101 |
| 915 | Choice of predictor variables as a source of uncertainty in continental-scale species distribution modelling under climate change. <i>Global Ecology and Biogeography</i> , 2011, 20, 904-914. | 2.7 | 192 |
| 916 | Variation in above-ground forest biomass across broad climatic gradients. <i>Global Ecology and Biogeography</i> , 2011, 20, 744-754. | 2.7 | 195 |
| 917 | Global species-energy relationship in forest plots: role of abundance, temperature and species climatic tolerances. <i>Global Ecology and Biogeography</i> , 2011, 20, 842-856. | 2.7 | 65 |
| 918 | Quantitative metrics of overlaps in Grinnellian niches: advances and possible drawbacks. <i>Global Ecology and Biogeography</i> , 2011, 20, 915-927. | 2.7 | 230 |
| 919 | Environmental and anthropogenic determinants of vegetation distribution across Africa. <i>Global Ecology and Biogeography</i> , 2011, 20, 661-674. | 2.7 | 53 |
| 920 | The distribution, abundance and life cycle of the pest mites <i>Balaustium medicagoense</i> (Prostigmata: Erythraeidae) and <i>Bryobia</i> spp. (Prostigmata: Tetranychidae) in Australia. <i>Australian Journal of Entomology</i> , 2011, 50, 22-36. | 1.1 | 9 |
| 921 | Habitat invasion risk assessment based on Landsat 5 data, exemplified by the shrub <i>Rosa rubiginosa</i> in southern Argentina. <i>Austral Ecology</i> , 2011, 36, 870-880. | 0.7 | 26 |
| 922 | Interchangeable effects of gibberellic acid and temperature on embryo growth, seed germination and epicotyl emergence in <i>Ribes multiflorum</i> ssp. <i>sandalioticum</i> (Grossulariaceae). <i>Plant Biology</i> , 2012, 14, 77-87. | 1.8 | 31 |
| 923 | Influence of environmental conditions on the distribution of Central Asian green toads with three ploidy levels. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011, 49, 233-239. | 0.6 | 10 |
| 924 | Climate, history and neutrality as drivers of mammal beta diversity in Europe: insights from multiscale deconstruction. <i>Journal of Animal Ecology</i> , 2011, 80, 393-402. | 1.3 | 121 |
| 925 | Host phylogeography and beta diversity in avian haemosporidian (Plasmodiidae) assemblages of the Lesser Antilles. <i>Journal of Animal Ecology</i> , 2011, 80, 938-946. | 1.3 | 36 |
| 926 | Co-occurrence patterns of trees along macro-climatic gradients and their potential influence on the present and future distribution of <i>Fagus sylvatica</i> L.. <i>Journal of Biogeography</i> , 2011, 38, 371-382. | 1.4 | 125 |
| 927 | Identifying the effects of the Pleistocene on the greater horseshoe bat, <i>Rhinolophus ferrumequinum</i> , in East Asia using ecological niche modelling and phylogenetic analyses. <i>Journal of Biogeography</i> , 2011, 38, 439-452. | 1.4 | 58 |
| 928 | Influence of the landscape on dispersal of sylvatic triatomines to anthropic habitats in the Atlantic Forest. <i>Journal of Biogeography</i> , 2011, 38, 651-663. | 1.4 | 25 |
| 929 | Phylogeography and climatic niche evolution in live oaks (<i>Quercus</i> series <i>Virentes</i>) from the tropics to the temperate zone. <i>Journal of Biogeography</i> , 2011, 38, 962-981. | 1.4 | 107 |
| 930 | Ecological niche conservatism: a time-structured review of evidence. <i>Journal of Biogeography</i> , 2011, 38, 817-827. | 1.4 | 624 |
| 931 | Environmental suitability of new reported localities of the funnelweb spider <i>Macrothele calpeiana</i> : an assessment using potential distribution modelling with presence-only techniques. <i>Journal of Biogeography</i> , 2011, 38, 1213-1223. | 1.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 932 | Evolutionary assembly of island faunas reverses the classic island-mainland richness difference in <i>Anolis</i> lizards. <i>Journal of Biogeography</i> , 2011, 38, 1125-1137. | 1.4 | 23 |
| 933 | Predicting alpha diversity of African rain forests: models based on climate and satellite-derived data do not perform better than a purely spatial model. <i>Journal of Biogeography</i> , 2011, 38, 1164-1176. | 1.4 | 30 |
| 934 | Diversity of Central European urban biota: effects of human-made habitat types on plants and land snails. <i>Journal of Biogeography</i> , 2011, 38, 1152-1163. | 1.4 | 88 |
| 935 | Phylogeographic analysis of North American populations of the parasitic herbaceous plant <i>Monotropa hypopitys</i> L. reveals a complex history of range expansion from multiple late glacial refugia. <i>Journal of Biogeography</i> , 2011, 38, 1585-1599. | 1.4 | 28 |
| 936 | Species pool structure determines the level of generalism of island parasitoid faunas. <i>Journal of Biogeography</i> , 2011, 38, 1657-1667. | 1.4 | 14 |
| 937 | Spatial evolutionary and ecological vicariance analysis (SEEVA), a novel approach to biogeography and speciation research, with an example from Brazilian <i>Gentianaceae</i> . <i>Journal of Biogeography</i> , 2011, 38, 1841-1854. | 1.4 | 23 |
| 938 | Tropical niche conservatism as a historical narrative hypothesis for the Neotropics: a case study using the fly family <i>Muscidae</i> . <i>Journal of Biogeography</i> , 2011, 38, 1936-1947. | 1.4 | 19 |
| 939 | Tracing the origin of disjunct distributions: a case of biogeographical convergence in <i>Pyrgus</i> butterflies. <i>Journal of Biogeography</i> , 2011, 38, 2006-2020. | 1.4 | 3 |
| 940 | Contrasting patterns of phylogenetic assemblage structure along the elevational gradient for major hummingbird clades. <i>Journal of Biogeography</i> , 2011, 38, 2350-2361. | 1.4 | 18 |
| 941 | Modelling biome shifts and tree cover change for 2050 in West Africa. <i>Journal of Biogeography</i> , 2011, 38, 2248-2258. | 1.4 | 47 |
| 942 | Assessment of the relationships of geographic variation in species richness to climate and landscape variables within and among lineages of North American freshwater fishes. <i>Journal of Biogeography</i> , 2011, 38, 2259-2269. | 1.4 | 33 |
| 943 | Explaining the causes of the zoogeographic transition around the Isthmus of Kra: using bats as a case study. <i>Journal of Biogeography</i> , 2011, 38, 2362-2372. | 1.4 | 30 |
| 944 | Climatic niche conservatism and the evolutionary dynamics in species range boundaries: global congruence across mammals and amphibians. <i>Journal of Biogeography</i> , 2011, 38, 2237-2247. | 1.4 | 75 |
| 945 | Leaf functional response to increasing atmospheric CO ₂ concentrations over the last century in two northern Amazonian tree species: a historical $>13^{\circ}\text{C}$ and $>18^{\circ}\text{C}$ approach using herbarium samples. <i>Plant, Cell and Environment</i> , 2011, 34, 1332-1344. | 2.8 | 35 |
| 946 | Weed vegetation of poppy (<i>Papaver somniferum</i>) fields in Hungary: effects of management and environmental factors on species composition. <i>Weed Research</i> , 2011, 51, 621-630. | 0.8 | 28 |
| 947 | Polymorphism of <i>Cenchrus ciliaris</i> L. a perennial grass of arid zones. <i>African Journal of Ecology</i> , 2011, 49, 209-220. | 0.4 | 8 |
| 948 | Climate change and the African baobab (<i>Adansonia digitata</i> L.): the need for better conservation strategies. <i>African Journal of Ecology</i> , 2011, 49, 234-245. | 0.4 | 39 |
| 949 | Patterns of plant functional traits in the biogeography of West African grasses (<i>Poaceae</i>). <i>African Journal of Ecology</i> , 2011, 49, 490-500. | 0.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 950 | Addressing longitudinal connectivity in the systematic conservation planning of fresh waters. <i>Freshwater Biology</i> , 2011, 56, 57-70. | 1.2 | 146 |
| 951 | Combined effects of local environment and continental biogeography on the distribution of Ostracoda. <i>Freshwater Biology</i> , 2011, 56, 448-469. | 1.2 | 26 |
| 952 | Climate-change winners and losers: stream macroinvertebrates of a submontane region in Central Europe. <i>Freshwater Biology</i> , 2011, 56, 2009-2020. | 1.2 | 164 |
| 953 | Global warming will affect the genetic diversity and uniqueness of <i>Lycaena helle</i> populations. <i>Global Change Biology</i> , 2011, 17, 194-205. | 4.2 | 68 |
| 954 | Predicting the future of forests in the Mediterranean under climate change, with niche- and process-based models: CO2 matters!. <i>Global Change Biology</i> , 2011, 17, 565-579. | 4.2 | 182 |
| 955 | A climatic basis for microrefugia: the influence of terrain on climate. <i>Global Change Biology</i> , 2011, 17, 1022-1035. | 4.2 | 685 |
| 956 | Probabilistic spatio-temporal assessment of vegetation vulnerability to climate change in Swaziland. <i>Global Change Biology</i> , 2011, 17, 1425-1441. | 4.2 | 17 |
| 957 | Projected changes in elevational distribution and flight performance of montane Neotropical hummingbirds in response to climate change. <i>Global Change Biology</i> , 2011, 17, 1671-1680. | 4.2 | 28 |
| 958 | Niche shifting in response to warming climate after the last glacial maximum: inference from genetic data and niche assessments in the chisel-toothed kangaroo rat (<i>Dipodomys microps</i>). <i>Global Change Biology</i> , 2011, 17, 3486-3502. | 4.2 | 55 |
| 959 | Ecotypes of European grass species respond differently to warming and extreme drought. <i>Journal of Ecology</i> , 2011, 99, 703-713. | 1.9 | 110 |
| 960 | Local and regional palm (Arecaceae) species richness patterns and their cross-scale determinants in the western Amazon. <i>Journal of Ecology</i> , 2011, 99, 1001-1015. | 1.9 | 41 |
| 961 | Spatial aggregation of tropical trees at multiple spatial scales. <i>Journal of Ecology</i> , 2011, 99, 1373-1381. | 1.9 | 33 |
| 962 | Climatic constraints on trait-based forest assembly. <i>Journal of Ecology</i> , 2011, 99, 1489-1499. | 1.9 | 103 |
| 963 | Geometric morphometrics and ecological niche modelling for delimitation of near-sibling triatomine species. <i>Medical and Veterinary Entomology</i> , 2011, 25, 84-93. | 0.7 | 49 |
| 964 | Population structure of mycobionts and photobionts of the widespread lichen <i>Cetraria aculeata</i> . <i>Molecular Ecology</i> , 2011, 20, 1208-1232. | 2.0 | 210 |
| 965 | Temperature-related natural selection in a wind-pollinated tree across regional and continental scales. <i>Molecular Ecology</i> , 2011, 20, 2724-2738. | 2.0 | 28 |
| 966 | Persistence and diversification of the Holarctic shrew, <i>Sorex tundrensis</i> (Family Soricidae), in response to climate change. <i>Molecular Ecology</i> , 2011, 20, 4346-4370. | 2.0 | 30 |
| 967 | Quantifying effects of environmental and geographical factors on patterns of genetic differentiation. <i>Molecular Ecology</i> , 2011, 20, 4631-4642. | 2.0 | 170 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 968 | Phylogenetic patterns in zopherine beetles are related to ecological niche width and dispersal limitation. <i>Molecular Ecology</i> , 2011, 20, 5060-5073. | 2.0 | 25 |
| 969 | Phylogeographic analyses of the southern leopard frog: the impact of geography and climate on the distribution of genetic lineages vs. subspecies. <i>Molecular Ecology</i> , 2011, 20, 5295-5312. | 2.0 | 20 |
| 970 | Species distribution models that do not incorporate global data misrepresent potential distributions: a case study using Iberian diving beetles. <i>Diversity and Distributions</i> , 2011, 17, 163-171. | 1.9 | 89 |
| 971 | Assessing the environmental requirements of invaders using ensembles of distribution models. <i>Diversity and Distributions</i> , 2011, 17, 13-24. | 1.9 | 82 |
| 972 | Bioclimatic constraints to Andean cat distribution: a modelling application for rare species. <i>Diversity and Distributions</i> , 2011, 17, 311-322. | 1.9 | 50 |
| 973 | Unprotecting the rare species: a niche-based gap analysis for odonates in a core Cerrado area. <i>Diversity and Distributions</i> , 2011, 17, 491-505. | 1.9 | 78 |
| 974 | Incorporating evolutionary processes into conservation planning using species distribution data: a case study with the western Mediterranean herpetofauna. <i>Diversity and Distributions</i> , 2011, 17, 408-421. | 1.9 | 47 |
| 975 | Presence-only versus presence-absence data in species composition determinant analyses. <i>Diversity and Distributions</i> , 2011, 17, 474-479. | 1.9 | 19 |
| 976 | When the method for mapping species matters: defining priority areas for conservation of African freshwater turtles. <i>Diversity and Distributions</i> , 2011, 17, 581-592. | 1.9 | 31 |
| 977 | Global diversity in light of climate change: the case of ants. <i>Diversity and Distributions</i> , 2011, 17, 652-662. | 1.9 | 87 |
| 978 | Pine invasions: climate predicts invasion success; something else predicts failure. <i>Diversity and Distributions</i> , 2011, 17, 703-713. | 1.9 | 62 |
| 979 | Finessing atlas data for species distribution models. <i>Diversity and Distributions</i> , 2011, 17, 1173-1185. | 1.9 | 36 |
| 980 | Invasiveness in introduced Australian acacias: the role of species traits and genome size. <i>Diversity and Distributions</i> , 2011, 17, 884-897. | 1.9 | 64 |
| 981 | Modelling horses for novel climate courses: insights from projecting potential distributions of native and alien Australian acacias with correlative and mechanistic models. <i>Diversity and Distributions</i> , 2011, 17, 978-1000. | 1.9 | 191 |
| 982 | Keep collecting: accurate species distribution modelling requires more collections than previously thought. <i>Diversity and Distributions</i> , 2011, 17, 1132-1140. | 1.9 | 160 |
| 983 | Predicting the subspecific identity of invasive species using distribution models: <i>Acacia saligna</i> as an example. <i>Diversity and Distributions</i> , 2011, 17, 1001-1014. | 1.9 | 66 |
| 984 | Human-mediated introductions of Australian acacias – a global experiment in biogeography. <i>Diversity and Distributions</i> , 2011, 17, 771-787. | 1.9 | 245 |
| 985 | Constraints to Species' Elevational Range Shifts as Climate Changes. <i>Conservation Biology</i> , 2011, 25, 163-171. | 2.4 | 98 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 986 | Spatial Predictions of Phylogenetic Diversity in Conservation Decision Making. <i>Conservation Biology</i> , 2011, 25, 1229-1239. | 2.4 | 39 |
| 987 | Assisted Colonization: A Question of Focal Units and Recipient Localities. <i>Restoration Ecology</i> , 2011, 19, 433-440. | 1.4 | 84 |
| 988 | Thermal springs and heat flow in North America. <i>Geofluids</i> , 2011, 11, 294-301. | 0.3 | 22 |
| 989 | Geographic patterns in the distribution of social systems in terrestrial arthropods. <i>Biological Reviews</i> , 2011, 86, 475-491. | 4.7 | 63 |
| 990 | Sensitivity of leaf size and shape to climate: global patterns and paleoclimatic applications. <i>New Phytologist</i> , 2011, 190, 724-739. | 3.5 | 445 |
| 991 | Carbon and nitrogen dynamics during forest stand development: a global synthesis. <i>New Phytologist</i> , 2011, 190, 977-989. | 3.5 | 221 |
| 992 | Adaptation to drought in two wild tomato species: the evolution of the <i>Asr</i> gene family. <i>New Phytologist</i> , 2011, 190, 1032-1044. | 3.5 | 73 |
| 993 | Examining the large-scale convergence of photosynthesis-weighted tree leaf temperatures through stable oxygen isotope analysis of multiple data sets. <i>New Phytologist</i> , 2011, 192, 912-924. | 3.5 | 45 |
| 994 | Current and potential distribution of <i>Senecio madagascariensis</i> Poir. (fireweed), an invasive alien plant in Japan. <i>Grassland Science</i> , 2011, 57, 150-157. | 0.6 | 16 |
| 995 | What Factors Affect Diversity and Species Composition of Endangered Tumbesian Dry Forests in Southern Ecuador?. <i>Biotropica</i> , 2011, 43, 15-22. | 0.8 | 45 |
| 996 | Conservation Assessment of <i>Guaiacum sanctum</i> and <i>Guaiacum coulteri</i> : Historic Distribution and Future Trends in Mexico. <i>Biotropica</i> , 2011, 43, 246-255. | 0.8 | 13 |
| 997 | Sex Ratio and Sex-specific Latitudinal Variation in Floral Characteristics of Gynodioecious <i>Kallstroemia grandiflora</i> (Zygophyllaceae) in Mexico. <i>Biotropica</i> , 2011, 43, 317-323. | 0.8 | 8 |
| 998 | Gray-headed Lemur (<i>Eulemur cinereiceps</i>) Abundance and Forest Structure Dynamics at Manombo, Madagascar. <i>Biotropica</i> , 2011, 43, 371-379. | 0.8 | 12 |
| 999 | Seed Dispersal Spectrum of Woody Species in South Ecuadorian Dry Forests: Environmental Correlates and the Effect of Considering Species Abundance. <i>Biotropica</i> , 2011, 43, 722-730. | 0.8 | 54 |
| 1000 | Elevational gradients in phylogenetic structure of ant communities reveal the interplay of biotic and abiotic constraints on diversity. <i>Ecography</i> , 2011, 34, 364-371. | 2.1 | 179 |
| 1001 | Similar performance in central and range-edge populations of a Eurasian steppe grass under different climate and soil pH regimes. <i>Ecography</i> , 2011, 34, 498-506. | 2.1 | 17 |
| 1002 | Geographical and ecological patterns of range size in North American trees. <i>Ecography</i> , 2011, 34, 738-750. | 2.1 | 30 |
| 1003 | Forecasting the future of biodiversity: a test of single- and multi-species models for ants in North America. <i>Ecography</i> , 2011, 34, 836-847. | 2.1 | 81 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1004 | The evolution of large-scale body size clines in <i>Plethodon</i> salamanders: evidence of heat balance or species-specific artifact?. <i>Ecography</i> , 2011, 34, 1067-1075. | 2.1 | 31 |
| 1005 | Phylogenetic habitat filtering influences forest nucleation in grasslands. <i>Oikos</i> , 2011, 120, 208-215. | 1.2 | 73 |
| 1006 | Variation in the proportion of flower visitors of <i>Arum maculatum</i> along its distributional range in relation with community-based climatic niche analyses. <i>Oikos</i> , 2011, 120, 728-734. | 1.2 | 25 |
| 1007 | Using climatically based random forests to downscale coarse-grained potential natural vegetation maps in tropical Mexico. <i>Applied Vegetation Science</i> , 2011, 14, 388-401. | 0.9 | 22 |
| 1008 | Surveying Southern Mongolia: application of multivariate classification methods in drylands with low diversity and long floristic gradients. <i>Applied Vegetation Science</i> , 2011, 14, 561-570. | 0.9 | 13 |
| 1009 | Nurse rocks influence forest expansion over native grassland in southern Brazil. <i>Journal of Vegetation Science</i> , 2011, 22, 111-119. | 1.1 | 42 |
| 1010 | Modelling potential distribution of the threatened tree species <i>Juniperus oxycedrus</i> : how to evaluate the predictions of different modelling approaches?. <i>Journal of Vegetation Science</i> , 2011, 22, 647-659. | 1.1 | 50 |
| 1011 | Pollen-vegetation relationships along steep climatic gradients in western Amazonia. <i>Journal of Vegetation Science</i> , 2011, 22, 795-806. | 1.1 | 34 |
| 1012 | Fine-scale patterns of species and phylogenetic turnover in a global biodiversity hotspot: Implications for climate change vulnerability. <i>Journal of Vegetation Science</i> , 2011, 22, 766-780. | 1.1 | 22 |
| 1013 | Assessing the geographic range of Black-fronted Ground-Tyrants (<i>Muscisaxicola frontalis</i>) using extralimital and winter range occurrence records and ecological niche modeling. <i>Journal of Field Ornithology</i> , 2011, 82, 355-365. | 0.3 | 1 |
| 1014 | REVISITING WALLACE'S HAUNT: COALESCENT SIMULATIONS AND COMPARATIVE NICHE MODELING REVEAL HISTORICAL MECHANISMS THAT PROMOTED AVIAN POPULATION DIVERGENCE IN THE MALAY ARCHIPELAGO. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 321-334. | 1.1 | 62 |
| 1015 | TESTING ECOLOGICAL EXPLANATIONS FOR BIOGEOGRAPHIC BOUNDARIES. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 673-683. | 1.1 | 120 |
| 1016 | DIVERSITY AND DEMOGRAPHY IN BERINGIA: MULTILOCUS TESTS OF PALEODISTRIBUTION MODELS REVEAL THE COMPLEX HISTORY OF ARCTIC GROUND SQUIRRELS. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 1879-1896. | 1.1 | 43 |
| 1017 | A TIGHT BALANCE BETWEEN NATURAL SELECTION AND GENE FLOW IN A SOUTHERN AFRICAN ARID-ZONE ENDEMIC BIRD. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 3499-3514. | 1.1 | 57 |
| 1018 | Speciation at the Mogollon Rim in the Arizona Mountain Kingsnake (<i>Lampropeltis pyromelana</i>). <i>Molecular Phylogenetics and Evolution</i> , 2011, 60, 445-454. | 1.2 | 51 |
| 1019 | Historical stability of diversity patterns in African estrildid finches (Aves: Estrildidae)?. <i>Biological Journal of the Linnean Society</i> , 2011, 102, 455-470. | 0.7 | 11 |
| 1020 | Forest snail faunas from Georgian Transcaucasia: patterns of diversity in a Pleistocene refugium. <i>Biological Journal of the Linnean Society</i> , 2011, 102, 239-250. | 0.7 | 28 |
| 1021 | Environmental niche divergence between genetically distant lineages of an endangered water beetle. <i>Biological Journal of the Linnean Society</i> , 2011, 103, 891-903. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1022 | Patterns of divergence in the olive sunbird <i>Cyanomitra olivacea</i> (Aves: Nectariniidae) across the African rainforest-savanna ecotone. <i>Biological Journal of the Linnean Society</i> , 2011, 103, 821-835. | 0.7 | 31 |
| 1023 | Cryptic speciation in the southern African vlei rat <i>Otomys irroratus</i> complex: evidence derived from mitochondrial cytb and niche modelling. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 192-206. | 0.7 | 27 |
| 1024 | Forest snail faunas from Transylvania (Romania) and their relationship to the faunas of Central and Northern Europe. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 471-479. | 0.7 | 16 |
| 1025 | The evolution of avian migration. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 237-250. | 0.7 | 61 |
| 1026 | Biogeographical dynamics of the Spanish Marbled White <i>Melanargia ines</i> (Lepidoptera: Satyridae) in the Western Mediterranean: does the Atlanto-Mediterranean refuge exist?. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 828-837. | 0.7 | 3 |
| 1027 | Climate niche shift in invasive species: the case of the brown anole. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 943-954. | 0.7 | 24 |
| 1028 | Evolution of the climatic niche in scaly tree ferns (Cyatheaceae, Polypodiopsida). <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 1-19. | 0.8 | 32 |
| 1029 | Past climate changes explain the phylogeography of <i>Vitellaria paradoxa</i> over Africa. <i>Heredity</i> , 2011, 107, 174-186. | 1.2 | 49 |
| 1030 | A bioregional analysis of the distribution of rainforest cover, deforestation and degradation in Papua New Guinea. <i>Austral Ecology</i> , 2011, 36, 9-24. | 0.7 | 46 |
| 1031 | Establishing species' environmental requirements to understand how the southernmost species of South American pitvipers (<i>Bothrops</i> , Viperidae) are distributed: A niche-based modelling approach. <i>Austral Ecology</i> , 2011, 36, 90-98. | 0.7 | 8 |
| 1032 | Predicting geometrid moth diversity in the Heart of Borneo. <i>Insect Conservation and Diversity</i> , 2011, 4, 173-183. | 1.4 | 14 |
| 1033 | Pleistocene connection between the Nearctic Mediterranean and desert regions in the <i>Sphaerophthalma unicolor</i> species-complex (Hymenoptera: Mutillidae). <i>Insect Conservation and Diversity</i> , 2011, 4, 222-234. | 1.4 | 5 |
| 1034 | Climate Scenario Development and Applications for Local/Regional Climate Change Impact Assessments: An Overview for the Non-Climate Scientist. <i>Geography Compass</i> , 2011, 5, 301-328. | 1.5 | 37 |
| 1035 | Mapping evolutionary process: a multi-taxa approach to conservation prioritization. <i>Evolutionary Applications</i> , 2011, 4, 397-413. | 1.5 | 84 |
| 1036 | Relative importance of water, energy, and heterogeneity in determining regional pteridophyte and seed plant richness in China. <i>Journal of Systematics and Evolution</i> , 2011, 49, 95-107. | 1.6 | 22 |
| 1037 | Spatial and temporal patterns of occurrence of <i>Lutzomyia</i> sand fly species in an endemic area for cutaneous leishmaniasis in the Atlantic Forest region of northeast Brazil. <i>Journal of Vector Ecology</i> , 2011, 36, S71-S76. | 0.5 | 16 |
| 1038 | Geographic distribution and phenetic skull variation in two close species of <i>Graomys</i> (Rodentia). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10</i> | 0.4 | 23 |
| 1039 | Respiratory pattern transitions in three species of <i>Glossina</i> (Diptera, Glossinidae). <i>Journal of Insect Physiology</i> , 2011, 57, 433-443. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1040 | Ecological niche modelling of an invasive alien plant and its potential biological control agents. <i>South African Journal of Botany</i> , 2011, 77, 137-146. | 1.2 | 44 |
| 1041 | Large-scale patterns of epiphytic lichen species richness: Photobiont-dependent response to climate and forest structure. <i>Science of the Total Environment</i> , 2011, 409, 4381-4386. | 3.9 | 110 |
| 1042 | A stochastic predictive model for the natural spread of bluetongue. <i>Preventive Veterinary Medicine</i> , 2011, 99, 48-59. | 0.7 | 29 |
| 1043 | Absence reduction in entomological surveillance data to improve niche-based distribution models for <i>Culicoides imicola</i> . <i>Preventive Veterinary Medicine</i> , 2011, 100, 15-28. | 0.7 | 26 |
| 1044 | The Holocene thermal maximum and late-Holocene cooling in the tundra of NE European Russia. <i>Quaternary Research</i> , 2011, 75, 501-511. | 1.0 | 59 |
| 1045 | Four thousand years of environmental change and human activity in the Cochabamba Basin, Bolivia. <i>Quaternary Research</i> , 2011, 76, 58-68. | 1.0 | 21 |
| 1046 | Integrative analyses of speciation and divergence in <i>Psammmodromus hispanicus</i> (Squamata: Lacertidae). <i>BMC Evolutionary Biology</i> , 2011, 11, 347. | 3.2 | 32 |
| 1047 | Genetic monitoring detects an overlooked cryptic species and reveals the diversity and distribution of three invasive <i>Rattus</i> congeners in south Africa. <i>BMC Genetics</i> , 2011, 12, 26. | 2.7 | 78 |
| 1048 | The dominant <i>Anopheles</i> vectors of human malaria in the Asia-Pacific region: occurrence data, distribution maps and bionomic prÃ©cis. <i>Parasites and Vectors</i> , 2011, 4, 89. | 1.0 | 401 |
| 1049 | Modelling the global constraints of temperature on transmission of <i>Plasmodium falciparum</i> and <i>P. vivax</i> . <i>Parasites and Vectors</i> , 2011, 4, 92. | 1.0 | 162 |
| 1050 | Geographic distribution modelling for ruminant liver flukes (<i>Fasciola hepatica</i>) in south-eastern Europe. <i>International Journal for Parasitology</i> , 2011, 41, 747-753. | 1.3 | 23 |
| 1051 | Movement distances enhance validity of predictive models. <i>Ecological Modelling</i> , 2011, 222, 947-954. | 1.2 | 16 |
| 1052 | Simulating the potential for ecological restoration of dryland forests in Mexico under different disturbance regimes. <i>Ecological Modelling</i> , 2011, 222, 1112-1128. | 1.2 | 29 |
| 1053 | Modelling phytoclimatic versatility as a large scale indicator of adaptive capacity to climate change in forest ecosystems. <i>Ecological Modelling</i> , 2011, 222, 1436-1447. | 1.2 | 14 |
| 1054 | The crucial role of the accessible area in ecological niche modeling and species distribution modeling. <i>Ecological Modelling</i> , 2011, 222, 1810-1819. | 1.2 | 1,329 |
| 1055 | Ecological niche similarities of <i>Peponapis</i> bees and non-domesticated <i>Cucurbita</i> species. <i>Ecological Modelling</i> , 2011, 222, 2011-2018. | 1.2 | 18 |
| 1056 | Species-specific tuning increases robustness to sampling bias in models of species distributions: An implementation with Maxent. <i>Ecological Modelling</i> , 2011, 222, 2796-2811. | 1.2 | 413 |
| 1057 | Ecological niche modeling of customary medicinal plant species used by Australian Aborigines to identify species-rich and culturally valuable areas for conservation. <i>Ecological Modelling</i> , 2011, 222, 3437-3443. | 1.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1058 | Systematic agronomic farm management for improved coffee quality. <i>Field Crops Research</i> , 2011, 120, 321-329. | 2.3 | 44 |
| 1059 | Contrasting effects of precipitation and fertilization on seed viability and production of <i>Stipa krylovii</i> in Mongolia. <i>Basic and Applied Ecology</i> , 2011, 12, 141-151. | 1.2 | 18 |
| 1060 | Moisture and nutrients determine the distribution and richness of India's large herbivore species assemblage. <i>Basic and Applied Ecology</i> , 2011, 12, 634-642. | 1.2 | 19 |
| 1061 | Prioritizing areas in the native range of <i>hygrophila</i> for surveys to collect biological control agents. <i>Biological Control</i> , 2011, 56, 254-262. | 1.4 | 35 |
| 1062 | Stabilizing the agricultural frontier: Leveraging REDD with biofuels for sustainable development. <i>Biomass and Bioenergy</i> , 2011, 35, 4815-4823. | 2.9 | 15 |
| 1063 | Natural drying treatments during seasonal storage of wood for bioenergy in different European locations. <i>Biomass and Bioenergy</i> , 2011, 35, 4238-4247. | 2.9 | 70 |
| 1064 | Post-Pleistocene range expansion of the recently imperiled eastern little brown bat (<i>Myotis</i>). <i>Overlook</i> , 2011, 10, 50-55. | 0.8 | 12 |
| 1065 | Geographic distribution of <i>Rhyncholestes raphanurus</i> Osgood, 1924 (Paucituberculata:Caenolestidae), an endemic marsupial of the Valdivian Temperate Rainforest. <i>Australian Journal of Zoology</i> , 2011, 59, 118. | 0.6 | 25 |
| 1066 | Assessing the vulnerability of traditional maize seed systems in Mexico to climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13432-13437. | 3.3 | 138 |
| 1067 | Predicting potential European bison habitat across its former range. , 2011, 21, 830-843. | | 69 |
| 1068 | Just What Are Temperate and Boreal Rainforests?. , 2011, , 1-41. | | 7 |
| 1069 | A new arborescent species of <i>Zamia</i> from the Central Cordillera of Tolima, Colombia (Cycadales). <i>Overlook</i> , 2011, 10, 8-14. | 0.8 | 8 |
| 1070 | Modeling Potential Distribution of <i>Oligoryzomys longicaudatus</i> , the Andes Virus (Genus: Hantavirus) Reservoir, in Argentina. <i>EcoHealth</i> , 2011, 8, 332-348. | 0.9 | 23 |
| 1071 | Richness and diversity of Pontic flora on serpentine of Serbia. <i>Open Life Sciences</i> , 2011, 6, 260-274. | 0.6 | 12 |
| 1072 | Macroecological drivers of alien conifer naturalizations worldwide. <i>Ecography</i> , 2011, 34, 1076-1084. | 2.1 | 32 |
| 1073 | Altitudinal gradients in stream fish diversity and the prevalence of diadromy in the Sixaola River basin, Costa Rica. <i>Environmental Biology of Fishes</i> , 2011, 91, 487-499. | 0.4 | 11 |
| 1074 | Shifting boundaries: challenges for rust monitoring. <i>Euphytica</i> , 2011, 179, 93-104. | 0.6 | 63 |
| 1075 | Chickpea evolution has selected for contrasting phenological mechanisms among different habitats. <i>Euphytica</i> , 2011, 180, 1-15. | 0.6 | 69 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1076 | Legume genetic resources: management, diversity assessment, and utilization in crop improvement. <i>Euphytica</i> , 2011, 180, 27-47. | 0.6 | 47 |
| 1077 | openModeller: a generic approach to speciesâ€™ potential distribution modelling. <i>Geoinformatica</i> , 2011, 15, 111-135. | 2.0 | 246 |
| 1078 | Prioritisation of novel pasture species for use in water-limited agriculture: a case study of Cullen in the Western Australian wheatbelt. <i>Genetic Resources and Crop Evolution</i> , 2011, 58, 83-100. | 0.8 | 32 |
| 1079 | Reconstructing an ancient bottleneck of the movement of the lentil (<i>Lens culinaris</i> ssp. <i>culinaris</i>) into South Asia. <i>Genetic Resources and Crop Evolution</i> , 2011, 58, 373-381. | 0.8 | 16 |
| 1080 | Comparative study on baobab fruit morphological variation between western and south-eastern Africa: opportunities for domestication. <i>Genetic Resources and Crop Evolution</i> , 2011, 58, 1143-1156. | 0.8 | 29 |
| 1081 | Diversity of tiger moths in a Neotropical hotspot: determinants of species composition and identification of biogeographic units. <i>Journal of Insect Conservation</i> , 2011, 15, 643-651. | 0.8 | 33 |
| 1082 | Global invasion by <i>Anthidium manicatum</i> (Linnaeus) (Hymenoptera: Megachilidae): assessing potential distribution in North America and beyond. <i>Biological Invasions</i> , 2011, 13, 2115-2133. | 1.2 | 58 |
| 1083 | Exploring associations between international trade and environmental factors with establishment patterns of exotic Scolytinae. <i>Biological Invasions</i> , 2011, 13, 2275-2288. | 1.2 | 66 |
| 1084 | Predicting the potential invasive range of light brown apple moth (<i>Epiphyas postvittana</i>) using biologically informed and correlative species distribution models. <i>Biological Invasions</i> , 2011, 13, 2409-2421. | 1.2 | 53 |
| 1085 | Use of niche models in invasive species risk assessments. <i>Biological Invasions</i> , 2011, 13, 2785-2797. | 1.2 | 621 |
| 1086 | Applying a spread model to identify the entry points from which the pine wood nematode, the vector of pine wilt disease, would spread most rapidly across Europe. <i>Biological Invasions</i> , 2011, 13, 2981-2995. | 1.2 | 66 |
| 1087 | Climate change and the outdoor regional living plant collections: an example from mainland Portugal. <i>Biodiversity and Conservation</i> , 2011, 20, 335-343. | 1.2 | 4 |
| 1088 | Area prioritization and performance evaluation of the conservation area network for the Moroccan herpetofauna: a preliminary assessment. <i>Biodiversity and Conservation</i> , 2011, 20, 89-118. | 1.2 | 30 |
| 1089 | Assessing conservation priorities of xenarthrans in Argentina. <i>Biodiversity and Conservation</i> , 2011, 20, 141-151. | 1.2 | 15 |
| 1090 | Habitat type richness associations with environmental variables: a case study in the Greek Natura 2000 aquatic ecosystems. <i>Biodiversity and Conservation</i> , 2011, 20, 929-943. | 1.2 | 14 |
| 1091 | American bullfrog invasion in Argentina: where should we take urgent measures?. <i>Biodiversity and Conservation</i> , 2011, 20, 1125-1132. | 1.2 | 18 |
| 1092 | Tree diversity and phytogeographical patterns of tropical high mountain rain forests in Central Sulawesi, Indonesia. <i>Biodiversity and Conservation</i> , 2011, 20, 1103-1123. | 1.2 | 30 |
| 1093 | Spatial patterns of biological diversity in a neotropical lowland savanna of northeastern Bolivia. <i>Biodiversity and Conservation</i> , 2011, 20, 1167-1182. | 1.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1094 | Priority areas for amphibian conservation in a neotropical megadiverse country: the need for alternative, non place based, conservation. <i>Biodiversity and Conservation</i> , 2011, 20, 1557-1570. | 1.2 | 9 |
| 1095 | Diversity, distribution and conservation status assessment of Paraguayan palms (Arecaceae). <i>Biodiversity and Conservation</i> , 2011, 20, 2705-2728. | 1.2 | 7 |
| 1096 | Diversity and community composition of euglossine bee assemblages (Hymenoptera: Apidae) in western Amazonia. <i>Biodiversity and Conservation</i> , 2011, 20, 2981-3001. | 1.2 | 45 |
| 1097 | Grazing effects on plant functional group diversity in Mediterranean shrublands. <i>Biodiversity and Conservation</i> , 2011, 20, 2831-2843. | 1.2 | 44 |
| 1098 | Low mountain ranges: summit traps for montane freshwater species under climate change. <i>Biodiversity and Conservation</i> , 2011, 20, 3133-3146. | 1.2 | 65 |
| 1099 | Simulating potential effects of climatic warming on altitudinal patterns of key species in Mediterranean-alpine ecosystems. <i>Climatic Change</i> , 2011, 108, 471-483. | 1.7 | 54 |
| 1100 | Modelling range shifts and assessing genetic diversity distribution of the montane aquatic mayfly <i>Ameletus inopinatus</i> in Europe under climate change scenarios. <i>Conservation Genetics</i> , 2011, 12, 503-515. | 0.8 | 47 |
| 1101 | Effects of fertilization and irrigation on productivity, plant nutrient contents and soil nutrients in southern Mongolia. <i>Plant and Soil</i> , 2011, 340, 239-251. | 1.8 | 37 |
| 1102 | Impacts of soil fertility on species and phylogenetic turnover in the high - rainfall zone of the Southwest Australian global biodiversity hotspot. <i>Plant and Soil</i> , 2011, 345, 103-124. | 1.8 | 11 |
| 1103 | Modeling invasive species spread in complex landscapes: the case of potato moth in Ecuador. <i>Landscape Ecology</i> , 2011, 26, 1447-1461. | 1.9 | 43 |
| 1104 | Urban areas may serve as habitat and corridors for dry-adapted, heat tolerant species; an example from ants. <i>Urban Ecosystems</i> , 2011, 14, 135-163. | 1.1 | 103 |
| 1105 | Germination responses of three grassland species differ between native and invasive origins. <i>Ecological Research</i> , 2011, 26, 763-771. | 0.7 | 30 |
| 1106 | Factors affecting cork oak growth under dry conditions: local adaptation and contrasting additive genetic variance within populations. <i>Tree Genetics and Genomes</i> , 2011, 7, 285-295. | 0.6 | 57 |
| 1107 | Environmental and genetic control of insect abundance and herbivory along a forest elevational gradient. <i>Oecologia</i> , 2011, 167, 117-129. | 0.9 | 80 |
| 1108 | Climate change in Central America and Mexico: regional climate model validation and climate change projections. <i>Climate Dynamics</i> , 2011, 37, 605-629. | 1.7 | 169 |
| 1109 | Bioclimatic Modeling of Southern African Bioregions and Biomes Using Bayesian Networks. <i>Ecosystems</i> , 2011, 14, 366-381. | 1.6 | 5 |
| 1110 | Abandonment and Expansion of Arable Land in Europe. <i>Ecosystems</i> , 2011, 14, 720-731. | 1.6 | 124 |
| 1111 | Aboveground Forest Carbon Dynamics in Papua New Guinea: Isolating the Influence of Selective-Harvesting and El Niño. <i>Ecosystems</i> , 2011, 14, 1276-1288. | 1.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1112 | Phylogenetics and predictive distribution modeling provide insights into the geographic divergence of <i>Eriosyce</i> subgen. <i>Neoporteria</i> (Cactaceae). <i>Plant Systematics and Evolution</i> , 2011, 297, 113-128. | 0.3 | 27 |
| 1113 | Ecosystem services and hydroelectricity in Central America: modelling service flows with fuzzy logic and expert knowledge. <i>Regional Environmental Change</i> , 2011, 11, 393-404. | 1.4 | 28 |
| 1114 | Patterns of cytotype variation of <i>Turnera sidoides</i> subsp. <i>pinnatifida</i> (Turneraceae) in mountain ranges of central Argentina. <i>Journal of Plant Research</i> , 2011, 124, 25-34. | 1.2 | 14 |
| 1115 | Potential distribution of Mexican primates: modeling the ecological niche with the maximum entropy algorithm. <i>Primates</i> , 2011, 52, 261-270. | 0.7 | 39 |
| 1116 | Predicting the potential distribution of the invasive Common Waxbill <i>Estrilda astrild</i> (Passeriformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.5 | 43 |
| 1117 | Modelling and mapping the suitability of European forest formations at 1-km resolution. <i>European Journal of Forest Research</i> , 2011, 130, 971-981. | 1.1 | 33 |
| 1118 | Morphological variation in <i>Balanites aegyptiaca</i> fruits and seeds within and among parkland agroforests in eastern Niger. <i>Agroforestry Systems</i> , 2011, 81, 57-66. | 0.9 | 51 |
| 1119 | Phenotypic variation of baobab (<i>Adansonia digitata</i> L.) fruit traits in Mali. <i>Agroforestry Systems</i> , 2011, 82, 87-97. | 0.9 | 38 |
| 1120 | A definition of mountains and their bioclimatic belts for global comparisons of biodiversity data. <i>Alpine Botany</i> , 2011, 121, 73. | 1.1 | 239 |
| 1121 | Ecological differentiation among key plant mutualists from a cryptic ant guild. <i>Insectes Sociaux</i> , 2011, 58, 505-512. | 0.7 | 14 |
| 1122 | Ecological niche overlap in sister species: how do oil-collecting bees <i>Macropis europaea</i> and <i>Macropis fulvipes</i> (Hymenoptera: Melittidae) avoid hybridization and competition?. <i>Apidologie</i> , 2011, 42, 579-595. | 0.9 | 9 |
| 1123 | Factors Underlying the Narrow Distribution of the Mediterranean Annual Plant <i>Arenaria provincialis</i> (Caryophyllaceae). <i>Folia Geobotanica</i> , 2011, 46, 327-350. | 0.4 | 15 |
| 1124 | Before it had a name: Diagnostic characteristics, geographic distribution, and the conservation of <i>Cupressus tonkinensis</i> (Cupressaceae). <i>Brittonia</i> , 2011, 63, 171-196. | 0.8 | 1 |
| 1125 | Species Diversity and Growth Forms in Tropical American Palm Communities. <i>Botanical Review</i> , The, 2011, 77, 381-425. | 1.7 | 60 |
| 1126 | Threats to cassava production: known and potential geographic distribution of four key biotic constraints. <i>Food Security</i> , 2011, 3, 329-345. | 2.4 | 78 |
| 1127 | A novel method to calculate climatic niche similarity among species with restricted ranges—the case of terrestrial Lycian salamanders. <i>Organisms Diversity and Evolution</i> , 2011, 11, 409-423. | 0.7 | 11 |
| 1128 | Predicting potential distribution of Tibetan spruce (<i>Picea smithiana</i>) in Qomolangma (Mount Everest) National Nature Preserve using maximum entropy niche-based model. <i>Chinese Geographical Science</i> , 2011, 21, 417-426. | 1.2 | 15 |
| 1129 | Population distribution models: species distributions are better modeled using biologically relevant data partitions. <i>BMC Ecology</i> , 2011, 11, 20. | 3.0 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1130 | Forgotten forests - issues and prospects in biome mapping using Seasonally Dry Tropical Forests as a case study. <i>BMC Ecology</i> , 2011, 11, 27. | 3.0 | 80 |
| 1131 | Ecological Niche Modelling of the <i>Bacillus anthracis</i> A1.a sub-lineage in Kazakhstan. <i>BMC Ecology</i> , 2011, 11, 32. | 3.0 | 41 |
| 1132 | A new world malaria map: <i>Plasmodium falciparum</i> endemicity in 2010. <i>Malaria Journal</i> , 2011, 10, 378. | 0.8 | 662 |
| 1133 | Comparative analysis of remotely-sensed data products via ecological niche modeling of avian influenza case occurrences in Middle Eastern poultry. <i>International Journal of Health Geographics</i> , 2011, 10, 21. | 1.2 | 16 |
| 1134 | The high Andes, gene flow and a stable hybrid zone shape the genetic structure of a wide-ranging South American parrot. <i>Frontiers in Zoology</i> , 2011, 8, 16. | 0.9 | 37 |
| 1135 | Altered gene expression and ecological divergence in sibling allopolyploids of <i>Dactylophiza</i> (Orchidaceae). <i>BMC Evolutionary Biology</i> , 2011, 11, 113. | 3.2 | 61 |
| 1136 | Diversification across an altitudinal gradient in the Tiny Greenbul (<i>Phyllastrephus debilis</i>) from the Eastern Arc Mountains of Africa. <i>BMC Evolutionary Biology</i> , 2011, 11, 117. | 3.2 | 33 |
| 1137 | The role of historical and contemporary processes on phylogeographic structure and genetic diversity in the Northern Cardinal, <i>Cardinalis cardinalis</i> . <i>BMC Evolutionary Biology</i> , 2011, 11, 136. | 3.2 | 59 |
| 1138 | Predictors for reproductive isolation in a ring species complex following genetic and ecological divergence. <i>BMC Evolutionary Biology</i> , 2011, 11, 194. | 3.2 | 24 |
| 1139 | From Africa to Europe and back: refugia and range shifts cause high genetic differentiation in the Marbled White butterfly <i>Melanargia galathea</i> . <i>BMC Evolutionary Biology</i> , 2011, 11, 215. | 3.2 | 42 |
| 1140 | Speciation in little: the role of range and body size in the diversification of Malagasy mantellid frogs. <i>BMC Evolutionary Biology</i> , 2011, 11, 217. | 3.2 | 112 |
| 1141 | A dated phylogeny and collection records reveal repeated biome shifts in the African genus <i>Coccinia</i> (Cucurbitaceae). <i>BMC Evolutionary Biology</i> , 2011, 11, 28. | 3.2 | 56 |
| 1142 | Comparative phylogeography of two related plant species with overlapping ranges in Europe, and the potential effects of climate change on their intraspecific genetic diversity. <i>BMC Evolutionary Biology</i> , 2011, 11, 29. | 3.2 | 35 |
| 1143 | Little ecological divergence associated with speciation in two African rain forest tree genera. <i>BMC Evolutionary Biology</i> , 2011, 11, 296. | 3.2 | 54 |
| 1144 | Selection and geographic isolation influence hummingbird speciation: genetic, acoustic and morphological divergence in the wedge-tailed sabrewing (<i>Campylopterus curvipennis</i>). <i>BMC Evolutionary Biology</i> , 2011, 11, 38. | 3.2 | 73 |
| 1145 | Effect of pesticide fate parameters and their uncertainty on the selection of "worst-case" scenarios of pesticide leaching to groundwater. <i>Pest Management Science</i> , 2011, 67, 294-306. | 1.7 | 18 |
| 1146 | Integrative geospatial approaches for the comprehensive monitoring and assessment of land management sustainability: Rationale, Potentials, and Characteristics. <i>Land Degradation and Development</i> , 2011, 22, 226-239. | 1.8 | 31 |
| 1147 | Fine-resolution (25 m) topoclimatic grids of near-surface (5 cm) extreme temperatures and humidities across various habitats in a large (200 A– 300 km) and diverse region. <i>International Journal of Climatology</i> , 2012, 32, 2134-2148. | 1.5 | 92 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1148 | Evaluating microevolutionary models for the early settlement of the New World: The importance of recurrent gene flow with Asia. <i>American Journal of Physical Anthropology</i> , 2011, 146, 539-552. | 2.1 | 55 |
| 1150 | The climate of cloud forests. <i>Hydrological Processes</i> , 2011, 25, 327-343. | 1.1 | 59 |
| 1151 | Effects of mid-twenty-first century climate and land cover change on the hydrology of the Puget Sound basin, Washington. <i>Hydrological Processes</i> , 2011, 25, 1729-1753. | 1.1 | 60 |
| 1152 | Reference vs. present-day condition: early planning decisions influence the achievement of conservation objectives. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011, 21, 500-509. | 0.9 | 26 |
| 1153 | Calorific value of <i>Prosopis africana</i> and <i>Balanites aegyptiaca</i> wood: Relationships with tree growth, wood density and rainfall gradients in the West African Sahel. <i>Biomass and Bioenergy</i> , 2011, 35, 346-353. | 2.9 | 30 |
| 1154 | The technical potential of first-generation biofuels obtained from energy crops in Spain. <i>Biomass and Bioenergy</i> , 2011, 35, 2143-2155. | 2.9 | 26 |
| 1155 | Heat waves measured with MODIS land surface temperature data predict changes in avian community structure. <i>Remote Sensing of Environment</i> , 2011, 115, 245-254. | 4.6 | 55 |
| 1156 | Hierarchical mapping of Northern Eurasian land cover using MODIS data. <i>Remote Sensing of Environment</i> , 2011, 115, 392-403. | 4.6 | 81 |
| 1157 | Satellite-driven estimation of terrestrial carbon flux over Far East Asia with 1-km grid resolution. <i>Remote Sensing of Environment</i> , 2011, 115, 1758-1771. | 4.6 | 40 |
| 1158 | MODIS NDVI time-series allow the monitoring of Eucalyptus plantation biomass. <i>Remote Sensing of Environment</i> , 2011, 115, 2613-2625. | 4.6 | 100 |
| 1159 | Integrating statistical genetic and geospatial methods brings new power to phylogeography. <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 523-537. | 1.2 | 201 |
| 1160 | Simulated drought reduces soil CO ₂ efflux and production in a tropical forest in Sulawesi, Indonesia. <i>Ecosphere</i> , 2011, 2, art119. | 1.0 | 34 |
| 1161 | Do Rapoport's Rule, Mid-Domain Effect or Environmental Factors Predict Latitudinal Range Size Patterns of Terrestrial Mammals in China?. <i>PLoS ONE</i> , 2011, 6, e27975. | 1.1 | 14 |
| 1162 | Pleistocene Climate, Phylogeny, and Climate Envelope Models: An Integrative Approach to Better Understand Species' Response to Climate Change. <i>PLoS ONE</i> , 2011, 6, e28554. | 1.1 | 84 |
| 1163 | Duthieae, a new tribe of grasses (Poaceae) identified among the early diverging lineages of subfamily Pooideae: molecular phylogenetics, morphological delineation, cytogenetics and biogeography. <i>Systematics and Biodiversity</i> , 2011, 9, 27-44. | 0.5 | 34 |
| 1164 | Assembly of nonnative floras along elevational gradients explained by directional ecological filtering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 656-661. | 3.3 | 257 |
| 1165 | FARMERS' PREFERENCES FOR TREE FUNCTIONS AND SPECIES IN THE WEST AFRICAN SAHEL. <i>Forests Trees and Livelihoods</i> , 2011, 20, 113-136. | 0.5 | 67 |
| 1166 | Geographical Distribution of the Space-Weaving Spider, <i>Chibchea salta</i> , from Northwestern Argentina: New Records and Bioclimatic Modeling. <i>Journal of Insect Science</i> , 2011, 11, 1-14. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1167 | Environmental Niche Modeling Reveals Climatic Differences among Breeding Ranges of Orchard Oriole Subspecies. <i>American Midland Naturalist</i> , 2011, 166, 404-414. | 0.2 | 8 |
| 1169 | Predicting the potential distribution patterns of the rare plant <i>Gymnocarpus przewalskii</i> under present and future climate change. , 2011, , . | | 0 |
| 1170 | Heat for Nothing or Activity for Free? Evidence and Implications of Activity-Thermoregulatory Heat Substitution. <i>Integrative and Comparative Biology</i> , 2011, 51, 419-431. | 0.9 | 82 |
| 1171 | Continental-scale patterns of <i>Cecropia</i> reproductive phenology: evidence from herbarium specimens. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 2437-2445. | 1.2 | 46 |
| 1172 | Relative effects of time for speciation and tropical niche conservatism on the latitudinal diversity gradient of phyllostomid bats. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 2528-2536. | 1.2 | 56 |
| 1173 | Patterns, determinants and models of woody plant diversity in China. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 2122-2132. | 1.2 | 174 |
| 1174 | Intercontinental dispersal of giant thermophilic ants across the Arctic during early Eocene hyperthermals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 3679-3686. | 1.2 | 63 |
| 1175 | Multiple common garden experiments suggest lack of local adaptation in an invasive ornamental plant. <i>Journal of Plant Ecology</i> , 2011, 4, 209-220. | 1.2 | 45 |
| 1176 | Comment on "Changes in Climatic Water Balance Drive Downhill Shifts in Plant Species' Optimum Elevations". <i>Science</i> , 2011, 334, 177-177. | 6.0 | 9 |
| 1177 | Fire favours expansion of bamboo-dominated forests in the south-west Amazon. <i>Journal of Tropical Ecology</i> , 2011, 27, 59-64. | 0.5 | 49 |
| 1178 | Comment on "The Response of Vegetation on the Andean Flank in Western Amazonia to Pleistocene Climate Change". <i>Science</i> , 2011, 333, 1825-1825. | 6.0 | 27 |
| 1179 | Neutron Flux Measurements in an ICRF Mode Conversion Regime Heating Plasmas on HT-7. <i>Chinese Physics Letters</i> , 2011, 28, 105202. | 1.3 | 1 |
| 1180 | Quantifying Species' Range Shifts in Relation to Climate Change: A Case Study of <i>Abies</i> spp. in China. <i>PLoS ONE</i> , 2011, 6, e23115. | 1.1 | 16 |
| 1181 | Species Delimitation under the General Lineage Concept: An Empirical Example Using Wild North American Hops (Cannabaceae: <i>Humulus lupulus</i>). <i>Systematic Biology</i> , 2011, 60, 45-59. | 2.7 | 76 |
| 1182 | Climate change threatens the survival of highly endangered Sardinian populations of the snake <i>Hemorrhois hippocrepis</i> . <i>Animal Biology</i> , 2011, 61, 239-248. | 0.6 | 6 |
| 1183 | A tribute to Hubert Saint Girons: niche separation between <i>Vipera aspis</i> and <i>V. berus</i> on the basis of distribution models. <i>Amphibia - Reptilia</i> , 2011, 32, 223-233. | 0.1 | 19 |
| 1184 | Gene flow increases fitness at the warm edge of a species' range. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 11704-11709. | 3.3 | 180 |
| 1185 | Evaluation and Validation of Ecogeographical Core Collections using Phenotypic Data. <i>Crop Science</i> , 2011, 51, 694-703. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1186 | Climate Change and American Bullfrog Invasion: What Could We Expect in South America?. PLoS ONE, 2011, 6, e25718. | 1.1 | 56 |
| 1187 | Relative roles of climatic suitability and anthropogenic influence in determining the pattern of spread in a global invader. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 220-225. | 3.3 | 128 |
| 1188 | Biogeographical region and host trophic level determine carnivore endoparasite richness in the Iberian Peninsula. Parasitology, 2011, 138, 758-765. | 0.7 | 5 |
| 1189 | Geographic Distribution and Relative Abundance of the Sibling Vector Species <i>Culex torrentium</i> and <i>Culex pipiens</i> in Sweden. Vector-Borne and Zoonotic Diseases, 2011, 11, 1383-1389. | 0.6 | 32 |
| 1190 | Multi-scale integration for spatio-temporal ecoregioning delineation. International Journal of Image and Data Fusion, 2011, 2, 105-119. | 0.8 | 4 |
| 1191 | Climate-associated phenological advances in bee pollinators and bee-pollinated plants. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 20645-20649. | 3.3 | 402 |
| 1192 | A Phylogeographic and Population Genetic Analysis of a Widespread, Sedentary North American Bird: the Hairy Woodpecker (<i>Picoides villosus</i>). Auk, 2011, 128, 346-362. | 0.7 | 63 |
| 1193 | Determinants of Northerly Range Limits along the Himalayan Bird Diversity Gradient. American Naturalist, 2011, 178, S97-S108. | 1.0 | 53 |
| 1194 | A global assessment of market accessibility and market influence for global environmental change studies. Environmental Research Letters, 2011, 6, 034019. | 2.2 | 87 |
| 1195 | Changes in the potential distribution of humid tropical forests on a warmer planet. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2011, 369, 137-160. | 1.6 | 151 |
| 1196 | Water availability and use across the Challenge Program on Water and Food (CPWF) basins. Water International, 2011, 36, 17-41. | 0.4 | 12 |
| 1197 | Elusive but widespread? The potential distribution and genetic variation of <i>Hyalosaurus koellikeri</i> (Günther, 1873) in the Maghreb. Amphibia - Reptilia, 2011, 32, 385-397. | 0.1 | 14 |
| 1198 | Customized Spatial Climate Models for North America. Bulletin of the American Meteorological Society, 2011, 92, 1611-1622. | 1.7 | 327 |
| 1199 | Diversification of <i>Ceanothus</i> (Rhamnaceae) in the California Floristic Province. International Journal of Plant Sciences, 2011, 172, 1137-1164. | 0.6 | 36 |
| 1200 | Combining Climatic Projections and Dispersal Ability: A Method for Estimating the Responses of Sandfly Vector Species to Climate Change. PLoS Neglected Tropical Diseases, 2011, 5, e1407. | 1.3 | 78 |
| 1201 | Predictive Association between Biotic Stress Traits and Eco-Geographic Data for Wheat and Barley Landraces. Crop Science, 2011, 51, 2036-2055. | 0.8 | 81 |
| 1202 | Characterization of <i>Poa supina</i> from the Italian Alps with AFLP Markers and Correlation with Climatic Variables. Crop Science, 2011, 51, 1627-1636. | 0.8 | 3 |
| 1203 | Ecology and Geography of Plague Transmission Areas in Northeastern Brazil. PLoS Neglected Tropical Diseases, 2011, 5, e925. | 1.3 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1204 | Multiscalar Ecological Characterization of Say's and Eastern Phoebes and Their Zone of Contact in the Great Plains. <i>Condor</i> , 2011, 113, 372-384. | 0.7 | 6 |
| 1205 | Coupled Information Diffusion—Pest Dynamics Models Predict Delayed Benefits of Farmer Cooperation in Pest Management Programs. <i>PLoS Computational Biology</i> , 2011, 7, e1002222. | 1.5 | 40 |
| 1206 | Spatial Modelling of Soil-Transmitted Helminth Infections in Kenya: A Disease Control Planning Tool. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e958. | 1.3 | 105 |
| 1207 | <i>Triatoma dimidiata</i> Infestation in Chagas Disease Endemic Regions of Guatemala: Comparison of Random and Targeted Cross-Sectional Surveys. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1035. | 1.3 | 16 |
| 1208 | Malaria Risk Mapping for Control in the Republic of Sudan. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 87, 1012-1021. | 0.6 | 32 |
| 1209 | Climate and Competition Shape Species' Borders: A Study of the Panamint (<i>Crotalus stephensi</i>) and Speckled (<i>Crotalus mitchelli</i>) Rattlesnakes. <i>ISRN Zoology</i> , 2012, 2012, 1-6. | 0.5 | 4 |
| 1210 | Geographic Distribution of Chagas Disease Vectors in Brazil Based on Ecological Niche Modeling. <i>Journal of Tropical Medicine</i> , 2012, 2012, 1-15. | 0.6 | 185 |
| 1211 | <i>Plasmodium</i> Helminth Coinfection and Its Sources of Heterogeneity Across East Africa. <i>Journal of Infectious Diseases</i> , 2012, 205, 841-852. | 1.9 | 49 |
| 1213 | Variations of Terrestrial Net Primary Productivity in East Asia. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2012, 23, 425. | 0.3 | 20 |
| 1214 | A redescription of the leggiest animal, the millipede <i>Illacme plenipes</i> , with notes on its natural history and biogeography (Diplopoda, Siphonophorida, Siphonorhinidae). <i>ZooKeys</i> , 2012, 241, 77-112. | 0.5 | 30 |
| 1215 | A Regional Climatology of West Nile, Uganda, to Support Human Plague Modeling. <i>Journal of Applied Meteorology and Climatology</i> , 2012, 51, 1201-1221. | 0.6 | 23 |
| 1216 | Habitat Variability Correlates with Duplicate Content of <i>Drosophila</i> Genomes. <i>Molecular Biology and Evolution</i> , 2012, 29, 3169-3179. | 3.5 | 29 |
| 1217 | A Long Neglected World Malaria Map: <i>Plasmodium vivax</i> Endemicity in 2010. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1814. | 1.3 | 448 |
| 1218 | Phylogenetic treatment and taxonomic revision of the trapdoor spider genus <i>Aptostichus</i> Simon (Araneae, Mygalomorphae, Euctenizidae). <i>ZooKeys</i> , 2012, 252, 1-209. | 0.5 | 49 |
| 1219 | New constraints on using paleosols to reconstruct atmospheric pCO ₂ . <i>Bulletin of the Geological Society of America</i> , 2012, 124, 1411-1423. | 1.6 | 62 |
| 1220 | Modeling Potential Equilibrium States of Vegetation and Terrestrial Water Cycle of Mesoamerica under Climate Change Scenarios*. <i>Journal of Hydrometeorology</i> , 2012, 13, 665-680. | 0.7 | 47 |
| 1221 | Latitudinal variation and distribution of photoperiod and temperature sensitivity for flowering in the world collection of pearl millet germplasm at ICRISAT genebank. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2012, 10, 59-69. | 0.4 | 10 |
| 1222 | Genetic differentiation for size at first reproduction through male versus female functions in the widespread Mediterranean tree <i>Pinus pinaster</i> . <i>Annals of Botany</i> , 2012, 110, 1449-1460. | 1.4 | 58 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1223 | Geographic divergence in a species-rich symbiosis: interactions between Monterey pines and ectomycorrhizal fungi. <i>Ecology</i> , 2012, 93, 2274-2285. | 1.5 | 34 |
| 1224 | Key canopy traits drive forest productivity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2128-2134. | 1.2 | 147 |
| 1225 | The island-mainland species turnover relationship. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4071-4077. | 1.2 | 36 |
| 1226 | Variation in chimpanzee culture™ is predicted by local ecology, not geography. <i>Biology Letters</i> , 2012, 8, 160-160. | 1.0 | 0 |
| 1227 | Evolution of leaf form correlates with tropical-temperate transitions in <i>Viburnum</i> (Adoxaceae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 3905-3913. | 1.2 | 101 |
| 1228 | Comparing different calibration methods (WA/WA-PLS regression and Bayesian modelling) and different-sized calibration sets in pollen-based quantitative climate reconstruction. <i>Holocene</i> , 2012, 22, 413-424. | 0.9 | 39 |
| 1229 | Fine resolution distribution modelling of endemics in Majella National Park, Central Italy. <i>Plant Biosystems</i> , 2012, 146, 276-287. | 0.8 | 41 |
| 1230 | Efficiency of Managed Stress Screening of Elite Maize Hybrids under Drought and Low Nitrogen for Yield under Rainfed Conditions in Southern Africa. <i>Crop Science</i> , 2012, 52, 1011-1020. | 0.8 | 84 |
| 1231 | Five anthocyanin polymorphisms are associated with an R2R3MYB cluster in <i>Mimulus guttatus</i> (Phrymaceae). <i>American Journal of Botany</i> , 2012, 99, 82-91. | 0.8 | 37 |
| 1232 | Global assessment of the non-equilibrium concept in rangelands. <i>Ecological Applications</i> , 2012, 22, 393-399. | 1.8 | 126 |
| 1233 | Accelerating shrinkage of Patagonian glaciers from the Little Ice Age (~AD 1870) to 2011. <i>Journal of Glaciology</i> , 2012, 58, 1063-1084. | 1.1 | 153 |
| 1234 | ECOLOGY AND GEOGRAPHY OF HUMAN MONKEYPOX CASE OCCURRENCES ACROSS AFRICA. <i>Journal of Wildlife Diseases</i> , 2012, 48, 335-347. | 0.3 | 53 |
| 1235 | Bionomics of the Established Exotic Mosquito Species <i>Aedes koreicus</i> in Belgium, Europe. <i>Journal of Medical Entomology</i> , 2012, 49, 1226-1232. | 0.9 | 79 |
| 1236 | Population Subdivision of <i>Zarhipis integripennis</i> (Coleoptera: Phengodidae), in Southern California. <i>Annals of the Entomological Society of America</i> , 2012, 105, 241-252. | 1.3 | 1 |
| 1237 | Geographical and environmental factors driving the increase in the Lyme disease vector <i>Ixodes scapularis</i> . <i>Ecosphere</i> , 2012, 3, 1-18. | 1.0 | 255 |
| 1238 | Siren. , 2012, , . | | 18 |
| 1239 | Uncertainty in thermal tolerances and climatic debt. <i>Nature Climate Change</i> , 2012, 2, 638-639. | 8.1 | 20 |
| 1240 | Mapping the receptivity of malaria risk to plan the future of control in Somalia. <i>BMJ Open</i> , 2012, 2, e001160. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1241 | The Changing Limits and Incidence of Malaria in Africa. <i>Advances in Parasitology</i> , 2012, 78, 169-262. | 1.4 | 64 |
| 1242 | Determinants of fertiliser use by smallholder maize farmers in the Chinyanja Triangle in Malawi, Mozambique and Zambia. <i>Agrekon</i> , 2012, 51, 21-41. | 0.5 | 17 |
| 1243 | APHRODITE: Constructing a Long-Term Daily Gridded Precipitation Dataset for Asia Based on a Dense Network of Rain Gauges. <i>Bulletin of the American Meteorological Society</i> , 2012, 93, 1401-1415. | 1.7 | 1,395 |
| 1244 | Patterns of vegetation cover/dynamics in a protected Mediterranean mountain area: Influence of the ecological context and protection policy. <i>Plant Biosystems</i> , 2012, 146, 9-18. | 0.8 | 18 |
| 1245 | Opportunities for expanding paddy rice production in Laos: spatial predictive modeling using Random Forest. <i>Journal of Land Use Science</i> , 2012, 7, 21-33. | 1.0 | 8 |
| 1246 | Mitigation of Climate Change to Enhance Food Security: An Analytical Framework. <i>Forum for Development Studies</i> , 2012, 39, 51-73. | 0.7 | 16 |
| 1247 | Poinsettia's wild ancestor in the Mexican dry tropics: Historical, genetic, and environmental evidence. <i>American Journal of Botany</i> , 2012, 99, 1146-1157. | 0.8 | 17 |
| 1248 | ClimateWNA—High-Resolution Spatial Climate Data for Western North America. <i>Journal of Applied Meteorology and Climatology</i> , 2012, 51, 16-29. | 0.6 | 562 |
| 1249 | Response of switchgrass yield to future climate change. <i>Environmental Research Letters</i> , 2012, 7, 045903. | 2.2 | 13 |
| 1250 | Polyploidy associated with altered and broader ecological niches in the <i>Claytonia perfoliata</i> (Portulacaceae) species complex. <i>American Journal of Botany</i> , 2012, 99, 655-662. | 0.8 | 99 |
| 1251 | Influences of climate, cattle density, and lake morphology on <i>Sporormiella</i> abundances in modern lake sediments in the US Great Plains. <i>Holocene</i> , 2012, 22, 475-483. | 0.9 | 42 |
| 1252 | Cultural diversification promotes rapid phenotypic evolution in Xavante Indians. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 73-77. | 3.3 | 17 |
| 1253 | Identification of Chinese plague foci from long-term epidemiological data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8196-8201. | 3.3 | 33 |
| 1254 | A physiological trait-based approach to predicting the responses of species to experimental climate warming. <i>Ecology</i> , 2012, 93, 2305-2312. | 1.5 | 113 |
| 1255 | Defining and characterizing high-rainfall Mediterranean climates. <i>Plant Biosystems</i> , 2012, 146, 451-460. | 0.8 | 7 |
| 1256 | Phytoclimatic segregation of sub-Antarctic <i>Nothofagus</i> woodland types in Tierra del Fuego, southern South America. <i>Plant Ecology and Diversity</i> , 2012, 5, 373-385. | 1.0 | 0 |
| 1257 | Ecology of the orchid <i>Goodyera repens</i> in its southern distribution limits. <i>Plant Biosystems</i> , 2012, 146, 857-866. | 0.8 | 14 |
| 1258 | Population Expanding with the Phalanx Model and Lineages Split by Environmental Heterogeneity: A Case Study of <i>Primula obconica</i> in Subtropical China. <i>PLoS ONE</i> , 2012, 7, e41315. | 1.1 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1259 | Lizards on Ice: Evidence for Multiple Refugia in <i>Liolaemus pictus</i> (Liolaemidae) during the Last Glacial Maximum in the Southern Andean Beech Forests. <i>PLoS ONE</i> , 2012, 7, e48358. | 1.1 | 35 |
| 1260 | Predicting the Fate of Biodiversity Using Speciesâ€™™ Distribution Models: Enhancing Model Comparability and Repeatability. <i>PLoS ONE</i> , 2012, 7, e44402. | 1.1 | 54 |
| 1261 | A Comparison of Bangladesh Climate Surfaces from the Geostatistical Point of View. , 2012, 2012, 1-20. | | 10 |
| 1263 | A Predictive Spatial Model to Quantify the Risk of Air-Travel-Associated Dengue Importation into the United States and Europe. <i>Journal of Tropical Medicine</i> , 2012, 2012, 1-11. | 0.6 | 41 |
| 1264 | Distribution of <i>Testudo graeca</i> in the western Mediterranean according to climatic factors. <i>Amphibia - Reptilia</i> , 2012, 33, 285-296. | 0.1 | 26 |
| 1265 | Identification of priority areas for conservation of two endangered parapatric species of red-bellied toads using ecological niche models and hotspot analysis. <i>Natureza A Conservacao</i> , 2012, 10, 207-213. | 2.5 | 14 |
| 1266 | Development of high resolution land surface parameters for the Community Land Model. <i>Geoscientific Model Development</i> , 2012, 5, 1341-1362. | 1.3 | 78 |
| 1267 | Leaf Trait-Environment Relationships in a Subtropical Broadleaved Forest in South-East China. <i>PLoS ONE</i> , 2012, 7, e35742. | 1.1 | 64 |
| 1268 | Population responses of the Endangered White-breasted Thrasher <i>Ramphocinclus brachyurus</i> to a tourist development in Saint Lucia – conservation implications from a spatial modelling approach. <i>Bird Conservation International</i> , 2012, 22, 468-485. | 0.7 | 5 |
| 1269 | Distribution, suitable areas and conservation status of the Felou gundi (<i>Felovia vae</i> Lataste 1886). <i>Mammalia</i> , 2012, 76, . | 0.3 | 3 |
| 1270 | Inferring Amazon leaf demography from satellite observations of leaf area index. <i>Biogeosciences</i> , 2012, 9, 1389-1404. | 1.3 | 41 |
| 1271 | Chapter 10 Myanmar: Assessing Freshwater Vulnerability in the Irrawaddy and Salween River Basins. <i>Community, Environment and Disaster Risk Management</i> , 2012, , 177-206. | 0.1 | 1 |
| 1272 | Using Ecological Niche Modelling to Predict Spatial and Temporal Distribution Patterns in Chinese Gibbons: Lessons from the Present and the Past. <i>Folia Primatologica</i> , 2012, 83, 85-99. | 0.3 | 17 |
| 1273 | The genus <i>Acacia</i> (Fabaceae) in East Africa: distribution, diversity and the protected area network. <i>Plant Ecology and Evolution</i> , 2012, 145, 289-301. | 0.3 | 12 |
| 1274 | Physiological Genomics of Response to Soil Drying in Diverse <i>Arabidopsis</i> Accessions. <i>Plant Cell</i> , 2012, 24, 893-914. | 3.1 | 137 |
| 1275 | Native ecotypic variation and the role of host identity in the spread of an invasive herbivore, <i>Cactoblastis cactorum</i> . <i>Ecology</i> , 2012, 93, 402-410. | 1.5 | 14 |
| 1276 | Changing relationships between land use and environmental characteristics and their consequences for spatially explicit land-use change prediction. <i>Journal of Land Use Science</i> , 2012, 7, 407-424. | 1.0 | 18 |
| 1277 | Impact of Large-scale Climatic Oscillations on Snowfall-related Climate Parameters in the World's Major Downhill Ski Areas: A Review. <i>Mountain Research and Development</i> , 2012, 32, 431-445. | 0.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1278 | Spatial Poisson Models for Examining the Influence of Climate and Land Cover Pattern on Bird Species Richness. <i>Forest Science</i> , 2012, 58, 61-74. | 0.5 | 16 |
| 1279 | Germination performance of native and non-native <i>Ulmus pumila</i> populations. <i>NeoBiota</i> , 2012, 15, 53-68. | 1.0 | 20 |
| 1280 | Climate-induced range contraction in the Malagasy endemic plant genera <i>Mediusella</i> and <i>Xerochlamys</i> (Sarcolaenaceae). <i>Plant Ecology and Evolution</i> , 2012, 145, 302-312. | 0.3 | 3 |
| 1281 | <i>Biserrula pelecinus</i> L. - genetic diversity in a promising pasture legume for the future. <i>Crop and Pasture Science</i> , 2012, 63, 833. | 0.7 | 10 |
| 1282 | Climate Predictors of the Spatial Distribution of Human Plague Cases in the West Nile Region of Uganda. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 86, 514-523. | 0.6 | 23 |
| 1283 | Desafios atuais da modelagem preditiva de distribui o de esp cies. <i>Rodriguesia</i> , 2012, 63, 733-749. | 0.9 | 54 |
| 1284 | The Malesian floristic interchange:., 2012, , 138-163. | | 42 |
| 1285 | Mapping multiple source effects on the strontium isotopic signatures of ecosystems from the circum-Caribbean region. <i>Ecosphere</i> , 2012, 3, 1-24. | 1.0 | 69 |
| 1286 | Impact of climate change on wine production: a global overview and regional assessment in the Douro Valley of Portugal. <i>International Journal of Global Warming</i> , 2012, 4, 383. | 0.2 | 99 |
| 1287 | Projecting Global Urbanization and the Growth of Megacities. <i>Transport and Sustainability</i> , 2012, , 17-42. | 0.2 | 3 |
| 1288 | Uncertainty in thermal tolerances and climatic debt. <i>Nature Climate Change</i> , 2012, 2, 636-637. | 8.1 | 21 |
| 1289 | CLIMATE CHANGE IN THE SUBTROPICS: THE IMPACTS OF PROJECTED AVERAGES AND VARIABILITY ON BANANA PRODUCTIVITY. <i>Acta Horticulturae</i> , 2012, , 89-99. | 0.1 | 6 |
| 1290 | Indicator species and floristic patterns in different forest formations in southern Atlantic rainforests of Brazil. <i>Community Ecology</i> , 2012, 13, 162-170. | 0.5 | 25 |
| 1291 | Shrinking Forests under Warming: Evidence of <i>Podocarpus parlatorei</i> (pino del cerro) from the Subtropical Andes. <i>Journal of Heredity</i> , 2012, 103, 682-691. | 1.0 | 20 |
| 1292 | Plant Species Richness and Ecosystem Multifunctionality in Global Drylands. <i>Science</i> , 2012, 335, 214-218. | 6.0 | 1,043 |
| 1293 | Live fast and die young: The aquatic macrophyte dynamics in a temporary pool in the Brazilian semiarid region. <i>Aquatic Botany</i> , 2012, 102, 71-78. | 0.8 | 22 |
| 1294 | Satellite remote sensing for soil mapping in Africa. <i>Progress in Physical Geography</i> , 2012, 36, 514-538. | 1.4 | 45 |
| 1295 | Pathways to Agroecological Intensification of Soil Fertility Management by Smallholder Farmers in the Andean Highlands. <i>Advances in Agronomy</i> , 2012, 116, 125-184. | 2.4 | 47 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1296 | Ontogenetic modulation of branch size, shape, and biomechanics produces diversity across habitats in the <i>Bursera simaruba</i> clade of tropical trees. <i>Evolution & Development</i> , 2012, 14, 437-449. | 1.1 | 21 |
| 1297 | Niche conservatism and the differences in species richness at the transition of tropical and subtropical climates in South America. <i>Ecography</i> , 2012, 35, 933-943. | 2.1 | 53 |
| 1298 | Association between the geographic distribution during the last glacial maximum of Asian wild rice, <i>Oryza rufipogon</i> (Poaceae), and its current genetic variation. <i>American Journal of Botany</i> , 2012, 99, 1866-1874. | 0.8 | 17 |
| 1299 | Do bioclimate variables improve performance of climate envelope models?. <i>Ecological Modelling</i> , 2012, 246, 79-85. | 1.2 | 37 |
| 1300 | High-throughput sequencing of ancient plant and mammal DNA preserved in herbivore middens. <i>Quaternary Science Reviews</i> , 2012, 58, 135-145. | 1.4 | 40 |
| 1301 | Quantitative visualization of biological data in Google Earth using R2G2, an R CRAN package. <i>Molecular Ecology Resources</i> , 2012, 12, 1177-1179. | 2.2 | 4 |
| 1302 | Recent decline in suitable environmental conditions for African great apes. <i>Diversity and Distributions</i> , 2012, 18, 1077-1091. | 1.9 | 132 |
| 1303 | Developing biodiverse plantings suitable for changing climatic conditions 2: Using the Atlas of Living Australia. <i>Ecological Management and Restoration</i> , 2012, 13, 274-281. | 0.7 | 21 |
| 1304 | A comparison of the wood anatomy of 11 species from two cerrado habitats (cerrado s.s. and adjacent) Tj ETQq0 0.0rgBT /Overlock 10 | 0.8 | 32 |
| 1305 | How to understand species' niches and range dynamics: a demographic research agenda for biogeography. <i>Journal of Biogeography</i> , 2012, 39, 2146-2162. | 1.4 | 249 |
| 1306 | A physiological analogy of the niche for projecting the potential distribution of plants. <i>Journal of Biogeography</i> , 2012, 39, 2132-2145. | 1.4 | 68 |
| 1307 | A global analysis of trait variation and evolution in climbing plants. <i>Journal of Biogeography</i> , 2012, 39, 1757-1771. | 1.4 | 66 |
| 1308 | Differential effects of landscape-level environmental features on genetic structure in three codistributed tree species in Central America. <i>Molecular Ecology</i> , 2012, 21, 4970-4982. | 2.0 | 41 |
| 1309 | Where do adaptive shifts occur during invasion? A multidisciplinary approach to unravelling cold adaptation in a tropical ant species invading the Mediterranean area. <i>Ecology Letters</i> , 2012, 15, 1266-1275. | 3.0 | 56 |
| 1310 | Phylogenetic host specificity and understanding parasite sharing in primates. <i>Ecology Letters</i> , 2012, 15, 1370-1377. | 3.0 | 131 |
| 1311 | Molecular data and ecological niche modelling reveal a highly dynamic evolutionary history of the East Asian Tertiary relict <i>Cercidiphyllum</i> (Cercidiphyllaceae). <i>New Phytologist</i> , 2012, 196, 617-630. | 3.5 | 153 |
| 1312 | Modelling seasonal changes in the distribution of Common Quail <i>Coturnix coturnix</i> in farmland landscapes using remote sensing. <i>Ibis</i> , 2012, 154, 703-713. | 1.0 | 22 |
| 1313 | The restricted range of the Ethiopian Bush-crow <i>Zavattariornis stresemanni</i> is a consequence of high reliance on modified habitats within narrow climatic limits. <i>Journal of Ornithology</i> , 2012, 153, 1031-1044. | 0.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1314 | The importance of defining the geographic distribution of species for conservation: The case of the Bearded Wood-Partridge. <i>Journal for Nature Conservation</i> , 2012, 20, 10-17. | 0.8 | 43 |
| 1315 | Chromosome Counts of <i>Opuntia</i> (Cactaceae), Prickly Pear Cacti, in The Midwestern United States and Environmental Factors Restricting the Distribution of <i>Opuntia Fragilis</i> . <i>Haseltonia</i> , 2012, 17, 58-65. | 0.3 | 7 |
| 1316 | Bioclimatic equilibrium for lichen distributions on disjunct continental landmasses. <i>Botany</i> , 2012, 90, 1316-1325. | 0.5 | 21 |
| 1317 | Patterns of species richness and biogeographic regionalization of the avifaunas of the seasonally dry tropical forest in Mesoamerica. <i>Studies on Neotropical Fauna and Environment</i> , 2012, 47, 171-182. | 0.5 | 29 |
| 1318 | Upper thermal limits of <i>Drosophila</i> are linked to species distributions and strongly constrained phylogenetically. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16228-16233. | 3.3 | 454 |
| 1319 | Ecological and functional correlates of molar shape variation in European populations of <i>Arvicola</i> (Arvicolinae, Rodentia). <i>Zoologischer Anzeiger</i> , 2012, 251, 335-343. | 0.4 | 14 |
| 1320 | The leaf area shrinkage effect can bias paleoclimate and ecology research. <i>American Journal of Botany</i> , 2012, 99, 1756-1763. | 0.8 | 56 |
| 1321 | Congruence Between Acoustic Traits and Genealogical History Reveals a New Species of <i>Dendropsophus</i> (Anura: Hylidae) in the High Andes of Colombia. <i>Herpetologica</i> , 2012, 68, 523-540. | 0.2 | 22 |
| 1322 | Cross-validation of species distribution models: removing spatial sorting bias and calibration with a null model. <i>Ecology</i> , 2012, 93, 679-688. | 1.5 | 466 |
| 1323 | An assessment of regional constraints, needs and trends. <i>Advances in Building Energy Research</i> , 2012, 6, 173-211. | 1.1 | 24 |
| 1324 | Diversity of Rich Fen Vegetation and Related Plant Specialists in Mountain Refugia of the Iberian Peninsula. <i>Folia Geobotanica</i> , 2012, 47, 403-419. | 0.4 | 25 |
| 1325 | Phylogeny, ecology, and the origins of climate–richness relationships. <i>Ecology</i> , 2012, 93, S167-S181. | 1.5 | 71 |
| 1326 | The Impact of Global Warming on the Range Distribution of Different Climatic Groups of <i>Aspidoscelis costata costata</i> . <i>Zoological Science</i> , 2012, 29, 834-843. | 0.3 | 8 |
| 1327 | Evidence of environmental niche differentiation in the striped mouse (<i>Rhabdomys</i> sp.): inference from its current distribution in southern Africa. <i>Ecology and Evolution</i> , 2012, 2, 1008-1023. | 0.8 | 31 |
| 1328 | Predicting the distribution of the Asian tapir in Peninsular Malaysia using maximum entropy modeling. <i>Integrative Zoology</i> , 2012, 7, 400-406. | 1.3 | 51 |
| 1329 | Angiosperm Responses to a Low-CO ₂ World: CAM and C ₄ Photosynthesis as Parallel Evolutionary Trajectories. <i>International Journal of Plant Sciences</i> , 2012, 173, 724-733. | 0.6 | 99 |
| 1330 | Relative influence of regional species richness vs local climate on local species richness in China's forests. <i>Ecography</i> , 2012, 35, 1176-1184. | 2.1 | 13 |
| 1331 | Patterns of plant beta-diversity along elevational and latitudinal gradients in mountain forests of China. <i>Ecography</i> , 2012, 35, 1083-1091. | 2.1 | 63 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1332 | Physico-chemical variables determining the invasion risk of freshwater habitats by alien mollusks and crustaceans. <i>Ecology and Evolution</i> , 2012, 2, 2843-2853. | 0.8 | 39 |
| 1333 | A Geographic Information Systems (GIS)-based analysis of modern South African rodent distributions, habitat use, and environmental tolerances. <i>Ecology and Evolution</i> , 2012, 2, 2881-2894. | 0.8 | 17 |
| 1334 | Historical demographic dynamics underlying local adaptation in the presence of gene flow. <i>Ecology and Evolution</i> , 2012, 2, 2710-2721. | 0.8 | 6 |
| 1335 | Common garden experiments reveal uncommon responses across temperatures, locations, and species of ants. <i>Ecology and Evolution</i> , 2012, 2, 3009-3015. | 0.8 | 35 |
| 1336 | Comparative demography of an epiphytic lichen: support for general life history patterns and solutions to common problems in demographic parameter estimation. <i>Oecologia</i> , 2012, 170, 137-146. | 0.9 | 18 |
| 1337 | Nuclear DNA content variation among perennial taxa of the genus <i>Cyanus</i> (Asteraceae) in Central Europe and adjacent areas. <i>Plant Systematics and Evolution</i> , 2012, 298, 1463-1482. | 0.3 | 18 |
| 1338 | Predicting depth translocation of base cations after forest liming: results from long-term experiments. <i>European Journal of Forest Research</i> , 2012, 131, 1869-1887. | 1.1 | 15 |
| 1339 | Geographic distribution of the invasive cattle tick <i>Rhipicephalus microplus</i> , a country-wide survey in Benin. <i>Experimental and Applied Acarology</i> , 2012, 58, 441-452. | 0.7 | 58 |
| 1340 | Climate suitability and human influences combined explain the range expansion of an invasive horticultural plant. <i>Biological Invasions</i> , 2012, 14, 2067-2078. | 1.2 | 41 |
| 1341 | Shrub management is the principal driver of differing population sizes between native and invasive populations of <i>Rosa rubiginosa</i> L. <i>Biological Invasions</i> , 2012, 14, 2141-2157. | 1.2 | 11 |
| 1342 | Forecasting cloud forest in eastern and southern Mexico: conservation insights under future climate change scenarios. <i>Biodiversity and Conservation</i> , 2012, 21, 2671-2690. | 1.2 | 111 |
| 1343 | Carbon sequestration potential of parkland agroforestry in the Sahel. <i>Climatic Change</i> , 2012, 115, 443-461. | 1.7 | 52 |
| 1344 | Future vegetation changes in thawing subarctic mires and implications for greenhouse gas exchange—a regional assessment. <i>Climatic Change</i> , 2012, 115, 379-398. | 1.7 | 29 |
| 1345 | Contrasting genetic and morphologic responses on recent population decline in two burnet moths (Lepidoptera, Zygaenidae). <i>Conservation Genetics</i> , 2012, 13, 1293-1304. | 0.8 | 9 |
| 1346 | Geographical pattern and ploidy levels of the weed <i>Solanum elaeagnifolium</i> (Solanaceae) from Argentina. <i>Genetic Resources and Crop Evolution</i> , 2012, 59, 1833-1847. | 0.8 | 20 |
| 1347 | Annual Variation in Ecology and Reproduction of Wild Simakobu (<i>Simias concolor</i>). <i>International Journal of Primatology</i> , 2012, 33, 1406-1419. | 0.9 | 17 |
| 1348 | Response of chironomids to late Pleistocene and Holocene environmental change in the eastern Bolivian Andes. <i>Journal of Paleolimnology</i> , 2012, 48, 485-501. | 0.8 | 13 |
| 1349 | Potential problems with the use of gridded climate data in regional quantitative paleoenvironmental studies from data-poor regions. <i>Journal of Paleolimnology</i> , 2012, 48, 641-650. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1350 | Determining suitable locations for seed transfer under climate change: a global quantitative method. <i>New Forests</i> , 2012, 43, 581-599. | 0.7 | 44 |
| 1351 | The use of survey data to study migrationâ€“environment relationships in developing countries: alternative approaches to data collection. <i>Population and Environment</i> , 2012, 34, 113-141. | 1.3 | 38 |
| 1352 | Filling of eco-climatological niches in a polyploid complex â€“ A case study in the plant genus <i>Leucanthemum</i> Mill. (Compositae, Anthemideae) from the Iberian Peninsula. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2012, 207, 862-867. | 0.6 | 10 |
| 1353 | Challenges in predicting the future distributions of invasive plant species. <i>Forest Ecology and Management</i> , 2012, 284, 69-77. | 1.4 | 26 |
| 1354 | Using stand-scale forest models for estimating indicators of sustainable forest management. <i>Forest Ecology and Management</i> , 2012, 285, 164-178. | 1.4 | 48 |
| 1355 | Calibrating CORINE Land Cover 2000 on forest inventories and climatic data: An example for Italy. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2012, 19, 59-71. | 1.4 | 9 |
| 1356 | Regional estimation of savanna grass nitrogen using the red-edge band of the spaceborne RapidEye sensor. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2012, 19, 151-162. | 1.4 | 133 |
| 1357 | Shifting westerlies and precipitation patterns during the Late Pleistocene in southern Africa determined using glacier reconstruction and mass balance modelling. <i>Quaternary Science Reviews</i> , 2012, 55, 145-159. | 1.4 | 66 |
| 1358 | Climate Change and Population Growth in Timor Leste: Implications for Food Security. <i>Ambio</i> , 2012, 41, 823-840. | 2.8 | 49 |
| 1359 | Effects of region, soil, land use, and terrain type on fuelwood properties of five tree/shrub species in the Sahelian and Sudanian ecozones of Mali. <i>Annals of Forest Science</i> , 2012, 69, 747-756. | 0.8 | 16 |
| 1360 | Biome specificity of distinct genetic lineages within the four-striped mouse <i>Rhabdomys pumilio</i> (Rodentia: Muridae) from southern Africa with implications for taxonomy. <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 75-86. | 1.2 | 74 |
| 1361 | Acacia communities and species responses to soil and climate gradients in the Sudano-Sahelian zone of West Africa. <i>Journal of Arid Environments</i> , 2012, 87, 144-152. | 1.2 | 13 |
| 1362 | Prediction reliability, quantitative differences and spatial variations of erosion models for long-range petroleum and gas infrastructure. <i>Georisk</i> , 2012, 6, 252-272. | 2.6 | 5 |
| 1363 | Inventory and spatial ecology of macrofungi in the <i>Shorea robusta</i> forest ecosystem of lateritic region of West Bengal. <i>Biodiversity</i> , 2012, 13, 88-99. | 0.5 | 17 |
| 1364 | Development of a Water Runoff Model for Pakistan: A tool for Identifying and Assessing Micro-hydro Sites. , 2012, , . | | 0 |
| 1365 | Comparison of MODIS land surface temperature and ground-based observed air temperature in complex topography. <i>International Journal of Remote Sensing</i> , 2012, 33, 7685-7702. | 1.3 | 21 |
| 1366 | Investigating spatial variation in the relationships between NDVI and environmental factors at multi-scales: a case study of Guizhou Karst Plateau, China. <i>International Journal of Remote Sensing</i> , 2012, 33, 2112-2129. | 1.3 | 31 |
| 1367 | Evaluation of the variation in semantic contents of class sets on modelling dynamics of land-use changes. <i>International Journal of Geographical Information Science</i> , 2012, 26, 717-746. | 2.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1368 | Predicting the Potential Worldwide Distribution of the Red Palm Weevil <i>Rhynchophorus ferrugineus</i> (Olivier) (Coleoptera: Curculionidae) using Ecological Niche Modeling. Florida Entomologist, 2012, 95, 659-673. | 0.2 | 80 |
| 1369 | Seasonal Patterns in Aquatic Bird Counts at Five Andean Lakes of Ecuador. Waterbirds, 2012, 35, 636-641. | 0.2 | 9 |
| 1370 | Human Pelvis and Long Bones Reveal Differential Preservation of Ancient Population History and Migration Out of Africa. Human Biology, 2012, 84, 139-152. | 0.4 | 77 |
| 1371 | Mapping long-term atmospheric variables over Greece. Journal of Maps, 2012, 8, 181-184. | 1.0 | 12 |
| 1372 | Status and conservation of <i>Silene section Cordifolia</i> in the Iberian Peninsula: a menaced group under global environmental change. Plant Ecology and Diversity, 2012, 5, 45-56. | 1.0 | 2 |
| 1373 | Seed germination ecology of three imperiled plants of rock outcrops in the southeastern United States. Journal of the Torrey Botanical Society, 2012, 139, 86-95. | 0.1 | 15 |
| 1374 | Mapping the rain use efficiency of maize under three management practices on the Chinese Loess Plateau. , 2012, , . | | 1 |
| 1375 | Niche-based prediction of establishment of biocontrol agents: an example with <i>Gratiana boliviana</i> and tropical soda apple. Biocontrol Science and Technology, 2012, 22, 447-461. | 0.5 | 8 |
| 1376 | Environmental Adaptation Contributes to Gene Polymorphism across the <i>Arabidopsis thaliana</i> Genome. Molecular Biology and Evolution, 2012, 29, 3721-3728. | 3.5 | 29 |
| 1377 | Freshwater Availability and Water Fetching Distance Affect Child Health in Sub-Saharan Africa. Environmental Science & Technology, 2012, 46, 2391-2397. | 4.6 | 188 |
| 1378 | Latitude, elevational climatic zonation and speciation in New World vertebrates. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 194-201. | 1.2 | 186 |
| 1379 | Mutual Climatic Range Methods for Quaternary Ostracods. Developments in Quaternary Sciences, 2012, 17, 65-84. | 0.1 | 22 |
| 1380 | The Biogeography and Physicochemical Characteristics of Aquatic Habitats of Freshwater Ostracods in Canada and the United States. Developments in Quaternary Sciences, 2012, , 85-115. | 0.1 | 8 |
| 1381 | Classification Tree Methods Provide a Multifactorial Approach to Predicting Insular Body Size Evolution in Rodents. American Naturalist, 2012, 179, 545-553. | 1.0 | 11 |
| 1382 | Life Cycle Impact Assessment of Terrestrial Acidification: Modeling Spatially Explicit Soil Sensitivity at the Global Scale. Environmental Science & Technology, 2012, 46, 8270-8278. | 4.6 | 32 |
| 1383 | Development of a quantitative "bioassay" approach for ecosystem mapping. International Journal of Biodiversity Science, Ecosystem Services & Management, 2012, 8, 71-79. | 2.9 | 5 |
| 1384 | Geographic patterns and environmental drivers of flower and leaf variation in an endemic legume of Southern Patagonia. Plant Ecology and Diversity, 2012, 5, 13-25. | 1.0 | 10 |
| 1385 | Natural protected areas of San Luis Potosí, Mexico: ecological representativeness, risks, and conservation implications across scales. International Journal of Geographical Information Science, 2012, 26, 1625-1641. | 2.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1386 | The Major Central Asian River Basins: An Assessment of Vulnerability. <i>International Journal of Water Resources Development</i> , 2012, 28, 433-452. | 1.2 | 31 |
| 1387 | The genus <i>Plumbago</i> (Plumbaginaceae) in Ethiopia and Eritrea. <i>Webbia</i> , 2012, 67, 157-177. | 0.1 | 3 |
| 1388 | Lapse Rate Adjustments of Gridded Surface Temperature Normals in an Area of Complex Terrain: Atmospheric Reanalysis versus Statistical Up-Sampling. <i>Atmosphere - Ocean</i> , 2012, 50, 9-16. | 0.6 | 3 |
| 1389 | Environmental variability and acoustic signals: a multi-level approach in songbirds. <i>Biology Letters</i> , 2012, 8, 928-931. | 1.0 | 32 |
| 1390 | Reconstructing palaeoclimates from biological proxies: Some often overlooked sources of uncertainty. <i>Quaternary Science Reviews</i> , 2012, 31, 1-16. | 1.4 | 63 |
| 1391 | A North European pollen "climate calibration set: analysing the climatic responses of a biological proxy using novel regression tree methods. <i>Quaternary Science Reviews</i> , 2012, 45, 95-110. | 1.4 | 47 |
| 1392 | Late Quaternary glaciations in Far NE Russia; combining moraines, topography and chronology to assess regional and global glaciation synchrony. <i>Quaternary Science Reviews</i> , 2012, 53, 72-87. | 1.4 | 65 |
| 1393 | Leaf area index for biomes of the Eastern Arc Mountains: Landsat and SPOT observations along precipitation and altitude gradients. <i>Remote Sensing of Environment</i> , 2012, 118, 103-115. | 4.6 | 41 |
| 1394 | Biological flora of Central Europe: <i>Ceratocarpus claviculata</i> (L.) LidÅ©n. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2012, 14, 61-77. | 1.1 | 5 |
| 1395 | Demographic processes in the montane Atlantic rainforest: Molecular and cytogenetic evidence from the endemic frog <i>Proceratophrys boiei</i> . <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 880-888. | 1.2 | 86 |
| 1396 | Molecular phylogenetics and historical biogeography of the west-palaearctic common toads (<i>Bufo</i>). <i>Journal of Biogeography</i> , 2012, 39, 107-120. | 1.2 | 88 |
| 1397 | A climate for speciation: Rapid spatial diversification within the <i>Sorex cinereus</i> complex of shrews. <i>Molecular Phylogenetics and Evolution</i> , 2012, 64, 671-684. | 1.2 | 41 |
| 1398 | An Integrative Approach to Species-Level Systematics Reveals the Depth of Diversification in an Andean <i>Thamnophilid</i> , the Long-tailed Antbird. <i>Condor</i> , 2012, 114, 571-583. | 0.7 | 28 |
| 1399 | Climate, Grapes, and Wine: Structure and Suitability in a Variable and Changing Climate. <i>Journal of Applied Meteorology and Climatology</i> , 2012, 51, 109-133. | | 60 |
| 1400 | Conserving the Brazilian semiarid (Caatinga) biome under climate change. <i>Biodiversity and Conservation</i> , 2012, 21, 2913-2926. | 1.2 | 70 |
| 1401 | The Imprint of Cenozoic Migrations and Evolutionary History on the Biogeographic Gradient of Body Size in New World Mammals. <i>American Naturalist</i> , 2012, 180, 246-256. | 1.0 | 34 |
| 1402 | Trophic cascades, invasive species and body-size hierarchies interactively modulate climate change responses of ecotonal temperate "boreal forest. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012, 367, 2955-2961. | 1.8 | 57 |
| 1403 | A continental comparison indicates long-term effects of forest management on understory diversity in coniferous forests¹This article is one of a selection of papers from the 7th International Conference on Disturbance Dynamics in Boreal Forests.. <i>Canadian Journal of Forest Research</i> , 2012, 42, 1239-1252. | 0.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1404 | Flowering time and transcriptome variation in <i>Capsella bursa-pastoris</i> (Brassicaceae). <i>New Phytologist</i> , 2012, 194, 676-689. | 3.5 | 22 |
| 1405 | Reciprocal transplants demonstrate strong adaptive differentiation of the model organism <i>Arabidopsis thaliana</i> in its native range. <i>New Phytologist</i> , 2012, 194, 1112-1122. | 3.5 | 270 |
| 1406 | Relative embryo length as an adaptation to habitat and life cycle in Apiaceae. <i>New Phytologist</i> , 2012, 195, 479-487. | 3.5 | 49 |
| 1407 | Simulating climate change impacts on forests and associated vascular epiphytes in a subtropical island of East Asia. <i>Diversity and Distributions</i> , 2012, 18, 334-347. | 1.9 | 49 |
| 1408 | The biogeographic legacy of an imperilled taxon provides a foundation for assessing lineage diversification, demography and conservation genetics. <i>Diversity and Distributions</i> , 2012, 18, 689-703. | 1.9 | 12 |
| 1409 | How biotic interactions may alter future predictions of species distributions: future threats to the persistence of the arctic fox in Fennoscandia. <i>Diversity and Distributions</i> , 2012, 18, 554-562. | 1.9 | 76 |
| 1410 | Consequences of warming up a hotspot: species range shifts within a centre of bee diversity. <i>Diversity and Distributions</i> , 2012, 18, 885-897. | 1.9 | 41 |
| 1411 | Modelling chestnut biogeography for American chestnut restoration. <i>Diversity and Distributions</i> , 2012, 18, 754-768. | 1.9 | 33 |
| 1412 | Potential impacts of climatic change on southern African birds of fynbos and grassland biodiversity hotspots. <i>Diversity and Distributions</i> , 2012, 18, 769-781. | 1.9 | 35 |
| 1413 | Can species distribution modelling provide estimates of population densities? A case study with jaguars in the Neotropics. <i>Diversity and Distributions</i> , 2012, 18, 615-627. | 1.9 | 110 |
| 1414 | Environmental and topographic variables shape genetic structure and effective population sizes in the endangered Yosemite toad. <i>Diversity and Distributions</i> , 2012, 18, 1033-1041. | 1.9 | 45 |
| 1415 | Identifying Pleistocene refugia in North American cold deserts using phylogeographic analyses and ecological niche modelling. <i>Diversity and Distributions</i> , 2012, 18, 1139-1152. | 1.9 | 47 |
| 1416 | Iterative species distribution modelling and ground validation in endemism research: an Alpine jumping bristletail example. <i>Biodiversity and Conservation</i> , 2012, 21, 2845-2863. | 1.2 | 32 |
| 1417 | Strategic Decisions in Conservation: Using Species Distribution Modeling to Match Ecological Requirements to Available Habitat. , 2012, , 131-153. | | 5 |
| 1418 | Distribution Models and a Dated Phylogeny for Chilean Oxalis Species Reveal Occupation of New Habitats by Different Lineages, not Rapid Adaptive Radiation. <i>Systematic Biology</i> , 2012, 61, 823-834. | 2.7 | 81 |
| 1419 | Deep Phylogeographic Structure and Environmental Differentiation in the Carnivorous Plant <i>Sarracenia alata</i> . <i>Systematic Biology</i> , 2012, 61, 763-777. | 2.7 | 69 |
| 1420 | Predicting the effect of climate change on African trypanosomiasis: integrating epidemiology with parasite and vector biology. <i>Journal of the Royal Society Interface</i> , 2012, 9, 817-830. | 1.5 | 89 |
| 1421 | Habitat preferences and conservation of <i>Vertigo geyeri</i> (Gastropoda: Pulmonata) in Slovakia and Poland. <i>Journal of Molluscan Studies</i> , 2012, 78, 105-111. | 0.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1422 | Global models of ant diversity suggest regions where new discoveries are most likely are under disproportionate deforestation threat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7368-7373. | 3.3 | 70 |
| 1423 | Range shifts of a relict Himalayan dragonfly in the Hindu Kush Himalayan region under climate change scenarios. <i>International Journal of Odonatology</i> , 2012, 15, 209-222. | 0.5 | 18 |
| 1424 | Leaf evolution in Southern Hemisphere conifers tracks the angiosperm ecological radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 341-348. | 1.2 | 88 |
| 1425 | Influence of snowmelt time on species richness, density and production in a late snowbed community. <i>Acta Oecologica</i> , 2012, 43, 113-120. | 0.5 | 29 |
| 1426 | Near surface air humidity in a megadiverse Andean mountain ecosystem of southern Ecuador and its regionalization. <i>Agricultural and Forest Meteorology</i> , 2012, 152, 17-30. | 1.9 | 44 |
| 1427 | Assessing relevant climate data for agricultural applications. <i>Agricultural and Forest Meteorology</i> , 2012, 161, 26-45. | 1.9 | 70 |
| 1428 | Ten major rivers in monsoon Asia-Pacific: An assessment of vulnerability. <i>Applied Geography</i> , 2012, 32, 441-454. | 1.7 | 101 |
| 1429 | Empirical mapping of suitability to dengue fever in Mexico using species distribution modeling. <i>Applied Geography</i> , 2012, 33, 82-93. | 1.7 | 70 |
| 1430 | A model to predict ordinal suitability using sparse and uncertain data. <i>Applied Geography</i> , 2012, 32, 401-408. | 1.7 | 3 |
| 1431 | Modelling the effect of temperature on the range expansion of species by reaction-diffusion equations. <i>Mathematical Biosciences</i> , 2012, 235, 171-181. | 0.9 | 9 |
| 1432 | Patterns of plant diversity in ironstone ranges in arid south western Australia. <i>Journal of Arid Environments</i> , 2012, 77, 25-31. | 1.2 | 65 |
| 1433 | Tree density and species decline in the African Sahel attributable to climate. <i>Journal of Arid Environments</i> , 2012, 78, 55-64. | 1.2 | 160 |
| 1434 | High temperatures constrain microhabitat selection and activity patterns of the insular Cape Verde wall gecko. <i>Journal of Arid Environments</i> , 2012, 81, 18-25. | 1.2 | 25 |
| 1435 | Effects of land-cover transformation and climate change on the distribution of two endemic lizards, <i>Crotaphytus antiquus</i> and <i>Sceloporus cyanostictus</i> , of northern Mexico. <i>Journal of Arid Environments</i> , 2012, 83, 1-9. | 1.2 | 16 |
| 1436 | Productivity alone does not explain species richness of ants – An example from Central Persian deserts. <i>Journal of Arid Environments</i> , 2012, 85, 86-92. | 1.2 | 5 |
| 1437 | Choice of forest map has implications for policy analysis: A case study on the EU biofuel target. <i>Environmental Science and Policy</i> , 2012, 22, 13-24. | 2.4 | 10 |
| 1438 | Determining the ecological value of landscapes beyond protected areas. <i>Biological Conservation</i> , 2012, 147, 3-12. | 1.9 | 37 |
| 1439 | The remarkable resilience of ant assemblages following major vegetation change in an arid ecosystem. <i>Biological Conservation</i> , 2012, 148, 96-105. | 1.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1440 | Conservation and climate change: Assessing the vulnerability of snow leopard habitat to treeline shift in the Himalaya. <i>Biological Conservation</i> , 2012, 150, 129-135. | 1.9 | 153 |
| 1441 | Response of non-vascular epiphytes to simulated climate change in a montane moist evergreen broad-leaved forest in southwest China. <i>Biological Conservation</i> , 2012, 152, 127-135. | 1.9 | 50 |
| 1442 | Species-specific habitat fragmentation assessment, considering the ecological niche requirements and dispersal capability. <i>Biological Conservation</i> , 2012, 152, 102-109. | 1.9 | 39 |
| 1443 | Range shifts under climate change and the role of protected areas for armadillos and anteaters. <i>Biological Conservation</i> , 2012, 152, 53-61. | 1.9 | 23 |
| 1444 | A phytoclimatic-based indicator for assessing the inherent responsivity of the European forests to climate change. <i>Ecological Indicators</i> , 2012, 18, 73-81. | 2.6 | 11 |
| 1445 | Spatial pattern of non-stationarity and scale-dependent relationships between NDVI and climatic factors – A case study in Qinghai-Tibet Plateau, China. <i>Ecological Indicators</i> , 2012, 20, 170-176. | 2.6 | 74 |
| 1446 | Natural and socioeconomic determinants of the embodied human appropriation of net primary production and its relation to other resource use indicators. <i>Ecological Indicators</i> , 2012, 23, 222-231. | 2.6 | 54 |
| 1447 | Pollination services at risk: Bee habitats will decrease owing to climate change in Brazil. <i>Ecological Modelling</i> , 2012, 244, 127-131. | 1.2 | 125 |
| 1448 | Evaluation of weather datasets for building energy simulation. <i>Energy and Buildings</i> , 2012, 49, 109-118. | 3.1 | 90 |
| 1449 | Root:shoot ratios across China's forests: Forest type and climatic effects. <i>Forest Ecology and Management</i> , 2012, 269, 19-25. | 1.4 | 75 |
| 1450 | Efficiency of biological control of <i>Gonipterus platensis</i> (Coleoptera: Curculionidae) by <i>Anaphes nitens</i> (Hymenoptera: Mymaridae) in cold areas of the Iberian Peninsula: Implications for defoliation and wood production in <i>Eucalyptus globulus</i> . <i>Forest Ecology and Management</i> , 2012, 270, 216-222. | 1.4 | 57 |
| 1451 | Intraspecific variation in climate response of Norway spruce in the eastern Alpine range: Selecting appropriate provenances for future climate. <i>Forest Ecology and Management</i> , 2012, 271, 46-57. | 1.4 | 86 |
| 1452 | Modeling spatial patterns of fire occurrence in Mediterranean Europe using Multiple Regression and Random Forest. <i>Forest Ecology and Management</i> , 2012, 275, 117-129. | 1.4 | 485 |
| 1453 | Aboveground biomass in mature and secondary seasonally dry tropical forests: A literature review and global synthesis. <i>Forest Ecology and Management</i> , 2012, 276, 88-95. | 1.4 | 148 |
| 1454 | Detailed maps of tropical forest types are within reach: Forest tree communities for Trinidad and Tobago mapped with multiseason Landsat and multiseason fine-resolution imagery. <i>Forest Ecology and Management</i> , 2012, 279, 147-166. | 1.4 | 53 |
| 1455 | Potential distribution of emerald ash borer: What can we learn from ecological niche models using Maxent and GARP?. <i>Forest Ecology and Management</i> , 2012, 281, 23-31. | 1.4 | 94 |
| 1456 | Hydrogen isotope ratios of lacustrine sedimentary n-alkanes as proxies of tropical African hydrology: Insights from a calibration transect across Cameroon. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 79, 106-126. | 1.6 | 137 |
| 1457 | Patterns of Plant Species Richness Within Families and Genera in Lowland Neotropical Forests: Are Similarities Related to Ecological Factors or to Chance?. , 0, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1458 | Pleistocene Speciation in the Genus <i>Populus</i> (Salicaceae). <i>Systematic Biology</i> , 2012, 61, 401. | 2.7 | 100 |
| 1459 | Less bluster ahead? Ecohydrological implications of global trends of terrestrial near-surface wind speeds. <i>Ecohydrology</i> , 2012, 5, 381-388. | 1.1 | 145 |
| 1460 | Pleistocene climate change promoted rapid diversification of aquatic invertebrates in Southeast Australia. <i>BMC Evolutionary Biology</i> , 2012, 12, 142. | 3.2 | 27 |
| 1461 | Genetic structure and bio-climatic modeling support allopatric over parapatric speciation along a latitudinal gradient. <i>BMC Evolutionary Biology</i> , 2012, 12, 149. | 3.2 | 22 |
| 1462 | Postglacial species displacement in <i>Triturus</i> newts deduced from asymmetrically introgressed mitochondrial DNA and ecological niche models. <i>BMC Evolutionary Biology</i> , 2012, 12, 161. | 3.2 | 44 |
| 1463 | Methodological framework for projecting the potential loss of intraspecific genetic diversity due to global climate change. <i>BMC Evolutionary Biology</i> , 2012, 12, 224. | 3.2 | 29 |
| 1464 | Plant and animal endemism in the eastern Andean slope: challenges to conservation. <i>BMC Ecology</i> , 2012, 12, 1. | 3.0 | 85 |
| 1465 | Effects of georeferencing effort on mapping monkeypox case distributions and transmission risk. <i>International Journal of Health Geographics</i> , 2012, 11, 23. | 1.2 | 26 |
| 1466 | The global limits and population at risk of soil-transmitted helminth infections in 2010. <i>Parasites and Vectors</i> , 2012, 5, 81. | 1.0 | 219 |
| 1467 | Do Marmorcrebs, <i>Procambarus fallax f. virginalis</i> , threaten freshwater Japanese ecosystems?. <i>Aquatic Biosystems</i> , 2012, 8, 13. | 1.8 | 14 |
| 1468 | Constraining null models with environmental gradients: a new method for evaluating the effects of environmental factors and geometric constraints on geographic diversity patterns. <i>Ecography</i> , 2012, 35, 1147-1159. | 2.1 | 18 |
| 1469 | Cartographic analysis of woodlice fauna of the former USSR. <i>ZooKeys</i> , 2012, 176, 1-11. | 0.5 | 24 |
| 1470 | Dynamics of natural vegetation on the Tibetan Plateau from past to future using a comprehensive and sequential classification system and remote sensing data. <i>Grassland Science</i> , 2012, 58, 208-220. | 0.6 | 17 |
| 1471 | Interactions between climate and habitat loss effects on biodiversity: a systematic review and meta-analysis. <i>Global Change Biology</i> , 2012, 18, 1239-1252. | 4.2 | 519 |
| 1472 | Distributional migrations, expansions, and contractions of tropical plant species as revealed in dated herbarium records. <i>Global Change Biology</i> , 2012, 18, 1335-1341. | 4.2 | 77 |
| 1473 | Characterizing genomic variation of <i>Arabidopsis thaliana</i> : the roles of geography and climate. <i>Molecular Ecology</i> , 2012, 21, 5512-5529. | 2.0 | 215 |
| 1474 | Phylogeography of speciation: allopatric divergence and secondary contact between outcrossing and selfing <i>Clarkia</i> . <i>Molecular Ecology</i> , 2012, 21, 4578-4592. | 2.0 | 43 |
| 1475 | Seed dormancy distribution: explanatory ecological factors. <i>Annals of Botany</i> , 2012, 110, 1205-1219. | 1.4 | 76 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1476 | Determinants of rain-forest floristic variation on an altitudinal gradient in southern Costa Rica. <i>Journal of Tropical Ecology</i> , 2012, 28, 463-481. | 0.5 | 23 |
| 1477 | The post-Pleistocene population genetic structure of a western North American passerine: the chestnut-backed chickadee (<i>Poecile rufescens</i>). <i>Journal of Avian Biology</i> , 2012, 43, 541-552. | 0.6 | 12 |
| 1478 | Assessing spatial and environmental drivers of phylogenetic structure in Brazilian <i>Araucaria</i> forests. <i>Ecography</i> , 2012, 35, 952-960. | 2.1 | 57 |
| 1479 | Climatic niche evolution and species diversification in the Cape flora, South Africa. <i>Journal of Biogeography</i> , 2012, 39, 2201-2211. | 1.4 | 65 |
| 1480 | A niche for biology in species distribution models. <i>Journal of Biogeography</i> , 2012, 39, 2091-2095. | 1.4 | 43 |
| 1481 | Temperature dependence of evolutionary diversification: differences between two contrasting model taxa support the metabolic theory of ecology. <i>Journal of Evolutionary Biology</i> , 2012, 25, 2449-2456. | 0.8 | 11 |
| 1482 | Incomplete lineage sorting or secondary admixture: disentangling historical divergence from recent gene flow in the Venezuelan throated parrotbill (<i>Psaltriparus webbianus</i>). <i>Molecular Ecology</i> , 2012, 21, 6117-6133. | 2.0 | 64 |
| 1483 | Which environmental variables should I use in my biodiversity model?. <i>International Journal of Geographical Information Science</i> , 2012, 26, 2009-2047. | 2.2 | 134 |
| 1484 | Morpho-environmental characterization of the genus <i>Baldellia</i> (Alismataceae) in the Iberian Peninsula, Balearic islands and North Morocco. <i>Plant Biosystems</i> , 2012, 146, 334-344. | 0.8 | 5 |
| 1485 | Potential distribution of American black bears in northwest Mexico and implications for their conservation. <i>Ursus</i> , 2012, 23, 65-77. | 0.3 | 49 |
| 1486 | Niche Tracking and Rapid Establishment of Distributional Equilibrium in the House Sparrow Show Potential Responsiveness of Species to Climate Change. <i>PLoS ONE</i> , 2012, 7, e42097. | 1.1 | 27 |
| 1487 | The effect of species geographical distribution estimation methods on richness and phylogenetic diversity estimates. <i>International Journal of Geographical Information Science</i> , 2012, 26, 2097-2109. | 2.2 | 14 |
| 1488 | Faunal nestedness and species-area relationship for small non-volant mammals in Neotropical islands of northern Venezuela. <i>Studies on Neotropical Fauna and Environment</i> , 2012, 47, 157-170. | 0.5 | 17 |
| 1489 | Interbasin Water Transfer, Riverine Connectivity, and Spatial Controls on Fish Biodiversity. <i>PLoS ONE</i> , 2012, 7, e34170. | 1.1 | 68 |
| 1490 | Distribution of the threatened lace hedgehog cactus (<i>Echinocereus reichenbachii</i>) under various climate change scenarios. <i>Journal of the Torrey Botanical Society</i> , 2012, 139, 46-55. | 0.1 | 26 |
| 1491 | Modeling the Potential Geographic Distribution of Black Pepper (<i>Piper nigrum</i>) in Asia Using GIS Tools. <i>Journal of Integrative Agriculture</i> , 2012, 11, 593-599. | 1.7 | 16 |
| 1492 | Geomorphic and exhumational response of the Central American Volcanic Arc to Cocos Ridge subduction. <i>Journal of Geophysical Research</i> , 2012, 117, . | 3.3 | 59 |
| 1493 | Intercomparison of temperature and precipitation data sets based on observations in the Mediterranean and the Middle East. <i>Journal of Geophysical Research</i> , 2012, 117, . | 3.3 | 105 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1494 | A spatially distributed model for the long-term suspended sediment discharge and delivery ratio of drainage basins. <i>Journal of Geophysical Research</i> , 2012, 117, . | 3.3 | 90 |
| 1495 | Assessing the nonconservative fluvial fluxes of dissolved organic carbon in North America. <i>Journal of Geophysical Research</i> , 2012, 117, . | 3.3 | 57 |
| 1496 | Relationships between $\delta^{14}\text{C}$ and the molecular quality of dissolved organic carbon in rivers draining to the coast from the conterminous United States. <i>Global Biogeochemical Cycles</i> , 2012, 26, . | 1.9 | 64 |
| 1497 | A reassessment of lake and wetland feedbacks on the North African Holocene climate. <i>Geophysical Research Letters</i> , 2012, 39, . | 1.5 | 60 |
| 1498 | Sensitivity and response of Bhutanese glaciers to atmospheric warming. <i>Geophysical Research Letters</i> , 2012, 39, . | 1.5 | 38 |
| 1499 | Using Principal Component Analysis for information-rich socio-ecological vulnerability mapping in Southern Africa. <i>Applied Geography</i> , 2012, 35, 515-524. | 1.7 | 219 |
| 1500 | Specialization of Mutualistic Interaction Networks Decreases toward Tropical Latitudes. <i>Current Biology</i> , 2012, 22, 1925-1931. | 1.8 | 290 |
| 1501 | Does adding multi-scale climatic variability improve our capacity to explain niche transferability in invasive species?. <i>Ecological Modelling</i> , 2012, 246, 60-67. | 1.2 | 9 |
| 1502 | The usefulness of elevation as a predictor variable in species distribution modelling. <i>Ecological Modelling</i> , 2012, 246, 86-90. | 1.2 | 70 |
| 1503 | Gully head retreat rates in the semi-arid highlands of Northern Ethiopia. <i>Geomorphology</i> , 2012, 173-174, 185-195. | 1.1 | 135 |
| 1504 | Impacts of climate and CO ₂ changes on the vegetation growth and carbon balance of Qinghai-Tibetan grasslands over the past five decades. <i>Global and Planetary Change</i> , 2012, 98-99, 73-80. | 1.6 | 248 |
| 1505 | Modern vegetation, pollen and climate relationships on the Mediterranean island of Cyprus. <i>Review of Palaeobotany and Palynology</i> , 2012, 185, 79-92. | 0.8 | 44 |
| 1506 | Distribution and management of <i>Acacia implexa</i> (Benth.) in South Africa: A suitable target for eradication?. <i>South African Journal of Botany</i> , 2012, 83, 23-35. | 1.2 | 27 |
| 1507 | Normalized difference water indexes have dissimilar performances in detecting seasonal and permanent water in the Sahara-Sahel transition zone. <i>Journal of Hydrology</i> , 2012, 464-465, 438-446. | 2.3 | 99 |
| 1508 | The rain-runoff response of tropical humid forest ecosystems to use and reforestation in the Western Ghats of India. <i>Journal of Hydrology</i> , 2012, 472-473, 216-237. | 2.3 | 49 |
| 1509 | Habitat suitability modelling for species at risk is sensitive to algorithm and scale: A case study of Blanding's turtle, <i>Emydoidea blandingii</i> , in Ontario, Canada. <i>Journal for Nature Conservation</i> , 2012, 20, 18-29. | 0.8 | 28 |
| 1510 | Role of climate and competitors in limiting fitness across range edges of an annual plant. <i>Ecology</i> , 2012, 93, 1604-1613. | 1.5 | 81 |
| 1511 | Peridomestic Breeding Sites of Phlebotomine Sand Flies (Diptera: Psychodidae) in an Endemic Area of American Cutaneous Leishmaniasis in Southeastern Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 87, 1089-1093. | 0.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1512 | Interaction between breeding habitat and elevation affects prevalence but not infection intensity of <i>Batrachochytrium dendrobatidis</i> in Brazilian anuran assemblages. <i>Diseases of Aquatic Organisms</i> , 2012, 97, 173-184. | 0.5 | 45 |
| 1513 | Distribution of extant xenarthrans (Mammalia: Xenarthra) in Argentina using species distribution models. <i>Mammalia</i> , 2012, 76, . | 0.3 | 49 |
| 1514 | Range prediction for the Giant Fruit-Eating Bat, <i>Artibeus amplus</i> (Phyllostomidae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td (S | 0.5 | 6 |
| 1515 | Forest community survey and the structural characteristics of forests in China. <i>Ecography</i> , 2012, 35, 1059-1071. | 2.1 | 96 |
| 1516 | The potential distribution of <i>Grimmia</i> (Grimmiaceae) in Mexico. <i>Bryologist</i> , 2012, 115, 12-22. | 0.1 | 12 |
| 1517 | Modelling the spatial distribution of endemic Caesalpinioideae in Central Africa, a contribution to the evaluation of actual protected areas in the region. <i>International Journal of Biodiversity and Conservation</i> , 2012, 4, . | 0.4 | 0 |
| 1518 | Precipitation, soils, NPP, and biodiversity: resurrection of Albrecht's curve. <i>Ecological Monographs</i> , 2012, 82, 277-296. | 2.4 | 82 |
| 1519 | The influence of species pools and local processes on the community structure: a test case with woody plant communities in China's mountains. <i>Ecography</i> , 2012, 35, 1168-1175. | 2.1 | 14 |
| 1520 | Integrating local breeding pond, landcover, and climate factors in predicting amphibian distributions. <i>Landscape Ecology</i> , 2012, 27, 1183-1196. | 1.9 | 16 |
| 1522 | Geography, environment, and spatial turnover of species in China's grasslands. <i>Ecography</i> , 2012, 35, 1103-1109. | 2.1 | 30 |
| 1523 | Vulnerability of cloud forest reserves in Mexico to climate change. <i>Nature Climate Change</i> , 2012, 2, 448-452. | 8.1 | 161 |
| 1524 | AFLP markers provide insights into the evolutionary relationships and diversification of New Caledonian <i>Araucaria</i> species (Araucariaceae). <i>American Journal of Botany</i> , 2012, 99, 68-81. | 0.8 | 39 |
| 1525 | Local experimental growth rates respond to macroclimate for the lichen epiphyte <i>Lobaria pulmonaria</i> . <i>Plant Ecology and Diversity</i> , 2012, 5, 365-372. | 1.0 | 24 |
| 1526 | The Geography of Speciation: Case Studies from Birds. <i>Evolution: Education and Outreach</i> , 2012, 5, 541-546. | 0.3 | 5 |
| 1527 | Impact of Future Climate and Land Use Change on Non-timber Forest Product Provision in Benin, West Africa: Linking Niche-based Modeling with Ecosystem Service Values. <i>Economic Botany</i> , 2012, 66, 383-397. | 0.8 | 28 |
| 1528 | A gradient analytic perspective on distribution modelling. <i>Sommerfeltia</i> , 2012, 35, 1-165. | 1.0 | 59 |
| 1529 | Untangling the influence of ecological and evolutionary factors on trait variation across hummingbird assemblages. <i>Ecology</i> , 2012, 93, S99. | 1.5 | 84 |
| 1530 | A universal approach to estimate biomass and carbon stock in tropical forests using generic allometric models. <i>Ecological Applications</i> , 2012, 22, 572-583. | 1.8 | 167 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1531 | Ecological niche modeling on the effect of climatic change and conservation of <i>Ternstroemia lineata</i> DC. (Ternstroemiaceae) in Mesoamerica. <i>Botany</i> , 2012, 90, 637-650. | 0.5 | 10 |
| 1532 | Potential Distribution of the American Bullfrog (<i>Lithobates Catesbeianus</i>) in Ecuador. <i>South American Journal of Herpetology</i> , 2012, 7, 85-90. | 0.5 | 6 |
| 1533 | Range size estimates of Bolivian endemic bird species revisited: the importance of environmental data and national expert knowledge. <i>Journal of Ornithology</i> , 2012, 153, 1189-1202. | 0.5 | 20 |
| 1534 | Ecological niche models reveal the importance of climate variability for the biogeography of protosteloid amoebae. <i>ISME Journal</i> , 2012, 6, 1506-1514. | 4.4 | 24 |
| 1535 | Do canopy herbivores mechanically facilitate subsequent litter decomposition in soil? A pilot study from a Neotropical cloud forest. <i>Ecological Research</i> , 2012, 27, 975-981. | 0.7 | 11 |
| 1536 | Diversification in North American arid lands: Niche conservatism, divergence and expansion of habitat explain speciation in the genus <i>Ephedra</i> . <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 437-450. | 1.2 | 64 |
| 1537 | The Potential Distribution of <i>Phlebotomus papatasi</i> (Diptera: Psychodidae) in Libya Based on Ecological Niche Model. <i>Journal of Medical Entomology</i> , 2012, 49, 739-745. | 0.9 | 30 |
| 1538 | Antiglycation activity of <i>Vaccinium</i> spp. (Ericaceae) from the Sam Vander Kloet collection for the treatment of type II diabetes¹This article is part of a Special Issue entitled "A tribute to Sam Vander Kloet FLS: Pure and applied research from blueberries to heathland ecology". <i>Botany</i> , 2012, 90, 401-406. | 0.5 | 23 |
| 1539 | Environmental susceptibility model for predicting forest fire occurrence in the Western Ghats of India. <i>International Journal of Wildland Fire</i> , 2012, 21, 368. | 1.0 | 98 |
| 1540 | Maize Production in a Changing Climate. <i>Advances in Agronomy</i> , 2012, 114, 1-58. | 2.4 | 199 |
| 1542 | An invasive species's relationship with environmental variables changes across multiple spatial scales. <i>Landscape Ecology</i> , 2012, 27, 1351-1362. | 1.9 | 20 |
| 1543 | Characterizing the spatial and temporal variation of malaria incidence in Bangladesh, 2007. <i>Malaria Journal</i> , 2012, 11, 170. | 0.8 | 51 |
| 1544 | Treelines Will be Understood Once the Functional Difference Between a Tree and a Shrub Is. <i>Ambio</i> , 2012, 41, 197-206. | 2.8 | 104 |
| 1545 | A GIS Model Predicting Potential Distributions of a Lineage: A Test Case on Hermit Spiders (Nephilidae: Tj ETQq1 1,0,784314,rgBT /Ove | 1.1 | 16 |
| 1546 | Coping with Temperature at the Warm Edge " Patterns of Thermal Adaptation in the Microbial Eukaryote <i>Paramecium caudatum</i> . <i>PLoS ONE</i> , 2012, 7, e30598. | 1.1 | 44 |
| 1547 | Tigers Need Cover: Multi-Scale Occupancy Study of the Big Cat in Sumatran Forest and Plantation Landscapes. <i>PLoS ONE</i> , 2012, 7, e30859. | 1.1 | 97 |
| 1548 | Why Do Species Co-Occur? A Test of Alternative Hypotheses Describing Abiotic Differences in Sympatry versus Allopatry Using Spadefoot Toads. <i>PLoS ONE</i> , 2012, 7, e32748. | 1.1 | 24 |
| 1549 | Populations of a Susceptible Amphibian Species Can Grow despite the Presence of a Pathogenic Chytrid Fungus. <i>PLoS ONE</i> , 2012, 7, e34667. | 1.1 | 59 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1550 | Environmental Effects on Vertebrate Species Richness: Testing the Energy, Environmental Stability and Habitat Heterogeneity Hypotheses. PLoS ONE, 2012, 7, e35514. | 1.1 | 37 |
| 1551 | Spatial and Temporal Trends of Global Pollination Benefit. PLoS ONE, 2012, 7, e35954. | 1.1 | 275 |
| 1552 | Opuntia in México: Identifying Priority Areas for Conserving Biodiversity in a Multi-Use Landscape. PLoS ONE, 2012, 7, e36650. | 1.1 | 19 |
| 1553 | Conserving Critical Sites for Biodiversity Provides Disproportionate Benefits to People. PLoS ONE, 2012, 7, e36971. | 1.1 | 35 |
| 1554 | Population Structure and Gene Flow of the Yellow Anaconda (<i>Eunectes notaeus</i>) in Northern Argentina. PLoS ONE, 2012, 7, e37473. | 1.1 | 10 |
| 1555 | Spatial Sorting Drives Morphological Variation in the Invasive Bird, <i>Acridotheris tristis</i> . PLoS ONE, 2012, 7, e38145. | 1.1 | 59 |
| 1556 | Weather Indices for Designing Micro-Insurance Products for Small-Holder Farmers in the Tropics. PLoS ONE, 2012, 7, e38281. | 1.1 | 5 |
| 1557 | Genetic Signals of Demographic Expansion in Downy Woodpecker (<i>Picoides pubescens</i>) after the Last North American Glacial Maximum. PLoS ONE, 2012, 7, e40412. | 1.1 | 38 |
| 1558 | Effects of Anthropogenic Disturbance and Climate on Patterns of Bat Fly Parasitism. PLoS ONE, 2012, 7, e41487. | 1.1 | 59 |
| 1559 | Coalescent Method in Conjunction with Niche Modeling Reveals Cryptic Diversity among Centipedes in the Western Ghats of South India. PLoS ONE, 2012, 7, e42225. | 1.1 | 26 |
| 1560 | Island Evolution and Systematic Revision of Comoran Snakes: Why and When Subspecies Still Make Sense. PLoS ONE, 2012, 7, e42970. | 1.1 | 50 |
| 1561 | mMWeb - An Online Platform for Employing Multiple Ecological Niche Modeling Algorithms. PLoS ONE, 2012, 7, e43327. | 1.1 | 6 |
| 1562 | Mapping Functional Traits: Comparing Abundance and Presence-Absence Estimates at Large Spatial Scales. PLoS ONE, 2012, 7, e44019. | 1.1 | 29 |
| 1563 | Improvement of Disease Prediction and Modeling through the Use of Meteorological Ensembles: Human Plague in Uganda. PLoS ONE, 2012, 7, e44431. | 1.1 | 36 |
| 1564 | First Evidence and Predictions of Plasmodium Transmission in Alaskan Bird Populations. PLoS ONE, 2012, 7, e44729. | 1.1 | 87 |
| 1565 | Framework for Modelling Economic Impacts of Invasive Species, Applied to Pine Wood Nematode in Europe. PLoS ONE, 2012, 7, e45505. | 1.1 | 92 |
| 1566 | Selecting Biological Meaningful Environmental Dimensions of Low Discrepancy among Ranges to Predict Potential Distribution of Bean Plataspid Invasion. PLoS ONE, 2012, 7, e46247. | 1.1 | 14 |
| 1567 | Corresponding Mitochondrial DNA and Niche Divergence for Crested Newt Candidate Species. PLoS ONE, 2012, 7, e46671. | 1.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1568 | Present Spatial Diversity Patterns of <i>Theobroma cacao</i> L. in the Neotropics Reflect Genetic Differentiation in Pleistocene Refugia Followed by Human-Influenced Dispersal. <i>PLoS ONE</i> , 2012, 7, e47676. | 1.1 | 107 |
| 1569 | Interpreting the Process behind Endemism in China by Integrating the Phylogeography and Ecological Niche Models of the <i>Stachyridopsis ruficeps</i> . <i>PLoS ONE</i> , 2012, 7, e46761. | 1.1 | 29 |
| 1570 | Using Morphological, Molecular and Climatic Data to Delimitate Yews along the Hindu Kush-Himalaya and Adjacent Regions. <i>PLoS ONE</i> , 2012, 7, e46873. | 1.1 | 45 |
| 1571 | Spatial Structure and Climatic Adaptation in African Maize Revealed by Surveying SNP Diversity in Relation to Global Breeding and Landrace Panels. <i>PLoS ONE</i> , 2012, 7, e47832. | 1.1 | 21 |
| 1572 | Assessing the Congruence of Thermal Niche Estimations Derived from Distribution and Physiological Data. A Test Using Diving Beetles. <i>PLoS ONE</i> , 2012, 7, e48163. | 1.1 | 33 |
| 1573 | Testing Pairwise Association between Spatially Autocorrelated Variables: A New Approach Using Surrogate Lattice Data. <i>PLoS ONE</i> , 2012, 7, e48766. | 1.1 | 23 |
| 1574 | Evolution of Body Elongation in Gymnophthalmid Lizards: Relationships with Climate. <i>PLoS ONE</i> , 2012, 7, e49772. | 1.1 | 30 |
| 1575 | Improving Index-Based Drought Insurance in Varying Topography: Evaluating Basis Risk Based on Perceptions of Nicaraguan Hillside Farmers. <i>PLoS ONE</i> , 2012, 7, e51412. | 1.1 | 6 |
| 1576 | Reconsidering the Specialist-Generalist Paradigm in Niche Breadth Dynamics: Resource Gradient Selection by Canada Lynx and Bobcat. <i>PLoS ONE</i> , 2012, 7, e51488. | 1.1 | 70 |
| 1577 | Past, Present and Future Distributions of an Iberian Endemic, <i>Lepus granatensis</i> : Ecological and Evolutionary Clues from Species Distribution Models. <i>PLoS ONE</i> , 2012, 7, e51529. | 1.1 | 31 |
| 1578 | Modeling Impacts of Climate Change on Giant Panda Habitat. <i>International Journal of Ecology</i> , 2012, 2012, 1-12. | 0.3 | 89 |
| 1579 | Rainfall and Elevation Influence the Local-Scale Distribution of Tree Community in the Southern Region of Western Ghats Biodiversity Hotspot (India). <i>International Journal of Forestry Research</i> , 2012, 2012, 1-10. | 0.2 | 8 |
| 1580 | The Role of Environmental Heterogeneity in Maintaining Reproductive Isolation between Hybridizing <i>Passerina</i> (Aves: Cardinalidae) Buntings. <i>International Journal of Ecology</i> , 2012, 2012, 1-11. | 0.3 | 16 |
| 1581 | Spatial Analysis of Conservation Priorities Based on Ecosystem Services in the Atlantic Forest Region of Misiones, Argentina. <i>Forests</i> , 2012, 3, 764-786. | 0.9 | 22 |
| 1582 | Modeling Species Distribution Using Niche-Based Proxies Derived from Composite Bioclimatic Variables and MODIS NDVI. <i>Remote Sensing</i> , 2012, 4, 2057-2075. | 1.8 | 46 |
| 1583 | Exploiting the Classification Performance of Support Vector Machines with Multi-Temporal Moderate-Resolution Imaging Spectroradiometer (MODIS) Data in Areas of Agreement and Disagreement of Existing Land Cover Products. <i>Remote Sensing</i> , 2012, 4, 3143-3167. | 1.8 | 18 |
| 1584 | Hydrogeology and hydrogeochemistry of an alkaline volcanic area: the NE Mt. Meru slope (East) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10 | 1.9 | 57 |
| 1585 | A Multi-Criteria GIS Site Selection for Sustainable Cocoa Development in West Africa. <i>International Journal of Applied Geospatial Research</i> , 2012, 3, 73-87. | 0.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1586 | DISENTANGLING INTERPOLATION AND EXTRAPOLATION UNCERTAINTIES IN SPECIES DISTRIBUTION MODELS: A NOVEL VISUALIZATION TECHNIQUE FOR THE SPATIAL VARIATION OF PREDICTOR VARIABLE COLINEARITY. Biodiversity Informatics, 2012, 8, . | 3.0 | 3 |
| 1587 | Molecular phylogenetics of stream treefrogs of the <i>Hyloscirtus larinopygion</i> group (Anura: Hylidae), and description of two new species from Ecuador. Zootaxa, 2012, 3364, 1. | 0.2 | 35 |
| 1588 | KÄ¶ppen versus the computer: comparing KÄ¶ppen-Geiger and multivariate regression tree climate classifications in terms of climate homogeneity. Hydrology and Earth System Sciences, 2012, 16, 217-229. | 1.9 | 15 |
| 1589 | Suitability of Mulch and Ridge-furrow Techniques for Maize across the Precipitation Gradient on the Chinese Loess Plateau. Journal of Agricultural Science, 2012, 4, . | 0.1 | 7 |
| 1590 | Taxonomic notes on the leafwing butterflies <i>Memphis leonida</i> (Stoll) and <i>Memphis editha</i> (Comstock), stat. nov. (Lepidoptera: Nymphalidae: Charaxinae). Zootaxa, 2012, 3343, 16. | 0.2 | 3 |
| 1591 | A new species of <i>Sibon</i> (Squamata: Colubroidea: Dipsadidae) from the Cordillera Central of western Panama, with comments on other species of the genus in the area. Zootaxa, 2012, 3485, 26. | 0.2 | 10 |
| 1592 | A Guide to Mongolian Stoneflies (Insecta: Plecoptera). Zootaxa, 2012, 3541, 1. | 0.2 | 37 |
| 1593 | GIS and ex situ Plant Conservation. , 0, , . | | 7 |
| 1594 | The Triatominae (Hemiptera: Heteroptera: Reduviidae) of Veracruz, Mexico: geographic distribution, taxonomic redescriptions, and a key. Zootaxa, 2012, 3487, 1. | 0.2 | 9 |
| 1595 | Population ecology of the multivoltine Neotropical gall midge <i>Eugeniomyia dispar</i> (Diptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 TFS | 0.5 | 5 |
| 1596 | perspective: Phylogeography is not enough: The need for multiple lines of evidence. Frontiers of Biogeography, 2012, 1, . | 0.8 | 2 |
| 1597 | An Assessment of the Adaptability to Climate Change of Commercially Available Maize Varieties in Zimbabwe. Environment and Natural Resources Research, 2012, 2, . | 0.1 | 8 |
| 1598 | Distance to the Technological Frontier and Economic Development. SSRN Electronic Journal, 0, , . | 0.4 | 4 |
| 1599 | A featherâ€precipitation hydrogen isoscape model for New Zealand: implications for ecoâ€forensics. Ecosphere, 2012, 3, 1-13. | 1.0 | 7 |
| 1600 | The Effects of Climate Change on Orangutans: A Time Budget Model. , 2012, , . | | 6 |
| 1601 | The Indus basin in the framework of current and future water resources management. Hydrology and Earth System Sciences, 2012, 16, 1063-1083. | 1.9 | 166 |
| 1602 | research letter: Incorporating climate change into conservation planning: Identifying priority areas across a speciesâ€™ range. Frontiers of Biogeography, 2012, 4, . | 0.8 | 3 |
| 1603 | Improving runoff estimates from regional climate models: a performance analysis in Spain. Hydrology and Earth System Sciences, 2012, 16, 1709-1723. | 1.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1604 | Spatial horizontal correlation characteristics in the land data assimilation of soil moisture. <i>Hydrology and Earth System Sciences</i> , 2012, 16, 1349-1363. | 1.9 | 35 |
| 1605 | An operative dengue risk stratification system in Argentina based on geospatial technology. <i>Geospatial Health</i> , 2012, 6, 31. | 0.3 | 46 |
| 1606 | The Distribution of the Species of <i>Eurysternus</i> Dalman, 1824 (Coleoptera: Scarabaeidae) in America: Potential Distributions and the Locations of Areas to be Surveyed. <i>Tropical Conservation Science</i> , 2012, 5, 225-244. | 0.6 | 8 |
| 1607 | Agricultural Adaptation to a Changing Climate: Economic and Environmental Implications Vary by U.S. Region. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 24 |
| 1608 | Tree height integrated into pantropical forest biomass estimates. <i>Biogeosciences</i> , 2012, 9, 3381-3403. | 1.3 | 373 |
| 1609 | HYDROGEOMORPHIC CLASSIFICATION OF WASHINGTON STATE RIVERS TO SUPPORT EMERGING ENVIRONMENTAL FLOW MANAGEMENT STRATEGIES. <i>River Research and Applications</i> , 2012, 28, 1340-1358. | 0.7 | 76 |
| 1610 | From black and white to full color: extending redescription mining outside the Boolean world. <i>Statistical Analysis and Data Mining</i> , 2012, 5, 284-303. | 1.4 | 39 |
| 1611 | Craniometric diversity of the common vampire bat (<i>Desmodus rotundus</i>) in Central and South America. <i>Journal of Mammalogy</i> , 2012, 93, 579-588. | 0.6 | 3 |
| 1612 | Relationship between geographic rarity and perception of threat in Iberian butterflies. <i>Journal of Insect Conservation</i> , 2012, 16, 355-366. | 0.8 | 1 |
| 1613 | Mitochondrial phylogeography of the Holarctic <i>Parnassius phoebus</i> complex supports a recent refugial model for alpine butterflies. <i>Journal of Biogeography</i> , 2012, 39, 1058-1072. | 1.4 | 36 |
| 1614 | Local Adaptation in the Flowering-Time Gene Network of Balsam Poplar, <i>Populus balsamifera</i> L.. <i>Molecular Biology and Evolution</i> , 2012, 29, 3143-3152. | 3.5 | 106 |
| 1615 | Species limits and integrated taxonomy of the Idaho ground squirrel (<i>Urocitellus brunneus</i>): genetic and ecological differentiation. <i>Journal of Mammalogy</i> , 2012, 93, 589-604. | 0.6 | 13 |
| 1616 | High latitudes and high genetic diversity: Phylogeography of a widespread boreal bird, the gray jay (<i>Perisoreus canadensis</i>). <i>Molecular Phylogenetics and Evolution</i> , 2012, 63, 456-465. | 1.2 | 56 |
| 1617 | Abiotic and Biotic Determinants of Steppe Productivity and Performance – A View from Central Asia. <i>Plant and Vegetation</i> , 2012, , 3-43. | 0.6 | 21 |
| 1618 | Continent-scale genetic structure in a boreal forest migrant, the Blackpoll Warbler (<i>Setophaga</i>) | 0.7 | 24 |
| 1619 | Integrating species distribution models (SDMs) and phylogeography for two species of Alpine <i>Primula</i> . <i>Ecology and Evolution</i> , 2012, 2, 1260-1277. | 0.8 | 40 |
| 1620 | Climatic niche shift predicts thermal trait response in one but not both introductions of the Puerto Rican lizard <i>Anolis cristatellus</i> to Miami, Florida, USA. <i>Ecology and Evolution</i> , 2012, 2, 1503-1516. | 0.8 | 50 |
| 1621 | Early stages of divergence: phylogeography, climate modeling, and morphological differentiation in the South American lizard <i>Liolaemus petrophilus</i> (Squamata: Liolaemidae). <i>Ecology and Evolution</i> , 2012, 2, 792-808. | 0.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1622 | Identity and relationships of the Arboreal Caatinga among other floristic units of seasonally dry tropical forests (SDTFs) of north-eastern and Central Brazil. <i>Ecology and Evolution</i> , 2012, 2, 409-428. | 0.8 | 126 |
| 1623 | Towards constraining the magnitude of global agricultural sediment and soil organic carbon fluxes. <i>Earth Surface Processes and Landforms</i> , 2012, 37, 642-655. | 1.2 | 114 |
| 1624 | TFA from HFOâ€1234yf: Accumulation and aquatic risk in terminal water bodies. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 1957-1965. | 2.2 | 44 |
| 1625 | Species richness and turnover patterns in European tenebrionid beetles. <i>Insect Conservation and Diversity</i> , 2012, 5, 331-345. | 1.4 | 31 |
| 1626 | Climatic niche divergence or conservatism? Environmental niches and range limits in ecologically similar damselflies. <i>Ecology</i> , 2012, 93, 1353-1366. | 1.5 | 70 |
| 1627 | Mid- to late-Holocene fluvial activity behind pre-Columbian social complexity in the southwestern Amazon basin. <i>Holocene</i> , 2012, 22, 1035-1045. | 0.9 | 35 |
| 1628 | Pollen dispersal and gene flow within and into a population of the alpine monocarpic plant <i>Campanula thyrsoides</i> . <i>Annals of Botany</i> , 2012, 110, 1479-1488. | 1.4 | 22 |
| 1629 | Environmentâ€Related Variations of the Composition of the Essential Oils of Rosemary (<i>Rosmarinus</i> Tj ETQq1 1,0784314,rgBT /Ove | 1.0 | 42 |
| 1630 | Colonization ability of two invasive weevils with different reproductive modes. <i>Evolutionary Ecology</i> , 2012, 26, 1371-1390. | 0.5 | 29 |
| 1631 | Assessing the Distributions and Potential Risks from Climate Change for the Sichuan Jay (<i>Perisoreus internigrans</i>). <i>Condor</i> , 2012, 114, 365-376. | 0.7 | 16 |
| 1632 | Age and body size of <i>Salamandrella keyserlingii</i> (Caudata: Hynobiidae): a difference in altitudes, latitudes, and temperatures. <i>Organisms Diversity and Evolution</i> , 2012, 12, 167-181. | 0.7 | 7 |
| 1633 | Climate-based model of spatial pattern of the species richness of ants in Georgia. <i>Journal of Insect Conservation</i> , 2012, 16, 791-800. | 0.8 | 25 |
| 1634 | Ongoing invasions of the African clawed frog, <i>Xenopus laevis</i> : a global review. <i>Biological Invasions</i> , 2012, 14, 2255-2270. | 1.2 | 108 |
| 1635 | Multiâ€temporal distribution modelling with satellite tracking data: predicting responses of a longâ€distance migrant to changing environmental conditions. <i>Journal of Applied Ecology</i> , 2012, 49, 803-813. | 1.9 | 54 |
| 1636 | Refugia and geographic barriers of populations of the desert poppy, <i>Hunnemannia fumariifolia</i> (Papaveraceae). <i>Organisms Diversity and Evolution</i> , 2012, 12, 133-143. | 0.7 | 38 |
| 1637 | Seasonal changes in odour preferences by male euglossine bees (Hymenoptera: Apidae) and their ecological implications. <i>Apidologie</i> , 2012, 43, 212-217. | 0.9 | 11 |
| 1638 | Detecting the potential sympatric range and niche divergence between Asian endemic ungulates of Procopra. <i>Die Naturwissenschaften</i> , 2012, 99, 553-565. | 0.6 | 13 |
| 1639 | Genetic structure in cultivated quinoa (<i>Chenopodium quinoa</i> Willd.), a reflection of landscape structure in Northwest Argentina. <i>Conservation Genetics</i> , 2012, 13, 1027-1038. | 0.8 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1640 | Niche conservatism in the Mesoamerican seasonal tropical dry forest orchid <i>Barkeria</i> (Orchidaceae). <i>Evolutionary Ecology</i> , 2012, 26, 991-1010. | 0.5 | 12 |
| 1641 | Biogeography of elytral ornaments in Palearctic genus <i>Carabus</i> : disentangling the effects of space, evolution and environment at a continental scale. <i>Evolutionary Ecology</i> , 2012, 26, 1025-1040. | 0.5 | 6 |
| 1642 | Ecogeographic isolation: a reproductive barrier between species and between cytotypes in <i>Houstonia</i> (Rubiaceae). <i>Evolutionary Ecology</i> , 2012, 26, 909-926. | 0.5 | 47 |
| 1643 | Ecological Niche Conservatism in Doucs (Genus <i>Pygathrix</i>). <i>International Journal of Primatology</i> , 2012, 33, 972-988. | 0.9 | 13 |
| 1644 | From Desert to Rainforest: Phenotypic Variation in Functionally Important Traits of Bushy-Tailed Woodrats (<i>Neotoma cinerea</i>) Across Two Climatic Extremes. <i>Journal of Mammalian Evolution</i> , 2012, 19, 135-153. | 1.0 | 12 |
| 1645 | An assessment of the impact of climate adaptation measures to reduce flood risk on ecosystem services. <i>Landscape Ecology</i> , 2012, 27, 473-486. | 1.9 | 39 |
| 1646 | Habitat characteristics, stage structure and reproduction of colline and montane populations of the threatened species <i>Arnica montana</i> . <i>Plant Ecology</i> , 2012, 213, 831-842. | 0.7 | 20 |
| 1647 | Effects of geographic distance and climatic dissimilarity on species turnover in alpine meadow communities across a broad spatial extent on the Tibetan Plateau. <i>Plant Ecology</i> , 2012, 213, 1357-1364. | 0.7 | 10 |
| 1648 | Variation in liana abundance and biomass along an elevational gradient in the tropical Atlantic Forest (Brazil). <i>Ecological Research</i> , 2012, 27, 323-332. | 0.7 | 22 |
| 1649 | Effects of climate, disturbance and soil factors on the potential distribution of Liaotung oak (<i>Quercus wutaishanica</i> Mayr) in China. <i>Ecological Research</i> , 2012, 27, 427-436. | 0.7 | 39 |
| 1650 | Changes in global potential vegetation distributions from 1911 to 2000 as simulated by the Comprehensive Sequential Classification System approach. <i>Science Bulletin</i> , 2012, 57, 1298-1310. | 1.7 | 26 |
| 1651 | Cassava Production and Pest Management: Present and Potential Threats in a Changing Environment. <i>Tropical Plant Biology</i> , 2012, 5, 39-72. | 1.0 | 67 |
| 1652 | Is Cassava the Answer to African Climate Change Adaptation?. <i>Tropical Plant Biology</i> , 2012, 5, 9-29. | 1.0 | 279 |
| 1653 | Ecologically Determined Variation in Leaf Anatomical Traits of <i>Sesleria rigida</i> (Poaceae) in Serbia – Multivariate Morphometric Evidence. <i>Folia Geobotanica</i> , 2012, 47, 41-57. | 0.4 | 7 |
| 1654 | Determination of main climate and ground factors controlling vegetation cover regrowth along oil and gas pipelines using multiple, spatial and geographically weighted regression procedures. <i>Environmental Earth Sciences</i> , 2012, 66, 2047-2062. | 1.3 | 16 |
| 1655 | Variation in seedling freezing response is associated with climate in <i>Larrea</i> . <i>Oecologia</i> , 2012, 169, 73-84. | 0.9 | 9 |
| 1656 | Application of the Köppen classification for climatic zoning in the state of Minas Gerais, Brazil. <i>Theoretical and Applied Climatology</i> , 2012, 108, 1-7. | 1.3 | 143 |
| 1657 | Assessment of the release of rehabilitated vervet monkeys into the Ntendeka Wilderness Area, KwaZulu-Natal, South Africa: a case study. <i>Primates</i> , 2012, 53, 171-179. | 0.7 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1658 | Late frost sensitivity of juvenile <i>Fagus sylvatica</i> L. differs between southern Germany and Bulgaria and depends on preceding air temperature. <i>European Journal of Forest Research</i> , 2012, 131, 717-725. | 1.1 | 76 |
| 1659 | Integrating molecular ecology and predictive modelling: implications for the conservation of the barbastelle bat (<i>Barbastella barbastellus</i>) in Portugal. <i>European Journal of Wildlife Research</i> , 2012, 58, 721-732. | 0.7 | 5 |
| 1660 | Landscape vulnerability to wildfires at the forest-agriculture interface: half-century patterns in Spain assessed through the SISPARES monitoring framework. <i>Agroforestry Systems</i> , 2012, 85, 331-349. | 0.9 | 43 |
| 1661 | Uses, management, and population status of the baobab in eastern Burkina Faso. <i>Agroforestry Systems</i> , 2012, 85, 263-278. | 0.9 | 31 |
| 1662 | Application of bioclimatic models coupled with network analysis for risk assessment of the killer shrimp, <i>Dikerogammarus villosus</i> , in Great Britain. <i>Biological Invasions</i> , 2012, 14, 1265-1278. | 1.2 | 43 |
| 1663 | Brazilian peppertree (<i>Schinus terebinthifolius</i>) in Florida and South America: evidence of a possible niche shift driven by hybridization. <i>Biological Invasions</i> , 2012, 14, 1415-1430. | 1.2 | 58 |
| 1664 | Fauna data integration and species distribution modelling as two major advantages of geoinformatics-based phytobiodiversity study in today's fast changing climate. <i>Biodiversity and Conservation</i> , 2012, 21, 1229-1250. | 1.2 | 13 |
| 1665 | Assessment of impact of climate change on <i>Rhododendrons</i> in Sikkim Himalayas using Maxent modelling: limitations and challenges. <i>Biodiversity and Conservation</i> , 2012, 21, 1251-1266. | 1.2 | 113 |
| 1666 | Using local autocorrelation analysis to identify conservation areas: an example considering threatened invertebrate species in Spain. <i>Biodiversity and Conservation</i> , 2012, 21, 2127-2137. | 1.2 | 3 |
| 1667 | Regional and local patterns of ectomycorrhizal fungal diversity and community structure along an altitudinal gradient in the Hyrcanian forests of northern Iran. <i>New Phytologist</i> , 2012, 193, 465-473. | 3.5 | 256 |
| 1668 | Evidence for a freezing tolerance-growth rate trade-off in the live oaks (<i>Quercus</i> series) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 3.5 | 103 |
| 1669 | Nuclear and chloroplast DNA phylogeography reveals vicariance among European populations of the model species for the study of metal tolerance, <i>Arabidopsis halleri</i> (Brassicaceae). <i>New Phytologist</i> , 2012, 193, 916-928. | 3.5 | 112 |
| 1670 | Understanding niche shifts: using current and historical data to model the invasive redlegged earth mite, <i>Halotydeus destructor</i> . <i>Diversity and Distributions</i> , 2012, 18, 191-203. | 1.9 | 54 |
| 1671 | Where are the survivors? Tracking relictual populations of endangered frogs in Costa Rica. <i>Diversity and Distributions</i> , 2012, 18, 204-212. | 1.9 | 32 |
| 1672 | Predicted effect of climate change on the invasibility and distribution of the Western corn root-worm. <i>Agricultural and Forest Entomology</i> , 2012, 14, 13-18. | 0.7 | 38 |
| 1673 | The global relationship between climate, net primary production and the diet of spiders. <i>Global Ecology and Biogeography</i> , 2012, 21, 100-108. | 2.7 | 55 |
| 1674 | BioORACLE: a global environmental dataset for marine species distribution modelling. <i>Global Ecology and Biogeography</i> , 2012, 21, 272-281. | 2.7 | 661 |
| 1675 | Can stochastic geographical evolution re-create macroecological richness-environment correlations?. <i>Global Ecology and Biogeography</i> , 2012, 21, 212-223. | 2.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1676 | Niche divergence and lineage diversification among closely related <i>Sistrurus</i> rattlesnakes. <i>Journal of Evolutionary Biology</i> , 2012, 25, 317-328. | 0.8 | 34 |
| 1677 | Trait-dependent diversification and the impact of palaeontological data on evolutionary hypothesis testing in New World ratsnakes (tribe Lampropeltini). <i>Journal of Evolutionary Biology</i> , 2012, 25, 497-508. | 0.8 | 25 |
| 1678 | Testing the regeneration niche hypothesis with Gesneriaceae (tribe Sinningiae) in Brazil: Implications for the conservation of rare species. <i>Austral Ecology</i> , 2012, 37, 125-133. | 0.7 | 33 |
| 1679 | Predicting the environmental niche of the genus <i>Phymaturus</i> : Are <i>palluma</i> and <i>patagonicus</i> groups ecologically differentiated?. <i>Austral Ecology</i> , 2012, 37, 392-400. | 0.7 | 32 |
| 1680 | Species distribution models for the alien invasive Asian Harlequin ladybird (<i>Harmonia axyridis</i>). <i>Journal of Applied Entomology</i> , 2012, 136, 109-123. | 0.8 | 29 |
| 1681 | Phenotypic differentiation in a common garden reflects the phylogeography of a widespread Alpine plant. <i>Journal of Ecology</i> , 2012, 100, 297-308. | 1.9 | 30 |
| 1682 | Host and habitat specialization of avian malaria in Africa. <i>Molecular Ecology</i> , 2012, 21, 431-441. | 2.0 | 99 |
| 1683 | Extensive gene flow over Europe and possible speciation over Eurasia in the ectomycorrhizal basidiomycete <i>Laccaria amethystina</i> complex. <i>Molecular Ecology</i> , 2012, 21, 281-299. | 2.0 | 62 |
| 1684 | Historical biogeography of the arid-adapted velvet ant <i>Sphaerophthalma arota</i> (Hymenoptera: Tj ETQq0 0 Q rrgBT /Overlock 10 T | 1.4 | 20 |
| 1685 | Niche breadth, rarity and ecological characteristics within a regional flora spanning large environmental gradients. <i>Journal of Biogeography</i> , 2012, 39, 204-214. | 1.4 | 123 |
| 1686 | Differential regional response of the bushy-tailed woodrat (<i>Neotoma cinerea</i>) to late Quaternary climate change. <i>Journal of Biogeography</i> , 2012, 39, 289-305. | 1.4 | 18 |
| 1687 | When are adaptive radiations replicated in areas? Ecological opportunity and unexceptional diversification in West Indian dipsadine snakes (Colubridae: Alsophiini). <i>Journal of Biogeography</i> , 2012, 39, 465-475. | 1.4 | 41 |
| 1688 | Inverted patterns of genetic diversity in continental and island populations of the heather <i>Erica scoparia</i> s.l.. <i>Journal of Biogeography</i> , 2012, 39, 574-584. | 1.4 | 30 |
| 1689 | Comparison of disease patterns assessed by three independent surveys of cassava mosaic virus disease in Rwanda and Burundi. <i>Plant Pathology</i> , 2012, 61, 399-412. | 1.2 | 12 |
| 1690 | Carbon ($\delta^{13}C$) and nitrogen ($\delta^{15}N$) stable isotope composition in plant and soil in southern Patagonia's native forests. <i>Global Change Biology</i> , 2012, 18, 311-321. | 4.2 | 154 |
| 1691 | Invasion hotspots for non-native plants in Australia under current and future climates. <i>Global Change Biology</i> , 2012, 18, 617-629. | 4.2 | 99 |
| 1692 | The responses of grassland plants to experimentally simulated climate change depend on land use and region. <i>Global Change Biology</i> , 2012, 18, 127-137. | 4.2 | 43 |
| 1693 | Who likes it hot? A global analysis of the climatic, ecological, and evolutionary determinants of warming tolerance in ants. <i>Global Change Biology</i> , 2012, 18, 448-456. | 4.2 | 179 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1694 | Projecting the effects of climate change on the distribution of maize races and their wild relatives in Mexico. <i>Global Change Biology</i> , 2012, 18, 1073-1082. | 4.2 | 69 |
| 1695 | On the brink of extinction? How climate change may affect global chelonian species richness and distribution. <i>Global Change Biology</i> , 2012, 18, 1520-1530. | 4.2 | 104 |
| 1696 | No-analog climates and shifting realized niches during the late quaternary: implications for 21st-century predictions by species distribution models. <i>Global Change Biology</i> , 2012, 18, 1698-1713. | 4.2 | 243 |
| 1697 | The projected effects of climatic and vegetation changes on the distribution and diversity of Southeast Asian bats. <i>Global Change Biology</i> , 2012, 18, 1854-1865. | 4.2 | 68 |
| 1698 | The influence of time, soil characteristics, and land-use history on soil phosphorus legacies: a global meta-analysis. <i>Global Change Biology</i> , 2012, 18, 1904-1917. | 4.2 | 107 |
| 1699 | Parapatric species and the implications for climate change studies: a case study on hares in Europe. <i>Global Change Biology</i> , 2012, 18, 1509-1519. | 4.2 | 49 |
| 1700 | Variation in soil carbon stocks and their determinants across a precipitation gradient in West Africa. <i>Global Change Biology</i> , 2012, 18, 1670-1683. | 4.2 | 114 |
| 1701 | Evolutionary and biogeographical history of an ancient and global group of arachnids (Arachnida: Tj ETQq1 1 0.784314 rgBT /Overlook Society, 2012, 105, 92-130. | 0.7 | 98 |
| 1702 | Palaeoclimatic models help to understand current distribution of Caucasian forest species. <i>Biological Journal of the Linnean Society</i> , 2012, 105, 231-248. | 0.7 | 87 |
| 1703 | The origin of two cryptic species of African desert jerboas (Dipodidae: Jaculus). <i>Biological Journal of the Linnean Society</i> , 2012, 105, 435-445. | 0.7 | 32 |
| 1704 | On the association between environmental gradients and skull size variation in the great fruit-eating bat, <i>Artibeus lituratus</i> (Chiroptera: Phyllostomidae). <i>Biological Journal of the Linnean Society</i> , 2012, 105, 623-634. | 0.7 | 23 |
| 1705 | LARGE BRAINS BUFFER ENERGETIC EFFECTS OF SEASONAL HABITATS IN CATARRHINE PRIMATES. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 191-199. | 1.1 | 108 |
| 1706 | Investigating niche and lineage diversification in widely distributed taxa: phylogeography and ecological niche modeling of the <i>Peromyscus maniculatus</i> species group. <i>Ecography</i> , 2012, 35, 54-64. | 2.1 | 50 |
| 1707 | The influence of environment, management and site context on species composition of summer arable weed vegetation in Hungary. <i>Applied Vegetation Science</i> , 2012, 15, 136-144. | 0.9 | 57 |
| 1708 | Individual-based trait analyses reveal assembly patterns in tree sapling communities. <i>Journal of Vegetation Science</i> , 2012, 23, 176-186. | 1.1 | 28 |
| 1709 | Species composition and seasonal occurrence of Diptera associated with passionfruit crops in Colombia. <i>Crop Protection</i> , 2012, 32, 90-98. | 1.0 | 17 |
| 1710 | Long-term trajectories of the human appropriation of net primary production: Lessons from six national case studies. <i>Ecological Economics</i> , 2012, 77, 129-138. | 2.9 | 54 |
| 1711 | Integration of distance, direction and habitat into a predictive migratory movement model for blue-winged teal (<i>Anas discors</i>). <i>Ecological Modelling</i> , 2012, 224, 25-32. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1712 | Cold hardiness of <i>Pinus nigra</i> Arnold as influenced by geographic origin, warming, and extreme summer drought. <i>Environmental and Experimental Botany</i> , 2012, 78, 99-108. | 2.0 | 79 |
| 1713 | European-scale modelling of groundwater denitrification and associated N ₂ O production. <i>Environmental Pollution</i> , 2012, 165, 67-76. | 3.7 | 30 |
| 1714 | Sensitivity of crop model predictions to entire meteorological and soil input datasets highlights vulnerability to drought. <i>Environmental Modelling and Software</i> , 2012, 29, 37-43. | 1.9 | 40 |
| 1715 | Towards an integrated global framework to assess the impacts of land use and management change on soil carbon: current capability and future vision. <i>Global Change Biology</i> , 2012, 18, 2089-2101. | 4.2 | 150 |
| 1716 | Neotropical <i>C₃/C₄</i> grass distributions – present, past and future. <i>Global Change Biology</i> , 2012, 18, 2324-2334. | 4.2 | 56 |
| 1717 | Evaluating drivers of vulnerability to climate change: a guide for insect conservation strategies. <i>Global Change Biology</i> , 2012, 18, 2135-2146. | 4.2 | 63 |
| 1718 | The relative importance of deforestation, precipitation change, and temperature sensitivity in determining the future distributions and diversity of Amazonian plant species. <i>Global Change Biology</i> , 2012, 18, 2636-2647. | 4.2 | 65 |
| 1719 | How do temperate bryophytes face the challenge of a changing environment? Lessons from the past and predictions for the future. <i>Global Change Biology</i> , 2012, 18, 2915-2924. | 4.2 | 51 |
| 1720 | Global patterns in the shape of species geographical ranges reveal range determinants. <i>Journal of Biogeography</i> , 2012, 39, 760-771. | 1.4 | 54 |
| 1721 | Scaling down distribution maps from atlas data: a test of different approaches with virtual species. <i>Journal of Biogeography</i> , 2012, 39, 640-651. | 1.4 | 48 |
| 1722 | Tree species compositional change and conservation implications in the white-water flooded forests of the Brazilian Amazon. <i>Journal of Biogeography</i> , 2012, 39, 869-883. | 1.4 | 109 |
| 1723 | Biological traits predict shifts in geographical ranges of freshwater invertebrates during climatic warming and drying. <i>Journal of Biogeography</i> , 2012, 39, 957-969. | 1.4 | 35 |
| 1724 | Geological habitat template overrides late Quaternary climate change as a determinant of range dynamics and phylogeography in some habitat-specialist water beetles. <i>Journal of Biogeography</i> , 2012, 39, 970-983. | 1.4 | 12 |
| 1725 | Of mice and mammoths: evaluations of causal explanations for body size evolution in insular mammals. <i>Journal of Biogeography</i> , 2012, 39, 842-854. | 1.4 | 135 |
| 1726 | Phylogeography and palaeodistribution modelling in the Patagonian steppe: the case of <i>Mulinum spinosum</i> (Apiaceae). <i>Journal of Biogeography</i> , 2012, 39, 1041-1057. | 1.4 | 30 |
| 1727 | Dispersal limitation is stronger in communities of microorganisms than macroorganisms across Central European cities. <i>Journal of Biogeography</i> , 2012, 39, 1101-1111. | 1.4 | 25 |
| 1728 | Environment versus dispersal in the assembly of western Amazonian palm communities. <i>Journal of Biogeography</i> , 2012, 39, 1318-1332. | 1.4 | 61 |
| 1729 | Patterns of beta diversity in Europe: the role of climate, land cover and distance across scales. <i>Journal of Biogeography</i> , 2012, 39, 1473-1486. | 1.4 | 104 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1730 | Climatic stability in the Brazilian Cerrado: implications for biogeographical connections of South American savannas, species richness and conservation in a biodiversity hotspot. <i>Journal of Biogeography</i> , 2012, 39, 1695-1706. | 1.4 | 200 |
| 1731 | Convergence in the distribution patterns of Europe's plants and mammals is due to environmental forcing. <i>Journal of Biogeography</i> , 2012, 39, 1633-1644. | 1.4 | 20 |
| 1732 | Invasion history of North American Canada thistle, <i>Cirsium arvense</i> . <i>Journal of Biogeography</i> , 2012, 39, 1919-1931. | 1.4 | 30 |
| 1733 | Palaeodistribution modelling and genetic evidence highlight differential post-glacial range shifts of a rain forest conifer distributed across a latitudinal gradient. <i>Journal of Biogeography</i> , 2012, 39, 2292-2302. | 1.4 | 40 |
| 1734 | Different genetic clines in response to temperature across the native and introduced ranges of a global plant invader. <i>Journal of Ecology</i> , 2012, 100, 771-781. | 1.9 | 46 |
| 1735 | Continental-scale variability in browser diversity is a major driver of diversity patterns in acacias across Africa. <i>Journal of Ecology</i> , 2012, 100, 1093-1104. | 1.9 | 29 |
| 1736 | Oak woodland vegetation of Turkey – a first overview based on multivariate statistics. <i>Applied Vegetation Science</i> , 2012, 15, 590-608. | 0.9 | 24 |
| 1737 | Harnessing the world's biodiversity data: promise and peril in ecological niche modeling of species distributions. <i>Annals of the New York Academy of Sciences</i> , 2012, 1260, 66-80. | 1.8 | 134 |
| 1738 | Predicting the distributions of under-recorded Odonata using species distribution models. <i>Insect Conservation and Diversity</i> , 2012, 5, 192-201. | 1.4 | 29 |
| 1739 | Large spatial scale effects of rising temperatures: modelling a dragonfly's life cycle and range throughout Europe. <i>Insect Conservation and Diversity</i> , 2012, 5, 461-469. | 1.4 | 7 |
| 1740 | Modelling the geographic distributions of endemic genera in the eastern Central Asian desert. <i>Nordic Journal of Botany</i> , 2012, 30, 372-384. | 0.2 | 2 |
| 1741 | Effects of Climate Change on the Potential Species Richness of Mesoamerican Forests. <i>Biotropica</i> , 2012, 44, 284-293. | 0.8 | 40 |
| 1742 | Recent Changes in Patch Characteristics and Plant Communities in the Jalca Grasslands of the Peruvian Andes. <i>Biotropica</i> , 2012, 44, 321-330. | 0.8 | 12 |
| 1743 | Australian Tropical and Subtropical Rain Forest Community Assembly: Phylogeny, Functional Biogeography, and Environmental Gradients. <i>Biotropica</i> , 2012, 44, 668-679. | 0.8 | 40 |
| 1744 | Drip-tips are Associated with Intensity of Precipitation in the Amazon Rain Forest. <i>Biotropica</i> , 2012, 44, 728-737. | 0.8 | 25 |
| 1745 | Phenotyping for Abiotic Stress Tolerance in Maize. <i>Journal of Integrative Plant Biology</i> , 2012, 54, 238-249. | 4.1 | 104 |
| 1746 | RECONSTRUCTING THE ORIGINS OF HIGH-ALPINE NICHES AND CUSHION LIFE FORM IN THE GENUS ANDROSACE S.L. (PRIMULACEAE). <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 1255-1268. | 1.1 | 69 |
| 1747 | GENETIC BASIS OF ADAPTATION IN ARABIDOPSIS THALIANA: LOCAL ADAPTATION AT THE SEED DORMANCY QTL DOG1. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 2287-2302. | 1.1 | 103 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1748 | GLOBAL PATTERNS OF LEAF DEFENSES IN OAK SPECIES. <i>Evolution</i> ; International Journal of Organic Evolution, 2012, 66, 2272-2286. | 1.1 | 116 |
| 1749 | DEEP DIVERSIFICATION AND LONG-TERM PERSISTENCE IN THE SOUTH AMERICAN "DRY DIAGONAL": INTEGRATING CONTINENT-WIDE PHYLOGEOGRAPHY AND DISTRIBUTION MODELING OF GECKOS. <i>Evolution</i> ; International Journal of Organic Evolution, 2012, 66, 3014-3034. | 1.1 | 162 |
| 1750 | PHYLOGENETIC CONSTRAINTS IN KEY FUNCTIONAL TRAITS BEHIND SPECIES' CLIMATE NICHE: PATTERNS OF DESICCATION AND COLD RESISTANCE ACROSS 95 <i>DROSOPHILA</i> SPECIES. <i>Evolution</i> ; International Journal of Organic Evolution, 2012, 66, 3377-3389. | 1.1 | 261 |
| 1751 | PHYLOGENETIC ANALYSES REVEAL UNEXPECTED PATTERNS IN THE EVOLUTION OF REPRODUCTIVE MODES IN FROGS. <i>Evolution</i> ; International Journal of Organic Evolution, 2012, 66, 3687-3700. | 1.1 | 172 |
| 1752 | Defining the Early Bronze Age landscape: a remote sensing-based analysis of Hafit tomb distribution in Wadi Andam, Sultanate of Oman. <i>Arabian Archaeology and Epigraphy</i> , 2012, 23, 26-34. | 0.2 | 20 |
| 1753 | Pleistocene climate changes shaped the divergence and demography of Asian populations of the great tit <i>Parus major</i> : evidence from phylogeographic analysis and ecological niche models. <i>Journal of Avian Biology</i> , 2012, 43, 297-310. | 0.6 | 56 |
| 1754 | Molecular markers provide insights into contemporary and historic gene flow for a non-migratory species. <i>Journal of Avian Biology</i> , 2012, 43, 198-214. | 0.6 | 25 |
| 1755 | The "rotiferologist" effect and other global correlates of species richness in monogonont rotifers. <i>Ecography</i> , 2012, 35, 174-182. | 2.1 | 64 |
| 1756 | Species distribution modelling as a macroecological tool: a case study using New World amphibians. <i>Ecography</i> , 2012, 35, 539-548. | 2.1 | 45 |
| 1757 | Geographic origin and past climatic experience influence the response to late spring frost in four common grass species in central Europe. <i>Ecography</i> , 2012, 35, 268-275. | 2.1 | 54 |
| 1758 | Spatial and phylogenetic structure drive frugivory in Tyrannidae birds across the range of Brazilian <i>Araucaria</i> forests. <i>Oikos</i> , 2012, 121, 899-906. | 1.2 | 16 |
| 1759 | Contrasting patterns of trait-based community assembly in lianas and trees from temperate Australia. <i>Oikos</i> , 2012, 121, 2026-2035. | 1.2 | 15 |
| 1760 | Modelling geographic patterns of population density of the white-tailed deer in central Mexico by implementing ecological niche theory. <i>Oikos</i> , 2012, 121, 2081-2089. | 1.2 | 60 |
| 1761 | Phylogeographic analysis and environmental niche modeling of widespread shrub <i>Rhododendron simsii</i> in China reveals multiple glacial refugia during the last glacial maximum. <i>Journal of Systematics and Evolution</i> , 2012, 50, 362-373. | 1.6 | 31 |
| 1762 | A Holistic Approach to Guide Development of Future Climate Scenarios for Water Resource Applications. <i>Journal of Contemporary Water Research and Education</i> , 2012, 147, 41-48. | 0.7 | 1 |
| 1763 | Sand fly vectors (Diptera, Psychodidae) of American visceral leishmaniasis areas in the Atlantic Forest, State of Esp rito Santo, southeastern Brazil. <i>Journal of Vector Ecology</i> , 2012, 37, 90-96. | 0.5 | 15 |
| 1764 | Reliability and resolution of the coexistence approach "A revalidation using modern-day data. <i>Review of Palaeobotany and Palynology</i> , 2012, 172, 33-47. | 0.8 | 71 |
| 1765 | Two new leafless species of <i>Ficinia</i> (Cypereae, Cyperaceae) from the Greater Cape Floristic Region of South Africa. <i>South African Journal of Botany</i> , 2012, 79, 96-101. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1766 | The historical ecology of Namibian rangelands: Vegetation change since 1876 in response to local and global drivers. <i>Science of the Total Environment</i> , 2012, 416, 276-288. | 3.9 | 52 |
| 1767 | Attaching uncertainty to deterministic spatial interpolations. <i>Statistical Methodology</i> , 2012, 9, 251-264. | 0.5 | 8 |
| 1768 | A multi-biome gap in understanding of crop and ecosystem responses to elevated CO ₂ . <i>Current Opinion in Plant Biology</i> , 2012, 15, 228-236. | 3.5 | 67 |
| 1769 | Predicting the impact of climate change on potential habitats of fir (<i>Abies</i>) species in Japan and on the East Asian continent. <i>Procedia Environmental Sciences</i> , 2012, 13, 455-466. | 1.3 | 21 |
| 1770 | A Software Tool for Earth Surface Modeling of Environmental variables. <i>Procedia Environmental Sciences</i> , 2012, 13, 565-573. | 1.3 | 3 |
| 1771 | Does geography or ecology best explain "cultural" variation among chimpanzee communities?. <i>Journal of Human Evolution</i> , 2012, 62, 256-260. | 1.3 | 18 |
| 1772 | Global review and synthesis of trends in observed terrestrial near-surface wind speeds: Implications for evaporation. <i>Journal of Hydrology</i> , 2012, 416-417, 182-205. | 2.3 | 906 |
| 1773 | Management and environmental factors related to benzimidazole resistance in sheep nematodes in Northeast Spain. <i>Veterinary Parasitology</i> , 2012, 184, 193-203. | 0.7 | 20 |
| 1774 | Modelling the potential distribution of endangered <i>Prunus africana</i> (<i>Hook.f.</i>) <i>Kalkm.</i> in <i>East Africa</i> . <i>African Journal of Ecology</i> , 2012, 50, 393-403. | 0.4 | 30 |
| 1775 | Multiple refugia and barriers explain the phylogeography of the Valais shrew, <i>Sorex antinorii</i> (Mammalia: Soricomorpha). <i>Biological Journal of the Linnean Society</i> , 2012, 105, 864-880. | 0.7 | 21 |
| 1776 | Genetically and geographically isolated lineages of a tropical bat (Chiroptera: Molossidae) show demographic stability over the late Pleistocene. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 18-40. | 0.7 | 9 |
| 1777 | Cranial size and shape variation in Afrotropical <i>Otomops</i> (Mammalia: Chiroptera: Molossidae): testing species limits using a morphometric approach. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 910-925. | 0.7 | 8 |
| 1778 | Thermal performance of squamate embryos with respect to climate, adult life history, and phylogeny. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 851-864. | 0.7 | 41 |
| 1779 | Cryptic diversity within the Moroccan endemic day geckos <i>Quedenfeldtia</i> (Squamata: Gekkonidae): a multidisciplinary approach using genetic, morphological and ecological data. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 828-850. | 0.7 | 32 |
| 1780 | Testing the "Pleistocene species pump" in alpine habitats: lineage diversification of flightless ground beetles (Coleoptera: Carabidae: <i>Nebria</i>) in relation to altitudinal zonation. <i>Biological Journal of the Linnean Society</i> , 2012, 107, 95-111. | 0.7 | 55 |
| 1781 | Deep phylogeny, net primary productivity, and global body size gradient in birds. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 880-892. | 0.7 | 27 |
| 1782 | The role of niche divergence and phenotypic adaptation in promoting lineage diversification in the Sage Sparrow (<i>Artemisospiza belli</i> , Aves: Emberizidae). <i>Biological Journal of the Linnean Society</i> , 2012, 107, 332-354. | 0.7 | 27 |
| 1783 | Alien plant species and factors of invasiveness of anthropogenic vegetation in the Northwestern Balkans "a phytosociological approach. <i>Open Life Sciences</i> , 2012, 7, 720-730. | 0.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1784 | Speciation in the White-breasted Nuthatch (<i>Sitta carolinensis</i>): a multilocus perspective. <i>Molecular Ecology</i> , 2012, 21, 907-920. | 2.0 | 33 |
| 1785 | Speciation in the <i>Rana chensinensis</i> species complex and its relationship to the uplift of the Qinghai-Tibetan Plateau. <i>Molecular Ecology</i> , 2012, 21, 960-973. | 2.0 | 72 |
| 1786 | Rapid evolution of an adaptive cyanogenesis cline in introduced North American white clover (<i>Trifolium repens</i> L.). <i>Molecular Ecology</i> , 2012, 21, 2455-2468. | 2.0 | 57 |
| 1787 | Postglacial colonization of Europe by the barbastelle bat: agreement between molecular data and past predictive modelling. <i>Molecular Ecology</i> , 2012, 21, 2761-2774. | 2.0 | 37 |
| 1788 | The trouble with isolation by distance. <i>Molecular Ecology</i> , 2012, 21, 2839-2846. | 2.0 | 525 |
| 1789 | Influence of environmental heterogeneity on genetic diversity and structure in an endemic southern Californian oak. <i>Molecular Ecology</i> , 2012, 21, 3210-3223. | 2.0 | 113 |
| 1790 | Pleistocene and ecological effects on continental-scale genetic differentiation in the bobcat (<i>Lynx</i>). <i>Molecular Ecology</i> , 2012, 21, 3325-3340. | 2.0 | 55 |
| 1791 | Phylogeography and species biogeography of montane Great Basin stoneflies. <i>Molecular Ecology</i> , 2012, 21, 3325-3340. | 2.0 | 20 |
| 1792 | Coalescence patterns of endemic Tibetan species of stream salamanders (Hynobiidae). <i>Molecular Ecology</i> , 2012, 21, 3576-3592. | 2.0 | 35 |
| 1793 | Diversification and phylogeographic structure in widespread <i>Azteca</i> plants from the northern Neotropics. <i>Molecular Ecology</i> , 2012, 21, 3576-3592. | 2.0 | 24 |
| 1794 | Effects of vicariant barriers, habitat stability, population isolation and environmental features on species divergence in the southwestern Australian coastal reptile community. <i>Molecular Ecology</i> , 2012, 21, 3809-3822. | 2.0 | 34 |
| 1795 | Spatially explicit models of dynamic histories: examination of the genetic consequences of Pleistocene glaciation and recent climate change on the American Pika. <i>Molecular Ecology</i> , 2012, 21, 3757-3775. | 2.0 | 65 |
| 1796 | Climate oscillation during the Quaternary associated with landscape heterogeneity promoted allopatric lineage divergence of a temperate tree <i>Kalopanax septemlobus</i> (Araliaceae) in East Asia. <i>Molecular Ecology</i> , 2012, 21, 3823-3838. | 2.0 | 113 |
| 1797 | Evolution of TPS2-related terpene synthases influences chemical diversity in the glandular trichomes of the wild tomato relative <i>Solanum habrochaites</i> . <i>Plant Journal</i> , 2012, 71, 921-935. | 2.8 | 74 |
| 1798 | Detecting cryptic speciation in the widespread and morphologically conservative carpet chameleon (<i>Furcifer lateralis</i>) of Madagascar. <i>Journal of Evolutionary Biology</i> , 2012, 25, 1399-1414. | 0.8 | 45 |
| 1799 | Physiological adaptation along environmental gradients and replicated hybrid zone structure in swordtails (Teleostei: <i>Xiphophorus</i>). <i>Journal of Evolutionary Biology</i> , 2012, 25, 1800-1814. | 0.8 | 66 |
| 1800 | Phylogeography of the poison frog <i>Mantella viridis</i> (Amphibia: Mantellidae) reveals chromatic and genetic differentiation across ecotones in northern Madagascar. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2012, 50, 305-314. | 0.6 | 10 |
| 1801 | What controls the distribution of tropical forest and savanna?. <i>Ecology Letters</i> , 2012, 15, 748-758. | 3.0 | 333 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1802 | Climate envelope modelling reveals intraspecific relationships among flowering phenology, niche breadth and potential range size in <i>Arabidopsis thaliana</i> . <i>Ecology Letters</i> , 2012, 15, 769-777. | 3.0 | 115 |
| 1803 | Drought-induced shifts in the floristic and functional composition of tropical forests in Ghana. <i>Ecology Letters</i> , 2012, 15, 1120-1129. | 3.0 | 205 |
| 1804 | Distribution of cryptic blue oat mite species in Australia: current and future climate conditions. <i>Agricultural and Forest Entomology</i> , 2012, 14, 127-137. | 0.7 | 26 |
| 1805 | Predicting the distribution of the two bark beetles <i>Tomicus destruens</i> and <i>Tomicus piniperda</i> in Europe and the Mediterranean region. <i>Agricultural and Forest Entomology</i> , 2012, 14, 358-366. | 0.7 | 22 |
| 1806 | Insights into the area under the receiver operating characteristic curve (AUC) as a discrimination measure in species distribution modelling. <i>Global Ecology and Biogeography</i> , 2012, 21, 498-507. | 2.7 | 548 |
| 1807 | Refugia: identifying and understanding safe havens for biodiversity under climate change. <i>Global Ecology and Biogeography</i> , 2012, 21, 393-404. | 2.7 | 786 |
| 1808 | Measuring ecological niche overlap from occurrence and spatial environmental data. <i>Global Ecology and Biogeography</i> , 2012, 21, 481-497. | 2.7 | 1,130 |
| 1809 | The ecology of lizard reproductive output. <i>Global Ecology and Biogeography</i> , 2012, 21, 592-602. | 2.7 | 84 |
| 1810 | Modelling relationships between species spatial abundance patterns and climate. <i>Global Ecology and Biogeography</i> , 2012, 21, 668-681. | 2.7 | 32 |
| 1811 | Native and alien floras in urban habitats: a comparison across 32 cities of central Europe. <i>Global Ecology and Biogeography</i> , 2012, 21, 545-555. | 2.7 | 96 |
| 1812 | Understanding bias in geographic range size estimates. <i>Global Ecology and Biogeography</i> , 2012, 21, 732-742. | 2.7 | 20 |
| 1813 | The biogeography and filtering of woody plant functional diversity in North and South America. <i>Global Ecology and Biogeography</i> , 2012, 21, 798-808. | 2.7 | 235 |
| 1814 | Quaternary and pre-Quaternary historical legacies in the global distribution of a major tropical plant lineage. <i>Global Ecology and Biogeography</i> , 2012, 21, 909-921. | 2.7 | 91 |
| 1815 | Habitat type mediates equilibrium with climatic conditions in the distribution of Iberian diving beetles. <i>Global Ecology and Biogeography</i> , 2012, 21, 988-997. | 2.7 | 21 |
| 1816 | Using avatar species to model the potential distribution of emerging invaders. <i>Global Ecology and Biogeography</i> , 2012, 21, 1114-1125. | 2.7 | 43 |
| 1817 | How are tree species distributed in climatic space? A simple and general pattern. <i>Global Ecology and Biogeography</i> , 2012, 21, 1157-1166. | 2.7 | 64 |
| 1818 | Invasive species distribution models – how violating the equilibrium assumption can create new insights. <i>Global Ecology and Biogeography</i> , 2012, 21, 1126-1136. | 2.7 | 294 |
| 1819 | What controls tropical forest architecture? Testing environmental, structural and floristic drivers. <i>Global Ecology and Biogeography</i> , 2012, 21, 1179-1190. | 2.7 | 187 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1820 | Distance weighting avoids erroneous scale effects in speciesâ€habitat models. <i>Methods in Ecology and Evolution</i> , 2012, 3, 102-111. | 2.2 | 15 |
| 1821 | CliMond: global highâ€resolution historical and future scenario climate surfaces for bioclimatic modelling. <i>Methods in Ecology and Evolution</i> , 2012, 3, 53-64. | 2.2 | 565 |
| 1822 | Combining static and dynamic variables in species distribution models under climate change. <i>Methods in Ecology and Evolution</i> , 2012, 3, 349-357. | 2.2 | 135 |
| 1823 | NichePy: modular tools for estimating the similarity of ecological niche and species distribution models. <i>Methods in Ecology and Evolution</i> , 2012, 3, 484-489. | 2.2 | 7 |
| 1824 | A temperatureâ€precipitationâ€based model of thirtyâ€year mean snowpack accumulation and melt in Oregon, USA. <i>Hydrological Processes</i> , 2012, 26, 741-759. | 1.1 | 15 |
| 1825 | Development and analysis of a 50â€year highâ€resolution daily gridded precipitation dataset over Spain (Spain02). <i>International Journal of Climatology</i> , 2012, 32, 74-85. | 1.5 | 268 |
| 1826 | Testing Bergmann's rule and the resource seasonality hypothesis in Malagasy primates using GISâ€based climate data. <i>American Journal of Physical Anthropology</i> , 2012, 147, 401-408. | 2.1 | 39 |
| 1827 | Comparative analyses of leaf anatomy of dicotyledonous species in Tibetan and Inner Mongolian grasslands. <i>Science China Life Sciences</i> , 2012, 55, 68-79. | 2.3 | 25 |
| 1828 | Environmental Tolerances of <i>Miscanthus sinensis</i> in Invasive and Native Populations. <i>Bioenergy Research</i> , 2012, 5, 139-148. | 2.2 | 23 |
| 1829 | Domestication bottlenecks limit genetic diversity and constrain adaptation in narrow-leafed lupin (<i>Lupinus angustifolius</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 124, 637-652. | 1.8 | 83 |
| 1830 | Patterns of bryophyte and vascular plant richness in European subalpine springs. <i>Plant Ecology</i> , 2012, 213, 237-249. | 0.7 | 21 |
| 1831 | Landscape responses to a century of land use along the northern Patagonian forest-steppe transition. <i>Plant Ecology</i> , 2012, 213, 259-272. | 0.7 | 35 |
| 1832 | Combining citizen science, bioclimatic envelope models and observed habitat preferences to determine the distribution of an inconspicuous, recently detected introduced bee (<i>Halictus smaragdulus</i> Vachal) Tj ETQq0 0 0.1784314 rgBT / Overlock 10 Tf | 0.7 | 10 |
| 1833 | Diet and conservation implications of an invasive chameleon, <i>Chamaeleo jacksonii</i> (Squamata:) Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf | 1.2 | 27 |
| 1834 | Improving representativeness of genebank collections through species distribution models, gap analysis and ecogeographical maps. <i>Biodiversity and Conservation</i> , 2012, 21, 79-96. | 1.2 | 61 |
| 1835 | East African food security as influenced by future climate change and land use change at local to regional scales. <i>Climatic Change</i> , 2012, 110, 823-844. | 1.7 | 70 |
| 1836 | Landscape genetics of a recent population extirpation in a burnet moth species. <i>Conservation Genetics</i> , 2012, 13, 247-255. | 0.8 | 7 |
| 1837 | Mollusc biodiversity in a European ancient lake system: lakes Prespa and Mikri Prespa in the Balkans. <i>Hydrobiologia</i> , 2012, 682, 47-59. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1838 | Ecogeographical land characterization maps as a tool for assessing plant adaptation and their implications in agrobiodiversity studies. <i>Genetic Resources and Crop Evolution</i> , 2012, 59, 205-217. | 0.8 | 82 |
| 1839 | High-resolution climate change mapping with gridded historical climate products. <i>Landscape Ecology</i> , 2012, 27, 327-342. | 1.9 | 25 |
| 1840 | Combining ecological and morphometrical approaches to increase the resolution within the <i>Galactia neesii</i> (Leguminosae) complex. <i>Plant Systematics and Evolution</i> , 2012, 298, 645-652. | 0.3 | 8 |
| 1841 | Spatio-temporal prediction of daily temperatures using time-series of MODIS LST images. <i>Theoretical and Applied Climatology</i> , 2012, 107, 265-277. | 1.3 | 197 |
| 1842 | Species response curves of oak species along climatic gradients in Turkey. <i>International Journal of Biometeorology</i> , 2012, 56, 85-93. | 1.3 | 15 |
| 1843 | Biomass and diversity of dry alpine plant communities along altitudinal gradients in the Himalayas. <i>Journal of Plant Research</i> , 2012, 125, 93-101. | 1.2 | 50 |
| 1844 | Statistical mapping of tree species over Europe. <i>European Journal of Forest Research</i> , 2012, 131, 145-157. | 1.1 | 256 |
| 1845 | Occurrence of <i>Agriotes</i> wireworms in Austrian agricultural land. <i>Journal of Pest Science</i> , 2013, 86, 33-39. | 1.9 | 30 |
| 1846 | Global climate change will severely decrease potential distribution of the East Asian coldwater fish <i>Rhynchocypris oxycephalus</i> (Actinopterygii, Cyprinidae). <i>Hydrobiologia</i> , 2013, 700, 23-32. | 1.0 | 22 |
| 1847 | Data assimilation of Island climate observations with large-scale reanalysis data to high-resolution grids. <i>International Journal of Climatology</i> , 2013, 33, 1228-1236. | 1.5 | 1 |
| 1848 | Spatial prediction of monthly wind speeds in complex terrain with adaptive general regression neural networks. <i>International Journal of Climatology</i> , 2013, 33, 1793-1804. | 1.5 | 34 |
| 1849 | Predicting the current distribution and potential spread of the exotic grass <i>Eragrostis plana</i> Nees in South America and identifying a bioclimatic niche shift during invasion. <i>Austral Ecology</i> , 2013, 38, 260-267. | 0.7 | 30 |
| 1850 | Multi-scale species distribution modelling highlights the Adelaide Geosyncline, South Australia, as an important continental-scale arid zone refugium. <i>Austral Ecology</i> , 2013, 38, 427-435. | 0.7 | 18 |
| 1851 | Species distribution models indicate contrasting late-Quaternary histories for Southern and Northern Hemisphere bird species. <i>Global Ecology and Biogeography</i> , 2013, 22, 277-288. | 2.7 | 18 |
| 1852 | Conservation of phylogeographic lineages under climate change. <i>Global Ecology and Biogeography</i> , 2013, 22, 93-104. | 2.7 | 105 |
| 1853 | Phlebotominae of epidemiological importance in cutaneous leishmaniasis in northwestern Argentina: risk maps and ecological niche models. <i>Medical and Veterinary Entomology</i> , 2013, 27, 39-48. | 0.7 | 43 |
| 1854 | Upper thermal limits in terrestrial ectotherms: how constrained are they?. <i>Functional Ecology</i> , 2013, 27, 934-949. | 1.7 | 519 |
| 1855 | Climate, duration, and N placement determine N ₂ O emissions in reduced tillage systems: a meta-analysis. <i>Global Change Biology</i> , 2013, 19, 33-44. | 4.2 | 347 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1856 | Palaeodistribution modelling does not support disjunct Pleistocene refugia in several Central American plant taxa. <i>Journal of Biogeography</i> , 2013, 40, 662-675. | 1.4 | 26 |
| 1857 | Recent phylogeographic structure in a widespread "weedy" Neotropical tree species, <i>Cordia alliodora</i> (Boraginaceae). <i>Journal of Biogeography</i> , 2013, 40, 693-706. | 1.4 | 15 |
| 1858 | Deforestation and precipitation patterns in the arid Chaco forests of central Argentina. <i>Applied Vegetation Science</i> , 2013, 16, 260-271. | 0.9 | 89 |
| 1859 | Constraint on woody cover in relation to nutrient content of soils in western southern Africa. <i>Oikos</i> , 2013, 122, 136-148. | 1.2 | 22 |
| 1860 | Tracing glacial refugia of <i>Triturus</i> newts based on mitochondrial DNA phylogeography and species distribution modeling. <i>Frontiers in Zoology</i> , 2013, 10, 13. | 0.9 | 89 |
| 1861 | Modelling the geographical distribution of soil-transmitted helminth infections in Bolivia. <i>Parasites and Vectors</i> , 2013, 6, 152. | 1.0 | 51 |
| 1862 | Anopheles species associations in Southeast Asia: indicator species and environmental influences. <i>Parasites and Vectors</i> , 2013, 6, 136. | 1.0 | 19 |
| 1863 | A reevaluation of the Harrodsburg Crevice fauna (late Pleistocene of Indiana, U.S.A.) and the climatic implications of its mammals. <i>Journal of Vertebrate Paleontology</i> , 2013, 33, 410-420. | 0.4 | 8 |
| 1864 | Molecular identification and ecological characteristics of two cryptic lineages within a cosmopolitan aphid pest, <i>Brachycaudus helichrysi</i> (Hemiptera: Aphididae). <i>Applied Entomology and Zoology</i> , 2013, 48, 155-164. | 0.6 | 11 |
| 1865 | Environmental Influences on Human Migration in Rural Ecuador. <i>Demography</i> , 2013, 50, 1217-1241. | 1.2 | 157 |
| 1866 | A global model of avian influenza prediction in wild birds: the importance of northern regions. <i>Veterinary Research</i> , 2013, 44, 42. | 1.1 | 70 |
| 1867 | Variation in biomass expansion factors for China's forests in relation to forest type, climate, and stand development. <i>Annals of Forest Science</i> , 2013, 70, 589-599. | 0.8 | 21 |
| 1868 | Effect of Widespread Agricultural Chemical Use on Butterfly Diversity across Turkish Provinces. <i>Conservation Biology</i> , 2013, 27, 1439-1448. | 2.4 | 10 |
| 1869 | Spatial distribution and environmental preferences of 10 economically important forest palms in western South America. <i>Forest Ecology and Management</i> , 2013, 307, 284-292. | 1.4 | 25 |
| 1870 | Physical and land-cover variables influence ant functional groups and species diversity along elevational gradients. <i>Landscape Ecology</i> , 2013, 28, 1387-1400. | 1.9 | 11 |
| 1871 | Quantifying the landscape influence on plant invasions in Mediterranean coastal habitats. <i>Landscape Ecology</i> , 2013, 28, 891-903. | 1.9 | 53 |
| 1872 | Estimating realized and potential carbon storage benefits from reforestation and afforestation under climate change: a case study of the Qinghai spruce forests in the Qilian Mountains, northwestern China. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2013, 18, 1257-1268. | 1.0 | 22 |
| 1873 | The role of geography and environment in species turnover: phytophagous arthropods on a Neotropical legume. <i>Journal of Biogeography</i> , 2013, 40, 1755-1766. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1874 | A Gridded Daily Min/Max Temperature Dataset With 0.1° Resolution for the Yangtze River Valley and its Error Estimation. <i>Pure and Applied Geophysics</i> , 2013, 170, 935-949. | 0.8 | 0 |
| 1875 | Influence of late Quaternary climate change on present patterns of genetic variation in valley oak, <i>Quercus lobata</i> Née. <i>Molecular Ecology</i> , 2013, 22, 3598-3612. | 2.0 | 127 |
| 1876 | Clinal variation in a brown lemur (<i>Eulemur</i> spp.) hybrid zone: Combining morphological, genetic and climatic data to examine stability. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1677-1690. | 0.8 | 9 |
| 1877 | Spatial variation in the phylogenetic structure of flea assemblages across geographic ranges of small mammalian hosts in the Palearctic. <i>International Journal for Parasitology</i> , 2013, 43, 763-770. | 1.3 | 5 |
| 1878 | Phytosociology of the Beech (<i>Fagus</i>) Forests in East Asia. , 2013, , . | | 11 |
| 1879 | Vascular plants mediate the effects of aridity and soil properties on ammonia-oxidizing bacteria and archaea. <i>FEMS Microbiology Ecology</i> , 2013, 85, 273-282. | 1.3 | 28 |
| 1880 | Heat freezes niche evolution. <i>Ecology Letters</i> , 2013, 16, 1206-1219. | 3.0 | 708 |
| 1881 | Spatial modelling of species turnover identifies climate ecotones, climate change tipping points and vulnerable taxonomic groups. <i>Ecography</i> , 2013, 36, 1086-1096. | 2.1 | 23 |
| 1882 | Gradients of Bat Diversity in Atlantic Forest of South America: Environmental Seasonality, Sampling Effort and Spatial Autocorrelation. <i>Biotropica</i> , 2013, 45, 764-770. | 0.8 | 50 |
| 1883 | Recent trends in Inner Asian forest dynamics to temperature and precipitation indicate high sensitivity to climate change. <i>Agricultural and Forest Meteorology</i> , 2013, 178-179, 31-45. | 1.9 | 108 |
| 1884 | The classic theory of Mexican Transition Zone revisited: the distributional congruence patterns of Passalidae (Coleoptera). <i>Invertebrate Systematics</i> , 2013, 27, 282. | 0.5 | 18 |
| 1885 | Activity and Movement Patterns of the Tortoise <i>Stigmochelys pardalis</i> in a Subtropical Savanna. <i>Journal of Herpetology</i> , 2013, 47, 237-242. | 0.2 | 10 |
| 1886 | A simple tool for estimating throughfall nitrogen deposition in forests of western North America using lichens. <i>Forest Ecology and Management</i> , 2013, 306, 1-8. | 1.4 | 35 |
| 1887 | Linking present environment and the segregation of reproductive modes (geographical) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i> <i>Journal of Biogeography</i> , 2013, 40, 2396-2408. | 1.4 | 20 |
| 1888 | Socioeconomic and political trade-offs in biodiversity conservation: a case study of the <i>Cerrado</i> biodiversity hotspot, <i>Brazil</i> . <i>Diversity and Distributions</i> , 2013, 19, 977-987. | 1.9 | 33 |
| 1889 | Can temperate insects take the heat? A case study of the physiological and behavioural responses in a common ant, <i>Iridomyrmex purpureus</i> (Formicidae), with potential climate change. <i>Journal of Insect Physiology</i> , 2013, 59, 870-880. | 0.9 | 103 |
| 1890 | Multilocus phylogeographic assessment of the <i>California</i> <i>Mountain</i> <i>King</i> <i>Snake</i> (<i>Lampropeltis zonata</i>) suggests alternative patterns of diversification for the <i>California</i> <i>Floristic</i> <i>Province</i> . <i>Molecular Ecology</i> , 2013, 22, 5418-5429. | 2.0 | 45 |
| 1891 | Vulnerability of baobab species to climate change and effectiveness of the protected area network in Madagascar: Towards new conservation priorities. <i>Biological Conservation</i> , 2013, 166, 11-22. | 1.9 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1892 | Stability structures tropical woody plant diversity more than seasonality: Insights into the ecology of high legume-succulent-plant biodiversity. <i>South African Journal of Botany</i> , 2013, 89, 42-57. | 1.2 | 47 |
| 1893 | Invasion ratcheting in the zebra mussel (<i>Dreissena polymorpha</i>) and the ability of native and invaded ranges to predict its global distribution. <i>Journal of Biogeography</i> , 2013, 40, 2274-2284. | 1.4 | 51 |
| 1894 | Ecological coassociations influence species' responses to past climatic change: an example from a <i>Sonoran Desert</i> bark beetle. <i>Molecular Ecology</i> , 2013, 22, 3345-3361. | 2.0 | 24 |
| 1895 | Geographic range, morphometric variation and niche differentiation in greater Egyptian jerboa, | 0.3 | 5 |
| 1896 | How comparable are species distributions along elevational and latitudinal climate gradients?. <i>Global Ecology and Biogeography</i> , 2013, 22, 1228-1237. | 2.7 | 43 |
| 1897 | Genetic, morphological, geographical and ecological approaches reveal phylogenetic relationships in complex groups, an example of recently diverged pinyon pine species (Subsection <i>Cembroides</i>). <i>Molecular Phylogenetics and Evolution</i> , 2013, 69, 940-949. | 1.2 | 19 |
| 1898 | Patterns of Species Richness of Family Cladoniaceae in the Neotropics. <i>Cryptogamie, Mycologie</i> , 2013, 34, 137-148. | 0.2 | 2 |
| 1899 | Beta diversity of orchid bees in a tropical biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2013, 22, 1647-1661. | 1.2 | 32 |
| 1900 | Migratory and resident <i>Blythipicus</i> wintering in southern <i>Spain</i> show no resource partitioning. <i>Ibis</i> , 2013, 155, 750-761. | 1.0 | 17 |
| 1901 | Species Distribution Modeling. , 2013, , 692-705. | | 73 |
| 1902 | Large trees drive forest aboveground biomass variation in moist lowland forests across the tropics. <i>Global Ecology and Biogeography</i> , 2013, 22, 1261-1271. | 2.7 | 365 |
| 1903 | Temperature variation makes ectotherms more sensitive to climate change. <i>Global Change Biology</i> , 2013, 19, 2373-2380. | 4.2 | 400 |
| 1904 | Geographical sampling bias in a large distributional database and its effects on species richness—environment models. <i>Journal of Biogeography</i> , 2013, 40, 1415-1426. | 1.4 | 153 |
| 1905 | From southern refugia to the northern range margin: genetic population structure of the common wall lizard, <i>Podarcis muralis</i> . <i>Journal of Biogeography</i> , 2013, 40, 1475-1489. | 1.4 | 40 |
| 1906 | An Intercontinental Analysis of Climate-Driven Body Size Clines in Reptiles: No Support for Patterns, No Signals of Processes. <i>Evolutionary Biology</i> , 2013, 40, 562-578. | 0.5 | 50 |
| 1907 | Long-term drivers of forest composition in a boreonemoral region: the relative importance of climate and human impact. <i>Journal of Biogeography</i> , 2013, 40, 1524-1534. | 1.4 | 58 |
| 1908 | Do protected areas benefit freshwater species? A broad-scale assessment for fish in <i>Australia's Murray Darling Basin</i> . <i>Journal of Applied Ecology</i> , 2013, 50, 969-976. | 1.9 | 69 |
| 1909 | Bioclimatic regions influence genetic structure of four Jordanian <i>Stipa</i> species. <i>Plant Biology</i> , 2013, 15, 882-891. | 1.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1910 | Using species distribution modelling to disentangle realised versus potential distributions for rare species conservation. <i>Biological Conservation</i> , 2013, 166, 221-230. | 1.9 | 108 |
| 1911 | Predicting climate-change-caused changes in global temperature on potato tuber moth <i>Phthorimaea operculella</i> (Zeller) distribution and abundance using phenology modeling and GIS mapping. <i>Agricultural and Forest Meteorology</i> , 2013, 170, 228-241. | 1.9 | 109 |
| 1912 | Range expansion and potential distribution of the invasive grass <i>Bromus tectorum</i> in southern South America on the base of herbarium records. <i>Journal of Arid Environments</i> , 2013, 97, 230-236. | 1.2 | 8 |
| 1913 | DISSECTION OF EVOLUTIONARY NETWORKS TO ASSESS THEIR ROLE IN THE EVOLUTION OF ROBUSTNESS, FUNCTION, AND DIVERSIFICATION. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2273-2283. | 1.1 | 10 |
| 1914 | Distribution, Abundance and Roosts of the Fruit Bat <i>Artibeus fraterculus</i> (Chiroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582 Td (Phyll | 0.2 | 13 |
| 1915 | Amphibian Chytrid Prevalence in an Amphibian Community in Arid Australia. <i>EcoHealth</i> , 2013, 10, 77-81. | 0.9 | 9 |
| 1916 | Bird species migration ratio in East Asia, Australia, and surrounding islands. <i>Die Naturwissenschaften</i> , 2013, 100, 729-738. | 0.6 | 2 |
| 1917 | Past and future demographic dynamics of alpine species: limited genetic consequences despite dramatic range contraction in a plant from the <scp>S</scp>panish <scp>S</scp>ierra <scp>N</scp>evada. <i>Molecular Ecology</i> , 2013, 22, 4177-4195. | 2.0 | 26 |
| 1918 | Investigation of the geographical scale of adaptive phenological variation and its underlying genetics in <i><scp>A</scp>rabis thaliana</i>. <i>Molecular Ecology</i> , 2013, 22, 4222-4240. | 2.0 | 101 |
| 1919 | Adapting maize production to climate change in sub-Saharan Africa. <i>Food Security</i> , 2013, 5, 345-360. | 2.4 | 319 |
| 1920 | Distribution of the Eastern knapweed fritillary (<i>Melitaea ornata</i> Christoph, 1893) (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34 | 0.8 | 19 |
| 1921 | The role of ecological variation in driving divergence of sexual and non-sexual traits in the red-backed fairy-wren (<i>Malurus melanocephalus</i>). <i>BMC Evolutionary Biology</i> , 2013, 13, 75. | 3.2 | 18 |
| 1922 | Evolution of microgastropods (Ellobioidea, Carychiidae): integrating taxonomic, phylogenetic and evolutionary hypotheses. <i>BMC Evolutionary Biology</i> , 2013, 13, 18. | 3.2 | 54 |
| 1923 | The receptive versus current risks of <i>Plasmodium falciparum</i> transmission in Northern Namibia: implications for elimination. <i>BMC Infectious Diseases</i> , 2013, 13, 184. | 1.3 | 31 |
| 1924 | Rapid case-based mapping of seasonal malaria transmission risk for strategic elimination planning in Swaziland. <i>Malaria Journal</i> , 2013, 12, 61. | 0.8 | 66 |
| 1925 | Effects of nutrient amendments on modular growth, flowering effort and reproduction of snowbed plants. <i>Plant Ecology and Diversity</i> , 2013, 6, 475-486. | 1.0 | 21 |
| 1926 | Understanding the mechanisms underlying the distribution of microendemic montane frogs (<i>Brachycephalus</i> spp., Terrarana: Brachycephalidae) in the Brazilian Atlantic Rainforest. <i>Ecological Modelling</i> , 2013, 250, 165-176. | 1.2 | 45 |
| 1927 | Geostatistical improvements of evapotranspiration spatial information using satellite land surface and weather stations data. <i>Theoretical and Applied Climatology</i> , 2013, 113, 155-174. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1928 | A review of the time scale and potential geographic distribution of <i>Notiomastodon platensis</i> (Ameghino, 1888) in the late Pleistocene of South America. <i>Quaternary International</i> , 2013, 317, 73-79. | 0.7 | 22 |
| 1929 | Clinal variation in colony breeding structure and level of inbreeding in the subterranean termites <i>Reticulitermes flavipes</i> and <i>R. Agrassei</i> . <i>Molecular Ecology</i> , 2013, 22, 1447-1462. | 2.0 | 28 |
| 1930 | Evaluating a modified point-based method to downscale cell-based climate variable data to high-resolution grids. <i>Theoretical and Applied Climatology</i> , 2013, 112, 495-519. | 1.3 | 7 |
| 1931 | Explaining patterns of species dominance in the shrub steppe systems of the Junggar Basin (China) and Great Basin (USA). <i>Journal of Arid Land</i> , 2013, 5, 415-427. | 0.9 | 8 |
| 1932 | Geospatial analysis of ecological vulnerability of coffee agroecosystems in Brazil. <i>Applied Geomatics</i> , 2013, 5, 87-97. | 1.2 | 9 |
| 1933 | Reduced seed predation after invasion supports enemy release in a broad biogeographical survey. <i>Oecologia</i> , 2013, 173, 1397-1409. | 0.9 | 20 |
| 1934 | Tree growth response along an elevational gradient: climate or genetics?. <i>Oecologia</i> , 2013, 173, 1587-1600. | 0.9 | 109 |
| 1935 | Ecological behavior of <i>Quercus suber</i> and <i>Quercus ilex</i> inferred by topographic wetness index (TWI). <i>Trees - Structure and Function</i> , 2013, 27, 1201-1215. | 0.9 | 38 |
| 1936 | Multiple introgression events and range shifts in <i>Schizocodon</i> (Diapensiaceae) during the Pleistocene. <i>Botanical Journal of the Linnean Society</i> , 2013, 173, 46-63. | 0.8 | 8 |
| 1937 | Geographic variation and local adaptation in <i>Oryza rufipogon</i> across its climatic range in China. <i>Journal of Ecology</i> , 2013, 101, 1498-1508. | 1.9 | 21 |
| 1938 | Changes in global nitrogen cycling during the Holocene epoch. <i>Nature</i> , 2013, 495, 352-355. | 13.7 | 108 |
| 1939 | Using biogeographical history to inform conservation: the case of <i>Perle's meadow jumping mouse</i> . <i>Molecular Ecology</i> , 2013, 22, 6000-6017. | 2.0 | 44 |
| 1940 | Phylogeography of the <i>Robsonius</i> Ground-Warblers (Passeriformes: Locustellidae) Reveals an Undescribed Species from Northeastern Luzon, Philippines. <i>Condor</i> , 2013, 115, 630-639. | 0.7 | 13 |
| 1941 | Localized versus generalist phenotypes in a broadly distributed tropical mammal: how is intraspecific variation distributed across disparate environments?. <i>BMC Evolutionary Biology</i> , 2013, 13, 160. | 3.2 | 11 |
| 1942 | Global warming may freeze the invasion of big-headed ants. <i>Biological Invasions</i> , 2013, 15, 1561-1572. | 1.2 | 18 |
| 1943 | The vulnerability of native rangeland plant species to global climate change in the West Asia and North African regions. <i>Climatic Change</i> , 2013, 119, 451-463. | 1.7 | 58 |
| 1944 | High-resolution predictive mapping for <i>Rhipicephalus appendiculatus</i> (Acari: Ixodidae) in the Horn of Africa. <i>Experimental and Applied Acarology</i> , 2013, 60, 531-542. | 0.7 | 16 |
| 1945 | Projected shifts of wine regions in response to climate change. <i>Climatic Change</i> , 2013, 119, 825-839. | 1.7 | 199 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1946 | Projected climate reshuffling based on multivariate climate-availability, climate-analog, and climate-velocity analyses: implications for community disaggregation. <i>Climatic Change</i> , 2013, 119, 659-675. | 1.7 | 41 |
| 1947 | Predicting the future climatic suitability for cocoa farming of the world's leading producer countries, Ghana and Côte d'Ivoire. <i>Climatic Change</i> , 2013, 119, 841-854. | 1.7 | 173 |
| 1948 | How will climate change spatially affect agriculture production in Ethiopia? Case studies of important cereal crops. <i>Climatic Change</i> , 2013, 119, 855-873. | 1.7 | 68 |
| 1949 | Delimiting the coastal geographic background to predict potential distribution of <i>Spartina alterniflora</i> . <i>Hydrobiologia</i> , 2013, 717, 177-187. | 1.0 | 13 |
| 1950 | The lanky and the corks: fire-escape strategies in savanna woody species. <i>Journal of Ecology</i> , 2013, 101, 1265-1272. | 1.9 | 94 |
| 1951 | A meta-analytical global comparison of aboveground biomass accumulation between tropical secondary forests and monoculture plantations. <i>Forest Ecology and Management</i> , 2013, 291, 73-86. | 1.4 | 111 |
| 1952 | Empirical approaches for assessing impacts of climate change on agriculture: The EcoCrop model and a case study with grain sorghum. <i>Agricultural and Forest Meteorology</i> , 2013, 170, 67-78. | 1.9 | 115 |
| 1953 | Parapatric divergence of sympatric morphs in a salamander: incipient speciation on Long Island?. <i>Molecular Ecology</i> , 2013, 22, 4681-4694. | 2.0 | 43 |
| 1954 | Phylogeography of the California Gnatcatcher (<i>Polioptila californica</i>) using multilocus DNA sequences and ecological niche modeling. <i>Auk</i> , 2013, 130, 449-458. | 0.7 | 51 |
| 1955 | Predicting shifts in parasite distribution with climate change: a multitrophic level approach. <i>Global Change Biology</i> , 2013, 19, 2645-2654. | 4.2 | 57 |
| 1956 | A Potential Distribution Model and Conservation Plan for the Critically Endangered Ecuadorian Capuchin, <i>Cebus albifrons aequatorialis</i> . <i>International Journal of Primatology</i> , 2013, 34, 899-916. | 0.9 | 15 |
| 1957 | Local adaptation within a hybrid species. <i>Heredity</i> , 2013, 111, 286-292. | 1.2 | 34 |
| 1958 | The "dirty dozen": socioeconomic factors amplify the invasion potential of 12 high-risk aquatic invasive species in Great Britain and Ireland. <i>Journal of Applied Ecology</i> , 2013, 50, 757-766. | 1.9 | 109 |
| 1959 | Process-based and correlative modeling of desert mistletoe distribution: a multiscale approach. <i>Ecosphere</i> , 2013, 4, 1-23. | 1.0 | 22 |
| 1960 | Fine-scale niche structure of Neotropical forests reflects a legacy of the Great American Biotic Interchange. <i>Nature Communications</i> , 2013, 4, 2317. | 5.8 | 28 |
| 1961 | Environmental and social determinants of anuran lekking behavior: intraspecific variation in populations at thermal extremes. <i>Behavioral Ecology and Sociobiology</i> , 2013, 67, 493-511. | 0.6 | 27 |
| 1962 | Distribution and abundance of foliage-arthropods across elevational gradients in the east and west Himalayas. <i>Ecological Research</i> , 2013, 28, 125-130. | 0.7 | 15 |
| 1963 | Rediscovering the World. Springer Theses, 2013, , . | 0.0 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1964 | Large scale patterns of forage yield and quality across Chinese grasslands. <i>Science Bulletin</i> , 2013, 58, 1187-1199. | 1.7 | 32 |
| 1965 | MODIS-based estimation of air temperature of the Tibetan Plateau. <i>Journal of Chinese Geography</i> , 2013, 23, 627-640. | 1.5 | 21 |
| 1966 | Implications of regional improvement in global climate models for agricultural impact research. <i>Environmental Research Letters</i> , 2013, 8, 024018. | 2.2 | 105 |
| 1967 | A Model Web approach to modelling climate change in biomes of Important Bird Areas. <i>Ecological Informatics</i> , 2013, 14, 38-43. | 2.3 | 10 |
| 1968 | Palaeoglacial and palaeoclimatic conditions in the NW Pacific, as revealed by a morphometric analysis of cirques upon the Kamchatka Peninsula. <i>Geomorphology</i> , 2013, 192, 15-29. | 1.1 | 48 |
| 1969 | Climate change increases the risk of invasion by the Yellow-legged hornet. <i>Biological Conservation</i> , 2013, 157, 4-10. | 1.9 | 88 |
| 1970 | Using ecological niche models to infer the distribution and population size of parakeets in New Caledonia. <i>Biological Conservation</i> , 2013, 167, 149-160. | 1.9 | 22 |
| 1971 | Population genetic structure and ecological niche modelling of the leafhopper <i>Hishimonus phycitis</i> . <i>Journal of Pest Science</i> , 2013, 86, 173-183. | 1.9 | 12 |
| 1972 | Species distribution models contribute to determine the effect of climate and interspecific interactions in moving hybrid zones. <i>Journal of Evolutionary Biology</i> , 2013, 26, 2487-2496. | 0.8 | 47 |
| 1973 | The sensitivity of topoclimatic models to fine-scale microclimatic variability and the relevance for ecological studies. <i>Theoretical and Applied Climatology</i> , 2013, 114, 281-289. | 1.3 | 8 |
| 1974 | Modeling monthly mean air temperature for Brazil. <i>Theoretical and Applied Climatology</i> , 2013, 113, 407-427. | 1.3 | 124 |
| 1975 | Conventional tree heightâ€”diameter relationships significantly overestimate aboveground carbon stocks in the Central Congo Basin. <i>Nature Communications</i> , 2013, 4, 2269. | 5.8 | 103 |
| 1976 | Climate change is predicted to negatively influence Moroccan endemic reptile richness. Implications for conservation in protected areas. <i>Die Naturwissenschaften</i> , 2013, 100, 877-889. | 0.6 | 31 |
| 1977 | MaxEnt versus MaxLike: empirical comparisons with ant species distributions. <i>Ecosphere</i> , 2013, 4, 1-15. | 1.0 | 125 |
| 1978 | Potential Geographic Distributions and Successful Invasions of Parthenogenetic Broad-Nosed Weevils (Coleoptera: Curculionidae) Native to South America. <i>Environmental Entomology</i> , 2013, 42, 677-687. | 0.7 | 14 |
| 1979 | Predicting invasion in grassland ecosystems: is exotic dominance the real embarrassment of richness?. <i>Global Change Biology</i> , 2013, 19, 3677-3687. | 4.2 | 70 |
| 1980 | Forecasting range expansion into ecological traps: climateâ€”mediated shifts in sea turtle nesting beaches and human development. <i>Global Change Biology</i> , 2013, 19, 3082-3092. | 4.2 | 37 |
| 1981 | The impact of climate change changes over time. <i>Biological Conservation</i> , 2013, 167, 107-115. | 1.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1982 | Ticks of the Central African Republic. <i>Experimental and Applied Acarology</i> , 2013, 60, 1-40. | 0.7 | 20 |
| 1983 | Estimating homeâ€range size: when to include a third dimension?. <i>Ecology and Evolution</i> , 2013, 3, 2285-2295. | 0.8 | 12 |
| 1984 | Vegetationâ€™microclimate feedbacks in woodlandâ€™grassland ecotones. <i>Global Ecology and Biogeography</i> , 2013, 22, 364-379. | 2.7 | 142 |
| 1985 | Plasticity in reproduction and growth among 52 rangeâ€wide populations of a <sc>M</sc>editerranean conifer: adaptive responses to environmental stress. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1912-1924. | 0.8 | 65 |
| 1986 | Disturbances, elevation, topography and spatial proximity drive vegetation patterns along an altitudinal gradient of a top biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2013, 22, 2767-2783. | 1.2 | 86 |
| 1987 | Modelling the spatial distribution of linear landscape elements in Europe. <i>Ecological Indicators</i> , 2013, 27, 125-136. | 2.6 | 71 |
| 1988 | A preliminary assessment of the effectiveness of the Mesoamerican Biological Corridor for protecting potential Baird's tapir (<i>Tapirus bairdii</i>) habitat in southern Mexico. <i>Integrative Zoology</i> , 2013, 8, 35-47. | 1.3 | 23 |
| 1989 | Moisture variables, and not temperature, are responsible for climate filtering and genetic bottlenecks in the South African endemic terrestrial mollusc <i>Prestonella</i> (Orthalicoidea). <i>Conservation Genetics</i> , 2013, 14, 1065-1081. | 0.8 | 7 |
| 1990 | Dramatic losses of specialist arable plants in <sc>C</sc>entral <sc>G</sc>ermany since the 1950s/60s â€™ a crossâ€™regional analysis. <i>Diversity and Distributions</i> , 2013, 19, 1175-1187. | 1.9 | 134 |
| 1991 | Review on the Geographic and Elevational Distribution of the Mountain Long-Eared Bat <i>Plecotus Macrobullaris</i> , Completed by Utilising a Specific Mist-Netting Technique. <i>Acta Chiropterologica</i> , 2013, 15, 451-461. | 0.2 | 16 |
| 1992 | DistribuciÃ³n Actual y Potencial de Cabassous tatouay <i>Tamandua tetradactyla</i> en el LÃmite sur de su DistribuciÃ³n: Implicancias para su ConservaciÃ³n en Uruguay. <i>Edentata</i> , 2013, 14, 23-34. | 0.5 | 4 |
| 1993 | Temporal trend of green space coverage in China and its relationship with urbanization over the last two decades. <i>Science of the Total Environment</i> , 2013, 442, 455-465. | 3.9 | 165 |
| 1994 | Evaluating forest conservation policies in developing countries using remote sensing data: An introduction and practical guide. <i>Forest Policy and Economics</i> , 2013, 34, 1-16. | 1.5 | 93 |
| 1995 | A humped latitudinal phylogenetic diversity pattern of orchid bees (Hymenoptera: Apidae: Euglossini) in western Amazonia: assessing the influence of climate and geologic history. <i>Ecography</i> , 2014, 37, 500-508. | 2.1 | 6 |
| 1996 | Selection by climatic regime and neutral evolutionary processes in holocentric chromosomes (<i>Carex</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . <i>Systematics</i> , 2013, 15, 118-129. | 1.1 | 21 |
| 1997 | Evidence for recent evolution of cold tolerance in grasses suggests current distribution is not limited by (low) temperature. <i>New Phytologist</i> , 2013, 198, 1261-1273. | 3.5 | 36 |
| 1998 | Spatial Variation in Morphometry in <i>Vanzosaura rubricauda</i> (Squamata, Gymnophthalmidae) from Open Habitats of South America and its Environmental Correlates. <i>South American Journal of Herpetology</i> , 2013, 8, 186-197. | 0.5 | 6 |
| 1999 | EDITOR'S CHOICE: Saving the hihi under climate change: a case for assisted colonization. <i>Journal of Applied Ecology</i> , 2013, 50, 1330-1340. | 1.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2000 | Human impacts drive a global topographic signature in tree cover. <i>Nature Communications</i> , 2013, 4, 2474. | 5.8 | 90 |
| 2001 | Imprints of Natural Selection Along Environmental Gradients in Phenology-Related Genes of <i>Quercus petraea</i> . <i>Genetics</i> , 2013, 195, 495-512. | 1.2 | 104 |
| 2002 | Modelling the potential distribution of <i>Mesalina watsonana</i> (Stoliczka, 1872) (Reptilia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 | 0.2 | 6 |
| 2003 | Spatial variability analysis of reference evapotranspiration in Iran utilizing fine resolution gridded datasets. <i>Agricultural Water Management</i> , 2013, 126, 104-118. | 2.4 | 44 |
| 2004 | Long-distance dispersal maximizes evolutionary potential during rapid geographic range expansion. <i>Molecular Ecology</i> , 2013, 22, 5793-5804. | 2.0 | 77 |
| 2005 | Biology, Host Preferences, and Potential Distribution of <i>Calophya terebinthifolia</i> (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 662 terebinthifolia, in Florida. <i>Florida Entomologist</i> , 2013, 96, 137-147. | 0.2 | 9 |
| 2006 | Primates in Fragments. , 2013, , . | | 119 |
| 2007 | Fossil evidence for seasonal calving and migration of extinct blue antelope (<i>Hippotragus</i> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 662 | 1.4 | 26 |
| 2008 | Central southern Africa at the time of the African Humid Period: a new analysis of Holocene palaeoenvironmental and palaeoclimate data. <i>Quaternary Science Reviews</i> , 2013, 80, 29-46. | 1.4 | 72 |
| 2009 | Assessing the sensitivity of alpine birds to potential future changes in habitat and climate to inform management strategies. <i>Biological Conservation</i> , 2013, 167, 127-135. | 1.9 | 88 |
| 2010 | Effect of increasing temperatures on the distribution of spruce beetle in Engelmann spruce forests of the Interior West, USA. <i>Forest Ecology and Management</i> , 2013, 308, 198-206. | 1.4 | 41 |
| 2011 | Phylogeography sheds light on the central-marginal hypothesis in a Mediterranean narrow endemic plant. <i>Annals of Botany</i> , 2013, 112, 1409-1420. | 1.4 | 24 |
| 2012 | Decoupling of soil nutrient cycles as a function of aridity in global drylands. <i>Nature</i> , 2013, 502, 672-676. | 13.7 | 733 |
| 2013 | Chilling-induced water stress: Variation in shoot turgor maintenance among wild tomato species from diverse habitats. <i>American Journal of Botany</i> , 2013, 100, 1991-1999. | 0.8 | 13 |
| 2014 | Variation in vertebral number and its morphological implication in <i>Galaxias platei</i> . <i>Journal of Fish Biology</i> , 2013, 83, 1321-1333. | 0.7 | 10 |
| 2015 | Confronting expert-based and modelled distributions for species with uncertain conservation status: A case study from the corncrake (<i>Crex crex</i>). <i>Biological Conservation</i> , 2013, 167, 161-171. | 1.9 | 48 |
| 2016 | Application of the CBM-CFS3 model to estimate Italy's forest carbon budget, 1995-2020. <i>Ecological Modelling</i> , 2013, 266, 144-171. | 1.2 | 47 |
| 2017 | Highly diverse and spatially heterogeneous mycorrhizal symbiosis in a rare epiphyte is unrelated to broad biogeographic or environmental features. <i>Molecular Ecology</i> , 2013, 22, 5949-5961. | 2.0 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2018 | A pollen-climate transfer function from the tundra and taiga vegetation in Arctic Siberia and its applicability to a Holocene record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 386, 702-713. | 1.0 | 61 |
| 2019 | A framework for using niche models to estimate impacts of climate change on species distributions. <i>Annals of the New York Academy of Sciences</i> , 2013, 1297, 8-28. | 1.8 | 202 |
| 2020 | Adaptive response to sociality and ecology drives the diversification of facial colour patterns in catarrhines. <i>Nature Communications</i> , 2013, 4, 2765. | 5.8 | 49 |
| 2021 | Re-evaluating niche conservatism versus divergence in the Woodland Salamander genus <i>Plethodon</i> : a case study of the parapatric members of the <i>Plethodon glutinosus</i> species complex. <i>Canadian Journal of Zoology</i> , 2013, 91, 883-892. | 0.4 | 10 |
| 2022 | Characterisation of land surface phenology and land cover based on moderate resolution satellite data in cloud prone areas – A novel product for the Mekong Basin. <i>Remote Sensing of Environment</i> , 2013, 136, 180-198. | 4.6 | 70 |
| 2023 | Estimating the spatial and temporal impacts of climate change on rainfall reliability: An example in a Mediterranean agricultural region. <i>Applied Geography</i> , 2013, 45, 98-108. | 1.7 | 5 |
| 2024 | Spatial optimization of carbon-stocking projects across Africa integrating stocking potential with co-benefits and feasibility. <i>Nature Communications</i> , 2013, 4, 2975. | 5.8 | 25 |
| 2025 | Sampling Effort in Neotropical Primate Diet Studies: Collective Gains and Underlying Geographic and Taxonomic Biases. <i>International Journal of Primatology</i> , 2013, 34, 1081-1104. | 0.9 | 13 |
| 2026 | Mapping global land system archetypes. <i>Global Environmental Change</i> , 2013, 23, 1637-1647. | 3.6 | 160 |
| 2027 | Large-scale phylogenetic analyses reveal the causes of high tropical amphibian diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131622. | 1.2 | 228 |
| 2028 | Alien vascular plants in Iceland: Diversity, spatial patterns, temporal trends, and the impact of climate change. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2013, 208, 648-673. | 0.6 | 39 |
| 2029 | A small-scale landslide susceptibility assessment for the territory of Western Carpathians. <i>Natural Hazards</i> , 2013, 69, 1081-1107. | 1.6 | 31 |
| 2030 | Relative importance of climate, topography, and habitats for breeding wetland birds with different latitudinal distributions in the Czech Republic. <i>Applied Geography</i> , 2013, 44, 165-171. | 1.7 | 21 |
| 2031 | Niche evolution through time and across continents: The story of Neotropical <i>Cedrela</i> (Meliaceae). <i>American Journal of Botany</i> , 2013, 100, 1800-1810. | 0.8 | 35 |
| 2032 | Evidence of a climatic niche shift following North American introductions of two crane flies (Diptera; genus <i>Tipula</i>). <i>Biological Invasions</i> , 2013, 15, 885-897. | 1.2 | 38 |
| 2033 | The idiosyncrasies of place: geographic variation in the climate–distribution relationships of the American pika. , 2013, 23, 864-878. | | 67 |
| 2034 | Human Capital and Regional Development *. <i>Quarterly Journal of Economics</i> , 2013, 128, 105-164. | 3.8 | 631 |
| 2035 | Human impact on population structure and fruit production of the socio-economically important tree <i>Lannea microcarpa</i> in Burkina Faso. <i>Agroforestry Systems</i> , 2013, 87, 1363-1375. | 0.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2036 | Water relations and drought tolerance of young African tamarind (<i>Tamarindus indica</i> L.) trees. South African Journal of Botany, 2013, 88, 352-360. | 1.2 | 7 |
| 2037 | Pollen-based palaeoclimate reconstructions over long glacial-interglacial timescales: methodological tests based on the Holocene and MIS 5d c deposits at Sokli, northern Finland. Journal of Quaternary Science, 2013, 28, 271-282. | 1.1 | 26 |
| 2038 | Ecological determinants of clinal morphological variation in the cranium of the North American gray wolf. Journal of Mammalogy, 2013, 94, 1223-1236. | 0.6 | 33 |
| 2039 | Metacommunity structuring in stream networks: roles of dispersal mode, distance type, and regional environmental context. Ecology and Evolution, 2013, 3, 4473-4487. | 0.8 | 211 |
| 2040 | Phylogeography and niche modelling of the relict plant <i>Amborella trichopoda</i> (Amborellaceae) reveal multiple Pleistocene refugia in New Caledonia. Molecular Ecology, 2013, 22, 6163-6178. | 2.0 | 35 |
| 2041 | Climate change driven shifts in the extent and location of areas suitable for export banana production. Ecological Economics, 2013, 95, 83-95. | 2.9 | 44 |
| 2042 | Statistical evaluation of the relationships between spatial variability in the organic carbon content in gray forest soils, soil density, concentrations of heavy metals, and topography. Eurasian Soil Science, 2013, 46, 1076-1087. | 0.5 | 27 |
| 2043 | Evaluating the effectiveness of conservation site networks under climate change: accounting for uncertainty. Global Change Biology, 2013, 19, 1236-1248. | 4.2 | 77 |
| 2044 | Female Reproductive Investment in the Mesquite Lizard (<i>Sceloporus grammicus</i>) Species Complex (Squamata: Phrynosomatidae). Southwestern Naturalist, 2013, 58, 335-343. | 0.1 | 7 |
| 2045 | Pliocene intraspecific divergence and Pliocene-Pleistocene range expansions within <i>Picea likiangensis</i> (Lijiang spruce), a dominant forest tree of the Qinghai-Tibet Plateau. Molecular Ecology, 2013, 22, 5237-5255. | 2.0 | 112 |
| 2046 | Holarctic phylogeography of the testate amoeba <i>Hyalosphenia papilio</i> (Amoebozoa) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 To limitation. Molecular Ecology, 2013, 22, 5172-5184. | 2.0 | 67 |
| 2047 | Signatures of diversifying selection at EST and SSR loci and association with climate in natural <i>Eucalyptus</i> populations. Molecular Ecology, 2013, 22, 5112-5129. | 2.0 | 42 |
| 2048 | Paleoclimatic modeling and phylogeography of least killifish, <i>Heterandria formosa</i> : insights into Pleistocene expansion-contraction dynamics and evolutionary history of North American Coastal Plain freshwater biota. BMC Evolutionary Biology, 2013, 13, 223. | 3.2 | 29 |
| 2049 | Assessing the effects of variables and background selection on the capture of the tick climate niche. International Journal of Health Geographics, 2013, 12, 43. | 1.2 | 28 |
| 2050 | Differences in insect resistance between tomato species endemic to the Galapagos Islands. BMC Evolutionary Biology, 2013, 13, 175. | 3.2 | 45 |
| 2051 | Once there was a lake: vulnerability to environmental changes in northern Mali. Regional Environmental Change, 2013, 13, 493-508. | 1.4 | 61 |
| 2052 | Habitat Preferences of the Critically Endangered Greater Bamboo Lemur (<i>Prolemur simus</i>) and Densities of One of Its Primary Food Sources, Madagascar Giant Bamboo (<i>Cathariostachys</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 To International Journal of Primatology, 2013, 34, 486-499. | 0.9 | 12 |
| 2053 | Opportunities for domesticating the African baobab (<i>Adansonia digitata</i> L.): multi-trait fruit selection. Agroforestry Systems, 2013, 87, 493-505. | 0.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2054 | Drastic reduction in the potential habitats for alpine and subalpine vegetation in the Pyrenees due to twenty-first-century climate change. <i>Regional Environmental Change</i> , 2013, 13, 1157-1169. | 1.4 | 8 |
| 2055 | Climate change effects on Chikungunya transmission in Europe: geospatial analysis of vector's climatic suitability and virus's temperature requirements. <i>International Journal of Health Geographics</i> , 2013, 12, 51. | 1.2 | 118 |
| 2056 | Increasing the chance that landscape- and regional-level hypotheses will reflect important spatial patterns. <i>Landscape Ecology</i> , 2013, 28, 1849-1858. | 1.9 | 2 |
| 2057 | Human proximity and habitat fragmentation are key drivers of the rangewide bonobo distribution. <i>Biodiversity and Conservation</i> , 2013, 22, 3085-3104. | 1.2 | 86 |
| 2058 | Designing bryophyte surveys for an optimal coverage of diversity gradients. <i>Biodiversity and Conservation</i> , 2013, 22, 3121-3139. | 1.2 | 11 |
| 2059 | Effects of climatic gradients on genetic differentiation of <i>Caragana</i> on the Ordos Plateau, China. <i>Landscape Ecology</i> , 2013, 28, 1729-1741. | 1.9 | 20 |
| 2060 | Use of a Bayesian network model to identify factors associated with the presence of the tick <i>Ornithodoros erraticus</i> on pig farms in southern Portugal. <i>Preventive Veterinary Medicine</i> , 2013, 110, 45-53. | 0.7 | 19 |
| 2061 | A high resolution 15,600-year pollen and microcharcoal record from the Cederberg Mountains, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 387, 6-16. | 1.0 | 54 |
| 2062 | Phylogeography of the western jumping mouse (<i>Zapus princeps</i>) detects deep and persistent allopatry with expansion. <i>Journal of Mammalogy</i> , 2013, 94, 1016-1029. | 0.6 | 17 |
| 2063 | Biogeographic regions of North American mammals based on endemism. <i>Biological Journal of the Linnean Society</i> , 2013, 110, 485-499. | 0.7 | 55 |
| 2064 | Will climate change promote future invasions?. <i>Global Change Biology</i> , 2013, 19, 3740-3748. | 4.2 | 477 |
| 2065 | Body size and sexual size dimorphism in primates: influence of climate and net primary productivity. <i>Journal of Evolutionary Biology</i> , 2013, 26, 2312-2320. | 0.8 | 17 |
| 2066 | 9.30 Streams of the Montane Humid Tropics. , 2013, , 595-611. | | 5 |
| 2067 | Climate interacts with soil to produce beta diversity in Californian plant communities. <i>Ecology</i> , 2013, 94, 2007-2018. | 1.5 | 57 |
| 2068 | Convergent Vessel Diameter—Stem Diameter Scaling across Five Clades of New and Old World Eudicots from Desert to Rain Forest. <i>International Journal of Plant Sciences</i> , 2013, 174, 1062-1078. | 0.6 | 17 |
| 2069 | Ecogeographic survey and gap analysis of <i>Lathyrus</i> L. species. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 2101-2113. | 0.8 | 15 |
| 2070 | Cytogeography of European perennial species of <i>Cyanus</i> (Asteraceae). <i>Botanical Journal of the Linnean Society</i> , 2013, 173, 230-257. | 0.8 | 6 |
| 2071 | Confidence Interval Assessment to Estimate Dry and Wet Spells under Climate Change in Shahrekord Station, Iran. <i>Journal of Hydrologic Engineering - ASCE</i> , 2013, 18, 911-918. | 0.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2072 | A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 2013, 50, 1105-1115. | 1.9 | 90 |
| 2073 | Estimating optimal complexity for ecological niche models: A jackknife approach for species with small sample sizes. <i>Ecological Modelling</i> , 2013, 269, 9-17. | 1.2 | 406 |
| 2074 | Modelling individual and collective species responses to climate change within Small Island States. <i>Biological Conservation</i> , 2013, 167, 283-291. | 1.9 | 10 |
| 2075 | Disentangling the effects of intraspecies variability, phylogeny, space, and climate on the evolution of shell morphology in endemic Greek land snails of the genus <i>Codringtonia</i> . <i>Biological Journal of the Linnean Society</i> , 2013, 110, 796-813. | 0.7 | 6 |
| 2076 | Phylogeography of Beck's Desert Scorpion, <i>Paruroctonus becki</i> , reveals Pliocene diversification in the Eastern California Shear Zone and postglacial expansion in the Great Basin Desert. <i>Molecular Phylogenetics and Evolution</i> , 2013, 69, 502-513. | 1.2 | 25 |
| 2077 | Genetic signatures of natural selection in response to air pollution in red spruce (<i>Picea rubens</i> , Pinaceae). <i>Molecular Ecology</i> , 2013, 22, 5877-5889. | 2.0 | 21 |
| 2078 | Anticipating the consequences of climate change for Canada's boreal forest ecosystems. <i>Environmental Reviews</i> , 2013, 21, 322-365. | 2.1 | 414 |
| 2079 | Local genetic structure of a montane herb among isolated grassland patches: implications for the preservation of genetic diversity under climate change. <i>Population Ecology</i> , 2013, 55, 417-431. | 0.7 | 1 |
| 2080 | Geomorphological investigation of possible impact evidences for the crater-shaped structure of Zirouki in Samsour Desert, SE Iran. <i>Earth Science Informatics</i> , 2013, 6, 241-252. | 1.6 | 4 |
| 2081 | Cytogeography of <i>Cenchrus ciliaris</i> (Poaceae) in Tunisia. <i>Folia Geobotanica</i> , 2013, 48, 95-113. | 0.4 | 18 |
| 2082 | Effect of temperature and light on seed germination of <i>Erysimum naxense</i> and <i>Erysimum krendlii</i> . <i>Open Life Sciences</i> , 2013, 8, 1194-1203. | 0.6 | 5 |
| 2083 | Characterizing uncertainty in species distribution models derived from interpolated weather station data. <i>Ecosphere</i> , 2013, 4, 1-17. | 1.0 | 26 |
| 2084 | Patterns of species diversity and phylogenetic structure of vascular plants on the Qinghai-Tibetan Plateau. <i>Ecology and Evolution</i> , 2013, 3, 4584-4595. | 0.8 | 70 |
| 2085 | Evolution under changing climates: climatic niche stasis despite rapid evolution in a non-native plant. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131446. | 1.2 | 39 |
| 2086 | Assessing the level of plant invasion: A multi-scale approach based on vegetation plots. <i>Plant Biosystems</i> , 2013, 147, 1148-1162. | 0.8 | 31 |
| 2087 | Spatial modelling of Arctic plant diversity. <i>Biodiversity</i> , 2013, 14, 67-78. | 0.5 | 8 |
| 2088 | Distribution range and ecological niche of <i>Primula marginata</i> Curtis (Primulaceae). <i>Plant Biosystems</i> , 2013, 147, 593-600. | 0.8 | 6 |
| 2089 | Modelling global-scale potential grassland changes in spatio-temporal patterns to global climate change. <i>International Journal of Sustainable Development and World Ecology</i> , 2013, 20, 83-96. | 3.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2090 | Climate Change Vulnerability Assessment of Rare Plants in California. <i>Madroño</i> , 2013, 60, 193-210. | 0.3 | 43 |
| 2091 | Taxonomy, Distribution and Ecological Niche Models of the Afrotropical Platynotoid Platynotina (Tenebrionidae: Pedinini). <i>Annales Zoologici</i> , 2013, 63, 653-733. | 0.1 | 5 |
| 2092 | Patterns of North American Fern and Lycophyte Richness at Three Taxonomic Levels. <i>American Fern Journal</i> , 2013, 103, 193-214. | 0.2 | 5 |
| 2093 | Legumes in Chinese Natural Grasslands: Species, Biomass, and Distribution. <i>Rangeland Ecology and Management</i> , 2013, 66, 648-656. | 1.1 | 17 |
| 2094 | Effects of variable selection on modelling habitat and potential distribution of the Andean bear in Bolivia. <i>Ursus</i> , 2013, 24, 127-138. | 0.3 | 44 |
| 2095 | Crossing the Fence? Buffelgrass (<i>Cenchrus ciliaris</i> L.) Spreading along the Coastal Scrub of Baja California, Mexico. <i>Southwestern Naturalist</i> , 2013, 58, 370-375. | 0.1 | 1 |
| 2096 | Presence"absence"versus"i>invasive status data for modelling potential distribution of invasive plants: Saltcedar in Argentina. <i>Ecoscience</i> , 2013, 20, 161-171. | 0.6 | 7 |
| 2097 | Factors Affecting the Goldcrest/Firecrest Abundance Ratio in Their Area of Sympatry. <i>Annales Zoologici Fennici</i> , 2013, 50, 333. | 0.2 | 3 |
| 2098 | Intraspecific variation buffers projected climate change impacts on <i>Pinus contorta</i> . <i>Ecology and Evolution</i> , 2013, 3, 437-449. | 0.8 | 97 |
| 2099 | From Cattle to Corn: Attributes of Emerging Farming Systems of Former Pastoral Nomads in East Pokot, Kenya. <i>Society and Natural Resources</i> , 2013, 26, 1478-1490. | 0.9 | 32 |
| 2100 | Are species' responses to global change predicted by past niche evolution?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120091. | 1.8 | 83 |
| 2101 | Climate change may cause severe loss in the economic value of European forest land. <i>Nature Climate Change</i> , 2013, 3, 203-207. | 8.1 | 744 |
| 2102 | Climate change, wine, and conservation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6907-6912. | 3.3 | 571 |
| 2103 | Space can substitute for time in predicting climate-change effects on biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9374-9379. | 3.3 | 551 |
| 2104 | Jewel Scarabs (<i>Chrysina</i> sp.) in Honduras: Key Species for Cloud Forest Conservation Monitoring?. <i>Journal of Insect Science</i> , 2013, 13, 1-18. | 0.9 | 4 |
| 2105 | Forensic provenance investigations of soil and sediment samples. <i>Geological Society Special Publication</i> , 2013, 384, 9-25. | 0.8 | 10 |
| 2106 | Variation in wood color among natural populations of five tree and shrub species in the Sahelian and Sudanian ecozones of Mali. <i>Canadian Journal of Forest Research</i> , 2013, 43, 552-562. | 0.8 | 15 |
| 2107 | Niche breadth, environmental landscape, and physical barriers: their importance as determinants of species distributions. <i>Biological Journal of the Linnean Society</i> , 2013, 108, 241-250. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2108 | Continental-scale conservation prioritization of African dragonflies. <i>Biological Conservation</i> , 2013, 157, 245-254. | 1.9 | 35 |
| 2109 | Ecology of Anopheline Mosquitoes (Diptera: Culicidae) in the Central Atlantic Forest Biodiversity Corridor, Southeastern Brazil. <i>Journal of Medical Entomology</i> , 2013, 50, 24-30. | 0.9 | 10 |
| 2110 | Scaling species richness and endemism of tropical dry forests on oceanic islands. <i>Diversity and Distributions</i> , 2013, 19, 896-906. | 1.9 | 24 |
| 2111 | Exceptionally poor land snail fauna of central Yakutia (NE Russia): climatic and habitat determinants of species richness. <i>Polar Biology</i> , 2013, 36, 185-191. | 0.5 | 20 |
| 2112 | Predicting the potential distribution of <i>Vexillata</i> (Nematoda: Ornithostrongylidae) and its hosts (Mammalia: Rodentia) within America. <i>Journal of Helminthology</i> , 2013, 87, 400-408. | 0.4 | 3 |
| 2113 | DIVERSITY AND NICHE EVOLUTION ALONG ARIDITY GRADIENTS IN NORTH AMERICAN LIZARDS (PHRYNOSOMATIDAE). <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 1715-1728. | 1.1 | 95 |
| 2114 | New developments and applications in the ANUCLIM spatial climatic and bioclimatic modelling package. <i>Environmental Modelling and Software</i> , 2013, 40, 267-279. | 1.9 | 126 |
| 2115 | Colonization of vegetation-rich moraines and inference of multiple sources of colonization in the High Arctic for <i>Salix arctica</i> . <i>Conservation Genetics</i> , 2013, 14, 223-229. | 0.8 | 2 |
| 2116 | Genetic diversity and population structure in the rare <i>Algodones</i> sunflower (<i>Helianthus niveus</i> ssp.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> | 0.8 | 12 |
| 2117 | Environmental correlates of anuran beta diversity in the Brazilian Cerrado. <i>Ecography</i> , 2013, 36, 708-717. | 2.1 | 26 |
| 2118 | Compositional patterns in Holarctic peat bog inhabiting oribatid mite (Acari: Oribatida) communities. <i>Pedobiologia</i> , 2013, 56, 41-48. | 0.5 | 25 |
| 2119 | How should we grow cities to minimize their biodiversity impacts?. <i>Global Change Biology</i> , 2013, 19, 401-410. | 4.2 | 167 |
| 2120 | Geographic and ecological analysis of the Bearded Wood Partridge <i>Dendrortyx barbatus</i> : some insights on its conservation status. <i>Bird Conservation International</i> , 2013, 23, 371-385. | 0.7 | 10 |
| 2121 | eHabitat, a multi-purpose Web Processing Service for ecological modeling. <i>Environmental Modelling and Software</i> , 2013, 41, 123-133. | 1.9 | 47 |
| 2122 | Northern richness and southern poverty: contrasting genetic footprints of glacial refugia in the relictual tree <i>Sciadopitys verticillata</i> (Coniferales: Sciadopityaceae). <i>Biological Journal of the Linnean Society</i> , 2013, 108, 263-277. | 0.7 | 16 |
| 2123 | What determines biogeographical ranges? Historical wanderings and ecological constraints in the danthonioid grasses. <i>Journal of Biogeography</i> , 2013, 40, 821-834. | 1.4 | 43 |
| 2124 | Systematic, large-scale national biodiversity surveys: $N \propto M^{\alpha}$ as a model for tropical regions. <i>Diversity and Distributions</i> , 2013, 19, 215-231. | 1.9 | 13 |
| 2125 | An exploration of species boundaries in turret-building tarantulas of the Mojave Desert (Araneae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.2</i> | 1.2 | 68 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2126 | Coupling ordination techniques and <sc>GAM</sc> to spatially predict vegetation assemblages along a climatic gradient in an <sc>ENSO</sc>-affected region of extremely high climate variability. <i>Journal of Vegetation Science</i> , 2013, 24, 1154-1166. | 1.1 | 21 |
| 2127 | Human-environment interactions in pre-Columbian Amazonia: The case of the Llanos de Moxos, Bolivia. <i>Quaternary International</i> , 2013, 312, 109-119. | 0.7 | 43 |
| 2128 | The past, present and potential future distributions of cold-adapted bird species. <i>Diversity and Distributions</i> , 2013, 19, 352-362. | 1.9 | 26 |
| 2129 | Beta-diversity in temperate and tropical forests reflects dissimilar mechanisms of community assembly. <i>Ecology Letters</i> , 2013, 16, 151-157. | 3.0 | 370 |
| 2130 | Ecological niche structure and rangewide abundance patterns of species. <i>Biology Letters</i> , 2013, 9, 20120637. | 1.0 | 210 |
| 2131 | The size of savannah Africa: a lion's (Panthera leo) view. <i>Biodiversity and Conservation</i> , 2013, 22, 17-35. | 1.2 | 280 |
| 2132 | Geometric morphometrics on Greek house mouse populations (<i>Mus musculus domesticus</i>) with Robertsonian and all-acrocentric chromosomal arrangements. <i>Mammalian Biology</i> , 2013, 78, 241-250. | 0.8 | 2 |
| 2133 | Effects of climate change on species distribution, community structure, and conservation of birds in protected areas in Colombia. <i>Regional Environmental Change</i> , 2013, 13, 235-248. | 1.4 | 107 |
| 2134 | Defining spatial conservation priorities in the face of land-use and climate change. <i>Biological Conservation</i> , 2013, 158, 248-257. | 1.9 | 158 |
| 2135 | Potential risk map for avian influenza <sc>A</sc> virus invading <sc>J</sc>apan. <i>Diversity and Distributions</i> , 2013, 19, 78-85. | 1.9 | 23 |
| 2136 | Late Pleistocene species distribution modelling of North Atlantic intertidal invertebrates. <i>Journal of Biogeography</i> , 2013, 40, 249-260. | 1.4 | 40 |
| 2137 | Post-glacial dispersal, rather than <i>in situ</i> glacial survival, best explains the disjunct distribution of the Lusitanian plant species <i>Daboecia cantabrica</i> (Ericaceae). <i>Journal of Biogeography</i> , 2013, 40, 335-344. | 1.4 | 39 |
| 2138 | You're so vein: bundle sheath physiology, phylogeny and evolution in C3 and C4 plants. <i>Plant, Cell and Environment</i> , 2013, 36, 249-261. | 2.8 | 125 |
| 2139 | Stochastic and deterministic drivers of spatial and temporal turnover in breeding bird communities. <i>Global Ecology and Biogeography</i> , 2013, 22, 202-212. | 2.7 | 121 |
| 2140 | Estimates of soil carbon concentration in tropical and temperate forest and woodland from available <sc>GIS</sc> data on three continents. <i>Global Ecology and Biogeography</i> , 2013, 22, 461-469. | 2.7 | 24 |
| 2141 | The significance of modern diatoms as paleoenvironmental indicators along an altitudinal gradient in the Andean piedmont of central Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 369, 349-360. | 1.0 | 12 |
| 2142 | Significance of pre-Quaternary climate change for montane species diversity: Insights from Asian salamanders (Salamandridae: Pachytriton). <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 380-390. | 1.2 | 36 |
| 2143 | Inferring the effects of past climate fluctuations on the distribution pattern of Iranolacerta (Reptilia, Tj ETQq1 1 0.784314 rgBT /Over Anzeiger, 2013, 252, 141-148. | 0.4 | 43 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2144 | Climate-change impacts on understory bamboo species and giant pandas in China's Qinling Mountains. <i>Nature Climate Change</i> , 2013, 3, 249-253. | 8.1 | 135 |
| 2145 | Modelling potential impacts of climate change on the bioclimatic envelope and conservation of the Maned Wolf (<i>Chrysocyon brachyurus</i>). <i>Mammalian Biology</i> , 2013, 78, 41-49. | 0.8 | 20 |
| 2146 | Association of environmental traits with the geographic ranges of ticks (Acari: Ixodidae) of medical and veterinary importance in the western Palearctic. A digital data set. <i>Experimental and Applied Acarology</i> , 2013, 59, 351-366. | 0.7 | 87 |
| 2147 | Effects of late quaternary climate change on Palearctic shrews. <i>Global Change Biology</i> , 2013, 19, 1865-1874. | 4.2 | 24 |
| 2148 | Phylogeographic structure is strong in the Atlantic Forest; predictive power of correlative paleodistribution models, not always. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2013, 51, 114-121. | 0.6 | 34 |
| 2149 | Phylogenetic structure of vertebrate communities across the Australian arid zone. <i>Journal of Biogeography</i> , 2013, 40, 1059-1070. | 1.4 | 28 |
| 2150 | Divergent and narrower climatic niches characterize polyploid species of European primroses in <i>Primula</i> sect. <i>Aleuritia</i> . <i>Journal of Biogeography</i> , 2013, 40, 1278-1289. | 1.4 | 90 |
| 2151 | The Giant African Snail, <i>Achatina fulica</i> (Gastropoda: Achatinidae): Using Bioclimatic Models to Identify South American Areas Susceptible to Invasion. <i>American Malacological Bulletin</i> , 2013, 31, 39-50. | 0.2 | 34 |
| 2152 | Life history constraints in grassland plant species: a growth-defence tradeoff is the norm. <i>Ecology Letters</i> , 2013, 16, 513-521. | 3.0 | 165 |
| 2153 | Postglacial recolonization history of the European crabapple (<i>Malus sylvestris</i>). <i>Journal of Biogeography</i> , 2013, 40, 2249-2263. | 2.0 | 86 |
| 2154 | Association of elevation, urbanization and ambient temperature with obesity prevalence in the United States. <i>International Journal of Obesity</i> , 2013, 37, 1407-1412. | 1.6 | 124 |
| 2155 | Development of a cost-effective diversity-maximising decision-support tool for in situ crop genetic resources conservation: The case of cacao. <i>Ecological Economics</i> , 2013, 96, 155-164. | 2.9 | 8 |
| 2156 | Will climate change drive alien invasive plants into areas of high protection value? An improved model-based regional assessment to prioritise the management of invasions. <i>Journal of Environmental Management</i> , 2013, 131, 185-195. | 3.8 | 68 |
| 2157 | Impact of climate and drought events on the growth of Scots pine (<i>Pinus sylvestris</i> L.) provenances. <i>Forest Ecology and Management</i> , 2013, 307, 30-42. | 1.4 | 93 |
| 2158 | Population structure of the widespread species, <i>Anogeissus leiocarpa</i> (DC.) Guill. & Perr. across the climatic gradient in West Africa semi-arid area. <i>South African Journal of Botany</i> , 2013, 88, 286-295. | 1.2 | 23 |
| 2159 | Spatial and Temporal Characteristics of Rice Potential Productivity and Potential Yield Increment in Main Production Regions of China. <i>Journal of Integrative Agriculture</i> , 2013, 12, 45-56. | 1.7 | 22 |
| 2160 | Community structure and diversity of marine ascomycetes from coastal beaches of the southern Gulf of Mexico. <i>Fungal Ecology</i> , 2013, 6, 513-521. | 0.7 | 23 |
| 2161 | Identification and analysis of Crimean-Congo hemorrhagic fever virus from human sera in Tajikistan. <i>International Journal of Infectious Diseases</i> , 2013, 17, e1031-e1037. | 1.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2162 | Quantifying and mapping multiple ecosystem services change in West Africa. <i>Agriculture, Ecosystems and Environment</i> , 2013, 165, 6-18. | 2.5 | 304 |
| 2163 | Accounting for spatial autocorrelation from model selection to statistical inference: Application to a national survey of a diurnal raptor. <i>Ecological Informatics</i> , 2013, 14, 17-24. | 2.3 | 21 |
| 2164 | The Agricultural Model Intercomparison and Improvement Project (AgMIP): Protocols and pilot studies. <i>Agricultural and Forest Meteorology</i> , 2013, 170, 166-182. | 1.9 | 715 |
| 2165 | Hotspot and relationship identification in multiple landscape services: A case study on an area with intensive human activities. <i>Ecological Indicators</i> , 2013, 29, 529-537. | 2.6 | 87 |
| 2166 | Predicting impacts of climate change on medicinal asclepiads of Pakistan using Maxent modeling. <i>Acta Oecologica</i> , 2013, 49, 23-31. | 0.5 | 174 |
| 2167 | Clinal Variation and the Decoupling of Vegetative and Reproductive Characters in <i>Acisanthera</i> Section <i>Acisanthera</i> (Melastomataceae). <i>Harvard Papers in Botany</i> , 2013, 18, 157-172. | 0.1 | 4 |
| 2168 | Linking Life-History Traits, Ecology, and Niche Breadth Evolution in North American Eriogonoids (Polygonaceae). <i>American Naturalist</i> , 2013, 182, 760-774. | 1.0 | 24 |
| 2169 | Personality traits are related to ecology across a biological invasion. <i>Behavioral Ecology</i> , 2013, 24, 1081-1091. | 1.0 | 48 |
| 2170 | Carbon stocks in tropical forests decrease with liana density. <i>Biology Letters</i> , 2013, 9, 20130301. | 1.0 | 68 |
| 2171 | Environmental and historical imprints on beta diversity: insights from variation in rates of species turnover along gradients. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131201. | 1.2 | 145 |
| 2172 | Terrestrial Earth couple climateâ€“carbon spatial variability and uncertainty. <i>Global and Planetary Change</i> , 2013, 111, 9-30. | 1.6 | 2 |
| 2173 | What controls the spatial patterns of the riverine carbonate system? â€” A case study for North America. <i>Chemical Geology</i> , 2013, 337-338, 114-127. | 1.4 | 47 |
| 2174 | Declining moisture availability on the Antarctic Peninsula during the Late Eocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 383-384, 72-78. | 1.0 | 23 |
| 2175 | Seroprevalence and risk factors associated with zoonotic parasitic infections in small ruminants in the Greek temperate environment. <i>Parasitology International</i> , 2013, 62, 554-560. | 0.6 | 32 |
| 2176 | Assessing biome boundary shifts under climate change scenarios in India. <i>Ecological Indicators</i> , 2013, 34, 536-547. | 2.6 | 28 |
| 2177 | Paleo-climate of the central European uplands during the last glacial maximum based on glacier mass-balance modeling. <i>Quaternary Research</i> , 2013, 79, 49-54. | 1.0 | 62 |
| 2178 | Modelling olive phenological response to weather and topography. <i>Agriculture, Ecosystems and Environment</i> , 2013, 179, 62-68. | 2.5 | 66 |
| 2179 | Niche modelling for twelve plant species (six timber species and six palm trees) in the Amazon region, using collection and field survey data. <i>Forest Ecology and Management</i> , 2013, 310, 652-662. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2180 | A palynological insight into the Miocene aridification in the Eurasian interior. <i>Palaeoworld</i> , 2013, 22, 77-85. | 0.5 | 23 |
| 2181 | Relations between bioclimatic variables and endophyte colonization of grasses in Poland. <i>Fungal Ecology</i> , 2013, 6, 554-556. | 0.7 | 7 |
| 2182 | Estimating variation in stomatal frequency at intra-individual, intra-site, and inter-taxonomic levels in populations of the <i>Leonardoxa africana</i> (Fabaceae) complex over environmental gradients in Cameroon. <i>Comptes Rendus - Geoscience</i> , 2013, 345, 350-359. | 0.4 | 3 |
| 2183 | The groundwater recharge response and hydrologic services of tropical humid forest ecosystems to use and reforestation: Support for the "infiltration-evapotranspiration trade-off hypothesis". <i>Journal of Hydrology</i> , 2013, 498, 191-209. | 2.3 | 84 |
| 2184 | Pleistocene range dynamics in the eastern Greater Cape Floristic Region: A case study of the Little Karoo endemic <i>Berkheya cuneata</i> (Asteraceae). <i>South African Journal of Botany</i> , 2013, 88, 401-413. | 1.2 | 16 |
| 2185 | Colliding fragment islands transport independent lineages of endemic rock-crawlers (Grylloblattodea: Grylloblattidae) in the Japanese archipelago. <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 915-927. | 1.2 | 24 |
| 2186 | Soil carbon stocks vary predictably with altitude in tropical forests: Implications for soil carbon storage. <i>Geoderma</i> , 2013, 204-205, 59-67. | 2.3 | 99 |
| 2187 | Quantification of climate change for the last 20,000 years from Wonderkrater, South Africa: Implications for the long-term dynamics of the Intertropical Convergence Zone. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 386, 575-587. | 1.0 | 94 |
| 2188 | Spatially-explicit regional-scale prediction of soil organic carbon stocks in cropland using environmental variables and mixed model approaches. <i>Geoderma</i> , 2013, 204-205, 31-42. | 2.3 | 44 |
| 2189 | The Last Glacial Maximum at 44°S documented by a ¹⁰ Be moraine chronology at Lake Ohau, Southern Alps of New Zealand. <i>Quaternary Science Reviews</i> , 2013, 62, 114-141. | 1.4 | 143 |
| 2190 | Comment on "Burrough, S.E., Breman, E., and Dodd, C., 2012. Can phytoliths provide an insight into past vegetation of the Middle Kalahari paleolakes during the late Quaternary?" <i>Journal of Arid Environments</i> 82, 156-164". <i>Journal of Arid Environments</i> , 2013, 92, 113-116. | 1.2 | 3 |
| 2191 | Use of agro-climatic zones to upscale simulated crop yield potential. <i>Field Crops Research</i> , 2013, 143, 44-55. | 2.3 | 234 |
| 2192 | Climate controls on soil respired CO ₂ in the United States: Implications for 21st century chemical weathering rates in temperate and arid ecosystems. <i>Chemical Geology</i> , 2013, 358, 37-45. | 1.4 | 24 |
| 2193 | Sap flow and water use in African baobab (<i>Adansonia digitata</i> L.) seedlings in response to drought stress. <i>South African Journal of Botany</i> , 2013, 88, 438-446. | 1.2 | 26 |
| 2194 | Flushing phenology and fitness of European beech (<i>Fagus sylvatica</i> L.) provenances from a trial in La Rioja, Spain, segregate according to their climate of origin. <i>Agricultural and Forest Meteorology</i> , 2013, 180, 76-85. | 1.9 | 55 |
| 2195 | Selecting malaria interventions: A top-down approach. <i>Computers and Operations Research</i> , 2013, 40, 2229-2240. | 2.4 | 6 |
| 2196 | Legume diversity as indicator for botanical diversity on Sundaland, South East Asia. <i>South African Journal of Botany</i> , 2013, 89, 265-272. | 1.2 | 22 |
| 2197 | Palaeoclimate reconstruction based on pollen records from the Tangke and Riganqiao peat sections in the Zoige Plateau, China. <i>Quaternary International</i> , 2013, 286, 19-28. | 0.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2198 | A global-scale test for monsoon indices used in palaeoclimatic reconstruction. <i>Palaeoworld</i> , 2013, 22, 93-100. | 0.5 | 11 |
| 2199 | Biome-scale characterisation and differentiation of semi-arid and arid zone soil organic matter compositions using pyrolysis- ¹³ C/GC/MS analysis. <i>Geoderma</i> , 2013, 200-201, 189-201. | 2.3 | 34 |
| 2200 | Climate change, predictive modeling and lemur health: Assessing impacts of changing climate on health and conservation in Madagascar. <i>Biological Conservation</i> , 2013, 157, 409-422. | 1.9 | 54 |
| 2201 | The relationship between precipitation anomalies and satellite-derived vegetation activity in Central Asia. <i>Global and Planetary Change</i> , 2013, 110, 74-87. | 1.6 | 219 |
| 2202 | Effect of dead wood enrichment in the canopy and on the forest floor on beetle guild composition. <i>Forest Ecology and Management</i> , 2013, 302, 404-413. | 1.4 | 40 |
| 2203 | Modelling crop evapotranspiration and potential impacts on future water availability in the Indo-Gangetic Basin. <i>Agricultural Water Management</i> , 2013, 129, 163-172. | 2.4 | 10 |
| 2204 | Phylogeographic patterns of genetic diversity in the common spadefoot toad, <i>Pelobates fuscus</i> (Anura: Pelobatidae), reveals evolutionary history, postglacial range expansion and secondary contact. <i>Organisms Diversity and Evolution</i> , 2013, 13, 433-451. | 0.7 | 18 |
| 2205 | Palaeo-precipitation is a major determinant of palm species richness patterns across Madagascar: a tropical biodiversity hotspot. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20123048. | 1.2 | 45 |
| 2206 | Holocene fires, forest stability and human occupation in south-western Amazonia. <i>Journal of Biogeography</i> , 2013, 40, 521-533. | 1.4 | 59 |
| 2207 | Phylogeography of the Arizona hairy scorpion (<i>Hadrurus arizonensis</i>) supports a model of biotic assembly in the Mojave Desert and adds a new Pleistocene refugium. <i>Journal of Biogeography</i> , 2013, 40, 1298-1312. | 1.4 | 29 |
| 2208 | CORRELATION BETWEEN ANOLIS LIZARD DEWLAP PHENOTYPE AND ENVIRONMENTAL VARIATION INDICATES ADAPTIVE DIVERGENCE OF A SIGNAL IMPORTANT TO SEXUAL SELECTION AND SPECIES RECOGNITION. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 573-582. | 1.1 | 59 |
| 2209 | Role of adaptive and non-adaptive mechanisms forming complex patterns of genome size variation in six cytotypes of polyploid <i>Allium oleraceum</i> (Amaryllidaceae) on a continental scale. <i>Annals of Botany</i> , 2013, 111, 419-431. | 1.4 | 41 |
| 2210 | Large-scale genetic structure and drought-induced effects on European Scots pine (<i>Pinus sylvestris</i> L.) seedlings. <i>European Journal of Forest Research</i> , 2013, 132, 481-496. | 1.1 | 32 |
| 2211 | Biogeography of ectomycorrhizal fungi associated with alders (<i>Alnus</i> spp.) in relation to biotic and abiotic variables at the global scale. <i>New Phytologist</i> , 2013, 198, 1239-1249. | 3.5 | 191 |
| 2212 | A land cover map of Latin America and the Caribbean in the framework of the SERENA project. <i>Remote Sensing of Environment</i> , 2013, 132, 13-31. | 4.6 | 52 |
| 2213 | Niche conservatism in non-native birds in Europe: niche unfilling rather than niche expansion. <i>Global Ecology and Biogeography</i> , 2013, 22, 962-970. | 2.7 | 156 |
| 2214 | Effects of predator specialization, host plant and climate on biological control of aphids by natural enemies: a meta-analysis. <i>Journal of Applied Ecology</i> , 2013, 50, 262-270. | 1.9 | 74 |
| 2215 | Modeling plant species distributions under future climates: how fine scale do climate projections need to be?. <i>Global Change Biology</i> , 2013, 19, 473-483. | 4.2 | 289 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2216 | Environmental and physical controls on northern terrestrial methane emissions across permafrost zones. <i>Global Change Biology</i> , 2013, 19, 589-603. | 4.2 | 275 |
| 2217 | Towards an understanding of West African montane forest response to climate change. <i>Journal of Biogeography</i> , 2013, 40, 183-196. | 1.4 | 35 |
| 2218 | Precipitation rather than temperature influenced the phylogeography of the endemic shrub <i>A. narthrophyllum desideratum</i> in the Patagonian steppe. <i>Journal of Biogeography</i> , 2013, 40, 168-182. | 1.4 | 33 |
| 2219 | The Last Glacial Maximum distribution of South African subtropical thicket inferred from community distribution modelling. <i>Journal of Biogeography</i> , 2013, 40, 310-322. | 1.4 | 40 |
| 2220 | Opposing Mechanisms Drive Richness Patterns of Core and Transient Bird Species. <i>American Naturalist</i> , 2013, 181, E83-E90. | 1.0 | 49 |
| 2221 | National and regional determinants of tropical deforestation in Colombia. <i>Regional Environmental Change</i> , 2013, 13, 1181-1193. | 1.4 | 99 |
| 2222 | Thermal niches are more conserved at cold than warm limits in arctic-alpine plant species. <i>Global Ecology and Biogeography</i> , 2013, 22, 933-941. | 2.7 | 60 |
| 2223 | The effects of the Late Quaternary glacial-interglacial cycles on Anatolian ground squirrels: range expansion during the glacial periods?. <i>Biological Journal of the Linnean Society</i> , 2013, 109, 19-32. | 0.7 | 42 |
| 2224 | Niche breadth and range area in North American trees. <i>Ecography</i> , 2013, 36, 300-312. | 2.1 | 49 |
| 2225 | Habitat characterization and potential distribution of <i>Tylototriton vietnamensis</i> in northern Vietnam. <i>Journal of Natural History</i> , 2013, 47, 1161-1175. | 0.2 | 21 |
| 2226 | Global patterns of connectivity and isolation of populations of forest bird species in the late Pleistocene. <i>Global Ecology and Biogeography</i> , 2013, 22, 596-606. | 2.7 | 25 |
| 2227 | Monitoring land use and land cover change in mountain regions: An example in the Jalca grasslands of the Peruvian Andes. <i>Landscape and Urban Planning</i> , 2013, 112, 40-49. | 3.4 | 57 |
| 2228 | Diversification in a biodiversity hot spot: landscape correlates of phylogeographic patterns in the African spotted reed frog. <i>Molecular Ecology</i> , 2013, 22, 1947-1960. | 2.0 | 33 |
| 2229 | The molecular basis of invasiveness: differences in gene expression of native and introduced common ragweed (<i>Ambrosia artemisiifolia</i>) in stressful and benign environments. <i>Molecular Ecology</i> , 2013, 22, 2496-2510. | 2.0 | 70 |
| 2230 | A continental-scale analysis of fish assemblage functional structure in European rivers. <i>Ecography</i> , 2013, 36, 80-91. | 2.1 | 58 |
| 2231 | Linking Management Effectiveness Indicators to Observed Effects of Protected Areas on Fire Occurrence in the Amazon Rainforest. <i>Conservation Biology</i> , 2013, 27, 155-165. | 2.4 | 60 |
| 2232 | Geographic variation and the evolution of song in Mesoamerican rufous-naped wrens <i>Campylorhynchus rufinucha</i> . <i>Journal of Avian Biology</i> , 2013, 44, 027-038. | 0.6 | 20 |
| 2233 | Importance of regional climates for plant species distribution patterns in moist Afrotropical montane forest. <i>Journal of Vegetation Science</i> , 2013, 24, 553-568. | 1.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2234 | River islands, refugia and genetic structuring in the endemic brown frog <i>Rana kukunoris</i> (<i>Rana</i> spp.) of the Qinghai-Tibetan Plateau. <i>Molecular Ecology</i> , 2013, 22, 130-142. | 2.0 | 36 |
| 2235 | Biogeographic anomalies in the species richness of Chilean forests: Incorporating evolution into a climatic "historic scenario. <i>Austral Ecology</i> , 2013, 38, 905-914. | 0.7 | 22 |
| 2236 | The conflict between agricultural expansion and priority conservation areas: Making the right decisions before it is too late. <i>Biological Conservation</i> , 2013, 159, 507-513. | 1.9 | 44 |
| 2237 | A new spin on a compositionalist predictive modelling framework for conservation planning: A tropical case study in Ecuador. <i>Biological Conservation</i> , 2013, 160, 150-161. | 1.9 | 39 |
| 2238 | The impact of modelling choices in the predictive performance of richness maps derived from species distribution models: guidelines to build better diversity models. <i>Methods in Ecology and Evolution</i> , 2013, 4, 327-335. | 2.2 | 58 |
| 2239 | Vegetation diversity of salt-rich grasslands in Southeast Europe. <i>Applied Vegetation Science</i> , 2013, 16, 521-537. | 0.9 | 54 |
| 2240 | What determines the climatic niche width of species? The role of spatial and temporal climatic variation in three vertebrate clades. <i>Global Ecology and Biogeography</i> , 2013, 22, 422-432. | 2.7 | 81 |
| 2241 | Estimating patterns of reptile biodiversity in remote regions. <i>Journal of Biogeography</i> , 2013, 40, 1202-1211. | 1.4 | 66 |
| 2242 | Montane refugia predict population genetic structure in the <i>Large-blotched</i> salamander. <i>Molecular Ecology</i> , 2013, 22, 1650-1665. | 2.0 | 37 |
| 2243 | Complex Species Interactions Lead to Unpredictable Outcomes in <i>Plethodon</i> . <i>Herpetologica</i> , 2013, 69, 1-10. | 0.2 | 14 |
| 2244 | The impact of habitat fragmentation on the ecology of xenarthrans (Mammalia) in the Brazilian Cerrado. <i>Landscape Ecology</i> , 2013, 28, 259-269. | 1.9 | 20 |
| 2245 | Niche incumbency, dispersal limitation and climate shape geographical distributions in a species-rich island adaptive radiation. <i>Global Ecology and Biogeography</i> , 2013, 22, 391-402. | 2.7 | 39 |
| 2246 | Environmental steepness, tolerance gradient, and ecogeographical rules in glassfrogs (Anura: Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 262 | 0.7 | 13 |
| 2247 | Influence of macrohabitat preferences on the distribution of European brook and river lampreys: Implications for conservation and management. <i>Biological Conservation</i> , 2013, 159, 175-186. | 1.9 | 16 |
| 2248 | Are lizards feeling the heat? A tale of ecology and evolution under two temperatures. <i>Global Ecology and Biogeography</i> , 2013, 22, 834-845. | 2.7 | 116 |
| 2249 | Improving species distribution models using biotic interactions: a case study of parasites, pollinators and plants. <i>Ecography</i> , 2013, 36, 649-656. | 2.1 | 129 |
| 2250 | CartograTree: connecting tree genomes, phenotypes and environment. <i>Molecular Ecology Resources</i> , 2013, 13, 528-537. | 2.2 | 9 |
| 2251 | Potential geographical distribution of the red palm mite in South America. <i>Experimental and Applied Acarology</i> , 2013, 60, 343-355. | 0.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2252 | Invasive African clawed frog <i>Xenopus laevis</i> in southern South America: key factors and predictions. <i>Studies on Neotropical Fauna and Environment</i> , 2013, 48, 1-12. | 0.5 | 20 |
| 2253 | The complex history of the olive tree: from Late Quaternary diversification of Mediterranean lineages to primary domestication in the northern Levant. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122833. | 1.2 | 212 |
| 2254 | A multilocus phylogenetic analysis of <i>Escallonia</i> (Escalloniaceae): Diversification in montane South America. <i>American Journal of Botany</i> , 2013, 100, 526-545. | 0.8 | 17 |
| 2255 | A Forest Butterfly in Sahara Desert Oases: Isolation Does Not Matter. <i>Journal of Heredity</i> , 2013, 104, 234-247. | 1.0 | 16 |
| 2256 | Responses of Aquatic Insect Functional Diversity to Landscape Changes in Atlantic Forest. <i>Biotropica</i> , 2013, 45, 343-350. | 0.8 | 46 |
| 2257 | A high-resolution bioclimate map of the world: a unifying framework for global biodiversity research and monitoring. <i>Global Ecology and Biogeography</i> , 2013, 22, 630-638. | 2.7 | 245 |
| 2258 | Functional beta-diversity patterns reveal deterministic community assembly processes in eastern North American trees. <i>Global Ecology and Biogeography</i> , 2013, 22, 682-691. | 2.7 | 122 |
| 2259 | PERCHED AT THE MITO-NUCLEAR CROSSROADS: DIVERGENT MITOCHONDRIAL LINEAGES CORRELATE WITH ENVIRONMENT IN THE FACE OF ONGOING NUCLEAR GENE FLOW IN AN AUSTRALIAN BIRD. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 3412-3428. | 1.1 | 97 |
| 2260 | Contrasting leaf trait scaling relationships in tropical and temperate wet forest species. <i>Functional Ecology</i> , 2013, 27, 522-534. | 1.7 | 43 |
| 2261 | Quantifying island isolation – insights from global patterns of insular plant species richness. <i>Ecography</i> , 2013, 36, 417-429. | 2.1 | 142 |
| 2262 | Spatial heterogeneity of climate change in an Afromontane centre of endemism. <i>Ecography</i> , 2013, 36, 518-530. | 2.1 | 35 |
| 2263 | Classification of <i>Taiwan</i> forest vegetation. <i>Applied Vegetation Science</i> , 2013, 16, 698-719. | 0.9 | 106 |
| 2264 | Nonstationary effects of productivity, seasonality, and historical climate changes on global amphibian diversity. <i>Ecography</i> , 2013, 36, 104-113. | 2.1 | 59 |
| 2265 | Niche conservatism and the potential for the crayfish <i>Procambarus clarkii</i> to invade South America. <i>Freshwater Biology</i> , 2013, 58, 1379-1391. | 1.2 | 40 |
| 2266 | Insights from population genetics for range limits of a widely distributed native plant. <i>American Journal of Botany</i> , 2013, 100, 744-753. | 0.8 | 12 |
| 2267 | Maxent modeling for predicting the potential distribution of medicinal plant, <i>Justicia adhatoda</i> L. in Lesser Himalayan foothills. <i>Ecological Engineering</i> , 2013, 51, 83-87. | 1.6 | 423 |
| 2268 | Modelling distribution in European stream macroinvertebrates under future climates. <i>Global Change Biology</i> , 2013, 19, 752-762. | 4.2 | 159 |
| 2269 | Large-scale determinants of intestinal schistosomiasis and intermediate host snail distribution across Africa: does climate matter?. <i>Acta Tropica</i> , 2013, 128, 378-390. | 0.9 | 131 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2270 | Potential spread of recently naturalised plants in New Zealand under climate change. <i>Climatic Change</i> , 2013, 117, 919-931. | 1.7 | 11 |
| 2271 | Predicting the distribution of a novel bark beetle and its pine hosts under future climate conditions. <i>Agricultural and Forest Entomology</i> , 2013, 15, 212-226. | 0.7 | 7 |
| 2272 | The global distribution and burden of dengue. <i>Nature</i> , 2013, 496, 504-507. | 13.7 | 7,138 |
| 2273 | Climate influences the global distribution of sea turtle nesting. <i>Global Ecology and Biogeography</i> , 2013, 22, 555-566. | 2.7 | 89 |
| 2274 | Terrestrial water fluxes dominated by transpiration. <i>Nature</i> , 2013, 496, 347-350. | 13.7 | 966 |
| 2275 | Disparity in elevational shifts of European trees in response to recent climate warming. <i>Global Change Biology</i> , 2013, 19, 2490-2499. | 4.2 | 83 |
| 2276 | ECOLOGICAL CAUSES OF DECELERATING DIVERSIFICATION IN CARNIVORAN MAMMALS. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2423-2433. | 1.1 | 23 |
| 2277 | Species distribution models predict range expansion better than chance but not better than a simple dispersal model. <i>Ecological Modelling</i> , 2013, 256, 1-5. | 1.2 | 18 |
| 2278 | Rediscovery of a long-lost lark reveals the conspecificity of endangered <i>Heteromirafra</i> populations in the Horn of Africa. <i>Journal of Ornithology</i> , 2013, 154, 813-825. | 0.5 | 13 |
| 2279 | Distribution of <i>Lyncodon patagonicus</i> (Carnivora, Mustelidae): changes from the Last Glacial Maximum to the present. <i>Journal of Mammalogy</i> , 2013, 94, 339-350. | 0.6 | 16 |
| 2280 | Origin and fate of the single-island endemic moss <i>Orthotrichum handiense</i> . <i>Journal of Biogeography</i> , 2013, 40, 857-868. | 1.4 | 27 |
| 2281 | Integrative taxonomy and conservation of cryptic beetles in the Mediterranean region (Hydrophilidae). <i>Zoologica Scripta</i> , 2013, 42, 182-200. | 0.7 | 34 |
| 2282 | Population responses of small mammals to food supply and predators: a global meta-analysis. <i>Journal of Animal Ecology</i> , 2013, 82, 927-936. | 1.3 | 87 |
| 2283 | Role of environmental, historical and spatial processes in the structure of Neotropical primate communities: contrasting taxonomic and phylogenetic perspectives. <i>Global Ecology and Biogeography</i> , 2013, 22, 607-619. | 2.7 | 19 |
| 2284 | Genetic and ecological differences between two Utah endemics: US federally threatened <i>Townsendia aprica</i> and its close congener, <i>T. jonesii</i> var. <i>lutea</i> (Asteraceae). <i>Botany</i> , 2013, 91, 242-250. | 0.5 | 0 |
| 2285 | Females are the ecological sex: Sex-specific body mass ecogeography in wild sifaka populations (<i>Propithecus</i> spp.). <i>American Journal of Physical Anthropology</i> , 2013, 151, 77-87. | 2.1 | 19 |
| 2286 | Rapid lizard radiation lacking niche conservatism: ecological diversification within a complex landscape. <i>Journal of Biogeography</i> , 2013, 40, 1807-1818. | 1.4 | 61 |
| 2287 | EVOLUTION OF VIVIPARITY: A PHYLOGENETIC TEST OF THE COLD-CLIMATE HYPOTHESIS IN PHRYNOSOMATID LIZARDS. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2614-2630. | 1.1 | 61 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2288 | Water-use efficiency and whole-plant performance of nine tropical tree species at two sites with contrasting water availability in Panama. <i>Trees - Structure and Function</i> , 2013, 27, 639-653. | 0.9 | 25 |
| 2289 | Molecular evidence for the origin and evolutionary history of the rare American desert monotypic family <i>Setchellanthaceae</i> . <i>Organisms Diversity and Evolution</i> , 2013, 13, 485-496. | 0.7 | 8 |
| 2290 | Projected latitudinal and regional changes in vascular plant diversity through climate change: short-term gains and longer-term losses. <i>Biodiversity and Conservation</i> , 2013, 22, 1467-1483. | 1.2 | 6 |
| 2291 | Disentangling the effects of global climate and regional land-use change on the current and future distribution of mangroves in South Africa. <i>Biodiversity and Conservation</i> , 2013, 22, 1369-1390. | 1.2 | 45 |
| 2292 | Dangers of using global bioclimatic datasets for ecological niche modeling. Limitations for future climate projections. <i>Global and Planetary Change</i> , 2013, 107, 1-12. | 1.6 | 94 |
| 2293 | Body size variation across climatic gradients and sexual size dimorphism in <i>Tropidurinae</i> lizards. <i>Journal of Zoology</i> , 2013, 290, 192-198. | 0.8 | 19 |
| 2294 | Spatial range shape drives the grain size effects in species distribution models. <i>Ecography</i> , 2013, 36, 778-787. | 2.1 | 17 |
| 2295 | Evaluating the combined threat of climate change and biological invasions on endangered species. <i>Biological Conservation</i> , 2013, 160, 225-233. | 1.9 | 101 |
| 2296 | Using the palaeontological record of <i>Microtus</i> to test species distribution models and reveal responses to climate change. <i>Journal of Biogeography</i> , 2013, 40, 1490-1500. | 1.4 | 36 |
| 2297 | Dispersal modes affect tropical forest assembly across trophic levels. <i>Ecography</i> , 2013, 36, 984-993. | 2.1 | 21 |
| 2298 | Interactions at large spatial scale: The case of <i>Centris</i> bees and floral oil producing plants in South America. <i>Ecological Modelling</i> , 2013, 258, 74-81. | 1.2 | 16 |
| 2299 | First assessment of effects of global change on threatened spiders: Potential impacts on <i>Dolomedes plantarius</i> (Clerck) and its conservation plans. <i>Biological Conservation</i> , 2013, 161, 155-163. | 1.9 | 34 |
| 2300 | Recent allopatric divergence and niche evolution in a widespread Palearctic bird, the common rosefinch (<i>Carpodacus erythrinus</i>). <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 103-111. | 1.2 | 17 |
| 2301 | Evolutionary response to Quaternary climate aridification and oscillations in north-western China revealed by chloroplast phylogeography of the desert shrub <i>Nitraria sphaerocarpa</i> (Nitrariaceae). <i>Biological Journal of the Linnean Society</i> , 2013, 109, 757-770. | 0.7 | 39 |
| 2302 | Habitat quality and population density drive occupancy dynamics of snowshoe hare in variegated landscapes. <i>Ecography</i> , 2013, 36, 610-621. | 2.1 | 21 |
| 2303 | High-resolution temperature responses of leaf respiration in snow gum (<i>Eucalyptus</i>). <i>Tree Physiology</i> , 2013, 36, 1268-1284. | 2.8 | 107 |
| 2304 | Radically different phylogeographies and patterns of genetic variation in two European brown frogs, genus <i>Rana</i> . <i>Molecular Phylogenetics and Evolution</i> , 2013, 68, 657-670. | 1.2 | 56 |
| 2305 | Land Use Explains the Distribution of Threatened New World Amphibians Better than Climate. <i>PLoS ONE</i> , 2013, 8, e60742. | 1.1 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2306 | Species loss and gain in communities under future climate change: consequences for functional diversity. <i>Ecography</i> , 2013, 36, 531-540. | 2.1 | 74 |
| 2307 | Extinction risk in cloud forest fragments under climate change and habitat loss. <i>Diversity and Distributions</i> , 2013, 19, 518-529. | 1.9 | 59 |
| 2308 | Selecting from correlated climate variables: a major source of uncertainty for predicting species distributions under climate change. <i>Ecography</i> , 2013, 36, 971-983. | 2.1 | 234 |
| 2309 | Multiscale Factors Influencing Distribution of the Eastern Hellbender Salamander (<i>Cryptobranchus alleganiensis alleganiensis</i>) in the Northern Segment of Its Range. <i>Journal of Herpetology</i> , 2013, 47, 78-84. | 0.2 | 27 |
| 2310 | Uncertainties in coupled species distribution and metapopulation dynamics models for risk assessments under climate change. <i>Diversity and Distributions</i> , 2013, 19, 541-554. | 1.9 | 37 |
| 2311 | Site- and species-specific responses of forest growth to climate across the European continent. <i>Global Ecology and Biogeography</i> , 2013, 22, 706-717. | 2.7 | 297 |
| 2312 | Should species distribution models account for spatial autocorrelation? A test of model projections across eight millennia of climate change. <i>Global Ecology and Biogeography</i> , 2013, 22, 760-771. | 2.7 | 67 |
| 2313 | Congruence between distribution modelling and phylogeographical analyses reveals Quaternary survival of a toadflax species (<i>Linnaria elegans</i>) in oceanic climate areas of a mountain ring range. <i>New Phytologist</i> , 2013, 198, 1274-1289. | 3.5 | 46 |
| 2314 | Vessel diameter and stem diameter scaling across woody angiosperms and the ecological causes of xylem vessel diameter variation. <i>New Phytologist</i> , 2013, 197, 1204-1213. | 3.5 | 141 |
| 2315 | Quaternary refugia in southwestern Iran: insights from two sympatric moth species (Insecta.) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i> | 0.7 | 39 |
| 2316 | Ecological niche modeling of the invasive potential of Nile tilapia <i>Oreochromis niloticus</i> in African river systems: concerns and implications for the conservation of indigenous congeners. <i>Biological Invasions</i> , 2013, 15, 1507-1521. | 1.2 | 47 |
| 2317 | DETERMINISM IN THE DIVERSIFICATION OF HISPANIOLAN TRUNK-GROUND ANOLES (<i>ANOLIS</i>) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 1</i> 3175-3190. | 1.1 | 29 |
| 2318 | Oil palm plantations in Colombia: a model of future expansion. <i>Environmental Science and Policy</i> , 2013, 27, 172-183. | 2.4 | 149 |
| 2319 | Adaptive radiation in miniature: the minute salamanders of the Mexican highlands (Amphibia.) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i> | 0.7 | 38 |
| 2320 | Asian origin and upslope migration of Hawaiian <i>Artemisia</i> (Compositae "Anthemideae). <i>Journal of Biogeography</i> , 2013, 40, 442-454. | 1.4 | 40 |
| 2321 | Soil-transmitted helminth infection in South America: a systematic review and geostatistical meta-analysis. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 507-518. | 4.6 | 139 |
| 2322 | Losing ground: past history and future fate of Arctic small mammals in a changing climate. <i>Global Change Biology</i> , 2013, 19, 1854-1864. | 4.2 | 46 |
| 2323 | Speciation in Caucasian lizards: climatic dissimilarity of the habitats is more important than isolation time. <i>Biological Journal of the Linnean Society</i> , 2013, 109, 876-892. | 0.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2324 | Invasion of Old World <i>Phragmites australis</i> in the New World: precipitation and temperature patterns combined with human influences redesign the invasive niche. <i>Global Change Biology</i> , 2013, 19, 3406-3422. | 4.2 | 59 |
| 2325 | A practical guide to MaxEnt for modeling species' distributions: what it does, and why inputs and settings matter. <i>Ecography</i> , 2013, 36, 1058-1069. | 2.1 | 2,361 |
| 2326 | Assemblages of bats are phylogenetically clustered on a regional scale. <i>Basic and Applied Ecology</i> , 2013, 14, 74-80. | 1.2 | 16 |
| 2327 | Phylogeographic diversification of antelope squirrels (<i>Ammospermophilus</i>) across North American deserts. <i>Biological Journal of the Linnean Society</i> , 2013, 109, 949-967. | 0.7 | 27 |
| 2328 | Spatial variation in bird species abundances: Environmental constraints across southern Neotropical regions. <i>Basic and Applied Ecology</i> , 2013, 14, 263-270. | 1.2 | 4 |
| 2329 | Abiotic correlates of bee diversity and composition along eastern Neotropics. <i>Apidologie</i> , 2013, 44, 547-562. | 0.9 | 6 |
| 2330 | Whole-community DNA barcoding reveals a spatio-temporal continuum of biodiversity at species and genetic levels. <i>Nature Communications</i> , 2013, 4, 1892. | 5.8 | 71 |
| 2331 | Improving 30m global land-cover map FROM-GLC with time series MODIS and auxiliary data sets: a segmentation-based approach. <i>International Journal of Remote Sensing</i> , 2013, 34, 5851-5867. | 1.3 | 146 |
| 2332 | How heterogeneous are the cloud forest communities in the mountains of central Veracruz, Mexico?. <i>Plant Ecology</i> , 2013, 214, 685-701. | 0.7 | 60 |
| 2333 | How does selection of climate variables affect predictions of species distributions? A case study of three new weeds in New Zealand. <i>Weed Research</i> , 2013, 53, 259-268. | 0.8 | 29 |
| 2334 | Do alien plant species profit more from high resource supply than natives? A trait-based analysis. <i>Global Ecology and Biogeography</i> , 2013, 22, 648-658. | 2.7 | 97 |
| 2335 | The impact of the American mink (<i>Neovison vison</i>) on native vertebrates in mountainous streams in Central Spain. <i>European Journal of Wildlife Research</i> , 2013, 59, 823-831. | 0.7 | 12 |
| 2336 | Vegetation-environment relationships in alpine mires of the West Carpathians and the Alps. <i>Journal of Vegetation Science</i> , 2013, 24, 1118-1128. | 1.1 | 16 |
| 2337 | Functional Extinction of Birds Drives Rapid Evolutionary Changes in Seed Size. <i>Science</i> , 2013, 340, 1086-1090. | 6.0 | 560 |
| 2338 | Genetic divergence within frog species is greater in topographically more complex regions. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2013, 51, 333-340. | 0.6 | 35 |
| 2339 | Calling behaviour under climate change: geographical and seasonal variation of calling temperatures in ectotherms. <i>Global Change Biology</i> , 2013, 19, 2655-2674. | 4.2 | 56 |
| 2340 | Geological and ecological factors drive cryptic speciation of yews in a biodiversity hotspot. <i>New Phytologist</i> , 2013, 199, 1093-1108. | 3.5 | 236 |
| 2341 | Derivation of a household-level vulnerability index for empirically testing measures of adaptive capacity and vulnerability. <i>Regional Environmental Change</i> , 2013, 13, 459-470. | 1.4 | 56 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2342 | Informing conservation units: barriers to dispersal for the yellow anaconda. <i>Diversity and Distributions</i> , 2013, 19, 1164-1174. | 1.9 | 12 |
| 2343 | Integrating ensemble species distribution modelling and statistical phylogeography to inform projections of climate change impacts on species distributions. <i>Diversity and Distributions</i> , 2013, 19, 1480-1495. | 1.9 | 86 |
| 2344 | Modelling the past and future distribution of contracting species. The Iberian lizard <i>Podarcis carbonelli</i> (Squamata: Lacertidae) as a case study. <i>Zoologischer Anzeiger</i> , 2013, 252, 289-298. | 0.4 | 35 |
| 2345 | Quaternary range and demographic expansion of <i>Lioiaemus darwini</i> (Squamata: Lioiidae) in the Monte Desert of Central Argentina using Bayesian phylogeography and ecological niche modelling. <i>Molecular Ecology</i> , 2013, 22, 4038-4054. | 2.0 | 33 |
| 2346 | When east meets west: population structure of a high-latitude resident species, the boreal chickadee (<i>Poecile hudsonicus</i>). <i>Heredity</i> , 2013, 111, 321-329. | 1.2 | 33 |
| 2347 | How Far Could the Alien Boatman <i>Trichocorixa verticalis verticalis</i> Spread? Worldwide Estimation of Its Current and Future Potential Distribution. <i>PLoS ONE</i> , 2013, 8, e59757. | 1.1 | 28 |
| 2348 | Predicting potential distribution of <i>Quercus suber</i> in Italy based on ecological niche models: Conservation insights and reforestation involvements. <i>Forest Ecology and Management</i> , 2013, 304, 150-161. | 1.4 | 53 |
| 2349 | Size and sex matter: reproductive biology and determinants of offspring survival in <i>Gazella marica</i> . <i>Biological Journal of the Linnean Society</i> , 2013, 110, 116-127. | 0.7 | 6 |
| 2350 | Do protected areas represent species' optimal climatic conditions? A test using Iberian water beetles. <i>Diversity and Distributions</i> , 2013, 19, 1407-1417. | 1.9 | 30 |
| 2351 | Predictive Mapping of Species Richness and Plant Species' Distributions of a Peruvian Fog Oasis Along an Altitudinal Gradient. <i>Biotropica</i> , 2013, 45, 557-566. | 0.8 | 17 |
| 2352 | Compositional shifts in Costa Rican forests due to climate-driven species migrations. <i>Global Change Biology</i> , 2013, 19, 3472-3480. | 4.2 | 87 |
| 2353 | Population expansion, isolation and selection: novel insights on the evolution of color diversity in the strawberry poison frog. <i>Evolutionary Ecology</i> , 2013, 27, 797-824. | 0.5 | 39 |
| 2354 | Constraints on interpretation of ecological niche models by limited environmental ranges on calibration areas. <i>Ecological Modelling</i> , 2013, 263, 10-18. | 1.2 | 459 |
| 2355 | Rates of projected climate change dramatically exceed past rates of climatic niche evolution among vertebrate species. <i>Ecology Letters</i> , 2013, 16, 1095-1103. | 3.0 | 270 |
| 2356 | Amazonian species within the Cerrado savanna: new records and potential distribution for <i>Aglae caerulea</i> (Apidae: Euglossini). <i>Apidologie</i> , 2013, 44, 673-683. | 0.9 | 41 |
| 2357 | Modelling Niche Differentiation of Co-Existing, Elusive and Morphologically Similar Species: A Case Study of Four Macaque Species in Nakai-Nam Theun National Protected Area, Laos. <i>Animals</i> , 2013, 3, 45-62. | 1.0 | 14 |
| 2358 | Predicted range shifts in North American boreal forest birds and the effect of climate change on genetic diversity in blackpoll warblers (<i>Setophaga striata</i>). <i>Conservation Genetics</i> , 2013, 14, 543-555. | 0.8 | 24 |
| 2359 | Identifying the World's Most Climate Change Vulnerable Species: A Systematic Trait-Based Assessment of all Birds, Amphibians and Corals. <i>PLoS ONE</i> , 2013, 8, e65427. | 1.1 | 719 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2360 | Life-history traits and extrinsic threats determine extinction risk in New Zealand lizards. <i>Biological Conservation</i> , 2013, 165, 62-68. | 1.9 | 85 |
| 2361 | The importance of correcting for sampling bias in MaxEnt species distribution models. <i>Diversity and Distributions</i> , 2013, 19, 1366-1379. | 1.9 | 836 |
| 2362 | Time stress and temperature explain continental variation in damselfly body size. <i>Ecography</i> , 2013, 36, 894-903. | 2.1 | 28 |
| 2364 | Do the elevational limits of deciduous tree species match their thermal latitudinal limits?. <i>Global Ecology and Biogeography</i> , 2013, 22, 913-923. | 2.7 | 52 |
| 2365 | The projected impact of climate and land use change on plant diversity: An example from West Africa. <i>Journal of Arid Environments</i> , 2013, 96, 48-54. | 1.2 | 52 |
| 2366 | Combining palaeodistribution modelling and phylogeographical approaches for identifying glacial refugia in Alpine <i>Primula</i> . <i>Journal of Biogeography</i> , 2013, 40, 1947-1960. | 1.4 | 19 |
| 2367 | Environmental and anthropogenic correlates of hybridization between westslope cutthroat trout (<i>Oncorhynchus clarkii lewisi</i>) and introduced rainbow trout (<i>O. mykiss</i>). <i>Conservation Genetics</i> , 2013, 14, 885-900. | 0.8 | 34 |
| 2368 | Phylogeography and postglacial expansion of the endangered semi-aquatic mammal <i>Galemys pyrenaicus</i> . <i>BMC Evolutionary Biology</i> , 2013, 13, 115. | 3.2 | 33 |
| 2369 | Using Geospatial Technologies to Better Understand Terroir. , 2013, , 215-234. | | 1 |
| 2370 | Modelling geographic distribution and detecting conservation gaps in Italy for the threatened beetle <i>Rosalia alpina</i> . <i>Journal for Nature Conservation</i> , 2013, 21, 72-80. | 0.8 | 90 |
| 2371 | The influence of termite-induced heterogeneity on savanna vegetation along a climatic gradient in West Africa. <i>Journal of Tropical Ecology</i> , 2013, 29, 11-23. | 0.5 | 35 |
| 2372 | Global remote sensing research trends during 1991–2010: a bibliometric analysis. <i>Scientometrics</i> , 2013, 96, 203-219. | 1.6 | 104 |
| 2373 | Modeling the climatic drivers of spatial patterns in vegetation composition since the Last Glacial Maximum. <i>Ecography</i> , 2013, 36, 460-473. | 2.1 | 57 |
| 2374 | Comparing mechanistic and empirical model projections of crop suitability and productivity: implications for ecological forecasting. <i>Global Ecology and Biogeography</i> , 2013, 22, 1007-1018. | 2.7 | 102 |
| 2375 | Burrowing ecosystem engineers provide thermal refugia throughout the landscape. <i>Animal Conservation</i> , 2013, 16, 694-703. | 1.5 | 71 |
| 2376 | Species distribution modelling and imperfect detection: comparing occupancy versus consensus methods. <i>Diversity and Distributions</i> , 2013, 19, 996-1007. | 1.9 | 58 |
| 2377 | Effects of altitude and climate in determining elevational plant species richness patterns: A case study from Los Tuxtlas, Mexico. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2013, 208, 197-210. | 0.6 | 68 |
| 2378 | Forecasting fish distribution along stream networks: brown trout (<i>Salmo trutta</i>) in Europe. <i>Diversity and Distributions</i> , 2013, 19, 1059-1071. | 1.9 | 90 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2379 | Mammal predator and prey species richness are strongly linked at macroscales. <i>Ecology</i> , 2013, 94, 1112-1122. | 1.5 | 85 |
| 2380 | INTEGRATIVE TESTING OF HOW ENVIRONMENTS FROM THE PAST TO THE PRESENT SHAPE GENETIC STRUCTURE ACROSS LANDSCAPES. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 3386-3402. | 1.1 | 110 |
| 2381 | Historical climate change influences modularity and nestedness of pollination networks. <i>Ecography</i> , 2013, 36, 1331-1340. | 2.1 | 116 |
| 2382 | Evaluating multiple causes of amphibian declines of Ecuador using geographical quantitative analyses. <i>Ecography</i> , 2013, 36, 756-769. | 2.1 | 29 |
| 2383 | Glacial expansion and diversification of an East Asian montane bird, the green-backed tit (<i>Parus</i>). <i>Journal of Biogeography</i> , 2013, 40, 1360-1373. | 1.4 | 52 |
| 2384 | Genetic, phenotypic and ecological divergence with gene flow at the Isthmus of Tehuantepec: the case of the azure-crowned hummingbird (<i>Amazilia cyanocephala</i>). <i>Journal of Biogeography</i> , 2013, 40, 1360-1373. | 1.4 | 52 |
| 2385 | Flowering phenology and reproductive fitness along a mountain slope: maladaptive responses to transplantation to a warmer climate in <i>Campanula thyrsoidea</i> . <i>Oecologia</i> , 2013, 171, 679-691. | 0.9 | 60 |
| 2386 | No evidence for nuclear introgression despite complete mtDNA replacement in the Carpathian newt (<i>Lissotriton montandoni</i>). <i>Molecular Ecology</i> , 2013, 22, 1884-1903. | 2.0 | 96 |
| 2387 | Ecology and spatial patterns of large-scale vegetation units within the central Namib Desert. <i>Journal of Arid Environments</i> , 2013, 93, 59-79. | 1.2 | 34 |
| 2388 | Latitudinal diversity relationships of fiddler crabs: biogeographic differences united by temperature. <i>Global Ecology and Biogeography</i> , 2013, 22, 1050-1059. | 2.7 | 16 |
| 2389 | Latitudinal gradients as natural laboratories to infer species' responses to temperature. <i>Journal of Ecology</i> , 2013, 101, 784-795. | 1.9 | 315 |
| 2390 | Implications of temperature variation for malaria parasite development across Africa. <i>Scientific Reports</i> , 2013, 3, 1300. | 1.6 | 176 |
| 2391 | Extinction trends of threatened invertebrates in peninsular Spain. <i>Journal of Insect Conservation</i> , 2013, 17, 235-244. | 0.8 | 7 |
| 2392 | European scenarios for exposure of soil organisms to pesticides. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2013, 48, 703-716. | 0.7 | 12 |
| 2393 | Using modern models to test Poynton's predictions. <i>African Journal of Herpetology</i> , 2013, 62, 49-62. | 0.3 | 23 |
| 2394 | Identifying the areas to preserve passion fruit pollination service in Brazilian Tropical Savannas under climate change. <i>Agriculture, Ecosystems and Environment</i> , 2013, 171, 39-46. | 2.5 | 45 |
| 2395 | Trade-offs between land use intensity and avian biodiversity in the dry Chaco of Argentina: A tale of two gradients. <i>Agriculture, Ecosystems and Environment</i> , 2013, 174, 11-20. | 2.5 | 62 |
| 2396 | Human settlement evaluation in mountain areas based on remote sensing, GIS and ecological niche modeling. <i>Journal of Mountain Science</i> , 2013, 10, 378-387. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2397 | Egypt's Protected Area network under future climate change. <i>Biological Conservation</i> , 2013, 159, 490-500. | 1.9 | 42 |
| 2398 | Genome size variation in wild and cultivated maize along altitudinal gradients. <i>New Phytologist</i> , 2013, 199, 264-276. | 3.5 | 107 |
| 2399 | Using genomic data to revisit an early example of reproductive character displacement in <i>Haitian Anolis</i> lizards. <i>Molecular Ecology</i> , 2013, 22, 3981-3995. | 2.0 | 30 |
| 2400 | Comparing the relative contributions of biotic and abiotic factors as mediators of species' distributions. <i>Ecological Modelling</i> , 2013, 248, 57-70. | 1.2 | 69 |
| 2401 | Envisioning the future and learning from the past: Adapting to a changing environment in northern Mali. <i>Environmental Science and Policy</i> , 2013, 25, 94-106. | 2.4 | 55 |
| 2402 | Comparing carbon flux and high-resolution spring phenological measurements in a northern mixed forest. <i>Agricultural and Forest Meteorology</i> , 2013, 169, 136-147. | 1.9 | 40 |
| 2403 | Generating downscaled weather data from a suite of climate models for agricultural modelling applications. <i>Agricultural Systems</i> , 2013, 114, 1-5. | 3.2 | 145 |
| 2404 | Developing a site selection tool to assist reintroduction efforts for the Southern Ground-Hornbill <i>Bucorvus leadbeateri</i> . <i>Ostrich</i> , 2013, 84, 101-111. | 0.4 | 6 |
| 2405 | Possible future trade-offs between agriculture, energy production, and biodiversity conservation in North Dakota. <i>Regional Environmental Change</i> , 2013, 13, 311-328. | 1.4 | 8 |
| 2406 | Abundance and dispersion of the invasive Mediterranean annual, <i>Centaurea melitensis</i> in its native and non-native ranges. <i>Biological Invasions</i> , 2013, 15, 495-507. | 1.2 | 13 |
| 2407 | Standing variation boosted by multiple sources of introduction contributes to the success of the introduced species, <i>Lotus corniculatus</i> . <i>Biological Invasions</i> , 2013, 15, 2743-2754. | 1.2 | 9 |
| 2408 | Retention of dissolved silica within the fluvial system of the conterminous USA. <i>Biogeochemistry</i> , 2013, 112, 637-659. | 1.7 | 16 |
| 2409 | Ecology predicts parapatric distributions in two closely related <i>Antirrhinum majus</i> subspecies. <i>Evolutionary Ecology</i> , 2013, 27, 51-64. | 0.5 | 30 |
| 2410 | Identification and conservation of remnant genetic resources of brown trout in relict populations from Western Mediterranean streams. <i>Hydrobiologia</i> , 2013, 707, 29-45. | 1.0 | 19 |
| 2411 | The Spatial Distribution of Chacma Baboon (<i>Papio ursinus</i>) Habitat Based on an Environmental Envelope Model. <i>International Journal of Primatology</i> , 2013, 34, 407-422. | 0.9 | 14 |
| 2412 | Capture mechanism in Palaeotropical pitcher plants (Nepenthaceae) is constrained by climate. <i>Annals of Botany</i> , 2013, 112, 1279-1291. | 1.4 | 33 |
| 2413 | A total evidence approach to understanding phylogenetic relationships and ecological diversity in <i>Selaginella</i> subg. <i>Tetragonostachys</i> . <i>American Journal of Botany</i> , 2013, 100, 1672-1682. | 0.8 | 50 |
| 2414 | Systematic monitoring of heathy woodlands in a Mediterranean climate—a practical assessment of methods. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 3959-3975. | 1.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2415 | <i>Commiphora oddurensis</i> Chiov. and <i>C. suffruticosa</i> Teshome (Burseraceae): taxonomy, distribution, ecology and conservation status. <i>Webbia</i> , 2013, 68, 133-145. | 0.1 | 1 |
| 2416 | Traveling through time: The past, present and future biogeographic range of the invasive foraminifera <i>Amphistegina</i> spp. in the Mediterranean Sea. <i>Marine Micropaleontology</i> , 2013, 105, 30-39. | 0.5 | 30 |
| 2417 | The reconstruction and climatic implication of an independent palaeo ice cap within the Andean rain shadow east of the former Patagonian ice sheet, Santa Cruz Province, Argentina. <i>Geomorphology</i> , 2013, 185, 1-15. | 1.1 | 7 |
| 2418 | Moderate land use shifts plant diversity from overstory to understory and contributes to biotic homogenization in a seasonally dry tropical ecosystem. <i>Biological Conservation</i> , 2013, 158, 326-333. | 1.9 | 4 |
| 2419 | Habitat area and climate stability determine geographical variation in plant species range sizes. <i>Ecology Letters</i> , 2013, 16, 1446-1454. | 3.0 | 130 |
| 2420 | Informing surveillance for the lowland plague focus in Azerbaijan using a historic dataset. <i>Applied Geography</i> , 2013, 45, 269-279. | 1.7 | 7 |
| 2421 | Ecological niche modeling implicates climatic adaptation, competitive exclusion, and niche conservatism among <i>Larrea tridentata</i> cytotypes in North American deserts ^{1,2} . <i>Journal of the Torrey Botanical Society</i> , 2013, 140, 349-363. | 0.1 | 60 |
| 2422 | Taxonomic identification errors generate misleading ecological niche model predictions of an invasive hawkweed. <i>Botany</i> , 2013, 91, 137-147. | 0.5 | 26 |
| 2423 | No slope exposure effect on alpine treeline position in the Three Parallel Rivers Region, SW China. <i>Alpine Botany</i> , 2013, 123, 87-95. | 1.1 | 15 |
| 2424 | On the Importance of Shrub Encroachment by Sprouters, Climate, Species Richness and Anthropogenic Factors for Ecosystem Multifunctionality in Semi-arid Mediterranean Ecosystems. <i>Ecosystems</i> , 2013, 16, 1248-1261. | 1.6 | 31 |
| 2425 | Climate downscaling effects on predictive ecological models: a case study for threatened and endangered vertebrates in the southeastern United States. <i>Regional Environmental Change</i> , 2013, 13, 57-68. | 1.4 | 14 |
| 2426 | Relating <i>Ambrosia artemisiifolia</i> and other weeds to the management of Hungarian sunflower crops. <i>Journal of Pest Science</i> , 2013, 86, 621-631. | 1.9 | 13 |
| 2427 | Fatty acid and tocopherol patterns of variation within the natural range of the shea tree (<i>Vitellaria</i>) Tj ETQq0 0 0 rgBT, Overlock 10 Tf 50 | 0.9 | 15 |
| 2428 | The genetic signature of ecologically different grassland Lepidopterans. <i>Biodiversity and Conservation</i> , 2013, 22, 2401-2411. | 1.2 | 25 |
| 2429 | Landscape heterogeneity predicts gene flow in a widespread polymorphic bumble bee, <i>Bombus bifarius</i> (Hymenoptera: Apidae). <i>Conservation Genetics</i> , 2013, 14, 1099-1110. | 0.8 | 58 |
| 2430 | Ecogeographic analysis of pea collection sites from China to determine potential sites with abiotic stresses. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 1801-1815. | 0.8 | 17 |
| 2431 | Spatio-temporal dynamics on the distribution, extent, and net primary productivity of potential grassland in response to climate changes in China. <i>Rangeland Journal</i> , 2013, 35, 409. | 0.4 | 12 |
| 2432 | Geographic and seasonal distribution of the Cock-tailed Tyrant (<i>Alectrurus tricolor</i>) inferred from niche modeling. <i>Journal of Ornithology</i> , 2013, 154, 393-402. | 0.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2433 | The grass may not always be greener: projected reductions in climatic suitability for exotic grasses under future climates in Australia. <i>Biological Invasions</i> , 2013, 15, 961-975. | 1.2 | 30 |
| 2434 | Predicting the impacts of climate change on genetic diversity in an endangered lizard species. <i>Climatic Change</i> , 2013, 117, 319-327. | 1.7 | 18 |
| 2435 | Truly enigmatic declines in terrestrial salamander populations in Great Smoky Mountains National Park. <i>Diversity and Distributions</i> , 2013, 19, 38-48. | 1.9 | 37 |
| 2436 | Evaluating forest refugial models using species distribution models, model filling and inclusion: a case study with 14 Brazilian species. <i>Diversity and Distributions</i> , 2013, 19, 330-340. | 1.9 | 58 |
| 2437 | Distributional congruence of mammalian herbivores in the Trans-Himalayan Mountains. <i>Environmental Epigenetics</i> , 2013, 59, 116-124. | 0.9 | 9 |
| 2438 | REFUGIAL PATTERN OF BROMUS ERECTUS IN CENTRAL EUROPE BASED ON ISSR FINGERPRINTING. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2013, 55, . | 0.5 | 2 |
| 2439 | Invasion of rusty crayfish, <i>Orconectes rusticus</i> , in the United States: niche shifts and potential future distribution. <i>Journal of Crustacean Biology</i> , 2013, 33, 293-300. | 0.3 | 14 |
| 2440 | Does growth rhythm of a widespread species change in distinct growth sites?. <i>IAWA Journal</i> , 2013, 34, 498-509. | 2.7 | 22 |
| 2441 | Geographic Distribution of Habitat, Development, and Population Growth Rates of the Asian Citrus Psyllid, <i>Diaphorina citri</i> , in Mexico. <i>Journal of Insect Science</i> , 2013, 13, 1-17. | 0.9 | 21 |
| 2444 | The Evolution of Property Rights: State Law or Informal Norms?. <i>Journal of Law and Economics</i> , 2013, 56, 555-594. | 0.6 | 39 |
| 2445 | Morphology, DNA molecular variation, karyology, ecogeography, and phytosociology suggest allopatric differentiation and species rank for <i>Potentilla rigoana</i> (Rosaceae). <i>Taxon</i> , 2013, 62, 733-745. | 0.4 | 13 |
| 2446 | Structure of a mosaic hybrid zone between the field crickets <i>Gryllus firmus</i> and <i>G. pennsylvanicus</i> . <i>Ecology and Evolution</i> , 2013, 3, 985-1002. | 0.8 | 27 |
| 2447 | Geographic Distribution and Niche Divergence of Two Stinkbugs, <i>Parastrachia japonensis</i> and <i>Parastrachia nagaensis</i> . <i>Journal of Insect Science</i> , 2013, 13, 1-16. | 0.9 | 10 |
| 2448 | Creating a Potential Distribution Map for Greater White-Fronted Geese Wintering in Japan. <i>Ornithological Science</i> , 2013, 12, 117-125. | 0.3 | 9 |
| 2449 | Predicting Habitat Distribution of Five Heteropteran Pest Species in Iran. <i>Journal of Insect Science</i> , 2013, 13, 1-16. | 0.9 | 21 |
| 2450 | Quantifying rates of detachment faulting and erosion in the central Menderes Massif (western Turkey). <i>Journal of Structural Geology</i> , 2013, 170, 669-683. | 0.9 | 34 |
| 2451 | Habitat distribution modeling reveals vegetation flammability and land use as drivers of wildfire in SW Patagonia. <i>Ecosphere</i> , 2013, 4, 1-20. | 1.0 | 33 |
| 2452 | Köppen's climate classification map for Brazil. <i>Meteorologische Zeitschrift</i> , 2013, 22, 711-728. | 0.5 | 6,767 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2453 | Mapping Malaria Transmission Intensity in Malawi, 2000â€“2010. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 89, 840-849. | 0.6 | 54 |
| 2454 | Correlated morphological and genetic patterns in <i>Embothrium coccineum</i> (Proteaceae) across climate and geography: can <i>Embothrium</i> survive patagonian climate change?. <i>Australian Journal of Botany</i> , 2013, 61, 516. | 0.3 | 6 |
| 2455 | Phylogenetic and Ecologic Perspectives of a Monkeypox Outbreak, Southern Sudan, 2005. <i>Emerging Infectious Diseases</i> , 2013, 19, 237-245. | 2.0 | 62 |
| 2456 | Systematics of the Goblin Spider Genus <i>Opopaea</i> (Araneae, Oonopidae) in Madagascar. <i>Bulletin of the American Museum of Natural History</i> , 2013, 380, 1-156. | 1.2 | 10 |
| 2457 | Searching for the bull's eye: agents and targets of selection vary among geographically disparate cyanogenesis clines in white clover (<i>Trifolium repens</i> L.). <i>Heredity</i> , 2013, 111, 495-504. | 1.2 | 32 |
| 2458 | Ecological divergence between two evolutionary lineages of <i>Hyla savignyi</i> (Audouin, 1827) in Turkey: effects of the Anatolian Diagonal. <i>Animal Biology</i> , 2013, 63, 285-295. | 0.6 | 10 |
| 2459 | Water Stress Strengthens Mutualism Among Ants, Trees, and Scale Insects. <i>PLoS Biology</i> , 2013, 11, e1001705. | 2.6 | 50 |
| 2460 | Temperature and thermal regime effects on the specific dynamic action of <i>Bothrops alternatus</i> (Serpentes, Viperidae). <i>Amphibia - Reptilia</i> , 2013, 34, 483-491. | 0.1 | 8 |
| 2461 | Use of Anecdotal Occurrence Data in Species Distribution Models: An Example Based on the White-Nosed Coati (<i>Nasua narica</i>) in the American Southwest. <i>Animals</i> , 2013, 3, 327-348. | 1.0 | 11 |
| 2462 | Spatiotemporal variability analysis of diffuse radiation in China during 1981â€“2010. <i>Annales Geophysicae</i> , 2013, 31, 277-289. | 0.6 | 36 |
| 2463 | Current and Future Niche of North and Central American Sand Flies (Diptera: Psychodidae) in Climate Change Scenarios. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2421. | 1.3 | 71 |
| 2464 | <i>Stipetum novakii</i> ass. nova â€“ a new association of serpentine rocky grassland vegetation (<i>Halacsyetalia sendtneri</i>) in Serbia. <i>Acta Botanica Croatica</i> , 2013, 72, 169-184. | 0.3 | 6 |
| 2466 | Post-Glacial Spatial Dynamics in a Rainforest Biodiversity Hot Spot. <i>Diversity</i> , 2013, 5, 124-138. | 0.7 | 8 |
| 2467 | Bayesian Geostatistical Modeling of Leishmaniasis Incidence in Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2213. | 1.3 | 72 |
| 2468 | Two New Species of the Asian Genus <i>Tripterosperrum</i> (Gentianaceae). <i>Systematic Botany</i> , 2013, 38, 224-234. | 0.2 | 4 |
| 2469 | Understanding the ecological niche to elucidate spatial strategies of the southernmost Tupinambis lizards. <i>Amphibia - Reptilia</i> , 2013, 34, 551-565. | 0.1 | 17 |
| 2470 | The Use of Bivariate Spatial Modeling of Questionnaire and Parasitology Data to Predict the Distribution of <i>Schistosoma haematobium</i> in Coastal Kenya. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2016. | 1.3 | 19 |
| 2471 | Spatially Explicit Modeling of Schistosomiasis Risk in Eastern China Based on a Synthesis of Epidemiological, Environmental and Intermediate Host Genetic Data. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2327. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2472 | Evidence of Local Persistence of Human Anthrax in the Country of Georgia Associated with Environmental and Anthropogenic Factors. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2388. | 1.3 | 40 |
| 2473 | Testing for Associations between Loci and Environmental Gradients Using Latent Factor Mixed Models. <i>Molecular Biology and Evolution</i> , 2013, 30, 1687-1699. | 3.5 | 627 |
| 2474 | Taxonomic revision of the olingos (<i>Bassaricyon</i>), with description of a new species, the Olinguito. <i>ZooKeys</i> , 2013, 324, 1-83. | 0.5 | 97 |
| 2475 | Hookworm Infection and Environmental Factors in Mbeya Region, Tanzania: A Cross-Sectional, Population-Based Study. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2408. | 1.3 | 21 |
| 2476 | Reproductive traits in the tropical moss <i>Octoblepharum albidum</i> Hedw. differ between rainforest and coastal sites. <i>Journal of Bryology</i> , 2013, 35, 206-215. | 0.4 | 12 |
| 2477 | Integrative taxonomy and preliminary assessment of species limits in the <i>Liolaemus walkeri</i> complex (Squamata, Liolaemidae) with descriptions of three new species from Peru. <i>ZooKeys</i> , 2013, 364, 47-91. | 0.5 | 40 |
| 2478 | Chemicals, Climate, and Control: Increasing the Effectiveness of Malaria Vector Control Tools by Considering Relevant Temperatures. <i>PLoS Pathogens</i> , 2013, 9, e1003602. | 2.1 | 37 |
| 2479 | <i>Stenosternus</i> Karsch, a possible link between Neotropical and Afrotropical Orphninae (Coleoptera, Scarabaeidae). <i>ZooKeys</i> , 2013, 335, 33-46. | 0.5 | 12 |
| 2480 | Spatial analysis to support geographic targeting of genotypes to environments. <i>Frontiers in Physiology</i> , 2013, 4, 40. | 1.3 | 29 |
| 2481 | Evidence for large-scale effects of competition: niche displacement in Canada lynx and bobcat. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20132495. | 1.2 | 60 |
| 2482 | Daily minimum and maximum temperature simulation over complex terrain. <i>Annals of Applied Statistics</i> , 2013, 7, . | 0.5 | 27 |
| 2483 | Projecting global mangrove species and community distributions under climate change. <i>Ecosphere</i> , 2013, 4, 1-23. | 1.0 | 82 |
| 2484 | Predicting Habitat Suitability of <i>Coptotermes gestroi</i> (Isoptera: Rhinotermitidae) With Species Distribution Models. <i>Journal of Economic Entomology</i> , 2013, 106, 311-321. | 0.8 | 29 |
| 2485 | Land-use-driven stream warming in southeastern Amazonia. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120153. | 1.8 | 104 |
| 2486 | Giant lizards occupied herbivorous mammalian ecospace during the Paleogene greenhouse in Southeast Asia. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20130665. | 1.2 | 21 |
| 2487 | Response of insect parasitism to elevation depends on host and parasitoid life-history strategies. <i>Biology Letters</i> , 2013, 9, 20130028. | 1.0 | 34 |
| 2488 | Above-ground biomass and structure of 260 African tropical forests. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120295. | 1.8 | 264 |
| 2489 | A REVISION OF <i>RHYNCHOTECHUM</i> BLUME (GESNERIACEAE). <i>Edinburgh Journal of Botany</i> , 2013, 70, 121-176. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2490 | Global patterns in base flow index and recession based on streamflow observations from 3394 catchments. <i>Water Resources Research</i> , 2013, 49, 7843-7863. | 1.7 | 200 |
| 2491 | Integration of responses within and across <i>Arabidopsis</i> natural accessions uncovers loci controlling root systems architecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15133-15138. | 3.3 | 93 |
| 2492 | Differences of MMF and USLE Models for Soil Loss Prediction along BTC and SCP Pipelines. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2013, 4, 81-96. | 0.9 | 10 |
| 2493 | Habitat characterization and modeling of the potential distribution of the Military Macaw (<i>Ara Tj ETQq1 1 0.784314 rgBT /Oyerlock 10</i>) | 0.4 | 19 |
| 2494 | The origins and spread of stock-keeping: the role of cultural and environmental influences on early Neolithic animal exploitation in Europe. <i>Antiquity</i> , 2013, 87, 1046-1059. | 0.5 | 55 |
| 2495 | LANDSCAPE FEATURES AND RESERVOIR OCCURRENCE AFFECTING THE RISK FOR EQUINE INFECTION WITH BORNA DISEASE VIRUS. <i>Journal of Wildlife Diseases</i> , 2013, 49, 860-868. | 0.3 | 9 |
| 2496 | The effect of calibration data set selection on quantitative palaeoclimatic reconstructions. <i>Holocene</i> , 2013, 23, 1650-1654. | 0.9 | 16 |
| 2497 | Low rates of bedrock outcrop erosion in the central Appalachian Mountains inferred from in situ ^{10}Be . <i>Bulletin of the Geological Society of America</i> , 2013, 125, 201-215. | 1.6 | 41 |
| 2498 | The canopy rainfall interception in actual and potential distribution of Qinghai spruce (<i>Picea Tj ETQq0 0 0 rgBT /Oyerlock 10 Jf 50 422</i>) | 0.7 | 3 |
| 2499 | Tree height and tropical forest biomass estimation. <i>Biogeosciences</i> , 2013, 10, 8385-8399. | 1.3 | 149 |
| 2500 | The Effects of Sampling Bias and Model Complexity on the Predictive Performance of MaxEnt Species Distribution Models. <i>PLoS ONE</i> , 2013, 8, e55158. | 1.1 | 398 |
| 2501 | Committed changes in tropical tree cover under the projected 21st century climate change. <i>Scientific Reports</i> , 2013, 3, 1951. | 1.6 | 20 |
| 2502 | Alternative biological assumptions strongly influence models of climate change effects on mountain gorillas. <i>Ecosphere</i> , 2013, 4, 1-17. | 1.0 | 33 |
| 2503 | A population genetic transect of <i>Panicum hallii</i> (Poaceae). <i>American Journal of Botany</i> , 2013, 100, 592-601. | 0.8 | 27 |
| 2504 | Relative effects of phylogeny, biological characters and environments on leaf traits in shrub biomes across central Inner Mongolia, China. <i>Journal of Plant Ecology</i> , 2013, 6, 220-231. | 1.2 | 26 |
| 2505 | To converge or not to converge in environmental space: testing for similar environments between analogous succulent plants of North America and Africa. <i>Annals of Botany</i> , 2013, 111, 1125-1138. | 1.4 | 23 |
| 2506 | Predicting the distribution of invasive plants in the Ukrainian Carpathians under climatic change and intensification of anthropogenic disturbances: implications for biodiversity conservation. <i>Environmental Conservation</i> , 2013, 40, 167-181. | 0.7 | 16 |
| 2507 | Geographical distribution modelling for <i>Neospora caninum</i> and <i>Coxiella burnetii</i> infections in dairy cattle farms in northeastern Spain. <i>Epidemiology and Infection</i> , 2013, 141, 81-90. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2508 | Forest mapping by geoinformatics for landscape fire behaviour modelling in coastal forests, Greece. <i>International Journal of Remote Sensing</i> , 2013, 34, 4466-4490. | 1.3 | 18 |
| 2509 | Monitoring and modeling the invasion of the fast spreading alien <i>Senecio inaequidens</i> DC. in an alpine region. <i>Plant Biosystems</i> , 2013, 147, 1139-1147. | 0.8 | 12 |
| 2510 | An assessment of climate change impacts on the tropical forests of Central America using the Holdridge Life Zone (HLZ) land classification system. <i>IForest</i> , 2013, 6, 183-189. | 0.5 | 14 |
| 2511 | Enhancing the representation of subgrid land surface characteristics in land surface models. <i>Geoscientific Model Development</i> , 2013, 6, 1609-1622. | 1.3 | 20 |
| 2512 | WaterWorld: a self-parameterising, physically based model for application in data-poor but problem-rich environments globally. <i>Hydrology Research</i> , 2013, 44, 748-769. | 1.1 | 101 |
| 2513 | Distribution models and species discovery: the story of a new <i>Solanum</i> species from the Peruvian Andes. <i>PhytoKeys</i> , 2013, 31, 1-20. | 0.4 | 23 |
| 2514 | Glacial refugia and migration routes of the Neotropical genus <i>Trizeuxis</i> (Orchidaceae). <i>Acta Societatis Botanicorum Poloniae</i> , 2013, 82, 225-230. | 0.8 | 5 |
| 2515 | Continental shelf as potential retreat areas for Austral-Asian estrildid finches (Passeriformes: <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>) | 0.6 | 10 |
| 2516 | Rainfall and temperature variation does not explain arid species diversity in outback Australia. <i>Research and Reports in Biodiversity Studies</i> , 0, , 1. | 0.0 | 5 |
| 2517 | Terrestrial arthropod abundance and phenology in the Canadian Arctic: modelling resource availability for Arctic-nesting insectivorous birds. <i>Canadian Entomologist</i> , 2013, 145, 155-170. | 0.4 | 53 |
| 2518 | Review of the distribution and conservation status of the terrestrial reptiles of the Cape Verde Islands. <i>Oryx</i> , 2013, 47, 77-87. | 0.5 | 29 |
| 2519 | Influence of environment and climate on occurrence of the cixiid planthopper <i>Hyalesthes obsoletus</i> , the vector of the grapevine disease "bois noir". <i>Bulletin of Entomological Research</i> , 2013, 103, 621-633. | 0.5 | 14 |
| 2520 | Rapid decline and shift in the future distribution predicted for the endangered Sokoke Scops Owl <i>Otus ireneae</i> due to climate change. <i>Bird Conservation International</i> , 2013, 23, 247-258. | 0.7 | 17 |
| 2522 | Ecological niche modeling of coastal dune plants and future potential distribution in response to climate change and sea level rise. <i>Global Change Biology</i> , 2013, 19, 2524-2535. | 4.2 | 64 |
| 2523 | Invasion biology in non-free-living species: interactions between abiotic (climatic) and biotic (host) Ecology and Evolution, 2013, 3, 5237-5253. | 0.8 | 16 |
| 2524 | Vascular plant diversity on the roof of the world: Spatial patterns and environmental determinants. <i>Journal of Systematics and Evolution</i> , 2013, 51, 371-381. | 1.6 | 21 |
| 2525 | Local temperatures inferred from plant communities suggest strong spatial buffering of climate warming across Northern Europe. <i>Global Change Biology</i> , 2013, 19, 1470-1481. | 4.2 | 200 |
| 2526 | Temporal, spatial and ecological dynamics of speciation among amphibian Beringian small mammals. <i>Journal of Biogeography</i> , 2013, 40, 415-429. | 1.4 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2527 | Potential Distribution and Risk Assessment of an Invasive Plant Species: A Case Study of <i>Hymenachne amplexicaulis</i> in Australia. Human and Ecological Risk Assessment (HERA), 2013, 19, 53-79. | 1.7 | 9 |
| 2528 | Estimation of climatic favourable areas for locust outbreaks in Spain: integrating species' presence records and spatial information on outbreaks. Journal of Applied Entomology, 2013, 137, 610-623. | 0.8 | 15 |
| 2529 | Climate change and plant dispersal along corridors in fragmented landscapes of Mesoamerica. Ecology and Evolution, 2013, 3, 2917-2932. | 0.8 | 20 |
| 2530 | UV radiation is the primary factor driving the variation in leaf phenolics across Chinese grasslands. Ecology and Evolution, 2013, 3, 4696-4710. | 0.8 | 19 |
| 2531 | <i>Tabula rasa</i> or refugia? Using genetic data to assess the peopling of Arabia. Arabian Archaeology and Epigraphy, 2013, 24, 95-101. | 0.2 | 10 |
| 2532 | From the Apennines to the Alps: recent range expansion of the crested porcupine <i>Hystrix cristata</i> L., 1758 (Mammalia: Rodentia: Hystricidae) in Italy. Italian Journal of Zoology, 2013, 80, 469-480. | 0.6 | 34 |
| 2533 | At the limits: habitat suitability modelling of northern 17-year periodical cicada extinctions (<i>Hemiptera</i> : <i>Megacymella</i> spp.). Global Ecology and Biogeography, 2013, 22, 410-421. | 2.7 | 16 |
| 2534 | An update of the world survey of myrmecochorous dispersal distances. Ecography, 2013, 36, 1193-1201. | 2.1 | 71 |
| 2535 | Deep barriers, shallow divergences: reduced phylogeographical structure in the collared pika (<i>Lepus timidus</i> ssp. <i>chotona collaris</i>). Journal of Biogeography, 2013, 40, 466-478. | 1.4 | 20 |
| 2536 | Geographical variability in propagule pressure and climatic suitability explain the European distribution of two highly invasive crayfish. Journal of Biogeography, 2013, 40, 548-558. | 1.4 | 36 |
| 2537 | Snow-cover variability in central Asia between 2000 and 2011 derived from improved MODIS daily snow-cover products. International Journal of Remote Sensing, 2013, 34, 3879-3902. | 1.3 | 61 |
| 2538 | Earth observation: overlooked potential to support species reintroduction programmes. African Journal of Ecology, 2013, 51, 482-492. | 0.4 | 15 |
| 2539 | Hybridization and adaptation to introduced balloon vines in an Australian soapberry bug. Molecular Ecology, 2013, 22, 6116-6130. | 2.0 | 9 |
| 2540 | Human settlement suitability assessment considering climate and DEM. , 2013, , . | | 0 |
| 2541 | Bioclimatic and physical characterization of the world's islands. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 15307-15312. | 3.3 | 216 |
| 2542 | Magnitude and variation of prehistoric bird extinctions in the Pacific. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 6436-6441. | 3.3 | 143 |
| 2543 | Global crop exposure to critical high temperatures in the reproductive period: historical trends and future projections. Environmental Research Letters, 2013, 8, 024041. | 2.2 | 350 |
| 2544 | Increasing global crop harvest frequency: recent trends and future directions. Environmental Research Letters, 2013, 8, 044041. | 2.2 | 164 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2545 | Mapping of soil organic carbon stocks for spatially explicit assessments of climate change mitigation potential. <i>Environmental Research Letters</i> , 2013, 8, 015011. | 2.2 | 81 |
| 2546 | Polyploidization in <i>Heuchera cylindrica</i> (Saxifragaceae) did not result in a shift in climatic requirements. <i>American Journal of Botany</i> , 2013, 100, 496-508. | 0.8 | 79 |
| 2547 | Predictions of avian Plasmodium expansion under climate change. <i>Scientific Reports</i> , 2013, 3, 1126. | 1.6 | 61 |
| 2548 | The <i>Drosophila flavopilosa</i> species group (Diptera, Drosophilidae). <i>Fly</i> , 2013, 7, 59-69. | 0.9 | 16 |
| 2549 | Modelling the potential distribution of endangered, endemic <i>Hibiscus brackenridgei</i> on Oahu to assess the impacts of climate change and prioritize conservation efforts.. <i>Pacific Conservation Biology</i> , 2013, 19, 156. | 0.5 | 6 |
| 2550 | Predicting Policy Impact on Tropical Dry Forests. , 2013, , 429-446. | | 0 |
| 2551 | Scientific Opinion on the risks to plant health posed by <i>Bemisia tabaci</i> species complex and viruses it transmits for the EU territory. <i>EFSA Journal</i> , 2013, 11, 3162. | 0.9 | 149 |
| 2552 | Scientific Opinion on Rift Valley fever. <i>EFSA Journal</i> , 2013, 11, 3180. | 0.9 | 25 |
| 2553 | Assessing the spatio-temporal variation and uncertainty patterns of historical and future projected water resources in China. <i>Journal of Water and Climate Change</i> , 2013, 4, 302-316. | 1.2 | 1 |
| 2555 | ENSO signature in botanical proxy time series extends terrestrial El Niño record into the (sub)tropics. <i>Geophysical Research Letters</i> , 2013, 40, 5776-5781. | 1.5 | 6 |
| 2556 | Highly variable abiotic environment induced changes in taxonomic and functional composition of headwater chironomid assemblages within a small mountain range. <i>Fundamental and Applied Limnology</i> , 2013, 182, 323-335. | 0.4 | 2 |
| 2557 | Increase in Quantity and Quality of Suitable Areas for Invasive Species as Climate Changes. <i>Conservation Biology</i> , 2013, 27, 1458-1467. | 2.4 | 34 |
| 2559 | Benefits of earth observation data for conservation planning in the case of European wetland biodiversity. <i>Environmental Conservation</i> , 2013, 40, 37-47. | 0.7 | 11 |
| 2560 | Land use change and carbon fluxes in East Africa quantified using earth observation data and field measurements. <i>Environmental Conservation</i> , 2013, 40, 241-252. | 0.7 | 18 |
| 2561 | Reevaluation of a classic phylogeographic barrier: new techniques reveal the influence of microgeographic climate variation on population divergence. <i>Ecology and Evolution</i> , 2013, 3, 1603-1613. | 0.8 | 14 |
| 2562 | Influence of lithology on hillslope morphology and response to tectonic forcing in the northern Sierra Nevada of California. <i>Journal of Geophysical Research F: Earth Surface</i> , 2013, 118, 832-851. | 1.0 | 63 |
| 2563 | <i>Gabonius</i> gen. nov. (Leguminosae, Caesalpinioideae, Detarieae), a distant cousin of <i>Hymenostegia</i> endemic to Gabon. <i>Phytotaxa</i> , 2013, 142, 15. | 0.1 | 7 |
| 2564 | Disentangling environmental correlates of vascular plant biodiversity in a Mediterranean hotspot. <i>Ecology and Evolution</i> , 2013, 3, 3879-3894. | 0.8 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2565 | Geographical Patterns of Woody Plants' Functional Traits in Burkina Faso. <i>Candollea</i> , 2013, 68, 197. | 0.1 | 18 |
| 2566 | Using potential distributions to explore environmental correlates of bat species richness in southern Africa: Effects of model selection and taxonomy. <i>Environmental Epigenetics</i> , 2013, 59, 279-293. | 0.9 | 30 |
| 2567 | Physical disturbance shapes vascular plant diversity more profoundly than fire in the sagebrush steppe of southeastern Idaho, U.S.A. <i>Ecology and Evolution</i> , 2013, 3, 1626-1641. | 0.8 | 13 |
| 2568 | Combining genetic and demographic data for prioritizing conservation actions: insights from a threatened fish species. <i>Ecology and Evolution</i> , 2013, 3, 2696-2710. | 0.8 | 14 |
| 2569 | New records and distribution modeling of <i>Gryne orensis</i> (Sørensen) (Opiliones: Cosmetidae) support the Mesopotamian-Yungas disjunction in subtropical Argentina . <i>Zootaxa</i> , 2013, 3736, 143. | 0.2 | 7 |
| 2570 | Ecological Niche Modelling of Bank Voles in Western Europe. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 499-514. | 1.2 | 13 |
| 2571 | Strengthening the impact of plant genetic resources through collaborative collection, conservation, characterisation, and evaluation: a tribute to the legacy of Dr Clive Francis. <i>Crop and Pasture Science</i> , 2013, 64, 300. | 0.7 | 8 |
| 2572 | Genetic and phenotypic variation in <i>Lotus japonicus</i> (Regel) K. Larsen, a model legume species. <i>Canadian Journal of Plant Science</i> , 2013, 93, 435-444. | 0.3 | 3 |
| 2573 | Macroecological correlates of global monocot species richness. , 0, , 99-117. | | 0 |
| 2574 | Mantel test in population genetics. <i>Genetics and Molecular Biology</i> , 2013, 36, 475-485. | 0.6 | 346 |
| 2575 | Interpolation of nonstationary high frequency spatial-temporal temperature data. <i>Annals of Applied Statistics</i> , 2013, 7, . | 0.5 | 13 |
| 2576 | Predicting the geographic distribution of <i>Lutzomyia longipalpis</i> (Diptera: Psychodidae) and visceral leishmaniasis in the state of Mato Grosso do Sul, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 992-996. | 0.8 | 32 |
| 2577 | Large-scale patterns in morphological diversity and species assemblages in Neotropical Triatominae (Heteroptera: Reduviidae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 997-1008. | 0.8 | 17 |
| 2578 | Abundance modelling of invasive and indigenous <i>Culicoides</i> species in Spain. <i>Geospatial Health</i> , 2013, 8, 241. | 0.3 | 22 |
| 2579 | Future Climate of the European Alps. , 2013, , . | | 8 |
| 2580 | Basin-wide water accounting based on remote sensing data: an application for the Indus Basin. <i>Hydrology and Earth System Sciences</i> , 2013, 17, 2473-2486. | 1.9 | 69 |
| 2581 | Gall-inducing insects of an Araucaria Forest in southern Brazil. <i>Revista Brasileira De Entomologia</i> , 2013, 57, 225-233. | 0.1 | 17 |
| 2582 | Spatial analysis and risk mapping of soil-transmitted helminth infections in Brazil, using Bayesian geostatistical models. <i>Geospatial Health</i> , 2013, 8, 97. | 0.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2583 | An update on distribution models for <i>Rhipicephalus microplus</i> in West Africa. <i>Geospatial Health</i> , 2013, 8, 301. | 0.3 | 19 |
| 2584 | A model for global biomass burning in preindustrial time: LPJ-LMfire (v1.0). <i>Geoscientific Model Development</i> , 2013, 6, 643-685. | 1.3 | 133 |
| 2585 | Determination of homogeneous edaphoclimatic zones for the secondary forests of <i>Nothofagus dombeyi</i> in central-southern Chile. <i>Ciencia E Investigacion Agraria</i> , 2013, 40, 351-360. | 0.2 | 6 |
| 2586 | Climatic factors influencing triatomine occurrence in Central-West Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 335-341. | 0.8 | 28 |
| 2587 | Mamíferos invasores en Uruguay, historia, perspectivas y consecuencias. <i>Revista Chilena De Historia Natural</i> , 2013, 86, 403-421. | 0.5 | 16 |
| 2588 | Assessing insect responses to climate change: What are we testing for? Where should we be heading?. <i>PeerJ</i> , 2013, 1, e11. | 0.9 | 114 |
| 2589 | Global hydrobelts and hydroregions: improved reporting scale for water-related issues?. <i>Hydrology and Earth System Sciences</i> , 2013, 17, 1093-1111. | 1.9 | 39 |
| 2590 | Selection of Provenances to Adapt Tropical Pine Forestry to Climate Change on the Basis of Climate Analogs. <i>Forests</i> , 2013, 4, 155-178. | 0.9 | 20 |
| 2591 | The origin and nature of macroecological patterns in amphibians: old questions, novel approaches. <i>Frontiers of Biogeography</i> , 2013, 5, . | 0.8 | 0 |
| 2592 | The impact of forest regeneration on streamflow in 12 mesoscale humid tropical catchments. <i>Hydrology and Earth System Sciences</i> , 2013, 17, 2613-2635. | 1.9 | 85 |
| 2593 | Current and historical climate signatures to deconstructed tree species richness pattern in South America. <i>Acta Scientiarum - Biological Sciences</i> , 2013, 35, 219-231. | 0.3 | 3 |
| 2594 | Systematic errors in temperature estimates from MODIS data covering the western Palearctic and their impact on a parasite development model. <i>Geospatial Health</i> , 2013, 8, 1. | 0.3 | 2 |
| 2595 | Moving into Protected Areas? Setting Conservation Priorities for Romanian Reptiles and Amphibians at Risk from Climate Change. <i>PLoS ONE</i> , 2013, 8, e79330. | 1.1 | 40 |
| 2596 | Modeling the Habitat Retreat of the Rediscovered Endemic Hawaiian Moth <i>Omiodes continuatalis</i> Wallengren (Lepidoptera: Crambidae). <i>PLoS ONE</i> , 2013, 8, e51885. | 1.1 | 6 |
| 2597 | A Winter Distribution Model for Bicknell's Thrush (<i>Catharus bicknelli</i>), a Conservation Tool for a Threatened Migratory Songbird. <i>PLoS ONE</i> , 2013, 8, e53986. | 1.1 | 23 |
| 2598 | Linking Climate Suitability, Spread Rates and Host-Impact When Estimating the Potential Costs of Invasive Pests. <i>PLoS ONE</i> , 2013, 8, e54861. | 1.1 | 35 |
| 2599 | Regional Contingencies in the Relationship between Aboveground Biomass and Litter in the World's Grasslands. <i>PLoS ONE</i> , 2013, 8, e54988. | 1.1 | 27 |
| 2600 | Comparative Phyloclimatic Analysis and Evolution of Ecological Niches in the Scimitar Babblers (Aves: Tj ETQq1 1 0,784314 rgBT /Overl | 1.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2601 | Modeling Species Distributions from Heterogeneous Data for the Biogeographic Regionalization of the European Bryophyte Flora. <i>PLoS ONE</i> , 2013, 8, e55648. | 1.1 | 42 |
| 2602 | Do Global Diversity Patterns of Vertebrates Reflect Those of Monocots?. <i>PLoS ONE</i> , 2013, 8, e56979. | 1.1 | 10 |
| 2603 | Climate-Induced Elevational Range Shifts and Increase in Plant Species Richness in a Himalayan Biodiversity Epicentre. <i>PLoS ONE</i> , 2013, 8, e57103. | 1.1 | 268 |
| 2604 | Quantifying High Resolution Transitional Breaks in Plant and Mammal Distributions at Regional Extent and Their Association with Climate, Topography and Geology. <i>PLoS ONE</i> , 2013, 8, e59227. | 1.1 | 10 |
| 2605 | Aridity Modulates N Availability in Arid and Semiarid Mediterranean Grasslands. <i>PLoS ONE</i> , 2013, 8, e59807. | 1.1 | 42 |
| 2606 | Predicting Environmental Suitability for a Rare and Threatened Species (Lao Newt, <i>Laotriton laoensis</i>) Using Validated Species Distribution Models. <i>PLoS ONE</i> , 2013, 8, e59853. | 1.1 | 21 |
| 2607 | Multiple Glacial Refugia of the Low-Dispersal Ground Beetle <i>Carabus irregularis</i> : Molecular Data Support Predictions of Species Distribution Models. <i>PLoS ONE</i> , 2013, 8, e61185. | 1.1 | 51 |
| 2608 | Heading for New Shores: Projecting Marine Distribution Ranges of Selected Larger Foraminifera. <i>PLoS ONE</i> , 2013, 8, e62182. | 1.1 | 33 |
| 2609 | Integrative Phylogeography of <i>Calotriton</i> Newts (Amphibia, Salamandridae), with Special Remarks on the Conservation of the Endangered Montseny Brook Newt (<i>Calotriton arnoldi</i>). <i>PLoS ONE</i> , 2013, 8, e62542. | 1.1 | 18 |
| 2610 | The FIGS (Focused Identification of Germplasm Strategy) Approach Identifies Traits Related to Drought Adaptation in <i>Vicia faba</i> Genetic Resources. <i>PLoS ONE</i> , 2013, 8, e63107. | 1.1 | 138 |
| 2611 | Fit-for-Purpose: Species Distribution Model Performance Depends on Evaluation Criteria – Dutch Hoverflies as a Case Study. <i>PLoS ONE</i> , 2013, 8, e63708. | 1.1 | 207 |
| 2612 | Quantifying Species Diversity with a DNA Barcoding-Based Method: Tibetan Moth Species (Noctuidae) on the Qinghai-Tibetan Plateau. <i>PLoS ONE</i> , 2013, 8, e64428. | 1.1 | 15 |
| 2613 | Diversification and Demography of the Oriental Garden Lizard (<i>Calotes versicolor</i>) on Hainan Island and the Adjacent Mainland. <i>PLoS ONE</i> , 2013, 8, e64754. | 1.1 | 34 |
| 2614 | Spatial Heterogeneity in Ecologically Important Climate Variables at Coarse and Fine Scales in a High-Snow Mountain Landscape. <i>PLoS ONE</i> , 2013, 8, e65008. | 1.1 | 58 |
| 2615 | When the Rule Becomes the Exception. No Evidence of Gene Flow between Two <i>Zerynthia</i> Cryptic Butterflies Suggests the Emergence of a New Model Group. <i>PLoS ONE</i> , 2013, 8, e65746. | 1.1 | 44 |
| 2616 | Ecological Niche Modeling and Land Cover Risk Areas for Rift Valley Fever Vector, <i>Culex tritaeniorhynchus</i> Giles in Jazan, Saudi Arabia. <i>PLoS ONE</i> , 2013, 8, e65786. | 1.1 | 40 |
| 2617 | Pathogen-Host Associations and Predicted Range Shifts of Human Monkeypox in Response to Climate Change in Central Africa. <i>PLoS ONE</i> , 2013, 8, e66071. | 1.1 | 34 |
| 2618 | Cliffs Used as Communal Roosts by Andean Condors Protect the Birds from Weather and Predators. <i>PLoS ONE</i> , 2013, 8, e67304. | 1.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2619 | Diversity of Eastern North American Ant Communities along Environmental Gradients. PLoS ONE, 2013, 8, e67973. | 1.1 | 12 |
| 2620 | Using Citizen Science Data to Model the Distributions of Common Songbirds of Turkey Under Different Global Climatic Change Scenarios. PLoS ONE, 2013, 8, e68037. | 1.1 | 29 |
| 2621 | Spatial Distribution of Podoconiosis in Relation to Environmental Factors in Ethiopia: A Historical Review. PLoS ONE, 2013, 8, e68330. | 1.1 | 29 |
| 2622 | The Fate of Threatened Coastal Dune Habitats in Italy under Climate Change Scenarios. PLoS ONE, 2013, 8, e68850. | 1.1 | 36 |
| 2623 | Spatial Assessment of Amphibian Chytrid Fungus (<i>Batrachochytrium dendrobatidis</i>) in South Africa Confirms Endemic and Widespread Infection. PLoS ONE, 2013, 8, e69591. | 1.1 | 17 |
| 2624 | Assessing Uncertainty in High-Resolution Spatial Climate Data across the US Northeast. PLoS ONE, 2013, 8, e70260. | 1.1 | 26 |
| 2625 | Nowhere to Invade: <i>Rumex crispus</i> and <i>Typha latifolia</i> Projected to Disappear under Future Climate Scenarios. PLoS ONE, 2013, 8, e70728. | 1.1 | 15 |
| 2626 | Are Namibian "Fairy Circles" the Consequence of Self-Organizing Spatial Vegetation Patterning?. PLoS ONE, 2013, 8, e70876. | 1.1 | 65 |
| 2627 | Novel Three-Step Pseudo-Absence Selection Technique for Improved Species Distribution Modelling. PLoS ONE, 2013, 8, e71218. | 1.1 | 146 |
| 2628 | Diversity and Biotic Homogenization of Urban Land-Snail Faunas in Relation to Habitat Types and Macroclimate in 32 Central European Cities. PLoS ONE, 2013, 8, e71783. | 1.1 | 34 |
| 2629 | A Global Airport-Based Risk Model for the Spread of Dengue Infection via the Air Transport Network. PLoS ONE, 2013, 8, e72129. | 1.1 | 54 |
| 2630 | Evaluating the Significance of Paleophylogeographic Species Distribution Models in Reconstructing Quaternary Range-Shifts of Nearctic Chelonians. PLoS ONE, 2013, 8, e72855. | 1.1 | 54 |
| 2631 | Conservation Priorities in a Biodiversity Hotspot: Analysis of Narrow Endemic Plant Species in New Caledonia. PLoS ONE, 2013, 8, e73371. | 1.1 | 104 |
| 2632 | Variation in Thermal Performance of a Widespread Pathogen, the Amphibian Chytrid Fungus <i>Batrachochytrium dendrobatidis</i> . PLoS ONE, 2013, 8, e73830. | 1.1 | 106 |
| 2633 | Threats from Climate Change to Terrestrial Vertebrate Hotspots in Europe. PLoS ONE, 2013, 8, e74989. | 1.1 | 79 |
| 2634 | Climate Change May Boost the Invasion of the Asian Needle Ant. PLoS ONE, 2013, 8, e75438. | 1.1 | 35 |
| 2635 | The Phylogeographic History of the New World Screwworm Fly, Inferred by Approximate Bayesian Computation Analysis. PLoS ONE, 2013, 8, e76168. | 1.1 | 21 |
| 2636 | Species Distribution Models for Crop Pollination: A Modelling Framework Applied to Great Britain. PLoS ONE, 2013, 8, e76308. | 1.1 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2637 | Niche Conservatism and the Future Potential Range of <i>Epipactis helleborine</i> (Orchidaceae). <i>PLoS ONE</i> , 2013, 8, e77352. | 1.1 | 33 |
| 2638 | Activity Response to Climate Seasonality in Species with Fossorial Habits: A Niche Modeling Approach Using the Lowland Burrowing Treefrog (<i>Smilisca fodiens</i>). <i>PLoS ONE</i> , 2013, 8, e78290. | 1.1 | 7 |
| 2639 | Unveiling Current Guanaco Distribution in Chile Based upon Niche Structure of Phylogeographic Lineages: Andean Puna to Subpolar Forests. <i>PLoS ONE</i> , 2013, 8, e78894. | 1.1 | 14 |
| 2640 | Predicting the Distribution Pattern of Small Carnivores in Response to Environmental Factors in the Western Ghats. <i>PLoS ONE</i> , 2013, 8, e79295. | 1.1 | 51 |
| 2641 | Molecular Markers Reveal Limited Population Genetic Structure in a North American Corvid, Clark's Nutcracker (<i>Nucifraga columbiana</i>). <i>PLoS ONE</i> , 2013, 8, e79621. | 1.1 | 11 |
| 2642 | Climate and Soil Type Together Explain the Distribution of Microendemic Species in a Biodiversity Hotspot. <i>PLoS ONE</i> , 2013, 8, e80811. | 1.1 | 20 |
| 2643 | Novel Data on the Ecology of <i>Cochranella mache</i> (Anura: Centrolenidae) and the Importance of Protected Areas for This Critically Endangered Glassfrog in the Neotropics. <i>PLoS ONE</i> , 2013, 8, e81837. | 1.1 | 8 |
| 2644 | Phenotypic Convergence in Genetically Distinct Lineages of a <i>Rhinolophus</i> Species Complex (Mammalia). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i> | 1.1 | 30 |
| 2645 | Next-Generation Invaders? Hotspots for Naturalised Sleeper Weeds in Australia under Future Climates. <i>PLoS ONE</i> , 2013, 8, e84222. | 1.1 | 29 |
| 2646 | Potential Geographic Distribution of Hantavirus Reservoirs in Brazil. <i>PLoS ONE</i> , 2013, 8, e85137. | 1.1 | 25 |
| 2647 | Assessing the Spatial Scale Effect of Anthropogenic Factors on Species Distribution. <i>PLoS ONE</i> , 2013, 8, e67573. | 1.1 | 16 |
| 2648 | Climatic Niche Evolution in New World Monkeys (Platyrrhini). <i>PLoS ONE</i> , 2013, 8, e83684. | 1.1 | 23 |
| 2649 | Two new endemic species of Ameiva (Squamata: Teiidae) from the dry forest of northwestern Peru and additional information on Ameiva concolor; Ruthven, 1924. <i>Zootaxa</i> , 2013, 3745, 263. | 0.2 | 13 |
| 2650 | Redescription of <i>Dicranoses capsulifex</i>; Kieffer and JÄrsgensen (Lepidoptera:) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i> | 0.2 | 5 |
| 2651 | <p class="HeadingRunIn">Stictonectes abellani sp. n. (Coleoptera: Dytiscidae: Hydroporinae) from the Iberian Peninsula, with notes on the phylogeny, ecology and distribution of the Iberian species of the genus</p></p>. <i>Zootaxa</i> , 2013, 3745, 533. | 0.2 | 5 |
| 2652 | Influencia de la heterogeneidad del paisaje en la ocurrencia de incendios forestales en Chile Central. <i>Revista De Geografia Norte Grande</i> , 2013, , 157-170. | 0.1 | 18 |
| 2653 | Dynamic Hydrological Modeling in Drylands with TRMM Based Rainfall. <i>Remote Sensing</i> , 2013, 5, 6691-6716. | 1.8 | 19 |
| 2654 | Agroecosystem Analysis of the Choke Mountain Watersheds, Ethiopia. <i>Sustainability</i> , 2013, 5, 592-616. | 1.6 | 73 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2655 | Range Expansion of <i>Ambrosia artemisiifolia</i> in Europe Is Promoted by Climate Change. <i>ISRN Ecology</i> , 2013, 2013, 1-9. | 1.0 | 59 |
| 2656 | Stingless bees (Hymenoptera: Apidae: Meliponini) of the Indian subcontinent: Diversity, taxonomy and current status of knowledge. <i>Zootaxa</i> , 2013, 3647, 401-28. | 0.2 | 41 |
| 2657 | Local Perceptions of Climate Variability and Change in Tropical Forests of Papua, Indonesia. <i>Ecology and Society</i> , 2013, 18, . | 1.0 | 67 |
| 2658 | Updated checklist of the ice-crawlers (Insecta: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 3 biogeography and conservation. <i>Zootaxa</i> , 2013, 3737, 351. | 0.2 | 13 |
| 2659 | Predictive modelling of the distribution of two critically endangered Dipterocarp trees: Implications for conservation of riparian forests in Borneo. <i>Journal of Ecology and the Natural Environment</i> , 2013, 5, 254-259. | 0.2 | 8 |
| 2660 | Global changes in dryland vegetation dynamics (1988â€“2008) assessed by satellite remote sensing: comparing a new passive microwave vegetation density record with reflective greenness data. <i>Biogeosciences</i> , 2013, 10, 6657-6676. | 1.3 | 158 |
| 2661 | Bryophytes on rocky outcrops in the caatinga biome: a conservationist perspective. <i>Acta Botanica Brasilica</i> , 2013, 27, 827-835. | 0.8 | 17 |
| 2662 | Ecological niche modeling and its applications in biodiversity conservation. <i>Biodiversity Science</i> , 2013, 21, 90-98. | 0.2 | 46 |
| 2663 | Identifying Trends in the Distribution of Vegetation in Mongolia in the Decade after its Transition to a Market Economy. <i>Japan Agricultural Research Quarterly</i> , 2013, 47, 203-208. | 0.1 | 7 |
| 2664 | Cute mammal is first carnivore discovered in Western Hemisphere for 35 years. <i>Nature</i> , 2013, , . | 13.7 | 0 |
| 2665 | New distribution record and a review on <i>Hipposideros fulvus</i> Gray, 1838 (Mammalia: Chiroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 | 0.1 | 1 |
| 2666 | Brooding in a temperate zone land snail: seasonal and regional patterns. <i>Contributions To Zoology</i> , 2013, 82, 85-S1. | 0.2 | 11 |
| 2667 | Abundance of Rift Valley Fever vectors in Europe and the Mediterranean Basin. <i>EFSA Supporting Publications</i> , 2013, 10, 420E. | 0.3 | 6 |
| 2669 | From Anopheles to Spatial Surveillance: A Roadmap Through a Multidisciplinary Challenge. , 0, , . | | 4 |
| 2670 | Yield of Photoperiodâ€“sensitive Sorghum Hybrids Based on Guineaâ€“race Germplasm under Farmersâ€™ Field Conditions in Mali. <i>Crop Science</i> , 2013, 53, 2454-2461. | 0.8 | 32 |
| 2671 | ¿Existen condiciones que favorecen la reemergencia del virus de encefalitis equina venezolana en La Alta Guajira colombiana?. <i>Biomedica</i> , 2014, 35, . | 0.3 | 1 |
| 2672 | The effect of climate forcing on numerical simulations of the Cordilleran ice sheet at the Last Glacial Maximum. <i>Cryosphere</i> , 2014, 8, 1087-1103. | 1.5 | 24 |
| 2673 | Applicability of Climate Analogues for Climate Change Adaptation Planning in Bugabira Commune of Burundi. <i>Sustainable Agriculture Research</i> , 2014, 3, 46. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2674 | Predicting geographic distributions of <i>Phacellodomus</i> species (Aves: Furnariidae) in South America based on ecological niche modeling. Acta Scientiarum - Biological Sciences, 2014, 36, 299. | 0.3 | 3 |
| 2675 | Why Do Some Evergreen Species Keep Their Leaves for a Second Winter, While Others Lose Them?. Forests, 2014, 5, 2594-2612. | 0.9 | 4 |
| 2676 | Análisis espacial del riesgo de establecimiento de Lymantria dispar en bosques nativos de Sudamérica. Bosque, 2014, 35, 241-249. | 0.1 | 0 |
| 2677 | Can current moisture responses predict soil CO ₂ efflux under altered precipitation regimes? A synthesis of manipulation experiments. Biogeosciences, 2014, 11, 2991-3013. | 1.3 | 74 |
| 2678 | Effects of Soil Organic Matter Properties and Microbial Community Composition on Enzyme Activities in Cryoturbated Arctic Soils. PLoS ONE, 2014, 9, e94076. | 1.1 | 90 |
| 2679 | Latitudinal Environmental Niches and Riverine Barriers Shaped the Phylogeography of the Central Chilean Endemic Dioscorea humilis (Dioscoreaceae). PLoS ONE, 2014, 9, e110029. | 1.1 | 9 |
| 2680 | Remnant Trees Affect Species Composition but Not Structure of Tropical Second-Growth Forest. PLoS ONE, 2014, 9, e83284. | 1.1 | 55 |
| 2681 | Unveiling the Conservation Biogeography of a Data-Deficient Endangered Bird Species under Climate Change. PLoS ONE, 2014, 9, e84529. | 1.1 | 33 |
| 2682 | Designing Optimized Multi-Species Monitoring Networks to Detect Range Shifts Driven by Climate Change: A Case Study with Bats in the North of Portugal. PLoS ONE, 2014, 9, e87291. | 1.1 | 36 |
| 2683 | Environmental Variables Explain Genetic Structure in a Beetle-Associated Nematode. PLoS ONE, 2014, 9, e87317. | 1.1 | 26 |
| 2684 | Genetic Differentiation and Genetic Diversity of Castanopsis (Fagaceae), the Dominant Tree Species in Japanese Broadleaved Evergreen Forests, Revealed by Analysis of EST-Associated Microsatellites. PLoS ONE, 2014, 9, e87429. | 1.1 | 41 |
| 2685 | Ecological Effects of the Invasive Giant Madagascar Day Gecko on Endemic Mauritian Geckos: Applications of Binomial-Mixture and Species Distribution Models. PLoS ONE, 2014, 9, e88798. | 1.1 | 23 |
| 2686 | Niche Overlap of Congeneric Invaders Supports a Single-Species Hypothesis and Provides Insight into Future Invasion Risk: Implications for Global Management of the Bactrocera dorsalis Complex. PLoS ONE, 2014, 9, e90121. | 1.1 | 57 |
| 2687 | Spatial Climate Patterns Explain Negligible Variation in Strength of Compensatory Density Feedbacks in Birds and Mammals. PLoS ONE, 2014, 9, e91536. | 1.1 | 9 |
| 2688 | Refining Climate Change Projections for Organisms with Low Dispersal Abilities: A Case Study of the Caspian Whip Snake. PLoS ONE, 2014, 9, e91994. | 1.1 | 42 |
| 2689 | Clonality-Climate Relationships along Latitudinal Gradient across China: Adaptation of Clonality to Environments. PLoS ONE, 2014, 9, e94009. | 1.1 | 35 |
| 2690 | Geographic Variation of Melanisation Patterns in a Hornet Species: Genetic Differences, Climatic Pressures or Aposematic Constraints?. PLoS ONE, 2014, 9, e94162. | 1.1 | 36 |
| 2691 | Exploring the Effect of Asymmetric Mitochondrial DNA Introgression on Estimating Niche Divergence in Morphologically Cryptic Species. PLoS ONE, 2014, 9, e95504. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2692 | Evolution of Rapid Development in Spadefoot Toads Is Unrelated to Arid Environments. <i>PLoS ONE</i> , 2014, 9, e96637. | 1.1 | 18 |
| 2693 | Mapping Species Distributions with MAXENT Using a Geographically Biased Sample of Presence Data: A Performance Assessment of Methods for Correcting Sampling Bias. <i>PLoS ONE</i> , 2014, 9, e97122. | 1.1 | 770 |
| 2694 | Genetic Pool Information Reflects Highly Suitable Areas: The Case of Two Parapatric Endangered Species of Tuco-tucos (Rodentia: Ctenomyidae). <i>PLoS ONE</i> , 2014, 9, e97301. | 1.1 | 13 |
| 2695 | Temperate Mountain Forest Biodiversity under Climate Change: Compensating Negative Effects by Increasing Structural Complexity. <i>PLoS ONE</i> , 2014, 9, e97718. | 1.1 | 68 |
| 2696 | Taxonomic Position and Phylogeny of the Genus <i>Vargasiella</i> (Orchidaceae, Vandoideae) Based on Molecular and Morphological Evidence. <i>PLoS ONE</i> , 2014, 9, e98472. | 1.1 | 3 |
| 2697 | A New Tool for Exploring Climate Change Induced Range Shifts of Conifer Species in China. <i>PLoS ONE</i> , 2014, 9, e98643. | 1.1 | 4 |
| 2698 | Ecological Speciation in <i>Nolina parviflora</i> (Asparagaceae): Lacking Spatial Connectivity along of the Trans-Mexican Volcanic Belt. <i>PLoS ONE</i> , 2014, 9, e98754. | 1.1 | 21 |
| 2699 | Distribution Patterns in the Native Vascular Flora of Iceland. <i>PLoS ONE</i> , 2014, 9, e102916. | 1.1 | 12 |
| 2700 | DNA Barcodes and Species Distribution Models Evaluate Threats of Global Climate Changes to Genetic Diversity: A Case Study from <i>Nanorana parkeri</i> (Anura: Dicroglossidae). <i>PLoS ONE</i> , 2014, 9, e103899. | 1.1 | 14 |
| 2701 | Unimodal Latitudinal Pattern of Land-Snail Species Richness across Northern Eurasian Lowlands. <i>PLoS ONE</i> , 2014, 9, e104035. | 1.1 | 11 |
| 2702 | Biogeographic Distribution Patterns and Their Correlates in the Diverse Frog Fauna of the Atlantic Forest Hotspot. <i>PLoS ONE</i> , 2014, 9, e104130. | 1.1 | 69 |
| 2703 | Climatic Niche Conservatism and Biogeographical Non-Equilibrium in <i>Eschscholzia californica</i> (Papaveraceae), an Invasive Plant in the Chilean Mediterranean Region. <i>PLoS ONE</i> , 2014, 9, e105025. | 1.1 | 23 |
| 2704 | Genetic Diversity and Structure of Dalmatian Pyrethrum (<i>Tanacetum cinerariifolium</i> Trevir. /Sch./ Bip.) | 1.1 | 25 |
| 2705 | Strong Discrepancies between Local Temperature Mapping and Interpolated Climatic Grids in Tropical Mountainous Agricultural Landscapes. <i>PLoS ONE</i> , 2014, 9, e105541. | 1.1 | 30 |
| 2706 | SoilGrids1km – Global Soil Information Based on Automated Mapping. <i>PLoS ONE</i> , 2014, 9, e105992. | 1.1 | 827 |
| 2707 | Distribution and Differentiation of Wild, Feral, and Cultivated Populations of Perennial Upland Cotton (<i>Gossypium hirsutum</i> L.) in Mesoamerica and the Caribbean. <i>PLoS ONE</i> , 2014, 9, e107458. | 1.1 | 82 |
| 2708 | Global Agricultural Land Resources – A High Resolution Suitability Evaluation and Its Perspectives until 2100 under Climate Change Conditions. <i>PLoS ONE</i> , 2014, 9, e107522. | 1.1 | 269 |
| 2709 | Genetic Differentiation, Niche Divergence, and the Origin and Maintenance of the Disjunct Distribution in the Blossomcrown <i>Anthocephala floriceps</i> (Trochilidae). <i>PLoS ONE</i> , 2014, 9, e108345. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2710 | Biotic Interactions Overrule Plant Responses to Climate, Depending on the Species' Biogeography. PLoS ONE, 2014, 9, e111023. | 1.1 | 6 |
| 2711 | Global Invasion of <i>Lantana camara</i> : Has the Climatic Niche Been Conserved across Continents?. PLoS ONE, 2014, 9, e111468. | 1.1 | 66 |
| 2712 | Metacommunity versus Biogeography: A Case Study of Two Groups of Neotropical Vegetation-Dwelling Arthropods. PLoS ONE, 2014, 9, e115137. | 1.1 | 29 |
| 2713 | Future of Endemic Flora of Biodiversity Hotspots in India. PLoS ONE, 2014, 9, e115264. | 1.1 | 82 |
| 2714 | Cyberdiversity: Improving the Informatic Value of Diverse Tropical Arthropod Inventories. PLoS ONE, 2014, 9, e115750. | 1.1 | 13 |
| 2715 | Global distribution maps of the leishmaniasis. ELife, 2014, 3, . | 2.8 | 203 |
| 2716 | Taxonomic utility of niche models in validating species concepts: A case study in Anthophora (Heliophila) (Hymenoptera: Apidae). Zootaxa, 2014, 3846, 411-29. | 0.2 | 6 |
| 2717 | Comparison of different evaporation estimates over the African continent. Hydrology and Earth System Sciences, 2014, 18, 193-212. | 1.9 | 106 |
| 2718 | <p>Notes on the genus Napialus Chu & Wang (Lepidoptera: Hepialidae), with description of a new species from China</p>. Zootaxa, 2014, 3793, 387. | 0.2 | 1 |
| 2719 | Ancistrocerus waldenii waldenii (Viereck 1906) (Hymenoptera: Vespidae, Eumeninae), a new addition to the fauna of Greenland. Zootaxa, 2014, 3838, 143. | 0.2 | 0 |
| 2720 | A supplement to the revision of the Scirtes flavoguttatus species-group (Coleoptera: Scirtidae: Scirtinae). Zootaxa, 2014, 3902, 1. | 0.2 | 2 |
| 2721 | Enrichment of Logging Gaps with a High Conservation Value Species (<i>Pericopsis elata</i>) in a Central African Moist Forest. Forests, 2014, 5, 3031-3047. | 0.9 | 18 |
| 2722 | Diversity patterns of selected Andean plant groups correspond to topography and habitat dynamics, not orogeny. Frontiers in Genetics, 2014, 5, 351. | 1.1 | 68 |
| 2723 | Phenological Metrics Derived over the European Continent from NDVI3g Data and MODIS Time Series. Remote Sensing, 2014, 6, 257-284. | 1.8 | 96 |
| 2724 | Allometric Scaling and Resource Limitations Model of Tree Heights: Part 3. Model Optimization and Testing over Continental China. Remote Sensing, 2014, 6, 3533-3553. | 1.8 | 17 |
| 2725 | Modelling the Spatial Distribution of <i>Culicoides imicola</i> : Climatic versus Remote Sensing Data. Remote Sensing, 2014, 6, 6604-6619. | 1.8 | 7 |
| 2726 | Wheat Yield Forecasting for Punjab Province from Vegetation Index Time Series and Historic Crop Statistics. Remote Sensing, 2014, 6, 9653-9675. | 1.8 | 92 |
| 2727 | Potential for spread of the white-nose fungus (<i>Pseudogymnoascus destructans</i>) in the Americas: use of Maxent and NicheA to assure strict model transference. Geospatial Health, 2014, 9, 221. | 0.3 | 188 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2728 | Mapping the Global Potential Geographical Distribution of Black Locust (<i>Robinia Pseudoacacia</i> L.) Using Herbarium Data and a Maximum Entropy Model. <i>Forests</i> , 2014, 5, 2773-2792. | 0.9 | 58 |
| 2729 | Central European high-resolution gridded daily data sets (HYRAS): Mean temperature and relative humidity. <i>Meteorologische Zeitschrift</i> , 2014, 23, 15-32. | 0.5 | 38 |
| 2730 | <i>Galictis cuja</i> (Mammalia): an update of current knowledge and geographic distribution. <i>Iheringia - Serie Zoologia</i> , 2014, 104, 341-346. | 0.5 | 23 |
| 2731 | MurciÃ©lagos del Ecuador: un anÃ©lisis de sus patrones de riqueza, distribuciÃ³n y aspectos de conservaciÃ³n. <i>Therya</i> , 2014, 5, 197-228. | 0.2 | 9 |
| 2732 | Mapping the Global Distribution of Livestock. <i>PLoS ONE</i> , 2014, 9, e96084. | 1.1 | 590 |
| 2733 | Relative roles of local disturbance, current climate and paleoclimate in determining phylogenetic and functional diversity in Chinese forests. <i>Biogeosciences</i> , 2014, 11, 1361-1370. | 1.3 | 26 |
| 2734 | Mosquito habitat and dengue risk potential in Kenya: alternative methods to traditional risk mapping techniques. <i>Geospatial Health</i> , 2014, 9, 119. | 0.3 | 8 |
| 2735 | Interpreting predictive maps of disease: highlighting the pitfalls of distribution models in epidemiology. <i>Geospatial Health</i> , 2014, 9, 237. | 0.3 | 9 |
| 2736 | Hydroclimatic regimes: a distributed water-balance framework for hydrologic assessment, classification, and management. <i>Hydrology and Earth System Sciences</i> , 2014, 18, 3855-3872. | 1.9 | 23 |
| 2737 | Potential distribution of the endangered endemic lizard <i>Liolaemus lutzae</i> Mertens, 1938 (Liolaemidae): are there other suitable areas for a geographically restricted species?. <i>Brazilian Journal of Biology</i> , 2014, 74, 338-348. | 0.4 | 7 |
| 2738 | Soil Carbon Dynamics Following Reforestation of Tropical Pastures. <i>Soil Science Society of America Journal</i> , 2014, 78, 290-296. | 1.2 | 14 |
| 2739 | Validating and Linking the GIMMS Leaf Area Index (LAI3g) with Environmental Controls in Tropical Africa. <i>Remote Sensing</i> , 2014, 6, 1973-1990. | 1.8 | 29 |
| 2740 | Modelling multiple threats to water security in the Peruvian Amazon using the WaterWorld policy support system. <i>Earth System Dynamics</i> , 2014, 5, 55-65. | 2.7 | 13 |
| 2741 | Moraine-dammed lake failures in Patagonia and assessment of outburst susceptibility in the Baker Basin. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 3243-3259. | 1.5 | 49 |
| 2742 | Mapping the Diversity of Maize Races in Mexico. <i>PLoS ONE</i> , 2014, 9, e114657. | 1.1 | 77 |
| 2743 | CREST (Climate REconstruction SoftWare): a probability density function (PDF)-based quantitative climate reconstruction method. <i>Climate of the Past</i> , 2014, 10, 2081-2098. | 1.3 | 40 |
| 2744 | Distribution and assemblages of large branchiopods (Crustacea: Branchiopoda) of northern Western Ghats, India. <i>Journal of Limnology</i> , 2014, 73, . | 0.3 | 4 |
| 2745 | Optimizing denominator data estimation through a multimodel approach. <i>Geospatial Health</i> , 2014, 8, 573. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2746 | Implementing new northernmost records to modelling the distribution of <i>Hypsiboas caingua</i> (Anura: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50257 Td (@nyleptida) | 0.3 | 1 |
| 2747 | Mapping and modelling the geographical distribution of soil-transmitted helminthiases in Peninsular Malaysia: implications for control approaches. <i>Geospatial Health</i> , 2014, 8, 365. | 0.3 | 9 |
| 2748 | Una nueva especie del género <i>Bipinnula</i> (Orchidaceae) para Chile. <i>Gayana - Botanica</i> , 2014, 71, 131-139. | 0.3 | 2 |
| 2749 | Spatial variability of photosynthetic production and ecosystem respiration on a hundred-kilometer scale within a Mongolian semiarid grassland. <i>J Agricultural Meteorology</i> , 2014, 70, 105-116. | 0.8 | 4 |
| 2750 | A seasonality trigger for carbon injection at the Paleocene–Eocene Thermal Maximum. <i>Climate of the Past</i> , 2014, 10, 759-769. | 1.3 | 61 |
| 2751 | Modelling spatial distribution of snails transmitting parasitic worms with importance to human and animal health and analysis of distributional changes in relation to climate. <i>Geospatial Health</i> , 2014, 8, 335. | 0.3 | 41 |
| 2752 | <i>Dimorphandra wilsonii</i> Rizzini (Fabaceae): distribution, habitat and conservation status. <i>Acta Botanica Brasilica</i> , 2014, 28, 434-444. | 0.8 | 13 |
| 2753 | There are many barriers to species' migrations. <i>Frontiers of Biogeography</i> , 2014, 6, . | 0.8 | 2 |
| 2754 | The Classification Indices-Based Model for NPP According to the Integrated Orderly Classification System of Grassland and Its Application. , 0, , . | | 2 |
| 2755 | Land protection and timber harvesting along productivity and diversity gradients in the Northern Rocky Mountains. <i>Ecosphere</i> , 2014, 5, 1-19. | 1.0 | 16 |
| 2756 | Persistence of tree relicts in the Spanish Central System through the Holocene. <i>Lazaroa</i> , 2014, 35, . | 0.8 | 22 |
| 2757 | A new species of <i>Desmopachria</i> Babington (Coleoptera: Dytiscidae) from Cuba with a prediction of its geographic distribution and notes on other Cuban species of the genus. <i>Zootaxa</i> , 2014, 3753, 585-96. | 0.2 | 9 |
| 2758 | Bioclimatic profile and potential distribution of the Mesopotamian harvestman Discocyrtus testudineus (Holmberg, 1876) (Opiliones), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50257 Td (@nyleptida) | | 2 |
| 2759 | A White Nile megalake during the last interglacial period. <i>Geology</i> , 2014, 42, 163-166. | 2.0 | 54 |
| 2760 | Variability in growth of <i>Vachellia niloticaprovenances</i> tested in the Sudano-Sahelian zone of Niger. <i>Southern Forests</i> , 2014, 76, 189-194. | 0.2 | 1 |
| 2761 | Predicting the potential distribution of invasive silver carp <i>Hypophthalmichthys molitrix</i> in South Africa. <i>African Journal of Aquatic Science</i> , 2014, 39, 157-165. | 0.5 | 13 |
| 2762 | Stand Structure and Recent Climate Change Constrain Stand Basal Area Change in European Forests: A Comparison Across Boreal, Temperate, and Mediterranean Biomes. <i>Ecosystems</i> , 2014, 17, 1439-1454. | 1.6 | 47 |
| 2763 | Potential Determinants of the Abundance of Woolly Monkeys in Neotropical Forests. , 2014, , 207-226. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2764 | Geographic Variation among Closely Related, Highly Variable Species with a Wide Distribution Range: the South Andean-Patagonian <i>Nassauvia</i> ; subgenus <i>Strongyloma</i> ; (Asteraceae, Nassauvieae). <i>Systematic Botany</i> , 2014, 39, 331-348. | 0.2 | 6 |
| 2765 | Distribution modelling of Eleonora's Falcon <i>Falco eleonora</i> , 1839 occurrence in its wintering grounds: a niche-based approach with satellite telemetry data. <i>Bird Conservation International</i> , 2014, 24, 100-113. | 0.7 | 10 |
| 2766 | Modeling the effect of a heat wave on maize production in the USA and its implications on food security in the developing world. <i>Weather and Climate Extremes</i> , 2014, 5-6, 67-77. | 1.6 | 45 |
| 2767 | Towards a mechanistic understanding of fish species niche divergence along a river continuum. <i>Ecosphere</i> , 2014, 5, 1-18. | 1.0 | 16 |
| 2768 | Conservation of Portuguese red-listed bryophytes species in Portugal: Promoting a shift in perspective on climate changes. <i>Plant Biosystems</i> , 2014, 148, 837-850. | 0.8 | 9 |
| 2769 | Clustering Urban Multifunctional Landscapes Using the Self-Organizing Feature Map Neural Network Model. <i>Journal of the Urban Planning and Development Division, ASCE</i> , 2014, 140, . | 0.8 | 23 |
| 2770 | Stable <i>Heliconius</i> butterfly hybrid zones are correlated with a local rainfall peak at the edge of the Amazon basin. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 3470-3484. | 1.1 | 38 |
| 2771 | Winter Distribution of Passerine Richness in the Maghreb (North Africa): A Conservation Assessment. <i>Ardeola</i> , 2014, 61, 335-350. | 0.4 | 8 |
| 2772 | Identifying drivers that influence the spatial distribution of woody vegetation in Kruger National Park, South Africa. <i>Ecosphere</i> , 2014, 5, 1-12. | 1.0 | 25 |
| 2773 | Comparison of two populations of <i>Pseudophilothrips ichini</i> (Thysanoptera: Phlaeothripidae) as candidates for biological control of the invasive weed <i>Schinus terebinthifolia</i> (Sapindales): <i>Tj ETQq1 1 0.784304 rgBT / Overlock</i> | 0.4 | 8 |
| 2774 | Role of temperature in determining relative abundance in cave twilight zones by two species of lungless salamander (family Plethodontidae). <i>Canadian Journal of Zoology</i> , 2014, 92, 119-127. | 0.4 | 20 |
| 2775 | Farming as feedback control. , 2014, , . | | 3 |
| 2776 | Current vegetation changes in an alpine late snowbed community in the south-eastern Alps (N-Italy). <i>Alpine Botany</i> , 2014, 124, 105-113. | 1.1 | 34 |
| 2777 | Genetic and phenotypic characterization of a hybrid zone between polyandrous Northern and Wattled Jacanas in Western Panama. <i>BMC Evolutionary Biology</i> , 2014, 14, 227. | 3.2 | 20 |
| 2778 | Evolutionarily significant units in a flightless ground beetle show different climate niches and high extinction risk due to climate change. <i>Journal of Insect Conservation</i> , 2014, 18, 781-790. | 0.8 | 17 |
| 2779 | Ecological niche modelling of Hemipteran insects in Cameroon; the paradox of a vector-borne transmission for <i>Mycobacterium ulcerans</i> , the causative agent of Buruli ulcer. <i>International Journal of Health Geographics</i> , 2014, 13, 44. | 1.2 | 17 |
| 2780 | A global predictive model of carbon in mangrove soils. <i>Environmental Research Letters</i> , 2014, 9, 104013. | 2.2 | 115 |
| 2781 | A Minor Role for Environmental Adaptation in Local Scale Maize Landrace Distribution: Results from a Common Garden Experiment in Oaxaca, Mexico. <i>Economic Botany</i> , 2014, 68, 383-396. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2782 | Would the "real" observed dataset stand up? A critical examination of eight observed gridded climate datasets for China. <i>Environmental Research Letters</i> , 2014, 9, 015001. | 2.2 | 63 |
| 2784 | Diversity and distribution of mosses in the state of Hidalgo, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2014, 85, 84-97. | 0.4 | 3 |
| 2785 | Digestive morphology of two species of <i>Abrothrix</i> (Rodentia, Cricetidae): comparison of populations from contrasting environments. <i>Journal of Mammalogy</i> , 2014, 95, 1222-1229. | 0.6 | 15 |
| 2786 | Modelling climate change impact on the spatial distribution of fresh water snails hosting trematodes in Zimbabwe. <i>Parasites and Vectors</i> , 2014, 7, 536. | 1.0 | 40 |
| 2787 | Modern influences on chironomid distribution in western Ireland: potential for palaeoenvironmental reconstruction. <i>Journal of Paleolimnology</i> , 2014, 52, 385-404. | 0.8 | 16 |
| 2788 | Estimating the geographic distribution of human Tanapox and potential reservoirs using ecological niche modeling. <i>International Journal of Health Geographics</i> , 2014, 13, 34. | 1.2 | 9 |
| 2789 | Extremely frequent bee visits increase pollen deposition but reduce drupelet set in raspberry. <i>Journal of Applied Ecology</i> , 2014, 51, 1603-1612. | 1.9 | 94 |
| 2790 | Rainfall and temperature affect tree species distribution in Ghana. <i>Journal of Tropical Ecology</i> , 2014, 30, 435-446. | 0.5 | 48 |
| 2791 | Climate change and conservation implications for wet meadows in dry Patagonia. <i>Environmental Conservation</i> , 2014, 41, 122-131. | 0.7 | 19 |
| 2792 | Lagging adaptation to warming climate in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7906-7913. | 3.3 | 157 |
| 2793 | What are the roles of species distribution models in conservation planning?. <i>Environmental Conservation</i> , 2014, 41, 93-96. | 0.7 | 55 |
| 2794 | Latitudinal patterns of diversity in the world collection of pearl millet landraces at the ICRISAT genebank. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2014, 12, 91-102. | 0.4 | 4 |
| 2795 | The Roles of Phylogeny and Climate in Shaping Variation in Life-History Traits of the Newt Genus <i>Triturus</i> (Caudata, Salamandridae). <i>Annales Zoologici Fennici</i> , 2014, 51, 445-456. | 0.2 | 3 |
| 2797 | Adaptation of Cultivated Amaranth (<i>Amaranthus</i> spp.) and Their Wild Relatives in Mexico. <i>Journal of Crop Improvement</i> , 2014, 28, 203-213. | 0.9 | 6 |
| 2798 | The taxonomy of Flagellaria (Flagellariaceae). <i>Australian Systematic Botany</i> , 2014, 27, 159. | 0.3 | 5 |
| 2799 | Planning and Designing Sustainable and Resilient Landscapes. <i>Springer Geography</i> , 2014, , . | 0.3 | 5 |
| 2800 | Remotely sensed surface temperature variation of an inland saline lake over the central Qinghai-Tibet Plateau. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2014, 98, 157-167. | 4.9 | 23 |
| 2801 | Modeling Current and Future Climates using WorldClim and DIVA Software: Case Studies from Timor Leste and India. <i>Journal of Crop Improvement</i> , 2014, 28, 619-640. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2802 | Phylogeography of <i>Marmosa robinsoni</i> : insights into the biogeography of dry forests in northern South America. <i>Journal of Mammalogy</i> , 2014, 95, 1175-1188. | 0.6 | 17 |
| 2803 | Spatial variability and temporal trends in water-use efficiency of European forests. <i>Global Change Biology</i> , 2014, 20, 3700-3712. | 4.2 | 175 |
| 2804 | Conservation status affects elevational gradient in bird diversity in the Himalaya: A new perspective. <i>Global Ecology and Conservation</i> , 2014, 2, 338-348. | 1.0 | 20 |
| 2805 | New insights on phylogeography and distribution of painted frogs (<i>Discoglossus</i>) in northern Africa and the Iberian Peninsula. <i>Amphibia - Reptilia</i> , 2014, 35, 305-320. | 0.1 | 24 |
| 2806 | The impact of livestock grazing on plant diversity: an analysis across dryland ecosystems and scales in southern Africa. <i>Ecological Applications</i> , 2014, 24, 1188-1203. | 1.8 | 118 |
| 2807 | Incipient speciation in the Chihuahuan Desert shrub <i>Berberis trifoliolata</i> under divergent climate scenarios. <i>Botany</i> , 2014, 92, 195-201. | 0.5 | 5 |
| 2808 | Dendroclimatic Reconstruction at Kilometer-Scale Grid Points: A Case Study from the Great Basin of North America. <i>Journal of Hydrometeorology</i> , 2014, 15, 891-906. | 0.7 | 10 |
| 2809 | Towards Detecting Bioclimatic Niche - Species Distribution Modelling in Four Maple Species (<i>Acer</i>) | 0.3 | 8 |
| 2810 | Estimating Hantavirus Risk in Southern Argentina: A GIS-Based Approach Combining Human Cases and Host Distribution. <i>Viruses</i> , 2014, 6, 201-222. | 1.5 | 23 |
| 2811 | Recorded and potential distributions on the iberian peninsula of species of Lepidoptera listed in the Habitats Directive. <i>European Journal of Entomology</i> , 2014, 111, 407-415. | 1.2 | 7 |
| 2812 | Complex Geographical Distribution of Ploidy Levels in <i>Polylepis australis</i> (Rosaceae), an Endemic Tree Line Species in Argentina. <i>International Journal of Plant Sciences</i> , 2014, 175, 955-961. | 0.6 | 12 |
| 2813 | Phylogeny and Niche Conservatism in North and Central American Triatomine Bugs (Hemiptera:) | 1.3 | 50 |
| 2814 | Range-Wide Latitudinal and Elevational Temperature Gradients for the World's Terrestrial Birds: Implications under Global Climate Change. <i>PLoS ONE</i> , 2014, 9, e98361. | 1.1 | 38 |
| 2815 | Design of a WSN for the Sampling of Environmental Variability in Complex Terrain. <i>Sensors</i> , 2014, 14, 21826-21842. | 2.1 | 2 |
| 2816 | Climate-Related Variation in Body Dimensions within Four Lacertid Species. <i>International Journal of Zoology</i> , 2014, 2014, 1-14. | 0.3 | 10 |
| 2817 | Where Does Human Plague Still Persist in Latin America?. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2680. | 1.3 | 31 |
| 2818 | Projected Future Distributions of Vectors of <i>Trypanosoma cruzi</i> in North America under Climate Change Scenarios. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2818. | 1.3 | 67 |
| 2819 | Prioritisation of potential agents for the biological control of the invasive alien weed, <i>Pereskia aculeata</i> (Cactaceae), in South Africa. <i>Biocontrol Science and Technology</i> , 2014, 24, 407-425. | 0.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2820 | Evidence of population variation in drought tolerance during seed germination in four <i>Banksia</i> (Proteaceae) species from Western Australia. <i>Australian Journal of Botany</i> , 2014, 62, 481. | 0.3 | 25 |
| 2821 | <i>Cephaloziella integerrima</i> (Cephaloziellaceae, Marchantiophyta), New for Italy. <i>Cryptogamie, Bryologie</i> , 2014, 35, 405-408. | 0.1 | 4 |
| 2822 | Physiological Variation among Invasive Populations of the Brown Anole (<i>Anolis sagrei</i>). <i>Physiological and Biochemical Zoology</i> , 2014, 87, 92-104. | 0.6 | 61 |
| 2823 | Geographical differentiation of <i>Dryas octopetala</i> in Europe based on morphological features. <i>Dendrobiology</i> , 0, 72, 113-123. | 0.6 | 8 |
| 2824 | Across a macro-ecological gradient forest competition is strongest at the most productive sites. <i>Frontiers in Plant Science</i> , 2014, 5, 260. | 1.7 | 28 |
| 2825 | Yellow Fever in Africa: Estimating the Burden of Disease and Impact of Mass Vaccination from Outbreak and Serological Data. <i>PLoS Medicine</i> , 2014, 11, e1001638. | 3.9 | 239 |
| 2826 | Predictive approaches to forest site productivity: recent trends, challenges and future perspectives. <i>Forestry</i> , 2014, 87, 109-128. | 1.2 | 118 |
| 2827 | Improved simulation of fire-vegetation interactions in the Land surface Processes and eXchanges dynamic global vegetation model (LPX-Mv1). <i>Geoscientific Model Development</i> , 2014, 7, 2411-2433. | 1.3 | 28 |
| 2828 | Mapping the Geographical Distribution of Lymphatic Filariasis in Zambia. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2714. | 1.3 | 19 |
| 2829 | Biogeographic Variation in the Diet and Behaviour of <i>Cercopithecus mitis</i> . <i>Folia Primatologica</i> , 2015, 85, 319-334. | 0.3 | 24 |
| 2830 | The Potential Effects of Climate Change on Suitable Habitat for the Sichuan Hill Partridge (<i>Arborophila rufipectus</i> , Boulton): Based on the Maximum Entropy Modelling. <i>Polish Journal of Ecology</i> , 2014, 62, 771-787. | 0.2 | 5 |
| 2831 | Wax plants (<i>Hoya</i> , Apocynaceae) evolution: Epiphytism drives successful radiation. <i>Taxon</i> , 2014, 63, 89-102. | 0.4 | 27 |
| 2832 | Spatial analysis techniques applied to uranium prospecting in Chihuahua State, Mexico. , 2014, , . | | 0 |
| 2833 | Assessing the Potential for Establishment of Western Cherry Fruit Fly Using Ecological Niche Modeling. <i>Journal of Economic Entomology</i> , 2014, 107, 1032-1044. | 0.8 | 47 |
| 2834 | Distribution of <i>Culicoides sonorensis</i> (Diptera: Ceratopogonidae) in Alberta, Canada. <i>Journal of Medical Entomology</i> , 2014, 51, 560-571. | 0.9 | 12 |
| 2835 | Plant diversification in the Espinhaço Range: Insights from the biogeography of <i>Minaria</i> (Apocynaceae). <i>Taxon</i> , 2014, 63, 1253-1264. | 0.4 | 46 |
| 2836 | Predicting Current and Future Invasion of <i>Solidago canadensis</i> : a Study from China. <i>Polish Journal of Ecology</i> , 2014, 62, 263. | 0.2 | 21 |
| 2837 | Two new genera of Gentianinae (Gentianaceae): <i>Sinogentiana</i> and <i>Kuepferia</i> supported by molecular phylogenetic evidence. <i>Taxon</i> , 2014, 63, 342-354. | 0.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2838 | Potential species distribution modeling and the use of principal component analysis as predictor variables. <i>Revista Mexicana De Biodiversidad</i> , 2014, 85, 189-199. | 0.4 | 78 |
| 2839 | Ecogeographic Isolation and Speciation in the Genus <i>Mimulus</i> . <i>American Naturalist</i> , 2014, 184, 565-579. | 1.0 | 55 |
| 2840 | Human Paternal Lineages, Languages, and Environment in the Caucasus. <i>Human Biology</i> , 2014, 86, 113-130. | 0.4 | 10 |
| 2841 | The nitrogen footprint of food products in the European Union. <i>Journal of Agricultural Science</i> , 2014, 152, 20-33. | 0.6 | 123 |
| 2842 | Transition from a singly vergent to doubly vergent wedge in a young orogen: The Greater Caucasus. <i>Tectonics</i> , 2014, 33, 2077-2101. | 1.3 | 83 |
| 2843 | 30° Arcsecond monthly climate surfaces with global land coverage. <i>International Journal of Climatology</i> , 2014, 34, 2175-2188. | 1.5 | 62 |
| 2844 | Geographic and seasonal distribution of a little-known Brazilian endemic rail (<i>Aramides</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 Td Ornithology, 2014, 126, 663-672. | 0.1 | 8 |
| 2845 | Maximizing species conservation in continental Ecuador: a case of systematic conservation planning for biodiverse regions. <i>Ecology and Evolution</i> , 2014, 4, 2410-2422. | 0.8 | 55 |
| 2846 | Unexpected technological heterogeneity in northern Arabia indicates complex Late Pleistocene demography at the gateway to Asia. <i>Journal of Human Evolution</i> , 2014, 75, 125-142. | 1.3 | 43 |
| 2847 | EFFECTS OF A FIRE RESPONSE TRAIT ON DIVERSIFICATION IN REPLICATED RADIATIONS. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 453-465. | 1.1 | 40 |
| 2848 | Comparison of interpolation methods for estimating spatial distribution of precipitation in Ontario, Canada. <i>International Journal of Climatology</i> , 2014, 34, 3745-3751. | 1.5 | 74 |
| 2849 | Molecules and models indicate diverging evolutionary effects from parallel altitudinal range shifts in two mountain Ringlet butterflies. <i>Biological Journal of the Linnean Society</i> , 2014, 112, 569-583. | 0.7 | 11 |
| 2850 | Using trait and phylogenetic diversity to evaluate the generality of the stress-dominance hypothesis in eastern North American tree communities. <i>Ecography</i> , 2014, 37, 814-826. | 2.1 | 113 |
| 2851 | Nutrient availability as the key regulator of global forest carbon balance. <i>Nature Climate Change</i> , 2014, 4, 471-476. | 8.1 | 383 |
| 2852 | Niche Conservatism and Future Changes in the Potential Area Coverage of <i>Arundina graminifolia</i> , an Invasive Orchid Species from Southeast Asia. <i>Biotropica</i> , 2014, 46, 157-165. | 0.8 | 30 |
| 2853 | A Soil Erosion Assessment of the Upper Mekong River in Yunnan Province, China. <i>Mountain Research and Development</i> , 2014, 34, 36-47. | 0.4 | 24 |
| 2854 | Misperceived invasion: the Lusitanian slug (<i>Ariolus lusitanicus</i> auct.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 Td Central Europe. <i>Evolutionary Applications</i> , 2014, 7, 702-713. | 1.5 | 48 |
| 2855 | Bird and mammal species composition in distinct geographic regions and their relationships with environmental factors across multiple spatial scales. <i>Ecology and Evolution</i> , 2014, 4, 1963-1971. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2856 | Tibetan Plateau precipitation as depicted by gauge observations, reanalyses and satellite retrievals. <i>International Journal of Climatology</i> , 2014, 34, 265-285. | 1.5 | 192 |
| 2857 | East Asian pollen database: modern pollen distribution and its quantitative relationship with vegetation and climate. <i>Journal of Biogeography</i> , 2014, 41, 1819-1832. | 1.4 | 126 |
| 2858 | Late Pleistocene to Holocene distributional stasis in scorpions along the Baja California peninsula. <i>Biological Journal of the Linnean Society</i> , 2014, 111, 450-461. | 0.7 | 6 |
| 2859 | Adaptation to spring heat and drought in northeastern Spanish <i>rabidopsis thaliana</i> . <i>New Phytologist</i> , 2014, 201, 323-334. | 3.5 | 82 |
| 2860 | Space matters when defining effective management for invasive plants. <i>Diversity and Distributions</i> , 2014, 20, 1029-1043. | 1.9 | 30 |
| 2861 | Bioclimate of Italy: application of the worldwide bioclimatic classification system. <i>Journal of Maps</i> , 2014, 10, 538-553. | 1.0 | 119 |
| 2862 | How cold-adapted flightless flies dispersed over the northern hemisphere: phylogeny and biogeography of the snow fly genus <i>Chionea</i> (Diptera). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 49</i> | | |
| 2863 | The context dependence of beneficiary feedback effects on benefactors in plant facilitation. <i>New Phytologist</i> , 2014, 204, 386-396. | 3.5 | 37 |
| 2864 | Smallholder Demand for Maize Hybrids in Zambia: How Far do Seed Subsidies Reach?. <i>Journal of Agricultural Economics</i> , 2014, 65, 349-367. | 1.6 | 7 |
| 2865 | Modelling surface fine fuel dynamics across climate gradients in eucalypt forests of southeastern Australia. <i>Ecography</i> , 2014, 37, 827-837. | 2.1 | 55 |
| 2866 | MICROHABITAT DIFFERENCES IMPACT PHYLOGEOGRAPHIC CONCORDANCE OF CODISTRIBUTED SPECIES: GENOMIC EVIDENCE IN MONTANE SEDGES (<i>CAREX</i> L.) FROM THE ROCKY MOUNTAINS. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 2833-2846. | 1.1 | 64 |
| 2867 | Phylogeography of <i>Liquidambar styraciflua</i> (Altingiaceae) in Mesoamerica: survivors of a Neogene widespread temperate forest (or cloud) <i>Tj ETQq1 1 0 784314rgBT /Over</i> | | |
| 2868 | Species richness-productivity relationships of tropical terrestrial ferns at regional and local scales. <i>Journal of Ecology</i> , 2014, 102, 1623-1633. | 1.9 | 33 |
| 2869 | Sensitivity of the agroecosystem in the Ganges basin to inter-annual rainfall variability and associated changes in land use. <i>International Journal of Climatology</i> , 2014, 34, 3066-3077. | 1.5 | 14 |
| 2870 | Adaptive differentiation of traits related to resource use in a desert annual along a resource gradient. <i>New Phytologist</i> , 2014, 201, 1316-1327. | 3.5 | 63 |
| 2871 | A continental risk assessment of West Nile virus under climate change. <i>Global Change Biology</i> , 2014, 20, 2417-2425. | 4.2 | 79 |
| 2872 | Invasion trajectory of alien trees: the role of introduction pathway and planting history. <i>Global Change Biology</i> , 2014, 20, 1527-1537. | 4.2 | 112 |
| 2873 | A Phylogenetic Analysis of Molecular and Morphological Data Reveals a Paraphyletic <i>Poecilanthe</i> (Leguminosae, Papilionoideae). <i>Systematic Botany</i> , 2014, 39, 1142-1149. | 0.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2874 | Accounting for tree line shift, glacier retreat and primary succession in mountain plant distribution models. <i>Diversity and Distributions</i> , 2014, 20, 1379-1391. | 1.9 | 24 |
| 2875 | The <i>n</i> -dimensional hypervolume. <i>Global Ecology and Biogeography</i> , 2014, 23, 595-609. | 2.7 | 504 |
| 2876 | Silicic acid enrichment of subantarctic surface water from continental inputs along the Patagonian archipelago interior sea (41°–56°S). <i>Progress in Oceanography</i> , 2014, 129, 50-61. | 1.5 | 47 |
| 2877 | Large-scale adaptive divergence in <i>Boechera fecunda</i> , an endangered wild relative of <i>Arabidopsis</i> . <i>Ecology and Evolution</i> , 2014, 4, 3175-3186. | 0.8 | 14 |
| 2878 | The richness and abundance of epigeic mountain beetles in north-western Patagonia, Argentina: assessment of patterns and environmental correlates. <i>Journal of Biogeography</i> , 2014, 41, 561-573. | 1.4 | 22 |
| 2879 | Spatial leave-one-out cross-validation for variable selection in the presence of spatial autocorrelation. <i>Global Ecology and Biogeography</i> , 2014, 23, 811-820. | 2.7 | 80 |
| 2880 | Biogeographic patterns of base-rich fen vegetation across Europe. <i>Applied Vegetation Science</i> , 2014, 17, 367-380. | 0.9 | 34 |
| 2881 | Carbon isotopic signatures of soil organic matter correlate with leaf area index across woody biomes. <i>Journal of Ecology</i> , 2014, 102, 1606-1611. | 1.9 | 21 |
| 2882 | Sexual dimorphism in the size and shape of the os coxae and the effects of microevolutionary processes. <i>American Journal of Physical Anthropology</i> , 2014, 153, 167-177. | 2.1 | 54 |
| 2883 | Grassland vegetation of the <i>Molinia</i> - <i>Arrhenatheretea</i> class in the NW Balkan Peninsula. <i>Applied Vegetation Science</i> , 2014, 17, 591-603. | 0.9 | 13 |
| 2884 | The Woolly Monkey. , 2014, , . | | 6 |
| 2885 | Potential impacts of climate change on distribution range of <i>Nabis pseudoferus</i> and <i>N. palifer</i> (Hemiptera: Nabidae) in Iran. <i>Entomological Science</i> , 2014, 17, 283-292. | 0.3 | 10 |
| 2886 | Species limits and diversification in the Madagascar olive (<i>Noronhia</i> , Oleaceae). <i>Botanical Journal of the Linnean Society</i> , 2014, 174, 141-161. | 0.8 | 21 |
| 2887 | Individual Heterogeneity in Use of Human Shields by Mountain Nyala. <i>Ethology</i> , 2014, 120, 715-725. | 0.5 | 27 |
| 2888 | Range expansion, genetic differentiation, and phenotypic adaption of <i>Hippophaë neurocarpa</i> (Elaeagnaceae) on the Qinghai-Tibet Plateau. <i>Journal of Systematics and Evolution</i> , 2014, 52, 303-312. | 1.6 | 14 |
| 2889 | How can knowledge of the climate niche inform the weed risk assessment process? A case study of <i>Chrysanthemoides monilifera</i> in Australia. <i>Diversity and Distributions</i> , 2014, 20, 613-625. | 1.9 | 30 |
| 2890 | Modelling the distribution of <i>Aspalathus linearis</i> (Rooibos tea): implications of climate change for livelihoods dependent on both cultivation and harvesting from the wild. <i>Ecology and Evolution</i> , 2014, 4, 1209-1221. | 0.8 | 37 |
| 2891 | Spatial variation in the climatic predictors of species compositional turnover and endemism. <i>Ecology and Evolution</i> , 2014, 4, 3264-3278. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2892 | Local adaptations to frost in marginal and central populations of the dominant forest tree <i>Fagus sylvatica</i> L. as affected by temperature and extreme drought in common garden experiments. <i>Ecology and Evolution</i> , 2014, 4, 594-605. | 0.8 | 97 |
| 2893 | Niche evolution and thermal adaptation in the temperate species <i>Drosophila americana</i> . <i>Journal of Evolutionary Biology</i> , 2014, 27, 1549-1561. | 0.8 | 18 |
| 2894 | Dependency of seed dormancy types on embryo traits and environmental conditions in <i>Ribes</i> species. <i>Plant Biology</i> , 2014, 16, 740-747. | 1.8 | 11 |
| 2895 | Low genetic diversity and high inbreeding of the endangered yews in Central Himalaya: implications for conservation of their highly fragmented populations. <i>Diversity and Distributions</i> , 2014, 20, 1270-1284. | 1.9 | 27 |
| 2896 | Diploid hybrid origin of <i>Ostryopsis intermedia</i> (Betulaceae) in the Qinghai-Tibet Plateau triggered by Quaternary climate change. <i>Molecular Ecology</i> , 2014, 23, 3013-3027. | 2.0 | 61 |
| 2897 | Environmental effects on the shape variation of male ultraviolet patterns in the Brimstone butterfly (<i>Gonepteryx rhamni</i> , Pieridae, Lepidoptera). <i>Die Naturwissenschaften</i> , 2014, 101, 1055-1063. | 0.6 | 5 |
| 2898 | Phylogenetic clustering and overdispersion for alpine plants along elevational gradient in the Hengduan Mountains Region, southwest China. <i>Journal of Systematics and Evolution</i> , 2014, 52, 280-288. | 1.6 | 78 |
| 2899 | Historical distribution of Sundaland's Dipterocarp rainforests at Quaternary glacial maxima. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16790-16795. | 3.3 | 88 |
| 2900 | Insights from ecological niche modeling on the taxonomic distinction and niche differentiation between the black-spotted and red-spotted tokay geckoes (<i>Gekko gekko</i>). <i>Ecology and Evolution</i> , 2014, 4, 3383-3394. | 0.8 | 22 |
| 2901 | Plant movements and climate warming: intraspecific variation in growth responses to nonlocal soils. <i>New Phytologist</i> , 2014, 202, 431-441. | 3.5 | 29 |
| 2902 | The relationships between land cover, climate and cave copepod spatial distribution and suitability along the Carpathians. <i>Environmental Conservation</i> , 2014, 41, 206-216. | 0.7 | 6 |
| 2903 | Mechanisms driving an unusual latitudinal diversity gradient for grasses. <i>Global Ecology and Biogeography</i> , 2014, 23, 61-75. | 2.7 | 43 |
| 2904 | Visualizing Patterns of Genetic Landscapes and Species Distribution of <i>Taxus wallichiana</i> (Taxaceae), Based on GIS and Ecological Niche Models. <i>Journal of Resources and Ecology</i> , 2014, 5, 193-202. | 0.2 | 4 |
| 2905 | Generalized "avatar" niche shifts improve distribution models for invasive species. <i>Diversity and Distributions</i> , 2014, 20, 1296-1306. | 1.9 | 11 |
| 2906 | Orbital control of western North America atmospheric circulation and climate over two glacial cycles. <i>Nature Communications</i> , 2014, 5, 3805. | 5.8 | 86 |
| 2907 | Using ring records and field surveys to predict the winter distribution of a migratory passerine. <i>Bird Study</i> , 2014, 61, 527-536. | 0.4 | 7 |
| 2908 | Non-native species in Canada's boreal zone: diversity, impacts, and risk. <i>Environmental Reviews</i> , 2014, 22, 372-420. | 2.1 | 37 |
| 2909 | Regional distribution models with lack of proximate predictors: Africanized honeybees expanding north. <i>Diversity and Distributions</i> , 2014, 20, 193-201. | 1.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2910 | Biodiversity Funds and Conservation Needs in the EU Under Climate Change. <i>Conservation Letters</i> , 2014, 7, 390-400. | 2.8 | 26 |
| 2911 | Leaf n -alkanes as Characters Differentiating Coastal and Continental <i>Juniperus deltoides</i> Populations from the Balkan Peninsula. <i>Chemistry and Biodiversity</i> , 2014, 11, 1042-1052. | 1.0 | 9 |
| 2912 | Predicting the spread of <i>Aedes albopictus</i> in Australia under current and future climates: Multiple approaches and datasets to incorporate potential evolutionary divergence. <i>Austral Ecology</i> , 2014, 39, 469-478. | 0.7 | 40 |
| 2913 | DIVERSIFICATION AND GENE FLOW IN NASCENT LINEAGES OF ISLAND AND MAINLAND NORTH AMERICAN TREE SQUIRRELS (<i>TAMIASCIURUS</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 1094-1109. | 1.1 | 31 |
| 2914 | Land surface skin temperature captures thermal environments of C_3 and C_4 grasses. <i>Global Ecology and Biogeography</i> , 2014, 23, 286-296. | 2.7 | 42 |
| 2915 | On Extension of Optimal Entanglement Concentration of GHZ States in Quantum-Dot and Micro-Cavity Coupled System. <i>Communications in Theoretical Physics</i> , 2014, 61, 677-682. | 1.1 | 0 |
| 2916 | Catchment Survey in the Karonga District: a Landscape-Scale Analysis of Provisioning and Core Reduction Strategies During the Middle Stone Age of Northern Malawi. <i>African Archaeological Review</i> , 2014, 31, 447-478. | 0.8 | 24 |
| 2917 | Distribution and Ecology of the Most Tropical of the High-Elevation Montane Colobines: The Ebony Langur on Java. , 2014, , 115-132. | | 6 |
| 2918 | Restoring degraded tropical forests for carbon and biodiversity. <i>Environmental Research Letters</i> , 2014, 9, 114020. | 2.2 | 62 |
| 2919 | Climate Change and the Distribution of Neotropical Red-Bellied Toads (<i>Melanophryniscus</i> , Anura,) Tj ETQq1 1 0.784314 rgBT /Overload | 1.1 | 40 |
| 2920 | Geographic Distribution, Phylogeny, and Genetic Diversity of the Fruit- and Blood-Feeding Moth <i>Calyptra thalictri</i> Borkhausen (Insecta: Lepidoptera: Erebidae). <i>Journal of Parasitology</i> , 2014, 100, 583. | 0.3 | 3 |
| 2921 | Fine-scale malaria risk mapping from routine aggregated case data. <i>Malaria Journal</i> , 2014, 13, 421. | 0.8 | 58 |
| 2922 | A Review of <i>Andotypus</i> and <i>Austrotypus</i> gen. nov., Rygmodine Genera with an Austral Disjunction (Hydrophilidae: Rygmodinae). <i>Annales Zoologici</i> , 2014, 64, 557-596. | 0.1 | 12 |
| 2923 | Plant diversity and ecosystem multifunctionality peak at intermediate levels of woody cover in global drylands. <i>Global Ecology and Biogeography</i> , 2014, 23, 1408-1416. | 2.7 | 93 |
| 2924 | Improved Historical Temperature and Precipitation Time Series for U.S. Climate Divisions. <i>Journal of Applied Meteorology and Climatology</i> , 2014, 53, 1232-1251. | 0.6 | 309 |
| 2925 | Extremely Low Prevalence of <i>Batrachochytrium dendrobatidis</i> in Frog Populations from Neotropical Dry Forest of Costa Rica Supports the Existence of a Climatic Refuge from Disease. <i>EcoHealth</i> , 2014, 11, 593-602. | 0.9 | 21 |
| 2927 | Population at the edge: increased divergence but not inbreeding towards northern range limit in <i>Acer campestre</i> . <i>Tree Genetics and Genomes</i> , 2014, 10, 1739-1753. | 0.6 | 13 |
| 2928 | Carbon carry capacity and carbon sequestration potential in China based on an integrated analysis of mature forest biomass. <i>Science China Life Sciences</i> , 2014, 57, 1218-1229. | 2.3 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2929 | <i>Crotalaria trifoliolata</i> (Leguminosae: Papilionoideae), a previously incompletely known Ethiopian endemic rediscovered after 120 years. <i>Kew Bulletin</i> , 2014, 69, 1. | 0.4 | 3 |
| 2930 | Change in NDVI of forest ecosystems in Northern Caucasus as a function of topography and climate. <i>Contemporary Problems of Ecology</i> , 2014, 7, 855-863. | 0.3 | 10 |
| 2931 | Rock outcrop orchids reveal the genetic connectivity and diversity of inselbergs of northeastern Brazil. <i>BMC Evolutionary Biology</i> , 2014, 14, 49. | 3.2 | 49 |
| 2932 | Targeting environmental adaptation in the monocot model <i>Brachypodium distachyon</i> : a multi-faceted approach. <i>BMC Genomics</i> , 2014, 15, 801. | 1.2 | 33 |
| 2933 | What is the impact of active management on biodiversity in forests set aside for conservation or restoration? A systematic review protocol. <i>Environmental Evidence</i> , 2014, 3, 22. | 1.1 | 2 |
| 2934 | Thermal niche evolution and geographical range expansion in a species complex of western Mediterranean diving beetles. <i>BMC Evolutionary Biology</i> , 2014, 14, 187. | 3.2 | 27 |
| 2935 | The Biogeography of the Papio Baboons: A GIS-Based Analysis of Range Characteristics and Variability. <i>Folia Primatologica</i> , 2015, 85, 292-318. | 0.3 | 13 |
| 2936 | The European functional tree of bird life in the face of global change. <i>Nature Communications</i> , 2014, 5, 3118. | 5.8 | 52 |
| 2937 | New perspectives in ecosystem services science as instruments to understand environmental securities. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20120286. | 1.8 | 38 |
| 2938 | Conservation of the red-shanked douc <i>Pygathrix nemaeus</i> in Lao People's Democratic Republic: density estimates based on distance sampling and habitat suitability modelling. <i>Oryx</i> , 2014, 48, 540-547. | 0.5 | 5 |
| 2939 | Climate-driven changes in chemical weathering and associated phosphorus release since 1850: Implications for the land carbon balance. <i>Geophysical Research Letters</i> , 2014, 41, 3553-3558. | 1.5 | 35 |
| 2940 | Genetic Differentiation and Evolutionary Adaptation in <i>Cryptomeria japonica</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 2389-2402. | 0.8 | 46 |
| 2941 | The unusual suspect: Land use is a key predictor of biodiversity patterns in the Iberian Peninsula. <i>Acta Oecologica</i> , 2014, 61, 41-50. | 0.5 | 38 |
| 2942 | Patterns of phylogeography and vicariance of <i>Chamaerops humilis</i> L. (Palmae). <i>Turkish Journal of Botany</i> , 2014, 38, 1132-1146. | 0.5 | 26 |
| 2943 | Spatial-temporal variability of terrestrial vegetation productivity in the Yangtze River Basin during 2000-2009. <i>Journal of Plant Ecology</i> , 2014, 7, 10-23. | 1.2 | 22 |
| 2944 | Species distribution modelling using bioclimatic variables to determine the impacts of a changing climate on the western ringtail possum (<i>Pseudocheirus occidentalis</i> ; Pseudocheiridae). <i>Environmental Conservation</i> , 2014, 41, 176-186. | 0.7 | 48 |
| 2945 | Altitudinal Gradient May Shadow the Effects of Altitudinal Range on Species Diversity. <i>Applied Mechanics and Materials</i> , 2014, 644-650, 5464-5470. | 0.2 | 0 |
| 2946 | Evolutionary History of Wild Barley (<i>Hordeum vulgare</i> subsp. <i>spontaneum</i>) Analyzed Using Multilocus Sequence Data and Paleodistribution Modeling. <i>Genome Biology and Evolution</i> , 2014, 6, 685-702. | 1.1 | 64 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2947 | Early spring ephemeral therophytic non-nitrophilous grasslands as a habitat of various species of romulea in the southern balkans. <i>Acta Botanica Croatica</i> , 2014, 73, 155-177. | 0.3 | 8 |
| 2948 | Effects of regional context and landscape composition on diversity and composition of small rodent assemblages in Argentinian temperate grasslands and wetlands. <i>Mammalia</i> , 2014, 78, . | 0.3 | 14 |
| 2949 | A multi-resolution global land cover dataset through multisource data aggregation. <i>Science China Earth Sciences</i> , 2014, 57, 2317-2329. | 2.3 | 116 |
| 2950 | Climate variability and change in the Central Rift Valley of Ethiopia: challenges for rainfed crop production. <i>Journal of Agricultural Science</i> , 2014, 152, 58-74. | 0.6 | 98 |
| 2951 | Biogeographic Variation of Foliar <i>n</i> -Alkanes of <i>Juniperus communis</i> var <i>saxatilis</i> Pallas from the Balkans. <i>Chemistry and Biodiversity</i> , 2014, 11, 1923-1938. | 1.0 | 20 |
| 2952 | Hydrological modelling using data from monthly GCMs in a regional catchment. <i>Hydrological Processes</i> , 2014, 28, 3241-3263. | 1.1 | 17 |
| 2953 | Diversity of Malaysian insectivorous bat assemblages revisited. <i>Journal of Tropical Ecology</i> , 2014, 30, 111-121. | 0.5 | 8 |
| 2954 | The Reduced Effectiveness of Protected Areas under Climate Change Threatens Atlantic Forest Tiger Moths. <i>PLoS ONE</i> , 2014, 9, e107792. | 1.1 | 71 |
| 2955 | Connectivity and bottlenecks in a migratory wildebeest <i>Connochaetes taurinus</i> population. <i>Oryx</i> , 2014, 48, 613-621. | 0.5 | 48 |
| 2956 | Demographic history and niche conservatism of tropical rainforest trees separated along an altitudinal gradient of a biogeographic barrier. <i>Australian Journal of Botany</i> , 2014, 62, 438. | 0.3 | 10 |
| 2957 | Paraphyly of Section <i>Stygnanthe</i> (& <i>Columnnea</i> ; Gesneriaceae) and a Revision of the Species of Section <i>Angustiflorae</i> , a New Section Inferred from ITS and Chloroplast DNA Data. <i>Systematic Botany</i> , 2014, 39, 613-636. | 0.2 | 9 |
| 2958 | Increased Photosynthetic Capacity as a Mechanism of Drought Adaptation in <i>C₃</i> Plants. <i>International Journal of Plant Sciences</i> , 2014, 175, 1033-1041. | 0.6 | 7 |
| 2959 | The global spread of crop pests and pathogens. <i>Global Ecology and Biogeography</i> , 2014, 23, 1398-1407. | 2.7 | 367 |
| 2960 | Evaluating the Marginal Land Resources Suitable for Developing Bioenergy in Asia. <i>Advances in Meteorology</i> , 2014, 2014, 1-9. | 0.6 | 35 |
| 2961 | Relationship between frost hardiness of adults and seedlings of different tree species. <i>IForest</i> , 2014, 7, 282-288. | 0.5 | 7 |
| 2962 | Niche conservatism of <i>Eulophia alta</i> , a trans-Atlantic orchid species. <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 83, 51-57. | 0.8 | 3 |
| 2963 | Modeling Spatial Innovation Diffusion from Radiocarbon Dates and Regression Residuals: The Case of Early Old World Pottery. <i>Radiocarbon</i> , 2014, 56, 723-732. | 0.8 | 11 |
| 2964 | The Iberian Species of <i>Scilla</i> (Subfamily Scilloideae, Family Asparagaceae) Under Climatic Change Scenarios in Southwestern Europe. <i>Systematic Botany</i> , 2014, 39, 1083-1098. | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2965 | Distribution patterns of riordinid butterflies (Lepidoptera: Riordinidae) from southern Brazil. <i>Zoological Studies</i> , 2014, 53, . | 0.3 | 12 |
| 2966 | Range shift and introgression of the rear and leading populations in two ecologically distinct <i>Rubus</i> species. <i>BMC Evolutionary Biology</i> , 2014, 14, 209. | 3.2 | 25 |
| 2967 | Parallel Bayesian Additive Regression Trees. <i>Journal of Computational and Graphical Statistics</i> , 2014, 23, 830-852. | 0.9 | 39 |
| 2968 | Influence of 1100 years of burning on the central African rainforest. <i>Ecography</i> , 2014, 37, 1139-1148. | 2.1 | 18 |
| 2969 | Continental-scale patterns of pathogen prevalence: a case study on the corncrake. <i>Evolutionary Applications</i> , 2014, 7, 1043-1055. | 1.5 | 13 |
| 2970 | Creating a Sediment Budget in a Data Poor Context: An Example from Eastern Indonesia. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2014, 96, n/a-n/a. | 0.6 | 4 |
| 2971 | Global biogeography of <i>Alnus</i> -associated <i>Frankia</i> actinobacteria. <i>New Phytologist</i> , 2014, 204, 979-988. | 3.5 | 41 |
| 2972 | Future ant invasions in France. <i>Environmental Conservation</i> , 2014, 41, 217-228. | 0.7 | 18 |
| 2973 | The distribution and conservation of Gurney's <i>Pitta pitta gurneyi</i> in Myanmar. <i>Bird Conservation International</i> , 2014, 24, 354-363. | 0.7 | 9 |
| 2974 | Predicting the impact of increasing temperatures on seed germination among populations of Western Australian <i>Banksia</i> (Proteaceae). <i>Seed Science Research</i> , 2014, 24, 195-205. | 0.8 | 52 |
| 2975 | Mapping Irrigated Areas in China From Remote Sensing and Statistical Data. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2014, 7, 4490-4504. | 2.3 | 36 |
| 2976 | <i>Bukovina</i> blind mole rat <i>Sipalax graecus</i> revisited: phylogenetics, morphology, taxonomy, habitat associations and conservation. <i>Mammal Review</i> , 2014, 44, 19-29. | 2.2 | 15 |
| 2977 | Interpolation of Mexican soil properties at a scale of 1:1,000,000. <i>Geoderma</i> , 2014, 213, 29-35. | 2.3 | 30 |
| 2978 | <i>Bromus tectorum</i> invasion in South America: Patagonia under threat?. <i>Weed Research</i> , 2014, 54, 70-77. | 0.8 | 9 |
| 2979 | The arbovirus vector <i>Culex torrentium</i> is more prevalent than <i>Culex pipiens</i> in northern and central Europe. <i>Medical and Veterinary Entomology</i> , 2014, 28, 179-186. | 0.7 | 57 |
| 2980 | Predicting species distribution at range margins: testing the effects of study area extent, resolution and threshold selection in the Sahara-Sahel transition zone. <i>Diversity and Distributions</i> , 2014, 20, 20-33. | 1.9 | 97 |
| 2981 | Windborne: Can liverworts be used as indicators of altitudinal gradient in the Brazilian Atlantic Forest?. <i>Ecological Indicators</i> , 2014, 36, 431-440. | 2.6 | 22 |
| 2982 | Island biogeography from regional to local scales: evidence for a spatially scaled echo pattern of fern diversity in the Southeast Asian archipelago. <i>Journal of Biogeography</i> , 2014, 41, 250-260. | 1.4 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2983 | Forecasting the viability of sea turtle eggs in a warming world. <i>Global Change Biology</i> , 2014, 20, 7-15. | 4.2 | 81 |
| 2984 | Geomorphic constraints on landscape sensitivity to climate in tectonically active areas. <i>Geomorphology</i> , 2014, 204, 366-381. | 1.1 | 60 |
| 2985 | Ensemble forecast of climate suitability for the Trans-Himalayan Nyctaginaceae species. <i>Ecological Modelling</i> , 2014, 282, 18-24. | 1.2 | 59 |
| 2986 | Modeling potential invasion range of alien invasive species, <i>Hyptis suaveolens</i> (L.) Poit. in India: Comparison of MaxEnt and GARP. <i>Ecological Informatics</i> , 2014, 22, 36-43. | 2.3 | 164 |
| 2987 | An early advance of glaciers on Mount Akdağ, SW Turkey, before the global Last Glacial Maximum; insights from cosmogenic nuclides and glacier modeling. <i>Quaternary Science Reviews</i> , 2014, 88, 96-109. | 1.4 | 85 |
| 2988 | Environmental controls on cultivated soybean phenotypic traits across China. <i>Agriculture, Ecosystems and Environment</i> , 2014, 192, 12-18. | 2.5 | 11 |
| 2989 | Multi-proxy evidence for tectonic control on the expansion of C4 grasses in northwest Argentina. <i>Earth and Planetary Science Letters</i> , 2014, 395, 41-50. | 1.8 | 25 |
| 2990 | Plant-plant interactions, environmental gradients and plant diversity: A global synthesis of community-level studies. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2014, 16, 154-163. | 1.1 | 131 |
| 2991 | Long-term socio-economic and spatial pattern drivers of land cover change in a Caribbean tropical moist forest, the Cockpit Country, Jamaica. <i>Agriculture, Ecosystems and Environment</i> , 2014, 186, 185-200. | 2.5 | 55 |
| 2992 | Altered stand structure and tree allometry reduce carbon storage in evergreen forest fragments in India's Western Ghats. <i>Forest Ecology and Management</i> , 2014, 329, 375-383. | 1.4 | 31 |
| 2993 | Soil carbon stocks and forest biomass following conversion of pasture to broadleaf and conifer plantations in southeastern Brazil. <i>Forest Ecology and Management</i> , 2014, 324, 37-45. | 1.4 | 36 |
| 2994 | Dispersal spectra, diaspore size and the importance of endozoochory in the equatorial Andean montane forests. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2014, 209, 299-311. | 0.6 | 16 |
| 2995 | Knowledge behind conservation status decisions: Data basis for "Data Deficient" Brazilian plant species. <i>Biological Conservation</i> , 2014, 173, 80-89. | 1.9 | 31 |
| 2996 | Risk of invasion by frequently traded freshwater turtles. <i>Biological Invasions</i> , 2014, 16, 217-231. | 1.2 | 43 |
| 2997 | French naiad (Bivalvia: Margaritiferidae, Unionidae) species distribution models: prediction maps as tools for conservation. <i>Hydrobiologia</i> , 2014, 735, 81-94. | 1.0 | 18 |
| 2998 | Timberline meadows along a 1000-km transect in NW North America: species diversity and community patterns. <i>Applied Vegetation Science</i> , 2014, 17, 129-141. | 0.9 | 9 |
| 2999 | Uncertainty in distribution forecasts caused by taxonomic ambiguity under climate change scenarios: a case study with two newt species in mainland Spain. <i>Journal of Biogeography</i> , 2014, 41, 111-121. | 1.4 | 21 |
| 3000 | Species richness of epiphytic bryophytes: drivers across scales on the edge of the Mediterranean. <i>Ecography</i> , 2014, 37, 80-93. | 2.1 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3001 | Stacking species distribution models and adjusting bias by linking them to macroecological models. <i>Global Ecology and Biogeography</i> , 2014, 23, 99-112. | 2.7 | 270 |
| 3002 | Climate change adaptation, mitigation and livelihood benefits in coffee production: where are the synergies?. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2014, 19, 1119-1137. | 1.0 | 87 |
| 3003 | Implications of a changing climate on food security and smallholders' livelihoods in Bogotá, Colombia. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2014, 19, 161-176. | 1.0 | 24 |
| 3004 | Convergent effects of elevation on functional leaf traits within and among species. <i>Functional Ecology</i> , 2014, 28, 37-45. | 1.7 | 203 |
| 3005 | Phylogenetic perspectives on biome shifts in <i>Leucocoryne</i> (<i>Aspladiaceae</i>) in relation to climatic niche evolution in western South America. <i>Journal of Biogeography</i> , 2014, 41, 328-338. | 1.4 | 33 |
| 3006 | Predicting Global Patterns in Mangrove Forest Biomass. <i>Conservation Letters</i> , 2014, 7, 233-240. | 2.8 | 250 |
| 3007 | Humidity and seasonality drives body size patterns in males of the bush cricket <i>Isophya rizeensis</i> Sevgili, 2003 (Orthoptera: Tettigoniidae: Phaneropterinae). <i>Insect Science</i> , 2014, 21, 213-226. | 1.5 | 16 |
| 3008 | Advances in Computational Biology. <i>Advances in Intelligent Systems and Computing</i> , 2014, , . | 0.5 | 1 |
| 3009 | How recent climate change influences water use efficiency in East Asia. <i>Theoretical and Applied Climatology</i> , 2014, 116, 359-370. | 1.3 | 53 |
| 3010 | A modification of HASM for interpolating precipitation in China. <i>Theoretical and Applied Climatology</i> , 2014, 116, 273-285. | 1.3 | 28 |
| 3011 | GPCC's new land surface precipitation climatology based on quality-controlled in situ data and its role in quantifying the global water cycle. <i>Theoretical and Applied Climatology</i> , 2014, 115, 15-40. | 1.3 | 1,093 |
| 3012 | A spatially predictive baseline for monitoring multivariate species occurrences and phylogenetic shifts in mediterranean southern Australia. <i>Journal of Vegetation Science</i> , 2014, 25, 338-348. | 1.1 | 16 |
| 3013 | Seasonal comparisons of meteorological and agricultural drought indices in Morocco using open short time-series data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014, 26, 36-48. | 1.4 | 68 |
| 3014 | The fundamental hominin niche in late Pleistocene Central Asia: a preliminary refugium model. <i>Journal of Biogeography</i> , 2014, 41, 95-110. | 1.4 | 27 |
| 3015 | Links between environmental factors and hemiepiphytes along a slope of subtropical Atlantic forest. <i>Nordic Journal of Botany</i> , 2014, 32, 358-368. | 0.2 | 3 |
| 3016 | Alien plant species distribution in the European Alps: influence of species' climatic requirements. <i>Biological Invasions</i> , 2014, 16, 815-831. | 1.2 | 29 |
| 3017 | Local performance of six clonal alien species differs between native and invasive regions in Germany and New Zealand. <i>Austral Ecology</i> , 2014, 39, 378-387. | 0.7 | 10 |
| 3018 | Bergmann's rule is maintained during a rapid range expansion in a damselfly. <i>Global Change Biology</i> , 2014, 20, 475-482. | 4.2 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3019 | Using global maps to predict the risk of dengue in Europe. <i>Acta Tropica</i> , 2014, 129, 1-14. | 0.9 | 74 |
| 3020 | The taphonomy of fallow deer (<i>Dama dama</i>) skeletons from Denmark and its bearing on the pre-Weichselian occupation of northern Europe by humans. <i>Archaeological and Anthropological Sciences</i> , 2014, 6, 31-61. | 0.7 | 9 |
| 3021 | Using limited data to detect changes in species distributions: Insights from Amazon parrots in Venezuela. <i>Biological Conservation</i> , 2014, 173, 133-143. | 1.9 | 15 |
| 3022 | Phenology predicts the native and invasive range limits of common ragweed. <i>Global Change Biology</i> , 2014, 20, 192-202. | 4.2 | 89 |
| 3023 | The naturalization status of African Spotted Orchid (<i>Oeceoclades maculata</i>) in Neotropics. <i>Plant Biosystems</i> , 2014, 148, 1049-1055. | 0.8 | 8 |
| 3024 | Ecogeographical variation in skull shape of capuchin monkeys. <i>Journal of Biogeography</i> , 2014, 41, 501-512. | 1.4 | 32 |
| 3025 | Changing Human Landscapes Under a Changing Climate: Considerations for Climate Assessments. <i>Environmental Management</i> , 2014, 53, 42-54. | 1.2 | 14 |
| 3026 | The genetic structure of <i>Arabidopsis thaliana</i> in the south-western Mediterranean range reveals a shared history between North Africa and southern Europe. <i>BMC Plant Biology</i> , 2014, 14, 17. | 1.6 | 53 |
| 3027 | Temperature explains variable spread rates of the invasive woodwasp <i>Sirex noctilio</i> in the Southern Hemisphere. <i>Biological Invasions</i> , 2014, 16, 329-339. | 1.2 | 61 |
| 3028 | Lack of steady-state in the global biogeochemical Si cycle: emerging evidence from lake Si sequestration. <i>Biogeochemistry</i> , 2014, 117, 255-277. | 1.7 | 61 |
| 3029 | A study of the contribution of mass elevation effect to the altitudinal distribution of timberline in the Northern Hemisphere. <i>Journal of Chinese Geography</i> , 2014, 24, 226-236. | 1.5 | 23 |
| 3030 | Does future climate change facilitate expansion of evergreen broad-leaved tree species in the human-disturbed landscape of the Korean Peninsula? Implication for monitoring design of the impact assessment. <i>Journal of Forest Research</i> , 2014, 19, 174-183. | 0.7 | 7 |
| 3031 | What controls the distribution of the Japanese endemic hemlock, <i>Tsuga diversifolia</i> ? Footprint of climate in the glacial period on current habitat occupancy. <i>Journal of Forest Research</i> , 2014, 19, 154-165. | 0.7 | 20 |
| 3032 | Conservation priorities in the Southern Central Andes: mismatch between endemism and diversity hotspots in the regional flora. <i>Biodiversity and Conservation</i> , 2014, 23, 81-107. | 1.2 | 25 |
| 3033 | Multiple cryptic refugia of forest grass <i>Bromus benekenii</i> in Europe as revealed by ISSR fingerprinting and species distribution modelling. <i>Plant Systematics and Evolution</i> , 2014, 300, 1437-1452. | 0.3 | 10 |
| 3034 | Venomous snakes and climate change: ophidism as a dynamic problem. <i>Climatic Change</i> , 2014, 122, 67-80. | 1.7 | 47 |
| 3035 | High-resolution spatiotemporal distribution of precipitation in Iran: a comparative study with three global-precipitation datasets. <i>Theoretical and Applied Climatology</i> , 2014, 118, 211-221. | 1.3 | 27 |
| 3036 | The potential effects of climate change on the distribution and productivity of <i>Cunninghamia lanceolata</i> in China. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 135-149. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3037 | Casuarina: biogeography and ecology of an important tree genus in a changing world. <i>Biological Invasions</i> , 2014, 16, 609-633. | 1.2 | 37 |
| 3038 | The validity of ecogeographical rules is context-dependent: testing for Bergmann's and Allen's rules by latitude and elevation in a widespread Andean duck. <i>Biological Journal of the Linnean Society</i> , 2014, 111, 850-862. | 0.7 | 42 |
| 3039 | Using species distributions models for designing conservation strategies of Tropical Andean biodiversity under climate change. <i>Journal for Nature Conservation</i> , 2014, 22, 391-404. | 0.8 | 145 |
| 3040 | Closing yield gaps in maize production in Southeast Asia through site-specific nutrient management. <i>Field Crops Research</i> , 2014, 156, 219-230. | 2.3 | 66 |
| 3041 | Climate niche modeling in the perennial <i>Glycine</i> (Leguminosae) allopolyploid complex. <i>American Journal of Botany</i> , 2014, 101, 710-721. | 0.8 | 25 |
| 3042 | Multilocus phylogeography and morphology give insights into the recent evolution of a Mexican endemic songbird: <i>Vireo hypochryseus</i> . <i>Journal of Avian Biology</i> , 2014, 45, 253-263. | 0.6 | 18 |
| 3043 | The importance of biotic interactions in species distribution models: a test of the Eltonian noise hypothesis using parrots. <i>Journal of Biogeography</i> , 2014, 41, 513-523. | 1.4 | 114 |
| 3044 | Contrasting relationships between clade age and temperature along latitudinal versus elevational gradients for woody angiosperms in forests of South America. <i>Journal of Vegetation Science</i> , 2014, 25, 1208-1215. | 1.1 | 32 |
| 3045 | The reticulate evolutionary history of the polyploid NW Iberian <i>Leucanthemum pluriflorum</i> clan (Compositae, Anthemideae) as inferred from nrDNA ETS sequence diversity and eco-climatological niche-modelling. <i>Molecular Phylogenetics and Evolution</i> , 2014, 70, 478-491. | 1.2 | 16 |
| 3046 | How to map soil organic carbon stocks in highly urbanized regions?. <i>Geoderma</i> , 2014, 226-227, 103-115. | 2.3 | 44 |
| 3047 | Estimating uncertainty in daily weather interpolations: a Bayesian framework for developing climate surfaces. <i>International Journal of Climatology</i> , 2014, 34, 2573-2584. | 1.5 | 28 |
| 3048 | Niche breadth of oligarchic species in Amazonian and Andean rain forests. <i>Journal of Vegetation Science</i> , 2014, 25, 1355-1366. | 1.1 | 13 |
| 3049 | Population signatures of large-scale, long-term disjunction and small-scale, short-term habitat fragmentation in an Afrotropical forest bird. <i>Heredity</i> , 2014, 113, 205-214. | 1.2 | 18 |
| 3050 | Ecogeographical and phylogenetic effects on craniofacial variation in macaques. <i>American Journal of Physical Anthropology</i> , 2014, 154, 27-41. | 2.1 | 29 |
| 3051 | Late-Cenozoic relief evolution under evolving climate: A review. <i>Tectonophysics</i> , 2014, 614, 44-65. | 0.9 | 51 |
| 3052 | Drivers of tree diversity in tropical rain forests: new insights from a comparison between littoral and hilly landscapes of Central Africa. <i>Journal of Biogeography</i> , 2014, 41, 574-586. | 1.4 | 13 |
| 3053 | Efficiency of hair snares and camera traps to survey mesocarnivore populations. <i>European Journal of Wildlife Research</i> , 2014, 60, 279-289. | 0.7 | 29 |
| 3054 | Present, past and future of the European rock fern <i>Asplenium fontanum</i> : combining distribution modelling and population genetics to study the effect of climate change on geographic range and genetic diversity. <i>Annals of Botany</i> , 2014, 113, 453-465. | 1.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3055 | Eutrophication weakens stabilizing effects of diversity in natural grasslands. <i>Nature</i> , 2014, 508, 521-525. | 13.7 | 409 |
| 3056 | Fire and grazing modify grass community response to environmental determinants in savannas: Implications for sustainable use. <i>Agriculture, Ecosystems and Environment</i> , 2014, 185, 197-207. | 2.5 | 9 |
| 3057 | Late <i>Miocene</i> lineage divergence and ecological differentiation of rare endemic <i>Juniperus blancoi</i> : clues for the diversification of <i>North American</i> conifers. <i>New Phytologist</i> , 2014, 203, 335-347. | 3.5 | 23 |
| 3058 | Application of consensus theory to formalize expert evaluations of plant species distribution models. <i>Applied Vegetation Science</i> , 2014, 17, 528-542. | 0.9 | 8 |
| 3059 | Spatio-temporal interpolation of daily temperatures for global land areas at 1°km resolution. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 2294-2313. | 1.2 | 176 |
| 3060 | Insights into the origin and distribution of biodiversity in the Brazilian Atlantic forest hot spot: a statistical phylogeographic study using a low-dispersal organism. <i>Heredity</i> , 2014, 112, 656-665. | 1.2 | 60 |
| 3061 | A climate-based model to predict potential treeline position around the globe. <i>Alpine Botany</i> , 2014, 124, 1-12. | 1.1 | 195 |
| 3062 | Impact of Extreme Drought and Warming on Survival and Growth Characteristics of Different Provenances of Juvenile <i>Quercus pubescens</i> Willd. <i>Folia Geobotanica</i> , 2014, 49, 31-47. | 0.4 | 17 |
| 3063 | Do climate and soil influence phenotypic variability in leaf litter, microbial decomposition and shredder consumption?. <i>Oecologia</i> , 2014, 174, 1021-1032. | 0.9 | 47 |
| 3064 | Divergence of the potential invasion range of emerald ash borer and its host distribution in North America under climate change. <i>Climatic Change</i> , 2014, 122, 735-746. | 1.7 | 37 |
| 3065 | Warming effects and plant trait control on the early-decomposition in alpine snowbeds. <i>Plant and Soil</i> , 2014, 376, 277-290. | 1.8 | 32 |
| 3066 | Factors regulating the invasive success of an alien frog: a comparison of the ecology of the native and alien populations. <i>Hydrobiologia</i> , 2014, 730, 127-138. | 1.0 | 11 |
| 3067 | Australian Snakes Do Not Follow Bergmann's Rule. <i>Evolutionary Biology</i> , 2014, 41, 327-335. | 0.5 | 39 |
| 3068 | Model of potential distribution of <i>Platyeris rhadamanthus</i> Gerstaecker, 1873 with redescription of species. <i>Zoological Studies</i> , 2014, 53, . | 0.3 | 6 |
| 3069 | Application of GIS in downscaling regional climate model results over the province of Ontario. <i>Environmental Systems Research</i> , 2014, 3, 8. | 1.5 | 13 |
| 3070 | Different reactions of central and marginal provenances of <i>Fagus sylvatica</i> to experimental drought. <i>European Journal of Forest Research</i> , 2014, 133, 247-260. | 1.1 | 74 |
| 3071 | Phenotypic variation of 38 European <i>Ambrosia artemisiifolia</i> populations measured in a common garden experiment. <i>Biological Invasions</i> , 2014, 16, 2003-2015. | 1.2 | 42 |
| 3072 | Suitable, reachable but not colonised: seasonal niche duality in an endemic mountainous songbird. <i>Journal of Ornithology</i> , 2014, 155, 657-669. | 0.5 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3073 | Growth and fuelwood properties of five tree and shrub species in the Sahelian and Sudanian ecozones of Mali: relationships with mean annual rainfall and geographical coordinates. <i>New Forests</i> , 2014, 45, 179-197. | 0.7 | 8 |
| 3074 | Physico-chemical properties of tamarind (<i>Tamarindus indica</i> L.) fruits from Mali: selection of elite trees for domestication. <i>Genetic Resources and Crop Evolution</i> , 2014, 61, 537-553. | 0.8 | 18 |
| 3075 | Spatial Assessment of Soil Organic Carbon Density Through Random Forests Based Imputation. <i>Journal of the Indian Society of Remote Sensing</i> , 2014, 42, 577-587. | 1.2 | 37 |
| 3076 | Caves as microrefugia: Pleistocene phylogeography of the troglomorphic North American scorpion <i>Pseudouroctonus reddelli</i> . <i>BMC Evolutionary Biology</i> , 2014, 14, 9. | 3.2 | 38 |
| 3077 | Pest species distribution modelling: origins and lessons from history. <i>Biological Invasions</i> , 2014, 16, 239-256. | 1.2 | 79 |
| 3078 | Very high resolution bioclimatic zoning of Portuguese wine regions: present and future scenarios. <i>Regional Environmental Change</i> , 2014, 14, 295-306. | 1.4 | 75 |
| 3079 | Using Publicly Available Forest Inventory Data in Climate-Based Models of Tree Species Distribution: Examining Effects of True Versus Altered Location Coordinates. <i>Ecosystems</i> , 2014, 17, 43-53. | 1.6 | 19 |
| 3080 | Trade-offs between constitutive and induced defences drive geographical and climatic clines in pine chemical defences. <i>Ecology Letters</i> , 2014, 17, 537-546. | 3.0 | 187 |
| 3081 | Drivers of forest harvesting intensity patterns in Europe. <i>Forest Ecology and Management</i> , 2014, 315, 160-172. | 1.4 | 147 |
| 3082 | Predictors of malaria infection in a wild bird population: landscape-level analyses reveal climatic and anthropogenic factors. <i>Journal of Animal Ecology</i> , 2014, 83, 1091-1102. | 1.3 | 54 |
| 3083 | Thermal physiology and species distribution models reveal climate vulnerability of temperate amphibians. <i>Journal of Biogeography</i> , 2014, 41, 713-723. | 1.4 | 39 |
| 3084 | Expanding the understanding of local community assembly in adaptive radiations. <i>Ecology and Evolution</i> , 2014, 4, 174-185. | 0.8 | 6 |
| 3085 | Can biotic interactions cause allopatry? Niche models, competition, and distributions of South American mouse opossums. <i>Ecography</i> , 2014, 37, 741-753. | 2.1 | 79 |
| 3086 | Response of non-native European terrestrial gastropods to novel climates correlates with biogeographical and biological traits. <i>Global Ecology and Biogeography</i> , 2014, 23, 857-866. | 2.7 | 17 |
| 3087 | Microclimate modelling at macro scales: a test of a general microclimate model integrated with gridded continental-scale soil and weather data. <i>Methods in Ecology and Evolution</i> , 2014, 5, 273-286. | 2.2 | 107 |
| 3088 | Seasonality drives global-scale diversity patterns in waterfowl (<i>Anseriformes</i>) via temporal niche exploitation. <i>Global Ecology and Biogeography</i> , 2014, 23, 550-562. | 2.7 | 47 |
| 3089 | Beta diversity of urban floras among European and non-European cities. <i>Global Ecology and Biogeography</i> , 2014, 23, 769-779. | 2.7 | 90 |
| 3090 | Climate-driven spatial mismatches between British orchards and their pollinators: increased risks of pollination deficits. <i>Global Change Biology</i> , 2014, 20, 2815-2828. | 4.2 | 57 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3091 | Reconstructing palaeoclimatic variables from fossil pollen using boosted regression trees: comparison and synthesis with other quantitative reconstruction methods. <i>Quaternary Science Reviews</i> , 2014, 88, 69-81. | 1.4 | 36 |
| 3092 | Evidence for niche similarities in the allopatric sister species <i>Lepus castroviejoi</i> and <i>Lepus corsicanus</i> . <i>Journal of Biogeography</i> , 2014, 41, 977-986. | 1.4 | 17 |
| 3093 | Seeking the flowers for the bees: Integrating biotic interactions into niche models to assess the distribution of the exotic bee species <i>Lithurgus huberi</i> in South America. <i>Ecological Modelling</i> , 2014, 273, 200-209. | 1.2 | 68 |
| 3094 | Postglacial northward expansion and genetic differentiation between migratory and sedentary populations of the broad-tailed hummingbird (<i>Selasphorus platycircus</i>). <i>Molecular Ecology</i> , 2014, 23, 435-452. | 2.0 | 36 |
| 3095 | Changes in forest biomass and linkage to climate and forest disturbances over Northeastern China. <i>Global Change Biology</i> , 2014, 20, 2596-2606. | 4.2 | 73 |
| 3096 | Precipitation Constrains Amphibian Chytrid Fungus Infection Rates in a Terrestrial Frog Assemblage in Jamaica, West Indies. <i>Biotropica</i> , 2014, 46, 219-228. | 0.8 | 12 |
| 3097 | Diverse avian malaria and other haemosporidian parasites in Andean house wrens: evidence for regional co-diversification by host-switching. <i>Journal of Avian Biology</i> , 2014, 45, 374-386. | 0.6 | 70 |
| 3098 | Remote sensing data can improve predictions of species richness by stacked species distribution models: a case study for Mexican pines. <i>Journal of Biogeography</i> , 2014, 41, 736-748. | 1.4 | 45 |
| 3099 | THE INTERPLAY BETWEEN LOCAL ECOLOGY, DIVERGENT SELECTION, AND GENETIC DRIFT IN POPULATION DIVERGENCE OF A SEXUALLY ANTAGONISTIC FEMALE TRAIT. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 1934-1946. | 1.1 | 22 |
| 3100 | Phylogeography in continuous space: coupling species distribution models and circuit theory to assess the effect of contiguous migration at different climatic periods on genetic differentiation in <i>Busseola fusca</i> (Lepidoptera: Noctuidae). <i>Molecular Ecology</i> , 2014, 23, 2313-2325. | 2.0 | 25 |
| 3101 | Climate rather than geography separates two European honeybee subspecies. <i>Molecular Ecology</i> , 2014, 23, 2353-2361. | 2.0 | 29 |
| 3102 | Hybridization at an ecotone: ecological and genetic barriers between three Iberian vipers. <i>Molecular Ecology</i> , 2014, 23, 1108-1123. | 2.0 | 49 |
| 3103 | Mitochondrial phylogeography of the European wild boar: the effect of climate on genetic diversity and spatial lineage sorting across Europe. <i>Journal of Biogeography</i> , 2014, 41, 987-998. | 1.4 | 56 |
| 3104 | The speciation history and systematics of <i>Carthamus</i> (Asteraceae) with special emphasis on Turkish species by integrating phylogenetic and Ecological Niche Modelling data. <i>Plant Systematics and Evolution</i> , 2014, 300, 1349-1359. | 0.3 | 6 |
| 3105 | Incorporating model complexity and spatial sampling bias into ecological niche models of climate change risks faced by 90 California vertebrate species of concern. <i>Diversity and Distributions</i> , 2014, 20, 334-343. | 1.9 | 213 |
| 3106 | Hotspots within hotspots: Endemic plant richness, environmental drivers, and implications for conservation. <i>Biological Conservation</i> , 2014, 170, 282-291. | 1.9 | 174 |
| 3107 | Using district-level occurrences in MaxEnt for predicting the invasion potential of an exotic insect pest in India. <i>Computers and Electronics in Agriculture</i> , 2014, 103, 55-62. | 3.7 | 93 |
| 3108 | Environmental filters reduce the effects of sampling bias and improve predictions of ecological niche models. <i>Ecography</i> , 2014, 37, 1084-1091. | 2.1 | 237 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3109 | Completeness of digital accessible knowledge of the plants of Brazil and priorities for survey and inventory. <i>Diversity and Distributions</i> , 2014, 20, 369-381. | 1.9 | 130 |
| 3110 | Patterns of niche conservatism among non-native birds in Europe are dependent on introduction history and selection of variables. <i>Biological Invasions</i> , 2014, 16, 759-764. | 1.2 | 22 |
| 3111 | Ecological, historical and evolutionary determinants of modularity in weighted seed dispersal networks. <i>Ecology Letters</i> , 2014, 17, 454-463. | 3.0 | 150 |
| 3112 | Long-term isolation and stability explain high genetic diversity in the Eastern Himalaya. <i>Molecular Ecology</i> , 2014, 23, 705-720. | 2.0 | 87 |
| 3113 | Macroclimate Determines the Global Range Limit of <i>Aedes aegypti</i> . <i>EcoHealth</i> , 2014, 11, 420-428. | 0.9 | 60 |
| 3114 | Can climate explain interannual local extinctions among bird species?. <i>Journal of Biogeography</i> , 2014, 41, 443-451. | 1.4 | 5 |
| 3115 | Ecological niche models in phylogeographic studies: applications, advances and precautions. <i>Molecular Ecology Resources</i> , 2014, 14, 233-248. | 2.2 | 210 |
| 3116 | Ecological and evolutionary determinants of species richness and phylogenetic diversity for island snakes. <i>Global Ecology and Biogeography</i> , 2014, 23, 848-856. | 2.7 | 25 |
| 3117 | A stable niche assumption-free test of ecological divergence. <i>Molecular Phylogenetics and Evolution</i> , 2014, 76, 211-226. | 1.2 | 7 |
| 3118 | Refugia, colonization and diversification of an arid-adapted bird: coincident patterns between genetic data and ecological niche modelling. <i>Molecular Ecology</i> , 2014, 23, 390-407. | 2.0 | 20 |
| 3119 | Evaluating, partitioning, and mapping the spatial autocorrelation component in ecological niche modeling: a new approach based on environmentally equidistant records. <i>Ecography</i> , 2014, 37, 637-647. | 2.1 | 64 |
| 3120 | Forecasted climate and land use changes, and protected areas: the contrasting case of spiders. <i>Diversity and Distributions</i> , 2014, 20, 686-697. | 1.9 | 52 |
| 3121 | Elucidating the global elapid (Squamata) richness pattern under metabolic theory of ecology. <i>Acta Oecologica</i> , 2014, 56, 41-46. | 0.5 | 3 |
| 3122 | Scale-dependent adaptive evolution and morphological convergence to climatic niche in Californian eriogonoids (Polygonaceae). <i>Journal of Biogeography</i> , 2014, 41, 1326-1337. | 1.4 | 7 |
| 3123 | Metacommunity structure in a highly fragmented forest: has deforestation in the Atlantic forest altered historic biogeographic patterns?. <i>Diversity and Distributions</i> , 2014, 20, 1058-1070. | 1.9 | 51 |
| 3124 | Evidence for two subspecies of Gunnison's prairie dogs (<i>Cynomys gunnisoni</i>), and the general importance of the subspecies concept. <i>Biological Conservation</i> , 2014, 174, 1-11. | 1.9 | 36 |
| 3125 | Combining environmental suitability and habitat connectivity to map rare or Data Deficient species in the Tropics. <i>Journal for Nature Conservation</i> , 2014, 22, 384-390. | 0.8 | 15 |
| 3126 | Bamboo-dominated forests and pre-Columbian earthwork formations in southwestern Amazonia. <i>Journal of Biogeography</i> , 2014, 41, 1733-1745. | 1.4 | 43 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3127 | The influence of environmental factors on the morphology of red-backed voles (<i>Myodes gapperi</i>) (Rodentia, Arvicolinae) in Québec and western Labrador. <i>Biological Journal of the Linnean Society</i> , 2014, 112, 204-218. | 0.7 | 18 |
| 3128 | Scale- and taxon-dependent biodiversity patterns of dry grassland vegetation in Transylvania. <i>Agriculture, Ecosystems and Environment</i> , 2014, 182, 15-24. | 2.5 | 62 |
| 3129 | Ecological traits influence the phylogenetic structure of bird species co-occurrences worldwide. <i>Ecology Letters</i> , 2014, 17, 811-820. | 3.0 | 64 |
| 3130 | Phylogenetic alpha and beta diversity in tropical tree assemblages along regional-scale environmental gradients in northwest South America. <i>Journal of Plant Ecology</i> , 2014, 7, 145-153. | 1.2 | 84 |
| 3131 | Prey switching as a means of enhancing persistence in predators at the trailing southern edge. <i>Global Change Biology</i> , 2014, 20, 1126-1135. | 4.2 | 39 |
| 3132 | Using functional diversity patterns to explore metacommunity dynamics: a framework for understanding local and regional influences on community structure. <i>Ecography</i> , 2014, 37, 939-949. | 2.1 | 57 |
| 3133 | The effect of spatially marginal localities in modelling species niches and distributions. <i>Journal of Biogeography</i> , 2014, 41, 1390-1401. | 1.4 | 32 |
| 3134 | Evolutionary history of purple cone spruce (<i>Picea purpurea</i>) in the Qinghai-Tibet Plateau: homoploid hybrid origin and Pleistocene expansion. <i>Molecular Ecology</i> , 2014, 23, 343-359. | 2.0 | 97 |
| 3135 | Molecular footprints of the Holocene retreat of dwarf birch in Britain. <i>Molecular Ecology</i> , 2014, 23, 2771-2782. | 2.0 | 45 |
| 3136 | Taxonomy and conservation: a tale of two tinamou species groups (Tinamidae, <i>Crypturellus</i>). <i>Journal of Avian Biology</i> , 2014, 45, 484-492. | 0.6 | 11 |
| 3137 | Forest structure drives global diversity of primates. <i>Journal of Animal Ecology</i> , 2014, 83, 1523-1530. | 1.3 | 66 |
| 3138 | Climate controls the distribution of a widespread invasive species: implications for future range expansion. <i>Freshwater Biology</i> , 2014, 59, 847-857. | 1.2 | 47 |
| 3139 | Decoupled evolution of foliar freezing resistance, temperature niche and morphological leaf traits in Chilean <i>Myrceugenia</i> . <i>Journal of Ecology</i> , 2014, 102, 972-980. | 1.9 | 14 |
| 3140 | Relict Endemism of Extant Rhineuridae (Amphisbaenia): Testing for Phylogenetic Niche Conservatism in the Fossil Record. <i>Anatomical Record</i> , 2014, 297, 473-481. | 0.8 | 7 |
| 3141 | Testing the ability of topoclimatic grids of extreme temperatures to explain the distribution of the endangered brush-tailed rock-wallaby (<i>Petrogale penicillata</i>). <i>Journal of Biogeography</i> , 2014, 41, 1402-1413. | 1.4 | 18 |
| 3142 | Niche filling slows the diversification of Himalayan songbirds. <i>Nature</i> , 2014, 509, 222-225. | 13.7 | 311 |
| 3143 | Adaptive and nonadaptive genome size evolution in Karst endemic flora of China. <i>New Phytologist</i> , 2014, 202, 1371-1381. | 3.5 | 91 |
| 3144 | Disentangling the influence of climatic and geological changes on species radiations. <i>Journal of Biogeography</i> , 2014, 41, 1313-1325. | 1.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3145 | Evolutionary basis of mitonuclear discordance between sister species of mole salamanders (<i>Ambystoma</i> sp.). <i>Molecular Ecology</i> , 2014, 23, 2811-2824. | 2.0 | 21 |
| 3146 | A phylogeographic evaluation of the <i>Amolops mantzorum</i> species group: Cryptic species and plateau uplift. <i>Molecular Phylogenetics and Evolution</i> , 2014, 73, 40-52. | 1.2 | 35 |
| 3147 | Combining threat and occurrence models to predict potential ecological traps for Andean bears in the Cordillera de Mérida, Venezuela. <i>Animal Conservation</i> , 2014, 17, 388-398. | 1.5 | 47 |
| 3148 | Environmental stratification to model climate change impacts on biodiversity and rubber production in Xishuangbanna, Yunnan, China. <i>Biological Conservation</i> , 2014, 170, 264-273. | 1.9 | 79 |
| 3149 | Classification and Net Primary Productivity of the Southern China's Grasslands Ecosystem Based on Improved Comprehensive and Sequential Classification System (CSCS) Approach. <i>Journal of Integrative Agriculture</i> , 2014, 13, 893-903. | 1.7 | 4 |
| 3150 | Effect of geographic background and equilibrium state on niche model transferability: predicting areas of invasion of <i>Leptoglossus occidentalis</i> . <i>Biological Invasions</i> , 2014, 16, 1069-1081. | 1.2 | 34 |
| 3151 | Spatial patterns and temporal trends of daily precipitation indices in Iran. <i>Climatic Change</i> , 2014, 124, 239-253. | 1.7 | 35 |
| 3152 | Range-wide ecological niche comparisons of parasite, hosts and dispersers in a vector-borne plant parasite system. <i>Journal of Biogeography</i> , 2014, 41, 1664-1673. | 1.4 | 21 |
| 3153 | Predicting environmental gradients with fern species composition in Brazilian Amazonia. <i>Journal of Vegetation Science</i> , 2014, 25, 1195-1207. | 1.1 | 59 |
| 3154 | Fast demographic traits promote high diversification rates of Amazonian trees. <i>Ecology Letters</i> , 2014, 17, 527-536. | 3.0 | 63 |
| 3155 | Net primary productivity in Kazakhstan, its spatio-temporal patterns and relation to meteorological variables. <i>Journal of Arid Environments</i> , 2014, 103, 17-30. | 1.2 | 73 |
| 3156 | Influence of climatic niche suitability and geographical overlap on hybridization patterns among southern Californian oaks. <i>Journal of Biogeography</i> , 2014, 41, 1895-1908. | 1.4 | 50 |
| 3157 | Integration of conflict into integrative taxonomy: fitting hybridization in species delimitation of <i>Mesocricetus</i> (<i>Cricetidae</i> : <i>Cricetidae</i>). <i>Molecular Ecology</i> , 2014, 23, 4344-4361. | 2.0 | 33 |
| 3158 | Functional traits determine plant co-occurrence more than environment or evolutionary relatedness in global drylands. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2014, 16, 164-173. | 1.1 | 73 |
| 3159 | The relative importance of climate and vegetation properties on patterns of North American breeding bird species richness. <i>Environmental Research Letters</i> , 2014, 9, 034013. | 2.2 | 39 |
| 3160 | Environmental determinants of geographic butterfly richness pattern in eastern China. <i>Biodiversity and Conservation</i> , 2014, 23, 1453-1467. | 1.2 | 7 |
| 3161 | Population structure and reticulate evolution of <i>Saccharomyces eubayanus</i> and its lager brewing hybrids. <i>Molecular Ecology</i> , 2014, 23, 2031-2045. | 2.0 | 128 |
| 3162 | Divergent population structure and climate associations of a chromosomal inversion polymorphism across the <i>Mimulus guttatus</i> species complex. <i>Molecular Ecology</i> , 2014, 23, 2844-2860. | 2.0 | 60 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3163 | Testing the efficiency of nested barriers to dispersal in the Mediterranean high mountain plant <i>Edraianthus Agraminifolius</i> (Campanulaceae). <i>Molecular Ecology</i> , 2014, 23, 2861-2875. | 2.0 | 47 |
| 3164 | Population density of striped hyenas in relation to habitat in a semi-arid landscape, western India. <i>Acta Theriologica</i> , 2014, 59, 521-527. | 1.1 | 21 |
| 3165 | Endemism and functional convergence across the North American soil mycobiome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6341-6346. | 3.3 | 482 |
| 3166 | Drivers of beta diversity in Macaronesian spiders in relation to dispersal ability. <i>Journal of Biogeography</i> , 2014, 41, 1859-1870. | 1.4 | 45 |
| 3167 | Universal hydraulics of the flowering plants: vessel diameter scales with stem length across angiosperm lineages, habits and climates. <i>Ecology Letters</i> , 2014, 17, 988-997. | 3.0 | 220 |
| 3168 | Assessing the exposure of lion tamarins (<i>Leontopithecus</i> spp.) to future climate change. <i>American Journal of Primatology</i> , 2014, 76, 551-562. | 0.8 | 37 |
| 3169 | Does climate limit species richness by limiting individual species' ranges?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132695. | 1.2 | 43 |
| 3170 | Interglacial microrefugia and diversification of a cactus species complex: phylogeography and palaeodistributional reconstructions for <i>Pilosocereus aurisetus</i> and allies. <i>Molecular Ecology</i> , 2014, 23, 3044-3063. | 2.0 | 99 |
| 3171 | INFERRING THE PAST AND PRESENT CONNECTIVITY ACROSS THE RANGE OF A NORTH AMERICAN LEAF BEETLE: COMBINING ECOLOGICAL NICHE MODELING AND A GEOGRAPHICALLY EXPLICIT MODEL OF COALESCENCE. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, n/a-n/a. | 1.1 | 19 |
| 3172 | glUV: a global UV radiation data set for macroecological studies. <i>Methods in Ecology and Evolution</i> , 2014, 5, 372-383. | 2.2 | 148 |
| 3173 | Tropical forest wood production: a cross-continental comparison. <i>Journal of Ecology</i> , 2014, 102, 1025-1037. | 1.9 | 77 |
| 3174 | Improved allometric models to estimate the aboveground biomass of tropical trees. <i>Global Change Biology</i> , 2014, 20, 3177-3190. | 4.2 | 1,712 |
| 3175 | Field validation supports novel niche modeling strategies in a cryptic endangered amphibian. <i>Ecography</i> , 2014, 37, 983-992. | 2.1 | 21 |
| 3176 | Diversity anomalies and spatial climate heterogeneity. <i>Global Ecology and Biogeography</i> , 2014, 23, 988-999. | 2.7 | 12 |
| 3177 | Phylogenetic and ecomorphological structure of assemblages of breeding leaf warblers (Phylloscopidae) along Himalayan elevational gradients. <i>Journal of Biogeography</i> , 2014, 41, 1193-1203. | 1.4 | 8 |
| 3178 | Lamina shape variability in species of the genus <i>Ficus</i> L. in different ecological conditions. <i>Contemporary Problems of Ecology</i> , 2014, 7, 210-220. | 0.3 | 0 |
| 3179 | Latest Cretaceous-earliest Paleogene vegetation and climate change at the high southern latitudes: palynological evidence from Seymour Island, Antarctic Peninsula. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 408, 26-47. | 1.0 | 90 |
| 3180 | Ecogeographical variation in skull morphometry of howler monkeys (Primates: Atelidae). <i>Zoologischer Anzeiger</i> , 2014, 253, 345-359. | 0.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3181 | The evolution of bark mechanics and storage across habitats in a clade of tropical trees. <i>American Journal of Botany</i> , 2014, 101, 764-777. | 0.8 | 55 |
| 3182 | Endemic wild potato (<i>Solanum</i> spp.) biodiversity status in Bolivia: Reasons for conservation concerns. <i>Journal for Nature Conservation</i> , 2014, 22, 113-131. | 0.8 | 17 |
| 3183 | Phylogenetic diversity, habitat loss and conservation in South American pitvipers (<i>Crotalinae:BothropsandBothrocophias</i>). <i>Diversity and Distributions</i> , 2014, 20, 1108-1119. | 1.9 | 31 |
| 3184 | Tools for determining critical levels of atmospheric ammonia under the influence of multiple disturbances. <i>Environmental Pollution</i> , 2014, 188, 88-93. | 3.7 | 29 |
| 3185 | Rapid evolution and range expansion of an invasive plant are driven by provenance×environment interactions. <i>Ecology Letters</i> , 2014, 17, 727-735. | 3.0 | 82 |
| 3186 | A consistent occupancy×climate relationship across birds and mammals of the Americas. <i>Oikos</i> , 2014, 123, 1029-1036. | 1.2 | 25 |
| 3187 | Uncertainty, priors, autocorrelation and disparate data in downscaling of species distributions. <i>Diversity and Distributions</i> , 2014, 20, 797-812. | 1.9 | 25 |
| 3188 | Global warming favours light-coloured insects in Europe. <i>Nature Communications</i> , 2014, 5, 3874. | 5.8 | 128 |
| 3189 | Into and out of the tropics: the generation of the latitudinal gradient among New World passerine birds. <i>Journal of Biogeography</i> , 2014, 41, 1746-1757. | 1.4 | 53 |
| 3190 | Targeted Sampling Increases Knowledge and Improves Estimates of Ant Species Richness in Rhode Island. <i>Northeastern Naturalist</i> , 2014, 21, NENHC-13-NENHC-24. | 0.1 | 0 |
| 3191 | African Primate Assemblages Exhibit a Latitudinal Gradient in Dispersal Limitation. <i>International Journal of Primatology</i> , 2014, 35, 1088-1104. | 0.9 | 11 |
| 3192 | Using <code>modestr</code> to download, import and clean species distribution records. <i>Methods in Ecology and Evolution</i> , 2014, 5, 708-713. | 2.2 | 39 |
| 3193 | Insights on the Evolution of Plant Succulence from a Remarkable Radiation in Madagascar (<i>Euphorbia</i>). <i>Systematic Biology</i> , 2014, 63, 697-711. | 2.7 | 41 |
| 3194 | Seasonal monitoring of soil erosion at regional scale: An application of the G2 model in Crete focusing on agricultural land uses. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014, 27, 147-155. | 1.4 | 66 |
| 3195 | Climate change threatens protected areas of the Atlantic Forest. <i>Biodiversity and Conservation</i> , 2014, 23, 357-368. | 1.2 | 87 |
| 3196 | Effects of landscape, land use and vegetation on bird community composition and diversity in Inner Anatolian steppes. <i>Agriculture, Ecosystems and Environment</i> , 2014, 182, 37-46. | 2.5 | 21 |
| 3197 | Disentangling the taxonomy and ecology of South American <i>Ranunculus</i> subgen. <i>Batrachium</i> . <i>Aquatic Botany</i> , 2014, 114, 21-28. | 0.8 | 5 |
| 3198 | Co-diversity and co-distribution in phyllostomid bats: Evaluating the relative roles of climate and niche conservatism. <i>Basic and Applied Ecology</i> , 2014, 15, 85-91. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3199 | Effect of hydrologic regime and forest age on Collembola in riparian forests. <i>Applied Soil Ecology</i> , 2014, 75, 199-209. | 2.1 | 26 |
| 3200 | How important is nectar in shaping spatial variation in the abundance of temperate breeding hummingbirds?. <i>Journal of Biogeography</i> , 2014, 41, 489-500. | 1.4 | 13 |
| 3201 | How temperature, precipitation and stand age control the biomass carbon density of global mature forests. <i>Global Ecology and Biogeography</i> , 2014, 23, 323-333. | 2.7 | 73 |
| 3202 | Climatic niche at physiological and macroecological scales: the thermal toleranceâ€™ geographical range interface and niche dimensionality. <i>Global Ecology and Biogeography</i> , 2014, 23, 446-456. | 2.7 | 65 |
| 3203 | An update of highâ€™resolution monthly climate surfaces for Mexico. <i>International Journal of Climatology</i> , 2014, 34, 2427-2437. | 1.5 | 129 |
| 3204 | Isnâ€™t no mountain high enough, isnâ€™t no valley low enough? Phylogeography of the rupicolous Cape girdled lizard (<i>Cordylus cordylus</i>) reveals a generalist pattern. <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 234-248. | 1.2 | 21 |
| 3205 | Uncovering cryptic diversity and refugial persistence among small mammal lineages across the Eastern Afrotropical biodiversity hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 41-54. | 1.2 | 80 |
| 3206 | Using the basic reproduction number to assess the effects of climate change in the risk of Chagas disease transmission in Colombia. <i>Acta Tropica</i> , 2014, 129, 74-82. | 0.9 | 25 |
| 3207 | Scaling of species distribution models across spatial resolutions and extents along a biogeographic gradient. The case of the Iberian mole (<i>Talpa occidentalis</i>). <i>Ecography</i> , 2014, 37, 279-292. | 2.1 | 32 |
| 3208 | The importance of crown dimensions to improve tropical tree biomass estimates. <i>Ecological Applications</i> , 2014, 24, 680-698. | 1.8 | 156 |
| 3209 | Multilocus analysis of intraspecific differentiation in three endemic bird species from the northern Neotropical dry forest. <i>Molecular Phylogenetics and Evolution</i> , 2014, 70, 362-377. | 1.2 | 32 |
| 3210 | Using environmental niche models to test the â€™everything is everywhereâ€™ hypothesis for <i>Badhamia</i> . <i>ISME Journal</i> , 2014, 8, 737-745. | 4.4 | 55 |
| 3211 | Downscaling the environmental associations and spatial patterns of species richness. , 2014, 24, 823-831. | | 9 |
| 3212 | Home-loving boreal hare mitochondria survived several invasions in Iberia: the relative roles of recurrent hybridisation and allele surfing. <i>Heredity</i> , 2014, 112, 265-273. | 1.2 | 30 |
| 3213 | Provenance tests for survival and growth of 50-year-old Japanese larch (<i>Larix kaempferi</i>) trees related to climatic conditions in central Japan. <i>Tree Genetics and Genomes</i> , 2014, 10, 87-99. | 0.6 | 23 |
| 3214 | Evolutionary stasis and lability in thermal physiology in a group of tropical lizards. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132433. | 1.2 | 149 |
| 3215 | The Last Interglacialâ€™Glacial cycle (MIS 5â€™2) re-examined based on long proxy records from central and northern Europe. <i>Quaternary Science Reviews</i> , 2014, 86, 115-143. | 1.4 | 150 |
| 3216 | Using fossil leaves as evidence for open vegetation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 395, 168-175. | 1.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3217 | Latitudinal gradient and spatial covariance in species richness of tropical Lepidoptera in the Andes. <i>Insect Conservation and Diversity</i> , 2014, 7, 355-364. | 1.4 | 13 |
| 3218 | Phylogenetic structure and phylogenetic diversity of angiosperm assemblages in forests along an elevational gradient in Changbaishan, China. <i>Journal of Plant Ecology</i> , 2014, 7, 154-165. | 1.2 | 106 |
| 3219 | Savanna Vegetation-Fire-Climate Relationships Differ Among Continents. <i>Science</i> , 2014, 343, 548-552. | 6.0 | 500 |
| 3220 | Cryptic genetic diversity and complex phylogeography of the boreal North American scorpion, <i>Paruroctonus boreus</i> (Vaejovidae). <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 298-307. | 1.2 | 14 |
| 3221 | Assessing the conservation status of species with limited available data and disjunct distribution. <i>Biological Conservation</i> , 2014, 170, 130-136. | 1.9 | 65 |
| 3222 | Predicted altitudinal shifts and reduced spatial distribution of <i>Leishmania infantum</i> vector species under climate change scenarios in Colombia. <i>Acta Tropica</i> , 2014, 129, 83-90. | 0.9 | 66 |
| 3223 | Ensemble distribution models in conservation prioritization: from consensus predictions to consensus reserve networks. <i>Diversity and Distributions</i> , 2014, 20, 309-321. | 1.9 | 92 |
| 3224 | RELATIONSHIP OF GENETIC DIVERSITY AND NICHE CENTRALITY: A SURVEY AND ANALYSIS. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 1082-1093. | 1.1 | 130 |
| 3225 | Beta-diversity in seasonally dry tropical forests (SDTF) in the Caatinga Biogeographic Domain, Brazil, and its implications for conservation. <i>Biodiversity and Conservation</i> , 2014, 23, 217-232. | 1.2 | 42 |
| 3226 | Analysis of coprolites from the extinct mountain goat <i>Myotragus balearicus</i> . <i>Quaternary Research</i> , 2014, 81, 106-116. | 1.0 | 34 |
| 3227 | Landslide susceptibility zonation using analytical hierarchy process and GIS for the Bojnurd region, northeast of Iran. <i>Landslides</i> , 2014, 11, 1079-1091. | 2.7 | 50 |
| 3228 | Global distribution of <i>Fusarium graminearum</i> , <i>F. asiaticum</i> and <i>F. boothii</i> from wheat in relation to climate. <i>European Journal of Plant Pathology</i> , 2014, 139, 161-173. | 0.8 | 81 |
| 3229 | Mycorrhiza-mediated competition between plants and decomposers drives soil carbon storage. <i>Nature</i> , 2014, 505, 543-545. | 13.7 | 743 |
| 3230 | Application of Molecular Markers in Spatial Analysis to Optimize In Situ Conservation of Plant Genetic Resources. , 2014, , 67-91. | | 12 |
| 3231 | Predicting presence and absence of trout (<i>Salmo trutta</i>) in Iran. <i>Limnologica</i> , 2014, 46, 1-8. | 0.7 | 17 |
| 3232 | Spatial filtering to reduce sampling bias can improve the performance of ecological niche models. <i>Ecological Modelling</i> , 2014, 275, 73-77. | 1.2 | 892 |
| 3233 | High Altitude Primates. , 2014, , . | | 8 |
| 3234 | Facilitative plant interactions and climate simultaneously drive alpine plant diversity. <i>Ecology Letters</i> , 2014, 17, 193-202. | 3.0 | 274 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3235 | Climatic niche differences between diploid and tetraploid cytotypes of <i>Chamerion angustifolium</i> (Onagraceae). <i>American Journal of Botany</i> , 2014, 101, 1868-1875. | 0.8 | 85 |
| 3236 | Predicting the Geographical Distribution of Two Invasive Termite Species From Occurrence Data. <i>Environmental Entomology</i> , 2014, 43, 1135-1144. | 0.7 | 16 |
| 3237 | Species richness and diversity along edaphic and climatic gradients in Amazonia. <i>Ecography</i> , 2014, 37, 1034-1046. | 2.1 | 50 |
| 3238 | Potential distributional changes and conservation priorities of endemic amphibians in western Mexico as a result of climate change. <i>Environmental Conservation</i> , 2014, 41, 1-12. | 0.7 | 24 |
| 3239 | bioclim: the first species distribution modelling package, its early applications and relevance to most current MaxEnt studies. <i>Diversity and Distributions</i> , 2014, 20, 1-9. | 1.9 | 604 |
| 3240 | Global analysis of plasticity in turgor loss point, a key drought tolerance trait. <i>Ecology Letters</i> , 2014, 17, 1580-1590. | 3.0 | 234 |
| 3241 | Delimiting species in the genus <i>Otospermophilus</i> (Rodentia: Sciuridae), using genetics, ecology, and morphology. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 1136-1151. | 0.7 | 18 |
| 3242 | Radiocarbon dating and stable isotopes analyses of <i>Caiman latirostris</i> (Daudin, 1801) (Crocodylia), distribution of the species. <i>Quaternary International</i> , 2014, 352, 159-163. | 0.7 | 6 |
| 3243 | Genetic diversity and ecological niche modelling of the restricted <i>Recordia reitzii</i> (Verbenaceae) from southern Brazilian Atlantic forest. <i>Botanical Journal of the Linnean Society</i> , 2014, 176, 332-348. | 0.8 | 22 |
| 3244 | Character shift and habitat colonization in widespread island taxa. <i>Botanical Journal of the Linnean Society</i> , 2014, 174, 399-411. | 0.8 | 11 |
| 3245 | Predicting seasonal habitat suitability for the critically endangered African wild ass in the Danakil, Ethiopia. <i>African Journal of Ecology</i> , 2014, 52, 533-542. | 0.4 | 13 |
| 3246 | Spatial distribution and range expansion of the Tawny Coster butterfly, <i>Acraea terpsicore</i> (Linnaeus, 1758) (Lepidoptera: Nymphalidae), in South-East Asia and Australia. <i>Insect Conservation and Diversity</i> , 2014, 7, 132-143. | 1.4 | 18 |
| 3247 | Phylogenetic patterns of climatic, habitat and trophic niches in a European avian assemblage. <i>Global Ecology and Biogeography</i> , 2014, 23, 414-424. | 2.7 | 81 |
| 3248 | A warmer world will reduce tree growth in evergreen broadleaf forests: evidence from Australian temperate and subtropical eucalypt forests. <i>Global Ecology and Biogeography</i> , 2014, 23, 925-934. | 2.7 | 66 |
| 3249 | Transition patterns across an evergreen-deciduous broadleaved forest ecotone: the effect of topographies. <i>Journal of Vegetation Science</i> , 2014, 25, 1257-1266. | 1.1 | 10 |
| 3250 | Phylogeographic evidence for two mesic refugia in a biodiversity hotspot. <i>Heredity</i> , 2014, 113, 454-463. | 1.2 | 29 |
| 3251 | Here be dragons: a phylogenetic and biogeographical study of the <i>Smaug warreni</i> species complex (Squamata: Cordylidae) in southern Africa. <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 892-909. | 1.0 | 9 |
| 3252 | Species Radiation by Niche Shifts in New Zealand's Rockcresses (<i>Pachycladon</i> , Brassicaceae). <i>Systematic Biology</i> , 2014, 63, 192-202. | 2.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3253 | Diversity, evolution, and function of stomata bearing structures in <i>Cuscuta</i> (dodders). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 747 Td (Cor</i> <i>in Plant Ecology, Evolution and Systematics, 2014, 16, 310-321.</i> | 1.1 | 13 |
| 3254 | Natural Variation in Abiotic Stress Responsive Gene Expression and Local Adaptation to Climate in <i>Arabidopsis thaliana</i> . <i>Molecular Biology and Evolution, 2014, 31, 2283-2296.</i> | 3.5 | 125 |
| 3255 | Predicting species' range limits from functional traits for the tree flora of North America. <i>Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 13739-13744.</i> | 3.3 | 90 |
| 3256 | A metamodeling approach to estimate global CO_2 emissions from agricultural soils. <i>Global Ecology and Biogeography, 2014, 23, 912-924.</i> | 2.7 | 24 |
| 3257 | Analysis of a contact area between two distinct evolutionary honeybee units: an ecological perspective. <i>Journal of Insect Conservation, 2014, 18, 927-937.</i> | 0.8 | 6 |
| 3258 | MULTIVARIATE ADAPTATION BUT NO INCREASE IN COMPETITIVE ABILITY IN INVASIVE <i>GERANIUM CAROLINIANUM</i> L. (GERANIACEAE). <i>Evolution; International Journal of Organic Evolution, 2014, 68, 2945-2959.</i> | 1.1 | 5 |
| 3259 | Spatial patterns, ecological niches, and interspecific competition of avian brood parasites: inferring from a case study of Korea. <i>Ecology and Evolution, 2014, 4, 3689-3702.</i> | 0.8 | 20 |
| 3260 | Reproductive mode evolution in lizards revisited: updated analyses examining geographic, climatic and phylogenetic effects support the cold-climate hypothesis. <i>Journal of Evolutionary Biology, 2014, 27, 2767-2780.</i> | 0.8 | 21 |
| 3261 | Present and future potential distribution of the endemic Perote ground squirrel (<i>Xerospermophilus</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 747 Td (Cor</i> | 0.3 | 4 |
| 3262 | Climate change will increase savannas at the expense of forests and treeless vegetation in tropical and subtropical Americas. <i>Journal of Ecology, 2014, 102, 1363-1373.</i> | 1.9 | 107 |
| 3263 | The hydrological legacy of deforestation on global wetlands. <i>Science, 2014, 346, 844-847.</i> | 6.0 | 105 |
| 3264 | Modelling the potential distribution of <i>Bemisia tabaci</i> in Europe in light of the climate change scenario. <i>Pest Management Science, 2014, 70, 1611-1623.</i> | 1.7 | 46 |
| 3265 | Biomechanical and leaf-climate relationships: A comparison of ferns and seed plants. <i>American Journal of Botany, 2014, 101, 338-347.</i> | 0.8 | 17 |
| 3266 | Potential reduction in terrestrial salamander ranges associated with Marcellus shale development. <i>Biological Conservation, 2014, 180, 233-240.</i> | 1.9 | 10 |
| 3267 | Late Holocene covariability of the southern westerlies and sea surface temperature in northern Chilean Patagonia. <i>Quaternary Science Reviews, 2014, 105, 195-208.</i> | 1.4 | 45 |
| 3268 | Geographical differentiation in floral traits across the distribution range of the Patagonian oil-secreting <i>Calceolaria polyrhiza</i> : do pollinators matter?. <i>Annals of Botany, 2014, 113, 251-266.</i> | 1.4 | 58 |
| 3269 | Land use changes and sea level rise may induce a coastal squeeze on the coasts of Veracruz, Mexico. <i>Global Environmental Change, 2014, 29, 180-188.</i> | 3.6 | 57 |
| 3270 | The tree-ring interpolation model (TRIM) and its application to <i>Pinus monophylla</i> chronologies in the Great Basin of North America. <i>Forestry, 2014, 87, 582-597.</i> | 1.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3271 | Changes in the distribution of cloud forests during the last glacial predict the patterns of genetic diversity and demographic history of the tree fern <i>Alsophila firma</i> (Cyatheaaceae). <i>Journal of Biogeography</i> , 2014, 41, 2396-2407. | 1.4 | 40 |
| 3272 | The Impact of Sampling Method on Maximum Entropy Species Distribution Modeling for Bats. <i>Acta Chiropterologica</i> , 2014, 16, 241-248. | 0.2 | 11 |
| 3273 | A necessarily complex model to explain the biogeography of the amphibians and reptiles of Madagascar. <i>Nature Communications</i> , 2014, 5, 5046. | 5.8 | 80 |
| 3274 | Invasive plants have broader physiological niches. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10610-10614. | 3.3 | 99 |
| 3275 | Determination of Spatial Distribution of <i>Sphenophorus incurrens</i> (Coleoptera: Curculionidae) using Gis in Morelos, Mexico. <i>Florida Entomologist</i> , 2014, 97, 285-287. | 0.2 | 8 |
| 3276 | Genetic variation among western populations of the Horned Lark (<i>Eremophila alpestris</i>) indicates recent colonization of the Channel Islands off southern California, mainland-bound dispersal, and postglacial range shifts. <i>Auk</i> , 2014, 131, 162-174. | 0.7 | 18 |
| 3277 | Current and Historical Extent of Phenotypic Variation in the Tufted and Black-crested Titmouse (Paridae) Hybrid Zone in the Southern Great Plains. <i>American Midland Naturalist</i> , 2014, 171, 271-300. | 0.2 | 13 |
| 3278 | Peatland Initiation, Carbon Accumulation, and 2 ka Depth in the James Bay Lowland and Adjacent Regions. <i>Arctic, Antarctic, and Alpine Research</i> , 2014, 46, 19-39. | 0.4 | 15 |
| 3279 | Influence of Habitat and Nest-Site Quality on the Breeding Performance of Lanner Falcons <i>Falco biarmicus</i> . <i>Acta Ornithologica</i> , 2014, 49, 1-7. | 0.1 | 12 |
| 3280 | Conifer species adapt to low-rainfall climates by following one of two divergent pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14489-14493. | 3.3 | 262 |
| 3281 | Scorpion diversity of the Central Andes in Argentina. <i>Journal of Arachnology</i> , 2014, 42, 163-169. | 0.3 | 4 |
| 3282 | Climate Change and Weed Impacts on Small Island Ecosystems: <i>Lantana camara</i> L. (Magnoliopsida: Tj ETQq1_1_0.784314 rgBT 0.2_7 | 0.2 | 7 |
| 3283 | Investigating potential determinants of the distribution limits of a savanna woody plant: <i>Crolophospermum mopane</i> . <i>Journal of Vegetation Science</i> , 2014, 25, 363-373. | 1.1 | 23 |
| 3284 | Current and future latitudinal gradients in stream macroinvertebrate richness across North America. <i>Freshwater Science</i> , 2014, 33, 1136-1147. | 0.9 | 20 |
| 3285 | Origin of the invasive <i>Arundo donax</i> (Poaceae): a trans-Asian expedition in herbaria. <i>Annals of Botany</i> , 2014, 114, 455-462. | 1.4 | 86 |
| 3286 | Wetlands explain most in the genetic divergence pattern of <i>Oncomelania hupensis</i> . <i>Infection, Genetics and Evolution</i> , 2014, 27, 436-444. | 1.0 | 9 |
| 3287 | Latitudinal gradients in herbivory on <i>Oenothera biennis</i> vary according to herbivore guild and specialization. <i>Ecology</i> , 2014, 95, 2915-2923. | 1.5 | 63 |
| 3288 | Bryophyte Ecology and Conservation in the Troodos Mountains, Cyprus. <i>Herzogia</i> , 2014, 27, 165-187. | 0.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3289 | The role of cloud forest restoration on energy security. <i>Ecosystem Services</i> , 2014, 9, 180-190. | 2.3 | 11 |
| 3290 | KISSMig â€” a simple model for R to account for limited migration in analyses of species distributions. <i>Ecography</i> , 2014, 37, 1282-1287. | 2.1 | 31 |
| 3291 | Sympatry without co-occurrence: exploring the pattern of distribution of two <i>Helix</i> species in Georgia using an ecological niche modelling approach. <i>Journal of Molluscan Studies</i> , 2014, 80, 249-255. | 0.4 | 9 |
| 3292 | Ecological specialization in <i>Trebouxia</i> (<i>Trebouxiophyceae</i>) photobionts of <i>Ramalina menziesii</i> (<i>Ramalinaceae</i>) across six range-covering ecoregions of western North America. <i>American Journal of Botany</i> , 2014, 101, 1127-1140. | 0.8 | 55 |
| 3293 | Macroecological patterns of amphibian assemblages in the Western Palearctic: Implications for conservation. <i>Biological Conservation</i> , 2014, 176, 252-261. | 1.9 | 16 |
| 3294 | Insight into distribution patterns and conservation planning in relation to woody species diversity in Xinjiang, arid northwestern China. <i>Biological Conservation</i> , 2014, 177, 165-173. | 1.9 | 16 |
| 3295 | Changes in soil quality indicators under oil palm plantations following application of â€”best management practicesâ€” in a four-year field trial. <i>Agriculture, Ecosystems and Environment</i> , 2014, 195, 98-111. | 2.5 | 29 |
| 3296 | Improving decision-making activities for meningitis and malaria. <i>Geocarto International</i> , 2014, 29, 19-38. | 1.7 | 4 |
| 3297 | Asynchrony of Seasons: Genetic Differentiation Associated with Geographic Variation in Climatic Seasonality and Reproductive Phenology. <i>American Naturalist</i> , 2014, 184, 352-363. | 1.0 | 40 |
| 3298 | Uncertainty analysis of total phosphorus spatial-temporal variations in the Yangtze River Estuary using different interpolation methods. <i>Marine Pollution Bulletin</i> , 2014, 86, 68-75. | 2.3 | 28 |
| 3299 | Mammal species richness and biogeographic structure at the southern boundaries of the Nearctic region. <i>Mammalia</i> , 2014, 78, . | 0.3 | 8 |
| 3300 | Conservation paleobiology needs phylogenetic methods. <i>Ecography</i> , 2014, 37, 1109-1122. | 2.1 | 16 |
| 3301 | Genetic and palaeo-climatic evidence for widespread persistence of the coastal tree species <i>Eucalyptus gomphocephala</i> (<i>Myrtaceae</i>) during the Last Glacial Maximum. <i>Annals of Botany</i> , 2014, 113, 55-67. | 1.4 | 24 |
| 3302 | Evolution of climatic niche specialization: a phylogenetic analysis in amphibians. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20133229. | 1.2 | 71 |
| 3303 | Pyrogeographic models, feedbacks and the future of global fire regimes. <i>Global Ecology and Biogeography</i> , 2014, 23, 821-824. | 2.7 | 51 |
| 3304 | Strong spatial structure, Pliocene diversification and cryptic diversity in the Neotropical dry forest spider <i>Sicarius cariri</i> . <i>Molecular Ecology</i> , 2014, 23, 5323-5336. | 2.0 | 54 |
| 3305 | Species sorting determines variation in the community composition of common and rare macrophytes at various spatial extents. <i>Ecological Complexity</i> , 2014, 20, 61-68. | 1.4 | 47 |
| 3306 | Aridity threshold in controlling ecosystem nitrogen cycling in arid and semi-arid grasslands. <i>Nature Communications</i> , 2014, 5, 4799. | 5.8 | 254 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3307 | Herbivores and nutrients control grassland plant diversity via light limitation. <i>Nature</i> , 2014, 508, 517-520. | 13.7 | 669 |
| 3308 | Two Genomic Regions Contribute Disproportionately to Geographic Differentiation in Wild Barley. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 1193-1203. | 0.8 | 38 |
| 3309 | Refugia within refugia - patterns in endemism and genetic divergence are linked to Late Quaternary climate stability in the Iberian Peninsula. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 13-28. | 0.7 | 86 |
| 3310 | Vulnerability of dynamic genetic conservation units of forest trees in Europe to climate change. <i>Global Change Biology</i> , 2014, 20, 1498-1511. | 4.2 | 48 |
| 3311 | Quantifying the ecological niche overlap between two interacting invasive species: the zebra mussel <i>Dreissena polymorpha</i> and the quagga mussel <i>Dreissena rostriformis bugensis</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014, 24, 324-337. | 0.9 | 39 |
| 3312 | Soils and Vegetation In extremis. , 2014, , 116-137. | | 0 |
| 3313 | Predicting the impact of climate change on regional and seasonal abundance of the mealybug <i>Phenacoccus solenopsis</i> Tinsley (Hemiptera: Pseudococcidae) using temperature-driven phenology model linked to GIS. <i>Ecological Modelling</i> , 2014, 288, 62-78. | 1.2 | 45 |
| 3314 | Terrestrial surface-area increment: the effects of topography, DEM resolution, and algorithm. <i>Physical Geography</i> , 2014, 35, 297-312. | 0.6 | 6 |
| 3315 | Bioclimatic variables derived from remote sensing: assessment and application for species distribution modelling. <i>Methods in Ecology and Evolution</i> , 2014, 5, 1033-1042. | 2.2 | 37 |
| 3316 | A geostatistical framework for predicting variations in strontium concentrations and isotope ratios in Alaskan rivers. <i>Chemical Geology</i> , 2014, 389, 1-15. | 1.4 | 70 |
| 3317 | Improving the assessment and reporting on rare and endangered species through species distribution models. <i>Global Ecology and Conservation</i> , 2014, 2, 226-237. | 1.0 | 55 |
| 3318 | A simple, rapid methodology for developing invasive species watch lists. <i>Biological Conservation</i> , 2014, 179, 25-32. | 1.9 | 51 |
| 3319 | A Brief Overview of the GLObal River Chemistry Database, GLORICH. <i>Procedia Earth and Planetary Science</i> , 2014, 10, 23-27. | 0.6 | 111 |
| 3320 | An analysis of seroprevalence and risk factors for parasitic infections of economic importance in small ruminants in Greece. <i>Veterinary Journal</i> , 2014, 202, 146-152. | 0.6 | 11 |
| 3321 | Remote sensing of vegetation dynamics in West Africa. <i>International Journal of Remote Sensing</i> , 2014, 35, 6357-6396. | 1.3 | 41 |
| 3322 | Comparative rangewide phylogeography of four endemic <i>Taiwanese</i> bat species. <i>Molecular Ecology</i> , 2014, 23, 3566-3586. | 2.0 | 20 |
| 3323 | Inferring climate from angiosperm leaf venation networks. <i>New Phytologist</i> , 2014, 204, 116-126. | 3.5 | 41 |
| 3324 | Interglacial genetic diversification of <i>Moussonia deppeana</i> (<i>Gesneriaceae</i>), a hummingbird-pollinated, cloud forest shrub in northern Mesoamerica. <i>Molecular Ecology</i> , 2014, 23, 4119-4136. | 2.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3325 | Seed dormancy and germination in three <i>Crocus</i> ser. <i>Verni</i> species (<i>Lilacaceae</i>): implications for evolution of dormancy within the genus. <i>Plant Biology</i> , 2014, 16, 1065-1074. | 1.8 | 31 |
| 3326 | Morphological variation and sexual dimorphism of the common leopard (<i>Panthera pardus</i>) in the Middle East and their implications for species taxonomy and conservation. <i>Mammalian Biology</i> , 2014, 79, 398-405. | 0.8 | 5 |
| 3327 | Predicting species' abundances from occurrence data: Effects of sample size and bias. <i>Ecological Modelling</i> , 2014, 294, 36-41. | 1.2 | 35 |
| 3328 | What drives flexibility in primate social organization?. <i>Behavioral Ecology and Sociobiology</i> , 2014, 68, 1677-1692. | 0.6 | 27 |
| 3329 | Conservation implications of omitting narrow-ranging taxa from species distribution models, now and in the future. <i>Diversity and Distributions</i> , 2014, 20, 1307-1320. | 1.9 | 44 |
| 3330 | Phenotypic evolution of an Atlantic Forest passerine (<i>Xiphorhynchus fuscus</i>): biogeographic and systematic implications. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 1047-1066. | 0.7 | 18 |
| 3331 | Contribution of Nonorthologous Duplicated Genes to High Habitat Variability in Mammals. <i>Molecular Biology and Evolution</i> , 2014, 31, 1779-1786. | 3.5 | 22 |
| 3332 | Invasive aphids of the tribe Siphini: a model of potentially suitable ecological niches. <i>Agricultural and Forest Entomology</i> , 2014, 16, 434-443. | 0.7 | 19 |
| 3333 | A review of topographic controls on moraine distribution. <i>Geomorphology</i> , 2014, 226, 44-64. | 1.1 | 97 |
| 3334 | Lizard scales in an adaptive radiation: variation in scale number follows climatic and structural habitat diversity in <i>Anolis</i> lizards. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 570-579. | 0.7 | 36 |
| 3335 | Global geographic distribution of <i>Trichinella</i> species and genotypes. <i>Infection, Genetics and Evolution</i> , 2014, 26, 255-266. | 1.0 | 17 |
| 3336 | Close-up on renewable resources and armed conflict. <i>Political Geography</i> , 2014, 42, 57-65. | 1.3 | 41 |
| 3337 | Wild food in Europe: A synthesis of knowledge and data of terrestrial wild food as an ecosystem service. <i>Ecological Economics</i> , 2014, 105, 292-305. | 2.9 | 198 |
| 3338 | Was the Oligocene-Miocene a time of fire and rain? Insights from brown coals of the southeastern Australia Gippsland Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 411, 65-78. | 1.0 | 24 |
| 3339 | Effects of Tillage and Crop Residue Management on Maize Yields and Net Returns in the Central Mexican Highlands Under Drought Conditions. <i>Pedosphere</i> , 2014, 24, 476-486. | 2.1 | 10 |
| 3340 | A comparison on the impacts of short-term micro-environmental and long-term macro-climatic variability on structuring beta diversity of microarthropod communities. <i>Journal of Asia-Pacific Entomology</i> , 2014, 17, 629-632. | 0.4 | 2 |
| 3341 | Human influence as a potential source of bias in pollen-based quantitative climate reconstructions. <i>Quaternary Science Reviews</i> , 2014, 99, 112-121. | 1.4 | 53 |
| 3342 | Genomics of the divergence continuum in an African plant biodiversity hotspot, I: drivers of population divergence in <i>Restio capensis</i> (<i>Restionaceae</i>). <i>Molecular Ecology</i> , 2014, 23, 4373-4386. | 2.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3343 | The effect of DEM resolution on the computation of the factor of safety using an infinite slope model. <i>Geomorphology</i> , 2014, 224, 16-26. | 1.1 | 22 |
| 3344 | Spatial conservation planning framework for assessing conservation opportunities in the Atlantic Forest of Brazil. <i>Applied Geography</i> , 2014, 53, 369-376. | 1.7 | 4 |
| 3345 | Direct and indirect effects of development temperature on adult water balance traits of <i>Eldana saccharina</i> (Lepidoptera: Pyralidae). <i>Journal of Insect Physiology</i> , 2014, 68, 69-75. | 0.9 | 8 |
| 3346 | Separation of the bioclimatic spaces of Himalayan tree rhododendron species predicted by ensemble suitability models. <i>Global Ecology and Conservation</i> , 2014, 1, 2-12. | 1.0 | 52 |
| 3347 | Ecological niche modeling for predicting the potential risk areas of severe fever with thrombocytopenia syndrome. <i>International Journal of Infectious Diseases</i> , 2014, 26, 1-8. | 1.5 | 47 |
| 3348 | Using species distribution models to inform IUCN Red List assessments. <i>Biological Conservation</i> , 2014, 177, 174-184. | 1.9 | 116 |
| 3349 | The potential and realized spread of wildfires across Canada. <i>Global Change Biology</i> , 2014, 20, 2518-2530. | 4.2 | 49 |
| 3350 | Identifying signatures of natural selection in cork oak (<i>Quercus suber</i> L.) genes through SNP analysis. <i>Tree Genetics and Genomes</i> , 2014, 10, 1645-1660. | 0.6 | 29 |
| 3351 | THE RED QUEEN AND COURT JESTER IN GREEN LACEWING EVOLUTION: BAT PREDATION AND GLOBAL CLIMATE CHANGE. <i>Palaios</i> , 2014, 29, 185-191. | 0.6 | 18 |
| 3352 | Identifying the paths leading to variation in geographical range size in western North American monkeyflowers. <i>Journal of Biogeography</i> , 2014, 41, 2344-2356. | 1.4 | 28 |
| 3353 | Estimating the Aboveground Biomass of Bornean Forest. <i>Biotropica</i> , 2014, 46, 507-511. | 0.8 | 7 |
| 3354 | Linking manipulative experiments to field data to test the dilution effect. <i>Journal of Animal Ecology</i> , 2014, 83, 557-565. | 1.3 | 92 |
| 3355 | Incorporating spatial constraints in different periods of the annual cycle improves species distribution model performance for a highly mobile bird species. <i>Diversity and Distributions</i> , 2014, 20, 515-528. | 1.9 | 20 |
| 3356 | Wanted! Dead or alive: the tale of the Brownâ€™s Grayling (<i>Pseudochazara amymone</i>). <i>Journal of Insect Conservation</i> , 2014, 18, 675-682. | 0.8 | 11 |
| 3357 | Intraspecific differences in responses to rainshelter-induced drought and competition of <i>Fagus sylvatica</i> L. across Germany. <i>Forest Ecology and Management</i> , 2014, 330, 283-293. | 1.4 | 15 |
| 3358 | Environmental and phylogeographical determinants of the distribution of the Old World screwworm fly in Indonesia. <i>Acta Tropica</i> , 2014, 138, S62-S68. | 0.9 | 7 |
| 3359 | The interaction of neutral evolutionary processes with climatically-driven adaptive changes in the 3D shape of the human os coxae. <i>Journal of Human Evolution</i> , 2014, 73, 64-74. | 1.3 | 58 |
| 3360 | Distribution, diversity and drivers of blood-borne parasite co-infections in Alaskan bird populations. <i>International Journal for Parasitology</i> , 2014, 44, 717-727. | 1.3 | 76 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3361 | Species distribution models of an endangered rodent offer conflicting measures of habitat quality at multiple scales. <i>Journal of Applied Ecology</i> , 2014, 51, 1116-1125. | 1.9 | 53 |
| 3362 | Effects of climate change on the evolution of Brown Creeper (<i>Certhia americana</i>) lineages. <i>Auk</i> , 2014, 131, 559-570. | 0.7 | 5 |
| 3363 | Modelling the potential distribution of the Bridled Skink, <i>Trachylepis vittata</i> (Olivier, 1804), in the Middle East. <i>Zoology in the Middle East</i> , 2014, 60, 208-216. | 0.2 | 16 |
| 3364 | Projected climate change impacts on spatial distribution of bioclimatic zones and ecoregions within the Kailash Sacred Landscape of China, India, Nepal. <i>Climatic Change</i> , 2014, 125, 445-460. | 1.7 | 62 |
| 3365 | Footprints of divergent selection in natural populations of <i>Castanopsis fargesii</i> (Fagaceae). <i>Heredity</i> , 2014, 113, 533-541. | 1.2 | 23 |
| 3366 | Primate and Nonprimate Mammal Community Assembly: The Influence of Biogeographic Barriers and Spatial Scale. <i>International Journal of Primatology</i> , 2014, 35, 1122-1142. | 0.9 | 7 |
| 3367 | Distribution pattern of the Snake-eyed Lizard, <i>Ophisops elegans</i> , 1832 (Squamata: Tj ETQq0,0 0 rgBT ₆ /Overlock | 0.2 | 6 |
| 3368 | A new species of small-eared shrew (Mammalia, Eulipotyphla, Cryptotis) from the Lacandona rain forest, Mexico. <i>Journal of Mammalogy</i> , 2014, 95, 739-753. | 0.6 | 15 |
| 3369 | Predicted responses of arctic and alpine ecosystems to altered seasonality under climate change. <i>Global Change Biology</i> , 2014, 20, 3256-3269. | 4.2 | 297 |
| 3370 | Earliest evidence for the structure of <i>Homo sapiens</i> populations in Africa. <i>Quaternary Science Reviews</i> , 2014, 101, 207-216. | 1.4 | 108 |
| 3371 | Population genetics of <i>Setaria viridis</i> , a new model system. <i>Molecular Ecology</i> , 2014, 23, 4912-4925. | 2.0 | 65 |
| 3372 | Tropical tree assembly depends on the interactions between successional and soil filtering processes. <i>Global Ecology and Biogeography</i> , 2014, 23, 1440-1449. | 2.7 | 22 |
| 3373 | Quantifying fire-wide carbon emissions in interior Alaska using field measurements and Landsat imagery. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1608-1629. | 1.3 | 39 |
| 3374 | Influence of hybridization on niche shifts in expanding coyote populations. <i>Diversity and Distributions</i> , 2014, 20, 1355-1364. | 1.9 | 21 |
| 3375 | The influence of environmental factors on abundance and prevalence of a commensal ostracod hosted by an invasive crayfish: are "parasite rules"™ relevant to non-parasitic symbionts?. <i>Freshwater Biology</i> , 2014, 59, 2107-2121. | 1.2 | 12 |
| 3376 | Contrasts between the phylogeographic patterns of chloroplast and nuclear DNA highlight a role for pollen-mediated gene flow in preventing population divergence in an East Asian temperate tree. <i>Molecular Phylogenetics and Evolution</i> , 2014, 81, 37-48. | 1.2 | 81 |
| 3377 | Patterns of rain forest plant endemism in subtropical Australia relate to stable mesic refugia and species dispersal limitations. <i>Journal of Biogeography</i> , 2014, 41, 222-238. | 1.4 | 67 |
| 3378 | Mutualist-mediated effects on species' range limits across large geographic scales. <i>Ecology Letters</i> , 2014, 17, 1265-1273. | 3.0 | 201 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3379 | Intra- and inter-specific variation in size and habitus of two sibling spider species (Araneae: Lycosidae): taxonomic and biogeographic insights from sampling across Europe. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 85-96. | 0.7 | 21 |
| 3380 | Formulating conservation targets for a gap analysis of endemic lizards in a biodiversity hotspot. <i>Biological Conservation</i> , 2014, 180, 1-10. | 1.9 | 19 |
| 3381 | Combining genetic analyses of archived specimens with distribution modelling to explain the anomalous distribution of the rare lichen <i>Staurolemma omphalarioides</i> : long-distance dispersal or vicariance?. <i>Journal of Biogeography</i> , 2014, 41, 2020-2031. | 1.4 | 25 |
| 3382 | Phylogeographical analysis of two cold-tolerant plants with disjunct Lusitanian distributions does not support <i>in situ</i> survival during the last glaciation. <i>Journal of Biogeography</i> , 2014, 41, 2185-2193. | 1.4 | 23 |
| 3383 | Responses of flowering phenology of snowbed plants to an experimentally imposed extreme advanced snowmelt. <i>Plant Ecology</i> , 2014, 215, 759-768. | 0.7 | 42 |
| 3384 | Ecological niche and potential distribution of <i>Anopheles arabiensis</i> in Africa in 2050. <i>Malaria Journal</i> , 2014, 13, 213. | 0.8 | 45 |
| 3385 | Modeling the distribution of the West Nile and Rift Valley Fever vector <i>Culex pipiens</i> in arid and semi-arid regions of the Middle East and North Africa. <i>Parasites and Vectors</i> , 2014, 7, 289. | 1.0 | 47 |
| 3386 | A global set of Fourier-transformed remotely sensed covariates for the description of abiotic niche in epidemiological studies of tick vector species. <i>Parasites and Vectors</i> , 2014, 7, 302. | 1.0 | 36 |
| 3387 | Climate and environmental monitoring for decision making. <i>Earth Perspectives – Transdisciplinarity Enabled</i> , 2014, 1, 16. | 1.4 | 12 |
| 3388 | A predictive modeling approach to test distributional uniformity of Uruguayan harvestmen (Arachnida: Opiliones). <i>Zoological Studies</i> , 2014, 53, . | 0.3 | 13 |
| 3389 | GEMAS: Spatial distribution of the pH of European agricultural and grazing land soil. <i>Applied Geochemistry</i> , 2014, 48, 207-216. | 1.4 | 71 |
| 3390 | Protected areas shape the spatial distribution of a European lynx population more than 20 years after reintroduction. <i>Biological Conservation</i> , 2014, 177, 210-217. | 1.9 | 35 |
| 3391 | Global relationship of wood and leaf litter decomposability: the role of functional traits within and across plant organs. <i>Global Ecology and Biogeography</i> , 2014, 23, 1046-1057. | 2.7 | 136 |
| 3392 | Climate change hastens the urgency of conservation for range-restricted plant species in the central-northern Mediterranean region. <i>Biological Conservation</i> , 2014, 179, 129-138. | 1.9 | 47 |
| 3393 | Climate-induced shifts in the niche similarity of two related spadefoot toads (genus <i>Pelobates</i>). <i>Organisms Diversity and Evolution</i> , 2014, 14, 397-408. | 0.7 | 11 |
| 3394 | Ecological and evolutionary significance of genomic GC content diversity in monocots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4096-102. | 3.3 | 260 |
| 3395 | Climate and soil attributes determine plant species turnover in global drylands. <i>Journal of Biogeography</i> , 2014, 41, 2307-2319. | 1.4 | 76 |
| 3396 | Climate change impacts on crop yield: Evidence from China. <i>Science of the Total Environment</i> , 2014, 499, 133-140. | 3.9 | 53 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3397 | Vulnerability of biodiversity hotspots to global change. <i>Global Ecology and Biogeography</i> , 2014, 23, 1376-1386. | 2.7 | 282 |
| 3398 | Spatio-temporal variation in forest cover and biomass across sacred groves in a human-modified landscape of India's Western Ghats. <i>Biological Conservation</i> , 2014, 178, 193-199. | 1.9 | 25 |
| 3399 | Elevational disease distribution in a natural plant-pathogen system: insights from changes across host populations and climate. <i>Oikos</i> , 2014, 123, 1126-1136. | 1.2 | 19 |
| 3400 | Biodiversity and biogeography of the avifauna of the Sierra Madre Occidental, Mexico. <i>Biodiversity and Conservation</i> , 2014, 23, 2087-2105. | 1.2 | 22 |
| 3401 | Agriculture, transportation and the timing of urbanization: Global analysis at the grid cell level. <i>Journal of Economic Growth</i> , 2014, 19, 339-368. | 1.1 | 49 |
| 3402 | Biome Shifts and Niche Evolution in Plants. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2014, 45, 547-572. | 3.8 | 238 |
| 3403 | Environmental niche modelling fails to predict local maximum refugia: niche shifts, microrefugia or incorrect palaeoclimate estimates?. <i>Global Ecology and Biogeography</i> , 2014, 23, 1186-1197. | 2.7 | 46 |
| 3404 | Contrasting architecture of key African and Australian savanna tree taxa drives intercontinental structural divergence. <i>Global Ecology and Biogeography</i> , 2014, 23, 1235-1244. | 2.7 | 39 |
| 3405 | Residence time, expansion toward the equator in the invaded range and native range size matter to climatic niche shifts in non-native species. <i>Global Ecology and Biogeography</i> , 2014, 23, 1094-1104. | 2.7 | 83 |
| 3406 | Latitudinal trait variation and responses to drought in <i>Arabidopsis lyrata</i> . <i>Oecologia</i> , 2014, 175, 577-587. | 0.9 | 29 |
| 3407 | Spatial variability and controls over biomass stocks, carbon fluxes, and resource-use efficiencies across forest ecosystems. <i>Trees - Structure and Function</i> , 2014, 28, 597-611. | 0.9 | 62 |
| 3408 | Catchment precipitation processes in the San Francisco valley in southern Ecuador: combined approach using high-resolution radar images and in situ observations. <i>Meteorology and Atmospheric Physics</i> , 2014, 126, 13-29. | 0.9 | 32 |
| 3409 | <i>Bromus tectorum</i> Response to Fire Varies with Climate Conditions. <i>Ecosystems</i> , 2014, 17, 960-973. | 1.6 | 33 |
| 3410 | DNA content in South American endemic species of <i>Lathyrus</i> . <i>Journal of Plant Research</i> , 2014, 127, 469-480. | 1.2 | 7 |
| 3411 | Ecological Niche Modelling of Potential West Nile Virus Vector Mosquito Species and Their Geographical Association with Equine Epizootics in Italy. <i>EcoHealth</i> , 2014, 11, 120-132. | 0.9 | 24 |
| 3412 | Thermal tolerance of <i>Cyrtobagous salviniae</i> : a biocontrol agent in a changing world. <i>BioControl</i> , 2014, 59, 357-366. | 0.9 | 13 |
| 3413 | Incorporating risk mapping at multiple spatial scales into eradication management plans. <i>Biological Invasions</i> , 2014, 16, 691-703. | 1.2 | 42 |
| 3414 | A novel downscaling approach to predict plant invasions and improve local conservation actions. <i>Biological Invasions</i> , 2014, 16, 2577-2590. | 1.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3415 | Identifying priority areas for conservation of spadefoot toad, <i>Pelobates fuscus insubricus</i> using a maximum entropy approach. <i>Biodiversity and Conservation</i> , 2014, 23, 1427-1439. | 1.2 | 14 |
| 3416 | Cryptic structure and niche divergence within threatened Galápagos giant tortoises from southern Isabela Island. <i>Conservation Genetics</i> , 2014, 15, 1357-1369. | 0.8 | 16 |
| 3417 | Historical and ecological divergence among populations of <i>Monttea chilensis</i> (Plantaginaceae), an endemic endangered shrub bordering the Atacama Desert, Chile. <i>Evolutionary Ecology</i> , 2014, 28, 751-774. | 0.5 | 37 |
| 3418 | Genetic structure and eco-geographical adaptation of garlic landraces (<i>Allium sativum</i> L.) in Iran. <i>Genetic Resources and Crop Evolution</i> , 2014, 61, 1565-1580. | 0.8 | 12 |
| 3419 | The Influences of Species Richness and Climate on the Phylogenetic Structure of African Haplorhine and Strepsirrhine Primate Communities. <i>International Journal of Primatology</i> , 2014, 35, 1105-1121. | 0.9 | 14 |
| 3420 | Can the extinction of <i>Melitaea britomartis</i> in NW Italy be explained by unfavourable weather? An analysis by Optimal Interpolation. <i>Journal of Insect Conservation</i> , 2014, 18, 163-170. | 0.8 | 5 |
| 3421 | Hybridization rate and climate change: are endangered species at risk?. <i>Journal of Insect Conservation</i> , 2014, 18, 295-305. | 0.8 | 19 |
| 3422 | Leverage points for improving global food security and the environment. <i>Science</i> , 2014, 345, 325-328. | 6.0 | 584 |
| 3423 | Increasing sexual ornamentation during a biological invasion. <i>Behavioral Ecology</i> , 2014, 25, 916-923. | 1.0 | 17 |
| 3424 | Invasive potential of cattle fever ticks in the southern United States. <i>Parasites and Vectors</i> , 2014, 7, 189. | 1.0 | 65 |
| 3425 | Distributional potential of the <i>Triatoma brasiliensis</i> species complex at present and under scenarios of future climate conditions. <i>Parasites and Vectors</i> , 2014, 7, 238. | 1.0 | 60 |
| 3426 | Predicting erosion and sediment yield in a mesoscale basin in the semiarid monsoon region Miyun/China. <i>Ecological Processes</i> , 2014, 3, . | 1.6 | 5 |
| 3427 | Brazilian populations of <i>Drosophila maculifrons</i> (Diptera: Drosophilidae): low diversity levels and signals of a population expansion after the Last Glacial Maximum. <i>Biological Journal of the Linnean Society</i> , 2014, 112, 55-66. | 0.7 | 8 |
| 3428 | Global patterns of soil microbial nitrogen and phosphorus stoichiometry in forest ecosystems. <i>Global Ecology and Biogeography</i> , 2014, 23, 979-987. | 2.7 | 66 |
| 3429 | Topoclimate versus macroclimate: how does climate mapping methodology affect species distribution models and climate change projections?. <i>Diversity and Distributions</i> , 2014, 20, 952-963. | 1.9 | 62 |
| 3430 | Temporal dynamics of areas of endemism under climate change: a case study of Mexican <i>Bursera</i> (Burseraceae). <i>Journal of Biogeography</i> , 2014, 41, 871-881. | 1.4 | 29 |
| 3431 | Latitudinal Variation in Termite Species Richness and Abundance along the Brazilian Atlantic Forest Hotspot. <i>Biotropica</i> , 2014, 46, 441-450. | 0.8 | 57 |
| 3432 | Predicting pre-Columbian anthropogenic soils in Amazonia. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132475. | 1.2 | 125 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3433 | Predicting threat of climate change to the Chinese grouse on the Qinghai-Tibet plateau. <i>Wildlife Biology</i> , 2014, 20, 73-82. | 0.6 | 11 |
| 3434 | Biogeographical analysis of the Atlantic Sahara reptiles: Environmental correlates of species distribution and vulnerability to climate change. <i>Journal of Arid Environments</i> , 2014, 109, 65-73. | 1.2 | 13 |
| 3435 | Environmental impact of geometric earthwork construction in pre-Columbian Amazonia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10497-10502. | 3.3 | 98 |
| 3436 | Global variation in thermal tolerances and vulnerability of endotherms to climate change. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20141097. | 1.2 | 217 |
| 3437 | The potential distribution of the Vulnerable African lion <i>Panthera leo</i> in the face of changing global climate. <i>Oryx</i> , 2014, 48, 555-564. | 0.5 | 14 |
| 3438 | The role of elevation and soil chemistry in the distribution and ion accumulation of floral morphs of <i>Streptanthus polygaloides</i> Gray (Brassicaceae), a Californian nickel hyperaccumulator. <i>Plant Ecology and Diversity</i> , 2014, 7, 421-432. | 1.0 | 8 |
| 3439 | Changes in the potential habitats of 10 dominant evergreen broad-leaved tree species in the Taiwan-Japan archipelago. <i>Plant Ecology</i> , 2014, 215, 639-650. | 0.7 | 18 |
| 3440 | Groundwater Use for Irrigation and its Productivity: Status and Opportunities for Crop Intensification for Food Security in Bangladesh. <i>Water Resources Management</i> , 2014, 28, 1415-1429. | 1.9 | 45 |
| 3441 | Visualising the environmental preferences of <i>Pinus tecunumanii</i> populations. <i>Tree Genetics and Genomes</i> , 2014, 10, 1123-1133. | 0.6 | 4 |
| 3442 | Exploring the impact of neutral evolution on intrapopulation genetic differentiation in functional traits in a long-lived plant. <i>Tree Genetics and Genomes</i> , 2014, 10, 1181-1190. | 0.6 | 24 |
| 3443 | Digital identification of ecosystem structure in the Fındıklına Valley of the Kaçkar Mountains in the Rize City of Turkey. <i>Journal of Mountain Science</i> , 2014, 11, 421-428. | 0.8 | 0 |
| 3444 | Regional climate model downscaling may improve the prediction of alien plant species distributions. <i>Frontiers of Earth Science</i> , 2014, 8, 457-471. | 0.9 | 8 |
| 3445 | Warming and drought do not influence the palatability of <i>Quercus pubescens</i> Willd. leaves of four European provenances. <i>Arthropod-Plant Interactions</i> , 2014, 8, 329. | 0.5 | 9 |
| 3446 | Modeling Differential Growth in Switchgrass Cultivars Across the Central and Southern Great Plains. <i>Bioenergy Research</i> , 2014, 7, 1165-1173. | 2.2 | 21 |
| 3447 | Molecular data and ecological niche modeling reveal population dynamics of widespread shrub <i>Forsythia suspensa</i> (Oleaceae) in China's warm-temperate zone in response to climate change during the Pleistocene. <i>BMC Evolutionary Biology</i> , 2014, 14, 114. | 3.2 | 27 |
| 3448 | A strong "filter" effect of the East China Sea land bridge for East Asia's temperate plant species: inferences from molecular phylogeography and ecological niche modelling of <i>Platycodon arguta</i> (Hydrangeaceae). <i>BMC Evolutionary Biology</i> , 2014, 14, 41. | 3.2 | 51 |
| 3449 | A spatial epidemiological analysis of nontuberculous mycobacterial infections in Queensland, Australia. <i>BMC Infectious Diseases</i> , 2014, 14, 279. | 1.3 | 52 |
| 3450 | Blow me down: A new perspective on <i>Aloe dichotoma</i> mortality from windthrow. <i>BMC Ecology</i> , 2014, 14, 7. | 3.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3451 | Air temperature suitability for <i>Plasmodium falciparum</i> malaria transmission in Africa 2000-2012: a high-resolution spatiotemporal prediction. <i>Malaria Journal</i> , 2014, 13, 171. | 0.8 | 65 |
| 3452 | Historical biogeography of the neotropical Diptomidae (Crustacea: Copepoda). <i>Frontiers in Zoology</i> , 2014, 11, 36. | 0.9 | 19 |
| 3453 | A spider diversity model for the Caucasus Ecoregion. <i>Journal of Insect Conservation</i> , 2014, 18, 407-416. | 0.8 | 13 |
| 3454 | Genetic divergence of the Mesoamerican azure-crowned hummingbird (<i>Amazilia cyanocephala</i>), <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i> and <i>Evolutionary Research</i> , 2014, 52, 142-153. | 0.6 | 18 |
| 3455 | Landscape scale species distribution modeling across the Guiana Shield to inform conservation decision making in Guyana. <i>Biodiversity and Conservation</i> , 2014, 23, 1931-1948. | 1.2 | 9 |
| 3456 | Uncertainty associated with survey design in Species Distribution Models. <i>Diversity and Distributions</i> , 2014, 20, 1258-1269. | 1.9 | 91 |
| 3457 | Europe's freshwater biodiversity under climate change: distribution shifts and conservation needs. <i>Diversity and Distributions</i> , 2014, 20, 1097-1107. | 1.9 | 122 |
| 3458 | Evaluation of TRMM 3B42 product using a new gauge-based analysis of daily precipitation over China. <i>International Journal of Climatology</i> , 2014, 34, 2749-2762. | 1.5 | 76 |
| 3459 | Prioritizing conservation of tropical dry forests in the Pacific. <i>Oryx</i> , 2014, 48, 337-344. | 0.5 | 18 |
| 3460 | Effects of alternative sets of climatic predictors on species distribution models and associated estimates of extinction risk: A test with plants in an arid environment. <i>Ecological Modelling</i> , 2014, 288, 166-177. | 1.2 | 89 |
| 3461 | Taxonomic, Phylogenetic, and Trait Beta Diversity in South American Hummingbirds. <i>American Naturalist</i> , 2014, 184, 211-224. | 1.0 | 77 |
| 3462 | How seasonal temperature or water inputs affect the relative response of C ₃ crops to elevated [CO ₂]: a global analysis of open top chamber and free air CO ₂ enrichment studies. <i>Food and Energy Security</i> , 2014, 3, 33-45. | 2.0 | 63 |
| 3463 | Factors influencing export of dissolved inorganic nitrogen by major rivers: A new, seasonal, spatially explicit, global model. <i>Global Biogeochemical Cycles</i> , 2014, 28, 269-285. | 1.9 | 31 |
| 3464 | Ever-wet tropical forests as biodiversity refuges. <i>Nature Climate Change</i> , 2014, 4, 740-741. | 8.1 | 16 |
| 3465 | On the present and potential distribution of <i>Ageratina adenophora</i> (Asteraceae) in South Africa. <i>South African Journal of Botany</i> , 2014, 95, 152-158. | 1.2 | 30 |
| 3466 | DNA barcoding and morphology reveal exceptional species diversity of <i>Scoparia</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT / Overlock 10 171, 732-752. | 1.0 | 8 |
| 3467 | How many predictors in species distribution models at the landscape scale? Land use versus LiDAR-derived canopy height. <i>International Journal of Geographical Information Science</i> , 2014, 28, 1723-1739. | 2.2 | 30 |
| 3469 | Surveillance of feral swine for <i>Trichinella</i> spp. and <i>Toxoplasma gondii</i> in the USA and host-related factors associated with infection. <i>Veterinary Parasitology</i> , 2014, 205, 653-665. | 0.7 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3470 | Extending the suite of <sc>bioclim</sc> variables: a proposed registry system and case study using principal components analysis. <i>Methods in Ecology and Evolution</i> , 2014, 5, 956-960. | 2.2 | 71 |
| 3471 | Carbon stocks in temperate forests of south-eastern Australia reflect large tree distribution and edaphic conditions. <i>Forest Ecology and Management</i> , 2014, 334, 129-143. | 1.4 | 49 |
| 3472 | Patterns of phylogenetic beta diversity in China's grasslands in relation to geographical and environmental distance. <i>Basic and Applied Ecology</i> , 2014, 15, 416-425. | 1.2 | 17 |
| 3473 | Ethnolinguistic structuring of sorghum genetic diversity in Africa and the role of local seed systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14100-14105. | 3.3 | 57 |
| 3474 | Node-based analysis of species distributions. <i>Methods in Ecology and Evolution</i> , 2014, 5, 1225-1235. | 2.2 | 25 |
| 3475 | Fossil palm beetles refine upland winter temperatures in the Early Eocene Climatic Optimum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8095-8100. | 3.3 | 48 |
| 3476 | Effects of elevation on spring phenological sensitivity to temperature in Tibetan Plateau grasslands. <i>Science Bulletin</i> , 2014, 59, 4856-4863. | 1.7 | 36 |
| 3477 | Tree diversity patterns in successive vegetation types along an elevation gradient in the Mountains of Eastern Mexico. <i>Ecological Research</i> , 2014, 29, 1097-1104. | 0.7 | 30 |
| 3478 | Old health risks in new places? An ecological niche model for <i>I. ricinus</i> tick distribution in Europe under a changing climate. <i>Health and Place</i> , 2014, 30, 70-77. | 1.5 | 32 |
| 3479 | Savanna fire and the origins of the "underground forests" of Africa. <i>New Phytologist</i> , 2014, 204, 201-214. | 3.5 | 179 |
| 3480 | An early "middle Eocene Antarctic summer monsoon: Evidence of "fossil climates". <i>Gondwana Research</i> , 2014, 25, 1422-1428. | 3.0 | 25 |
| 3481 | Predictive risk mapping of schistosomiasis in Brazil using Bayesian geostatistical models. <i>Acta Tropica</i> , 2014, 132, 57-63. | 0.9 | 49 |
| 3482 | Modelling Lake Kivu water level variations over the last seven decades. <i>Limnologica</i> , 2014, 47, 21-33. | 0.7 | 38 |
| 3483 | Evaluation of seasonal water body extents in Central Asia over the past 27 years derived from medium-resolution remote sensing data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014, 26, 335-349. | 1.4 | 99 |
| 3484 | Where the bears roam in Majella National Park, Italy. <i>Journal for Nature Conservation</i> , 2014, 22, 23-34. | 0.8 | 81 |
| 3485 | Projections of the Ganges "Brahmaputra precipitation" Downscaled from GCM predictors. <i>Journal of Hydrology</i> , 2014, 517, 120-134. | 2.3 | 93 |
| 3486 | Leaf wax n-alkane distributions in arid zone South African flora: Environmental controls, chemotaxonomy and palaeoecological implications. <i>Organic Geochemistry</i> , 2014, 67, 72-84. | 0.9 | 98 |
| 3487 | Characterisation factors for life cycle impact assessment of sound emissions. <i>Science of the Total Environment</i> , 2014, 468-469, 280-291. | 3.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3488 | Phylogeography of a widespread Asian subtropical tree: genetic east–west differentiation and climate envelope modelling suggest multiple glacial refugia. <i>Journal of Biogeography</i> , 2014, 41, 1710-1720. | 1.4 | 89 |
| 3489 | Natural variation in phosphorylation of photosystem II proteins in <i>Arabidopsis thaliana</i> : is it caused by genetic variation in the STN kinases?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130499. | 1.8 | 7 |
| 3490 | Cryptic species and Miocene diversification of Palaearctic naked-toed geckos (<i>Squamata: Gekkonidae</i>) in the Indian dry zone. <i>Zoologica Scripta</i> , 2014, 43, 455-471. | 0.7 | 18 |
| 3491 | Elevation patterns in rodent diversity in the dry Andes: disentangling the role of environmental factors. <i>Journal of Mammalogy</i> , 2014, 95, 99-107. | 0.6 | 30 |
| 3492 | Comparison of elevation and remote sensing derived products as auxiliary data for climate surface interpolation. <i>International Journal of Climatology</i> , 2014, 34, 2258-2268. | 1.5 | 20 |
| 3493 | Determinants of fern and angiosperm herb community structure in lower montane rainforest in Indonesia. <i>Journal of Vegetation Science</i> , 2014, 25, 1216-1224. | 1.1 | 14 |
| 3494 | A temperature-based phenology model for predicting development, survival and population growth potential of the mealybug, <i>Phenacoccus solenopsis</i> Tinsley (Hemiptera: Pseudococcidae). <i>Crop Protection</i> , 2014, 55, 98-108. | 1.0 | 47 |
| 3495 | Australia's arid-adapted butcherbirds experienced range expansions during Pleistocene glacial maxima. <i>Nature Communications</i> , 2014, 5, 3994. | 5.8 | 65 |
| 3496 | Interspecific variation in functional traits in relation to species climatic niche optima in Andean <i>Polylepis</i> (Rosaceae) tree species: evidence for climatic adaptations. <i>Functional Plant Biology</i> , 2014, 41, 301. | 1.1 | 17 |
| 3497 | Does a cassava research-for-development program have impact at the farm level? Evidence from the Democratic Republic of Congo. <i>Food Policy</i> , 2014, 46, 193-204. | 2.8 | 5 |
| 3498 | Chemical composition, potential toxicity, and quality control procedures of the crude drug of <i>Cyrtopodium macrobulbon</i> . <i>Journal of Ethnopharmacology</i> , 2014, 154, 790-797. | 2.0 | 24 |
| 3499 | The Hooded Crow <i>Corvus cornix</i> density as a predictor of wetland bird species richness on a large geographical scale in Poland. <i>Ecological Indicators</i> , 2014, 38, 50-60. | 2.6 | 20 |
| 3500 | <i>Casuarina cunninghamiana</i> in the Western Cape, South Africa: Determinants of naturalisation and invasion, and options for management. <i>South African Journal of Botany</i> , 2014, 92, 134-146. | 1.2 | 15 |
| 3501 | Using biodiversity databases to verify and improve descriptions of tree species climatic requirements. <i>Forest Ecology and Management</i> , 2014, 315, 95-102. | 1.4 | 22 |
| 3502 | Mapping ecosystem services: The supply and demand of flood regulation services in Europe. <i>Ecological Indicators</i> , 2014, 38, 198-211. | 2.6 | 204 |
| 3503 | Consequences of out-migration for land use in rural Ecuador. <i>Land Use Policy</i> , 2014, 36, 182-191. | 2.5 | 95 |
| 3504 | Multifunctionality and biodiversity: Ecosystem services in temperate rainforests of the Pacific Northwest, USA. <i>Biological Conservation</i> , 2014, 169, 362-371. | 1.9 | 61 |
| 3505 | Modeling meadow distribution for conservation action in arid and semi-arid Patagonia, Argentina. <i>Journal of Arid Environments</i> , 2014, 102, 68-75. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3506 | Agroforestry systems in a changing climate—challenges in projecting future performance. <i>Current Opinion in Environmental Sustainability</i> , 2014, 6, 1-7. | 3.1 | 111 |
| 3507 | Confronting problems of method in the study of sustainability. <i>Forest Policy and Economics</i> , 2014, 42, 42-50. | 1.5 | 4 |
| 3508 | Winners and losers of organic cereal farming in animal communities across Central and Northern Europe. <i>Biological Conservation</i> , 2014, 175, 25-33. | 1.9 | 43 |
| 3509 | Space and habitat use by wild Bactrian camels in the Transaltai Gobi of southern Mongolia. <i>Biological Conservation</i> , 2014, 169, 311-318. | 1.9 | 24 |
| 3510 | Freshwater ecosystem service footprint model: A model to evaluate regional freshwater sustainable development—A case study in Beijing—Tianjin—Hebei, China. <i>Ecological Indicators</i> , 2014, 39, 1-9. | 2.6 | 51 |
| 3511 | Mollusc and plant assemblages controlled by different ecological gradients at Eastern European fens. <i>Acta Oecologica</i> , 2014, 56, 66-73. | 0.5 | 12 |
| 3512 | Narrow endemics to Mediterranean islands: Moderate genetic diversity but narrow climatic niche of the ancient, critically endangered <i>Naufraga</i> (Apiaceae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2014, 16, 190-202. | 1.1 | 53 |
| 3513 | Satellite-derived vegetation indices contribute significantly to the prediction of epiphyllous liverworts. <i>Ecological Indicators</i> , 2014, 38, 72-80. | 2.6 | 33 |
| 3514 | Potential, realised, future distribution and environmental suitability for <i>Pterocarpus angolensis</i> DC in southern Africa. <i>Forest Ecology and Management</i> , 2014, 315, 211-226. | 1.4 | 32 |
| 3515 | Identifying potential conservation areas in the Cuitzeo Lake basin, Mexico by multitemporal analysis of landscape connectivity. <i>Journal for Nature Conservation</i> , 2014, 22, 424-435. | 0.8 | 32 |
| 3516 | Population studies of <i>Glossina pallidipes</i> in Ethiopia: emphasis on cuticular hydrocarbons and wing morphometric analysis. <i>Acta Tropica</i> , 2014, 138, S12-S21. | 0.9 | 11 |
| 3517 | How accurately can minimum temperatures at the cold limits of tree species be extrapolated from weather station data?. <i>Agricultural and Forest Meteorology</i> , 2014, 184, 257-266. | 1.9 | 46 |
| 3518 | Weak evidence of long-term extinction debt in Pannonian dry sand grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2014, 182, 137-143. | 2.5 | 12 |
| 3519 | Determinants of fine-scale plant diversity in dry calcareous grasslands within the Baltic Sea region. <i>Agriculture, Ecosystems and Environment</i> , 2014, 182, 59-68. | 2.5 | 29 |
| 3520 | Geographical and environmental factors affecting the distribution of wintering black storks <i>Ciconia nigra</i> in the Iberian Peninsula. <i>Journal of Avian Biology</i> , 2014, 45, 514-521. | 0.6 | 12 |
| 3521 | Functional and biological diversity of foliar spectra in tree canopies throughout the Andes to Amazon region. <i>New Phytologist</i> , 2014, 204, 127-139. | 3.5 | 121 |
| 3522 | Conservation network design for endemic cacti under taxonomic uncertainty. <i>Biological Conservation</i> , 2014, 176, 236-242. | 1.9 | 22 |
| 3523 | Rapid deforestation threatens mid-elevational endemic birds but climate change is most important at higher elevations. <i>Diversity and Distributions</i> , 2014, 20, 773-785. | 1.9 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3524 | Molecular data and ecological niche modelling reveal the phylogeographic pattern of <i>Cotinus coggygria</i> (Anacardiaceae) in China's warm-temperate zone. <i>Plant Biology</i> , 2014, 16, 1114-1120. | 1.8 | 16 |
| 3525 | Freezing regime and trade-offs with water transport efficiency generate variation in xylem structure across diploid populations of <i>Larrea</i> sp. (Zygophyllaceae). <i>American Journal of Botany</i> , 2014, 101, 598-607. | 0.8 | 22 |
| 3526 | Global evaluation of biofuel potential from microalgae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8691-8696. | 3.3 | 204 |
| 3527 | Phylogeographic and environmental correlates support the cryptic function of the zigzag pattern in a European viper. <i>Evolutionary Ecology</i> , 2014, 28, 611-626. | 0.5 | 26 |
| 3528 | Distinguishing the effects of selection from demographic history in the genetic variation of two sister passerines based on mitochondrial-nuclear comparison. <i>Heredity</i> , 2014, 113, 42-51. | 1.2 | 12 |
| 3529 | Effects of recent and past climatic shifts on the genetic structure of the high mountain Yellow-spotted ringlet butterfly <i>Erebia manto</i> (Lepidoptera, Satyrinae): a conservation problem. <i>Global Change Biology</i> , 2014, 20, 2045-2061. | 4.2 | 30 |
| 3530 | Comparative ecological niche modeling and evolutionary ecology of Neotropical mycophagous Drosophilidae (Diptera) species. <i>Studies on Neotropical Fauna and Environment</i> , 2014, 49, 79-94. | 0.5 | 10 |
| 3531 | Revisiting and modelling the woodland farming system of the early Neolithic Linear Pottery Culture (LBK), 5600-4900 b.c.. <i>Vegetation History and Archaeobotany</i> , 2014, 23, 37-50. | 1.0 | 27 |
| 3532 | A 40-year, continent-wide, multispecies assessment of relevant climate predictors for species distribution modelling. <i>Diversity and Distributions</i> , 2014, 20, 1285-1295. | 1.9 | 89 |
| 3533 | Plasticity in circadian activity patterns of mesocarnivores in Southwestern Europe: implications for species coexistence. <i>Behavioral Ecology and Sociobiology</i> , 2014, 68, 1403-1417. | 0.6 | 183 |
| 3534 | Drought tolerance and plasticity in the invasive knapweed <i>Centaurea stoebe</i> s.l. (Asteraceae): effect of populations stronger than those of cytotype and range. <i>Annals of Botany</i> , 2014, 114, 289-299. | 1.4 | 27 |
| 3535 | Molecular data and ecological niche modelling reveal the Pleistocene history of a semi-aquatic bug (<i>Microwelia douglasi douglasi</i>) in <i>East Asia</i> . <i>Molecular Ecology</i> , 2014, 23, 3080-3096. | 2.0 | 52 |
| 3536 | Global late Quaternary megafauna extinctions linked to humans, not climate change. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20133254. | 1.2 | 307 |
| 3537 | Nutrient enrichment is related to two facets of beta diversity for stream invertebrates across the United States. <i>Ecology</i> , 2014, 95, 1569-1578. | 1.5 | 115 |
| 3538 | Are different facets of plant diversity well protected against climate and land cover changes? A test study in the French Alps. <i>Ecography</i> , 2014, 37, 1254-1266. | 2.1 | 52 |
| 3539 | Refugia and postglacial expansion of <i>Acroneuria frisoni</i> Stark & Brown (Plecoptera:Perlidae) in North America. <i>Freshwater Science</i> , 2014, 33, 232-249. | 0.9 | 13 |
| 3540 | Climatic niche breadth and species richness in temperate treefrogs. <i>Journal of Biogeography</i> , 2014, 41, 1936-1946. | 1.4 | 33 |
| 3541 | THE ROLE OF CLIMATIC TOLERANCES AND SEED TRAITS IN REDUCED EXTINCTION RATES OF TEMPERATE POLYGONACEAE. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 1856-1870. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3543 | CLIMATE-DRIVEN DIVERSIFICATION AND PLEISTOCENE REFUGIA IN PHILIPPINE BIRDS: EVIDENCE FROM PHYLOGEOGRAPHIC STRUCTURE AND PALEOENVIRONMENTAL NICHE MODELING. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 2658-2674. | 1.1 | 34 |
| 3544 | Comparative biogeography of the congener lilies <i>Lilium distichum</i> and <i>Lilium tsingtauense</i> in Korea. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2014, 209, 435-445. | 0.6 | 9 |
| 3545 | Effects of pre-treatments and temperature on seed viability and germination of <i>Juniperus macrocarpa</i> Sm.. <i>Comptes Rendus - Biologies</i> , 2014, 337, 338-344. | 0.1 | 13 |
| 3546 | Effects of nitrogen and phosphorus supply on growth and flowering phenology of the snowbed forb <i>Gnaphalium supinum</i> L.. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2014, 209, 271-278. | 0.6 | 25 |
| 3547 | Bedouin Adaptation to the Last 15-Years of Drought (1995â€“2010) in the North Coastal Zone of Egypt: Continuity or Rupture?. <i>World Development</i> , 2014, 62, 125-137. | 2.6 | 12 |
| 3548 | Topography as a driver of cryptic speciation in the high-elevation cape sedge <i>Tetraria triangularis</i> (Boeck.) C. B. Clarke (Cyperaceae: Schoeneae). <i>Molecular Phylogenetics and Evolution</i> , 2014, 77, 96-109. | 1.2 | 31 |
| 3549 | Geographic variation in range size and beta diversity of groundwater crustaceans: insights from habitats with low thermal seasonality. <i>Global Ecology and Biogeography</i> , 2014, 23, 1135-1145. | 2.7 | 123 |
| 3550 | The abundance of rare tree species in remnant forests across the Visayas, Philippines. <i>Biodiversity and Conservation</i> , 2014, 23, 2183-2200. | 1.2 | 3 |
| 3551 | Local Hydrological Conditions Explain Floristic Composition in Lowland Amazonian Forests. <i>Biotropica</i> , 2014, 46, 395-403. | 0.8 | 26 |
| 3552 | Genomic Signature of Adaptation to Climate in <i>Medicago truncatula</i> . <i>Genetics</i> , 2014, 196, 1263-1275. | 1.2 | 160 |
| 3553 | Geographic Determinants of Gene Flow in Two Sister Species of Tropical Andean Frogs. <i>Journal of Heredity</i> , 2014, 105, 216-225. | 1.0 | 15 |
| 3554 | The Coexistence Approachâ€”Theoretical background and practical considerations of using plant fossils for climate quantification. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 410, 58-73. | 1.0 | 220 |
| 3555 | Extensive Quaternary aeolian deposits in the Drakensberg foothills, Rooiberge, South Africa. <i>Geomorphology</i> , 2014, 219, 161-175. | 1.1 | 9 |
| 3556 | The association between landscape and climate and reported tick paralysis cases in dogs and cats in Australia. <i>Veterinary Parasitology</i> , 2014, 204, 339-345. | 0.7 | 14 |
| 3557 | Integrating phylogeography and morphometrics to assess conservation merits and inform conservation strategies for an endangered subspecies of a common bird species. <i>Biological Conservation</i> , 2014, 174, 136-146. | 1.9 | 17 |
| 3558 | Escaping to the summits: Phylogeography and predicted range dynamics of <i>Cerastium dinaricum</i> , an endangered high mountain plant endemic to the western Balkan Peninsula. <i>Molecular Phylogenetics and Evolution</i> , 2014, 78, 365-374. | 1.2 | 51 |
| 3559 | Macaques at the margins: the biogeography and extinction of <i>Macaca sylvanus</i> in Europe. <i>Quaternary Science Reviews</i> , 2014, 96, 117-130. | 1.4 | 26 |
| 3560 | Ecological traits of Mediterranean tree species as a basis for modelling forest dynamics in the Taurus mountains, Turkey. <i>Ecological Modelling</i> , 2014, 286, 53-65. | 1.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3561 | Predicting spatio-temporal <i>Culicoides imicola</i> distributions in Spain based on environmental habitat characteristics and species dispersal. <i>Ecological Informatics</i> , 2014, 22, 69-80. | 2.3 | 7 |
| 3562 | Impact of Climate and Grazing on Biomass Components of Eastern Russia Typical Steppe. <i>Journal of Integrative Agriculture</i> , 2014, 13, 1183-1192. | 1.7 | 3 |
| 3563 | Population variation and natural selection on leaf traits in cork oak throughout its distribution range. <i>Acta Oecologica</i> , 2014, 58, 49-56. | 0.5 | 39 |
| 3564 | Climatic seasonality may affect ecological network structure: Food webs and mutualistic networks. <i>BioSystems</i> , 2014, 121, 29-37. | 0.9 | 18 |
| 3565 | Population and habitat characteristics of caracal in semi-arid landscape, western India. <i>Journal of Arid Environments</i> , 2014, 103, 92-95. | 1.2 | 16 |
| 3566 | Site-specific, real-time temperatures improve the accuracy of weed emergence predictions in direct-seeded rice systems. <i>Agricultural Systems</i> , 2014, 123, 12-21. | 3.2 | 6 |
| 3567 | Converting probabilistic tree species range shift projections into meaningful classes for management. <i>Journal of Environmental Management</i> , 2014, 134, 153-165. | 3.8 | 21 |
| 3568 | Self-incompatibility will slow climate driven northward shift of two dominants of calcareous grasslands. <i>Biological Conservation</i> , 2014, 169, 297-302. | 1.9 | 3 |
| 3569 | Genome scan of Kenyan <i>Themeda triandra</i> populations by AFLP markers reveals a complex genetic structure and hints for ongoing environmental selection. <i>South African Journal of Botany</i> , 2014, 92, 28-38. | 1.2 | 11 |
| 3570 | Centers of endemism and diversity patterns for typhlocybina leafhoppers (Hemiptera: Cicadellidae:). <i>Tj ETQq1 1 0.784314 rgBT /Overl</i> | 1.5 | 24 |
| 3571 | Developing indicators of economic value and biodiversity loss for rubber plantations in Xishuangbanna, southwest China: A case study from Menglun township. <i>Ecological Indicators</i> , 2014, 36, 788-797. | 2.6 | 105 |
| 3572 | How do disturbances and environmental heterogeneity affect the pace of forest distribution shifts under climate change?. <i>Ecography</i> , 2014, 37, 10-20. | 2.1 | 45 |
| 3573 | Climate effects on amphibian distributions depend on phylogenetic resolution and the biogeographical history of taxa. <i>Global Ecology and Biogeography</i> , 2014, 23, 213-222. | 2.7 | 23 |
| 3574 | Viticultureâ€“climate relationships in Greece: the impacts of recent climate trends on harvest date variation. <i>International Journal of Climatology</i> , 2014, 34, 1445-1459. | 1.5 | 47 |
| 3575 | Soil physical conditions limit palm and tree basal area in Amazonian forests. <i>Plant Ecology and Diversity</i> , 2014, 7, 215-229. | 1.0 | 45 |
| 3576 | Floristic variation in ecotonal areas: Patterns, determinants and biogeographic origins of subtropical forests in South America. <i>Austral Ecology</i> , 2014, 39, 122-134. | 0.7 | 29 |
| 3577 | microclim: Global estimates of hourly microclimate based on long-term monthly climate averages. <i>Scientific Data</i> , 2014, 1, 140006. | 2.4 | 160 |
| 3578 | Estimating the Potential Range Expansion and Environmental Impact of the Invasive Bee-Hawking Hornet, <i>Vespa velutina nigrithorax</i> . , 2014, , 269-288. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3579 | Defining Neotropical Otter <i>Lontra Longicaudis</i> Distribution, Conservation Priorities and Ecological Frontiers. Tropical Conservation Science, 2014, 7, 214-229. | 0.6 | 28 |
| 3580 | Unveiling the Impact of Human Influence on Species Distributions in Vietnam: A Case Study Using Babblers (Aves: Timaliidae). Tropical Conservation Science, 2014, 7, 586-596. | 0.6 | 4 |
| 3581 | Conservation Interests of Applying Spatial Distribution Modelling to Large Vagile Neotropical Mammals. Tropical Conservation Science, 2014, 7, 192-213. | 0.6 | 10 |
| 3582 | An Assessment of Methods and Remote-Sensing Derived Covariates for Regional Predictions of 1 km Daily Maximum Air Temperature. Remote Sensing, 2014, 6, 8639-8670. | 1.8 | 19 |
| 3583 | Large-scale estimation and uncertainty analysis of gross primary production in Tibetan alpine grasslands. Journal of Geophysical Research G: Biogeosciences, 2014, 119, 466-486. | 1.3 | 50 |
| 3584 | Statistical downscaling of general circulation model outputs to catchment scale hydroclimatic variables: issues, challenges and possible solutions. Journal of Water and Climate Change, 2014, 5, 496-525. | 1.2 | 14 |
| 3585 | An Introgression from Wild Tomato (<i>Solanum habrochaites</i>) Affects Tomato Photosynthesis and Water Relations. Crop Science, 2014, 54, 779-784. | 0.8 | 7 |
| 3586 | Phenotypical variation and taxonomic correlates of five closely related Andean species of Poa (Poaceae) along geographic and climatic gradients. Phytotaxa, 2014, 183, 121. | 0.1 | 6 |
| 3587 | Temperature influences stomatal density and maximum potential water loss through stomata of Dodonaea viscosa subsp. angustissima along a latitude gradient in southern Australia. Australian Journal of Botany, 2014, 62, 657. | 0.3 | 66 |
| 3588 | Mapping Threatened Dry Deciduous Dipterocarp Forest in South-East Asia for Conservation Management. Tropical Conservation Science, 2014, 7, 597-613. | 0.6 | 39 |
| 3589 | The taxonomic distinctness of macroinvertebrate communities of Atlantic Forest streams cannot be predicted by landscape and climate variables, but traditional biodiversity indices can. Brazilian Journal of Biology, 2014, 74, 991-999. | 0.4 | 9 |
| 3590 | Quantifying and understanding carbon storage and sequestration within the Eastern Arc Mountains of Tanzania, a tropical biodiversity hotspot. Carbon Balance and Management, 2014, 9, 2. | 1.4 | 26 |
| 3591 | Evaluating correlative and mechanistic niche models for assessing the risk of pest establishment. Ecosphere, 2014, 5, 1-23. | 1.0 | 73 |
| 3592 | Past hybridization between two East Asian long-tailed tits (Aegithalos bonvaloti and A. fuliginosus). Frontiers in Zoology, 2014, 11, 40. | 0.9 | 25 |
| 3593 | Exploring evolutionarily meaningful vegetation definitions in the tropics: a community phylogenetic approach. , 2014, , 239-260. | | 3 |
| 3594 | Using Potential Distribution Models for Patterns of Species Richness, Endemism, and Phytogeography of Palm Species in Bolivia. Tropical Conservation Science, 2014, 7, 45-60. | 0.6 | 13 |
| 3595 | Contrasting mountain and piedmont dynamics of sediment discharge associated with groundwater storage variation in the Biobío River. Journal of Geophysical Research F: Earth Surface, 2014, 119, 2730-2753. | 1.0 | 23 |
| 3596 | Growth response of European larch (Larix decidua Mill.) populations to climatic transfer A Novel Approach for Controlled Pollination in Casuarina equisetifolia. Silvae Genetica, 2014, 63, 67-75. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3597 | Rediscovery of the Critically Endangered Streamside Frog, <i>Craugastor Taurus</i> (Craugastoridae), in Costa Rica. <i>Tropical Conservation Science</i> , 2014, 7, 628-638. | 0.6 | 25 |
| 3598 | Predicting the Potential Distribution of Plant Diversity in the YukarÅ±gÅ±kdere Forest District of the Mediterranean Region. <i>Polish Journal of Ecology</i> , 2014, 62, 441-454. | 0.2 | 5 |
| 3599 | Indigenous Origins of Colonial Institutions. <i>Quarterly Journal of Political Science</i> , 2014, 9, 371-406. | 0.7 | 15 |
| 3600 | Improving ecosystem productivity modeling through spatially explicit estimation of optimal light use efficiency. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1755-1769. | 1.3 | 64 |
| 3601 | Deposition of the 2011-2012 CordÅ±n Caulle tephra (Chile, 40Å±S) in lake sediments: Implications for tephrochronology and volcanology. <i>Journal of Geophysical Research F: Earth Surface</i> , 2014, 119, 2555-2573. | 1.0 | 48 |
| 3603 | The climate of daily precipitation in the Alps: development and analysis of a high-resolution grid dataset from pan-Alpine rain-gauge data. <i>International Journal of Climatology</i> , 2014, 34, 1657-1675. | 1.5 | 363 |
| 3604 | Rapid divergence of ecotypes of an invasive plant. <i>AoB PLANTS</i> , 2014, 6, plu052-plu052. | 1.2 | 9 |
| 3605 | Phylogeography and palaeodistribution modelling of <i>Nassauvia</i> subgenus <i>Strongyloma</i> (Asteraceae): exploring phylogeographical scenarios in the Patagonian steppe. <i>Ecology and Evolution</i> , 2014, 4, 4270-4286. | 0.8 | 17 |
| 3606 | A new species and a new natural hybrid of <i>Laelia</i> (Orchidaceae) from Oaxaca, Mexico. <i>Phytotaxa</i> , 2014, 178, 161. | 0.1 | 8 |
| 3607 | Molecular phylogenetics of Neotropical <i>Cyanaeorchis</i> (Cymbidieae, Epidendroideae, Orchidaceae): geographical rather than morphological similarities plus a new species. <i>Phytotaxa</i> , 2014, 156, 251. | 0.1 | 23 |
| 3608 | Determinants of bird species richness, endemism, and island network roles in Wallacea and the West Indies: is geography sufficient or does current and historical climate matter?. <i>Ecology and Evolution</i> , 2014, 4, 4019-4031. | 0.8 | 20 |
| 3609 | A tool for simulating and communicating uncertainty when modelling species distributions under future climates. <i>Ecology and Evolution</i> , 2014, 4, 4798-4811. | 0.8 | 38 |
| 3610 | Sex-specific winter distribution in a sexually dimorphic shorebird is explained by resource partitioning. <i>Ecology and Evolution</i> , 2014, 4, 4009-4018. | 0.8 | 23 |
| 3611 | Hotspots and gaps in the world collection of subterranean clover (<i>Trifolium subterraneum</i> L.). <i>Journal of Agricultural Science</i> , 2015, 153, 1069-1083. | 0.6 | 32 |
| 3612 | High diversity and distinctive community structure of bacteria on glaciers in China revealed by 454 pyrosequencing. <i>Systematic and Applied Microbiology</i> , 2015, 38, 578-585. | 1.2 | 35 |
| 3613 | CEDRELA NGOBE (MELIACEAE), A NEW SPECIES FROM PANAMA AND COSTA RICA. <i>Edinburgh Journal of Botany</i> , 2015, 72, 225-233. | 0.4 | 10 |
| 3614 | Ecological constraints and distribution of the primitive and enigmatic endemic Mexican butterfly <i>Baronia brevicornis</i> (Lepidoptera: Papilionidae). <i>Canadian Entomologist</i> , 2015, 147, 71-88. | 0.4 | 9 |
| 3615 | Supporting underrepresented forests in Mesoamerica. <i>Natureza A Conservacao</i> , 2015, 13, 152-158. | 2.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3616 | Climatic distribution of citrus black spot caused by <i>Phyllosticta citricarpa</i> . A historical analysis of disease spread in South Africa. <i>European Journal of Plant Pathology</i> , 2015, 143, 69-83. | 0.8 | 22 |
| 3617 | Genetic diversification in the East Himalayas as revealed by comparative phylogeography of the black-throated bushtit and Elliot's laughing thrush. <i>Environmental Epigenetics</i> , 2015, 61, 935-942. | 0.9 | 5 |
| 3618 | Shaping an ecosystem for species distribution modeling. , 2015, , . | | 0 |
| 3619 | Temporal changes in cranial size in South African vlei rats (<i>Otomys</i>): evidence for the "third universal response to warming". <i>African Zoology</i> , 2015, 50, 233-239. | 0.2 | 25 |
| 3620 | Spatial and spatio-temporal modeling of meteorological and climatic variables using Open Source software. <i>Spatial Statistics</i> , 2015, 14, 1-3. | 0.9 | 1 |
| 3621 | Rethinking phylogeographic structure and historical refugia in the rufous-capped babbler <i>Cyanoderma ruficeps</i> in light of range-wide genetic sampling and paleodistributional reconstructions. <i>Environmental Epigenetics</i> , 2015, 61, 901-909. | 0.9 | 5 |
| 3622 | Modeled intermittency risk for small streams in the Upper Colorado River Basin under climate change. <i>Journal of Hydrology</i> , 2015, 523, 768-780. | 2.3 | 77 |
| 3623 | VAT: A System for Visualizing, Analyzing and Transforming Spatial Data in Science. <i>Datenbank-Spektrum</i> , 2015, 15, 175-184. | 1.2 | 10 |
| 3624 | A test on Ellenberg indicator values in the Mediterranean evergreen woods (<i>Quercetea ilicis</i>). <i>Rendiconti Lincei</i> , 2015, 26, 345-356. | 1.0 | 11 |
| 3625 | Photosynthetic temperature responses of tree species in Rwanda: evidence of pronounced negative effects of high temperature in montane rainforest climax species. <i>New Phytologist</i> , 2015, 206, 1000-1012. | 3.5 | 75 |
| 3626 | Large-scale spatial variation in feather corticosterone in invasive house sparrows (<i>Passer</i>). <i>Journal of Animal Ecology</i> , 2015, 84, 503-512. | 0.8 | 11 |
| 3627 | Contrasting genetic diversity and population structure among three sympatric Madagascan shorebirds: parallels with rarity, endemism, and dispersal. <i>Ecology and Evolution</i> , 2015, 5, 997-1010. | 0.8 | 24 |
| 3628 | Evolution and biogeography of the endemic <i>Roucelia</i> complex (Campanulaceae: Campanula) in the Eastern Mediterranean. <i>Ecology and Evolution</i> , 2015, 5, 5329-5343. | 0.8 | 24 |
| 3629 | Downscaling and correction of regional climate models outputs with a hybrid geostatistical approach. <i>Spatial Statistics</i> , 2015, 14, 4-21. | 0.9 | 22 |
| 3630 | Decoupled evolution of floral traits and climatic preferences in a clade of Neotropical Gesneriaceae. <i>BMC Evolutionary Biology</i> , 2015, 15, 247. | 3.2 | 25 |
| 3631 | Total elemental composition of soils in Sub-Saharan Africa and relationship with soil forming factors. <i>Geoderma Regional</i> , 2015, 5, 157-168. | 0.9 | 53 |
| 3632 | Thermal physiology and urbanization: perspectives on exit, entry and transformation rules. <i>Functional Ecology</i> , 2015, 29, 902-912. | 1.7 | 45 |
| 3633 | Biodiversity in the Mexican highlands and the interaction of geology, geography and climate within the Trans-Mexican Volcanic Belt. <i>Journal of Biogeography</i> , 2015, 42, 1586-1600. | 1.4 | 205 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3634 | Environmental adaptation in stomatal size independent of the effects of genome size. <i>New Phytologist</i> , 2015, 205, 608-617. | 3.5 | 75 |
| 3635 | Losing your edge: climate change and the conservation value of range-edge populations. <i>Ecology and Evolution</i> , 2015, 5, 4315-4326. | 0.8 | 144 |
| 3636 | Genetic and morphological differentiation in <i>Populus nigra</i> L.: isolation by colonization or isolation by adaptation?. <i>Molecular Ecology</i> , 2015, 24, 2641-2655. | 2.0 | 46 |
| 3637 | The rise of novelty in ecosystems. <i>Ecological Applications</i> , 2015, 25, 2051-2068. | 1.8 | 179 |
| 3638 | Germination traits of <i>Prosopis alba</i> from different provenances. <i>Seed Science and Technology</i> , 2015, 43, 548-553. | 0.6 | 6 |
| 3639 | Tree height-diameter allometry across the United States. <i>Ecology and Evolution</i> , 2015, 5, 1193-1204. | 0.8 | 108 |
| 3640 | Niche divergence builds the case for ecological speciation in skinks of the <i>Plestiodon skiltonianus</i> species complex. <i>Ecology and Evolution</i> , 2015, 5, 4683-4695. | 0.8 | 10 |
| 3641 | Responses of global terrestrial evapotranspiration to climate change and increasing atmospheric CO ₂ in the 21st century. <i>Earth's Future</i> , 2015, 3, 15-35. | 2.4 | 125 |
| 3642 | Combining the least cost path method with population genetic data and species distribution models to identify landscape connectivity during the late Quaternary in Himalayan hemlock. <i>Ecology and Evolution</i> , 2015, 5, 5781-5791. | 0.8 | 45 |
| 3643 | Contemporary and future distribution patterns of fluvial vegetation under different climate change scenarios and implications for integrated water resource management. <i>Ecological Research</i> , 2015, 30, 989-1003. | 0.7 | 8 |
| 3644 | Limited sampling hampers big data-estimation of species richness in a tropical biodiversity hotspot. <i>Ecology and Evolution</i> , 2015, 5, 807-820. | 0.8 | 91 |
| 3645 | Differential effects of climate and species interactions on range limits at a hybrid zone: potential direct and indirect impacts of climate change. <i>Ecology and Evolution</i> , 2015, 5, 5120-5137. | 0.8 | 63 |
| 3646 | Will remote sensing shape the next generation of species distribution models?. <i>Remote Sensing in Ecology and Conservation</i> , 2015, 1, 4-18. | 2.2 | 257 |
| 3647 | Linking genetic and environmental factors in amphibian disease risk. <i>Evolutionary Applications</i> , 2015, 8, 560-572. | 1.5 | 55 |
| 3648 | Sand fly fauna (Diptera: Psychodidae) from the Goytacazes National Forest and surrounding areas of southeastern Brazil. <i>Journal of Vector Ecology</i> , 2015, 40, 28-35. | 0.5 | 3 |
| 3649 | Global potential distribution of the mosquito <i>Aedes notoscriptus</i> , a new alien species in the United States. <i>Journal of Vector Ecology</i> , 2015, 40, 191-194. | 0.5 | 15 |
| 3650 | Scientific Opinion on the risks to plant health posed by <i>Xylella fastidiosa</i> in the EU territory, with the identification and evaluation of risk reduction options. <i>EFSA Journal</i> , 2015, 13, 3989. | 0.9 | 136 |
| 3651 | Testing a reanalysis-based infilling method for areas with sparse discontinuous air temperature data in northeastern Canada. <i>Atmospheric Science Letters</i> , 2015, 16, 398-407. | 0.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3652 | <scp>BHPMF</scp> – a hierarchical <scp>B</scp>ayesian approach to gap-filling and trait prediction for macroecology and functional biogeography. <i>Global Ecology and Biogeography</i> , 2015, 24, 1510-1521. | 2.7 | 132 |
| 3653 | Predicting the Distribution of Crayfish Species: A Case Study Using Marble Crayfish. , 2015, , 13-30. | | 1 |
| 3654 | Genetic responses to seasonal variation in altitudinal stress: whole-genome resequencing of great tit in eastern Himalayas. <i>Scientific Reports</i> , 2015, 5, 14256. | 1.6 | 33 |
| 3655 | The role of East Asian monsoon system in shaping population divergence and dynamics of a constructive desert shrub <i>Reaumuria soongarica</i> . <i>Scientific Reports</i> , 2015, 5, 15823. | 1.6 | 22 |
| 3656 | Using Ecological Niche Modeling for Biodiversity Conservation Guidance in the Western Podillya (Ukraine): Reptiles. <i>Vestnik Zoologii</i> , 2015, 49, 551-558. | 0.7 | 2 |
| 3657 | Ants, elevation, phylogenetic diversity and community structure. <i>Ecosphere</i> , 2015, 6, 1-17. | 1.0 | 15 |
| 3659 | Great influence of geographic isolation on the genetic differentiation of <i>Myriophyllum spicatum</i> under a steep environmental gradient. <i>Scientific Reports</i> , 2015, 5, 15618. | 1.6 | 28 |
| 3660 | The climate hazards infrared precipitation with stations – a new environmental record for monitoring extremes. <i>Scientific Data</i> , 2015, 2, 150066. | 2.4 | 3,074 |
| 3661 | The global compendium of <i>Aedes aegypti</i> and <i>Ae. albopictus</i> occurrence. <i>Scientific Data</i> , 2015, 2, 150035. | 2.4 | 271 |
| 3662 | Predicted range shifts of dragonflies over a wide elevation gradient in the southern hemisphere. <i>Freshwater Science</i> , 2015, 34, 1133-1143. | 0.9 | 24 |
| 3663 | Investigating demand for biofortified seeds in developing countries. <i>Journal of Agribusiness in Developing and Emerging Economies</i> , 2015, 5, 24-43. | 1.2 | 16 |
| 3664 | Grassland productivity limited by multiple nutrients. <i>Nature Plants</i> , 2015, 1, 15080. | 4.7 | 403 |
| 3665 | Wildfire disturbance and productivity as drivers of plant species diversity across spatial scales. <i>Ecosphere</i> , 2015, 6, 1-14. | 1.0 | 66 |
| 3667 | Differences in seedling water-stress response of two co-occurring <i>Banksia</i> species. <i>Australian Journal of Botany</i> , 2015, 63, 647. | 0.3 | 2 |
| 3668 | The <i>Paliurus spina-christi</i> dominated vegetation in Europe. <i>Biologia (Poland)</i> , 2015, 70, 879-892. | 0.8 | 9 |
| 3669 | Large increases in carbon burial in northern lakes during the Anthropocene. <i>Nature Communications</i> , 2015, 6, 10016. | 5.8 | 124 |
| 3670 | Evapotranspiration based on equilibrated relative humidity (ETRHEQ): Evaluation over the continental U.S.. <i>Water Resources Research</i> , 2015, 51, 2951-2973. | 1.7 | 49 |
| 3671 | Global biomass production potentials exceed expected future demand without the need for cropland expansion. <i>Nature Communications</i> , 2015, 6, 8946. | 5.8 | 141 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3672 | Combined impacts of global changes on biodiversity across the USA. <i>Scientific Reports</i> , 2015, 5, 11828. | 1.6 | 19 |
| 3673 | High-resolution gridded population datasets for Latin America and the Caribbean in 2010, 2015, and 2020. <i>Scientific Data</i> , 2015, 2, 150045. | 2.4 | 156 |
| 3674 | Niche divergence accelerates evolution in Asian endemic <i>Procapra</i> gazelles. <i>Scientific Reports</i> , 2015, 5, 10069. | 1.6 | 20 |
| 3675 | Taxonomy, conservation, geographic and potential distribution of <i>Macrotorus</i> Perkins (Mollinedioideae, Monimiaceae), and a key to the Neotropical genera of Monimiaceae. <i>Phytotaxa</i> , 2015, 234, 201. | 0.1 | 10 |
| 3676 | Understanding large-scale controls of soil organic carbon storage in relation to soil depth and soil-landscape systems. <i>Global Biogeochemical Cycles</i> , 2015, 29, 1210-1229. | 1.9 | 32 |
| 3677 | Marble Algorithm: a solution to estimating ecological niches from presence-only records. <i>Scientific Reports</i> , 2015, 5, 14232. | 1.6 | 16 |
| 3678 | Impact of climate changes on aquatic vegetation of hydromeliorative facilities. <i>Contemporary Problems of Ecology</i> , 2015, 8, 295-308. | 0.3 | 2 |
| 3679 | Using Known Occurrences to Model Suitable Habitat for a Rare Forest Type in West Virginia Under Select Climate Change Scenarios. <i>Ecological Restoration</i> , 2015, 33, 178-189. | 0.6 | 9 |
| 3680 | The fancy city life: Kuhl's pipistrelle, <i>Pipistrellus kuhlii</i> , benefits from urbanisation. <i>Wildlife Research</i> , 2015, 42, 598. | 0.7 | 53 |
| 3681 | Mealybug species from Chilean agricultural landscapes and main factors influencing the genetic structure of <i>Pseudococcus viburni</i> . <i>Scientific Reports</i> , 2015, 5, 16483. | 1.6 | 15 |
| 3682 | Near-global freshwater-specific environmental variables for biodiversity analyses in 1-km resolution. <i>Scientific Data</i> , 2015, 2, 150073. | 2.4 | 134 |
| 3683 | Low conservatism of the climatic niche of sea turtles and implications for predicting future distributions. <i>Ecosphere</i> , 2015, 6, 1-12. | 1.0 | 14 |
| 3684 | The Sri Lankan torrent toads (Bufonidae: Adenominae: Adenomus): species boundaries assessed using multiple criteria. <i>Zootaxa</i> , 2015, 3911, 245. | 0.2 | 11 |
| 3685 | Nitrogen limitation as a driver of genome size evolution in a group of karst plants. <i>Scientific Reports</i> , 2015, 5, 11636. | 1.6 | 45 |
| 3686 | Airborne LiDAR-Based Wetland and Permafrost-Feature Mapping on an Arctic Coastal Plain, North Slope, Alaska. , 2015, , 432-453. | | 5 |
| 3687 | Morphological variation of <i>Jovibarba heuffelii</i> (Crassulaceae) in the central Balkan Peninsulaâ€”The impact of geological, orographical and bioclimatic factors on the differentiation of populations. <i>Phytotaxa</i> , 2015, 203, 213. | 0.1 | 1 |
| 3689 | A taxonomic revision of <i>Zamia montana</i> and <i>Zamia oligodonta</i> , with notes on their conservation status. <i>Phytotaxa</i> , 2015, 192, 279. | 0.1 | 6 |
| 3690 | Integrating molecular, phenotypic and environmental data to elucidate patterns of crocodile hybridization in Belize. <i>Royal Society Open Science</i> , 2015, 2, 150409. | 1.1 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3692 | The Centennial Trends Greater Horn of Africa precipitation dataset. <i>Scientific Data</i> , 2015, 2, 150050. | 2.4 | 91 |
| 3693 | Distribution of Cenozoic plant relicts in China explained by drought in dry season. <i>Scientific Reports</i> , 2015, 5, 14212. | 1.6 | 39 |
| 3694 | Divergent biophysical controls of aquatic CO ₂ and CH ₄ in the World's two largest rivers. <i>Scientific Reports</i> , 2015, 5, 15614. | 1.6 | 85 |
| 3695 | Bayesian inference of environmental and biotic factors determining the occurrence of the grapevine disease 'bois noir'. <i>Ecosphere</i> , 2015, 6, 1-13. | 1.0 | 14 |
| 3696 | Understanding the Effects of ALS Pulse Density for Metric Retrieval across Diverse Forest Types. <i>Photogrammetric Engineering and Remote Sensing</i> , 2015, 81, 625-635. | 0.3 | 29 |
| 3697 | Using a global botanic gardens database to help assess the capabilities of rare eucalypt species to cope with climate change. <i>International Forestry Review</i> , 2015, 17, 259-268. | 0.3 | 6 |
| 3698 | <i>Phlomis fruticosa</i> scrublands in the central Mediterranean region: syntaxonomy and ecology. <i>Phytocoenologia</i> , 2015, 45, 49-68. | 1.2 | 6 |
| 3699 | Environmentally driven variability in size-selective females' mating frequency of bush-cricket <i>Pholidoptera griseoaptera</i> . <i>Evolutionary Ecology</i> , 2015, 29, 787-797. | 0.5 | 6 |
| 3700 | Native Medicinal Plant Richness Distribution Patterns and Environmental Determinants of Xinjiang, Northwest China. <i>Chinese Herbal Medicines</i> , 2015, 7, 45-53. | 1.2 | 5 |
| 3701 | Environmental requirements trump genetic factors in explaining narrow endemism in two imperiled Florida sunflowers. <i>Conservation Genetics</i> , 2015, 16, 1277-1293. | 0.8 | 4 |
| 3702 | MERS-CoV geography and ecology in the Middle East: analyses of reported camel exposures and a preliminary risk map. <i>BMC Research Notes</i> , 2015, 8, 801. | 0.6 | 27 |
| 3703 | The distribution and climatic implications of periglacial landforms in eastern Australia. <i>Journal of Quaternary Science</i> , 2015, 30, 848-858. | 1.1 | 18 |
| 3704 | Forecasting the response of Earth's surface to future climatic and land use changes: A review of methods and research needs. <i>Earth's Future</i> , 2015, 3, 220-251. | 2.4 | 98 |
| 3705 | Essential Oil Variability of <i>Juniperus deltoides</i> R.P. Adams along the East Adriatic Coast – How Many Chemotypes Are There?. <i>Chemistry and Biodiversity</i> , 2015, 12, 82-95. | 1.0 | 13 |
| 3706 | Regulation of the abundance and turnover of copepod species by temperature, turbidity and habitat type in a large river basin. <i>Austral Ecology</i> , 2015, 40, 718-725. | 0.7 | 6 |
| 3707 | Mapping the disjunct distribution of introduced codling moth <i>Cydia pomonella</i> in China. <i>Agricultural and Forest Entomology</i> , 2015, 17, 214-222. | 0.7 | 5 |
| 3708 | Extinctions in near time: new radiocarbon dates point to a very recent disappearance of the South American fox <i>Dusicyon avus</i> (Carnivora: Canidae). <i>Biological Journal of the Linnean Society</i> , 2015, 116, 704-720. | 0.7 | 38 |
| 3709 | Biogeography and evolution of <i>Dolichandra</i> (Bignoniaceae). <i>Botanical Journal of the Linnean Society</i> , 2015, 179, 403-420. | 0.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3710 | How Does Landscape Modification Induce Biological Homogenization in Tropical Stream Metacommunities?. <i>Biotropica</i> , 2015, 47, 509-516. | 0.8 | 57 |
| 3711 | Predicted impacts of climatic change on ant functional diversity and distributions in eastern North American forests. <i>Diversity and Distributions</i> , 2015, 21, 781-791. | 1.9 | 38 |
| 3712 | Large-scale fuzzy rule-based prediction for suitable chestnut ink disease sites: a case study in north-east Italy. <i>Forest Pathology</i> , 2015, 45, 311-323. | 0.5 | 8 |
| 3713 | Tempo and mode of climatic niche evolution in Primates. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 2496-2506. | 1.1 | 20 |
| 3714 | Climate and landscape influence on indicators of lake carbon cycling through spatial patterns in dissolved organic carbon. <i>Global Change Biology</i> , 2015, 21, 4425-4435. | 4.2 | 46 |
| 3715 | Eco-genomic analysis of the poleward range expansion of the wasp spider <i>Argiope bruennichi</i> shows rapid adaptation and genomic admixture. <i>Global Change Biology</i> , 2015, 21, 4320-4332. | 4.2 | 54 |
| 3716 | Macroecological factors explain large-scale spatial population patterns of ancient agriculturalists. <i>Global Ecology and Biogeography</i> , 2015, 24, 1030-1039. | 2.7 | 4 |
| 3717 | A reciprocal test of Darwin's naturalization hypothesis in two Mediterranean climate regions. <i>Global Ecology and Biogeography</i> , 2015, 24, 1049-1058. | 2.7 | 23 |
| 3718 | Diversity enhances carbon storage in tropical forests. <i>Global Ecology and Biogeography</i> , 2015, 24, 1314-1328. | 2.7 | 366 |
| 3719 | Does phylogeographical structure relate to climatic niche divergence? A test using maritime pine (<i>Pinus pinaster</i>). <i>Global Ecology and Biogeography</i> , 2015, 24, 1302-1313. | 2.7 | 47 |
| 3720 | The influence of climate on avian nest construction across large geographical gradients. <i>Global Ecology and Biogeography</i> , 2015, 24, 1203-1211. | 2.7 | 34 |
| 3721 | Latitudinal shift in thermal niche breadth results from thermal release during a climate-mediated range expansion. <i>Journal of Biogeography</i> , 2015, 42, 1953-1963. | 1.4 | 74 |
| 3722 | Geographic body size variation in the periodical cicadas <i>Magicicada</i> : implications for life cycle divergence and local adaptation. <i>Journal of Evolutionary Biology</i> , 2015, 28, 1270-1277. | 0.8 | 14 |
| 3723 | Life span variation in 13 <i>Drosophila</i> species: a comparative study on life span, environmental variables and stress resistance. <i>Journal of Evolutionary Biology</i> , 2015, 28, 1892-1900. | 0.8 | 10 |
| 3724 | Phylogenetic reassessment and biogeography of the <i>Ectateus</i> generic group (Coleoptera: Tenebrionidae). <i>Tj ETQq0 0.0 rgBT /Qverlock 10</i> | 1.0 | 14 |
| 3725 | An integrative approach to phylogeography: investigating the effects of ancient seaways, climate, and historical geology on multi-locus phylogeographic boundaries of the Arboreal Salamander (<i>Aneides</i>). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> | 1.0 | 14 |
| 3726 | Seasonality of <i>Plasmodium falciparum</i> transmission: a systematic review. <i>Malaria Journal</i> , 2015, 14, 343. | 0.8 | 59 |
| 3727 | Does <i>Triatoma brasiliensis</i> occupy the same environmental niche space as <i>Triatoma melanica</i> ?. <i>Parasites and Vectors</i> , 2015, 8, 361. | 1.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3728 | Predicting potential ranges of primary malaria vectors and malaria in northern South America based on projected changes in climate, land cover and human population. <i>Parasites and Vectors</i> , 2015, 8, 431. | 1.0 | 47 |
| 3729 | Climate suitability for European ticks: assessing species distribution models against null models and projection under AR5 climate. <i>Parasites and Vectors</i> , 2015, 8, 440. | 1.0 | 51 |
| 3730 | What is the influence of a reduction of planktivorous and benthivorous fish on water quality in temperate eutrophic lakes? A systematic review. <i>Environmental Evidence</i> , 2015, 4, . | 1.1 | 69 |
| 3731 | Are human hands and feet affected by climate? A test of Allen's rule. <i>American Journal of Physical Anthropology</i> , 2015, 158, 132-140. | 2.1 | 35 |
| 3732 | Cost-effective assessment of extinction risk with limited information. <i>Journal of Applied Ecology</i> , 2015, 52, 861-870. | 1.9 | 43 |
| 3733 | European glacial relict snails and plants: environmental context of their modern refugial occurrence in southern Siberia. <i>Boreas</i> , 2015, 44, 638-657. | 1.2 | 51 |
| 3734 | Historic and prehistoric human-driven extinctions have reshaped global mammal diversity patterns. <i>Diversity and Distributions</i> , 2015, 21, 1155-1166. | 1.9 | 187 |
| 3735 | A pan-Arctic synthesis of CH ₄ and CO ₂ production from anoxic soil incubations. <i>Global Change Biology</i> , 2015, 21, 2787-2803. | 4.2 | 138 |
| 3736 | Quantifying above- and belowground biomass carbon loss with forest conversion in tropical lowlands of Sumatra (Indonesia). <i>Global Change Biology</i> , 2015, 21, 3620-3634. | 4.2 | 167 |
| 3737 | Close agreement between pollen-based and forest inventory-based models of vegetation turnover. <i>Global Ecology and Biogeography</i> , 2015, 24, 905-916. | 2.7 | 16 |
| 3738 | The compositional similarity of urban forests among the world's cities is scale dependent. <i>Global Ecology and Biogeography</i> , 2015, 24, 1413-1423. | 2.7 | 42 |
| 3739 | Genetic panmixia within a narrow contact zone between chromosomally and ecologically distinct black fly sibling species (Diptera: Simuliidae). <i>Journal of Evolutionary Biology</i> , 2015, 28, 1625-1640. | 0.8 | 8 |
| 3740 | Convergent evolution across the Australian continent: ecotype diversification drives morphological convergence in two distantly related clades of Australian frogs. <i>Journal of Evolutionary Biology</i> , 2015, 28, 2136-2151. | 0.8 | 31 |
| 3741 | Estimating the missing species bias in plant trait measurements. <i>Journal of Vegetation Science</i> , 2015, 26, 828-838. | 1.1 | 49 |
| 3742 | Molecular systematics of gerbils and deomyines (Rodentia: Gerbillinae, Deomyinae) and a test of desert adaptation in the tympanic bulla. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2015, 53, 312-330. | 0.6 | 62 |
| 3743 | Isolation by environment in White-breasted Nuthatches (<i>Sitta carolinensis</i>) of the Madrean Archipelago sky islands: a landscape genomics approach. <i>Molecular Ecology</i> , 2015, 24, 3628-3638. | 2.0 | 92 |
| 3744 | Multilocus phylogeography of a widespread savanna woodland-adapted rodent reveals the influence of Pleistocene geomorphology and climate change in Africa's Zambezi region. <i>Molecular Ecology</i> , 2015, 24, 5248-5266. | 2.0 | 31 |
| 3745 | In and out of refugia: historical patterns of diversity and demography in the North American Caesar's mushroom species complex. <i>Molecular Ecology</i> , 2015, 24, 5938-5956. | 2.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3746 | Speciation with gene flow in whiptail lizards from a Neotropical xeric biome. <i>Molecular Ecology</i> , 2015, 24, 5957-5975. | 2.0 | 44 |
| 3747 | Comparative palaeodistribution of eight hummingbird species reveal a link between genetic diversity and Quaternary habitat and climate stability in Mexico. <i>Folia Zoologica</i> , 2015, 64, 245-258. | 0.9 | 13 |
| 3748 | Historical demography of the Eurasian green woodpecker: integrating phylogeography and ecological niche modelling to test glacial refugia hypothesis. <i>Folia Zoologica</i> , 2015, 64, 284-295. | 0.9 | 15 |
| 3749 | Legacy of logging roads in the Congo Basin: How persistent are the scars in forest cover?. <i>Ecosphere</i> , 2015, 6, 1-17. | 1.0 | 42 |
| 3750 | Spatial variation in soil respiration in relation to a logging road in an upper tropical hill forest in Peninsular Malaysia. <i>Tropics</i> , 2015, 24, 1-9. | 0.2 | 9 |
| 3751 | Evaluating the Relationship between White-Tailed Deer and Environmental Conditions using Spatially Autocorrelated Data in Tropical Dry Forests of Central Mexico. <i>Tropical Conservation Science</i> , 2015, 8, 1126-1139. | 0.6 | 4 |
| 3752 | Investigating Constraints on the Survival of Orangutans Across Borneo and Sumatra. <i>Tropical Conservation Science</i> , 2015, 8, 940-954. | 0.6 | 2 |
| 3753 | Next-generation sequencing and the expanding domain of phylogeography. <i>Folia Zoologica</i> , 2015, 64, 187-206. | 0.9 | 47 |
| 3754 | Right around the Amazon: the origin of the circum-Amazonian distribution in <i>Tangara cayana</i> . <i>Folia Zoologica</i> , 2015, 64, 273-283. | 0.9 | 9 |
| 3755 | Marmot evolution and global change in the past 10 million years. , 0, , 246-276. | | 7 |
| 3756 | Performance of seedlings from natural and afforested populations of <i>Cupressus sempervirens</i> under different temperature and moisture regimes. <i>Plant Species Biology</i> , 2015, 30, 257-271. | 0.6 | 5 |
| 3757 | Floristic patterns of epiphytes in the Brazilian Atlantic Forest, a biodiversity hotspot. <i>Botanical Journal of the Linnean Society</i> , 2015, 179, 587-601. | 0.8 | 33 |
| 3758 | Geographical variation and environmental correlates of functional trait distributions in palms (Arecaceae) across the New World. <i>Botanical Journal of the Linnean Society</i> , 2015, 179, 602-617. | 0.8 | 37 |
| 3759 | Accounting for the indirect area effect in stacked species distribution models to map species richness in a montane biodiversity hotspot. <i>Diversity and Distributions</i> , 2015, 21, 1329-1338. | 1.9 | 22 |
| 3760 | Assassin bugs of the subfamily <i>Diaspidiinae</i> (<i>Heteroptera</i>): Tj ETQqO O 0 rgBT /Overlock 10 Tf 50 187 Td (<sc>0</sc> 389-399. | 0.3 | 0 |
| 3761 | Effects of temperature and drought manipulations on seedlings of <i>Scots pine</i> provenances. <i>Plant Biology</i> , 2015, 17, 361-372. | 1.8 | 47 |
| 3762 | Effects of crossing distance on performance of the native wildflower <i>Lobelia siphilitica</i> : Implications for ecological restoration1. <i>Journal of the Torrey Botanical Society</i> , 2015, 142, 140. | 0.1 | 3 |
| 3763 | Tradeoffs in the Rehabilitation of a Succulent Karoo Rangeland. <i>Land Degradation and Development</i> , 2015, 26, 833-842. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3764 | Global Maps of Streamflow Characteristics Based on Observations from Several Thousand Catchments*. Journal of Hydrometeorology, 2015, 16, 1478-1501. | 0.7 | 136 |
| 3765 | The Importance of Late Quaternary Climate Change and Karst on Distributions of Caribbean Mormoopid Bats. American Museum Novitates, 2015, 3847, 1-32. | 0.2 | 9 |
| 3766 | Morphological, Molecular, and Ecological Divergence in <i>Pinus douglasiana</i> and <i>P. maximinoi</i> . Systematic Botany, 2015, 40, 658-670. | 0.2 | 12 |
| 3767 | Remote assessment of locally important ecological features across landscapes: how representative of reality?. , 2015, 25, 1290-1302. | | 4 |
| 3768 | Weathering of the Ethiopian volcanic province: A new weathering index to characterize and compare soils. American Mineralogist, 2015, 100, 2518-2532. | 0.9 | 22 |
| 3769 | Opinion Paper: how vulnerable are Amazonian freshwater fishes to ongoing climate change?. Journal of Applied Ichthyology, 2015, 31, 4-9. | 0.3 | 41 |
| 3770 | Contrasting population-level responses to Pleistocene climatic oscillations in an alpine bat revealed by complete mitochondrial genomes and evolutionary history inference. Journal of Biogeography, 2015, 42, 1689-1700. | 1.4 | 23 |
| 3771 | Functionally relevant climate variables for arid lands: a climatic water deficit approach for modelling desert shrub distributions. Journal of Biogeography, 2015, 42, 1986-1997. | 1.4 | 49 |
| 3772 | Influence of niche similarity on hybridization between <i>Myriophyllum sibiricum</i> and <i>M. aspaticum</i> . Journal of Evolutionary Biology, 2015, 28, 1465-1475. | 0.8 | 14 |
| 3773 | Colonization from divergent ancestors: glaciation signatures on contemporary patterns of genomic variation in Collared Pikas (<i>Ochotona collaris</i>). Molecular Ecology, 2015, 24, 3688-3705. | 2.0 | 79 |
| 3774 | Phylogeography, historical demography and habitat suitability modelling of freshwater fishes inhabiting seasonally fluctuating Mediterranean river systems: a case study using the Iberian cyprinid <i>Squalius valentinus</i> . Molecular Ecology, 2015, 24, 3706-3722. | 2.0 | 19 |
| 3775 | Phylogeography of the Chinese endemic freshwater crab <i>Sinopotamon acutum</i> (Brachyura). Tj ETQq1 1 0.784314 rgBT /Overlock 20 | 0.7 | 20 |
| 3776 | Contemporary evolution of an invasive plant is associated with climate but not with herbivory. Functional Ecology, 2015, 29, 1475-1485. | 1.7 | 23 |
| 3777 | Climate niche conservatism does not explain restricted distribution patterns in <i>Tynanthus</i> (Bignoniaceae). Tj ETQq1 1 0.784314 rgBT /Overlock 20 | 0.8 | 20 |
| 3778 | Revisiting Patterns of Tree Species Composition and their Driving Forces in the Atlantic Forests of Southeastern Brazil. Biotropica, 2015, 47, 689-701. | 0.8 | 49 |
| 3779 | Signatures of niche conservatism and niche shift in the North American kudzu (<i>Pueraria</i>). Tj ETQq1 1 0.784314 rgBT /Overlock 10 TFS | 0.9 | 31 |
| 3780 | Intransitive competition is widespread in plant communities and maintains their species richness. Ecology Letters, 2015, 18, 790-798. | 3.0 | 149 |
| 3781 | Projecting future expansion of invasive species: comparing and improving methodologies for species distribution modeling. Global Change Biology, 2015, 21, 4464-4480. | 4.2 | 224 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3782 | Differential effects of environmental heterogeneity on global mammal species richness. <i>Global Ecology and Biogeography</i> , 2015, 24, 1072-1083. | 2.7 | 48 |
| 3783 | Using ecophysiological traits to predict climatic and activity niches: lethal temperature and water loss in <i>Mediterranean</i> ants. <i>Global Ecology and Biogeography</i> , 2015, 24, 1454-1464. | 2.7 | 28 |
| 3784 | Disjunct populations of <i>European</i> vascular plant species keep the same climatic niches. <i>Global Ecology and Biogeography</i> , 2015, 24, 1401-1412. | 2.7 | 39 |
| 3785 | Rate and velocity of climate change caused by cumulative carbon emissions. <i>Environmental Research Letters</i> , 2015, 10, 095001. | 2.2 | 19 |
| 3786 | The quality of organic matter shapes the functional biogeography of bacterioplankton across boreal freshwater ecosystems. <i>Global Ecology and Biogeography</i> , 2015, 24, 1487-1498. | 2.7 | 86 |
| 3787 | Ecosystem risk assessment of <i>Georgina</i> gidgee woodlands in central <i>Australia</i> . <i>Austral Ecology</i> , 2015, 40, 444-459. | 0.7 | 31 |
| 3788 | Correlation between shell phenotype and local environment suggests a role for natural selection in the evolution of <i>Placostylus</i> snails. <i>Molecular Ecology</i> , 2015, 24, 4205-4221. | 2.0 | 36 |
| 3789 | Hybridization promotes speciation in <i>Coenonympha</i> butterflies. <i>Molecular Ecology</i> , 2015, 24, 6209-6222. | 2.0 | 46 |
| 3790 | Adapting through glacial cycles: insights from a long-lived tree (<i>Taxus baccata</i>). <i>New Phytologist</i> , 2015, 208, 973-986. | 3.5 | 63 |
| 3791 | Microhabitat and body size effects on heat tolerance: implications for responses to climate change (army ants: Formicidae, Ecitoninae). <i>Journal of Animal Ecology</i> , 2015, 84, 1322-1330. | 1.3 | 111 |
| 3792 | Disassortative mating prevails in style-dimorphic <i>Narcissus papyraceus</i> despite low reciprocity and compatibility of morphs. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 2276-2288. | 1.1 | 14 |
| 3793 | Holocene recolonisation, central marginal distribution and habitat specialisation shape population genetic patterns within an Atlantic European grass species. <i>Plant Biology</i> , 2015, 17, 684-693. | 1.8 | 8 |
| 3794 | Degree of terrestrial activity of the elusive sun-tailed monkey (<i>Cercopithecus solatus</i>) in Gabon: Comparative study of behavior and postcranial morphometric data. <i>American Journal of Primatology</i> , 2015, 77, 1060-1074. | 0.8 | 8 |
| 3795 | Geographic exploration within a highly niche-conserved moth in the Hawaiian archipelago. <i>Biological Journal of the Linnean Society</i> , 2015, 116, 495-506. | 0.7 | 3 |
| 3796 | Translocated to the fringe: genetic and niche variation in bighorn sheep of the Great Basin and northern Mojave deserts. <i>Diversity and Distributions</i> , 2015, 21, 1063-1074. | 1.9 | 13 |
| 3797 | Can genetically based clines in plant defence explain greater herbivory at higher latitudes?. <i>Ecology Letters</i> , 2015, 18, 1376-1386. | 3.0 | 56 |
| 3798 | Global trade will accelerate plant invasions in emerging economies under climate change. <i>Global Change Biology</i> , 2015, 21, 4128-4140. | 4.2 | 301 |
| 3799 | Linking vertebrate species richness to tree canopy height on a global scale. <i>Global Ecology and Biogeography</i> , 2015, 24, 814-825. | 2.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3800 | Rock glaciers in the Patagonian Andes: an inventory for the Monte San Lorenzo (Cerro Cochran) massif, 47° S. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2015, 97, 769-777. | 0.6 | 22 |
| 3801 | Narrow endemics in European mountains: high genetic diversity within the monospecific genus <i>Pseudomisopates</i> (Plantaginaceae) despite isolation since the late Pleistocene. <i>Journal of Biogeography</i> , 2015, 42, 1455-1468. | 1.4 | 53 |
| 3802 | Environmental and historical controls of floristic composition across the South American Dry Diagonal. <i>Journal of Biogeography</i> , 2015, 42, 1566-1576. | 1.4 | 75 |
| 3803 | Spatial segregation and realized niche shift during the parallel invasion of two olive subspecies in southeastern Australia. <i>Journal of Biogeography</i> , 2015, 42, 1930-1941. | 1.4 | 17 |
| 3804 | Dispersal traits drive the phylogenetic distance decay of similarity in Neotropical stream metacommunities. <i>Journal of Biogeography</i> , 2015, 42, 2101-2111. | 1.4 | 72 |
| 3805 | New Caledonia: a Pleistocene refugium for rain forest lineages of relict angiosperms. <i>Journal of Biogeography</i> , 2015, 42, 2062-2077. | 1.4 | 29 |
| 3806 | Anthropogenic influence on Amazonian forests in prehistory: An ecological perspective. <i>Journal of Biogeography</i> , 2015, 42, 2277-2288. | 1.4 | 95 |
| 3807 | Is geographic variation within species related to macroevolutionary patterns between species?. <i>Journal of Evolutionary Biology</i> , 2015, 28, 1502-1515. | 0.8 | 23 |
| 3808 | Protecting one, protecting both? Scale-dependent ecological differences in two species using dead trees, the rosalia longicorn beetle and the barbastelle bat. <i>Journal of Zoology</i> , 2015, 297, 165-175. | 0.8 | 47 |
| 3809 | Testing the role of ecology and life history in structuring genetic variation across a landscape: a trait-based phylogeographic approach. <i>Molecular Ecology</i> , 2015, 24, 3723-3737. | 2.0 | 83 |
| 3810 | Evolutionary and demographic history of the Californian scrub white oak species complex: an integrative approach. <i>Molecular Ecology</i> , 2015, 24, 6188-6208. | 2.0 | 50 |
| 3811 | Natural populations of <i>Arabidopsis thaliana</i> differ in seedling responses to high temperature stress. <i>AOB PLANTS</i> , 2015, 7, plv101. | 1.2 | 15 |
| 3812 | A Low-Cost GPS-Based Protocol to Create High-Resolution Digital Elevation Models for Remote Mountain Areas. <i>Mountain Research and Development</i> , 2015, 35, 39-48. | 0.4 | 2 |
| 3814 | Projected land cover change effects on East African rainfall under climate change. <i>International Journal of Climatology</i> , 2015, 35, 1772-1783. | 1.5 | 3 |
| 3815 | Testing the effect of palaeodrainages versus habitat stability on genetic divergence in riverine systems: study of a Neotropical fish of the Brazilian coastal Atlantic Forest. <i>Journal of Biogeography</i> , 2015, 42, 2389-2401. | 1.4 | 90 |
| 3816 | History matters more when explaining genetic diversity within the context of the core-periphery hypothesis. <i>Molecular Ecology</i> , 2015, 24, 4323-4336. | 2.0 | 32 |
| 3817 | A macroecological perspective on crassulacean acid metabolism (CAM) photosynthesis evolution in Afro-Madagascan drylands: Eulophiinae orchids as a case study. <i>New Phytologist</i> , 2015, 208, 469-481. | 3.5 | 37 |
| 3818 | River geochemistry, chemical weathering, and atmospheric CO ₂ consumption rates in the Virunga volcanic province (East Tj ETQq1 1 0.784314 rgBT / Overlock 10 | | |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3819 | Soil carbon losses by sheet erosion: a potentially critical contribution to the global carbon cycle. <i>Earth Surface Processes and Landforms</i> , 2015, 40, 1803-1813. | 1.2 | 64 |
| 3820 | Rethinking the dispersal of <i>Homo sapiens</i> out of Africa. <i>Evolutionary Anthropology</i> , 2015, 24, 149-164. | 1.7 | 263 |
| 3821 | Modelling the current and future dry-season distribution of the edible stinkbug <i>Encosternum delegorguei</i> in sub-Saharan Africa. <i>Entomologia Experimentalis Et Applicata</i> , 2015, 156, 1-13. | 0.7 | 22 |
| 3822 | Water availability predicts forest canopy height at the global scale. <i>Ecology Letters</i> , 2015, 18, 1311-1320. | 3.0 | 87 |
| 3823 | Conservation status assessment of <i>Paraphlebia</i> damselflies in Mexico. <i>Insect Conservation and Diversity</i> , 2015, 8, 517-524. | 1.4 | 8 |
| 3824 | Biogeographical variation in the potential effectiveness of prescribed fire in south-eastern Australia. <i>Journal of Biogeography</i> , 2015, 42, 2234-2245. | 1.4 | 59 |
| 3825 | Why close relatives make bad neighbours: phylogenetic conservatism in niche preferences and dispersal disproves Darwin's naturalization hypothesis in the thistle tribe. <i>Molecular Ecology</i> , 2015, 24, 3181-3193. | 2.0 | 33 |
| 3826 | Environmental adaptation in Chinook salmon (<i>Oncorhynchus tshawytscha</i>) throughout their North American range. <i>Molecular Ecology</i> , 2015, 24, 5573-5595. | 2.0 | 94 |
| 3827 | How do cold-sensitive species endure ice ages? Phylogeographic and paleodistribution models of postglacial range expansion of the mesothermic drought-tolerant conifer <i>Araucarioxylon chilensis</i> . <i>New Phytologist</i> , 2015, 208, 960-972. | 3.5 | 23 |
| 3828 | Global phylogeography and geographical variation in warning coloration of the wood tiger moth (<i>Parasemia plantaginis</i>). <i>Journal of Biogeography</i> , 2015, 42, 1469-1481. | 1.4 | 62 |
| 3829 | Range dynamics driven by Quaternary climate oscillations explain the distribution of introgressed mtDNA of <i>Lepus timidus</i> origin in hares from the Iberian Peninsula. <i>Journal of Biogeography</i> , 2015, 42, 1727-1735. | 1.4 | 21 |
| 3830 | Intraspecific variation in the use of water sources by the circum-Mediterranean conifer <i>Pinus halepensis</i> . <i>New Phytologist</i> , 2015, 208, 1031-1041. | 3.5 | 105 |
| 3831 | Evidence for habitat and climatic specializations driving the long-term distribution trends of UK and Irish bumblebees. <i>Diversity and Distributions</i> , 2015, 21, 864-875. | 1.9 | 25 |
| 3832 | Long-term effects of traditional and conservation-oriented forest management on the distribution of vertebrates in Mediterranean forests: a hierarchical hybrid modelling approach. <i>Diversity and Distributions</i> , 2015, 21, 1141-1154. | 1.9 | 31 |
| 3833 | Thermal niche predicts tolerance to habitat conversion in tropical amphibians and reptiles. <i>Global Change Biology</i> , 2015, 21, 3901-3916. | 4.2 | 90 |
| 3834 | The macroecology of phylogenetically structured hummingbird-plant networks. <i>Global Ecology and Biogeography</i> , 2015, 24, 1212-1224. | 2.7 | 100 |
| 3835 | An ecological engineer maintains consistent spatial patterning, with implications for community-wide effects. <i>Ecosphere</i> , 2015, 6, art151. | 1.0 | 18 |
| 3836 | Estudio de la relación polen-vegetación actual en el Norte de Chile, en el transecto Pozo Almonte-Salar de Huasco (2015;S/6906;#8217;O). <i>Gayana - Botanica</i> , 2015, 72, 125-136. | 0.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3837 | The accuracy of deterministic models of interpolation in the process of generating a digital terrain model – the example of the Vrana Lake Nature Park. <i>Tehnicki Vjesnik</i> , 2015, 22, 853-863. | 0.3 | 3 |
| 3838 | The evolutionary ecology of a species ring: a test of alternative models. <i>Folia Zoologica</i> , 2015, 64, 233-244. | 0.9 | 6 |
| 3839 | Environmental Factors Related to Fungal Wound Contamination after Combat Trauma in Afghanistan, 2009–2011. <i>Emerging Infectious Diseases</i> , 2015, 21, 1759-1769. | 2.0 | 23 |
| 3840 | A distinctive new subspecies of <i>Scytalopus griseicollis</i> (Aves, Passeriformes, Rhinocryptidae) from the northern Eastern Cordillera of Colombia and Venezuela. <i>ZooKeys</i> , 2015, 506, 137-153. | 0.5 | 15 |
| 3841 | Measurement of Agricultural Productivity in Africa South of the Sahara: A Spatial Typology Application. <i>SSRN Electronic Journal</i> , 2015, , . | 0.4 | 3 |
| 3842 | Phylogeography of <i>Thlaspi arvense</i> (Brassicaceae) in China Inferred from Chloroplast and Nuclear DNA Sequences and Ecological Niche Modeling. <i>International Journal of Molecular Sciences</i> , 2015, 16, 13339-13355. | 1.8 | 13 |
| 3843 | The macroecology of island floras. <i>Frontiers of Biogeography</i> , 2015, 7, . | 0.8 | 0 |
| 3844 | Assessing the effects of climate change on distributions of Cape Floristic Region amphibians. <i>South African Journal of Science</i> , 2015, 111, 7. | 0.3 | 18 |
| 3845 | Evidence for climate-induced range shift in <i>Brachystegia</i> (miombo) woodland. <i>South African Journal of Science</i> , 2015, 111, 9. | 0.3 | 10 |
| 3846 | Nest site selection by <i>Hypsiboas faber</i> (Anura, Hylidae) in Southern Brazil. <i>Iheringia - Serie Zoologia</i> , 2015, 105, 453-460. | 0.5 | 5 |
| 3847 | EcoClimate: a database of climate data from multiple models for past, present, and future for macroecologists and biogeographers. <i>Biodiversity Informatics</i> , 0, 10, . | 3.0 | 106 |
| 3848 | Modelling the spatial distribution of <i>Fasciola hepatica</i> in dairy cattle in Europe. <i>Geospatial Health</i> , 2015, 9, 261. | 0.3 | 37 |
| 3849 | Geographic distribution of phlebotomine sandfly species (Diptera: Psychodidae) in Central-West Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015, 110, 551-559. | 0.8 | 20 |
| 3850 | Edaphic, structural and physiological contrasts across Amazon Basin forest–savanna ecotones suggest a role for potassium as a key modulator of tropical woody vegetation structure and function. <i>Biogeosciences</i> , 2015, 12, 6529-6571. | 1.3 | 55 |
| 3851 | THE EPIPHYTIC BRYOPHYTE FLORA OF THE COLOMBIAN AMAZON. <i>Caldasia</i> , 2015, 37, 47. | 0.1 | 13 |
| 3852 | Variabilidad y cambios climáticos observados y esperados en el Altiplano del norte de Chile. <i>Revista De Geografia Norte Grande</i> , 2015, , 169-183. | 0.1 | 25 |
| 3853 | Soil properties and pre-Columbian settlement patterns in the Monumental Mounds Region of the Llanos de Moxos, Bolivian Amazon. <i>Soil</i> , 2015, 1, 65-81. | 2.2 | 20 |
| 3854 | Distribution of branched glycerol dialkyl glycerol tetraethers in surface soils of the Qinghai–Tibetan Plateau: implications of brGDGTs-based proxies in cold and dry regions. <i>Biogeosciences</i> , 2015, 12, 3141-3151. | 1.3 | 74 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3855 | SPHY v2.0: Spatial Processes in HYdrology. <i>Geoscientific Model Development</i> , 2015, 8, 2009-2034. | 1.3 | 84 |
| 3856 | Floristic and structural patterns in South Brazilian coastal grasslands. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 2081-2090. | 0.3 | 13 |
| 3857 | Evaluation of European regional reanalyses and downscalings for precipitation in the Alpine region. <i>Meteorologische Zeitschrift</i> , 2015, 24, 15-37. | 0.5 | 63 |
| 3858 | DISTRIBUIÇÃO E RIQUEZA DE ESPÉCIES ARBÓREAS RARAS EM FRAGMENTOS DE FLORESTA OMBRADA MISTA AO LONGO DE UM GRADIENTE ALTITUDINAL, EM SANTA CATARINA. <i>Revista Arvore</i> , 2015, 39, 447-455. | 0.5 | 3 |
| 3859 | Potential human impact on the environmental central niche of the chacma baboon. <i>South African Journal of Science</i> , 2015, 111, 8. | 0.3 | 3 |
| 3860 | A New Spatiotemporal Risk Index for Heavy Metals: Application in Cyprus. <i>Water (Switzerland)</i> , 2015, 7, 4323-4342. | 1.2 | 20 |
| 3861 | Systems to establish bioclimatic analogies to predict the area of adaptability of plant species to new environments: The case of <i>Moringa oleifera</i> Lam. in Chile. <i>Chilean Journal of Agricultural Research</i> , 2015, 75, 425-433. | 0.4 | 3 |
| 3862 | First Report on Bat Mortalities on Wind Farms in Chile. <i>Gayana</i> , 2015, 79, 11-17. | 0.0 | 6 |
| 3863 | Validating the University of Delaware's precipitation and temperature database for northern South America. <i>DYNA (Colombia)</i> , 2015, 82, 86-95. | 0.2 | 3 |
| 3864 | Floristic units and their predictors unveiled in part of the Atlantic Forest hotspot: implications for conservation planning. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 2031-2046. | 0.3 | 16 |
| 3865 | Land Cover Mapping of a Tropical Region by Integrating Multi-Year Data into an Annual Time Series. <i>Remote Sensing</i> , 2015, 7, 16274-16292. | 1.8 | 17 |
| 3866 | Spatial random downscaling of rainfall signals in Andean heterogeneous terrain. <i>Nonlinear Processes in Geophysics</i> , 2015, 22, 383-402. | 0.6 | 11 |
| 3867 | Wildfire trends in Nepal based on MODIS burnt-area data. <i>Banko Janakari</i> , 2015, 25, 76-79. | 0.3 | 11 |
| 3868 | A New Compendium of Soil Respiration Data for Africa. <i>Challenges</i> , 2015, 6, 88-97. | 0.9 | 13 |
| 3869 | Broad Niche Overlap between Invasive Nile Tilapia <i>Oreochromis niloticus</i> and Indigenous Congenerics in Southern Africa: Should We be Concerned?. <i>Entropy</i> , 2015, 17, 4959-4973. | 1.1 | 29 |
| 3870 | Predicted Changes in Climatic Niche and Climate Refugia of Conservation Priority Salamander Species in the Northeastern United States. <i>Forests</i> , 2015, 6, 1-26. | 0.9 | 42 |
| 3871 | Differential Performance between Two Timber Species in Forest Logging Gaps and in Plantations in Central Africa. <i>Forests</i> , 2015, 6, 380-394. | 0.9 | 15 |
| 3872 | Simulating the Effect of Climate Change on Vegetation Zone Distribution on the Loess Plateau, Northwest China. <i>Forests</i> , 2015, 6, 2092-2108. | 0.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3873 | The House Crow (<i>Corvus splendens</i>): A Threat to New Zealand?. <i>ISPRS International Journal of Geo-Information</i> , 2015, 4, 725-740. | 1.4 | 13 |
| 3874 | Dynamic Response of Satellite-Derived Vegetation Growth to Climate Change in the Three North Shelter Forest Region in China. <i>Remote Sensing</i> , 2015, 7, 9998-10016. | 1.8 | 99 |
| 3875 | Mapping Forest Canopy Height Across Large Areas by Upscaling ALS Estimates with Freely Available Satellite Data. <i>Remote Sensing</i> , 2015, 7, 12563-12587. | 1.8 | 44 |
| 3876 | Frequency of Low Clouds in Taiwan Retrieved from MODIS Data and Its Relation to Cloud Forest Occurrence. <i>Remote Sensing</i> , 2015, 7, 12986-13004. | 1.8 | 5 |
| 3877 | Tracing tetraether lipids from source to sink in the Rhône River system (NW Mediterranean). <i>Frontiers in Earth Science</i> , 2015, 3, . | 0.8 | 5 |
| 3878 | The potential of satellite-observed crop phenology to enhance yield gap assessments in smallholder landscapes. <i>Frontiers in Environmental Science</i> , 2015, 3, . | 1.5 | 35 |
| 3879 | Climate analogs for agricultural impact projection and adaptation—a reliability test. <i>Frontiers in Environmental Science</i> , 2015, 3, . | 1.5 | 7 |
| 3880 | Modelling Spatial Distribution of the Carob Tree (<i>Ceratonia siliqua</i> L.) in Azilal Province, Morocco. <i>Journal of Geography and Geology</i> , 2015, 7, 33. | 0.4 | 3 |
| 3881 | Reconciling Oil Palm Expansion and Climate Change Mitigation in Kalimantan, Indonesia. <i>PLoS ONE</i> , 2015, 10, e0127963. | 1.1 | 50 |
| 3882 | Increased aridity in southwestern Africa during the warmest periods of the last interglacial. <i>Climate of the Past</i> , 2015, 11, 1417-1431. | 1.3 | 31 |
| 3883 | Hot topics in biodiversity and climate change research. <i>F1000Research</i> , 2015, 4, 928. | 0.8 | 0 |
| 3884 | Quantifying Environmental Limiting Factors on Tree Cover Using Geospatial Data. <i>PLoS ONE</i> , 2015, 10, e0114648. | 1.1 | 12 |
| 3885 | Why Do Cryptic Species Tend Not to Co-Occur? A Case Study on Two Cryptic Pairs of Butterflies. <i>PLoS ONE</i> , 2015, 10, e0117802. | 1.1 | 63 |
| 3886 | The Role of Edaphic Environment and Climate in Structuring Phylogenetic Pattern in Seasonally Dry Tropical Plant Communities. <i>PLoS ONE</i> , 2015, 10, e0119166. | 1.1 | 54 |
| 3887 | Genetic Population Structure Accounts for Contemporary Ecogeographic Patterns in Tropic and Subtropic-Dwelling Humans. <i>PLoS ONE</i> , 2015, 10, e0122301. | 1.1 | 14 |
| 3888 | Ex Situ Conservation Priorities for the Wild Relatives of Potato (<i>Solanum</i> L. Section <i>Petota</i>). <i>PLoS ONE</i> , 2015, 10, e0122599. | 1.1 | 74 |
| 3889 | Are We Filling the Data Void? An Assessment of the Amount and Extent of Plant Collection Records and Census Data Available for Tropical South America. <i>PLoS ONE</i> , 2015, 10, e0125629. | 1.1 | 34 |
| 3890 | Climate Change-Induced Range Expansion of a Subterranean Rodent: Implications for Rangeland Management in Qinghai-Tibetan Plateau. <i>PLoS ONE</i> , 2015, 10, e0138969. | 1.1 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3891 | Temperature Impacts the Development and Survival of Common Cutworm (<i>Spodoptera litura</i>): Simulation and Visualization of Potential Population Growth in India under Warmer Temperatures through Life Cycle Modelling and Spatial Mapping. <i>PLoS ONE</i> , 2015, 10, e0124682. | 1.1 | 59 |
| 3892 | Projected Shifts in <i>Coffea arabica</i> Suitability among Major Global Producing Regions Due to Climate Change. <i>PLoS ONE</i> , 2015, 10, e0124155. | 1.1 | 214 |
| 3893 | Modeling and Validation of Environmental Suitability for Schistosomiasis Transmission Using Remote Sensing. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004217. | 1.3 | 42 |
| 3894 | The Influence of Socio-economic, Behavioural and Environmental Factors on <i>Taenia</i> spp. Transmission in Western Kenya: Evidence from a Cross-Sectional Survey in Humans and Pigs. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004223. | 1.3 | 39 |
| 3895 | <i>Munroa argentina</i> , a Grass of the South American Transition Zone, Survived the Andean Uplift, Aridification and Glaciations of the Quaternary. <i>PLoS ONE</i> , 2015, 10, e0128559. | 1.1 | 16 |
| 3896 | Safeguarding Ecosystem Services: A Methodological Framework to Buffer the Joint Effect of Habitat Configuration and Climate Change. <i>PLoS ONE</i> , 2015, 10, e0129225. | 1.1 | 34 |
| 3897 | Thriving in the Cold: Glacial Expansion and Post-Glacial Contraction of a Temperate Terrestrial Salamander (<i>Plethodon serratus</i>). <i>PLoS ONE</i> , 2015, 10, e0130131. | 1.1 | 16 |
| 3898 | Strong Costs and Benefits of Winter Acclimatization in <i>Drosophila melanogaster</i> . <i>PLoS ONE</i> , 2015, 10, e0130307. | 1.1 | 42 |
| 3899 | Topographic and Bioclimatic Determinants of the Occurrence of Forest and Grassland in Tropical Montane Forest-Grassland Mosaics of the Western Ghats, India. <i>PLoS ONE</i> , 2015, 10, e0130566. | 1.1 | 36 |
| 3900 | Limitations of Climatic Data for Inferring Species Boundaries: Insights from Speckled Rattlesnakes. <i>PLoS ONE</i> , 2015, 10, e0131435. | 1.1 | 29 |
| 3901 | Regional Extinctions and Quaternary Shifts in the Geographic Range of <i>Lestodelphys halli</i> , the Southernmost Living Marsupial: Clues for Its Conservation. <i>PLoS ONE</i> , 2015, 10, e0132130. | 1.1 | 21 |
| 3902 | A Geographic Assessment of the Global Scope for Rewilding with Wild-Living Horses (<i>Equus ferus</i>). <i>PLoS ONE</i> , 2015, 10, e0132359. | 1.1 | 43 |
| 3903 | Seasonally-Dynamic Presence-Only Species Distribution Models for a Cryptic Migratory Bat Impacted by Wind Energy Development. <i>PLoS ONE</i> , 2015, 10, e0132599. | 1.1 | 38 |
| 3904 | Ecological Specialization of Two Photobiont-Specific Maritime Cyanolichen Species of the Genus <i>Lichina</i> . <i>PLoS ONE</i> , 2015, 10, e0132718. | 1.1 | 36 |
| 3905 | Downscaling Pest Risk Analyses: Identifying Current and Future Potentially Suitable Habitats for <i>Parthenium hysterophorus</i> with Particular Reference to Europe and North Africa. <i>PLoS ONE</i> , 2015, 10, e0132807. | 1.1 | 33 |
| 3906 | Climate and Pest-Driven Geographic Shifts in Global Coffee Production: Implications for Forest Cover, Biodiversity and Carbon Storage. <i>PLoS ONE</i> , 2015, 10, e0133071. | 1.1 | 83 |
| 3907 | Patterns and Determinants of Habitat Occupancy by the Asian Elephant in the Western Ghats of Karnataka, India. <i>PLoS ONE</i> , 2015, 10, e0133233. | 1.1 | 32 |
| 3908 | Assessing the Risk of Invasion by Tephritid Fruit Flies: Intraspecific Divergence Matters. <i>PLoS ONE</i> , 2015, 10, e0135209. | 1.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3909 | Conservation Status of North American Birds in the Face of Future Climate Change. PLoS ONE, 2015, 10, e0135350. | 1.1 | 94 |
| 3910 | Toward a Deuterium Feather Isoscape for Sub-Saharan Africa: Progress, Challenges and the Path Ahead. PLoS ONE, 2015, 10, e0135938. | 1.1 | 11 |
| 3911 | Markedly Divergent Tree Assemblage Responses to Tropical Forest Loss and Fragmentation across a Strong Seasonality Gradient. PLoS ONE, 2015, 10, e0136018. | 1.1 | 16 |
| 3912 | Selecting Populations for Non-Analogous Climate Conditions Using Universal Response Functions: The Case of Douglas-Fir in Central Europe. PLoS ONE, 2015, 10, e0136357. | 1.1 | 53 |
| 3913 | Modelling the Geographical Origin of Rice Cultivation in Asia Using the Rice Archaeological Database. PLoS ONE, 2015, 10, e0137024. | 1.1 | 109 |
| 3914 | Native and Non-Native Supergeneralist Bee Species Have Different Effects on Plant-Bee Networks. PLoS ONE, 2015, 10, e0137198. | 1.1 | 76 |
| 3915 | Dated Plant Phylogenies Resolve Neogene Climate and Landscape Evolution in the Cape Floristic Region. PLoS ONE, 2015, 10, e0137847. | 1.1 | 39 |
| 3916 | Upward Altitudinal Shifts in Habitat Suitability of Mountain Vipers since the Last Glacial Maximum. PLoS ONE, 2015, 10, e0138087. | 1.1 | 48 |
| 3917 | Evidence for the Convergence Model: The Emergence of Highly Pathogenic Avian Influenza (H5N1) in Viet Nam. PLoS ONE, 2015, 10, e0138138. | 1.1 | 27 |
| 3918 | Exploring Regional Variation in Roost Selection by Bats: Evidence from a Meta-Analysis. PLoS ONE, 2015, 10, e0139126. | 1.1 | 12 |
| 3919 | Simulating the Distribution of Individual Livestock Farms and Their Populations in the United States: An Example Using Domestic Swine (<i>Sus scrofa domesticus</i>) Farms. PLoS ONE, 2015, 10, e0140338. | 1.1 | 34 |
| 3920 | Ecosystem Services and Biodiversity in a Rapidly Transforming Landscape in Northern Borneo. PLoS ONE, 2015, 10, e0140423. | 1.1 | 29 |
| 3921 | Multiclass Classification of Agro-Ecological Zones for Arabica Coffee: An Improved Understanding of the Impacts of Climate Change. PLoS ONE, 2015, 10, e0140490. | 1.1 | 83 |
| 3922 | Relation between Water Balance and Climatic Variables Associated with the Geographical Distribution of Anurans. PLoS ONE, 2015, 10, e0140761. | 1.1 | 25 |
| 3923 | West Nile Virus Surveillance in 2013 via Mosquito Screening in Northern Italy and the Influence of Weather on Virus Circulation. PLoS ONE, 2015, 10, e0140915. | 1.1 | 45 |
| 3924 | Biogeographical Interpretation of Elevational Patterns of Genus Diversity of Seed Plants in Nepal. PLoS ONE, 2015, 10, e0140992. | 1.1 | 18 |
| 3925 | Short and Long-Term Soil Moisture Effects of Liana Removal in a Seasonally Moist Tropical Forest. PLoS ONE, 2015, 10, e0141891. | 1.1 | 20 |
| 3926 | Ecological Niche Modelling Predicts Southward Expansion of <i>Lutzomyia</i> (<i>Nyssomyia</i>) <i>flaviscutellata</i> (Diptera: Psychodidae: Phlebotominae), Vector of <i>Leishmania</i> (<i>Leishmania</i>) <i>amazonensis</i> in South America, under Climate Change. PLoS ONE, 2015, 10, e0143282. | 1.1 | 80 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3927 | Insights from Integrative Systematics Reveal Cryptic Diversity in Pristimantis Frogs (Anura: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742 To | 1.1 | 53 |
| 3928 | Glacial Refugia and Future Habitat Coverage of Selected Dactylorhiza Representatives (Orchidaceae). PLoS ONE, 2015, 10, e0143478. | 1.1 | 9 |
| 3929 | Effect of Climate Change on Invasion Risk of Giant African Snail (Achatina fulica FÃ©ussac, 1821:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 1.1 | 46 |
| 3930 | Effects of Drought, Pest Pressure and Light Availability on Seedling Establishment and Growth: Their Role for Distribution of Tree Species across a Tropical Rainfall Gradient. PLoS ONE, 2015, 10, e0143955. | 1.1 | 27 |
| 3931 | Climatic Factors Drive Population Divergence and Demography: Insights Based on the Phylogeography of a Riparian Plant Species Endemic to the Hengduan Mountains and Adjacent Regions. PLoS ONE, 2015, 10, e0145014. | 1.1 | 16 |
| 3932 | Assessing the Threat of Amphibian Chytrid Fungus in the Albertine Rift: Past, Present and Future. PLoS ONE, 2015, 10, e0145841. | 1.1 | 17 |
| 3933 | Ecological and Geographical Analysis of the Distribution of the Mountain Tapir (Tapirus pinchaque) in Ecuador: Importance of Protected Areas in Future Scenarios of Global Warming. PLoS ONE, 2015, 10, e0121137. | 1.1 | 36 |
| 3934 | Ecogeography and utility to plant breeding of the crop wild relatives of sunflower (Helianthus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 1.7 | 57 |
| 3935 | Contrasting pH buffering patterns in neutral-alkaline soils along a 3600 km transect in northern China. Biogeosciences, 2015, 12, 7047-7056. | 1.3 | 40 |
| 3936 | First record of the African-Indian centipede genus Digitipes Attems, 1930Â(Scolopendromorpha:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 0.2 | 9 |
| 3937 | Waiting for chikungunya fever in Argentina: spatio-temporal risk maps. Memorias Do Instituto Oswaldo Cruz, 2015, 110, 259-262. | 0.8 | 20 |
| 3938 | Trends and biases in global scientific literature about ecological niche models. Brazilian Journal of Biology, 2015, 75, 17-24. | 0.4 | 23 |
| 3939 | Combining Niche Modelling, Land-Use Change, and Genetic Information to Assess the Conservation Status of<i>Pouteria splendens</i>Populations in Central Chile. International Journal of Ecology, 2015, 2015, 1-12. | 0.3 | 9 |
| 3940 | The global distribution of the arbovirus vectors Aedes aegypti and Ae. albopictus. ELife, 2015, 4, e08347. | 2.8 | 1,428 |
| 3941 | System for Automated Geoscientific Analyses (SAGA) v. 2.1.4. Geoscientific Model Development, 2015, 8, 1991-2007. | 1.3 | 1,475 |
| 3942 | A sub-canopy structure for simulating oil palm in the Community Land Model (CLM-Palm): phenology, allocation and yield. Geoscientific Model Development, 2015, 8, 3785-3800. | 1.3 | 37 |
| 3943 | Climate and land-use changes effects on the distribution of a regional endemism: Melanophryniscus sanmartini (Amphibia, Bufonidae). Iheringia - Serie Zoologia, 2015, 105, 209-216. | 0.5 | 2 |
| 3944 | Fire Regime, Climate, and Vegetation in the Sierras de CÃ³rdoba, Argentina. Fire Ecology, 2015, 11, 55-73. | 1.1 | 61 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3945 | Taxonomic identity of invasive rabbits in Cuba: first record of Eastern Cottontail, <i>Sylvilagus floridanus</i> (Mammalia: Lagomorpha). <i>Check List</i> , 2015, 11, 1820. | 0.1 | 3 |
| 3946 | Difference in germination rate of Baobab (<i>Adansonia digitata</i> L.) provenances contrasting in their seed morphometrics when pretreated with concentrated sulfuric acid. <i>African Journal of Agricultural Research</i> Vol Pp, 2015, 10, 1412-1420. | 0.2 | 10 |
| 3947 | Policy support systems for the development of benefit-sharing mechanisms for water-related ecosystem services. , 2015, , 99-109. | | 1 |
| 3948 | A relict species restricted to a quartzitic mountain in tropical America: an example of microrefugium?. <i>Acta Botanica Brasílica</i> , 2015, 29, 299-309. | 0.8 | 34 |
| 3949 | The periglacial engine of mountain erosion – Part 2: Modelling large-scale landscape evolution. <i>Earth Surface Dynamics</i> , 2015, 3, 463-482. | 1.0 | 32 |
| 3950 | Spatial distributions of earthquake-induced landslides and hillslope preconditioning in the northwest South Island, New Zealand. <i>Earth Surface Dynamics</i> , 2015, 3, 501-525. | 1.0 | 104 |
| 3951 | Modeling Bird Species Richness at Multiple Spatial Scales Using Two-Dimensional Wavelet Analysis. <i>Forest Science</i> , 2015, 61, 1-16. | 0.5 | 9 |
| 3952 | Do Himalayan treelines respond to recent climate change? An evaluation of sensitivity indicators. <i>Earth System Dynamics</i> , 2015, 6, 245-265. | 2.7 | 137 |
| 3953 | Landslide susceptibility near highways is increased by 1 order of magnitude in the Andes of southern Ecuador, Loja province. <i>Natural Hazards and Earth System Sciences</i> , 2015, 15, 45-57. | 1.5 | 80 |
| 3954 | Geographic distribution model for <i>Mabuya agmosticha</i> (Squamata: Scincidae) in northeastern Brazil. <i>Zoología</i> , 2015, 32, 71-76. | 0.5 | 8 |
| 3955 | A simple method for estimating suitable territory for bioenergy species in Chile. <i>Ciencia E Investigacion Agraria</i> , 2015, 42, 9-9. | 0.2 | 3 |
| 3956 | Seasonal response of air-water CO ₂ exchange along the land-ocean aquatic continuum of the northeast North American coast.. <i>Biogeosciences</i> , 2015, 12, 1447-1458. | 1.3 | 34 |
| 3957 | GEOGRAPHIC AND ECOLOGICAL AMPLITUDE IN THE NECTARIVOROUS BAT <i>ANOURA FISTULATA</i> (PYHILLOSTOMIDAE: GLOSSOPHAGINAE). <i>Caldasia</i> , 2015, 36, 373-388. | 0.1 | 4 |
| 3958 | Pastoral suitability driven by future climate change along the Apennines. <i>Italian Journal of Agronomy</i> , 2015, 10, 109. | 0.4 | 10 |
| 3959 | Vertebral number is highly evolvable in salamanders and newts (family Salamandridae) and variably associated with climatic parameters. <i>Contributions To Zoology</i> , 2015, 84, 85-113. | 0.2 | 40 |
| 3960 | An integrated approach to delimiting species borders in the genus <i>Chrysotoxum</i> Meigen, 1803 (Diptera: Tj ETQq1 1 0.784314 rgBT / | 0.2 | 30 |
| 3961 | Cambios climáticos en las sierras de Córdoba (Argentina) durante el holoceno. Aportes a las reconstrucciones climáticas a través del análisis de silicofitolitos del sitio arqueológico El Alto 3.. <i>Boletín De La Sociedad Argentina De Botánica</i> , 2015, 50, 361-375. | 0.1 | 14 |
| 3962 | The geographic and seasonal potential distribution of the little known Fuertes's Oriole <i>Icterus fuertesi</i> . <i>Bird Conservation International</i> , 2015, 25, 489-502. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3963 | DISTRIBUTION PATTERNS AND AREAS OF ENDEMISM OF BRAZILIAN JACQUEMONTIA (CONVOLVULACEAE) SPECIES. <i>Edinburgh Journal of Botany</i> , 2015, 72, 13-33. | 0.4 | 8 |
| 3964 | High incidence of dioecy in young successional tropical forests. <i>Journal of Ecology</i> , 2015, 103, 725-732. | 1.9 | 15 |
| 3965 | Geographical distribution modelling of the bronze bug: a worldwide invasion. <i>Agricultural and Forest Entomology</i> , 2015, 17, 129-137. | 0.7 | 8 |
| 3966 | Geographic distribution and migration pathways of <i>Pistacia</i> – present, past and future. <i>Ecography</i> , 2015, 38, 1141-1154. | 2.1 | 20 |
| 3967 | Phylogeographic evidence for a Florida panhandle peninsula discontinuity in the distribution of <i>Melitara prodenialis</i> Walker (Lepidoptera: Pyralidae), a native cactus-boring moth. <i>Insect Conservation and Diversity</i> , 2015, 8, 377-388. | 1.4 | 3 |
| 3968 | Differentially expressed genes match bill morphology and plumage despite largely undifferentiated genomes in a Holarctic songbird. <i>Molecular Ecology</i> , 2015, 24, 3009-3025. | 2.0 | 82 |
| 3969 | Global diversification of a tropical plant growth form: environmental correlates and historical contingencies in climbing palms. <i>Frontiers in Genetics</i> , 2015, 5, 452. | 1.1 | 37 |
| 3970 | Molecular Proxies for Climate Maladaptation in a Long-Lived Tree (<i>Pinus pinaster</i> Aiton.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1078</i> | 1.2 | 78 |
| 3971 | The greening of Arabia: Multiple opportunities for human occupation of the Arabian Peninsula during the Late Pleistocene inferred from an ensemble of climate model simulations. <i>Quaternary International</i> , 2015, 382, 181-199. | 0.7 | 102 |
| 3973 | A test of niche centrality as a determinant of population trends and conservation status in threatened and endangered North American birds. <i>Endangered Species Research</i> , 2015, 26, 201-208. | 1.2 | 30 |
| 3974 | Indicative Status Assessment, Biodiversity Conservation, and Protected Areas Within the Sava River Basin. <i>Handbook of Environmental Chemistry</i> , 2015, , 453-500. | 0.2 | 3 |
| 3975 | Glacial cirques and the relationship between equilibrium line altitudes and mountain range height. <i>Geology</i> , 2015, 43, 35-38. | 2.0 | 37 |
| 3976 | Climate Warming May Threaten Reproductive Diapause of a Highly Eusocial Bee. <i>Environmental Entomology</i> , 2015, 44, 1172-1181. | 0.7 | 26 |
| 3977 | Genetic diversity and drivers of genetic differentiation of <i>Reaumuria soongorica</i> of the Inner Mongolia plateau in China. <i>Plant Ecology</i> , 2015, 216, 925-937. | 0.7 | 10 |
| 3978 | Temporal analysis of <i>Mauremys leprosa</i> (Testudines, Geoemydidae) distribution in northeastern Iberia: unusual increase in the distribution of a native species. <i>Hydrobiologia</i> , 2015, 757, 129-142. | 1.0 | 7 |
| 3979 | Deadwood biomass: an underestimated carbon stock in degraded tropical forests?. <i>Environmental Research Letters</i> , 2015, 10, 044019. | 2.2 | 60 |
| 3980 | The population genomic signature of environmental selection in the widespread insect-pollinated tree species <i>Frangula alnus</i> at different geographical scales. <i>Heredity</i> , 2015, 115, 415-425. | 1.2 | 19 |
| 3981 | Species delimitation in plants using the Qinghai–Tibet Plateau endemic <i>Orinus</i> (Poaceae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.4 38</i> | 1.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3982 | Hybrid apomicts trapped in the ecological niches of their sexual ancestors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2357-65. | 3.3 | 54 |
| 3983 | Genetic divergence in tropical anurans: deeper phylogeographic structure in forest specialists and in topographically complex regions. <i>Evolutionary Ecology</i> , 2015, 29, 765-785. | 0.5 | 59 |
| 3984 | In the Right Place at the Right Time: Habitat Representation in Protected Areas of South American Nothofagus-Dominated Plants after a Dispersal Constrained Climate Change Scenario. <i>PLoS ONE</i> , 2015, 10, e0119952. | 1.1 | 21 |
| 3985 | Do lichens show latitudinal patterns of diversity?. <i>Fungal Ecology</i> , 2015, 15, 63-72. | 0.7 | 9 |
| 3986 | Determinants of the spatial distribution of cultivated land in the North Argentine Dry Chaco in a multi-decadal study. <i>Journal of Arid Environments</i> , 2015, 123, 31-39. | 1.2 | 39 |
| 3987 | Provenance variation and within-provenance genetic parameters in <i>Eucalyptus urophylla</i> across 125 test sites in Brazil, Colombia, Mexico, South Africa and Venezuela. <i>Tree Genetics and Genomes</i> , 2015, 11, 1. | 0.6 | 24 |
| 3988 | Adaptive invasive species distribution models: a framework for modeling incipient invasions. <i>Biological Invasions</i> , 2015, 17, 2831-2850. | 1.2 | 58 |
| 3989 | Disturbance induced changes in species and functional diversity in southern Patagonian forest-steppe ecotone. <i>Forest Ecology and Management</i> , 2015, 353, 77-86. | 1.4 | 12 |
| 3990 | Range-Expanding Pests and Pathogens in a Warming World. <i>Annual Review of Phytopathology</i> , 2015, 53, 335-356. | 3.5 | 195 |
| 3991 | Origin and evolution of fleshy fruit in woody bamboos. <i>Molecular Phylogenetics and Evolution</i> , 2015, 91, 123-134. | 1.2 | 16 |
| 3992 | Habitat suitability modelling of four terrestrial slug species in the Iberian Peninsula (Arionidae:Geomalacusspecies). <i>Journal of Molluscan Studies</i> , 2015, 81, 427-434. | 0.4 | 11 |
| 3993 | Natural and forced air temperature variability in the Labrador region of Canada during the past century. <i>Theoretical and Applied Climatology</i> , 2015, 121, 413-424. | 1.3 | 27 |
| 3994 | Relative performance of ecological niche and occupancy models for predicting invasions by patchily-distributed species. <i>Biological Invasions</i> , 2015, 17, 2691-2706. | 1.2 | 6 |
| 3995 | Comparison of GCM-simulated isotopic compositions of precipitation in arid central Asia. <i>Journal of Chinese Geography</i> , 2015, 25, 771-783. | 1.5 | 19 |
| 3996 | Multi-method dynamical reconstruction of the ecological impact of copper mining on Chinese historical landscapes. <i>Ecological Modelling</i> , 2015, 303, 42-54. | 1.2 | 14 |
| 3997 | Performance metrics and variance partitioning reveal sources of uncertainty in species distribution models. <i>Ecological Modelling</i> , 2015, 309-310, 48-59. | 1.2 | 69 |
| 3998 | How are wetlands and biological interactions related to carnivore distributions at high altitude?. <i>Journal of Arid Environments</i> , 2015, 115, 14-18. | 1.2 | 8 |
| 3999 | Identification of invasion status using a habitat invasibility assessment model: The case of <i>Prosopis</i> species in the dry zone of Myanmar. <i>Journal of Arid Environments</i> , 2015, 120, 87-94. | 1.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4000 | An estimate of the number of tropical tree species. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 7472-7477. | 3.3 | 335 |
| 4002 | Projections of Contemporary and Future Climate Niche for Wyoming Big Sagebrush (<i>Artemisia</i>) Tj ETQq1 1 0.784314 rgBT /Overlook 30-43. | 0.2 | 42 |
| 4003 | Seed Sourcing for Restoration in an Era of Climate Change. Natural Areas Journal, 2015, 35, 122-133. | 0.2 | 145 |
| 4004 | Oligocene niche shift, Miocene diversification – cold tolerance and accelerated speciation rates in the St. John's Worts (<i>Hypericum</i> , <i>Hypericaceae</i>). BMC Evolutionary Biology, 2015, 15, 80. | 3.2 | 56 |
| 4005 | Geospatial Methodology Towards Planning Adaptation/Mitigation Measures of Climate Change Impact on the Apple Orchards in India. , 2015, , 79-86. | | 2 |
| 4006 | Phylogeography of <i>Nanorana parkeri</i> (Anura: Ranidae) and multiple refugia on the Tibetan Plateau revealed by mitochondrial and nuclear DNA. Scientific Reports, 2015, 5, 9857. | 1.6 | 26 |
| 4007 | <i>Quercus suber</i> range dynamics by ecological niche modelling: from the Last Interglacial to present time. Quaternary Science Reviews, 2015, 119, 85-93. | 1.4 | 29 |
| 4008 | The dispersal of alien species redefines biogeography in the Anthropocene. Science, 2015, 348, 1248-1251. | 6.0 | 331 |
| 4009 | An overview of the recent approaches to terroir functional modelling, footprinting and zoning. Soil, 2015, 1, 287-312. | 2.2 | 82 |
| 4010 | Determination of potential glacial refugia and possible migration routes of <i>Campylocentrum</i> (Vandeeae, Orchidaceae) species through the DariĀn Gap. Acta Societatis Botanicorum Poloniae, 2015, 84, 97-102. | 0.8 | 4 |
| 4011 | Grassland conservation in North Dakota and Saskatchewan: contrasts and similarities in protected areas and their management. Journal of Land Use Science, 2015, 10, 298-322. | 1.0 | 5 |
| 4012 | The role of thermal physiology in recent declines of birds in a biodiversity hotspot. , 2015, 3, cov048. | | 27 |
| 4013 | Mining Predictive Redescriptions with Trees. , 2015, , . | | 12 |
| 4014 | Terra Populus: Integrated Data on Population and Environment. , 2015, , . | | 3 |
| 4015 | Annoying neighbors: Multi-scale distribution determinants of two sympatric sibling species of birds. Environmental Epigenetics, 2015, 61, 10-22. | 0.9 | 5 |
| 4016 | fuzzySim: applying fuzzy logic to binary similarity indices in ecology. Methods in Ecology and Evolution, 2015, 6, 853-858. | 2.2 | 119 |
| 4017 | Invasion potential of <i>Agrilus planipennis</i> and other <i>Agrilus</i> beetles in Europe: import pathways of deciduous wood chips and MaxEnt analyses of potential distribution areas. EPPO Bulletin, 2015, 45, 259-268. | 0.6 | 12 |
| 4018 | A practical guide to environmental association analysis in landscape genomics. Molecular Ecology, 2015, 24, 4348-4370. | 2.0 | 584 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4019 | Shifting ranges and conservation challenges for lemurs in the face of climate change. <i>Ecology and Evolution</i> , 2015, 5, 1131-1142. | 0.8 | 108 |
| 4020 | Testing projected wild bee distributions in agricultural habitats: predictive power depends on species traits and habitat type. <i>Ecology and Evolution</i> , 2015, 5, 4426-4436. | 0.8 | 9 |
| 4021 | How to describe species richness patterns for bryophyte conservation?. <i>Ecology and Evolution</i> , 2015, 5, 5443-5455. | 0.8 | 12 |
| 4022 | Adaptive plasticity and niche expansion in an invasive thistle. <i>Ecology and Evolution</i> , 2015, 5, 3183-3197. | 0.8 | 42 |
| 4023 | Evidence of niche shift and global invasion potential of the Tawny Crazy ant, <i>Nylanderia fulva</i> . <i>Ecology and Evolution</i> , 2015, 5, 4628-4641. | 0.8 | 57 |
| 4024 | Specialists in ancient trees are more affected by climate than generalists. <i>Ecology and Evolution</i> , 2015, 5, 5632-5641. | 0.8 | 26 |
| 4025 | Novel insights into the historical biogeography of the streak-breasted scimitar babbler complex (Aves: Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.9 | 4 |
| 4026 | Genetic differentiation in two widespread, open-forest bird species of Southeast Asia (Copsychus Tj ETQq1 1 0.784314 rgBT /Overlock Epigenetics, 2015, 61, 922-934. | 0.9 | 6 |
| 4027 | Legacies of 19th century land use shape contemporary forest cover. <i>Global Environmental Change</i> , 2015, 34, 83-94. | 3.6 | 92 |
| 4028 | Assessing the potential distribution of insect pests: case studies on large pine weevil (<i>Hylemyia abietis</i>) and horse chestnut leaf miner (<i>Cameraria ohridella</i>) under present and future climate conditions in European forests. <i>EPPO Bulletin</i> , 2015, 45, 273-281. | 0.6 | 39 |
| 4029 | Climatological correlates of seed size in Amazonian forest trees. <i>Journal of Vegetation Science</i> , 2015, 26, 956-963. | 1.1 | 9 |
| 4030 | New model for capturing the variations of fertilizer-induced emission factors of N ₂ O. <i>Global Biogeochemical Cycles</i> , 2015, 29, 885-897. | 1.9 | 42 |
| 4031 | Ancestral origins and invasion pathways in a globally invasive bird correlate with climate and influences from bird trade. <i>Molecular Ecology</i> , 2015, 24, 4269-4285. | 2.0 | 37 |
| 4032 | Rapoport's Rule: Do climatic variability gradients shape range extent?. <i>Ecological Monographs</i> , 2015, 85, 643-659. | 2.4 | 55 |
| 4033 | Limited carbon and biodiversity co-benefits for tropical forest mammals and birds. , 2015, , . | | 3 |
| 4034 | Increasing aridity reduces soil microbial diversity and abundance in global drylands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15684-15689. | 3.3 | 728 |
| 4035 | Odonata of Maharashtra, India with Notes on Species Distribution. <i>Journal of Insect Science</i> , 2015, 15, 47-47. | 0.6 | 19 |
| 4036 | Extreme Aridity Pushes Trees to Their Physical Limits. <i>Plant Physiology</i> , 2015, 168, 804-807. | 2.3 | 51 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4037 | Inter- and intra-specific variation in drought sensitivity in <i>Abies spec.</i> and its relation to wood density and growth traits. <i>Agricultural and Forest Meteorology</i> , 2015, 214-215, 430-443. | 1.9 | 63 |
| 4038 | <i>Battus polydamas</i> (Lepidoptera: Papilionidae) Uses the Open-Field <i>Aristolochia sessilifolia</i> (Piperales: Aristolochiaceae) as Its Host Plant in Uruguayan Savanna Areas. <i>Florida Entomologist</i> , 2015, 98, 762-769. | 0.2 | 4 |
| 4039 | Will representation targets based on area protect critical resources for the conservation of the Tucuman Parrot?. <i>Condor</i> , 2015, 117, 503-517. | 0.7 | 20 |
| 4040 | Evaluating the relative importance of woody versus non-woody plants for alpha-diversity in a semiarid ecosystem in Brazil. <i>Plant Ecology and Evolution</i> , 2015, 148, 361-376. | 0.3 | 20 |
| 4041 | Latitudinal patterns and large-scale environmental determinants of stream insect richness across Europe. <i>Limnologica</i> , 2015, 55, 33-43. | 0.7 | 10 |
| 4042 | Addressing potential local adaptation in species distribution models: implications for conservation under climate change. , 2015, , . | | 1 |
| 4043 | Orbital-scale climate variability in Arabia as a potential motor for human dispersals. <i>Quaternary International</i> , 2015, 382, 82-97. | 0.7 | 70 |
| 4044 | Invasion Risk in a Warmer World: Modeling Range Expansion and Habitat Preferences of Three Nonnative Aquatic Invasive Plants. <i>Invasive Plant Science and Management</i> , 2015, 8, 436-449. | 0.5 | 17 |
| 4045 | Mapping Physiological Suitability Limits for Malaria in Africa Under Climate Change. <i>Vector-Borne and Zoonotic Diseases</i> , 2015, 15, 718-725. | 0.6 | 136 |
| 4046 | Assessment of Wildfire Risk in Lebanon Using Geographic Object-Based Image Analysis. <i>Photogrammetric Engineering and Remote Sensing</i> , 2015, 81, 499-506. | 0.3 | 16 |
| 4047 | Assessing the Release Success of Rehabilitated Vervet Monkeys in South Africa. <i>African Journal of Wildlife Research</i> , 2015, 45, 63. | 0.2 | 2 |
| 4048 | Maize systems under climate change in sub-Saharan Africa. <i>International Journal of Climate Change Strategies and Management</i> , 2015, 7, 247-271. | 1.5 | 91 |
| 4049 | Ecological niche similarity between congeneric Mexican plant species. <i>Plant Ecology and Evolution</i> , 2015, 148, 318-328. | 0.3 | 10 |
| 4050 | Climate Change May Alter Both Establishment and High Abundance of Red Brome (<i>Bromus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 States. <i>Invasive Plant Science and Management</i> , 2015, 8, 341-352. | 0.5 | 13 |
| 4051 | Metabolic heat production and thermal conductance are mass-independent adaptations to thermal environment in birds and mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15934-15939. | 3.3 | 77 |
| 4052 | Defaunation affects carbon storage in tropical forests. <i>Science Advances</i> , 2015, 1, e1501105. | 4.7 | 285 |
| 4053 | Lichen-Forming Fungi of the Genus <i>Montaneliain</i> Poland and Their Potential Distribution in Central Europe. <i>Herzogia</i> , 2015, 28, 697-712. | 0.1 | 6 |
| 4054 | Remote sensing analysis for the possible impact structure of LakhÄæk Crater in southern Afghanistan. <i>Applied Geomatics</i> , 2015, 7, 275-282. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4055 | Multiple glacial refugia lead to genetic structuring and the potential for reproductive isolation in a herbaceous plant. <i>American Journal of Botany</i> , 2015, 102, 1842-1853. | 0.8 | 48 |
| 4056 | Atlantic Forest spontaneous regeneration at landscape scale. <i>Biodiversity and Conservation</i> , 2015, 24, 2255-2272. | 1.2 | 120 |
| 4057 | Modeling the distribution of a rare Amazonian odonate in relation to future deforestation. <i>Freshwater Science</i> , 2015, 34, 1123-1132. | 0.9 | 16 |
| 4058 | Multitrophic diversity in a biodiverse forest is highly nonlinear across spatial scales. <i>Nature Communications</i> , 2015, 6, 10169. | 5.8 | 37 |
| 4059 | New distributional records for endangered black-capped vireos (<i>Vireo atricapilla</i>) on their wintering grounds in Mexico. <i>Southwestern Naturalist</i> , 2015, 60, 313-320. | 0.1 | 0 |
| 4060 | Seasonal changes in photosynthetic rate and pigment content in two populations of the monotypic Balkan serpentine endemic <i>Halacsya sendtneri</i> . <i>Australian Journal of Botany</i> , 2015, 63, 167. | 0.3 | 2 |
| 4061 | Cow or Goat? Population pressure and livestock keeping in Burundi. <i>Agrekon</i> , 2015, 54, 23-42. | 0.5 | 6 |
| 4062 | Large pollen at high temperature: an adaptation to increased competition on the stigma?. <i>Plant Ecology</i> , 2015, 216, 1407-1417. | 0.7 | 15 |
| 4063 | Diversity patterns in the land-snail fauna of Afromontane forest in the Rwenzori Mountains in Uganda. <i>Journal of Molluscan Studies</i> , 0, , eyv045. | 0.4 | 5 |
| 4064 | Volunteer-based surveys offer enhanced opportunities for biodiversity monitoring across broad spatial extent. <i>Ecological Informatics</i> , 2015, 30, 313-317. | 2.3 | 8 |
| 4065 | Assessing the local uncertainty of precipitation by using moving window geostatistical models. <i>Ecological Informatics</i> , 2015, 30, 133-141. | 2.3 | 2 |
| 4066 | Soil thermal buffer and regeneration niche may favour calcareous fen resilience to climate change. <i>Folia Geobotanica</i> , 2015, 50, 293-301. | 0.4 | 32 |
| 4067 | Evolutionary History of <i>Blepharis</i> (Acanthaceae) and the Origin of C_4 Photosynthesis in Section <i>Acanthodium</i> . <i>International Journal of Plant Sciences</i> , 2015, 176, 770-790. | 0.6 | 36 |
| 4068 | Historical data as a baseline for conservation: reconstructing long-term faunal extinction dynamics in Late Imperial–modern China. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20151299. | 1.2 | 77 |
| 4069 | Tropical agriculturalisation: scenarios, their environmental impacts and the role of climate change in determining water-for-food, locally and along supply chains. <i>Food Security</i> , 2015, 7, 1133-1152. | 2.4 | 7 |
| 4070 | Know your limits – The need for better data on species responses to soil variables. <i>Basic and Applied Ecology</i> , 2015, 16, 563-572. | 1.2 | 30 |
| 4071 | A continental view of pine-associated ectomycorrhizal fungal spore banks: a quiescent functional guild with a strong biogeographic pattern. <i>New Phytologist</i> , 2015, 205, 1619-1631. | 3.5 | 126 |
| 4072 | Selection on Meiosis Genes in Diploid and Tetraploid <i>Arabidopsis arenosa</i> . <i>Molecular Biology and Evolution</i> , 2015, 32, 944-955. | 3.5 | 66 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4073 | Variation in the thermal ecology of an endemic iguana from Mexico reduces its vulnerability to global warming. <i>Journal of Thermal Biology</i> , 2015, 48, 56-64. | 1.1 | 19 |
| 4074 | Life history of the Asian longhorn beetle <i>Anoplophora glabripennis</i> (Coleoptera Cerambycidae) in southern Europe. <i>Agricultural and Forest Entomology</i> , 2015, 17, 188-196. | 0.7 | 24 |
| 4075 | ÂCross-taxon congruence in wetlands: Assessing the value of waterbirds as surrogates of macroinvertebrate biodiversity in Mediterranean Ramsar sites. <i>Ecological Indicators</i> , 2015, 49, 204-215. | 2.6 | 63 |
| 4076 | Interspecific competition affects evolutionary links between cavity nesting, migration and clutch size in <i>O</i> <i>W</i> world flycatchers (<i>M</i> <i>uscicapdae</i>). <i>Ibis</i> , 2015, 157, 299-311. | 1.0 | 12 |
| 4077 | Incipient speciation with biased gene flow between two lineages of the Western Diamondback Rattlesnake (<i>Crotalus atrox</i>). <i>Molecular Phylogenetics and Evolution</i> , 2015, 83, 213-223. | 1.2 | 43 |
| 4078 | Cryptic and repeated âalloploidâ speciation within <i>Allium przewalskianum</i> Regel. (Alliaceae) from the Qinghai-Tibet Plateau. <i>Organisms Diversity and Evolution</i> , 2015, 15, 265-276. | 0.7 | 12 |
| 4079 | Strong premating reproductive isolation drives incipient speciation in <i>Mimulus aurantiacus</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 447-461. | 1.1 | 104 |
| 4080 | Rock outcrops as potential biodiversity refugia under climate change in North Patagonia. <i>Plant Ecology and Diversity</i> , 2015, 8, 353-361. | 1.0 | 28 |
| 4081 | Adaptive genetic variation in the smoke tree (<i>Cotinus coggygia</i> Scop.) is driven by precipitation. <i>Biochemical Systematics and Ecology</i> , 2015, 59, 63-69. | 0.6 | 10 |
| 4082 | The climate of Europe during the Holocene: a gridded pollen-based reconstruction and its multi-proxy evaluation. <i>Quaternary Science Reviews</i> , 2015, 112, 109-127. | 1.4 | 204 |
| 4083 | Distribution, diversity gradients and Rapoport's elevational rule in the black scavenger flies of the Swiss Alps (Diptera: Sepsidae). <i>Insect Conservation and Diversity</i> , 2015, 8, 367-376. | 1.4 | 31 |
| 4084 | Modeling the extrinsic incubation of <i>Dirofilaria immitis</i> in South America based on monthly and continuous climatic data. <i>Veterinary Parasitology</i> , 2015, 209, 70-75. | 0.7 | 11 |
| 4085 | Seed morphology of <i>Rhododendron sichotense</i> (Ericaceae): systematic implications. <i>Nordic Journal of Botany</i> , 2015, 33, 498-505. | 0.2 | 3 |
| 4086 | Rapid loss of lakes on the Mongolian Plateau. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2281-2286. | 3.3 | 408 |
| 4087 | Convergence of soil nitrogen isotopes across global climate gradients. <i>Scientific Reports</i> , 2015, 5, 8280. | 1.6 | 127 |
| 4088 | Large brown seaweeds of the British Isles: Evidence of changes in abundance over four decades. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 155, 167-175. | 0.9 | 61 |
| 4089 | Adaptation of flowering phenology and fitness-related traits across environmental gradients in the widespread <i>Campanula rotundifolia</i> . <i>Evolutionary Ecology</i> , 2015, 29, 249-267. | 0.5 | 18 |
| 4090 | Influence of Pleistocene Glacial/Interglacial Cycles on the Genetic Structure of the Mistletoe Cactus <i>Rhipsalis baccifera</i> (Cactaceae) in Mesoamerica. <i>Journal of Heredity</i> , 2015, 106, 196-210. | 1.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4091 | Tracing the evolutionary history of the mole, <i>Talpa europaea</i> , through mitochondrial DNA phylogeography and species distribution modelling. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 495-512. | 0.7 | 26 |
| 4092 | The crested newt <i>Triturus cristatus</i> recolonized temperate Eurasia from an extra-Mediterranean glacial refugium. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 574-587. | 0.7 | 36 |
| 4093 | A review of global potentially available cropland estimates and their consequences for model-based assessments. <i>Global Change Biology</i> , 2015, 21, 1236-1248. | 4.2 | 98 |
| 4094 | Assessing the Importance of Climate Variables for the Spatial Distribution of Modern Pollen Data in China. <i>Quaternary Research</i> , 2015, 83, 287-297. | 1.0 | 35 |
| 4095 | Regional flood frequency analysis at the global scale. <i>Water Resources Research</i> , 2015, 51, 539-553. | 1.7 | 129 |
| 4096 | Dimensionality of community structure: phylogenetic, morphological and functional perspectives along biodiversity and environmental gradients. <i>Ecography</i> , 2015, 38, 861-875. | 2.1 | 34 |
| 4097 | Cryptic introgression into the kidney saxifrage (<i>Saxifraga hirsuta</i>) from its more abundant sympatric congener <i>Saxifraga spathularis</i> , and the potential risk of genetic assimilation. <i>Annals of Botany</i> , 2015, 115, 179-186. | 1.4 | 13 |
| 4098 | Using Two Climate Change Vulnerability Assessment Methods to Prioritize and Manage Rare Plants: A Case Study. <i>Natural Areas Journal</i> , 2015, 35, 106-121. | 0.2 | 33 |
| 4099 | Multi-century dynamics of ant communities following fire in Mediterranean-climate woodlands: Are changes congruent with vegetation succession?. <i>Forest Ecology and Management</i> , 2015, 342, 30-38. | 1.4 | 21 |
| 4100 | Decrease of L-band SAR backscatter with biomass of dense forests. <i>Remote Sensing of Environment</i> , 2015, 159, 307-317. | 4.6 | 105 |
| 4101 | Strict versus mixed-use protected areas: Guatemala's Maya Biosphere Reserve. <i>Ecological Economics</i> , 2015, 112, 14-24. | 2.9 | 56 |
| 4102 | Global rain-fed, irrigated, and paddy croplands: A new high resolution map derived from remote sensing, crop inventories and climate data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015, 38, 321-334. | 1.4 | 178 |
| 4103 | The impact of using different modern climate data sets in pollen-based paleoclimate reconstructions of North America. <i>Quaternary Science Reviews</i> , 2015, 112, 78-85. | 1.4 | 7 |
| 4104 | Erosion rates of the Bhutanese Himalaya determined using in situ-produced ¹⁰ Be. <i>Geomorphology</i> , 2015, 233, 112-126. | 1.1 | 57 |
| 4105 | Using species distribution models to select species resistant to climate change for ecological restoration of <i>bowŃ</i> in West Africa. <i>African Journal of Ecology</i> , 2015, 53, 83-92. | 0.4 | 17 |
| 4106 | Patterns of fine-scale plant species richness in dry grasslands across the eastern Balkan Peninsula. <i>Acta Oecologica</i> , 2015, 63, 36-46. | 0.5 | 17 |
| 4107 | Climate change influences on global distributions of dengue and chikungunya virus vectors. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140135. | 1.8 | 301 |
| 4108 | Ecological and environmental factors related to variation in egg size of New World flycatchers. <i>Journal of Avian Biology</i> , 2015, 46, 352-360. | 0.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4109 | The impact of climate change on the geographical distribution of two vectors of Chagas disease: implications for the force of infection. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20130560. | 1.8 | 55 |
| 4110 | Distribution models for mountain plant species: The value of elevation. <i>Ecological Modelling</i> , 2015, 301, 72-77. | 1.2 | 81 |
| 4111 | The early Miocene paleolake Manuherikia: vegetation heterogeneity and warm-temperate to subtropical climate in southern New Zealand. <i>Journal of Paleolimnology</i> , 2015, 53, 349-365. | 0.8 | 38 |
| 4112 | Impact of habitat loss on distributions of terrestrial vertebrates in a high-biodiversity region in Mexico. <i>Biological Conservation</i> , 2015, 184, 59-65. | 1.9 | 20 |
| 4113 | The Dynamics and Environmental Influence on Interactions Between Cassava Brown Streak Disease and the Whitefly, <i>Bemisia tabaci</i> . <i>Phytopathology</i> , 2015, 105, 646-655. | 1.1 | 27 |
| 4114 | Genomic, Transcriptomic, and Phenomic Variation Reveals the Complex Adaptation of Modern Maize Breeding. <i>Molecular Plant</i> , 2015, 8, 871-884. | 3.9 | 72 |
| 4115 | Impacts of global climate change on the floras of oceanic islands – Projections, implications and current knowledge. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2015, 17, 160-183. | 1.1 | 147 |
| 4116 | Bumblebees, climate and glaciers across the Tibetan plateau (Apidae: <i>Bombus</i> Latreille). <i>Systematics and Biodiversity</i> , 2015, 13, 164-181. | 0.5 | 26 |
| 4117 | Asymmetric isolating barriers between different microclimatic environments caused by low immigrant survival. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142459. | 1.2 | 11 |
| 4118 | The tempo of trait divergence in geographic isolation: Avian speciation across the Marañon Valley of Peru. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 772-787. | 1.1 | 88 |
| 4119 | Enriching the isotopic toolbox for migratory connectivity analysis: a new approach for migratory species breeding in remote or unexplored areas. <i>Diversity and Distributions</i> , 2015, 21, 416-427. | 1.9 | 30 |
| 4120 | Terrestrial Ecosystems in a Changing Environment: A Dominant Role for Water. <i>Annual Review of Plant Biology</i> , 2015, 66, 599-622. | 8.6 | 89 |
| 4121 | World map of potential areas for the use of water cooling pitchers (<i>botijos</i>). <i>Journal of Maps</i> , 2015, 11, 240-244. | 1.0 | 5 |
| 4122 | Introduced and invasive cactus species: a global review. <i>AoB PLANTS</i> , 2015, 7, . | 1.2 | 129 |
| 4123 | Distributional dynamics and interspecific gene flow in <i>Picea likiangensis</i> and <i>P. wilsonii</i> triggered by climate change on the Qinghai-Tibet Plateau. <i>Journal of Biogeography</i> , 2015, 42, 475-484. | 1.4 | 66 |
| 4124 | Geographic patterns of lake macrophyte communities and species richness at regional scale. <i>Journal of Vegetation Science</i> , 2015, 26, 564-575. | 1.1 | 61 |
| 4125 | Climate-driven range shifts and demographic events over the history of Kruper's Nuthatch <i>Sitta krueperi</i> . <i>Bird Study</i> , 2015, 62, 14-28. | 0.4 | 16 |
| 4126 | Interactive effects of environmental filtering predict beta-diversity patterns in a subtropical forest metacommunity. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2015, 17, 96-106. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4127 | Holocene southward expansion in seasonally dry tropical forests in South America: phylogeography of <i>Ficus bonijesulapensis</i> (Moraceae). <i>Botanical Journal of the Linnean Society</i> , 2015, 177, 189-201. | 0.8 | 24 |
| 4128 | Species delimitation and phylogeography of the <i>Abies chensiensis</i> complex inferred from morphological and molecular data. <i>Botanical Journal of the Linnean Society</i> , 2015, 177, 175-188. | 0.8 | 22 |
| 4129 | Individualistic response to past climate changes: niche differentiation promotes diverging Quaternary range dynamics in the subspecies of <i>Testudo graeca</i> . <i>Ecography</i> , 2015, 38, 956-966. | 2.1 | 29 |
| 4130 | Strong postzygotic isolation prevents introgression between two hybridizing Neotropical orchids, <i>Epidendrum denticulatum</i> and <i>E. fulgens</i> . <i>Evolutionary Ecology</i> , 2015, 29, 229-248. | 0.5 | 24 |
| 4131 | Effects of Natura 2000 and habitat variables used for habitat assessment on beetle assemblages in European beech forests. <i>Insect Conservation and Diversity</i> , 2015, 8, 193-204. | 1.4 | 7 |
| 4132 | Phylogenetics and molecular clocks reveal the repeated evolution of ant plants after the late Miocene in Africa and the early Miocene in Australasia and the Neotropics. <i>New Phytologist</i> , 2015, 207, 411-424. | 3.5 | 76 |
| 4133 | Woody Plant-Cover Dynamics in Argentine Savannas from the 1880s to 2000s: The Interplay of Encroachment and Agriculture Conversion at Varying Scales. <i>Ecosystems</i> , 2015, 18, 481-492. | 1.6 | 25 |
| 4134 | Rainfall erosivity in Europe. <i>Science of the Total Environment</i> , 2015, 511, 801-814. | 3.9 | 443 |
| 4135 | Information on Biotic Interactions Improves Transferability of Distribution Models. <i>American Naturalist</i> , 2015, 185, 281-290. | 1.0 | 38 |
| 4136 | Niche dynamics in the European ranges of two African carnivores reflect their dispersal and demographic histories. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 737-751. | 0.7 | 7 |
| 4137 | Molecular phylogeography and ecological niche modelling of a widespread herbaceous climber, <i>Tetrastigma hemsleyanum</i> (Vitaceae): insights into Pleistocene range dynamics of evergreen forest in subtropical China. <i>New Phytologist</i> , 2015, 206, 852-867. | 3.5 | 89 |
| 4138 | Functional differences between dominant grasses drive divergent responses to large herbivore loss in mesic savanna grasslands of North America and South Africa. <i>Journal of Ecology</i> , 2015, 103, 714-724. | 1.9 | 28 |
| 4139 | Prioritizing West African medicinal plants for conservation and sustainable extraction studies based on market surveys and species distribution models. <i>Biological Conservation</i> , 2015, 181, 173-181. | 1.9 | 52 |
| 4140 | Integrated metagenomics and network analysis of soil microbial community of the forest timberline. <i>Scientific Reports</i> , 2015, 5, 7994. | 1.6 | 97 |
| 4141 | Functional diversity enhances the resistance of ecosystem multifunctionality to aridity in Mediterranean drylands. <i>New Phytologist</i> , 2015, 206, 660-671. | 3.5 | 167 |
| 4142 | Moderate land use changes plant functional composition without loss of functional diversity in India's Western Ghats. <i>Ecological Applications</i> , 2015, 25, 1711-1724. | 1.8 | 12 |
| 4143 | Influences of environmental and spatial factors on genetic and epigenetic variations in <i>Rhododendron oldhamii</i> (Ericaceae). <i>Tree Genetics and Genomes</i> , 2015, 11, 1. | 0.6 | 55 |
| 4144 | Bole bryophyte diversity and distribution patterns along three altitudinal gradients in Yunnan, China. <i>Journal of Vegetation Science</i> , 2015, 26, 576-587. | 1.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4145 | Plant communities on infertile soils are less sensitive to climate change. <i>Annals of Botany</i> , 2015, 116, 1017-1022. | 1.4 | 44 |
| 4146 | Survival of Norway spruce remains higher in mixed stands under a dryer and warmer climate. <i>Global Change Biology</i> , 2015, 21, 935-946. | 4.2 | 110 |
| 4147 | A test of the central "marginal hypothesis using population genetics and ecological niche modelling in an endemic salamander (<i>Ambystoma barbouri</i>). <i>Molecular Ecology</i> , 2015, 24, 967-979. | 2.0 | 38 |
| 4148 | Multilocus phylogenetic and geospatial analyses illuminate diversification patterns and the biogeographic history of Malagasy endemic plated lizards (Gerrhosauridae: Zonosaurinae). <i>Journal of Evolutionary Biology</i> , 2015, 28, 481-492. | 0.8 | 8 |
| 4149 | Niche construction by growth forms is as strong a predictor of species diversity as environmental gradients. <i>Journal of Ecology</i> , 2015, 103, 701-713. | 1.9 | 23 |
| 4150 | Applying the dark diversity concept to plants at the European scale. <i>Ecography</i> , 2015, 38, 1015-1025. | 2.1 | 41 |
| 4151 | Green-up of deciduous forest communities of northeastern North America in response to climate variation and climate change. <i>Landscape Ecology</i> , 2015, 30, 109-123. | 1.9 | 23 |
| 4152 | Social structure varies with elevation in an Alpine ant. <i>Molecular Ecology</i> , 2015, 24, 498-507. | 2.0 | 30 |
| 4153 | Crop yield response to climate change varies with cropping intensity. <i>Global Change Biology</i> , 2015, 21, 1679-1688. | 4.2 | 54 |
| 4154 | Investigation of Climatological Onset and Withdrawal of the Rainy Season in Panama Based on a Daily Gridded Precipitation Dataset with a High Horizontal Resolution. <i>Journal of Climate</i> , 2015, 28, 2745-2763. | 1.2 | 17 |
| 4155 | Paleodistribution modeling in archaeology and paleoanthropology. <i>Quaternary Science Reviews</i> , 2015, 110, 1-14. | 1.4 | 52 |
| 4156 | Submarine groundwater discharge from tropical islands: a review. <i>Grundwasser</i> , 2015, 20, 53-67. | 1.4 | 81 |
| 4157 | Speciation within <i>Columnea</i> section <i>Angustiflora</i> (Gesneriaceae): Islands, pollinators and climate. <i>Molecular Phylogenetics and Evolution</i> , 2015, 84, 125-144. | 1.2 | 15 |
| 4158 | Global variability in leaf respiration in relation to climate, plant functional types and leaf traits. <i>New Phytologist</i> , 2015, 206, 614-636. | 3.5 | 350 |
| 4159 | Influence of spatial and environmental variables on rattan palm (Arecaceae) assemblage composition in Central Sulawesi, Indonesia. <i>Plant Ecology</i> , 2015, 216, 55-66. | 0.7 | 2 |
| 4160 | The roles of history and ecology in chloroplast phylogeographic patterns of the bird-dispersed plant parasite <i>Phoradendron californicum</i> (Viscaceae) in the Sonoran Desert. <i>American Journal of Botany</i> , 2015, 102, 149-164. | 0.8 | 25 |
| 4161 | Dryland agriculture and rangeland restoration priorities in Afghanistan. <i>Journal of Arid Land</i> , 2015, 7, 391-402. | 0.9 | 4 |
| 4162 | The past, present and future of a lizard: The phylogeography and extinction risk of <i>Sceloporus serrifer</i> (Squamata: Phrynosomatidae) under a global warming scenario. <i>Zoologischer Anzeiger</i> , 2015, 254, 86-98. | 0.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4163 | Evaluating Digital Soil Mapping approaches for mapping GlobalSoilMap soil properties from legacy data in Languedoc-Roussillon (France). <i>Geoderma Regional</i> , 2015, 4, 20-30. | 0.9 | 151 |
| 4164 | Ecological niche modelling confirms potential north-east range expansion of the nine-banded armadillo (<i>Dasypos novemcinctus</i>) in the USA. <i>Journal of Biogeography</i> , 2015, 42, 803-807. | 1.4 | 28 |
| 4165 | Climatically stable landscapes predict patterns of genetic structure and admixture in the Californian canyon live oak. <i>Journal of Biogeography</i> , 2015, 42, 328-338. | 1.4 | 74 |
| 4166 | Ant community organization along elevational gradients in a temperate ecosystem. <i>Insectes Sociaux</i> , 2015, 62, 59-71. | 0.7 | 11 |
| 4167 | Do turtles follow the rules? Latitudinal gradients in species richness, body size, and geographic range area of the world's turtles. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2015, 324, 270-294. | 0.6 | 61 |
| 4168 | Measurement matters in managing landscape carbon. <i>Ecosystem Services</i> , 2015, 13, 6-15. | 2.3 | 14 |
| 4169 | Incorporating evolutionary history into conservation planning in biodiversity hotspots. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140014. | 1.8 | 47 |
| 4170 | Fossils reject climate change as the cause of extinction of Caribbean bats. <i>Scientific Reports</i> , 2015, 5, 7971. | 1.6 | 46 |
| 4171 | Asian strain of <i>Batrachochytrium dendrobatidis</i> is widespread in the Western Ghats, India. <i>Diseases of Aquatic Organisms</i> , 2015, 112, 251-255. | 0.5 | 16 |
| 4172 | Stable isotope ratios of nonexchangeable hydrogen in organic matter of soils and plants along a 2100-km climosequence in Argentina: New insights into soil organic matter sources and transformations?. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 152, 54-71. | 1.6 | 14 |
| 4173 | Mapping global cropland and field size. <i>Global Change Biology</i> , 2015, 21, 1980-1992. | 4.2 | 404 |
| 4174 | How the zebra got its stripes: a problem with too many solutions. <i>Royal Society Open Science</i> , 2015, 2, 140452. | 1.1 | 59 |
| 4175 | Water balance and expression of heat-shock protein 70 in <i>Codringtonia</i> species: a study within a phylogenetic framework. <i>Journal of Molluscan Studies</i> , 2015, 81, 24-36. | 0.4 | 8 |
| 4176 | Social integration confers thermal benefits in a gregarious primate. <i>Journal of Animal Ecology</i> , 2015, 84, 871-878. | 1.3 | 115 |
| 4177 | Geographic variation in the calls of the Common Cuckoo (<i>Cuculus canorus</i>): isolation by distance and divergence among subspecies. <i>Journal of Ornithology</i> , 2015, 156, 533-542. | 0.5 | 25 |
| 4178 | Anticipated climate and land-cover changes reveal refuge areas for Borneo's orangutans. <i>Global Change Biology</i> , 2015, 21, 2891-2904. | 4.2 | 71 |
| 4179 | Climate niche differentiation between two passerines despite ongoing gene flow. <i>Journal of Animal Ecology</i> , 2015, 84, 829-839. | 1.3 | 25 |
| 4180 | Simulating the germination response to diurnally alternating temperatures under climate change scenarios: comparative studies on <i>Carex diandra</i> seeds. <i>Annals of Botany</i> , 2015, 115, 201-209. | 1.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4181 | Gloger's rule in North American Barn Owls. <i>Auk</i> , 2015, 132, 321-332. | 0.7 | 24 |
| 4182 | Forest conversion can help to mitigate impacts of climate change on common forest birds. <i>Annals of Forest Science</i> , 2015, 72, 335-348. | 0.8 | 6 |
| 4183 | Modeling of the putative distribution of the arbovirus vector <i>Ochlerotatus japonicus japonicus</i> (Diptera: Culicidae) in Germany. <i>Parasitology Research</i> , 2015, 114, 1051-1061. | 0.6 | 29 |
| 4184 | Assessing species vulnerability to climate change. <i>Nature Climate Change</i> , 2015, 5, 215-224. | 8.1 | 856 |
| 4185 | Climatic information improves statistical individual-tree mortality models for three key species of Sichuan Province, China. <i>Annals of Forest Science</i> , 2015, 72, 443-455. | 0.8 | 6 |
| 4186 | Benefits of coastal recreation in Europe: Identifying trade-offs and priority regions for sustainable management. <i>Journal of Environmental Management</i> , 2015, 152, 218-229. | 3.8 | 29 |
| 4187 | Impact of past climatic changes and resource availability on the population demography of three foodâ€ specialist bees. <i>Molecular Ecology</i> , 2015, 24, 1074-1090. | 2.0 | 21 |
| 4188 | Spatial and temporal trend analysis of temperature extremes based on Iranian climatic database (1962â€2004). <i>Arabian Journal of Geosciences</i> , 2015, 8, 8469-8480. | 0.6 | 43 |
| 4189 | Identifying plant traits associated with topographic contrasts in a rugged and diverse region (Klamathâ€Siskiyou Mts, OR, USA). <i>Ecography</i> , 2015, 38, 569-577. | 2.1 | 13 |
| 4190 | Spatial patterns and environmental correlates of bryophyte richness: sampling effort matters. <i>Biodiversity and Conservation</i> , 2015, 24, 593-607. | 1.2 | 22 |
| 4191 | Worldwide ant invasions under climate change. <i>Biodiversity and Conservation</i> , 2015, 24, 117-128. | 1.2 | 66 |
| 4192 | Characterizing Congo Basin Rainfall and Climate Using Tropical Rainfall Measuring Mission (TRMM) Satellite Data and Limited Rain Gauge Ground Observations. <i>Journal of Applied Meteorology and Climatology</i> , 2015, 54, 541-555. | 0.6 | 38 |
| 4193 | Estimating the Consequences of Fire Exclusion for Food Crop Production, Soil Fertility, and Fallow Recovery in Shifting Cultivation Landscapes in the Humid Tropics. <i>Environmental Management</i> , 2015, 55, 536-549. | 1.2 | 14 |
| 4194 | Composition of Leaf <i>n</i> -Alkanes in Three <i>Satureja montana</i> L. Subspecies from the Balkan Peninsula: Ecological and Taxonomic Aspects. <i>Chemistry and Biodiversity</i> , 2015, 12, 157-169. | 1.0 | 18 |
| 4195 | An assessment of changes in bioclimatic types in Sichuan Province, 1961â€2010. <i>Journal of Mountain Science</i> , 2015, 12, 145-153. | 0.8 | 1 |
| 4196 | Soil organic C and total N pools in the Kalahari: potential impacts of climate change on C sequestration in savannas. <i>Plant and Soil</i> , 2015, 396, 27-44. | 1.8 | 16 |
| 4197 | Projected impact of climate change on the effectiveness of the existing protected area network for biodiversity conservation within Yunnan Province, China. <i>Biological Conservation</i> , 2015, 184, 335-345. | 1.9 | 70 |
| 4198 | A GIS-based assessment of the suitability of SCIAMACHY satellite sensor measurements for estimating reliable CO concentrations in a low-latitude climate. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 25. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4199 | The interplay of spatial and climatic landscapes in the genetic distribution of a South American parrot. <i>Journal of Biogeography</i> , 2015, 42, 1077-1090. | 1.4 | 9 |
| 4200 | A biogeographical regionalization of Angolan mammals. <i>Mammal Review</i> , 2015, 45, 103-116. | 2.2 | 20 |
| 4201 | Variations in seed germination behavior of <i>Phleum hirsutum</i> subsp. <i>ambiguum</i> and possible applications in semi-natural grassland restoration. <i>Plant Biosystems</i> , 2015, 149, 616-627. | 0.8 | 2 |
| 4202 | Evaluating the potential of database technology for documenting environmental change in China's deserts. <i>Catena</i> , 2015, 134, 87-97. | 2.2 | 8 |
| 4203 | Soil pH determines the alpha diversity but not beta diversity of soil fungal community along altitude in a typical Tibetan forest ecosystem. <i>Journal of Soils and Sediments</i> , 2015, 15, 1224-1232. | 1.5 | 112 |
| 4204 | Stacked species distribution models and macroecological models provide congruent projections of avian species richness under climate change. <i>Journal of Biogeography</i> , 2015, 42, 976-988. | 1.4 | 70 |
| 4205 | Thermal comfort design zone delineation for India using GIS. <i>Building and Environment</i> , 2015, 87, 193-206. | 3.0 | 24 |
| 4206 | Fusion of Soil and Remote Sensing Data to Model Soil Properties. <i>Advances in Agronomy</i> , 2015, 131, 1-109. | 2.4 | 65 |
| 4207 | Using multi-scale methods and satellite-derived land surface temperature for the interpolation of daily maximum air temperature in Oregon. <i>International Journal of Climatology</i> , 2015, 35, 3862-3878. | 1.5 | 32 |
| 4208 | Genome sizes in diploid and allopolyploid <i>Arachis</i> L. species (section <i>Arachis</i>). <i>Genetic Resources and Crop Evolution</i> , 2015, 62, 747-763. | 0.8 | 22 |
| 4209 | Uncertainties in the projection of species distributions related to general circulation models. <i>Ecology and Evolution</i> , 2015, 5, 1100-1116. | 0.8 | 107 |
| 4210 | Extreme operative temperatures are better descriptors of the thermal environment than mean temperatures. <i>Journal of Thermal Biology</i> , 2015, 49-50, 106-111. | 1.1 | 31 |
| 4211 | Frequent Introgressions from Diploid Species Contribute to the Adaptation of the Tetraploid Shepherd's Purse (<i>Capsella bursa-pastoris</i>). <i>Molecular Plant</i> , 2015, 8, 427-438. | 3.9 | 40 |
| 4212 | Identifying Potential Recommendation Domains for Conservation Agriculture in Ethiopia, Kenya, and Malawi. <i>Environmental Management</i> , 2015, 55, 330-346. | 1.2 | 25 |
| 4213 | Range-wide population genetics and variation in morph ratio in dimorphic <i>Narcissus papyraceus</i> . <i>American Journal of Botany</i> , 2015, 102, 449-456. | 0.8 | 8 |
| 4214 | Trees tracking a warmer climate: The Holocene range shift of hazel (<i>Corylus avellana</i>) in northern Europe. <i>Holocene</i> , 2015, 25, 53-63. | 0.9 | 31 |
| 4215 | Poverty, health and satellite-derived vegetation indices: their inter-spatial relationship in West Africa. <i>International Health</i> , 2015, 7, 99-106. | 0.8 | 24 |
| 4216 | The Southern Glacial Maximum 65,000 years ago and its Unfinished Termination. <i>Quaternary Science Reviews</i> , 2015, 114, 52-60. | 1.4 | 86 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4217 | A new species of tapaculo (Rhinocryptidae: <i>Scytalopus</i>) from the Serranía de Perijá of Colombia and Venezuela. <i>Auk</i> , 2015, 132, 450-466. | 0.7 | 20 |
| 4218 | Direct evidence for human reliance on rainforest resources in late Pleistocene Sri Lanka. <i>Science</i> , 2015, 347, 1246-1249. | 6.0 | 93 |
| 4219 | Predicting the potential invasion suitability of regions to cassava lacebug pests (Heteroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 | 0.5 | 6 |
| 4220 | Indicator pollen taxa of human-induced and natural vegetation in Northern China. <i>Holocene</i> , 2015, 25, 686-701. | 0.9 | 34 |
| 4221 | Both traits and phylogenetic history influence community structure in snakes over steep environmental gradients. <i>Ecography</i> , 2015, 38, 1036-1048. | 2.1 | 22 |
| 4222 | Environmental variation and rivers govern the structure of chimpanzee genetic diversity in a biodiversity hotspot. <i>BMC Evolutionary Biology</i> , 2015, 15, 1. | 3.2 | 275 |
| 4223 | Chimpanzee population structure in Cameroon and Nigeria is associated with habitat variation that may be lost under climate change. <i>BMC Evolutionary Biology</i> , 2015, 15, 2. | 3.2 | 51 |
| 4224 | Endangered Quino checkerspot butterfly and climate change: Short-term success but long-term vulnerability?. <i>Journal of Insect Conservation</i> , 2015, 19, 185-204. | 0.8 | 45 |
| 4225 | Lack of evolutionary adjustment to ambient temperature in highly specialized cave beetles. <i>BMC Evolutionary Biology</i> , 2015, 15, 10. | 3.2 | 30 |
| 4226 | Ancient vicariance and climate-driven extinction explain continental-wide disjunctions in Africa: the case of the Rand Flora genus <i>Canarina</i> (Campanulaceae). <i>Molecular Ecology</i> , 2015, 24, 1335-1354. | 2.0 | 58 |
| 4227 | Local population genetic structure of the montane caddisfly <i>Dorus discolor</i> is driven by overland dispersal and spatial scaling. <i>Freshwater Biology</i> , 2015, 60, 209-221. | 1.2 | 34 |
| 4228 | Can rove beetles (Staphylinidae) be excluded in studies focusing on saproxylic beetles in central European beech forests?. <i>Bulletin of Entomological Research</i> , 2015, 105, 101-109. | 0.5 | 22 |
| 4229 | Genetic variation and clines in growth and survival of <i>Prosopis africana</i> from Burkina Faso and Niger: comparing results and conclusions from a nursery test and a long-term field test in Niger. <i>Euphytica</i> , 2015, 205, 809-821. | 0.6 | 17 |
| 4230 | Generating realistic assemblages with a joint species distribution model. <i>Methods in Ecology and Evolution</i> , 2015, 6, 465-473. | 2.2 | 122 |
| 4231 | Population and habitat assessment of the Critically Endangered hirola <i>Beatragus hunteri</i> in Tsavo East National Park, Kenya. <i>Oryx</i> , 2015, 49, 514-520. | 0.5 | 6 |
| 4232 | Mapping the potential distribution of the Critically Endangered Himalayan Quail <i>Ophrysia superciliosa</i> using proxy species and species distribution modelling. <i>Bird Conservation International</i> , 2015, 25, 466-478. | 0.7 | 10 |
| 4233 | Anticipating potential biodiversity conflicts for future biofuel crops in South Africa: incorporating spatial filters with species distribution models. <i>GCB Bioenergy</i> , 2015, 7, 273-287. | 2.5 | 21 |
| 4235 | Assessing Climate Change Induced Turnover in Bird Communities Using Climatically Analogous Regions. <i>Diversity</i> , 2015, 7, 36-59. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4236 | A Phylogeographic Investigation of African Monkeypox. <i>Viruses</i> , 2015, 7, 2168-2184. | 1.5 | 85 |
| 4237 | A Comparison of Genetic Diversity and Phenotypic Plasticity among European Beech (<i>Fagus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock Manipulation. <i>International Journal of Plant Sciences</i> , 2015, 176, 232-244. | 0.6 | 32 |
| 4238 | Climate change and food-water supply from Africa's drylands: local impacts and teleconnections through global commodity flows. <i>International Journal of Water Resources Development</i> , 2015, 31, 450-460. | 1.2 | 6 |
| 4239 | Biogeochemical Research Priorities for Sustainable Biofuel and Bioenergy Feedstock Production in the Americas. <i>Environmental Management</i> , 2015, 56, 1330-1355. | 1.2 | 15 |
| 4240 | Representative soil profiles for the Harmonized World Soil Database at different spatial resolutions for agricultural modelling applications. <i>Agricultural Systems</i> , 2015, 139, 93-99. | 3.2 | 32 |
| 4241 | Effect of environment on distributions of rock ferns in the Mediterranean climate: The case of the genus <i>Asplenium</i> in Montenegro. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2015, 215, 84-91. | 0.6 | 7 |
| 4242 | Identifying potential areas of understorey coffee in Ethiopia's highlands using predictive modelling. <i>International Journal of Remote Sensing</i> , 2015, 36, 2898-2919. | 1.3 | 13 |
| 4243 | Assessing the Global Risk of Establishment of <i>Cydia pomonella</i> (Lepidoptera: Tortricidae) using CLIMEX and MaxEnt Niche Models. <i>Journal of Economic Entomology</i> , 2015, 108, 1708-1719. | 0.8 | 87 |
| 4244 | Mapping Risk of Nipah Virus Transmission Across Asia and Across Bangladesh. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP824-NP832. | 0.4 | 12 |
| 4245 | Analysis of environmental controls on tsunami deposit texture. <i>Marine Geology</i> , 2015, 368, 1-14. | 0.9 | 8 |
| 4246 | Modelling the combined effects of land use and climatic changes: Coupling bioclimatic modelling with Markov-chain Cellular Automata in a case study in Cyprus. <i>Ecological Informatics</i> , 2015, 30, 241-249. | 2.3 | 26 |
| 4247 | Foliar trait contrasts between African forest and savanna trees: genetic versus environmental effects. <i>Functional Plant Biology</i> , 2015, 42, 63. | 1.1 | 23 |
| 4248 | Geographic pattern and effects of climate and taxonomy on nonstructural carbohydrates of <i>Artemisia</i> species and their close relatives across northern China. <i>Biogeochemistry</i> , 2015, 125, 337-348. | 1.7 | 6 |
| 4249 | Estimating colonization and invasion risk maps for <i>Linepithema humile</i> , in Japan. <i>Journal of Asia-Pacific Entomology</i> , 2015, 18, 343-350. | 0.4 | 3 |
| 4250 | Anthropogenic disturbance and habitat loss for the red-listed Asiatic black bear (<i>Ursus thibetanus</i>): Using ecological niche modeling and nighttime light satellite imagery. <i>Biological Conservation</i> , 2015, 191, 400-407. | 1.9 | 66 |
| 4251 | Maxent modeling for predicting the potential distribution of Sanghuang, an important group of medicinal fungi in China. <i>Fungal Ecology</i> , 2015, 17, 140-145. | 0.7 | 87 |
| 4252 | The European <i>Juniperus</i> habitat in the Sardinian coastal dunes: Implication for conservation. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 164, 214-220. | 0.9 | 19 |
| 4253 | Late Pliocene temperatures and their spatial variation at the southeastern border of the Qinghai-Tibet Plateau. <i>Journal of Asian Earth Sciences</i> , 2015, 111, 44-53. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4254 | Phylogeography and genetic structure of a Tertiary relict tree species, <i>Tapiscia sinensis</i> (Tapisciaceae): implications for conservation. <i>Annals of Botany</i> , 2015, 116, 727-737. | 1.4 | 19 |
| 4255 | Complex relationships between species niches and environmental heterogeneity affect species co-occurrence patterns in modelled and real communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150927. | 1.2 | 47 |
| 4256 | Modelling the Last Glacial Maximum environments for a refugium of Pleistocene biota in the Russian Altai Mountains, Siberia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 438, 135-145. | 1.0 | 33 |
| 4257 | Ancient divergence and recent population expansion in a leaf frog endemic to the southern Brazilian Atlantic forest. <i>Organisms Diversity and Evolution</i> , 2015, 15, 695-710. | 0.7 | 17 |
| 4258 | How does adopting hybrid maize affect dietary diversity on family farms? Micro-evidence from Zambia. <i>Food Policy</i> , 2015, 52, 44-53. | 2.8 | 26 |
| 4259 | A comprehensive analysis of teak plantation investment in Colombia. <i>Forest Policy and Economics</i> , 2015, 57, 31-37. | 1.5 | 13 |
| 4260 | Range Shifts Under Future Scenarios of Climate Change: Dispersal Ability Matters for Colorado Plateau Endemic Plants. <i>Natural Areas Journal</i> , 2015, 35, 428-438. | 0.2 | 12 |
| 4261 | Control of climate and litter quality on leaf litter decomposition in different climatic zones. <i>Journal of Plant Research</i> , 2015, 128, 791-802. | 1.2 | 22 |
| 4262 | Integrating wildlife conservation with conflicting economic land-use goals in a West African biodiversity hotspot. <i>Basic and Applied Ecology</i> , 2015, 16, 690-702. | 1.2 | 16 |
| 4263 | Assembly of forest communities across East Asia – insights from phylogenetic community structure and species pool scaling. <i>Scientific Reports</i> , 2015, 5, 9337. | 1.6 | 24 |
| 4264 | Winners and losers of climate change for the genus <i>Merodon</i> (Diptera: Syrphidae) across the Balkan Peninsula. <i>Ecological Modelling</i> , 2015, 313, 201-211. | 1.2 | 22 |
| 4265 | Big Data for Health. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1193-1208. | 3.9 | 571 |
| 4266 | Late middle Eocene fossil wood of Myanmar: Implications for the landscape and the climate of the Eocene Bengal Bay. <i>Review of Palaeobotany and Palynology</i> , 2015, 216, 44-54. | 0.8 | 24 |
| 4267 | Nitrogen addition changes grassland soil organic matter decomposition. <i>Biogeochemistry</i> , 2015, 125, 203-219. | 1.7 | 157 |
| 4268 | Tropical forest cover dynamics for Latin America using Earth observation data: a review covering the continental, regional, and local scale. <i>International Journal of Remote Sensing</i> , 2015, 36, 3196-3242. | 1.3 | 32 |
| 4269 | Stealthy at the roadside: Connecting role of roadside hedges and copse for silvicolous, small mammal populations. <i>Journal for Nature Conservation</i> , 2015, 27, 37-43. | 0.8 | 9 |
| 4270 | Applying species distribution modelling to the conservation of an ecologically plastic species (<i>Papio</i>) in the Ethiopian Rift Valley. <i>Journal of Biogeography</i> , 2015, 42, 1075-1085. | 0.8 | 10 |
| 4271 | Human population dynamics in Europe over the Last Glacial Maximum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8232-8237. | 3.3 | 140 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4272 | Genetic and ecological data reveal species boundaries between viviparous and oviparous lizard lineages. <i>Heredity</i> , 2015, 115, 517-526. | 1.2 | 32 |
| 4273 | Niche Partitioning at Local and Regional Scale in the North African Salamandridae. <i>Journal of Herpetology</i> , 2015, 49, 276-283. | 0.2 | 16 |
| 4274 | Living on the edge in species distribution models: The unexpected presence of three species of butterflies in a protected area in southern Spain. <i>Ecological Modelling</i> , 2015, 312, 335-346. | 1.2 | 7 |
| 4275 | Threats of future climate change and land use to vulnerable tree species native to Southern California. <i>Environmental Conservation</i> , 2015, 42, 127-138. | 0.7 | 10 |
| 4276 | Anthropogenic nitrogen deposition predicts local grassland primary production worldwide. <i>Ecology</i> , 2015, 96, 1459-1465. | 1.5 | 143 |
| 4277 | The Tanaka Line shaped the phylogeographic pattern of the cotton tree (<i>Bombax ceiba</i>) in southwest China. <i>Biochemical Systematics and Ecology</i> , 2015, 60, 150-157. | 0.6 | 15 |
| 4278 | Solving problems involving the distribution of a species of unknown distribution via ecological niche modeling. <i>Natureza A Conservacao</i> , 2015, 13, 15-23. | 2.5 | 12 |
| 4279 | Spatial Downscaling of 2-Meter Air Temperature Using Operational Forecast Data. <i>Energies</i> , 2015, 8, 2381-2411. | 1.6 | 14 |
| 4281 | Divergent selection along climatic gradients in a rare central European endemic species, <i>Saxifraga sponhemica</i> . <i>Annals of Botany</i> , 2015, 115, 1177-1190. | 1.4 | 13 |
| 4282 | Habitat suitability and protection status of four species of amphibians in the Dominican Republic. <i>Applied Geography</i> , 2015, 63, 55-65. | 1.7 | 20 |
| 4283 | A Multilevel Stratified Spatial Sampling Approach for the Quality Assessment of Remote-Sensing-Derived Products. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 4699-4713. | 2.3 | 21 |
| 4284 | Climatic preferences and distribution of 6 evolutionary lineages of <i>Typhlops vermicularis</i> Merrem, 1820 in Turkey using ecological niche modeling. <i>Turkish Journal of Zoology</i> , 2015, 39, 235-243. | 0.4 | 8 |
| 4285 | Mapping the stray domestic cat (<i>Felis catus</i>) population in New Zealand: Species distribution modelling with a climate change scenario and implications for protected areas. <i>Applied Geography</i> , 2015, 63, 146-154. | 1.7 | 24 |
| 4286 | Polyploidy in <i>Lilium lancifolium</i> : Evidence of autotriploidy and no niche divergence between diploid and triploid cytotypes in their native ranges. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2015, 213, 57-68. | 0.6 | 35 |
| 4287 | Concordant species delimitation from multiple independent evidence: A case study with the <i>Pachytriton brevipes</i> complex (Caudata: Salamandridae). <i>Molecular Phylogenetics and Evolution</i> , 2015, 92, 108-117. | 1.2 | 16 |
| 4288 | <i>Nothofagus</i> pollen grain size as a proxy for long-term climate change: An applied study on Eocene, Oligocene, and Miocene sediments from Antarctica. <i>Review of Palaeobotany and Palynology</i> , 2015, 221, 138-143. | 0.8 | 13 |
| 4289 | Mapping the risk of Nipah virus spillover into human populations in South and Southeast Asia. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2015, 109, 563-571. | 0.7 | 15 |
| 4290 | Is climate warming advantageous for plants with untoothed leaves?. <i>Basic and Applied Ecology</i> , 2015, 16, 386-393. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4291 | Impact of model complexity on cross-temporal transferability in Maxent species distribution models: An assessment using paleobotanical data. <i>Ecological Modelling</i> , 2015, 312, 308-317. | 1.2 | 131 |
| 4292 | Phylogenetic diversity of regional beetle faunas at high latitudes: patterns, drivers and chance along ecological gradients. <i>Biodiversity and Conservation</i> , 2015, 24, 2751-2767. | 1.2 | 30 |
| 4293 | Geographical patterns of terrestrial herbs: a new component in planning the conservation of the Brazilian Atlantic Forest. <i>Biodiversity and Conservation</i> , 2015, 24, 2181-2198. | 1.2 | 15 |
| 4294 | Soil Fauna of Peat-Forming Wetlands in a Natural River Floodplain. <i>Wetlands</i> , 2015, 35, 815-829. | 0.7 | 6 |
| 4295 | Understanding controls on cirque floor altitudes: Insights from Kamchatka. <i>Geomorphology</i> , 2015, 248, 1-13. | 1.1 | 20 |
| 4296 | Globally significant greenhouse-gas emissions from African inland waters. <i>Nature Geoscience</i> , 2015, 8, 637-642. | 5.4 | 348 |
| 4297 | Environmental niche variation and evolutionary diversification of the <i>Brachypodium distachyon</i> grass complex species in their native circum-Mediterranean range. <i>American Journal of Botany</i> , 2015, 102, 1073-1088. | 0.8 | 73 |
| 4298 | Resolving Australian analogs for an Eocene Patagonian paleorainforest using leaf size and floristics. <i>American Journal of Botany</i> , 2015, 102, 1160-1173. | 0.8 | 31 |
| 4299 | Rural development funding and agricultural labour productivity: A spatial analysis of the European Union at the NUTS2 level. <i>Ecological Indicators</i> , 2015, 59, 6-18. | 2.6 | 20 |
| 4300 | Climate fluctuations as a cause of rarity in fairy armadillos. <i>Mammalian Biology</i> , 2015, 80, 452-458. | 0.8 | 6 |
| 4301 | Multi-sensor mapping of West African land cover using MODIS, ASAR and TanDEM-X/TerraSAR-X data. <i>Remote Sensing of Environment</i> , 2015, 164, 282-297. | 4.6 | 55 |
| 4302 | Climatic controls on ecosystem resilience: Postfire regeneration in the Cape Floristic Region of South Africa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9058-9063. | 3.3 | 42 |
| 4303 | Intraspecific variation of body size in a gamasid mite <i>Laelaps clethrionomydis</i> : environment, geography and host dependence. <i>Parasitology Research</i> , 2015, 114, 3767-3774. | 0.6 | 12 |
| 4304 | Genome-environment associations in sorghum landraces predict adaptive traits. <i>Science Advances</i> , 2015, 1, e1400218. | 4.7 | 257 |
| 4305 | Diversification of the cold-adapted butterfly genus <i>Oeneis</i> related to Holarctic biogeography and climatic niche shifts. <i>Molecular Phylogenetics and Evolution</i> , 2015, 92, 255-265. | 1.2 | 23 |
| 4306 | Life history lability underlies rapid climate niche evolution in the angiosperm clade Montiaceae. <i>Molecular Phylogenetics and Evolution</i> , 2015, 92, 181-192. | 1.2 | 51 |
| 4307 | The wild relatives of grape in China: diversity, conservation gaps and impact of climate change. <i>Agriculture, Ecosystems and Environment</i> , 2015, 209, 155-163. | 2.5 | 9 |
| 4308 | Interspecific competition mediated by climate change: which interaction between brown and mountain hare in the Alps?. <i>Mammalian Biology</i> , 2015, 80, 424-430. | 0.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4309 | Temperature-Based Phenology Modeling and GIS-Based Risk Mapping: A Tool for Forecasting Potential Changes in the Abundance of Mealybug <i>Phenacoccus solenopsis</i> Tinsley (Hemiptera: Pseudococcidae). , 2015, , 419-431. | | 0 |
| 4310 | Surface water network structure, landscape resistance to movement and flooding vital for maintaining ecological connectivity across Australia's largest river basin. <i>Landscape Ecology</i> , 2015, 30, 2045-2065. | 1.9 | 53 |
| 4311 | Importance of Ethiopian shade coffee farms for forest bird conservation. <i>Biological Conservation</i> , 2015, 188, 50-60. | 1.9 | 85 |
| 4312 | A framework for species distribution modelling with improved pseudo-absence generation. <i>Ecological Modelling</i> , 2015, 312, 166-174. | 1.2 | 117 |
| 4313 | Tsetse Fly (<i>G.f. fuscipes</i>) Distribution in the Lake Victoria Basin of Uganda. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003705. | 1.3 | 26 |
| 4314 | Phylogeography of the arid-adapted Malagasy bullfrog, <i>Laliostoma labrosum</i> , influenced by past connectivity and habitat stability. <i>Molecular Phylogenetics and Evolution</i> , 2015, 92, 11-24. | 1.2 | 12 |
| 4315 | Effects of Ectoparasitism on Behavioral Thermoregulation in the Tropical lizards <i>Anolis cybotes</i> (Squamata: Dactyloidae) and <i>Anolis armouri</i> (Squamata: Dactyloidae). <i>Breviora</i> , 2015, 545, 1-13. | 0.2 | 9 |
| 4316 | New Distribution Records and Potentially Suitable Areas for the Threatened Snake-Necked Turtle <i>Hydromedusa maximiliani</i> (Testudines: Chelidae). <i>Chelonian Conservation and Biology</i> , 2015, 14, 88-94. | 0.1 | 2 |
| 4317 | Predicting invasions of <i>Wedelia trilobata</i> (L.) Hitchc. with Maxent and GARP models. <i>Journal of Plant Research</i> , 2015, 128, 763-775. | 1.2 | 49 |
| 4318 | From field to atlas: Upscaling of location-specific yield gap estimates. <i>Field Crops Research</i> , 2015, 177, 98-108. | 2.3 | 145 |
| 4319 | How Are Oaks Distributed in the Neotropics? A Perspective from Species Turnover, Areas of Endemism, and Climatic Niches. <i>International Journal of Plant Sciences</i> , 2015, 176, 222-231. | 0.6 | 35 |
| 4320 | Geographic Differentiation of Tree Ferns (Cyatheaales) in Tropical America. <i>American Fern Journal</i> , 2015, 105, 73-85. | 0.2 | 7 |
| 4321 | Application of Remote Sensors in Mapping Rice Area and Forecasting Its Production: A Review. <i>Sensors</i> , 2015, 15, 769-791. | 2.1 | 200 |
| 4322 | Planning tiger recovery: Understanding intraspecific variation for effective conservation. <i>Science Advances</i> , 2015, 1, e1400175. | 4.7 | 63 |
| 4323 | Geographic Expansion of the Invasive Mosquito <i>Aedes albopictus</i> across Panama—Implications for Control of Dengue and Chikungunya Viruses. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003383. | 1.3 | 42 |
| 4324 | The distribution and taxonomy of <i>Lissotriton</i> newts in Turkey (Amphibia, Salamandridae). <i>ZooKeys</i> , 2015, 484, 11-23. | 0.5 | 11 |
| 4325 | Contrasting responses to Pleistocene climate changes: a case study of two sister species <i>Allium cyathophorum</i> and <i>A. Aspicata</i> (Amaryllidaceae) distributed in the eastern and western Qinghai-Tibet Plateau. <i>Ecology and Evolution</i> , 2015, 5, 1513-1524. | 0.8 | 11 |
| 4326 | An attack on two fronts: predicting how changes in land use and climate affect the distribution of stream macroinvertebrates. <i>Freshwater Biology</i> , 2015, 60, 1443-1458. | 1.2 | 66 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4327 | Predicting the potential distribution of the amphibian pathogen <i>Batrachochytrium dendrobatidis</i> in East and Southeast Asia. <i>Diseases of Aquatic Organisms</i> , 2015, 113, 177-185. | 0.5 | 2 |
| 4328 | Effect of avalanche frequency on forest ecosystem services in a spruce–fir mountain forest. <i>Cold Regions Science and Technology</i> , 2015, 115, 9-21. | 1.6 | 21 |
| 4329 | C:N:P stoichiometry of <i>Artemisia</i> species and close relatives across northern China: unravelling effects of climate, soil and taxonomy. <i>Journal of Ecology</i> , 2015, 103, 1020-1031. | 1.9 | 74 |
| 4330 | Will changes in climate and land use affect soil organic matter composition? Evidence from an ecotonal climosequence. <i>Geoderma</i> , 2015, 253-254, 48-60. | 2.3 | 25 |
| 4331 | Spatio-temporal trend analysis of air temperature in Europe and Western Asia using data-coupled clustering. <i>Global and Planetary Change</i> , 2015, 129, 45-55. | 1.6 | 13 |
| 4332 | The wild relatives of grape in China: Diversity, conservation gaps and impact of climate change. <i>Agriculture, Ecosystems and Environment</i> , 2015, 210, 50-58. | 2.5 | 9 |
| 4333 | Simple mechanistic models can partially explain local but not range-wide co-occurrence of African mammals. <i>Global Ecology and Biogeography</i> , 2015, 24, 762-773. | 2.7 | 5 |
| 4334 | Influence of past and future climate changes on the distribution of three Southeast Asian murine rodents. <i>Journal of Biogeography</i> , 2015, 42, 1714-1726. | 1.4 | 21 |
| 4335 | Photoprotective response to chilling differs among high and low latitude <i>Larrea divaricata</i> grown in a common garden. <i>Journal of Arid Environments</i> , 2015, 120, 51-54. | 1.2 | 7 |
| 4336 | Relationships between environmental gradients and geographic variation in the intraspecific body size of three species of frogs (Anura). <i>Austral Ecology</i> , 2015, 40, 869-876. | 0.7 | 15 |
| 4337 | Invasion success of a global avian invader is explained by within-taxon niche structure and association with humans in the native range. <i>Diversity and Distributions</i> , 2015, 21, 675-685. | 1.9 | 49 |
| 4338 | Ecological consequences of contrasting dispersal syndromes in New World <i>Ephedra</i> : higher rates of niche evolution related to dispersal ability. <i>Ecography</i> , 2015, 38, 1187-1199. | 2.1 | 23 |
| 4339 | The population demography of <i>Betula maximowicziana</i> , a cool-temperate tree species in Japan, in relation to the last glacial period: its admixture-like genetic structure is the result of simple population splitting not admixing. <i>Molecular Ecology</i> , 2015, 24, 1403-1418. | 2.0 | 101 |
| 4340 | The weakness of evidence supporting tropical niche conservatism as a main driver of current richness–temperature gradients. <i>Global Ecology and Biogeography</i> , 2015, 24, 795-803. | 2.7 | 11 |
| 4341 | Ecological niche variation in the Wilson's warbler <i>Cardellina pusilla</i> complex. <i>Journal of Avian Biology</i> , 2015, 46, 516-527. | 0.6 | 8 |
| 4342 | Late Pleistocene piedmont glaciations in the Eastern Mediterranean; insights from cosmogenic ³⁶ Cl dating of hummocky moraines in southern Turkey. <i>Quaternary Science Reviews</i> , 2015, 116, 44-56. | 1.4 | 55 |
| 4343 | No surface breaking on the EceMiÅŸ Fault, central Turkey, since Late Pleistocene (~64.5ka); new geomorphic and geochronologic data from cosmogenic dating of offset alluvial fans. <i>Tectonophysics</i> , 2015, 649, 33-46. | 0.9 | 33 |
| 4344 | Latitudinal variation in herbivory: influences of climatic drivers, herbivore identity and natural enemies. <i>Oikos</i> , 2015, 124, 1444-1452. | 1.2 | 79 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4345 | Stable isotope paleoecology of Late Pleistocene Middle Stone Age humans from the Lake Victoria basin, Kenya. <i>Journal of Human Evolution</i> , 2015, 82, 1-14. | 1.3 | 56 |
| 4346 | Water Use and Urban Agriculture: Estimation and Water Saving Scenarios for Residential Kitchen Gardens. <i>Agriculture and Agricultural Science Procedia</i> , 2015, 4, 50-58. | 0.6 | 26 |
| 4347 | Environmental diversity as a surrogate for species representation. <i>Conservation Biology</i> , 2015, 29, 1401-1410. | 2.4 | 41 |
| 4348 | The speciation continuum: ecological and chromosomal divergence in the <i>Simulium arcticum</i> complex (Diptera: Simuliidae). <i>Biological Journal of the Linnean Society</i> , 2015, 115, 13-27. | 0.7 | 12 |
| 4349 | The realized niche of captive-hatched Houbara Bustards translocated in Morocco meets expectations from the wild. <i>Biological Conservation</i> , 2015, 186, 241-250. | 1.9 | 7 |
| 4350 | Demographic vulnerability in cliff-dwelling <i>Sonchus</i> species endemic to the western Mediterranean. <i>Basic and Applied Ecology</i> , 2015, 16, 316-324. | 1.2 | 7 |
| 4351 | Benchmark values for forest soil carbon stocks in Europe: Results from a large scale forest soil survey. <i>Geoderma</i> , 2015, 251-252, 33-46. | 2.3 | 101 |
| 4352 | Mollusc Assemblages of Scandinavian Fens: Species Composition in Relation to Environmental Gradients and Vegetation. <i>Annales Zoologici Fennici</i> , 2015, 52, 1-16. | 0.2 | 6 |
| 4353 | INFLUENCE OF LAND USE AND CLIMATE ON <i>SALMONELLA</i> CARRIER STATUS IN THE SMALL INDIAN MONGOOSE (<i>HERPESOTES AUROPUNCTATUS</i>) IN GRENADA, WEST INDIES. <i>Journal of Wildlife Diseases</i> , 2015, 51, 60-68. | 0.3 | 18 |
| 4354 | Impact of climate change on the distribution of a giant land snail from South America: predicting future trends for setting conservation priorities on native malacofauna. <i>Climatic Change</i> , 2015, 131, 621-633. | 1.7 | 32 |
| 4355 | No silver bullets in correlative ecological niche modelling: insights from testing among many potential algorithms for niche estimation. <i>Methods in Ecology and Evolution</i> , 2015, 6, 1126-1136. | 2.2 | 303 |
| 4356 | Rainfall hotspots over the southern tropical Andes: Spatial distribution, rainfall intensity, and relations with large-scale atmospheric circulation. <i>Water Resources Research</i> , 2015, 51, 3459-3475. | 1.7 | 137 |
| 4357 | Mean body sizes of amphibian species are poorly predicted by climate. <i>Journal of Biogeography</i> , 2015, 42, 1246-1254. | 1.4 | 25 |
| 4358 | Clutch size declines with elevation in tropical birds. <i>Auk</i> , 2015, 132, 424-432. | 0.7 | 38 |
| 4359 | Biome-specific effects of nitrogen and phosphorus on the photosynthetic characteristics of trees at a forest-savanna boundary in Cameroon. <i>Oecologia</i> , 2015, 178, 659-672. | 0.9 | 25 |
| 4360 | Complex climate constraints of upper treeline formation in the Pyrenees. <i>Trees - Structure and Function</i> , 2015, 29, 941-952. | 0.9 | 27 |
| 4361 | How treatment, storm events and changed climate affect productivity of temperate forests in SW Germany. <i>Regional Environmental Change</i> , 2015, 15, 1531-1542. | 1.4 | 12 |
| 4362 | Effects of provenance on the survival, growth and stem form of European silver fir (<i>Abies alba</i> Mill.) in Britain. <i>European Journal of Forest Research</i> , 2015, 134, 349-363. | 1.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4363 | Intraspecific variability in frost hardiness of <i>Fagus sylvatica</i> L.. <i>European Journal of Forest Research</i> , 2015, 134, 433-441. | 1.1 | 28 |
| 4364 | Site suitability for tree species: Is there a positive relation between a tree species's occurrence and its growth?. <i>European Journal of Forest Research</i> , 2015, 134, 609-621. | 1.1 | 16 |
| 4365 | Characteristics of Wind-Infective Farms of the 2006 Bluetongue Serotype 8 Epidemic in Northern Europe. <i>EcoHealth</i> , 2015, 12, 461-467. | 0.9 | 4 |
| 4366 | Areas of high conservation value in Georgia: present and future threats by invasive alien plants. <i>Biological Invasions</i> , 2015, 17, 1041-1054. | 1.2 | 26 |
| 4367 | Distribution of <i>Corbicula fluminea</i> (Müller, 1774) in the invaded range: a geographic approach with notes on species traits variability. <i>Biological Invasions</i> , 2015, 17, 2087-2101. | 1.2 | 100 |
| 4368 | Conservation of <i>Brosimum alicastrum</i> , an underutilized crop and keystone forest tree species; a potential win-win for conservation and development in Latin America. <i>Biodiversity and Conservation</i> , 2015, 24, 1917-1930. | 1.2 | 14 |
| 4369 | A bitter cup: climate change profile of global production of Arabica and Robusta coffee. <i>Climatic Change</i> , 2015, 129, 89-101. | 1.7 | 346 |
| 4370 | How climate change might influence the potential distribution of weed, bushmint (<i>Hyptis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 1.3 | 29 |
| 4371 | Opportunities and Challenges for Investigating the Environment-Migration Nexus. <i>Human Ecology</i> , 2015, 43, 309-322. | 0.7 | 48 |
| 4372 | Testing scenarios for assisted migration of forest trees in Europe. <i>New Forests</i> , 2015, 46, 979-994. | 0.7 | 39 |
| 4373 | A review of the global relationship among freshwater fish, autotrophic activity, and regional climate. <i>Reviews in Fish Biology and Fisheries</i> , 2015, 25, 323-336. | 2.4 | 31 |
| 4374 | Urbanization altered latitudinal patterns of bird diversity-environment relationships in the southern Neotropics. <i>Urban Ecosystems</i> , 2015, 18, 777-791. | 1.1 | 30 |
| 4375 | Complex species distribution models of Goldcrests and Firecrests densities in Poland: are remote sensing-based predictors sufficient?. <i>Ecological Research</i> , 2015, 30, 625-638. | 0.7 | 12 |
| 4376 | Modelling spatially explicit impacts from phosphorus emissions in agriculture. <i>International Journal of Life Cycle Assessment</i> , 2015, 20, 785-795. | 2.2 | 48 |
| 4377 | Contribution of mass elevation effect to the altitudinal distribution of global treelines. <i>Journal of Mountain Science</i> , 2015, 12, 289-297. | 0.8 | 23 |
| 4378 | Frost hardiness of tree species is independent of phenology and macroclimatic niche. <i>Journal of Biosciences</i> , 2015, 40, 147-157. | 0.5 | 8 |
| 4379 | An improved species distribution model for Scots pine and downy oak under future climate change in the NW Italian Alps. <i>Annals of Forest Science</i> , 2015, 72, 321-334. | 0.8 | 20 |
| 4380 | Amphibian and reptilian distribution patterns in the transitional zone between the Euro-Siberian and Central Asia Subrealms. <i>Journal of Arid Land</i> , 2015, 7, 555-565. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4381 | Paleoenvironmental context of the Middle Stone Age record from Karungu, Lake Victoria Basin, Kenya, and its implications for human and faunal dispersals in East Africa. <i>Journal of Human Evolution</i> , 2015, 83, 28-45. | 1.3 | 76 |
| 4382 | Invasive plant distributions recapitulate patterns found in native plant assemblages in a heterogeneous landscape. <i>Ecosphere</i> , 2015, 6, 1-16. | 1.0 | 1 |
| 4383 | Modeling initial Neolithic dispersal. The first agricultural groups in West Mediterranean. <i>Ecological Modelling</i> , 2015, 307, 22-31. | 1.2 | 50 |
| 4384 | Similar vegetation structure in protected and non-protected wetlands in Central Brazil: conservation significance. <i>Environmental Conservation</i> , 2015, 42, 356-362. | 0.7 | 16 |
| 4385 | Re-examining environmental correlates of <i>Plasmodium falciparum</i> malaria endemicity: a data-intensive variable selection approach. <i>Malaria Journal</i> , 2015, 14, 68. | 0.8 | 86 |
| 4386 | Modelling the potential geographic distribution of triatomines infected by <i>Triatoma virus</i> in the southern cone of South America. <i>Parasites and Vectors</i> , 2015, 8, 153. | 1.0 | 23 |
| 4387 | What are the impacts of reindeer/caribou (<i>Rangifer tarandus</i> L.) on arctic and alpine vegetation? A systematic review. <i>Environmental Evidence</i> , 2015, 4, . | 1.1 | 70 |
| 4388 | Current and potential geographical distribution of <i>Platyeris biguttatus</i> (Linnaeus, 1767) with description of nymphs. <i>Zoological Studies</i> , 2015, 54, e9. | 0.3 | 10 |
| 4389 | Biogeography of a plant invasion: plant-herbivore interactions. <i>Ecology</i> , 2015, 96, 1115-1127. | 1.5 | 97 |
| 4390 | Linking environmental filtering and disequilibrium to biogeography with a community climate framework. <i>Ecology</i> , 2015, 96, 972-985. | 1.5 | 70 |
| 4391 | Genetic relationships and ecological divergence in <i>Salix</i> species and populations in Taiwan. <i>Tree Genetics and Genomes</i> , 2015, 11, 1. | 0.6 | 74 |
| 4392 | Relationship between phenotypic differentiation and glacial history in a widespread Alpine grassland herb. <i>Alpine Botany</i> , 2015, 125, 11-20. | 1.1 | 2 |
| 4393 | The decomposition of fine and coarse roots: their global patterns and controlling factors. <i>Scientific Reports</i> , 2015, 5, 9940. | 1.6 | 101 |
| 4394 | Multi-scale hierarchical macroecology at species and genetic levels to discern neutral and non-neutral processes. <i>Global Ecology and Biogeography</i> , 2015, 24, 873-882. | 2.7 | 35 |
| 4395 | Large mammal diversity and their conservation in the human-dominated land-use mosaic of Sierra Leone. <i>Biodiversity and Conservation</i> , 2015, 24, 2417-2438. | 1.2 | 20 |
| 4396 | Management planning for endangered plant species in priority protected areas. <i>Biodiversity and Conservation</i> , 2015, 24, 2383-2397. | 1.2 | 23 |
| 4397 | Phylogeographic Analyses of American Black Bears (<i>Ursus americanus</i>) Suggest Four Glacial Refugia and Complex Patterns of Postglacial Admixture. <i>Molecular Biology and Evolution</i> , 2015, 32, 2338-2350. | 3.5 | 90 |
| 4398 | Oribatid mite communities along an elevational gradient in Sairme gorge (Caucasus). <i>Experimental and Applied Acarology</i> , 2015, 66, 41-51. | 0.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4399 | The bud midge <i>Prodiplosis longifila</i> : Damage characteristics, potential distribution and presence on a new crop host in Colombia. SpringerPlus, 2015, 4, 205. | 1.2 | 12 |
| 4400 | Conserved and narrow temperature limits in alpine insects: Thermal tolerance and supercooling points of the ice-crawlers, <i>Grylloblatta</i> (Insecta: Grylloblattodea: Grylloblattidae). Journal of Insect Physiology, 2015, 78, 55-61. | 0.9 | 18 |
| 4401 | Forecasting sagebrush ecosystem components and greater sage-grouse habitat for 2050: Learning from past climate patterns and Landsat imagery to predict the future. Ecological Indicators, 2015, 55, 131-145. | 2.6 | 46 |
| 4402 | Uncommon paleodistribution patterns of <i>Chrysolophus</i> pheasants in east Asia: explanations and implications. Journal of Avian Biology, 2015, 46, 528-537. | 0.6 | 10 |
| 4403 | Rates of climatic niche evolution are correlated with species richness in a large and ecologically diverse radiation of songbirds. Ecology Letters, 2015, 18, 433-440. | 3.0 | 49 |
| 4404 | Native forests and climate change: Lessons from eucalypts. Forest Ecology and Management, 2015, 347, 18-29. | 1.4 | 82 |
| 4405 | Global patterns and environmental correlates of high-priority conservation areas for vertebrates. Journal of Biogeography, 2015, 42, 1397-1405. | 1.4 | 32 |
| 4406 | Past climate change drives current genetic structure of an endangered freshwater mussel species. Molecular Ecology, 2015, 24, 1910-1926. | 2.0 | 32 |
| 4407 | At the passing gate: past introgression in the process of species formation between <i>Amazilia violiceps</i> and <i>A. viridifrons</i> hummingbirds along the Mexican Transition Zone. Journal of Biogeography, 2015, 42, 1305-1318. | 1.4 | 30 |
| 4408 | Human and biophysical drivers of fires in Semiarid Chaco mountains of Central Argentina. Science of the Total Environment, 2015, 520, 1-12. | 3.9 | 69 |
| 4409 | Control of mammalian G protein signaling by N-terminal acetylation and the N-end rule pathway. Science, 2015, 347, 1249-1252. | 6.0 | 131 |
| 4410 | Functional Traits in Parallel Evolutionary Radiations and Trait-Environment Associations in the Cape Floristic Region of South Africa. American Naturalist, 2015, 185, 525-537. | 1.0 | 28 |
| 4411 | Local and regional-scale factors drive xerophytic shrub community dynamics on Mediterranean stabilized dunes. Plant and Soil, 2015, 391, 413-426. | 1.8 | 5 |
| 4412 | Exploiting a pest insect species <i>Sphenarium purpurascens</i> for human consumption: ecological, social, and economic repercussions. Journal of Insects As Food and Feed, 2015, 1, 75-84. | 2.1 | 24 |
| 4413 | Novel spatial analysis methods reveal scale-dependent spread and infer limiting factors of invasion by Sahara mustard. Ecography, 2015, 38, 311-320. | 2.1 | 10 |
| 4414 | Humidity, low temperature extremes, and space influence floristic variation across an insightful gradient in the Subtropical Atlantic Forest. Plant Ecology, 2015, 216, 759-774. | 0.7 | 23 |
| 4415 | Remote Sensing Time Series. Remote Sensing and Digital Image Processing, 2015, , . | 0.7 | 54 |
| 4416 | Diets of Howler Monkeys. , 2015, , 21-56. | | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4417 | Climate as a driver of tropical insular diversity: comparative phylogeography of two ecologically distinctive frogs in Puerto Rico. <i>Ecography</i> , 2015, 38, 769-781. | 2.1 | 10 |
| 4418 | Patterns and determinants of wood physical and mechanical properties across major tree species in China. <i>Science China Life Sciences</i> , 2015, 58, 602-612. | 2.3 | 16 |
| 4419 | Differences in metabolic rate and evaporative water loss associated with sexual dimorphism in thynnine wasps. <i>Journal of Insect Physiology</i> , 2015, 78, 62-68. | 0.9 | 14 |
| 4420 | Spatial data, analysis approaches, and information needs for spatial ecosystem service assessments: a review. <i>GIScience and Remote Sensing</i> , 2015, 52, 344-373. | 2.4 | 97 |
| 4421 | A test of the integrated evolutionary speed hypothesis in a Neotropical amphibian radiation. <i>Global Ecology and Biogeography</i> , 2015, 24, 804-813. | 2.7 | 10 |
| 4422 | Lupinus Species in Central Mexico in the Era of Climate Change: Adaptation, Migration, or Extinction?. , 2015, , 215-228. | | 0 |
| 4423 | Bioclimatology and Vegetation Series in Sicily: A Geostatistical Approach. <i>Annales Botanici Fennici</i> , 2015, 52, 1-18. | 0.0 | 69 |
| 4424 | Using abiotic variables to predict importance of sites for species representation. <i>Conservation Biology</i> , 2015, 29, 1390-1400. | 2.4 | 18 |
| 4425 | A New Species of <i>Monodelphis</i> (Didelphimorphia: Didelphidae) from the Brazilian Atlantic Forest. <i>American Museum Novitates</i> , 2015, 3832, 1-15. | 0.2 | 21 |
| 4426 | Regional Red List assessment of tree species in upper montane forests of the Tropical Andes. <i>Oryx</i> , 2015, 49, 397-409. | 0.5 | 7 |
| 4427 | letsR: a new R package for data handling and analysis in macroecology. <i>Methods in Ecology and Evolution</i> , 2015, 6, 1229-1234. | 2.2 | 168 |
| 4428 | Regional climate and geology affecting habitat availability for a relict plant in a plain landscape: the case of <i>Festuca amethystina</i> L. in Poland. <i>Plant Ecology and Diversity</i> , 2015, 8, 331-341. | 1.0 | 16 |
| 4429 | Floral pigmentation patterns provide an example of Gloger's rule in plants. <i>Nature Plants</i> , 2015, 1, 14007. | 4.7 | 97 |
| 4430 | Replicate altitudinal clines reveal that evolutionary flexibility underlies adaptation to drought stress in annual <i>Mimulus guttatus</i> . <i>New Phytologist</i> , 2015, 206, 152-165. | 3.5 | 132 |
| 4431 | Bioclimatic mapping as a new method to assess effects of climatic change. <i>Ecosphere</i> , 2015, 6, 1-12. | 1.0 | 14 |
| 4432 | The relative importance of climate, stand variables and liana abundance for carbon storage in tropical forests. <i>Global Ecology and Biogeography</i> , 2015, 24, 939-949. | 2.7 | 35 |
| 4433 | Global phylogenetic structure of the hyperdiverse ant genus <i>Pheidole</i> reveals the repeated evolution of macroecological patterns. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20141416. | 1.2 | 55 |
| 4434 | Cold tolerance in <i>Arabidopsis kamchatica</i> . <i>American Journal of Botany</i> , 2015, 102, 439-448. | 0.8 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4435 | Multi-label class assignment in land-use modelling. <i>International Journal of Geographical Information Science</i> , 2015, 29, 1023-1041. | 2.2 | 24 |
| 4436 | Environmental filtering increases in intensity at both ends of climatic gradients, though driven by different factors, across woody vegetation types of the southwest USA. <i>Oikos</i> , 2015, 124, 1374-1382. | 1.2 | 28 |
| 4437 | Macroecology of global bryophyte invasions at different invasion stages. <i>Ecography</i> , 2015, 38, 488-498. | 2.1 | 11 |
| 4438 | Water relations and gas exchange of fan bryophytes and their adaptations to microhabitats in an Asian subtropical montane cloud forest. <i>Journal of Plant Research</i> , 2015, 128, 573-584. | 1.2 | 34 |
| 4439 | Effect of Biotic and Abiotic Factors on Diversity Patterns of Anthophyllous Insect Communities in a Tropical Mountain Forest. <i>Neotropical Entomology</i> , 2015, 44, 214-223. | 0.5 | 15 |
| 4440 | Land suitability modeling of shea (<i>Vitellaria paradoxa</i>) distribution across sub-Saharan Africa. <i>Applied Geography</i> , 2015, 58, 217-227. | 1.7 | 67 |
| 4441 | Elevational variation in adult body size and growth rate but not in metabolic rate in the tree weta <i>Hemideina crassidens</i> . <i>Journal of Insect Physiology</i> , 2015, 75, 30-38. | 0.9 | 13 |
| 4442 | Niche overlap and host specificity in parasitic <i>Maculinea</i> butterflies (Lepidoptera: Lycaenidae) as a measure for potential extinction risks under climate change. <i>Organisms Diversity and Evolution</i> , 2015, 15, 555-565. | 0.7 | 11 |
| 4443 | The importance of species pool size for community composition. <i>Ecography</i> , 2015, 38, 1243-1253. | 2.1 | 34 |
| 4444 | A climate change context for the decline of a foundation tree species in south-western Australia: insights from phylogeography and species distribution modelling. <i>Annals of Botany</i> , 2015, 116, 941-952. | 1.4 | 22 |
| 4445 | Why do birds migrate? A macroecological perspective. <i>Global Ecology and Biogeography</i> , 2015, 24, 664-674. | 2.7 | 143 |
| 4446 | Mountains, Lowlands, and Coasts. , 2015, , 201-217. | | 0 |
| 4447 | From Spain to Chile: environmental filters and success of herbaceous species in Mediterranean-climate regions. <i>Biological Invasions</i> , 2015, 17, 1425-1438. | 1.2 | 17 |
| 4448 | Soil respiration in Patagonian semiarid grasslands under contrasting environmental and use conditions. <i>Journal of Arid Environments</i> , 2015, 119, 1-8. | 1.2 | 30 |
| 4449 | Phylogenetic relatedness within Neotropical fern communities increases with soil fertility. <i>Global Ecology and Biogeography</i> , 2015, 24, 695-705. | 2.7 | 39 |
| 4450 | Available Climate Regimes Drive Niche Diversification during Range Expansion. <i>American Naturalist</i> , 2015, 185, 640-652. | 1.0 | 20 |
| 4451 | Sun skink landscape genomics: assessing the roles of microevolutionary processes in shaping genetic and phenotypic diversity across a heterogeneous and fragmented landscape. <i>Molecular Ecology</i> , 2015, 24, 1696-1712. | 2.0 | 32 |
| 4452 | Dorsal colour pattern variation in Eurasian mountain vipers (genus <i>Montivipera</i>): A trade-off between thermoregulation and crypsis. <i>Zoologischer Anzeiger</i> , 2015, 257, 1-9. | 0.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4453 | Revisiting the past to foretell the future: summer temperature and habitat area predict pika extirpations in California. <i>Journal of Biogeography</i> , 2015, 42, 880-890. | 1.4 | 65 |
| 4454 | Modelling snow cover duration improves predictions of functional and taxonomic diversity for alpine plant communities. <i>Annals of Botany</i> , 2015, 116, 1023-1034. | 1.4 | 46 |
| 4455 | Disturbance and stress gradients result in distinct taxonomic, functional and phylogenetic diversity patterns in a subtropical riparian tree community. <i>Journal of Vegetation Science</i> , 2015, 26, 889-901. | 1.1 | 21 |
| 4456 | Genetic traits leading to invasion: plasticity in cold hardiness explains current distribution of an invasive agricultural pest, <i>Tetranychus evansi</i> (Acari: Tetranychidae). <i>Biological Invasions</i> , 2015, 17, 2275-2285. | 1.2 | 10 |
| 4457 | How tree species fill geographic and ecological space in eastern North America. <i>Annals of Botany</i> , 2015, 115, 949-959. | 1.4 | 6 |
| 4458 | Evaluation of spectral unmixing techniques using MODIS in a structurally complex savanna environment for retrieval of green vegetation, nonphotosynthetic vegetation, and soil fractional cover. <i>Remote Sensing of Environment</i> , 2015, 161, 122-130. | 4.6 | 59 |
| 4459 | Factors associated with rodent eradication failure. <i>Biological Conservation</i> , 2015, 185, 8-16. | 1.9 | 54 |
| 4460 | Effects of Climate History and Environmental Grain on Species'™ Distributions in Africa and South America. <i>Biotropica</i> , 2015, 47, 292-299. | 0.8 | 7 |
| 4461 | Extreme population subdivision despite high colonization ability: contrasting regional patterns in intertidal tardigrades from the west coast of North America. <i>Journal of Biogeography</i> , 2015, 42, 1006-1017. | 1.4 | 16 |
| 4462 | The Stream Biome Gradient Concept: factors controlling lotic systems across broad biogeographic scales. <i>Freshwater Science</i> , 2015, 34, 1-19. | 0.9 | 81 |
| 4463 | Spatial patterns in CO ₂ evasion from the global river network. <i>Global Biogeochemical Cycles</i> , 2015, 29, 534-554. | 1.9 | 223 |
| 4464 | Floristic variation within seasonally dry tropical forests of the Caatinga Biogeographic Domain, Brazil, and its conservation implications. <i>International Forestry Review</i> , 2015, 17, 33-44. | 0.3 | 15 |
| 4465 | Species Richness, Distribution, and Morphological Variation of Lycophytes and Monilophytes in a Semi-arid Region of Mexico. <i>American Fern Journal</i> , 2015, 105, 238-256. | 0.2 | 8 |
| 4466 | Competitive resistance of a native shrubland to invasion by the alien invasive tree species, <i>Acacia cyclops</i> . <i>Biological Invasions</i> , 2015, 17, 3563-3577. | 1.2 | 6 |
| 4467 | Assessment of mycotoxin risk on corn in the Philippines under current and future climate change conditions. <i>Reviews on Environmental Health</i> , 2015, 30, 135-42. | 1.1 | 11 |
| 4468 | Initial diversification, glacial survival, and continuous range expansion of <i>Gentiana straminea</i> (Gentianaceae) in the Qinghai-Tibet Plateau. <i>Biochemical Systematics and Ecology</i> , 2015, 62, 219-228. | 0.6 | 26 |
| 4469 | Identifying environmental versus phylogenetic correlates of behavioural ecology in gibbons: implications for conservation management of the world's rarest ape. <i>BMC Evolutionary Biology</i> , 2015, 15, 171. | 3.2 | 8 |
| 4470 | Mapping wood production in European forests. <i>Forest Ecology and Management</i> , 2015, 357, 228-238. | 1.4 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4471 | The Parmotrema acid test: a look at species delineation in the <i>P. perforatum</i> group 40 y later. <i>Mycologia</i> , 2015, 107, 1120-1129. | 0.8 | 14 |
| 4472 | The new assessment of soil loss by water erosion in Europe. <i>Environmental Science and Policy</i> , 2015, 54, 438-447. | 2.4 | 825 |
| 4474 | Global geographic and feature space coverage of temperature data in the context of spatio-temporal interpolation. <i>Spatial Statistics</i> , 2015, 14, 22-38. | 0.9 | 28 |
| 4475 | Phylogeography of cliff-dwelling relicts with a highly narrow and disjunct distribution in the western Mediterranean. <i>American Journal of Botany</i> , 2015, 102, 1538-1551. | 0.8 | 11 |
| 4476 | Singing Patterns of White-Cheeked Gibbons (<i>Nomascus</i> sp.) in the Annamite Mountains of Laos. <i>International Journal of Primatology</i> , 2015, 36, 691-706. | 0.9 | 10 |
| 4477 | Dry forest community types and their predicted distribution based on a habitat model for the central dry zone of Myanmar. <i>Forest Ecology and Management</i> , 2015, 358, 108-121. | 1.4 | 8 |
| 4478 | Shared and unique responses of insects to the interaction of urbanization and background climate. <i>Current Opinion in Insect Science</i> , 2015, 11, 71-77. | 2.2 | 34 |
| 4479 | Scale-dependent effects of climate and geographic distance on bacterial diversity patterns across northern China's grasslands. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv133. | 1.3 | 87 |
| 4480 | Hydrologically Aided Interpolation of Daily Precipitation and Temperature Fields in a Mesoscale Alpine Catchment. <i>Journal of Hydrometeorology</i> , 2015, 16, 2595-2618. | 0.7 | 12 |
| 4481 | Phylogeny and biogeography of <i>Primula</i> sect. <i>Armerina</i> : implications for plant evolution under climate change and the uplift of the Qinghai-Tibet Plateau. <i>BMC Evolutionary Biology</i> , 2015, 15, 161. | 3.2 | 36 |
| 4482 | An integrated and open source GIS environmental management system for a protected area in the south of Portugal. <i>Proceedings of SPIE</i> , 2015, , . | 0.8 | 3 |
| 4483 | Puzzling out the reproductive biology of the endangered cat's head rockrose (<i>Helianthemum</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overload</i> | 0.6 | 10 |
| 4484 | Beyond species-specific assessments: an analysis and validation of environmental distance metrics for non-indigenous species risk assessment. <i>Biological Invasions</i> , 2015, 17, 3455-3465. | 1.2 | 14 |
| 4485 | Positive selection in development and growth rate regulation genes involved in species divergence of the genus <i>Radix</i> . <i>BMC Evolutionary Biology</i> , 2015, 15, 164. | 3.2 | 13 |
| 4486 | Geographic variation in the protective effects of ants and trichomes in a Neotropical ant-plant. <i>Plant Ecology</i> , 2015, 216, 1083-1090. | 0.7 | 5 |
| 4487 | Geographical imbalances and divides in the scientific production of climate change knowledge. <i>Global Environmental Change</i> , 2015, 35, 279-288. | 3.6 | 52 |
| 4489 | Current conservation status of the Blue Swallow <i>Hirundo atrocaerulea</i> Sundevall 1850 in Africa. <i>Ostrich</i> , 2015, 86, 195-211. | 0.4 | 7 |
| 4490 | The Southern Westerlies in Central Chile during the two last glacial cycles as documented by coastal aeolian sand deposits and intercalating palaeosols. <i>Catena</i> , 2015, 134, 30-40. | 2.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4491 | The changing land cover and fragmenting forest on the Roof of the World: A case study in Nepal's Kailash Sacred Landscape. <i>Landscape and Urban Planning</i> , 2015, 141, 1-10. | 3.4 | 86 |
| 4492 | Geographic and Potential Distribution of a Poorly Known South American Bat, <i>Histiotus macrotus</i> (Chiroptera: Vespertilionidae). <i>Acta Chiropterologica</i> , 2015, 17, 143-158. | 0.2 | 14 |
| 4493 | Climate reconstruction analysis using coexistence likelihood estimation (CRACLE): A method for the estimation of climate using vegetation. <i>American Journal of Botany</i> , 2015, 102, 1277-1289. | 0.8 | 43 |
| 4494 | Hazardous processes and events from glacier and permafrost areas: lessons from the Chilean and Argentinean Andes. <i>Earth Surface Processes and Landforms</i> , 2015, 40, 2-21. | 1.2 | 82 |
| 4495 | Global phylogeography of pelagic <i>Polynucleobacter</i> bacteria: Restricted geographic distribution of subgroups, isolation by distance and influence of climate. <i>Environmental Microbiology</i> , 2015, 17, 829-840. | 1.8 | 73 |
| 4496 | The not-so-Irish spurge: <i>Euphorbia hyberna</i> (Euphorbiaceae) and the Littletonian plant "steeplechase". <i>Biological Journal of the Linnean Society</i> , 2015, 114, 249-259. | 0.7 | 6 |
| 4497 | Phylogeographical structure of the boreal-montane orchid <i>Malaxis monophyllosa</i> as a result of multi-directional gene flow. <i>Botanical Journal of the Linnean Society</i> , 2015, 178, 138-154. | 0.8 | 8 |
| 4498 | Clinal variability of oil and nectar rewards in <i>Monttea aphylla</i> (Plantaginaceae): relationships with pollinators and climatic factors in the Monte Desert. <i>Botanical Journal of the Linnean Society</i> , 2015, 178, 314-328. | 0.8 | 16 |
| 4499 | Similar but not equivalent: ecological niche comparison across closely related Mexican white pines. <i>Diversity and Distributions</i> , 2015, 21, 245-257. | 1.9 | 85 |
| 4500 | Increasing temperature may compensate for lower amounts of dead wood in driving richness of saproxylic beetles. <i>Ecography</i> , 2015, 38, 499-509. | 2.1 | 95 |
| 4501 | Temperate forest termites: ecology, biogeography, and ecosystem impacts. <i>Ecological Entomology</i> , 2015, 40, 199-210. | 1.1 | 36 |
| 4502 | A map of the topsoil organic carbon content of Europe generated by a generalized additive model. <i>European Journal of Soil Science</i> , 2015, 66, 121-134. | 1.8 | 158 |
| 4503 | Ecology and conservation of <i>Pseudolestes mirabilis</i> (Diptera: Tephritidae) in the mountains of the Himalayas. <i>Entomological Science</i> , 2015, 18, 123-129. | 0.3 | 2 |
| 4504 | Habitat segregation and ecological character displacement in cryptic African malaria mosquitoes. <i>Evolutionary Applications</i> , 2015, 8, 326-345. | 1.5 | 75 |
| 4505 | Contrasting topoclimate, long-term macroclimatic averages, and habitat variables for modelling ant biodiversity at landscape scales. <i>Insect Conservation and Diversity</i> , 2015, 8, 43-53. | 1.4 | 3 |
| 4506 | Recircumscription of <i>Huperzia serrata</i> complex in China using morphological and climatic data. <i>Journal of Systematics and Evolution</i> , 2015, 53, 88-103. | 1.6 | 10 |
| 4507 | The geographic distribution and ecological preferences of the American dog tick, <i>Dermacentor variabilis</i> (Scleritomeria: Ixodidae), in the U.S.A. <i>Medical and Veterinary Entomology</i> , 2015, 29, 178-188. | 0.7 | 58 |
| 4508 | Historical Biogeography Using Species Geographical Ranges. <i>Systematic Biology</i> , 2015, 64, 1059-1073. | 2.7 | 46 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4509 | Drainage network reveals patterns and history of active deformation in the eastern Greater Caucasus. , 2015, 11, 1343-1364. | | 35 |
| 4510 | A study of the distribution ranges of small mammals in southeastern Transbaikalia using ecological niche-based modeling methods. <i>Biology Bulletin Reviews</i> , 2015, 5, 233-248. | 0.3 | 6 |
| 4511 | Long-term climate forcings to assess vulnerability in North Africa dry argan woodlands. <i>Applied Vegetation Science</i> , 2015, 18, 283-296. | 0.9 | 20 |
| 4512 | Conversion of lowland tropical forests to tree cash crop plantations loses up to one-half of stored soil organic carbon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9956-9960. | 3.3 | 149 |
| 4513 | Thermophilization of adult and juvenile tree communities in the northern tropical Andes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10744-10749. | 3.3 | 115 |
| 4514 | Ecophysiology Tracks Phylogeny and Meets Ecological Models in an Iberian Gecko. <i>Physiological and Biochemical Zoology</i> , 2015, 88, 564-575. | 0.6 | 17 |
| 4515 | Flowering phenology, fruit set and seed mass and number of five coexisting <i>Gymnocalycium</i> (Cactaceae) species from Córdoba mountain, Argentina. <i>Journal of the Torrey Botanical Society</i> , 2015, 142, 220. | 0.1 | 17 |
| 4516 | Mosaic genetic differentiation along environmental and geographic gradients indicate divergent selection in a white pine species complex. <i>Evolutionary Ecology</i> , 2015, 29, 733-748. | 0.5 | 7 |
| 4517 | Modeling the potential distribution and conservation status of three species of oak gall wasps (Hymenoptera: Cynipidae) in the Iberian range. <i>Journal of Insect Conservation</i> , 2015, 19, 921-934. | 0.8 | 6 |
| 4518 | The Relative Influence of Environmental and Human Factors on Seed Plant Richness at the Province Scale in China. <i>Polish Journal of Ecology</i> , 2015, 63, 184-197. | 0.2 | 2 |
| 4519 | Karyotype characterization and evolution in South American species of <i>Lathyrus</i> (<i>Notolathyrus</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34</i> 893-908. | 1.2 | 7 |
| 4520 | Modeling monthly flows of global air travel passengers: An open-access data resource. <i>Journal of Transport Geography</i> , 2015, 48, 52-60. | 2.3 | 59 |
| 4521 | Global convergence in leaf respiration from estimates of thermal acclimation across time and space. <i>New Phytologist</i> , 2015, 207, 1026-1037. | 3.5 | 74 |
| 4522 | Predicting fish species richness and assemblages with climatic, geographic and morphometric factors: A broad-scale study in Chinese lakes. <i>Limnologia</i> , 2015, 54, 66-74. | 0.7 | 6 |
| 4523 | Evolution of the leaf economics spectrum in herbs: Evidence from environmental divergences in leaf physiology across <i>Helianthus</i> (Asteraceae). <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 2705-2720. | 1.1 | 95 |
| 4524 | Late Cretaceous climate and the phylogenetic structure of regional conifer floras worldwide. <i>Global Ecology and Biogeography</i> , 2015, 24, 1136-1148. | 2.7 | 19 |
| 4525 | The geography of snake reproductive mode: a global analysis of the evolution of snake viviparity. <i>Global Ecology and Biogeography</i> , 2015, 24, 1433-1442. | 2.7 | 36 |
| 4526 | Black-spotted pond frog (<i>Pelophylax nigromaculatus</i>) on the Chinese Loess Plateau represents a cryptic species: Evidence from molecular phylogeny and ecological niche modeling. <i>Journal of Systematics and Evolution</i> , 2015, 53, 339-350. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4527 | Seed bank of desert annual plants along an aridity gradient in the southern Atacama coastal desert. <i>Journal of Vegetation Science</i> , 2015, 26, 1148-1158. | 1.1 | 11 |
| 4528 | Collection Bias and the Importance of Natural History Collections in Species Habitat Modeling: A Case Study Using <i>Thoracophorus costalis</i> Erichson (Coleoptera: Staphylinidae: Osoriinae), with a Critique of GBIF.org. <i>The Coleopterists Bulletin</i> , 2015, 69, 415-425. | 0.1 | 19 |
| 4529 | Divergence at the edges: peripatric isolation in the montane spiny throated reed frog complex. <i>BMC Evolutionary Biology</i> , 2015, 15, 128. | 3.2 | 17 |
| 4530 | Pleistocene climatic oscillations rather than recent human disturbance influence genetic diversity in one of the world's highest treeline species. <i>American Journal of Botany</i> , 2015, 102, 1676-1684. | 0.8 | 9 |
| 4531 | Genetic diversity, outcrossing rate, and demographic history along a climatic gradient in the ruderal plant <i>Ruellia nudiflora</i> (Acanthaceae). <i>Revista Mexicana De Biodiversidad</i> , 2015, 86, 508-520. | 0.4 | 10 |
| 4532 | Arctic biodiversity: increasing richness accompanies shrinking refugia for a cold-associated tundra fauna. <i>Ecosphere</i> , 2015, 6, 1-67. | 1.0 | 34 |
| 4533 | Multiple genetic lineages challenge the monospecific status of the West African endemic frog family Odontobatrachidae. <i>BMC Evolutionary Biology</i> , 2015, 15, 67. | 3.2 | 8 |
| 4534 | Range increase of a Neotropical orchid bee under future scenarios of climate change. <i>Journal of Insect Conservation</i> , 2015, 19, 901-910. | 0.8 | 25 |
| 4535 | Southeast African records reveal a coherent shift from high- to low-latitude forcing mechanisms along the east African margin across last glacial-interglacial transition. <i>Quaternary Science Reviews</i> , 2015, 125, 117-130. | 1.4 | 112 |
| 4536 | Modeling sensitivity to climate change and estimating the uncertainty of its impact: A probabilistic concept for risk assessment in forestry. <i>Ecological Modelling</i> , 2015, 316, 211-216. | 1.2 | 15 |
| 4537 | Phylogeny and biogeography of the American live oaks (<i>Quercus</i> subsection <i>Virentes</i>): a genomic and population genetics approach. <i>Molecular Ecology</i> , 2015, 24, 3668-3687. | 2.0 | 165 |
| 4538 | Population genetic structure of <i>Oryza rufipogon</i> and <i>Oryza nivara</i> : implications for the origin of <i>O. Nivara</i> . <i>Molecular Ecology</i> , 2015, 24, 5211-5228. | 2.0 | 46 |
| 4539 | A New Species of <i>Valeriana</i> from the Andean Region of Northwestern Argentina Based on Morphological and Molecular Data. <i>Systematic Botany</i> , 2015, 40, 922-928. | 0.2 | 1 |
| 4540 | Differences in light-harvesting, acclimation to growth-light environment, and leaf structural development between Swedish and Italian ecotypes of <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2015, 242, 1277-1290. | 1.6 | 27 |
| 4541 | Biomass production efficiency controlled by management in temperate and boreal ecosystems. <i>Nature Geoscience</i> , 2015, 8, 843-846. | 5.4 | 109 |
| 4542 | Malaria vectors in South America: current and future scenarios. <i>Parasites and Vectors</i> , 2015, 8, 426. | 1.0 | 68 |
| 4543 | 8000 years of vegetation dynamics and environmental changes of a unique inland peat ecosystem of the Jambi Province in Central Sumatra, Indonesia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 813-829. | 1.0 | 29 |
| 4544 | Genetic Structure across Broad Spatial and Temporal Scales: Rocky Mountain Tailed Frogs (<i>Ascaphus</i>) | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4545 | Implications of reserve size and forest connectivity for the conservation of wood-inhabiting fungi in Europe. <i>Biological Conservation</i> , 2015, 191, 469-477. | 1.9 | 47 |
| 4546 | Know your limits? Climate extremes impact the range of Scots pine in unexpected places. <i>Annals of Botany</i> , 2015, 116, mcv124. | 1.4 | 33 |
| 4547 | Spatial variability of soil microbial biomass and its relationships with edaphic, vegetational and climatic factors in the Three-River Headwaters region on Qinghai-Tibetan Plateau. <i>Applied Soil Ecology</i> , 2015, 95, 191-203. | 2.1 | 20 |
| 4548 | Termite Assemblage Pattern and Niche Partitioning in a Tropical Forest Ecosystem. <i>Environmental Entomology</i> , 2015, 44, 546-556. | 0.7 | 14 |
| 4549 | Global Climate Change Effects on Venezuela's Vulnerability to Chagas Disease is Linked to the Geographic Distribution of Five Triatomine Species. <i>Journal of Medical Entomology</i> , 2015, 52, 1333-1343. | 0.9 | 34 |
| 4550 | Indication of deep groundwater flow through the crystalline rocks of southern Norway. <i>Geology</i> , 2015, 43, 327-330. | 2.0 | 8 |
| 4551 | Soil carbon storage controlled by interactions between geochemistry and climate. <i>Nature Geoscience</i> , 2015, 8, 780-783. | 5.4 | 509 |
| 4552 | Influences on the stable oxygen and carbon isotopes in gerbillid rodent teeth in semi-arid and arid environments: Implications for past climate and environmental reconstruction. <i>Earth and Planetary Science Letters</i> , 2015, 428, 84-96. | 1.8 | 23 |
| 4553 | Geophysiology of Wood Frogs: Landscape Patterns of Prevalence of Disease and Circulating Hormone Concentrations across the Eastern Range. <i>Integrative and Comparative Biology</i> , 2015, 55, 602-617. | 0.9 | 24 |
| 4554 | Resolving the life cycle alters expected impacts of climate change. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150837. | 1.2 | 123 |
| 4555 | The harpacticoid assemblages (Copepoda: Harpacticoida) in the Western Carpathian spring fens in relation to environmental variables and habitat age. <i>Limnologia</i> , 2015, 53, 84-94. | 0.7 | 7 |
| 4556 | The global distribution of Crimean-Congo hemorrhagic fever. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2015, 109, 503-513. | 0.7 | 193 |
| 4557 | Decomposition of the maximum entropy niche function "A step beyond modelling species distribution. <i>Environmental Modelling and Software</i> , 2015, 72, 250-260. | 1.9 | 20 |
| 4558 | Phylogeography of the land snail genus <i>Circassina</i> (Gastropoda: Hygromiidae) implies multiple Pleistocene refugia in the western Caucasus region. <i>Molecular Phylogenetics and Evolution</i> , 2015, 93, 129-142. | 1.2 | 37 |
| 4559 | Resilience of plant-insect interactions in an oak lineage through Quaternary climate change. <i>Paleobiology</i> , 2015, 41, 174-186. | 1.3 | 30 |
| 4560 | Assessing current and future risks of invasion by the "green cancer" <i>Miconia calvenscens</i> . <i>Biological Invasions</i> , 2015, 17, 3337-3350. | 1.2 | 4 |
| 4561 | <i>Chamaecyparis</i> montane cloud forest in Taiwan: ecology and vegetation classification. <i>Ecological Research</i> , 2015, 30, 771-791. | 0.7 | 25 |
| 4562 | MODIS NDVI based metrics improve habitat suitability modelling in fragmented patchy floodplains. <i>Remote Sensing Applications: Society and Environment</i> , 2015, 1, 85-97. | 0.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4563 | Leveraging trans-boundary conservation partnerships: Persistence of Persian leopard (<i>Panthera</i>) | 1.9 | 47 |
| 4564 | Not to Put Too Fine a Point on It – Does Increasing Precision of Geographic Referencing Improve Species Distribution Models for a Wide-Ranging Migratory Bat?. <i>Acta Chiropterologica</i> , 2015, 17, 159-169. | 0.2 | 4 |
| 4565 | An integrative approach to understanding the evolution and diversity of <i>Copiapoa</i> (Cactaceae), a threatened endemic Chilean genus from the Atacama Desert. <i>American Journal of Botany</i> , 2015, 102, 1506-1520. | 0.8 | 29 |
| 4566 | Projecting the dynamics of terrestrial net primary productivity in response to future climate change under the RCP2.6 scenario. <i>Environmental Earth Sciences</i> , 2015, 74, 5949-5959. | 1.3 | 19 |
| 4567 | Conservation genetics and geographic patterns of genetic variation of the vulnerable officinal herb <i>Fritillaria walujewii</i> (Liliaceae). <i>Australian Journal of Botany</i> , 2015, 63, 467. | 0.3 | 2 |
| 4568 | Phylogeographic study of <i>Mandragora</i> L. reveals a case of ancient human assisted migration. <i>Israel Journal of Plant Sciences</i> , 2015, 62, 176-186. | 0.3 | 7 |
| 4569 | Bioclimatic niches of selected endemic <i>Ixora</i> species on the Philippines: predicting habitat suitability due to climate change. <i>Plant Ecology</i> , 2015, 216, 1325-1340. | 0.7 | 17 |
| 4570 | Addition of crop residues affects a detritus-based food chain depending on litter type and farming system. <i>Basic and Applied Ecology</i> , 2015, 16, 746-754. | 1.2 | 13 |
| 4571 | Ecological niche and geographic distribution of the Chagas disease vector, <i>Triatoma dimidiata</i> (Reduviidae: Triatominae): Evidence for niche differentiation among cryptic species. <i>Infection, Genetics and Evolution</i> , 2015, 36, 15-22. | 1.0 | 30 |
| 4572 | Maximum entropy modeling of geographic distributions of the flea beetle species endemic in Italy (Coleoptera: Chrysomelidae: Galerucinae: Alticini). <i>Zoologischer Anzeiger</i> , 2015, 258, 99-109. | 0.4 | 30 |
| 4573 | Local extinctions and range contraction of the endangered <i>Coenagrion mercuriale</i> in North Africa. <i>International Journal of Odonatology</i> , 2015, 18, 137-152. | 0.5 | 9 |
| 4574 | Range-Wide Variation in the Ecological Niche and Floral Polymorphism of the Western Mediterranean Geophyte <i>Narcissus dubius</i> Gouan. <i>International Journal of Plant Sciences</i> , 2015, 176, 724-738. | 0.6 | 8 |
| 4575 | Dinosterol δ^3 values in stratified tropical lakes (Cameroon) are affected by eutrophication. <i>Organic Geochemistry</i> , 2015, 88, 35-49. | 0.9 | 7 |
| 4576 | Climate warming could increase seed longevity of alpine snowbed plants. <i>Alpine Botany</i> , 2015, 125, 69-78. | 1.1 | 37 |
| 4577 | Inter-regional variation on leaf surface defenses in native and non-native <i>Centaurea solstitialis</i> plants. <i>Biochemical Systematics and Ecology</i> , 2015, 62, 208-218. | 0.6 | 11 |
| 4578 | Spatially explicit capture-recapture analysis of bobcat (<i>Lynx rufus</i>) density: implications for mesocarnivore monitoring. <i>Wildlife Research</i> , 2015, 42, 394. | 0.7 | 29 |
| 4579 | Niche modeling for management-ready information in little-studied, threatened frog species assemblages. <i>Journal for Nature Conservation</i> , 2015, 28, 26-34. | 0.8 | 3 |
| 4580 | Conservation Status of Diurnal Raptors in Venezuela. <i>Journal of Raptor Research</i> , 2015, 49, 441-449. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4581 | Predicting community structure in snakes on Eastern Nearctic islands using ecological neutral theory and phylogenetic methods. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20151700. | 1.2 | 16 |
| 4582 | Macroevolutionary assembly of ant/plant symbioses: <i>Pseudomyrmex</i> ants and their ant-housing plants in the Neotropics. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20152200. | 1.2 | 51 |
| 4583 | Local climate and cultivation, but not ploidy, predict functional trait variation in <i>Bouteloua gracilis</i> (Poaceae). <i>Plant Ecology</i> , 2015, 216, 1341-1349. | 0.7 | 14 |
| 4584 | Cytotype distribution patterns, ecological differentiation, and genetic structure in a diploid-tetraploid contact zone of <i>Cardamine amara</i> . <i>American Journal of Botany</i> , 2015, 102, 1380-1395. | 0.8 | 53 |
| 4585 | Geostatistical Modeling of Malaria Endemicity Using Serological Indicators of Exposure Collected Through School Surveys. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 93, 168-177. | 0.6 | 24 |
| 4586 | Modeling the Present and Future Geographic Distribution of the Lone Star Tick, <i>Amblyomma americanum</i> (Ixodida: Ixodidae), in the Continental United States. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 93, 875-890. | 0.6 | 110 |
| 4587 | Phylogeography of the temperate tree species <i>Quercus acutissima</i> in China: Inferences from chloroplast DNA variations. <i>Biochemical Systematics and Ecology</i> , 2015, 63, 190-197. | 0.6 | 30 |
| 4588 | Development of allometric models for above and belowground biomass in swidden cultivation fallows of Northern Laos. <i>Forest Ecology and Management</i> , 2015, 357, 104-116. | 1.4 | 31 |
| 4589 | Mapping the environmental and socioeconomic coverage of the INDEPTH international health and demographic surveillance system network. <i>Health and Place</i> , 2015, 36, 88-96. | 1.5 | 20 |
| 4590 | Predicting Suitable Habitats for the Vulnerable Eastern Hoolock Gibbon, <i>Hoolock leuconedys</i> , in India Using the MaxEnt Model. <i>Folia Primatologica</i> , 2015, 86, 387-397. | 0.3 | 21 |
| 4591 | Potential distribution models and the effect of climatic change on the distribution of <i>Phengaris nausithous</i> considering its food plant and host ants. <i>Journal of Insect Conservation</i> , 2015, 19, 1101-1118. | 0.8 | 8 |
| 4592 | AgMIP Climate Data and Scenarios for Integrated Assessment. <i>ICP Series on Climate Change Impacts, Adaptation, and Mitigation</i> , 2015, , 45-78. | 0.4 | 31 |
| 4593 | Impact of Climate Change on the Rice-Wheat Cropping System of Pakistan. <i>ICP Series on Climate Change Impacts, Adaptation, and Mitigation</i> , 2015, , 219-258. | 0.4 | 84 |
| 4594 | Climate Change Impacts on Rice Farming Systems in Northwestern Sri Lanka. <i>ICP Series on Climate Change Impacts, Adaptation, and Mitigation</i> , 2015, , 315-352. | 0.4 | 8 |
| 4595 | Mapping landscape friction to locate isolated tsetse populations that are candidates for elimination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14575-14580. | 3.3 | 53 |
| 4596 | <i>Brachypodium</i> and the Abiotic Environment. <i>Plant Genetics and Genomics: Crops and Models</i> , 2015, , 291-311. | 0.3 | 7 |
| 4597 | Ecological Divergence, Adaptive Diversification, and the Evolution of Social Signaling Traits: An Empirical Study in Arid Australian Lizards. <i>American Naturalist</i> , 2015, 186, E144-E161. | 1.0 | 19 |
| 4598 | The role of the uplift of the Qinghai-Tibetan Plateau for the evolution of Tibetan biotas. <i>Biological Reviews</i> , 2015, 90, 236-253. | 4.7 | 622 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4599 | Morphology of the reproductive tract and acquisition of sexual maturity in males of <i>Potamotrygon magdalenae</i> (Elasmobranchii: Potamotrygonidae). <i>Journal of Morphology</i> , 2015, 276, 273-289. | 0.6 | 17 |
| 4600 | Biogeography of the Andean metaltail hummingbirds: contrasting evolutionary histories of tree line and habitat generalist clades. <i>Journal of Biogeography</i> , 2015, 42, 763-777. | 1.4 | 41 |
| 4601 | Evidence of a link between demographic rates and species habitat suitability from post release movements in a reinforced bird population. <i>Oikos</i> , 2015, 124, 1089-1097. | 1.2 | 22 |
| 4602 | A continent-wide study reveals clear relationships between regional abiotic conditions and post-dispersal seed predation. <i>Journal of Biogeography</i> , 2015, 42, 662-670. | 1.4 | 23 |
| 4603 | Phylogeography of the Arid Shrub <i>Atraphaxis frutescens</i> (Polygonaceae) in Northwestern China: Evidence From cpDNA Sequences. <i>Journal of Heredity</i> , 2015, 106, 184-195. | 1.0 | 31 |
| 4604 | Spatial incongruence among hotspots and complementary areas of tree diversity in southern Africa. <i>Diversity and Distributions</i> , 2015, 21, 769-780. | 1.9 | 49 |
| 4605 | The role of demography, intra-species variation, and species distribution models in species' projections under climate change. <i>Ecography</i> , 2015, 38, 221-230. | 2.1 | 35 |
| 4606 | Evolutionary and ecological causes of species richness patterns in North American angiosperm trees. <i>Ecography</i> , 2015, 38, 241-250. | 2.1 | 56 |
| 4607 | Assembly rules of ectoparasite communities across scales: combining patterns of abiotic factors, host composition, geographic space, phylogeny and traits. <i>Ecography</i> , 2015, 38, 184-197. | 2.1 | 76 |
| 4608 | Macroecological trends in nestedness and modularity of seed dispersal networks: human impact matters. <i>Global Ecology and Biogeography</i> , 2015, 24, 293-303. | 2.7 | 92 |
| 4609 | Is diversification rate related to climatic niche width?. <i>Global Ecology and Biogeography</i> , 2015, 24, 383-395. | 2.7 | 59 |
| 4610 | Classification of Korean forests: patterns along geographic and environmental gradients. <i>Applied Vegetation Science</i> , 2015, 18, 5-22. | 0.9 | 26 |
| 4611 | Plant diversity predicts beta but not alpha diversity of soil microbes across grasslands worldwide. <i>Ecology Letters</i> , 2015, 18, 85-95. | 3.0 | 612 |
| 4612 | Climate-related variables and geographic distance affect fern species composition across a vegetation gradient in a shrinking hotspot. <i>Plant Ecology and Diversity</i> , 2015, 8, 25-35. | 1.0 | 20 |
| 4613 | Evaluating connectivity between Natura 2000 sites within the montado agroforestry system: a case study using landscape genetics of the wood mouse (<i>Apodemus sylvaticus</i>). <i>Landscape Ecology</i> , 2015, 30, 609-623. | 1.9 | 3 |
| 4614 | Crop diversification as a smallholder livelihood strategy within semi-arid agricultural systems near Mount Kenya. <i>Land Use Policy</i> , 2015, 42, 738-750. | 2.5 | 142 |
| 4615 | Modelling the spatial distribution of White Stork <i>Ciconia ciconia</i> breeding populations in Southeast Europe. <i>Bird Study</i> , 2015, 62, 106-114. | 0.4 | 12 |
| 4616 | Contribution of environmental filtering and dispersal limitation to species turnover of temperate deciduous broad-leaved forests in China. <i>Applied Vegetation Science</i> , 2015, 18, 34-42. | 0.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4617 | Climatic gradients within temperate Europe and small-scale species composition of lichen-rich dry acidophilous Scots pine forests. <i>Fungal Ecology</i> , 2015, 14, 8-23. | 0.7 | 10 |
| 4618 | Forecasting climate change impacts on the distribution of wetland habitat in the Midwestern United states. <i>Global Change Biology</i> , 2015, 21, 766-776. | 4.2 | 20 |
| 4619 | Variation in plant diversity in mediterranean climate ecosystems: the role of climatic and topographical stability. <i>Journal of Biogeography</i> , 2015, 42, 552-564. | 1.4 | 104 |
| 4620 | Environmental correlates of cytotype distribution in <i>Andropogon gerardii</i> (Poaceae). <i>American Journal of Botany</i> , 2015, 102, 92-102. | 0.8 | 36 |
| 4621 | Partitioning the variation in African vertebrate distributions into environmental and spatial components – exploring the link between ecology and biogeography. <i>Ecography</i> , 2015, 38, 450-461. | 2.1 | 14 |
| 4622 | Historical climate trends, deforestation, and maize and bean yields in Nicaragua. <i>Agricultural and Forest Meteorology</i> , 2015, 200, 270-281. | 1.9 | 64 |
| 4623 | Considering gene flow when using coalescent methods to delimit lineages of North American pitvipers of the genus <i>Agkistrodon</i> . <i>Zoological Journal of the Linnean Society</i> , 2015, 173, 505-526. | 1.0 | 48 |
| 4624 | Exploring nationally and regionally defined models for large area population mapping. <i>International Journal of Digital Earth</i> , 2015, 8, 989-1006. | 1.6 | 27 |
| 4625 | Ecological niche differentiation of polyploidization is not supported by environmental differences among species in a cosmopolitan grass genus. <i>American Journal of Botany</i> , 2015, 102, 36-49. | 0.8 | 29 |
| 4626 | Bryophyte communities in the Amazon forest are regulated by height on the host tree and site elevation. <i>Journal of Ecology</i> , 2015, 103, 441-450. | 1.9 | 44 |
| 4627 | The influence of geological events on the endemism of East Asian birds studied through comparative phylogeography. <i>Journal of Biogeography</i> , 2015, 42, 179-192. | 1.4 | 55 |
| 4628 | Potential geographic distribution of two invasive cassava green mites. <i>Experimental and Applied Acarology</i> , 2015, 65, 195-204. | 0.7 | 8 |
| 4629 | Elements of regional beetle faunas: faunal variation and compositional breakpoints along climate, land cover and geographical gradients. <i>Journal of Animal Ecology</i> , 2015, 84, 427-441. | 1.3 | 43 |
| 4630 | Human pressures predict species' geographic range size better than biological traits. <i>Global Change Biology</i> , 2015, 21, 2169-2178. | 4.2 | 124 |
| 4631 | Impacts of climate change on the distribution of Sichuan snub-nosed monkeys (<i>Rhinopithecus</i>) | 0.8 | 29 |
| 4632 | ECo: A new measure evaluating the degree of consistency between environmental factors and spatial arrangement of species assemblages. <i>Ecological Indicators</i> , 2015, 52, 66-74. | 2.6 | 2 |
| 4633 | Climate change threatens giant panda protection in the 21st century. <i>Biological Conservation</i> , 2015, 182, 93-101. | 1.9 | 119 |
| 4634 | Semi-automated mapping of burned areas in semi-arid ecosystems using MODIS time-series imagery. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015, 38, 25-35. | 1.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4635 | Assessing resilience/sensitivity of tropical mountain rainforests towards climate variability of the last 1500 years: The long-term perspective at Lake Kalimpa (Sulawesi, Indonesia). <i>Review of Palaeobotany and Palynology</i> , 2015, 213, 42-53. | 0.8 | 8 |
| 4636 | Is the Spectacled Warbler <i>Sylvia conspicillata</i> expanding northward because of climate warming?. <i>Bird Study</i> , 2015, 62, 126-131. | 0.4 | 1 |
| 4637 | Do geographic, climatic or historical ranges differentiate the performance of central versus peripheral populations?. <i>Global Ecology and Biogeography</i> , 2015, 24, 611-620. | 2.7 | 107 |
| 4638 | Beyond climate: disturbance niche shifts in invasive species. <i>Global Ecology and Biogeography</i> , 2015, 24, 360-370. | 2.7 | 67 |
| 4639 | Habitat suitability, coverage by protected areas and population connectivity for the Siamese crocodile <i>Crocodylus siamensis</i> Schneider, 1801. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2015, 25, 544-554. | 0.9 | 14 |
| 4640 | Untangling human and environmental effects on geographical gradients of mammal species richness: a global and regional evaluation. <i>Journal of Animal Ecology</i> , 2015, 84, 851-860. | 1.3 | 32 |
| 4641 | Balance between climate change mitigation benefits and land use impacts of bioenergy: conservation implications for European birds. <i>GCB Bioenergy</i> , 2015, 7, 741-751. | 2.5 | 12 |
| 4642 | Impact of climate change on the structure of fish assemblages in European rivers. <i>Hydrobiologia</i> , 2015, 744, 235-254. | 1.0 | 38 |
| 4643 | Morphological and behavioural adaptations to feed on nectar: how feeding ecology determines the diversity and composition of hummingbird assemblages. <i>Journal of Ornithology</i> , 2015, 156, 333-347. | 0.5 | 49 |
| 4644 | A new fish-based multi-metric assessment index for cyprinid streams in the Iranian Caspian Sea Basin. <i>Limnologica</i> , 2015, 51, 37-52. | 0.7 | 27 |
| 4645 | Performance of the herb <i>Verbascum thapsus</i> along environmental gradients in its native and non-native ranges. <i>Journal of Biogeography</i> , 2015, 42, 132-143. | 1.4 | 20 |
| 4646 | Physiological plasticity increases resilience of ectothermic animals to climate change. <i>Nature Climate Change</i> , 2015, 5, 61-66. | 8.1 | 678 |
| 4647 | The importance of non-forest landscapes for the conservation of forest bats: lessons from barbastelles (<i>Barbastella barbastellus</i>). <i>Biodiversity and Conservation</i> , 2015, 24, 171-185. | 1.2 | 26 |
| 4648 | Assessing the importance of multiple threats to an endangered globose cactus in Mexico: Cattle grazing, looting and climate change. <i>Biological Conservation</i> , 2015, 181, 73-81. | 1.9 | 24 |
| 4649 | Landscape traits can contribute to range limit equilibrium: habitat constraints refine potential range of an edge population of Black-headed Bunting <i>Emberiza melanocephala</i> . <i>Bird Study</i> , 2015, 62, 132-136. | 0.4 | 12 |
| 4650 | Current and future effectiveness of Natura 2000 network in the central Alps for the conservation of mountain forest owl species in a warming climate. <i>European Journal of Wildlife Research</i> , 2015, 61, 35-44. | 0.7 | 34 |
| 4651 | Accounting for shifts in the frequency of suitable environments when testing for niche overlap. <i>Methods in Ecology and Evolution</i> , 2015, 6, 59-66. | 2.2 | 11 |
| 4652 | Combining distribution modelling and non-invasive genetics to improve range shift forecasting. <i>Ecological Modelling</i> , 2015, 297, 171-179. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4653 | Species distribution modelling for <i>Rhipicephalus microplus</i> (Acari: Ixodidae) in Benin, West Africa: Comparing datasets and modelling algorithms. <i>Preventive Veterinary Medicine</i> , 2015, 118, 8-21. | 0.7 | 35 |
| 4654 | Quantitative summer and winter temperature reconstructions from pollen and chironomid data between 15 and 8 Åka BP in the Balticâ€“Belarus area. <i>Quaternary International</i> , 2015, 388, 4-11. | 0.7 | 47 |
| 4655 | Topographic, latitudinal and climatic distribution of <i>Pinus coulteri</i> : geographic range limits are not at the edge of the climate envelope. <i>Ecography</i> , 2015, 38, 590-601. | 2.1 | 35 |
| 4656 | Rapid multi-nation distribution assessment of a charismatic conservation species using open access ensemble model GIS predictions: Red panda (<i>Ailurus fulgens</i>) in the Hindu-Kush Himalaya region. <i>Biological Conservation</i> , 2015, 181, 150-161. | 1.9 | 73 |
| 4657 | Thermoregulation of two sympatric species of horned lizards in the Chihuahuan Desert and their local extinction risk. <i>Journal of Thermal Biology</i> , 2015, 48, 1-10. | 1.1 | 50 |
| 4658 | Cold tolerance of tree species is related to the climate of their native ranges. <i>Journal of Biogeography</i> , 2015, 42, 156-166. | 1.4 | 62 |
| 4659 | Phylogeography of a Holarctic rodent (<i>Myodes rutilus</i>): testing highâ€“latitude biogeographical hypotheses and the dynamics of range shifts. <i>Journal of Biogeography</i> , 2015, 42, 377-389. | 1.4 | 35 |
| 4660 | Species conservation under future climate change: the case of <i>Bombus bellicosus</i> , a potentially threatened South American bumblebee species. <i>Journal of Insect Conservation</i> , 2015, 19, 33-43. | 0.8 | 48 |
| 4661 | Multiâ€“causality and spatial nonâ€“stationarity in the determinants of groundwater crustacean diversity in Europe. <i>Ecography</i> , 2015, 38, 531-540. | 2.1 | 44 |
| 4662 | Shifts in trait means and variances in North American tree assemblages: species richness patterns are loosely related to the functional space. <i>Ecography</i> , 2015, 38, 649-658. | 2.1 | 89 |
| 4663 | Dense understory and absence of capuchin monkeys (<i>Sapajus xanthosternos</i>) predict higher density of common marmosets (<i>Callithrix jacchus</i>) in the Brazilian Northeast. <i>American Journal of Primatology</i> , 2015, 77, 425-433. | 0.8 | 56 |
| 4664 | Late bloomers and baby boomers: ecological drivers of longevity in squamates and the tuatara. <i>Global Ecology and Biogeography</i> , 2015, 24, 396-405. | 2.7 | 78 |
| 4665 | Living on the edge: the role of geography and environment in structuring genetic variation in the southernmost populations of a tropical oak. <i>Plant Biology</i> , 2015, 17, 676-683. | 1.8 | 17 |
| 4666 | Assessing the distribution of a vulnerable felid species: threats from human land use and climate change to the kodkod <i>Leopardus guigna</i> . <i>Oryx</i> , 2015, 49, 611-618. | 0.5 | 5 |
| 4667 | The future of ancient DNA: Technical advances and conceptual shifts. <i>BioEssays</i> , 2015, 37, 284-293. | 1.2 | 209 |
| 4668 | Trapped by climate: interglacial refuge and recent population expansion in the endemic Iberian adder <i>Vipera seoanei</i> . <i>Diversity and Distributions</i> , 2015, 21, 331-344. | 1.9 | 48 |
| 4669 | Distribution and conservation of orchid species richness in China. <i>Biological Conservation</i> , 2015, 181, 64-72. | 1.9 | 105 |
| 4670 | Climate changeâ€“induced decline in bamboo habitats and species diversity: implications for giant panda conservation. <i>Diversity and Distributions</i> , 2015, 21, 379-391. | 1.9 | 95 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4671 | Diversity patterns of ferns along elevational gradients in Andean tropical forests. <i>Plant Ecology and Diversity</i> , 2015, 8, 13-24. | 1.0 | 65 |
| 4672 | Operational perspective of remote sensing-based forest fire danger forecasting systems. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 104, 224-236. | 4.9 | 80 |
| 4673 | Distribution and diversity of palms in a tropical biodiversity hotspot (Thailand) assessed by species distribution modeling. <i>Nordic Journal of Botany</i> , 2015, 33, 214-224. | 0.2 | 6 |
| 4674 | Delving into the variations in tree species composition and richness across South American subtropical Atlantic and Pampean forests. <i>Journal of Plant Ecology</i> , 2015, 8, 242-260. | 1.2 | 173 |
| 4675 | Potential distribution of invasive alien species in the upper Ili river basin: determination and mechanism of bioclimatic variables under climate change. <i>Environmental Earth Sciences</i> , 2015, 73, 779-786. | 1.3 | 9 |
| 4676 | High-resolution spatial databases of monthly climate variables (1961–2010) over a complex terrain region in southwestern China. <i>Theoretical and Applied Climatology</i> , 2015, 119, 353-362. | 1.3 | 6 |
| 4677 | Future land-use change scenarios for the Black Sea catchment. <i>Environmental Science and Policy</i> , 2015, 46, 26-36. | 2.4 | 33 |
| 4678 | Impacts of climate change on distributions and diversity of ungulates on the Tibetan Plateau. <i>Ecological Applications</i> , 2015, 25, 24-38. | 1.8 | 76 |
| 4679 | A climate of uncertainty: accounting for error in climate variables for species distribution models. <i>Methods in Ecology and Evolution</i> , 2015, 6, 412-423. | 2.2 | 66 |
| 4680 | Biogeographic structure of the northeastern Pacific rocky intertidal: the role of upwelling and dispersal to drive patterns. <i>Ecography</i> , 2015, 38, 83-95. | 2.1 | 53 |
| 4681 | Global diversity patterns of freshwater fishes – potential victims of their own success. <i>Diversity and Distributions</i> , 2015, 21, 345-356. | 1.9 | 53 |
| 4682 | Plant dispersal systems in Neotropical forests: availability of dispersal agents or availability of resources for constructing zoochorous fruits?. <i>Global Ecology and Biogeography</i> , 2015, 24, 203-214. | 2.7 | 34 |
| 4683 | Integrating Fossils, Phylogenies, and Niche Models into Biogeography to Reveal Ancient Evolutionary History: The Case of <i>Hypericum</i> (Hypericaceae). <i>Systematic Biology</i> , 2015, 64, 215-232. | 2.7 | 111 |
| 4684 | Soil-induced impacts on forest structure drive coarse woody debris stocks across central Amazonia. <i>Plant Ecology and Diversity</i> , 2015, 8, 229-241. | 1.0 | 20 |
| 4685 | The Sava River. <i>Handbook of Environmental Chemistry</i> , 2015, , . | 0.2 | 10 |
| 4686 | Are there links between responses of soil microbes and ecosystem functioning to elevated CO ₂ , N deposition and warming? A global perspective. <i>Global Change Biology</i> , 2015, 21, 1590-1600. | 4.2 | 140 |
| 4687 | Molecular phylogenetics of tribe Eudemeae (Brassicaceae) and implications for its morphology and distribution. <i>Molecular Phylogenetics and Evolution</i> , 2015, 82, 43-59. | 1.2 | 21 |
| 4688 | Using Species Distribution Modeling to Assess Factors that Determine the Distribution of Two Parapatric Howlers (<i>Alouatta</i> spp.) in South America. <i>International Journal of Primatology</i> , 2015, 36, 18-32. | 0.9 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4689 | Scaling of nitrogen and phosphorus across plant organs in shrubland biomes across Northern China. <i>Scientific Reports</i> , 2014, 4, 5448. | 1.6 | 75 |
| 4690 | Whole range and regional-based ecological niche models predict differing exposure to 21st century climate change in the key cool temperate rainforest tree southern beech (<i>Nothofagus cunninghamii</i>). <i>Austral Ecology</i> , 2015, 40, 126-138. | 0.7 | 14 |
| 4691 | Discovered just before extinction? The first endemic ant from the Balearic Islands (<i>Lasius balearicus</i>) | 1.4 | 18 |
| 4692 | Broad-scale variation of fungal endophyte incidence in temperate grasses. <i>Journal of Ecology</i> , 2015, 103, 184-190. | 1.9 | 32 |
| 4693 | Tree cover at fine and coarse spatial grains interacts with shade tolerance to shape plant species distributions across the Alps. <i>Ecography</i> , 2015, 38, 578-589. | 2.1 | 38 |
| 4694 | Elevational shifts, biotic homogenization and time lags in vegetation change during 40 years of climate warming. <i>Ecography</i> , 2015, 38, 546-555. | 2.1 | 129 |
| 4695 | Phylogenetic study with nuclear and chloroplast data and ecological niche reveals <i>Atacama</i> (Brassicaceae), a new monotypic genus endemic from the Andes of the Atacama Desert, Chile. <i>Plant Systematics and Evolution</i> , 2015, 301, 1377-1396. | 0.3 | 15 |
| 4696 | Winner or loser of climate change? A modeling study of current and future climatic suitability of Arabica coffee in Indonesia. <i>Regional Environmental Change</i> , 2015, 15, 1473-1482. | 1.4 | 52 |
| 4697 | Genetic consequences of postglacial range expansion in two codistributed rodents (genus <i>Taj</i>) | 2.0 | 46 |
| 4698 | Foliar elemental composition of European forest tree species associated with evolutionary traits and present environmental and competitive conditions. <i>Global Ecology and Biogeography</i> , 2015, 24, 240-255. | 2.7 | 100 |
| 4699 | Cranial variation of the greater horseshoe bat <i>Rhinolophus ferrumequinum</i> (Chiroptera: <i>Taj</i>) | 0.4 | 9 |
| 4700 | Distribution of <i>Tomicus destruens</i> (Coleoptera: Scolytinae) mitochondrial lineages: phylogeographic insights and niche modelling. <i>Organisms Diversity and Evolution</i> , 2015, 15, 101-113. | 0.7 | 7 |
| 4701 | Ostracod-based palaeotemperature reconstructions for MIS 11 human occupation at Beeches Pit, West Stow, Suffolk, UK. <i>Journal of Archaeological Science</i> , 2015, 54, 421-425. | 1.2 | 6 |
| 4702 | Influence of tropical easterlies in southern Africa's winter rainfall zone during the Holocene. <i>Quaternary Science Reviews</i> , 2015, 107, 138-148. | 1.4 | 79 |
| 4703 | Nonlinear features and complexity patterns of vegetation dynamics in the transition zone of North China. <i>Ecological Indicators</i> , 2015, 49, 237-246. | 2.6 | 12 |
| 4704 | The enigmatic Black Tinamou: Do distribution, climate, and vocalizations reveal more than one species?. <i>Auk</i> , 2015, 132, 132-139. | 0.7 | 7 |
| 4705 | Coseismic landslides reveal near-surface rock strength in a high-relief, tectonically active setting. <i>Geology</i> , 2015, 43, 11-14. | 2.0 | 81 |
| 4706 | Ecological niche modeling under climate change to select shrubs for ecological restoration in Central Mexico. <i>Ecological Engineering</i> , 2015, 74, 302-309. | 1.6 | 52 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 4707 | Climate forcing datasets for agricultural modeling: Merged products for gap-filling and historical climate series estimation. <i>Agricultural and Forest Meteorology</i> , 2015, 200, 233-248. | 1.9 | 299 |
| 4708 | Multiple sources of uncertainty affect metrics for ranking conservation risk under climate change. <i>Diversity and Distributions</i> , 2015, 21, 111-122. | 1.9 | 39 |
| 4709 | Untangling the influence of phylogeny, soil and climate on leaf element concentrations in a biodiversity hotspot. <i>Functional Ecology</i> , 2015, 29, 165-176. | 1.7 | 80 |
| 4710 | A pan-European planning basis for estimating the very shallow geothermal energy potentials. <i>Renewable Energy</i> , 2015, 75, 335-347. | 4.3 | 53 |
| 4711 | Irrigation in the arid regions of Tunisia impacts the abundance and apparent density of sand fly vectors of <i>Leishmania infantum</i> . <i>Acta Tropica</i> , 2015, 141, 73-78. | 0.9 | 22 |
| 4712 | Productivity limits and potentials of the principles of conservation agriculture. <i>Nature</i> , 2015, 517, 365-368. | 13.7 | 1,005 |
| 4713 | Sampling design optimization of a wireless sensor network for monitoring ecohydrological processes in the Babao River basin, China. <i>International Journal of Geographical Information Science</i> , 2015, 29, 92-110. | 2.2 | 49 |
| 4714 | Positive fire feedbacks contribute to shifts from <i>Neotoma</i> forests to fire-prone shrublands in Patagonia. <i>Journal of Vegetation Science</i> , 2015, 26, 89-101. | 1.1 | 89 |
| 4715 | Pre-Columbian agriculture in the Bolivian Lowlands: Construction history and management of raised fields in Bermeo. <i>Catena</i> , 2015, 132, 126-138. | 2.2 | 20 |
| 4716 | Niche similarities among white-eared opossums (Mammalia, Didelphidae): Is ecological niche modelling relevant to setting species limits?. <i>Zoologica Scripta</i> , 2015, 44, 1-10. | 0.7 | 34 |
| 4717 | Changes in a West Indian bird community since the late Pleistocene. <i>Journal of Biogeography</i> , 2015, 42, 426-438. | 1.4 | 32 |
| 4718 | SDMspecies: a software for creating virtual species for species distribution modelling. <i>Ecography</i> , 2015, 38, 108-110. | 2.1 | 21 |
| 4719 | Between- and within-species trait variability and the assembly of sapling communities in forest patches. <i>Journal of Vegetation Science</i> , 2015, 26, 21-31. | 1.1 | 59 |
| 4720 | Assessing the statistical relationships among water-derived climate variables, rainfall, and remotely sensed features of vegetation: implications for evaluating the habitat of ticks. <i>Experimental and Applied Acarology</i> , 2015, 65, 107-124. | 0.7 | 15 |
| 4721 | Using satellite telemetry and environmental niche modelling to inform conservation targets for a long-distance migratory raptor in its wintering grounds. <i>Oryx</i> , 2015, 49, 329-337. | 0.5 | 26 |
| 4722 | Niche conservatism among non-native vertebrates in Europe and North America. <i>Ecography</i> , 2015, 38, 321-329. | 2.1 | 76 |
| 4723 | Niche shift in four non-native estrildid finches and implications for species distribution models. <i>Ibis</i> , 2015, 157, 75-90. | 1.0 | 24 |
| 4724 | Ants at the edge: a sharp forest-steppe boundary influences the taxonomic and functional organization of ant species assemblages along elevational gradients in northwestern Patagonia (Argentina). <i>Biodiversity and Conservation</i> , 2015, 24, 287-308. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4725 | Ecological genomics meets community-level modelling of biodiversity: mapping the genomic landscape of current and future environmental adaptation. <i>Ecology Letters</i> , 2015, 18, 1-16. | 3.0 | 426 |
| 4726 | Characterizing the crop environment – nature, significance and applications. , 2015, , 321-348. | | 49 |
| 4727 | Screening biological traits and fluoride contents of native vegetations in arid environments to select efficiently fluoride-tolerant native plant species for in-situ phytoremediation. <i>Chemosphere</i> , 2015, 119, 217-223. | 4.2 | 31 |
| 4728 | Drivers of freshwater fish colonisations and extirpations under climate change. <i>Ecography</i> , 2015, 38, 510-519. | 2.1 | 44 |
| 4729 | <scp>CTFS</scp> – Forest<scp>GEO</scp>: a worldwide network monitoring forests in an era of global change. <i>Global Change Biology</i> , 2015, 21, 528-549. | 4.2 | 473 |
| 4730 | Predicting the conservation status of data-deficient species. <i>Conservation Biology</i> , 2015, 29, 250-259. | 2.4 | 254 |
| 4731 | Digital mapping of soil organic matter for rubber plantation at regional scale: An application of random forest plus residuals kriging approach. <i>Geoderma</i> , 2015, 237-238, 49-59. | 2.3 | 171 |
| 4732 | Type of soil and temperature range explain the preferred habitat and current distribution of the endemic lizard <i>Aspidoscelis hyperythra</i> in southern Baja California peninsula. <i>Journal of Arid Environments</i> , 2015, 113, 126-133. | 1.2 | 8 |
| 4733 | Late Quaternary alluvial fans of Emli Valley in the EceMiÅ Fault Zone, south central Turkey: Insights from cosmogenic nuclides. <i>Geomorphology</i> , 2015, 228, 512-525. | 1.1 | 26 |
| 4734 | Representativeness impacts on accuracy and precision of climate spatial interpolation in data-scarce regions. <i>Meteorological Applications</i> , 2015, 22, 368-377. | 0.9 | 18 |
| 4735 | Of peaks and valleys: testing the roles of orogeny and habitat heterogeneity in driving allopatry in mid-elevation frogs (Aromobatidae: <i>Rheobates</i>) of the northern Andes. <i>Journal of Biogeography</i> , 2015, 42, 193-205. | 1.4 | 38 |
| 4736 | The roles of genetic drift and natural selection in quantitative trait divergence along an altitudinal gradient in <i>Arabidopsis thaliana</i> . <i>Heredity</i> , 2015, 114, 220-228. | 1.2 | 50 |
| 4737 | Differential effects of temperature change and human impact on European Late Quaternary mammalian extinctions. <i>Global Change Biology</i> , 2015, 21, 1475-1481. | 4.2 | 18 |
| 4738 | <scp>AFRICLIM</scp>: high-resolution climate projections for ecological applications in <scp>Africa</scp>. <i>African Journal of Ecology</i> , 2015, 53, 103-108. | 0.4 | 122 |
| 4739 | Uncertainty in ensemble modelling of large-scale species distribution: Effects from species characteristics and model techniques. <i>Ecological Modelling</i> , 2015, 306, 67-75. | 1.2 | 52 |
| 4740 | Breeding origin and spatial distribution of migrant and resident harriers in a Mediterranean wintering area: insights from isotopic analyses, ring recoveries and species distribution modelling. <i>Journal of Ornithology</i> , 2015, 156, 247-256. | 0.5 | 19 |
| 4741 | Genetic structure of <i>Saxifraga rosacea</i> subsp. <i>sponhemica</i> , a rare endemic rock plant of Central Europe. <i>Plant Systematics and Evolution</i> , 2015, 301, 251-263. | 0.3 | 16 |
| 4742 | Exploring spatially variable relationships between NDVI and climatic factors in a transition zone using geographically weighted regression. <i>Theoretical and Applied Climatology</i> , 2015, 120, 507-519. | 1.3 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4743 | Impacts of Road Expansion on Deforestation and Biological Carbon Loss in the Democratic Republic of Congo. <i>Environmental and Resource Economics</i> , 2015, 60, 433-469. | 1.5 | 18 |
| 4744 | Environmentally determined juvenile growth rates dictate the degree of sexual size dimorphism in the Sardinian brook newt. <i>Evolutionary Ecology</i> , 2015, 29, 169-184. | 0.5 | 5 |
| 4745 | Modeling the Geographic Distribution of <i>Prosopis africana</i> (G. and Perr.) Taub. in Niger. <i>Environment and Natural Resources Research</i> , 2016, 6, 136. | 0.1 | 1 |
| 4746 | How much cryosphere model complexity is just right? Exploration using the conceptual cryosphere hydrology framework. <i>Cryosphere</i> , 2016, 10, 2147-2171. | 1.5 | 18 |
| 4747 | Downscaling de variables climáticas a partir del reanálisis NCEP/NCAR en el sudoeste de la provincia de Buenos Aires (Argentina). <i>Papeles De Geografía</i> , 2016, , 21. | 0.1 | 2 |
| 4748 | Site selection of European ground squirrels (<i>Spermophilus citellus</i>) in Eastern Romania and how they are influenced by climate, relief, and vegetation. <i>Turkish Journal of Zoology</i> , 2016, 40, 917-924. | 0.4 | 10 |
| 4749 | Comparing Suitable Habitat Models to Predict Rare and Endemic Plant Species Distributions: What are the Limits of the Niche of <i>Cola lorougnonis</i> (Malvaceae) in Cote d'Ivoire?. <i>Environment and Natural Resources Research</i> , 2016, 6, 1. | 0.1 | 3 |
| 4750 | Priority regions for research on dryland cereals and legumes. <i>F1000Research</i> , 2016, 5, 885. | 0.8 | 4 |
| 4751 | Identification of Factors Influencing Locations of Tree Cover Loss and Gain and Their Spatio-Temporally-Variant Importance in the Li River Basin, China. <i>Remote Sensing</i> , 2016, 8, 201. | 1.8 | 5 |
| 4752 | Environmental determinants and spatial mismatch of mammal diversity measures in Colombia. <i>Animal Biodiversity and Conservation</i> , 2016, 39, 77-87. | 0.3 | 17 |
| 4753 | Heterogeneity in a communal cattle-farming system in a zone endemic for foot and mouth disease in South Africa. <i>Geospatial Health</i> , 2016, 11, 338. | 0.3 | 0 |
| 4754 | STEM AND SOIL CO ₂ Efflux Responses Of <i>Pinus radiata</i> PLANTATIONS TO TEMPERATURE, SEASON, AGE, TIME (DAY/NIGHT) AND FERTILIZATION. <i>Ciencia E Investigacion Agraria</i> , 2016, 43, 9-9. | 0.2 | 2 |
| 4755 | Modelling the soil microclimate: does the spatial or temporal resolution of input parameters matter?. <i>Frontiers of Biogeography</i> , 2016, 7, . | 0.8 | 8 |
| 4756 | Past influences present: Mammalian species from different biogeographic pools sort environmentally in the Indian subcontinent. <i>Frontiers of Biogeography</i> , 2016, 8, . | 0.8 | 1 |
| 4757 | Modelagem preditiva de distribuição de espécies pioneiras no Estado de Minas Gerais. <i>Pesquisa Agropecuaria Brasileira</i> , 2016, 51, 207-214. | 0.9 | 10 |
| 4758 | Predicting the spatial distribution of <i>Biomphalaria straminea</i> , a potential intermediate host for <i>Schistosoma mansoni</i> , in China. <i>Geospatial Health</i> , 2016, 11, 453. | 0.3 | 13 |
| 4759 | Completeness of Digital Accessible Knowledge of Plants of Benin and Priorities for Future Inventory and Data Discovery. <i>Biodiversity Informatics</i> , 0, 11, . | 3.0 | 6 |
| 4760 | Regional habitat needs of a nationally listed species, Canada Warbler (<i>Cardellina canadensis</i>), in Alberta, Canada. <i>Avian Conservation and Ecology</i> , 2016, 11, . | 0.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4761 | Improved large-scale hydrological modelling through the assimilation of streamflow and downscaled satellite soil moisture observations. <i>Hydrology and Earth System Sciences</i> , 2016, 20, 3059-3076. | 1.9 | 46 |
| 4762 | Phenotypic plasticity can explain evolution of sympatric polymorphism in the hairy snail <i>Trochulus hispidus</i> (Linnaeus, 1758). <i>Environmental Epigenetics</i> , 2017, 63, zow082. | 0.9 | 10 |
| 4763 | Anthropogenic impacts drive niche and conservation metrics of a cryptic rattlesnake on the Colorado Plateau of western North America. <i>Royal Society Open Science</i> , 2016, 3, 160047. | 1.1 | 7 |
| 4764 | Climate change and ecosystems dynamics over the last 6000 years in the Middle Atlas, Morocco. <i>Climate of the Past</i> , 2016, 12, 1029-1042. | 1.3 | 18 |
| 4765 | Carbon and nitrogen contents in particle size fractions of topsoil along a 3000 km aridity gradient in grasslands of northern China. <i>Biogeosciences</i> , 2016, 13, 3635-3646. | 1.3 | 29 |
| 4766 | On the rebound: soil organic carbon stocks can bounce back to near forest levels when agroforests replace agriculture in southern India. <i>Soil</i> , 2016, 2, 13-23. | 2.2 | 49 |
| 4767 | Elevational pattern of bird species richness and its causes along a central Himalaya gradient, China. <i>PeerJ</i> , 2016, 4, e2636. | 0.9 | 40 |
| 4768 | Seasonal Changes in Bird Species and Feeding Guilds along Elevational Gradients of the Central Himalayas, Nepal. <i>PLoS ONE</i> , 2016, 11, e0158362. | 1.1 | 37 |
| 4769 | Developing MODIS-based cloud climatologies to aid species distribution modeling and conservation activities. <i>Frontiers of Biogeography</i> , 2016, 8, . | 0.8 | 1 |
| 4770 | Biophysical Characterization of Protected Areas Globally through Optimized Image Segmentation and Classification. <i>Remote Sensing</i> , 2016, 8, 780. | 1.8 | 9 |
| 4771 | Evolutionary change in the germination niche between related species within Neopterteria clade (Cactaceae) is idiosyncratic to habitat type. <i>Gayana - Botanica</i> , 2016, 73, 177-182. | 0.3 | 2 |
| 4772 | Using ecological niche models to predict the impact of global climate change on the geographical distribution and productivity of <i>Euterpe oleracea</i> Mart. (Arecaceae) in the Amazon. <i>Acta Botanica Brasilica</i> , 2016, 30, 290-295. | 0.8 | 9 |
| 4773 | USLE-Based Assessment of Soil Erosion by Water in the Nyabarongo River Catchment, Rwanda. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 835. | 1.2 | 44 |
| 4774 | Spatial climate dynamics in the Iberian Peninsula since 15000 BP. <i>Climate of the Past</i> , 2016, 12, 1137-1149. | 1.4 | 18 |
| 4775 | Spatial modeling of cutaneous leishmaniasis in the Andean region of Colombia. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2016, 111, 433-442. | 0.8 | 25 |
| 4776 | Mapping Wetlands in Zambia Using Seasonal Backscatter Signatures Derived from ENVISAT ASAR Time Series. <i>Remote Sensing</i> , 2016, 8, 402. | 1.8 | 46 |
| 4777 | Effects of climate and forest structure on palms, bromeliads and bamboos in Atlantic Forest fragments of Northeastern Brazil. <i>Brazilian Journal of Biology</i> , 2016, 76, 834-844. | 0.4 | 5 |
| 4778 | Sensitivity of biogenic volatile organic compounds to land surface parameterizations and vegetation distributions in California. <i>Geoscientific Model Development</i> , 2016, 9, 1959-1976. | 1.3 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4779 | Combining livestock production information in a process-based vegetation model to reconstruct the history of grassland management. <i>Biogeosciences</i> , 2016, 13, 3757-3776. | 1.3 | 34 |
| 4780 | Rainfall erosivity in catchments contaminated with fallout from the Fukushima Daiichi nuclear power plant accident. <i>Hydrology and Earth System Sciences</i> , 2016, 20, 2467-2482. | 1.9 | 42 |
| 4781 | Species diversity driven by morphological and ecological disparity: a case study of comparative seed morphology and anatomy across a large monocot order. <i>AoB PLANTS</i> , 2016, 8, . | 1.2 | 13 |
| 4782 | Numerical simulations of the Cordilleran ice sheet through the last glacial cycle. <i>Cryosphere</i> , 2016, 10, 639-664. | 1.5 | 49 |
| 4783 | Predicting the invasive potential of the cladoceran <i>Daphnia lumholtzi</i> Sars, 1885 (Crustacea): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 587 life-history traits?. <i>Journal of Limnology</i> , 0, , . | 0.3 | 1 |
| 4784 | Taxonomic revision of the tarantula genus <i>Aphonopelma</i> Pocock, 1901 (Araneae, Mygalomorphae,) Tj ETQq1 1 0.784314 rgBT /Overlock 63 | 0.5 | 63 |
| 4785 | Bush Encroachment Mapping for Africa: Multi-Scale Analysis with Remote Sensing and GIS. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 4 |
| 4786 | Using ecological niche modelsto plan conservation in a changing environment: A case for the plant <i>Chasmanthera dependens</i> Hochst (Menispermaceae) in West Africa. <i>Journal of Ecology and the Natural Environment</i> , 2016, 8, 1-8. | 0.2 | 3 |
| 4787 | Inferring late-Holocene climate in the Ecuadorian Andes using a chironomid-based temperature inference model. <i>Climate of the Past</i> , 2016, 12, 1263-1280. | 1.3 | 11 |
| 4788 | Variation in plant-animal interactions along an elevational gradient of moist forest in a semiarid area of Brazil. <i>Acta Botanica Brasilica</i> , 2016, 30, 27-34. | 0.8 | 5 |
| 4789 | Anthropogenic impacts in protected areas: assessing the efficiency of conservation efforts using Mediterranean ant communities. <i>PeerJ</i> , 2016, 4, e2773. | 0.9 | 19 |
| 4790 | Physiologically grounded metrics of model skill: a case study estimating heat stress in intertidal populations. , 2016, 4, cow038. | | 13 |
| 4791 | Phylogeographic Structure of a Tethyan Relict<i>Capparis spinosa</i> (Capparaceae) Traces Pleistocene Geologic and Climatic Changes in the Western Himalayas, Tianshan Mountains, and Adjacent Desert Regions. <i>BioMed Research International</i> , 2016, 2016, 1-13. | 0.9 | 14 |
| 4792 | Using Genome-Wide SNP Discovery and Genotyping to Reveal the Main Source of Population Differentiation in <i>Nothofagus dombeyi</i> (Mirb.) Oerst. in Chile. <i>International Journal of Genomics</i> , 2016, 2016, 1-10. | 0.8 | 9 |
| 4793 | Estimation of Areal Mean Rainfall in Remote Areas Using B-SHADE Model. <i>Advances in Meteorology</i> , 2016, 2016, 1-13. | 0.6 | 5 |
| 4794 | Potential Distribution of Chagas Disease Vectors (Hemiptera, Reduviidae, Triatominae) in Colombia, Based on Ecological Niche Modeling. <i>Journal of Tropical Medicine</i> , 2016, 2016, 1-10. | 0.6 | 30 |
| 4795 | Terrain Segmentation of Greece Using the Spatial and Seasonal Variation of Reference Crop Evapotranspiration. <i>Advances in Meteorology</i> , 2016, 2016, 1-14. | 0.6 | 7 |
| 4797 | Suitability of Water Harvesting in the Upper Blue Nile Basin, Ethiopia: A First Step towards a Mesoscale Hydrological Modeling Framework. <i>Advances in Meteorology</i> , 2016, 2016, 1-12. | 0.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4798 | An integrative systematic revision and biogeography of Rhynchocalamus snakes (Reptilia, Colubridae) with a description of a new species from Israel. <i>PeerJ</i> , 2016, 4, e2769. | 0.9 | 15 |
| 4799 | Mapping Global Forest Aboveground Biomass with Spaceborne LiDAR, Optical Imagery, and Forest Inventory Data. <i>Remote Sensing</i> , 2016, 8, 565. | 1.8 | 108 |
| 4800 | Computational Policy Support Systems for Understanding Land Degradation Effects on Water and Food Security for and from Africa. , 2016, , 211-233. | | 3 |
| 4801 | Detection of ground fog in mountainous areas from MODIS (Collection 051) daytime data using a statistical approach. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 1135-1152. | 1.2 | 8 |
| 4802 | Rationalization of Altitudinal Precipitation Profiles in a Data-Scarce Glacierized Watershed Simulation in the Karakoram. <i>Water (Switzerland)</i> , 2016, 8, 186. | 1.2 | 8 |
| 4803 | Evaluaci3n de la diversidad y patrones de distribuci3n de <i>Passiflora subg3nero Astrophea</i> (Passifloraceae) en Colombia. Un reto para la investigaci3n taxon3mica, flor3stica y de conservaci3n de las especies. <i>Acta Agronomica</i> , 2016, 65, 422-430. | 0.0 | 5 |
| 4804 | Estimating Permafrost Distribution in the Maritime Southern Alps, New Zealand, Based on Climatic Conditions at Rock Glacier Sites. <i>Frontiers in Earth Science</i> , 2016, 4, . | 0.8 | 51 |
| 4805 | Determinants of Distribution Patterns and Management Needs in a Critically Endangered Lion <i>Panthera leo</i> Population. <i>Frontiers in Ecology and Evolution</i> , 2016, 4, . | 1.1 | 30 |
| 4806 | Climate, Soil Management, and Cultivar Affect <i>Fusarium</i> Head Blight Incidence and Deoxynivalenol Accumulation in Durum Wheat of Southern Italy. <i>Frontiers in Microbiology</i> , 2016, 7, 1014. | 1.5 | 36 |
| 4807 | Advances and Limitations of Disease Biogeography Using Ecological Niche Modeling. <i>Frontiers in Microbiology</i> , 2016, 07, 1174. | 1.5 | 105 |
| 4808 | Unexpectedly High Beta-Diversity of Root-Associated Fungal Communities in the Bolivian Andes. <i>Frontiers in Microbiology</i> , 2016, 7, 1377. | 1.5 | 28 |
| 4809 | No-tillage lessens soil CO<sub>2</sub> emissions the most under arid and sandy soil conditions: results from a meta-analysis. <i>Biogeosciences</i> , 2016, 13, 3619-3633. | 1.3 | 104 |
| 4810 | A 1973â€“2008 Archive of Climate Surfaces for NW Maghreb. <i>Data</i> , 2016, 1, 8. | 1.2 | 4 |
| 4811 | Plant Diversity along the Eastern and Western Slopes of Baima Snow Mountain, China. <i>Forests</i> , 2016, 7, 89. | 0.9 | 11 |
| 4812 | Spatial Heterogeneity of Climate Change Effects on Dominant Height of Larch Plantations in Northern and Northeastern China. <i>Forests</i> , 2016, 7, 151. | 0.9 | 5 |
| 4813 | Allometric Equations for Estimating Tree Aboveground Biomass in Tropical Dipterocarp Forests of Vietnam. <i>Forests</i> , 2016, 7, 180. | 0.9 | 21 |
| 4814 | Drought Stress Distribution Responses of Continental Beech Forests at their Xeric Edge in Central Europe. <i>Forests</i> , 2016, 7, 298. | 0.9 | 8 |
| 4815 | Analysis and Prediction of Land Use Changes Related to Invasive Species and Major Driving Forces in the State of Connecticut. <i>Land</i> , 2016, 5, 25. | 1.2 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4816 | A River Basin over the Course of Time: Multi-Temporal Analyses of Land Surface Dynamics in the Yellow River Basin (China) Based on Medium Resolution Remote Sensing Data. <i>Remote Sensing</i> , 2016, 8, 186. | 1.8 | 28 |
| 4817 | Land Cover Characterization in West Sudanian Savannas Using Seasonal Features from Annual Landsat Time Series. <i>Remote Sensing</i> , 2016, 8, 365. | 1.8 | 26 |
| 4818 | Landsat ETM+ and SRTM Data Provide Near Real-Time Monitoring of Chimpanzee (<i>Pan troglodytes</i>) Habitats in Africa. <i>Remote Sensing</i> , 2016, 8, 427. | 1.8 | 28 |
| 4819 | Spatial Assessment of the Bioclimatic and Environmental Factors Driving Mangrove Tree Species'™ Distribution along the Brazilian Coastline. <i>Remote Sensing</i> , 2016, 8, 451. | 1.8 | 26 |
| 4820 | Abiotic Controls on Macroscale Variations of Humid Tropical Forest Height. <i>Remote Sensing</i> , 2016, 8, 494. | 1.8 | 11 |
| 4821 | Sixteen Years of Agricultural Drought Assessment of the BioBÃo Region in Chile Using a 250 m Resolution Vegetation Condition Index (VCI). <i>Remote Sensing</i> , 2016, 8, 530. | 1.8 | 73 |
| 4822 | Creating a Regional MODIS Satellite-Driven Net Primary Production Dataset for European Forests. <i>Remote Sensing</i> , 2016, 8, 554. | 1.8 | 39 |
| 4823 | Indicators for Assessing Habitat Values and Pressures for Protected Areas'™ An Integrated Habitat and Land Cover Change Approach for the Udzungwa Mountains National Park in Tanzania. <i>Remote Sensing</i> , 2016, 8, 862. | 1.8 | 10 |
| 4824 | Climate-Induced Extreme Hydrologic Events in the Arctic. <i>Remote Sensing</i> , 2016, 8, 971. | 1.8 | 7 |
| 4825 | GIS-Based Integration of Subjective and Objective Weighting Methods for Regional Landslides Susceptibility Mapping. <i>Sustainability</i> , 2016, 8, 334. | 1.6 | 48 |
| 4826 | Cryptic diversity and population structure at small scales: the freshwater snail <i>Ancylus</i> (Planorbidae, Pulmonata) in the Montseny mountain range. <i>Annales De Limnologie</i> , 2016, 52, 387-399. | 0.6 | 13 |
| 4827 | Why do different oceanic archipelagos harbour contrasting levels of species diversity? The macaronesian endemic genus <i>Pericallis</i> (Asteraceae) provides insight into explaining the 'Azores diversity Enigma'™. <i>BMC Evolutionary Biology</i> , 2016, 16, 202. | 3.2 | 5 |
| 4828 | Comparative Phylogeography of Ethiopian anurans: impact of the Great Rift Valley and Pleistocene climate change. <i>BMC Evolutionary Biology</i> , 2016, 16, 206. | 3.2 | 30 |
| 4829 | Altitudinal patterns of plant diversity on the Jade Dragon Snow Mountain, southwestern China. <i>SpringerPlus</i> , 2016, 5, 1566. | 1.2 | 3 |
| 4830 | Branchfall dominates annual carbon flux across lowland Amazonian forests. <i>Environmental Research Letters</i> , 2016, 11, 094027. | 2.2 | 27 |
| 4831 | Comparative Phylogeography Reveals Cryptic Diversity and Repeated Patterns of Cladogenesis for Amphibians and Reptiles in Northwestern Ecuador. <i>PLoS ONE</i> , 2016, 11, e0151746. | 1.1 | 47 |
| 4832 | Patterns of Species Richness and Turnover for the South American Rodent Fauna. <i>PLoS ONE</i> , 2016, 11, e0151895. | 1.1 | 64 |
| 4833 | Worldwide Alien Invasion: A Methodological Approach to Forecast the Potential Spread of a Highly Invasive Pollinator. <i>PLoS ONE</i> , 2016, 11, e0148295. | 1.1 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4834 | Remotely Sensed High-Resolution Global Cloud Dynamics for Predicting Ecosystem and Biodiversity Distributions. <i>PLoS Biology</i> , 2016, 14, e1002415. | 2.6 | 269 |
| 4835 | Pollination unpredictability and ovule number in a South-Andean Proteaceae along a rainfall gradient. <i>Australian Journal of Botany</i> , 2016, 64, 8. | 0.3 | 5 |
| 4836 | Diverse Effects of a Seven-Year Experimental Grassland Fragmentation on Major Invertebrate Groups. <i>PLoS ONE</i> , 2016, 11, e0149567. | 1.1 | 13 |
| 4837 | Global Potential Distribution of <i>Bactrocera carambolae</i> and the Risks for Fruit Production in Brazil. <i>PLoS ONE</i> , 2016, 11, e0166142. | 1.1 | 22 |
| 4838 | Model-Based Geostatistical Mapping of the Prevalence of <i>Onchocerca volvulus</i> in West Africa. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004328. | 1.3 | 59 |
| 4839 | Redefining the Australian Anthrax Belt: Modeling the Ecological Niche and Predicting the Geographic Distribution of <i>Bacillus anthracis</i> . <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004689. | 1.3 | 49 |
| 4840 | Mapping National Plant Biodiversity Patterns in South Korea with the MARS Species Distribution Model. <i>PLoS ONE</i> , 2016, 11, e0149511. | 1.1 | 21 |
| 4841 | Using Random Forest to Improve the Downscaling of Global Livestock Census Data. <i>PLoS ONE</i> , 2016, 11, e0150424. | 1.1 | 55 |
| 4842 | Estimation of Soil Erosion Dynamics in the Koshi Basin Using GIS and Remote Sensing to Assess Priority Areas for Conservation. <i>PLoS ONE</i> , 2016, 11, e0150494. | 1.1 | 96 |
| 4843 | A Current Perspective on the Historical Geographic Distribution of the Endangered Muriquis (<i>Brachyteles</i> spp.): Implications for Conservation. <i>PLoS ONE</i> , 2016, 11, e0150906. | 1.1 | 15 |
| 4844 | Macro-Climatic Distribution Limits Show Both Niche Expansion and Niche Specialization among C4 Panicoids. <i>PLoS ONE</i> , 2016, 11, e0151075. | 1.1 | 10 |
| 4845 | From GenBank to GBIF: Phylogeny-Based Predictive Niche Modeling Tests Accuracy of Taxonomic Identifications in Large Occurrence Data Repositories. <i>PLoS ONE</i> , 2016, 11, e0151232. | 1.1 | 28 |
| 4846 | Exploring Climate Niches of Ponderosa Pine (<i>Pinus ponderosa</i> Douglas ex Lawson) Haplotypes in the Western United States: Implications for Evolutionary History and Conservation. <i>PLoS ONE</i> , 2016, 11, e0151811. | 1.1 | 26 |
| 4847 | Disentangling the Role of Climate, Topography and Vegetation in Species Richness Gradients. <i>PLoS ONE</i> , 2016, 11, e0152468. | 1.1 | 62 |
| 4848 | Geomorphology Drives Amphibian Beta Diversity in Atlantic Forest Lowlands of Southeastern Brazil. <i>PLoS ONE</i> , 2016, 11, e0153977. | 1.1 | 11 |
| 4849 | A Phylogeographic Assessment of the Malagasy Giant Chameleons (<i>Furcifer verrucosus</i> and <i>Furcifer</i>) Tj ETQq1 1 0.784314 rgBT /Overbo 1.1 | 1.1 | 11 |
| 4850 | Incorporating Field Studies into Species Distribution and Climate Change Modelling: A Case Study of the Koomal <i>Trichosurus vulpecula hypoleucus</i> (Phalangeridae). <i>PLoS ONE</i> , 2016, 11, e0154161. | 1.1 | 8 |
| 4851 | Thermal Niches of Two Invasive Genotypes of the Wheat Curl Mite <i>Aceria tosichella</i> : Congruence between Physiological and Geographical Distribution Data. <i>PLoS ONE</i> , 2016, 11, e0154600. | 1.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4852 | The Relative Importance of Spatial and Local Environmental Factors in Determining Beetle Assemblages in the Inner Mongolia Grassland. PLoS ONE, 2016, 11, e0154659. | 1.1 | 3 |
| 4853 | Impacts of Climate Change on the Global Invasion Potential of the African Clawed Frog <i>Xenopus laevis</i> . PLoS ONE, 2016, 11, e0154869. | 1.1 | 39 |
| 4854 | Improved Predictions of the Geographic Distribution of Invasive Plants Using Climatic Niche Models. PLoS ONE, 2016, 11, e0156029. | 1.1 | 29 |
| 4855 | Evolutionary History of a Desert Shrub <i>Ephedra przewalskii</i> (Ephedraceae): Allopatric Divergence and Range Shifts in Northwestern China. PLoS ONE, 2016, 11, e0158284. | 1.1 | 7 |
| 4856 | Patterns and Environmental Determinants of Medicinal Plant : Vascular Plant Ratios in Xinjiang, Northwest China. PLoS ONE, 2016, 11, e0158405. | 1.1 | 4 |
| 4857 | Single-Locus versus Multilocus Patterns of Local Adaptation to Climate in Eastern White Pine (<i>Pinus</i>) Tj ETQq1 1 0.784314 rgBT /Over | 1.1 | 28 |
| 4858 | Mapping Global Potential Risk of Mango Sudden Decline Disease Caused by <i>Ceratocystis fimbriata</i> . PLoS ONE, 2016, 11, e0159450. | 1.1 | 37 |
| 4859 | Pre-Holocene Origin for the <i>Coronopus navasii</i> Disjunction: Conservation Implications from Its Long Isolation. PLoS ONE, 2016, 11, e0159484. | 1.1 | 2 |
| 4860 | Impacts of Dams and Global Warming on Fish Biodiversity in the Indo-Burma Hotspot. PLoS ONE, 2016, 11, e0160151. | 1.1 | 48 |
| 4861 | Remotely Sensed Data Informs Red List Evaluations and Conservation Priorities in Southeast Asia. PLoS ONE, 2016, 11, e0160566. | 1.1 | 21 |
| 4862 | Hydropower's Biogenic Carbon Footprint. PLoS ONE, 2016, 11, e0161947. | 1.1 | 69 |
| 4863 | Climate Change Influences Potential Distribution of Infected <i>Aedes aegypti</i> Co-Occurrence with Dengue Epidemics Risk Areas in Tanzania. PLoS ONE, 2016, 11, e0162649. | 1.1 | 46 |
| 4864 | Assessing Mammal Exposure to Climate Change in the Brazilian Amazon. PLoS ONE, 2016, 11, e0165073. | 1.1 | 45 |
| 4865 | Predators, Prey and Habitat Structure: Can Key Conservation Areas and Early Signs of Population Collapse Be Detected in Neotropical Forests?. PLoS ONE, 2016, 11, e0165362. | 1.1 | 16 |
| 4866 | Exploring the Distribution of the Spreading Lethal Salamander Chytrid Fungus in Its Invasive Range in Europe – A Macroecological Approach. PLoS ONE, 2016, 11, e0165682. | 1.1 | 37 |
| 4867 | Plant Distribution Data Show Broader Climatic Limits than Expert-Based Climatic Tolerance Estimates. PLoS ONE, 2016, 11, e0166407. | 1.1 | 9 |
| 4868 | Maxent modeling for predicting potential distribution of goitered gazelle in central Iran: the effect of extent and grain size on performance of the model. Turkish Journal of Zoology, 2016, 40, 574-585. | 0.4 | 27 |
| 4869 | Microclimate Data Improve Predictions of Insect Abundance Models Based on Calibrated Spatiotemporal Temperatures. Frontiers in Physiology, 2016, 7, 139. | 1.3 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4870 | Intraspecific Variation in Wood Anatomical, Hydraulic, and Foliar Traits in Ten European Beech Provenances Differing in Growth Yield. <i>Frontiers in Plant Science</i> , 2016, 7, 791. | 1.7 | 80 |
| 4871 | Ployploidy can Confer Superiority to West African <i>Acacia senegal</i> (L.) Willd. Trees. <i>Frontiers in Plant Science</i> , 2016, 7, 821. | 1.7 | 41 |
| 4872 | Above-Ground Dimensions and Acclimation Explain Variation in Drought Mortality of Scots Pine Seedlings from Various Provenances. <i>Frontiers in Plant Science</i> , 2016, 7, 1014. | 1.7 | 31 |
| 4873 | Habitat Temperature and Precipitation of <i>Arabidopsis thaliana</i> Ecotypes Determine the Response of Foliar Vasculature, Photosynthesis, and Transpiration to Growth Temperature. <i>Frontiers in Plant Science</i> , 2016, 7, 1026. | 1.7 | 62 |
| 4874 | Diverging Drought Resistance of Scots Pine Provenances Revealed by Infrared Thermography. <i>Frontiers in Plant Science</i> , 2016, 7, 1247. | 1.7 | 31 |
| 4875 | Temperature Range Shifts for Three European Tree Species over the Last 10,000 Years. <i>Frontiers in Plant Science</i> , 2016, 7, 1581. | 1.7 | 28 |
| 4876 | Genetic Structure and Evolutionary History of Three Alpine Sclerophyllous Oaks in East Himalaya-Hengduan Mountains and Adjacent Regions. <i>Frontiers in Plant Science</i> , 2016, 7, 1688. | 1.7 | 32 |
| 4877 | Spatial and Temporal Epidemiology of Lumpy Skin Disease in the Middle East, 2012–2015. <i>Frontiers in Veterinary Science</i> , 2016, 3, 19. | 0.9 | 51 |
| 4878 | Eriocaulaceae in the Brazilian Amazon and the use of Species Distribution Modelling in its conservation. <i>Rodriguesia</i> , 2016, 67, 905-916. | 0.9 | 3 |
| 4879 | Vascular epiphytic flora of a high montane environment of Brazilian Atlantic Forest: composition and floristic relationships with other ombrophilous forests. <i>Acta Botanica Brasilica</i> , 2016, 30, 422-436. | 0.8 | 18 |
| 4880 | Assessing performance and seasonal bias of pollen-based climate reconstructions in a perfect model world. <i>Climate of the Past</i> , 2016, 12, 2255-2270. | 1.3 | 20 |
| 4881 | STRUCTURE AND DIVERSITY OF THE THREE PLANT ASSOCIATIONS IN THE SAN JUAN RIVER DELTA, CHOCÁ, COLOMBIA. <i>Revista Arvore</i> , 2016, 40, 833-843. | 0.5 | 3 |
| 4882 | Variación en atributos anatómicos asociados a la conducción y almacenamiento de agua, en tres poblaciones de <i>Maihuenia poeppigii</i> (Otto ex Pfeiff.) K. Schum. (Cactaceae) en un gradiente altitudinal. <i>Gayana - Botanica</i> , 2016, 73, 9-18. | 0.3 | 2 |
| 4883 | Ensemble distribution modeling of the Mesopotamian spiny-tailed lizard, <i>Saara loricata</i> (Blanford). <i>Tj ETQq1</i> 1 0.784314 rgBT /Overlook 262-271. | 0.4 | 17 |
| 4884 | Modelado de nicho ecológico de las especies del género <i>Abies</i> (Pinaceae) en México: Algunas implicaciones taxonómicas y para la conservación. <i>Botanical Sciences</i> , 2016, 94, 5-24. | 0.3 | 44 |
| 4885 | Long-distance dispersal and inter-island colonization across the western Malagasy Region explain diversification in brush-warblers (Passeriformes: Nesittidae). <i>Biological Journal of the Linnean Society</i> , 2016, 119, 873-889. | 0.7 | 8 |
| 4886 | Effects of past climate on <i>Passiflora actinia</i> (Passifloraceae) populations and insights into future species management in the Brazilian Atlantic forest. <i>Botanical Journal of the Linnean Society</i> , 2016, 180, 348-364. | 0.8 | 11 |
| 4887 | Exploring palm-insect interactions across geographical and environmental gradients. <i>Botanical Journal of the Linnean Society</i> , 2016, 182, 389-397. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4888 | Grass Physiognomic Trait Variation in African Herbaceous Biomes. <i>Biotropica</i> , 2016, 48, 311-320. | 0.8 | 4 |
| 4889 | Biogeographic bases for a shift in crop C:N:P stoichiometries during domestication. <i>Ecology Letters</i> , 2016, 19, 564-575. | 3.0 | 42 |
| 4890 | The roles of elevation and local environmental factors as drivers of diatom diversity in subarctic streams. <i>Freshwater Biology</i> , 2016, 61, 1509-1521. | 1.2 | 45 |
| 4891 | Early signs of range disjunction of submountainous plant species: an unexplored consequence of future and contemporary climate changes. <i>Global Change Biology</i> , 2016, 22, 2094-2105. | 4.2 | 20 |
| 4892 | Convergence among global biogeographical realms in the physiological niche of evergreen and deciduous vegetation. <i>Global Ecology and Biogeography</i> , 2016, 25, 704-715. | 2.7 | 10 |
| 4893 | Scale dependence of temperature as an abiotic driver of species' distributions. <i>Global Ecology and Biogeography</i> , 2016, 25, 1013-1021. | 2.7 | 28 |
| 4894 | Species and functional diversity accumulate differently in mammals. <i>Global Ecology and Biogeography</i> , 2016, 25, 1119-1130. | 2.7 | 103 |
| 4895 | Evolutionary radiations of Proteaceae are triggered by the interaction between traits and climates in open habitats. <i>Global Ecology and Biogeography</i> , 2016, 25, 1239-1251. | 2.7 | 37 |
| 4896 | Range Extension of Two Bumble Bee Species (Hymenoptera: Apidae) into Olympic National Park. <i>Northwest Science</i> , 2016, 90, 228-234. | 0.1 | 3 |
| 4897 | Combining trade data and niche modelling improves predictions of the origin and distribution of non-native European populations of a globally invasive species. <i>Journal of Biogeography</i> , 2016, 43, 967-978. | 1.4 | 41 |
| 4898 | Assessing relative variable importance across different spatial scales: a two-dimensional wavelet analysis. <i>Journal of Biogeography</i> , 2016, 43, 2502-2512. | 1.4 | 11 |
| 4899 | Complex niche divergence underlies lineage diversification in <i>Oophaga</i> poison frogs. <i>Journal of Biogeography</i> , 2016, 43, 2002-2015. | 1.4 | 17 |
| 4900 | Biogeography of the cosmopolitan sedges (Cyperaceae) and the area- richness correlation in plants. <i>Journal of Biogeography</i> , 2016, 43, 1893-1904. | 1.4 | 79 |
| 4901 | Ecological divergence of two closely related <i>Roscoea</i> species associated with late Quaternary climate change. <i>Journal of Biogeography</i> , 2016, 43, 1990-2001. | 1.4 | 48 |
| 4902 | Invasion status of the common carp <i>Cyprinus carpio</i> in inland waters of Argentina. <i>Journal of Fish Biology</i> , 2016, 89, 417-430. | 0.7 | 14 |
| 4903 | Do different degrees of human activity affect the diet of Brazilian silverside <i>Atherinella brasiliensis</i> ? <i>Journal of Fish Biology</i> , 2016, 89, 1239-1257. | 0.7 | 32 |
| 4904 | The influence of population structure on gene expression and flowering time variation in the ubiquitous weed <i>Capsella bursa-pastoris</i> (Brassicaceae). <i>Molecular Ecology</i> , 2016, 25, 1106-1121. | 2.0 | 36 |
| 4905 | Adaptation to warmer climates by parallel functional evolution of <i>CBF</i> genes in <i>Arabidopsis thaliana</i> . <i>Molecular Ecology</i> , 2016, 25, 3632-3644. | 2.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4906 | Northern glacial refugia and altitudinal niche divergence shape genome-wide differentiation in the emerging plant model <i>Arabidopsis arenosa</i> . <i>Molecular Ecology</i> , 2016, 25, 3929-3949. | 2.0 | 83 |
| 4907 | Leaf mass per area, not total leaf area, drives differences in above-ground biomass distribution among woody plant functional types. <i>New Phytologist</i> , 2016, 212, 368-376. | 3.5 | 30 |
| 4908 | Scots pine fine roots adjust along a 2000-km latitudinal climatic gradient. <i>New Phytologist</i> , 2016, 212, 389-399. | 3.5 | 98 |
| 4910 | Meteorological variability and infectious disease in Central Africa: a review of meteorological data quality. <i>Annals of the New York Academy of Sciences</i> , 2016, 1382, 31-43. | 1.8 | 15 |
| 4911 | Empirical validation of the InVEST water yield ecosystem service model at a national scale. <i>Science of the Total Environment</i> , 2016, 569-570, 1418-1426. | 3.9 | 240 |
| 4912 | Modelling the spatial distribution of permafrost in Labrador-Ungava using the temperature at the top of permafrost. <i>Canadian Journal of Earth Sciences</i> , 2016, 53, 1010-1028. | 0.6 | 19 |
| 4913 | Plant regeneration from seeds responds to phylogenetic relatedness and local adaptation in Mediterranean <i>Romulea</i> (Iridaceae) species. <i>Ecology and Evolution</i> , 2016, 6, 4166-4178. | 0.8 | 32 |
| 4914 | Filling in the GAPS: evaluating completeness and coverage of open-access biodiversity databases in the United States. <i>Ecology and Evolution</i> , 2016, 6, 4654-4669. | 0.8 | 75 |
| 4915 | Investigating past range dynamics for a weed of cultivation, <i>Silene vulgaris</i> . <i>Ecology and Evolution</i> , 2016, 6, 4800-4811. | 0.8 | 10 |
| 4916 | Functional diversity of North American broad-leaved trees is codetermined by past and current environmental factors. <i>Ecosphere</i> , 2016, 7, e01237. | 1.0 | 27 |
| 4917 | Global change at the landscape level: relating regional and landscape-scale drivers of historical climate trends in the Southern Appalachians. <i>International Journal of Climatology</i> , 2016, 36, 1197-1209. | 1.5 | 11 |
| 4918 | Distribution ranges and spring phenology explain late frost sensitivity in 170 woody plants from the Northern Hemisphere. <i>Global Ecology and Biogeography</i> , 2016, 25, 1061-1071. | 2.7 | 51 |
| 4919 | Niche width impacts vertebrate diversification. <i>Global Ecology and Biogeography</i> , 2016, 25, 1252-1263. | 2.7 | 55 |
| 4920 | Habitat diversity predicts orchid diversity in the tropical south-west Pacific. <i>Journal of Biogeography</i> , 2016, 43, 2332-2342. | 1.4 | 41 |
| 4921 | The role of environment and core-margin effects on range-wide phenotypic variation in a montane grasshopper. <i>Journal of Evolutionary Biology</i> , 2016, 29, 2129-2142. | 0.8 | 16 |
| 4922 | Genomic data reveal ancient microendemism in forest scorpions across the California Floristic Province. <i>Molecular Ecology</i> , 2016, 25, 3731-3751. | 2.0 | 23 |
| 4923 | Contrasting support for alternative models of genomic variation based on microhabitat preference: species-specific effects of climate change in alpine sedges. <i>Molecular Ecology</i> , 2016, 25, 3974-3986. | 2.0 | 55 |
| 4924 | Alpine-Himalayan orogeny drove correlated morphological, molecular, and ecological diversification in the Persian dwarf snake (<i>Squamata: Serpentes: Eirenis persicus</i>). <i>Zoological Journal of the Linnean Society</i> , 2016, 176, 878-913. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4925 | Socialâ€œecological challenges in the Yellow River basin (China): a review. <i>Environmental Earth Sciences</i> , 2016, 75, 1. | 1.3 | 60 |
| 4926 | Enhancing feasibility: Incorporating a socio-ecological systems framework into restoration planning. <i>Environmental Science and Policy</i> , 2016, 64, 83-92. | 2.4 | 59 |
| 4927 | Stable isotope analyses of rock hyrax faecal pellets, hyraceum and associated vegetation in southern Africa: Implications for dietary ecology and palaeoenvironmental reconstructions. <i>Journal of Arid Environments</i> , 2016, 134, 33-48. | 1.2 | 21 |
| 4928 | Speciation dynamics and biogeography of Neotropical spiral gingers (Costaceae). <i>Molecular Phylogenetics and Evolution</i> , 2016, 103, 55-63. | 1.2 | 19 |
| 4929 | Addressing potential local adaptation in species distribution models: implications for conservation under climate change. <i>Ecological Applications</i> , 2016, 26, 1154-1169. | 1.8 | 129 |
| 4930 | Fast and flexible Bayesian species distribution modelling using Gaussian processes. <i>Methods in Ecology and Evolution</i> , 2016, 7, 598-608. | 2.2 | 87 |
| 4931 | Functional distance to recipient communities may favour invasiveness: insights from two invasive frogs. <i>Diversity and Distributions</i> , 2016, 22, 519-533. | 1.9 | 11 |
| 4932 | Responses of nectarâ€œfeeding birds to floral resources at multiple spatial scales. <i>Ecography</i> , 2016, 39, 619-629. | 2.1 | 39 |
| 4933 | Using a dynamic forest model to predict tree species distributions. <i>Global Ecology and Biogeography</i> , 2016, 25, 347-358. | 2.7 | 32 |
| 4934 | Spatial data integration for the environmental characterization of pasture macrotypes in the Italian Alps. <i>Grass and Forage Science</i> , 2016, 71, 219-234. | 1.2 | 6 |
| 4935 | Phylogenetic structure and ecological and evolutionary determinants of species richness for angiosperm trees in forest communities in China. <i>Journal of Biogeography</i> , 2016, 43, 603-615. | 1.4 | 39 |
| 4936 | Do hybridâ€œorigin polyploid amphibians occupy transgressive or intermediate ecological niches compared to their diploid ancestors?. <i>Journal of Biogeography</i> , 2016, 43, 703-715. | 1.4 | 27 |
| 4937 | A phylogeographical survey of a highly dispersive spider reveals eastern Asia as a major glacial refugium for Palearctic fauna. <i>Journal of Biogeography</i> , 2016, 43, 1583-1594. | 1.4 | 34 |
| 4938 | Deciphering range dynamics: effects of niche stability areas and postâ€œglacial colonization on alpine species distribution. <i>Journal of Biogeography</i> , 2016, 43, 2186-2198. | 1.4 | 5 |
| 4939 | Refined assessment of the geographic distribution of Geoffroy's cat (<i>Leopardus geoffroyi</i>) (Mammalia: Felidae) in the Neotropics. <i>Journal of Zoology</i> , 2016, 298, 285-292. | 0.8 | 20 |
| 4940 | Biogeography of body size in terrestrial isopods (Crustacea: Oniscidea). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 182-188. | 0.6 | 8 |
| 4941 | Different combinations of morphoâ€œphysiological traits are responsible for tolerance to drought in wild tomatoes <i>Solanum chilense</i> and <i>Solanum peruvianum</i> . <i>Plant Biology</i> , 2016, 18, 406-416. | 1.8 | 45 |
| 4942 | Contextualized niche shifts upon independent invasions by the dung beetle <i>Onthophagus taurus</i> . <i>Biological Invasions</i> , 2016, 18, 3137-3148. | 1.2 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4943 | Genetic delineation of local provenance defines seed collection zones along a climate gradient. <i>AoB PLANTS</i> , 2016, 8, . | 1.2 | 7 |
| 4944 | Genetic and paleomodelling evidence of the population expansion of the cattle egret (<i>Bubulcus ibis</i>) in Africa during the climatic oscillations of the Late Pleistocene. <i>Journal of Avian Biology</i> , 2016, 47, 846-857. | 0.6 | 6 |
| 4945 | Effect of diversity on biomass across grasslands on the Mongolian Plateau: contrasting effects between plants and soil nematodes. <i>Journal of Biogeography</i> , 2016, 43, 955-966. | 1.4 | 27 |
| 4946 | Genetic evidence for central–marginal hypothesis in a Cenozoic relict tree species across its distribution in China. <i>Journal of Biogeography</i> , 2016, 43, 2173-2185. | 1.4 | 25 |
| 4947 | Climate and the distribution of grasses in West Africa. <i>Journal of Vegetation Science</i> , 2016, 27, 306-317. | 1.1 | 30 |
| 4948 | Are cryptic species of the Lesser Egyptian Jerboa, (<i>Jaculus jaculus</i>) (Rodentia, Dipodidae), really cryptic? Re-evaluation of their taxonomic status with new data from Israel and Sinai. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 148-159. | 0.6 | 13 |
| 4949 | A high frequency of allopolyploid speciation in the gymnospermous genus <i>Ephedra</i> and its possible association with some biological and ecological features. <i>Molecular Ecology</i> , 2016, 25, 1192-1210. | 2.0 | 37 |
| 4950 | Gene expression under thermal stress varies across a geographical range expansion front. <i>Molecular Ecology</i> , 2016, 25, 1141-1156. | 2.0 | 73 |
| 4951 | Different rates of defense evolution and niche preferences in clonal and nonclonal milkweeds (<i>Asclepias</i> spp.). <i>New Phytologist</i> , 2016, 209, 1230-1239. | 3.5 | 18 |
| 4952 | Evolution of marginal populations of an invasive vine increases the likelihood of future spread. <i>New Phytologist</i> , 2016, 209, 1773-1780. | 3.5 | 12 |
| 4953 | Phylogeographic breaks within Asian butternuts indicate the existence of a phylogeographic divide in East Asia. <i>New Phytologist</i> , 2016, 209, 1757-1772. | 3.5 | 101 |
| 4954 | Bark thickness across the angiosperms: more than just fire. <i>New Phytologist</i> , 2016, 211, 90-102. | 3.5 | 142 |
| 4955 | Identifying Areas Suitable for the Occurrence of Rift Valley Fever in North Africa: Implications for Surveillance. <i>Transboundary and Emerging Diseases</i> , 2016, 63, 658-674. | 1.3 | 25 |
| 4956 | Modelling the impacts of future climate change on plant communities in the Himalaya: a case study from Eastern Himalaya, India. <i>Modeling Earth Systems and Environment</i> , 2016, 2, 1. | 1.9 | 72 |
| 4957 | Fables and foibles: A critical analysis of the Palaeoflora database and the Coexistence Approach for palaeoclimate reconstruction. <i>Review of Palaeobotany and Palynology</i> , 2016, 233, 216-235. | 0.8 | 24 |
| 4958 | Transient Analysis with <i>MODFLOW</i> for Developing Water-Diversion Function. <i>Journal of Hydrologic Engineering - ASCE</i> , 2016, 21, . | 0.8 | 4 |
| 4959 | Record of vegetation, climate change, human impact and retting of hemp in Garhwal Himalaya (India) during the past 4600 years. <i>Holocene</i> , 2016, 26, 1661-1675. | 0.9 | 34 |
| 4960 | Widespread correlations between climatic niche evolution and species diversification in birds. <i>Journal of Animal Ecology</i> , 2016, 85, 869-878. | 1.3 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4961 | Seed size predicts community composition and carbon storage potential of tree communities in rain forest fragments in India's Western Ghats. <i>Journal of Applied Ecology</i> , 2016, 53, 837-845. | 1.9 | 24 |
| 4962 | Test of biotic and abiotic correlates of latitudinal variation in defences in the perennial herb <i>Uellia nudiflora</i> . <i>Journal of Ecology</i> , 2016, 104, 580-590. | 1.9 | 48 |
| 4963 | Local and regional determinants of vascular epiphyte mortality in the Andean mountains of Colombia. <i>Journal of Ecology</i> , 2016, 104, 841-849. | 1.9 | 22 |
| 4964 | The determinants of tropical forest deciduousness: disentangling the effects of rainfall and geology in central Africa. <i>Journal of Ecology</i> , 2016, 104, 924-935. | 1.9 | 26 |
| 4965 | Population status and distribution modelling of the critically endangered riverine rabbit (<i>Bunolagus monticularis</i>). <i>African Journal of Ecology</i> , 2016, 54, 195-206. | 0.4 | 8 |
| 4966 | Patterns and drivers of plant functional group dominance across the Western Hemisphere: a macroecological re-assessment based on a massive botanical dataset. <i>Botanical Journal of the Linnean Society</i> , 2016, 180, 141-160. | 0.8 | 59 |
| 4967 | Spatial patterns of species richness and functional diversity in Costa Rican terrestrial mammals: implications for conservation. <i>Diversity and Distributions</i> , 2016, 22, 43-56. | 1.9 | 34 |
| 4968 | Invasion debt – quantifying future biological invasions. <i>Diversity and Distributions</i> , 2016, 22, 445-456. | 1.9 | 160 |
| 4969 | Regional variation in climate change winners and losers highlights the rapid loss of cold-dwelling species. <i>Diversity and Distributions</i> , 2016, 22, 468-480. | 1.9 | 70 |
| 4970 | Size dependency in colour patterns of Western Palearctic carabids. <i>Ecography</i> , 2016, 39, 846-857. | 2.1 | 30 |
| 4971 | Historical dynamics of <i>Batrachochytrium dendrobatidis</i> in Amazonia. <i>Ecography</i> , 2016, 39, 954-960. | 2.1 | 32 |
| 4972 | Migratory diversity predicts population declines in birds. <i>Ecology Letters</i> , 2016, 19, 308-317. | 3.0 | 176 |
| 4973 | A synthesis of transplant experiments and ecological niche models suggests that range limits are often niche limits. <i>Ecology Letters</i> , 2016, 19, 710-722. | 3.0 | 184 |
| 4974 | Invasion risk of the pond slider turtle is underestimated when niche expansion occurs. <i>Freshwater Biology</i> , 2016, 61, 1119-1127. | 1.2 | 22 |
| 4975 | Shifts in functional traits elevate risk of fire-driven tree dieback in tropical savanna and forest biomes. <i>Global Change Biology</i> , 2016, 22, 1235-1243. | 4.2 | 22 |
| 4976 | Climate and land use changes will degrade the configuration of the landscape for titi monkeys in eastern Brazil. <i>Global Change Biology</i> , 2016, 22, 2003-2012. | 4.2 | 49 |
| 4977 | Morphological and dietary responses of chipmunks to a century of climate change. <i>Global Change Biology</i> , 2016, 22, 3233-3252. | 4.2 | 29 |
| 4978 | Uncertainty in predicting range dynamics of endemic alpine plants under climate warming. <i>Global Change Biology</i> , 2016, 22, 2608-2619. | 4.2 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4979 | Morphological variation in salamanders and their potential response to climate change. <i>Global Change Biology</i> , 2016, 22, 2013-2024. | 4.2 | 25 |
| 4980 | Choice of baseline climate data impacts projected species' responses to climate change. <i>Global Change Biology</i> , 2016, 22, 2392-2404. | 4.2 | 66 |
| 4981 | Modes of functional biodiversity control on tree productivity across the European continent. <i>Global Ecology and Biogeography</i> , 2016, 25, 251-262. | 2.7 | 83 |
| 4982 | Scaling mangrove aboveground biomass from site-level to continental-scale. <i>Global Ecology and Biogeography</i> , 2016, 25, 286-298. | 2.7 | 73 |
| 4983 | Remotely sensed temperature and precipitation data improve species distribution modelling in the tropics. <i>Global Ecology and Biogeography</i> , 2016, 25, 443-454. | 2.7 | 105 |
| 4984 | Can the richness-climate relationship be explained by systematic variations in how individual species' ranges relate to climate?. <i>Global Ecology and Biogeography</i> , 2016, 25, 527-539. | 2.7 | 13 |
| 4985 | Niche expansion and temperature sensitivity of tropical African montane forests. <i>Global Ecology and Biogeography</i> , 2016, 25, 693-703. | 2.7 | 15 |
| 4986 | Global patterns and drivers of species and trait composition in diatoms. <i>Global Ecology and Biogeography</i> , 2016, 25, 940-950. | 2.7 | 139 |
| 4987 | Carbon content and climate variability drive global soil bacterial diversity patterns. <i>Ecological Monographs</i> , 2016, 86, 373-390. | 2.4 | 173 |
| 4988 | Food web structure shaped by habitat size and climate across a latitudinal gradient. <i>Ecology</i> , 2016, 97, 2705-2715. | 1.5 | 37 |
| 4989 | Spatial downscaling of European climate data. <i>International Journal of Climatology</i> , 2016, 36, 1444-1458. | 1.5 | 92 |
| 4990 | Cold temperature extremes during spring do not limit the range shift of Mediterranean pines into regions with intermittent frost. <i>Functional Ecology</i> , 2016, 30, 856-865. | 1.7 | 16 |
| 4991 | The life cycle of the emerald ash borer <i>Agrilus planipennis</i> in European Russia and comparisons with its life cycles in Asia and North America. <i>Agricultural and Forest Entomology</i> , 2016, 18, 182-188. | 0.7 | 40 |
| 4992 | Species richness representation within protected areas is associated with multiple interacting spatial features. <i>Diversity and Distributions</i> , 2016, 22, 300-308. | 1.9 | 13 |
| 4993 | Contemporary niche contraction affects climate change predictions for elephants and giraffes. <i>Diversity and Distributions</i> , 2016, 22, 432-444. | 1.9 | 45 |
| 4994 | Conservation Biogeography of the Sahara-Sahel: additional protected areas are needed to secure unique biodiversity. <i>Diversity and Distributions</i> , 2016, 22, 371-384. | 1.9 | 46 |
| 4995 | The macroevolution of climatic niches and its role in ant diversification. <i>Ecological Entomology</i> , 2016, 41, 301-307. | 1.1 | 18 |
| 4996 | Demographic controls of aboveground forest biomass across North America. <i>Ecology Letters</i> , 2016, 19, 414-423. | 3.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4997 | Social selection parapathy in Afrotropical sunbirds. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 1307-1321. | 1.1 | 18 |
| 4998 | Chloroplast phylogeography of <i>Dirca palustris</i> L. indicates populations near the glacial boundary at the Last Glacial Maximum in eastern North America. <i>Journal of Biogeography</i> , 2016, 43, 314-327. | 1.4 | 24 |
| 4999 | Environmental niche drives genetic and morphometric structure in a widespread bat. <i>Journal of Biogeography</i> , 2016, 43, 1057-1068. | 1.4 | 17 |
| 5000 | Quantifying the similarity between genes and geography across Alaska's alpine small mammals. <i>Journal of Biogeography</i> , 2016, 43, 1464-1476. | 1.4 | 33 |
| 5001 | Climate change will increase the potential conflict between skiing and high-elevation bird species in the Alps. <i>Journal of Biogeography</i> , 2016, 43, 2299-2309. | 1.4 | 47 |
| 5002 | Evolutionary history and conservation significance of the Javan leopard <i>Panthera pardus melas</i> . <i>Journal of Zoology</i> , 2016, 299, 239-250. | 0.8 | 20 |
| 5003 | The multivariate association between genomewide DNA methylation and climate across the range of <i>Arabidopsis thaliana</i> . <i>Molecular Ecology</i> , 2016, 25, 1823-1837. | 2.0 | 60 |
| 5004 | Complex longitudinal diversification across South China and Vietnam in Stejneger's pit viper, <i>Viridovipera stejnegeri</i> (Schmidt, 1925) (Reptilia: Serpentes: Viperidae). <i>Molecular Ecology</i> , 2016, 25, 2920-2936. | 2.0 | 18 |
| 5005 | Evolutionary melting pots: a biodiversity hotspot shaped by ring diversifications around the Black Sea in the Eastern tree frog (<i>Hyla orientalis</i>). <i>Molecular Ecology</i> , 2016, 25, 4285-4300. | 2.0 | 53 |
| 5006 | Macroevolution of leaf defenses and secondary metabolites across the genus <i>Helianthus</i> . <i>New Phytologist</i> , 2016, 209, 1720-1733. | 3.5 | 53 |
| 5007 | Growth temperature impact on leaf form and function in <i>Arabidopsis thaliana</i> ecotypes from northern and southern Europe. <i>Plant, Cell and Environment</i> , 2016, 39, 1549-1558. | 2.8 | 55 |
| 5008 | Do ants drive speciation in aphids? A possible case of ant-driven speciation in the aphid genus <i>Stomaphis</i> Walker (Aphidoidea, Lachninae). <i>Zoological Journal of the Linnean Society</i> , 2016, . . | 1.0 | 5 |
| 5009 | Little overlap in suitable habitat niches between three species of a southern African millipede genus, <i>Spirostreptus</i> Brandt 1833 (Diplopoda). <i>Tj ETQq0 0.0,rgBT /Overlock 10 T</i> | 0.7 | 20 |
| 5010 | Glacial refugia, recolonization patterns and diversification forces in Alpine endemic <i>Megabunus</i> harvestmen. <i>Molecular Ecology</i> , 2016, 25, 2904-2919. | 2.0 | 34 |
| 5011 | Evolutionary history and species diversity of African pouched mice (<i>Rodentia</i>). <i>Tj ETQq0 0.0,rgBT /Overlock 10 T</i> | 0.7 | 20 |
| 5012 | Climate-sensitive integrated stand growth model (CS-ISGM) of Changbai larch (<i>Larix olgensis</i>) plantations. <i>Forest Ecology and Management</i> , 2016, 376, 265-275. | 1.4 | 41 |
| 5013 | Microsatellite genetic diversity and mating systems in the columnar cactus <i>Pachycereus pringlei</i> (Cactaceae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 22, 1-10. | 1.1 | 28 |
| 5014 | Simulating topoclimatic data to support bioclimatic research in alpine environments: application and assessment of a mesoscale atmospheric model. <i>International Journal of Climatology</i> , 2016, 36, 885-899. | 1.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5015 | Identifying habitat cores and corridors for the Iranian black bear in Iran. <i>Ursus</i> , 2016, 27, 18. | 0.3 | 57 |
| 5016 | Climate Change in Wildlands. , 2016, , . | | 6 |
| 5017 | Diversity hotspots of the laurel forest on Tenerife, Canary Islands: a phylogeographic study of <i>Laurus</i> and <i>Ixanthus</i> . <i>Annals of Botany</i> , 2016, 118, 495-510. | 1.4 | 4 |
| 5018 | Assessing the distribution and conservation status of a long-horned beetle with species distribution models. <i>Journal of Insect Conservation</i> , 2016, 20, 611-620. | 0.8 | 20 |
| 5020 | Plants adapted to warmer climate do not outperform regional plants during a natural heat wave. <i>Ecology and Evolution</i> , 2016, 6, 4160-4165. | 0.8 | 16 |
| 5021 | Environmental correlates of floristic regions and plant turnover in the Atlantic Forest hotspot. <i>Journal of Biogeography</i> , 2016, 43, 2322-2331. | 1.4 | 42 |
| 5022 | The effect of elevation and time on mountain spider diversity: a view of two aspects in the Cederberg mountains of South Africa. <i>Journal of Biogeography</i> , 2016, 43, 2354-2365. | 1.4 | 22 |
| 5023 | Pyramids of species richness: the determinants and distribution of species diversity across trophic levels. <i>Oikos</i> , 2016, 125, 1224-1232. | 1.2 | 23 |
| 5024 | Younger Dryas-Aged Fluting, Cold, and Time Budgeting in the Great Plains and Rocky Mountains. <i>PaleoAmerica</i> , 2016, 2, 169-178. | 0.4 | 3 |
| 5025 | Biodiversity potential of <i>Nothofagus</i> forests in Tierra del Fuego (Argentina): tool proposal for regional conservation planning. <i>Biodiversity and Conservation</i> , 2016, 25, 1843-1862. | 1.2 | 27 |
| 5026 | Spatial and demographic structure of tara stands (<i>Caesalpinia spinosa</i>) in Peru: Influence of present and past forest management. <i>Forest Ecology and Management</i> , 2016, 377, 71-82. | 1.4 | 12 |
| 5027 | Capturing neutral and adaptive genetic diversity for conservation in a highly structured tree species. <i>Ecological Applications</i> , 2016, 26, 2254-2266. | 1.8 | 54 |
| 5028 | Predicting potential distribution of poorly known species with small database: the case of four-horned antelope <i>Tetracerus quadricornis</i> on the Indian subcontinent. <i>Ecology and Evolution</i> , 2016, 6, 2297-2307. | 0.8 | 9 |
| 5029 | Consumer control as a common driver of coastal vegetation worldwide. <i>Ecological Monographs</i> , 2016, 86, 278-294. | 2.4 | 75 |
| 5030 | Major drivers of invasion risks throughout the world. <i>Ecosphere</i> , 2016, 7, e01241. | 1.0 | 102 |
| 5031 | Sources of dissolved silica to the fjords of northern Patagonia (44°-48°S): the importance of volcanic ash soil distribution and weathering. <i>Earth Surface Processes and Landforms</i> , 2016, 41, 499-512. | 1.2 | 19 |
| 5032 | Global-scale regionalization of hydrologic model parameters. <i>Water Resources Research</i> , 2016, 52, 3599-3622. | 1.7 | 241 |
| 5033 | Population Differentiation in Early Life History Traits of <i>Cleome lutea</i> var. <i>Lutea</i> in the Intermountain West. <i>Western North American Naturalist</i> , 2016, 76, 6-17. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5034 | Predicción de la Disponibilidad Ambiental de <i>Bulia schausi</i> (Lepidoptera: Noctuidae), una Plaga Potencial de Brucoli en México. <i>Southwestern Entomologist</i> , 2016, 41, 163-170. | 0.1 | 2 |
| 5035 | Thermal climate-linked variation in annual survival rate of hibernating rodents: shorter winter dormancy and lower survival in warmer climates. <i>Functional Ecology</i> , 2016, 30, 1366-1372. | 1.7 | 37 |
| 5036 | Cost-effective monitoring of biological invasions under global change: a model-based framework. <i>Journal of Applied Ecology</i> , 2016, 53, 1317-1329. | 1.9 | 35 |
| 5037 | Bioclimatic envelope models predict a decrease in tropical forest carbon stocks with climate change in Madagascar. <i>Journal of Ecology</i> , 2016, 104, 703-715. | 1.9 | 63 |
| 5038 | The local environment determines the assembly of root endophytic fungi at a continental scale. <i>Environmental Microbiology</i> , 2016, 18, 2418-2434. | 1.8 | 123 |
| 5039 | A toolbox for studying thermal heterogeneity across spatial scales: from unmanned aerial vehicle imagery to landscape metrics. <i>Methods in Ecology and Evolution</i> , 2016, 7, 437-446. | 2.2 | 63 |
| 5040 | Environmental mechanistic modelling of the impact of global change on human zoonotic disease emergence: a case study of Lassa fever. <i>Methods in Ecology and Evolution</i> , 2016, 7, 646-655. | 2.2 | 60 |
| 5041 | Terrestrial Precipitation Analysis (<sc>TPA</sc>): A resource for characterizing long-term precipitation regimes and extremes. <i>Methods in Ecology and Evolution</i> , 2016, 7, 1396-1401. | 2.2 | 23 |
| 5042 | The transitional semi-evergreen bushland in Ethiopia: characterization and mapping of its distribution using predictive modelling. <i>Applied Vegetation Science</i> , 2016, 19, 355-367. | 0.9 | 11 |
| 5043 | Combining ecological niche modelling and morphology to assess the range-wide population genetic structure of bobcats (<i>Lynx rufus</i>). <i>Biological Journal of the Linnean Society</i> , 2016, 117, 842-857. | 0.7 | 7 |
| 5044 | Geographic variation of wing morphology of great fruit-eating bats (<i>Artibeus lituratus</i>): environmental, genetic and spatial correlates of phenotypic differences. <i>Biological Journal of the Linnean Society</i> , 2016, 118, 734-744. | 0.7 | 13 |
| 5045 | <i>Sugar Loaf Land</i> in south-eastern Brazil: a centre of diversity for mat-forming bromeliads on inselbergs. <i>Botanical Journal of the Linnean Society</i> , 2016, 181, 459-476. | 0.8 | 46 |
| 5046 | Spatial Patterns of Haplotype Variation in the Epiphytic Bromeliad <i>Catopsis nutans</i>. <i>Biotropica</i> , 2016, 48, 206-217. | 0.8 | 5 |
| 5047 | Climate change sentinel or false prophet? The case of <i>Aloe dichotoma</i>. <i>Diversity and Distributions</i> , 2016, 22, 745-757. | 1.9 | 14 |
| 5048 | Assembly mechanisms determining high species turnover in aquatic communities over regional and continental scales. <i>Ecography</i> , 2016, 39, 281-288. | 2.1 | 111 |
| 5049 | Reconstructing changes in the genotype, phenotype, and climatic niche of an introduced species. <i>Ecography</i> , 2016, 39, 894-903. | 2.1 | 14 |
| 5050 | Infection risk decreases with increasing mismatch in host and pathogen environmental tolerances. <i>Ecology Letters</i> , 2016, 19, 1051-1061. | 3.0 | 50 |
| 5051 | Climatic niche conservatism and ecological opportunity in the explosive radiation of arvicoline rodents (Arvicolinae, Cricetidae). <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 1094-1104. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5052 | Using maximum entropy to predict the potential distribution of an invasive freshwater snail. <i>Freshwater Biology</i> , 2016, 61, 457-471. | 1.2 | 18 |
| 5053 | Deconstructing richness patterns by commonness and rarity reveals bioclimatic and spatial effects in black fly metacommunities. <i>Freshwater Biology</i> , 2016, 61, 923-932. | 1.2 | 11 |
| 5054 | Synergistic and antagonistic interactions of future land use and climate change on river fish assemblages. <i>Global Change Biology</i> , 2016, 22, 1505-1522. | 4.2 | 66 |
| 5055 | Ecological change predicts population dynamics and genetic diversity over 120,000 years. <i>Global Change Biology</i> , 2016, 22, 1737-1745. | 4.2 | 6 |
| 5056 | Area, climate heterogeneity, and the response of climate niches to ecological opportunity in island radiations of <i>Acanolais</i> lizards. <i>Global Ecology and Biogeography</i> , 2016, 25, 781-791. | 2.7 | 23 |
| 5057 | Palaeoendemic plants provide evidence for persistence of open, well-watered vegetation since the Cretaceous. <i>Global Ecology and Biogeography</i> , 2016, 25, 127-140. | 2.7 | 41 |
| 5058 | The regional species richness and genetic diversity of Arctic vegetation reflect both past glaciations and current climate. <i>Global Ecology and Biogeography</i> , 2016, 25, 430-442. | 2.7 | 44 |
| 5059 | Improving niche and range estimates with Maxent and point process models by integrating spatially explicit information. <i>Global Ecology and Biogeography</i> , 2016, 25, 1022-1036. | 2.7 | 53 |
| 5060 | Non-congruent fossil and phylogenetic evidence on the evolution of climatic niche in the Gondwana genus <i>Nothofagus</i> . <i>Journal of Biogeography</i> , 2016, 43, 555-567. | 1.4 | 25 |
| 5061 | Soil microorganisms behave like macroscopic organisms: patterns in the global distribution of soil euglyphid testate amoebae. <i>Journal of Biogeography</i> , 2016, 43, 520-532. | 1.4 | 43 |
| 5062 | Geographical variation of body size in sigmodontine rodents depends on both environment and phylogenetic composition of communities. <i>Journal of Biogeography</i> , 2016, 43, 1192-1202. | 1.4 | 35 |
| 5063 | Late Pleistocene divergence and postglacial expansion in the Brazilian Atlantic Forest: multilocus phylogeography of <i>Rhopias gularis</i> (Aves: Passeriformes). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 137-147. | 0.6 | 27 |
| 5064 | Selection for population-specific adaptation shaped patterns of variation in the photoperiod pathway genes in <i>Arabidopsis lyrata</i> during post-glacial colonization. <i>Molecular Ecology</i> , 2016, 25, 581-597. | 2.0 | 11 |
| 5065 | Surface Retreats Used among Four Genera of Terrestrial Salamanders in the Great Smoky Mountains National Park. <i>Journal of Herpetology</i> , 2016, 50, 87-93. | 0.2 | 5 |
| 5066 | Will climate change increase the risk of plant invasions into mountains?. <i>Ecological Applications</i> , 2016, 26, 530-544. | 1.8 | 103 |
| 5067 | Limited carbon and biodiversity co-benefits for tropical forest mammals and birds. <i>Ecological Applications</i> , 2016, 26, 1098-1111. | 1.8 | 34 |
| 5068 | Future Non-Analogue Climates for Scotland's Temperate Rainforest. <i>Scottish Geographical Journal</i> , 2016, 132, 257-268. | 0.4 | 9 |
| 5069 | Rabies in Costa Rica: Documentation of the Surveillance Program and the Endemic Situation from 1985 to 2014. <i>Vector-Borne and Zoonotic Diseases</i> , 2016, 16, 334-341. | 0.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5070 | Use of herbarium data to evaluate weediness in five congeners. <i>AoB PLANTS</i> , 2016, 8, . | 1.2 | 5 |
| 5071 | Using codispersion analysis to quantify and understand spatial patterns in speciesâ€environment relationships. <i>New Phytologist</i> , 2016, 211, 735-749. | 3.5 | 15 |
| 5072 | A spatial multicriteria decision analysis for selecting priority sites for plant species restoration: a case study from the Chilean biodiversity hotspot. <i>Restoration Ecology</i> , 2016, 24, 599-608. | 1.4 | 21 |
| 5073 | Species Distribution Modelling of <i>Aedes aegypti</i> in two dengueâ€endemic regions of Pakistan. <i>Tropical Medicine and International Health</i> , 2016, 21, 427-436. | 1.0 | 38 |
| 5074 | Spatio-temporal evolutions of precipitation in the Yellow River basin of China from 1981 to 2013. <i>Water Science and Technology: Water Supply</i> , 2016, 16, 1441-1450. | 1.0 | 10 |
| 5075 | Coupling of soil prokaryotic diversity and plant diversity across latitudinal forest ecosystems. <i>Scientific Reports</i> , 2016, 6, 19561. | 1.6 | 50 |
| 5076 | Rising floodwaters: mapping impacts and perceptions of flooding in Indonesian Borneo. <i>Environmental Research Letters</i> , 2016, 11, 064016. | 2.2 | 38 |
| 5077 | Evaluating Landscape Suitability for Golden-Headed Lion Tamarins (<i>Leontopithecus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Atlantic Forest. <i>Tropical Conservation Science</i> , 2016, 9, 735-757. | 0.6 | 7 |
| 5078 | Estimating heterotrophic respiration at large scales: challenges, approaches, and next steps. <i>Ecosphere</i> , 2016, 7, e01380. | 1.0 | 35 |
| 5079 | Patterns of Genome-Wide Variation in <i>Glossina fuscipes fuscipes</i> Tsetse Flies from Uganda. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 1573-1584. | 0.8 | 12 |
| 5080 | Influence of geothermal energy on the formation of forest in the insular volcanic landscape. <i>Geography and Natural Resources</i> , 2016, 37, 302-312. | 0.1 | 0 |
| 5081 | Nitrogen cycling in an extreme hyperarid environment inferred from $\delta^{15}N$ analyses of plants, soils and herbivore diet. <i>Scientific Reports</i> , 2016, 6, 22226. | 1.6 | 64 |
| 5082 | Shifting Impacts of Climate Change. <i>Advances in Ecological Research</i> , 2016, 55, 437-473. | 1.4 | 36 |
| 5083 | Spatial assessment of the potential risk of avian influenza A virus infection in three raptor species in Japan. <i>Journal of Veterinary Medical Science</i> , 2016, 78, 1107-1115. | 0.3 | 7 |
| 5084 | Predicting global invasion risks: a management tool to prevent future introductions. <i>Scientific Reports</i> , 2016, 6, 26316. | 1.6 | 42 |
| 5085 | The Epidemiology of Trachoma in Darfur States and Khartoum State, Sudan: Results of 32 Population-Based Prevalence Surveys. <i>Ophthalmic Epidemiology</i> , 2016, 23, 381-391. | 0.8 | 33 |
| 5086 | Revealing hidden species diversity in closely related species using nuclear SNPs, SSRs and DNA sequences â€ a case study in the tree genus <i>Milicia</i> . <i>BMC Evolutionary Biology</i> , 2016, 16, 259. | 3.2 | 36 |
| 5087 | Ecological Niche Modeling of Invasive Plant Species According to Invasion Status and Management Needs: The Case of <i>Chromolaena odorata</i> (Asteraceae) in South Africa. <i>Polish Journal of Ecology</i> , 2016, 64, 369-383. | 0.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5088 | The ecology of the Asian dipterocarps. <i>Plant Ecology and Diversity</i> , 2016, 9, 429-436. | 1.0 | 29 |
| 5089 | Filling the Data Gaps in Mountain Climate Observatories Through Advanced Technology, Refined Instrument Siting, and a Focus on Gradients. <i>Mountain Research and Development</i> , 2016, 36, 518-527. | 0.4 | 26 |
| 5090 | Plant-derived compounds stimulate the decomposition of organic matter in arctic permafrost soils. <i>Scientific Reports</i> , 2016, 6, 25607. | 1.6 | 87 |
| 5091 | Predicting the potential invasive range of raccoon in the world. <i>Polish Journal of Ecology</i> , 2016, 64, 594-600. | 0.2 | 1 |
| 5092 | <i>Aedes albopictus</i> and <i>Aedes japonicus</i> - two invasive mosquito species with different temperature niches in Europe. <i>Parasites and Vectors</i> , 2016, 9, 573. | 1.0 | 62 |
| 5093 | Contributions of historical and contemporary geographic and environmental factors to phylogeographic structure in a Tertiary relict species, <i>Emmenopterys henryi</i> (Rubiaceae). <i>Scientific Reports</i> , 2016, 6, 24041. | 1.6 | 48 |
| 5094 | Genome scans for divergent selection in natural populations of the widespread hardwood species <i>Eucalyptus grandis</i> (Myrtaceae) using microsatellites. <i>Scientific Reports</i> , 2016, 6, 34941. | 1.6 | 16 |
| 5095 | Additions to the taxonomy of the <i>Hypolepis rugosula</i> complex (Dennstaedtiaceae) in Africa: corrections, two new subspecies and new distribution maps. <i>Folia Geobotanica</i> , 2016, 51, 373-381. | 0.4 | 1 |
| 5096 | Impacts of biogeographic history and marginal population genetics on species range limits: a case study of <i>Liriodendron chinense</i> . <i>Scientific Reports</i> , 2016, 6, 25632. | 1.6 | 44 |
| 5097 | <i>Murundus</i> structures in the semi-arid region of Brazil: testing their geographical congruence with mound-building termites (Blattodea: Termitoidea: Termitidae). <i>Annales De La Societe Entomologique De France</i> , 2016, 52, 369-385. | 0.4 | 12 |
| 5098 | Influence of climate drivers on colonization and extinction dynamics of wetland-dependent species. <i>Ecosphere</i> , 2016, 7, e01409. | 1.0 | 30 |
| 5099 | Ecological niche modeling for conservation planning of an endemic snail in the verge of becoming a pest in cardamom plantations in the Western Ghats biodiversity hotspot. <i>Ecology and Evolution</i> , 2016, 6, 6510-6523. | 0.8 | 11 |
| 5100 | Factors controlling stable isotope composition of precipitation in arid conditions: an observation network in the Tianshan Mountains, central Asia. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 68, 26206. | 0.8 | 73 |
| 5101 | Allopatric divergence of <i>Stuckenia filiformis</i> (Potamogetonaceae) on the Qinghai-Tibet Plateau and its comparative phylogeography with <i>S. pectinata</i> in China. <i>Scientific Reports</i> , 2016, 6, 20883. | 1.6 | 20 |
| 5102 | Conservation biology of the Cheirogaleidae: future research directions. , 2016, , 520-540. | | 6 |
| 5103 | Mapping risk of leptospirosis in China using environmental and socioeconomic data. <i>BMC Infectious Diseases</i> , 2016, 16, 343. | 1.3 | 33 |
| 5104 | Patterns of Leaf N:P Stoichiometry along Climatic Gradients in Sandy Region, North of China. <i>Journal of Plant Ecology</i> , 2016, , rtw134. | 1.2 | 5 |
| 5105 | Idiosyncratic responses of evergreen broad-leaved forest constituents in China to the late Quaternary climate changes. <i>Scientific Reports</i> , 2016, 6, 31044. | 1.6 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5106 | Disentangling the Effect of Climate and Human Influence on Distribution Patterns of the Darkling Beetle <i>Scotobius pilularius</i> Germar, 1823 (Coleoptera: Tenebrionidae). <i>Annales Zoologici</i> , 2016, 66, 693-701. | 0.1 | 3 |
| 5107 | The potential distribution of the woody weed <i>Calotropis procera</i> (Aiton) W.T. Aiton (Asclepiadaceae) in Australia. <i>Rangeland Journal</i> , 2016, 38, 35. | 0.4 | 12 |
| 5108 | Geographical, landscape and host associations of <i>Trypanosoma cruzi</i> DTUs and lineages. <i>Parasites and Vectors</i> , 2016, 9, 631. | 1.0 | 30 |
| 5109 | Phylogeography of the Rice Spittle Bug (<i>Callitettix versicolor</i>) Implies Two Long-Term Mountain Barriers in South China. <i>Zoological Science</i> , 2016, 33, 592. | 0.3 | 7 |
| 5110 | Evidence for fine-scale habitat specialisation in an invasive weed. <i>Journal of Plant Ecology</i> , 2016, , rtw124. | 1.2 | 3 |
| 5111 | Global strategy for plant conservation: inadequate in situ conservation of threatened flora in Spain. <i>Israel Journal of Plant Sciences</i> , 2016, 63, 297-308. | 0.3 | 20 |
| 5112 | Effects of climate change on threatened Spanish medicinal and aromatic species: predicting future trends and defining conservation guidelines. <i>Israel Journal of Plant Sciences</i> , 2016, 63, 309-319. | 0.3 | 13 |
| 5113 | Ecological networks are more sensitive to plant than to animal extinction under climate change. <i>Nature Communications</i> , 2016, 7, 13965. | 5.8 | 180 |
| 5114 | Predicting the Distribution of <i>Phlebotomus papatasi</i> (Diptera: Psychodidae), the Primary Vector of Zoonotic Cutaneous Leishmaniasis, in Golestan Province of Iran Using Ecological Niche Modeling: Comparison of MaxEnt and GARP Models. <i>Journal of Medical Entomology</i> , 2017, 54, tjw178. | 0.9 | 13 |
| 5115 | Environmental Association Analyses Identify Candidates for Abiotic Stress Tolerance in <i>Glycine soja</i> , the Wild Progenitor of Cultivated Soybeans. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 835-843. | 0.8 | 39 |
| 5116 | Evidence of correlated evolution and adaptive differentiation of stem and leaf functional traits in the herbaceous genus, <i>Helianthus</i> . <i>American Journal of Botany</i> , 2016, 103, 2096-2104. | 0.8 | 9 |
| 5117 | Species composition of tetranychoid mites (Acari: Trombidiformes: Prostigmata: Tetranychoidae) in main landscapes of Tehran and modelling ecological niche of Tetranychoidae in main climates of Tehran Province, Iran. <i>Biologia (Poland)</i> , 2016, 71, 1151-1166. | 0.8 | 1 |
| 5118 | Late Quaternary environmental change in the Southern Cape, South Africa, from stable carbon and oxygen isotopes in faunal tooth enamel from Boomplaas Cave. <i>Journal of Quaternary Science</i> , 2016, 31, 919-927. | 1.1 | 48 |
| 5119 | The build-up, configuration, and dynamical sensitivity of the Eurasian ice-sheet complex to Late Weichselian climatic and oceanic forcing. <i>Quaternary Science Reviews</i> , 2016, 153, 97-121. | 1.4 | 138 |
| 5120 | Resilience of European beech forests (<i>Fagus sylvatica</i> L.) after fire in a global change context. <i>International Journal of Wildland Fire</i> , 2016, 25, 699. | 1.0 | 20 |
| 5121 | The evolutionary history of <i>Eugenia</i> sect. <i>Phyllocalyx</i> (Myrtaceae) corroborates historically stable areas in the southern Atlantic forests. <i>Annals of Botany</i> , 2016, 118, 1209-1223. | 1.4 | 29 |
| 5122 | The State and Origin of River Water Composition in Greece. <i>Handbook of Environmental Chemistry</i> , 2016, , 97-127. | 0.2 | 7 |
| 5123 | Comparative phylogeography in the Atlantic forest and Brazilian savannas: pleistocene fluctuations and dispersal shape spatial patterns in two bumblebees. <i>BMC Evolutionary Biology</i> , 2016, 16, 267. | 3.2 | 32 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5124 | An Integrated Sedimentary Systems Analysis of the R  O Bermejo (Argentina): Megafan Character in the Overfilled Southern Chaco Foreland Basin. <i>Journal of Sedimentary Research</i> , 2016, 86, 1359-1377. | 0.8 | 23 |
| 5125 | The importance of data type, laser spot density and modelling method for vegetation height mapping in continental China. <i>International Journal of Remote Sensing</i> , 2016, 37, 6127-6148. | 1.3 | 4 |
| 5126 | Biotic and abiotic factors associated with altitudinal variation in plant traits and herbivory in a dominant oak species. <i>American Journal of Botany</i> , 2016, 103, 2070-2078. | 0.8 | 63 |
| 5127 | Relative importance of hydrological variables in predicting the habitat suitability of <i>Euryale ferox</i> Salisb.. <i>Journal of Plant Ecology</i> , 2016, , rtw106. | 1.2 | 1 |
| 5128 | Mobilizing and integrating big data in studies of spatial and phylogenetic patterns of biodiversity. <i>Plant Diversity</i> , 2016, 38, 264-270. | 1.8 | 48 |
| 5129 | Evolutionary heritage influences Amazon tree ecology. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161587. | 1.2 | 43 |
| 5130 | On the influence of provenance to soil quality enhanced stress reaction of young beech trees to summer drought. <i>Ecology and Evolution</i> , 2016, 6, 8276-8290. | 0.8 | 8 |
| 5131 | Patterns of diversity of flower-visitor assemblages to the understory Araceae in a tropical mountain forest in Colombia. <i>Journal of Insect Conservation</i> , 2016, 20, 1069-1085. | 0.8 | 10 |
| 5132 | Projected changes in climatic suitability for <i>Kinosternon</i> turtles by 2050 and 2070. <i>Ecology and Evolution</i> , 2016, 6, 7690-7705. | 0.8 | 20 |
| 5133 | Ecological niche modeling of mouse lemurs (<i>Microcebus</i> spp.) and its implications for their species diversity and biogeography. , 2016, , 449-461. | | 16 |
| 5134 | Optimizing investments in national-scale forest landscape restoration in Uganda to maximize multiple benefits. <i>Environmental Research Letters</i> , 2016, 11, 114027. | 2.2 | 36 |
| 5135 | Support for the elevational Rapoport's rule among seed plants in Nepal depends on biogeographical affinities and boundary effects. <i>Ecology and Evolution</i> , 2016, 6, 7246-7252. | 0.8 | 19 |
| 5136 | A macroecological perspective on strategic bat conservation in the U.S. National Park Service. <i>Ecosphere</i> , 2016, 7, e01576. | 1.0 | 16 |
| 5137 | High light intensity plays a major role in emergence of population level variation in <i>Arabidopsis thaliana</i> along an altitudinal gradient. <i>Scientific Reports</i> , 2016, 6, 26160. | 1.6 | 14 |
| 5138 | Correlations of polyploidy and apomixis with elevation and associated environmental gradients in an alpine plant. <i>AoB PLANTS</i> , 2016, 8, . | 1.2 | 102 |
| 5139 | Global spatially explicit CO2 emission metrics for forest bioenergy. <i>Scientific Reports</i> , 2016, 6, 20186. | 1.6 | 39 |
| 5140 | Glacial refugia and the prediction of future habitat coverage of the South American lichen species <i>Ochrolechia austroamericana</i> . <i>Scientific Reports</i> , 2016, 6, 38779. | 1.6 | 14 |
| 5141 | Ecotype-specific improvement of nitrogen status in European grasses after drought combined with rewetting. <i>Acta Oecologica</i> , 2016, 77, 118-127. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5142 | <i>Pupilla alluvionica</i> Meng & Hoffmann, 2008: A Land Snail Extant in the Altai Refugium Recognised for the First Time in Central European Early-Middle Pleistocene Glacials. <i>Malacologia</i> , 2016, 59, 223-230. | 0.2 | 2 |
| 5143 | <i>Garcinia</i> in Southern China: Ethnobotany, Management, and Niche Modeling. <i>Economic Botany</i> , 2016, 70, 416-430. | 0.8 | 33 |
| 5144 | Vulnerability to climate change and sea-level rise of the 35th biodiversity hotspot, the Forests of East Australia. <i>Environmental Conservation</i> , 2016, 43, 79-89. | 0.7 | 8 |
| 5145 | East European crayfish stocks at risk: arrival of non-indigenous crayfish species. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2016, , 37. | 0.5 | 37 |
| 5146 | Diversity, distribution, and conservation of lizards (Reptilia: Squamata) in the Brazilian Amazonia. <i>Neotropical Biodiversity</i> , 2016, 2, 195-421. | 0.2 | 23 |
| 5147 | Potential Distribution Map of <i>Culicoides insignis</i> (Diptera: Ceratopogonidae), Vector of Bluetongue Virus, in Northwestern Argentina. <i>Journal of Insect Science</i> , 2016, 16, . | 0.6 | 4 |
| 5148 | Effects of conservation policy on China's forest recovery. <i>Science Advances</i> , 2016, 2, e1500965. | 4.7 | 163 |
| 5149 | Ecological niche modeling of mosquito vectors of West Nile virus in St. John's County, Florida, USA. <i>Parasites and Vectors</i> , 2016, 9, 371. | 1.0 | 37 |
| 5150 | Large expansion of oil industry in the Ecuadorian Amazon: biodiversity vulnerability and conservation alternatives. <i>Ecology and Evolution</i> , 2016, 6, 4997-5012. | 0.8 | 60 |
| 5151 | Range wide molecular data and niche modeling revealed the Pleistocene history of a global invader (<i>Halyomorpha halys</i>). <i>Scientific Reports</i> , 2016, 6, 23192. | 1.6 | 37 |
| 5152 | Shared and unique patterns of phenotypic diversification along a stream gradient in two congeneric species. <i>Scientific Reports</i> , 2016, 6, 38971. | 1.6 | 23 |
| 5153 | Terrestrial ecosystem changes in the late Quaternary. , 0, , 269-283. | | 6 |
| 5154 | Habitat availability is not limiting the distribution of the Bohemian's Bavarian lynx <i>Lynx lynx</i> population. <i>Oryx</i> , 2016, 50, 742-752. | 0.5 | 26 |
| 5155 | Rapid conservation assessment for endangered species using habitat connectivity models. <i>Environmental Conservation</i> , 2016, 43, 221-230. | 0.7 | 14 |
| 5156 | From Sets of Good Redescriptions to Good Sets of Redescriptions. , 2016, , . | | 5 |
| 5157 | (Con)Fused bracts: The Identity and Application of <i>Tradescantia cymbispatha</i> (Commelinaceae) and a Neglected New <i>Tradescantia</i> Species from Bolivia. <i>Systematic Botany</i> , 2016, 41, 950-958. | 0.2 | 4 |
| 5158 | Coping with heat: behavioural and physiological responses of savanna elephants in their natural habitat. , 2016, 4, cow044. | | 58 |
| 5159 | Summer temperature can predict the distribution of wild yeast populations. <i>Ecology and Evolution</i> , 2016, 6, 1236-1250. | 0.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 5160 | Vegetation Structure and Function at Multiple Spatial, Temporal and Conceptual Scales. <i>Geobotany Studies</i> , 2016, , . | 0.2 | 7 |
| 5161 | Size variation in <i>Tachyoryctes splendens</i> (East African mole-rat) and its implications for late Quaternary temperature change in equatorial East Africa. <i>Quaternary Science Reviews</i> , 2016, 140, 39-48. | 1.4 | 18 |
| 5162 | Late Quaternary climate change shapes island biodiversity. <i>Nature</i> , 2016, 532, 99-102. | 13.7 | 190 |
| 5163 | Phylogenetic analysis of niche divergence reveals distinct evolutionary histories and climate change implications for tropical carnivorous pitcher plants. <i>Diversity and Distributions</i> , 2016, 22, 97-110. | 1.9 | 19 |
| 5164 | Evolutionary history of the subnival flora of the Himalayaâ€”Hengduan Mountains: first insights from comparative phylogeography of four perennial herbs. <i>Journal of Biogeography</i> , 2016, 43, 31-43. | 1.4 | 112 |
| 5165 | Where do the treeless tundra areas of northern highlands fit in the global biome system: toward an ecologically natural subdivision of the tundra biome. <i>Ecology and Evolution</i> , 2016, 6, 143-158. | 0.8 | 69 |
| 5166 | Leaf traits in Chilean matorral: sclerophylly within, among, and beyond matorral, and its environmental determinants. <i>Ecology and Evolution</i> , 2016, 6, 1430-1446. | 0.8 | 10 |
| 5167 | The Quaternary evolutionary history, potential distribution dynamics, and conservation implications for a Qinghaiâ€”Tibet Plateau endemic herbaceous perennial, <i>Anisodus tanguticus</i> (Solanaceae). <i>Ecology and Evolution</i> , 2016, 6, 1977-1995. | 0.8 | 37 |
| 5168 | Plant functional constraints guide macroevolutionary tradeoffs in competitive and conservative growth responses to nitrogen. <i>Functional Ecology</i> , 2016, 30, 1099-1108. | 1.7 | 27 |
| 5169 | Not poles apart: Antarctic soil fungal communities show similarities to those of the distant Arctic. <i>Ecology Letters</i> , 2016, 19, 528-536. | 3.0 | 109 |
| 5170 | Controlling false discoveries in genome scans for selection. <i>Molecular Ecology</i> , 2016, 25, 454-469. | 2.0 | 210 |
| 5171 | Weak tradeoff between xylem safety and xylem-specific hydraulic efficiency across the world's woody plant species. <i>New Phytologist</i> , 2016, 209, 123-136. | 3.5 | 466 |
| 5172 | Consistent response of bird populations to climate change on two continents. <i>Science</i> , 2016, 352, 84-87. | 6.0 | 212 |
| 5173 | Habitat Suitability Model for the Distribution of <i>Ixodes scapularis</i> (Acari: Ixodidae) in Minnesota. <i>Journal of Medical Entomology</i> , 2016, 53, 598-606. | 0.9 | 42 |
| 5174 | A matter of scale: apparent niche differentiation of diploid and tetraploid plants may depend on extent and grain of analysis. <i>Journal of Biogeography</i> , 2016, 43, 716-726. | 1.4 | 73 |
| 5175 | Elevational Dependence of Air Temperature Variability and Trends in British Columbia's Cariboo Mountains, 1950â€”2010. <i>Atmosphere - Ocean</i> , 2016, 54, 153-170. | 0.6 | 15 |
| 5176 | High plant endemism in China is partially linked to reduced glacialâ€”interglacial climate change. <i>Journal of Biogeography</i> , 2016, 43, 145-154. | 1.4 | 79 |
| 5177 | A global analysis of parenchyma tissue fractions in secondary xylem of seed plants. <i>New Phytologist</i> , 2016, 209, 1553-1565. | 3.5 | 209 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5178 | Opportunities for unlocking the potential of genomics for African trees. <i>New Phytologist</i> , 2016, 210, 772-778. | 3.5 | 11 |
| 5179 | Confronting species distribution model predictions with species functional traits. <i>Ecology and Evolution</i> , 2016, 6, 873-879. | 0.8 | 41 |
| 5180 | Impacts of temperature on giant panda habitat in the north Minshan Mountains. <i>Ecology and Evolution</i> , 2016, 6, 987-996. | 0.8 | 16 |
| 5181 | Dispersal, niche, and isolation processes jointly explain species turnover patterns of nonvolant small mammals in a large mountainous region of China. <i>Ecology and Evolution</i> , 2016, 6, 946-960. | 0.8 | 13 |
| 5182 | Climatic patterns in the establishment of wintering areas by North American migratory birds. <i>Ecology and Evolution</i> , 2016, 6, 2022-2033. | 0.8 | 15 |
| 5183 | Long-term background denudation rates of southern and southeastern Brazilian watersheds estimated with cosmogenic ¹⁰ Be. <i>Geomorphology</i> , 2016, 268, 54-63. | 1.1 | 24 |
| 5184 | Oxygen-17 anomaly in soil nitrate: A new precipitation proxy for desert landscapes. <i>Earth and Planetary Science Letters</i> , 2016, 438, 103-111. | 1.8 | 11 |
| 5185 | Parthenogenesis through the ice ages: A biogeographic analysis of Caucasian rock lizards (genus <i>Tj</i>). <i>ETQq1</i> 1.0.7843, 14 rgBT / Overlooked | 1.2 | 44 |
| 5186 | Phylogenetic placement and generic re-circumscriptions of the multilocular genera <i>Arenifera</i> , <i>Octopoma</i> and <i>Schlechteranthus</i> (Aizoaceae: Ruschieae): Evidence from anatomical, morphological and plastid DNA data. <i>Taxon</i> , 2016, 65, 249-261. | 0.4 | 9 |
| 5187 | Dry-washes determine gene flow and genetic diversity in a common desert shrub. <i>Landscape Ecology</i> , 2016, 31, 2215-2229. | 1.9 | 6 |
| 5188 | Temperature dependence of basalt weathering. <i>Earth and Planetary Science Letters</i> , 2016, 443, 59-69. | 1.8 | 126 |
| 5189 | Specific leaf area and hydraulic traits explain niche segregation along an aridity gradient in Mediterranean woody species. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 21, 23-30. | 1.1 | 47 |
| 5190 | Spatially explicit modeling of animal tuberculosis at the wildlife-livestock interface in Ciudad Real province, Spain. <i>Preventive Veterinary Medicine</i> , 2016, 128, 101-111. | 0.7 | 31 |
| 5191 | Using Species Distribution Modeling to contextualize Lower Magdalenian social networks visible through portable art stylistic similarities in the Cantabrian region (Spain). <i>Quaternary International</i> , 2016, 412, 112-123. | 0.7 | 10 |
| 5192 | First official record of naturalised populations of <i>Solidago altissima</i> L. var. <i>pluricephala</i> M.C. Johnst. (Asteraceae: Astereae) in Africa. <i>South African Journal of Botany</i> , 2016, 105, 333-336. | 1.2 | 7 |
| 5193 | Managing forest ecosystem services for hydropower production. <i>Environmental Science and Policy</i> , 2016, 61, 221-229. | 2.4 | 23 |
| 5194 | Modelling the effect of temperature on the seasonal population dynamics of temperate mosquitoes. <i>Journal of Theoretical Biology</i> , 2016, 400, 65-79. | 0.8 | 126 |
| 5195 | Biomass Resources to Hybridize CSP with Biomethane: Potential of Horticultural Residues and Drought-tolerant Crops.. <i>Procedia Computer Science</i> , 2016, 83, 1102-1109. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5196 | Predicting Disease Risk, Identifying Stakeholders, and Informing Control Strategies: A Case Study of Anthrax in Montana. <i>EcoHealth</i> , 2016, 13, 262-273. | 0.9 | 4 |
| 5197 | Do Landscape Structure and Socio-Economic Variables Explain the Solidago Invasion?. <i>Folia Geobotanica</i> , 2016, 51, 13-25. | 0.4 | 14 |
| 5198 | Changes in the spatial patterns of human appropriation of net primary production (HANPP) in Europe 1990â€“2006. <i>Regional Environmental Change</i> , 2016, 16, 1225-1238. | 1.4 | 55 |
| 5199 | Tanzania's reptile biodiversity: Distribution, threats and climate change vulnerability. <i>Biological Conservation</i> , 2016, 204, 72-82. | 1.9 | 28 |
| 5200 | Fat Dormouse (<i>Glis glis</i> L.) Distribution Modeling in the Hyrcanian Relict Forests of Northern Iran. <i>Polish Journal of Ecology</i> , 2016, 64, 136-142. | 0.2 | 4 |
| 5201 | Key innovations and climatic niche divergence as drivers of diversification in subtropical Gentianinae in southeastern and eastern Asia. <i>American Journal of Botany</i> , 2016, 103, 899-911. | 0.8 | 31 |
| 5202 | Predicting impacts of climate change on habitat connectivity of <i>Kalopanax septemlobus</i> in South Korea. <i>Acta Oecologica</i> , 2016, 71, 31-38. | 0.5 | 20 |
| 5203 | The discovery of devil's gardens: an antâ€“plant mutualism in the cloud forests of the Eastern Amazon. <i>Journal of Tropical Ecology</i> , 2016, 32, 264-268. | 0.5 | 4 |
| 5204 | Endemic birds of the Fynbos biome: a conservation assessment and impacts of climate change. <i>Bird Conservation International</i> , 2016, 26, 52-68. | 0.7 | 23 |
| 5205 | Can sensitivity to temperature during germination help predict global warming vulnerability?. <i>Seed Science Research</i> , 2016, 26, 14-29. | 0.8 | 30 |
| 5206 | Tree plantations are hot-spots of plant invasion in a landscape with heterogeneous land-use. <i>Agriculture, Ecosystems and Environment</i> , 2016, 226, 88-98. | 2.5 | 32 |
| 5207 | Ecological Niche Modeling for the Prediction of the Geographic Distribution of Cutaneous Leishmaniasis in Tunisia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 844-851. | 0.6 | 39 |
| 5208 | Paleodistribution modeling suggests glacial refugia in Scandinavia and outâ€“ofâ€“Tibet range expansion of the Arctic fox. <i>Ecology and Evolution</i> , 2016, 6, 170-180. | 0.8 | 9 |
| 5209 | Are we overestimating the niche? Removing marginal localities helps ecological niche models detect environmental barriers. <i>Ecology and Evolution</i> , 2016, 6, 1267-1279. | 0.8 | 21 |
| 5210 | Will climate change impact the potential distribution of a native vine (<i>Merremia peltata</i>) which is behaving invasively in the Pacific region?. <i>Ecology and Evolution</i> , 2016, 6, 742-754. | 0.8 | 7 |
| 5211 | Molecular and iridescent feather reflectance data reveal recent genetic diversification and phenotypic differentiation in a cloud forest hummingbird. <i>Ecology and Evolution</i> , 2016, 6, 1104-1127. | 0.8 | 20 |
| 5212 | The temporal scale of diet and dietary proxies. <i>Ecology and Evolution</i> , 2016, 6, 1883-1897. | 0.8 | 117 |
| 5213 | Seasonal mixing in forest-cover maps for humid tropics and impact of fluctuations in spectral properties of low vegetation. <i>Remote Sensing of Environment</i> , 2016, 179, 79-88. | 4.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5214 | What is driving the community structure of insects in arid ecosystems of Southern Africa? An example with blister beetles (Coleoptera: Meloidae). <i>Tropical Zoology</i> , 2016, 29, 16-43. | 0.6 | 3 |
| 5215 | Macrophysiology – progress and prospects. <i>Functional Ecology</i> , 2016, 30, 330-344. | 1.7 | 77 |
| 5216 | Overgrazing decreases soil organic carbon stocks the most under dry climates and low soil pH: A meta-analysis shows. <i>Agriculture, Ecosystems and Environment</i> , 2016, 221, 258-269. | 2.5 | 156 |
| 5217 | Bee response to fire regimes in Mediterranean pine forests: The role of nesting preference, trophic specialization, and body size. <i>Basic and Applied Ecology</i> , 2016, 17, 308-320. | 1.2 | 30 |
| 5218 | Biodiversity and climate change: Risks to dwarf succulents in Southern Africa. <i>Journal of Arid Environments</i> , 2016, 129, 16-24. | 1.2 | 18 |
| 5219 | Species distribution modelling leads to the discovery of new populations of one of the least known European snakes, <i>Vipera ursinii graeca</i> , in Albania. <i>Amphibia - Reptilia</i> , 2016, 37, 55-68. | 0.1 | 22 |
| 5220 | Targeted capture and resequencing of 1040 genes reveal environmentally driven functional variation in grey wolves. <i>Molecular Ecology</i> , 2016, 25, 357-379. | 2.0 | 47 |
| 5221 | Spatio temporal population dynamics of the invasive diatom <i>Didymosphenia geminata</i> in central-southern Chilean rivers. <i>Science of the Total Environment</i> , 2016, 568, 1135-1145. | 3.9 | 20 |
| 5222 | Constant tree species richness along an elevational gradient of Mt. Bokor, a table-shaped mountain in southwestern Cambodia. <i>Ecological Research</i> , 2016, 31, 495-504. | 0.7 | 5 |
| 5223 | Evaluating large-extent spatial modeling approaches: A case study for soil depth for France. <i>Geoderma Regional</i> , 2016, 7, 137-152. | 0.9 | 43 |
| 5224 | Response of the endangered tropical dry forests to climate change and the role of Mexican Protected Areas for their conservation. <i>Global Change Biology</i> , 2016, 22, 364-379. | 4.2 | 96 |
| 5225 | Morphological variability of <i>Himantoglossum</i> s.s. (Orchidaceae) in Greece. <i>Phytotaxa</i> , 2016, 245, 17. | 0.1 | 6 |
| 5226 | Squares of different sizes: effect of geographical projection on model parameter estimates in species distribution modeling. <i>Ecology and Evolution</i> , 2016, 6, 202-211. | 0.8 | 16 |
| 5227 | Integrating subsistence practice and species distribution modeling: assessing invasive elodea's potential impact on Native Alaskan subsistence of Chinook salmon and whitefish. <i>Environmental Management</i> , 2016, 58, 144-163. | 1.2 | 10 |
| 5228 | Current and Future Fire Regimes and Their Influence on Natural Vegetation in Ethiopia. <i>Ecosystems</i> , 2016, 19, 369-386. | 1.6 | 25 |
| 5229 | Subtropical species of <i>Sinningia</i> (Gesneriaceae): Distribution patterns and limiting environmental factors. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 222, 86-95. | 0.6 | 3 |
| 5230 | Using forest structure to predict the distribution of treed boreal peatlands in Canada. <i>Forest Ecology and Management</i> , 2016, 372, 19-27. | 1.4 | 29 |
| 5231 | Functional assessment of animal interactions with shrub-facilitation complexes: a formal synthesis and conceptual framework. <i>Functional Ecology</i> , 2016, 30, 41-51. | 1.7 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5232 | Phytogeography of New Guinean orchids: patterns of species richness and turnover. <i>Journal of Biogeography</i> , 2016, 43, 204-214. | 1.4 | 21 |
| 5233 | A novel phylogenetic regionalization of phytogeographical zones of southern Africa reveals their hidden evolutionary affinities. <i>Journal of Biogeography</i> , 2016, 43, 155-166. | 1.4 | 58 |
| 5234 | Genetic subdivision and candidate genes under selection in North American grey wolves. <i>Molecular Ecology</i> , 2016, 25, 380-402. | 2.0 | 100 |
| 5235 | Climate refugees going underground – a response to Maurin <i>et al</i> . (2014). <i>New Phytologist</i> , 2016, 209, 904-909. | 3.5 | 32 |
| 5236 | Crop wild relatives of the brinjal eggplant (<i>Solanum melongena</i>): Poorly represented in genebanks and many species at risk of extinction. <i>American Journal of Botany</i> , 2016, 103, 635-651. | 0.8 | 78 |
| 5237 | Examining Head-shape Differences and Ecology in Morphologically Similar Salamanders at Their Zone of Contact. <i>Copeia</i> , 2016, 104, 233-242. | 1.4 | 1 |
| 5238 | Conservation status and protection of three Antillean endemic damselflies. <i>Journal of Insect Conservation</i> , 2016, 20, 277-284. | 0.8 | 7 |
| 5239 | Future climate warming and changes to mountain permafrost in the Bolivian Andes. <i>Climatic Change</i> , 2016, 137, 231-243. | 1.7 | 35 |
| 5240 | Niche constraints to the northwards expansion of the common genet (<i>Genetta genetta</i> , Linnaeus 1758) in Europe. <i>Mammalian Biology</i> , 2016, 81, 399-409. | 0.8 | 4 |
| 5241 | First record of the freshwater snail <i>Pseudosuccinea columella</i> (Gastropoda: Lymnaeidae) in southern Pampas (Argentina) and assessment of future spread. <i>Molluscan Research</i> , 2016, 36, 213-221. | 0.2 | 8 |
| 5242 | Beyond the Mean: Biological Impacts of Cryptic Temperature Change. <i>Integrative and Comparative Biology</i> , 2016, 56, 110-119. | 0.9 | 55 |
| 5243 | Improving the Spatial Resolution of Land Surface Phenology by Fusing Medium- and Coarse-Resolution Inputs. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 4153-4164. | 2.7 | 33 |
| 5244 | Comparison of BIAS correction techniques for GPCP rainfall data in semi-arid climate. <i>Stochastic Environmental Research and Risk Assessment</i> , 2016, 30, 1659-1675. | 1.9 | 40 |
| 5245 | Using climate, energy, and spatial-based hypotheses to interpret macroecological patterns of North America chelonians. <i>Canadian Journal of Zoology</i> , 2016, 94, 453-461. | 0.4 | 15 |
| 5246 | Correspondence between the habitat of the threatened pudŕ (Cervidae) and the national protected-area system of Chile. <i>BMC Ecology</i> , 2016, 16, 1. | 3.0 | 58 |
| 5247 | Distribution of Spotted Fever Group Rickettsiae in Hard Ticks (Ixodida: Ixodidae) from Panamanian Urban and Rural Environments (2007–2013). <i>EcoHealth</i> , 2016, 13, 274-284. | 0.9 | 38 |
| 5248 | Scale- and taxon-dependent patterns of plant diversity in steppes of Khakassia, South Siberia (Russia). <i>Biodiversity and Conservation</i> , 2016, 25, 2251-2273. | 1.2 | 39 |
| 5249 | Mexican alpine plants in the face of global warming: potential extinction within a specialized assemblage of narrow endemics. <i>Biodiversity and Conservation</i> , 2016, 25, 865-885. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5250 | Variation in seed and seedling traits and their relations to geo-climatic factors among populations in Yunnan Pine (<i>Pinus yunnanensis</i>). <i>Journal of Forestry Research</i> , 2016, 27, 1009-1017. | 1.7 | 12 |
| 5251 | Assessment of soil organic carbon stocks under future climate and land cover changes in Europe. <i>Science of the Total Environment</i> , 2016, 557-558, 838-850. | 3.9 | 176 |
| 5252 | Niche dynamics of alien species do not differ among sexual and apomictic flowering plants. <i>New Phytologist</i> , 2016, 209, 1313-1323. | 3.5 | 38 |
| 5253 | Is hybridization driving the evolution of climatic niche in <i>Alyssum montanum</i> . <i>American Journal of Botany</i> , 2016, 103, 1348-1357. | 0.8 | 43 |
| 5254 | Geographic patterns of species richness of diurnal raptors in Venezuela. <i>Biodiversity and Conservation</i> , 2016, 25, 1037-1052. | 1.2 | 2 |
| 5255 | Estimating potential range and hence climatic adaptability in selected tree species. <i>Forest Ecology and Management</i> , 2016, 366, 175-183. | 1.4 | 33 |
| 5256 | Factors determining the occurrence of <i>Pleurodeles poireti</i> (Caudata: Salamandridae) on Edough Peninsula, northeastern Algeria. <i>African Journal of Herpetology</i> , 2016, 65, 55-67. | 0.3 | 7 |
| 5257 | The potential to restore native woody plant richness and composition in a reforesting landscape: a modeling approach in the Ecuadorian Andes. <i>Landscape Ecology</i> , 2016, 31, 1581-1599. | 1.9 | 19 |
| 5258 | Millet cultivation across Eurasia: Origins, spread, and the influence of seasonal climate. <i>Holocene</i> , 2016, 26, 1566-1575. | 0.9 | 135 |
| 5259 | Ecological and evolutionary influences on body size and shape in the Galápagos marine iguana (<i>Amblyrhynchus cristatus</i>). <i>Oecologia</i> , 2016, 181, 885-894. | 0.9 | 9 |
| 5260 | Predicting species richness and distribution ranges of centipedes at the northern edge of Europe. <i>Acta Oecologica</i> , 2016, 74, 1-10. | 0.5 | 6 |
| 5261 | Combining genetic and distributional approaches to sourcing introduced species: a case study on the Nile monitor (<i>Varanus niloticus</i>) in Florida. <i>Royal Society Open Science</i> , 2016, 3, 150619. | 1.1 | 4 |
| 5262 | Spatio-temporal distribution of hunter-gatherer archaeological sites in the Hokkaido region (northern Japan): An overview. <i>Holocene</i> , 2016, 26, 1627-1645. | 0.9 | 26 |
| 5263 | Sympatry and possible hybridization among species of the killifish genus <i>Aphanius</i> Nardo, 1827 (Teleostei: Cyprinodontidae) in Southwestern Iran. <i>Limnologia</i> , 2016, 59, 10-20. | 0.7 | 13 |
| 5264 | Loss of testate amoeba functional diversity with increasing frost intensity across a continental gradient reduces microbial activity in peatlands. <i>European Journal of Protistology</i> , 2016, 55, 190-202. | 0.5 | 26 |
| 5265 | Silvicultural climatic turning point for European beech and sessile oak in Western Europe derived from national forest inventories. <i>Forest Ecology and Management</i> , 2016, 373, 128-137. | 1.4 | 7 |
| 5266 | Epiphyllous fungi and leaf physiognomy indicate an ever-wet humid mesothermal (subtropical) climate in the late Eocene of southern New Zealand. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 452, 1-10. | 1.0 | 20 |
| 5267 | Flood projections within the Niger River Basin under future land use and climate change. <i>Science of the Total Environment</i> , 2016, 562, 666-677. | 3.9 | 90 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5268 | The chacma baboon (<i>Papio ursinus</i>) through time: a model of potential core habitat regions during a glacial–interglacial cycle. <i>Evolutionary Ecology</i> , 2016, 30, 755-782. | 0.5 | 5 |
| 5269 | Patterns of niche overlapping and richness among <i>Geocoris</i> species (Hemiptera: Geocoridae) in Iran. <i>Biocontrol Science and Technology</i> , 2016, 26, 1197-1211. | 0.5 | 6 |
| 5270 | Alpine bird distributions along elevation gradients: the consistency of climate and habitat effects across geographic regions. <i>Oecologia</i> , 2016, 181, 1139-1150. | 0.9 | 35 |
| 5271 | Adaptation of Asia-Pacific forests to climate change. <i>Journal of Forestry Research</i> , 2016, 27, 469-488. | 1.7 | 11 |
| 5272 | Pollination service delivery for European crops: Challenges and opportunities. <i>Ecological Economics</i> , 2016, 128, 1-7. | 2.9 | 25 |
| 5273 | Monographs on Invasive Plants in Europe: <i>Baccharis halimifolia</i> L.. <i>Botany Letters</i> , 2016, 163, 127-153. | 0.7 | 20 |
| 5274 | Spatial and environmental drivers of macrophyte diversity and community composition in temperate and tropical calcareous rivers. <i>Aquatic Botany</i> , 2016, 132, 49-61. | 0.8 | 24 |
| 5275 | Exploring stream communities in a tropical biodiversity hotspot: biodiversity, regional occupancy, niche characteristics and environmental correlates. <i>Biodiversity and Conservation</i> , 2016, 25, 975-993. | 1.2 | 43 |
| 5276 | The dual role of Andean topography in primary divergence: functional and neutral variation among populations of the hummingbird, <i>Metallura tyrianthina</i> . <i>BMC Evolutionary Biology</i> , 2016, 16, 22. | 3.2 | 31 |
| 5277 | Description of the Female of <i>Martinsmyia minasensis</i> (Diptera, Psychodidae, Phlebotominae), With Distribution Records and a Key to Female Identification. <i>Journal of Medical Entomology</i> , 2016, 53, 533-540. | 0.9 | 5 |
| 5278 | Biotic and abiotic variables influencing plant litter breakdown in streams: a global study. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152664. | 1.2 | 86 |
| 5279 | Resolving regional frequency analysis of precipitation at large and complex scales using a bottom-up approach: The Latin America and the Caribbean Drought Atlas. <i>Journal of Hydrology</i> , 2016, 538, 515-538. | 2.3 | 13 |
| 5280 | Life form evolution in epidendroid orchids: Ecological consequences of the shift from epiphytism to terrestrial habit in <i>Hexalectris</i> . <i>Taxon</i> , 2016, 65, 235-248. | 0.4 | 29 |
| 5281 | Exploring intraspecific climatic niche conservatism to better understand species invasion: the case of <i>Trachemys dorbigni</i> (Testudines, Emydidae). <i>Hydrobiologia</i> , 2016, 779, 127-134. | 1.0 | 11 |
| 5282 | Mechanisms driving the soil organic matter decomposition response to nitrogen enrichment in grassland soils. <i>Soil Biology and Biochemistry</i> , 2016, 99, 54-65. | 4.2 | 205 |
| 5283 | Species distribution models for natural enemies of monarch butterfly (<i>Danaus plexippus</i>) larvae and pupae: distribution patterns and implications for conservation. <i>Journal of Insect Conservation</i> , 2016, 20, 223-237. | 0.8 | 13 |
| 5284 | Taller trees, denser stands and greater biomass in semi-deciduous than in evergreen lowland central African forests. <i>Forest Ecology and Management</i> , 2016, 374, 42-50. | 1.4 | 48 |
| 5285 | Diversity patterns, environmental drivers and changes in vegetation composition in dry inter-Andean valleys. <i>Journal of Plant Ecology</i> , 0, , rtw036. | 1.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5286 | Global analyses underrate part of the story: finding applicable results for the conservation planning of small Sardinian islets's flora. <i>Biodiversity and Conservation</i> , 2016, 25, 1091-1106. | 1.2 | 17 |
| 5287 | The economic consequences of the Spanish Reconquest: the long-term effects of Medieval conquest and colonization. <i>Journal of Economic Growth</i> , 2016, 21, 409-464. | 1.1 | 41 |
| 5288 | Reserve network planning for fishes in the middle and lower Yangtze River basin by systematic conservation approaches. <i>Science China Life Sciences</i> , 2016, 59, 312-324. | 2.3 | 10 |
| 5289 | Synergistic effects of climate and land-use change on representation of African bats in priority conservation areas. <i>Ecological Indicators</i> , 2016, 69, 276-283. | 2.6 | 17 |
| 5290 | Contrasting effects of urbanization and agriculture on surface temperature in eastern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 9597-9606. | 1.2 | 49 |
| 5291 | Climate change since the last glacial period in Lebanon and the persistence of Mediterranean species. <i>Quaternary Science Reviews</i> , 2016, 150, 146-157. | 1.4 | 38 |
| 5292 | First report of <i>Candidatus Rickettsia amblyommi</i> in west coast of Mexico. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 1139-1145. | 1.1 | 24 |
| 5293 | Land cover impacts on aboveground and soil carbon stocks in Malagasy rainforest. <i>Agriculture, Ecosystems and Environment</i> , 2016, 233, 1-15. | 2.5 | 35 |
| 5294 | Footprints of the Last Glacial: Past competition may have shaped strongly disjunct distribution ranges in <i>Artemisia rupestris</i> and <i>A. laciniata</i> . <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 224, 203-210. | 0.6 | 3 |
| 5295 | <i>Plantatic</i> : a dynamic and mobile guide to all plants of the Americas. <i>Methods in Ecology and Evolution</i> , 2016, 7, 960-965. | 2.2 | 18 |
| 5296 | Landscape structure and climate affect plant invasion in subtropical grasslands. <i>Applied Vegetation Science</i> , 2016, 19, 600-610. | 0.9 | 46 |
| 5297 | Exposure-related forest-steppe: A diverse landscape type determined by topography and climate. <i>Journal of Arid Environments</i> , 2016, 135, 75-84. | 1.2 | 35 |
| 5298 | Spiny plants, mammal browsers, and the origin of African savannas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5572-9. | 3.3 | 132 |
| 5299 | Species Distribution Modeling of the Threatened Blanding's Turtle's (<i>Emydoidea blandingii</i>) Range Edge as a Tool for Conservation Planning. <i>Journal of Herpetology</i> , 2016, 50, 366-373. | 0.2 | 11 |
| 5301 | Protected areas and imperilled endemic freshwater biodiversity in the Western Ghats Hotspot. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 78-90. | 0.9 | 27 |
| 5302 | What are the effects of Agro-Ecological Zones and land use region boundaries on land resource projection using the Global Change Assessment Model?. <i>Environmental Modelling and Software</i> , 2016, 85, 246-265. | 1.9 | 14 |
| 5303 | The Anatolian diagonal revisited: Testing the ecological basis of a biogeographic boundary. <i>Zoology in the Middle East</i> , 2016, 62, 189-199. | 0.2 | 49 |
| 5305 | Environmental drivers of body size variation in the lesser treefrog (<i>Dendropsophus minutus</i>) across the Amazon-Cerrado gradient. <i>Biological Journal of the Linnean Society</i> , 2016, , . | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5306 | Assessing the trade-off between data quality and spatial resolution for the Thornthwaite Moisture Index mapping. <i>Journal of Spatial Science</i> , 2016, , 1-18. | 1.0 | 3 |
| 5307 | Basking behavior predicts the evolution of heat tolerance in Australian rainforest lizards. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 2537-2549. | 1.1 | 49 |
| 5308 | Can persuasive and demonstrative messages to visitors reduce littering in river beaches?. <i>Waste Management</i> , 2016, 58, 34-40. | 3.7 | 40 |
| 5309 | The macroecology of animal versus wind pollination: ecological factors are more important than historical climate stability. <i>Plant Ecology and Diversity</i> , 2016, 9, 253-262. | 1.0 | 68 |
| 5310 | Mineral elements in grasses growing in contrasting environmental conditions in southern Patagonia. <i>New Zealand Journal of Agricultural Research</i> , 2016, 59, 235-249. | 0.9 | 3 |
| 5311 | Novel Concordance Between Geographic, Environmental, and Genetic Structure in the Ecological Generalist Prickly Sculpin (<i>Cottus asper</i>) in California. <i>Journal of Heredity</i> , 2016, 107, 504-517. | 1.0 | 7 |
| 5312 | Climate affects the structure of mixed rain forest in southern sector of Atlantic domain in Brazil. <i>Acta Oecologica</i> , 2016, 77, 109-117. | 0.5 | 14 |
| 5313 | A framework for prioritizing conservation translocations to mimic natural ecological processes under climate change: A case study with African antelopes. <i>Biological Conservation</i> , 2016, 201, 230-236. | 1.9 | 19 |
| 5314 | Quantifying the impacts of sea-level rise on coastal biodiversity: A case study on lichens in the mid-Atlantic Coast of eastern North America. <i>Biological Conservation</i> , 2016, 202, 119-126. | 1.9 | 26 |
| 5315 | The distribution variation and key influencing factors of soil organic carbon of natural deciduous broadleaf forests along the latitudinal gradient. <i>Acta Ecologica Sinica</i> , 2016, 36, 333-339. | 0.9 | 7 |
| 5316 | Fragmentation and environmental constraints influence genetic diversity and germination of <i>Stipa pennata</i> in natural steppes. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 224, 42-49. | 0.6 | 14 |
| 5317 | <i>Haemonchus contortus</i> : the then and now, and where to from here?. <i>International Journal for Parasitology</i> , 2016, 46, 755-769. | 1.3 | 140 |
| 5318 | GlobalSoilMap France: High-resolution spatial modelling the soils of France up to two meter depth. <i>Science of the Total Environment</i> , 2016, 573, 1352-1369. | 3.9 | 111 |
| 5319 | The Quaternary record of <i>Euneomys</i> (Mammalia, Rodentia, Cricetidae) from northwestern Patagonia: evidence for regional extinction. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1212363. | 0.4 | 7 |
| 5320 | Changes in Forest Composition in Ohio Between Euro-American Settlement and the Present. <i>American Midland Naturalist</i> , 2016, 176, 247. | 0.2 | 4 |
| 5321 | Climate change impact on corn suitability in Isabela province, Philippines. <i>Journal of Crop Science and Biotechnology</i> , 2016, 19, 223-229. | 0.7 | 9 |
| 5322 | Effect of field sampling design on variation partitioning in a dendritic stream network. <i>Ecological Complexity</i> , 2016, 28, 187-199. | 1.4 | 16 |
| 5323 | Altitudinal variation in lifespan of <i>Drosophila melanogaster</i> populations from the Firtina Valley, northeastern Turkey. <i>Journal of Thermal Biology</i> , 2016, 61, 91-97. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5324 | Genome scan reveals selection acting on genes linked to stress response in wild pearl millet. <i>Molecular Ecology</i> , 2016, 25, 5500-5512. | 2.0 | 30 |
| 5325 | Aboveground carbon storage in a freshwater swamp forest ecosystem in the Niger Delta. <i>Carbon Management</i> , 2016, 7, 137-148. | 1.2 | 8 |
| 5326 | Different roads lead to Rome: Integrative taxonomic approaches lead to the discovery of two new lizard lineages in the <i>Liolaemus montanus</i> group (Squamata: Liolaemidae). <i>Biological Journal of the Linnean Society</i> , 2016, , . | 0.7 | 8 |
| 5327 | Climate change is projected to outpace rates of niche change in grasses. <i>Biology Letters</i> , 2016, 12, 20160368. | 1.0 | 30 |
| 5328 | Controls, budgets and variability of riverine sediment fluxes to the Gulf of Lions (NW Mediterranean) Tj ETQq0 0 0 rBT /Overlock 10 Tf | 2.3 | 41 |
| 5329 | Genome divergence and diversification within a geographic mosaic of coevolution. <i>Molecular Ecology</i> , 2016, 25, 5705-5718. | 2.0 | 43 |
| 5330 | Assessing how habitat loss restricts the geographic range of Neotropical anurans. <i>Ecological Research</i> , 2016, 31, 913-921. | 0.7 | 13 |
| 5331 | Identification of novel 7-methyl and cyclopentanyl branched glycerol dialkyl glycerol tetraethers in lake sediments. <i>Organic Geochemistry</i> , 2016, 102, 52-58. | 0.9 | 45 |
| 5332 | Ant assemblages have darker and larger members in cold environments. <i>Global Ecology and Biogeography</i> , 2016, 25, 1489-1499. | 2.7 | 95 |
| 5333 | A probabilistic predictive Bayesian approach for determining the representativeness of health and demographic surveillance networks. <i>Spatial Statistics</i> , 2016, 17, 161-178. | 0.9 | 5 |
| 5334 | Novel methods to select environmental variables in MaxEnt: A case study using invasive crayfish. <i>Ecological Modelling</i> , 2016, 341, 5-13. | 1.2 | 134 |
| 5335 | Exploring IRSL50 fading variability in bedrock feldspars and implications for OSL thermochronometry. <i>Quaternary Geochronology</i> , 2016, 36, 55-66. | 0.6 | 22 |
| 5336 | The Palaearctic steppe biome: a new synthesis. <i>Biodiversity and Conservation</i> , 2016, 25, 2197-2231. | 1.2 | 167 |
| 5338 | Pine pest aphids of the genus <i>Eulachnus</i> (Hemiptera: Aphididae: Lachninae): how far can their range extend?. <i>Agricultural and Forest Entomology</i> , 2016, 18, 398-408. | 0.7 | 8 |
| 5339 | Genetic diversity and population structure of <i>Corollospora maritima sensu lato</i> : new insights from population genetics. <i>Botanica Marina</i> , 2016, 59, 307-320. | 0.6 | 8 |
| 5340 | Strong influence of palaeoclimate on the structure of modern African mammal communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161207. | 1.2 | 31 |
| 5341 | The future distribution of the savannah biome: model-based and biogeographic contingency. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150311. | 1.8 | 22 |
| 5342 | Phylogenomic Reconstruction of Sportive Lemurs (genus <i>Lepilemur</i>) Recovered from Mitogenomes with Inferences for Madagascar Biogeography. <i>Journal of Heredity</i> , 2016, 108, esw072. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5343 | Effects of climate change on potential habitats of the cold temperate coniferous forest in Yunnan province, southwestern China. <i>Journal of Mountain Science</i> , 2016, 13, 1411-1422. | 0.8 | 10 |
| 5344 | Environmental suitability for <i>Agrilus auroguttatus</i> (Coleoptera: Buprestidae) in Mexico using MaxEnt and database records of four <i>Quercus</i> (Fagaceae) species. <i>Agricultural and Forest Entomology</i> , 2016, 18, 409-418. | 0.7 | 12 |
| 5345 | Climate refugia of snow leopards in High Asia. <i>Biological Conservation</i> , 2016, 203, 188-196. | 1.9 | 84 |
| 5346 | Sustainability of wood-use in remote forest-dependent communities of Papua New Guinea. <i>Forest Ecology and Management</i> , 2016, 382, 88-99. | 1.4 | 5 |
| 5347 | Predicted Pleistocene–Holocene range shifts of the tiger (<i>Panthera tigris</i>). <i>Diversity and Distributions</i> , 2016, 22, 1199-1211. | 1.9 | 31 |
| 5348 | Climatic conditions driving a part of changes in the biochemical composition in land snails: Insights from the endangered <i>Codringtonia</i> (Gastropoda: Pulmonata). <i>Biologia (Poland)</i> , 2016, 71, 903-916. | 0.8 | 0 |
| 5349 | Plant diversity patterns in neotropical dry forests and their conservation implications. <i>Science</i> , 2016, 353, 1383-1387. | 6.0 | 490 |
| 5350 | Model Simulation of Potential Distribution of <i>Lobesia botrana</i> (Denis & Schiffermüller) in Grape, <i>Vitis vinifera</i> (L.) Vineyard Regions of Mexico. <i>Southwestern Entomologist</i> , 2016, 41, 693-704. | 0.1 | 1 |
| 5351 | Predicting shifts in the climate space of freshwater fishes in Great Britain due to climate change. <i>Biological Conservation</i> , 2016, 203, 33-42. | 1.9 | 37 |
| 5352 | Using species distribution models to assess the importance of Egypt's protected areas for the conservation of medicinal plants. <i>Journal of Arid Environments</i> , 2016, 135, 140-146. | 1.2 | 59 |
| 5353 | The spatial pattern of climate change during the spread of farming into the Aegean. <i>Journal of Archaeological Science</i> , 2016, 75, 1-9. | 1.2 | 11 |
| 5354 | Do ploidy level and nuclear genome size and latitude of origin modify the expression of <i>Phragmites australis</i> traits and interactions with herbivores?. <i>Biological Invasions</i> , 2016, 18, 2531-2549. | 1.2 | 44 |
| 5355 | Phenotypic traits of the Mediterranean <i>Phragmites australis</i> M1 lineage: differences between the native and introduced ranges. <i>Biological Invasions</i> , 2016, 18, 2551-2561. | 1.2 | 11 |
| 5357 | High resolution spatiotemporal analysis of erosion risk per land cover category in Korçë region, Albania. <i>Earth Science Informatics</i> , 2016, 9, 481-495. | 1.6 | 9 |
| 5358 | Challenges and priorities for modelling livestock health and pathogens in the context of climate change. <i>Environmental Research</i> , 2016, 151, 130-144. | 3.7 | 35 |
| 5359 | Variation in plant functional traits across and within four species of Western Australian <i>Banksia</i> (Proteaceae) along a natural climate gradient. <i>Austral Ecology</i> , 2016, 41, 886-896. | 0.7 | 20 |
| 5360 | Impacts of land use on the hydrological response of tropical Andean catchments. <i>Hydrological Processes</i> , 2016, 30, 4074-4089. | 1.1 | 111 |
| 5361 | Population genomic evidence for multiple Pliocene refugia in a montane-restricted harvestman (Arachnida, Opiliones, <i>Sclerobunus robustus</i>) from the southwestern United States. <i>Molecular Ecology</i> , 2016, 25, 4611-4631. | 2.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5362 | The genetic architecture of freezing tolerance varies across the range of <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2016, 39, 2570-2579. | 2.8 | 41 |
| 5363 | Temperature is better than precipitation as a predictor of plant community assembly across a dryland region. <i>Journal of Vegetation Science</i> , 2016, 27, 938-947. | 1.1 | 29 |
| 5364 | Potential impact of climate change on parasitism efficiency of egg parasitoids: A meta-analysis of <i>Trichogramma</i> under variable climate conditions. <i>Agriculture, Ecosystems and Environment</i> , 2016, 231, 143-155. | 2.5 | 21 |
| 5365 | The distribution of cultivated species of <i>Porophyllum</i> (Asteraceae) and their wild relatives under climate change. <i>Systematics and Biodiversity</i> , 2016, 14, 572-582. | 0.5 | 4 |
| 5366 | Niche shifts and range expansions along cordilleras drove diversification in a high-elevation endemic plant genus in the tropical Andes. <i>Molecular Ecology</i> , 2016, 25, 4593-4610. | 2.0 | 50 |
| 5367 | Phenotypic variation of <i>Zamia loddigesii</i> Miq. and <i>Z. prasina</i> W.Bull. (Zamiaceae, Cycadales): the effect of environmental heterogeneity. <i>Plant Systematics and Evolution</i> , 2016, 302, 1395-1404. | 0.3 | 6 |
| 5368 | Migratory Birds as Global Dispersal Vectors. <i>Trends in Ecology and Evolution</i> , 2016, 31, 763-775. | 4.2 | 140 |
| 5369 | A cellular automata downscaling based 1 km global land use datasets (2010-2100). <i>Science Bulletin</i> , 2016, 61, 1651-1661. | 4.3 | 68 |
| 5370 | Modeling the risk of invasion and spread of <i>Tuta absoluta</i> in Africa. <i>Ecological Complexity</i> , 2016, 28, 77-93. | 1.4 | 49 |
| 5371 | The influence of climate on species distribution over time and space during the late Quaternary. <i>Quaternary Science Reviews</i> , 2016, 149, 188-199. | 1.4 | 16 |
| 5372 | Mapping Global Potential Risk of Establishment of <i>Rhagoletis pomonella</i> (Diptera: Tephritidae) Using MaxEnt and CLIMEX Niche Models. <i>Journal of Economic Entomology</i> , 2016, 109, 2043-2053. | 0.8 | 45 |
| 5373 | Savannahs of Asia: antiquity, biogeography, and an uncertain future. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150305. | 1.8 | 126 |
| 5374 | Resource partitioning and functional diversity of worldwide freshwater fish communities. <i>Ecosphere</i> , 2016, 7, e01356. | 1.0 | 33 |
| 5375 | Predicting Future Effects of Multiple Drivers of Extinction Risk in Peru's Endemic Primate Fauna. <i>Developments in Primatology</i> , 2016, , 315-349. | 0.7 | 11 |
| 5376 | Unraveling the patterns of small mammal species richness in the southernmost aridlands of South America. <i>Journal of Arid Environments</i> , 2016, 134, 136-144. | 1.2 | 9 |
| 5377 | Towards the spatial coherence of biogeographical regionalizations at subcontinental and landscape scales. <i>Journal of Biogeography</i> , 2016, 43, 2489-2501. | 1.4 | 7 |
| 5378 | Uncovering the role of the Western Mediterranean tectonics in shaping the diversity and distribution of the trapdoor spider genus <i>Ummidia</i> (Araneae, Ctenizidae). <i>Journal of Biogeography</i> , 2016, 43, 1955-1966. | 1.4 | 28 |
| 5379 | The converse to Bergmann's rule in bumblebees, a phylogenetic approach. <i>Ecology and Evolution</i> , 2016, 6, 6160-6169. | 0.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5380 | Natural regeneration of <i>Pinus pinaster</i> and <i>Eucalyptus globulus</i> from plantation into adjacent natural habitats. <i>Forest Ecology and Management</i> , 2016, 378, 91-102. | 1.4 | 35 |
| 5381 | A Suitability Model for White-Footed Voles with Insights into Habitat Associations at the Southern Boundary of Their Range. <i>Northwestern Naturalist</i> , 2016, 97, 105-112. | 0.5 | 2 |
| 5382 | Postglacial colonisation and diversification of the Jungle Crow (<i>Corvus macrorhynchos</i>) in its north-eastern frontier as revealed by morphological analysis. <i>Journal of Ornithology</i> , 2016, 157, 1087-1101. | 0.5 | 0 |
| 5383 | Genetic assessment of the threatened microendemic <i>Pleurodeles poireti</i> (Caudata, Salamandridae), with molecular evidence for hybridization with <i>Pleurodeles nebulosus</i> . <i>Conservation Genetics</i> , 2016, 17, 1445-1458. | 0.8 | 10 |
| 5384 | Modeling the Geographic Distribution of <i>Ixodes scapularis</i> and <i>Ixodes pacificus</i> (Acari: Tj ETQq0 0 0 rgBT/Overlogg 10 Tf 50 | 0.9 | 95 |
| 5385 | A global analysis of the determinants of alien geographical range size in birds. <i>Global Ecology and Biogeography</i> , 2016, 25, 1346-1355. | 2.7 | 43 |
| 5386 | Niche divergence between diploid and autotetraploid <i>Tolmiea</i> . <i>American Journal of Botany</i> , 2016, 103, 1396-1406. | 0.8 | 76 |
| 5387 | Phylogeography of the genus <i>Podococcus</i> (Palmae/Arecaceae) in Central African rain forests: Climate stability predicts unique genetic diversity. <i>Molecular Phylogenetics and Evolution</i> , 2016, 105, 126-138. | 1.2 | 45 |
| 5388 | Essential Oil Composition of <i>Centaurea atropurpurea</i> and <i>Centaurea orientalis</i> Inflorescences from the Central Balkans – Ecological Significance and Taxonomic Implications. <i>Chemistry and Biodiversity</i> , 2016, 13, 1221-1229. | 1.0 | 7 |
| 5389 | Predicting the probable distribution and threat of invasive <i>Mimosa diplotricha</i> Suavalle and <i>Mikania micrantha</i> Kunth in a protected tropical grassland. <i>Ecological Engineering</i> , 2016, 97, 23-31. | 1.6 | 51 |
| 5390 | Environment and space as drivers of variation in skull shape in two widely distributed South-American Tayassuidae, <i>Pecari tajacu</i> and <i>Tayassu pecari</i> (Mammalia: Cetartiodactyla). <i>Biological Journal of the Linnean Society</i> , 2016, 119, 785-798. | 0.7 | 13 |
| 5391 | Natural Flow Regimes of the Ozarkâ€œOuachita Interior Highlands Region. <i>River Research and Applications</i> , 2016, 32, 18-35. | 0.7 | 48 |
| 5392 | Anticipating extinctions of glacial relict populations in mountain refugia. <i>Biological Conservation</i> , 2016, 201, 243-251. | 1.9 | 34 |
| 5393 | Climate, herbivory, and fire controls on tropical African forest for the last 60ka. <i>Quaternary Science Reviews</i> , 2016, 148, 101-114. | 1.4 | 37 |
| 5394 | Vegetation classification and biogeography of European floodplain forests and alder carrs. <i>Applied Vegetation Science</i> , 2016, 19, 147-163. | 0.9 | 89 |
| 5395 | Improving International Trade Regulation by Considering Intraspecific Variation for Invasion Risk Assessment of Commercially Traded Species: The <i>Bombus terrestris</i> Case. <i>Conservation Letters</i> , 2016, 9, 281-289. | 2.8 | 43 |
| 5396 | Minimum required number of specimen records to develop accurate species distribution models. <i>Ecography</i> , 2016, 39, 542-552. | 2.1 | 498 |
| 5397 | Universal, easy access to geotemporal information: FetchClimate. <i>Ecography</i> , 2016, 39, 904-911. | 2.1 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5398 | Time to get moving: assisted gene flow of forest trees. <i>Evolutionary Applications</i> , 2016, 9, 271-290. | 1.5 | 378 |
| 5399 | Rapid genetic and ecological differentiation during the northern range expansion of the venomous yellow sac spider <i>Cheiracanthium punctorium</i> in Europe. <i>Evolutionary Applications</i> , 2016, 9, 1229-1240. | 1.5 | 16 |
| 5400 | Human impacts and aridity differentially alter soil N availability in drylands worldwide. <i>Global Ecology and Biogeography</i> , 2016, 25, 36-45. | 2.7 | 33 |
| 5401 | Power in numbers. Drivers of high population density in insular lizards. <i>Global Ecology and Biogeography</i> , 2016, 25, 87-95. | 2.7 | 40 |
| 5402 | Drivers of plant invasion vary globally: evidence from pine invasions within six ecoregions. <i>Global Ecology and Biogeography</i> , 2016, 25, 96-106. | 2.7 | 38 |
| 5403 | Are phylogenies derived from family-level supertrees robust for studies on macroecological patterns along environmental gradients?. <i>Journal of Systematics and Evolution</i> , 2016, 54, 29-36. | 1.6 | 16 |
| 5404 | Morphological and genetic differentiation of <i>Eremia desertorum</i> (Gastropoda, Pulmonata, Helicidae) in Egypt. <i>Zoologica Scripta</i> , 2016, 45, 48-61. | 0.7 | 13 |
| 5405 | Design and characterization of spatial units for monitoring global impacts of environmental factors on major crops and food security. <i>Food and Energy Security</i> , 2016, 5, 40-55. | 2.0 | 10 |
| 5406 | Phylogeography of the bobwhite (<i>Colinus</i>) quails. <i>Wildlife Monographs</i> , 2016, 193, 1-49. | 2.0 | 15 |
| 5408 | Scale-specific processes shape plant community patterns in subtropical coastal grasslands. <i>Austral Ecology</i> , 2016, 41, 65-73. | 0.7 | 9 |
| 5409 | ENM Components: a new set of web service-based workflow components for ecological niche modelling. <i>Ecography</i> , 2016, 39, 376-383. | 2.1 | 27 |
| 5410 | Global patterns of terrestrial assemblage turnover within and among land uses. <i>Ecography</i> , 2016, 39, 1151-1163. | 2.1 | 87 |
| 5411 | NicheA: creating virtual species and ecological niches in multivariate environmental scenarios. <i>Ecography</i> , 2016, 39, 805-813. | 2.1 | 145 |
| 5412 | Patterns of species richness, endemism and environmental gradients of African reptiles. <i>Journal of Biogeography</i> , 2016, 43, 2380-2390. | 1.4 | 42 |
| 5413 | Linking performance trait stability with species distribution: the case of <i>Artemisia</i> and its close relatives in northern China. <i>Journal of Vegetation Science</i> , 2016, 27, 123-132. | 1.1 | 6 |
| 5414 | Taxonomy and biogeography of <i>Bunopus spatulurus</i> (Reptilia; Gekkonidae) from the Arabian Peninsula. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 67-81. | 0.6 | 24 |
| 5415 | Elevational gradient and vegetation-environmental relationships in the central Hyrcanian forests of northern Iran. <i>Nordic Journal of Botany</i> , 2016, 34, 1-14. | 0.2 | 16 |
| 5416 | In the depths of obscurity: Knowledge gaps and extinction risk of Brazilian worm lizards (Squamata, Tj ETQq1 1 0.784314 rgBT / Over | 1.9 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5417 | Seed-germination responses of <i>Calotropis procera</i> (Asclepiadaceae) to temperature and water stress in northern Australia. <i>Australian Journal of Botany</i> , 2016, 64, 441. | 0.3 | 10 |
| 5418 | New perspectives on the ecology of early domestic fowl: An interdisciplinary approach. <i>Journal of Archaeological Science</i> , 2016, 74, 1-10. | 1.2 | 26 |
| 5419 | Species limits, geographical distribution and genetic diversity in <i>Johannesteijsmannia</i> (Arecaceae). <i>Botanical Journal of the Linnean Society</i> , 2016, 182, 318-347. | 0.8 | 9 |
| 5420 | Dissecting maize diversity in lowland South America: genetic structure and geographic distribution models. <i>BMC Plant Biology</i> , 2016, 16, 186. | 1.6 | 14 |
| 5421 | Union of phylogeography and landscape genetics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 8079-8086. | 3.3 | 57 |
| 5422 | Large-scale climatic drivers of regional winter bird population trends. <i>Diversity and Distributions</i> , 2016, 22, 1163-1173. | 1.9 | 26 |
| 5423 | Climate, soil and land-use based land suitability evaluation for oil palm production in Ghana. <i>European Journal of Agronomy</i> , 2016, 81, 1-14. | 1.9 | 67 |
| 5424 | Leaf margin analysis of Chinese woody plants and the constraints on its application to palaeoclimatic reconstruction. <i>Global Ecology and Biogeography</i> , 2016, 25, 1401-1415. | 2.7 | 19 |
| 5425 | Rabies outbreak in Greece during 2012-2014: use of Geographical Information System for analysis, risk assessment and control. <i>Epidemiology and Infection</i> , 2016, 144, 3068-3079. | 1.0 | 11 |
| 5426 | Relative strength of fine-scale spatial genetic structure in paternally vs biparentally inherited DNA in a dioecious plant depends on both sex proportions and pollen-to-seed dispersal ratio. <i>Heredity</i> , 2016, 117, 449-459. | 1.2 | 11 |
| 5427 | Reproductive character displacement and environmental filtering shape floral variation between sympatric sister taxa. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 2616-2622. | 1.1 | 16 |
| 5428 | What we use is not what we know: environmental predictors in plant distribution models. <i>Journal of Vegetation Science</i> , 2016, 27, 1308-1322. | 1.1 | 165 |
| 5429 | New insights on the origin of the woody flora of the Chihuahuan Desert: The case of <i>Lindleya</i> . <i>American Journal of Botany</i> , 2016, 103, 1694-1707. | 0.8 | 15 |
| 5430 | Large-scale dark diversity estimates: new perspectives with combined methods. <i>Ecology and Evolution</i> , 2016, 6, 6266-6281. | 0.8 | 20 |
| 5431 | Rural Development Program measures on cultivated land in Europe to mitigate greenhouse gas emissions - regional "hotspots" and priority measures. <i>Carbon Management</i> , 2016, 7, 205-219. | 1.2 | 1 |
| 5432 | Examining the effects of climate change and species invasions on Ontario walleye populations: can walleye beat the heat?. <i>Diversity and Distributions</i> , 2016, 22, 1069-1079. | 1.9 | 22 |
| 5433 | Molecular analyses and species distribution models indicate cryptic northern mountain refugia for a forest-dwelling ground beetle. <i>Journal of Biogeography</i> , 2016, 43, 2223-2236. | 1.4 | 14 |
| 5434 | Mediterranean habitat loss under future climate conditions: Assessing impacts on the Natura 2000 protected area network. <i>Applied Geography</i> , 2016, 75, 83-92. | 1.7 | 55 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5435 | Soil depth shapes plant functional diversity in granite outcrops vegetation of Southwestern Australia. <i>Plant Ecology and Diversity</i> , 2016, 9, 263-276. | 1.0 | 23 |
| 5436 | Water-related ecosystem services in Western Siberian lowland basins—Analysing and mapping spatial and seasonal effects on regulating services based on ecohydrological modelling results. <i>Ecological Indicators</i> , 2016, 71, 55-65. | 2.6 | 56 |
| 5437 | Tests of species-specific models reveal the importance of drought in postglacial range shifts of a Mediterranean climate tree: insights from integrative distributional, demographic and coalescent modelling and ABC model selection. <i>Molecular Ecology</i> , 2016, 25, 4889-4906. | 2.0 | 43 |
| 5438 | Environmental versus geographical effects on genomic variation in wild soybean (<i>Glycine soja</i>) across its native range in northeast Asia. <i>Ecology and Evolution</i> , 2016, 6, 6332-6344. | 0.8 | 28 |
| 5439 | Factors affecting primary succession of glacier foreland vegetation in the European Alps. <i>Alpine Botany</i> , 2016, 126, 105-117. | 1.1 | 22 |
| 5440 | A comprehensive chronology of the Neanderthal site Moula-Guercy, Ardèche, France. <i>Journal of Archaeological Science: Reports</i> , 2016, 9, 309-319. | 0.2 | 4 |
| 5441 | Population dynamics of <i>Anopheles nuneztovari</i> in Colombia. <i>Infection, Genetics and Evolution</i> , 2016, 45, 56-65. | 1.0 | 15 |
| 5442 | Using climatic suitability thresholds to identify past, present and future population viability. <i>Ecological Indicators</i> , 2016, 71, 551-556. | 2.6 | 48 |
| 5443 | What Can an Invasive Dung Beetle Tell Us About Niche Conservatism?. <i>Environmental Entomology</i> , 2016, 45, 1141-1145. | 0.7 | 4 |
| 5444 | Regionalization of land-use impacts on streamflow using a network of paired catchments. <i>Water Resources Research</i> , 2016, 52, 6710-6729. | 1.7 | 34 |
| 5445 | Population Genomics Reveals Low Genetic Diversity and Adaptation to Hypoxia in Snub-Nosed Monkeys. <i>Molecular Biology and Evolution</i> , 2016, 33, 2670-2681. | 3.5 | 69 |
| 5446 | Carbon sequestration potential of cropland reforestation on the northern slope of the Tianshan Mountains. <i>Canadian Journal of Soil Science</i> , 2016, 96, 461-471. | 0.5 | 5 |
| 5447 | Climate and local abundance in freshwater fishes. <i>Royal Society Open Science</i> , 2016, 3, 160093. | 1.1 | 13 |
| 5448 | Global mammal beta diversity shows parallel assemblage structure in similar but isolated environments. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161028. | 1.2 | 38 |
| 5449 | Forecasting the fate of high mountain ponds in the Andean region under future climate change. <i>Austral Ecology</i> , 2016, 41, 983-992. | 0.7 | 6 |
| 5450 | Diversity and classification of tall humid herb grasslands (<i>Molinio-Holoschoenion</i>) in Western Mediterranean Europe. <i>Applied Vegetation Science</i> , 2016, 19, 736-749. | 0.9 | 8 |
| 5451 | Isoscapes of $\delta^{18}O$ and δ^2H reveal climatic forcings on Alaska and Yukon precipitation. <i>Water Resources Research</i> , 2016, 52, 6575-6586. | 1.7 | 31 |
| 5452 | Out of the forest: past and present range expansion of a parthenogenetic weevil pest, or how to colonize the world successfully. <i>Ecology and Evolution</i> , 2016, 6, 5431-5445. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5453 | Fission-fusion dynamics in black-and-white ruffed lemurs may facilitate both feeding strategies and communal care of infants in a spatially and temporally variable environment. <i>Behavioral Ecology and Sociobiology</i> , 2016, 70, 1949-1960. | 0.6 | 24 |
| 5454 | Modeling co-occurrence between toxic prey and naïve predators in an incipient invasion. <i>Biodiversity and Conservation</i> , 2016, 25, 2723-2741. | 1.2 | 4 |
| 5455 | Analysis of recent spatial-temporal evolution of human driving factors of wildfires in Spain. <i>Natural Hazards</i> , 2016, 84, 2049-2070. | 1.6 | 64 |
| 5456 | Seed production timing influences seedling fitness in the tropical live oak <i>Quercus oleoides</i> of Costa Rican dry forests. <i>American Journal of Botany</i> , 2016, 103, 1407-1419. | 0.8 | 16 |
| 5457 | Elevational divergence and clinal variation in floral color and leaf chemistry in <i>Silene vulgaris</i> . <i>American Journal of Botany</i> , 2016, 103, 1508-1523. | 0.8 | 23 |
| 5458 | Drylands extent and environmental issues. A global approach. <i>Earth-Science Reviews</i> , 2016, 161, 259-278. | 4.0 | 419 |
| 5459 | A Density Map of the Tick-Borne Encephalitis and Lyme Borreliosis Vector <i>Ixodes ricinus</i> (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50 26 | 0.9 | 26 |
| 5460 | Climatic suitability influences species specific abundance patterns of Australian flying foxes and risk of Hendra virus spillover. <i>One Health</i> , 2016, 2, 115-121. | 1.5 | 16 |
| 5461 | The rapid climate change-caused dichotomy on subtropical evergreen broad-leaved forest in Yunnan: Reduction in habitat diversity and increase in species diversity. <i>Plant Diversity</i> , 2016, 38, 142-148. | 1.8 | 8 |
| 5462 | A Global Synthesis of <i>Jatropha</i> Cultivation: Insights into Land Use Change and Management Practices. <i>Environmental Science & Technology</i> , 2016, 50, 8993-9002. | 4.6 | 10 |
| 5463 | Range, genetic diversity and future of the threatened butterfly, <i>Pieris virginiensis</i> . <i>Insect Conservation and Diversity</i> , 2016, 9, 506-516. | 1.4 | 5 |
| 5464 | Comparison modeling for alpine vegetation distribution in an arid area. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 408. | 1.3 | 5 |
| 5465 | Assessing the impact of land-cover changes on ecosystem services: A first step toward integrative planning in Bordeaux, France. <i>Ecosystem Services</i> , 2016, 22, 318-327. | 2.3 | 113 |
| 5466 | Climate change fosters the decline of epiphytic <i>Lobaria</i> species in Italy. <i>Biological Conservation</i> , 2016, 201, 377-384. | 1.9 | 48 |
| 5467 | Latitudinal and longitudinal clines of phenotypic plasticity in the invasive herb <i>Solidago canadensis</i> in China. <i>Oecologia</i> , 2016, 182, 755-764. | 0.9 | 49 |
| 5468 | The effects of land management (grazing intensity) vs. the effects of topography, soil properties, vegetation type, and climate on soil carbon concentration in Southern Patagonia. <i>Journal of Arid Environments</i> , 2016, 134, 73-78. | 1.2 | 22 |
| 5469 | The underestimated biodiversity of tropical grassy biomes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150319. | 1.8 | 103 |
| 5470 | Introduction history, climatic suitability, native range size, species traits and their interactions explain establishment of Chinese woody species in Europe. <i>Global Ecology and Biogeography</i> , 2016, 25, 1356-1366. | 2.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5471 | Break the pattern: breakpoints in beta diversity of vertebrates are general across clades and suggest common historical causes. <i>Global Ecology and Biogeography</i> , 2016, 25, 1279-1283. | 2.7 | 27 |
| 5472 | The Role of Historical and Fossil Records in Predicting Changes in the Spatial Distribution of Hylobatids. <i>Developments in Primatology</i> , 2016, , 43-54. | 0.7 | 3 |
| 5473 | Local adaptation to temperature and precipitation in naturally fragmented populations of <i>Cephalotaxus oliveri</i> , an endangered conifer endemic to China. <i>Scientific Reports</i> , 2016, 6, 25031. | 1.6 | 30 |
| 5474 | A review of plant diversity, vegetation, and phytogeography of the Khorassan-Kopet Dagh floristic province in the Irano-Turanian region (northeastern Iran"southern Turkmenistan). <i>Phytotaxa</i> , 2016, 249, 8. | 0.1 | 42 |
| 5475 | A gridded global data set of soil, intact regolith, and sedimentary deposit thicknesses for regional and global land surface modeling. <i>Journal of Advances in Modeling Earth Systems</i> , 2016, 8, 41-65. | 1.3 | 161 |
| 5476 | Regional-scale vegetation heterogeneity in northeastern Patagonia: Environmental and spatial components. <i>Community Ecology</i> , 2016, 17, 8-16. | 0.5 | 9 |
| 5477 | Good"bye to tropical alpine plant giants under warmer climates? Loss of range and genetic diversity in <i>Lobelia rynchopetalum</i> . <i>Ecology and Evolution</i> , 2016, 6, 8931-8941. | 0.8 | 93 |
| 5478 | An ecophysiological background for biogeographic patterns of two island lizards?. <i>Die Naturwissenschaften</i> , 2016, 103, 97. | 0.6 | 5 |
| 5479 | Environmental parameters as risk factors for human and canine <i>Leishmania</i> infection in Thessaly, Central Greece. <i>Parasitology</i> , 2016, 143, 1179-1186. | 0.7 | 12 |
| 5480 | Scalariform-to-simple transition in vessel perforation plates triggered by differences in climate during the evolution of Adoxaceae. <i>Annals of Botany</i> , 2016, 118, 1043-1056. | 1.4 | 34 |
| 5481 | Interactions between rates of temperature change and acclimation affect latitudinal patterns of warming tolerance. , 2016, 4, cow053. | | 50 |
| 5482 | Landscape Factors and Restoration Practices Associated with Initial Reforestation Success in Haiti. <i>Ecological Restoration</i> , 2016, 34, 306-316. | 0.5 | 5 |
| 5483 | The future of invasive African grasses in South America under climate change. <i>Ecological Informatics</i> , 2016, 36, 114-117. | 2.3 | 18 |
| 5484 | Rates of change in climatic niches in plant and animal populations are much slower than projected climate change. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20162104. | 1.2 | 96 |
| 5485 | Warmer seed environments increase germination fractions in Australian winter annual plant species. <i>Ecosphere</i> , 2016, 7, e01497. | 1.0 | 24 |
| 5486 | Model-based projections of Zika virus infections in childbearing women in the Americas. <i>Nature Microbiology</i> , 2016, 1, 16126. | 5.9 | 126 |
| 5487 | Genetic variation, phenotypic stability, and repeatability of drought response in European larch throughout 50 years in a common garden experiment. <i>Tree Physiology</i> , 2017, 37, 33-46. | 1.4 | 24 |
| 5488 | Enhanced Fire-Related Traits May Contribute to the Invasiveness of Downy Brome (<i>Bromus</i>) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10 0,5g | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5489 | Prediction of Low Community Sanitation Coverage Using Environmental and Sociodemographic Factors in Amhara Region, Ethiopia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 709-719. | 0.6 | 9 |
| 5490 | Two distinctive new species of <i>Commicarpus</i> (Nyctaginaceae) from gypsum outcrops in eastern Ethiopia. <i>Kew Bulletin</i> , 2016, 71, 1. | 0.4 | 7 |
| 5491 | Non-random co-occurrence of native and exotic plant species in Mediterranean grasslands. <i>Acta Oecologica</i> , 2016, 77, 18-26. | 0.5 | 10 |
| 5492 | Global patterns and determinants of forest canopy height. <i>Ecology</i> , 2016, 97, 3265-3270. | 1.5 | 81 |
| 5493 | Modeling the distributions of useful woody species in eastern Burkina Faso. <i>Journal of Arid Environments</i> , 2016, 135, 104-114. | 1.2 | 6 |
| 5494 | Environmental gradients structure tropical tree assemblages at the regional scale. <i>Journal of Vegetation Science</i> , 2016, 27, 1117-1128. | 1.1 | 17 |
| 5495 | Biodiversity and ecological long-term plots in Southern Patagonia to support sustainable land management: The case of PEBANPA network. <i>Journal for Nature Conservation</i> , 2016, 34, 51-64. | 0.8 | 65 |
| 5496 | Ecological characteristics and <i>in situ</i> genetic associations for yield-component traits of wild <i>Miscanthus</i> from eastern Russia. <i>Annals of Botany</i> , 2016, 118, 941-955. | 1.4 | 28 |
| 5497 | Niche conservatism for ecological preference in the Louisiana iris species complex. <i>Biological Journal of the Linnean Society</i> , 2016, 120, 144-154. | 0.7 | 2 |
| 5498 | Estimating impacts of plantation forestry on plant biodiversity in southern Chile—a spatially explicit modelling approach. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 564. | 1.3 | 5 |
| 5499 | Comparing species distributions modelled from occurrence data and from expert-based range maps. Implication for predicting range shifts with climate change. <i>Ecological Informatics</i> , 2016, 36, 8-14. | 2.3 | 60 |
| 5500 | Spatial prediction of wheat septoria leaf blotch (<i>Septoria tritici</i>) disease severity in Central Ethiopia. <i>Ecological Informatics</i> , 2016, 36, 15-30. | 2.3 | 16 |
| 5501 | Mapping climatic mechanisms likely to favour the emergence of novel communities. <i>Nature Climate Change</i> , 2016, 6, 1104-1109. | 8.1 | 75 |
| 5502 | Spatial analysis of endemism to redefine conservation areas in Western Ghats (India). <i>Journal for Nature Conservation</i> , 2016, 34, 33-41. | 0.8 | 8 |
| 5503 | Genetic structure of colline and montane populations of an endangered plant species. <i>AoB PLANTS</i> , 2016, 8, . | 1.2 | 11 |
| 5504 | Modeling the impact of climate change on wild <i>Piper nigrum</i> (Black Pepper) in Western Ghats, India using ecological niche models. <i>Journal of Plant Research</i> , 2016, 129, 1033-1040. | 1.2 | 24 |
| 5505 | Allometric Relationships Better Explain Seed Coat Microsculpture Traits in <i>Mentzelia</i> Section <i>Bartonia</i> (Loasaceae) than Ecology or Dispersal. <i>International Journal of Plant Sciences</i> , 2016, 177, 263-276. | 0.6 | 3 |
| 5506 | Quantifying Global Drivers of Zoonotic Bat Viruses: A Process-Based Perspective. <i>American Naturalist</i> , 2016, 187, E53-E64. | 1.0 | 56 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5507 | Interaction between Digestive Strategy and Niche Specialization Predicts Speciation Rates across Herbivorous Mammals. <i>American Naturalist</i> , 2016, 187, 468-480. | 1.0 | 9 |
| 5508 | Life-History Patterns of Lizards of the World. <i>American Naturalist</i> , 2016, 187, 689-705. | 1.0 | 58 |
| 5509 | Impacts of Niche Breadth and Dispersal Ability on Macroevolutionary Patterns. <i>American Naturalist</i> , 2016, 188, 149-162. | 1.0 | 39 |
| 5510 | The effects of agricultural history on forest ecological integrity as determined by a rapid forest assessment method. <i>Forest Ecology and Management</i> , 2016, 378, 1-13. | 1.4 | 9 |
| 5511 | Do Ecological Niche Models Accurately Identify Climatic Determinants of Species Ranges?. <i>American Naturalist</i> , 2016, 187, 423-435. | 1.0 | 99 |
| 5512 | A New Species of <i>Crotalaria</i> (Fabaceae, Crotalariaeae) from Meghalaya, India. <i>Systematic Botany</i> , 2016, 41, 307-315. | 0.2 | 5 |
| 5513 | Aridity, not fire, favors nitrogen-fixing plants across tropical savanna and forest biomes. <i>Ecology</i> , 2016, 97, 2177-2183. | 1.5 | 55 |
| 5514 | Growth rings in tropical trees: role of functional traits, environment, and phylogeny. <i>Trees - Structure and Function</i> , 2016, 30, 2153-2175. | 0.9 | 23 |
| 5515 | Geographical clines of body size in terrestrial amphibians: water conservation hypothesis revisited. <i>Journal of Biogeography</i> , 2016, 43, 2075-2084. | 1.4 | 42 |
| 5516 | Island biodiversity hotspots are getting hotter: vulnerability of tree species to climate change in New Caledonia. <i>Biological Conservation</i> , 2016, 201, 111-119. | 1.9 | 21 |
| 5517 | Mixed population genomics support for the central marginal hypothesis across the invasive range of the cane toad (<i>Rhinella marina</i>) in Australia. <i>Molecular Ecology</i> , 2016, 25, 4161-4176. | 2.0 | 38 |
| 5518 | Exome sequencing of geographically diverse barley landraces and wild relatives gives insights into environmental adaptation. <i>Nature Genetics</i> , 2016, 48, 1024-1030. | 9.4 | 259 |
| 5519 | Environmental correlates of species rank ~ abundance distributions in global drylands. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 20, 56-64. | 1.1 | 31 |
| 5520 | Effects of Pleistocene climate changes on species ranges and evolutionary processes in the Neotropical Atlantic Forest. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 856-872. | 0.7 | 91 |
| 5521 | Geographical variation in head shape of a Neotropical group of toads: the role of physical environment and relatedness. <i>Zoological Journal of the Linnean Society</i> , 2016, , . | 1.0 | 2 |
| 5522 | Geographic variation and sexual dimorphism in body size of the Egyptian mongoose, <i>Herpestes ichneumon</i> in the western limit of its European distribution. <i>Zoologischer Anzeiger</i> , 2016, 264, 1-10. | 0.4 | 12 |
| 5523 | Groundwater depletion in Central Mexico: Use of GRACE and InSAR to support water resources management. <i>Water Resources Research</i> , 2016, 52, 5985-6003. | 1.7 | 90 |
| 5524 | Spatial patterns of nitrogen runoff from Chinese paddy fields. <i>Agriculture, Ecosystems and Environment</i> , 2016, 231, 246-254. | 2.5 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5525 | Pollen-based characterization of montane forest types in north-eastern Brazil. Review of Palaeobotany and Palynology, 2016, 234, 147-158. | 0.8 | 6 |
| 5526 | Inferring responses to climate dynamics from historical demography in neotropical forest lizards. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 7978-7985. | 3.3 | 91 |
| 5527 | Present-Day Genetic Structure of the Holoparasite <i>Conopholis americana</i> (Orobanchaceae) in Eastern North America and the Location of Its Refugia during the Last Glacial Cycle. International Journal of Plant Sciences, 2016, 177, 132-144. | 0.6 | 4 |
| 5528 | Geographical Barriers and Dispersal Propensity Interact to Limit Range Expansions of Himalayan Birds. American Naturalist, 2016, 188, 99-112. | 1.0 | 44 |
| 5529 | Ant biodiversity and its environmental predictors in the North Kimberley region of Australia's seasonal tropics. Biodiversity and Conservation, 2016, 25, 1727-1759. | 1.2 | 9 |
| 5530 | What are the limits to oil palm expansion?. Global Environmental Change, 2016, 40, 73-81. | 3.6 | 224 |
| 5531 | Ecological niche differentiation and taxonomic distinction between <i>Eremias strauchi strauchi</i> and <i>Eremias strauchi kopetdaghica</i> (Squamata: Lacertidae) on the Iranian Plateau based on ecological niche modeling. Italian Journal of Zoology, 2016, 83, 408-416. | 0.6 | 13 |
| 5532 | Comprehensive phylogeny, biogeography and new classification of the diverse bee tribe Megachilini: Can we use DNA barcodes in phylogenies of large genera?. Molecular Phylogenetics and Evolution, 2016, 103, 245-259. | 1.2 | 50 |
| 5533 | Rates of ecological divergence and body size evolution are correlated with species diversification in scaly tree ferns. Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20161098. | 1.2 | 20 |
| 5534 | Diversity and constraints in the floral morphological evolution of <i>Leandra</i> s.str. (Melastomataceae). Annals of Botany, 2016, 118, 445-458. | 1.4 | 20 |
| 5535 | Contribution to the study of <i>Acanthodactylus</i> (Sauria: Lacertidae) mtDNA diversity focusing on the <i>A. boskianus</i> species group. Mitochondrion, 2016, 30, 78-94. | 1.6 | 4 |
| 5536 | Low Emission Development Strategies in Agriculture. An Agriculture, Forestry, and Other Land Uses (AFOLU) Perspective. World Development, 2016, 87, 180-203. | 2.6 | 22 |
| 5537 | Relationship between clade age and temperature for angiosperm tree species in forest communities along an elevational gradient in tropical Asia. Journal of Plant Ecology, 2016, , rtw074. | 1.2 | 0 |
| 5538 | Phylogeny, biogeography, and diversification of barn owls (Aves: Strigiformes). Biological Journal of the Linnean Society, 2016, 119, 904-918. | 0.7 | 24 |
| 5539 | Climate-mediated adaptation after mainland colonization of an ancestrally subtropical island lizard, <i>Axonolis carolinensis</i> . Journal of Evolutionary Biology, 2016, 29, 2168-2180. | 0.8 | 34 |
| 5540 | Patterns of abiotic niche shifts in allopolyploids relative to their progenitors. New Phytologist, 2016, 212, 708-718. | 3.5 | 138 |
| 5541 | Has land use pushed terrestrial biodiversity beyond the planetary boundary? A global assessment. Science, 2016, 353, 288-291. | 6.0 | 741 |
| 5542 | Creation and Validation of a Comprehensive 1° by 1° Daily Gridded North American Dataset for 1900–2009: Snowfall. Journal of Atmospheric and Oceanic Technology, 2016, 33, 857-871. | 0.5 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5543 | Invasive <i>Solidago</i> Species: How Large Area Do They Occupy and What Would be the Cost of Their Removal?. Polish Journal of Ecology, 2016, 64, 25-34. | 0.2 | 12 |
| 5544 | Impacts of Climate Change on Water Resources in Malawi. Journal of Hydrologic Engineering - ASCE, 2016, 21, . | 0.8 | 18 |
| 5545 | Conservation of aquatic insect species across a protected area network: null model reveals shortfalls of biogeographical knowledge. Journal of Insect Conservation, 2016, 20, 565-581. | 0.8 | 6 |
| 5546 | Global biogeography of microbial nitrogen-cycling traits in soil. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 8033-8040. | 3.3 | 365 |
| 5547 | Phylogeographic analysis reveals northerly refugia for the riverine amphibian <i>Triturus dobrogicus</i> (Caudata: Salamandridae). Biological Journal of the Linnean Society, 2016, 119, 974-991. | 0.7 | 30 |
| 5548 | Climate change and habitat conversion favour the same species. Ecology Letters, 2016, 19, 1081-1090. | 3.0 | 118 |
| 5549 | Climate change impacts and adaptive strategies: lessons from the grapevine. Global Change Biology, 2016, 22, 3814-3828. | 4.2 | 109 |
| 5550 | Elevational diversity patterns as an example for evolutionary and ecological dynamics in ferns and lycophytes. Journal of Systematics and Evolution, 2016, 54, 617-625. | 1.6 | 21 |
| 5551 | Climate constrains range expansion of an allochronic population of the pine processionary moth. Diversity and Distributions, 2016, 22, 1288-1300. | 1.9 | 17 |
| 5552 | Environmental selection is a main driver of divergence in house sparrows (<i>Passer domesticus</i>) in Romania and Bulgaria. Ecology and Evolution, 2016, 6, 7954-7964. | 0.8 | 15 |
| 5553 | Positive biodiversity-productivity relationship predominant in global forests. Science, 2016, 354, . | 6.0 | 864 |
| 5554 | Drivers of <i>Bromus tectorum</i> Abundance in the Western North American Sagebrush Steppe. Ecosystems, 2016, 19, 986-1000. | 1.6 | 27 |
| 5555 | Out of the weeds? Reduced plant invasion risk with climate change in the continental United States. Biological Conservation, 2016, 203, 306-312. | 1.9 | 82 |
| 5556 | Climate threat on the Macaronesian endemic bryophyte flora. Scientific Reports, 2016, 6, 29156. | 1.6 | 41 |
| 5557 | Past climate changes facilitated homoploid speciation in three mountain spiny fescues (<i>Festuca</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 31 | 1.6 | 31 |
| 5558 | Evidence for an Early Origin of Vernalization Responsiveness in Temperate Pooideae Grasses. Plant Physiology, 2016, 172, 416-426. | 2.3 | 35 |
| 5559 | Functional traits help to explain half-century long shifts in pollinator distributions. Scientific Reports, 2016, 6, 24451. | 1.6 | 49 |
| 5560 | Sixteen years of agricultural drought assessment of the BioBÃ region in Chile using a 250 m resolution Vegetation Condition Index (VCI). , 2016, , . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5561 | Prevalence of and Risk Factors for Trachoma in Oromia Regional State of Ethiopia: Results of 79 Population-Based Prevalence Surveys Conducted with the Global Trachoma Mapping Project. <i>Ophthalmic Epidemiology</i> , 2016, 23, 392-405. | 0.8 | 55 |
| 5562 | Pathways for Scale and Discipline Reconciliation: Current Socio-Ecological Modelling Methodologies to Explore and Reconstitute Human Prehistoric Dynamics. <i>Computational Social Sciences</i> , 2016, , 233-254. | 0.4 | 1 |
| 5563 | African hydroclimatic variability during the last 2000 years. <i>Quaternary Science Reviews</i> , 2016, 154, 1-22. | 1.4 | 83 |
| 5564 | High evolutionary constraints limited adaptive responses to past climate changes in toad skulls. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161783. | 1.2 | 24 |
| 5565 | Interactions Between Biosphere, Atmosphere and Human Land Use in the Amazon Basin. <i>Ecological Studies</i> , 2016, , . | 0.4 | 11 |
| 5566 | Niche conservatism in <i>Gynandropaa</i> frogs on the southeastern Qinghai-Tibetan Plateau. <i>Scientific Reports</i> , 2016, 6, 32624. | 1.6 | 32 |
| 5567 | Pleistocene refugia and their effects on the phylogeography and genetic structure of the wolf spider <i>Pardosa sierra</i> (Araneae: Lycosidae) on the Baja California Peninsula. <i>Journal of Arachnology</i> , 2016, 44, 367-379. | 0.3 | 9 |
| 5568 | The Biogeochemistry of the Main Forest Vegetation Types in Amazonia. <i>Ecological Studies</i> , 2016, , 225-266. | 0.4 | 4 |
| 5569 | Simulating Prehistoric and Ancient Worlds. <i>Computational Social Sciences</i> , 2016, , . | 0.4 | 10 |
| 5570 | Past and estimated future impact of invasive alien mammals on insular threatened vertebrate populations. <i>Nature Communications</i> , 2016, 7, 12488. | 5.8 | 54 |
| 5571 | Mapping the climatic suitable habitat of oriental arborvitae (<i>Platycladus orientalis</i>) for introduction and cultivation at a global scale. <i>Scientific Reports</i> , 2016, 6, 30009. | 1.6 | 36 |
| 5572 | Application of Species Distribution Modeling for Avian Influenza surveillance in the United States considering the North America Migratory Flyways. <i>Scientific Reports</i> , 2016, 6, 33161. | 1.6 | 25 |
| 5573 | Sources of variation in under-5 mortality across sub-Saharan Africa: a spatial analysis. <i>The Lancet Global Health</i> , 2016, 4, e936-e945. | 2.9 | 77 |
| 5574 | Predicting malaria vector distribution under climate change scenarios in China: Challenges for malaria elimination. <i>Scientific Reports</i> , 2016, 6, 20604. | 1.6 | 76 |
| 5575 | Pleistocene sea level fluctuation and host plant habitat requirement influenced the historical phylogeography of the invasive species <i>Amphiareus obscuriceps</i> (Hemiptera: Anthocoridae) in its native range. <i>BMC Evolutionary Biology</i> , 2016, 16, 174. | 3.2 | 24 |
| 5576 | Predicting distribution of major forest tree species to potential impacts of climate change in the central Himalayan region. <i>Ecological Engineering</i> , 2016, 97, 593-609. | 1.6 | 73 |
| 5577 | Water availability and agricultural demand: An assessment framework using global datasets in a data scarce catchment, Rokel-Seli River, Sierra Leone. <i>Journal of Hydrology: Regional Studies</i> , 2016, 8, 222-234. | 1.0 | 12 |
| 5578 | Spatially-explicit models of global tree density. <i>Scientific Data</i> , 2016, 3, 160069. | 2.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5579 | Terrestrial mountain islands and Pleistocene climate fluctuations as motors for speciation: A case study on the genus <i>Pseudovelia</i> (Hemiptera: Veliidae). <i>Scientific Reports</i> , 2016, 6, 33625. | 1.6 | 28 |
| 5580 | Historical colonization and dispersal limitation supplement climate and topography in shaping species richness of African lizards (Reptilia: Agamidae). <i>Scientific Reports</i> , 2016, 6, 34014. | 1.6 | 29 |
| 5581 | Biogeography, <i>Conservation</i> , 2016, , 141-144. | | 0 |
| 5582 | Isolation barriers and genetic divergence in non-territorial <i>Argiad</i> selfies. <i>Biological Journal of the Linnean Society</i> , 2016, , . | 0.7 | 5 |
| 5583 | Thermal modeling and heat flow density interpretation of the onshore Northwest Java Basin, Indonesia. <i>Geothermal Energy</i> , 2016, 4, . | 0.9 | 6 |
| 5584 | Elevated dust deposition in Tierra del Fuego (Chile) resulting from Neoglacial Darwin Cordillera glacier fluctuations. <i>Journal of Quaternary Science</i> , 2016, 31, 713-722. | 1.1 | 22 |
| 5586 | The energetic and carbon economic origins of leaf thermoregulation. <i>Nature Plants</i> , 2016, 2, 16129. | 4.7 | 178 |
| 5587 | Mapping the ecological dimensions and potential distributions of endangered relic shrubs in western Ordos biodiversity center. <i>Scientific Reports</i> , 2016, 6, 26268. | 1.6 | 15 |
| 5588 | Herbivore teeth predict climatic limits in Kenyan ecosystems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12751-12756. | 3.3 | 31 |
| 5589 | Spatial genetic structure of forest and xerophytic plant species in arid Eastern Central Asia: insights from comparative phylogeography and ecological niche modelling. <i>Biological Journal of the Linnean Society</i> , 2016, , . | 0.7 | 5 |
| 5590 | Land-use change under different climatic conditions: Consequences for organic matter and microbial communities in Siberian steppe soils. <i>Agriculture, Ecosystems and Environment</i> , 2016, 235, 253-264. | 2.5 | 29 |
| 5591 | Use of molecular and environmental analyses for integrated in situ and ex situ conservation: The case of the Mexican prairie dog. <i>Biological Conservation</i> , 2016, 204, 284-295. | 1.9 | 9 |
| 5592 | Allometric equations for estimating tree aboveground biomass in evergreen broadleaf forests of Viet Nam. <i>Forest Ecology and Management</i> , 2016, 382, 193-205. | 1.4 | 32 |
| 5593 | Exploring the potential role of feature selection in global land-cover mapping. <i>International Journal of Remote Sensing</i> , 2016, 37, 5491-5504. | 1.3 | 14 |
| 5594 | Speciation with Gene Flow in North American <i>Myotis</i> Bats. <i>Systematic Biology</i> , 2017, 66, syw100. | 2.7 | 50 |
| 5595 | A prioritization process for invasive alien plant species incorporating the requirements of EU Regulation no. 1143/2014. <i>EPPO Bulletin</i> , 2016, 46, 603-617. | 0.6 | 48 |
| 5596 | Distribution and ecology of the flightless bush-cricket <i>Poecilimon schmidtii</i> at its northern range margin. <i>Biologia (Poland)</i> , 2016, 71, 1049-1060. | 0.8 | 2 |
| 5597 | Planktonic protistan communities in lakes along a large-scale environmental gradient. <i>FEMS Microbiology Ecology</i> , 2017, 93, fiw231. | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5598 | Climate extremes are associated with invertebrate taxonomic and functional composition in mountain lakes. <i>Ecology and Evolution</i> , 2016, 6, 8094-8106. | 0.8 | 15 |
| 5599 | Population dynamics of <i>Agriophyllum squarrosum</i> , a pioneer annual plant endemic to mobile sand dunes, in response to global climate change. <i>Scientific Reports</i> , 2016, 6, 26613. | 1.6 | 31 |
| 5600 | Planning for assisted colonization of plants in a warming world. <i>Scientific Reports</i> , 2016, 6, 28542. | 1.6 | 32 |
| 5601 | Predicted rarity-weighted richness, a new tool to prioritize sites for species representation. <i>Ecology and Evolution</i> , 2016, 6, 8107-8114. | 0.8 | 12 |
| 5602 | Strong but diverging clonality - climate relationships of different plant clades explain weak overall pattern across China. <i>Scientific Reports</i> , 2016, 6, 26850. | 1.6 | 5 |
| 5603 | Stable isotope physiology of stem succulents across a broad range of volume-to-surface area ratio. <i>Oecologia</i> , 2016, 182, 679-690. | 0.9 | 12 |
| 5604 | Hydraulic basis for the evolution of photosynthetic productivity. <i>Nature Plants</i> , 2016, 2, 16072. | 4.7 | 177 |
| 5605 | Divergent habitat filtering of root and soil fungal communities in temperate beech forests. <i>Scientific Reports</i> , 2016, 6, 31439. | 1.6 | 84 |
| 5606 | Surrogate species protection in Bolivia under climate and land cover change scenarios. <i>Journal for Nature Conservation</i> , 2016, 34, 107-117. | 0.8 | 7 |
| 5607 | Spatial And Temporal Trends Of Organic Pollutants In Vegetation From Remote And Rural Areas. <i>Scientific Reports</i> , 2016, 6, 25446. | 1.6 | 31 |
| 5608 | Zero-effort projection for sensory data reconstruction in wireless sensor networks. <i>International Journal of Distributed Sensor Networks</i> , 2016, 12, 155014771665942. | 1.3 | 0 |
| 5609 | A comparative analysis of ecosystem services valuation approaches for application at the local scale and in data scarce regions. <i>Ecosystem Services</i> , 2016, 22, 250-259. | 2.3 | 141 |
| 5610 | Complementarity effects on tree growth are contingent on tree size and climatic conditions across Europe. <i>Scientific Reports</i> , 2016, 6, 32233. | 1.6 | 38 |
| 5611 | Geographic variation in wing size and shape of the grasshopper <i>Trilophidia annulata</i> (Orthoptera: Tj ETQq1 1 0.784314 rgBT /Overlook 2016, 6, 32680. | 1.6 | 42 |
| 5612 | Disentangling the drivers of taxonomic and phylogenetic beta diversities in disturbed and undisturbed subtropical forests. <i>Scientific Reports</i> , 2016, 6, 35926. | 1.6 | 15 |
| 5613 | Identifying cryptic diversity with predictive phylogeography. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161529. | 1.2 | 45 |
| 5614 | Where are threatened ferns found? Global conservation priorities for pteridophytes. <i>Journal of Systematics and Evolution</i> , 2016, 54, 604-616. | 1.6 | 23 |
| 5615 | Root architecture might account for contrasting establishment success of <i>Pseudotsuga menziesii</i> var. <i>menziesii</i> and <i>Pinus sylvestris</i> in Central Europe under dry conditions. <i>Annals of Forest Science</i> , 2016, 73, 959-970. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5616 | Carbon sequestration potential of second-growth forest regeneration in the Latin American tropics. <i>Science Advances</i> , 2016, 2, e1501639. | 4.7 | 423 |
| 5618 | Comparison and juxtaposition in archaeology. , 2016, , 29-50. | | 1 |
| 5619 | Water histories of ancient Yemen in global comparative perspective. , 2016, , 51-83. | | 2 |
| 5620 | Water and the beginnings of pastoralism and agriculture in Southwest Arabia. , 2016, , 84-111. | | 0 |
| 5621 | Water histories of Southwest Arabian kingdoms (and the American West). , 2016, , 112-152. | | 0 |
| 5624 | Evaluation of new scientific information on <i>Phyllosticta citricarpa</i> in relation to the EFSA PLH Panel (2014) Scientific Opinion on the plant health risk to the EU. <i>EFSA Journal</i> , 2016, 14, e04513. | 0.9 | 3 |
| 5625 | Vegetation cover dynamics of the Mongolian semiarid zone according to multi-temporal LANDSAT imagery (the case of Darkhan test range). <i>IOP Conference Series: Earth and Environmental Science</i> , 2016, 48, 012015. | 0.2 | 3 |
| 5626 | Ecological niche modelling of Rift Valley fever virus vectors in Baringo, Kenya. <i>Infection Ecology and Epidemiology</i> , 2016, 6, 32322. | 0.5 | 14 |
| 5627 | Diverse growth trends and climate responses across Eurasia's boreal forest. <i>Environmental Research Letters</i> , 2016, 11, 074021. | 2.2 | 75 |
| 5628 | Assessing the influence of watershed characteristics on chlorophyll <i>a</i> in waterbodies at global and regional scales. <i>Inland Waters</i> , 2016, 6, 379-392. | 1.1 | 5 |
| 5629 | Thermal niche estimators and the capability of poor dispersal species to cope with climate change. <i>Scientific Reports</i> , 2016, 6, 23381. | 1.6 | 34 |
| 5630 | Spatiotemporal dataset on Chinese population distribution and its driving factors from 1949 to 2013. <i>Scientific Data</i> , 2016, 3, 160047. | 2.4 | 12 |
| 5631 | Ecological determinants of mean family age of angiosperm trees in forest communities in China. <i>Scientific Reports</i> , 2016, 6, 28662. | 1.6 | 6 |
| 5632 | Soil bacterial endemism and potential functional redundancy in natural broadleaf forest along a latitudinal gradient. <i>Scientific Reports</i> , 2016, 6, 28819. | 1.6 | 15 |
| 5633 | The genetics of an early Neolithic pastoralist from the Zagros, Iran. <i>Scientific Reports</i> , 2016, 6, 31326. | 1.6 | 61 |
| 5634 | Rapid increase in growth and productivity can aid invasions by a non-native tree. <i>AoB PLANTS</i> , 2016, 8, . | 1.2 | 10 |
| 5635 | Phylogeographic structure in long-tailed voles (Rodentia: Arvicolinae) belies the complex Pleistocene history of isolation, divergence, and recolonization of Northwest North America's fauna. <i>Ecology and Evolution</i> , 2016, 6, 6633-6647. | 0.8 | 9 |
| 5636 | Population demographic history of a temperate shrub, <i>Rhododendron weyrichii</i> (Ericaceae), on continental islands of Japan and South Korea. <i>Ecology and Evolution</i> , 2016, 6, 8800-8810. | 0.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5637 | Climatic controls on the isotopic composition and availability of soil nitrogen across mountainous tropical forest. <i>Ecosphere</i> , 2016, 7, e01412. | 1.0 | 10 |
| 5638 | Niche partitioning among sexual and unisexual <i>Ambystoma</i> salamanders. <i>Ecosphere</i> , 2016, 7, e01579. | 1.0 | 15 |
| 5639 | Charcoal production in the Mopane woodlands of Mozambique: what are the trade-offs with other ecosystem services?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150315. | 1.8 | 59 |
| 5640 | <i>Cherax quadricarinatus</i> (von Martens) has invaded Indonesian territory west of the Wallace Line: evidences from Java. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2016, , 39. | 0.5 | 18 |
| 5641 | Variabilidad espacial y temporal de la temperatura del aire en la zona cafetera colombiana. <i>Investigaciones Geográficas</i> , 2016, , 23. | 0.0 | 4 |
| 5642 | Environmental and Historical Determinants of Patterns of Genetic Differentiation in Wild Soybean (<i>Glycine soja</i> Sieb. et Zucc). <i>Scientific Reports</i> , 2016, 6, 22795. | 1.6 | 22 |
| 5643 | Predictions of future grazing season length for European dairy, beef and sheep farms based on regression with bioclimatic variables. <i>Journal of Agricultural Science</i> , 2016, 154, 765-781. | 0.6 | 18 |
| 5644 | Collapse of an iconic conifer: long-term changes in the demography of <i>Widdringtonia cedarbergensis</i> using repeat photography. <i>BMC Ecology</i> , 2016, 16, 53. | 3.0 | 14 |
| 5645 | A picture is worth a thousand data points: an imagery dataset of paired shrub-open microsites within the Carrizo Plain National Monument. <i>GigaScience</i> , 2016, 5, 40. | 3.3 | 9 |
| 5646 | Bistability, Spatial Interaction, and the Distribution of Tropical Forests and Savannas. <i>Ecosystems</i> , 2016, 19, 1080-1091. | 1.6 | 63 |
| 5647 | Adapting Douglas-fir forestry in Central Europe: evaluation, application, and uncertainty analysis of a genetically based model. <i>European Journal of Forest Research</i> , 2016, 135, 919-936. | 1.1 | 43 |
| 5648 | Mapping intra-urban malaria risk using high resolution satellite imagery: a case study of Dar es Salaam. <i>International Journal of Health Geographics</i> , 2016, 15, 26. | 1.2 | 45 |
| 5649 | Patterns of forest composition and their long term environmental drivers in the tropical dry forest transition zone of southern Africa. <i>Forest Ecosystems</i> , 2016, 3, . | 1.3 | 14 |
| 5650 | Unlocking the genetic diversity of Creole wheats. <i>Scientific Reports</i> , 2016, 6, 23092. | 1.6 | 75 |
| 5651 | Prevalence of and Risk Factors for Trachoma in Southern Nations, Nationalities, and Peoples™ Region, Ethiopia: Results of 40 Population-Based Prevalence Surveys Carried Out with the Global Trachoma Mapping Project. <i>Ophthalmic Epidemiology</i> , 2016, 23, 84-93. | 0.8 | 43 |
| 5652 | Geographical variability in northern European sheep wool isotopic composition ($\delta^{13}C$, $\delta^{15}N$, δ^2H) <i>Journal of Agricultural Science</i> , 2016, 154, 765-781. | 1.0 | 10 |
| 5653 | Climate, history, society over the last millennium in southeast Africa. <i>Wiley Interdisciplinary Reviews: Climate Change</i> , 2016, 7, 370-392. | 3.6 | 26 |
| 5654 | Influence of climate on the survivorship of neonatal red pandas in captivity. <i>Zoo Biology</i> , 2016, 35, 104-110. | 0.5 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5655 | Neotropical primate communities: Effects of disturbance, resource production and forest type heterogeneity. <i>American Journal of Primatology</i> , 2016, 78, 391-401. | 0.8 | 9 |
| 5656 | Shift in precipitation regime promotes interspecific hybridization of introduced <i>Coffea</i> species. <i>Ecology and Evolution</i> , 2016, 6, 3240-3255. | 0.8 | 15 |
| 5657 | Phylogenetic assemblage structure of North American trees is more strongly shaped by glacial-interglacial climate variability in gymnosperms than in angiosperms. <i>Ecology and Evolution</i> , 2016, 6, 3092-3106. | 0.8 | 40 |
| 5658 | Populations of aspen (<i>Populus tremuloides</i> Michx.) with different evolutionary histories differ in their climate occupancy. <i>Ecology and Evolution</i> , 2016, 6, 3032-3039. | 0.8 | 5 |
| 5659 | Downscaling land-use data to provide global 30m estimates of five land-use classes. <i>Ecology and Evolution</i> , 2016, 6, 3040-3055. | 0.8 | 64 |
| 5660 | Predicting the distributions of predator (snow leopard) and prey (blue sheep) under climate change in the Himalaya. <i>Ecology and Evolution</i> , 2016, 6, 4065-4075. | 0.8 | 100 |
| 5661 | Towards catchment classification in data-scarce regions. <i>Ecohydrology</i> , 2016, 9, 1235-1247. | 1.1 | 25 |
| 5662 | Genetic Diversity and Population Structure of <i>Pinus yunnanensis</i> by Simple Sequence Repeat Markers. <i>Forest Science</i> , 2016, 62, 38-47. | 0.5 | 15 |
| 5663 | Contrasting genetic patterns between two coexisting <i>Eleutherococcus</i> species in northern China. <i>Ecology and Evolution</i> , 2016, 6, 3311-3324. | 0.8 | 22 |
| 5664 | Adaptive cluster sampling for negatively correlated data. <i>Environmetrics</i> , 2016, 27, E103. | 0.6 | 13 |
| 5665 | Foliar and soil concentrations and stoichiometry of nitrogen and phosphorous across European <i>Pinus sylvestris</i> forests: relationships with climate, N deposition and tree growth. <i>Functional Ecology</i> , 2016, 30, 676-689. | 1.7 | 99 |
| 5666 | Phylogenetic community structure of North American desert bats: influence of environment at multiple spatial and taxonomic scales. <i>Journal of Animal Ecology</i> , 2016, 85, 1118-1130. | 1.3 | 26 |
| 5667 | Spatial distribution of the Carpathian and Eastern mtDNA lineages of the bank vole in their contact zone relates to environmental conditions. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 732-744. | 0.7 | 16 |
| 5668 | Barn owls display larger black feather spots in cooler regions of the British Isles. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 445-454. | 0.7 | 8 |
| 5669 | Phylogeographical patterns of two closely related desert shrubs, <i>Nitraria roborowskii</i> and <i>N. sphaerocarpa</i> (Nitrariaceae), from arid north-western China. <i>Botanical Journal of the Linnean Society</i> , 2016, 180, 334-347. | 0.8 | 18 |
| 5670 | The Neogene rise of the tropical Andes facilitated diversification of wax palms (<i>Ceroxylon</i>): Tj ETQq1 1 0.784314 rgBT /Overl... the Linnean Society, 2016, 182, 303-317. | 0.8 | 38 |
| 5671 | No evidence of intrinsic spatial processes driving Neotropical savanna vegetation on different substrates. <i>Biotropica</i> , 2016, 48, 433-442. | 0.8 | 18 |
| 5672 | Projected impacts of climate change on three freshwater fishes and potential novel competitive interactions. <i>Diversity and Distributions</i> , 2016, 22, 603-614. | 1.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5673 | Plants' native distributions do not reflect climatic tolerance. <i>Diversity and Distributions</i> , 2016, 22, 615-624. | 1.9 | 44 |
| 5674 | Environmental drivers of tree community turnover in western Amazonian forests. <i>Ecography</i> , 2016, 39, 1089-1099. | 2.1 | 41 |
| 5675 | A network approach for inferring species associations from co-occurrence data. <i>Ecography</i> , 2016, 39, 1139-1150. | 2.1 | 96 |
| 5676 | Spatiotemporal environmental heterogeneity and the maintenance of the tailspot polymorphism in the variable platyfish (<i>Xiphophorus variatus</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 408-419. | 1.1 | 7 |
| 5677 | Defining functional biomes and monitoring their change globally. <i>Global Change Biology</i> , 2016, 22, 3583-3593. | 4.2 | 56 |
| 5678 | Correlates of extinction risk in squamate reptiles: the relative importance of biology, geography, threat and range size. <i>Global Ecology and Biogeography</i> , 2016, 25, 391-405. | 2.7 | 121 |
| 5679 | Environmental optimality, not heterogeneity, drives regional and local species richness in lichen epiphytes. <i>Global Ecology and Biogeography</i> , 2016, 25, 406-417. | 2.7 | 28 |
| 5680 | The distribution and diversity of insular ants: do exotic species play by different rules?. <i>Global Ecology and Biogeography</i> , 2016, 25, 642-654. | 2.7 | 14 |
| 5681 | Understanding hotspots within a global hotspot – identifying the drivers of regional species richness patterns in terrestrial subterranean habitats. <i>Insect Conservation and Diversity</i> , 2016, 9, 268-281. | 1.4 | 38 |
| 5682 | Underestimated effects of climate on plant species turnover in the Southwest Australian Floristic Region. <i>Journal of Biogeography</i> , 2016, 43, 289-300. | 1.4 | 22 |
| 5683 | Past climate-driven range shifts and population genetic diversity in arctic plants. <i>Journal of Biogeography</i> , 2016, 43, 461-470. | 1.4 | 48 |
| 5684 | The influence of geological movements on the population differentiation of <i>Biston panterinaria</i> (Lepidoptera: Geometridae). <i>Journal of Biogeography</i> , 2016, 43, 691-702. | 1.4 | 16 |
| 5685 | Climatic and geographic correlates of global forest tree species abundance distributions and community evenness. <i>Journal of Vegetation Science</i> , 2016, 27, 295-305. | 1.1 | 34 |
| 5686 | Soil aeration, water deficit, nitrogen availability, acidity and temperature all contribute to shaping tree species distribution in temperate forests. <i>Journal of Vegetation Science</i> , 2016, 27, 387-399. | 1.1 | 37 |
| 5687 | Inferring the roles of vicariance, climate and topography in population differentiation in <i>Salamandra atra</i> (Caudata, Salamandridae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 116-126. | 0.6 | 19 |
| 5688 | Adaptation to climate through flowering phenology: a case study in <i>Medicago truncatula</i> . <i>Molecular Ecology</i> , 2016, 25, 3397-3415. | 2.0 | 36 |
| 5689 | <i>Kalanchoe</i> (Crassulaceae) as invasive aliens in China – new records, and actual and potential distribution. <i>Nordic Journal of Botany</i> , 2016, 34, 349-354. | 0.2 | 15 |
| 5690 | Testing the large genome constraint hypothesis: plant traits, habitat and climate seasonality in <i>Scrophulariaceae</i> . <i>New Phytologist</i> , 2016, 210, 709-716. | 3.5 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5691 | Small-mammal isotope ecology tracks climate and vegetation gradients across western North America. <i>Oikos</i> , 2016, 125, 1100-1109. | 1.2 | 24 |
| 5692 | Genomic scanning using <i>AFLP</i> to detect loci under selection in the moss <i>Funaria hygrometrica</i> along a climate gradient in the Sierra Nevada Mountains, Spain. <i>Plant Biology</i> , 2016, 18, 280-288. | 1.8 | 27 |
| 5693 | An integrative approach for species delimitation in the spider genus <i>Grammostola</i> (Theraphosidae, Mygalomorphae). <i>Zoologica Scripta</i> , 2016, 45, 322-333. | 0.7 | 32 |
| 5694 | Pulsed exhumation of interior eastern Tibet: Implications for relief generation mechanisms and the origin of high-elevation planation surfaces. <i>Earth and Planetary Science Letters</i> , 2016, 449, 176-185. | 1.8 | 100 |
| 5695 | The reliability of conservation status assessments at regional level: Past, present and future perspectives on <i>Gentiana lutea</i> L. ssp. <i>lutea</i> in Sardinia. <i>Journal for Nature Conservation</i> , 2016, 33, 1-9. | 0.8 | 38 |
| 5696 | Long-term persisting hybrid swarm and geographic difference in hybridization pattern: genetic consequences of secondary contact between two <i>Vincetoxicum</i> species (Apocynaceae-Asclepiadoideae). <i>BMC Evolutionary Biology</i> , 2016, 16, 20. | 3.2 | 11 |
| 5697 | A mistletoe tale: postglacial invasion of <i>Psittacanthus schiedeanus</i> (Loranthaceae) to Mesoamerican cloud forests revealed by molecular data and species distribution modeling. <i>BMC Evolutionary Biology</i> , 2016, 16, 78. | 3.2 | 63 |
| 5698 | Remotely Sensed Land Skin Temperature as a Spatial Predictor of Air Temperature across the Conterminous United States. <i>Journal of Applied Meteorology and Climatology</i> , 2016, 55, 1441-1457. | 0.6 | 68 |
| 5699 | Environmental Filtering Process Has More Important Roles than Dispersal Limitation in Shaping Large-Scale Prokaryotic Beta Diversity Patterns of Grassland Soils. <i>Microbial Ecology</i> , 2016, 72, 221-230. | 1.4 | 28 |
| 5700 | Assessing the invasive risk of two non-native <i>Agrostis</i> species on sub-Antarctic Macquarie Island. <i>Polar Biology</i> , 2016, 39, 2361-2371. | 0.5 | 13 |
| 5701 | Conservation genomics reveals multiple evolutionary units within Bell's Vireo (<i>Vireo bellii</i>). <i>Conservation Genetics</i> , 2016, 17, 455-471. | 0.8 | 15 |
| 5702 | Distribution patterns of European lacustrine gastropods: a result of environmental factors and deglaciation history. <i>Hydrobiologia</i> , 2016, 775, 69-82. | 1.0 | 13 |
| 5703 | Historical contingency and spatial processes rather than ecological niche differentiation explain the distribution of invasive goldenrods (<i>Solidago</i> and <i>Euthamia</i>). <i>Plant Ecology</i> , 2016, 217, 565-582. | 0.7 | 13 |
| 5704 | Disentangling the effects of isolation-by-distance and isolation-by-environment on genetic differentiation among <i>Rhododendron</i> lineages in the subgenus <i>Tsutsusi</i> . <i>Tree Genetics and Genomes</i> , 2016, 12, 1. | 0.6 | 25 |
| 5705 | Comparison and effects of different climate-vegetation models in areas of complex terrain under climate change. <i>Chinese Geographical Science</i> , 2016, 26, 188-196. | 1.2 | 2 |
| 5706 | Combination of thymol treatment (Apiguard®) and caging the queen technique to fight <i>Varroa destructor</i> . <i>Apidologie</i> , 2016, 47, 606-616. | 0.9 | 38 |
| 5707 | Population genetic analysis and bioclimatic modeling in <i>Agave striata</i> in the Chihuahuan Desert indicate higher genetic variation and lower differentiation in drier and more variable environments. <i>American Journal of Botany</i> , 2016, 103, 1020-1029. | 0.8 | 22 |
| 5708 | Climatic Niche Characterization of 13 North American <i>Vitis</i> Species. <i>American Journal of Enology and Viticulture</i> , 2016, 67, 339-349. | 0.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5709 | Overcoming data deficiency in reptiles. <i>Biological Conservation</i> , 2016, 204, 16-22. | 1.9 | 62 |
| 5710 | Hidden crown jewels: the role of tree crowns for bryophyte and lichen species richness in sycamore maple wooded pastures. <i>Biodiversity and Conservation</i> , 2016, 25, 1605-1624. | 1.2 | 27 |
| 5711 | Frequent but asymmetric niche shifts in <i>Bulbophyllum</i> orchids support environmental and climatic instability in Madagascar over Quaternary time scales. <i>BMC Evolutionary Biology</i> , 2016, 16, 14. | 3.2 | 21 |
| 5712 | Quantifying the value of user-level data cleaning for big data: A case study using mammal distribution models. <i>Ecological Informatics</i> , 2016, 34, 139-145. | 2.3 | 51 |
| 5713 | Global analysis of the stream power law parameters based on worldwide ¹⁰ Be denudation rates. <i>Geomorphology</i> , 2016, 268, 184-196. | 1.1 | 183 |
| 5714 | An ecohydrological approach to managing dryland forests: integration of leaf area metrics into assessment and management. <i>Forestry</i> , 2016, 89, 338-349. | 1.2 | 10 |
| 5715 | A habitat quality indicator for common birds in Europe based on species distribution models. <i>Ecological Indicators</i> , 2016, 69, 488-499. | 2.6 | 31 |
| 5716 | The Mass Elevation Effect of the Central Andes and Its Implications for the Southern Hemisphere's Highest Treeline. <i>Mountain Research and Development</i> , 2016, 36, 213-221. | 0.4 | 8 |
| 5717 | Climate and landscape explain richness patterns depending on the type of species' distribution data. <i>Acta Oecologica</i> , 2016, 74, 19-27. | 0.5 | 10 |
| 5718 | Hot and bothered: Using trait-based approaches to assess climate change vulnerability in reptiles. <i>Biological Conservation</i> , 2016, 204, 32-41. | 1.9 | 85 |
| 5719 | The formation of the oceanic temperate forests of New Zealand. <i>New Zealand Journal of Botany</i> , 2016, 54, 128-155. | 0.8 | 51 |
| 5720 | The Use of Spatial and Spatiotemporal Modeling for Surveillance of H5N1 Highly Pathogenic Avian Influenza in Poultry in the Middle East. <i>Avian Diseases</i> , 2016, 60, 146-155. | 0.4 | 14 |
| 5721 | How are soil carbon and tropical biodiversity related?. <i>Environmental Conservation</i> , 2016, 43, 231-241. | 0.7 | 37 |
| 5722 | Indicative response of <i>Oxysternon festivum</i> Linn. (Coleoptera: Scarabidae) to vegetation condition in the basin of the Orinoco river, Venezuela. <i>Journal of Insect Conservation</i> , 2016, 20, 527-538. | 0.8 | 3 |
| 5723 | Ecological niche modelling requires real presence data and appropriate study regions: a comment on Medone et al. (2015). <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20160027. | 1.8 | 10 |
| 5724 | Current and Potential Distribution of the Cactus Weevil, <i>Cactophagus spinolae</i> (Gyllenhal) (Coleoptera: Curculionidae), in Mexico. <i>The Coleopterists Bulletin</i> , 2016, 70, 327-334. | 0.1 | 14 |
| 5725 | Cryptic diversity in a chirally variable land snail. <i>Italian Journal of Zoology</i> , 2016, 83, 351-363. | 0.6 | 7 |
| 5726 | A novel bioenergy feedstock in Latin America? Cultivation potential of <i>Acrocomia aculeata</i> under current and future climate conditions. <i>Biomass and Bioenergy</i> , 2016, 91, 186-195. | 2.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5727 | Landscape connectivity of <i>Cercidiphyllum japonicum</i> , an endangered species and its implications for conservation. <i>Ecological Informatics</i> , 2016, 33, 51-56. | 2.3 | 5 |
| 5728 | A rapid assessment of anthropogenic disturbances in East African wetlands. <i>Ecological Indicators</i> , 2016, 67, 684-692. | 2.6 | 63 |
| 5729 | Comment on "The new assessment of soil loss by water erosion in Europe" by Panagos et al. (<i>Environmental Science & Policy</i> 54 (2015) 438-447). <i>Environmental Science and Policy</i> , 2016, 57, 140-142. | 2.4 | 15 |
| 5730 | Evaluation of extreme rainfall and temperature over North America in CanRCM4 and CRCM5. <i>Climate Dynamics</i> , 2016, 46, 3821-3843. | 1.7 | 40 |
| 5731 | Tests of ecogeographical relationships in a non-native species: what rules avian morphology?. <i>Oecologia</i> , 2016, 181, 783-793. | 0.9 | 31 |
| 5732 | A molecular biogeography of the New World cypresses (<i>Callitropsis</i> , <i>Hesperocyparis</i> ; Cupressaceae). <i>Plant Systematics and Evolution</i> , 2016, 302, 921-942. | 0.3 | 10 |
| 5733 | Strong genetic differentiation in the invasive annual grass <i>Bromus tectorum</i> across the Mojave-Great Basin ecological transition zone. <i>Biological Invasions</i> , 2016, 18, 1611-1628. | 1.2 | 13 |
| 5734 | Hyper-oceanic liverwort species of conservation concern: evidence for dispersal limitation and identification of suitable uncolonised regions. <i>Biodiversity and Conservation</i> , 2016, 25, 1053-1071. | 1.2 | 8 |
| 5735 | Climate-induced morphological variation of black plum (<i>Vitex doniana</i> Sw.) in Benin, West Africa. <i>Genetic Resources and Crop Evolution</i> , 2016, 63, 1073-1084. | 0.8 | 18 |
| 5736 | Sixty percent of small coffee farms have suitable socio-economic and environmental locations in Rwanda. <i>Agronomy for Sustainable Development</i> , 2016, 36, 1. | 2.2 | 3 |
| 5737 | Soil polygon disaggregation through similarity-based prediction with legacy pedons. <i>Journal of Arid Land</i> , 2016, 8, 760-772. | 0.9 | 10 |
| 5738 | Daily gridded weather for pesticide exposure modeling. <i>Environmental Modelling and Software</i> , 2016, 82, 167-173. | 1.9 | 6 |
| 5739 | Understanding the evolutionary history of a high Andean endemic: the Ecuadorian hillstar (<i>Oreotrochilus chimborazo</i>). <i>Neotropical Biodiversity</i> , 2016, 2, 37-50. | 0.2 | 4 |
| 5740 | Thermal reactionomes reveal divergent responses to thermal extremes in warm and cool-climate ant species. <i>BMC Genomics</i> , 2016, 17, 171. | 1.2 | 19 |
| 5741 | Sustainable intensification of agricultural systems in the Central African Highlands: The need for institutional innovation. <i>Agricultural Systems</i> , 2016, 145, 165-176. | 3.2 | 102 |
| 5742 | Trait differentiation among <i>Stipa krylovii</i> populations in the InnerMongolia Steppe region. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 223, 90-98. | 0.6 | 8 |
| 5743 | Reconstruction of biological drought conditions during the past 2847 years in an alpine environment of the northeastern Tibetan Plateau, China, and possible linkages to solar forcing. <i>Global and Planetary Change</i> , 2016, 143, 214-227. | 1.6 | 14 |
| 5744 | Genetics of water use physiology in locally adapted <i>Arabidopsis thaliana</i> . <i>Plant Science</i> , 2016, 251, 12-22. | 1.7 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5745 | The Middle Stone Age archaeology of the Senegal River Valley. <i>Quaternary International</i> , 2016, 408, 16-32. | 0.7 | 27 |
| 5746 | Pollen distribution in the marine surface sediments of the mudbelt along the west coast of South Africa. <i>Quaternary International</i> , 2016, 404, 44-56. | 0.7 | 15 |
| 5747 | Intraspecific biogenic silica variations in the grass species <i>Pennisetum pedicellatum</i> along an evapotranspiration gradient in South Niger. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 220, 84-93. | 0.6 | 32 |
| 5748 | Long-term erosion rates of Panamanian drainage basins determined using in situ ¹⁰ Be. <i>Geomorphology</i> , 2016, 275, 1-15. | 1.1 | 10 |
| 5749 | Palaeobotanical records from Rebun Island and their potential for improving the chronological control and understanding human–environment interactions in the Hokkaido Region, Japan. <i>Holocene</i> , 2016, 26, 1646-1660. | 0.9 | 19 |
| 5750 | Enrichment of Central African logged forests with high-value tree species: testing a new approach to regenerating degraded forests. <i>International Journal of Biodiversity Science, Ecosystem Services & Management</i> , 2016, 12, 83-95. | 2.9 | 19 |
| 5751 | Realising the potential of herbarium records for conservation biology. <i>South African Journal of Botany</i> , 2016, 105, 317-323. | 1.2 | 40 |
| 5752 | Assessing the Effect of Disturbances on the Functionality of Direct Protection Forests. <i>Mountain Research and Development</i> , 2016, 36, 41. | 0.4 | 19 |
| 5753 | Evolution of East Asia's Arcto-Tertiary relict <i>Euptelea</i> (Eupteleaceae) shaped by Late Neogene vicariance and Quaternary climate change. <i>BMC Evolutionary Biology</i> , 2016, 16, 66. | 3.2 | 69 |
| 5754 | Hierarchical genetic structure shaped by topography in a narrow-endemic montane grasshopper. <i>BMC Evolutionary Biology</i> , 2016, 16, 96. | 3.2 | 60 |
| 5755 | Molecular evolutionary rates are not correlated with temperature and latitude in Squamata: an exception to the metabolic theory of ecology?. <i>BMC Evolutionary Biology</i> , 2016, 16, 95. | 3.2 | 12 |
| 5756 | Diurnal variation in corticosterone release among wild tropical forest birds. <i>Frontiers in Zoology</i> , 2016, 13, 19. | 0.9 | 14 |
| 5757 | Forecasting Chikungunya spread in the Americas via data-driven empirical approaches. <i>Parasites and Vectors</i> , 2016, 9, 112. | 1.0 | 16 |
| 5758 | Vegetation types of thermophilous deciduous forests (<i>Quercetea pubescentis</i>) in the Western Balkans. <i>Phytocoenologia</i> , 2016, 46, 49-68. | 1.2 | 11 |
| 5759 | Geographical or ecological divergence between the parapatric species <i>Ephedra sinica</i> and <i>E. intermedia</i> ?. <i>Plant Systematics and Evolution</i> , 2016, 302, 1157-1170. | 0.3 | 9 |
| 5760 | Achieving climate connectivity in a fragmented landscape. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7195-7200. | 3.3 | 194 |
| 5761 | An ecometric analysis of the fossil mammal record of the Turkana Basin. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150232. | 1.8 | 80 |
| 5762 | The Hydropower Potential Assessment Tool (HPAT): Evaluation of run-of-river resource potential for any global land area and application to Falls Creek, Oregon, USA. <i>Renewable Energy</i> , 2016, 97, 492-503. | 4.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5763 | Distribution of shrublands in relation to soil and climate in mid-subtropical China. <i>Journal of Plant Ecology</i> , 2016, 9, 393-401. | 1.2 | 11 |
| 5764 | Spatial and environmental analysis of an ostracod metacommunity from endorheic lakes. <i>Aquatic Sciences</i> , 2016, 78, 707-716. | 0.6 | 20 |
| 5765 | Blue intensity parameters derived from Ponderosa pine tree rings characterize intra-annual density fluctuations and reveal seasonally divergent water limitations. <i>Trees - Structure and Function</i> , 2016, 30, 1403-1415. | 0.9 | 40 |
| 5766 | Alien brown trout invasion of the Italian peninsula: the role of geological, climate and anthropogenic factors. <i>Biological Invasions</i> , 2016, 18, 2029-2044. | 1.2 | 42 |
| 5767 | Patterns of neutral and adaptive genetic diversity across the natural range of sugar pine (<i>Pinus</i>) | 0.6 | 18 |
| 5768 | Nuclear genetic variation of <i>Rosa odorata</i> var. <i>gigantea</i> (Rosaceae): population structure and conservation implications. <i>Tree Genetics and Genomes</i> , 2016, 12, 1. | 0.6 | 13 |
| 5769 | Multi-temporal assessment of ground cover restoration and soil erosion risks along petroleum and gas pipelines in Azerbaijan using GIS and remote sensing. <i>Environmental Earth Sciences</i> , 2016, 75, 1. | 1.3 | 11 |
| 5770 | Distribution Modeling of three screwworm species in the ecologically diverse landscape of North West Pakistan. <i>Acta Tropica</i> , 2016, 162, 56-65. | 0.9 | 12 |
| 5771 | Morphological and niche divergence of pinyon pines. <i>Ecology and Evolution</i> , 2016, 6, 2886-2896. | 0.8 | 12 |
| 5772 | Strong paleoclimatic legacies in current plant functional diversity patterns across Europe. <i>Ecology and Evolution</i> , 2016, 6, 3405-3416. | 0.8 | 20 |
| 5773 | Downscaling patterns of complementarity to a finer resolution and its implications for conservation prioritization. <i>Ecology and Evolution</i> , 2016, 6, 4032-4040. | 0.8 | 5 |
| 5774 | Remotely sensed canopy height reveals three pantropical ecosystem states. <i>Ecology</i> , 2016, 97, 2518-2521. | 1.5 | 47 |
| 5775 | Development of high-resolution (250m) historical daily gridded air temperature data using reanalysis and distributed sensor networks for the US Northern Rocky Mountains. <i>International Journal of Climatology</i> , 2016, 36, 3620-3632. | 1.5 | 32 |
| 5776 | Determining the drivers of long-term aridity variability: a southern African case study. <i>Journal of Quaternary Science</i> , 2016, 31, 143-151. | 1.1 | 67 |
| 5777 | Correction of a 1 km daily rainfall dataset for modelling forest ecosystem processes in Italy. <i>Meteorological Applications</i> , 2016, 23, 294-303. | 0.9 | 18 |
| 5778 | Over the hills and further away from coast: global geospatial patterns of human and environment over the 20th–21st centuries. <i>Environmental Research Letters</i> , 2016, 11, 034010. | 2.2 | 143 |
| 5779 | Acceleration of thaw slump activity in glaciated landscapes of the Western Canadian Arctic. <i>Environmental Research Letters</i> , 2016, 11, 034025. | 2.2 | 106 |
| 5780 | Critical thermal maxima of juvenile alligator gar (<i>Atractosteus spatula</i> , Lacépède, 1803) from three Mississippi-drainage populations acclimated to three temperatures. <i>Journal of Applied Ichthyology</i> , 2016, 32, 701-705. | 0.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5781 | Shaped by uneven Pleistocene climate: mitochondrial phylogeographic pattern and population history of white wagtail <i>Motacilla alba</i> (Aves: Passeriformes). <i>Journal of Avian Biology</i> , 2016, 47, 263-274. | 0.6 | 21 |
| 5782 | Allopatric speciation with little niche divergence is common among alpine Primulaceae. <i>Journal of Biogeography</i> , 2016, 43, 591-602. | 1.4 | 75 |
| 5783 | Past potential habitats shed light on the biogeography of endemic tree species of the Western Ghats biodiversity hotspot, South India. <i>Journal of Biogeography</i> , 2016, 43, 899-910. | 1.4 | 15 |
| 5784 | Testing the climate variability hypothesis in thermal tolerance limits of tropical and temperate tadpoles. <i>Journal of Biogeography</i> , 2016, 43, 1166-1178. | 1.4 | 103 |
| 5785 | Multiscale partitioning of small mammal α -diversity provides novel insights into the Quaternary faunal history of Qinghai-Tibetan Plateau and Hengduan Mountains. <i>Journal of Biogeography</i> , 2016, 43, 1412-1424. | 1.4 | 28 |
| 5786 | Evolutionary history of the little fire ant <i>Wasmannia auropunctata</i> before global invasion: inferring dispersal patterns, niche requirements and past and present distribution within its native range. <i>Journal of Evolutionary Biology</i> , 2016, 29, 790-809. | 0.8 | 17 |
| 5787 | Potential distribution of the invasive freshwater dinoflagellate <i>Ceratium furcoides</i> (Levander) Langhans (Dinophyta) in South America. <i>Journal of Phycology</i> , 2016, 52, 200-208. | 1.0 | 29 |
| 5788 | Genetic structure and post-glacial expansion of <i>Cornus florida</i> L. (Cornaceae): integrative evidence from phylogeography, population demographic history, and species distribution modeling. <i>Journal of Systematics and Evolution</i> , 2016, 54, 136-151. | 1.6 | 20 |
| 5789 | Colour polymorphism in <i>Salamandra salamandra</i> (Amphibia: Urodela), revealed by a lack of genetic and environmental differentiation between distinct phenotypes. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 127-136. | 0.6 | 26 |
| 5790 | Climate structures genetic variation across a species' elevation range: a test of range limits hypotheses. <i>Molecular Ecology</i> , 2016, 25, 911-928. | 2.0 | 41 |
| 5791 | Macroevolutionary patterns of ultraviolet floral pigmentation explained by geography and associated bioclimatic factors. <i>New Phytologist</i> , 2016, 211, 708-718. | 3.5 | 49 |
| 5792 | Narrow endemics on coastal plains: Miocene divergence of the critically endangered genus <i>Avellara</i> (Compositae). <i>Plant Biology</i> , 2016, 18, 729-738. | 1.8 | 16 |
| 5793 | Contrasting phylogeographic signatures in two Australo-Papuan bowerbird species complexes (Aves: Tj ETQq0 0,0,rqBT /Oyerlock 10 | 0.7 | 21 |
| 5794 | On Using a Clustering Approach for Global Climate Classification. <i>Journal of Climate</i> , 2016, 29, 3387-3401. | 1.2 | 57 |
| 5795 | Additions to Philippine Slender Skinks of the <i>Brachymeles bonitae</i> Complex (Reptilia: Squamata: Scincidae) II: a new species from the northern Philippines. <i>Zootaxa</i> , 2016, 4132, 15. | 0.2 | 6 |
| 5796 | Mycorrhizal association as a primary control of the CO ₂ fertilization effect. <i>Science</i> , 2016, 353, 72-74. | 6.0 | 426 |
| 5797 | Large scale patterns in the diversity of lake fish assemblages in China and the effect of environmental factors. <i>Fundamental and Applied Limnology</i> , 2016, 188, 129-145. | 0.4 | 6 |
| 5798 | What did <i>Hadropithecus</i> eat, and why should paleoanthropologists care?. <i>American Journal of Primatology</i> , 2016, 78, 1098-1112. | 0.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5799 | Resprouter fraction in Cape Restionaceae assemblages varies with climate and soil type. <i>Functional Ecology</i> , 2016, 30, 1583-1592. | 1.7 | 9 |
| 5800 | Regional and historical factors supplement current climate in shaping global forest canopy height. <i>Journal of Ecology</i> , 2016, 104, 469-478. | 1.9 | 55 |
| 5801 | Holocene variability of an Amazonian hyperdominant. <i>Journal of Ecology</i> , 2016, 104, 1370-1378. | 1.9 | 20 |
| 5802 | Geographic structure of genetic and phenotypic variation in the hybrid zone between <i>Quercus affinis</i> and <i>Q. laurina</i> in Mexico. <i>Plant Species Biology</i> , 2016, 31, 219-232. | 0.6 | 17 |
| 5803 | Morphological and genetic analysis of sympatric dace within the <i>Rhinichthys cataracta</i> species complex: a case of isolation lost. <i>Biological Journal of the Linnean Society</i> , 2016, 117, 547-563. | 0.7 | 6 |
| 5804 | Diploid hybrid origin of <i>Hippophaë gyantsensis</i> (Elaeagnaceae) in the western Qinghai-Tibet Plateau. <i>Biological Journal of the Linnean Society</i> , 2016, 117, 658-671. | 0.7 | 13 |
| 5805 | Is phylogeography helpful for invasive species risk assessment? The case study of the bark beetle genus <i>Dendroctonus</i> . <i>Ecography</i> , 2016, 39, 1197-1209. | 2.1 | 16 |
| 5806 | Model-based integration of observed and expert-based information for assessing the geographic and environmental distribution of freshwater species. <i>Ecography</i> , 2016, 39, 1078-1088. | 2.1 | 34 |
| 5807 | US forest response to projected climate-related stress: a tolerance perspective. <i>Global Change Biology</i> , 2016, 22, 2875-2886. | 4.2 | 13 |
| 5808 | Land-use change outweighs projected effects of changing rainfall on tree cover in sub-Saharan Africa. <i>Global Change Biology</i> , 2016, 22, 3013-3025. | 4.2 | 45 |
| 5809 | Threatened and invasive reptiles are not two sides of the same coin. <i>Global Ecology and Biogeography</i> , 2016, 25, 1050-1060. | 2.7 | 14 |
| 5810 | Description of Events Where African Buffaloes (<i>Syncerus caffer</i>) Strayed from the Endemic Foot-and-Mouth Disease Zone in South Africa, 1998-2008. <i>Transboundary and Emerging Diseases</i> , 2016, 63, 333-347. | 1.3 | 12 |
| 5811 | A test of the Resource's and Bergmann's rules in a widely distributed small carnivore from southern South America, <i>Conepatus chinga</i> (Molina, 1782) (Carnivora: Mephitidae). <i>Mammalian Biology</i> , 2016, 81, 73-81. | 0.8 | 13 |
| 5812 | Ecological preferences of charophytes in Serbia in relation to habitat type and other aquatic macrophytes. <i>Plant Biosystems</i> , 2016, 150, 490-500. | 0.8 | 6 |
| 5813 | Local climate explains degree of seed dormancy in <i>Hypericum elodes</i> L. (Hypericaceae). <i>Plant Biology</i> , 2016, 18, 76-82. | 1.8 | 35 |
| 5814 | Ecological segregation does not drive the intricate parapatric distribution of diploid and tetraploid cytotypes of the <i>Arabidopsis arenosa</i> group (Brassicaceae). <i>Biological Journal of the Linnean Society</i> , 2016, 119, 673-688. | 0.7 | 57 |
| 5815 | Average monthly and annual climate maps for Bolivia. <i>Journal of Maps</i> , 2016, 12, 295-310. | 1.0 | 13 |
| 5816 | Elimination of informational redundancy in the weight of evidence method: an application to landslide susceptibility assessment. <i>Stochastic Environmental Research and Risk Assessment</i> , 2016, 30, 635-651. | 1.9 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5817 | Range contraction and loss of genetic variation of the Pyrenean endemic newt <i>Calotriton asper</i> due to climate change. <i>Regional Environmental Change</i> , 2016, 16, 995-1009. | 1.4 | 14 |
| 5818 | Knowing the past to forecast the future: a case study on a relictual, endemic species of the SW Alps, <i>Berardia subacaulis</i> . <i>Regional Environmental Change</i> , 2016, 16, 1035-1045. | 1.4 | 7 |
| 5819 | Palaeoecological and biostratigraphical implications of the microvertebrates of Qesem Cave in Israel. <i>Quaternary International</i> , 2016, 398, 219-232. | 0.7 | 20 |
| 5820 | Genomic Evidence for Adaptive Inversion Clines in <i>Drosophila melanogaster</i> . <i>Molecular Biology and Evolution</i> , 2016, 33, 1317-1336. | 3.5 | 157 |
| 5821 | The Impact of Global Climate Change on the Geographic Distribution and Sustainable Harvest of <i>Hancornia speciosa</i> Gomes (Apocynaceae) in Brazil. <i>Environmental Management</i> , 2016, 57, 814-821. | 1.2 | 15 |
| 5822 | Variations in leaf carbon isotope composition along an arid and semi-arid grassland transect in northern China. <i>Journal of Plant Ecology</i> , 2016, 9, 576-585. | 1.2 | 25 |
| 5823 | Freshwater Swamp Forest Trees of Bangladesh Face Extinction Risk from Climate Change. <i>Wetlands</i> , 2016, 36, 323-334. | 0.7 | 31 |
| 5824 | Assessing on-farm productivity of <i>Miscanthus</i> crops by combining soil mapping, yield modelling and remote sensing. <i>Biomass and Bioenergy</i> , 2016, 85, 252-261. | 2.9 | 24 |
| 5825 | Grassland Carbon Sequestration Ability in China: A New Perspective from Terrestrial Aridity Zones. <i>Rangeland Ecology and Management</i> , 2016, 69, 84-94. | 1.1 | 37 |
| 5826 | Mapping crop diseases using survey data: The case of bacterial wilt in bananas in the East African highlands. <i>European Journal of Agronomy</i> , 2016, 74, 173-184. | 1.9 | 27 |
| 5827 | What can local and geographic population limits tell us about distributions?. <i>American Journal of Botany</i> , 2016, 103, 129-139. | 0.8 | 17 |
| 5828 | Biodiversity gap analysis of the protected area system of the Indo-Burma Hotspot and priorities for increasing biodiversity representation. <i>Biological Conservation</i> , 2016, 195, 203-213. | 1.9 | 27 |
| 5829 | Land subsidence in major cities of Central Mexico: Interpreting InSAR-derived land subsidence mapping with hydrogeological data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 47, 102-111. | 1.4 | 112 |
| 5830 | Co-occurrence of mylodontid sloths and insights on their potential distributions during the late Pleistocene. <i>Quaternary Research</i> , 2016, 85, 66-74. | 1.0 | 28 |
| 5831 | Using multiple sources of characters to delimit species in the genus <i>Crataegus</i> (Rosaceae): the case of the <i>Crataegus rosei</i> complex. <i>Systematics and Biodiversity</i> , 2016, 14, 244-260. | 0.5 | 11 |
| 5832 | Germination and early seedling growth of <i>Pinus densata</i> Mast. provenances. <i>Journal of Forestry Research</i> , 2016, 27, 283-294. | 1.7 | 15 |
| 5833 | A genomic investigation of the putative contact zone between divergent Brown Creeper (<i>Certhia</i>) | 0.9 | 11 |
| 5834 | Maximum Entropy-Based Ecological Niche Model and Bio-Climatic Determinants of Lone Star Tick (<i>Amblyomma americanum</i>) Niche. <i>Vector-Borne and Zoonotic Diseases</i> , 2016, 16, 205-211. | 0.6 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5835 | Predicting the genetic consequences of future climate change: The power of coupling spatial demography, the coalescent, and historical landscape changes. <i>American Journal of Botany</i> , 2016, 103, 153-163. | 0.8 | 43 |
| 5836 | A combined GLAS and MODIS estimation of the global distribution of mean forest canopy height. <i>Remote Sensing of Environment</i> , 2016, 174, 24-43. | 4.6 | 67 |
| 5837 | Behavior and population structure of <i>Anopheles darlingi</i> in Colombia. <i>Infection, Genetics and Evolution</i> , 2016, 39, 64-73. | 1.0 | 20 |
| 5838 | BorealFireSim: A GIS-based cellular automata model of wildfires for the boreal forest of Quebec in a climate change paradigm. <i>Ecological Informatics</i> , 2016, 32, 12-27. | 2.3 | 16 |
| 5839 | Potential Climate-Driven Impacts on the Distribution of Generalist Treefrogs in South America. <i>Herpetologica</i> , 2016, 72, 23. | 0.2 | 12 |
| 5840 | Terminal Pleistocene and Holocene dynamics of southern Africa's winter rainfall zone based on carbon and oxygen isotope analysis of bovid tooth enamel from Elands Bay Cave. <i>Quaternary International</i> , 2016, 404, 57-67. | 0.7 | 12 |
| 5841 | Drought variability in Inner Mongolia of northern China during 1960–2013 based on standardized precipitation evapotranspiration index. <i>Environmental Earth Sciences</i> , 2016, 75, 1. | 1.3 | 53 |
| 5842 | Process-Based Species Pools Reveal the Hidden Signature of Biotic Interactions Amid the Influence of Temperature Filtering. <i>American Naturalist</i> , 2016, 187, 75-88. | 1.0 | 54 |
| 5843 | Taxonomic, spatial and adaptive genetic variation of Beta section Beta. <i>Theoretical and Applied Genetics</i> , 2016, 129, 257-271. | 1.8 | 27 |
| 5844 | Natural selection under contrasting ecological conditions in the aromatic plant <i>Lippia graveolens</i> (H.B.K., Verbenaceae). <i>Plant Systematics and Evolution</i> , 2016, 302, 275-289. | 0.3 | 4 |
| 5845 | The worrying future of the endemic flora of a tropical mountain range under climate change. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 218, 1-10. | 0.6 | 62 |
| 5846 | Artificial neural networks reveal a high-resolution climatic signal in leaf physiognomy. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 442, 1-11. | 1.0 | 12 |
| 5847 | Geographical boundary and climatic analysis of <i>Pinus tabulaeformis</i> in China: Insights on its afforestation. <i>Ecological Engineering</i> , 2016, 86, 75-84. | 1.6 | 32 |
| 5848 | A global assessment of current and future biodiversity vulnerability to habitat loss–climate change interactions. <i>Global Ecology and Conservation</i> , 2016, 5, 12-21. | 1.0 | 134 |
| 5849 | Assessment of land use and land cover change in South Central Ethiopia during four decades based on integrated analysis of multi-temporal images and geospatial vector data. <i>Remote Sensing Applications: Society and Environment</i> , 2016, 3, 1-19. | 0.8 | 29 |
| 5850 | A multi-scale approach to identify invasion drivers and invaders' future dynamics. <i>Biological Invasions</i> , 2016, 18, 411-426. | 1.2 | 47 |
| 5851 | Variation in needle and cone traits in natural populations of <i>Pinus yunnanensis</i> . <i>Journal of Forestry Research</i> , 2016, 27, 41-49. | 1.7 | 21 |
| 5852 | East Asian summer monsoon precipitation variations in China over the last 9500 years: A comparison of pollen-based reconstructions and model simulations. <i>Holocene</i> , 2016, 26, 592-602. | 0.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5853 | Witchcraft beliefs and the erosion of social capital: Evidence from Sub-Saharan Africa and beyond. <i>Journal of Development Economics</i> , 2016, 120, 182-208. | 2.1 | 70 |
| 5854 | An overlooked invader? Ecological niche, invasion success and range dynamics of the Alexandrine parakeet in the invaded range. <i>Biological Invasions</i> , 2016, 18, 583-595. | 1.2 | 34 |
| 5855 | A framework for testing radiata pine under projected climate change in Australia and New Zealand. <i>New Forests</i> , 2016, 47, 209-222. | 0.7 | 6 |
| 5856 | Population differentiation and phenotypic plasticity in temperature response of bud burst in <i>Frangula alnus</i> provenances of different latitude. <i>Plant Systematics and Evolution</i> , 2016, 302, 257-264. | 0.3 | 6 |
| 5857 | Mapping current and future potential snakebite risk in the new world. <i>Climatic Change</i> , 2016, 134, 697-711. | 1.7 | 56 |
| 5858 | Spatio-temporal analysis of rainfall erosivity and erosivity density in Greece. <i>Catena</i> , 2016, 137, 161-172. | 2.2 | 121 |
| 5859 | Using one vs. many, sensitivity and uncertainty analyses of species distribution models with focus on conservation area networks. <i>Ecological Modelling</i> , 2016, 320, 372-382. | 1.2 | 26 |
| 5860 | Ecogeographical Variation in Skull Shape of South-American Canids: Abiotic or Biotic Processes?. <i>Evolutionary Biology</i> , 2016, 43, 145-159. | 0.5 | 33 |
| 5861 | Total soil organic carbon and carbon sequestration potential in Nigeria. <i>Geoderma</i> , 2016, 271, 202-215. | 2.3 | 142 |
| 5862 | The phylogenetic position and diversity of the enigmatic mongrel frog <i>Nothophryne Poynton, 1963</i> (Amphibia, Anura). <i>Molecular Phylogenetics and Evolution</i> , 2016, 99, 89-102. | 1.2 | 22 |
| 5863 | Evergreen-Deciduous Broad-Leaved Forest Ecotone in Eastern China: Retrospect and New Perspectives. <i>Geobotany Studies</i> , 2016, , 129-147. | 0.2 | 0 |
| 5864 | Taxonomic and functional organization in metacommunity structure of stream-fish assemblages among and within river basins in Texas. <i>Aquatic Ecology</i> , 2016, 50, 247-259. | 0.7 | 7 |
| 5865 | The distribution and incidence of banana Fusarium wilt in subsistence farming systems in east and central Africa. <i>Crop Protection</i> , 2016, 84, 132-140. | 1.0 | 30 |
| 5866 | Landscape to site variations in species distribution models for endangered plants. <i>Forest Ecology and Management</i> , 2016, 369, 20-28. | 1.4 | 31 |
| 5867 | Butterfly assemblages in residential gardens are driven by species' habitat preference and mobility. <i>Landscape Ecology</i> , 2016, 31, 865-876. | 1.9 | 31 |
| 5868 | <i>Haemoproteus erythrogravidus</i> n. sp. (Haemosporida, Haemoproteidae): Description and molecular characterization of a widespread blood parasite of birds in South America. <i>Acta Tropica</i> , 2016, 159, 83-94. | 0.9 | 24 |
| 5869 | Vulnerability to climate change of cocoa in West Africa: Patterns, opportunities and limits to adaptation. <i>Science of the Total Environment</i> , 2016, 556, 231-241. | 3.9 | 235 |
| 5870 | Mediterranean Ultramafic (Serpentine) Chaparrals of California (USA): A Geobotanical Overview. <i>Geobotany Studies</i> , 2016, , 285-312. | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5871 | Understanding the potential for adoption of high-iron varieties of pearl millet in Maharashtra, India: what explains their popularity?. <i>Food Security</i> , 2016, 8, 331-344. | 2.4 | 4 |
| 5872 | Vegetation of the Koobi Fora Region Northeast of Lake Turkana, Marsabit County, Northern Kenya. <i>Journal of East African Natural History</i> , 2016, 105, 21-50. | 0.6 | 16 |
| 5873 | Red River barrier and Pleistocene climatic fluctuations shaped the genetic structure of <i>Microhyla fissipes</i> complex (Anura: Microhylidae) in southern China and Indochina. <i>Environmental Epigenetics</i> , 2016, 62, 531-543. | 0.9 | 47 |
| 5874 | Synergistic effects of climate change and agricultural land use on mammals. <i>Frontiers in Ecology and the Environment</i> , 2016, 14, 20-26. | 1.9 | 49 |
| 5875 | Prediction of Climate Change Impact on Corn Grown in the South of Morocco Using the Saltmed Model. <i>Irrigation and Drainage</i> , 2016, 65, 9-18. | 0.8 | 31 |
| 5876 | Regional climate sensitivity of wetland environments in Rwanda: the need for a location-specific approach. <i>Regional Environmental Change</i> , 2016, 16, 1635-1647. | 1.4 | 13 |
| 5877 | Plant responses to climatic extremes: within-species variation equals among-species variation. <i>Global Change Biology</i> , 2016, 22, 449-464. | 4.2 | 54 |
| 5878 | Environmental controls on the distribution and diversity of lentic Chironomidae (Insecta: Diptera) across an altitudinal gradient in tropical South America. <i>Ecology and Evolution</i> , 2016, 6, 91-112. | 0.8 | 15 |
| 5879 | Climatic suitability of Portuguese grapevine varieties and climate change adaptation. <i>International Journal of Climatology</i> , 2016, 36, 1-12. | 1.5 | 87 |
| 5880 | What drives European beech (<i>Fagus sylvatica</i> L.) mortality after forest fires of varying severity?. <i>Forest Ecology and Management</i> , 2016, 368, 81-93. | 1.4 | 24 |
| 5881 | The unpredictable characteristics of the localities where new Iberian species will be discovered. <i>Diversity and Distributions</i> , 2016, 22, 73-82. | 1.9 | 4 |
| 5882 | Spatial yield estimates of fast-growing willow plantations for energy based on climatic variables in northern Europe. <i>GCB Bioenergy</i> , 2016, 8, 1093-1105. | 2.5 | 18 |
| 5883 | Influence of geography and environment on patterns of genetic differentiation in a widespread submerged macrophyte, Eurasian watermilfoil (<i>Myriophyllum spicatum</i> L., Haloragaceae). <i>Ecology and Evolution</i> , 2016, 6, 460-468. | 0.8 | 23 |
| 5884 | Fine root tradeoffs between nitrogen concentration and xylem vessel traits preclude unified whole-plant resource strategies in <i>Helianthus</i> . <i>Ecology and Evolution</i> , 2016, 6, 1016-1031. | 0.8 | 30 |
| 5885 | Chromosome numbers in three species groups of freshwater flatworms increase with increasing latitude. <i>Ecology and Evolution</i> , 2016, 6, 1420-1429. | 0.8 | 12 |
| 5886 | The ecological niche of <i>Dermacentor marginatus</i> in Germany. <i>Parasitology Research</i> , 2016, 115, 2165-2174. | 0.6 | 27 |
| 5887 | Modelling critical patches of connectivity for invasive Maling bamboo (<i>Yushania maling</i>) in Darjeeling Himalayas using graph theoretic approach. <i>Ecological Modelling</i> , 2016, 329, 77-85. | 1.2 | 20 |
| 5888 | Evolution and biogeography of the cushion life form in angiosperms. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 20, 22-31. | 1.1 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 5889 | Resource specialists lead local insect community turnover associated with temperature “analysis of an 18-year full-seasonal record of moths and beetles. <i>Journal of Animal Ecology</i> , 2016, 85, 251-261. | 1.3 | 42 |
| 5890 | Future of winegrape growing regions in Europe. <i>Australian Journal of Grape and Wine Research</i> , 2016, 22, 64-72. | 1.0 | 45 |
| 5891 | Synthetic datasets and community tools for the rapid testing of ecological hypotheses. <i>Ecography</i> , 2016, 39, 402-408. | 2.1 | 32 |
| 5892 | Disturbance maintains alternative biome states. <i>Ecology Letters</i> , 2016, 19, 12-19. | 3.0 | 181 |
| 5893 | Climate and land-use drivers of invasion: predicting the expansion of <i>Vespa velutina nigrithorax</i> into the Iberian Peninsula. <i>Insect Conservation and Diversity</i> , 2016, 9, 27-37. | 1.4 | 33 |
| 5894 | Climatic niche attributes and diversification in <i>Anolis</i> lizards. <i>Journal of Biogeography</i> , 2016, 43, 134-144. | 1.4 | 30 |
| 5895 | Disentangling environmental and spatial processes of community assembly in tropical forests from local to regional scales. <i>Oikos</i> , 2016, 125, 326-335. | 1.2 | 24 |
| 5896 | High-density molecular characterization and association mapping in Ethiopian durum wheat landraces reveals high diversity and potential for wheat breeding. <i>Plant Biotechnology Journal</i> , 2016, 14, 1800-1812. | 4.1 | 168 |
| 5897 | Spatial congruence between carbon and biodiversity across forest landscapes of northern Borneo. <i>Global Ecology and Conservation</i> , 2016, 6, 105-120. | 1.0 | 17 |
| 5898 | Convergence in the temperature response of leaf respiration across biomes and plant functional types. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3832-3837. | 3.3 | 198 |
| 5899 | Population differentiation at a regional scale in spadefoot toads: contributions of distance and divergent selective environments. <i>Environmental Epigenetics</i> , 2016, 62, 193-206. | 0.9 | 4 |
| 5900 | Development of a regionally sensitive water-productivity indicator to identify sustainable practices for sugarcane growers. <i>Integrated Environmental Assessment and Management</i> , 2016, 12, 811-820. | 1.6 | 4 |
| 5901 | The Natural History, Distribution, and Conservation of Lonely Rainfrogs, <i>Pristimantis eremitus</i> . <i>Herpetologica</i> , 2016, 72, 13-22. | 0.2 | 4 |
| 5902 | The role of watercourse versus overland dispersal and niche effects on ostracod distribution in Mediterranean streams (eastern Iberian Peninsula). <i>Acta Oecologica</i> , 2016, 73, 1-9. | 0.5 | 14 |
| 5903 | Sensitivity of global terrestrial ecosystems to climate variability. <i>Nature</i> , 2016, 531, 229-232. | 13.7 | 874 |
| 5904 | Microbial diversity drives multifunctionality in terrestrial ecosystems. <i>Nature Communications</i> , 2016, 7, 10541. | 5.8 | 1,365 |
| 5905 | Genome-Wide Association Study in <i>Arabidopsis thaliana</i> of Natural Variation in Seed Oil Melting Point: A Widespread Adaptive Trait in Plants. <i>Journal of Heredity</i> , 2016, 107, 257-265. | 1.0 | 10 |
| 5906 | Pleistocene divergence across a mountain range and the influence of selection on mitogenome evolution in threatened Australian freshwater cod species. <i>Heredity</i> , 2016, 116, 506-515. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5907 | Biogeography and designatable units of <i>Bombus occidentalis</i> Greene and <i>B. terricola</i> Kirby (Hymenoptera: Apidae) with implications for conservation status assessments. <i>Journal of Insect Conservation</i> , 2016, 20, 189-199. | 0.8 | 18 |
| 5908 | Development and Evaluation of High-Resolution Climate Simulations over the Mountainous Northeastern United States. <i>Journal of Hydrometeorology</i> , 2016, 17, 881-896. | 0.7 | 15 |
| 5909 | A rapid method for flood susceptibility mapping in two districts of Phatthalung Province (Thailand): present and projected conditions for 2050. <i>Natural Hazards</i> , 2016, 81, 329-346. | 1.6 | 14 |
| 5910 | The shrinkage of a forest: Landscape-scale deforestation leading to overall changes in local forest structure. <i>Biological Conservation</i> , 2016, 196, 1-9. | 1.9 | 89 |
| 5911 | Evolution, turnovers and spatial variation of the gastropod fauna of the late Miocene biodiversity hotspot Lake Pannon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 442, 84-95. | 1.0 | 20 |
| 5912 | Improving Conservation of Cranes by Modeling Potential Wintering Distributions in China. <i>Journal of Resources and Ecology</i> , 2016, 7, 44-50. | 0.2 | 8 |
| 5913 | A phylogenetic test of the relationship between saltation and habitat openness in gerbils (Gerbillinae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i> | 0.8 | 15 |
| 5914 | Environmental Determinants of the Distribution of Chagas Disease Vector <i>Triatoma dimidiata</i> in Colombia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 767-774. | 0.6 | 20 |
| 5915 | Characterization and analysis of farm system changes in the Mar Chiquita basin, Argentina. <i>Applied Geography</i> , 2016, 68, 95-103. | 1.7 | 24 |
| 5916 | Isoscapes of carbon and oxygen stable isotope compositions in tracing authenticity and geographical origin of Italian extra-virgin olive oils. <i>Food Chemistry</i> , 2016, 202, 291-301. | 4.2 | 50 |
| 5917 | The spatiotemporal patterns of vegetation coverage and biomass of the temperate deserts in Central Asia and their relationships with climate controls. <i>Remote Sensing of Environment</i> , 2016, 175, 271-281. | 4.6 | 150 |
| 5918 | In silico evaluation of plant genetic resources to search for traits for adaptation to climate change. <i>Climatic Change</i> , 2016, 134, 667-680. | 1.7 | 3 |
| 5919 | Factors influencing the foliar elemental composition and stoichiometry in forest trees in Spain. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 18, 52-69. | 1.1 | 55 |
| 5920 | Patterns of diversification in islands: A comparative study across three gecko genera in the Socotra Archipelago. <i>Molecular Phylogenetics and Evolution</i> , 2016, 98, 288-299. | 1.2 | 21 |
| 5921 | Support for the evolutionary speed hypothesis from intraspecific population genetic data in the non-biting midge <i>Chironomus riparius</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152413. | 1.2 | 41 |
| 5922 | Genetics and Genomics of <i>Brachypodium</i> . <i>Plant Genetics and Genomics: Crops and Models</i> , 2016, , . | 0.3 | 22 |
| 5923 | Digital mapping of soil organic and inorganic carbon status in India. <i>Geoderma</i> , 2016, 269, 160-173. | 2.3 | 105 |
| 5924 | Improved prediction of the climate-driven outbreaks of <i>Dendrolimus pini</i> in <i>Pinus sylvestris</i> forests. <i>Forestry</i> , 2016, 89, 230-244. | 1.2 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 5925 | Carbon storage and sequestration of re-growing montane forests in southern Ecuador. <i>Forest Ecology and Management</i> , 2016, 364, 139-144. | 1.4 | 25 |
| 5926 | Inferring Bounded Evolution in Phenotypic Characters from Phylogenetic Comparative Data. <i>Systematic Biology</i> , 2016, 65, 651-661. | 2.7 | 30 |
| 5927 | Niche-tracking migrants and niche-switching residents: evolution of climatic niches in New World warblers (Parulidae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152458. | 1.2 | 83 |
| 5928 | A review of the palaeoclimatic inference potential of Iberian Quaternary fossil batrachians. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2016, 96, 125-148. | 0.6 | 14 |
| 5929 | Interactions between hydrology and water chemistry shape bacterioplankton biogeography across boreal freshwater networks. <i>ISME Journal</i> , 2016, 10, 1755-1766. | 4.4 | 183 |
| 5930 | Fate of cohorts in <i>Melocactus</i> (Cactaceae) species is affected by rainfall uncertainty and microrelief structures. <i>Revista Brasileira De Botanica</i> , 2016, 39, 197-205. | 0.5 | 8 |
| 5931 | Are predators negative or positive predictors of farmland bird species community on a large geographical scale?. <i>Ecological Indicators</i> , 2016, 62, 259-270. | 2.6 | 14 |
| 5932 | Biomass resilience of Neotropical secondary forests. <i>Nature</i> , 2016, 530, 211-214. | 13.7 | 763 |
| 5933 | High proportion of smaller ranged hummingbird species coincides with ecological specialization across the Americas. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152512. | 1.2 | 32 |
| 5934 | Use of Geospatial Tools to Prioritize Zones of Hydro-Energy Potential in Glaciated Himalayan Terrain. <i>Journal of the Indian Society of Remote Sensing</i> , 2016, 44, 409-420. | 1.2 | 4 |
| 5935 | Predicting soil respiration for the Qinghai-Tibet Plateau: An empirical comparison of regression models. <i>Pedobiologia</i> , 2016, 59, 41-49. | 0.5 | 10 |
| 5936 | Recent landscape genomics studies in forest trees—what can we believe?. <i>Tree Genetics and Genomes</i> , 2016, 12, 1. | 0.6 | 26 |
| 5937 | Study on selecting sensitive environmental variables in modelling species spatial distribution. <i>Annals of GIS</i> , 2016, 22, 57-69. | 1.4 | 9 |
| 5938 | Divergent lineages and conserved niches: using ecological niche modeling to examine the evolutionary patterns of the Nile monitor (<i>Varanus niloticus</i>). <i>Evolutionary Ecology</i> , 2016, 30, 471-485. | 0.5 | 8 |
| 5939 | Lifestyle-Based Approaches Provide Insights into Body Size Variation Across Environmental Gradients in Anurans. <i>Evolutionary Biology</i> , 2016, 43, 208-214. | 0.5 | 3 |
| 5940 | Climate complexity in the Central Andes: A study case on empirically-based local variations in the Dry Puna. <i>Journal of Arid Environments</i> , 2016, 128, 40-49. | 1.2 | 18 |
| 5941 | Ecology and biogeography of the endemic scorpion <i>Euscorpius carpathicus</i> (Scorpiones: Euscorpiidae): a multiscale analysis. <i>Journal of Arachnology</i> , 2016, 44, 88-91. | 0.3 | 1 |
| 5942 | Biodiversity Conservation and Phylogenetic Systematics. <i>Topics in Biodiversity and Conservation</i> , 2016, , . | 0.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5943 | Species and site differences influence climate-shrub growth responses in West Greenland. <i>Dendrochronologia</i> , 2016, 37, 69-78. | 1.0 | 43 |
| 5945 | Ecological divergence and conservatism: spatiotemporal patterns of niche evolution in a genus of livebearing fishes (Poeciliidae: Xiphophorus). <i>BMC Evolutionary Biology</i> , 2016, 16, 44. | 3.2 | 23 |
| 5946 | Bridging Inter- and Intraspecific Trait Evolution with a Hierarchical Bayesian Approach. <i>Systematic Biology</i> , 2016, 65, 417-431. | 2.7 | 32 |
| 5947 | Nutrient availability and climate as the main determinants of the ratio of biomass to NPP in woody and non-woody forest compartments. <i>Trees - Structure and Function</i> , 2016, 30, 775-783. | 0.9 | 12 |
| 5948 | Patterns and drivers of phytodiversity in steppe grasslands of Central Podolia (Ukraine). <i>Biodiversity and Conservation</i> , 2016, 25, 2233-2250. | 1.2 | 28 |
| 5949 | Quantitative assessment of 2014â€“2015 land-cover changes in Azerbaijan using object-based classification of LANDSAT-8 timeseries. <i>Modeling Earth Systems and Environment</i> , 2016, 2, 1. | 1.9 | 13 |
| 5950 | From glacial refugia to wide distribution range: demographic expansion of <i>Loropetalum chinense</i> (Hamamelidaceae) in Chinese subtropical evergreen broadleaved forest. <i>Organisms Diversity and Evolution</i> , 2016, 16, 23-38. | 0.7 | 23 |
| 5951 | Diversity in the monotony? Habitat traits and management practices shape avian communities in intensive vineyards. <i>Agriculture, Ecosystems and Environment</i> , 2016, 223, 250-260. | 2.5 | 53 |
| 5952 | From the mountains to the coast and back again: Ancient biogeography in a radiation of short-range endemic harvestmen from California. <i>Molecular Phylogenetics and Evolution</i> , 2016, 98, 233-243. | 1.2 | 25 |
| 5953 | Effect of biotic dependencies in species distribution models: The future distribution of <i>Thymallus thymallus</i> under consideration of <i>Allogamus auricollis</i> . <i>Ecological Modelling</i> , 2016, 327, 95-104. | 1.2 | 12 |
| 5954 | Priorities for Conservation of the Evolutionary History of Amphibians in the Cerrado. <i>Topics in Biodiversity and Conservation</i> , 2016, , 287-304. | 0.3 | 4 |
| 5955 | The role of spatial environmental factors as determinants of large branchiopod distribution in Tunisian temporary ponds. <i>Hydrobiologia</i> , 2016, 782, 37-51. | 1.0 | 25 |
| 5956 | Risk analysis for dengue suitability in Africa using the ArcGIS predictive analysis tools (PA tools). <i>Acta Tropica</i> , 2016, 158, 248-257. | 0.9 | 23 |
| 5957 | Coexistence and niche differentiation at large spatial scale in a West-European softwater plant community. <i>Plant Ecology</i> , 2016, 217, 369-382. | 0.7 | 0 |
| 5958 | Climate change impacts on endemic, high-elevation lichens in a biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2016, 25, 555-568. | 1.2 | 80 |
| 5959 | Do female newts modify thermoregulatory behavior to manipulate egg size?. <i>Journal of Thermal Biology</i> , 2016, 57, 72-77. | 1.1 | 8 |
| 5960 | A virtual species set for robust and reproducible species distribution modelling tests. <i>Data in Brief</i> , 2016, 7, 476-479. | 0.5 | 2 |
| 5961 | Genetic and geographical structure of boreal plants in their southern range: phylogeography of <i>Hippuris vulgaris</i> in China. <i>BMC Evolutionary Biology</i> , 2016, 16, 34. | 3.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5962 | Spatial association between malaria vector species richness and malaria in Colombia. <i>Acta Tropica</i> , 2016, 158, 197-200. | 0.9 | 17 |
| 5963 | Diatoms from Lake Kushu: A pilot study to test the potential of a Late Quaternary palaeoenvironmental archive from Rebus Island (Hokkaido Region, Japan). <i>Journal of Asian Earth Sciences</i> , 2016, 122, 106-122. | 1.0 | 7 |
| 5964 | 50,000 years of vegetation and climate change in the southern Namib Desert, Pella, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 451, 197-209. | 1.0 | 50 |
| 5965 | Phylogenetic relationships within the cosmopolitan buckthorn family (Rhamnaceae) support the resurrection of <i>Sarcomphalus</i> and the description of <i>Pseudoziziphus</i> gen. nov.. <i>Taxon</i> , 2016, 65, 47-64. | 0.4 | 54 |
| 5966 | Analysis of the cosmopolitan buckthorn genera <i>Frangula</i> and <i>Rhamnus</i> s.l. supports the description of a new genus, <i>Ventia</i> . <i>Taxon</i> , 2016, 65, 65-78. | 0.4 | 21 |
| 5967 | The Physiology of Mangrove Trees with Changing Climate. <i>Tree Physiology</i> , 2016, , 149-179. | 0.9 | 93 |
| 5968 | Multitemporal Monitoring of Land Degradation Risk Due to Soil Loss in a Fire-Prone Mediterranean Landscape Using Multi-decadal Landsat Imagery. <i>Water Resources Management</i> , 2016, 30, 1255-1269. | 1.9 | 16 |
| 5969 | Recultivation of abandoned agricultural lands in Ukraine: Patterns and drivers. <i>Global Environmental Change</i> , 2016, 38, 70-81. | 3.6 | 80 |
| 5970 | Tree Rings in the Tropics: Insights into the Ecology and Climate Sensitivity of Tropical Trees. <i>Tree Physiology</i> , 2016, , 439-461. | 0.9 | 117 |
| 5971 | Tree cover and carbon mapping of Argentine savannas: Scaling from field to region. <i>Remote Sensing of Environment</i> , 2016, 172, 139-147. | 4.6 | 26 |
| 5972 | A knowledge-based approach to estimating the magnitude and spatial patterns of potential threats to soil biodiversity. <i>Science of the Total Environment</i> , 2016, 545-546, 11-20. | 3.9 | 65 |
| 5973 | Variation in camelid $\delta^{13}C$ and $\delta^{15}N$ values in relation to geography and climate: Holocene patterns and archaeological implications in central western Argentina. <i>Journal of Archaeological Science</i> , 2016, 66, 7-20. | 1.2 | 31 |
| 5974 | Current distribution and population size of the Blue Swallow <i>Hirundo atrocaerulea</i> in the southern Tanzanian highlands. <i>Ostrich</i> , 2016, 87, 37-46. | 0.4 | 2 |
| 5975 | Re-defining historical geographic range in species with sparse records: Implications for the Mexican wolf reintroduction program. <i>Biological Conservation</i> , 2016, 194, 48-57. | 1.9 | 25 |
| 5976 | Association between climate and body size in rodents: A phylogenetic test of Bergmann's rule. <i>Mammalian Biology</i> , 2016, 81, 219-225. | 0.8 | 53 |
| 5977 | Evaluation of Out of Africa hypotheses by means of agent-based modeling. <i>Quaternary International</i> , 2016, 413, 78-90. | 0.7 | 12 |
| 5978 | Climate and topography explain range sizes of terrestrial vertebrates. <i>Nature Climate Change</i> , 2016, 6, 498-502. | 8.1 | 51 |
| 5979 | Evolution of geographical place and niche space: Patterns of diversification in the North American sedge (Cyperaceae) flora. <i>Molecular Phylogenetics and Evolution</i> , 2016, 95, 183-195. | 1.2 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 5980 | Why are forests so scarce in subtropical South America? The shaping roles of climate, fire and livestock. <i>Forest Ecology and Management</i> , 2016, 363, 212-217. | 1.4 | 35 |
| 5981 | Presumable incipient hybrid speciation of door snails in previously glaciated areas in the Caucasus. <i>Molecular Phylogenetics and Evolution</i> , 2016, 97, 120-128. | 1.2 | 13 |
| 5982 | DNA content in species of <i>Vernonia</i> and <i>Vernonanthura</i> from South America: An approach to systematics and evolution of the Vernonieae (Asteraceae). <i>Plant Biosystems</i> , 0, 1-8. | 0.8 | 0 |
| 5983 | Accession-Specific Effects of Repeated Harvesting Edible Cowpea Leaves on Leaf Yield, Stability, and Reliability. <i>International Journal of Vegetable Science</i> , 2016, 22, 295-315. | 0.6 | 1 |
| 5984 | Conserving Egypt's reptiles under climate change. <i>Journal of Arid Environments</i> , 2016, 127, 211-221. | 1.2 | 21 |
| 5985 | Neotropical forest expansion during the last glacial period challenges refuge hypothesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1008-1013. | 3.3 | 181 |
| 5986 | Use of thermographic imaging to screen for drought-tolerant genotypes in <i>Brachypodium distachyon</i> . <i>Crop and Pasture Science</i> , 2016, 67, 99. | 0.7 | 6 |
| 5987 | Spatial modeling of deforestation processes in the Central Peruvian Amazon. <i>Journal for Nature Conservation</i> , 2016, 29, 79-88. | 0.8 | 47 |
| 5988 | Closely related allopatric <i>Podalyria</i> species from the Core Cape Subregion differ in their mechanisms for acquisition of phosphorus, growth and ecological niche. <i>Journal of Plant Ecology</i> , 2016, 9, 451-463. | 1.2 | 3 |
| 5989 | Soil exo-enzyme activities across Europe – The influence of climate, land-use and soil properties. <i>Applied Soil Ecology</i> , 2016, 97, 44-48. | 2.1 | 39 |
| 5990 | Climate change and the distribution and conservation of the world's highest elevation woodlands in the South American Altiplano. <i>Global and Planetary Change</i> , 2016, 137, 79-87. | 1.6 | 38 |
| 5991 | Limited tolerance by insects to high temperatures across tropical elevational gradients and the implications of global warming for extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 680-685. | 3.3 | 218 |
| 5992 | Long-term monitoring data meet freshwater species distribution models: Lessons from an LTER-site. <i>Ecological Indicators</i> , 2016, 65, 122-132. | 2.6 | 19 |
| 5993 | Little Ice Age wetting of interior Asian deserts and the rise of the Mongol Empire. <i>Quaternary Science Reviews</i> , 2016, 131, 33-50. | 1.4 | 54 |
| 5994 | Variation in Herbage Biochemical Composition among Pitch Trefoil (<i>Bituminaria bituminosa</i>) Populations from Elba Island, Italy. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 195-203. | 2.4 | 6 |
| 5995 | Plant functional traits have globally consistent effects on competition. <i>Nature</i> , 2016, 529, 204-207. | 13.7 | 655 |
| 5996 | Morphological Variation in <i>Quinchamalium</i> (Schoepfiaceae) is Associated with Climatic Patterns along its Andean Distribution. <i>Systematic Botany</i> , 2016, 40, 1045-1052. | 0.2 | 7 |
| 5997 | Geographical distribution of <i>Trissolcus grandis</i> (Scelionidae), egg parasitoid of sunn pest, <i>Eurygaster integriceps</i> Puton (Hemiptera: Scutelleridae) in Iran. <i>Journal of Asia-Pacific Entomology</i> , 2016, 19, 127-132. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5998 | Region effects influence local tree species diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 674-679. | 3.3 | 100 |
| 5999 | The first fossil record of ring-cupped oak (<i>Quercus</i> L. subgenus <i>Cyclobalanopsis</i> (Oersted) Schneider) in Tibet and its paleoenvironmental implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 442, 61-71. | 1.0 | 43 |
| 6000 | Paleobiogeography and historical biogeography of the non-marine caenogastropod family Melanopsidae. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 444, 124-143. | 1.0 | 17 |
| 6001 | Anthropogenic and Climatic Effects on the Distribution of <i>Eulemur</i> Species: An Ecological Niche Modeling Approach. <i>International Journal of Primatology</i> , 2016, 37, 47-68. | 0.9 | 28 |
| 6002 | Effect of stand, topographic, and climatic factors on the fuel complex characteristics of Aleppo (<i>Pinus halepensis</i> Mill.) and Calabrian (<i>Pinus brutia</i> Ten.) pine forests of Greece. <i>Forest Ecology and Management</i> , 2016, 360, 110-121. | 1.4 | 9 |
| 6003 | National versus global modelling the 3D distribution of soil organic carbon in mainland France. <i>Geoderma</i> , 2016, 263, 16-34. | 2.3 | 142 |
| 6004 | Effects of Protected Areas on Forest Cover Change and Local Communities: Evidence from the Peruvian Amazon. <i>World Development</i> , 2016, 78, 288-307. | 2.6 | 114 |
| 6005 | Predicting the distribution of rubber trees (<i>Hevea brasiliensis</i>) through ecological niche modelling with climate, soil, topography and socioeconomic factors. <i>Ecological Research</i> , 2016, 31, 75-91. | 0.7 | 36 |
| 6006 | Climatic marginality: a new metric for the susceptibility of tree species to warming exemplified by <i>Fagus sylvatica</i> (L.) and Ellenberg's quotient. <i>European Journal of Forest Research</i> , 2016, 135, 137-152. | 1.1 | 29 |
| 6007 | Analytical and Cartographic Predictive Modeling of Arable Land Productivity. <i>Springer Water</i> , 2016, , 489-502. | 0.2 | 1 |
| 6008 | Tree or soil? Factors influencing humus form differentiation in Italian forests. <i>Geoderma</i> , 2016, 264, 195-204. | 2.3 | 36 |
| 6009 | Simulated grazing effects on carbon emission in Central Asia. <i>Agricultural and Forest Meteorology</i> , 2016, 216, 203-214. | 1.9 | 64 |
| 6010 | An integrative approach for regional landslide susceptibility assessment using weight of evidence method: a case study of Yom River Basin, Phrae Province, Northern Thailand. <i>Landslides</i> , 2016, 13, 1151-1165. | 2.7 | 22 |
| 6011 | Advances in climate models from CMIP3 to CMIP5 do not change predictions of future habitat suitability for California reptiles and amphibians. <i>Climatic Change</i> , 2016, 134, 579-591. | 1.7 | 36 |
| 6012 | Predicting abundance with presence-only models. <i>Landscape Ecology</i> , 2016, 31, 19-30. | 1.9 | 37 |
| 6013 | Mycobiont-photobiont interactions of the lichen <i>Cetraria aculeata</i> in high alpine regions of East Africa and South America. <i>Symbiosis</i> , 2016, 68, 25-37. | 1.2 | 16 |
| 6014 | Ecological niche modeling of the rare bee <i>Promelitta alboclypeata</i> reveals possible cryptic differentiation across northern Africa and Arabia (Hymenoptera: Melittidae). <i>Apidologie</i> , 2016, 47, 509-514. | 0.9 | 5 |
| 6015 | Anonymous nuclear markers reveal taxonomic incongruence and long-term disjunction in a cactus species complex with continental-island distribution in South America. <i>Molecular Phylogenetics and Evolution</i> , 2016, 95, 11-19. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6016 | Distributional modeling of Mantophasmatodea (Insecta: Notoptera): a preliminary application and the need for future sampling. <i>Organisms Diversity and Evolution</i> , 2016, 16, 259-268. | 0.7 | 5 |
| 6017 | Evaporation induced 18O and 13C enrichment in lake systems: A global perspective on hydrologic balance effects. <i>Quaternary Science Reviews</i> , 2016, 131, 365-379. | 1.4 | 128 |
| 6018 | From evergreen to deciduous tropical forests: how energyâ€“water balance, temperature, and space influence the tree species composition in a high diversity region. <i>Plant Ecology and Diversity</i> , 2016, 9, 45-54. | 1.0 | 21 |
| 6019 | Quality of presence data determines species distribution model performance: a novel index to evaluate data quality. <i>Landscape Ecology</i> , 2016, 31, 31-42. | 1.9 | 30 |
| 6020 | Peripatric speciation of an endemic species driven by Pleistocene climate change: The case of the Mexican prairie dog (<i>Cynomys mexicanus</i>). <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 171-181. | 1.2 | 40 |
| 6021 | Effects of climate change on the future distributions of the top five freshwater invasive plants in South Africa. <i>South African Journal of Botany</i> , 2016, 102, 33-38. | 1.2 | 32 |
| 6022 | Archaeology, biogeography, and mammalogy do not provide evidence for tarukas (Cervidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 | 0.6 | 18 |
| 6023 | Effects of rangeâ€“wide variation in climate and isolation on floral traits and reproductive output of <i>Clarkia pulchella</i> . <i>American Journal of Botany</i> , 2016, 103, 10-21. | 0.8 | 20 |
| 6024 | Geographic distribution of the short-tailed river stingray (<i>Potamotrygon brachyura</i>): assessing habitat loss and fishing as threats to the worldâ€™s largest obligate freshwater elasmobranch. <i>Marine and Freshwater Research</i> , 2016, 67, 1463. | 0.7 | 8 |
| 6025 | Contrasting palaeoenvironments of the mid/late Miocene Dunedin Volcano, southern New Zealand: Climate or topography?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 441, 696-703. | 1.0 | 11 |
| 6026 | Global climate suitability of citrus huanglongbing and its vector, the Asian citrus psyllid, using two correlative species distribution modeling approaches, with emphasis on the USA. <i>European Journal of Plant Pathology</i> , 2016, 144, 655-670. | 0.8 | 96 |
| 6027 | Niche Divergence in a Brown Lemur (<i>Eulemur</i> spp.) Hybrid Zone: Using Ecological Niche Models to Test Models of Stability. <i>International Journal of Primatology</i> , 2016, 37, 69-88. | 0.9 | 17 |
| 6028 | Selective Insecticide Applications Directed Against <i>Triatoma infestans</i> (Hemiptera: Reduviidae) Affected a Nontarget Secondary Vector of Chagas Disease, <i>Triatoma garciabesi</i> . <i>Journal of Medical Entomology</i> , 2016, 53, 144-151. | 0.9 | 14 |
| 6029 | Environmental Correlates of Body Mass in True Lemurs (<i>Eulemur</i> spp.). <i>International Journal of Primatology</i> , 2016, 37, 89-108. | 0.9 | 4 |
| 6030 | Importance of demographic history for phylogeographic inference on the arcticâ€“alpine plant <i>Phyllodoce caerulea</i> in East Asia. <i>Heredity</i> , 2016, 116, 232-238. | 1.2 | 6 |
| 6031 | Invasion of the Fungal Pathogen <i>Batrachochytrium dendrobatidis</i> on California Islands. <i>EcoHealth</i> , 2016, 13, 145-150. | 0.9 | 11 |
| 6032 | Taxonomy and ecological niche modeling: Implications for the conservation of wood partridges (genus <i>Dendrortyx</i>). <i>Journal for Nature Conservation</i> , 2016, 29, 1-13. | 0.8 | 40 |
| 6033 | Going west â€“ A subtropical lineage (<i>Vincetoxicum</i> , Apocynaceae: Asclepiadoideae) expanding into Europe. <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 436-446. | 1.2 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6034 | Historical patterns of niche dynamics in Neotropical species of the <i>Drosophila</i> subgenus (<i>Drosophilidae</i> , <i>Diptera</i>). <i>Evolutionary Ecology</i> , 2016, 30, 47-67. | 0.5 | 0 |
| 6035 | Common garden experiments in the genomic era: new perspectives and opportunities. <i>Heredity</i> , 2016, 116, 249-254. | 1.2 | 252 |
| 6036 | Upstreamâ€“Downstream Linkages of Hydrological Processes in the Nile River Basin. <i>Springer Geography</i> , 2016, , 207-223. | 0.3 | 8 |
| 6037 | A high-resolution model of bat diversity and endemism for continental Africa. <i>Ecological Modelling</i> , 2016, 320, 9-28. | 1.2 | 72 |
| 6038 | Eucalyptus plantation effects on soil carbon after 20years and three rotations in Brazil. <i>Forest Ecology and Management</i> , 2016, 359, 92-98. | 1.4 | 51 |
| 6039 | How Does Availability of Meteorological Forcing Data Impact Physically Based Snowpack Simulations?*. <i>Journal of Hydrometeorology</i> , 2016, 17, 99-120. | 0.7 | 56 |
| 6040 | Mapping topsoil physical properties at European scale using the LUCAS database. <i>Geoderma</i> , 2016, 261, 110-123. | 2.3 | 318 |
| 6041 | Cryptic lineages and diversification of an endemic anole lizard (<i>Squamata</i> , <i>Dactyloidae</i>) of the Cerrado hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 279-289. | 1.2 | 63 |
| 6042 | Late Quaternary vegetation and lake system dynamics in north-eastern Siberia: Implications for seasonal climate variability. <i>Quaternary Science Reviews</i> , 2016, 147, 406-421. | 1.4 | 53 |
| 6043 | Pleistocene climatic fluctuations explain the disjunct distribution and complex phylogeographic structure of the Southern Red-backed Salamander, <i>Plethodon serratus</i> . <i>Evolutionary Ecology</i> , 2016, 30, 89-104. | 0.5 | 13 |
| 6044 | Local extinction risk of three species of lizard from Patagonia as a result of global warming. <i>Canadian Journal of Zoology</i> , 2016, 94, 49-59. | 0.4 | 48 |
| 6045 | Climatic niche models and their consensus projections for future climates for four major forest tree species in the Asiaâ€“Pacific region. <i>Forest Ecology and Management</i> , 2016, 360, 357-366. | 1.4 | 64 |
| 6046 | Predicting the potential distribution of <i>Lantana camara</i> L. under RCP scenarios using ISI-MIP models. <i>Climatic Change</i> , 2016, 134, 193-208. | 1.7 | 38 |
| 6047 | Molecular data reveal spatial and temporal patterns of diversification and a cryptic new species of lowland <i>Stenocercus DumÃ©nil & Bibron, 1837</i> (<i>Squamata</i> : <i>Tropiduridae</i>). <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 410-423. | 1.2 | 21 |
| 6048 | Numerical modeling and prediction of future response of permafrost to different climate change scenarios on the Qinghaiâ€“Tibet Plateau. <i>International Journal of Digital Earth</i> , 2016, 9, 442-456. | 1.6 | 12 |
| 6049 | Flow cytometry, microsatellites and niche models reveal the origins and geographical structure of <i>Alnus glutinosa</i> populations in Europe. <i>Annals of Botany</i> , 2016, 117, 107-120. | 1.4 | 28 |
| 6050 | Remote sensing of vegetation in the Sudano-Sahelian zone: A literature review from 1975 to 2014. <i>Journal of Arid Environments</i> , 2016, 124, 257-269. | 1.2 | 44 |
| 6051 | Niche breadth and the implications of climate change in the conservation of the genus <i>Astrophytum</i> (<i>Cactaceae</i>). <i>Journal of Arid Environments</i> , 2016, 124, 310-317. | 1.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6052 | Genetic structure of needle morphological and anatomical traits of <i>Pinus yunnanensis</i> . <i>Journal of Forestry Research</i> , 2016, 27, 13-25. | 1.7 | 17 |
| 6053 | Towards a national bio-environmental data facility: experiences from the Atlas of Living Australia. <i>International Journal of Geographical Information Science</i> , 2016, 30, 108-125. | 2.2 | 43 |
| 6054 | Geographic isolation drives divergence of uncorrelated genetic and song variation in the Ruddy-capped Nightingale-Thrush (<i>Catharus frantzii</i> ; Aves: Turdidae). <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 74-86. | 1.2 | 28 |
| 6055 | The effects of model and data complexity on predictions from species distributions models. <i>Ecological Modelling</i> , 2016, 326, 4-12. | 1.2 | 61 |
| 6056 | Operational resilience of reservoirs to climate change, agricultural demand, and tourism: A case study from Sardinia. <i>Science of the Total Environment</i> , 2016, 543, 1028-1038. | 3.9 | 59 |
| 6057 | Pollen productivity estimates from old-growth forest strongly differ from those obtained in cultural landscapes: Evidence from the BiaÅ,owieÅ¼a National Park, Poland. <i>Holocene</i> , 2016, 26, 80-92. | 0.9 | 32 |
| 6058 | Predictors of mammal species richness in KwaZulu-Natal, South Africa. <i>Ecological Indicators</i> , 2016, 60, 385-393. | 2.6 | 19 |
| 6059 | Comparison of estuarine sediment record with modelled rates of sediment supply from a western European catchment since 1500. <i>Comptes Rendus - Geoscience</i> , 2016, 348, 479-488. | 0.4 | 10 |
| 6060 | An updated megaphylogeny of plants, a tool for generating plant phylogenies and an analysis of phylogenetic community structure. <i>Journal of Plant Ecology</i> , 2016, 9, 233-239. | 1.2 | 401 |
| 6061 | Biology and temperature requirements of the invasive seed bug <i>Leptoglossus occidentalis</i> (Heteroptera: Coreidae) in Europe. <i>Journal of Pest Science</i> , 2016, 89, 31-44. | 1.9 | 24 |
| 6062 | Disentangling the effects of land use and geo-climatic factors on diversity in European freshwater ecosystems. <i>Ecological Indicators</i> , 2016, 60, 71-83. | 2.6 | 66 |
| 6063 | Predicting global habitat suitability for <i>Corbicula fluminea</i> using species distribution models: The importance of different environmental datasets. <i>Ecological Modelling</i> , 2016, 319, 163-169. | 1.2 | 65 |
| 6064 | Local diversity in settlement, demography and subsistence across the southern Indian Neolithic-Iron Age transition: site growth and abandonment at Sanganakallu-Kupgal. <i>Archaeological and Anthropological Sciences</i> , 2016, 8, 575-599. | 0.7 | 25 |
| 6065 | Patterns of niche filling and expansion across the invaded ranges of an Australian lizard. <i>Ecography</i> , 2016, 39, 270-280. | 2.1 | 46 |
| 6066 | Bioclimatological mapping tackling uncertainty propagation: application to mainland Portugal. <i>International Journal of Climatology</i> , 2016, 36, 400-411. | 1.5 | 31 |
| 6067 | Unravelling the past 1,000Åyears of history of humanÅclimateÅlandscape interactions at the Lindu plain, Sulawesi, Indonesia. <i>Vegetation History and Archaeobotany</i> , 2016, 25, 1-17. | 1.0 | 6 |
| 6068 | A look inside the Pl@ntNet experience. <i>Multimedia Systems</i> , 2016, 22, 751-766. | 3.0 | 78 |
| 6069 | Bioclimatic modelling of current and projected climatic suitability of coffee (<i>Coffea arabica</i>) production in Zimbabwe. <i>Regional Environmental Change</i> , 2016, 16, 473-485. | 1.4 | 55 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6070 | Morphological Reassessment of <i>Triops cancriformis</i> Bosc (Crustacea: Branchiopoda: Notostraca) Population from Kashmir, India with Comments on the Distribution of the Species in India. Proceedings of the Zoological Society, 2016, 69, 146-152. | 0.4 | 0 |
| 6071 | The intestinal helminth community of the spiny-tailed lizard <i>Darevskia rudis</i> (Squamata). <i>Tj ETQq1 1 0.784314,rgBT /Overlock 10</i> | 0.4 | 13 |
| 6072 | A portfolio effect of shrub canopy height on species richness in both stressful and competitive environments. <i>Functional Ecology</i> , 2016, 30, 60-69. | 1.7 | 33 |
| 6073 | Global geographic patterns of sexual size dimorphism in birds: support for a latitudinal trend?. <i>Ecography</i> , 2016, 39, 17-25. | 2.1 | 18 |
| 6074 | Range and niche shifts in response to past climate change in the desert horned lizard <i>Phrynosoma platyrhinos</i> . <i>Ecography</i> , 2016, 39, 437-448. | 2.1 | 28 |
| 6075 | Surface pollen and its relationships with modern vegetation and climate in the Tianshan Mountains, northwestern China. <i>Vegetation History and Archaeobotany</i> , 2016, 25, 19-27. | 1.0 | 30 |
| 6076 | Abiotic and biotic constraints across reptile and amphibian ranges. <i>Ecography</i> , 2016, 39, 1-8. | 2.1 | 172 |
| 6077 | Investigating Neanderthal dispersal above 55°N in Europe during the Last Interglacial Complex. <i>Quaternary International</i> , 2017, 431, 88-103. | 0.7 | 19 |
| 6078 | How to target climate-smart agriculture? Concept and application of the consensus-driven decision support framework <i>targetCSA</i> . <i>Agricultural Systems</i> , 2017, 151, 234-245. | 3.2 | 74 |
| 6079 | Suitable and optimal locations for implementing photovoltaic water pumping systems for grassland irrigation in China. <i>Applied Energy</i> , 2017, 185, 1879-1889. | 5.1 | 34 |
| 6080 | Linking soil properties and pre-Columbian agricultural strategies in the Bolivian lowlands: The case of raised fields in Exaltaci ³ⁿ . <i>Quaternary International</i> , 2017, 437, 143-155. | 0.7 | 12 |
| 6081 | A late Holocene record of vegetation and fire from the Amur Basin, far-eastern Russia. <i>Quaternary International</i> , 2017, 432, 79-92. | 0.7 | 15 |
| 6082 | Cosmogenic ³⁶ Cl geochronology of late Quaternary glaciers in the Bolkar Mountains, south central Turkey. <i>Geological Society Special Publication</i> , 2017, 433, 271-287. | 0.8 | 25 |
| 6083 | Vulnerability of agro-ecological zones in India under the earth system climate model scenarios. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2017, 22, 399-425. | 1.0 | 30 |
| 6084 | Climatic niche breadth can explain variation in geographical range size of alpine and subalpine plants. <i>International Journal of Geographical Information Science</i> , 2017, 31, 190-212. | 2.2 | 37 |
| 6085 | Modeling projected changes of mangrove biomass in different climatic scenarios in the Sunda Banda Seasapes. <i>International Journal of Digital Earth</i> , 2017, 10, 457-468. | 1.6 | 3 |
| 6086 | A comparative analysis reveals little evidence for niche conservatism in aquatic macrophytes among four areas on two continents. <i>Oikos</i> , 2017, 126, 136-148. | 1.2 | 19 |
| 6087 | The Landscape Epidemiology of Seasonal Clustering of Highly Pathogenic Avian Influenza (H5N1) in Domestic Poultry in Africa, Europe and Asia. <i>Transboundary and Emerging Diseases</i> , 2017, 64, 1465-1478. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6088 | Climatic niche evolution in the Andean genus <i>Menonvillea</i> (Cremolobeae: Brassicaceae). <i>Organisms Diversity and Evolution</i> , 2017, 17, 11-28. | 0.7 | 12 |
| 6089 | Integrating morphology, phylogeography, and ecological niche modeling to explore population differentiation in North African Common Chaffinches. <i>Journal of Ornithology</i> , 2017, 158, 1-13. | 0.5 | 20 |
| 6090 | Predicting the effects of climate change on population connectivity and genetic diversity of an imperiled freshwater mussel, <i>Cumberlandia monodonta</i> (Bivalvia: Margaritiferidae), in riverine systems. <i>Global Change Biology</i> , 2017, 23, 94-107. | 4.2 | 48 |
| 6091 | Development of moderate-resolution gridded monthly air temperature and degree-day maps for the Labrador-Ungava region of northern Canada. <i>International Journal of Climatology</i> , 2017, 37, 493-508. | 1.5 | 16 |
| 6092 | Prediction of the effects of climate change on <i>Sechium edule</i> (Jacq.) Swartz varietal groups in Mexico. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 791-804. | 0.8 | 5 |
| 6093 | Assessing high-impact spots of climate change: spatial yield simulations with Decision Support System for Agrotechnology Transfer (DSSAT) model. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2017, 22, 743-760. | 1.0 | 17 |
| 6094 | From site-level to regional adaptation planning for tropical commodities: cocoa in West Africa. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2017, 22, 903-927. | 1.0 | 40 |
| 6095 | Incorporating anthropogenic variables into ecological niche modeling to predict areas of invasion of <i>Popillia japonica</i> . <i>Journal of Pest Science</i> , 2017, 90, 151-160. | 1.9 | 24 |
| 6096 | Climatic and topographical correlates of plant palaeo- and neoendemism in a Mediterranean biodiversity hotspot. <i>Annals of Botany</i> , 2017, 119, 229-238. | 1.4 | 56 |
| 6097 | Geographical distribution and diversity of maize (<i>Zea mays</i> L. subsp. <i>mays</i>) races in Mexico. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 855-865. | 0.8 | 19 |
| 6098 | Morphological variation related with environmental factors in endemic and threatened <i>Jatropha</i> species of Tehuacan-Cuicatlan, Mexico. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 557-568. | 0.8 | 1 |
| 6099 | Relationship between spike morphology and habitat of four <i>Aegilops</i> species of section <i>Sitopsis</i> . <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 889-899. | 0.8 | 2 |
| 6100 | Taxonomic, ecological and palaeoecological significance of leaf phytoliths in West African grasses. <i>Quaternary International</i> , 2017, 434, 15-32. | 0.7 | 52 |
| 6101 | Spatio-temporal dynamic of suitable areas for species conservation in West Africa: eight economically important wild palms under present and future climates. <i>Agroforestry Systems</i> , 2017, 91, 527-540. | 0.9 | 25 |
| 6102 | Environmental factors affecting the distribution of three armadillo species (<i>Xenarthra</i> , <i>Dasypodidae</i>) in Argentina. <i>Mammalia</i> , 2017, 81, . | 0.3 | 4 |
| 6103 | Climatic Similarity of Extant and Extinct <i>Dasypus</i> Armadillos. <i>Journal of Mammalian Evolution</i> , 2017, 24, 193-206. | 1.0 | 6 |
| 6104 | Comparison of measured multi-decadal rainfall variability with farmers'™ perceptions of and responses to seasonal changes in western Uganda. <i>Regional Environmental Change</i> , 2017, 17, 1127-1140. | 1.4 | 15 |
| 6105 | Implications of future bioclimatic shifts on Portuguese forests. <i>Regional Environmental Change</i> , 2017, 17, 117-127. | 1.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6106 | Climate change projections for the Texas High Plains and Rolling Plains. <i>Theoretical and Applied Climatology</i> , 2017, 129, 263-280. | 1.3 | 36 |
| 6107 | Current and future suitability areas of kermes oak (<i>Quercus coccifera</i> L.) in the Levant under climate change. <i>Regional Environmental Change</i> , 2017, 17, 143-156. | 1.4 | 50 |
| 6108 | Geographic morphometric and environmental differentiation of the water opossum, genus <i>Chironectes</i> Illiger, 1811 (Didelphimorphia: Didelphidae). <i>Mammalia</i> , 2017, 81, 275-287. | 0.3 | 13 |
| 6109 | The spatial distribution of threats to plant species with extremely small populations. <i>Frontiers of Earth Science</i> , 2017, 11, 127-136. | 0.9 | 5 |
| 6110 | Colonial Legacies and State Institutions in China. <i>Comparative Political Studies</i> , 2017, 50, 434-463. | 2.3 | 33 |
| 6111 | Genetic differentiation within multiple common grassland plants supports seed transfer zones for ecological restoration. <i>Journal of Applied Ecology</i> , 2017, 54, 116-126. | 1.9 | 95 |
| 6112 | Revisiting the <i>Holly G</i> rail: using plant functional traits to understand ecological processes. <i>Biological Reviews</i> , 2017, 92, 1156-1173. | 4.7 | 557 |
| 6113 | Seasonal drought limits tree species across the Neotropics. <i>Ecography</i> , 2017, 40, 618-629. | 2.1 | 143 |
| 6114 | The role of abiotic and biotic factors in determining coexistence of multiple pollinators in the yucca–yucca moth mutualism. <i>Ecography</i> , 2017, 40, 511-520. | 2.1 | 7 |
| 6115 | Genetic differentiation and regional adaptation among seed origins used for grassland restoration: lessons from a multispecies transplant experiment. <i>Journal of Applied Ecology</i> , 2017, 54, 127-136. | 1.9 | 97 |
| 6116 | Potential distribution of the viral haemorrhagic septicaemia virus in the Great Lakes region. <i>Journal of Fish Diseases</i> , 2017, 40, 11-28. | 0.9 | 18 |
| 6117 | Strong spatial turnover in cichlid fish assemblages in the upper <i>r</i> Madera (Amazon basin) despite the absence of hydrological barriers. <i>Hydrobiologia</i> , 2017, 791, 221-235. | 1.0 | 3 |
| 6118 | Potential pollination maintenance by an exotic allodapine bee under climate change scenarios in the Indo–Pacific region. <i>Journal of Applied Entomology</i> , 2017, 141, 122-132. | 0.8 | 9 |
| 6119 | Molecular data and ecological niche modelling reveal the evolutionary history of the common and Iberian moles (<i>Talpidae</i>) in Europe. <i>Zoologica Scripta</i> , 2017, 46, 12-26. | 0.7 | 17 |
| 6120 | Combining citizen science species distribution models and stable isotopes reveals migratory connectivity in the secretive <i>V</i> irginia rail. <i>Journal of Applied Ecology</i> , 2017, 54, 618-627. | 1.9 | 34 |
| 6121 | Overcoming phylogenetic and geographic uncertainties to test for correlates of range size evolution in gymnophthalmid lizards. <i>Ecography</i> , 2017, 40, 764-773. | 2.1 | 7 |
| 6122 | Impact of pollen resources drift on common bumblebees in <i>NW</i> Europe. <i>Global Change Biology</i> , 2017, 23, 68-76. | 4.2 | 36 |
| 6123 | Is there a correlation between abundance and environmental suitability derived from ecological niche modelling? A meta-analysis. <i>Ecography</i> , 2017, 40, 817-828. | 2.1 | 165 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6124 | Plant invasion is associated with higher plant soil nutrient concentrations in nutrient-poor environments. <i>Global Change Biology</i> , 2017, 23, 1282-1291. | 4.2 | 147 |
| 6125 | Ecological niche modelling and coalescent simulations to explore the recent geographical range history of five widespread bumblebee species in Europe. <i>Journal of Biogeography</i> , 2017, 44, 39-50. | 1.4 | 30 |
| 6126 | Effectiveness of conservation areas for protecting biodiversity and ecosystem services: a multi-criteria approach. <i>International Journal of Biodiversity Science, Ecosystem Services & Management</i> , 2017, 13, 1-13. | 2.9 | 19 |
| 6127 | Controls on Holocene denudation rates in mountainous environments under Mediterranean climate. <i>Earth Surface Processes and Landforms</i> , 2017, 42, 272-289. | 1.2 | 5 |
| 6128 | I'm not like everybody else: urbanization factors shaping spatial distribution of native and invasive ants are species-specific. <i>Urban Ecosystems</i> , 2017, 20, 157-169. | 1.1 | 31 |
| 6129 | Over the top: do thermal barriers along elevation gradients limit biotic similarity?. <i>Ecography</i> , 2017, 40, 478-486. | 2.1 | 20 |
| 6130 | Fine-scale climate change: modelling spatial variation in biologically meaningful rates of warming. <i>Global Change Biology</i> , 2017, 23, 256-268. | 4.2 | 88 |
| 6131 | Effects of Quaternary climatic fluctuations on the distribution of Neotropical savanna tree species. <i>Ecography</i> , 2017, 40, 403-414. | 2.1 | 83 |
| 6132 | Comparative seed germination traits in alpine and subalpine grasslands: higher elevations are associated with warmer germination temperatures. <i>Plant Biology</i> , 2017, 19, 32-40. | 1.8 | 25 |
| 6133 | Geographical patterns of phylogenetic beta-diversity components in terrestrial mammals. <i>Global Ecology and Biogeography</i> , 2017, 26, 573-583. | 2.7 | 39 |
| 6134 | Niche-based species distribution models and conservation planning for endangered freshwater crayfish in south-western Germany. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017, 27, 698-705. | 0.9 | 20 |
| 6135 | Migration in geographic and ecological space by a large herbivore. <i>Ecological Monographs</i> , 2017, 87, 297-320. | 2.4 | 46 |
| 6136 | The population genomic signature of environmental association and gene flow in an ecologically divergent tree species <i>Metrosideros polymorpha</i> (Myrtaceae). <i>Molecular Ecology</i> , 2017, 26, 1515-1532. | 2.0 | 22 |
| 6137 | Invasive termites in a changing climate: A global perspective. <i>Ecology and Evolution</i> , 2017, 7, 974-985. | 0.8 | 66 |
| 6138 | Neglected issues in using weather and climate information in ecology and biogeography. <i>Diversity and Distributions</i> , 2017, 23, 329-340. | 1.9 | 25 |
| 6139 | Pyrosequencing of <i>rpoB</i> uncovers a significant biogeographical pattern of rhizobial species in soybean rhizosphere. <i>Journal of Biogeography</i> , 2017, 44, 1491-1499. | 1.4 | 22 |
| 6140 | Dynamics of soil organic carbon and nitrogen following agricultural abandonment in a karst region. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 230-242. | 1.3 | 85 |
| 6141 | Response to the letter on "Climatic distribution of citrus black spot caused by <i>Phyllosticta citricarpa</i> . A historical analysis of disease spread in South Africa" by Fourie et al. (2017). <i>European Journal of Plant Pathology</i> , 2017, 148, 503-508. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6142 | Matching seed to site by climate similarity: Techniques to prioritize plant materials development and use in restoration. <i>Ecological Applications</i> , 2017, 27, 1010-1023. | 1.8 | 39 |
| 6143 | Identifying suitable multifunctional restoration areas for Forest Landscape Restoration in Central Chile. <i>Ecosphere</i> , 2017, 8, e01644. | 1.0 | 34 |
| 6144 | Comparison of spatial interpolation techniques to generate high-resolution climate surfaces for Nigeria. <i>International Journal of Climatology</i> , 2017, 37, 179-192. | 1.5 | 28 |
| 6145 | Regional-scale differentiation and phylogeography of a desert plant <i>Allium mongolicum</i> (Liliaceae) inferred from chloroplast DNA sequence variation. <i>Plant Systematics and Evolution</i> , 2017, 303, 451-466. | 0.3 | 17 |
| 6146 | Nuclear DNA contents of <i>Echinochloa crus-galli</i> and its Gaussian relationships with environments. <i>Acta Oecologica</i> , 2017, 79, 36-47. | 0.5 | 3 |
| 6147 | The impact of climate change on developed economies. <i>Economics Letters</i> , 2017, 153, 43-46. | 0.9 | 36 |
| 6148 | Remote sensing approach for spatial planning of land management interventions in West African savannas. <i>Journal of Arid Environments</i> , 2017, 140, 29-41. | 1.2 | 14 |
| 6149 | Climate variability in SE Europe since 1450 AD based on a varved sediment record from Etoliko Lagoon (Western Greece). <i>Quaternary Science Reviews</i> , 2017, 159, 63-76. | 1.4 | 33 |
| 6150 | Population level differences in thermal sensitivity of energy assimilation in terrestrial salamanders. <i>Journal of Thermal Biology</i> , 2017, 64, 1-6. | 1.1 | 13 |
| 6151 | Socio-environmental drivers of forest change in rural Uganda. <i>Land Use Policy</i> , 2017, 62, 49-58. | 2.5 | 21 |
| 6152 | An assessment of conflict areas between alien and native species richness of terrestrial vertebrates on a macro-ecological scale in a Mediterranean hotspot. <i>Animal Conservation</i> , 2017, 20, 433-443. | 1.5 | 15 |
| 6153 | Do group dynamics affect colour morph clines during a range shift?. <i>Journal of Evolutionary Biology</i> , 2017, 30, 728-737. | 0.8 | 18 |
| 6154 | Ecology and recovery plans for the four Spanish endangered endemic butterfly species. <i>Journal of Insect Conservation</i> , 2017, 21, 423-437. | 0.8 | 11 |
| 6155 | Effects of amphibian phylogeny, climate and human impact on the occurrence of the amphibian-killing chytrid fungus. <i>Global Change Biology</i> , 2017, 23, 3543-3553. | 4.2 | 30 |
| 6156 | Landscape genetics indicate recently increased habitat fragmentation in African forest-associated chafers. <i>Global Change Biology</i> , 2017, 23, 1988-2004. | 4.2 | 8 |
| 6157 | Process-based modelling shows how climate and demography shape language diversity. <i>Global Ecology and Biogeography</i> , 2017, 26, 584-591. | 2.7 | 22 |
| 6158 | Climate driven range divergence among host species affects range-wide patterns of parasitism. <i>Global Ecology and Conservation</i> , 2017, 9, 1-10. | 1.0 | 11 |
| 6159 | Physiological limits in an ecological niche modeling framework: A case study of water temperature and salinity constraints of freshwater bivalves invasive in USA. <i>Ecological Modelling</i> , 2017, 346, 48-57. | 1.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6160 | Chile and the Chilean soil grid: A contribution to GlobalSoilMap. <i>Geoderma Regional</i> , 2017, 9, 17-28. | 0.9 | 80 |
| 6161 | Spatial and temporal patterns of carbon footprints of grain crops in China. <i>Journal of Cleaner Production</i> , 2017, 146, 218-227. | 4.6 | 63 |
| 6162 | Plant spatial patterns identify alternative ecosystem multifunctionality states in global drylands. <i>Nature Ecology and Evolution</i> , 2017, 1, 3. | 3.4 | 142 |
| 6163 | Optimal defense theory explains deviations from latitudinal herbivory defense hypothesis. <i>Ecology</i> , 2017, 98, 1036-1048. | 1.5 | 47 |
| 6164 | Comparing Floristic Diversity and Conservation Priorities across South East Queensland Regional Rain Forest Ecosystems Using Phylodiversity Indexes. <i>International Journal of Plant Sciences</i> , 2017, 178, 211-229. | 0.6 | 9 |
| 6165 | Testing the environmental filtering concept in global drylands. <i>Journal of Ecology</i> , 2017, 105, 1058-1069. | 1.9 | 156 |
| 6166 | Joint species models reveal the effects of environment on community assemblage of freshwater mussels and fishes in European rivers. <i>Diversity and Distributions</i> , 2017, 23, 284-296. | 1.9 | 33 |
| 6167 | Convergence of bark investment according to fire and climate structures ecosystem vulnerability to future change. <i>Ecology Letters</i> , 2017, 20, 307-316. | 3.0 | 90 |
| 6168 | Niche evolution and diversification in a Neotropical radiation of birds (Aves: Furnariidae). <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 702-715. | 1.1 | 40 |
| 6169 | New data on the endemic cricetid rodent <i>Holochilus lagigliai</i> from central-western Argentina: fossil record and potential distribution. <i>Mammalia</i> , 2017, 81, . | 0.3 | 8 |
| 6170 | Thermal requirements for seed germination of underutilized <i>Lippia</i> species. <i>South African Journal of Botany</i> , 2017, 109, 223-230. | 1.2 | 15 |
| 6171 | Meta-corridor solutions for climate-vulnerable plant species groups in South Korea. <i>Journal of Applied Ecology</i> , 2017, 54, 1742-1754. | 1.9 | 32 |
| 6172 | Tree diversity in relation to tree height: alternative perspectives. <i>Ecology Letters</i> , 2017, 20, 395-397. | 3.0 | 4 |
| 6173 | The latitudinal diversity gradient and interspecific competition: no global relationship between lizard dietary niche breadth and species richness. <i>Global Ecology and Biogeography</i> , 2017, 26, 563-572. | 2.7 | 22 |
| 6174 | Testing a general approach to assess the degree of disturbance in tropical forests. <i>Journal of Vegetation Science</i> , 2017, 28, 659-668. | 1.1 | 11 |
| 6175 | Surveys in Argentina and Uruguay reveal <i>Cyrtobagous salviniae</i> (Coleoptera: Curculionidae) populations adapted to survive temperate climates in southeastern USA. <i>Biological Control</i> , 2017, 107, 41-49. | 1.4 | 16 |
| 6176 | Exploring and conserving a "microcosm" whole-population genetic characterization within a refugial area of the endemic, relict conifer <i>Picea omorika</i> . <i>Conservation Genetics</i> , 2017, 18, 777-788. | 0.8 | 11 |
| 6177 | Applicability of the ecosystem type approach to model permafrost dynamics across the Alaska North Slope. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 50-75. | 1.0 | 72 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6178 | Factors affecting the distribution of haemosporidian parasites within an oceanic island. <i>International Journal for Parasitology</i> , 2017, 47, 225-235. | 1.3 | 28 |
| 6179 | Hopes and challenges for giant panda conservation under climate change in the Qinling Mountains of China. <i>Ecology and Evolution</i> , 2017, 7, 596-605. | 0.8 | 46 |
| 6180 | Range shifts in response to climate change of <i>Ophiocordyceps sinensis</i> , a fungus endemic to the Tibetan Plateau. <i>Biological Conservation</i> , 2017, 206, 143-150. | 1.9 | 52 |
| 6181 | Chromosome inversions and ecological plasticity in the main African malaria mosquitoes. <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 686-701. | 1.1 | 51 |
| 6182 | Big biology meets microclimatology: defining thermal niches of ectotherms at landscape scales for conservation planning. <i>Ecological Applications</i> , 2017, 27, 977-990. | 1.8 | 80 |
| 6183 | SYNOPSIS-WEB, an online tool for environmental risk assessment to evaluate pesticide strategies on field level. <i>Crop Protection</i> , 2017, 97, 28-44. | 1.0 | 69 |
| 6184 | Phylogeny and the prediction of tree functional diversity across novel continental settings. <i>Global Ecology and Biogeography</i> , 2017, 26, 553-562. | 2.7 | 31 |
| 6185 | Forest management impacts on capercaillie (<i>Tetrao urogallus</i>) habitat distribution and connectivity in the Carpathians. <i>Landscape Ecology</i> , 2017, 32, 163-179. | 1.9 | 43 |
| 6186 | Genome sequencing reveals the origin of the allotetraploid <i>Arabidopsis suecica</i> . <i>Molecular Biology and Evolution</i> , 2017, 34, msw299. | 3.5 | 73 |
| 6187 | Chemodiversity of Epicuticular Alkanes and Morphological Traits of Natural Populations of <i>Satureja subspicata</i> Bartl. ex Vis. along Dinaric Alps – Ecological and Taxonomic Aspects. <i>Chemistry and Biodiversity</i> , 2017, 14, e1600201. | 1.0 | 8 |
| 6188 | Climatic stability and contemporary human impacts affect the genetic diversity and conservation status of a tropical palm in the Atlantic Forest of Brazil. <i>Conservation Genetics</i> , 2017, 18, 467-478. | 0.8 | 31 |
| 6189 | Assessing common birds' ecological requirements to address nature conservation in permanent crops: Lessons from Italian vineyards. <i>Journal of Environmental Management</i> , 2017, 191, 145-154. | 3.8 | 33 |
| 6190 | Do blood parasites infect Magellanic penguins (<i>Spheniscus magellanicus</i>) in the wild? Prospective investigation and climatogeographic considerations. <i>Parasitology</i> , 2017, 144, 698-705. | 0.7 | 8 |
| 6191 | Prioritizing protected areas in Madagascar for lemur diversity using a multidimensional perspective. <i>Biological Conservation</i> , 2017, 207, 1-8. | 1.9 | 16 |
| 6192 | Outdoor recreation causes effective habitat reduction in capercaillie <i>Tetrao urogallus</i> : a major threat for geographically restricted populations. <i>Journal of Avian Biology</i> , 2017, 48, 1583-1594. | 0.6 | 51 |
| 6193 | An integrated approach for the assessment of the <i>Aedes aegypti</i> and <i>Aedes albopictus</i> global spatial distribution, and determination of the zones susceptible to the development of Zika virus. <i>Acta Tropica</i> , 2017, 168, 80-90. | 0.9 | 40 |
| 6194 | Patterns of phylogenetic relatedness of angiosperm woody plants across biomes and life history stages. <i>Journal of Biogeography</i> , 2017, 44, 1383-1392. | 1.4 | 42 |
| 6195 | Range expansion and ancestral niche reconstruction in the Mediterranean diving beetle genus <i>Meladema</i> (Coleoptera, Dytiscidae). <i>Zoologica Scripta</i> , 2017, 46, 445-458. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6196 | Determining the factors affecting the distribution of <i>Muscari latifolium</i> , an endemic plant of Turkey, and a mapping species distribution model. <i>Ecology and Evolution</i> , 2017, 7, 1112-1124. | 0.8 | 21 |
| 6197 | Distinct song parts of the endemic marsh grassbird of China vary with latitude and climate among migratory and sedentary populations. <i>Evolutionary Ecology</i> , 2017, 31, 63-76. | 0.5 | 6 |
| 6198 | Economic consequences of altered survival of mixed or pure Norway spruce under a dryer and warmer climate. <i>Climatic Change</i> , 2017, 140, 519-531. | 1.7 | 24 |
| 6199 | Relationship between temperature and development rate of <i>Copitarsia incommoda</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT ₅ /Overlook | 0.6 | 5 |
| 6200 | Gene flow interruption in a recently human-modified landscape: The value of isolated trees for the maintenance of genetic diversity in a Mexican endemic red oak. <i>Forest Ecology and Management</i> , 2017, 390, 27-35. | 1.4 | 20 |
| 6201 | Influence of temporal variation and host condition on helminth abundance in the lizard <i>Tropidurus hispidus</i> from north-eastern Brazil. <i>Journal of Helminthology</i> , 2017, 91, 312-319. | 0.4 | 14 |
| 6202 | Predicting the potential distribution of the Endangered huemul deer <i>Hippocamelus bisulcus</i> in North Patagonia. <i>Oryx</i> , 2017, 51, 315-323. | 0.5 | 11 |
| 6203 | Understanding habitat selection of the Vulnerable wild yak <i>Bos mutus</i> on the Tibetan Plateau. <i>Oryx</i> , 2017, 51, 361-369. | 0.5 | 10 |
| 6204 | Lineage-specific climatic niche drives the tempo of vicariance in the Rand Flora. <i>Journal of Biogeography</i> , 2017, 44, 911-923. | 1.4 | 35 |
| 6205 | Functional dominance rather than taxonomic diversity and functional diversity mainly affects community aboveground biomass in the Inner Mongolia grassland. <i>Ecology and Evolution</i> , 2017, 7, 1605-1615. | 0.8 | 56 |
| 6206 | Species distribution modeling and molecular markers suggest longitudinal range shifts and cryptic northern refugia of the typical calcareous grassland species <i>Hippocrepis comosa</i> (horseshoe) Tj ETQq0 0 0 rgBT ₅ /Overlook 10 Tf 5 | 0.8 | 10 |
| 6207 | Maize-nutrient response information applied across Sub-Saharan Africa. <i>Nutrient Cycling in Agroecosystems</i> , 2017, 107, 175-186. | 1.1 | 22 |
| 6208 | Environmental predictors of bovine <i>Eimeria</i> infection in western Kenya. <i>Tropical Animal Health and Production</i> , 2017, 49, 409-416. | 0.5 | 17 |
| 6209 | Uncertainty assessment in ecosystem services analyses: Seven challenges and practical responses. <i>Ecosystem Services</i> , 2017, 24, 1-15. | 2.3 | 123 |
| 6210 | Range shifting species reduce phylogenetic diversity in high latitude communities via competition. <i>Journal of Animal Ecology</i> , 2017, 86, 543-555. | 1.3 | 21 |
| 6211 | Diversification through ecological opportunity in dwarf chameleons. <i>Journal of Biogeography</i> , 2017, 44, 834-847. | 1.4 | 18 |
| 6212 | Evaluation of CMIP5 models over the northern North Atlantic in the context of forthcoming paleoclimatic reconstructions. <i>Climate Dynamics</i> , 2017, 49, 3673-3691. | 1.7 | 4 |
| 6213 | Physically Based Model for Multispectral Image Simulation of Earth Observation Sensors. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2017, 10, 1897-1908. | 2.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6214 | Modern impacts on an ancient landscape, the piedmont plain in southwest Turkmenistan. <i>Wiley Interdisciplinary Reviews: Water</i> , 2017, 4, e1202. | 2.8 | 3 |
| 6215 | Genetic Determinism vs. Phenotypic Plasticity in Protist Morphology. <i>Journal of Eukaryotic Microbiology</i> , 2017, 64, 729-739. | 0.8 | 27 |
| 6216 | An empirically tested overlap between indigenous and scientific knowledge of a changing climate in Bolivian Amazonia. <i>Regional Environmental Change</i> , 2017, 17, 1673-1685. | 1.4 | 38 |
| 6217 | Comparative analysis of spatial genetic structure in an ant-plant symbiosis reveals a tension zone and highlights speciation processes in tropical Africa. <i>Journal of Biogeography</i> , 2017, 44, 1856-1868. | 1.4 | 9 |
| 6218 | Gene expression and drought response in an invasive thistle. <i>Biological Invasions</i> , 2017, 19, 875-893. | 1.2 | 16 |
| 6219 | The influence of climatic niche preferences on the population genetic structure of a mistletoe species complex. <i>New Phytologist</i> , 2017, 214, 1751-1761. | 3.5 | 16 |
| 6220 | Changes in the realized niche of the invasive succulent CAM plant <i>Furcraea foetida</i> . <i>Austral Ecology</i> , 2017, 42, 643-654. | 0.7 | 7 |
| 6221 | Spatial and temporal distribution of house infestation by <i>Triatoma infestans</i> in the Toro Toro municipality, Potosí, Bolivia. <i>Parasites and Vectors</i> , 2017, 10, 58. | 1.0 | 24 |
| 6222 | Effect of heat waves on embryo mortality in the pine processionary moth. <i>Bulletin of Entomological Research</i> , 2017, 107, 583-591. | 0.5 | 17 |
| 6223 | Prediction of soil properties by using geographically weighted regression at a regional scale. <i>Soil Research</i> , 2017, 55, 318. | 0.6 | 14 |
| 6224 | Phenotypic distribution models corroborate species distribution models: A shift in the role and prevalence of a dominant prairie grass in response to climate change. <i>Global Change Biology</i> , 2017, 23, 4365-4375. | 4.2 | 36 |
| 6225 | Climate change and national crop wild relative conservation planning. <i>Ambio</i> , 2017, 46, 630-643. | 2.8 | 19 |
| 6226 | Spatial assessment of land degradation sensitive areas in southwestern Romania using modified MEDALUS method. <i>Catena</i> , 2017, 153, 114-130. | 2.2 | 51 |
| 6227 | Comparative ecogeographical variation in skull size and shape of two species of woolly opossums (genus <i>Caluromys</i>). <i>Zoologischer Anzeiger</i> , 2017, 267, 139-150. | 0.4 | 23 |
| 6228 | Effect of species grouping and site variables on aboveground biomass models for lowland tropical forests of the Indo-Malay region. <i>Annals of Forest Science</i> , 2017, 74, 1. | 0.8 | 8 |
| 6229 | Warm-cold colonization: response of oaks to uplift of the Himalaya-Hengduan Mountains. <i>Molecular Ecology</i> , 2017, 26, 3276-3294. | 2.0 | 82 |
| 6230 | Plant phylogeny as a window on the evolution of hyperdiversity in the tropical rainforest biome. <i>New Phytologist</i> , 2017, 214, 1408-1422. | 3.5 | 64 |
| 6231 | GIS-based approach applied to optimizing recommendations of <i>Eucalyptus</i> genotypes. <i>Forest Ecology and Management</i> , 2017, 392, 144-153. | 1.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6232 | Habitat-specific patterns and drivers of bacterial α -diversity in China's drylands. <i>ISME Journal</i> , 2017, 11, 1345-1358. | 4.4 | 218 |
| 6233 | Geographical variation in morphology of <i>Chaetosiphella stipae stipae</i> Hille Ris Lambers, 1947 (Hemiptera: Aphididae: Chaitophorinae). <i>Scientific Reports</i> , 2017, 7, 43988. | 1.6 | 6 |
| 6234 | Habitat filtering not dispersal limitation shapes oceanic island floras: species assembly of the Galápagos archipelago. <i>Ecology Letters</i> , 2017, 20, 495-504. | 3.0 | 83 |
| 6235 | Environmental correlates of biome-level floristic turnover in South Africa. <i>Journal of Biogeography</i> , 2017, 44, 1745-1757. | 1.4 | 16 |
| 6236 | Population transcriptomes reveal synergistic responses of <i>scp</i> DNA polymorphism and <i>scp</i> RNA expression to extreme environments on the Qinghai-Tibetan Plateau in a predatory bird. <i>Molecular Ecology</i> , 2017, 26, 2993-3010. | 2.0 | 39 |
| 6237 | A combination of long term fragmentation and glacial persistence drove the evolutionary history of the Italian wall lizard <i>Podarcis siculus</i> . <i>BMC Evolutionary Biology</i> , 2017, 17, 6. | 3.2 | 36 |
| 6238 | Intraspecific N and P stoichiometry of <i>Phragmites australis</i> : geographic patterns and variation among climatic regions. <i>Scientific Reports</i> , 2017, 7, 43018. | 1.6 | 14 |
| 6239 | Taxonomic effect on plant base concentrations and stoichiometry at the tips of the phylogeny prevails over environmental effect along a large scale gradient. <i>Oikos</i> , 2017, 126, 1241-1249. | 1.2 | 6 |
| 6240 | Re-establishing the pecking order: Niche models reliably predict suitable habitats for the reintroduction of red-billed oxpeckers. <i>Ecology and Evolution</i> , 2017, 7, 1974-1983. | 0.8 | 11 |
| 6241 | Mapping Land Suitability for Agriculture in Malawi. <i>Land Degradation and Development</i> , 2017, 28, 2001-2016. | 1.8 | 55 |
| 6242 | Unresolved native range taxonomy complicates inferences in invasion ecology: <i>Acacia dealbata</i> Link as an example. <i>Biological Invasions</i> , 2017, 19, 1715-1722. | 1.2 | 12 |
| 6243 | A general framework to describe the alteration of natural tree species composition as an indicator of forest naturalness. <i>Ecological Indicators</i> , 2017, 77, 194-204. | 2.6 | 20 |
| 6244 | Modelling seed germination response to temperature in <i>Eucalyptus</i> L'Her. (Myrtaceae) species in the context of global warming. <i>Seed Science Research</i> , 2017, 27, 99-109. | 0.8 | 20 |
| 6245 | Scat detection dogs, DNA and species distribution modelling reveal a diminutive geographical range for the Vulnerable small red brocket deer <i>Mazama bororo</i> . <i>Oryx</i> , 2017, 51, 656-664. | 0.5 | 21 |
| 6246 | Global variation in the beta diversity of lake macrophytes is driven by environmental heterogeneity rather than latitude. <i>Journal of Biogeography</i> , 2017, 44, 1758-1769. | 1.4 | 127 |
| 6247 | Morphological and ecological divergence in South American canids. <i>Journal of Biogeography</i> , 2017, 44, 821-833. | 1.4 | 24 |
| 6248 | Habitat evaluation and conservation framework of the newly discovered and critically endangered black snub-nosed monkey. <i>Biological Conservation</i> , 2017, 209, 273-279. | 1.9 | 22 |
| 6249 | Where are they? Where will they be? In pursuit of current and future whereabouts of endangered Himalayan musk deer. <i>Mammalian Biology</i> , 2017, 85, 30-36. | 0.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6250 | Amphibian sensitivity to habitat modification is associated with population trends and species traits. <i>Global Ecology and Biogeography</i> , 2017, 26, 700-712. | 2.7 | 63 |
| 6251 | A new species of tapaculo (Rhinocryptidae: <i>Scytalopus</i>) from the Western Andes of Colombia. <i>Auk</i> , 2017, 134, 377-392. | 0.7 | 10 |
| 6252 | Diversity and zoogeography of the fairy shrimps (Branchiopoda: Anostraca) on the Indian subcontinent. <i>Hydrobiologia</i> , 2017, 801, 117-128. | 1.0 | 6 |
| 6253 | Predicting the impact of climate change on the distribution of two threatened Himalayan medicinal plants of Liliaceae in Nepal. <i>Journal of Mountain Science</i> , 2017, 14, 558-570. | 0.8 | 62 |
| 6254 | Quaternary climate change drives allo-peripatric speciation and refugial divergence in the <i>Dysosma versipellis-pleiantha</i> complex from different forest types in China. <i>Scientific Reports</i> , 2017, 7, 40261. | 1.6 | 23 |
| 6255 | Palaeodistribution modelling of European vegetation types at the Last Glacial Maximum using modern analogues from Siberia: Prospects and limitations. <i>Quaternary Science Reviews</i> , 2017, 159, 103-115. | 1.4 | 66 |
| 6256 | Fine spatial grain, large spatial extent and biogeography of macrophyte-associated cladoceran communities across Neotropical floodplains. <i>Freshwater Biology</i> , 2017, 62, 559-569. | 1.2 | 22 |
| 6257 | Human grooming in comparative perspective: People in six small-scale societies groom less but socialize just as much as expected for a typical primate. <i>American Journal of Physical Anthropology</i> , 2017, 162, 810-816. | 2.1 | 9 |
| 6258 | Tropical high Andean drylands: species diversity and its environmental determinants in the Central Andes. <i>Biodiversity and Conservation</i> , 2017, 26, 1257-1273. | 1.2 | 8 |
| 6259 | The Impact of Land Use Change on Carbon Stored in Mountain Grasslands and Shrublands. <i>Ecological Economics</i> , 2017, 135, 114-124. | 2.9 | 5 |
| 6260 | Designing ecological climate change impact assessments to reflect key climatic drivers. <i>Global Change Biology</i> , 2017, 23, 2537-2553. | 4.2 | 30 |
| 6261 | Shifts in the ecological niche of <i>Lutzomyia peruensis</i> under climate change scenarios in Peru. <i>Medical and Veterinary Entomology</i> , 2017, 31, 123-131. | 0.7 | 12 |
| 6262 | Anticipating species distributions: Handling sampling effort bias under a Bayesian framework. <i>Science of the Total Environment</i> , 2017, 584-585, 282-290. | 3.9 | 20 |
| 6263 | Historical amphibian declines and extinctions in Brazil linked to chytridiomycosis. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162254. | 1.2 | 80 |
| 6264 | Climate determinants of breeding and wintering ranges of lesser kestrels in Italy and predicted impacts of climate change. <i>Journal of Avian Biology</i> , 2017, 48, 1595-1607. | 0.6 | 13 |
| 6265 | Solitary trees increase the diversity of vascular plants and bryophytes in pastures. <i>Agriculture, Ecosystems and Environment</i> , 2017, 239, 293-303. | 2.5 | 4 |
| 6266 | Should topographic metrics be considered when predicting species density of birds on a large geographical scale? A case of Random Forest approach. <i>Ecological Modelling</i> , 2017, 349, 76-85. | 1.2 | 19 |
| 6267 | The effects of taxonomic rank on climatic calibrations: A test using extant floras of United States counties. <i>Review of Palaeobotany and Palynology</i> , 2017, 244, 316-324. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6268 | Evaluating the efficacy of invasive plant control in response to ecological factors. South African Journal of Botany, 2017, 109, 203-213. | 1.2 | 12 |
| 6269 | Unpacking boxes: Integration of molecular, morphological and ecological approaches reveals extensive patterns of reticulate evolution in box eucalypts. Molecular Phylogenetics and Evolution, 2017, 108, 70-87. | 1.2 | 20 |
| 6270 | On the post-glacial spread of human commensal <i>Arabidopsis thaliana</i> . Nature Communications, 2017, 8, 14458. | 5.8 | 83 |
| 6271 | Predicting the potential distribution of main malaria vectors <i>Anopheles stephensi</i> , <i>An. culicifacies</i> s.l. and <i>An. fluviatilis</i> s.l. in Iran based on maximum entropy model. Acta Tropica, 2017, 169, 93-99. | 0.9 | 14 |
| 6272 | Spatial Contrast of Geographically Induced Rainfall Observed by TRMM PR. Journal of Climate, 2017, 30, 4165-4184. | 1.2 | 17 |
| 6273 | The impact of urbanization and population density on childhood <i>Plasmodium falciparum</i> parasite prevalence rates in Africa. Malaria Journal, 2017, 16, 49. | 0.8 | 51 |
| 6274 | Quantifying Surface Temperature Inversions and Their Impact on the Ground Thermal Regime at a High Arctic Site. Arctic, Antarctic, and Alpine Research, 2017, 49, 173-185. | 0.4 | 9 |
| 6275 | Revealing topoclimatic heterogeneity using meteorological station data. International Journal of Climatology, 2017, 37, 544-556. | 1.5 | 47 |
| 6276 | The effect of moisture source and synoptic conditions on precipitation isotopes in arid central Asia. Journal of Geophysical Research D: Atmospheres, 2017, 122, 2667-2682. | 1.2 | 89 |
| 6277 | The impact of climate change on the distribution of two threatened Dipterocarp trees. Ecology and Evolution, 2017, 7, 2238-2248. | 0.8 | 78 |
| 6278 | Climate change adaptation of coffee production in space and time. Climatic Change, 2017, 141, 47-62. | 1.7 | 179 |
| 6279 | Causal or spurious relationship? Climate and the distribution of <i>Phelsuma</i> geckos on Grand Comoro Island. African Journal of Ecology, 2017, 55, 500-508. | 0.4 | 0 |
| 6280 | Climate change influences on pollinator, forest, and farm interactions across a climate gradient. Climatic Change, 2017, 141, 63-75. | 1.7 | 18 |
| 6281 | Refugial ecosystems in central Asia as indicators of biodiversity change during the Pleistocene–Holocene transition. Ecological Indicators, 2017, 77, 357-367. | 2.6 | 22 |
| 6282 | Modelling native and alien vascular plant species richness: At which scales is geodiversity most relevant?. Global Ecology and Biogeography, 2017, 26, 763-776. | 2.7 | 81 |
| 6283 | Lacustrine record of last millennia eruptions in Northern Chilean Patagonia (45°–47°S). Holocene, 2017, 27, 1227-1251. | 0.9 | 5 |
| 6284 | Spatial Distribution Modelling of <i>Kobresia pygmaea</i> (Cyperaceae) on the Qinghai-Tibetan Plateau. Journal of Resources and Ecology, 2017, 8, 20-29. | 0.2 | 3 |
| 6285 | Hotspots of canine leptospirosis in the United States of America. Veterinary Journal, 2017, 222, 29-35. | 0.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6286 | Global determinants of zoogeographical boundaries. <i>Nature Ecology and Evolution</i> , 2017, 1, 89. | 3.4 | 138 |
| 6287 | Species limits and morphometric and environmental variation within the South Andean and Patagonian <i>Mulinum spinosum</i> species-group (Apiaceae-Azorelloideae). <i>Systematics and Biodiversity</i> , 2017, 15, 489-505. | 0.5 | 8 |
| 6288 | Climate, soil and plant functional types as drivers of global fine-root trait variation. <i>Journal of Ecology</i> , 2017, 105, 1182-1196. | 1.9 | 234 |
| 6289 | Vulnerability of European freshwater catchments to climate change. <i>Global Change Biology</i> , 2017, 23, 3567-3580. | 4.2 | 68 |
| 6290 | Habitat suitability and the constraints of migration in New World warblers. <i>Journal of Avian Biology</i> , 2017, 48, 1614-1623. | 0.6 | 14 |
| 6291 | Historical changes in the importance of climate and land use as determinants of Dutch pollinator distributions. <i>Journal of Biogeography</i> , 2017, 44, 696-707. | 1.4 | 23 |
| 6292 | The desolation of Smaug: The human-driven decline of the Sungazer lizard (<i>Smaug giganteus</i>). <i>Journal for Nature Conservation</i> , 2017, 36, 48-57. | 0.8 | 9 |
| 6293 | A supply chain framework for characterizing indirect vulnerability. <i>International Journal of Climate Change Strategies and Management</i> , 2017, 9, 184-206. | 1.5 | 4 |
| 6294 | Climatic niche divergence and habitat suitability of eight alien invasive weeds in China under climate change. <i>Ecology and Evolution</i> , 2017, 7, 1541-1552. | 0.8 | 47 |
| 6295 | Geo-statistical methods to analyse changes in pre-Hispanic settlement patterns in the R o Ica catchment, Peru. <i>Journal of Archaeological Science: Reports</i> , 2017, 12, 272-287. | 0.2 | 2 |
| 6296 | A procedure for delineating a search region in the UAV-based SAR activities. <i>Geomatics, Natural Hazards and Risk</i> , 2017, 8, 53-72. | 2.0 | 12 |
| 6297 | Elevational seed plants richness patterns in Bhutan, Eastern Himalaya. <i>Journal of Biogeography</i> , 2017, 44, 1711-1722. | 1.4 | 47 |
| 6298 | Using MaxEnt Model to Predict Suitable Habitat Changes for Key Protected Species in Koshi Basin, Central Himalayas. <i>Journal of Resources and Ecology</i> , 2017, 8, 77-87. | 0.2 | 15 |
| 6299 | PARTICIPATORY RESEARCH TO CLOSE THE SOYBEAN YIELD GAP ON SMALLHOLDER FARMS IN MALAWI. <i>Experimental Agriculture</i> , 2017, 53, 396-415. | 0.4 | 14 |
| 6300 | A dimensionless approach for the urban-scale evaluation of domestic rainwater harvesting systems for toilet flushing and garden irrigation. <i>Urban Water Journal</i> , 2017, 14, 883-891. | 1.0 | 25 |
| 6301 | Water, land, fire, and forest: Multi-scale determinants of rainforests in the Australian monsoon tropics. <i>Ecology and Evolution</i> , 2017, 7, 1592-1604. | 0.8 | 19 |
| 6302 | Migration corridors for alpine plants among the "sky islands"™ of eastern Africa: do they, or did they exist?. <i>Alpine Botany</i> , 2017, 127, 133-144. | 1.1 | 42 |
| 6303 | Spring predictability explains different leaf-out strategies in the woody floras of North America, Europe and East Asia. <i>Ecology Letters</i> , 2017, 20, 452-460. | 3.0 | 66 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6304 | Competition drives trait evolution and character displacement between <i>Mimulus</i> species along an environmental gradient. <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 1205-1221. | 1.1 | 22 |
| 6305 | Biotic and abiotic factors investigated in two <i>Drosophila</i> species – evidence of both negative and positive effects of interactions on performance. <i>Scientific Reports</i> , 2017, 7, 40132. | 1.6 | 11 |
| 6306 | Historical factors shaped species diversity and composition of <i>Salix</i> in eastern Asia. <i>Scientific Reports</i> , 2017, 7, 42038. | 1.6 | 18 |
| 6307 | Spatial risk assessment of opium poppy cultivation in Afghanistan: integrating environmental and socio-economic drivers. <i>International Journal of Digital Earth</i> , 2017, 10, 719-736. | 1.6 | 4 |
| 6308 | Structural bias in aggregated species-level variables driven by repeated species co-occurrences: a pervasive problem in community and assemblage data. <i>Journal of Biogeography</i> , 2017, 44, 1199-1211. | 1.4 | 45 |
| 6309 | Dispersal and extrapolation on the accuracy of temporal predictions from distribution models for the Darwin's frog. <i>Ecological Applications</i> , 2017, 27, 1633-1645. | 1.8 | 22 |
| 6310 | Climatic suitability ranking of biological control candidates: a biogeographic approach for ragweed management in Europe. <i>Ecosphere</i> , 2017, 8, e01731. | 1.0 | 53 |
| 6311 | Variation patterns of fine root biomass, production and turnover in Chinese forests. <i>Journal of Forestry Research</i> , 2017, 28, 1185-1194. | 1.7 | 14 |
| 6312 | Regional Analysis of Prone Drought Areas under Future Climate Change Scenarios: Case Study Agropolitan of Malang District. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 58, 012024. | 0.2 | 4 |
| 6313 | How Do Cold-Adapted Plants Respond to Climatic Cycles? Interglacial Expansion Explains Current Distribution and Genomic Diversity in <i>Primula farinosa</i> L.. <i>Systematic Biology</i> , 2017, 66, 715-736. | 2.7 | 26 |
| 6314 | Differences in dehydration tolerance among populations of a gametophyte-only fern. <i>American Journal of Botany</i> , 2017, 104, 598-607. | 0.8 | 9 |
| 6315 | Comparing mechanistic and empirical approaches to modeling the thermal niche of almond. <i>International Journal of Biometeorology</i> , 2017, 61, 1593-1606. | 1.3 | 10 |
| 6316 | PhenoRice: A method for automatic extraction of spatio-temporal information on rice crops using satellite data time series. <i>Remote Sensing of Environment</i> , 2017, 194, 347-365. | 4.6 | 95 |
| 6317 | Genetic diversity patterns of arbuscular mycorrhizal fungi associated with the mycoheterotroph <i>Arachnitis uniflora</i> Phil. (Corsiaceae). <i>Annals of Botany</i> , 2017, 119, 1279-1294. | 1.4 | 14 |
| 6318 | Climatic niche evolution is faster in sympatric than allopatric lineages of the butterfly genus <i>Pyrgus</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20170208. | 1.2 | 21 |
| 6319 | <i>Pinus taeda</i> forest growth predictions in the 21st century vary with site mean annual temperature and site quality. <i>Global Change Biology</i> , 2017, 23, 4689-4705. | 4.2 | 22 |
| 6320 | Role of seed germination in adaptation and reproductive isolation in <i>Arabidopsis lyrata</i> . <i>Molecular Ecology</i> , 2017, 26, 3484-3496. | 2.0 | 45 |
| 6321 | Climate legacies drive global soil carbon stocks in terrestrial ecosystems. <i>Science Advances</i> , 2017, 3, e1602008. | 4.7 | 91 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6322 | Scale-dependent key drivers controlling methane oxidation potential in Chinese grassland soils. <i>Soil Biology and Biochemistry</i> , 2017, 111, 104-114. | 4.2 | 73 |
| 6323 | Prediction of the potential geographic distribution of the ectomycorrhizal mushroom <i>Tricholoma matsutake</i> under multiple climate change scenarios. <i>Scientific Reports</i> , 2017, 7, 46221. | 1.6 | 66 |
| 6324 | Predicting Optimal Release Sites for Rehabilitated Monkeys: a Vervet Monkey (<i>Chlorocebus aethiops</i>) Case Study. <i>International Journal of Primatology</i> , 2017, 38, 485-499. | 0.9 | 4 |
| 6325 | Climate change risks, extinction debt, and conservation implications for a threatened freshwater fish: Carmine shiner (<i>Notropis percobromus</i>). <i>Science of the Total Environment</i> , 2017, 598, 1-11. | 3.9 | 45 |
| 6326 | CARBON ISOTOPIC FRACTIONATION BETWEEN WHOLE LEAVES AND CUTICLE. <i>Palaios</i> , 2017, 32, 199-205. | 0.6 | 12 |
| 6327 | Dispersal is more important than climate in structuring turtle communities across different biogeographical realms. <i>Journal of Biogeography</i> , 2017, 44, 2109-2120. | 1.4 | 14 |
| 6328 | Distribution, genetic diversity and potential spatiotemporal scale of alien gene flow in crop wild relatives of rice (<i>Oryza</i> spp.) in Colombia. <i>Rice</i> , 2017, 10, 13. | 1.7 | 12 |
| 6329 | Predicting the potential distribution in China of <i>Euwallacea fornicatus</i> (Eichhoff) under current and future climate conditions. <i>Scientific Reports</i> , 2017, 7, 906. | 1.6 | 10 |
| 6330 | Improvement of spatial modelling of crop suitability using a new digital soil map of Tanzania. <i>South African Journal of Plant and Soil</i> , 2017, 34, 243-254. | 0.4 | 20 |
| 6331 | Multiple strong postmating and intrinsic postzygotic reproductive barriers isolate florally diverse species of <i>Jaltomata</i> (<i>Solanaceae</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 1556-1571. | 1.1 | 26 |
| 6333 | Geographical and climatic gradients of evergreen versus deciduous broadleaved tree species in subtropical China: Implications for the definition of the mixed forest. <i>Ecology and Evolution</i> , 2017, 7, 3636-3644. | 0.8 | 28 |
| 6334 | Non-random patterns of vegetation clearing and potential biases in studies of habitat area effects. <i>Landscape Ecology</i> , 2017, 32, 729-743. | 1.9 | 12 |
| 6335 | A performance based consensus approach for predicting spatial extent of the Chinese windmill palm (<i>Trachycarpus fortunei</i>). <i>Ecography</i> , 2017, 40, 107-117. | 2.3 | 7 |
| 6336 | Dispersal limitation determines large-scale dark diversity in Central and Northern Europe. <i>Journal of Biogeography</i> , 2017, 44, 1770-1780. | 1.4 | 13 |
| 6337 | Predicting habitat suitability for the wart-biter bush cricket (<i>Decticus verrucivorus</i>) in Europe. <i>Journal of Insect Conservation</i> , 2017, 21, 287-295. | 0.8 | 2 |
| 6338 | Environmental niche divergence among three dune shrub sister species with parapatric distributions. <i>Annals of Botany</i> , 2017, 119, 1157-1167. | 1.4 | 8 |
| 6339 | Distribution and diversity of reptiles in Albania: a novel database from a Mediterranean hotspot. <i>Amphibia - Reptilia</i> , 2017, 38, 157-173. | 0.1 | 11 |
| 6340 | The demographic response of a deciduous shrub (the <i>Indigofera bungeana</i> complex, Fabaceae) to the Pleistocene climate changes in East Asia. <i>Scientific Reports</i> , 2017, 7, 697. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6341 | How the Aridification of Australia Structured the Biogeography and Influenced the Diversification of a Large Lineage of Australian Cicadas. <i>Systematic Biology</i> , 2017, 66, syw078. | 2.7 | 23 |
| 6342 | Intensifying postfire weather and biological invasion drive species loss in a Mediterranean-type biodiversity hotspot. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4697-4702. | 3.3 | 60 |
| 6343 | Insights into the ecology, genetics and distribution of <i>Lucanus elaphus</i> Fabricius (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.4 | 14 |
| 6344 | Northâ€west Africa as a source and refuge area of plant biodiversity: a case study on <i>Campanula kremeri</i> and <i>Campanula occidentalis</i> . <i>Journal of Biogeography</i> , 2017, 44, 2057-2068. | 1.4 | 17 |
| 6345 | Global variation in woodpecker species richness shaped by tree availability. <i>Journal of Biogeography</i> , 2017, 44, 1824-1835. | 1.4 | 22 |
| 6346 | Potential Distribution of Mountain Cloud Forest in MichoacÃ¡n, Mexico: Prioritization for Conservation in the Context of Landscape Connectivity. <i>Environmental Management</i> , 2017, 60, 86-103. | 1.2 | 15 |
| 6347 | Functional trait diversity maximizes ecosystem multifunctionality. <i>Nature Ecology and Evolution</i> , 2017, 1, 0132-132. | 3.4 | 277 |
| 6348 | Right here, right now: Populations of <i>Actinotus helianthi</i> differ in their early performance traits and interactions. <i>Austral Ecology</i> , 2017, 42, 367-378. | 0.7 | 1 |
| 6349 | Bias correction of bounded location errors in presenceâ€only data. <i>Methods in Ecology and Evolution</i> , 2017, 8, 1566-1573. | 2.2 | 18 |
| 6350 | The Mediterranean: the cradle of <i>Anthoxanthum</i> (Poaceae) diploid diversity. <i>Annals of Botany</i> , 2017, 120, 285-302. | 1.4 | 7 |
| 6351 | Microhabitat and Climatic Niche Change Explain Patterns of Diversification among Frog Families. <i>American Naturalist</i> , 2017, 190, 29-44. | 1.0 | 82 |
| 6352 | High temporal variability in the occurrence of consumerâ€™resource interactions in ecological networks. <i>Oikos</i> , 2017, 126, 1699-1707. | 1.2 | 17 |
| 6353 | Holocene vegetation and fire dynamics at Crveni Potok, a small mire in the Dinaric Alps (Tara National) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.4 | 25 |
| 6354 | Climatic-Induced Shifts in the Distribution of Teak (<i>Tectona grandis</i>) in Tropical Asia: Implications for Forest Management and Planning. <i>Environmental Management</i> , 2017, 60, 422-435. | 1.2 | 40 |
| 6355 | Towards complete and harmonized assessment of soil carbon stocks and balance in forests: The ability of the Yasso07 model across a wide gradient of climatic and forest conditions in Europe. <i>Science of the Total Environment</i> , 2017, 599-600, 1171-1180. | 3.9 | 18 |
| 6356 | The evolutionary significance of polyploidy. <i>Nature Reviews Genetics</i> , 2017, 18, 411-424. | 7.7 | 1,288 |
| 6357 | Environment shapes the digestive performance in a Mediterranean lizard. <i>Biological Journal of the Linnean Society</i> , 2017, 121, 883-893. | 0.7 | 5 |
| 6358 | WorldClim 2: new 1â€km spatial resolution climate surfaces for global land areas. <i>International Journal of Climatology</i> , 2017, 37, 4302-4315. | 1.5 | 8,707 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6359 | Inter-population variability in seed dormancy, seed mass and germination in <i>Helianthemum salicifolium</i> (Cistaceae), a hard-seeded annual herb. <i>Folia Geobotanica</i> , 2017, 52, 253-263. | 0.4 | 8 |
| 6360 | Integrating regional climate change into allometric equations for estimating tree aboveground biomass of Masson pine in China. <i>Annals of Forest Science</i> , 2017, 74, 1. | 0.8 | 31 |
| 6361 | Mapping vegetation heights in China using slope correction ICESat data, SRTM, MODIS-derived and climate data. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 129, 189-199. | 4.9 | 35 |
| 6362 | Eemian paleoclimate zones and Neanderthal landscape-use: A GIS model of settlement patterning during the last interglacial. <i>Quaternary International</i> , 2017, 438, 144-157. | 0.7 | 37 |
| 6363 | Late Pliocene environmental change during the transition from <i>Australopithecus</i> to <i>Homo</i> . <i>Nature Ecology and Evolution</i> , 2017, 1, 159. | 3.4 | 39 |
| 6364 | Are we underestimating the impact of rising summer temperatures on dormancy loss in hard-seeded species?. <i>Australian Journal of Botany</i> , 2017, 65, 248. | 0.3 | 23 |
| 6365 | A decade of colonization: the spread of the Asian tiger mosquito in Pennsylvania and implications for disease risk. <i>Journal of Vector Ecology</i> , 2017, 42, 3-12. | 0.5 | 6 |
| 6366 | A bird's view of new conservation hotspots in China. <i>Biological Conservation</i> , 2017, 211, 47-55. | 1.9 | 40 |
| 6367 | Richness pattern and phytogeography of the Cerrado herbaceous shrub flora and implications for conservation. <i>Journal of Vegetation Science</i> , 2017, 28, 848-858. | 1.1 | 45 |
| 6368 | Evolution of biogeographic disjunction between eastern Asia and North America in <i>Chamaecyparis</i> : Insights from ecological niche models. <i>Plant Diversity</i> , 2017, 39, 111-116. | 1.8 | 10 |
| 6369 | Germinate 3: Development of a Common Platform to Support the Distribution of Experimental Data on Crop Wild Relatives. <i>Crop Science</i> , 2017, 57, 1259-1273. | 0.8 | 15 |
| 6370 | Alternative stable states in mountain forest ecosystems: the case of European larch (<i>Larix decidua</i>) forests in the western Alps. <i>Journal of Mountain Science</i> , 2017, 14, 811-822. | 0.8 | 8 |
| 6371 | The population genetic structure of <i>Corythucha ciliata</i> (Say) (Hemiptera: Tingidae) provides insights into its distribution and invasiveness. <i>Scientific Reports</i> , 2017, 7, 635. | 1.6 | 10 |
| 6372 | Bretega, a new leafhopper genus from South Africa with 15 new species (Hemiptera: Auchenorrhyncha: Tj ETQq1 1.0,784314,rgBT /O | 0.2 | 2 |
| 6373 | Spatio-temporal patterns of grassland evapotranspiration and water use efficiency in arid areas. <i>Ecological Research</i> , 2017, 32, 523-535. | 0.7 | 19 |
| 6374 | Exosomes in mammals with greater habitat variability contain more proteins and RNAs. <i>Royal Society Open Science</i> , 2017, 4, 170162. | 1.1 | 3 |
| 6375 | Global patterns of phosphatase activity in natural soils. <i>Scientific Reports</i> , 2017, 7, 1337. | 1.6 | 296 |
| 6376 | An assessment of postcranial indices, ratios, and body mass versus eco-geographical variables of prehistoric Jomon, Yayoi agriculturalists, and Kumejima Islanders of Japan. <i>American Journal of Human Biology</i> , 2017, 29, e23015. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6377 | Detecting Phytogeographic Units Based on Native Woody Flora: A Case Study in Central Peninsular Italy. <i>Botanical Review</i> , The, 2017, 83, 253-281. | 1.7 | 4 |
| 6378 | Projected compositional shifts and loss of ecosystem services in freshwater fish communities under climate change scenarios. <i>Hydrobiologia</i> , 2017, 799, 135-149. | 1.0 | 17 |
| 6379 | Diversification of deermice (Rodentia: genus <i>Peromyscus</i>) at their northwestern range limit: genetic consequences of refugial and island isolation. <i>Journal of Biogeography</i> , 2017, 44, 1572-1585. | 1.4 | 10 |
| 6380 | Towards GPU-Accelerated Web-GIS for Query-Driven Visual Exploration. <i>Lecture Notes in Computer Science</i> , 2017, , 119-136. | 1.0 | 0 |
| 6381 | Growth capacity in wild tomatoes and relatives correlates with original climate in arid and semi-arid species. <i>Environmental and Experimental Botany</i> , 2017, 141, 181-190. | 2.0 | 11 |
| 6382 | Ant diversity in Brazilian tropical dry forests across multiple vegetation domains. <i>Environmental Research Letters</i> , 2017, 12, 035002. | 2.2 | 19 |
| 6384 | Genetic diversity is largely unpredictable but scales with museum occurrences in a species-rich clade of Australian lizards. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162588. | 1.2 | 18 |
| 6385 | Improving Large Area Population Mapping Using Geotweet Densities. <i>Transactions in GIS</i> , 2017, 21, 317-331. | 1.0 | 79 |
| 6386 | Phylogeography of a widespread small carnivore, the western spotted skunk (<i>Spilogale</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 427 Td Ecology and Evolution, 2017, 7, 4229-4240. | 0.8 | 13 |
| 6387 | Modeling and mapping the current and future climatic-niche of endangered Himalayan musk deer. <i>Ecological Informatics</i> , 2017, 40, 1-7. | 2.3 | 20 |
| 6388 | Generalized biomass and leaf area allometric equations for European tree species incorporating stand structure, tree age and climate. <i>Forest Ecology and Management</i> , 2017, 396, 160-175. | 1.4 | 219 |
| 6389 | Sharp genetic discontinuity in the aridity-sensitive <i>Lindera obtusiloba</i> (Lauraceae): solid evidence supporting the Tertiary floral subdivision in East Asia. <i>Journal of Biogeography</i> , 2017, 44, 2082-2095. | 1.4 | 35 |
| 6390 | Parasite beta diversity, host beta diversity and environment: application of two approaches to reveal patterns of flea species turnover in Mongolia. <i>Journal of Biogeography</i> , 2017, 44, 1880-1890. | 1.4 | 31 |
| 6391 | A 2000-year history of disturbance and recovery at a sacred site in Peru's northeastern cloud forest. <i>Holocene</i> , 2017, 27, 1707-1719. | 0.9 | 16 |
| 6392 | Testing the role of ancient and contemporary landscapes on structuring genetic variation in a specialist grasshopper. <i>Ecology and Evolution</i> , 2017, 7, 3110-3122. | 0.8 | 10 |
| 6393 | The potential global distribution of the brown marmorated stink bug, <i>Halyomorpha halys</i> , a critical threat to plant biosecurity. <i>Journal of Pest Science</i> , 2017, 90, 1033-1043. | 1.9 | 118 |
| 6394 | Climate-driven geographic distribution of the desert locust during recession periods: Subspecies niche differentiation and relative risks under scenarios of climate change. <i>Global Change Biology</i> , 2017, 23, 4739-4749. | 4.2 | 69 |
| 6395 | The Soils of Serbia. <i>World Soils Book Series</i> , 2017, , . | 0.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6396 | IUCN greatly underestimates threat levels of endemic birds in the Western Ghats. <i>Biological Conservation</i> , 2017, 210, 205-221. | 1.9 | 63 |
| 6397 | Comparison of three climatic zoning methodologies for building energy efficiency applications. <i>Energy and Buildings</i> , 2017, 146, 111-121. | 3.1 | 41 |
| 6398 | Tree growth-climate relationships in a forest-plot network on Mediterranean mountains. <i>Science of the Total Environment</i> , 2017, 598, 393-403. | 3.9 | 40 |
| 6399 | Characterization and genetic potential of African pearl millet named landraces conserved at the ICRISAT genebank. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2017, 15, 438-452. | 0.4 | 7 |
| 6400 | Adaptation to a latitudinal thermal gradient within a widespread copepod species: the contributions of genetic divergence and phenotypic plasticity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20170236. | 1.2 | 73 |
| 6401 | Global correlates of extinction risk in freshwater crayfish. <i>Animal Conservation</i> , 2017, 20, 532-542. | 1.5 | 31 |
| 6402 | Ecotypic differentiation under farmers' selection: Molecular insights into the domestication of <i>Pachyrhizus</i> Rich. ex DC. (Fabaceae) in the Peruvian Andes. <i>Evolutionary Applications</i> , 2017, 10, 498-513. | 1.5 | 8 |
| 6403 | Delimiting the Geographic Distribution of <i>Lygophis anomalus</i> (Günther, 1858) (Squamata, Dipsadidae) from Natural History and Ecological Niche Modeling. <i>South American Journal of Herpetology</i> , 2017, 12, 24. | 0.5 | 1 |
| 6404 | Web and Wireless Geographical Information Systems. <i>Lecture Notes in Computer Science</i> , 2017, , , | 1.0 | 0 |
| 6405 | A New Global Land-Use and Land-Cover Change Product at a 1-km Resolution for 2010 to 2100 Based on Human-Environment Interactions. <i>Annals of the American Association of Geographers</i> , 2017, 107, 1040-1059. | 1.5 | 206 |
| 6406 | Species richness and taxonomic distinctness of lake macrophytes along environmental gradients in two continents. <i>Freshwater Biology</i> , 2017, 62, 1194-1206. | 1.2 | 19 |
| 6407 | Species traits as predictors of range shifts under contemporary climate change: A review and meta-analysis. <i>Global Change Biology</i> , 2017, 23, 4094-4105. | 4.2 | 215 |
| 6408 | Integrative inference of population history in the Ibero-Maghrebian endemic <i>Pleurodeles waltl</i> (Salamandridae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 112, 122-137. | 1.2 | 38 |
| 6409 | A spatially explicit definition of conservation priorities according to population resistance and resilience, species importance and level of threat in a changing climate. <i>Diversity and Distributions</i> , 2017, 23, 727-738. | 1.9 | 48 |
| 6410 | Characterizing opportunistic breeding at a continental scale using all available sources of phenological data: An assessment of 337 species across the Australian continent. <i>Auk</i> , 2017, 134, 509-519. | 0.7 | 30 |
| 6411 | Meadows species composition, biodiversity and forage value in an Alpine district: Relationships with environmental and dairy farm management variables. <i>Agriculture, Ecosystems and Environment</i> , 2017, 244, 14-21. | 2.5 | 20 |
| 6412 | Ecological impacts of atmospheric pollution and interactions with climate change in terrestrial ecosystems of the Mediterranean Basin: Current research and future directions. <i>Environmental Pollution</i> , 2017, 227, 194-206. | 3.7 | 98 |
| 6413 | Designating conservation priorities for Southeast European hoverflies (Diptera: Syrphidae) based on species distribution models and species vulnerability. <i>Insect Conservation and Diversity</i> , 2017, 10, 354-366. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6414 | A quantitative synthesis of the importance of variables used in MaxEnt species distribution models. <i>Journal of Biogeography</i> , 2017, 44, 1344-1361. | 1.4 | 232 |
| 6415 | Measures of biologically relevant environmental heterogeneity improve prediction of regional plant species richness. <i>Journal of Biogeography</i> , 2017, 44, 579-591. | 1.4 | 29 |
| 6416 | Gecko phylogeography in the Western Indian Ocean region: the oldest clade of <i>Ebenavia inunguis</i> lives on the youngest island. <i>Journal of Biogeography</i> , 2017, 44, 409-420. | 1.4 | 26 |
| 6417 | Unexpected hybridization patterns in Near Eastern terrapins (<i>Mauremys caspica</i> , <i>M. M.</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> 401-413. | 0.7 | 13 |
| 6418 | Climate modulates the magnitude of the effects of flow regulation on leaf-litter decomposition. <i>Aquatic Sciences</i> , 2017, 79, 507-514. | 0.6 | 6 |
| 6419 | Mayfly bioindicator thresholds for several anthropogenic disturbances in neotropical savanna streams. <i>Ecological Indicators</i> , 2017, 74, 276-284. | 2.6 | 46 |
| 6420 | Terrestrial climate evolution in the Southwest Pacific over the past 30 million years. <i>Earth and Planetary Science Letters</i> , 2017, 459, 136-144. | 1.8 | 27 |
| 6421 | Distributional shifts “not geographic isolation” as a probable driver of montane species divergence. <i>Ecography</i> , 2017, 40, 1475-1485. | 2.1 | 47 |
| 6422 | Evolutionary processes and its environmental correlates in the cranial morphology of western chipmunks (<i>Tamias</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 595-609. | 1.1 | 11 |
| 6423 | <i>Siderasis albofasciata</i> sp. nov. (Commelinaceae), endemic to the state of Espírito Santo, Brazil, and the typification of <i>S. fuscata</i> . <i>Nordic Journal of Botany</i> , 2017, 35, 29-37. | 0.2 | 2 |
| 6424 | Spatial pattern of grassland aboveground biomass and its environmental controls in the Eurasian steppe. <i>Journal of Chinese Geography</i> , 2017, 27, 3-22. | 1.5 | 36 |
| 6425 | Developing and testing a global-scale regression model to quantify mean annual streamflow. <i>Journal of Hydrology</i> , 2017, 544, 479-487. | 2.3 | 19 |
| 6426 | The evolutionary and clinical implications of the uneven distribution of the frequency of the inherited haemoglobin variants over short geographical distances. <i>British Journal of Haematology</i> , 2017, 176, 475-484. | 1.2 | 25 |
| 6427 | Reexamining <i>Phylloscopus trochiloides</i> complex as a ring species: a refugial counterhypothesis. <i>Journal of Avian Biology</i> , 2017, 48, 1608-1613. | 0.6 | 7 |
| 6428 | A Late Pleistocene Guloninae (Carnivora, Mustelidae) from South America (Argentina, Entre R os) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> | 0.6 | 6 |
| 6429 | Hosts, parasites and their interactions respond to different climatic variables. <i>Global Ecology and Biogeography</i> , 2017, 26, 942-951. | 2.7 | 62 |
| 6430 | Local and geographical factors jointly drive elevational patterns in three microbial groups across subarctic ponds. <i>Global Ecology and Biogeography</i> , 2017, 26, 973-982. | 2.7 | 34 |
| 6431 | Multi-faceted land cover and land use change analyses in the Yellow River Basin based on dense Landsat time series: Exemplary analysis in mining, agriculture, forest, and urban areas. <i>Applied Geography</i> , 2017, 85, 73-88. | 1.7 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6432 | Diversity, endemism, and composition of tropical mountain forest communities in Sulawesi, Indonesia, in relation to elevation and soil properties. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2017, 27, 68-79. | 1.1 | 21 |
| 6433 | Deglaciation of the Eurasian ice sheet complex. <i>Quaternary Science Reviews</i> , 2017, 169, 148-172. | 1.4 | 253 |
| 6434 | Invasive <i>Syzygium jambos</i> trees in Puerto Rico: no refuge from guava rust. <i>Journal of Tropical Ecology</i> , 2017, 33, 205-212. | 0.5 | 7 |
| 6435 | Future geographic patterns of novel and disappearing assemblages across three dimensions of diversity: A case study with Ecuadorian hummingbirds. <i>Diversity and Distributions</i> , 2017, 23, 944-954. | 1.9 | 16 |
| 6436 | Hierarchical bioclimate zonation to reference climate change across scales and its implications for nature conservation planning. <i>Applied Geography</i> , 2017, 85, 126-138. | 1.7 | 6 |
| 6437 | Factors restricting the range expansion of the invasive green anole <i>Anolis carolinensis</i> on Okinawa Island, Japan. <i>Ecology and Evolution</i> , 2017, 7, 4357-4366. | 0.8 | 16 |
| 6438 | Planning for conservation and restoration under climate and land use change in the Brazilian Atlantic Forest. <i>Diversity and Distributions</i> , 2017, 23, 955-966. | 1.9 | 79 |
| 6439 | Sex-dependent implications of primary productivity and conspecific density on geographical body size variation in a newt: disentangling local, large scale and genetic factors. <i>Journal of Biogeography</i> , 2017, 44, 2096-2108. | 1.4 | 5 |
| 6440 | Lazarus ecology: Recovering the distribution and migratory patterns of the extinct Carolina parakeet. <i>Ecology and Evolution</i> , 2017, 7, 5467-5475. | 0.8 | 20 |
| 6441 | Resilience potential of the Ethiopian coffee sector under climate change. <i>Nature Plants</i> , 2017, 3, 17081. | 4.7 | 145 |
| 6442 | Locomotor performances reflect habitat constraints in an armoured species. <i>Behavioral Ecology and Sociobiology</i> , 2017, 71, 1. | 0.6 | 7 |
| 6443 | Evaluation of present-day rainfall simulations over West Africa in CORDEX regional climate models. <i>Environmental Earth Sciences</i> , 2017, 76, 1. | 1.3 | 28 |
| 6444 | The future distribution of river fish: The complex interplay of climate and land use changes, species dispersal and movement barriers. <i>Global Change Biology</i> , 2017, 23, 4970-4986. | 4.2 | 79 |
| 6445 | Conducting robust ecological analyses with climate data. <i>Oikos</i> , 2017, 126, 1533-1541. | 1.2 | 34 |
| 6446 | Species-specific ecological niche modelling predicts different range contractions for <i>Lutzomyia intermedia</i> and a related vector of <i>Leishmania braziliensis</i> following climate change in South America. <i>Parasites and Vectors</i> , 2017, 10, 157. | 1.0 | 24 |
| 6447 | Status of birds of prey in Guinea-Bissau: first assessment based on road surveys. <i>Ostrich</i> , 2017, 88, 101-111. | 0.4 | 11 |
| 6448 | Fuzzy logic approach to explore climatic limitation on corn production in the Philippines. <i>Spatial Information Research</i> , 2017, 25, 421-429. | 1.3 | 7 |
| 6449 | The environmental envelope of fires in the Colombian Caribbean. <i>Applied Geography</i> , 2017, 84, 42-54. | 1.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6450 | Soil organic carbon stocks in Santa Cruz Island, Galapagos, under different climate change scenarios. <i>Catena</i> , 2017, 156, 74-81. | 2.2 | 28 |
| 6451 | Functional types in the Bromeliaceae: relationships with drought resistance traits and bioclimatic distributions. <i>Functional Ecology</i> , 2017, 31, 1868-1880. | 1.7 | 23 |
| 6452 | Plant Diversity in the Central Great Caucasus: A Quantitative Assessment. <i>Geobotany Studies</i> , 2017, , . | 0.2 | 10 |
| 6453 | Complex phylogeographic patterns indicate Central American origin of two widespread Mesoamerican <i>Quercus</i> (Fagaceae) species. <i>Tree Genetics and Genomes</i> , 2017, 13, 1. | 0.6 | 15 |
| 6454 | Urbanization, climate and ecological stress indicators in an endemic nectarivore, the Cape Sugarbird. <i>Journal of Ornithology</i> , 2017, 158, 1013-1024. | 0.5 | 8 |
| 6455 | Narrow endemics in Mediterranean scrublands: high gene flow buffers genetic impoverishment in the annual monospecific <i>Castrilanthemum</i> (Asteraceae). <i>Biodiversity and Conservation</i> , 2017, 26, 2607-2626. | 1.2 | 4 |
| 6456 | Species climatic niche explains drought-induced die-off in a Mediterranean woody community. <i>Ecosphere</i> , 2017, 8, e01833. | 1.0 | 22 |
| 6457 | Environmental drivers of subalpine and alpine fen vegetation in the Southern Rocky Mountains, Colorado, USA. <i>Plant Ecology</i> , 2017, 218, 885-898. | 0.7 | 5 |
| 6458 | A new model for ancient DNA decay based on paleogenomic meta-analysis. <i>Nucleic Acids Research</i> , 2017, 45, 6310-6320. | 6.5 | 168 |
| 6459 | Thermal barriers constrain microbial elevational range size via climate variability. <i>Environmental Microbiology</i> , 2017, 19, 3283-3296. | 1.8 | 12 |
| 6460 | Testing monsoonal controls on bedrock river incision in the Himalaya and Eastern Tibet with a stochastic threshold stream power model. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 1389-1429. | 1.0 | 54 |
| 6461 | Assessing vulnerability of giant pandas to climate change in the Qinling Mountains of China. <i>Ecology and Evolution</i> , 2017, 7, 4003-4015. | 0.8 | 29 |
| 6462 | A hybrid machine learning model to predict and visualize nitrate concentration throughout the Central Valley aquifer, California, USA. <i>Science of the Total Environment</i> , 2017, 601-602, 1160-1172. | 3.9 | 124 |
| 6463 | MERRAclim, a high-resolution global dataset of remotely sensed bioclimatic variables for ecological modelling. <i>Scientific Data</i> , 2017, 4, 170078. | 2.4 | 106 |
| 6464 | Geographical variation in the evolutionary diversity of tree communities across southern South America. <i>Journal of Biogeography</i> , 2017, 44, 2365-2375. | 1.4 | 32 |
| 6465 | Genomic phylogeography of the endemic Mountain Black-eye of Borneo (<i>Chlorocharis emiliae</i>): montane and lowland populations differ in patterns of Pleistocene diversification. <i>Journal of Biogeography</i> , 2017, 44, 2272-2283. | 1.4 | 16 |
| 6466 | Connecting genomic patterns of local adaptation and niche suitability in teosintes. <i>Molecular Ecology</i> , 2017, 26, 4226-4240. | 2.0 | 50 |
| 6467 | The role of macroinvertebrates for conservation of freshwater systems. <i>Ecology and Evolution</i> , 2017, 7, 5502-5513. | 0.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6468 | Protecting a managed bee pollinator against climate change: strategies for an area with extreme climatic conditions and socioeconomic vulnerability. <i>Apidologie</i> , 2017, 48, 784-794. | 0.9 | 32 |
| 6470 | Reconciling morphological and molecular systematics in tarantulas (Araneae: Theraphosidae): revision of the Mexican endemic genus <i>Bonnetina</i> . <i>Zoological Journal of the Linnean Society</i> , 2017, 180, 819-886. | 1.0 | 19 |
| 6471 | Mandible size and shape in extant Ursidae (Carnivora, Mammalia): A tool for taxonomy and ecogeography. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 269-287. | 0.6 | 13 |
| 6472 | Avian egg shape: Form, function, and evolution. <i>Science</i> , 2017, 356, 1249-1254. | 6.0 | 166 |
| 6473 | Downscaling annual precipitation with <scp>TMPA</scp> and land surface characteristics in China. <i>International Journal of Climatology</i> , 2017, 37, 5107-5119. | 1.5 | 41 |
| 6474 | Mapping key soil properties to support agricultural production in Eastern China. <i>Geoderma Regional</i> , 2017, 10, 144-153. | 0.9 | 66 |
| 6475 | Global rainfall erosivity assessment based on high-temporal resolution rainfall records. <i>Scientific Reports</i> , 2017, 7, 4175. | 1.6 | 348 |
| 6476 | Predicting the spectral information of future land cover using machine learning. <i>International Journal of Remote Sensing</i> , 2017, 38, 5592-5607. | 1.3 | 19 |
| 6477 | Contrasting fundamental and realized niches: two fishes with similar thermal performance curves occupy different thermal habitats. <i>Freshwater Science</i> , 2017, 36, 635-652. | 0.9 | 18 |
| 6478 | Extreme and complex variation in range-wide abundances across a threatened Neotropical bird community. <i>Diversity and Distributions</i> , 2017, 23, 910-921. | 1.9 | 6 |
| 6479 | Dispersal corridors for plant species in the Poyang Lake Basin of southeast China identified by integration of phylogeographic and geospatial data. <i>Ecology and Evolution</i> , 2017, 7, 5140-5148. | 0.8 | 16 |
| 6480 | Molecular genetic analysis of two native desert palm genera, <i>Washingtonia</i> and <i>Brahea</i> , from the Baja California Peninsula and Guadalupe Island. <i>Ecology and Evolution</i> , 2017, 7, 4919-4935. | 0.8 | 22 |
| 6481 | Distribution and habitat of endangered American burying beetle in northern and southern regions. <i>Journal of Insect Conservation</i> , 2017, 21, 75-86. | 0.8 | 7 |
| 6482 | Environmental heterogeneity promotes floristic turnover in temperate forests of south-eastern Australia more than dispersal limitation and disturbance. <i>Landscape Ecology</i> , 2017, 32, 1613-1629. | 1.9 | 32 |
| 6483 | Why input matters: Selection of climate data sets for modelling the potential distribution of a treeline species in the Himalayan region. <i>Ecological Modelling</i> , 2017, 359, 92-102. | 1.2 | 58 |
| 6484 | Sustainable recommendation domains for scaling agricultural technologies in Tanzania. <i>Land Use Policy</i> , 2017, 66, 34-48. | 2.5 | 22 |
| 6485 | Spatio-temporal topsoil organic carbon mapping of a semi-arid Mediterranean region: The role of land use, soil texture, topographic indices and the influence of remote sensing data to modelling. <i>Science of the Total Environment</i> , 2017, 601-602, 821-832. | 3.9 | 122 |
| 6486 | Glacial survival of trophically linked boreal species in northern Europe. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162799. | 1.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6487 | Spatial, seasonal and climatic predictive models of Rift Valley fever disease across Africa. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017, 372, 20160165. | 1.8 | 46 |
| 6488 | Dissecting a biodiversity hotspot: The importance of environmentally marginal habitats in the Atlantic Forest Domain of South America. <i>Diversity and Distributions</i> , 2017, 23, 898-909. | 1.9 | 99 |
| 6489 | Commonality in traits and hierarchical structure of vertebrate establishment success. <i>Diversity and Distributions</i> , 2017, 23, 854-862. | 1.9 | 6 |
| 6490 | Transgenerational effects of mild heat in <i>Arabidopsis thaliana</i> show strong genotype specificity that is explained by climate at origin. <i>New Phytologist</i> , 2017, 215, 1221-1234. | 3.5 | 48 |
| 6491 | A 50,000-year insect record from Rancho La Brea, Southern California: Insights into past climate and fossil deposition. <i>Quaternary Science Reviews</i> , 2017, 168, 123-136. | 1.4 | 14 |
| 6492 | Eocene paleobotanical altimetry of Victoria's Eastern Uplands. <i>Australian Journal of Earth Sciences</i> , 2017, 64, 625-637. | 0.4 | 14 |
| 6493 | Environmental constraints on the compositional and phylogenetic beta-diversity of tropical forest snake assemblages. <i>Journal of Animal Ecology</i> , 2017, 86, 1192-1204. | 1.3 | 12 |
| 6494 | Exploiting the high-resolution JRC-MARS European climatic dataset for pest risk mapping. <i>EPPO Bulletin</i> , 2017, 47, 246-254. | 0.6 | 5 |
| 6495 | Do consensus models outperform individual models? Transferability evaluations of diverse modeling approaches for an invasive moth. <i>Biological Invasions</i> , 2017, 19, 2519-2532. | 1.2 | 55 |
| 6496 | Effect of shrub encroachment on vegetation communities in Brazilian forest-grassland mosaics. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 52-55. | 1.0 | 17 |
| 6497 | Horizontal and vertical species turnover in tropical birds in habitats with differing land use. <i>Biology Letters</i> , 2017, 13, 20170186. | 1.0 | 15 |
| 6498 | Intraspecific variation in traits reduces ability of trait-based models to predict community structure. <i>Journal of Vegetation Science</i> , 2017, 28, 1070-1081. | 1.1 | 27 |
| 6499 | Mediterranean land systems: Representing diversity and intensity of complex land systems in a dynamic region. <i>Landscape and Urban Planning</i> , 2017, 165, 102-116. | 3.4 | 75 |
| 6500 | Natural allelic variation of FRO2 modulates <i>Arabidopsis</i> root growth under iron deficiency. <i>Nature Communications</i> , 2017, 8, 15603. | 5.8 | 73 |
| 6501 | Fire and plant diversity at the global scale. <i>Global Ecology and Biogeography</i> , 2017, 26, 889-897. | 2.7 | 95 |
| 6502 | Do plant populations on distinct inselbergs talk to each other? A case study of genetic connectivity of a bromeliad species in an Ocbil landscape. <i>Ecology and Evolution</i> , 2017, 7, 4704-4716. | 0.8 | 35 |
| 6503 | Modelling spatially distributed soil losses and sediment yield in the upper Grande River Basin - Brazil. <i>Catena</i> , 2017, 157, 139-150. | 2.2 | 50 |
| 6504 | Crop wild relatives range shifts and conservation in Europe under climate change. <i>Diversity and Distributions</i> , 2017, 23, 739-750. | 1.9 | 60 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6505 | Implications and alternatives of assigning climate data to geographical centroids. <i>Journal of Biogeography</i> , 2017, 44, 2188-2198. | 1.4 | 46 |
| 6506 | Habitat and spatial thinning improve the Maxent models performed with incomplete data. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 1359-1370. | 1.3 | 19 |
| 6507 | Ecological niche model comparison under different climate scenarios: a case study of <i>Olea</i> spp. in Asia. <i>Ecosphere</i> , 2017, 8, e01825. | 1.0 | 63 |
| 6508 | Modelling imperfect presence data obtained by citizen science. <i>Environmetrics</i> , 2017, 28, e2446. | 0.6 | 19 |
| 6509 | A high resolution shapefile of the Andean biogeographical region. <i>Data in Brief</i> , 2017, 13, 230-232. | 0.5 | 18 |
| 6510 | Where to release birds seized from illegal traffic? The value of vocal analyses and ecological niche modeling. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 91-101. | 1.0 | 9 |
| 6511 | Multilocus phylogeny of East African gerbils (<i>Rodentia</i> , <i>Gerbilliscus</i>) illuminates the history of the Somali-Masai savanna. <i>Journal of Biogeography</i> , 2017, 44, 2295-2307. | 1.4 | 33 |
| 6512 | The giant cryptic amphipod species of the subterranean genus <i>Niphargus</i> (Crustacea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> | 0.7 | 32 |
| 6513 | Colonial Legacy of Gender Inequality: Christian Missionaries in German East Africa. <i>Politics and Society</i> , 2017, 45, 225-268. | 1.5 | 24 |
| 6514 | Avocado sunblotch viroid: Pest risk and potential impact in Mexico. <i>Crop Protection</i> , 2017, 99, 118-127. | 1.0 | 14 |
| 6515 | Deriving vulnerability indicators for crop production regions in Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 54, 012005. | 0.2 | 0 |
| 6516 | Environmental correlates of phylogenetic endemism in amphibians and the conservation of refugia in the Coastal Forests of Eastern Africa. <i>Diversity and Distributions</i> , 2017, 23, 875-887. | 1.9 | 24 |
| 6517 | Optimal climate for large trees at high elevations drives patterns of biomass in remote forests of Papua New Guinea. <i>Global Change Biology</i> , 2017, 23, 4873-4883. | 4.2 | 33 |
| 6518 | Intraindividual variation in light-related functional traits: magnitude and structure of leaf trait variability across global scales in <i>Olea europaea</i> trees. <i>Trees - Structure and Function</i> , 2017, 31, 1505-1517. | 0.9 | 15 |
| 6519 | A tree species range in the face of climate change: cork oak as a study case for the Mediterranean biome. <i>European Journal of Forest Research</i> , 2017, 136, 555-569. | 1.1 | 38 |
| 6520 | A data-driven approach to assess large fire size generation in Greece. <i>Natural Hazards</i> , 2017, 88, 1591-1607. | 1.6 | 16 |
| 6521 | Climate Analyses to Assess Risks from Invasive Forest Insects: Simple Matching to Advanced Models. <i>Current Forestry Reports</i> , 2017, 3, 255-268. | 3.4 | 34 |
| 6522 | Insectivorous birds as "non-traditional" flagship species in vineyards: Applying a neglected conservation paradigm to agricultural systems. <i>Ecological Indicators</i> , 2017, 80, 275-285. | 2.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6523 | Modelling the diversion of erratic boulders by the Valais Glacier during the last glacial maximum. <i>Journal of Glaciology</i> , 2017, 63, 487-498. | 1.1 | 24 |
| 6524 | Will climate change increase hybridization risk between potential plant invaders and their congeners in Europe?. <i>Diversity and Distributions</i> , 2017, 23, 934-943. | 1.9 | 19 |
| 6525 | Pollen-inferred millennial changes in landscape patterns at a major biogeographical interface within Europe. <i>Journal of Biogeography</i> , 2017, 44, 2386-2397. | 1.4 | 49 |
| 6526 | Human-induced changes in the distribution of rainfall. <i>Science Advances</i> , 2017, 3, e1600871. | 4.7 | 88 |
| 6527 | Tracing a toad invasion: lack of mitochondrial DNA variation, haplotype origins, and potential distribution of introduced <i>Duttaphrynus melanostictus</i> in Madagascar. <i>Amphibia - Reptilia</i> , 2017, 38, 197-207. | 0.1 | 18 |
| 6528 | Applying community ecological theory to maximize productivity of cultivated biocrusts. <i>Ecological Applications</i> , 2017, 27, 1958-1969. | 1.8 | 20 |
| 6529 | Oceanic temperate forest versus warm temperate rainforest: a reply to Grubb et al. (2017). <i>New Zealand Journal of Botany</i> , 2017, 55, 378-385. | 0.8 | 3 |
| 6530 | Using data from related species to overcome spatial sampling bias and associated limitations in ecological niche modelling. <i>Methods in Ecology and Evolution</i> , 2017, 8, 1804-1812. | 2.2 | 40 |
| 6531 | Restoring the species status of <i>Catharus maculatus</i> (Aves: Turdidae), a secretive Andean thrush, with a critique of the yardstick approach to species delimitation. <i>Zootaxa</i> , 2017, 4276, . | 0.2 | 11 |
| 6532 | Conservation effectiveness of protected areas for Hong Kong butterflies declines under climate change. <i>Journal of Insect Conservation</i> , 2017, 21, 599-606. | 0.8 | 11 |
| 6533 | Modeling groundwater recharge through rainfall in the Far-North region of Cameroon. <i>Groundwater for Sustainable Development</i> , 2017, 5, 118-130. | 2.3 | 13 |
| 6534 | Climate and patterns of body size variation in the European pond turtle, <i>Emys orbicularis</i> . <i>Biological Journal of the Linnean Society</i> , 2017, 122, 351-365. | 0.7 | 9 |
| 6535 | Phenotypic variation in arid and semi-arid zones of southern South America: the case of <i>Senna</i> series <i>Aphyllae</i> (Fabaceae, Caesalpinioideae). <i>Botanical Journal of the Linnean Society</i> , 2017, 183, 454-473. | 0.8 | 10 |
| 6536 | Less favourable climates constrain demographic strategies in plants. <i>Ecology Letters</i> , 2017, 20, 969-980. | 3.0 | 83 |
| 6537 | Circular linkages between soil biodiversity, fertility and plant productivity are limited to topsoil at the continental scale. <i>New Phytologist</i> , 2017, 215, 1186-1196. | 3.5 | 103 |
| 6538 | Decoupled leaf and root carbon economics is a key component in the ecological diversity and evolutionary divergence of deciduous and evergreen lineages of genus <i>Rhododendron</i> . <i>American Journal of Botany</i> , 2017, 104, 803-816. | 0.8 | 27 |
| 6539 | An Expanding Hybrid Zone between Black-Headed and Red-Headed Buntings in Northern Iran. <i>Ardea</i> , 2017, 105, 27-36. | 0.3 | 2 |
| 6540 | Geographic distribution of phylogenetic species of the <i>Fusarium graminearum</i> species complex and their 8-ketotrichothecene chemotypes on wheat spikes in Iran. <i>Mycotoxin Research</i> , 2017, 33, 245-259. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6541 | Mapping regional risks from climate change for rainfed rice cultivation in India. <i>Agricultural Systems</i> , 2017, 156, 76-84. | 3.2 | 42 |
| 6542 | The Near East as a cradle of biodiversity: A phylogeography of banded newts (genus <i>Ommatotriton</i>) reveals extensive inter- and intraspecific genetic differentiation. <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 73-81. | 1.2 | 37 |
| 6543 | Assessing the anticipated growth response of northern conifer populations to a warming climate. <i>Scientific Reports</i> , 2017, 7, 43881. | 1.6 | 61 |
| 6544 | Modelling the susceptibility of pine stands to bark stripping by Chacma baboons (<i>Papio ursinus</i>) in the Mpumalanga Province of South Africa. <i>Wildlife Research</i> , 2017, 44, 298. | 0.7 | 9 |
| 6545 | Stacked species distribution and macroecological models provide incongruent predictions of species richness for Drosophilidae in the Brazilian savanna. <i>Insect Conservation and Diversity</i> , 2017, 10, 415-424. | 1.4 | 13 |
| 6546 | Clock-dated phylogeny for 48% of the 700 species of <i>Crotalaria</i> (Fabaceae "Papilionoideae) resolves sections worldwide and implies conserved flower and leaf traits throughout its pantropical range. <i>BMC Evolutionary Biology</i> , 2017, 17, 61. | 3.2 | 8 |
| 6547 | Adaptive differentiation coincides with local bioclimatic conditions along an elevational cline in populations of a lichen-forming fungus. <i>BMC Evolutionary Biology</i> , 2017, 17, 93. | 3.2 | 39 |
| 6548 | Calibration of hydroclimate proxies in freshwater bivalve shells from Central and West Africa. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 208, 41-62. | 1.6 | 32 |
| 6549 | Digital soil mapping across the globe. <i>Geoderma Regional</i> , 2017, 9, 1-4. | 0.9 | 79 |
| 6550 | Digital soil mapping of sand content in arid western India through geostatistical approaches. <i>Geoderma Regional</i> , 2017, 9, 56-72. | 0.9 | 32 |
| 6551 | The niche and phylogeography of a passerine reveal the history of biological diversification between the Andean and the Atlantic forests. <i>Molecular Phylogenetics and Evolution</i> , 2017, 112, 107-121. | 1.2 | 39 |
| 6552 | Palaeodistribution of epiphytic bromeliads points to past connections between the Atlantic and Amazon forests. <i>Botanical Journal of the Linnean Society</i> , 2017, 183, 348-359. | 0.8 | 13 |
| 6553 | Genomic patterns of diversity and divergence of two introduced salmonid species in Patagonia, South America. <i>Evolutionary Applications</i> , 2017, 10, 402-416. | 1.5 | 17 |
| 6554 | Ensemble forecasting of <i>Corbicula fluminea</i> worldwide distribution: Projections of the impact of climate change. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017, 27, 675-684. | 0.9 | 59 |
| 6555 | Reproductive traits associated with species turnover of amphibians in Amazonia and its Andean slopes. <i>Ecology and Evolution</i> , 2017, 7, 2489-2500. | 0.8 | 11 |
| 6556 | Depth profiles of soil carbon isotopes along a semi-arid grassland transect in northern China. <i>Plant and Soil</i> , 2017, 417, 43-52. | 1.8 | 31 |
| 6557 | Forecasting ecosystem responses to climate change across Africa's Albertine Rift. <i>Biological Conservation</i> , 2017, 209, 464-472. | 1.9 | 31 |
| 6558 | Habitat connectivity and dispersal ability drive the assembly mechanisms of macroinvertebrate communities in river networks. <i>Freshwater Biology</i> , 2017, 62, 1073-1082. | 1.2 | 86 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6559 | Hiding in a Cool Climatic Niche in the Tropics? An Assessment of the Ecological Biogeography of Hairy Long-Nosed Armadillos (<i>Dasyopus pilosus</i>). Tropical Conservation Science, 2017, 10, 194008291769724. | 0.6 | 3 |
| 6560 | Analysis of rainfall trend and variability for agricultural water management in Awash River Basin, Ethiopia. Journal of Water and Climate Change, 2017, 8, 127-141. | 1.2 | 50 |
| 6561 | Consistently inconsistent drivers of microbial diversity and abundance at macroecological scales. Ecology, 2017, 98, 1757-1763. | 1.5 | 119 |
| 6562 | Challenges in the delimitation of morphologically similar species: a case study of <i>Tuber brumale</i> agg. (Ascomycota, Pezizales). Mycological Progress, 2017, 16, 613-624. | 0.5 | 11 |
| 6563 | A method for evaluating raster data layers according to landscape classification scale. Ecological Informatics, 2017, 39, 45-55. | 2.3 | 5 |
| 6564 | Improving transferability strategies for debris flow susceptibility assessment: Application to the Saponara and Itala catchments (Messina, Italy). Geomorphology, 2017, 288, 52-65. | 1.1 | 78 |
| 6565 | Biodiversity, distribution, and conservation status of Pinaceae in Puebla, Mexico. Revista Mexicana De Biodiversidad, 2017, 88, 215-223. | 0.4 | 14 |
| 6566 | Landscape genomic insights into the historic migration of mountain hemlock in response to Holocene climate change. American Journal of Botany, 2017, 104, 439-450. | 0.8 | 24 |
| 6567 | Climate change will seriously impact bird species dwelling above the treeline: A prospective study for the Italian Alps. Science of the Total Environment, 2017, 590-591, 686-694. | 3.9 | 15 |
| 6568 | Modelling the spatial variability of wildfire susceptibility in Honduras using remote sensing and geographical information systems. Geomatics, Natural Hazards and Risk, 2017, 8, 876-892. | 2.0 | 40 |
| 6569 | Aquarium molluscs as a case study in risk assessment of incidental freshwater fauna. Biological Invasions, 2017, 19, 2039-2046. | 1.2 | 49 |
| 6570 | Associations of water balance and thermal sensitivity of toads with macroclimatic characteristics of geographical distribution. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2017, 208, 54-60. | 0.8 | 25 |
| 6571 | Variability on morphological and ecological seed traits of <i>Limonium avei</i> (<i>Limonium</i> sp.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 Species Biology, 2017, 32, 368-379. | 0.6 | 12 |
| 6572 | Terrestrial support of lake food webs: Synthesis reveals controls over cross-ecosystem resource use. Science Advances, 2017, 3, e1601765. | 4.7 | 92 |
| 6573 | Accounting for sampling patterns reverses the relative importance of trade and climate for the global sharing of exotic plants. Global Ecology and Biogeography, 2017, 26, 669-678. | 2.7 | 8 |
| 6574 | Decreasing desired opportunity for energy supply of a globally acclaimed biofuel crop in a changing climate. Renewable and Sustainable Energy Reviews, 2017, 76, 857-864. | 8.2 | 4 |
| 6575 | Genetic characterization of spotted fever group rickettsiae in questing ixodid ticks collected in Israel and environmental risk factors for their infection. Parasitology, 2017, 144, 1088-1101. | 0.7 | 10 |
| 6576 | Ecological niche differentiation across a wolf-coyote hybrid zone in eastern North America. Diversity and Distributions, 2017, 23, 529-539. | 1.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6577 | Production, Property, and the Construction of Remotely Sensed Data. <i>Annals of the American Association of Geographers</i> , 2017, 107, 1075-1089. | 1.5 | 10 |
| 6578 | Aridity drove the evolution of extreme embolism resistance and the radiation of <i>Callitris</i> genus. <i>New Phytologist</i> , 2017, 215, 97-112. | 3.5 | 132 |
| 6579 | Description of the male of <i>Phoebe ornator</i> (Tippmann, 1960) (Coleoptera: Cerambycidae: Lamiinae: Tj ETQq0 0 0 rgBT /Overlock 1 dimorphism in Hemilophini. <i>Zootaxa</i> , 2017, 4250, 337. | 0.2 | 2 |
| 6580 | Ecosystem of Caspian Sea threatened by pet-traded non-indigenous crayfish. <i>Biological Invasions</i> , 2017, 19, 2207-2217. | 1.2 | 32 |
| 6581 | First cosmogenic geochronology from the Lesser Caucasus: Late Pleistocene glaciation and rock glacier development in the KarÅsal Valley, NE Turkey. <i>Quaternary Science Reviews</i> , 2017, 164, 54-67. | 1.4 | 37 |
| 6582 | Potential distribution of the endemic imbricate alligator lizard (<i>Barisia imbricata imbricata</i>) in highlands of central Mexico. <i>Amphibia - Reptilia</i> , 2017, 38, 225-231. | 0.1 | 17 |
| 6583 | Landfire hazard assessment in the Caspian Hyrcanian forest ecoregion with the long-term MODIS active fire data. <i>Natural Hazards</i> , 2017, 87, 1807-1825. | 1.6 | 19 |
| 6584 | The eastern part of the Fertile Crescent concealed an unexpected route of olive (<i>Olea europaea</i> L.) differentiation. <i>Annals of Botany</i> , 2017, 119, 1305-1318. | 1.4 | 57 |
| 6585 | Genetic diversity and Quaternary range dynamics in Iranian and Transcaucasian tortoises. <i>Biological Journal of the Linnean Society</i> , 2017, 121, 627-640. | 0.7 | 10 |
| 6586 | Ecological, floristic and functional analysis of zonal forest vegetation in Bosnia and Herzegovina. <i>Acta Botanica Croatica</i> , 2017, 76, 15-26. | 0.3 | 4 |
| 6587 | Air temperature estimation with MODIS data over the Northern Tibetan Plateau. <i>Advances in Atmospheric Sciences</i> , 2017, 34, 650-662. | 1.9 | 18 |
| 6588 | Present and future distribution of three aquatic plants taxa across the world: decrease in native and increase in invasive ranges. <i>Biological Invasions</i> , 2017, 19, 2159-2170. | 1.2 | 93 |
| 6589 | Using citizen science data to estimate climatic niches and species distributions. <i>Basic and Applied Ecology</i> , 2017, 20, 75-85. | 1.2 | 50 |
| 6590 | Shifting baseline in macroecology? Unravelling the influence of human impact on mammalian body mass. <i>Diversity and Distributions</i> , 2017, 23, 640-649. | 1.9 | 37 |
| 6591 | Comparative population genetics of two dominant plant species of high Andean wetlands reveals complex evolutionary histories and conservation perspectives in Chile's Norte Chico. <i>Conservation Genetics</i> , 2017, 18, 1047-1060. | 0.8 | 6 |
| 6592 | Climate change and crop choice in Zambia: A mathematical programming approach. <i>Njas - Wageningen Journal of Life Sciences</i> , 2017, 81, 19-31. | 7.9 | 25 |
| 6593 | Estimating the benefits of plasticity in ectotherm heat tolerance under natural thermal variability. <i>Functional Ecology</i> , 2017, 31, 1529-1539. | 1.7 | 75 |
| 6594 | Hydrogen isotope fractionation of leaf wax n-alkanes in southern African soils. <i>Organic Geochemistry</i> , 2017, 109, 1-13. | 0.9 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6595 | The contribution of cold air pooling to the distribution of a rare and endemic plant of the Alps. <i>Plant Ecology and Diversity</i> , 2017, 10, 29-42. | 1.0 | 15 |
| 6596 | Predicting site productivity of the timber tree <i>Pterocarpus angolensis</i> . <i>Southern Forests</i> , 2017, 79, 259-268. | 0.2 | 3 |
| 6597 | Divergent Patterns of Selection on Crassulacean Acid Metabolism Photosynthesis in Contrasting Environments. <i>International Journal of Plant Sciences</i> , 2017, 178, 398-405. | 0.6 | 5 |
| 6598 | Mapping Spatio-Temporal Changes in Climatic Suitability of Corn in the Philippines under Future Climate Condition. <i>Quaestiones Geographicae</i> , 2017, 36, 105-120. | 0.5 | 9 |
| 6599 | Decadal temperature predictions over the continental United States: Analysis and Enhancement. <i>Climate Dynamics</i> , 2017, 49, 3587-3604. | 1.7 | 8 |
| 6600 | Towards estimates of future rainfall erosivity in Europe based on REDES and WorldClim datasets. <i>Journal of Hydrology</i> , 2017, 548, 251-262. | 2.3 | 132 |
| 6601 | A mix of community-based conservation and protected forests is needed for the survival of the Endangered pygmy hippopotamus <i>Choeropsis liberiensis</i> . <i>Oryx</i> , 2017, 51, 230-239. | 0.5 | 3 |
| 6602 | Potential effects of climate change on geographic distribution of the Tertiary relict tree species <i>Davidia involucrata</i> in China. <i>Scientific Reports</i> , 2017, 7, 43822. | 1.6 | 64 |
| 6603 | Assessing vulnerability of two Mediterranean conifers to support genetic conservation management in the face of climate change. <i>Diversity and Distributions</i> , 2017, 23, 507-516. | 1.9 | 29 |
| 6604 | Stability or breakdown under climate change? A key group of woody bamboos will find suitable areas in its richness center. <i>Biodiversity and Conservation</i> , 2017, 26, 1845-1861. | 1.2 | 7 |
| 6605 | Chasing ghosts: allopolyploid origin of <i>Oxyria sinensis</i> (Polygonaceae) from its only diploid congener and an unknown ancestor. <i>Molecular Ecology</i> , 2017, 26, 3037-3049. | 2.0 | 18 |
| 6606 | Nineteenth-century land-use legacies affect contemporary land abandonment in the Carpathians. <i>Regional Environmental Change</i> , 2017, 17, 2209-2222. | 1.4 | 27 |
| 6607 | Historical range, extirpation and prospects for reintroduction of saigas in China. <i>Scientific Reports</i> , 2017, 7, 44200. | 1.6 | 9 |
| 6608 | High levels of population differentiation in two New Caledonian <i>Scaevola</i> species (Goodeniaceae) and its implications for conservation prioritisation and restoration. <i>Australian Journal of Botany</i> , 2017, 65, 140. | 0.3 | 1 |
| 6609 | Regional Bans on Wild-Bird Trade Modify Invasion Risks at a Global Scale. <i>Conservation Letters</i> , 2017, 10, 717-725. | 2.8 | 46 |
| 6610 | An expert system model for mapping tropical wetlands and peatlands reveals South America as the largest contributor. <i>Global Change Biology</i> , 2017, 23, 3581-3599. | 4.2 | 236 |
| 6611 | Niche separation among north-west African semi-aquatic reptiles. <i>Hydrobiologia</i> , 2017, 797, 47-56. | 1.0 | 9 |
| 6612 | Effects of national forest-management regimes on unprotected forests of the Himalaya. <i>Conservation Biology</i> , 2017, 31, 1271-1282. | 2.4 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6613 | Assessing Water Use Variation Among the Cytotypes of the Autopolyploid Southwestern Desert Creosotebush (<i>Larrea tridentata</i> [DC.] COVILLE: ZYGOPHYLLACEAE). <i>Madroño</i> , 2017, 64, 32-42. | 0.3 | 2 |
| 6614 | The role of topography and the north Indian monsoon on mean monthly climate interpolation within the Himalayan Kingdom of Bhutan. <i>International Journal of Climatology</i> , 2017, 37, 897-909. | 1.5 | 7 |
| 6615 | Predictive modeling for allopatric <i>Strix</i> (Strigiformes: Strigidae) owls in South America: determinants of their distributions and ecological niche-based processes. <i>Journal of Field Ornithology</i> , 2017, 88, 1-15. | 0.3 | 10 |
| 6616 | Evaluating multiple spatial scales to understand the distribution of anuran beta diversity in the Brazilian Atlantic Forest. <i>Ecology and Evolution</i> , 2017, 7, 2403-2413. | 0.8 | 20 |
| 6617 | An Internet-based platform for the estimation of outcrossing potential between cultivated and Chilean vascular plants. <i>Ecology and Evolution</i> , 2017, 7, 2480-2488. | 0.8 | 1 |
| 6618 | Climate change may reduce the spread of non-native species. <i>Ecosphere</i> , 2017, 8, e01694. | 1.0 | 53 |
| 6619 | Average niche breadths of species in lake macrophyte communities respond to ecological gradients variably in four regions on two continents. <i>Oecologia</i> , 2017, 184, 219-235. | 0.9 | 16 |
| 6620 | Setting conservation priorities for Argentina's pseudocereal crop wild relatives. <i>Biological Conservation</i> , 2017, 209, 349-355. | 1.9 | 13 |
| 6621 | Recommendations for monitoring freshwater fishes in river restoration plans: A wasted opportunity for assessing impact. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017, 27, 880-885. | 0.9 | 14 |
| 6622 | Biotically driven vegetation mosaics in grazing ecosystems: the battle between bioturbation and biocompaction. <i>Ecological Monographs</i> , 2017, 87, 363-378. | 2.4 | 47 |
| 6623 | European Contribution Towards a Global Assessment of Agricultural Soil Organic Carbon Stocks. <i>Advances in Agronomy</i> , 2017, 142, 385-410. | 2.4 | 6 |
| 6624 | Climate Change, Agricultural Inputs, Cropping Diversity, and Environmental Covariates in Multivariate Analysis of Future Wheat, Barley, and Canola Yield in Canadian Prairies, a Case Study. <i>Canadian Journal of Soil Science</i> , 2017, , . | 0.5 | 3 |
| 6625 | Floral size and shape evolution following the transition to gender dimorphism. <i>American Journal of Botany</i> , 2017, 104, 451-460. | 0.8 | 6 |
| 6626 | Combining climatic and soil properties better predicts covers of Brazilian biomes. <i>Die Naturwissenschaften</i> , 2017, 104, 32. | 0.6 | 38 |
| 6627 | Phylogeographic insights into <i>Artemisia crithmifolia</i> (Asteraceae) reveal several areas of the Iberian Atlantic coast as refugia for genetic diversity. <i>Plant Systematics and Evolution</i> , 2017, 303, 509-519. | 0.3 | 4 |
| 6628 | Maxent modeling for predicting impacts of climate change on the potential distribution of <i>Thuja sutchuenensis</i> Franch., an extremely endangered conifer from southwestern China. <i>Global Ecology and Conservation</i> , 2017, 10, 139-146. | 1.0 | 225 |
| 6629 | Myosin XI is associated with fitness and adaptation to aridity in wild pearl millet. <i>Heredity</i> , 2017, 119, 88-94. | 1.2 | 6 |
| 6630 | Ecological diversification of the Australian <i>Coptotermes</i> termites and the evolution of mound building. <i>Journal of Biogeography</i> , 2017, 44, 1405-1417. | 1.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6631 | <i>Chironomus riparius</i> (Diptera) genome sequencing reveals the impact of minisatellite transposable elements on population divergence. <i>Molecular Ecology</i> , 2017, 26, 3256-3275. | 2.0 | 15 |
| 6632 | Cryptic diversity and speciation in the <i>Zygothrica</i> genus group (Diptera, Drosophilidae): the case of <i>Z. vittimaculosa</i> Wiedemann. <i>Insect Systematics and Evolution</i> , 2017, 48, 285-313. | 0.2 | 6 |
| 6633 | Host associations and turnover of haemosporidian parasites in manakins (Aves: Pipridae). <i>Parasitology</i> , 2017, 144, 984-993. | 0.7 | 21 |
| 6634 | Mapping monthly rainfall erosivity in Europe. <i>Science of the Total Environment</i> , 2017, 579, 1298-1315. | 3.9 | 142 |
| 6635 | Towards the top: niche expansion of <i>Taraxacum officinale</i> and <i>Ulex europaeus</i> in mountain regions of South America. <i>Austral Ecology</i> , 2017, 42, 577-589. | 0.7 | 25 |
| 6636 | Comparative germination responses to water potential across different populations of <i>Aegilops geniculata</i> and cultivar varieties of <i>Triticum durum</i> and <i>Triticum aestivum</i> . <i>Plant Biology</i> , 2017, 19, 165-171. | 1.8 | 16 |
| 6637 | Geographic Variation of Plant Circadian Clock Function in Natural and Agricultural Settings. <i>Journal of Biological Rhythms</i> , 2017, 32, 26-34. | 1.4 | 59 |
| 6638 | Is the largest river valley west of the Andes a driver of diversification in Neotropical lowland birds?. <i>Auk</i> , 2017, 134, 168-180. | 0.7 | 9 |
| 6639 | Genetic Diversity and Geographic Distribution of North American <i>Setaria viridis</i> Populations. <i>Plant Genetics and Genomics: Crops and Models</i> , 2017, , 45-59. | 0.3 | 5 |
| 6640 | Crop loss and control of <i>Pseudocercospora</i> fruit and leaf spot of citrus in Ghana. <i>European Journal of Plant Pathology</i> , 2017, 147, 167-180. | 0.8 | 2 |
| 6641 | Environmental factors determining the establishment of the African Long-legged Buzzard <i>Buteo rufinus cirtensis</i> in Western Europe. <i>Ibis</i> , 2017, 159, 331-342. | 1.0 | 8 |
| 6642 | Latitudinal Patterns and Climatic Drivers of Leaf Litter Multiple Nutrients in Chinese Broad-Leaved Tree Species: Does Leaf Habit Matter?. <i>Ecosystems</i> , 2017, 20, 1124-1136. | 1.6 | 8 |
| 6643 | Observed and dark diversity of alien plant species in Europe: estimating future invasion risk. <i>Biodiversity and Conservation</i> , 2017, 26, 899-916. | 1.2 | 15 |
| 6644 | Climate and population origin shape pine tree height-diameter allometry. <i>New Forests</i> , 2017, 48, 363-379. | 0.7 | 28 |
| 6645 | A framework for redescription set construction. <i>Expert Systems With Applications</i> , 2017, 68, 196-215. | 4.4 | 17 |
| 6646 | Water supply and demand remain coordinated during breakdown of the global scaling relationship between leaf size and major vein density. <i>New Phytologist</i> , 2017, 214, 473-486. | 3.5 | 25 |
| 6647 | Delineating the ecological conservation redline based on the persistence of key species: Giant pandas (<i>Ailuropus melanoleucus</i>). <i>Conservation Biology</i> , 2017, 31, 1124-1136. | 1.2 | 16 |
| 6648 | Evolution of genome size and genomic GC content in carnivorous holokinetics (Droseraceae). <i>Annals of Botany</i> , 2017, 119, 409-416. | 1.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6649 | Changing weather and climate in Northern Ghana: comparison of local perceptions with meteorological and land cover data. <i>Regional Environmental Change</i> , 2017, 17, 915-928. | 1.4 | 29 |
| 6650 | Relationship between the stable carbon isotopic composition of modern plants and surface soils and climate: A global review. <i>Earth-Science Reviews</i> , 2017, 165, 110-119. | 4.0 | 129 |
| 6651 | Do floral and niche shifts favour the establishment and persistence of newly arisen polyploids? A case study in an Alpine primrose. <i>Annals of Botany</i> , 2017, 119, 81-93. | 1.4 | 22 |
| 6652 | Neutral and selective drivers of colour evolution in a widespread Australian passerine. <i>Journal of Biogeography</i> , 2017, 44, 522-536. | 1.4 | 21 |
| 6653 | Cryptic diversity in a fig wasp community—morphologically differentiated species are sympatric but cryptic species are parapatric. <i>Molecular Ecology</i> , 2017, 26, 937-950. | 2.0 | 33 |
| 6654 | Climatic controls on the global distribution, abundance, and species richness of mangrove forests. <i>Ecological Monographs</i> , 2017, 87, 341-359. | 2.4 | 228 |
| 6655 | Microsite and grazing intensity drive infiltration in a semiarid woodland. <i>Ecohydrology</i> , 2017, 10, e1831. | 1.1 | 23 |
| 6656 | Use of geographical information system and ecological niche model to analyse potential exposure of small ruminants to <i>Coxiella burnetii</i> infection in central Greece. <i>Small Ruminant Research</i> , 2017, 147, 77-82. | 0.6 | 5 |
| 6657 | Buying environmental problems: The invasive potential of imported freshwater turtles in Argentina. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017, 27, 685-691. | 0.9 | 12 |
| 6658 | Daily climate data for the Amhara region in Northwestern Ethiopia. <i>International Journal of Climatology</i> , 2017, 37, 2797-2808. | 1.5 | 12 |
| 6659 | Network biogeography of a complex island system: the Aegean Archipelago revisited. <i>Journal of Biogeography</i> , 2017, 44, 651-660. | 1.4 | 46 |
| 6660 | Do 120,000 years of plant–pollinator interactions predict floral phenotype divergence in <i>Calceolaria polyrhiza</i> ? A reconstruction using species distribution models. <i>Arthropod-Plant Interactions</i> , 2017, 11, 351-361. | 0.5 | 8 |
| 6661 | Qualitative assessment of PMIP3 rainfall simulations across the eastern African monsoon domains during the mid-Holocene and the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2017, 156, 107-120. | 1.4 | 36 |
| 6662 | Climate warming and atmospheric deposition affect seed viability of common juniper (<i>Juniperus</i>) Tj ETQq1 1 0.784314 rgBT /Overl 135-144. | 0.7 | 11 |
| 6663 | Variation in phenotype and virulence among enzootic and panzootic amphibian chytrid lineages. <i>Fungal Ecology</i> , 2017, 26, 45-50. | 0.7 | 51 |
| 6664 | Phylogenetic pattern of alpine plants along latitude and longitude in Hengduan Mountains Region. <i>Plant Diversity</i> , 2017, 39, 37-43. | 1.8 | 12 |
| 6665 | Modeling of the ecological niches of the anopheles spp in Ecuador by the use of geo-informatic tools. <i>Spatial and Spatio-temporal Epidemiology</i> , 2017, 21, 1-11. | 0.9 | 14 |
| 6666 | The importance of herbivore density and management as determinants of the distribution of rare plant species. <i>Biological Conservation</i> , 2017, 205, 77-84. | 1.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6667 | Vulnerability of eastern US tree species to climate change. <i>Global Change Biology</i> , 2017, 23, 3302-3320. | 4.2 | 64 |
| 6668 | Forest structure determines the abundance and distribution of large lianas in Gabon. <i>Global Ecology and Biogeography</i> , 2017, 26, 472-485. | 2.7 | 22 |
| 6669 | Permafrost distribution map of San Juan Dry Andes (Argentina) based on rock glacier sites. <i>Journal of South American Earth Sciences</i> , 2017, 73, 42-49. | 0.6 | 19 |
| 6670 | Molecular phylogeny, biogeography and ecological niche modelling of <i>Cardiocrinum</i> (Liliaceae): insights into the evolutionary history of endemic genera distributed across the Sino-Japanese floristic region. <i>Annals of Botany</i> , 2017, 119, 59-72. | 1.4 | 25 |
| 6671 | Environmental and species-specific controls on $\delta^{13}C$ and $\delta^{15}N$ in dominant woody plants from central-western Argentinian drylands. <i>Austral Ecology</i> , 2017, 42, 533-543. | 0.7 | 13 |
| 6672 | It is elemental: soil nutrient stoichiometry drives bacterial diversity. <i>Environmental Microbiology</i> , 2017, 19, 1176-1188. | 1.8 | 242 |
| 6673 | Pine invasion impacts on plant diversity in Patagonia: invader size and invaded habitat matter. <i>Biological Invasions</i> , 2017, 19, 1015-1027. | 1.2 | 51 |
| 6674 | Disentangling environmental, spatial, and historical effects on ostracod communities in shallow lakes. <i>Hydrobiologia</i> , 2017, 787, 61-72. | 1.0 | 29 |
| 6675 | Mapping spatial distribution of forest age in China. <i>Earth and Space Science</i> , 2017, 4, 108-116. | 1.1 | 79 |
| 6676 | Ecological divergence of <i>Chaetopteryx rugulosa</i> species complex (Insecta, Trichoptera) linked to climatic niche diversification. <i>Hydrobiologia</i> , 2017, 794, 31-47. | 1.0 | 4 |
| 6677 | Case study of the implications of climate change for lichen diversity and distributions. <i>Biodiversity and Conservation</i> , 2017, 26, 1121-1141. | 1.2 | 35 |
| 6678 | Ecological range shift in the polyploid members of the South American genus <i>Fosterella</i> (Bromeliaceae). <i>Annals of Botany</i> , 2017, 120, mcw245. | 1.4 | 36 |
| 6679 | Advances in Geocomputation. <i>Advances in Geographic Information Science</i> , 2017, , . | 0.3 | 3 |
| 6680 | Purifying selection and genetic drift shaped Pleistocene evolution of the mitochondrial genome in an endangered Australian freshwater fish. <i>Heredity</i> , 2017, 118, 466-476. | 1.2 | 39 |
| 6681 | Ecological limits to local species richness in Dusky Salamanders (genus <i>Desmognathus</i>). <i>Canadian Journal of Zoology</i> , 2017, 95, 31-39. | 0.4 | 3 |
| 6682 | Cuticular microstructures turn specular black into matt black in a stick insect. <i>Arthropod Structure and Development</i> , 2017, 46, 147-155. | 0.8 | 10 |
| 6683 | The role of the Baekdudaegan (Korean Peninsula) as a major glacial refugium for plant species: A priority for conservation. <i>Biological Conservation</i> , 2017, 206, 236-248. | 1.9 | 45 |
| 6684 | Mapping soil organic carbon on a national scale: Towards an improved and updated map of Madagascar. <i>Geoderma Regional</i> , 2017, 9, 29-38. | 0.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6685 | Modeling the dynamics of distribution, extent, and NPP of global terrestrial ecosystems in response to future climate change. <i>Global and Planetary Change</i> , 2017, 148, 153-165. | 1.6 | 62 |
| 6686 | Mountains too high and valleys too deep drive population structuring and demographics in a Qinghai Tibetan Plateau frog <i>Nanorana pleskei</i> (Dicroglossidae). <i>Ecology and Evolution</i> , 2017, 7, 240-252. | 0.8 | 18 |
| 6687 | Genetics and Genomics of <i>Setaria</i> . <i>Plant Genetics and Genomics: Crops and Models</i> , 2017, , . | 0.3 | 18 |
| 6688 | Comparison of five gridded precipitation products at climatological scales over West Africa. <i>Meteorology and Atmospheric Physics</i> , 2017, 129, 669-689. | 0.9 | 51 |
| 6689 | Mapping the global depth to bedrock for land surface modeling. <i>Journal of Advances in Modeling Earth Systems</i> , 2017, 9, 65-88. | 1.3 | 201 |
| 6690 | Variation in growth, wood stiffness and density, and correlations between growth and wood stiffness and density in five tree and shrub species in the Sahelian and Sudanian ecozones of Mali. <i>Trees - Structure and Function</i> , 2017, 31, 833-849. | 0.9 | 9 |
| 6691 | Genetic diversity of <i>Enterolobium cyclocarpum</i> in Colombian seasonally dry tropical forest: implications for conservation and restoration. <i>Biodiversity and Conservation</i> , 2017, 26, 825-842. | 1.2 | 16 |
| 6692 | The effect of future climate change on the conservation of <i>Chloraea disoides</i> Lindl. (Orchidaceae) in Chile. <i>Revista Brasileira De Botanica</i> , 2017, 40, 353-360. | 0.5 | 6 |
| 6693 | A spatial model for evaluating the vulnerability of water management in Mexico City, Sao Paulo and Buenos Aires considering climate change. <i>Anthropocene</i> , 2017, 17, 1-12. | 1.6 | 20 |
| 6694 | Refining species distribution model outputs using landscape-scale habitat data: Forecasting grass carp and <i>Hydrilla</i> establishment in the Great Lakes region. <i>Journal of Great Lakes Research</i> , 2017, 43, 298-307. | 0.8 | 12 |
| 6695 | Global thermal niche models of two European grasses show high invasion risks in Antarctica. <i>Global Change Biology</i> , 2017, 23, 2863-2873. | 4.2 | 54 |
| 6696 | Beyond thermal limits: comprehensive metrics of performance identify key axes of thermal adaptation in ants. <i>Functional Ecology</i> , 2017, 31, 1091-1100. | 1.7 | 59 |
| 6697 | Comparison of climate envelope models developed using expert-selected variables versus statistical selection. <i>Ecological Modelling</i> , 2017, 345, 10-20. | 1.2 | 25 |
| 6698 | Distribution and habitat associations of the critically endangered bird species of Tomé Island (Gulf of Guinea). <i>Bird Conservation International</i> , 2017, 27, 455-469. | 0.7 | 15 |
| 6699 | The relative contributions of competition and abiotic tolerances in determining the geographical distributions of four closely related <i>Yucca</i> species in Texas. <i>Journal of Biogeography</i> , 2017, 44, 1373-1382. | 1.4 | 5 |
| 6700 | A null biogeographical test for assessing ecological niche evolution. <i>Journal of Biogeography</i> , 2017, 44, 1331-1343. | 1.4 | 30 |
| 6701 | Multilocus genetic analyses and spatial modeling reveal complex population structure and history in a widespread resident North American passerine (<i>Perisoreus canadensis</i>). <i>Ecology and Evolution</i> , 2017, 7, 9869-9889. | 0.8 | 16 |
| 6702 | Species distribution model for the Northern Oak hairstreak (<i>Satyrrium favonius ontario</i>) with comments on its conservation status in the northeastern United States. <i>Journal of Insect Conservation</i> , 2017, 21, 781-790. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6703 | Presence and Potential Distribution of <i>Aedes albopictus</i> and <i>Aedes japonicus japonicus</i> (Diptera: Tj ETQq0 0 0 rgBTJ/Overlock 10 Tf 50 7 | 0.9 | 18 |
| 6704 | Taxonomic and functional turnover are decoupled in European peat bogs. <i>Nature Communications</i> , 2017, 8, 1161. | 5.8 | 73 |
| 6705 | Environmental change, shifting distributions, and habitat conservation plans: A case study of the California gnatcatcher. <i>Ecology and Evolution</i> , 2017, 7, 10326-10338. | 0.8 | 6 |
| 6706 | Exploring Determinants of Child Malnutrition in Marinduque Island, Philippines. <i>Human Ecology</i> , 2017, 45, 853-863. | 0.7 | 17 |
| 6707 | Feeding Ecology and Morphology Make a Bamboo Specialist Vulnerable to Climate Change. <i>Current Biology</i> , 2017, 27, 3384-3389.e2. | 1.8 | 25 |
| 6708 | Environmental and geographic variables are effective surrogates for genetic variation in conservation planning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12755-12760. | 3.3 | 57 |
| 6709 | A modern pollenâ€‘climate dataset from the Darjeeling area, eastern Himalaya: Assessing its potential for past climate reconstruction. <i>Quaternary Science Reviews</i> , 2017, 174, 63-79. | 1.4 | 11 |
| 6710 | Species diversity of urban forests in China. <i>Urban Forestry and Urban Greening</i> , 2017, 28, 160-166. | 2.3 | 34 |
| 6711 | Rewilding defaunated Atlantic Forests with tortoises to restore lost seed dispersal functions. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 300-307. | 1.0 | 27 |
| 6712 | Responses of cassava growth and yield to leaf harvesting frequency and NPK fertilizer in South Kivu, Democratic Republic of Congo. <i>Field Crops Research</i> , 2017, 214, 194-201. | 2.3 | 41 |
| 6713 | Response of the Amazon rainforest to late Pleistocene climate variability. <i>Earth and Planetary Science Letters</i> , 2017, 479, 50-59. | 1.8 | 50 |
| 6714 | Digitization of herbaria enables novel research. <i>American Journal of Botany</i> , 2017, 104, 1281-1284. | 0.8 | 107 |
| 6715 | Model selection changes the spatial heterogeneity and total potential carbon in a tropical dry forest. <i>Forest Ecology and Management</i> , 2017, 405, 69-80. | 1.4 | 10 |
| 6716 | Predictor weighting and geographical background delimitation: two synergetic sources of uncertainty when assessing species sensitivity to climate change. <i>Climatic Change</i> , 2017, 145, 131-143. | 1.7 | 13 |
| 6717 | The contribution of small collections to species distribution modelling: A case study from Fuireneae (Cyperaceae). <i>Ecological Informatics</i> , 2017, 42, 67-78. | 2.3 | 12 |
| 6718 | Global warming not so harmful for all plants - response of holomycotrophic orchid species for the future climate change. <i>Scientific Reports</i> , 2017, 7, 12704. | 1.6 | 23 |
| 6719 | High-resolution near real-time drought monitoring in South Asia. <i>Scientific Data</i> , 2017, 4, 170145. | 2.4 | 141 |
| 6720 | Combining disparate data sources for improved poverty prediction and mapping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9783-E9792. | 3.3 | 124 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6721 | Specialized mutualisms may constrain the geographical distribution of flowering plants. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20171841. | 1.2 | 35 |
| 6722 | Assessing species climatic requirements beyond the realized niche: some lessons mainly from tree species distribution modelling. <i>Climatic Change</i> , 2017, 145, 259-271. | 1.7 | 68 |
| 6723 | Morphometric, Behavioral, and Genomic Evidence for a New Orangutan Species. <i>Current Biology</i> , 2017, 27, 3487-3498.e10. | 1.8 | 192 |
| 6724 | Classification and prediction of river network ephemerality and its relevance for waterborne disease epidemiology. <i>Advances in Water Resources</i> , 2017, 110, 263-278. | 1.7 | 28 |
| 6725 | <i>Populus tremuloides</i> seedling establishment: An underexplored vector for forest type conversion after multiple disturbances. <i>Forest Ecology and Management</i> , 2017, 404, 156-164. | 1.4 | 31 |
| 6726 | Miocene "œfin-winged" fruits and Pliocene drift fruits "œ the first record of Combretaceae (Terminalia) from New Zealand. <i>Geobios</i> , 2017, 50, 423-429. | 0.7 | 2 |
| 6727 | <i>Trachemys medemi</i> n. sp. from northwestern Colombia turns the biogeography of South American slider turtles upside down. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 326-339. | 0.6 | 11 |
| 6728 | A new recent genus and species of three-toed jerboas (Rodentia: Dipodinae) from China: A living fossil?. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 356-368. | 0.6 | 12 |
| 6729 | Linear and nonlinear effects of temperature and precipitation on ecosystem properties in tidal saline wetlands. <i>Ecosphere</i> , 2017, 8, e01956. | 1.0 | 85 |
| 6730 | Habitat-based conservation strategies cannot compensate for climate-change-induced range loss. <i>Nature Climate Change</i> , 2017, 7, 823-827. | 8.1 | 55 |
| 6731 | Mammal diversity influences the carbon cycle through trophic interactions in the Amazon. <i>Nature Ecology and Evolution</i> , 2017, 1, 1670-1676. | 3.4 | 65 |
| 6732 | Phylogenetic diversity anomaly in angiosperms between eastern Asia and eastern North America. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11452-11457. | 3.3 | 63 |
| 6733 | Climate corridors for strategic adaptation planning. <i>International Journal of Climate Change Strategies and Management</i> , 2017, 9, 811-828. | 1.5 | 1 |
| 6734 | Environmental filtering drives community specific leaf area in Spanish forests and predicts relevant changes under future climatic conditions. <i>Forest Ecology and Management</i> , 2017, 405, 1-8. | 1.4 | 4 |
| 6735 | Soil pH is a major driver of soil diazotrophic community assembly in Qinghai-Tibet Alpine meadows. <i>Soil Biology and Biochemistry</i> , 2017, 115, 547-555. | 4.2 | 132 |
| 6736 | Upstream watershed condition predicts rural children's health across 35 developing countries. <i>Nature Communications</i> , 2017, 8, 811. | 5.8 | 69 |
| 6737 | Amphibian species traits, evolutionary history and environment predict <i>Batrachochytrium dendrobatidis</i> infection patterns, but not extinction risk. <i>Evolutionary Applications</i> , 2017, 10, 1130-1145. | 1.5 | 26 |
| 6738 | Global patterns and determinants of the economic importance of bushmeat. <i>Biological Conservation</i> , 2017, 215, 277-287. | 1.9 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6739 | Rubber tree allometry, biomass partitioning and carbon stocks in mountainous landscapes of sub-tropical China. <i>Forest Ecology and Management</i> , 2017, 404, 84-99. | 1.4 | 23 |
| 6740 | The Eurasian hot nightlife: Environmental forces associated with nocturnality in lizards. <i>Global Ecology and Biogeography</i> , 2017, 26, 1316-1325. | 2.7 | 22 |
| 6741 | Phylogenetic structure of regional angiosperm assemblages across latitudinal and climatic gradients in North America. <i>Global Ecology and Biogeography</i> , 2017, 26, 1258-1269. | 2.7 | 54 |
| 6742 | The roles of barriers, refugia, and chromosomal clines underlying diversification in Atlantic Forest social wasps. <i>Scientific Reports</i> , 2017, 7, 7689. | 1.6 | 33 |
| 6743 | Projecting species' vulnerability to climate change: Which uncertainty sources matter most and extrapolate best?. <i>Ecology and Evolution</i> , 2017, 7, 8841-8851. | 0.8 | 27 |
| 6744 | Prioritisation of native legume species for further evaluation as potential forage crops in water-limited agricultural systems in South Africa. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 512. | 1.3 | 15 |
| 6745 | Habitat use, but not gene flow, is influenced by human activities in two ecotypes of Egyptian fruit bat (<i>Rousettus aegyptiacus</i>). <i>Molecular Ecology</i> , 2017, 26, 6224-6237. | 2.0 | 17 |
| 6746 | Climatic control of seed longevity of <i>Silene</i> during the post-zygotic phase: do seeds from warm, dry climates possess higher maturity and desiccation tolerance than seeds from cold, wet climates?. <i>Ecological Research</i> , 2017, 32, 983-994. | 0.7 | 8 |
| 6747 | Species are not most abundant in the centre of their geographic range or climatic niche. <i>Ecology Letters</i> , 2017, 20, 1526-1533. | 3.0 | 172 |
| 6748 | Genomic Quantitative Genetics to Study Evolution in the Wild. <i>Trends in Ecology and Evolution</i> , 2017, 32, 897-908. | 4.2 | 127 |
| 6749 | Likelihood of changes in forest species suitability, distribution, and diversity under future climate: The case of Southern Europe. <i>Ecology and Evolution</i> , 2017, 7, 9358-9375. | 0.8 | 38 |
| 6750 | Woodland vegetation history and human impacts in south-central Anatolia 16,000–6500 cal BP: Anthracological results from five prehistoric sites in the Konya plain. <i>Quaternary Science Reviews</i> , 2017, 176, 85-100. | 1.4 | 18 |
| 6751 | Volcanic suppression of Nile summer flooding triggers revolt and constrains interstate conflict in ancient Egypt. <i>Nature Communications</i> , 2017, 8, 900. | 5.8 | 91 |
| 6752 | Potential impacts of climate change on habitat suitability for the Queensland fruit fly. <i>Scientific Reports</i> , 2017, 7, 13025. | 1.6 | 54 |
| 6753 | Modelling the drivers of natural fire activity: the bias created by cropland fires. <i>International Journal of Wildland Fire</i> , 2017, 26, 845. | 1.0 | 6 |
| 6754 | Glacial melt content of water use in the tropical Andes. <i>Environmental Research Letters</i> , 2017, 12, 114014. | 2.2 | 77 |
| 6755 | Assessing spatial distribution of <i>Coffea arabica</i> L. in Ethiopia's highlands using species distribution models and geospatial analysis methods. <i>Ecological Informatics</i> , 2017, 42, 79-89. | 2.3 | 10 |
| 6756 | Bacterial natural product biosynthetic domain composition in soil correlates with changes in latitude on a continent-wide scale. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11615-11620. | 3.3 | 53 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6757 | Ecological cenotic groups of species in Bashkir Trans-Ural steppes in relation to key ecological factors. <i>Contemporary Problems of Ecology</i> , 2017, 10, 455-463. | 0.3 | 3 |
| 6758 | The impact of human population pressure on flying fox niches and the potential consequences for Hendra virus spillover. <i>Scientific Reports</i> , 2017, 7, 8226. | 1.6 | 28 |
| 6759 | Towards a better understanding of soil organic carbon variation in Madagascar. <i>European Journal of Soil Science</i> , 2017, 68, 930-940. | 1.8 | 8 |
| 6760 | Genetic patterns reflecting Pleistocene range dynamics in the annual calcicole plant <i>Microthlaspi erraticum</i> across its Eurasian range. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2017, 236-237, 132-142. | 0.6 | 11 |
| 6761 | Ranking of invasive spread through urban green areas in the world's 100 most populous cities. <i>Biological Invasions</i> , 2017, 19, 3527-3539. | 1.2 | 16 |
| 6762 | The potential range of <i>Ailanthus altissima</i> (tree of heaven) in South Africa: the roles of climate, land use and disturbance. <i>Biological Invasions</i> , 2017, 19, 3675-3690. | 1.2 | 31 |
| 6763 | Variation of cytosine methylation patterns in European beech (<i>Fagus sylvatica</i> L.). <i>Tree Genetics and Genomes</i> , 2017, 13, 1. | 0.6 | 6 |
| 6764 | Differential Splicing of FLM Partially Explains High-Temperature-Induced Flowering Time Plasticity in Wild Ecotypes of <i>Arabidopsis thaliana</i> . <i>International Journal of Plant Sciences</i> , 2017, 178, 680-688. | 0.6 | 1 |
| 6765 | Distribution, spatial interaction and niche analysis in three species of European moles (genus <i>Talpa</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> | 0.7 | 3 |
| 6766 | Assessing the influence of life form and life cycle on the response of desert plants to past climate change: Genetic diversity patterns of an herbaceous lineage of <i>Nolana</i> along western South America. <i>American Journal of Botany</i> , 2017, 104, 1533-1545. | 0.8 | 7 |
| 6767 | Naturalization of ornamental plant species in public green spaces and private gardens. <i>Biological Invasions</i> , 2017, 19, 3613-3627. | 1.2 | 44 |
| 6768 | Adaptation and acclimation both influence photosynthetic and respiratory temperature responses in <i>Corymbia calophylla</i> . <i>Tree Physiology</i> , 2017, 37, 1095-1112. | 1.4 | 40 |
| 6769 | Avian SDMs: current state, challenges, and opportunities. <i>Journal of Avian Biology</i> , 2017, 48, 1483-1504. | 0.6 | 79 |
| 6770 | Avian haemosporidian detection across source materials: prevalence and genetic diversity. <i>Parasitology Research</i> , 2017, 116, 3361-3371. | 0.6 | 8 |
| 6771 | Validating distribution models for twelve endemic bird species of tropical dry forest in western Mexico. <i>Ecology and Evolution</i> , 2017, 7, 7672-7686. | 0.8 | 11 |
| 6772 | Spatial conservation prioritization for dominant tree species of Chinese forest communities under climate change. <i>Climatic Change</i> , 2017, 144, 303-316. | 1.7 | 25 |
| 6773 | Climates Past, Present, and Yet-to-Come Shape Climate Change Vulnerabilities. <i>Trends in Ecology and Evolution</i> , 2017, 32, 786-800. | 4.2 | 130 |
| 6774 | Testing environmental correlates of clines in clades: an example from cassidine beetles. <i>Insect Conservation and Diversity</i> , 2017, 10, 472-482. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6775 | Evaluating hypotheses of expansion from refugia through comparative phylogeography of southeastern Coastal Plain amphibians. <i>Journal of Biogeography</i> , 2017, 44, 2692-2705. | 1.4 | 29 |
| 6776 | No geographic variation in thermoregulatory colour plasticity and limited variation in heat avoidance behaviour in <i>Battus philenor</i> caterpillars. <i>Journal of Evolutionary Biology</i> , 2017, 30, 1919-1928. | 0.8 | 4 |
| 6777 | Widespread generalist clones are associated with range and niche expansion in allopolyploids of Pacific Northwest Hawthorns (<i>Crataegus</i> L.). <i>Molecular Ecology</i> , 2017, 26, 5484-5499. | 2.0 | 28 |
| 6778 | Pattern and drivers of species-genetic diversity correlation in natural forest tree communities across a biodiversity hotspot. <i>Journal of Plant Ecology</i> , 2017, , . | 1.2 | 4 |
| 6779 | Intraspecific geographic variation in thermal limits and acclimatory capacity in a wide distributed endemic frog. <i>Journal of Thermal Biology</i> , 2017, 69, 254-260. | 1.1 | 27 |
| 6780 | A mix-method model for adaptation to climate change in the agricultural sector: A case study for Italian wine farms. <i>Journal of Cleaner Production</i> , 2017, 166, 891-900. | 4.6 | 31 |
| 6781 | Vegetation and environmental changes at the Middle Stone Age site of Wonderkrater, Limpopo, South Africa. <i>Quaternary Research</i> , 2017, 88, 313-326. | 1.0 | 2 |
| 6782 | Exploring the role of within-island ecogeographical factors: insights from the genetic diversity of Cretan trap-door spiders (<i>Cyrtocarenum cunicularium</i> , Ctenizidae : Araneae). <i>Invertebrate Systematics</i> , 2017, 31, 506. | 0.5 | 4 |
| 6783 | Historical Frontiers and the Rise of Inequality: The Case of the Frontier of Granada. <i>Journal of the European Economic Association</i> , 2017, 15, 54-98. | 1.9 | 23 |
| 6784 | Risk assessment of pet-traded decapod crustaceans in the Republic of Kazakhstan, the leading country in Central Asia. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2017, , 30. | 0.5 | 20 |
| 6785 | Population density range size relationship revisited. <i>Global Ecology and Biogeography</i> , 2017, 26, 1088-1097. | 2.7 | 24 |
| 6786 | Modeling of potential habitat suitability of <i>Hippocamelus bisulcus</i> : effectiveness of a protected areas network in Southern Patagonia. <i>Ecological Processes</i> , 2017, 6, . | 1.6 | 16 |
| 6787 | Extensive arsenic contamination in high-pH unconfined aquifers in the Indus Valley. <i>Science Advances</i> , 2017, 3, e1700935. | 4.7 | 178 |
| 6788 | Natural Selection Acts on Floral Traits Associated with Selfing Rate among Populations of Mixed-Mating <i>Collinsia heterophylla</i> (Plantaginaceae). <i>International Journal of Plant Sciences</i> , 2017, 178, 594-606. | 0.6 | 11 |
| 6789 | The Geography of Speciation in Neotropical Salamanders. <i>Herpetologica</i> , 2017, 73, 229-241. | 0.2 | 8 |
| 6790 | Genome-Wide Variation Patterns Uncover the Origin and Selection in Cultivated Ginseng (<i>Panax</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 11 22 | 1.1 | 22 |
| 6791 | Paleoenvironmental context of the early Neanderthals of Poggetti Vecchi for the late middle Pleistocene of Central Italy. <i>Quaternary Research</i> , 2017, 88, 327-344. | 1.0 | 14 |
| 6792 | Global climatic drivers of leaf size. <i>Science</i> , 2017, 357, 917-921. | 6.0 | 580 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6793 | Amblyomma ticks and future climate: Range contraction due to climate warming. <i>Acta Tropica</i> , 2017, 176, 340-348. | 0.9 | 31 |
| 6794 | Harmonizing circumpolar monitoring of Arctic fox: benefits, opportunities, challenges and recommendations. <i>Polar Research</i> , 2017, 36, 2. | 1.6 | 35 |
| 6795 | Adaptive variation in vein placement underpins diversity in a major Neotropical plant radiation. <i>Oecologia</i> , 2017, 185, 375-386. | 0.9 | 8 |
| 6796 | The role of bioclimatic features, landscape configuration and historical land use in the invasion of an Asian tree in subtropical Argentina. <i>Landscape Ecology</i> , 2017, 32, 2167-2185. | 1.9 | 25 |
| 6797 | Changes in specific leaf area of dominant plants in temperate grasslands along a 2500-km transect in northern China. <i>Scientific Reports</i> , 2017, 7, 10780. | 1.6 | 53 |
| 6798 | Innately shorter vegetation periods in North American species explain nativeâ€œnon-native phenological asymmetries. <i>Nature Ecology and Evolution</i> , 2017, 1, 1655-1660. | 3.4 | 31 |
| 6799 | Climateâ€œdriven trends in stem wood density of tree species in the eastern United States: Ecological impact and implications for national forest carbon assessments. <i>Global Ecology and Biogeography</i> , 2017, 26, 1153-1164. | 2.7 | 20 |
| 6800 | Global patterns of β -diversity along the phylogenetic timeâ€œscale: The role of climate and plate tectonics. <i>Global Ecology and Biogeography</i> , 2017, 26, 1211-1221. | 2.7 | 46 |
| 6801 | Unravelling the climatic niche overlap of global sea turtle nesting sites: Impact of geographical variation and phylogeny. <i>Journal of Biogeography</i> , 2017, 44, 2839-2848. | 1.4 | 11 |
| 6802 | Amazon plant diversity revealed by a taxonomically verified species list. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10695-10700. | 3.3 | 253 |
| 6803 | Rapoport's rule and determinants of species range size in snakes. <i>Diversity and Distributions</i> , 2017, 23, 1472-1481. | 1.9 | 25 |
| 6804 | Habitat suitability and patterns of sex-biased migration of the Iranian long-legged wood frog, <i>Rana pseudodalmatina</i> (Anura: Ranidae). <i>Biologia (Poland)</i> , 2017, 72, 686-693. | 0.8 | 5 |
| 6805 | Altitudinal variation and bio-climatic variables influencing the potential distribution of <i>Culicoides orientalis</i> Macfie, 1932, suspected vector of Bluetongue virus across the North Eastern Himalayan belt of Sikkim. <i>Acta Tropica</i> , 2017, 176, 402-411. | 0.9 | 4 |
| 6806 | Geographical determinants of inorganic fertiliser sales and of resale prices in north Ethiopia. <i>Agriculture, Ecosystems and Environment</i> , 2017, 249, 256-268. | 2.5 | 17 |
| 6807 | A Bayesian geostatistical approach to modeling global distributions of <i>Lygodium microphyllum</i> under projected climate warming. <i>Ecological Modelling</i> , 2017, 363, 192-206. | 1.2 | 16 |
| 6808 | Biogeographic distributions of neotropical trees reflect their directly measured drought tolerances. <i>Scientific Reports</i> , 2017, 7, 8334. | 1.6 | 51 |
| 6809 | Does the jack of all trades fare best? Survival and niche width in Late Pleistocene megafauna. <i>Journal of Biogeography</i> , 2017, 44, 2828-2838. | 1.4 | 28 |
| 6810 | Independent Evaluation of Frozen Precipitation from WRF and PRISM in the Olympic Mountains. <i>Journal of Hydrometeorology</i> , 2017, 18, 2681-2703. | 0.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6811 | Evaluating the role of Pleistocene refugia, rivers and environmental variation in the diversification of central African duikers (genera <i>Cephalophus</i> and <i>Philantomba</i>). <i>BMC Evolutionary Biology</i> , 2017, 17, 212. | 3.2 | 7 |
| 6812 | Plant litter dynamics in the forest-stream interface: precipitation is a major control across tropical biomes. <i>Scientific Reports</i> , 2017, 7, 10799. | 1.6 | 98 |
| 6813 | Rapid poleward distributional shifts in the European cave-dwelling <i>Meta</i> spiders under the influence of competition dynamics. <i>Journal of Biogeography</i> , 2017, 44, 2789-2797. | 1.4 | 28 |
| 6814 | Landscape attributes as drivers of the geographical variation in density of <i>Sapajus nigritus</i> Kerr, 1792, a primate endemic to the Atlantic Forest. <i>Acta Oecologica</i> , 2017, 84, 57-63. | 0.5 | 9 |
| 6815 | Relative contribution of groundwater to plant transpiration estimated with stable isotopes. <i>Scientific Reports</i> , 2017, 7, 10580. | 1.6 | 119 |
| 6816 | Coupling of pollination services and coffee suitability under climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10438-10442. | 3.3 | 58 |
| 6817 | Phylogenetic relatedness of native and exotic plants along climate gradients in California, <scp>USA</scp>. <i>Diversity and Distributions</i> , 2017, 23, 1323-1333. | 1.9 | 26 |
| 6818 | Is evolution of apomicts driven by the phylogeography of the sexual ancestor? Insights from European and Caucasian brambles (<i>Rubus</i> , Rosaceae). <i>Journal of Biogeography</i> , 2017, 44, 2717-2728. | 1.4 | 10 |
| 6819 | Riparian plant litter quality increases with latitude. <i>Scientific Reports</i> , 2017, 7, 10562. | 1.6 | 53 |
| 6820 | Modelling <i>Opuntia fulgida</i> invasion in Zimbabwe. <i>Transactions of the Royal Society of South Africa</i> , 2017, 72, 217-224. | 0.8 | 7 |
| 6821 | How a Pareto frontier complements scenario projections in land use change impact assessment. <i>Environmental Modelling and Software</i> , 2017, 97, 287-302. | 1.9 | 19 |
| 6822 | Conservation performance of different conservation governance regimes in the Peruvian Amazon. <i>Scientific Reports</i> , 2017, 7, 11318. | 1.6 | 132 |
| 6823 | Climatologies at high resolution for the earth's land surface areas. <i>Scientific Data</i> , 2017, 4, 170122. | 2.4 | 2,247 |
| 6824 | The female of <i>Oreiallagma oreas</i> (Odonata: Coenagrionidae), with notes on the species natural history. <i>International Journal of Odonatology</i> , 2017, 20, 165-172. | 0.5 | 2 |
| 6825 | Completeness and coverage of open-access freshwater fish distribution data in the United States. <i>Diversity and Distributions</i> , 2017, 23, 1482-1498. | 1.9 | 21 |
| 6826 | Size-based interactions across trophic levels in food webs of shallow Mediterranean lakes. <i>Freshwater Biology</i> , 2017, 62, 1819-1830. | 1.2 | 16 |
| 6827 | Species richness effects on grassland recovery from drought depend on community productivity in a multisite experiment. <i>Ecology Letters</i> , 2017, 20, 1405-1413. | 3.0 | 82 |
| 6828 | Hypoxia and hypothermia as rival agents of selection driving the evolution of viviparity in lizards. <i>Global Ecology and Biogeography</i> , 2017, 26, 1238-1246. | 2.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6829 | Glaciation as a migratory switch. <i>Science Advances</i> , 2017, 3, e1603133. | 4.7 | 47 |
| 6830 | Using digital soil maps to infer edaphic affinities of plant species in Amazonia: Problems and prospects. <i>Ecology and Evolution</i> , 2017, 7, 8463-8477. | 0.8 | 31 |
| 6831 | Evolutionarily significant units of the critically endangered leaf frog <i>Pithecopus ayeaye</i> (Anura, Phyllomedusidae) are not effectively preserved by the Brazilian protected areas network. <i>Ecology and Evolution</i> , 2017, 7, 8812-8828. | 0.8 | 20 |
| 6832 | Predicting Distributions of Invasive Species. , 2017, , 93-129. | | 33 |
| 6833 | Mapping Risks and Impacts of Invasive Alien Species with Dynamic Simulation Models. , 0, , 130-151. | | 0 |
| 6834 | Iran's Land Suitability for Agriculture. <i>Scientific Reports</i> , 2017, 7, 7670. | 1.6 | 137 |
| 6835 | Joining smallholder farmers' traditional knowledge with metric traits to select better varieties of Ethiopian wheat. <i>Scientific Reports</i> , 2017, 7, 9120. | 1.6 | 26 |
| 6836 | Pleistocene refugia in the Chihuahuan Desert: the phylogeographic and demographic history of the gymnosperm <i>Ephedra compacta</i> . <i>Journal of Biogeography</i> , 2017, 44, 2706-2716. | 1.4 | 35 |
| 6837 | The effects of Quaternary sea-level fluctuations on the evolutionary history of an endemic ground lizard (<i>Tropidurus hygomi</i>). <i>Zoologischer Anzeiger</i> , 2017, 270, 1-8. | 0.4 | 2 |
| 6838 | Humans and climate change drove the Holocene decline of the brown bear. <i>Scientific Reports</i> , 2017, 7, 10399. | 1.6 | 62 |
| 6839 | Spatio-temporal dynamics of NDVI and its response to climate factors in the Heihe River Basin, China. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 82, 012045. | 0.2 | 2 |
| 6840 | Field-measured variables outperform derived alternatives in Maryland stream biodiversity models. <i>Diversity and Distributions</i> , 2017, 23, 1054-1066. | 1.9 | 6 |
| 6841 | Spatiotemporal distribution of an invasive insect in an urban landscape: introduction, establishment and impact. <i>Landscape Ecology</i> , 2017, 32, 2041-2057. | 1.9 | 21 |
| 6842 | Geography and past climate changes have shaped the evolution of a widespread lizard from the Chilean hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2017, 116, 157-171. | 1.2 | 23 |
| 6843 | Continental scale variability of foliar nitrogen and carbon isotopes in <i>Populus balsamifera</i> and their relationships with climate. <i>Scientific Reports</i> , 2017, 7, 7759. | 1.6 | 9 |
| 6844 | Predictable invasion dynamics in North American populations of the Eurasian collared dove <i>Streptopelia decaocto</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20171157. | 1.2 | 18 |
| 6845 | Parasite biodiversity faces extinction and redistribution in a changing climate. <i>Science Advances</i> , 2017, 3, e1602422. | 4.7 | 194 |
| 6846 | Ecological niche comparison and molecular phylogeny segregate the invasive moss species <i>Campylopus introflexus</i> (Leucobryaceae, Bryophyta) from its closest relatives. <i>Ecology and Evolution</i> , 2017, 7, 8017-8031. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 6847 | Accuracy of climate-based forecasts of pathogen spread. Royal Society Open Science, 2017, 4, 160975. | 1.1 | 15 |
| 6848 | Watershed Classification Using Isomap Technique and Hydrometeorological Attributes. Journal of Hydrologic Engineering - ASCE, 2017, 22, . | 0.8 | 11 |
| 6849 | Smaller beaks for colder winters: Thermoregulation drives beak size evolution in Australasian songbirds. Evolution; International Journal of Organic Evolution, 2017, 71, 2120-2129. | 1.1 | 45 |
| 6850 | Climate-related environmental variation in a visual signalling device: the male and female dewlap in <i>Anolis sagrei</i> lizards. Journal of Evolutionary Biology, 2017, 30, 1846-1861. | 0.8 | 19 |
| 6851 | Genotypic diversity in root-endophytic fungi reflects efficient dispersal and environmental adaptation. Molecular Ecology, 2017, 26, 4618-4630. | 2.0 | 12 |
| 6852 | Multi-criteria Decision Analysis to Model Ixodes ricinus Habitat Suitability. EcoHealth, 2017, 14, 591-602. | 0.9 | 11 |
| 6853 | Resilience of European larch (<i>Larix decidua</i> Mill.) forests to wildfires in the western Alps. New Forests, 2017, 48, 663-683. | 0.7 | 16 |
| 6854 | Implementation and application of multiple potential natural vegetation models – a case study of Hungary. Journal of Vegetation Science, 2017, 28, 1260-1269. | 1.1 | 63 |
| 6855 | Historical biome distribution and recent human disturbance shape the diversity of arbuscular mycorrhizal fungi. New Phytologist, 2017, 216, 227-238. | 3.5 | 66 |
| 6856 | Using nitrogen concentration and isotopic composition in lichens to spatially assess the relative contribution of atmospheric nitrogen sources in complex landscapes. Environmental Pollution, 2017, 230, 632-638. | 3.7 | 25 |
| 6857 | Variance of light-related leaf traits across spatial and temporal scales in the Mediterranean evergreen <i>Olea europaea</i> L.. Perspectives in Plant Ecology, Evolution and Systematics, 2017, 28, 28-35. | 1.1 | 2 |
| 6858 | Global forest loss disproportionately erodes biodiversity in intact landscapes. Nature, 2017, 547, 441-444. | 13.7 | 370 |
| 6859 | Ecosystem services and biodiversity trends in Mozambique as a consequence of land cover change. International Journal of Biodiversity Science, Ecosystem Services & Management, 2017, 13, 297-311. | 2.9 | 39 |
| 6860 | Climate Shapes the Geographic Distribution of the Blowfly <i>Sarconesia chlorogaster</i> (Diptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 1051-1059. | 0.7 | 6 |
| 6861 | Mutualism influences species distribution predictions for a bromeliad-breeding anuran under climate change. Austral Ecology, 2017, 42, 869-877. | 0.7 | 11 |
| 6862 | Barriers to globally invasive species are weakening across the Antarctic. Diversity and Distributions, 2017, 23, 982-996. | 1.9 | 75 |
| 6863 | Tooth fracture within the African carnivore guild: the influence of intraguild competition and resource availability. Journal of Zoology, 2017, 303, 261-269. | 0.8 | 10 |
| 6864 | Using ensemble forecasting to examine how climate change promotes worldwide invasion of the golden apple snail (<i>Pomacea canaliculata</i>). Environmental Monitoring and Assessment, 2017, 189, 404. | 1.3 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6865 | The Effects of Biogeography and Biotic Interactions on Lemur Community Assembly. <i>International Journal of Primatology</i> , 2017, 38, 692-716. | 0.9 | 6 |
| 6866 | Morpho-environmental characterization of the genus <i>Dianthus</i> L. in the Iberian Peninsula: environmental trends for <i>D. pungenis</i> group under climate change scenarios. <i>Botany Letters</i> , 2017, 164, 209-227. | 0.7 | 2 |
| 6867 | Statistical landslide susceptibility assessment of the Mansehra and Torghar districts, Khyber Pakhtunkhwa Province, Pakistan. <i>Natural Hazards</i> , 2017, 89, 757-784. | 1.6 | 19 |
| 6868 | Heavy collecting induces smaller and deeper <i>Fritillariae Cirrhosae Bulbus</i> in the wild. <i>Plant Diversity</i> , 2017, 39, 208-213. | 1.8 | 8 |
| 6869 | Phylogeography and Ecological Niche Modeling of the Desert Iguana (<i>Dipsosaurus dorsalis</i> , Baird) Tj ETQq0 0 0 rgBTJ /Overlock 10 Tf 50 | 1.0 | 8 |
| 6870 | Cell wall modifications of two <i>Arabidopsis thaliana</i> ecotypes, Col and Sha, in response to sub-optimal growth conditions: An integrative study. <i>Plant Science</i> , 2017, 263, 183-193. | 1.7 | 26 |
| 6871 | The thermal niche of Neotropical nectar-feeding bats: Its evolution and application to predict responses to global warming. <i>Ecology and Evolution</i> , 2017, 7, 6691-6701. | 0.8 | 20 |
| 6872 | Leaf litter carbon, nitrogen, and phosphorus stoichiometric patterns as related to climatic factors and leaf habits across Chinese broad-leaved tree species. <i>Plant Ecology</i> , 2017, 218, 1063-1076. | 0.7 | 16 |
| 6873 | Effects of climate, habitat and land use on the cover and diversity of the savanna herbaceous layer in Burkina Faso, West Africa. <i>Folia Geobotanica</i> , 2017, 52, 129-142. | 0.4 | 5 |
| 6874 | Cutting the Gordian Knot: Phylogenetic and ecological diversification of the <i>Mesalina breviostris</i> species complex (Squamata, Lacertidae). <i>Zoologica Scripta</i> , 2017, 46, 649-664. | 0.7 | 17 |
| 6875 | Investigation of organic matter and biomarkers from Diepkloof Rock Shelter, South Africa: Insights into Middle Stone Age site usage and palaeoclimate. <i>Journal of Archaeological Science</i> , 2017, 85, 51-65. | 1.2 | 25 |
| 6876 | Holocene vegetation dynamics in response to climate change and human activities derived from pollen and charcoal records from southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 644-660. | 1.0 | 56 |
| 6877 | Phylogenetic conservatism of climatic niche in bats. <i>Global Ecology and Biogeography</i> , 2017, 26, 1055-1065. | 2.7 | 31 |
| 6878 | Molecular data and distribution dynamics indicate a recent and incomplete separation of manakins species of the genus <i>Antilophia</i> (Aves: Pipridae) in response to Holocene climate change. <i>Journal of Avian Biology</i> , 2017, 48, 1177-1188. | 0.6 | 17 |
| 6879 | A temporally explicit species distribution model for a long distance avian migrant, the common cuckoo. <i>Journal of Avian Biology</i> , 2017, 48, 1624-1636. | 0.6 | 27 |
| 6880 | Developing integrative systematics in the informatics and genomic era, and calling for a global Biodiversity Cyberbank. <i>Journal of Systematics and Evolution</i> , 2017, 55, 308-321. | 1.6 | 43 |
| 6881 | Growth form evolution and hybridization in <i>Senecio</i> (Asteraceae) from the high equatorial Andes. <i>Ecology and Evolution</i> , 2017, 7, 6455-6468. | 0.8 | 40 |
| 6882 | Rapid evolution of a divergent ecogeographic cline in introduced lady beetles. <i>Evolutionary Ecology</i> , 2017, 31, 695-705. | 0.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6883 | Reproductive performance of <i>Helianthemum caput-felis</i> along its fragmented distribution in the Mediterranean coasts. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2017, 234, 24-33. | 0.6 | 8 |
| 6884 | Utah Lotus: North American Legume for Rangeland Revegetation in the Southern Great Basin and Colorado Plateau. <i>Rangeland Ecology and Management</i> , 2017, 70, 691-699. | 1.1 | 3 |
| 6885 | Multiple nutrients control threatened grassland vegetation in eastern South Africa. <i>South African Journal of Botany</i> , 2017, 112, 225-236. | 1.2 | 4 |
| 6886 | Wider geographic distribution and higher diversity of hexaploids than tetraploids in <i>Carassius</i> species complex reveal recurrent polyploidy effects on adaptive evolution. <i>Scientific Reports</i> , 2017, 7, 5395. | 1.6 | 37 |
| 6887 | Spatial Analysis of Temporal Changes in the Pandemic of Severe Cassava Mosaic Disease in Northwestern Tanzania. <i>Phytopathology</i> , 2017, 107, 1229-1242. | 1.1 | 16 |
| 6888 | Current and predicted distribution of the pathogenic fungus <i>Batrachochytrium dendrobatidis</i> in Colombia, a hotspot of amphibian biodiversity. <i>Biotropica</i> , 2017, 49, 685-694. | 0.8 | 26 |
| 6889 | The effects of climate change on a mega-diverse country: predicted shifts in mammalian species richness and turnover in continental Ecuador. <i>Biotropica</i> , 2017, 49, 821-831. | 0.8 | 14 |
| 6890 | Hydraulics link leaf shape and environmental niche in terrestrial bromeliads. <i>Biotropica</i> , 2017, 49, 891-902. | 0.8 | 9 |
| 6891 | Phylogenetic age differences in tree assemblages across the Northern Hemisphere increase with long-term climate stability in unstable regions. <i>Global Ecology and Biogeography</i> , 2017, 26, 1035-1042. | 2.7 | 13 |
| 6892 | How climatic variability is linked to the spatial distribution of range sizes: seasonality versus climate change velocity in sphingid moths. <i>Journal of Biogeography</i> , 2017, 44, 2441-2450. | 1.4 | 8 |
| 6893 | Pure polyploidy: Closing the gaps in autopolyploid research. <i>Journal of Systematics and Evolution</i> , 2017, 55, 340-352. | 1.6 | 152 |
| 6894 | Divergence is not enough: the use of ecological niche models for the validation of taxon boundaries. <i>Plant Biology</i> , 2017, 19, 1003-1011. | 1.8 | 11 |
| 6895 | Exploration of sexual dimorphism of <i>Taxus baccata</i> L. needles in natural populations. <i>Trees - Structure and Function</i> , 2017, 31, 1697-1710. | 0.9 | 11 |
| 6896 | The effect of reproductive occurrences and human descriptors on invasive pet distribution modelling: <i>Trachemys scripta elegans</i> in the Iberian Peninsula. <i>Ecological Modelling</i> , 2017, 360, 45-52. | 1.2 | 16 |
| 6897 | Developing Lebanon's fire danger forecast. <i>International Journal of Disaster Risk Reduction</i> , 2017, 24, 332-339. | 1.8 | 11 |
| 6898 | Along-strike topographic variation of Qinghai Nanshan and its significance for landscape evolution in the northeastern Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2017, 147, 226-239. | 1.0 | 14 |
| 6899 | Climate patterns during former periods of mountain glaciation in Britain and Ireland: Inferences from the cirque record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 466-475. | 1.0 | 27 |
| 6900 | Prioritizing conservation areas for coastal plant diversity under increasing urbanization. <i>Journal of Environmental Management</i> , 2017, 201, 425-434. | 3.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6901 | Tropical Montane Cloud Forests: Hydrometeorological variability in three neighbouring catchments with different forest cover. <i>Journal of Hydrology</i> , 2017, 552, 151-167. | 2.3 | 21 |
| 6902 | Range instability leads to cytonuclear discordance in a morphologically cryptic ground squirrel species complex. <i>Molecular Ecology</i> , 2017, 26, 4743-4755. | 2.0 | 23 |
| 6903 | Refugial occurrence and ecology of the land snail <i>Vertigo lilljeborgi</i> in fen habitats in temperate mainland Europe. <i>Journal of Molluscan Studies</i> , 2017, 83, 451-460. | 0.4 | 5 |
| 6904 | Cold adaptation drives variability in needle structure and anatomy in <i>Pinus sylvestris</i> L. along a 1,900 km temperate-boreal transect. <i>Functional Ecology</i> , 2017, 31, 2212-2223. | 1.7 | 33 |
| 6905 | Evaluating mechanisms of diversification in a Guineo-Congolian tropical forest frog using demographic model selection. <i>Molecular Ecology</i> , 2017, 26, 5245-5263. | 2.0 | 157 |
| 6906 | Relationships between leaf shape and climate in <i>Rhododendron mucronulatum</i> . <i>Nordic Journal of Botany</i> , 2017, 35, 618-626. | 0.2 | 6 |
| 6907 | Actual and Potential Distribution of Five Regulated Avocado Pests Across Mexico, Using the Maximum Entropy Algorithm. <i>Florida Entomologist</i> , 2017, 100, 92-100. | 0.2 | 8 |
| 6908 | Insights into mountain precipitation and snowpack from a basin-scale wireless sensor network. <i>Water Resources Research</i> , 2017, 53, 6626-6641. | 1.7 | 32 |
| 6909 | Palaeohydric balance variations in eastern Andean environments in southern Patagonia (48°-52.5° S): Major trends and forcings during the last ca. 8000 cal yrs BP. <i>Review of Palaeobotany and Palynology</i> , 2017, 246, 242-250. | 0.8 | 11 |
| 6910 | Tree cover in Central Africa: determinants and sensitivity under contrasted scenarios of global change. <i>Scientific Reports</i> , 2017, 7, 41393. | 1.6 | 13 |
| 6911 | Consistent role of Quaternary climate change in shaping current plant functional diversity patterns across European plant orders. <i>Scientific Reports</i> , 2017, 7, 42988. | 1.6 | 42 |
| 6912 | What Limits the Distribution of <i>Liriomyza huidobrensis</i> and Its Congener <i>Liriomyza sativae</i> in Their Native Niche: When Temperature and Competition Affect Species' Distribution Range in Guatemala. <i>Journal of Insect Science</i> , 2017, 17, . | 0.6 | 15 |
| 6913 | Idiosyncratic responses to climate-driven forest fragmentation and marine incursions in reed frogs from Central Africa and the Gulf of Guinea Islands. <i>Molecular Ecology</i> , 2017, 26, 5223-5244. | 2.0 | 40 |
| 6914 | Late Pleistocene-Holocene vegetation and climate change in the Middle Kalahari, Lake Ngami, Botswana. <i>Quaternary Science Reviews</i> , 2017, 171, 199-215. | 1.4 | 31 |
| 6915 | Ecotypic differentiation and phenotypic plasticity combine to enhance the invasiveness of the most widespread daisy in Chile, <i>Leontodon saxatilis</i> . <i>Scientific Reports</i> , 2017, 7, 1546. | 1.6 | 13 |
| 6916 | Disentangling environmental and spatial effects on phylogenetic structure of angiosperm tree communities in China. <i>Scientific Reports</i> , 2017, 7, 5634. | 1.6 | 8 |
| 6917 | Machine Learning Model Analysis of Breeding Habitats for the Black-necked Crane in Central Asian Uplands under Anthropogenic Pressures. <i>Scientific Reports</i> , 2017, 7, 6114. | 1.6 | 17 |
| 6918 | Soil nutritional status and biogeography influence rhizosphere microbial communities associated with the invasive tree <i>Acacia dealbata</i> . <i>Scientific Reports</i> , 2017, 7, 6472. | 1.6 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6919 | Climate reconstructions based on postglacial macrofossil assemblages from four river systems in southwestern Alberta. <i>Canadian Water Resources Journal</i> , 2017, 42, 289-305. | 0.5 | 3 |
| 6920 | Protected areas offer refuge from invasive species spreading under climate change. <i>Global Change Biology</i> , 2017, 23, 5331-5343. | 4.2 | 142 |
| 6921 | Phylogeography and population differentiation in the <i>Psittacanthus calyculatus</i> (Loranthaceae) mistletoe: a complex scenario of climate-volcanism interaction along the Trans-Mexican Volcanic Belt. <i>Journal of Biogeography</i> , 2017, 44, 2501-2514. | 1.4 | 26 |
| 6922 | On the controls of abundance for soil-dwelling organisms on the Tibetan Plateau. <i>Ecosphere</i> , 2017, 8, e01901. | 1.0 | 11 |
| 6923 | Leaf habit of tree species does not strongly predict leaf litter decomposition but alters climate-decomposition relationships. <i>Plant and Soil</i> , 2017, 419, 363-376. | 1.8 | 6 |
| 6924 | Does soil pyrogenic carbon determine plant functional traits in Amazon Basin forests?. <i>Plant Ecology</i> , 2017, 218, 1047-1062. | 0.7 | 5 |
| 6925 | Biodiversity and conservation of Cuban mammals: past, present, and invasive species. <i>Journal of Mammalogy</i> , 2017, 98, 964-985. | 0.6 | 23 |
| 6926 | A web platform for landuse, climate, demography, hydrology and beach erosion in the Black Sea catchment. <i>Scientific Data</i> , 2017, 4, 170087. | 2.4 | 13 |
| 6927 | The ecology of <i>Maesopsis eminii</i> Engl. in tropical Africa. <i>African Journal of Ecology</i> , 2017, 55, 679-692. | 0.4 | 12 |
| 6928 | Quantification of climatic niches in birds: adding the temporal dimension. <i>Journal of Avian Biology</i> , 2017, 48, 1517-1531. | 0.6 | 37 |
| 6929 | Climatic zonation and weathering control on sediment composition (Angola). <i>Chemical Geology</i> , 2017, 467, 110-121. | 1.4 | 48 |
| 6930 | The present and likely past climatic distribution of the termite <i>Microhodotermes viator</i> in relation to the distribution of heuweltjies. <i>Journal of Arid Environments</i> , 2017, 146, 35-43. | 1.2 | 12 |
| 6931 | High resolution decadal precipitation predictions over the continental United States for impacts assessment. <i>Journal of Hydrology</i> , 2017, 553, 559-573. | 2.3 | 18 |
| 6932 | From inland to the coast: Spatial and environmental signatures on the genetic diversity in the colonization of the South Atlantic Coastal Plain. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2017, 28, 47-57. | 1.1 | 18 |
| 6933 | Coexistence trend contingent to Mediterranean oaks with different leaf habits. <i>Ecology and Evolution</i> , 2017, 7, 3006-3015. | 0.8 | 5 |
| 6934 | Genomic and phenotypic signatures of climate adaptation in an <i>Anolis</i> lizard. <i>Ecology and Evolution</i> , 2017, 7, 6390-6403. | 0.8 | 26 |
| 6935 | Snails in the desert: Species diversification of <i>Theba</i> (Gastropoda: Helicidae) along the Atlantic coast of NW Africa. <i>Ecology and Evolution</i> , 2017, 7, 5524-5538. | 0.8 | 8 |
| 6936 | Mammal responses to human footprint vary with spatial extent but not with spatial grain. <i>Ecosphere</i> , 2017, 8, e01735. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6937 | The relationship between climate and adult body size in redback salamanders (<i>Plethodon</i>). <i>Journal of Biogeography</i> , 2017, 44, 1071-1075. | 0.5 | 10 |
| 6938 | To What Extent Did We Change Our Soils? A Global Comparison of Natural and Current Conditions. <i>Land Degradation and Development</i> , 2017, 28, 1982-1991. | 1.8 | 12 |
| 6939 | Using n -dimensional hypervolumes for species distribution modelling: A response to Qiao et al. (<i>Journal of Biogeography</i> , 2017, 26, 1071-1075). | 2.7 | 14 |
| 6940 | Carbon and nitrogen allocation shifts in plants and soils along aridity and fertility gradients in grasslands of China. <i>Ecology and Evolution</i> , 2017, 7, 6927-6934. | 0.8 | 41 |
| 6941 | Hierarchical, Quantitative Biogeographic Provinces for All North American Turtles and Their Contribution to the Biogeography of Turtles and the Continent. <i>Herpetological Monographs</i> , 2017, 31, 142. | 1.1 | 18 |
| 6942 | Using streamflow observations to estimate the impact of hydrological regimes and anthropogenic water use on European stream macroinvertebrate occurrences. <i>Ecohydrology</i> , 2017, 10, e1895. | 1.1 | 19 |
| 6943 | Probabilistic projections of regional climatic changes over the Great Lakes Basin. <i>Climate Dynamics</i> , 2017, 49, 2237-2247. | 1.7 | 11 |
| 6944 | Riders in the sky (islands): Using a mega-phylogenetic approach to understand plant species distribution and coexistence at the altitudinal limits of angiosperm plant life. <i>Journal of Biogeography</i> , 2017, 44, 2618-2630. | 1.4 | 31 |
| 6945 | Two Beringian Origins for the Allotetraploid Fern <i>Polystichum braunii</i> (Dryopteridaceae). <i>Systematic Botany</i> , 2017, 42, 6-16. | 0.2 | 14 |
| 6946 | Climate threats on growth of rear-edge European beech peripheral populations in Spain. <i>International Journal of Biometeorology</i> , 2017, 61, 2097-2110. | 1.3 | 12 |
| 6947 | Demographic effects of prolonged drought on a nascent introduction of a semi-aquatic snake. <i>Biological Invasions</i> , 2017, 19, 2885-2898. | 1.2 | 9 |
| 6948 | Rhododendron diversity patterns and priority conservation areas in China. <i>Diversity and Distributions</i> , 2017, 23, 1143-1156. | 1.9 | 38 |
| 6949 | Spatio-temporal pattern of net primary productivity in Hengduan Mountains area, China: impacts of climate change and human activities. <i>Chinese Geographical Science</i> , 2017, 27, 948-962. | 1.2 | 32 |
| 6950 | Integrative phylogeographical and ecological analysis reveals multiple Pleistocene refugia for Mediterranean Daboia vipers in north-west Africa. <i>Biological Journal of the Linnean Society</i> , 2017, 122, 366-384. | 0.7 | 37 |
| 6951 | High-performance prediction of macauba fruit biomass for agricultural and industrial purposes using Artificial Neural Networks. <i>Industrial Crops and Products</i> , 2017, 108, 806-813. | 2.5 | 36 |
| 6952 | Developing land use scenarios for stakeholder participation in Russia. <i>Land Use Policy</i> , 2017, 68, 264-276. | 2.5 | 19 |
| 6953 | Misleading old age on a young landform? The dilemma of cosmogenic inheritance in surface exposure dating: Moraines vs. rock glaciers. <i>Quaternary Geochronology</i> , 2017, 42, 76-88. | 0.6 | 45 |
| 6954 | Evolutionary analysis of Chironius snakes unveils cryptic diversity and provides clues to diversification in the Neotropics. <i>Molecular Phylogenetics and Evolution</i> , 2017, 116, 108-119. | 1.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6955 | Evolutionary trade-offs between drought resistance mechanisms across a precipitation gradient in a seasonally dry tropical oak (<i>Quercus oleoides</i>). <i>Tree Physiology</i> , 2017, 37, 889-901. | 1.4 | 60 |
| 6956 | Factors Affecting Occurrence of Red-Backed Shrike (<i>Lanius collurio</i>) and Lesser Grey Shrike (<i>Lanius</i>) Tj ETQq1 1 0.784314 rgBT /Overlo 285-294. | 0.2 | 2 |
| 6957 | Predicting land at risk from wind erosion using an index-based framework under a climate change scenario in Durango, Mexico. <i>Environmental Earth Sciences</i> , 2017, 76, 1. | 1.3 | 3 |
| 6958 | Physiology at near-critical temperatures, but not critical limits, varies between two lizard species that partition the thermal environment. <i>Journal of Animal Ecology</i> , 2017, 86, 1510-1522. | 1.3 | 18 |
| 6959 | Can incomplete knowledge of species' physiology facilitate ecological niche modelling? A case study with virtual species. <i>Diversity and Distributions</i> , 2017, 23, 1157-1168. | 1.9 | 11 |
| 6960 | Wild populations of <i>Triatoma infestans</i> : Compilation of positive sites and comparison of their ecological niche with domestic population niche. <i>Acta Tropica</i> , 2017, 176, 228-235. | 0.9 | 14 |
| 6961 | Understanding the spatial distribution of factors controlling topsoil organic carbon content in European soils. <i>Science of the Total Environment</i> , 2017, 609, 1411-1422. | 3.9 | 59 |
| 6962 | Metacommunity structure, additive partitioning and environmental drivers of woody plants diversity in the Brazilian Atlantic Forest. <i>Diversity and Distributions</i> , 2017, 23, 1110-1119. | 1.9 | 26 |
| 6963 | Xylem Anatomical Trait Variability Provides Insight on the Climate-Growth Relationship of <i>Betula nana</i> in Western Greenland. <i>Arctic, Antarctic, and Alpine Research</i> , 2017, 49, 359-371. | 0.4 | 16 |
| 6964 | Stable isotopes of carbon and nitrogen help to predict the belowground communities at a regional scale. <i>Scientific Reports</i> , 2017, 7, 7276. | 1.6 | 5 |
| 6965 | Temperature drives abundance fluctuations, but spatial dynamics is constrained by landscape configuration: Implications for climate-driven range shift in a butterfly. <i>Journal of Animal Ecology</i> , 2017, 86, 1339-1351. | 1.3 | 24 |
| 6966 | Invasive potential of the pied crow (<i>Corvus albus</i>) in eastern Brazil: best to eradicate before it spreads. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 227-233. | 1.0 | 7 |
| 6967 | Long-term chloride concentrations in North American and European freshwater lakes. <i>Scientific Data</i> , 2017, 4, 170101. | 2.4 | 43 |
| 6968 | Rise of the spiny ants: diversification, ecology and function of extreme traits in the hyperdiverse genus <i>Pheidole</i> (Hymenoptera: Formicidae). <i>Biological Journal of the Linnean Society</i> , 2017, 122, 514-538. | 0.7 | 20 |
| 6969 | Spatial and temporal variation of nitrogen dioxide measurement in the Middle East within 2005-2014. <i>Modeling Earth Systems and Environment</i> , 2017, 3, 1. | 1.9 | 13 |
| 6970 | Potential distribution of <i>Mikania micrantha</i> Kunth in India - evidence of climatic niche and biome shifts. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2017, 234, 215-223. | 0.6 | 21 |
| 6971 | Modeling the potential natural vegetation of Minnesota, USA. <i>Ecological Informatics</i> , 2017, 41, 116-132. | 2.3 | 6 |
| 6972 | A framework integrating physiology, dispersal and land use to project species ranges under climate change. <i>Journal of Avian Biology</i> , 2017, 48, 1532-1548. | 0.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6973 | Conserving threatened riparian ecosystems in the American West: Precipitation gradients and river networks drive genetic connectivity and diversity in a foundation riparian tree (<i>Populus</i>) | 1.0 | 10 |
| 6974 | Evaluating wild hog preferences to guide control strategies in the Great Smoky Mountains National Park. <i>Natural Resource Modelling</i> , 2017, 30, . | 0.8 | 0 |
| 6975 | DO ENVIRONMENTAL FACTORS AFFECT THE TAXONOMIC RELIABILITY OF LEAF CUTICULAR MICROMORPHOLOGICAL CHARACTERS? A CASE STUDY IN PODOCARPACEAE. <i>Edinburgh Journal of Botany</i> , 2017, 74, 299-343. | 0.4 | 4 |
| 6976 | Can monthly precipitation interpolation error be reduced by adding periphery climate stations? A case study in China's land border areas. <i>Journal of Water and Climate Change</i> , 2017, 8, 102-113. | 1.2 | 4 |
| 6977 | Thermoregulatory behavior and high thermal preference buffer impact of climate change in a Namib Desert lizard. <i>Ecosphere</i> , 2017, 8, e02033. | 1.0 | 29 |
| 6978 | Dissecting the Genetic Basis of Local Adaptation in Soybean. <i>Scientific Reports</i> , 2017, 7, 17195. | 1.6 | 37 |
| 6979 | Genomic diversity and macroecology of the crop wild relatives of domesticated pea. <i>Scientific Reports</i> , 2017, 7, 17384. | 1.6 | 59 |
| 6980 | Habitat structure and presence of <i>Salamandra algira</i> Bedriaga, 1883 in the Edough Peninsula, north-eastern Algeria. <i>African Journal of Herpetology</i> , 2017, 66, 154-168. | 0.3 | 4 |
| 6981 | Human-Wildlife Interactions Predict Febrile Illness in Park Landscapes of Western Uganda. <i>EcoHealth</i> , 2017, 14, 675-690. | 0.9 | 8 |
| 6982 | Occupancy and Abundance of <i>Eleutherodactylus</i> Frogs in Coffee Plantations in Puerto Rico. <i>Herpetologica</i> , 2017, 73, 297. | 0.2 | 5 |
| 6983 | Adapting the botanical landscape of Melbourne Gardens (Royal Botanic Gardens Victoria) in response to climate change. <i>Plant Diversity</i> , 2017, 39, 338-347. | 1.8 | 9 |
| 6984 | Niche shifts after long-distance dispersal events in bipolar sedges (<i>Carex</i> , Cyperaceae). <i>American Journal of Botany</i> , 2017, 104, 1765-1774. | 0.8 | 22 |
| 6985 | Can Niche Modeling and Geometric Morphometrics Document Competitive Exclusion in a Pair of Subterranean Rodents (Genus <i>Ctenomys</i>) with Tiny Parapatric Distributions?. <i>Scientific Reports</i> , 2017, 7, 16283. | 1.6 | 17 |
| 6986 | Wind Distortion in Alpine and Subantarctic Plants is Constant among Life Forms but does not Necessarily Reflect Prevailing Wind Direction. <i>Arctic, Antarctic, and Alpine Research</i> , 2017, 49, 521-535. | 0.4 | 11 |
| 6987 | Environmental correlates of internal coloration in frogs vary throughout space and lineages. <i>Ecology and Evolution</i> , 2017, 7, 9222-9233. | 0.8 | 14 |
| 6988 | Plant functional type approach for a functional interpretation of altitudinal vegetation zones in the Alborz Mts., Iran. <i>Journal of Mountain Science</i> , 2017, 14, 2257-2269. | 0.8 | 9 |
| 6989 | GIS - a web GIS for delivery of digital soil maps in cotton-growing areas of Australia. <i>Soil Use and Management</i> , 2017, 33, 568-582. | 2.6 | 8 |
| 6990 | Using population viability analysis, genomics, and habitat suitability to forecast future population patterns of Little Owl <i>Athene noctua</i> across Europe. <i>Ecology and Evolution</i> , 2017, 7, 10987-11001. | 0.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6992 | The latitudinal diversity gradient in New World swallowtail butterflies is caused by contrasting patterns of out-of- and into-tropics dispersal. <i>Global Ecology and Biogeography</i> , 2017, 26, 1447-1458. | 2.7 | 24 |
| 6993 | Heterochromatic and cytomolecular diversification in the Caesalpinia group (Leguminosae): Relationships between phylogenetic and cytogeographical data. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2017, 29, 51-63. | 1.1 | 30 |
| 6994 | Environmental heterogeneity, not distance, structures montane epigeic spider assemblages in north-western Patagonia (Argentina). <i>Journal of Insect Conservation</i> , 2017, 21, 951-962. | 0.8 | 19 |
| 6995 | Species pool distributions along functional trade-offs shape plant productivity-diversity relationships. <i>Scientific Reports</i> , 2017, 7, 15405. | 1.6 | 13 |
| 6997 | Effects of elevated CO ₂ on fine root biomass are reduced by aridity but enhanced by soil nitrogen: A global assessment. <i>Scientific Reports</i> , 2017, 7, 15355. | 1.6 | 16 |
| 6998 | Comment on "The extent of forest in dryland biomes". <i>Science</i> , 2017, 358, . | 6.0 | 16 |
| 6999 | Despite available habitat at range edge, yellow-cedar migration is punctuated with a past pulse tied to colder conditions. <i>Diversity and Distributions</i> , 2017, 23, 1381-1392. | 1.9 | 6 |
| 7000 | Energy determines broad pattern of plant distribution in Western Himalaya. <i>Ecology and Evolution</i> , 2017, 7, 10850-10860. | 0.8 | 32 |
| 7001 | A high-throughput FTIR spectroscopy approach to assess adaptive variation in the chemical composition of pollen. <i>Ecology and Evolution</i> , 2017, 7, 10839-10849. | 0.8 | 29 |
| 7002 | Indices of soil contamination by heavy metals – methodology of calculation for pollution assessment (minireview). <i>Environmental Monitoring and Assessment</i> , 2017, 189, 616. | 1.3 | 176 |
| 7003 | Scalable and queryable compressed storage structure for raster data. <i>Information Systems</i> , 2017, 72, 179-204. | 2.4 | 25 |
| 7004 | The lichen genus <i>Rinodina</i> (Physciaceae, Caliciales) in north-eastern Asia. <i>Lichenologist</i> , 2017, 49, 617-672. | 0.5 | 29 |
| 7005 | Assessing the population at risk of Zika virus in Asia – is the emergency really over?. <i>BMJ Global Health</i> , 2017, 2, e000309. | 2.0 | 22 |
| 7006 | Bioclimatic niches are conserved and unrelated to pollination syndromes in Antillean Gesneriaceae. <i>Royal Society Open Science</i> , 2017, 4, 170293. | 1.1 | 5 |
| 7007 | Maize [<i>Zea Mays</i> (L.)] crop-nutrient response functions extrapolation for Sub-Saharan Africa. <i>Nutrient Cycling in Agroecosystems</i> , 2017, 109, 269-289. | 1.1 | 5 |
| 7008 | Modeling impacts of human footprint and soil variability on the potential distribution of invasive plant species in different biomes. <i>Acta Oecologica</i> , 2017, 85, 141-149. | 0.5 | 9 |
| 7009 | Improving Global Gross Primary Productivity Estimates by Computing Optimum Light Use Efficiencies Using Flux Tower Data. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 2939-2951. | 1.3 | 41 |
| 7010 | <i>Rangifer</i> management controls a climate-sensitive tundra state transition. <i>Ecological Applications</i> , 2017, 27, 2416-2427. | 1.8 | 42 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7011 | Evolution of a complex phenotype with biphasic ontogeny: Contribution of development versus function and climatic variation to skull modularity in toads. <i>Ecology and Evolution</i> , 2017, 7, 10752-10769. | 0.8 | 13 |
| 7012 | Ecological restoration success is higher for natural regeneration than for active restoration in tropical forests. <i>Science Advances</i> , 2017, 3, e1701345. | 4.7 | 360 |
| 7013 | Sustainability of Jaborandi in the eastern Brazilian Amazon. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 161-171. | 1.0 | 8 |
| 7014 | Evolutionary ecology of fast seed germination—A case study in Amaranthaceae/Chenopodiaceae. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2017, 29, 1-11. | 1.1 | 26 |
| 7015 | Plant community composition and species richness in the High Arctic tundra: From the present to the future. <i>Ecology and Evolution</i> , 2017, 7, 10233-10242. | 0.8 | 37 |
| 7016 | Common garden test of range limits as predicted by a species distribution model in the annual plant <i>Mimulus bicolor</i> . <i>American Journal of Botany</i> , 2017, 104, 817-827. | 0.8 | 13 |
| 7017 | Trait dynamics of Mediterranean xerophytic shrub communities growing on stabilised inland dunes respond to nutrient and aridity gradients. <i>Plant Ecology and Diversity</i> , 2017, 10, 115-126. | 1.0 | 4 |
| 7018 | Discrepancies in occupancy and abundance approaches to identifying and protecting habitat for an at-risk species. <i>Ecology and Evolution</i> , 2017, 7, 5692-5702. | 0.8 | 23 |
| 7019 | Integrative species delimitation of the widespread North American jumping mice (Zapodinae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 137-152. | 1.2 | 18 |
| 7020 | Genetic and ecological processes promoting early diversification in the lowland Mesoamerican bat <i>Sturnira parvidens</i> (Chiroptera: Phyllostomidae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 334-345. | 1.2 | 22 |
| 7021 | Distribution of invasive <i>Cylindrospermopsis raciborskii</i> in the East-Central Europe is driven by climatic and local environmental variables. <i>FEMS Microbiology Ecology</i> , 2017, 93, . | 1.3 | 36 |
| 7022 | Modelling the effects of global climate change on Chikungunya transmission in the 21st century. <i>Scientific Reports</i> , 2017, 7, 3813. | 1.6 | 79 |
| 7023 | Macroclimatic niche limits and the evolution of C4 photosynthesis in Gomphrenoideae (Amaranthaceae). <i>Botanical Journal of the Linnean Society</i> , 2017, 184, 283-297. | 0.8 | 11 |
| 7024 | Integration of morphological, ecological, and genetic evidence suggests that the genus <i>Andinomys</i> (Rodentia, Cricetidae) is monospecific. <i>Journal of Mammalogy</i> , 2017, 98, 1060-1077. | 0.6 | 8 |
| 7025 | Morphological and physiological responses to drought stress of European provenances of Scots pine. <i>European Journal of Forest Research</i> , 2017, 136, 91-104. | 1.1 | 31 |
| 7026 | The development of a method to determine the burden of climate change on different health outcomes at a local scale: a case study in Osaka Prefecture, Japan. <i>Environment Systems and Decisions</i> , 2017, 37, 309-319. | 1.9 | 2 |
| 7027 | Geographical and Ecological Drivers of Mitonuclear Genetic Divergence in a Mediterranean Grasshopper. <i>Evolutionary Biology</i> , 2017, 44, 505-521. | 0.5 | 3 |
| 7028 | The Influence of Climate on Shell Variation in <i>Trochulus striolatus</i> (C. Pfeiffer, 1828) (Gastropoda: Hygromiidae) and Its Implications for Subspecies Taxonomy. <i>Annales Zoologici</i> , 2017, 67, 199-220. | 0.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7029 | The influence of growth form and substrate on lichen ecophysiological responses along an aridity gradient. <i>Environmental Science and Pollution Research</i> , 2017, 24, 26206-26212. | 2.7 | 6 |
| 7030 | The Geographic Distribution of <i>Ixodes scapularis</i> (Acari: Ixodidae) Revisited: The Importance of Assumptions About Error Balance. <i>Journal of Medical Entomology</i> , 2017, 54, 1080-1084. | 0.9 | 15 |
| 7031 | Spatio-temporal change of ecosystem services as a key to understand natural resource utilization in Southern Chile. <i>Regional Environmental Change</i> , 2017, 17, 2477-2493. | 1.4 | 19 |
| 7032 | Diversity patterns and biogeography of Diaptomidae (Copepoda, Calanoida) in the Western Palearctic. <i>Hydrobiologia</i> , 2017, 800, 45-60. | 1.0 | 25 |
| 7033 | New records of an invasive bumble bee in northern Chile: expansion of its range or new introduction events?. <i>Journal of Insect Conservation</i> , 2017, 21, 657-666. | 0.8 | 19 |
| 7034 | Bird Diversity and Its Relationship with Habitat Characteristics in High Andean Peatbogs. <i>Ardeola</i> , 2017, 64, 363-376. | 0.4 | 5 |
| 7035 | Balancing selection maintains diversity in a cold tolerance gene in broadly distributed live oaks. <i>Genome</i> , 2017, 60, 762-769. | 0.9 | 10 |
| 7036 | Predicting current and future disease outbreaks of <i>Diplodia sapinea</i> shoot blight in Italy: species distribution models as a tool for forest management planning. <i>Forest Ecology and Management</i> , 2017, 400, 655-664. | 1.4 | 67 |
| 7037 | Development and application of a novel method for regional assessment of groundwater contamination risk in the Songhua River Basin. <i>Science of the Total Environment</i> , 2017, 605-606, 598-609. | 3.9 | 30 |
| 7038 | Accessible areas in ecological niche comparisons of invasive species: Recognized but still overlooked. <i>Scientific Reports</i> , 2017, 7, 1213. | 1.6 | 50 |
| 7039 | The evolution of climatic niches in squamate reptiles. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20170268. | 1.2 | 40 |
| 7040 | Insights from a New High-Resolution Drought Atlas for the Caribbean Spanning 1950â€”2016. <i>Journal of Climate</i> , 2017, 30, 7801-7825. | 1.2 | 66 |
| 7041 | Connectivity Conservation Management: A Biodiversity Corridor for Central Vietnam. <i>Water Resources Development and Management</i> , 2017, , 69-81. | 0.3 | 1 |
| 7042 | Heritability of early growth traits and their plasticity in 14 woody species of Chinese subtropical forest. <i>Journal of Plant Ecology</i> , 2017, 10, 222-231. | 1.2 | 12 |
| 7043 | Introgressomics: a new approach for using crop wild relatives in breeding for adaptation to climate change. <i>Euphytica</i> , 2017, 213, 1. | 0.6 | 154 |
| 7044 | Genomic and phenotypic analysis of Vavilovâ€™s historic landraces reveals the impact of environment and genomic islands of agronomic traits. <i>Scientific Reports</i> , 2017, 7, 4816. | 1.6 | 24 |
| 7045 | Copula-statistical precipitation forecasting model in Australiaâ€™s agro-ecological zones. <i>Agricultural Water Management</i> , 2017, 191, 153-172. | 2.4 | 45 |
| 7046 | Modeling land suitability for <i>Coffea arabica</i> L. in Central America. <i>Environmental Modelling and Software</i> , 2017, 95, 196-209. | 1.9 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7047 | Maximum entropy modeling risk of anthrax in the Republic of Kazakhstan. Preventive Veterinary Medicine, 2017, 144, 149-157. | 0.7 | 19 |
| 7048 | Development of a suitability model for estimation of global urban land cover. Transportation Research Procedia, 2017, 25, 3161-3173. | 0.8 | 10 |
| 7049 | Cladal divergence in fungal Ophiognomonia (Gnomoniaceae: Diaporthales) shows evidence of climatic niche vicariance. Biological Journal of the Linnean Society, 2017, 122, 1-12. | 0.7 | 4 |
| 7050 | Predicting the shift of threatened ungulates' habitats with climate change in Altun Mountain National Nature Reserve of the Northwestern Qinghai-Tibetan Plateau. Climatic Change, 2017, 142, 331-344. | 1.7 | 24 |
| 7051 | Impact of species delimitation and sampling on niche models and phylogeographical inference: A case study of the East African reed frog <i>Hyperolius substriatus</i> Ahl, 1931. Molecular Phylogenetics and Evolution, 2017, 114, 261-270. | 1.2 | 8 |
| 7052 | Phylogenetics of Kingsnakes, <i>Lampropeltis getula</i> Complex (Serpentes: Colubridae), in Eastern North America. Journal of Heredity, 2017, 108, esw086. | 1.0 | 7 |
| 7053 | <sc>sdm</sc>: An <sc>r</sc> package to predict distribution of species richness and composition based on stacked species distribution models. Methods in Ecology and Evolution, 2017, 8, 1795-1803. | 2.2 | 129 |
| 7054 | Thermal buffering capacity of the germination phenotype across the environmental envelope of the Cactaceae. Global Change Biology, 2017, 23, 5309-5317. | 4.2 | 44 |
| 7055 | Environmental factors associated with the distribution of visceral leishmaniasis in endemic areas of Bangladesh: modeling the ecological niche. Tropical Medicine and Health, 2017, 45, 13. | 1.0 | 33 |
| 7056 | The establishment threat of the obligate brood-parasitic Pin-tailed Whydah (<i>Vidua macroura</i>) in North America and the Antilles. Condor, 2017, 119, 449-458. | 0.7 | 8 |
| 7057 | Dynamics of soil organic carbon in density fractions during post-agricultural succession over two lithology types, southwest China. Journal of Environmental Management, 2017, 201, 199-206. | 3.8 | 38 |
| 7058 | Novel approaches for Spatial and Molecular Surveillance of Porcine Reproductive and Respiratory Syndrome Virus (PRRSv) in the United States. Scientific Reports, 2017, 7, 4343. | 1.6 | 27 |
| 7059 | Beyond elevation: testing the climatic variability hypothesis vs. Rapoport's rule in vascular plant and snail species in the Caucasus. Biological Journal of the Linnean Society, 2017, 121, 753-763. | 0.7 | 21 |
| 7060 | Are landscape attributes a useful shortcut for classifying vegetation in the tropics? A case study of La Amistad International Park. Biotropica, 2017, 49, 848-855. | 0.8 | 3 |
| 7061 | Genomic footprints of adaptation in a cooperatively breeding tropical bird across a vegetation gradient. Molecular Ecology, 2017, 26, 4483-4496. | 2.0 | 16 |
| 7062 | Environmental risk modelling and potential sand fly vectors of cutaneous leishmaniasis in Chitral district: a leishmanial focal point of mount Tirich Mir, Pakistan. Tropical Medicine and International Health, 2017, 22, 1130-1140. | 1.0 | 11 |
| 7063 | First Record of the Collared Sprite, <i>Thainycteris aureocollaris</i> (Chiroptera, Vespertilionidae) from China. Mammal Study, 2017, 42, 97-103. | 0.2 | 1 |
| 7064 | A metapopulation approach to predict species range shifts under different climate change and landscape connectivity scenarios. Ecological Modelling, 2017, 359, 406-414. | 1.2 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7065 | Plant community patterns in Moroccan temporary ponds along latitudinal and anthropogenic disturbance gradients. <i>Plant Ecology and Diversity</i> , 2017, 10, 197-215. | 1.0 | 11 |
| 7066 | Demographic history and population genetic structure of <i>Hagenia abyssinica</i> (Rosaceae), a tropical tree endemic to the Ethiopian highlands and eastern African mountains. <i>Tree Genetics and Genomes</i> , 2017, 13, 1. | 0.6 | 8 |
| 7067 | Influences of climate change on the potential distribution of <i>Lutzomyia longipalpis</i> sensu lato (Psychodidae: Phlebotominae). <i>International Journal for Parasitology</i> , 2017, 47, 667-674. | 1.3 | 37 |
| 7068 | Decreasing water availability across the globe improves the effectiveness of protective ant-plant mutualisms: a meta-analysis. <i>Biological Reviews</i> , 2017, 92, 1785-1794. | 4.7 | 23 |
| 7069 | Niche overlap and shared distributional patterns between two South American small carnivorans: <i>Galictis cuja</i> and <i>Lyncodon patagonicus</i> (Carnivora: Mustelidae). <i>Mammalia</i> , 2017, 81, . | 0.3 | 2 |
| 7070 | Flea species infesting dogs in Spain: updated spatial and seasonal distribution patterns. <i>Medical and Veterinary Entomology</i> , 2017, 31, 107-113. | 0.7 | 10 |
| 7071 | Land change and loss of landscape diversity at the Caatinga phytogeographical domain – Analysis of pattern-process relationships with MODIS land cover products (2001–2012). <i>Journal of Arid Environments</i> , 2017, 136, 54-74. | 1.2 | 49 |
| 7072 | Climatic microrefugia under anthropogenic climate change: implications for species redistribution. <i>Ecography</i> , 2017, 40, 253-266. | 2.1 | 249 |
| 7073 | Emerging climate-driven disturbance processes: widespread mortality associated with snow-rain transitions across 10° of latitude and half the range of a climate-threatened conifer. <i>Global Change Biology</i> , 2017, 23, 2903-2914. | 4.2 | 35 |
| 7074 | Demographic structure and genetic variability throughout the distribution of <i>Platte thistle</i> (<i>Cirsium canescens</i> Asteraceae). <i>Journal of Biogeography</i> , 2017, 44, 375-385. | 1.4 | 8 |
| 7075 | Weak coordination between leaf structure and function among closely related tomato species. <i>New Phytologist</i> , 2017, 213, 1642-1653. | 3.5 | 40 |
| 7076 | Potential CO2 emissions from defrosting permafrost soils of the Qinghai-Tibet Plateau under different scenarios of climate change in 2050 and 2070. <i>Catena</i> , 2017, 149, 221-231. | 2.2 | 30 |
| 7077 | Vulnerability to xylem embolism as a major correlate of the environmental distribution of rain forest species on a tropical island. <i>Plant, Cell and Environment</i> , 2017, 40, 277-289. | 2.8 | 67 |
| 7078 | Latitudinal and altitudinal patterns of plant community diversity on mountain summits across the tropical Andes. <i>Ecography</i> , 2017, 40, 1381-1394. | 2.1 | 105 |
| 7079 | Time and environment explain the current richness distribution of non-marine turtles worldwide. <i>Ecography</i> , 2017, 40, 1402-1411. | 2.1 | 20 |
| 7080 | Dissecting global turnover in vascular plants. <i>Global Ecology and Biogeography</i> , 2017, 26, 228-242. | 2.7 | 71 |
| 7081 | Complete mitochondrial genomes of Thai and Lao populations indicate an ancient origin of Austroasiatic groups and demic diffusion in the spread of Tai-Kadai languages. <i>Human Genetics</i> , 2017, 136, 85-98. | 1.8 | 62 |
| 7082 | Are 3°C too much? Thermal niche breadth in Bromeliaceae and global warming. <i>Journal of Ecology</i> , 2017, 105, 507-516. | 1.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7083 | Asynchronous diversification of snakes in the North American warm deserts. <i>Journal of Biogeography</i> , 2017, 44, 461-474. | 1.4 | 40 |
| 7084 | Prioritizing climate-smart agricultural land use options at a regional scale. <i>Agricultural Systems</i> , 2017, 151, 174-183. | 3.2 | 45 |
| 7085 | Growth discontinuities at borders. <i>Journal of Economic Growth</i> , 2017, 22, 145-192. | 1.1 | 52 |
| 7086 | Recovery and germination of <i>Prosopis juliflora</i> (Sw.) DC seeds after ingestion by goats and cattle. <i>Arid Land Research and Management</i> , 2017, 31, 71-80. | 0.6 | 14 |
| 7087 | Linear reaction norms of thermal limits in <i>Drosophila</i> : predictable plasticity in cold but not in heat tolerance. <i>Functional Ecology</i> , 2017, 31, 934-945. | 1.7 | 74 |
| 7088 | The distribution of <i>Athetis lepigone</i> and prediction of its potential distribution based on <i>scp</i> -GARP and MaxEnt. <i>Journal of Applied Entomology</i> , 2017, 141, 431-440. | 0.8 | 20 |
| 7089 | Phylogeography and historical demography of the orchid bee <i>Euglossa iopoeila</i> : signs of vicariant events associated to Quaternary climatic changes. <i>Conservation Genetics</i> , 2017, 18, 539-552. | 0.8 | 33 |
| 7090 | The evolution of intrinsic reproductive isolation in the genus <i>Cakile</i> (Brassicaceae). <i>Journal of Evolutionary Biology</i> , 2017, 30, 361-376. | 0.8 | 6 |
| 7091 | The genus <i>Corchorus</i> L. (Malvaceae) in India: species distribution and ethnobotany. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 1675-1686. | 0.8 | 10 |
| 7092 | Which breeding bird categories should we use in models of species distribution?. <i>Ecological Indicators</i> , 2017, 74, 526-529. | 2.6 | 17 |
| 7093 | Changes of carbon stocks in alpine grassland soils from 2002 to 2011 on the Tibetan Plateau and their climatic causes. <i>Geoderma</i> , 2017, 288, 166-174. | 2.3 | 44 |
| 7094 | Revealing areas of high nature conservation importance in a seasonally dry tropical forest in Brazil: Combination of modelled plant diversity hot spots and threat patterns. <i>Journal for Nature Conservation</i> , 2017, 35, 24-39. | 0.8 | 44 |
| 7095 | Contracting montane cloud forests: a case study of the Andean alder (<i>Alnus acuminata</i>) and associated fungi in the Yungas. <i>Biotropica</i> , 2017, 49, 141-152. | 0.8 | 23 |
| 7096 | Interactive effects of water limitation and elevated temperature on the physiology, development and fitness of diverse accessions of <i>Brachypodium distachyon</i> . <i>New Phytologist</i> , 2017, 214, 132-144. | 3.5 | 39 |
| 7097 | Large mammal species richness and late Quaternary precipitation change in south-western Australia. <i>Journal of Quaternary Science</i> , 2017, 32, 760-769. | 1.1 | 23 |
| 7098 | Improved surveillance for early detection of a potential invasive species: the alien Rose-ringed parakeet <i>Psittacula krameri</i> in Australia. <i>Biological Invasions</i> , 2017, 19, 1273-1284. | 1.2 | 26 |
| 7099 | Palaeoclimatic distribution models predict Pleistocene refuges for the Neotropical harvestman <i>Geraecormobius sylvarum</i> (Arachnida: Opiliones: Gonyleptidae). <i>Journal of Natural History</i> , 2017, 51, 17-32. | 0.2 | 6 |
| 7100 | <i>Buchnera</i> has changed flatmate but the repeated replacement of co-obligate symbionts is not associated with the ecological expansions of their aphid hosts. <i>Molecular Ecology</i> , 2017, 26, 2363-2378. | 2.0 | 103 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7101 | A 10 year fog and low stratus climatology for Europe based on <i>Meteosat</i> Second Generation data. <i>Quarterly Journal of the Royal Meteorological Society</i> , 2017, 143, 530-541. | 1.0 | 37 |
| 7102 | Identification of Priority Areas for the Conservation of Stream Fish Assemblages: Implications for River Management in France. <i>River Research and Applications</i> , 2017, 33, 524-537. | 0.7 | 19 |
| 7103 | Phylogenetic relationships, song and distribution of the endangered Rufous-headed Robin <i>Larvivora ruficeps</i> . <i>Ibis</i> , 2017, 159, 204-216. | 1.0 | 9 |
| 7104 | A Study of the Impacts of Climate Change Scenarios on the Plant Hardiness Zones of Albania. <i>Journal of Applied Meteorology and Climatology</i> , 2017, 56, 615-631. | 0.6 | 11 |
| 7105 | The effect of fire history in shaping diversity patterns of flower-visiting insects in post-fire Mediterranean pine forests. <i>Biodiversity and Conservation</i> , 2017, 26, 115-131. | 1.2 | 32 |
| 7106 | Invasive potential and management of <i>Melaleuca hypericifolia</i> (Myrtaceae) in South Africa. <i>South African Journal of Botany</i> , 2017, 108, 110-116. | 1.2 | 5 |
| 7107 | First field-based observations of $\delta^2\text{H}$ and $\delta^{18}\text{O}$ values of event-based precipitation, rivers and other water bodies in the Dzungarian Gobi, SW Mongolia. <i>Isotopes in Environmental and Health Studies</i> , 2017, 53, 157-171. | 0.5 | 18 |
| 7108 | Patterns and drivers of zoogeographical regions of terrestrial vertebrates in China. <i>Journal of Biogeography</i> , 2017, 44, 1172-1184. | 1.4 | 45 |
| 7109 | Does inherent flammability of grass and litter fuels contribute to continental patterns of landscape fire activity?. <i>Journal of Biogeography</i> , 2017, 44, 1225-1238. | 1.4 | 38 |
| 7110 | Differential adaptation drives ecological speciation in <i>Silene</i> : evidence from a multi-site transplant experiment. <i>New Phytologist</i> , 2017, 213, 1487-1499. | 3.5 | 25 |
| 7111 | <i>SoilWorld</i> : A Global Soil Map for Environmental Modelling. <i>Land Degradation and Development</i> , 2017, 28, 22-33. | 1.8 | 56 |
| 7112 | Modeling impacts of climate change on the potential distribution of the carcinogenic liver fluke, <i>Opisthorchis viverrini</i> , in Thailand. <i>Parasitology Research</i> , 2017, 116, 243-250. | 0.6 | 26 |
| 7113 | Novel trophic interaction: the scuttle fly <i>Megaselia scalaris</i> (Diptera: Phoridae) is a facultative parasitoid of the desert scorpion <i>Mesobuthus eupeus mongolicus</i> (Scorpiones: Buthidae). <i>Journal of Natural History</i> , 2017, 51, 1-15. | 0.2 | 13 |
| 7114 | The Influence of the Host Plant Is the Major Ecological Determinant of the Presence of Nitrogen-Fixing Root Nodule Symbiont Cluster II <i>Frankia</i> Species in Soil. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 1.4 | 10 |
| 7115 | Linking plant communities on land and at sea: The effects of <i>Posidonia oceanica</i> wrack on the structure of dune vegetation. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 184, 30-36. | 0.9 | 29 |
| 7116 | The road to 2020 targets and the learnings from the emblematic South American plant genus <i>Nassauvia</i> (Asteraceae). <i>Biodiversity and Conservation</i> , 2017, 26, 329-351. | 1.2 | 4 |
| 7117 | Modelling the topsoil carbon stock of agricultural lands with the Stochastic Gradient Treeboost in a semi-arid Mediterranean region. <i>Geoderma</i> , 2017, 286, 35-45. | 2.3 | 48 |
| 7118 | Modelling the potential geographic distribution of an endangered pollination corridor in Mexico and the United States. <i>Diversity and Distributions</i> , 2017, 23, 67-78. | 1.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7119 | Geographic variation and acclimation effects on thermoregulation behavior in the widespread lizard <i>Liolaemus pictus</i> . <i>Journal of Thermal Biology</i> , 2017, 63, 78-87. | 1.1 | 27 |
| 7120 | Densityâ€dependent reproduction and pollen limitation in an invasive milkweed, <i>Calotropis procera</i> (Ait.) R. Br. (Apocynaceae). <i>Austral Ecology</i> , 2017, 42, 61-71. | 0.7 | 9 |
| 7121 | Habitat distribution modelling to identify areas of high conservation value under climate change for <i>Mangifera sylvatica</i> Roxb. of Bangladesh. <i>Land Use Policy</i> , 2017, 60, 223-232. | 2.5 | 39 |
| 7122 | Mechanistic variables can enhance predictive models of endotherm distributions: the American pika under current, past, and future climates. <i>Global Change Biology</i> , 2017, 23, 1048-1064. | 4.2 | 91 |
| 7123 | Taxonomic Revision of <i>Lipoptilocnema</i> (Diptera: Sarcophagidae), With Notes on Natural History and Forensic Importance of Its Species. <i>Journal of Medical Entomology</i> , 2017, 54, 50-75. | 0.9 | 10 |
| 7124 | Community functional trait composition at the continental scale: the effects of nonâ€ecological processes. <i>Ecography</i> , 2017, 40, 651-663. | 2.1 | 25 |
| 7125 | Climate change evidences from the end of the Little Ice Age to the Current Warm Period registered by Melincuc Lake (Northern Pampas, Argentina). <i>Quaternary International</i> , 2017, 438, 160-174. | 0.7 | 9 |
| 7126 | A global method for calculating plant <i>CSR</i> ecological strategies applied across biomes worldwide. <i>Functional Ecology</i> , 2017, 31, 444-457. | 1.7 | 330 |
| 7127 | Fineâ€grain, largeâ€domain climate models based on climate station and comprehensive topographic information improve microrefugia detection. <i>Ecography</i> , 2017, 40, 1003-1013. | 2.1 | 90 |
| 7128 | Phylogeography of <i>Quercus aquifolioides</i> provides novel insights into the Neogene history of a major global hotspot of plant diversity in southâ€west China. <i>Journal of Biogeography</i> , 2017, 44, 294-307. | 1.4 | 113 |
| 7129 | Hypsodonty of Dipodidae (Rodentia) in Correlation with Diet Preferences and Habitats. <i>Journal of Mammalian Evolution</i> , 2017, 24, 485-494. | 1.0 | 6 |
| 7130 | The ecological niche and distribution of Neanderthals during the Last Interglacial. <i>Journal of Biogeography</i> , 2017, 44, 51-61. | 1.4 | 39 |
| 7131 | Measurement and GISâ€based spatial modelling of copper corrosion in different environments in Europe. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2017, 68, 20-29. | 0.8 | 6 |
| 7132 | Wild Felid Range Shift Due to Climatic Constraints in the Americas: a Bottleneck Explanation for Extinct Felids?. <i>Journal of Mammalian Evolution</i> , 2017, 24, 427-438. | 1.0 | 15 |
| 7133 | Genetically informed ecological niche models improve climate change predictions. <i>Global Change Biology</i> , 2017, 23, 164-176. | 4.2 | 164 |
| 7134 | Present and past climatic effects on the current distribution and genetic diversity of the Iberian spadefoot toad (<i>Pelobates cultripes</i>): an integrative approach. <i>Journal of Biogeography</i> , 2017, 44, 245-258. | 1.4 | 29 |
| 7135 | Coarse climate change projections for species living in a fineâ€scaled world. <i>Global Change Biology</i> , 2017, 23, 12-24. | 4.2 | 56 |
| 7136 | Performance tradeoffs in targetâ€group bias correction for species distribution models. <i>Ecography</i> , 2017, 40, 1076-1087. | 2.1 | 65 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7137 | Environmental effect on <i>Epichloa</i> endophyte occurrence and ergovaline concentration in wild populations of forage grasses in Poland. <i>Plant and Soil</i> , 2017, 410, 383-399. | 1.8 | 10 |
| 7138 | Climate change will increase the naturalization risk from garden plants in Europe. <i>Global Ecology and Biogeography</i> , 2017, 26, 43-53. | 2.7 | 87 |
| 7139 | Aleppo pine forests from across Spain show drought-induced growth decline and partial recovery. <i>Agricultural and Forest Meteorology</i> , 2017, 232, 186-194. | 1.9 | 99 |
| 7140 | Thermal limits of leaf metabolism across biomes. <i>Global Change Biology</i> , 2017, 23, 209-223. | 4.2 | 213 |
| 7141 | Spatiotemporal heterogeneity in precipitation patterns explain population-level germination strategies in an edaphic specialist. <i>Annals of Botany</i> , 2017, 119, 253-265. | 1.4 | 31 |
| 7142 | Big data for forecasting the impacts of global change on plant communities. <i>Global Ecology and Biogeography</i> , 2017, 26, 6-17. | 2.7 | 83 |
| 7143 | Large-scale patterns of fish diversity and assemblage structure in the longest tropical river in Asia. <i>Ecology of Freshwater Fish</i> , 2017, 26, 575-585. | 0.7 | 34 |
| 7144 | Partitioning taxonomic diversity of aquatic insect assemblages and functional feeding groups in neotropical savanna headwater streams. <i>Ecological Indicators</i> , 2017, 72, 365-373. | 2.6 | 43 |
| 7145 | Can incidental sighting data be used to elucidate habitat preferences and areas of suitable habitat for a cryptic species?. <i>Integrative Zoology</i> , 2017, 12, 186-197. | 1.3 | 7 |
| 7146 | Pollination biology of <i>Echinopsis leucantha</i> (Cactaceae): passerine birds and exotic bees as effective pollinators. <i>Botany</i> , 2017, 95, 53-59. | 0.5 | 7 |
| 7147 | Functional diversity underlies demographic responses to environmental variation in European forests. <i>Global Ecology and Biogeography</i> , 2017, 26, 128-141. | 2.7 | 56 |
| 7148 | Evolutionary history of the Persian Jird, <i>Meriones persicus</i> , based on genetics, species distribution modelling and morphometric data. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 29-45. | 0.6 | 32 |
| 7149 | Multiscale Assessment of the Impacts of Climate Change on Water Resources in Tanzania. <i>Journal of Hydrologic Engineering - ASCE</i> , 2017, 22, . | 0.8 | 16 |
| 7150 | Colour lightness of dragonfly assemblages across North America and Europe. <i>Ecography</i> , 2017, 40, 1110-1117. | 2.1 | 56 |
| 7151 | Patterns of niche filling and expansion across the invaded ranges of <i>Halyomorpha halys</i> in North America and Europe. <i>Journal of Pest Science</i> , 2017, 90, 1045-1057. | 1.9 | 25 |
| 7152 | Geographical distribution of traits and diversity in the world collection of pearl millet [<i>Pennisetum glaucum</i> (L.) R. Br., synonym: <i>Cenchrus americanus</i> (L.) Morrone] landraces conserved at the ICRISAT genebank. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 1365-1381. | 0.8 | 13 |
| 7153 | Identification of potential areas for wild palm cultivation in the Republic of Benin through remote sensing and ecological niche modeling. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 1383-1393. | 0.8 | 19 |
| 7154 | Correlating habitat suitability with landscape connectivity: A case study of Sichuan golden monkey in China. <i>Ecological Modelling</i> , 2017, 353, 37-46. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7155 | The origin and phylogenetic relationships of the New Zealand ravens. <i>Molecular Phylogenetics and Evolution</i> , 2017, 106, 136-143. | 1.2 | 18 |
| 7156 | Cenozoic vegetation gradients in the mid- and higher latitudes of Central Eurasia and climatic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 467, 69-82. | 1.0 | 16 |
| 7157 | Bundles of ecosystem (dis)services and multifunctionality across European landscapes. <i>Ecological Indicators</i> , 2017, 73, 23-28. | 2.6 | 129 |
| 7158 | Importance of incomplete lineage sorting and introgression in the origin of shared genetic variation between two closely related pines with overlapping distributions. <i>Heredity</i> , 2017, 118, 211-220. | 1.2 | 73 |
| 7159 | Ecogeographical gradients in plumage coloration among Australasian songbird clades. <i>Global Ecology and Biogeography</i> , 2017, 26, 261-274. | 2.7 | 36 |
| 7160 | A new Eurasian phylogeographical paradigm? Limited contribution of southern populations to the recolonization of high latitude populations in <i>Juniperus communis</i> L. (Cupressaceae). <i>Journal of Biogeography</i> , 2017, 44, 271-282. | 1.4 | 32 |
| 7161 | Patterns of structural and defense investments in fine roots of Scots pine (<i>Pinus sylvestris</i> L.) across a strong temperature and latitudinal gradient in Europe. <i>Global Change Biology</i> , 2017, 23, 1218-1231. | 4.2 | 74 |
| 7162 | The Persian squirrel of Kurdistan Province, western Iran: what determines its geographic distribution?. <i>Mammalia</i> , 2017, 81, 309-314. | 0.3 | 4 |
| 7163 | Extreme thermal heterogeneity in structurally complex tropical rain forests. <i>Biotropica</i> , 2017, 49, 35-44. | 0.8 | 47 |
| 7164 | Predicting North American Scolytinae invasions in the Southern Hemisphere. <i>Ecological Applications</i> , 2017, 27, 66-77. | 1.8 | 39 |
| 7165 | Are aquatic assemblages from small water bodies more stochastic in dryer climates? An analysis of ostracod spring metacommunities. <i>Hydrobiologia</i> , 2017, 793, 199-212. | 1.0 | 15 |
| 7166 | Morphological variability of <i>Consolida regalis</i> seeds of south-eastern and central Europe. <i>Systematics and Biodiversity</i> , 2017, 15, 25-34. | 0.5 | 10 |
| 7167 | Evolutionary potential of upper thermal tolerance: biogeographic patterns and expectations under climate change. <i>Annals of the New York Academy of Sciences</i> , 2017, 1389, 5-19. | 1.8 | 46 |
| 7168 | Climatic and geographic barriers drive distributional patterns of bird phenotypes within peninsular India. <i>Journal of Avian Biology</i> , 2017, 48, 620-630. | 0.6 | 10 |
| 7169 | Mapping climate change adaptive capacity and vulnerability of smallholder agricultural livelihoods in Central America: ranking and descriptive approaches to support adaptation strategies. <i>Climatic Change</i> , 2017, 141, 123-137. | 1.7 | 71 |
| 7170 | Understanding and monitoring the consequences of human impacts on intraspecific variation. <i>Evolutionary Applications</i> , 2017, 10, 121-139. | 1.5 | 145 |
| 7171 | Mapping conservation priorities and connectivity pathways under climate change for tropical ecosystems. <i>Climatic Change</i> , 2017, 141, 77-92. | 1.7 | 26 |
| 7172 | Non-destructive biomass estimation of herbaceous plant individuals: A transferable method between contrasted environments. <i>Ecological Indicators</i> , 2017, 72, 769-776. | 2.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7173 | Macroecology of parental care in arthropods: higher mortality risk leads to higher benefits of offspring protection in tropical climates. <i>Biological Reviews</i> , 2017, 92, 1688-1701. | 4.7 | 19 |
| 7174 | Species distribution models may misdirect assisted migration: insights from the introduction of Douglas fir to Europe. <i>Ecological Applications</i> , 2017, 27, 446-457. | 1.8 | 31 |
| 7175 | Isolation by distance, not rivers, control the distribution of termite species in the Amazonian rain forest. <i>Ecography</i> , 2017, 40, 1242-1250. | 2.1 | 30 |
| 7176 | Zika virus: Endemic and epidemic ranges of <i>Aedes</i> mosquito transmission. <i>Journal of Infection and Public Health</i> , 2017, 10, 120-123. | 1.9 | 31 |
| 7177 | Effectiveness of Africa's tropical protected areas for maintaining forest cover. <i>Conservation Biology</i> , 2017, 31, 559-569. | 2.4 | 57 |
| 7178 | Does structural connectivity influence tree species distributions and abundance in a naturally discontinuous tropical forest formation?. <i>Journal of Vegetation Science</i> , 2017, 28, 7-18. | 1.1 | 5 |
| 7179 | Distributional analysis of <i>Melipona</i> stingless bees (Apidae: Meliponini) in Central America and Mexico: setting baseline information for their conservation. <i>Apidologie</i> , 2017, 48, 247-258. | 0.9 | 16 |
| 7180 | Genetic consequences of Quaternary climatic oscillations in the Himalayas: <i>Primula tibetica</i> as a case study based on restriction site-associated DNA sequencing. <i>New Phytologist</i> , 2017, 213, 1500-1512. | 3.5 | 119 |
| 7181 | Improving temperature interpolation using MODIS LST and local topography: a comparison of methods in south east Australia. <i>International Journal of Climatology</i> , 2017, 37, 3098-3110. | 1.5 | 36 |
| 7182 | Geographical range expansion of alien birds and environmental matching. <i>Ibis</i> , 2017, 159, 193-203. | 1.0 | 8 |
| 7183 | Climate Change Impacts on <i>Faidherbia albida</i> (Delile) A. Chev. Distribution in Dry Lands of Ethiopia. <i>African Journal of Ecology</i> , 2017, 55, 233-243. | 0.4 | 13 |
| 7184 | Allometric equations for integrating remote sensing imagery into forest monitoring programmes. <i>Global Change Biology</i> , 2017, 23, 177-190. | 4.2 | 254 |
| 7185 | Realized climatic niches are conserved along maximum temperatures among herpetofaunal invaders. <i>Journal of Biogeography</i> , 2017, 44, 111-121. | 1.4 | 28 |
| 7186 | Variation in leaf wettability traits along a tropical montane elevation gradient. <i>New Phytologist</i> , 2017, 214, 989-1001. | 3.5 | 51 |
| 7187 | Species delimitation for cryptic species complexes: case study of <i>Pyramidula</i> (Gastropoda). <i>Journal of Biogeography</i> , 2017, 44, 111-121. | 0.7 | 36 |
| 7188 | Distribution of grey wolves <i>Canis lupus lupus</i> in the Nepalese Himalaya: implications for conservation management. <i>Oryx</i> , 2017, 51, 403-406. | 0.5 | 10 |
| 7189 | Savanna woody encroachment is widespread across three continents. <i>Global Change Biology</i> , 2017, 23, 235-244. | 4.2 | 442 |
| 7190 | A framework for habitat monitoring and climate change modelling: construction and validation of the Environmental Stratification of Estonia. <i>Regional Environmental Change</i> , 2017, 17, 335-349. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7191 | Comparing macroecological patterns across continents: evolution of climatic niche breadth in varanid lizards. <i>Ecography</i> , 2017, 40, 960-970. | 2.1 | 22 |
| 7192 | Evaluation of branched GDGTs and leaf wax n-alkane $\delta^{13}C$ as (paleo) environmental proxies in East Africa. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 198, 182-193. | 1.6 | 20 |
| 7193 | Greenhouse gas emissions intensity of global croplands. <i>Nature Climate Change</i> , 2017, 7, 63-68. | 8.1 | 414 |
| 7194 | A single algorithm ensemble approach to estimating suitability and uncertainty: cross-time projections for four Malagasy tenrecs. <i>Diversity and Distributions</i> , 2017, 23, 196-208. | 1.9 | 21 |
| 7195 | The enigma of terrestrial primary productivity: measurements, models, scales and the diversity-productivity relationship. <i>Ecography</i> , 2017, 40, 239-252. | 2.1 | 56 |
| 7196 | Integrating occurrence data and expert maps for improved species range predictions. <i>Global Ecology and Biogeography</i> , 2017, 26, 243-258. | 2.7 | 71 |
| 7197 | The relationship between plant species richness and soil pH vanishes with increasing aridity across Eurasian dry grasslands. <i>Global Ecology and Biogeography</i> , 2017, 26, 425-434. | 2.7 | 57 |
| 7198 | Geography of global change and species richness in the North. <i>Environmental Reviews</i> , 2017, 25, 184-192. | 2.1 | 25 |
| 7199 | SPEDInstabR: An algorithm based on a fluctuation index for selecting predictors in species distribution modeling. <i>Ecological Informatics</i> , 2017, 37, 18-23. | 2.3 | 28 |
| 7200 | Deadwood stocks increase with selective logging and large tree frequency in Gabon. <i>Global Change Biology</i> , 2017, 23, 1648-1660. | 4.2 | 18 |
| 7201 | Adaptive and plastic responses of <i>Quercus petraea</i> populations to climate across Europe. <i>Global Change Biology</i> , 2017, 23, 2831-2847. | 4.2 | 92 |
| 7202 | A climate-sensitive aboveground biomass model for three larch species in northeastern and northern China. <i>Trees - Structure and Function</i> , 2017, 31, 557-573. | 0.9 | 28 |
| 7203 | Nitrogen fertilization of poplar plantations on agricultural land: effects on diameter increments and leaching. <i>Scandinavian Journal of Forest Research</i> , 2017, 32, 700-707. | 0.5 | 8 |
| 7204 | Contribution of above- and belowground bioenergy crop residues to soil carbon. <i>GCB Bioenergy</i> , 2017, 9, 1333-1343. | 2.5 | 89 |
| 7205 | Termites promote resistance of decomposition to spatiotemporal variability in rainfall. <i>Ecology</i> , 2017, 98, 467-477. | 1.5 | 28 |
| 7206 | An approach for identifying cryptic barriers to gene flow that limit species' geographic ranges. <i>Molecular Ecology</i> , 2017, 26, 490-504. | 2.0 | 15 |
| 7207 | Local and regional spread of banana xanthomonas wilt (<sc>BXW</sc>) in space and time in Kagera, Tanzania. <i>Plant Pathology</i> , 2017, 66, 1003-1014. | 1.2 | 14 |
| 7208 | The cold climate geomorphology of the Eastern Cape Drakensberg: A reevaluation of past climatic conditions during the last glacial cycle in Southern Africa. <i>Geomorphology</i> , 2017, 278, 184-194. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7209 | Assessing the effectiveness of China's protected areas to conserve current and future amphibian diversity. <i>Diversity and Distributions</i> , 2017, 23, 146-157. | 1.9 | 53 |
| 7210 | Continental-level population differentiation and environmental adaptation in the mushroom <i>Suillus brevipes</i> . <i>Molecular Ecology</i> , 2017, 26, 2063-2076. | 2.0 | 55 |
| 7211 | Ecological determinants of Potamogeton taxa in glacial lakes: assemblage composition, species richness, and species-level approach. <i>Aquatic Sciences</i> , 2017, 79, 427-441. | 0.6 | 5 |
| 7212 | High performance computation of landscape genomic models including local indicators of spatial association. <i>Molecular Ecology Resources</i> , 2017, 17, 1072-1089. | 2.2 | 112 |
| 7213 | Environmental drivers of voltinism and body size in insect assemblages across Europe. <i>Global Ecology and Biogeography</i> , 2017, 26, 154-165. | 2.7 | 103 |
| 7214 | Historical and contemporary correlates of snake biogeographical subregions in the Atlantic Forest hotspot. <i>Journal of Biogeography</i> , 2017, 44, 640-650. | 1.4 | 30 |
| 7215 | Precipitation mediates the effect of human disturbance on the Brazilian Caatinga vegetation. <i>Journal of Ecology</i> , 2017, 105, 828-838. | 1.9 | 158 |
| 7216 | Regional changes in streamflow after a megathrust earthquake. <i>Earth and Planetary Science Letters</i> , 2017, 458, 418-428. | 1.8 | 75 |
| 7217 | Late Quaternary climate stability and the origins and future of global grass endemism. <i>Annals of Botany</i> , 2017, 119, 279-288. | 1.4 | 21 |
| 7218 | The role of nutrients, productivity and climate in determining tree fruit production in European forests. <i>New Phytologist</i> , 2017, 213, 669-679. | 3.5 | 42 |
| 7219 | Regional differences in soil pH niche among dry grassland plants in Eurasia. <i>Oikos</i> , 2017, 126, 660-670. | 1.2 | 17 |
| 7220 | Community variation in wood density along a bioclimatic gradient on a hyperdiverse tropical island. <i>Journal of Vegetation Science</i> , 2017, 28, 19-33. | 1.1 | 26 |
| 7221 | Geographic variation in floral traits is associated with environmental and genetic differences among populations of the mixed mating species <i>Collinsia heterophylla</i> (Plantaginaceae). <i>Botany</i> , 2017, 95, 121-138. | 0.5 | 11 |
| 7222 | Understanding the distribution of wood-inhabiting fungi in European beech reserves from species-specific habitat models. <i>Fungal Ecology</i> , 2017, 27, 168-174. | 0.7 | 49 |
| 7223 | Edaphic properties enable facilitative and competitive interactions resulting in fairy circle formation. <i>Ecography</i> , 2017, 40, 1210-1220. | 2.1 | 24 |
| 7224 | Vulnerability of Subarctic and Arctic breeding birds. <i>Ecological Applications</i> , 2017, 27, 219-234. | 1.8 | 12 |
| 7225 | The Resilience of Ethiopian Church Forests: Interpreting Aerial Photographs, 1938–2015. <i>Land Degradation and Development</i> , 2017, 28, 450-458. | 1.8 | 35 |
| 7226 | Estimating temporal changes in soil carbon stocks at ecoregional scale in Madagascar using remote-sensing. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2017, 54, 1-14. | 1.4 | 61 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7227 | A low-altitude mountain range as an important refugium for two narrow endemics in the Southwest Australian Floristic Region biodiversity hotspot. <i>Annals of Botany</i> , 2017, 119, 289-300. | 1.4 | 37 |
| 7228 | Impacts of human-induced environmental disturbances on hybridization between two ecologically differentiated Californian oak species. <i>New Phytologist</i> , 2017, 213, 942-955. | 3.5 | 37 |
| 7229 | Challenges in developing regionalized characterization factors in land use impact assessment: impacts on ecosystem services in case studies of animal protein production in Sweden. <i>International Journal of Life Cycle Assessment</i> , 2017, 22, 328-345. | 2.2 | 11 |
| 7230 | Predictive distribution modeling and population status of the endangered <i>Macaca munzala</i> in Arunachal Pradesh, India. <i>American Journal of Primatology</i> , 2017, 79, 1-10. | 0.8 | 11 |
| 7231 | Climate change impacts and potential benefits of heat-tolerant maize in South Asia. <i>Theoretical and Applied Climatology</i> , 2017, 130, 959-970. | 1.3 | 73 |
| 7232 | Leapfrogging into new territory: How Mascarene ridged frogs diversified across Africa and Madagascar to maintain their ecological niche. <i>Molecular Phylogenetics and Evolution</i> , 2017, 106, 254-269. | 1.2 | 44 |
| 7233 | Where do they go? The effects of topography and habitat diversity on reducing climatic debt in birds. <i>Global Change Biology</i> , 2017, 23, 2218-2229. | 4.2 | 43 |
| 7234 | Dry season characteristics in western Amazonia underlie the divergence of <i>Astrocaryum</i> section <i>Huicungo</i> (Arecaceae) and evaluation of potential anatomical adaptations. <i>Botanical Journal of the Linnean Society</i> , 2017, 185, 291-306. | 0.8 | 3 |
| 7235 | Range-wide genetic structure of <i>Arabidopsis halleri</i> (Brassicaceae): glacial persistence in multiple refugia and origin of the Northern Hemisphere disjunction. <i>Botanical Journal of the Linnean Society</i> , 2017, 185, 321-342. | 0.8 | 39 |
| 7236 | Potential Distribution of <i>Drosophila suzukii</i> (Diptera: Drosophilidae) in Relation to Alternate Hosts in Mexico. <i>Florida Entomologist</i> , 2017, 100, 787-794. | 0.2 | 11 |
| 7237 | Importance of whole-plant biomass allocation and reproductive timing to habitat differentiation across the North American sunflowers. <i>Annals of Botany</i> , 2017, 119, 1131-1142. | 1.4 | 19 |
| 7238 | Diversification in a biodiversity hotspot: genomic variation in the river frog <i>Amietia nutti</i> across the Ethiopian Highlands. <i>Biological Journal of the Linnean Society</i> , 2017, 122, 801-813. | 0.7 | 10 |
| 7239 | Climatic control of germination in the genus <i>Silene</i> L. <i>Plant Ecology and Diversity</i> , 2017, 10, 431-442. | 1.0 | 1 |
| 7240 | Rapid prioritization of alien plants for eradication based on climatic suitability and eradication feasibility. <i>Austral Ecology</i> , 2017, 42, 995-1005. | 0.7 | 9 |
| 7241 | Phylogeography and ecological niche modelling uncover the evolutionary history of <i>Tibouchina hatschbachii</i> (Melastomataceae), a taxon restricted to the subtropical grasslands of South America. <i>Botanical Journal of the Linnean Society</i> , 2017, 183, 616-632. | 0.8 | 7 |
| 7242 | Contrasting evolutionary processes during Quaternary climatic changes and historical orogenies: a case study of the Japanese endemic primroses <i>Primula</i> sect. <i>Reinii</i> . <i>Annals of Botany</i> , 2017, 120, 943-954. | 1.4 | 8 |
| 7243 | The correlation of North-Iranian Late-Pleistocene and Holocene playa sediments to basin geomorphology. <i>Zeitschrift für Geomorphologie</i> , 2017, 61, 77-99. | 0.3 | 1 |
| 7244 | Big data of tree species distributions: how big and how good?. <i>Forest Ecosystems</i> , 2017, 4, . | 1.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7245 | Cambarellus patzcuarensis in Hungary: The first dwarf crayfish established outside of North America. <i>Biologia (Poland)</i> , 2017, 72, 1529-1532. | 0.8 | 28 |
| 7246 | Phylogeography, genetic diversity and population structure in a Patagonian endemic plant. <i>AoB PLANTS</i> , 2017, 9, plx017. | 1.2 | 14 |
| 7247 | Species distribution models for critically endangered liverworts (Bryophyta) from the Czech Republic: a guide to future survey expeditions.. <i>Acta Musei Silesiae: Scientiae Naturales</i> , 2017, 66, 101-110. | 0.1 | 1 |
| 7248 | Increased precipitation accelerates soil organic matter turnover associated with microbial community composition in topsoil of alpine grassland on the eastern Tibetan Plateau. <i>Canadian Journal of Microbiology</i> , 2017, 63, 811-821. | 0.8 | 17 |
| 7249 | Environmental factors related to biogeographical transition zones of areas of endemism of Neotropical mammals. <i>Australian Systematic Botany</i> , 2017, 30, 485. | 0.3 | 5 |
| 7250 | Trait variation along elevation gradients in a dominant woody shrub is population-specific and driven by plasticity. <i>AoB PLANTS</i> , 2017, 9, plx027. | 1.2 | 37 |
| 7251 | Early-Mid Pleistocene genetic differentiation and range expansions as exemplified by invasive Eurasian <i>Bunias orientalis</i> (Brassicaceae) indicates the Caucasus as key region. <i>Scientific Reports</i> , 2017, 7, 16764. | 1.6 | 14 |
| 7252 | Freshwater crayfish invasions in South Africa: past, present and potential future. <i>African Journal of Aquatic Science</i> , 2017, 42, 309-323. | 0.5 | 25 |
| 7253 | Dispersal of thermophilic beetles across the intercontinental Arctic forest belt during the early Eocene. <i>Scientific Reports</i> , 2017, 7, 12972. | 1.6 | 31 |
| 7254 | An assessment of high carbon stock and high conservation value approaches to sustainable oil palm cultivation in Gabon. <i>Environmental Research Letters</i> , 2017, 12, 014005. | 2.2 | 29 |
| 7255 | Predicting species distribution combining multi-scale drivers. <i>Global Ecology and Conservation</i> , 2017, 12, 215-226. | 1.0 | 96 |
| 7256 | Conservation utility of botanic garden living collections: Setting a strategy and appropriate methodology. <i>Plant Diversity</i> , 2017, 39, 365-372. | 1.8 | 28 |
| 7257 | Nesting Biology of <i>Schiffornis stenorhyncha</i> (Tityridae). <i>Wilson Journal of Ornithology</i> , 2017, 129, 827-833. | 0.1 | 1 |
| 7258 | Multiple Pleistocene refugia in the Brazilian cerrado: evidence from phylogeography and climatic nichemodelling of two <i>Qualea</i> species (Vochysiaceae). <i>Botanical Journal of the Linnean Society</i> , 2017, 185, 307-320. | 0.8 | 30 |
| 7259 | Climate Change Impacts on the Potential Distribution and Abundance of the Brown Marmorated Stink Bug (Hemiptera: Pentatomidae) With Special Reference to North America and Europe. <i>Environmental Entomology</i> , 2017, 46, 1212-1224. | 0.7 | 37 |
| 7260 | The "Ward Line" Mekong-Salween Divide™ is an important floristic boundary between the eastern Himalaya and Hengduan Mountains: evidence from the phylogeographical structure of subnival herbs <i>Marmoritis complanatum</i> (Lamiaceae). <i>Botanical Journal of the Linnean Society</i> , 2017, 185, 482-496. | 0.8 | 61 |
| 7261 | Cryptic gene pools in the <i>Hypericum perforatum</i> - <i>H. maculatum</i> complex: diploid persistence versus trapped polyploid melting. <i>Annals of Botany</i> , 2017, 120, 955-966. | 1.4 | 7 |
| 7262 | Environmental correlates of phylogenetic structure in Mexican bat communities. <i>Journal of Mammalogy</i> , 2017, 98, 1657-1666. | 0.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7263 | Hydrological Modeling and Capacity Building in the Republic of Namibia. Bulletin of the American Meteorological Society, 2017, 98, 1697-1715. | 1.7 | 19 |
| 7264 | Understanding population structure and historical demography of <i>Litsea auriculata</i> (Lauraceae), an endangered species in east China. Scientific Reports, 2017, 7, 17343. | 1.6 | 8 |
| 7265 | Ecology, Biogeography, and Conservation of Amphibians of the Caatinga. , 2017, , 133-149. | | 9 |
| 7266 | Suitability of Laurentian Great Lakes for invasive species based on global species distribution models and local habitat. Ecosphere, 2017, 8, e01883. | 1.0 | 26 |
| 7267 | Variable retention effects on vascular plants and beetles along a regional gradient in <i>Nothofagus pumilio</i> forests. Forest Ecology and Management, 2017, 406, 251-265. | 1.4 | 23 |
| 7268 | Understanding global climate change scenarios through bioclimate stratification. Environmental Research Letters, 2017, 12, 084002. | 2.2 | 7 |
| 7269 | Pest risk assessment of <i>Radopholus similis</i> for the EU territory. EFSA Journal, 2017, 15, e04879. | 0.9 | 6 |
| 7270 | Parallel Multivariate Spatio-Temporal Clustering of Large Ecological Datasets on Hybrid Supercomputers. , 2017, , . | | 4 |
| 7271 | Distribution and diversity of amphibians in Albania: new data and foundations of a comprehensive database. Amphibia - Reptilia, 2017, 38, 435-448. | 0.1 | 11 |
| 7272 | Evaluation and assessment of water budget in the eastern aquifer basin of the West Bank, Palestine. International Journal of Global Environmental Issues, 2017, 16, 17. | 0.1 | 1 |
| 7273 | Division within the North American boreal forest: Ecological niche divergence between the Bicknell's Thrush (<i>Catharus bicknelli</i>) and Gray-cheeked Thrush (<i>C. minimus</i>). Ecology and Evolution, 2017, 7, 5285-5295. | 0.8 | 14 |
| 7274 | Examining the correlates and drivers of human population distributions across low- and middle-income countries. Journal of the Royal Society Interface, 2017, 14, 20170401. | 1.5 | 51 |
| 7275 | <i>Magnolia montebelloensis</i> , a new species in section <i>Magnolia</i> from Lagunas de Montebello National Park, Chiapas, México, with a key to Magnoliaceae of Chiapas. Phytotaxa, 2017, 328, 101. | 0.1 | 9 |
| 7276 | Genomic Signature of Adaptive Divergence despite Strong Nonadaptive Forces on Edaphic Islands: A Case Study of <i>Primulina juliae</i> . Genome Biology and Evolution, 2017, 9, 3495-3508. | 1.1 | 44 |
| 7277 | Aquatic community response to volcanic eruptions on the Ecuadorian Andean flank: evidence from the palaeoecological record. Journal of Paleolimnology, 2017, 58, 437-453. | 0.8 | 11 |
| 7278 | Climate regionalization for main production areas of Indonesia: Case study of West Java. IOP Conference Series: Earth and Environmental Science, 2017, 54, 012031. | 0.2 | 5 |
| 7279 | Modelling agaricoid fungi distribution in Andean forests of Patagonia. Nova Hedwigia, 2017, 105, 95-120. | 0.2 | 6 |
| 7280 | Leaf Respiration in Terrestrial Biosphere Models. Advances in Photosynthesis and Respiration, 2017, , 107-142. | 1.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7281 | Evaluating the Effectiveness of Brazilian Protected Areas Under Climate Change. <i>Tropical Conservation Science</i> , 2017, 10, 194008291772202. | 0.6 | 8 |
| 7282 | Bioclimates of Italy. <i>Journal of Maps</i> , 2017, 13, 955-960. | 1.0 | 106 |
| 7283 | Geographical Distribution Patterns and Niche Modeling of the Iconic Leafcutter Ant <i>Acromyrmex striatus</i> (Hymenoptera: Formicidae). <i>Journal of Insect Science</i> , 2017, 17, . | 0.6 | 3 |
| 7284 | Patterns of composition, richness and phylogenetic diversity of woody plant communities of <i>Quillaja saponaria</i> Molina (Quillajaceae) in the Chilean sclerophyllous forest. <i>Gayana - Botanica</i> , 2017, , 0-0. | 0.3 | 0 |
| 7285 | Spatial variation of mammal richness, functional and phylogenetic diversity in the Mexican transition zone. <i>Community Ecology</i> , 2017, 18, 121-127. | 0.5 | 16 |
| 7286 | Rainfall isotopic variability at the intersection between winter and summer rainfall regimes in coastal South Africa (Mossel Bay, Western Cape Province). <i>South African Journal of Geology</i> , 2017, 120, 323-340. | 0.6 | 25 |
| 7287 | Ecotypes and evolutionary significant units in endangered North African gazelles. <i>Biological Journal of the Linnean Society</i> , 2017, 122, 286-300. | 0.7 | 9 |
| 7288 | Experimental and observational studies find contrasting responses of soil nutrients to climate change. <i>ELife</i> , 2017, 6, . | 2.8 | 79 |
| 7289 | Ecological Effects of Grazing in the Northern Tianshan Mountains. <i>Water (Switzerland)</i> , 2017, 9, 932. | 1.2 | 6 |
| 7290 | Actividad reproductiva y dieta de <i>Hemidactylus frenatus</i> (Sauria: Gekkonidae) en el norte de Colombia. <i>Papeis Avulsos De Zoologia</i> , 2017, 57, 459. | 0.4 | 2 |
| 7291 | Multi-scale habitat associations of the black-footed rock-wallaby in north-western South Australia. <i>Wildlife Research</i> , 2017, 44, 207. | 0.7 | 1 |
| 7292 | EFSA Guidance Document for predicting environmental concentrations of active substances of plant protection products and transformation products of these active substances in soil. <i>EFSA Journal</i> , 2017, 15, e04982. | 0.9 | 31 |
| 7293 | Climatic variables determining <i>Rhododendron</i> sister taxa distributions and distributional overlaps in the Himalayas. <i>Frontiers of Biogeography</i> , 2017, 9, . | 0.8 | 2 |
| 7294 | Beyond pollinators: evolution of floral architecture with environment across the wild sunflowers (<i>Helianthus</i> , Asteraceae). <i>Plant Ecology and Evolution</i> , 2017, 150, 139-150. | 0.3 | 11 |
| 7295 | Codling Moth (Lepidoptera: Tortricidae) Establishment in China: Stages of Invasion and Potential Future Distribution. <i>Journal of Insect Science</i> , 2017, 17, . | 0.6 | 10 |
| 7296 | The Vietnamese population of <i>Megophrys kuatunensis</i> (Amphibia: Megophryidae) represents a new species of Asian horned frog from Vietnam and southern China. <i>Zootaxa</i> , 2017, 4344, 465-492. | 0.2 | 30 |
| 7297 | Morphological variation of the Long-tailed Reed Finch <i>Donacospiza albifrons</i> (Vieillot, 1817) (Aves: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.2 | 0 |
| 7298 | Training the salmonâ€™s genes: influence of aerobic exercise, swimming performance and selection on gene expression in Atlantic salmon. <i>BMC Genomics</i> , 2017, 18, 971. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7299 | Species Delimitation and Lineage Separation History of a Species Complex of Aspens in China. <i>Frontiers in Plant Science</i> , 2017, 8, 375. | 1.7 | 35 |
| 7300 | Phylogeny Predicts the Quantity of Antimalarial Alkaloids within the Iconic Yellow Cinchona Bark (Rubiaceae: <i>Cinchona calisaya</i>). <i>Frontiers in Plant Science</i> , 2017, 8, 391. | 1.7 | 38 |
| 7301 | Reproductive Strategies in Mediterranean Legumes: Trade-Offs between Phenology, Seed Size and Vigor within and between Wild and Domesticated <i>Lupinus</i> Species Collected along Aridity Gradients. <i>Frontiers in Plant Science</i> , 2017, 8, 548. | 1.7 | 55 |
| 7302 | Using Regional Climate Projections to Guide Grassland Community Restoration in the Face of Climate Change. <i>Frontiers in Plant Science</i> , 2017, 8, 730. | 1.7 | 15 |
| 7303 | Contemporary Remotely Sensed Data Products Refine Invasive Plants Risk Mapping in Data Poor Regions. <i>Frontiers in Plant Science</i> , 2017, 8, 770. | 1.7 | 27 |
| 7304 | Genetic Patterns of <i>Myrceugenia correifolia</i> , a Rare Species of Fog-Dependent Forests of Mediterranean Chile: Is It a Climatic Relict?. <i>Frontiers in Plant Science</i> , 2017, 8, 1097. | 1.7 | 1 |
| 7305 | Genome Size Diversity in <i>Lilium</i> (Liliaceae) Is Correlated with Karyotype and Environmental Traits. <i>Frontiers in Plant Science</i> , 2017, 8, 1303. | 1.7 | 40 |
| 7306 | Legume Shrubs Are More Nitrogen-Homeostatic than Non-legume Shrubs. <i>Frontiers in Plant Science</i> , 2017, 8, 1662. | 1.7 | 29 |
| 7307 | Can Aquatic Plants Keep Pace with Climate Change?. <i>Frontiers in Plant Science</i> , 2017, 8, 1906. | 1.7 | 23 |
| 7308 | Spatial Patterns of Species Diversity and Phylogenetic Structure of Plant Communities in the Tianshan Mountains, Arid Central Asia. <i>Frontiers in Plant Science</i> , 2017, 8, 2134. | 1.7 | 9 |
| 7309 | Translating Big Data into Smart Data for Veterinary Epidemiology. <i>Frontiers in Veterinary Science</i> , 2017, 4, 110. | 0.9 | 47 |
| 7310 | Temporal and spatial evaluation of satellite-based rainfall estimates across the complex topographical and climatic gradients of Chile. <i>Hydrology and Earth System Sciences</i> , 2017, 21, 1295-1320. | 1.9 | 193 |
| 7311 | MSWEP: 3-hourly 0.25° global gridded precipitation (1979–2015) by merging gauge, satellite, and reanalysis data. <i>Hydrology and Earth System Sciences</i> , 2017, 21, 589-615. | 1.9 | 742 |
| 7314 | Transmission dynamics of co-endemic <i>Plasmodium vivax</i> and <i>P. falciparum</i> in Ethiopia and prevalence of antimalarial resistant genotypes. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005806. | 1.3 | 57 |
| 7315 | Fire Risk Prediction Using Remote Sensed Products: A Case of Cambodia. <i>Photogrammetric Engineering and Remote Sensing</i> , 2017, 83, 19-25. | 0.3 | 31 |
| 7316 | Distribution of the invasive plant species <i>Heracleum sosnowskyi</i> Manden. in the Komi Republic (Russia). <i>PhytoKeys</i> , 2017, 77, 71-80. | 0.4 | 19 |
| 7317 | Limited protection of macro-aggregate-occluded organic carbon in Siberian steppe soils. <i>Biogeosciences</i> , 2017, 14, 2627-2640. | 1.3 | 9 |
| 7318 | Amphibians and reptiles from the Mt. Hamiguitan Range of eastern Mindanao Island, Philippines: new distribution records. <i>Check List</i> , 2017, 13, 2121. | 0.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7319 | Systematics of the <i>Ceracis furcifer</i> Species-Group (Coleoptera: Ciidae): The Specialized Consumers of the Blood-Red Bracket Fungus <i>Pycnoporus sanguineus</i> . <i>Insects</i> , 2017, 8, 70. | 1.0 | 6 |
| 7320 | Habitat Loss on Rondonia's Marmoset Potential Distribution. <i>Land</i> , 2017, 6, 8. | 1.2 | 3 |
| 7321 | Modeling Future Urban Sprawl and Landscape Change in the Laguna de Bay Area, Philippines. <i>Land</i> , 2017, 6, 26. | 1.2 | 30 |
| 7322 | Predicting the Global Potential Distribution of Four Endangered <i>Panax</i> Species in Middle-and Low-Latitude Regions of China by the Geographic Information System for Global Medicinal Plants (GMPGIS). <i>Molecules</i> , 2017, 22, 1630. | 1.7 | 13 |
| 7323 | Monitoring Agricultural Expansion in Burkina Faso over 14 Years with 30 m Resolution Time Series: The Role of Population Growth and Implications for the Environment. <i>Remote Sensing</i> , 2017, 9, 132. | 1.8 | 46 |
| 7324 | Snow Disaster Early Warning in Pastoral Areas of Qinghai Province, China. <i>Remote Sensing</i> , 2017, 9, 475. | 1.8 | 15 |
| 7325 | Land Cover, Land Use, and Climate Change Impacts on Endemic Cichlid Habitats in Northern Tanzania. <i>Remote Sensing</i> , 2017, 9, 623. | 1.8 | 17 |
| 7326 | A Remote Sensing Data Based Artificial Neural Network Approach for Predicting Climate-Sensitive Infectious Disease Outbreaks: A Case Study of Human Brucellosis. <i>Remote Sensing</i> , 2017, 9, 1018. | 1.8 | 15 |
| 7327 | Analysing the Impacts of Various Environmental Parameters on the Biodiversity Status of Major Habitats. <i>Sustainability</i> , 2017, 9, 1775. | 1.6 | 1 |
| 7328 | Climate Changes and Their Impact on Agricultural Market Systems: Examples from Nepal. <i>Sustainability</i> , 2017, 9, 2207. | 1.6 | 5 |
| 7329 | Modeling Raccoon (<i>Procyon lotor</i>) Habitat Connectivity to Identify Potential Corridors for Rabies Spread. <i>Tropical Medicine and Infectious Disease</i> , 2017, 2, 44. | 0.9 | 13 |
| 7330 | Socio-Ecological Regionalization of the Urban Sub-Basins in Mexico. <i>Water (Switzerland)</i> , 2017, 9, 14. | 1.2 | 12 |
| 7331 | High Variability Is a Defining Component of Mediterranean-Climate Rivers and Their Biota. <i>Water (Switzerland)</i> , 2017, 9, 52. | 1.2 | 82 |
| 7332 | Characterizing Precipitation Variability and Trends in the World's Mediterranean-Climate Areas. <i>Water (Switzerland)</i> , 2017, 9, 259. | 1.2 | 72 |
| 7333 | Pluvial Flooding in European Cities—A Continental Approach to Urban Flood Modelling. <i>Water (Switzerland)</i> , 2017, 9, 296. | 1.2 | 32 |
| 7334 | Methane Emissions in Spanish Saline Lakes: Current Rates, Temperature and Salinity Responses, and Evolution under Different Climate Change Scenarios. <i>Water (Switzerland)</i> , 2017, 9, 659. | 1.2 | 22 |
| 7335 | Despite phylogenetic effects, C_3 lineages bridge the ecological gap to C_4 photosynthesis. <i>Journal of Experimental Botany</i> , 2017, 68, 241-254. | 2.4 | 36 |
| 7336 | A globally calibrated scheme for generating daily meteorology from monthly statistics: Global-WGEN (GWGEN) v1.0. <i>Geoscientific Model Development</i> , 2017, 10, 3771-3791. | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7337 | Exploring Rooftop Rainwater Harvesting Potential for Food Production in Urban Areas. Agriculture (Switzerland), 2017, 7, 46. | 1.4 | 35 |
| 7338 | Projections of Future Suitable Bioclimatic Conditions of Parthenogenetic Whiptails. Climate, 2017, 5, 34. | 1.2 | 3 |
| 7339 | Climate Change in Afghanistan Deduced from Reanalysis and Coordinated Regional Climate Downscaling Experiment (CORDEX)â€”South Asia Simulations. Climate, 2017, 5, 38. | 1.2 | 63 |
| 7340 | An Improved Å…ngstrÅ™m-Type Model for Estimating Solar Radiation over the Tibetan Plateau. Energies, 2017, 10, 892. | 1.6 | 11 |
| 7341 | The Effects of Climate Change on the Development of Tree Plantations for Biodiesel Production in China. Forests, 2017, 8, 207. | 0.9 | 8 |
| 7342 | Modeled Shifts in Polylepis Species Ranges in the Andes from the Last Glacial Maximum to the Present. Forests, 2017, 8, 232. | 0.9 | 20 |
| 7343 | Effects of Environmental Changes on the Occurrence of Oreomunnea mexicana (Juglandaceae) in a Biodiversity Hotspot Cloud Forest. Forests, 2017, 8, 261. | 0.9 | 19 |
| 7344 | Environmental Factors Driving the Recovery of Bay Laurels from Phytophthora ramorum Infections: An Application of Numerical Ecology to Citizen Science. Forests, 2017, 8, 293. | 0.9 | 17 |
| 7345 | Integrating Climate Change and Land Use Impacts to Explore Forest Conservation Policy. Forests, 2017, 8, 321. | 0.9 | 11 |
| 7346 | Functional Response Trait Analysis Improves Climate Sensitivity Estimation in Beech Forests at a Trailing Edge. Forests, 2017, 8, 324. | 0.9 | 4 |
| 7347 | Effects of Climate Change on the Potentially Suitable Climatic Geographical Range of Liriodendron chinense. Forests, 2017, 8, 399. | 0.9 | 21 |
| 7348 | Genetic Differentiation and Population Genetic Structure of the Chinese Endemic Dipteronia Oliv. Revealed by cpDNA and AFLP Data. Forests, 2017, 8, 424. | 0.9 | 7 |
| 7349 | Predicting Future Seed Sourcing of Platycladus orientalis (L.) for Future Climates Using Climate Niche Models. Forests, 2017, 8, 471. | 0.9 | 15 |
| 7350 | Assessing Ecosystem Services in Rubber Dominated Landscapes in South-East Asiaâ€”A Challenge for Biophysical Modeling and Transdisciplinary Valuation. Forests, 2017, 8, 505. | 0.9 | 13 |
| 7351 | Evaluation of Gridded Precipitation Data Products for Hydrological Applications in Complex Topography. Hydrology, 2017, 4, 53. | 1.3 | 39 |
| 7352 | Predicting Spatial Distribution of Key Honeybee Pests in Kenya Using Remotely Sensed and Bioclimatic Variables: Key Honeybee Pests Distribution Models. ISPRS International Journal of Geo-Information, 2017, 6, 66. | 1.4 | 36 |
| 7353 | Satellite-based high-resolution mapping of rainfall over southern Africa. Atmospheric Measurement Techniques, 2017, 10, 2009-2019. | 1.2 | 11 |
| 7354 | A Budyko framework for estimating how spatial heterogeneity and lateral moisture redistribution affect average evapotranspiration rates as seen from the atmosphere. Hydrology and Earth System Sciences, 2017, 21, 217-233. | 1.9 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7355 | Spatial Downscaling of Alien Species Presences Using Machine Learning. <i>Frontiers in Earth Science</i> , 2017, 5, . | 0.8 | 9 |
| 7356 | Floral Dissimilarity and the Influence of Climate in the Pliocene High Arctic: Biotic and Abiotic Influences on Five Sites on the Canadian Arctic Archipelago. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, . | 1.1 | 16 |
| 7357 | Bergmann's and Allen's Rules in Native European and Mediterranean Phasmatodea. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, . | 1.1 | 22 |
| 7358 | Simple Rules for an Efficient Use of Geographic Information Systems in Molecular Ecology. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, . | 1.1 | 21 |
| 7359 | Evaluating Hypotheses of Plant Species Invasions on Mediterranean Islands: Inverse Patterns between Alien and Endemic Species. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, . | 1.1 | 10 |
| 7360 | Microrefugia, Climate Change, and Conservation of <i>Cedrus atlantica</i> in the Rif Mountains, Morocco. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, . | 1.1 | 45 |
| 7361 | Origin and Dispersal of Domesticated Peach Palm. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, . | 1.1 | 27 |
| 7362 | Carbon:Nitrogen:Phosphorus Stoichiometry in Fungi: A Meta-Analysis. <i>Frontiers in Microbiology</i> , 2017, 8, 1281. | 1.5 | 92 |
| 7363 | Species Distribution Modeling \hat{t} . , 2017, , . | | 12 |
| 7364 | Modelling the potential distribution of <i>Betula utilis</i> in the Himalaya. <i>Global Ecology and Conservation</i> , 2017, 11, 69-83. | 1.0 | 54 |
| 7365 | Forage quality declines with rising temperatures, with implications for livestock production and methane emissions. <i>Biogeosciences</i> , 2017, 14, 1403-1417. | 1.3 | 81 |
| 7366 | MODELING ECOLOGICAL NICHE OF TREE SPECIES IN BRAZILIAN TROPICAL AREA. <i>Cerne</i> , 2017, 23, 229-240. | 0.9 | 20 |
| 7367 | Rainfall Erosivity: An Overview of Methodologies and Applications. <i>Vadose Zone Journal</i> , 2017, 16, 1-16. | 1.3 | 55 |
| 7368 | Climate Modelling Shows Increased Risk to <i>Eucalyptus sideroxylon</i> on the Eastern Coast of Australia Compared to <i>Eucalyptus albens</i> . <i>Plants</i> , 2017, 6, 58. | 1.6 | 13 |
| 7369 | Predicting suitable habitat of the Chinese monal (<i>Lophophorus lhuysii</i>) using ecological niche modeling in the Qionglai Mountains, China. <i>PeerJ</i> , 2017, 5, e3477. | 0.9 | 22 |
| 7370 | Reporte y distribución potencial de una palma exótica ornamental (<i>Roystonea oleracea</i>) en Ecuador. <i>Rodriguesia</i> , 2017, 68, 759-769. | 0.9 | 1 |
| 7371 | Global patterns of aboveground carbon stock and sequestration in mangroves. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 973-989. | 0.3 | 31 |
| 7372 | Colonization in North American Arid Lands: The Journey of <i>Agarito</i> (<i>Berberis trifoliolata</i>) Revealed by Multilocus Molecular Data and Packrat Midden Fossil Remains. <i>PLoS ONE</i> , 2017, 12, e0168933. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7373 | Multifractal Downscaling of Rainfall Using Normalized Difference Vegetation Index (NDVI) in the Andes Plateau. PLoS ONE, 2017, 12, e0168982. | 1.1 | 9 |
| 7374 | SoilGrids250m: Global gridded soil information based on machine learning. PLoS ONE, 2017, 12, e0169748. | 1.1 | 2,385 |
| 7375 | Can treefrog phylogeographical clades and speciesâ€™ phylogenetic topologies be recovered by bioacoustical analyses?. PLoS ONE, 2017, 12, e0169911. | 1.1 | 13 |
| 7376 | Opportunities for Integrated Ecological Analysis across Inland Australia with Standardised Data from Ausplots Rangelands. PLoS ONE, 2017, 12, e0170137. | 1.1 | 30 |
| 7377 | Predicting the current potential and future world wide distribution of the onion maggot, <i>Delia antiqua</i> using maximum entropy ecological niche modeling. PLoS ONE, 2017, 12, e0171190. | 1.1 | 26 |
| 7378 | Incorporating exposure to pitch canker disease to support management decisions of <i>Pinus pinaster</i> Ait. in the face of climate change. PLoS ONE, 2017, 12, e0171549. | 1.1 | 13 |
| 7379 | Intraspecific leaf trait variability along a boreal-to-tropical community diversity gradient. PLoS ONE, 2017, 12, e0172495. | 1.1 | 20 |
| 7380 | Diversification of the rainfrog <i>Pristimantis ornatissimus</i> in the lowlands and Andean foothills of Ecuador. PLoS ONE, 2017, 12, e0172615. | 1.1 | 29 |
| 7381 | Mapping the montane cloud forest of Taiwan using 12 year MODIS-derived ground fog frequency data. PLoS ONE, 2017, 12, e0172663. | 1.1 | 32 |
| 7382 | Species-free species distribution models describe macroecological properties of protected area networks. PLoS ONE, 2017, 12, e0173443. | 1.1 | 5 |
| 7383 | Pattern or process? Evaluating the peninsula effect as a determinant of species richness in coastal dune forests. PLoS ONE, 2017, 12, e0173694. | 1.1 | 5 |
| 7384 | The Brazilian freshwater wetscape: Changes in tree community diversity and composition on climatic and geographic gradients. PLoS ONE, 2017, 12, e0175003. | 1.1 | 30 |
| 7385 | Are fundamental niches larger than the realized? Testing a 50-year-old prediction by Hutchinson. PLoS ONE, 2017, 12, e0175138. | 1.1 | 123 |
| 7386 | Cryptic chytridiomycosis linked to climate and genetic variation in amphibian populations of the southeastern United States. PLoS ONE, 2017, 12, e0175843. | 1.1 | 13 |
| 7387 | Alternative glacial-interglacial refugia demographic hypotheses tested on <i>Cephalocereus columna-trajani</i> (Cactaceae) in the intertropical Mexican drylands. PLoS ONE, 2017, 12, e0175905. | 1.1 | 20 |
| 7388 | Assessing environmental attributes and effects of climate change on <i>Sphagnum</i> peatland distributions in North America using single- and multi-species models. PLoS ONE, 2017, 12, e0175978. | 1.1 | 20 |
| 7389 | Continental divide: Predicting climate-mediated fragmentation and biodiversity loss in the boreal forest. PLoS ONE, 2017, 12, e0176706. | 1.1 | 30 |
| 7390 | Outstanding micro-endemism in New Caledonia: More than one out of ten animal species have a very restricted distribution range. PLoS ONE, 2017, 12, e0181437. | 1.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7391 | National-scale cropland mapping based on spectral-temporal features and outdated land cover information. PLoS ONE, 2017, 12, e0181911. | 1.1 | 42 |
| 7392 | Potential effects of climate change on members of the Palaeotropical pitcher plant family Nepenthaceae. PLoS ONE, 2017, 12, e0183132. | 1.1 | 9 |
| 7393 | An operational approach to high resolution agro-ecological zoning in West-Africa. PLoS ONE, 2017, 12, e0183737. | 1.1 | 4 |
| 7394 | Model uncertainties do not affect observed patterns of species richness in the Amazon. PLoS ONE, 2017, 12, e0183785. | 1.1 | 24 |
| 7395 | Crumble analysis of the historic sympatric distribution between <i>Dendrortyx macroura</i> and <i>D. barbatus</i> (Aves: Galliformes). PLoS ONE, 2017, 12, e0183996. | 1.1 | 3 |
| 7396 | Incorporating abundance information and guiding variable selection for climate-based ensemble forecasting of species' distributional shifts. PLoS ONE, 2017, 12, e0184316. | 1.1 | 18 |
| 7397 | Spatially explicit multi-threat assessment of food tree species in Burkina Faso: A fine-scale approach. PLoS ONE, 2017, 12, e0184457. | 1.1 | 50 |
| 7398 | Evidence of niche shift and invasion potential of <i>Lithobates catesbeianus</i> in the habitat of Mexican endemic frogs. PLoS ONE, 2017, 12, e0185086. | 1.1 | 22 |
| 7399 | A landscape genetic analysis of important agricultural pest species in Tunisia: The whitefly <i>Bemisia tabaci</i> . PLoS ONE, 2017, 12, e0185724. | 1.1 | 14 |
| 7400 | The fate of endemic insects of the Andean region under the effect of global warming. PLoS ONE, 2017, 12, e0186655. | 1.1 | 11 |
| 7401 | Potential worldwide distribution of <i>Fusarium</i> dry root rot in common beans based on the optimal environment for disease occurrence. PLoS ONE, 2017, 12, e0187770. | 1.1 | 17 |
| 7402 | Climate change influences on the potential geographic distribution of the disease vector tick <i>Ixodes ricinus</i> . PLoS ONE, 2017, 12, e0189092. | 1.1 | 117 |
| 7403 | Which climate change path are we following? Bad news from Scots pine. PLoS ONE, 2017, 12, e0189468. | 1.1 | 18 |
| 7404 | Climate change versus deforestation: Implications for tree species distribution in the dry forests of southern Ecuador. PLoS ONE, 2017, 12, e0190092. | 1.1 | 25 |
| 7405 | Integrated Assessment of Climate Change Impacts on Corn Yield in the U.S. Using a Crop Model. Transactions of the ASABE, 2017, 60, 2123-2136. | 1.1 | 2 |
| 7406 | The Global Distribution and Drivers of Alien Bird Species Richness. PLoS Biology, 2017, 15, e2000942. | 2.6 | 126 |
| 7407 | Distribution pattern of poisonous plant species in arid grasslands: a case from Xinjiang, Northwestern China. Rangeland Journal, 2017, 39, 279. | 0.4 | 4 |
| 7408 | High Resolution Mapping of Soil Properties Using Remote Sensing Variables in South-Western Burkina Faso: A Comparison of Machine Learning and Multiple Linear Regression Models. PLoS ONE, 2017, 12, e0170478. | 1.1 | 322 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7409 | Species delimitation in the Caribbean <i>Gesneria viridiflora</i> complex (Gesneriaceae) reveals unsuspected endemism. <i>Taxon</i> , 2017, 66, 1171-1183. | 0.4 | 7 |
| 7410 | Barley (<i>Hordeum vulgare</i>) in the Okhotsk culture (5th–10th century AD) of northern Japan and the role of cultivated plants in hunter-gatherer economies. <i>PLoS ONE</i> , 2017, 12, e0174397. | 1.1 | 23 |
| 7411 | Structure of sweet potato (<i>Ipomoea batatas</i>) diversity in West Africa covaries with a climatic gradient. <i>PLoS ONE</i> , 2017, 12, e0177697. | 1.1 | 21 |
| 7412 | Mountaintops phylogeography: A case study using small mammals from the Andes and the coast of central Chile. <i>PLoS ONE</i> , 2017, 12, e0180231. | 1.1 | 7 |
| 7413 | Cut from the same cloth: The convergent evolution of dwarf morphotypes of the <i>Carex flava</i> group (Cyperaceae) in Circum-Mediterranean mountains. <i>PLoS ONE</i> , 2017, 12, e0189769. | 1.1 | 14 |
| 7414 | A latitudinal phylogeographic diversity gradient in birds. <i>PLoS Biology</i> , 2017, 15, e2001073. | 2.6 | 52 |
| 7415 | First identification of <i>Rickettsia helvetica</i> in questing ticks from a French Northern Brittany Forest. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005416. | 1.3 | 10 |
| 7416 | Wetlands, wild Bovidae species richness and sheep density delineate risk of Rift Valley fever outbreaks in the African continent and Arabian Peninsula. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005756. | 1.3 | 15 |
| 7417 | Modeling the environmental suitability of anthrax in Ghana and estimating populations at risk: Implications for vaccination and control. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005885. | 1.3 | 43 |
| 7418 | Ecological niche modeling and distribution of <i>Ornithodoros hermsi</i> associated with tick-borne relapsing fever in western North America. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0006047. | 1.3 | 34 |
| 7419 | Historical biogeography and ecological niche modelling of the <i>Asimina-Dissepalum</i> clade (Annonaceae): role of ecological differentiation in Neotropical-Asian disjunctions and diversification in Asia. <i>BMC Evolutionary Biology</i> , 2017, 17, 188. | 3.2 | 15 |
| 7420 | Origin and cross-century dynamics of an avian hybrid zone. <i>BMC Evolutionary Biology</i> , 2017, 17, 257. | 3.2 | 20 |
| 7421 | Ice age unfrozen: severe effect of the last interglacial, not glacial, climate change on East Asian avifauna. <i>BMC Evolutionary Biology</i> , 2017, 17, 244. | 3.2 | 30 |
| 7422 | Ecological niche modeling to determine potential niche of <i>Vaccinia virus</i> : a case only study. <i>International Journal of Health Geographics</i> , 2017, 16, 28. | 1.2 | 12 |
| 7423 | Unraveling climate influences on the distribution of the parapatric newts <i>Lissotriton vulgaris meridionalis</i> and <i>L. italicus</i> . <i>Frontiers in Zoology</i> , 2017, 14, 55. | 0.9 | 35 |
| 7424 | Modelling the current distribution and predicted spread of the flea species <i>Ctenocephalides felis</i> infesting outdoor dogs in Spain. <i>Parasites and Vectors</i> , 2017, 10, 428. | 1.0 | 16 |
| 7425 | The relative roles of local climate adaptation and phylogeny in determining leaf-out timing of temperate tree species. <i>Forest Ecosystems</i> , 2017, 4, . | 1.3 | 8 |
| 7426 | Tree diversity patterns along the latitudinal gradient in the northwestern Russia. <i>Forest Ecosystems</i> , 2017, 4, . | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7427 | Little pigeons can carry great messages: potential distribution and ecology of <i>Uranotaenia</i> (<i>Pseudoficalbia</i>) <i>unguiculata</i> Edwards, 1913 (Diptera: Culicidae), a lesser-known mosquito species from the Western Palaearctic. <i>Parasites and Vectors</i> , 2017, 10, 464. | 1.0 | 4 |
| 7428 | The importance of human population characteristics in modeling <i>Aedes aegypti</i> distributions and assessing risk of mosquito-borne infectious diseases. <i>Tropical Medicine and Health</i> , 2017, 45, 38. | 1.0 | 25 |
| 7429 | Multivariate clustering of viticultural terroirs in the Douro winemaking region. <i>Ciencia E Tecnica Vitivinicola</i> , 2017, 32, 142-153. | 0.3 | 17 |
| 7430 | Habitat suitability and movement corridors of grey wolf (<i>Canis lupus</i>) in Northern Pakistan. <i>PLoS ONE</i> , 2017, 12, e0187027. | 1.1 | 75 |
| 7431 | Global evaluation of runoff from 10 state-of-the-art hydrological models. <i>Hydrology and Earth System Sciences</i> , 2017, 21, 2881-2903. | 1.9 | 146 |
| 7432 | As espécies brasileiras endêmicas de <i>Campylopus</i> Brid. (Bryophyta) estão ameaçadas? Uma análise usando modelagem para avaliar os seus estados de conservação. <i>Hoehnea (revista)</i> , 2017, 44, 464-472. | 0.2 | 3 |
| 7433 | Elementos nucleadores da paisagem influenciam a dispersão zoocórica em áreas campestres alto-montanas. <i>Rodriguesia</i> , 2017, 68, 325-335. | 0.9 | 5 |
| 7434 | Continuous and consistent land use/cover change estimates using socio-ecological data. <i>Earth System Dynamics</i> , 2017, 8, 55-73. | 2.7 | 6 |
| 7435 | Detecting climatically driven phylogenetic and morphological divergence among spruce (<i>Picea) species worldwide. <i>Biogeosciences</i> , 2017, 14, 2307-2319. | 1.3 | 9 |
| 7436 | REDCAPP (v1.0): parameterizing valley inversions in air temperature data downscaled from reanalyses. <i>Geoscientific Model Development</i> , 2017, 10, 2905-2923. | 1.3 | 24 |
| 7437 | ANÁLISE DAS RELAÇÕES ENTRE DINÂMICA POPULACIONAL, CLIMA E VETORES DE MUDANÇA NO SEMIÁRIDO BRASILEIRO: UMA ABORDAGEM METODOLÓGICA. <i>Boletim De Ciencias Geodesicas</i> , 2017, 23, 166-181. | 0.2 | 8 |
| 7439 | The Usumacinta-Grijalva beach-ridge plain in southern Mexico: a high-resolution archive of river discharge and precipitation. <i>Earth Surface Dynamics</i> , 2017, 5, 529-556. | 1.0 | 37 |
| 7440 | Community dynamics of stabilized dune xerophytic shrubs. <i>Frontiers of Biogeography</i> , 2017, 9, . | 0.8 | 2 |
| 7441 | Assessing the synergism among environmental gradients: Towards a better understanding of macroecological hypotheses. <i>Frontiers of Biogeography</i> , 2017, 9, . | 0.8 | 0 |
| 7442 | Analysis of climate change indices in relation to wine production: A case study in the Douro region (Portugal). <i>BIO Web of Conferences</i> , 2017, 9, 01011. | 0.1 | 8 |
| 7443 | Rango geográfico y estructura espacial de linajes genéticos en <i>Sophora linearifolia</i> (Fabaceae), un arbusto endémico de las sierras centrales de Argentina.. <i>Boletín De La Sociedad Argentina De Botanica</i> , 2017, 52, 141-152. | 0.1 | 1 |
| 7444 | Climate and the distribution of vector-borne diseases: what's in store?. <i>Geospatial Health</i> , 2017, 12, 549. | 0.3 | 4 |
| 7445 | The potential effects of future climate change on suitable habitat for the Taiwan partridge (<i>Arborophila crudigularis</i>): an ensemble-based forecasting method. <i>Turkish Journal of Zoology</i> , 2017, 41, 513-521. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7446 | The climate of the European Alps: Shift of very high resolution Köppen-Geiger climate zones 1800–2100. <i>Meteorologische Zeitschrift</i> , 2017, 26, 115-125. | 0.5 | 381 |
| 7448 | Small Hydropower Toolkit: Considerations for Improving Global Development and an Accompanying Case Study for Pakistan. <i>SSRN Electronic Journal</i> , 2017, , . | 0.4 | 0 |
| 7449 | Geographic distribution of <i>Desmodus rotundus</i> in Mexico under current and future climate change scenarios: Implications for bovine paralytic rabies infection. <i>Veterinaria Mxico OA</i> , 2017, 4, . | 0.2 | 10 |
| 7450 | Using phylogenetic clade composition to understand biogeographical variation in functional traits. <i>Frontiers of Biogeography</i> , 2017, 9, . | 0.8 | 3 |
| 7451 | The use of geographic information system as a tool for schistosomiasis surveillance in the province of Davao del Norte, the Philippines. <i>Geospatial Health</i> , 2017, 12, 540. | 0.3 | 6 |
| 7452 | Diverse range dynamics and dispersal routes of plants on the Tibetan Plateau during the late Quaternary. <i>PLoS ONE</i> , 2017, 12, e0177101. | 1.1 | 39 |
| 7453 | Spatiotemporal Fluctuations and Triggers of Ebola Virus Spillover. <i>Emerging Infectious Diseases</i> , 2017, 23, 415-422. | 2.0 | 50 |
| 7454 | The Impact of Mapping Error on the Performance of Upscaling Agricultural Maps. <i>Remote Sensing</i> , 2017, 9, 901. | 1.8 | 7 |
| 7455 | Climatically-mediated landcover change: impacts on Brazilian territory. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 939-952. | 0.3 | 9 |
| 7456 | Green Spaces as an Indicator of Urban Health: Evaluating Its Changes in 28 Mega-Cities. <i>Remote Sensing</i> , 2017, 9, 1266. | 1.8 | 67 |
| 7457 | Scenario-Based Simulation on Dynamics of Land-Use-Land-Cover Change in Punjab Province, Pakistan. <i>Sustainability</i> , 2017, 9, 1285. | 1.6 | 65 |
| 7458 | An updated understanding of Texas bumble bee (<i>Hymenoptera: Apidae</i>) species presence and potential distributions in Texas, USA. <i>PeerJ</i> , 2017, 5, e3612. | 0.9 | 9 |
| 7459 | Inter- and intra-population variability of the protein content of femoral gland secretions from a lacertid lizard. <i>Environmental Epigenetics</i> , 2017, 63, zow113. | 0.9 | 9 |
| 7461 | <i>Lernaea cyprinacea</i> (Crustacea: Copepoda) in the Iberian Peninsula: climate implications on host–parasite interactions. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2017, , 11. | 0.5 | 8 |
| 7462 | Plant invasion along an urban-to-rural gradient in northeast Connecticut. <i>Journal of Urban Ecology</i> , 2017, 3, . | 0.6 | 11 |
| 7463 | Potential distribution and conservation of the <i>Colobosauroides carvalhoi</i> Soares and Caramaschi, 1998: a rare and endemic lizard of Northeast Brazil. <i>Brazilian Journal of Biology</i> , 2017, 77, 686-695. | 0.4 | 4 |
| 7464 | Comparison of the spatial patterns of schistosomiasis in Zimbabwe at two points in time, spaced twenty-nine years apart: is climate variability of importance?. <i>Geospatial Health</i> , 2017, 12, 505. | 0.3 | 7 |
| 7465 | How many species of mammals are there in Brazil? New records of rare rodents (Rodentia: Cricetidae:). <i>Tj ETQq1 1 0,784314 rgBT /Overl</i> | 0,9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 7466 | Food System Resilience and Sustainability in Cambodia. <i>International Journal of Applied Geospatial Research</i> , 2017, 8, 53-75. | 0.2 | 1 |
| 7467 | Ecological niche modeling and strategies for the conservation of <i>Dialium guineense</i> Willd. (Black) Tj ETQq1 1 0.784314 rgBT /Overloc | 0.4 | 18 |
| 7468 | Primeros registros de presencia de <i>Nothofagus nitida</i> (Nothofagaceae) en Argentina y estimaci3n de su 1rea de distribuci3n potencial. <i>Bosque</i> , 2017, 38, 467-477. | 0.1 | 1 |
| 7469 | Classification of aquatic and semi-aquatic vegetation in two East African sites: Cocktail definitions and syntaxonomy. <i>Phytocoenologia</i> , 2017, 47, 345-364. | 1.2 | 2 |
| 7470 | SMOS brightness temperature assimilation into the Community Land Model. <i>Hydrology and Earth System Sciences</i> , 2017, 21, 5929-5951. | 1.9 | 13 |
| 7471 | Indicator-based assessment of post-fire recovery dynamics using satellite NDVI time-series. <i>Ecological Indicators</i> , 2018, 89, 199-212. | 2.6 | 39 |
| 7472 | Polyploid <i>Arabidopsis</i> species originated around recent glaciation maxima. <i>Current Opinion in Plant Biology</i> , 2018, 42, 8-15. | 3.5 | 64 |
| 7473 | Downscaling future climate change projections over Puerto Rico using a non-hydrostatic atmospheric model. <i>Climatic Change</i> , 2018, 147, 133-147. | 1.7 | 27 |
| 7474 | Hidden diversity of forest birds in Madagascar revealed using integrative taxonomy. <i>Molecular Phylogenetics and Evolution</i> , 2018, 124, 16-26. | 1.2 | 24 |
| 7475 | Global elevational diversity and diversification of birds. <i>Nature</i> , 2018, 555, 246-250. | 13.7 | 264 |
| 7476 | The influence of riverine barriers, climate, and topography on the biogeographic regionalization of Amazonian anurans. <i>Scientific Reports</i> , 2018, 8, 3427. | 1.6 | 58 |
| 7477 | Molecular phylogenetics and environmental niche modeling reveal a cryptic species in the <i>Oligoryzomys flavescens</i> complex (Rodentia, Cricetidae). <i>Journal of Mammalogy</i> , 2018, 99, 363-376. | 0.6 | 24 |
| 7478 | Temperature-dependent oxygen limitation and the rise of Bergmann's rule in species with aquatic respiration. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 977-988. | 1.1 | 35 |
| 7479 | Drought timing and local climate determine the sensitivity of eastern temperate forests to drought. <i>Global Change Biology</i> , 2018, 24, 2339-2351. | 4.2 | 168 |
| 7480 | Nesting habitat selection and distribution of an avian top predator in the Canadian Arctic. <i>Arctic Science</i> , 2018, 4, 499-512. | 0.9 | 5 |
| 7481 | Understanding the Changes in Global Crop Yields Through Changes in Climate and Technology. <i>Earth's Future</i> , 2018, 6, 410-427. | 2.4 | 71 |
| 7482 | The Temperature Sensitivity (Q10) of Soil Respiration: Controlling Factors and Spatial Prediction at Regional Scale Based on Environmental Soil Classes. <i>Global Biogeochemical Cycles</i> , 2018, 32, 306-323. | 1.9 | 132 |
| 7483 | Predicting the distribution of <i>Encephalartos latifrons</i> , a critically endangered cycad in South Africa. <i>Biodiversity and Conservation</i> , 2018, 27, 1961-1980. | 1.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7484 | Predicting suitability of forest dynamics to future climatic conditions: the likely dominance of Holm oak [<i>Quercus ilex</i> subsp. <i>ballota</i> (Desf.) Samp.] and Aleppo pine (<i>Pinus halepensis</i> Mill.). <i>Annals of Forest Science</i> , 2018, 75, 1. | 0.8 | 16 |
| 7485 | Uncertainty in simulating regional gross primary productivity from satellite-based models over northern China grassland. <i>Ecological Indicators</i> , 2018, 88, 134-143. | 2.6 | 21 |
| 7486 | Sexes and species as rival units of niche saturation during community assembly. <i>Global Ecology and Biogeography</i> , 2018, 27, 593-603. | 2.7 | 20 |
| 7487 | Living on the edge: Ecological and genetic connectivity of the spiny-footed lizard, <i>Acanthodactylus aureus</i> , confirms the Atlantic Sahara desert as a biogeographic corridor and centre of lineage diversification. <i>Journal of Biogeography</i> , 2018, 45, 1031-1042. | 1.4 | 24 |
| 7488 | Spatial multi-criteria decision analysis for modelling suitable habitats of <i>Ornithodoros</i> soft ticks in the Western Palearctic region. <i>Veterinary Parasitology</i> , 2018, 249, 2-16. | 0.7 | 24 |
| 7489 | Greenhouse gas emissions of hydropower in the Mekong River Basin. <i>Environmental Research Letters</i> , 2018, 13, 034030. | 2.2 | 63 |
| 7490 | The contribution of neutral evolution and adaptive processes in driving phenotypic divergence in a model mammalian species, the Andean fox <i>Lycalopex culpaeus</i> . <i>Journal of Biogeography</i> , 2018, 45, 1114-1125. | 1.4 | 9 |
| 7491 | Temperature and competition interact to structure Himalayan bird communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172593. | 1.2 | 44 |
| 7492 | Flooding and soil composition determine beta diversity of lowland forests in Northern South America. <i>Biotropica</i> , 2018, 50, 568-577. | 0.8 | 15 |
| 7493 | Contrasting Patterns of Population History and Seed-mediated Gene Flow in Two Endemic Costa Rican Oak Species. <i>Journal of Heredity</i> , 2018, 109, 530-542. | 1.0 | 10 |
| 7494 | A latitudinal gradient in dimensionality of biodiversity. <i>Ecography</i> , 2018, 41, 2016-2026. | 2.1 | 19 |
| 7495 | Trait differentiation and adaptation of plants along elevation gradients. <i>Journal of Evolutionary Biology</i> , 2018, 31, 784-800. | 0.8 | 137 |
| 7496 | Quantified ecology and co-occurrence of Mediterranean woody species in a landscape context. <i>Plant Ecology</i> , 2018, 219, 481-496. | 0.7 | 2 |
| 7497 | Using vegetation attributes to rapidly assess degradation of East African wetlands. <i>Ecological Indicators</i> , 2018, 89, 250-259. | 2.6 | 16 |
| 7498 | Influence of Range Position on Locally Adaptive Gene-Environment Associations in <i>Populus</i> Flowering Time Genes. <i>Journal of Heredity</i> , 2018, 109, 47-58. | 1.0 | 20 |
| 7499 | Integrating impacts on climate change and biodiversity from forest harvest in Norway. <i>Ecological Indicators</i> , 2018, 89, 411-421. | 2.6 | 14 |
| 7500 | Effect of anthropogenic factors, landscape structure, land relief, soil and climate on risk of alien plant invasion at regional scale. <i>Science of the Total Environment</i> , 2018, 626, 1373-1381. | 3.9 | 23 |
| 7501 | Fine resolution map of top- and subsoil carbon sequestration potential in France. <i>Science of the Total Environment</i> , 2018, 630, 389-400. | 3.9 | 109 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7502 | Projecting potential future shifts in species composition of European urban plant communities. <i>Diversity and Distributions</i> , 2018, 24, 765-775. | 1.9 | 16 |
| 7503 | The genomic footprint of climate adaptation in <i>Chironomus riparius</i> . <i>Molecular Ecology</i> , 2018, 27, 1439-1456. | 2.0 | 54 |
| 7504 | Temperature and aridity regulate spatial variability of soil multifunctionality in drylands across the globe. <i>Ecology</i> , 2018, 99, 1184-1193. | 1.5 | 42 |
| 7505 | Molecular and climate data reveal expansion and genetic differentiation of Mexican Violet-ear Colibri <i>thalassinus thalassinus</i> (Aves: Trochilidae) populations separated by the Isthmus of Tehuantepec. <i>Journal of Ornithology</i> , 2018, 159, 687-702. | 0.5 | 7 |
| 7506 | Dryland photoautotrophic soil surface communities endangered by global change. <i>Nature Geoscience</i> , 2018, 11, 185-189. | 5.4 | 302 |
| 7507 | What determines prey selection in owls? Roles of prey traits, prey class, environmental variables, and taxonomic specialization. <i>Ecology and Evolution</i> , 2018, 8, 3382-3392. | 0.8 | 21 |
| 7508 | Spatial and climatic factors associated with the geographical distribution of citrus black spot disease in South Africa. A Bayesian latent Gaussian model approach. <i>European Journal of Plant Pathology</i> , 2018, 151, 991-1007. | 0.8 | 11 |
| 7509 | High gene flow and complex treeline dynamics of <i>Larix Mill.</i> stands on the Taymyr Peninsula (north-central Siberia) revealed by nuclear microsatellites. <i>Tree Genetics and Genomes</i> , 2018, 14, 1. | 0.6 | 8 |
| 7510 | Influence of solid waste and topography on urban floods: The case of Mexico City. <i>Ambio</i> , 2018, 47, 771-780. | 2.8 | 18 |
| 7511 | Global carbon stocks and potential emissions due to mangrove deforestation from 2000 to 2012. <i>Nature Climate Change</i> , 2018, 8, 240-244. | 8.1 | 238 |
| 7512 | Evaluating the performance of remote sensed rain-use efficiency as an indicator of ecosystem functioning in semi-arid ecosystems. <i>International Journal of Remote Sensing</i> , 2018, 39, 3344-3362. | 1.3 | 7 |
| 7514 | Climatic suitability predictions for the cultivation of macadamia and walnuts in existing land-use zones and forest management regimes under climate change scenarios: addressing food security in the mid-hills of Nepal. <i>Forests Trees and Livelihoods</i> , 2018, 27, 86-102. | 0.5 | 2 |
| 7515 | Geography, environment and organismal traits in the diversification of a major tropical herbaceous angiosperm radiation. <i>AoB PLANTS</i> , 2018, 10, ply008. | 1.2 | 5 |
| 7516 | More than range exposure: Global otter vulnerability to climate change. <i>Biological Conservation</i> , 2018, 221, 103-113. | 1.9 | 41 |
| 7517 | Regeneration responses to climate and land-use change of four subtropical tree species of the southern Central Andes. <i>Forest Ecology and Management</i> , 2018, 417, 110-121. | 1.4 | 10 |
| 7518 | West meets East: How do rainforest beetles become circum-Pacific? Evolutionary origin of <i>Callipogon relictus</i> and allied species (Cerambycidae: Prioninae) in the New and Old Worlds. <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 163-176. | 1.2 | 17 |
| 7519 | Assessing habitat loss and fragmentation and their effects on population viability of forest specialist birds: Linking biogeographical and population approaches. <i>Diversity and Distributions</i> , 2018, 24, 820-830. | 1.9 | 22 |
| 7520 | Contrasting responses of generalized/specialized mistletoe-host interactions under climate change. <i>Ecoscience</i> , 2018, 25, 223-234. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7521 | Spatial downscaling of climate variables using three statistical methods in Central Iran. <i>Journal of Mountain Science</i> , 2018, 15, 606-617. | 0.8 | 12 |
| 7522 | Phenotypic plasticity vs. local adaptation in quantitative traits differences of <i>Stipa grandis</i> in semi-arid steppe, China. <i>Scientific Reports</i> , 2018, 8, 3148. | 1.6 | 18 |
| 7523 | A global comparison of the climatic niches of urban and native tree populations. <i>Global Ecology and Biogeography</i> , 2018, 27, 629-637. | 2.7 | 44 |
| 7524 | Lay mistletoes on the Yucatán Peninsula: post-glacial expansion and genetic differentiation of <i>Psittacanthus mayanus</i> (Loranthaceae). <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 334-360. | 0.8 | 8 |
| 7525 | Driving forces behind evolutionary radiations: <i>Saxifraga</i> section <i>Ciliatae</i> (Saxifragaceae) in the region of the Qinghai-Tibet Plateau. <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 304-320. | 0.8 | 24 |
| 7526 | Climate change likely to reduce orchid bee abundance even in climatic suitable sites. <i>Global Change Biology</i> , 2018, 24, 2272-2283. | 4.2 | 26 |
| 7527 | Genomic evidence of speciation reversal in ravens. <i>Nature Communications</i> , 2018, 9, 906. | 5.8 | 105 |
| 7528 | Leapfrogging the Mexican highlands: influence of biogeographical and ecological factors on the diversification of highland species. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 767-781. | 0.7 | 12 |
| 7529 | Diversity, evolution and taxonomic significance of fruit in <i>Cuscuta</i> (dodder, Convolvulaceae); the evolutionary advantages of indehiscence. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 32, 1-17. | 1.1 | 10 |
| 7530 | Comparison of model selection technique performance in predicting the spread of newly invasive species: a case study with <i>Batrachochytrium salamandrivorans</i> . <i>Biological Invasions</i> , 2018, 20, 2107-2119. | 1.2 | 27 |
| 7531 | Forest diversity plays a key role in determining the stand carbon stocks of Mexican forests. <i>Forest Ecology and Management</i> , 2018, 415-416, 160-171. | 1.4 | 34 |
| 7532 | Host plant distributions and climate interact to affect the predicted geographic distribution of a Neotropical termite. <i>Biotropica</i> , 2018, 50, 625-632. | 0.8 | 18 |
| 7533 | Floral trait variation and links to climate in the mixed-mating annual <i>Clarkia pulchella</i> . <i>Botany</i> , 2018, 96, 425-435. | 0.5 | 5 |
| 7534 | Species distribution modeling: a statistical review with focus in spatio-temporal issues. <i>Stochastic Environmental Research and Risk Assessment</i> , 2018, 32, 3227-3244. | 1.9 | 71 |
| 7535 | Quantifying Carbon and Nutrient Input From Litterfall in European Forests Using Field Observations and Modeling. <i>Global Biogeochemical Cycles</i> , 2018, 32, 784-798. | 1.9 | 77 |
| 7536 | An ecological climate change classification for South Australia. <i>Transactions of the Royal Society of South Australia</i> , 2018, 142, 70-85. | 0.1 | 10 |
| 7537 | Legacy of post-glacial colonization affects β -diversity: Insights into local community assembly processes. <i>Journal of Biogeography</i> , 2018, 45, 1604-1615. | 1.4 | 12 |
| 7538 | Late Quaternary ecotone change between subalpine and montane forest zone on the leeward northern slope of Mt. Kilimanjaro. <i>Journal of Vegetation Science</i> , 2018, 29, 459-468. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7539 | The role of cold cues at different life stages on germination and flowering phenology. <i>American Journal of Botany</i> , 2018, 105, 749-759. | 0.8 | 11 |
| 7540 | Widespread occurrence of distinct alkenones from Group I haptophytes in freshwater lakes: Implications for paleotemperature and paleoenvironmental reconstructions. <i>Earth and Planetary Science Letters</i> , 2018, 492, 239-250. | 1.8 | 53 |
| 7541 | Global change effects on land management in the Mediterranean region. <i>Global Environmental Change</i> , 2018, 50, 238-254. | 3.6 | 91 |
| 7542 | Maxent modeling for predicting the potential geographical distribution of two peony species under climate change. <i>Science of the Total Environment</i> , 2018, 634, 1326-1334. | 3.9 | 274 |
| 7543 | Genomic Contingencies and the Potential for Local Adaptation in a Hybrid Species. <i>American Naturalist</i> , 2018, 192, 10-22. | 1.0 | 14 |
| 7544 | Contrasting intraspecific foliar trait responses to stressful conditions of two rhizomatous granite outcrop species at different scales in southwestern Australia. <i>Austral Ecology</i> , 2018, 43, 249-256. | 0.7 | 9 |
| 7545 | Spatial patterns in the global distributions of savanna and forest. <i>Global Ecology and Biogeography</i> , 2018, 27, 792-803. | 2.7 | 33 |
| 7546 | Holocene hydrologic and vegetation developments in the Orange River catchment (South Africa) and their controls. <i>Holocene</i> , 2018, 28, 1288-1300. | 0.9 | 6 |
| 7547 | The role of diversification in community assembly of the oaks (<i>Quercus</i> L.) across the continental U.S.. <i>American Journal of Botany</i> , 2018, 105, 565-586. | 0.8 | 50 |
| 7548 | Changes in the range of the medicinal herb <i>Eriocaulon buergerianum</i> Kürnicke. (Eriocaulaceae) under climate change. <i>Plant Biology</i> , 2018, 20, 771-779. | 1.8 | 3 |
| 7549 | Low acclimation capacity of narrow-ranging thermal specialists exposes susceptibility to global climate change. <i>Ecology and Evolution</i> , 2018, 8, 4644-4656. | 0.8 | 47 |
| 7550 | Invasive alien pests threaten the carbon stored in Europe's forests. <i>Nature Communications</i> , 2018, 9, 1626. | 5.8 | 78 |
| 7551 | Spatiotemporal incidence of Zika and associated environmental drivers for the 2015-2016 epidemic in Colombia. <i>Scientific Data</i> , 2018, 5, 180073. | 2.4 | 29 |
| 7552 | Allopatric Speciation Drives Diversification of Ecological Specialists on Sandhills. <i>International Journal of Plant Sciences</i> , 2018, 179, 325-339. | 0.6 | 9 |
| 7553 | Does current climate explain plant disjunctions? A test using the New Zealand alpine flora. <i>Journal of Biogeography</i> , 2018, 45, 1490-1499. | 1.4 | 9 |
| 7554 | Post-glacial East Asian origin of the alpine shrub <i>Phyllodoce aleutica</i> (Ericaceae) in Beringia. <i>Journal of Biogeography</i> , 2018, 45, 1261-1274. | 1.4 | 13 |
| 7555 | Geographic variation in body size and its relationship with environmental gradients in the Oriental Garden Lizard, <i>Calotes versicolor</i> . <i>Ecology and Evolution</i> , 2018, 8, 4443-4454. | 0.8 | 4 |
| 7556 | Linking genome signatures of selection and adaptation in non-model plants: exploring potential and limitations in the angiosperm <i>Amborella</i> . <i>Current Opinion in Plant Biology</i> , 2018, 42, 81-89. | 3.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7557 | Primary productivity explains size variation across the Pallid bat's western geographic range. <i>Functional Ecology</i> , 2018, 32, 1520-1530. | 1.7 | 11 |
| 7558 | Explaining European fungal fruiting phenology with climate variability. <i>Ecology</i> , 2018, 99, 1306-1315. | 1.5 | 29 |
| 7559 | Ignoring seasonal changes in the ecological niche of non-migratory species may lead to biases in potential distribution models: lessons from bats. <i>Biodiversity and Conservation</i> , 2018, 27, 2425-2441. | 1.2 | 61 |
| 7560 | Identifying evolutionarily significant units for conservation of the endangered <i>Malus sieversii</i> using genome-wide RADseq data. <i>Nordic Journal of Botany</i> , 2018, 36, e01733. | 0.2 | 10 |
| 7561 | Long-term ecological data for conservation: Range change in the black-billed capercaillie (<i>Tetrao tetrix</i>). <i>Conservation Biology</i> , 2018, 32, 1008-1018. | 0.8 | 8 |
| 7562 | A global climate niche for giant trees. <i>Global Change Biology</i> , 2018, 24, 2875-2883. | 4.2 | 15 |
| 7563 | Shifts in plant distributions in response to climate warming in a biodiversity hotspot, the Hengduan Mountains. <i>Journal of Biogeography</i> , 2018, 45, 1334-1344. | 1.4 | 115 |
| 7564 | Parallel evolutionary forces influence the evolution of male and female songs in a tropical songbird. <i>Journal of Evolutionary Biology</i> , 2018, 31, 979-994. | 0.8 | 9 |
| 7566 | Areas of high conservation value at risk by plant invaders in Georgia under climate change. <i>Ecology and Evolution</i> , 2018, 8, 4431-4442. | 0.8 | 12 |
| 7567 | Ecological niche modeling re-examined: A case study with the Darwin's fox. <i>Ecology and Evolution</i> , 2018, 8, 4757-4770. | 0.8 | 50 |
| 7568 | Molecular and ecological signatures of an expanding hybrid zone. <i>Ecology and Evolution</i> , 2018, 8, 4793-4806. | 0.8 | 21 |
| 7569 | Genetic structure and environmental niche modeling confirm two evolutionary and conservation units within the western spadefoot (<i>Spea hammondi</i>). <i>Conservation Genetics</i> , 2018, 19, 937-946. | 0.8 | 15 |
| 7570 | Regression kriging as a workhorse in the digital soil mapper's toolbox. <i>Geoderma</i> , 2018, 326, 22-41. | 2.3 | 127 |
| 7571 | Biogeographical structure and endemism pattern in reptiles of the Western Palearctic. <i>Progress in Physical Geography</i> , 2018, 42, 220-236. | 1.4 | 22 |
| 7572 | Bill size variation in northern cardinals associated with anthropogenic drivers across North America. <i>Ecology and Evolution</i> , 2018, 8, 4841-4851. | 0.8 | 14 |
| 7573 | Change in current and future geographic distributions of <i>Ulmus lamellosa</i> in China. <i>Journal of Forestry Research</i> , 2018, 29, 1147-1156. | 1.7 | 2 |
| 7574 | Assessing Atlantic cloud forest extent and protection status in southeastern Brazil. <i>Journal for Nature Conservation</i> , 2018, 43, 146-155. | 0.8 | 9 |
| 7575 | Ensemble committee-based data intelligent approach for generating soil moisture forecasts with multivariate hydro-meteorological predictors. <i>Soil and Tillage Research</i> , 2018, 181, 63-81. | 2.6 | 60 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7576 | Relationships among phenology, climate and biomass across subtropical forests in Argentina. <i>Journal of Tropical Ecology</i> , 2018, 34, 93-107. | 0.5 | 18 |
| 7577 | Environmental variables controlling soil organic carbon in top- and sub-soils in karst region of southwestern China. <i>Ecological Indicators</i> , 2018, 90, 624-632. | 2.6 | 19 |
| 7578 | Annotated Checklist and Biogeographical Affinities of Scarabaeinae Beetles from Los Altos de Jalisco Region, Mexico. <i>Southwestern Entomologist</i> , 2018, 43, 131-149. | 0.1 | 6 |
| 7579 | American archives and climate change: Risks and adaptation. <i>Climate Risk Management</i> , 2018, 20, 111-125. | 1.6 | 14 |
| 7580 | Sand ramps as palaeoenvironmental archives: Integrating general principles and regional contexts through reanalysis of the Klipkraal Sands, South Africa. <i>Geomorphology</i> , 2018, 311, 103-113. | 1.1 | 6 |
| 7581 | Targeting clams: insights into the invasive potential and current and future distribution of Asian clams. <i>Environmental Conservation</i> , 2018, 45, 387-395. | 0.7 | 16 |
| 7582 | A Review on the Phylogeography of Potentially Chemoautotrophic Bacteria from Major Vent and Seep Fauna and Their Contribution to Primary Production. <i>Geomicrobiology Journal</i> , 2018, 35, 612-634. | 1.0 | 10 |
| 7583 | Drivers of beta diversity of Odonata along a forest–grassland transition in southern Brazilian coastal ponds. <i>Freshwater Science</i> , 2018, 37, 357-366. | 0.9 | 17 |
| 7584 | Revised distributional estimates for the recently discovered olinguito (<i>Bassaricyon neblina</i>), with comments on natural and taxonomic history. <i>Journal of Mammalogy</i> , 2018, 99, 321-332. | 0.6 | 25 |
| 7585 | Geography, human capital and urbanization: A regional analysis. <i>Economics Letters</i> , 2018, 168, 10-14. | 0.9 | 18 |
| 7586 | Delineating limits: Confronting predicted climatic suitability to field performance in mistletoe populations. <i>Journal of Ecology</i> , 2018, 106, 2218-2229. | 1.9 | 12 |
| 7587 | Soil fungi underlie a phylogenetic pattern in plant growth responses to nitrogen enrichment. <i>Journal of Ecology</i> , 2018, 106, 2161-2175. | 1.9 | 8 |
| 7588 | Climate versus weather extremes: Temporal predictor resolution matters for future rather than current regional species distribution models. <i>Diversity and Distributions</i> , 2018, 24, 1047-1060. | 1.9 | 9 |
| 7589 | The risk to Myrtaceae of <i>Austropuccinia psidii</i> myrtle rust, in Mexico. <i>Forest Pathology</i> , 2018, 48, e12428. | 0.5 | 1 |
| 7590 | Agricultural diversification as an important strategy for achieving food security in Africa. <i>Global Change Biology</i> , 2018, 24, 3390-3400. | 4.2 | 130 |
| 7591 | Reconstructing deep-time palaeoclimate legacies in the clusioid Malpighiales unveils their role in the evolution and extinction of the boreotropical flora. <i>Global Ecology and Biogeography</i> , 2018, 27, 616-628. | 2.7 | 41 |
| 7592 | Polylepis woodland dynamics during the last 20,000 years. <i>Journal of Biogeography</i> , 2018, 45, 1019-1030. | 1.4 | 27 |
| 7593 | Higher ploidy is associated with reduced range breadth in the Potentilleae tribe. <i>American Journal of Botany</i> , 2018, 105, 700-710. | 0.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7594 | Herbivory and eutrophication mediate grassland plant nutrient responses across a global climatic gradient. <i>Ecology</i> , 2018, 99, 822-831. | 1.5 | 42 |
| 7595 | Species richness, geographic distribution, pressures, and threats to bats in the Caatinga drylands of Brazil. <i>Biological Conservation</i> , 2018, 221, 312-322. | 1.9 | 24 |
| 7596 | Tracing the Evolution of Agglomeration Economies: Spain, 1860â€“1991. <i>Journal of Economic History</i> , 2018, 78, 81-117. | 1.0 | 20 |
| 7597 | Long-term response of forest productivity to climate change is mostly driven by change in tree species composition. <i>Scientific Reports</i> , 2018, 8, 5627. | 1.6 | 133 |
| 7598 | Interspecific competition promotes habitat and morphological divergence in a secondary contact zone between two hybridizing songbirds. <i>Journal of Evolutionary Biology</i> , 2018, 31, 914-923. | 0.8 | 18 |
| 7599 | Lack of congruence of genetic and niche divergence in <i>Podarcis hispanicus</i> complex. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 479-492. | 0.6 | 19 |
| 7600 | Convergent evidence for widespread rock nitrogen sources in Earth's surface environment. <i>Science</i> , 2018, 360, 58-62. | 6.0 | 166 |
| 7601 | Ecological niche modeling of the genus <i>Papio</i> . <i>American Journal of Physical Anthropology</i> , 2018, 166, 812-823. | 2.1 | 20 |
| 7602 | Potential global distribution of <i>Diabrotica</i> species and the risks for agricultural production. <i>Pest Management Science</i> , 2018, 74, 2100-2109. | 1.7 | 32 |
| 7603 | Environmental predictors for annual fish assemblages in subtropical grasslands of South America: the role of landscape and habitat characteristics. <i>Environmental Biology of Fishes</i> , 2018, 101, 963-977. | 0.4 | 12 |
| 7604 | Is a biofix necessary for predicting the flight phenology of <i>Lobesia botrana</i> in Douro Demarcated Region vineyards?. <i>Crop Protection</i> , 2018, 110, 57-64. | 1.0 | 15 |
| 7605 | Exploring <i>Rattus praetor</i> (Rodentia, Muridae) as a possible species complex using geometric morphometrics on dental morphology. <i>Mammalian Biology</i> , 2018, 92, 62-67. | 0.8 | 9 |
| 7606 | Potential effects of climate change on the risk of accidents with poisonous species of the genus <i>Tityus</i> (Scorpiones, Buthidae) in Argentina. <i>Spatial and Spatio-temporal Epidemiology</i> , 2018, 25, 67-72. | 0.9 | 12 |
| 7607 | Plant biodiversity patterns along a climatic gradient and across protected areas in West Africa. <i>African Journal of Ecology</i> , 2018, 56, 641-652. | 0.4 | 7 |
| 7608 | Disturbance type influences plant community resilience and resistance to <i>Bromus tectorum</i> invasion in the sagebrush steppe. <i>Applied Vegetation Science</i> , 2018, 21, 385-394. | 0.9 | 17 |
| 7609 | Classification of European and Mediterranean coastal dune vegetation. <i>Applied Vegetation Science</i> , 2018, 21, 533-559. | 0.9 | 52 |
| 7610 | Along the speciation continuum: Quantifying intrinsic and extrinsic isolating barriers across five million years of evolutionary divergence in California jewelflowers. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 1063-1079. | 1.1 | 47 |
| 7611 | Do plant-based biogeographical regions shape aphylophoroid fungal communities in Europe?. <i>Journal of Biogeography</i> , 2018, 45, 1182-1195. | 1.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7612 | Higher spring temperatures increase food scarcity and limit the current and future distributions of crossbills. <i>Diversity and Distributions</i> , 2018, 24, 473-484. | 1.9 | 12 |
| 7613 | Vessel scaling in evergreen angiosperm leaves conforms with Murray's law and area-filling assumptions: implications for plant size, leaf size and cold tolerance. <i>New Phytologist</i> , 2018, 218, 1360-1370. | 3.5 | 50 |
| 7614 | Theory and Practice of Climate Adaptation. <i>Climate Change Management</i> , 2018, , . | 0.6 | 31 |
| 7615 | Plant invasions in Italy: An integrative approach using the European LifeWatch infrastructure database. <i>Ecological Indicators</i> , 2018, 91, 182-188. | 2.6 | 18 |
| 7616 | Resolving relationships and phylogeographic history of the <i>Nyssa sylvatica</i> complex using data from RAD-seq and species distribution modeling. <i>Molecular Phylogenetics and Evolution</i> , 2018, 126, 1-16. | 1.2 | 39 |
| 7617 | Rates of molecular evolution in tree ferns are associated with body size, environmental temperature, and biological productivity. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 1050-1062. | 1.1 | 10 |
| 7618 | Complex influence of climate on the distribution and body size of an Alpine species. <i>Insect Conservation and Diversity</i> , 2018, 11, 435-448. | 1.4 | 1 |
| 7619 | Physiological and regulatory underpinnings of geographic variation in reptilian cold tolerance across a latitudinal cline. <i>Molecular Ecology</i> , 2018, 27, 2243-2255. | 2.0 | 46 |
| 7620 | An Assessment of High-Resolution Gridded Temperature Datasets over California. <i>Journal of Climate</i> , 2018, 31, 3789-3810. | 1.2 | 41 |
| 7621 | A global analysis of management capacity and ecological outcomes in terrestrial protected areas. <i>Conservation Letters</i> , 2018, 11, e12434. | 2.8 | 120 |
| 7622 | Multiple Pleistocene refugia and repeated phylogeographic breaks in the southern Caspian Sea region: Insights from the freshwater crab <i>Potamon ibericum</i> . <i>Journal of Biogeography</i> , 2018, 45, 1234-1245. | 1.4 | 20 |
| 7623 | Effect of Climoedaphic Heterogeneity on Woody Plant Dominance in the Argentine Caldenal Region. <i>Rangeland Ecology and Management</i> , 2018, 71, 409-416. | 1.1 | 4 |
| 7624 | Factors influencing seedling emergence of three global invaders in greenhouses representing major eco-regions of the world. <i>Plant Biology</i> , 2018, 20, 610-618. | 1.8 | 7 |
| 7625 | Intercomparison of phenological transition dates derived from the PhenoCam Dataset V1.0 and MODIS satellite remote sensing. <i>Scientific Reports</i> , 2018, 8, 5679. | 1.6 | 99 |
| 7626 | Combined exposure to hydroelectric expansion, climate change and forest loss jeopardies amphibians in the Brazilian Amazon. <i>Diversity and Distributions</i> , 2018, 24, 1072-1082. | 1.9 | 11 |
| 7627 | Intra-Specific Latitudinal Clines in Leaf Carbon, Nitrogen, and Phosphorus and their Underlying Abiotic Correlates in <i>Ruellia nudiflora</i> . <i>Scientific Reports</i> , 2018, 8, 596. | 1.6 | 7 |
| 7628 | The potential impact of invasive woody oil plants on protected areas in China under future climate conditions. <i>Scientific Reports</i> , 2018, 8, 1041. | 1.6 | 13 |
| 7629 | Future global productivity will be affected by plant trait response to climate. <i>Scientific Reports</i> , 2018, 8, 2870. | 1.6 | 95 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7630 | Gridded global datasets for Gross Domestic Product and Human Development Index over 1990–2015. <i>Scientific Data</i> , 2018, 5, 180004. | 2.4 | 337 |
| 7631 | Effects of climate on soil phosphorus cycle and availability in natural terrestrial ecosystems. <i>Global Change Biology</i> , 2018, 24, 3344-3356. | 4.2 | 197 |
| 7632 | Curie Point Depth of the Iberian Peninsula and Surrounding Margins. A Thermal and Tectonic Perspective of its Evolution. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 2049-2068. | 1.4 | 37 |
| 7633 | Microrefugia and Climate Change Adaptation: A Practical Guide for Wildland Managers. , 2018, , 289-300. | | 0 |
| 7634 | Climate Change May Trigger Broad Shifts in North America's Pacific Coastal Rainforests. , 2018, , 233-244. | | 3 |
| 7635 | Spiroides shrubs on Qinghai-Tibetan Plateau: Multilocus phylogeography and palaeodistributional reconstruction of <i>Spiraea alpina</i> and <i>S. Mongolica</i> (Rosaceae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 123, 137-148. | 1.2 | 31 |
| 7636 | Local extinctions of obligate frugivores and patch size reduction disrupt the structure of seed dispersal networks. <i>Ecography</i> , 2018, 41, 1899-1909. | 2.1 | 33 |
| 7637 | A multivariate ecogeographic analysis of macaque craniodental variation. <i>American Journal of Physical Anthropology</i> , 2018, 166, 386-400. | 2.1 | 13 |
| 7638 | Dew point temperature affects ascospore release of allergenic genus <i>Leptosphaeria</i> . <i>International Journal of Biometeorology</i> , 2018, 62, 979-990. | 1.3 | 7 |
| 7639 | Invasive alien plants of Russia: insights from regional inventories. <i>Biological Invasions</i> , 2018, 20, 1931-1943. | 1.2 | 51 |
| 7640 | Modeling of habitat suitability of Asiatic black bear (<i>Ursus thibetanus gedrosianus</i>) in Iran in future. <i>Acta Ecologica Sinica</i> , 2018, 38, 9-14. | 0.9 | 59 |
| 7641 | Simulating the potential distribution of <i>Elaeagnus angustifolia</i> L. based on climatic constraints in China. <i>Ecological Engineering</i> , 2018, 113, 27-34. | 1.6 | 44 |
| 7642 | Ecology and genomics of an important crop wild relative as a prelude to agricultural innovation. <i>Nature Communications</i> , 2018, 9, 649. | 5.8 | 142 |
| 7643 | Photophobia in Lilioid monocots: photoinhibition of seed germination explained by seed traits, habitat adaptation and phylogenetic inertia. <i>Annals of Botany</i> , 2018, 121, 405-413. | 1.4 | 11 |
| 7644 | Current and Future Potential Risk of Establishment of <i>Grapholita molesta</i> (Lepidoptera: Tortricidae) in Washington State. <i>Environmental Entomology</i> , 2018, 47, 448-456. | 0.7 | 13 |
| 7645 | Functional trait heritability and local climatic adaptation among grasses: a meta-analysis. <i>Plant Ecology</i> , 2018, 219, 369-379. | 0.7 | 5 |
| 7646 | Prediction of future risk of invasion by <i>Limnoperna fortunei</i> (Dunker, 1857) (Mollusca, Bivalvia.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10</i> | 2.6 | 22 |
| 7647 | Carbon stocks in aboveground biomass for Colombian mangroves with associated uncertainties. <i>Regional Studies in Marine Science</i> , 2018, 18, 145-155. | 0.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7648 | Origin and transition of sex determination mechanisms in a gynogenetic hexaploid fish. <i>Heredity</i> , 2018, 121, 64-74. | 1.2 | 51 |
| 7649 | Trees on the move: using decision theory to compensate for climate change at the regional scale in forest social-ecological systems. <i>Regional Environmental Change</i> , 2018, 18, 1427-1437. | 1.4 | 6 |
| 7650 | Phylogenetic classification of the world's tropical forests. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1837-1842. | 3.3 | 144 |
| 7651 | Elevational patterns and ecological determinants of mean family age of angiosperm assemblages in temperate forests within Mount Taibai, China. <i>Journal of Plant Ecology</i> , 2018, 11, 919-927. | 1.2 | 3 |
| 7652 | A jungle tale: Molecular phylogeny and divergence time estimates of the <i>Desmopsis-Stenanona</i> clade (Annonaceae) in Mesoamerica. <i>Molecular Phylogenetics and Evolution</i> , 2018, 122, 80-94. | 1.2 | 16 |
| 7653 | What are the best predictors for invasive potential of weeds? Transferability evaluations of model predictions based on diverse environmental data sets for <i>Flaveria bidentis</i> . <i>Weed Research</i> , 2018, 58, 141-149. | 0.8 | 24 |
| 7654 | Geographic range velocity and its association with phylogeny and life history traits in North American woody plants. <i>Ecology and Evolution</i> , 2018, 8, 2632-2644. | 0.8 | 9 |
| 7655 | Trends in evergreen oak suitability from assembled species distribution models: assessing climate change in south-western Europe. <i>New Forests</i> , 2018, 49, 471-487. | 0.7 | 25 |
| 7656 | Intraspecific leaf functional trait variability of eight <i>Prosopis pallida</i> tree populations along a climatic gradient of the dry forests of northern Peru. <i>Journal of Arid Environments</i> , 2018, 152, 12-20. | 1.2 | 24 |
| 7657 | Environmental factors influencing the distribution of <i>Theileria annae</i> in red foxes, <i>Vulpes vulpes</i> in Romania. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 660-664. | 1.1 | 8 |
| 7658 | How sensitive are temperate tadpoles to climate change? The use of thermal physiology and niche model tools to assess vulnerability. <i>Zoology</i> , 2018, 127, 95-105. | 0.6 | 13 |
| 7659 | Cold-blooded in the Ice Age: refugia within refugia; inter-and intraspecific biogeographic diversification of European whipsnakes (Squamata, Colubridae, Hierophis). <i>Zoology</i> , 2018, 127, 84-94. | 0.6 | 17 |
| 7660 | The reunion of two lineages of the Neotropical brown stink bug on soybean lands in the heart of Brazil. <i>Scientific Reports</i> , 2018, 8, 2496. | 1.6 | 33 |
| 7661 | Scrub communities along a climatic gradient in the southern Balkans: maquis, pseudomaquis and shibljak. <i>Plant Biosystems</i> , 2018, 152, 1165-1171. | 0.8 | 7 |
| 7662 | Taxonomic diversity masks leaf vein-climate relationships: lessons from herbarium collections across a latitudinal rainfall gradient in West Africa. <i>Botany Letters</i> , 2018, 165, 384-395. | 0.7 | 12 |
| 7663 | Competition-driven niche segregation on a landscape scale: Evidence for escaping from syntopy towards allotopy in two coexisting sibling passerine species. <i>Journal of Animal Ecology</i> , 2018, 87, 774-789. | 1.3 | 43 |
| 7664 | Association of ectomycorrhizal trees with high carbon-to-nitrogen ratio soils across temperate forests is driven by smaller nitrogen not larger carbon stocks. <i>Journal of Ecology</i> , 2018, 106, 524-535. | 1.9 | 50 |
| 7665 | Global macroevolution and macroecology of passerine song. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 944-960. | 1.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7666 | Mesophyll conductance does not contribute to greater photosynthetic rate per unit nitrogen in temperate compared with tropical evergreen wetland forest tree leaves. <i>New Phytologist</i> , 2018, 218, 492-505. | 3.5 | 30 |
| 7667 | Characterizing agricultural drought in the Karamoja subregion of Uganda with meteorological and satellite-based indices. <i>Natural Hazards</i> , 2018, 91, 837-862. | 1.6 | 19 |
| 7668 | Global Demand for Natural Resources Eliminated More Than 100,000 Bornean Orangutans. <i>Current Biology</i> , 2018, 28, 761-769.e5. | 1.8 | 94 |
| 7669 | Exploring adaptation strategies of coffee production to climate change using a process-based model. <i>Ecological Modelling</i> , 2018, 371, 76-89. | 1.2 | 78 |
| 7670 | Traits indicating a conservative resource strategy are weakly related to narrow range size in a group of neotropical trees. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 32, 30-37. | 1.1 | 6 |
| 7671 | Climate change, thermal niches, extinction risk and maternal effect rescue of toad-headed lizards, <i>Phrynocephalus</i> , in thermal extremes of the Arabian Peninsula to the Qinghai-Tibetan Plateau. <i>Integrative Zoology</i> , 2018, 13, 450-470. | 1.3 | 59 |
| 7672 | Winter color polymorphisms identify global hot spots for evolutionary rescue from climate change. <i>Science</i> , 2018, 359, 1033-1036. | 6.0 | 91 |
| 7673 | Population genomics of sorghum (<i>Sorghum bicolor</i>) across diverse agroclimatic zones of Niger. <i>Genome</i> , 2018, 61, 223-232. | 0.9 | 20 |
| 7674 | Measuring the landscape of civil war. <i>Journal of Peace Research</i> , 2018, 55, 190-205. | 1.5 | 5 |
| 7675 | Relative contributions of neutral and non-neutral processes to clinal variation in calyx lobe length in the series <i>Sakawanum</i> (Asarum: Aristolochiaceae). <i>Annals of Botany</i> , 2018, 121, 37-46. | 1.4 | 4 |
| 7676 | Disentangling morphologically similar species of the Andean forest: integrating results from multivariate morphometric analyses, niche modelling and climatic space comparison in <i>Kaunia</i> (Eupatoriaceae: Asteraceae). <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 259-272. | 0.8 | 5 |
| 7677 | Best practices for reporting climate data in ecology. <i>Nature Climate Change</i> , 2018, 8, 92-94. | 8.1 | 10 |
| 7678 | The impact of endothermy on the climatic niche evolution and the distribution of vertebrate diversity. <i>Nature Ecology and Evolution</i> , 2018, 2, 459-464. | 3.4 | 91 |
| 7679 | Principal factors controlling the species richness of European fens differ between habitat specialists and matrix-derived species. <i>Diversity and Distributions</i> , 2018, 24, 742-754. | 1.9 | 44 |
| 7680 | Higher precipitation strengthens the microbial interactions in semi-arid grassland soils. <i>Global Ecology and Biogeography</i> , 2018, 27, 570-580. | 2.7 | 151 |
| 7681 | How to deal with ground truthing affected by human-induced habitat change?: Identifying high-quality habitats for the Critically Endangered Red Siskin. <i>Ecology and Evolution</i> , 2018, 8, 841-851. | 0.8 | 4 |
| 7682 | Gene flow from multiple sources maintains high genetic diversity and stable population history of Common Moorhen <i>Gallinula chloropus</i> in China. <i>Ibis</i> , 2018, 160, 855-869. | 1.0 | 8 |
| 7683 | Clinal variation in avian body size is better explained by summer maximum temperatures during development than by cold winter temperatures. <i>Auk</i> , 2018, 135, 206-217. | 0.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 7684 | Wrong, but useful: regional species distribution models may not be improved by range-wide data under biased sampling. <i>Ecology and Evolution</i> , 2018, 8, 2196-2206. | 0.8 | 61 |
| 7685 | Living in two worlds: Evolutionary mechanisms act differently in the native and introduced ranges of an invasive plant. <i>Ecology and Evolution</i> , 2018, 8, 2440-2452. | 0.8 | 17 |
| 7686 | Dissolved-oxygen, current and temperature preferences of stream invertebrates estimated from field distributions: application to assemblage responses to drought. <i>Hydrobiologia</i> , 2018, 809, 141-153. | 1.0 | 14 |
| 7687 | A naturally occurring epiallele associates with leaf senescence and local climate adaptation in <i>Arabidopsis</i> accessions. <i>Nature Communications</i> , 2018, 9, 460. | 5.8 | 72 |
| 7688 | Reconciling divergent trends and millennial variations in Holocene temperatures. <i>Nature</i> , 2018, 554, 92-96. | 13.7 | 251 |
| 7689 | Evolutionary history of the angiosperm flora of China. <i>Nature</i> , 2018, 554, 234-238. | 13.7 | 321 |
| 7690 | Phenotypic divergence despite low genetic differentiation in house sparrow populations. <i>Scientific Reports</i> , 2018, 8, 394. | 1.6 | 14 |
| 7691 | Crop traits drive soil carbon sequestration under organic farming. <i>Journal of Applied Ecology</i> , 2018, 55, 2496-2505. | 1.9 | 30 |
| 7692 | The size at reproduction of canopy tree species in central Africa. <i>Biotropica</i> , 2018, 50, 465-476. | 0.8 | 14 |
| 7693 | When macroecological transitions are a fiction of sampling: comparing herbarium records to plot-based species inventory data. <i>Ecography</i> , 2018, 41, 1864-1875. | 2.1 | 15 |
| 7694 | Disentangling phylogenetic from non-phylogenetic functional structure of bird assemblages in a tropical dry forest. <i>Oikos</i> , 2018, 127, 1177-1185. | 1.2 | 6 |
| 7695 | Habitat fragmentation, not habitat loss, drives the prevalence of blood parasites in a Caribbean passerine. <i>Ecography</i> , 2018, 41, 1835-1849. | 2.1 | 20 |
| 7696 | Utility and limitations of climate-matching approaches in detecting different types of spatial errors in biodiversity data. <i>Insect Conservation and Diversity</i> , 2018, 11, 407-414. | 1.4 | 9 |
| 7697 | Combining allele frequency and tree-based approaches improves phylogeographic inference from natural history collections. <i>Molecular Ecology</i> , 2018, 27, 1012-1024. | 2.0 | 9 |
| 7698 | The suitability of <i>Macadamia</i> and <i>Juglans</i> for cultivation in Nepal: an assessment based on spatial probability modelling using climate scenarios and in situ data. <i>Regional Environmental Change</i> , 2018, 18, 859-871. | 1.4 | 12 |
| 7699 | The present status and potential distribution of relict populations of <i>Aesculus hippocastanum</i> L. in Greece and the diverse infestation by <i>Cameraria ohridella</i> Deschka & DimiÅž. <i>Plant Biosystems</i> , 2018, 152, 1048-1058. | 0.8 | 8 |
| 7700 | Climate-driven mitochondrial selection: A test in Australian songbirds. <i>Molecular Ecology</i> , 2018, 27, 898-918. | 2.0 | 43 |
| 7701 | How global climate change and regional disturbance can expand the invasion risk? Case study of <i>Lantana camara</i> invasion in the Himalaya. <i>Biological Invasions</i> , 2018, 20, 1849-1863. | 1.2 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7702 | Exploring fire incidence in Portugal using generalized additive models for location, scale and shape (GAMLSS). <i>Modeling Earth Systems and Environment</i> , 2018, 4, 199-220. | 1.9 | 13 |
| 7703 | Spatial mismatch in morphological, ecological and phylogenetic diversity, in historical and contemporary European freshwater fish faunas. <i>Ecography</i> , 2018, 41, 1665-1674. | 2.1 | 23 |
| 7704 | Areas of endemism persist through time: A palaeoclimatic analysis in the Mexican Transition Zone. <i>Journal of Biogeography</i> , 2018, 45, 952-961. | 1.4 | 13 |
| 7705 | A global atlas of the dominant bacteria found in soil. <i>Science</i> , 2018, 359, 320-325. | 6.0 | 1,386 |
| 7706 | Fragmentation as a key driver of tree community dynamics in mixed subtropical evergreen forests in Southern Brazil. <i>Forest Ecology and Management</i> , 2018, 411, 20-26. | 1.4 | 21 |
| 7707 | Embedding spatial variability in rainfall field reconstruction. <i>International Journal of Remote Sensing</i> , 2018, 39, 2884-2905. | 1.3 | 2 |
| 7708 | Disparate patterns of thermal adaptation between life stages in temperate vs. tropical <i>Drosophila melanogaster</i> . <i>Journal of Evolutionary Biology</i> , 2018, 31, 323-331. | 0.8 | 24 |
| 7709 | The role of hybridization during ecological divergence of southwestern white pine (<i>Pinus</i>). <i>Tj ETQq1 1 0.784314</i> <i>rgBT /Overlock 10</i> | 2.0 | 48 |
| 7710 | Genetic Differentiation and Fragmentation in Response to Climate Change of the Narrow Endemic <i>Psittacanthus auriculatus</i> . <i>Tropical Conservation Science</i> , 2018, 11, 194008291875551. | 0.6 | 13 |
| 7711 | Past climatic fluctuations are associated with morphological differentiation in the cloud forest endemic tree <i>Ocotea psychotrioides</i> (Lauraceae). <i>Plant Systematics and Evolution</i> , 2018, 304, 607-617. | 0.3 | 2 |
| 7712 | Snub-nosed monkeys (<i>Rhinopithecus</i>): potential distribution and its implication for conservation. <i>Biodiversity and Conservation</i> , 2018, 27, 1517-1538. | 1.2 | 43 |
| 7713 | Landscape genomics and pathway analysis to understand genetic adaptation of South African indigenous goat populations. <i>Heredity</i> , 2018, 120, 369-378. | 1.2 | 16 |
| 7714 | Intraspecific ecological niche divergence and reproductive shifts foster cytotype displacement and provide ecological opportunity to polyploids. <i>Annals of Botany</i> , 2018, 121, 1183-1196. | 1.4 | 49 |
| 7715 | Environmental drivers of ant species richness and composition across the Argentine Pampas grassland. <i>Austral Ecology</i> , 2018, 43, 424-434. | 0.7 | 14 |
| 7716 | Plant geographical range size and climate stability in China: Growth form matters. <i>Global Ecology and Biogeography</i> , 2018, 27, 506-517. | 2.7 | 30 |
| 7717 | Bats in a Cerrado landscape of Northern Brazil: species occurrence, influence of environmental heterogeneity and seasonality, and eight new records for the State of Tocantins. <i>Mammalia</i> , 2018, 82, 469-480. | 0.3 | 8 |
| 7718 | Paleoaltimetry Potentiality of Branched GDGTs From Southern Tibet. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 551-564. | 1.0 | 19 |
| 7719 | Comparison of different wind data interpolation methods for a region with complex terrain in Central Asia. <i>Climate Dynamics</i> , 2018, 51, 3635-3652. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7720 | Phylogeography of rare fern <i>Polystichum glaciale</i> endemic to the subnival zone of the Sino-Himalaya. <i>Plant Systematics and Evolution</i> , 2018, 304, 485-499. | 0.3 | 11 |
| 7721 | History of the fragmentation of the African rain forest in the Dahomey Gap: insight from the demographic history of <i>Terminalia superba</i> . <i>Heredity</i> , 2018, 120, 547-561. | 1.2 | 32 |
| 7722 | Extinction risks forced by climatic change and intraspecific variation in the thermal physiology of a tropical lizard. <i>Journal of Thermal Biology</i> , 2018, 73, 50-60. | 1.1 | 63 |
| 7723 | Environmental influences on rabbit and hare bone isotope abundances: Implications for paleoenvironmental research. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 497, 91-104. | 1.0 | 22 |
| 7724 | Phytocoenological approach to the ecology of <i>Laurus nobilis</i> L. in Italy. <i>Rendiconti Lincei</i> , 2018, 29, 343-354. | 1.0 | 7 |
| 7725 | Conservation of the endemic species of the Albertine Rift under future climate change. <i>Biological Conservation</i> , 2018, 220, 67-75. | 1.9 | 29 |
| 7726 | Inferring climatic controls of rice stem borers' spatial distributions using maximum entropy modelling. <i>Journal of Applied Entomology</i> , 2018, 142, 388-396. | 0.8 | 12 |
| 7727 | Similarities in correlates of native and introduced fish species richness distribution in Brazilian reservoirs. <i>Hydrobiologia</i> , 2018, 817, 167-177. | 1.0 | 12 |
| 7728 | Atmospheric CO ₂ effect on stable carbon isotope composition of terrestrial fossil archives. <i>Nature Communications</i> , 2018, 9, 252. | 5.8 | 85 |
| 7729 | Phenological Sensitivity of Early and Late Flowering Species Under Seasonal Warming and Altered Precipitation in a Seminatural Temperate Grassland Ecosystem. <i>Ecosystems</i> , 2018, 21, 1306-1320. | 1.6 | 15 |
| 7730 | Geoclimatic factors drive diatom community distribution in tropical South American freshwaters. <i>Journal of Ecology</i> , 2018, 106, 1660-1672. | 1.9 | 29 |
| 7731 | Water Shortage Drives Interactions Between Cushion and Beneficiary Species Along Elevation Gradients in Dry Himalayas. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 226-238. | 1.3 | 7 |
| 7732 | Fire-induced deforestation in drought-prone Mediterranean forests: drivers and unknowns from leaves to communities. <i>Ecological Monographs</i> , 2018, 88, 141-169. | 2.4 | 90 |
| 7733 | Species Distribution Modelling: Contrasting presence-only models with plot abundance data. <i>Scientific Reports</i> , 2018, 8, 1003. | 1.6 | 113 |
| 7734 | Variation among European beetle taxa in patterns of distance decay of similarity suggests a major role of dispersal processes. <i>Ecography</i> , 2018, 41, 1825-1834. | 2.1 | 63 |
| 7735 | Climatic and evolutionary factors shaping geographical gradients of species richness in <i>Anolis</i> lizards. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 615-627. | 0.7 | 16 |
| 7736 | Phylogeography of the <i>Oenanthe hispanica-pleschanka-cypriaca</i> complex (Aves, Muscicapidae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf data, and morphometric data. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 408-427. | 0.6 | 13 |
| 7737 | A metabolic syndrome in terrestrial ectotherms with different elevational and distribution patterns. <i>Ecography</i> , 2018, 41, 1728-1739. | 2.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7738 | Ecological and biogeographical drivers of freshwater green algae biodiversity: from local communities to large-scale species pools of desmids. <i>Oecologia</i> , 2018, 186, 1017-1030. | 0.9 | 15 |
| 7739 | Geographical and experimental contexts modulate the effect of warming on top-down control: a meta-analysis. <i>Ecology Letters</i> , 2018, 21, 455-466. | 3.0 | 32 |
| 7740 | Does one size fit all? A multispecies approach to regional landscape corridor planning. <i>Diversity and Distributions</i> , 2018, 24, 415-425. | 1.9 | 28 |
| 7741 | Dynamic uplift, recycling, and climate control on the petrology of passive-margin sand (Angola). <i>Sedimentary Geology</i> , 2018, 375, 86-104. | 1.0 | 43 |
| 7742 | Geostatistical interpolation can reliably extend coverage of a very high-resolution model of temperature-dependent sex determination. <i>Journal of Biogeography</i> , 2018, 45, 652-663. | 1.4 | 4 |
| 7743 | Inequality and education in pre-industrial economies: Evidence from Spain. <i>Explorations in Economic History</i> , 2018, 69, 81-101. | 1.0 | 37 |
| 7744 | Variation among vocalizations of <i>Taraba major</i> (Aves: <i>Thamnophilidae</i>) subspecies. <i>Studies on Neotropical Fauna and Environment</i> , 2018, 53, 120-131. | 0.5 | 9 |
| 7745 | Effects of grain size and niche breadth on species distribution modeling. <i>Ecography</i> , 2018, 41, 1270-1282. | 2.1 | 86 |
| 7746 | What makes the Sino-Himalayan mountains the major diversity hotspots for pheasants?. <i>Journal of Biogeography</i> , 2018, 45, 640-651. | 1.4 | 56 |
| 7747 | The Importance of Wild Meat in the Global South. <i>Ecological Economics</i> , 2018, 146, 696-705. | 2.9 | 77 |
| 7748 | Impact of topography, climate and moisture sources on isotopic composition ($\delta^{18}O$ & δ^2H) of rivers in the Pyrenees: Implications for topographic reconstructions in small orogens. <i>Earth and Planetary Science Letters</i> , 2018, 484, 370-384. | 1.8 | 9 |
| 7749 | An assessment of forest biomass maps in Europe using harmonized national statistics and inventory plots. <i>Forest Ecology and Management</i> , 2018, 409, 489-498. | 1.4 | 60 |
| 7750 | A spatial dataset of topsoil texture for the southern Argentine Pampas. <i>Geoderma Regional</i> , 2018, 12, 18-27. | 0.9 | 7 |
| 7751 | The environment is a major driver of shape and size variation in widespread extant xenarthrans. <i>Mammalian Biology</i> , 2018, 89, 52-61. | 0.8 | 2 |
| 7752 | Determining bioclimatic space of Himalayan alder for agroforestry systems in Nepal. <i>Plant Diversity</i> , 2018, 40, 1-18. | 1.8 | 21 |
| 7753 | Canopy architecture and PAR absorption of <i>Euphorbia cooperi</i> in the Matobo Hills, Zimbabwe. <i>South African Journal of Botany</i> , 2018, 114, 260-266. | 1.2 | 0 |
| 7754 | Dry-hot stress significantly reduced the nitrogenase activity of epiphytic cyanolichen. <i>Science of the Total Environment</i> , 2018, 619-620, 630-637. | 3.9 | 6 |
| 7755 | Aridity weakens population-level effects of multiple species interactions on <i>Hibiscus meyeri</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 543-548. | 3.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7756 | Propagule pressure and land cover changes as main drivers of red and roe deer expansion in mainland Portugal. <i>Diversity and Distributions</i> , 2018, 24, 551-564. | 1.9 | 18 |
| 7757 | Productivity, biodiversity, and pathogens influence the global hunter-gatherer population density. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1232-1237. | 3.3 | 86 |
| 7758 | Bio-ORACLE v2.0: Extending marine data layers for bioclimatic modelling. <i>Global Ecology and Biogeography</i> , 2018, 27, 277-284. | 2.7 | 567 |
| 7759 | Classifying Subtropical Forests of South Africa: Data Sources and Methods. <i>Geobotany Studies</i> , 2018, , 7-46. | 0.2 | 0 |
| 7760 | Assessment and prioritisation of plant species at risk from myrtle rust (<i>Austropuccinia psidii</i>) under current and future climates in Australia. <i>Biological Conservation</i> , 2018, 218, 154-162. | 1.9 | 56 |
| 7761 | Mechanisms of thermal adaptation and evolutionary potential of conspecific populations to changing environments. <i>Molecular Ecology</i> , 2018, 27, 659-674. | 2.0 | 72 |
| 7762 | Water requirements of short rotation poplar coppice: Experimental and modelling analyses across Europe. <i>Agricultural and Forest Meteorology</i> , 2018, 250-251, 343-360. | 1.9 | 17 |
| 7763 | Field methods for sampling tree height for tropical forest biomass estimation. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1179-1189. | 2.2 | 78 |
| 7764 | Multiple invasions in urbanized landscapes: interactions between the invasive garden ant <i>Lasius neglectus</i> and Japanese knotweeds (<i>Fallopia</i> spp.). <i>Arthropod-Plant Interactions</i> , 2018, 12, 351-360. | 0.5 | 10 |
| 7765 | Genomic basis and evolutionary potential for extreme drought adaptation in <i>Arabidopsis thaliana</i> . <i>Nature Ecology and Evolution</i> , 2018, 2, 352-358. | 3.4 | 157 |
| 7766 | Biome stability in South America over the last 30 kyr: Inferences from long-term vegetation dynamics and habitat modelling. <i>Global Ecology and Biogeography</i> , 2018, 27, 285-297. | 2.7 | 119 |
| 7767 | Climate change as a driver of biotic homogenization of woody plants in the Atlantic Forest. <i>Global Ecology and Biogeography</i> , 2018, 27, 298-309. | 2.7 | 72 |
| 7768 | The legacy of water deficit on populations having experienced negative hydraulic safety margin. <i>Global Ecology and Biogeography</i> , 2018, 27, 346-356. | 2.7 | 36 |
| 7769 | Bellwether of the Canaries: anthropogenic effects on the land snail fauna of the Canary Islands. <i>Biodiversity and Conservation</i> , 2018, 27, 395-415. | 1.2 | 6 |
| 7770 | The invasive potential of tilapias (<i>Osteichthyes</i> , <i>Cichlidae</i>) in the Americas. <i>Hydrobiologia</i> , 2018, 817, 133-154. | 1.0 | 35 |
| 7771 | Relative influence of spatial over environmental and historical processes on the taxonomic and phylogenetic beta diversity of Neotropical phyllostomid bat assemblages. <i>Journal of Biogeography</i> , 2018, 45, 617-627. | 1.4 | 15 |
| 7772 | Preserving genetic connectivity in the European Alps protected area network. <i>Biological Conservation</i> , 2018, 218, 99-109. | 1.9 | 16 |
| 7773 | Are the radiations of temperate lineages in tropical alpine ecosystems pre-adapted?. <i>Global Ecology and Biogeography</i> , 2018, 27, 334-345. | 2.7 | 46 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7774 | Temperature is the main correlate of the global biogeography of turtle body size. <i>Global Ecology and Biogeography</i> , 2018, 27, 429-438. | 2.7 | 12 |
| 7775 | Predation by small mammalian carnivores in rural agro-ecosystems: An undervalued ecosystem service?. <i>Ecosystem Services</i> , 2018, 30, 362-371. | 2.3 | 50 |
| 7776 | The worldwide importance of honey bees as pollinators in natural habitats. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172140. | 1.2 | 364 |
| 7777 | Are North American bird species' geographic ranges mainly determined by climate?. <i>Global Ecology and Biogeography</i> , 2018, 27, 461-473. | 2.7 | 15 |
| 7778 | Climate Warming as a Possible Trigger of Keystone Mussel Population Decline in Oligotrophic Rivers at the Continental Scale. <i>Scientific Reports</i> , 2018, 8, 35. | 1.6 | 47 |
| 7779 | TerraClimate, a high-resolution global dataset of monthly climate and climatic water balance from 1958–2015. <i>Scientific Data</i> , 2018, 5, 170191. | 2.4 | 1,300 |
| 7780 | Species delimitation of the North American orchard-spider <i>Leucauge venusta</i> (Walckenaer, 1841) (Araneae, Tetragnathidae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 121, 183-197. | 1.2 | 14 |
| 7781 | Ecological drivers of song evolution in birds: Disentangling the effects of habitat and morphology. <i>Ecology and Evolution</i> , 2018, 8, 1890-1905. | 0.8 | 74 |
| 7782 | Evaluation and prediction of ecological suitability of medicinal plant American ginseng (<i>panax</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42 | 1.2 | 11 |
| 7783 | Relationship between stomatal density, size and speed of opening in Sumatran rainforest species. <i>Tree Physiology</i> , 2018, 38, 696-705. | 1.4 | 81 |
| 7784 | Spatial patterns and climate relationships of major plant traits in the New World differ between woody and herbaceous species. <i>Journal of Biogeography</i> , 2018, 45, 895-916. | 1.4 | 92 |
| 7785 | On the Iberian endemism <i>Eurylophella iberica</i> Keffermuller and Da Terra 1978 (Ephemeroptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 42 the Natura 2000 network on its protection. <i>Journal of Insect Conservation</i> , 2018, 22, 127-134. | 0.8 | 3 |
| 7786 | Linking phenotype, genotype and environment to unravel genetic components underlying cold hardiness in coastal Douglas-fir (<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>). <i>Tree Genetics and Genomes</i> , 2018, 14, 1. | 0.6 | 15 |
| 7787 | Quantifying the effects of erosion on archaeological sites with low-altitude aerial photography, structure from motion, and GIS: A case study from southern Jordan. <i>Journal of Archaeological Science</i> , 2018, 90, 62-70. | 1.2 | 24 |
| 7788 | Gone with the trees: Phylogeography of <i>Rhodiola</i> sect. <i>Trifida</i> (Crassulaceae) reveals multiple refugia on the Qinghai-Tibetan Plateau. <i>Molecular Phylogenetics and Evolution</i> , 2018, 121, 110-120. | 1.2 | 33 |
| 7789 | Geological effects influence population genetic connectivity more than Pleistocene glaciations in the water strider <i>Metrocoris sichuanensis</i> (Insecta: Hemiptera: Gerridae). <i>Journal of Biogeography</i> , 2018, 45, 690-701. | 1.4 | 27 |
| 7790 | Determining changes in the nutritional condition of red deer in Mediterranean ecosystems: Effects of environmental, management and demographic factors. <i>Ecological Indicators</i> , 2018, 87, 261-271. | 2.6 | 10 |
| 7791 | Strong population bottleneck and repeated demographic expansions of <i>Populus adenopoda</i> (Salicaceae) in subtropical China. <i>Annals of Botany</i> , 2018, 121, 665-679. | 1.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7792 | Geographical, climatic and biological constraints on age at sexual maturity in amphibians. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 34-42. | 0.7 | 14 |
| 7793 | At the Origin of a Worldwide Invasion: Unraveling the Genetic Makeup of the Caribbean Bridgehead Populations of the Dengue Vector <i>Aedes aegypti</i> . <i>Genome Biology and Evolution</i> , 2018, 10, 56-71. | 1.1 | 24 |
| 7794 | Phylogenetic relationships and intraspecific diversity of a North Patagonian Fescue: evidence of differentiation and interspecific introgression at peripheral populations. <i>Folia Geobotanica</i> , 2018, 53, 115-131. | 0.4 | 5 |
| 7795 | An above-ground biomass map of African savannahs and woodlands at 25 m resolution derived from ALOS PALSAR. <i>Remote Sensing of Environment</i> , 2018, 206, 156-173. | 4.6 | 167 |
| 7796 | Species distribution models for Peruvian plantcutter improve with consideration of biotic interactions. <i>Journal of Avian Biology</i> , 2018, 49, jav-01617. | 0.6 | 37 |
| 7797 | Long-distance dispersal or postglacial contraction? Insights into disjunction between Himalaya-Hengduan Mountains and Taiwan in a cold-adapted herbaceous genus, <i>Triplostegia</i> . <i>Ecology and Evolution</i> , 2018, 8, 1131-1146. | 0.8 | 23 |
| 7798 | Combining niche shift and population genetic analyses predicts rapid phenotypic evolution during invasion. <i>Evolutionary Applications</i> , 2018, 11, 781-793. | 1.5 | 56 |
| 7799 | Regional forcing explains local species diversity and turnover on tropical islands. <i>Global Ecology and Biogeography</i> , 2018, 27, 474-486. | 2.7 | 38 |
| 7800 | Diachronic Analysis of Beech Forest in the Nebrodi Park (Northern Sicily). <i>Geobotany Studies</i> , 2018, , 125-134. | 0.2 | 0 |
| 7801 | Bat diversity in Carajás National Forest (Eastern Amazon) and potential impacts on ecosystem services under climate change. <i>Biological Conservation</i> , 2018, 218, 200-210. | 1.9 | 29 |
| 7802 | Mining and climate change: A review and framework for analysis. <i>The Extractive Industries and Society</i> , 2018, 5, 201-214. | 0.7 | 49 |
| 7803 | Long-term environmental monitoring infrastructures in Europe: observations, measurements, scales, and socio-ecological representativeness. <i>Science of the Total Environment</i> , 2018, 624, 968-978. | 3.9 | 45 |
| 7804 | Sampling alien species inside and outside protected areas: Does it matter?. <i>Science of the Total Environment</i> , 2018, 625, 194-198. | 3.9 | 17 |
| 7805 | Testing Range-Limit Hypotheses Using Range-Wide Habitat Suitability and Occupancy for the Scarlet Monkeyflower (<i>Erythranthe cardinalis</i>). <i>American Naturalist</i> , 2018, 191, E76-E89. | 1.0 | 23 |
| 7806 | The dark side of Lepidoptera: Colour lightness of geometrid moths decreases with increasing latitude. <i>Global Ecology and Biogeography</i> , 2018, 27, 407-416. | 2.7 | 48 |
| 7807 | Tree cover shows strong sensitivity to precipitation variability across the global tropics. <i>Global Ecology and Biogeography</i> , 2018, 27, 450-460. | 2.7 | 35 |
| 7808 | Agriculture shapes the trophic niche of a bat preying on multiple pest arthropods across Europe: Evidence from <i>scp</i> -DNA metabarcoding. <i>Molecular Ecology</i> , 2018, 27, 815-825. | 2.0 | 110 |
| 7809 | The land and its climate knows no transition, no middle ground, everywhere too much or too little: a documentary-based climate chronology for central Namibia, 1845-1900. <i>International Journal of Climatology</i> , 2018, 38, e643. | 1.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7810 | Thermal reaction norms of a subtropical and a tropical species of <i>Diaphanosoma</i> (cladocera) explain their distribution. <i>Limnology and Oceanography</i> , 2018, 63, 1204-1220. | 1.6 | 12 |
| 7811 | Assessing the current and future biological control potential of <i>Trichogramma ostrinae</i> on its hosts <i>Ostrinia furnacalis</i> and <i>Ostrinia nubilalis</i> . <i>Pest Management Science</i> , 2018, 74, 1513-1523. | 1.7 | 16 |
| 7812 | Crimean-Congo Hemorrhagic Fever Geographic and Environmental Risk Assessment in the Balkan and Anatolian Peninsulas. <i>Papers in Applied Geography</i> , 2018, 4, 46-71. | 0.8 | 6 |
| 7813 | Abiotic and biotic influences on home-range size of wild pigs (<i>Sus scrofa</i>). <i>Journal of Mammalogy</i> , 2018, 99, 97-107. | 0.6 | 25 |
| 7814 | Soil properties and neighbouring forest cover affect above-ground biomass and functional composition during tropical forest restoration. <i>Applied Vegetation Science</i> , 2018, 21, 179-189. | 0.9 | 19 |
| 7815 | The extent and predictability of the biodiversity-carbon correlation. <i>Ecology Letters</i> , 2018, 21, 365-375. | 3.0 | 46 |
| 7816 | Geographic variation in pollen color is associated with temperature stress. <i>New Phytologist</i> , 2018, 218, 370-379. | 3.5 | 22 |
| 7817 | The use of field and artificial freezing studies to assess frost tolerance in natural populations of <i>Pinus oocarpa</i> . <i>Southern Forests</i> , 2018, 80, 195-208. | 0.2 | 5 |
| 7818 | Soil water storage appears to compensate for climatic aridity at the xeric margin of European tree species distribution. <i>European Journal of Forest Research</i> , 2018, 137, 79-92. | 1.1 | 17 |
| 7819 | Spatio-temporal prediction of crop disease severity for agricultural emergency management based on recurrent neural networks. <i>Geoinformatica</i> , 2018, 22, 363-381. | 2.0 | 29 |
| 7820 | Gigasporaceae versus Glomeraceae (phylum Glomeromycota): A biogeographic tale of dominance in maritime sand dunes. <i>Fungal Ecology</i> , 2018, 32, 49-56. | 0.7 | 26 |
| 7821 | Ecological niche modelling of pedunculate oak (<i>Quercus robur</i>) supports the "expansion-contraction" model of Pleistocene biogeography. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 338-347. | 0.7 | 22 |
| 7822 | Characterizing environmental suitability of <i>Aedes albopictus</i> (Diptera: Culicidae) in Mexico based on regional and global niche models. <i>Journal of Medical Entomology</i> , 2018, 55, 69-77. | 0.9 | 21 |
| 7823 | Factors shaping large-scale gradients in seed physical defence: Seeds are not better defended towards the tropics. <i>Global Ecology and Biogeography</i> , 2018, 27, 417-428. | 2.7 | 24 |
| 7824 | Genomic signals of selection predict climate-driven population declines in a migratory bird. <i>Science</i> , 2018, 359, 83-86. | 6.0 | 333 |
| 7825 | Small genome separates native and invasive populations in an ecologically important cosmopolitan grass. <i>Ecology</i> , 2018, 99, 79-90. | 1.5 | 54 |
| 7826 | European Forest Types: toward an automated classification. <i>Annals of Forest Science</i> , 2018, 75, 1. | 0.8 | 25 |
| 7827 | The origins of diversity in ancient landscapes: Deep phylogeographic structuring in a pseudoscorpion (Pseudotyranochthoniidae: Pseudotyranochthonius) reflects Plio-Pleistocene climate fluctuations. <i>Zoologischer Anzeiger</i> , 2018, 273, 112-123. | 0.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7828 | Late-Quaternary spatiotemporal dynamics of vegetation in Central Mexico. Review of Palaeobotany and Palynology, 2018, 250, 44-52. | 0.8 | 18 |
| 7829 | An integrative assessment of the taxonomic status of putative hybrid leopard frogs (Anura: Ranidae) from the ChortAs Highlands of Central America, with description of a new species. Systematics and Biodiversity, 2018, 16, 340-356. | 0.5 | 9 |
| 7830 | Taxonomic affinity, habitat and seed mass strongly predict seed desiccation response: a boosted regression trees analysis based on 17 539 species. Annals of Botany, 2018, 121, 71-83. | 1.4 | 35 |
| 7831 | Variation in xylem vulnerability to embolism in European beech from geographically marginal populations. Tree Physiology, 2018, 38, 173-185. | 1.4 | 93 |
| 7832 | Unexpected drought resistance strategies in seedlings of four Brachychiton species. Tree Physiology, 2018, 38, 664-677. | 1.4 | 15 |
| 7833 | Drivers and trajectories of land cover change in East Africa: Human and environmental interactions from 6000 years ago to present. Earth-Science Reviews, 2018, 178, 322-378. | 4.0 | 129 |
| 7834 | Temporospatial patterns of human appropriation of net primary production in Central Asia grasslands. Ecological Indicators, 2018, 91, 555-561. | 2.6 | 20 |
| 7835 | Steam democracy up! Industrialization-led opposition in Napoleonic plebiscites. European Review of Economic History, 2018, 22, 135-160. | 1.0 | 3 |
| 7836 | Understanding biological and ecological factors affecting seed germination of the multipurpose tree <i>Anogeissus leiocarpa</i> . Plant Biology, 2018, 20, 602-609. | 1.8 | 9 |
| 7837 | Disjunct distribution and distinct intraspecific diversification of <i>Eothenomys melanogaster</i> in South China. BMC Evolutionary Biology, 2018, 18, 50. | 3.2 | 14 |
| 7838 | Ecological opportunity may facilitate diversification in Palearctic freshwater organisms: a case study on hydrobiid gastropods. BMC Evolutionary Biology, 2018, 18, 55. | 3.2 | 8 |
| 7839 | Environmental suitability for <i>Lutzomyia</i> (<i>Nyssomyia</i>) <i>whitmani</i> (Diptera: Psychodidae: Phlebotominae) and the occurrence of American cutaneous leishmaniasis in Brazil. Parasites and Vectors, 2018, 11, 155. | 1.0 | 30 |
| 7840 | A synthesis of carbon dioxide and methane dynamics during the ice-covered period of northern lakes. Limnology and Oceanography Letters, 2018, 3, 117-131. | 1.6 | 98 |
| 7841 | Assessing the aggregated risk of invasive crayfish and climate change to freshwater crabs: A Southeast Asian case study. Biological Conservation, 2018, 223, 58-67. | 1.9 | 24 |
| 7842 | Effects of late Holocene climate variability and anthropogenic stressors on the vegetation of the Maya highlands. Quaternary Science Reviews, 2018, 189, 76-90. | 1.4 | 17 |
| 7843 | Termite Mounds: Bioinspired Examination of the Role of Material and Environment in Multifunctional Structural Forms. Journal of Structural Engineering, 2018, 144, . | 1.7 | 7 |
| 7844 | Species-specific, pan-European diameter increment models based on data of 2.3 million trees. Forest Ecosystems, 2018, 5, . | 1.3 | 27 |
| 7845 | Leaf-level tradeoffs between drought avoidance and desiccation recovery drive elevation stratification in arid oaks. Ecosphere, 2018, 9, e02149. | 1.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7846 | Adaptation of land management in the Mediterranean under scenarios of irrigation water use and availability. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2018, 23, 821-837. | 1.0 | 42 |
| 7848 | Climate, but not trait, effects on plant-soil feedback depend on mycorrhizal type in temperate forests. <i>Ecosphere</i> , 2018, 9, e02132. | 1.0 | 40 |
| 7849 | Spatial Modeling of Land Cover/Land Use Change and Its Effects on Hydrology Within the Lower Mekong Basin. <i>Springer Remote Sensing/photogrammetry</i> , 2018, , 667-698. | 0.4 | 2 |
| 7850 | Will climate change shift the lower ecotone of tropical montane cloud forests upwards on islands?. <i>Journal of Biogeography</i> , 2018, 45, 1326-1333. | 1.4 | 19 |
| 7851 | Chasing the phantom: biogeography and conservation of <i>Vipera latastei-monticola</i> in the Maghreb (North Africa). <i>Amphibia - Reptilia</i> , 2018, 39, 145-161. | 0.1 | 9 |
| 7852 | Predicting the potential invasion of kudzu bug, <i>Megacopta cribraria</i> (Heteroptera: Plataspidae), in North and South America and determining its climatic preference. <i>Biological Invasions</i> , 2018, 20, 2899-2913. | 1.2 | 17 |
| 7853 | Accounting for intraspecific variation to quantify niche dynamics along the invasion routes of <i>Drosophila suzukii</i> . <i>Biological Invasions</i> , 2018, 20, 2963-2979. | 1.2 | 10 |
| 7854 | Predicting the effects of future climate change on the distribution of an endemic damselfly (Odonata.) <i>Tj ETQq1 1 0.784314 rgBT /Over</i> 303-319. | 0.8 | 9 |
| 7855 | Improving the validation of ecological niche models with remote sensing analysis. <i>Ecological Modelling</i> , 2018, 380, 22-30. | 1.2 | 3 |
| 7856 | Does eco-certification stem tropical deforestation? Forest Stewardship Council certification in Mexico. <i>Journal of Environmental Economics and Management</i> , 2018, 89, 306-333. | 2.1 | 50 |
| 7857 | Estimating geographic patterns of ophioidism risk in Ecuador. <i>Neotropical Biodiversity</i> , 2018, 4, 55-61. | 0.2 | 15 |
| 7858 | Ecological niche modeling for a cultivated plant species: a case study on taro (<i>Colocasia</i>) <i>Tj ETQq1 1 0.784314 rgBT /Over</i> 107 | 0.8 | 7 |
| 7859 | Climate and fragmentation affect forest structure at the southern border of Amazonia. <i>Plant Ecology and Diversity</i> , 2018, 11, 13-25. | 1.0 | 12 |
| 7860 | Modeling Climate Suitability of the Western Blacklegged Tick in California. <i>Journal of Medical Entomology</i> , 2018, 55, 1133-1142. | 0.9 | 18 |
| 7861 | A synthesis for managing invasions and pest risks simultaneously for tephritid fruit flies in South Africa. <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 344-356. | 0.7 | 3 |
| 7862 | How do steppe plants follow their optimal environmental conditions or persist under suboptimal conditions? The differing strategies of annuals and perennials. <i>Ecology and Evolution</i> , 2018, 8, 135-149. | 0.8 | 3 |
| 7863 | The complex relationship between climate and sugar maple health: Climate change implications in Vermont for a key northern hardwood species. <i>Forest Ecology and Management</i> , 2018, 422, 303-312. | 1.4 | 23 |
| 7864 | A new methodology for royalties distribution of the Itaipu hydroelectric plant: The hydrographic basin as the unit of analysis. <i>Journal of Environmental Management</i> , 2018, 217, 710-717. | 3.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7865 | Reconstructing past arboreal cover based on modern and fossil pollen data: A statistical approach for the Gredos Range (Central Spain). <i>Review of Palaeobotany and Palynology</i> , 2018, 255, 1-13. | 0.8 | 22 |
| 7866 | Potential geography and productivity of 'Hass' avocado crops in Colombia estimated by ecological niche modeling. <i>Scientia Horticulturae</i> , 2018, 237, 287-295. | 1.7 | 46 |
| 7867 | Current and future assessments of soil erosion by water on the Tibetan Plateau based on RUSLE and CMIP5 climate models. <i>Science of the Total Environment</i> , 2018, 635, 673-686. | 3.9 | 184 |
| 7868 | Reinstatement of the Southern Andean Genus <i>Stenodraba</i> (Brassicaceae) Based on Molecular Data and Insights from its Environmental and Geographic Distribution. <i>Systematic Botany</i> , 2018, 43, 35-52. | 0.2 | 11 |
| 7869 | Exploring structural and functional corridors for wild sheep (<i>Ovis orientalis</i>) in a semi-arid area. <i>Journal of Arid Environments</i> , 2018, 156, 27-33. | 1.2 | 7 |
| 7870 | Copper distribution in European topsoils: An assessment based on LUCAS soil survey. <i>Science of the Total Environment</i> , 2018, 636, 282-298. | 3.9 | 240 |
| 7872 | Signatures of local adaptation along environmental gradients in a range-expanding damselfly (<i>Ischnura elegans</i>). <i>Molecular Ecology</i> , 2018, 27, 2576-2593. | 2.0 | 82 |
| 7873 | Changes in habitat associations during range expansion: disentangling the effects of climate and residence time. <i>Biological Invasions</i> , 2018, 20, 1147-1159. | 1.2 | 9 |
| 7874 | The use of large databases to characterize habitat types: the case of <i>Quercus suber</i> woodlands in Europe. <i>Rendiconti Lincei</i> , 2018, 29, 283-293. | 1.0 | 14 |
| 7875 | Annual forest aboveground biomass changes mapped using ICESat/GLAS measurements, historical inventory data, and time-series optical and radar imagery for Guangdong province, China. <i>Agricultural and Forest Meteorology</i> , 2018, 259, 23-38. | 1.9 | 42 |
| 7876 | Divergent composition and turnover of soil organic nitrogen along a climate gradient in arid and semiarid grasslands. <i>Geoderma</i> , 2018, 327, 36-44. | 2.3 | 20 |
| 7877 | Factors of spatial distribution of Korean village groves and relevance to landscape conservation. <i>Landscape and Urban Planning</i> , 2018, 176, 30-37. | 3.4 | 20 |
| 7878 | Turning one into five: Integrative taxonomy uncovers complex evolution of cryptic species in the harvester ant <i>Messor structor</i> . <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 387-404. | 1.2 | 25 |
| 7879 | Mating system does not predict niche breath. <i>Global Ecology and Biogeography</i> , 2018, 27, 804-813. | 2.7 | 15 |
| 7880 | Improving the use of environmental diversity as a surrogate for species representation. <i>Ecology and Evolution</i> , 2018, 8, 852-858. | 0.8 | 9 |
| 7881 | Untangling climate and water chemistry to predict changes in freshwater macrophyte distributions. <i>Ecology and Evolution</i> , 2018, 8, 2802-2811. | 0.8 | 19 |
| 7882 | The ophiolitic communities of Shebenik-Jablanice National Park (Albania). <i>Rendiconti Lincei</i> , 2018, 29, 309-328. | 1.0 | 2 |
| 7883 | Local and regional drivers of the African coffee white stem borer (<i>Monochamus leuconotus</i>) in Uganda. <i>Agricultural and Forest Entomology</i> , 2018, 20, 514-522. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7884 | Soil environment is a key driver of adaptation in <i>Medicago truncatula</i> : new insights from landscape genomics. <i>New Phytologist</i> , 2018, 219, 378-390. | 3.5 | 29 |
| 7885 | Geographic versus environmental space: Patterns of potential native and exotic woody propagule pressure on New Zealand's indigenous grasslands. <i>New Zealand Geographer</i> , 2018, 74, 131-142. | 0.4 | 0 |
| 7886 | Potential distribution and climatic niche of seven species of <i>Campylorhynchus</i> (Aves). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 T</i> 2018, 130, 13-22. | 0.1 | 5 |
| 7887 | Bird diversity of the C cuta valley (Colombia) and biogeographical affinities with dry forest avifaunas of northern South America. <i>Wilson Journal of Ornithology</i> , 2018, 130, 213. | 0.1 | 4 |
| 7888 | Alien or native? Examining a case of <i>Melampyrum pratense</i> in Iceland. <i>Polar Biology</i> , 2018, 41, 1725-1735. | 0.5 | 3 |
| 7889 | The relative importance of soil properties and regional climate as drivers of productivity in southern Patagonia's <i>Nothofagus antarctica</i> forests. <i>Annals of Forest Science</i> , 2018, 75, 1. | 0.8 | 8 |
| 7890 | Environmental factors associated with the spatial distribution of invasive plant pathogens in the Iberian Peninsula: The case of <i>Phytophthora cinnamomi</i> Rands. <i>Forest Ecology and Management</i> , 2018, 419-420, 101-109. | 1.4 | 21 |
| 7891 | Signature of present and projected climate change at an urban scale: The case of Addis Ababa. <i>Physics and Chemistry of the Earth</i> , 2018, 105, 104-114. | 1.2 | 12 |
| 7892 | Pliocene-Pleistocene ecological niche evolution shapes the phylogeography of a Mediterranean plant group. <i>Molecular Ecology</i> , 2018, 27, 1696-1713. | 2.0 | 25 |
| 7893 | Dental calculus indicates widespread plant use within the stable Neanderthal dietary niche. <i>Journal of Human Evolution</i> , 2018, 119, 27-41. | 1.3 | 71 |
| 7894 | Mining Redescriptions with Siren. <i>ACM Transactions on Knowledge Discovery From Data</i> , 2018, 12, 1-30. | 2.5 | 3 |
| 7895 | Habitat suitability prediction for <i>Salamandra infraimmaculata</i> (Caudata: Amphibia) in western Iran based on species distribution modeling. <i>Journal of Asia-Pacific Biodiversity</i> , 2018, 11, 203-205. | 0.2 | 3 |
| 7896 | Diversification mechanisms in the Andean grasshopper genus <i>Orotettix</i> (Orthoptera: Acrididae): ecological niches and evolutionary history. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 697-711. | 0.7 | 11 |
| 7897 | Host species, and not environment, predicts variation in blood parasite prevalence, distribution, and diversity along a humidity gradient in northern South America. <i>Ecology and Evolution</i> , 2018, 8, 3800-3814. | 0.8 | 41 |
| 7898 | Bird seasonal beta-diversity in the contiguous USA. <i>Journal of Ornithology</i> , 2018, 159, 565-569. | 0.5 | 1 |
| 7899 | Modeling potential habitat of <i>Astragalus verus</i> Olivier for conservation decisions: A comparison of three correlative models. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 242, 61-69. | 0.6 | 19 |
| 7900 | Modeling habitat suitability of <i>Perilla frutescens</i> with MaxEnt in Uttarakhand-A conservation approach. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2018, 10, 99-105. | 0.9 | 39 |
| 7901 | Carrying capacity, carnivoran richness and hominin survival in Europe. <i>Journal of Human Evolution</i> , 2018, 118, 72-88. | 1.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7902 | Intraspecific variation in response to magnitude and frequency of freeze-thaw cycles in a temperate grass. <i>AoB PLANTS</i> , 2018, 10, plx068. | 1.2 | 5 |
| 7903 | Plasticity for desiccation tolerance across <i>Drosophila</i> species is affected by phylogeny and climate in complex ways. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20180048. | 1.2 | 46 |
| 7904 | The environmental triangle of the Cerrado Domain: Ecological factors driving shifts in tree species composition between forests and savannas. <i>Journal of Ecology</i> , 2018, 106, 2109-2120. | 1.9 | 96 |
| 7905 | Modelling the distribution and compositional variation of plant communities at the continental scale. <i>Diversity and Distributions</i> , 2018, 24, 978-990. | 1.9 | 37 |
| 7906 | Geographical ecology of dry forest tree communities in the West Indies. <i>Journal of Biogeography</i> , 2018, 45, 1168-1181. | 1.4 | 22 |
| 7907 | Background sampling and transferability of species distribution model ensembles under climate change. <i>Global and Planetary Change</i> , 2018, 166, 19-29. | 1.6 | 28 |
| 7908 | Spiny mice of the Zambebian bioregion – phylogeny, biogeography and ecological differentiation within the <i>Acomys spinosissimus</i> complex. <i>Mammalian Biology</i> , 2018, 91, 79-90. | 0.8 | 13 |
| 7909 | Pre-Columbian earth-builders settled along the entire southern rim of the Amazon. <i>Nature Communications</i> , 2018, 9, 1125. | 5.8 | 74 |
| 7910 | Contribution of consensus methods to resolve sources of uncertainty in suitability maps modeling: application in the Zahrez El Gharbi, Steppe of Algeria. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1. | 0.6 | 1 |
| 7911 | The importance of intrinsic traits, environment and human activities in modulating stress levels in a wild ungulate. <i>Ecological Indicators</i> , 2018, 89, 706-715. | 2.6 | 13 |
| 7912 | Are Increases in Maize Production in Malawi Due to Favourable Climate or the Farm Input Subsidy Program (FISP)? <i>Climate Change Management</i> , 2018, , 375-390. | 0.6 | 7 |
| 7913 | Interpolation of Rainfall Through Polynomial Regression in the Marche Region (Central Italy). <i>Lecture Notes in Geoinformation and Cartography</i> , 2018, , 55-73. | 0.5 | 10 |
| 7914 | Rat-bites of an epidemic proportion in Peshawar vale; a GIS based approach in risk assessment. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 233. | 1.3 | 6 |
| 7915 | Climate forcing and shifts in water management on the Northwest Arabian Peninsula (mid-Holocene) $T_j ETQq1 1 0.784314 r_{BT} / Overlo$ | 0.7 | 14 |
| 7916 | Climate Change Could Increase the Geographic Extent of Hendra Virus Spillover Risk. <i>EcoHealth</i> , 2018, 15, 509-525. | 0.9 | 37 |
| 7917 | Predicting fundamental and realized distributions based on thermal niche: A case study of a freshwater turtle. <i>Acta Oecologica</i> , 2018, 88, 52-57. | 0.5 | 3 |
| 7918 | An innovative approach to disentangling the effect of management and environment on tree cover and density of protected areas in African savanna. <i>Forest Ecology and Management</i> , 2018, 419-420, 1-9. | 1.4 | 5 |
| 7919 | Can climate matching predict the current and future climatic suitability of the UK for the establishment of non-native birds?. <i>Bird Study</i> , 2018, 65, 72-83. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7920 | Climate Similarity Search: GeoWeb Tool for Exploring Climate Variability. <i>Bulletin of the American Meteorological Society</i> , 2018, 99, 475-477. | 1.7 | 5 |
| 7921 | Soil carbon stock changes in tropical croplands are mainly driven by carbon inputs: A synthesis. <i>Agriculture, Ecosystems and Environment</i> , 2018, 259, 147-158. | 2.5 | 105 |
| 7922 | Camera trap and questionnaire dataset on ecosystem services provided by small carnivores in agro-ecosystems in South Africa. <i>Data in Brief</i> , 2018, 18, 753-759. | 0.5 | 2 |
| 7923 | Resolving complex phylogeographic patterns in the Balkan Peninsula using closely related wall-lizard species as a model system. <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 100-115. | 1.2 | 29 |
| 7924 | Soil respiration and its temperature sensitivity (Q10): Rapid acquisition using mid-infrared spectroscopy. <i>Geoderma</i> , 2018, 323, 31-40. | 2.3 | 22 |
| 7925 | The relation between global palm distribution and climate. <i>Scientific Reports</i> , 2018, 8, 4721. | 1.6 | 73 |
| 7926 | Spatial modeling of rat bites and prediction of rat infestation in Peshawar valley using binomial kriging with logistic regression. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 245. | 1.3 | 2 |
| 7927 | Symbolic species as a cultural ecosystem service in the European Alps: insights and open issues. <i>Landscape Ecology</i> , 2018, 33, 711-730. | 1.9 | 44 |
| 7928 | Ecological Niche Modeling of <i>Ommatissus Lybicus</i> (Hemiptera: Tropiduchidae) De Bergevin. <i>Annals of the Entomological Society of America</i> , 2018, 111, 114-121. | 1.3 | 2 |
| 7929 | The marine isotope stage 1â€“5 cryptotephra record of Tenaghi Philippon, Greece: Towards a detailed tephrostratigraphic framework for the Eastern Mediterranean region. <i>Quaternary Science Reviews</i> , 2018, 186, 236-262. | 1.4 | 60 |
| 7930 | Capturing genetic variation in crop wild relatives: An evolutionary approach. <i>Evolutionary Applications</i> , 2018, 11, 1293-1304. | 1.5 | 20 |
| 7931 | Predicting land use/cover change in Long Island Sound Watersheds and its effect on invasive species: a case study for glossy buckthorn. <i>Annals of GIS</i> , 2018, 24, 83-97. | 1.4 | 4 |
| 7932 | Native woody vegetation in central Argentina: Classification of Chaco and Espinal forests. <i>Applied Vegetation Science</i> , 2018, 21, 298-311. | 0.9 | 78 |
| 7933 | High-Resolution Temperature Datasets in Portugal from a Geostatistical Approach: Variability and Extremes. <i>Journal of Applied Meteorology and Climatology</i> , 2018, 57, 627-644. | 0.6 | 27 |
| 7934 | Vulnerability of subalpine fir species to climate change: using species distribution modeling to assess the future efficiency of current protected areas in the Korean Peninsula. <i>Ecological Research</i> , 2018, 33, 341-350. | 0.7 | 13 |
| 7935 | Phylogenetic homogenization of amphibian assemblages in human-altered habitats across the globe. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E3454-E3462. | 3.3 | 91 |
| 7936 | Oxygen Limitation at the Larval Stage and the Evolution of Maternal Investment per Offspring in Aquatic Environments. <i>American Naturalist</i> , 2018, 191, 604-619. | 1.0 | 17 |
| 7937 | Global song divergence in barn swallows (<i>Hirundo rustica</i>): exploring the roles of genetic, geographical and climatic distance in sympatry and allopatry. <i>Biological Journal of the Linnean Society</i> , 2018, 123, 825-849. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7938 | Tree genetic resources at risk in South America: A spatial threat assessment to prioritize populations for conservation. <i>Diversity and Distributions</i> , 2018, 24, 718-729. | 1.9 | 11 |
| 7939 | Mitochondrial DNA analyses and ecological niche modeling reveal post-GLM expansion of the Assam macaque (<i>Macaca assamensis</i>) in the foothills of Nepal Himalaya. <i>American Journal of Primatology</i> , 2018, 80, e22748. | 0.8 | 13 |
| 7940 | Small genome size variation across the range of European beech (<i>Fagus sylvatica</i>). <i>Plant Systematics and Evolution</i> , 2018, 304, 577-582. | 0.3 | 3 |
| 7941 | Redesigning oilseed tree biofuel systems in India. <i>Energy Policy</i> , 2018, 115, 631-643. | 4.2 | 18 |
| 7942 | The influence of habitat preferences on shell morphology in ecophenotypes of <i>Trochulus hispidus</i> complex. <i>Science of the Total Environment</i> , 2018, 630, 1036-1043. | 3.9 | 14 |
| 7943 | Population genetic dynamics of Himalayan-Hengduan tree peonies, <i>Paeonia subsect. Delavayanae</i> . <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 62-77. | 1.2 | 25 |
| 7944 | Tracking vegetation phenology across diverse North American biomes using PhenoCam imagery. <i>Scientific Data</i> , 2018, 5, 180028. | 2.4 | 304 |
| 7945 | Human diets drive range expansion of megafauna-dispersed fruit species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3326-3331. | 3.3 | 37 |
| 7946 | Distinct isotopic signatures reveal effect of ecoregion on small mammals of Ghana. <i>Journal of Mammalogy</i> , 2018, 99, 117-123. | 0.6 | 1 |
| 7947 | Consequences of dispersal limitation and habitat fragmentation for the Brazilian heart-tongued frogs (<i>Phyllodytes</i> spp.). <i>Austral Ecology</i> , 2018, 43, 547-557. | 0.7 | 0 |
| 7948 | Filter-feeding dispersal assembly of lowland Neotropical rainforests across the Andes. <i>Ecography</i> , 2018, 41, 1763-1775. | 2.1 | 20 |
| 7949 | Global spatial analysis of <i>Arabidopsis</i> natural variants implicates 5' UTR splicing of <i>LATE ELONGATED HYPOCOTYL</i> in responses to temperature. <i>Plant, Cell and Environment</i> , 2018, 41, 1524-1538. | 2.8 | 13 |
| 7950 | The potential impacts of 21st century climatic and population changes on human exposure to the virus vector mosquito <i>Aedes aegypti</i> . <i>Climatic Change</i> , 2018, 146, 487-500. | 1.7 | 55 |
| 7951 | Bryophyte communities of Mediterranean Europe: a first approach to model their potential distribution in highly seasonal rivers. <i>Hydrobiologia</i> , 2018, 812, 27-43. | 1.0 | 14 |
| 7952 | Little effect of climate change on body size of herbivorous beetles. <i>Insect Science</i> , 2018, 25, 309-316. | 1.5 | 17 |
| 7953 | How to survive the glacial apocalypse: Hominin mobility strategies in late Pleistocene Central Asia. <i>Quaternary International</i> , 2018, 466, 82-92. | 0.7 | 14 |
| 7954 | New finds of Eemian <i>Tilia tomentosa</i> Moench-remains in NE Poland, and the reconstructed European range of this species during the last interglacial. <i>Quaternary International</i> , 2018, 467, 107-116. | 0.7 | 11 |
| 7955 | UV reflectance is associated with environmental conditions in Palaearctic <i>Pieris napi</i> (Lepidoptera: Pieridae). <i>Insect Science</i> , 2018, 25, 508-518. | 1.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7956 | Potential outcomes of multi-variable climate change on water resources in the Santa Basin, Peru. <i>International Journal of Water Resources Development</i> , 2018, 34, 150-165. | 1.2 | 7 |
| 7957 | Geographic segmentation, spatial dependencies, and evaluation of the relative position of rain-gauges based on gridded data of mean monthly precipitation: application in Nigeria. <i>Hydrology Research</i> , 2018, 49, 107-122. | 1.1 | 3 |
| 7958 | Quaternary refugia are associated with higher speciation rates in mammalian faunas of the Western Palaearctic. <i>Ecography</i> , 2018, 41, 607-621. | 2.1 | 25 |
| 7959 | The critical role of local refugia in postglacial colonization of Chinese pine: joint inferences from DNA analyses, pollen records, and species distribution modeling. <i>Ecography</i> , 2018, 41, 592-606. | 2.1 | 26 |
| 7960 | Climatic correlates of phylogenetic relatedness of woody angiosperms in forest communities along a tropical elevational gradient in South America. <i>Journal of Plant Ecology</i> , 2018, 11, 394-400. | 1.2 | 21 |
| 7961 | Environmental correlates of the Late Quaternary regional extinctions of large and small Palaearctic mammals. <i>Ecography</i> , 2018, 41, 516-527. | 2.1 | 10 |
| 7962 | Understanding variability in the benefits of N ₂ -fixation in soybean-maize rotations on smallholder farmers' fields in Malawi. <i>Agriculture, Ecosystems and Environment</i> , 2018, 261, 241-250. | 2.5 | 38 |
| 7963 | Range compression of migratory passerines in wintering grounds of the Western Mediterranean: conservation prospects. <i>Bird Conservation International</i> , 2018, 28, 462-474. | 0.7 | 7 |
| 7964 | Phylogeography of <i>Monochamus galloprovincialis</i> , the European vector of the pinewood nematode. <i>Journal of Pest Science</i> , 2018, 91, 247-257. | 1.9 | 12 |
| 7965 | Stipa steppes in scantily explored regions of the Tibetan Plateau: classification, community characteristics and climatic distribution patterns. <i>Journal of Plant Ecology</i> , 2018, 11, 585-594. | 1.2 | 4 |
| 7966 | Craniomandibular Variation in the Taxonomically Problematic Gerbil Genus <i>Gerbillus</i> (Gerbillinae). <i>Evolution</i> , 2018, 25, 261-276. | 1.0 | 16 |
| 7967 | Recent and future threats to the Endangered Cuban toad <i>Peltophryne longinasus</i> : potential additive impacts of climate change and habitat loss. <i>Oryx</i> , 2018, 52, 116-125. | 0.5 | 8 |
| 7968 | Aridity and Overgrazing Have Convergent Effects on Ecosystem Structure and Functioning in Patagonian Rangelands. <i>Land Degradation and Development</i> , 2018, 29, 210-218. | 1.8 | 76 |
| 7969 | ENVIREM: an expanded set of bioclimatic and topographic variables increases flexibility and improves performance of ecological niche modeling. <i>Ecography</i> , 2018, 41, 291-307. | 2.1 | 393 |
| 7970 | Climate change may drive cave spiders to extinction. <i>Ecography</i> , 2018, 41, 233-243. | 2.1 | 80 |
| 7971 | Catchment-scale determinants of nonindigenous minnow richness in the eastern United States. <i>Ecology of Freshwater Fish</i> , 2018, 27, 138-145. | 0.7 | 3 |
| 7972 | Different trait arrangements can blur the significance of ecological drivers of community assembly of mosses from rocky outcrops. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 238, 43-50. | 0.6 | 10 |
| 7973 | A metabolic view of amphibian local community structure: the role of activation energy. <i>Ecography</i> , 2018, 41, 388-400. | 2.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 7974 | Bumblebees take the high road: climatically integrative biogeography shows that escape from Tibet, not Tibetan uplift, is associated with divergences of present-day <i>Mendacibombus</i> . <i>Ecography</i> , 2018, 41, 461-477. | 2.1 | 34 |
| 7975 | Potential trajectories of old-growth Neotropical forest functional composition under climate change. <i>Ecography</i> , 2018, 41, 75-89. | 2.1 | 1 |
| 7976 | Climate change projections over three metropolitan regions in Southeast Brazil using the non-hydrostatic Eta regional climate model at 5-km resolution. <i>Theoretical and Applied Climatology</i> , 2018, 132, 663-682. | 1.3 | 87 |
| 7977 | A first approach to calculate BIOCLIM variables and climate zones for Antarctica. <i>Theoretical and Applied Climatology</i> , 2018, 131, 1397-1415. | 1.3 | 9 |
| 7978 | Climate change vulnerability to agrarian ecosystem of small Island: evidence from Sagar Island, India. <i>Theoretical and Applied Climatology</i> , 2018, 132, 451-464. | 1.3 | 17 |
| 7979 | Lack of floristic identity in campos rupestres – A hyperdiverse mosaic of rocky montane savannas in South America. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 238, 24-31. | 0.6 | 43 |
| 7980 | Evaluations of high-resolution dynamically downscaled ensembles over the contiguous United States. <i>Climate Dynamics</i> , 2018, 50, 863-884. | 1.7 | 33 |
| 7981 | Relationships between climate at origin and seedling traits in eight Panafrican provenances of <i>Vitellaria paradoxa</i> C.F. Gaertn. under imposed drought stress. <i>Agroforestry Systems</i> , 2018, 92, 1455-1467. | 0.9 | 6 |
| 7982 | Economic and hydraulic divergences underpin ecological differentiation in the Bromeliaceae. <i>Plant, Cell and Environment</i> , 2018, 41, 64-78. | 2.8 | 32 |
| 7983 | Mountain metacommunities: climate and spatial connectivity shape ant diversity in a complex landscape. <i>Ecography</i> , 2018, 41, 101-112. | 2.1 | 42 |
| 7984 | Redescription mining augmented with random forest of multi-target predictive clustering trees. <i>Journal of Intelligent Information Systems</i> , 2018, 50, 63-96. | 2.8 | 13 |
| 7985 | The challenge of modeling niches and distributions for data-poor species: a comprehensive approach to model complexity. <i>Ecography</i> , 2018, 41, 726-736. | 2.1 | 106 |
| 7986 | Current and future effectiveness of the Natura 2000 network for protecting plant species in Sardinia: a nice and complex strategy in its raw state?. <i>Journal of Environmental Planning and Management</i> , 2018, 61, 332-347. | 2.4 | 33 |
| 7987 | A method of downscaling temperature maps based on analytical hillshading for use in species distribution modelling. <i>Cartography and Geographic Information Science</i> , 2018, 45, 329-338. | 1.4 | 5 |
| 7988 | Distance to international border shapes the distribution pattern of the growing Little Bustard <i>Tetrax tetrax</i> winter population in Northern Iran. <i>Bird Conservation International</i> , 2018, 28, 499-508. | 0.7 | 10 |
| 7989 | Responses of global terrestrial water use efficiency to climate change and rising atmospheric CO ₂ concentration in the twenty-first century. <i>International Journal of Digital Earth</i> , 2018, 11, 558-582. | 1.6 | 20 |
| 7990 | Changes in fine root biomass of <i>Picea abies</i> forests: predicting the potential impacts of climate change. <i>Journal of Plant Ecology</i> , 2018, 11, 595-603. | 1.2 | 7 |
| 7991 | Methods of Agroclimatology: Modeling Approaches for Pests and Diseases. <i>Agronomy</i> , 0, , 453-488. | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 7992 | The Burden of and Risk Factors for Trachoma in Selected Districts of Zimbabwe: Results of 16 Population-Based Prevalence Surveys. <i>Ophthalmic Epidemiology</i> , 2018, 25, 181-191. | 0.8 | 13 |
| 7993 | Geometric morphometrics meets metacommunity ecology: environment and lineage distribution affects spatial variation in shape. <i>Ecography</i> , 2018, 41, 90-100. | 2.1 | 26 |
| 7994 | Evolutionary processes, dispersal limitation and climatic history shape current diversity patterns of European dragonflies. <i>Ecography</i> , 2018, 41, 795-804. | 2.1 | 32 |
| 7995 | Cryptic and cumulative impacts on the wintering habitat of the endangered black-faced spoonbill (<i>Platalea minor</i>) risk its long-term viability. <i>Environmental Conservation</i> , 2018, 45, 147-154. | 0.7 | 11 |
| 7996 | Secondary contact, gene flow and clinal variation between two mtDNA lineages of the Northeastern ringneck snake <i>Diadophis punctatus edwardsii</i> (Colubroidea: Dipsadidae). <i>Zoological Journal of the Linnean Society</i> , 2018, 182, 444-458. | 1.0 | 1 |
| 7997 | Climate drives plant-pollinator interactions even along small-scale climate gradients: the case of the Aegean. <i>Plant Biology</i> , 2018, 20, 176-183. | 1.8 | 27 |
| 7998 | Gatekeepers to the effects of climate warming? Niche construction restricts plant community changes along a temperature gradient. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 30, 71-81. | 1.1 | 29 |
| 8000 | A 6-year longitudinal study on agrobiodiversity change in homegardens in Tabasco, M xico. <i>Agroforestry Systems</i> , 2018, 92, 1485-1494. | 0.9 | 7 |
| 8001 | Phylogenetic measures of biodiversity uncover pteridophyte centres of diversity and hotspots in Tuscany. <i>Plant Biosystems</i> , 2018, 152, 831-839. | 0.8 | 9 |
| 8002 | Update to the Global Climate Data package: analysis of empirical bias correction methods in the context of producing very high resolution climate projections. <i>International Journal of Climatology</i> , 2018, 38, 825-840. | 1.5 | 10 |
| 8003 | Niche differences may explain the geographic distribution of cytotypes in <i>Erysimum mediohispanicum</i> . <i>Plant Biology</i> , 2018, 20, 139-147. | 1.8 | 43 |
| 8004 | Potential Distribution of Fossil Xenarthrans in South America during the Late Pleistocene: co-Occurrence and Provincialism. <i>Journal of Mammalian Evolution</i> , 2018, 25, 539-550. | 1.0 | 22 |
| 8005 | Niche dynamics of two cryptic <i>Prosopis</i> invading South American drylands. <i>Biological Invasions</i> , 2018, 20, 181-194. | 1.2 | 13 |
| 8006 | Implications of plant functional traits and drought survival strategies for ecological restoration. <i>Journal of Applied Ecology</i> , 2018, 55, 631-640. | 1.9 | 39 |
| 8007 | Continent-level drivers of African pyrodiversity. <i>Ecography</i> , 2018, 41, 889-899. | 2.1 | 21 |
| 8008 | Listening to Inuit and Naskapi peoples in the eastern Canadian Subarctic: a quantitative comparison of local observations with gridded climate data. <i>Regional Environmental Change</i> , 2018, 18, 189-203. | 1.4 | 12 |
| 8009 | Farmland – an Elephant in the Room of Urban Green Infrastructure? Lessons learned from connectivity analysis in three German cities. <i>Ecological Indicators</i> , 2018, 94, 151-163. | 2.6 | 26 |
| 8010 | No carbon bet hedging in pine seedlings under prolonged summer drought and elevated CO_2 . <i>Journal of Ecology</i> , 2018, 106, 31-46. | 1.9 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8011 | Facilitation by leguminous shrubs increases along a precipitation gradient. <i>Functional Ecology</i> , 2018, 32, 203-213. | 1.7 | 21 |
| 8012 | Pythiopina, an enigmatic subtribe of darkling beetles (<i>Coleoptera</i>): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td niche models and phylogenetic position. <i>Systematic Entomology</i> , 2018, 43, 147-165. | 1.7 | 16 |
| 8013 | Climate change vulnerability assessment of forests in the Southwest USA. <i>Climatic Change</i> , 2018, 148, 387-402. | 1.7 | 57 |
| 8014 | Opportunistic data reveal widespread species turnover in <i>Enallagma</i> damselflies at biogeographical scales. <i>Ecography</i> , 2018, 41, 958-970. | 2.1 | 12 |
| 8015 | Phylogeography and ecological niche modeling unravel the evolutionary history of the African green toad, <i>Bufotes boulengeri boulengeri</i> (Amphibia: Bufonidae), through the Quaternary. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 102-116. | 0.6 | 19 |
| 8016 | Genotypic diversity and environmental variability affect the invasibility of experimental plant populations. <i>Oikos</i> , 2018, 127, 570-578. | 1.2 | 5 |
| 8017 | Vessel diameter is related to amount and spatial arrangement of axial parenchyma in woody angiosperms. <i>Plant, Cell and Environment</i> , 2018, 41, 245-260. | 2.8 | 81 |
| 8018 | Geothermal energy in deep aquifers: A global assessment of the resource base for direct heat utilization. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 82, 961-975. | 8.2 | 149 |
| 8019 | Tropical to temperate comparison of landscape-scale arbuscular mycorrhizal fungal species distributions. <i>Diversity and Distributions</i> , 2018, 24, 116-128. | 1.9 | 27 |
| 8020 | Neotropical savanna ants show a reversed latitudinal gradient of species richness, with climatic drivers reflecting the forest origin of the fauna. <i>Journal of Biogeography</i> , 2018, 45, 248-258. | 1.4 | 67 |
| 8021 | The conservation status of African vertebrates is unrelated to environmental and spatial patterns in their geographic ranges. <i>Biodiversity and Conservation</i> , 2018, 27, 567-582. | 1.2 | 0 |
| 8022 | Environment and dispersal influence changes in species composition at different scales in woody plants of the Western Ghats, India. <i>Journal of Vegetation Science</i> , 2018, 29, 74-83. | 1.1 | 26 |
| 8023 | Decrease of the water recharge and identification of water recharge zones in the Alto Atoyac sub-basin, Oaxaca, as a result of climate change. <i>Journal of Water and Climate Change</i> , 2018, 9, 37-57. | 1.2 | 4 |
| 8024 | Seed dormancy and longevity in subarctic and alpine populations of <i>Silene suecica</i> . <i>Alpine Botany</i> , 2018, 128, 71-81. | 1.1 | 15 |
| 8025 | Cold tolerance and invasive potential of the redbay ambrosia beetle (<i>Xyleborus glabratus</i>) in the eastern United States. <i>Biological Invasions</i> , 2018, 20, 995-1007. | 1.2 | 25 |
| 8026 | The effect of climate on wood density: What provenance trials tell us?. <i>Forest Ecology and Management</i> , 2018, 408, 148-156. | 1.4 | 71 |
| 8027 | Facultative root-colonizing fungi dominate endophytic assemblages in roots of nonmycorrhizal <i>Microthlaspi</i> species. <i>New Phytologist</i> , 2018, 217, 1190-1202. | 3.5 | 70 |
| 8028 | A web-based tool for the remote measurement and estimation of ecological value across global landscapes. <i>Methods in Ecology and Evolution</i> , 2018, 9, 571-579. | 2.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8029 | Ecological controls of mammalian diversification vary with phylogenetic scale. <i>Global Ecology and Biogeography</i> , 2018, 27, 32-46. | 2.7 | 27 |
| 8030 | Thermoregulatory Behavior Simultaneously Promotes and Forestalls Evolution in a Tropical Lizard. <i>American Naturalist</i> , 2018, 191, E15-E26. | 1.0 | 101 |
| 8031 | Genealogical and niche modeling analyses reveal recent expansion and limited genetic divergence in the <i>Formicivora serrana</i> complex (Passeriformes: <i>Thamnophilidae</i>). <i>Journal of Ornithology</i> , 2018, 159, 79-92. | 0.5 | 2 |
| 8032 | Inferring the demographic history of an oligophagous grasshopper: Effects of climatic niche stability and host-plant distribution. <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 343-356. | 1.2 | 8 |
| 8033 | Nature protection areas of Europe are insufficient to preserve the threatened beetle <i>Rosalia alpina</i> (Coleoptera: <i>Cerambycidae</i>): evidence from species distribution models and conservation gap analysis. <i>Ecological Entomology</i> , 2018, 43, 192-203. | 1.1 | 56 |
| 8034 | Trait-based indicators of bird species sensitivity to habitat loss are effective within but not across data sets. <i>Ecological Applications</i> , 2018, 28, 28-34. | 1.8 | 31 |
| 8035 | Life on the Edge: A Comparative Study of Ecophysiological Adaptations of Frogs to Tropical Semi-arid Environments. <i>Physiological and Biochemical Zoology</i> , 2018, 91, 740-756. | 0.6 | 12 |
| 8036 | Projection of urban expansion and related changes in soil carbon stocks in the Moscow Region. <i>Journal of Cleaner Production</i> , 2018, 170, 902-914. | 4.6 | 41 |
| 8037 | Reticulate Pleistocene evolution of Ethiopian rodent genus along remarkable altitudinal gradient. <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 75-87. | 1.2 | 48 |
| 8038 | Applications of species distribution modeling for palaeontological fossil detection: late Pleistocene models of <i>Saiga</i> (<i>Artiodactyla</i> : <i>Bovidae</i> , <i>Saiga tatarica</i>). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2018, 98, 277-285. | 0.6 | 2 |
| 8039 | Repeated expansions and fragmentations linked to Pleistocene climate changes shaped the genetic structure of a woody climber, <i>Actinidia arguta</i> (<i>Actinidiaceae</i>). <i>Botany</i> , 2018, 96, 19-31. | 0.5 | 17 |
| 8040 | Body size variation and sexual size dimorphism across climatic gradients in the widespread treefrog <i>Scinax fuscovarius</i> (<i>Anura</i> , <i>Hylidae</i>). <i>Austral Ecology</i> , 2018, 43, 35-45. | 0.7 | 15 |
| 8041 | Vegetation cover of Brazil in the last 21 ka: New insights into the Amazonian refugia and Pleistocenic arc hypotheses. <i>Global Ecology and Biogeography</i> , 2018, 27, 47-56. | 2.7 | 68 |
| 8042 | Phylogeography of a widespread sub-Saharan murid rodent <i>Aethomys chrysophilus</i> : the role of geographic barriers and paleoclimate in the Zambezi bioregion. <i>Mammalia</i> , 2018, 82, 373-387. | 0.3 | 20 |
| 8043 | Ecological correlates of seed dormancy differ among dormancy types: a case study in the legumes. <i>New Phytologist</i> , 2018, 217, 477-479. | 3.5 | 11 |
| 8044 | Fantastic Wetlands and Where to Find Them: Modeling Rich Fen Distribution in New York State with Maxent. <i>Wetlands</i> , 2018, 38, 81-93. | 0.7 | 13 |
| 8045 | MaxEnt modeling for predicting suitable habitats and identifying the effects of climate change on a threatened species, <i>Daphne mucronata</i> , in central Iran. <i>Ecological Informatics</i> , 2018, 43, 116-123. | 2.3 | 110 |
| 8046 | Soil microbial diversity drives the priming effect along climate gradients: a case study in Madagascar. <i>ISME Journal</i> , 2018, 12, 451-462. | 4.4 | 106 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8047 | Cryptic speciation in the <i>Merodon luteomaculatus</i> complex (Diptera: Syrphidae) from the eastern Mediterranean. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 170-191. | 0.6 | 25 |
| 8048 | Environmental variation is a major predictor of global trait turnover in mammals. <i>Journal of Biogeography</i> , 2018, 45, 225-237. | 1.4 | 17 |
| 8049 | Pleistocene climatic fluctuations drive isolation and secondary contact in the red diamond rattlesnake (<i>Crotalus ruber</i>) in Baja California. <i>Journal of Biogeography</i> , 2018, 45, 64-75. | 1.4 | 21 |
| 8050 | Applying species distribution models to caves and other subterranean habitats. <i>Ecography</i> , 2018, 41, 1194-1208. | 2.1 | 52 |
| 8051 | Stable isotopes uncover trophic ecology of the West African crocodile (<i>Crocodylus suchus</i>). <i>Journal of Arid Environments</i> , 2018, 148, 6-13. | 1.2 | 7 |
| 8052 | How much does climate change threaten European forest tree species distributions?. <i>Global Change Biology</i> , 2018, 24, 1150-1163. | 4.2 | 540 |
| 8053 | Unrecognized species diversity and new insights into colour pattern polymorphism within the widespread Malagasy snake <i>Mimophis</i> (Serpentes: Lamprophiidae). <i>Systematics and Biodiversity</i> , 2018, 16, 229-244. | 0.5 | 10 |
| 8054 | Niche centrality and human influence predict rangewide variation in population abundance of a widespread mammal: The collared peccary (<i>Pecari tajacu</i>). <i>Diversity and Distributions</i> , 2018, 24, 103-115. | 1.9 | 26 |
| 8055 | Burned area detection based on Landsat time series in savannas of southern Burkina Faso. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2018, 64, 210-220. | 1.4 | 31 |
| 8056 | Comparison of four modeling tools for the prediction of potential distribution for non-indigenous weeds in the United States. <i>Biological Invasions</i> , 2018, 20, 679-694. | 1.2 | 16 |
| 8057 | Spatio-temporal temperature variations in the Chinese Yellow River basin from 1981 to 2013. <i>Weather</i> , 2018, 73, 27-33. | 0.6 | 3 |
| 8058 | GIS-Based Data Synthesis and Visualization. , 2018, , 273-286. | | 1 |
| 8059 | Soil fungal abundance and plant functional traits drive fertile island formation in global drylands. <i>Journal of Ecology</i> , 2018, 106, 242-253. | 1.9 | 123 |
| 8060 | Variation in bulk leaf $\delta^{13}C$ discrimination, leaf traits and water use efficiency: trait relationships along a continental scale climate gradient in Australia. <i>Global Change Biology</i> , 2018, 24, 1186-1200. | 4.2 | 33 |
| 8061 | Integration of genetic and seed fitness data to the conservation of isolated subpopulations of the Mediterranean plant <i>Malcolmia littorea</i> . <i>Plant Biology</i> , 2018, 20, 203-213. | 1.8 | 5 |
| 8062 | Temporal photoperiod sensitivity and forcing requirements for budburst in temperate tree seedlings. <i>Agricultural and Forest Meteorology</i> , 2018, 248, 82-90. | 1.9 | 25 |
| 8063 | Coherent synthesis of genomic associations with phenotypes and home environments. <i>Molecular Ecology Resources</i> , 2018, 18, 91-106. | 2.2 | 34 |
| 8064 | Impacts of future climate and land cover changes on threatened mammals in the semi-arid Chinese Altai Mountains. <i>Science of the Total Environment</i> , 2018, 612, 775-787. | 3.9 | 58 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8065 | Landscape delineation strategy and size of mapping units impact the performance of habitat suitability models. <i>Ecological Informatics</i> , 2018, 47, 55-60. | 2.3 | 4 |
| 8066 | Evolution in Australia's mesic biome under past and future climates: Insights from a phylogenetic study of the Australian Rock Orchids (<i>Dendrobium speciosum</i> complex, Orchidaceae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 32-46. | 1.2 | 11 |
| 8067 | Incorporating biophysical ecology into high-resolution restoration targets: insect pollinator habitat suitability models. <i>Restoration Ecology</i> , 2018, 26, 338-347. | 1.4 | 21 |
| 8068 | Snake species richness predicts breeding distribution of short-toed snake eagle in central Italy. <i>Ethology Ecology and Evolution</i> , 2018, 30, 178-186. | 0.6 | 1 |
| 8069 | Range position and climate sensitivity: The structure of among-population demographic responses to climatic variation. <i>Global Change Biology</i> , 2018, 24, 439-454. | 4.2 | 43 |
| 8070 | A transect of environmental variability across South Asia and its influence on Late Pleistocene human innovation and occupation. <i>Journal of Quaternary Science</i> , 2018, 33, 285-299. | 1.1 | 9 |
| 8071 | Climate warming causes declines in crop yields and lowers school attendance rates in Central Africa. <i>Science of the Total Environment</i> , 2018, 610-611, 503-510. | 3.9 | 17 |
| 8072 | National scale evaluation of the InVEST nutrient retention model in the United Kingdom. <i>Science of the Total Environment</i> , 2018, 610-611, 666-677. | 3.9 | 126 |
| 8073 | Simulating plant invasion dynamics in mountain ecosystems under global change scenarios. <i>Global Change Biology</i> , 2018, 24, e289-e302. | 4.2 | 54 |
| 8074 | Latitudinal variation in plant chemical defences drives latitudinal patterns of leaf herbivory. <i>Ecography</i> , 2018, 41, 1124-1134. | 2.1 | 84 |
| 8075 | The "Hutchinsonian niche" as an assemblage of demographic niches: implications for species geographic ranges. <i>Ecography</i> , 2018, 41, 1103-1113. | 2.1 | 55 |
| 8076 | The role of climatic cycles and trans-Saharan migration corridors in species diversification: Biogeography of <i>Psammophis schokari</i> group in North Africa. <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 64-74. | 1.2 | 34 |
| 8077 | Environmental conditions shape the chemical signal design of lizards. <i>Functional Ecology</i> , 2018, 32, 566-580. | 1.7 | 45 |
| 8078 | Sympatric parallel diversification of major oak clades in the Americas and the origins of Mexican species diversity. <i>New Phytologist</i> , 2018, 217, 439-452. | 3.5 | 216 |
| 8079 | Cryptic elevational zonation in trapdoor spiders (Araneae, Antrodiaetidae, <i>Aliatypus janus</i> complex) from the California southern Sierra Nevada. <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 403-413. | 1.2 | 23 |
| 8080 | Enhancing biodiversity conservation in existing land-use plans with widely available datasets and spatial analysis techniques. <i>Environmental Conservation</i> , 2018, 45, 252-260. | 0.7 | 14 |
| 8081 | Impact of climate change on vector transmission of <i>Trypanosoma cruzi</i> (<i>T. cruzi</i>) in the Amazon region. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006482. | 0.7 | 24 |
| 8082 | Differences in photochemistry and response to heat stress between silver fir (<i>Abies alba</i> Mill.) provenances. <i>Trees - Structure and Function</i> , 2018, 32, 73-86. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8083 | The Role of Geographical and Ecological Factors on Population Divergence of the Neotropical otter <i>Lontra longicaudis</i> (Carnivora, Mustelidae). <i>Evolutionary Biology</i> , 2018, 45, 37-55. | 0.5 | 13 |
| 8084 | Soyabean response to rhizobium inoculation across sub-Saharan Africa: Patterns of variation and the role of promiscuity. <i>Agriculture, Ecosystems and Environment</i> , 2018, 261, 211-218. | 2.5 | 38 |
| 8085 | <scp>CO</scp>₂ evasion from boreal lakes: Revised estimate, drivers of spatial variability, and future projections. <i>Global Change Biology</i> , 2018, 24, 711-728. | 4.2 | 56 |
| 8086 | Environment and host identity structure communities of green algal symbionts in lichens. <i>New Phytologist</i> , 2018, 217, 277-289. | 3.5 | 106 |
| 8087 | Predicting the distribution of the Vulnerable Yellow-breasted Pipit (<i>Anthus chloris</i>) using Species Distribution Modelling. <i>Emu</i> , 2018, 118, 166-172. | 0.2 | 2 |
| 8088 | Multi-model comparison highlights consistency in predicted effect of warming on a semi-arid shrub. <i>Global Change Biology</i> , 2018, 24, 424-438. | 4.2 | 47 |
| 8089 | Agricultural intensification during the Late Holocene rather than climatic aridification drives the population dynamics and the current conservation status of <i>Microtus cabreræ</i> , an endangered Mediterranean rodent. <i>Journal of Biogeography</i> , 2018, 45, 448-460. | 1.4 | 5 |
| 8090 | Ecological patterns and sustainability of freshwater swamp forest ecosystems: assessing climate and disturbance interactions. <i>Singapore Journal of Tropical Geography</i> , 2018, 39, 62-74. | 0.6 | 0 |
| 8091 | Aboveground carbon storage in tropical dry forest plots in Oaxaca, Mexico. <i>Forest Ecology and Management</i> , 2018, 409, 202-214. | 1.4 | 19 |
| 8092 | Global assessment of the non-equilibrium theory of rangelands: Revisited and refined. <i>Land Use Policy</i> , 2018, 70, 479-484. | 2.5 | 16 |
| 8093 | Host preference and network properties in biotrophic plant-fungal associations. <i>New Phytologist</i> , 2018, 217, 1230-1239. | 3.5 | 107 |
| 8094 | Bird species richness is associated with phylogenetic relatedness, plant species richness, and altitudinal range in Inner Mongolia. <i>Ecology and Evolution</i> , 2018, 8, 53-58. | 0.8 | 13 |
| 8095 | Alluvial plain dynamics and human occupation in SW Amazonia during the Holocene: A paleosol-based reconstruction. <i>Quaternary Science Reviews</i> , 2018, 180, 30-41. | 1.4 | 13 |
| 8096 | Agricultural residues for energy - A case study on the influence of resource availability, economy and policy on the use of straw for energy in Denmark and Sweden. <i>Biomass and Bioenergy</i> , 2018, 108, 278-288. | 2.9 | 38 |
| 8097 | Ecophysiological traits and activity patterns of coleopterans from Atacama Desert provide clues to the functional responses of small ectotherms to climate change. <i>Journal of Arid Environments</i> , 2018, 150, 21-27. | 1.2 | 3 |
| 8098 | Population mitogenomics provides insights into evolutionary history, source of invasions and diversifying selection in the House Crow (<i>Corvus splendens</i>). <i>Heredity</i> , 2018, 120, 296-309. | 1.2 | 6 |
| 8099 | Thermal sensitivity of a Neotropical amphibian (<i>Engystomops pustulosus</i>) and its vulnerability to climate change. <i>Biotropica</i> , 2018, 50, 326-337. | 0.8 | 16 |
| 8100 | Community level niche overlap and broad scale biogeographic patterns of bee communities are driven by phylogenetic history. <i>Journal of Biogeography</i> , 2018, 45, 461-472. | 1.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8101 | Climate Gradients and Biodiversity in Mountains of Italy. <i>Geobotany Studies</i> , 2018, , . | 0.2 | 3 |
| 8102 | Geography, land inequality and regional numeracy in Europe in historical perspective. <i>Journal of Economic Growth</i> , 2018, 23, 79-109. | 1.1 | 38 |
| 8103 | Do climate-driven altitudinal range shifts explain the intraspecific diversification of a narrow ranging montane mammal, Taurus ground squirrels?. <i>Mammal Research</i> , 2018, 63, 197-211. | 0.6 | 11 |
| 8104 | Estimate global risks of a forest disease under current and future climates using species distribution model and simple thermal model – Pine Wilt disease as a model case. <i>Forest Ecology and Management</i> , 2018, 409, 343-352. | 1.4 | 70 |
| 8105 | The rich get richer: Invasion risk across North America from the aquarium pathway under climate change. <i>Diversity and Distributions</i> , 2018, 24, 285-296. | 1.9 | 14 |
| 8106 | The Baboon Spider Atlas – using citizen science and the “fear factor”™ to map baboon spider (Araneae:) <i>Tj ETQq1 1 0.784314 r</i> 11, 143-151. | 1.4 | 16 |
| 8107 | Generic calibration of a simple model of diurnal temperature variations for spatial analysis of accumulated degree-days. <i>International Journal of Biometeorology</i> , 2018, 62, 621-630. | 1.3 | 23 |
| 8108 | Systematics and phylogeography of the widely distributed African skink <i>Trachylepis varia</i> species complex. <i>Molecular Phylogenetics and Evolution</i> , 2018, 120, 103-117. | 1.2 | 11 |
| 8109 | Long-term in situ persistence of biodiversity in tropical sky islands revealed by landscape genomics. <i>Molecular Ecology</i> , 2018, 27, 432-448. | 2.0 | 39 |
| 8110 | Global patterns of insect herbivory in gap and understorey environments, and their implications for woody plant carbon storage. <i>Oikos</i> , 2018, 127, 483-496. | 1.2 | 12 |
| 8111 | Phylogeography and climate-associated morphological variation in the endemic white oak <i>Quercus deserticola</i> (Fagaceae) along the Trans-Mexican Volcanic Belt. <i>Botany</i> , 2018, 96, 121-133. | 0.5 | 17 |
| 8112 | Ecological Niche and Least-Cost Path Analyses to Estimate Optimal Migration Routes of Initial Upper Palaeolithic Populations to Eurasia. , 2018, , 199-212. | | 4 |
| 8113 | Distribution of fungal endophytes in roots of <i>Stipa krylovii</i> across six vegetation types in grassland of northern China. <i>Fungal Ecology</i> , 2018, 31, 47-53. | 0.7 | 18 |
| 8114 | Current and potential future distribution of the American dog tick (<i>Dermacentor variabilis</i> , Say) in North America. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 354-362. | 1.1 | 59 |
| 8115 | Ecological risk, demography and technological complexity in the Late Pleistocene of northern Malawi: implications for geographical patterning in the Middle Stone Age. <i>Journal of Quaternary Science</i> , 2018, 33, 261-284. | 1.1 | 21 |
| 8116 | Glacial refugia and mid-Holocene expansion delineate the current distribution of <i>Castanea sativa</i> in Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 491, 152-160. | 1.0 | 42 |
| 8117 | Scenario modelling of land use/land cover changes in Munessa-Shashemene landscape of the Ethiopian highlands. <i>Science of the Total Environment</i> , 2018, 622-623, 534-546. | 3.9 | 74 |
| 8118 | Climatic suitability, isolation by distance and river resistance explain genetic variation in a Brazilian whiptail lizard. <i>Heredity</i> , 2018, 120, 251-265. | 1.2 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8119 | Late-Holocene dynamics of sea-surface temperature and terrestrial hydrology in southwestern Africa. <i>Holocene</i> , 2018, 28, 695-705. | 0.9 | 9 |
| 8120 | Naturalized alien flora of the Indian states: biogeographic patterns, taxonomic structure and drivers of species richness. <i>Biological Invasions</i> , 2018, 20, 1625-1638. | 1.2 | 42 |
| 8121 | Effects of climate change on the distribution of hoverfly species (Diptera: Syrphidae) in Southeast Europe. <i>Biodiversity and Conservation</i> , 2018, 27, 1173-1187. | 1.2 | 15 |
| 8122 | Systematics, biogeography and evolution of <i>Asaccus gallagheri</i> (Squamata, Phyllodactylidae) with the description of a new endemic species from Oman. <i>Systematics and Biodiversity</i> , 2018, 16, 323-339. | 0.5 | 23 |
| 8123 | Genomic Analysis of Demographic History and Ecological Niche Modeling in the Endangered Sumatran Rhinoceros <i>Dicerorhinus sumatrensis</i> . <i>Current Biology</i> , 2018, 28, 70-76.e4. | 1.8 | 57 |
| 8124 | Quantitative mapping of groundwater depletion at the water management scale using a combined GRACE/InSAR approach. <i>Remote Sensing of Environment</i> , 2018, 205, 408-418. | 4.6 | 94 |
| 8125 | Incorporating biotic interactions in the distribution models of African wild silk moths (<i>Gonometa</i> species, Lasiocampidae) using different representations of modelled host tree distributions. <i>Austral Ecology</i> , 2018, 43, 316-327. | 0.7 | 8 |
| 8126 | Effects of natural and anthropogenic drivers on land cover change and treeline dynamics in the Apennines (Italy). <i>Journal of Vegetation Science</i> , 2018, 29, 189-199. | 1.1 | 28 |
| 8127 | Trajectories of change in Mediterranean Holocene vegetation through classification of pollen data. <i>Vegetation History and Archaeobotany</i> , 2018, 27, 351-364. | 1.0 | 34 |
| 8128 | Mapping the spatial distribution of <i>Aedes aegypti</i> and <i>Aedes albopictus</i> . <i>Acta Tropica</i> , 2018, 178, 155-162. | 0.9 | 78 |
| 8129 | Climate change impact on global potato production. <i>European Journal of Agronomy</i> , 2018, 100, 87-98. | 1.9 | 143 |
| 8130 | Dispersal barriers and climate determine the geographic distribution of the helicopter damselfly <i>Mecistogaster modesta</i> . <i>Freshwater Biology</i> , 2018, 63, 214-223. | 1.2 | 10 |
| 8131 | Australian mean land-surface temperature. <i>Geothermics</i> , 2018, 72, 156-162. | 1.5 | 7 |
| 8132 | Patterns of alpha diversity among Tunisian lizards (Lacertidae). <i>Journal of Arid Environments</i> , 2018, 151, 23-30. | 1.2 | 7 |
| 8133 | Local loss and spatial homogenization of plant diversity reduce ecosystem multifunctionality. <i>Nature Ecology and Evolution</i> , 2018, 2, 50-56. | 3.4 | 172 |
| 8134 | Climatic niche shifts are common in introduced plants. <i>Nature Ecology and Evolution</i> , 2018, 2, 34-43. | 3.4 | 159 |
| 8135 | Creating individual accessible area hypotheses improves stacked species distribution model performance. <i>Global Ecology and Biogeography</i> , 2018, 27, 156-165. | 2.7 | 65 |
| 8136 | A New Method for Temperature Spatial Interpolation Based on Sparse Historical Stations. <i>Journal of Climate</i> , 2018, 31, 1757-1770. | 1.2 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8137 | Monitoring the dynamics of surface water fraction from MODIS time series in a Mediterranean environment. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2018, 66, 135-145. | 1.4 | 22 |
| 8138 | Life-History Traits Evolved Jointly with Climatic Niche and Disturbance Regime in the Genus <i>Leucadendron</i> (Proteaceae). <i>American Naturalist</i> , 2018, 191, 220-234. | 1.0 | 11 |
| 8139 | Wallace: A flexible platform for reproducible modeling of species niches and distributions built for community expansion. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1151-1156. | 2.2 | 170 |
| 8140 | Forecasting the combined effects of climate and land use change on Mexican bats. <i>Diversity and Distributions</i> , 2018, 24, 363-374. | 1.9 | 38 |
| 8141 | Ecophysiological variation across a forest-ecotone gradient produces divergent climate change vulnerability within species. <i>Ecography</i> , 2018, 41, 1627-1637. | 2.1 | 17 |
| 8142 | Climate contributes to the evolution of pesticide resistance. <i>Global Ecology and Biogeography</i> , 2018, 27, 223-232. | 2.7 | 36 |
| 8143 | The roles of geography and environment in divergence within and between two closely related plant species inhabiting an island-like habitat. <i>Journal of Biogeography</i> , 2018, 45, 381-393. | 1.4 | 16 |
| 8144 | Mean family age of angiosperm tree communities and its climatic correlates along elevational and latitudinal gradients in eastern North America. <i>Journal of Biogeography</i> , 2018, 45, 259-268. | 1.4 | 12 |
| 8145 | Key environmental determinants of global and regional richness and endemism patterns for a wild bee subfamily. <i>Biodiversity and Conservation</i> , 2018, 27, 287-309. | 1.2 | 20 |
| 8146 | Forecasting range shifts of a cold-adapted species under climate change: are genomic and ecological diversity within species crucial for future resilience?. <i>Ecography</i> , 2018, 41, 1357-1369. | 2.1 | 28 |
| 8147 | Vulnerability of forest vegetation to anthropogenic climate change in China. <i>Science of the Total Environment</i> , 2018, 621, 1633-1641. | 3.9 | 59 |
| 8148 | Phylogeny, new generic-level classification, and historical biogeography of the <i>Eucera</i> complex (Hymenoptera: Apidae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 119, 81-92. | 1.2 | 55 |
| 8149 | Shrub encroachment and vertebrate diversity: A global meta-analysis. <i>Global Ecology and Biogeography</i> , 2018, 27, 368-379. | 2.7 | 60 |
| 8150 | The impact of early Quaternary climate change on the diversification and population dynamics of a South American cactus species. <i>Journal of Biogeography</i> , 2018, 45, 76-88. | 1.4 | 49 |
| 8151 | Landscape features along migratory routes influence adaptive genomic variation in anadromous steelhead (<i>Oncorhynchus mykiss</i>). <i>Molecular Ecology</i> , 2018, 27, 128-145. | 2.0 | 36 |
| 8152 | Topographic wetness index explains soil moisture better than bioindication with Ellenberg's indicator values. <i>Ecological Indicators</i> , 2018, 85, 172-179. | 2.6 | 112 |
| 8153 | Evaluating the conservation status of the Black-fronted Francolin <i>Pternistis atrifrons</i> . <i>Bird Conservation International</i> , 2018, 28, 653-661. | 0.7 | 4 |
| 8154 | Using fossil records to inform reintroduction of the kakapo as a refugee species. <i>Biological Conservation</i> , 2018, 217, 157-165. | 1.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8155 | Nationwide ground-level ozone measurements in China suggest serious risks to forests. <i>Environmental Pollution</i> , 2018, 237, 803-813. | 3.7 | 84 |
| 8156 | Reynoutria niche modelling and protected area prioritization for restoration and protection from invasion: A Southeastern Europe case study. <i>Journal for Nature Conservation</i> , 2018, 41, 1-15. | 0.8 | 13 |
| 8157 | Modelling temperature-dependent development rate and phenology in arthropods: The <code>devRate</code> package for <code>r</code> . <i>Methods in Ecology and Evolution</i> , 2018, 9, 1144-1150. | 2.2 | 40 |
| 8158 | Multispecies assessment of core areas and connectivity of desert carnivores in central Iran. <i>Diversity and Distributions</i> , 2018, 24, 193-207. | 1.9 | 56 |
| 8159 | Nutrient-rich plants emit a less intense blend of volatile isoprenoids. <i>New Phytologist</i> , 2018, 220, 773-784. | 3.5 | 56 |
| 8160 | Continental mapping of forest ecosystem functions reveals a high but unrealised potential for forest multifunctionality. <i>Ecology Letters</i> , 2018, 21, 31-42. | 3.0 | 74 |
| 8161 | Afforestation and climatic niche dynamics of black locust (<i>Robinia pseudoacacia</i>). <i>Forest Ecology and Management</i> , 2018, 407, 184-190. | 1.4 | 24 |
| 8162 | Adapting Agriculture to Climate Change: Suitability of Banana Crop Production to Future Climate Change Over Uganda. <i>Climate Change Management</i> , 2018, , 175-190. | 0.6 | 6 |
| 8163 | Predicting ecological responses in a changing ocean: the effects of future climate uncertainty. <i>Marine Biology</i> , 2018, 165, 7. | 0.7 | 36 |
| 8164 | Feasibility assessment for the classical biological control of <i>Tamarix</i> in Argentina. <i>BioControl</i> , 2018, 63, 169-184. | 0.9 | 16 |
| 8165 | Resolving neutral and deterministic contributions to genomic structure in <i>Syntrichia ruralis</i> (Bryophyta, Pottiaceae) informs propagule sourcing for dryland restoration. <i>Conservation Genetics</i> , 2018, 19, 85-97. | 0.8 | 14 |
| 8166 | Conserving migration in a changing climate, a case study: The Eurasian spoonbill, <i>Platalea leucorodia leucorodia</i> . <i>Biological Conservation</i> , 2018, 217, 222-231. | 1.9 | 8 |
| 8167 | Diet footprint of Egyptian mongoose along ecological gradients: effects of primary productivity and life history traits. <i>Mammalian Biology</i> , 2018, 88, 16-25. | 0.8 | 12 |
| 8168 | Toward ecologically realistic predictions of species distributions: A cross-time example from tropical montane cloud forests. <i>Global Change Biology</i> , 2018, 24, 1511-1522. | 4.2 | 117 |
| 8169 | Paintings predict the distribution of species, or the challenge of selecting environmental predictors and evaluation statistics. <i>Global Ecology and Biogeography</i> , 2018, 27, 245-256. | 2.7 | 336 |
| 8170 | Using woody flora to define phytogeographic units: analysis of a west-east transect in central Italy. <i>Nordic Journal of Botany</i> , 2018, 36, . | 0.2 | 0 |
| 8171 | Fate of carbohydrates and lignin in north-east Siberian permafrost soils. <i>Soil Biology and Biochemistry</i> , 2018, 116, 311-322. | 4.2 | 59 |
| 8172 | The Gray Toad-headed Agama, <i>Phrynocephalus scutellatus</i> , on the Iranian Plateau: The degree of niche overlap depends on the phylogenetic distance. <i>Zoology in the Middle East</i> , 2018, 64, 47-54. | 0.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8173 | Beyond climate control on species range: The importance of soil data to predict distribution of Amazonian plant species. <i>Journal of Biogeography</i> , 2018, 45, 190-200. | 1.4 | 81 |
| 8174 | Biogeography and priority areas for the conservation of bats in the Brazilian Cerrado. <i>Biodiversity and Conservation</i> , 2018, 27, 815-828. | 1.2 | 12 |
| 8175 | Predicting where species could go: climate is more important than dispersal for explaining the distribution of a South American turtle. <i>Hydrobiologia</i> , 2018, 808, 343-352. | 1.0 | 5 |
| 8176 | Aquatic ecosystems in a newly formed ecospace: Early Pliocene lakes in the Central Andean Altiplano. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 490, 218-226. | 1.0 | 6 |
| 8177 | Niche modelling of marsh plants based on occurrence and abundance data. <i>Science of the Total Environment</i> , 2018, 616-617, 198-207. | 3.9 | 35 |
| 8178 | Palaeoecological implications of Neanderthal occupation at Unit Xb of El Salt (Alcoi, eastern Spain) during MIS 3 using small mammals proxy. <i>Quaternary International</i> , 2018, 481, 101-112. | 0.7 | 21 |
| 8179 | Isolation by distance, not incipient ecological speciation, explains genetic differentiation in an Andean songbird (<i>Aves: Furnariidae: <i>Cranioleuca antisimensis</i></i> , Lineá€cheeked Spinetail) despite near threefold body size change across an environmental gradient. <i>Molecular Ecology</i> , 2018, 27, 279-296. | 2.0 | 44 |
| 8180 | Climate change, predictive modelling and grassland specialists: assessing impacts of changing climate on the long-term conservation of Lesser Grey Shrikes (<i>Lanius minor</i>) in Romania. <i>Journal of Ornithology</i> , 2018, 159, 413-424. | 0.5 | 5 |
| 8181 | What drives <i>Eucalyptus globulus</i> natural establishment outside plantations? The relative importance of climate, plantation and site characteristics. <i>Biological Invasions</i> , 2018, 20, 1129-1146. | 1.2 | 12 |
| 8182 | Land availability may be more important than genetic diversity in the range shift response of a widely distributed eucalypt, <i>Eucalyptus melliodora</i> . <i>Forest Ecology and Management</i> , 2018, 409, 38-46. | 1.4 | 12 |
| 8183 | Quantifying the climatic niche of symbiont partners in a lichen symbiosis indicates mutualistá€mediated niche expansions. <i>Ecography</i> , 2018, 41, 1380-1392. | 2.1 | 45 |
| 8184 | Niche divergence of two closely related <i>Carbula</i> species (<i>Insecta: Hemiptera: Pentatomidae</i>) despite the presence of a hybrid zone. <i>Ecological Entomology</i> , 2018, 43, 204-214. | 1.1 | 3 |
| 8185 | Herb-chronology as a tool for determining the age of perennial forbs in tropical climates. <i>Botany</i> , 2018, 96, 73-78. | 0.5 | 5 |
| 8186 | Biocrust tissue traits as potential indicators of global change in the Mediterranean. <i>Plant and Soil</i> , 2018, 429, 159-174. | 1.8 | 10 |
| 8187 | Phenotypic effects of the nurse <i>Thylacospermum caespitosum</i> on dependent plant species along regional climate stress gradients. <i>Oikos</i> , 2018, 127, 252-263. | 1.2 | 18 |
| 8188 | Modelling the niche space of desert annuals needs to include positive interactions. <i>Oikos</i> , 2018, 127, 264-273. | 1.2 | 20 |
| 8189 | Predictors of Arbuscular Mycorrhizal Fungal Communities in the Brazilian Tropical Dry Forest. <i>Microbial Ecology</i> , 2018, 75, 447-458. | 1.4 | 22 |
| 8190 | Local tree knowledge can fast-track agroforestry recommendations for coffee smallholders along a climate gradient in Mount Elgon, Uganda. <i>Agroforestry Systems</i> , 2018, 92, 1625-1638. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8191 | Continent-Wide Climatic Variation Drives Local Adaptation in North American White Clover. <i>Journal of Heredity</i> , 2018, 109, 78-89. | 1.0 | 10 |
| 8192 | The <code>zooR</code> package for reproducible and shareable species distribution modelling. <i>Methods in Ecology and Evolution</i> , 2018, 9, 260-268. | 2.2 | 29 |
| 8193 | Toward more accurate temperature reconstructions based on oxygen isotopes of subfossil chironomid head capsules in Australia. <i>Limnology and Oceanography</i> , 2018, 63, 295-307. | 1.6 | 5 |
| 8194 | Decadal analysis of impact of future climate on wheat production in dry Mediterranean environment: A case of Jordan. <i>Science of the Total Environment</i> , 2018, 610-611, 219-233. | 3.9 | 28 |
| 8195 | Growth responses to elevated temperatures and the importance of ontogenetic niche shifts in Bromeliaceae. <i>New Phytologist</i> , 2018, 217, 127-139. | 3.5 | 16 |
| 8196 | An Oldest Dryas glacier expansion on Mount Pelister (Former Yugoslavian Republic of Macedonia) according to ¹⁰ Be cosmogenic dating. <i>Journal of the Geological Society</i> , 2018, 175, 100-110. | 0.9 | 30 |
| 8197 | raptr: Representative and adequate prioritization toolkit in R. <i>Methods in Ecology and Evolution</i> , 2018, 9, 320-330. | 2.2 | 9 |
| 8198 | Population dynamics of <i>Eldana saccharina</i> Walker (Lepidoptera: Pyralidae): application of a biophysical model to understand phenological variation in an agricultural pest. <i>Bulletin of Entomological Research</i> , 2018, 108, 283-294. | 0.5 | 6 |
| 8199 | Habitat distribution modelling, under the present climatic scenario, of the threatened endemic Iberian <i>Delphinium fissum</i> subsp. <i>sordidum</i> (Ranunculaceae) and implications for its conservation. <i>Plant Biosystems</i> , 2018, 152, 891-900. | 0.8 | 8 |
| 8200 | New approaches for delineating n -dimensional hypervolumes. <i>Methods in Ecology and Evolution</i> , 2018, 9, 305-319. | 2.2 | 195 |
| 8201 | Evaluating outcomes of community-based conservation on Kenyan group ranches with remote sensing. <i>Environmental Conservation</i> , 2018, 45, 173-182. | 0.7 | 4 |
| 8202 | Global-scale patterns of nutrient density and partitioning in forests in relation to climate. <i>Global Change Biology</i> , 2018, 24, 536-551. | 4.2 | 26 |
| 8203 | Wild boar in focus: Review of existing models on spatial distribution and density of wild boar and proposal for next steps. <i>EFSA Supporting Publications</i> , 2018, 15, 1490E. | 0.3 | 10 |
| 8204 | Pest categorisation of <i>Stagonosporopsis andigena</i> . <i>EFSA Journal</i> , 2018, 16, e05441. | 0.9 | 0 |
| 8205 | Reciprocal transplant experiments testing the performance of common and early flowering types of <i>Imperata cylindrica</i> in Japan. <i>Weed Biology and Management</i> , 2018, 18, 167-175. | 0.6 | 3 |
| 8206 | Analysis of Environment-Marker Associations in American Chestnut. <i>Forests</i> , 2018, 9, 695. | 0.9 | 10 |
| 8207 | Phylogeography indicates incomplete genetic divergence among phenotypically differentiated montane forest populations of <i>Atlapetes albinucha</i> (Aves, Passerellidae). <i>ZooKeys</i> , 2018, 809, 125-148. | 0.5 | 5 |
| 8208 | Digital long-term topoclimate surfaces of the Pyrenees mountain range for the period 1950–2012. <i>Geoscience Data Journal</i> , 2018, 5, 50-62. | 1.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8209 | Beyond the plot: technology extrapolation domains for scaling out agronomic science. <i>Environmental Research Letters</i> , 2018, 13, 054027. | 2.2 | 41 |
| 8210 | Current and Potential Spatial Distribution of Six Endangered Pine Species of Mexico: Towards a Conservation Strategy. <i>Forests</i> , 2018, 9, 767. | 0.9 | 10 |
| 8211 | Predicting the potential distribution area of <i>Solidago Æ—niederederi</i> (Asteraceae). <i>Turkish Journal of Botany</i> , 2018, 42, 51-56. | 0.5 | 20 |
| 8212 | Temperature and circadian effects on metabolic rate of South American echimyid rodents, <i>Trinomys setosus</i> and <i>Clyomys bishopi</i> (Rodentia: Echimyidae). <i>Zoologia</i> , 0, 35, 1-6. | 0.5 | 4 |
| 8213 | Spatial generalization of epidemiological models based on the Normalized Environmental Distance NED concept. , 2018, , . | | 0 |
| 8214 | Gridded Population Maps Informed by Different Built Settlement Products. <i>Data</i> , 2018, 3, 33. | 1.2 | 48 |
| 8215 | Distribution of the Endangered American Burying Beetle at the Northwestern Limit of its Range. <i>Insect Systematics and Diversity</i> , 2018, 2, . | 0.7 | 0 |
| 8216 | A metric to quantify analogous conditions and rank environmental layers. <i>Biodiversity Informatics</i> , 2018, 13, . | 3.0 | 0 |
| 8217 | Stochastic downscaling of precipitation in complex orography: a simple method to reproduce a realistic fine-scale climatology. <i>Natural Hazards and Earth System Sciences</i> , 2018, 18, 2825-2840. | 1.5 | 12 |
| 8218 | Evaluation of the Use of Data Reanalysis for Climate Regionalization. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018, 187, 012062. | 0.2 | 1 |
| 8219 | A detailed study of leaf micromorphology and anatomy of New World <i>Vitis</i> L. subgenus <i>Vitis</i> within a phylogenetic and ecological framework reveals evolutionary convergence. <i>Journal of Systematics and Evolution</i> , 2018, 56, 309-330. | 1.6 | 13 |
| 8220 | Regeneration of Native Forest Species in Mainland Portugal: Identifying Main Drivers. <i>Forests</i> , 2018, 9, 694. | 0.9 | 16 |
| 8221 | Delineation of potential recharge area using a hybrid model, case of Djelfa Hadjia watershed. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1. | 0.6 | 1 |
| 8222 | Divergent responses of thermal growing degree-days and season to projected warming over China. <i>International Journal of Climatology</i> , 2018, 38, 5605-5618. | 1.5 | 7 |
| 8223 | Soil and Water Conservation in Burkina Faso, West Africa. <i>Sustainability</i> , 2018, 10, 3182. | 1.6 | 38 |
| 8224 | Multi-scale evaluation of a linear model of orographic precipitation over Sierra de Guadarrama (Iberian Central System). <i>International Journal of Climatology</i> , 2018, 38, 4127-4141. | 1.5 | 5 |
| 8225 | Island Volcanic Ecosystems in the Pacific Mobile Belt as Sources of Continental Biosphere Formation. <i>Biology Bulletin Reviews</i> , 2018, 8, 328-349. | 0.3 | 1 |
| 8226 | Habitat requirements and germination performance of some relict populations of <i>Ligularia sibirica</i> (Asteraceae) from Romania. <i>Plant Ecology and Evolution</i> , 2018, 151, 314-326. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8227 | Alternative reference evapotranspiration methods for the main climate types of the state of Paraná, Brazil. <i>Pesquisa Agropecuaria Brasileira</i> , 2018, 53, 1003-1010. | 0.9 | 7 |
| 8228 | Climatic Niche Model for Overwintering Monarch Butterflies in a Topographically Complex Region of California. <i>Insects</i> , 2018, 9, 167. | 1.0 | 19 |
| 8229 | Introducing Gradient Boosting as a universal gap filling tool for meteorological time series. <i>Meteorologische Zeitschrift</i> , 2018, 27, 369-376. | 0.5 | 20 |
| 8230 | Using historical normals to improve modern monthly climate normal surfaces for Madagascar. <i>International Journal of Climatology</i> , 2018, 38, 5746-5765. | 1.5 | 2 |
| 8231 | Intermediate evergreen Afromontane forest (IAF) in northwestern Ethiopia: observations, description and modelling its potential distribution. <i>Phytocoenologia</i> , 2018, 48, 351-367. | 1.2 | 4 |
| 8232 | Diversidad e infectividad de hongos micorrizicos arbusculares nativos provenientes de algarrobales del Parque Chaqueño argentino con características edafoclimáticas contrastantes. <i>AgriScientia</i> , 2018, 35, 19. | 0.2 | 10 |
| 8233 | Network resilience of mutualistic ecosystems and environmental changes: an empirical study. <i>Royal Society Open Science</i> , 2018, 5, 180706. | 1.1 | 15 |
| 8234 | Nationwide school malaria parasitaemia survey in public primary schools, the United Republic of Tanzania. <i>Malaria Journal</i> , 2018, 17, 452. | 0.8 | 54 |
| 8235 | No Land without a Lord: Lordships, State Capacity, and Economic Development. <i>SSRN Electronic Journal</i> , 2018, , . | 0.4 | 0 |
| 8236 | AN APPROACH TO CHARACTERISE AGRICULTURAL LIVELIHOODS AND LIVELIHOOD ZONES USING NATIONAL CENSUS DATA IN TIMOR-LESTE. <i>Experimental Agriculture</i> , 2018, 54, 857-873. | 0.4 | 7 |
| 8237 | Evidences for a shared history for spectacled salamanders, haplotypes and climate. <i>Scientific Reports</i> , 2018, 8, 16507. | 1.6 | 14 |
| 8238 | Distributional pattern of Sardinian orchids under a climate change scenario. <i>Community Ecology</i> , 2018, 19, 223-232. | 0.5 | 17 |
| 8239 | Valuing the Global Mortality Consequences of Climate Change Accounting for Adaptation Costs and Benefits. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 22 |
| 8240 | Phylogeographic analyses of a widely distributed <i>Populus davidiana</i> : Further evidence for the existence of glacial refugia of cool-temperate deciduous trees in northern East Asia. <i>Ecology and Evolution</i> , 2018, 8, 13014-13026. | 0.8 | 27 |
| 8241 | Using household survey data to identify large-scale food security patterns across Uganda. <i>PLoS ONE</i> , 2018, 13, e0208714. | 1.1 | 12 |
| 8242 | Importance of Remotely-Sensed Vegetation Variables for Predicting the Spatial Distribution of African Citrus Trioza (<i>Trioza erytreae</i>) in Kenya. <i>ISPRS International Journal of Geo-Information</i> , 2018, 7, 429. | 1.4 | 23 |
| 8243 | Modelos potenciales de distribución geográfica y climática del complejo <i>Amblyomma cajennense</i> (Acari: Ixodidae), potencial vector de <i>Rickettsia rickettsii</i> en Colombia. <i>Biomedica</i> , 2018, 38, 534-544. | 0.3 | 12 |
| 8244 | Partitioning genetic and species diversity refines our understanding of species' genetic diversity relationships. <i>Ecology and Evolution</i> , 2018, 8, 12351-12364. | 0.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8245 | A test of desert shrub facilitation via radiotelemetric monitoring of a diurnal lizard. <i>Ecology and Evolution</i> , 2018, 8, 12153-12162. | 0.8 | 14 |
| 8246 | Using camera trap data to characterise terrestrial larger-bodied mammal communities in different management sectors of the Dja Faunal Reserve, Cameroon. <i>African Journal of Ecology</i> , 2018, 56, 759-776. | 0.4 | 24 |
| 8247 | Predicted distribution and burden of podoconiosis in Cameroon. <i>BMJ Global Health</i> , 2018, 3, e000730. | 2.0 | 20 |
| 8248 | Conifers in Mountains of China. , 0, , . | | 1 |
| 8249 | Disentangling a cryptic species complex and defining new species within the <i>Eumerus minotaurus</i> group (Diptera: Syrphidae), based on integrative taxonomy and Aegean palaeogeography. <i>Contributions To Zoology</i> , 2018, 87, 197-225. | 0.2 | 23 |
| 8250 | Raznolikost i strukturiranost hrvatskih kontinentalnih i alpsko-dinarskih populacija bijele johe (<i>Alnus</i>) Tj ETQq1 1 0.784314 rgBT /Over Sumarski List, 2018, 142, 31-32. | 0.1 | 8 |
| 8251 | Modelling high-latitude summer temperature patterns using physiographic variables. <i>International Journal of Climatology</i> , 2018, 38, 4033-4042. | 1.5 | 15 |
| 8252 | High resolution temperature data for ecological research and management on the Southern Ocean Islands. <i>Scientific Data</i> , 2018, 5, 180177. | 2.4 | 25 |
| 8253 | Present and future Köppen-Geiger climate classification maps at 1-km resolution. <i>Scientific Data</i> , 2018, 5, 180214. | 2.4 | 3,005 |
| 8254 | A high-resolution streamflow and hydrological metrics dataset for ecological modeling using a regression model. <i>Scientific Data</i> , 2018, 5, 180224. | 2.4 | 20 |
| 8255 | Coupling GIS spatial analysis and Ensemble Niche Modelling to investigate climate change-related threats to the Sicilian pond turtle <i>Emys trinacris</i> , an endangered species from the Mediterranean. <i>PeerJ</i> , 2018, 6, e4969. | 0.9 | 25 |
| 8256 | New records of <i>Ipomoea chiquitensis</i> (Convolvulaceae) from the Brazilian northeast. <i>Revista Mexicana De Biodiversidad</i> , 2018, 89, . | 0.4 | 0 |
| 8257 | Modelling the Terroir of the Douro Demarcated Region, Portugal. <i>E3S Web of Conferences</i> , 2018, 50, 02009. | 0.2 | 4 |
| 8258 | Multivariate Analysis and Machine Learning in Properties of Ultisols (Argissolos) of Brazilian Amazon. <i>Revista Brasileira De Ciencia Do Solo</i> , 2018, 42, . | 0.5 | 7 |
| 8259 | Potential change in the distribution of an abundant and wide-ranging forest salamander in a context of climate change. <i>Frontiers of Biogeography</i> , 2018, 9, . | 0.8 | 2 |
| 8260 | Quantification the Impact of Climate Change on Paddy Field Yield Production in Subang, Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 0, 187, 012059. | 0.2 | 5 |
| 8261 | Semi-Automated Delineation of Stands in an Even-Age Dominated Forest: A LiDAR-GEOBIA Two-Stage Evaluation Strategy. <i>Remote Sensing</i> , 2018, 10, 1622. | 1.8 | 8 |
| 8263 | Geographical and temporal distribution of the residual clusters of human leptospirosis in China, 2005–2016. <i>Scientific Reports</i> , 2018, 8, 16650. | 1.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 8264 | Genetic Characterization of Maximilian Sunflower for the Development of a Locally Adapted Perennial Grain Oilseed. <i>Crop Science</i> , 2018, 58, 2241-2260. | 0.8 | 8 |
| 8265 | Orchid diversity: Spatial and climatic patterns from herbarium records. <i>Ecology and Evolution</i> , 2018, 8, 11235-11245. | 0.8 | 19 |
| 8266 | Environmental and evolutionary drivers of diversity patterns in the tea family (Theaceae s.s.) across China. <i>Ecology and Evolution</i> , 2018, 8, 11663-11676. | 0.8 | 17 |
| 8267 | Reduction in nutritional quality and growing area suitability of common bean under climate change induced drought stress in Africa. <i>Scientific Reports</i> , 2018, 8, 16187. | 1.6 | 67 |
| 8268 | Molecular phylogenetics reveals a complex history underlying cryptic diversity in the Bush Squeaker Frog (<i>Arthroleptis wahlbergii</i>) in southern Africa. <i>African Zoology</i> , 2018, 53, 83-97. | 0.2 | 10 |
| 8269 | Predicting the current and future cultivation regions of <i>Carthamus tinctorius</i> L. using MaxEnt model under climate change in China. <i>Global Ecology and Conservation</i> , 2018, 16, e00477. | 1.0 | 96 |
| 8270 | Deep Intraspecific Divergence in the Endemic Herb <i>Lancea tibetica</i> (Mazaceae) Distributed Over the Qinghai-Tibetan Plateau. <i>Frontiers in Genetics</i> , 2018, 9, 492. | 1.1 | 6 |
| 8271 | Species distribution models of European Turtle Doves in Germany are more reliable with presence only rather than presence absence data. <i>Scientific Reports</i> , 2018, 8, 16898. | 1.6 | 11 |
| 8272 | Contribution of jet fuel from forest residues to multiple Sustainable Development Goals. <i>Nature Sustainability</i> , 2018, 1, 799-807. | 11.5 | 37 |
| 8273 | Predicting the Potential Distribution of an Invasive Species, <i>Solenopsis invicta</i> (Hymenoptera: Formicidae), under Climate Change using Species Distribution Models. <i>Entomological Research</i> , 2018, 48, 505-513. | 0.6 | 41 |
| 8274 | Genome-wide signals of drift and local adaptation during rapid lineage divergence in a songbird. <i>Molecular Ecology</i> , 2018, 27, 5137-5153. | 2.0 | 33 |
| 8275 | Determining environmental and anthropogenic factors which explain the global distribution of <i>Aedes aegypti</i> and <i>Ae. albopictus</i> . <i>BMJ Global Health</i> , 2018, 3, e000801. | 2.0 | 64 |
| 8276 | Mapping the potential distribution of the schistosomiasis intermediate host <i>Biomphalaria straminea</i> in China. <i>Geospatial Health</i> , 2018, 13, . | 0.3 | 4 |
| 8277 | Global 5-km resolution estimates of secondary evaporation including irrigation through satellite data assimilation. <i>Hydrology and Earth System Sciences</i> , 2018, 22, 4959-4980. | 1.9 | 38 |
| 8278 | Reducing Wallacean shortfalls for the coralsnakes of the <i>Micrurus lemniscatus</i> species complex: Present and future distributions under a changing climate. <i>PLoS ONE</i> , 2018, 13, e0205164. | 1.1 | 13 |
| 8279 | Combining species distribution modeling and field surveys to reappraise the geographic distribution and conservation status of the threatened thin-spined porcupine (<i>Chaetomys subspinosus</i>). <i>PLoS ONE</i> , 2018, 13, e0207914. | 1.1 | 9 |
| 8280 | Patterns of Beta Diversity of Vascular Plants and Their Correspondence With Biome Boundaries Across North America. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, . | 1.1 | 36 |
| 8281 | High-resolution Climate Data From an Improved GIS-based Regression Technique for South Korea. <i>KSCE Journal of Civil Engineering</i> , 2018, 22, 5215-5228. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8282 | Modelling of hydrological processes in snowmelt-governed permafrost-free catchments of the Western Siberian lowlands. <i>International Journal of Hydrology Science and Technology</i> , 2018, 8, 289. | 0.2 | 0 |
| 8283 | What Can We Learn from an Early Test on the Adaptation of Silver Fir Populations to Marginal Environments?. <i>Forests</i> , 2018, 9, 441. | 0.9 | 13 |
| 8284 | Modeling Avian Distributions and Niches: Insights into Invasions and Speciation in Birds. <i>Fascinating Life Sciences</i> , 2018, , 147-164. | 0.5 | 5 |
| 8285 | Contributions of precipitation and temperature to the large scale geographic distribution of fleshy-fruited plant species: Growth form matters. <i>Scientific Reports</i> , 2018, 8, 17017. | 1.6 | 27 |
| 8286 | Predicting the potential global distribution of diosgenin-contained <i>Dioscorea</i> species. <i>Chinese Medicine</i> , 2018, 13, 58. | 1.6 | 30 |
| 8287 | Sympatric and allopatric niche shift of endemic <i>Gypsophila</i> (Caryophyllaceae) taxa in the Iberian Peninsula. <i>PLoS ONE</i> , 2018, 13, e0206043. | 1.1 | 4 |
| 8288 | <i>Procambarus clarkii</i> (Girard, 1852) and crayfish plague as new threats for biodiversity in Indonesia. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 1434-1440. | 0.9 | 58 |
| 8290 | Impact of climate change implies the northward shift in distribution of the Irano-Turanian subalpine species complex <i>Acanthophyllum squarrosum</i> . <i>Journal of Asia-Pacific Biodiversity</i> , 2018, 11, 566-572. | 0.2 | 10 |
| 8291 | Simulating Movement-Related Resource Dynamics to Improve Species Distribution Models: A Case Study with Oilbirds in Northern South America. <i>Professional Geographer</i> , 2018, 70, 528-540. | 1.0 | 6 |
| 8292 | Crop diversity and stability of revenue on farms in Central Europe: An analysis of big data from a comprehensive agricultural census in Bavaria. <i>PLoS ONE</i> , 2018, 13, e0207454. | 1.1 | 20 |
| 8294 | Tree-herb co-existence and community assembly in natural forest-steppe transitions. <i>Plant Ecology and Diversity</i> , 2018, 11, 465-477. | 1.0 | 11 |
| 8295 | Reference Values of Soil Quality for the Rio Doce Basin. <i>Revista Brasileira De Ciencia Do Solo</i> , 2018, 42, . | 0.5 | 17 |
| 8296 | Co-extinctions annihilate planetary life during extreme environmental change. <i>Scientific Reports</i> , 2018, 8, 16724. | 1.6 | 60 |
| 8297 | Operational satellite-based temporal modelling of <i>Aedes</i> population in Argentina. <i>Geospatial Health</i> , 2018, 13, . | 0.3 | 10 |
| 8298 | Population genetics and evolutionary history of the wild rice species <i>Oryza rufipogon</i> and <i>O. nivara</i> in Sri Lanka. <i>Ecology and Evolution</i> , 2018, 8, 12056-12065. | 0.8 | 6 |
| 8299 | Using macroecological constraints on spatial biodiversity predictions under climate change: the modelling method matters. <i>Ecological Modelling</i> , 2018, 390, 79-87. | 1.2 | 13 |
| 8300 | Ecogeographical Potential of the White Spruce (<i>Picea glauca</i> (Moench) Voss, Pinaceae), and the Possibility of Its Introduction into Northern Eurasia. <i>Biology Bulletin Reviews</i> , 2018, 8, 203-211. | 0.3 | 1 |
| 8301 | Biomass carbon density in natural oak forests with different climate conditions and stand ages in northwest China. <i>Journal of Forest Research</i> , 2018, 23, 354-362. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8302 | Phylogenetic diversity and conservation of rainforests in the Sunshine Coast region, Queensland, Australia. <i>Australian Journal of Botany</i> , 2018, 66, 518. | 0.3 | 2 |
| 8303 | Climate change decreases suitable areas for rapeseed cultivation in Europe but provides new opportunities for white mustard as an alternative oilseed for biofuel production. <i>PLoS ONE</i> , 2018, 13, e0207124. | 1.1 | 24 |
| 8304 | Host Phylogeny Is a Major Determinant of Fagaceae-Associated Ectomycorrhizal Fungal Community Assembly at a Regional Scale. <i>Frontiers in Microbiology</i> , 2018, 9, 2409. | 1.5 | 36 |
| 8305 | Evolutionary history of the endemic water shrew <i>Neomys anomalus</i> : Recurrent phylogeographic patterns in semi-aquatic mammals of the Iberian Peninsula. <i>Ecology and Evolution</i> , 2018, 8, 10138-10146. | 0.8 | 9 |
| 8306 | Local adaptation in mainland anole lizards: Integrating population history and genome-environment associations. <i>Ecology and Evolution</i> , 2018, 8, 11932-11944. | 0.8 | 29 |
| 8307 | Modelling last glacial cycle ice dynamics in the Alps. <i>Cryosphere</i> , 2018, 12, 3265-3285. | 1.5 | 152 |
| 8308 | Spatial phylogenetics reveals evolutionary constraints on the assembly of a large regional flora. <i>American Journal of Botany</i> , 2018, 105, 1938-1950. | 0.8 | 21 |
| 8309 | Primate Life Histories, Sex Roles, and Adaptability. <i>Developments in Primatology</i> , 2018, , . | 0.7 | 6 |
| 8310 | Divergent trends in functional and phylogenetic structure in reptile communities across Africa. <i>Nature Communications</i> , 2018, 9, 4697. | 5.8 | 23 |
| 8311 | Patterns of phylogenetic community structure of sand dune plant communities in the Yucatan Peninsula: the role of deterministic and stochastic processes in community assembly. <i>Plant Ecology and Diversity</i> , 2018, 11, 515-526. | 1.0 | 10 |
| 8312 | Biogeographical identity of the Mesoamerican dominion with emphasis on seasonally dry tropical forests. <i>Phytotaxa</i> , 2018, 376, 277. | 0.1 | 8 |
| 8313 | Pre-Roman improvements to agricultural production: Evidence from livestock husbandry in late prehistoric Italy. <i>PLoS ONE</i> , 2018, 13, e0208109. | 1.1 | 37 |
| 8314 | A Geospatial Assessment of Small-Scale Hydropower Potential in Sub-Saharan Africa. <i>Energies</i> , 2018, 11, 3100. | 1.6 | 44 |
| 8315 | The Potential Distribution of Tree Species in Three Periods of Time under a Climate Change Scenario. <i>Forests</i> , 2018, 9, 628. | 0.9 | 22 |
| 8316 | Fine-Scale Evaluation of Giant Panda Habitats and Countermeasures against the Future Impacts of Climate Change and Human Disturbance (2015-2050): A Case Study in Ya'an, China. <i>Sustainability</i> , 2018, 10, 1081. | 1.6 | 10 |
| 8317 | Decreasing brown bear (<i>Ursus arctos</i>) habitat due to climate change in Central Asia and the Asian Highlands. <i>Ecology and Evolution</i> , 2018, 8, 11887-11899. | 0.8 | 28 |
| 8318 | A novel dendroecological method finds a non-linear relationship between elevation and seasonal growth continuity on an island with trade wind-influenced water availability. <i>AoB PLANTS</i> , 2018, 10, p1070. | 1.2 | 8 |
| 8319 | The Geographic Variation of Surveillance and Zoonotic Spillover Potential of Influenza Viruses in Domestic Poultry and Swine. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy318. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8320 | Morphological Variation Tracks Environmental Gradients in an Agricultural Pest, <i>Phaulacridium vittatum</i> (Orthoptera: Acrididae). <i>Journal of Insect Science</i> , 2018, 18, . | 0.6 | 17 |
| 8321 | How Reliable is the Untrained Eye in the Identification of an Invasive Species? The Case of Alien Bee-Hawking Yellow-Legged Hornet in Iberian Peninsula. <i>Contemporary Problems of Ecology</i> , 2018, 11, 666-681. | 0.3 | 4 |
| 8322 | Effects of Climate Change on <i>Paralaudakia lehmanni</i> (Nicolisky, 1896) (Reptilia: Agamidae) in Central Asia. <i>Contemporary Problems of Ecology</i> , 2018, 11, 682-686. | 0.3 | 2 |
| 8323 | Effect of temperature on the biological parameters of the cabbage aphid <i>Brevicoryne brassicae</i> . <i>Ecology and Evolution</i> , 2018, 8, 11819-11832. | 0.8 | 21 |
| 8324 | North American Crop Wild Relatives, Volume 1. , 2018, , . | | 8 |
| 8325 | Expert-based and correlative models to map habitat quality: Which gives better support to conservation planning?. <i>Global Ecology and Conservation</i> , 2018, 16, e00513. | 1.0 | 52 |
| 8326 | An Open-Data Based Assessment of Expected Changes in Land Use and Water Availability as a Result of the Construction of the West Segment of the Nicaragua Interoceanic Canal. <i>Environments - MDPI</i> , 2018, 5, 14. | 1.5 | 2 |
| 8327 | Genetic and ecological niche modeling of <i>Calydorea crocoides</i> (Iridaceae): an endemic species of Subtropical Highland Grasslands. <i>Genetics and Molecular Biology</i> , 2018, 41, 327-340. | 0.6 | 2 |
| 8328 | Seed characteristic variations and genetic structure of wild <i>Zizania latifolia</i> along a latitudinal gradient in China: implications for neo-domestication as a grain crop. <i>AoB PLANTS</i> , 2018, 10, ply072. | 1.2 | 9 |
| 8329 | Bird Diversity Patterns in the Nuclear Central American Highlands: A Conservation Priority in the Northern Neotropics. <i>Tropical Conservation Science</i> , 2018, 11, 194008291881907. | 0.6 | 8 |
| 8330 | Agroclimatic zoning for coffee crop in Angola. <i>Pesquisa Agropecuaria Tropical</i> , 2018, 48, 19-28. | 1.0 | 3 |
| 8331 | Phylogeography of western Mediterranean <i>Cymbalaria</i> (Plantaginaceae) reveals two independent long-distance dispersals and entails new taxonomic circumscriptions. <i>Scientific Reports</i> , 2018, 8, 18079. | 1.6 | 2 |
| 8332 | Pest categorisation of <i>Septoria Amalagutii</i> . <i>EFSA Journal</i> , 2018, 16, e05509. | 0.9 | 0 |
| 8333 | Comparing the Applicability of Commonly Used Hydrological Ecosystem Services Models for Integrated Decision-Support. <i>Sustainability</i> , 2018, 10, 346. | 1.6 | 35 |
| 8334 | Conservation Status and Threat Assessments for North American Crop Wild Relatives. , 2018, , 189-208. | | 7 |
| 8335 | Impacts of climate on the biodiversity-productivity relationship in natural forests. <i>Nature Communications</i> , 2018, 9, 5436. | 5.8 | 54 |
| 8336 | Range extension to Santo Domingo de los Tsáchilas province and revised distribution of <i>Platyrrhinus chocoensis</i> (Phyllostomidae: Chiroptera) in western Ecuador. <i>Papeis Avulsos De Zoologia</i> , 0, 58, 10. | 0.4 | 2 |
| 8337 | First record of <i>Pleroma boraceiense</i> (Brade) P.J.F. Guim. & Justino (Melastomataceae) in Minas Gerais state, Brazil. <i>Feddes Repertorium</i> , 2018, 129, 233-240. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8338 | Understanding biogeographical patterns in the western Balkan Peninsula using environmental niche modelling and geostatistics in polymorphic <i>Edraianthus tenuifolius</i> . <i>AoB PLANTS</i> , 2018, 10, ply064. | 1.2 | 10 |
| 8339 | Quantifying in situ phenotypic variability in the hydraulic properties of four tree species across their distribution range in Europe. <i>PLoS ONE</i> , 2018, 13, e0196075. | 1.1 | 25 |
| 8340 | Playing Hide-and-Seek in Beta-Globin Genes: Gene Conversion Transferring a Beneficial Mutation between Differentially Expressed Gene Duplicates. <i>Genes</i> , 2018, 9, 492. | 1.0 | 9 |
| 8341 | Ecological differentiation facilitates fine-scale coexistence of sexual and asexual <i>Boechera</i> . <i>American Journal of Botany</i> , 2018, 105, 2051-2064. | 0.8 | 17 |
| 8342 | Environmental filtering along a broad-scale acidity gradient shapes the structure of odonate communities. <i>Ecosphere</i> , 2018, 9, e02473. | 1.0 | 3 |
| 8343 | Degrading permafrost puts Arctic infrastructure at risk by mid-century. <i>Nature Communications</i> , 2018, 9, 5147. | 5.8 | 327 |
| 8344 | Biotic resistance or introduction bias? Immigrant plant performance decreases with residence times over millennia. <i>Global Ecology and Biogeography</i> , 2019, 28, 222-237. | 2.7 | 17 |
| 8345 | Varying dataset resolution alters predictive accuracy of spatially explicit ensemble models for avian species distribution. <i>Ecology and Evolution</i> , 2018, 8, 12867-12878. | 0.8 | 4 |
| 8346 | Role of Modelling in International Crop Research: Overview and Some Case Studies. <i>Agronomy</i> , 2018, 8, 291. | 1.3 | 36 |
| 8347 | Evaluation of modeling strategies for assessing self-thinning behavior and carrying capacity. <i>Ecology and Evolution</i> , 2018, 8, 10768-10779. | 0.8 | 21 |
| 8348 | Green Salamander Estimated Abundance and Environmental Associations in South Carolina. <i>Journal of Herpetology</i> , 2018, 52, 437-443. | 0.2 | 3 |
| 8349 | Description of <i>Plagiolepis perperamus</i> , a New Species from East-Mediterranean and Redescription of <i>Plagiolepis pallescens</i> Forel, 1889 (Hymenoptera: Formicidae). <i>Annales Zoologici</i> , 2018, 68, 809-824. | 0.1 | 7 |
| 8350 | Timberline structure and woody taxa regeneration towards treeline along latitudinal gradients in Khangchendzonga National Park, Eastern Himalaya. <i>PLoS ONE</i> , 2018, 13, e0207762. | 1.1 | 23 |
| 8351 | Prevalence and Intra-Family Phylogenetic Divergence of <i>Burkholderiaceae</i> -Related Endobacteria Associated with Species of <i>Mortierella</i> . <i>Microbes and Environments</i> , 2018, 33, 417-427. | 0.7 | 30 |
| 8352 | The informative value of museum collections for ecology and conservation: A comparison with target sampling in the Brazilian Atlantic forest. <i>PLoS ONE</i> , 2018, 13, e0205710. | 1.1 | 11 |
| 8353 | Glacial Refugia and the Postglacial Migration of Dominant Tree Species in Northern China. <i>Springer Theses</i> , 2018, , 31-56. | 0.0 | 1 |
| 8354 | Short Communication: Aging of basalt volcanic systems and decreasing CO ₂ consumption by weathering. , 0, , . | | 1 |
| 8355 | Investigating taxon boundaries and extinction risk in endemic Chilean cacti (<i>Copiapoa</i> subsection) <i>Tj ETQq1 1 0.784314 rgBT /Overlook</i> Bulletin, 2018, 73, 1. | 0.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8356 | Modelling the potential distribution and shifts of three varieties of <i>Stipa tianschanica</i> in the eastern Eurasian Steppe under multiple climate change scenarios. <i>Global Ecology and Conservation</i> , 2018, 16, e00501. | 1.0 | 19 |
| 8357 | Hibernation temperature-dependent <i>Pseudogymnoascus destructans</i> infection intensity in Palearctic bats. <i>Virulence</i> , 2018, 9, 1734-1750. | 1.8 | 21 |
| 8358 | Monthly variation in the probability of presence of adult <i>Culicoides</i> populations in nine European countries and the implications for targeted surveillance. <i>Parasites and Vectors</i> , 2018, 11, 608. | 1.0 | 20 |
| 8359 | Widespread winners and narrow-ranged losers: Land use homogenizes biodiversity in local assemblages worldwide. <i>PLoS Biology</i> , 2018, 16, e2006841. | 2.6 | 165 |
| 8360 | Weed Flora of Citrus Orchards and Factors Affecting its Distribution in Western Mediterranean Region of Turkey. <i>Planta Daninha</i> , 2018, 36, . | 0.5 | 15 |
| 8361 | A Comparative Analysis of Global Datasets and Initiatives for Urban Health and Sustainability. <i>Sustainability</i> , 2018, 10, 3636. | 1.6 | 3 |
| 8362 | Does metabolism constrain bird and mammal ranges and predict shifts in response to climate change?. <i>Ecology and Evolution</i> , 2018, 8, 12375-12385. | 0.8 | 30 |
| 8363 | Nuclear DNA content variation of herbaceous angiosperm species on 10 global latitudinal transects ^{1,2} . <i>Journal of the Torrey Botanical Society</i> , 2018, 145, 340. | 0.1 | 3 |
| 8364 | Plant species-area relationships are determined by evenness, cover and aggregation in drylands worldwide. <i>Global Ecology and Biogeography</i> , 2019, 28, 290-299. | 2.7 | 10 |
| 8365 | Understanding dispersal limitation through the assessment of diversity patterns across phylogenetic scales below the species level. <i>Global Ecology and Biogeography</i> , 2019, 28, 353-364. | 2.7 | 11 |
| 8366 | Spatial scale-dependent phylogenetic signal in species distributions along geographic and elevation gradients in a mountainous rangeland. <i>Ecology and Evolution</i> , 2018, 8, 10364-10373. | 0.8 | 16 |
| 8367 | The carbon sequestration potential of China's grasslands. <i>Ecosphere</i> , 2018, 9, e02452. | 1.0 | 22 |
| 8368 | Ratooning as an adaptive management tool for climatic change in rice systems along a north-south transect in the southern Mississippi valley. <i>Agricultural and Forest Meteorology</i> , 2018, 263, 409-416. | 1.9 | 25 |
| 8369 | Direct modelling of limited migration improves projected distributions of Himalayan amphibians under climate change. <i>Biological Conservation</i> , 2018, 227, 352-360. | 1.9 | 33 |
| 8370 | Synopsis and potential geographical distribution of <i>Cotinis</i> (Coleoptera: Scarabaeidae: Cetoniinae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 00</i> | 0.6 | 0 |
| 8371 | Species distribution models and empirical test: Comparing predictions with well-understood geographical distribution of <i>Bothriopsis alternatus</i> in Argentina. <i>Ecology and Evolution</i> , 2018, 8, 10497-10509. | 0.8 | 15 |
| 8372 | How climate awareness influences farmers' adaptation decisions in Central America?. <i>Journal of Rural Studies</i> , 2018, 64, 11-19. | 2.1 | 27 |
| 8373 | Phylogeography of African Locust Bean (<i>Parkia biglobosa</i>) Reveals Genetic Divergence and Spatially Structured Populations in West and Central Africa. <i>Journal of Heredity</i> , 2018, 109, 811-824. | 1.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8374 | malariaAtlas: an R interface to global malariometric data hosted by the Malaria Atlas Project. <i>Malaria Journal</i> , 2018, 17, 352. | 0.8 | 69 |
| 8375 | Habitat suitability estimated by niche models is largely unrelated to species abundance. <i>Global Ecology and Biogeography</i> , 2018, 27, 1448-1456. | 2.7 | 90 |
| 8376 | A striking, critically endangered, new species of hillstar (Trochilidae: <i>Oreotrochilus</i>) from the southwestern Andes of Ecuador. <i>Auk</i> , 2018, 135, 1146-1171. | 0.7 | 19 |
| 8377 | A methodology to derive global maps of leaf traits using remote sensing and climate data. <i>Remote Sensing of Environment</i> , 2018, 218, 69-88. | 4.6 | 104 |
| 8378 | Transplant Experiments Point to Fire Regime as Limiting Savanna Tree Distribution. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, . | 1.1 | 14 |
| 8379 | Identifying drivers of historical genetic decline in an endemic Patagonian rodent, the colonial tuco-tuco, <i>Ctenomys sociabilis</i> (Rodentia: Ctenomyidae). <i>Biological Journal of the Linnean Society</i> , 2018, , . | 0.7 | 3 |
| 8380 | Spatial scale changes the relationship between beta diversity, species richness and latitude. <i>Royal Society Open Science</i> , 2018, 5, 181168. | 1.1 | 29 |
| 8381 | Climatic niche comparison among ploidal levels in the classic autopolyploid system, <i>Galax urceolata</i> . <i>American Journal of Botany</i> , 2018, 105, 1631-1642. | 0.8 | 27 |
| 8382 | Reconstruction and Future Prediction of the Distribution of Wetlands in China. <i>Earth's Future</i> , 2018, 6, 1508-1517. | 2.4 | 19 |
| 8383 | Species richness, phylogenetic and functional structure of bird communities in Chinese university campuses are associated with divergent variables. <i>Urban Ecosystems</i> , 2018, 21, 1213-1225. | 1.1 | 17 |
| 8384 | Predicting the range of a regionally threatened, benthic fish using species distribution models and field surveys. <i>Journal of Fish Biology</i> , 2018, 93, 972-977. | 0.7 | 4 |
| 8385 | Syntaxonomy and biogeography of dry grasslands on calcareous substrates in the central and southern Balkans. <i>Applied Vegetation Science</i> , 2018, 21, 488-513. | 0.9 | 9 |
| 8386 | Novel ecological and climatic conditions drive rapid adaptation in invasive Florida Burmese pythons. <i>Molecular Ecology</i> , 2018, 27, 4744-4757. | 2.0 | 30 |
| 8387 | A Water Allocation Decisionâ€Support Model and Tool for Predictions in Ungauged Basins in Northeast British Columbia, Canada. <i>Journal of the American Water Resources Association</i> , 2018, 54, 676-693. | 1.0 | 5 |
| 8388 | Combining Landscape Genomics and Ecological Modelling to Investigate Local Adaptation of Indigenous Ugandan Cattle to East Coast Fever. <i>Frontiers in Genetics</i> , 2018, 9, 385. | 1.1 | 53 |
| 8389 | Unscrambling phylogenetic effects and ecological determinants of chromosome number in major angiosperm clades. <i>Scientific Reports</i> , 2018, 8, 14258. | 1.6 | 22 |
| 8390 | Winter temperature structures mangrove species distributions and assemblage composition in China. <i>Global Ecology and Biogeography</i> , 2018, 27, 1492-1506. | 2.7 | 17 |
| 8391 | Reconciling species diversity in a tropical plant clade (Canarium, Burseraceae). <i>PLoS ONE</i> , 2018, 13, e0198882. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 8392 | Modelling the habitat suitability of the Arabian sand boa <i>Eryx jayakari</i> (Serpentes: Erycidae). <i>Zoology and Ecology</i> , 2018, 28, 337-342. | 0.2 | 0 |
| 8393 | Biogeographical Patterns of Species Richness and Abundance Distribution in Stream Diatoms Are Driven by Climate and Water Chemistry. <i>American Naturalist</i> , 2018, 192, 605-617. | 1.0 | 14 |
| 8394 | Genomic data reject the hypothesis of sympatric ecological speciation in a clade of <i>Desmognathus</i> salamanders. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2378-2393. | 1.1 | 20 |
| 8395 | Parapatric subspecies of <i>Macaca assamensis</i> show a marginal overlap in their predicted potential distribution: Some elaborations for modern conservation management. <i>Ecology and Evolution</i> , 2018, 8, 9712-9727. | 0.8 | 10 |
| 8396 | The genomic basis of environmental adaptation in house mice. <i>PLoS Genetics</i> , 2018, 14, e1007672. | 1.5 | 65 |
| 8397 | Evaluating collinearity effects on species distribution models: An approach based on virtual species simulation. <i>PLoS ONE</i> , 2018, 13, e0202403. | 1.1 | 204 |
| 8398 | Where will Invasive Plants Colonize in Response to Climate Change: Predicting the Invasion of <i>Galinsoga quadriradiata</i> in China. <i>International Journal of Environmental Research</i> , 2018, 12, 929-938. | 1.1 | 10 |
| 8399 | The effect of pseudo-absence selection method on transferability of species distribution models in the context of non-adaptive niche shift. <i>Ecological Modelling</i> , 2018, 388, 1-9. | 1.2 | 16 |
| 8400 | Plant functional trait change across a warming tundra biome. <i>Nature</i> , 2018, 562, 57-62. | 13.7 | 451 |
| 8401 | Range dynamics of Palaearctic steppe species under glacial cycles: the phylogeography of <i>Proterebia afra</i> (Lepidoptera: Nymphalidae: Satyrinae). <i>Biological Journal of the Linnean Society</i> , 0, , . | 0.7 | 2 |
| 8402 | Rainfall seasonality and drought performance shape the distribution of tropical tree species in Ghana. <i>Ecology and Evolution</i> , 2018, 8, 8582-8597. | 0.8 | 16 |
| 8403 | Development of Spatial Distribution Model using GIS to Identify Social Support Index Among Drug-Abuse Inmates. <i>International Journal of Engineering and Technology(UAE)</i> , 2018, 7, 1. | 0.2 | 2 |
| 8404 | Habitat loss of a rainforest specialist pollinator fly as an indicator of conservation status of the South American Temperate Rainforests. <i>Journal of Insect Conservation</i> , 2018, 22, 745-755. | 0.8 | 12 |
| 8405 | Signatures of genetic adaptation to extremely varied Australian environments in introduced European house sparrows. <i>Molecular Ecology</i> , 2018, 27, 4542-4555. | 2.0 | 16 |
| 8406 | OCLE: A European open access database on climate change effects on littoral and oceanic ecosystems. <i>Progress in Oceanography</i> , 2018, 168, 222-231. | 1.5 | 11 |
| 8407 | Scarce population genetic differentiation but substantial spatiotemporal phenotypic variation of water-use efficiency in <i>Pinus sylvestris</i> at its western distribution range. <i>European Journal of Forest Research</i> , 2018, 137, 863-878. | 1.1 | 14 |
| 8408 | Global relationships between biodiversity and nature-based tourism in protected areas. <i>Ecosystem Services</i> , 2018, 34, 11-23. | 2.3 | 58 |
| 8409 | Using insects to detect, monitor and predict the distribution of <i>Xylella fastidiosa</i> : a case study in Corsica. <i>Scientific Reports</i> , 2018, 8, 15628. | 1.6 | 69 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8410 | Climate suggests environmental-dependent selection on lizard colour morphs. <i>Journal of Biogeography</i> , 2018, 45, 2791-2802. | 1.4 | 20 |
| 8411 | Distribution and habitat associations of the Critically Endangered frog <i>Walkerana phrynoderma</i> (Anura: Ranixalidae), with an assessment of potential threats, abundance, and morphology. <i>Phyllomedusa</i> , 2018, 17, 21. | 0.2 | 2 |
| 8412 | Island biogeography and ecological modeling of the amblypygid <i>Phrynus marginemaculatus</i> in the Florida Keys archipelago. <i>Ecology and Evolution</i> , 2018, 8, 9139-9151. | 0.8 | 3 |
| 8413 | Ecometrics: A Trait-Based Approach to Paleoclimate and Paleoenvironmental Reconstruction. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2018, , 373-394. | 0.1 | 18 |
| 8414 | Climate change threatens central Tunisian nut orchards. <i>International Journal of Biometeorology</i> , 2018, 62, 2245-2255. | 1.3 | 33 |
| 8415 | Complex body size differences in thermal tolerance among army ant workers (<i>Eciton burchellii</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> | 1.1 | 16 |
| 8416 | Reconstructing Paleoclimate and Paleoeecology Using Fossil Leaves. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2018, , 289-317. | 0.1 | 47 |
| 8417 | Impacts of shaded agroforestry management on carbon sequestration, biodiversity and farmers income in cocoa production landscapes. <i>Landscape Ecology</i> , 2018, 33, 1953-1974. | 1.9 | 38 |
| 8418 | Contrasting spatial, temporal and environmental patterns in observation and specimen based species occurrence data. <i>PLoS ONE</i> , 2018, 13, e0196417. | 1.1 | 32 |
| 8419 | Riverine barrier effects on population genetic structure of the Hanuman langur (<i>Semnopithecus</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> | 3.2 | 10 |
| 8420 | Detecting local risk factors for residual malaria in northern Ghana using Bayesian model averaging. <i>Malaria Journal</i> , 2018, 17, 343. | 0.8 | 21 |
| 8421 | Climate change impacts on the distribution of the allergenic plant, common ragweed (<i>Ambrosia</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> | 1.1 | 24 |
| 8422 | Empirical Predictability of Community Responses to Climate Change. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, . | 1.1 | 26 |
| 8423 | Identifying the determinants of tree distributions along a large ephemeral river. <i>Ecosphere</i> , 2018, 9, e02223. | 1.0 | 4 |
| 8424 | Incomplete species lists derived from global and regional specimen-record databases affect macroecological analyses: A case study on the vascular plants of China. <i>Journal of Biogeography</i> , 2018, 45, 2718-2729. | 1.4 | 29 |
| 8425 | Temperature seasonality in the North American continental interior during the Early Eocene Climatic Optimum. <i>Climate of the Past</i> , 2018, 14, 1391-1404. | 1.3 | 25 |
| 8426 | The Specialist Capuchin? Using Ecological Niche Models to Compare Niche Breadth in Mesoamerican Primates. <i>Developments in Primatology</i> , 2018, , 311-329. | 0.7 | 4 |
| 8427 | Global patterns in the metacommunity structuring of lake macrophytes: regional variations and driving factors. <i>Oecologia</i> , 2018, 188, 1167-1182. | 0.9 | 55 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8428 | Constraints on the Cenozoic Deformation of the Northern Eastern Cordillera, Colombia. <i>Tectonics</i> , 2018, 37, 4311-4337. | 1.3 | 17 |
| 8429 | Local environment and space drive multiple facets of stream macroinvertebrate beta diversity. <i>Journal of Biogeography</i> , 2018, 45, 2744-2754. | 1.4 | 82 |
| 8430 | Effects of endogenous and exogenous processes on aboveground biomass stocks and dynamics in Andean forests. <i>Plant Ecology</i> , 2018, 219, 1481-1492. | 0.7 | 24 |
| 8431 | Modelling the spatial distribution of aquatic insects (Order Hemiptera) potentially involved in the transmission of <i>Mycobacterium ulcerans</i> in Africa. <i>Parasites and Vectors</i> , 2018, 11, 501. | 1.0 | 10 |
| 8432 | Roles of environmental and spatial factors in structuring assemblages of forest-floor Mesostigmata in the boreal region of Northern Alberta, Canada. <i>International Journal of Acarology</i> , 2018, 44, 300-309. | 0.3 | 7 |
| 8433 | Human variation in the shape of the birth canal is significant and geographically structured. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181807. | 1.2 | 62 |
| 8434 | Better late than never: a synthesis of strategic land retirement and restoration in California. <i>Ecosphere</i> , 2018, 9, e02367. | 1.0 | 17 |
| 8435 | Habitat modeling of the common pheasant <i>Phasianus colchicus</i> (Galliformes: Phasianidae) in a highly modified landscape: application of species distribution models in the study of a poorly documented bird in Iran. , 2018, 85, 372-380. | | 20 |
| 8436 | A Case of Need: Linking Traits to Genebank Accessions. <i>Biopreservation and Biobanking</i> , 2018, 16, 337-349. | 0.5 | 37 |
| 8437 | Using species distribution modelling to determine opportunities for trophic rewilding under future scenarios of climate change. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170446. | 1.8 | 50 |
| 8438 | Nunataks or massif de refuge? A phylogeographic study of <i>Rhodiola crenulata</i> (Crassulaceae) on the world's highest sky islands. <i>BMC Evolutionary Biology</i> , 2018, 18, 154. | 3.2 | 19 |
| 8439 | The influence of the Gondwanan breakup on the biogeographic history of the ziziphoids (Rhamnaceae). <i>Journal of Biogeography</i> , 2018, 45, 2669-2677. | 1.4 | 28 |
| 8440 | Environmental niche unfilling but limited options for range expansion by active dispersal in an alien cavity-nesting wasp. <i>BMC Ecology</i> , 2018, 18, 36. | 3.0 | 17 |
| 8441 | How far can climate changes help to conserve and restore <i>Garcinia kola</i> Heckel, an extinct species in the wild in Benin (West Africa). <i>International Journal of Biodiversity and Conservation</i> , 2018, 10, 203-213. | 0.4 | 11 |
| 8442 | Impacts of the Asian interior arid zone on phylogeographic patterns in the eastern Asian flora revealed by two <i>Potamogeton</i> species (Potamogetonaceae): east-west divergence within species and barriers to north-south dispersal. <i>Botanical Journal of the Linnean Society</i> , 2018, , . | 0.8 | 0 |
| 8443 | Post-glacial range revolutions in South European hares (<i>Lepus</i> spp.): Insights from ancient <i>scp</i> DNA and ecological niche modelling. <i>Journal of Biogeography</i> , 2018, 45, 2609-2618. | 1.4 | 10 |
| 8444 | Recent Fragmentation May Not Alter Genetic Patterns in Endangered Long-Lived Species: Evidence From <i>Taxus cuspidata</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 1571. | 1.7 | 24 |
| 8445 | Multiple refugia from penultimate glaciations in East Asia demonstrated by phylogeography and ecological modelling of an insect pest. <i>BMC Evolutionary Biology</i> , 2018, 18, 152. | 3.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 8446 | Comparative niche modeling of two bush-shrikes (<i>Laniarius</i>) and the conservation of mid-elevation Afromontane forests of the Albertine Rift. <i>Condor</i> , 2018, 120, 803-814. | 0.7 | 7 |
| 8447 | Predicting the potential distribution of the endangered red panda across its entire range using MaxEnt modeling. <i>Ecology and Evolution</i> , 2018, 8, 10542-10554. | 0.8 | 92 |
| 8448 | Climatic niche breadth determines the response of bumblebees (<i>Bombus</i> spp.) to climate warming in mountain areas of the Northern Iberian Peninsula. <i>Journal of Insect Conservation</i> , 2018, 22, 771-779. | 0.8 | 14 |
| 8449 | Application of QUAL2Kw to the Oglio River (Northern Italy) to assess diffuse N pollution via river-groundwater interaction. <i>Journal of Limnology</i> , 0, , . | 0.3 | 3 |
| 8450 | The role of local adaptation in sustainable production of village chickens. <i>Nature Sustainability</i> , 2018, 1, 574-582. | 11.5 | 43 |
| 8451 | The spatial ecology of phytoplankton blooms in UK canals. <i>Inland Waters</i> , 2018, 8, 422-433. | 1.1 | 5 |
| 8452 | Evolutionary melting pots and reproductive isolation: A ring-shaped diversification of an odorous frog (<i>Odorrana margaratea</i>) around the Sichuan Basin. <i>Molecular Ecology</i> , 2018, 27, 4888-4900. | 2.0 | 17 |
| 8453 | Change in dominance determines herbivore effects on plant biodiversity. <i>Nature Ecology and Evolution</i> , 2018, 2, 1925-1932. | 3.4 | 140 |
| 8454 | Towards Modelling Future Trends of Quebec's Boreal Birds' Species Distribution under Climate Change. <i>ISPRS International Journal of Geo-Information</i> , 2018, 7, 335. | 1.4 | 5 |
| 8455 | Identifying long-term stable refugia for relict plant species in East Asia. <i>Nature Communications</i> , 2018, 9, 4488. | 5.8 | 149 |
| 8456 | Distribution and conservation of <i>Aniba</i> Aubl. (Lauraceae Jussieu) species in Brazil. <i>Biota Neotropica</i> , 2018, 18, . | 0.2 | 5 |
| 8457 | Latitudinal Adaptation of Flowering Response to Photoperiod and Temperature in the World Collection of Sorghum Landraces. <i>Crop Science</i> , 2018, 58, 1265-1276. | 0.8 | 3 |
| 8458 | Latitudinal patterns and environmental drivers of moss layer cover in extratropical forests. <i>Global Ecology and Biogeography</i> , 2018, 27, 1213-1224. | 2.7 | 13 |
| 8459 | Two new and potentially highly threatened Megophrys Horned frogs (Amphibia: Megophryidae) from Indochina's highest mountains. <i>Zootaxa</i> , 2018, 4508, 301. | 0.2 | 27 |
| 8460 | Identifying priority conservation areas for birds associated to endangered Neotropical dry forests. <i>Biological Conservation</i> , 2018, 228, 205-214. | 1.9 | 38 |
| 8461 | Pollination niche availability facilitates colonization of <i>Guettarda speciosa</i> with heteromorphic self-incompatibility on oceanic islands. <i>Scientific Reports</i> , 2018, 8, 13765. | 1.6 | 4 |
| 8462 | Loss of potential bat habitat following a severe wildfire: a model-based rapid assessment. <i>International Journal of Wildland Fire</i> , 2018, 27, 756. | 1.0 | 60 |
| 8463 | Climate change-driven range losses among bumblebee species are poised to accelerate. <i>Scientific Reports</i> , 2018, 8, 14464. | 1.6 | 61 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8464 | Pocket gopher (<i>Thomomys talpoides</i>) soil disturbance peaks at mid-elevation and is associated with air temperature, forb cover, and plant diversity. <i>Arctic, Antarctic, and Alpine Research</i> , 2018, 50, . | 0.4 | 10 |
| 8465 | Long-distance migratory birds threatened by multiple independent risks from global change. <i>Nature Climate Change</i> , 2018, 8, 992-996. | 8.1 | 86 |
| 8466 | Soil resources and element stocks in drylands to face global issues. <i>Scientific Reports</i> , 2018, 8, 13788. | 1.6 | 126 |
| 8467 | Breeding sites of a narrowly distributed amphibian, a key element in its conservation in the face of global change. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 1089-1098. | 0.9 | 7 |
| 8468 | Fertilizer management effects on oil palm yield and nutrient use efficiency on sandy soils with limited water supply in Central Kalimantan. <i>Nutrient Cycling in Agroecosystems</i> , 2018, 112, 317-333. | 1.1 | 8 |
| 8469 | Modeling the distribution of <i>Populus euphratica</i> in the Heihe River Basin, an inland river basin in an arid region of China. <i>Science China Earth Sciences</i> , 2018, 61, 1669-1684. | 2.3 | 19 |
| 8470 | Evidence for Self-Similar Bedload Transport on Andean Alluvial Fans, Iglesia Basin, South Central Argentina. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018, 123, 2292-2315. | 1.0 | 8 |
| 8471 | Impacts of certification, uncertified concessions, and protected areas on forest loss in Cameroon, 2000 to 2013. <i>Biological Conservation</i> , 2018, 227, 160-166. | 1.9 | 25 |
| 8472 | Using Google search data to inform global climate change adaptation policy. <i>Climatic Change</i> , 2018, 150, 447-456. | 1.7 | 13 |
| 8473 | Fine- and broad-scale distribution of a cushion plant species: Patterns and predictors for <i>Euphorbia clavarioides</i> . <i>Arctic, Antarctic, and Alpine Research</i> , 2018, 50, . | 0.4 | 2 |
| 8474 | Genetic diversity of <i>Ceiba pentandra</i> in Colombian seasonally dry tropical forest: Implications for conservation and management. <i>Biological Conservation</i> , 2018, 227, 29-37. | 1.9 | 9 |
| 8475 | Predicting impacts of climate variability on habitats of <i>Hippophae salicifolia</i> (D. Don) (Seabuckthorn) in Central Himalayas: Future challenges. <i>Ecological Informatics</i> , 2018, 48, 135-146. | 2.3 | 21 |
| 8476 | The effect of large sample sizes on ecological niche models: Analysis using a North American rodent, <i>Peromyscus maniculatus</i> . <i>Ecological Modelling</i> , 2018, 386, 83-88. | 1.2 | 22 |
| 8477 | Human footprint and climate disappearance in vulnerable ecoregions of protected areas. <i>Global and Planetary Change</i> , 2018, 170, 260-268. | 1.6 | 9 |
| 8478 | Population genomics and morphometric assignment of western honey bees (<i>Apis mellifera</i> L.) in the Republic of South Africa. <i>BMC Genomics</i> , 2018, 19, 615. | 1.2 | 18 |
| 8479 | Variations and determinants of carbon content in plants: a global synthesis. <i>Biogeosciences</i> , 2018, 15, 693-702. | 1.3 | 170 |
| 8480 | High Genetic Diversity and Connectivity Among Populations of <i>Quercus candicans</i> , <i>Quercus crassifolia</i> , and <i>Quercus castanea</i> in a Heterogeneous Landscape in Mexico. <i>Tropical Conservation Science</i> , 2018, 11, 194008291876619. | 0.6 | 9 |
| 8481 | Assessing the implications of a 1.5°C temperature limit for the Jamaican agriculture sector. <i>Regional Environmental Change</i> , 2018, 18, 2313-2327. | 1.4 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8482 | Priority areas for conservation within four freshwater ecoregions in South America: A scale perspective based on freshwater crabs (<i>Anomura</i> , <i>Aeglidae</i>). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 1077-1088. | 0.9 | 8 |
| 8483 | Species divergence and maintenance of species cohesion of three closely related <i>Primula</i> species in the Qinghai-Tibet Plateau. <i>Journal of Biogeography</i> , 2018, 45, 2495-2507. | 1.4 | 16 |
| 8484 | Environmental Influences on Neuromorphology in the Non-Native Starling <i>Sturnus vulgaris</i> . <i>Brain, Behavior and Evolution</i> , 2018, 92, 63-70. | 0.9 | 2 |
| 8485 | Pleistocene divergence of two disjunct conifers in the eastern Australian temperate zone. <i>Biological Journal of the Linnean Society</i> , 2018, , . | 0.7 | 3 |
| 8486 | Combining phylogeography and landscape genetics to infer the evolutionary history of a short-range Mediterranean relict, <i>Salamandra salamandra longirostris</i> . <i>Conservation Genetics</i> , 2018, 19, 1411-1424. | 0.8 | 15 |
| 8487 | Greenhouse gas emissions and crop yield in no-tillage systems: A meta-analysis. <i>Agriculture, Ecosystems and Environment</i> , 2018, 268, 144-153. | 2.5 | 135 |
| 8488 | Usutu virus induced mass mortalities of songbirds in Central Europe: Are habitat models suitable to predict dead birds in unsampled regions?. <i>Preventive Veterinary Medicine</i> , 2018, 159, 162-170. | 0.7 | 8 |
| 8489 | Leaf adaptations and species boundaries in North American <i>Cercis</i> : implications for the evolution of dry floras. <i>American Journal of Botany</i> , 2018, 105, 1577-1594. | 0.8 | 10 |
| 8490 | Machine learning approaches in GIS-based ecological modeling of the sand fly <i>Phlebotomus papatasi</i> , a vector of zoonotic cutaneous leishmaniasis in Golestan province, Iran. <i>Acta Tropica</i> , 2018, 188, 187-194. | 0.9 | 54 |
| 8491 | Climatic niche and potential distribution of <i>Tithonia diversifolia</i> (Hemsl.) A. Gray in Africa. <i>PLoS ONE</i> , 2018, 13, e0202421. | 1.1 | 17 |
| 8492 | Fauna of mosquitoes (Diptera: Culicidae) in Goytacazes National Forest and surrounding area, State of Esp rito Santo, Southeastern Brazil. <i>Biota Neotropica</i> , 2018, 18, . | 0.2 | 3 |
| 8493 | Niche theory and its relation to morphology and phenotype in geographic space: a case study in woodpeckers (Picidae). <i>Journal of Avian Biology</i> , 2018, 49, e01771. | 0.6 | 4 |
| 8494 | Mapping global risk levels of <i>Bemisia tabaci</i> in areas of suitability for open field tomato cultivation under current and future climates. <i>PLoS ONE</i> , 2018, 13, e0198925. | 1.1 | 50 |
| 8495 | Uncertainty in data for hydrological ecosystem services modelling: Potential implications for estimating services and beneficiaries for the CAZ Madagascar. <i>Ecosystem Services</i> , 2018, 33, 175-186. | 2.3 | 15 |
| 8496 | Disentangling effects of climate and land-use change on West African drylands' forage supply. <i>Global Environmental Change</i> , 2018, 53, 24-38. | 3.6 | 28 |
| 8497 | Vanishing refuge? Testing the forest refuge hypothesis in coastal East Africa using genome-wide sequence data for seven amphibians. <i>Molecular Ecology</i> , 2018, 27, 4289-4308. | 2.0 | 37 |
| 8498 | Mitigation strategies for conserving bird diversity under climate change scenarios in Europe: The role of forest naturalization. <i>PLoS ONE</i> , 2018, 13, e0202009. | 1.1 | 6 |
| 8499 | Interspecific variation in leaf functional and defensive traits in oak species and its underlying climatic drivers. <i>PLoS ONE</i> , 2018, 13, e0202548. | 1.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8500 | Understanding snow hydrological processes through the lens of stable water isotopes. Wiley Interdisciplinary Reviews: Water, 2018, 5, e1311. | 2.8 | 76 |
| 8501 | Genetic differentiation, phenotypic plasticity and adaptation in a hybridizing pair of a more common and a less common <i>Carex</i> species. <i>Alpine Botany</i> , 2018, 128, 149-167. | 1.1 | 4 |
| 8502 | Spatial sampling bias in the <i>Neotoma</i> paleoecological archives affects species paleo-distribution models. <i>Quaternary Science Reviews</i> , 2018, 198, 115-125. | 1.4 | 8 |
| 8503 | Digital soil assessment for quantifying soil constraints to crop production: a case study for rice in Punjab, India. <i>Soil Use and Management</i> , 2018, 34, 533-541. | 2.6 | 4 |
| 8504 | Climate analysis for agricultural improvement of the Economic Community of West African States according to Kppen and Thornthwaite. <i>African Journal of Agricultural Research Vol Pp</i> , 2018, 13, 1198-1212. | 0.2 | 6 |
| 8505 | Habitat is more important than climate and animal richness at shaping latitudinal variation in plant diversity in China. <i>Biodiversity and Conservation</i> , 2018, 27, 3679-3691. | 1.2 | 5 |
| 8506 | Floristic and structural assessment of Australian rangeland vegetation with standardized plot-based surveys. <i>PLoS ONE</i> , 2018, 13, e0202073. | 1.1 | 11 |
| 8507 | Changes in the Geographic Distribution of the <i>Diana Fritillary</i> (<i>Speyeria diana</i> : Nymphalidae) under Forecasted Predictions of Climate Change. <i>Insects</i> , 2018, 9, 94. | 1.0 | 2 |
| 8508 | Biomass data for young, planted Norway spruce (<i>Picea abies</i> (L.) Karst.) trees in Eastern Carpathians of Romania. <i>Data in Brief</i> , 2018, 19, 2384-2392. | 0.5 | 4 |
| 8509 | Meeting global land restoration and protection targets: What would the world look like in 2050?. <i>Global Environmental Change</i> , 2018, 52, 259-272. | 3.6 | 71 |
| 8510 | Identification of endemic vascular plant species hotspots and the effectiveness of the protected areas for their conservation in Sierra Madre Oriental, Mexico. <i>Journal for Nature Conservation</i> , 2018, 46, 6-27. | 0.8 | 20 |
| 8511 | Community patterns and environmental drivers in hyper-diverse kwongan scrub vegetation of Western Australia. <i>Applied Vegetation Science</i> , 2018, 21, 694-722. | 0.9 | 17 |
| 8512 | Modeling anthropogenic and natural fire ignitions in an inner-alpine valley. <i>Natural Hazards and Earth System Sciences</i> , 2018, 18, 935-948. | 1.5 | 35 |
| 8513 | Can climate and soil conditions change the morpho-anatomy among individuals from different localities? A case study in <i>Aldama grandiflora</i> (Asteraceae). <i>Brazilian Journal of Biology</i> , 2018, 78, 706-717. | 0.4 | 5 |
| 8514 | Tropical Protected Areas Under Increasing Threats from Climate Change and Deforestation. <i>Land</i> , 2018, 7, 90. | 1.2 | 28 |
| 8515 | Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2018, 18, . | 0.4 | 9 |
| 8516 | Seed mass predicts migration lag of European trees. <i>Annals of Forest Science</i> , 2018, 75, 1. | 0.8 | 5 |
| 8517 | Capitalizing on a wealth of spatial information: Improving biogeographic regionalization through the use of spatial clustering. <i>Applied Geography</i> , 2018, 99, 98-108. | 1.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8518 | Anthropogenic and environmental factors affect the tree line position of <i>Fagus sylvatica</i> along the Apennines (Italy). <i>Journal of Biogeography</i> , 2018, 45, 2595-2608. | 1.4 | 29 |
| 8519 | Where on Earth are the "tropics"? <i>Frontiers of Biogeography</i> , 2018, 10, . | 0.8 | 19 |
| 8520 | Remoteness promotes biological invasions on islands worldwide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9270-9275. | 3.3 | 114 |
| 8521 | Parasites and politics: why cross-cultural studies must control for relatedness, proximity and covariation. <i>Royal Society Open Science</i> , 2018, 5, 181100. | 1.1 | 49 |
| 8522 | Multinomial Logistic Regression and Random Forest Classifiers in Digital Mapping of Soil Classes in Western Haiti. <i>Revista Brasileira De Ciencia Do Solo</i> , 2018, 42, . | 0.5 | 15 |
| 8523 | Application of Thermal and Phenological Land Surface Parameters for Improving Ecological Niche Models of <i>Betula utilis</i> in the Himalayan Region. <i>Remote Sensing</i> , 2018, 10, 814. | 1.8 | 21 |
| 8524 | First genome-wide analysis of the endangered, endemic lichen <i>Cetradonia linearis</i> reveals isolation by distance and strong population structure. <i>American Journal of Botany</i> , 2018, 105, 1556-1567. | 0.8 | 27 |
| 8525 | Changing Thermal Landscapes: Merging Climate Science and Landscape Ecology through Thermal Biology. <i>Current Landscape Ecology Reports</i> , 2018, 3, 57-72. | 1.1 | 43 |
| 8526 | Alternative tree species under climate warming in managed European forests. <i>Forest Ecology and Management</i> , 2018, 430, 485-497. | 1.4 | 119 |
| 8527 | Distribution patterns and habitat preference for the genera-group Blepharida s.l. in Sub-Saharan Africa (Coleoptera: Chrysomelidae: Galerucinae: Alticini). <i>Zoologischer Anzeiger</i> , 2018, 277, 23-32. | 0.4 | 16 |
| 8528 | Proposing an early-warning system for optimal management of protected areas (Case study: Darmiyan) <i>Tj ETQq0 0.0 rgt /Overlock 10</i> | 0.8 | 23 |
| 8529 | Integrative species delimitation in practice: Revealing cryptic lineages within the short-nosed skink <i>Plestiodon brevirostris</i> (Squamata: Scincidae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 129, 242-257. | 1.2 | 17 |
| 8530 | Carbon sink despite large deforestation in African tropical dry forests (miombo woodlands). <i>Environmental Research Letters</i> , 2018, 13, 094017. | 2.2 | 22 |
| 8531 | Estimating the population size of lemurs based on their mutualistic food trees. <i>Journal of Biogeography</i> , 2018, 45, 2546-2563. | 1.4 | 10 |
| 8532 | Discovery of two new species of <i>Crotalaria</i> (Leguminosae, Crotalarieae) from Western Ghats, India. <i>PLoS ONE</i> , 2018, 13, e0192226. | 1.1 | 7 |
| 8533 | Climate variability impacts on rice production in the Philippines. <i>PLoS ONE</i> , 2018, 13, e0201426. | 1.1 | 61 |
| 8534 | Climate complexity in the migratory cycle of <i>Ammodramus bairdii</i> . <i>PLoS ONE</i> , 2018, 13, e0202678. | 1.1 | 6 |
| 8535 | Phenotypic variability of <i>Fraxinus excelsior</i> L. and <i>Fraxinus angustifolia</i> Vahl under the ash dieback disease in the Czech Republic. <i>Journal of Forest Science</i> , 2018, 64, 279-288. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8536 | The role of climate on floristic composition in a latitudinal gradient in the Brazilian Atlantic Forest. <i>Plant Ecology and Evolution</i> , 2018, 151, 303-313. | 0.3 | 6 |
| 8537 | Segmented strain accumulation in the High Himalaya expressed in river channel steepness. , 2018, 14, 1131-1149. | | 16 |
| 8538 | ACSSC 2018 Session TP1a. , 2018, , . | | 0 |
| 8539 | Robust Unsupervised Two Layered Network with RRAM Synapses for Image Recognition. , 2018, , . | | 0 |
| 8540 | Network Semantic Segmentation with Application to GitHub. , 2018, , . | | 0 |
| 8541 | Current and potential distribution of the ectomycorrhizal fungus <i>Suillus lakei</i> ((Murrill) A.H. Sm.) Tj ETQq1 1 0.784314 rgBT /Overlock 15 | 1.3 | 15 |
| 8542 | Random subset feature selection for ecological niche models of wildfire activity in Western North America. <i>Ecological Modelling</i> , 2018, 383, 52-68. | 1.2 | 18 |
| 8543 | Embolism and mechanical resistances play a key role in dehydration tolerance of a perennial grass <i>Dactylis glomerata</i> L.. <i>Annals of Botany</i> , 2018, 122, 325-336. | 1.4 | 28 |
| 8544 | Vulnerability of the global terrestrial ecosystems to climate change. <i>Global Change Biology</i> , 2018, 24, 4095-4106. | 4.2 | 166 |
| 8545 | Temporal response of soil organic carbon after grassland-related land-use change. <i>Global Change Biology</i> , 2018, 24, 4731-4746. | 4.2 | 44 |
| 8546 | Global controls on carbon storage in mangrove soils. <i>Nature Climate Change</i> , 2018, 8, 534-538. | 8.1 | 216 |
| 8547 | Legume abundance along successional and rainfall gradients in Neotropical forests. <i>Nature Ecology and Evolution</i> , 2018, 2, 1104-1111. | 3.4 | 107 |
| 8548 | Mapping the suitability for ice-core drilling of glaciers in the European Alps and the Asian High Mountains. <i>Journal of Glaciology</i> , 2018, 64, 12-26. | 1.1 | 4 |
| 8549 | Inter-comparison of multiple statistically downscaled climate datasets for the Pacific Northwest, USA. <i>Scientific Data</i> , 2018, 5, 180016. | 2.4 | 19 |
| 8550 | Assessing the role of aridity-induced vicariance and ecological divergence in species diversification in North-West Africa using <i>Agama</i> lizards. <i>Biological Journal of the Linnean Society</i> , 2018, 124, 363-380. | 0.7 | 17 |
| 8551 | A procedure to assess the spatial variability in the importance of abiotic factors affecting distributions: the case of world freshwater fishes. <i>Environmental Epigenetics</i> , 2018, 64, 549-557. | 0.9 | 3 |
| 8552 | Naturalgwas: An R package for evaluating genomewide association methods with empirical data. <i>Molecular Ecology Resources</i> , 2018, 18, 789-797. | 2.2 | 9 |
| 8553 | Effects of grazing on net primary productivity, evapotranspiration and water use efficiency in the grasslands of Xinjiang, China. <i>Journal of Arid Land</i> , 2018, 10, 588-600. | 0.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8554 | Do long-distance migratory birds track their niche through seasons?. <i>Journal of Biogeography</i> , 2018, 45, 1459-1468. | 1.4 | 50 |
| 8555 | Predicting genotype environmental range from genome-environment associations. <i>Molecular Ecology</i> , 2018, 27, 2823-2833. | 2.0 | 18 |
| 8556 | Frost and leaf-size gradients in forests: global patterns and experimental evidence. <i>New Phytologist</i> , 2018, 219, 565-573. | 3.5 | 26 |
| 8557 | The projected effect on insects, vertebrates, and plants of limiting global warming to 1.5°C rather than 2°C. <i>Science</i> , 2018, 360, 791-795. | 6.0 | 244 |
| 8558 | Largely flat latitudinal life history clines in the dung fly <i>Sepsis fulgens</i> across Europe (Diptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582 | 0.9 | 15 |
| 8559 | An improved HASM method for dealing with large spatial data sets. <i>Science China Earth Sciences</i> , 2018, 61, 1078-1087. | 2.3 | 5 |
| 8560 | Niche conservatism of <i>Aedes albopictus</i> and <i>Aedes aegypti</i> - two mosquito species with different invasion histories. <i>Scientific Reports</i> , 2018, 8, 7733. | 1.6 | 31 |
| 8561 | Tracking tree canopy cover changes in space and time in High Nature Value Farmland to prioritize reforestation efforts. <i>International Journal of Remote Sensing</i> , 2018, 39, 4714-4726. | 1.3 | 14 |
| 8562 | Global terrestrial biomes at risk of cacti invasion identified for four species using consensual modelling. <i>Journal of Arid Environments</i> , 2018, 156, 77-86. | 1.2 | 11 |
| 8563 | Environment is more relevant than spatial structure as a driver of regional variation in tropical tree community richness and composition. <i>Plant Ecology and Diversity</i> , 2018, 11, 27-40. | 1.0 | 12 |
| 8564 | A Framework for Simultaneous Tests of Abiotic, Biotic, and Historical Drivers of Species Distributions: Empirical Tests for North American Wood Warblers Based on Climate and Pollen. <i>American Naturalist</i> , 2018, 192, E48-E61. | 1.0 | 17 |
| 8565 | Factors influencing above-ground and soil seed bank vegetation diversity at different scales in a quasi-Mediterranean ecosystem. <i>Journal of Vegetation Science</i> , 2018, 29, 684-694. | 1.1 | 18 |
| 8566 | Parallel Behavioral Divergence with Macrohabitat in <i>Anolis</i> (Squamata: Dactyloidae) Lizards from the Dominican Republic. <i>Breviora</i> , 2018, 561, 1-17. | 0.2 | 4 |
| 8567 | Integrating a comprehensive <i>scp>DNA</scp></i> barcode reference library with a global map of yews (<i>Taxus</i> L.) for forensic identification. <i>Molecular Ecology Resources</i> , 2018, 18, 1115-1131. | 2.2 | 38 |
| 8568 | Predicting the effect of climate change on a range-restricted lizard in southeastern Australia. <i>Environmental Epigenetics</i> , 2018, 64, 165-171. | 0.9 | 11 |
| 8569 | Potential biodiversity map of lizard species in Southern Patagonia: environmental characterization, desertification influence and analyses of protection areas. <i>Amphibia - Reptilia</i> , 2018, 39, 289-301. | 0.1 | 14 |
| 8570 | Evaluation and spatial downscaling of CRU TS precipitation data in the Philippines. <i>Modeling Earth Systems and Environment</i> , 2018, 4, 891-898. | 1.9 | 16 |
| 8571 | Groundwater Risk Sources Identification and Risk Reduction Management in the Song-Liao-River-Basin. <i>Terrestrial Environmental Sciences</i> , 2018, , 349-398. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8572 | Testing the role of climate in speciation: New methods and applications to squamate reptiles (lizards) Tj ETQq0 0 0,rgBT /Overlock 10 Tf | 2.0 | 35 |
| 8573 | Predicting <i>Ambystoma ordinarium</i> Habitat in Central Mexico Using Species Distribution Models. <i>Herpetologica</i> , 2018, 74, 117-126. | 0.2 | 12 |
| 8574 | How accurate are the performances of gridded precipitation data products over Northeast China?. <i>Atmospheric Research</i> , 2018, 211, 12-20. | 1.8 | 42 |
| 8575 | Impact of land-use zoning for forest protection and production on forest cover changes in Bhutan. <i>Applied Geography</i> , 2018, 96, 153-165. | 1.7 | 23 |
| 8576 | Exceptionally high levels of lead pollution in the Balkans from the Early Bronze Age to the Industrial Revolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5661-E5668. | 3.3 | 35 |
| 8577 | Genome size and climate segregation suggest distinct colonization histories of an orchid species from Neotropical high-elevation rocky complexes. <i>Biological Journal of the Linnean Society</i> , 2018, 124, 456-465. | 0.7 | 8 |
| 8578 | Reducing food's environmental impacts through producers and consumers. <i>Science</i> , 2018, 360, 987-992. | 6.0 | 2,808 |
| 8579 | Timing and dynamics of glaciation in the Ikh Turgen Mountains, Altai region, High Asia. <i>Quaternary Geochronology</i> , 2018, 47, 54-71. | 0.6 | 34 |
| 8580 | Niche conservatism and phylogenetic clustering in a tribe of arid-adapted marsupial mice, the Sminthopsini. <i>Journal of Evolutionary Biology</i> , 2018, 31, 1204-1215. | 0.8 | 9 |
| 8581 | Forecasting an invasive species's distribution with global distribution data, local data, and physiological information. <i>Ecosphere</i> , 2018, 9, e02279. | 1.0 | 20 |
| 8582 | Geographic patterns of phenotypic diversity in incipient species of North American blister beetles (Coleoptera: Meloidae) are not determined by species niches, but driven by demography along the speciation process. <i>Invertebrate Systematics</i> , 2018, 32, 672. | 0.5 | 4 |
| 8583 | Reproductive parameters of the fisher (<i>Pekania pennanti</i>) in the southern Sierra Nevada, California. <i>Journal of Mammalogy</i> , 2018, 99, 537-553. | 0.6 | 21 |
| 8584 | Common species distribution and environmental determinants in South American coastal plains. <i>Ecosphere</i> , 2018, 9, e02224. | 1.0 | 10 |
| 8585 | Climatic Niche Dynamics and Its Role in the Insular Endemism of Anolis Lizards. <i>Evolutionary Biology</i> , 2018, 45, 345-357. | 0.5 | 4 |
| 8586 | From sets of good redescrptions to good sets of redescrptions. <i>Knowledge and Information Systems</i> , 2018, 57, 21-54. | 2.1 | 0 |
| 8587 | Seventeen new dragonfly records from Colombia and the confirmation of the synonymy of <i>Philogenia monotis</i> and <i>P. tinalandia</i> (Insecta: Odonata). <i>International Journal of Odonatology</i> , 2018, 21, 115-127. | 0.5 | 8 |
| 8588 | Historical and current patterns of gene flow in the butterfly <i>Pararge aegeria</i> . <i>Journal of Biogeography</i> , 2018, 45, 1628-1639. | 1.4 | 18 |
| 8589 | Distributions of ectomycorrhizal and foliar endophytic fungal communities associated with <i>Pinus ponderosa</i> along a spatially constrained elevation gradient. <i>American Journal of Botany</i> , 2018, 105, 687-699. | 0.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8590 | Phylogenetic diversity patterns in Himalayan forests reveal evidence for environmental filtering of distinct lineages. <i>Ecosphere</i> , 2018, 9, e02157. | 1.0 | 30 |
| 8591 | Relationships Between Ecosystem Services: Comparing Methods for Assessing Tradeoffs and Synergies. <i>Ecological Economics</i> , 2018, 150, 96-106. | 2.9 | 122 |
| 8592 | Where are Europe's last primary forests?. <i>Diversity and Distributions</i> , 2018, 24, 1426-1439. | 1.9 | 268 |
| 8593 | Distribution modelling and multi-scale landscape connectivity highlight important areas for the conservation of savannah elephants. <i>Biological Conservation</i> , 2018, 224, 1-8. | 1.9 | 18 |
| 8594 | A 0.01° Resolving TRMM PR Precipitation Climatology. <i>Journal of Applied Meteorology and Climatology</i> , 2018, 57, 1645-1661. | 0.6 | 7 |
| 8595 | Integrative approach resolves the taxonomy of the <i>Ozothamnus ledifolius</i> (Asteraceae: Gnaphalieae) species complex in Tasmania, Australia. <i>Phytotaxa</i> , 2018, 358, 117. | 0.1 | 4 |
| 8596 | Canopy area of large trees explains aboveground biomass variations across neotropical forest landscapes. <i>Biogeosciences</i> , 2018, 15, 3377-3390. | 1.3 | 32 |
| 8597 | A global approach to estimate irrigated areas – a comparison between different data and statistics. <i>Hydrology and Earth System Sciences</i> , 2018, 22, 1119-1133. | 1.9 | 117 |
| 8598 | Extent of biodiversity surveys and ranges for endemic species in the Albertine Rift. <i>Data in Brief</i> , 2018, 18, 1907-1913. | 0.5 | 1 |
| 8599 | Vegetation change and human impacts on Rebutia Island (Northwest Pacific) over the last 6000 years. <i>Quaternary Science Reviews</i> , 2018, 193, 129-144. | 1.4 | 22 |
| 8600 | Catchment response to climate and land use changes in the Upper Blue Nile sub-basins, Ethiopia. <i>Science of the Total Environment</i> , 2018, 644, 193-206. | 3.9 | 81 |
| 8601 | Modeling the distributions of tegu lizards in native and potential invasive ranges. <i>Scientific Reports</i> , 2018, 8, 10193. | 1.6 | 32 |
| 8602 | Potential invasion of exotic ambrosia beetles <i>Xyleborus glabratus</i> and <i>Euwallacea</i> sp. in Mexico: A major threat for native and cultivated forest ecosystems. <i>Scientific Reports</i> , 2018, 8, 10179. | 1.6 | 28 |
| 8603 | Local adaptation versus historical isolation as sources of melanin-based coloration in the white-throated thrush <i>Turdus assimilis</i> . <i>Journal of Avian Biology</i> , 2018, 49, e01790. | 0.6 | 7 |
| 8604 | Inferring selection in instances of long-range colonization: The Aleppo pine (<i>Pinus halepensis</i>) in the Mediterranean Basin. <i>Molecular Ecology</i> , 2018, 27, 3331-3345. | 2.0 | 22 |
| 8605 | Comments on the Mond Scraper, <i>Capoeta mandica</i> (Teleostei: Cyprinidae): Re-Description, Molecular Systematics and Distribution Modeling. <i>Journal of Ichthyology</i> , 2018, 58, 283-295. | 0.2 | 2 |
| 8606 | Distribution modelling of pre-Columbian California grasslands with soil phytoliths: New insights for prehistoric grassland ecology and restoration. <i>PLoS ONE</i> , 2018, 13, e0194315. | 1.1 | 7 |
| 8607 | Similar effects of different mowing frequencies on the conservation value of semi-natural grasslands in Europe. <i>Biodiversity and Conservation</i> , 2018, 27, 2451-2475. | 1.2 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8608 | Modelling the current and future distribution of <i>Kigelia africana</i> under climate change in Benin, West Africa. <i>Modeling Earth Systems and Environment</i> , 2018, 4, 1225-1238. | 1.9 | 16 |
| 8609 | Changes in pattern of plant-insect interactions on the Persian ironwood (<i>Parrotia persica</i>). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i> | 0.8 | 13 |
| 8610 | Where and at which scales does the latitudinal diversity gradient fail?. <i>Journal of Biogeography</i> , 2018, 45, 1905-1916. | 1.4 | 10 |
| 8611 | Isolation by marine barriers and climate explain areas of endemism in an island rodent. <i>Journal of Biogeography</i> , 2018, 45, 2053-2066. | 1.4 | 12 |
| 8612 | Patterns of occurrence of dengue and chikungunya, and spatial distribution of mosquito vector <i>Aedes albopictus</i> in Swabi district, Pakistan. <i>Tropical Medicine and International Health</i> , 2018, 23, 1002-1013. | 1.0 | 16 |
| 8613 | Niche models inform the effects of climate change on the endangered Nilgiri Tahr (<i>Nilgiritragus</i>). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i> | 1.6 | 40 |
| 8614 | A global analysis of bats using automated comparative phylogeography uncovers a surprising impact of Pleistocene glaciation. <i>Journal of Biogeography</i> , 2018, 45, 1795-1805. | 1.4 | 26 |
| 8615 | <i>Juniperus phoenicea</i> var. <i>turbinata</i> (<i>Guss.</i>) <i>Parl.</i> . Leaf Essential Oil Variability in the Balkans. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800208. | 1.0 | 8 |
| 8616 | How to include the impact of climate change in the extinction risk assessment of policy plant species?. <i>Journal for Nature Conservation</i> , 2018, 44, 43-49. | 0.8 | 19 |
| 8617 | Phylogeography of the Northern Alligator Lizard (Squamata, Anguinae): Hidden diversity in a western endemic. <i>Zoologica Scripta</i> , 2018, 47, 462-476. | 0.7 | 8 |
| 8618 | Wild boar mapping using population-density statistics: From polygons to high resolution raster maps. <i>PLoS ONE</i> , 2018, 13, e0193295. | 1.1 | 100 |
| 8619 | Permafrost conditions in the Mediterranean region since the Last Glaciation. <i>Earth-Science Reviews</i> , 2018, 185, 397-436. | 4.0 | 81 |
| 8620 | An Overview of Canadian Research Activities on Diseases Caused by <i>Phytophthora ramorum</i> : Results, Progress, and Challenges. <i>Plant Disease</i> , 2018, 102, 1218-1233. | 0.7 | 7 |
| 8621 | Branching geometry of valley networks on Mars and Earth and its implications for early Martian climate. <i>Science Advances</i> , 2018, 4, eaar6692. | 4.7 | 28 |
| 8622 | Climatic niche shift in the amphitropical disjunct grass <i>Trichloris crinita</i> . <i>PLoS ONE</i> , 2018, 13, e0199811. | 1.1 | 10 |
| 8623 | Running off the road: roadside non-native plants invading mountain vegetation. <i>Biological Invasions</i> , 2018, 20, 3461-3473. | 1.2 | 59 |
| 8624 | Multiple indicators yield diverging results on grazing degradation and climate controls across Tibetan pastures. <i>Ecological Indicators</i> , 2018, 93, 1199-1208. | 2.6 | 17 |
| 8625 | Water Management and Climate Change in Semiarid Environments. , 2018, , 3-40. | | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8626 | Geographic cranial variation in <i>Peromyscus melanotis</i> (Rodentia: Cricetidae) is related to primary productivity. <i>Journal of Mammalogy</i> , 2018, 99, 898-905. | 0.6 | 5 |
| 8627 | Evolution of nutrient resorption across the herbaceous genus <i>Helianthus</i> . <i>Plant Ecology</i> , 2018, 219, 887-899. | 0.7 | 6 |
| 8628 | Modelling seasonal nutrient inputs from non-point sources across large catchments of importance to aquaculture. <i>Aquaculture</i> , 2018, 495, 682-692. | 1.7 | 19 |
| 8629 | Environmental correlates of community structure in springtails (Collembola) from Romanian caves. <i>Biological Journal of the Linnean Society</i> , 2018, 124, 765-775. | 0.7 | 2 |
| 8630 | Habitat use of the Aesculapian snake at different spatial scales. <i>Journal of Wildlife Management</i> , 2018, 82, 1746-1755. | 0.7 | 5 |
| 8631 | Biogeography of parasite abundance: latitudinal gradient and distance decay of similarity in the abundance of fleas and mites, parasitic on small mammals in the Palearctic, at three spatial scales. <i>International Journal for Parasitology</i> , 2018, 48, 857-866. | 1.3 | 21 |
| 8632 | Assessment of the effect of climate changes in the Late Pleistocene and Holocene on niche conservatism of an arvicolid specialist. <i>Scientific Reports</i> , 2018, 8, 9780. | 1.6 | 8 |
| 8633 | Modeling and mapping the burden of disease in Kenya. <i>Scientific Reports</i> , 2018, 8, 9826. | 1.6 | 11 |
| 8634 | High-resolution hydrometeorological data from a network of headwater catchments in the tropical Andes. <i>Scientific Data</i> , 2018, 5, 180080. | 2.4 | 36 |
| 8635 | A bioavailable strontium isoscape for Western Europe: A machine learning approach. <i>PLoS ONE</i> , 2018, 13, e0197386. | 1.1 | 115 |
| 8636 | Harnessing big data to rethink land heterogeneity in Earth system models. <i>Hydrology and Earth System Sciences</i> , 2018, 22, 3311-3330. | 1.9 | 39 |
| 8637 | Major perturbations in the Earth's forest ecosystems. Possible implications for global warming. <i>Earth-Science Reviews</i> , 2018, 185, 544-571. | 4.0 | 72 |
| 8638 | Exposure of Brazilian soil and groundwater to pollution by coccidiostats and antimicrobial agents used as growth promoters. <i>Science of the Total Environment</i> , 2018, 644, 112-121. | 3.9 | 20 |
| 8639 | Spatial Distribution and Population Ecology of <i>Drucina championi</i> (Lepidoptera: Nymphalidae), a Threatened Butterfly From Mountain Landscapes of Southern Mexico. <i>Annals of the Entomological Society of America</i> , 2018, 111, 285-294. | 1.3 | 5 |
| 8640 | Environmental context and differences between native and invasive observed niches of <i>Batrachochytrium salamandrivorans</i> affect invasion risk assessments in the Western Palearctic. <i>Diversity and Distributions</i> , 2018, 24, 1788-1801. | 1.9 | 44 |
| 8641 | Introduced bullfrog facilitates pathogen invasion in the western United States. <i>PLoS ONE</i> , 2018, 13, e0188384. | 1.1 | 38 |
| 8642 | Genetic Differentiation and Adaptability of Teak (<i>Tectona grandis</i> L.f.) Meta-Population in India. <i>Plant Molecular Biology Reporter</i> , 2018, 36, 564-575. | 1.0 | 7 |
| 8643 | Local patterns of diversity in California northern coastal scrub. <i>Ecology and Evolution</i> , 2018, 8, 7250-7260. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8644 | Climatic adaptation and ecological descriptors of wild beans from Mexico. <i>Ecology and Evolution</i> , 2018, 8, 6492-6504. | 0.8 | 11 |
| 8645 | Effect of climate change in lizards of the genus <i>Xenosaurus</i> (<i>Xenosauridae</i>) based on projected changes in climatic suitability and climatic niche conservatism. <i>Ecology and Evolution</i> , 2018, 8, 6860-6871. | 0.8 | 18 |
| 8646 | The future of cold-adapted plants in changing climates: <i>Micranthes</i> (<i>Saxifragaceae</i>) as a case study. <i>Ecology and Evolution</i> , 2018, 8, 7164-7177. | 0.8 | 14 |
| 8647 | Some like it hot: the physiological ecology of C4 plant evolution. <i>Oecologia</i> , 2018, 187, 941-966. | 0.9 | 75 |
| 8648 | Genetic characterization of free-ranging Asiatic wild ass in Central Asia as a basis for future conservation strategies. <i>Conservation Genetics</i> , 2018, 19, 1169-1184. | 0.8 | 6 |
| 8649 | Carbon uptake by European agricultural land is variable, and in many regions could be increased: Evidence from remote sensing, yield statistics and models of potential productivity. <i>Science of the Total Environment</i> , 2018, 643, 902-911. | 3.9 | 11 |
| 8650 | From tree tops to the ground: Reversals to terrestrial habit in <i>Galeandra</i> orchids (<i>Epidendroideae</i>): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 1.2 | 27 |
| 8651 | Climate and plant controls on soil organic matter in coastal wetlands. <i>Global Change Biology</i> , 2018, 24, 5361-5379. | 4.2 | 111 |
| 8652 | Extreme Insolation: Climatic Variation Shapes the Evolution of Thermal Tolerance at Multiple Scales. <i>American Naturalist</i> , 2018, 192, 347-359. | 1.0 | 56 |
| 8653 | <scp>Remap</scp>: An online remote sensing application for land cover classification and monitoring. <i>Methods in Ecology and Evolution</i> , 2018, 9, 2019-2027. | 2.2 | 33 |
| 8654 | Distributions of birds and plants in ecoregions: Implications for the conservation of a neotropical biodiversity hotspot. <i>Austral Ecology</i> , 2018, 43, 839-849. | 0.7 | 11 |
| 8655 | Fluoride Variations in Rivers on the Slopes of Mount Meru in Tanzania. <i>Journal of Chemistry</i> , 2018, 2018, 1-18. | 0.9 | 14 |
| 8656 | Aridity drives plant biogeographical sub regions in the Caatinga, the largest tropical dry forest and woodland block in South America. <i>PLoS ONE</i> , 2018, 13, e0196130. | 1.1 | 57 |
| 8657 | Projecting Soil Organic Carbon Distribution in Central Chile under Future Climate Scenarios. <i>Journal of Environmental Quality</i> , 2018, 47, 735-745. | 1.0 | 29 |
| 8658 | A Combined Tree Ring and Vegetation Model Assessment of European Forest Growth Sensitivity to Interannual Climate Variability. <i>Global Biogeochemical Cycles</i> , 2018, 32, 1226-1240. | 1.9 | 54 |
| 8659 | Patterns of vector species richness and species composition as drivers of Chagas disease occurrence in Brazil. <i>International Journal of Environmental Health Research</i> , 2018, 28, 590-598. | 1.3 | 2 |
| 8660 | Summary results of the 2014-2015 DARPA Chikungunya challenge. <i>BMC Infectious Diseases</i> , 2018, 18, 245. | 1.3 | 43 |
| 8661 | Heat stress effects on reproductive traits in cultivated and wild sunflower (<i>Helianthus annuus</i> L.): evidence for local adaptation within the wild germplasm. <i>Euphytica</i> , 2018, 214, 1. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8662 | Using species distribution models at local scale to guide the search of poorly known species: Review, methodological issues and future directions. <i>Ecological Modelling</i> , 2018, 385, 124-132. | 1.2 | 163 |
| 8663 | Woodlands and steppes: Pleistocene vegetation in Yakutia's most continental part recorded in the Batagay permafrost sequence. <i>Quaternary Science Reviews</i> , 2018, 196, 38-61. | 1.4 | 35 |
| 8664 | Relative importance of environmental variables for the distribution of the invasive marsh species <i>Spartina alterniflora</i> across different spatial scales. <i>Marine and Freshwater Research</i> , 2018, 69, 790. | 0.7 | 8 |
| 8665 | Distributional ecology of Andes hantavirus: a macroecological approach. <i>International Journal of Health Geographics</i> , 2018, 17, 22. | 1.2 | 17 |
| 8666 | Estimating daily meteorological data and downscaling climate models over landscapes. <i>Environmental Modelling and Software</i> , 2018, 108, 186-196. | 1.9 | 75 |
| 8667 | Quantifying Sediment Transport Dynamics on Alluvial Fans From Spatial and Temporal Changes in Grain Size, Death Valley, California. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018, 123, 2039-2067. | 1.0 | 15 |
| 8668 | Can the intake of antiparasitic secondary metabolites explain the low prevalence of hemoparasites among wild Psittaciformes?. <i>Parasites and Vectors</i> , 2018, 11, 357. | 1.0 | 17 |
| 8669 | Pioneer farming in southeast Europe during the early sixth millennium BC: Climate-related adaptations in the exploitation of plants and animals. <i>PLoS ONE</i> , 2018, 13, e0197225. | 1.1 | 58 |
| 8670 | Forest corridors between the central Andes and the southern Atlantic Forest enabled dispersal and peripatric diversification without niche divergence in a passerine. <i>Molecular Phylogenetics and Evolution</i> , 2018, 128, 221-232. | 1.2 | 24 |
| 8671 | Highly structured genetic diversity of <i>Bixa orellana</i> var. <i>urucurana</i> , the wild ancestor of annatto, in Brazilian Amazonia. <i>PLoS ONE</i> , 2018, 13, e0198593. | 1.1 | 14 |
| 8672 | Adaptive Genetic Divergence Despite Significant Isolation-by-Distance in Populations of Taiwan Cow-Tail Fir (<i>Keteleeria davidiana</i> var. <i>formosana</i>). <i>Frontiers in Plant Science</i> , 2018, 9, 92. | 1.7 | 64 |
| 8673 | Genotyping by Sequencing and Genome-Environment Associations in Wild Common Bean Predict Widespread Divergent Adaptation to Drought. <i>Frontiers in Plant Science</i> , 2018, 9, 128. | 1.7 | 129 |
| 8674 | Long-Term Vegetation Dynamics in a Megadiverse Hotspot: The Ice-Age Record of a Pre-montane Forest of Central Ecuador. <i>Frontiers in Plant Science</i> , 2018, 9, 196. | 1.7 | 10 |
| 8675 | Genetic Resources in the "Calabaza Pipiana" Squash (<i>Cucurbita argyrosperma</i>) in Mexico: Genetic Diversity, Genetic Differentiation and Distribution Models. <i>Frontiers in Plant Science</i> , 2018, 9, 400. | 1.7 | 21 |
| 8676 | Climate Is Not All: Evidence From Phylogeography of <i>Rhodiola fastigiata</i> (Crassulaceae) and Comparison to Its Closest Relatives. <i>Frontiers in Plant Science</i> , 2018, 9, 462. | 1.7 | 8 |
| 8677 | Phylogeography and Ecological Niche Modeling Reveal Reduced Genetic Diversity and Colonization Patterns of Skunk Cabbage (<i>Symplocarpus foetidus</i> ; Araceae) From Glacial Refugia in Eastern North America. <i>Frontiers in Plant Science</i> , 2018, 9, 648. | 1.7 | 10 |
| 8678 | Land Cover and Climate Change May Limit Invasiveness of <i>Rhododendron ponticum</i> in Wales. <i>Frontiers in Plant Science</i> , 2018, 9, 664. | 1.7 | 22 |
| 8679 | <i>Arabidopsis thaliana</i> Ei-5: Minor Vein Architecture Adjustment Compensates for Low Vein Density in Support of Photosynthesis. <i>Frontiers in Plant Science</i> , 2018, 9, 693. | 1.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8680 | Invasion of a Legume Ecosystem Engineer in a Cold Biome Alters Plant Biodiversity. <i>Frontiers in Plant Science</i> , 2018, 9, 715. | 1.7 | 17 |
| 8681 | Comparative Epidemiology of Highly Pathogenic Avian Influenza Virus H5N1 and H5N6 in Vietnamese Live Bird Markets: Spatiotemporal Patterns of Distribution and Risk Factors. <i>Frontiers in Veterinary Science</i> , 2018, 5, 51. | 0.9 | 16 |
| 8682 | Experts and models can agree on species sensitivity values for conservation assessments. <i>Biological Conservation</i> , 2018, 225, 222-228. | 1.9 | 7 |
| 8683 | Modeling climatic and hydrological suitability for an encroaching tree species in a Neotropical flooded savanna. <i>Forest Ecology and Management</i> , 2018, 429, 244-255. | 1.4 | 9 |
| 8684 | Restoration to offset the impacts of developments at a landscape scale reveals opportunities, challenges and tough choices. <i>Global Environmental Change</i> , 2018, 52, 152-161. | 3.6 | 36 |
| 8685 | The legacy of 4,500 years of polyculture agroforestry in the eastern Amazon. <i>Nature Plants</i> , 2018, 4, 540-547. | 4.7 | 139 |
| 8686 | Habitat suitability for the invasion of <i>Bombus terrestris</i> in East Asian countries: A case study of spatial overlap with local Chinese bumblebees. <i>Scientific Reports</i> , 2018, 8, 11035. | 1.6 | 23 |
| 8687 | How does roadside vegetation management affect the diversity of vascular plants and invertebrates? A systematic review. <i>Environmental Evidence</i> , 2018, 7, . | 1.1 | 49 |
| 8688 | Glucocorticoid-environment relationships align with responses to environmental change in two co-occurring congeners. <i>Ecological Applications</i> , 2018, 28, 1683-1693. | 1.8 | 6 |
| 8689 | Loss of biodiversity and shifts in aboveground biomass drivers in tropical rainforests with different disturbance histories. <i>Biodiversity and Conservation</i> , 2018, 27, 3215-3231. | 1.2 | 31 |
| 8690 | Formation of disjunct plant distributions in Northeast Asia: a case study of <i>Betula davurica</i> using a species distribution model. <i>Plant Ecology</i> , 2018, 219, 1105-1115. | 0.7 | 8 |
| 8691 | Incorporating biotic interactions reveals potential climate tolerance of giant pandas. <i>Conservation Letters</i> , 2018, 11, e12592. | 2.8 | 57 |
| 8692 | The Carbon Budget Model of the Canadian Forest Sector (CBM-CFS3): customization of the Archive Index Database for European Union countries. <i>Annals of Forest Science</i> , 2018, 75, 1. | 0.8 | 10 |
| 8693 | Prediction Modeling and Mapping of Groundwater Fluoride Contamination throughout India. <i>Environmental Science & Technology</i> , 2018, 52, 9889-9898. | 4.6 | 148 |
| 8694 | Systematics of the broad-nosed bats, <i>Platyrrhinus umbratus</i> (Lyon, 1902) and <i>P. nigellus</i> (Gardner and Carter, 1972) (Chiroptera: Phyllostomidae), based on genetic, morphometric, and ecological niche analyses. <i>Neotropical Biodiversity</i> , 2018, 4, 119-133. | 0.2 | 6 |
| 8695 | Photorespiration differs among <i>Arabidopsis thaliana</i> ecotypes and is correlated with photosynthesis. <i>Journal of Experimental Botany</i> , 2018, 69, 5191-5204. | 2.4 | 16 |
| 8696 | Trap nests for bees and wasps to analyse trophic interactions in changing environments – A systematic overview and user guide. <i>Methods in Ecology and Evolution</i> , 2018, 9, 2226-2239. | 2.2 | 64 |
| 8697 | Increase in CO_2 concentration could alter the response of <i>Hedera helix</i> to climate change. <i>Ecology and Evolution</i> , 2018, 8, 8598-8606. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8716 | Confronting Climate Change Challenges to Dryland Cereal Production: A Call for Collaborative, Transdisciplinary Research, and Producer Engagement. <i>Frontiers in Ecology and Evolution</i> , 2018, 5, . | 1.1 | 17 |
| 8717 | Landscape Genetics: A Toolbox for Studying Vector-Borne Diseases. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, . | 1.1 | 19 |
| 8718 | The EuMedClim Database: Yearly Climate Data (1901–2014) of 1 km Resolution Grids for Europe and the Mediterranean Basin. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, . | 1.1 | 32 |
| 8719 | Navigating the Interface Between Landscape Genetics and Landscape Genomics. <i>Frontiers in Genetics</i> , 2018, 9, 68. | 1.1 | 82 |
| 8720 | Phylogeography of <i>Parasynclathium souliei</i> (Asteraceae) and Its Potential Application in Delimiting Phylogeoregions in the Qinghai-Tibet Plateau (QTP)-Hengduan Mountains (HDM) Hotspot. <i>Frontiers in Genetics</i> , 2018, 9, 171. | 1.1 | 16 |
| 8721 | Distribution modeling and lineage diversity of the chytrid fungus <i>Batrachochytrium dendrobatidis</i> (Bd) in a central African amphibian hotspot. <i>PLoS ONE</i> , 2018, 13, e0199288. | 1.1 | 19 |
| 8722 | Seasonal resource acquisition strategies of a facultative specialist herbivore at the edge of its range. <i>Journal of Mammalogy</i> , 2018, 99, 1159-1173. | 0.6 | 2 |
| 8723 | Genetic divergence correlates with the contemporary landscape in populations of Slimy Salamander (<i>Plethodon glutinosus</i>) species complex across the lower Piedmont and Coastal Plain of the southeastern United States. <i>Canadian Journal of Zoology</i> , 2018, 96, 1244-1254. | 0.4 | 4 |
| 8724 | Disentangling the infrageneric classification of megadiverse taxa from Mata Atlantica: Phylogeny of <i>Miconia</i> section <i>Chaenantha</i> (Melastomataceae: Miconieae). <i>Taxon</i> , 2018, 67, 537-551. | 0.4 | 10 |
| 8725 | Unveiling the History of a Peculiar Weevil-Plant Interaction in South America: A Phylogeographic Approach to <i>Hydnorobius hydnorae</i> (Belidae) Associated with <i>Prosopanche americana</i> (Aristolochiaceae). <i>Diversity</i> , 2018, 10, 33. | 0.7 | 3 |
| 8726 | Projecting the Range Shifts in Climatically Suitable Habitat for Chinese Sea Buckthorn under Climate Change Scenarios. <i>Forests</i> , 2018, 9, 9. | 0.9 | 28 |
| 8727 | Predicting Shifts in the Suitable Climatic Distribution of Walnut (<i>Juglans regia</i> L.) in China: Maximum Entropy Model Paves the Way to Forest Management. <i>Forests</i> , 2018, 9, 103. | 0.9 | 31 |
| 8728 | Pine Plantations and Invasion Alter Fuel Structure and Potential Fire Behavior in a Patagonian Forest-Steppe Ecotone. <i>Forests</i> , 2018, 9, 117. | 0.9 | 40 |
| 8729 | Solid Wood Properties Assessed by Non-Destructive Measurements of Standing European Larch (<i>Larix</i>) Tj ETQq1 1 0.784314 rgBT /Over 2018, 9, 276. | 0.9 | 10 |
| 8730 | Present and Future of Dengue Fever in Nepal: Mapping Climatic Suitability by Ecological Niche Model. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 187. | 1.2 | 56 |
| 8731 | Areas with High Hazard Potential for Autochthonous Transmission of <i>Aedes albopictus</i> -Associated Arboviruses in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1270. | 1.2 | 19 |
| 8732 | A Multivariate Approach to Study Drivers of Land-Cover Changes through Remote Sensing in the Dry Chaco of Argentina. <i>ISPRS International Journal of Geo-Information</i> , 2018, 7, 170. | 1.4 | 19 |
| 8733 | Isoprene emission structures tropical tree biogeography and community assembly responses to climate. <i>New Phytologist</i> , 2018, 220, 435-446. | 3.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8734 | Leaf rehydration capacity: Associations with other indices of drought tolerance and environment. <i>Plant, Cell and Environment</i> , 2018, 41, 2638-2653. | 2.8 | 32 |
| 8735 | Using spatial models of temporal tree dynamics to evaluate the implementation of EU afforestation policies in rangelands of SW Spain. <i>Land Use Policy</i> , 2018, 78, 166-175. | 2.5 | 6 |
| 8736 | Spatial variation in determinants of agricultural land abandonment in Europe. <i>Science of the Total Environment</i> , 2018, 644, 95-111. | 3.9 | 180 |
| 8737 | Mild and Arid Climate in the Eastern Saharaâ€Arabian Desert During the Late Little Ice Age. <i>Geophysical Research Letters</i> , 2018, 45, 7112-7119. | 1.5 | 20 |
| 8738 | Concordant divergence of mitogenomes and a mitonuclear gene cluster in bird lineages inhabiting different climates. <i>Nature Ecology and Evolution</i> , 2018, 2, 1258-1267. | 3.4 | 63 |
| 8739 | Climate change impact assessment on the potential rubber cultivating area in the Greater Mekong Subregion. <i>Environmental Research Letters</i> , 2018, 13, 084002. | 2.2 | 17 |
| 8740 | Surviving glaciations in the Mediterranean region: an alternative to the long-term refugia hypothesis. <i>Botanical Journal of the Linnean Society</i> , 2018, 187, 537-549. | 0.8 | 10 |
| 8741 | Determinants of high mountain plant diversity in the Chilean Andes: From regional to local spatial scales. <i>PLoS ONE</i> , 2018, 13, e0200216. | 1.1 | 21 |
| 8742 | Climate Change and Anthropogenic Impacts on Wetland and Agriculture in the Songnen and Sanjiang Plain, Northeast China. <i>Remote Sensing</i> , 2018, 10, 356. | 1.8 | 78 |
| 8743 | A Hybrid Approach for Fog Retrieval Based on a Combination of Satellite and Ground Truth Data. <i>Remote Sensing</i> , 2018, 10, 628. | 1.8 | 22 |
| 8744 | Modelling Soil Carbon Content in South Patagonia and Evaluating Changes According to Climate, Vegetation, Desertification and Grazing. <i>Sustainability</i> , 2018, 10, 438. | 1.6 | 31 |
| 8745 | Mapping Disease Transmission Risk of Nipah Virus in South and Southeast Asia. <i>Tropical Medicine and Infectious Disease</i> , 2018, 3, 57. | 0.9 | 33 |
| 8746 | Organic matter dynamics along a salinity gradient in Siberian steppe soils. <i>Biogeosciences</i> , 2018, 15, 13-29. | 1.3 | 23 |
| 8747 | Lake regionalization and diatom metacommunity structuring in tropical South America. <i>Ecology and Evolution</i> , 2018, 8, 7865-7878. | 0.8 | 47 |
| 8748 | Spatial distribution of <i>Vachellia karroo</i> in Zimbabwean savannas (southern Africa) under a changing climate. <i>Ecological Research</i> , 2018, 33, 1181-1191. | 0.7 | 11 |
| 8749 | GIS in Climatology and Meteorology. , 2018, , 196-235. | | 7 |
| 8750 | Patchy field sampling biases understanding of climate change impacts across the Arctic. <i>Nature Ecology and Evolution</i> , 2018, 2, 1443-1448. | 3.4 | 112 |
| 8751 | Stable isotopic constraints on global soil organic carbon turnover. <i>Biogeosciences</i> , 2018, 15, 987-995. | 1.3 | 52 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8752 | GIS based analysis of doline density on Taurus Mountains, Turkey. <i>Environmental Earth Sciences</i> , 2018, 77, 1. | 1.3 | 42 |
| 8753 | Differences between microhabitat and broad-scale patterns of niche evolution in terrestrial salamanders. <i>Scientific Reports</i> , 2018, 8, 10575. | 1.6 | 52 |
| 8754 | Population Genetics and Speciation of Yellow-Bellied, Red-Naped, and Red-Breasted Sapsuckers (<i>Sphyrapicus varius</i> , <i>S. nuchalis</i> , and <i>S. ruber</i>). <i>Journal of Heredity</i> , 2018, 109, 663-674. | 1.0 | 9 |
| 8755 | Rapid alignment of functional trait variation with locality across the invaded range of Sahara mustard (<i>Brassica tournefortii</i>). <i>American Journal of Botany</i> , 2018, 105, 1188-1197. | 0.8 | 18 |
| 8756 | Quaternary climate instability is correlated with patterns of population genetic variability in <i>Bombus huntii</i> . <i>Ecology and Evolution</i> , 2018, 8, 7849-7864. | 0.8 | 13 |
| 8757 | Macrophyte functional groups elucidate the relative role of environmental and spatial factors on species richness and assemblage structure. <i>Hydrobiologia</i> , 2018, 823, 217-230. | 1.0 | 22 |
| 8758 | Fern and lycophyte diversity in the Pacific Northwest: Patterns and predictors. <i>Journal of Systematics and Evolution</i> , 2018, 56, 498-522. | 1.6 | 14 |
| 8759 | A Novel Strategy for Very-Large-Scale Cash-Crop Mapping in the Context of Weather-Related Risk Assessment, Combining Global Satellite Multispectral Datasets, Environmental Constraints, and In Situ Acquisition of Geospatial Data. <i>Sensors</i> , 2018, 18, 591. | 2.1 | 13 |
| 8760 | Leaf $\delta^{13}C$ as an indicator of water availability along elevation gradients in the dry Himalayas. <i>Ecological Indicators</i> , 2018, 94, 266-273. | 2.6 | 20 |
| 8761 | A global dataset of river network geometry. <i>Scientific Data</i> , 2018, 5, 180127. | 2.4 | 21 |
| 8762 | Towards global oil palm plantation mapping using remote-sensing data. <i>International Journal of Remote Sensing</i> , 2018, 39, 5891-5906. | 1.3 | 23 |
| 8763 | Pleistocene range expansions promote divergence with gene flow between migratory and sedentary populations of <i>Calothorax</i> hummingbirds. <i>Biological Journal of the Linnean Society</i> , 2018, 124, 645-667. | 0.7 | 14 |
| 8764 | Environmental and geographical space partitioning between core and peripheral <i>Myrsine</i> species (Primulaceae) of the Brazilian Atlantic Forest. <i>Botanical Journal of the Linnean Society</i> , 2018, 187, 633-652. | 0.8 | 5 |
| 8765 | The roles of allopatric fragmentation and niche divergence in intraspecific lineage diversification in the common midwife toad (<i>Alytes obstetricans</i>). <i>Journal of Biogeography</i> , 2018, 45, 2146-2158. | 1.4 | 24 |
| 8766 | Diversification of the climatic niche drove the recent processes of speciation in Sigmodontinae (Rodentia, Cricetidae). <i>Mammal Review</i> , 2018, 48, 328-332. | 2.2 | 8 |
| 8767 | Integrating expert knowledge and ecological niche models to estimate Mexican primates' distribution. <i>Primates</i> , 2018, 59, 451-467. | 0.7 | 21 |
| 8768 | Source of environmental data and warming tolerance estimation in six species of North American larval anurans. <i>Journal of Thermal Biology</i> , 2018, 76, 171-178. | 1.1 | 10 |
| 8769 | Integrating local knowledge and remote sensing for eco-type classification map in the Barotse Floodplain, Zambia. <i>Data in Brief</i> , 2018, 19, 2297-2304. | 0.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8770 | Titled Amazon Indigenous Communities Cut Forest Carbon Emissions. <i>Ecological Economics</i> , 2018, 153, 56-67. | 2.9 | 70 |
| 8771 | Predicting reference soil groups using legacy data: A data pruning and Random Forest approach for tropical environment (Dano catchment, Burkina Faso). <i>Scientific Reports</i> , 2018, 8, 9959. | 1.6 | 38 |
| 8772 | Drainage reorganization and divide migration induced by the excavation of the Ebro basin (NE Spain). <i>Earth Surface Dynamics</i> , 2018, 6, 369-387. | 1.0 | 22 |
| 8773 | Expected impacts of climate change threaten the anuran diversity in the Brazilian hotspots. <i>Ecology and Evolution</i> , 2018, 8, 7894-7906. | 0.8 | 21 |
| 8774 | Impact of biased sampling effort and spatial uncertainty of locations on models of plant invasion patterns in Croatia. <i>Biological Invasions</i> , 2018, 20, 3527-3544. | 1.2 | 1 |
| 8775 | Integrating Multiplatform Remote Sensing and In Situ Datasets for Socio-Ecologically Sustainable Conservation Corridors: The Western Kalahari Conservation Corridor (WKCC) Project. , 2018, , 220-235. | | 2 |
| 8776 | The structure of the Middle Stone Age of eastern Africa. <i>Quaternary Science Reviews</i> , 2018, 195, 1-20. | 1.4 | 52 |
| 8777 | Relationships between ecological niche and expected shifts in elevation and latitude due to climate change in South American temperate forest plants. <i>Journal of Biogeography</i> , 2018, 45, 2272-2287. | 1.4 | 17 |
| 8778 | Interacting grassland species under threat of multiple global change drivers. <i>Journal of Biogeography</i> , 2018, 45, 2133-2145. | 1.4 | 12 |
| 8779 | Modeling the ecology and evolution of biodiversity: Biogeographical cradles, museums, and graves. <i>Science</i> , 2018, 361, . | 6.0 | 260 |
| 8780 | Predicting the Suitable Habitat of Treeline Species in the Nepalese Himalayas Under Climate Change. <i>Mountain Research and Development</i> , 2018, 38, 153. | 0.4 | 32 |
| 8781 | Historical biogeography and phylogeny of Cucurbita: Insights from ancestral area reconstruction and niche evolution. <i>Molecular Phylogenetics and Evolution</i> , 2018, 128, 38-54. | 1.2 | 29 |
| 8782 | Distribution and Abundance of Big-Leaf Mahogany (<i>Swietenia macrophylla</i>) on the Yucatan Peninsula, Mexico. <i>Tropical Conservation Science</i> , 2018, 11, 194008291876687. | 0.6 | 9 |
| 8783 | Regional variation in timing, duration, and production of flowers by allergenic ragweed. <i>Plant Ecology</i> , 2018, 219, 1081-1092. | 0.7 | 4 |
| 8784 | Phenotypic plasticity in response to temperature fluctuations is genetically variable, and relates to climatic variability of origin, in <i>Arabidopsis thaliana</i> . <i>AoB PLANTS</i> , 2018, 10, ply043. | 1.2 | 50 |
| 8785 | Co-occurrence among three divergent plant-associated fungi in the same <i>Silene</i> host species. <i>Molecular Ecology</i> , 2018, 27, 3357-3370. | 2.0 | 17 |
| 8786 | Evaluation of the Impact of Genetically Modified Cotton After 20 Years of Cultivation in Mexico. <i>Frontiers in Bioengineering and Biotechnology</i> , 2018, 6, 82. | 2.0 | 46 |
| 8787 | Evolving in the highlands: the case of the Neotropical Lerma live-bearing <i>Poeciliopsis infans</i> (Woolman, 1894) (Cyprinodontiformes: Poeciliidae) in Central Mexico. <i>BMC Evolutionary Biology</i> , 2018, 18, 56. | 3.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8788 | Hydrological features and the ecological niches of mammalian hosts delineate elevated risk for Ross River virus epidemics in anthropogenic landscapes in Australia. <i>Parasites and Vectors</i> , 2018, 11, 192. | 1.0 | 18 |
| 8789 | Ecological niche modeling of <i>Aedes</i> mosquito vectors of chikungunya virus in southeastern Senegal. <i>Parasites and Vectors</i> , 2018, 11, 255. | 1.0 | 35 |
| 8790 | Manipulating ungulate herbivory in temperate and boreal forests: effects on vegetation and invertebrates. A systematic review. <i>Environmental Evidence</i> , 2018, 7, . | 1.1 | 79 |
| 8791 | The deadly route to collapse and the uncertain fate of Brazilian rupestrian grasslands. <i>Biodiversity and Conservation</i> , 2018, 27, 2587-2603. | 1.2 | 72 |
| 8792 | Forest snail diversity and its environmental predictors along a sharp climatic gradient in southern Siberia. <i>Acta Oecologica</i> , 2018, 88, 1-8. | 0.5 | 5 |
| 8793 | Habitat assessment of Marco Polo sheep (<i>Ovis ammon polii</i>) in Eastern Tajikistan: Modeling the effects of climate change. <i>Ecology and Evolution</i> , 2018, 8, 5124-5138. | 0.8 | 19 |
| 8794 | Parks protect forest cover in a tropical biodiversity hotspot, but high human population densities can limit success. <i>Biological Conservation</i> , 2018, 223, 147-155. | 1.9 | 19 |
| 8795 | Effects of climate legacies on above- and belowground community assembly. <i>Global Change Biology</i> , 2018, 24, 4330-4339. | 4.2 | 23 |
| 8796 | Differences between the floras of the North and South Moluccas (Indonesia). <i>Journal of Systematics and Evolution</i> , 2018, 56, 652-662. | 1.6 | 6 |
| 8797 | Genotyping by sequencing reveals contrasting patterns of population structure, ecologically mediated divergence, and long-distance dispersal in North American palms. <i>Ecology and Evolution</i> , 2018, 8, 5873-5890. | 0.8 | 17 |
| 8798 | Ecotypic variation and stability in growth performance of the thermophilic conifer <i>Pinus halepensis</i> across the Mediterranean basin. <i>Forest Ecology and Management</i> , 2018, 424, 205-215. | 1.4 | 37 |
| 8799 | Spatial scale dependence of factors driving climate regulation services in the Americas. <i>Global Ecology and Biogeography</i> , 2018, 27, 828-838. | 2.7 | 9 |
| 8800 | Inferring ecological explanations for biogeographic boundaries of parapatric Asian mountain frogs. <i>BMC Ecology</i> , 2018, 18, 3. | 3.0 | 19 |
| 8801 | Leishmaniasis in Sri Lanka: spatial distribution and seasonal variations from 2009 to 2016. <i>Parasites and Vectors</i> , 2018, 11, 60. | 1.0 | 38 |
| 8802 | Thermal experiments with the Asian bush mosquito (<i>Aedes japonicus japonicus</i>) (Diptera: Culicidae) and implications for its distribution in Germany. <i>Parasites and Vectors</i> , 2018, 11, 81. | 1.0 | 42 |
| 8803 | Effects of habitat suitability for vectors, environmental factors and host characteristics on the spatial distribution of the diversity and prevalence of haemosporidians in waterbirds from three Brazilian wetlands. <i>Parasites and Vectors</i> , 2018, 11, 276. | 1.0 | 13 |
| 8804 | Classifying forest inventory data into species-based forest community types at broad extents: exploring tradeoffs among supervised and unsupervised approaches. <i>Forest Ecosystems</i> , 2018, 5, . | 1.3 | 12 |
| 8805 | Exploring the genetic and adaptive diversity of a pan-Mediterranean crop wild relative: narrow-leafed lupin. <i>Theoretical and Applied Genetics</i> , 2018, 131, 887-901. | 1.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8806 | Importance of climate uncertainty for projections of forest ecosystem services. <i>Regional Environmental Change</i> , 2018, 18, 2145-2159. | 1.4 | 12 |
| 8807 | Genetic integrity, diversity, and population structure of the Cascade red fox. <i>Conservation Genetics</i> , 2018, 19, 969-980. | 0.8 | 9 |
| 8808 | MCDM analysis of wind energy in Turkey: decision making based on environmental impact. <i>Environmental Science and Pollution Research</i> , 2018, 25, 19753-19766. | 2.7 | 24 |
| 8809 | Statistical Forecasting of Current and Future Circumâ€Arctic Ground Temperatures and Active Layer Thickness. <i>Geophysical Research Letters</i> , 2018, 45, 4889-4898. | 1.5 | 83 |
| 8810 | Energy efficiency drives the global seasonal distribution of birds. <i>Nature Ecology and Evolution</i> , 2018, 2, 962-969. | 3.4 | 65 |
| 8811 | Ecological genomics predicts climate vulnerability in an endangered southwestern songbird. <i>Ecology Letters</i> , 2018, 21, 1085-1096. | 3.0 | 82 |
| 8812 | Local adaptation and ecological differentiation under selection, migration, and drift in <i>Arabidopsis lyrata</i> *. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 1373-1386. | 1.1 | 59 |
| 8813 | Rhizobial biogeography and inoculation application to soybean in four regions across China. <i>Journal of Applied Microbiology</i> , 2018, 125, 853-866. | 1.4 | 42 |
| 8814 | Conservation prioritization with machine learning predictions for the black-necked crane <i>Grus nigricollis</i> , a flagship species on the Tibetan Plateau for 2070. <i>Regional Environmental Change</i> , 2018, 18, 2173-2182. | 1.4 | 25 |
| 8815 | Plant traits and population characteristics predict extinctions in a long-term survey of Mediterranean annual plants. <i>Biodiversity and Conservation</i> , 2018, 27, 2527-2540. | 1.2 | 3 |
| 8816 | Echoes of the whispering land: interacting roles of vicariance and selection in shaping the evolutionary divergence of two <i>Calceolaria</i> (Calceolariaceae) species from Patagonia and Malvinas/Falkland Islands. <i>Evolutionary Ecology</i> , 2018, 32, 287-314. | 0.5 | 13 |
| 8817 | Regionalisation is key to establishing reference conditions for neotropical savanna streams. <i>Marine and Freshwater Research</i> , 2018, 69, 82. | 0.7 | 27 |
| 8818 | Divergent trait and environment relationships among parallel radiations in <i>Pelargonium</i> (Geraniaceae): a role for evolutionary legacy?. <i>New Phytologist</i> , 2018, 219, 794-807. | 3.5 | 8 |
| 8819 | Static site indices from different national forest inventories: harmonization and prediction from site conditions. <i>Annals of Forest Science</i> , 2018, 75, 1. | 0.8 | 29 |
| 8820 | Are the number and size of scales in <i>Liolaemus</i> lizards driven by climate?. <i>Integrative Zoology</i> , 2018, 13, 579-594. | 1.3 | 8 |
| 8821 | Variations in Genome Size of Turnip Landraces from Two High-altitude Environments. <i>Journal of the American Society for Horticultural Science</i> , 2018, 143, 136-143. | 0.5 | 5 |
| 8822 | Opportunities for sustainable intensification of coffee agro-ecosystems along an altitudinal gradient on Mt. Elgon, Uganda. <i>Agriculture, Ecosystems and Environment</i> , 2018, 263, 31-40. | 2.5 | 40 |
| 8823 | Spatial and environmental factors predict skull variation and genetic structure in the cosmopolitan bat <i>Tadarida brasiliensis</i> . <i>Journal of Biogeography</i> , 2018, 45, 1529-1540. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8824 | Multi-criteria spatial identification of carnivore conservation areas under data scarcity and conflict: a jaguar case study in Sierra Nevada de Santa Marta, Colombia. <i>Biodiversity and Conservation</i> , 2018, 27, 3373-3392. | 1.2 | 12 |
| 8825 | Morphological variation in black cherry (<i>Prunus serotina</i> Ehrh.) associated with environmental conditions in Mexico and the United States. <i>Genetic Resources and Crop Evolution</i> , 2018, 65, 2151-2168. | 0.8 | 8 |
| 8826 | Modelling potential distribution of bramble (<i>rubus cuneifolius</i>) using topographic, bioclimatic and remotely sensed data in the KwaZulu-Natal Drakensberg, South Africa. <i>Applied Geography</i> , 2018, 99, 54-62. | 1.7 | 15 |
| 8827 | Assessing the vulnerability of freshwater crayfish to climate change. <i>Diversity and Distributions</i> , 2018, 24, 1830-1843. | 1.9 | 27 |
| 8828 | Selective differentiation during the colonization and establishment of a newly invasive species. <i>Journal of Evolutionary Biology</i> , 2018, 31, 1689-1703. | 0.8 | 11 |
| 8829 | Pleistocene glacial cycles and physical barriers influence phylogeographic structure in Black-capped Chickadees (<i>Poecile atricapillus</i>), a widespread North American passerine. <i>Canadian Journal of Zoology</i> , 2018, 96, 1366-1377. | 0.4 | 3 |
| 8830 | Climate niche conservatism and complex topography illuminate the cryptic diversification of Asian shrew-like moles. <i>Journal of Biogeography</i> , 2018, 45, 2400-2414. | 1.4 | 21 |
| 8831 | Climate risk on two vegetation axes—Tropical wet-dry and temperate arid-moist forests. <i>Journal of Biogeography</i> , 2018, 45, 2361-2374. | 1.4 | 7 |
| 8832 | A phylogenetic test of adaptation to deserts and aridity in skull and dental morphology across rodents. <i>Journal of Mammalogy</i> , 2018, 99, 1197-1216. | 0.6 | 30 |
| 8833 | A Multi-Gene Analysis and Potential Spatial Distribution of Species of the Strodei Subgroup of the Genus <i>Nyssorhynchus</i> (Diptera: Culicidae). <i>Journal of Medical Entomology</i> , 2018, 55, 1486-1495. | 0.9 | 4 |
| 8834 | Biotic interactions in species distribution models enhance model performance and shed light on natural history of rare birds: a case study using the straight-billed reedhaunter <i>Limnocites rectirostris</i> . <i>Journal of Avian Biology</i> , 2018, 49, e01743. | 0.6 | 31 |
| 8835 | Productivity as the main factor correlating with migratory behaviour in the evolutionary history of warblers. <i>Journal of Zoology</i> , 2018, 306, 197-206. | 0.8 | 8 |
| 8836 | A scoping review of roof harvested rainwater usage in urban agriculture: Australia and Kenya in focus. <i>Journal of Cleaner Production</i> , 2018, 202, 174-190. | 4.6 | 50 |
| 8837 | Unmasking cryptic biodiversity in polyploids: origin and diversification of <i>Aster amellus</i> aggregate. <i>Annals of Botany</i> , 2018, 122, 1047-1059. | 1.4 | 10 |
| 8838 | The effect of range overlap on ecological niche divergence depends on spatial scale in monkeyflowers. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2100-2113. | 1.1 | 17 |
| 8839 | Testing for latitudinal gradients in defense at the macroevolutionary scale. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2129-2143. | 1.1 | 15 |
| 8840 | Evolution of morphological crypsis in the <i>Tetramorium caespitum</i> ant species complex (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 T | 1.6 | 14 |
| 8841 | Patterns of niche diversification in south-east Asian crocodile newts. <i>Zoologischer Anzeiger</i> , 2018, 276, 86-93. | 0.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8842 | Variation in traits related to water transport in <i>Nothofagus dombeyi</i> helps to explain its latitudinal distribution limit in the Chilean Andes. <i>Plant Ecology and Diversity</i> , 2018, 11, 307-317. | 1.0 | 2 |
| 8843 | Using remote sensing to model tree species distribution in Peruvian lowland Amazonia. <i>Biotropica</i> , 2018, 50, 758-767. | 0.8 | 11 |
| 8844 | Global drivers of population density in terrestrial vertebrates. <i>Global Ecology and Biogeography</i> , 2018, 27, 968-979. | 2.7 | 80 |
| 8845 | Where does diversity come from? Linking geographical patterns of morphological, genetic, and environmental variation in wall lizards. <i>BMC Evolutionary Biology</i> , 2018, 18, 124. | 3.2 | 19 |
| 8846 | Monitoring the response of vegetation dynamics to ecological engineering in the Mu Us Sandy Land of China from 1982 to 2014. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 543. | 1.3 | 31 |
| 8847 | Correlates of rate heterogeneity in avian ecomorphological traits. <i>Ecology Letters</i> , 2018, 21, 1505-1514. | 3.0 | 36 |
| 8848 | Using tree species inventories to map biomes and assess their climatic overlaps in lowland tropical South America. <i>Global Ecology and Biogeography</i> , 2018, 27, 899-912. | 2.7 | 69 |
| 8849 | Climatic niche modeling reveals divergence between cytotypes in <i>Eutrema edwardsii</i> (Brassicaceae). <i>Botany</i> , 2018, 96, 813-823. | 0.5 | 2 |
| 8850 | Potential species richness of frogs and diurnal butterflies in three biogeographical units from northeastern Colombia: conservation Implications. <i>Acta Biologica Colombiana</i> , 2018, 23, . | 0.1 | 1 |
| 8851 | Examining the interglacial high-elevation refugia scenario in East Asian subtropical mountain systems with the frog species <i>Leptobranchium liui</i> . <i>Ecology and Evolution</i> , 2018, 8, 9326-9340. | 0.8 | 5 |
| 8852 | Inferring diversity patterns along an elevation gradient from stacked SDMs: A case study on Mesoamerican ferns. <i>Global Ecology and Conservation</i> , 2018, 16, e00433. | 1.0 | 14 |
| 8853 | Climate Constraints on Glaciation Over High Mountain Asia During the Last Glacial Maximum. <i>Geophysical Research Letters</i> , 2018, 45, 9024-9033. | 1.5 | 29 |
| 8854 | The Contribution of Neutral and Environmentally Dependent Processes in Driving Population and Lineage Divergence in Taiwan (<i>Taiwania cryptomerioides</i>). <i>Frontiers in Plant Science</i> , 2018, 9, 1148. | 1.7 | 27 |
| 8855 | Ecogeography of South-American Rodentia and Lagomorpha (Mammalia, Glires): Roles of size, environment, and geography on skull shape. <i>Zoologischer Anzeiger</i> , 2018, 277, 33-41. | 0.4 | 4 |
| 8856 | Landscape heterogeneity and ecological niche isolation shape the distribution of spatial genetic variation in Iranian brown bears, <i>Ursus arctos</i> (Carnivora: Ursidae). <i>Mammalian Biology</i> , 2018, 93, 64-75. | 0.8 | 22 |
| 8857 | Revisiting niche fundamentals with Tukey depth. <i>Methods in Ecology and Evolution</i> , 2018, 9, 2349-2361. | 2.2 | 8 |
| 8858 | Functional diversity mediates macroecological variation in plant-hummingbird interaction networks. <i>Global Ecology and Biogeography</i> , 2018, 27, 1186-1199. | 2.7 | 43 |
| 8859 | Phylogeography of the wild Lagerbaking ancestor (<i>Saccharomyces eubayanus</i>) in Patagonia. <i>Environmental Microbiology</i> , 2018, 20, 3732-3743. | 1.8 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8860 | Highly diverse Bronze Age population dynamics in Central-Southern Europe and their response to regional climatic patterns. PLoS ONE, 2018, 13, e0200709. | 1.1 | 17 |
| 8861 | Male-Driven Differences in Chimpanzee (<i>Pan troglodytes</i>) Population Genetic Structure Across Three Habitats in Cameroon and Nigeria. International Journal of Primatology, 2018, 39, 581-601. | 0.9 | 2 |
| 8862 | Genetic determination of migration strategies in large soaring birds: evidence from hybrid eagles. Proceedings of the Royal Society B: Biological Sciences, 2018, 285, 20180855. | 1.2 | 20 |
| 8863 | Negative spatial covariation in abundance of two European ticks: diverging niche preferences or biotic interaction?. Ecological Entomology, 2018, 43, 804-812. | 1.1 | 9 |
| 8864 | Species distribution modelling tools and databases to assist managing forests under climate change. Forest Ecology and Management, 2018, 430, 196-203. | 1.4 | 80 |
| 8865 | Distributional patterns and conservation planning for a snake assemblage from temperate South America. Journal for Nature Conservation, 2018, 45, 79-89. | 0.8 | 5 |
| 8866 | A Global Meta-Analysis of Grazing Impacts on Soil Health Indicators. Journal of Environmental Quality, 2018, 47, 758-765. | 1.0 | 177 |
| 8867 | Anthropogenic Reservoirs of Various Sizes Trap Most of the Sediment in the Mediterranean Maghreb Basin. Water (Switzerland), 2018, 10, 927. | 1.2 | 10 |
| 8868 | Genetic Diversity, Population Structure, and Genetic Correlation with Climatic Variation in Chickpea (<i>Cicer arietinum</i>) Landraces from Pakistan. Plant Genome, 2018, 11, 170067. | 1.6 | 14 |
| 8869 | Potential impacts of climate change on <i>Welwitschia mirabilis</i> populations in the Namib Desert, southern Africa. Journal of Arid Land, 2018, 10, 663-672. | 0.9 | 12 |
| 8870 | Mapping relative extinction risk for biodiversity conservation. Biological Conservation, 2018, 226, 168-176. | 1.9 | 3 |
| 8871 | Predicting the risk of aquatic plant invasions in Europe: How climatic factors and anthropogenic activity influence potential species distributions. Journal for Nature Conservation, 2018, 45, 58-71. | 0.8 | 27 |
| 8872 | Origins of polyploidy in <i>Paspalum stellatum</i> and related species (Poaceae, Panicoideae, Paspaleae) inferred from phylogenetic and cytogenetic analyses. Botanical Journal of the Linnean Society, 2018, 188, 21-33. | 0.8 | 2 |
| 8873 | New Insights From Pre-Columbian Land Use and Fire Management in Amazonian Dark Earth Forests. Frontiers in Ecology and Evolution, 2018, 6, . | 1.1 | 41 |
| 8874 | Environmental prevalence and the distribution of species richness across climatic niche space. Journal of Biogeography, 2018, 45, 2348-2360. | 1.4 | 7 |
| 8875 | A study on <i>Ptyas doriae</i> (Boulenger, 1888) with comments on the status of <i>Ptyas hamptoni</i> (Boulenger, 1902). Tj ETQq1 1.0.784314 rgBT /D | 0.2 | 2 |
| 8876 | Insolation and disturbance history drive biocrust biodiversity in Western Montana rangelands. Plant and Soil, 2018, 430, 151-169. | 1.8 | 21 |
| 8877 | Accessible remote sensing data based reference evapotranspiration estimation modelling. Agricultural Water Management, 2018, 210, 59-69. | 2.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8878 | A major locus controls local adaptation and adaptive life history variation in a perennial plant. <i>Genome Biology</i> , 2018, 19, 72. | 3.8 | 76 |
| 8879 | Will climate change cause spatial mismatch between plants and their pollinators? A test using Andean cactus species. <i>Biological Conservation</i> , 2018, 226, 247-255. | 1.9 | 13 |
| 8880 | Past distribution of epiphyllous liverworts in China: The usability of historical data. <i>Ecology and Evolution</i> , 2018, 8, 7436-7450. | 0.8 | 7 |
| 8881 | Climate ultrastructure and aquatic community response to Heinrich Stadials (HS5a-HS1) in the continental northern Neotropics. <i>Quaternary Science Reviews</i> , 2018, 197, 75-91. | 1.4 | 15 |
| 8882 | Environmental factors drive language density more in food-producing than in hunter-gatherer populations. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172851. | 1.2 | 19 |
| 8883 | Land suitability levels for rainfed maize under current conditions and climate change projections in Mexico. <i>Outlook on Agriculture</i> , 2018, 47, 181-191. | 1.8 | 14 |
| 8884 | Climatic differentiation in polyploid apomictic <i>Ranunculus auricomus</i> complex in Europe. <i>BMC Ecology</i> , 2018, 18, 16. | 3.0 | 18 |
| 8885 | Regional-scale patterns of $\delta^{13}C$ and $\delta^{15}N$ associated with multiple ecosystem functions along an aridity gradient in grassland ecosystems. <i>Plant and Soil</i> , 2018, 432, 107-118. | 1.8 | 15 |
| 8886 | Phylogeography of an endangered disjunct herb: long-distance dispersal, refugia and colonization routes. <i>AoB PLANTS</i> , 2018, 10, ply047. | 1.2 | 10 |
| 8887 | Climate impact on the development of Pre-Classic Maya civilisation. <i>Climate of the Past</i> , 2018, 14, 1253-1273. | 1.3 | 11 |
| 8888 | Dynamics of an outburst flood originating from a small and high-altitude glacier in the Arid Andes of Chile. <i>Natural Hazards</i> , 2018, 94, 93-119. | 1.6 | 9 |
| 8889 | Structural controls on distribution of dolines on Mount Anamas (Taurus Mountains, Turkey). <i>Geomorphology</i> , 2018, 317, 107-116. | 1.1 | 30 |
| 8890 | Hindcasting global population densities reveals forces enabling the origin of agriculture. <i>Nature Human Behaviour</i> , 2018, 2, 478-484. | 6.2 | 42 |
| 8891 | Water availability drives gradients of tree diversity, structure and functional traits in the Atlantic-Cerrado-Caatinga transition, Brazil. <i>Journal of Plant Ecology</i> , 2018, 11, 803-814. | 1.2 | 41 |
| 8892 | Multifaceted biodiversity modelling at macroecological scales using Gaussian processes. <i>Diversity and Distributions</i> , 2018, 24, 1492-1502. | 1.9 | 7 |
| 8893 | The spatial structure of phylogenetic and functional diversity in the United States and Canada: An example using the sedge family (Cyperaceae). <i>Journal of Systematics and Evolution</i> , 2018, 56, 449-465. | 1.6 | 31 |
| 8894 | Distance, elevation and environment as drivers of diversity and divergence in bumble bees across latitude and altitude. <i>Molecular Ecology</i> , 2018, 27, 2926-2942. | 2.0 | 60 |
| 8895 | Soil moisture forecasting by a hybrid machine learning technique: ELM integrated with ensemble empirical mode decomposition. <i>Geoderma</i> , 2018, 330, 136-161. | 2.3 | 149 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8896 | Evapotranspiration and favorable growing degree-days are key to tree height growth and ecosystem functioning: Meta-analyses of Pacific Northwest historical data. <i>Scientific Reports</i> , 2018, 8, 8228. | 1.6 | 15 |
| 8897 | Evidence for lower plasticity in CT_{MAX} at warmer developmental temperatures. <i>Journal of Evolutionary Biology</i> , 2018, 31, 1300-1312. | 0.8 | 36 |
| 8898 | Slimy invasion: Climatic niche and current and future biogeography of <i>Arion</i> slug invaders. <i>Diversity and Distributions</i> , 2018, 24, 1627-1640. | 1.9 | 23 |
| 8899 | Drivers of woody plant encroachment over Africa. <i>Nature Communications</i> , 2018, 9, 2272. | 5.8 | 208 |
| 8900 | Impact of ecological redundancy on the performance of machine learning classifiers in vegetation mapping. <i>Ecology and Evolution</i> , 2018, 8, 6728-6737. | 0.8 | 17 |
| 8901 | From Mountains to Plains: Ecological Structure of the South Ural (Russia) Fen Vegetation. <i>Wetlands</i> , 2018, 38, 1269-1283. | 0.7 | 2 |
| 8902 | Cryptic genetic diversity, population structure, and gene flow in the Mojave rattlesnake (<i>Crotalus</i>) <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i> | 1.2 | 33 |
| 8903 | Sequence of flower and leaf emergence in deciduous trees is linked to ecological traits, phylogenetics, and climate. <i>New Phytologist</i> , 2018, 220, 121-131. | 3.5 | 20 |
| 8904 | The invasiveness of <i>Hypochaeris glabra</i> (Asteraceae): Responses in morphological and reproductive traits for exotic populations. <i>PLoS ONE</i> , 2018, 13, e0198849. | 1.1 | 10 |
| 8905 | Evolutionary history of campo rupestre: an approach for conservation of woody plant communities. <i>Biodiversity and Conservation</i> , 2018, 27, 2877-2896. | 1.2 | 17 |
| 8906 | Indicator species and community structure of gasteroid fungi (Agaricomycetes, Basidiomycota) in ecosystems of the Atlantic Forest in southern Brazil. <i>Revista Brasileira De Botanica</i> , 2018, 41, 641-651. | 0.5 | 3 |
| 8907 | Out of North Africa by different routes: phylogeography and species distribution model of the western Mediterranean <i>Lavatera maritima</i> (Malvaceae). <i>Botanical Journal of the Linnean Society</i> , 2018, 187, 441-455. | 0.8 | 13 |
| 8908 | Seed dormancy and control of germination in <i>Sisymbrella dentata</i> (L.) O.E. Schulz (Brassicaceae). <i>Plant Biology</i> , 2018, 20, 879-885. | 1.8 | 7 |
| 8909 | Prediction of the potential global distribution for <i>Biomphalaria straminea</i> , an intermediate host for <i>Schistosoma mansoni</i> . <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006548. | 1.3 | 20 |
| 8910 | Next-generation lineage discovery: A case study of tuberous <i>Claytonia</i> L.. <i>American Journal of Botany</i> , 2018, 105, 536-548. | 0.8 | 15 |
| 8911 | Processes structuring amphibian assemblages along a subtropical arid gradient. <i>Acta Oecologica</i> , 2018, 91, 43-49. | 0.5 | 3 |
| 8912 | Uncertainty of future projections of species distributions in mountainous regions. <i>PLoS ONE</i> , 2018, 13, e0189496. | 1.1 | 22 |
| 8913 | Species delimitation in the <i>Stenocereus griseus</i> (Cactaceae) species complex reveals a new species, <i>S. huastecorum</i> . <i>PLoS ONE</i> , 2018, 13, e0190385. | 1.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8914 | Comparison of genetic variation between northern and southern populations of <i>Lilium cernuum</i> (Liliaceae): Implications for Pleistocene refugia. <i>PLoS ONE</i> , 2018, 13, e0190520. | 1.1 | 14 |
| 8915 | <i>Gypsophila bermejoi</i> G. Lpez: A possible case of speciation repressed by bioclimatic factors. <i>PLoS ONE</i> , 2018, 13, e0190536. | 1.1 | 9 |
| 8916 | Fire forbids fifty-fifty forest. <i>PLoS ONE</i> , 2018, 13, e0191027. | 1.1 | 42 |
| 8917 | Geographical patterns in climate and agricultural technology drive soybean productivity in Brazil. <i>PLoS ONE</i> , 2018, 13, e0191273. | 1.1 | 21 |
| 8918 | Assessing the potential impacts of a changing climate on the distribution of a rabies virus vector. <i>PLoS ONE</i> , 2018, 13, e0192887. | 1.1 | 52 |
| 8919 | Structural equation modeling as a tool to investigate correlates of extra-pair paternity in birds. <i>PLoS ONE</i> , 2018, 13, e0193365. | 1.1 | 10 |
| 8920 | Extending the paleontologyâ€“biogeography reciprocity with SDMs: Exploring models and data in reducing fossil taxonomic uncertainty. <i>PLoS ONE</i> , 2018, 13, e0194725. | 1.1 | 9 |
| 8921 | A mid to late Holocene chironomid-inferred temperature record from northwest Ireland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 505, 274-286. | 1.0 | 12 |
| 8922 | Climatic niche divergence drives patterns of diversification and richness among mammal families. <i>Scientific Reports</i> , 2018, 8, 8781. | 1.6 | 42 |
| 8923 | Global distribution and climatic match of a highly traded ornamental freshwater fish, the sailfin molly <i>Poecilia latipinna</i> (Lesueur, 1821). <i>Knowledge and Management of Aquatic Ecosystems</i> , 2018, , 23. | 0.5 | 3 |
| 8924 | Genomic evidence of a widespread southern distribution during the Last Glacial Maximum for two eastern North American hickory species. <i>Journal of Biogeography</i> , 2018, 45, 1739-1750. | 1.4 | 22 |
| 8925 | Why understanding the pioneering and continuing contributions of <i>BIOCLIM</i> to species distribution modelling is important. <i>Austral Ecology</i> , 2018, 43, 852-860. | 0.7 | 85 |
| 8926 | Thermal constraints of energy assimilation on geographical ranges among lungless salamanders of North America. <i>Journal of Biogeography</i> , 2018, 45, 1664-1674. | 1.4 | 9 |
| 8927 | The positive carbon stocksâ€“biodiversity relationship in forests: co-occurrence and drivers across five subclimates. <i>Ecological Applications</i> , 2018, 28, 1481-1493. | 1.8 | 45 |
| 8928 | Hydroclimatic variability and corresponding vegetation response in the Darjeeling Himalaya, India over the past ~2400 years. <i>Catena</i> , 2018, 170, 84-99. | 2.2 | 19 |
| 8929 | Count population viability analysis finds that interacting local and regional threats affect the viability of a rare plant. <i>Ecological Indicators</i> , 2018, 93, 822-829. | 2.6 | 5 |
| 8930 | Crassulacean acid metabolism and distribution range in Chilean Bromeliaceae: Influences of climate and phylogeny. <i>Journal of Biogeography</i> , 2018, 45, 1541-1549. | 1.4 | 2 |
| 8931 | Chinese Water Systems. <i>Terrestrial Environmental Sciences</i> , 2018, , . | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8932 | Evolutionary applications of phylogenetically-informed ecological niche modelling (ENM) to explore cryptic diversification over cryptic refugia. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 712-722. | 1.2 | 17 |
| 8933 | Testing for the presence of cryptic diversity in tail-dropper slugs (<i>Prophysaon</i>) using molecular data. <i>Biological Journal of the Linnean Society</i> , 2018, 124, 518-532. | 0.7 | 10 |
| 8934 | On dangerous ground: the evolution of body armour in cordyline lizards. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20180513. | 1.2 | 26 |
| 8935 | The conservation status of a poorly known range-restricted mammal, the Nimba otter-shrew <i>Micropotamogale lamottei</i> . <i>Mammalia</i> , 2018, 83, 1-10. | 0.3 | 5 |
| 8936 | Major challenges for correlational ecological niche model projections to future climate conditions. <i>Annals of the New York Academy of Sciences</i> , 2018, 1429, 66-77. | 1.8 | 96 |
| 8937 | European ornamental garden flora as an invasion debt under climate change. <i>Journal of Applied Ecology</i> , 2018, 55, 2386-2395. | 1.9 | 45 |
| 8938 | Continental-scale macrofungal assemblage patterns correlate with climate, soil carbon and nitrogen deposition. <i>Journal of Biogeography</i> , 2018, 45, 1942-1953. | 1.4 | 35 |
| 8939 | Can species distribution models really predict the expansion of invasive species?. <i>PLoS ONE</i> , 2018, 13, e0193085. | 1.1 | 173 |
| 8940 | Genetic diversity and distribution of <i>Senegalia senegal</i> (L.) Britton under climate change scenarios in West Africa. <i>PLoS ONE</i> , 2018, 13, e0194726. | 1.1 | 10 |
| 8941 | Advances in Monitoring and Modelling Climate at Ecologically Relevant Scales. <i>Advances in Ecological Research</i> , 2018, , 101-161. | 1.4 | 146 |
| 8942 | A tale of two forests: ongoing aridification drives population decline and genetic diversity loss at continental scale in Afro-Macaronesian evergreen-forest archipelago endemics. <i>Annals of Botany</i> , 2018, 122, 1005-1017. | 1.4 | 21 |
| 8943 | Not in wilderness: African vulture strongholds remain in areas with high human density. <i>PLoS ONE</i> , 2018, 13, e0190594. | 1.1 | 36 |
| 8944 | Ecogeography of teosinte. <i>PLoS ONE</i> , 2018, 13, e0192676. | 1.1 | 67 |
| 8945 | Transitional climate mortality: slower warming may result in increased climate-induced mortality in some systems. <i>Ecosphere</i> , 2018, 9, e02170. | 1.0 | 10 |
| 8946 | Historical range contraction, and not taxonomy, explains the contemporary genetic structure of the Australian tree <i>Acacia dealbata</i> Link. <i>Tree Genetics and Genomes</i> , 2018, 14, 1. | 0.6 | 33 |
| 8947 | Understanding resource choice at the transition from foraging to farming: An application of palaeodistribution modelling to the Neolithic of the Konya Plain, south-central Anatolia, Turkey. <i>Journal of Archaeological Science</i> , 2018, 96, 57-72. | 1.2 | 5 |
| 8948 | Using collections data to infer biogeographic, environmental, and host structure in communities of endophytic fungi. <i>Mycologia</i> , 2018, 110, 47-62. | 0.8 | 19 |
| 8949 | Measuring resilience and assessing vulnerability of terrestrial ecosystems to climate change in South America. <i>PLoS ONE</i> , 2018, 13, e0194654. | 1.1 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8950 | Infectious disease in fish: global risk of viral hemorrhagic septicemia virus. <i>Reviews in Fish Biology and Fisheries</i> , 2018, 28, 637-655. | 2.4 | 31 |
| 8951 | How different are species distribution model predictions? Application of a new measure of dissimilarity and level of significance to giant panda <i>Ailuropoda melanoleuca</i> . <i>Ecological Informatics</i> , 2018, 46, 114-124. | 2.3 | 43 |
| 8952 | Future effects of climate and land-use change on terrestrial vertebrate community diversity under different scenarios. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20180792. | 1.2 | 262 |
| 8953 | Vertical stratification influences global patterns of biodiversity. <i>Ecography</i> , 2019, 42, 249-249. | 2.1 | 68 |
| 8954 | Natural re-colonization and admixture of wolves (<i>Canis lupus</i>) in the US Pacific Northwest: challenges for the protection and management of rare and endangered taxa. <i>Heredity</i> , 2019, 122, 133-149. | 1.2 | 13 |
| 8955 | Thermophysiology, microclimates, and species distributions of lizards in the mountains of the Brazilian Atlantic Forest. <i>Ecography</i> , 2019, 42, 354-364. | 2.1 | 14 |
| 8956 | Spatial scale, topography and thermoregulatory behaviour interact when modelling species' thermal niches. <i>Ecography</i> , 2019, 42, 376-389. | 2.1 | 22 |
| 8957 | Stream diatoms exhibit weak niche conservation along global environmental and climatic gradients. <i>Ecography</i> , 2019, 42, 346-353. | 2.1 | 14 |
| 8958 | Range limits in sympatric cryptic species: a case study in <i>Tetramorium</i> pavement ants (Hymenoptera: Formicidae) across a biogeographical boundary. <i>Insect Conservation and Diversity</i> , 2019, 12, 109-120. | 1.4 | 12 |
| 8959 | Morphological and functional seed traits of the wild medicinal plant <i>Dioscorea srydomiana</i> , the most threatened yam in the world. <i>Plant Biology</i> , 2019, 21, 515-522. | 1.8 | 2 |
| 8960 | A modern analogue of the Pleistocene steppe-tundra ecosystem in southern Siberia. <i>Boreas</i> , 2019, 48, 36-56. | 1.2 | 44 |
| 8961 | Potential Effects of Future Climate Changes on Brazilian Cool-Adapted Stoneflies (Insecta: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 | 0.5 | 7 |
| 8962 | Root growth dynamics of three beech (<i>Fagus sylvatica</i> L.) provenances. <i>Forest Ecology and Management</i> , 2019, 431, 35-43. | 1.4 | 9 |
| 8963 | Long-term prediction of greenhouse gas risk to the Chinese hydropower reservoirs. <i>Science of the Total Environment</i> , 2019, 646, 300-308. | 3.9 | 65 |
| 8964 | Inferring distributional shifts of epidemiologically important North and Central American sandflies from Pleistocene to future scenarios. <i>Medical and Veterinary Entomology</i> , 2019, 33, 31-43. | 0.7 | 12 |
| 8966 | The truncated bell: an enigmatic but pervasive elevational diversity pattern in Middle American ants. <i>Ecography</i> , 2019, 42, 272-283. | 2.1 | 28 |
| 8967 | Out of Africa: demographic and colonization history of the Algerian mouse (<i>Mus spretus</i> Lataste). <i>Heredity</i> , 2019, 122, 150-171. | 1.2 | 11 |
| 8968 | Germination niche breadth varies inconsistently among three <i>Asclepias</i> congeners along a latitudinal gradient. <i>Plant Biology</i> , 2019, 21, 425-438. | 1.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 8969 | Better estimates of soil carbon from geographical data: a revised global approach. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2019, 24, 355-372. | 1.0 | 26 |
| 8970 | Global climate control on carbonate weathering intensity. <i>Chemical Geology</i> , 2019, 527, 118762. | 1.4 | 82 |
| 8971 | A comprehensive examination of the network position hypothesis across multiple river metacommunities. <i>Ecography</i> , 2019, 42, 284-294. | 2.1 | 54 |
| 8972 | Aridity preferences alter the relative importance of abiotic and biotic drivers on plant species abundance in global drylands. <i>Journal of Ecology</i> , 2019, 107, 190-202. | 1.9 | 51 |
| 8973 | Climate change increases ecogeographical isolation between closely related plants. <i>Journal of Ecology</i> , 2019, 107, 167-177. | 1.9 | 10 |
| 8974 | <i>Ecological Networks.</i> , 2019, , 1131-1141. | | 1 |
| 8975 | Shifting species and functional diversity due to abrupt changes in water availability in tropical dry forests. <i>Journal of Ecology</i> , 2019, 107, 253-264. | 1.9 | 13 |
| 8976 | Geographic variation of body size in New World anurans: energy and water in a balance. <i>Ecography</i> , 2019, 42, 456-466. | 2.1 | 27 |
| 8977 | Temperature and CO ₂ dependency of global carbonate weathering fluxes – Implications for future carbonate weathering research. <i>Chemical Geology</i> , 2019, 527, 118874. | 1.4 | 27 |
| 8978 | Increase in light interception cost and metabolic mass component of leaves are coupled for efficient resource use in the high altitude vegetation. <i>Oikos</i> , 2019, 128, 254-263. | 1.2 | 23 |
| 8979 | An evaluation of transferability of ecological niche models. <i>Ecography</i> , 2019, 42, 521-534. | 2.1 | 97 |
| 8980 | Towards the development of general rules describing landscape heterogeneity – multifunctionality relationships. <i>Journal of Applied Ecology</i> , 2019, 56, 168-179. | 1.9 | 42 |
| 8981 | Multimedia modeling of the PAH concentration and distribution in the Yangtze River Delta and human health risk assessment. <i>Science of the Total Environment</i> , 2019, 647, 962-972. | 3.9 | 47 |
| 8982 | Geospatial Patterns and Drivers of Forest Fire Occurrence in Romania. <i>Applied Spatial Analysis and Policy</i> , 2019, 12, 773-795. | 1.0 | 8 |
| 8983 | Wintering range of <i>Pipistrellus nathusii</i> (Chiroptera) in Central Europe: has the species extended to the north-east using urban heat islands?. <i>Mammalia</i> , 2019, 83, 260-271. | 0.3 | 19 |
| 8984 | Effects of neutrality and productivity on mammal richness and evolutionary history in Australia. <i>Ecography</i> , 2019, 42, 478-487. | 2.1 | 9 |
| 8985 | Accessibility maps as a tool to predict sampling bias in historical biodiversity occurrence records. <i>Ecography</i> , 2019, 42, 125-136. | 2.1 | 50 |
| 8986 | Congruent species delimitation of two controversial goldthread nanmu tree species based on morphological and restriction site-associated DNA sequencing data. <i>Journal of Systematics and Evolution</i> , 2019, 57, 234-246. | 1.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 8987 | Correlated evolution of self and interspecific incompatibility across the range of a Texas wildflower. <i>New Phytologist</i> , 2019, 221, 553-564. | 3.5 | 16 |
| 8988 | Estimating land market values from real estate offers: A replicable method in support of biodiversity conservation strategies. <i>Ambio</i> , 2019, 48, 313-323. | 2.8 | 11 |
| 8989 | Spatial variability in species' potential distributions during the Last Glacial Maximum under different Global Circulation Models: Relevance in evolutionary biology. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2019, 57, 113-126. | 0.6 | 16 |
| 8990 | Accounting for correlation among environmental covariates improves delineation of extrapolation suitability index for agronomic technological packages. <i>Geocarto International</i> , 2019, 34, 368-390. | 1.7 | 6 |
| 8991 | Widespread colonisation of Tanzanian catchments by introduced <i>Oreochromis tilapia</i> fishes: the legacy from decades of deliberate introduction. <i>Hydrobiologia</i> , 2019, 832, 235-253. | 1.0 | 37 |
| 8992 | Climate Change Influencing the Potential Distribution of a Brazilian Savanna Indicator Species. <i>Floresta E Ambiente</i> , 2019, 26, . | 0.1 | 3 |
| 8993 | Interpretation of vegetation phenology changes using daytime and night-time temperatures across the Yellow River Basin, China. <i>Science of the Total Environment</i> , 2019, 693, 133553. | 3.9 | 35 |
| 8994 | Completeness of digital accessible knowledge of the birds of western Africa: Priorities for survey. <i>Condor</i> , 2019, 121, . | 0.7 | 16 |
| 8995 | Global warming promotes biological invasion of a honey bee pest. <i>Global Change Biology</i> , 2019, 25, 3642-3655. | 4.2 | 64 |
| 8996 | Demographic Structure of <i>Scutellaria baicalensis</i> Georgi Depending on Climatic Gradients and Local Factors. <i>Russian Journal of Ecology</i> , 2019, 50, 404-407. | 0.3 | 2 |
| 8997 | Beta diversity of gastrointestinal helminths in two closely related South African rodents: species and site contributions. <i>Parasitology Research</i> , 2019, 118, 2863-2875. | 0.6 | 4 |
| 8998 | Adaptive phenotypic divergence in an annual grass differs across biotic contexts*. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 2230-2246. | 1.1 | 22 |
| 8999 | Mapping global development potential for renewable energy, fossil fuels, mining and agriculture sectors. <i>Scientific Data</i> , 2019, 6, 101. | 2.4 | 64 |
| 9000 | Quantifying the impact of trees on land surface temperature: a downscaling algorithm at city-scale. <i>European Journal of Remote Sensing</i> , 2019, 52, 74-83. | 1.7 | 17 |
| 9001 | Cryptic phylogeographic history sheds light on the generation of species diversity in sky-island mountains. <i>Journal of Biogeography</i> , 2019, 46, 2232-2247. | 1.4 | 31 |
| 9002 | Deep south-north genetic divergence in Godlewski's bunting (<i>Emberiza godlewskii</i>) related to uplift of the Qinghai-Tibet Plateau and habitat preferences. <i>BMC Evolutionary Biology</i> , 2019, 19, 161. | 3.2 | 22 |
| 9003 | Global distribution modelling, invasion risk assessment and niche dynamics of <i>Leucanthemum vulgare</i> (Ox-eye Daisy) under climate change. <i>Scientific Reports</i> , 2019, 9, 11395. | 1.6 | 30 |
| 9004 | Padrões espaciais de samambaias em Floresta Estacional Perenifolia na transição Amazônia-Cerrado. <i>Rodriguesia</i> , 0, 70, . | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9005 | Soil organic carbon in sandy soils: A review. <i>Advances in Agronomy</i> , 2019, 158, 217-310. | 2.4 | 92 |
| 9006 | How sensitive are climatic niche inferences to distribution data sampling? A comparison of Biota of North America Program (BONAP) and Global Biodiversity Information Facility (GBIF) datasets. <i>Ecological Informatics</i> , 2019, 54, 100991. | 2.3 | 14 |
| 9007 | Evolutionary lability of host associations promotes phylogenetic overdispersion of co-infecting blood parasites. <i>Journal of Animal Ecology</i> , 2019, 88, 1936-1949. | 1.3 | 17 |
| 9008 | Spatial analyses of multi-trophic terrestrial vertebrate assemblages in Europe. <i>Global Ecology and Biogeography</i> , 2019, 28, 1636-1648. | 2.7 | 27 |
| 9009 | Habitat specialists as conservation umbrellas: Do areas managed for greater sage-grouse also protect pygmy rabbits?. <i>Ecosphere</i> , 2019, 10, e02827. | 1.0 | 20 |
| 9010 | Examination of a relationship between atmospheric blocking and seismic events in the Middle East using a new seismo-climatic index. <i>Swiss Journal of Geosciences</i> , 2019, 112, 435-451. | 0.5 | 5 |
| 9011 | Using pedological knowledge to improve sediment source apportionment in tropical environments. <i>Journal of Soils and Sediments</i> , 2019, 19, 3274-3289. | 1.5 | 25 |
| 9012 | The interplay of nested biotic interactions and the abiotic environment regulates populations of a hypersymbiont. <i>Journal of Animal Ecology</i> , 2019, 88, 1998-2010. | 1.3 | 5 |
| 9013 | Phylogeographic Analysis and Genetic Structure of an Endemic Sino-Japanese Disjunctive Genus <i>Diabelia</i> (Caprifoliaceae). <i>Frontiers in Plant Science</i> , 2019, 10, 913. | 1.7 | 12 |
| 9014 | Modeling the effects of climate change on the distribution of <i>Tagetes lucida</i> Cav. (Asteraceae). <i>Global Ecology and Conservation</i> , 2019, 20, e00747. | 1.0 | 11 |
| 9015 | Habitat use, density, and conservation status of the white-browed guan (<i>Penelope jacucaca</i> Spix, 1825). <i>Journal for Nature Conservation</i> , 2019, 51, 125733. | 0.8 | 5 |
| 9016 | An integrating study of genetic diversity and ecological niche modelling in <i>Salvia aristata</i> (Lamiaceae). <i>Acta Botanica Hungarica</i> , 2019, 61, 185-204. | 0.1 | 3 |
| 9017 | Climate exposure of East Asian temperate forests suggests transboundary climate adaptation strategies are needed. <i>Climatic Change</i> , 2019, 156, 51-67. | 1.7 | 7 |
| 9018 | Polish suture zone as the goblet of truth in post-glacial history of mammals in Europe. <i>Mammal Research</i> , 2019, 64, 463-475. | 0.6 | 15 |
| 9019 | Forecasting species range dynamics with process-explicit models: matching methods to applications. <i>Ecology Letters</i> , 2019, 22, 1940-1956. | 3.0 | 144 |
| 9020 | Predicting the Spatial Distribution and Severity of Soil Erosion in the Global Tropics using Satellite Remote Sensing. <i>Remote Sensing</i> , 2019, 11, 1800. | 1.8 | 19 |
| 9021 | Thermal physiological traits in tropical lowland amphibians: Vulnerability to climate warming and cooling. <i>PLoS ONE</i> , 2019, 14, e0219759. | 1.1 | 39 |
| 9022 | Aridity, soil and biome stability influence plant ecoregions in the Atlantic Forest, a biodiversity hotspot in South America. <i>Ecography</i> , 2019, 42, 1887-1898. | 2.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9023 | Regional patterns of genetic structure and environmental differentiation in willow populations (<i>T. ETQq0 0 0 rgBT/Overlock</i>). <i>Journal of Ecology</i> , 2019, 107, 1507-1515. | 0.8 | 15 |
| 9024 | The influence of movement on the occupancy–density relationship at small spatial scales. <i>Ecosphere</i> , 2019, 10, e02807. | 1.0 | 30 |
| 9025 | Species limits and biogeography of <i>Rhynchospora</i> sparrows. <i>Journal of Ornithology</i> , 2019, 160, 973-991. | 0.5 | 1 |
| 9026 | Assessing climate boundary shifting under climate change scenarios across Nepal. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 520. | 1.3 | 27 |
| 9027 | Predicting the distribution and abundance of invasive plant species in a sub-tropical woodland-grassland ecosystem in northeastern India. <i>Plant Ecology</i> , 2019, 220, 935-950. | 0.7 | 9 |
| 9028 | Modelling and mapping beech forest distribution and site productivity under different climate change scenarios in the Cantabrian Range (North-western Spain). <i>Forest Ecology and Management</i> , 2019, 450, 117488. | 1.4 | 18 |
| 9029 | Integrating multi-criteria decision analysis with a GIS-based siting procedure to select a protected area for the Kaiser's mountain newt, <i>Neurergus kaiseri</i> (Caudata: Salamandridae). <i>Global Ecology and Conservation</i> , 2019, 20, e00738. | 1.0 | 16 |
| 9030 | Extreme hydroclimate response gradients within the western Cape Floristic region of South Africa since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2019, 219, 297-307. | 1.4 | 17 |
| 9031 | No evidence for triose phosphate limitation of light-saturated leaf photosynthesis under current atmospheric CO ₂ concentration. <i>Plant, Cell and Environment</i> , 2019, 42, 3241-3252. | 2.8 | 25 |
| 9032 | Red bat fatality: Geographic extents through deuterium and niche models. <i>Journal of Wildlife Management</i> , 2019, 83, 1345-1351. | 0.7 | 1 |
| 9033 | Evaluation of <i>Trapelus agilis</i> species complex (Olivier, 1874) (Sauria: Agamidae) in Iran based on both morphological and ecological analyses. <i>Journal of Asia-Pacific Biodiversity</i> , 2019, 12, 345-352. | 0.2 | 2 |
| 9034 | Geographic variation of reproductive traits and competition for pollinators in a bird-pollinated plant. <i>Ecology and Evolution</i> , 2019, 9, 10122-10134. | 0.8 | 2 |
| 9035 | Winter hardiness of <i>Miscanthus</i> (III): Genome-wide association and genomic prediction for overwintering ability in <i>Miscanthus sinensis</i> . <i>GCB Bioenergy</i> , 2019, 11, 930-955. | 2.5 | 5 |
| 9036 | Differentiated roles of mean climate and climate stability on post-glacial birch distributions in northern China. <i>Holocene</i> , 2019, 29, 1758-1766. | 0.9 | 4 |
| 9037 | Downgrading disease transmission risk estimates using terminal importations. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007395. | 1.3 | 6 |
| 9038 | Sensitivity of Seven MODIS Vegetation Indices to BRDF Effects during the Amazonian Dry Season. <i>Remote Sensing</i> , 2019, 11, 1650. | 1.8 | 18 |
| 9039 | Phylogeography and paleodistribution models of a widespread birch (<i>Betula platyphylla</i> Suk.) across East Asia: Multiple refugia, multidirectional expansion, and heterogeneous genetic pattern. <i>Ecology and Evolution</i> , 2019, 9, 7792-7807. | 0.8 | 14 |
| 9040 | Vertebrates are poor umbrellas for invertebrates: cross-taxon congruence in an Australian tropical savanna. <i>Ecosphere</i> , 2019, 10, e02755. | 1.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9041 | Spatial pattern and seasonal variation of alkaline precipitation observed in the Gansu Province, NW China. <i>Environmental Earth Sciences</i> , 2019, 78, 1. | 1.3 | 12 |
| 9042 | An exhaustive analysis of heuristic methods for variable selection in ecological niche modeling and species distribution modeling. <i>Ecological Informatics</i> , 2019, 53, 100983. | 2.3 | 86 |
| 9043 | Past and future climatic indicators for distribution patterns and conservation planning of temperate coniferous forests in southwestern China. <i>Ecological Indicators</i> , 2019, 107, 105559. | 2.6 | 50 |
| 9044 | Is temperature preference in the laboratory ecologically relevant for the field? The case of <i>Drosophila nigrosarsa</i> . <i>Global Ecology and Conservation</i> , 2019, 18, e00638. | 1.0 | 16 |
| 9045 | Improving agricultural microinsurance by applying universal kriging and generalised additive models for interpolation of mean daily temperature. <i>Geneva Papers on Risk and Insurance: Issues and Practice</i> , 2019, 44, 446-480. | 1.1 | 12 |
| 9046 | Pan African phylogeography and palaeodistribution of rousettine fruit bats: Ecogeographic correlation with Pleistocene climate vegetation cycles. <i>Journal of Biogeography</i> , 2019, 46, 2336-2349. | 1.4 | 14 |
| 9047 | Mountain building, climate cooling and the richness of cold-adapted plants in the Northern Hemisphere. <i>Journal of Biogeography</i> , 2019, 46, 1792-1807. | 1.4 | 24 |
| 9048 | Effects of climate, soil, forest structure and land use on the functional composition of the understorey in Italian forests. <i>Journal of Vegetation Science</i> , 2019, 30, 1110-1121. | 1.1 | 18 |
| 9049 | Invasive Potential of Pet-Traded Pill-Box Crabs from Genus <i>Limnopilos</i> . <i>Diversity</i> , 2019, 11, 91. | 0.7 | 5 |
| 9050 | kuenm: an R package for detailed development of ecological niche models using Maxent. <i>PeerJ</i> , 2019, 7, e6281. | 0.9 | 473 |
| 9051 | Spatio-temporal effects of climate change on the geographical distribution and flowering phenology of hummingbird-pollinated plants. <i>Annals of Botany</i> , 2019, 124, 389-398. | 1.4 | 11 |
| 9052 | Cold spot microrefugia hold the key to survival for Brazil's Critically Endangered <i>Araucaria</i> tree. <i>Global Change Biology</i> , 2019, 25, 4339-4351. | 4.2 | 26 |
| 9053 | Bottom-up control of geographic variation in insect herbivory on wild cotton (<i>Gossypium</i>). <i>Ecology</i> , 2019, 100, 1111-1121. | 0.8 | 11 |
| 9054 | Species distribution models can be highly sensitive to algorithm configuration. <i>Ecological Modelling</i> , 2019, 408, 108719. | 1.2 | 51 |
| 9055 | Linkage of forest productivity to tree diversity under two different bioclimatic regimes in Italy. <i>Science of the Total Environment</i> , 2019, 687, 1065-1072. | 3.9 | 9 |
| 9056 | A hierarchical multivariate spatio-temporal model for clustered climate data with annual cycles. <i>Annals of Applied Statistics</i> , 2019, 13, . | 0.5 | 16 |
| 9057 | Amphibian responses to livestock use of wetlands: new empirical data and a global review. <i>Ecological Applications</i> , 2019, 29, e01976. | 1.8 | 30 |
| 9058 | Variation in sexual dimorphism in a wind-pollinated plant: the influence of geographical context and life-cycle dynamics. <i>New Phytologist</i> , 2019, 224, 1108-1120. | 3.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9059 | Plant population dynamics on oceanic islands during the Late Quaternary climate changes: genetic evidence from a tree species (<i>Coffea mauritiana</i>) in Reunion Island. <i>New Phytologist</i> , 2019, 224, 974-986. | 3.5 | 11 |
| 9060 | Integrating Phylogeographic Analysis and Geospatial Methods to Infer Historical Dispersal Routes and Glacial Refugia of <i>Liriodendron chinense</i> . <i>Forests</i> , 2019, 10, 565. | 0.9 | 13 |
| 9061 | Modeling the Distribution of Medically Important Tick Species in Florida. <i>Insects</i> , 2019, 10, 190. | 1.0 | 27 |
| 9062 | 31° South: The physiology of adaptation to arid conditions in a passerine bird. <i>Molecular Ecology</i> , 2019, 28, 3709-3721. | 2.0 | 11 |
| 9063 | Satellite data integration for soil clay content modelling at a national scale. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 82, 101905. | 1.4 | 57 |
| 9064 | Geophysical, evolutionary and ecological processes interact to drive phylogenetic dispersion in angiosperm assemblages along the longest elevational gradient in the world. <i>Botanical Journal of the Linnean Society</i> , 2019, 190, 333-344. | 0.8 | 12 |
| 9065 | Allometric Models to Estimate Leaf Area for Tropical African Broadleaved Forests. <i>Geophysical Research Letters</i> , 2019, 46, 8985-8994. | 1.5 | 5 |
| 9066 | Quaternary climate change and habitat preference shaped the genetic differentiation and phylogeography of <i>Rhodiola</i> sect. <i>Prainia</i> in the southern Qinghai-Tibetan Plateau. <i>Ecology and Evolution</i> , 2019, 9, 8305-8319. | 0.8 | 7 |
| 9067 | Contributions of fire refugia to resilient ponderosa pine and dry mixed-conifer forest landscapes. <i>Ecosphere</i> , 2019, 10, e02809. | 1.0 | 49 |
| 9068 | Resource availability drives trait composition of butterfly assemblages. <i>Oecologia</i> , 2019, 190, 913-926. | 0.9 | 8 |
| 9069 | Ecological niche modeling for predicting the habitat suitability of fascioliasis based on maximum entropy model in southern Caspian Sea littoral, Iran. <i>Acta Tropica</i> , 2019, 198, 105079. | 0.9 | 9 |
| 9070 | Soil properties rather than topography, climatic conditions, and vegetation type shape AMF-feathergrass relationship in semi-natural European grasslands. <i>Applied Soil Ecology</i> , 2019, 144, 22-30. | 2.1 | 28 |
| 9071 | Tropical bird species richness is strongly associated with patterns of primary productivity captured by the Dynamic Habitat Indices. <i>Remote Sensing of Environment</i> , 2019, 232, 111306. | 4.6 | 21 |
| 9072 | Predicting the fundamental thermal niche of crop pests and diseases in a changing world: A case study on citrus greening. <i>Journal of Applied Ecology</i> , 2019, 56, 2057-2068. | 1.9 | 24 |
| 9073 | Alien plants alter the growth form ratio and structure of Australian grasslands. <i>Applied Vegetation Science</i> , 2019, 22, 582-592. | 0.9 | 15 |
| 9074 | Testing the Effect of Mountain Ranges as a Physical Barrier to Current Gene Flow and Environmentally Dependent Adaptive Divergence in <i>Cunninghamia konishii</i> (Cupressaceae). <i>Frontiers in Genetics</i> , 2019, 10, 742. | 1.1 | 21 |
| 9075 | Nutrient dynamics in submarine groundwater discharge through a coral reef (western Lombok, Indonesia). <i>Journal of Geophysical Research</i> , 2019, 124, 10000. | 1.6 | 28 |
| 9076 | Phylogeography of ants from the Brazilian Atlantic Forest. <i>Organisms Diversity and Evolution</i> , 2019, 19, 435-445. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9077 | Comparative study of the glucosinolate profiles in turnip from four agroclimatic zones of china and neighboring countries. <i>Journal of Food Measurement and Characterization</i> , 2019, 13, 2798-2811. | 1.6 | 8 |
| 9078 | Late Quaternary palaeoenvironmental change in the year-round rainfall zone of South Africa derived from peat sediments from Vankervelsvlei. <i>Quaternary Science Reviews</i> , 2019, 218, 200-214. | 1.4 | 13 |
| 9079 | Global loss of climate connectivity in tropical forests. <i>Nature Climate Change</i> , 2019, 9, 623-626. | 8.1 | 49 |
| 9080 | Current and future climatic regions favourable for a globally introduced wild carnivore, the raccoon <i>Procyon lotor</i> . <i>Scientific Reports</i> , 2019, 9, 9174. | 1.6 | 26 |
| 9081 | The Tree Height Growth of Most Southern Scot Pine Populations Are Locally Adapted to Drought. <i>Forests</i> , 2019, 10, 555. | 0.9 | 10 |
| 9082 | From seven to three: Integrative species delimitation supports major reduction in species number in <i>Rhodiola</i> section <i>Trifida</i> (Crassulaceae) on the Qinghai-Tibetan Plateau. <i>Taxon</i> , 2019, 68, 268-279. | 0.4 | 18 |
| 9083 | Using digitized museum collections to understand the effects of habitat on wing coloration in the Puerto Rican monarch. <i>Biotropica</i> , 2019, 51, 477-483. | 0.8 | 5 |
| 9084 | Climate change is predicted to disrupt patterns of local adaptation in wild and cultivated maize. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190486. | 1.2 | 32 |
| 9085 | Anthropogenic disturbance and rainfall variation threaten the stability of plant-ant interactions in the Brazilian Caatinga. <i>Ecography</i> , 2019, 42, 1960-1972. | 2.1 | 20 |
| 9086 | Detecting the genetic basis of local adaptation in loblolly pine (<i>Pinus taeda</i> L.) using whole exome-wide genotyping and an integrative landscape genomics analysis approach. <i>Ecology and Evolution</i> , 2019, 9, 6798-6809. | 0.8 | 25 |
| 9087 | Phylogeography of the Tibetan hamster <i>Cricetulus kamensis</i> in response to uplift and environmental change in the Qinghai-Tibet Plateau. <i>Ecology and Evolution</i> , 2019, 9, 7291-7306. | 0.8 | 10 |
| 9088 | Life history traits predict colonization and extinction lags of desert plant species since the Last Glacial Maximum. <i>Ecology</i> , 2019, 100, e02817. | 1.5 | 14 |
| 9089 | Climate change and the potential expansion of buffelgrass (<i>Cenchrus ciliaris</i> L., Poaceae) in biotic communities of Southwest United States and northern Mexico. <i>Biological Invasions</i> , 2019, 21, 3335-3347. | 1.2 | 17 |
| 9090 | Homogenization of China's urban aquatic macrophyte communities: A meta-analytic study. <i>Ecological Indicators</i> , 2019, 106, 105506. | 2.6 | 6 |
| 9091 | Distribution models for <i>Ascia monuste</i> and the host <i>Brassica oleracea</i> var. <i>capitata</i> . <i>Journal of Applied Entomology</i> , 2019, 143, 1043-1051. | 0.8 | 7 |
| 9092 | Assessing the degree of hydrologic stress due to climate change. <i>Climatic Change</i> , 2019, 156, 87-104. | 1.7 | 20 |
| 9093 | Deep soil carbon storage in tree-dominated land use systems in tropical lowlands of Kalimantan. <i>Geoderma</i> , 2019, 354, 113864. | 2.3 | 27 |
| 9094 | Essential oil profile in relation to geographic origin and plant organ of <i>Satureja kitaibelii</i> Wierzb. ex Heuff.. <i>Industrial Crops and Products</i> , 2019, 139, 111549. | 2.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9095 | Effect of Elevation Strata on Morphological Variation of Two Agave Species with Different Niche Amplitude. <i>International Journal of Plant Sciences</i> , 2019, 180, 892-901. | 0.6 | 3 |
| 9096 | Are landscapes buffered to high-frequency climate change? A comparison of sediment fluxes and depositional volumes in the Corinth Rift, central Greece, over the past 130 k.y.. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 372-388. | 1.6 | 25 |
| 9097 | From pet to pest? Differences in ensemble SDM predictions for an exotic reptile using both native and nonnative presence data. <i>Frontiers of Biogeography</i> , 2019, 11, . | 0.8 | 4 |
| 9098 | Assessing impacts of climate change on <i>Campanula yaltirikii</i> H.Duman (Campanulaceae), a critically endangered endemic species in Turkey. <i>Turkish Journal of Botany</i> , 2019, 43, 243-252. | 0.5 | 2 |
| 9099 | Effects of climate change on the distributional potential of three range-restricted West African bird species. <i>Condor</i> , 2019, 121, . | 0.7 | 11 |
| 9100 | Geographic contrasts between pre- and postzygotic barriers are consistent with reinforcement in <i>Heliconius</i> butterflies. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1821-1838. | 1.1 | 22 |
| 9101 | Comparing temperature data sources for use in species distribution models: From in situ logging to remote sensing. <i>Global Ecology and Biogeography</i> , 2019, 28, 1578-1596. | 2.7 | 104 |
| 9102 | Oscillayers: A dataset for the study of climatic oscillations over Plio-Pleistocene time scales at high spatial-temporal resolution. <i>Global Ecology and Biogeography</i> , 2019, 28, 1552-1560. | 2.7 | 39 |
| 9103 | Environmental heterogeneity and not vicariant biogeographic barriers generate community-wide population structure in desert-adapted snakes. <i>Molecular Ecology</i> , 2019, 28, 4535-4548. | 2.0 | 49 |
| 9104 | Tropical Tree Branch-Leaf Nutrient Scaling Relationships Vary With Sampling Location. <i>Frontiers in Plant Science</i> , 2019, 10, 877. | 1.7 | 15 |
| 9105 | On the environmental background of aquatic organisms for ecological niche modeling: a call for caution. <i>Aquatic Ecology</i> , 2019, 53, 595-605. | 0.7 | 13 |
| 9106 | Potential biodiversity map of darkling beetles (Tenebrionidae): environmental characterization, land-uses and analyses of protection areas in Southern Patagonia. <i>Journal of Insect Conservation</i> , 2019, 23, 885-897. | 0.8 | 8 |
| 9107 | High-resolution earth observation data for assessing the impact of land system changes on wetland health in Kashmir Himalaya, India. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1. | 0.6 | 28 |
| 9108 | Local and regional drivers of taxonomic homogenization in stream communities along a land use gradient. <i>Global Ecology and Biogeography</i> , 2019, 28, 1597-1609. | 2.7 | 21 |
| 9109 | Incorporating functional traits to enhance multimetric index performance and assess land use gradients. <i>Science of the Total Environment</i> , 2019, 691, 1005-1015. | 3.9 | 24 |
| 9110 | Population genetics and evolutionary history of <i>Miscanthus</i> species in China. <i>Journal of Systematics and Evolution</i> , 2019, 57, 530-542. | 1.6 | 12 |
| 9111 | Infrastructure expansion challenges sustainable development in Papua New Guinea. <i>PLoS ONE</i> , 2019, 14, e0219408. | 1.1 | 26 |
| 9112 | Catchment chemostasis revisited: Water quality responds differently to variations in weather and climate. <i>Hydrological Processes</i> , 2019, 33, 3056-3069. | 1.1 | 81 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9113 | Evaluation and comparison of CHIRPS and MSWEP daily-precipitation products in the Qinghai-Tibet Plateau during the period of 1981–2015. <i>Atmospheric Research</i> , 2019, 230, 104634. | 1.8 | 70 |
| 9114 | Estimating daily streamflow in the Congo Basin using satellite-derived data and a semi-distributed hydrological model. <i>Hydrological Sciences Journal</i> , 2019, 64, 1472-1487. | 1.2 | 26 |
| 9115 | Phylogeny of Neotropical Sicarius sand spiders suggests frequent transitions from deserts to dry forests despite antique, broad-scale niche conservatism. <i>Molecular Phylogenetics and Evolution</i> , 2019, 140, 106569. | 1.2 | 14 |
| 9116 | How Does Water Availability Affect the Allocation to Bark in a Mediterranean Conifer?. <i>Frontiers in Plant Science</i> , 2019, 10, 607. | 1.7 | 14 |
| 9117 | Identifying transboundary conservation priorities in a biodiversity hotspot of China and Myanmar: Implications for data poor mountainous regions. <i>Global Ecology and Conservation</i> , 2019, 20, e00732. | 1.0 | 14 |
| 9118 | Disentangling the role of niche-based and spatial processes on anuran beta diversity in temporary ponds along a forest–grassland transition. <i>Aquatic Sciences</i> , 2019, 81, 1. | 0.6 | 16 |
| 9119 | Morpho-physiological variability of <i>Pinus nigra</i> populations reveals climate-driven local adaptation but weak water use differentiation. <i>Environmental and Experimental Botany</i> , 2019, 166, 103828. | 2.0 | 15 |
| 9120 | Exploring the Interplay Between Local and Regional Drivers of Distribution of a Subterranean Organism. <i>Diversity</i> , 2019, 11, 119. | 0.7 | 9 |
| 9121 | GIS-modeling of the Range Shifts of the Sub-fossil and Extant European Pond Turtle (<i>Emys orbicularis</i>) in Eastern Europe in Holocene. <i>Diversity</i> , 2019, 11, 121. | 0.7 | 3 |
| 9122 | Local Adaptation and Response of <i>Platycladus orientalis</i> (L.) Franco Populations to Climate Change. <i>Forests</i> , 2019, 10, 622. | 0.9 | 15 |
| 9123 | Assessing Forest Structure and Composition along the Altitudinal Gradient in the State of Sikkim, Eastern Himalayas, India. <i>Forests</i> , 2019, 10, 633. | 0.9 | 17 |
| 9124 | A Simplistic Approach for Assessing Hydroclimatic Vulnerability of Lakes and Reservoirs with Regulated Superficial Outflow. <i>Hydrology</i> , 2019, 6, 61. | 1.3 | 4 |
| 9125 | Distinguishing the Relative Contribution of Environmental Factors to Runoff Change in the Headwaters of the Yangtze River. <i>Water (Switzerland)</i> , 2019, 11, 1432. | 1.2 | 9 |
| 9126 | Facilitation of vascular plants by cushion mosses in high-Andean communities. <i>Alpine Botany</i> , 2019, 129, 137-148. | 1.1 | 19 |
| 9127 | Multiple processes at different spatial scales determine beta diversity patterns in a mountainous semi-arid rangeland of Khorassan-Kopet Dagh floristic province, NE Iran. <i>Plant Ecology</i> , 2019, 220, 829-844. | 0.7 | 7 |
| 9128 | Climate is the main driver of clonal and bud bank traits in Italian forest understories. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2019, 40, 125478. | 1.1 | 17 |
| 9129 | Evidence of different climatic adaptation strategies in humans and non-human primates. <i>Scientific Reports</i> , 2019, 9, 11025. | 1.6 | 8 |
| 9130 | Environmental niche adaptation revealed through fine scale phenological niche modelling. <i>Journal of Biogeography</i> , 2019, 46, 2275-2288. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9131 | Ecological niche modeling and a lack of phylogeographic structure in <i>Vriesea incurvata</i> suggest historically stable areas in the southern Atlantic Forest. <i>American Journal of Botany</i> , 2019, 106, 971-983. | 0.8 | 14 |
| 9132 | Current and future potential distributions of three <i>Dracaena</i> Vand. ex L. species under two contrasting climate change scenarios in Africa. <i>Ecology and Evolution</i> , 2019, 9, 6833-6848. | 0.8 | 11 |
| 9133 | Constraints of new apatite fission-track ages on the tectonic pattern and geomorphic development of the northern margin of the Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2019, 181, 103909. | 1.0 | 24 |
| 9134 | Population Genomics and Demographic Sampling of the Ant-Plant <i>Vachellia drepanolobium</i> and Its Symbiotic Ants From Sites Across Its Range in East Africa. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 5 |
| 9135 | Effects of temperature on germination in eight Western Australian herbaceous species. <i>Folia Geobotanica</i> , 2019, 54, 29-42. | 0.4 | 8 |
| 9136 | Protected Areas under Weak Institutions: Evidence from Colombia. <i>World Development</i> , 2019, 122, 585-596. | 2.6 | 56 |
| 9137 | Shell variations in the gastropod, <i>Monodonta labio</i> , in the North-western Pacific: the important role of temperature in the evolution process. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1591-1599. | 0.4 | 6 |
| 9138 | Evidence for fire in the Pliocene Arctic in response to amplified temperature. <i>Climate of the Past</i> , 2019, 15, 1063-1081. | 1.3 | 18 |
| 9139 | Species and phylogenetic endemism in angiosperm trees across the Northern Hemisphere are jointly shaped by modern climate and glacial-interglacial climate change. <i>Global Ecology and Biogeography</i> , 2019, 28, 1393-1402. | 2.7 | 34 |
| 9140 | A Global Survey of Mycobacterial Diversity in Soil. <i>Applied and Environmental Microbiology</i> , 2019, 85, . | 1.4 | 46 |
| 9141 | New technology, better economy? The heterogeneous impact of colonial railroads in Nigeria. <i>Journal of Development Economics</i> , 2019, 140, 320-354. | 2.1 | 17 |
| 9142 | Building an automatic pollen monitoring network (ePIN): Selection of optimal sites by clustering pollen stations. <i>Science of the Total Environment</i> , 2019, 688, 1263-1274. | 3.9 | 40 |
| 9143 | European mushroom assemblages are darker in cold climates. <i>Nature Communications</i> , 2019, 10, 2890. | 5.8 | 34 |
| 9144 | Coffee Output Reaction to Climate Change and Commodity Price Volatility: The Nigeria Experience. <i>Sustainability</i> , 2019, 11, 3503. | 1.6 | 3 |
| 9145 | Selection at behavioural, developmental and metabolic genes is associated with the northward expansion of a successful tropical colonizer. <i>Molecular Ecology</i> , 2019, 28, 3523-3543. | 2.0 | 7 |
| 9146 | Diversidad de escarabajos coprófagos (Coleoptera: Scarabaeidae) de la zona norte de la Serranía de la Lindosa, Guaviare-Colombia. <i>Acta Biologica Colombiana</i> , 2019, 24, 311-321. | 0.1 | 1 |
| 9147 | Relationship of Abrupt Vegetation Change to Climate Change and Ecological Engineering with Multi-Timescale Analysis in the Karst Region, Southwest China. <i>Remote Sensing</i> , 2019, 11, 1564. | 1.8 | 30 |
| 9148 | Spatial Interpolation. <i>Studies in Computational Intelligence</i> , 2019, , 19-41. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9149 | Amphibian and Reptilian Chorotypes in the Arid Land of Central Asia and Their Determinants. <i>Scientific Reports</i> , 2019, 9, 9453. | 1.6 | 1 |
| 9150 | The Influence of the Intra-annual Distribution of Climate Characteristics on the Diversity of Vascular Plants in the Middle Volga Region. <i>Russian Journal of Ecology</i> , 2019, 50, 209-217. | 0.3 | 3 |
| 9151 | A dynamic continental moisture gradient drove Amazonian bird diversification. <i>Science Advances</i> , 2019, 5, eaat5752. | 4.7 | 111 |
| 9152 | Predicted impacts of global climate change on the geographic distribution of an invaluable African medicinal plant resource, <i>Alstonia boonei</i> De Wild. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2019, 14, 100206. | 0.9 | 6 |
| 9153 | Genomic signatures and correlates of widespread population declines in salmon. <i>Nature Communications</i> , 2019, 10, 2996. | 5.8 | 52 |
| 9154 | Assessing the invasive risk of bark beetles (Curculionidae: Scolytinae and Platypodinae). <i>Annals of the Entomological Society of America</i> , 2019, 112, 451-457. | 1.3 | 5 |
| 9155 | Identifying suitable habitat and corridors for Indian Grey Wolf (<i>Canis lupus pallipes</i>) in Chotta Nagpur Plateau and Lower Gangetic Planes: A species with differential management needs. <i>PLoS ONE</i> , 2019, 14, e0215019. | 1.1 | 25 |
| 9156 | Immune and environment-driven gene expression during invasion: An eco-immunological application of RNA-Seq. <i>Ecology and Evolution</i> , 2019, 9, 6708-6721. | 0.8 | 16 |
| 9157 | Climate change amplifies plant invasion hotspots in Nepal. <i>Diversity and Distributions</i> , 2019, 25, 1599-1612. | 1.9 | 69 |
| 9158 | Rapid niche shifts in introduced species can be a million times faster than changes among native species and ten times faster than climate change. <i>Journal of Biogeography</i> , 2019, 46, 2115-2125. | 1.4 | 35 |
| 9159 | Genetic, phenotypic and ecological differentiation suggests incipient speciation in two Charadrius plovers along the Chinese coast. <i>BMC Evolutionary Biology</i> , 2019, 19, 135. | 3.2 | 30 |
| 9160 | Predicting the effectiveness of protected areas of Natura 2000 under climate change. <i>Ecological Processes</i> , 2019, 8, . | 1.6 | 18 |
| 9161 | The American West as a social-ecological region: drivers, dynamics and implications for nested social-ecological systems. <i>Environmental Research Letters</i> , 2019, 14, 115008. | 2.2 | 18 |
| 9162 | Drivers of the relative richness of naturalized and invasive plant species on Earth. <i>AoB PLANTS</i> , 2019, 11, plz051. | 1.2 | 72 |
| 9163 | The historical distribution of megaherbivores does not determine the distribution of megafaunal fruit in southern Africa. <i>Biological Journal of the Linnean Society</i> , 2019, , . | 0.7 | 4 |
| 9164 | A Framework for Global Twenty-First Century Scenarios and Models of Biological Invasions. <i>BioScience</i> , 2019, 69, 697-710. | 2.2 | 38 |
| 9165 | Reply: Forward model deficits and enhanced motor noise in Tourette syndrome?. <i>Brain</i> , 2019, 142, e54-e54. | 3.7 | 0 |
| 9166 | Genetic variation and cryptic lineage diversity of the Nigerian red-headed rock agama <i>Agama agama</i> associate with eco-geographic zones. <i>Environmental Epigenetics</i> , 2019, 65, 713-724. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9167 | Forest Diversity and Structure in the Amazonian Mountain Ranges of Southeastern Ecuador. <i>Diversity</i> , 2019, 11, 196. | 0.7 | 4 |
| 9168 | Extrafloral nectar as a driver of ant community spatial structure along disturbance and rainfall gradients in Brazilian dry forest. <i>Journal of Tropical Ecology</i> , 2019, 35, 280-287. | 0.5 | 8 |
| 9169 | Extensive vegetation browning and drying in forests of India's Tiger Reserves. <i>Scientific Reports</i> , 2019, 9, 14976. | 1.6 | 8 |
| 9170 | Spatial variability of mangrove primary productivity in the neotropics. <i>Ecosphere</i> , 2019, 10, e02841. | 1.0 | 36 |
| 9171 | ClimCKmap, a spatially, temporally and climatically explicit distribution database for the Italian fauna. <i>Scientific Data</i> , 2019, 6, 195. | 2.4 | 1 |
| 9172 | Hydrological Responses of Headwater Basins to Monthly Perturbed Climate in the North American Cordillera. <i>Journal of Hydrometeorology</i> , 2019, 20, 863-882. | 0.7 | 21 |
| 9174 | Potential impact of climate change on the geographical distribution of two wild vectors of Chagas disease in Chile: <i>Mepraia spinolai</i> and <i>Mepraia gajardoi</i> . <i>Parasites and Vectors</i> , 2019, 12, 478. | 1.0 | 32 |
| 9175 | Predicting the unpredictable: How host specific is the mycobiota of bark and ambrosia beetles?. <i>Fungal Ecology</i> , 2019, 42, 100854. | 0.7 | 17 |
| 9176 | An Assessment of Multiple Drivers Determining Woody Species Composition and Structure: A Case Study from the Kalahari, Botswana. <i>Land</i> , 2019, 8, 122. | 1.2 | 12 |
| 9177 | Ex uno plures " Defining different types of very large rivers in Europe to foster solid aquatic bio-assessment. <i>Ecological Indicators</i> , 2019, 107, 105599. | 2.6 | 7 |
| 9178 | Grazing plays an important role in structuring alpha and beta components of taxonomic, functional, and phylogenetic diversity in semiarid sandy land of northern China. <i>Global Ecology and Conservation</i> , 2019, 20, e00790. | 1.0 | 5 |
| 9179 | Combining ecological niche modeling with genetic lineage information to predict potential distribution of <i>Mikania micrantha</i> Kunth in South and Southeast Asia under predicted climate change. <i>Global Ecology and Conservation</i> , 2019, 20, e00800. | 1.0 | 19 |
| 9180 | Improving the accuracy of small vertebrate-based palaeoclimatic reconstructions derived from the Mutual Ecogeographic Range. A case study using geographic information systems and UDA-ODA discrimination methodology. <i>Quaternary Science Reviews</i> , 2019, 223, 105969. | 1.4 | 19 |
| 9181 | Prediction of the globally ecological suitability of <i>Panax quinquefolius</i> by the geographic information system for global medicinal plants (GMPGIS). <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 481-489. | 0.7 | 6 |
| 9182 | Population responses of bird populations to climate change on two continents vary with species' ecological traits but not with direction of change in climate suitability. <i>Climatic Change</i> , 2019, 157, 337-354. | 1.7 | 23 |
| 9183 | Edaphic Endemism in the Amazon: Vascular Plants of the canga of Carajás, Brazil. <i>Botanical Review</i> , The, 2019, 85, 357-383. | 1.7 | 34 |
| 9184 | Consensus and uncertainty in the geographic range of <i>Aedes aegypti</i> and <i>Aedes albopictus</i> in the contiguous United States: Multi-model assessment and synthesis. <i>PLoS Computational Biology</i> , 2019, 15, e1007369. | 1.5 | 14 |
| 9185 | Environmental Filtering Drives Local Soil Fungal beta Diversity More than Dispersal Limitation in Six Forest Types along a Latitudinal Gradient in Eastern China. <i>Forests</i> , 2019, 10, 863. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9186 | Influence of climate changes on the potential distribution of a widespread grassland species in South America. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2019, 41, 125496. | 1.1 | 13 |
| 9187 | Plant functional assembly is mediated by rainfall and soil conditions in a seasonally dry tropical forest. <i>Basic and Applied Ecology</i> , 2019, 40, 1-11. | 1.2 | 36 |
| 9188 | The evolution of seed dispersal is associated with environmental heterogeneity in <i>Pinus</i> . <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2019, 41, 125464. | 1.1 | 10 |
| 9189 | Biogeographical, ecological, and phylogenetic analyses clarifying the evolutionary history of <i>Calibrachoa</i> in South American grasslands. <i>Molecular Phylogenetics and Evolution</i> , 2019, 141, 106614. | 1.2 | 20 |
| 9190 | Maxent modelling for predicting climate change effects on the potential planting area of tuber mustard in China. <i>Journal of Agricultural Science</i> , 2019, 157, 375-381. | 0.6 | 13 |
| 9191 | Interactive spatial scale effects on species distribution modeling: The case of the giant panda. <i>Scientific Reports</i> , 2019, 9, 14563. | 1.6 | 25 |
| 9192 | Experimental investigation of flow separation in a planar convergent-divergent nozzle. <i>Journal of Physics: Conference Series</i> , 2019, 1300, 012088. | 0.3 | 9 |
| 9193 | What should we use as a measure of malaria infection risk? Implications from infant mortality during the Liberian Civil War. <i>Journal of African Economies</i> , 2019, 28, 371-407. | 0.8 | 1 |
| 9194 | Combining phenotype, genotype and environment to uncover genetic components underlying water use efficiency in Persian walnut. <i>Journal of Experimental Botany</i> , 2020, 71, 1107-1127. | 2.4 | 21 |
| 9195 | Warm Younger Dryas summers and early late glacial spread of temperate deciduous trees in the Pannonian Basin during the last glacial termination (20-9 kyr cal BP). <i>Quaternary Science Reviews</i> , 2019, 225, 105980. | 1.4 | 21 |
| 9196 | Altitudinal biodiversity patterns of seed plants along Gongga Mountain in the southeastern Qinghai-Tibetan Plateau. <i>Ecology and Evolution</i> , 2019, 9, 9586-9596. | 0.8 | 26 |
| 9197 | Bird species diversity in Altai riparian landscapes: Wood cover plays a key role for avian abundance. <i>Ecology and Evolution</i> , 2019, 9, 9634-9643. | 0.8 | 7 |
| 9198 | Contrasting diversity patterns of breeding Anatidae in the Northern and Southern Hemispheres. <i>Ecology and Evolution</i> , 2019, 9, 9990-10003. | 0.8 | 4 |
| 9199 | The evolution of climate tolerance in conifer-feeding aphids in relation to their host's climatic niche. <i>Ecology and Evolution</i> , 2019, 9, 11657-11671. | 0.8 | 7 |
| 9200 | Chloroplast population genetics reveals low levels of genetic variation and conformation to the central-marginal hypothesis in <i>Taxus wallichiana</i> var. <i>mairei</i> , an endangered conifer endemic to China. <i>Ecology and Evolution</i> , 2019, 9, 11944-11956. | 0.8 | 13 |
| 9201 | Climatic seasonality is linked to the occurrence of the mixed evergreen and deciduous broad-leaved forests in China. <i>Ecosphere</i> , 2019, 10, e02862. | 1.0 | 11 |
| 9202 | Protecting endemic seed plants on the Tibetan Plateau under future climate change: migration matters. <i>Journal of Plant Ecology</i> , 2019, 12, 962-971. | 1.2 | 21 |
| 9203 | An open source web application for distributed geospatial data exploration. <i>Scientific Data</i> , 2019, 6, 190014. | 2.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9204 | Middle English Chaucer in Dryden's Fables. Notes and Queries, 2019, 66, 90-91. | 0.0 | 0 |
| 9205 | Contrasting Biogeographic Patterns of Bacterial and Archaeal Diversity in the Top- and Subsoils of Temperate Grasslands. MSystems, 2019, 4, . | 1.7 | 24 |
| 9206 | <p>Cost-Effectiveness Analysis Of Ceritinib And Alectinib Versus Crizotinib In The Treatment Of Anaplastic Lymphoma Kinase-Positive Advanced Non-Small Cell Lung Cancer<p>. Cancer Management and Research, 2019, Volume 11, 9195-9202. | 0.9 | 20 |
| 9207 | Differential Responses to Climate and Land-Use Changes in Threatened Chinese Taxus Species. Forests, 2019, 10, 766. | 0.9 | 18 |
| 9208 | Pleistocene glacial cycles drove lineage diversification and fusion in the Yosemite toad (<i>Anaxyrus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . | 1.1 | 25 |
| 9209 | Essential Nutrient and Trace Element Foliar Resorption of Two Co-Existing Nothofagus Species Grown Under Different Environmental Conditions in Southern Patagonia. Frontiers in Plant Science, 2019, 10, 1542. | 1.7 | 8 |
| 9210 | Cryptic speciation in the herbaceous bamboo genus Piresia (Poaceae, Olyreae). Botanical Journal of the Linnean Society, 2019, , . | 0.8 | 0 |
| 9212 | A multiproxy record of palaeoenvironmental conditions at the Middle Palaeolithic site of Abric del Pastor (Eastern Iberia). Quaternary Science Reviews, 2019, 225, 106023. | 1.4 | 27 |
| 9213 | A systematic mapping protocol of methods and practices employed in ecological niche modelling of anthrax. Global Epidemiology, 2019, 1, 100014. | 0.6 | 1 |
| 9214 | Soil net nitrogen mineralisation across global grasslands. Nature Communications, 2019, 10, 4981. | 5.8 | 57 |
| 9215 | Predicting Adaptive Genetic Variation of Loblolly Pine (<i>Pinus taeda</i> L.) Populations Under Projected Future Climates Based on Multivariate Models. Journal of Heredity, 2019, 110, 857-865. | 1.0 | 12 |
| 9216 | Bias, incompleteness and the "known unknowns" in the Holocene faunal record. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20190216. | 1.8 | 18 |
| 9217 | Evolutionary diversity is associated with wood productivity in Amazonian forests. Nature Ecology and Evolution, 2019, 3, 1754-1761. | 3.4 | 32 |
| 9218 | Geographic body size variation of a tropical anuran: effects of water deficit and precipitation seasonality on Asian common toad from southern Asia. BMC Evolutionary Biology, 2019, 19, 208. | 3.2 | 8 |
| 9219 | Understanding invasion success of <i>Pseudorasbora parva</i> in the Qinghai-Tibetan Plateau: Insights from life-history and environmental filters. Science of the Total Environment, 2019, 694, 133739. | 3.9 | 19 |
| 9220 | Characterization of the Occurrence and Abundance of the Common Ragweed (<i>Ambrosia artemisiifolia</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf . Biological Invasions, 2019, 10, 220-226. | 0.2 | 4 |
| 9221 | Impact of Habitat Loss and Mining on the Distribution of Endemic Species of Amphibians and Reptiles in Mexico. Diversity, 2019, 11, 210. | 0.7 | 15 |
| 9222 | Prioritize diversity or declining species? Trade-offs and synergies in spatial planning for the conservation of migratory birds in the face of land cover change. Biological Conservation, 2019, 239, 108285. | 1.9 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9223 | Environmental differences are correlated with the distribution pattern of cytotypes in <i>Veronica</i> subsection <i>Pentasepalae</i> at a broad scale. <i>Annals of Botany</i> , 2019, 125, 471-484. | 1.4 | 35 |
| 9224 | Ancient events and climate adaptive capacity shaped distinct chloroplast genetic structure in the oak lineages. <i>BMC Evolutionary Biology</i> , 2019, 19, 202. | 3.2 | 14 |
| 9225 | Delineation of high resolution climate regions over the Korean Peninsula using machine learning approaches. <i>PLoS ONE</i> , 2019, 14, e0223362. | 1.1 | 14 |
| 9226 | Collinearity in ecological niche modeling: Confusions and challenges. <i>Ecology and Evolution</i> , 2019, 9, 10365-10376. | 0.8 | 204 |
| 9227 | How do trees respond to species mixing in experimental compared to observational studies?. <i>Ecology and Evolution</i> , 2019, 9, 11254-11265. | 0.8 | 8 |
| 9228 | Towards a National Food Sovereignty Plan: Application of a new Decision Support System for food planning and governance. <i>Land Use Policy</i> , 2019, 89, 104216. | 2.5 | 10 |
| 9229 | Phylogenetic dispersion and diversity in regional assemblages of seed plants in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 23192-23201. | 3.3 | 85 |
| 9230 | Shifts to multiple optima underlie climatic niche evolution in New World phyllostomid bats. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 1008-1020. | 0.7 | 7 |
| 9231 | Quantitative biogeography of Orthoptera does not support classical qualitative regionalization of the Carpathian Mountains. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 887-900. | 0.7 | 4 |
| 9232 | Ecological niche modelling and genetic diversity of <i>Anomochloa marantoidea</i> (Poaceae): filling the gaps for conservation in the earliest-diverging grass subfamily. <i>Botanical Journal of the Linnean Society</i> , 0, , . | 0.8 | 3 |
| 9233 | Climatic constraints and the distribution of Patagonian mice. <i>Journal of Mammalogy</i> , 0, , . | 0.6 | 4 |
| 9234 | Investigating the Current and Future Co-Occurrence of <i>Ambrosia artemisiifolia</i> and <i>Ophraella communa</i> in Europe through Ecological Modelling and Remote Sensing Data Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3416. | 1.2 | 17 |
| 9235 | Population genetic structure, migration, and polyploidy origin of a medicinal species <i>Gynostemma pentaphyllum</i> (Cucurbitaceae). <i>Ecology and Evolution</i> , 2019, 9, 11145-11170. | 0.8 | 35 |
| 9236 | Tree abundance, richness, and phylogenetic diversity along an elevation gradient in the tropical forest of Diaoluo Mountain in Hainan, China. <i>Acta Oecologica</i> , 2019, 101, 103481. | 0.5 | 24 |
| 9237 | Predicted climate shifts within terrestrial protected areas worldwide. <i>Nature Communications</i> , 2019, 10, 4787. | 5.8 | 102 |
| 9238 | FSC-CapsNet: Fractionally-Strided Convolutional Capsule Network for complex data. , 2019, , . | | 4 |
| 9239 | Phenological modularity in amphibian calling behaviour: Geographic trends and local determinants. <i>Austral Ecology</i> , 2019, 44, 1451-1462. | 0.7 | 4 |
| 9240 | Making space: Putting landscape-level mitigation into practice in Mongolia. <i>Conservation Science and Practice</i> , 2019, 1, e110. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9241 | Do hotspots fall within protected areas? A Geographic Approach to Planning analysis of regional freshwater biodiversity. <i>Freshwater Biology</i> , 2019, 64, 2046-2056. | 1.2 | 6 |
| 9242 | Vegetation response to climatic changes in western Amazonia over the last 7,600 years. <i>Journal of Biogeography</i> , 2019, 46, 2389-2406. | 1.4 | 10 |
| 9243 | Origins of global mountain plant biodiversity: Testing the "mountain" geobiodiversity hypothesis™. <i>Journal of Biogeography</i> , 2019, 46, 2826-2838. | 1.4 | 87 |
| 9244 | Exploring rain forest diversification using demographic model testing in the African foam-nest treefrog <i>Chiromantis rufescens</i> . <i>Journal of Biogeography</i> , 2019, 46, 2706-2721. | 1.4 | 28 |
| 9245 | Urbanization impacts apex predator gene flow but not genetic diversity across an urban-rural divide. <i>Molecular Ecology</i> , 2019, 28, 4926-4940. | 2.0 | 23 |
| 9246 | What drives genetic and phenotypic divergence in the Red-crowned Ant tanager (<i>Habia rubica</i> , Aves.) <i>Tj ETQq1 1 0.784314 rgBT /O</i> | 0.8 | 7 |
| 9247 | Use of geographical information system and ecological niche modelling for predicting potential space distribution of subclinical mastitis in ewes. <i>Veterinary Microbiology</i> , 2019, 228, 119-128. | 0.8 | 12 |
| 9248 | A multidisciplinary framework to derive global river reach classifications at high spatial resolution. <i>Environmental Research Letters</i> , 2019, 14, 024003. | 2.2 | 65 |
| 9249 | Centimeter-scale, single-crystalline, AB-stacked bilayer graphene on insulating substrates. <i>2D Materials</i> , 2019, 6, 045044. | 2.0 | 11 |
| 9250 | Ghost-busting: patch occupancy and habitat preferences of <i>Ocyale ghost</i> (Araneae.) <i>Tj ETQq1 1 0.784314 rgBT /O</i> | 0.8 | 3 |
| 9251 | Changing ecological communities along an elevation gradient in seasonally dry tropical forest on Hispaniola (Sierra Martián Garcáa, Dominican Republic). <i>Biotropica</i> , 2019, 51, 802-816. | 0.8 | 8 |
| 9252 | Impacts of 21st-century climate change on montane habitat in the Madrean Sky Island Archipelago. <i>Diversity and Distributions</i> , 2019, 25, 1625-1638. | 1.9 | 24 |
| 9253 | Habitat-specific impacts of climate change in the Mata Atlántica biodiversity hotspot. <i>Diversity and Distributions</i> , 2019, 25, 1846-1856. | 1.9 | 16 |
| 9254 | The spatial analysis of biological interactions: morphological variation responding to the co-occurrence of competitors and resources. <i>Journal of Avian Biology</i> , 2019, 50, . | 0.6 | 7 |
| 9255 | Assessing Rensch's rule in a newt: Roles of primary productivity and conspecific density in interpopulation variation of sexual size dimorphism. <i>Journal of Biogeography</i> , 2019, 46, 2558-2569. | 1.4 | 8 |
| 9256 | An amphibian species pushed out of Britain by a moving hybrid zone. <i>Molecular Ecology</i> , 2019, 28, 5145-5154. | 2.0 | 14 |
| 9257 | Geo-spatial modeling of access to water and sanitation in Nigeria. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2019, 9, 258-280. | 0.7 | 8 |
| 9258 | Are mountaintops climate refugia for plants under global warming? A lesson from high-mountain oaks in tropical rainforest. <i>Alpine Botany</i> , 2019, 129, 175-183. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 9259 | Natural selection on the <i>Arabidopsis thaliana</i> genome in present and future climates. <i>Nature</i> , 2019, 573, 126-129. | 13.7 | 148 |
| 9260 | Distributions of mammals in Southeast Asia: The role of the legacy of climate and species body mass. <i>Journal of Biogeography</i> , 2019, 46, 2350-2362. | 1.4 | 2 |
| 9261 | Terrestrial Behavior in Titi Monkeys (<i>Callicebus</i> , <i>Cheracebus</i> , and <i>Plecturocebus</i>): Potential Correlates, Patterns, and Differences between Genera. <i>International Journal of Primatology</i> , 2019, 40, 553-572. | 0.9 | 23 |
| 9262 | Are protected areas preserving ecosystem services and biodiversity? Insights from Mediterranean forests and shrublands. <i>Landscape Ecology</i> , 2019, 34, 2307-2321. | 1.9 | 31 |
| 9263 | Main drivers of freshwater fish diversity across extra-tropical Southern Hemisphere rivers. <i>Hydrobiologia</i> , 2019, 843, 155-172. | 1.0 | 4 |
| 9264 | Landscape connectivity for mammalian megafauna along the Iran-Turkmenistan-Afghanistan borderland. <i>Journal for Nature Conservation</i> , 2019, 52, 125735. | 0.8 | 18 |
| 9265 | A Grinnellian Niche Perspective on Species-Area Relationships. <i>American Naturalist</i> , 2019, 194, 760-775. | 1.0 | 12 |
| 9266 | Regional scientific research benefits threatened-species conservation. <i>National Science Review</i> , 2019, 6, 1076-1079. | 4.6 | 15 |
| 9267 | Direct seeded and colonizing species guarantee successful early restoration of South Amazon forests. <i>Forest Ecology and Management</i> , 2019, 451, 117559. | 1.4 | 21 |
| 9268 | The Early to late Middle Miocene mammalian assemblages from the Cura-Mall n Formation, at Lonquimay, southern Central Andes, Chile (~38 S): Biogeographical and paleoenvironmental implications. <i>Journal of South American Earth Sciences</i> , 2019, 96, 102319. | 0.6 | 9 |
| 9269 | Spatial genetic structure of the endemic alpine plant <i>Salix serpillifolia</i> : genetic swamping on nunataks due to secondary colonization?. <i>Alpine Botany</i> , 2019, 129, 107-121. | 1.1 | 14 |
| 9270 | Climate change and its potential impact on the conservation of the Hoary Fox, <i>Lycalopex vetulus</i> (Mammalia: Canidae). <i>Mammalian Biology</i> , 2019, 98, 91-101. | 0.8 | 8 |
| 9271 | Using hierarchical spatial models to assess the occurrence of an island endemism: the case of <i>Salamandra corsica</i> . <i>Ecological Processes</i> , 2019, 8, . | 1.6 | 5 |
| 9272 | Impact assessment of treating wastewater on the physiochemical variables of environment: a case of Kermanshah wastewater treatment plant in Iran. <i>Environmental Systems Research</i> , 2019, 8, . | 1.5 | 13 |
| 9273 | Macroecology of ground beetles: Species richness, range size and body size show different geographical patterns across a climatically heterogeneous area. <i>Journal of Biogeography</i> , 2019, 46, 2548-2557. | 1.4 | 8 |
| 9274 | Adding ecology into phylogeography: ecological niche models and phylogeography in tandem reveals the demographic history of the subalpine warbler complex. <i>Bird Study</i> , 2019, 66, 234-242. | 0.4 | 9 |
| 9275 | Comparative Analysis of the Species Richness of Life Forms of Vascular Plants in the Middle Volga. <i>Contemporary Problems of Ecology</i> , 2019, 12, 310-320. | 0.3 | 6 |
| 9276 | Vertical distribution and diversity of epiphytic bryophytes in the Colombian Amazon. <i>Journal of Bryology</i> , 2019, 41, 328-340. | 0.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9277 | Insights from present distribution of an alpine mammal <i>Royle's pika</i> (<i>Ochotona roylei</i>) to predict future climate change impacts in the Himalaya. <i>Regional Environmental Change</i> , 2019, 19, 2423-2435. | 1.4 | 14 |
| 9278 | Towards an understanding of the drivers of broad-scale patterns of rarity-weighted richness for vertebrates. <i>Biodiversity and Conservation</i> , 2019, 28, 3733-3747. | 1.2 | 4 |
| 9279 | Droughts and climate warming desynchronize Black pine growth across the Mediterranean Basin. <i>Science of the Total Environment</i> , 2019, 697, 133989. | 3.9 | 30 |
| 9280 | Climate change impacts on banana yields around the world. <i>Nature Climate Change</i> , 2019, 9, 752-757. | 8.1 | 60 |
| 9281 | Climate change potential effects on grapevine bioclimatic indices: A case study for the Portuguese demarcated Douro Region (Portugal). <i>BIO Web of Conferences</i> , 2019, 12, 01013. | 0.1 | 15 |
| 9282 | Shallow genetic divergence and distinct phenotypic differences between two Andean hummingbirds: Speciation with gene flow?. <i>Auk</i> , 2019, 136, . | 0.7 | 18 |
| 9283 | Latest Villafranchian climate and landscape reconstructions at Pirro Nord (southern Italy). <i>Geology</i> , 2019, 47, 829-832. | 2.0 | 13 |
| 9284 | Zoning for edaphoclimatic aptitude of <i>Bambusa vulgaris</i> and <i>Dendrocalamus giganteus</i> in Brazil. <i>Pesquisa Agropecuaria Tropical</i> , 2019, 49, . | 1.0 | 0 |
| 9285 | A snapshot of the limnological features in tropical floodplain lakes: the relative influence of climate and land use. <i>Acta Limnologica Brasiliensia</i> , 0, 31, . | 0.4 | 3 |
| 9286 | Gene Flow and Genetic Variation Explain Signatures of Selection across a Climate Gradient in Two Riparian Species. <i>Genes</i> , 2019, 10, 579. | 1.0 | 12 |
| 9287 | Explaining the global spatial distribution of organic crop producers. <i>Agricultural Systems</i> , 2019, 176, 102680. | 3.2 | 18 |
| 9288 | Carbon-diversity hotspots and their owners in Brazilian southeastern Savanna, Atlantic Forest and Semi-Arid Woodland domains. <i>Forest Ecology and Management</i> , 2019, 452, 117575. | 1.4 | 19 |
| 9289 | Climate change-based models predict range shifts in the distribution of the only Asian plethodontid salamander: <i>Karsenia koreana</i> . <i>Scientific Reports</i> , 2019, 9, 11838. | 1.6 | 41 |
| 9290 | Low-observable targets detection for autonomous vehicles based on dual-modal sensor fusion with deep learning approach. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 2019, 233, 2270-2283. | 1.1 | 10 |
| 9291 | Modeling the Potential Global Distribution of <i>Phenacoccus madeirensis</i> Green under Various Climate Change Scenarios. <i>Forests</i> , 2019, 10, 773. | 0.9 | 21 |
| 9292 | Extant population genetic variation and structure of eastern white pine (<i>Pinus strobus</i> L.) in the Southern Appalachians. <i>Tree Genetics and Genomes</i> , 2019, 15, 1. | 0.6 | 3 |
| 9293 | Isolation-by-environment as a driver of genetic differentiation among populations of the only broad-leaved evergreen shrub <i>Ammopiptanthus mongolicus</i> in Asian temperate deserts. <i>Scientific Reports</i> , 2019, 9, 12008. | 1.6 | 43 |
| 9294 | Unexpected fish diversity gradients in the Amazon basin. <i>Science Advances</i> , 2019, 5, eaav8681. | 4.7 | 88 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 9295 | A Novel Method for Separating Woody and Herbaceous Time Series. <i>Photogrammetric Engineering and Remote Sensing</i> , 2019, 85, 509-520. | 0.3 | 3 |
| 9296 | Evaluating WorldClim Version 1 (1961–1990) as the Baseline for Sustainable Use of Forest and Environmental Resources in a Changing Climate. <i>Sustainability</i> , 2019, 11, 3043. | 1.6 | 26 |
| 9297 | Can we predict which species win when new habitat becomes available?. <i>PLoS ONE</i> , 2019, 14, e0213634. | 1.1 | 2 |
| 9298 | Interspecific Genetic Differences and Historical Demography in South American Arowanas (<i>Osteoglossiformes</i> , <i>Osteoglossidae</i> , <i>Osteoglossum</i>). <i>Genes</i> , 2019, 10, 693. | 1.0 | 10 |
| 9299 | Estimating Global Distribution of Evapotranspiration and Water Balance Using Complementary Methods. <i>Atmosphere - Ocean</i> , 2019, 57, 279-294. | 0.6 | 4 |
| 9300 | Fluctuating fortunes: genomes and habitat reconstructions reveal global climate-mediated changes in bats' genetic diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190304. | 1.2 | 20 |
| 9301 | The relative influence of abiotic and biotic factors on suitable habitat of Old World fruit bats under current and future climate scenarios. <i>Mammalian Biology</i> , 2019, 98, 188-200. | 0.8 | 16 |
| 9302 | Wilderness areas halve the extinction risk of terrestrial biodiversity. <i>Nature</i> , 2019, 573, 582-585. | 13.7 | 144 |
| 9303 | Wild cherry (<i>Prunus avium</i> (L.) L.) leaf shape and size variations in natural populations at different elevations. <i>Alpine Botany</i> , 2019, 129, 163-174. | 1.1 | 23 |
| 9304 | Multi-scale niche modeling of three sympatric felids of conservation importance in central Iran. <i>Landscape Ecology</i> , 2019, 34, 2451-2467. | 1.9 | 33 |
| 9305 | Comparative Study of Pastoral Property Regimes in Africa Offers No Support for Economic Defensibility Model. <i>Current Anthropology</i> , 2019, 60, 609-636. | 0.8 | 6 |
| 9306 | Using a Gaussian Function to Describe the Seasonal Courses of Monthly Precipitation and Potential Evapotranspiration across the Yellow River Basin, China. <i>Journal of Hydrometeorology</i> , 2019, 20, 2185-2201. | 0.7 | 5 |
| 9307 | Recent, Late Pleistocene fragmentation shaped the phylogeographic structure of the European black pine (<i>Pinus nigra</i> Arnold). <i>Tree Genetics and Genomes</i> , 2019, 15, 1. | 0.6 | 13 |
| 9308 | Species distribution modelling to support forest management. A literature review. <i>Ecological Modelling</i> , 2019, 411, 108817. | 1.2 | 116 |
| 9309 | Bergmann's rule and Allen's rule in two passerine birds in China. <i>Avian Research</i> , 2019, 10, . | 0.5 | 27 |
| 9310 | Spatio-Temporal Patterns of Climatic Niche Dynamics of an Invasive Plant <i>Mikania micrantha</i> Kunth and Its Potential Distribution Under Projected Climate Change. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 20 |
| 9311 | Niche Modeling of Economically Important Mahanarva (Hemiptera, Cercopidae) Species in South and Central America: Are Brazilian Spittlebug Sugarcane Pests Potential Invaders of South and Central America?. <i>Journal of Economic Entomology</i> , 2019, 113, 115-125. | 0.8 | 5 |
| 9312 | Integrating MAES implementation into protected area management under climate change: A fine-scale application in Greece. <i>Science of the Total Environment</i> , 2019, 695, 133530. | 3.9 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9313 | Climate change, range shifts, and the disruption of a pollinator-plant complex. <i>Scientific Reports</i> , 2019, 9, 14048. | 1.6 | 32 |
| 9314 | Looking for Local Adaptation: Convergent Microevolution in Aleppo Pine (<i>Pinus halepensis</i>). <i>Genes</i> , 2019, 10, 673. | 1.0 | 16 |
| 9315 | Genetic Diversity Linked to Haplotype Variation in the World Core Collection of <i>Trifolium subterraneum</i> for Boron Toxicity Tolerance Provides Valuable Markers for Pasture Breeding. <i>Frontiers in Plant Science</i> , 2019, 10, 1043. | 1.7 | 2 |
| 9316 | The Fate of Endangered Rock Sedge (<i>Carex rupestris</i>) in the Western Carpathians—The Future Perspective of an Arctic-Alpine Species under Climate Change. <i>Diversity</i> , 2019, 11, 172. | 0.7 | 3 |
| 9317 | Integrating temperature-dependent life table data into Insect Life Cycle Model for predicting the potential distribution of <i>Scapsipedus icipe</i> Hugel & Tanga. <i>PLoS ONE</i> , 2019, 14, e0222941. | 1.1 | 12 |
| 9318 | Recent climatic and anthropogenic impacts on endemic species in southwestern Morocco. <i>Quaternary Science Reviews</i> , 2019, 221, 105889. | 1.4 | 20 |
| 9319 | Where will it cross next? Optimal management of road collision risk for otters in Italy. <i>Journal of Environmental Management</i> , 2019, 251, 109609. | 3.8 | 15 |
| 9320 | Conservation planning in Uruguay based on small felids (<i>Leopardus</i> spp.) as umbrella species. <i>Studies on Neotropical Fauna and Environment</i> , 2019, 54, 169-180. | 0.5 | 7 |
| 9321 | Cold and dry outbreaks in the eastern Mediterranean 3200 years ago. <i>Geology</i> , 2019, 47, 933-937. | 2.0 | 29 |
| 9322 | Integrative taxonomy delimits species within the <i>Duranta sprucei</i> complex. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2019, 41, 125495. | 1.1 | 4 |
| 9323 | Predicting suitable habitat of an invasive weed <i>Parthenium hysterophorus</i> under future climate scenarios in Chitwan Annapurna Landscape, Nepal. <i>Journal of Mountain Science</i> , 2019, 16, 2243-2256. | 0.8 | 8 |
| 9324 | The Establishment Risk of <i>Lycorma delicatula</i> (Hemiptera: Fulgoridae) in the United States and Globally. <i>Journal of Economic Entomology</i> , 2020, 113, 306-314. | 0.8 | 44 |
| 9325 | Recommendation domains to scale out climate change adaptation in cocoa production in Ghana. <i>Climate Services</i> , 2019, 16, 100123. | 1.0 | 29 |
| 9326 | Palaeoenvironmental dynamics at the southern Alpine foothills between the Neolithic and the Bronze Age onset. A multi-proxy study from Bande di Cavriana (Mantua, Italy). <i>Quaternary Science Reviews</i> , 2019, 221, 105891. | 1.4 | 1 |
| 9327 | A checklist for maximizing reproducibility of ecological niche models. <i>Nature Ecology and Evolution</i> , 2019, 3, 1382-1395. | 3.4 | 134 |
| 9328 | Sensitivity of ASCE-Penman—Monteith reference evapotranspiration under different climate types in Brazil. <i>Climate Dynamics</i> , 2019, 53, 943-956. | 1.7 | 18 |
| 9329 | Banana suitability and <i>Fusarium</i> wilt distribution in the Philippines under climate change. <i>Spatial Information Research</i> , 2019, 27, 339-349. | 1.3 | 10 |
| 9330 | Potential eco-distribution mapping of <i>Myrica esculenta</i> in northwestern Himalayas. <i>Ecological Engineering</i> , 2019, 128, 98-111. | 1.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9331 | What is the most ecologically-meaningful metric of nitrogen deposition?. <i>Environmental Pollution</i> , 2019, 247, 319-331. | 3.7 | 15 |
| 9332 | Identifying refuges for Borneo's elusive Hose's civet. <i>Global Ecology and Conservation</i> , 2019, 17, e00531. | 1.0 | 6 |
| 9333 | Modelling and mapping soil organic carbon stocks in Brazil. <i>Geoderma</i> , 2019, 340, 337-350. | 2.3 | 237 |
| 9334 | Developing and testing models of the drivers of anthropogenic and lightning-caused wildfire ignitions in south-eastern Australia. <i>Journal of Environmental Management</i> , 2019, 235, 34-41. | 3.8 | 45 |
| 9335 | Thermal acclimation and adaptation across populations in a broadly distributed soil arthropod. <i>Functional Ecology</i> , 2019, 33, 833-845. | 1.7 | 34 |
| 9336 | Patterns of modern pollen and plant richness across northern Europe. <i>Journal of Ecology</i> , 2019, 107, 1662-1677. | 1.9 | 40 |
| 9337 | Rethinking long-term vegetation dynamics: multiple glacial refugia and local expansion of a species complex. <i>Ecography</i> , 2019, 42, 1056-1067. | 2.1 | 16 |
| 9338 | Climate-driven reduction of genetic variation in plant phenology alters soil communities and nutrient pools. <i>Global Change Biology</i> , 2019, 25, 1514-1528. | 4.2 | 23 |
| 9339 | Functional assessment of invasive <i>Salix fragilis</i> L. in north-western Patagonian flood plains: A comparative approach. <i>Acta Oecologica</i> , 2019, 95, 36-44. | 0.5 | 11 |
| 9340 | Invasion of the gall mite <i>Aceria genistae</i> (Acar: Eriophyidae), a natural enemy of the invasive weed <i>Cytisus scoparius</i> , into California, U.S.A. and predictions for climate suitability in other regions using ecological niche modelling. <i>Biocontrol Science and Technology</i> , 2019, 29, 494-513. | 0.5 | 8 |
| 9341 | The global biogeography of polyploid plants. <i>Nature Ecology and Evolution</i> , 2019, 3, 265-273. | 3.4 | 208 |
| 9342 | Global patterns of terrestriality in amphibian reproduction. <i>Global Ecology and Biogeography</i> , 2019, 28, 744-756. | 2.7 | 19 |
| 9343 | Evaluation of Gridded Precipitation Datasets over Arid Regions of Pakistan. <i>Water (Switzerland)</i> , 2019, 11, 210. | 1.2 | 88 |
| 9344 | Coupled influence of precipitation and vegetation on millennial-scale erosion rates derived from 10Be. <i>PLoS ONE</i> , 2019, 14, e0211325. | 1.1 | 20 |
| 9345 | Modelling potential habitat for snow leopards (<i>Panthera uncia</i>) in Ladakh, India. <i>PLoS ONE</i> , 2019, 14, e0211509. | 1.1 | 29 |
| 9346 | Documenting a plant invasion: The influence of land use on buffelgrass invasion along roadsides in Sonora, Mexico. <i>Journal of Arid Environments</i> , 2019, 164, 53-59. | 1.2 | 8 |
| 9347 | Risk of biodiversity collapse under climate change in the Afro-Arabian region. <i>Scientific Reports</i> , 2019, 9, 955. | 1.6 | 25 |
| 9348 | Litter size variation in didelphid marsupials: evidence of phylogenetic constraints and adaptation. <i>Biological Journal of the Linnean Society</i> , 2019, 126, 40-54. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9349 | Complementing the Pleistocene biogeography of European amphibians: Testimony from a southern Atlantic species. <i>Journal of Biogeography</i> , 2019, 46, 568-583. | 1.4 | 17 |
| 9350 | Systematics, ecology and distribution of the mygalomorph spider genus <i>Cteniza</i> Latreille, 1829 (Araneae, Mygalomorphae, Ctenizidae). <i>Zootaxa</i> , 2019, 4550, 499-524. | 0.2 | 3 |
| 9351 | Future Climate Change Impacts on Malta's Agriculture, Based on Multi-model Results from WCRP's CMIP5. <i>Climate Change Management</i> , 2019, , 137-156. | 0.6 | 5 |
| 9352 | Temporal and spatial high-resolution climate data from 1961 to 2100 for the German National Forest Inventory (NFI). <i>Annals of Forest Science</i> , 2019, 76, 1. | 0.8 | 23 |
| 9353 | Potential effects of climate change on Brazil's land use policy for renewable energy from sugarcane. <i>Resources, Conservation and Recycling</i> , 2019, 144, 158-168. | 5.3 | 9 |
| 9354 | Visualizing uncertainty in habitat suitability models with the hyper-envelope modeling interface, version 2. <i>Ecology and Evolution</i> , 2019, 9, 251-264. | 0.8 | 4 |
| 9355 | Muddy Boots Beget Wisdom: Implications for Rare or Endangered Plant Species Distribution Models. <i>Diversity</i> , 2019, 11, 10. | 0.7 | 9 |
| 9356 | Phenotypic plasticity closely linked to climate at origin and resulting in increased mortality under warming and frost stress in a common grass. <i>Ecology and Evolution</i> , 2019, 9, 1344-1352. | 0.8 | 17 |
| 9357 | Potential migratory routes of <i>Urania boisduvalii</i> (Lepidoptera: Uraniidae) among host plant populations. <i>Diversity and Distributions</i> , 2019, 25, 478-488. | 1.9 | 7 |
| 9358 | Cytotaxonomy and geographic distribution of cytotypes of species of the South American genus <i>Chrysolaela</i> (Vernonieae, Asteraceae). <i>Journal of Systematics and Evolution</i> , 2019, 57, 451-467. | 1.6 | 7 |
| 9359 | Integrating phylogeography and ecological niche modelling to test diversification hypotheses using a Neotropical rodent. <i>Evolutionary Ecology</i> , 2019, 33, 111-148. | 0.5 | 18 |
| 9360 | Risks of Biological Invasion on the Belt and Road. <i>Current Biology</i> , 2019, 29, 499-505.e4. | 1.8 | 70 |
| 9361 | Modulation of miRNA expression in natural populations of <i>A. thaliana</i> along a wide altitudinal gradient of Indian Himalayas. <i>Scientific Reports</i> , 2019, 9, 441. | 1.6 | 13 |
| 9362 | Pleistocene climatic changes drove dispersal and isolation of <i>Richtera discoidea</i> (Asteraceae), an endemic plant of campos rupestres in the central and eastern Brazilian sky islands. <i>Botanical Journal of the Linnean Society</i> , 2019, 189, 132-152. | 0.8 | 20 |
| 9363 | Reconstructing the European Grapevine Moth (Lepidoptera: Tortricidae), Invasion in California: Insights From a Successful Eradication. <i>Annals of the Entomological Society of America</i> , 2019, 112, 107-117. | 1.3 | 10 |
| 9364 | Evolving social dynamics prime thermal tolerance during a poleward range shift. <i>Biological Journal of the Linnean Society</i> , 2019, 126, 574-586. | 0.7 | 7 |
| 9365 | Freshwater species distributions along thermal gradients. <i>Ecology and Evolution</i> , 2019, 9, 111-124. | 0.8 | 9 |
| 9366 | Protecting rare and endangered species under climate change on the Qinghai Plateau, China. <i>Ecology and Evolution</i> , 2019, 9, 427-436. | 0.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9367 | Current and future ranges of an elusive North American insect using species distribution models. <i>Journal of Insect Conservation</i> , 2019, 23, 175-186. | 0.8 | 8 |
| 9368 | Relative importance of environmental factors and farming practices in shaping weed communities structure and composition in French vineyards. <i>Agriculture, Ecosystems and Environment</i> , 2019, 275, 1-13. | 2.5 | 38 |
| 9369 | Controls on the erosion of the continental margin of southeast Brazil from cosmogenic ¹⁰ Be in river sediments. <i>Geomorphology</i> , 2019, 330, 163-176. | 1.1 | 11 |
| 9370 | Spatial Technologies in Obesity Research: Current Applications and Future Promise. <i>Trends in Endocrinology and Metabolism</i> , 2019, 30, 211-223. | 3.1 | 52 |
| 9371 | Habitat requirements and differential abundance of the culpeo (<i>Lycalopex culpaeus</i>) in the high Andes of southern Ecuador. <i>European Journal of Wildlife Research</i> , 2019, 65, 1. | 0.7 | 1 |
| 9372 | Distribution and richness of amphibians under different climate change scenarios in a subtropical region of South America. <i>Applied Geography</i> , 2019, 103, 70-89. | 1.7 | 19 |
| 9373 | Arthropod communities in fungal fruitbodies are weakly structured by climate and biogeography across European beech forests. <i>Diversity and Distributions</i> , 2019, 25, 783-796. | 1.9 | 18 |
| 9374 | Does climate-related in situ variability of Scots pine (<i>Pinus sylvestris</i> L.) needles have a genetic basis? Evidence from common garden experiments. <i>Tree Physiology</i> , 2019, 39, 573-589. | 1.4 | 16 |
| 9375 | sPlot – A new tool for global vegetation analyses. <i>Journal of Vegetation Science</i> , 2019, 30, 161-186. | 1.1 | 185 |
| 9376 | Distribution of the elusive and threatened Brazilian dwarf brocket deer refined by non-invasive genetic sampling and distribution modelling. <i>European Journal of Wildlife Research</i> , 2019, 65, 1. | 0.7 | 13 |
| 9377 | Classifying and mapping rainfall seasonality in South Africa: a review. <i>Southern African Geographical Journal</i> , 2019, 101, 158-174. | 0.9 | 54 |
| 9378 | <i>Centaurea</i> subsect. <i>Phalolepis</i> in Southern Italy: ongoing speciation or species overestimation? Genetic evidence based on SSRs analyses. <i>Systematics and Biodiversity</i> , 2019, 17, 93-109. | 0.5 | 9 |
| 9379 | A Preliminary Assessment of Bumble Bee (Hymenoptera: Apidae) Habitat Suitability Across Protected and Unprotected Areas in the Philippines. <i>Annals of the Entomological Society of America</i> , 2019, 112, 44-49. | 1.3 | 6 |
| 9380 | Response of xerophytic plants to glacial cycles in southern South America. <i>Annals of Botany</i> , 2019, 124, 15-26. | 1.4 | 9 |
| 9381 | Six decades after independence: the enduring influence of missionary activities on regional wealth inequalities in Ghana. <i>Journal of Economic Geography</i> , 2019, , . | 1.6 | 1 |
| 9382 | Ecological and phenotypic divergence in Iberian shrews (Soricidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2019, 57, 642. | 0.6 | 3 |
| 9383 | Environmental heterogeneity explains coarse-scale diversity of terrestrial vertebrates in Mexico. <i>PLoS ONE</i> , 2019, 14, e0210890. | 1.1 | 6 |
| 9384 | Study of potential environmental factors predisposing ewes to subclinical mastitis in Greece. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019, 62, 40-45. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9385 | Changes in wetlands and surrounding land cover in a desert area under the influences of human and climatic factors: A case study of the Hongjian Nur region. <i>Ecological Indicators</i> , 2019, 101, 261-273. | 2.6 | 17 |
| 9386 | <i>Aureoboletus projectellus</i> (Fungi, Boletales) – An American bolete rapidly spreading in Europe as a new model species for studying expansion of macrofungi. <i>Fungal Ecology</i> , 2019, 39, 94-99. | 0.7 | 11 |
| 9387 | Standing genetic variation as the predominant source for adaptation of a songbird. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2152-2157. | 3.3 | 128 |
| 9388 | Evaluating ecological niche model accuracy in predicting biotic invasions using South Florida's exotic lizard community. <i>Journal of Biogeography</i> , 2019, 46, 432-441. | 1.4 | 25 |
| 9389 | Pest categorisation of <i>Phymatotrichopsis omnivora</i> . <i>EFSA Journal</i> , 2019, 17, e05619. | 0.9 | 0 |
| 9390 | What is the Best Inference Trajectory for Mapping Soil Functions: An Example of Mapping Soil Available Water Capacity over Languedoc Roussillon (France). <i>Soil Systems</i> , 2019, 3, 34. | 1.0 | 14 |
| 9391 | On the Use of NLDAS2 Weather Data for Hydrologic Modeling in the Upper Mississippi River Basin. <i>Water (Switzerland)</i> , 2019, 11, 960. | 1.2 | 11 |
| 9392 | Plant Evolutionary Ecology in the Age of the Extended Evolutionary Synthesis. <i>Integrative and Comparative Biology</i> , 2019, 59, 493-502. | 0.9 | 12 |
| 9393 | Niche expansion of the invasive plant species <i>Ageratina adenophora</i> despite evolutionary constraints. <i>Journal of Biogeography</i> , 2019, 46, 1306-1315. | 1.4 | 30 |
| 9394 | What explains the variation on the regenerative component dynamics of Araucaria Forests in southern Brazil?. <i>Scientia Agricola</i> , 2019, 76, 405-414. | 0.6 | 10 |
| 9395 | The amphibian-killing fungus in a biodiversity hotspot: identifying and validating high-risk areas and refugia. <i>Ecosphere</i> , 2019, 10, e02724. | 1.0 | 12 |
| 9396 | Phylogeography, classification and conservation of pink zieria (<i>Zieria veronicea</i> ; Rutaceae): influence of changes in climate, geology and sea level in south-eastern Australia. <i>Plant Systematics and Evolution</i> , 2019, 305, 503-520. | 0.3 | 9 |
| 9397 | Adaptations in irrigated agriculture in the Mediterranean region: an overview and spatial analysis of implemented strategies. <i>Regional Environmental Change</i> , 2019, 19, 1401-1416. | 1.4 | 52 |
| 9398 | Taxonomic, phylogenetic and functional homogenization of bird communities due to land use change. <i>Biological Conservation</i> , 2019, 236, 37-43. | 1.9 | 36 |
| 9399 | Equilibrium and non-equilibrium phases in the radiation of <i>Hakea</i> and the drivers of diversity in Mediterranean-type ecosystems. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1392-1410. | 1.1 | 15 |
| 9400 | Phylogeographic structure and ecological niche modelling reveal signals of isolation and postglacial colonisation in the European stag beetle. <i>PLoS ONE</i> , 2019, 14, e0215860. | 1.1 | 12 |
| 9401 | Mapping Global Environmental Suitability for <i>Sorghum bicolor</i> (L.) Moench. <i>Energies</i> , 2019, 12, 1928. | 1.6 | 8 |
| 9402 | Factors Influencing the Geographical Distribution of <i>Dendroctonus armandi</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9403 | Robustness Spatiotemporal Clustering and Trend Detection of Rainfall Erosivity Density in Greece. <i>Water (Switzerland)</i> , 2019, 11, 1050. | 1.2 | 8 |
| 9404 | Human activity and climate change as determinants of spatial prioritization for the conservation of globally threatened birds in the southern Neotropic (Santa Fe, Argentina). <i>Biodiversity and Conservation</i> , 2019, 28, 2531-2553. | 1.2 | 6 |
| 9405 | Landslide recognition and mapping in a mixed forest environment from airborne LiDAR data. <i>Engineering Geology</i> , 2019, 258, 105155. | 2.9 | 55 |
| 9406 | Detecting global irrigated areas by using satellite and reanalysis products. <i>Science of the Total Environment</i> , 2019, 677, 679-691. | 3.9 | 30 |
| 9407 | Climate-driven shifts in the distribution of koala browse species from the Last Interglacial to the near future. <i>Ecography</i> , 2019, 42, 1587-1599. | 2.1 | 16 |
| 9408 | Associations between habitat quality, body size and reproductive fitness in the alpine endemic spider <i>Vesubia jugorum</i> . <i>Global Ecology and Biogeography</i> , 2019, 28, 1325-1335. | 2.7 | 27 |
| 9409 | Genetic variation of the most abundant forest-dwelling rodents in Central Africa (<i>Praomys</i>). <i>Journal of Biogeography</i> , 2019, 46, 1466-1478. | 1.4 | 27 |
| 9410 | Projecting consequences of global warming for the functional diversity of fleshy-fruited plants and frugivorous birds along a tropical elevational gradient. <i>Diversity and Distributions</i> , 2019, 25, 1362-1374. | 1.9 | 12 |
| 9411 | Forest monitoring: Substantiating cause-effect relationships. <i>Science of the Total Environment</i> , 2019, 687, 610-617. | 3.9 | 6 |
| 9412 | Drainage network position and historical connectivity explain global patterns in freshwater fishes' range size. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13434-13439. | 3.3 | 69 |
| 9413 | Perceptions of ecosystem services provided by tropical forests to local populations in Cameroon. <i>Ecosystem Services</i> , 2019, 38, 100956. | 2.3 | 29 |
| 9414 | Global patterns of body size evolution are driven by precipitation in legless amphibians. <i>Ecography</i> , 2019, 42, 1682-1690. | 2.1 | 21 |
| 9415 | Modeling the Bioclimatic Range of Tall Herb Communities in Northeastern Asia. <i>Russian Journal of Ecology</i> , 2019, 50, 241-248. | 0.3 | 3 |
| 9416 | Regional influences on community structure across the tropical-temperate divide. <i>Nature Communications</i> , 2019, 10, 2646. | 5.8 | 40 |
| 9417 | Dispersal and local persistence shape the genetic structure of a widespread Neotropical plant species with a patchy distribution. <i>Annals of Botany</i> , 2019, 124, 499-512. | 1.4 | 10 |
| 9418 | Local niche differences predict genotype associations in sister taxa of desert tortoise. <i>Diversity and Distributions</i> , 2019, 25, 1194-1209. | 1.9 | 5 |
| 9419 | Diversity in genome size and GC content shows adaptive potential in orchids and is closely linked to partial endoreplication, plant life history traits and climatic conditions. <i>New Phytologist</i> , 2019, 224, 1642-1656. | 3.5 | 63 |
| 9420 | Erosion rates and sediment flux within the Potomac River basin quantified over millennial timescales using beryllium isotopes. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 1295-1311. | 1.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9421 | Distribution, threats and conservation of the White-collared Kite (<i>Leptodon forbesi</i> , Accipitridae), the most threatened raptor in the Neotropics. <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195928. | 0.4 | 2 |
| 9422 | Host Plants and Climate Structure Habitat Associations of the Western Monarch Butterfly. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 27 |
| 9423 | Role of Climate in the Spatial Structure of Vegetation of the Kodar-Kalar Orobiome. <i>Contemporary Problems of Ecology</i> , 2019, 12, 193-203. | 0.3 | 3 |
| 9424 | A Phytogeographic Divide Along the 500 mm Isohyet in the Qinghai-Tibet Plateau: Insights From the Phylogeographic Evidence of Chinese Alliums (Amaryllidaceae). <i>Frontiers in Plant Science</i> , 2019, 10, 149. | 1.7 | 7 |
| 9425 | Limitations at the Limit? Diminishing of Genetic Effects in Norway Spruce Provenance Trials. <i>Frontiers in Plant Science</i> , 2019, 10, 306. | 1.7 | 36 |
| 9426 | Phylogeography of <i>Dendrolimus punctatus</i> (Lepidoptera: Lasiocampidae): Population differentiation and last glacial maximum survival. <i>Ecology and Evolution</i> , 2019, 9, 7480-7496. | 0.8 | 9 |
| 9427 | Land suitability map and ecological carrying capacity for the recognition of touristic zones in the Kalat region, Iran: a multi-criteria analysis based on AHP and GIS. <i>Asia-Pacific Journal of Regional Science</i> , 2019, 3, 697-718. | 1.1 | 18 |
| 9428 | Surface Temperature Interrelationships. , 2019, , 185-202. | | 2 |
| 9429 | SINENVAP: An algorithm that employs kriging to identify optimal spatial interpolation models in polygons. <i>Ecological Informatics</i> , 2019, 53, 100975. | 2.3 | 2 |
| 9430 | A spatiotemporal natural-human database to evaluate road development impacts in an Amazon trinitational frontier. <i>Scientific Data</i> , 2019, 6, 93. | 2.4 | 6 |
| 9431 | Pleistocene climate change and the formation of regional species pools. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190291. | 1.2 | 20 |
| 9432 | Four climate change scenarios for <i>Gypsophila bermejoi</i> G. Lpez (Caryophyllaceae) to address whether bioclimatic and soil suitability will overlap in the future. <i>PLoS ONE</i> , 2019, 14, e0218160. | 1.1 | 7 |
| 9433 | Evaluating climatic threats to habitat types based on co-occurrence patterns of characteristic species. <i>Basic and Applied Ecology</i> , 2019, 38, 23-35. | 1.2 | 4 |
| 9434 | Amazonian tree species threatened by deforestation and climate change. <i>Nature Climate Change</i> , 2019, 9, 547-553. | 8.1 | 105 |
| 9435 | The future of coffee and cocoa agroforestry in a warmer Mesoamerica. <i>Scientific Reports</i> , 2019, 9, 8828. | 1.6 | 65 |
| 9436 | <i>Acacia dealbata</i> invasion in Chile: Surprises from climatic niche and species distribution models. <i>Ecology and Evolution</i> , 2019, 9, 7562-7573. | 0.8 | 15 |
| 9437 | Species distribution modelling supports a nectar corridor hypothesis for migratory nectarivorous bats and conservation of tropical dry forest. <i>Diversity and Distributions</i> , 2019, 25, 1399-1415. | 1.9 | 30 |
| 9438 | Forests expand as livestock pressure declines in subtropical South America. <i>Ecology and Society</i> , 2019, 24, . | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9439 | Climate change threatens some miombo tree species of sub-Saharan Africa. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2019, 257, 151421. | 0.6 | 11 |
| 9440 | Seed origin drives differences in survival and growth traits of cork oak (<i>Quercus suber</i> L.) populations. <i>Forest Ecology and Management</i> , 2019, 448, 267-277. | 1.4 | 9 |
| 9441 | Allopatric divergence and secondary contact with gene flow: a recurring theme in rattlesnake speciation. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 149-169. | 0.7 | 25 |
| 9442 | Climate outweighs native vs. nonnative range effects for genetics and common garden performance of a cosmopolitan weed. <i>Ecological Monographs</i> , 2019, 89, e01386. | 2.4 | 29 |
| 9443 | The status and potential distribution of <i>Hydrocotyle umbellata</i> L. and <i>Salvinia auriculata</i> Aubl. under climate change scenarios. <i>Aquatic Ecology</i> , 2019, 53, 509-528. | 0.7 | 10 |
| 9444 | Can forests buffer negative impacts of land-use and climate changes on water ecosystem services? The case of a Brazilian megalopolis. <i>Science of the Total Environment</i> , 2019, 685, 248-258. | 3.9 | 36 |
| 9445 | Evolution of <i>Ceratozamia</i> cycads: A proximate-ultimate approach. <i>Molecular Phylogenetics and Evolution</i> , 2019, 139, 106530. | 1.2 | 21 |
| 9446 | Effects of drought on wildfires in forest landscapes of the Western Ghats, India. <i>International Journal of Wildland Fire</i> , 2019, 28, 431. | 1.0 | 12 |
| 9447 | Effects of climatically shifting species distributions on biocultural relationships. <i>People and Nature</i> , 2019, 1, 87-102. | 1.7 | 19 |
| 9448 | Bird vulnerability to climate and land use changes in the Brazilian Cerrado. <i>Biological Conservation</i> , 2019, 236, 347-355. | 1.9 | 28 |
| 9449 | Modelling species distributions to predict areas at risk of invasion by the exotic aquatic New Zealand mudsnail <i>Potamopyrgus antipodarum</i> (Gray 1843). <i>Freshwater Biology</i> , 2019, 64, 1504-1518. | 1.2 | 16 |
| 9450 | First record of North American fungus <i>Rhizopogon pseudoroseolus</i> in Australia and prediction of its occurrence based on climatic niche and symbiotic partner preferences. <i>Mycorrhiza</i> , 2019, 29, 397-401. | 1.3 | 6 |
| 9451 | Infrared spectroscopy as a useful tool to predict land use depending on Mediterranean contrasted climate conditions: A case study on soils from olive-orchards and forests. <i>Science of the Total Environment</i> , 2019, 686, 179-190. | 3.9 | 14 |
| 9452 | Bird diversity in Chinese urban parks was more associated with natural factors than anthropogenic factors. <i>Urban Forestry and Urban Greening</i> , 2019, 43, 126358. | 2.3 | 18 |
| 9453 | Testing methods in species distribution modelling using virtual species: what have we learnt and what are we missing?. <i>Ecography</i> , 2019, 42, 2021-2036. | 2.1 | 60 |
| 9454 | Extinction debt and delayed colonization have had comparable but unique effects on plant community climate lags since the Last Glacial Maximum. <i>Global Ecology and Biogeography</i> , 2019, 28, 1067-1077. | 2.7 | 7 |
| 9455 | Detection of environmental and morphological adaptation despite high landscape genetic connectivity in a pest grasshopper (<i>Phaulacridium vittatum</i>). <i>Molecular Ecology</i> , 2019, 28, 3395-3412. | 2.0 | 21 |
| 9456 | The risk posed by <i>Xanthomonas</i> wilt disease of banana: Mapping of disease hotspots, fronts and vulnerable landscapes. <i>PLoS ONE</i> , 2019, 14, e0213691. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9457 | Climate change will reduce suitable Caatinga dry forest habitat for endemic plants with disproportionate impacts on specialized reproductive strategies. <i>PLoS ONE</i> , 2019, 14, e0217028. | 1.1 | 58 |
| 9458 | Climate change impacts on the global potential geographical distribution of the agricultural invasive pest, <i>Bactrocera dorsalis</i> (Hendel) (Diptera: Tephritidae). <i>Climatic Change</i> , 2019, 155, 145-156. | 1.7 | 52 |
| 9459 | Effect of drought and season on arbuscular mycorrhizal fungi in a subtropical secondary forest. <i>Fungal Ecology</i> , 2019, 41, 107-115. | 0.7 | 30 |
| 9460 | The current and future global distribution and population at risk of dengue. <i>Nature Microbiology</i> , 2019, 4, 1508-1515. | 5.9 | 645 |
| 9461 | Climatic shifts drove major contractions in avian latitudinal distributions throughout the Cenozoic. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 12895-12900. | 3.3 | 55 |
| 9462 | Biogeographic freshwater fish pattern legacy revealed despite rapid socio-economic changes in China. <i>Fish and Fisheries</i> , 2019, 20, 857-869. | 2.7 | 19 |
| 9463 | Assessing the Causes Behind the Late Quaternary Extinction of Horses in South America Using Species Distribution Models. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 12 |
| 9464 | Climate change is expected to increase yield and water use efficiency of wheat in the North China Plain. <i>Agricultural Water Management</i> , 2019, 222, 193-203. | 2.4 | 47 |
| 9465 | Soil organic carbon density and its driving factors in forest ecosystems across a northwestern province in China. <i>Geoderma</i> , 2019, 352, 1-12. | 2.3 | 25 |
| 9466 | Substantial declines in urban tree habitat predicted under climate change. <i>Science of the Total Environment</i> , 2019, 685, 451-462. | 3.9 | 49 |
| 9467 | Safety margins and adaptive capacity of vegetation to climate change. <i>Scientific Reports</i> , 2019, 9, 8241. | 1.6 | 31 |
| 9468 | Drought and Moisture Availability and Recent Western Spruce Budworm Outbreaks in the Western United States. <i>Forests</i> , 2019, 10, 354. | 0.9 | 10 |
| 9469 | Metrics of Lidar-Derived 3D Vegetation Structure Reveal Contrasting Effects of Horizontal and Vertical Forest Heterogeneity on Bird Species Richness. <i>Remote Sensing</i> , 2019, 11, 743. | 1.8 | 45 |
| 9470 | Intraspecific variation in seed germination and storage behaviour of <i>Cordia</i> tree species of subtropical montane forests of Argentina: Implications for ex situ conservation. <i>South African Journal of Botany</i> , 2019, 123, 393-399. | 1.2 | 2 |
| 9471 | Mutualistic interactions reshuffle the effects of climate change on plants across the tree of life. <i>Science Advances</i> , 2019, 5, eaav2539. | 4.7 | 49 |
| 9472 | Host genetic determinants of the gut microbiota of wild mice. <i>Molecular Ecology</i> , 2019, 28, 3197-3207. | 2.0 | 76 |
| 9473 | Heading north: Late Pleistocene environments and human dispersals in central and eastern Asia. <i>PLoS ONE</i> , 2019, 14, e0216433. | 1.1 | 27 |
| 9474 | Intra- and interpopulation variability of Balkan endemic - <i>Satureja kitaibelii</i> based on n-alkane profile. <i>Biochemical Systematics and Ecology</i> , 2019, 85, 68-71. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9475 | Integrated modeling to identify priority areas for the conservation of the endangered plant species in headwater areas of Asia. <i>Ecological Indicators</i> , 2019, 105, 47-56. | 2.6 | 21 |
| 9476 | Nesting biology and niche modelling of <i>Tetragonula iridipennis</i> (Smith) (Hymenoptera: Apidae). <i>Tj ETQq1 1 0.784314,rgBT /Oyerlock 10</i> | 0.7 | 10 |
| 9477 | Macroecological patterns and correlates of ant-tree interaction networks in Neotropical savannas. <i>Global Ecology and Biogeography</i> , 2019, 28, 1283-1294. | 2.7 | 16 |
| 9478 | Landscape effects on the contemporary genetic structure of Ruffed Grouse (<i>Bonasa umbellus</i>) populations. <i>Ecology and Evolution</i> , 2019, 9, 5572-5592. | 0.8 | 18 |
| 9479 | Genomic signatures of adaptation to Sahelian and Soudanian climates in sorghum landraces of Senegal. <i>Ecology and Evolution</i> , 2019, 9, 6038-6051. | 0.8 | 30 |
| 9480 | Can <i>Acacia mangium</i> and <i>Acacia auriculiformis</i> hinder restoration efforts in the Brazilian Atlantic Forest under current and future climate conditions?. <i>Biological Invasions</i> , 2019, 21, 2949-2962. | 1.2 | 19 |
| 9481 | Modeled distributions of <i>Aedes japonicus japonicus</i> and <i>Aedes togoi</i> (Diptera: Culicidae) in the United States, Canada, and northern Latin America. <i>Journal of Vector Ecology</i> , 2019, 44, 119-129. | 0.5 | 18 |
| 9482 | Past, present, and future geographic range of an oro-Mediterranean Tertiary relict: The juniperus drupacea case study. <i>Regional Environmental Change</i> , 2019, 19, 1507-1520. | 1.4 | 24 |
| 9483 | Species-specific effects of climate change on the distribution of suitable baboon habitats – Ecological niche modeling of current and Last Glacial Maximum conditions. <i>Journal of Human Evolution</i> , 2019, 132, 215-226. | 1.3 | 28 |
| 9484 | New insights into the environmental factors controlling the ground thermal regime across the Northern Hemisphere: a comparison between permafrost and non-permafrost areas. <i>Cryosphere</i> , 2019, 13, 693-707. | 1.5 | 34 |
| 9485 | Bat flies aggregation on <i>Artibeus planirostris</i> hosts in the Pantanal floodplain and surrounding plateaus. <i>Parasitology</i> , 2019, 146, 1462-1466. | 0.7 | 2 |
| 9486 | Optimizing an Environmental Observatory Network Design Using Publicly Available Data. <i>Journal of Geophysical Research C: Biogeosciences</i> , 2019, 124, 1812-1826. | 1.3 | 17 |
| 9487 | A simple method to estimate the probable distribution of species. <i>Ecography</i> , 2019, 42, 1613-1622. | 2.1 | 20 |
| 9488 | Nitrous oxide emissions decrease with plant diversity but increase with grassland primary productivity. <i>Oecologia</i> , 2019, 190, 497-507. | 0.9 | 9 |
| 9489 | Stem anatomy diversity in Iresine (Amaranthaceae s.l.): an ecological interpretation. <i>Revista Brasileira De Botanica</i> , 2019, 42, 329-344. | 0.5 | 3 |
| 9490 | Towards a scientific rationale for traditional properties of Chinese medicinal plants: ‘enatures’ and ‘flavors’. <i>Chinese Herbal Medicines</i> , 2019, 11, 258-266. | 1.2 | 4 |
| 9491 | Biogeography of plant root-associated fungal communities in the North Atlantic region mirrors climatic variability. <i>Journal of Biogeography</i> , 2019, 46, 1532-1546. | 1.4 | 14 |
| 9492 | Phylogeography and ecological niche modeling unravel the evolutionary history of the Yarkand hare, <i>Lepus yarkandensis</i> (Mammalia: Leporidae), through the Quaternary. <i>BMC Evolutionary Biology</i> , 2019, 19, 113. | 3.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9493 | Reduced mosquito survival in metal-roof houses may contribute to a decline in malaria transmission in sub-Saharan Africa. <i>Scientific Reports</i> , 2019, 9, 7770. | 1.6 | 38 |
| 9494 | Leishmaniasis in Eurasia and Africa: geographical distribution of vector species and pathogens. <i>Royal Society Open Science</i> , 2019, 6, 190334. | 1.1 | 16 |
| 9495 | Climatic conditions and human activities shape diploid-tetraploid coexistence at different spatial scales in the common weed <i>Tripleurospermum inodorum</i> (Asteraceae). <i>Journal of Biogeography</i> , 2019, 46, 1355-1366. | 1.4 | 23 |
| 9496 | Species Distribution Modeling in Latin America: A 25-Year Retrospective Review. <i>Tropical Conservation Science</i> , 2019, 12, 194008291985405. | 0.6 | 30 |
| 9497 | Uncertainty analysis of species distribution models. <i>PLoS ONE</i> , 2019, 14, e0214190. | 1.1 | 11 |
| 9498 | High correlation between species-level environmental data estimates extracted from IUCN expert range maps and from GBIF occurrence data. <i>Journal of Biogeography</i> , 2019, 46, 1329-1341. | 1.4 | 30 |
| 9499 | The potential geographical distribution of <i>Haloxylon</i> across Central Asia under climate change in the 21st century. <i>Agricultural and Forest Meteorology</i> , 2019, 275, 243-254. | 1.9 | 65 |
| 9500 | Assessing similarity of n -dimensional hypervolumes: Which metric to use?. <i>Journal of Biogeography</i> , 2019, 46, 2012-2023. | 1.4 | 64 |
| 9501 | Simulating impacts of climate change on cotton yield and water requirement using RZWQM2. <i>Agricultural Water Management</i> , 2019, 222, 231-241. | 2.4 | 49 |
| 9502 | Phylogeography of the Rufous Vanga and the role of bioclimatic transition zones in promoting speciation within Madagascar. <i>Molecular Phylogenetics and Evolution</i> , 2019, 139, 106535. | 1.2 | 7 |
| 9503 | Spatial incongruence in the species richness and functional diversity of cricetid rodents. <i>PLoS ONE</i> , 2019, 14, e0217154. | 1.1 | 18 |
| 9504 | Ancient and Current Distributions of <i>Erythrina crista-galli</i> L. (Fabaceae) in South America. <i>Floresta E Ambiente</i> , 2019, 26, . | 0.1 | 1 |
| 9505 | The importance of biological plausibility for data poor models in the face of an immediate threat by an emerging infectious disease: a reply to Katz and Zellmer (2018). <i>Biological Invasions</i> , 2019, 21, 2789-2793. | 1.2 | 4 |
| 9506 | Genetic and morphological divergence among three closely related <i>Phrynocephalus</i> species (Agamidae). <i>BMC Evolutionary Biology</i> , 2019, 19, 114. | 3.2 | 15 |
| 9507 | Using remotely sensed and climate data to predict the current and potential future geographic distribution of a bird at multiple scales: the case of <i>Agelastes meleagrides</i> , a western African forest endemic. <i>Avian Research</i> , 2019, 10, . | 0.5 | 5 |
| 9508 | Invasive Plant Species Establishment and Range Dynamics in Sri Lanka under Climate Change. <i>Entropy</i> , 2019, 21, 571. | 1.1 | 41 |
| 9509 | Assessing Water Availability in Mediterranean Regions Affected by Water Conflicts through MODIS Data Time Series Analysis. <i>Remote Sensing</i> , 2019, 11, 1355. | 1.8 | 6 |
| 9510 | Debris Flow Risk Assessment Based on a Water-Soil Process Model at the Watershed Scale Under Climate Change: A Case Study in a Debris-Flow-Prone Area of Southwest China. <i>Sustainability</i> , 2019, 11, 3199. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9511 | Genetic landscape and landscape connectivity of <i>Ceratopteris thalictroides</i> , an endangered aquatic fern. <i>Ecological Informatics</i> , 2019, 53, 100973. | 2.3 | 5 |
| 9512 | Potential biodiversity map of understory plants for <i>Nothofagus</i> forests in Southern Patagonia: Analyses of landscape, ecological niche and conservation values. <i>Science of the Total Environment</i> , 2019, 682, 301-309. | 3.9 | 19 |
| 9513 | Loss of suitable climatic areas for <i>Araucaria</i> forests over time. <i>Plant Ecology and Diversity</i> , 2019, 12, 115-126. | 1.0 | 14 |
| 9514 | Assessing sampling coverage of species distribution in biodiversity databases. <i>Journal of Vegetation Science</i> , 2019, 30, 620-632. | 1.1 | 11 |
| 9515 | Predicting invasion potential and niche dynamics of <i>Parthenium hysterophorus</i> (Congress grass) in India under projected climate change. <i>Biodiversity and Conservation</i> , 2019, 28, 2319-2344. | 1.2 | 63 |
| 9516 | Contrasting use of habitat, landscape elements, and corridors by grey wolf and golden jackal in central Iran. <i>Landscape Ecology</i> , 2019, 34, 1263-1277. | 1.9 | 32 |
| 9517 | Increase in non-native species richness leads to biotic homogenization in vacant lots of a highly urbanized landscape. <i>Urban Ecosystems</i> , 2019, 22, 879-892. | 1.1 | 21 |
| 9518 | Divergent geography of <i>Salmonella</i> Wangata and <i>Salmonella</i> Typhimurium epidemiology in New South Wales, Australia. <i>One Health</i> , 2019, 7, 100092. | 1.5 | 21 |
| 9519 | Ups and downs: Genetic differentiation among populations of the <i>Podocarpus</i> (Podocarpaceae) species in Mesoamerica. <i>Molecular Phylogenetics and Evolution</i> , 2019, 138, 17-30. | 1.2 | 21 |
| 9520 | The Economic Implications of <i>Robinia pseudoacacia</i> L. (black locust) on Agricultural Production in South Africa. <i>Agrekon</i> , 2019, 58, 216-228. | 0.5 | 9 |
| 9521 | Local and regional drivers of ant communities in forest-grassland ecotones in South Brazil: A taxonomic and phylogenetic approach. <i>PLoS ONE</i> , 2019, 14, e0215310. | 1.1 | 17 |
| 9522 | Vegetation Change and Driving Factors: Contribution Analysis in the Loess Plateau of China during 2000–2015. <i>Sustainability</i> , 2019, 11, 1320. | 1.6 | 26 |
| 9523 | Patterns of nitrogen-fixing tree abundance in forests across Asia and America. <i>Journal of Ecology</i> , 2019, 107, 2598-2610. | 1.9 | 29 |
| 9524 | Climate niche factor analysis: a spatial approach to quantifying species vulnerability to climate change. <i>Ecography</i> , 2019, 42, 1494-1503. | 2.1 | 48 |
| 9525 | Temperature shapes opposing latitudinal gradients of plant taxonomic and phylogenetic β diversity. <i>Ecology Letters</i> , 2019, 22, 1126-1135. | 3.0 | 54 |
| 9526 | Predicting hybridisation as a consequence of climate change in damselflies. <i>Insect Conservation and Diversity</i> , 2019, 12, 427-436. | 1.4 | 2 |
| 9527 | Identification of the co-existence of low total organic carbon contents and low pH values in agricultural soil in north-central Europe using hot spot analysis based on GEMAS project data. <i>Science of the Total Environment</i> , 2019, 678, 94-104. | 3.9 | 39 |
| 9528 | Complex interplay of ancient vicariance and recent patterns of geographical speciation in north-western North American temperate rainforests explains the phylogeny of jumping slugs (<i>Hemphillia</i> spp.). <i>Biological Journal of the Linnean Society</i> , 2019, 127, 876-889. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9529 | Evaluation of species boundaries in sympatric and parapatric populations of Mesoamerican toads. <i>Zoologica Scripta</i> , 2019, 48, 454-465. | 0.7 | 4 |
| 9530 | Temperature Variability Differs in Urban Agroecosystems across Two Metropolitan Regions. <i>Climate</i> , 2019, 7, 50. | 1.2 | 8 |
| 9531 | Factors Influencing Epiphytic Lichen Species Distribution in a Managed Mediterranean <i>Pinus nigra</i> Arnold Forest. <i>Diversity</i> , 2019, 11, 59. | 0.7 | 10 |
| 9532 | Rainfall seasonality predicts the germination behavior of a tropical dry-forest vine. <i>Ecology and Evolution</i> , 2019, 9, 5196-5205. | 0.8 | 8 |
| 9533 | Dual colonization of European high-altitude areas from Asia by <i>Callianthemum</i> (Ranunculaceae). <i>Plant Systematics and Evolution</i> , 2019, 305, 431-443. | 0.3 | 8 |
| 9534 | Snake diversity in floodplains of central South America: Is flood pulse the principal driver?. <i>Acta Oecologica</i> , 2019, 97, 34-41. | 0.5 | 5 |
| 9535 | Assessing the spatial sensitivity of a random forest model: Application in gridded population modeling. <i>Computers, Environment and Urban Systems</i> , 2019, 75, 132-145. | 3.3 | 64 |
| 9536 | Modeling <i>Cedrus atlantica</i> potential distribution in North Africa across time: new putative glacial refugia and future range shifts under climate change. <i>Regional Environmental Change</i> , 2019, 19, 1667-1682. | 1.4 | 22 |
| 9537 | Historical hybrid zone movement: More pervasive than appreciated. <i>Journal of Biogeography</i> , 2019, 46, 1300-1305. | 1.4 | 60 |
| 9538 | Update of the Scientific Opinion on the risks to plant health posed by <i>Xylella fastidiosa</i> in the EU territory. <i>EFSA Journal</i> , 2019, 17, e05665. | 0.9 | 79 |
| 9539 | Diversification, Intensification and Specialization: Changing Land Use in Western Africa from 1800 BC to AD 1500. <i>Journal of World Prehistory</i> , 2019, 32, 179-228. | 1.1 | 34 |
| 9540 | Cryptic speciation in the Chinese white pine (<i>Pinus armandii</i>): Implications for the high species diversity of conifers in the Hengduan Mountains, a global biodiversity hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2019, 138, 114-125. | 1.2 | 27 |
| 9541 | Patterns and ecological determinants of woody plant height in eastern Eurasia and its relation to primary productivity. <i>Journal of Plant Ecology</i> , 2019, 12, 791-803. | 1.2 | 15 |
| 9542 | Assessing the impacts of uncertainty in climate-change vulnerability assessments. <i>Diversity and Distributions</i> , 2019, 25, 1234-1245. | 1.9 | 7 |
| 9543 | Climatic predictors of species distributions neglect biophysiological meaningful variables. <i>Diversity and Distributions</i> , 2019, 25, 1318-1333. | 1.9 | 63 |
| 9544 | Found, forgotten, and found again: systematics and distribution of Cooper's Rocky Mountain snail (<i>Oreohelix cooperi</i>) on a sky island in the Canadian Prairies. <i>Canadian Journal of Zoology</i> , 2019, 97, 833-840. | 0.4 | 6 |
| 9545 | A new modern pollen dataset describing the Brazilian Atlantic Forest. <i>Holocene</i> , 2019, 29, 1253-1262. | 0.9 | 8 |
| 9546 | A reduction in ecological niche for <i>Trypanosoma cruzi</i> -infected triatomine bugs. <i>Parasites and Vectors</i> , 2019, 12, 240. | 1.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9547 | Inferring phenotypic plasticity and population responses to climate across tree species ranges using forest inventory data. <i>Global Ecology and Biogeography</i> , 2019, 28, 1259-1271. | 2.7 | 17 |
| 9548 | Modeling algorithm influence on the success of predicting new populations of rare species: ground-truthing models for the Pale-Belly Frost Lichen (<i>Physconia subpallida</i>) in Ontario. <i>Biodiversity and Conservation</i> , 2019, 28, 1853-1862. | 1.2 | 3 |
| 9549 | Addressing the effects of sampling on ecometric-based paleoenvironmental reconstructions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 528, 175-185. | 1.0 | 9 |
| 9550 | Palaeoecological context for the extinction of the Neanderthals: A small mammal study of Stratigraphic Unit V of the El Salt site, Alcoi, eastern Spain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 530, 163-175. | 1.0 | 13 |
| 9551 | Ecological drivers of alpha and beta diversity of freshwater invertebrates in arid and semiarid Patagonia (Argentina). <i>Science of the Total Environment</i> , 2019, 678, 62-73. | 3.9 | 30 |
| 9552 | Modeling the potential range expansion of larger grain borer, <i>Prostephanus truncatus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT/Overl | 1.6 | 32 |
| 9553 | Decreasing Predator Density and Activity Explains Declining Predation of Insect Prey along Elevational Gradients. <i>American Naturalist</i> , 2019, 194, 334-343. | 1.0 | 22 |
| 9554 | How has the environment shaped geographical patterns of insect body sizes? A test of hypotheses using sphingid moths. <i>Journal of Biogeography</i> , 2019, 46, 1687-1698. | 1.4 | 19 |
| 9555 | Similar responses of native and alien floras in European cities to climate. <i>Journal of Biogeography</i> , 2019, 46, 1406-1418. | 1.4 | 10 |
| 9556 | Vegetation classification at the association level under the China Vegetation Classification System: an example of six <i>Stipa</i> steppe formations in China. <i>Journal of Plant Ecology</i> , 2019, 12, 1009-1024. | 1.2 | 2 |
| 9557 | Species distribution modeling reveals strongholds and potential reintroduction areas for the world's largest eagle. <i>PLoS ONE</i> , 2019, 14, e0216323. | 1.1 | 29 |
| 9558 | Phylogeography of <i>Potamon ibericum</i> (Brachyura: Potamidae) identifies Quaternary glacial refugia within the Caucasus biodiversity hot spot. <i>Ecology and Evolution</i> , 2019, 9, 4749-4759. | 0.8 | 15 |
| 9559 | Using biased sampling data to model the distribution of invasive shot-hole borers in California. <i>Biological Invasions</i> , 2019, 21, 2693-2712. | 1.2 | 5 |
| 9560 | Cartogramming uncertainty in species distribution models: A Bayesian approach. <i>Ecological Complexity</i> , 2019, 38, 146-155. | 1.4 | 13 |
| 9561 | Pre-stratified modelling plus residuals kriging reduces the uncertainty of aboveground biomass estimation and spatial distribution in heterogeneous savannas and forest environments. <i>Forest Ecology and Management</i> , 2019, 445, 96-109. | 1.4 | 14 |
| 9562 | More salt, please: global patterns, responses and impacts of foliar sodium in grasslands. <i>Ecology Letters</i> , 2019, 22, 1136-1144. | 3.0 | 42 |
| 9563 | An Integrated Approach to Assessing the Soil Quality and Nutritional Status of Large and Long-Term Cultivated Rice Agro-Ecosystems. <i>Agriculture (Switzerland)</i> , 2019, 9, 80. | 1.4 | 10 |
| 9564 | Spatiotemporal Variability of Asymmetric Daytime and Night-Time Warming and Its Effects on Vegetation in the Yellow River Basin from 1982 to 2015. <i>Sensors</i> , 2019, 19, 1832. | 2.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9565 | Phylogeography and species limits in the red-shouldered hawk (<i>Buteo lineatus</i>): Characterization of the Northern Florida Suture Zone in birds. <i>Ecology and Evolution</i> , 2019, 9, 6245-6258. | 0.8 | 8 |
| 9566 | Global distribution patterns of mycoheterotrophy. <i>Global Ecology and Biogeography</i> , 2019, 28, 1133-1145. | 2.7 | 13 |
| 9567 | Effects of insularity on insect leaf herbivory and chemical defences in a Mediterranean oak species. <i>Journal of Biogeography</i> , 2019, 46, 1226-1233. | 1.4 | 13 |
| 9568 | New conservation viewpoints when plants are viewed at one level higher. Integration of phylogeographic structure, niche modeling and genetic diversity in conservation planning of <i>W</i> Mediterranean larkspurs. <i>Global Ecology and Conservation</i> , 2019, 18, e00580. | 1.0 | 7 |
| 9569 | Genetic data reveals a complex history of multiple admixture events in presently allopatric wild gingers (<i>Asarum</i> spp.) showing intertaxonomic clinal variation in calyx lobe length. <i>Molecular Phylogenetics and Evolution</i> , 2019, 137, 146-155. | 1.2 | 2 |
| 9570 | Underthrusting and duplexing beneath the northern Tibetan Plateau and the evolution of the Himalayan-Tibetan orogen. <i>Lithosphere</i> , 2019, 11, 209-231. | 0.6 | 79 |
| 9571 | Pure, shared, and coupling effects of climate change and sea level rise on the future distribution of <i>Spartina alterniflora</i> along the Chinese coast. <i>Ecology and Evolution</i> , 2019, 9, 5380-5391. | 0.8 | 5 |
| 9572 | Animal Diversity and Biogeography of the Cuatro Ci negas Basin. <i>Cuatro Cielnegas Basin: an Endangered Hyperdiverse Oasis</i> , 2019, , . | 0.4 | 4 |
| 9573 | Species distribution models with field validation, a key approach for successful selection of receptor sites in conservation translocations. <i>Global Ecology and Conservation</i> , 2019, 19, e00653. | 1.0 | 23 |
| 9574 | The global distribution of <i>Bacillus anthracis</i> and associated anthrax risk to humans, livestock and wildlife. <i>Nature Microbiology</i> , 2019, 4, 1337-1343. | 5.9 | 153 |
| 9575 | Global drivers of methane oxidation and denitrifying gene distribution in drylands. <i>Global Ecology and Biogeography</i> , 2019, 28, 1230-1243. | 2.7 | 20 |
| 9576 | Niche-based processes outperform neutral processes when predicting distance decay in co-dominance along the Amazon - Andes rainforest gradient. <i>Journal of Vegetation Science</i> , 2019, 30, 644-653. | 1.1 | 4 |
| 9577 | Predicting the impacts of climate change on <i>Papio</i> baboon biogeography: Are widespread, generalist primates "safe"? <i>Journal of Biogeography</i> , 2019, 46, 1380-1405. | 1.4 | 14 |
| 9578 | Evidences for ecological niche differentiation on the Anatolian lizard (<i>Apathya cappadocica</i> ssp.) (Reptilia: Lacertidae) in western Asia. <i>Biologia (Poland)</i> , 2019, 74, 1661-1667. | 0.8 | 4 |
| 9579 | Estimation of the Allergenic Potential of Urban Trees and Urban Parks: Towards the Healthy Design of Urban Green Spaces of the Future. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1357. | 1.2 | 49 |
| 9580 | Modeling Soil Nitrogen Content in South Patagonia across a Climate Gradient, Vegetation Type, and Grazing. <i>Sustainability</i> , 2019, 11, 2707. | 1.6 | 24 |
| 9581 | Projected Rainfall Erosivity Over Central Asia Based on CMIP5 Climate Models. <i>Water (Switzerland)</i> , 2019, 11, 897. | 1.2 | 33 |
| 9582 | Tracking microhabitat temperature variation with iButton data loggers. <i>Applications in Plant Sciences</i> , 2019, 7, e01237. | 0.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 9583 | Evaluating the Hypothesis of Pleistocene Refugia for Mammals in the Cuatro CiÃ©negas Basin. Cuatro CiÃ©negas Basin: an Endangered Hyperdiverse Oasis, 2019, , 203-224. | 0.4 | 3 |
| 9584 | Determinants of spatial patterns of plant diversity depend on the biogeographical affinities of the taxa â a case study in Northwest Yunnan, Southwest China. Acta Oecologica, 2019, 97, 57-64. | 0.5 | 1 |
| 9585 | Geomorphology of the coastal alluvial fan complex Guanillos, northern Chile. Journal of Maps, 2019, 15, 436-447. | 1.0 | 10 |
| 9586 | Spatial vs. temporal controls over soil fungal community similarity at continental and global scales. ISME Journal, 2019, 13, 2082-2093. | 4.4 | 41 |
| 9587 | Phylogeography of the Neotropical epiphytic orchid, <i>Brassavola nodosa</i> : evidence for a secondary contact zone in northwestern Costa Rica. Heredity, 2019, 123, 662-674. | 1.2 | 4 |
| 9588 | Contrasting latitudinal patterns in phylogenetic diversity between woody and herbaceous communities. Scientific Reports, 2019, 9, 6443. | 1.6 | 32 |
| 9589 | Testing effects of Pleistocene climate change on the altitudinal and horizontal distributions of frogs from the Colombian Andes: a species distribution modeling approach. Frontiers of Biogeography, 2019, 11, . | 0.8 | 5 |
| 9590 | Assessment of Variations in the Temperature-Rainfall Trend in the Province of Macerata (Central Tj ETQq1 1 0.784314 rgBT /Overlock 19 Biosustainability Studies. Environmental Processes, 2019, 6, 391-412. | 1.7 | 19 |
| 9591 | Risk of spread of tomato yellow leaf curl virus (TYLCV) in tomato crops under various climate change scenarios. Agricultural Systems, 2019, 173, 524-535. | 3.2 | 49 |
| 9592 | Dispersal distances and migration rates at the arctic treeline in Siberia â a genetic and simulation-based study. Biogeosciences, 2019, 16, 1211-1224. | 1.3 | 21 |
| 9593 | Predicting soil types and soil properties with limited data in the Uasin Gishu Plateau, Kenya. Geoderma Regional, 2019, 16, e00210. | 0.9 | 7 |
| 9594 | Genetic data improve the assessment of the conservation status based only on herbarium records of a Neotropical tree. Scientific Reports, 2019, 9, 5693. | 1.6 | 19 |
| 9595 | City energysheds and renewable energy in the United States. Nature Sustainability, 2019, 2, 412-420. | 11.5 | 34 |
| 9596 | Geographic shifts in <i>Aedes aegypti</i> habitat suitability in Ecuador using larval surveillance data and ecological niche modeling: Implications of climate change for public health vector control. PLoS Neglected Tropical Diseases, 2019, 13, e0007322. | 1.3 | 38 |
| 9597 | Neotropical cloud forests and páramo to contract and dry from declines in cloud immersion and frost. PLoS ONE, 2019, 14, e0213155. | 1.1 | 78 |
| 9598 | Influence of the Quaternary Glacial Cycles and the Mountains on the Reticulations in the Subsection Willkommia of the Genus <i>Centaurea</i> . Frontiers in Plant Science, 2019, 10, 303. | 1.7 | 6 |
| 9599 | Infection with <i>Batrachochytrium dendrobatidis</i> is common in tropical lowland habitats: Implications for amphibian conservation. Ecology and Evolution, 2019, 9, 4917-4930. | 0.8 | 12 |
| 9600 | Soil bioengineering techniques enhance riparian habitat quality and multi-taxonomic diversity in the foothills of the Alps and Jura Mountains. Ecological Engineering, 2019, 133, 1-9. | 1.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 9601 | Evaluating natural infrastructure for flood management within the watersheds of selected global cities. <i>Science of the Total Environment</i> , 2019, 670, 411-424. | 3.9 | 54 |
| 9602 | 3RAD-based systematics of the transitional Nearctic-Neotropical lubber grasshopper genus <i>Taeniopoda</i> (Orthoptera: Romaleidae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 137, 64-75. | 1.2 | 7 |
| 9603 | Extinction risks of a Mediterranean neo-endemism complex of mountain vipers triggered by climate change. <i>Scientific Reports</i> , 2019, 9, 6332. | 1.6 | 31 |
| 9604 | Do genetic structure and landscape heterogeneity impact color morph frequency in a polymorphic salamander?. <i>Ecography</i> , 2019, 42, 1383-1394. | 2.1 | 15 |
| 9605 | ENETwild modelling of wild boar distribution and abundance: initial model output based on hunting data and update of occurrence-based models. <i>EFSA Supporting Publications</i> , 2019, 16, 1629E. | 0.3 | 7 |
| 9606 | Differences in the Climate-Growth Relationship of Scots Pine: A Case Study from Poland and Hungary. <i>Forests</i> , 2019, 10, 243. | 0.9 | 30 |
| 9607 | Predicting climate change impacts on the threatened <i>Quercus arbutifolia</i> in montane cloud forests in southern China and Vietnam: Conservation implications. <i>Forest Ecology and Management</i> , 2019, 444, 269-279. | 1.4 | 28 |
| 9608 | Reductions in deforestation and poverty from decentralized forest management in Nepal. <i>Nature Sustainability</i> , 2019, 2, 421-428. | 11.5 | 121 |
| 9609 | Distribution of a habitat specialist: Mopane woodland structure determines occurrence of Near Threatened Lilian's Lovebird <i>Agapornis lilianae</i> . <i>Bird Conservation International</i> , 2019, 29, 413-422. | 0.7 | 2 |
| 9610 | Influences of climate and life on hillslope sediment transport. <i>Geology</i> , 2019, 47, 423-426. | 2.0 | 42 |
| 9611 | Inferring critical thresholds of ecosystem transitions from spatial data. <i>Ecology</i> , 2019, 100, e02722. | 1.5 | 21 |
| 9612 | Simulation of extreme temperatures using a new method: TIN-copula. <i>International Journal of Climatology</i> , 2019, 39, 5201-5214. | 1.5 | 7 |
| 9613 | Ensemble Spatial Precipitation Analysis From Rain Gauge Data: Methodology and Application in the European Alps. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 5757-5778. | 1.2 | 33 |
| 9614 | Integrating mechanistic and correlative niche models to unravel range-limiting processes in a temperate amphibian. <i>Global Change Biology</i> , 2019, 25, 2633-2647. | 4.2 | 52 |
| 9615 | Drivers of plant richness patterns of Mediterranean riparian forests at local and regional scales have bottom-up and top-down effects. <i>Journal of Vegetation Science</i> , 2019, 30, 485-497. | 1.1 | 7 |
| 9616 | Modelling past, present and future Ecosystem Services supply in a protected floodplain under land use and climate changes. <i>Ecological Modelling</i> , 2019, 403, 23-34. | 1.2 | 38 |
| 9617 | The ecological drivers of variation in global language diversity. <i>Nature Communications</i> , 2019, 10, 2047. | 5.8 | 44 |
| 9618 | Effects of climate change and horticultural use on the spread of naturalized alien garden plants in Europe. <i>Ecography</i> , 2019, 42, 1548-1557. | 2.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9619 | Risk map for the range expansion of <i>Thrips palmi</i> in Korea under climate change: Combining species distribution models with land-use change. <i>Journal of Asia-Pacific Entomology</i> , 2019, 22, 666-674. | 0.4 | 9 |
| 9620 | When can legacy soil data be used, and when should new data be collected instead?. <i>Geoderma</i> , 2019, 348, 181-188. | 2.3 | 4 |
| 9621 | Rapid evolution of invasive traits facilitates the invasion of common ragweed, <i>Ambrosia artemisiifolia</i> . <i>Journal of Ecology</i> , 2019, 107, 2673-2687. | 1.9 | 39 |
| 9622 | Terrestrial vertebrates as surrogates for selecting conservation areas in a biodiversity hotspot in Mexico. <i>Conservation Science and Practice</i> , 2019, 1, e12. | 0.9 | 8 |
| 9623 | Dispersal limitations and historical factors determine the biogeography of specialized terrestrial protists. <i>Molecular Ecology</i> , 2019, 28, 3089-3100. | 2.0 | 34 |
| 9624 | Identifying priority areas for invertebrate conservation using land snails as models. <i>Journal for Nature Conservation</i> , 2019, 50, 125707. | 0.8 | 12 |
| 9625 | Geographic variation in skull shape and size of the Pampas fox <i>Lycalopex gymnocercus</i> (Carnivora: Canidae). <i>Journal of Biogeography</i> , 2019, 46, 1011-1021. | 0.8 | 11 |
| 9626 | Climate change-induced range shift of the endemic epiphytic lichen <i>Lobaria pindarensis</i> in the Hindu Kush Himalayan region. <i>Lichenologist</i> , 2019, 51, 157-173. | 0.5 | 10 |
| 9627 | Do we know how mosquito disease vectors will respond to climate change?. <i>Emerging Topics in Life Sciences</i> , 2019, 3, 115-132. | 1.1 | 4 |
| 9628 | A global risk assessment of primates under climate and land use/cover scenarios. <i>Global Change Biology</i> , 2019, 25, 3163-3178. | 4.2 | 36 |
| 9629 | Amphibian functional diversity is related to high annual precipitation and low precipitation seasonality in the New World. <i>Global Ecology and Biogeography</i> , 2019, 28, 1219-1229. | 2.7 | 21 |
| 9630 | Re-establishment of latitudinal clines and local adaptation within the invaded area suggest rapid evolution of seed traits in Argentinean sunflower (<i>Helianthus annuus</i> L.). <i>Biological Invasions</i> , 2019, 21, 2599-2612. | 1.2 | 20 |
| 9631 | Data relating to threats to passion fruit production in the Neotropics due to agricultural area loss and pollinator mismatch as consequence of climate changes. <i>Data in Brief</i> , 2019, 23, 103802. | 0.5 | 2 |
| 9632 | Climate change and abiotic stress mechanisms in plants. <i>Emerging Topics in Life Sciences</i> , 2019, 3, 165-181. | 1.1 | 35 |
| 9633 | Breeding in the gray-headed tody-flycatcher (Aves: Tyrannidae) with comments on geographical variation in reproductive traits within the genus <i>Todirostrum</i> . <i>Journal of Natural History</i> , 2019, 53, 595-610. | 0.2 | 6 |
| 9634 | Range-wide spatial mapping reveals convergent character displacement of bird song. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190443. | 1.2 | 21 |
| 9635 | Alpha and beta diversity of birds along elevational vegetation zones on the southern slope of Altai Mountains: Implication for conservation. <i>Global Ecology and Conservation</i> , 2019, 19, e00643. | 1.0 | 13 |
| 9636 | Economic impact of growth effects in mixed stands of Norway spruce and European beech – A simulation based study. <i>Forest Policy and Economics</i> , 2019, 104, 65-80. | 1.5 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9637 | Broader niches revealed by fossil data do not reduce estimates of range loss and fragmentation of African montane trees. <i>Global Ecology and Biogeography</i> , 2019, 28, 992-1003. | 2.7 | 3 |
| 9638 | The potential of species distribution modelling for reintroduction projects: the case study of the Chequered Skipper in England. <i>Journal of Insect Conservation</i> , 2019, 23, 419-431. | 0.8 | 13 |
| 9639 | Modelling the impact of climate change on flow and <i>E. coli</i> concentration in the catchment of an ungauged drinking water source in Norway. <i>Journal of Hydrology</i> , 2019, 573, 676-687. | 2.3 | 14 |
| 9640 | Physiological evolution during adaptive radiation: A test of the island effect in <i>Anolis</i> lizards. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1241-1252. | 1.1 | 23 |
| 9641 | Identifying temporal and spatial patterns of diatom community change in the tropical Andes over the last 150 years. <i>Journal of Biogeography</i> , 2019, 46, 1889-1900. | 1.4 | 14 |
| 9642 | Modelling current and future potential distributions of two desert jerboas under climate change in Iran. <i>Ecological Informatics</i> , 2019, 52, 7-13. | 2.3 | 73 |
| 9643 | A hierarchical Bayesian Beta regression approach to study the effects of geographical genetic structure and spatial autocorrelation on species distribution range shifts. <i>Molecular Ecology Resources</i> , 2019, 19, 929-943. | 2.2 | 6 |
| 9644 | Modelling seasonal dynamics, population stability, and pest control in <i>Aedes japonicus japonicus</i> (Diptera: Culicidae). <i>Parasites and Vectors</i> , 2019, 12, 142. | 1.0 | 16 |
| 9645 | Clade-age-dependent diversification under high species turnover shapes species richness disparities among tropical rainforest lineages of <i>Bulbophyllum</i> (Orchidaceae). <i>BMC Evolutionary Biology</i> , 2019, 19, 93. | 3.2 | 32 |
| 9646 | An overview of climate change in Iran: facts and statistics. <i>Environmental Systems Research</i> , 2019, 8, . | 1.5 | 150 |
| 9647 | Arctic vegetation, temperature, and hydrology during Early Eocene transient global warming events. <i>Global and Planetary Change</i> , 2019, 178, 139-152. | 1.6 | 68 |
| 9648 | Modeling Current and Future Potential Distributions of Milkweeds and the Monarch Butterfly in Idaho. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 15 |
| 9649 | The role of glacial-interglacial climate change in shaping the genetic structure of eastern subterranean termites in the southern Appalachian Mountains, USA. <i>Ecology and Evolution</i> , 2019, 9, 4621-4636. | 0.8 | 10 |
| 9650 | Quaternary climatic fluctuations and resulting climatically suitable areas for Eurasian owlets. <i>Ecology and Evolution</i> , 2019, 9, 4864-4874. | 0.8 | 3 |
| 9651 | Elucidating the <i>Clusia criuva</i> species complex™: cryptic taxa can exhibit great genetic and geographical variation. <i>Botanical Journal of the Linnean Society</i> , 2019, 190, 67-82. | 0.8 | 5 |
| 9652 | Testing the divergent adaptation of two congeneric tree species on a rainfall gradient using eco-physio-morphological traits. <i>Biotropica</i> , 2019, 51, 364-377. | 0.8 | 6 |
| 9653 | Stronger influence of anthropogenic disturbance than climate change on century-scale compositional changes in northern forests. <i>Nature Communications</i> , 2019, 10, 1265. | 5.8 | 98 |
| 9654 | Land-use changes and the expansion of biofuel crops threaten the giant anteater in southeastern Brazil. <i>Journal of Mammalogy</i> , 2019, 100, 435-444. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9655 | Can citizen science data guide the surveillance of invasive plants? A model-based test with Acacia trees in Portugal. <i>Biological Invasions</i> , 2019, 21, 2127-2141. | 1.2 | 29 |
| 9656 | Contrasting consequences of historical climate change for marmots at northern and temperate latitudes. <i>Journal of Mammalogy</i> , 2019, 100, 328-344. | 0.6 | 0 |
| 9657 | Diversification, adaptation, and community assembly of the American oaks (<i>Quercus</i>), a model clade for integrating ecology and evolution. <i>New Phytologist</i> , 2019, 221, 669-692. | 3.5 | 168 |
| 9658 | Evaluating the Utility of Species Distribution Models in Informing Climate Change-Resilient Grassland Restoration Strategy. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 11 |
| 9659 | Deeply conserved susceptibility in a multi-host, multi-parasite system. <i>Ecology Letters</i> , 2019, 22, 987-998. | 3.0 | 54 |
| 9660 | Climate change will drive mammal species loss and biotic homogenization in the Cerrado Biodiversity Hotspot. <i>Perspectives in Ecology and Conservation</i> , 2019, 17, 57-63. | 1.0 | 38 |
| 9661 | Do tropical plants have smaller genomes? Correlation between genome size and climatic variables in the Caesalpinia Group (Caesalpinioideae, Leguminosae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2019, 38, 13-23. | 1.1 | 30 |
| 9662 | When one phenotype is not enough: divergent evolutionary trajectories govern venom variation in a widespread rattlesnake species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20182735. | 1.2 | 64 |
| 9663 | Mitochondrial DNA in Siberian conifers indicates multiple postglacial colonization centers. <i>Canadian Journal of Forest Research</i> , 2019, 49, 875-883. | 0.8 | 9 |
| 9664 | An Annotated Checklist to Vascular Flora of the Ica Region, Peru with notes on endemic species, habitat, climate and agrobiodiversity. <i>Phytotaxa</i> , 2019, 389, 1. | 0.1 | 20 |
| 9665 | Conservation strategy for aquatic plants: endangered <i>Ottelia acuminata</i> (Hydrocharitaceae) as a case study. <i>Biodiversity and Conservation</i> , 2019, 28, 1533-1548. | 1.2 | 17 |
| 9666 | The elephant-livestock interface modulates anthrax suitability in India. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190179. | 1.2 | 14 |
| 9667 | Termite diversity in Neotropical dry forests of Colombia and the potential role of rainfall in structuring termite diversity. <i>Biotropica</i> , 2019, 51, 165-177. | 0.8 | 6 |
| 9668 | Variation in ecophysiological traits might contribute to ecogeographic isolation and divergence between parapatric ecotypes of <i>Mimulus aurantiacus</i> . <i>Journal of Evolutionary Biology</i> , 2019, 32, 604-618. | 0.8 | 13 |
| 9669 | Morphological and Climatic Variability of Teosinte (<i>Zea</i> spp.) and Relationships Among Taxa. <i>Systematic Botany</i> , 2019, 44, 41-51. | 0.2 | 4 |
| 9670 | Latitudinal patterns in phylogenetic and functional diversity of Diptera in temperate bogs. <i>Canadian Entomologist</i> , 2019, 151, 187-208. | 0.4 | 1 |
| 9671 | Phylogeography of the red-bellied lizard, <i>Darevskia parvula</i> in Turkey. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 556-566. | 0.7 | 8 |
| 9672 | Host plant phylogeny and geographic distance strongly structure Betulaceae-associated ectomycorrhizal fungal communities in Chinese secondary forest ecosystems. <i>FEMS Microbiology Ecology</i> , 2019, 95, . | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9673 | Adaptation and Phenotypic Diversification in Arabidopsis through Loss-of-Function Mutations in Protein-Coding Genes. <i>Plant Cell</i> , 2019, 31, 1012-1025. | 3.1 | 42 |
| 9674 | Terrestrial vertebrates as surrogates for selecting conservation areas in a biodiversity hotspot in Mexico. <i>Conservation Science and Practice</i> , 0, , e12. | 0.9 | 1 |
| 9675 | Effects on white-tailed deer following eastern coyote colonization. <i>Journal of Wildlife Management</i> , 2019, 83, 916-924. | 0.7 | 14 |
| 9676 | Climate change favors rice production at higher elevations in Colombia. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2019, 24, 1401-1430. | 1.0 | 20 |
| 9677 | Carbon emissions and potential emissions reductions from low-intensity selective logging in southwestern Amazonia. <i>Forest Ecology and Management</i> , 2019, 439, 18-27. | 1.4 | 28 |
| 9678 | Climate, Diversification and Refugia in the Common Shrew: Evidence from the Fossil Record. , 2019, , 407-454. | | 0 |
| 9679 | Pattern of scorpion diversity across a bioclimatic dry-wet gradient in Neotropical forests. <i>Acta Oecologica</i> , 2019, 96, 10-17. | 0.5 | 21 |
| 9680 | In search of Aliens: Factors influencing the distribution of <i>Chromolaena odorata</i> L. and <i>Mikania micrantha</i> Kunth in the Terai grasslands of Manas National Park, India. <i>Ecological Engineering</i> , 2019, 131, 16-26. | 1.6 | 26 |
| 9681 | Evolutionary history of <i>Kingiodendron pinnatum</i> (Fabaceae: Caesalpinoideae), an endangered species of the Western Ghats, India: a phylogeographical approach. <i>Biological Journal of the Linnean Society</i> , 2019, 126, 688-705. | 0.7 | 4 |
| 9682 | Disentangling the processes driving tree community assembly in a tropical biodiversity hotspot (New) Tj ETQq1 1 0,784314 rgBT /Overle | 1.4 | 4 |
| 9683 | Factors affecting Dupont's lark distribution and range regression in Spain. <i>PLoS ONE</i> , 2019, 14, e0211549. | 1.1 | 10 |
| 9684 | The 4.2‰kaBP Event in northeastern China: a geospatial perspective. <i>Climate of the Past</i> , 2019, 15, 367-375 | | 12 |
| 9685 | Patterns and controlling factors of plant nitrogen and phosphorus stoichiometry across China's forests. <i>Biogeochemistry</i> , 2019, 143, 191-205. | 1.7 | 27 |
| 9686 | Climate change, extinction, and Sky Island biogeography in a montane lizard. <i>Molecular Ecology</i> , 2019, 28, 2610-2624. | 2.0 | 40 |
| 9687 | Species-specific trait-environment relationships among populations of widespread grass species. <i>Oecologia</i> , 2019, 189, 1017-1026. | 0.9 | 17 |
| 9688 | Vulnerability of East Asian bumblebee species to future climate and land cover changes. <i>Agriculture, Ecosystems and Environment</i> , 2019, 277, 11-20. | 2.5 | 26 |
| 9689 | How to survive a glaciation: the challenge of estimating biologically realistic potential distributions under freezing conditions. <i>Ecography</i> , 2019, 42, 1237-1245. | 2.1 | 5 |
| 9690 | Genetic variation in the constitutive defensive metabolome and its inducibility are geographically structured and largely determined by demographic processes in maritime pine. <i>Journal of Ecology</i> , 2019, 107, 2464-2477. | 1.9 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9691 | Post-orogenic thermal history and exhumation of the northern Appalachian Basin: Low-temperature thermochronologic constraints. <i>Basin Research</i> , 2019, 31, 1017-1039. | 1.3 | 7 |
| 9692 | Isolation by Distance, Source-Sink Population Dynamics and Dispersal Facilitation by Trade Routes: Impact on Population Genetic Structure of a Stored Grain Pest. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 1457-1468. | 0.8 | 16 |
| 9693 | Geomorphology and Altitude Effects on the Diversity and Structure of the Vanishing Montane Forest of Southern Ecuador. <i>Diversity</i> , 2019, 11, 32. | 0.7 | 10 |
| 9694 | Rainfall distribution and trends of the daily precipitation concentration index in northern Morocco: a need for an adaptive environmental policy. <i>SN Applied Sciences</i> , 2019, 1, 1. | 1.5 | 37 |
| 9695 | <i>Aureoboletus projectellus</i> (Fungi, Boletales) – Occurrence data, environmental layers and habitat suitability models for North America and Europe. <i>Data in Brief</i> , 2019, 23, 103779. | 0.5 | 2 |
| 9696 | The relationship of woody plant size and leaf nutrient content to large-scale productivity for forests across the Americas. <i>Journal of Ecology</i> , 2019, 107, 2278-2290. | 1.9 | 18 |
| 9697 | A contribution to the systematics of <i>Salea anamallayana</i> (Beddome, 1878) and <i>S. horsfieldii</i> Gray, 1845 (Squamata: Agamidae: Draconinae). <i>Zootaxa</i> , 2019, 4563, 563. | 0.2 | 1 |
| 9698 | Morphological, genetic and epigenetic aspects of homoploid hybridization between <i>Salvia officinalis</i> L. and <i>Salvia fruticosa</i> Mill.. <i>Scientific Reports</i> , 2019, 9, 3276. | 1.6 | 18 |
| 9699 | Using the past to contextualize anthropogenic impacts on the present and future distribution of an endemic Caribbean mammal. <i>Conservation Biology</i> , 2019, 33, 500-510. | 2.4 | 13 |
| 9700 | On population abundance and niche structure. <i>Ecography</i> , 2019, 42, 1415-1425. | 2.1 | 73 |
| 9701 | Elevational richness patterns of sphingid moths support area effects over climatic drivers in a near-global analysis. <i>Global Ecology and Biogeography</i> , 2019, 28, 917-927. | 2.7 | 6 |
| 9702 | Biotic and Abiotic Drivers of Topsoil Organic Carbon Concentration in Drylands Have Similar Effects at Regional and Global Scales. <i>Ecosystems</i> , 2019, 22, 1445-1456. | 1.6 | 18 |
| 9703 | An expert knowledge approach for mapping vegetation cover based upon free access cartographic data: the Tehuacan-Cuicatlan Valley, Central Mexico. <i>Biodiversity and Conservation</i> , 2019, 28, 1361-1388. | 1.2 | 10 |
| 9704 | Evolutionary History of <i>Rhus chinensis</i> (Anacardiaceae) From the Temperate and Subtropical Zones of China Based on cpDNA and Nuclear DNA Sequences and Ecological Niche Model. <i>Frontiers in Genetics</i> , 2019, 10, 171. | 1.1 | 4 |
| 9705 | Probability mapping of soil thickness by random survival forest at a national scale. <i>Geoderma</i> , 2019, 344, 184-194. | 2.3 | 36 |
| 9706 | Ecology, not distance, explains community composition in parasites of sky-island Audubon's Warblers. <i>International Journal for Parasitology</i> , 2019, 49, 437-448. | 1.3 | 19 |
| 9707 | The newly merged satellite remotely sensed, gauge and reanalysis-based Multi-Source Weighted-Ensemble Precipitation: Evaluation over Australia and Africa (1981–2016). <i>Science of the Total Environment</i> , 2019, 670, 448-465. | 3.9 | 79 |
| 9708 | Spatio-temporal evolution of climbing habit in the <i>Dahlia-Hidalgoa</i> group (Coreopsidae, Asteraceae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 135, 166-176. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9709 | Alternative reproductive adaptations predict asymmetric responses to climate change in lizards. <i>Scientific Reports</i> , 2019, 9, 5093. | 1.6 | 13 |
| 9710 | Drivers of geographical patterns of North American language diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190242. | 1.2 | 18 |
| 9711 | Effects of increasing aridity and chronic anthropogenic disturbance on seed dispersal by ants in Brazilian Caatinga. <i>Journal of Animal Ecology</i> , 2019, 88, 870-880. | 1.3 | 31 |
| 9712 | Late Pleistocene climatic changes promoted demographic expansion and population reconnection of a Neotropical savanna-adapted bird, <i>Neothraupis fasciata</i> (Aves: Thraupidae). <i>PLoS ONE</i> , 2019, 14, e0212876. | 1.1 | 11 |
| 9713 | Cross-continental phylogeography of two Holarctic Nymphalid butterflies, <i>Boloria eunomia</i> and <i>Boloria selene</i> . <i>PLoS ONE</i> , 2019, 14, e0214483. | 1.1 | 19 |
| 9714 | Using deep learning for digital soil mapping. <i>Soil</i> , 2019, 5, 79-89. | 2.2 | 144 |
| 9715 | Modelling the distribution of forest pest natural enemies across invaded areas: Towards understanding the influence of climate on parasitoid establishment success. <i>Biological Control</i> , 2019, 132, 177-188. | 1.4 | 20 |
| 9716 | Who's been using my burial mound? Radiocarbon dating and isotopic tracing of human diet and mobility at the collective burial site, Le Tumulus des Sables, southwest France. <i>Journal of Archaeological Science: Reports</i> , 2019, 24, 955-966. | 0.2 | 4 |
| 9717 | Spatiotemporal patterns of pre-Columbian people in Amazonia. <i>Quaternary Research</i> , 2019, 92, 53-69. | 1.0 | 34 |
| 9718 | Global expansion and redistribution of <i>Aedes</i> -borne virus transmission risk with climate change. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007213. | 1.3 | 484 |
| 9719 | Multiple radiations of spiny mice (Rodentia: Acomys) in dry open habitats of Afro-Arabia: evidence from a multi-locus phylogeny. <i>BMC Evolutionary Biology</i> , 2019, 19, 69. | 3.2 | 31 |
| 9720 | Living on the edge: Exploring the role of coastal refugia in the Alexander Archipelago of Alaska. <i>Ecology and Evolution</i> , 2019, 9, 1777-1797. | 0.8 | 16 |
| 9721 | Whole tree water use: Effects of tree morphology and environmental factors. <i>Ecological Indicators</i> , 2019, 102, 366-373. | 2.6 | 5 |
| 9722 | Geographic variation in West African <i>Agama picticauda</i> : insights from genetics, morphology and ecology. <i>African Journal of Herpetology</i> , 2019, 68, 33-49. | 0.3 | 3 |
| 9723 | The adaptive potential of plant populations in response to extreme climate events. <i>Ecology Letters</i> , 2019, 22, 866-874. | 3.0 | 14 |
| 9724 | Inferring host-cleptoparasite complexes of South American Centridine bees (Hymenoptera: Apidae) using macroecological perspectives. <i>Organisms Diversity and Evolution</i> , 2019, 19, 179-190. | 0.7 | 3 |
| 9725 | Ecological Niche Model based on Maximum Entropy for mapping distribution of <i>Bithynia siamensis</i> goniomphalos, first intermediate host snail of <i>Opisthorchis viverrini</i> in Thailand. <i>Acta Tropica</i> , 2019, 193, 183-191. | 0.9 | 18 |
| 9726 | Potential land microalgae cultivation in Mexico: From food production to biofuels. <i>Algal Research</i> , 2019, 39, 101459. | 2.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9727 | Strategic Violence during Democratization: Evidence from Myanmar. <i>World Politics</i> , 2019, 71, 332-366. | 1.8 | 15 |
| 9728 | Genetic diversity in frogs linked to past and future climate changes on the roof of the world. <i>Journal of Animal Ecology</i> , 2019, 88, 953-963. | 1.3 | 19 |
| 9729 | Assessing Hydrological Ecosystem Services in a Rubber-Dominated Watershed under Scenarios of Land Use and Climate Change. <i>Forests</i> , 2019, 10, 176. | 0.9 | 10 |
| 9730 | Landscape genetics reveal broad and fine-scale population structure due to landscape features and climate history in the northern leopard frog (<i>Rana pipiens</i>) in North Dakota. <i>Ecology and Evolution</i> , 2019, 9, 1041-1060. | 0.8 | 15 |
| 9731 | Spring- and fall-flowering species show diverging phenological responses to climate in the Southeast USA. <i>International Journal of Biometeorology</i> , 2019, 63, 481-492. | 1.3 | 32 |
| 9732 | Belowground Biomass Response to Nutrient Enrichment Depends on Light Limitation Across Globally Distributed Grasslands. <i>Ecosystems</i> , 2019, 22, 1466-1477. | 1.6 | 34 |
| 9733 | Range expansion of an already widespread bee under climate change. <i>Global Ecology and Conservation</i> , 2019, 17, e00584. | 1.0 | 20 |
| 9734 | Climate and landscape changes as driving forces for future range shift in southern populations of the European badger. <i>Scientific Reports</i> , 2019, 9, 3155. | 1.6 | 10 |
| 9735 | Evolution of Cold Acclimation and Its Role in Niche Transition in the Temperate Grass Subfamily Pooideae. <i>Plant Physiology</i> , 2019, 180, 404-419. | 2.3 | 45 |
| 9736 | Presence of an invasive species reverses latitudinal clines of multiple traits in a native species. <i>Global Change Biology</i> , 2019, 25, 620-628. | 4.2 | 12 |
| 9737 | Adaptive Diversity of Beech Seedlings Under Climate Change Scenarios. <i>Frontiers in Plant Science</i> , 2019, 9, 1918. | 1.7 | 15 |
| 9738 | Multi-Scenario Species Distribution Modeling. <i>Insects</i> , 2019, 10, 65. | 1.0 | 12 |
| 9739 | Livestock host composition rather than land use or climate explains spatial patterns in bluetongue disease in South India. <i>Scientific Reports</i> , 2019, 9, 4229. | 1.6 | 20 |
| 9740 | Population genomics reveals that refugial isolation and habitat change lead to incipient speciation in the Ground tit. <i>Zoologica Scripta</i> , 2019, 48, 277-288. | 0.7 | 4 |
| 9741 | Phylogeography of <i>Schisandra chinensis</i> (Magnoliaceae) Reveal Multiple Refugia With Ample Gene Flow in Northeast China. <i>Frontiers in Plant Science</i> , 2019, 10, 199. | 1.7 | 21 |
| 9742 | Data set on current and future crop suitability under the Representative Concentration Pathway (RCP) 8.5 emission scenario for the major crops in the Levant, Tigris-Euphrates, and Nile Basins. <i>Data in Brief</i> , 2019, 22, 992-997. | 0.5 | 6 |
| 9743 | Phylin 2.0: Extending the phylogeographical interpolation method to include uncertainty and user-defined distance metrics. <i>Molecular Ecology Resources</i> , 2019, 19, 1081-1094. | 2.2 | 10 |
| 9744 | Leaf shape and size track habitat transitions across forest-grassland boundaries in the grass family (Poaceae). <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 927-946. | 1.1 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9745 | A new fish based multi-metric assessment index for cold-water streams of the southern Caspian Sea Basin in Iran. <i>Environmental Biology of Fishes</i> , 2019, 102, 645-662. | 0.4 | 5 |
| 9746 | Consistent sorting but contrasting transition zones in plant communities along bioclimatic gradients. <i>Acta Oecologica</i> , 2019, 95, 74-85. | 0.5 | 17 |
| 9747 | Open-source data reveal how collections-based fungal diversity is sensitive to global change. <i>Applications in Plant Sciences</i> , 2019, 7, e01227. | 0.8 | 28 |
| 9748 | Leukocyte Profiles Reflect Geographic Range Limits in a Widespread Neotropical Bat. <i>Integrative and Comparative Biology</i> , 2019, 59, 1176-1189. | 0.9 | 24 |
| 9749 | Making the most of scarce data: Mapping soil gradients in data-poor areas using species occurrence records. <i>Methods in Ecology and Evolution</i> , 2019, 10, 788-801. | 2.2 | 21 |
| 9750 | Intraspecific Functional Trait Response to Advanced Snowmelt Suggests Increase of Growth Potential but Decrease of Seed Production in Snowbed Plant Species. <i>Frontiers in Plant Science</i> , 2019, 10, 289. | 1.7 | 19 |
| 9751 | Crop Wild Relatives of Grape (<i>Vitis vinifera</i> L.) Throughout North America. , 2019, , 329-351. | | 19 |
| 9752 | Environmental stress shapes life-history variation in the swelled-vented frog (<i>Feirana quadranus</i>). <i>Evolutionary Ecology</i> , 2019, 33, 435-448. | 0.5 | 12 |
| 9753 | Spatiotemporally explicit demographic modelling supports a joint effect of historical barriers to dispersal and contemporary landscape composition on structuring genomic variation in a red-listed grasshopper. <i>Molecular Ecology</i> , 2019, 28, 2155-2172. | 2.0 | 17 |
| 9754 | Incorporating evolutionary history into conservation assessments of a highly threatened group of species, South African <i>Dioscorea</i> (<i>Dioscoreaceae</i>). <i>South African Journal of Botany</i> , 2019, 123, 296-307. | 1.2 | 7 |
| 9755 | Range expansion of the small spruce bark beetle <i>Ips amitinus</i> : a newcomer in northern Europe. <i>Agricultural and Forest Entomology</i> , 2019, 21, 286-298. | 0.7 | 34 |
| 9756 | Phenotypic Trait Variation as a Response to Altitude-Related Constraints in <i>Arabidopsis</i> Populations. <i>Frontiers in Plant Science</i> , 2019, 10, 430. | 1.7 | 11 |
| 9757 | Sustaining Interdisciplinary Collaboration Across Continents and Cultures: Lessons from the Mongolian Rangelands and Resilience Project. , 2019, , 185-225. | | 6 |
| 9758 | A web-based GIS system for wildlife species: a case study from Khouzestan Province, Iran. <i>Environmental Science and Pollution Research</i> , 2019, 26, 16026-16039. | 2.7 | 2 |
| 9759 | Community phylogenetic structure of grasslands and its relationship with environmental factors on the Mongolian Plateau. <i>Journal of Arid Land</i> , 2019, 11, 595-607. | 0.9 | 13 |
| 9760 | Coupling and Decoupling of Soil Carbon and Nutrient Cycles Across an Aridity Gradient in the Drylands of Northern China: Evidence From Ecoenzymatic Stoichiometry. <i>Global Biogeochemical Cycles</i> , 2019, 33, 559-569. | 1.9 | 44 |
| 9761 | Ecological and geographical overlap drive plumage evolution and mimicry in woodpeckers. <i>Nature Communications</i> , 2019, 10, 1602. | 5.8 | 60 |
| 9762 | Incorporating fine-scale environmental heterogeneity into broad-extent models. <i>Methods in Ecology and Evolution</i> , 2019, 10, 767-778. | 2.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9763 | Improving species distribution models for invasive non-native species with biologically informed pseudo-absence selection. <i>Journal of Biogeography</i> , 2019, 46, 1029-1040. | 1.4 | 53 |
| 9764 | Congruent patterns of functional diversity in saproxylic beetles and fungi across European beech forests. <i>Journal of Biogeography</i> , 2019, 46, 1054-1065. | 1.4 | 18 |
| 9765 | Tabula rasa in the Patagonian Channels <sc>ll</sc>: The cushion peat bog species <i>Astelia pumila</i> (Asteliaceae) and <i>Donatia fascicularis</i> (Stylidiaceae) survived the last glacial in south-central Chile. <i>Journal of Biogeography</i> , 2019, 46, 899-914. | 1.4 | 4 |
| 9766 | Emergent freeze and fire disturbance dynamics in temperate rainforests. <i>Austral Ecology</i> , 2019, 44, 812-826. | 0.7 | 7 |
| 9767 | Shifts in dominant tree mycorrhizal associations in response to anthropogenic impacts. <i>Science Advances</i> , 2019, 5, eaav6358. | 4.7 | 107 |
| 9768 | Temporal and Elevation Trend Detection of Rainfall Erosivity Density in Greece. <i>Proceedings (mdpi)</i> , 2019, 7, 10. | 0.2 | 4 |
| 9769 | Modeling the climate suitability of tea [<i>Camellia sinensis</i> (L.) O. Kuntze] in Sri Lanka in response to current and future climate change scenarios. <i>Agricultural and Forest Meteorology</i> , 2019, 272-273, 102-117. | 1.9 | 85 |
| 9770 | Agroforestry creates carbon sinks whilst enhancing the environment in agricultural landscapes in Europe. <i>Land Use Policy</i> , 2019, 83, 581-593. | 2.5 | 121 |
| 9771 | Shifts in the abiotic and biotic environment of cultivated sunflower under future climate change. <i>OCL - Oilseeds and Fats, Crops and Lipids</i> , 2019, 26, 9. | 0.6 | 11 |
| 9772 | Historical and contemporary forces combine to shape patterns of genetic differentiation in two species of Mesoamerican Anopheles mosquitoes. <i>Biological Journal of the Linnean Society</i> , 2019, 126, 146-157. | 0.7 | 3 |
| 9773 | Evolution of litter size in North America's most common small mammal: an informatics-based approach. <i>Journal of Mammalogy</i> , 2019, 100, 365-381. | 0.6 | 11 |
| 9774 | Climate variability impacts on diversification processes in a biodiversity hotspot: a phylogeography of ancient pseudoscorpions in south-western Australia. <i>Zoological Journal of the Linnean Society</i> , 2019, 186, 934-949. | 1.0 | 21 |
| 9775 | Spatial Distribution of the Mexican Daisy, <i>Erigeron karvinskianus</i> , in New Zealand under Climate Change. <i>Climate</i> , 2019, 7, 24. | 1.2 | 14 |
| 9776 | Improving Ecotope Segmentation by Combining Topographic and Spectral Data. <i>Remote Sensing</i> , 2019, 11, 354. | 1.8 | 19 |
| 9777 | A spatially-explicit, individual-based demogenetic simulation framework for evaluating hybridization dynamics. <i>Ecological Modelling</i> , 2019, 401, 40-51. | 1.2 | 13 |
| 9778 | Predicted potential occurrence of the North American false truffle <i>Rhizopogon salebrosus</i> in Europe. <i>Fungal Ecology</i> , 2019, 39, 225-230. | 0.7 | 11 |
| 9779 | Divergence and reproductive isolation between two closely related allopatric Iris species. <i>Biological Journal of the Linnean Society</i> , 2019, 127, 377-389. | 0.7 | 12 |
| 9780 | Integrating intraspecific differentiation in species distribution models: Consequences on projections of current and future climatically suitable areas of species. <i>Diversity and Distributions</i> , 2019, 25, 1088-1100. | 1.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 9781 | Divergence with gene flow is driven by local adaptation to temperature and soil phosphorus concentration in teosinte subspecies (<i>Zea mays parviglumis</i> and <i>Zea mays mexicana</i>). <i>Molecular Ecology</i> , 2019, 28, 2814-2830. | 2.0 | 48 |
| 9782 | Transport infrastructure, growth and persistence: The rise and demise of the Sui Canal. <i>Canadian Journal of Economics</i> , 2019, 52, 624-666. | 0.6 | 1 |
| 9783 | Predicting the Potential Distribution of <i>Paeonia veitchii</i> (Paeoniaceae) in China by Incorporating Climate Change into a Maxent Model. <i>Forests</i> , 2019, 10, 190. | 0.9 | 49 |
| 9784 | Fine-scale climate variability in a complex terrain basin using a high-resolution weather station network in southeastern Brazil. <i>International Journal of Climatology</i> , 2019, 39, 218-234. | 1.5 | 7 |
| 9785 | Morphological trait variation and relationships of <i>Afzelia africana</i> Sm. caused by climatic conditions and anthropogenic disturbance in Benin (West Africa). <i>Genetic Resources and Crop Evolution</i> , 2019, 66, 1091-1105. | 0.8 | 14 |
| 9786 | Obscure soil microbes and where to find them. <i>ISME Journal</i> , 2019, 13, 2120-2124. | 4.4 | 30 |
| 9787 | Alien reptiles on Mediterranean Islands: A model for invasion biogeography. <i>Diversity and Distributions</i> , 2019, 25, 995-1005. | 1.9 | 17 |
| 9788 | Conservation of data deficient species under multiple threats: Lessons from an iconic tropical butterfly (<i>Teinopalpus aureus</i>). <i>Biological Conservation</i> , 2019, 234, 154-164. | 1.9 | 12 |
| 9789 | The Balkan long-eared bat (<i>Plecotus kolombatovici</i>) occurs in Italy – first confirmed record and potential distribution. <i>Mammalian Biology</i> , 2019, 96, 61-67. | 0.8 | 40 |
| 9790 | Urban flood risk mapping using an optimised additive weighting methodology based on open data. <i>Journal of Flood Risk Management</i> , 2019, 12, . | 1.6 | 26 |
| 9791 | The future of walnut fruit forests in Kyrgyzstan and the status of the iconic Endangered apple <i>Malus niedzwetzkyana</i> . <i>Oryx</i> , 2019, 53, 415-423. | 0.5 | 11 |
| 9792 | Modelling the association between deltamethrin resistance in <i>Triatoma infestans</i> populations of the Argentinian Gran Chaco region with environmental factors. <i>Acta Tropica</i> , 2019, 194, 53-61. | 0.9 | 15 |
| 9793 | Aridity and reduced soil micronutrient availability in global drylands. <i>Nature Sustainability</i> , 2019, 2, 371-377. | 11.5 | 105 |
| 9794 | Variation in floral morphology in a hybrid complex of <i>Cyclamen</i> in Sardinia. <i>Plant Ecology and Diversity</i> , 2019, 12, 51-61. | 1.0 | 2 |
| 9795 | Plastome Phylogenetics of Tribe Eriachneae and Evolution of C ₄ Photosynthesis in Subfamily Micrairoideae (Poaceae). <i>Systematic Botany</i> , 2019, 44, 32-40. | 0.2 | 4 |
| 9796 | <i>Cepaea nemoralis</i> (Gastropoda: Pulmonata) in Poland: patterns of variation in a range-expanding species. <i>Biological Journal of the Linnean Society</i> , 2019, 127, 1-11. | 0.7 | 11 |
| 9797 | Biogeographical history constrains climatic niche diversification without adaptive forces driving evolution. <i>Journal of Biogeography</i> , 2019, 46, 1020-1028. | 1.4 | 16 |
| 9798 | Redefining the climate niche of plant species: A novel approach for realistic predictions of species distribution under climate change. <i>Science of the Total Environment</i> , 2019, 671, 1086-1093. | 3.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9799 | Integrating climate and land-use change scenarios in modelling the future spread of invasive squirrels in Italy. <i>Diversity and Distributions</i> , 2019, 25, 644-659. | 1.9 | 68 |
| 9800 | Species distribution models support the need of international cooperation towards successful management of plant invasions. <i>Journal for Nature Conservation</i> , 2019, 49, 85-94. | 0.8 | 29 |
| 9801 | Phylogenetic, functional, and taxonomic richness have both positive and negative effects on ecosystem multifunctionality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8419-8424. | 3.3 | 199 |
| 9802 | Functional biogeography of dietary strategies in birds. <i>Global Ecology and Biogeography</i> , 2019, 28, 1004-1017. | 2.7 | 16 |
| 9803 | Latitudinal variation in mycorrhizal diversity associated with a European orchid. <i>Journal of Biogeography</i> , 2019, 46, 968-980. | 1.4 | 28 |
| 9804 | Relationship between carbon stocks and tree species diversity in a humid Guinean savanna landscape in northern Sierra Leone. <i>Southern Forests</i> , 2019, 81, 235-245. | 0.2 | 12 |
| 9805 | Red panda fine-scale habitat selection along a Central Himalayan longitudinal gradient. <i>Ecology and Evolution</i> , 2019, 9, 5260-5269. | 0.8 | 21 |
| 9806 | Regional variation in life history traits and plastic responses to temperature of the major malaria vector <i>Nyssorhynchus darlingi</i> in Brazil. <i>Scientific Reports</i> , 2019, 9, 5356. | 1.6 | 20 |
| 9807 | Impacts of dead wood manipulation on the biodiversity of temperate and boreal forests. A systematic review. <i>Journal of Applied Ecology</i> , 2019, 56, 1770-1781. | 1.9 | 79 |
| 9808 | Testing Hopkins's Bioclimatic Law with PhenoCam data. <i>Applications in Plant Sciences</i> , 2019, 7, e01228. | 0.8 | 31 |
| 9809 | New records of invasive mammals from the sub-Antarctic Cape Horn Archipelago. <i>Polar Biology</i> , 2019, 42, 1093-1105. | 0.5 | 14 |
| 9810 | Identifying areas of aquatic plant richness in a Mediterranean hotspot to improve the conservation of freshwater ecosystems. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 589-602. | 0.9 | 7 |
| 9811 | Present and future incidence of dengue fever in Ecuador nationwide and coast region scale using species distribution modeling for climate variability's effect. <i>Ecological Modelling</i> , 2019, 400, 60-72. | 1.2 | 17 |
| 9812 | Biome diversity in South Asia - How can we improve vegetation models to understand global change impact at regional level?. <i>Science of the Total Environment</i> , 2019, 671, 1001-1016. | 3.9 | 18 |
| 9813 | Effects of climate change and grazing pressure on shrub communities of West Asian rangelands. <i>International Journal of Climate Change Strategies and Management</i> , 2019, 11, 660-671. | 1.5 | 10 |
| 9814 | Ecological specialization of lichen congeners with a strong link to Mediterranean-type climate: a case study of the genus <i>Solenopsora</i> in the Apennine Peninsula. <i>Lichenologist</i> , 2019, 51, 75-88. | 0.5 | 12 |
| 9815 | Weekly soil moisture forecasting with multivariate sequential, ensemble empirical mode decomposition and Boruta-random forest hybridizer algorithm approach. <i>Catena</i> , 2019, 177, 149-166. | 2.2 | 95 |
| 9816 | Reproductive and dispersal strategies shape the diversity of mycobiont-photobiont association in <i>Cladonia</i> lichens. <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 226-237. | 1.2 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9817 | Ecological niche modeling the potential geographic distribution of four <i>Culicoides</i> species of veterinary significance in Florida, USA. <i>PLoS ONE</i> , 2019, 14, e0206648. | 1.1 | 18 |
| 9818 | Ecological Drivers of Species Distributions and Niche Overlap for Three Subterranean Termite Species in the Southern Appalachian Mountains, USA. <i>Insects</i> , 2019, 10, 33. | 1.0 | 12 |
| 9819 | Shifts in Climatic Niche Occupation in <i>Astrophytum Coahuilense</i> (H. Muller) Kayser and Its Potential Distribution in Mexico. <i>Sustainability</i> , 2019, 11, 1138. | 1.6 | 4 |
| 9820 | Glacio-archaeological evidence of permanent settlements within a glacier end moraine complex during 980-1840 AD: The Miyar Basin, Lahaul Himalaya, India. <i>Anthropocene</i> , 2019, 26, 100197. | 1.6 | 10 |
| 9821 | Distribution dynamics of <i>Picea chihuahuana</i> Martnez populations under different climate change scenarios in Mexico. <i>Global Ecology and Conservation</i> , 2019, 17, e00559. | 1.0 | 7 |
| 9822 | Hourly gridded air temperatures of South Africa derived from MSG SEVIRI. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 78, 261-267. | 1.4 | 9 |
| 9823 | Translocation of <i>Otostegia bucharica</i> , a highly threatened narrowly distributed relict shrub. <i>Plant Diversity</i> , 2019, 41, 105-108. | 1.8 | 6 |
| 9824 | Estimation of future climate change in cold weather areas with the LARS-WG model under CMIP5 scenarios. <i>Theoretical and Applied Climatology</i> , 2019, 137, 3027-3039. | 1.3 | 33 |
| 9825 | Combined effects of climate change and sea-level rise project dramatic habitat loss of the globally endangered Bengal tiger in the Bangladesh Sundarbans. <i>Science of the Total Environment</i> , 2019, 663, 830-840. | 3.9 | 83 |
| 9826 | Pleistocene range expansions might explain striking disjunctions between eastern Brazil, Andes and Mesoamerica in <i>Leandra</i> s.str. (Melastomataceae). <i>Journal of Systematics and Evolution</i> , 2019, 57, 646-654. | 1.6 | 12 |
| 9827 | Spatial overlaps between the global protected areas network and terrestrial hotspots of evolutionary diversity. <i>Global Ecology and Biogeography</i> , 2019, 28, 757-766. | 2.7 | 54 |
| 9828 | Multiple macroevolutionary routes to becoming a biodiversity hotspot. <i>Science Advances</i> , 2019, 5, eaau8067. | 4.7 | 17 |
| 9829 | Fuzzy measure-based multicriteria land assessment for rainfed maize in West Africa for the current and a range of plausible future climates. <i>Computers and Electronics in Agriculture</i> , 2019, 158, 51-67. | 3.7 | 13 |
| 9830 | Taxon-specific modeling systems for improving reliability of tree aboveground biomass and its components estimates in tropical dry dipterocarp forests. <i>Forest Ecology and Management</i> , 2019, 437, 156-174. | 1.4 | 15 |
| 9831 | Predicting range shifts of Asian elephants under global change. <i>Diversity and Distributions</i> , 2019, 25, 822-838. | 1.9 | 62 |
| 9832 | Aging of basalt volcanic systems and decreasing CO ₂ consumption by weathering. <i>Earth Surface Dynamics</i> , 2019, 7, 191-197. | 1.0 | 11 |
| 9833 | Spatio-temporal variation and the use of host body surface by ectoparasites of the chelonians <i>Phrynops geoffroanus</i> and <i>Mesoclemmys tuberculata</i> in areas of the Caatinga and Atlantic Forest in northeast Brazil. <i>Parasitology Research</i> , 2019, 118, 913-926. | 0.6 | 7 |
| 9834 | Widespread co-occurrence of multiple ploidy levels in fragile ferns (<i>Cystopteris fragilis</i> complex); Tj ETQq1 1 0.784314 rgBT /Overlock inter-ploidy hybridization. <i>Annals of Botany</i> , 2019, 123, 845-855. | 1.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9835 | Human-habitat associations in the native distributions of alien bird species. <i>Journal of Applied Ecology</i> , 2019, 56, 1189-1199. | 1.9 | 22 |
| 9836 | An evaluation of the current extent and potential spread of Black Bass invasions in South Africa. <i>Biological Invasions</i> , 2019, 21, 1721-1736. | 1.2 | 20 |
| 9837 | Effect of provenance and climate on intra-annual density fluctuations of Norway spruce <i>Picea abies</i> (L.) Karst. in Poland. <i>Agricultural and Forest Meteorology</i> , 2019, 269-270, 145-156. | 1.9 | 28 |
| 9838 | Object-based random forest modelling of aboveground forest biomass outperforms a pixel-based approach in a heterogeneous and mountain tropical environment. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 78, 175-188. | 1.4 | 59 |
| 9839 | Slab flattening and the rise of the Eastern Cordillera, Colombia. <i>Earth and Planetary Science Letters</i> , 2019, 512, 100-110. | 1.8 | 31 |
| 9840 | Tree size and leaf traits determine the fertility island effect in <i>Prosopis pallida</i> dryland forest in Northern Peru. <i>Plant and Soil</i> , 2019, 437, 117-135. | 1.8 | 20 |
| 9841 | Climate change and mixed forests: how do altered survival probabilities impact economically desirable species proportions of Norway spruce and European beech?. <i>Annals of Forest Science</i> , 2019, 76, 1. | 0.8 | 51 |
| 9842 | A regional approach to Nordic crop wild relative <i>in situ</i> conservation planning. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2019, 17, 196-207. | 0.4 | 9 |
| 9843 | Testing the hypothesis of loss of defenses on islands across a wide latitudinal gradient of <i>Periploca laevigata</i> populations. <i>American Journal of Botany</i> , 2019, 106, 303-312. | 0.8 | 18 |
| 9844 | Advanced Intelligent Systems for Sustainable Development (AI2SD™2018). <i>Advances in Intelligent Systems and Computing</i> , 2019, , . | 0.5 | 2 |
| 9845 | Contrasted Micro-Eukaryotic Diversity Associated with Sphagnum Mosses in Tropical, Subtropical and Temperate Climatic Zones. <i>Microbial Ecology</i> , 2019, 78, 714-724. | 1.4 | 11 |
| 9846 | Coping with climate change: limited behavioral responses to hot weather in a tropical carnivore. <i>Oecologia</i> , 2019, 189, 587-599. | 0.9 | 35 |
| 9847 | Congruent spatial patterns of ant and tree diversity in Neotropical savannas. <i>Biodiversity and Conservation</i> , 2019, 28, 1075-1089. | 1.2 | 18 |
| 9848 | Akaike information criterion should not be a test of geographical prediction accuracy in ecological niche modelling. <i>Ecological Informatics</i> , 2019, 51, 25-32. | 2.3 | 66 |
| 9849 | Why a Book on Paleoenvironmental Reconstruction from Faunal Remains?. , 2019, , 1-11. | | 0 |
| 9850 | Fundamentals of Ecology and Biogeography. , 2019, , 12-47. | | 1 |
| 9851 | Analytical Assumptions. , 2019, , 48-76. | | 0 |
| 9852 | Background of Select Paleozoological Samples. , 2019, , 77-91. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9853 | Environmental Reconstructions Based on the Presence/Absence of Taxa. , 2019, , 92-122. | | 0 |
| 9854 | Environmental Reconstruction Based on Taxonomic Abundances. , 2019, , 123-154. | | 0 |
| 9855 | Taxon-Free Techniques. , 2019, , 155-196. | | 0 |
| 9856 | Environmental Inferences Based on Taxonomic Diversity. , 2019, , 197-233. | | 0 |
| 9857 | Transfer Functions and Quantitative Paleoenvironmental Reconstruction. , 2019, , 234-265. | | 1 |
| 9858 | Size Clines as Paleoenvironmental Indicators. , 2019, , 266-300. | | 0 |
| 9859 | Some Final Thoughts. , 2019, , 301-310. | | 0 |
| 9862 | Complex population evolutionary history of four cold-tolerant <i>Notopterygium</i> herb species in the Qinghai-Tibetan Plateau and adjacent areas. <i>Heredity</i> , 2019, 123, 242-263. | 1.2 | 14 |
| 9863 | Contemporary climatic analogs for 540 North American urban areas in the late 21st century. <i>Nature Communications</i> , 2019, 10, 614. | 5.8 | 78 |
| 9864 | Distribution and diversity of leaf-cutting ants in Northeastern Argentina: species most associated with forest plantations. <i>International Journal of Pest Management</i> , 2019, 65, 244-257. | 0.9 | 9 |
| 9865 | Floristic patterns and ecological drivers of sand dune ecosystem along the Mediterranean coast of Egypt. <i>Arid Land Research and Management</i> , 2019, 33, 388-411. | 0.6 | 13 |
| 9866 | Latitudinal gradients of parasite richness: a review and new insights from helminths of cricetid rodents. <i>Ecography</i> , 2019, 42, 1315-1330. | 2.1 | 35 |
| 9867 | Range size and growth temperature influence <i>Eucalyptus</i> species responses to an experimental heatwave. <i>Global Change Biology</i> , 2019, 25, 1665-1684. | 4.2 | 44 |
| 9868 | Spatial patterns and determinants of trait dispersion in freshwater fish assemblages across Europe. <i>Global Ecology and Biogeography</i> , 2019, 28, 826-838. | 2.7 | 16 |
| 9869 | Isolation by instability: Historical climate change shapes population structure and genomic divergence of treefrogs in the Neotropical Cerrado savanna. <i>Molecular Ecology</i> , 2019, 28, 1748-1764. | 2.0 | 38 |
| 9870 | Modeling the Effect of Climate Change on the Potential Distribution of Qinghai Spruce (<i>Picea</i>) Tj ETQq1 1 0.784314 0.9 BT /Overlock 107 47 | | |
| 9871 | Elevation shapes the reassembly of Anthropocene lizard communities. <i>Nature Ecology and Evolution</i> , 2019, 3, 638-646. | 3.4 | 22 |
| 9872 | Consistent trade-offs in fungal trait expression across broad spatial scales. <i>Nature Microbiology</i> , 2019, 4, 846-853. | 5.9 | 94 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9873 | Diatom Î²-diversity in streams increases with spatial scale and decreases with nutrient enrichment across regional to sub-continental scales. <i>Journal of Biogeography</i> , 2019, 46, 734-744. | 1.4 | 26 |
| 9874 | Similar but different: Revealing the relative roles of species-traits versus biome properties structuring genetic variation in South American marsh rats. <i>Journal of Biogeography</i> , 2019, 46, 770-783. | 1.4 | 9 |
| 9875 | Ancient refugia and present-day habitat suitability of native laurophylls in Italy. <i>Journal of Vegetation Science</i> , 2019, 30, 564-574. | 1.1 | 6 |
| 9876 | Modelling the vulnerability of <i>Taxus wallichiana</i> to climate change scenarios in South East Asia. <i>Ecological Indicators</i> , 2019, 102, 199-207. | 2.6 | 37 |
| 9877 | Synergistic effects of climate and land-use change influence broad-scale avian population declines. <i>Global Change Biology</i> , 2019, 25, 1561-1575. | 4.2 | 88 |
| 9878 | Towards connecting biodiversity and geodiversity across scales with satellite remote sensing. <i>Global Ecology and Biogeography</i> , 2019, 28, 548-556. | 2.7 | 87 |
| 9879 | Impacts of landscape composition, marginality of distribution, soil fertility and climatic stability on the patterns of woody plant endemism in the Cerrado. <i>Global Ecology and Biogeography</i> , 2019, 28, 904-916. | 2.7 | 17 |
| 9880 | Modelling <i>Betula utilis</i> distribution in response to climate-warming scenarios in Hindu-Kush Himalaya using random forest. <i>Biodiversity and Conservation</i> , 2019, 28, 2295-2317. | 1.2 | 22 |
| 9881 | Evaluating the success of direct seeding for tropical forest restoration over ten years. <i>Forest Ecology and Management</i> , 2019, 438, 224-232. | 1.4 | 54 |
| 9882 | Potential marginal land resources of cassava worldwide: A data-driven analysis. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 104, 167-173. | 8.2 | 26 |
| 9883 | Phylogeography of plastid DNA sequences suggests post-glacial southward demographic expansion and the existence of several glacial refugia for <i>Araucaria angustifolia</i> . <i>Scientific Reports</i> , 2019, 9, 2752. | 1.6 | 27 |
| 9884 | Modelling environmentally suitable areas for the potential introduction and cultivation of the emerging oil crop <i>Paeonia ostii</i> in China. <i>Scientific Reports</i> , 2019, 9, 3213. | 1.6 | 21 |
| 9885 | Plant-plant interactions influence phylogenetic diversity at multiple spatial scales in a semi-arid mountain rangeland. <i>Oecologia</i> , 2019, 189, 745-755. | 0.9 | 8 |
| 9886 | A 250 ka leaf-wax Î record from a loess section in Darai Kalon, Southern Tajikistan. <i>Quaternary Science Reviews</i> , 2019, 208, 118-128. | 1.4 | 16 |
| 9887 | Conservation implications of turtle declines in Australia's Murray River system. <i>Scientific Reports</i> , 2019, 9, 1998. | 1.6 | 30 |
| 9888 | Bare soil cover and arbuscular mycorrhizal community in the first montane forest restoration in Central Argentina. <i>Restoration Ecology</i> , 2019, 27, 804-812. | 1.4 | 5 |
| 9889 | Potential risk of <i>Batrachochytrium salamandrivorans</i> in Mexico. <i>PLoS ONE</i> , 2019, 14, e0211960. | 1.1 | 19 |
| 9890 | Use of classical bird census transects as spatial replicates for hierarchical modeling of an avian community. <i>Ecology and Evolution</i> , 2019, 9, 825-835. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9891 | Assessing the impact of climate change on the worldwide distribution of <i>Dalbulus maidis</i> (DeLong) using MaxEnt. <i>Pest Management Science</i> , 2019, 75, 2706-2715. | 1.7 | 60 |
| 9892 | Environmental factors associated with the distribution of <i>Loa loa</i> vectors <i>Chrysops</i> spp. in Central and West Africa: seeing the forest for the trees. <i>Parasites and Vectors</i> , 2019, 12, 72. | 1.0 | 3 |
| 9893 | Species distribution modelling and seed germination of four threatened snow lotus (<i>Saussurea</i>), and their implication for conservation. <i>Global Ecology and Conservation</i> , 2019, 17, e00565. | 1.0 | 7 |
| 9894 | Climatic stress drives plant functional diversity in the Alborz Mountains, Iran. <i>Ecological Research</i> , 2019, 34, 171-181. | 0.7 | 9 |
| 9895 | Chiropteran diversity and the key determinants of their distribution in Eastern Ghats, India. <i>Biodiversity and Conservation</i> , 2019, 28, 2385-2404. | 1.2 | 13 |
| 9896 | Linking DNA methylation with performance in a woody plant species. <i>Tree Genetics and Genomes</i> , 2019, 15, 1. | 0.6 | 6 |
| 9897 | A survey of relationship between urbanization and climate change for major cities in Iran. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1. | 0.6 | 14 |
| 9898 | Contrasting latitudinal gradients of body size in helminth parasites and their hosts. <i>Global Ecology and Biogeography</i> , 2019, 28, 804-813. | 2.7 | 14 |
| 9899 | Soil microbes alter plant fitness under competition and drought. <i>Journal of Evolutionary Biology</i> , 2019, 32, 438-450. | 0.8 | 52 |
| 9900 | On the problem of modeling a fundamental niche from occurrence data. <i>Ecological Modelling</i> , 2019, 397, 74-83. | 1.2 | 45 |
| 9901 | A Cellular Automata Model of Spatio-Temporal Distribution of Species. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 118-128. | 0.5 | 0 |
| 9902 | Regional adaptation of European beech (<i>Fagus sylvatica</i>) to drought in Central European conditions considering environmental suitability and economic implications. <i>Regional Environmental Change</i> , 2019, 19, 1159-1174. | 1.4 | 15 |
| 9903 | Quantifying amphibian range fragmentation in the southeastern United States. <i>Frontiers of Biogeography</i> , 2019, 11, . | 0.8 | 1 |
| 9904 | Niche divergence and diversification in South American freshwater turtles of the genus <i>Acanthochelys</i> (Chelidae). <i>Amphibia - Reptilia</i> , 2019, 40, 475-485. | 0.1 | 0 |
| 9905 | The Effect of Insect Defoliations and Seed Production on the Dynamics of Radial Growth Synchrony among Scots Pine <i>Pinus sylvestris</i> L. Provenances. <i>Forests</i> , 2019, 10, 934. | 0.9 | 4 |
| 9906 | A Lack of "Environmental Earth Data" at the Microhabitat Scale Impacts Efforts to Control Invasive Arthropods That Vector Pathogens. <i>Data</i> , 2019, 4, 133. | 1.2 | 6 |
| 9907 | Environmental Association Identifies Candidates for Tolerance to Low Temperature and Drought. G3: Genes, Genomes, Genetics, 2019, 9, 3423-3438. | 0.8 | 18 |
| 9908 | Climatic drivers of dry grassland phylogenetic diversity in the Republic of Macedonia. <i>Acta Botanica Croatica</i> , 2019, 78, 25-34. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9909 | Future Changes in Rice Bioclimatic Growing Conditions in Portugal. <i>Agronomy</i> , 2019, 9, 674. | 1.3 | 7 |
| 9910 | Research Publication Trends in Software Engineering. , 2019, , . | | 1 |
| 9911 | Platform Independent Software Analysis for Near Memory Computing. , 2019, , . | | 5 |
| 9912 | Numerical Analysis of Energy Separation in Vortex Tube with Various Nozzles. , 2019, , . | | 0 |
| 9913 | New Bounds for GLD Lattices and Codes. , 2019, , . | | 0 |
| 9914 | A semidefinite programming approach for stochastic switched optimal control problems. , 2019, , . | | 0 |
| 9915 | The Variation Driven by Differences between Species and between Sites in Allometric Biomass Models. <i>Forests</i> , 2019, 10, 976. | 0.9 | 11 |
| 9916 | Evaluating the Effectiveness of Climate Change Adaptations in the World's Largest Mangrove Ecosystem. <i>Sustainability</i> , 2019, 11, 6655. | 1.6 | 22 |
| 9917 | Competency Test in Cricket Defensive Drive using Double Pendulum Dynamics. , 2019, , . | | 0 |
| 9918 | Day-ahead Prediction of Building District Heat Demand for Smart Energy Management and Automation in Decentralized Energy Systems. , 2019, , . | | 1 |
| 9919 | Low-Profile Dual-Band Patch Antenna with Improved Bandwidth and Beamwidth By Using Multiresonant Modes. , 2019, , . | | 1 |
| 9920 | A Verilog-A based RRAM Switching Model for Simulation and Analysis. , 2019, , . | | 0 |
| 9921 | Climate change threatens New Guinea's biocultural heritage. <i>Science Advances</i> , 2019, 5, eaaz1455. | 4.7 | 42 |
| 9922 | Study on Damping Characteristic Test of Power Transmission Line at Low Temperature. , 2019, , . | | 0 |
| 9923 | High Density Arrays of Carbon Nanomembrane Ultrasonic MEMS. , 2019, , . | | 0 |
| 9924 | An Investigation of Multiband Triangular Microstrip Patch Antenna using DGS. , 2019, , . | | 8 |
| 9925 | Dynamics of Space and Time of the Production Chain of the Ceramic Industry Production Center of Iranduba, Amazonas, Brazil. <i>Sustainability</i> , 2019, 11, 5576. | 1.6 | 2 |
| 9926 | Comparing invasiveness of native and non-native species under changing climate in North-East India: ecological niche modelling with plant types differing in biogeographic origin. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 793. | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 9927 | Monitoring and Control of the Heat Input in MAG-Laser-Hybrid Welding of High Strength Steel in Telescopic Crane Booms. , 2019, , . | | 4 |
| 9928 | Research on Electromagnetic Compatibility Analysis of TETRA Digital Trunk System in Civil Aviation Mobile Communication. , 2019, , . | | 0 |
| 9930 | Compaction of a Functional Broadside Test Set through the Compaction of a Functional Test Sequence without Sequential Fault Simulation. , 2019, , . | | 0 |
| 9931 | Application of a 1Åkm2 resolution model for climate change effects upon Benin and Nigeria vegetable agriculture. Geomatica, 2019, 73, 93-106. | 0.5 | 0 |
| 9932 | Distribution modeling, soil properties, and variation in essential oils chemical composition of <i>Rhanterium adpressum</i> Coss. & Dur.. European Journal of Ecology, 2019, 5, 111-117. | 0.1 | 2 |
| 9933 | Modeling the Past and Current Distribution and Habitat Suitability for Two Snake-eyed Skinks, <i>Ablepharus grayanus</i> and <i>A. pannonicus</i> (Sauria: Scincidae). , 0, , . | | 3 |
| 9934 | Increased Suitability of Poleward Climate for a Tropical Butterfly (<i>Euripus nyctelius</i>) (Lepidoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.6 | 10 |
| 9935 | Spatial and taxonomic biases in bat records: Drivers and conservation implications in a megadiverse country. Ecology and Evolution, 2019, 9, 14130-14141. | 0.8 | 5 |
| 9936 | PALEO-PGEM v1.0: a statistical emulator of Plioceneâ€“Pleistocene climate. Geoscientific Model Development, 2019, 12, 5137-5155. | 1.3 | 25 |
| 9937 | The Relic <i>Trochodendron aralioides</i> Siebold & Zucc. (Trochodendraceae) in Taiwan: Ensemble Distribution Modeling and Climate Change Impacts. Forests, 2019, 10, 7. | 0.9 | 10 |
| 9938 | Neutral and Climate-Driven Adaptive Processes Contribute to Explain Population Variation in Resin Duct Traits in a Mediterranean Pine Species. Frontiers in Plant Science, 2019, 10, 1613. | 1.7 | 33 |
| 9939 | Untangling the taxonomy of the <i>Cladrastis</i> clade (Leguminosae: Papilionoideae) by integrating phylogenetics and ecological evidence. Taxon, 2019, 68, 1189-1203. | 0.4 | 11 |
| 9940 | Operational Reliability Analysis of the Cyber-Physical Systems Via Online Indicator Diagrams. , 2019, , . | | 0 |
| 9941 | Influence of surface roughness on the adhesion hysteresis of thin film. , 2019, , . | | 1 |
| 9942 | A Method of Analyzing the Impact of the Wiring Parameters on the Electromagnetic Coupling to PCB Inside Electronic Equipment. , 2019, , . | | 2 |
| 9943 | Glacial cycles drive rapid divergence of cryptic field vole species. Ecology and Evolution, 2019, 9, 14101-14113. | 0.8 | 4 |
| 9944 | Not so Normal Normals: Species Distribution Model Results are Sensitive to Choice of Climate Normals and Model Type. Climate, 2019, 7, 37. | 1.2 | 5 |
| 9945 | Limitations in Filtering Structural Vibrations for Unstable Missiles Control. , 2019, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9946 | Semantic Segmentation of Fashion Photos using Light-Weight Asymmetric U-Net. , 2019, , . | | 1 |
| 9947 | An Ultral-Wideband Wide-Angle Scan Array Antenna with Big Element Spacing. , 2019, , . | | 0 |
| 9948 | Mitigation of thermally induced non-linear effects in silicon ring resonator. , 2019, , . | | 0 |
| 9949 | Is Flood Irrigation a Potential Driver of River-Groundwater Interactions and Diffuse Nitrate Pollution in Agricultural Watersheds?. Water (Switzerland), 2019, 11, 2304. | 1.2 | 21 |
| 9950 | Potential Distribution of Six North American Higher-Attine Fungus-Farming Ant (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58 | 0.6 | 14 |
| 9951 | Conditional Generative Adversarial Network on Semi-supervised Learning Task. , 2019, , . | | 3 |
| 9952 | Modeling the plantation area of geographical indication product under climate change: Salak Pondoh Sleman (Salacca edulis cv Reinw). IOP Conference Series: Earth and Environmental Science, 2019, 365, 012020. | 0.2 | 0 |
| 9953 | Typical Gas Concentration Values and Typical Rate of Gas Increase on DGA Test in PLN UIT-JBT. , 2019, , . | | 1 |
| 9954 | Increased Adaptive Variation Despite Reduced Overall Genetic Diversity in a Rapidly Adapting Invader. Frontiers in Genetics, 2019, 10, 1221. | 1.1 | 41 |
| 9955 | Context-Reinforced Semantic Segmentation. , 2019, , . | | 38 |
| 9956 | Pest and Disease Identification in the Growth of Sweet Peppers using Faster R-CNN. , 2019, , . | | 7 |
| 9957 | Physical Modeling of Bias Temperature Instabilities in SiC MOSFETs. , 2019, , . | | 17 |
| 9958 | Identification of Hidden Building Footprints in Interferometric Phase Profile. , 2019, , . | | 1 |
| 9959 | Selecting Unrepeatable Random Starting Nodes in Large-Scale Networks for Parallel Computing and Searching. , 2019, , . | | 0 |
| 9960 | Climate Envelope Models of Kalopanax septemlobus and Phellodendron amurense var. sachalinense in the Insular Part of the Russian Far East. Biology Bulletin, 2019, 46, 626-635. | 0.1 | 1 |
| 9961 | WLS algorithm for a Complex Lattice Linear Predictor for Frequency Estimation and Tracking. , 2019, , . | | 0 |
| 9962 | Age Estimation Based on Integrated Convolutional Neural Network. , 2019, , . | | 2 |
| 9963 | Comparison of approaches to interpolating climate observations in steep terrain with low-density gauging networks. Hydrology and Earth System Sciences, 2019, 23, 4763-4781. | 1.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9964 | Disentangling Latent Space for VAE by Label Relevant/Irrelevant Dimensions. , 2019, , . | | 27 |
| 9965 | Intelligent Trash Bin (ITB) with Trash Collection Efficiency Optimization using IoT Sensing. , 2019, , . | | 12 |
| 9966 | Dielectric Nanofluids for Electrostatic Machines & Actuators. , 2019, , . | | 2 |
| 9967 | Multi-Class Classification of Defect Types in Ultrasonic NDT Signals with Convolutional Neural Networks. , 2019, , . | | 13 |
| 9968 | Stability and changes in the distribution of Pipiza hoverflies (Diptera, Syrphidae) in Europe under projected future climate conditions. PLoS ONE, 2019, 14, e0221934. | 1.1 | 11 |
| 9969 | Generation of Monthly Precipitation Climatologies for Costa Rica Using Irregular Rain-Gauge Observational Networks. Water (Switzerland), 2019, 11, 70. | 1.2 | 15 |
| 9970 | Taxonomic Delimitation of Species Complexes: A Challenge for Conservation; First Steps with the <i>Abarema cochliacarpos</i> Complex. Systematic Botany, 2019, 44, 818-825. | 0.2 | 6 |
| 9971 | Strategies to optimize modeling habitat suitability of <i>Bertholletia excelsa</i> in the Paná€Amazonia. Ecology and Evolution, 2019, 9, 12623-12638. | 0.8 | 19 |
| 9972 | Chemical Versus Mechanical Denudation in Metaá€Clastic and Carbonate Bedrock Catchments on Crete, Greece, and Mechanisms for Steep and High Carbonate Topography. Journal of Geophysical Research F: Earth Surface, 2019, 124, 2943-2961. | 1.0 | 12 |
| 9973 | Associations between Water, Sanitation and Hygiene (WASH) and trachoma clustering at aggregate spatial scales, Amhara, Ethiopia. Parasites and Vectors, 2019, 12, 540. | 1.0 | 14 |
| 9974 | Forest loss shapes the landscape suitability of Kyasanur Forest disease in the biodiversity hotspots of the Western Ghats, India. International Journal of Epidemiology, 2019, 48, 1804-1814. | 0.9 | 14 |
| 9975 | An assessment of human impacts on endangered red pandas (<i>Ailurus fulgens</i>) living in the Himalaya. Ecology and Evolution, 2019, 9, 13413-13425. | 0.8 | 19 |
| 9976 | Forecasting conservation impact to pinpoint spatial priorities in the Brazilian Cerrado. Biological Conservation, 2019, 240, 108283. | 1.9 | 18 |
| 9977 | Climate shapes mammal community trophic structures and humans simplify them. Nature Communications, 2019, 10, 5197. | 5.8 | 29 |
| 9978 | A regional analysis on the amphibian and reptile communities from the Carpathian Mountains and the abiotic factors that shape their distributions and community assemblages. Regional Environmental Change, 2019, 19, 2563-2572. | 1.4 | 1 |
| 9979 | Etiology and distribution of foliar fungal diseases of citrus in Panama. Tropical Plant Pathology, 2019, 44, 519-532. | 0.8 | 4 |
| 9980 | Group I alkenones and Isochrysidales in the worldá€™s largest maar lakes and their potential paleoclimate applications. Organic Geochemistry, 2019, 138, 103924. | 0.9 | 7 |
| 9981 | Biodiversity can benefit from climate stabilization despite adverse side effects of land-based mitigation. Nature Communications, 2019, 10, 5240. | 5.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 9982 | Using phenotypic distribution models to predict livestock performance. <i>Scientific Reports</i> , 2019, 9, 15371. | 1.6 | 12 |
| 9983 | Climate change vulnerability higher in arctic than alpine bumblebees. <i>Frontiers of Biogeography</i> , 2019, 11, . | 0.8 | 13 |
| 9984 | Water Use Efficiency and Storage Capacity in South Asia by 2050. <i>Journal of the American Water Resources Association</i> , 2019, 55, 1519-1539. | 1.0 | 1 |
| 9985 | Functional organization of woody plant assemblages along precipitation and human disturbance gradients in a seasonally dry tropical forest. <i>Biotropica</i> , 2019, 51, 838-850. | 0.8 | 17 |
| 9986 | Biogeographical Review of Asteraceae in the Espinha so Mountain Range, Brazil. <i>Botanical Review</i> , The, 2019, 85, 293-336. | 1.7 | 15 |
| 9987 | Genome-wide analysis of Cushion willow provides insights into alpine plant divergence in a biodiversity hotspot. <i>Nature Communications</i> , 2019, 10, 5230. | 5.8 | 75 |
| 9988 | Assessing the thermal adaptability of tree provenances: an example using <i>Eucalyptus tereticornis</i> . <i>Australian Forestry</i> , 2019, 82, 176-180. | 0.3 | 4 |
| 9989 | Are the effects of vegetation and soil changes as important as climate change impacts on hydrological processes?. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 4933-4954. | 1.9 | 33 |
| 9990 | Assessing the Impact of CFSR and Local Climate Datasets on Hydrological Modeling Performance in the Mountainous Black Sea Catchment. <i>Water (Switzerland)</i> , 2019, 11, 2277. | 1.2 | 10 |
| 9991 | Evaluation of reanalysis data in the study of meteorological and hydrological droughts in the Magdalena-Cauca river basin, Colombia. <i>DYNA (Colombia)</i> , 2019, 86, 268-277. | 0.2 | 1 |
| 9992 | Local adaptation of a dominant coastal tree to freshwater availability and solar radiation suggested by genomic and ecophysiological approaches. <i>Scientific Reports</i> , 2019, 9, 19936. | 1.6 | 19 |
| 9993 | Diversity of Understory Communities in Boreal Forests: Influences of Forest Type, Latitude, and Spatial Scale. <i>Forests</i> , 2019, 10, 1003. | 0.9 | 2 |
| 9994 | Hegemony and the Central Asian Paleolithic Record. , 2019, , 35-54. | | 2 |
| 9995 | MAPPING PRIORITY AREAS FOR FOREST RECOVERY USING MULTICRITERIA ANALYSIS IN THE BRAZILIAN ATLANTIC FOREST. <i>RA'E GA - O Espaco Geografico Em Analise</i> , 2019, 46, 113. | 0.1 | 3 |
| 9996 | The Response of Neotropical Dragonflies (Insecta: Odonata) to Local and Regional Abiotic Factors in Small Streams of the Amazon. <i>Insects</i> , 2019, 10, 446. | 1.0 | 24 |
| 9997 | Wildfire Detection Probability of MODIS Fire Products under the Constraint of Environmental Factors: A Study Based on Confirmed Ground Wildfire Records. <i>Remote Sensing</i> , 2019, 11, 3031. | 1.8 | 33 |
| 9998 | Evolution of a multifunctional trait: shared effects of foraging ecology and thermoregulation on beak morphology, with consequences for song evolution. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20192474. | 1.2 | 53 |
| 9999 | Genetic diversity patterns in an endangered desert shrub from north-western China: implications for conservation. <i>Australian Journal of Botany</i> , 2019, 67, 571. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10000 | The commonness of rarity: Global and future distribution of rarity across land plants. <i>Science Advances</i> , 2019, 5, eaaz0414. | 4.7 | 194 |
| 10001 | Modeling the plantation area of geographical indication product under climate change: Gayo Arabica coffee (<i>coffea arabica</i>). <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 365, 012021. | 0.2 | 1 |
| 10002 | Patterns and drivers of species richness and turnover of neo-endemic and palaeo-endemic vascular plants in a Mediterranean hotspot: the case of Crete, Greece. <i>Journal of Biological Research</i> , 2019, 26, 12. | 2.2 | 22 |
| 10003 | Disturbance and the elevation ranges of woody plant species in the mountains of Costa Rica. <i>Ecology and Evolution</i> , 2019, 9, 14330-14340. | 0.8 | 7 |
| 10004 | People and Pixels 20 years later: the current data landscape and research trends blending population and environmental data. <i>Population and Environment</i> , 2019, 41, 209-234. | 1.3 | 35 |
| 10005 | Projected impacts of climate change on functional diversity of frugivorous birds along a tropical elevational gradient. <i>Scientific Reports</i> , 2019, 9, 17708. | 1.6 | 34 |
| 10006 | A Statistical Model for Estimating Midday NDVI from the Geostationary Operational Environmental Satellite (GOES) 16 and 17. <i>Remote Sensing</i> , 2019, 11, 2507. | 1.8 | 6 |
| 10007 | Phenotypic variation of life history traits in native, invasive, and landrace populations of <i>Brassica tournefortii</i> . <i>Ecology and Evolution</i> , 2019, 9, 13127-13141. | 0.8 | 4 |
| 10008 | Predicting Shifts in the Geographical Distribution of Two Estuarine Plant Species from the Subtropical and Temperate Regions of South Africa. <i>Wetlands</i> , 2019, 39, 1179-1188. | 0.7 | 4 |
| 10009 | Sex-dependent dominance maintains migration supergene in rainbow trout. <i>Nature Ecology and Evolution</i> , 2019, 3, 1731-1742. | 3.4 | 188 |
| 10010 | Projecting Suitability and Climate Vulnerability of <i>Bhutanitis thaidina</i> (Blanchard) (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34 | 1.6 | 5 |
| 10011 | Ecological niche modelling to estimate the distribution of <i>Culicoides</i> , potential vectors of bluetongue virus in Senegal. <i>BMC Ecology</i> , 2019, 19, 45. | 3.0 | 18 |
| 10012 | Watershed Reactive Transport. <i>Reviews in Mineralogy and Geochemistry</i> , 2019, 85, 381-418. | 2.2 | 31 |
| 10013 | Estimating the Responses of Hydrological and Sedimental Processes to Future Climate Change in Watersheds with Different Landscapes in the Yellow River Basin, China. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4054. | 1.2 | 6 |
| 10014 | Links between prey assemblages and poison frog toxins: A landscape ecology approach to assess how biotic interactions affect species phenotypes. <i>Ecology and Evolution</i> , 2019, 9, 14317-14329. | 0.8 | 13 |
| 10015 | Critical shifts on spatial traits and the risk of extinction of Andean anurans: an assessment of the combined effects of climate and land-use change in Colombia. <i>Perspectives in Ecology and Conservation</i> , 2019, 17, 206-219. | 1.0 | 14 |
| 10016 | Phylogeography of <i>Excoecaria acerifolia</i> (Euphorbiaceae) suggests combined effects of historical drainage reorganization events and climatic changes on riparian plants in the Sino-Himalayan region. <i>Botanical Journal of the Linnean Society</i> , 2019, , . | 0.8 | 1 |
| 10018 | Echolocation call divergence in bats: a comparative analysis. <i>Behavioral Ecology and Sociobiology</i> , 2019, 73, 1. | 0.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10019 | Climate change impacts on the distribution and diversity of major tree species in the temperate forests of Northern Iran. <i>Regional Environmental Change</i> , 2019, 19, 2711-2728. | 1.4 | 25 |
| 10020 | Integrating Citizen Science and GIS for Wildlife Habitat Assessment. , 0, , . | | 4 |
| 10021 | Current and projected future risks of freshwater fish invasions in China. <i>Ecography</i> , 2019, 42, 2074-2083. | 2.1 | 23 |
| 10022 | Drilling Down Hotspots of Intraspecific Diversity to Bring Them Into On-Ground Conservation of Threatened Species. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 1.1 | 12 |
| 10023 | Future Climate Change Will Have a Positive Effect on <i>Populus davidiana</i> in China. <i>Forests</i> , 2019, 10, 1120. | 0.9 | 5 |
| 10024 | Modeling the potential climate change- induced impacts on future genus <i>Rhipicephalus</i> (Acari): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Ecology and Environment, 2019, 43, . | 1.6 | 6 |
| 10025 | The home field advantage of modern plant breeding. <i>PLoS ONE</i> , 2019, 14, e0227079. | 1.1 | 18 |
| 10026 | Evolutionary radiations of cushion plants on the Qinghai-Tibet Plateau: Insights from molecular phylogenetic analysis of two subgenera of <i>Arenaria</i> and <i>Thylacospermum</i> (Caryophyllaceae). <i>Taxon</i> , 2019, 68, 1003-1020. | 0.4 | 5 |
| 10027 | Prolonged Fluvial Activity From Channel-Fan Systems on Mars. <i>Journal of Geophysical Research E: Planets</i> , 2019, 124, 3119-3139. | 1.5 | 12 |
| 10028 | A $\delta^2\text{H}$ Isoscape of blackberry as an example application for determining the geographic origins of plant materials in New Zealand. <i>PLoS ONE</i> , 2019, 14, e0226152. | 1.1 | 5 |
| 10029 | Spatial genetic structure and diversity of natural populations of <i>Aesculus hippocastanum</i> L. in Greece. <i>PLoS ONE</i> , 2019, 14, e0226225. | 1.1 | 10 |
| 10030 | Human activities have opposing effects on distributions of narrow-ranged and widespread plant species in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 26674-26681. | 3.3 | 83 |
| 10031 | Sufficient versus optimal climatic stability during the Late Quaternary: using environmental quality to guide phylogeographic inferences in a Neotropical montane system. <i>Journal of Mammalogy</i> , 2019, 100, 1783-1807. | 0.6 | 10 |
| 10032 | Characterization of the Barley Net Blotch Pathosystem at the Center of Origin of Host and Pathogen. <i>Pathogens</i> , 2019, 8, 275. | 1.2 | 8 |
| 10033 | Mapping at 30 m Resolution of Soil Attributes at Multiple Depths in Midwest Brazil. <i>Remote Sensing</i> , 2019, 11, 2905. | 1.8 | 27 |
| 10034 | Concealed truth: Modeling reveals unique Quaternary distribution dynamics and refugia of four related endemic keystone <i>Abies</i> taxa on the Tibetan Plateau. <i>Ecology and Evolution</i> , 2019, 9, 14295-14316. | 0.8 | 3 |
| 10035 | Modelling Climate Suitability for Rainfed Maize Cultivation in Kenya Using a Maximum Entropy (MaxENT) Approach. <i>Agronomy</i> , 2019, 9, 727. | 1.3 | 46 |
| 10036 | Global hydro-environmental sub-basin and river reach characteristics at high spatial resolution. <i>Scientific Data</i> , 2019, 6, 283. | 2.4 | 246 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10037 | Estimating snakebite incidence from mathematical models: A test in Costa Rica. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007914. | 1.3 | 30 |
| 10038 | Mapping Environmental Suitability of Scrub Typhus in Nepal Using MaxEnt and Random Forest Models. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4845. | 1.2 | 16 |
| 10039 | Diversity Patterns of Different Life Forms of Plants along an Elevational Gradient in Crete, Greece. <i>Diversity</i> , 2019, 11, 200. | 0.7 | 23 |
| 10040 | Behavioural thermoregulation and climatic range restriction in the globally threatened Ethiopian Bush-crow <i>Zavattariornis stresemanni</i> . <i>Ibis</i> , 2019, 161, 546-558. | 1.0 | 7 |
| 10041 | Estimating the Geographic Distribution of Host-Seeking Adult <i>Amblyomma americanum</i> (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 0.9 | 17 |
| 10042 | Combining modeling tools to identify conservation priority areas: A case study of the last large-bodied avian frugivore in the Atlantic Forest. <i>Global Ecology and Conservation</i> , 2019, 17, e00426. | 1.0 | 6 |
| 10043 | Spillover of organisms from rainforests affects local diversity of land-snail communities in the Akagera savanna in Rwanda. <i>Journal of Arid Environments</i> , 2019, 160, 17-24. | 1.2 | 0 |
| 10044 | The effect of Hengduan Mountains Region (HMR) uplift to environmental changes in the HMR and its eastern adjacent area: Tracing the evolutionary history of <i>Allium</i> section <i>Sikkimensia</i> (Amaryllidaceae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 380-396. | 1.2 | 28 |
| 10045 | The adaptive significance of chromosomal inversion polymorphisms in <i>Drosophila melanogaster</i> . <i>Molecular Ecology</i> , 2019, 28, 1263-1282. | 2.0 | 84 |
| 10046 | Severity of impacts of an introduced species corresponds with regional eco-evolutionary experience. <i>Ecography</i> , 2019, 42, 12-22. | 2.1 | 19 |
| 10047 | Integrative taxonomy reveals a new <i>Gammarus</i> species (Crustacea, Amphipoda) surviving in a previously unknown southeast European glacial refugium. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2019, 57, 272-297. | 0.6 | 18 |
| 10048 | Disentangling the genetic effects of refugial isolation and range expansion in a trans-continently distributed species. <i>Heredity</i> , 2019, 122, 441-457. | 1.2 | 12 |
| 10049 | Carbon Sequestration in Mangroves. , 2019, , 73-99. | | 8 |
| 10050 | Cranial variation in geographically widespread dwarf gerbil <i>Gerbillus nanus</i> (Gerbillinae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2019, 57, 191-203. | 0.6 | 20 |
| 10051 | A biogeographic reversal in sexual size dimorphism along a continental temperature gradient. <i>Ecography</i> , 2019, 42, 706-716. | 2.1 | 16 |
| 10052 | The mismatch in distributions of vertebrates and the plants that they disperse. <i>Ecography</i> , 2019, 42, 621-631. | 2.1 | 4 |
| 10053 | National soil organic carbon estimates can improve global estimates. <i>Geoderma</i> , 2019, 337, 55-64. | 2.3 | 40 |
| 10054 | Microclima: An <code>r</code> package for modelling meso- and microclimate. <i>Methods in Ecology and Evolution</i> , 2019, 10, 280-290. | 2.2 | 109 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10055 | Topography explains the distribution of genetic diversity in one of the most fragile European hotspots. <i>Diversity and Distributions</i> , 2019, 25, 74-89. | 1.9 | 15 |
| 10056 | Arboreal birds do not avoid scattered trees in West Africa. <i>Bird Conservation International</i> , 2019, 29, 216-231. | 0.7 | 5 |
| 10057 | Upgrading Comparative and Competitive Advantages for Ethanol Fuel Production From Agroindustrial Crops in Developing Countries: Mexico as a Case Study. , 2019, , 401-415. | | 4 |
| 10058 | Restoration of tropical rain forest success improved by selecting species for specific microhabitats. <i>Forest Ecology and Management</i> , 2019, 434, 235-243. | 1.4 | 4 |
| 10059 | Compositional and biogeochemical variations of sediments across the terrestrial-marine continuum of the Baker-Mart nez fjord system (Chile, 48 S). <i>Progress in Oceanography</i> , 2019, 174, 89-104. | 1.5 | 18 |
| 10060 | Genetic diversity and demographic analysis of an endangered tree species <i>Diplopanax stachyanthus</i> in subtropical China: implications for conservation and management. <i>Conservation Genetics</i> , 2019, 20, 315-327. | 0.8 | 5 |
| 10061 | Effects of global warming on the potential distribution ranges of six <i>Quercus</i> species (Fagaceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2019, 251, 32-38. | 0.6 | 13 |
| 10062 | Potential distribution of riffle beetles (Coleoptera: Elmidae) in southern Brazil. <i>Austral Entomology</i> , 2019, 58, 646-656. | 0.8 | 4 |
| 10063 | Droughts drive outbreak dynamics of an invasive forest insect on an exotic host. <i>Forest Ecology and Management</i> , 2019, 433, 762-770. | 1.4 | 16 |
| 10064 | Estimating Spatio-temporal Responses of Net Primary Productivity to Climate Change Scenarios in the Seyhan Watershed by Integrating Biogeochemical Modelling and Remote Sensing. <i>The Anthropocene: Politik - Economics - Society - Science</i> , 2019, , 183-199. | 0.2 | 2 |
| 10065 | Responses of vegetation to climatic variations in the desert region of northern China. <i>Catena</i> , 2019, 175, 27-36. | 2.2 | 71 |
| 10066 | The area under the precision-recall curve as a performance metric for rare binary events. <i>Methods in Ecology and Evolution</i> , 2019, 10, 565-577. | 2.2 | 144 |
| 10067 | Anticipating the response of the Brazilian giant earthworm (<i>Rhinodrilus alatus</i>) to climate change: implications for its traditional use. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180308. | 0.3 | 6 |
| 10068 | Identifying landscape species for ecological planning. <i>Ecological Indicators</i> , 2019, 99, 140-148. | 2.6 | 16 |
| 10069 | Analyzing habitat characteristics and predicting present and future suitable habitats of <i>Sibynophis chinensis</i> based on a climate change scenario. <i>Journal of Asia-Pacific Biodiversity</i> , 2019, 12, 1-6. | 0.2 | 11 |
| 10070 | Drivers of tree carbon storage in subtropical forests. <i>Science of the Total Environment</i> , 2019, 654, 684-693. | 3.9 | 65 |
| 10071 | The niches of nuthatches affect their lineage evolution differently across latitude. <i>Molecular Ecology</i> , 2019, 28, 803-817. | 2.0 | 4 |
| 10072 | Local topographic and edaphic factors largely predict shrub encroachment in Mediterranean drylands. <i>Science of the Total Environment</i> , 2019, 657, 310-318. | 3.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10073 | Integrating multilocus DNA data and 3D geometric morphometrics to elucidate species boundaries in the case of Pyrenaearia (Pulmonata: Hygromiidae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 132, 194-206. | 1.2 | 8 |
| 10074 | Strategic approaches to restoring ecosystems can triple conservation gains and halve costs. <i>Nature Ecology and Evolution</i> , 2019, 3, 62-70. | 3.4 | 199 |
| 10075 | Regeneration of <i>Larix sibirica</i> boreal forest patches in the forest-steppe ecotone in Gorkhi Terej National Park, Mongolia. <i>Journal of Forest Research</i> , 2019, 24, 52-60. | 0.7 | 1 |
| 10076 | Emergent wetland vegetation data recording: Does an optimal period exist?. <i>Applied Vegetation Science</i> , 2019, 22, 200-212. | 0.9 | 5 |
| 10077 | Climate change is likely to affect the distribution but not paraptry of the Brazilian marmoset monkeys (<i>Callithrix</i> spp.). <i>Diversity and Distributions</i> , 2019, 25, 536-550. | 1.9 | 23 |
| 10078 | Drivers of elevational richness peaks, evaluated for trees in the east Himalaya. <i>Ecology</i> , 2019, 100, e02548. | 1.5 | 23 |
| 10079 | Cross-Biome Drivers of Soil Bacterial Alpha Diversity on a Worldwide Scale. <i>Ecosystems</i> , 2019, 22, 1220-1231. | 1.6 | 71 |
| 10080 | Quantitative assessment of climate change impacts onto predicted erosion risks and their spatial distribution within the landcover classes of the Southern Caucasus using GIS and remote sensing. <i>Modeling Earth Systems and Environment</i> , 2019, 5, 659-667. | 1.9 | 6 |
| 10081 | Searching for a needle in a haystack: Where to survey for climatically-matched biological control agents for two grasses (<i>Sporobolus</i> spp.) invading Australia. <i>Biological Control</i> , 2019, 129, 37-44. | 1.4 | 16 |
| 10082 | Using MaxEnt modeling to predict the potential distribution of the endemic plant <i>Rosa arabica</i> CrÃ©p. in Egypt. <i>Ecological Informatics</i> , 2019, 50, 68-75. | 2.3 | 155 |
| 10083 | Participatory mapping of forest plantations with Open Foris and Google Earth Engine. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 148, 63-74. | 4.9 | 60 |
| 10084 | Genetics and Ecological Niche Define Species Boundaries in the Dwarf Milkweed Clade (<i>Asclepias</i> : Asclepiadoideae: Apocynaceae). <i>International Journal of Plant Sciences</i> , 2019, 180, 160-177. | 0.6 | 1 |
| 10085 | Inducibility of chemical defences in young oak trees is stronger in species with high elevational ranges. <i>Tree Physiology</i> , 2019, 39, 606-614. | 1.4 | 15 |
| 10086 | Incorporating local adaptation into forecasts of speciesâ€™ distribution and abundance under climate change. <i>Global Change Biology</i> , 2019, 25, 775-793. | 4.2 | 169 |
| 10087 | Identifying ecological drivers of interspecific variation in song complexity in songbirds (Passeriformes, Passeri). <i>Journal of Avian Biology</i> , 2019, 50, . | 0.6 | 10 |
| 10088 | Drivers of the beta diversity of aquatic plant communities along a latitudinal gradient in southern Brazilian coastal ponds. <i>Journal of Vegetation Science</i> , 2019, 30, 281-290. | 1.1 | 18 |
| 10089 | Acclimation and adaptation components of the temperature dependence of plant photosynthesis at the global scale. <i>New Phytologist</i> , 2019, 222, 768-784. | 3.5 | 171 |
| 10090 | Impact of climate factors on future distributions of <i>Paeonia ostii</i> across China estimated by MaxEnt. <i>Ecological Informatics</i> , 2019, 50, 62-67. | 2.3 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10091 | Knitting patterns of biodiversity, range size and body size in aquatic beetle faunas: significant relationships but slightly divergent drivers. <i>Ecological Entomology</i> , 2019, 44, 413-424. | 1.1 | 10 |
| 10092 | Autopolyploid lineage shows climatic niche expansion but not divergence in <i>Arabidopsis arenosa</i> . <i>American Journal of Botany</i> , 2019, 106, 61-70. | 0.8 | 49 |
| 10093 | A spatially explicit approach to prioritize protection areas for endangered freshwater mussels. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 12-23. | 0.9 | 16 |
| 10094 | Mangrove canopy height globally related to precipitation, temperature and cyclone frequency. <i>Nature Geoscience</i> , 2019, 12, 40-45. | 5.4 | 279 |
| 10095 | Late Quaternary micromammals and the precipitation history of the southern Cape, South Africa. <i>Quaternary Research</i> , 2019, 91, 848-860. | 1.0 | 26 |
| 10096 | Inferring the biogeography and demographic history of an endangered butterfly in Europe from multilocus markers. <i>Biological Journal of the Linnean Society</i> , 2019, 126, 95-113. | 0.7 | 10 |
| 10097 | Examining forest resilience to changing fire frequency in a fire-prone region of boreal forest. <i>Global Change Biology</i> , 2019, 25, 869-884. | 4.2 | 79 |
| 10098 | A sharp floristic discontinuity revealed by the biogeographic regionalization of African savannas. <i>Journal of Biogeography</i> , 2019, 46, 454-465. | 1.4 | 17 |
| 10099 | Making choices that matter – Use of statistical regularization in species distribution modelling for identification of climatic indicators – A case study with <i>Mikania micrantha</i> Kunth in India. <i>Ecological Indicators</i> , 2019, 98, 92-103. | 2.6 | 10 |
| 10100 | Phytophthora species isolated from alpine and sub-alpine regions of Australia, including the description of two new species; <i>Phytophthora cacuminis</i> sp. nov and <i>Phytophthora oreophila</i> sp. nov. <i>Fungal Biology</i> , 2019, 123, 29-41. | 1.1 | 15 |
| 10101 | Rain, predators and vegetation lushness may structure web-building spider communities along precipitation gradients. <i>Ecological Entomology</i> , 2019, 44, 217-226. | 1.1 | 5 |
| 10102 | How history matters for student performance. lessons from the Partitions of Poland. <i>Journal of Comparative Economics</i> , 2019, 47, 136-175. | 1.1 | 20 |
| 10103 | Associated tympanic bullar and cochlear hypertrophy define adaptations to true deserts in African gerbils and laminate-toothed rats (Muridae: Gerbillinae and Murinae). <i>Journal of Anatomy</i> , 2019, 234, 179-192. | 0.9 | 5 |
| 10104 | Multi-annual response of a Pampean shallow lake from central Argentina to regional and large-scale climate forcings. <i>Climate Dynamics</i> , 2019, 52, 6847-6861. | 1.7 | 4 |
| 10105 | Transient landscape dynamics across the Southeastern Australian Escarpment. <i>Earth and Planetary Science Letters</i> , 2019, 506, 397-406. | 1.8 | 23 |
| 10106 | Global spatial assessment of <i>Aedes aegypti</i> and <i>Culex quinquefasciatus</i> : a scenario of Zika virus exposure. <i>Epidemiology and Infection</i> , 2019, 147, e52. | 1.0 | 21 |
| 10107 | The origins and maintenance of global species endemism. <i>Global Ecology and Biogeography</i> , 2019, 28, 170-183. | 2.7 | 20 |
| 10108 | Historical interactions are predicted to be disrupted under future climate change: The case of lace lichen and valley oak. <i>Journal of Biogeography</i> , 2019, 46, 19-29. | 1.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10109 | The relationship between environmental niche breadth and geographic range size across plant species. <i>Journal of Biogeography</i> , 2019, 46, 97-109. | 1.4 | 31 |
| 10110 | Spatial interpolation of current airborne pollen concentrations where no monitoring exists. <i>Atmospheric Environment</i> , 2019, 199, 435-442. | 1.9 | 17 |
| 10111 | Phylogenetic diversity in the Western Ghats biodiversity hotspot reflects environmental filtering and past niche diversification of trees. <i>Journal of Biogeography</i> , 2019, 46, 145-157. | 1.4 | 25 |
| 10112 | Pleistocene glaciation explains the disjunct distribution of the Chestnut-evented Nuthatch (<i>Aves</i>). <i>TJ ETQq1 1 0.784314 rgBT /Overlo</i> | 0.7 | 12 |
| 10113 | Potential distribution of an invasive pest, <i>Eu</i> <i>platypus parallelus</i> , in China as predicted by Maxent. <i>Pest Management Science</i> , 2019, 75, 1630-1637. | 1.7 | 31 |
| 10114 | Alteration of freshwater ecosystem services under global change – A review focusing on the Po River basin (Italy) and the Red River basin (Vietnam). <i>Science of the Total Environment</i> , 2019, 652, 1347-1365. | 3.9 | 33 |
| 10115 | Growth and biomass partitioning of nine provenances of <i>Quillaja saponaria</i> seedlings to water stress. <i>Southern Forests</i> , 2019, 81, 103-109. | 0.2 | 5 |
| 10116 | Adaptive significance of functional germination traits in crop wild relatives of <i>Brassica</i> . <i>Agricultural and Forest Meteorology</i> , 2019, 264, 343-350. | 1.9 | 16 |
| 10117 | Monitoring drylands: The MARAS system. <i>Journal of Arid Environments</i> , 2019, 161, 55-63. | 1.2 | 28 |
| 10118 | Do ecogeographical rules explain morphological variation in a diverse, Holarctic genus of small mammals?. <i>Journal of Biogeography</i> , 2019, 46, 110-122. | 1.4 | 11 |
| 10119 | Multidimensional Analyses for Testing Ecological, Ethnobiological, and Conservation Hypotheses. <i>Springer Protocols</i> , 2019, , 87-110. | 0.1 | 0 |
| 10120 | Radiocarbon Dating Informs Tree Fern Population Dynamics and Disturbance History of Temperate Forests in Southeast Australia. <i>Radiocarbon</i> , 2019, 61, 445-460. | 0.8 | 14 |
| 10121 | Testing multiple hypotheses for the high endemic plant diversity of the Tibetan Plateau. <i>Global Ecology and Biogeography</i> , 2019, 28, 131-144. | 2.7 | 43 |
| 10122 | Environmental and spatial variables determine the taxonomic but not functional structure patterns of microbial communities in alpine grasslands. <i>Science of the Total Environment</i> , 2019, 654, 960-968. | 3.9 | 11 |
| 10123 | Significant Asia-Europe divergence in the middle spotted woodpecker (<i>Aves</i> , <i>Picidae</i>). <i>Zoologica Scripta</i> , 2019, 48, 17-32. | 0.7 | 13 |
| 10124 | Evaluating Potential Distribution of High-Risk Aquatic Invasive Species in the Water Garden and Aquarium Trade at a Global Scale Based on Current Established Populations. <i>Risk Analysis</i> , 2019, 39, 1169-1191. | 1.5 | 8 |
| 10125 | Evolutionary history of the scorpionfly <i>Dicerapanorpa magna</i> (<i>Mecoptera</i> , <i>Panorpidae</i>). <i>Zoologica Scripta</i> , 2019, 48, 93-105. | 0.7 | 8 |
| 10126 | Intraspecific trait variation patterns along a precipitation gradient in Mongolian rangelands. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2019, 254, 135-146. | 0.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10127 | Botanic gardens are an untapped resource for studying the functional ecology of tropical plants. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20170390. | 1.8 | 16 |
| 10128 | Vocal divergence between two disjunct populations of Giant Antshrike (<i>Batara cinerea</i>) is related to environmental conditions. <i>Austral Ecology</i> , 2019, 44, 484-493. | 0.7 | 2 |
| 10129 | Geomorphic constraints on uplift history in the Aspromonte Massif, southern Italy. <i>Geomorphology</i> , 2019, 327, 319-337. | 1.1 | 11 |
| 10130 | Integrating phylogenomics, phylogenetics, morphometrics, relative genome size and ecological niche modelling disentangles the diversification of Eurasian <i>Euphorbia seguieriana</i> s. l. (Euphorbiaceae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 238-252. | 1.2 | 29 |
| 10131 | Handbook for the measurement of macrofungal functional traits: A start with basidiomycete wood fungi. <i>Functional Ecology</i> , 2019, 33, 372-387. | 1.7 | 39 |
| 10132 | Geospatial Technology for Climate Change Impact Assessment of Mountain Agriculture. , 2019, , 381-400. | | 1 |
| 10133 | From texts to teeth: A multi-isotope study of sheep and goat herding practices in the Late Bronze Age (â€Mycenaeanâ€™) polity of Knossos, Crete. <i>Journal of Archaeological Science: Reports</i> , 2019, 23, 36-56. | 0.2 | 10 |
| 10134 | Simulating sediment supply from the Congo watershed over the last 155 ka. <i>Quaternary Science Reviews</i> , 2019, 203, 38-55. | 1.4 | 12 |
| 10135 | Contribution to the knowledge on relic <i>Stipa</i> spp.-dominated ultramafic grasslands of the Central Balkans. <i>Plant Biosystems</i> , 2019, 153, 461-477. | 0.8 | 0 |
| 10136 | Genomic Evidence of Local Adaptation to Climate and Diet in Indigenous Siberians. <i>Molecular Biology and Evolution</i> , 2019, 36, 315-327. | 3.5 | 41 |
| 10137 | Input matters matter: Bioclimatic consistency to map more reliable species distribution models. <i>Methods in Ecology and Evolution</i> , 2019, 10, 212-224. | 2.2 | 32 |
| 10138 | Elevational patterns and hierarchical determinants of biodiversity across microbial taxonomic scales. <i>Molecular Ecology</i> , 2019, 28, 86-99. | 2.0 | 34 |
| 10139 | Use of geographic information system tools to predict animal breed suitability for different agro-ecological zones. <i>Animal</i> , 2019, 13, 1536-1543. | 1.3 | 15 |
| 10140 | Stable isotope patterns reveal widespread rainy-period-biased recharge in phreatic aquifers across Greece. <i>Journal of Hydrology</i> , 2019, 568, 1081-1092. | 2.3 | 13 |
| 10141 | Ecological niche shift between diploid and tetraploid plants of <i>Fragaria</i> (Rosaceae) in China. <i>South African Journal of Botany</i> , 2019, 121, 68-75. | 1.2 | 5 |
| 10143 | Environmental filtering explains a Uâ€shape latitudinal pattern in regional $\delta^{13}C$ deviation for eastern North American trees. <i>Ecology Letters</i> , 2019, 22, 284-291. | 3.0 | 37 |
| 10144 | The role of competition in driving species global distributions: Soricid shrews as a case study. <i>Journal of Biogeography</i> , 2019, 46, 134-144. | 1.4 | 7 |
| 10145 | Identifying hotspots for rare species under climate change scenarios: improving saproxylic beetle conservation in Italy. <i>Biodiversity and Conservation</i> , 2019, 28, 433-449. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10146 | Climate change impacts on the distribution of venomous snakes and snakebite risk in Mozambique. <i>Climatic Change</i> , 2019, 152, 195-207. | 1.7 | 31 |
| 10147 | Host associations and climate influence avian haemosporidian distributions in Benin. <i>International Journal for Parasitology</i> , 2019, 49, 27-36. | 1.3 | 9 |
| 10148 | Determinants of alpha and beta vascular plant diversity in Mediterranean island systems: the Ionian islands, Greece. <i>Nordic Journal of Botany</i> , 2019, 37, e02156. | 0.2 | 11 |
| 10149 | Priority areas to collect germplasm of <i>Annona</i> (Annonaceae) in Mexico based on diversity and species richness indices. <i>Genetic Resources and Crop Evolution</i> , 2019, 66, 401-413. | 0.8 | 7 |
| 10150 | Specimen-based analysis of morphology and the environment in ecologically dominant grasses: the power of the herbarium. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20170403. | 1.8 | 25 |
| 10151 | Adoption Constraints for Small-scale Agroforestry-based Biofuel Systems in India. <i>Ecological Economics</i> , 2019, 157, 27-39. | 2.9 | 14 |
| 10152 | Nucleotide polymorphisms associated with climate and physiological traits in silver fir (<i>Abies alba</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 | 0.6 | 6 |
| 10153 | Where and when? How phenological patterns of armyworm moths (Lepidoptera: Noctuidae) change along a latitudinal gradient in Brazil. <i>Bulletin of Entomological Research</i> , 2019, 109, 490-499. | 0.5 | 4 |
| 10154 | The Influence of Habitat and Phylogeny on the Skin Microbiome of Amphibians in Guatemala and Mexico. <i>Microbial Ecology</i> , 2019, 78, 257-267. | 1.4 | 34 |
| 10155 | Melting Arctic sea ice: Implications for nonindigenous species (NIS) spread in the United States. <i>Environmental Science and Policy</i> , 2019, 91, 81-91. | 2.4 | 5 |
| 10156 | Population Variation, Environmental Gradients, and the Evolutionary Ecology of Plant Defense against Herbivory. <i>American Naturalist</i> , 2019, 193, 20-34. | 1.0 | 67 |
| 10157 | Biomass partitioning in a future dry and CO ₂ enriched climate: Shading aggravates drought effects in Scots pine but not European black pine seedlings. <i>Journal of Applied Ecology</i> , 2019, 56, 866-879. | 1.9 | 13 |
| 10158 | Phylogeographic variation within the Buff-browed Foliage-gleaner (<i>Aves: Furnariidae: Syndactyla</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 <i>Phylogenetics and Evolution</i> , 2019, 133, 198-213. | 1.2 | 28 |
| 10159 | Geographic patterns of plant-herbivore interactions are driven by soil fertility. <i>Journal of Plant Ecology</i> , 2019, 12, 653-661. | 1.2 | 19 |
| 10160 | An ecosystem risk assessment of temperate and tropical forests of the Americas with an outlook on future conservation strategies. <i>Conservation Letters</i> , 2019, 12, e12623. | 2.8 | 56 |
| 10161 | Twentieth century redistribution in climatic drivers of global tree growth. <i>Science Advances</i> , 2019, 5, eaat4313. | 4.7 | 282 |
| 10162 | Standards for distribution models in biodiversity assessments. <i>Science Advances</i> , 2019, 5, eaat4858. | 4.7 | 605 |
| 10163 | Earth Observation: Investigating Noncommunicable Diseases from Space. <i>Annual Review of Public Health</i> , 2019, 40, 85-104. | 7.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10164 | Multiple drivers of aboveground biomass in a human-modified landscape of the Caatinga dry forest. <i>Forest Ecology and Management</i> , 2019, 435, 57-65. | 1.4 | 58 |
| 10165 | Environmental filtering improves ecological niche models across multiple scales. <i>Methods in Ecology and Evolution</i> , 2019, 10, 481-492. | 2.2 | 41 |
| 10166 | Identifying potential areas of expansion for the endangered brown bear (<i>Ursus arctos</i>) population in the Cantabrian Mountains (NW Spain). <i>PLoS ONE</i> , 2019, 14, e0209972. | 1.1 | 71 |
| 10167 | Simple scaling of climate inputs allows robust extrapolation of modelled wheat yield risk at a continental scale. <i>Climate Risk Management</i> , 2019, 23, 101-113. | 1.6 | 2 |
| 10168 | Hierarchical mapping of annual global land cover 2001 to present: The MODIS Collection 6 Land Cover product. <i>Remote Sensing of Environment</i> , 2019, 222, 183-194. | 4.6 | 393 |
| 10169 | Phylogeography, population genetics and distribution modelling reveal vulnerability of <i>Scirpus longii</i> (Cyperaceae) and the Atlantic Coastal Plain Flora to climate change. <i>Molecular Ecology</i> , 2019, 28, 2046-2061. | 2.0 | 8 |
| 10170 | The Dynamic Habitat Indices (DHIs) from MODIS and global biodiversity. <i>Remote Sensing of Environment</i> , 2019, 222, 204-214. | 4.6 | 81 |
| 10171 | Responses of an endangered brown bear population to climate change based on predictable food resource and shelter alterations. <i>Global Change Biology</i> , 2019, 25, 1133-1151. | 4.2 | 71 |
| 10172 | Climate and land use changes will degrade the distribution of <i>Rhododendrons</i> in China. <i>Science of the Total Environment</i> , 2019, 659, 515-528. | 3.9 | 57 |
| 10173 | Temperature shapes the costs, benefits and geographic diversification of sexual coloration in a dragonfly. <i>Ecology Letters</i> , 2019, 22, 437-446. | 3.0 | 29 |
| 10174 | Climate and food diversity as drivers of mammal diversity in Inner Mongolia. <i>Ecology and Evolution</i> , 2019, 9, 2142-2148. | 0.8 | 11 |
| 10175 | Assessments of downscaled climate data with a high-resolution weather station network reveal consistent but predictable bias. <i>International Journal of Climatology</i> , 2019, 39, 3091-3103. | 1.5 | 12 |
| 10176 | Phylogeography of <i>Ixiolirion songaricum</i> , a spring ephemeral species endemic to Northwest China. <i>Plant Systematics and Evolution</i> , 2019, 305, 205-221. | 0.3 | 5 |
| 10177 | Effect of climate change on land suitability for surface irrigation and irrigation potential of the shallow groundwater in Ghana. <i>Computers and Electronics in Agriculture</i> , 2019, 157, 110-125. | 3.7 | 38 |
| 10178 | Spatial Phylogenetics of Florida Vascular Plants: The Effects of Calibration and Uncertainty on Diversity Estimates. <i>IScience</i> , 2019, 11, 57-70. | 1.9 | 41 |
| 10179 | Intra-specific variation in growth and wood density traits under water-limited conditions: Long-term-, short-term-, and sudden responses of four conifer tree species. <i>Science of the Total Environment</i> , 2019, 660, 631-643. | 3.9 | 35 |
| 10180 | Tracking the ice: Subterranean harvestmen distribution matches ancient glacier margins. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2019, 57, 548-554. | 0.6 | 7 |
| 10181 | Distinct phylogeographic structure of the halophyte <i>Suaeda malacosperma</i> (Chenopodiaceae/Amaranthaceae), endemic to Koreaâ€‘Japan region, influenced by historical range shift dynamics. <i>Plant Systematics and Evolution</i> , 2019, 305, 193-203. | 0.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10182 | Functional connectivity and home range inferred at a microgeographic landscape genetics scale in a desert-dwelling rodent. <i>Ecology and Evolution</i> , 2019, 9, 437-453. | 0.8 | 12 |
| 10183 | A pollen-climate calibration from western Patagonia for palaeoclimatic reconstructions. <i>Journal of Quaternary Science</i> , 2019, 34, 76-86. | 1.1 | 15 |
| 10184 | A morphometric analysis of environmental dependences between ultraviolet patches and wing venation patterns in <i>Gonepteryx</i> butterflies (Lepidoptera, Pieridae). <i>Evolutionary Ecology</i> , 2019, 33, 89-110. | 0.5 | 5 |
| 10185 | Evaluation of national and regional groundwater resources under climate change scenarios using a GIS-based water budget procedure. <i>Rendiconti Lincei</i> , 2019, 30, 109-123. | 1.0 | 18 |
| 10186 | The Genomic Footprints of the Fall and Recovery of the Crested Ibis. <i>Current Biology</i> , 2019, 29, 340-349.e7. | 1.8 | 94 |
| 10187 | Incorporating temperature and precipitation extremes into process-based models of African lepidoptera changes the predicted distribution under climate change. <i>Ecological Modelling</i> , 2019, 394, 53-65. | 1.2 | 17 |
| 10188 | Bioclimatic and environmental suitability models for capercaillie (<i>Tetrao urogallus</i>) conservation: Identification of optimal and marginal areas in Rodopi Mountain-Range National Park (Northern) Tj ETQq0 0 0 rgBTU, Overlock 1.40 Tf 50 4 | 1.0 | 10 |
| 10189 | An evaluation of Scottish woodland grant schemes using site suitability modelling. <i>Land Use Policy</i> , 2019, 80, 309-317. | 2.5 | 5 |
| 10190 | Identifying bias in cold season temperature reconstructions by beetle mutual climatic range methods in the Pliocene Canadian High Arctic. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 672-676. | 1.0 | 10 |
| 10191 | Conservation implications of population genetic structure in a threatened orchid <i>Cypripedium tibeticum</i> . <i>Plant Diversity</i> , 2019, 41, 13-18. | 1.8 | 9 |
| 10192 | Social equity shapes zone-selection: Balancing aquatic biodiversity conservation and ecosystem services delivery in the transboundary Danube River Basin. <i>Science of the Total Environment</i> , 2019, 656, 797-807. | 3.9 | 25 |
| 10193 | Phenotypic and genome-wide association with the local environment of <i>Arabidopsis</i> . <i>Nature Ecology and Evolution</i> , 2019, 3, 274-285. | 3.4 | 67 |
| 10194 | Soil microbial respiration adapts to ambient temperature in global drylands. <i>Nature Ecology and Evolution</i> , 2019, 3, 232-238. | 3.4 | 89 |
| 10195 | Root and shoot variation in relation to potential intermittent drought adaptation of Mesoamerican wild common bean (<i>Phaseolus vulgaris</i> L.). <i>Annals of Botany</i> , 2019, 124, 917-932. | 1.4 | 49 |
| 10196 | Janzen's Hypothesis Meets the Bogert Effect: Connecting Climate Variation, Thermoregulatory Behavior, and Rates of Physiological Evolution. <i>Integrative Organismal Biology</i> , 2019, 1, oby002. | 0.9 | 67 |
| 10197 | Increasing water availability and facilitation weaken biodiversity-biomass relationships in shrublands. <i>Ecology</i> , 2019, 100, e02624. | 1.5 | 34 |
| 10198 | Forthcoming risk of <i>Prosopis juliflora</i> global invasion triggered by climate change: implications for environmental monitoring and risk assessment. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 72. | 1.3 | 26 |
| 10199 | Environment and evolutionary history shape phylogenetic turnover in European tetrapods. <i>Nature Communications</i> , 2019, 10, 249. | 5.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10200 | Least concern to endangered: Applying climate change projections profoundly influences the extinction risk assessment for wild Arabica coffee. <i>Global Change Biology</i> , 2019, 25, 390-403. | 4.2 | 53 |
| 10201 | Speciation in protists: Spatial and ecological divergence processes cause rapid species diversification in a freshwater chrysophyte. <i>Molecular Ecology</i> , 2019, 28, 1084-1095. | 2.0 | 14 |
| 10202 | Bioclimatic modeling in the Last Glacial Maximum, Mid-Holocene and facing future climatic changes in the strawberry tree (<i>Arbutus unedo</i> L.). <i>PLoS ONE</i> , 2019, 14, e0210062. | 1.1 | 27 |
| 10203 | Red deer in Iberia: Molecular ecological studies in a southern refugium and inferences on European postglacial colonization history. <i>PLoS ONE</i> , 2019, 14, e0210282. | 1.1 | 29 |
| 10204 | Predicting the potential distribution of the lesser-known endemic Madras hedgehog <i>Paraechinus nudiventris</i> (Order: Eulipotyphla, Family: Erinaceidae) in southern India. <i>Mammalia</i> , 2019, 83, 470-478. | 0.3 | 1 |
| 10205 | Spatial and Temporal Potential Groundwater Recharge: the Case of the Doce River Basin, Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2019, 43, . | 0.5 | 8 |
| 10206 | Are stacked species distribution models accurate at predicting multiple levels of diversity along a rainfall gradient?. <i>Austral Ecology</i> , 2019, 44, 105-113. | 0.7 | 16 |
| 10207 | Phylogeography of Atlantic Forest glassfrogs (<i>Vitreorana</i>): when geography, climate dynamics and rivers matter. <i>Heredity</i> , 2019, 122, 545-557. | 1.2 | 21 |
| 10208 | New insights into adaptation and population structure of cork oak using genotyping by sequencing. <i>Global Change Biology</i> , 2019, 25, 337-350. | 4.2 | 48 |
| 10209 | Diversification and historical demography of the rapid racerunner (<i>Eremias velox</i>) in relation to geological history and Pleistocene climatic oscillations in arid Central Asia. <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 244-258. | 1.2 | 18 |
| 10210 | Management of <i>Sirex noctilio</i> populations in exotic pine plantations: critical issues explaining invasion success and damage levels in South America. <i>Journal of Pest Science</i> , 2019, 92, 131-142. | 1.9 | 24 |
| 10211 | Tectonic, topographic and rock-type influences on large landslides at the northern margin of the Anatolian Plateau. <i>Landslides</i> , 2019, 16, 333-346. | 2.7 | 32 |
| 10212 | Rapid and repeated local adaptation to climate in an invasive plant. <i>New Phytologist</i> , 2019, 222, 614-627. | 3.5 | 110 |
| 10213 | Identifying regrowth forests with advanced mature forest values. <i>Forest Ecology and Management</i> , 2019, 433, 73-84. | 1.4 | 12 |
| 10214 | Evaluating environmental factors, geographic scale and methods for viticultural zoning in the high-altitude region of Santa Catarina, Brazil. <i>Remote Sensing Applications: Society and Environment</i> , 2019, 13, 158-170. | 0.8 | 3 |
| 10215 | Predictors of <i>Phytophthora</i> diversity and community composition in natural areas across diverse Australian ecoregions. <i>Ecography</i> , 2019, 42, 565-577. | 2.1 | 25 |
| 10216 | Combining sampling techniques aids monitoring of tropical butterflies. <i>Insect Conservation and Diversity</i> , 2019, 12, 362-372. | 1.4 | 11 |
| 10217 | Litter Decomposition in Yellowstone Grasslands: The Roles of Large Herbivores, Litter Quality, and Climate. <i>Ecosystems</i> , 2019, 22, 929-937. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10218 | Modelling food sourcing decisions under climate change: A data-driven approach. <i>Computers and Industrial Engineering</i> , 2019, 128, 911-919. | 3.4 | 19 |
| 10219 | How do bat, rodent, and marsupial communities respond to spatial and environmental gradients? Insights from a deconstruction of mammal beta diversity from the Atlantic Forest of South America. <i>Oecologia</i> , 2019, 189, 851-861. | 0.9 | 10 |
| 10220 | Quaternary range-shifts of arboreal rodents of the genus <i>Habromys</i> (Cricetidae, Neotominae) in Mesoamerica and their evolutionary consequences. <i>Mammalian Biology</i> , 2019, 94, 4-10. | 0.8 | 3 |
| 10221 | Climate and landscape patterns of pine forest decline after invasion by the pinewood nematode. <i>Forest Ecology and Management</i> , 2019, 433, 43-51. | 1.4 | 28 |
| 10222 | Vestured pits and scalariform perforation plate morphology modify the relationships between angiosperm vessel diameter, climate and maximum plant height. <i>New Phytologist</i> , 2019, 221, 1802-1813. | 3.5 | 19 |
| 10223 | Remotely-sensed phenology of Italian forests: Going beyond the species. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 74, 314-321. | 1.4 | 25 |
| 10224 | The role of short-term weather conditions in temporal dynamics of fire regime features in mainland Spain. <i>Journal of Environmental Management</i> , 2019, 241, 575-586. | 3.8 | 19 |
| 10225 | Alpine species in dynamic insular ecosystems through time: conservation genetics and niche shift estimates of the endemic and vulnerable <i>Viola cheiranthifolia</i> . <i>Annals of Botany</i> , 2019, 123, 505-519. | 1.4 | 10 |
| 10226 | Evolutionary potential varies across populations and traits in the neotropical oak <i>Quercus oleoides</i> . <i>Tree Physiology</i> , 2019, 39, 427-439. | 1.4 | 14 |
| 10227 | Evolution of the Grey-bellied pygmy mouse group: Highly structured molecular diversity with predictable geographic ranges but morphological crypsis. <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 143-155. | 1.2 | 17 |
| 10228 | Species distribution modelling and cp<scp>SSR</scp> reveal population history of the Neotropical annual herb <i>Tithonia rotundifolia</i> (Asteraceae). <i>Plant Biology</i> , 2019, 21, 248-258. | 1.8 | 5 |
| 10229 | Shrub encroachment is not always land degradation: Insights from ground-dwelling beetle species niches along a shrub cover gradient in a semi-arid Namibian savanna. <i>Land Degradation and Development</i> , 2019, 30, 14-24. | 1.8 | 27 |
| 10230 | Agricultural area losses and pollinator mismatch due to climate changes endanger passion fruit production in the Neotropics. <i>Agricultural Systems</i> , 2019, 169, 49-57. | 3.2 | 14 |
| 10231 | Large Scale Crop Suitability Assessment Under Future Climate Using the Ecocrop Model: The Case of Six Provinces in Angola's Planalto Region. , 2019, , 39-48. | | 7 |
| 10232 | Variation in the performance and thermostability of photosystem II in European beech (<i>Fagus sylvatica</i>) Research, 2019, 138, 79-92. | 1.1 | 16 |
| 10233 | The importance of hidden diversity for insect conservation: a case study in hoverflies (the Merodon) | 0.8 | 8 |
| 10234 | Distributional patterns of Neotropical seasonally dry forest birds: a biogeographical regionalization. <i>Cladistics</i> , 2019, 35, 446-460. | 1.5 | 25 |
| 10235 | Effect of protection status on mammal richness and abundance in Afromontane forests of the Udzungwa Mountains, Tanzania. <i>Biological Conservation</i> , 2019, 229, 78-84. | 1.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10236 | Modeling alpine grassland forage phosphorus based on hyperspectral remote sensing and a multi-factor machine learning algorithm in the east of Tibetan Plateau, China. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 147, 104-117. | 4.9 | 44 |
| 10237 | Landscape-specific thresholds in the relationship between species richness and natural land cover. <i>Journal of Applied Ecology</i> , 2019, 56, 1019-1029. | 1.9 | 14 |
| 10238 | Phylogeography of a widespread lizard complex reflects patterns of both geographic and ecological isolation. <i>Molecular Ecology</i> , 2019, 28, 644-657. | 2.0 | 23 |
| 10239 | High probability areas for ASF infection in China along the Russian and Korean borders. <i>Transboundary and Emerging Diseases</i> , 2019, 66, 852-864. | 1.3 | 36 |
| 10240 | Molecular phylogenetics and biogeography provide insights into the subgeneric classification of <i>Wiedemannia Zetterstedt</i> (Diptera: Empididae: Clinocerinae). <i>Systematic Entomology</i> , 2019, 44, 559-570. | 1.7 | 8 |
| 10241 | Assessing the vulnerability of Oak (<i>Quercus</i>) forest ecosystems under projected climate and land use land cover changes in Western Himalaya. <i>Biodiversity and Conservation</i> , 2019, 28, 2275-2294. | 1.2 | 29 |
| 10242 | The International Tree-Ring Data Bank (<scp>ITRDB</scp>) revisited: Data availability and global ecological representativity. <i>Journal of Biogeography</i> , 2019, 46, 355-368. | 1.4 | 123 |
| 10243 | Conventional methods for enhancing connectivity in conservation planning do not always maintain gene flow. <i>Journal of Applied Ecology</i> , 2019, 56, 913-922. | 1.9 | 15 |
| 10244 | Predicting beta diversity of terrestrial and aquatic beetles using ecogeographical variables: insights from the replacement and richness difference components. <i>Journal of Biogeography</i> , 2019, 46, 304-315. | 1.4 | 48 |
| 10245 | Niche modelling of the potential distribution of the Egyptian Vulture <i>Neophron percnopterus</i> during summer and winter in Iran, to identify gaps in protected area coverage. <i>Bird Conservation International</i> , 2019, 29, 423-436. | 0.7 | 5 |
| 10246 | Tracking Host Trees: The Phylogeography of Endemic <i>Psittacanthus sonorae</i> (Loranthaceae) Mistletoe in the Sonoran Desert. <i>Journal of Heredity</i> , 2019, 110, 229-246. | 1.0 | 9 |
| 10247 | Predicting the distribution of harmful species and their natural enemies in agricultural, livestock and forestry systems: an overview. <i>International Journal of Pest Management</i> , 2019, 65, 190-206. | 0.9 | 36 |
| 10248 | Evolutionary and demographic correlates of Pleistocene coastline changes in the Sicilian wall lizard <i>Podarcis wagleriana</i> . <i>Journal of Biogeography</i> , 2019, 46, 224-237. | 1.4 | 18 |
| 10249 | Temperature and agriculture are largely associated with fire activity in Central Chile across different temporal periods. <i>Forest Ecology and Management</i> , 2019, 433, 535-543. | 1.4 | 35 |
| 10250 | Cattle don't care: Animal behaviour is similar regardless of grazing management in grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2019, 272, 175-187. | 2.5 | 37 |
| 10251 | Monitoring crop phenology using a smartphone based near-surface remote sensing approach. <i>Agricultural and Forest Meteorology</i> , 2019, 265, 327-337. | 1.9 | 75 |
| 10252 | Ecological divergence plays an important role in strong but complex reproductive isolation in champions (<i>Silene</i>)*. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 245-261. | 1.1 | 32 |
| 10253 | Combining phylogeography and future climate change for conservation of <i>Bombus morio</i> and <i>B. pauloensis</i> (Hymenoptera: Apidae). <i>Journal of Insect Conservation</i> , 2019, 23, 63-73. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10254 | Evaluating and supporting conservation action in agricultural landscapes of the Usumacinta River Basin. <i>Journal of Environmental Management</i> , 2019, 230, 392-404. | 3.8 | 9 |
| 10255 | Intraspecific variation in lizard heat tolerance alters estimates of climate impact. <i>Journal of Animal Ecology</i> , 2019, 88, 247-257. | 1.3 | 56 |
| 10256 | Phylogenetic trends and environmental correlates of nuclear genome size variation in <i>Helianthus</i> sunflowers. <i>New Phytologist</i> , 2019, 221, 1609-1618. | 3.5 | 39 |
| 10257 | Modelling climate change effects on Zagros forests in Iran using individual and ensemble forecasting approaches. <i>Theoretical and Applied Climatology</i> , 2019, 137, 1015-1025. | 1.3 | 21 |
| 10258 | Allopatric diversification and evolutionary melting pot in a North African Palearctic relict: The biogeographic history of <i>Salamandra atra</i> . <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 81-91. | 1.2 | 25 |
| 10259 | The interplay between facilitation and habitat type drives spatial vegetation patterns in global drylands. <i>Ecography</i> , 2019, 42, 755-767. | 2.1 | 23 |
| 10260 | Towards globally customizable ecosystem service models. <i>Science of the Total Environment</i> , 2019, 650, 2325-2336. | 3.9 | 91 |
| 10261 | Drivers of regional and local diversity of Amazonian stream Odonata. <i>Insect Conservation and Diversity</i> , 2019, 12, 251-261. | 1.4 | 17 |
| 10262 | The Mission: Human Capital Transmission, Economic Persistence, and Culture in South America*. <i>Quarterly Journal of Economics</i> , 2019, 134, 507-556. | 3.8 | 136 |
| 10263 | Heuristic cellular automaton model for simulating soil organic carbon under land use and climate change: A case study in eastern China. <i>Agriculture, Ecosystems and Environment</i> , 2019, 269, 156-166. | 2.5 | 14 |
| 10264 | Temporal deconvolution of vascular plant-derived fatty acids exported from terrestrial watersheds. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 244, 502-521. | 1.6 | 28 |
| 10265 | A meta-analysis of ungulate predation and prey selection by the brown bear <i>Ursus arctos</i> in Eurasia. <i>Mammal Research</i> , 2019, 64, 1-9. | 0.6 | 50 |
| 10266 | Over-winter ecology and relative density of Canada Warbler <i>Cardellina canadensis</i> in Colombia: the basis for defining conservation priorities for a sharply declining long-distance migrant. <i>Bird Conservation International</i> , 2019, 29, 232-248. | 0.7 | 15 |
| 10267 | Drivers of diet patterns in a globally distributed freshwater fish species. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2019, 76, 1263-1274. | 0.7 | 8 |
| 10268 | Impact of climate change on the distribution range and niche dynamics of Himalayan birch, a typical treeline species in Himalayas. <i>Biodiversity and Conservation</i> , 2019, 28, 2345-2370. | 1.2 | 82 |
| 10269 | How can climate change affect the potential distribution of common genet <i>Genetta genetta</i> (Linnaeus) Tj ETQq1 1 0,784314,rgBT /O | 0,6 | 1 |
| 10270 | Schistosomes, snails and climate change: Current trends and future expectations. <i>Acta Tropica</i> , 2019, 190, 257-268. | 0.9 | 68 |
| 10271 | An uncertain future for the endemic Galliformes of the Caucasus. <i>Science of the Total Environment</i> , 2019, 651, 725-735. | 3.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10272 | Important areas for the conservation of the European Roller <i>Coracias garrulus</i> during the non-breeding season in southern Africa. Bird Conservation International, 2019, 29, 159-175. | 0.7 | 7 |
| 10273 | Incorporating microclimate into species distribution models. Ecography, 2019, 42, 1267-1279. | 2.1 | 209 |
| 10274 | A revised above-ground maximum biomass layer for the Australian continent. Forest Ecology and Management, 2019, 432, 264-275. | 1.4 | 19 |
| 10275 | Role of way of life, latitude, elevation and climate on the richness and distribution of orchid species. Biodiversity and Conservation, 2019, 28, 75-96. | 1.2 | 33 |
| 10276 | Scenarios of Land Use and Land Cover Change and Their Multiple Impacts on Natural Capital in Tanzania. Environmental Conservation, 2019, 46, 17-24. | 0.7 | 18 |
| 10277 | Functional trait variation of forest understorey plant communities across Europe. Basic and Applied Ecology, 2019, 34, 1-14. | 1.2 | 33 |
| 10278 | Predicting the Risk of Biological Invasions Using Environmental Similarity and Transport Network Connectedness. Risk Analysis, 2019, 39, 35-53. | 1.5 | 12 |
| 10279 | Informing decisions on an extremely data poor species facing imminent extinction. Oryx, 2019, 53, 484-490. | 0.5 | 6 |
| 10280 | Comparison of upscaling cropland and non-cropland map using uncertainty weighted majority rule-based and the majority rule-based aggregation methods. Geocarto International, 2019, 34, 149-163. | 1.7 | 2 |
| 10281 | Are we witnessing speciation? A case study of the species <i>Sirthena flavipes</i> (Stål, 1855) (Heteroptera: Reduviidae). Austral Entomology, 2019, 58, 96-110. | 0.8 | 2 |
| 10282 | Rediscovery of the southern California endemic American Keeled Slug <i>Anadenulus cockerelli</i> (Hemphill, 1890) after a 68-year hiatus. Journal of Natural History, 2019, 53, 1515-1531. | 0.2 | 5 |
| 10283 | Ecosystem controlled soil-rock pCO ₂ and carbonate weathering – Constraints by temperature and soil water content. Chemical Geology, 2019, 527, 118634. | 1.4 | 37 |
| 10284 | Inconsistent interspecific and intraspecific differentiation of climate envelopes in a subtropical tree. Journal of Plant Ecology, 2019, 12, 176-185. | 1.2 | 3 |
| 10285 | Errors and uncertainties in regional climate simulations of rainfall variability over Tunisia: a multi-model and multi-member approach. Climate Dynamics, 2019, 52, 335-361. | 1.7 | 10 |
| 10286 | <i>Stipa crassiculmis</i> subsp. <i>picientina</i> (Poaceae) new for the Balkans – a further example of amph-Adriatic disjunction. Plant Biosystems, 2019, 153, 32-38. | 0.8 | 3 |
| 10287 | Climatic Suitability Derived from Species Distribution Models Captures Community Responses to an Extreme Drought Episode. Ecosystems, 2019, 22, 77-90. | 1.6 | 25 |
| 10288 | The importance of wetlands for the Greater Spotted Eagle <i>Clanga clanga</i> wintering in the Mediterranean Basin. Bird Conservation International, 2019, 29, 115-123. | 0.7 | 8 |
| 10289 | Hottentot Buttonquail <i>Turnix hottentottus</i> : Endangered or just overlooked?. Bird Conservation International, 2019, 29, 136-143. | 0.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10290 | Spatial analysis of the benefits and burdens of ecological focus areas for water-related ecosystem services vulnerable to climate change in Europe. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2019, 24, 205-233. | 1.0 | 4 |
| 10291 | Climate change impacts on potential distribution of multipurpose agro-forestry species: <i>Argania spinosa</i> (L.) Skeels as case study. <i>Agroforestry Systems</i> , 2019, 93, 1209-1219. | 0.9 | 32 |
| 10292 | Adaptive management and planning for the conservation of four threatened large Asian mammals in a changing climate. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2019, 24, 259-280. | 1.0 | 20 |
| 10293 | Historical explanation of genetic variation in the Mediterranean horseshoe bat <i>Rhinolophus euryale</i> (Chiroptera: Rhinolophidae) inferred from mitochondrial cytochrome-b and D-loop genes in Iran. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 135-147. | 0.7 | 11 |
| 10294 | Mid-Pleistocene and Holocene demographic fluctuation of Scots pine (<i>Pinus sylvestris</i> L.) in the Carpathian Mountains and the Pannonian Basin: Signs of historical expansions and contractions. <i>Quaternary International</i> , 2019, 504, 202-213. | 0.7 | 11 |
| 10295 | Changing cultures, changing environments: A novel means of investigating the effects of introducing non-native species into past ecosystems. <i>Journal of Archaeological Science: Reports</i> , 2019, 23, 1066-1075. | 0.2 | 1 |
| 10296 | Sex and season explain spleen weight variation in the Egyptian mongoose. <i>Environmental Epigenetics</i> , 2019, 65, 11-20. | 0.9 | 6 |
| 10297 | A highly endangered species on the edge: distribution, habitat use and outlook for <i>Colias myrmidone</i> in newly established Natura 2000 areas in Romania. <i>Environment, Development and Sustainability</i> , 2020, 22, 2399-2414. | 2.7 | 5 |
| 10298 | Modelling potential distribution of a pine bark beetle in Mexican temperate forests using forecast data and spatial analysis tools. <i>Journal of Forestry Research</i> , 2020, 31, 649-659. | 1.7 | 9 |
| 10299 | Molecular systematics of the Amazonian endemic genus <i>Hylexetastes</i> (Aves: Dendrocolaptidae): taxonomic and conservation implications. <i>Ibis</i> , 2020, 162, 119-136. | 1.0 | 9 |
| 10300 | Vulnerability of Cerrado threatened mammals: an integrative landscape and climate modeling approach. <i>Biodiversity and Conservation</i> , 2020, 29, 1637-1658. | 1.2 | 25 |
| 10301 | Climatic niche of the Saker Falcon <i>Falco cherrug</i> : predicted new areas to direct population surveys in Central Asia. <i>Ibis</i> , 2020, 162, 27-41. | 1.0 | 18 |
| 10302 | Maxilloturbinal Aids in Nasophonation in Horseshoe Bats (Chiroptera: Rhinolophidae). <i>Anatomical Record</i> , 2020, 303, 110-128. | 0.8 | 13 |
| 10303 | Spatial priorities for agricultural development in the Brazilian Cerrado: may economy and conservation coexist?. <i>Biodiversity and Conservation</i> , 2020, 29, 1683-1700. | 1.2 | 22 |
| 10304 | Effects of climate changes on distribution of <i>Eremanthus erythropappus</i> and <i>E. incanus</i> (Asteraceae) in Brazil. <i>Journal of Forestry Research</i> , 2020, 31, 353-364. | 1.7 | 5 |
| 10305 | What is the shape of the fundamental Grinnellian niche?. <i>Theoretical Ecology</i> , 2020, 13, 105-115. | 0.4 | 26 |
| 10306 | Genome-wide signatures of environmental adaptation in European aspen (<i>Populus tremula</i>) under current and future climate conditions. <i>Evolutionary Applications</i> , 2020, 13, 132-142. | 1.5 | 43 |
| 10307 | Potential distribution of and priority conservation areas for the Endangered Caatinga howler monkey <i>Alouatta ululata</i> in north-eastern Brazil. <i>Oryx</i> , 2020, 54, 794-802. | 0.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10308 | Divergence and hybridization in the desert plant <i>Reaumuria soongarica</i> . <i>Journal of Systematics and Evolution</i> , 2020, 58, 159-173. | 1.6 | 5 |
| 10309 | Modeling spatiotemporal distribution of <i>Dipterocarpus turbinatus</i> Gaertn. F in Bangladesh under climate change scenarios. <i>Journal of Sustainable Forestry</i> , 2020, 39, 221-241. | 0.6 | 5 |
| 10310 | Geographical clines in the size of the herb field mouse (<i>Apodemus uralensis</i>). <i>Integrative Zoology</i> , 2020, 15, 55-68. | 1.3 | 9 |
| 10311 | Ranging behaviour of Uganda's elephants. <i>African Journal of Ecology</i> , 2020, 58, 2-13. | 0.4 | 3 |
| 10312 | Rapid detection of stressed agricultural environments in Africa under climatic change 2000–2050 using agricultural resource indices and a hotspot mapping approach. <i>Weather and Climate Extremes</i> , 2020, 27, 100211. | 1.6 | 7 |
| 10313 | Combined Use of Local and Global Hydro Meteorological Data with Hydrological Models for Water Resources Management in the Magdalena - Cauca Macro Basin – Colombia. <i>Water Resources Management</i> , 2020, 34, 2179-2199. | 1.9 | 20 |
| 10314 | Predicting impacts of climate change on the potential distribution of two interacting species in the forests of western Iran. <i>Meteorological Applications</i> , 2020, 27, e1800. | 0.9 | 9 |
| 10315 | Climate migrants' survival threatened by C-shaped anthropic barriers. <i>Integrative Zoology</i> , 2020, 15, 32-39. | 1.3 | 2 |
| 10316 | Tree species and size influence soil water partitioning in coffee agroforestry. <i>Agroforestry Systems</i> , 2020, 94, 137-149. | 0.9 | 9 |
| 10317 | Tree diversity and above-ground biomass in the South America Cerrado biome and their conservation implications. <i>Biodiversity and Conservation</i> , 2020, 29, 1519-1536. | 1.2 | 36 |
| 10318 | The potential tropical island distribution of a temperate invasive snail, <i>Oxychilus alliarius</i> , modeled on its distribution in Hawaii. <i>Biological Invasions</i> , 2020, 22, 307-327. | 1.2 | 5 |
| 10319 | Effects of Nitrogen Deposition on the Abundance and Metabolism of Lichens: A Meta-analysis. <i>Ecosystems</i> , 2020, 23, 783-797. | 1.6 | 7 |
| 10320 | Vulnerability of <i>Phyllocycla</i> Species (Odonata: Gomphidae) to Current and Planned Anthropic Activities by the Brazilian Government. <i>Neotropical Entomology</i> , 2020, 49, 24-32. | 0.5 | 6 |
| 10321 | Atmospheric dust dynamics in southern South America: A 14-year modern dust record in the loessic Pampean region. <i>Holocene</i> , 2020, 30, 575-588. | 0.9 | 18 |
| 10322 | Redevelopment modeling for land suitability evaluation of the suburb brown-fields using fuzzy logic and GIS, northeastern Iran. <i>Environment, Development and Sustainability</i> , 2020, 22, 6213-6232. | 2.7 | 8 |
| 10323 | Learning from Dynamic Traits: Seasonal Shifts Yield Insights into Ecophysiological Trade-Offs across Scales from Macroevolutionary to Intraindividual. <i>International Journal of Plant Sciences</i> , 2020, 181, 88-102. | 0.6 | 10 |
| 10324 | Lovebirds in the air: trade patterns, establishment success and niche shifts of <i>Agapornis</i> parrots within their non-native range. <i>Biological Invasions</i> , 2020, 22, 421-435. | 1.2 | 14 |
| 10325 | Correlations between plant climate optima across different spatial scales. <i>Environmental and Experimental Botany</i> , 2020, 170, 103899. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10326 | Intra-annual stem size variations converge across marginal populations of European beech. <i>Trees - Structure and Function</i> , 2020, 34, 255-265. | 0.9 | 5 |
| 10327 | Effects of climate and land-use gradients on avian phylogenetic and functional diversity in a tropical dry forest. <i>Journal of Arid Environments</i> , 2020, 173, 104024. | 1.2 | 12 |
| 10328 | The effects of climate change on the distribution of South American antbirds (<i>Thamnophilus</i>). <i>Journal of Ornithology</i> , 2020, 161, 229-241. | 0.5 | 4 |
| 10329 | Influence of climatic variables on CSR strategies of aquatic plants in a semiarid region. <i>Hydrobiologia</i> , 2020, 847, 61-74. | 1.0 | 3 |
| 10330 | Describing a drowned Pleistocene ecosystem: Last Glacial Maximum vegetation reconstruction of the Palaeo-Agulhas Plain. <i>Quaternary Science Reviews</i> , 2020, 235, 105866. | 1.4 | 39 |
| 10331 | Comparisons of two global built area land cover datasets in methods to disaggregate human population in eleven countries from the global South. <i>International Journal of Digital Earth</i> , 2020, 13, 78-100. | 1.6 | 27 |
| 10332 | An assessment of the impact of climate change on the distribution of the grey-shanked douc <i>Pygathrix cinerea</i> using an ecological niche model. <i>Primates</i> , 2020, 61, 267-275. | 0.7 | 6 |
| 10333 | Molecular and morphometric identification of pistachio psyllids with niche modeling of <i>Agonoscena pistaciae</i> (Hemiptera: Aphalaridae). <i>Bulletin of Entomological Research</i> , 2020, 110, 259-269. | 0.5 | 3 |
| 10334 | Phylogeography of the blue-winged kookaburra <i>Dacelo leachii</i> across tropical northern Australia and New Guinea. <i>Emu</i> , 2020, 120, 33-45. | 0.2 | 5 |
| 10335 | KULUNDA: Climate Smart Agriculture. <i>Innovations in Landscape Research</i> , 2020, , . | 0.2 | 13 |
| 10336 | Fruit production needed to maintain populations of woolly monkeys: Recommendations for reintroduction projects. <i>Global Ecology and Conservation</i> , 2020, 21, e00817. | 1.0 | 1 |
| 10337 | Integrative approach untangles the misconceptions about the range and identity of two stingless bees from the Brazilian semiarid region. <i>Journal of Apicultural Research</i> , 2020, 59, 592-598. | 0.7 | 0 |
| 10338 | Thermal Transport in Conductive Polymer-Based Materials. <i>Advanced Functional Materials</i> , 2020, 30, 1904704. | 7.8 | 122 |
| 10339 | Evolutionary history of mountain voles of the subgenus <i>Aschizomys</i> (Cricetidae, Rodentia), inferred from mitochondrial and nuclear markers. <i>Integrative Zoology</i> , 2020, 15, 187-201. | 1.3 | 3 |
| 10340 | Polyploid plants have faster rates of multivariate niche differentiation than their diploid relatives. <i>Ecology Letters</i> , 2020, 23, 68-78. | 3.0 | 106 |
| 10341 | Biogeographic variation in temperature sensitivity of decomposition in forest soils. <i>Global Change Biology</i> , 2020, 26, 1873-1885. | 4.2 | 49 |
| 10342 | Ecophysiological traits of invasive alien <i>Acacia cyclops</i> compared to co-occurring native species in Strandveld vegetation of the Cape Floristic Region. <i>Austral Ecology</i> , 2020, 45, 48-59. | 0.7 | 9 |
| 10343 | Distinct taxonomic and phylogenetic patterns of plant communities on acid and limestone soils in subtropical and tropical China. <i>Journal of Vegetation Science</i> , 2020, 31, 194-207. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10344 | Thermal niche predictors of alpine plant species. <i>Ecology</i> , 2020, 101, e02891. | 1.5 | 34 |
| 10345 | Correlative climatic niche models predict real and virtual species distributions equally well. <i>Ecology</i> , 2020, 101, e02912. | 1.5 | 36 |
| 10346 | Ecological niche modelling of <i>Gargaphia decoris</i> (Heteroptera), a biological control agent of the invasive tree <i>Solanum mauritianum</i> (Solanales: Solanaceae). <i>Pest Management Science</i> , 2020, 76, 1273-1281. | 1.7 | 8 |
| 10347 | The impacts of climate change on the habitat distribution of the vulnerable Patagonian-Fuegian species <i>Ctenomys magellanicus</i> (Rodentia, Ctenomyidae). <i>Journal of Arid Environments</i> , 2020, 173, 104016. | 1.2 | 18 |
| 10348 | A look into the past, present and future potential distributions of <i>Talinopsis frutescens</i> , a North American endemic lineage closely related to Cactaceae. <i>Journal of Arid Land</i> , 2020, 12, 104-114. | 0.9 | 0 |
| 10349 | Balance between community assembly processes mediates species coexistence in agricultural soil microbiomes across eastern China. <i>ISME Journal</i> , 2020, 14, 202-216. | 4.4 | 508 |
| 10350 | Phylogenetic relationships and phylogeography of the genus <i>Sinocyrtaspis</i> Liu, 2000 (Orthoptera: Tettigoniidae: Meconematinae) reveal speciation processes related to climate change. <i>Systematic Entomology</i> , 2020, 45, 144-159. | 1.7 | 11 |
| 10351 | Allowing for human socioeconomic impacts in the conservation of plants under climate change. <i>Plant Biosystems</i> , 2020, 154, 295-305. | 0.8 | 9 |
| 10352 | Adaptive introgression as a driver of local adaptation to climate in European white oaks. <i>New Phytologist</i> , 2020, 226, 1171-1182. | 3.5 | 117 |
| 10353 | Population genetics of the Plumbeous Sierra-finch (<i>Geospizopsis unicolor</i>) across the Ecuadorian paramos: uncovering the footprints of the last ice age. <i>Journal of Ornithology</i> , 2020, 161, 115-123. | 0.5 | 3 |
| 10354 | Shifts Along a Spectrum: A Longitudinal Study of the Western Eurasian Realized Climate Niche. <i>Environmental Archaeology</i> , 2020, 25, 381-396. | 0.6 | 0 |
| 10355 | Habitat productivity is a poor predictor of body size in rodents. <i>Environmental Epigenetics</i> , 2020, 66, 135-143. | 0.9 | 22 |
| 10356 | A socio-ecological landscape analysis of human-wildlife conflict in northern Botswana. <i>Oryx</i> , 2020, 54, 661-669. | 0.5 | 3 |
| 10357 | A multiscale approach to detect selection in nonmodel tree species: Widespread adaptation despite population decline in <i>Taxus baccata</i> L. <i>Evolutionary Applications</i> , 2020, 13, 143-160. | 1.5 | 22 |
| 10358 | Identification of loci controlling adaptation in Chinese soya bean landraces via a combination of conventional and bioclimatic GWAS. <i>Plant Biotechnology Journal</i> , 2020, 18, 389-401. | 4.1 | 30 |
| 10359 | Macroecology in the age of Big Data – Where to go from here?. <i>Journal of Biogeography</i> , 2020, 47, 1-12. | 1.4 | 81 |
| 10360 | Habitat metrics based on multi-temporal Landsat imagery for mapping large mammal habitat. <i>Remote Sensing in Ecology and Conservation</i> , 2020, 6, 52-69. | 2.2 | 41 |
| 10361 | Multidisciplinary classification of Canadian river reaches to support the sustainable management of freshwater systems. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2020, 77, 326-341. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10362 | Genomic signatures of seed mass adaptation to global precipitation gradients in sorghum. <i>Heredity</i> , 2020, 124, 108-121. | 1.2 | 28 |
| 10363 | Tropical forest composition and function across space and time: Insights from diverse gradients in Área de Conservación Guanacaste. <i>Biotropica</i> , 2020, 52, 1065-1075. | 0.8 | 9 |
| 10364 | Patagonian bats: new size limits, southernmost localities and updated distribution for <i>Lasiurus villosissimus</i> and <i>Myotis dinellii</i> (Chiroptera: Vespertilionidae). <i>Mammalia</i> , 2020, 84, 150-161. | 0.3 | 4 |
| 10365 | Integration of multiple climate models to predict range shifts and identify management priorities of the endangered <i>Taxus wallichiana</i> in the Himalaya-Hengduan Mountain region. <i>Journal of Forestry Research</i> , 2020, 31, 2255-2272. | 1.7 | 7 |
| 10366 | Retracing the contours of the early angiosperm environmental niche. <i>Annals of Botany</i> , 2020, 125, 49-57. | 1.4 | 1 |
| 10367 | Estimation of the Budyko model parameter for small basins in China. <i>Hydrological Processes</i> , 2020, 34, 125-138. | 1.1 | 42 |
| 10368 | Climatic niche shift of an invasive shrub (<i>Ulex europaeus</i>): a global scale comparison in native and introduced regions. <i>Journal of Plant Ecology</i> , 2020, 13, 42-50. | 1.2 | 21 |
| 10369 | The role of climate and biotic factors in shaping current distributions and potential future shifts of European Neocrepidodera (Coleoptera, Chrysomelidae). <i>Insect Conservation and Diversity</i> , 2020, 13, 47-62. | 1.4 | 18 |
| 10370 | Social but lonely: Species delimitation of social voles and the evolutionary history of the only <i>Microtus</i> species living in Africa. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 475-498. | 0.6 | 9 |
| 10371 | Spatio-temporal variations in vegetation types based on a climatic grassland classification system during the past 30 years in Inner Mongolia, China. <i>Catena</i> , 2020, 185, 104298. | 2.2 | 22 |
| 10372 | Assessment of yield gaps on global grazed-only permanent pasture using climate binning. <i>Global Change Biology</i> , 2020, 26, 1820-1832. | 4.2 | 11 |
| 10373 | Discriminating the effects of local stressors from climatic factors and dispersal processes on multiple biodiversity dimensions of macroinvertebrate communities across subtropical drainage basins. <i>Science of the Total Environment</i> , 2020, 711, 134750. | 3.9 | 32 |
| 10374 | Anticipating white-nose syndrome in the Southern Hemisphere: Widespread conditions favourable to <i>Pseudogymnoascus destructans</i> pose a serious risk to Australia's bat fauna. <i>Austral Ecology</i> , 2020, 45, 89-96. | 0.7 | 14 |
| 10375 | Physiology in ecological niche modeling: using zebra mussel's upper thermal tolerance to refine model predictions through Bayesian analysis. <i>Ecography</i> , 2020, 43, 270-282. | 2.1 | 12 |
| 10376 | Basidiome production of ectomycorrhizal and saprophytic agaricoid fungi respond differently to forest management. <i>Canadian Journal of Forest Research</i> , 2020, 50, 102-112. | 0.8 | 0 |
| 10377 | Reconstructing distribution of the Eastern Rock Nuthatch during the Last Glacial Maximum and Last Interglacial. <i>Avian Biology Research</i> , 2020, 13, 3-9. | 0.4 | 11 |
| 10378 | Modeling the potential distribution of <i>Zelkova schneideriana</i> under different human activity intensities and climate change patterns in China. <i>Global Ecology and Conservation</i> , 2020, 21, e00840. | 1.0 | 18 |
| 10379 | Influence of spatiotemporal change of temperature and rainfall on major grain yields in southern Jiangsu Province, China. <i>Global Ecology and Conservation</i> , 2020, 21, e00818. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10380 | Patterns of floral morphology in relation to climate and floral visitors. <i>Annals of Botany</i> , 2020, 125, 433-445. | 1.4 | 6 |
| 10381 | Evaluating presence-only species distribution models with discrimination accuracy is uninformative for many applications. <i>Journal of Biogeography</i> , 2020, 47, 167-180. | 1.4 | 67 |
| 10382 | Bias Correction of Global High-Resolution Precipitation Climatologies Using Streamflow Observations from 9372 Catchments. <i>Journal of Climate</i> , 2020, 33, 1299-1315. | 1.2 | 94 |
| 10383 | Impacts of urbanization and agricultural legacy on taxonomic and functional diversity in isolated wetlands. <i>Wetlands Ecology and Management</i> , 2020, 28, 19-34. | 0.7 | 8 |
| 10384 | Secondary contact after allopatric divergence explains avian speciation and high species diversity in the Himalayan-Hengduan Mountains. <i>Molecular Phylogenetics and Evolution</i> , 2020, 143, 106671. | 1.2 | 14 |
| 10385 | Assessing the effects of land use on biodiversity in the world's drylands and Mediterranean environments. <i>Biodiversity and Conservation</i> , 2020, 29, 393-408. | 1.2 | 39 |
| 10386 | Shifting ranges of eleven invasive alien plants in China in the face of climate change. <i>Ecological Informatics</i> , 2020, 55, 101024. | 2.3 | 23 |
| 10387 | Temperature drives pre-reproductive selection and shapes the biogeography of a female polymorphism. <i>Ecology Letters</i> , 2020, 23, 149-159. | 3.0 | 37 |
| 10388 | Predicting the potential distribution of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in China using ensemble models. <i>Plant Pathology</i> , 2020, 69, 120-131. | 1.2 | 9 |
| 10389 | Novel method for detection probability and estimating population size of mountain frog, <i>Rana macrocnemis</i> (Boulenger, 1885) at the end of its distribution range. <i>Landscape and Ecological Engineering</i> , 2020, 16, 11-21. | 0.7 | 2 |
| 10390 | New constraints on bedrock erodibility and landscape response times upstream of an active fault. <i>Geomorphology</i> , 2020, 351, 106937. | 1.1 | 29 |
| 10391 | Spatial pattern and determinants of global invasion risk of an invasive species, sharpbelly <i>Hemiculter leucisculus</i> (Basilesky, 1855). <i>Science of the Total Environment</i> , 2020, 711, 134661. | 3.9 | 13 |
| 10392 | Human progress and drought sensitivity behavior. <i>Science of the Total Environment</i> , 2020, 702, 134966. | 3.9 | 3 |
| 10393 | Climatic vulnerabilities and ecological preferences of soil invertebrates across biomes. <i>Molecular Ecology</i> , 2020, 29, 752-761. | 2.0 | 29 |
| 10394 | Late Pleistocene to Holocene human palaeoecology in the tropical environments of coastal eastern Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 537, 109438. | 1.0 | 37 |
| 10395 | Effects of two centuries of global environmental variation on phenology and physiology of <i>Arabidopsis thaliana</i> . <i>Global Change Biology</i> , 2020, 26, 523-538. | 4.2 | 29 |
| 10396 | Geography alone cannot explain <i>Tetranychus truncatus</i> (Acari: Tetranychidae) population abundance and genetic diversity in the context of the center-periphery hypothesis. <i>Heredity</i> , 2020, 124, 383-396. | 1.2 | 9 |
| 10397 | Discordant patterns of introgression across a narrow hybrid zone between two cryptic lineages of an Iberian endemic newt. <i>Journal of Evolutionary Biology</i> , 2020, 33, 202-216. | 0.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10398 | The geographic and climatic distribution of plant height diversity for 19,000 angiosperms in China. <i>Biodiversity and Conservation</i> , 2020, 29, 487-502. | 1.2 | 10 |
| 10399 | Efficient Modelling of Presence-Only Species Data via Local Background Sampling. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2020, 25, 90-111. | 0.7 | 2 |
| 10400 | Forest pattern, not just amount, influences dietary quality in five African countries. <i>Global Food Security</i> , 2020, 25, 100331. | 4.0 | 22 |
| 10401 | Climate change decreases the cooling effect from postfire albedo in boreal North America. <i>Global Change Biology</i> , 2020, 26, 1592-1607. | 4.2 | 29 |
| 10402 | Synthetic resampling strategies and machine learning for digital soil mapping in Iran. <i>European Journal of Soil Science</i> , 2020, 71, 352-368. | 1.8 | 42 |
| 10403 | Climate change and biogeographic connectivity across the Brazilian cerrado. <i>Journal of Biogeography</i> , 2020, 47, 396-407. | 1.4 | 25 |
| 10404 | Potential distribution of two invasive pineapple pests under climate change. <i>Pest Management Science</i> , 2020, 76, 1652-1663. | 1.7 | 33 |
| 10405 | Phenology responses of temperate butterflies to latitude depend on ecological traits. <i>Ecology Letters</i> , 2020, 23, 172-180. | 3.0 | 24 |
| 10406 | Convergent evolution in lemur environmental niches. <i>Journal of Biogeography</i> , 2020, 47, 795-806. | 1.4 | 9 |
| 10407 | Maize yield in Mexico under climate change. <i>Agricultural Systems</i> , 2020, 177, 102697. | 3.2 | 61 |
| 10408 | Climate " grazing interactions in Mongolian rangelands: Effects of grazing change along a large-scale environmental gradient. <i>Journal of Arid Environments</i> , 2020, 173, 104043. | 1.2 | 24 |
| 10409 | Modeling habitat suitability of <i>Dipterocarpus alatus</i> (Dipterocarpaceae) using MaxEnt along the Chao Phraya River in Central Thailand. <i>Forest Science and Technology</i> , 2020, 16, 1-7. | 0.3 | 25 |
| 10410 | Sampling strategy optimization to increase statistical power in landscape genomics: A simulation-based approach. <i>Molecular Ecology Resources</i> , 2020, 20, 154-169. | 2.2 | 35 |
| 10411 | Drivers of the beta diversity of spider assemblages in southern Brazilian temporary wetlands. <i>Ecological Entomology</i> , 2020, 45, 466-475. | 1.1 | 7 |
| 10412 | Ignoring biotic interactions overestimates climate change effects: The potential response of the spotted nutcracker to changes in climate and resource plants. <i>Journal of Biogeography</i> , 2020, 47, 143-154. | 1.4 | 28 |
| 10413 | Temperature dependence of germination and growth in <i>Anthurium</i> (Araceae). <i>Plant Biology</i> , 2020, 22, 184-190. | 1.8 | 4 |
| 10414 | Mass " length allometry covaries with ecosystem productivity at a global scale. <i>Global Ecology and Biogeography</i> , 2020, 29, 87-101. | 2.7 | 3 |
| 10415 | Reconstructing the climatic niche breadth of land use for animal production during the African Holocene. <i>Global Ecology and Biogeography</i> , 2020, 29, 127-147. | 2.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10416 | Seasonal climatic niches diverge in migratory birds. <i>Ibis</i> , 2020, 162, 318-330. | 1.0 | 27 |
| 10417 | Dietary interference on the oxidation and hydrolysis of liposomes during in vitro digestion. <i>International Journal of Food Science and Technology</i> , 2020, 55, 729-741. | 1.3 | 3 |
| 10418 | Holocene increases in palm abundances in northwestern Amazonia. <i>Journal of Biogeography</i> , 2020, 47, 698-711. | 1.4 | 15 |
| 10419 | Historical contingency, niche conservatism and the tendency for some taxa to be more diverse towards the poles. <i>Journal of Biogeography</i> , 2020, 47, 783-794. | 1.4 | 11 |
| 10420 | A strong east-west Mediterranean divergence supports a new phylogeographic history of the carob tree (<i>Ceratonia siliqua</i> , Leguminosae) and multiple domestications from native populations. <i>Journal of Biogeography</i> , 2020, 47, 460-471. | 1.4 | 27 |
| 10421 | Development and preliminary application of a gridded surface air temperature homogenized dataset for China. <i>Theoretical and Applied Climatology</i> , 2020, 139, 505-516. | 1.3 | 12 |
| 10422 | Identifying the drivers and predicting the outcome of conservation agriculture globally. <i>Agricultural Systems</i> , 2020, 177, 102692. | 3.2 | 15 |
| 10423 | Effects of climate and geography on spatial patterns of genetic structure in tropical skinks. <i>Molecular Phylogenetics and Evolution</i> , 2020, 143, 106661. | 1.2 | 6 |
| 10424 | Local climatic changes affect biodiversity responses to land use: A review. <i>Diversity and Distributions</i> , 2020, 26, 76-92. | 1.9 | 49 |
| 10425 | Nonlinear responses of soil nematode community composition to increasing aridity. <i>Global Ecology and Biogeography</i> , 2020, 29, 117-126. | 2.7 | 36 |
| 10426 | Reconstructing the geographic and climatic origins of long-distance bird migrations. <i>Journal of Biogeography</i> , 2020, 47, 155-166. | 1.4 | 49 |
| 10427 | Ant diversity in Neotropical savannas: Hierarchical processes acting at multiple spatial scales. <i>Journal of Animal Ecology</i> , 2020, 89, 412-422. | 1.3 | 2 |
| 10428 | An ecological barrier between the Himalayas and the Hengduan Mountains maintains the disjunct distribution of <i>Roscoea</i> . <i>Journal of Biogeography</i> , 2020, 47, 326-341. | 1.4 | 18 |
| 10429 | Population subdivision and hybridization in a species complex of <i>Gentiana</i> in the Qinghai-Tibetan Plateau. <i>Annals of Botany</i> , 2020, 125, 677-690. | 1.4 | 14 |
| 10430 | Unveiling geographical gradients of species richness from scant occurrence data. <i>Global Ecology and Biogeography</i> , 2020, 29, 748-759. | 2.7 | 5 |
| 10431 | High-resolution distribution modeling of a threatened short-range endemic plant informed by edaphic factors. <i>Ecology and Evolution</i> , 2020, 10, 763-777. | 0.8 | 17 |
| 10432 | Identifying risk factors for persistent versus casual establishment to prioritize rapid response to non-indigenous aquarium fish. <i>Biological Invasions</i> , 2020, 22, 1397-1410. | 1.2 | 1 |
| 10433 | Myxospermous seed-mucilage quantity correlates with environmental gradients indicative of water-deficit stress: <i>Plantago</i> species as a model. <i>Plant and Soil</i> , 2020, 446, 343-356. | 1.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10434 | Revisiting the North-South genetic discontinuity in Central African tree populations: the case of the low-density tree species <i>Baillonella toxisperma</i> . <i>Tree Genetics and Genomes</i> , 2020, 16, 1. | 0.6 | 2 |
| 10435 | Stories from common gardens: Water shortage differentially affects <i>Nothofagus pumilio</i> from contrasting precipitation regimes. <i>Forest Ecology and Management</i> , 2020, 458, 117796. | 1.4 | 17 |
| 10436 | The endangered red panda in Himalayas: Potential distribution and ecological habitat associates. <i>Global Ecology and Conservation</i> , 2020, 21, e00890. | 1.0 | 16 |
| 10437 | Geographic shifts in the bioclimatic suitability for <i>Aedes aegypti</i> under climate change scenarios in Colombia. <i>Heliyon</i> , 2020, 6, e03101. | 1.4 | 21 |
| 10438 | A water balance model to estimate climate change impact on groundwater recharge in Yucatan Peninsula, Mexico. <i>Hydrological Sciences Journal</i> , 2020, 65, 470-486. | 1.2 | 25 |
| 10439 | Drivers of habitat partitioning among three <i>Quercus</i> species along a hydrologic gradient. <i>Tree Physiology</i> , 2020, 40, 142-157. | 1.4 | 2 |
| 10440 | Estimating ecological metrics for holistic conservation management in a biodiverse but information-poor tropical region. <i>Conservation Science and Practice</i> , 2020, 2, e153. | 0.9 | 4 |
| 10441 | Projecting the suitability of global and local habitats for myrtle rust (<i>Austropuccinia psidii</i>) using model consensus. <i>Plant Pathology</i> , 2020, 69, 17-27. | 1.2 | 23 |
| 10442 | Modeling arsenic content in Brazilian soils: What is relevant?. <i>Science of the Total Environment</i> , 2020, 712, 136511. | 3.9 | 22 |
| 10443 | Wing morphology of the butterfly <i>Coenonympha arcania</i> in Europe: Traces of both historical isolation in glacial refugia and current adaptation. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 929-943. | 0.6 | 6 |
| 10444 | Modelling the climate suitability of green carpenter bee (<i>Xylocopa aerata</i>) and its nesting hosts under current and future scenarios to guide conservation efforts. <i>Austral Ecology</i> , 2020, 45, 271-282. | 0.7 | 6 |
| 10445 | Linking Mountain Glacier Retreat and Hydrological Changes in Southwestern Yukon. <i>Water Resources Research</i> , 2020, 56, e2019WR025706. | 1.7 | 19 |
| 10446 | The effect of seasonal variation on the activity patterns of the American black bear: an ecological niche modeling approach. <i>Mammalia</i> , 2020, 84, 315-322. | 0.3 | 6 |
| 10447 | Landscape-scale spatial modelling of deforestation, land degradation, and regeneration using machine learning tools. <i>Land Degradation and Development</i> , 2020, 31, 1699-1712. | 1.8 | 17 |
| 10448 | Prediction Mapping Through Maxent Modeling Paves the Way for the Conservation of <i>Rhododendron arboreum</i> in Uttarakhand Himalayas. <i>Journal of the Indian Society of Remote Sensing</i> , 2020, 48, 411-422. | 1.2 | 19 |
| 10449 | Mapping the environmental suitability of etiological agent and tick vectors of Crimean-Congo hemorrhagic fever. <i>Acta Tropica</i> , 2020, 203, 105319. | 0.9 | 34 |
| 10450 | Land use, soil properties and climate variables influence the nematode communities in the Caatinga dry forest. <i>Applied Soil Ecology</i> , 2020, 150, 103474. | 2.1 | 26 |
| 10451 | Potential effect of the global warming to the subfamily Lipotactinae (Orthoptera: Tettigoniidae) in China and acoustics data of <i>Lipotactes truncatus</i> Shi & Li, 2009. <i>Journal of Asia-Pacific Entomology</i> , 2020, 23, 146-151. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10452 | Defining priorities for global snow leopard conservation landscapes. <i>Biological Conservation</i> , 2020, 241, 108387. | 1.9 | 55 |
| 10453 | Different but valuable: Anthropogenic habitats as genetic diversity reservoirs for endangered dry grassland species – A case study of <i>Stipa pennata</i> . <i>Ecological Indicators</i> , 2020, 111, 105998. | 2.6 | 2 |
| 10454 | Nonlinear relationship of vegetation greening with nature and human factors and its forecast – A case study of Southwest China. <i>Ecological Indicators</i> , 2020, 111, 106009. | 2.6 | 77 |
| 10455 | Potential energy savings and mitigation of emissions by insulation for residential buildings in Mexico. <i>Energy and Buildings</i> , 2020, 209, 109698. | 3.1 | 23 |
| 10457 | Climate change projections for Carpathian soda pans on the basis of photosynthesis evidence from typical diatom species. <i>Science of the Total Environment</i> , 2020, 710, 136241. | 3.9 | 11 |
| 10458 | The fate of Madagascar’s rainforest habitat. <i>Nature Climate Change</i> , 2020, 10, 89-96. | 8.1 | 71 |
| 10459 | Identifying and applying an optimum set of environmental variables in species distribution models. <i>Inland Waters</i> , 2020, 10, 11-28. | 1.1 | 8 |
| 10460 | Ecological variability is associated with functional trait diversity in the western fence lizard (<i>Sceloporus occidentalis</i>). <i>Biological Journal of the Linnean Society</i> , 2020, 129, 414-424. | 0.7 | 9 |
| 10461 | Rabbit bone stable isotope values distinguish desert ecoregions of North America: Data from the archaeological sites of Pueblo Grande, La Ferreria, and La Quemada. <i>Journal of Archaeological Science</i> , 2020, 113, 105063. | 1.2 | 9 |
| 10462 | Macroimmunology: The drivers and consequences of spatial patterns in wildlife immune defence. <i>Journal of Animal Ecology</i> , 2020, 89, 972-995. | 1.3 | 89 |
| 10463 | Lineage-specific adaptation to climate involves flowering time in North American <i>Arabidopsis lyrata</i> . <i>Molecular Ecology</i> , 2020, 29, 1436-1451. | 2.0 | 12 |
| 10464 | Fragmented tropical forests lose mutualistic plant-animal interactions. <i>Diversity and Distributions</i> , 2020, 26, 154-168. | 1.9 | 37 |
| 10465 | Assessing the capacity of endemic alpine water beetles to face climate change. <i>Insect Conservation and Diversity</i> , 2020, 13, 271-282. | 1.4 | 14 |
| 10466 | Assessment of the sustainability of different cropping systems under three irrigation strategies in the North China Plain under climate change. <i>Agricultural Systems</i> , 2020, 178, 102745. | 3.2 | 39 |
| 10467 | Deterministic processes dominate soil methanotrophic community assembly in grassland soils. <i>Geoderma</i> , 2020, 359, 114004. | 2.3 | 24 |
| 10468 | Epidemiology and spatiotemporal analysis of visceral leishmaniasis in Palestine from 1990 to 2017. <i>International Journal of Infectious Diseases</i> , 2020, 90, 206-212. | 1.5 | 4 |
| 10469 | Contrasting drought impacts on the start of phenological growing season in Northern China during 1982–2015. <i>International Journal of Climatology</i> , 2020, 40, 3330-3347. | 1.5 | 13 |
| 10470 | Correlated evolution of morphology, gas exchange, growth rates and hydraulics as a response to precipitation and temperature regimes in oaks (<i>Quercus</i>). <i>New Phytologist</i> , 2020, 227, 794-809. | 3.5 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10471 | Grasslands and Shrublands of Mongolia. , 2020, , 759-772. | | 9 |
| 10472 | Conservation value of tropical forests: Distance to human settlements matters more than management in Central Africa. <i>Biological Conservation</i> , 2020, 241, 108351. | 1.9 | 38 |
| 10473 | Geographical patterns and environmental drivers of functional diversity and trait space of amphibians of Europe. <i>Ecological Research</i> , 2020, 35, 123-138. | 0.7 | 7 |
| 10474 | Temperature drives local contributions to beta diversity in mountain streams: Stochastic and deterministic processes. <i>Global Ecology and Biogeography</i> , 2020, 29, 420-432. | 2.7 | 30 |
| 10475 | Ecological niche divergence between <i>Darevskia rudis</i> and <i>D. bithynica</i> (Lacertidae) in Turkey. <i>Biologia (Poland)</i> , 2020, 75, 1307-1312. | 0.8 | 10 |
| 10476 | Systematic microbial production of optically active dissolved organic matter in subarctic lake water. <i>Limnology and Oceanography</i> , 2020, 65, 951-961. | 1.6 | 11 |
| 10477 | Genomic assessment of local adaptation in dwarf birch to inform assisted gene flow. <i>Evolutionary Applications</i> , 2020, 13, 161-175. | 1.5 | 37 |
| 10478 | Soil and climate equally contribute to changes in the species compositions of Brazilian dry forests across 300 km. <i>Journal of Plant Ecology</i> , 2020, 13, 171-176. | 1.2 | 2 |
| 10479 | Fine scale population structure of hoverfly pollinator, <i>Eristalis arbustorum</i> : an integrative study. <i>Journal of Insect Conservation</i> , 2020, 24, 49-63. | 0.8 | 3 |
| 10480 | Witchcraft beliefs as a cultural legacy of the Atlantic slave trade: Evidence from two continents. <i>European Economic Review</i> , 2020, 122, 103362. | 1.2 | 9 |
| 10481 | The paleoclimatic message from the polymodal grain-size distribution of late Pleistocene-early Holocene Pampean loess (Argentina). <i>Aeolian Research</i> , 2020, 42, 100563. | 1.1 | 12 |
| 10482 | Vulnerability of high-elevation endemic salamanders to climate change: A case study with the Cow Knob Salamander (<i>Plethodon punctatus</i>). <i>Global Ecology and Conservation</i> , 2020, 21, e00883. | 1.0 | 6 |
| 10483 | Investigating spatial non-stationary environmental effects on the distribution of giant pandas in the Qinling Mountains, China. <i>Global Ecology and Conservation</i> , 2020, 21, e00894. | 1.0 | 7 |
| 10484 | <i>Leptoglossus occidentalis</i> (Hemiptera: Coreidae) occurrence, potential habitats, and COI diversity in South Korea. <i>Journal of Asia-Pacific Biodiversity</i> , 2020, 13, 35-45. | 0.2 | 11 |
| 10485 | Heading for the hills? A multi-isotope study of sheep management in first-millennium BC Italy. <i>Journal of Archaeological Science: Reports</i> , 2020, 29, 102036. | 0.2 | 8 |
| 10486 | Phylogeny and trait variation of Japanese <i>Rubus</i> subgenus <i>Ideaobatus</i> . <i>Scientia Horticulturae</i> , 2020, 264, 109150. | 1.7 | 5 |
| 10487 | Depth distribution of soil water sourced by plants at the global scale: A new direct inference approach. <i>Ecohydrology</i> , 2020, 13, e2177. | 1.1 | 43 |
| 10488 | Futuristic climate change scenario predicts a shrinking habitat for the African elephant (<i>Loxodonta</i>) Tj ETQq1 1 0.784314 rgBT /Overlo 2020, 66, 1. | 0.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10489 | Western Mexico is a priority area for the conservation of <i>Cosmos</i> (Coreopsidae, Asteraceae), based on richness and track analysis. <i>Biodiversity and Conservation</i> , 2020, 29, 545-569. | 1.2 | 9 |
| 10490 | Phylogeography and population dynamics of an endemic oak (<i>Quercus fabri</i> Hance) in subtropical China revealed by molecular data and ecological niche modeling. <i>Tree Genetics and Genomes</i> , 2020, 16, 1. | 0.6 | 11 |
| 10491 | Anthropogenic activity expressed as "artificial light at night"™ improves predictive density distribution in bird populations. <i>Ecological Complexity</i> , 2020, 41, 100809. | 1.4 | 2 |
| 10492 | Molecular responses to freshwater limitation in the mangrove tree <i>Avicennia germinans</i> (Acanthaceae). <i>Molecular Ecology</i> , 2020, 29, 344-362. | 2.0 | 12 |
| 10493 | Integrating dynamic environmental predictors and species occurrences: Toward true dynamic species distribution models. <i>Ecology and Evolution</i> , 2020, 10, 1087-1092. | 0.8 | 32 |
| 10494 | Searching for Networks: Ecological Connectivity for Amphibians Under Climate Change. <i>Environmental Management</i> , 2020, 65, 46-61. | 1.2 | 14 |
| 10495 | A model-based exploration of farm-household livelihood and nutrition indicators to guide nutrition-sensitive agriculture interventions. <i>Food Security</i> , 2020, 12, 59-81. | 2.4 | 10 |
| 10496 | An assessment of the representation of ecosystems in global protected areas using new maps of World Climate Regions and World Ecosystems. <i>Global Ecology and Conservation</i> , 2020, 21, e00860. | 1.0 | 81 |
| 10497 | Potential Economic Impacts of the Asian Longhorned Beetle (Coleoptera: Cerambycidae) in Eastern Canada. <i>Journal of Economic Entomology</i> , 2020, 113, 839-850. | 0.8 | 21 |
| 10498 | Geographically divergent evolutionary and ecological legacies shape mammal biodiversity in the global tropics and subtropics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 1559-1565. | 3.3 | 30 |
| 10499 | Spatial prediction and mapping of soil pH across a tropical afro-montane landscape. <i>Applied Geography</i> , 2020, 114, 102129. | 1.7 | 18 |
| 10500 | Conservation and innovation: Plastome evolution during rapid radiation of <i>Rhodiola</i> on the Qinghai-Tibetan Plateau. <i>Molecular Phylogenetics and Evolution</i> , 2020, 144, 106713. | 1.2 | 30 |
| 10501 | A new species of crab-eating rat of the genus <i>Ichthyomys</i> , from Ecuador (Rodentia, Cricetidae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tr</i> | 0.8 | 5 |
| 10502 | Prediction of the spatial distribution of <i>Alternanthera philoxeroides</i> in China based on ArcGIS and MaxEnt. <i>Global Ecology and Conservation</i> , 2020, 21, e00856. | 1.0 | 61 |
| 10503 | 2,100 years of human adaptation to climate change in the High Andes. <i>Nature Ecology and Evolution</i> , 2020, 4, 66-74. | 3.4 | 24 |
| 10504 | Impacts of climate change on the global potential distribution of two notorious invasive crayfishes. <i>Freshwater Biology</i> , 2020, 65, 353-365. | 1.2 | 28 |
| 10505 | A tale of four bears: Environmental signal on the phylogeographical patterns within the extant <i>Ursus</i> species. <i>Journal of Biogeography</i> , 2020, 47, 472-486. | 1.4 | 10 |
| 10506 | High-resolution record of Holocene climate change dynamics from southern Africa's temperate-tropical boundary, Baviaanskloof, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 539, 109518. | 1.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10507 | Conservation status of the threatened and endemic Rufous-throated Dipper <i>Cinclus schulzi</i> in Argentina. <i>Bird Conservation International</i> , 2020, 30, 396-405. | 0.7 | 4 |
| 10508 | Phylogeography, speciation and demographic history: Contrasting evidence from mitochondrial and nuclear markers of the <i>Odorrana graminea sensu lato</i> (Anura, Ranidae) in China. <i>Molecular Phylogenetics and Evolution</i> , 2020, 144, 106701. | 1.2 | 14 |
| 10509 | Geodiversityâ€“biodiversity relationship needs more empirical evidence. <i>Nature Ecology and Evolution</i> , 2020, 4, 2-3. | 3.4 | 45 |
| 10510 | Climate change and the future restructuring of Neotropical anuran biodiversity. <i>Ecography</i> , 2020, 43, 222-235. | 2.1 | 34 |
| 10511 | Thermal niche traits of high alpine plant species and communities across the tropical Andes and their vulnerability to global warming. <i>Journal of Biogeography</i> , 2020, 47, 408-420. | 1.4 | 61 |
| 10512 | Colonizing the east and the west: distribution and niche properties of a dwarf Asian honey bee invading Africa, the Middle East, the Malay Peninsula, and Taiwan. <i>Apidologie</i> , 2020, 51, 75-87. | 0.9 | 13 |
| 10513 | Expanding ensembles of species present-day and future climatic suitability to consider the limitations of species occurrence data. <i>Ecological Indicators</i> , 2020, 110, 105891. | 2.6 | 8 |
| 10514 | Species Distribution Modelling predicts habitat suitability and reduction of suitable habitat under future climatic scenario for <i>Sclerophrys perreti</i> : A critically endangered Nigerian endemic toad. <i>African Journal of Ecology</i> , 2020, 58, 481-491. | 0.4 | 7 |
| 10515 | Phylogenetic structure of angiosperm trees in local forest communities along latitudinal and elevational gradients in eastern North America. <i>Ecography</i> , 2020, 43, 419-430. | 2.1 | 21 |
| 10516 | Quantitative analysis of relative active tectonics using geomorphic indices in Band-Golestan basin, northeastern Iran. <i>Spatial Information Research</i> , 2020, 28, 419-429. | 1.3 | 4 |
| 10517 | An Improved Sensor Calibration with Anomaly Detection and Removal. <i>Sensors and Actuators B: Chemical</i> , 2020, 307, 127428. | 4.0 | 4 |
| 10518 | Founder effects, post-introduction evolution and phenotypic plasticity contribute to invasion success of a genetically impoverished invader. <i>Oecologia</i> , 2020, 192, 105-118. | 0.9 | 12 |
| 10519 | Improving models of fine root carbon stocks and fluxes in European forests. <i>Journal of Ecology</i> , 2020, 108, 496-514. | 1.9 | 23 |
| 10520 | Hosts and environment overshadow spatial distance as drivers of bat fly species composition in the Neotropics. <i>Journal of Biogeography</i> , 2020, 47, 736-747. | 1.4 | 20 |
| 10521 | Musk deer (<i>Moschus</i> spp.) face redistribution to higher elevations and latitudes under climate change in China. <i>Science of the Total Environment</i> , 2020, 704, 135335. | 3.9 | 27 |
| 10522 | Population history and the selective landscape shape patterns of osmoregulatory trait divergence in tidal marsh Savannah sparrows (<i>Passerculus sandwichensis</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 57-72. | 1.1 | 10 |
| 10523 | Drivers of bromeliad leaf and floral bract variation across a latitudinal gradient in the Atlantic Forest. <i>Journal of Biogeography</i> , 2020, 47, 261-274. | 1.4 | 6 |
| 10524 | An explicit test of Pleistocene survival in peripheral versus nunatak refugia in two high mountain plant species. <i>Molecular Ecology</i> , 2020, 29, 172-183. | 2.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10525 | Climate and evolutionary history define the phylogenetic diversity of vegetation types in the central region of South America. <i>Oecologia</i> , 2020, 192, 191-200. | 0.9 | 9 |
| 10526 | A global synthesis reveals more response sensitivity of soil carbon flux than pool to warming. <i>Journal of Soils and Sediments</i> , 2020, 20, 1208-1221. | 1.5 | 14 |
| 10527 | Variability of <i>Cinnamomum</i> (Lauraceae) Leaf Architecture in Relation to Climatic and Historical Constraints: Implications for Paleoclimatic Studies. <i>International Journal of Plant Sciences</i> , 2020, 181, 419-431. | 0.6 | 4 |
| 10528 | Genetic structure and biogeographic history of the Bicknell's Thrush/ Gray-cheeked Thrush species complex. <i>Auk</i> , 2020, 137, . | 0.7 | 7 |
| 10529 | Environmental predictors of vascular plant richness at large spatial scales based on protected area data of China. <i>Global Ecology and Conservation</i> , 2020, 21, e00846. | 1.0 | 2 |
| 10530 | Annually modelling built-settlements between remotely-sensed observations using relative changes in subnational populations and lights at night. <i>Computers, Environment and Urban Systems</i> , 2020, 80, 101444. | 3.3 | 18 |
| 10531 | Using completeness and defaunation indices to understand nature reserve's key attributes in preserving medium- and large-bodied mammals. <i>Biological Conservation</i> , 2020, 241, 108273. | 1.9 | 13 |
| 10532 | Mapping the major soil-landscape resources of the Ethiopian Highlands using random forest. <i>Geoderma</i> , 2020, 361, 114067. | 2.3 | 18 |
| 10533 | Land-use change drives present and future distributions of Fall armyworm, <i>Spodoptera frugiperda</i> (J.E.) Tj ETQq0 0 0 rgBT /Overlock 10 T | 3.9 | 44 |
| 10534 | Patagonian Desert. , 2020, , 163-180. | | 12 |
| 10535 | <i>Robinia pseudoacacia</i> -dominated vegetation types of Southern Europe: Species composition, history, distribution and management. <i>Science of the Total Environment</i> , 2020, 707, 134857. | 3.9 | 41 |
| 10536 | Determinants of the beta diversity of tree species in tropical forests: Implications for biodiversity conservation. <i>Science of the Total Environment</i> , 2020, 704, 135301. | 3.9 | 13 |
| 10537 | Predicting impacts of future climate change and hydropower development towards habitats of native and non-native fishes. <i>Science of the Total Environment</i> , 2020, 707, 135419. | 3.9 | 16 |
| 10538 | Human-dominated land uses favour species affiliated with more extreme climates, especially in the tropics. <i>Ecography</i> , 2020, 43, 391-405. | 2.1 | 19 |
| 10539 | Spatiotemporal landscape genetics: Investigating ecology and evolution through space and time. <i>Molecular Ecology</i> , 2020, 29, 218-246. | 2.0 | 51 |
| 10540 | Climate change projections in the Awash River Basin of Ethiopia using Global and Regional Climate Models. <i>International Journal of Climatology</i> , 2020, 40, 3649-3666. | 1.5 | 17 |
| 10541 | The mechanisms explaining tree species richness and composition are convergent in a megadiverse hotspot. <i>Biodiversity and Conservation</i> , 2020, 29, 799-815. | 1.2 | 5 |
| 10542 | Environmental ranges estimated from species distribution models are not good predictors of lizard and frog physiological tolerances. <i>Evolutionary Ecology</i> , 2020, 34, 89-99. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10543 | Ecological modeling and distribution analysis of digger scorpions: <i>Odontobuthus doriae</i> , <i>Odonthubutus bidentatus</i> (Scorpiones: Buthidae) and <i>Scorpio maurus</i> (Scorpiones: Scorpionidae) in Iran using the maximum entropy method. <i>Applied Entomology and Zoology</i> , 2020, 55, 17-24. | 0.6 | 5 |
| 10544 | High-resolution and three-dimensional mapping of soil texture of China. <i>Geoderma</i> , 2020, 361, 114061. | 2.3 | 95 |
| 10545 | Pre-quatarnary diversification and glacial demographic expansions of <i>Cardiocrinum</i> (Liliaceae) in temperate forest biomes of Sino-Japanese Floristic Region. <i>Molecular Phylogenetics and Evolution</i> , 2020, 143, 106693. | 1.2 | 26 |
| 10546 | Estimation of Grassland Height Based on the Random Forest Algorithm and Remote Sensing in the Tibetan Plateau. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 178-186. | 2.3 | 16 |
| 10547 | Spatiotemporal heterogeneity decouples infection parameters of amphibian chytridiomycosis. <i>Journal of Animal Ecology</i> , 2020, 89, 1109-1121. | 1.3 | 9 |
| 10548 | Below-ground responses to insect herbivory in ecosystems with woody plant canopies: A meta-analysis. <i>Journal of Ecology</i> , 2020, 108, 917-930. | 1.9 | 29 |
| 10549 | When the company does not matter: High-quality ant seed disperser does not drive the spatial distribution of large-seeded myrmecochorous plants. <i>Austral Ecology</i> , 2020, 45, 195-205. | 0.7 | 1 |
| 10550 | Potential distribution patterns of scorpions in north-eastern Brazil under scenarios of future climate change. <i>Austral Ecology</i> , 2020, 45, 215-228. | 0.7 | 19 |
| 10551 | Climate change jointly with migration ability affect future range shifts of dominant fir species in Southwest China. <i>Diversity and Distributions</i> , 2020, 26, 352-367. | 1.9 | 39 |
| 10552 | Drivers of large-scale geographical variation in sexual systems of woody plants. <i>Global Ecology and Biogeography</i> , 2020, 29, 546-557. | 2.7 | 16 |
| 10553 | Geographical patterns and current and short-term historical correlates of phylogenetic diversity and endemism for New World primates. <i>Journal of Biogeography</i> , 2020, 47, 890-902. | 1.4 | 4 |
| 10554 | Diversification is decoupled from biome fidelity: <i>Acacia</i> – a case study. <i>Journal of Biogeography</i> , 2020, 47, 538-552. | 1.4 | 12 |
| 10555 | Modelling and evaluating the risk of zoonotic cutaneous leishmaniasis in selected areas of Kerman Province, south of Iran. <i>Transboundary and Emerging Diseases</i> , 2020, 67, 1271-1283. | 1.3 | 7 |
| 10556 | Neglected and Underutilized Fruit Species in Sri Lanka: Prioritisation and Understanding the Potential Distribution under Climate Change. <i>Agronomy</i> , 2020, 10, 34. | 1.3 | 25 |
| 10557 | Spatial Surveillance of Invasion by Alien Species in a Heterogeneous Ecological Landscape. <i>International Journal of Applied Geospatial Research</i> , 2020, 11, 1-17. | 0.2 | 0 |
| 10558 | Resolving the taxonomy of the <i>Merodon dobrogensis</i> species subgroup (Diptera: Syrphidae), with the description of a new species. <i>Canadian Entomologist</i> , 2020, 152, 36-59. | 0.4 | 6 |
| 10559 | Unequal Appropriation of Urban Vegetation in Argentine Cities. <i>Ecosystems</i> , 2020, 23, 1395-1407. | 1.6 | 1 |
| 10560 | Ebola spillover correlates with bat diversity. <i>European Journal of Wildlife Research</i> , 2020, 66, 1. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10561 | Climate change exposure and vulnerability of the global protected area estate from an international perspective. <i>Diversity and Distributions</i> , 2020, 26, 1496-1509. | 1.9 | 29 |
| 10562 | Coexistence barriers confine the poleward range of a globally distributed plant. <i>Ecology Letters</i> , 2020, 23, 1838-1848. | 3.0 | 23 |
| 10563 | New forest biomass carbon stock estimates in Northeast Asia based on multisource data. <i>Global Change Biology</i> , 2020, 26, 7045-7066. | 4.2 | 20 |
| 10564 | Evolutionary history and eco-climatic diversification in southern African dung beetle <i>Sisyphus</i> . <i>Journal of Biogeography</i> , 2020, 47, 2698-2713. | 1.4 | 4 |
| 10565 | New insights into palaeo-distributions based on Holocene rock art. <i>Journal of Biogeography</i> , 2020, 47, 2543-2553. | 1.4 | 1 |
| 10567 | Development of High Resolution and Homogenized Gridded Land Surface Air Temperature Data: A Case Study Over Pan-East Asia. <i>Frontiers in Environmental Science</i> , 2020, 8, . | 1.5 | 14 |
| 10568 | Genomic Phylogeography of <i>Gymnocarpus przewalskii</i> (Caryophyllaceae): Insights into Habitat Fragmentation in Arid Northwestern China. <i>Diversity</i> , 2020, 12, 335. | 0.7 | 12 |
| 10569 | The historical geography, bioclimatic, and informetric conditions of protected areas in the Brazilian Cerrado. <i>Journal for Nature Conservation</i> , 2020, 58, 125905. | 0.8 | 3 |
| 10570 | Prediction of the Suitable Area of the Chinese White Pines (<i>Pinus</i> subsect. <i>Strobus</i>) under Climate Changes and Implications for Their Conservation. <i>Forests</i> , 2020, 11, 996. | 0.9 | 13 |
| 10571 | Road as a major driver for potential distribution of the invasive giant African land snail in Nepal. <i>Tropical Ecology</i> , 2020, 61, 583-588. | 0.6 | 9 |
| 10572 | Pollen-based climate reconstruction techniques for late Quaternary studies. <i>Earth-Science Reviews</i> , 2020, 210, 103384. | 4.0 | 123 |
| 10573 | Suitable trees for urban landscapes in the Republic of Korea under climate change. <i>Landscape and Urban Planning</i> , 2020, 204, 103937. | 3.4 | 6 |
| 10574 | Genetic Diversity Measurement. , 2020, , 114-132. | | 0 |
| 10575 | Epidemiology and Ecology of Severe Fever With Thrombocytopenia Syndrome in China, 2010-2018. <i>Clinical Infectious Diseases</i> , 2021, 73, e3851-e3858. | 2.9 | 49 |
| 10576 | Phylogenetically conserved host traits and local abiotic conditions jointly drive the geography of parasite intensity. <i>Functional Ecology</i> , 2020, 34, 2477-2487. | 1.7 | 4 |
| 10577 | Biogeographical factors determining <i>Triatoma recurva</i> distribution in Chihuahua, MÃ©xico, 2014. <i>Biomedica</i> , 2020, 40, 516-527. | 0.3 | 0 |
| 10578 | Evolutionary trade-offs in the chemical defense of floral and fruit tissues across genus <i>Cornus</i> . <i>American Journal of Botany</i> , 2020, 107, 1260-1273. | 0.8 | 3 |
| 10579 | Projecting the distribution range of the chestnut tiger butterfly <i>Parantica sita sita</i> (Lepidoptera:) Tj ETQq1 1 0.784314 rgBT /Qverlock | 0.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10580 | Floral Pigmentation Has Responded Rapidly to Global Change in Ozone and Temperature. <i>Current Biology</i> , 2020, 30, 4425-4431.e3. | 1.8 | 41 |
| 10581 | A comparison between Ensemble and MaxEnt species distribution modelling approaches for conservation: A case study with Egyptian medicinal plants. <i>Ecological Informatics</i> , 2020, 60, 101150. | 2.3 | 191 |
| 10582 | Mapping global patterns of land use decision-making. <i>Global Environmental Change</i> , 2020, 65, 102170. | 3.6 | 40 |
| 10583 | Strict allopatric speciation of sky island <i>Pyrrhula erythaca</i> species complex. <i>Molecular Phylogenetics and Evolution</i> , 2020, 153, 106941. | 1.2 | 5 |
| 10584 | Diversity and distribution across a large environmental and spatial gradient: Evaluating the taxonomic and functional turnover, transitions and environmental drivers of benthic diatom communities. <i>Global Ecology and Biogeography</i> , 2020, 29, 2214-2228. | 2.7 | 12 |
| 10585 | Seasonal wet-dry variability of the Asian monsoon since the middle Pleistocene. <i>Quaternary Science Reviews</i> , 2020, 247, 106568. | 1.4 | 14 |
| 10586 | Habitat suitability for primate conservation in north-east Brazil. <i>Oryx</i> , 2020, 54, 803-813. | 0.5 | 13 |
| 10587 | Secondary forests offset less than 10% of deforestation-mediated carbon emissions in the Brazilian Amazon. <i>Global Change Biology</i> , 2020, 26, 7006-7020. | 4.2 | 40 |
| 10588 | Smaller climatic niche shifts in invasive than non-invasive alien ant species. <i>Nature Communications</i> , 2020, 11, 5213. | 5.8 | 32 |
| 10589 | Differential geographical and ecological dynamics allow diversification of morphologically convergent giant bromeliads in the Atlantic Forest. <i>Journal of Biogeography</i> , 2020, 47, 2684-2697. | 1.4 | 4 |
| 10590 | Phylogeography and potential glacial refugia of terrestrial gastropod <i>Faustina faustina</i> (Rossm ssler). <i>Journal of Biogeography</i> , 2020, 47, 2684-2697. | 0.7 | 8 |
| 10591 | Drastic Vegetation Change in the Guajira Peninsula (Colombia) During the Neogene. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA003933. | 1.3 | 17 |
| 10592 | Spider diversity across an elevation gradient in  rea de Conservaci3n Guanacaste (ACG), Costa Rica. <i>Biotropica</i> , 2020, 52, 1092-1102. | 0.8 | 8 |
| 10593 | Using niche centrality within the scope of the nearly neutral theory of evolution to predict genetic diversity in a tropical conifer species pair. <i>Journal of Biogeography</i> , 2020, 47, 2755-2772. | 1.4 | 4 |
| 10594 | Recent anthropogenic climate change exceeds the rate and magnitude of natural Holocene variability on the Balearic Islands. <i>Anthropocene</i> , 2020, 32, 100268. | 1.6 | 12 |
| 10595 | Predicting range expansion of invasive species: Pitfalls and best practices for obtaining biologically realistic projections. <i>Diversity and Distributions</i> , 2020, 26, 1767-1779. | 1.9 | 20 |
| 10596 | Explicit integration of dispersal-related metrics improves predictions of SDM in predatory arthropods. <i>Scientific Reports</i> , 2020, 10, 16668. | 1.6 | 18 |
| 10597 | Reptile species richness associated to ecological and historical variables in Iran. <i>Scientific Reports</i> , 2020, 10, 18167. | 1.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10598 | Identifying Potentially Climatic Suitability Areas for <i>Arma custos</i> (Hemiptera: Pentatomidae) in China under Climate Change. <i>Insects</i> , 2020, 11, 674. | 1.0 | 18 |
| 10599 | Prediction of future grassland vegetation cover fluctuation under climate change scenarios. <i>Ecological Indicators</i> , 2020, 119, 106858. | 2.6 | 32 |
| 10600 | Optimal areas and climate change effects on dragon fruit cultivation in Mesoamerica. <i>Journal of Agricultural Science</i> , 2020, 158, 461-470. | 0.6 | 6 |
| 10601 | Shifts in bird ranges and conservation priorities in China under climate change. <i>PLoS ONE</i> , 2020, 15, e0240225. | 1.1 | 30 |
| 10602 | Quantitative methods demonstrate that environment alone is an insufficient predictor of present-day language distributions in New Guinea. <i>PLoS ONE</i> , 2020, 15, e0239359. | 1.1 | 11 |
| 10603 | The role of ecological niche evolution on diversification patterns of birds distinctly distributed between the Amazonia and Atlantic rainforests. <i>PLoS ONE</i> , 2020, 15, e0238729. | 1.1 | 2 |
| 10604 | The Core and Distinction of the Gut Microbiota in Chinese Populations across Geography and Ethnicity. <i>Microorganisms</i> , 2020, 8, 1579. | 1.6 | 18 |
| 10605 | Past Extinctions of Homo Species Coincided with Increased Vulnerability to Climatic Change. <i>One Earth</i> , 2020, 3, 480-490. | 3.6 | 30 |
| 10606 | Using multiple lines of evidence to delimit protogynes and deutogynes of four-legged mites: a case study on <i>Epitrimerus sabinae</i> s.l. (Acari : Eriophyidae). <i>Invertebrate Systematics</i> , 2020, , . | 0.5 | 5 |
| 10607 | Different Criteria for Evaluation of the Conservation Status of <i>Ceratozamia Miqueliana</i> (Zamiaceae). <i>Tropical Conservation Science</i> , 2020, 13, 194008292095268. | 0.6 | 2 |
| 10608 | Modelling Last Glacial Maximum ice cap with the Parallel Ice Sheet Model to infer palaeoclimate in south-west Turkey. <i>Journal of Quaternary Science</i> , 2020, 35, 935-950. | 1.1 | 11 |
| 10609 | Climate change impacts and adaptations for wheat employing multiple climate and crop models in Pakistan. <i>Climatic Change</i> , 2020, 163, 253-266. | 1.7 | 10 |
| 10610 | A Bayesian modeling framework for estimating equilibrium soil organic C sequestration in agroforestry systems. <i>Agriculture, Ecosystems and Environment</i> , 2020, 303, 107118. | 2.5 | 7 |
| 10611 | Identifying suitable reintroduction sites for the White-rumped Vulture (<i>Gyps bengalensis</i>) in India's Western Ghats using niche models and habitat requirements. <i>Ecological Engineering</i> , 2020, 158, 106034. | 1.6 | 10 |
| 10612 | Improving the knowledge base for tropical dry forest management in southern Africa: Regional volume models for <i>Pterocarpus angolensis</i> . <i>Forest Ecology and Management</i> , 2020, 477, 118485. | 1.4 | 0 |
| 10613 | Predicting past, current and future habitat suitability and geographic distribution of the Iranian endemic species <i>Microgecko latifi</i> (Sauria: Gekkonidae). <i>Journal of Arid Environments</i> , 2020, 183, 104283. | 1.2 | 6 |
| 10614 | Paleoclimatic and vegetation reconstruction of the miocene southern Mexico using fossil flowers. <i>Journal of South American Earth Sciences</i> , 2020, 104, 102827. | 0.6 | 9 |
| 10615 | Frugivore-fruit size relationships between palms and mammals reveal past and future defaunation impacts. <i>Nature Communications</i> , 2020, 11, 4904. | 5.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|------|-----------|
| 10616 | Area-based conservation in the twenty-first century. <i>Nature</i> , 2020, 586, 217-227. | 13.7 | 438 |
| 10617 | Fuzzy sets allow gaging the extent and rate of species range shift due to climate change. <i>Scientific Reports</i> , 2020, 10, 16272. | 1.6 | 13 |
| 10618 | Extensive cytonuclear discordance in a crested newt from the Balkan Peninsula glacial refugium. <i>Biological Journal of the Linnean Society</i> , 2020, 130, 578-585. | 0.7 | 18 |
| 10619 | Carbon loss from northern circumpolar permafrost soils amplified by rhizosphere priming. <i>Nature Geoscience</i> , 2020, 13, 560-565. | 5.4 | 72 |
| 10620 | The changing risk patterns of <i>Plasmodium vivax</i> malaria in Greece due to climate change. <i>International Journal of Environmental Health Research</i> , 2022, 32, 665-690. | 1.3 | 4 |
| 10621 | Chagas vectors <i>Panstrongylus chinai</i> (Del Ponte, 1929) and <i>Panstrongylus howardi</i> (Neiva, 1911): chromatic forms or true species?. <i>Parasites and Vectors</i> , 2020, 13, 226. | 1.0 | 9 |
| 10622 | Environments, spatial structures, and species competitions: determining the impact of yellow-legged hornets, <i>Vespa velutina</i> , on native wasps and bees on Tsushima Island, Japan. <i>Biological Invasions</i> , 2020, 22, 3131-3143. | 1.2 | 12 |
| 10623 | Distribution modeling of <i>Apis florea</i> Fabricius (Hymenoptera, Apidae) in different climates of Iran. <i>Journal of Apicultural Research</i> , 2022, 61, 469-480. | 0.7 | 9 |
| 10625 | Modelling sexually deceptive orchid species distributions under future climates: the importance of plant-pollinator interactions. <i>Scientific Reports</i> , 2020, 10, 10623. | 1.6 | 34 |
| 10626 | Potential adaptive divergence between subspecies and populations of snapdragon plants inferred from <i>Q_{ST}</i> and <i>F_{ST}</i> comparisons. <i>Molecular Ecology</i> , 2020, 29, 3010-3021. | 2.0 | 12 |
| 10627 | Genomic insights on the contribution of balancing selection and local adaptation to the long-term survival of a widespread living fossil tree, <i>Cercidiphyllum japonicum</i> . <i>New Phytologist</i> , 2020, 228, 1674-1689. | 3.5 | 22 |
| 10628 | Climate and phylogenetic history structure morphological and architectural trait variation among fine-root orders. <i>New Phytologist</i> , 2020, 228, 1824-1834. | 3.5 | 25 |
| 10629 | High-resolution terrestrial climate, bioclimate and vegetation for the last 120,000 years. <i>Scientific Data</i> , 2020, 7, 236. | 2.4 | 56 |
| 10630 | Demographic backcasting reveals that subtle dimensions of climate change have strong effects on population viability. <i>Journal of Ecology</i> , 2020, 108, 2557-2570. | 1.9 | 8 |
| 10631 | The relationships between tectonics, climate and exhumation in the Central Andes (18°-36°S): Evidence from low-temperature thermochronology. <i>Earth-Science Reviews</i> , 2020, 210, 103276. | 4.0 | 31 |
| 10632 | Are endemic species necessarily ecological specialists? Functional variability and niche differentiation of two threatened <i>Dianthus</i> species in the montane steppes of northeastern Iran. <i>Scientific Reports</i> , 2020, 10, 11774. | 1.6 | 16 |
| 10633 | Plutonium aided reconstruction of caesium atmospheric fallout in European topsoils. <i>Scientific Reports</i> , 2020, 10, 11858. | 1.6 | 31 |
| 10634 | Metacommunity structure analysis reveals nested patterns in deconstructed macroinvertebrates assemblages. <i>Ecological Entomology</i> , 2020, 45, 1284-1295. | 1.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10635 | One hundred years of climate change in Mexico. PLoS ONE, 2020, 15, e0209808. | 1.1 | 40 |
| 10636 | Higher temperatures lower rates of physiological and niche evolution. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20200823. | 1.2 | 26 |
| 10637 | Landscape resistance mediates native fish species distribution shifts and vulnerability to climate change in riverscapes. Global Change Biology, 2020, 26, 5492-5508. | 4.2 | 30 |
| 10638 | Plumage colouration in gulls responds to their non-breeding climatic niche. Global Ecology and Biogeography, 2020, 29, 1704-1715. | 2.7 | 12 |
| 10639 | Old growth Afrotropical forests critical for maintaining forest carbon. Global Ecology and Biogeography, 2020, 29, 1785-1798. | 2.7 | 19 |
| 10640 | The edaphic control of plant diversity. Global Ecology and Biogeography, 2020, 29, 1634-1650. | 2.7 | 83 |
| 10641 | Global rainfall erosivity changes between 1980 and 2017 based on an erosivity model using daily precipitation data. Catena, 2020, 194, 104768. | 2.2 | 34 |
| 10642 | Projections of land use changes under the plant functional type classification in different SSP-RCP scenarios in China. Science Bulletin, 2020, 65, 1935-1947. | 4.3 | 86 |
| 10643 | The effect of climate change on the richness distribution pattern of oaks (<i>Quercus</i> L.) in China. Science of the Total Environment, 2020, 744, 140786. | 3.9 | 62 |
| 10644 | <scpx>ntbox</scpx>: An <scpx>r</scpx> package with graphical user interface for modelling and evaluating multidimensional ecological niches. Methods in Ecology and Evolution, 2020, 11, 1199-1206. | 2.2 | 185 |
| 10645 | Site conditions exert more control than genetic differentiation on modulation of secondary growth and climate sensitivity of <i>Pinus pinaster</i> . Dendrochronologia, 2020, 63, 125732. | 1.0 | 11 |
| 10646 | Variation of body temperature of active amphibians along elevation gradients in eastern Nepal Himalaya. Journal of Thermal Biology, 2020, 92, 102653. | 1.1 | 8 |
| 10647 | Impact of manure on soil biochemical properties: A global synthesis. Science of the Total Environment, 2020, 745, 141003. | 3.9 | 77 |
| 10648 | Climatic stability drives latitudinal trends in range size and richness of woody plants in the Western Ghats, India. PLoS ONE, 2020, 15, e0235733. | 1.1 | 16 |
| 10649 | Discussion on position of China's north-south transitional zone by comparative analysis of mountain altitudinal belts. Journal of Mountain Science, 2020, 17, 1901-1915. | 0.8 | 10 |
| 10650 | Long-term isolation of European steppe outposts boosts the biome's conservation value. Nature Communications, 2020, 11, 1968. | 5.8 | 34 |
| 10651 | The globally invasive small Indian mongoose <i>Urva auropunctata</i> is likely to spread with climate change. Scientific Reports, 2020, 10, 7461. | 1.6 | 24 |
| 10652 | Drivers of piscivory in a globally distributed aquatic predator (brown trout): a meta-analysis. Scientific Reports, 2020, 10, 11258. | 1.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10653 | A gendered ecosystem services approach to identify novel and locally-relevant strategies for jointly improving food security, nutrition, and conservation in the Barotse Floodplain. <i>International Journal of Agricultural Sustainability</i> , 2020, 18, 351-375. | 1.3 | 9 |
| 10654 | Biogeography and ecology of geographically distant populations of sibling <i>Cryptocephalus</i> leaf beetles. , 2020, 87, 223-234. | | 3 |
| 10655 | The use of GIS in the Predictive Ecological Niche Modeling of Vector Species of the American Trypanosomiasis Disease (Chagas), in Ecuador. , 2020, , . | | 2 |
| 10656 | Evolutionary legacy of a forest plantation tree species (<i>Pinus armandii</i>): Implications for widespread afforestation. <i>Evolutionary Applications</i> , 2020, 13, 2646-2662. | 1.5 | 15 |
| 10657 | Chiropteran metacommunity structure in the Atlantic Forest of South America. <i>Journal of Biogeography</i> , 2020, 47, 2141-2155. | 1.4 | 7 |
| 10658 | A new system to classify global climate zones based on plant physiology and using high temporal resolution climate data. <i>Journal of Biogeography</i> , 2020, 47, 2091-2101. | 1.4 | 19 |
| 10659 | Incorporating interspecific interactions into phylogeographic models: A case study with Californian oaks. <i>Molecular Ecology</i> , 2020, 29, 4510-4524. | 2.0 | 21 |
| 10660 | Geo-hydromorphological assessment of Europe's southernmost blanket bogs. <i>Earth Surface Processes and Landforms</i> , 2020, 45, 2747-2760. | 1.2 | 4 |
| 10661 | Modelling and mapping the current and future potential habitats of the Algero-Tunisian endemic newt <i>Pleurodeles nebulosus</i> under climate change. <i>European Journal of Wildlife Research</i> , 2020, 66, 1. | 0.7 | 4 |
| 10662 | Pollen rain-vegetation relationship along an elevational gradient in the Serra dos Açores National Park, southeastern Brazil. <i>Review of Palaeobotany and Palynology</i> , 2020, 283, 104314. | 0.8 | 6 |
| 10663 | A new global dataset of bioclimatic indicators. <i>Scientific Data</i> , 2020, 7, 398. | 2.4 | 43 |
| 10664 | Comparison of Habitat Suitability Models for <i>Haemaphysalis longicornis</i> Neumann in North America to Determine Its Potential Geographic Range. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8285. | 1.2 | 13 |
| 10665 | Modelling the Potential Impacts of Climate Change on Rice Cultivation in Mekong Delta, Vietnam. <i>Sustainability</i> , 2020, 12, 9608. | 1.6 | 20 |
| 10666 | Current occurrence and potential future climatic niche distribution of the invasive shrub <i>Spiraea tomentosa</i> L. in its native and non-native ranges. <i>Global Ecology and Conservation</i> , 2020, 24, e01226. | 1.0 | 3 |
| 10667 | Application of Remote Sensing for Ex Ante Decision Support and Evaluating Impact. <i>American Journal of Evaluation</i> , 2022, 43, 26-45. | 0.6 | 2 |
| 10668 | Patterns of livestock predation risk by large carnivores in India's Eastern and Western Ghats. <i>Global Ecology and Conservation</i> , 2020, 24, e01366. | 1.0 | 9 |
| 10670 | Potential invasion range of raccoon in Iran under climate change. <i>European Journal of Wildlife Research</i> , 2020, 66, 1. | 0.7 | 4 |
| 10671 | Reconstruction of the glacial history after the Last Glacial Maximum in the Italian Central Alps using Schmidt's hammer R-values and crystallinity ratio indices of soils. <i>Quaternary International</i> , 2020, 558, 19-27. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10672 | Plant Regeneration Above the Species Elevational Leading Edge: Trade-Off Between Seedling Recruitment and Plant Production. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 4 |
| 10673 | Ecological Factors Generally Not Altitude Related Played Main Roles in Driving Potential Adaptive Evolution at Elevational Range Margin Populations of Taiwan Incense Cedar (<i>Calocedrus formosana</i>). <i>Frontiers in Genetics</i> , 2020, 11, 580630. | 1.1 | 4 |
| 10674 | The role of environment, local adaptation, and past climate fluctuation on the amount and distribution of genetic diversity in two subspecies of Mexican wild <i>Zea mays</i> . <i>American Journal of Botany</i> , 2020, 107, 1542-1554. | 0.8 | 4 |
| 10675 | Morphological diversity and ecological niche divergence in goitered and sand gazelles. <i>Ecology and Evolution</i> , 2020, 10, 11535-11548. | 0.8 | 5 |
| 10676 | Assessing the effects of vegetation and precipitation on soil erosion in the Three-River Headwaters Region of the Qinghai-Tibet Plateau, China. <i>Journal of Arid Land</i> , 2020, 12, 865-886. | 0.9 | 24 |
| 10677 | Predicting amphibian intraspecific diversity with machine learning: Challenges and prospects for integrating traits, geography, and genetic data. <i>Molecular Ecology Resources</i> , 2021, 21, 2818-2831. | 2.2 | 13 |
| 10678 | Carbon Dioxide Partial Pressure and Emission Throughout the Scandinavian Stream Network. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006703. | 1.9 | 7 |
| 10679 | Essay on the Elusive Natural History of Ebola Viruses. , 0, , . | | 1 |
| 10680 | A Major Change in Rate of Climate Niche Envelope Evolution during Hominid History. <i>IScience</i> , 2020, 23, 101693. | 1.9 | 14 |
| 10684 | Countries influence the trade-off between crop yields and nitrogen pollution. <i>Nature Food</i> , 2020, 1, 713-719. | 6.2 | 34 |
| 10685 | How often do they do it? An in-depth analysis of the hybrid zone of two grass snake species (<i>Natrix</i>). <i>Journal of Herpetology</i> , 2020, 54, 756-773. | 0.7 | 8 |
| 10686 | Comparison of two model calibration approaches and their influence on future projections under climate change in the Upper Indus Basin. <i>Climatic Change</i> , 2020, 163, 1227-1246. | 1.7 | 16 |
| 10687 | | 0.8 | 2 |
| 10688 | Prioritizing Invasive Forest Plant Management Using Multi-Criteria Decision Analysis in Minnesota, USA. <i>Forests</i> , 2020, 11, 1213. | 0.9 | 1 |
| 10689 | Of Mice and Fungi: <i>Coccidioides</i> spp. Distribution Models. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 320. | 1.5 | 13 |
| 10690 | Bioclimatic zonation and potential distribution of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) in South Kivu Province, DR Congo. <i>BMC Ecology</i> , 2020, 20, 66. | 3.0 | 9 |
| 10691 | Hybrid Speciation and Introgression Both Underlie the Genetic Structures and Evolutionary Relationships of Three Morphologically Distinct Species of <i>Lilium</i> (Liliaceae) Forming a Hybrid Zone Along an Elevational Gradient. <i>Frontiers in Plant Science</i> , 2020, 11, 576407. | 1.7 | 7 |
| 10692 | Myanmar's terrestrial ecosystems: Status, threats and conservation opportunities. <i>Biological Conservation</i> , 2020, 252, 108834. | 1.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10693 | Habitat suitability models for the imperiled wood turtle (<i>Glyptemys insculpta</i>) raise concerns for the species's persistence under future climate change. <i>Global Ecology and Conservation</i> , 2020, 24, e01247. | 1.0 | 10 |
| 10694 | Late Pleistocene Mammals from Kibogo, Kenya: Systematic Paleontology, Paleoenvironments, and Non-Analog Associations. <i>Journal of Vertebrate Paleontology</i> , 2020, 40, e1841781. | 0.4 | 11 |
| 10695 | Present and future suitability of the Lake Tana Biosphere Reserve in Ethiopia for the Nile monitor (<i>Varanus niloticus</i>) using the MaxEnt model. <i>Environmental Systems Research</i> , 2020, 9, . | 1.5 | 5 |
| 10696 | Contribution to the Orophilous Cushion-Like Vegetation of Central-Southern and Insular Greece. <i>Plants</i> , 2020, 9, 1678. | 1.6 | 11 |
| 10697 | Bryophytes are predicted to lag behind future climate change despite their high dispersal capacities. <i>Nature Communications</i> , 2020, 11, 5601. | 5.8 | 47 |
| 10698 | Differential Interspecific Adaptation to Abiotic Stress by <i>Plantago</i> Species. <i>Frontiers in Plant Science</i> , 2020, 11, 573039. | 1.7 | 0 |
| 10699 | Plant functional traits are correlated with species persistence in the herb layer of old-growth beech forests. <i>Scientific Reports</i> , 2020, 10, 19253. | 1.6 | 17 |
| 10700 | Environmental factors associated With <i>Toxoplasma gondii</i> Exposure in Neotropical Primates of Costa Rica. <i>Frontiers in Veterinary Science</i> , 2020, 7, 583032. | 0.9 | 10 |
| 10701 | Biology of Invasive Plants 1. <i>Pyracantha angustifolia</i> (Franch.) C.K. Schneid. <i>Invasive Plant Science and Management</i> , 2020, 13, 120-142. | 0.5 | 15 |
| 10702 | Higher Temperature Sensitivity of Soil C Release to Atmosphere From Northern Permafrost Soils as Indicated by a Meta-Analysis. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006688. | 1.9 | 12 |
| 10703 | Climatic and topographic changes since the Miocene influenced the diversification and biogeography of the tent tortoise (<i>Psammobates tentorius</i>) species complex in Southern Africa. <i>BMC Evolutionary Biology</i> , 2020, 20, 153. | 3.2 | 7 |
| 10704 | Rising Temperature May Trigger Deep Soil Carbon Loss Across Forest Ecosystems. <i>Advanced Science</i> , 2020, 7, 2001242. | 5.6 | 42 |
| 10705 | Congruence, but no cascade—Pelagic biodiversity across three trophic levels in Nordic lakes. <i>Ecology and Evolution</i> , 2020, 10, 8153-8165. | 0.8 | 8 |
| 10706 | Toward an understanding of broad-scale patterns of the habitat suitability of fountain grass (<i>Cenchrus setaceus</i> (Forssk.) Morrone, Poaceae). <i>Plant Ecology</i> , 2020, 221, 1029-1043. | 0.7 | 4 |
| 10707 | A Puma concolor (Carnivora: Felidae) in the Middle-Late Holocene landscapes of the Brazilian Northeast (Bahia): submerged cave deposits and stable isotopes. <i>Geobios</i> , 2020, 62, 61-78. | 0.7 | 3 |
| 10708 | Globally partitioning the simultaneous impacts of climate-induced and human-induced changes on catchment streamflow: A review and meta-analysis. <i>Journal of Hydrology</i> , 2020, 590, 125387. | 2.3 | 34 |
| 10709 | Assessing Niche Shifts and Conservatism by Comparing the Native and Post-Invasion Niches of Major Forest Invasive Species. <i>Insects</i> , 2020, 11, 479. | 1.0 | 7 |
| 10710 | Effects of diversity, climate and litter on soil organic carbon storage in subtropical forests. <i>Forest Ecology and Management</i> , 2020, 476, 118479. | 1.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10711 | Evolution of breeding plumages in birds: A multiple-step pathway to seasonal dichromatism in New World warblers (Aves: Parulidae). <i>Ecology and Evolution</i> , 2020, 10, 9223-9239. | 0.8 | 19 |
| 10712 | Energy-water and seasonal variations in climate underlie the spatial distribution patterns of gymnosperm species richness in China. <i>Ecology and Evolution</i> , 2020, 10, 9474-9485. | 0.8 | 12 |
| 10713 | Validating management strategies for invasive species from a spatial perspective: Common ragweed in the Republic of Korea. <i>Environmental Science and Policy</i> , 2020, 114, 52-63. | 2.4 | 5 |
| 10714 | Effects of climate change on the potential distribution of the threatened relict <i>Dipentodon sinicus</i> of subtropical forests in East Asia: Recommendations for management and conservation. <i>Global Ecology and Conservation</i> , 2020, 23, e01192. | 1.0 | 4 |
| 10715 | Influences of environmental heterogeneity on amphibian composition at breeding sites in a semiarid region of Mexico. <i>Journal of Arid Environments</i> , 2020, 182, 104259. | 1.2 | 5 |
| 10716 | Partitioning beta diversity to unravel mechanisms underlying the distributions of nonvolant small mammals in Brazil's Cerrado. <i>Journal of Mammalogy</i> , 2020, 101, 1438-1450. | 0.6 | 7 |
| 10717 | The roles of climate, geography and natural selection as drivers of genetic and phenotypic differentiation in a widespread amphibian <i>Hyla annectans</i> (Anura: Hylidae). <i>Molecular Ecology</i> , 2020, 29, 3667-3683. | 2.0 | 20 |
| 10718 | Pleistocene persistence and expansion in tarantulas on the Colorado Plateau and the effects of missing data on phylogeographical inferences from RADseq. <i>Molecular Ecology</i> , 2020, 29, 3684-3701. | 2.0 | 12 |
| 10719 | Fog and Low Stratus Obstruction of Wind Lidar Observations in Germany—A Remote Sensing-Based Data Set for Wind Energy Planning. <i>Energies</i> , 2020, 13, 3859. | 1.6 | 5 |
| 10720 | Evaluation of <i>scp</i> multi-source <i>scp</i> precipitation data in a watershed with complex topography based on distributed hydrological modeling. <i>River Research and Applications</i> , 2021, 37, 1115-1133. | 0.7 | 6 |
| 10721 | Spatial variation in bioavailable strontium isotope ratios ($^{87}\text{Sr}/^{86}\text{Sr}$) in Kenya and northern Tanzania: Implications for ecology, paleoanthropology, and archaeology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 560, 109957. | 1.0 | 10 |
| 10722 | Geographic patterns of stress in insular lizards reveal anthropogenic and climatic signatures. <i>Science of the Total Environment</i> , 2020, 749, 141655. | 3.9 | 26 |
| 10723 | Boron availability in top- and sub-soils as affected by topography and climate. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 118, 91-101. | 1.1 | 10 |
| 10724 | Implications for paleomobility studies of the effects of quaternary volcanism on bioavailable strontium: A test case in North Patagonia (Argentina). <i>Journal of Archaeological Science</i> , 2020, 121, 105198. | 1.2 | 20 |
| 10725 | Genetic and morphological differentiation among populations of the Rivoli's Hummingbird (<i>Eugenes fulgens</i>) species complex (Aves: Trochilidae). <i>Auk</i> , 2020, 137, . | 0.7 | 8 |
| 10726 | Liquefaction and Related Ground Failure from July 2019 Ridgecrest Earthquake Sequence. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 1549-1566. | 1.1 | 27 |
| 10727 | Plant Diversity Patterns and Conservation Implications under Climate-Change Scenarios in the Mediterranean: The Case of Crete (Aegean, Greece). <i>Diversity</i> , 2020, 12, 270. | 0.7 | 40 |
| 10728 | Endopolyploidy is associated with leaf functional traits and climate variation in <i>Arabidopsis thaliana</i> . <i>American Journal of Botany</i> , 2020, 107, 993-1003. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10729 | Delineating soil erosion risk in Marinduque, Philippines using RUSLE. <i>Geo Journal</i> , 2022, 87, 423-435. | 1.7 | 5 |
| 10730 | High-resolution monthly precipitation and temperature time series from 2006 to 2100. <i>Scientific Data</i> , 2020, 7, 248. | 2.4 | 73 |
| 10731 | Does habitat stability structure intraspecific genetic diversity? It's complicated.... <i>Frontiers of Biogeography</i> , 2020, 12, . | 0.8 | 10 |
| 10732 | Expected Changes to Alpine Pastures in Extent and Composition under Future Climate Conditions. <i>Agronomy</i> , 2020, 10, 926. | 1.3 | 21 |
| 10733 | Alpine Tundra Contraction under Future Warming Scenarios in Europe. <i>Atmosphere</i> , 2020, 11, 698. | 1.0 | 8 |
| 10734 | Thermal Requirements Underpinning Germination Allude to Risk of Species Decline from Climate Warming. <i>Plants</i> , 2020, 9, 796. | 1.6 | 14 |
| 10735 | Geostatistical model of the spatial distribution of arsenic in groundwaters in Gujarat State, India. <i>Environmental Geochemistry and Health</i> , 2021, 43, 2649-2664. | 1.8 | 26 |
| 10736 | Preserving connectivity under climate and land-use change: No one-size-fits-all approach for focal species in similar habitats. <i>Biological Conservation</i> , 2020, 248, 108678. | 1.9 | 15 |
| 10737 | Conservation planning for adaptive and neutral evolutionary processes. <i>Journal of Applied Ecology</i> , 2020, 57, 2159-2169. | 1.9 | 20 |
| 10738 | Leaf Trichome Distribution Pattern in <i>Arabidopsis</i> Reveals Gene Expression Variation Associated with Environmental Adaptation. <i>Plants</i> , 2020, 9, 909. | 1.6 | 5 |
| 10739 | New insights into the evolutionary history of <i>Megacodon</i> : Evidence from a newly discovered species. <i>Plant Diversity</i> , 2020, 42, 198-208. | 1.8 | 7 |
| 10740 | Where are the bats? An environmental complementarity analysis in a megadiverse country. <i>Diversity and Distributions</i> , 2020, 26, 1510-1522. | 1.9 | 23 |
| 10741 | The response of plant functional traits to aridity in a tropical dry forest. <i>Science of the Total Environment</i> , 2020, 747, 141177. | 3.9 | 17 |
| 10742 | Impact of mating system on range size and niche breadth in <i>Epipactis</i> (Orchidaceae). <i>Annals of Botany</i> , 2020, 126, 1203-1214. | 1.4 | 8 |
| 10743 | Population genetic variability and distribution of the endangered Greek endemic <i>Cicer graecum</i> under climate change scenarios. <i>AoB PLANTS</i> , 2020, 12, plaa007. | 1.2 | 20 |
| 10744 | Elements of lake macrophyte metacommunity structure: Global variation and community-environment relationships. <i>Limnology and Oceanography</i> , 2020, 65, 2883-2895. | 1.6 | 16 |
| 10745 | Pleistocene climatic oscillations associated with landscape heterogeneity of the South American dry diagonal explains the phylogeographic structure of the narrow-billed woodcreeper (<i>Lepidocolaptes angustirostris</i> , Dendrocolaptidae). <i>Journal of Avian Biology</i> , 2020, 51, . | 0.6 | 9 |
| 10746 | Native drivers of fish life history traits are lost during the invasion process. <i>Ecology and Evolution</i> , 2020, 10, 8623-8633. | 0.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10747 | Comparing models using air and water temperature to forecast an aquatic invasive species response to climate change. <i>Ecosphere</i> , 2020, 11, e03137. | 1.0 | 6 |
| 10748 | Savanna tree evolutionary ages inform the reconstruction of the paleoenvironment of our hominin ancestors. <i>Scientific Reports</i> , 2020, 10, 12430. | 1.6 | 15 |
| 10749 | Genomic Analysis of European <i>Drosophila melanogaster</i> Populations Reveals Longitudinal Structure, Continent-Wide Selection, and Previously Unknown DNA Viruses. <i>Molecular Biology and Evolution</i> , 2020, 37, 2661-2678. | 3.5 | 104 |
| 10750 | Phylogenomic approaches reveal how climate shapes patterns of genetic diversity in an African rain forest tree species. <i>Molecular Ecology</i> , 2020, 29, 3560-3573. | 2.0 | 17 |
| 10751 | Precipitation is the dominant driver for bird species richness, phylogenetic and functional structure in university campuses in northern China. <i>Avian Research</i> , 2020, 11, . | 0.5 | 6 |
| 10752 | Vascular plant diversity along an elevational gradient in the Central Himalayas, western Nepal. <i>Folia Geobotanica</i> , 2020, 55, 127-140. | 0.4 | 10 |
| 10753 | Geographic patterns and environmental correlates of taxonomic and phylogenetic beta diversity for large-scale angiosperm assemblages in China. <i>Ecography</i> , 2020, 43, 1706-1716. | 2.1 | 48 |
| 10754 | Extinction risk assessment of a Patagonian ungulate using population dynamics models under climate change scenarios. <i>International Journal of Biometeorology</i> , 2020, 64, 1847-1855. | 1.3 | 1 |
| 10755 | Influence of climate change on the predicted distributions of the genus <i>Tympanoctomys</i> (Rodentia, Hystricomorpha, Octodontidae), and their conservation implications. <i>Journal of Mammalogy</i> , 2020, 101, 1364-1379. | 0.6 | 4 |
| 10756 | Estimating Aboveground Biomass Loss from Deforestation in the Savanna and Semi-arid Biomes of Brazil between 2007 and 2017. , 2020, , . | | 3 |
| 10757 | Bioclimatic variables from precipitation and temperature records vs. remote sensing-based bioclimatic variables: Which side can perform better in species distribution modeling?. <i>Ecological Informatics</i> , 2020, 57, 101060. | 2.3 | 32 |
| 10758 | Postglacial recolonization of North America by spadefoot toads: integrating niche and corridor modeling to study species' range dynamics over geologic time. <i>Ecography</i> , 2020, 43, 1499-1509. | 2.1 | 6 |
| 10759 | Biophysical and socioeconomic factors influencing soil carbon stocks: a global assessment. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2020, 25, 1129-1148. | 1.0 | 17 |
| 10760 | BILBI: Supporting global biodiversity assessment through high-resolution macroecological modelling. <i>Environmental Modelling and Software</i> , 2020, 132, 104806. | 1.9 | 20 |
| 10761 | Species Distribution Models and Niche Partitioning among Unisexual <i>Darevskia dahli</i> and Its Parental Bisexual (<i>D. portschinskii</i> , <i>D. mixta</i>) Rock Lizards in the Caucasus. <i>Mathematics</i> , 2020, 8, 1329. | 1.1 | 20 |
| 10762 | Global impacts of fertilization and herbivore removal on soil net nitrogen mineralization are modulated by local climate and soil properties. <i>Global Change Biology</i> , 2020, 26, 7173-7185. | 4.2 | 25 |
| 10763 | A cross-scale assessment of productivity-diversity relationships. <i>Global Ecology and Biogeography</i> , 2020, 29, 1940-1955. | 2.7 | 35 |
| 10764 | Macro-scale variation and environmental predictors of flowering and fruiting phenology in the Chinese angiosperm flora. <i>Journal of Biogeography</i> , 2020, 47, 2303-2314. | 1.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10765 | Modelling the spatial distribution of selected North American woodland mammals under future climate scenarios. <i>Mammal Review</i> , 2020, 50, 440-452. | 2.2 | 9 |
| 10766 | Female northern grass lizards judge mates by body shape to reinforce local adaptation. <i>Frontiers in Zoology</i> , 2020, 17, 22. | 0.9 | 3 |
| 10767 | Intraspecific, ecotypic and home climate variation in photosynthetic traits of the widespread invasive grass Johnsongrass. <i>AoB PLANTS</i> , 2020, 12, plaa015. | 1.2 | 3 |
| 10768 | Global distribution patterns provide evidence of niche shift by the introduced African dung beetle <i>Digitonthophagus gazella</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 766-782. | 0.7 | 17 |
| 10769 | Strong but opposing effects of climatic niche breadth and dispersal ability shape bat geographical range sizes across phylogenetic scales. <i>Global Ecology and Biogeography</i> , 2020, 29, 1929-1939. | 2.7 | 5 |
| 10770 | A global assessment of human influence on niche shifts and risk predictions of bird invasions. <i>Global Ecology and Biogeography</i> , 2020, 29, 1956-1966. | 2.7 | 16 |
| 10771 | Modelling the effect of environmental temperatures, microhabitat and behavioural thermoregulation on predicted activity patterns in a desert lizard across its thermally diverse distribution. <i>Journal of Biogeography</i> , 2020, 47, 2315-2327. | 1.4 | 5 |
| 10772 | Phylogeny and diversification of the gallopheasants (Aves: Galliformes): Testing roles of sexual selection and environmental niche divergence. <i>Zoologica Scripta</i> , 2020, 49, 549-562. | 0.7 | 5 |
| 10773 | Using Apparent Electrical Conductivity as Indicator for Investigating Potential Spatial Variation of Soil Salinity across Seven Oases along Tarim River in Southern Xinjiang, China. <i>Remote Sensing</i> , 2020, 12, 2601. | 1.8 | 24 |
| 10774 | Genetic structure of the endemic <i>Papaver occidentale</i> indicates survival and immigration in the Western Prealps. <i>Alpine Botany</i> , 2020, 130, 129-140. | 1.1 | 3 |
| 10775 | Chloroplast DNA phylogeography of the Holly mangrove <i>Acanthus ilicifolius</i> in the Indo-West Pacific. <i>Hydrobiologia</i> , 2020, 847, 3591-3608. | 1.0 | 7 |
| 10776 | Classifying Chimpanzee (<i>Pan troglodytes</i>) Landscapes Across Large-Scale Environmental Gradients in Africa. <i>International Journal of Primatology</i> , 2020, 41, 800-821. | 0.9 | 17 |
| 10777 | Polymorphism of TLR2 in bank vole populations in North Eastern Poland is not associated with <i>Borrelia afzelii</i> infection prevalence. <i>Mammal Research</i> , 2020, 65, 779-791. | 0.6 | 1 |
| 10778 | Projecting species loss and turnover under climate change for 111 Chinese tree species. <i>Forest Ecology and Management</i> , 2020, 477, 118488. | 1.4 | 21 |
| 10779 | Using Remote Sensing Data-Based Hydrological Model Calibrations for Predicting Runoff in Ungauged or Poorly Gauged Catchments. <i>Water Resources Research</i> , 2020, 56, e2020WR028205. | 1.7 | 45 |
| 10780 | Plant Population Genetics. , 2020, , 102-113. | | 0 |
| 10781 | Forest and woodland replacement patterns following drought-related mortality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 29720-29729. | 3.3 | 99 |
| 10782 | Predictive ability of a process-based versus a correlative species distribution model. <i>Ecology and Evolution</i> , 2020, 10, 11043-11054. | 0.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10783 | Can Niche Dynamics and Distribution Modeling Predict the Success of Invasive Species Management Using Biocontrol? Insights From <i>Acacia longifolia</i> in Portugal. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 10 |
| 10784 | On the importance of predictor choice, modelling technique, and number of pseudo-absences for bioclimatic envelope model performance. <i>Ecology and Evolution</i> , 2020, 10, 12307-12317. | 0.8 | 22 |
| 10785 | Multidisciplinary approach to describe <i>Trebouxia</i> diversity within lichenized fungi <i>Buellia zoharyi</i> from the Canary Islands. <i>Symbiosis</i> , 2020, 82, 19-34. | 1.2 | 11 |
| 10786 | Common Patterns and Diverging Trajectories in Primary Succession of Plants in Eastern Alpine Glacier Forelands. <i>Diversity</i> , 2020, 12, 191. | 0.7 | 9 |
| 10787 | The use of iron chemical analysis of podzols to date the Late Pleistocene–Holocene deglaciation history of the Central Italian Alps. <i>Journal of Quaternary Science</i> , 2020, 35, 1021-1035. | 1.1 | 5 |
| 10788 | Large-scale disease patterns explained by climatic seasonality and host traits. <i>Oecologia</i> , 2020, 194, 723-733. | 0.9 | 16 |
| 10789 | A data-driven evaluation of lichen climate change indicators in Central Europe. <i>Biodiversity and Conservation</i> , 2020, 29, 3959-3971. | 1.2 | 4 |
| 10790 | Using Data on the Thermal Conditions of Soils for the Differentiation of Vegetation in the Exposure-Related Forest-Steppe of Transbaikalia. <i>Contemporary Problems of Ecology</i> , 2020, 13, 522-532. | 0.3 | 3 |
| 10791 | Spatial Assessment of the Climatic Niche of Daurian Pika. <i>Contemporary Problems of Ecology</i> , 2020, 13, 469-483. | 0.3 | 0 |
| 10792 | Predictive Modelling of Current and Future Potential Distribution of the Spectacled Bear (<i>Tremarctos ornatus</i>) in Amazonas, Northeast Peru. <i>Animals</i> , 2020, 10, 1816. | 1.0 | 17 |
| 10793 | Neolithic land-use, landscape development, and environmental dynamics in the Carpathian Basin. <i>Journal of Archaeological Science: Reports</i> , 2020, 34, 102637. | 0.2 | 5 |
| 10794 | The Role of Phosphorus Limitation in Shaping Soil Bacterial Communities and Their Metabolic Capabilities. <i>MBio</i> , 2020, 11, . | 1.8 | 69 |
| 10795 | Fruit heteromorphism and germination success in the perennial shrub <i>tithonia diversifolia</i> (Asteraceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 271, 151686. | 0.6 | 4 |
| 10796 | Plant Breeding. , 2020, , 443-468. | | 0 |
| 10797 | Habitat suitability modelling for <i>Lagotis cashmeriana</i> (ROYLE) RUPR., a threatened species endemic to Kashmir Himalayan alpin. , 2022, 6, 241-251. | | 5 |
| 10798 | Potential habitat distribution of Himalayan red panda and their connectivity in Sakteng Wildlife Sanctuary, Bhutan. <i>Ecology and Evolution</i> , 2020, 10, 12929-12939. | 0.8 | 13 |
| 10799 | Global socio-economic impacts of changes in natural capital and ecosystem services: State of play and new modeling approaches. <i>Ecosystem Services</i> , 2020, 46, 101202. | 2.3 | 11 |
| 10800 | Predicting the probable impact of climate change on the distribution of threatened <i>Shorea robusta</i> forest in Purbachal, Bangladesh. <i>Global Ecology and Conservation</i> , 2020, 24, e01250. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10801 | Applicability of biodiversity databases to regional conservation planning in the tropics: A case study evaluation of the effect of environmental bias on the performance of predictive models of species richness. <i>Acta Oecologica</i> , 2020, 109, 103653. | 0.5 | 0 |
| 10802 | Determinants of fog and low stratus occurrence in continental central Europe – a quantitative satellite-based evaluation. <i>Journal of Hydrology</i> , 2020, 591, 125451. | 2.3 | 5 |
| 10803 | The Quaternary range dynamics of <i>Noccaea iberidea</i> (Brassicaceae), a typical representative of subalpine/alpine steppe communities of Anatolian mountains. <i>Biological Journal of the Linnean Society</i> , 2020, 131, 986-1001. | 0.7 | 7 |
| 10804 | General destabilizing effects of eutrophication on grassland productivity at multiple spatial scales. <i>Nature Communications</i> , 2020, 11, 5375. | 5.8 | 75 |
| 10805 | Fine-scale landscape genetics unveiling contemporary asymmetric movement of red panda (<i>Ailurus</i>) in the Himalayas. <i>Journal of Biogeography</i> , 2020, 47, 1077-1088. | 1.6 | 21 |
| 10806 | Biogeographic parallels in thermal tolerance and gene expression variation under temperature stress in a widespread bumble bee. <i>Scientific Reports</i> , 2020, 10, 17063. | 1.6 | 42 |
| 10807 | Closely related species show species-specific environmental responses and different spatial conservation needs: <i>Prionailurus cats</i> in the Indian subcontinent. <i>Scientific Reports</i> , 2020, 10, 18705. | 1.6 | 11 |
| 10808 | Research resource review. <i>Progress in Physical Geography</i> , 2020, 44, 978-981. | 1.4 | 2 |
| 10809 | Early Diverging and Core Bromelioideae (Bromeliaceae) Reveal Contrasting Patterns of Genome Size Evolution and Polyploidy. <i>Frontiers in Plant Science</i> , 2020, 11, 1295. | 1.7 | 8 |
| 10810 | Legacies of inequality: the case of Brazil. <i>Journal of Economic Growth</i> , 2020, 25, 455-501. | 1.1 | 5 |
| 10811 | Are species lists derived from modeled species range maps appropriate for macroecological studies? A case study on data from BIEN. <i>Basic and Applied Ecology</i> , 2020, 48, 146-156. | 1.2 | 2 |
| 10812 | Assessing influence in biofuel production and ecosystem services when environmental changes affect plant-pest relationships. <i>GCB Bioenergy</i> , 2020, 12, 864-877. | 2.5 | 17 |
| 10813 | Historical legacies and ecological determinants of grass naturalizations worldwide. <i>Ecography</i> , 2020, 43, 1373-1385. | 2.1 | 15 |
| 10814 | Latitudinal shift in the timing of flowering of tree species across tropical Africa: insights from field observations and herbarium collections. <i>Journal of Tropical Ecology</i> , 2020, 36, 159-173. | 0.5 | 5 |
| 10815 | Long-lived larch clones may conserve adaptations that could restrict treeline migration in northern Siberia. <i>Ecology and Evolution</i> , 2020, 10, 10017-10030. | 0.8 | 7 |
| 10816 | Estimating soil organic carbon stocks under commercial forestry using topo-climate variables in KwaZulu-Natal, South Africa. <i>South African Journal of Science</i> , 2020, 116, . | 0.3 | 8 |
| 10817 | Projected Impacts of Climate Change on the Protected Areas of Myanmar. <i>Climate</i> , 2020, 8, 99. | 1.2 | 8 |
| 10818 | Climate and vegetation together control the vertical distribution of soil carbon, nitrogen and phosphorus in shrublands in China. <i>Plant and Soil</i> , 2020, 456, 15-26. | 1.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10819 | Modelling Current and Future Potential Habitats for Plantations of <i>Eucalyptus grandis</i> Hill ex Maiden and <i>E. dunnii</i> Maiden in Uruguay. <i>Forests</i> , 2020, 11, 948. | 0.9 | 10 |
| 10820 | A Landscape Perspective on Climate-Driven Risks to Food Security: Exploring the Relationship between Climate and Social Transformation in the Prehispanic U.S. Southwest. <i>American Antiquity</i> , 2020, 85, 427-451. | 0.6 | 13 |
| 10821 | Morphometric analysis of dung beetle (<i>Gymnopleurus mopsus</i> : Scarabaeidae: Coleoptera) populations from two different biomes in Mongolia. <i>Biological Journal of the Linnean Society</i> , 2020, 131, 369-383. | 0.7 | 1 |
| 10822 | Spatial and Temporal Ecological Uniqueness of Andean Diatom Communities Are Correlated With Climate, Geodiversity and Long-Term Limnological Change. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 14 |
| 10823 | Streamflow estimation in ungauged basins using watershed classification and regionalization techniques. <i>Journal of Earth System Science</i> , 2020, 129, 1. | 0.6 | 17 |
| 10824 | An application on sinkhole susceptibility mapping by integrating remote sensing and geographic information systems. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1. | 0.6 | 33 |
| 10825 | Are subspecies (of <i>Eira barbara</i>) real?. <i>Journal of Mammalogy</i> , 2020, 101, 1410-1425. | 0.6 | 9 |
| 10826 | Climate change and landscape-use patterns influence recent past distribution of giant pandas. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200358. | 1.2 | 12 |
| 10827 | Systematics of big-eyed bats, genus <i>Chiroderma</i> Peters, 1860 (Chiroptera: Phyllostomidae). <i>Zootaxa</i> , 2020, 4846, zootaxa.4846.1.1. | 0.2 | 18 |
| 10828 | Rage against the Machines: Labor-Saving Technology and Unrest in Industrializing England. <i>American Economic Review Insights</i> , 2020, 2, 305-320. | 1.6 | 13 |
| 10829 | The way bioclimatic variables are calculated has impact on potential distribution models. <i>Methods in Ecology and Evolution</i> , 2020, 11, 1559-1570. | 2.2 | 26 |
| 10830 | Land cover affects microclimate and temperature suitability for arbovirus transmission in an urban landscape. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008614. | 1.3 | 39 |
| 10831 | Potential Impact of Climate Change on the Forest Coverage and the Spatial Distribution of 19 Key Forest Tree Species in Italy under RCP4.5 IPCC Trajectory for 2050s. <i>Forests</i> , 2020, 11, 934. | 0.9 | 16 |
| 10832 | Biomass:N:K:Ca:Mg:P ratios in forest stands worldwide: Biogeographical variations and environmental controls. <i>Global Ecology and Biogeography</i> , 2020, 29, 2176-2189. | 2.7 | 9 |
| 10833 | Ecological niche modeling for assessing potential distribution of <i>Pterocarpus marsupium</i> Roxb. In Ranchi, eastern India. <i>Ecological Research</i> , 2020, 35, 1095-1105. | 0.7 | 14 |
| 10834 | Multi-output Gaussian processes for species distribution modelling. <i>Methods in Ecology and Evolution</i> , 2020, 11, 1587-1598. | 2.2 | 19 |
| 10835 | Evidence for the Pleistocene Arc Hypothesis from genome-wide SNPs in a Neotropical dry forest specialist, the Rufous-fronted Thornbird (<i>Furnariidae</i> : <i>Phacellodomus rufifrons</i>). <i>Molecular Ecology</i> , 2020, 29, 4457-4472. | 2.0 | 15 |
| 10836 | Angiosperms at the edge: Extremity, diversity, and phylogeny. <i>Plant, Cell and Environment</i> , 2020, 43, 2871-2893. | 2.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10837 | Climate change winners and losers: The effects of climate change on five palm species in the Southeastern United States. <i>Ecology and Evolution</i> , 2020, 10, 10408-10425. | 0.8 | 9 |
| 10838 | Rear-edge, low-diversity, and haplotypic uniformity in cold-adapted <i>Bupleurum euphorbioides</i> interglacial refugia populations. <i>Ecology and Evolution</i> , 2020, 10, 10449-10462. | 0.8 | 5 |
| 10839 | Miocene diversification of a golden-thread nanmu tree species (<i>Phoebe zhennan</i> , Lauraceae) around the Sichuan Basin shaped by the East Asian monsoon. <i>Ecology and Evolution</i> , 2020, 10, 10543-10557. | 0.8 | 17 |
| 10840 | Reconstructing the spatial distribution of large vegetation formations during the mid-Holocene in Romania: a predictive modeling approach. <i>Journal of Quaternary Science</i> , 2020, 35, 1081-1088. | 1.1 | 0 |
| 10841 | Global Spatio-Temporal Assessment of Changes in Multiple Ecosystem Services Under Four IPCC SRES Land-Use Scenarios. <i>Earth's Future</i> , 2020, 8, e2020EF001668. | 2.4 | 26 |
| 10842 | Two species of illegal South American sailfin catfish of the genus <i>Pterygoplichthys</i> well-established in Indonesia. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2020, , 28. | 0.5 | 13 |
| 10843 | Conservation Gaps in Traditional Vegetables Native to Europe and Fennoscandia. <i>Agriculture (Switzerland)</i> , 2020, 10, 340. | 1.4 | 4 |
| 10844 | Current and Future Distribution of Five Timber Forest Species in Amazonas, Northeast Peru: Contributions towards a Restoration Strategy. <i>Diversity</i> , 2020, 12, 305. | 0.7 | 20 |
| 10845 | Species Ecological Envelopes under Climate Change Scenarios: A Case Study for the Main Two Wood-Production Forest Species in Portugal. <i>Forests</i> , 2020, 11, 880. | 0.9 | 5 |
| 10846 | Climate change effects on turtles of the genus <i>Kinosternon</i> (Testudines: Kinosternidae): an assessment of habitat suitability and climate niche conservatism. <i>Hydrobiologia</i> , 2020, 847, 4091-4110. | 1.0 | 7 |
| 10847 | Fire Danger Observed from Space. <i>Surveys in Geophysics</i> , 2020, 41, 1437-1459. | 2.1 | 17 |
| 10848 | Biogeographical patterns and processes in the genus group <i>Scotussae</i> (Acrididae: Melanoplinae): an integrative approach. <i>Biological Journal of the Linnean Society</i> , 2020, 131, 417-433. | 0.7 | 3 |
| 10849 | First records of contemporary testate amoeba assemblages from the Kamchatka Peninsula, Russia and potential for palaeoenvironmental reconstruction. <i>Boreas</i> , 2020, , . | 1.2 | 5 |
| 10850 | Molecular phylogeny of the genus <i>Lasiopogon</i> (Diptera: Asilidae) and a taxonomic revision of the <i>bivittatus</i> section . <i>Zootaxa</i> , 2020, 4835, 1-115. | 0.2 | 1 |
| 10851 | Spatial Phylogenetics, Biogeographical Patterns and Conservation Implications of the Endemic Flora of Crete (Aegean, Greece) under Climate Change Scenarios. <i>Biology</i> , 2020, 9, 199. | 1.3 | 26 |
| 10852 | Potential Future Changes of the Geographic Range Size of <i>Juniperus phoenicea</i> in Algeria based on Present and Future Climate Change Projections. <i>Contemporary Problems of Ecology</i> , 2020, 13, 429-441. | 0.3 | 3 |
| 10853 | Constructing retrospective gridded daily weather data for agro-hydrological applications in Oklahoma. , 2020, 3, e20072. | | 4 |
| 10854 | Potential adaptability of marine turtles to climate change may be hindered by coastal development in the USA. <i>Regional Environmental Change</i> , 2020, 20, 1. | 1.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10855 | The climatic association of population divergence and future extinction risk of <i>Solanum pimpinellifolium</i> . <i>AoB PLANTS</i> , 2020, 12, plaa012. | 1.2 | 9 |
| 10856 | Variation in leaf anatomy, vascular traits and nanomechanical cell-wall properties among European beech (<i>Fagus sylvatica</i> L.) provenances. <i>Annals of Forest Science</i> , 2020, 77, 1. | 0.8 | 4 |
| 10857 | Assessing the current and potential future distribution of four invasive forest plants in Minnesota, U.S.A., using mixed sources of data. <i>Scientific Reports</i> , 2020, 10, 12738. | 1.6 | 7 |
| 10858 | Climate change models predict decreases in the range of a microendemic freshwater fish in Honduras. <i>Scientific Reports</i> , 2020, 10, 12693. | 1.6 | 9 |
| 10859 | Understanding the relationship between climatic niches and dispersal through the lens of bat wing morphology. <i>Journal of Zoology</i> , 2020, 312, 239-247. | 0.8 | 3 |
| 10860 | Lithic miniaturization as adaptive strategy: a case study from Boomplaas Cave, South Africa. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, 1. | 0.7 | 12 |
| 10861 | Species distribution models advance our knowledge of the Neanderthals' paleoecology on the Iranian Plateau. <i>Scientific Reports</i> , 2020, 10, 14248. | 1.6 | 6 |
| 10862 | Genomic analysis of demographic history and ecological niche modeling in the endangered Chinese Grouse <i>Tetrastes sewerzowi</i> . <i>BMC Genomics</i> , 2020, 21, 581. | 1.2 | 3 |
| 10863 | Predicting the environmental suitability and population at risk of podocniosis in Africa. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008616. | 1.3 | 9 |
| 10864 | Temperature drives caste-specific morphological clines in ants. <i>Journal of Animal Ecology</i> , 2020, 89, 2517-2530. | 1.3 | 2 |
| 10865 | Leaving the area under the receiving operating characteristic curve behind: An evaluation method for species distribution modelling applications based on presence-only data. <i>Methods in Ecology and Evolution</i> , 2020, 11, 1571-1586. | 2.2 | 25 |
| 10866 | A reply to the "critical evaluation of the Oscillayers methods and dataset". <i>Global Ecology and Biogeography</i> , 2020, 29, 1443-1448. | 2.7 | 3 |
| 10867 | Profound Changes in Terrestrial Ecosystems in Russia in the 21st Century. <i>Herald of the Russian Academy of Sciences</i> , 2020, 90, 291-297. | 0.2 | 0 |
| 10868 | Dynamics behind disjunct distribution, hotspot-edge refugia, and discordant RADseq/mtDNA variability: insights from the Emei mustache toad. <i>BMC Evolutionary Biology</i> , 2020, 20, 111. | 3.2 | 3 |
| 10869 | Forest carbon sink neutralized by pervasive growth-lifespan trade-offs. <i>Nature Communications</i> , 2020, 11, 4241. | 5.8 | 122 |
| 10870 | Contrasting environmental preferences of photosynthetic and non-photosynthetic soil cyanobacteria across the globe. <i>Global Ecology and Biogeography</i> , 2020, 29, 2025-2038. | 2.7 | 24 |
| 10871 | Mixed support for gene flow as a constraint to local adaptation and contributor to the limited geographic range of an endemic salamander. <i>Molecular Ecology</i> , 2020, 29, 4091-4101. | 2.0 | 7 |
| 10872 | Interactions between genetics and environment shape <i>Camelina</i> seed oil composition. <i>BMC Plant Biology</i> , 2020, 20, 423. | 1.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10873 | High-resolution habitat suitability model for <i>Phlebotomus pedifer</i> , the vector of cutaneous leishmaniasis in southwestern Ethiopia. <i>Parasites and Vectors</i> , 2020, 13, 467. | 1.0 | 2 |
| 10874 | A high-resolution global runoff estimate based on GIS and an empirical runoff coefficient. <i>Hydrology Research</i> , 2020, 51, 1238-1260. | 1.1 | 3 |
| 10875 | Tropical and Mediterranean biodiversity is disproportionately sensitive to land-use and climate change. <i>Nature Ecology and Evolution</i> , 2020, 4, 1630-1638. | 3.4 | 116 |
| 10876 | Ecological niche modeling of the pantropical orchid <i>Polystachya concreta</i> (Orchidaceae) and its response to climate change. <i>Scientific Reports</i> , 2020, 10, 14801. | 1.6 | 16 |
| 10877 | The speciation and adaptation of the polyploids: a case study of the Chinese <i>Isoetes</i> L. diploid-polyploid complex. <i>BMC Evolutionary Biology</i> , 2020, 20, 118. | 3.2 | 12 |
| 10878 | Environmental variability supports chimpanzee behavioural diversity. <i>Nature Communications</i> , 2020, 11, 4451. | 5.8 | 49 |
| 10879 | Protection gaps and restoration opportunities for primary forests in Europe. <i>Diversity and Distributions</i> , 2020, 26, 1646-1662. | 1.9 | 47 |
| 10880 | Seed mass and plant home site environment interact to determine alpine species germination patterns along an elevation gradient. <i>Alpine Botany</i> , 2020, 130, 101-113. | 1.1 | 11 |
| 10881 | Natura 2000 forest habitats: climatic debt in lowlands and thermophilization in highlands. <i>Biodiversity and Conservation</i> , 2020, 29, 3689-3701. | 1.2 | 0 |
| 10882 | Using the Ensemble Modeling Approach to Predict the Potential Distribution of the Muscat Mouse-Tailed Bat, <i>Rhinopoma muscatellum</i> (Chiroptera: Rhinopomatidae), in Iran. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2020, 44, 1337-1348. | 0.7 | 5 |
| 10883 | Climatic variability at Gangtok and Tadong weather observatories in Sikkim, India, during 1961–2017. <i>Scientific Reports</i> , 2020, 10, 15177. | 1.6 | 19 |
| 10884 | Habitat suitability mapping of stone pine (<i>Pinus pinea</i> L.) under the effects of climate change. <i>Biologia (Poland)</i> , 2020, 75, 2175-2187. | 0.8 | 15 |
| 10885 | Leaf size variations in a dominant desert shrub, <i>Reaumuria soongarica</i> , adapted to heterogeneous environments. <i>Ecology and Evolution</i> , 2020, 10, 10076-10094. | 0.8 | 5 |
| 10886 | Using full-length metabarcoding and DNA barcoding to infer community assembly for speciose taxonomic groups: a case study. <i>Evolutionary Ecology</i> , 2020, 34, 1063-1088. | 0.5 | 2 |
| 10887 | Photosynthetic performance of silver fir (<i>Abies alba</i>) of different origins under suboptimal growing conditions. <i>Functional Plant Biology</i> , 2020, 47, 1007. | 1.1 | 8 |
| 10888 | Spatial patterns of <i>Pinus tabulaeformis</i> and <i>Pinus massoniana</i> forests in Qinling-Daba Mountains and the boundary of subtropical and warm temperate zones. <i>Journal of Chinese Geography</i> , 2020, 30, 1523-1533. | 1.5 | 6 |
| 10889 | The climate-induced alteration of future geographic distribution of aflatoxin in peanut crops and its adaptation options. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2020, 25, 1149-1175. | 1.0 | 8 |
| 10890 | Fonio millet genome unlocks African orphan crop diversity for agriculture in a changing climate. <i>Nature Communications</i> , 2020, 11, 4488. | 5.8 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10891 | Partitioning β^2 -diversity reveals that invasions and extinctions promote the biotic homogenization of Chilean freshwater fish fauna. <i>PLoS ONE</i> , 2020, 15, e0238767. | 1.1 | 11 |
| 10892 | Linking patterns of intraspecific morphology to changing climates. <i>Journal of Biogeography</i> , 2020, 47, 2417-2425. | 1.4 | 5 |
| 10893 | Climate change reduces the natural range of African wild loquat (<i>Uapaca kirkiana</i> Mill. Arg.), <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 66</i> | 1.4 | 3 |
| 10894 | Global ore trade is an important gateway for non-native species: A case study of alien plants in Chinese ports. <i>Diversity and Distributions</i> , 2020, 26, 1409-1420. | 1.9 | 5 |
| 10895 | Severity and prevalence of the destructive fall armyworm on maize in Uganda: A case of Bulambuli District. <i>African Journal of Agricultural Research Vol Pp</i> , 2020, 16, 777-784. | 0.2 | 7 |
| 10896 | Correlates of avifaunal diversity along the elevational gradient of Mardi Himal in Annapurna Conservation Area, Central Nepal. <i>Avian Research</i> , 2020, 11, . | 0.5 | 12 |
| 10897 | Spatial Patterns and Drivers of Angiosperm Sexual Systems in China Differ Between Woody and Herbaceous Species. <i>Frontiers in Plant Science</i> , 2020, 11, 1222. | 1.7 | 4 |
| 10898 | Temporal and spatial patterns of orchid species distribution in Greece: implications for conservation. <i>Biodiversity and Conservation</i> , 2020, 29, 3461-3489. | 1.2 | 12 |
| 10899 | A demographic approach to understanding the effects of climate on population growth. <i>Oecologia</i> , 2020, 193, 889-901. | 0.9 | 5 |
| 10900 | Population genetic variation characterization of the boreal tree <i>Acer ginnala</i> in Northern China. <i>Scientific Reports</i> , 2020, 10, 13515. | 1.6 | 1 |
| 10901 | Differentiation of North-Western Balkan <i>Juniperus communis</i> L. (Cupressaceae) populations – ecological and chemophenetic implications. <i>Journal of Essential Oil Research</i> , 2020, 32, 562-570. | 1.3 | 6 |
| 10902 | Latitudinal gradient of termite diversity indicates higher diversification and narrower thermal niches in the tropics. <i>Global Ecology and Biogeography</i> , 2020, 29, 1967-1977. | 2.7 | 16 |
| 10903 | Climate change influences on the potential distribution of <i>Dianthus polylepsis</i> Bien. ex Boiss. (Caryophyllaceae), an endemic species in the Irano-Turanian region. <i>PLoS ONE</i> , 2020, 15, e0237527. | 1.1 | 15 |
| 10904 | Long-Term Variability in Potential Evapotranspiration, Water Availability and Drought under Climate Change Scenarios in the Awash River Basin, Ethiopia. <i>Atmosphere</i> , 2020, 11, 883. | 1.0 | 21 |
| 10905 | Spatiotemporal Dynamics and Driving Forces of Ecosystem Changes: A Case Study of the National Barrier Zone, China. <i>Sustainability</i> , 2020, 12, 6680. | 1.6 | 11 |
| 10906 | Distribution of rose hip (<i>Rosa canina</i> L.) under current and future climate conditions. <i>Regional Environmental Change</i> , 2020, 20, 1. | 1.4 | 21 |
| 10907 | Distribution and characteristics of rock glaciers in the Balkan Peninsula. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2020, 102, 354-375. | 0.6 | 6 |
| 10908 | ClimateEU, scale-free climate normals, historical time series, and future projections for Europe. <i>Scientific Data</i> , 2020, 7, 428. | 2.4 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10909 | Diversity begets diversity in mammal species and human cultures. <i>Scientific Reports</i> , 2020, 10, 19654. | 1.6 | 3 |
| 10910 | Evaluating insect-host interactions as a driver of species divergence in palm flower weevils. <i>Communications Biology</i> , 2020, 3, 749. | 2.0 | 12 |
| 10911 | Potential conflict extent between two invasive alien pests, <i>Rhynchophorus ferrugineus</i> and <i>Paysandisia archon</i> , and the native populations of the Mediterranean fan palm. <i>Journal for Nature Conservation</i> , 2020, 58, 125927. | 0.8 | 3 |
| 10912 | Predicting distributions of rare species: the case of the false coral snake <i>Rhinobothryum bovallii</i> (Serpentes: Colubridae). <i>Phyllomedusa</i> , 2020, 19, 141-164. | 0.2 | 2 |
| 10913 | Small-Scale Environmental Drivers of Plant Community Structure and Diversity in Neotropical Montane Cloud Forests Harboring Threatened <i>Magnolia dealbata</i> in Southern Mexico. <i>Diversity</i> , 2020, 12, 444. | 0.7 | 5 |
| 10914 | The Coupled Influence of Thermal Physiology and Biotic Interactions on the Distribution and Density of Ant Species along an Elevational Gradient. <i>Diversity</i> , 2020, 12, 456. | 0.7 | 9 |
| 10915 | Quantifying Global Potential Marginal Land Resources for Switchgrass. <i>Energies</i> , 2020, 13, 6197. | 1.6 | 8 |
| 10916 | Enhancing Vietnam's Nationally Determined Contribution with Mitigation Targets for Agroforestry: A Technical and Economic Estimate. <i>Land</i> , 2020, 9, 528. | 1.2 | 11 |
| 10917 | Vegetation structure determines the spatial variability of soil biodiversity across biomes. <i>Scientific Reports</i> , 2020, 10, 21500. | 1.6 | 6 |
| 10918 | A Suite of Tools for Continuous Land Change Monitoring in Google Earth Engine. <i>Frontiers in Climate</i> , 2020, 2, . | 1.3 | 53 |
| 10919 | Assessment of habitat suitability of a high-mountain Galliform species, buff-throated partridge (<i>Tetraophasis szechenyii</i>). <i>Global Ecology and Conservation</i> , 2020, 24, e01230. | 1.0 | 6 |
| 10920 | Scale dependency of pseudo-absences selection and uncertainty in climate scenarios matter when assessing potential distribution of a rare poppy plant <i>Meconopsis punicea</i> Maxim. under a warming climate. <i>Global Ecology and Conservation</i> , 2020, 24, e01353. | 1.0 | 2 |
| 10921 | Niche determinants in a salamander complex: Does hybridism or reproductive parasitism explain patterns of distribution?. <i>Ecosphere</i> , 2020, 11, e03265. | 1.0 | 2 |
| 10922 | Environmental niche and global potential distribution of the giant resin bee <i>Megachile sculpturalis</i> , a rapidly spreading invasive pollinator. <i>Global Ecology and Conservation</i> , 2020, 24, e01365. | 1.0 | 12 |
| 10923 | Nutrients cause grassland biomass to outpace herbivory. <i>Nature Communications</i> , 2020, 11, 6036. | 5.8 | 35 |
| 10924 | Late Quaternary range shifts of marcescent oaks unveil the dynamics of a major biogeographic transition in southern Europe. <i>Scientific Reports</i> , 2020, 10, 21598. | 1.6 | 11 |
| 10925 | Vegetation Dynamic Changes and Their Response to Ecological Engineering in the Sanjiangyuan Region of China. <i>Remote Sensing</i> , 2020, 12, 4035. | 1.8 | 30 |
| 10926 | Isotopic niche breadth of a generalist mesopredator increases with habitat heterogeneity across its range. <i>Ecosphere</i> , 2020, 11, e03314. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10927 | Evaluating Land Suitability and Potential Climate Change Impacts on Alfalfa (<i>Medicago sativa</i>) Production in Ethiopia. <i>Atmosphere</i> , 2020, 11, 1124. | 1.0 | 10 |
| 10928 | Temperature, topography, soil characteristics, and NDVI drive habitat preferences of a shade-tolerant invasive grass. <i>Ecology and Evolution</i> , 2020, 10, 10785-10797. | 0.8 | 11 |
| 10929 | Plant Taxonomy. , 2020, , 81-101. | | 0 |
| 10930 | Conservation Strategies and Techniques. , 2020, , 186-201. | | 0 |
| 10931 | In Situ Conservation. , 2020, , 202-248. | | 0 |
| 10932 | On-Farm Conservation. , 2020, , 249-277. | | 0 |
| 10933 | Is my sdm good enough? insights from a citizen science dataset in a point process modeling framework. <i>Ecological Modelling</i> , 2020, 438, 109283. | 1.2 | 2 |
| 10935 | Geographic Distribution of Desert Locusts in Africa, Asia and Europe Using Multiple Sources of Remote-Sensing Data. <i>Remote Sensing</i> , 2020, 12, 3593. | 1.8 | 13 |
| 10937 | Establishing the Social, Political and Ethical Context. , 2020, , 45-78. | | 0 |
| 10938 | Germplasm Collecting. , 2020, , 320-352. | | 0 |
| 10939 | Whole Plant, Plantlet and DNA Conservation. , 2020, , 368-390. | | 1 |
| 10940 | Germplasm Evaluation. , 2020, , 428-442. | | 0 |
| 10941 | Participatory Plant Breeding. , 2020, , 469-491. | | 0 |
| 10942 | Conservation Data Management. , 2020, , 492-517. | | 0 |
| 10943 | High-Resolution Precipitation Gridded Dataset on the South-Central Zone (34°S-41°S) of Chile. <i>Frontiers in Earth Science</i> , 2020, 8, . | 0.8 | 0 |
| 10944 | Changes in Water Retention and Carbon Sequestration in the Huangshan UNESCO Global Geopark (China) from 2000 to 2015. <i>Forests</i> , 2020, 11, 1152. | 0.9 | 6 |
| 10945 | Assessing the future conservation potential of the Amazon and Andes Protected Areas: Using the woolly monkey (<i>Lagothrix lagotricha</i>) as an umbrella species. <i>Journal for Nature Conservation</i> , 2020, 58, 125926. | 0.8 | 11 |
| 10946 | Community-Based Conservation. , 2020, , 278-319. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 10947 | Seed Gene Bank Conservation. , 2020, , 353-367. | | 0 |
| 10948 | New localities and distribution models inform the conservation status of the endangered lizard <i>Anolis guamuhaya</i> (Squamata: Dactyloidae) in central Cuba. <i>Phyllomedusa</i> , 2020, 19, 13-33. | 0.2 | 1 |
| 10949 | Modern Climate and Soil Properties Explain Functional Structure Better Than Phylogenetic Structure of Plant Communities in Northern China. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 10 |
| 10950 | Planning Plant Conservation. , 2020, , 135-185. | | 0 |
| 10951 | Plant Uses. , 2020, , 393-427. | | 0 |
| 10953 | Reproductive activity, microhabitat use, and calling sites of <i>Pristimantis bacchus</i> (Anura:) Tj ETQq1 1 0.784314 rgBT /Overlock 2 10 Tf 50 | 0.1 | 2 |
| 10954 | Climate change threatens micro-endemic amphibians of an important South American high-altitude center of endemism. <i>Amphibia - Reptilia</i> , 2020, 41, 233-243. | 0.1 | 14 |
| 10956 | The Stummerâ€™s Racerunner (<i>Eremias stummeri</i> Wettstein, 1940) does occur in Northwest China. <i>Amphibia - Reptilia</i> , 2020, 42, 93-105. | 0.1 | 1 |
| 10957 | Environmental correlates of the European common toad hybrid zone. <i>Contributions To Zoology</i> , 2020, 89, 270-281. | 0.2 | 7 |
| 10958 | Future Climate Change Renders Unsuitable Conditions for Paramo Ecosystems in Colombia. <i>Sustainability</i> , 2020, 12, 8373. | 1.6 | 9 |
| 10959 | Deeply digging the interaction effect in multiple linear regressions using a fractional-power interaction term. <i>MethodsX</i> , 2020, 7, 101067. | 0.7 | 3 |
| 10960 | Evaluating Forest Cover and Fragmentation in Costa Rica with a Corrected Global Tree Cover Map. <i>Remote Sensing</i> , 2020, 12, 3226. | 1.8 | 2 |
| 10961 | Shifting transmission risk for malaria in Africa with climate change: a framework for planning and intervention. <i>Malaria Journal</i> , 2020, 19, 170. | 0.8 | 83 |
| 10962 | Darwinâ€™s naturalization conundrum can be explained by spatial scale. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 10904-10910. | 3.3 | 58 |
| 10963 | Predicting the distribution range of a recently described, habitat specialist bee. <i>Journal of Insect Conservation</i> , 2020, 24, 671-680. | 0.8 | 3 |
| 10964 | Dry and wet miombo woodlands of south-central Africa respond differently to climate change. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 372. | 1.3 | 3 |
| 10965 | Disparities between plant community responses to nitrogen deposition and critical loads in UK semi-natural habitats. <i>Atmospheric Environment</i> , 2020, 239, 117478. | 1.9 | 7 |
| 10966 | International trade, geographic heterogeneity and interregional inequality. <i>European Economic Review</i> , 2020, 127, 103427. | 1.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10967 | Distribution, use, trade and conservation of <i>Paris polyphylla</i> Sm. in Nepal. <i>Global Ecology and Conservation</i> , 2020, 23, e01081. | 1.0 | 22 |
| 10968 | Patterns of genotype variation and demographic history in <i>Lindera glauca</i> (Lauraceae), an apomictic-containing dioecious forest tree. <i>Journal of Biogeography</i> , 2020, 47, 2002-2016. | 1.4 | 8 |
| 10969 | Phylogeography of the widespread white-eared hummingbird (<i>Hylocharis leucotis</i>): pre-glacial expansion and genetic differentiation of populations separated by the Isthmus of Tehuantepec. <i>Biological Journal of the Linnean Society</i> , 2020, 130, 247-267. | 0.7 | 10 |
| 10970 | The gut microbiota and Bergmann's rule in wild house mice. <i>Molecular Ecology</i> , 2020, 29, 2300-2311. | 2.0 | 28 |
| 10971 | Distribution Pattern of Gymnosperms' Richness in Nepal: Effect of Environmental Constrains along Elevational Gradients. <i>Plants</i> , 2020, 9, 625. | 1.6 | 10 |
| 10972 | Effects of climate change on the distribution of crop wild relatives in the Netherlands in relation to conservation status and ecotope variation. <i>Global Ecology and Conservation</i> , 2020, 23, e01054. | 1.0 | 9 |
| 10973 | Historical Development of Community Ecology. , 2020, , 3-18. | | 0 |
| 10974 | Typical Data Collected by Community Ecologists. , 2020, , 19-29. | | 0 |
| 10975 | Typical Statistical Methods Applied by Community Ecologists. , 2020, , 30-38. | | 0 |
| 10976 | Single-Species Distribution Modelling. , 2020, , 53-103. | | 1 |
| 10977 | Joint Species Distribution Modelling. , 2020, , 104-141. | | 0 |
| 10978 | Evaluating Model Fit and Selecting among Multiple Models. , 2020, , 217-252. | | 0 |
| 10980 | Linking HMSC Back to Community Assembly Processes. , 2020, , 255-299. | | 0 |
| 10981 | Illustration of HMSC Analyses. , 2020, , 300-336. | | 0 |
| 10984 | Investigating the role of environment in pika (<i>Ochotona</i>) body size patterns across taxonomic levels, space, and time. <i>Journal of Mammalogy</i> , 2020, 101, 804-816. | 0.6 | 4 |
| 10985 | The biogeography of ecoregions: Descriptive power across regions and taxa. <i>Journal of Biogeography</i> , 2020, 47, 1413-1426. | 1.4 | 26 |
| 10986 | Restoring tropical forest composition is more difficult, but recovering tree-cover is faster, when neighbouring forests are young. <i>Landscape Ecology</i> , 2020, 35, 1403-1416. | 1.9 | 3 |
| 10987 | Spatial genetic structuring in a widespread wetland plant on a plateau: Effects of elevation-driven geographic isolation and environmental heterogeneity. <i>Freshwater Biology</i> , 2020, 65, 1596-1607. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 10988 | Using species distribution models to locate the potential cradles of the allopolyploid <i>Gypsophila bermejoi</i> G. Lpez (Caryophyllaceae). <i>PLoS ONE</i> , 2020, 15, e0232736. | 1.1 | 2 |
| 10989 | Variation in body size and sexual size dimorphism in the most widely ranging lizard: testing the effects of reproductive mode and climate. <i>Ecology and Evolution</i> , 2020, 10, 4531-4561. | 0.8 | 10 |
| 10990 | The first botanical explorations of bryophyte diversity in the Brazilian Amazon mountains: high species diversity, low endemism, and low similarity. <i>Biodiversity and Conservation</i> , 2020, 29, 2663-2688. | 1.2 | 7 |
| 10991 | Quantification of the Land Potential for Scaling Agroforestry in South Asia. <i>KN - Journal of Cartography and Geographic Information</i> , 2020, 70, 71-89. | 1.6 | 20 |
| 10992 | The role of forest conversion, degradation, and disturbance in the carbon dynamics of Amazon indigenous territories and protected areas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3015-3025. | 3.3 | 160 |
| 10993 | Forest canopy height coetermines taxonomic and functional richness, but not functional dispersion of mammals and birds globally. <i>Global Ecology and Biogeography</i> , 2020, 29, 1350-1359. | 2.7 | 25 |
| 10994 | Landslide susceptibility zoning in a catchment of Zagros Mountains using fuzzy logic and GIS. <i>Environmental Earth Sciences</i> , 2020, 79, 1. | 1.3 | 24 |
| 10995 | Freezing and water availability structure the evolutionary diversity of trees across the Americas. <i>Science Advances</i> , 2020, 6, eaaz5373. | 4.7 | 50 |
| 10996 | Seasonal Timing of Spermatogenesis and Mating in Squamates: A Reinterpretation. <i>Copeia</i> , 2020, 108, 231. | 1.4 | 11 |
| 10997 | The proportion of soil-borne pathogens increases with warming at the global scale. <i>Nature Climate Change</i> , 2020, 10, 550-554. | 8.1 | 254 |
| 10998 | Evaluation of plant sources for antiinfective lead compound discovery by correlating phylogenetic, spatial, and bioactivity data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 12444-12451. | 3.3 | 19 |
| 10999 | Vanilla distribution modeling for conservation and sustainable cultivation in a joint land sparing/sharing concept. <i>Ecosphere</i> , 2020, 11, e03056. | 1.0 | 17 |
| 11000 | Global bioclimatic suitability for the fall armyworm, <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae), and potential co-occurrence with major host crops under climate change scenarios. <i>Climatic Change</i> , 2020, 161, 555-566. | 1.7 | 34 |
| 11001 | Multiple dimensions of climate change on the distribution of Amazon primates. <i>Perspectives in Ecology and Conservation</i> , 2020, 18, 83-90. | 1.0 | 26 |
| 11002 | Precipitation gradients, plant biogeography, and the incidence of dripetips in Cerrado plant species. <i>Biotropica</i> , 2020, 52, 583-589. | 0.8 | 2 |
| 11003 | Polyploidy breaks speciation barriers in Australian burrowing frogs <i>Neobatrachus</i> . <i>PLoS Genetics</i> , 2020, 16, e1008769. | 1.5 | 40 |
| 11004 | Epigenetic Patterns and Geographical Parthenogenesis in the Alpine Plant Species <i>Ranunculus kuepferi</i> (Ranunculaceae). <i>International Journal of Molecular Sciences</i> , 2020, 21, 3318. | 1.8 | 8 |
| 11005 | Environmental Drivers of Microbial Functioning in Mediterranean Forest Soils. <i>Microbial Ecology</i> , 2020, 80, 669-681. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11006 | A trait-based understanding of wood decomposition by fungi. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 11551-11558. | 3.3 | 102 |
| 11007 | Testing the simple and complex versions of Gloger's rule in the Variable Antshrike (<i>Thamnophilus</i>) Tj ETQq1 1 0,784314 rgBT /Ove | 0.7 | 6 |
| 11008 | Understanding Past, and Predicting Future, Niche Transitions based on Grass Flowering Time Variation. Plant Physiology, 2020, 183, 822-839. | 2.3 | 18 |
| 11009 | Niche conservatism promotes speciation in cycads: the case of <i>Dioon merolae</i> (Zamiaceae) in Mexico. New Phytologist, 2020, 227, 1872-1884. | 3.5 | 24 |
| 11010 | Predation risk constrains herbivores' adaptive capacity to warming. Nature Ecology and Evolution, 2020, 4, 1069-1074. | 3.4 | 30 |
| 11011 | Global variation in the thermal tolerances of plants. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 13580-13587. | 3.3 | 104 |
| 11012 | A standard protocol for reporting species distribution models. Ecography, 2020, 43, 1261-1277. | 2.1 | 397 |
| 11013 | Assessment of Gene Flow to Wild Relatives and Nutritional Composition of Sugarcane in Brazil. Frontiers in Bioengineering and Biotechnology, 2020, 8, 598. | 2.0 | 6 |
| 11014 | High genetic diversity and stable Pleistocene distributional ranges in the widespread Mexican red oak <i>Quercus castanea</i> (1801) (Fagaceae). Ecology and Evolution, 2020, 10, 4204-4219. | 0.8 | 11 |
| 11015 | Comparison of methods to estimate sediment flux in ancient sediment routing systems. Earth-Science Reviews, 2020, 207, 103217. | 4.0 | 21 |
| 11016 | Diversity and succession of riparian plant communities along riverbanks bioengineered for erosion control: a case study in the foothills of the Alps and the Jura Mountains. Ecological Engineering, 2020, 152, 105880. | 1.6 | 18 |
| 11017 | Influences of climate and nutrient enrichment on the multiple trophic levels of Turkish shallow lakes. Inland Waters, 2020, 10, 173-185. | 1.1 | 14 |
| 11018 | Phylogeography and palaeomodelling of <i>Duseniella patagonica</i> (Barnadesioideae), an early-diverging member of Asteraceae endemic to the Argentinean Monte and Patagonia. Biological Journal of the Linnean Society, 2020, 130, 726-750. | 0.7 | 4 |
| 11019 | Identification of Potential Green Inhibitors Extracted from <i>Thymbra capitata</i> (L.) Cav. for the Corrosion of Brass in 3% NaCl Solution: Experimental, SEM-EDX Analysis, DFT Computation and Monte Carlo Simulation Studies. Journal of Bio- and Tribo-Corrosion, 2020, 6, 1. | 1.2 | 24 |
| 11020 | Species range shifts in response to climate change and human pressure for the world's largest amphibian. Science of the Total Environment, 2020, 735, 139543. | 3.9 | 19 |
| 11021 | Geochemical and mineralogical characterization of sediments from Lake Futralaufquen (42.8°S, Andean) Tj ETQq1 1,0.784314 rgBT /Ov | 1.0 | 2 |
| 11022 | Estimating nitrogen and phosphorus concentrations in streams and rivers, within a machine learning framework. Scientific Data, 2020, 7, 161. | 2.4 | 64 |
| 11023 | Conservation of the dark bee (<i>Apis mellifera mellifera</i>): Estimating C-lineage introgression in Nordic breeding stocks. Acta Agriculturae Scandinavica - Section A: Animal Science, 2020, 69, 157-168. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11024 | Behavioral and environmental contributions to drosophilid social networks. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 11573-11583. | 3.3 | 16 |
| 11025 | Modelling the Distribution of <i>Dendrocygna javanica</i> in North Sumatera, Indonesia using Maximum Entropy Approach. Journal of Physics: Conference Series, 2020, 1462, 012069. | 0.3 | 0 |
| 11026 | Effects of different variable sets on the potential distribution of fish species in the Amazon Basin. Ecology of Freshwater Fish, 2020, 29, 764-778. | 0.7 | 3 |
| 11027 | Intraspecific responses to climate reveal nonintuitive warming impacts on a widespread thermophilic conifer. New Phytologist, 2020, 228, 525-540. | 3.5 | 24 |
| 11028 | Leaf margins in a deciduous lineage from the Greater Cape Floristic Region track climate in unexpected directions. American Journal of Botany, 2020, 107, 735-748. | 0.8 | 1 |
| 11029 | Shedding light on regional growth and convergence in India. World Development, 2020, 133, 104961. | 2.6 | 33 |
| 11030 | Genomic history and ecology of the geographic spread of rice. Nature Plants, 2020, 6, 492-502. | 4.7 | 143 |
| 11031 | Harnessing paleo-environmental modeling and genetic data to predict intraspecific genetic structure. Evolutionary Applications, 2020, 13, 1526-1542. | 1.5 | 10 |
| 11032 | Economic, land use, and ecosystem services impacts of Rwanda's Green Growth Strategy: An application of the IEEM+ESM platform. Science of the Total Environment, 2020, 729, 138779. | 3.9 | 22 |
| 11033 | Genomic data reveal two distinct species from the widespread alpine ginger <i>Roscoea tibetica</i> Batalin (Zingiberaceae). Journal of Systematics and Evolution, 2021, 59, 1232-1243. | 1.6 | 13 |
| 11034 | Contrasting soil C and N dynamics inferred from $\delta^{13}C$ and $\delta^{15}N$ values along a climatic gradient in southern China. Plant and Soil, 2020, 452, 217-231. | 1.8 | 9 |
| 11035 | A potential threat to amphibians in the European Natura 2000 network: Forecasting the distribution of the American bullfrog <i>Lithobates catesbeianus</i> . Biological Conservation, 2020, 245, 108551. | 1.9 | 16 |
| 11036 | Climate niche mismatch and the collapse of primate seed dispersal services in the Amazon. Biological Conservation, 2020, 247, 108628. | 1.9 | 19 |
| 11037 | Latest Pleistocene glacial and climate history of the Wasatch Range, Utah. Quaternary Science Reviews, 2020, 238, 106313. | 1.4 | 15 |
| 11038 | Assessing seasonal nitrogen export to large tropical lakes. Science of the Total Environment, 2020, 731, 139199. | 3.9 | 22 |
| 11039 | Range shifts of native and invasive trees exacerbate the impact of climate change on epiphyte distribution: The case of lung lichen and black locust in Italy. Science of the Total Environment, 2020, 735, 139537. | 3.9 | 18 |
| 11040 | Chemical Weathering of Loess and Its Contribution to Global Alkalinity Fluxes to the Coastal Zone During the Last Glacial Maximum, Mid-Holocene, and Present. Geochemistry, Geophysics, Geosystems, 2020, 21, e2020GC008922. | 1.0 | 11 |
| 11041 | Extreme events are more likely to affect the breeding success of lesser kestrels than average climate change. Scientific Reports, 2020, 10, 7207. | 1.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11042 | Global analysis of ecological niche conservation and niche shift in exotic populations of monkeyflowers (<i>Mimulus guttatus</i> , <i>M. luteus</i>) and their hybrid (<i>M. × robertsii</i>). <i>Plant Ecology and Diversity</i> , 2020, 13, 133-146. | 1.0 | 14 |
| 11043 | Phylogenetics and population structure of the steppe species <i>Hycleus polymorphus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Ome the Linnean Society, 2020, 130, 507-519. | 0.7 | 1 |
| 11044 | Report on the Emergence Time of a Species of Thitarodes Ghost Moth (Lepidoptera: Hepialidae), Host of the Caterpillar Fungus <i>Ophiocordyceps sinensis</i> (Ascomycota: Ophiocordycipitaceae) in Uttarakhand, India. <i>Journal of Economic Entomology</i> , 2020, 113, 2031-2034. | 0.8 | 0 |
| 11045 | Retrospective spatial analysis for African swine fever in endemic areas to assess interactions between susceptible host populations. <i>PLoS ONE</i> , 2020, 15, e0233473. | 1.1 | 19 |
| 11046 | Could climate trends disrupt the contact rates between <i>Ixodes ricinus</i> (Acari, Ixodidae) and the reservoirs of <i>Borrelia burgdorferi</i> s.l.? <i>PLoS ONE</i> , 2020, 15, e0233771. | 1.1 | 12 |
| 11047 | Ecological drivers of global gradients in avian dispersal inferred from wing morphology. <i>Nature Communications</i> , 2020, 11, 2463. | 5.8 | 201 |
| 11048 | Sexual modulation in a polyploid grass: a reproductive contest between environmentally inducible sexual and genetically dominant apomictic pathways. <i>Scientific Reports</i> , 2020, 10, 8319. | 1.6 | 19 |
| 11049 | Long-term thermal sensitivity of Earth's tropical forests. <i>Science</i> , 2020, 368, 869-874. | 6.0 | 198 |
| 11050 | Global threat of arsenic in groundwater. <i>Science</i> , 2020, 368, 845-850. | 6.0 | 712 |
| 11051 | Environmental controls on Landsat-derived phenoregions across an East African megatransect. <i>Ecosphere</i> , 2020, 11, e03143. | 1.0 | 4 |
| 11052 | Phylogenetic patterns of shrub communities along the longitudinal and latitudinal gradients on the northeastern Qinghai-Tibetan Plateau. <i>Journal of Mountain Science</i> , 2020, 17, 1106-1114. | 0.8 | 4 |
| 11053 | Towards the pan-European bioindication system: Assessing and testing updated hydrological indicator values for vascular plants and bryophytes in mires. <i>Ecological Indicators</i> , 2020, 116, 106527. | 2.6 | 11 |
| 11054 | Climate modelling suggests a review of the legal status of Brazilian pepper <i>Schinus terebinthifolia</i> in South Africa is required. <i>South African Journal of Botany</i> , 2020, 132, 95-102. | 1.2 | 10 |
| 11055 | Evaluation of active tectonics using geomorphic indices in a mountainous basin of Iran. <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2020, 111, 109-117. | 0.3 | 5 |
| 11056 | Biological weed control to relieve millions from <i>Ambrosia</i> allergies in Europe. <i>Nature Communications</i> , 2020, 11, 1745. | 5.8 | 80 |
| 11057 | Migratory connectivity of Swan Geese based on species' distribution models, feather stable isotope assignment and satellite tracking. <i>Diversity and Distributions</i> , 2020, 26, 944-957. | 1.9 | 10 |
| 11058 | Hybridization and introgression between <i>Helicoverpa armigera</i> and <i>H. zea</i> : an adaptational bridge. <i>BMC Evolutionary Biology</i> , 2020, 20, 61. | 3.2 | 32 |
| 11059 | Effect of El Niño Southern Oscillation cycle on the potential distribution of cutaneous leishmaniasis vector species in Colombia. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008324. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11060 | Influence of Local Habitat and Climatic Factors on the Distribution of Fish Species in the Tonle Sap Lake. <i>Water (Switzerland)</i> , 2020, 12, 786. | 1.2 | 17 |
| 11061 | Advances in global bioavailable strontium isoscapes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 555, 109849. | 1.0 | 104 |
| 11062 | Historical demography and climate driven distributional changes in a widespread Neotropical freshwater species with high economic importance. <i>Ecography</i> , 2020, 43, 1291-1304. | 2.1 | 10 |
| 11063 | Climatic and anthropogenic factors explain the variability of <i>Fagus sylvatica</i> treeline elevation in fifteen mountain groups across the Apennines. <i>Forest Ecosystems</i> , 2020, 7, . | 1.3 | 16 |
| 11064 | A new method to include fish biodiversity in river connectivity indices with applications in dam impact assessments. <i>Ecological Indicators</i> , 2020, 117, 106605. | 2.6 | 19 |
| 11065 | Legacy of Amazonian Dark Earth soils on forest structure and species composition. <i>Global Ecology and Biogeography</i> , 2020, 29, 1458-1473. | 2.7 | 28 |
| 11066 | Climate mediates continental scale patterns of stream microbial functional diversity. <i>Microbiome</i> , 2020, 8, 92. | 4.9 | 28 |
| 11067 | Diversity of Reproductive Phenology Among Subtropical Grasses Is Constrained by Evolution and Climatic Niche. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 0 |
| 11068 | Assessing distribution shifts and ecophysiological characteristics of the only Antarctic winged midge under climate change scenarios. <i>Scientific Reports</i> , 2020, 10, 9087. | 1.6 | 26 |
| 11069 | Temporal homogenization of functional and beta diversity in bird communities of the Swiss Alps. <i>Diversity and Distributions</i> , 2020, 26, 900-911. | 1.9 | 39 |
| 11070 | The potential impact of future climate on the distribution of European yew (<i>Taxus baccata</i> L.) in the Hyrcanian Forest region (Iran). <i>International Journal of Biometeorology</i> , 2020, 64, 1451-1462. | 1.3 | 20 |
| 11071 | Identifying biodiversity knowledge gaps for conserving South Africa's endemic flora. <i>Biodiversity and Conservation</i> , 2020, 29, 2803-2819. | 1.2 | 26 |
| 11072 | Evaluating the performance of a protected area network in South Africa and its implications for megadiverse countries. <i>Biological Conservation</i> , 2020, 248, 108577. | 1.9 | 19 |
| 11073 | Ecological drivers of plant life-history traits: Assessment of seed mass and germination variation using climate cues and nitrogen resources in conifers. <i>Ecological Indicators</i> , 2020, 117, 106517. | 2.6 | 6 |
| 11074 | Habitat availability disproportionately amplifies climate change risks for lowland compared to alpine species. <i>Global Ecology and Conservation</i> , 2020, 23, e01113. | 1.0 | 14 |
| 11075 | Distribution and conservation of species is misestimated if biotic interactions are ignored: the case of the orchid <i>Laelia speciosa</i> . <i>Scientific Reports</i> , 2020, 10, 9542. | 1.6 | 18 |
| 11076 | The past, current and future habitat range of the Spider-tailed Viper, <i>Pseudocerastes urarachnoides</i> (Serpentes: Viperidae) in western Iran and eastern Iraq as revealed by habitat modelling. <i>Zoology in the Middle East</i> , 2020, 66, 197-205. | 0.2 | 11 |
| 11077 | Pantropical geography of lightning-caused disturbance and its implications for tropical forests. <i>Global Change Biology</i> , 2020, 26, 5017-5026. | 4.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11078 | Potential Effects of Climate Change on the Geographic Distribution of the Endangered Plant Species <i>Manihot walkerae</i> . <i>Forests</i> , 2020, 11, 689. | 0.9 | 18 |
| 11079 | Different processes shape the patterns of divergence in the nuclear and chloroplast genomes of a relict tree species in East Asia. <i>Ecology and Evolution</i> , 2020, 10, 4331-4342. | 0.8 | 5 |
| 11080 | Holocene vegetation and climate history in Baikal Siberia reconstructed from pollen records and its implications for archaeology. <i>Archaeological Research in Asia</i> , 2020, 23, 100209. | 0.2 | 27 |
| 11081 | A meteorological analysis interpolation scheme for high spatial-temporal resolution in complex terrain. <i>Atmospheric Research</i> , 2020, 246, 105103. | 1.8 | 11 |
| 11082 | Additive influences of soil and climate gradients drive tree community composition of Central African rain forests. <i>Journal of Vegetation Science</i> , 2020, 31, 1154-1167. | 1.1 | 3 |
| 11083 | Population genetic structure and demographic history of the lone star tick, <i>Amblyomma americanum</i> (Ixodida: Ixodidae): New evidence supporting old records. <i>Molecular Ecology</i> , 2020, 29, 2810-2823. | 2.0 | 11 |
| 11084 | Impact of Climate Change on Olive Crop Production in Italy. <i>Atmosphere</i> , 2020, 11, 595. | 1.0 | 28 |
| 11085 | A simple framework for estimating potential distributions of amphibious marine species and implications for conservation. <i>Coral Reefs</i> , 2020, 39, 1081-1090. | 0.9 | 5 |
| 11086 | Modelling habitat suitability for occurrence of human tick-borne encephalitis (TBE) cases in Finland. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101457. | 1.1 | 23 |
| 11087 | Potential release sites and strategies for a Bearded Vulture <i>Gypaetus barbatus</i> reintroduction in South Africa. <i>Ostrich</i> , 2020, 91, 118-128. | 0.4 | 5 |
| 11088 | Glassfrogs of Ecuador: Diversity, Evolution, and Conservation. <i>Diversity</i> , 2020, 12, 222. | 0.7 | 30 |
| 11089 | Effect of Temperature on the Size of Sedimentary Remains of Littoral Chydorids. <i>Water (Switzerland)</i> , 2020, 12, 1309. | 1.2 | 4 |
| 11090 | Responses of sedimentary $\delta^{234}\text{Th}$ values to environmental changes as revealed by different plant responses to altitude and altitude-related temperatures. <i>Science of the Total Environment</i> , 2020, 733, 138087. | 3.9 | 5 |
| 11091 | Double-edged effects of climate change on plant invasions: Ecological niche modeling global distributions of two invasive alien plants. <i>Science of the Total Environment</i> , 2020, 740, 139933. | 3.9 | 43 |
| 11092 | Spatiotemporal evolution of dengue outbreaks in Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 593-602. | 0.7 | 11 |
| 11093 | Biogeography and ecological niche evolution in Diapensiaceae inferred from phylogenetic analysis. <i>Journal of Systematics and Evolution</i> , 2020, 58, 646-662. | 1.6 | 22 |
| 11094 | Finding complexity in complexes: Assessing the causes of mitonuclear discordance in a problematic species complex of Mesoamerican toads. <i>Molecular Ecology</i> , 2020, 29, 3543-3559. | 2.0 | 29 |
| 11095 | Mapping the Global Mangrove Forest Aboveground Biomass Using Multisource Remote Sensing Data. <i>Remote Sensing</i> , 2020, 12, 1690. | 1.8 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11096 | Vulnerability of African Rosewood (<i>Pterocarpus erinaceus</i> , Fabaceae) natural stands to climate change and implications for silviculture in West Africa. <i>Heliyon</i> , 2020, 6, e04031. | 1.4 | 15 |
| 11097 | Resource availability drives microevolutionary patterns of plant defences. <i>Functional Ecology</i> , 2020, 34, 1640-1652. | 1.7 | 21 |
| 11098 | Latitudinal variation in global range size of aquatic macrophyte species shows evidence for a Rapoport effect. <i>Freshwater Biology</i> , 2020, 65, 1622-1640. | 1.2 | 24 |
| 11099 | Altitudinal, latitudinal and longitudinal responses of cloud forest species to Quaternary glaciations in the northern Neotropics. <i>Biological Journal of the Linnean Society</i> , 2020, 130, 615-625. | 0.7 | 14 |
| 11100 | A metacommunity approach for detecting species influenced by mass effect. <i>Journal of Applied Ecology</i> , 2020, 57, 2031-2040. | 1.9 | 15 |
| 11101 | Expressed mutational load increases toward the edge of a species' geographic range. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1711-1723. | 1.1 | 26 |
| 11102 | Spatial Modeling of the Range and Long-Term Climatogenic Dynamics of <i>Ambrosia</i> L. Species in the Caucasus. <i>Russian Journal of Biological Invasions</i> , 2020, 11, 74-84. | 0.2 | 4 |
| 11103 | Conserving African Ungulates Under Climate Change: Do Communal and Private Conservancies Fill Gaps in the Protected Area Network Effectively?. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 2 |
| 11104 | Risk of the introduction of <i>Lobesia botrana</i> in suitable areas for <i>Vitis vinifera</i> . <i>Journal of Pest Science</i> , 2020, 93, 1167-1179. | 1.9 | 22 |
| 11105 | Environmental factors associated with the abundance of forest wiregrass (<i>Tetrarrhena juncea</i>), a flammable understorey grass in productive forests. <i>Australian Journal of Botany</i> , 2020, 68, 37. | 0.3 | 9 |
| 11106 | An enigmatic carnivorous plant: ancient divergence of <i>Drosophyllaceae</i> but recent differentiation of <i>Drosophyllum lusitanicum</i> across the Strait of Gibraltar. <i>Systematics and Biodiversity</i> , 2020, 18, 525-537. | 0.5 | 6 |
| 11107 | Keeping pace with climate change in global terrestrial protected areas. <i>Science Advances</i> , 2020, 6, eaay0814. | 4.7 | 94 |
| 11108 | Climate change implications for the distribution of the babesiosis and anaplasmosis tick vector, <i>Rhipicephalus (Boophilus) microplus</i> . <i>Veterinary Research</i> , 2020, 51, 81. | 1.1 | 30 |
| 11109 | Genomics of Clinal Local Adaptation in <i>Pinus sylvestris</i> Under Continuous Environmental and Spatial Genetic Setting. <i>G3: Genes, Genomes, Genetics</i> , 2020, 10, 2683-2696. | 0.8 | 24 |
| 11110 | Relationship of species diversity between overstorey trees and understorey herbs along the environmental gradients in the Tianshan Wild Fruit Forests, Northwest China. <i>Journal of Arid Land</i> , 2020, 12, 618-629. | 0.9 | 5 |
| 11111 | Predicting the potential distribution of the vine mealybug, <i>Planococcus ficus</i> under climate change by MaxEnt. <i>Crop Protection</i> , 2020, 137, 105268. | 1.0 | 29 |
| 11112 | The <i>Macroptilium gracile</i> species complex (Fabaceae, Papilionoideae): an integrative taxonomic study based on morphological, molecular and ecological data. <i>Botanical Journal of the Linnean Society</i> , 2020, 194, 118-139. | 0.8 | 2 |
| 11113 | Can polyploidy confer invasive plants with a wider climatic tolerance? A test using <i>Solidago canadensis</i> . <i>Ecology and Evolution</i> , 2020, 10, 5617-5630. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11114 | Potential distribution and the habitat suitability of the African mustard (<i>Brassica tournefortii</i>) in Tunisia in the context of climate change. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1. | 0.6 | 4 |
| 11115 | Effects of historical legacies on soil nematode communities are mediated by contemporary environmental conditions. <i>Ecology and Evolution</i> , 2020, 10, 6732-6740. | 0.8 | 5 |
| 11116 | Daily gridded temperature and precipitation datasets over the Black Sea catchment: 1961–1990 and climate change scenarios for 2071–2100. <i>Theoretical and Applied Climatology</i> , 2020, 142, 805-830. | 1.3 | 0 |
| 11117 | Investigation of a seismic teleconnection model between Iran and Iceland regions during 1980–2018. <i>Modeling Earth Systems and Environment</i> , 2020, 6, 2215-2224. | 1.9 | 3 |
| 11118 | Does environmental data increase the accuracy of land use and land cover classification?. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 91, 102128. | 1.4 | 23 |
| 11119 | Tropical plants do not have narrower temperature tolerances, but are more at risk from warming because they are close to their upper thermal limits. <i>Global Ecology and Biogeography</i> , 2020, 29, 1387-1398. | 2.7 | 68 |
| 11120 | High plant species richness and stable climate lead to richer but phylogenetically and functionally clustered avifaunas. <i>Journal of Biogeography</i> , 2020, 47, 1945-1954. | 1.4 | 10 |
| 11121 | Effect of monospecific and mixed litters on bacterial communities' structure and functions under contrasting Mediterranean climate conditions. <i>Applied Soil Ecology</i> , 2020, 155, 103681. | 2.1 | 4 |
| 11122 | The global ecology of human population density and interpreting changes in paleo-population density. <i>Journal of Archaeological Science</i> , 2020, 120, 105168. | 1.2 | 21 |
| 11123 | Arqueología distribucional y biogeografía humana en un paisaje andino-patagónico. <i>Latin American Antiquity</i> , 2020, 31, 595-614. | 0.3 | 12 |
| 11124 | Animal invaders threaten protected areas worldwide. <i>Nature Communications</i> , 2020, 11, 2892. | 5.8 | 59 |
| 11125 | Spatial genetic structure and historical demography of East Asian wild boar. <i>Animal Genetics</i> , 2020, 51, 557-567. | 0.6 | 9 |
| 11126 | Predicting Near-Future Built-Settlement Expansion Using Relative Changes in Small Area Populations. <i>Remote Sensing</i> , 2020, 12, 1545. | 1.8 | 3 |
| 11127 | Evolution of a pyrocumulonimbus event associated with an extreme wildfire in Tasmania, Australia. <i>Natural Hazards and Earth System Sciences</i> , 2020, 20, 1497-1511. | 1.5 | 14 |
| 11128 | Plant intraspecific functional trait variation is related to within-habitat heterogeneity and genetic diversity in <i>Trifolium montanum</i> L.. <i>Ecology and Evolution</i> , 2020, 10, 5015-5033. | 0.8 | 14 |
| 11129 | Hybridization Between <i>Yuccas</i> From Baja California: Genomic and Environmental Patterns. <i>Frontiers in Plant Science</i> , 2020, 11, 685. | 1.7 | 10 |
| 11130 | Divergence in Plant Traits and Increased Modularity Underlie Repeated Transitions Between Low and High Elevations in the Andean Genus <i>Leucheria</i> . <i>Frontiers in Plant Science</i> , 2020, 11, 714. | 1.7 | 3 |
| 11131 | State of the Art in Paleoenvironment Mapping for Modeling Applications in Archeology—Summary, Conclusions, and Future Directions from the PaleoMaps Workshop. <i>Quaternary</i> , 2020, 3, 13. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11132 | Local Population Mapping Using a Random Forest Model Based on Remote and Social Sensing Data: A Case Study in Zhengzhou, China. <i>Remote Sensing</i> , 2020, 12, 1618. | 1.8 | 16 |
| 11133 | Species Distribution Modeling of <i>Sassafras Tzumu</i> and Implications for Forest Management. <i>Sustainability</i> , 2020, 12, 4132. | 1.6 | 16 |
| 11134 | Global assessment of how averaging over spatial heterogeneity in precipitation and potential evapotranspiration affects modeled evapotranspiration rates. <i>Hydrology and Earth System Sciences</i> , 2020, 24, 1927-1938. | 1.9 | 12 |
| 11135 | The mathematical influence on global patterns of biodiversity. <i>Ecology and Evolution</i> , 2020, 10, 6494-6511. | 0.8 | 12 |
| 11136 | Future impact of climate extremes in the Mediterranean: Soil erosion projections when fire and extreme rainfall meet. <i>Land Degradation and Development</i> , 2020, 31, 3040-3054. | 1.8 | 44 |
| 11137 | A globally applicable indicator of the capacity of terrestrial ecosystems to retain biological diversity under climate change: The bioclimatic ecosystem resilience index. <i>Ecological Indicators</i> , 2020, 117, 106554. | 2.6 | 26 |
| 11138 | Threshold responses of riverine fish communities to land use conversion across regions of the world. <i>Global Change Biology</i> , 2020, 26, 4952-4965. | 4.2 | 53 |
| 11139 | Dinámica de la distribución y hospederos de <i>Molothrus bonariensis</i> (Passeriformes: Icteridae) en Ecuador. <i>Caldasia</i> , 2020, 42, 38-49. | 0.1 | 3 |
| 11140 | Latin American Dendroecology. , 2020, , . | | 5 |
| 11141 | Patterns of genetic diversity in North Africa: Moroccan-Algerian genetic split in <i>Juniperus thurifera</i> subsp. <i>africana</i> . <i>Scientific Reports</i> , 2020, 10, 4810. | 1.6 | 9 |
| 11142 | Going with the flow: analysis of population structure reveals high gene flow shaping invasion pattern and inducing range expansion of <i>Mikania micrantha</i> in Asia. <i>Annals of Botany</i> , 2020, 125, 1113-1126. | 1.4 | 3 |
| 11143 | Phylogenetic structure of geographical co-occurrence among New World Triatominae species, vectors of Chagas disease. <i>Journal of Biogeography</i> , 2020, 47, 1218-1231. | 1.4 | 8 |
| 11144 | Current and future predicting potential areas of <i>Oxytenanthera abyssinica</i> (A. Richard) using MaxEnt model under climate change in Northern Ethiopia. <i>Ecological Processes</i> , 2020, 9, . | 1.6 | 72 |
| 11145 | Diversity of Naturalized Hairy Vetch (<i>Vicia villosa</i> Roth) Populations in Central Argentina as a Source of Potential Adaptive Traits for Breeding. <i>Frontiers in Plant Science</i> , 2020, 11, 189. | 1.7 | 20 |
| 11146 | Present and future potential distribution of the endangered <i>Anairetes alpinus</i> (Passeriformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 | 0.5 | 14 |
| 11147 | Similarities and differences in the realized niche of two allopatric populations of a solitary bee under environmental variability. <i>Apidologie</i> , 2020, 51, 439-454. | 0.9 | 6 |
| 11148 | Mining citizen science data to explore stopover sites and spatiotemporal variation in migration patterns of the red-footed falcon. <i>Environmental Epigenetics</i> , 2020, 66, 467-475. | 0.9 | 2 |
| 11149 | Genomic Signature of Shifts in Selection in a Subalpine Ant and Its Physiological Adaptations. <i>Molecular Biology and Evolution</i> , 2020, 37, 2211-2227. | 3.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11150 | Mapping Potential Distribution of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) in Central Asia. <i>Insects</i> , 2020, 11, 172. | 1.0 | 54 |
| 11151 | Re-introduction of vivax malaria in a temperate area (Moscow region, Russia): a geographic investigation. <i>Malaria Journal</i> , 2020, 19, 116. | 0.8 | 14 |
| 11152 | Effects of Climate and Land Use changes on Vegetation Dynamics in the Yangtze River Delta, China Based on Abrupt Change Analysis. <i>Sustainability</i> , 2020, 12, 1955. | 1.6 | 11 |
| 11153 | The right trait in the right place at the right time: Matching traits to environment improves restoration outcomes. <i>Ecological Applications</i> , 2020, 30, e02110. | 1.8 | 28 |
| 11154 | Back to the future of a rare plant species of the Chihuahuan desert: tracing distribution patterns across time and genetic diversity as a basis for conservation actions. <i>Biodiversity and Conservation</i> , 2020, 29, 1821-1840. | 1.2 | 6 |
| 11155 | Tree species of tropical and temperate lineages in a tropical Asian montane forest show different range dynamics in response to climate change. <i>Global Ecology and Conservation</i> , 2020, 22, e00973. | 1.0 | 8 |
| 11156 | Adaptive fitness of <i>Sapindus emarginatus</i> Vahl populations towards future climatic regimes and the limiting factors of its distribution. <i>Scientific Reports</i> , 2020, 10, 3803. | 1.6 | 4 |
| 11157 | Opening the door to greater phylogeographic inference in Southeast Asia: Comparative genomic study of five codistributed rainforest bird species using target capture and historical DNA. <i>Ecology and Evolution</i> , 2020, 10, 3222-3247. | 0.8 | 10 |
| 11158 | Comprehensive temporal analysis of temperature inversions across urban atmospheric boundary layer of Tehran within 2014–2018. <i>Modeling Earth Systems and Environment</i> , 2020, 6, 967-982. | 1.9 | 9 |
| 11159 | Changes in global groundwater organic carbon driven by climate change and urbanization. <i>Nature Communications</i> , 2020, 11, 1279. | 5.8 | 128 |
| 11160 | Straight from the source's mouth: Controls on field-constrained sediment export across the entire active Corinth Rift, central Greece. <i>Basin Research</i> , 2020, 32, 1600-1625. | 1.3 | 12 |
| 11161 | Optimized Maxent Model Predictions of Climate Change Impacts on the Suitable Distribution of <i>Cunninghamia lanceolata</i> in China. <i>Forests</i> , 2020, 11, 302. | 0.9 | 97 |
| 11162 | Modelling risks posed by wind turbines and power lines to soaring birds: the black stork (<i>Ciconia</i>). <i>Overlock</i> , 2020, 10, 50-64. | 1.2 | 64 |
| 11163 | Landscape-scale variability of air and soil temperature related to tree growth in the treeline ecotone. <i>Alpine Botany</i> , 2020, 130, 75-87. | 1.1 | 4 |
| 11164 | Aggregate formation and organo-mineral association affect characteristics of soil organic matter across soil horizons and parent materials in temperate broadleaf forest. <i>Biogeochemistry</i> , 2020, 148, 169-189. | 1.7 | 6 |
| 11165 | Ecological mechanisms explaining interactions within plant-hummingbird networks: morphological matching increases towards lower latitudes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20192873. | 1.2 | 44 |
| 11166 | Habitat suitability and distribution potential of <i>Liberibacter</i> species (<i>Liberibacter</i>). <i>Overlock</i> , 2020, 10, 50-64. | 1.9 | 23 |
| 11167 | Phylogenetic signal and evolutionary correlates of urban tolerance in a widespread neotropical lizard clade*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1274-1288. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11168 | High correlation of species diversity patterns between specialist herbivorous insects and their specific hosts. <i>Journal of Biogeography</i> , 2020, 47, 1232-1245. | 1.4 | 17 |
| 11169 | Modelling Distributions of Rove Beetles in Mountainous Areas Using Remote Sensing Data. <i>Remote Sensing</i> , 2020, 12, 80. | 1.8 | 6 |
| 11170 | Inclusion of trophic interactions increases the vulnerability of an alpine butterfly species to climate change. <i>Global Change Biology</i> , 2020, 26, 2867-2877. | 4.2 | 21 |
| 11171 | The Proximal Drivers of Large Fires: A Pyrogeographic Study. <i>Frontiers in Earth Science</i> , 2020, 8, . | 0.8 | 33 |
| 11172 | Demographic Inference of Divergence and Gene Exchange Between <i>Castanopsis fabri</i> and <i>Castanopsis lamontii</i> . <i>Frontiers in Plant Science</i> , 2020, 11, 198. | 1.7 | 0 |
| 11173 | Effects of urbanization on bird migration. <i>Biological Conservation</i> , 2020, 244, 108423. | 1.9 | 29 |
| 11174 | Very high resolution, altitude-corrected, TMPA-based monthly satellite precipitation product over the CONUS. <i>Scientific Data</i> , 2020, 7, 74. | 2.4 | 10 |
| 11175 | Local environmental selection and lineage admixture act as significant mechanisms in the adaptation of the widespread East Asian pond skater <i>Cerris latibdominis</i> to heterogeneous landscapes. <i>Journal of Biogeography</i> , 2020, 47, 1154-1165. | 1.4 | 9 |
| 11176 | Modelling the distribution of Amazonian tree species in response to long-term climate change during the Mid-Late Holocene. <i>Journal of Biogeography</i> , 2020, 47, 1530-1540. | 1.4 | 10 |
| 11177 | Climatic-niche evolution follows similar rules in plants and animals. <i>Nature Ecology and Evolution</i> , 2020, 4, 753-763. | 3.4 | 49 |
| 11178 | Untangling the imprints of climate, geography and land use/cover on bird diversity in the South American Gran Chaco. <i>Journal of Biogeography</i> , 2020, 47, 1439-1454. | 1.4 | 6 |
| 11179 | Modeling current and future global distribution of <i>Chrysomya bezziana</i> under changing climate. <i>Scientific Reports</i> , 2020, 10, 4947. | 1.6 | 36 |
| 11180 | Preliminary Design of DEMO PF Coils Based on EU DEMO 2018 Baseline. <i>IEEE Transactions on Applied Superconductivity</i> , 2020, 30, 1-5. | 1.1 | 7 |
| 11181 | Tracking progress towards malaria elimination in China: Individual-level estimates of transmission and its spatiotemporal variation using a diffusion network approach. <i>PLoS Computational Biology</i> , 2020, 16, e1007707. | 1.5 | 14 |
| 11182 | Breeding range shift of the red-crowned crane (<i>Grus japonensis</i>) under climate change. <i>PLoS ONE</i> , 2020, 15, e0229984. | 1.1 | 3 |
| 11183 | System-Specific Complex Interactions Shape Soil Organic Carbon Distribution in Coastal Salt Marshes. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2037. | 1.2 | 5 |
| 11184 | Modelling terrestrial reptile species richness, distributions and habitat suitability in Saudi Arabia. <i>Journal of Arid Environments</i> , 2020, 178, 104153. | 1.2 | 19 |
| 11185 | Global patterns and determinants of lake macrophyte taxonomic, functional and phylogenetic beta diversity. <i>Science of the Total Environment</i> , 2020, 723, 138021. | 3.9 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11186 | Lack of evidence of a Pleistocene migratory switch in current bird long-distance migrants between Eurasia and Africa. <i>Journal of Biogeography</i> , 2020, 47, 1564-1573. | 1.4 | 10 |
| 11187 | An Effective Way to Map Land-Use Intensity with a High Spatial Resolution Based on Habitat Type and Environmental Data. <i>Remote Sensing</i> , 2020, 12, 969. | 1.8 | 4 |
| 11188 | Interannual radial growth sensitivity to climatic variations and extreme events in mixed-species and pure forest stands of silver fir and European beech in the Italian Peninsula. <i>European Journal of Forest Research</i> , 2020, 139, 627-645. | 1.1 | 13 |
| 11189 | Seismic emergency system evaluation: The role of seismic hazard and local effects. <i>Engineering Geology</i> , 2020, 270, 105587. | 2.9 | 24 |
| 11190 | Floral Trait Evolution of Angiosperms on Pacific Islands. <i>American Naturalist</i> , 2020, 196, 87-100. | 1.0 | 9 |
| 11191 | Comparative phylogeography, morphological boundaries and climate envelopes of two sympatric widespread Bromeliaceae from the southern Andes. <i>Botanical Journal of the Linnean Society</i> , 2020, 192, 726-743. | 0.8 | 3 |
| 11192 | Hybridization and hybrid zone stability between two lizards explained by population genetics and niche quantification. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 757-769. | 1.0 | 1 |
| 11193 | Modelling species distributions in dynamic landscapes: The importance of the temporal dimension. <i>Journal of Biogeography</i> , 2020, 47, 1510-1529. | 1.4 | 17 |
| 11194 | The roles of acclimation and behaviour in buffering climate change impacts along elevational gradients. <i>Journal of Animal Ecology</i> , 2020, 89, 1722-1734. | 1.3 | 30 |
| 11195 | Characterization and risk assessment of the invasive papaya mealybug, <i>Paracoccus marginatus</i> , in Kenya under changing climate. <i>Journal of Applied Entomology</i> , 2020, 144, 442-458. | 0.8 | 9 |
| 11196 | Potential effects of climate change on a Neotropical frog genus: changes in the spatial diversity patterns of <i>Leptodactylus</i> (Anura, Leptodactylidae) and implications for their conservation. <i>Climatic Change</i> , 2020, 161, 535-553. | 1.7 | 8 |
| 11197 | Investigation and Wideband Modeling of LCC based ± 800 kV UHVDC Converter Station for Electromagnetic Disturbance. , 2020, , . | | 0 |
| 11198 | Mapping the global potential transmission hotspots for severe fever with thrombocytopenia syndrome by machine learning methods. <i>Emerging Microbes and Infections</i> , 2020, 9, 817-826. | 3.0 | 30 |
| 11199 | Expanding the mutualistic niche: parallel symbiont turnover along climatic gradients. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20192311. | 1.2 | 31 |
| 11200 | Integrated Methods for Monitoring the Invasive Potential and Management of <i>Heracleum mantegazzianum</i> (giant hogweed) in Switzerland. <i>Environmental Management</i> , 2020, 65, 829-842. | 1.2 | 6 |
| 11201 | Transient response comparison of virtual oscillator controlled and droop controlled three-phase inverters under load changes. <i>IET Generation, Transmission and Distribution</i> , 2020, 14, 1138-1147. | 1.4 | 3 |
| 11202 | Latitudinal gradients and ecological drivers of β -diversity vary across spatial scales in a temperate forest region. <i>Global Ecology and Biogeography</i> , 2020, 29, 1257-1264. | 2.7 | 22 |
| 11203 | Combining focused identification of germplasm and core collection strategies to identify genebank accessions for central European soybean breeding. <i>Plant, Cell and Environment</i> , 2020, 43, 1421-1436. | 2.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|------|-----------|
| 11204 | Shifts in potential geographical distribution of <i>Pterocarya stenoptera</i> under climate change scenarios in China. <i>Ecology and Evolution</i> , 2020, 10, 4828-4837. | 0.8 | 28 |
| 11205 | Genetic Diversity and Population Structure of <i>Rhododendron rex</i> Subsp. <i>rex</i> Inferred from Microsatellite Markers and Chloroplast DNA Sequences. <i>Plants</i> , 2020, 9, 338. | 1.6 | 11 |
| 11206 | Modelling Agriculture, Forestry and Other Land Use (AFOLU) in response to climate change scenarios for the SAARC nations. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 236. | 1.3 | 40 |
| 11207 | Sensitivity evaluation of the Kudryavtsev permafrost model. <i>Science of the Total Environment</i> , 2020, 720, 137538. | 3.9 | 22 |
| 11208 | The Impact of Dams on Design Floods in the Conterminous US. <i>Water Resources Research</i> , 2020, 56, e2019WR025380. | 1.7 | 21 |
| 11209 | Rainfall reduction increases insect herbivory in tropical herb communities. <i>Journal of Vegetation Science</i> , 2020, 31, 487-496. | 1.1 | 16 |
| 11210 | In Situ Genetic Evaluation of European Larch Across Climatic Regions Using Marker-Based Pedigree Reconstruction. <i>Frontiers in Genetics</i> , 2020, 11, 28. | 1.1 | 15 |
| 11211 | First Age-Estimation Model for <i>Dracaena ombet</i> and <i>Dracaena draco</i> subsp. <i>caboverdeana</i> . <i>Forests</i> , 2020, 11, 264. | 0.9 | 13 |
| 11212 | Effects of Urbanization on Watershed Evapotranspiration and Its Components in Southern China. <i>Water (Switzerland)</i> , 2020, 12, 645. | 1.2 | 34 |
| 11213 | Current and future global potential distribution of the fruit fly <i>Drosophila suzukii</i> (Diptera: Tj ETQq1 1 0.784314 rgBT /Overl... 0,4 18 | | |
| 11214 | Emerging challenges for sustainable development and forest conservation in Sarawak, Borneo. <i>PLoS ONE</i> , 2020, 15, e0229614. | 1.1 | 26 |
| 11215 | Habitat-specific environmental factors regulate spatial variability of soil bacterial communities in biocrusts across northern China's drylands. <i>Science of the Total Environment</i> , 2020, 719, 137479. | 3.9 | 22 |
| 11216 | A database and synthesis of euglossine bee assemblages collected at fragrance baits. <i>Apidologie</i> , 2020, 51, 519-530. | 0.9 | 9 |
| 11217 | Variations in yield gaps of smallholder cocoa systems and the main determining factors along a climate gradient in Ghana. <i>Agricultural Systems</i> , 2020, 181, 102812. | 3.2 | 31 |
| 11218 | Early Pleistocene conifer macrofossils from Happisburgh, Norfolk, UK, and their environmental implications for early hominin occupation. <i>Quaternary Science Reviews</i> , 2020, 232, 106115. | 1.4 | 11 |
| 11219 | Asynchronous carbon sink saturation in African and Amazonian tropical forests. <i>Nature</i> , 2020, 579, 80-87. | 13.7 | 439 |
| 11220 | Distribution of <i>Candidatus Liberibacter</i> species in Eastern Africa, and the First Report of <i>Candidatus Liberibacter asiaticus</i> in Kenya. <i>Scientific Reports</i> , 2020, 10, 3919. | 1.6 | 29 |
| 11221 | A revision of the <i>Ceratozamia miqueliana</i> (Zamiaceae) species complex based on analyses of leaflet anatomical characters. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 270, 151649. | 0.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11222 | Climate change reduces the distribution area of the shea tree (<i>Vitellaria paradoxa</i> C.F. Gaertn.) in Burkina Faso. <i>Journal of Arid Environments</i> , 2020, 181, 104237. | 1.2 | 29 |
| 11223 | Potential Distribution and Niche Differentiation of <i>Spodoptera frugiperda</i> in Africa. <i>Insects</i> , 2020, 11, 383. | 1.0 | 20 |
| 11224 | Conservation status of Primulaceae, a plant family with high endemism, in China. <i>Biological Conservation</i> , 2020, 248, 108675. | 1.9 | 9 |
| 11225 | Small-sized protected areas contribute more per unit area to tropical crop pollination than large protected areas. <i>Ecosystem Services</i> , 2020, 44, 101137. | 2.3 | 2 |
| 11226 | How does eco-label competition affect environmental benefits? The case of Central Africa's forests. <i>Journal of Environmental Economics and Management</i> , 2020, 103, 102344. | 2.1 | 5 |
| 11227 | Projected Global Loss of Mammal Habitat Due to Land-Use and Climate Change. <i>One Earth</i> , 2020, 2, 578-585. | 3.6 | 46 |
| 11228 | Acknowledging uncertainty in evolutionary reconstructions of ecological niches. <i>Ecology and Evolution</i> , 2020, 10, 6967-6977. | 0.8 | 12 |
| 11229 | Diversity Under Threat: Connecting Genetic Diversity and Threat Mapping to Set Conservation Priorities for <i>Juglans regia</i> L. Populations in Central Asia. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 22 |
| 11230 | Genetic Diversity and Range Dynamics of <i>Helleborus odorus</i> subsp. <i>cyclophyllus</i> under Different Climate Change Scenarios. <i>Forests</i> , 2020, 11, 620. | 0.9 | 19 |
| 11231 | Insights into the neutral and adaptive processes shaping the spatial distribution of genomic variation in the economically important Moroccan locust (<i>Dociostaurus maroccanus</i>). <i>Ecology and Evolution</i> , 2020, 10, 3991-4008. | 0.8 | 5 |
| 11232 | Evidence of freshened groundwater below a tropical fringing reef. <i>Hydrogeology Journal</i> , 2020, 28, 2501-2517. | 0.9 | 7 |
| 11233 | Action needed for staple crops in the Andean-Amazon foothills because of climate change. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2020, 25, 1103-1127. | 1.0 | 8 |
| 11234 | Climate classification of Asian university forests under current and future climate. <i>Journal of Forest Research</i> , 2020, 25, 136-146. | 0.7 | 6 |
| 11235 | Possible Factors Influencing the Seroprevalence of Dengue among Residents of the Forest Fringe Areas of Peninsular Malaysia. <i>Journal of Tropical Medicine</i> , 2020, 2020, 1-10. | 0.6 | 6 |
| 11236 | Phylogeography and Genetic Diversity in a Southern North American Desert: <i>Agave kerchovei</i> From the Tehuac n-Cuicatl n Valley, Mexico. <i>Frontiers in Plant Science</i> , 2020, 11, 863. | 1.7 | 11 |
| 11237 | Coastal Pine-Oak Glacial Refugia in the Mediterranean Basin: A Biogeographic Approach Based on Charcoal Analysis and Spatial Modelling. <i>Forests</i> , 2020, 11, 673. | 0.9 | 52 |
| 11238 | Large- and Small-Scale Environmental Factors Drive Distributions of Ant Mound Size Across a Latitudinal Gradient. <i>Insects</i> , 2020, 11, 350. | 1.0 | 4 |
| 11239 | Plant palatability and trait responses to experimental warming. <i>Scientific Reports</i> , 2020, 10, 10526. | 1.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11240 | The new assessment of soil erodibility in Greece. <i>Soil and Tillage Research</i> , 2020, 204, 104720. | 2.6 | 14 |
| 11241 | Seeing the forest through many trees: Multi-taxon patterns of phylogenetic diversity in the Atlantic Forest hotspot. <i>Diversity and Distributions</i> , 2020, 26, 1160-1176. | 1.9 | 26 |
| 11242 | Geographic Variation in Floral Color and Reflectance Correlates With Temperature and Colonization History. <i>Frontiers in Plant Science</i> , 2020, 11, 991. | 1.7 | 14 |
| 11243 | An Introductory Framework for Choosing Spatiotemporal Analytical Tools in Population-Level Eco-Epidemiological Research. <i>Frontiers in Veterinary Science</i> , 2020, 7, 339. | 0.9 | 14 |
| 11244 | Occurrence of crassulacean acid metabolism in Colombian orchids determined by leaf carbon isotope ratios. <i>Botanical Journal of the Linnean Society</i> , 2020, 193, 431-477. | 0.8 | 15 |
| 11245 | Predicting regional hotspots of phylogenetic diversity across multiple species groups. <i>Diversity and Distributions</i> , 2020, 26, 1305-1314. | 1.9 | 7 |
| 11246 | Causes and consequences of liana infestation in southern Amazonia. <i>Journal of Ecology</i> , 2020, 108, 2184-2197. | 1.9 | 13 |
| 11247 | East Asian origin of the widespread alpine snowbed herb, <i>Primula cuneifolia</i> (Primulaceae), in the northern Pacific region. <i>Journal of Biogeography</i> , 2020, 47, 2181-2193. | 1.4 | 16 |
| 11248 | <i>Cladonia subturgida</i> (Cladoniaceae, Lecanoromycetes), an overlooked, but common species in the Mediterranean region. <i>Symbiosis</i> , 2020, 82, 9-18. | 1.2 | 7 |
| 11249 | Environmental Factors, More Than Spatial Distance, Explain Community Structure of Soil Ammonia-Oxidizers in Wetlands on the Qinghai-Tibetan Plateau. <i>Microorganisms</i> , 2020, 8, 933. | 1.6 | 12 |
| 11250 | Recognizing sources of uncertainty in disease vector ecological niche models: An example with the tick <i>Rhipicephalus sanguineus sensu lato</i> . <i>Perspectives in Ecology and Conservation</i> , 2020, 18, 91-102. | 1.0 | 17 |
| 11251 | A relic of the past: current genetic patterns of the palaeoendemic tree <i>Nothofagus macrocarpa</i> were shaped by climatic oscillations in central Chile. <i>Annals of Botany</i> , 2020, 126, 891-904. | 1.4 | 5 |
| 11252 | Yellow sea mediated segregation between North East Asian Dryophytes species. <i>PLoS ONE</i> , 2020, 15, e0234299. | 1.1 | 21 |
| 11253 | Multiple Stable Dominance States in the Congo Basin Forests. <i>Forests</i> , 2020, 11, 553. | 0.9 | 5 |
| 11254 | Heavy metal concentration in the agricultural soils under the different climatic regions: a case study of Iran. <i>Environmental Earth Sciences</i> , 2020, 79, 1. | 1.3 | 4 |
| 11255 | Spatial modeling, risk mapping, change detection, and outbreak trend analysis of coronavirus (COVID-19) in Iran (days between February 19 and June 14, 2020). <i>International Journal of Infectious Diseases</i> , 2020, 98, 90-108. | 1.5 | 94 |
| 11256 | Modeling invasive species risk from established populations: Insights for management and conservation. <i>Perspectives in Ecology and Conservation</i> , 2020, 18, 132-138. | 1.0 | 6 |
| 11257 | Effect of spatial resolution, algorithm and variable set on the estimated distribution of a mammal of concern: the squirrel <i>Sciurus aberti</i> . <i>Ecoscience</i> , 2020, 27, 195-207. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11258 | Testing macroecological abundance patterns: The relationship between local abundance and range size, range position and climatic suitability among European vascular plants. <i>Journal of Biogeography</i> , 2020, 47, 2210-2222. | 1.4 | 35 |
| 11259 | Multiple Pleistocene refugia and recent diversification for <i>Streptocarpus ionanthus</i> (Gesneriaceae) complex: Insights from multiple molecular sources. <i>Journal of Systematics and Evolution</i> , 2020, , . | 1.6 | 0 |
| 11260 | Ecoregional-Level Assessment of the Potential Distribution of the Invasive Apple Snail <i>Pomacea maculata</i> Perry, 1810 (Gastropoda: Ampullariidae): Setting Geographically Explicit Priorities for the Management of the Invasion. <i>Russian Journal of Biological Invasions</i> , 2020, 11, 172-181. | 0.2 | 2 |
| 11261 | Current and future spatial assessment of biological control as a mechanism to reduce economic losses and carbon emissions: the case of <i>Solanum sisymbriifolium</i> in Africa. <i>Pest Management Science</i> , 2020, 76, 2395-2405. | 1.7 | 7 |
| 11262 | Nature-based Solutions for Resilient Ecosystems and Societies. <i>Disaster Resilience and Green Growth</i> , 2020, , . | 0.2 | 16 |
| 11263 | Spatial and temporal evaluation of soil erosion in Turkey under climate change scenarios using the Pan-European Soil Erosion Risk Assessment (PESERA) model. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 491. | 1.3 | 32 |
| 11264 | Data-based agroecological zoning of <i>Acrocomia aculeata</i> : GIS modeling and ecophysiological aspects into a Brazilian representative occurrence area. <i>Industrial Crops and Products</i> , 2020, 154, 112749. | 2.5 | 18 |
| 11265 | Biome stability predicts population structure of a southern African aridland bird species. <i>Ecology and Evolution</i> , 2020, 10, 4066-4081. | 0.8 | 8 |
| 11266 | Grasslands of the Palaearctic Biogeographic Realm: Introduction and Synthesis. , 2020, , 617-637. | | 38 |
| 11267 | Assessing the impact of climate change on the spatio-temporal distribution of foot-and-mouth disease risk for elephants. <i>Global Ecology and Conservation</i> , 2020, 23, e01176. | 1.0 | 9 |
| 11268 | Past and future climate-driven shifts in the distribution of a warm-adapted bird species, the European Roller <i>Coracias garrulus</i> . <i>Bird Study</i> , 2020, 67, 143-159. | 0.4 | 7 |
| 11269 | Proposal of a water management sustainability index for the 969 sub-basins of Mexico. <i>Journal of Maps</i> , 2020, 16, 432-444. | 1.0 | 6 |
| 11270 | Southern Species From the Biodiversity Hotspot of Central Chile: A Source of Color, Aroma, and Metabolites for Global Agriculture and Food Industry in a Scenario of Climate Change. <i>Frontiers in Plant Science</i> , 2020, 11, 1002. | 1.7 | 15 |
| 11271 | Global Geographic Distribution and Host Range of <i>Fusarium circinatum</i> , the Causal Agent of Pine Pitch Canker. <i>Forests</i> , 2020, 11, 724. | 0.9 | 45 |
| 11272 | Shifting Winds in the Mongolian Gobi Desert: Nature and Traditions Face the Modern Era. , 2020, , 78-84. | | 2 |
| 11273 | Modeling the Putative Ancient Distribution of <i>Aedes togoi</i> (Diptera: Culicidae). <i>Journal of Insect Science</i> , 2020, 20, . | 0.6 | 3 |
| 11274 | Change in sexual signalling traits outruns morphological divergence across an ecological gradient in the post-glacial radiation of the songbird genus <i>Junco</i> . <i>Journal of Evolutionary Biology</i> , 2020, 33, 1276-1293. | 0.8 | 9 |
| 11275 | Spatial predictors of genomic and phenotypic variation differ in a lowland Middle American bird () Tj ETQq1 1 0.784314 rgBT /Overloc | 2.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11276 | Interactions between climate and soil shape tree community assembly and above-ground woody biomass of tropical dry forests. <i>Forest Ecology and Management</i> , 2020, 474, 118348. | 1.4 | 23 |
| 11277 | Contrasting patterns of local adaptation along climatic gradients between a sympatric parasitic and autotrophic tree species. <i>Molecular Ecology</i> , 2020, 29, 3022-3037. | 2.0 | 10 |
| 11278 | Future climate change will severely reduce habitat suitability of the Critically Endangered Chinese giant salamander. <i>Freshwater Biology</i> , 2020, 65, 971-980. | 1.2 | 43 |
| 11279 | Nutrient availability controls the impact of mammalian herbivores on soil carbon and nitrogen pools in grasslands. <i>Global Change Biology</i> , 2020, 26, 2060-2071. | 4.2 | 43 |
| 11280 | Climate change in the Eastern Amazon: crop-pollinator and occurrence-restricted bees are potentially more affected. <i>Regional Environmental Change</i> , 2020, 20, 1. | 1.4 | 54 |
| 11281 | Climate-based approach for modeling the distribution of montane forest vegetation in Taiwan. <i>Applied Vegetation Science</i> , 2020, 23, 239-253. | 0.9 | 6 |
| 11282 | Multispectral canopy reflectance improves spatial distribution models of Amazonian understory species. <i>Ecography</i> , 2020, 43, 128-137. | 2.1 | 8 |
| 11283 | Recent responses to climate change reveal the drivers of species extinction and survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 4211-4217. | 3.3 | 373 |
| 11284 | The combined role of dispersal and niche evolution in the diversification of Neotropical lizards. <i>Ecology and Evolution</i> , 2020, 10, 2608-2625. | 0.8 | 23 |
| 11285 | Niche dynamics and potential distribution of <i>Butomus umbellatus</i> under current and future climate scenarios in North America. <i>Hydrobiologia</i> , 2020, 847, 1505-1520. | 1.0 | 9 |
| 11286 | The importance of protected areas for overexploited plants: Evidence from a biodiversity hotspot. <i>Biological Conservation</i> , 2020, 243, 108482. | 1.9 | 31 |
| 11287 | Estimating phenotypic heritability of sexual and unisexually reproducing rock lizards (genus <i>Tj</i>). <i>ETQq1</i> 1 0.784314 $\frac{1}{64}$ / $\frac{1}{2}$ Overlock 10 11 | | |
| 11288 | Placing the hybrid origin of the asexual Amazon molly (<i>Poecilia formosa</i>) based on historical climate data. <i>Biological Journal of the Linnean Society</i> , 2020, 129, 835-843. | 0.7 | 3 |
| 11289 | Ecological niche modelling and genetic analyses reveal lack of geographic differentiation of <i>Leptolobium dasycarpum</i> (Leguminosae, Papilionoideae) across the Brazilian savannah. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 264, 151566. | 0.6 | 1 |
| 11290 | Climate change promotes species loss and uneven modification of richness patterns in the avifauna associated to Neotropical seasonally dry forests. <i>Perspectives in Ecology and Conservation</i> , 2020, 18, 19-30. | 1.0 | 22 |
| 11291 | Intense mycorrhizal root colonization in a human-modified landscape of the Caatinga dry forest. <i>Forest Ecology and Management</i> , 2020, 462, 117970. | 1.4 | 10 |
| 11292 | 30% land conservation and climate action reduces tropical extinction risk by more than 50%. <i>Ecography</i> , 2020, 43, 943-953. | 2.1 | 94 |
| 11293 | Altitude shapes the environmental drivers of large-scale variation in abundance of a widespread mammal species. <i>Ecology and Evolution</i> , 2020, 10, 119-130. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11294 | A cross-checked global monthly weather station database for precipitation covering the period 1901–2010. <i>Geoscience Data Journal</i> , 2020, 7, 27-37. | 1.8 | 5 |
| 11295 | cRacle: R tools for estimating climate from vegetation. <i>Applications in Plant Sciences</i> , 2020, 8, e11322. | 0.8 | 6 |
| 11296 | Islands in the desert for cavity-nesting bees and wasps: Ecology, patterns of diversity, and conservation at oases of Baja California Peninsula. <i>Ecology and Evolution</i> , 2020, 10, 527-542. | 0.8 | 4 |
| 11297 | Steep topography buffers threatened gymnosperm species against anthropogenic pressures in China. <i>Ecology and Evolution</i> , 2020, 10, 1838-1855. | 0.8 | 6 |
| 11298 | Genetic diversity of the rain tree (<i>Albizia saman</i>) in Colombian seasonally dry tropical forest for informing conservation and restoration interventions. <i>Ecology and Evolution</i> , 2020, 10, 1905-1916. | 0.8 | 3 |
| 11299 | The mosaic distribution pattern of two sister bush-cricket species and the possible role of reproductive interference. <i>Ecology and Evolution</i> , 2020, 10, 2570-2578. | 0.8 | 4 |
| 11300 | Effect of distance, area, and climate on the frequency of introduction and extinction events on islands and archipelagos. <i>Ecosphere</i> , 2020, 11, e03008. | 1.0 | 2 |
| 11301 | Wood anatomy of South African Meliaceae: evolutionary and ecological implications. <i>Botanical Journal of the Linnean Society</i> , 2020, 193, 165-179. | 0.8 | 6 |
| 11302 | Climatic humidity mediates the strength of the species richness–biomass relationship on the Mongolian Plateau steppe. <i>Science of the Total Environment</i> , 2020, 718, 137252. | 3.9 | 34 |
| 11303 | Mapping of the <i>Steneotarsonemus spinki</i> invasion risk in suitable areas for rice (<i>Oryza sativa</i>) cultivation using MaxEnt. <i>Experimental and Applied Acarology</i> , 2020, 80, 445-461. | 0.7 | 10 |
| 11304 | An empirical, cross-taxon evaluation of landscape-scale connectivity. <i>Biodiversity and Conservation</i> , 2020, 29, 1339-1359. | 1.2 | 10 |
| 11305 | Plantation forests cannot support the richness of forest specialist plants in the forest-steppe zone. <i>Forest Ecology and Management</i> , 2020, 461, 117964. | 1.4 | 27 |
| 11306 | Minimizing Risk and Maximizing Spatial Transferability: Challenges in Constructing a Useful Model of Potential Suitability for an Invasive Insect. <i>Annals of the Entomological Society of America</i> , 2020, 113, 100-113. | 1.3 | 9 |
| 11307 | Lucid: A Practical, Lightweight Deep Learning Solution for DDoS Attack Detection. <i>IEEE Transactions on Network and Service Management</i> , 2020, 17, 876-889. | 3.2 | 170 |
| 11308 | Assembly mechanisms and environmental predictors of the phylogenetic diversity of cricetid rodents in southern Mexico. <i>Evolutionary Ecology</i> , 2020, 34, 175-191. | 0.5 | 3 |
| 11309 | Does predator abundance influence species diversity of equilibrium macroinvertebrate assemblages in spring fens?. <i>Freshwater Biology</i> , 2020, 65, 987-998. | 1.2 | 8 |
| 11310 | How perilous are broad-scale correlations with environmental variables?. <i>Frontiers of Biogeography</i> , 2020, 12, . | 0.8 | 8 |
| 11311 | High-resolution and bias-corrected CMIP5 projections for climate change impact assessments. <i>Scientific Data</i> , 2020, 7, 7. | 2.4 | 240 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11312 | Incidence of Digital Competences in the Completion Rates of MOOCs: Case Study on Energy Sustainability Courses. <i>IEEE Transactions on Education</i> , 2020, 63, 183-189. | 2.0 | 18 |
| 11313 | An Analysis of Current Sustainability of Mexican Cities and Their Exposure to Climate Change. <i>Frontiers in Environmental Science</i> , 2020, 8, . | 1.5 | 1 |
| 11314 | Selection of CMIP5 GCM Ensemble for the Projection of Spatio-Temporal Changes in Precipitation and Temperature over the Niger Delta, Nigeria. <i>Water (Switzerland)</i> , 2020, 12, 385. | 1.2 | 32 |
| 11315 | Running to the mountains: mammal species will find potentially suitable areas on the Andes. <i>Biodiversity and Conservation</i> , 2020, 29, 1855-1869. | 1.2 | 6 |
| 11316 | Population history of a social spider reveals connection between South American tropical forests. <i>Zoologischer Anzeiger</i> , 2020, 285, 139-146. | 0.4 | 1 |
| 11317 | Responses of plant-pathogen interactions to precipitation: Implications for tropical tree richness in a changing world. <i>Journal of Ecology</i> , 2020, 108, 1800-1809. | 1.9 | 26 |
| 11318 | Biogeographic historical legacies in the net primary productivity of Northern Hemisphere forests. <i>Ecology Letters</i> , 2020, 23, 800-810. | 3.0 | 22 |
| 11319 | Ectomycorrhizal fungal diversity predicted to substantially decline due to climate changes in North American Pinaceae forests. <i>Journal of Biogeography</i> , 2020, 47, 772-782. | 1.4 | 42 |
| 11320 | Regionalization of Agricultural Nonpoint Source Pollution over China with a Combination of Qualitative and Quantitative Method. <i>Sustainability</i> , 2020, 12, 405. | 1.6 | 4 |
| 11321 | Taxonomic and phylogenetic diversity patterns in the Northern Sporades islets complex (West Aegean, Greece). <i>Journal of Biogeography</i> , 2020, 47, 1078-1093. | 1.0 | 14 |
| 11322 | Mapping of groundwater potentiality in fractured aquifers using remote sensing and GIS techniques: the case of Tafraoute region, Morocco. <i>Environmental Earth Sciences</i> , 2020, 79, 1. | 1.3 | 7 |
| 11323 | Agroforestry systems can mitigate the impacts of climate change on coffee production: A spatially explicit assessment in Brazil. <i>Agriculture, Ecosystems and Environment</i> , 2020, 294, 106858. | 2.5 | 115 |
| 11324 | Ecophylogeography of the disjunct South American xerophytic tree species <i>Prosopis chilensis</i> (Fabaceae). <i>Biological Journal of the Linnean Society</i> , 2020, 129, 793-809. | 0.7 | 9 |
| 11325 | A global assessment of the drivers of threatened terrestrial species richness. <i>Nature Communications</i> , 2020, 11, 993. | 5.8 | 47 |
| 11326 | Vegetation productivity summarized by the Dynamic Habitat Indices explains broad-scale patterns of moose abundance across Russia. <i>Scientific Reports</i> , 2020, 10, 836. | 1.6 | 17 |
| 11327 | Not all cicadas increase thermal tolerance in response to a temperature gradient in metropolitan Seoul. <i>Scientific Reports</i> , 2020, 10, 1343. | 1.6 | 8 |
| 11328 | Palms and trees resist extreme drought in Amazon forests with shallow water tables. <i>Journal of Ecology</i> , 2020, 108, 2070-2082. | 1.9 | 27 |
| 11329 | Predicting sediment discharges and erosion rates in deep time examples from the late Cretaceous North American continent. <i>Basin Research</i> , 2020, 32, 1547-1573. | 1.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11330 | Macroecology and macroevolution of body size in <i>Anolis</i> lizards. <i>Ecography</i> , 2020, 43, 812-822. | 2.1 | 24 |
| 11331 | A winner in the Anthropocene: changing host plant distribution explains geographical range expansion in the gulf fritillary butterfly. <i>Ecological Entomology</i> , 2020, 45, 652-662. | 1.1 | 8 |
| 11332 | The hidden diversity of the potato cyst nematode <i>Globodera pallida</i> in the south of Peru. <i>Evolutionary Applications</i> , 2020, 13, 727-737. | 1.5 | 14 |
| 11333 | Enigmatic hotspot of crayfish diversity at risk: Invasive potential of non-indigenous crayfish if introduced to New Guinea. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 219-224. | 0.9 | 19 |
| 11334 | Landscape Modelling and Decision Support. <i>Innovations in Landscape Research</i> , 2020, , . | 0.2 | 6 |
| 11335 | Environmental Drivers and Distribution Patterns of Carnivoran Assemblages (Mammalia: Carnivora) in the Americas: Past to Present. <i>Journal of Mammalian Evolution</i> , 2020, 27, 759-774. | 1.0 | 6 |
| 11336 | Refining benchmarks for soil organic carbon in Australia's temperate forests. <i>Geoderma</i> , 2020, 368, 114246. | 2.3 | 11 |
| 11337 | Influence of climate stability on endemism of the vascular plants of the Chihuahuan Desert. <i>Journal of Arid Environments</i> , 2020, 177, 104139. | 1.2 | 12 |
| 11338 | Characteristics of Dissolved Organic Matter from a Transboundary Himalayan Watershed: Relationships with Land Use, Elevation, and Hydrology. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 449-456. | 1.2 | 10 |
| 11339 | Risk map development for soil-transmitted helminth infections in Argentina. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008000. | 1.3 | 18 |
| 11340 | Potential Distribution of the Critically Endangered Chinese Pangolin (<i>Manis pentadactyla</i>) in Different Land Covers of Nepal: Implications for Conservation. <i>Sustainability</i> , 2020, 12, 1282. | 1.6 | 22 |
| 11341 | Latest Neogene monsoon of the Chotanagpur Plateau, eastern India, as revealed by fossil leaf architectural signatures. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 545, 109641. | 1.0 | 25 |
| 11342 | Structural diversity underpins carbon storage in Australian temperate forests. <i>Global Ecology and Biogeography</i> , 2020, 29, 789-802. | 2.7 | 45 |
| 11343 | Community Assembly of Endophytic Fungi in Ectomycorrhizae of Betulaceae Plants at a Regional Scale. <i>Frontiers in Microbiology</i> , 2019, 10, 3105. | 1.5 | 14 |
| 11344 | Incorporating Local Adaptation Into Species Distribution Modeling of <i>Paeonia mairei</i> , an Endemic Plant to China. <i>Frontiers in Plant Science</i> , 2019, 10, 1717. | 1.7 | 32 |
| 11345 | The environmental consequences of climate-driven agricultural frontiers. <i>PLoS ONE</i> , 2020, 15, e0228305. | 1.1 | 58 |
| 11346 | Genetic, morphological and ecological variation across a sharp hybrid zone between two alpine butterfly species. <i>Evolutionary Applications</i> , 2020, 13, 1435-1450. | 1.5 | 13 |
| 11347 | Impacts of climate change on high priority fruit fly species in Australia. <i>PLoS ONE</i> , 2020, 15, e0213820. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11348 | Patterns of genetic diversity and potential ecological niches of <i>Stylosanthes</i> species from northeastern Argentina. <i>Crop Science</i> , 2020, 60, 1436-1449. | 0.8 | 1 |
| 11349 | Land use as a driver for protist community structure in soils under agricultural use across Europe. <i>Science of the Total Environment</i> , 2020, 717, 137228. | 3.9 | 33 |
| 11350 | Substantial genetic divergence and lack of recent gene flow support cryptic speciation in a colour polymorphic bumble bee (<i>Bombus bifarius</i>) species complex. <i>Systematic Entomology</i> , 2020, 45, 635-652. | 1.7 | 36 |
| 11351 | Morphological diversity within a core collection of subterranean clover (<i>Trifolium subterraneum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 11.13 | 1.1 | 13 |
| 11352 | Sugar Beet Agronomic Performance Evolution in NW Spain in Future Scenarios of Climate Change. <i>Agronomy</i> , 2020, 10, 91. | 1.3 | 6 |
| 11353 | Individual behavior, behavioral stability, and pace of life within and among five shrew species. <i>Behavioral Ecology and Sociobiology</i> , 2020, 74, 1. | 0.6 | 8 |
| 11354 | Predictive Middle Palaeolithic climatic conditions from Eastern Iberia: a methodological approach based on charcoal analysis and modelling. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, 1. | 0.7 | 8 |
| 11355 | Brain expansion in early hominins predicts carnivore extinctions in East Africa. <i>Ecology Letters</i> , 2020, 23, 537-544. | 3.0 | 26 |
| 11356 | West to east shift in range predicted for Himalayan Langur in climate change scenario. <i>Global Ecology and Conservation</i> , 2020, 22, e00926. | 1.0 | 13 |
| 11357 | Functional variants of <i>DOG1</i> control seed chilling responses and variation in seasonal life-history strategies in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2526-2534. | 3.3 | 60 |
| 11358 | Beyond counts and averages: Relating geodiversity to dimensions of biodiversity. <i>Global Ecology and Biogeography</i> , 2020, 29, 696-710. | 2.7 | 29 |
| 11359 | The relative importance of biotic and abiotic determinants of temporal occupancy for avian species in North America. <i>Global Ecology and Biogeography</i> , 2020, 29, 736-747. | 2.7 | 10 |
| 11361 | Effectiveness of private land conservation areas in maintaining natural land cover and biodiversity intactness. <i>Global Ecology and Conservation</i> , 2020, 22, e00935. | 1.0 | 30 |
| 11362 | Impacts of future climate and land use change on water yield in a semiarid basin in Iran. <i>Land Degradation and Development</i> , 2020, 31, 1252-1264. | 1.8 | 49 |
| 11363 | Climate change challenges IUCN conservation priorities: a test with western Mediterranean amphibians. <i>SN Applied Sciences</i> , 2020, 2, 1. | 1.5 | 11 |
| 11364 | Greater tree community structure complexity in sacred forest compared to reserve forest land tenure systems in eastern India. <i>Environmental Conservation</i> , 2020, 47, 52-59. | 0.7 | 14 |
| 11365 | Past, Present and Future: Combining habitat suitability and future landcover simulation for long-term conservation management of Indian rhino. <i>Scientific Reports</i> , 2020, 10, 606. | 1.6 | 20 |
| 11366 | Species geographical co-occurrence and the effect of Grinnellian and Eltonian niche partitioning: The case of a Neotropical felid assemblage. <i>Ecological Research</i> , 2020, 35, 382-393. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11367 | Relationships between population densities and niche-centroid distances in North American birds. <i>Ecology Letters</i> , 2020, 23, 555-564. | 3.0 | 76 |
| 11368 | Mapping the dynamics of research networks in ecology and evolution using co-citation analysis (1975-2014). <i>Scientometrics</i> , 2020, 122, 1361-1385. | 1.6 | 10 |
| 11369 | An evaluation of central Iran's protected areas under different climate change scenarios (A Case on Tj ETQq0 0.0 rgBT /Overlock 10 | 0.8 | 18 |
| 11370 | Disentangling drivers of small mammal diversity in a highly fragmented forest system. <i>Biotropica</i> , 2020, 52, 182-195. | 0.8 | 15 |
| 11371 | Thermophilous oak forests of the steppe and forest-steppe zones of Ukraine and Western Russia. <i>Biologia (Poland)</i> , 2020, 75, 337-353. | 0.8 | 16 |
| 11372 | CGIAR modeling approaches for resource-constrained scenarios: I. Accelerating crop breeding for a changing climate. <i>Crop Science</i> , 2020, 60, 547-567. | 0.8 | 45 |
| 11373 | Statistical index (SI) as spatial modeling to evaluate the potential for greenbelt development in medium-sized Iranian cities. <i>Spatial Information Research</i> , 2020, 28, 537-546. | 1.3 | 2 |
| 11374 | Biogeographic barriers, Pleistocene refugia, and climatic gradients in the southeastern Nearctic drive diversification in cornsnakes (<i>Pantherophis guttatus</i> complex). <i>Molecular Ecology</i> , 2020, 29, 797-811. | 2.0 | 32 |
| 11375 | Grazing effects on intraspecific trait variability vary with changing precipitation patterns in Mongolian rangelands. <i>Ecology and Evolution</i> , 2020, 10, 678-691. | 0.8 | 15 |
| 11376 | Ice-age persistence and genetic isolation of the disjunct distribution of larch in Alaska. <i>Ecology and Evolution</i> , 2020, 10, 1692-1702. | 0.8 | 4 |
| 11377 | Mapping nature's contribution to SDG 6 and implications for other SDGs at policy relevant scales. <i>Remote Sensing of Environment</i> , 2020, 239, 111671. | 4.6 | 54 |
| 11378 | Long-term spatio-temporal precipitation variations in China with precipitation surface interpolated by ANUSPLIN. <i>Scientific Reports</i> , 2020, 10, 81. | 1.6 | 75 |
| 11379 | Impact of past climate warming on genomic diversity and demographic history of collared lemmings across the Eurasian Arctic. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3026-3033. | 3.3 | 19 |
| 11380 | Planning for climate change through additions to a national protected area network: implications for cost and configuration. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190117. | 1.8 | 48 |
| 11381 | Improving African bean productivity in a changing global environment. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2020, 25, 1013-1029. | 1.0 | 7 |
| 11382 | Vulnerability of baobab (<i>Adansonia digitata</i> L.) to human disturbances and climate change in western Tigray, Ethiopia: Conservation concerns and priorities. <i>Global Ecology and Conservation</i> , 2020, 22, e00943. | 1.0 | 20 |
| 11383 | Habitat transformation and climate change: Implications for the distribution, population status, and colony extinction of Southern Bald Ibis (<i>Geronticus calvus</i>) in southern Africa. <i>Condor</i> , 2020, 122, . | 0.7 | 3 |
| 11384 | Cross-Comparison of EMG-to-Force Methods for Multi-DoF Finger Force Prediction Using One-DoF Training. <i>IEEE Access</i> , 2020, 8, 13958-13968. | 2.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11385 | Projected distribution and climate refugia of endangered Kashmir musk deer <i>Moschus cupreus</i> in greater Himalaya, South Asia. <i>Scientific Reports</i> , 2020, 10, 1511. | 1.6 | 22 |
| 11386 | Pollution control can help mitigate future climate change impact on European grayling in the UK. <i>Diversity and Distributions</i> , 2020, 26, 517-532. | 1.9 | 4 |
| 11387 | Fantastic beasts and what they ate: Revealing feeding habits and ecological niche of late Quaternary <i>Macrauchenidae</i> from South America. <i>Quaternary Science Reviews</i> , 2020, 231, 106178. | 1.4 | 11 |
| 11388 | Characterisation of alternative stable vegetation assemblages in a mesic savannah in Kenya. <i>African Journal of Ecology</i> , 2020, 58, 492-502. | 0.4 | 1 |
| 11389 | Recent dynamics of pine and oak forests in Mexico. <i>European Journal of Forest Research</i> , 2020, 139, 179-187. | 1.1 | 2 |
| 11390 | Phylogeography of the Volcano Rabbit (<i>Romerolagus diazi</i>): the Evolutionary History of a Mountain Specialist Molded by the Climatic-Volcanism Interaction in the Central Mexican Highlands. <i>Journal of Mammalian Evolution</i> , 2020, 27, 745-757. | 1.0 | 9 |
| 11391 | The Role of Climate Niche, Geofloristic History, Habitat Preference, and Allometry on Wood Density within a California Plant Community. <i>Forests</i> , 2020, 11, 105. | 0.9 | 7 |
| 11392 | Current climate overrides historical effects on species richness and range size of freshwater plants in Europe and North America. <i>Journal of Ecology</i> , 2020, 108, 1262-1275. | 1.9 | 28 |
| 11393 | The global distribution of grass functional traits within grassy biomes. <i>Journal of Biogeography</i> , 2020, 47, 553-565. | 1.4 | 24 |
| 11394 | Cryptic diversity in ant mimic <i>Micaria</i> spiders (Araneae, Gnaphosidae) and a tribute to early naturalists. <i>Zoologica Scripta</i> , 2020, 49, 197-209. | 0.7 | 14 |
| 11395 | Climate and geographic adaptation drive latitudinal clines in biomass of a widespread saltmarsh plant in its native and introduced ranges. <i>Limnology and Oceanography</i> , 2020, 65, 1399-1409. | 1.6 | 26 |
| 11396 | Founder takes more: Interspecific competition affects range expansion of North American mammals into deglaciated areas. <i>Journal of Biogeography</i> , 2020, 47, 712-720. | 1.4 | 4 |
| 11397 | Decision-making and integrated assessment models of the water-energy-food nexus. <i>Water Security</i> , 2020, 9, 100056. | 1.2 | 14 |
| 11398 | GCM compare: A web application to assess differences and assist in the selection of general circulation models for climate change research. <i>Methods in Ecology and Evolution</i> , 2020, 11, 656-663. | 2.2 | 50 |
| 11399 | The influence of biocrusts on the spatial pattern of soil bacterial communities: A case study at landscape and slope scales. <i>Soil Biology and Biochemistry</i> , 2020, 142, 107721. | 4.2 | 15 |
| 11400 | An ~130 kyr Record of Surface Water Temperature and $\delta^{18}\text{O}$ From the Northern Bay of Bengal: Investigating the Linkage Between Heinrich Events and Weak Monsoon Intervals in Asia. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2019PA003646. | 1.3 | 30 |
| 11401 | Systematics and evolution of <i>Kibramoa</i> Chamberlin 1924 (Araneae: Plectreuridae) from the California Floristic Province. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 114-126. | 0.6 | 3 |
| 11402 | Niche modeling reveals life history shifts in birds at La Brea over the last twenty millennia. <i>PLoS ONE</i> , 2020, 15, e0227361. | 1.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11403 | Population Genomics in <i>Rhamdia quelen</i> (Heptapteridae, Siluriformes) Reveals Deep Divergence and Adaptation in the Neotropical Region. <i>Genes</i> , 2020, 11, 109. | 1.0 | 4 |
| 11404 | Global meta-analysis shows pervasive phosphorus limitation of aboveground plant production in natural terrestrial ecosystems. <i>Nature Communications</i> , 2020, 11, 637. | 5.8 | 310 |
| 11405 | Mapping tree species vulnerability to multiple threats as a guide to restoration and conservation of tropical dry forests. <i>Global Change Biology</i> , 2020, 26, 3552-3568. | 4.2 | 53 |
| 11406 | Spatial and climatic variables independently drive elevational gradients in ant species richness in the Eastern Himalaya. <i>PLoS ONE</i> , 2020, 15, e0227628. | 1.1 | 12 |
| 11407 | Is the lady's-slipper orchid (<i>Cypripedium calceolus</i>) likely to shortly become extinct in Europe? Insights based on ecological niche modelling. <i>PLoS ONE</i> , 2020, 15, e0228420. | 1.1 | 25 |
| 11408 | Soil Organic Carbon Across Mexico and the Conterminous United States (1991–2010). <i>Global Biogeochemical Cycles</i> , 2020, 34, no. | 1.9 | 28 |
| 11409 | Stronger regional biosecurity is essential to prevent hundreds of harmful biological invasions. <i>Global Change Biology</i> , 2020, 26, 2449-2462. | 4.2 | 46 |
| 11410 | Cultivar coefficient stability and effects on yield projections in the SPUDSIM model. <i>Agronomy Journal</i> , 2020, 112, 828-843. | 0.9 | 5 |
| 11411 | Soil loss estimation using the revised universal soil loss equation and a GIS-based model: a case study of Jijel Wilaya, Algeria. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1. | 0.6 | 16 |
| 11412 | Factors Governing Total and Permanganate Oxidizable C Pools in Agricultural Soils from Southern Italy. <i>Agriculture (Switzerland)</i> , 2020, 10, 99. | 1.4 | 4 |
| 11413 | Estimating Current and Future Rainfall Erosivity in Greece Using Regional Climate Models and Spatial Quantile Regression Forests. <i>Water (Switzerland)</i> , 2020, 12, 687. | 1.2 | 19 |
| 11414 | Geographic patterns of insect diversity across China's nature reserves: The roles of niche conservatism and range overlapping. <i>Ecology and Evolution</i> , 2020, 10, 3305-3317. | 0.8 | 9 |
| 11415 | Examining the impacts of future land use/land cover changes on climate in Punjab province, Pakistan: implications for environmental sustainability and economic growth. <i>Environmental Science and Pollution Research</i> , 2020, 27, 25415-25433. | 2.7 | 33 |
| 11416 | Climate-change threats to distribution, habitats, sustainability and conservation of highly traded medicinal and aromatic plants in Nepal. <i>Ecological Indicators</i> , 2020, 115, 106435. | 2.6 | 44 |
| 11417 | Climate and land use affect genetic structure of <i>Stipa glareosa</i> P. A. Smirn. in Mongolia. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 266, 151572. | 0.6 | 6 |
| 11418 | Response of the Water Conservation Function to Vegetation Dynamics in the Qinghai–Tibetan Plateau Based on MODIS Products. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 1675-1686. | 2.3 | 13 |
| 11419 | Population modelling and genetics of a critically endangered Madagascan palm <i>Tahina spectabilis</i> . <i>Ecology and Evolution</i> , 2020, 10, 3120-3137. | 0.8 | 6 |
| 11420 | Does breeding season variation affect evolution of a sexual signaling trait in a tropical lizard clade?. <i>Ecology and Evolution</i> , 2020, 10, 3738-3746. | 0.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11421 | Evaluating the impact of future climate and forest cover change on the ability of Southeast (SE) Asia's protected areas to provide coverage to the habitats of threatened avian species. <i>Ecological Indicators</i> , 2020, 114, 106307. | 2.6 | 11 |
| 11422 | Population structure, landscape genomics, and genetic signatures of adaptation to exotic disease pressure in <i>Cornus florida</i> L. Insights from GWAS and GBS data. <i>Journal of Systematics and Evolution</i> , 2020, 58, 546-570. | 1.6 | 13 |
| 11423 | Dwarfism in close continental amphibian populations despite lack of genetic isolation. <i>Oikos</i> , 2020, 129, 1243-1256. | 1.2 | 4 |
| 11424 | Seasonal Distribution of <i>Phlebotomus papatasi</i> , Vector of Zoonotic Cutaneous Leishmaniasis. <i>Acta Parasitologica</i> , 2020, 65, 585-598. | 0.4 | 13 |
| 11425 | Decision Support System for Fitting and Mapping Nonlinear Functions with Application to Insect Pest Management in the Biological Control Context. <i>Algorithms</i> , 2020, 13, 104. | 1.2 | 5 |
| 11426 | Quantifying the Use of Forest Ecosystem Services by Local Populations in Southeastern Cameroon. <i>Sustainability</i> , 2020, 12, 2505. | 1.6 | 11 |
| 11427 | Climatic Change and Habitat Availability for Three Sotol Species in MÃ©xico: A Vision towards Their Sustainable Use. <i>Sustainability</i> , 2020, 12, 3455. | 1.6 | 4 |
| 11428 | Identifying threshold responses of Australian dryland rivers to future hydroclimatic change. <i>Scientific Reports</i> , 2020, 10, 6653. | 1.6 | 26 |
| 11429 | Past, present and future distributions of bumblebees in South America: Identifying priority species and areas for conservation. <i>Journal of Applied Ecology</i> , 2020, 57, 1829-1839. | 1.9 | 21 |
| 11430 | A methodology for mapping current and future heat stress risk in pigs. <i>Animal</i> , 2020, 14, 1952-1960. | 1.3 | 11 |
| 11431 | Endemism patterns are scale dependent. <i>Nature Communications</i> , 2020, 11, 2115. | 5.8 | 56 |
| 11432 | Recent diversification of <i>Chrysoritis</i> butterflies in the South African Cape (Lepidoptera: Lycaenidae). <i>Molecular Phylogenetics and Evolution</i> , 2020, 148, 106817. | 1.2 | 6 |
| 11433 | Distribution and abundance of large herbivores in a northern Australian tropical savanna: A multi-scale approach. <i>Austral Ecology</i> , 2020, 45, 529-547. | 0.7 | 12 |
| 11434 | Influence of late Quaternary climate on the biogeography of Neotropical aquatic species as reflected by non-marine ostracodes. <i>Biogeosciences</i> , 2020, 17, 145-161. | 1.3 | 6 |
| 11435 | Changing Climate, Changing Worlds. <i>Ethnobiology</i> , 2020, , . | 0.4 | 4 |
| 11436 | Microclimate affects the distribution of grassland birds, but not forest birds, in an Alpine environment. <i>Journal of Ornithology</i> , 2020, 161, 677-689. | 0.5 | 15 |
| 11438 | Predicting range shifts of the Chinese monal (<i>Lophophorus lhuysii</i>) under climate change: Implications for long-term conservation. <i>Global Ecology and Conservation</i> , 2020, 22, e01018. | 1.0 | 6 |
| 11439 | Predicting the current and future suitable habitats of the main dietary plants of the Gobi Bear using MaxEnt modeling. <i>Global Ecology and Conservation</i> , 2020, 22, e01032. | 1.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|------|-----------|
| 11440 | Rainfall erosivity in South America: Current patterns and future perspectives. <i>Science of the Total Environment</i> , 2020, 724, 138315. | 3.9 | 48 |
| 11441 | Climatic dynamics and topography control genetic variation in Atlantic Forest montane birds. <i>Molecular Phylogenetics and Evolution</i> , 2020, 148, 106812. | 1.2 | 13 |
| 11442 | Outstanding diversity and microendemism in a clade of rare Atlantic Forest montane frogs. <i>Molecular Phylogenetics and Evolution</i> , 2020, 149, 106813. | 1.2 | 8 |
| 11443 | The projected timing of abrupt ecological disruption from climate change. <i>Nature</i> , 2020, 580, 496-501. | 13.7 | 394 |
| 11444 | Current and future patterns of forest fire occurrence in China. <i>International Journal of Wildland Fire</i> , 2020, 29, 104. | 1.0 | 43 |
| 11445 | Hide-and-seek with hoverflies: <i>Merodon aureus</i> – a species, a complex or a subgroup?. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 974-1001. | 1.0 | 12 |
| 11446 | Niche divergence corresponds to genetic differentiation within the parrot-beaked tortoise <i>Homopus areolatus</i> (Reptilia: Testudinidae), endemic to South Africa. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 1256-1273. | 1.0 | 5 |
| 11447 | A Network-Centric Analysis for the Internet of Vehicles and Simulation Tools. <i>IEEE Access</i> , 2020, 8, 68342-68364. | 2.6 | 6 |
| 11448 | Adaptive Resolution Change Using Uncoded Areas and Dictionary Learning-Based Super-Resolution in Versatile Video Coding. , 2020, , . | | 0 |
| 11449 | Germination responses to light of four Neotropical forest tree species along an elevational gradient in the southern Central Andes. <i>Ecological Research</i> , 2020, 35, 550-558. | 0.7 | 4 |
| 11450 | Fine-grained sediment deposition alters the response of plant CSR strategies on the gravel bars of a highly regulated river. <i>Applied Vegetation Science</i> , 2020, 23, 452-463. | 0.9 | 10 |
| 11451 | Multifunctionality of biocrusts is positively predicted by network topologies consistent with interspecies facilitation. <i>Molecular Ecology</i> , 2020, 29, 1560-1573. | 2.0 | 23 |
| 11452 | An operational definition of the biome for global change research. <i>New Phytologist</i> , 2020, 227, 1294-1306. | 3.5 | 33 |
| 11453 | Competition–Drought interactions change phenotypic plasticity and the direction of selection on <i>Arabidopsis</i> traits. <i>New Phytologist</i> , 2020, 227, 1060-1072. | 3.5 | 25 |
| 11454 | Exploration of the Yield Potential of Mesoamerican Wild Common Beans From Contrasting Eco-Geographic Regions by Nested Recombinant Inbred Populations. <i>Frontiers in Plant Science</i> , 2020, 11, 346. | 1.7 | 14 |
| 11455 | Ecological Niche Models of Four Hard Tick Genera (Ixodidae) in Mexico. <i>Animals</i> , 2020, 10, 649. | 1.0 | 15 |
| 11456 | Distribution Pattern of Endangered Plant <i>Semiliquidambar cathayensis</i> (Hamamelidaceae) in Response to Climate Change after the Last Interglacial Period. <i>Forests</i> , 2020, 11, 434. | 0.9 | 42 |
| 11457 | Soil Color and Mineralogy Mapping Using Proximal and Remote Sensing in Midwest Brazil. <i>Remote Sensing</i> , 2020, 12, 1197. | 1.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11458 | Carbon Footprint of Lamb and Wool Production at Farm Gate and the Regional Scale in Southern Patagonia. <i>Sustainability</i> , 2020, 12, 3077. | 1.6 | 18 |
| 11459 | The orophilous relict High Campoese finely-toothed willow communities. <i>Mediterranean Botany</i> , 2020, 41, 5-14. | 0.9 | 0 |
| 11460 | Does the pathogenesis of SARS-CoV-2 virus decrease at high-altitude?. <i>Respiratory Physiology and Neurobiology</i> , 2020, 277, 103443. | 0.7 | 155 |
| 11461 | Topography and human pressure in mountain ranges alter expected species responses to climate change. <i>Nature Communications</i> , 2020, 11, 1974. | 5.8 | 86 |
| 11462 | General Theory and Good Practices in Ecological Niche Modeling: A Basic Guide. <i>Biodiversity Informatics</i> , 2020, 15, 67-68. | 3.0 | 36 |
| 11463 | Driving forces of land surface temperature anomalous changes in North America in 2002–2018. <i>Scientific Reports</i> , 2020, 10, 6931. | 1.6 | 41 |
| 11464 | Cold adaptation across the elevation gradient in an alpine butterfly species complex. <i>Ecological Entomology</i> , 2020, 45, 997-1003. | 1.1 | 3 |
| 11465 | Environmental stressors affect sex ratios in sexually dimorphic plant sexual systems. <i>Plant Biology</i> , 2020, 22, 890-898. | 1.8 | 7 |
| 11466 | Genotyping-by-sequencing and ecological niche modeling illuminate phylogeography, admixture, and Pleistocene range dynamics in quaking aspen (<i>Populus tremuloides</i>). <i>Ecology and Evolution</i> , 2020, 10, 4609-4629. | 0.8 | 13 |
| 11467 | The response of the species diversity pattern of <i>Populus</i> to climate change in China. <i>Physics and Chemistry of the Earth</i> , 2020, 116, 102858. | 1.2 | 2 |
| 11468 | Machine learning predicts large scale declines in native plant phylogenetic diversity. <i>New Phytologist</i> , 2020, 227, 1544-1556. | 3.5 | 19 |
| 11469 | RVF vector spatial distribution models: vector abundance. <i>EFSA Supporting Publications</i> , 2020, 17, 1847E. | 0.3 | 6 |
| 11470 | Assessing the suitable cultivation areas for <i>Scutellaria baicalensis</i> in China using the Maxent model and multiple linear regression. <i>Biochemical Systematics and Ecology</i> , 2020, 90, 104052. | 0.6 | 29 |
| 11471 | Climate change and spatial distribution shaped the life-history traits of schizothoracine fishes on the Tibetan Plateau and its adjacent areas. <i>Global Ecology and Conservation</i> , 2020, 22, e01041. | 1.0 | 5 |
| 11472 | Spatial distribution of leptospirosis incidence in the Upper Yangtze and Pearl River Basin, China: Tools to support intervention and elimination. <i>Science of the Total Environment</i> , 2020, 725, 138251. | 3.9 | 12 |
| 11473 | Flower morphology is correlated with distribution and phylogeny in <i>Bertolonia</i> (Melastomataceae), an herbaceous genus endemic to the Atlantic Forest. <i>Molecular Phylogenetics and Evolution</i> , 2020, 149, 106844. | 1.2 | 16 |
| 11474 | Sexual selection and population divergence III: Interspecific and intraspecific variation in mating signals. <i>Journal of Evolutionary Biology</i> , 2020, 33, 990-1005. | 0.8 | 11 |
| 11475 | Challenges and Opportunities for <i>Terrapene carolina carolina</i> Under Different Climate Scenarios. <i>Remote Sensing</i> , 2020, 12, 836. | 1.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11476 | Environment and evolutionary history depict phylogenetic alpha and beta diversity in the Atlantic coastal white-sand woodlands. <i>Journal of Vegetation Science</i> , 2020, 31, 634-645. | 1.1 | 17 |
| 11477 | Spatial variation in morphology of the White-browed Laughingthrush (<i>Garrulax sannio</i>) and its relationship with climate conditions in southern China. <i>Journal of Ornithology</i> , 2020, 161, 701-711. | 0.5 | 1 |
| 11478 | Disjunct and decoupled? The persistence of a fire-sensitive conifer species in a historically frequent-fire landscape. <i>Journal for Nature Conservation</i> , 2020, 55, 125828. | 0.8 | 4 |
| 11479 | Phylogenetic conservatism and biogeographic affinity influence woody plant species richness-climate relationships in eastern Eurasia. <i>Ecography</i> , 2020, 43, 1027-1040. | 2.1 | 13 |
| 11480 | Predicting the strength of urban-rural clines in a Mendelian polymorphism along a latitudinal gradient. <i>Evolution Letters</i> , 2020, 4, 212-225. | 1.6 | 19 |
| 11481 | The total suitability of water yield and carbon sequestration under multi-scenario simulations in the Weihe watershed, China. <i>Environmental Science and Pollution Research</i> , 2020, 27, 22461-22475. | 2.7 | 8 |
| 11482 | Climate change can affect the spatial association between stingless bees and <i>Mimosa scabrella</i> in the Brazilian Atlantic Forest. <i>Apidologie</i> , 2020, 51, 689-700. | 0.9 | 2 |
| 11483 | Predicting current and future suitable habitat and productivity for Atlantic populations of maritime pine (<i>Pinus pinaster</i> Aiton) in Spain. <i>Annals of Forest Science</i> , 2020, 77, 1. | 0.8 | 18 |
| 11484 | The moss genus <i>Didymodon</i> as an indicator of climate change on the Tibetan Plateau. <i>Ecological Indicators</i> , 2020, 113, 106204. | 2.6 | 24 |
| 11485 | Assessing the drivers and the recruitment potential of <i>Eucalyptus globulus</i> in the Iberian Peninsula. <i>Forest Ecology and Management</i> , 2020, 466, 118147. | 1.4 | 12 |
| 11486 | Predicting the potential distribution and habitat variables associated with pangolins in Nepal. <i>Global Ecology and Conservation</i> , 2020, 23, e01049. | 1.0 | 16 |
| 11487 | Estimation of high spatiotemporal resolution actual evapotranspiration by combining the SWH model with the METRIC model. <i>Journal of Hydrology</i> , 2020, 586, 124883. | 2.3 | 13 |
| 11488 | National parks influence habitat use of lowland tapirs in adjacent private lands in the Southern Yungas of Argentina. <i>Oryx</i> , 0, , 1-10. | 0.5 | 4 |
| 11489 | Reconciling global priorities for conserving biodiversity habitat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9906-9911. | 3.3 | 64 |
| 11490 | Roles of the environment, vegetation and spatial structure in the species composition of the Heteroptera community. <i>Systematics and Biodiversity</i> , 2020, 18, 29-41. | 0.5 | 0 |
| 11491 | Allopolyploid Speciation Accompanied by Gene Flow in a Tree Fern. <i>Molecular Biology and Evolution</i> , 2020, 37, 2487-2502. | 3.5 | 17 |
| 11492 | Soil and organic carbon losses from varying land uses: a global meta-analysis. <i>Geographical Research</i> , 2020, 58, 167-185. | 0.9 | 16 |
| 11493 | Developmental life history is associated with variation in rates of climatic niche evolution in a salamander adaptive radiation*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1804-1814. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11494 | Anthropogenic alteration of nutrient supply increases the global freshwater carbon sink. <i>Science Advances</i> , 2020, 6, eaaw2145. | 4.7 | 80 |
| 11495 | Nuclear phylogeography of the temperate tree species <i>Chiranthodendron pentadactylon</i> (Malvaceae): Quaternary relicts in Mesoamerican cloud forests. <i>BMC Evolutionary Biology</i> , 2020, 20, 44. | 3.2 | 6 |
| 11496 | Modelling the monthly abundance of <i>Culicoides</i> biting midges in nine European countries using Random Forests machine learning. <i>Parasites and Vectors</i> , 2020, 13, 194. | 1.0 | 17 |
| 11497 | Co-occurrence or dependence? Using spatial analyses to explore the interaction between palms and <i>Rhodnius</i> triatomines. <i>Parasites and Vectors</i> , 2020, 13, 211. | 1.0 | 5 |
| 11498 | Potential suitable habitat of <i>Eleusine coracana</i> (L) gaertn (Finger millet) under the climate change scenarios in Nepal. <i>BMC Ecology</i> , 2020, 20, 19. | 3.0 | 9 |
| 11499 | Plant Origin, but Not Phylogeny, Drive Species Ecophysiological Response to Projected Climate. <i>Frontiers in Plant Science</i> , 2020, 11, 400. | 1.7 | 10 |
| 11500 | Molecular Phylogeography and Evolutionary History of the Endemic Species <i>Corydalis hendersonii</i> (Papaveraceae) on the Tibetan Plateau Inferred From Chloroplast DNA and ITS Sequence Variation. <i>Frontiers in Plant Science</i> , 2020, 11, 436. | 1.7 | 11 |
| 11501 | Ecological Niche Models Reveal Climate Change Effect on Biogeographical Regions: The Iberian Peninsula as a Case Study. <i>Climate</i> , 2020, 8, 42. | 1.2 | 15 |
| 11502 | Potential Risks of Plant Invasions in Protected Areas of Sri Lanka under Climate Change with Special Reference to Threatened Vertebrates. <i>Climate</i> , 2020, 8, 51. | 1.2 | 10 |
| 11503 | MaxEnt Modeling for Predicting the Current and Future Potential Geographical Distribution of <i>Quercus libani</i> Olivier. <i>Sustainability</i> , 2020, 12, 2671. | 1.6 | 91 |
| 11504 | Endemic and alien vascular plant diversity in the small Mediterranean islands of Sardinia: Drivers and implications for their conservation. <i>Biological Conservation</i> , 2020, 244, 108519. | 1.9 | 20 |
| 11505 | Understanding the importance of spatial scale in the patterns of grassland invasions. <i>Science of the Total Environment</i> , 2020, 727, 138669. | 3.9 | 13 |
| 11506 | Emotional habitat: mapping the global geographic distribution of human emotion with physical environmental factors using a species distribution model. <i>International Journal of Geographical Information Science</i> , 2021, 35, 227-249. | 2.2 | 11 |
| 11507 | Restriction-site associated DNA sequencing data reveal a radiation of willow species (<i>Salix</i> L.) Tj ETQq1 1 0.784314 rgBT /Over 59, 44-57. | 1.6 | 27 |
| 11508 | Determining priority areas for an Endangered cold-adapted snake on warming mountaintops. <i>Oryx</i> , 2021, 55, 334-343. | 0.5 | 6 |
| 11509 | Fine scale surface climate in complex terrain using machine learning. <i>International Journal of Climatology</i> , 2021, 41, 233-250. | 1.5 | 4 |
| 11510 | Combining genotype, phenotype, and environmental data to delineate site-adjusted provenance strategies for ecological restoration. <i>Molecular Ecology Resources</i> , 2021, 21, 44-58. | 2.2 | 41 |
| 11511 | DNA Barcoding and Demographic History of <i>Peromyscus yucatanicus</i> (Rodentia: Cricetidae) Endemic to the Yucatan Peninsula, Mexico. <i>Journal of Mammalian Evolution</i> , 2021, 28, 481-495. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11512 | Effects of climate change and human influence in the distribution and range overlap between two widely distributed avian scavengers. <i>Bird Conservation International</i> , 2021, 31, 77-95. | 0.7 | 7 |
| 11513 | Combined genotype and phenotype analyses reveal patterns of genomic adaptation to local environments in the subtropical oak <i>Quercus acutissima</i> . <i>Journal of Systematics and Evolution</i> , 2021, 59, 541-556. | 1.6 | 19 |
| 11514 | Phylogeographic sampling guided by species distribution modeling reveals the Quaternary history of the Mediterranean-Canarian <i>Cistus monspeliensis</i> (Cistaceae). <i>Journal of Systematics and Evolution</i> , 2021, 59, 262-277. | 1.6 | 15 |
| 11515 | The failed invasion of <i>Harmonia axyridis</i> in the Azores, Portugal: Climatic restriction or wrong population origin?. <i>Insect Science</i> , 2021, 28, 238-250. | 1.5 | 9 |
| 11516 | The thermal ecology and physiology of reptiles and amphibians: A user's guide. <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2021, 335, 13-44. | 0.9 | 100 |
| 11517 | Effect of climate change on potential distribution of <i>Cedrus libani</i> A. Rich in the twenty-first century: an Ecological Niche Modeling assessment. <i>New Forests</i> , 2021, 52, 363-376. | 0.7 | 16 |
| 11518 | Ecological niche divergence contributes species differentiation in worm lizards (<i>Blanus</i> sp.) (Squamata: Amphisbaenia: Blanidae) in Mediterranean part of Anatolian peninsula and the Levantine region. <i>Biologia (Poland)</i> , 2021, 76, 525-532. | 0.8 | 8 |
| 11519 | Conservation planning of cash crops species (<i>Garcinia gummi-gutta</i>) under current and future climate in the Western Ghats, India. <i>Environment, Development and Sustainability</i> , 2021, 23, 5345-5370. | 2.7 | 17 |
| 11520 | Molecular and paleoclimatic data uncover the impact of an ancient bottleneck on the demographic history and contemporary genetic structure of endangered <i>Pinus uliginosa</i> . <i>Journal of Systematics and Evolution</i> , 2021, 59, 596-610. | 1.6 | 8 |
| 11521 | Modelling aboveground biomass in forest remnants of the Brazilian Atlantic Forest using remote sensing, environmental and terrain-related data. <i>Geocarto International</i> , 2021, 36, 281-298. | 1.7 | 9 |
| 11522 | Oh the places they'll go: improving species distribution modelling for invasive forest pests in an uncertain world. <i>Biological Invasions</i> , 2021, 23, 297-349. | 1.2 | 34 |
| 11523 | A survey of biodiversity informatics: Concepts, practices, and challenges. <i>Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery</i> , 2021, 11, e1394. | 4.6 | 19 |
| 11524 | Leaf nutrients in <i>Prosopis pallida</i> are determined by soil chemical attributes under eutric conditions in a dryland forest. <i>Trees - Structure and Function</i> , 2021, 35, 375-386. | 0.9 | 1 |
| 11525 | Climate data source matters in species distribution modelling: the case of the Iberian Peninsula. <i>Biodiversity and Conservation</i> , 2021, 30, 67-84. | 1.2 | 13 |
| 11526 | Ecological niche modeling (ENM) of <i>Leptoglossus clypealis</i> a new potential global invader: following in the footsteps of <i>Leptoglossus occidentalis</i> ?. <i>Bulletin of Entomological Research</i> , 2021, 111, 289-300. | 0.5 | 13 |
| 11527 | Insights into the aridification history of Central Asian Mountains and international conservation strategy from the endangered wild apple tree. <i>Journal of Biogeography</i> , 2021, 48, 332-344. | 1.4 | 11 |
| 11528 | Ecological niche models improve home range estimations. <i>Journal of Zoology</i> , 2021, 313, 145-157. | 0.8 | 11 |
| 11529 | Application of machine learning methods for paleoclimatic reconstructions from leaf traits. <i>International Journal of Climatology</i> , 2021, 41, E3249. | 1.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11530 | Potential risks of <i>Tithonia diversifolia</i> in Yunnan Province under climate change. <i>Ecological Research</i> , 2021, 36, 129-144. | 0.7 | 7 |
| 11531 | Distribution of <i>Eucalyptus globulus</i> Labill. in northern Spain: Contemporary cover, suitable habitat and potential expansion under climate change. <i>Forest Ecology and Management</i> , 2021, 481, 118723. | 1.4 | 14 |
| 11532 | Coastal environments shape chemical and microbial properties of forest litters in the Circum-Mediterranean region. <i>European Journal of Soil Science</i> , 2021, 72, 1010-1025. | 1.8 | 1 |
| 11533 | Using models to inform water policy in a changing climate: comparing the Australian and Uruguayan experiences. <i>Marine and Freshwater Research</i> , 2021, 72, 275. | 0.7 | 2 |
| 11534 | Clinal and Allometric Variation in the Skull of Sexually Dimorphic Opossums. <i>Journal of Mammalian Evolution</i> , 2021, 28, 185-198. | 1.0 | 5 |
| 11535 | Does defoliation frequency and severity influence plant productivity? The role of grazing management and soil nutrients. <i>African Journal of Range and Forage Science</i> , 2021, 38, 141-156. | 0.6 | 8 |
| 11536 | Common mistakes in ecological niche models. <i>International Journal of Geographical Information Science</i> , 2021, 35, 213-226. | 2.2 | 157 |
| 11537 | More than one sweet tabaiba: Disentangling the systematics of the succulent dendroid shrub <i>Euphorbia balsamifera</i> . <i>Journal of Systematics and Evolution</i> , 2021, 59, 490-503. | 1.6 | 9 |
| 11538 | Use Forests or Lose Them? Regulated Timber Extraction and Tree Cover Loss in Mexico. <i>Journal of the Association of Environmental and Resource Economists</i> , 2021, 8, 125-163. | 1.0 | 10 |
| 11539 | Urban and rural contribution to the GHG emissions in the MECA countries. <i>Environment, Development and Sustainability</i> , 2021, 23, 6418-6452. | 2.7 | 6 |
| 11540 | Patagonian glacial effects on the endemic Green-backed Firecrown, <i>Sephanoides sephaniodes</i> (Aves). <i>Journal of Ornithology</i> , 2021, 162, 289-301. | 0.5 | 6 |
| 11541 | Prediction of soil organic carbon and the C:N ratio on a national scale using machine learning and satellite data: A comparison between Sentinel-2, Sentinel-3 and Landsat-8 images. <i>Science of the Total Environment</i> , 2021, 755, 142661. | 3.9 | 83 |
| 11542 | Subspecies divergence and pronounced phylogenetic incongruence in the East-Asia-endemic shrub <i>Magnolia sieboldii</i> . <i>Annals of Botany</i> , 2021, 127, 75-90. | 1.4 | 7 |
| 11543 | Spatiotemporal tradeoffs and synergies in vegetation vitality and poverty transition in rocky desertification area. <i>Science of the Total Environment</i> , 2021, 752, 141770. | 3.9 | 36 |
| 11544 | Is there always space at the top? Ensemble modeling reveals climate-driven high-altitude squeeze for the vulnerable snow trout <i>Schizothorax richardsonii</i> in Himalaya. <i>Ecological Indicators</i> , 2021, 120, 106900. | 2.6 | 31 |
| 11545 | Distribution and habitat modeling of <i>Dactylorhiza hatagirea</i> (D. Don) Soo, <i>Paris polyphylla</i> Sm. and <i>Taxus</i> species in Nepal Himalaya. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2021, 20, 100274. | 0.9 | 11 |
| 11546 | Human existence potential in Europe during the Last Glacial Maximum. <i>Quaternary International</i> , 2021, 581-582, 7-27. | 0.7 | 12 |
| 11547 | Species distribution models predict the geographic expansion of an enzootic amphibian pathogen. <i>Biotropica</i> , 2021, 53, 221-231. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11548 | Modern pollen assemblages of the Neotropics. <i>Journal of Biogeography</i> , 2021, 48, 231-241. | 1.4 | 10 |
| 11549 | The triangular space of abiotic stress tolerance in woody species: a unified trade-off model. <i>New Phytologist</i> , 2021, 229, 1354-1362. | 3.5 | 21 |
| 11550 | Niche differentiation between deeply divergent phylogenetic lineages of an endemic newt: implications for Species Distribution Models. <i>Zoology</i> , 2021, 144, 125852. | 0.6 | 11 |
| 11551 | Multiple species delimitation approaches applied to the avian lark genus <i>Alaudala</i> . <i>Molecular Phylogenetics and Evolution</i> , 2021, 154, 106994. | 1.2 | 14 |
| 11552 | Drivers of distributions and niches of North American cold-adapted amphibians: evaluating both climate and land use. <i>Ecological Applications</i> , 2021, 31, e2236. | 1.8 | 14 |
| 11553 | Biotic and abiotic determinants of <i>Batrachochytrium dendrobatidis</i> infections in amphibians of the Brazilian Atlantic Forest. <i>Fungal Ecology</i> , 2021, 49, 100995. | 0.7 | 23 |
| 11554 | Genomic Adaptations to Salinity Resist Gene Flow in the Evolution of Floridian Watersnakes. <i>Molecular Biology and Evolution</i> , 2021, 38, 745-760. | 3.5 | 11 |
| 11555 | Current distributions and future climate-driven changes in diatoms, insects and fish in U.S. streams. <i>Global Ecology and Biogeography</i> , 2021, 30, 63-78. | 2.7 | 24 |
| 11556 | The phylogenetic diversity and structure of the seasonally dry forests in the Neotropics. <i>Journal of Biogeography</i> , 2021, 48, 176-186. | 1.4 | 6 |
| 11557 | The dynamics of historical and recent range shifts in the ruffed grouse (<i>Bonasa umbellus</i>). <i>Journal of Ornithology</i> , 2021, 162, 43-52. | 0.5 | 2 |
| 11558 | Winter temperature and forest cover have shaped red deer distribution in Europe and the Ural Mountains since the Late Pleistocene. <i>Journal of Biogeography</i> , 2021, 48, 147-159. | 1.4 | 26 |
| 11559 | Winners and losers in the predicted impact of climate change on cacti species in Baja California. <i>Plant Ecology</i> , 2021, 222, 29-44. | 0.7 | 7 |
| 11560 | Temporal and spatial denudation trends in the continental margin of southeastern Brazil. <i>Journal of South American Earth Sciences</i> , 2021, 105, 102931. | 0.6 | 11 |
| 11561 | Isolation by geographical distance after release from Pleistocene refugia explains genetic and phenotypic variation in <i>Xylotrupes siamensis</i> (Coleoptera: Scarabaeidae). <i>Zoological Journal of the Linnean Society</i> , 2021, 192, 117-129. | 1.0 | 7 |
| 11562 | Scale-dependent drivers of the phylogenetic structure and similarity of tree communities in northwestern Amazonia. <i>Journal of Ecology</i> , 2021, 109, 888-899. | 1.9 | 8 |
| 11563 | Weak phylogenetic and climatic signals in plant heat tolerance. <i>Journal of Biogeography</i> , 2021, 48, 91-100. | 1.4 | 22 |
| 11564 | Microalgal biofuel production at national scales: Reducing conflicts with agricultural lands and biodiversity within countries. <i>Energy</i> , 2021, 215, 119033. | 4.5 | 22 |
| 11565 | Warming temperatures could expose more than 1.3 billion new people to Zika virus risk by 2050. <i>Global Change Biology</i> , 2021, 27, 84-93. | 4.2 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11566 | Weak tradeoff between xylem hydraulic efficiency and safety: climatic seasonality matters. <i>New Phytologist</i> , 2021, 229, 1440-1452. | 3.5 | 49 |
| 11567 | Environmental niche and functional role similarity between invasive and native palms in the Atlantic Forest. <i>Biological Invasions</i> , 2021, 23, 741-754. | 1.2 | 9 |
| 11568 | Functional erosion and trait loss in fish assemblages from Neotropical reservoirs: The man beyond the environment. <i>Fish and Fisheries</i> , 2021, 22, 377-390. | 2.7 | 15 |
| 11569 | The more you search, the more you find: Cryptic diversity and admixture within the Anatolian rock lizards (<i>Squamata</i> , <i>Darevskia</i>). <i>Zoologica Scripta</i> , 2021, 50, 193-209. | 0.7 | 7 |
| 11570 | Cumulative habitat loss increases conservation threats on endemic species of terrestrial vertebrates in Mexico. <i>Biological Conservation</i> , 2021, 253, 108864. | 1.9 | 17 |
| 11571 | Pleistocene glacial cycles as drivers of allopatric differentiation in Arctic shorebirds. <i>Journal of Biogeography</i> , 2021, 48, 747-759. | 1.4 | 7 |
| 11572 | Estimating climate-induced "Nowhere to go" range shifts of the Himalayan <i>Incarvillea</i> Juss. using multi-model median ensemble species distribution models. <i>Ecological Indicators</i> , 2021, 121, 107127. | 2.6 | 28 |
| 11573 | The role of environmental and spatial factors in the assembly of aquatic insect communities in southern Brazilian temporary ponds. <i>Austral Ecology</i> , 2021, 46, 228-238. | 0.7 | 8 |
| 11574 | The multiple origins of sexual size dimorphism in global amphibians. <i>Global Ecology and Biogeography</i> , 2021, 30, 443-458. | 2.7 | 23 |
| 11575 | Intraspecific genomic variation and local adaptation in a young hybrid species. <i>Molecular Ecology</i> , 2021, 30, 791-809. | 2.0 | 11 |
| 11576 | Ecophysiological models for global invaders: Is Europe a big playground for the African clawed frog?. <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2021, 335, 158-172. | 0.9 | 5 |
| 11577 | Predicting the current and future distribution of the edible long-horned grasshopper <i>Ruspolia differens</i> (Serville) using temperature-dependent phenology models. <i>Journal of Thermal Biology</i> , 2021, 95, 102786. | 1.1 | 12 |
| 11578 | Elevational gradients in constitutive and induced oak defences based on individual traits and their correlated expression patterns. <i>Oikos</i> , 2021, 130, 396-407. | 1.2 | 9 |
| 11579 | Expected climate change impacts on rainfall erosivity over Iran based on CMIP5 climate models. <i>Journal of Hydrology</i> , 2021, 593, 125826. | 2.3 | 24 |
| 11580 | Vicariance and ecological adaptation drive genetic and morphological diversification of a widely distributed bug, <i>Carbula crassiventris</i> (Insecta: Hemiptera: Pentatomidae), in South China. <i>Ecological Entomology</i> , 2021, 46, 368-382. | 1.1 | 2 |
| 11581 | Relative effects of anthropogenic pressures, climate, and sampling design on the structure of pollination networks at the global scale. <i>Global Change Biology</i> , 2021, 27, 1266-1280. | 4.2 | 27 |
| 11582 | Phylogenomics resolves the invasion history of <i>Acacia auriculiformis</i> in Florida. <i>Journal of Biogeography</i> , 2021, 48, 453-464. | 1.4 | 12 |
| 11583 | Climate change and freshwater ecology: Hydrological and ecological methods of comparable complexity are needed to predict risk. <i>Wiley Interdisciplinary Reviews: Climate Change</i> , 2021, 12, e692. | 3.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11584 | An updated phylogenetic bioregionalization for the European fern flora. <i>Biodiversity and Conservation</i> , 2021, 30, 201-215. | 1.2 | 2 |
| 11585 | Genetic similarities versus morphological resemblance: Unraveling a polyploid complex in a Mediterranean biodiversity hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2021, 155, 107006. | 1.2 | 11 |
| 11586 | A comprehensive analysis comparing linear and generalized linear models in detecting adaptive SNPs. <i>Molecular Ecology Resources</i> , 2021, 21, 733-744. | 2.2 | 11 |
| 11588 | Ectothermy and the macroecology of home range scaling in snakes. <i>Global Ecology and Biogeography</i> , 2021, 30, 262-276. | 2.7 | 19 |
| 11589 | Potential distribution of <i>Abies</i> , <i>Picea</i> , and <i>Juniperus</i> species in the sub-alpine forest of Minjiang headwater region under current and future climate scenarios and its implications on ecosystem services supply. <i>Ecological Indicators</i> , 2021, 121, 107131. | 2.6 | 36 |
| 11590 | Genetic Divergence Across Glacial Refugia Despite Interglacial Gene Flow in a Crested Newt. <i>Evolutionary Biology</i> , 2021, 48, 17-26. | 0.5 | 6 |
| 11591 | The story of endurance: Biogeography and the evolutionary history of four Holarctic butterflies with different habitat requirements. <i>Journal of Biogeography</i> , 2021, 48, 590-602. | 1.4 | 6 |
| 11592 | Phylogeography of a widespread Palaearctic forest bird species: The White-backed Woodpecker (<i>Aves</i>). <i>Tj ETQq1 1 0.784314 rgBT / Dv</i> | 0.7 | 6 |
| 11593 | A bioavailable strontium isoscape for eastern Beringia: a tool for tracking landscape use of Pleistocene megafauna. <i>Journal of Quaternary Science</i> , 2021, 36, 76-90. | 1.1 | 14 |
| 11594 | Modelling the present and future distribution of <i>Biomphalaria</i> species along the watershed of the Middle Paranapanema region, São Paulo, Brazil. <i>Acta Tropica</i> , 2021, 214, 105764. | 0.9 | 5 |
| 11595 | Climate extremes, variability, and trade shape biogeographical patterns of alien species. <i>Environmental Epigenetics</i> , 2021, 67, 393-402. | 0.9 | 5 |
| 11596 | High spatial resolution bioclimatic variables to support ecological modelling in a Mediterranean biodiversity hotspot. <i>Ecological Modelling</i> , 2021, 441, 109354. | 1.2 | 13 |
| 11597 | Improvement of soil property mapping in the Great Clay Belt of northern Ontario using multi-source remotely sensed data. <i>Geoderma</i> , 2021, 381, 114761. | 2.3 | 7 |
| 11598 | Historical climatic instability predicts the inverse latitudinal pattern in speciation rate of modern mammalian biota. <i>Journal of Evolutionary Biology</i> , 2021, 34, 339-351. | 0.8 | 12 |
| 11599 | Spatiotemporal modelling of soil organic matter changes in Jiangsu, China between 1980 and 2006 using INLA-SPDE. <i>Geoderma</i> , 2021, 384, 114808. | 2.3 | 14 |
| 11600 | Widespread underfilling of the potential ranges of North American trees. <i>Journal of Biogeography</i> , 2021, 48, 359-371. | 1.4 | 29 |
| 11601 | Intraspecific differentiation: Implications for niche and distribution modelling. <i>Journal of Biogeography</i> , 2021, 48, 415-426. | 1.4 | 43 |
| 11602 | Association between reproduction and immunity in the Egyptian mongoose <i>Herpestes ichneumon</i> is sex-biased and unaffected by body condition. <i>Journal of Zoology</i> , 2021, 313, 124-134. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11603 | Comparison of environmental inference approaches for ecometric analyses: Using hypsodonty to estimate precipitation. <i>Ecology and Evolution</i> , 2021, 11, 587-598. | 0.8 | 5 |
| 11604 | Distribution and ecological traits of a rare and threatened fungus <i>Herichium flagellum</i> in Poland with the prediction of its potential occurrence in Europe. <i>Fungal Ecology</i> , 2021, 50, 101035. | 0.7 | 5 |
| 11605 | Legacy data-based national-scale digital mapping of key soil properties in India. <i>Geoderma</i> , 2021, 381, 114684. | 2.3 | 41 |
| 11606 | Phylogenetic structure of understory annual and perennial plant species reveals opposing responses to aridity in a Mediterranean biodiversity hotspot. <i>Science of the Total Environment</i> , 2021, 761, 144018. | 3.9 | 4 |
| 11607 | Molecular systematics and phylogeography of a widespread Neotropical avian lineage: evidence for cryptic speciation with protracted gene flow throughout the Late Quaternary. <i>Biological Journal of the Linnean Society</i> , 2021, 132, 431-450. | 0.7 | 5 |
| 11608 | Temporal variability is key to modelling the climatic niche. <i>Diversity and Distributions</i> , 2021, 27, 473-484. | 1.9 | 24 |
| 11609 | Edge effects in forest patches surrounded by native grassland are also dependent on patch size and shape. <i>Forest Ecology and Management</i> , 2021, 482, 118842. | 1.4 | 9 |
| 11610 | How will climate change impact fossorial lizard species? Two examples in the Baja California Peninsula. <i>Journal of Thermal Biology</i> , 2021, 95, 102811. | 1.1 | 16 |
| 11611 | Potential Distributions of the Invasive Barnacle Scale <i>Ceroplastes cirripediformis</i> (Hemiptera: Tj ETQqO O O rgBT /Overlock 10 TF 5 Entomology, 2021, 114, 82-89. | 0.8 | 12 |
| 11612 | The influence of species life history and distribution characteristics on species responses to habitat fragmentation in an urban landscape. <i>Journal of Animal Ecology</i> , 2021, 90, 685-697. | 1.3 | 10 |
| 11613 | Isolation by environment and recurrent gene flow shaped the evolutionary history of a continentally distributed Neotropical treefrog. <i>Journal of Biogeography</i> , 2021, 48, 760-772. | 1.4 | 18 |
| 11614 | Population genetic structure and species delimitation in the <i>Cryptanthus zonatus</i> complex (Bromeliaceae). <i>Botanical Journal of the Linnean Society</i> , 2021, 196, 123-140. | 0.8 | 3 |
| 11615 | Higher structural connectivity and resistance against invasions of soil bioengineering over hard-engineering for riverbank stabilisation. <i>Wetlands Ecology and Management</i> , 2021, 29, 27-39. | 0.7 | 6 |
| 11616 | Difference in ecological niche breadth between Mesolithic and Early Neolithic groups in Iberia. <i>Journal of Archaeological Science: Reports</i> , 2021, 35, 102728. | 0.2 | 2 |
| 11617 | Black locust (<i>Robinia pseudoacacia</i> L.) range contraction and expansion in Europe under changing climate. <i>Global Change Biology</i> , 2021, 27, 1587-1600. | 4.2 | 74 |
| 11618 | Genetic diversity of Ethiopian sorghum reveals signatures of climatic adaptation. <i>Theoretical and Applied Genetics</i> , 2021, 134, 731-742. | 1.8 | 23 |
| 11619 | Phylogeography of the widespread fern <i>Lemmaphyllum</i> in East Asia: species differentiation and population dynamics in response to change in climate and geography. <i>Journal of Systematics and Evolution</i> , 2022, 60, 411-432. | 1.6 | 5 |
| 11620 | A minimalistic model of vegetation physiognomies in the savanna biome. <i>Ecological Modelling</i> , 2021, 440, 109381. | 1.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11621 | Divergent lineages in a semi-arid mallee species, <i>Eucalyptus behriana</i> , correspond to a major geographic break in southeastern Australia. <i>Ecology and Evolution</i> , 2021, 11, 664-678. | 0.8 | 7 |
| 11622 | Geographic range estimates and environmental requirements for the harpy eagle derived from spatial models of current and past distribution. <i>Ecology and Evolution</i> , 2021, 11, 481-497. | 0.8 | 25 |
| 11623 | Tell me where you live and I'll tell you who you are: Spatial segregation of southern species of <i>Eligmodontia</i> Cuvier in Patagonia, Argentina. <i>Journal of Arid Environments</i> , 2021, 186, 104411. | 1.2 | 1 |
| 11624 | The redundancy effect under morphogenetic and environmental fluctuations. The case of the <i>Dianthus pungens</i> group. <i>Plant Biosystems</i> , 2022, 156, 292-306. | 0.8 | 4 |
| 11625 | Persistent panmixia despite extreme habitat loss and population decline in the threatened tricolored blackbird (<i>Agelaius tricolor</i>). <i>Evolutionary Applications</i> , 2021, 14, 674-684. | 1.5 | 3 |
| 11626 | Characterizing patterns of genomic variation in the threatened Utah prairie dog: Implications for conservation and management. <i>Evolutionary Applications</i> , 2021, 14, 1036-1051. | 1.5 | 4 |
| 11627 | Inter- and intraspecific selection in alien plants: How population growth, functional traits and climate responses change with residence time. <i>Global Ecology and Biogeography</i> , 2021, 30, 429-442. | 2.7 | 6 |
| 11628 | Dispersal constraints on the potential distribution of cold-adapted stag beetles (genus <i>Platycerus</i>) in Japan and the implications of climate change. <i>Insect Conservation and Diversity</i> , 2021, 14, 356-366. | 1.4 | 6 |
| 11629 | Evaluating multiple historical climate products in ecological models under current and projected temperatures. <i>Ecological Applications</i> , 2021, 31, e02240. | 1.8 | 3 |
| 11630 | Environment shapes the spatial organization of tree diversity in fragmented forests across a human-modified landscape. <i>Ecological Applications</i> , 2021, 31, e02244. | 1.8 | 3 |
| 11631 | Validation of a 9-km WRF dynamical downscaling of temperature and precipitation for the period 1980-2005 over Central South Chile. <i>Theoretical and Applied Climatology</i> , 2021, 143, 361-378. | 1.3 | 6 |
| 11632 | Multi-criteria modeling for land suitability evaluation of the urban greenbelts in Iran. <i>Modeling Earth Systems and Environment</i> , 2021, 7, 1291-1307. | 1.9 | 4 |
| 11633 | Fungal assemblages in predictive stream bioassessment: A cross-taxon comparison along multiple stressor gradients. <i>Ecological Indicators</i> , 2021, 121, 106986. | 2.6 | 2 |
| 11634 | A coupled human-natural system analysis of water yield in the Yellow River basin, China. <i>Science of the Total Environment</i> , 2021, 762, 143141. | 3.9 | 30 |
| 11635 | Resource availability and disturbance shape maximum tree height across the Amazon. <i>Global Change Biology</i> , 2021, 27, 177-189. | 4.2 | 26 |
| 11636 | Influence of spatial extent on habitat suitability models for primate species of Atlantic Forest. <i>Ecological Informatics</i> , 2021, 61, 101179. | 2.3 | 7 |
| 11637 | Blow to the Northeast? Intraspecific differentiation of <i>Populus davidiana</i> suggests a north-eastward skew of a phylogeographic break in East Asia. <i>Journal of Biogeography</i> , 2021, 48, 187-201. | 1.4 | 10 |
| 11638 | Vulnerability of mammal communities to the combined impacts of anthropic land-use and climate change in the Himalayan conservation landscape of Bhutan. <i>Ecological Indicators</i> , 2021, 121, 107085. | 2.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11639 | Body size distributions of anurans are explained by diversification rates and the environment. <i>Global Ecology and Biogeography</i> , 2021, 30, 154-164. | 2.7 | 7 |
| 11640 | Latitudinal and environmental patterns of species richness in lizards and snakes across continental North America. <i>Journal of Biogeography</i> , 2021, 48, 291-304. | 1.4 | 6 |
| 11641 | Latitudinal gradients in population growth do not reflect demographic responses to climate. <i>Ecological Applications</i> , 2021, 31, e2242. | 1.8 | 10 |
| 11642 | Poor performance of DNA barcoding and the impact of RAD loci filtering on the species delimitation of an Iberian ant-eating spider. <i>Molecular Phylogenetics and Evolution</i> , 2021, 154, 106997. | 1.2 | 17 |
| 11643 | Latitudinal and seasonal plasticity in American bison <i>Bison bison</i> diets. <i>Mammal Review</i> , 2021, 51, 193-206. | 2.2 | 9 |
| 11644 | Exploring intraspecific variation in migratory destinations to investigate the drivers of migration. <i>Oikos</i> , 2021, 130, 187-196. | 1.2 | 6 |
| 11645 | Exceeding its own limits: range expansion in Argentina of the globally invasive apple snail <i>Pomacea canaliculata</i> . <i>Hydrobiologia</i> , 2021, 848, 385-401. | 1.0 | 13 |
| 11646 | Increased acclimation ability accompanies a thermal niche shift of a recent invasion. <i>Journal of Animal Ecology</i> , 2021, 90, 483-491. | 1.3 | 19 |
| 11647 | Biogeographical divides delineated by the three-step landforms of China and the East China Sea: Insights from the phylogeography of <i>Kerria japonica</i> . <i>Journal of Biogeography</i> , 2021, 48, 372-385. | 1.4 | 18 |
| 11648 | Whether land greening in different geomorphic units are beneficial to water yield in the Yellow River Basin?. <i>Ecological Indicators</i> , 2021, 120, 106926. | 2.6 | 35 |
| 11649 | Predicting the distributions of regional endemic dragonflies using a combined model approach. <i>Insect Conservation and Diversity</i> , 2021, 14, 52-66. | 1.4 | 15 |
| 11650 | Comparative wood anatomy of <i>Astropanax</i> and <i>Neocussonia</i> , an Afro-Malagasy lineage of Araliaceae. <i>Botanical Journal of the Linnean Society</i> , 2021, 195, 327-347. | 0.8 | 1 |
| 11651 | Beyond ecological opportunity: Prey diversity rather than abundance shapes predator niche variation. <i>Freshwater Biology</i> , 2021, 66, 44-61. | 1.2 | 23 |
| 11652 | Modelling current agro-ecological zones for the cultivation of <i>Dioscorea dumetorum</i> (Kunth) Pax, a neglected and underutilized yam species in Benin (West Africa). <i>Modeling Earth Systems and Environment</i> , 2021, 7, 2127-2135. | 1.9 | 4 |
| 11653 | Extracting knowledge from legacy maps to delineate eco-geographical regions. <i>International Journal of Geographical Information Science</i> , 2021, 35, 250-272. | 2.2 | 7 |
| 11654 | Abundance-weighted plant functional trait variation differs between terrestrial and wetland habitats along wide climatic gradients. <i>Science China Life Sciences</i> , 2021, 64, 593-605. | 2.3 | 7 |
| 11655 | Spatial phylogenetics of two topographic extremes of the Hengduan Mountains in southwestern China and its implications for biodiversity conservation. <i>Plant Diversity</i> , 2021, 43, 181-191. | 1.8 | 49 |
| 11656 | Coupled application of R and WetSpa models for assessment of climate change impact on streamflow of Werie Catchment, Tigray, Ethiopia. <i>Journal of Water and Climate Change</i> , 2021, 12, 916-936. | 1.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11657 | Assessment of the soil loss-prone zones using the USLE model in northeastern Iran. Paddy and Water Environment, 2021, 19, 71-86. | 1.0 | 6 |
| 11658 | Non-native populations and global invasion potential of the Indian bullfrog <i>Hoplobatrachus tigerinus</i> : a synthesis for risk-analysis. Biological Invasions, 2021, 23, 69-81. | 1.2 | 4 |
| 11659 | Wild carrot diversity for new sources of abiotic stress tolerance to strengthen vegetable breeding in Bangladesh and Pakistan. Crop Science, 2021, 61, 163-176. | 0.8 | 9 |
| 11660 | Stochastic processes shape the biogeographic variations in core bacterial communities between aerial and belowground compartments of common bean. Environmental Microbiology, 2021, 23, 949-964. | 1.8 | 25 |
| 11661 | A methodology to assess the future connectivity of protected areas by combining climatic representativeness and land-cover change simulations: the case of the Guadarrama National Park (Madrid, Spain). Journal of Environmental Planning and Management, 2021, 64, 734-753. | 2.4 | 3 |
| 11662 | Rapid expansion of meso-megathermal rain forests into the southern high latitudes at the onset of the Paleocene-Eocene Thermal Maximum. Geology, 2021, 49, 40-44. | 2.0 | 24 |
| 11663 | Phylogeny and phylogeography of <i>Arenaria</i> section <i>Pseudomoehringia</i> . Journal of Systematics and Evolution, 2021, 59, 298-315. | 1.6 | 0 |
| 11664 | Environmental drivers of <i>Sphagnum</i> growth in peatlands across the Holarctic region. Journal of Ecology, 2021, 109, 417-431. | 1.9 | 32 |
| 11665 | Potential risk of establishment and survival of cotton aphid <i>Aphis gossypii</i> in India based on simulation of temperature-dependent phenology model. International Journal of Pest Management, 2021, 67, 187-202. | 0.9 | 3 |
| 11666 | Estimating leopard density across the highly modified human-dominated landscape of the Western Cape, South Africa. Oryx, 2021, 55, 34-45. | 0.5 | 18 |
| 11667 | Mapping land limitations for agricultural land use planning using fuzzy logic approach: a case study for Marinduque Island, Philippines. Geo Journal, 2021, 86, 915-925. | 1.7 | 17 |
| 11668 | The scope of political jurisdictions and violence: theory and evidence from Africa. Public Choice, 2021, 186, 467-490. | 1.0 | 6 |
| 11669 | Rangewide habitat suitability analysis for the Mexican wolf (<i>Canis lupus baileyi</i>) to identify recovery areas in its historical distribution. Diversity and Distributions, 2021, 27, 642-654. | 1.9 | 10 |
| 11670 | Elucidating distributional and ecological patterns of the rare Mediterranean-Atlantic species <i>Petalophyllum ralfsii</i> in Europe following its first record on the Adriatic coast (Croatia). Herzogia, 2021, 33, . | 0.1 | 3 |
| 11672 | Climate effects on the COVID-19 outbreak: a comparative analysis between the UAE and Switzerland. Modeling Earth Systems and Environment, 2021, , 1-14. | 1.9 | 8 |
| 11673 | Exploring Diversity in Neolithic Agropastoral Management in Mainland Greece Using Stable Isotope Analysis. Environmental Archaeology, 2023, 28, 62-85. | 0.6 | 5 |
| 11674 | Assessment and Evaluation of the Response of Vegetation Dynamics to Climate Variability in Africa. Sustainability, 2021, 13, 1234. | 1.6 | 16 |
| 11675 | Phylogenetic diversity of two geographically overlapping lichens: isolation by distance, environment, or fragmentation?. Journal of Biogeography, 2021, 48, 676-689. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11676 | Phytosociological and niche distribution study of <i>Paris polyphylla smith</i> , an important medicinal herb of Indian Himalayan region. <i>Tropical Ecology</i> , 2021, 62, 163-173. | 0.6 | 13 |
| 11677 | Spatio and temporal variations in population abundance and distribution of peach fruit fly, <i>Bactrocera zonata</i> (Saunders) during future climate change scenarios based on temperature driven phenology model. <i>Climate Risk Management</i> , 2021, 32, 100277. | 1.6 | 4 |
| 11678 | Geographic patterns of skull variation in two species of cavies of the genus <i>Microcavia</i> (Rodentia). <i>Tropical Ecology</i> , 2021, 62, 163-173. | 0.3 | 0 |
| 11679 | Modeling Future Potential Distribution of Buff-Bellied Hummingbird (<i>Amazilia yucatanensis</i>) Under Climate Change: Species vs. Subspecies. <i>Tropical Conservation Science</i> , 2021, 25, 194008292110308. | 0.6 | 3 |
| 11680 | Unlinking the Speciation Steps: Geographical Factors Drive Changes in Sexual Signals of an Amazonian Nurse-Frog Through Body Size Variation. <i>Evolutionary Biology</i> , 2021, 48, 81-93. | 0.5 | 6 |
| 11681 | Rewiring of peatland plant-microbe networks outpaces species turnover. <i>Oikos</i> , 2021, 130, 339-353. | 1.2 | 8 |
| 11682 | Species diversification in the lowlands of mid-latitude South America: <i>Turnera sidoides</i> subsp. <i>carnea</i> as a case study. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201067. | 0.3 | 2 |
| 11683 | Taxonomic inflation due to inadequate sampling: are girdled lizards (<i>Cordylus minor</i> species) really new? <i>Systematics</i> , 2021, 1-24. | 0.7 | 4 |
| 11684 | High-Resolution Spatiotemporal Modeling for Ambient PM _{2.5} Exposure Assessment in China from 2013 to 2019. <i>Environmental Science & Technology</i> , 2021, 55, 2152-2162. | 4.6 | 67 |
| 11685 | Climatic impacts on water resources in a tropical catchment in Uganda and adaptation measures proposed by resident stakeholders. <i>Climatic Change</i> , 2021, 164, 1. | 1.7 | 8 |
| 11687 | Calculating cumulative effects in GIS using a stepless multivariate model. <i>MethodsX</i> , 2021, 8, 101407. | 0.7 | 1 |
| 11688 | Maladaptation, migration and extirpation fuel climate change risk in a forest tree species. <i>Nature Climate Change</i> , 2021, 11, 166-171. | 8.1 | 69 |
| 11689 | Changes in floral shape: insights into the evolution of wild <i>Nicotiana</i> (Solanaceae). <i>Botanical Journal of the Linnean Society</i> , 2022, 199, 267-285. | 0.8 | 10 |
| 11690 | Revealing the role of past and current climate in shaping the distribution of two parapatric European bats, <i>Myotis daubentonii</i> and <i>M. capaccinii</i> . <i>Journal of Biogeography</i> , 2021, 48, 669-683. | | 5 |
| 11691 | Relationship between precipitation and species distribution. <i>Journal of Biogeography</i> , 2021, 48, 239-259. | | 0 |
| 11692 | Impact of climate change on the current and future distribution of threatened species of the genus <i>Lessingianthus</i> (Vernoniaeae: Asteraceae) from the Brazilian Cerrado. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20190796. | 0.3 | 2 |
| 11693 | Assessing spatial dispersion, abundance, and conservation perspectives of Military Macaw <i>Ara militaris</i> populations in Mexico. <i>Bird Conservation International</i> , 2021, 31, 1-19. | 0.7 | 1 |
| 11696 | Observed and projected changes in global climate zones based on Köppen climate classification. <i>Wiley Interdisciplinary Reviews: Climate Change</i> , 2021, 12, e701. | 3.6 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11697 | Distribution of Five Aquatic Plants Native to South America and Invasive Elsewhere under Current Climate. <i>Ecologies</i> , 2021, 2, 27-42. | 0.7 | 6 |
| 11698 | Potential distributions of seven sympatric sclerophyllous oak species in Southwest China depend on climatic, non-climatic, and independent spatial drivers. <i>Annals of Forest Science</i> , 2021, 78, 1. | 0.8 | 6 |
| 11699 | Phylogeography and ecological niche modeling reveal evolutionary history of <i>Leiolepis ocellata</i> (Squamata, Leiolepidae). <i>Ecology and Evolution</i> , 2021, 11, 2221-2233. | 0.8 | 4 |
| 11700 | Quantitative Methods for Primate Biogeography and Macroecology. , 2021, , 383-402. | | 1 |
| 11701 | Predicted distributions could suggest regional sympatry in spite of local allopatry: The case of the dung beetle <i>Canthon rutilans</i> Castelnau , 1840 (Coleoptera: Scarabaeidae). <i>Entomological Science</i> , 2021, 24, 143-151. | 0.3 | 2 |
| 11702 | Potential expansion of Hass avocado cultivation under climate change scenarios threatens Mexican mountain ecosystems. <i>Crop and Pasture Science</i> , 2021, 72, 291-301. | 0.7 | 15 |
| 11703 | Signatures of genetic isolation of the three lineages of the narrow-headed vole <i>Lasiopodomys gregalis</i> (Cricetidae, Rodentia) in a mosaic steppe landscape of South Siberia. <i>Mammalian Biology</i> , 2021, 101, 275-285. | 0.8 | 4 |
| 11704 | Spatial distribution of the pine marten (<i>Martes martes</i>) and stone marten (<i>Martes foina</i>) in the Italian Alps. <i>Mammalian Biology</i> , 2021, 101, 345-356. | 0.8 | 5 |
| 11705 | Assessing impact of varying climatic conditions on distribution of <i>Buchanania Cochinchinensis</i> in Jharkhand using species distribution modeling approach. <i>Current Research in Environmental Sustainability</i> , 2021, 3, 100025. | 1.7 | 13 |
| 11706 | Integrating human behavior and snake ecology with agent-based models to predict snakebite in high risk landscapes. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009047. | 1.3 | 27 |
| 11707 | Genetic, bioacoustic and morphological analyses reveal cryptic speciation in the warbling vireo complex (<i>Vireo gilvus</i>: Vireonidae: Passeriformes). <i>Zoological Journal of the Linnean Society</i> , 2022, 195, 45-64. | 1.0 | 1 |
| 11708 | Effects of climatic change on the potential geographic distribution of the threatened Westâ€Central African endemic genus, <i>Talbotiella</i> . <i>African Journal of Ecology</i> , 2021, 59, 479-488. | 0.4 | 0 |
| 11709 | Predictive distribution of <i>Aculus schlechtendali</i> (Acari: Eriophyidae) in southern Brazil. <i>International Journal of Acarology</i> , 2021, 47, 70-73. | 0.3 | 3 |
| 11710 | Pig pigmentation: testing Glogerâ€™s rule. <i>Journal of Mammalogy</i> , 2021, 102, 1525-1535. | 0.6 | 6 |
| 11711 | Constraints of using historical data for modelling the spatial distribution of helminth parasites in ruminants. <i>Parasite</i> , 2021, 28, 46. | 0.8 | 2 |
| 11712 | Overview of LifeCLEF 2021: Anâ€Evaluation of Machine-Learning Based Species Identification and Species Distribution Prediction. <i>Lecture Notes in Computer Science</i> , 2021, , 371-393. | 1.0 | 11 |
| 11713 | Genetic structure of a widespread alpine shrub <i>Rhododendron aureum</i> (Ericaceae) across East Asia. <i>Journal of Plant Research</i> , 2021, 134, 91-104. | 1.2 | 3 |
| 11714 | Plant Endemism Centres and Biodiversity Hotspots in Greece. <i>Biology</i> , 2021, 10, 72. | 1.3 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11715 | Understanding Effects of Climate Change and Eutrophication on Fish Habitat in Glacial Lakes of the Midwest States and Management Strategies. , 2021, , 1-70. | | 0 |
| 11716 | Tropical Mountain Rivers. , 2021, , . | | 0 |
| 11717 | Disturbance is an important predictor of the distribution of <i>Lantana camara</i> and <i>Chromolaena odorata</i> in Africa. <i>Vegetos</i> , 2021, 34, 42-49. | 0.8 | 3 |
| 11718 | Population dynamics of sugarcane borers, <i>Diatraea</i> spp., under different climatic scenarios in Colombia. <i>PLoS ONE</i> , 2021, 16, e0244694. | 1.1 | 1 |
| 11719 | Brazilian stingless bees are threatened by habitat conversion and climate change. <i>Regional Environmental Change</i> , 2021, 21, 1. | 1.4 | 10 |
| 11720 | Diversity and phylogenetic community structure across elevation during climate change in a family of hyperdiverse neotropical beetles (<i>Staphylinidae</i>). <i>Ecography</i> , 2021, 44, 740-752. | 2.1 | 6 |
| 11721 | Inferring historical survivals of climate relicts: the effects of climate changes, geography, and population-specific factors on herbaceous hydrangeas. <i>Heredity</i> , 2021, 126, 615-629. | 1.2 | 8 |
| 11722 | Past and future potential range changes in one of the last large vertebrates of the Australian continent, the emu <i>Dromaius novaehollandiae</i> . <i>Scientific Reports</i> , 2021, 11, 851. | 1.6 | 6 |
| 11723 | Species distribution model reveals only highly fragmented suitable patches remaining for giant armadillo in the Brazilian Cerrado. <i>Perspectives in Ecology and Conservation</i> , 2021, 19, 43-52. | 1.0 | 11 |
| 11724 | Arid Australia as a source of plant diversity: the origin and climatic evolution of. <i>Australian Systematic Botany</i> , 2021, 34, 570-586. | 0.3 | 2 |
| 11725 | Synergistic impacts of global warming and thermohaline circulation collapse on amphibians. <i>Communications Biology</i> , 2021, 4, 141. | 2.0 | 19 |
| 11726 | Genetic Structure and Evolutionary History of <i>Rhinopithecus roxellana</i> in Qinling Mountains, Central China. <i>Frontiers in Genetics</i> , 2020, 11, 611914. | 1.1 | 8 |
| 11727 | Spatial dynamics of Chinese Muntjac related to past and future climate fluctuations. <i>Environmental Epigenetics</i> , 2021, 67, 361-370. | 0.9 | 1 |
| 11728 | Informing Improvements in Freeze/Thaw State Classification Using Subpixel Temperature. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-19. | 2.7 | 4 |
| 11729 | Potential distribution of two lynx species in Europe under paleoclimatological scenarios and anthropogenic climate change scenarios. <i>Cerne</i> , 0, 27, . | 0.9 | 1 |
| 11730 | Predicted Future Benefits for an Endemic Rodent in the Irano-Turanian Region. <i>Climate</i> , 2021, 9, 16. | 1.2 | 2 |
| 11731 | Predicting the Potential Geographic Distribution of <i>Sirex nitobei</i> in China under Climate Change Using Maximum Entropy Model. <i>Forests</i> , 2021, 12, 151. | 0.9 | 26 |
| 11732 | Atlantic Forest: Ecosystem Services Linking People and Biodiversity. , 2021, , 347-367. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11733 | Species Distribution in Cenofloras of the Cryophytic Steppes and Cushion Plants with the Participation of <i>Stellaria pulvinata</i> Grub. in the Mongolian Altai. <i>Arid Ecosystems</i> , 2021, 11, 52-61. | 0.2 | 2 |
| 11734 | HidrogeografÃa de una cuenca de usos mÃltiples ubicada en la cordillera de la Costa, Venezuela. <i>Cuadernos De Geografia: Revista Colombiana De Geografia</i> , 2021, 30, 217-238. | 0.1 | 0 |
| 11735 | Current and Future Holdridge Ecological Zones for Turkey Using High Resolution ERA-Interim and HadGEM2-CC Model Data. <i>CoÃyrafî Bilimler Dergisi</i> , 2021, 19, 29-60. | 0.4 | 2 |
| 11736 | Modelado de distribuciÃn de especies en los bosques de los andes meridionales. <i>Papeles De GeografÃa</i> , 2020, , . | 0.1 | 1 |
| 11737 | Spatial Statistical Modeling of Rockfall Hazard in a Mountainous Road in Cantabria (Spain). <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 6729-6742. | 2.3 | 0 |
| 11738 | Predicting invasion potential of <i>Senna didymobotrya</i> (Fresen.) Irwin & Barneby under the changing climate in Africa. <i>Ecological Processes</i> , 2021, 10, . | 1.6 | 5 |
| 11740 | Variation in early growth and survival of <i>Pinus ponderosa</i> provenances established in Southern Chile. <i>New Forests</i> , 2021, 52, 959. | 0.7 | 1 |
| 11741 | Modeling Niches and Mapping Distributions. , 2021, , 315-348. | | 0 |
| 11742 | Potential Himalayan community turnover through the Late Pleistocene. <i>Climatic Change</i> , 2021, 164, 1. | 1.7 | 1 |
| 11743 | Axial variability of anatomical structure and the scaling relationships in Scots pine (<i>Pinus sylvestris</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 2021, 274, 151747. | 0.6 | 3 |
| 11744 | Topographic diversity as an indicator for resilience of terrestrial protected areas against climate change. <i>Global Ecology and Conservation</i> , 2021, 25, e01445. | 1.0 | 9 |
| 11745 | Gaps, challenges, and opportunities in mangrove blue carbon research: a biogeographic perspective. , 2021, , 295-334. | | 2 |
| 11746 | Projections for Mexicoâ€™s Tropical Rainforests Considering Ecological Niche and Climate Change. <i>Forests</i> , 2021, 12, 119. | 0.9 | 13 |
| 11747 | Commonâ€garden experiment reveals clinal trends of bud phenology in black spruce populations from a latitudinal gradient in the boreal forest. <i>Journal of Ecology</i> , 2022, 110, 1043-1053. | 1.9 | 20 |
| 11748 | The firewall between Cerrado and Amazonia: Interaction of temperature and fire govern seed recruitment in a Neotropical savanna. <i>Journal of Vegetation Science</i> , 2021, 32, . | 1.1 | 2 |
| 11749 | Late Pliocene to early Pleistocene climate dynamics in western North America based on a new pollen record from paleo-Lake Idaho. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2021, 101, 177-195. | 0.6 | 6 |
| 11750 | Associations Between Habitat Quality and Body Size in the Carpathian-Podolian Land Snail <i>Vestia turgida</i> (Gastropoda, Clausiliidae): Species Distribution Model Selection and Assessment of Performance. <i>Zoodiversity</i> , 2021, 55, 25-40. | 0.1 | 7 |
| 11751 | Identification of the Triticoid-type grains (Poaceae) from archaeobotanical assemblages in southwest Asia as <i>Heteranthelium piliferum</i> (Banks & Sol.) Hochst.. <i>Vegetation History and Archaeobotany</i> , 2021, 30, 657-674. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11752 | The representativeness of protected areas for Amazonian fish diversity under climate change. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 1158-1166. | 0.9 | 9 |
| 11753 | Analysing the spatiotemporal characteristics of climate comfort in China based on 2005–2018 MODIS data. <i>Theoretical and Applied Climatology</i> , 2021, 143, 1235-1249. | 1.3 | 9 |
| 11754 | Increasing protected area coverage mitigates climate-driven community changes. <i>Biological Conservation</i> , 2021, 253, 108892. | 1.9 | 16 |
| 11755 | Modeling of population dynamics of the protected lichen <i>Lobaria pulmonaria</i> (L.) Hoffm. in the Caucasus. <i>BIO Web of Conferences</i> , 2021, 35, 00015. | 0.1 | 1 |
| 11757 | Species versus within-species niches: a multi-modelling approach to assess range size of a spring-dwelling amphibian. <i>Scientific Reports</i> , 2021, 11, 597. | 1.6 | 7 |
| 11758 | Population history of the Blue-backed Manakin (<i>Chiroxiphia pareola</i>) supports Plio-Pleistocene diversification in the Amazon and shows a recent connection with the Atlantic Forest. <i>Journal of Ornithology</i> , 2021, 162, 549-563. | 0.5 | 7 |
| 11759 | Predicted distribution of sand fly (Diptera: Psychodidae) species involved in the transmission of Leishmaniasis in São Paulo state, Brazil, utilizing maximum entropy ecological niche modeling. <i>Pathogens and Global Health</i> , 2021, 115, 108-120. | 1.0 | 8 |
| 11760 | Predicting the effects of climate change on future freshwater fish diversity at global scale. <i>Nature Conservation</i> , 0, 43, 1-24. | 0.0 | 24 |
| 11761 | Using macroecological species distribution models to estimate changes in the suitability of sites for threatened species reintroduction. <i>Ecological Solutions and Evidence</i> , 2021, 2, e12050. | 0.8 | 10 |
| 11762 | Assessing Annual Actual Evapotranspiration Based on Climate, Topography and Soil in Natural and Agricultural Ecosystems. <i>Climate</i> , 2021, 9, 20. | 1.2 | 5 |
| 11763 | Estimation of Spatially Continuous Near-Surface Relative Humidity Over Japan and South Korea. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 8614-8626. | 2.3 | 5 |
| 11764 | Data Sources and Methodology. <i>SpringerBriefs in Environmental Science</i> , 2021, , 17-26. | 0.3 | 0 |
| 11765 | Measuring the contribution of built-settlement data to global population mapping. <i>Social Sciences & Humanities Open</i> , 2021, 3, 100102. | 1.3 | 3 |
| 11766 | Evolution and ecology of seed internal morphology in relation to germination characteristics in Amaranthaceae. <i>Annals of Botany</i> , 2021, 127, 799-811. | 1.4 | 7 |
| 11767 | Phenotypic plasticity and the colonization of new habitats: a study of a colonial spider in the Chaco region and the Cerrado. <i>Evolutionary Ecology</i> , 2021, 35, 235-251. | 0.5 | 1 |
| 11768 | Phylogeography and demographic expansion in the widely distributed horned passalus beetle, <i>Odontotaenius disjunctus</i> (coleoptera: Passalidae). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2021, 32, 85-97. | 0.7 | 1 |
| 11769 | Current and future distribution pattern of <i>Cochlospermum planchonii</i> and <i>Cochlospermum tinctorium</i> in Benin (West Africa), in response to climate change scenario. <i>Modeling Earth Systems and Environment</i> , 2022, 8, 773-786. | 1.9 | 5 |
| 11770 | The palaeoendemic conifer <i>Pherosphaera hookeriana</i> (Podocarpaceae) exhibits high genetic diversity despite Quaternary range contraction and post glacial bottlenecks. <i>Conservation Genetics</i> , 2021, 22, 307-321. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11771 | Distinct late Pleistocene subtropical-tropical divergence revealed by fifteen low-copy nuclear genes in a dominant species in South-East China. <i>Scientific Reports</i> , 2021, 11, 4147. | 1.6 | 2 |
| 11772 | Species distribution modelling sheds light on the widespread distribution of <i>Sphingonotus</i> (<i>Sphingonotus</i>) <i>rubescens</i> (Orthoptera: Acrididae: Oedipodinae). <i>Biological Journal of the Linnean Society</i> , 2021, 132, 912-924. | 0.7 | 3 |
| 11773 | Decadal changes in fire frequencies shift tree communities and functional traits. <i>Nature Ecology and Evolution</i> , 2021, 5, 504-512. | 3.4 | 41 |
| 11774 | High-resolution topographic variables accurately predict the distribution of rare plant species for conservation area selection in a narrow-endemism hotspot in New Caledonia. <i>Biodiversity and Conservation</i> , 2021, 30, 963-990. | 1.2 | 27 |
| 11775 | <i>Cereus jamacaru</i> DC. and <i>Pilosocereus pachycladus</i> F. Ritter (Cactaceae) in the Northeast region of Brazil: future perspectives and distribution. <i>Revista Brasileira De Geografia Fisica</i> , 2021, 14, 126-134. | 0.0 | 4 |
| 11776 | Wintering bird communities are tracking climate change faster than breeding communities. <i>Journal of Animal Ecology</i> , 2021, 90, 1085-1095. | 1.3 | 23 |
| 11777 | Network motifs involving both competition and facilitation predict biodiversity in alpine plant communities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 47 |
| 11778 | Differential geographic patterns in song components of male Albertine™s lyrebirds. <i>Ecology and Evolution</i> , 2021, 11, 2701-2716. | 0.8 | 5 |
| 11779 | Intraspecific variation and taxonomy of northern pika <i>Ochotona hyperborea</i> (Mammalia). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42</i> | 0.6 | 2 |
| 11780 | Predicting climate effects on aquatic true bugs in a tropical biodiversity hotspot. <i>Journal of Insect Conservation</i> , 2021, 25, 229-241. | 0.8 | 5 |
| 11781 | ¿En peligro o no? Distribución potencial de la hepática <i>Pleurozia paradoxa</i> en Colombia. <i>Revista De La Academia Colombiana De Ciencias Exactas, Fisicas Y Naturales</i> , 0, , . | 0.0 | 0 |
| 11782 | Late Pliocene population divergence and persistence despite Pleistocene climatic fluctuations in the Rio Doce snouted Treefrog (<i>Oloolygon carnevallii</i>). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 680-690. | 0.6 | 1 |
| 11783 | Global progress in incorporating climate adaptation into land protection for biodiversity since Aichi targets. <i>Global Change Biology</i> , 2021, 27, 1788-1801. | 4.2 | 16 |
| 11784 | Predicting Hotspots and Prioritizing Protected Areas for Endangered Primate Species in Indonesia under Changing Climate. <i>Biology</i> , 2021, 10, 154. | 1.3 | 19 |
| 11785 | Data integration enables global biodiversity synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 144 |
| 11786 | Global inequities and political borders challenge nature conservation under climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 50 |
| 11788 | Using species distribution models to gauge the completeness of the bat checklist of Eswatini. <i>European Journal of Wildlife Research</i> , 2021, 67, 1. | 0.7 | 4 |
| 11789 | Grassland with tradition: sampling across several scientific disciplines. <i>Vegetation Classification and Survey</i> , 0, 2, 19-35. | 0.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11790 | Scoping review of distribution models for selected <i>Amblyomma</i> ticks and rickettsial group pathogens. PeerJ, 2021, 9, e10596. | 0.9 | 10 |
| 11791 | Little evidence of range size conservatism in freshwater plants across two continents. Journal of Biogeography, 2021, 48, 1200-1212. | 1.4 | 4 |
| 11792 | Effects of intensive biomass harvesting on forest soils in the Nordic countries and the UK: A meta-analysis. Forest Ecology and Management, 2021, 482, 118877. | 1.4 | 26 |
| 11793 | Climatic aridity increases temporal nestedness of invertebrate communities in naturally drying rivers. Ecography, 2021, 44, 860-869. | 2.1 | 16 |
| 11794 | Geographic patterns in seasonal changes of body mass, skull, and brain size of common shrews. Ecology and Evolution, 2021, 11, 2431-2448. | 0.8 | 12 |
| 11795 | Climate extreme variables generated using monthly time series data improve predicted distributions of plant species. Ecography, 2021, 44, 626-639. | 2.1 | 19 |
| 11796 | Insights into the importance of areas of climatic stability in the evolution and maintenance of avian diversity in the Mesoamerican dry forests. Biological Journal of the Linnean Society, 2021, 132, 741-758. | 0.7 | 11 |
| 11797 | Global projections of the soil microbiome in the Anthropocene. Global Ecology and Biogeography, 2021, 30, 987-999. | 2.7 | 43 |
| 11798 | Possible changes in spatial distribution of walnut (<i>Juglans regia</i> L.) in Europe under warming climate. Regional Environmental Change, 2021, 21, 1. | 1.4 | 27 |
| 11799 | Evolutionary ecology of <i>Agave</i> : distribution patterns, phylogeny, and coevolution (an homage) <small>Tj ETQq1 1 0,784314 rgBT /Ove</small> | 0.8 | 27 |
| 11800 | Integrating coalescent-based species delimitation with ecological niche modeling delimited two species within the <i>Stewartia sinensis</i> complex (Theaceae). Journal of Systematics and Evolution, 2022, 60, 1037-1048. | 1.6 | 9 |
| 11801 | Identification, Distribution, and Habitat Suitability Models of Ixodid Tick Species in Cattle in Eastern Bhutan. Tropical Medicine and Infectious Disease, 2021, 6, 27. | 0.9 | 12 |
| 11802 | Occurrence, behaviour and environmental risk assessment of trace metals in stream sediments from southwestern Burkina Faso, West Africa. Environmental Monitoring and Assessment, 2021, 193, 133. | 1.3 | 0 |
| 11804 | A kingdom in decline: Holocene range contraction of the lion (<i>Panthera leo</i>) modelled with global environmental stratification. PeerJ, 2021, 9, e10504. | 0.9 | 3 |
| 11805 | Rapid local adaptation in both sexual and asexual invasive populations of monkeyflowers (<i>Mimulus</i> spp.). Annals of Botany, 2021, 127, 655-668. | 1.4 | 9 |
| 11806 | Genetic diversity of maize landraces from the South-West of France. PLoS ONE, 2021, 16, e0238334. | 1.1 | 7 |
| 11807 | Pairing functional connectivity with population dynamics to prioritize corridors for Southern California spotted owls. Diversity and Distributions, 2021, 27, 844-856. | 1.9 | 3 |
| 11808 | Comparative phylogeography and palaeomodelling reveal idiosyncratic responses to climate changes in Neotropical paper wasps. Biological Journal of the Linnean Society, 2021, 132, 955-969. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11809 | Comparative Phylogeography of <i>Veronica spicata</i> and <i>V. longifolia</i> (Plantaginaceae) Across Europe: Integrating Hybridization and Polyploidy in Phylogeography. <i>Frontiers in Plant Science</i> , 2020, 11, 588354. | 1.7 | 7 |
| 11810 | Significant shallow depth soil warming over Russia during the past 40 years. <i>Global and Planetary Change</i> , 2021, 197, 103394. | 1.6 | 13 |
| 11811 | Continental scale 1 km hummingbird diversity derived from fusing point records with lateral and elevational expert information. <i>Ecography</i> , 2021, 44, 640-652. | 2.1 | 16 |
| 11812 | Refugia during the last glacial period and the origin of the disjunct distribution of an insular plant. <i>Journal of Biogeography</i> , 2021, 48, 1460-1474. | 1.4 | 4 |
| 11813 | Centre-periphery approaches based on geography, ecology and historical climate stability: what explains the variation in morphological traits of <i>Bulnesia sarmientoi</i> ?. <i>Annals of Botany</i> , 2021, 127, 943-955. | 1.4 | 5 |
| 11814 | Spatial heterogeneity and environmental predictors of permafrost region soil organic carbon stocks. <i>Science Advances</i> , 2021, 7, . | 4.7 | 130 |
| 11815 | Regional disparity in extinction risk: Comparison of disjunct plant genera between eastern Asia and eastern North America. <i>Global Change Biology</i> , 2021, 27, 1904-1914. | 4.2 | 8 |
| 11816 | Genetic diversity of native and cultivated Ugandan Robusta coffee (<i>Coffea canephora</i> Pierre ex A.) Tj ETQq1 1 0.784314 rgBT /Overlook e0245965. | 1.1 | 20 |
| 11817 | Contrasting seasonal patterns of relative temperature and thermal heterogeneity and their influence on breeding and winter bird richness patterns across the conterminous United States. <i>Ecography</i> , 2021, 44, 953-965. | 2.1 | 12 |
| 11818 | Incipient speciation in <i>Oncocycclus</i> irises: Eco-geographic isolation and genetic divergence with no reproductive isolation?. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 275, 151746. | 0.6 | 4 |
| 11819 | Traits explain sorting of <i>C₄</i> grasses along a global precipitation gradient. <i>Ecology and Evolution</i> , 2021, 11, 2669-2680. | 0.8 | 7 |
| 11820 | Insights Into the Significance of the Chinese Loess Plateau for Preserving Biodiversity From the Phylogeography of <i>Speranskia tuberculata</i> (Euphorbiaceae). <i>Frontiers in Plant Science</i> , 2021, 12, 604251. | 1.7 | 1 |
| 11822 | Novel biogeographic patterns across latitudinal and elevational gradients: A case study with tropical montane epiphytes lends insights to conservation. <i>Journal of Biogeography</i> , 2021, 48, 1076-1087. | 1.4 | 1 |
| 11823 | Deep Learning Forecasts of Soil Moisture: Convolutional Neural Network and Gated Recurrent Unit Models Coupled with Satellite-Derived MODIS, Observations and Synoptic-Scale Climate Index Data. <i>Remote Sensing</i> , 2021, 13, 554. | 1.8 | 43 |
| 11824 | Bioclimatic pattern in a Mediterranean mountain area: assessment from a classification approach on a regional scale. <i>International Journal of Biometeorology</i> , 2021, 65, 1085-1097. | 1.3 | 5 |
| 11825 | Potential range expansion and niche shift of the invasive <i>Hyphantria cunea</i> between native and invasive countries. <i>Ecological Entomology</i> , 2021, 46, 910-925. | 1.1 | 19 |
| 11826 | Predicting the current and future potential spatial distribution of endangered <i>Rucervus eldii eldii</i> (Sangai) using MaxEnt model. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 147. | 1.3 | 28 |
| 11827 | Introduced ant species occupy empty climatic niches in Europe. <i>Scientific Reports</i> , 2021, 11, 3280. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11828 | Disentangling the role of environment in cross-taxon congruence of species richness along elevational gradients. <i>Scientific Reports</i> , 2021, 11, 4711. | 1.6 | 3 |
| 11830 | The effects of climate change on the flowering phenology of alder trees in southwestern Europe. <i>Mediterranean Botany</i> , 0, 42, e67360. | 0.9 | 4 |
| 11831 | Predicting the Areas of Suitable Distribution for <i>Zelkova serrata</i> in China under Climate Change. <i>Sustainability</i> , 2021, 13, 1493. | 1.6 | 5 |
| 11832 | Effects of Tobacco Stem-Derived Biochar on Soil Properties and Bacterial Community Structure under Continuous Cropping of <i>Bletilla striata</i> . <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 1318-1328. | 1.7 | 11 |
| 11833 | Review of congruence between global crop wild relative hotspots and centres of crop origin/diversity. <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 1283-1297. | 0.8 | 21 |
| 11834 | Molecular phylogeography reveals two geographically and temporally separated floristic exchange tracks between Southeast Asia and northern Australia. <i>Journal of Biogeography</i> , 2021, 48, 1213-1227. | 1.4 | 11 |
| 11835 | Ecological niche modelling of species of the rose gall wasp <i>Diplolepis</i> (Hymenoptera: Cynipidae) on the Iberian Peninsula. <i>European Journal of Entomology</i> , 0, 118, 31-45. | 1.2 | 9 |
| 11836 | Urban form and productivity: What shapes are Latin-American cities?. <i>Environment and Planning B: Urban Analytics and City Science</i> , 2022, 49, 131-150. | 1.0 | 6 |
| 11837 | Habitat Quality Differentiation and Consequences for Ecosystem Service Provision of an Amazonian Hyperdominant Tree Species. <i>Frontiers in Plant Science</i> , 2021, 12, 621064. | 1.7 | 7 |
| 11838 | The geography of phylogenetic paleoecology: integrating data and methods to better understand biotic response to climate change. <i>Paleobiology</i> , 2021, 47, 178-197. | 1.3 | 7 |
| 11839 | Diversity of Dominant Soil Bacteria Increases with Warming Velocity at the Global Scale. <i>Diversity</i> , 2021, 13, 120. | 0.7 | 3 |
| 11840 | Spatialâ€”Temporal Characteristics of Precipitation and Its Relationship with Land Use/Cover Change on the Qinghai-Tibet Plateau, China. <i>Land</i> , 2021, 10, 269. | 1.2 | 23 |
| 11841 | Representativeness of FLUXNET Sites Across Latin America. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2020JG006090. | 1.3 | 31 |
| 11843 | Carbon dioxide emissions at local scale linked to soil heterotrophic activity from an experimentally simulated drained peatland in Western Patagonia (Tierra del Fuego, Chile). <i>Soil Use and Management</i> , 0, , . | 2.6 | 3 |
| 11844 | Low Densities of the Ghost Crab <i>Ocypode quadrata</i> Related to Large Scale Human Modification of Sandy Shores. <i>Frontiers in Marine Science</i> , 2021, 8, , . | 1.2 | 30 |
| 11845 | Genetic diversity of Horvathâ€™s Rock Lizard meets current environmental restrictions. <i>Conservation Genetics</i> , 2021, 22, 483-498. | 0.8 | 3 |
| 11846 | Different elevational environments dictate contrasting patterns of niche evolution in Neotropical <i>Pithecopus</i> treefrog species. <i>Biotropica</i> , 2021, 53, 1042-1051. | 0.8 | 7 |
| 11847 | Investigating the Distribution of Foraging Habitat for Loggerhead Sea Turtles, <i>Caretta caretta</i> , in the Mediterranean Sea. , 0, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11848 | On the floristic identity of Amazonian vegetation types. <i>Biotropica</i> , 2021, 53, 767-777. | 0.8 | 21 |
| 11849 | Eastern Black Walnut (<i>Juglans nigra</i> L.) Originating From Native Range Varies in Their Response to Inoculation With <i>Geosmithia morbida</i> . <i>Frontiers in Forests and Global Change</i> , 2021, 4, . | 1.0 | 8 |
| 11850 | CMIP5 climate projections and RUSLE-based soil erosion assessment in the central part of Iran. <i>Scientific Reports</i> , 2021, 11, 7273. | 1.6 | 42 |
| 11851 | Niche differentiation among genetic lineages in the Mediterranean Pond turtle, <i>Mauremys leprosa</i> , across its geographical range. <i>Amphibia - Reptilia</i> , 2021, 42, 227-240. | 0.1 | 0 |
| 11852 | Generalists yet different: distributional responses to climate change may vary in opportunistic bat species sharing similar ecological traits. <i>Mammal Review</i> , 2021, 51, 571-584. | 2.2 | 56 |
| 11853 | Niche Contraction of an Endangered Frog Driven by the Amphibian Chytrid Fungus. <i>EcoHealth</i> , 2021, 18, 134-144. | 0.9 | 4 |
| 11854 | More drought leads to a greater significance of biocrusts to soil multifunctionality. <i>Functional Ecology</i> , 2021, 35, 989-1000. | 1.7 | 18 |
| 11855 | Germination responses to water potential and temperature variation among provenances of <i>Pinus yunnanensis</i> . <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 276-277, 151786. | 0.6 | 10 |
| 11856 | Effect of land use and seasonality on nematode faunal structure and ecosystem functions in the Caatinga dry forest. <i>European Journal of Soil Biology</i> , 2021, 103, 103296. | 1.4 | 13 |
| 11857 | Phylogeny and evolution of <i>Lasiopodomys</i> in subfamily Arvicolinae based on mitochondrial genomics. <i>PeerJ</i> , 2021, 9, e10850. | 0.9 | 7 |
| 11858 | Prediction of Potential Geographical Distribution Patterns of <i>Actinidia arguta</i> under Different Climate Scenarios. <i>Sustainability</i> , 2021, 13, 3526. | 1.6 | 11 |
| 11860 | Assessing the impact of climate change on the distribution of <i>Osmanthus fragrans</i> using Maxent. <i>Environmental Science and Pollution Research</i> , 2021, 28, 34655-34663. | 2.7 | 45 |
| 11861 | Present in the western European Alps but absent in the eastern part: Can habitat availability explain the differences in red-billed chough occurrence?. <i>Journal of Avian Biology</i> , 2021, 52, . | 0.6 | 2 |
| 11862 | Potential suitable habitat of Buckwheat (<i>Fagopyrum</i> spp) under the climate change scenarios in Nepal. <i>Journal of Crop Science and Biotechnology</i> , 2021, 24, 401-410. | 0.7 | 4 |
| 11863 | Les différences entre populations de la forme du bassin humain ont-elles évolué par drive ou par sélection ?. <i>Bulletins Et Memoires De La Societe D'Anthropologie De Paris</i> , 2021, 33, . | 0.0 | 5 |
| 11864 | Relationship between net primary production and climate change in different vegetation zones based on EEMD detrending – A case study of Northwest China. <i>Ecological Indicators</i> , 2021, 122, 107276. | 2.6 | 33 |
| 11865 | Global Habitat Suitability of <i>Spodoptera frugiperda</i> (JE Smith) (Lepidoptera, Noctuidae): Key Parasitoids Considered for Its Biological Control. <i>Insects</i> , 2021, 12, 273. | 1.0 | 50 |
| 11866 | First appearance of Grey's zebra (<i>Equus grevyi</i>), from the Middle Pleistocene Kapthurin Formation, Kenya, sheds light on the evolution and paleoecology of large zebras. <i>Quaternary Science Reviews</i> , 2021, 256, 106835. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11867 | Combining modern tracking data and historical records improves understanding of the summer habitats of the Eastern Lesser White-fronted Goose <i>Anser erythropus</i> . <i>Ecology and Evolution</i> , 2021, 11, 4126-4139. | 0.8 | 7 |
| 11868 | Invasion of <i>Lantana camara</i> L. and its response to climate change in the mountains of Eastern Ghats. <i>Biologia (Poland)</i> , 2021, 76, 1391-1408. | 0.8 | 3 |
| 11869 | Assessment of Potential Climate Change Impacts on Montane Forests in the Peruvian Andes: Implications for Conservation Prioritization. <i>Forests</i> , 2021, 12, 375. | 0.9 | 6 |
| 11870 | All Roads Lead to Risk: Malaria Threat to Travellers in the Roman World. <i>Cartographica</i> , 2021, 56, 64-90. | 0.2 | 2 |
| 11871 | Mapping the spatial distribution of global 137Cs fallout in soils of South America as a baseline for Earth Science studies. <i>Earth-Science Reviews</i> , 2021, 214, 103542. | 4.0 | 5 |
| 11872 | Opportunities and challenges for herbaria in studying the spatial variation in plant functional diversity. <i>Systematics and Biodiversity</i> , 2021, 19, 322-332. | 0.5 | 3 |
| 11873 | Quantifying the Yield Sensitivity of Modern Rice Varieties to Warming Temperatures: Evidence from the Philippines. <i>American Journal of Agricultural Economics</i> , 2022, 104, 318-339. | 2.4 | 4 |
| 11874 | Environmental factors controlling vegetation attributes, soil nutrients and hydrolases in South Mediterranean arid grasslands. <i>Ecological Engineering</i> , 2021, 161, 106155. | 1.6 | 11 |
| 11875 | Geological and climatic histories likely shaped the origins of terrestrial vertebrates endemic to the Tibetan Plateau. <i>Global Ecology and Biogeography</i> , 2021, 30, 1116-1128. | 2.7 | 7 |
| 11876 | The Sustainability of Thailand's Protected-Area System under Climate Change. <i>Sustainability</i> , 2021, 13, 2868. | 1.6 | 7 |
| 11877 | Continental vs. Global Niche-Based Modelling of Freshwater Species' Distributions: How Big Are the Differences in the Estimated Climate Change Effects?. <i>Water (Switzerland)</i> , 2021, 13, 816. | 1.2 | 0 |
| 11878 | Regional climates shape the biogeographic history of a broadly distributed freshwater crab species complex. <i>Journal of Biogeography</i> , 2021, 48, 1432-1447. | 1.4 | 5 |
| 11879 | Climate and ice in the last glacial maximum explain patterns of isolation by distance inferred for alpine grasshoppers. <i>Insect Conservation and Diversity</i> , 2021, 14, 568-581. | 1.4 | 7 |
| 11880 | Understanding patterns and potential drivers of forest diversity in northeastern China using machine-learning algorithms. <i>Journal of Vegetation Science</i> , 2021, 32, e13022. | 1.1 | 7 |
| 11881 | Modeling the Invasion of the Large Hive Beetle, <i>Oplostomusfulviginus</i> , into North Africa and South Europe under a Changing Climate. <i>Insects</i> , 2021, 12, 275. | 1.0 | 19 |
| 11882 | Improving the monitoring of deciduous broadleaf phenology using the Geostationary Operational Environmental Satellite (GOES) 16 and 17. <i>Biogeosciences</i> , 2021, 18, 1971-1985. | 1.3 | 15 |
| 11883 | Signatures of north-eastern expansion and multiple refugia: genomic phylogeography of the Pine Barrens tree frog, <i>Hyla andersonii</i> (Anura: Hylidae). <i>Biological Journal of the Linnean Society</i> , 2021, 133, 120-134. | 0.7 | 3 |
| 11884 | Distribution patterns and niche segregation of three closely related Japanese ephemeropterid mayflies: a re-examination of each species' habitat from "megadata" held in the "National Census on River Environments". <i>Limnology</i> , 2021, 22, 277-287. | 0.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|------|-----------|
| 11885 | Energy and water co-benefits from covering canals with solar panels. <i>Nature Sustainability</i> , 2021, 4, 609-617. | 11.5 | 54 |
| 11886 | A hydroclimatic model for the distribution of fire on Earth. <i>Environmental Research Communications</i> , 2021, 3, 035001. | 0.9 | 20 |
| 11887 | Experimental support for genomic prediction of climate maladaptation using the machine learning approach Gradient Forests. <i>Molecular Ecology Resources</i> , 2021, 21, 2749-2765. | 2.2 | 55 |
| 11888 | Combining the responses of habitat suitability and connectivity to climate change for an East Asian endemic frog. <i>Frontiers in Zoology</i> , 2021, 18, 14. | 0.9 | 11 |
| 11889 | Modelled distribution of an invasive alien plant species differs at different spatiotemporal scales under changing climate: a case study of <i>Parthenium hysterophorus</i> L.. <i>Tropical Ecology</i> , 2021, 62, 398-417. | 0.6 | 11 |
| 11890 | Hybridization, ecogeographical displacement and the emergence of new lineages – A genotyping-by-sequencing and ecological niche and species distribution modelling study of <i>Sempervivum tectorum</i> L. (Houseleek). <i>Journal of Evolutionary Biology</i> , 2021, 34, 830-844. | 0.8 | 3 |
| 11891 | The need for multidisciplinary conservation: a case study of <i>Ceratozamia</i> (Zamiaceae, Cycadales) in eastern Mexico. <i>Oryx</i> , 2021, 55, 947-956. | 0.5 | 5 |
| 11892 | Climate change and its impact on the expansion of the area <i>Ambrosia artemisiifolia</i> in Europe. <i>Karantin i Zahist Roslin</i> , 2021, , 31-39. | 0.0 | 0 |
| 11893 | Ecological niche modeling as an effective tool to predict the distribution of freshwater organisms: The case of the Sabaleta <i>Brycon henni</i> (Eigenmann, 1913). <i>PLoS ONE</i> , 2021, 16, e0247876. | 1.1 | 20 |
| 11894 | Insights into the restoration and sustainable management of Emory oak: A southwestern cultural keystone species. <i>Forest Ecology and Management</i> , 2021, 483, 118900. | 1.4 | 6 |
| 11895 | Learning niche features to improve image-based species identification. <i>Ecological Informatics</i> , 2021, 61, 101217. | 2.3 | 4 |
| 11896 | An iconic messenger of climate change? Predicting the range dynamics of the European Bee-eater (<i>Merops apiaster</i>). <i>Journal of Ornithology</i> , 2021, 162, 631-644. | 0.5 | 8 |
| 11897 | Disentangling spatial, environmental and historical effects on tropical forest tree species turnover. <i>Journal of Plant Ecology</i> , 2021, 14, 717-729. | 1.2 | 1 |
| 11898 | Divergent above- and below-ground biodiversity pathways mediate disturbance impacts on temperate forest multifunctionality. <i>Global Change Biology</i> , 2021, 27, 2883-2894. | 4.2 | 30 |
| 11899 | Ecological distribution of <i>Stephanodiscus niagarae</i> Ehrenberg in central Mexico and niche modeling for its last glacial maximum habitat suitability in the Nearctic realm. <i>Journal of Paleolimnology</i> , 2021, 66, 1-14. | 0.8 | 9 |
| 11900 | An Orchid in Retrograde: Climate-Driven Range Shift Patterns of <i>Ophrys helenae</i> in Greece. <i>Plants</i> , 2021, 10, 470. | 1.6 | 11 |
| 11901 | Large-scale prediction of tropical stream water quality using Rough Sets Theory. <i>Ecological Informatics</i> , 2021, 61, 101226. | 2.3 | 10 |
| 11902 | Global patterns of forest autotrophic carbon fluxes. <i>Global Change Biology</i> , 2021, 27, 2840-2855. | 4.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11903 | Conservation Genetics of Four Critically Endangered Greek Endemic Plants: A Preliminary Assessment. <i>Diversity</i> , 2021, 13, 152. | 0.7 | 8 |
| 11904 | The biogeography of alien plant invasions in the Mediterranean Basin. <i>Journal of Vegetation Science</i> , 2021, 32, e12980. | 1.1 | 24 |
| 11905 | Threatened bird species are concentrated in regions with less historical human impacts. <i>Biological Conservation</i> , 2021, 255, 108978. | 1.9 | 6 |
| 11906 | A New Data-Driven Bayesian Inversion of Fluvial Topography Clarifies the Tectonic History of the Corinth Rift and Reveals a Channel Steepness Threshold. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021, 126, e2020JF005651. | 1.0 | 22 |
| 11907 | Integrated analysis of the ringneck snake <i>Diadophis punctatus</i> complex (Colubridae: Dipsadidae) in a biodiversity hotspot provides the foundation for conservation reassessment. <i>Biological Journal of the Linnean Society</i> , 2021, 133, 105-119. | 0.7 | 3 |
| 11908 | Diversity, distribution, and drivers of <i>Polychromophilus</i> infection in Malagasy bats. <i>Malaria Journal</i> , 2021, 20, 157. | 0.8 | 5 |
| 11909 | Fungal Diversity and Community Assembly of Ectomycorrhizal Fungi Associated With Five Pine Species in Inner Mongolia, China. <i>Frontiers in Microbiology</i> , 2021, 12, 646821. | 1.5 | 9 |
| 11910 | Integrating intraspecific variation in species distribution models by quantifying niche differentiation. <i>Biological Journal of the Linnean Society</i> , 2021, 133, 187-201. | 0.7 | 8 |
| 11911 | Modelling Maritime Pine (<i>Pinus pinaster</i> Aiton) Spatial Distribution and Productivity in Portugal: Tools for Forest Management. <i>Forests</i> , 2021, 12, 368. | 0.9 | 8 |
| 11912 | The Ecological Niche of <i>Pistacia Vera</i> L. (Anacardiaceae) in Central Asia: A Comprehensive Tool for Agromeliorative Planning. <i>Biosis: Biological Systems</i> , 2021, 2, 209-216. | 0.3 | 1 |
| 11913 | Prediction of habitat suitability for the desert monitor (<i>Varanus griseus caspius</i>) under the influence of future climate change. <i>Journal of Arid Environments</i> , 2021, 186, 104416. | 1.2 | 4 |
| 11914 | Climatic criteria for successful introduction of <i>Quercus</i> species identified by use of Arboretum data. <i>Forestry</i> , 2021, 94, 526-537. | 1.2 | 1 |
| 11916 | Phylogeny, evolution and ecological speciation analyses of <i>Imperata</i> (Poaceae: Andropogoneae) in the Neotropics. <i>Systematics and Biodiversity</i> , 2021, 19, 526-543. | 0.5 | 3 |
| 11917 | High-resolution global map of smallholder and industrial closed-canopy oil palm plantations. <i>Earth System Science Data</i> , 2021, 13, 1211-1231. | 3.7 | 71 |
| 11918 | How citizen science could improve species distribution models and their independent assessment. <i>Ecology and Evolution</i> , 2021, 11, 3028-3039. | 0.8 | 24 |
| 11919 | Herbaceous perennial plants with short generation time have stronger responses to climate anomalies than those with longer generation time. <i>Nature Communications</i> , 2021, 12, 1824. | 5.8 | 41 |
| 11920 | Contrasting drivers of diversity in hosts and parasites across the tropical Andes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 24 |
| 11921 | Application of Remote Sensing Data for Locust Research and Management—A Review. <i>Insects</i> , 2021, 12, 233. | 1.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 11922 | Distribution modelling of the rare stink bug <i>Ceratozygum horridum</i> (Germar, 1839): isolated in small spots across the Neotropics or a continuous population?. <i>Journal of Natural History</i> , 2021, 55, 649-663. | 0.2 | 1 |
| 11923 | Key soil parameters affecting the survival of <i>Panax notoginseng</i> under continuous cropping. <i>Scientific Reports</i> , 2021, 11, 5656. | 1.6 | 7 |
| 11924 | Annual and intra-annual climate variability and change of the Volta Delta, Ghana. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 233. | 1.3 | 2 |
| 11925 | Quo vadis? Historical distribution and impact of climate change on the worldwide distribution of the Australasian fungus <i>Clathrus archeri</i> (Phallales, Basidiomycota). <i>Mycological Progress</i> , 2021, 20, 299-311. | 0.5 | 4 |
| 11926 | Mechanisms driving plant functional trait variation in a tropical forest. <i>Ecology and Evolution</i> , 2021, 11, 3856-3870. | 0.8 | 15 |
| 11927 | Spatial patterns and ecological drivers of soil nematode α-diversity in natural grasslands vary among vegetation types and trophic position. <i>Journal of Animal Ecology</i> , 2021, 90, 1367-1378. | 1.3 | 9 |
| 11928 | Modelling Climate-Change Impact on the Spatial Distribution of <i>Garra Rufa</i> (Heckel, 1843) (Teleostei: Cyprinidae). <i>Journal of Environmental Management</i> , 2021, 282, 112177. | 0.7 | 5 |
| 11929 | Prediction of ecological and geological niches of <i>Salvadora oleoides</i> in arid zones of India: causes and consequences of global warming. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1. | 0.6 | 6 |
| 11930 | Why aren't rabbits and hares larger?. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 847-860. | 1.1 | 5 |
| 11931 | Influência das Mudanças Climáticas na Aptidão Agrícola para Cultivo de Trigo na Microrregião de Guarapuava, Sul do Brasil. <i>Revista Brasileira De Meteorologia</i> , 2021, 36, 39-47. | 0.2 | 1 |
| 11932 | Reduction in the potential distribution of bumble bees (Apidae: <i>Bombus</i>) in Mesoamerica under different climate change scenarios: Conservation implications. <i>Global Change Biology</i> , 2021, 27, 1772-1787. | 4.2 | 28 |
| 11933 | Climate and seasonality drive the richness and composition of tropical fungal endophytes at a landscape scale. <i>Communications Biology</i> , 2021, 4, 313. | 2.0 | 45 |
| 11934 | The importance of environmental conditions in maintaining lineage identity in <i>Epithelantha</i> (Cactaceae). <i>Ecology and Evolution</i> , 2021, 11, 4520-4531. | 0.8 | 11 |
| 11935 | Spatial areas of genotype probability: Predicting the spatial distribution of adaptive genetic variants under future climatic conditions. <i>Diversity and Distributions</i> , 2021, 27, 1076-1090. | 1.9 | 14 |
| 11936 | The global macroecology of brood size in amphibians reveals a predisposition of low fecundity species to extinction. <i>Global Ecology and Biogeography</i> , 2021, 30, 1299-1310. | 2.7 | 23 |
| 11937 | Climate change risk to southern African wild food plants. <i>Regional Environmental Change</i> , 2021, 21, 1. | 1.4 | 8 |
| 11938 | Predicting Shifts in Land Suitability for Maize Cultivation Worldwide Due to Climate Change: A Modeling Approach. <i>Land</i> , 2021, 10, 295. | 1.2 | 9 |
| 11939 | Segmentation of the Wassuk Range normal fault system, Nevada (USA): Implications for earthquake rupture and Walker Lane dynamics. <i>Bulletin of the Geological Society of America</i> , 0, , . | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11940 | Mitogenomic analysis of diversity of key whitefly pests in Kenya and its implication to their sustainable management. <i>Scientific Reports</i> , 2021, 11, 6348. | 1.6 | 5 |
| 11941 | Generation of an improved precipitation data set from multisource information over the Tibetan Plateau. <i>Journal of Hydrometeorology</i> , 2021, , . | 0.7 | 14 |
| 11942 | Climate change and specialty coffee potential in Ethiopia. <i>Scientific Reports</i> , 2021, 11, 8097. | 1.6 | 39 |
| 11943 | Estimation of bioclimatic variables of Mongolia derived from remote sensing data. <i>Frontiers of Earth Science</i> , 0, , 1. | 0.9 | 1 |
| 11944 | Ectomycorrhizal fungal communities associated with <i>Larix gemelinii</i> Rupr. in the Great Khingan Mountains, China. <i>PeerJ</i> , 2021, 9, e11230. | 0.9 | 2 |
| 11945 | The genomics of rapid climatic adaptation and parallel evolution in North American house mice. <i>PLoS Genetics</i> , 2021, 17, e1009495. | 1.5 | 26 |
| 11947 | Local adaptation in thermal tolerance for a tropical butterfly across ecotone and rainforest habitats. <i>Biology Open</i> , 2021, 10, . | 0.6 | 15 |
| 11948 | Modelling climate change impacts on regional net primary productivity in Turkey. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 242. | 1.3 | 6 |
| 11949 | Will climate change impact distribution of bats in Nepal Himalayas? A case study of five species. <i>Global Ecology and Conservation</i> , 2021, 26, e01483. | 1.0 | 15 |
| 11950 | The Legacy of Colonial Medicine in Central Africa. <i>American Economic Review</i> , 2021, 111, 1284-1314. | 4.0 | 64 |
| 11951 | Prediction of the suitable distribution of <i>Eucalyptus grandis</i> in China and its responses to climate change. <i>New Forests</i> , 2022, 53, 81-99. | 0.7 | 8 |
| 11953 | Predictive distribution modeling of <i>Swertia bimaculata</i> in Darjeeling-Sikkim Eastern Himalaya using MaxEnt: current and future scenarios. <i>Ecological Processes</i> , 2021, 10, . | 1.6 | 26 |
| 11954 | Comparative phylogeographic analysis suggests a shared history among eastern North American boreal forest birds. <i>Auk</i> , 2021, 138, . | 0.7 | 9 |
| 11955 | Historical diversification and biogeography of the endemic southern African dung beetle genus, <i>Epirinus</i> (Scarabaeidae: Scarabaeinae). <i>Biological Journal of the Linnean Society</i> , 2021, 133, 751-765. | 0.7 | 3 |
| 11956 | Embracing Ensemble Species Distribution Models to Inform At-Risk Species Status Assessments. <i>Journal of Fish and Wildlife Management</i> , 2021, 12, 98-111. | 0.4 | 15 |
| 11959 | Of pandas, fossils, and bamboo forests: ecological niche modeling of the giant panda (<i>Ailuropoda</i>) Tj ETQq1 1 0.784314 rgBT ₂ /Overlook | 0.6 | 0 |
| 11960 | Selection of models to describe the temperature-dependent development of <i>Neoleucinodes elegantalis</i> (Lepidoptera: Crambidae) and its application to predict the species voltinism under future climate conditions. <i>Bulletin of Entomological Research</i> , 2021, 111, 476-484. | 0.5 | 3 |
| 11961 | Out of the Qinghai-Tibetan Plateau and rapid radiation across Eurasia for <i>Allium</i> section <i>Daghestanica</i> (Amaryllidaceae). <i>AoB PLANTS</i> , 2021, 13, plab017. | 1.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|------|-----------|
| 11962 | Temperature reconstructions for the last 1.74-Ma on the eastern Tibetan Plateau based on a novel pollen-based quantitative method. <i>Global and Planetary Change</i> , 2021, 199, 103433. | 1.6 | 13 |
| 11963 | Assessment of the Impacts of Climate and LULC Changes on the Water Yield in the Citarum River Basin, West Java Province, Indonesia. <i>Sustainability</i> , 2021, 13, 3919. | 1.6 | 12 |
| 11964 | Modeling the geographic spread and proliferation of invasive alien plants (IAPs) into new ecosystems using multi-source data and multiple predictive models in the Heuningnes catchment, South Africa. <i>GIScience and Remote Sensing</i> , 2021, 58, 483-500. | 2.4 | 15 |
| 11965 | Using Species Distribution Modeling to Delineate Richness Patterns of Chiropterophilic Plants and Allocate Conservation Efforts in Mexico and the Southwestern United States. <i>Natural Areas Journal</i> , 2021, 41, . | 0.2 | 2 |
| 11968 | Regionalization of an Existing Global Forest Canopy Height Model for Forests of the Southern United States. <i>Remote Sensing</i> , 2021, 13, 1722. | 1.8 | 2 |
| 11969 | Multiple diversity facets of crucial microbial groups in biological soil crusts promote soil multifunctionality. <i>Global Ecology and Biogeography</i> , 2021, 30, 1204-1217. | 2.7 | 16 |
| 11970 | Coping with arid environments: A critical threshold for human expansion in Europe at the Marine Isotope Stage 12/11 transition? The case of the Iberian Peninsula. <i>Journal of Human Evolution</i> , 2021, 153, 102950. | 1.3 | 19 |
| 11971 | Maximum Entropy Modeling to Predict the Impact of Climate Change on Pine Wilt Disease in China. <i>Frontiers in Plant Science</i> , 2021, 12, 652500. | 1.7 | 66 |
| 11972 | Genetic data and niche differences suggest that disjunct populations of <i>Diglossa brunneiventris</i> are not sister lineages. <i>Auk</i> , 2021, 138, . | 0.7 | 9 |
| 11973 | Evolutionary and environmental drivers of species richness in poeciliid fishes across the Americas. <i>Global Ecology and Biogeography</i> , 2021, 30, 1245-1257. | 2.7 | 17 |
| 11974 | Climate warming affects spatio-temporal biodiversity patterns of a highly vulnerable Neotropical avifauna. <i>Climatic Change</i> , 2021, 165, 1. | 1.7 | 10 |
| 11975 | Evidence for Range Expansion and Origins of an Invasive Hornet <i>Vespa bicolor</i> (Hymenoptera, Vespidae) in Taiwan, with Notes on Its Natural Status. <i>Insects</i> , 2021, 12, 320. | 1.0 | 3 |
| 11976 | Unveiling African rainforest composition and vulnerability to global change. <i>Nature</i> , 2021, 593, 90-94. | 13.7 | 53 |
| 11977 | Changes in forest structure values along the natural cycle and different management strategies in <i>Nothofagus antarctica</i> forests. <i>Forest Ecology and Management</i> , 2021, 486, 118973. | 1.4 | 16 |
| 11978 | Spatial Delimitation of Genetic Diversity of Native Maize and Its Relationship with Ethnic Groups in Mexico. <i>Agronomy</i> , 2021, 11, 672. | 1.3 | 7 |
| 11980 | Systematics of the oil bee genus <i>Lanthanomelissa</i> (Apidae: Tapinotaspini) and its implications for the biogeography of South American grasslands. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1013-1027. | 0.6 | 4 |
| 11981 | Microsatellite based molecular epidemiology of <i>Leishmania infantum</i> from re-emerging foci of visceral leishmaniasis in Armenia and pilot risk assessment by ecological niche modeling. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009288. | 1.3 | 4 |
| 11982 | Simulating potential impacts of climate changes on distribution pattern and carbon storage function of <i>high-latitude</i> wetland plant communities in the Xing'anling Mountains, China. <i>Land Degradation and Development</i> , 2021, 32, 2704-2714. | 1.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 11983 | Genomic Adaptive Evolution of Sand Rice (<i>Agriophyllum squarrosum</i>) and Its Implications for Desert Ecosystem Restoration. <i>Frontiers in Genetics</i> , 2021, 12, 656061. | 1.1 | 5 |
| 11984 | Improving performance of species distribution model in mountainous areas with complex topography. <i>Ecological Research</i> , 2021, 36, 648-662. | 0.7 | 1 |
| 11985 | Comparative phylogeography of two Northern Rocky Mountain endemics: the widespread <i>Anguispira kochi occidentalis</i> and the narrow-range <i>Anguispira nimapuna</i> (Gastropoda: Discidae). <i>Biological Journal of the Linnean Society</i> , 2021, 133, 817-834. | 0.7 | 2 |
| 11986 | A review of fire effects across South American ecosystems: the role of climate and time since fire. <i>Fire Ecology</i> , 2021, 17, . | 1.1 | 14 |
| 11987 | Alpine speciation and morphological innovations: revelations from a species-rich genus in the northern hemisphere. <i>AoB PLANTS</i> , 2021, 13, plab018. | 1.2 | 8 |
| 11988 | Effect of Ecological Construction Engineering on Vegetation Restoration: A Case Study of the Loess Plateau. <i>Remote Sensing</i> , 2021, 13, 1407. | 1.8 | 18 |
| 11989 | Modelling the Effects of Climate Change on the Distribution of Endangered <i>Cypripedium japonicum</i> in China. <i>Forests</i> , 2021, 12, 429. | 0.9 | 15 |
| 11990 | Potential Global Distribution of <i>Daktulosphaira vitifoliae</i> under Climate Change Based on MaxEnt. <i>Insects</i> , 2021, 12, 347. | 1.0 | 20 |
| 11991 | A quantitative assessment of site-level factors in influencing Chukar (<i>Alectoris chukar</i>) introduction outcomes. <i>PeerJ</i> , 2021, 9, e11280. | 0.9 | 1 |
| 11992 | Native range climate is insufficient to predict anuran invasive potential. <i>Biological Invasions</i> , 2021, 23, 2635-2647. | 1.2 | 9 |
| 11994 | Potential changes in the distribution of <i>Delphinium bolosii</i> and related taxa of the series <i>Fissa</i> from the Iberian Peninsula under future climate change scenarios. <i>Nature Conservation</i> , 0, 43, 147-166. | 0.0 | 1 |
| 11996 | Association of putatively adaptive genetic variation with climatic variables differs between a parasite and its host. <i>Evolutionary Applications</i> , 2021, 14, 1732-1746. | 1.5 | 5 |
| 11997 | Current and projected impacts of the parasite <i>Tetracapsuloides bryosalmonae</i> (causative to) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 change. <i>Freshwater Biology</i> , 2021, 66, 1182-1199. | 1.2 | 7 |
| 11998 | Genetic Distinctiveness but Low Diversity Characterizes Rear-Edge <i>Thuja standishii</i> (Gordon) Carr. (<i>Cupressaceae</i>) Populations in Southwest Japan. <i>Diversity</i> , 2021, 13, 185. | 0.7 | 4 |
| 11999 | Ecological analysis and environmental niche modelling of <i>Dactylorhiza hatagirea</i> (D. Don) Soo: A conservation approach for critically endangered medicinal orchid. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 2109-2122. | 1.8 | 28 |
| 12000 | Distance to native climatic niche margins explains establishment success of alien mammals. <i>Nature Communications</i> , 2021, 12, 2353. | 5.8 | 25 |
| 12001 | Evolving in islands of mud: old and structured hidden diversity in an endemic freshwater crayfish from the Chilean hotspot. <i>Scientific Reports</i> , 2021, 11, 8573. | 1.6 | 4 |
| 12002 | Is New Always Better? <i>Frontiers in Global Climate Datasets for Modeling Treeline Species in the Himalayas</i> . <i>Atmosphere</i> , 2021, 12, 543. | 1.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12003 | Conservation genetics of an island-endemic lizard: low Ne and the critical role of intermediate temperatures for genetic connectivity. <i>Conservation Genetics</i> , 2021, 22, 783-797. | 0.8 | 6 |
| 12004 | Future climate change will impact the size and location of breeding and wintering areas of migratory thrushes in South America. <i>Condor</i> , 2021, 123, . | 0.7 | 4 |
| 12005 | Unravelling the Pleistocene glacial history of the Pamir mountains, Central Asia. <i>Quaternary Science Reviews</i> , 2021, 257, 106857. | 1.4 | 6 |
| 12006 | Landscape and environmental conditions for the late Holocene in the eastern Pampa-Patagonia transition (Argentina): a phytolith analysis of the El Tigre archaeological site. <i>Vegetation History and Archaeobotany</i> , 0, , 1. | 1.0 | 4 |
| 12007 | Mapping tree diversity in the tropical forest region of ChocÃ³-Colombia. <i>Environmental Research Letters</i> , 2021, 16, 054024. | 2.2 | 10 |
| 12008 | Late Pleistocene Expansion of Small Murid Rodents across the Palearctic in Relation to the Past Environmental Changes. <i>Genes</i> , 2021, 12, 642. | 1.0 | 5 |
| 12009 | The ecological, genetic and genomic architecture of local adaptation and population differentiation in <i>Boechera stricta</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20202472. | 1.2 | 5 |
| 12010 | Do phylogeny and habitat influence admixture among four North American chickadee (family: Paridae) species?. <i>Journal of Avian Biology</i> , 2021, 52, . | 0.6 | 4 |
| 12011 | Novel Disease Host Resistances in the World Core Collection of <i>Trifolium subterraneum</i> . <i>Plant Disease</i> , 2021, 105, PDIS-09-20-1985. | 0.7 | 2 |
| 12012 | Tracing the acclimation of European beech (<i>Fagus sylvatica</i> L.) populations to climatic stress by analyzing the antioxidant system. <i>IForest</i> , 2021, 14, 95-103. | 0.5 | 8 |
| 12013 | Population genomic, climatic and anthropogenic evidence suggest the role of human forces in endangerment of green peafowl (<i>Pavo muticus</i>). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210073. | 1.2 | 26 |
| 12014 | Climate change will reduce the potential distribution ranges of Colombiaâ€™s most valuable pollinators. <i>Perspectives in Ecology and Conservation</i> , 2021, 19, 195-206. | 1.0 | 11 |
| 12015 | Climate and multiple dimensions of plant diversity regulate ecosystem carbon exchange along an elevational gradient. <i>Ecosphere</i> , 2021, 12, e03472. | 1.0 | 4 |
| 12016 | Ecological resilience in tropical Andean lakes: A paleolimnological perspective. <i>Limnology and Oceanography</i> , 2022, 67, . | 1.6 | 5 |
| 12017 | PERICLIMv1.0: a model deriving palaeo-air temperatures from thaw depth in past permafrost regions. <i>Geoscientific Model Development</i> , 2021, 14, 1865-1884. | 1.3 | 5 |
| 12018 | An approach to quantify climateâ€™ productivity relationships: an example from a widespread <i>Nothofagus</i> forest. <i>Ecological Applications</i> , 2021, 31, e02285. | 1.8 | 8 |
| 12019 | Widespread reforestation before European influence on Amazonia. <i>Science</i> , 2021, 372, 484-487. | 6.0 | 28 |
| 12020 | Incorporating Stakeholder Knowledge into a Complex Stock Assessment Model: The Case of Eel Recruitment. <i>Water (Switzerland)</i> , 2021, 13, 1136. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12021 | Multilocus phylogeography and ecological niche modeling suggest speciation with gene flow between the two Bamboo Partridges. <i>Avian Research</i> , 2021, 12, . | 0.5 | 2 |
| 12022 | Mapping Vulnerability of Cotton to Climate Change in West Africa: Challenges for Sustainable Development. <i>Climate</i> , 2021, 9, 68. | 1.2 | 1 |
| 12023 | Distribution and habitat attributes associated with the Himalayan red panda in the westernmost distribution range. <i>Ecology and Evolution</i> , 2021, 11, 4023-4034. | 0.8 | 7 |
| 12024 | Maxent modeling for predicting the potential distribution of <i>Arbutus andrachne</i> L. belonging to climate change in Turkey.. <i>Kuwait Journal of Science</i> , 2021, 48, . | 0.6 | 3 |
| 12025 | Shivering in the Pleistocene. Human adaptations to cold exposure in Western Europe from MIS 14 to MIS 11. <i>Journal of Human Evolution</i> , 2021, 153, 102966. | 1.3 | 11 |
| 12026 | Effects of Climate Change on Distribution Areas of Former Endemic Plant Species <i>Campanula lyrata</i> Lam.. <i>Sakarya University Journal of Science</i> , 0, , . | 0.3 | 0 |
| 12027 | Transcriptome of weeping pinyon pine, <i>Pinus pinceana</i> , shows differences across heterogeneous habitats. <i>Trees - Structure and Function</i> , 2021, 35, 1351-1365. | 0.9 | 4 |
| 12028 | <i>Brassica rapa</i> Domestication: Untangling Wild and Feral Forms and Convergence of Crop Morphotypes. <i>Molecular Biology and Evolution</i> , 2021, 38, 3358-3372. | 3.5 | 30 |
| 12029 | Interactions between species richness, herbivory and precipitation affect standing biomass in Mongolian rangelands. <i>Applied Vegetation Science</i> , 2021, 24, e12581. | 0.9 | 2 |
| 12030 | The impact of climate change on the distribution of <i>Castanopsis</i> (Fagaceae) species in south China and Indo-China region. <i>Global Ecology and Conservation</i> , 2021, 26, e01388. | 1.0 | 7 |
| 12031 | A meta-analysis of tropical land-use change effects on the soil microbiome: Emerging patterns and knowledge gaps. <i>Biotropica</i> , 2021, 53, 738-752. | 0.8 | 9 |
| 12032 | <i>Cicer turcicum</i> : A New <i>Cicer</i> Species and Its Potential to Improve Chickpea. <i>Frontiers in Plant Science</i> , 2021, 12, 662891. | 1.7 | 36 |
| 12033 | Phylogeographic history of Japanese macaques. <i>Journal of Biogeography</i> , 2021, 48, 1420-1431. | 1.4 | 12 |
| 12034 | Evidence of local adaptation despite strong drift in a Neotropical patchily distributed bromeliad. <i>Heredity</i> , 2021, 127, 203-218. | 1.2 | 3 |
| 12036 | The role of environmental conditions, climatic factors and spatial processes in driving multiple facets of stream macroinvertebrate beta diversity in a climatically heterogeneous mountain region. <i>Ecological Indicators</i> , 2021, 124, 107407. | 2.6 | 25 |
| 12037 | Empirical modeling of the impact of climate change on altitudinal shift of major cereal crops in South Tigray, Northern Ethiopia. <i>Journal of Crop Improvement</i> , 0, , 1-24. | 0.9 | 3 |
| 12038 | Maskeli Ā-rĀ¼mcek KuĀŸunun (<i>Lanius nubicus</i> , Lichtenstein 1823) Ā°klim DeĀŸiĀŸimi Etkisi AltĀ±ndaki DaĀŸĀ±lĀ±mĀ±. <i>Journal of Anatolian Environmental and Animal Sciences</i> , 0, , . | 0.2 | 0 |
| 12039 | Accounting for inter-annual variability alters long-term estimates of climate suitability. <i>Journal of Biogeography</i> , 2021, 48, 1960-1971. | 1.4 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12040 | Species-Distribution Modeling: Advantages and Limitations of Its Application. 1. General Approaches. <i>Biology Bulletin Reviews</i> , 2021, 11, 254-264. | 0.3 | 14 |
| 12042 | Demographic history and local adaptation of <i>Myriopholis dioica</i> (Asteraceae) provide insight on plant evolution in northern China flora. <i>Ecology and Evolution</i> , 2021, 11, 8000-8013. | 0.8 | 8 |
| 12043 | Migration-tracking integrated phylogeography supports long-distance dispersal-driven divergence for a migratory bird species in the Japanese archipelago. <i>Ecology and Evolution</i> , 2021, 11, 6066-6079. | 0.8 | 8 |
| 12044 | Geographic Distribution Shift of Invasive Plant <i>Austroeupeatorium inulifolium</i> in the Future Climate Projection. <i>Annual Research & Review in Biology</i> , 0, , 38-47. | 0.4 | 1 |
| 12045 | Species distribution modeling reveals the ecological niche of extinct megafauna from South America. <i>Quaternary Research</i> , 2021, 104, 151-158. | 1.0 | 5 |
| 12046 | Phenotypic shifts following admixture in recombinant offspring of <i>Arabidopsis thaliana</i> . <i>Evolutionary Ecology</i> , 2021, 35, 575-593. | 0.5 | 3 |
| 12047 | Challenges and opportunities in planning for the conservation of Neotropical seasonally dry forests into the future. <i>Biological Conservation</i> , 2021, 257, 109083. | 1.9 | 19 |
| 12048 | Hybridization as a biodiversity driver: The case of <i>Veronica gundisalvi</i> . <i>Mediterranean Botany</i> , 0, 42, e67901. | 0.9 | 3 |
| 12049 | Environmental Factors Associated With <i>Loa loa</i> Microfilaria Prevalence and Intensity in Diverse Bioecological Zones of Cameroon. <i>Frontiers in Tropical Diseases</i> , 2021, 2, . | 0.5 | 0 |
| 12050 | Temperature and historical land connectivity jointly shape the floristic relationship between Hainan Island and the neighbouring landmasses. <i>Science of the Total Environment</i> , 2021, 769, 144629. | 3.9 | 6 |
| 12051 | The demographic and ecological factors shaping diversification among rare <i>Astragalus</i> species. <i>Diversity and Distributions</i> , 2021, 27, 1407-1421. | 1.9 | 11 |
| 12052 | TAXONOMIC REVISION OF <i>MENTZELIA</i> SECTION <i>BICUSPIDARIA</i> (LOASACEAE) IN MEXICO. <i>Madroño</i> , 2021, 67, . | 0.3 | 0 |
| 12053 | Agent-based modelling of the social-ecological nature of poverty traps in southwestern Madagascar. <i>Agricultural Systems</i> , 2021, 190, 103125. | 3.2 | 7 |
| 12054 | A survival story: evolutionary history of the Iberian <i>Algyroides</i> (Squamata: Lacertidae), an endemic lizard relict. <i>Biodiversity and Conservation</i> , 2021, 30, 2707-2729. | 1.2 | 4 |
| 12055 | Diversity and degradation of the vegetation of mountain belt forests of central Adjara (the Lesser Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.5 | 3 |
| 12056 | The hotter the better? Climate change and voltinism of <i>Spodoptera eridania</i> estimated with different methods. <i>Journal of Thermal Biology</i> , 2021, 98, 102946. | 1.1 | 3 |
| 12057 | Predicting the current and future suitable habitat distribution of the medicinal tree <i>Oroxylum indicum</i> (L.) Kurz in India. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2021, 23, 100309. | 0.9 | 15 |
| 12058 | Expanding the knowledge on a desert sigmodontine rodent in Central Argentina with remarks on its conservation status. <i>Mammalia</i> , 2021, 85, 568-573. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12060 | A Comparison, Validation, and Evaluation of the S-world Global Soil Property Database. <i>Land</i> , 2021, 10, 544. | 1.2 | 2 |
| 12061 | Treatment based on formic acid for <i>Varroa destructor</i> control with two different evaporators: efficacy and tolerability comparison. <i>Journal of Apicultural Research</i> , 0, , 1-8. | 0.7 | 0 |
| 12062 | Species-Distribution Modeling: Advantages and Limitations of Its Application. 2. <i>MaxEnt. Biology Bulletin Reviews</i> , 2021, 11, 265-275. | 0.3 | 40 |
| 12063 | A spatial assessment of mercury content in the European Union topsoil. <i>Science of the Total Environment</i> , 2021, 769, 144755. | 3.9 | 55 |
| 12064 | Forests protect aquatic communities from detrimental impact by volcanic deposits in the tropical Andes (Ecuador). <i>Regional Environmental Change</i> , 2021, 21, 1. | 1.4 | 2 |
| 12065 | Fusarium Wilt of Bananas: A Review of Agro-Environmental Factors in the Venezuelan Production System Affecting Its Development. <i>Agronomy</i> , 2021, 11, 986. | 1.3 | 48 |
| 12066 | Macroecological diversification and convergence in a clade of keystone symbionts. <i>FEMS Microbiology Ecology</i> , 2021, 97, . | 1.3 | 14 |
| 12067 | Niche differentiation in a postglacial colonizer, the bank vole <i>Clethrionomys glareolus</i> . <i>Ecology and Evolution</i> , 2021, 11, 8054-8070. | 0.8 | 6 |
| 12068 | Erratum to "Palaeoecological context for the extinction of the Neanderthals: A small mammal study of Stratigraphic Unit V of the El Salt site, Alcoi, eastern Spain" [Palaeogeography, Palaeoclimatology, Palaeoecology 530 (2019) 163–175]. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 569, 110222. | 1.0 | 0 |
| 12069 | Speciation and secondary contact in a fossorial island endemic, the TomÃ© caecilian. <i>Molecular Ecology</i> , 2021, 30, 2859-2871. | 2.0 | 15 |
| 12070 | Modeling the Potential Distribution of the Malaria Vector <i>Anopheles (Ano.) pseudopunctipennis</i> Theobald (Diptera: Culicidae) in Arid Regions of Northern Chile. <i>Frontiers in Public Health</i> , 2021, 9, 611152. | 1.3 | 9 |
| 12071 | Distribution and eco-geographic characterization of <i>Carica papaya</i> L. native to Mexico. <i>Genetic Resources and Crop Evolution</i> , 2022, 69, 99-116. | 0.8 | 5 |
| 12072 | Modelling potential Pleistocene habitat corridors between Afromontane forest regions. <i>Biodiversity and Conservation</i> , 2021, 30, 2361-2375. | 1.2 | 7 |
| 12073 | Connecting protected areas in the Iberian peninsula to facilitate climate change tracking. <i>Environmental Conservation</i> , 2021, 48, 182-191. | 0.7 | 7 |
| 12074 | The climatic and genetic heritage of Italian goat breeds with genomic SNP data. <i>Scientific Reports</i> , 2021, 11, 10986. | 1.6 | 23 |
| 12075 | <i>Ageratina adenophora</i> and <i>Lantana camara</i> in Kailash Sacred Landscape, India: Current distribution and future climatic scenarios through modeling. <i>PLoS ONE</i> , 2021, 16, e0239690. | 1.1 | 15 |
| 12077 | Site-Based Conservation of Terrestrial Bird Species in the Caribbean and Central and South America Under Climate Change. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 3 |
| 12078 | Heterogeneity-diversity Relationships in Natural Areas of Yunnan, China. <i>Chinese Geographical Science</i> , 2021, 31, 506-521. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12079 | Niche divergence contributes to geographical parthenogenesis in two dandelion taxa. <i>Journal of Evolutionary Biology</i> , 2021, 34, 1071-1086. | 0.8 | 7 |
| 12080 | Contemporary climate influence on variability patterns of <i>Anadenanthera colubrina</i> var. <i>cebil</i> , a key species in seasonally dry tropical forests. <i>Journal of Forestry Research</i> , 2022, 33, 89-101. | 1.7 | 5 |
| 12081 | Mapping meteorological drought hazard in the Philippines using SPI and SPEI. <i>Spatial Information Research</i> , 2021, 29, 949-960. | 1.3 | 12 |
| 12082 | Volcanism and palaeoclimate change drive diversification of the world's largest whip spider (<i>Amblypygi</i>). <i>Molecular Ecology</i> , 2021, 30, 2872-2890. | 2.0 | 12 |
| 12083 | Rethinking Gloger's Rule: Climate, Light Environments, and Color in a Large Family of Tropical Birds (<i>Furnariidae</i>). <i>American Naturalist</i> , 2021, 197, 592-606. | 1.0 | 21 |
| 12084 | Broad Concordance in the Spatial Distribution of Adaptive and Neutral Genetic Variation across an Elevational Gradient in Deer Mice. <i>Molecular Biology and Evolution</i> , 2021, 38, 4286-4300. | 3.5 | 13 |
| 12085 | Speciation along a latitudinal gradient: The origin of the Neotropical cycad sister pair <i>Dioon sonorense</i> and <i>D. vovidesii</i> (<i>Zamiaceae</i>). <i>Ecology and Evolution</i> , 2021, 11, 6962-6976. | 0.8 | 5 |
| 12086 | Climatic change and extinction risk of two globally threatened Ethiopian endemic bird species. <i>PLoS ONE</i> , 2021, 16, e0249633. | 1.1 | 14 |
| 12087 | Ecosystem services show variable responses to future climate conditions in the Colombian páramos. <i>PeerJ</i> , 2021, 9, e11370. | 0.9 | 5 |
| 12088 | Do latitudinal and bioclimatic gradients drive parasitism in Odonata?. <i>International Journal for Parasitology</i> , 2021, 51, 463-470. | 1.3 | 2 |
| 12089 | Accounting for DEM Error in Sea Level Rise Assessment within Riverine Regions; Case Study from the Shatt Al-Arab River Region. <i>Environments - MDPI</i> , 2021, 8, 46. | 1.5 | 6 |
| 12090 | Spatiotemporal seed transfer zones as an efficient restoration strategy in response to climate change. <i>Ecosphere</i> , 2021, 12, e03462. | 1.0 | 1 |
| 12091 | Diversity of alien roadside herbs along an elevational gradient in western Mexico. <i>NeoBiota</i> , 0, 65, 71-91. | 1.0 | 3 |
| 12092 | Climate based model in determining the distribution pattern of <i>Cecropia peltata</i> L across global landscape. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 743, 012018. | 0.2 | 1 |
| 12093 | The role of geomorphology, rainfall and soil moisture in the occurrence of landslides triggered by 2018 Typhoon Mangkhut in the Philippines. <i>Natural Hazards and Earth System Sciences</i> , 2021, 21, 1531-1550. | 1.5 | 20 |
| 12094 | Combined effect of temperature and water stress on seed germination of four <i>Leptocereus</i> spp. (<i>Cactaceae</i>) from Cuban dry forests. <i>Plant Species Biology</i> , 2021, 36, 512-522. | 0.6 | 4 |
| 12095 | A bibliometric study about energy, environment, and climate change. <i>Environmental Science and Pollution Research</i> , 2021, 28, 34187-34199. | 2.7 | 27 |
| 12096 | Avian Diversity in the Himalayas. <i>Journal of Graphic Era University</i> , 0, , . | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12097 | Predicting the geographic distribution habitats of <i>Schizomyia buboniae</i> (Diptera: Cecidomyiidae) and its host plant <i>Deverra tortuosa</i> (Apiaceae) in Egypt by using MaxEnt modeling. <i>Journal of Basic and Applied Zoology</i> , 2021, 82, . | 0.4 | 1 |
| 12098 | Vertebrate responses to human land use are influenced by their proximity to climatic tolerance limits. <i>Diversity and Distributions</i> , 2021, 27, 1308-1323. | 1.9 | 20 |
| 12099 | Pleistocene climate fluctuations as the major driver of genetic diversity and distribution patterns of the Caspian green lizard, <i>Lacerta strigata</i> Eichwald, 1831. <i>Ecology and Evolution</i> , 2021, 11, 6927-6940. | 0.8 | 12 |
| 12102 | Evaluating Sierra Nevada Yellow-legged Frog Distribution Using Environmental DNA. <i>Journal of Wildlife Management</i> , 2021, 85, 945-952. | 0.7 | 1 |
| 12103 | Geographic variation in the robustness of pollination networks is mediated by modularity. <i>Global Ecology and Biogeography</i> , 2021, 30, 1447-1460. | 2.7 | 17 |
| 12104 | Evaluation of the potential establishment of black-striped pipefish transferred by cultural drivers. <i>Inland Waters</i> , 0, , 1-8. | 1.1 | 3 |
| 12105 | Why Coordinated Distributed Experiments Should Go Global. <i>BioScience</i> , 2021, 71, 918-927. | 2.2 | 12 |
| 12106 | Landslide failures detection and mapping using Synthetic Aperture Radar: Past, present and future. <i>Earth-Science Reviews</i> , 2021, 216, 103574. | 4.0 | 110 |
| 12107 | Rivers, not refugia, drove diversification in arboreal, sub-Saharan African snakes. <i>Ecology and Evolution</i> , 2021, 11, 6133-6152. | 0.8 | 10 |
| 12108 | Predicting the impacts of climate change on the distribution of <i>Moringa peregrina</i> (Forssk.) Fiori – A conservation approach. <i>Journal of Mountain Science</i> , 2021, 18, 1235-1245. | 0.8 | 6 |
| 12109 | Assessing the equilibrium between assemblage composition and climate: A directional distance-decay approach. <i>Journal of Animal Ecology</i> , 2021, 90, 1906-1918. | 1.3 | 8 |
| 12110 | Early human impacts and ecosystem reorganization in southern-central Africa. <i>Science Advances</i> , 2021, 7, . | 4.7 | 38 |
| 12112 | An Update of the Geographic Distribution of the Red-Mantled Saddle-Back Tamarin, <i>Leontocebus lagonotus</i> (Callitrichidae), in Ecuador. <i>International Journal of Primatology</i> , 2021, 42, 600. | 0.9 | 1 |
| 12113 | Small-scale species distribution model identifies restricted breeding habitat for an endemic island bird. <i>Animal Conservation</i> , 2021, 24, 959-969. | 1.5 | 15 |
| 12114 | Predicting intraspecific trait variation among California's grasses. <i>Journal of Ecology</i> , 2021, 109, 2662-2677. | 1.9 | 14 |
| 12115 | Species distribution models for two subspecies of <i>Dodonaea viscosa</i> (Sapindaceae) in Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 743, 012027. | 0.2 | 0 |
| 12116 | Global diversity and ecological drivers of lichenised soil fungi. <i>New Phytologist</i> , 2021, 231, 1210-1219. | 3.5 | 10 |
| 12117 | Drivers of change in the realised climatic niche of terrestrial mammals. <i>Ecography</i> , 2021, 44, 1180-1190. | 2.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12137 | Gene-ecological zonation and population genetic structure of <i>Tectona grandis</i> L.f. in India revealed by genome-wide SSR markers. <i>Tree Genetics and Genomes</i> , 2021, 17, 1. | 0.6 | 9 |
| 12138 | Climate-driven divergence in plant-microbiome interactions generates range-wide variation in bud break phenology. <i>Communications Biology</i> , 2021, 4, 748. | 2.0 | 23 |
| 12139 | Quantitative relationship between organic carbon and geochemical properties in tropical surface and subsurface soils. <i>Biogeochemistry</i> , 2021, 155, 77-95. | 1.7 | 7 |
| 12140 | Assessing the relationship between trait-based and horticultural classifications of plant responses to drought. <i>Urban Forestry and Urban Greening</i> , 2021, 61, 127109. | 2.3 | 14 |
| 12141 | Iberian hares with anciently introgressed mitochondrial DNA express a marginal environmental niche. <i>Journal of Biogeography</i> , 2021, 48, 2328-2336. | 1.4 | 6 |
| 12142 | In situ adaptation and ecological release facilitate the occupied niche expansion of a non-native Madagascan day gecko in Florida. <i>Ecology and Evolution</i> , 2021, 11, 9410-9422. | 0.8 | 7 |
| 12143 | Assessing the conservation of Miombo timber species through an integrated index of anthropogenic and climatic threats. <i>Ecology and Evolution</i> , 2021, 11, 9332-9348. | 0.8 | 5 |
| 12144 | Costs and effectiveness of public and private fire management programs in the Brazilian Amazon and Cerrado. <i>Forest Policy and Economics</i> , 2021, 127, 102447. | 1.5 | 18 |
| 12145 | Mapping soil organic carbon stocks and trends with satellite-driven high resolution maps over South Africa. <i>Science of the Total Environment</i> , 2021, 771, 145384. | 3.9 | 52 |
| 12146 | Climate change and the distribution of two <i>Ficus</i> spp. in Bangladesh – predicting the spatial shifts. <i>Trees, Forests and People</i> , 2021, 4, 100086. | 0.8 | 3 |
| 12147 | Remote Sensing Methods for the Biophysical Characterization of Protected Areas Globally: Challenges and Opportunities. <i>ISPRS International Journal of Geo-Information</i> , 2021, 10, 384. | 1.4 | 3 |
| 12148 | Evaluating Risk and Possible Adaptations to Climate Change Under a Socio-Ecological System Approach. <i>Frontiers in Climate</i> , 2021, 3, . | 1.3 | 8 |
| 12149 | Climatic niche differences among <i>Zootoca vivipara</i> clades with different parity modes: implications for the evolution and maintenance of viviparity. <i>Frontiers in Zoology</i> , 2021, 18, 32. | 0.9 | 2 |
| 12150 | Modelling current and future potential distributions of <i>Vachellia tortilis</i> (Forssk.) Hayne subsp. <i>raddiana</i> (Savi.) Brenan var. <i>raddiana</i> under climate change in Tunisia. <i>African Journal of Ecology</i> , 2021, 59, 944-958. | 0.4 | 1 |
| 12151 | The Effect of Climate and Human Pressures on Functional Diversity and Species Richness Patterns of Amphibians, Reptiles and Mammals in Europe. <i>Diversity</i> , 2021, 13, 275. | 0.7 | 4 |
| 12152 | Geographical Variation in Flower Color in the Grassland Daisy <i>Gerbera aurantiaca</i> : Testing for Associations With Pollinators and Abiotic Factors. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 4 |
| 12153 | Climatic niche shifts in 815 introduced plant species affect their predicted distributions. <i>Global Ecology and Biogeography</i> , 2021, 30, 1671-1684. | 2.7 | 24 |
| 12154 | Climate change impacts on migration of <i>Pinus koraiensis</i> during the Quaternary using species distribution models. <i>Plant Ecology</i> , 2021, 222, 843-859. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12155 | Time-lag correlations between atmospheric anomalies and earthquake events in Iran and the surrounding Middle East region (1980–2018). <i>Arabian Journal of Geosciences</i> , 2021, 14, 1. | 0.6 | 5 |
| 12156 | Body mass and sex, not local climate, drive differences in chill coma recovery times in common garden reared bumblebees. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2021, 191, 843-854. | 0.7 | 13 |
| 12157 | The impact of climate change on western <i>Plethodon</i> salamanders' distribution. <i>Ecology and Evolution</i> , 2021, 11, 9370-9384. | 0.8 | 11 |
| 12158 | Global distribution and evolutionary transitions of angiosperm sexual systems. <i>Ecology Letters</i> , 2021, 24, 1835-1847. | 3.0 | 22 |
| 12159 | Latitudinal embryonic thermal tolerance and plasticity shape the vulnerability of oviparous species to climate change. <i>Ecological Monographs</i> , 2021, 91, e01468. | 2.4 | 22 |
| 12160 | Climate reconstructions based on GDGT and pollen surface datasets from Mongolia and Baikal area: calibrations and applicability to extremely cold-dry environments over the Late Holocene. <i>Climate of the Past</i> , 2021, 17, 1199-1226. | 1.3 | 12 |
| 12161 | Dynamic Assessment of Global Maize Exposure to Extremely High Temperatures. <i>International Journal of Disaster Risk Science</i> , 2021, 12, 713-730. | 1.3 | 2 |
| 12162 | A complex genetic structure of <i>Tetraclinis articulata</i> (Cupressaceae) in the western Mediterranean. <i>Botanical Journal of the Linnean Society</i> , 2021, 197, 420-438. | 0.8 | 5 |
| 12163 | Impact of Quaternary climatic oscillations on phylogeographic patterns of three habitat-segregated <i>Cerastium</i> taxa endemic to the Dinaric Alps. <i>Journal of Biogeography</i> , 2021, 48, 2022-2036. | 1.4 | 10 |
| 12164 | Early Holocene greening of the Sahara requires Mediterranean winter rainfall. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 31 |
| 12165 | Analysis of asymmetry in diurnal warming and its impact on vegetation phenology in the Qinghai-Tibetan Plateau using MODIS remote sensing data. <i>Journal of Applied Remote Sensing</i> , 2021, 15, . | 0.6 | 3 |
| 12166 | Insights into past land-use and vegetation change in the Llanos de Moxos (Bolivia) using fungal non-pollen palynomorphs. <i>Journal of Archaeological Science</i> , 2021, 130, 105382. | 1.2 | 3 |
| 12167 | Phylogeographic analysis of shrubby beardtongues reveals range expansions during the Last Glacial Maximum and implicates the Klamath Mountains as a hotspot for hybridization. <i>Molecular Ecology</i> , 2021, 30, 3826-3839. | 2.0 | 8 |
| 12168 | Using hydrologic landscape classification and climatic time series to assess hydrologic vulnerability of the western U.S. to climate. <i>Hydrology and Earth System Sciences</i> , 2021, 25, 3179-3206. | 1.9 | 2 |
| 12170 | Continental-scale distribution and diversity of <i>Ceratobasidium</i> orchid mycorrhizal fungi in Australia. <i>Annals of Botany</i> , 2021, 128, 329-343. | 1.4 | 13 |
| 12171 | The riverine thruway hypothesis: rivers as a key mediator of gene flow for the aquatic paradoxical frog <i>Pseudis tocantins</i> (Anura, Hylidae). <i>Landscape Ecology</i> , 2021, 36, 3049-3060. | 1.9 | 11 |
| 12172 | Predicting the responses of subalpine forest landscape dynamics to climate change on the eastern Tibetan Plateau. <i>Global Change Biology</i> , 2021, 27, 4352-4366. | 4.2 | 15 |
| 12173 | Conservation prioritization when species distribution data are scarce. <i>Landscape and Urban Planning</i> , 2021, 210, 104067. | 3.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12174 | Looking at the past to infer into the future: Thermal traits track environmental change in Liolaemidae. Evolution; International Journal of Organic Evolution, 2021, 75, 2348-2370. | 1.1 | 10 |
| 12175 | Addressing Wallacean shortfall using small sampling approach: a case study with endemic <i>Lycodon flavicollis</i> (Squamata: Colubridae) Mukherjee & Bhupathy, 2007. Journal of Asia-Pacific Biodiversity, 2021, 14, 159-168. | 0.2 | 1 |
| 12176 | Statistical downscaling and projection of future temperatures across the Loess Plateau, China. Weather and Climate Extremes, 2021, 32, 100328. | 1.6 | 22 |
| 12177 | Temporal matching of occurrence localities and forest cover data helps improve range estimates and predict climate change vulnerabilities. Global Ecology and Conservation, 2021, 27, e01569. | 1.0 | 5 |
| 12178 | The influence of history, geography and environment on patterns of diversification in the western terrestrial garter snake. Journal of Biogeography, 2021, 48, 2226-2245. | 1.4 | 4 |
| 12179 | Genetic and functional leaf trait diversity throughout the distribution of two Cerrado tree species: Testing the centre-periphery hypothesis. Journal of Biogeography, 2021, 48, 2258-2274. | 1.4 | 2 |
| 12180 | Biology of Invasive Plants 2. <i>Lycium ferocissimum</i> Miers. Invasive Plant Science and Management, 2021, 14, 41-56. | 0.5 | 0 |
| 12181 | Finding Needles in a Haystack: Using Geo-References to Enhance the Selection and Utilization of Landraces in Breeding for Climate-Resilient Cultivars of Upland Cotton (<i>Gossypium hirsutum</i> L.). Plants, 2021, 10, 1300. | 1.6 | 3 |
| 12182 | Leveraging the NEON Airborne Observation Platform for socio-environmental systems research. Ecosphere, 2021, 12, e03640. | 1.0 | 7 |
| 12183 | Ecological patterns and effectiveness of protected areas in the preservation of <i>Mimusops species</i> habitats under climate change. Global Ecology and Conservation, 2021, 27, e01527. | 1.0 | 0 |
| 12184 | Phylogeography of <i>Habia fuscicauda</i> (Cardinalidae) indicates population isolation, genetic divergence and demographic changes during the Quaternary climate shifts in the Mesoamerican rainforest. Journal of Ornithology, 2021, 162, 961. | 0.5 | 2 |
| 12185 | Looking for a successful translocation: the case of <i>Astragalus edulis</i> . Mediterranean Botany, 0, 42, e68048. | 0.9 | 2 |
| 12186 | The Use of Citizen Science to Achieve Multivariate Management Goals on Public Lands. Diversity, 2021, 13, 293. | 0.7 | 4 |
| 12187 | Ecogeographic Divergence Linked to Dorsal Coloration in Eastern Hog-Nosed Snakes (<i>Heterodon</i>) | 0.2 | 6 |
| 12188 | Litter microbial responses to climate change: How do inland or coastal context and litter type matter across the Mediterranean?. Ecological Indicators, 2021, 125, 107505. | 2.6 | 3 |
| 12189 | A simple method to assess the fragmentation of freshwater fish meta-populations: Implications for river management and conservation. Ecological Indicators, 2021, 125, 107557. | 2.6 | 15 |
| 12190 | Spatial prediction of malaria prevalence in Papua New Guinea: a comparison of Bayesian decision network and multivariate regression modelling approaches for improved accuracy in prevalence prediction. Malaria Journal, 2021, 20, 269. | 0.8 | 7 |
| 12191 | Prevention is better than cure: Integrating habitat suitability and invasion threat to assess global biological invasion risk by insect pests under climate change. Pest Management Science, 2021, 77, 4510-4520. | 1.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12192 | Ecomorphological divergence and lack of gene flow in two sympatric Balkan slow worms (Squamata: Tj ETQq0 0 0,rgBT /Overlock 10 Tf | 0.7 | 4 |
| 12193 | Cold adaptation drives population genomic divergence in the ecological specialist, <i>Drosophila montana</i> . <i>Molecular Ecology</i> , 2021, 30, 3783-3796. | 2.0 | 10 |
| 12194 | Climate Analogues for Temperate European Forests to Raise Silvicultural Evidence Using Twin Regions. <i>Sustainability</i> , 2021, 13, 6522. | 1.6 | 8 |
| 12195 | Topography-derived variables provide insight into habitat occupancy of a cryptic snake, <i>Bitis atropos</i> . <i>Austral Ecology</i> , 0, , . | 0.7 | 0 |
| 12196 | Predicting range shifts of African apes under global change scenarios. <i>Diversity and Distributions</i> , 2021, 27, 1663-1679. | 1.9 | 20 |
| 12197 | Glacial connectivity and current population fragmentation in sky islands explain the contemporary distribution of genomic variation in two narrow endemic montane grasshoppers from a biodiversity hotspot. <i>Diversity and Distributions</i> , 2021, 27, 1619-1633. | 1.9 | 11 |
| 12198 | Amphibians and reptiles as palaeoenvironmental proxies during the Late Pleistocene (MIS3): The case of Stratigraphic Unit V of El Salt, Alcoi, Spain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 571, 110372. | 1.0 | 3 |
| 12199 | Predicting shifts in distribution range and niche breadth of plant species in contrasting arid environments under climate change. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 427. | 1.3 | 17 |
| 12200 | Shennongjia "Wushan Mountains" One cryptic glacial refugium introduced by the phylogeographical study of the Geometridae moth <i>Ourapteryx szechuana</i> Wehrli. <i>Ecology and Evolution</i> , 2021, 11, 10066-10076. | 0.8 | 3 |
| 12202 | Where could <i>Centris nigrescens</i> (Hymenoptera: Apidae) go under climate change?. <i>Journal of Apicultural Research</i> , 0, , 1-9. | 0.7 | 0 |
| 12203 | Mapping Potential Plant Species Richness over Large Areas with Deep Learning, MODIS, and Species Distribution Models. <i>Remote Sensing</i> , 2021, 13, 2490. | 1.8 | 6 |
| 12204 | Sensitivity of Spectral Indices on Burned Area Detection using Landsat Time Series in Savannas of Southern Burkina Faso. <i>Remote Sensing</i> , 2021, 13, 2492. | 1.8 | 11 |
| 12205 | Climate influence on the distribution of the yellow plum (<i>Ximenia Americana</i> L.) in Burkina Faso. <i>Trees, Forests and People</i> , 2021, 4, 100072. | 0.8 | 9 |
| 12206 | Dynamic seed zones to guide climate-smart seed sourcing for tropical dry forest restoration in Colombia. <i>Forest Ecology and Management</i> , 2021, 490, 119127. | 1.4 | 9 |
| 12207 | Evaluation and modification of geospatial liquefaction models using land damage observational data from the 2010-2011 Canterbury Earthquake Sequence. <i>Engineering Geology</i> , 2021, 287, 106099. | 2.9 | 11 |
| 12208 | Geospatial Modelling and Univariate Analysis of Commensal Rodent-Borne Cestodes: The Case of Invasive spp. of <i>Rattus</i> and Indigenous <i>Mastomys coucha</i> From South Africa. <i>Frontiers in Veterinary Science</i> , 2021, 8, 678478. | 0.9 | 4 |
| 12209 | Species-environment relationships of fish and map-based variables in small boreal streams: Linkages with climate change and bioassessment. <i>Ecology and Evolution</i> , 2021, 11, 10457-10467. | 0.8 | 3 |
| 12210 | The legacy of Eastern Mediterranean mountain uplifts: rapid disparity of phylogenetic niche conservatism and divergence in mountain vipers. <i>Bmc Ecology and Evolution</i> , 2021, 21, 130. | 0.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12211 | Historical biogeography and climatic differentiation of the Fulcaldea-Archidasphyllum-Arnaldoa clade of Barnadesioideae (Asteraceae) suggest a Miocene, aridity-mediated Andean disjunction associated with climatic niche shifts. <i>Global and Planetary Change</i> , 2021, 201, 103495. | 1.6 | 11 |
| 12212 | Identifying climatic and non-climatic determinants of malnutrition prevalence in Bangladesh: A country-wide cross-sectional spatial analysis. <i>Spatial and Spatio-temporal Epidemiology</i> , 2021, 37, 100422. | 0.9 | 3 |
| 12213 | Significant habitat loss of the black vanilla orchid (<i>Nigritella nigra</i> s.l., Orchidaceae) and shifts in its pollinators availability as results of global warming. <i>Global Ecology and Conservation</i> , 2021, 27, e01560. | 1.0 | 6 |
| 12214 | Biodiversity-productivity relationships are key to nature-based climate solutions. <i>Nature Climate Change</i> , 2021, 11, 543-550. | 8.1 | 77 |
| 12215 | Geographic Pattern of Bryophyte Species Richness in China: The Influence of Environment and Evolutionary History. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 3 |
| 12217 | Effects of large herbivore grazing on relics of the presumed mammoth steppe in the extreme climate of NE-Siberia. <i>Scientific Reports</i> , 2021, 11, 12962. | 1.6 | 2 |
| 12218 | Can we save critically endangered relict endemic plant species? A case study of <i>Primula boveana</i> Decne ex Duby in Egypt. <i>Journal for Nature Conservation</i> , 2021, 61, 126005. | 0.8 | 7 |
| 12219 | Evolution of crassulacean acid metabolism (CAM) as an escape from ecological niche conservatism in <i>Bulbophyllum</i> (Orchidaceae). <i>New Phytologist</i> , 2021, 231, 1236-1248. | 3.5 | 16 |
| 12221 | Genomic data support multiple introductions and explosive demographic expansions in a highly invasive aquatic insect. <i>Molecular Ecology</i> , 2021, 30, 4189-4203. | 2.0 | 8 |
| 12222 | Projected shifts in the distribution range of Asiatic black bear (<i>Ursus thibetanus</i>) in the Hindu Kush Himalaya due to climate change. <i>Ecological Informatics</i> , 2021, 63, 101312. | 2.3 | 26 |
| 12223 | Modeling the Potential Distribution Range of <i>Barbastella walteri</i> (<i>Barbastella</i> : Chiroptera). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 347 Td (</i> 262-269. | 0.2 | 0 |
| 12225 | Future habitat suitability for species under climate change - Lessons learned from the strawberry tree case study. <i>Forest Ecology and Management</i> , 2021, 491, 119150. | 1.4 | 6 |
| 12226 | Co-variations of climate and silicate weathering in the Nile Basin during the Late Pleistocene. <i>Quaternary Science Reviews</i> , 2021, 264, 107012. | 1.4 | 10 |
| 12227 | Detection of signals linked to climate change, land-cover change and climate oscillators in Tropical Montane Cloud Forests. <i>Remote Sensing of Environment</i> , 2021, 260, 112431. | 4.6 | 14 |
| 12228 | Dependence of diversity of floras on climate in the Middle Volga region. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 818, 012047. | 0.2 | 1 |
| 12230 | Intraspecific correlations between growth and defence vary with resource availability and differ within and among populations. <i>Functional Ecology</i> , 2021, 35, 2387-2396. | 1.7 | 16 |
| 12231 | Potential distribution of <i>Leptospermum</i> species (Myrtaceae) in Australia for bioactive honey production purposes. <i>New Zealand Journal of Crop and Horticultural Science</i> , 2023, 51, 81-92. | 0.7 | 5 |
| 12232 | Auscultaci3n y prevenci3n de mecanismos secundarios de colapso en puentes hist3ricos en ruinas mediante el uso de valores m3tricos obtenidos de fotograf3as de archivo y el an3lisis geom3trico del intrad3s. <i>Informes De La Construccin</i> , 2021, 73, e391. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12233 | Ecological specialization promotes diversity and diversification in the Eastern Mediterranean genus <i>Ricotia</i> (Brassicaceae). <i>Journal of Systematics and Evolution</i> , 2022, 60, 331-343. | 1.6 | 5 |
| 12234 | A comparison of importance of modelling method and sample size for mapping soil organic matter in Guangdong, China. <i>Ecological Indicators</i> , 2021, 126, 107618. | 2.6 | 14 |
| 12235 | Climate and land use changes shift the distribution and dispersal of two umbrella species in the Hindu Kush Himalayan region. <i>Science of the Total Environment</i> , 2021, 777, 146207. | 3.9 | 33 |
| 12236 | Inferring the ecological niche of bat viruses closely related to SARS-CoV-2 using phylogeographic analyses of <i>Rhinolophus</i> species. <i>Scientific Reports</i> , 2021, 11, 14276. | 1.6 | 22 |
| 12237 | Decomposing Spatial β -Diversity in the temperate forests of Northeastern China. <i>Ecology and Evolution</i> , 2021, 11, 11362-11372. | 0.8 | 6 |
| 12238 | A climate sensitive mixed-effects diameter class mortality model for Prince Rupprecht larch (<i>Larix</i>) in the Altai Mountains. <i>Ecology and Evolution</i> , 2021, 11, 119091. | 1.4 | 11 |
| 12239 | Historical and current environmental selection on functional traits of trees in the Atlantic Forest biodiversity hotspot. <i>Journal of Vegetation Science</i> , 2021, 32, e13049. | 1.1 | 6 |
| 12240 | Phylogeographic analysis delimits three evolutionary significant units of least chipmunks in North America and identifies unique genetic diversity within the imperiled <i>Peromyscus</i> population. <i>Ecology and Evolution</i> , 2021, 11, 12114-12128. | 0.8 | 3 |
| 12241 | Impacts of climate change scenarios on European ash tree (<i>Fraxinus excelsior</i> L.) in Turkey. <i>Forest Ecology and Management</i> , 2021, 491, 119199. | 1.4 | 57 |
| 12242 | Bioclimatic Suitability of Actual and Potential Cultivation Areas for <i>Jacaranda mimosifolia</i> in Chinese Cities. <i>Forests</i> , 2021, 12, 951. | 0.9 | 9 |
| 12243 | Geographic distribution and modeling of ticks in the Republic of Korea and the application of tick models towards understanding the distribution of associated pathogenic agents. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101686. | 1.1 | 4 |
| 12244 | Trait evolution rates shape continental patterns of species richness in North America's most diverse angiosperm genus (<i>Carex</i> , Cyperaceae). <i>Journal of Systematics and Evolution</i> , 2021, 59, 763-775. | 1.6 | 5 |
| 12245 | Geographic distribution modeling and taxonomy of <i>Stephadiscus lyratus</i> (Cothouney) in the Korean Peninsula. <i>Forests</i> . PeerJ, 2021, 9, e11614. | 0.9 | 2 |
| 12247 | Optimization of species distribution models using a genetic algorithm for simulating climate change effects on Zagros forests in Iran. <i>Ecological Informatics</i> , 2021, 63, 101288. | 2.3 | 12 |
| 12248 | Genome-Environment Association Analysis for Bio-Climatic Variables in Common Bean (<i>Phaseolus</i>) in the Andean Region. <i>Genetics and Molecular Biology</i> , 2021, 44, 10000000. | 1.6 | 5 |
| 12249 | Accuracy of Interpolated Versus In-Vineyard Sensor Climate Data for Heat Accumulation Modelling of Phenology. <i>Frontiers in Plant Science</i> , 2021, 12, 635299. | 1.7 | 4 |
| 12250 | Austral Yungas under future climate and land-use changes scenarios: the importance of protected areas for long-term amphibian conservation. <i>Biodiversity and Conservation</i> , 2021, 30, 3335-3357. | 1.2 | 3 |
| 12251 | Phylogeographic reconstructions can be biased by ancestral shared alleles: The case of the polymorphic lichen <i>Bryoria fuscescens</i> in Europe and North Africa. <i>Molecular Ecology</i> , 2021, 30, 4845-4865. | 2.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12252 | Very high extinction risk for <i>Welwitschia mirabilis</i> in the northern Namib Desert. <i>Journal of Arid Environments</i> , 2021, 190, 104529. | 1.2 | 0 |
| 12253 | Addressing alpine plant phylogeography using integrative distributional, demographic and coalescent modeling. <i>Alpine Botany</i> , 2022, 132, 5-19. | 1.1 | 6 |
| 12254 | The past, current, and future distribution modeling of four water lilies (<i>Nymphaea</i>) in Africa indicates varying suitable habitats and distribution in climate change. <i>Aquatic Botany</i> , 2021, 173, 103416. | 0.8 | 19 |
| 12256 | What Makes a Hot-Spring Habitat "Hot" for the Hot-Spring Snake: Distributional Data and Niche Modelling for the Genus <i>Thermophis</i> (Serpentes, Colubridae). <i>Diversity</i> , 2021, 13, 325. | 0.7 | 1 |
| 12257 | Geographic variation in acclimation responses of thermal tolerance in South African diving beetles (Dytiscidae: Coleoptera). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2021, 257, 110955. | 0.8 | 3 |
| 12258 | Pliocene origins, Pleistocene refugia, and postglacial range expansions in southern devil scorpions (<i>Vaejovidae: Vaejovis carolinianus</i>). <i>Organisms Diversity and Evolution</i> , 2021, 21, 575-590. | 0.7 | 0 |
| 12259 | Population genetic structure and evolutionary history of <i>Psammochloa villosa</i> (Trin.) Bor (Poaceae) revealed by AFLP marker. <i>Ecology and Evolution</i> , 2021, 11, 10258-10276. | 0.8 | 8 |
| 12260 | Lamb and Wool Provisioning Ecosystem Services in Southern Patagonia. <i>Sustainability</i> , 2021, 13, 8544. | 1.6 | 3 |
| 12261 | Spatial and Ecological Drivers of Genetic Structure in Greek Populations of <i>Alkanna tinctoria</i> (Boraginaceae), a Polyploid Medicinal Herb. <i>Frontiers in Plant Science</i> , 2021, 12, 706574. | 1.7 | 7 |
| 12262 | Contrasting genetic signal of recolonization after rainforest fragmentation in African trees with different dispersal abilities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 4 |
| 12263 | Genetic and morphological differentiation in the green swordtail fish, <i>Xiphophorus hellerii</i> : the influence of geographic and environmental factors. <i>Hydrobiologia</i> , 2021, 848, 4599-4622. | 1.0 | 2 |
| 12264 | High Genetic Diversity and Low Population Differentiation in Wild Hop (<i>Humulus lupulus</i> L.) from Croatia. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6484. | 1.3 | 5 |
| 12265 | Genetic structure and temporal environmental niche dynamics of sideoats grama [<i>Bouteloua curtipendula</i> (Michx.) Torr.] populations in Mexico. <i>PLoS ONE</i> , 2021, 16, e0254566. | 1.1 | 2 |
| 12266 | GPS Coordinates for Modelling Correlated Herd Effects in Genomic Prediction Models Applied to Hanwoo Beef Cattle. <i>Animals</i> , 2021, 11, 2050. | 1.0 | 4 |
| 12268 | Spatial variation of small mammal communities in northwestern Argentina. <i>Mammalia</i> , 2021, . | 0.3 | 1 |
| 12269 | Potential distribution and habitat suitability of <i>Picea crassifolia</i> with climate change scenarios. <i>Canadian Journal of Forest Research</i> , 2021, 51, 1903-1915. | 0.8 | 3 |
| 12270 | Stochastic alluvial fan and terrace formation triggered by a high-magnitude Holocene landslide in the Klados Gorge, Crete. <i>Earth Surface Dynamics</i> , 2021, 9, 771-793. | 1.0 | 3 |
| 12271 | Modelo hidrológico, calidad del agua y cambio climático: soporte para la gestión hídrica de la cuenca del Río Soto la Marina. <i>CienciaUAT</i> , 0, , 20-41. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12272 | Genomic signatures of natural selection at phenology-related genes in a widely distributed tree species <i>Fagus sylvatica</i> L. <i>BMC Genomics</i> , 2021, 22, 583. | 1.2 | 6 |
| 12273 | Conservation of aquatic insects in Neotropical regions: A gap analysis using potential distributions of diving beetles in Cuba. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 2714-2725. | 0.9 | 4 |
| 12274 | Regional effects of plant diversity and biotic homogenization in urban greenspace "The case of university campuses across China. <i>Urban Forestry and Urban Greening</i> , 2021, 62, 127170. | 2.3 | 15 |
| 12275 | Predicting into unknown space? Estimating the area of applicability of spatial prediction models. <i>Methods in Ecology and Evolution</i> , 2021, 12, 1620-1633. | 2.2 | 139 |
| 12276 | Determinants of zoogeographical boundaries differ between vertebrate groups. <i>Global Ecology and Biogeography</i> , 2021, 30, 1796-1809. | 2.7 | 13 |
| 12277 | Modeling habitat suitability of <i>Houttuynia cordata</i> Thunb (Ceercas) using MaxEnt under climate change in China. <i>Ecological Informatics</i> , 2021, 63, 101324. | 2.3 | 46 |
| 12278 | Bayesian Skyline Plots disagree with range size changes based on Species Distribution Models for Holarctic birds. <i>Molecular Ecology</i> , 2021, 30, 3993-4004. | 2.0 | 10 |
| 12279 | Fine-resolution precipitation mapping over Syria using local regression and spatial interpolation. <i>Atmospheric Research</i> , 2021, 256, 105524. | 1.8 | 14 |
| 12280 | Landscape features and study design affect elements of metacommunity structure for stream fishes across the eastern U.S.A.. <i>Freshwater Biology</i> , 2021, 66, 1736-1750. | 1.2 | 3 |
| 12281 | How is adaptive potential distributed within species ranges?. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 2152-2166. | 1.1 | 12 |
| 12282 | The specialist of a specialist: the natural history of the predispersal seed predator weevil <i>Hemicolpus abdominalis</i> (Coleoptera: Curculionidae). <i>Ecological Entomology</i> , 2021, 46, 1006-1018. | 1.1 | 4 |
| 12283 | Spatial turnover of multiple ecosystem functions is more associated with plant than soil microbial β -diversity. <i>Ecosphere</i> , 2021, 12, e03644. | 1.0 | 12 |
| 12284 | Niche partitioning in small mammals: interspecific and biome-level analyses using stable isotopes. <i>Journal of Mammalogy</i> , 2021, 102, 1235-1248. | 0.6 | 7 |
| 12285 | Forecasting Variations in Profitability and Silviculture under Climate Change of Radiata Pine Plantations through Differentiable Optimization. <i>Forests</i> , 2021, 12, 899. | 0.9 | 0 |
| 12286 | Assessment of Spatio-Temporal Variation and Driving Mechanism of Ecological Environment Quality in the Arid Regions of Central Asia, Xinjiang. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7111. | 1.2 | 14 |
| 12287 | Genome-wide SNP analysis to assess the genetic population structure and diversity of <i>Acrocomia</i> species. <i>PLoS ONE</i> , 2021, 16, e0241025. | 1.1 | 17 |
| 12288 | Surface soil metal elements variability affected by environmental and soil properties. <i>PLoS ONE</i> , 2021, 16, e0254928. | 1.1 | 3 |
| 12290 | Epiphytic Orchid Diversity along an Altitudinal Gradient in Central Nepal. <i>Plants</i> , 2021, 10, 1381. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12291 | Phylogenetic analyses and modelling distributions guide conservation of a critically endangered liana species, <i>Eleutharrhena macrocarpa</i> (Menispermaceae). <i>Taxon</i> , 2021, 70, 931. | 0.4 | 5 |
| 12292 | El subgénero <i>Cymindidius</i> Chaudoir perteneciente a <i>Mimodromius</i> Chaudoir (Lebiini, Carabidae), consideraciones sistémicas y biogeográficas.. <i>Boletín De La Sociedad Geológica Mexicana</i> , 2021, 28, . | 0.1 | 0 |
| 12293 | Analysis of geographic centrality and genetic diversity in the declining grasshopper species <i>Bryodemella tuberculata</i> (Orthoptera: Oedipodinae). <i>Biodiversity and Conservation</i> , 2021, 30, 2773-2796. | 1.2 | 3 |
| 12294 | Assessment of climate change and its impact on hydrological regimes and biomass yield of a tropical river basin. <i>Ecological Indicators</i> , 2021, 126, 107646. | 2.6 | 22 |
| 12295 | Habitat prediction modelling for vulture conservation in Gangetic-Thar-Deccan region of India. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 532. | 1.3 | 9 |
| 12296 | The effects of climate and demographic history in shaping genomic variation across populations of the Desert Horned Lizard (<i>Phrynosoma platyrhinos</i>). <i>Molecular Ecology</i> , 2021, 30, 4481-4496. | 2.0 | 8 |
| 12297 | Temperature heterogeneity correlates with intraspecific variation in physiological flexibility in a small endotherm. <i>Nature Communications</i> , 2021, 12, 4401. | 5.8 | 20 |
| 12298 | A TOPOLOGICAL FORMALISM FOR QUANTITATIVE ANALYSIS OF DESIGN SPACES. <i>Proceedings of the Design Society</i> , 2021, 1, 293-302. | 0.5 | 0 |
| 12299 | Changes in spatio-temporal distribution of AgMERRA-derived agro-climatic indices and agro-climatic zones for wheat crops in the northeast Iran. <i>International Journal of Biometeorology</i> , 2022, 66, 431-446. | 1.3 | 1 |
| 12300 | Past, present and future suitable areas for the relict tree <i>Pterocarya fraxinifolia</i> (Juglandaceae): Integrating fossil records, niche modeling, and phylogeography for conservation. <i>European Journal of Forest Research</i> , 2021, 140, 1323-1339. | 1.1 | 14 |
| 12301 | Environmental monitoring of anthropogenic impacts and climate change: a case study from the national network of roads in Egypt. <i>Environmental Science and Pollution Research</i> , 2021, 28, 63391-63411. | 2.7 | 3 |
| 12302 | Quest for New Space for Restricted Range Mammals: The Case of the Endangered Walia Ibx. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 5 |
| 12303 | Potential distributional shifts in North America of allelopathic invasive plant species under climate change models. <i>Plant Diversity</i> , 2022, 44, 11-19. | 1.8 | 21 |
| 12304 | A modelling framework for pedogenon mapping. <i>Geoderma</i> , 2021, 393, 115012. | 2.3 | 11 |
| 12306 | A comprehensive synthesis unveils the mysteries of phosphate-solubilizing microbes. <i>Biological Reviews</i> , 2021, 96, 2771-2793. | 4.7 | 30 |
| 12307 | Vegetation restoration targeting approach to identify the optimum environmental conditions for the restoration of native desert plants using remote sensing and MaxEnt modeling. <i>Restoration Ecology</i> , 2021, 29, e13425. | 1.4 | 3 |
| 12308 | South African speleothems reveal influence of high- and low-latitude forcing over the past 113.5 k.y.. <i>Geology</i> , 2021, 49, 1353-1357. | 2.0 | 10 |
| 12309 | A deadly encounter: Alien invasive <i>Spodoptera frugiperda</i> in Africa and indigenous natural enemy, <i>Cotesia icipe</i> (Hymenoptera, Braconidae). <i>PLoS ONE</i> , 2021, 16, e0253122. | 1.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12310 | Influence of Geographical and Climatic Factors on <i>Quercus variabilis</i> Blume Fruit Phenotypic Diversity. <i>Diversity</i> , 2021, 13, 329. | 0.7 | 6 |
| 12311 | Comparative spatial-temporal analysis and predictive modeling of climate change-induced malaria vectors'™ invasion in new hotspots in Kenya. <i>SN Applied Sciences</i> , 2021, 3, 1. | 1.5 | 0 |
| 12312 | Seasonal drought regulates species distributions and assembly of tree communities across a tropical wet forest region. <i>Global Ecology and Biogeography</i> , 2021, 30, 1847-1862. | 2.7 | 8 |
| 12313 | Early and late fawn mortality in a remnant population of Arabian gazelles (<i>Gazella arabica</i>). <i>Mammalian Biology</i> , 2021, 101, 709-714. | 0.8 | 2 |
| 12314 | Modeling the potential impacts of climate change and adaptation strategies on groundnut production in India. <i>Science of the Total Environment</i> , 2021, 776, 145996. | 3.9 | 18 |
| 12315 | The roles of aridification and sea level changes in the diversification and persistence of freshwater fish lineages. <i>Molecular Ecology</i> , 2021, 30, 4866-4883. | 2.0 | 10 |
| 12316 | Phylogeographic pattern and Pleistocene range reconstruction in the long-tailed hamster <i>Cricetulus longicaudatus</i> (Rodentia, Cricetidae) support its Tibetan origin. <i>Mammal Research</i> , 2021, 66, 635-648. | 0.6 | 1 |
| 12318 | Improving the knowledge of plant potential biodiversity-ecosystem services links using maps at the regional level in Southern Patagonia. <i>Ecological Processes</i> , 2021, 10, . | 1.6 | 6 |
| 12319 | Cytotype distribution and chloroplast phylogeography of the <i>Actinidia chinensis</i> complex. <i>BMC Plant Biology</i> , 2021, 21, 325. | 1.6 | 9 |
| 12320 | The 100,000-77,000-Year Old Middle Stone Age Micromammal Sequence from Blombos Cave, South Africa: Local Climatic Stability or a Tale of Predator Bias?. <i>African Archaeological Review</i> , 2021, 38, 443-476. | 0.8 | 4 |
| 12321 | Evolvability of Drought Response in Four Native and Non-native Conifers: Opportunities for Forest and Genetic Resource Management in Europe. <i>Frontiers in Plant Science</i> , 2021, 12, 648312. | 1.7 | 10 |
| 12322 | Stochastic community assembly decreases soil fungal richness in arid ecosystems. <i>Molecular Ecology</i> , 2021, 30, 4338-4348. | 2.0 | 45 |
| 12323 | Soil nutrients increase long-term soil carbon gains threefold on retired farmland. <i>Global Change Biology</i> , 2021, 27, 4909-4920. | 4.2 | 17 |
| 12324 | Eco-climatic matching to guide foreign exploration and optimal release strategies for biological control agents of <i>Rastrococcus iceryoides</i> in Africa and Asia. <i>Biological Control</i> , 2021, 158, 104603. | 1.4 | 3 |
| 12325 | Possibility of Stabilizing the Greenland Ice Sheet. <i>Earth's Future</i> , 2021, 9, e2021EF002152. | 2.4 | 0 |
| 12326 | Two species of the <i>Rhodiola yunnanensis</i> species complex distributed around the Sichuan Basin of China: Speciation in a ring?. <i>Journal of Systematics and Evolution</i> , 0, , . | 1.6 | 2 |
| 12327 | Predicting temperature-dependent transmission suitability of bluetongue virus in livestock. <i>Parasites and Vectors</i> , 2021, 14, 382. | 1.0 | 6 |
| 12328 | Signature of mid-Pleistocene lineages in the European silver fir (<i>Abies alba</i> Mill.) at its geographic distribution margin. <i>Ecology and Evolution</i> , 2021, 11, 10984-10999. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12329 | Expected impacts of climate change on tree ferns distribution and diversity patterns in subtropical Atlantic Forest. <i>Perspectives in Ecology and Conservation</i> , 2021, 19, 369-378. | 1.0 | 9 |
| 12331 | Climate refugia for two Colombian endemic tamarin primates are critically under-protected. <i>Mammalian Biology</i> , 2021, 101, 531-543. | 0.8 | 4 |
| 12332 | Assessment of Climate Variability among Seasonal Trends Using In Situ Measurements: A Case Study of Punjab, Pakistan. <i>Atmosphere</i> , 2021, 12, 939. | 1.0 | 16 |
| 12333 | Comparison of CMIP6 and CMIP5 model performance in simulating historical precipitation and temperature in Bangladesh: a preliminary study. <i>Theoretical and Applied Climatology</i> , 2021, 145, 1385-1406. | 1.3 | 63 |
| 12334 | Modeling the distribution of the Near Eastern fire salamander (<i>Salamandra infraimmaculata</i>) and Kurdistan newt (<i>Neurergus derjugini</i>) under current and future climate conditions in Iraq. <i>Ecological Informatics</i> , 2021, 63, 101309. | 2.3 | 13 |
| 12335 | Predicting Suitable Environments and Potential Occurrences for <i>Cinnamomum camphora</i> (Linn.) Presl.. <i>Forests</i> , 2021, 12, 1126. | 0.9 | 10 |
| 12336 | The impact of artificial light at night on taxonomic, functional and phylogenetic bird species communities in a large geographical range: A modelling approach. <i>Science of the Total Environment</i> , 2021, 780, 146434. | 3.9 | 5 |
| 12337 | Urban Growth and Heat in Tropical Climates. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 18 |
| 12338 | Biogeographic and glacial history of walnut (<i>Juglans regia</i> L.). <i>Acta Horticulturae</i> , 2021, , 9-16. | 0.1 | 1 |
| 12339 | Data on the present and future distribution of suitable niches of the black vanilla orchid (<i>Nigritella</i>) Tj ETQq1 1 0.784314 rgBT ₀ /Overlock | 0.5 | 0 |
| 12340 | Exploring the role of climatic niche changes in the evolution of the southern South American genus <i>Baripus</i> (Coleoptera: Carabidae): optimization of non-hereditary climatic variables and phylogenetic signal measurement. <i>Cladistics</i> , 2021, 37, 816-828. | 1.5 | 1 |
| 12342 | Evaluation of environmental factors affecting the genetic diversity, genetic structure, and the potential distribution of <i>Rhododendron aureum</i> Georgi under changing climate. <i>Ecology and Evolution</i> , 2021, 11, 12294-12306. | 0.8 | 5 |
| 12343 | Drivers of <i>Solidago</i> species invasion in Central Europe—Case study in the landscape of the Carpathian Mountains and their foreground. <i>Ecology and Evolution</i> , 2021, 11, 12429-12444. | 0.8 | 8 |
| 12344 | Abundance and effects of climate change on geographical distribution of <i>Mondia whitei</i> (Hook.f.) Skeels (Apocynaceae) in the Dahomey Gap (West Africa). <i>African Journal of Ecology</i> , 2021, 59, 924-933. | 0.4 | 2 |
| 12345 | Is salamander arboreality limited by broad-scale climatic conditions?. <i>PLoS ONE</i> , 2021, 16, e0255393. | 1.1 | 6 |
| 12346 | Predicting the Invasion Risk by <i>Anastrepha sororcula</i> (Diptera: Tephritidae) in Distinct Geographic Regions. <i>Neotropical Entomology</i> , 2021, 50, 989-998. | 0.5 | 1 |
| 12347 | Effect of landscape modification on primate assemblages of the Magdalena River Valley, Colombia. <i>Caldasia</i> , 2021, 43, 261-273. | 0.1 | 0 |
| 12348 | Understanding Ethnolinguistic Differences: The Roles of Geography and Trade. <i>Economic Journal</i> , 2022, 132, 953-980. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12349 | Distribution and structure of <i>Conocarpus erectus</i> L. (Combretaceae) in the northern limit of the Pacific Ocean (Gulf of California). <i>Ocean and Coastal Management</i> , 2021, 209, 105645. | 2.0 | 2 |
| 12350 | The Ravenscrag Butte flora: Paleoclimate and paleoecology of an early Paleocene (Danian) warm-temperate deciduous forest near the vanishing inland Cannonball Seaway. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 576, 110488. | 1.0 | 10 |
| 12351 | Last-glacial-cycle glacier erosion potential in the Alps. <i>Earth Surface Dynamics</i> , 2021, 9, 923-935. | 1.0 | 9 |
| 12352 | Drivers of recent forest cover change in southern South America are linked to climate and CO ₂ . <i>Landscape Ecology</i> , 2021, 36, 3591. | 1.9 | 2 |
| 12353 | Plant invasion alters latitudinal pattern of plant defense syndromes. <i>Ecology</i> , 2021, 102, e03511. | 1.5 | 10 |
| 12354 | Phylogenomics and evolutionary history of <i>Oreobates</i> (Anura: Craugastoridae) Neotropical frogs along elevational gradients. <i>Molecular Phylogenetics and Evolution</i> , 2021, 161, 107167. | 1.2 | 1 |
| 12355 | Species Delimitation and Conservation in Taxonomically Challenging Lineages: The Case of Two Clades of <i>Capurodendron</i> (Sapotaceae) in Madagascar. <i>Plants</i> , 2021, 10, 1702. | 1.6 | 6 |
| 12356 | Opportunities and challenges of macrogenetic studies. <i>Nature Reviews Genetics</i> , 2021, 22, 791-807. | 7.7 | 55 |
| 12357 | Bat species of a karstic region in the Brazilian savanna and extension of the <i>Hsunycteris thomasi</i> (Phyllostomidae: Lonchophyllinae) distribution. <i>Mammalia</i> , 2021, . | 0.3 | 2 |
| 12358 | Relict populations of <i>Araucaria angustifolia</i> will be isolated, poorly protected, and unconnected under climate and land-use change in Brazil. <i>Biodiversity and Conservation</i> , 2021, 30, 3665-3684. | 1.2 | 9 |
| 12359 | Search for Selection Signatures Related to Trypanosomosis Tolerance in African Goats. <i>Frontiers in Genetics</i> , 2021, 12, 715732. | 1.1 | 8 |
| 12360 | Exhumation of the Coastal Metamorphic Belt Above the Subduction-Transform Transition, in the Southeast Caribbean Plate Corner. <i>Tectonics</i> , 2021, 40, e2020TC006414. | 1.3 | 4 |
| 12361 | Remote sensing variables improve species distribution models for alpine plant species. <i>Basic and Applied Ecology</i> , 2021, 54, 1-13. | 1.2 | 10 |
| 12362 | Phenotypic plasticity versus ecotypic differentiation under recurrent summer drought in two drought-tolerant pine species. <i>Journal of Ecology</i> , 2021, 109, 3861-3876. | 1.9 | 8 |
| 12363 | Modeling Soil Organic Carbon Dynamics in Response to Climate Change in Mount Everest Region of Nepal. <i>Eurasian Soil Science</i> , 2021, 54, 1141-1151. | 0.5 | 1 |
| 12364 | Diversity of birds recorded at different altitudes in central Nepal Himalayas. <i>Ecological Indicators</i> , 2021, 127, 107730. | 2.6 | 4 |
| 12365 | Potential distribution of oak forests in the central Himalayas and implications for future ecosystem services supply to rural communities. <i>Ecosystem Services</i> , 2021, 50, 101310. | 2.3 | 6 |
| 12366 | Limited refugia and high velocity range-shifts predicted for bat communities in drought-risk areas of the Northern Hemisphere. <i>Global Ecology and Conservation</i> , 2021, 28, e01608. | 1.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12367 | Soil erosion modelling: A global review and statistical analysis. <i>Science of the Total Environment</i> , 2021, 780, 146494. | 3.9 | 261 |
| 12368 | Assessing the effects of climate change on the distribution of <i>Daphne mucronata</i> in Iran. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 562. | 1.3 | 8 |
| 12369 | Effects of climate and topography on the diversity anomaly of plants disjunctly distributed in eastern Asia and eastern North America. <i>Global Ecology and Biogeography</i> , 2021, 30, 2029-2042. | 2.7 | 4 |
| 12370 | Pleistocene dynamics of the Eurasian steppe as a driving force of evolution: Phylogenetic history of the genus <i>Capsella</i> (Brassicaceae). <i>Ecology and Evolution</i> , 2021, 11, 12697-12713. | 0.8 | 8 |
| 12371 | Controls of outbursts of moraine-dammed lakes in the greater Himalayan region. <i>Cryosphere</i> , 2021, 15, 4145-4163. | 1.5 | 10 |
| 12372 | Ecological niche models of biotic interactions predict increasing pest risk to olive cultivars with changing climate. <i>Ecosphere</i> , 2021, 12, e03714. | 1.0 | 12 |
| 12373 | State of knowledge and updated distribution of the northern naked-tailed armadillo <i>Cabassous centralis</i> Miller, 1899 (Cingulata, Chlamyphoridae). <i>Mammalia</i> , 2021, . | 0.3 | 1 |
| 12374 | IUCN Red List and Species Distribution Models as tools for the conservation of poorly known species: a case study of endemic plants <i>Micromeria serbaliana</i> and <i>Veronica kaiseri</i> in South Sinai, Egypt. <i>Kew Bulletin</i> , 2021, 76, 477-496. | 0.4 | 2 |
| 12375 | Integrating climate, soil and stand structure into allometric models: An approach of site-effects on tree allometry in Atlantic Forest. <i>Ecological Indicators</i> , 2021, 127, 107794. | 2.6 | 8 |
| 12376 | Orbital forcing in southern Africa: Towards a conceptual model for predicting deep time environmental change from an incomplete proxy record. <i>Quaternary Science Reviews</i> , 2021, 265, 107050. | 1.4 | 10 |
| 12377 | North-south and climate-landscape-associated pattern of population structure for the Atlantic Forest White Morpho butterflies. <i>Molecular Phylogenetics and Evolution</i> , 2021, 161, 107157. | 1.2 | 4 |
| 12378 | Estimating hybridization as a consequence of climatic fluctuations: A case study of two geometridae species. <i>Molecular Phylogenetics and Evolution</i> , 2021, 161, 107168. | 1.2 | 2 |
| 12379 | The Evolution of Trait Disparity during the Radiation of the Plant Genus <i>Macrocarpaea</i> (Gentianaceae) in the Tropical Andes. <i>Biology</i> , 2021, 10, 825. | 1.3 | 2 |
| 12380 | Responses of an endemic species (<i>Roscoea humeana</i>) in the Hengduan Mountains to climate change. <i>Diversity and Distributions</i> , 2021, 27, 2231. | 1.9 | 8 |
| 12381 | Phylogeography of the <i>Poecilimon ampliatus</i> species group (Orthoptera: Tettigoniidae) in the context of the Pleistocene glacial cycles and the origin of the only thelytokous parthenogenetic phaneropterine bush-cricket. <i>Arthropod Systematics and Phylogeny</i> , 0, 79, 401-418. | 5.5 | 5 |
| 12382 | On the snow leopard Trails: Occupancy pattern and implications for management in the Pamir. <i>Saudi Journal of Biological Sciences</i> , 2022, 29, 197-203. | 1.8 | 2 |
| 12383 | Grazing exclosures increase soil organic carbon stock at a rate greater than 4 per 1000 per year across agricultural landscapes in Northern Ethiopia. <i>Science of the Total Environment</i> , 2021, 782, 146821. | 3.9 | 13 |
| 12384 | Quantitative estimates of glacial refugia for chimpanzees (<i>Pan troglodytes</i>) since the Last Interglacial (120,000 BP). <i>American Journal of Primatology</i> , 2021, 83, e23320. | 0.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12385 | Potential impact of climate change on the distribution of some selected legumes in Cameroon and adjoining Nigeria border. <i>African Journal of Ecology</i> , 2021, 59, 959-975. | 0.4 | 5 |
| 12386 | DISTRIBUCI3N GEOGR3FICA DE UNA PLAGA DEFOLIADORA (ZADIPRION FALSUS): UN AN3LISIS DEL SOLAPAMIENTO DE NICHOS DE SUS HOSPEDEROS EN M3XICO. <i>Entomologica Americana</i> , 2021, 127, . | 0.2 | 0 |
| 12387 | Projected impacts of climate and land use changes on the habitat of Atlantic Forest plants in Brazil. <i>Global Ecology and Biogeography</i> , 2021, 30, 2016-2028. | 2.7 | 12 |
| 12388 | Soil predictors are crucial for modelling vegetation distribution and its responses to climate change. <i>Science of the Total Environment</i> , 2021, 780, 146680. | 3.9 | 15 |
| 12389 | Seasonal variation in the behavioural ecology of samango monkeys (<i>Cercopithecus albogularis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58 | 0.7 | 0 |
| 12390 | Agroforestry land suitability analysis in the Eastern Indian Himalayan region. <i>Environmental Challenges</i> , 2021, 4, 100199. | 2.0 | 32 |
| 12391 | Predicting the distributional range shifts of <i>Rhizocarpon geographicum</i> (L.) DC. in Indian Himalayan Region under future climate scenarios. <i>Environmental Science and Pollution Research</i> , 2022, 29, 61579-61593. | 2.7 | 4 |
| 12392 | Assessing the fire resilience of the savanna tree component through a functional approach. <i>Acta Oecologica</i> , 2021, 111, 103728. | 0.5 | 7 |
| 12393 | Comparing the population history of Neotropical annual species: The role of climate change and hybridization between <i>Tithonia tubaeformis</i> and <i>T. rotundifolia</i> (Asteraceae). <i>Plant Biology</i> , 2021, 23, 962-973. | 1.8 | 0 |
| 12394 | Leaf trait integration mediates species richness variation in a species-rich neotropical forest domain. <i>Plant Ecology</i> , 2021, 222, 1183-1195. | 0.7 | 3 |
| 12396 | Predicting the potential global distribution of <i>Ageratina adenophora</i> under current and future climate change scenarios. <i>Ecology and Evolution</i> , 2021, 11, 12092-12113. | 0.8 | 29 |
| 12397 | The influence of biophysical and socio-economic factors on the effectiveness of private land conservation areas in preventing natural land cover loss across South Africa. <i>Global Ecology and Conservation</i> , 2021, 28, e01670. | 1.0 | 3 |
| 12398 | Ecological and geological processes impacting speciation modes drive the formation of wide-range disjunctions within tribe Putorieae (Rubiaceae). <i>Journal of Systematics and Evolution</i> , 2021, 59, 915-934. | 1.6 | 12 |
| 12399 | Geographic contact drives increased reproductive isolation in two cryptic <i>Empidonax</i> flycatchers. <i>Molecular Ecology</i> , 2021, 30, 4833-4844. | 2.0 | 1 |
| 12400 | A statistics-based reconstruction of high-resolution global terrestrial climate for the last 800,000 years. <i>Scientific Data</i> , 2021, 8, 228. | 2.4 | 21 |
| 12401 | Aridity and geochemical drivers of soil micronutrient and contaminant availability in European drylands. <i>European Journal of Soil Science</i> , 2022, 73, . | 1.8 | 6 |
| 12402 | Soil protist function varies with elevation in the Swiss Alps. <i>Environmental Microbiology</i> , 2022, 24, 1689-1702. | 1.8 | 10 |
| 12403 | Revised zoning method for environmental fragility evaluation to desertification in arid-semiarid areas: a case of Dousitu river basin. <i>Environmental Earth Sciences</i> , 2021, 80, 1. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12404 | Climate data for the European forestry sector: From end-user needs to opportunities for climate resilience. <i>Climate Services</i> , 2021, 23, 100247. | 1.0 | 3 |
| 12405 | Applying the Soil and Water Assessment Tool Model for Integrated Lake Basin Management in Northern Vietnam: Case Study of the Thac Ba Reservoir Basin. <i>Environmental Engineering Science</i> , 0, , . | 0.8 | 3 |
| 12406 | Exploring the effects of the quaternary glacial–interglacial cycles on the geographic distributions of tropical Andean rodents: species in the genus <i>Aepeomys</i> Thomas, 1898 (<i>Thomasomys</i> sp. nov.) <i>Journal of Biogeography</i> , 2021, 48, 1011–1024. | 0.0 | 0 |
| 12407 | DISTRIBUTION OF THE DEFOLIATING PEST <i>ZADIPRION FALSUS</i> : AN ANALYSIS OF OVERLAPPING NICHE OF ITS HOSTS IN MEXICO. <i>Entomologica Americana</i> , 2021, 127, . | 0.2 | 1 |
| 12408 | Potential distribution of a montane rodent (<i>Cricetidae</i> , <i>Handleyomys chapmani</i>) through time in Mexico: the importance of occurrence data. <i>Journal of Mountain Science</i> , 2021, 18, 2024-2033. | 0.8 | 2 |
| 12409 | Sulfur isotopes as a proxy for human diet and mobility from the preclassic through colonial periods in the Eastern Maya lowlands. <i>PLoS ONE</i> , 2021, 16, e0254992. | 1.1 | 7 |
| 12410 | Defining critical habitat for plant species with poor occurrence knowledge and identification of critical habitat networks. <i>Biodiversity and Conservation</i> , 2021, 30, 3603-3611. | 1.2 | 6 |
| 12411 | Predicting forest fire using multispectral satellite measurements in Nepal. <i>Remote Sensing Applications: Society and Environment</i> , 2021, 23, 100539. | 0.8 | 7 |
| 12412 | Influence of climate and forest attributes on aboveground carbon storage in Burkina Faso, West Africa. <i>Environmental Challenges</i> , 2021, 4, 100123. | 2.0 | 9 |
| 12413 | Novel statistical approaches to identify risk factors for soil-transmitted helminth infection in Timor-Leste. <i>International Journal for Parasitology</i> , 2021, 51, 729-739. | 1.3 | 6 |
| 12414 | Why More Leaflets? The Role of Natural Selection in Shaping the Spatial Pattern of Leaf-Shape Variation in <i>Oxytropis diversifolia</i> (Fabaceae) and Two Close Relatives. <i>Frontiers in Plant Science</i> , 2021, 12, 681962. | 1.7 | 6 |
| 12415 | Habitat use and population genetics of golden jackals in Iran: Insights from a generalist species in a highly heterogeneous landscape. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1503-1515. | 0.6 | 5 |
| 12416 | A Forest Monitoring System for Tanzania. <i>Remote Sensing</i> , 2021, 13, 3081. | 1.8 | 10 |
| 12417 | Integrating demography and distribution modeling for the iconic <i>Leontopodium alpinum</i> Colm. in the Romanian Carpathians. <i>Ecology and Evolution</i> , 2021, 11, 12322-12334. | 0.8 | 0 |
| 12418 | Bark gnawing of forest trees by voles during the growing season. <i>European Journal of Forest Research</i> , 2021, 140, 1431-1440. | 1.1 | 4 |
| 12419 | Shrub colonization regulates $\delta^{13}C$ enrichment between soil and vegetation in deserts by affecting edaphic variables. <i>Catena</i> , 2021, 203, 105365. | 2.2 | 7 |
| 12420 | Assessing changes in climate suitability and yields of maize and sorghum crops over Kenya in the twenty-first century. <i>Theoretical and Applied Climatology</i> , 2021, 146, 381-394. | 1.3 | 9 |
| 12421 | Phylogeographic diversification of the <i>Mesalina olivieri</i> species complex (Squamata: Lacertidae) with the description of a new species and a new subspecies endemic from North West Africa. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 2321-2349. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12422 | From rain to data: A review of the creation of monthly and daily station-based gridded precipitation datasets. <i>Wiley Interdisciplinary Reviews: Water</i> , 2021, 8, e1555. | 2.8 | 7 |
| 12423 | Remote sensing analysis of unnamed crater in Eastern Australia. <i>Natural and Applied Sciences International Journal</i> , 2021, 2, 1-11. | 0.4 | 0 |
| 12424 | Protected areas in Central Mexico - are they fit in promoting species persistence under climate and land use changes?. <i>Biological Conservation</i> , 2021, 260, 109186. | 1.9 | 8 |
| 12425 | Morphological and Chemical Diversity and Antioxidant Capacity of the Service Tree (<i>Sorbus domestica</i>) Tj ETQq1 1 0,784314 rgBT /Over 1.6 12 | 1.6 | 12 |
| 12426 | Genetic signatures of divergent selection in European beech (<i>Fagus sylvatica</i> L.) are associated with the variation in temperature and precipitation across its distribution range. <i>Molecular Ecology</i> , 2021, 30, 5029-5047. | 2.0 | 20 |
| 12427 | Mitochondrial Differentiation and Biogeography of Rock Nuthatches. <i>Ardea</i> , 2021, 109, . | 0.3 | 1 |
| 12428 | Present and future of <i>Iris atrofusca</i> populations in the Negev Desert analyzed by population viability analysis and species distribution modeling. <i>Acta Oecologica</i> , 2021, 111, 103718. | 0.5 | 2 |
| 12429 | Representing responses to climate change in spatial land system models. <i>Land Degradation and Development</i> , 2021, 32, 4954-4973. | 1.8 | 3 |
| 12430 | Patterns of morphological differentiation within <i>Manacus manacus</i> (Aves: Pipridae) in Colombia: revisiting hypotheses of isolation and secondary contact. <i>Biological Journal of the Linnean Society</i> , 0, . | 0.7 | 0 |
| 12431 | Multi-method approach using small vertebrate assemblages to reconstruct the Marine Isotope Stage 6 climate and environment of the Lazaret cave sequence (Maritime Alps, Nice, France). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110529. | 1.0 | 8 |
| 12432 | A problem with variable selection in a comparison of correlative and process-based species distribution models: Comments on Higgins et al., 2020. <i>Ecology and Evolution</i> , 2021, 11, 13609-13612. | 0.8 | 3 |
| 12433 | Niche-separation and conservation biogeography of Madagascar's fork-marked lemurs (Cheirogaleidae: Phaner): Evidence of a new cryptic species?. <i>Global Ecology and Conservation</i> , 2021, 29, e01738. | 1.0 | 8 |
| 12434 | Diversity patterns of cushion plants on the Qinghai-Tibet Plateau: A basic study for future conservation efforts on alpine ecosystems. <i>Plant Diversity</i> , 2022, 44, 231-242. | 1.8 | 7 |
| 12435 | Climatic and anthropogenic factors affect <i>Ailanthus altissima</i> invasion in a Mediterranean region. <i>Plant Ecology</i> , 2021, 222, 1347-1359. | 0.7 | 11 |
| 12436 | <i>Aedes aegypti</i> in the Mediterranean container ports at the time of climate change: A time bomb on the mosquito vector map of Europe. <i>Heliyon</i> , 2021, 7, e07981. | 1.4 | 8 |
| 12437 | Phenotypic variations, habitat suitability, and diel activity of the endemic brown palm civets. , 2023, 7, 311-322. | | 5 |
| 12438 | Population dynamics linked to glacial cycles in <i>Cercis chuniana</i> F. P. Metcalf (Fabaceae) endemic to the montane regions of subtropical China. <i>Evolutionary Applications</i> , 2021, 14, 2647-2663. | 1.5 | 4 |
| 12439 | Variation in seasonal timing traits and life history along a latitudinal transect in <i>Mimulus ringens</i> . <i>Journal of Evolutionary Biology</i> , 2021, 34, 1803-1816. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12440 | Major Forest Changes in Subtropical China since the Last Ice Age. <i>Forests</i> , 2021, 12, 1314. | 0.9 | 3 |
| 12441 | Introgression among North American wild grapes (<i>Vitis</i>) fuels biotic and abiotic adaptation. <i>Genome Biology</i> , 2021, 22, 254. | 3.8 | 25 |
| 12442 | Interspecies variation of larval locomotion kinematics in the genus <i>Drosophila</i> and its relation to habitat temperature. <i>BMC Biology</i> , 2021, 19, 176. | 1.7 | 5 |
| 12443 | Transferability of correlative and process-based species distribution models revisited: A response to Booth. <i>Ecology and Evolution</i> , 2021, 11, 13613-13617. | 0.8 | 4 |
| 12444 | <scp>BrazilClim</scp>: The overcoming of limitations of pre-existing bioclimate data. <i>International Journal of Climatology</i> , 2022, 42, 1645-1659. | 1.5 | 3 |
| 12445 | Delimiting the spatio-temporal uncertainty of climate-sensitive forest productivity projections using Support Vector Regression. <i>Ecological Indicators</i> , 2021, 128, 107820. | 2.6 | 6 |
| 12446 | Land in Central America will become less suitable for coffee cultivation under climate change. <i>Regional Environmental Change</i> , 2021, 21, 1. | 1.4 | 6 |
| 12447 | Modeling future climate suitability for the western blacklegged tick, <i>Ixodes pacificus</i> , in California with an emphasis on land access and ownership. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101789. | 1.1 | 9 |
| 12448 | Could climate change benefit invasive snakes? Modelling the potential distribution of the California Kingsnake in the Canary Islands. <i>Journal of Environmental Management</i> , 2021, 294, 112917. | 3.8 | 10 |
| 12449 | Modeling habitat suitability and utilization of the last surviving populations of fallow deer (<i>Dama</i>) in the Tibetan Plateau. <i>Ecological Modelling</i> , 2021, 457, 107431. | 1.7 | 1 |
| 12450 | Population age structures, persistence and flowering cues in <i>Cerberiopsis candelabra</i> (Apocynaceae), a long-lived monocarpic rain-forest tree in New Caledonia. <i>Journal of Tropical Ecology</i> , 2021, 37, 263-275. | 0.5 | 4 |
| 12451 | Evolutionary history of two rare endemic conifer species from the eastern Qinghai-Tibet Plateau. <i>Annals of Botany</i> , 2021, 128, 903-918. | 1.4 | 5 |
| 12452 | Explaining the Geographic Pattern of Plant Invasion in 67 Nature Reserves in China. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 2 |
| 12453 | A new modelling framework to assess biogenic GHG emissions from reservoirs: The G-res tool. <i>Environmental Modelling and Software</i> , 2021, 143, 105117. | 1.9 | 24 |
| 12454 | Genetic variation and structure change when producing and using mixed-source seed lots for restoration. <i>Restoration Ecology</i> , 2022, 30, e13521. | 1.4 | 5 |
| 12456 | Climate vulnerability scenario of the agricultural sector in the Bicol River Basin, Philippines. <i>Climatic Change</i> , 2021, 168, 1. | 1.7 | 1 |
| 12457 | Ecological niche modeling for predicting the potential geographical distribution of <i>Aedes</i> species (Diptera: Culicidae): A case study of Enugu State, Nigeria. <i>Parasite Epidemiology and Control</i> , 2021, 15, e00225. | 0.6 | 8 |
| 12458 | Sustainability potential for <i>Ginkgo biloba</i> L. plantations under climate change uncertainty: An ex-situ conservation perspective. <i>Acta Ecologica Sinica</i> , 2021, 42, 101-101. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12459 | Predicting the Potential Habitat of Three Endangered Species of <i>Carpinus</i> Genus under Climate Change and Human Activity. <i>Forests</i> , 2021, 12, 1216. | 0.9 | 11 |
| 12460 | Tectonically driven drainage reorganization in the Eastern Cordillera, Colombia. <i>Geomorphology</i> , 2021, 389, 107847. | 1.1 | 6 |
| 12461 | On Additional Samples of <i>Vipera berus barani</i> BÅ¶hme and Joger, 1983 (Reptilia: Ophidia: Viperidae). <i>Journal of the Institute of Science and Technology</i> , 0, , 1725-1733. | 0.3 | 0 |
| 12463 | Relative Importance of Deterministic and Stochastic Processes on Soil Microbial Community Assembly in Temperate Grasslands. <i>Microorganisms</i> , 2021, 9, 1929. | 1.6 | 22 |
| 12464 | Not all species will migrate poleward as the climate warms: The case of the seven baobab species in Madagascar. <i>Global Change Biology</i> , 2021, 27, 6071-6085. | 4.2 | 15 |
| 12465 | Want to model a species niche? A step-by-step guideline on correlative ecological niche modelling. <i>Ecological Modelling</i> , 2021, 456, 109671. | 1.2 | 123 |
| 12468 | Integrative taxonomy of the <i>Selaginella helvetica</i> group based on morphological, molecular and ecological data. <i>Taxon</i> , 2021, 70, 1163-1187. | 0.4 | 10 |
| 12470 | Life History, Biology, and Distribution of <i>Pterostichus melanarius</i> (Coleoptera: Carabidae) in North America. <i>Environmental Entomology</i> , 2021, , . | 0.7 | 5 |
| 12471 | Divergence in Body Mass, Wing Loading, and Population Structure Reveals Species-Specific and Potentially Adaptive Trait Variation Across Elevations in Montane Bumble Bees. <i>Insect Systematics and Diversity</i> , 2021, 5, . | 0.7 | 16 |
| 12472 | Adaptation strategies for spruce forestsâ€™ economic potential of bark beetle management and Douglas fir cultivation in future tree species portfolios. <i>Forestry</i> , 2022, 95, 229-246. | 1.2 | 9 |
| 12473 | Modeling current and future potential distributions of desert locust <i>Schistocerca gregaria</i> (ForskÃ¶l) under climate change scenarios using MaxEnt. <i>Journal of Asia-Pacific Biodiversity</i> , 2021, 14, 399-409. | 0.2 | 21 |
| 12474 | Evolution of <i>Castanea</i> in North America: restrictionâ€™associated DNA sequencing and ecological modeling reveal a history of radiation, range shifts, and disease. <i>American Journal of Botany</i> , 2021, 108, 1692-1704. | 0.8 | 7 |
| 12475 | Overlap Between Sagebrush Habitat Specialists Differs Among Seasons: Implications for Umbrella Species Conservation. <i>Rangeland Ecology and Management</i> , 2021, 78, 142-154. | 1.1 | 7 |
| 12476 | Giant Tree Frog diversification in West and Central Africa: Isolation by physical barriers, climate, and reproductive traits. <i>Molecular Ecology</i> , 2022, 31, 3979-3998. | 2.0 | 7 |
| 12477 | Genetic Variations and Differential DNA Methylation to Face Contrasted Climates in Small Ruminants: An Analysis on Traditionally-Managed Sheep and Goats. <i>Frontiers in Genetics</i> , 2021, 12, 745284. | 1.1 | 4 |
| 12478 | Rarity in freshwater vascular plants across Europe and North America: Patterns, mechanisms and future scenarios. <i>Science of the Total Environment</i> , 2021, 786, 147491. | 3.9 | 7 |
| 12479 | Linking functional traits with tree growth and forest productivity in <i>Quercus ilex</i> forests along a climatic gradient. <i>Science of the Total Environment</i> , 2021, 786, 147468. | 3.9 | 13 |
| 12480 | Mangrove carbon stocks in Pongara National Park, Gabon. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 259, 107432. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|------|-----------|
| 12481 | Evolutionary origin of a tetraploid <i>Allium</i> species on the Qinghai-Tibet Plateau. <i>Molecular Ecology</i> , 2021, 30, 5780-5795. | 2.0 | 11 |
| 12482 | Modeling potential hotspots of invasive <i>Prosopis juliflora</i> (Swartz) DC in India. <i>Ecological Informatics</i> , 2021, 64, 101386. | 2.3 | 18 |
| 12483 | Quantifying adaptive divergence of the snowfinches in a common landscape. <i>Diversity and Distributions</i> , 2022, 28, 2579-2592. | 1.9 | 3 |
| 12484 | Top predator introduction changes the effects of spatial isolation on freshwater community structure. <i>Ecology</i> , 2021, 102, e03500. | 1.5 | 10 |
| 12485 | Climate warming promotes pesticide resistance through expanding overwintering range of a global pest. <i>Nature Communications</i> , 2021, 12, 5351. | 5.8 | 69 |
| 12486 | Structuring of plant communities across agricultural landscape mosaics: the importance of connectivity and the scale of effect. <i>Bmc Ecology and Evolution</i> , 2021, 21, 173. | 0.7 | 6 |
| 12487 | Ecogeography of Plumage Pigmentation in Great Horned Owls. <i>Journal of Raptor Research</i> , 2021, 55, . | 0.2 | 1 |
| 12488 | Tree species dominance in neotropical savanna aboveground biomass and productivity. <i>Forest Ecology and Management</i> , 2021, 496, 119430. | 1.4 | 4 |
| 12489 | Snowmelt and Snow Sublimation in the Indus Basin. <i>Water (Switzerland)</i> , 2021, 13, 2621. | 1.2 | 7 |
| 12490 | Thermal niche dimensionality could limit species' responses to temperature changes: Insights from dung beetles. <i>Journal of Biogeography</i> , 2021, 48, 3072-3084. | 1.4 | 2 |
| 12491 | Discordance in maternal and paternal genetic markers in lesser long-nosed bat <i>Leptonycteris yerbabuenae</i> , a migratory bat: recent expansion to the North and male phylopatry. <i>PeerJ</i> , 2021, 9, e12168. | 0.9 | 5 |
| 12492 | Anthropogenic factors are stronger drivers of patterns of endemic plant diversity on Hainan Island of China than natural environmental factors. <i>PLoS ONE</i> , 2021, 16, e0257575. | 1.1 | 6 |
| 12493 | Habitat connectivity for endangered Indochinese tigers in Thailand. <i>Global Ecology and Conservation</i> , 2021, 29, e01718. | 1.0 | 11 |
| 12494 | <i>Drosophila</i> Evolution over Space and Time (DEST): A New Population Genomics Resource. <i>Molecular Biology and Evolution</i> , 2021, 38, 5782-5805. | 3.5 | 37 |
| 12495 | Global riverine flood risk – how do hydrogeomorphic floodplain maps compare to flood hazard maps?. <i>Natural Hazards and Earth System Sciences</i> , 2021, 21, 2921-2948. | 1.5 | 8 |
| 12496 | How deregulation, drought and increasing fire impact Amazonian biodiversity. <i>Nature</i> , 2021, 597, 516-521. | 13.7 | 65 |
| 12497 | The Spatial Pattern of the Upper Limit of Montane Deciduous Broad-Leaved Forests and Its Geographical Interpretation in the East Monsoon Realm of China. <i>Forests</i> , 2021, 12, 1225. | 0.9 | 1 |
| 12498 | Modelling the growth response to climate change and management of <i>Tectona grandis</i> L. f. using the 3-PGmix model. <i>Annals of Forest Science</i> , 2021, 78, 1. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12499 | Is Phylogeographic Congruence Predicted by Historical Habitat Stability, or Ecological Co-associations?. <i>Insect Systematics and Diversity</i> , 2021, 5, . | 0.7 | 3 |
| 12500 | Broadly Distributed but Genetically Fragmented: Demographic Consequences of Pleistocene Climatic Oscillations in a Common Iberian Grasshopper. <i>Insect Systematics and Diversity</i> , 2021, 5, . | 0.7 | 2 |
| 12501 | Does seed mass drive interspecies variation in the effect of management practices on weed demography?. <i>Ecology and Evolution</i> , 2021, 11, 13166-13174. | 0.8 | 3 |
| 12502 | Global topographic uplift has elevated speciation in mammals and birds over the last 3 million years. <i>Nature Ecology and Evolution</i> , 2021, 5, 1530-1535. | 3.4 | 19 |
| 12503 | Genetic structure of endangered species <i>Adenophora liliifolia</i> and footprints of postglacial recolonisation in Central Europe. <i>Conservation Genetics</i> , 0, , 1. | 0.8 | 1 |
| 12504 | Phylogeography of the Oriental dobsonfly, <i>Neoneuromus ignobilis</i> (Navás), suggests Pleistocene allopatric isolation and glacial dispersal shaping its wide distribution. <i>Systematic Entomology</i> , 0, , . | 1.7 | 3 |
| 12505 | Testing the area–altitude balance ratio (AABR) and accumulation–area ratio (AAR) methods of calculating glacier equilibrium-line altitudes. <i>Journal of Glaciology</i> , 2022, 68, 357-368. | 1.1 | 21 |
| 12506 | Modelling the potential distribution of two tropical freshwater fish species under climate change scenarios. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 2737-2751. | 0.9 | 8 |
| 12508 | Argentinian odonates (dragonflies and damselflies): current and future distribution and discussion of their conservation. <i>Journal of Threatened Taxa</i> , 2021, 13, 19448-19465. | 0.1 | 0 |
| 12509 | Measuring Metrics of Climate Change and Its Implication on the Endangered Mammal Conservation in the Leuser Ecosystem. <i>Frontiers in Environmental Science</i> , 2021, 9, . | 1.5 | 4 |
| 12510 | Distribution Change of Invasive American Bullfrogs (<i>Lithobates catesbeianus</i>) by Future Climate Threaten Endangered Suweon Treefrog (<i>Hyla suweonensis</i>) in South Korea. <i>Animals</i> , 2021, 11, 2865. | 1.0 | 2 |
| 12511 | Relative humidity and agricultural activities dominate wildfire ignitions in Yunnan, Southwest China: Patterns, thresholds, and implications. <i>Agricultural and Forest Meteorology</i> , 2021, 307, 108540. | 1.9 | 18 |
| 12512 | Structure and function of bacterial metaproteomes across biomes. <i>Soil Biology and Biochemistry</i> , 2021, 160, 108331. | 4.2 | 3 |
| 12513 | Historical evidence of climate change impact on drought outlook in river basins: analysis of annual maximum drought severities through daily SPI definitions. <i>Natural Hazards</i> , 2022, 110, 1389-1404. | 1.6 | 7 |
| 12514 | Population ecology and habitat suitability modelling of <i>Quercus semecarpifolia</i> Sm. in the sub-alpine ecosystem of Great Himalayan National Park, north-western Himalaya, India. <i>South African Journal of Botany</i> , 2021, 141, 158-170. | 1.2 | 13 |
| 12515 | Tetraploids expanded beyond the mountain niche of their diploid ancestors in the mixed-ploidy grass <i>Festuca amethystina</i> L.. <i>Scientific Reports</i> , 2021, 11, 18735. | 1.6 | 14 |
| 12516 | Can distribution modeling inform rare and endangered species monitoring in Mediterranean islands?. <i>Ecological Informatics</i> , 2021, 66, 101434. | 2.3 | 3 |
| 12517 | Estimating koala density from incidental koala sightings in South-East Queensland, Australia (1997–2013), using a self-exciting spatio-temporal point process model. <i>Ecology and Evolution</i> , 2021, 11, 13805-13814. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12518 | Climate exposure shows high risk and few climate refugia for Chilean native vegetation. <i>Science of the Total Environment</i> , 2021, 785, 147399. | 3.9 | 10 |
| 12519 | Provenance matters: variability under saline stress in young plants of four populations of a <i>Prosopis</i> (mesquite) species from dry forests of Argentina. <i>Canadian Journal of Forest Research</i> , 2021, 51, 1263-1270. | 0.8 | 0 |
| 12520 | Effects of Climatic Change on the Potential Distribution of <i>Lycoriella</i> Species (Diptera: Sciaridae) of Economic Importance. <i>Insects</i> , 2021, 12, 831. | 1.0 | 0 |
| 12521 | Extremely Endangered Butterflies of Scattered Central European Dry Grasslands Under Current Habitat Alteration. <i>Insect Systematics and Diversity</i> , 2021, 5, . | 0.7 | 8 |
| 12522 | MrIML: Multi-response interpretable machine learning to model genomic landscapes. <i>Molecular Ecology Resources</i> , 2021, 21, 2766-2781. | 2.2 | 12 |
| 12523 | Flora of Ferruginous Outcrops Under Climate Change: A Study in the Cangas of Carajás (Eastern Tj ETQq1 1 0.784314 rgBT ₄ /Overlock | 1.7 | 4 |
| 12524 | Variations in the abundance of the Iberian mole (<i>Talpa occidentalis</i>) in a habitat and climatic gradient in central Spain. <i>Mammalian Biology</i> , 0, , 1. | 0.8 | 0 |
| 12525 | Environmental conditions, and phenolic compounds potential in the leaves of <i>Vitis tiliifolia</i> Humb. & Bonpl. ex Schult.. <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 3435. | 0.8 | 0 |
| 12526 | Improving terrestrial evapotranspiration estimation across China during 2000–2018 with machine learning methods. <i>Journal of Hydrology</i> , 2021, 600, 126538. | 2.3 | 36 |
| 12527 | Relationship between niche breadth and range shifts of <i>Rhinopoma muscatellum</i> (Chiroptera:) Tj ETQq1 1 0.784314 rgBT ₄ /Overlock 101 of Mountain Science, 2021, 18, 2357-2376. | 0.8 | 4 |
| 12528 | Chimpanzees (<i>Pan troglodytes</i>) in savanna landscapes. <i>Evolutionary Anthropology</i> , 2021, 30, 399-420. | 1.7 | 17 |
| 12529 | The adaptive challenge of extreme conditions shapes evolutionary diversity of plant assemblages at continental scales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 15 |
| 12530 | A step towards SDMs: A "couple-and-weight" framework based on accessible data for biodiversity conservation and landscape planning. <i>Diversity and Distributions</i> , 2021, 27, 2412-2427. | 1.9 | 12 |
| 12531 | Critical areas for retaining multiple dimensions of bird diversity in the Cerrado. <i>Journal for Nature Conservation</i> , 2021, 64, 126079. | 0.8 | 0 |
| 12532 | Changes in the Geographical Distributions of Global Human Settlements. <i>Journal of Resources and Ecology</i> , 2021, 12, . | 0.2 | 1 |
| 12533 | Structure, environmental patterns and impact of expected climate change in natural beech-dominated forests in the Cantabrian Range (NW Spain). <i>Forest Ecology and Management</i> , 2021, 497, 119512. | 1.4 | 8 |
| 12534 | Patterns of species and phylogenetic diversity in <i>Picea purpurea</i> forests under different levels of disturbance on the northeastern Qinghai-Tibetan Plateau. <i>Global Ecology and Conservation</i> , 2021, 30, e01779. | 1.0 | 1 |
| 12535 | Patterns and drivers of taxonomic, phylogenetic and functional diversity of understory bird communities in Chinese forests captured by camera traps. <i>Global Ecology and Conservation</i> , 2021, 30, e01790. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12536 | Multi-locus genetic analyses of <i>Quasipaa</i> from throughout its distribution. <i>Molecular Phylogenetics and Evolution</i> , 2021, 163, 107218. | 1.2 | 5 |
| 12537 | Modeling the potential distribution of the predator of honey bees, <i>Palarus latifrons</i> , in the Arabian deserts using Maxent and GIS. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 5667-5673. | 1.8 | 3 |
| 12538 | Ecological Filtering and Exaptation in the Evolution of Marine Snakes. <i>American Naturalist</i> , 2021, 198, 506-521. | 1.0 | 6 |
| 12539 | Invasion risk assessment using trait-environment and species distribution modelling techniques in an arid protected area: Towards conservation prioritization. <i>Ecological Indicators</i> , 2021, 129, 107951. | 2.6 | 13 |
| 12540 | Is the current Mediterranean network of marine protected areas resilient to climate change?. <i>Science of the Total Environment</i> , 2021, 792, 148397. | 3.9 | 13 |
| 12541 | Medicinal service supply by wild plants in Samburu, Kenya: Comparisons among medicinal plant assemblages. <i>Global Ecology and Conservation</i> , 2021, 30, e01749. | 1.0 | 1 |
| 12542 | Where do nivicolous myxomycetes occur? Modeling the potential worldwide distribution of <i>Physarum albescens</i> . <i>Fungal Ecology</i> , 2021, 53, 101079. | 0.7 | 4 |
| 12543 | Fine-tuning niche models matters in invasion ecology. A lesson from the land planarian <i>Obama nungara</i> . <i>Ecological Modelling</i> , 2021, 457, 109686. | 1.2 | 13 |
| 12544 | Climate change projections suggest severe decreases in the geographic ranges of bird species restricted to Mexican humid mountain forests. <i>Global Ecology and Conservation</i> , 2021, 30, e01794. | 1.0 | 12 |
| 12545 | Plant functional traits and viewer characteristics co-regulate cultural services provisioning by stormwater bioretention. <i>Ecological Engineering</i> , 2021, 168, 106284. | 1.6 | 15 |
| 12546 | Searching for ecology in species distribution models in the Himalayas. <i>Ecological Modelling</i> , 2021, 458, 109693. | 1.2 | 15 |
| 12547 | Climate and environmental reconstruction of the Epipaleolithic Mediterranean Levant (22.0–11.9 ka) Tj ETQq1 1,0,784314,rgBT /Ore | 1.4 | 19 |
| 12548 | An integrated index based on climatic constraints and soil quality to simulate vegetation productivity patterns. <i>Ecological Indicators</i> , 2021, 129, 108015. | 2.6 | 8 |
| 12549 | A less data demanding ecophysiological niche modeling approach for mammals with comparison to conventional correlative niche modeling. <i>Ecological Modelling</i> , 2021, 457, 109687. | 1.2 | 8 |
| 12550 | Climate change forecasts suggest that the conservation area network in the Cerrado-Amazon transition zone needs to be expanded. <i>Acta Oecologica</i> , 2021, 112, 103764. | 0.5 | 3 |
| 12551 | Climate change impact on medicinal plants in Indonesia. <i>Global Ecology and Conservation</i> , 2021, 30, e01752. | 1.0 | 13 |
| 12552 | Effect of Productivity on Community Size Explains the Latitudinal Diversity Gradient of South American Small Mammals. <i>American Naturalist</i> , 2021, 198, E111-E121. | 1.0 | 3 |
| 12554 | Environmental factors modulate the diffuse fertilization effect on gross primary productivity across Chinese ecosystems. <i>Science of the Total Environment</i> , 2021, 793, 148443. | 3.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12555 | Current and potential geographic distribution of red palm mite (<i>Raoiella indica</i> Hirst) in Brazil. <i>Ecological Informatics</i> , 2021, 65, 101396. | 2.3 | 4 |
| 12556 | A new species of <i>Succinea</i> (Gastropoda: Stylommatophora) from the Puna highlands of Argentina. <i>Zoologischer Anzeiger</i> , 2021, 295, 55-66. | 0.4 | 0 |
| 12557 | Assessing changes in stream macroinvertebrate communities across ecological gradients using morphological versus DNA metabarcoding approaches. <i>Science of the Total Environment</i> , 2021, 797, 149030. | 3.9 | 3 |
| 12558 | Forecasting the effects of bioclimatic characteristics and climate change on the potential distribution of <i>Colophospermum mopane</i> in southern Africa using Maximum Entropy (Maxent). <i>Ecological Informatics</i> , 2021, 65, 101419. | 2.3 | 21 |
| 12559 | Non-destructive aboveground biomass estimation of <i>Leymus chinensis</i> individual across large scale. <i>Ecological Indicators</i> , 2021, 131, 108212. | 2.6 | 1 |
| 12560 | An early glacial maximum during the last glacial cycle on the northern Velebit Mt. (Croatia). <i>Geomorphology</i> , 2021, 392, 107918. | 1.1 | 7 |
| 12561 | Downscaling the GPM-based satellite precipitation retrievals using gradient boosting decision tree approach over Mainland China. <i>Journal of Hydrology</i> , 2021, 602, 126803. | 2.3 | 28 |
| 12562 | <i>Opisthorchis viverrini</i> and <i>Strongyloides stercoralis</i> mono- and co-infections: Bayesian geostatistical analysis in an endemic area, Thailand. <i>Acta Tropica</i> , 2021, 223, 106079. | 0.9 | 5 |
| 12563 | Predicting the invasion risk of non-native reptiles as pets in the Middle East. <i>Global Ecology and Conservation</i> , 2021, 31, e01818. | 1.0 | 2 |
| 12564 | Quantitative assessment of the impact of climatic factors on phenological changes in the Qilian Mountains, China. <i>Forest Ecology and Management</i> , 2021, 499, 119594. | 1.4 | 17 |
| 12565 | Soil mapping and characterization of the Mapou basin, Haiti. <i>Geoderma Regional</i> , 2021, 27, e00432. | 0.9 | 0 |
| 12566 | Country-wide mapping of harvest areas and post-harvest forest recovery using Landsat time series data in Japan. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 104, 102555. | 1.4 | 8 |
| 12567 | Spatial distribution of soil $\delta^{13}C$ in the central Brazilian savanna. <i>Journal of Environmental Management</i> , 2021, 300, 113758. | 3.8 | 3 |
| 12568 | Low mammalian species richness is associated with Kyasanur Forest disease outbreak risk in deforested landscapes in the Western Ghats, India. <i>One Health</i> , 2021, 13, 100299. | 1.5 | 3 |
| 12569 | Climate change impacts on <i>Anopheles (K.) cruzii</i> in urban areas of Atlantic Forest of Brazil: Challenges for malaria diseases. <i>Acta Tropica</i> , 2021, 224, 106123. | 0.9 | 9 |
| 12570 | Predicting differential habitat suitability of <i>Rhodomyrtus tomentosa</i> under current and future climate scenarios in China. <i>Forest Ecology and Management</i> , 2021, 501, 119696. | 1.4 | 13 |
| 12571 | Widespread wildfire across the Pliocene Canadian Arctic Archipelago. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 584, 110653. | 1.0 | 3 |
| 12572 | Genetic diversity of <i>Astronium graveolens</i> Jacq. in Colombian seasonally dry tropical forest: support for the dry forest refugia hypothesis?. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2021, 53, 125642. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12573 | Complex effects of moisture conditions and temperature enhanced vegetation growth in the Arid/humid transition zone in Northern China. <i>Science of the Total Environment</i> , 2022, 805, 150152. | 3.9 | 9 |
| 12574 | Mountain frog species losing out to climate change around the Sichuan Basin. <i>Science of the Total Environment</i> , 2022, 806, 150605. | 3.9 | 11 |
| 12575 | Identification of priority areas for <i>Eschweilera tetrapetala</i> (Lecythidaceae) conservation in response to climate change. <i>Rodriguesia</i> , 0, 72, . | 0.9 | 2 |
| 12576 | Population history and ecology, in addition to climate, influence human stature and body proportions. <i>Scientific Reports</i> , 2021, 11, 274. | 1.6 | 21 |
| 12577 | Environmental resistance predicts the spread of alien species. <i>Nature Ecology and Evolution</i> , 2021, 5, 322-329. | 3.4 | 18 |
| 12578 | Environmental heterogeneity predicts global species richness patterns better than area. <i>Global Ecology and Biogeography</i> , 2021, 30, 842-851. | 2.7 | 32 |
| 12579 | Impact of Past and Future Climate Change on the Potential Distribution of an Endangered Montane Shrub <i>Lonicera oblata</i> and Its Conservation Implications. <i>Forests</i> , 2021, 12, 125. | 0.9 | 22 |
| 12580 | Ensemble Species Distribution Model Identifies Survey Opportunities for At-Risk Bearded Beaksedge (<i>Rhynchospora crinipes</i>) in the Southeastern United States. <i>Natural Areas Journal</i> , 2021, 41, . | 0.2 | 9 |
| 12581 | Testing which axes of species differentiation underlie covariance of phylogeographic similarity among montane sedge species. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 349-364. | 1.1 | 8 |
| 12582 | How close are we to the temperature tipping point of the terrestrial biosphere?. <i>Science Advances</i> , 2021, 7, . | 4.7 | 102 |
| 12583 | Environment tolerance of <i>Cunninghamia konishii</i> Hayata in northern of Vietnam. <i>E3S Web of Conferences</i> , 2021, 265, 01026. | 0.2 | 0 |
| 12584 | Landscape Ecology of Deforestation Processes and Lemur Biogeography in Madagascar. , 2021, , 365-382. | | 0 |
| 12585 | A new net primary productivity model and new management strategy of grassland classification based on CSCS in China. <i>Rangeland Journal</i> , 2022, 43, 285-295. | 0.4 | 6 |
| 12586 | A New Methodology for Low-density Definition and Its Effect on Tourism Development Analysis: The Case of Portugal. <i>Journal for Labour Market Research</i> , 2021, , 1-22. | 0.6 | 0 |
| 12587 | Study of Multi-Model Ensemble High-Resolution Projections of Major Climatic Variables Over the Indus River Basin and Pakistan. <i>Mehran University Research Journal of Engineering and Technology</i> , 2021, 40, 104-115. | 0.3 | 2 |
| 12588 | Reconstructing hotspots of genetic diversity from glacial refugia and subsequent dispersal in Italian common toads (<i>Bufo bufo</i>). <i>Scientific Reports</i> , 2021, 11, 260. | 1.6 | 12 |
| 12590 | Modelling for <i>Hevea brasiliensis</i> and <i>Manihot esculenta</i> plantations responses to climate change in Song Chinh District of Phu Yen province, Vietnam. <i>E3S Web of Conferences</i> , 2021, 285, 02023. | 0.2 | 1 |
| 12591 | How do physical and social factors affect urban landscape patterns in intermountain basins in Southwest China?. <i>Landscape Ecology</i> , 2021, 36, 1893-1911. | 1.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12592 | Distribution, eco-climatic characterisation, and potential growing regions of <i>Annona cherimola</i> Mill. (Annonaceae) in Mexico.. <i>Ethnobiology and Conservation</i> , 0, 10, . | 0.0 | 5 |
| 12595 | Phylogeography, morphology and ecological niche modelling to explore the evolutionary history of Azure-crowned Hummingbird (<i>Amazilia cyanocephala</i> , Trochilidae) in Mesoamerica. <i>Journal of Ornithology</i> , 2021, 162, 529-547. | 0.5 | 5 |
| 12596 | Identifying Riparian Areas of Free Flowing Rivers for Legal Protection: Model Region Mongolia. <i>Sustainability</i> , 2021, 13, 551. | 1.6 | 2 |
| 12597 | Pleistocene climatic fluctuations promoted alternative evolutionary histories in <i>Phytelephas aequatorialis</i> , an endemic palm from western Ecuador. <i>Journal of Biogeography</i> , 2021, 48, 1023-1037. | 1.4 | 8 |
| 12598 | A Bioclimate-Based Maximum Entropy Model for <i>Comperiella calauanica</i> Barrion, Almarinez and Amalin (Hymenoptera: Encyrtidae) in the Philippines. <i>Insects</i> , 2021, 12, 26. | 1.0 | 9 |
| 12599 | Mountains, lowlands, and coasts: The physiography of cold landscapes. , 2021, , 199-213. | | 0 |
| 12600 | Climate Change Impacts on Hydrology of a Small Watershed in a River Valley Project Catchment of Southern India. <i>Springer Hydrogeology</i> , 2021, , 567-583. | 0.1 | 0 |
| 12601 | How Do Deep Convolutional SDM Trained on Satellite Images Unravel Vegetation Ecology?. <i>Lecture Notes in Computer Science</i> , 2021, , 148-158. | 1.0 | 2 |
| 12602 | Single-locus species delimitation and ecological niche modelling provide insights into the evolution, historical distribution and taxonomy of the Pacific chorus frogs. <i>Biological Journal of the Linnean Society</i> , 2021, 132, 612-633. | 0.7 | 2 |
| 12603 | Hotspots of invasive plant abundance are geographically distinct from hotspots of establishment. <i>Biological Invasions</i> , 2021, 23, 1249-1261. | 1.2 | 10 |
| 12604 | Towards Forage Resource Monitoring in subtropical Savanna Grasslands: going multispectral or hyperspectral?. <i>European Journal of Remote Sensing</i> , 2021, 54, 364-384. | 1.7 | 4 |
| 12605 | Invasive species in the grasslands of the Central Caucasus. <i>BIO Web of Conferences</i> , 2021, 35, 00007. | 0.1 | 2 |
| 12606 | The influence of abiotic and spatial variables on woody and herbaceous species abundances in a woodland-grassland system in the Eastern Terai of India. <i>Journal of Plant Ecology</i> , 2022, 15, 155-167. | 1.2 | 2 |
| 12607 | Geographic patterns of genomic diversity and structure in the C4 grass <i>Panicum hallii</i> across its natural distribution. <i>AoB PLANTS</i> , 2021, 13, plab002. | 1.2 | 18 |
| 12609 | Climatic dissimilarity associated with phylogenetic breaks. <i>Journal of Mammalogy</i> , 2021, 102, 1592-1604. | 0.6 | 5 |
| 12610 | An Efficient Downscaling Scheme for High-Resolution Precipitation Estimates over a High Mountainous Watershed. <i>Remote Sensing</i> , 2021, 13, 234. | 1.8 | 8 |
| 12612 | An African bat in Europe, <i>Plecotus gaisleri</i> : Biogeographic and ecological insights from molecular taxonomy and Species Distribution Models. <i>Ecology and Evolution</i> , 2020, 10, 5785-5800. | 0.8 | 31 |
| 12613 | The fate of <i>Meconopsis</i> species in the Tibeto-Himalayan region under future climate change. <i>Ecology and Evolution</i> , 2021, 11, 887-899. | 0.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12614 | Spatial autocorrelation reduces model precision and predictive power in deforestation analyses. <i>Ecosphere</i> , 2017, 8, e01824. | 1.0 | 21 |
| 12615 | Reconstructing continental-scale variation in soil $\delta^{15}\text{N}$: a machine learning approach in South America. <i>Ecosphere</i> , 2020, 11, e03223. | 1.0 | 13 |
| 12616 | Areas of plant diversity—What do we know?. <i>Plants People Planet</i> , 2021, 3, 33-44. | 1.6 | 47 |
| 12617 | A New Global Demand for Digital Soil Information. , 2008, , 31-41. | | 8 |
| 12618 | Modelling Climate Change and Malaria Transmission. <i>Advances in Experimental Medicine and Biology</i> , 2010, 673, 184-199. | 0.8 | 45 |
| 12619 | Where Are They? Quantification, Distribution and Microhabitat Use of Fragments by the Red Slender Loris (<i>Loris tardigradus tardigradus</i>) in Sri Lanka. , 2013, , 371-384. | | 44 |
| 12620 | Common Garden Experiments to Characterize Cold Acclimation Responses in Plants from Different Climatic Regions. <i>Methods in Molecular Biology</i> , 2014, 1166, 65-78. | 0.4 | 5 |
| 12621 | Integrated Terrain Forecasting for Military Operations in Deserts: Geologic Basis for Rapid Predictive Mapping of Soils and Terrain Features. <i>Advances in Military Geosciences</i> , 2016, , 353-375. | 0.5 | 2 |
| 12622 | Enhancing Decision-Making Processes of Small Farmers in Tropical Crops by Means of Machine Learning Models. , 2012, , 265-277. | | 2 |
| 12623 | The Role of Ecological Factors in Distribution and Abundance of Terrestrial Orchids. <i>Reference Series in Phytochemistry</i> , 2020, , 1-71. | 0.2 | 11 |
| 12624 | The Kulunda Steppe as Part of the Eurasian Steppe Belt. <i>Innovations in Landscape Research</i> , 2020, , 7-18. | 0.2 | 1 |
| 12625 | Diversity, Endemism, and Evolutionary History of Montane Biotas Outside the Andean Region. <i>Fascinating Life Sciences</i> , 2020, , 299-328. | 0.5 | 9 |
| 12626 | Remote Sensing of Geodiversity as a Link to Biodiversity. , 2020, , 225-253. | | 4 |
| 12627 | Predicting Patterns of Plant Diversity and Endemism in the Tropics Using Remote Sensing Data: A Study Case from the Brazilian Atlantic Forest. , 2020, , 255-266. | | 2 |
| 12628 | Using Remote Sensing for Modeling and Monitoring Species Distributions. , 2020, , 199-223. | | 5 |
| 12629 | Climate Change Impact at the Genetic Level: Patterns in the Couesi's Rice Rat (<i>Oryzomys couesi</i>). , 2020, , 301-329. | | 2 |
| 12630 | Tree-Growth Variations of <i>Nothofagus antarctica</i> Related to Climate and Land Use Changes in Southern Patagonia, Argentina. , 2020, , 331-354. | | 3 |
| 12631 | Operationalizing Local Ecological Knowledge in Climate Change Research: Challenges and Opportunities of Citizen Science. <i>Ethnobiology</i> , 2020, , 183-197. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12632 | Phylogeography of the Chihuahuan Desert: Diversification and Evolution Over the Pleistocene. Cuatro Ciénegas Basin: an Endangered Hyperdiverse Oasis, 2020, , 19-44. | 0.4 | 10 |
| 12633 | Overview of LifeCLEF 2020: A System-Oriented Evaluation of Automated Species Identification and Species Distribution Prediction. Lecture Notes in Computer Science, 2020, , 342-363. | 1.0 | 16 |
| 12634 | Software as a Service for Supporting Biodiversity Conservation Decision Making. Advances in Intelligent Systems and Computing, 2014, , 41-46. | 0.5 | 1 |
| 12635 | The Cederberg: A Rugged Sandstone Topography. World Geomorphological Landscapes, 2015, , 85-93. | 0.1 | 5 |
| 12636 | The Impact of Climate Change on the Potential Suitable Distribution of Major Crops in Zambia and the Countermeasures. IFIP Advances in Information and Communication Technology, 2015, , 460-472. | 0.5 | 4 |
| 12637 | World Climate Search and Classification Using a Dynamic Time Warping Similarity Function. Advances in Geographic Information Science, 2017, , 181-195. | 0.3 | 4 |
| 12638 | Analytic Comparison of Temperature Lapse Rates and Precipitation Gradients in a Himalayan Treeline Environment: Implications for Statistical Downscaling. , 2016, , 49-64. | | 10 |
| 12639 | Climate Change Impacts on Water Availability and Human Security in the Intercontinental Biosphere Reserve of the Mediterranean (Morocco-Spain). , 2017, , 75-93. | | 2 |
| 12640 | Rangeland Systems in Developing Nations: Conceptual Advances and Societal Implications. Springer Series on Environmental Management, 2017, , 569-641. | 0.3 | 32 |
| 12642 | The Predictive Power of Ecological Niche Modeling for Global Arbuscular Mycorrhizal Fungal Biogeography. Ecological Studies, 2017, , 143-158. | 0.4 | 18 |
| 12643 | Climate Risk Management through Sustainable Land and Water Management in Sub-Saharan Africa. Natural Resource Management and Policy, 2018, , 445-476. | 0.1 | 11 |
| 12644 | Climate Change and Variability in the Mixed Crop/Livestock Production Systems of Central Ethiopian Highland. , 2018, , 1-24. | | 1 |
| 12645 | Climate Change and Variability in the Mixed Crop/Livestock Production Systems of Central Ethiopian Highland. , 2020, , 1169-1192. | | 1 |
| 12646 | Der Klimawandel als Herausforderung für die Forstwirtschaft: Wissenschaftliche Klimamodelle, Unsicherheit und die Suche nach Entscheidungsunterstützungssystemen für die Forstpraxis. , 2013, , 33-52. | | 1 |
| 12647 | Using Random Forests to Provide Predicted Species Distribution Maps as a Metric for Ecological Inventory & Monitoring Programs. Studies in Computational Intelligence, 2008, , 209-229. | 0.7 | 21 |
| 12648 | Is the "Lost World"™ Lost? High Endemism of Amphibians and Reptiles on South American TepuÃs in a Changing Climate. , 2010, , 401-416. | | 5 |
| 12649 | Population Genetics and Ecological Niche Modelling Reveal High Fragmentation and Potential Future Extinction of the Endangered Relict Butterfly <i>Lycaena helle</i> . , 2010, , 417-439. | | 8 |
| 12650 | Supporting Web-Based Visual Exploration of Large-Scale Raster Geospatial Data Using Binned Min-Max Quadtree. Lecture Notes in Computer Science, 2010, , 379-396. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12651 | Much More than Simply "Desertification": Understanding Agricultural Sustainability and Change in the Mediterranean. Springer Earth System Sciences, 2016, , 427-450. | 0.1 | 6 |
| 12652 | Methoden und Methodologie in den Nachhaltigkeitswissenschaften. , 2014, , 115-144. | | 10 |
| 12653 | Addressing Adaptation to Support Disaster Risk Reduction: A Framework for Supply Chain Inclusive Adaptation to Climate Change. Climate Change Management, 2013, , 513-533. | 0.6 | 7 |
| 12654 | Methoden und Methodologie in den Nachhaltigkeitswissenschaften. , 2014, , 115-144. | | 2 |
| 12655 | Biodiversity and Emerging Zoonoses. , 2014, , 27-41. | | 10 |
| 12656 | Phenology Modelling and GIS Applications in Pest Management: A Tool for Studying and Understanding Insect-Pest Dynamics in the Context of Global Climate Change. , 2014, , 107-124. | | 2 |
| 12657 | Non-boreal Forests of Eastern Europe in a Changing World: The Role in the Earth System. NATO Science for Peace and Security Series C: Environmental Security, 2009, , 123-133. | 0.1 | 2 |
| 12658 | Modeling Wind Erosion Events " Bridging the Gap Between Digital Soil Mapping and Digital Soil Risk Assessment. , 2010, , 281-293. | | 1 |
| 12659 | Integrating Geographic Information Systems and Ecological Niche Modeling into Disease Ecology: A Case Study of Bacillus anthracis in the United States and Mexico. NATO Science for Peace and Security Series A: Chemistry and Biology, 2010, , 59-88. | 0.5 | 28 |
| 12660 | Environmental Change and Migration Between Europe and Its Neighbours. Global Migration Issues, 2014, , 49-79. | 0.3 | 4 |
| 12661 | The Vulnerability of Fragile Landscape and Complex Hazards. , 2014, , 67-81. | | 1 |
| 12662 | Habitat Suitability Modelling and Nature-Based Solutions: An Efficient Combination to Realise the Targets of Bonn Challenge and SDGs in South Asia. Disaster Resilience and Green Growth, 2020, , 347-364. | 0.2 | 4 |
| 12663 | Genetic differentiation among Psittacanthus rhynchanthus (Loranthaceae) populations: novel phylogeographic patterns in the Mesoamerican tropical lowlands. Plant Systematics and Evolution, 2020, 306, 1. | 0.3 | 6 |
| 12664 | Converging Climate Sensitivities of European Forests Between Observed Radial Tree Growth and Vegetation Models. Ecosystems, 2018, 21, 410-425. | 1.6 | 32 |
| 12665 | Hotspots and ecoregion vulnerability driven by climate change velocity in Southern South America. Regional Environmental Change, 2020, 20, 1. | 1.4 | 19 |
| 12666 | Floristic distributional patterns in a diverse ecotonal area in South America. Plant Ecology, 2017, 218, 1171-1186. | 0.7 | 13 |
| 12667 | Sky island diversification in the Merodon rufus group (Diptera, Syrphidae)"recent vicariance in south-east Europe. Organisms Diversity and Evolution, 2020, 20, 345-368. | 0.7 | 8 |
| 12668 | OBSOLETE: Climate Change May Trigger Broad Shifts in North America's Pacific Coastal Rainforests. , 2018, , . | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12669 | Mapping the transmission risk of Zika virus using machine learning models. <i>Acta Tropica</i> , 2018, 185, 391-399. | 0.9 | 45 |
| 12670 | Current and projected eco-geographic adaptation and phenotypic diversity of Ethiopian teff (<i>Eragrostis teff</i>) across its cultivation range. <i>Agriculture, Ecosystems and Environment</i> , 2020, 300, 107020. | 2.5 | 18 |
| 12671 | Specific leaf area is a potential indicator of tree species sensitive to future climate change in the mixed Subtropical Forests of southern Brazil. <i>Ecological Indicators</i> , 2020, 116, 106477. | 2.6 | 6 |
| 12672 | Fire, drought and productivity as drivers of dead wood biomass in eucalypt forests of south-eastern Australia. <i>Forest Ecology and Management</i> , 2021, 482, 118859. | 1.4 | 14 |
| 12673 | Do climate and land use affect the pool of total silicon concentration? A digital soil mapping approach of French topsoils. <i>Geoderma</i> , 2020, 364, 114175. | 2.3 | 10 |
| 12674 | Potential distribution of an epiphytic bryophyte depends on climate and forest continuity. <i>Global and Planetary Change</i> , 2020, 193, 103270. | 1.6 | 15 |
| 12675 | Ecophysiology of a lacertid community in the high Moroccan mountains suggests conservation guidelines. <i>Journal of Thermal Biology</i> , 2020, 94, 102743. | 1.1 | 4 |
| 12676 | Impacts of mining activities on the potential geographic distribution of eastern Brazil mountaintop endemic species. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 172-178. | 1.0 | 33 |
| 12677 | Beyond endemism, expanding conservation efforts: What can new distribution records reveal?. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2020, 45, 125543. | 1.1 | 12 |
| 12678 | Surveillance of porcine reproductive and respiratory syndrome virus in the United States using risk mapping and species distribution modeling. <i>Preventive Veterinary Medicine</i> , 2018, 150, 135-142. | 0.7 | 19 |
| 12681 | An Overview of the Structure and Use of HMSC. , 2020, , 39-50. | | 1 |
| 12682 | Bayesian Inference in HMSC. , 2020, , 184-216. | | 2 |
| 12686 | When one wife is enough: A cross-cultural study of the determinants of monogamy.. <i>Journal of Social, Evolutionary & Cultural Psychology: JSEC</i> , 2013, 7, 211-238. | 0.5 | 9 |
| 12687 | Isotope evidence for agricultural extensification reveals how the world's first cities were fed. <i>Nature Plants</i> , 2017, 3, 17076. | 4.7 | 139 |
| 12688 | Evolutionary history and postglacial colonization of an Asian pit viper (<i>Gloydius halys caucasicus</i>) into Transcaucasia revealed by phylogenetic and phylogeographic analyses. <i>Scientific Reports</i> , 2019, 9, 1224. | 1.6 | 17 |
| 12689 | Ecological drivers of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> detection in mongoose (<i>Herpestes ichneumon</i>) using IS900 as proxy. <i>Scientific Reports</i> , 2020, 10, 860. | 1.6 | 11 |
| 12690 | Spatial and temporal patterns of Lyme Neuroborreliosis on Funen, Denmark from 1995â€“2014. <i>Scientific Reports</i> , 2020, 10, 7796. | 1.6 | 10 |
| 12691 | Skin microbiome correlates with bioclimate and <i>Batrachochytrium dendrobatidis</i> infection intensity in Brazilâ€™s Atlantic Forest treefrogs. <i>Scientific Reports</i> , 2020, 10, 22311. | 1.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12692 | A global dataset of plant available and unavailable phosphorus in natural soils derived by Hedley method. <i>Scientific Data</i> , 2018, 5, 180166. | 2.4 | 59 |
| 12693 | A global dataset of air temperature derived from satellite remote sensing and weather stations. <i>Scientific Data</i> , 2018, 5, 180246. | 2.4 | 99 |
| 12694 | PaleoClim, high spatial resolution paleoclimate surfaces for global land areas. <i>Scientific Data</i> , 2018, 5, 180254. | 2.4 | 265 |
| 12695 | Circumpolar permafrost maps and geohazard indices for near-future infrastructure risk assessments. <i>Scientific Data</i> , 2019, 6, 190037. | 2.4 | 51 |
| 12696 | Resistance to clover scorch disease (<i>Kabatiella caulivora</i>) among accessions of purple clover (<i>Trifolium purpureum</i>) and its relationship to the eco-geography of collection sites. <i>Crop and Pasture Science</i> , 2010, 61, 44. | 0.7 | 5 |
| 12697 | Predictive characterisation identifies global sources of acyanogenic germplasm of a key forage species. <i>Crop and Pasture Science</i> , 2019, 70, 546. | 0.7 | 5 |
| 12698 | Current and potential future distributions of Hass avocados in the face of climate change across the Americas. <i>Crop and Pasture Science</i> , 2019, 70, 694. | 0.7 | 16 |
| 12699 | The use of Australian bioregions as spatial units of analysis to explore relationships between climate and songbird diversity. <i>Pacific Conservation Biology</i> , 2011, 17, 354. | 0.5 | 8 |
| 12700 | EcoFire: regional-scale prescribed burning increases the annual carrying capacity of livestock on pastoral properties by reducing pasture loss from wildfire. <i>Rangeland Journal</i> , 2014, 36, 133. | 0.4 | 13 |
| 12701 | Habitat suitability and connectivity for an endangered brown bear population in the Iranian Caucasus. <i>Wildlife Research</i> , 2018, 45, 602. | 0.7 | 13 |
| 12702 | Global tree-ring analysis reveals rapid decrease in tropical tree longevity with temperature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 33358-33364. | 3.3 | 46 |
| 12703 | A new potentially Endangered species of <i>Megophrys</i> (Amphibia: Megophryidae) from Mount Ky Quan San, north-west Vietnam. <i>Journal of Natural History</i> , 2020, 54, 2543-2575. | 0.2 | 9 |
| 12704 | Understanding the distribution of cattle production systems in the South American Chaco. <i>Journal of Land Use Science</i> , 2020, 15, 52-68. | 1.0 | 23 |
| 12705 | Chorological and taxonomic notes on African plants, 2. <i>Botany Letters</i> , 2017, 164, 135-153. | 0.7 | 16 |
| 12706 | Freeing land from biofuel production through microalgal cultivation in the Neotropical region. <i>Environmental Research Letters</i> , 2020, 15, 094094. | 2.2 | 18 |
| 12707 | Intersecting vulnerabilities: climatic and demographic contributions to future population exposure to Aedes-borne viruses in the United States. <i>Environmental Research Letters</i> , 2020, 15, 084046. | 2.2 | 9 |
| 12708 | Soil physico-chemical properties are critical for predicting carbon storage and nutrient availability across Australia. <i>Environmental Research Letters</i> , 2020, 15, 094088. | 2.2 | 22 |
| 12709 | High potential for loss of permafrost landforms in a changing climate. <i>Environmental Research Letters</i> , 2020, 15, 104065. | 2.2 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12710 | Contributions of ecological programs to vegetation restoration in arid and semiarid China. <i>Environmental Research Letters</i> , 2020, 15, 114046. | 2.2 | 47 |
| 12711 | Evaluating the effect of data-richness and model complexity in the prediction of coastal sediment loading in Solomon Islands. <i>Environmental Research Letters</i> , 2020, 15, 124044. | 2.2 | 5 |
| 12712 | Plant ecophysiological diversity. , 2014, , 248-272. | | 29 |
| 12713 | Trait divergence, not plasticity, determines the success of a newly invasive plant. <i>Annals of Botany</i> , 2019, 123, 667-679. | 1.4 | 13 |
| 12714 | Population differentiation and phylogeography in <i>Lycianthes moziniana</i> (Solanaceae: Capsiceae), a perennial herb endemic to the Mexican Transition Zone. <i>Biological Journal of the Linnean Society</i> , 2021, 132, 359-373. | 0.7 | 10 |
| 12715 | Climate drives differences in the germination niche of a globally distributed invasive grass. <i>Journal of Plant Ecology</i> , 2020, 13, 195-203. | 1.2 | 9 |
| 12809 | Phylogenetic relatedness mediates persistence and density of soil seed banks. <i>Journal of Ecology</i> , 2020, 108, 2121-2131. | 1.9 | 37 |
| 12810 | Fine-scale spatial distribution of <i>murundus</i> structures in the semi-arid region of Brazil. <i>Austral Ecology</i> , 2018, 43, 268-279. | 0.7 | 8 |
| 12811 | Higher genetic diversity is associated with stable water refugia for a gecko with a wide distribution in arid Australia. <i>Diversity and Distributions</i> , 2013, 19, 1072-1083. | 1.9 | 10 |
| 12812 | Spatially explicit species distribution models: A missed opportunity in conservation planning?. <i>Diversity and Distributions</i> , 2019, 25, 758-769. | 1.9 | 39 |
| 12813 | Spatial modelling of temporal dynamics in stream fish communities under anthropogenic change. <i>Diversity and Distributions</i> , 2021, 27, 313-326. | 1.9 | 5 |
| 12814 | Predictor complexity and feature selection affect Maxent model transferability: Evidence from global freshwater invasive species. <i>Diversity and Distributions</i> , 2021, 27, 497-511. | 1.9 | 55 |
| 12816 | Effects of evolutionary time, speciation rates and local abiotic conditions on the origin and maintenance of amphibian montane diversity. <i>Global Ecology and Biogeography</i> , 2021, 30, 674-684. | 2.7 | 14 |
| 12817 | A comparison of methods for mapping species ranges and species richness. <i>Global Ecology and Biogeography</i> , 2006, . | 2.7 | 37 |
| 12818 | Determinants of species richness, endemism and turnover in European longhorn beetles. <i>Ecography</i> , 2008, . | 2.1 | 1 |
| 12819 | Colonization history of the Canary Islands endemic <i>Lavatera acerifolia</i> , (Malvaceae) unveiled with genotyping-by-sequencing data and niche modelling. <i>Journal of Biogeography</i> , 2020, 47, 993-1005. | 1.4 | 8 |
| 12820 | Ecological divergence and speciation between lemur (<i>Eulemur</i>) sister species in Madagascar. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1790-1801. | 0.8 | 60 |
| 12821 | Copse snail <i>Arianta arbustorum</i> (Linnaeus, 1758) (Gastropoda: Helicidae) in the Baltic Sea region: Invasion or range extension? Insights from phylogeographic analysis and climate niche modeling. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 221-229. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12822 | Long-term trends in restoration and associated land treatments in the southwestern United States. <i>Restoration Ecology</i> , 2018, 26, 311-322. | 1.4 | 49 |
| 12823 | Estimating distribution changes of ten coastal plant species on the Korean Peninsula. <i>Korean Journal of Plant Taxonomy</i> , 2020, 50, 154-165. | 0.3 | 3 |
| 12824 | Atmospheric circulation over Europe during the Younger Dryas. <i>Science Advances</i> , 2020, 6, . | 4.7 | 55 |
| 12825 | The effects of climate change and eutrophication on cisco <i>Coregonus artedii</i> abundance in Minnesota lakes. <i>Advances in Limnology</i> , 2012, 63, 417-427. | 0.4 | 45 |
| 12826 | MaxEnt Modeling for Predicting Suitable Habitats in the North Caucasus (Russian Part) for Persian Leopard (<i>P. p. ciscaucasica</i>) Based on GPS Data from Collared and Released Animals. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2020, 56, 1090-1106. | 0.2 | 3 |
| 12827 | Diversity of parasitoid and parasitic wasps across a latitudinal gradient: Using public DNA records to work within a taxonomic impediment. <i>Facets</i> , 2017, 2, 937-954. | 1.1 | 10 |
| 12828 | Modeling spatial and temporal variation of drought in rice production. , 2009, , 19-31. | | 9 |
| 12829 | Species Favourability Shift in Europe due to Climate Change: A Case Study for <i>Fagus sylvatica</i> L. and <i>Picea abies</i> (L.) Karst. Based on an Ensemble of Climate Models. <i>Journal of Climatology</i> , 2013, 2013, 1-18. | 0.7 | 48 |
| 12831 | New regional record and notes on historical specimens of <i>Antheris</i> Toad <i>Duttaphrynus hololius</i> with comments on other southeastern Indian congeners. <i>Journal of Threatened Taxa</i> , 2013, 5, 4784-4790. | 0.1 | 6 |
| 12832 | Using environmental niche modeling to find suitable habitats for the Hard-ground Barasingha in Madhya Pradesh, India. <i>Journal of Threatened Taxa</i> , 2015, 7, 7761-7769. | 0.1 | 3 |
| 12833 | Sexual dimorphism in the Kudremukh Bush Frog (<i>Anura</i> : <i>Rhacophoridae</i> : <i>Raorchestes tuberochumerus</i>) of the Western Ghats, India, with a note on its distribution and conservation status. <i>Journal of Threatened Taxa</i> , 2015, 7, 7211-7222. | 0.1 | 5 |
| 12834 | Potential Changes in the Distribution of Seven Agricultural Indicator Plant Species in Response to Climate Change at Agroecosystem in South Korea.. <i>Korean Journal of Ecology and Environment</i> , 2018, 51, 221-233. | 0.3 | 6 |
| 12835 | Genetic diversity hotspots and refugia identified by mapping multi-plant species haplotype diversity in China. <i>Israel Journal of Plant Sciences</i> , 2019, 66, 136-151. | 0.3 | 22 |
| 12836 | Bryophyte diversity on tree trunks in montane forests of Central Sulawesi, Indonesia . <i>Bryophyte Diversity and Evolution</i> , 2015, 31, 95. | 1.0 | 20 |
| 12837 | Specific limits and emerging diversity patterns in East African populations of laminate-toothed rats, genus <i>Otomys</i> (<i>Muridae</i> : <i>Murinae</i> : <i>Otomys</i>): Revision of the <i>Otomys typus</i> complex. <i>Zootaxa</i> , 2011, 3024, 1. | 0.2 | 38 |
| 12838 | Validation of Satellite-Based PERSIANN Rainfall Estimates Using Surface-Based APHRODITE Data over Iran. <i>Earth Sciences</i> , 2015, 4, 150. | 0.1 | 6 |
| 12839 | Reducing the Statistical Distribution Error in Gridded Precipitation Data for the Tibetan Plateau. <i>Journal of Hydrometeorology</i> , 2020, 21, 2641-2654. | 0.7 | 11 |
| 12840 | Low-cost electronic sensors for environmental research: Pitfalls and opportunities. <i>Progress in Physical Geography</i> , 2021, 45, 305-338. | 1.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12841 | Buxus sempervirens and Laurus nobilis leaves from an archaeological site at 7300 cal BP (La Draga,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 570-578. | 0.9 | 1 |
| 12843 | Genome Wide Association Study Pinpoints Key Agronomic QTLs in African Rice <i>Oryza glaberrima</i> . <i>Rice</i> , 2020, 13, 66. | 1.7 | 16 |
| 12844 | Mapping current and potential future distributions of the oak tree (<i>Quercus aegilops</i>) in the Kurdistan Region, Iraq. <i>Ecological Processes</i> , 2020, 9, . | 1.6 | 28 |
| 12846 | Staying alive on an active volcano: 80% years population dynamics of <i>Cytisus aeolicus</i> (Fabaceae) from Stromboli (Aeolian Islands, Italy). <i>Ecological Processes</i> , 2020, 9, . | 1.6 | 6 |
| 12847 | A rapid method for evaluating the variables affecting traffic flow in a touristic road, Iran. <i>Environmental Systems Research</i> , 2019, 8, . | 1.5 | 2 |
| 12848 | Factors affecting severe weather threat index in urban areas of Turkey and Iran. <i>Environmental Systems Research</i> , 2020, 9, . | 1.5 | 7 |
| 12849 | Integration of remote sensing and bioclimatic data for prediction of invasive species distribution in data-poor regions: a review on challenges and opportunities. <i>Environmental Systems Research</i> , 2020, 9, . | 1.5 | 10 |
| 12850 | More endemic birds occur in regions with stable climate, more plant species and high altitudinal range in China. <i>Avian Research</i> , 2020, 11, . | 0.5 | 9 |
| 12851 | Regeneration patterns in Mexican pine-oak forests. <i>Forest Ecosystems</i> , 2019, 6, . | 1.3 | 14 |
| 12852 | Carbon content and stocks in the O-horizons of French forest soils. , 2014, , 91-97. | | 2 |
| 12853 | Climate change-induced species distribution modeling in hyper-arid ecosystems. <i>F1000Research</i> , 0, 8, 978. | 0.8 | 4 |
| 12854 | Priority regions for research on dryland cereals and legumes. <i>F1000Research</i> , 2016, 5, 885. | 0.8 | 7 |
| 12855 | Estimating the number of cases of podoconiosis in Ethiopia using geostatistical methods. <i>Wellcome Open Research</i> , 0, 2, 78. | 0.9 | 8 |
| 12856 | Estimating the number of cases of podoconiosis in Ethiopia using geostatistical methods. <i>Wellcome Open Research</i> , 2017, 2, 78. | 0.9 | 36 |
| 12857 | Termite Communities in Sugarcane Plantations in Southeastern Brazil: an Ecological Approach. <i>EntomoBrasilis</i> , 2015, 8, 105-116. | 0.2 | 3 |
| 12858 | Modeling of the current and future potential distribution of Atlas cedar (<i>Cedrus atlantica</i>) forests revealed shifts in the latitudinal, longitudinal and altitudinal range towards more humid conditions. <i>Ecological Questions</i> , 2020, 31, 49. | 0.1 | 5 |
| 12860 | Pollinator Deficits, Food Consumption, and Consequences for Human Health: A Modeling Study. <i>Environmental Health Perspectives</i> , 2022, 130, . | 2.8 | 16 |
| 12861 | Can the Adoption of Organic Farming Be Predicted by Biogeographic Factors? A French Case Study. <i>Organic Farming</i> , 2016, 2, 23-27. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12862 | Modelación de la distribución potencial y el efecto del cambio de uso de suelo en la conservación de los ungulados silvestres del Bajo Balsas, México. <i>Therya</i> , 2012, 3, 67-79. | 0.2 | 9 |
| 12863 | Distribución potencial de los ungulados silvestres en la Reserva de Biosfera de Tehuacán-Cuicatlán, México. <i>Therya</i> , 2012, 3, 333-348. | 0.2 | 10 |
| 12864 | Distribución potencial de la rata magueyera (<i>Neotoma leucodon</i> Merriam 1984) y densidad de madrigueras en el sur del desierto chihuahuense. <i>Therya</i> , 2015, 6, 421-434. | 0.2 | 2 |
| 12865 | Distribución potencial del tapir centroamericano en la península de Yucatán. <i>Therya</i> , 2015, 6, 575-596. | 0.2 | 4 |
| 12866 | Potential distribution of the ocelot (<i>Leopardus pardalis</i>) in Northeastern Mexico. <i>Therya</i> , 2015, 6, 545-558. | 0.2 | 8 |
| 12867 | Conservation biogeography in the Mexican Mountain Component: bridging conservation and patterns of endemism. <i>Therya</i> , 2016, 7, 215-229. | 0.2 | 7 |
| 12868 | Effect of Climate Change on the Distribution of a Critically Threatened Specie. <i>Therya</i> , 2016, 7, 147-159. | 0.2 | 12 |
| 12869 | Potential distribution of margay (<i>Leopardus wiedii</i> , Schinz, 1821) in Northeastern Mexico. <i>Therya</i> , 2016, 7, 241-255. | 0.2 | 3 |
| 12870 | Estimating the potential distribution and conservation priorities of <i>Chironectes minimus</i> (Zimmermann, 1780) (Didelphimorphia: Didelphidae). <i>Therya</i> , 2017, 8, 131-144. | 0.2 | 19 |
| 12872 | Population assessment and species distribution modeling of <i>Paris polyphylla</i> in Sikkim Himalaya, India. <i>Biodiversitas</i> , 2019, 20, . | 0.2 | 8 |
| 12873 | Potential habitat suitability of Iraqi amphibians under climate change. <i>Biodiversitas</i> , 2020, 21, . | 0.2 | 7 |
| 12874 | Increasing accuracy: The advantage of using open access species occurrence database in the Red List assessment. <i>Biodiversitas</i> , 2020, 21, . | 0.2 | 4 |
| 12875 | Establishment of Priority Forest Areas Based on Hydrological Ecosystem Services in Northern Vietnam. <i>Journal of the Korea Society of Environmental Restoration Technology</i> , 2014, 17, 29-41. | 0.1 | 6 |
| 12876 | Diversity, Endemism, Species Turnover and Relationships among Avifauna of Neotropical Seasonally Dry Forests. <i>Ardeola</i> , 2019, 66, 257. | 0.4 | 24 |
| 12877 | Modelling the Impacts of Climate Change on Agro-Ecological Zones – a Case Study of Taita Hills, Kenya. <i>Universal Journal of Geoscience</i> , 2014, 2, 172-179. | 0.7 | 5 |
| 12878 | Selection and hybridization shaped the rapid spread of African honey bee ancestry in the Americas. <i>PLoS Genetics</i> , 2020, 16, e1009038. | 1.5 | 42 |
| 12879 | <i>Bacillus anthracis</i> Diversity and Geographic Potential across Nigeria, Cameroon and Chad: Further Support of a Novel West African Lineage. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003931. | 1.3 | 26 |
| 12880 | Mapping and Modelling the Geographical Distribution and Environmental Limits of Podoconiosis in Ethiopia. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003946. | 1.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12881 | Earth Observation, Spatial Data Quality, and Neglected Tropical Diseases. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004164. | 1.3 | 35 |
| 12882 | Socio-economic and Climate Factors Associated with Dengue Fever Spatial Heterogeneity: A Worked Example in New Caledonia. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004211. | 1.3 | 79 |
| 12883 | Assessment of the Geographic Distribution of <i>Ornithodoros turicata</i> (Argasidae): Climate Variation and Host Diversity. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004383. | 1.3 | 61 |
| 12884 | Epidemic and Non-Epidemic Hot Spots of Malaria Transmission Occur in Indigenous Comarcas of Panama. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004718. | 1.3 | 20 |
| 12885 | An Ecological Assessment of the Pandemic Threat of Zika Virus. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004968. | 1.3 | 101 |
| 12886 | Spatial Heterogeneity of Habitat Suitability for Rift Valley Fever Occurrence in Tanzania: An Ecological Niche Modelling Approach. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005002. | 1.3 | 15 |
| 12887 | The Sero-epidemiology of <i>Coxiella burnetii</i> in Humans and Cattle, Western Kenya: Evidence from a Cross-Sectional Study. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005032. | 1.3 | 68 |
| 12888 | An environmental assessment and risk map of <i>Ascaris lumbricoides</i> and <i>Necator americanus</i> distributions in Manufahi District, Timor-Leste. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005565. | 1.3 | 25 |
| 12889 | Increasing airline travel may facilitate co-circulation of multiple dengue virus serotypes in Asia. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005694. | 1.3 | 86 |
| 12890 | Temperature modulates dengue virus epidemic growth rates through its effects on reproduction numbers and generation intervals. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005797. | 1.3 | 73 |
| 12891 | Spatiotemporal and molecular epidemiology of cutaneous leishmaniasis in Libya. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005873. | 1.3 | 16 |
| 12892 | Geographic patterns and environmental factors associated with human yellow fever presence in the Americas. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005897. | 1.3 | 64 |
| 12893 | Impact of environmental factors on neglected emerging arboviral diseases. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005959. | 1.3 | 53 |
| 12894 | <i>Schistosoma japonicum</i> transmission risk maps at present and under climate change in mainland China. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0006021. | 1.3 | 32 |
| 12895 | Mapping the geographical distribution of podoconiosis in Cameroon using parasitological, serological, and clinical evidence to exclude other causes of lymphedema. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006126. | 1.3 | 40 |
| 12896 | Malaria in Africa: Vector Species' Niche Models and Relative Risk Maps. <i>PLoS ONE</i> , 2007, 2, e824. | 1.1 | 129 |
| 12897 | Reserves Protect against Deforestation Fires in the Amazon. <i>PLoS ONE</i> , 2009, 4, e5014. | 1.1 | 118 |
| 12898 | Global Pyrogeography: the Current and Future Distribution of Wildfire. <i>PLoS ONE</i> , 2009, 4, e5102. | 1.1 | 710 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12899 | Ecological Niche Models and Coalescent Analysis of Gene Flow Support Recent Allopatric Isolation of Parasitoid Wasp Populations in the Mediterranean. PLoS ONE, 2009, 4, e5901. | 1.1 | 19 |
| 12900 | Aquaculture Enclosures Relate to the Establishment of Feral Populations of Introduced Species. PLoS ONE, 2009, 4, e6199. | 1.1 | 40 |
| 12901 | The Effects of Governmental Protected Areas and Social Initiatives for Land Protection on the Conservation of Mexican Amphibians. PLoS ONE, 2009, 4, e6878. | 1.1 | 57 |
| 12902 | Alien Invasive Slider Turtle in Unpredicted Habitat: A Matter of Niche Shift or of Predictors Studied?. PLoS ONE, 2009, 4, e7843. | 1.1 | 158 |
| 12903 | Is the Spatial Distribution of Mankind's Most Basic Economic Traits Determined by Climate and Soil Alone?. PLoS ONE, 2010, 5, e10416. | 1.1 | 32 |
| 12904 | The Climatic Niche Diversity of Malagasy Primates: A Phylogenetic Perspective. PLoS ONE, 2010, 5, e11073. | 1.1 | 73 |
| 12905 | Challenges in Identifying Sites Climatically Matched to the Native Ranges of Animal Invaders. PLoS ONE, 2011, 6, e14670. | 1.1 | 118 |
| 12906 | Conclusions about Niche Expansion in Introduced <i>Impatiens walleriana</i> Populations Depend on Method of Analysis. PLoS ONE, 2010, 5, e15297. | 1.1 | 64 |
| 12907 | Genetic Population Structure of Cacao Plantings within a Young Production Area in Nicaragua. PLoS ONE, 2011, 6, e16056. | 1.1 | 21 |
| 12908 | Prevailing Negative Soil Biota Effect and No Evidence for Local Adaptation in a Widespread Eurasian Grass. PLoS ONE, 2011, 6, e17580. | 1.1 | 14 |
| 12909 | How Close Do We Live to Water? A Global Analysis of Population Distance to Freshwater Bodies. PLoS ONE, 2011, 6, e20578. | 1.1 | 232 |
| 12910 | <i>Plasmodium falciparum</i> Malaria Endemicity in Indonesia in 2010. PLoS ONE, 2011, 6, e21315. | 1.1 | 51 |
| 12911 | Species Interactions during Diversification and Community Assembly in an Island Radiation of Shrews. PLoS ONE, 2011, 6, e21885. | 1.1 | 29 |
| 12912 | Species Delimitation in the Continental Forms of the Genus <i>Epicrates</i> (Serpentes, Boidae) Integrating Phylogenetics and Environmental Niche Models. PLoS ONE, 2011, 6, e22199. | 1.1 | 23 |
| 12913 | Multiscale Analyses of Mammal Species Composition – Environment Relationship in the Contiguous USA. PLoS ONE, 2011, 6, e25440. | 1.1 | 12 |
| 12914 | The Predictability of Phytophagous Insect Communities: Host Specialists as Habitat Specialists. PLoS ONE, 2011, 6, e25986. | 1.1 | 23 |
| 12915 | Testing the Water – Energy Theory on American Palms (Arecaceae) Using Geographically Weighted Regression. PLoS ONE, 2011, 6, e27027. | 1.1 | 34 |
| 12916 | Intraspecific Variation in <i>Pinus pinaster</i> PSII Photochemical Efficiency in Response to Winter Stress and Freezing Temperatures. PLoS ONE, 2011, 6, e28772. | 1.1 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12917 | Profound Climatic Effects on Two East Asian Black-Throated Tits (Ave: Aegithalidae), Revealed by Ecological Niche Models and Phylogeographic Analysis. PLoS ONE, 2011, 6, e29329. | 1.1 | 47 |
| 12918 | Large-Scale Model-Based Assessment of Deer-Vehicle Collision Risk. PLoS ONE, 2012, 7, e29510. | 1.1 | 52 |
| 12919 | Mapping Genetic Diversity of Cherimoya (<i>Annona cherimola</i> Mill.): Application of Spatial Analysis for Conservation and Use of Plant Genetic Resources. PLoS ONE, 2012, 7, e29845. | 1.1 | 105 |
| 12920 | Potential Geographic Distribution of Brown Marmorated Stink Bug Invasion (<i>Halyomorpha halys</i>). PLoS ONE, 2012, 7, e31246. | 1.1 | 150 |
| 12921 | Predicting the Current and Future Potential Distributions of Lymphatic Filariasis in Africa Using Maximum Entropy Ecological Niche Modelling. PLoS ONE, 2012, 7, e32202. | 1.1 | 109 |
| 12922 | Do Stacked Species Distribution Models Reflect Altitudinal Diversity Patterns?. PLoS ONE, 2012, 7, e32586. | 1.1 | 72 |
| 12923 | Occurrence Patterns of Afrotropical Ticks (Acari: Ixodidae) in the Climate Space Are Not Correlated with Their Taxonomic Relationships. PLoS ONE, 2012, 7, e36976. | 1.1 | 7 |
| 12924 | Alpine Crossroads or Origin of Genetic Diversity? Comparative Phylogeography of Two Sympatric Microgastropod Species. PLoS ONE, 2012, 7, e37089. | 1.1 | 17 |
| 12925 | Low Specificity of Determine HIV1/2 RDT Using Whole Blood in South West Tanzania. PLoS ONE, 2012, 7, e39529. | 1.1 | 28 |
| 12926 | Where Are All the Fish: Potential of Biogeographical Maps to Project Current and Future Distribution Patterns of Freshwater Species. PLoS ONE, 2012, 7, e40530. | 1.1 | 42 |
| 12927 | Legume Diversity Patterns in West Central Africa: Influence of Species Biology on Distribution Models. PLoS ONE, 2012, 7, e41526. | 1.1 | 23 |
| 12928 | Present and Potential Future Distribution of Common Vampire Bats in the Americas and the Associated Risk to Cattle. PLoS ONE, 2012, 7, e42466. | 1.1 | 87 |
| 12929 | Environmental Heterogeneity Explains the Genetic Structure of Continental and Mediterranean Populations of <i>Fraxinus angustifolia</i> Vahl. PLoS ONE, 2012, 7, e42764. | 1.1 | 58 |
| 12930 | Phylogenetic Patterns of Extinction Risk in the Eastern Arc Ecosystems, an African Biodiversity Hotspot. PLoS ONE, 2012, 7, e47082. | 1.1 | 33 |
| 12931 | Phylogeography of <i>Quercus variabilis</i> Based on Chloroplast DNA Sequence in East Asia: Multiple Glacial Refugia and Mainland-Migrated Island Populations. PLoS ONE, 2012, 7, e47268. | 1.1 | 112 |
| 12932 | Inferences from the Historical Distribution of Wild and Domesticated Maize Provide Ecological and Evolutionary Insight. PLoS ONE, 2012, 7, e47659. | 1.1 | 79 |
| 12933 | The Impact of Climate Change on Indigenous Arabica Coffee (<i>Coffea arabica</i>): Predicting Future Trends and Identifying Priorities. PLoS ONE, 2012, 7, e47981. | 1.1 | 279 |
| 12934 | Predictive Modeling and Mapping of Malayan Sun Bear (<i>Helarctos malayanus</i>) Distribution Using Maximum Entropy. PLoS ONE, 2012, 7, e48104. | 1.1 | 98 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12935 | Is Gene Flow Promoting the Reversal of Pleistocene Divergence in the Mountain Chickadee (<i>Poecile</i>)? <i>Trends in Ecology and Evolution</i> , 2012, 27, e12935. | 9.1 | 12 |
| 12936 | Dealing with Noisy Absences to Optimize Species Distribution Models: An Iterative Ensemble Modelling Approach. <i>PLoS ONE</i> , 2012, 7, e49508. | 1.1 | 14 |
| 12937 | Leaf Shape Responds to Temperature but Not CO ₂ in <i>Acer rubrum</i> . <i>PLoS ONE</i> , 2012, 7, e49559. | 1.1 | 27 |
| 12938 | Coupling Genetic and Species Distribution Models to Examine the Response of the Hainan Partridge (<i>Arborophila ardens</i>) to Late Quaternary Climate. <i>PLoS ONE</i> , 2012, 7, e50286. | 1.1 | 13 |
| 12939 | Significant Mean and Extreme Climate Sensitivity of Norway Spruce and Silver Fir at Mid-Elevation Mesic Sites in the Alps. <i>PLoS ONE</i> , 2012, 7, e50755. | 1.1 | 35 |
| 12940 | Patterns of Diversity, Areas of Endemism, and Multiple Glacial Refuges for Freshwater Crabs of the Genus <i>Sinopotamon</i> in China (Decapoda: Brachyura: Potamidae). <i>PLoS ONE</i> , 2013, 8, e53143. | 1.1 | 19 |
| 12941 | Bats of a Gender Flock Together: Sexual Segregation in a Subtropical Bat. <i>PLoS ONE</i> , 2013, 8, e54987. | 1.1 | 33 |
| 12942 | West Africa - A Safe Haven for Frogs? A Sub-Continental Assessment of the Chytrid Fungus (<i>Batrachochytrium dendrobatidis</i>). <i>PLoS ONE</i> , 2013, 8, e56236. | 1.1 | 24 |
| 12943 | Estimating Air Temperature and Its Influence on Malaria Transmission across Africa. <i>PLoS ONE</i> , 2013, 8, e56487. | 1.1 | 50 |
| 12944 | Malaria Control and the Intensity of <i>Plasmodium falciparum</i> Transmission in Namibia 1969–1992. <i>PLoS ONE</i> , 2013, 8, e63350. | 1.1 | 18 |
| 12945 | Developing a Vulnerability Mapping Methodology: Applying the Water-Associated Disease Index to Dengue in Malaysia. <i>PLoS ONE</i> , 2013, 8, e63584. | 1.1 | 61 |
| 12946 | Diverging Responses of Tropical Andean Biomes under Future Climate Conditions. <i>PLoS ONE</i> , 2013, 8, e63634. | 1.1 | 126 |
| 12947 | Uncertainties in Predicting Species Distributions under Climate Change: A Case Study Using <i>Tetranychus evansi</i> (Acari: Tetranychidae), a Widespread Agricultural Pest. <i>PLoS ONE</i> , 2013, 8, e66445. | 1.1 | 38 |
| 12948 | Species Richness Patterns and Water-Energy Dynamics in the Drylands of Northwest China. <i>PLoS ONE</i> , 2013, 8, e66450. | 1.1 | 51 |
| 12949 | The Use of Climatic Niches in Screening Procedures for Introduced Species to Evaluate Risk of Spread: A Case with the American Eastern Grey Squirrel. <i>PLoS ONE</i> , 2013, 8, e66559. | 1.1 | 48 |
| 12950 | Invasion Success in a Marginal Habitat: An Experimental Test of Competitive Ability and Drought Tolerance in <i>Chromolaena odorata</i> . <i>PLoS ONE</i> , 2013, 8, e68274. | 1.1 | 31 |
| 12951 | Species Delimitation and Morphological Divergence in the Scorpion <i>Centruroides vittatus</i> (Say, 1821): Insights from Phylogeography. <i>PLoS ONE</i> , 2013, 8, e68282. | 1.1 | 14 |
| 12952 | Mapping, Bayesian Geostatistical Analysis and Spatial Prediction of Lymphatic Filariasis Prevalence in Africa. <i>PLoS ONE</i> , 2013, 8, e71574. | 1.1 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12953 | Trait Associations across Evolutionary Time within a <i>Drosophila</i> Phylogeny: Correlated Selection or Genetic Constraint?. PLoS ONE, 2013, 8, e72072. | 1.1 | 14 |
| 12954 | Ecological Niche Modeling of <i>Bacillus anthracis</i> on Three Continents: Evidence for Genetic-Ecological Divergence?. PLoS ONE, 2013, 8, e72451. | 1.1 | 52 |
| 12955 | Evolutionary History of the Grey-Faced Sengi, <i>Rhynchocyon udzungwensis</i> , from Tanzania: A Molecular and Species Distribution Modelling Approach. PLoS ONE, 2013, 8, e72506. | 1.1 | 7 |
| 12956 | Glacial History Affected Phenotypic Differentiation in the Alpine Plant, <i>Campanula thyrsoides</i> . PLoS ONE, 2013, 8, e73854. | 1.1 | 10 |
| 12957 | From Continental Priorities to Local Conservation: A Multi-Level Analysis for African Tortoises. PLoS ONE, 2013, 8, e77093. | 1.1 | 8 |
| 12958 | Regional Differences in Seasonal Timing of Rainfall Discriminate between Genetically Distinct East African Giraffe Taxa. PLoS ONE, 2013, 8, e77191. | 1.1 | 24 |
| 12959 | Climate-Induced Range Shifts and Possible Hybridisation Consequences in Insects. PLoS ONE, 2013, 8, e80531. | 1.1 | 36 |
| 12960 | Do Ecological Niche Model Predictions Reflect the Adaptive Landscape of Species?: A Test Using <i>Myristica malabarica</i> Lam., an Endemic Tree in the Western Ghats, India. PLoS ONE, 2013, 8, e82066. | 1.1 | 41 |
| 12961 | Rapid Characterisation of Vegetation Structure to Predict Refugia and Climate Change Impacts across a Global Biodiversity Hotspot. PLoS ONE, 2014, 9, e82778. | 1.1 | 56 |
| 12962 | The Ecological and Geographic Context of Morphological and Genetic Divergence in an Understorey-Dwelling Bird. PLoS ONE, 2014, 9, e85903. | 1.1 | 12 |
| 12963 | Genetic Diversity and Ecological Niche Modelling of Wild Barley: Refugia, Large-Scale Post-LGM Range Expansion and Limited Mid-Future Climate Threats?. PLoS ONE, 2014, 9, e86021. | 1.1 | 46 |
| 12964 | Land Use Compounds Habitat Losses under Projected Climate Change in a Threatened California Ecosystem. PLoS ONE, 2014, 9, e86487. | 1.1 | 60 |
| 12965 | Delineating Ecological Boundaries of Hanuman Langur Species Complex in Peninsular India Using MaxEnt Modeling Approach. PLoS ONE, 2014, 9, e87804. | 1.1 | 35 |
| 12966 | Deciphering the Adjustment between Environment and Life History in Annuals: Lessons from a Geographically-Explicit Approach in <i>Arabidopsis thaliana</i> . PLoS ONE, 2014, 9, e87836. | 1.1 | 57 |
| 12967 | An Integrated Framework for Assessing Vulnerability to Climate Change and Developing Adaptation Strategies for Coffee Growing Families in Mesoamerica. PLoS ONE, 2014, 9, e88463. | 1.1 | 132 |
| 12968 | Continental-Scale Assessment of Risk to the Australian Odonata from Climate Change. PLoS ONE, 2014, 9, e88958. | 1.1 | 42 |
| 12969 | Global Patterns in Post-Dispersal Seed Removal by Invertebrates and Vertebrates. PLoS ONE, 2014, 9, e91256. | 1.1 | 24 |
| 12970 | <i>Ascaris lumbricoides</i> Infection and Its Relation to Environmental Factors in the Mbeya Region of Tanzania, a Cross-Sectional, Population-Based Study. PLoS ONE, 2014, 9, e92032. | 1.1 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 12971 | Lower Obesity Rate during Residence at High Altitude among a Military Population with Frequent Migration: A Quasi Experimental Model for Investigating Spatial Causation. PLoS ONE, 2014, 9, e93493. | 1.1 | 55 |
| 12972 | Leafcutter Bee Nests and Pupae from the Rancho La Brea Tar Pits of Southern California: Implications for Understanding the Paleoenvironment of the Late Pleistocene. PLoS ONE, 2014, 9, e94724. | 1.1 | 4 |
| 12973 | Using Landscape and Bioclimatic Features to Predict the Distribution of Lions, Leopards and Spotted Hyaenas in Tanzania's Ruaha Landscape. PLoS ONE, 2014, 9, e96261. | 1.1 | 37 |
| 12974 | Use of Wild Bird Surveillance, Human Case Data and GIS Spatial Analysis for Predicting Spatial Distributions of West Nile Virus in Greece. PLoS ONE, 2014, 9, e96935. | 1.1 | 36 |
| 12975 | The Macroecology of Airborne Pollen in Australian and New Zealand Urban Areas. PLoS ONE, 2014, 9, e97925. | 1.1 | 58 |
| 12976 | Hurricane Activity and the Large-Scale Pattern of Spread of an Invasive Plant Species. PLoS ONE, 2014, 9, e98478. | 1.1 | 39 |
| 12977 | Phylogeny Predicts Future Habitat Shifts Due to Climate Change. PLoS ONE, 2014, 9, e98907. | 1.1 | 14 |
| 12978 | Projecting Invasion Risk of Non-Native Watersnakes (<i>Nerodia fasciata</i> and <i>Nerodia sipedon</i>) in the Western United States. PLoS ONE, 2014, 9, e100277. | 1.1 | 11 |
| 12979 | Macroecological Evidence for Competitive Regional-Scale Interactions between the Two Major Clades of Mammal Carnivores (Feliformia and Caniformia). PLoS ONE, 2014, 9, e100553. | 1.1 | 15 |
| 12980 | The Use of Ecological Niche Modeling to Infer Potential Risk Areas of Snakebite in the Mexican State of Veracruz. PLoS ONE, 2014, 9, e100957. | 1.1 | 54 |
| 12981 | Genetic, Ecological and Morphological Divergence between Populations of the Endangered Mexican Sheartail Hummingbird (<i>Doricha eliza</i>). PLoS ONE, 2014, 9, e101870. | 1.1 | 18 |
| 12982 | Evaluating Habitat Suitability for the Establishment of <i>Monochamus</i> spp. through Climate-Based Niche Modeling. PLoS ONE, 2014, 9, e102592. | 1.1 | 18 |
| 12983 | Global Decline in Suitable Habitat for <i>Angiostrongylus</i> (<i>Parastrostrongylus</i>) <i>cantonensis</i> : The Role of Climate Change. PLoS ONE, 2014, 9, e103831. | 1.1 | 36 |
| 12984 | Geographical and Temporal Body Size Variation in a Reptile: Roles of Sex, Ecology, Phylogeny and Ecology Structured in Phylogeny. PLoS ONE, 2014, 9, e104026. | 1.1 | 23 |
| 12985 | How Ants Drop Out: Ant Abundance on Tropical Mountains. PLoS ONE, 2014, 9, e104030. | 1.1 | 41 |
| 12986 | Reproducibility and Consistency of Proteomic Experiments on Natural Populations of a Non-Model Aquatic Insect. PLoS ONE, 2014, 9, e104734. | 1.1 | 8 |
| 12987 | Impact of Climate Change on Potential Distribution of Chinese Caterpillar Fungus (<i>Ophiocordyceps</i>) | 1.1 | 105 |
| 12988 | Comparative Landscape Genetics of Three Closely Related Sympatric Hesperid Butterflies with Diverging Ecological Traits. PLoS ONE, 2014, 9, e106526. | 1.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 12989 | A Multi-Scale Distribution Model for Non-Equilibrium Populations Suggests Resource Limitation in an Endangered Rodent. PLoS ONE, 2014, 9, e106638. | 1.1 | 10 |
| 12990 | Incorporating Climate Change and Exotic Species into Forecasts of Riparian Forest Distribution. PLoS ONE, 2014, 9, e107037. | 1.1 | 23 |
| 12991 | Disaggregating Census Data for Population Mapping Using Random Forests with Remotely-Sensed and Ancillary Data. PLoS ONE, 2015, 10, e0107042. | 1.1 | 655 |
| 12992 | The Potential Impact of White-Nose Syndrome on the Conservation Status of North American Bats. PLoS ONE, 2014, 9, e107395. | 1.1 | 26 |
| 12993 | Amphibian Beta Diversity in the Brazilian Atlantic Forest: Contrasting the Roles of Historical Events and Contemporary Conditions at Different Spatial Scales. PLoS ONE, 2014, 9, e109642. | 1.1 | 37 |
| 12994 | What Story Does Geographic Separation of Insular Bats Tell? A Case Study on Sardinian Rhinolophids. PLoS ONE, 2014, 9, e110894. | 1.1 | 32 |
| 12995 | The Distributional Ecology of the Maned Sloth: Environmental Influences on Its Distribution and Gaps in Knowledge. PLoS ONE, 2014, 9, e110929. | 1.1 | 15 |
| 12996 | Range Expansion and Population Dynamics of an Invasive Species: The Eurasian Collared-Dove (<i>Streptopelia decaocto</i>). PLoS ONE, 2014, 9, e111510. | 1.1 | 26 |
| 12997 | Global Assessment of Seasonal Potential Distribution of Mediterranean Fruit Fly, <i>Ceratitis capitata</i> (Diptera: Tephritidae). PLoS ONE, 2014, 9, e111582. | 1.1 | 70 |
| 12998 | Predicting the Impacts of Climate Change on the Potential Distribution of Major Native Non-Food Bioenergy Plants in China. PLoS ONE, 2014, 9, e111587. | 1.1 | 16 |
| 12999 | The Predictive Performance and Stability of Six Species Distribution Models. PLoS ONE, 2014, 9, e112764. | 1.1 | 145 |
| 13000 | Mapping Current and Potential Distribution of Non-Native <i>Prosopis juliflora</i> in the Afar Region of Ethiopia. PLoS ONE, 2014, 9, e112854. | 1.1 | 59 |
| 13001 | Recommendations for the Regionalizing of Coffee Cultivation in Colombia: A Methodological Proposal Based on Agro-Climatic Indices. PLoS ONE, 2014, 9, e113510. | 1.1 | 22 |
| 13002 | Combined Use of Systematic Conservation Planning, Species Distribution Modelling, and Connectivity Analysis Reveals Severe Conservation Gaps in a Megadiverse Country (Peru). PLoS ONE, 2014, 9, e114367. | 1.1 | 93 |
| 13003 | Using Species Distribution Model to Estimate the Wintering Population Size of the Endangered Scaly-Sided Merganser in China. PLoS ONE, 2015, 10, e0117307. | 1.1 | 24 |
| 13004 | Selection by Pollinators on Floral Traits in Generalized <i>Trollius ranunculoides</i> (Ranunculaceae) along Altitudinal Gradients. PLoS ONE, 2015, 10, e0118299. | 1.1 | 37 |
| 13005 | Adaptive Differentiation in Seedling Traits in a Hybrid Pine Species Complex, <i>Pinus densata</i> and Its Parental Species, on the Tibetan Plateau. PLoS ONE, 2015, 10, e0118501. | 1.1 | 4 |
| 13006 | Climate Change May Alter Breeding Ground Distributions of Eastern Migratory Monarchs (<i>Danaus</i>) Tj ETQq1 1 0.784314 rgBT /Overlook 1.1 88 | 1.1 | 88 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13007 | Ecological Niche Transferability Using Invasive Species as a Case Study. PLoS ONE, 2015, 10, e0119891. | 1.1 | 56 |
| 13008 | Silvicolous on a Small Scale: Possibilities and Limitations of Habitat Suitability Models for Small, Elusive Mammals in Conservation Management and Landscape Planning. PLoS ONE, 2015, 10, e0120562. | 1.1 | 8 |
| 13009 | Snakes on the Balearic Islands: An Invasion Tale with Implications for Native Biodiversity Conservation. PLoS ONE, 2015, 10, e0121026. | 1.1 | 31 |
| 13010 | A Multiscale Approach Indicates a Severe Reduction in Atlantic Forest Wetlands and Highlights that SÃ£o Paulo Marsh Antwren Is on the Brink of Extinction. PLoS ONE, 2015, 10, e0121315. | 1.1 | 7 |
| 13011 | Climate and Species Richness Predict the Phylogenetic Structure of African Mammal Communities. PLoS ONE, 2015, 10, e0121808. | 1.1 | 38 |
| 13012 | Predicting Plant Diversity Patterns in Madagascar: Understanding the Effects of Climate and Land Cover Change in a Biodiversity Hotspot. PLoS ONE, 2015, 10, e0122721. | 1.1 | 36 |
| 13013 | Climatic and Catchment-Scale Predictors of Chinese Stream Insect Richness Differ between Taxonomic Groups. PLoS ONE, 2015, 10, e0123250. | 1.1 | 19 |
| 13014 | Factors Controlling Vegetation Fires in Protected and Non-Protected Areas of Myanmar. PLoS ONE, 2015, 10, e0124346. | 1.1 | 69 |
| 13015 | Large-Scale Patterns of Turnover and Basal Area Change in Andean Forests. PLoS ONE, 2015, 10, e0126594. | 1.1 | 38 |
| 13016 | Protected Area Tourism in a Changing Climate: Will Visitation at US National Parks Warm Up or Overheat?. PLoS ONE, 2015, 10, e0128226. | 1.1 | 103 |
| 13017 | Undiagnosed Cryptic Diversity in Small, Microendemic Frogs (<i>Leptolalax</i>) from the Central Highlands of Vietnam. PLoS ONE, 2015, 10, e0128382. | 1.1 | 23 |
| 13018 | The Geographic Distribution of a Tropical Montane Bird Is Limited by a Tree: Acorn Woodpeckers (<i>Melanerpes formicivorus</i>) and Colombian Oaks (<i>Quercus humboldtii</i>) in the Northern Andes. PLoS ONE, 2015, 10, e0128675. | 1.1 | 23 |
| 13019 | A Short Guide to the Climatic Variables of the Last Glacial Maximum for Biogeographers. PLoS ONE, 2015, 10, e0129037. | 1.1 | 96 |
| 13020 | The Taxonomic Status of <i>Mazama bricenii</i> and the Significance of the TÃ¡chira Depression for Mammalian Endemism in the Cordillera de MÃ©rida, Venezuela. PLoS ONE, 2015, 10, e0129113. | 1.1 | 29 |
| 13021 | Adding Biotic Interactions into Paleodistribution Models: A Host-Cleptoparasite Complex of Neotropical Orchid Bees. PLoS ONE, 2015, 10, e0129890. | 1.1 | 11 |
| 13022 | MODIS Based Estimation of Forest Aboveground Biomass in China. PLoS ONE, 2015, 10, e0130143. | 1.1 | 35 |
| 13023 | The Impact of Climate on the Spread of Rice to North-Eastern China: A New Look at the Data from Shandong Province. PLoS ONE, 2015, 10, e0130430. | 1.1 | 33 |
| 13024 | Validating Community-Led Forest Biomass Assessments. PLoS ONE, 2015, 10, e0130529. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13025 | Nowhere to Go but Up: Impacts of Climate Change on Demographics of a Short-Range Endemic (<i>Crotalus willardi obscurus</i>) in the Sky-Islands of Southwestern North America. <i>PLoS ONE</i> , 2015, 10, e0131067. | 1.1 | 27 |
| 13026 | Using Range-Wide Abundance Modeling to Identify Key Conservation Areas for the Micro-Endemic Bolson Tortoise (<i>Gopherus flavomarginatus</i>). <i>PLoS ONE</i> , 2015, 10, e0131452. | 1.1 | 19 |
| 13027 | Evaluation of Limiting Climatic Factors and Simulation of a Climatically Suitable Habitat for Chinese Sea Buckthorn. <i>PLoS ONE</i> , 2015, 10, e0131659. | 1.1 | 28 |
| 13028 | Different Effects of Regional Species Pool on Plant Diversity between Forest and Grassland Biomes in Arid Northwest China. <i>PLoS ONE</i> , 2015, 10, e0131982. | 1.1 | 6 |
| 13029 | Predicting Impacts of Future Climate Change on the Distribution of the Widespread Conifer <i>Platycladus orientalis</i> . <i>PLoS ONE</i> , 2015, 10, e0132326. | 1.1 | 67 |
| 13030 | Zoogeography of South American Forest-Dwelling Bats: Disjunct Distributions or Sampling Deficiencies?. <i>PLoS ONE</i> , 2015, 10, e0133276. | 1.1 | 9 |
| 13031 | Potential Effects of Climate Change on the Distribution of Cold-Tolerant Evergreen Broadleaved Woody Plants in the Korean Peninsula. <i>PLoS ONE</i> , 2015, 10, e0134043. | 1.1 | 36 |
| 13032 | Altitudinal Barrier to the Spread of an Invasive Species: Could the Pyrenean Chain Slow the Natural Spread of the Pinewood Nematode?. <i>PLoS ONE</i> , 2015, 10, e0134126. | 1.1 | 25 |
| 13033 | Morphologically Cryptic Amphipod Species Are "Ecological Clones" at Regional but Not at Local Scale: A Case Study of Four <i>Niphargus</i> Species. <i>PLoS ONE</i> , 2015, 10, e0134384. | 1.1 | 48 |
| 13034 | Macroecology of Australian Tall Eucalypt Forests: Baseline Data from a Continental-Scale Permanent Plot Network. <i>PLoS ONE</i> , 2015, 10, e0137811. | 1.1 | 35 |
| 13035 | Spatial Distribution of Sand Fly Vectors and Eco-Epidemiology of Cutaneous Leishmaniasis Transmission in Colombia. <i>PLoS ONE</i> , 2015, 10, e0139391. | 1.1 | 64 |
| 13036 | Large-Scale Range Collapse of Hawaiian Forest Birds under Climate Change and the Need 21st Century Conservation Options. <i>PLoS ONE</i> , 2015, 10, e0140389. | 1.1 | 71 |
| 13037 | Distribution Pattern and Climate Preferences of the Representatives of the Cosmopolitan Genus <i>Sirthenea</i> Spinola, 1840 (Heteroptera: Reduviidae: Peiratinae). <i>PLoS ONE</i> , 2015, 10, e0140801. | 1.1 | 6 |
| 13038 | Topology of Plant - Flower-Visitor Networks in a Tropical Mountain Forest: Insights on the Role of Altitudinal and Temporal Variation. <i>PLoS ONE</i> , 2015, 10, e0141804. | 1.1 | 22 |
| 13039 | Fidelity and Promiscuity in an Ant-Plant Mutualism: A Case Study of <i>Triplaris</i> and <i>Pseudomyrmex</i> . <i>PLoS ONE</i> , 2015, 10, e0143535. | 1.1 | 18 |
| 13040 | Ecologically-Relevant Maps of Landforms and Physiographic Diversity for Climate Adaptation Planning. <i>PLoS ONE</i> , 2015, 10, e0143619. | 1.1 | 154 |
| 13041 | Spatial Biodiversity Patterns of Madagascar's Amphibians and Reptiles. <i>PLoS ONE</i> , 2016, 11, e0144076. | 1.1 | 44 |
| 13042 | The Consequences of Precipitation Seasonality for Mediterranean-Ecosystem Vegetation of South Africa. <i>PLoS ONE</i> , 2015, 10, e0144512. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13043 | Identifying Centres of Plant Biodiversity in South Australia. PLoS ONE, 2016, 11, e0144779. | 1.1 | 40 |
| 13044 | Integrating Paleodistribution Models and Phylogeography in the Grass-Cutting Ant <i>Acromyrmex striatus</i> (Hymenoptera: Formicidae) in Southern Lowlands of South America. PLoS ONE, 2016, 11, e0146734. | 1.1 | 17 |
| 13045 | Species Distribution 2.0: An Accurate Time- and Cost-Effective Method of Prospection Using Street View Imagery. PLoS ONE, 2016, 11, e0146899. | 1.1 | 5 |
| 13046 | Effect of Climate Change on Mediterranean Winter Ranges of Two Migratory Passerines. PLoS ONE, 2016, 11, e0146958. | 1.1 | 25 |
| 13047 | Remote Sensing Derived Fire Frequency, Soil Moisture and Ecosystem Productivity Explain Regional Movements in Emu over Australia. PLoS ONE, 2016, 11, e0147285. | 1.1 | 3 |
| 13048 | Continental Refugium in the Mongolian Plateau during Quaternary Glacial Oscillations: Phylogeography and Niche Modelling of the Endemic Desert Hamster, <i>Phodopus roborovskii</i> . PLoS ONE, 2016, 11, e0148182. | 1.1 | 15 |
| 13049 | Functional Resilience against Climate-Driven Extinctions – Comparing the Functional Diversity of European and North American Tree Floras. PLoS ONE, 2016, 11, e0148607. | 1.1 | 19 |
| 13050 | Population Genetic Structure of the Endangered Kaiser's Mountain Newt, <i>Neurergus kaiseri</i> (Amphibia): Tj ETQq1,1 0.784314 rgB / 24 | 1.1 | 24 |
| 13051 | From Observation to Information: Data-Driven Understanding of on Farm Yield Variation. PLoS ONE, 2016, 11, e0150015. | 1.1 | 30 |
| 13052 | Climate Change Influences on the Global Potential Distribution of Bluetongue Virus. PLoS ONE, 2016, 11, e0150489. | 1.1 | 45 |
| 13053 | Old Lineage on an Old Island: <i>Pixibinthus</i> , a New Cricket Genus Endemic to New Caledonia Shed Light on Gryllid Diversification in a Hotspot of Biodiversity. PLoS ONE, 2016, 11, e0150920. | 1.1 | 21 |
| 13054 | Reconstructing the Mexican Tropical Dry Forests via an Autoecological Niche Approach: Reconsidering the Ecosystem Boundaries. PLoS ONE, 2016, 11, e0150932. | 1.1 | 18 |
| 13055 | Andean Condor (<i>Vultur gryphus</i>) in Ecuador: Geographic Distribution, Population Size and Extinction Risk. PLoS ONE, 2016, 11, e0151827. | 1.1 | 32 |
| 13056 | Understanding Peripheral Bat Populations Using Maximum-Entropy Suitability Modeling. PLoS ONE, 2016, 11, e0152508. | 1.1 | 1 |
| 13057 | Is There Any Evidence for Rapid, Genetically-Based, Climatic Niche Expansion in the Invasive Common Ragweed?. PLoS ONE, 2016, 11, e0152867. | 1.1 | 19 |
| 13058 | Using Stable Isotopes to Infer the Impacts of Habitat Change on the Diets and Vertical Stratification of Frugivorous Bats in Madagascar. PLoS ONE, 2016, 11, e0153192. | 1.1 | 11 |
| 13059 | Future Risks of Pest Species under Changing Climatic Conditions. PLoS ONE, 2016, 11, e0153237. | 1.1 | 71 |
| 13060 | Potential Implications of Climate Change on <i>Aegilops</i> Species Distribution: Sympatry of These Crop Wild Relatives with the Major European Crop <i>Triticum aestivum</i> and Conservation Issues. PLoS ONE, 2016, 11, e0153974. | 1.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13061 | Above- and Belowground Biomass Allocation in Shrub Biomes across the Northeast Tibetan Plateau. PLoS ONE, 2016, 11, e0154251. | 1.1 | 27 |
| 13062 | Random Forests for Global and Regional Crop Yield Predictions. PLoS ONE, 2016, 11, e0156571. | 1.1 | 377 |
| 13063 | Locally Downscaled and Spatially Customizable Climate Data for Historical and Future Periods for North America. PLoS ONE, 2016, 11, e0156720. | 1.1 | 617 |
| 13064 | Which Factors Determine Spatial Segregation in the South American Opossums (<i>Didelphis aurita</i> and) Tj ETQq1 1 0.784314 rgBT /Ov... 2016, 11, e0157723. | 1.1 | 33 |
| 13065 | Human Impacts and Climate Change Influence Nestedness and Modularity in Food-Web and Mutualistic Networks. PLoS ONE, 2016, 11, e0157929. | 1.1 | 31 |
| 13066 | Sensitivity of Above-Ground Biomass Estimates to Height-Diameter Modelling in Mixed-Species West African Woodlands. PLoS ONE, 2016, 11, e0158198. | 1.1 | 16 |
| 13067 | Bark and Ambrosia Beetles Show Different Invasion Patterns in the USA. PLoS ONE, 2016, 11, e0158519. | 1.1 | 31 |
| 13068 | Dynamics of Ecosystem Services during Forest Transitions in ReventazÃ³n, Costa Rica. PLoS ONE, 2016, 11, e0158615. | 1.1 | 17 |
| 13069 | Genetic Diversity and Demographic History of Wild and Cultivated/Naturalised Plant Populations: Evidence from Dalmatian Sage (<i>Salvia officinalis</i> L., Lamiaceae). PLoS ONE, 2016, 11, e0159545. | 1.1 | 26 |
| 13070 | Genetic Structure of Water Chestnut Beetle: Providing Evidence for Origin of Water Chestnut. PLoS ONE, 2016, 11, e0159557. | 1.1 | 6 |
| 13071 | Geography of Genetic Structure in Barley Wild Relative <i>Hordeum vulgare</i> subsp. <i>spontaneum</i> in Jordan. PLoS ONE, 2016, 11, e0160745. | 1.1 | 13 |
| 13072 | Why Are Nigeria-Cameroon Chimpanzees (<i>Pan troglodytes ellioti</i>) Free of SIVcpz Infection?. PLoS ONE, 2016, 11, e0160788. | 1.1 | 9 |
| 13073 | Changes in Species Richness and Composition of Tiger Moths (Lepidoptera: Erebidæ: Arctiinae) among Three Neotropical Ecoregions. PLoS ONE, 2016, 11, e0162661. | 1.1 | 10 |
| 13074 | Mapping the Elephants of the 19th Century East African Ivory Trade with a Multi-Isotope Approach. PLoS ONE, 2016, 11, e0163606. | 1.1 | 37 |
| 13075 | Predicting the Potential Distribution of <i>Polygala tenuifolia</i> Willd. under Climate Change in China. PLoS ONE, 2016, 11, e0163718. | 1.1 | 33 |
| 13076 | Climate Change Influences on the Global Potential Distribution of the Mosquito <i>Culex quinquefasciatus</i> , Vector of West Nile Virus and Lymphatic Filariasis. PLoS ONE, 2016, 11, e0163863. | 1.1 | 135 |
| 13077 | Where to Combat Shrub Encroachment in Alpine Timberline Ecosystems: Combining Remotely-Sensed Vegetation Information with Species Habitat Modelling. PLoS ONE, 2016, 11, e0164318. | 1.1 | 22 |
| 13078 | Environmental Niche Modelling of Phlebotomine Sand Flies and Cutaneous Leishmaniasis Identifies <i>Lutzomyia intermedia</i> as the Main Vector Species in Southeastern Brazil. PLoS ONE, 2016, 11, e0164580. | 1.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13079 | Mapping Risk of Malaria Transmission in Mainland Portugal Using a Mathematical Modelling Approach. PLoS ONE, 2016, 11, e0164788. | 1.1 | 16 |
| 13080 | A Multi-Faceted Approach to Analyse the Effects of Environmental Variables on Geographic Range and Genetic Structure of a Perennial Psammophilous Geophyte: The Case of the Sea Daffodil <i>Pancreaticum maritimum</i> L. in the Mediterranean Basin. PLoS ONE, 2016, 11, e0164816. | 1.1 | 13 |
| 13081 | Using Risk Assessment and Habitat Suitability Models to Prioritise Invasive Species for Management in a Changing Climate. PLoS ONE, 2016, 11, e0165292. | 1.1 | 15 |
| 13082 | Long-Distance Dispersal after the Last Glacial Maximum (LGM) Led to the Disjunctive Distribution of <i>Pedicularis kansuensis</i> (Orobanchaceae) between the Qinghai-Tibetan Plateau and Tianshan Region. PLoS ONE, 2016, 11, e0165700. | 1.1 | 12 |
| 13083 | Spatial Autocorrelation Can Generate Stronger Correlations between Range Size and Climatic Niches Than the Biological Signal – A Demonstration Using Bird and Mammal Range Maps. PLoS ONE, 2016, 11, e0166243. | 1.1 | 11 |
| 13084 | Emerging New Crop Pests: Ecological Modelling and Analysis of the South American Potato Psyllid <i>Russelliana solanicola</i> (Hemiptera: Psylloidea) and Its Wild Relatives. PLoS ONE, 2017, 12, e0167764. | 1.1 | 15 |
| 13085 | Unequal Contribution of Widespread and Narrow-Ranged Species to Botanical Diversity Patterns. PLoS ONE, 2016, 11, e0169200. | 1.1 | 5 |
| 13086 | Spatial and Host-Related Variation in Prevalence and Population Density of Wheat Curl Mite (<i>Aceria</i>) Tj ETQq1 1 0.784314 rgBT /Over 22 | 1.1 | 22 |
| 13087 | Pleistocene refugia and genetic diversity patterns in West Africa: Insights from the liana <i>Chasmanthera dependens</i> (Menispermaceae). PLoS ONE, 2017, 12, e0170511. | 1.1 | 7 |
| 13088 | Diversity of Guilds of Amphibian Larvae in North-Western Africa. PLoS ONE, 2017, 12, e0170763. | 1.1 | 8 |
| 13089 | Forest biomass density across large climate gradients in northern South America is related to water availability but not with temperature. PLoS ONE, 2017, 12, e0171072. | 1.1 | 67 |
| 13090 | Conservation status and regional habitat priorities for the Orinoco crocodile: Past, present, and future. PLoS ONE, 2017, 12, e0172439. | 1.1 | 10 |
| 13091 | Binational climate change vulnerability assessment of migratory birds in the Great Lakes Basins: Tools and impediments. PLoS ONE, 2017, 12, e0172668. | 1.1 | 2 |
| 13092 | Implications of high species turnover on the south-western Australian sandplains. PLoS ONE, 2017, 12, e0172977. | 1.1 | 31 |
| 13093 | Distribution and predictors of wing shape and size variability in three sister species of solitary bees. PLoS ONE, 2017, 12, e0173109. | 1.1 | 33 |
| 13094 | Global potential distribution of <i>Drosophila suzukii</i> (Diptera, Drosophilidae). PLoS ONE, 2017, 12, e0174318. | 1.1 | 158 |
| 13095 | Effects of UV-B radiation on leaf hair traits of invasive plants – Combining historical herbarium records with novel remote sensing data. PLoS ONE, 2017, 12, e0175671. | 1.1 | 16 |
| 13096 | Response of spatial vegetation distribution in China to climate changes since the Last Glacial Maximum (LGM). PLoS ONE, 2017, 12, e0175742. | 1.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13097 | Patterns of orchid bee species diversity and turnover among forested plateaus of central Amazonia. PLoS ONE, 2017, 12, e0175884. | 1.1 | 6 |
| 13098 | Species delimitation in asexual insects of economic importance: The case of black scale (<i>Parasaissetia</i>) Tj ETQq1 1 0.784314 ggBT /Ov | 1.1 | 19 |
| 13099 | A systematic approach to estimate the distribution and total abundance of British mammals. PLoS ONE, 2017, 12, e0176339. | 1.1 | 45 |
| 13100 | Travelling to the south: Phylogeographic spatial diffusion model in <i>Monttea aphylla</i> (Plantaginaceae), an endemic plant of the Monte Desert. PLoS ONE, 2017, 12, e0178827. | 1.1 | 19 |
| 13101 | Two sides of a coin: Effects of climate change on the native and non-native distribution of <i>Colossoma macropomum</i> in South America. PLoS ONE, 2017, 12, e0179684. | 1.1 | 19 |
| 13102 | Cryptic diversity in <i>Ptyodactylus</i> (Reptilia: Gekkonidae) from the northern Hajar Mountains of Oman and the United Arab Emirates uncovered by an integrative taxonomic approach. PLoS ONE, 2017, 12, e0180397. | 1.1 | 24 |
| 13103 | Plant species dispersed by Galapagos tortoises surf the wave of habitat suitability under anthropogenic climate change. PLoS ONE, 2017, 12, e0181333. | 1.1 | 27 |
| 13104 | Projected climate change threatens pollinators and crop production in Brazil. PLoS ONE, 2017, 12, e0182274. | 1.1 | 69 |
| 13105 | Altitudinal gradients, biogeographic history and microhabitat adaptation affect fine-scale spatial genetic structure in African and Neotropical populations of an ancient tropical tree species. PLoS ONE, 2017, 12, e0182515. | 1.1 | 23 |
| 13106 | Disentangling the influence of environmental and anthropogenic factors on the distribution of endemic vascular plants in Sardinia. PLoS ONE, 2017, 12, e0182539. | 1.1 | 29 |
| 13107 | Climatic niche of <i>Selinum alatum</i> (Apiaceae, Selineae), a new invasive plant species in Central Europe and its alterations according to the climate change scenarios: Are the European mountains threatened by invasion?. PLoS ONE, 2017, 12, e0182793. | 1.1 | 6 |
| 13108 | Potential distribution of pine wilt disease under future climate change scenarios. PLoS ONE, 2017, 12, e0182837. | 1.1 | 77 |
| 13109 | Microhabitats and canopy cover moderate high summer temperatures in a fragmented Mediterranean landscape. PLoS ONE, 2017, 12, e0183106. | 1.1 | 35 |
| 13110 | Two disjunct Pleistocene populations and anisotropic postglacial expansion shaped the current genetic structure of the relict plant <i>Amborella trichopoda</i> . PLoS ONE, 2017, 12, e0183412. | 1.1 | 6 |
| 13111 | The latitudinal diversity gradient in South American mammals revisited using a regional analysis approach: The importance of climate at extra-tropical latitudes and history towards the tropics. PLoS ONE, 2017, 12, e0184057. | 1.1 | 8 |
| 13112 | The role of environment, dispersal and competition in explaining reduced co-occurrence among related species. PLoS ONE, 2017, 12, e0185493. | 1.1 | 15 |
| 13113 | Genetic and ecological insights into glacial refugia of walnut (<i>Juglans regia</i> L.). PLoS ONE, 2017, 12, e0185974. | 1.1 | 57 |
| 13114 | Effects of temperature and grazing on soil organic carbon storage in grasslands along the Eurasian steppe eastern transect. PLoS ONE, 2017, 12, e0186980. | 1.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13115 | Comparing pseudo-absences generation techniques in Boosted Regression Trees models for conservation purposes: A case study on amphibians in a protected area. PLoS ONE, 2017, 12, e0187589. | 1.1 | 36 |
| 13116 | Predicting the distributions of Egypt's medicinal plants and their potential shifts under future climate change. PLoS ONE, 2017, 12, e0187714. | 1.1 | 31 |
| 13117 | The disjunct pattern of the Neotropical harvestman <i>Discocyrtus dilatatus</i> (Gonyleptidae) explained by climate-driven range shifts in the Quaternary: Paleodistributional and molecular evidence. PLoS ONE, 2017, 12, e0187983. | 1.1 | 11 |
| 13118 | Empirical analysis of vegetation dynamics and the possibility of a catastrophic desertification transition. PLoS ONE, 2017, 12, e0189058. | 1.1 | 12 |
| 13119 | Plant invasion: Another threat to the São Paulo Marsh Antwren (<i>Formicivora paludicola</i>), a species on the verge of extinction. PLoS ONE, 2017, 12, e0189465. | 1.1 | 2 |
| 13120 | Diversity, distribution and conservation of the terrestrial reptiles of Oman (Sauropsida, Squamata). PLoS ONE, 2018, 13, e0190389. | 1.1 | 31 |
| 13121 | Assessing shortfalls and complementary conservation areas for national plant biodiversity in South Korea. PLoS ONE, 2018, 13, e0190754. | 1.1 | 12 |
| 13122 | Identification of high risk areas for avian influenza outbreaks in California using disease distribution models. PLoS ONE, 2018, 13, e0190824. | 1.1 | 24 |
| 13123 | Climate change adaptation benefits of potential conservation partnerships. PLoS ONE, 2018, 13, e0191468. | 1.1 | 7 |
| 13124 | Ecological suitability modeling for anthrax in the Kruger National Park, South Africa. PLoS ONE, 2018, 13, e0191704. | 1.1 | 25 |
| 13125 | Phylogeny and source climate impact seed dormancy and germination of restoration-relevant forb species. PLoS ONE, 2018, 13, e0191931. | 1.1 | 23 |
| 13126 | Impacts of climate change on cropping patterns in a tropical, sub-humid watershed. PLoS ONE, 2018, 13, e0192642. | 1.1 | 42 |
| 13127 | Is local trait variation related to total range size of tropical trees?. PLoS ONE, 2018, 13, e0193268. | 1.1 | 7 |
| 13128 | A metagenomic viral discovery approach identifies potential zoonotic and novel mammalian viruses in <i>Neoromicia</i> bats within South Africa. PLoS ONE, 2018, 13, e0194527. | 1.1 | 69 |
| 13129 | Effects of land-use change and related pressures on alien and native subsets of island communities. PLoS ONE, 2020, 15, e0227169. | 1.1 | 13 |
| 13130 | Cultivation potential projections of breadfruit (<i>Artocarpus altilis</i>) under climate change scenarios using an empirically validated suitability model calibrated in Hawaii. PLoS ONE, 2020, 15, e0228552. | 1.1 | 17 |
| 13131 | Nubian Levvalois reduction strategies in the Tankwa Karoo, South Africa. PLoS ONE, 2020, 15, e0241068. | 1.1 | 16 |
| 13132 | Past, present and future distributions of Oriental beech (<i>Fagus orientalis</i>) under climate change projections. PLoS ONE, 2020, 15, e0242280. | 1.1 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13133 | Assessing habitat suitability and connectivity for the westernmost population of Asian black bear (<i>Ursus thibetanus gedrosianus</i> , Blanford, 1877) based on climate changes scenarios in Iran. <i>PLoS ONE</i> , 2020, 15, e0242432. | 1.1 | 16 |
| 13134 | Global risk of invasion by <i>Bactrocera zonata</i> : Implications on horticultural crop production under changing climatic conditions. <i>PLoS ONE</i> , 2020, 15, e0243047. | 1.1 | 28 |
| 13135 | Ecological Contexts of Index Cases and Spillover Events of Different Ebolaviruses. <i>PLoS Pathogens</i> , 2016, 12, e1005780. | 2.1 | 60 |
| 13136 | <i>Androctonus</i> genus species in arid regions: Ecological niche models, geographical distributions, and envenomation risk. <i>Veterinary World</i> , 2018, 11, 286-292. | 0.7 | 10 |
| 13137 | Regional potential yields of short rotation willow plantations on agricultural land in Northern Europe. <i>Silva Fennica</i> , 2010, 44, . | 0.5 | 43 |
| 13138 | Environmental features of the distribution areas and climate sensitivity assesment of Korean Fir and Khinghan Fir. <i>Journal of Environmental Impact Assessment</i> , 2015, 24, 260-277. | 0.3 | 15 |
| 13139 | Comparing climate projections for Asia, East Asia and South Korea. <i>Journal of Environmental Impact Assessment</i> , 2017, 26, 114-126. | 0.3 | 4 |
| 13141 | Distribution and dispersal of the invasive Asian chestnut gall wasp, <i>Dryocosmus kuriphilus</i> (Hymenoptera: Cynipidae), across the heterogeneous landscape of the Iberian Peninsula. <i>European Journal of Entomology</i> , 0, 115, 575-586. | 1.2 | 25 |
| 13142 | Forecasting the spread associated with climate change in Eastern Europe of the invasive Asiatic flea beetle, <i>Luperomorpha xanthoder</i> (Coleoptera: Chrysomelidae). <i>European Journal of Entomology</i> , 0, 117, 130-138. | 1.2 | 22 |
| 13143 | Arctic Sea Routes: Potential New Pathways for Nonindigenous Species Spread + Supplementary Appendix 1 (See Article Tools). <i>Arctic</i> , 2018, 71, . | 0.2 | 5 |
| 13144 | Análisis de escenarios de cambio climático A1B, A2 y B1 para la reserva forestal protectora bosque oriental de Bogotá a±os 2040, 2070 y 2095 utilizando MarksimGCM-Analysis of climate change scenarios A1B, A2 and B1 for protective forest reserve Bosque oriental de Bogotá, years 2040, 2070 & 2095 with MarksimGCM. <i>Revista Científica Del Centro De Investigaciones Y Desarrollo Científico De La Universidad Distrital Francisco José De Caldas</i> , 2014, 1, 166. | 0.1 | 1 |
| 13145 | Identifying important areas for orchid conservation in Crete. <i>European Journal of Environmental Sciences</i> , 2012, 1, 28-37. | 0.6 | 11 |
| 13146 | Using Ecological Niche Modeling For Biodiversity Conservation Guidance In The Western Podillya (Ukraine): Amphibians. <i>Vestnik Zoologii</i> , 2015, 49, 135-144. | 0.7 | 3 |
| 13147 | Changing the Potential Distribution of Turkey Oak (<i>Quercus cerris</i> L.) under Climate Change in Turkey. <i>Polish Journal of Environmental Studies</i> , 2016, 25, 1633-1638. | 0.6 | 15 |
| 13148 | Clarifying regional hydrologic controls of the Marañón River, Peru through rapid assessment to inform system-wide basin planning approaches. <i>Elementa</i> , 2018, 6, . | 1.1 | 5 |
| 13149 | Modeling distribution of <i>Schinus molle</i> L. in the Brazilian Pampa: insights on vegetation dynamics and conservation of the biome. <i>Annals of Forest Research</i> , 2014, 57, 1. | 0.6 | 6 |
| 13150 | The climatic patterning of <i>Sphagnum</i> sect. <i>Sphagnum</i> species distribution in the East European Plain. <i>Arctoa</i> , 2016, 25, 332-352. | 0.3 | 4 |
| 13151 | Bioclimatic modeling of <i>Crossidium squamiferum</i> (Viv.) Jur. (Pottiaceae, Bryophyta) distribution. <i>Arctoa</i> , 2018, 27, 29-33. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13152 | A new subspecies of Manchurian pika <i>Ochotona mantchurica</i> (Lagomorpha, Ochotonidae) from the Lesser Khinggan Range, China. <i>Russian Journal of Theriology</i> , 2015, 14, 145-152. | 0.5 | 3 |
| 13153 | Regional zoogeographical zoning using species distribution modelling by the example of small mammals of South-Eastern Transbaikalia. <i>Russian Journal of Theriology</i> , 2015, 14, 171-185. | 0.5 | 2 |
| 13154 | A new subspecies of large-eared pika, <i>Ochotona macrotis</i> (Lagomorpha: Ochotonidae), from the Eastern Himalaya. <i>Russian Journal of Theriology</i> , 2017, 16, 30-42. | 0.5 | 9 |
| 13155 | ClimateAP: an application for dynamic local downscaling of historical and future climate data in Asia Pacific. <i>Frontiers of Agricultural Science and Engineering</i> , 2017, 4, 448. | 0.9 | 83 |
| 13156 | Predicting <i>Polylepis</i> distribution: vulnerable and increasingly important Andean woodlands. <i>Revista Peruana De Biología</i> , 2012, 19, 205-212. | 0.1 | 18 |
| 13158 | Potential invasive range modeling of <i>Pistia stratiotes</i> (Araceae) based on GIS-analysis of ecoclimatic factors. <i>Ukrainian Botanical Journal</i> , 2014, 71, 549-557. | 0.1 | 7 |
| 13159 | Range of <i>Pterostichus oblongopunctatus</i> (Coleoptera, Carabidae) in conditions of global climate change. <i>Biosystems Diversity</i> , 2019, 27, 76-84. | 0.2 | 21 |
| 13160 | Geographic Distribution of the Tortoises and Freshwater Turtles of Colombia and their Representation in the Protected Area Network. <i>Acta Biologica Colombiana</i> , 2014, 19, 415. | 0.1 | 7 |
| 13161 | Modelos de las zonas adecuadas de adaptación del tejocote (<i>Crataegus mexicana</i> DC.) por efecto del cambio climático. <i>Agronomy Mesoamerican</i> , 2012, 23, 241. | 0.1 | 1 |
| 13162 | Regionalización biogeográfica de la mastofauna de los bosques tropicales perennifolios de Mesoamérica. <i>Revista De Biología Tropical</i> , 2013, 61, . | 0.1 | 4 |
| 13163 | Variación de la biomasa forestal en el sur de Brasil: impacto de los Árboles de Araucaria. <i>Revista De Biología Tropical</i> , 2014, 62, 359. | 0.1 | 8 |
| 13164 | Patrones espaciales en comunidades de macroinvertebrados acuáticos de la Puna Argentina. <i>Revista De Biología Tropical</i> , 2016, 64, 747. | 0.1 | 11 |
| 13165 | Alpine rivers and their ligneous vegetation with <i>Myricaria germanica</i> and riverine landscape diversity in the Eastern Alps: proposing the Isel river system for the Natura 2000 network. <i>Eco Mont</i> , 2014, 5, 5-18. | 0.1 | 6 |
| 13166 | Analysis of Sensitivity and Vulnerability of Endangered Wild Animals to Global Warming. <i>Journal of Climate Change Research</i> , 2018, 9, 235-243. | 0.1 | 2 |
| 13167 | <div>A preliminary geographic distribution map of <i>Elachistocleis muiraquitana</i> Nunes de Almeida & Toledo, 2012 (Amphibia: Anura: Microhylidae)</div>. <i>Check List</i> , 2014, 10, 388. | 0.1 | 2 |
| 13168 | Using species distribution models as a tool to discover new populations of <i>Phaedranassa brevifolia</i> Meerow, 1987 (Liliopsida: Amaryllidaceae) in Northern Ecuador. <i>Check List</i> , 2014, 10, 689-691. | 0.1 | 4 |
| 13169 | New record and update on the geographical distribution of <i>Pintomyia monticola</i> (Costa Lima, 1932) (Diptera: Psychodidae) in South America. <i>Check List</i> , 2015, 11, 1566. | 0.1 | 2 |
| 13170 | <i>Insecta, Hemiptera, Reduviidae, Panstrongylus geniculatus</i> : geographic distribution map. <i>Check List</i> , 2007, 3, 147. | 0.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13171 | New records and geographic distribution map of <i>Triatoma petrocchiae</i> Pinto and Barreto, 1925 (Hemiptera: Reduviidae: Triatominae). <i>Check List</i> , 2011, 7, 508. | 0.1 | 8 |
| 13172 | MODELLING THE IMPACT OF CLIMATE CHANGE ON THE HUNGARIAN WINE REGIONS USING RANDOM FOREST. <i>Applied Ecology and Environmental Research</i> , 2012, 10, 121-140. | 0.2 | 43 |
| 13173 | MODELLING LONG TERM FOREST FIRE RISK USING FIRE WEATHER INDEX UNDER CLIMATE CHANGE IN TURKEY. <i>Applied Ecology and Environmental Research</i> , 2016, 14, 537-551. | 0.2 | 7 |
| 13174 | CLIMATE CHANGE IMPACTS ON THE DISTRIBUTION OF <i>STIPA TENACISSIMA</i> L. ECOSYSTEMS IN NORTH AFRICAN ARID ZONE - A CASE STUDY IN TUNISIA. <i>Applied Ecology and Environmental Research</i> , 2017, 15, 67-82. | 0.2 | 28 |
| 13175 | PREDICTING SUITABLE DISTRIBUTION FOR AN ENDEMIC, RARE AND THREATENED SPECIES (GREY-SHANKED) Tj ETQq0 0 0 rgBT /Overloc <i>Environmental Research</i> , 2018, 16, 1275-1291. | 0.2 | 10 |
| 13176 | THE IMPACT OF CLIMATE CHANGE ON VITICULTURAL POTENTIAL AND WINE GRAPE VARIETIES OF A TEMPERATE WINE GROWING REGION. <i>Applied Ecology and Environmental Research</i> , 2018, 16, 2663-2680. | 0.2 | 7 |
| 13177 | Spatial distribution of wood volume in Brazilian savannas. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180666. | 0.3 | 5 |
| 13178 | Ecological niche modeling of <i>Schinus molle</i> reveals the risk of invasive species expansion into biodiversity hotspots. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, . | 0.3 | 1 |
| 13179 | Drivers of floristic variation in biogeographic transitions: insights from the ecotone between the largest biogeographic domains of South America. <i>Acta Botanica Brasílica</i> , 2020, 34, 155-166. | 0.8 | 6 |
| 13180 | DistribuiÃ§Ã£o Espacial dos Metadados Temporais e Qualidade dos Metadados Espaciais das EstaÃ§Ãµes HidrometeorolÃ³gicas do Estado de Santa Catarina para Climatologia. <i>Revista Brasileira De Meteorologia</i> , 2018, 33, 412-425. | 0.2 | 1 |
| 13181 | Modelagem da DistribuiÃ§Ã£o Potencial de <i>Mangifera indica</i> L. sob CenÃ¡rios ClimÃ¡ticos Futuros no Bioma Caatinga. <i>Revista Brasileira De Meteorologia</i> , 2019, 34, 351-358. | 0.2 | 3 |
| 13182 | INVESTIGATION AND EVALUATION OF STONE PINE (<i>Pinus pinea</i> L.) CURRENT AND FUTURE POTENTIAL DISTRIBUTION UNDER CLIMATE CHANGE IN TURKEY. <i>Cerne</i> , 2019, 25, 415-423. | 0.9 | 22 |
| 13183 | How climate change can affect the distribution range and conservation status of an endemic bird from the highlands of eastern Brazil: the case of the Gray-backed Tachuri, <i>Polystictus superciliosus</i> (Aves, Tyrannidae). <i>Biota Neotropica</i> , 2015, 15, . | 1.0 | 8 |
| 13184 | Using distribution models to estimate blooms of phytosanitary cyanobacteria in Brazil. <i>Biota Neotropica</i> , 2020, 20, . | 0.2 | 5 |
| 13185 | CONTEMPORARY AND FUTURE POTENTIAL GEOGRAPHIC DISTRIBUTION OF <i>Cedrela fissilis</i> Vell. UNDER CLIMATE CHANGE SCENARIOS. <i>Revista Arvore</i> , 2019, 43, . | 0.5 | 7 |
| 13186 | Potential and Future Geographical Distribution of <i>Eremanthus erythropappus</i> (DC.) MacLeish: a Tree Threatened by Climate Change. <i>Floresta E Ambiente</i> , 2019, 26, . | 0.1 | 3 |
| 13187 | AvaliaÃ§Ã£o da RestauraÃ§Ã£o Florestal de uma APP Degradada em Santa Catarina. <i>Floresta E Ambiente</i> , 2015, 22, 194-203. | 0.1 | 6 |
| 13188 | On the taxonomy of <i>Latonigena auricomis</i> (Araneae, Gnaphosidae), with notes of geographical distribution and natural history. <i>Iheringia - Serie Zoologia</i> , 2013, 103, 66-71. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13189 | Distribution and agroclimatic characterization of potential cultivation regions of physic nut in Mexico. <i>Pesquisa Agropecuaria Brasileira</i> , 2009, 44, 1078-1085. | 0.9 | 19 |
| 13191 | Perfil florístico e estrutural do componente lenhoso em seis áreas de cerrado ao longo do bioma Cerrado. <i>Acta Botanica Brasílica</i> , 2012, 26, 328-341. | 0.8 | 25 |
| 13192 | Myrtaceae throughout the Espinhaço Mountain Range of centraleastern Brazil: floristic relationships and geoclimatic controls. <i>Acta Botanica Brasílica</i> , 2014, 28, 109-119. | 0.8 | 14 |
| 13194 | Abundância e diversidade de palmeiras no Distrito Florestal Sustentável da rodovia BR-163, Pará, Brasil. <i>Biota Neotropica</i> , 2011, 11, 99-105. | 1.0 | 3 |
| 13195 | Potential distribution and new records of <i>Trinomys</i> species (Rodentia: Echimyidae) in the state of Rio de Janeiro. <i>Zoologia</i> , 2009, 26, 305-315. | 0.5 | 17 |
| 13196 | More on the Mesopotamian-Yungas disjunction in subtropical and temperate Argentina: Bioclimatic distribution models of the harvestman <i>Discocyrtus dilatatus</i> (Opiliones: Gonyleptidae). <i>Zoologia</i> , 2015, 32, 445-456. | 0.5 | 5 |
| 13197 | Inventário florístico florestal de Santa Catarina: espécies da Floresta Ombrófila Mista. <i>Rodriguesia</i> , 2013, 64, 201-210. | 0.9 | 39 |
| 13198 | Aspectos da distribuição e conservação de <i>Paspalum</i> L. (Poaceae) em Pernambuco. <i>Hoehnea (revista)</i> , 2010, 37, 801-812. | 0.2 | 4 |
| 13199 | Geo-Spatial Modeling of Access to Water and Sanitation in Nigeria. , 2018, , . | | 2 |
| 13200 | Niche segregation in Iberian <i>Argiope</i> species. <i>Journal of Arachnology</i> , 2019, 47, 37. | 0.3 | 6 |
| 13201 | Interactions of climate and solar irradiance can reverse the bioclimatic response of poikilohydric species: An experimental test for <i>Flavoparmelia caperata</i> . <i>Bryologist</i> , 2019, 122, 98. | 0.1 | 6 |
| 13202 | Hidden in plain sight: how overlooking ephemeral bryophytes can bias biodiversity assessments and conservation actions. <i>Bryologist</i> , 2019, 122, 260. | 0.1 | 6 |
| 13203 | DISTRIBUTIONAL DYNAMICS OF INVASION AND HYBRIDIZATION BY <i>STRIX</i> SPP. IN WESTERN NORTH AMERICA. <i>Ornithological Monographs</i> , 2007, 63, 55. | 1.3 | 5 |
| 13204 | Museum Specimens Reveal Life History Characteristics in <i>Plethodon montanus</i> . <i>Copeia</i> , 2019, 107, 622. | 1.4 | 3 |
| 13205 | Clearing up the Crystal Ball: Understanding Uncertainty in Future Climate Suitability Projections for Amphibians. <i>Herpetologica</i> , 2020, 76, 108. | 0.2 | 9 |
| 13206 | Climate Change and Mountaintop-Removal Mining: A MaxEnt Assessment of the Potential Threat to West Virginian Fishes. <i>Northeastern Naturalist</i> , 2019, 26, 499. | 0.1 | 2 |
| 13207 | Observations of habitat associations in boreal forest birds and the geographic variation in bird community composition. <i>Wilson Journal of Ornithology</i> , 2019, 131, 12. | 0.1 | 3 |
| 13208 | Análisis florístico de un bosque de <i>Abies</i> y el bosque mesófilo de montaña adyacente en Juanacatlán, Mascota, Jalisco, México. <i>Botanical Sciences</i> , 2014, 92, 541-562. | 0.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13209 | Impact of Late Pleistocene-Holocene climatic fluctuations on the phylogeographic structure and historical demographics of <i>Zamia prasina</i> (Cycadales: Zamiaceae). <i>Botanical Sciences</i> , 2019, 97, 588-608. | 0.3 | 3 |
| 13210 | Estructura del bosque mesófilo de montaña y su reemplazo por bosque de <i>Abies</i> en dos gradientes altitudinales del occidente de México. <i>Botanical Sciences</i> , 2019, 97, 301-322. | 0.3 | 4 |
| 13211 | Morphological differentiation among populations of <i>Quercus elliptica</i> Nees (Fagaceae) along an environmental gradient in Mexico and Central America. <i>Botanical Sciences</i> , 2020, 98, 50-65. | 0.3 | 11 |
| 13212 | Ecorregiones de la península de Baja California: Una síntesis. <i>Botanical Sciences</i> , 0, 87, 69-82. | 0.3 | 22 |
| 13213 | Predictores ambientales de la riqueza de especies de plantas del bosque húmedo de montaña de México. <i>Botanical Sciences</i> , 2014, 90, 27. | 0.3 | 12 |
| 13214 | Diversidad florística en cimas de la Sierra Madre Occidental, México, y su relación con variables ambientales. <i>Botanical Sciences</i> , 2013, 91, 193-205. | 0.3 | 5 |
| 13215 | Botanical Sampling Gaps Across the Cameroon Mountains. <i>Biodiversity Informatics</i> , 0, 12, . | 3.0 | 5 |
| 13217 | Türkiye'deki bazı odun ağaçları orman alanlarının potansiyel dağılımı. <i>Orman Araştırma Dergisi</i> , 15-28. | 0.2 | 1 |
| 13218 | Analyzing Stopover and Wintering Habitats of Hooded Cranes (<i>Grus monacha</i>): Implications for Conservation and Species Dispersion in the East Asia. <i>Pakistan Journal of Zoology</i> , 2019, 51, . | 0.1 | 3 |
| 13219 | Scaling up research using GIS and WebGIS spatial tools: case study of MicroVeg project. <i>Acta Horticulturae</i> , 2019, , 217-226. | 0.1 | 1 |
| 13220 | Domain-Based Benchmark Experiments: Exploratory and Inferential Analysis. <i>Austrian Journal of Statistics</i> , 2016, 41, . | 0.2 | 9 |
| 13221 | Predicting distribution of white stork (<i>Ciconia ciconia</i> Linnaeus, 1758) under climate change in Turkey. <i>Türkiye Orman Araştırma Dergisi</i> , 0, , 243-249. | 0.1 | 1 |
| 13222 | Prediction of future and current distribution of <i>Phoenix theophrasti</i> Gr. with using MaxEnt model and its utilization for planting design. <i>Türkiye Orman Araştırma Dergisi</i> , 2019, 20, 274-283. | 0.1 | 10 |
| 13223 | Climate, habitat associations and the potential distributions of Neotropical birds: Implications for diversification across the Andes. <i>Revista De La Academia Colombiana De Ciencias Exactas, Fisicas Y Naturales</i> , 2016, 40, 275. | 0.0 | 35 |
| 13224 | Mangroves of Colombia revisited in an era of open data, global changes, and socio-political transition: Homage to Heliodoro Sánchez-Pérez. <i>Revista De La Academia Colombiana De Ciencias Exactas, Fisicas Y Naturales</i> , 2019, 43, 84. | 0.0 | 6 |
| 13225 | The net GHG flux assessment model of reservoir (G-res Tool) and its application in reservoirs in upper reaches of Yangtze River in China. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2019, 31, 1479-1488. | 0.3 | 1 |
| 13226 | Social capital, collective action, and communal grazing lands in Uganda. <i>International Journal of the Commons</i> , 2017, 11, 854-876. | 0.6 | 5 |
| 13227 | Night Sky Brightness Assessment in Nigeria Using Environmetric and GIS Technique. <i>International Journal on Advanced Science, Engineering and Information Technology</i> , 2017, 7, 28. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13228 | Current and future potential distribution of maize chlorotic mottle virus and risk of maize lethal necrosis disease in Africa. <i>Journal of Crop Protection</i> , 2016, 5, 215-228. | 0.5 | 26 |
| 13229 | Adaptación al cambio climático a través de la elección de cultivos en Perú. <i>Trimestre Económico</i> , 2015, 82, 489. | 0.1 | 10 |
| 13230 | Understanding the genetic bases of adaptation to soil water deficit in trees through the examination of water use efficiency and cavitation resistance: maritime pine as a case study. <i>The Journal of Plant Hydraulics</i> , 0, 3, e008. | 1.0 | 17 |
| 13231 | Spatial variability of night temperatures at a fine scale over the Stellenbosch wine district, South Africa. <i>Oeno One</i> , 2016, 46, 1. | 0.7 | 6 |
| 13232 | Analysis of viticulture region climate structure and suitability in New Zealand. <i>Oeno One</i> , 2016, 46, 149. | 0.7 | 25 |
| 13233 | Winegrape phenology and temperature relationships in the Lisbon wine region, Portugal. <i>Oeno One</i> , 2016, 47, 287. | 0.7 | 26 |
| 13234 | Burrowing and Anti-Predator Requirements Determine the Microhabitat Selection of Himalayan Marmot in Zoige Wetland. <i>Zoological Science</i> , 2020, 37, 554-562. | 0.3 | 6 |
| 13235 | Soil and Landscape Memory of Climate Change—How Sensitive, How Connected?. , 2013, , 63-69. | | 5 |
| 13236 | Distribución del Patrón espacial tipo Leopardo en regiones Áridas y semiÁridas del mundo. <i>Boletín De La Asociación De Geógrafos Españoles</i> , 2016, , . | 0.2 | 2 |
| 13237 | Impacto del calentamiento global en la distribución y supervivencia del pinsapo (Serranía de Ronda). <i>Boletín De La Asociación De Geógrafos Españoles</i> , 2018, , 504-549. | 0.2 | 10 |
| 13238 | Integration of Georeferencing, Habitat, Sampling, and Genetic Data for Documentation of Wild Plant Genetic Resources. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2011, 46, 1446-1449. | 0.5 | 5 |
| 13239 | Genetic Variation and Distribution of Pacific Crabapple. <i>Journal of the American Society for Horticultural Science</i> , 2012, 137, 325-332. | 0.5 | 14 |
| 13240 | First-Season Crop Yield Response to Organic Soil Amendments: A Meta-Analysis. <i>Agronomy Journal</i> , 2017, 109, 1210-1217. | 0.9 | 27 |
| 13241 | Agriculture and Adaptation in Bangladesh: Current and Projected Impacts of Climate Change. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 46 |
| 13242 | The Origin of the State: Incentive Compatible Extraction under Environmental Circumscription. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 7 |
| 13243 | Energy Subsidies, Energy Intensity and Management Practices. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 5 |
| 13244 | LAPSyd: lyon-albuquerque phonological systems database. , 0, , . | | 21 |
| 13245 | Implications of human induced changes on the distribution of important plant species in the northwestern coastal desert of Egypt. <i>Renewable Energy and Sustainable Development</i> , 2015, 1, 243. | 0.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13246 | Intraspecific Divergence Associated with a Biogeographic Barrier and Climatic Models Show Future Threats and Long-Term Decline of a Rainforest Conifer. <i>The Open Conservation Biology Journal</i> , 2013, 7, 1-10. | 1.0 | 6 |
| 13247 | Changes of Forest Stands Vulnerability to Future Wind Damage Resulting from Different Management Methods. <i>Open Geography Journal</i> , 2010, 3, 80-90. | 0.2 | 2 |
| 13248 | Impact of Target Diameter Harvesting on Spatial and Temporal Pattern of Drought Risk in Forest Ecosystems Under Climate Change Conditions. <i>Open Geography Journal</i> , 2010, 3, 91-102. | 0.2 | 5 |
| 13249 | Modeling the Impact of Canopy Structure on the Spatial Variability of Net Forest Precipitation and Interception Loss in Scots Pine Stands. <i>Open Geography Journal</i> , 2010, 3, 115-124. | 0.2 | 6 |
| 13250 | Distribuci3n actual y potencial de las cact3ceas <i>Ferocactus histrix</i> , <i>Mammillaria bombycina</i> y <i>M. perezdelarosae</i> en el estado de Aguascalientes, M3xico. <i>Acta Botanica Mexicana</i> , 2014, , 67-80. | 0.1 | 5 |
| 13251 | Cambio clim3tico y sus efectos en la vegetaci3n de Veracruz, M3xico: una aproximaci3n mediante modelado de nicho ecol3gico. <i>Acta Botanica Mexicana</i> , 2015, , 73-93. | 0.1 | 15 |
| 13252 | El uso ornamental de <i>Guarianthe skinneri</i> (Orchidaceae), en Chiapas y Guatemala, determina parcialmente su diversidad y estructura gen3tica. <i>Acta Botanica Mexicana</i> , 2018, , 35-48. | 0.1 | 2 |
| 13253 | Distribuci3n hist3rica, actual y futura de <i>Cedrela odorata</i> en M3xico. <i>Acta Botanica Mexicana</i> , 2018, , 117-134. | 0.1 | 9 |
| 13254 | An unusual new record of <i>Baccharis</i> (Asteraceae) from the Peruvian Andes and its relation with the northern limit of the dry puna. <i>Acta Botanica Mexicana</i> , 2019, , . | 0.1 | 2 |
| 13255 | Taxonom3a y distribuci3n de los anofelinos en el estado de Veracruz, M3xico (Diptera: Culicidae.) <i>Tj ETQq1 1 0.784314 rgBT /Ove</i> | 1.1 | 9 |
| 13256 | Abundancia y distribuci3n del g3nero <i>Pinus</i> en Capul3lpam de M3ndez, Sierra Ju3rez, Oaxaca. <i>Madera Bosques</i> , 2016, 22, 61-74. | 0.1 | 9 |
| 13257 | Diversidad y estructura gen3tica de <i>Quercus crassifolia</i> en sitios de manejo forestal y uso local en Sierra Ju3rez, Oaxaca. <i>Madera Bosques</i> , 2017, 23, 85-98. | 0.1 | 8 |
| 13258 | Distribuci3n potencial y abundancia de candelilla (<i>Euphorbia antisiphilitica</i>) en el norte de Zacatecas, M3xico. <i>Madera Bosques</i> , 2019, 25, . | 0.1 | 3 |
| 13259 | A Meta-Analysis of the Impact of African Elephants on Savanna Vegetation. <i>Journal of Wildlife Management</i> , 2008, 72, 892. | 0.7 | 26 |
| 13261 | Distribuci3n actual y potencial del jaguar (<i>Panthera onca</i>) en Oaxaca, M3xico. <i>Revista Mexicana De Biodiversidad</i> , 2012, 83, . | 0.4 | 16 |
| 13262 | Estimating distribution area in six <i>Argia</i> damselflies (Insecta: Odonata: Coenagrionidae) including <i>A. garrisoni</i> , a threatened species. <i>Revista Mexicana De Biodiversidad</i> , 2018, 89, . | 0.4 | 3 |
| 13263 | Specific habitat requirements and niche conservatism for nine species of the Mexican genus <i>Thelocactus</i> (Cactaceae). <i>Revista Mexicana De Biodiversidad</i> , 2019, 90, . | 0.4 | 4 |
| 13264 | Climate change impact on endangered cloud forest tree species in Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2019, 90, . | 0.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13265 | Ecological niche models as a tool for estimating the distribution of plant communities. Revista Mexicana De Biodiversidad, 2019, 90, . | 0.4 | 6 |
| 13266 | Efectos del cambio climático en una especie de lagartija termófila de amplia distribución (Dipsosaurus) Tj ETQq1,10.784314 rgBT | 0.4 | 4 |
| 13267 | Efecto del cambio climático en la distribución de especies clave en la vegetación de duna costera en la península de Yucatán, México. Revista Mexicana De Biodiversidad, 2020, 91, . | 0.4 | 6 |
| 13268 | Morphological correlates of prey consumed by Podarcis melisellensis (Braun, 1877) and P. siculus (Rafinesque, 1810) (Sauria, Lacertidae) from two mainland regions in the eastern Adriatic area. Archives of Biological Sciences, 2013, 65, 1015-1025. | 0.2 | 2 |
| 13269 | Models of the potential distribution and habitat preferences of the genus Pipiza (Syrphidae: Diptera) on the Balkan peninsula. Archives of Biological Sciences, 2013, 65, 1037-1052. | 0.2 | 5 |
| 13270 | Land Conversion for Solar Facilities and Urban Sprawl in Southwest Deserts Causes Different Amounts of Habitat Loss for Ashmeadiella Bees. Journal of the Kansas Entomological Society, 2020, 92, 468. | 0.1 | 6 |
| 13271 | Climatic and topographic tolerance limits of wild boar in Eurasia: implications for their expansion. Geography, Environment, Sustainability, 2020, 13, 107-114. | 0.6 | 6 |
| 13272 | Zoning of the republic of Kazakhstan as to the risk of natural focal diseases in animals: the case of rabies and anthrax. Geography, Environment, Sustainability, 2020, 13, 134-144. | 0.6 | 2 |
| 13273 | Biogeografía analítica de la pteridoflora del Arco de Alborán: Consecuencias para su status de protección. Acta Botanica Malacitana, 0, 45, . | 0.0 | 1 |
| 13274 | Land-Use Change Related to Topography and Societal Drivers in High-Mountains " A Case Study in the Upper Watershed of the Tergi (Kazbegi Region), Greater Caucasus. European Countryside, 2019, 11, 317-340. | 0.5 | 2 |
| 13275 | Exploring environmental determinants of Fusarium wilt occurrence on banana in South Central Mindanao, Philippines. Hellenic Plant Protection Journal, 2019, 12, 78-90. | 0.4 | 3 |
| 13276 | Notes on Orthoptera (Insecta) and their Assemblages in the Romanian Carpathians. Travaux Du Museum National D'Histoire Naturelle Grigore Antipa, 2013, 56, 19-32. | 0.1 | 4 |
| 13277 | Species diversity and ecological patterns of Phaeoclavulina species in Mexico with implications for conservation. North American Fungi, 2013, 8, 1. | 0.4 | 3 |
| 13278 | Diversidad espacial del ensamblaje de escarabajos coprófagos (Coleoptera: Scarabaeinae) en cinco ecoregiones de Sucre, costa Caribe Colombiana. Revista Colombiana De Entomología, 2019, 45, e7963. | 0.1 | 6 |
| 13281 | Synopsis of European Neogene freshwater gastropod localities: updated stratigraphy and geography. Palaeontologia Electronica, 0, , . | 0.9 | 4 |
| 13288 | Predicting and mapping human risk of exposure to Ixodes ricinus nymphs using climatic and environmental data, Denmark, Norway and Sweden, 2016. Eurosurveillance, 2019, 24, . | 3.9 | 33 |
| 13289 | Climatic suitability of Aedes albopictus in Europe referring to climate change projections: comparison of mechanistic and correlative niche modelling approaches. Eurosurveillance, 2014, 19, . | 3.9 | 86 |
| 13290 | Distribución potencial del complejo Aspidoscelis gularis (squamata: teiidae) en México. CienciaUAT, 2014, 9, 15. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13291 | A European perspective of the conservation status of the threatened meadow viper <i>Vipera ursinii</i> (BONAPARTE, 1835) (Reptilia, Viperidae). <i>Wildlife Biology</i> , 2020, 2020, . | 0.6 | 5 |
| 13292 | A New Species of <i>Johngarthia</i> from Clipperton and Socorro Islands in the Eastern Pacific Ocean (Crustacea: Decapoda: Gecarcinidae). <i>Pacific Science</i> , 2019, 73, 285. | 0.2 | 12 |
| 13294 | Reproductive Biology of the Fossorial Snake <i>Apostolepis gaboi</i> (Elapomorhini): A Threatened and Poorly Known Species from the Caatinga Region. <i>South American Journal of Herpetology</i> , 2019, 14, 37. | 0.5 | 7 |
| 13296 | Análisis Citogeográfico En <i>Turnera Krapovickasii</i> (Passifloraceae).. <i>Boletín De La Sociedad Argentina De Botanica</i> , 2016, 51, 153-167. | 0.1 | 4 |
| 13298 | Thermal structure of a megadiverse Andean mountain ecosystem in southern Ecuador and its regionalization. <i>Erdkunde</i> , 2009, 63, 321-335. | 0.4 | 55 |
| 13299 | Woody vegetation of a Peruvian tropical dry forest along a climatic gradient depends more on soil than annual precipitation. <i>Erdkunde</i> , 2013, 67, 241-248. | 0.4 | 17 |
| 13300 | Modeling the climatic suitability for <i>Fopius arisanus</i> (Hymenoptera: Braconidae) and its host fly <i>Bactrocera dorsalis</i> (Diptera: Tephritidae). <i>Entomologist's Monthly Magazine</i> , 2018, 154, 65-78. | 0.1 | 5 |
| 13301 | Climate change impacts on the potential distribution of <i>Taxus baccata</i> L. in the Eastern Mediterranean and the Bolkar Mountains (Turkey) from Last Glacial Maximum to the future. <i>Eurasian Journal of Forest Science</i> , 2018, 6, 69-82. | 0.7 | 15 |
| 13303 | ALGORITMOS DE APRENDIZAGEM DE MÁQUINA NA MODELAGEM DA DISTRIBUIÇÃO POTENCIAL DE HABITATS DE ESPÉCIES ARBÓREAS. <i>Nativa</i> , 2019, 7, 600. | 0.2 | 3 |
| 13304 | Comparative Analyses of Herbivory Rates and Leaf Phenology in Invasive and Native Shrubs in an East-Central Indiana Forest1. <i>Journal of the Torrey Botanical Society</i> , 2019, 146, 48. | 0.1 | 3 |
| 13305 | İklim Değişimi Senaryoları ve Türkiye Dağları Modeline Göre Karstik Dağları (Cornus mas L.) Odun Üretimi İçin Kapsamında Değerlendirilmesi. <i>European Journal of Science and Technology</i> , 0, , 224-233. | 0.3 | 7 |
| 13306 | Climate-Driven Range Shifts of the Sharp-Tailed Grouse <i>Tympanuchus phasianellus</i> . <i>Acta Ornithologica</i> , 2020, 54, 213. | 0.1 | 7 |
| 13307 | Soil C:P Ratio along Elevational Gradients in <i>Picea schrenkiana</i> Forest of Tianshan Mountains. <i>Polish Journal of Ecology</i> , 2019, 66, 325. | 0.2 | 2 |
| 13308 | Distinct Patterns of Genetic Connectivity Found for Two Frugivorous Bat Species in Mesoamerica. <i>Acta Chiropterologica</i> , 2019, 21, 35. | 0.2 | 3 |
| 13311 | Spatiotemporal Fluctuations and Triggers of Ebola Virus Spillover. <i>Emerging Infectious Diseases</i> , 2017, 23, 415-422. | 2.0 | 15 |
| 13312 | Special issue in honour of Prof. Reto J. Strasser - Origin rather than mild drought stress influenced chlorophyll a fluorescence in contrasting silver fir (<i>Abies alba</i> Mill.) provenances. <i>Photosynthetica</i> , 2020, 58, 549-559. | 0.9 | 6 |
| 13313 | Geographic patterns of vertebrate diversity and identification of relevant areas for conservation in Europe. <i>Animal Biodiversity and Conservation</i> , 2012, 35, 1-11. | 0.3 | 7 |
| 13314 | Modeling distribution of Mediterranean beech forests and soil carbon stock under climate change scenarios. <i>Climate Research</i> , 2015, 66, 25-36. | 0.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13315 | Influence of climate drivers and the North Atlantic Oscillation on beech growth at marginal sites across the Mediterranean. <i>Climate Research</i> , 2015, 66, 229-242. | 0.4 | 22 |
| 13316 | Climate change and the northward shift of <i>Cryptotympana facialis</i> in Japan: evidence from national survey data. <i>Climate Research</i> , 2016, 68, 13-23. | 0.4 | 2 |
| 13317 | Migration timing responses to climate change differ between adult and juvenile white storks across Western Europe. <i>Climate Research</i> , 2016, 69, 9-23. | 0.4 | 12 |
| 13318 | Spatially based reconstruction of daily precipitation instrumental data series. <i>Climate Research</i> , 2017, 73, 167-186. | 0.4 | 23 |
| 13319 | Thermal niche predicts recent changes in range size for bird species. <i>Climate Research</i> , 2017, 73, 207-216. | 0.4 | 30 |
| 13320 | Spatial distribution of <i>Batrachochytrium dendrobatidis</i> in South American caecilians. <i>Diseases of Aquatic Organisms</i> , 2017, 124, 109-116. | 0.5 | 13 |
| 13321 | Differential patterns of <i>Batrachochytrium dendrobatidis</i> infection in relict amphibian populations following severe disease-associated declines. <i>Diseases of Aquatic Organisms</i> , 2017, 126, 33-41. | 0.5 | 28 |
| 13322 | Age- and size-dependent resistance to chytridiomycosis in the invasive cane toad <i>Rhinella marina</i> . <i>Diseases of Aquatic Organisms</i> , 2018, 131, 107-120. | 0.5 | 10 |
| 13323 | Mapping potential distribution of slender loris subspecies in peninsular India. <i>Endangered Species Research</i> , 2009, 7, 29-38. | 1.2 | 20 |
| 13324 | Endangered Grevy's zebra in the Alledoghi Wildlife Reserve, Ethiopia: species distribution modeling for the determination of optimum habitat. <i>Endangered Species Research</i> , 2012, 17, 237-244. | 1.2 | 17 |
| 13325 | Weekly predictions of North Atlantic right whale <i>Eubalaena glacialis</i> habitat reveal influence of prey abundance and seasonality of habitat preferences. <i>Endangered Species Research</i> , 2012, 18, 147-161. | 1.2 | 44 |
| 13326 | Modelling the habitat use and distribution of the threatened Javan slow loris <i>Nycticebus javanicus</i> . <i>Endangered Species Research</i> , 2014, 23, 277-286. | 1.2 | 57 |
| 13327 | Assessment of climatically suitable area for <i>Syrmaticus reevesii</i> under climate change. <i>Endangered Species Research</i> , 2015, 28, 19-31. | 1.2 | 15 |
| 13328 | First open access ensemble climate envelope predictions of Assamese macaque <i>Macaca assamensis</i> in Asia: a new role model and assessment of endangered species. <i>Endangered Species Research</i> , 2018, 36, 149-160. | 1.2 | 5 |
| 13329 | Marine protected areas and migratory species: residency of green turtles at Palmyra Atoll, Central Pacific. <i>Endangered Species Research</i> , 2018, 37, 165-182. | 1.2 | 5 |
| 13330 | Seasonality of eelgrass biomass across gradients in temperature and latitude. <i>Marine Ecology - Progress Series</i> , 2014, 506, 71-85. | 0.9 | 57 |
| 13331 | Life history events of eelgrass <i>Zostera marina</i> L. populations across gradients of latitude and temperature. <i>Marine Ecology - Progress Series</i> , 2018, 590, 79-93. | 0.9 | 62 |
| 13332 | Spatial patterns of functional diversity and composition in marine benthic ciliates along the coast of China. <i>Marine Ecology - Progress Series</i> , 2019, 627, 49-60. | 0.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13333 | Mangrove benthic macrofauna: drivers of community structure and functional traits at multiple spatial scales. <i>Marine Ecology - Progress Series</i> , 2020, 638, 25-38. | 0.9 | 6 |
| 13334 | Climatic Constraints on Laggar Falcon (<i>Falco jugger</i>) Distribution Predicts Multidirectional Range Movements under Future Climate Change Scenarios. <i>Journal of Raptor Research</i> , 2020, 54, 1. | 0.2 | 12 |
| 13335 | Ensemble Machine Learning Approach Improves Predicted Spatial Variation of Surface Soil Organic Carbon Stocks in Data-Limited Northern Circumpolar Region. <i>Frontiers in Big Data</i> , 2020, 3, 528441. | 1.8 | 22 |
| 13336 | Projected Hydroclimate Changes on Hispaniola Island through the 21st Century in CMIP6 Models. <i>Atmosphere</i> , 2021, 12, 6. | 1.0 | 7 |
| 13337 | The Relict Ecosystem of <i>Maytenus senegalensis</i> subsp. <i>europaea</i> in an Agricultural Landscape: Past, Present and Future Scenarios. <i>Land</i> , 2021, 10, 1. | 1.2 | 29 |
| 13338 | Forecasting the distribution of Marmorikrebs, a parthenogenetic crayfish with high invasive potential, in Madagascar, Europe, and North America. <i>Aquatic Invasions</i> , 2011, 6, 55-67. | 0.6 | 53 |
| 13339 | The invasive status of <i>Macrobrachium rosenbergii</i> (De Man, 1879) in Northern Brazil, with an estimation of areas at risk globally. <i>Aquatic Invasions</i> , 2011, 6, 319-328. | 0.6 | 19 |
| 13340 | Assessment of suitable habitat for <i>Phragmites australis</i> (common reed) in the Great Lakes coastal zone. <i>Aquatic Invasions</i> , 2014, 9, 1-19. | 0.6 | 20 |
| 13341 | Niche dynamics and potential geographic distribution of <i>Didymosphenia geminata</i> (Lyngbye) M. Schmidt, an invasive freshwater diatom in Southern Chile. <i>Aquatic Invasions</i> , 2014, 9, 507-519. | 0.6 | 16 |
| 13342 | Predicting the risk of introduction and establishment of an exotic aquarium animal in Europe: insights from one decade of Marmorikrebs (Crustacea, Astacida, Cambaridae) releases. <i>Management of Biological Invasions</i> , 2014, 5, 309-318. | 0.5 | 30 |
| 13344 | Termite participation in the soil-forming processes of 'murundus' structures in the semi-arid region of Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2020, 44, . | 0.5 | 5 |
| 13345 | PSDS(predictive species distribution system) 2.0:a system based on GIS and multiple models for predicting potential distribution of species. <i>Biodiversity Science</i> , 2010, 18, 461. | 0.2 | 1 |
| 13346 | Assessment of potential habitat for <i>Ursus thibetanus</i> in the Qinling Mountains. <i>Biodiversity Science</i> , 2011, 19, 343-352. | 0.2 | 9 |
| 13347 | Analysis on Relationship between Wetland Landscape and Environmental Factors in Zoige Plateau Based on DCCA. <i>Geo-information Science</i> , 2011, 13, 313-322. | 0.1 | 1 |
| 13348 | An Ecological Niche Model for <i>Dociostaurus maroñeanus</i> , Thunberg, 1815 (Orthoptera, Acrididae): The Nesting Environment and Survival of Egg-Pods. <i>Biosis: Biological Systems</i> , 2020, 1, 08-24. | 0.3 | 2 |
| 13350 | Predicting impacts of climate change on forest tree species of Bangladesh: evidence from threatened <i>Dysoxylum binectariferum</i> (Roxb.) Hook.f. ex Bedd. (Meliaceae). <i>IForest</i> , 2017, 10, 154-160. | 0.5 | 11 |
| 13351 | The response of intra-annual stem circumference increase of young European beech provenances to 2012-2014 weather variability. <i>IForest</i> , 2016, 9, 960-969. | 0.5 | 16 |
| 13352 | Growth of Stone pine (<i>Pinus pinea</i> L.) European provenances in central Chile. <i>IForest</i> , 2017, 10, 64-69. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13353 | Predicting the impacts of climate change on the distribution of <i>Juniperus excelsa</i> M. Bieb. in the central and eastern Alborz Mountains, Iran. <i>IForest</i> , 2018, 11, 643-650. | 0.5 | 17 |
| 13354 | Local ecological niche modelling to provide suitability maps for 27 forest tree species in edge conditions. <i>IForest</i> , 2020, 13, 230-237. | 0.5 | 8 |
| 13355 | On the absence of the Green-tailed Trainbearer <i>Lesbia nuna</i> (Trochilidae) from Venezuela: an analysis based on environmental niche modelling. <i>Biodiversity Data Journal</i> , 2017, 5, e22092. | 0.4 | 3 |
| 13356 | New records of bats and terrestrial small mammals from the Seli River in Sierra Leone before the construction of a hydroelectric dam. <i>Biodiversity Data Journal</i> , 2019, 7, e34754. | 0.4 | 4 |
| 13357 | Past, Present, and Future of Marcescent Mediterranean Forests. <i>Biodiversity Information Science and Standards</i> , 0, 3, . | 0.0 | 2 |
| 13358 | Potential distribution and habitat connectivity of <i>Crotalus triseriatus</i> in Central Mexico. <i>Herpetozoa</i> , 0, 32, 139-148. | 1.0 | 10 |
| 13359 | On the identity of the adventive species of <i>Eufriesea Cockerell</i> in the USA: systematics and potential distribution of the <i>coerulescens</i> species group (Hymenoptera, Apidae). <i>Journal of Hymenoptera Research</i> , 0, 55, 55-105. | 0.8 | 2 |
| 13360 | Different diversification histories in tropical and temperate lineages in the ascomycete subfamily <i>Protopermateliaceae</i> (Parmeliaceae). <i>MycKeys</i> , 2018, 36, 1-19. | 0.8 | 7 |
| 13361 | Morphology and secondary chemistry in species recognition of <i>Parmelia omphalodes</i> group “evidence from molecular data with notes on the ecological niche modelling and genetic variability of photobionts. <i>MycKeys</i> , 2019, 61, 39-74. | 0.8 | 6 |
| 13362 | Phylogeography of post-Pleistocene population expansion in <i>Dasyscyphella longistipitata</i> (Leotiomyces, Helotiales), an endemic fungal symbiont of <i>Fagus crenata</i> in Japan. <i>MycKeys</i> , 2020, 65, 1-24. | 0.8 | 3 |
| 13363 | The great capricorn beetle <i>Cerambyx cerdo</i> L. in south-western Poland “the current state and perspectives of conservation in one of the recent distribution centres in Central Europe. <i>Nature Conservation</i> , 0, 19, 111-134. | 0.0 | 5 |
| 13364 | Latitudinal cline in weapon allometry and phenology of the European stag beetle. <i>Nature Conservation</i> , 0, 19, 57-80. | 0.0 | 10 |
| 13365 | Global Change Projections for Taiwan Island Birds: Linking Current and Future Distributions. <i>Nature Conservation</i> , 0, 2, 21-40. | 0.0 | 6 |
| 13366 | Effect of climate change on halophytic grasslands loss and its impact in the viability of <i>Gopherus flavomarginatus</i> . <i>Nature Conservation</i> , 0, 21, 39-55. | 0.0 | 8 |
| 13367 | Proposed biodiversity conservation areas: gap analysis and spatial prioritization on the inadequately studied Qinghai Plateau, China. <i>Nature Conservation</i> , 0, 24, 1-20. | 0.0 | 2 |
| 13368 | Proposed biodiversity conservation areas: gap analysis and spatial prioritization on the inadequately studied Qinghai Plateau, China. <i>Nature Conservation</i> , 0, 24, 1-20. | 0.0 | 5 |
| 13369 | Habitat preference and potential distribution of <i>Magnolia officinalis</i> subsp. <i>officinalis</i> and <i>M. o.</i> subsp. <i>biloba</i> in China. <i>Nature Conservation</i> , 0, 36, 93-111. | 0.0 | 4 |
| 13370 | Incorporating climate change into pest risk models for forest pathogens: a role for cold stress in an era of global warming?. <i>NeoBiota</i> , 0, 18, 131-150. | 1.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13371 | The ecology, biogeography, history and future of two globally important weeds: <i>Cardiospermum halicacabum</i> Linn. and <i>C. grandiflorum</i> Sw. <i>NeoBiota</i> , 0, 19, 45-65. | 1.0 | 22 |
| 13372 | The Global Garlic Mustard Field Survey (GGMFS): challenges and opportunities of a unique, large-scale collaboration for invasion biology. <i>NeoBiota</i> , 0, 21, 29-47. | 1.0 | 19 |
| 13373 | A biography of an invasive terrestrial slug: the spread, distribution and habitat of <i>Deroceras invadens</i> . <i>NeoBiota</i> , 0, 23, 17-64. | 1.0 | 28 |
| 13374 | Evaluating simplistic methods to understand current distributions and forecast distribution changes under climate change scenarios: an example with coypu (<i>Myocastor coypus</i>). <i>NeoBiota</i> , 0, 32, 107-125. | 1.0 | 10 |
| 13375 | The prioritisation of a short list of alien plants for risk analysis within the framework of the Regulation (EU) No. 1143/2014. <i>NeoBiota</i> , 0, 35, 87-118. | 1.0 | 39 |
| 13376 | Variation in phenology and overall performance traits can help to explain the plant invasion process amongst Mediterranean ecosystems. <i>NeoBiota</i> , 0, 41, 67-89. | 1.0 | 11 |
| 13377 | Prioritising potential incursions for contingency planning: pathways, species, and sites in Durban (eThekweni), South Africa as an example. <i>NeoBiota</i> , 0, 47, 1-21. | 1.0 | 5 |
| 13378 | The economic cost of control of the invasive yellow-legged Asian hornet. <i>NeoBiota</i> , 0, 55, 11-25. | 1.0 | 44 |
| 13379 | Origin of climatic data can determine the transferability of species distribution models. <i>NeoBiota</i> , 0, 59, 61-76. | 1.0 | 23 |
| 13380 | A classification system for predicting invasiveness using climatic niche traits and global distribution models: application to alien plant species in Chile. <i>NeoBiota</i> , 0, 63, 127-146. | 1.0 | 2 |
| 13381 | Distribution modeling applied to deficient data species assessment: A case study with <i>Pithecopus nordestinus</i> (Anura, Phyllomedusidae). <i>Neotropical Biology and Conservation</i> , 2020, 15, 165-175. | 0.4 | 12 |
| 13382 | A new species of <i>Amphitecna</i> (Bignoniaceae) endemic to Chiapas, Mexico. <i>PhytoKeys</i> , 2016, 65, 15-23. | 0.4 | 5 |
| 13383 | Tracking Invasive Alien Species (TrIAS): Building a data-driven framework to inform policy. <i>Research Ideas and Outcomes</i> , 0, 3, . | 1.0 | 16 |
| 13384 | eEcoLiDAR, eScience infrastructure for ecological applications of LiDAR point clouds: reconstructing the 3D ecosystem structure for animals at regional to continental scales. <i>Research Ideas and Outcomes</i> , 0, 3, e14939. | 1.0 | 17 |
| 13385 | The deep subterranean environment as a potential model system in ecological, biogeographical and evolutionary research. <i>Subterranean Biology</i> , 0, 25, 1-7. | 5.0 | 37 |
| 13386 | The lowland seasonally dry subtropical forests in central Argentina: vegetation types and a call for conservation. <i>Vegetation Classification and Survey</i> , 0, 1, 87-102. | 0.0 | 17 |
| 13387 | Phylogenetic revision of <i>Minyomerus</i> Horn, 1876 sec. Jansen & Franz, 2015 (Coleoptera.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102</i> | 0.5 | 15 |
| 13388 | New species in the <i>Sitalcina sura</i> species group (Opiliones, Laniatores, Phalangodidae), with evidence for a biogeographic link between California desert canyons and Arizona sky islands. <i>ZooKeys</i> , 2016, 586, 1-36. | 0.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13389 | Spatial and environmental correlates of species richness and turnover patterns in European cryptocephaline and chrysomeline beetles. <i>ZooKeys</i> , 2016, 597, 81-99. | 0.5 | 7 |
| 13390 | A new cryptic species and review of the east-Andean leaf chafer genus <i>Mesomerodon</i> Ohaus, 1905 (Coleoptera, Scarabaeidae, Rutelinae). <i>ZooKeys</i> , 2017, 671, 61-85. | 0.5 | 2 |
| 13391 | Phylogeography and species distribution modelling of <i>Cryptocephalus barii</i> (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,662 Td (| 0.5 | 23 |
| 13392 | Multilocus, phenotypic, behavioral, and ecological niche analyses provide evidence for two species within <i>Euphonia affinis</i> (Aves, Fringillidae). <i>ZooKeys</i> , 2020, 952, 129-157. | 0.5 | 4 |
| 13393 | Ecological niche differentiation between <i>Acanthodactylus micropholis</i> and <i>A. khamirensis</i> (Sauria: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.5 | 1 |
| 13394 | Climate Variable Choice in Ricardian Studies of European Agriculture. <i>Revue Economique</i> , 2019, Vol. 70, 375-401. | 0.1 | 9 |
| 13395 | Species Distribution Modelling of Family Sapindaceae in West Africa. <i>International Journal of Botany</i> , 2011, 8, 45-49. | 0.2 | 5 |
| 13396 | The Limiting of Climatic Factors and Predicting of Suitable Habitat for Citrus Gummy Bark Disease Occurrence using GIS. <i>International Journal of Virology</i> , 2012, 8, 165-177. | 0.4 | 13 |
| 13397 | Modeling Soil Erosion Dynamics in the Blue Nile (Abbay) Basin: A Landscape Approach. <i>Research Journal of Environmental Sciences</i> , 2014, 8, 243-258. | 0.5 | 29 |
| 13398 | Modeling the impacts of climate change on Species of Concern (birds) in South Central U.S. based on bioclimatic variables. <i>AIMS Environmental Science</i> , 2017, 4, 358-385. | 0.7 | 20 |
| 13399 | Altitude, temperature, and parasitoid pressure may prevent competition between two Mexican bruchid beetles attacking wild <i>Phaseolus vulgaris</i> . <i>Journal of Agricultural and Urban Entomology</i> , 2019, 35, 21. | 0.6 | 1 |
| 13400 | Assessing Effects of Variation in Global Climate Data Sets on Spatial Predictions from Climate Envelope Models. <i>Journal of Fish and Wildlife Management</i> , 2014, 5, 14-25. | 0.4 | 12 |
| 13401 | Predicting the Potential Distribution of the Sierra Nevada Red Fox in the Oregon Cascades. <i>Journal of Fish and Wildlife Management</i> , 2018, 9, 351-366. | 0.4 | 4 |
| 13402 | The Current and Future Status of Floristic Provinces in Thailand. , 0, , 219-247. | | 11 |
| 13403 | Spatial Analysis of Climate-Viticulture Indices for the Eastern United States. <i>International Journal of Applied Geospatial Research</i> , 2016, 7, 23-37. | 0.2 | 1 |
| 13404 | Mapping the Climate Suitability Using MaxEnt Modeling Approach for Ceylon Spinach (<i>Basella alba</i> L.) Cultivation in India. <i>Journal of Agricultural Sciences - Sri Lanka</i> , 2015, 10, 87-97. | 0.2 | 8 |
| 13405 | Complex bioclimatic and soil gradients shape leaf trait variation in <i>Embothrium coccineum</i> (Proteaceae) among austral forests in Patagonia. <i>Revista Chilena De Historia Natural</i> , 2009, 82, . | 0.5 | 33 |
| 13406 | Vascular plant assemblages of ephemeral wetland vegetation along the Mediterranean-temperate gradient in Chile. <i>Gayana - Botanica</i> , 2015, 72, 177-191. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13407 | Topoclimatic Modeling of Thermopluviometric Variables for the BÃ¸ BÃ¸ and La AraucanÃ¸ Regions, Chile. Chilean Journal of Agricultural Research, 2010, 70, 604-615. | 0.4 | 11 |
| 13408 | The value of urban and peri-urban conservation efforts within a global biodiversity hotspot. Bothalia, 2016, 46, . | 0.2 | 4 |
| 13409 | An ecological niche modelling of Upper Palaeolithic stone tool groups in the Kanto-Koshinetsu region, eastern Japan. The Quaternary Research, 2015, 54, 207-218. | 0.2 | 6 |
| 13411 | Modelling the Distribution of Suitable Glossina Spp. Habitat in the North Western parts of Zimbabwe Using Remote Sensing and Climate Data. Geoinformatics & Geostatistics an Overview, 2013, s1, . | 0.2 | 3 |
| 13412 | The Minimum and Maximum Temperature Forecast Using Statistical Downscaling Techniques for Port-Harcourt Metropolis, Nigeria. Atmospheric and Climate Sciences, 2017, 07, 424-435. | 0.1 | 4 |
| 13413 | Spatial-Temporal Variations in January Precipitation over the Period of 1950-2000 in Pakistan and Possible Links with Global Teleconnections: Geographical Perspective. American Journal of Climate Change, 2014, 03, 378-387. | 0.5 | 6 |
| 13414 | Selection of High Yielding and Farmersâ€™ Preferred Genotypes of Bambara Nut (<i>Vigna Tj ETQq0 0 0 rgBT /Overlock 1802-1808. | 0.3 | 11 |
| 13415 | Photoperiod and Nitrogen Supply Limit the Scope of Northward Migration and Seed Transfer of Black Spruce in a Future Climate Associated with Doubled Atmospheric CO2 Concentration. American Journal of Plant Sciences, 2015, 06, 189-200. | 0.3 | 10 |
| 13416 | Inter-Basin Groundwater Transfer and Multiple Approach Recharge Estimation of the Upper Awash Aquifer System. Journal of Geoscience and Environment Protection, 2017, 05, 76-98. | 0.2 | 9 |
| 13417 | Impact of the Future Changing Climate on the Southern Africa Biomes, and the Importance of Geology. Journal of Geoscience and Environment Protection, 2017, 05, 1-9. | 0.2 | 11 |
| 13418 | Customized Online Aggregation & Summarization Tool for Environmental Rasters (COASTER). Journal of Geographic Information System, 2012, 04, 530-541. | 0.3 | 1 |
| 13419 | Predicting Cork Oak Suitability in Maâmora Forest Using Random Forest Algorithm. Journal of Geographic Information System, 2015, 07, 202-210. | 0.3 | 11 |
| 13420 | Assessing the Suitability of the WorldClim Dataset for Ecological Studies in Southern Kenya. Journal of Geographic Information System, 2018, 10, 643-658. | 0.3 | 4 |
| 13421 | Comparative Evaluation of Spatial Interpolation Methods for Estimation of Missing Meteorological Variables over Ethiopia. Journal of Water Resource and Protection, 2017, 09, 945-959. | 0.3 | 13 |
| 13422 | Predicting Potential Habitat Distribution of Sorrel (<i>Rumex vesicarius</i> L.) in India from Presence-Only Data Using Maximum Entropy Model. Open Access Library Journal (oalib), 2015, 02, 1-11. | 0.1 | 3 |
| 13423 | Can the Iberian Floristic Diversity Withstand Near-Future Climate Change?. Open Journal of Ecology, 2014, 04, 1089-1101. | 0.4 | 6 |
| 13424 | Potential Range Expansion of the Invasive Red Shiner, <i>Cyprinella lutrensis</i> (Teleostei: Cyprinidae), under Future Climatic Change. Open Journal of Ecology, 2014, 04, 554-564. | 0.4 | 2 |
| 13425 | Using Biophysical Variables and Stand Density to Estimate Growth and Yield of <i>Pinus patula</i> in Antioquia, Colombia. Open Journal of Forestry, 2019, 09, 195-213. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13426 | A realized Tuber <i>Tuber magnatum</i> niche in the upper Sinni area (south Italy). Open Journal of Genetics, 2013, 03, 102-110. | 0.1 | 4 |
| 13427 | Climate Influence on Emerging Risk Areas for Rift Valley Fever Epidemics in Tanzania. American Journal of Tropical Medicine and Hygiene, 2017, 97, 109-114. | 0.6 | 22 |
| 13428 | An Acarological Risk Model Predicting the Density and Distribution of Host-Seeking Ixodes scapularis Nymphs in Minnesota. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1671-1682. | 0.6 | 18 |
| 13429 | Predicting the Geographic Distribution of the Bacillus anthracis A1.a/Western North American Sub-Lineage for the Continental United States: New Outbreaks, New Genotypes, and New Climate Data. American Journal of Tropical Medicine and Hygiene, 2020, 102, 392-402. | 0.6 | 16 |
| 13430 | Modeling the Geographic Distribution of Bacillus anthracis, the Causative Agent of Anthrax Disease, for the Contiguous United States using Predictive Ecologic Niche Modeling. American Journal of Tropical Medicine and Hygiene, 2007, 77, 1103-1110. | 0.6 | 140 |
| 13431 | The origins of agriculture in Iberia: a computational model. Documenta Praehistorica, 0, 42, . | 1.0 | 7 |
| 13432 | Systematic Conservation Planning: an Updated Protocol. Natureza A Conservacao, 2010, 08, 19-26. | 2.5 | 70 |
| 13433 | The Real Task of Selecting Records for Ecological Niche Modelling. Natureza A Conservacao, 2012, 10, 139-144. | 2.5 | 20 |
| 13434 | Partial versus Full Species Distribution Models. Natureza A Conservacao, 2012, 10, 127-138. | 2.5 | 69 |
| 13435 | Does environmental suitability explain the relative abundance of the tailed tailless bat, Anoura caudifer?. Natureza A Conservacao, 2012, 10, 221-227. | 2.5 | 18 |
| 13436 | ReduÃ§Ã£o de incertezas em anÃ¡lise de vulnerabilidade Ãs mudanÃ§as climÃ¡ticas para Dicksonia sellowiana. Pesquisa Florestal Brasileira, 2013, 33, 299-308. | 0.1 | 3 |
| 13440 | Representatividad de mamÃferos amenazados en el Sistema Departamental de Ãreas Protegidas (SIDAP) del QuindÃo, Colombia. Mammalogy Notes, 2014, 1, 35-41. | 0.1 | 6 |
| 13441 | Changes in Aporia crataegi's potential habitats in accordance with climate changes in the northeast Asia. Journal of Ecology and Environment, 2015, 38, 15-23. | 1.6 | 5 |
| 13442 | Prediction of changes in distribution area of Scopura laminate in response to climate changes of the Odaesan National Park of South Korea. Journal of Ecology and Environment, 2015, 38, 529-536. | 1.6 | 1 |
| 13443 | DIVERSITY OF SHRUB SPECIES IN A SEMIARID AREA OF CENTRAL MEXICO. Revista Chapingo, Serie Ciencias Forestales Y Del Ambiente, 2013, XIX, 323-335. | 0.1 | 2 |
| 13444 | SELECTION OF ENVIRONMENTAL PREDICTORS FOR SPECIES DISTRIBUTION MODELING IN MAXENT. Revista Chapingo, Serie Ciencias Forestales Y Del Ambiente, 2014, XX, 188-201. | 0.1 | 10 |
| 13445 | Stem and soil nitrous oxide fluxes from rainforest and cacao agroforest on highly weathered soils in the Congo Basin. Biogeosciences, 2020, 17, 5377-5397. | 1.3 | 8 |
| 13456 | Paleobotanical proxies for early Eocene climates and ecosystems in northern North America from middle to high latitudes. Climate of the Past, 2020, 16, 1387-1410. | 1.3 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13464 | Global radiation, photosynthetically active radiation, and the diffuse component dataset of China, 1981â€“2010. Earth System Science Data, 2018, 10, 1217-1226. | 3.7 | 28 |
| 13465 | A review of biomass equations for China's tree species. Earth System Science Data, 2020, 12, 21-40. | 3.7 | 48 |
| 13466 | The Eurasian Modern Pollen Database (EMPD), version 2. Earth System Science Data, 2020, 12, 2423-2445. | 3.7 | 34 |
| 13467 | Mapping the yields of lignocellulosic bioenergy crops from observations at the global scale. Earth System Science Data, 2020, 12, 789-804. | 3.7 | 26 |
| 13469 | A description of the global land-surface precipitation data products of the Global Precipitation Climatology Centre with sample applications including centennial (trend) analysis from 1901â€“present. Earth System Science Data, 2013, 5, 71-99. | 3.7 | 681 |
| 13470 | A global satellite-assisted precipitation climatology. Earth System Science Data, 2015, 7, 275-287. | 3.7 | 161 |
| 13471 | High-resolution global grids of revised Priestleyâ€“Taylor and Hargreavesâ€“Samani coefficients for assessing ASCE-standardized reference crop evapotranspiration and solar radiation. Earth System Science Data, 2017, 9, 615-638. | 3.7 | 36 |
| 13472 | SPREAD: a high-resolution daily gridded precipitation dataset for Spain â€“ an extreme events frequency and intensity overview. Earth System Science Data, 2017, 9, 721-738. | 3.7 | 70 |
| 13475 | Last Glacial Maximum precipitation pattern in the Alps inferred from glacier modelling. Geographica Helvetica, 2016, 71, 173-187. | 0.4 | 45 |
| 13476 | A study of the WÃ¼rm glaciation focused on the Valais region (Alps). Geographica Helvetica, 2017, 72, 421-442. | 0.4 | 8 |
| 13479 | Assessing the prospective resource base for enhanced geothermal systems in Europe. Geothermal Energy Science, 2014, 2, 55-71. | 1.1 | 58 |
| 13480 | Specific climate classification for Mediterranean hydrology and future evolution under Med-CORDEX regional climate model scenarios. Hydrology and Earth System Sciences, 2020, 24, 4503-4521. | 1.9 | 4 |
| 13491 | COMPARATIVE ANALYSIS OF GLOBAL DIGITAL ELEVATION MODELS AND ULTRA-PROMINENT MOUNTAIN PEAKS. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, III-4, 17-23. | 0.0 | 7 |
| 13492 | VEGETATION MAPPING OF A COASTAL DUNE COMPLEX USING MULTISPECTRAL IMAGERY ACQUIRED FROM AN UNMANNED AERIAL SYSTEM. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-1, 421-427. | 0.2 | 1 |
| 13493 | MODELING PRECIPITATION DEPENDENT FOREST RESILIENCE IN INDIA. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3, 263-266. | 0.2 | 2 |
| 13494 | Erosion Modelling In A Mediterranean Subcatchment Under Climate Change Scenarios Using Pan-European Soil Erosion Risk Assessment (PESERA). International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-7/W3, 359-365. | 0.2 | 15 |
| 13495 | Seasonal variation of land cover classification accuracy of Landsat 8 images in Burkina Faso. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-7/W3, 455-460. | 0.2 | 19 |
| 13496 | ALPINE VEGETATION ECOTONE DYNAMICS IN GANGOTRI CATCHMENT USING REMOTE SENSING TECHNIQUES. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XXXVIII-8/W20, 162-169. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13499 | An insight into pre-Columbian raised fields: the case of San Borja, Bolivian lowlands. <i>Soil</i> , 2016, 2, 367-389. | 2.2 | 12 |
| 13500 | Game theory interpretation of digital soil mapping convolutional neural networks. <i>Soil</i> , 2020, 6, 389-397. | 2.2 | 64 |
| 13504 | Mudan as clim ticas e prioridades para a conserva o da biodiversidade - Climate change and priorities for biodiversity conservation. <i>Revista De Biologia Neotropical / Journal of Neotropical Biology</i> , 2015, 11, 47. | 0.1 | 4 |
| 13505 | Changes in Functional and Taxonomic Diversity and Composition of Corticolous Lichens in an Altitudinal Gradient in Colombia. <i>Cryptogamie, Mycologie</i> , 2019, 40, 97. | 0.2 | 8 |
| 13506 | The European Distribution of <i>Sus Scrofa</i> . Model Outputs from the Project Described within the Poster "Where are All the Boars? An Attempt to Gain a Continental Perspective. <i>Open Health Data</i> , 2016, 4, . | 3.7 | 37 |
| 13507 | VBORNET gap analysis: Mosquito vector distribution models utilised to identify areas of potential species distribution in areas lacking records.. <i>Open Health Data</i> , 2016, 4, 6. | 3.7 | 6 |
| 13508 | A First Attempt at Modelling Red Deer (<i>Cervus elaphus</i>) Distributions Over Europe. <i>Open Health Data</i> , 2014, 2, e1. | 3.7 | 6 |
| 13509 | A First Attempt at Modelling Roe Deer (<i>Capreolus capreolus</i>) Distributions Over Europe. <i>Open Health Data</i> , 2014, 2, e2. | 3.7 | 5 |
| 13510 | Quantitative Late Quaternary Climate Reconstruction from Plant Macrofossil Communities in Western North America. <i>Open Quaternary</i> , 2018, 4, 8. | 0.5 | 16 |
| 13512 | Phytoclimatic characterization and cartography of subantarctic native forests in Isla Grande de Tierra del Fuego (Patagonia, Argentina). <i>Forest Systems</i> , 2010, 19, 189. | 0.1 | 14 |
| 13513 | Future scenarios and conservation strategies for a rear-edge marginal population of <i>Pinus nigra</i> Arnold in Italian central Apennines. <i>Forest Systems</i> , 2016, 25, e072. | 0.1 | 14 |
| 13514 | CliPick "Climate change web picker. A tool bridging daily climate needs in process based modelling in forestry and agriculture. <i>Forest Systems</i> , 2017, 26, eRC01. | 0.1 | 21 |
| 13515 | Secondary forest succession in Silver birch (<i>Betula pendula</i> Roth) and Scots pine (<i>Pinus sylvestris</i> L.) southern limits in Europe, in a site of Natura 2000 network "an ecogeographical approach. <i>Forest Systems</i> , 2020, 29, e010. | 0.1 | 6 |
| 13516 | Climatic zoning of chia (<i>Salvia hispanica</i> L.) in Chile using a species distribution model. <i>Spanish Journal of Agricultural Research</i> , 2017, 15, e0302. | 0.3 | 4 |
| 13517 | Habitat quality modelling and effect of climate change on the distribution of <i>Centaurea pabotii</i> in Iran. <i>Spanish Journal of Agricultural Research</i> , 2018, 16, e0304. | 0.3 | 9 |
| 13518 | Ecology and Distribution of Neotropical Podocarpaceae. <i>Smithsonian Contributions To Botany</i> , 2011, , 43-56. | 0.7 | 13 |
| 13519 | Predicting the Changes in Cultivation Areas of Walnut Trees (<i>Juglans sinensis</i>) in Korea Due to Climate Change Impacts. <i>Korean Journal of Agricultural and Forest Meteorology</i> , 2015, 17, 399-410. | 0.2 | 1 |
| 13520 | El g nere "Kalanchoe" (Crassulaceae) a Catalunya: situaci  i distribuci  potencial del t xon invasor "K.  houghtoni". <i>Orsis</i> , 0, 31, 37. | 0.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13521 | Modeling the potential distribution of three lichens of the <i>Xanthoparmelia pulla</i> group (Parmeliaceae, Ascomycota) in Central Europe. <i>Acta Societatis Botanicorum Poloniae</i> , 2015, 84, 431-438. | 0.8 | 8 |
| 13522 | Bioclimatic belts of Sierra Madre Occidental (Mexico):A preliminary approach. <i>International Journal of Geobotanical Research</i> , 2013, 3, 19-35. | 0.1 | 9 |
| 13523 | Discovery of <i>Claytonia lanceolata</i> var. <i>peirsonii</i> in the San Bernardino Mountains Perpetuates a History of Taxonomic Uncertainty. <i>Aliso</i> , 2013, 31, 35-42. | 0.4 | 2 |
| 13525 | Relationships between Genetic Diversity of Vascular Plant Species and Climate Factors. <i>Journal of Resources and Ecology</i> , 2018, 9, 663. | 0.2 | 10 |
| 13526 | Effectively Linking Climate Science and Management. , 2016, , 17-32. | | 1 |
| 13527 | Assessing Vulnerability to Land Use and Climate Change at Landscape Scales Using Landforms and Physiographic Diversity as Coarse-Filter Targets. , 2016, , 95-115. | | 3 |
| 13528 | Potential Impacts of Climate Change on Vegetation for National Parks in the Eastern United States. , 2016, , 151-173. | | 2 |
| 13529 | Landscape analyses offer a promising tool for managing native and alien crayfish species. <i>Freshwater Crayfish</i> , 2014, 20, 27-40. | 0.5 | 3 |
| 13530 | Potential geographic distribution of the cassava green mite <i>Mononychellus tanajoa</i> in Hainan, China. <i>African Journal of Agricultural Research</i> Vol Pp, 2012, 7, . | 0.2 | 8 |
| 13533 | Adaptation Pattern and Genetic Potential of Indian Pearl Millet Named Landraces Conserved at the ICRISAT Genebank. <i>Indian Journal of Plant Genetic Resources</i> , 2016, 29, 97. | 0.1 | 4 |
| 13534 | Wild rice (<i>Oryza</i> spp.) germplasm collections from gangetic plains and eastern region of India: Diversity mapping and habitat prediction using ecocrop model. <i>Vegetos</i> , 2016, 29, 96. | 0.8 | 5 |
| 13535 | Future changes in mean temperature and total precipitation and climate suitability of yam (<i>Dioscorea</i> spp.) in major yam-growing environments in India. <i>Current Horticulture</i> , 2019, 7, 28. | 0.1 | 6 |
| 13536 | Species Distribution Modeling of <i>Berberis aristata</i> in Dabka Watershed, Uttarakhand. <i>Vegetos</i> , 2013, 26, 30. | 0.8 | 1 |
| 13539 | ConservaÃ§Ã£o de Poneromorfos no Brasil. , 2015, , 447-462. | | 4 |
| 13541 | Carbon recovery dynamics following disturbance by selective logging in Amazonian forests. <i>ELife</i> , 2016, 5, . | 2.8 | 45 |
| 13542 | Multiple alleles at a single locus control seed dormancy in Swedish <i>Arabidopsis</i> . <i>ELife</i> , 2016, 5, . | 2.8 | 57 |
| 13543 | The <i>Anopheles gambiae</i> 2La chromosome inversion is associated with susceptibility to <i>Plasmodium falciparum</i> in Africa. <i>ELife</i> , 2017, 6, . | 2.8 | 53 |
| 13544 | Drought adaptation in <i>Arabidopsis thaliana</i> by extensive genetic loss-of-function. <i>ELife</i> , 2018, 7, . | 2.8 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13545 | The effect of climate change on yellow fever disease burden in Africa. <i>ELife</i> , 2020, 9, . | 2.8 | 31 |
| 13546 | Identification of limiting climatic and geographical variables for the distribution of the tortoise <i>Chelonoidis chilensis</i> (Testudinidae): a baseline for conservation actions. <i>PeerJ</i> , 2015, 3, e1298. | 0.9 | 6 |
| 13547 | Emerging semantics to link phenotype and environment. <i>PeerJ</i> , 2015, 3, e1470. | 0.9 | 15 |
| 13548 | Modeling the ecologic niche of plague in sylvan and domestic animal hosts to delineate sources of human exposure in the western United States. <i>PeerJ</i> , 2015, 3, e1493. | 0.9 | 14 |
| 13549 | Historical and current introgression in a Mesoamerican hummingbird species complex: a biogeographic perspective. <i>PeerJ</i> , 2016, 4, e1556. | 0.9 | 22 |
| 13550 | Can we set a global threshold age to define mature forests?. <i>PeerJ</i> , 2016, 4, e1595. | 0.9 | 10 |
| 13551 | Phylogenetic and morphologic evidence confirm the presence of a new montane cloud forest associated bird species in Mexico, the Mountain Elaenia (<i>Elaenia frantzii</i> ; Aves: Passeriformes: Tj ETQq0 0 0 qBT /Overlock 10 Tf | 0.9 | 10 |
| 13552 | Climate envelope predictions indicate an enlarged suitable wintering distribution for Great Bustards (<i>Otis tarda dybowskii</i>) in China for the 21st century. <i>PeerJ</i> , 2016, 4, e1630. | 0.9 | 30 |
| 13553 | Phylogeography of <i>Arabidopsis halleri</i> (Brassicaceae) in mountain regions of Central Europe inferred from cpDNA variation and ecological niche modelling. <i>PeerJ</i> , 2016, 4, e1645. | 0.9 | 13 |
| 13554 | Diversity and distribution of extra-floral nectaries in the cerrado savanna vegetation of Brazil. <i>PeerJ</i> , 2013, 1, e219. | 0.9 | 10 |
| 13555 | The adder (<i>Vipera berus</i>) in Southern Altay Mountains: population characteristics, distribution, morphology and phylogenetic position. <i>PeerJ</i> , 2016, 4, e2342. | 0.9 | 4 |
| 13556 | Evolution of the climatic tolerance and postglacial range changes of the most primitive orchids (Apostasioideae) within Sundaland, Wallacea and Sahul. <i>PeerJ</i> , 2016, 4, e2384. | 0.9 | 4 |
| 13557 | Lowland tapir distribution and habitat loss in South America. <i>PeerJ</i> , 2016, 4, e2456. | 0.9 | 10 |
| 13558 | Predictions of potential geographical distribution and quality of <i>Schisandra sphenanthera</i> under climate change. <i>PeerJ</i> , 2016, 4, e2554. | 0.9 | 48 |
| 13559 | Environmental, land cover and land use constraints on the distributional patterns of anurans: <i>Leptodactylus</i> species (Anura, Leptodactylidae) from Dry Chaco. <i>PeerJ</i> , 2016, 4, e2605. | 0.9 | 13 |
| 13560 | Historical reconstruction of climatic and elevation preferences and the evolution of cloud forest-adapted tree ferns in Mesoamerica. <i>PeerJ</i> , 2016, 4, e2696. | 0.9 | 22 |
| 13561 | Sharing refuges on arid islands: ecological and social influence on aggregation behaviour of wall geckos. <i>PeerJ</i> , 2017, 5, e2802. | 0.9 | 6 |
| 13562 | High unexpected genetic diversity of a narrow endemic terrestrial mollusc. <i>PeerJ</i> , 2017, 5, e3069. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13563 | Climate change promotes hybridisation between deeply divergent species. PeerJ, 2017, 5, e3072. | 0.9 | 26 |
| 13564 | Climate-change-induced range shifts of three allergenic ragweeds (<i>Ambrosia</i> L.) in Europe and their potential impact on human health. PeerJ, 2017, 5, e3104. | 0.9 | 58 |
| 13565 | The South-American distribution and southernmost record of <i>Biomphalaria peregrina</i> a potential intermediate host of schistosomiasis. PeerJ, 2017, 5, e3401. | 0.9 | 14 |
| 13566 | Climate, soil or both? Which variables are better predictors of the distributions of Australian shrub species?. PeerJ, 2017, 5, e3446. | 0.9 | 50 |
| 13567 | Phylogeographic investigation and ecological niche modelling of the endemic frog species <i>Nanorana pleskei</i> revealed multiple refugia in the eastern Tibetan Plateau. PeerJ, 2017, 5, e3770. | 0.9 | 17 |
| 13568 | Influence of current climate, historical climate stability and topography on species richness and endemism in Mesoamerican geophyte plants. PeerJ, 2017, 5, e3932. | 0.9 | 43 |
| 13569 | Multi-scale and multi-site resampling of a study area in spatial genetics: implications for flying insect species. PeerJ, 2017, 5, e4135. | 0.9 | 6 |
| 13570 | First Guatemalan record of natural hybridisation between Neotropical species of the Lady's Slipper orchid (Orchidaceae, Cyripedioideae). PeerJ, 2017, 5, e4162. | 0.9 | 13 |
| 13571 | Distributional dynamics of a vulnerable species in response to past and future climate change: a window for conservation prospects. PeerJ, 2018, 6, e4287. | 0.9 | 27 |
| 13572 | Diversity of introduced terrestrial flatworms in the Iberian Peninsula: a cautionary tale. PeerJ, 2014, 2, e430. | 0.9 | 30 |
| 13573 | Evolutionary persistence in <i>Gunnera</i> and the contribution of southern plant groups to the tropical Andes biodiversity hotspot. PeerJ, 2018, 6, e4388. | 0.9 | 47 |
| 13574 | Playing by the rules? Phenotypic adaptation to temperate environments in an American marsupial. PeerJ, 2018, 6, e4512. | 0.9 | 18 |
| 13575 | Will the California Current lose its nesting Tufted Puffins?. PeerJ, 2018, 6, e4519. | 0.9 | 6 |
| 13576 | Present and future ecological niche modeling of garter snake species from the Trans-Mexican Volcanic Belt. PeerJ, 2018, 6, e4618. | 0.9 | 29 |
| 13577 | Is the future already here? The impact of climate change on the distribution of the eastern coral snake (<i>Micrurus fulvius</i>). PeerJ, 2018, 6, e4647. | 0.9 | 17 |
| 13578 | Planning protected areas network that are relevant today and under future climate change is possible: the case of Atlantic Forest endemic birds. PeerJ, 2018, 6, e4689. | 0.9 | 26 |
| 13579 | Westwards and northwards dispersal of <i>Triosteum himalayanum</i> (Caprifoliaceae) from the Hengduan Mountains region based on chloroplast DNA phylogeography. PeerJ, 2018, 6, e4748. | 0.9 | 10 |
| 13580 | Predicting the potential distributions of the invasive cycad scale <i>Aulacaspis yasumatsui</i> (Hemiptera: Diaspididae) under different climate change scenarios and the implications for management. PeerJ, 2018, 6, e4832. | 0.9 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13581 | Change of niche in guanaco (<i>Lama guanicoe</i>): the effects of climate change on habitat suitability and lineage conservatism in Chile. PeerJ, 2018, 6, e4907. | 0.9 | 6 |
| 13582 | A Pan-Amazonian species delimitation: high species diversity within the genus <i>Amazophrynella</i> (Anura: Bufonidae). PeerJ, 2018, 6, e4941. | 0.9 | 32 |
| 13583 | The restoration of the endangered <i>Sambucus palmensis</i> after 30 years of conservation actions in the Garajonay National Park: genetic assessment and niche modeling. PeerJ, 2018, 6, e4985. | 0.9 | 6 |
| 13584 | Spatial and temporal variations of aridity shape dung beetle assemblages towards the Sahara desert. PeerJ, 2018, 6, e5210. | 0.9 | 9 |
| 13585 | Protected areas™ effectiveness under climate change: a latitudinal distribution projection of an endangered mountain ungulate along the Andes Range. PeerJ, 2018, 6, e5222. | 0.9 | 18 |
| 13586 | Historical connections among river basins and climatic changes explain the biogeographic history of a water rat. PeerJ, 2018, 6, e5333. | 0.9 | 6 |
| 13587 | Body size information in large-scale acoustic bat databases. PeerJ, 2018, 6, e5370. | 0.9 | 13 |
| 13588 | Potential changes in the distribution of <i>Carnegiea gigantea</i> under future scenarios. PeerJ, 2018, 6, e5623. | 0.9 | 16 |
| 13589 | From the cage to the wild: introductions of Psittaciformes to Puerto Rico. PeerJ, 2018, 6, e5669. | 0.9 | 12 |
| 13590 | Hemiparasitic plants increase alpine plant richness and evenness but reduce arbuscular mycorrhizal fungal colonization in dominant plant species. PeerJ, 2018, 6, e5682. | 0.9 | 18 |
| 13591 | First steps towards assessing the evolutionary history and phylogeography of a widely distributed Neotropical grassland bird (Motacillidae: <i>Anthus correndera</i>). PeerJ, 2018, 6, e5886. | 0.9 | 9 |
| 13592 | Ecology and life history of <i>Meta bourneti</i> (Araneae: Tetragnathidae) from Monte Albo (Sardinia, Italy). PeerJ, 2018, 6, e5914. | 0.9 | 2 |
| 13593 | Importance of biotic predictors in estimation of potential invasive areas: the example of the tortoise beetle <i>Eurypedus nigrosignatus</i> , in Hispaniola. PeerJ, 2018, 6, e6052. | 0.9 | 18 |
| 13594 | Habitat differentiation and conservation gap of <i>Magnolia biondii</i> , <i>M. denudata</i> , and <i>M. sprengeri</i> in China. PeerJ, 2019, 6, e6126. | 0.9 | 11 |
| 13595 | Niche modeling for the genus <i>Pogona</i> (Squamata: Agamidae) in Australia: predicting past (late) Tertiary distribution. PeerJ, 2019, 7, e6178. | 0.9 | 8 |
| 13596 | Potential invasive plant expansion in global ecoregions under climate change. PeerJ, 2019, 7, e6479. | 0.9 | 15 |
| 13597 | Genetic diversity of Simao pine in China revealed by SRAP markers. PeerJ, 2019, 7, e6529. | 0.9 | 6 |
| 13598 | Climate change and conservation in a warm North American desert: effect in shrubby plants. PeerJ, 2019, 7, e6572. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13599 | Influence of phylogenetic structure and climate gradients on geographical variation in the morphology of Mexican flycatcher forests assemblages (Aves: Tyrannidae). PeerJ, 2019, 7, e6754. | 0.9 | 2 |
| 13600 | Timing and ecological priority shaped the diversification of sedges in the Himalayas. PeerJ, 2019, 7, e6792. | 0.9 | 9 |
| 13601 | Species delimitation of the <i>Dermacentor</i> ticks based on phylogenetic clustering and niche modeling. PeerJ, 2019, 7, e6911. | 0.9 | 24 |
| 13602 | Climatic niche comparison across a cryptic species complex. PeerJ, 2019, 7, e7042. | 0.9 | 10 |
| 13603 | Lung cancer incidence decreases with elevation: evidence for oxygen as an inhaled carcinogen. PeerJ, 2015, 3, e705. | 0.9 | 26 |
| 13604 | Patterns of richness of freshwater mollusks from Chile: predictions of its distribution based on null models. PeerJ, 2019, 7, e7097. | 0.9 | 3 |
| 13605 | Piecing together the biogeographic history of <i>Chenopodium vulvaria</i> L. using botanical literature and collections. PeerJ, 2015, 3, e723. | 0.9 | 10 |
| 13606 | The aridity index governs the variation of vegetation characteristics in alpine grassland, Northern Tibet Plateau. PeerJ, 2019, 7, e7272. | 0.9 | 7 |
| 13607 | The landscape configuration of zoonotic transmission of Ebola virus disease in West and Central Africa: interaction between population density and vegetation cover. PeerJ, 2015, 3, e735. | 0.9 | 26 |
| 13608 | Niches and climate-change refugia in hundreds of species from one of the most arid places on Earth. PeerJ, 2019, 7, e7409. | 0.9 | 3 |
| 13609 | Morphological variation of leaf traits in the <i>Ternstroemia lineata</i> species complex (Ericales). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 | 0.9 | 22 |
| 13610 | <i>Ooctonus vulgatus</i> (Hymenoptera, Mymaridae), a potential biocontrol agent to reduce populations of <i>Philaenus spumarius</i> (Hemiptera, Aphrophoridae) the main vector of <i>Xylella fastidiosa</i> in Europe. PeerJ, 2020, 8, e8591. | 0.9 | 11 |
| 13611 | Predictive modelling of the distribution of <i>Clematis</i> sect. <i>Fruticella s</i> . under climate change reveals a range expansion during the Last Glacial Maximum. PeerJ, 2020, 8, e8729. | 0.9 | 9 |
| 13612 | Monitoring the influx of new species through citizen science: the first introduced ant in Denmark. PeerJ, 2020, 8, e8850. | 0.9 | 11 |
| 13613 | Exploring environmental coverages of species: a new variable contribution estimation methodology for rulesets from the genetic algorithm for rule-set prediction. PeerJ, 2020, 8, e8968. | 0.9 | 6 |
| 13614 | Phylogenetic relationships in the southern African genus <i>Drosanthemum</i> (Ruschioideae.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 3 | 0.9 | 6 |
| 13615 | Genetic variation of the Chilean endemic long-haired mouse <i>Abrothrix longipilis</i> (Rodentia.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 | 0.9 | 12 |
| 13616 | Life history and habitat do not mediate temporal changes in body size due to climate warming in rodents. PeerJ, 2020, 8, e9792. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13617 | Phylogeographic analysis and species distribution modelling of the wood frog <i>Batrachyla leptopus</i> (Batrachylidae) reveal interglacial diversification in south western Patagonia. PeerJ, 2020, 8, e9980. | 0.9 | 6 |
| 13618 | The need for and the requirements of EuroSL, an electronic taxonomic reference list of all Euro-pean plants. Biodiversity and Ecology = Biodiversitat Und Okologie, 2012, 4, 15-24. | 0.2 | 9 |
| 13619 | A methodological framework to quantify the spatial quality of biological databases. Biodiversity and Ecology = Biodiversitat Und Okologie, 2012, 4, 25-39. | 0.2 | 13 |
| 13620 | The Tree Biodiversity Network (BIOTREE-NET): prospects for biodiversity research and conservation in the Neotropics. Biodiversity and Ecology = Biodiversitat Und Okologie, 2012, 4, 211-224. | 0.2 | 14 |
| 13621 | Epiphytic Mosses in the Humid Mountain Forests of the Sierra Madre Oriental, Mexico – Species Richness, Rarity and Composition. Cryptogamie, Bryologie, 2017, 38, 171-190. | 0.1 | 4 |
| 13622 | Estimation of Monthly Areal Precipitation using Daymet and PRISM. Korean Society of Hazard Mitigation, 2012, 12, 83-90. | 0.1 | 5 |
| 13623 | Potential distribution of crop wild relatives under climate change in Sri Lanka: implications for conservation of agricultural biodiversity. Current Research in Environmental Sustainability, 2021, 3, 100092. | 1.7 | 12 |
| 13624 | Spatio-temporal variation of water yield and its driving factors in Qinling Mountains barrier region. Journal of Natural Resources, 2021, 36, 2507. | 0.4 | 3 |
| 13625 | Opportunities and trade-offs for expanding agriculture in Canada’s North: an ecosystem service perspective. Facets, 2021, 6, 1728-1752. | 1.1 | 10 |
| 13626 | Fungal diversity, woody debris, and wood decomposition in managed and unmanaged Patagonian <i>Nothofagus pumilio</i> forests. Mycological Progress, 2021, 20, 1309-1321. | 0.5 | 2 |
| 13627 | Out of Africa: characterizing the natural variation in dynamic photosynthetic traits in a diverse population of African rice (<i>Oryza glaberrima</i>). Journal of Experimental Botany, 2022, 73, 3283-3298. | 2.4 | 11 |
| 13628 | Seasonal Changes in Climate Variables in Rainfed Crop Areas in the Lerma-Chapala-Santiago Basin, Mexico. Advances in Meteorology, 2021, 2021, 1-12. | 0.6 | 0 |
| 13629 | Global Patterns and Climatic Controls of Dust-Associated Microbial Communities. Microbiology Spectrum, 2021, 9, e0144721. | 1.2 | 8 |
| 13630 | GARPTools: R software for data preparation and model evaluation of GARP models. Ecography, 2021, 44, 1790-1796. | 2.1 | 3 |
| 13631 | Setting the priorities straight - Species distribution models assist to prioritize conservation targets for the mangroves. Science of the Total Environment, 2022, 806, 150937. | 3.9 | 20 |
| 13632 | Are Cenozoic relict species also climatic relicts? Insights from the macroecological evolution of the giant sedges of <i>Carex</i> sect. <i>Rhynchocystis</i> (Cyperaceae). American Journal of Botany, 2022, 109, 115-129. | 0.8 | 4 |
| 13633 | Life-history traits and habitat availability shape genomic diversity in birds: implications for conservation. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20211441. | 1.2 | 18 |
| 13634 | Estimated Density, Population Size and Distribution of the Endangered Western Hoolock Gibbon (<i>Hoolock hoolock</i>) in Forest Remnants in Bangladesh. Diversity, 2021, 13, 490. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13635 | Study of Forage Quality of Grasslands on the Southern Margin of the Pannonian Basin. <i>Agronomy</i> , 2021, 11, 2132. | 1.3 | 2 |
| 13636 | Macroscale climate change predictions have little influence on landscape-scale habitat suitability. <i>Perspectives in Ecology and Conservation</i> , 2022, 20, 29-37. | 1.0 | 5 |
| 13637 | Modelling impacts of climate change on coastal West African rainfall. <i>Modeling Earth Systems and Environment</i> , 2022, 8, 3325-3340. | 1.9 | 4 |
| 13638 | Constraining the chronology and ecology of Late Acheulean and Middle Palaeolithic occupations at the margins of the monsoon. <i>Scientific Reports</i> , 2021, 11, 19665. | 1.6 | 4 |
| 13639 | Habitat prediction mapping using BioClim model for prioritizing germplasm collection and conservation of an aquatic cash crop "makhana"™ (<i>Euryale ferox</i> Salisb.) in India. <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 3445-3456. | 0.8 | 8 |
| 13640 | Comprehensive Risk Assessment of High Temperature Disaster to Kiwifruit in Shaanxi Province, China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10437. | 1.2 | 9 |
| 13641 | Reduced host-plant specialization is associated with the rapid range expansion of a Mediterranean butterfly. <i>Journal of Biogeography</i> , 2021, 48, 3016-3031. | 1.4 | 10 |
| 13642 | Stable climate corridors promote gene flow in the Cape sand snake species complex (Psammophiidae). <i>Zoologica Scripta</i> , 0, , . | 0.7 | 3 |
| 13643 | Setting priorities for climate change adaptation of Critical Sites in the Africa-Eurasian waterbird flyways. <i>Global Change Biology</i> , 2022, 28, 739-752. | 4.2 | 7 |
| 13645 | Testing the efficacy of camera-trap sampling designs for monitoring giant pandas in a heterogeneous landscape. <i>Environmental Science and Pollution Research</i> , 2022, 29, 14098-14110. | 2.7 | 0 |
| 13646 | Broadening Predictive Understanding of Species™ Range Responses to Climate Change: The Case of <i>Aloidendron dichotomum</i> . <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 5 |
| 13647 | Temperature-based phenology model for predicting the present and future establishment and distribution of recently invasive <i>Spodoptera frugiperda</i> (J. E. Smith) in India. <i>Bulletin of Entomological Research</i> , 2022, 112, 271-285. | 0.5 | 4 |
| 13648 | Population ecology and habitat suitability modelling of <i>Betula utilis</i> D. Don in the sub-alpine ecosystem of Great Himalayan National Park, North-Western Indian Himalaya: a UNESCO World Heritage site. <i>Proceedings of the Indian National Science Academy</i> , 2021, 87, 640-656. | 0.5 | 4 |
| 13649 | Diet and environment of <i>Myiodon darwinii</i> based on pollen of a Late-Glacial coprolite from the Myiodon Cave in southern Chile. <i>Review of Palaeobotany and Palynology</i> , 2022, 296, 104549. | 0.8 | 3 |
| 13650 | Temperature and Precipitation Drive Elevational Patterns of Microbial Beta Diversity in Alpine Grasslands. <i>Microbial Ecology</i> , 2022, 84, 1141-1153. | 1.4 | 9 |
| 13651 | The impact of global climate change on the number and replacement of provisioning ecosystem services of Brazilian Cerrado plants. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 731. | 1.3 | 9 |
| 13652 | Ancient volcanos as species pumps: A case study of freshwater amphipods in Northeast Asia. <i>Molecular Ecology</i> , 2022, 31, 343-355. | 2.0 | 7 |
| 13653 | Predicting aquatic invasions in a megadiverse region: Maximum-entropy-based modelling of six alien fish species in Malaysia. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2022, 32, 157-170. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13654 | Comparative and predictive phylogeography in the South American diagonal of open formations: Unravelling the biological and environmental influences on multitaxon demography. <i>Molecular Ecology</i> , 2022, 31, 331-342. | 2.0 | 6 |
| 13655 | Wetlands of North Africa During the Mid-Holocene Were at Least Five Times the Area Today. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL094194. | 1.5 | 7 |
| 13656 | Niche Shifts, Hybridization, Polyploidy and Geographic Parthenogenesis in Western North American Hawthorns (<i>Crataegus</i> subg. <i>Sanguineae</i> , Rosaceae). <i>Agronomy</i> , 2021, 11, 2133. | 1.3 | 3 |
| 13657 | Black locust (<i>Robinia pseudoacacia</i> L.) range shifts in China: Application of a global model in climate change futures. <i>Climate Change Ecology</i> , 2021, 2, 100036. | 0.9 | 7 |
| 13658 | Burden is in the eye of the beholder: Sensitivity of yellow fever disease burden estimates to modeling assumptions. <i>Science Advances</i> , 2021, 7, eabg5033. | 4.7 | 4 |
| 13659 | Natural Hybrid Origin of the Controversial ‘Species’ <i>Clematis</i> <i>pinnata</i> (Ranunculaceae) Based on Multidisciplinary Evidence. <i>Frontiers in Plant Science</i> , 2021, 12, 745988. | 1.7 | 4 |
| 13660 | Biophysical models unravel associations between glucocorticoids and thermoregulatory costs across avian species. <i>Functional Ecology</i> , 2022, 36, 64-72. | 1.7 | 11 |
| 13661 | Spatially structured soil properties and climate explain distribution patterns of herbaceous-shrub species in the Cerrado. <i>Plant Ecology</i> , 2022, 223, 85-97. | 0.7 | 7 |
| 13662 | Assemblage reorganization of South African dragonflies due to climate change. <i>Diversity and Distributions</i> , 2021, 27, 2542-2558. | 1.9 | 5 |
| 13663 | The ghost vampire: spatio-temporal distribution and conservation status of the largest bat in the Americas. <i>Biodiversity and Conservation</i> , 2021, 30, 4359. | 1.2 | 0 |
| 13664 | Climate change/global warming/climate emergency versus general climate research: comparative bibliometric trends of publications. <i>Heliyon</i> , 2021, 7, e08219. | 1.4 | 34 |
| 13665 | An assessment of temporal variability in mast seeding of North American Pinaceae. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20200373. | 1.8 | 23 |
| 13666 | Adaptive divergence in bill morphology and other thermoregulatory traits is facilitated by restricted gene flow in song sparrows on the California Channel Islands. <i>Molecular Ecology</i> , 2022, 31, 603-619. | 2.0 | 6 |
| 13667 | Effects of Climate Change on the Distribution of Key Native Dung Beetles in South American Grasslands. <i>Agronomy</i> , 2021, 11, 2033. | 1.3 | 15 |
| 13668 | Testing a Generalizable Machine Learning Workflow for Aquatic Invasive Species on Rainbow Trout (<i>Oncorhynchus mykiss</i>) in Northwest Montana. <i>Frontiers in Big Data</i> , 2021, 4, 734990. | 1.8 | 6 |
| 13669 | Species Distribution Models of the <i>Spartina alterniflora</i> Loisel in Its Origin and Invasive Country Reveal an Ecological Niche Shift. <i>Frontiers in Plant Science</i> , 2021, 12, 738769. | 1.7 | 18 |
| 13670 | Current and future plant invasions in protected areas: Does clonality matter?. <i>Diversity and Distributions</i> , 2021, 27, 2465-2478. | 1.9 | 10 |
| 13671 | Transgenerational effects of temperature fluctuations in <i>Arabidopsis thaliana</i> . <i>AoB PLANTS</i> , 2021, 13, plab064. | 1.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13672 | Annual changes in the Biodiversity Intactness Index in tropical and subtropical forest biomes, 2001â€“2012. <i>Scientific Reports</i> , 2021, 11, 20249. | 1.6 | 12 |
| 13673 | Fighting climate change: soil bacteria communities and topography play a role in plant colonization of desert areas. <i>Environmental Microbiology</i> , 2021, 23, 6876-6894. | 1.8 | 10 |
| 13674 | Investigating habitat degradation of <i>Ursus arctos</i> using species distribution modelling and remote sensing in Zagros Mountains of Iran. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1. | 0.6 | 4 |
| 13675 | Regulation of root secondary metabolites by partial root-associated microbiotas under the shaping of licorice ecotypic differentiation in northwest China. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 2093-2109. | 4.1 | 12 |
| 13676 | Predicting distribution and range dynamics of <i>Trillium govanianum</i> under climate change and growing human footprint for targeted conservation. <i>Plant Ecology</i> , 2022, 223, 53-69. | 0.7 | 7 |
| 13677 | Combining Remote Sensing and Species Distribution Modelling to Assess <i>Pinus hartwegii</i> Response to Climate Change and Land Use from Izta-Popo National Park, Mexico. <i>Land</i> , 2021, 10, 1037. | 1.2 | 2 |
| 13678 | A New Approach to Studying Traditional Roof Behaviour in a Changing Climateâ€”A Case Study from the Mediterranean Island of Malta. <i>Heritage</i> , 2021, 4, 3543-3571. | 0.9 | 5 |
| 13679 | SDSim: A generalized user friendly web ABM system to simulate spatiotemporal distribution of species under environmental scenarios. <i>Environmental Modelling and Software</i> , 2022, 147, 105234. | 1.9 | 4 |
| 13680 | Linking climate and infectious disease trends in the Northern/Arctic Region. <i>Scientific Reports</i> , 2021, 11, 20678. | 1.6 | 12 |
| 13681 | Unexpected post-glacial colonisation route explains the white colour of barn owls (<i>Tyto alba</i>) from the British Isles. <i>Molecular Ecology</i> , 2022, 31, 482-497. | 2.0 | 11 |
| 13682 | Geographical isolation versus dispersal: Relictual alpine grasshoppers support a model of interglacial diversification with limited hybridization. <i>Molecular Ecology</i> , 2022, 31, 296-312. | 2.0 | 14 |
| 13683 | Estimation of Current and Future Suitable Areas for <i>Tapirus pinchaque</i> in Ecuador. <i>Sustainability</i> , 2021, 13, 11486. | 1.6 | 3 |
| 13684 | Thermal tolerance and vulnerability to climate change in subterranean species: a case study using an Iberian endemic pseudoscorpion. <i>Insect Conservation and Diversity</i> , 0, , . | 1.4 | 2 |
| 13685 | Genetic resources of narrow-leaved lupine (<i>Lupinus angustifolius</i> L.) and their role in its domestication and breeding. <i>Vavilovskii Zhurnal Genetiki i Seleksii</i> , 2021, 25, 620-630. | 0.4 | 8 |
| 13686 | Genetic basis of growth, spring phenology, and susceptibility to biotic stressors in maritime pine. <i>Evolutionary Applications</i> , 2021, 14, 2750-2772. | 1.5 | 14 |
| 13687 | Population viability analysis of the endangered Dupont's Lark <i>Chersophilus duponti</i> in Spain. <i>Scientific Reports</i> , 2021, 11, 19947. | 1.6 | 7 |
| 13688 | Biodiversity-productivity relationship in urban vascular flora: a comparison between wild edible and non-edible plants. <i>Botanical Sciences</i> , 0, 100, 107-119. | 0.3 | 2 |
| 13689 | The climate envelope of Alaska's northern treelines: implications for controlling factors and future treeline advance. <i>Ecography</i> , 2021, 44, 1710-1722. | 2.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13690 | Does threatened species listing status predict climate change risk? A case study with Australian <i>Personia</i> (Proteaceae) species. <i>Global Ecology and Conservation</i> , 2021, 31, e01862. | 1.0 | 2 |
| 13691 | Trophic interrelationships drive the biogeography of protistan community in agricultural ecosystems. <i>Soil Biology and Biochemistry</i> , 2021, 163, 108445. | 4.2 | 18 |
| 13692 | The multi-dimensional perspective of ecological security evaluation and drive mechanism for Baishuijiang National Nature Reserve, China. <i>Ecological Indicators</i> , 2021, 132, 108295. | 2.6 | 23 |
| 13693 | Impact of climate change on plant species richness across drylands in China: From past to present and into the future. <i>Ecological Indicators</i> , 2021, 132, 108288. | 2.6 | 16 |
| 13694 | Assessing the impact of grassland management on landscape multifunctionality. <i>Ecosystem Services</i> , 2021, 52, 101366. | 2.3 | 25 |
| 13695 | Identifying prioritized planting areas for medicinal plant <i>Thesium chinense</i> Turcz. under climate change in China. <i>Ecological Informatics</i> , 2021, 66, 101459. | 2.3 | 12 |
| 13696 | The impact of feral domestic cats on native bird populations. Predictive modelling approach on a country scale. <i>Ecological Complexity</i> , 2021, 48, 100964. | 1.4 | 5 |
| 13697 | Functional diversity and regeneration traits of tree communities in the Amazon-Cerrado transition. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 285, 151952. | 0.6 | 4 |
| 13698 | Material and data. , 2005, , 17-38. | | 0 |
| 13699 | Prototype Proliferation in the Growing Neural Gas Algorithm. <i>Lecture Notes in Computer Science</i> , 2008, , 793-802. | 1.0 | 2 |
| 13700 | A Meta-Analysis of the Impact of African Elephants on Savanna Vegetation. <i>Journal of Wildlife Management</i> , 2008, 72, 892. | 0.7 | 9 |
| 13701 | Potential Distribution Modelling Using Machine Learning. <i>Lecture Notes in Computer Science</i> , 2008, , 255-264. | 1.0 | 3 |
| 13702 | Scaling-up productivity (NPP) using light or water use efficiencies (LUE, WUE) from a two-layer tropical plantation. , 2008, , 145-158. | | 0 |
| 13703 | Why do mountains support so many species of birds?. <i>Ecography</i> , 2008, . | 2.1 | 0 |
| 13704 | How to Deal with Missing Data and Galton's Problem in Cross-Cultural Survey Research: A Primer for R. <i>Structure and Dynamics: EJournal of the Anthropological and Related Sciences</i> , 2009, 3, . | 0.1 | 4 |
| 13705 | Avoiding Prototype Proliferation in Incremental Vector Quantization of Large Heterogeneous Datasets. <i>Studies in Computational Intelligence</i> , 2009, , 243-260. | 0.7 | 1 |
| 13706 | Climate and Invasive Species: The Limits to Climate Information. , 2009, , 30-41. | | 1 |
| 13708 | Network Effects and Land Redistribution: A Quasi-Natural Experiment in Zimbabwe. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13709 | Caratterizzazione di una taxocenosi a coleotteri Scarabeidi degradatori. Proposte per il monitoraggio degli effetti del cambio climatico tramite lâ€™analisi di un gruppo indicatore (Coleoptera Scarabaeoidea). Memorie Della SocietÃ Entomologica Italiana, 2010, 89, 209. | 0.1 | 0 |
| 13710 | Synthesizing Waterborne Infection Prevalence for Comparative Analysis of Cluster Detection Methods. , 2011, , 457-472. | | 0 |
| 13711 | Computational Techniques for Biologic Species Distribution Modeling. , 2011, , 308-325. | | 1 |
| 13712 | USING THE GNG-M ALGORITHM TO DEAL WITH THE PROBLEM OF CATASTROPHIC FORGETTING IN INCREMENTAL MODELLING. , 2011, , . | | 0 |
| 13713 | ModelaciÃ³n econÃ³mica con informaciÃ³n espacialmente explicÃ³ta de la deforestaciÃ³n en UrabÃ¡, Colombia, 1980-2000. Semestre EconÃ³mico, 2011, 14, 31-51. | 0.0 | 2 |
| 13714 | Impact Assessment of Climate Change by Using Cloud Computing. Korean Journal of Agricultural and Forest Meteorology, 2011, 13, 101-108. | 0.2 | 0 |
| 13716 | Advances, Limitations, and Synergies in Predicting Changes in Speciesâ€™ Distribution and Abundance under Contemporary Climate Change. , 2011, , 67-84. | | 1 |
| 13717 | Relationships Between Bird Species Richness and Natural and Modified Habitat in Southern Mexico. , 0, , . | | 1 |
| 13718 | El preocupante estado de Centronia mutisii (Melastomataceae). Universitas Scientiarum, 2013, 16, 243. | 0.2 | 0 |
| 13719 | Utilization of Remote Sensing Technologies for Matschieâ€™s Tree Kangaroo Conservation and Planning in Papua New Guinea. Taylor & Francis Series in Remote Sensing Applications, 2011, , 159-182. | 0.0 | 0 |
| 13721 | Spatial non-stationarity, anisotropy and scale: The interactive visualisation of spatial turnover. , 0, , . | | 0 |
| 13722 | An Investigation into the Effect Of Stochastic Annual Rainfall on Crop Yields in South Western Australia. International Journal of Information and Education Technology, 2012, , 227-232. | 0.9 | 3 |
| 13723 | Geographical patterns of selected features of the soil and herb layer in central and north European scots pine forests. Geographia Polonica, 2012, 85, 83-95. | 0.3 | 1 |
| 13724 | Farming and Fighting: An Empirical Analysis of the Ecological-Evolutionary Theory of the Incidence of Warfare. Structure and Dynamics: EJournal of the Anthropological and Related Sciences, 2011, 5, . | 0.1 | 0 |
| 13725 | Evaluating Abiotic Factors Related to Forest Diseases: Tool for Sustainable Forest Management. , 0, , . | | 0 |
| 13728 | Creating Gridded Cartograms. Springer Theses, 2013, , 65-109. | 0.0 | 1 |
| 13729 | Synthetic Remarks. , 2013, , 49-151. | | 0 |
| 13732 | A Multi-Criteria GIS Site Selection for Sustainable Cocoa Development in West Africa. , 2013, , 912-925. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13733 | Comparison of a Soil Vulnerability Map for Tetracycline Soil Contamination at a Global and Local Scale. <i>Journal of Environmental Protection</i> , 2013, 04, 595-601. | 0.3 | 3 |
| 13734 | Rediscovery of <i>Glauconycteris superba</i> Hayman, 1939 (Chiroptera: Vespertilionidae) after 40 years at Mbiye Island, Democratic Republic of the Congo. <i>European Journal of Taxonomy</i> , 2013, , . | 0.6 | 0 |
| 13735 | Sistema de apoyo a la toma de decisiones para la selecci3n de especies forrajeras (STDF) en funci3n de la oferta ambiental en Colombia. <i>Ciencia Tecnologia Agropecuaria</i> , 2013, 14, 215-229. | 0.3 | 1 |
| 13736 | Mammalia, Chiroptera, Phyllostomidae, <i>Mimon crenulatum</i> (Geoffroy St.-Hilaire, 1803): first Record for the Cerrado Biome in the State of Mato Grosso, Brazil. <i>Check List</i> , 2013, 9, 692. | 0.1 | 0 |
| 13738 | Distribuci3n geogr3fica de la avifauna en la Sierra Madre Oriental de San Luis Potos3, M3xico: un an3lisis regional de su estado de conservaci3n. <i>Revista De Biologia Tropical</i> , 2013, 61, . | 0.1 | 3 |
| 13739 | An Efficient Approach and Procedure to Solve Customer Complaints Based on Combined Rasterization of Geography Information System. <i>TELKOMNIKA Indonesian Journal of Electrical Engineering</i> , 2013, 11, . | 0.1 | 0 |
| 13740 | A Case Study: Diet of Maned Wolf and Its Relationship to Seed Dispersal at a Cattle Ranch in Southeastern Brazil. , 2013, , 185-196. | | 1 |
| 13741 | Changes in the Distribution of Lesser Adjutant Storks (<i>Leptoptilos javanicus</i>) in South and Southeast Asia: A Plausible Evidence of Global Climate and Land-use Change Effect. <i>International Journal of Zoological Research</i> , 2013, 10, 9-14. | 0.6 | 2 |
| 13742 | Spatial-Temporal Variations in January Temperature in Pakistan and Their Possible Links with SLP and 500-hPa Levels over the Period of 1950-2000: A Geographical Approach. <i>Atmospheric and Climate Sciences</i> , 2014, 04, 524-533. | 0.1 | 3 |
| 13743 | GIS-Based Methodology for the Analysis of Regional Landscapes and Their Changes Based on Land Cover and Use: A Planning Perspective Aimed at Conserving the Natural Heritage. <i>Springer Geography</i> , 2014, , 87-104. | 0.3 | 0 |
| 13744 | Where has all our research gone? A 20-year assessment of the peer-reviewed wildlife conservation literature. <i>International Journal of Comparative Psychology</i> , 2014, 27, . | 1.0 | 14 |
| 13745 | Predicting Geographical Distributions of Endemic species in the Arid desert Landscapes using three Modeling methods. <i>Vegetos</i> , 2014, 27, 158. | 0.8 | 2 |
| 13746 | Climate Impact on Freshwater Biodiversity: General Patterns in Extreme Environments of North-Eastern Siberia (Russia). <i>British Journal of Environment and Climate Change</i> , 2014, 4, 423-443. | 0.3 | 10 |
| 13747 | Germination differences between natural and afforested populations of <i>Pinus brutia</i> and <i>Cupressus sempervirens</i> . <i>Silva Fennica</i> , 2014, 48, . | 0.5 | 2 |
| 13749 | On the presence of <i>Nasua Storr</i> (Carnivora, Procyonidae) in the Buenos Aires province in the late Holocene. <i>Revista Del Museo Argentino De Ciencias Naturales, Nueva Serie</i> , 2014, 17, 51-58. | 0.1 | 0 |
| 13751 | Mathematical modeling and GIS applications for greenhouse energy planning in Italy. <i>Applied Mathematical Sciences</i> , 0, 8, 6651-6664. | 0.0 | 2 |
| 13752 | Mind the map: an atlas of amphibians of the Western Ghats. <i>Journal of Threatened Taxa</i> , 2014, 6, 5792-5794. | 0.1 | 0 |
| 13755 | Application of Weather Generation to High Frequency and High Resolution Gridded Datasets in Sao Paulo. <i>Advances in Plants & Agriculture Research</i> , 2014, 1, . | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13756 | A Study on the Prediction of Suitability Change of Forage Crop Italian Ryegrass (<i>Lolium multiflorum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 103-113. | 0.2 | 2 |
| 13758 | New distribution record and implications for conservation of the endangered <i>Wunderlichia azulensis</i> Maguire & G.M. Barroso (Asteraceae: Wunderlichieae). <i>Check List</i> , 2014, 10, 706-708. | 0.1 | 2 |
| 13762 | Improvement of a Modified Korean Parameter-elevation Regressions on Independent Slopes Model for Wind Speed Interpolation. <i>Journal of Climate Research</i> , 2014, 9, 225-241. | 0.1 | 5 |
| 13763 | Geostatistical Approach to Find "Hotspots" Where Biodiversity is at Risk in a Transition Country. <i>Present Environment and Sustainable Development</i> , 2014, 8, 151-162. | 0.1 | 0 |
| 13764 | <i>Chiasmocleis carvalhoi</i> Cruz, Caramaschi & Izecksohn, 1997 (Anura: Microhylidae): Distribution extension in So Paulo state, southeastern Brazil, and geographic distribution map. <i>Check List</i> , 2014, 10, 1243-1245. | 0.1 | 0 |
| 13765 | An analysis of the relative importance of biotic and abiotic factors to the niche of the cockroach genus <i>Arenivaga</i> (Rehn) (Blattodea: Corydiidae). <i>Life: the Excitement of Biology</i> , 2014, 2, 148-174. | 0.1 | 1 |
| 13766 | Similaridade florstica das florestas superomontanas no domnio Atlntico, Brasil. <i>Revista Arvore</i> , 2014, 38, 787-797. | 0.5 | 0 |
| 13767 | Ecological Niche Modelling using satellite data for assessing distribution of threatened species <i>Ceropegia bulbosa</i> Roxb.. <i>International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives</i> , 0, XL-8, 597-603. | 0.2 | 1 |
| 13768 | INFLUNCIA DA TEMPERATURA E PRECIPITAO NA DISTRIBUIO DAS ESPCIAS CRITICAMENTE AMEAADAS DE EXTINO OCORRENTE EM MINAS GERAIS. <i>Peridico Eletrnico Frum Ambiental Da Alta Paulista</i> , 2014, 10, . | 0.0 | 2 |
| 13770 | Artvin ve evresinde am Kese Brcei Riskinin Gelecee Ynelik Modellenmesi. <i>Artvin oruh eniversitesi Orman Fakltesi Dergisi</i> , 2014, 15, 85. | 0.5 | 1 |
| 13771 | Global Change in Central America, and Global Transitions Towards a Carbon-Free Society Achieved Through International Field Schools? Carbon Dioxide Remains the Most Toxic Gas for Mankind to Be Resolved. , 2015, , 625-644. | | 2 |
| 13772 | Assessing climate change vulnerability for the Iberian viper <i>Vipera seoanei</i> . <i>Basic and Applied Herpetology</i> , 0, , . | 0.0 | 0 |
| 13773 | Biogeografa predictiva: tcnicas de modelamiento de distribucin de especies y su aplicacin en el impacto del cambio climtico. <i>Espacio Y Desarrollo</i> , 2015, , . | 0.0 | 1 |
| 13774 | Witchcraft Beliefs and the Erosion of Trust: Evidence from Sub-Saharan Africa and Beyond. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 13775 | Landscape Structures and Human Evolutionary Ecology: space, scale and environmental patterning in Africa. <i>Internet Archaeology</i> , 2015, , . | 0.0 | 0 |
| 13776 | Microrefugia and Climate Change Adaptation: A Practical Guide for Wildland Managers. , 2015, , . | | 0 |
| 13777 | Discusses sobre a escala em ecologia de comunidades - Discussions about the scale on the community ecology. <i>Revista De Biologia Neotropical / Journal of Neotropical Biology</i> , 2015, 11, 22. | 0.1 | 0 |
| 13778 | First official record of a naturalised population of <i>Mimosa albida</i> Humb. & Bonpl. ex Willd. var. <i>albida</i> in Africa. <i>BiolInvasions Records</i> , 2015, 4, 61-65. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13779 | O gênero <i>Catasetum</i> Rich. ex Kunth (Orchidaceae, Catasetinae) no Estado do Paraná, Brasil. <i>Hoehnea</i> (revista), 2015, 42, 185-194. | 0.2 | 1 |
| 13780 | An Observatory Plot System for Grain Production in the Neotropical Savannas. <i>Dataset Papers in Science</i> , 2015, 2015, 1-7. | 1.0 | 0 |
| 13782 | Identification des variables expliquant la distribution spatiale des niveaux de la forêt boréale et modélisation de tendances futures: une approche multivariée. <i>CyberGeo</i> , 0, , . | 0.0 | 0 |
| 13783 | Evaluating the Marginal Land Resources Suitable for Developing Bioenergy in Asia: Evaluating the Marginal Land Resources Suitable for Developing Bioenergy in Asia. , 2015, , 83-100. | | 0 |
| 13784 | Potential distribution of <i>Monotropa uniflora</i> as a surrogate for range of Monotropoideae (Ericaceae) in South Asia. <i>Biodiversitas</i> , 2016, 16, . | 0.2 | 1 |
| 13787 | Modelo de la distribución de especies vectoras de leishmaniasis del género <i>Lutzomyia</i> (Diptera: Tj ETQq1 1 0.784314 rgBT /Overlo | 0.0 | 2 |
| 13788 | Principal Component Analysis Based Ecosystem Differences between South and North Korea Using Multivariate Spatial Environmental Variables. <i>Journal of the Korea Society of Environmental Restoration Technology</i> , 2015, 18, 15-27. | 0.1 | 1 |
| 13789 | Changes in <i>Biston robustum</i> and <i>Camellia japonica</i> distributions, according to climate change predictions in South Korea. <i>Journal of Ecology and Environment</i> , 2015, 38, 327-334. | 1.6 | 0 |
| 13792 | Progressively approaching the distribution of <i>Passiflora ischnoclada</i> (Passifloraceae) from a single occurrence record. <i>Check List</i> , 2015, 11, 1717. | 0.1 | 1 |
| 13793 | Análisis multicriterio para la delimitación de una región árida del centro de México. <i>Acta Universitaria</i> , 2015, 25, 11-25. | 0.2 | 1 |
| 13798 | Regional Distribution of Salt-Rich Dust Across Southwest Asia Based on Predictive Soil-Geomorphoc Mapping Techniques. <i>Advances in Military Geosciences</i> , 2016, , 237-256. | 0.5 | 0 |
| 13799 | Antalya-Manavgat yöresi ormanlarında tutulma riskinin coğrafî dağılımı modellemesi. <i>İstanbul Üniversitesi Orman Fakültesi Dergisi</i> , 2015, 66, . | 0.1 | 4 |
| 13800 | Global high-resolution reference potential evaporation. , 0, , . | | 0 |
| 13802 | Diversidad de musgos en el estado de Aguascalientes, México. <i>Botanical Sciences</i> , 2015, 93, 899. | 0.3 | 1 |
| 13803 | PROGNOSTICATION OF PLANTATION POSSIBILITIES OF <i>PINUS ELDARICA</i> MEDW. BY USE OF GEOINFORMATIONAL TECHNOLOGIES. <i>Applied Ecology and Environmental Research</i> , 2016, 14, 121-131. | 0.2 | 1 |
| 13804 | PLANT DIVERSITY-ENVIRONMENT RELATIONSHIPS IN XERIC GRASSLANDS OF NORTH-EASTERN ROMANIA. <i>Applied Ecology and Environmental Research</i> , 2016, 14, 111-127. | 0.2 | 4 |
| 13805 | Peatlands of the Mediterranean Region. , 2016, , 1-12. | | 0 |
| 13806 | Conservation of Quiver Trees in Namibia and South Africa under a Changing Climate. <i>Journal of Geoscience and Environment Protection</i> , 2016, 04, 1-8. | 0.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13807 | Barley Genetic Resources for Climate-Change Adaptation: Searching for Heat-Tolerant Traits through Rapid Evaluation of Subsets. , 2016, , 87-97. | | 0 |
| 13808 | Predictive Distribution Modelling of Calamus andamanicus Kurz, an Endemic Rattan from Andaman and Nicobar Islands, India. Journal of Forest and Environmental Science, 2016, 32, 94-98. | 0.2 | 0 |
| 13812 | Spatial interpolation of climate data for Kangdian area, China. , 2016, , . | | 0 |
| 13813 | Distribuci3n y preferencias clim3ticas de Sobralia uribei (orchidaceae): una especie end3mica de Santander, Colombia. Revista Luna Azul, 0, 43, 128-144. | 0.0 | 0 |
| 13816 | AN OPEN SCIENCE APPROACH TO GIS-BASED PALEOENVIRONMENT DATA. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, III-2, 159-164. | 0.0 | 3 |
| 13817 | Study on Temporal Effects of Urban Malaria Incidences. International Journal of Statistics in Medical Research, 2016, 5, 120-132. | 0.5 | 1 |
| 13818 | New record of Pithophora roettleri (Roth) Wittrock, 1877 (Chlorophyta: Pithophoraceae) for the S3o Francisco River basin and its potential geographic distribution in Brazil. Check List, 2016, 12, 1899. | 0.1 | 2 |
| 13819 | Remarks on the Natural History of S3o Paulo Marsh Antwren (<i>Formicivora paludicola</i>). Wilson Journal of Ornithology, 2016, 128, 445-448. | 0.1 | 2 |
| 13820 | Revisi3n de las t3cnicas para el modelado de la distribuci3n de las especies. Revista Biol3gico Agropecuaria Tuxpan, 2016, 4, 176-187. | 0.0 | 1 |
| 13821 | A PLUGIN TO INTERFACE OPENMODELLER FROM QGIS FOR SPECIES' POTENTIAL DISTRIBUTION MODELLING. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, III-7, 251-256. | 0.0 | 2 |
| 13823 | Reappraising the Impact of Environmental Stresses on the Useful Life of Electronic Devices. Journal of Advanced Computational Intelligence and Intelligent Informatics, 2016, 20, 640-651. | 0.5 | 0 |
| 13825 | ANALYZING AREAL PRECIPITATION AT KEY BASINS IN COCHABAMBA USING SATELLITE-BASED PRECIPITATION. Investigacion & Desarrollo, 2016, 16, 25-38. | 0.3 | 1 |
| 13831 | Ä°klim DeÄyiÄyikliÄyi SenaryolarÄ± AltÄ±nda Konumsal Modelleme Kullanarak TÄ¼rkiyeâ€™nin Ä±evresel Risk Analizi: Net Birincil Äceretim ÄrneÄyi. Ä¼ukurova Äcenisitesi MÄ¼hendislik-Mimarlık FakÄ¼ltesi Dergisi, 2016, 31, 107-116. | | 1 |
| 13833 | Improving bioclimatic envelop modeling for Lichens through remote sensing based substratum correction: A study over Indian Himalaya. Cryptogam Biodiversity and Assessment, 2016, 1, . | 0.1 | 1 |
| 13834 | 8. Downscaling on Demand: Examples in Forest Canopy Mapping. , 2016, , 229-246. | | 0 |
| 13836 | Diversidad y conservaci3n de Catasetum (Orchidaceae: Catasetinae) en el Departamento de Santander, Colombia. Ciencia En Desarrollo, 2016, 7, 57. | 0.1 | 2 |
| 13838 | Efecto del cambio clim3tico en la distribuci3n potencial de HLB en sudam3rica. Revista Iberoamericana De Bioeconomía Y Cambio Clim3tico, 2016, 2, 484-493. | 0.6 | 0 |
| 13839 | VBORNET Gap Analysis: Sand Fly Vector Distribution Models Utilised to Identify Areas of Potential Species Distribution in Areas Lacking Records. Open Health Data, 2016, 4, 5. | 3.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13840 | Predicting Suitability of Upland Rice for Adoption as Food Security and Poverty Alleviation Crop in Uganda. <i>Journal of Geography and Earth Sciences</i> , 2017, , . | 0.1 | 0 |
| 13841 | Complex Comparison of Bavarian and Bohemian Forest National Parks from Geographical Perspective: Is there More Similarity or Difference?. <i>Journal of Landscape Ecology(Czech Republic)</i> , 2017, 10, 58-74. | 0.2 | 1 |
| 13842 | Witchcraft Beliefs as a Cultural Legacy of the Atlantic Slave Trade: Evidence from Two Continents. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 13843 | Variabilidade climática e a modelagem ecológica da <i>Biomphalaria glabrata</i> : cenários futuros (2050 e Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 0.5 | 4 |
| 13844 | Settlement Patterns in Europe and the Spanish Anomaly: The Medieval Frontier Origins of a Country's Economic Geography. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 13845 | A Comparison of Climatic Niches of the Same Alpine Plant Species in the Central Caucasus and the Alps. <i>Geobotany Studies</i> , 2017, , 133-144. | 0.2 | 0 |
| 13857 | Türkçe deki doğal (Corylus colurna L.) popülasyonları durumu. <i>Artvin Ğöruh Üniversitesi Orman Fakültesi Dergisi</i> , 2017, 18, 1-1. | 0.5 | 4 |
| 13858 | Three new species of <i>Carychium</i> O.F. Müller, 1773 from the Southeastern USA, Belize and Panama are described using computer tomography (CT) (<i>Eupulmonata</i> , <i>Ellobioidea</i> , <i>Carychiidae</i>). <i>ZooKeys</i> , 2017, 675, 97-127. | 0.5 | 5 |
| 13864 | Distribución espacial del riesgo potencial de marchitamiento del aguacate causado por <i>Phytophthora cinnamomi</i> ; en la subregión de Montes de María, Colombia. <i>Revista Colombiana De Ciencias Hortícolas</i> , 2017, 11, 273-285. | 0.2 | 3 |
| 13865 | Large-Scale Machine Learning for Species Distributions. , 2017, , 73-94. | | 0 |
| 13866 | Large-Scale Machine Learning for Species Distributions. , 2017, , 73-93. | | 0 |
| 13867 | Historical dynamics and current environmental effects explain the spatial distribution of species richness patterns of New World monkeys. <i>PeerJ</i> , 2017, 5, e3850. | 0.9 | 4 |
| 13869 | Dinámica de fragmentación en la Sierra Madre Oriental y su impacto sobre la distribución potencial de la avifauna. <i>Madera Bosques</i> , 2017, 23, 99-117. | 0.1 | 7 |
| 13870 | Analysis of Grassland ANPP Dynamics Due to Changes in Climate Variables at Ukrainian Biosphere Reserve "Askania-Nova". <i>Ekologia</i> , 2017, 36, 235-246. | 0.2 | 0 |
| 13871 | ESCENARIO DE CAMBIO CLIMÁTICO A NIVEL DE SUBCUENCAS HIDROGRÁFICAS PARA EL AÑO 2050 DE LA PROVINCIA DE CHIMBORAZO- ECUADOR. <i>Granja</i> , 2017, 26, 15. | 0.1 | 1 |
| 13872 | Physicochemical and Microbiological Variations in Rivers on the Foothills of Mount Meru, Tanzania. <i>International Journal of Scientific and Engineering Research</i> , 2017, 8, 1320-1346. | 0.1 | 3 |
| 13873 | Geographical distribution and niche conservatism in populations of <i>Orthogeomys dariensis</i> (Rodentia:) Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.2 | 0 |
| 13879 | GEOSPATIAL APPROACH FOR DELINEATING EXTRAPOLATION DOMAINS FOR SUSTAINABLE AGRICULTURAL INTENSIFICATION TECHNOLOGIES. <i>International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives</i> , 0, XLII-3/W2, 145-149. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13881 | Distribución potencial de <i>Prosopis laevigata</i> (Humb. et Bonpl. ex Willd) M. C. Johnston basada en un modelo de nicho ecológico. <i>Revista Mexicana De Ciencias Forestales</i> , 2016, 7, 035-046. | 0.1 | 3 |
| 13882 | Sensitivity analysis to configuration option settings in a selection of species distribution modelling algorithms. , 0, , . | | 0 |
| 13883 | La biodiversité des étages alpin et subalpin des Montagnes des Carpates et leur potentiel de valorisation. <i>Vertigo: La Revue Electronique En Sciences De L'environnement</i> , 2017, , . | 0.0 | 0 |
| 13884 | Classification of the Eastern Scarp Forests. <i>Geobotany Studies</i> , 2018, , 125-226. | 0.2 | 2 |
| 13885 | Local Scale Edaphic Surveys in and out of a <i>Pericopsis elata</i> (Harms) Meeuwen Natural Forest Stand in East Cameroon. <i>Open Journal of Soil Science</i> , 2018, 08, 1-15. | 0.3 | 1 |
| 13886 | New collection locality of <i>Cryptotis tropicalis</i> (Merriam, 1895) (Eulipotyphla: Soricidae) in the south lowlands of Guatemala, Central America. <i>Mammalogy Notes</i> , 2018, 5, 22-25. | 0.1 | 0 |
| 13887 | It's Time for Westernization: The Advantages of the Early Start for Long-Term Economic Development at the Local Level. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 13890 | Razgar Enerji Sistemleri nin Hava Yoluunun Hesaplanmasi. <i>Journal of Polytechnic</i> , 0, , . | 0.4 | 2 |
| 13892 | Shedding Light on Regional Growth and Convergence in India. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 13893 | North and Saharan Africa: Geography and Chronology. , 2018, , 1-21. | | 0 |
| 13894 | Research Area and Research Methods. <i>Springer Theses</i> , 2018, , 17-29. | 0.0 | 0 |
| 13895 | Political Violence and the Geographic Concentration of Countries. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 13896 | Peatlands of the Mediterranean Region. , 2018, , 1155-1165. | | 0 |
| 13897 | Current status of broad-scale meteorological data available for agrometeorological studies. <i>Climate in Biosphere</i> , 2018, 18, 53-69. | 0.1 | 0 |
| 13900 | A model for locating fodder shrub plantations sites in the Jordanian badiyah. <i>Rangeland Journal</i> , 2018, 40, 527. | 0.4 | 1 |
| 13902 | MODELAGEM PREDITIVA DA ESPÉCIE <i>Lychnophora pohlii</i> SCH. BIP., NO ESTADO DE MINAS GERAIS. <i>Nativa</i> , 2018, 6, 100. | 0.2 | 2 |
| 13903 | Relationship between human population density and urban land use as an indicator of urbanization in landscape ecological approach and its regional differences in Japan. <i>Ecology and Civil Engineering</i> , 2018, 20, 205-212. | 0.1 | 0 |
| 13904 | Phylogenetic Community Structure of Southern African Termites (Isoptera). <i>Sociobiology</i> , 2018, 65, 15. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 13952 | Patr3n espacial de riqueza espec3fica y vac3os de representatividad de flebotominos del g3nero <i>Lutzomyia</i> (Diptera: Psychodidae) en M3rida, Venezuela. <i>Intropica</i> , 0, , 65-71. | 0.0 | 0 |
| 13953 | Distribution patterns of <i>Sphagnum</i> sect. <i>Acutifolia</i> species in the Eastern European Plain and Eastern Fennoscandia. <i>Arctoa</i> , 2018, 27, 34-48. | 0.3 | 1 |
| 13955 | Impacto de mudan3sas clim3ticas sobre a distribui33o geogr3fica potencial de <i>Ilex paraguariensis</i> . <i>Rodriguesia</i> , 2018, 69, 2069-2079. | 0.9 | 7 |
| 13956 | Different responses to environmental factors in terpene composition of <i>Pinus heldreichii</i> and <i>P. peuce</i> : Ecological and chemotaxonomic considerations. <i>Archives of Biological Sciences</i> , 2019, 71, 629-637. | 0.2 | 7 |
| 13958 | Climate Change and Biodiversity Threats on <i>Pachypodium</i> Species in South Africa. <i>Journal of Geoscience and Environment Protection</i> , 2019, 07, 37-44. | 0.2 | 0 |
| 13959 | Evaluation of habitat patches importance to desert landscape connectivity for three fox species, using resistance kernel and graph network. <i>Arid Biome</i> , 2019, 8, 51-64. | 0.1 | 1 |
| 13960 | Predicting the Invasion Risk of <i>Miconia calvescens</i> in the Marquesas Islands (South Pacific): A Modeling Approach. <i>Pacific Science</i> , 2019, 73, 17. | 0.2 | 1 |
| 13961 | Maximum Entropy Ecological Niche Prediction of the Current Potential Geographical Distribution of <i>Eimeria</i> Species of Cattle, Sheep and Goats in Mexico. <i>Open Journal of Animal Sciences</i> , 2019, 09, 234-248. | 0.2 | 3 |
| 13962 | Prediction of the Distribution of Perennial Cultivated Grasses in the Northwest Sichuan Plateau, China under Climate Change. <i>Journal of Geoscience and Environment Protection</i> , 2019, 07, 95-111. | 0.2 | 0 |
| 13963 | REGIONAL FEATURES OF THE ALTITUDINAL GRADIENTS IN NORTHERN TRANSBAIKALIA VEGETATION COVER. <i>Geography, Environment, Sustainability</i> , 2019, 11, 67-84. | 0.6 | 3 |
| 13964 | An Introduction to the Biogeography of South American Anurans. , 2019, , 1-8. | | 1 |
| 13965 | O g3nero <i>Polystachya</i> (Orchidaceae, Polystachyinae) no estado do Paran3, Brasil. <i>Rodriguesia</i> , 0, 70, . | 0.9 | 1 |
| 13972 | Imprecise descriptions of <i>Passiflora riparia</i> Martius ex Masters led to redundant descriptions as <i>P. emiliae</i> Sacco, <i>P. crenata</i> Feuillet & Cremers, <i>P. pergrandis</i> Holm-Nielsen & Lawesson and <i>P. fernandezii</i> Escobar. <i>PhytoKeys</i> , 2019, 117, 9-35. | 0.4 | 2 |
| 13975 | Invasive ranges of <i>Ulex europaeus</i> (Fabaceae) in South Australia and Sri Lanka using species distribution modeling. <i>International Journal of Scientific and Research Publications</i> , 2019, 9, p8715. | 0.0 | 0 |
| 13977 | Vegetation heterogeneity of black alder forests in and around El-Kala Biosphere Reserve, northeastern Algeria. <i>Botanical Sciences</i> , 2019, 97, 13-34. | 0.3 | 2 |
| 13978 | Associations between environmental variability and inversion polymorphism of <i>Drosophila subobscura</i> : meta-analysis of populations from the Central Balkans. <i>Climate Research</i> , 2019, 77, 205-217. | 0.4 | 2 |
| 13980 | Evolution of Phenotypic Sex Differences in Cooperative Species: is Competition an Opposing Force?. <i>Acta Ornithologica</i> , 2019, 53, 125. | 0.1 | 1 |
| 13982 | Modelo de requerimiento h3drico en un distrito de riego en M3xico: incorporando escenarios de cambio clim3tico. <i>Biotechnia</i> , 2019, 21, 129-136. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 13987 | SPECIES: Supporting big-data-driven research. Biodiversity Information Science and Standards, 0, 3, . | 0.0 | 1 |
| 13990 | Coastal lowland and floodplain evolution along the lower reaches of the Supsa River (western) Tj ETQq1 1 0.784314 rgBT /Overlock 107 | 0.2 | 2 |
| 13991 | ¿SON LOS MODELOS DE DISTRIBUCIÓN POTENCIAL UNA HERRAMIENTA CERTERA DE LA BIOLOGÍA DE LA CONSERVACIÓN?. Kuxulkab, 2019, 25, 17. | 0.1 | 0 |
| 13992 | Using species distribution modelling to guide survey efforts of the snow leopard (<i>Panthera uncia</i>) in the Central Kyrgyz Ala-Too region. Theriologia Ukrainica, 2019, 2019, 112-118. | 0.1 | 2 |
| 13994 | A New Species of <i>Phymaturus</i> (Squamata: Liolaemidae) from the Auca Mahuida Natural Protected Area, Neuquén, Argentina, Based on Morphological and DNA Evidence. South American Journal of Herpetology, 2019, 14, 123. | 0.5 | 2 |
| 13995 | <i>Asphodelus fistulosus</i> L., a newly discovered plant invader in South Africa: Assessing the risk of invasion and potential for eradication. Bothalia, 2019, 49, . | 0.2 | 0 |
| 13996 | Distribution of woody species richness in Kurucuova Region according to environmental factors. Turkish Journal of Forestry Türkiye Ormanlık Dergisi, 0, , 123-132. | 0.1 | 4 |
| 13997 | Climate change and forest plagues: assessing current and future impacts of diprionid sawflies on the pine forests of north-western Mexico. PeerJ, 2019, 7, e7220. | 0.9 | 7 |
| 14003 | Comparative analysis of the distribution and habitats of two <i>Eremias</i> species (Reptilia,) Tj ETQq0 0.0 rgBT /Overlock 10 | 0.2 | 3 |
| 14006 | Urbanismo bioclimático en Chile: propuesta de biozonas para la planificación urbana y ambiental. Eure, 2019, 45, 135-162. | 0.3 | 3 |
| 14007 | Vegetation Structure, Classification and Climatic Characteristics in Temperate-like Mountain Forests Dominated by <i>Abies jaliscana</i> in Western Mexico. Journal of Forestry Faculty of Kastamonu University, 0, , . | 0.1 | 0 |
| 14011 | KARAĞAM (<i>Pinus nigra</i>) TÜRKİYE NERİMLİK VE DAĞILIM ZONALARI ÜZERİNE EKOLOJİK DEĞERLENDİRME İSPARTA-YENİARBADEMLİ RİZE. Bilge International Journal of Science and Technology Research, 0, , . | 0.6 | 1 |
| 14015 | Evaluate Turkey's Climate Classification by Clustering Analysis Method. Key Challenges in Geography, 2020, , 41-53. | 0.1 | 4 |
| 14016 | Effect of climate data uncertainty on ecological land classification: a case study from Argentina. Climate Research, 2019, 78, 261-270. | 0.4 | 1 |
| 14019 | DISTRIBUTION OF CLOUDINESS ON THE CENTRAL PLATEAU OF MOLDAVIA. Present Environment and Sustainable Development, 2019, 13, 235-248. | 0.1 | 0 |
| 14024 | Conservation of Pleske's Racerunner (<i>Eremias pleskei</i>) in a Changing Climate. Annales Zoologici Fennici, 2019, 56, 93. | 0.2 | 0 |
| 14028 | The Distribution of the Hesperidae (Lepidoptera) Family in Romania. Entomologica Romanica, 2019, 23, 27-48. | 0.2 | 1 |
| 14029 | Potential distribution model of <i>Leontochir ovallei</i> using remote sensing data. Revista De Teledeteccion, 2019, , 59. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14030 | Patterns of vegetation along contrasting elevation gradients in Oaxaca and Veracruz, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2019, 90, . | 0.4 | 3 |
| 14031 | Comparative evaluation of autumn and spring application herbicides in winter wheat crops in the conditions of the forest-steppe zone of Ukraine. <i>Zahist Ā Karantin Roslin</i> , 2019, , 175-190. | 0.0 | 5 |
| 14032 | CONSERVATION BIOLOGY OF A SOUTHWESTERN ENDEMIC, THE TEXAS GARTER SNAKE, THAMNOPHIS SIRTALIS ANNECTENS: AN INTEGRATIVE PERSPECTIVE. <i>Southwestern Naturalist</i> , 2019, 64, 8. | 0.1 | 0 |
| 14033 | EcologĀa tĀ©rmica y riesgo de extinciĀ³n ante el cambio climĀtico de <i>Gonatodes concinnatus</i> (Squamata:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf,50 262 Td <i>Biodiversidad</i> , 2019, 90, . | 0.4 | 2 |
| 14035 | Modeling of climatic factors of vegetation altitudinal zonality in Ukrainian Carpathians and its future changes due to global warming. <i>Visnyk of the Lviv University Series Geography</i> , 2019, 53, 240-251. | 0.1 | 0 |
| 14036 | Modeling the potential distribution of <i>Epiphyllum phyllanthus</i> (L.) Haw. under future climate scenarios in the Caatinga biome. <i>Anais Da Academia Brasileira De Ciencias</i> , 2020, 92, e20180836. | 0.3 | 6 |
| 14037 | Geographic Information Systems forĀForest Species Distribution andĀHabitat Suitability. <i>Communications in Computer and Information Science</i> , 2020, , 125-135. | 0.4 | 1 |
| 14038 | Risk Assessment Model for Brown Treesnake Introduction into the Continental United States. , 2020, , 603-616. | | 1 |
| 14039 | Invasion of <i>Erigeron annuus</i> (L.) Pers. in the hay and pasture meadows of the Greater Caucasus: modeling of the current and predicted distribution. <i>E3S Web of Conferences</i> , 2020, 222, 04001. | 0.2 | 1 |
| 14041 | Response of Asiatic Ibex (<i>Capra sibirica</i>) under Climate Change Scenarios. <i>Journal of Resources and Ecology</i> , 2020, 11, 27. | 0.2 | 1 |
| 14043 | Prediction of hybridisation zones of selected species of the genus <i>Platymeris</i> (Hemiptera: Reduviidae) supported by laboratory crossbreeding. <i>Austral Entomology</i> , 2020, 59, 323-336. | 0.8 | 3 |
| 14045 | Tardigrades in the Forest Canopy: Associations with Red Tree Vole Nests in Southwest Oregon. <i>Northwest Science</i> , 2020, 94, 24. | 0.1 | 5 |
| 14053 | Salix transect of Europe: patterns in the distribution of willow-feeding psyllids (Hemiptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf,50 262 Td | 0.4 | 3 |
| 14054 | Seasonality drives body size variation in a widely distributed Neotropical treefrog. <i>Journal of Zoology</i> , 2020, 312, 85-93. | 0.8 | 1 |
| 14058 | Joint Species Distribution Modelling. , 2020, , 142-183. | | 1 |
| 14063 | New Locality Record of <i>Platyceps najadum</i> (Eichwald, 1831) With Ecological Niche Modeling in Turkey. <i>Journal of the Institute of Science and Technology</i> , 0, , 855-864. | 0.3 | 0 |
| 14064 | BiogeografĀa analĀtica de la pteridoflora del Arco de AlborĀn: Consecuencias para su status de protecciĀ³n. <i>Acta Botanica Malacitana</i> , 0, 45, 47-65. | 0.0 | 0 |
| 14068 | Distribution Models and Spatial Analyses Provide Robust Assessments of Conservation Status of Orchid Species in Colombia: The Case of <i>Lephantes mucronata</i> . <i>Harvard Papers in Botany</i> , 2020, 25, 111. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14069 | Análisis de riesgo potencial de Huanglongbing a través de tecnologías geoespaciales en Colombia. <i>Ciencia Tecnología Agropecuaria</i> , 2020, 21, 1-23. | 0.3 | 4 |
| 14071 | COMPARISON OF PREDICTOR SELECTION PROCEDURES IN SPECIES DISTRIBUTION MODELING: A CASE STUDY OF <i>Fagus hayatae</i> . <i>Cernea</i> , 2020, 26, 172-182. | 0.9 | 4 |
| 14073 | TBRs, a methodology for the multi-scalar cartographic analysis of the distribution of plant formations. <i>Boletín De La Asociación De Geógrafos Españoles</i> , 2020, , . | 0.2 | 2 |
| 14075 | Late Quaternary Range Dynamics in the Common Grackle <i>Quiscalus quiscula</i> . <i>Ardea</i> , 2020, 108, 95. | 0.3 | 3 |
| 14077 | Identifying important characteristics for critical habitat of boreal felt lichen (<i>Erioderma</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,582 Td (p</i> | 0.1 | 3 |
| 14078 | Effects of climate, biotic factors, and phylogeny on allometric relationships: testing the metabolic scaling theory in plantations and natural forests across China. <i>Forest Ecosystems</i> , 2020, 7, . | 1.3 | 5 |
| 14081 | The Potential Distribution and Westernmost Record of <i>Eremias strauchi</i> Kessler, 1878 in Turkey. <i>Commagene Journal of Biology</i> , 2020, 4, . | 0.1 | 1 |
| 14082 | Modeling the influence of livestock grazing pressure on grassland bird distributions. <i>Ecological Processes</i> , 2020, 9, . | 1.6 | 3 |
| 14083 | A reassessment of <i>Mappia</i> (Icacinae) taxonomy using environmental data. <i>Acta Botanica Mexicana</i> , 2020, , e1716. | 0.1 | 1 |
| 14084 | Impacts of climate change on potential geographical cultivation areas of longan (<i>Dimocarpus longan</i>) in China. <i>Journal of Agricultural Science</i> , 2020, 158, 471-478. | 0.6 | 1 |
| 14086 | Seroprevalence and risk factors associated with bovine leukemia virus (BLV) seropositivity in cattle herds from Ecuador. <i>Revista Colombiana De Ciencias Pecuarias</i> , 2021, 34, 177-188. | 0.4 | 0 |
| 14088 | A new species in the <i>Tetramorium solidum</i> -group (Hymenoptera, Formicidae, Myrmicinae) from the Richtersveld National Park, South Africa, with an assessment of threats and conservation status. <i>ZooKeys</i> , 2020, 965, 55-71. | 0.5 | 1 |
| 14090 | Contrasting environmental drivers of genetic and phenotypic divergence in an Andean poison frog (<i>Epipedobates anthonyi</i>). <i>Heredity</i> , 2021, , . | 1.2 | 1 |
| 14091 | Nutrient enrichment increases invertebrate herbivory and pathogen damage in grasslands. <i>Journal of Ecology</i> , 2022, 110, 327-339. | 1.9 | 25 |
| 14092 | Estimating hybridization in the wild using citizen science data: a path forward. <i>Evolution; International Journal of Organic Evolution</i> , 2021, , . | 1.1 | 5 |
| 14093 | The changing risk of vector-borne diseases: Global satellite remote sensing and geospatial surveillance at the forefront. <i>Geospatial Health</i> , 2021, 16, . | 0.3 | 4 |
| 14094 | Temporal variability in population and community dynamics. <i>Ecology</i> , 2022, 103, e03577. | 1.5 | 3 |
| 14096 | A combined <i>MaxEnt</i> and <i>GIS</i> -based methodology to estimate cactus pear biomass distribution: application to an area of southern Italy. <i>Biofuels, Bioproducts and Biorefining</i> , 2022, 16, 54-67. | 1.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14097 | Seasonal Dissociation in Fossorial Activity between the Llanos' Frog Populations as a Survival Strategy in Arid Subtropical Environments. <i>Journal of Herpetology</i> , 2021, 55, . | 0.2 | 2 |
| 14098 | Challenges and opportunities of species distribution modelling of terrestrial arthropod predators. <i>Diversity and Distributions</i> , 2021, 27, 2596-2614. | 1.9 | 15 |
| 14099 | Spatialâ€“Temporal Evolution of Vegetation NDVI in Association with Climatic, Environmental and Anthropogenic Factors in the Loess Plateau, China during 2000â€“2015: Quantitative Analysis Based on Geographical Detector Model. <i>Remote Sensing</i> , 2021, 13, 4380. | 1.8 | 32 |
| 14100 | Conservation biology of the critically endangered salamander, <i>Paradactylodon persicus gorganensis</i> (Clergue-Gazeau & Thorn, 1979) (Amphibia: Hynobiidae) in northeastern Iran. <i>Animal Biology</i> , 2021, -1, 1-12. | 0.6 | 0 |
| 14101 | Distributional modelling, megafires and data gaps highlight probable underestimation of climate change risk for two lizards from Australiaâ€™s montane rainforests. <i>Austral Ecology</i> , 0, , . | 0.7 | 2 |
| 14102 | Local adaptations of Mediterranean sheep and goats through an integrative approach. <i>Scientific Reports</i> , 2021, 11, 21363. | 1.6 | 18 |
| 14103 | New records of Convolvulaceae species for the CearÃ¡ state and its potential geographic distribution in Northeast Brazil. <i>Acta Brasiliensis</i> , 2020, 4, 30. | 0.1 | 0 |
| 14105 | The Fractured-Land Hypothesis. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 14106 | Ecological Niche Modeling and Other Tools for the Study of Avian Malaria Distribution in the Neotropics: A Short Literature Review. , 2020, , 251-280. | | 2 |
| 14107 | Tracing species replacement in Iberian marbled newts. <i>Ecology and Evolution</i> , 2021, 11, 402-414. | 0.8 | 6 |
| 14110 | Climatic Niche Dynamics of Three Widespread <i>Cardiospermum</i> (Paullinieae, Sapindaceae) Species Revealed Possible Dispersal Pathways. <i>Systematic Botany</i> , 2020, 45, 879-890. | 0.2 | 2 |
| 14111 | Estimation of the Climate Preference Between Two Lineages of Europe-an Ground Squirrel Using Maximum Entropy Modeling. <i>Acta Mathematica Spalatensia</i> , 0, , 328-341. | 0.1 | 1 |
| 14112 | Genetic homogeneity in a Pontocaspian crested newt species (<i>Triturus karelinii</i>) suggests recent isolation of its three allopatric range sections. <i>Amphibia - Reptilia</i> , 2020, 42, 179-187. | 0.1 | 0 |
| 14113 | Quantitative Estimates of Paleoenvironmental Changes in the Late Holocene in the South of the East European Plain as Recorded in the Magnetic Properties of Soils. <i>Eurasian Soil Science</i> , 2020, 53, 1677-1686. | 0.5 | 7 |
| 14114 | Estimating the distribution characters of <i>Larix kaempferi</i> in response to climate change. <i>IForest</i> , 2020, 13, 499-506. | 0.5 | 0 |
| 14117 | Strategic use of Iranian bread wheat landrace accessions for genetic improvement: Core set formulation and validation. <i>Plant Breeding</i> , 2021, 140, 87-99. | 1.0 | 8 |
| 14119 | Prediction of present and future spread of <i>Adenocarpus complicatus</i> (L.) Gay species according to climate variables. <i>Turkish Journal of Forestry TÃ¼rkiye Ormancılık Dergisi</i> , 0, , 498-508. | 0.1 | 3 |
| 14120 | Holocene vegetation, climate and fire dynamics in the Serra dos Ã“rgÃ£os, Rio de Janeiro State, southeastern Brazil. , 2020, 60, 438-453. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14121 | Controlling soil total nitrogen factors across shrublands in the Three Rivers Source Region of the Tibetan Plateau. <i>IForest</i> , 2020, 13, 559-565. | 0.5 | 3 |
| 14122 | Planning priority conservation areas for biodiversity under climate change in topographically complex areas: A case study in Sichuan province, China. <i>PLoS ONE</i> , 2020, 15, e0243425. | 1.1 | 5 |
| 14123 | Does the Mediterranean water shrew <i>Neomys anomalus</i> (Soricidae, Eulipotyphla) expand the eastern part of the distribution range?. <i>Russian Journal of Theriology</i> , 2020, 19, 112-130. | 0.5 | 1 |
| 14125 | Ecological and evolutionary constraints on regional avifauna of passerines in China. <i>Environmental Epigenetics</i> , 2021, 67, 431-440. | 0.9 | 0 |
| 14126 | Search for top-down and bottom-up drivers of latitudinal trends in insect herbivory in oak trees in Europe. <i>Global Ecology and Biogeography</i> , 2021, 30, 651-665. | 2.7 | 18 |
| 14127 | Changes in species richness of vascular plants under climate and solar radiation in the Middle Volga River region (Russia). <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 607, 012010. | 0.2 | 1 |
| 14128 | Long-Term Changes and Variability of Ecologically-Based Climate Indices along an Altitudinal Gradient on the Qinghai-Tibetan Plateau. <i>Climate</i> , 2021, 9, 1. | 1.2 | 8 |
| 14130 | Molecular systematics of the <i>Reithrodontomys tenuirostris</i> group (Rodentia: Cricetidae) highlighting the <i>Reithrodontomys microdon</i> species complex. <i>Journal of Mammalogy</i> , 2022, 103, 29-44. | 0.6 | 5 |
| 14131 | Biogeographic breaks in the Atlantic Forest: evidence for Oligocene/Miocene diversification in <i>Bertolonia</i> (Melastomataceae). <i>Botanical Journal of the Linnean Society</i> , 2022, 199, 128-143. | 0.8 | 7 |
| 14132 | What do studbook data reveal about the effects of climate on neonatal survival and seasonality in births?. , 2022, , 311-328. | | 0 |
| 14133 | Estimating 2013-2019 NO2 exposure with high spatiotemporal resolution in China using an ensemble model. <i>Environmental Pollution</i> , 2022, 292, 118285. | 3.7 | 22 |
| 14134 | Are there two species of red panda? Are they equally threatened with extinction?. , 2022, , 421-434. | | 0 |
| 14135 | Risk and time preferences for participating in forest landscape restoration: The case of coffee farmers in Uganda. <i>World Development</i> , 2022, 150, 105713. | 2.6 | 7 |
| 14136 | Impacts of climate change on extant Ailurids. , 2022, , 369-392. | | 2 |
| 14137 | <i>Sorghum</i> Diseases: Diagnosis and Management. , 2020, , 565-619. | | 5 |
| 14138 | Genetic and Ecological Characterization of the Invasive Wetland Grasses <i>Arundo donax</i> and <i>Phragmites australis</i> in the Cuatro Ciénegas Basin. <i>Cuatro Ciénegas Basin: an Endangered Hyperdiverse Oasis</i> , 2020, , 241-263. | 0.4 | 1 |
| 14139 | Distribution and niche of <i>Macrolepiota excoriata</i> in Asia. <i>BIO Web of Conferences</i> , 2021, 38, 00134. | 0.1 | 0 |
| 14140 | Distribution and niche of <i>Suillus aurihymenius</i> in Asia. <i>BIO Web of Conferences</i> , 2021, 38, 00133. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14141 | Vegetation Patterns and Ecological Gradients: From Forest to Dry Steppes. <i>Innovations in Landscape Research</i> , 2020, , 33-48. | 0.2 | 1 |
| 14142 | Utilization of Rapeseed-Mustard Genetic Resources for Brassica Improvement: A Retrospective Approach. , 2020, , 1-30. | | 3 |
| 14144 | IMPACT OF CLIMATE CHANGE ON THE GEOGRAPHICAL DISTRIBUTION OF A CLOUD FOREST INDICATOR TREE SPECIES. <i>Revista Arvore</i> , 0, 44, . | 0.5 | 2 |
| 14145 | North and Saharan Africa: Geography and Chronology. , 2020, , 7950-7970. | | 0 |
| 14146 | Climate Change Effects on the Development of Six <i>Pristimantis</i> Frog Species in Ecuador. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 23-35. | 0.5 | 1 |
| 14147 | Ecological setup, ploidy diversity, and reproductive biology of <i>Paspalum modestum</i> , a promising wetland forage grass from South America. <i>Genetics and Molecular Biology</i> , 2020, 43, e20190101. | 0.6 | 1 |
| 14148 | Associations between human impacts and forest soil microbial communities. <i>Elementa</i> , 2020, 8, . | 1.1 | 3 |
| 14149 | Current and future suitable habitat areas for <i>Nasuella olivacea</i> (Gray, 1865) in Colombia and Ecuador and analysis of its distribution across different land uses. <i>Biodiversity Data Journal</i> , 2020, 8, e49164. | 0.4 | 5 |
| 14150 | Model-Based Forecasting Winter Wheat Yields Using Landscape and Climate Data. <i>Innovations in Landscape Research</i> , 2020, , 383-396. | 0.2 | 0 |
| 14151 | VectorNet Data Series 3: <i>Culicoides</i> Abundance Distribution Models for Europe and Surrounding Regions. <i>Open Health Data</i> , 2020, 7, . | 3.7 | 2 |
| 14153 | Compensatory Microhabitat Selection by Northern Pacific Rattlesnakes (<i>Crotalus oreganus oreganus</i>) in a Cool and Wet Macroclimate. <i>Journal of Herpetology</i> , 2020, 54, 39. | 0.2 | 2 |
| 14154 | Chorological and Ecological Differentiation of the Commonest Leech Species from the Suborder Erpobdelliformes (Arhynchobdellida, Hirudinea) on the Balkan Peninsula. <i>Water (Switzerland)</i> , 2020, 12, 356. | 1.2 | 2 |
| 14155 | The Hindu Kush-Himalaya (HKH) Region in the Modern Global and Climate Context: Major Weather Systems, Monsoon, Asian Brown Clouds (ABCs), Digital Data/Models and Global Linkages of Telecoupling and Teleconnection all Affecting Global Human Well-Being. , 2020, , 25-40. | | 1 |
| 14156 | The relation of forest NDVI to climate in Volga basin. <i>Sovremennye Problemy Distanttsionnogo Zondirovaniya Zemli Iz Kosmosa</i> , 2020, 17, 154-163. | 0.1 | 5 |
| 14157 | Floristic patterns of alluvial forests in Atlantic Forest and Pampa: Climate and geographic insertion as determining factors. <i>Anais Da Academia Brasileira De Ciencias</i> , 2020, 92, e20180803. | 0.3 | 2 |
| 14158 | ANÁLISE MULTICRITÉRIO NA DEFINIÇÃO DE ÁREAS PRIORITÁRIAS PARA RECUPERAÇÃO FLORESTAL NA BACIA DO RIO DOCE, EM MINAS GERAIS. <i>Nativa</i> , 2020, 8, 81. | 0.2 | 5 |
| 14159 | Genome Size Variation Between the Native and Invasive Ranges of <i>Senecio madagascariensis</i> (Asteraceae). <i>Systematic Botany</i> , 2020, 45, 212-218. | 0.2 | 3 |
| 14166 | Will global change modify the distribution of the <i>Anadenanthera colubrina</i> (Fabales: Fabaceae) plant, a key species in dry tropical forest?. <i>Revista De Biologia Tropical</i> , 2020, 68, . | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14170 | Emerging Infectious Diseases. , 2020, , 137-138. | | 0 |
| 14176 | Better providers of habitat for Javan slow loris (<i>Nycticebus javanicus</i> E. Geoffroy 1812): A species distribution modeling approach in Central Java, Indonesia. <i>Biodiversitas</i> , 2020, 21, . | 0.2 | 2 |
| 14177 | Insect Herbivores Associated with <i>Nymphaea mexicana</i> (Nymphaeaceae) in Southern United States: Potential Biological Control Agents for South Africa. <i>Florida Entomologist</i> , 2020, 103, 54. | 0.2 | 2 |
| 14179 | Phylogeography and ecological differentiation on strictly Mediterranean taxa: the case of the Iberian endemic <i>Odontites recordonii</i> . <i>American Journal of Botany</i> , 2021, , . | 0.8 | 2 |
| 14180 | The role of littoral cliffs in the niche delimitation on a microendemic plant facing climate change. <i>PLoS ONE</i> , 2021, 16, e0258976. | 1.1 | 5 |
| 14184 | A 1â€‰km global dataset of historical (1979â€“2013) and future (2020â€“2100) K ppenâ€“Geiger climate classification and bioclimatic variables. <i>Earth System Science Data</i> , 2021, 13, 5087-5114. | 3.7 | 18 |
| 14185 | Climate change effects on desert ecosystems: A case study on the keystone species of the Namib Desert <i>Welwitschia mirabilis</i> . <i>PLoS ONE</i> , 2021, 16, e0259767. | 1.1 | 8 |
| 14186 | Assessing Climate Change Impacts and Adaptation Options of Rain-Fed Agriculture in Africa with Integrated Modelling Framework. , 2021, , . | | 1 |
| 14187 | Practices and Strategies for Adaptation to Climate Variability in Family Farming. An Analysis of Cases of Rural Communities in the Andes Mountains of Colombia and Chile. <i>Agriculture (Switzerland)</i> , 2021, 11, 1096. | 1.4 | 6 |
| 14188 | Adaptive variation among oaks in wood anatomical properties is shaped by climate of origin and shows limited plasticity across environments. <i>Functional Ecology</i> , 0, , . | 1.7 | 9 |
| 14189 | Thermal Niche for Seed Germination and Species Distribution Modelling of <i>Swietenia macrophylla</i> King (Mahogany) under Climate Change Scenarios. <i>Plants</i> , 2021, 10, 2377. | 1.6 | 5 |
| 14190 | A new association of <i>Satureja montana</i> L. subsp. <i>montana</i> dominated garrigues in Puglia (SE Italy). <i>Plant Sociology</i> , 0, 58, 1-14. | 0.9 | 2 |
| 14191 | Geographic Variation in the Green Rat Snake <i>Senticolis triaspis</i> (Squamata: Colubridae): Evidence from Mitochondrial DNA, Morphology, and Niche Modeling. <i>Ichthyology and Herpetology</i> , 2021, 109, . | 0.3 | 0 |
| 14192 | Modelling the occurrence and spatial distribution of screwworm species in Northern Pakistan. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 772. | 1.3 | 1 |
| 14193 | The effects of climate change scenarios on <i>Tilia</i> ssp. in Turkey. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 771. | 1.3 | 32 |
| 14194 | Potential geographic distribution of <i>Ixodes cookei</i> , the vector of Powassan virus. <i>Journal of Vector Ecology</i> , 2021, 46, 155-162. | 0.5 | 4 |
| 14196 | Factors influencing the global distribution of the endangered Egyptian vulture. <i>Scientific Reports</i> , 2021, 11, 21901. | 1.6 | 7 |
| 14197 | Modelling the Ecological Niche of a Treeline Tree Species (<i>Betula utilis</i>) in the Himalayasâ€™A Methodological Overview. <i>Sustainable Development Goals Series</i> , 2022, , 371-384. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14198 | Gene bank collection strategies based upon geographic and environmental indicators for beef breeds in the United States of America. <i>Livestock Science</i> , 2021, 254, 104766. | 0.6 | 5 |
| 14201 | Spatial Analysis of Climate-Viticulture Indices for the Eastern United States. , 0, , 152-167. | | 0 |
| 14202 | The value of urban and peri-urban conservation efforts within a global biodiversity hotspot. <i>Bothalia</i> , 2016, 46, . | 0.2 | 0 |
| 14203 | Modeling Spatial Innovation Diffusion from Radiocarbon Dates and Regression Residuals: The Case of Early Old World Pottery. <i>Radiocarbon</i> , 2014, 56, 723-732. | 0.8 | 0 |
| 14206 | Geographic Variation in the Acoustic Signals of <i>Dendropsophus nanus</i> (Boulenger 1889) (Anura): Tj ETQq0 0 0 rgBT, Overlock 10 Tf 50 3 | 0.2 | 3 |
| 14207 | Research on Site Index in the Red Pine (<i>Pinus brutia</i> Ten.) Forests. <i>Bilge International Journal of Science and Technology Research</i> , 2020, 4, 88-102. | 0.6 | 2 |
| 14209 | Digital Soil Mapping: The Future Need of Sustainable Soil Management. , 2021, , 319-355. | | 1 |
| 14210 | Lâ€™impact des facteurs climatiques et topographiques sur la rÃ©partition des forÃªts subtropicales et tempÃ©rÃ©es humides au Pakistan. <i>Geomorphologie Relief, Processus, Environnement</i> , 2020, 26, 157-172. | 0.7 | 3 |
| 14211 | <i>Opuntia ficus-indica</i> (L.) Mill. e as MudanÃ§as ClimÃ¡ticas: Uma AnÃ¡lise a Luz da Modelagem de DistribuiÃ§Ã£o de EspÃ©cies no Bioma Caatinga. <i>Revista Brasileira De Meteorologia</i> , 2020, 35, 375-385. | 0.2 | 6 |
| 14213 | A Concurrent Entity Component System for Geographical Wildlife Epidemiological Modeling. <i>Geographical Analysis</i> , 2021, 53, 836-868. | 1.9 | 0 |
| 14218 | Mapping Hydrological Ecosystem Services and Impacts of Scenarios for Deforestation and Conservation of Lowland, Montane and Cloud-Affected Forests. , 2021, , 189-218. | | 1 |
| 14219 | Complimentary Assessment for Conserving Vegetation on Protected Areas in South Korea. <i>Han'gug Hwan'gyeong Saengtae Haghoeji = Korean Journal of Environment and Ecology</i> , 2020, 34, 436-445. | 0.1 | 0 |
| 14220 | Estimation of the Climate Preference Between Two Lineages of European Ground Squirrel Using Maximum Entropy Modeling. Ãžanakkale Onsekiz Mart Ãœniversitesi Fen Bilimleri EnstitÃ¼sÃ¼ Dergisi, 0, , . | 0.2 | 0 |
| 14221 | Potential Distribution of the Biocontrol Agent <i>Toxorhynchites rutilus</i> By 2070. <i>Journal of the American Mosquito Control Association</i> , 2020, 36, 131-138. | 0.2 | 1 |
| 14223 | Predicting Habitat Suitability of Snow Leopards in the Western Himalayan Mountains, India. <i>Biology Bulletin</i> , 2020, 47, 655-664. | 0.1 | 4 |
| 14224 | Migration barriers in ferns: the case of the neotropical genus <i>Diplopterygium</i> (Gleicheniaceae). <i>Plant Ecology and Diversity</i> , 2020, 13, 401-412. | 1.0 | 0 |
| 14225 | Predicting the Current and Future Distribution of the Invasive Weed <i>Ageratina adenophora</i> in the ChitwanÃ©Annapurna Landscape, Nepal. <i>Mountain Research and Development</i> , 2020, 40, . | 0.4 | 5 |
| 14226 | Current and future potential habitat suitability predicting of <i>Seminemacheilus lendlii</i> (HankÃ³, 1925) using Maximum Entropy Modelling (MaxEnt) under climate change. <i>Journal of Limnology and Freshwater Fisheries Research</i> , 0, , . | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14227 | Evaluaci3n del riesgo de extinci3n de Zamia prasina en la Provincia Bi3tica Pen3nsula de Yucat3n. Revista Mexicana De Biodiversidad, 2020, 91, 913012. | 0.4 | 0 |
| 14231 | State capacity and the uneven cost of nation building: Language mismatch and literacy levels in Valencia. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 14232 | Influence of Pliocene and Pleistocene climates on hybridization patterns between two closely related oak species in China. Annals of Botany, 2022, 129, 231-245. | 1.4 | 7 |
| 14233 | A fractional land use change model for ecological applications. Environmental Modelling and Software, 2022, 147, 105258. | 1.9 | 12 |
| 14234 | Predicting climate change-related genetic offset for the endangered southern South American conifer Araucaria araucana. Forest Ecology and Management, 2022, 504, 119856. | 1.4 | 12 |
| 14235 | Large-scale homogenization of soil bacterial communities in response to agricultural practices in paddy fields, China. Soil Biology and Biochemistry, 2022, 164, 108490. | 4.2 | 19 |
| 14236 | Functional soil mycobiome across ecosystems. Journal of Proteomics, 2022, 252, 104428. | 1.2 | 15 |
| 14237 | Estimating the fundamental niche: Accounting for the uneven availability of existing climates in the calibration area. Ecological Modelling, 2022, 464, 109823. | 1.2 | 12 |
| 14238 | Potential gross nitrogen mineralization and its linkage with microbial respiration along a forest transect in eastern China. Applied Soil Ecology, 2022, 171, 104347. | 2.1 | 4 |
| 14239 | Climate change pushes an economic insect to the brink of extinction: A case study for <i>Cyamophila astragalicola</i> in Iran. Journal of Zoological Systematics and Evolutionary Research, 2021, 59, 1632-1641. | 0.6 | 0 |
| 14240 | Biodiversity modelling reveals a significant gap between diversity hotspots and protected areas for Iranian reptiles. Journal of Zoological Systematics and Evolutionary Research, 2021, 59, 1642-1655. | 0.6 | 4 |
| 14241 | A multi-scale landscape approach to understand dispersal of the mistletoe by birds in Mediterranean pine forests. Landscape Ecology, 0, , 1. | 1.9 | 2 |
| 14242 | Remote sensing-derived bioclimatic variables for modeling invasive <i>Prosopis juliflora</i> distribution in a region of limited meteorological stations. Tropical Ecology, 2022, 63, 94-103. | 0.6 | 0 |
| 14243 | Global daily 1km land surface precipitation based on cloud cover-informed downscaling. Scientific Data, 2021, 8, 307. | 2.4 | 50 |
| 14244 | Viability meets suitability: distribution of the extinction risk of an imperiled titi monkey (<i>Callicebus</i>) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 | 0.9 | 3 |
| 14246 | SEA-COApp: A web app to analyze, download, and visualize Regional Ocean Model (ROM) datasets in Southeast Asia. IOP Conference Series: Earth and Environmental Science, 2021, 893, 012077. | 0.2 | 0 |
| 14247 | Phenotypic Diversity of Almond-Leaved Pear (<i>Pyrus spinosa</i> Forssk.) along Eastern Adriatic Coast. Forests, 2021, 12, 1630. | 0.9 | 7 |
| 14248 | Foraging grounds of adult loggerhead sea turtles across the Mediterranean Sea: key sites and hotspots of risk. Biodiversity and Conservation, 2022, 31, 143-160. | 1.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14249 | Phylogeography and morphometric variation in the Cinnamon Hummingbird complex: <i>Amazilia rutila</i> (Aves: Trochilidae). <i>Avian Research</i> , 2021, 12, . | 0.5 | 3 |
| 14250 | Effects of climate on bill morphology within and across <i>Toxostoma</i> thrashers. <i>Journal of Avian Biology</i> , 2022, 2022, . | 0.6 | 6 |
| 14252 | Multi-Criteria Performance Evaluation of Gridded Precipitation and Temperature Products in Data-Sparse Regions. <i>Atmosphere</i> , 2021, 12, 1597. | 1.0 | 35 |
| 14253 | Mapping distribution and identifying gaps in protected areacoverage of vulnerableclouded leopard (<i>Neofelis nebulosa</i>) in Nepal: Implications forconservation management. <i>International Journal of Geoheritage and Parks</i> , 2021, 9, 441-441. | 2.0 | 0 |
| 14254 | Molecular evidence and ecological niche modeling reveal an extensive hybrid zone among three <i>Bursera</i> species (section <i>Bullockia</i>). <i>PLoS ONE</i> , 2021, 16, e0260382. | 1.1 | 6 |
| 14255 | Spatial distribution modeling of the wild boar (<i>Sus scrofa</i>) under current and future climate conditions in Iraq. <i>Biologia (Poland)</i> , 2022, 77, 369-383. | 0.8 | 7 |
| 14256 | Factors Controlling Contemporary Suspended Sediment Yield in the Caucasus Region. <i>Water (Switzerland)</i> , 2021, 13, 3173. | 1.2 | 7 |
| 14257 | Managing Uncertainty in Scots Pine Range-Wide Adaptation Under Climate Change. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 18 |
| 14258 | Range Shifts in the Worldwide Expansion of <i>Oenothera drummondii</i> subsp. <i>drummondii</i> , a Plant Species of Coastal Dunes. <i>Diversity</i> , 2021, 13, 603. | 0.7 | 0 |
| 14259 | A Brief Assessment of <i>Drosophila suzukii</i> (Diptera: Drosophilidae) Abundance in Forest and Non-Forested Habitats Across an Altitude Gradient on Mauna Loa, Hawaii. <i>Pacific Science</i> , 2021, 75, . | 0.2 | 0 |
| 14260 | Projected changes in East African climate and its impacts on climatic suitability of maize production areas by the mid-twenty-first century. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 831. | 1.3 | 12 |
| 14261 | Phylogenomic analyses of the genus <i>Drosophila</i> reveals genomic signals of climate adaptation. <i>Molecular Ecology Resources</i> , 2022, 22, 1559-1581. | 2.2 | 15 |
| 14262 | Changes in the potential distribution of the guava fruit fly <i>Anastrepha striata</i> (Diptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 <i>Entomological Research</i> , 2022, 112, 469-480. | 0.5 | 1 |
| 14263 | Loss of fungal symbionts at the arid limit of the distribution range in a native Patagonian grass. Resource eco-physiological relations. <i>Functional Ecology</i> , 2022, 36, 583-594. | 1.7 | 7 |
| 14264 | Incorporating phylogeographic information in alien bird distribution models increases geographic extent but not accuracy of predictions. <i>Biological Invasions</i> , 0, , 1. | 1.2 | 0 |
| 14265 | Accelerating Adaptation of Forest Trees to Climate Change Using Individual Tree Response Functions. <i>Frontiers in Plant Science</i> , 2021, 12, 758221. | 1.7 | 4 |
| 14266 | Initiative use of climate change hotspots for targeting adaptation sites in Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 893, 012035. | 0.2 | 0 |
| 14267 | Fragile areas of soil organic carbon mineralization in western Patagonia (Chile) according to global increasing temperature. <i>International Journal of Environmental Science and Technology</i> , 0, , 1. | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14268 | Significantly enhanced mid Holocene fluvial activity in a globally important, arid-zone wetland: The Okavango Delta, Botswana. <i>Earth Surface Processes and Landforms</i> , 2022, 47, 854-871. | 1.2 | 10 |
| 14269 | Climate defined but not soil-restricted: the distribution of a Neotropical tree through space and time. <i>Plant and Soil</i> , 2022, 471, 175-191. | 1.8 | 0 |
| 14270 | A prediction of suitable habitat mapping of <i>Pinus roxburghii</i> sarg. using maxent modeling. <i>Environment Conservation Journal</i> , 0, , 149-153. | 0.1 | 0 |
| 14271 | Emergent dual scaling of riverine biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 21 |
| 14272 | Water Availability of Sub-Basins with Restrictions on Use under Climate Change Scenarios in Brazil. <i>Water Resources</i> , 2021, 48, 905-913. | 0.3 | 0 |
| 14274 | Biogeographic and demographic history of the Mediterranean snakes <i>Malpolon monspessulanus</i> and <i>Hemorrhois hippocrepis</i> across the Strait of Gibraltar. <i>Bmc Ecology and Evolution</i> , 2021, 21, 210. | 0.7 | 7 |
| 14275 | Potential distribution of the primary malaria vector <i>Anopheles gambiae</i> Giles [Diptera: Culicidae] in Southwest Nigeria under current and future climatic conditions. <i>Journal of Basic and Applied Zoology</i> , 2021, 82, . | 0.4 | 5 |
| 14276 | Global trends in the trophic specialisation of flower-visitor networks are explained by current and historical climate. <i>Ecology Letters</i> , 2022, 25, 113-124. | 3.0 | 10 |
| 14277 | Diversification and post-glacial range expansion of giant North American camel spiders in genus <i>Eremocosta</i> (Solifugae: Eremobatidae). <i>Scientific Reports</i> , 2021, 11, 22093. | 1.6 | 7 |
| 14278 | Intraspecies Genomic Divergence of a Fig Wasp Species Is Due to Geographical Barrier and Adaptation. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 1 |
| 14279 | Will the artificial populations be sustainable? A genetic assessment on <i>Caragana korshinskii</i> afforestation in the semiarid regions of North China. <i>European Journal of Forest Research</i> , 2022, 141, 105-116. | 1.1 | 2 |
| 14280 | Effects of Soil Properties, Temperature and Disturbance on Diversity and Functional Composition of Plant Communities Along a Steep Elevational Gradient on Tenerife. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 1.1 | 4 |
| 14281 | Macaronesia Acts as a Museum of Genetic Diversity of Relict Ferns: The Case of <i>Diplazium caudatum</i> (Athryiaceae). <i>Plants</i> , 2021, 10, 2425. | 1.6 | 4 |
| 14282 | Host ancestry and morphology differentially influence bacterial and fungal community structure of <i>Rhododendron</i> leaves, roots, and soil. <i>Botany</i> , 0, , . | 0.5 | 1 |
| 14283 | The History and Diversity of Rice Domestication as Resolved From 1464 Complete Plastid Genomes. <i>Frontiers in Plant Science</i> , 2021, 12, 781793. | 1.7 | 16 |
| 14284 | Land use and life history constrain adaptive genetic variation and reduce the capacity for climate change adaptation in turtles. <i>BMC Genomics</i> , 2021, 22, 837. | 1.2 | 2 |
| 14285 | First evidence of post-glacial contraction of Alpine endemics: Insights from <i>Berardia subacaulis</i> in the European Alps. <i>Journal of Biogeography</i> , 2022, 49, 79-93. | 1.4 | 6 |
| 14286 | A global synthesis of the small-island effect in amphibians and reptiles. <i>Ecography</i> , 2022, 2022, . | 2.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14287 | Predicting the impacts of climate change on the potential distribution pattern of endangered Himalayan natives (<i>Ulmus wallichiana</i> and <i>U. villosa</i>) in Pakistan. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1. | 0.6 | 2 |
| 14288 | Ecological assessment and environmental niche modelling of Himalayan rhubarb (<i>Rheum webbianum</i>) Tj ETQq1 1 0,784314 rgBT /Over 1.1 18 | 1.1 | 18 |
| 14289 | Genome-Scale Data Reveal Deep Lineage Divergence and a Complex Demographic History in the Texas Horned Lizard (<i>Phrynosoma cornutum</i>) throughout the Southwestern and Central United States. <i>Genome Biology and Evolution</i> , 2022, 14, . | 1.1 | 15 |
| 14290 | Modelling Potential Distribution of Snow Leopards in Pamir, Northern Pakistan: Implications for Human-Snow Leopard Conflicts. <i>Sustainability</i> , 2021, 13, 13229. | 1.6 | 13 |
| 14291 | Individual and interactive effects of chronic anthropogenic disturbance and rainfall on taxonomic, functional and phylogenetic composition and diversity of extrafloral nectary-bearing plants in Brazilian Caatinga. <i>Oecologia</i> , 2022, 198, 267-277. | 0.9 | 5 |
| 14292 | Predicting Possible Distribution of Tea (<i>Camellia sinensis</i> L.) under Climate Change Scenarios Using MaxEnt Model in China. <i>Agriculture (Switzerland)</i> , 2021, 11, 1122. | 1.4 | 17 |
| 14293 | Predictive Factors of Chemical and Visual Sensory Organ Size: The Roles of Sex, Environment, and Evolution. <i>Evolutionary Biology</i> , 0, , 1. | 0.5 | 2 |
| 14294 | Assessment of CMIP6 global climate models in reconstructing rainfall climatology of Bangladesh. <i>International Journal of Climatology</i> , 2022, 42, 3928-3953. | 1.5 | 19 |
| 14295 | Modeling the sediment retention and ecosystem provisioning services in the Kashmir valley, India, Western Himalayas. <i>Modeling Earth Systems and Environment</i> , 2022, 8, 3859-3884. | 1.9 | 34 |
| 14296 | Vertebrate population trends are influenced by interactions between land use, climatic position, habitat loss and climate change. <i>Global Change Biology</i> , 2022, 28, 797-815. | 4.2 | 24 |
| 14297 | Environmental factors influencing spotted hyena and lion population biomass across Africa. <i>Ecology and Evolution</i> , 2021, 11, 17219-17237. | 0.8 | 1 |
| 14298 | Annual precipitation predicts the phylogenetic signal in bat-fruit interaction networks across the Neotropics. <i>Biology Letters</i> , 2021, 17, 20210478. | 1.0 | 10 |
| 14299 | Distribution and conservation of threatened gymnosperms in China. <i>Global Ecology and Conservation</i> , 2021, 32, e01915. | 1.0 | 5 |
| 14300 | Priority areas for conservation of primates in a threatened Amazonian savanna. <i>Journal for Nature Conservation</i> , 2021, 65, 126109. | 0.8 | 0 |
| 14301 | Niche dynamics of <i>Memecylon</i> in Sri Lanka: Distribution patterns, climate change effects, and conservation priorities. <i>Ecology and Evolution</i> , 2021, 11, 18196-18215. | 0.8 | 2 |
| 14302 | Reflections of Grinnellian and Eltonian niches on the distribution of phyllostomid bats in the Atlantic Forest. <i>Journal of Biogeography</i> , 0, , . | 1.4 | 3 |
| 14303 | The delusion of stripes: A century-old mystery of five-lined sun skinks (Reptilia: Scincidae: <i>Eutropis</i>) of Peninsular India elucidated. <i>Zoologischer Anzeiger</i> , 2022, 296, 71-90. | 0.4 | 3 |
| 14304 | Effects of grazing on macro-moth assemblages in two different biomes in Mongolia. <i>Ecological Indicators</i> , 2021, 133, 108421. | 2.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14305 | Feeding and fertilization practices and greenhouse gas emissions in specialized dairy farms of Dos Pinos in Costa Rica.. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 14306 | Predicting the Impacts of Future Climate Change on the Distribution of <i>Oxytenanthera abyssinica</i> (A. Richard): Its Implication for Future Restoration of Dryland Ecosystem. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 14308 | Diversity for morphological traits, flowering time and leaf isoflavone content among ecotypes of <i>Trifolium subterraneum</i> L. subsp. <i>yanninicum</i> and their relationships with site of origin. Crop and Pasture Science, 2021, 72, 1022. | 0.7 | 5 |
| 14309 | Interplays between <i>Atta</i> ants (Formicidae: Attini), soils and environmental properties in the Brazilian Neotropics: a preliminary assessment. Revista Brasileira De Ciencia Do Solo, 2021, 45, . | 0.5 | 2 |
| 14310 | The Population Abundance of the Vulnerable Sarus Crane (<i>Antigone antigone</i>) Species in Uttar Pradesh, India. , 2021, , . | | 0 |
| 14311 | Modelling the Distribution, Risk and Burden of Podoconiosis in Kenya. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 14312 | Niche conservatism, divergence and polyploidy in <i>Senna</i> series <i>Aphyllae</i> (Fabaceae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50 199, 773-789. | 0.8 | 0 |
| 14313 | Morphological and Chemical Variation of Wild Sweet Chestnut (<i>Castanea</i> <i>Âsativa</i> Mill.) Populations. Forests, 2022, 13, 55. | 0.9 | 5 |
| 14314 | Effects of climate change on the distribution of threatened invertebrates in a Mediterranean hotspot. Insect Conservation and Diversity, 2022, 15, 370-379. | 1.4 | 13 |
| 14315 | Impacts of climate change on the geographic distribution of African oak tree (<i>Azelia africana</i> Sm.) in Burkina Faso, West Africa. Heliyon, 2022, 8, e08688. | 1.4 | 11 |
| 14316 | Continuous vegetation record of the Greater Cape Floristic Region (South Africa) covering the past 300â€™000 years (IODP U1479). Climate of the Past, 2022, 18, 1-21. | 1.3 | 12 |
| 14317 | Diversity and Climatic Distribution of Moths in the Tribe Arctiini (Lepidoptera: Erebiidae: Arctiinae) in Mexico. Annals of the Entomological Society of America, 2022, 115, 253-266. | 1.3 | 4 |
| 14318 | Responses of terrestrial bryophytes to simulated climate change in a secondary evergreen broad-leaved forest in southern China. Journal of Forestry Research, 2022, 33, 1481-1492. | 1.7 | 2 |
| 14319 | Lignin Preservation and Microbial Carbohydrate Metabolism in Permafrost Soils. Journal of Geophysical Research C: Biogeosciences, 2022, 127, e2020JG006181. | 1.3 | 5 |
| 14320 | Temperature responses of photosynthesis and respiration in evergreen trees from boreal to tropical latitudes. New Phytologist, 2022, 234, 353-374. | 3.5 | 52 |
| 14321 | Diverse Heat Tolerance of the Yeast Symbionts of <i>Platycerus</i> Stag Beetles in Japan. Frontiers in Microbiology, 2021, 12, 793592. | 1.5 | 1 |
| 14322 | Distribution mapping of <i>Bauhinia vahlii</i> Wight & Arn. in India using ecological niche modelling. Tropical Ecology, 2022, 63, 286-299. | 0.6 | 4 |
| 14323 | Global population densities, climate change, and the maximum monthly temperature threshold as a potential tipping point for high urban densities. Ecological Indicators, 2022, 135, 108512. | 2.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14324 | Acidification of soil due to forestation at the global scale. <i>Forest Ecology and Management</i> , 2022, 505, 119951. | 1.4 | 12 |
| 14325 | Ensemble modelling enables identification of suitable sites for habitat restoration of threatened biodiversity under climate change: A case study of Himalayan Trillium. <i>Ecological Engineering</i> , 2022, 176, 106534. | 1.6 | 29 |
| 14326 | Environmental Conditions and Grazing Exerted Effects on Arbuscular Mycorrhizal in Plants at Southern Patagonia Rangelands. <i>Rangeland Ecology and Management</i> , 2022, 81, 44-54. | 1.1 | 2 |
| 14327 | Geomorphological diversity of rivers in the Amazon Basin. <i>Geomorphology</i> , 2022, 400, 108078. | 1.1 | 4 |
| 14328 | Linking edaphoclimatic conditions with elementary composition of yerba mate leaves in South America. <i>Journal of Food Composition and Analysis</i> , 2022, 107, 104360. | 1.9 | 4 |
| 14329 | Medicinal plants in peril due to climate change in the Himalaya. <i>Ecological Informatics</i> , 2022, 68, 101546. | 2.3 | 7 |
| 14330 | The potential of modeling <i>Prosopis Juliflora</i> invasion using Sentinel-2 satellite data and environmental variables in the dryland ecosystem of Ethiopia. <i>Ecological Informatics</i> , 2022, 68, 101545. | 2.3 | 6 |
| 14331 | Predicting current and future distributions of <i>Mentha pulegium</i> L. in Tunisia under climate change conditions, using the MaxEnt model. <i>Ecological Informatics</i> , 2022, 68, 101533. | 2.3 | 27 |
| 14332 | Predicting the future of species assemblages under climate and land use land cover changes in Himalaya: A geospatial modelling approach. <i>Climate Change Ecology</i> , 2022, 3, 100048. | 0.9 | 7 |
| 14333 | Social Cohesion, Religious Beliefs, and the Effect of Protestantism on Suicide. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 3 |
| 14334 | Fenología de la Reserva Biósfera Mariposa Monarca con series de Índice de Área foliar. <i>Ecosistemas Y Recursos Agropecuarios</i> , 2019, 6, . | 0.0 | 0 |
| 14335 | Redescription of the snake <i>Lachesis melanocephala</i> (Squamata: Viperidae): Designation of a neotype, natural history, and conservation status. <i>Revista De Biología Tropical</i> , 2020, 68, . | 0.1 | 2 |
| 14336 | Improvement of Soil Texture Classification with LiDAR Data. , 2020, , . | | 1 |
| 14337 | Densidad poblacional de la guacharaca colombiana (<i>Ortalis columbiana</i>) en un fragmento de bosque subandino en el Valle del Cauca, Colombia. <i>Revista De La Academia Colombiana De Ciencias Exactas, Físicas Y Naturales</i> , 2020, 44, 740-746. | 0.0 | 1 |
| 14338 | Produção de alimentos em comunidades rurais do Alto Jequitinhonha, Minas Gerais, Brasil. <i>Research, Society and Development</i> , 2020, 9, e609108346. | 0.0 | 0 |
| 14339 | Idoneidad de hábitat para <i>Swietenia macrophylla</i> en escenarios de cambio climático en México. <i>Madera Bosques</i> , 2020, 26, e2631954. | 0.1 | 1 |
| 14340 | Using spatial data on habitat suitability in estimation of wild boar resources in Russia. <i>Baltic Forestry</i> , 2020, 26, . | 0.1 | 2 |
| 14341 | Urbanization, habitat extension and spatial pattern, threaten a Costa Rican endemic bird. <i>Revista De Biología Tropical</i> , 2021, 69, . | 0.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14343 | Modeling Bat Species Richness and Spatial Distribution in Burkina Faso. <i>Open Journal of Ecology</i> , 2021, 11, 790-806. | 0.4 | 0 |
| 14345 | Modeling the ecological niche and features of coprobiontic fungi distribution in Asia by the example of <i>Cyathus stercoreus</i> . <i>Samarskij Naučnyj Vestnik</i> , 2021, 10, 41-46. | 0.0 | 0 |
| 14346 | No evidence of direct contribution of adult plant stages to climate adaptation in snapdragon plants. <i>Botany Letters</i> , 0, , 1-12. | 0.7 | 0 |
| 14347 | Conservation of challenging endemic plant species at high risk of extinction in arid mountain ecosystems: a case study of <i>Rosa arabica</i> Cr. in Egypt. <i>Journal of Mountain Science</i> , 2021, 18, 2698-2721. | 0.8 | 2 |
| 14348 | Litter decomposition rates across tropical montane and lowland forests are controlled foremost by climate. <i>Biotropica</i> , 2022, 54, 309-326. | 0.8 | 6 |
| 14349 | The Influence of Climate Change on Three Dominant Alpine Species under Different Scenarios on the Qinghai-Tibetan Plateau. <i>Diversity</i> , 2021, 13, 682. | 0.7 | 4 |
| 14351 | Molecular phylogeography and evolutionary history of the pink rice borer (Lepidoptera: Noctuidae): Implications for refugia identification and pest management. <i>Systematic Entomology</i> , 2022, 47, 371-383. | 1.7 | 5 |
| 14352 | A Survey of Surveys-Revisited: Current Approaches to Landscape and Surface Archaeology in Southern Africa. <i>African Archaeological Review</i> , 2022, 39, 79-111. | 0.8 | 2 |
| 14353 | A Phylogeographical Analysis of the Beetle Pest Species <i>Callosobruchus chinensis</i> (Linnaeus, 1758) in China. <i>Insects</i> , 2022, 13, 145. | 1.0 | 2 |
| 14354 | Reduction of Genetic Variation When Far From the Niche Centroid: Prediction for Mangrove Species. <i>Frontiers in Conservation Science</i> , 2022, 2, . | 0.9 | 5 |
| 14356 | Biogeographic regionalization of the Neotropical region: New map and shapefile. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022, 94, e20211167. | 0.3 | 80 |
| 14358 | Climate change may reduce suitable habitats for <i>Tacinga palmadora</i> (Cactaceae) in the Caatinga dry forest: species distribution modeling considering plant-pollinator interactions. <i>Regional Environmental Change</i> , 2022, 22, 1. | 1.4 | 3 |
| 14359 | Coupling fossil records and traditional discrimination metrics to test how genetic information improves species distribution models of the European beech <i>Fagus sylvatica</i> . <i>European Journal of Forest Research</i> , 2022, 141, 253-265. | 1.1 | 4 |
| 14360 | Mitochondrial Genetic Diversity and Structure of the Langur Population in a Complex Landscape of the Nepal Himalaya. <i>Diversity</i> , 2022, 14, 69. | 0.7 | 0 |
| 14361 | Historical climate change as driver of populational range expansion and differentiation in a rare and partially migratory Neotropical bird. <i>Journal of Ornithology</i> , 2022, 163, 495. | 0.5 | 0 |
| 14362 | Habitat preferences, spatial distribution and current population status of endangered giant flower <i>Amorphophallus titanum</i> . <i>Biodiversity and Conservation</i> , 2022, 31, 831-854. | 1.2 | 3 |
| 14363 | Ecological niche modelling for predicting the habitat suitability of endangered tree species <i>Taxus contorta</i> Griff. in Himachal Pradesh (Western Himalayas, India). <i>Tropical Ecology</i> , 2022, 63, 300-313. | 0.6 | 4 |
| 14364 | Climate warming may increase the frequency of cold-adapted haplotypes in alpine plants. <i>Nature Climate Change</i> , 2022, 12, 77-82. | 8.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14365 | Fragmented habitats and Pleistocene climate shaped diversification of the hoary bamboo rat (<i>Rattus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 74. 0, , . | 1.6 | 0 |
| 14366 | Grassland Phenology Response to Climate Conditions in Biobio, Chile from 2001 to 2020. Remote Sensing, 2022, 14, 475. | 1.8 | 11 |
| 14367 | Divergent herb communities in drier and chronically disturbed areas of the Brazilian Caatinga. Perspectives in Ecology and Conservation, 2022, 20, 132-140. | 1.0 | 7 |
| 14368 | Potential Range Shift of Snow Leopard in Future Climate Change Scenarios. Sustainability, 2022, 14, 1115. | 1.6 | 8 |
| 14369 | Environmental conditions drive vocal variation in the scaled dove (<i>Columbina squammata</i>). Ornithology Research, 2022, 30, 3. | 0.6 | 0 |
| 14370 | Modeling the Potential Distribution of Two Species of Shrews (<i>Chodsigoa hypsibia</i> and <i>Anourosorex</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 0.7 8 | 0.7 | 8 |
| 14371 | Shedding light on species boundaries in small endogeic animals through an integrative approach: species delimitation in the centipede <i>Clinopodes carinthiacus</i> (Chilopoda: Geophilidae) in the south-eastern Alps. Zoological Journal of the Linnean Society, 2022, 196, 902-923. | 1.0 | 5 |
| 14373 | Species Distribution Based-Modelling Under Climate Change: The Case of Two Native Wild <i>Olea europaea</i> Subspecies in Morocco, <i>O. e.</i> subsp. <i>europaea</i> var. <i>sylvestris</i> and <i>O. e.</i> subsp. <i>maroccana</i> . Climate Change Management, 2022, , 21-43. | 0.6 | 6 |
| 14374 | Assessing the Impact of Climate Change on Potential Distribution of <i>Meconopsis punicea</i> and Its Influence on Ecosystem Services Supply in the Southeastern Margin of Qinghai-Tibet Plateau. Frontiers in Plant Science, 2021, 12, 830119. | 1.7 | 19 |
| 14375 | Small artificial impoundments have big implications for hydrology and freshwater biodiversity. Frontiers in Ecology and the Environment, 2022, 20, 141-146. | 1.9 | 18 |
| 14376 | Above-ground biomass and high temperatures are more important than productivity for the spatial pattern of bird richness in Subtropical Dry forests of Argentina. Community Ecology, 2022, 23, 41. | 0.5 | 0 |
| 14377 | The Role of Directed Dispersal in Driving Genetic and Morphological Structure in Invasive Smallmouth Bass. Frontiers in Ecology and Evolution, 2022, 9, . | 1.1 | 0 |
| 14381 | The Role of Ecological Factors in Distribution and Abundance of Terrestrial Orchids. Reference Series in Phytochemistry, 2022, , 3-72. | 0.2 | 6 |
| 14382 | Assessment of biogeographic variation in traits of Lewis flax (<i>Linum lewisii</i>) for use in restoration and agriculture. AoB PLANTS, 2022, 14, plac005. | 1.2 | 5 |
| 14383 | Automatic variable selection in ecological niche modeling: A case study using Cassin's Sparrow (<i>Peucaea cassinii</i>). PLoS ONE, 2022, 17, e0257502. | 1.1 | 3 |
| 14384 | Diversification in and around the Atlas Mountains: Insights into the systematics and biogeography of the genus <i>Thalpomena</i> (Orthoptera: Acrididae: Oedipodinae). Systematic Entomology, 2022, 47, 402-419. | 1.7 | 5 |
| 14385 | An evaluation of parapatric distributions among ecologically similar rattlesnakes (Viperidae: <i>Crotalus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 T 0.7 0 | 0.7 | 0 |
| 14386 | Biogeography and shape of fungal fairy rings in the Apennine mountains, Italy. Journal of Biogeography, 2022, 49, 353-363. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14387 | Prediction scenarios of past, present, and future environmental suitability for the Mediterranean species <i>Arbutus unedo</i> L.. <i>Scientific Reports</i> , 2022, 12, 84. | 1.6 | 10 |
| 14389 | <i>Marula</i> (<i>Sclerocarya birrea</i> subsp. <i>caffra</i> , Anacardiaceae) thrives under climate change in sub-Saharan Africa. <i>African Journal of Ecology</i> , 2022, 60, 736-749. | 0.4 | 3 |
| 14390 | High Level of Phenotypic Differentiation of Common Yew (<i>Taxus baccata</i> L.) Populations in the North-Western Part of the Balkan Peninsula. <i>Forests</i> , 2022, 13, 78. | 0.9 | 3 |
| 14392 | Mapping rangeland ecosystems vulnerability to <i>Lantana camara</i> invasion in semi-arid savannahs in South Africa. <i>African Journal of Ecology</i> , 2022, 60, 658-667. | 0.4 | 4 |
| 14393 | Traits and phylogenies modulate the environmental responses of wood-inhabiting fungal communities across spatial scales. <i>Journal of Ecology</i> , 2022, 110, 784-798. | 1.9 | 5 |
| 14394 | Impact of climate change on snow precipitation and streamflow in the Upper Indus Basin ending twenty-first century. <i>Climatic Change</i> , 2022, 170, 1. | 1.7 | 10 |
| 14397 | The guilds in green algal lichens—an insight into the life of terrestrial symbiotic communities. <i>FEMS Microbiology Ecology</i> , 2022, 98, . | 1.3 | 11 |
| 14398 | The potential effects of climate change on the populations of <i>Aedes punctor</i> (Diptera: Culicidae) in Hungary. <i>Journal of Insect Conservation</i> , 2022, 26, 205. | 0.8 | 0 |
| 14399 | Choosing among correlative, mechanistic, and hybrid models of species niche and distribution. <i>Integrative Zoology</i> , 2023, 18, 93-109. | 1.3 | 15 |
| 14400 | An improved typical meteorological year for solar energy simulations in Rarotonga, Cook Islands. <i>Journal of the Royal Society of New Zealand</i> , 2022, 52, 606-613. | 1.0 | 1 |
| 14401 | Rare soil bacteria are more responsive in desertification restoration than abundant bacteria. <i>Environmental Science and Pollution Research</i> , 2022, 29, 33323-33334. | 2.7 | 8 |
| 14402 | <i>Merodon chalybeus</i> Subgroup: An Additional Piece of the <i>M. aureus</i> Group (Diptera, Syrphidae) Puzzle. <i>Annales Zoologici Fennici</i> , 2022, 59, . | 0.2 | 3 |
| 14403 | Biotic factors limit the invasion of the plague pathogen (<i>Yersinia pestis</i>) in novel geographical settings. <i>Global Ecology and Biogeography</i> , 2022, 31, 672-684. | 2.7 | 4 |
| 14404 | Ecological niche divergence between extant and glacial land snail populations explained. <i>Scientific Reports</i> , 2022, 12, 806. | 1.6 | 1 |
| 14405 | Endemism, projected climate change, and identifying species of critical concern in the Scrub Mint clade (Lamiaceae). <i>Conservation Science and Practice</i> , 2022, 4, . | 0.9 | 5 |
| 14406 | Plant-plant interactions determine taxonomic, functional and phylogenetic diversity in severe ecosystems. <i>Global Ecology and Biogeography</i> , 2022, 31, 649-662. | 2.7 | 14 |
| 14407 | The Effects of Climate Change Scenarios on <i>Carpinus betulus</i> and <i>Carpinus orientalis</i> in Europe. <i>Water, Air, and Soil Pollution</i> , 2022, 233, 1. | 1.1 | 50 |
| 14408 | Correcting Thornthwaite potential evapotranspiration using a global grid of local coefficients to support temperature-based estimations of reference evapotranspiration and aridity indices. <i>Earth System Science Data</i> , 2022, 14, 163-177. | 3.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14409 | Low abundance but high land snail diversity in montane rainforest on the western slope of the Andes in Ecuador. <i>Journal of Molluscan Studies</i> , 2022, 88, . | 0.4 | 6 |
| 14410 | Modeling impact and cost-effectiveness of driving gene drives for malaria elimination in the Democratic Republic of the Congo. <i>Evolutionary Applications</i> , 2022, 15, 132-148. | 1.5 | 5 |
| 14411 | Effect of climate change on potential distribution of oriental beech (<i>Fagus orientalis</i> Lipsky.) in the twenty-first century in Turkey. <i>Theoretical and Applied Climatology</i> , 2022, 148, 165-177. | 1.3 | 8 |
| 14412 | Evaluating Potential Distribution and Niche Divergence among Populations of the World's Largest Living Damselfly, <i>Megaloprepus caerulatus</i> (Drury, 1782). <i>Diversity</i> , 2022, 14, 84. | 0.7 | 1 |
| 14413 | Future Spatial Prediction of Invasive Plant <i>Merremia peltata</i> in Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 950, 012084. | 0.2 | 1 |
| 14414 | Ecological niche modelling to identify suitable sites for cultivation of two important medicinal lianas of the Western Ghats, India. <i>Tropical Ecology</i> , 2022, 63, 423-432. | 0.6 | 2 |
| 14415 | Vegetation-based climate mitigation in a warmer and greener World. <i>Nature Communications</i> , 2022, 13, 606. | 5.8 | 51 |
| 14416 | How long do we think humans have been planting forests? A case study with <i>Cedrus libani</i> A. Rich. <i>New Forests</i> , 2023, 54, 49-65. | 0.7 | 3 |
| 14417 | Trait-based inference of ecological network assembly: A conceptual framework and methodological toolbox. <i>Ecological Monographs</i> , 2022, 92, . | 2.4 | 9 |
| 14418 | Adaptive potential of <i>Coffea canephora</i> from Uganda in response to climate change. <i>Molecular Ecology</i> , 2022, 31, 1800-1819. | 2.0 | 7 |
| 14419 | Dispersal into the Qinghai-Tibet plateau: evidence from the genetic structure and demography of the alpine plant <i>Triosteum pinnatifidum</i> . <i>PeerJ</i> , 2022, 10, e12754. | 0.9 | 5 |
| 14420 | Effects of community-based water management decisions at catchment scale, an interdisciplinary approach: the case of the Great Ruaha River Catchment, Tanzania. <i>Water Practice and Technology</i> , 2022, 17, 598-611. | 1.0 | 0 |
| 14421 | Predicting potential suitable habitat for <i>Ensete glaucum</i> (Roxb.) Cheesman using MaxEnt modelling. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2022, 287, 152007. | 0.6 | 3 |
| 14422 | Land suitability evaluation for citrus cultivation (<i>Citrus</i> spp.) in the southwestern Egyptian delta: a GIS technique-based geospatial MCE-AHP framework. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1. | 0.6 | 7 |
| 14423 | Complex genetic patterns and distribution limits mediated by native congeners of the worldwide invasive red-eared slider turtle. <i>Molecular Ecology</i> , 2022, 31, 1766-1782. | 2.0 | 4 |
| 14424 | The risk of invasion by angiosperms peaks at intermediate levels of human influence. <i>Basic and Applied Ecology</i> , 2022, 59, 33-43. | 1.2 | 1 |
| 14425 | Deep learning models for improved reliability of tree aboveground biomass prediction in the tropical evergreen broadleaf forests. <i>Forest Ecology and Management</i> , 2022, 508, 120031. | 1.4 | 7 |
| 14426 | Spatiotemporal patterns of maize drought stress and their effects on biomass in the Northeast and North China Plain from 2000 to 2019. <i>Agricultural and Forest Meteorology</i> , 2022, 315, 108821. | 1.9 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14427 | Estimating crossing success of human agents across sea straits out of Africa in the Late Pleistocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 590, 110845. | 1.0 | 7 |
| 14428 | Multi-taxon biodiversity assessment of Southern Patagonia: Supporting conservation strategies at different landscapes. <i>Journal of Environmental Management</i> , 2022, 307, 114578. | 3.8 | 4 |
| 14429 | Ecological divergence and synchronous Pleistocene diversification in the widespread South American butter frog complex. <i>Molecular Phylogenetics and Evolution</i> , 2022, 169, 107398. | 1.2 | 1 |
| 14430 | Beneficial effects of warming on temperate tree carbon storage depend on precipitation and mycorrhizal types. <i>Science of the Total Environment</i> , 2022, 819, 153086. | 3.9 | 5 |
| 14431 | Modeling the potential distribution of cacti under climate change scenarios in the largest tropical dry forest region in South America. <i>Journal of Arid Environments</i> , 2022, 200, 104725. | 1.2 | 2 |
| 14432 | Attributing hypertensive life expectancy loss to ambient heat exposure: A multicenter study in eastern China. <i>Environmental Research</i> , 2022, 208, 112726. | 3.7 | 4 |
| 14433 | Effects of climate change on distribution and areas that protect two neotropical marsupials associated with aquatic environments. <i>Ecological Informatics</i> , 2022, 68, 101570. | 2.3 | 3 |
| 14434 | Population structure and signals of local adaptation in <i>Eugenia uniflora</i> (Myrtaceae), a widely distributed species in the Atlantic Forest. <i>Botanical Journal of the Linnean Society</i> , 2023, 201, 100-113. | 0.8 | 3 |
| 14435 | Integrating population genetics and species distribution modelling to guide conservation of the noble crayfish, <i>Astacus astacus</i> , in Croatia. <i>Scientific Reports</i> , 2022, 12, 2040. | 1.6 | 12 |
| 14436 | Ericaceous vegetation of the Bale Mountains of Ethiopia will prevail in the face of climate change. <i>Scientific Reports</i> , 2022, 12, 1858. | 1.6 | 5 |
| 14437 | Universal reaction norms for the sustainable cultivation of hybrid poplar clones under climate change in Italy. <i>IForest</i> , 2022, 15, 47-55. | 0.5 | 12 |
| 14438 | International Biological Flora: <i>Ginkgo biloba</i> . <i>Journal of Ecology</i> , 2022, 110, 951-982. | 1.9 | 15 |
| 14439 | Biogeographic consequences of shifting climate for the western massasauga (<i>Sistrurus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 To | 0.8 | 1 |
| 14440 | Implementation of species distribution models in Google Earth Engine. <i>Diversity and Distributions</i> , 2022, 28, 904-916. | 1.9 | 17 |
| 14441 | epcc: An R package to assess and simulate the vulnerability of ectothermic populations when facing climate change. <i>Methods in Ecology and Evolution</i> , 0, , . | 2.2 | 0 |
| 14442 | EU-Trees4F, a dataset on the future distribution of European tree species. <i>Scientific Data</i> , 2022, 9, 37. | 2.4 | 23 |
| 14443 | Identifying Potential Planting Sites for Three Non-Native Plants to Be Used for Soil Rehabilitation in the Tula Watershed. <i>Forests</i> , 2022, 13, 270. | 0.9 | 5 |
| 14444 | Global estimates of stress-reflecting indices reveal key climatic drivers of climate-induced forest range shifts. <i>Science of the Total Environment</i> , 2022, 824, 153697. | 3.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14445 | cameratrappR: An R package for estimating animal density using camera trapping data. <i>Ecological Informatics</i> , 2022, 69, 101597. | 2.3 | 3 |
| 14447 | Spatiotemporal climate variability in the Andes of northern Peru: Evaluation of gridded datasets to describe cloud forest microclimate and local rainfall. <i>International Journal of Climatology</i> , 2022, 42, 5892-5915. | 1.5 | 10 |
| 14448 | Forest Conservation and Restoration Using the Emberger Index: Cork Oak as Study Case. <i>Forests</i> , 2022, 13, 252. | 0.9 | 4 |
| 14449 | The ecological function of insect egg micropyles. <i>Functional Ecology</i> , 2022, 36, 1113-1123. | 1.7 | 3 |
| 14450 | Structure and function of soil microbial communities in fertile islands in austral drylands. <i>Austral Ecology</i> , 2022, 47, 663-673. | 0.7 | 3 |
| 14451 | The vegetation of Chile and the EcoVeg approach in the context of the International Vegetation Classification project. <i>Vegetation Classification and Survey</i> , 0, 3, 15-28. | 0.0 | 8 |
| 14452 | Prediction of Suitable Distribution of a Critically Endangered Plant <i>Glyptostrobus pensilis</i> . <i>Forests</i> , 2022, 13, 257. | 0.9 | 11 |
| 14453 | Rain Forest Fragmentation and Environmental Dynamics on Nosy Be Island (NW Madagascar) at 1300 cal BP Is Attributable to Intensified Human Impact. <i>Frontiers in Ecology and Evolution</i> , 2022, 9, . | 1.1 | 5 |
| 14454 | A global climate model ensemble for downscaled monthly climate normals over North America. <i>International Journal of Climatology</i> , 2022, 42, 5871-5891. | 1.5 | 29 |
| 14455 | Variation in Germination Traits Inform Conservation Planning of Hawai'i's Foundational ʻŌhiʻa Trees. <i>Journal of Sustainable Forestry</i> , 2022, 41, 861-877. | 0.6 | 1 |
| 14456 | Spatiotemporal Dynamics and Factors Driving the Distributions of Pine Wilt Disease-Damaged Forests in China. <i>Forests</i> , 2022, 13, 261. | 0.9 | 11 |
| 14457 | Effects of short-duration kraaling depend on initial conditions in a mesic grassland. <i>African Journal of Range and Forage Science</i> , 2023, 40, 196-205. | 0.6 | 2 |
| 14458 | Winners and losers in a changing climate: how will protected areas conserve red list species under climate change?. <i>Diversity and Distributions</i> , 2022, 28, 782-792. | 1.9 | 12 |
| 14459 | Effects of climate change on richness distribution patterns of threatened conifers endemic to China. <i>Ecological Indicators</i> , 2022, 136, 108594. | 2.6 | 12 |
| 14460 | How vulnerable are bryophytes to climate change? Developing new species and community vulnerability indices. <i>Ecological Indicators</i> , 2022, 136, 108643. | 2.6 | 4 |
| 14461 | Estimating natural nitrous oxide emissions from the Qinghai-Tibetan Plateau using a process-based model: Historical spatiotemporal patterns and future trends. <i>Ecological Modelling</i> , 2022, 466, 109902. | 1.2 | 3 |
| 14462 | Variability in soil and foliar stable carbon and nitrogen isotope compositions in the winter rainfall biomes of South Africa. <i>Journal of Arid Environments</i> , 2022, 200, 104726. | 1.2 | 2 |
| 14463 | Community associations and ecological drivers of understory vegetation across temperate forests of Kashmir Himalayas, India. <i>Trees, Forests and People</i> , 2022, 8, 100217. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14485 | Conservation biogeography of high-altitude longhorn beetles under climate change. <i>Insect Conservation and Diversity</i> , 2022, 15, 429-444. | 1.4 | 5 |
| 14486 | First ecological assessment of the endangered Lichtenfelder's Tiger Gecko (<i>Goniurosaurus</i>) between island and mainland populations. <i>Amphibia - Reptilia</i> , 2022, 43, 77-91. | 0.1 | 0 |
| 14488 | Geographic Cline and Genetic Introgression Effects on Seed Morphology Variation and Germination Fitness in Two Closely Related Pine Species in Southeast Asia. <i>Forests</i> , 2022, 13, 374. | 0.9 | 1 |
| 14489 | Does climate change influence the current and future projected distribution of an endangered species? The case of the southernmost bumblebee in the world. <i>Journal of Insect Conservation</i> , 2022, 26, 257-269. | 0.8 | 7 |
| 14490 | Increasing pollen production at high latitudes across animal-pollinated flowering plants. <i>Global Ecology and Biogeography</i> , 2022, 31, 940-953. | 2.7 | 11 |
| 14491 | The phylogeographic history of <i>Megistostegium</i> (Malvaceae) in the dry, spiny thickets of southwestern Madagascar using RADseq data and ecological niche modeling. <i>Ecology and Evolution</i> , 2022, 12, e8632. | 0.8 | 3 |
| 14492 | MaxEnt Modeling to Predict the Current and Future Distribution of <i>Pomatosace filicula</i> under Climate Change Scenarios on the Qinghai-Tibet Plateau. <i>Plants</i> , 2022, 11, 670. | 1.6 | 15 |
| 14493 | Maps of potential biodiversity: when the tools for regional conservation planning clash with species ecological niches. <i>Biodiversity and Conservation</i> , 0, , 1. | 1.2 | 1 |
| 14495 | The microstructure and the origin of the Venus from Willendorf. <i>Scientific Reports</i> , 2022, 12, 2926. | 1.6 | 9 |
| 14497 | Avian seed dispersal may be insufficient for plants to track future temperature change on tropical mountains. <i>Global Ecology and Biogeography</i> , 2022, 31, 848-860. | 2.7 | 5 |
| 14498 | Linking soil fungi to bacterial community assembly in arid ecosystems. , 2022, 1, . | | 76 |
| 14499 | Socioeconomic outcomes of agricultural land use change in Southeast Asia. <i>Ambio</i> , 2022, 51, 1094-1109. | 2.8 | 12 |
| 14500 | Habitat Suitability Modeling and Site Verification for the White Fringeless Orchid (<i>Platanthera</i>) | 0.2 | 1 |
| 14501 | Population Variability of Almond-Leaved Willow (<i>Salix triandra</i> L.) Based on the Leaf Morphometry: Isolation by Distance and Environment Explain Phenotypic Diversity. <i>Forests</i> , 2022, 13, 420. | 0.9 | 3 |
| 14502 | Altitudinal variation in body size and resistance to stress in <i>Drosophila melanogaster</i> and <i>D. simulans</i> (Diptera: Drosophilidae) in southern Turkey. <i>European Journal of Entomology</i> , 0, 119, 140-147. | 1.2 | 0 |
| 14503 | Contribution to the knowledge on distribution, abundance, and species richness of hoverflies (Diptera: Syrphidae) in Turkey. <i>International Journal of Tropical Insect Science</i> , 0, , 1. | 0.4 | 1 |
| 14504 | Evolutionary and ecological drivers of local adaptation and speciation in a North American avian species complex. <i>Molecular Ecology</i> , 2022, 31, 2578-2593. | 2.0 | 6 |
| 14505 | Drivers of intraspecific differentiation of an alpine cold-tolerant herb, <i>Notopterygium oviforme</i> : roles of isolation by distance and ecological factors. <i>Journal of Systematics and Evolution</i> , 0, , . | 1.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14507 | Population structure in Neotropical plants: Integrating pollination biology, topography and climatic niches. <i>Molecular Ecology</i> , 2022, 31, 2264-2280. | 2.0 | 10 |
| 14508 | Variability in leaf morphological traits of an endemic Mexican oak (Quercus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70 | 0.3 | 0 |
| 14509 | Climate change and alpine-adapted insects: modelling environmental envelopes of a grasshopper radiation. <i>Royal Society Open Science</i> , 2022, 9, 211596. | 1.1 | 16 |
| 14511 | Climate Change Influences on the Potential Distribution of the Sand Fly <i>Phlebotomus sergenti</i> , Vector of <i>Leishmania tropica</i> in Morocco. <i>Acta Parasitologica</i> , 2022, 67, 858-866. | 0.4 | 5 |
| 14512 | Pseudocongruent phylogeography reflects unique responses to environmental perturbations in a biodiversity hotspot. <i>Journal of Biogeography</i> , 2022, 49, 445-459. | 1.4 | 6 |
| 14513 | <i>Heteropogon</i> <i>Themeda</i> grasses evolve to occupy either tropical grassland or wetland biomes. <i>Journal of Systematics and Evolution</i> , 2022, 60, 653-674. | 1.6 | 1 |
| 14514 | ¿Sensitivity mapping informs mitigation of bird mortality by collision with high-voltage power lines. <i>Nature Conservation</i> , 0, 47, 215-233. | 0.0 | 1 |
| 14515 | The Expanding Role of DNA Barcodes: Indispensable Tools for Ecology, Evolution, and Conservation. <i>Diversity</i> , 2022, 14, 213. | 0.7 | 36 |
| 14516 | Long-Term Vegetation Phenology Changes and Responses to Preseason Temperature and Precipitation in Northern China. <i>Remote Sensing</i> , 2022, 14, 1396. | 1.8 | 39 |
| 14517 | Mixedëspecies bird flocks enhance the benefits of group aggregation by minimizing variation in body mass while maximizing variation in diet. <i>Oikos</i> , 0, , . | 1.2 | 1 |
| 14518 | Biocrusts Influence Vascular Plant Community Development, Promoting Native Plant Dominance. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, . | 1.1 | 11 |
| 14519 | Contribution of the Order Ericales to Improving Paleoclimate Reconstructions. <i>Sustainability</i> , 2022, 14, 4008. | 1.6 | 0 |
| 14520 | Predicting current and future distribution of <i>Hovenia dulcis</i> Thunb. (Rhamnaceae) worldwide. <i>Biological Invasions</i> , 2022, 24, 2229-2243. | 1.2 | 2 |
| 14521 | Ecological adaptation shaped the genetic structure of homoploid ferns against strong dispersal capacity. <i>Molecular Ecology</i> , 2022, 31, 2679-2697. | 2.0 | 4 |
| 14522 | Global Grassland Diazotrophic Communities Are Structured by Combined Abiotic, Biotic, and Spatial Distance Factors but Resilient to Fertilization. <i>Frontiers in Microbiology</i> , 2022, 13, 821030. | 1.5 | 1 |
| 14523 | Leaf out time correlates with wood anatomy across large geographic scales and within local communities. <i>New Phytologist</i> , 2022, 235, 953-964. | 3.5 | 5 |
| 14524 | Rapid evolutionary divergence of a songbird population following recent colonization of an urban area. <i>Molecular Ecology</i> , 2022, 31, 2625-2643. | 2.0 | 5 |
| 14525 | An Exception to the Rule? Could Photobiont Identity Be a Better Predictor of Lichen Phenotype than Mycobiont Identity?. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 275. | 1.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14526 | Forest regrowth in Tierra del Fuego, southern Patagonia: landscape drivers and effects on forest structure, soil, and understory attributes. <i>Regional Environmental Change</i> , 2022, 22, 1. | 1.4 | 7 |
| 14527 | Comparison of time-integrated NDVI and annual maximum NDVI for assessing grassland dynamics. <i>Ecological Indicators</i> , 2022, 136, 108611. | 2.6 | 23 |
| 14528 | MaxEnt model-based prediction of potential distributions of <i>Parnassia wightiana</i> (Celastraceae) in China. <i>Biodiversity Data Journal</i> , 2022, 10, e81073. | 0.4 | 17 |
| 14529 | Tropical rainforest species have larger increases in temperature optima with warming than warm-temperate rainforest trees. <i>New Phytologist</i> , 2022, 234, 1220-1236. | 3.5 | 6 |
| 14530 | Analysis of heat and cold tolerance of a freeze-tolerant soil invertebrate distributed from temperate to Arctic regions: evidence of selection for extreme cold tolerance. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2022, 192, 435-445. | 0.7 | 3 |
| 14531 | Predicting plant species distributions using climate-based model ensembles with corresponding measures of congruence and uncertainty. <i>Diversity and Distributions</i> , 2022, 28, 1105-1122. | 1.9 | 12 |
| 14532 | MaxEnt-based modeling of suitable habitat for rehabilitation of <i>Podocarpus</i> forest at landscape-scale. <i>Environmental Systems Research</i> , 2022, 11, . | 1.5 | 15 |
| 14533 | Landscape genetics of the tropical willow <i>Salix humboldtiana</i> : influence of climate, salinity, and orography in an altitudinal gradient. <i>American Journal of Botany</i> , 2022, 109, 456-469. | 0.8 | 3 |
| 14534 | Biogeography of rodents in Iran: species richness, elevational distribution and their environmental correlates. <i>Mammalia</i> , 2022, 86, 309-320. | 0.3 | 4 |
| 14535 | Relative Importance of Ecological, Evolutionary and Anthropogenic Pressures on Extinction Risk in Chinese Angiosperm Genera. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, . | 1.1 | 1 |
| 14536 | Distinct Susceptibility Patterns of Active and Relict Landslides Reveal Distinct Triggers: A Case in Northwestern Turkey. <i>Remote Sensing</i> , 2022, 14, 1321. | 1.8 | 4 |
| 14537 | Global urban environmental change drives adaptation in white clover. <i>Science</i> , 2022, 375, 1275-1281. | 6.0 | 62 |
| 14538 | The use of GEDI canopy structure for explaining variation in tree species richness in natural forests. <i>Environmental Research Letters</i> , 2022, 17, 045003. | 2.2 | 17 |
| 14539 | East palearctic treefrog past and present habitat suitability using ecological niche models. <i>PeerJ</i> , 2022, 10, e12999. | 0.9 | 4 |
| 14540 | MaxEnt Modeling to Estimate the Impact of Climate Factors on Distribution of <i>Pinus densiflora</i> . <i>Forests</i> , 2022, 13, 402. | 0.9 | 14 |
| 14541 | Higher sea surface temperature in the Indian Ocean during the Last Interglacial weakened the South Asian monsoon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2107720119. | 3.3 | 10 |
| 14542 | Analysis of biodiversity data suggests that mammal species are hidden in predictable places. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2103400119. | 3.3 | 13 |
| 14543 | Climate change impacts on the <i>Copernicia alba</i> and <i>Copernicia prunifera</i> (Arecaceae) distribution in South America. <i>Revista Brasileira De Botanica</i> , 2022, 45, 807-818. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14544 | Comparison of captive and wild <i>Macaca fascicularis</i> group macaques (Primates, Cercopithecidae) provides insight into cranial form changes in response to rapid environmental changes. <i>American Journal of Biological Anthropology</i> , 0, , . | 0.6 | 2 |
| 14545 | Predicting the Potential Suitable Climate for Coconut (<i>Cocos nucifera</i> L.) Cultivation in India under Climate Change Scenarios Using the MaxEnt Model. <i>Plants</i> , 2022, 11, 731. | 1.6 | 13 |
| 14546 | Relationship between the productivity of <i>Pinus brutia</i> Ten. and site characters, the Taurus Mountains, Turkey. <i>Journal of Mountain Science</i> , 2022, 19, 662-672. | 0.8 | 1 |
| 14547 | Spatial patterns and determinants of Moraceae richness in China. <i>Journal of Plant Ecology</i> , 2022, 15, 1142-1153. | 1.2 | 4 |
| 14548 | Stable isotopes reveal seasonal dietary responses to agroforestry in a venomous mammal, the Hispaniolan solenodon (<i>Solenodon paradoxus</i>). <i>Ecology and Evolution</i> , 2022, 12, e8761. | 0.8 | 2 |
| 14549 | Modelado Espacial Actual y Futuro de la Idoneidad de Hábitat de <i>Triatoma nitida</i> Usinger1 en Latinoamérica. <i>Southwestern Entomologist</i> , 2022, 47, . | 0.1 | 1 |
| 14550 | Contrasting nitrogen cycling between herbaceous wetland and terrestrial ecosystems inferred from plant and soil nitrogen isotopes across China. <i>Journal of Ecology</i> , 2022, 110, 1259-1270. | 1.9 | 3 |
| 14551 | Drivers of Soil Total Nitrogen and Phosphorus Storage in Alpine Wetland Across the Three Rivers Source Region on the Qinghai-Tibetan Plateau. <i>Frontiers in Environmental Science</i> , 2022, 10, . | 1.5 | 4 |
| 14552 | Global land projection based on plant functional types with a 1-km resolution under socio-climatic scenarios. <i>Scientific Data</i> , 2022, 9, 125. | 2.4 | 33 |
| 14553 | Environmental Niche Dynamics of Blue Grama (<i>Bouteloua gracilis</i>) Ecotypes in Northern Mexico: Genetic Structure and Implications for Restoration Management. <i>Plants</i> , 2022, 11, 684. | 1.6 | 2 |
| 14554 | Strong but heterogeneous distributional responses to climate change are projected for temperate and semi-arid stream vertebrates. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 0, , . | 0.9 | 1 |
| 14555 | Exploring agricultural land-use and childhood malaria associations in sub-Saharan Africa. <i>Scientific Reports</i> , 2022, 12, 4124. | 1.6 | 7 |
| 14556 | What happens to species at the rear-edge of their distribution in arid regions? The case of <i>Juniperus thurifera</i> L. in the Aurès Mountains (Algeria). <i>Land Degradation and Development</i> , 0, , . | 1.8 | 1 |
| 14557 | Polyploidy, genome size variation and diversification in an autopolyploid complex: the case of <i>Turnera sidoides</i> (Passifloraceae, Turneroideae). <i>Systematics and Biodiversity</i> , 2022, 20, 1-18. | 0.5 | 1 |
| 14558 | Can thermoregulatory traits and evolutionary history predict climatic niches of thermal specialists?. <i>Diversity and Distributions</i> , 2022, 28, 1081-1092. | 1.9 | 5 |
| 14559 | Land Cover Map for Multifunctional Landscapes of Taita Taveta County, Kenya, Based on Sentinel-1 Radar, Sentinel-2 Optical, and Topoclimatic Data. <i>Data</i> , 2022, 7, 36. | 1.2 | 9 |
| 14560 | Legacies of Indigenous land use and cultural burning in the Bolivian Amazon rainforest ecotone. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022, 377, 20200499. | 1.8 | 12 |
| 14561 | Predicting the potential suitable habitats of forest spices <i>Piper capense</i> and <i>Aframomum corrorima</i> under climate change in Ethiopia. <i>Journal of Tropical Ecology</i> , 2022, 38, 219-232. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14562 | Phylogeographical Analyses of a Relict Fern of Palaeotropical Flora (<i>Vandenboschia speciosa</i>): Distribution and Diversity Model in Relation to the Geological and Climate Events of the Late Miocene and Early Pliocene. <i>Plants</i> , 2022, 11, 839. | 1.6 | 1 |
| 14563 | Spatial heterogeneity in rain-bearing winds, seasonality and rainfall variability in southern Africa's winter rainfall zone. <i>Advances in Statistical Climatology, Meteorology and Oceanography</i> , 2022, 8, 31-62. | 0.6 | 2 |
| 14564 | Long-term monitoring in endangered woodlands shows effects of multi-scale drivers on bird occupancy. <i>Journal of Biogeography</i> , 2022, 49, 879-890. | 1.4 | 9 |
| 14565 | Changes in Mangrove Carbon Stocks and Exposure to Sea Level Rise (SLR) under Future Climate Scenarios. <i>Sustainability</i> , 2022, 14, 3873. | 1.6 | 5 |
| 14566 | Climate-induced range shifts of invasive species (<i>Diaphorina citri</i> Kuwayama). <i>Pest Management Science</i> , 2022, 78, 2534-2549. | 1.7 | 32 |
| 14567 | Geographical variation of prementum size in Iberian <i>Cordulegaster boltonii</i> (Odonata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 54 | 0.5 | 3 |
| 14568 | Taxonomic scale and community organization impact observed latitudinal gradients of parasite diversity. <i>Journal of Biogeography</i> , 2022, 49, 617-629. | 1.4 | 3 |
| 14570 | In Its Southern Edge of Distribution, the Tawny Owl (<i>Strix aluco</i>) Is More Sensitive to Extreme Temperatures Than to Rural Development. <i>Animals</i> , 2022, 12, 641. | 1.0 | 6 |
| 14571 | Phylogeography of the endangered orchids <i>Cypripedium japonicum</i> and <i>Cypripedium formosanum</i> in East Asia: Deep divergence at infra- and interspecific levels. <i>Taxon</i> , 2022, 71, 733-757. | 0.4 | 4 |
| 14572 | Differential environmental and genomic architectures shape the natural diversity for trichome patterning and morphology in different <i>Arabidopsis</i> organs. <i>Plant, Cell and Environment</i> , 2022, 45, 3018-3035. | 2.8 | 2 |
| 14573 | The impact of climate change on three indicator Galliformes species in the northern highlands of Pakistan. <i>Environmental Science and Pollution Research</i> , 2022, 29, 54330-54347. | 2.7 | 7 |
| 14574 | Rocks support a distinctive and consistent mycobiome across contrasting dry regions of Earth. <i>FEMS Microbiology Ecology</i> , 2022, 98, . | 1.3 | 2 |
| 14575 | Combining ecological niche models with experimental seed germination to estimate the effect of climate change on the distribution of endangered plant species in the Brazilian Cerrado. <i>Environmental Monitoring and Assessment</i> , 2022, 194, 283. | 1.3 | 6 |
| 14576 | Global geographical range and population size of the habitat specialist <i>Codonoblepharon forsteri</i> (Dicks.) Coffinet in a changing climate. <i>Journal of Bryology</i> , 2022, 44, 35-50. | 0.4 | 3 |
| 14577 | The poly-extreme tolerant black yeasts are prevalent under high ultraviolet light and climatic seasonality across soils of global biomes. <i>Environmental Microbiology</i> , 2022, 24, 1988-1999. | 1.8 | 2 |
| 14578 | Community variability in pond metacommunities: interactive effects of predators and isolation on stochastic community assembly. <i>Oikos</i> , 2022, 2022, . | 1.2 | 2 |
| 14579 | Seed dormancy in space and time: global distribution, paleoclimatic and present climatic drivers, and evolutionary adaptations. <i>New Phytologist</i> , 2022, 234, 1770-1781. | 3.5 | 16 |
| 14581 | Historical connections between Atlantic Forest and Amazonia drove genetic and ecological diversity in <i>Lithobates palmipes</i> (Anura, Ranidae). <i>Systematics and Biodiversity</i> , 2022, 20, 1-19. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14582 | Evaluation of ERA5 and WFDE5 forcing data for hydrological modelling and the impact of bias correction with regional climatologies: A case study in the Danube River Basin. <i>Journal of Hydrology: Regional Studies</i> , 2022, 40, 101023. | 1.0 | 4 |
| 14583 | Significant effects of host dietary guild and phylogeny in wild lemur gut microbiomes. <i>ISME Communications</i> , 2022, 2, . | 1.7 | 4 |
| 14584 | Human pressures constrain Eurasian otter occurrence in semiarid Northern Africa. <i>Biodiversity and Conservation</i> , 2022, 31, 1519-1533. | 1.2 | 3 |
| 14586 | Differences in thermal tolerances between two soybean pests may differently affect their voltinism under climate change. <i>Agricultural and Forest Entomology</i> , 0, , . | 0.7 | 1 |
| 14587 | Humidity and low pH boost occurrence of Onygenales fungi in soil at global scale. <i>Soil Biology and Biochemistry</i> , 2022, 167, 108617. | 4.2 | 8 |
| 14588 | Investigation of the possible role of the Central Paratethys as a migration route and speciation area of the ancestors of Mediterranean <i>Larrousius</i> , <i>Paraphlebotomus</i> and <i>Phlebotomus</i> species. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2023, 103, 165-192. | 0.6 | 1 |
| 14589 | Integrative taxonomy reveals cryptic diversity in North American <i>Lasius</i> ants, and an overlooked introduced species. <i>Scientific Reports</i> , 2022, 12, 5970. | 1.6 | 8 |
| 14590 | Determinants of bryophyte assemblages in traditionally managed grasslands of the Carpathian Mts. <i>Applied Vegetation Science</i> , 2022, 25, . | 0.9 | 0 |
| 14591 | Australian <i>Bryobia</i> mites (Trombidiformes: Tetranychidae) form a complex of cryptic taxa with unique climatic niches and insecticide responses. <i>Pest Management Science</i> , 2022, , . | 1.7 | 0 |
| 14592 | Fauxcurrence: simulating multi-species occurrences for null models in species distribution modelling and biogeography. <i>Ecography</i> , 2022, 2022, . | 2.1 | 6 |
| 14593 | Range shifts in a foundation sedge potentially induce large Arctic ecosystem carbon losses and gains. <i>Environmental Research Letters</i> , 2022, 17, 045024. | 2.2 | 5 |
| 14594 | Do habitat and elevation promote hybridization during secondary contact between three genetically distinct groups of warbling vireo (<i>Vireo gilvus</i>)?. <i>Heredity</i> , 2022, , . | 1.2 | 0 |
| 14595 | Palaeoecological significance of the "wolf event" as revealed by skull ecometrics of the canid guilds. <i>Quaternary Science Reviews</i> , 2022, 281, 107419. | 1.4 | 1 |
| 14596 | Assessing rainfall global products reliability for water resource management in a tropical volcanic mountainous catchment. <i>Journal of Hydrology: Regional Studies</i> , 2022, 40, 101037. | 1.0 | 8 |
| 14597 | Genomic insights into the genotype-environment mismatch and conservation units of a Qinghai-Tibet Plateau endemic cypress under climate change. <i>Evolutionary Applications</i> , 2022, 15, 919-933. | 1.5 | 7 |
| 14598 | Relationships Between Soil Microbial Diversities Across an Aridity Gradient in Temperate Grasslands. <i>Microbial Ecology</i> , 2023, 85, 1013-1027. | 1.4 | 7 |
| 14599 | Nitrogen increases early-stage and slows late-stage decomposition across diverse grasslands. <i>Journal of Ecology</i> , 2022, 110, 1376-1389. | 1.9 | 12 |
| 14600 | Impacts of Sub-Grid Topographic Representations on Surface Energy Balance and Boundary Conditions in the E3SM Land Model: A Case Study in Sierra Nevada. <i>Journal of Advances in Modeling Earth Systems</i> , 2022, 14, . | 1.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14601 | A new perspective on Late Eocene and Oligocene vegetation and paleoclimates of South-eastern Australia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 596, 110985. | 1.0 | 3 |
| 14602 | Controls of lithium isotope spatial variability across the Yukon River: Implications for weathering processes in a warming subarctic basin. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 323, 1-19. | 1.6 | 8 |
| 14603 | GIS and fuzzy logics in establishing new potential areas for winter wines (Syrah cv.) cultivation in tropical conditions of southeastern Brazil. <i>Applied Geography</i> , 2022, 141, 102680. | 1.7 | 0 |
| 14604 | Analyzing spatio-temporal changes and trade-offs/synergies among ecosystem services in the Yellow River Basin, China. <i>Ecological Indicators</i> , 2022, 138, 108825. | 2.6 | 46 |
| 14605 | Low impact development practices mitigate urban flooding and non-point pollution under climate change. <i>Journal of Cleaner Production</i> , 2022, 347, 131320. | 4.6 | 32 |
| 14606 | The tangled evolutionary history of a long-debated Mesoamerican taxon: The Velazquez Woodpecker (<i>Melanerpes santacruzi</i> , Aves: Picidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 170, 107445. | 1.2 | 2 |
| 14607 | When good managers face bad incentives: Management quality and fuel intensity in the presence of price distortions. <i>Energy Policy</i> , 2022, 164, 112827. | 4.2 | 1 |
| 14608 | Emerging spatial prioritization for biodiversity conservation indicated by climate change velocity. <i>Ecological Indicators</i> , 2022, 138, 108829. | 2.6 | 8 |
| 14609 | Free iron oxide content in tropical soils predicted by integrative digital mapping. <i>Soil and Tillage Research</i> , 2022, 219, 105346. | 2.6 | 5 |
| 14610 | Prioritizing conservation areas and vulnerability analyses of the genus <i>Pinus</i> L. (Pinaceae) in Mexico. <i>Journal for Nature Conservation</i> , 2022, 67, 126171. | 0.8 | 2 |
| 14611 | Variability of soil mapping accuracy with sample sizes, modelling methods and landform types in a regional case study. <i>Catena</i> , 2022, 213, 106217. | 2.2 | 10 |
| 14612 | Impacts of climate change on predicted habitat suitability and distribution of Djaffa Mountains Guereza (<i>Colobus guereza gallarum</i> , Neumann 1902) using MaxEnt algorithm in Eastern Ethiopian Highland. <i>Global Ecology and Conservation</i> , 2022, 35, e02094. | 1.0 | 8 |
| 14613 | Niche segregation on the landscape scale of two co-existing related congeners in the sympatric zone – modelling approach. <i>Ecological Modelling</i> , 2022, 468, 109960. | 1.2 | 5 |
| 14614 | The possible future changes in potential suitable habitats of <i>Tetrastigma hemsleyanum</i> (Vitaceae) in China predicted by an ensemble model. <i>Global Ecology and Conservation</i> , 2022, 35, e02083. | 1.0 | 5 |
| 14615 | Nutrients in the rhizosphere: A meta-analysis of content, availability, and influencing factors. <i>Science of the Total Environment</i> , 2022, 826, 153908. | 3.9 | 60 |
| 14616 | Overgrazing, not haying, decreases grassland topsoil organic carbon by decreasing plant species richness along an aridity gradient in Northern China. <i>Agriculture, Ecosystems and Environment</i> , 2022, 332, 107935. | 2.5 | 14 |
| 14617 | How vulnerable are holoparasitic plants with obligate hosts to negative climate change impacts?. <i>Ecological Informatics</i> , 2022, 69, 101636. | 2.3 | 10 |
| 14618 | The stress gradient hypothesis explains plant-plant interaction networks in edapho climatic gradients. <i>Acta Oecologica</i> , 2022, 115, 103831. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14619 | Modeling of cold-temperate tree <i>Pinus koraiensis</i> (Pinaceae) distribution in the Asia-Pacific region: Climate change impact. <i>Forest Ecosystems</i> , 2022, 9, 100015. | 1.3 | 6 |
| 14620 | Estimates of breeding season location for 4 mesic prairie bird species wintering along the Gulf Coast. <i>Wilson Journal of Ornithology</i> , 2021, 133, . | 0.1 | 1 |
| 14621 | Nutrient identity modifies the destabilising effects of eutrophication in grasslands. <i>Ecology Letters</i> , 2022, 25, 754-765. | 3.0 | 17 |
| 14622 | Survival of climate warming through niche shifts: Evidence from frogs on tropical islands. <i>Global Change Biology</i> , 2022, 28, 1268-1286. | 4.2 | 3 |
| 14623 | Issues Related to Modelling and Parameter Settings of Models for Ecological Systems the Case of Distribution of Koalas. , 2021, , . | | 0 |
| 14624 | The impact of spatial statistics in Africa. <i>Spatial Statistics</i> , 2021, , 100580. | 0.9 | 0 |
| 14625 | Potential distribution of <i>Croton guatemalensis</i>; a model with reproductive biology data. <i>Botanical Sciences</i> , 2022, 100, 291-299. | 0.3 | 0 |
| 14626 | Northward expansion trends and future potential distribution of a dragonfly <i>Ischnura senegalensis</i> Rambur under climate change using citizen science data in South Korea. <i>Journal of Ecology and Environment</i> , 2021, 45, . | 1.6 | 3 |
| 14627 | Non-reproducible signals of adaptation to elevation between open and understory microhabitats in snapdragon plants. <i>Journal of Evolutionary Biology</i> , 2022, 35, 322-332. | 0.8 | 2 |
| 14628 | Changes in the spatial distribution of Bryophytes on the Qinghai-Tibet Plateau under CMIP6 future projections. <i>Environmental Earth Sciences</i> , 2022, 81, 1. | 1.3 | 5 |
| 14629 | Predicting habitat suitability of critically endangered <i>Nepenthes sumatrana</i> . <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 948, 012020. | 0.2 | 1 |
| 14630 | Do changes in maize prices and input prices affect smallholder farmers' soil fertility management decisions? panel survey evidence from Kenya. <i>Agrekon</i> , 0, , 1-25. | 0.5 | 0 |
| 14631 | Disentangling the effect of climatic and hydrological predictor variables on benthic macroinvertebrate distributions from predictive models. <i>Hydrobiologia</i> , 2022, 849, 1021-1040. | 1.0 | 0 |
| 14632 | Relaci3n entre la riqueza de especies arb3reas y el cambio clim3tico en el sureste de M3xico. <i>Madera Bosques</i> , 2021, 27, . | 0.1 | 0 |
| 14633 | Evolutionary footprints of a cold relic in a rapidly warming world. <i>ELife</i> , 2021, 10, . | 2.8 | 5 |
| 14634 | Parallel genomic responses to historical climate change and high elevation in East Asian songbirds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 12 |
| 14636 | Current climate and latitude shape the structure of bat-fruit interaction networks throughout the Neotropical region. <i>Ecoscience</i> , 2022, 29, 179-189. | 0.6 | 5 |
| 14637 | Habitat preferences of wild orchids in Bantimurung Bulusaraung National Park to model their suitable habitat in South Sulawesi, Indonesia. <i>Biodiversitas</i> , 2021, 23, . | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14638 | Bioclimatic changes in ecoregions of southern South America: Trends and projections based on Holdridge life zones. <i>Austral Ecology</i> , 2022, 47, 580-589. | 0.7 | 4 |
| 14639 | Population structure and adaptive variation of <i>Helichrysum italicum</i> (Roth) G. Don along eastern Adriatic temperature and precipitation gradient. <i>Scientific Reports</i> , 2021, 11, 24333. | 1.6 | 8 |
| 14640 | The Diversity and Community Assembly Process of Wetland Plants from Lakeshores on the Qinghai-Tibetan Plateau. <i>Diversity</i> , 2021, 13, 685. | 0.7 | 4 |
| 14641 | How Green Is Sugarcane Ethanol?. <i>Review of Economics and Statistics</i> , 2024, 106, 202-216. | 2.3 | 0 |
| 14642 | A Contribution to the Biogeography of <i>Ablepharus anaticus</i> and <i>A. budaki</i> (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 8.1 | 4 |
| 14643 | A food web approach reveals the vulnerability of biocontrol services by birds and bats to landscape modification at regional scale. <i>Scientific Reports</i> , 2021, 11, 23662. | 1.6 | 11 |
| 14644 | Two new species of <i>Miconia</i> s.lat. (Melastomataceae) from Espírito Santo, Brazil. <i>Nordic Journal of Botany</i> , 2022, 2022, . | 0.2 | 0 |
| 14645 | Expanding or shrinking? range shifts in wild ungulates under climate change in Pamir-Karakoram mountains, Pakistan. <i>PLoS ONE</i> , 2021, 16, e0260031. | 1.1 | 44 |
| 14646 | Phenological mismatches between above- and belowground plant responses to climate warming. <i>Nature Climate Change</i> , 2022, 12, 97-102. | 8.1 | 49 |
| 14647 | Evolutionary history of the two North African hedgehogs (Mammalia: Erinaceidae) <i>Atelerix algirus</i> and <i>Paraechinus aethiopicus</i> based on phylogeography and species distribution modelling. <i>Vertebrate Zoology</i> , 0, 71, 799-811. | 2.0 | 4 |
| 14648 | Drivers of phylogenetic structure in Amazon freshwater fish assemblages. <i>Journal of Biogeography</i> , 2022, 49, 310-323. | 1.4 | 3 |
| 14649 | Construction of fine resolution bioclimatic variables for Central Highlands and Southern Central Coast of Vietnam. <i>Academia Journal of Biology</i> , 2021, 43, 101-117. | 0.0 | 0 |
| 14650 | Identifying regional environmental factors driving differences in climatic niche overlap in <i>Peromyscus</i> mice. <i>Journal of Mammalogy</i> , 2022, 103, 45-56. | 0.6 | 1 |
| 14651 | Simulation of air temperature and their influence on the potential distribution of <i>Myracrodruon urundeuva</i> , <i>Copernicia prunifera</i> and <i>Cereus jamacaru</i> in the Caatinga. <i>SN Applied Sciences</i> , 2022, 4, 1. | 1.5 | 5 |
| 14653 | Potential Distribution of Five Native Grass Species in Northern Mexico and their Dynamics due to Climate Variability. <i>Polish Journal of Ecology</i> , 2021, 69, . | 0.2 | 0 |
| 14655 | Issues Related to Modelling and Parameter Settings of Models for Ecological Systems the Case of Distribution of Thorny Devil. , 2022, , . | | 0 |
| 14656 | Modeling future habitats to identify suitable sites for ex situ conservation of the endangered palm <i>Metroxylon vitiense</i> (H. Wendl.) H. Wendl. ex Benth. & Hook. f. in Fiji. <i>Tropical Ecology</i> , 2022, 63, 596-603. | 0.6 | 1 |
| 14657 | The legacy of over a century of introductions: Spread debt of rainbow trout (<i>Oncorhynchus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 1413-1423. | 0.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14658 | Climatic niche comparisons of eastern North American and eastern Asian disjunct plant genera. <i>Global Ecology and Biogeography</i> , 2022, 31, 1290-1302. | 2.7 | 7 |
| 14659 | Long-term monitoring program reveals a mismatch between spatial distribution and reproductive success in an endangered raptor species in the Mediterranean area. <i>Ecological Research</i> , 2022, 37, 421-431. | 0.7 | 2 |
| 14660 | On the Evaluation of Both Spatial and Temporal Performance of Distributed Hydrological Models Using Remote Sensing Products. <i>Remote Sensing</i> , 2022, 14, 1959. | 1.8 | 3 |
| 14661 | Spatiotemporal prediction of rainfall erosivity by machine learning in southeastern Brazil. <i>Geocarto International</i> , 2022, 37, 11652-11670. | 1.7 | 3 |
| 14662 | Lichen holobionts show compositional structure along elevation. <i>Molecular Ecology</i> , 2023, 32, 6619-6630. | 2.0 | 12 |
| 14663 | Intraspecific trait variation of grassland species in response to grazing depends on resource acquisition strategy. <i>Journal of Vegetation Science</i> , 2022, 33, . | 1.1 | 11 |
| 14664 | Assessment of streamflow regionalization using interpolated and satellite-based precipitation: a case study in a tropical watershed at Brazil. <i>Modeling Earth Systems and Environment</i> , 0, , 1. | 1.9 | 1 |
| 14665 | Dietary flexibility promotes range expansion: The case of golden jackals in Eurasia. <i>Journal of Biogeography</i> , 2022, 49, 993-1005. | 1.4 | 10 |
| 14666 | Distribution Characteristics and Controlling Factors of Soil Total Nitrogen: Phosphorus Ratio Across the Northeast Tibetan Plateau Shrublands. <i>Frontiers in Plant Science</i> , 2022, 13, 825817. | 1.7 | 7 |
| 14667 | Mapping the spatial distribution of the invasive Mexican Sunflower <i>Tithonia diversifolia</i> (Asteraceae) in South East Asia. <i>Journal of Asia-Pacific Biodiversity</i> , 2022, 15, 425-434. | 0.2 | 4 |
| 14668 | Comparative analysis of the mass elevation effect and its implication for the treeline between the Tibetan and Bolivian plateaus based on solar radiation. <i>Journal of Mountain Science</i> , 2022, 19, 1082-1094. | 0.8 | 0 |
| 14669 | Modelling potential distribution of an endemic plant (<i>Ferula Microcolea</i>) based on bioclimatic variables in Iran. <i>Acta Botanica Hungarica</i> , 2022, 64, 157-172. | 0.1 | 0 |
| 14670 | Drivers of <i>Acacia</i> and <i>Eucalyptus</i> growth rate differ in strength and direction in restoration plantings across Australia. <i>Ecological Applications</i> , 2022, , e2636. | 1.8 | 2 |
| 14671 | Greening and browning trends in a tropical forest hotspot: Accounting for fragment size and vegetation indices. <i>Remote Sensing Applications: Society and Environment</i> , 2022, 26, 100751. | 0.8 | 2 |
| 14672 | Petiole length reduction is an indicator of waterlogging stress for <i>Trifolium subterraneum</i> ssp. <i>yannanicum</i> . <i>Plant and Soil</i> , 2022, 475, 645-667. | 1.8 | 3 |
| 14673 | Human-elephant conflict risk assessment under coupled climatic and anthropogenic changes in Thailand. <i>Science of the Total Environment</i> , 2022, 834, 155174. | 3.9 | 8 |
| 14674 | Model-based prediction of the potential geographical distribution of the invasive coconut mite, <i>Aceria guerreronis</i> Keifer (Acari: Eriophyidae) based on MaxEnt. <i>Agricultural and Forest Entomology</i> , 2022, 24, 390-404. | 0.7 | 14 |
| 14675 | Post-Pleistocene dispersal explains the Rapoport effect in North American salamanders. <i>Journal of Biogeography</i> , 0, , . | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14676 | Wood anatomy of the tribe Diosmeae, a large Cape lineage of Rutaceae. <i>IAWA Journal</i> , 2022, 43, 276-298. | 0.5 | 1 |
| 14677 | Changes in temperature alter competitive interactions and overall structure of fig wasp communities. <i>Journal of Animal Ecology</i> , 2022, , . | 1.3 | 2 |
| 14678 | Central Andean (28°–34°S) flood record 0–25 ka from Salinas del Bebedero, Argentina. <i>Quaternary Research</i> , 0, , 1-27. | 1.0 | 0 |
| 14679 | Local ecological divergence of two closely related stag beetles based on genetic, morphological, and environmental analyses. <i>Ecology and Evolution</i> , 2022, 12, e8837. | 0.8 | 2 |
| 14680 | Habitats as predictors in species distribution models: Shall we use continuous or binary data?. <i>Ecography</i> , 2022, 2022, . | 2.1 | 11 |
| 14681 | Identification of risk areas for <i>Orobanche cumana</i> and <i>Phelipanche aegyptiaca</i> in China, based on the major host plant and CMIP6 climate scenarios. <i>Ecology and Evolution</i> , 2022, 12, e8824. | 0.8 | 9 |
| 14927 | Machine learning-based global maps of ecological variables and the challenge of assessing them. <i>Nature Communications</i> , 2022, 13, 2208. | 5.8 | 69 |
| 14928 | River network rearrangements promote speciation in lowland Amazonian birds. <i>Science Advances</i> , 2022, 8, eabn1099. | 4.7 | 18 |
| 14929 | Integrating climate, ecophysiology, and forest cover to estimate the vulnerability of sloths to climate change. <i>Journal of Mammalogy</i> , 2022, 103, 755-766. | 0.6 | 5 |
| 14930 | Non-thermal plasma application improves germination, establishment and productivity of Gatton panic | | |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14941 | Fishing cat <i>Prionailurus viverrinus</i> distribution and habitat suitability in Nepal. Ecology and Evolution, 2022, 12, e8857. | 0.8 | 4 |
| 14942 | Seasonality and Ecological Suitability Modelling for Anthrax (<i>Bacillus anthracis</i>) in Western Africa. Animals, 2022, 12, 1146. | 1.0 | 11 |
| 14943 | Considering plant functional connectivity in landscape conservation and restoration management. Biodiversity and Conservation, 2022, 31, 1591-1608. | 1.2 | 4 |
| 14944 | Deep Species Distribution Modeling From Sentinel-2 Image Time-Series: A Global Scale Analysis on the Orchid Family. Frontiers in Plant Science, 2022, 13, 839327. | 1.7 | 5 |
| 14945 | Macro-Morphological and Ecological Variation in <i>Rosa sericea</i> Complex. Agronomy, 2022, 12, 1078. | 1.3 | 11 |
| 14946 | Nuclear phylogeography reveals strong impacts of gene flow in big brown bats. Journal of Biogeography, 2022, 49, 1061-1074. | 1.4 | 3 |
| 14947 | Adaptive Divergence without Distinct Species Relationships Indicate Early Stage Ecological Speciation in Species of the <i>Rhododendronpseudochrysanthum</i> Complex Endemic to Taiwan. Plants, 2022, 11, 1226. | 1.6 | 3 |
| 14948 | Sustainable human population density in Western Europe between 560.000 and 360.000 years ago. Scientific Reports, 2022, 12, 6907. | 1.6 | 7 |
| 14949 | Selection of sampling sites for biodiversity inventory: Effects of environmental and geographical considerations. Methods in Ecology and Evolution, 2022, 13, 1595-1607. | 2.2 | 8 |
| 14950 | Climate change will disproportionately affect the most genetically diverse lineages of a widespread African tree species. Scientific Reports, 2022, 12, 7035. | 1.6 | 3 |
| 14951 | Elevation and Soil Properties Determine Community Composition, but Not Vascular Plant Richness in Tropical Andean Roadside. Forests, 2022, 13, 685. | 0.9 | 4 |
| 14952 | Vegetation Classification and Distribution Patterns in the South Slope of Yarlung Zangbo Grand Canyon National Nature Reserve, Eastern Himalayas. Plants, 2022, 11, 1194. | 1.6 | 3 |
| 14953 | RAD-Seq and Ecological Niche Reveal Genetic Diversity, Phylogeny, and Geographic Distribution of <i>Kadsura</i> interior and Its Closely Related Species. Frontiers in Plant Science, 2022, 13, 857016. | 1.7 | 0 |
| 14954 | Climate change influences on the geographic distributional potential of the spotted fever vectors <i>Amblyomma maculatum</i> and <i>Dermacentor andersoni</i> . PeerJ, 2022, 10, e13279. | 0.9 | 12 |
| 14955 | Evaluation of the hydrology and sediment load situations of the upper watershed of Thac Ba reservoir (Vietnam and China) under the impacts of climate changes. Modeling Earth Systems and Environment, 0, 1. | 1.9 | 1 |
| 14956 | Modeling the effect of climate change on the distribution of threatened medicinal orchid <i>Satyrium nepalense</i> D. Don in India. Environmental Science and Pollution Research, 2022, 29, 72431-72444. | 2.7 | 7 |
| 14957 | Raincheck: A new diachronic series of rainfall maps for Southwest Asia over the Holocene. Levant, 2022, 54, 5-28. | 0.3 | 2 |
| 14958 | Seed sourcing in the genomics era: multispecies provenance delineation for current and future climates. Restoration Ecology, 2022, 30, . | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14959 | Topographic Complexity Facilitates Persistence Compared to Signals of Contraction and Expansion in the Adjacent Subdued Landscape. <i>Frontiers in Conservation Science</i> , 2022, 3, . | 0.9 | 2 |
| 14960 | Spatio-temporal distribution of broad-leaved <i>Quercus semecarpifolia</i> indicates altitudinal shift in northwestern Himalayas. <i>Plant Ecology</i> , 2022, 223, 671-697. | 0.7 | 6 |
| 14961 | Do marginal plant populations enhance the fitness of larger core units under ongoing climate change? Empirical insights from a rare carnation. <i>AoB PLANTS</i> , 0, , . | 1.2 | 0 |
| 14962 | Niche and geographical expansions of North American trees and tall shrubs in Europe. <i>Journal of Biogeography</i> , 2022, 49, 1151-1161. | 1.4 | 3 |
| 14963 | Planning complementary conservation of crop wild relative diversity in southern Africa. <i>Diversity and Distributions</i> , 2022, 28, 1358-1372. | 1.9 | 10 |
| 14964 | MaxEnt Modelling and Impact of Climate Change on Habitat Suitability Variations of Economically Important Chilgoza Pine (<i>Pinus gerardiana</i> Wall.) in South Asia. <i>Forests</i> , 2022, 13, 715. | 0.9 | 61 |
| 14965 | Very High Resolution Species Distribution Modeling Based on Remote Sensing Imagery: How to Capture Fine-Grained and Large-Scale Vegetation Ecology With Convolutional Neural Networks?. <i>Frontiers in Plant Science</i> , 2022, 13, . | 1.7 | 5 |
| 14966 | Who will be where: Climate driven redistribution of fish habitat in southern Germany. , 2022, 1, e0000006. | | 3 |
| 14967 | Initial succession after wildfire in dry boreal forests of northwestern North America. <i>Plant Ecology</i> , 2022, 223, 789-809. | 0.7 | 8 |
| 14968 | Plant Proxy Evidence for High Rainfall and Productivity in the Eocene of Australia. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, . | 1.3 | 7 |
| 14969 | Palaeoenvironments and landscape diversity in Egypt during the Last Interglacial and its implications on the dispersal of <i>Homo sapiens</i> . <i>Journal of Maps</i> , 2022, 18, 638-648. | 1.0 | 1 |
| 14970 | Ecological and genomic vulnerability to climate change across native populations of Robusta coffee (<i>Coffea canephora</i>). <i>Global Change Biology</i> , 2022, 28, 4124-4142. | 4.2 | 15 |
| 14971 | Triple oxygen isotope distribution in modern mammal teeth and potential geologic applications. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 331, 105-122. | 1.6 | 7 |
| 14972 | African Hydroclimate During the Early Eocene From the DeepMIP Simulations. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, . | 1.3 | 3 |
| 14973 | Climate predictors and climate change projections for avian haemosporidian prevalence in Mexico. <i>Parasitology</i> , 2022, 149, 1129-1144. | 0.7 | 3 |
| 14974 | Global congruence of riverine fish species richness and human presence. <i>Global Ecology and Biogeography</i> , 2022, 31, 1501-1512. | 2.7 | 5 |
| 14975 | Multifaceted fine-grain niche modelling: Two mountain plants in one relic location. <i>Ecological Indicators</i> , 2022, 139, 108941. | 2.6 | 0 |
| 14976 | Utilization of palm oil and its by-products in bio-asphalt and bio-concrete mixtures: A review. <i>Construction and Building Materials</i> , 2022, 337, 127552. | 3.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 14977 | Evaluation and joint projection of temperature and precipitation extremes across Canada based on hierarchical Bayesian modelling and large ensembles of regional climate simulations. <i>Weather and Climate Extremes</i> , 2022, 36, 100443. | 1.6 | 7 |
| 14978 | Extinction risk assessment of the endemic terrestrial vertebrates in Mexico. <i>Biological Conservation</i> , 2022, 270, 109562. | 1.9 | 3 |
| 14979 | Global rainfall erosivity projections for 2050 and 2070. <i>Journal of Hydrology</i> , 2022, 610, 127865. | 2.3 | 51 |
| 14980 | A deep neural network based SMAP soil moisture product. <i>Remote Sensing of Environment</i> , 2022, 277, 113059. | 4.6 | 13 |
| 14981 | Can Thailand Protect 30% of Its Land Area for Biodiversity, and Will This Be Enough?. <i>Diversity</i> , 2022, 14, 344. | 0.7 | 4 |
| 14982 | Hybrid enrichment of adaptive variation revealed by genotype-environment associations in montane sedges. <i>Molecular Ecology</i> , 2022, 31, 3722-3737. | 2.0 | 7 |
| 14983 | Disentangling phylogenetic relations and biogeographic history within the <i>Cucujus haematodes</i> species group (Coleoptera: Cucujidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 173, 107527. | 1.2 | 1 |
| 14984 | Using a multi-model ensemble approach to determine biodiversity hotspots with limited occurrence data in understudied areas: An example using freshwater mussels in Mexico. <i>Ecology and Evolution</i> , 2022, 12, e8909. | 0.8 | 6 |
| 14985 | Identifying the environmental and anthropogenic causes, distribution, and intensity of human rhesus macaque conflict in Nepal. <i>Journal of Environmental Management</i> , 2022, 316, 115276. | 3.8 | 1 |
| 14986 | Relación espacial entre <i>Aedes aegypti</i> (Linnaeus, 1762) y la enfermedad de dengue en Guatemala. <i>Revista Científica De La Facultad De Ciencias Químicas Y Farmacia</i> , 2019, 28, 1-18. | 0.1 | 0 |
| 14987 | Effects of social organization and elevation on spatial genetic structure in a montane ant. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 4 |
| 14988 | Large mountains make small barriers: Species composition and spatial dynamics history of the <i>Odorrana schmackeri</i> complex in the karst area of Guizhou, China. <i>Diversity and Distributions</i> , 2022, 28, . | 1.9 | 4 |
| 14989 | Density and activity patterns of bobcat in its southernmost distribution. <i>Animal Biodiversity and Conservation</i> , 2022, , 145-160. | 0.3 | 3 |
| 14990 | Hierarchy and Scale Influence the Western Monarch Butterfly Overwintering Microclimate. <i>Frontiers in Conservation Science</i> , 2022, 3, . | 0.9 | 1 |
| 14991 | Distribution and phenology of monarch butterfly larvae and their milkweed hosts in the South Central US. <i>Biodiversity and Conservation</i> , 2022, 31, 1797-1827. | 1.2 | 6 |
| 14993 | Evaluation of Long-Term and High-Resolution Gridded Precipitation and Temperature Products in the Qilian Mountains, Qinghai-Tibet Plateau. <i>Frontiers in Environmental Science</i> , 2022, 10, . | 1.5 | 11 |
| 14995 | Carbon dioxide and particulate emissions from the 2013 Tasmanian firestorm: implications for Australian carbon accounting. <i>Carbon Balance and Management</i> , 2022, 17, . | 1.4 | 2 |
| 14996 | Glycome Profiling and Bioprospecting Potential of the Himalayan Buddhist Handmade Paper of Tawang Region of Arunachal Pradesh. <i>Frontiers in Plant Science</i> , 2022, 13, . | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 14997 | Habitat Characteristics of Magnolia Based on Spatial Analysis: Landscape Protection to Conserve Endemic and Endangered Magnolia sulawesiana Brambach, Noot., and Culmsee. <i>Forests</i> , 2022, 13, 802. | 0.9 | 3 |
| 14998 | Dealing with non-equilibrium bias and survey effort in presence-only invasive Species Distribution Models (iSDM); predicting the range of muntjac deer in Britain and Ireland. <i>Ecological Informatics</i> , 2022, 69, 101683. | 2.3 | 5 |
| 14999 | Drivers of human-megaherbivore interactions in the Eastern and Western Ghats of southern India. <i>Journal of Environmental Management</i> , 2022, 316, 115315. | 3.8 | 2 |
| 15000 | Understanding Effects of Climate Change and Eutrophication on Fish Habitat in Glacial Lakes of the Midwest States and Management Strategies. , 2022, , 77-145. | | 0 |
| 15001 | Modelling Aboveground Biomass and Productivity and the Impact of Climate Change in Mediterranean Forests of South Spain. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 15002 | Global Distribution of Culex Tritaeniorhynchus and Environmental Impact Factors. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 15003 | Extremely Fine Sand Fraction Improves Estimation of Maximal C and N Accumulation in Hyper-Arid Deserts. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 15004 | The nature of dispersal barriers and their impact on regional species pool richness and turnover. <i>Global Ecology and Biogeography</i> , 2022, 31, 1470-1500. | 2.7 | 2 |
| 15005 | Fuzzy model-based reconstruction of paleovegetation in Ethiopia. <i>Journal of Maps</i> , 0, , 1-7. | 1.0 | 1 |
| 15006 | Increasing salinity stress decreases the thermal tolerance of amphibian tadpoles in coastal areas of Taiwan. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 4 |
| 15007 | Using citizen science to study a mesocarnivore: the jungle cat <i>Felis chaus</i> in Sri Lanka. <i>Oryx</i> , 2022, 56, 782-788. | 0.5 | 1 |
| 15008 | Urban form and scale shaped the agroecology of early "cities" in northern Mesopotamia, the Aegean and Central Europe. <i>Journal of Agrarian Change</i> , 2022, 22, 831-854. | 0.8 | 3 |
| 15009 | Modeling the Potential Global Distribution of Honeybee Pest, <i>Galleria mellonella</i> under Changing Climate. <i>Insects</i> , 2022, 13, 484. | 1.0 | 17 |
| 15010 | Regional opportunities for tundra conservation in the next 1000 years. <i>ELife</i> , 0, 11, . | 2.8 | 8 |
| 15011 | Dark-colored <i>Oncocyclus</i> irises in Israel analyzed by AFLP, whole chloroplast genome sequencing and species distribution modeling. <i>Israel Journal of Ecology and Evolution</i> , 2022, -1, 1-11. | 0.2 | 1 |
| 15012 | Prediction of Suitable Future Natural Areas for Highland Barley on the Qinghai-Tibet Plateau under Representative Concentration Pathways (RCPs). <i>Sustainability</i> , 2022, 14, 6617. | 1.6 | 4 |
| 15013 | Climate refugia for three Afromontane forest-dependent bird species in south-eastern South Africa. <i>Journal of Biogeography</i> , 2022, 49, 1352-1366. | 1.4 | 1 |
| 15014 | Using UAV Survey, High-Density LiDAR Data and Automated Relief Analysis for Habitation Practices Characterization during the Late Bronze Age in NE Romania. <i>Remote Sensing</i> , 2022, 14, 2466. | 1.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15015 | Modeling and Mapping Habitat Suitability of Highland Bamboo under Climate Change in Ethiopia. <i>Forests</i> , 2022, 13, 859. | 0.9 | 8 |
| 15016 | The relative influence of history, climate, topography and vegetation structure on local animal richness varies among taxa and spatial grains. <i>Journal of Animal Ecology</i> , 2022, 91, 1596-1611. | 1.3 | 3 |
| 15017 | Digital Mapping of Soil Organic Carbon with Machine Learning in Dryland of Northeast and North Plain China. <i>Remote Sensing</i> , 2022, 14, 2504. | 1.8 | 9 |
| 15018 | The effect of thermally robust ballistic mechanisms on climatic niche in salamanders. <i>Integrative Organismal Biology</i> , 0, , . | 0.9 | 1 |
| 15019 | Is the vegetation archetype of the Garden of Eden located in the Irano-Turanian region and safe against climate change?. <i>Regional Environmental Change</i> , 2022, 22, . | 1.4 | 1 |
| 15020 | Potential millennial-scale avian declines by humans in southern China. <i>Global Change Biology</i> , 2022, 28, 5505-5513. | 4.2 | 5 |
| 15021 | Habitat suitability of <i>Gymnocladus assamicus</i> - A critically endangered plant of Arunachal Pradesh, India using machine learning and statistical modeling. <i>Acta Ecologica Sinica</i> , 2022, 42, 398-406. | 0.9 | 10 |
| 15022 | Potential Distribution of Invasive Boxwood Blight Pathogen (<i>Calonectriapseudonaviculata</i>) as Predicted by Process-Based and Correlative Models. <i>Biology</i> , 2022, 11, 849. | 1.3 | 4 |
| 15023 | Factors driving historic intercontinental invasions of European pine bark beetles. <i>Biological Invasions</i> , 2022, 24, 2973-2991. | 1.2 | 5 |
| 15024 | Integrating physiology into correlative models can alter projections of habitat suitability under climate change for a threatened amphibian. <i>Ecography</i> , 2022, 2022, . | 2.1 | 7 |
| 15025 | Predicting the habitat suitability of the invasive white mango scale, <i>Aulacaspis tubercularis</i> ; Newstead, 1906 (Hemiptera: Diaspididae) using bioclimatic variables. <i>Pest Management Science</i> , 2022, 78, 4114-4126. | 1.7 | 5 |
| 15026 | Phenological trajectories of Caribbean very dry tropical forests diverge under different geologic formations. <i>Biotropica</i> , 0, , . | 0.8 | 1 |
| 15027 | Food web consequences of thermal asymmetries. <i>Functional Ecology</i> , 2022, 36, 1887-1899. | 1.7 | 7 |
| 15028 | Understanding climate change impacts on biome and plant distributions in the Andes: Challenges and opportunities. <i>Journal of Biogeography</i> , 2022, 49, 1420-1442. | 1.4 | 27 |
| 15029 | Cabruca agroforestry systems reduce vulnerability of cacao plantations to climate change in southern Bahia. <i>Agronomy for Sustainable Development</i> , 2022, 42, . | 2.2 | 7 |
| 15030 | Global potential distribution of <i>Oryctes rhinoceros</i> , as predicted by Boosted Regression Tree model. <i>Global Ecology and Conservation</i> , 2022, 37, e02175. | 1.0 | 7 |
| 15031 | Towards a "periodic table" of abiotic stress tolerance strategies of woody plants. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2022, 292, 152089. | 0.6 | 4 |
| 15036 | Opportunistic datasets perform poorly in Ecological Niche Modelling: a case study from a polymorphic lizard. <i>Wildlife Research</i> , 2022, , . | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15037 | There is more to satellite imagery than meets the eye. <i>Geospatial Health</i> , 2022, 17, . | 0.3 | 0 |
| 15039 | Species Diversity and Community Composition of Macroinvertebrates in Headwater Streams of Two Subtropical Neighboring Lowland Basins. <i>Diversity</i> , 2022, 14, 402. | 0.7 | 4 |
| 15040 | The global potential for increased storage of carbon on land. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 3.3 | 54 |
| 15041 | Phylogenomics and evolutionary history of <i>Oreocnide</i> (Urticaceae) shed light on recent geological and climatic events in SE Asia. <i>Molecular Phylogenetics and Evolution</i> , 2022, 175, 107555. | 1.2 | 4 |
| 15042 | Projection of Future Precipitation in Bangladesh at Kharif-II Season Using Geospatial Techniques. <i>Earth Systems and Environment</i> , 2023, 7, 255-266. | 3.0 | 3 |
| 15043 | Ensemble Models for Tick Vectors: Standard Surveys Compared with Convenience Samples. <i>Diseases (Basel, Switzerland)</i> , 2022, 10, 32. | 1.0 | 1 |
| 15044 | Distribution pattern and driving factors of genetic diversity of passerine birds in the Mountains of Southwest China. <i>Avian Research</i> , 2022, 13, 100043. | 0.5 | 2 |
| 15045 | Provenance variation and seed sourcing for sessile oak (<i>Quercus petraea</i> (Matt.) Liebl.) in France. <i>Annals of Forest Science</i> , 2022, 79, . | 0.8 | 9 |
| 15046 | Current Global Land Systems Classifications: Comparison of Methods and Outputs. <i>Acta Universitatis Carolinae, Geographica</i> , 0, , 48-60. | 0.1 | 0 |
| 15047 | Diverse aging rates in ectothermic tetrapods provide insights for the evolution of aging and longevity. <i>Science</i> , 2022, 376, 1459-1466. | 6.0 | 34 |
| 15048 | Naturally segregating genetic variation in circadian period exhibits a regional elevational and climatic cline. <i>Plant, Cell and Environment</i> , 2022, 45, 2696-2707. | 2.8 | 2 |
| 15049 | Ecological niche differentiation on the example of bottom communities of the Middle and Lower Volga regions. <i>Povolzhskii Ekologicheskii Zhurnal</i> , 2022, , 94-108. | 0.0 | 0 |
| 15050 | Statistical Analysis of the Weather Impact on Robusta Coffee Yield in Vietnam. <i>Frontiers in Environmental Science</i> , 0, 10, . | 1.5 | 6 |
| 15051 | Combining phylogeography and landscape genetics reveals genetic variation and distribution patterns of <i>Stipa breviflora</i> populations. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2022, 293, 152102. | 0.6 | 1 |
| 15052 | Legacy of supervolcanic eruptions on population genetic structure of brown kiwi. <i>Current Biology</i> , 2022, 32, 3389-3397.e8. | 1.8 | 3 |
| 15053 | Long-term Precipitation Estimation Combining Time-Series Retrospective Forecasting and Downscaling-Calibration Procedure. <i>Water Resources Management</i> , 2022, 36, 3087-3106. | 1.9 | 3 |
| 15054 | Distribution of the greater naked-tailed armadillo <i>Cabassous tatouay</i> (Desmarest, 1804) in South America, with new records and species distribution modeling. <i>Studies on Neotropical Fauna and Environment</i> , 0, , 1-9. | 0.5 | 1 |
| 15055 | Genotypic and tissue-specific variation of <i>Populus nigra</i> transcriptome profiles in response to drought. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15056 | Genome-wide association analysis and pathway enrichment provide insights into the genetic basis of photosynthetic responses to drought stress in Persian walnut. <i>Horticulture Research</i> , 2022, 9, . | 2.9 | 12 |
| 15057 | Nitrogen but not phosphorus addition affects symbiotic N ₂ fixation by legumes in natural and semi-natural grasslands located on four continents. <i>Plant and Soil</i> , 2022, 478, 689-707. | 1.8 | 11 |
| 15058 | Machine learning applied to a modernâ€Pleistocene petrographic dataset: The global prediction of sand modal composition (GloPrSM) model. <i>Journal of Geophysical Research F: Earth Surface</i> , 0, , . | 1.0 | 3 |
| 15059 | Climate Niche Modelling for Mapping Potential Distributions of Four Framework Tree Species: Implications for Planning Forest Restoration in Tropical and Subtropical Asia. <i>Forests</i> , 2022, 13, 993. | 0.9 | 2 |
| 15060 | Bioclimatic Envelopes for Two Bat Species from a Tropical Island: Insights on Current and Future Distribution from Ecological Niche Modeling. <i>Diversity</i> , 2022, 14, 506. | 0.7 | 4 |
| 15061 | Environmental correlates of phenotypic evolution in ecologically diverse <i>Liolaemus</i> lizards. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 15062 | Predicting the Geographical Distribution of Malaria-Associated <i>Anopheles dirus</i> in the South-East Asia and Western Pacific Regions Under Climate Change Scenarios. <i>Frontiers in Environmental Science</i> , 0, 10, . | 1.5 | 2 |
| 15063 | Effects of occupancy estimation on abundanceâ€“occupancy relationships. <i>Biology Letters</i> , 2022, 18, . | 1.0 | 5 |
| 15064 | Factors Influencing Bacterial and Fungal Skin Communities of Montane Salamanders of Central Mexico. <i>Microbial Ecology</i> , 2023, 86, 670-686. | 1.4 | 4 |
| 15065 | Fourteen new <i>Polyhucleobacter</i> species: <i>P. brandtia</i> sp. nov., <i>P. kasalickyi</i> sp. nov., <i>P. antarcticus</i> sp. nov., <i>P. arcticus</i> sp. nov., <i>P. tropicus</i> sp. nov., <i>P. bastaniensis</i> sp. nov., <i>P. corsicus</i> sp. nov., <i>P. finlandensis</i> sp. nov., <i>P. ibericus</i> sp. nov., <i>P. hallstattensis</i> sp. nov., <i>P. alcilacus</i> sp. nov., <i>P. nymphae</i> sp. nov., <i>P. paludilacus</i> sp. nov. and <i>P. parvulilacunae</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, . | 0.8 | 47 |
| 15066 | Distribution and habitat use of the endemic Yungas Guan <i>Penelope bridgesi</i> in the Southern Yungas of Argentina. <i>Bird Conservation International</i> , 0, , 1-14. | 0.7 | 0 |
| 15067 | Exploring transformational adaptation strategy through agricultural policy reform in the Philippines. <i>Food Security</i> , 0, , . | 2.4 | 0 |
| 15068 | Ecotype Division and Chemical Diversity of <i>Cynomorium songaricum</i> from Different Geographical Regions. <i>Molecules</i> , 2022, 27, 3967. | 1.7 | 2 |
| 15069 | Subtle Effects of Experimental Grassland Fragmentation on Density, Species Composition and Functional Dispersion of Gastropods. <i>Diversity</i> , 2022, 14, 474. | 0.7 | 2 |
| 15070 | Updated Trewartha climate classification with four climate change scenarios. <i>Geographical Journal</i> , 2022, 188, 506-517. | 1.6 | 10 |
| 15071 | Climatic Niche of Vegetation Greenness Is Likely to Be Conservative in Degraded Land. <i>Land</i> , 2022, 11, 894. | 1.2 | 1 |
| 15072 | Modeling Potential Impacts on Regional Climate Due to Land Surface Changes across Mongolia Plateau. <i>Remote Sensing</i> , 2022, 14, 2947. | 1.8 | 5 |
| 15073 | Climate change on potential suitable areas for typical Pinaceae species on the Western Sichuan Plateau. <i>Geocarto International</i> , 2022, 37, 14739-14757. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15074 | Conservation value of vanilla agroecosystems for vertebrate diversity in north-east Madagascar. <i>Oryx</i> , 2023, 57, 118-128. | 0.5 | 3 |
| 15075 | Gridded maps of wetlands dynamics over mid-low latitudes for 1980â€“2020 based on TOPMODEL. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 7 |
| 15076 | Climate change and range restriction of common salamanders in eastern Canada and the United States. <i>Journal of Wildlife Management</i> , 2022, 86, . | 0.7 | 0 |
| 15077 | Extreme environments filter functionally rich communities of Atlantic Forest treefrogs along altitudinal and latitudinal gradients. <i>Ecography</i> , 2022, 2022, . | 2.1 | 0 |
| 15078 | Current and future geographic patterns of bird diversity dimensions of the Yucatan Peninsula and their representativeness in natural protected areas. <i>Neotropical Biodiversity</i> , 2022, 8, 242-252. | 0.2 | 4 |
| 15079 | A Scoping Review of Species Distribution Modeling Methods for Tick Vectors. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 12 |
| 15080 | Climate and human influence shape the interactive role of the honeybee in pollination networks beyond its native distributional range. <i>Basic and Applied Ecology</i> , 2022, 63, 186-195. | 1.2 | 7 |
| 15081 | Global hydro-environmental lake characteristics at high spatial resolution. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 20 |
| 15082 | Environment and climate during the Neanderthal-AMH presence in the Garraf Massif mountain range (northeastern Iberia) from the late Middle Pleistocene to Late Pleistocene inferred from small-vertebrate assemblages. <i>Quaternary Science Reviews</i> , 2022, 288, 107595. | 1.4 | 3 |
| 15083 | Linking species distribution and territorial planning to the management of the endangered <i>Gonopterodendron sarmientoi</i> in native forests of the Chaco region, Argentina. <i>Journal for Nature Conservation</i> , 2022, 68, 126220. | 0.8 | 0 |
| 15084 | Natural versus anthropogenic controls on the dissolved organic matter chemistry in lakes across China: Insights from optical and molecular level analyses. <i>Water Research</i> , 2022, 221, 118779. | 5.3 | 16 |
| 15085 | Genomic data reveal local endemism in Southern California Rubber Boas (Serpentes: Boidae, Charina) and the critical need for enhanced conservation actions. <i>Molecular Phylogenetics and Evolution</i> , 2022, 174, 107542. | 1.2 | 2 |
| 15086 | Mid-Holocene high-resolution temperature and precipitation gridded reconstructions over China: Implications for elevation-dependent temperature changes. <i>Earth and Planetary Science Letters</i> , 2022, 593, 117656. | 1.8 | 7 |
| 15087 | Potential impact of climate change on the distribution and conservation status of <i>Pterocarpus marsupium</i> , a Near Threatened South Asian medicinal tree species. <i>Ecological Informatics</i> , 2022, 70, 101722. | 2.3 | 5 |
| 15088 | Review of methods of spatio-temporal evaluation of rainfall erosivity and their correct application. <i>Catena</i> , 2022, 217, 106454. | 2.2 | 11 |
| 15089 | Prediction of Potential Sorghum Suitability Distribution in China Based on Maxent Model. <i>American Journal of Plant Sciences</i> , 2022, 13, 856-871. | 0.3 | 0 |
| 15091 | Flow of Ideas: Economic Societies and the Rise of Useful Knowledge. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 15093 | Deciphering the cryptic nature of European rock-dwelling <i>Pyramidula</i> snails (Gastropoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 TF | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15114 | Regional and local environment drive biogeographic patterns in intertidal microorganisms. <i>Journal of Biogeography</i> , 2022, 49, 1576-1585. | 1.4 | 3 |
| 15115 | Vegetation classification of Stipa steppes in China, with reference to the International Vegetation Classification. <i>Vegetation Classification and Survey</i> , 0, 3, 121-144. | 0.0 | 4 |
| 15116 | Version 3 of the Global Aridity Index and Potential Evapotranspiration Database. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 151 |
| 15117 | Exceptions to the rule: Relative roles of time, diversification rates and regional energy in shaping the inverse latitudinal diversity gradient. <i>Global Ecology and Biogeography</i> , 2022, 31, 1794-1809. | 2.7 | 7 |
| 15118 | Cosmogenic nuclide and solute flux data from central Cuban rivers emphasize the importance of both physical and chemical mass loss from tropical landscapes. <i>Geochronology</i> , 2022, 4, 435-453. | 1.0 | 3 |
| 15119 | Acoustic species distribution models (<sc>aSDMs</sc>): A framework to forecast shifts in calling behaviour under climate change. <i>Methods in Ecology and Evolution</i> , 2022, 13, 2275-2288. | 2.2 | 3 |
| 15120 | Overview of Current Research on Wolves in Russia. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 0 |
| 15121 | Integrative Phylogeography Reveals Conservation Priorities for the Giant Anteater <i>Myrmecophaga tridactyla</i> in Brazil. <i>Diversity</i> , 2022, 14, 542. | 0.7 | 2 |
| 15122 | Range-wide and regional distribution of the Western Tragopan <i>Tragopan melanocephalus</i> and effects of disturbance on local abundances. <i>Bird Conservation International</i> , 2023, 33, . | 0.7 | 1 |
| 15123 | Dominated Taxonomic and Phylogenetic Turnover but Functional Nestedness of Wetland Bird Beta Diversity in North China. <i>Land</i> , 2022, 11, 1090. | 1.2 | 0 |
| 15124 | Paninvasion severity assessment of a U.S. grape pest to disrupt the global wine market. <i>Communications Biology</i> , 2022, 5, . | 2.0 | 8 |
| 15125 | Applying the UDA-ODA discrimination technique to a herpetological association: the case of the Middle Palaeolithic site of El Salt (Alcoi, Spain). <i>Archaeological and Anthropological Sciences</i> , 2022, 14, . | 0.7 | 5 |
| 15126 | Exploratory stock identification through morphometric trait analysis of the estuarine roundâ€herring, <i>Gilchristella aestuaria</i> (Pisces: Clupeidae). <i>Journal of Fish Biology</i> , 0, , . | 0.7 | 1 |
| 15127 | GPRChinaTemp1km: a high-resolution monthly air temperature data set for China (1951â€2020) based on machine learning. <i>Earth System Science Data</i> , 2022, 14, 3273-3292. | 3.7 | 15 |
| 15128 | Niche shift in invasive species: is it a case of â€home away from homeâ€ or finding a â€new homeâ€?. <i>Biodiversity and Conservation</i> , 2022, 31, 2625-2638. | 1.2 | 4 |
| 15130 | Robustness of fecal DNA spatial captureâ€recapture to clustered spaceâ€use by tule elk. <i>Journal of Wildlife Management</i> , 2022, 86, . | 0.7 | 3 |
| 15131 | Ecological niche and potential geographic distributions of <i>Dermacentor marginatus</i> and <i>Dermacentor reticulatus</i> (Acari: Ixodidae) under current and future climate conditions. <i>Web Ecology</i> , 2022, 22, 33-45. | 0.4 | 7 |
| 15132 | A novel multivariate ecological approach to modeling freshwater mussel habitats verified by ground truthing. <i>Hydrobiologia</i> , 0, , . | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15133 | Potential Current and Future Distribution of the Long-Whiskered Owlet (<i>Xenoglaux loweryi</i>) in Amazonas and San Martin, NW Peru. <i>Animals</i> , 2022, 12, 1794. | 1.0 | 5 |
| 15134 | Post-introduction evolution of a rapid life-history strategy in a newly invasive plant. <i>Ecology</i> , 2022, 103, . | 1.5 | 5 |
| 15135 | The Common Hamster <i>Cricetus cricetus</i> L., 1758 in Western Siberia: the species' past, present and future. <i>South of Russia: Ecology, Development</i> , 2022, 17, 6-18. | 0.1 | 0 |
| 15136 | Computer vision for assessing species color pattern variation from web-based community science images. <i>IScience</i> , 2022, 25, 104784. | 1.9 | 8 |
| 15137 | Climate and mycorrhizae mediate the relationship of tree species diversity and carbon stocks in subtropical forests. <i>Journal of Ecology</i> , 2022, 110, 2462-2474. | 1.9 | 7 |
| 15138 | Spatiotemporal Evolution of Landscape Patterns and Their Driving Forces Under Optimal Granularity and the Extent at the County and the Environmental Functional Regional Scales. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 5 |
| 15139 | Environment suitability mapping of livestock: A case study of Ethiopian indigenous sheep and goats. <i>Small Ruminant Research</i> , 2022, 216, 106775. | 0.6 | 4 |
| 15140 | Climatic comparison of the gray wolf (<i>Canis lupus</i>) subspecies in North America using niche-based distribution models and its implications for conservation programs. <i>Journal of Mammalogy</i> , 0, , . | 0.6 | 0 |
| 15141 | Potential for invasion of traded birds under climate and land-cover change. <i>Global Change Biology</i> , 2022, 28, 5654-5666. | 4.2 | 11 |
| 15142 | Genotype-environment associations across spatial scales reveal the importance of putative adaptive genetic variation in divergence. <i>Evolutionary Applications</i> , 2022, 15, 1390-1407. | 1.5 | 3 |
| 15143 | Nowhere to go: Potential distribution shifts of a widespread lizard under two climate change scenarios. <i>Ecological Informatics</i> , 2022, 70, 101735. | 2.3 | 6 |
| 15144 | Predicting distributions of blacklegged ticks (<i>Ixodes scapularis</i>), Lyme disease spirochetes (<i>Borrelia</i>) Tj ETQq1 1 0.784314 rgBT /Overl... Tick-borne Diseases, 2022, 13, 102000. | 1.1 | 8 |
| 15145 | Forecasting the potential distribution of <i>Spodoptera exigua</i> and <i>S. littoralis</i> (Lepidoptera, Noctuidae) in Iran. <i>Journal of Asia-Pacific Entomology</i> , 2022, 25, 101956. | 0.4 | 1 |
| 15146 | Shell size differences in <i>Helix lucorum</i> Linnaeus, 1758 (Mollusca: Gastropoda) between natural and urban environments. <i>Turkish Journal of Zoology</i> , 0, , . | 0.4 | 0 |
| 15147 | Zonificación basada en la respuesta de ecosistemas a oscilaciones climáticas. <i>Revista Estudios Ambientales</i> , 2021, 2, 4-24. | 0.0 | 0 |
| 15148 | Forest tree species distribution for Europe 2000-2020: mapping potential and realized distributions using spatiotemporal machine learning. <i>PeerJ</i> , 0, 10, e13728. | 0.9 | 13 |
| 15149 | Ecological niches, endemism and conservation of the species in <i>Selenicereus</i> (Hylocereeae, Cactaceae). <i>Revista Brasileira De Botanica</i> , 2022, 45, 1149-1160. | 0.5 | 1 |
| 15150 | Evolutionary history of grazing and resources determine herbivore exclusion effects on plant diversity. <i>Nature Ecology and Evolution</i> , 2022, 6, 1290-1298. | 3.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15151 | Spatial variability and uncertainty of soil nitrogen across the conterminous United States at different depths. <i>Ecosphere</i> , 2022, 13, . | 1.0 | 6 |
| 15152 | New record of the bat falcon (<i>Falco ruficularis</i>) in northeastern Brazil: Implications for its future distribution under climate change. , 0, , . | | 0 |
| 15153 | A phylogeographic assessment of the greater kudu (<i>Tragelaphus strepsiceros</i>) across South Africa. <i>Conservation Genetics</i> , 2022, 23, 919-933. | 0.8 | 2 |
| 15154 | Micro and macroclimatic constraints on the activity of a vulnerable tortoise: A mechanistic approach under a thermal niche view. <i>Functional Ecology</i> , 2022, 36, 2227-2239. | 1.7 | 6 |
| 15155 | Amphibian phylogenetic diversity in the face of future climate change: not so good news for the Chilean biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2022, 31, 2587-2603. | 1.2 | 3 |
| 15156 | Climate change and cocoyam (<i>Colocasia esculenta</i> (L.) Schott) production: assessing impacts and potential adaptation strategies in Zimbabwe. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2022, 27, . | 1.0 | 5 |
| 15157 | Climate matching and anthropogenic factors contribute to the colonization and extinction of local populations during avian invasions. <i>Diversity and Distributions</i> , 2022, 28, 1908-1921. | 1.9 | 2 |
| 15158 | Palaeoecological evidence of pollen morphological changes: A climate change adaptation strategy?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111157. | 1.0 | 3 |
| 15160 | Comportamiento de nidificación, notas taxonómicas y distribución potencial de <i>Paratrigona eutaeniata</i> (Hymenoptera: Apidae, Meliponini). <i>Revista Colombiana De Entomología</i> , 2010, 36, 325-332. | 0.1 | 5 |
| 15161 | Veranadas sin frontera. Etnografía de pastores en el Centro-Oeste argentino. <i>Revista Del Museo De Antropología</i> , 0, , 133-146. | 0.2 | 4 |
| 15162 | Biogeographic implication of temperature-induced plant cell wall lignification. <i>Communications Biology</i> , 2022, 5, . | 2.0 | 12 |
| 15163 | Eucalypt Recruitment and Invasion Potential in Protected Areas of the Iberian Peninsula under Current and Future Climate Conditions. <i>Forests</i> , 2022, 13, 1199. | 0.9 | 2 |
| 15164 | Integrating temperature-dependent development and reproduction models for predicting population growth of the coffee berry borer, <i>Hypothenemus hampei</i> Ferrari. <i>Bulletin of Entomological Research</i> , 2023, 113, 79-85. | 0.5 | 1 |
| 15165 | Ecological Niche Modeling of Water Lily (<i>Nymphaea</i> L.) Species in Australia under Climate Change to Ascertain Habitat Suitability for Conservation Measures. <i>Plants</i> , 2022, 11, 1874. | 1.6 | 6 |
| 15166 | Modeling the distribution of coprophagous beetle species in the Western Swiss Alps. <i>Alpine Entomology</i> , 0, 6, 25-38. | 0.2 | 0 |
| 15167 | Soil carbon sequestration potential in global croplands. <i>PeerJ</i> , 0, 10, e13740. | 0.9 | 16 |
| 15168 | Italian reference rivers under the Water Framework Directive umbrella: do natural factors actually depict the observed nutrient conditions?. <i>Environmental Sciences Europe</i> , 2022, 34, . | 2.6 | 4 |
| 15169 | A framework for integrating inferred movement behavior into disease risk models. <i>Movement Ecology</i> , 2022, 10, . | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15170 | Predicting &Tectona grandis& Suitability to Evaluate Potential Plantation Areas under Future Climate on Java, Indonesia. <i>Japan Agricultural Research Quarterly</i> , 2022, 56, 269-281. | 0.1 | 2 |
| 15171 | The combination of genomic offset and niche modelling provides insights into climate change-driven vulnerability. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 10 |
| 15172 | Phylogeography of the desert scorpion illuminates a route out of Central Asia. <i>Environmental Epigenetics</i> , 2023, 69, 442-455. | 0.9 | 1 |
| 15173 | Biogeographic patterns of polyploid species for the angiosperm flora in China. <i>Journal of Systematics and Evolution</i> , 2023, 61, 776-789. | 1.6 | 2 |
| 15174 | Checking bioclimatic variables that combine temperature and precipitation data before their use in species distribution models. <i>Austral Ecology</i> , 2022, 47, 1506-1514. | 0.7 | 35 |
| 15175 | Predicting negative Effects of Climate Change on Taiwan's endemic Bumblebee <i>Bombus formosellus</i> . <i>Journal of Insect Conservation</i> , 2023, 27, 193-203. | 0.8 | 3 |
| 15176 | Niche conservatism and evolution of climatic tolerance in the Neotropical orchid genera <i>Sobralia</i> and <i>Brasolia</i> (Orchidaceae). <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 2 |
| 15178 | Predicting habitat suitability and niche dynamics of <i>Dactylorhiza hatagirea</i> and <i>Rheum webbianum</i> in the Himalaya under projected climate change. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 14 |
| 15179 | Mapping the Indian crested porcupine across Iraq: the benefits of species distribution modelling when species data are scarce. <i>Mammalian Biology</i> , 2022, 102, 1851-1866. | 0.8 | 2 |
| 15181 | Estimation of unrecorded groundwater abstractions in Jordan through regional groundwater modelling. <i>Hydrogeology Journal</i> , 0, , . | 0.9 | 3 |
| 15183 | Climate resilient agriculture and enhancing food production: Field experience from Agusan del Norte, Caraga Region, Philippines. <i>Frontiers in Sustainable Food Systems</i> , 0, 6, . | 1.8 | 0 |
| 15184 | Evidence of climate-driven selection on tree traits and trait plasticity across the climatic range of a riparian foundation species. <i>Molecular Ecology</i> , 2022, 31, 5024-5040. | 2.0 | 6 |
| 15185 | Tracking changes in extent and distribution of tropical coastal covers using simple semi-supervised classification. <i>Remote Sensing Applications: Society and Environment</i> , 2022, 27, 100822. | 0.8 | 0 |
| 15186 | Seasonal climatic niche and migration movements of Double-crested Cormorants. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 0 |
| 15188 | Spatio-temporal changes in chimpanzee density and abundance in the Greater Mahale Ecosystem, Tanzania. <i>Ecological Applications</i> , 2022, 32, . | 1.8 | 4 |
| 15189 | Endemik Yaprak Bıçceği, <i>Psylliodes anatolicus</i> Gök ve İlboroğlu 2004'un (Coleoptera: Chrysomelidae) Türkiye'deki Zimdiki ve Gelecekteki Dağılım Alanının Tahmin Edilmesi. <i>Journal of Natural and Applied Sciences</i> , 2022, 26, 285-291. | 0.1 | 0 |
| 15190 | Influence of soil and elevation on roadside cryptogam diversity in the tropical Andes. <i>Forest Ecosystems</i> , 2022, 9, 100061. | 1.3 | 1 |
| 15193 | Genetic Diversity, Population Structure, and Conservation Units of <i>Castanopsis sclerophylla</i> (Fagaceae). <i>Forests</i> , 2022, 13, 1239. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15194 | Identifying Suitable Restoration and Conservation Areas for <i>Dracaena cinnabari</i> Balf.f. in Socotra, Yemen. <i>Forests</i> , 2022, 13, 1276. | 0.9 | 2 |
| 15195 | Climate change-induced distributional change of medicinal and aromatic plants in the Nepal Himalaya. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 14 |
| 15196 | The role of ecological and geographical drivers of lineage diversification in the Squirrel cuckoo <i>Piaya cayana</i> in Mexico: a mitochondrial DNA perspective. <i>Journal of Ornithology</i> , 2023, 164, 37-53. | 0.5 | 2 |
| 15197 | Drought index predictability for historical and future periods across the Southern plain of Nepal Himalaya. <i>Environmental Monitoring and Assessment</i> , 2022, 194, . | 1.3 | 3 |
| 15198 | Correlations between photosynthetic heat tolerance and leaf anatomy and climatic niche in Asian mangrove trees. <i>Plant Biology</i> , 2022, 24, 960-966. | 1.8 | 6 |
| 15199 | Modelling the distribution of <i>Oxytenanthera abyssinica</i> (A. Richard) under changing climate: implications for future dryland ecosystem restoration. <i>Heliyon</i> , 2022, 8, e10393. | 1.4 | 1 |
| 15200 | Potential geographic distribution and ecological niche of New World dobsonflies (Megaloptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 | 0.6 | 0 |
| 15201 | Extended SLIC superpixels algorithm for applications to non-imagery geospatial rasters. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2022, 112, 102935. | 0.9 | 4 |
| 15202 | Projected bioclimatic distributions in Nearctic <i>Bovidae</i> signal the potential for reduced overlap with protected areas. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 15203 | Trees planted under a global restoration pledge have mixed futures under climate change. <i>Restoration Ecology</i> , 2023, 31, . | 1.4 | 4 |
| 15204 | Temperate and tropical lizards are vulnerable to climate warming due to increased water loss and heat stress. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, . | 1.2 | 8 |
| 15205 | Genomic-environmental associations in wild cranberry (<i>Vaccinium macrocarpon</i> Ait.). <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, . | 0.8 | 4 |
| 15206 | Genotype-environment associations to reveal the molecular basis of environmental adaptation. <i>Plant Cell</i> , 2023, 35, 125-138. | 3.1 | 24 |
| 15208 | Melanism in a Wild Sifaka Population: Darker Where Cold and Fragmented. <i>International Journal of Primatology</i> , 2023, 44, 74-93. | 0.9 | 0 |
| 15209 | Statistically enriched geospatial datasets of Brazilian municipalities for data-driven modeling. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 5 |
| 15210 | Climate Change, Agriculture, and Biodiversity: How Does Shifting Agriculture Affect Habitat Availability?. <i>Land</i> , 2022, 11, 1257. | 1.2 | 3 |
| 15211 | Genetic diversity, lineage divergence, and demography of <i>Diaphanosoma dubium</i> (Crustacea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 | 1.0 | 3 |
| 15212 | Predicting the potential distribution of four endangered holoparasites and their primary hosts in China under climate change. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15213 | Climate Constrains Photosynthetic Strategies in Darwin's Daisies: A Test of the Climatic Variability and Jack-of-All-Trades Hypotheses. <i>American Naturalist</i> , 2023, 201, 78-90. | 1.0 | 2 |
| 15214 | How city traits affect taxonomic and functional diversity of urban wild bee communities: insights from a worldwide analysis. <i>Apidologie</i> , 2022, 53, . | 0.9 | 10 |
| 15215 | Assessing the Effectiveness of Correlative Ecological Niche Model Temporal Projection through Floristic Data. <i>Biology</i> , 2022, 11, 1219. | 1.3 | 2 |
| 15217 | Developing a high-resolution gridded rainfall product for Bangladesh during 1901–2018. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 5 |
| 15218 | Assisted migration and the rare endemic plant species: the case of two endangered Mexican spruces. <i>PeerJ</i> , 0, 10, e13812. | 0.9 | 3 |
| 15219 | Understanding the summer roosting habitat selection of the greater mouse-tailed bat (<i>Rhinopoma</i>) Tj ETQq1 1 0.784314 rgBT /Overl... 2022, 67, 483-497. | 0.6 | 1 |
| 15220 | Mapping the distribution and extent of India's semi-arid open natural ecosystems. <i>Journal of Biogeography</i> , 2023, 50, 1377-1387. | 1.4 | 10 |
| 15221 | Postfire futures in southwestern forests: Climate and landscape influences on trajectories of recovery and conversion. <i>Ecological Applications</i> , 2023, 33, . | 1.8 | 8 |
| 15222 | Allopolyploid origin and niche expansion of <i>Rhodiola integrifolia</i> (Crassulaceae). <i>Plant Diversity</i> , 2023, 45, 36-44. | 1.8 | 3 |
| 15223 | Truly Absent or Sampling Gaps? Insights on the Potential Distribution of <i>Duttaphrynus hololius</i> (Günther, 1876) from Peninsular India. <i>Current Herpetology</i> , 2022, 41, . | 0.5 | 0 |
| 15224 | Population genomics reveal deep divergence and strong geographical structure in gentians in the Hengduan Mountains. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 3 |
| 15226 | Diversification and trait evolution in New Zealand woody lineages across changing biomes. <i>Journal of the Royal Society of New Zealand</i> , 2024, 54, 98-123. | 1.0 | 1 |
| 15227 | A dataset of lake-catchment characteristics for the Tibetan Plateau. <i>Earth System Science Data</i> , 2022, 14, 3791-3805. | 3.7 | 12 |
| 15228 | Characteristic Analysis of the Spatio-Temporal Distribution of Key Variables of the Soil Freeze–Thaw Processes over Heilongjiang Province, China. <i>Water (Switzerland)</i> , 2022, 14, 2573. | 1.2 | 3 |
| 15229 | Using Routinely Collected Health Records to Identify the Fine-Resolution Spatial Patterns of Soil-Transmitted Helminth Infections in Rwanda. <i>Tropical Medicine and Infectious Disease</i> , 2022, 7, 202. | 0.9 | 4 |
| 15230 | Demographic history, local adaptation and vulnerability to climate change in a tropical mountain bird in New Guinea. <i>Diversity and Distributions</i> , 0, , . | 1.9 | 1 |
| 15231 | Establishment of an allotetraploid fern species, <i>Lepisorus yamaokae</i> Seriz., between two highly niche-differentiated parental species. <i>American Journal of Botany</i> , 2022, 109, 1456-1471. | 0.8 | 2 |
| 15232 | Favourable climatic niche in low elevations outside the flood zone characterises the distribution pattern of venomous snakes in Bangladesh. <i>Journal of Tropical Ecology</i> , 0, , 1-14. | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15233 | Pollinator Species at Risk from the Expansion of Avocado Monoculture in Central Mexico. <i>Conservation</i> , 2022, 2, 457-472. | 0.8 | 1 |
| 15234 | The Potential Effect of Climate Change on the Distribution of Endemic Anurans from Mexico's Tropical Dry Forest. <i>Diversity</i> , 2022, 14, 650. | 0.7 | 2 |
| 15235 | A Multivariate Regression Model to Explain the Altitudinal Distribution of Timberlines on the Eurasian Continent. <i>Acta Societatis Botanicorum Poloniae</i> , 0, 91, . | 0.8 | 0 |
| 15236 | Predicting the potential geographical distribution of <i>Ageratina adenophora</i> in China using equilibrium occurrence data and ensemble model. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 2 |
| 15237 | Potential spatiotemporal distribution changes and conservation recommendations of two connected endangered tree peony species (<i>Paeonia decomposita</i> & <i>P. rotundiloba</i>). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2022, 294, 152131. | 0.6 | 2 |
| 15238 | Reconstruction of Last Glacial Maximum glaciers and palaeoclimate in the central Taurus Range, Mt. Karanfil, of the Eastern Mediterranean. <i>Quaternary Science Reviews</i> , 2022, 291, 107656. | 1.4 | 7 |
| 15239 | Identifying long-term stable refugia for dominant <i>Castanopsis</i> species of evergreen broad-leaved forests in East Asia: A tool for ensuring their conservation. <i>Biological Conservation</i> , 2022, 273, 109663. | 1.9 | 5 |
| 15240 | Genetic isolation between conspecific populations and their relationship to climate heterogeneity. <i>Acta Oecologica</i> , 2022, 116, 103847. | 0.5 | 1 |
| 15241 | Examining surface water $\delta^{18}O$ and δ^2H values in the western Central Andes: A watershed moment for anthropological mobility studies. <i>Journal of Archaeological Science</i> , 2022, 146, 105655. | 1.2 | 0 |
| 15242 | Principal bioclimatic variables of ten dominant plant species in Korea wetland using the Maxent model. <i>Ecological Engineering</i> , 2022, 183, 106729. | 1.6 | 4 |
| 15243 | Using niche modelling and human influence index to indicate conservation priorities for Atlantic forest deer species. <i>Journal for Nature Conservation</i> , 2022, 69, 126262. | 0.8 | 1 |
| 15244 | Modeling impacts of climate change on the potential distribution of three endemic <i>Aloe</i> species critically endangered in East Africa. <i>Ecological Informatics</i> , 2022, 71, 101765. | 2.3 | 9 |
| 15245 | Past, present and future distribution of the yellow fever mosquito <i>Aedes aegypti</i> : The European paradox. <i>Science of the Total Environment</i> , 2022, 847, 157566. | 3.9 | 6 |
| 15246 | Contradictory effect of climate change on American and European populations of <i>Impatiens capensis</i> Meerb. - is this herb a global threat?. <i>Science of the Total Environment</i> , 2022, 850, 157959. | 3.9 | 6 |
| 15247 | Reconstruction of 0.05 $^{\circ}$ all-sky daily maximum air temperature across Eurasia for 2003â€“2018 with multi-source satellite data and machine learning models. <i>Atmospheric Research</i> , 2022, 279, 106398. | 1.8 | 6 |
| 15249 | Ecosystems Services Provided by Bats Are at Risk in Brazil. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 3 |
| 15250 | Ungulate herbivores as drivers of aspen recruitment and understory composition throughout arid montane landscapes. <i>Ecosphere</i> , 2022, 13, . | 1.0 | 2 |
| 15251 | Feedbacks between sea-floor spreading, trade winds and precipitation in the Southern Red Sea. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15252 | Understanding the spatio-temporal dynamics of <i>Anadenanthera colubrina</i> var. <i>cebil</i> in the biogeographical context of Neotropical seasonally dry forest. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2022, 295, 152149. | 0.6 | 3 |
| 15253 | Marginality indices for biodiversity conservation in forest trees. <i>Ecological Indicators</i> , 2022, 143, 109367. | 2.6 | 7 |
| 15254 | Response of the invasive plant <i>Ailanthus altissima</i> (Mill.) Swingle and its two important natural enemies (<i>Eucryptorrhynchus scrobiculatus</i> (Motschulsky) and <i>E. brandti</i> (Harold)) to climate change. <i>Ecological Indicators</i> , 2022, 143, 109408. | 2.6 | 3 |
| 15255 | Global progress in climate change and biodiversity conservation research. <i>Global Ecology and Conservation</i> , 2022, 38, e02272. | 1.0 | 11 |
| 15256 | Identification of potential cultivation areas for centelloside-specific elite chemotypes of <i>Centella asiatica</i> (L.) using ecological niche modeling. <i>Industrial Crops and Products</i> , 2022, 188, 115657. | 2.5 | 6 |
| 15257 | Modeling potential site productivity for <i>Austrocedrus chilensis</i> trees in northern Patagonia (Argentina). <i>Forest Ecology and Management</i> , 2022, 524, 120525. | 1.4 | 4 |
| 15258 | Assessing spatial patterns and drivers of burn severity in subtropical forests in Southern China based on Landsat 8. <i>Forest Ecology and Management</i> , 2022, 524, 120515. | 1.4 | 6 |
| 15259 | Genetic differentiation, demographic history and distribution models of high alpine endemic vicariants outline the response of species to predicted climate changes in a Central Asian biodiversity hotspot. <i>Ecological Indicators</i> , 2022, 144, 109419. | 2.6 | 11 |
| 15260 | Tree species diversity analysis using species distribution models: A <i>Faidherbia albida</i> parkland case study in Senegal. <i>Ecological Indicators</i> , 2022, 144, 109443. | 2.6 | 3 |
| 15261 | Ecological niche modeling of interactions in a buzz-pollinated invasive weed. <i>Global Ecology and Conservation</i> , 2022, 39, e02279. | 1.0 | 4 |
| 15262 | Monitoring changes in global soil organic carbon stocks from space. <i>Remote Sensing of Environment</i> , 2022, 281, 113260. | 4.6 | 28 |
| 15263 | Correlations between ecological factors and the chemical compositions of mountainous forest cultivated ginseng. <i>Journal of Food Composition and Analysis</i> , 2022, 114, 104867. | 1.9 | 3 |
| 15264 | The impact of climate change and potential distribution of the endangered white winged wood duck (<i>Asarcornis scutulata</i> , 1882) in Indian eastern Himalaya. <i>Journal for Nature Conservation</i> , 2022, 70, 126279. | 0.8 | 6 |
| 15265 | Spatio-temporal assessment of rainfall erosivity in Ecuador based on RUSLE using satellite-based high frequency GPM-IMERG precipitation data. <i>Catena</i> , 2022, 219, 106597. | 2.2 | 11 |
| 15266 | Spatial Analysis of Climate in Winegrape Growing Regions in the Western United States. <i>American Journal of Enology and Viticulture</i> , 2010, 61, 313-326. | 0.9 | 164 |
| 15267 | Prediction of the natural distribution, habitat and conservation of <i>Stryphnodendron pulcherrimum</i> (Willd.) Hochr. in response to global climate change. <i>Pesquisa Agropecuaria Tropical</i> , 0, 52, . | 1.0 | 4 |
| 15268 | Overview of LifeCLEF 2022: An Evaluation of Machine-Learning Based Species Identification and Species Distribution Prediction. <i>Lecture Notes in Computer Science</i> , 2022, , 257-285. | 1.0 | 7 |
| 15269 | Species Richness and Beta Diversity Patterns of American Marsupials. , 2022, , 1-16. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15270 | Systematics and Climatic Preferences of Bertolonieae and Trioleneae. , 2022, , 275-289. | | 0 |
| 15271 | World soil map based on soil taxonomy. , 2023, , 218-231. | | 1 |
| 15272 | Methodology for Ecological Analysis. , 2022, , 33-54. | | 0 |
| 15273 | Simulation and Prediction of the Potential Geographical Distribution of <i>Acer cordatum</i> Pax in Different Climate Scenarios. <i>Forests</i> , 2022, 13, 1380. | 0.9 | 7 |
| 15274 | Vegetation Dynamics in the Qinling-Daba Mountains through Climate Warming with Land-Use Policy. <i>Forests</i> , 2022, 13, 1361. | 0.9 | 5 |
| 15275 | Modelling relative abundance of <i>Oligoryzomys flavescens</i> , an <i>Orthohantavirus</i> reservoir, in an endemic hantavirus pulmonary syndrome zone. <i>Zoonoses and Public Health</i> , 2023, 70, 13-21. | 0.9 | 1 |
| 15276 | Fire Dynamics of the Bolivian Amazon. <i>Land</i> , 2022, 11, 1436. | 1.2 | 7 |
| 15277 | Circum-Arctic distribution of chemical anti-herbivore compounds suggests biome-wide trade-off in defence strategies in Arctic shrubs. <i>Ecography</i> , 2022, 2022, . | 2.1 | 2 |
| 15278 | Andean rain shadow effect drives phenotypic variation in a widely distributed Austral rodent. <i>Journal of Biogeography</i> , 2022, 49, 1767-1778. | 1.4 | 3 |
| 15279 | Divergence amid recurring gene flow: complex demographic histories for two North American pine species (<i>Pinus pungens</i> and <i>P. rigida</i>) fit growing expectations among forest trees. <i>Tree Genetics and Genomes</i> , 2022, 18, . | 0.6 | 2 |
| 15280 | The evolution of insular woodiness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 3.3 | 18 |
| 15281 | Spatial Prediction Models for Soil Stoichiometry in Complex Terrains: A Case Study of Schrenk's Spruce Forest in the Tianshan Mountains. <i>Forests</i> , 2022, 13, 1407. | 0.9 | 2 |
| 15282 | Plumage Balances Camouflage and Thermoregulation in Horned Larks (<i>Eremophila alpestris</i>). <i>American Naturalist</i> , 2023, 201, E23-E40. | 1.0 | 7 |
| 15283 | The oases of Baja California Peninsula: overlooked hotspots for wild bees. <i>Journal of Insect Conservation</i> , 0, , . | 0.8 | 1 |
| 15284 | Geostatistical modelling of the distribution, risk and burden of podocooniosis in Kenya. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 0, , . | 0.7 | 0 |
| 15285 | Leaving no stone unturned: three additional new species of <i>Atractus</i> ground snakes (Serpentes.) <i>Tj ETQq1 1 0.784314 rgBJ /Overl</i> | 0.5 | 2 |
| 15286 | Disentangling direct and indirect drivers of farmland biodiversity at landscape scale. <i>Ecology Letters</i> , 2022, 25, 2422-2434. | 3.0 | 10 |
| 15287 | Plant speciation in the Namib Desert: potential origin of a widespread derivative species from a narrow endemic. <i>Plant Ecology and Diversity</i> , 2022, 15, 329-353. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15288 | Nonadaptive molecular evolution of plastome during the speciation of <i>Actaea purpurea</i> and its relatives. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 15289 | The Pyrenees as a cradle of plant diversity: phylogeny, phylogeography and niche modeling of <i>Saxifraga longifolia</i> . <i>Journal of Systematics and Evolution</i> , 0, , . | 1.6 | 0 |
| 15290 | Phylogeographic structure of common sage (<i>Salvia officinalis</i> L.) reveals microrefugia throughout the Balkans and colonizations of the Apennines. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 3 |
| 15291 | Cheer Pheasant (<i>Catreus wallichii</i>) and the Conservation Paradox: Importance of Unprotected Areas. <i>Diversity</i> , 2022, 14, 785. | 0.7 | 4 |
| 15292 | Altitudinal Migration of Species of Fir (<i>Abies</i> spp.) in Adaptation to Climate Change. <i>Water, Air, and Soil Pollution</i> , 2022, 233, . | 1.1 | 26 |
| 15293 | Evolutionary history of marginal habitats regulates the diversity of tree communities in the Atlantic Forest. <i>Annals of Botany</i> , 2023, 131, 261-274. | 1.4 | 2 |
| 15294 | Evaluation of Climate Change Impacts on the Geographic Distribution of <i>Fritillaria imperialis</i> L. (Liliaceae) (Turkey). <i>Acta Societatis Botanicorum Poloniae</i> , 0, 91, . | 0.8 | 0 |
| 15295 | The legacy of forest logging on organic matter inputs and storage in tropical streams. <i>Biotropica</i> , 2023, 55, 40-52. | 0.8 | 3 |
| 15296 | Scale-dependent environmental effects on phenotypic distributions in <i>Heliconius</i> butterflies. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 2 |
| 15297 | Potential worldwide distributions of <i>Neoseiulus californicus</i> and <i>Neoseiulus idaeus</i> (Acari: Phytoseiidae) determined by climatic modelling. <i>International Journal of Acarology</i> , 2022, 48, 494-502. | 0.3 | 1 |
| 15298 | Ensemble modeling to predict the impact of future climate change on the global distribution of <i>Olea europaea</i> subsp. <i>cuspidata</i> . <i>Frontiers in Forests and Global Change</i> , 0, 5, . | 1.0 | 4 |
| 15299 | More time for aliens? Performance shifts lead to increased activity time budgets propelling invasion success. <i>Biological Invasions</i> , 2023, 25, 267-283. | 1.2 | 2 |
| 15301 | Old climatically-buffered infertile landscapes (OCBILs): more than harsh habitats, Atlantic Forest inselbergs can be drivers of evolutionary diversity. <i>Journal of Mountain Science</i> , 2022, 19, 2528-2543. | 0.8 | 2 |
| 15302 | Zero-Inflated Beta Distribution Regression Modeling. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2023, 28, 117-137. | 0.7 | 4 |
| 15303 | The establishment of ecological conservation for herpetofauna species in hotspot areas of South Korea. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 10 |
| 15304 | Biodiversity patterns diverge along geographic temperature gradients. <i>Global Change Biology</i> , 2023, 29, 603-617. | 4.2 | 7 |
| 15307 | The Genomic Landscapes of Desert Birds Form over Multiple Time Scales. <i>Molecular Biology and Evolution</i> , 2022, 39, . | 3.5 | 7 |
| 15308 | Evaluation of animal and plant diversity suggests Greenland's thaw hastens the biodiversity crisis. <i>Communications Biology</i> , 2022, 5, . | 2.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15309 | Factors driving human-wild pig interactions: implications for wildlife conflict management in southern parts of India. <i>Biological Invasions</i> , 2023, 25, 221-235. | 1.2 | 4 |
| 15310 | Detection of <i>Toxoplasma gondii</i> oocysts in soil and risk mapping in an island environment in the Northeast of Brazil. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 3457-3467. | 1.3 | 4 |
| 15311 | Analysis of niche shift and potential suitable distributions of <i>Dendrobium</i> under the impact of global climate change. <i>Environmental Science and Pollution Research</i> , 2023, 30, 11978-11993. | 2.7 | 5 |
| 15312 | How regulating and cultural services of ecosystems have changed over time in Italy. <i>One Ecosystem</i> , 0, 7, . | 0.0 | 0 |
| 15313 | Plio-Pleistocene climatic change drives allopatric speciation and population divergence within the <i>Scrophularia incisa</i> complex (<i>Scrophulariaceae</i>) of desert and steppe subshrubs in Northwest China. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 6 |
| 15314 | Whole-genome resequencing reveals the origin of tea in Lincang. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 2 |
| 15315 | Spotting what's important: Priority areas, connectivity, and conservation of the Northern Tiger Cat (<i>Leopardus tigrinus</i>) in Colombia. <i>PLoS ONE</i> , 2022, 17, e0273750. | 1.1 | 4 |
| 15316 | Inferring past refugia and range dynamics through the integration of fossil, niche modelling and genomic data. <i>Journal of Biogeography</i> , 2022, 49, 2064-2076. | 1.4 | 4 |
| 15318 | Pattern of Adaptive Divergence in <i>Zingiber kawagooi</i> Hayata (<i>Zingiberaceae</i>) along a Narrow Latitudinal Range. <i>Plants</i> , 2022, 11, 2490. | 1.6 | 2 |
| 15319 | Banco de sementes de Áreas alto-montanas em regeneração natural pós-distúrbio no Planalto Sul-Catarinense. <i>Ciencia Florestal</i> , 2022, 32, 1617-1639. | 0.1 | 0 |
| 15320 | Spatial Patterns and Determinants of Endemic Taxa Richness in the Genus <i>Viburnum</i> (<i>Adoxaceae</i>) in China. <i>Diversity</i> , 2022, 14, 744. | 0.7 | 1 |
| 15321 | Invalidated species distribution models reveal future vulnerabilities of mangroves and salt marsh species. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 4 |
| 15323 | Consistent stabilizing effects of plant diversity across spatial scales and climatic gradients. <i>Nature Ecology and Evolution</i> , 2022, 6, 1669-1675. | 3.4 | 18 |
| 15324 | Influence of Pleistocene climate fluctuations on the demographic history and distribution of the critically endangered Chinese pangolin (<i>Manis pentadactyla</i>). <i>BMC Zoology</i> , 2022, 7, . | 0.3 | 6 |
| 15326 | Natural forest regeneration on anthropized landscapes could overcome climate change effects on the endangered maned sloth (<i>Bradypus torquatus</i> , Illiger 1811). <i>Journal of Mammalogy</i> , 2022, 103, 1383-1396. | 0.6 | 3 |
| 15327 | Variation in Fruit Morphology and Seed Oil Fatty Acid Composition of <i>Camellia oleifera</i> Collected from Diverse Regions in Southern China. <i>Horticulturae</i> , 2022, 8, 818. | 1.2 | 9 |
| 15329 | Amphibian Diversity of the Yucatan Peninsula: Representation in Protected Areas and Climate Change Impacts. <i>Diversity</i> , 2022, 14, 813. | 0.7 | 0 |
| 15330 | Genic distribution modelling predicts adaptation of the bank vole to climate change. <i>Communications Biology</i> , 2022, 5, . | 2.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15331 | Genomic basis of insularity and ecological divergence in barn owls (<i>Tyto alba</i>) of the Canary Islands. <i>Heredity</i> , 2022, 129, 281-294. | 1.2 | 3 |
| 15334 | Ecological niche modelling as a tool to identify candidate indigenous chicken ecotypes of Tigray (Ethiopia). <i>Frontiers in Genetics</i> , 0, 13, . | 1.1 | 2 |
| 15335 | Phylogenomic, morphological and niche differentiation analyses unveil species delimitation and evolutionary history of endangered maples in <i>Acer</i> series <i>Campestris</i> (<i>Sapindaceae</i>). <i>Journal of Systematics and Evolution</i> , 0, , . | 1.6 | 1 |
| 15336 | Spatiotemporal trends of black walnut forest stocking under climate change. <i>Frontiers in Forests and Global Change</i> , 0, 10, . | 1.0 | 3 |
| 15337 | Spatial modeling and ecological suitability of monkeypox disease in Southern Nigeria. <i>PLoS ONE</i> , 2022, 17, e0274325. | 1.1 | 8 |
| 15338 | Global diversity and adaptations of avian eggshell thickness indices. <i>Ibis</i> , 0, , . | 1.0 | 2 |
| 15339 | Phylogenetic and environmental patterns of sex differentiation in physiological traits across <i>Drosophila</i> species. <i>Journal of Evolutionary Biology</i> , 2022, 35, 1548-1557. | 0.8 | 6 |
| 15340 | The extinction of Miocene broad-leaved deciduous <i>Nothofagaceae</i> and loss of seasonal forest biomes in New Zealand. <i>Review of Palaeobotany and Palynology</i> , 2022, , 104779. | 0.8 | 0 |
| 15341 | Stream diatom biodiversity in islands and continents—A global perspective on effects of area, isolation and environment. <i>Journal of Biogeography</i> , 2022, 49, 2156-2168. | 1.4 | 4 |
| 15342 | Performance of high-resolution precipitation datasets CHIRPS and TerraClimate in a Colombian high Andean Basin. <i>Geocarto International</i> , 2024, 37, 17382-17402. | 1.7 | 5 |
| 15343 | Soil organic carbon content increase in the east and south of China is accompanied by soil acidification. <i>Science of the Total Environment</i> , 2023, 857, 159253. | 3.9 | 11 |
| 15344 | Western North American Plants Disjunct in the Great Lakes Region: 40 Years after Marquis and Voss. <i>International Journal of Plant Sciences</i> , 2022, 183, 691-705. | 0.6 | 1 |
| 15345 | Global warming pushes the distribution range of the two alpine “glasshouse” <i>Rheum</i> species north- and upwards in the Eastern Himalayas and the Hengduan Mountains. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 3 |
| 15346 | On Generalized Latent Factor Modeling and Inference for High-Dimensional Binomial Data. <i>Biometrics</i> , 2023, 79, 2311-2320. | 0.8 | 0 |
| 15347 | The potential distribution of <i>Cyclopes didactylus</i> , a silky anteater, reveals a likely unknown population and urgent need for forest conservation in Northeast Brazil. <i>Journal of Tropical Ecology</i> , 2022, 38, 454-461. | 0.5 | 1 |
| 15348 | Stronger niche than dispersal effects on β - and γ -diversity of stream algae, insects, and fish across latitudes in the United States. <i>Global Ecology and Biogeography</i> , 2022, 31, 2453-2462. | 2.7 | 4 |
| 15349 | Religious Festivals and Economic Development: Evidence from the Timing of Mexican Saint Day Festivals. <i>American Economic Review</i> , 2022, 112, 3176-3214. | 4.0 | 9 |
| 15350 | Phenology and plasticity can prevent adaptive clines in thermal tolerance across temperate mountains: The importance of the elevation-time axis. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15351 | Suitable areas for the invasion expansion of <i>Xylocopa</i> bees in South America. <i>Journal of Applied Entomology</i> , 2023, 147, 23-35. | 0.8 | 1 |
| 15352 | Threats to UK freshwaters under climate change: Commonly traded aquatic ornamental species and their potential pathogens and parasites. <i>NeoBiota</i> , 0, 76, 73-108. | 1.0 | 1 |
| 15353 | European starlings expand into Patagonia. Time for action. <i>Global Ecology and Conservation</i> , 2022, 39, e02295. | 1.0 | 1 |
| 15354 | Climate change threatens unique genetic diversity within the Balkan biodiversity hotspot – The case of the endangered stone crayfish. <i>Global Ecology and Conservation</i> , 2022, 39, e02301. | 1.0 | 2 |
| 15355 | Ensemble modeling approach to predict the past and future climate suitability for two mangrove species along the coastal wetlands of peninsular India. <i>Ecological Informatics</i> , 2022, 72, 101819. | 2.3 | 5 |
| 15356 | Frankenplace: An Application for Similarity-Based Place Search. <i>Proceedings of the International AAAI Conference on Weblogs and Social Media</i> , 2012, 6, 616-617. | 1.5 | 2 |
| 15357 | Prediction of the natural distribution and conservation of <i>Urena lobata</i> L. in Brazil. <i>Pesquisa Agropecuaria Tropical</i> , 0, 52, . | 1.0 | 2 |
| 15358 | Forecasting Domestic Water Demand Using Meteorological and Satellite Data: Case Study of Greater Beirut Area. <i>Springer Water</i> , 2022, , 149-169. | 0.2 | 0 |
| 15359 | Leguminosae endemic to the Chaco facing quaternary climate fluctuations. <i>Acta Botanica Brasilica</i> , 0, 36, . | 0.8 | 0 |
| 15361 | Influence of elevation and rainfall on leaf growth, bean characteristics and yield components of arabica and robusta coffee under changing climatic conditions in Karnataka state, India. <i>Journal of Plantation Crops</i> , 0, , 78-84. | 0.1 | 0 |
| 15362 | Transformative changes in tree breeding for resilient forest restoration. <i>Frontiers in Forests and Global Change</i> , 0, 5, . | 1.0 | 5 |
| 15363 | Prevalence and drivers of abrupt vegetation shifts in global drylands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 3.3 | 24 |
| 15364 | Breeding system and geospatial variation shape the population genetics of <i>Triodanis perfoliata</i> . <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 15365 | Linking animal migration and ecosystem processes: Data-driven simulation of propagule dispersal by migratory herbivores. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 5 |
| 15366 | Improved Model-Based Forest Height Inversion Using Airborne L-Band Repeat-Pass Dual-Baseline Pol-InSAR Data. <i>Remote Sensing</i> , 2022, 14, 5234. | 1.8 | 2 |
| 15367 | Modelling Changes in Distribution of the Rheophytic Tree Species <i>Barringtonia acutangula</i> (L.) Gaertn. Due to Climate Change. <i>Wetlands</i> , 2022, 42, . | 0.7 | 2 |
| 15368 | Phylogeography of the common hamster (<i>Cricetus cricetus</i>): paleoclimatic reconstructions of Late Pleistocene colonization. <i>Integrative Zoology</i> , 2023, 18, 581-599. | 1.3 | 3 |
| 15369 | Soil Carbon within the Mangrove Landscape in Rufiji River Delta, Tanzania. <i>Wetlands</i> , 2022, 42, . | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15370 | Morphological and distributional patterns of native and invasive <i>Trifolium</i> (Papilionoideae). <i>Tj ETQq0 0 0 rgBT/Overlock_0 Tf 50 7</i> | 0.5 | 0 |
| 15372 | Naming the long-known: a new species of <i>Desmopsis</i> (Annonaceae) endemic to Mexico. <i>Acta Botanica Mexicana</i> , 2022, . | 0.1 | 0 |
| 15373 | Soil pqqC-harboring bacterial community response to increasing aridity in semi-arid grassland ecosystems: Diversity, co-occurrence network, and assembly process. <i>Frontiers in Microbiology</i> , 0, 13, . | 1.5 | 1 |
| 15374 | The Need for a Global Tree Trial Database. <i>New Forests</i> , 2023, 54, 1-7. | 0.7 | 7 |
| 15375 | Size reduction and skull shape parallelism following the evolutionary forest-to-savanna transition in <i>Platyrrhini</i> monkeys. <i>American Journal of Primatology</i> , 0, . | 0.8 | 0 |
| 15376 | How could climate change influence the distribution of the black soldier fly, <i>Hermetia illucens</i> (Linnaeus) (Diptera, Stratiomyidae)? <i>Biodiversity Data Journal</i> , 0, 10, . | 0.4 | 2 |
| 15377 | Soil pyrogenic carbon in southern Amazonia: Interaction between soil, climate, and above-ground biomass. <i>Frontiers in Forests and Global Change</i> , 0, 5, . | 1.0 | 1 |
| 15378 | The future scenario of an iconic tree from the Brazilian Cerrado: perspectives on <i>Eremanthus</i> Less. (Asteraceae) conservation. <i>Revista Brasileira De Botanica</i> , 0, . | 0.5 | 0 |
| 15379 | Understanding the Effects of Climate Change on the Distributional Range of Plateau Fish: A Case Study of Species Endemic to the Hexi River System in the Qinghai-Tibetan Plateau. <i>Diversity</i> , 2022, 14, 877. | 0.7 | 2 |
| 15380 | Niche width predicts extinction from climate change and vulnerability of tropical species. <i>Global Change Biology</i> , 2023, 29, 618-630. | 4.2 | 9 |
| 15381 | Reproductive biology of <i>Gazella arabica</i> : Predictors of offspring weight and short- and long-term offspring survival. <i>Environmental Epigenetics</i> , 0, . | 0.9 | 0 |
| 15382 | The importance of considering the evolutionary history of polyploids when assessing climatic niche evolution. <i>Journal of Biogeography</i> , 2023, 50, 86-100. | 1.4 | 8 |
| 15383 | Vegetation Productivity and Precipitation Use Efficiency across the Yellow River Basin: Spatial Patterns and Controls. <i>Remote Sensing</i> , 2022, 14, 5074. | 1.8 | 11 |
| 15384 | Incorporating evolutionary and threat processes into crop wild relatives conservation. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 9 |
| 15385 | The evolution of sex similarities in social signals: Climatic seasonality is associated with lower sexual dimorphism and greater elaboration of female and male signals in antbirds (Thamnophilidae). <i>Evolution; International Journal of Organic Evolution</i> , 0, . | 1.1 | 0 |
| 15386 | Plant species biogeographic origin shapes their current and future distribution on the world's highest island mountain. <i>Journal of Ecology</i> , 2023, 111, 372-379. | 1.9 | 2 |
| 15387 | Between the Cape Fold Mountains and the deep blue sea: Comparative phylogeography of selected codistributed ectotherms reveals asynchronous cladogenesis. <i>Evolutionary Applications</i> , 2022, 15, 1967-1987. | 1.5 | 6 |
| 15388 | Integrating natural gradients, experiments, and statistical modeling in a distributed network experiment: An example from the <i>WaRM</i> Network. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15389 | The LGM refugia of deciduous oak and distribution development since the LGM in China. <i>Science China Earth Sciences</i> , 0, , . | 2.3 | 0 |
| 15390 | The South Asian monsoon maintains the disjunction of <i>Rumex hastatus</i> between the western Himalayas and the Hengduan Mountains, southwest China. <i>Nordic Journal of Botany</i> , 2022, 2022, . | 0.2 | 0 |
| 15391 | Predictors of plant endemism in two west African forest hotspots. <i>Frontiers in Ecology and Evolution</i> , 0, 10, . | 1.1 | 1 |
| 15392 | Similar diversification patterns in sky islands: A comparative approach in lineages from campo rupestre and campo de altitude. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2022, 57, 125700. | 1.1 | 1 |
| 15393 | Environmental Niche and Demographic Modeling of American Chestnut near its Southwestern Range Limit. <i>American Midland Naturalist</i> , 2022, 188, . | 0.2 | 1 |
| 15394 | Natural selection drives the evolution of mitogenomes in <i>Acrossocheilus</i> . <i>PLoS ONE</i> , 2022, 17, e0276056. | 1.1 | 6 |
| 15395 | A latitudinal signal in the relationship between species geographic range size and climatic niche area. <i>Ecography</i> , 2022, 2022, . | 2.1 | 2 |
| 15396 | Vegetation structure derived from airborne laser scanning to assess species distribution and habitat suitability: The way forward. <i>Diversity and Distributions</i> , 2023, 29, 39-50. | 1.9 | 22 |
| 15397 | Future Projection of Precipitation Bioclimatic Indicators over Southeast Asia Using CMIP6. <i>Sustainability</i> , 2022, 14, 13596. | 1.6 | 3 |
| 15398 | Tundra shrub expansion in a warming climate and the influence of data type on models of habitat suitability. <i>Arctic, Antarctic, and Alpine Research</i> , 2022, 54, 488-506. | 0.4 | 2 |
| 15399 | Modeling the environmental suitability for <i>Bacillus anthracis</i> in the Qinghai Lake Basin, China. <i>PLoS ONE</i> , 2022, 17, e0275261. | 1.1 | 4 |
| 15400 | Ecogeographical determinants of investment in chemical defences in pines. <i>Trees - Structure and Function</i> , 2023, 37, 361-372. | 0.9 | 1 |
| 15402 | Population divergence associated with spatial asynchrony in precipitation in Neotropical frogs. <i>Journal of Biogeography</i> , 0, , . | 1.4 | 0 |
| 15403 | Realized niche shift of an invasive widow spider: drivers and impacts of human activities. <i>Frontiers in Zoology</i> , 2022, 19, . | 0.9 | 4 |
| 15404 | A Novel Multimodal Species Distribution Model Fusing Remote Sensing Images and Environmental Features. <i>Sustainability</i> , 2022, 14, 14034. | 1.6 | 3 |
| 15405 | Climate and forest loss interactively restructure trait composition across a human-modified landscape. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 0 |
| 15406 | Vegetation clumping modulates global photosynthesis through adjusting canopy light environment. <i>Global Change Biology</i> , 2023, 29, 731-746. | 4.2 | 9 |
| 15407 | Endemic medicinal plant distribution correlated with stable climate, precipitation, and cultural diversity. <i>Plant Diversity</i> , 2023, 45, 479-484. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15408 | European beewolf (<i>Philanthus triangulum</i>) will expand its geographic range as a result of climate warming. <i>Regional Environmental Change</i> , 2022, 22, . | 1.4 | 5 |
| 15410 | Global range dynamics of the Bearded Vulture (<i>Gypaetus barbatus</i>) from the Last Glacial Maximum to climate change scenarios. <i>Ibis</i> , 2023, 165, 403-419. | 1.0 | 1 |
| 15411 | Multi-Directional Rather Than Unidirectional Northward-Dominant Range Shifts Predicted under Climate Change for 99 Chinese Tree Species. <i>Forests</i> , 2022, 13, 1619. | 0.9 | 2 |
| 15412 | Predicting Transmission Suitability of Mosquito-Borne Diseases under Climate Change to Underpin Decision Making. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 13656. | 1.2 | 1 |
| 15413 | ä,â,½,è¼,2â¶æŽç±»æœ«æ¬¼â†°ç»æœŸéŸés¾æ%œĀđâ†°âžæœŸâ†°fâªâĒ-. <i>SCIENTIA SINICA Terrae</i> , 2022, , . | 0.1 | 0 |
| 15414 | Similarity but not equivalence: Ecological niche comparison between sandflies from the Pleistocene and future scenarios in Central and South America. <i>Medical and Veterinary Entomology</i> , 0, , . | 0.7 | 1 |
| 15415 | The effect of mining and road development on habitat fragmentation and connectivity of khulan (<i>Equus hemionus</i>) in Northwestern China. <i>Biological Conservation</i> , 2022, 275, 109770. | 1.9 | 6 |
| 15416 | Cyanobacterialâ€•and mossâ€•forming biocrusts consistently decrease the temperature sensitivity of microbial respiration along a continental precipitation gradient. <i>Functional Ecology</i> , 0, , . | 1.7 | 0 |
| 15417 | Out of the <sc>Qinghaiâ€•Tibet</sc> plateau: Genomic biogeography of the alpine monospecific genus <i>Megadenia</i> (Biscutelleae, Brassicaceae). <i>Molecular Ecology</i> , 2023, 32, 492-503. | 2.0 | 1 |
| 15418 | How much water is stolen by sewers? Estimating watershed-level inflow and infiltration throughout a metropolitan area. <i>Journal of Hydrology</i> , 2022, 614, 128629. | 2.3 | 4 |
| 15420 | Bacterial Skin Assemblages of Sympatric Salamanders Are Primarily Shaped by Host Genus. <i>Microbial Ecology</i> , 2023, 86, 1364-1373. | 1.4 | 1 |
| 15421 | The last millennium viewed from a fine-resolution freshwater diatom record from northwestern Patagonia. <i>Quaternary Science Reviews</i> , 2022, 296, 107806. | 1.4 | 1 |
| 15422 | Genomic and phenotypic changes associated with alterations of migratory behaviour in a songbird. <i>Molecular Ecology</i> , 2023, 32, 381-392. | 2.0 | 2 |
| 15423 | Niche divergence at the intraspecific level in an endemic rare peony (<i>Paeonia rockii</i>): A phylogenetic, climatic and environmental survey. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 0 |
| 15424 | Automatically detecting the wild giant panda using deep learning with context and species distribution model. <i>Ecological Informatics</i> , 2022, 72, 101868. | 2.3 | 4 |
| 15425 | Mapping the spatial distribution of underutilised crop species under climate change using the MaxEnt model: A case of KwaZulu-Natal, South Africa. <i>Climate Services</i> , 2022, 28, 100330. | 1.0 | 2 |
| 15426 | Anthropogenic disturbance mediates soil water effect on diversity-productivity relationships in a temperate forest region. <i>Forest Ecology and Management</i> , 2022, 525, 120544. | 1.4 | 3 |
| 15427 | Natural distribution and phenotypic traits of <i>Neltuma flexuosa</i> var. <i>depressa</i> , a candidate taxon for the rehabilitation in the central arid region of Argentina. <i>Journal of Arid Environments</i> , 2023, 209, 104889. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15429 | Estudio del cambio climático y su efecto en las aves en México: enfoques actuales y perspectivas futuras. <i>Huitzil</i> , 2015, 14, 47-55. | 0.0 | 4 |
| 15430 | Floristic structuring of woody plants from the Chaco in light of abiotic factors. <i>Rodriguesia</i> , 0, 73, . | 0.9 | 1 |
| 15431 | Multinationals, Monopsony, and Local Development: Evidence From the United Fruit Company. <i>Econometrica</i> , 2022, 90, 2685-2721. | 2.6 | 11 |
| 15432 | Modelo de distribución y estado de conservación de la lagartija de Lorenz <i>Müller & Liolaemus lorenzmuelleri</i> ; en relación a las concesiones mineras de Chile. <i>Caldasia</i> , 2022, 44, 603-611. | 0.1 | 0 |
| 15433 | Leaf phenotypic variation in natural populations of <i>Quillaja saponaria</i> and its relationship with climatic variation. <i>Caldasia</i> , 2022, 44, 484-492. | 0.1 | 0 |
| 15435 | Geographical patterns of <i>Fejervarya limnocharis</i> gut microbiota by latitude along mainland China's coastline. <i>Frontiers in Microbiology</i> , 0, 13, . | 1.5 | 1 |
| 15436 | Long-term N-addition alters the community structure of functionally important N-cycling soil microorganisms across global grasslands. <i>Soil Biology and Biochemistry</i> , 2023, 176, 108887. | 4.2 | 12 |
| 15438 | Análisis de la incidencia del cambio climático en especies de aves amenazadas en los Andes peruanos: modelos de distribución y propuestas de conectividad. <i>Pirineos</i> , 0, 177, e071. | 0.6 | 0 |
| 15439 | Effect of climate change on the geographical distribution of leptospirosis risk in western Java, Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 1089, 012074. | 0.2 | 1 |
| 15440 | Predicting the Geographical Distribution Shift of Medicinal Plants in South Africa Due to Climate Change. <i>Conservation</i> , 2022, 2, 694-708. | 0.8 | 6 |
| 15442 | Distribution and Conservation of Plants in the Northeastern Qinghai-Tibet Plateau under Climate Change. <i>Diversity</i> , 2022, 14, 956. | 0.7 | 0 |
| 15443 | Croatian high-resolution monthly gridded dataset of homogenised surface air temperature. <i>Theoretical and Applied Climatology</i> , 0, , . | 1.3 | 4 |
| 15444 | On the shape and origins of the freshwater species-area relationship. <i>Ecology</i> , 2023, 104, . | 1.5 | 5 |
| 15445 | Risk analysis of the spread of the quarantine pest mite <i>Schizotetranychus hindustanicus</i> in Brazil. <i>Experimental and Applied Acarology</i> , 0, , . | 0.7 | 0 |
| 15446 | Climate change alters future distribution of mountain plants, a case study of <i>Astragalus adscendens</i> in Iran. <i>Plant Ecology</i> , 0, , . | 0.7 | 0 |
| 15447 | Simulating future land use by coupling ecological security patterns and multiple scenarios. <i>Science of the Total Environment</i> , 2023, 859, 160262. | 3.9 | 35 |
| 15448 | Aridity and chronic anthropogenic disturbance as organizing forces of fruit-feeding butterfly assemblages in a Caatinga dry forest. <i>Biotropica</i> , 2023, 55, 173-184. | 0.8 | 3 |
| 15449 | Predicting the potential geographic distribution of <i>Camellia sinensis</i> var. <i>shan</i> under multiple climate change scenarios in Van Chan District Vietnam. <i>Modeling Earth Systems and Environment</i> , 2023, 9, 1843-1857. | 1.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15450 | Effects of livestock overgrazing on the relationships between plant and microbial diversity across the temperate steppes in northern China. <i>Land Degradation and Development</i> , 0, , . | 1.8 | 1 |
| 15451 | Native and invasive seedling drought-resistance under elevated temperature in common gorse populations. <i>Journal of Plant Ecology</i> , 0, , . | 1.2 | 0 |
| 15452 | Geographic distribution, conservation status and lectotypification of <i>Pedersenia weberbaueri</i> (Suess.) Holub (Amaranthaceae), an endemic and highly threatened shrub from the Marañón valley of Peru. <i>Revista Peruana De Biología</i> , 2022, 29, e23214. | 0.1 | 1 |
| 15453 | Applying landscape metrics to species distribution model predictions to characterize internal range structure and associated changes. <i>Global Change Biology</i> , 2023, 29, 631-647. | 4.2 | 5 |
| 15454 | Cloud-based interactive susceptibility modeling of gully erosion in Google Earth Engine. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2022, 115, 103089. | 0.9 | 3 |
| 15455 | Water sufficiency for cacao production in the Sierra Nevada de Santa Marta (SNSM) region, Colombia. <i>Journal of Hydrology: Regional Studies</i> , 2022, 44, 101255. | 1.0 | 0 |
| 15456 | Identifying the Past, Present, and Future Distribution Patterns of the Balkan Wall Lizard (Sauria: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 146-159. | 0.1 | 0 |
| 15457 | The problem with water footprints outside of irrigated drylands. <i>Water International</i> , 2022, 47, 1085-1107. | 0.4 | 1 |
| 15458 | Adaptive strategy biases in engineered ecosystems: Implications for plant community dynamics and the provisioning of ecosystem services to people. <i>People and Nature</i> , 2022, 4, 1644-1663. | 1.7 | 2 |
| 15459 | Molecular and quantitative genetic variation within and between populations of the declining grassland species <i>Saxifraga granulata</i> . <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 15460 | Genomic signals of local adaptation and hybridization in Asian white birch. <i>Molecular Ecology</i> , 2023, 32, 595-612. | 2.0 | 4 |
| 15461 | Household perception and infestation dynamics of bedbugs among residential communities and its potential distribution in Africa. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 2 |
| 15463 | Long-term grazing exclusion affects the population genetics and functional traits of <i>Artemisia frigida</i> in Mongolia. <i>Journal of Arid Environments</i> , 2023, 209, 104900. | 1.2 | 0 |
| 15464 | Subsurface Soil Carbon and Nitrogen Losses Offset Surface Carbon Accumulation in Abandoned Agricultural Fields. <i>Ecosystems</i> , 2023, 26, 924-935. | 1.6 | 1 |
| 15465 | Effects of climate and competition on crown width: a case of Korean pine plantations. <i>European Journal of Forest Research</i> , 2023, 142, 231-244. | 1.1 | 3 |
| 15466 | How can global climate change influence the geographic distribution of the eucalyptus yellow beetle? Modeling and prediction for Brazil. <i>Brazilian Journal of Biology</i> , 0, 82, . | 0.4 | 0 |
| 15467 | Data mining applied to feature selection methods for aboveground carbon stock modelling. <i>Pesquisa Agropecuaria Brasileira</i> , 0, 57, . | 0.9 | 0 |
| 15469 | Seed dispersal by duikers in selectively logged rainforests: Overlooked dispersal of an important animal community. <i>Forest Ecology and Management</i> , 2023, 529, 120650. | 1.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15470 | Habitat suitability of five commonly planted non-native trees in Chile: Implications for an invasion process. <i>Forest Ecology and Management</i> , 2023, 529, 120726. | 1.4 | 1 |
| 15471 | Net primary productivity exhibits a stronger climatic response in planted versus natural forests. <i>Forest Ecology and Management</i> , 2023, 529, 120722. | 1.4 | 13 |
| 15472 | How well do the multi-satellite and atmospheric reanalysis products perform in hydrological modelling. <i>Journal of Hydrology</i> , 2023, 617, 128920. | 2.3 | 2 |
| 15473 | Multiple effects of climate changes and human activities on NPP increase in the Three-north Shelter Forest Program area. <i>Forest Ecology and Management</i> , 2023, 529, 120732. | 1.4 | 11 |
| 15474 | Disentangling the pedogenic factors controlling active Al and Fe concentrations in soils of the Cameroon volcanic line. <i>Geoderma</i> , 2023, 430, 116289. | 2.3 | 3 |
| 15475 | Predicting the distribution of green turtle nesting sites over the Mediterranean with outcoming climate driven changes. <i>Journal for Nature Conservation</i> , 2023, 71, 126320. | 0.8 | 3 |
| 15476 | $\delta^{13}C$ and $\delta^{15}N$ of plants in a longitudinal transect from the Andes to the Atlantic coast: Terrestrial baseline for paleodietary and paleoecological studies. <i>Journal of Archaeological Science: Reports</i> , 2023, 47, 103787. | 0.2 | 2 |
| 15477 | Impact of climate change on the distribution of <i>Bombax costatum</i> Pellegr. & Vuillet in Mali, West Africa. <i>Trees, Forests and People</i> , 2023, 11, 100359. | 0.8 | 5 |
| 15478 | Machine learning prediction of above-ground biomass in pure Calabrian pine (<i>Pinus brutia</i> Ten.) stands of the Mediterranean region, Türkiye. <i>Ecological Informatics</i> , 2023, 74, 101951. | 2.3 | 10 |
| 15479 | Predictive mapping of two endemic oak tree species under climate change scenarios in a semiarid region: Range overlap and implications for conservation. <i>Ecological Informatics</i> , 2023, 73, 101930. | 2.3 | 21 |
| 15480 | Análise espaço-temporal da expansão dos plantios florestais comerciais no Brasil sob a condição de minimização de impactos negativos e potenciais conflitos. , 0, , 8-22. | | 0 |
| 15481 | Threatened birds, climate change, and human footprint: protected areas network in Neotropical grassland hotspot. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022, 94, . | 0.3 | 0 |
| 15484 | Impact of climate change on potential distribution of <i>Quercus suber</i> in the conditions of North Africa. <i>Biosystems Diversity</i> , 2022, 30, 289-294. | 0.2 | 7 |
| 15485 | Ecological niche modeling uncovered that Holocene warming is responsible for disjoint distribution of <i>Zamenis persicus</i> (Werner, 1913) (Squamata: Colubridae). <i>Zoology in the Middle East</i> , 2022, 68, 291-299. | 0.2 | 0 |
| 15486 | Complex cycles of divergence and migration shape lineage structure in the common kingsnake species complex. <i>Journal of Biogeography</i> , 2023, 50, 341-351. | 1.4 | 1 |
| 15487 | Extensive range contraction predicted under climate warming for two endangered mountaintop frogs from the rainforests of subtropical Australia. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 3 |
| 15488 | The extreme yet transient nature of glacial erosion. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 8 |
| 15489 | Allopatric Lineage Divergence of the East Asian Endemic Herb <i>Conandron ramondioides</i> Inferred from Low-Copy Nuclear and Plastid Markers. <i>International Journal of Molecular Sciences</i> , 2022, 23, 14932. | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15490 | Climate change and land-use change impacts on future availability of forage grass species for Ethiopian dairy systems. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 5 |
| 15491 | How Can Climate Change Limit the Distribution of Cooperative Pseudoscorpions in Brazil?. <i>Neotropical Entomology</i> , 0, , . | 0.5 | 0 |
| 15492 | Morpho-physiological and demographic responses of three threatened <i>Ilex</i> species to changing climate aligned with species distribution models in future climate scenarios. <i>Environmental Monitoring and Assessment</i> , 2023, 195, . | 1.3 | 2 |
| 15493 | <i>Cordyceps cicadae</i> and <i>Cordyceps gunnii</i> have closer species correlation with <i>Cordyceps sinensis</i> : from the perspective of metabonomic and MaxEnt models. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 2 |
| 15494 | Global patterns and drivers of raptor phylogenetic and functional diversity. <i>Global Ecology and Biogeography</i> , 2023, 32, 281-294. | 2.7 | 2 |
| 15495 | Scenarios of change in the realized climatic niche of mountain carnivores and ungulates. <i>Conservation Biology</i> , 2023, 37, . | 2.4 | 1 |
| 15496 | Cultivated Land Quality Evaluated Using the RNN Algorithm Based on Multisource Data. <i>Remote Sensing</i> , 2022, 14, 6014. | 1.8 | 1 |
| 15497 | New Distributional Records and Characterization of the Climatic Niche of <i>Lepturges (Lepturges) limpida</i> Bates, 1872 (Coleoptera, Cerambycidae): Sink or Source Population?. <i>Insects</i> , 2022, 13, 1069. | 1.0 | 0 |
| 15498 | Back to the future: Climate change effects on habitat suitability of <i>Parnassius apollo</i> throughout the Quaternary glacial cycles. <i>Insect Conservation and Diversity</i> , 2023, 16, 231-242. | 1.4 | 0 |
| 15499 | The Impact of Climate Change and Grain Planting Structure Change on Irrigation Water Requirement for Main Grain Crops in Mainland China. <i>Land</i> , 2022, 11, 2174. | 1.2 | 4 |
| 15500 | Prediction of the Impacts of Climate Change on the Geographical Distribution of Dysentery in Iran. <i>Chinese Journal of Urban and Environmental Studies</i> , 2022, 10, . | 0.5 | 1 |
| 15501 | Defining plant ecological specialists and generalists: Building a framework for identification and classification. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 15502 | Plant community assembly is jointly shaped by environmental and dispersal filtering along elevation gradients in a semiarid area, China. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 10 |
| 15504 | A two-species distribution model for parapatric newts, with inferences on their history of spatial replacement. <i>Biological Journal of the Linnean Society</i> , 2023, 138, 75-88. | 0.7 | 2 |
| 15505 | A comparison of global mangrove maps: Assessing spatial and bioclimatic discrepancies at poleward range limits. <i>Science of the Total Environment</i> , 2023, 860, 160380. | 3.9 | 13 |
| 15506 | Range shift and loss of genetic diversity under climate change in the red-backed fairywren (<i>Malurus melanocephalus</i>), an Australian endemic bird species. <i>Biological Journal of the Linnean Society</i> , 2023, 138, 121-131. | 0.7 | 0 |
| 15507 | Global Warming and Long-Distance Spread of Invasive <i>Discoglossus pictus</i> (Amphibia, Alytidae): Conservation Implications for Protected Amphibians in the Iberian Peninsula. <i>Animals</i> , 2022, 12, 3236. | 1.0 | 0 |
| 15508 | Habitat suitability, range dynamics, and threat assessment of <i>Swertia petiolata</i> D. Don: a Himalayan endemic medicinally important plant under climate change. <i>Environmental Monitoring and Assessment</i> , 2023, 195, . | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15511 | Long-term fire and vegetation change in northwestern Amazonia. <i>Biotropica</i> , 2023, 55, 197-209. | 0.8 | 5 |
| 15513 | Edge daylily populations show legacies of habitat fragmentation due to the Holocene climate warming. <i>Journal of Biogeography</i> , 2023, 50, 551-563. | 1.4 | 2 |
| 15514 | Effects of diversity on thermal niche variation in bird communities under climate change. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 0 |
| 15515 | Seasonal Patterns of Zoonotic Cutaneous Leishmaniasis Caused by <i>L. major</i> and Transmitted by <i>Phlebotomus</i> <i>apapatasi</i> in the North Africa Region, a Systematic Review and a Meta-Analysis. <i>Microorganisms</i> , 2022, 10, 2391. | 1.6 | 1 |
| 15516 | Climatic control on the location of continental volcanic arcs. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 2 |
| 15517 | Impacts of climate change on species distribution patterns of <i>Polyspora</i> sweet in China. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 8 |
| 15518 | Teasing apart fine- and coarse-scale effects of environmental heterogeneity on tree species richness in Europe. <i>Basic and Applied Ecology</i> , 2022, , . | 1.2 | 0 |
| 15519 | Machine Learning Models for Prediction of Soil Properties in the Riparian Forests. <i>Land</i> , 2023, 12, 32. | 1.2 | 2 |
| 15520 | Evaluating Climate Change Impacts on Cotton Phenology and Yield Under Full and Deficit Irrigation Conditions in an Extremely Arid Oasis. <i>International Journal of Plant Production</i> , 2023, 17, 49-63. | 1.0 | 1 |
| 15521 | Using landscape genomics to delineate future adaptive potential for climate change in the Yosemite toad (<i>Anaxyrus canorus</i>). <i>Evolutionary Applications</i> , 2023, 16, 74-97. | 1.5 | 2 |
| 15522 | Conservation of the Goitered gazelle (<i>Gazella subgutturosa</i>) under climate changes in Iraq. <i>Heliyon</i> , 2023, 9, e12501. | 1.4 | 3 |
| 15523 | Climate Change and Diurnal Warming: Impacts on the Growth of Different Vegetation Types in the North-South Transition Zone of China. <i>Land</i> , 2023, 12, 13. | 1.2 | 1 |
| 15524 | Delineating village-level drought risk in Marinduque Island, Philippines. <i>Natural Hazards</i> , 0, , . | 1.6 | 0 |
| 15525 | Genome size does not influence extinction risk in the world's amphibians. <i>Functional Ecology</i> , 2023, 37, 190-200. | 1.7 | 3 |
| 15526 | Testing drivers of acoustic divergence in cicadas (Cicadidae: <i>Tettigetta</i>). <i>Journal of Evolutionary Biology</i> , 2023, 36, 461-479. | 0.8 | 1 |
| 15527 | Multi-spatial analysis on cave ecosystems to predict the diversity of subterranean invertebrates. <i>Basic and Applied Ecology</i> , 2022, 65, 111-122. | 1.2 | 0 |
| 15529 | Spatio-Temporal Epidemiology of the Spread of African Swine Fever in Wild Boar and the Role of Environmental Factors in South Korea. <i>Viruses</i> , 2022, 14, 2779. | 1.5 | 3 |
| 15530 | Diversification and historical demography of <i>Rhampholeon</i> spectrum in West-Central Africa. <i>PLoS ONE</i> , 2022, 17, e0277107. | 1.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15531 | Unravelling the palaeobiogeographical history of the living fossil genus <i>Rehderodendron</i> (Styracaceae) with fossil and extant pollen and fruit data. <i>Bmc Ecology and Evolution</i> , 2022, 22, . | 0.7 | 1 |
| 15532 | A systematic review and global analysis of the seasonal activity of <i>Phlebotomus</i> (<i>Paraphlebotomus</i>) <i>sergenti</i> , the primary vectors of <i>L. tropica</i> . <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010886. | 1.3 | 3 |
| 15533 | Understory diversity and floristic differentiation of Kashmir Himalayan coniferous forests: implications for conservation. <i>Tropical Ecology</i> , 0, , . | 0.6 | 0 |
| 15534 | Factors Affecting Habitat Selection of Endangered Steppe Eagle (<i>Aquila nipalensis</i>) in Pakistan: Implications for Raptors Conservation. <i>Diversity</i> , 2022, 14, 1135. | 0.7 | 0 |
| 15535 | CLIMATIC CHANGES MAY NOT AFFECT THE DISTRIBUTION RANGE OF SOUTH AFRICAN ENDEMIC ENCEPHALARTOS SPECIES (CYCADALES). <i>Contributii Botanice</i> , 2023, 57, 85-94. | 0.4 | 1 |
| 15536 | Fall armyworm from a maize multi-peril pest risk perspective. <i>Frontiers in Insect Science</i> , 0, 2, . | 0.9 | 8 |
| 15537 | Modeling Cultural Keystone Species for the Conservation of Biocultural Diversity in the Afroalpine. <i>Environments - MDPI</i> , 2022, 9, 156. | 1.5 | 2 |
| 15538 | Habitat fragmentation matters more than habitat loss: The case of host–parasite interactions. <i>Molecular Ecology</i> , 2023, 32, 951-969. | 2.0 | 3 |
| 15540 | Diversity and distribution of lacustrine diatoms along the Trans-Mexican Volcanic Belt. <i>Freshwater Biology</i> , 2023, 68, 391-405. | 1.2 | 3 |
| 15542 | Global climate-related predictors at kilometer resolution for the past and future. <i>Earth System Science Data</i> , 2022, 14, 5573-5603. | 3.7 | 36 |
| 15544 | Environment-dependent influence of fruit size upon the distribution of the Malesian archipelagic flora. <i>Plants People Planet</i> , 2023, 5, 712-721. | 1.6 | 4 |
| 15545 | Change in climatically suitable breeding distributions reduces hybridization potential between <i>Vermivora</i> warblers. <i>Diversity and Distributions</i> , 0, , . | 1.9 | 0 |
| 15546 | Evaluation of a geospatial liquefaction model using land damage data from the 2016 Kaikōura earthquake. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , 2022, 55, 199-213. | 0.2 | 0 |
| 15547 | High Phenotypic Diversity Does Not Always Hide Taxonomic Diversity: A Study Case with <i>Cheilosia soror</i> (Zetterstedt, 1843) (Diptera: Syrphidae) in the Iberian Peninsula. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2022, 2022, 1-16. | 0.6 | 1 |
| 15548 | Estructura filogeográfica de <i>Crescentia alata</i> (Bignoniaceae): los huertos como reservorios de diversidad local. <i>Botanical Sciences</i> , 2022, 101, 164-185. | 0.3 | 0 |
| 15549 | Mitochondrial DNA sequences and nuclear microsatellites reveal population genetic structure of the range-restricted hummingbird <i>Phaeoptila sordida</i> in the Balsas Basin. <i>Auk</i> , 0, , . | 0.7 | 0 |
| 15550 | Ecohydrological, climatic and tree architectural considerations for reforestation program using swamp vegetation of Bangladesh. <i>Ecohydrology and Hydrobiology</i> , 2023, 23, 127-140. | 1.0 | 2 |
| 15551 | Monitoring the little fire ant, <i>Wasmannia auropunctata</i> (Roger 1863), in the early stage of its invasion in China: Predicting its geographical distribution pattern under climate change. <i>Journal of Integrative Agriculture</i> , 2023, 22, 2783-2795. | 1.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15552 | Two-Dimensional Block Trees. <i>Computer Journal</i> , 2024, 67, 391-406. | 1.5 | 1 |
| 15553 | Species distribution modeling of a cucurbit <i>Herpetospermum darjeelingense</i> in Darjeeling Himalaya, India. <i>Journal of Threatened Taxa</i> , 2022, 14, 22221-22231. | 0.1 | 0 |
| 15554 | Modeling the distribution of Acadian vascular rare plant species under future climate scenarios. <i>Plant Ecology</i> , 2023, 224, 47-57. | 0.7 | 1 |
| 15555 | Mapping soil pH levels across Europe: An analysis of LUCAS topsoil data using random forest kriging (RFK). <i>Soil Use and Management</i> , 2023, 39, 900-916. | 2.6 | 5 |
| 15557 | Ecological niche models reveal divergent habitat use of Pallas's cat in the Eurasian cold steppes. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 4 |
| 15558 | On the Inclusion of Adaptive Potential in Species Distribution Models: Towards a Genomic-Informed Approach to Forest Management and Conservation. <i>Environments - MDPI</i> , 2023, 10, 3. | 1.5 | 2 |
| 15559 | Genome-wide RAD sequencing data suggest predominant role of vicariance in Sino-Japanese disjunction of the monotypic genus <i>Conandron</i> (Gesneriaceae). <i>Journal of Systematics and Evolution</i> , 2023, 61, 1020-1035. | 1.6 | 0 |
| 15560 | Climate adaptation and vulnerability of foundation species in a global change hotspot. <i>Molecular Ecology</i> , 2023, 32, 1990-2004. | 2.0 | 3 |
| 15561 | A proposed methodology for the determination of seed sources for tree native species based on environmental variables: the case of <i>Quillaja saponaria</i> Mol. <i>New Forests</i> , 2024, 55, 1-13. | 0.7 | 0 |
| 15562 | Predicting primate-parasite associations using exponential random graph models. <i>Journal of Animal Ecology</i> , 2023, 92, 710-722. | 1.3 | 0 |
| 15563 | Changes of Köppen-Trewartha climate types in the Tibetan Plateau during the mid-Holocene, present-day, and the future based on high-resolution datasets. <i>Frontiers in Earth Science</i> , 0, 10, . | 0.8 | 0 |
| 15564 | The Balkans (Without Carpathians). , 2022, , 89-113. | | 0 |
| 15565 | Flock size and structure influence reproductive success in four species of flamingo in 540 captive populations worldwide. <i>Zoo Biology</i> , 0, , . | 0.5 | 2 |
| 15566 | Simulation of Rainfall Erosivity Dynamics in Romania under Climate Change Scenarios. <i>Sustainability</i> , 2023, 15, 1469. | 1.6 | 8 |
| 15567 | Joint species distribution models unveil co-occurrences between freshwater mussels and their fish hosts. <i>Journal of Biogeography</i> , 2023, 50, 730-742. | 1.4 | 3 |
| 15568 | Genetic and ecological drivers of molt in a migratory bird. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 2 |
| 15569 | Future Trends in <i>Obolodiplosis robiniae</i> Distribution across Eurasian Continent under Global Climate Change. <i>Insects</i> , 2023, 14, 48. | 1.0 | 1 |
| 15570 | Topoclimate effect on treeline elevation depends on the regional framework: A contrast between Southern Alps (New Zealand) and Apennines (Italy) forests. <i>Ecology and Evolution</i> , 2023, 13, . | 0.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15571 | Ecological marginalization is widespread and increases extinction risk in mammals. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, . | 3.3 | 9 |
| 15572 | Predicting the current and future suitable habitats, species distribution and conservation assessment of <i>Fritillaria dagana</i> (Liliaceae)†. Journal of Asia-Pacific Biodiversity, 2023, , . | 0.2 | 0 |
| 15573 | Persisting while changing over time: modelling the historical biogeographic of cave crickets (Orthoptera, Grylloidea) in Neotropics. Journal of Tropical Ecology, 2023, 39, . | 0.5 | 3 |
| 15574 | Functional group analyses of herpetofauna in South Korea using a large dataset. Scientific Data, 2023, 10, . | 2.4 | 2 |
| 15575 | The Potential for Rooftop Photovoltaic Systems in Nepal. Energies, 2023, 16, 747. | 1.6 | 1 |
| 15578 | Examining the variation of soil moisture from cosmic-ray neutron probes footprint: experimental results from a COSMOS-UK site. Environmental Earth Sciences, 2023, 82, . | 1.3 | 2 |
| 15579 | Stochastic processes dominate community assembly of ectomycorrhizal fungi associated with <i>Picea crassifolia</i> in the Helan Mountains, China. Frontiers in Microbiology, 0, 13, . | 1.5 | 1 |
| 15580 | Plant Megafossils, Palynomorphs, and Paleoenvironment from the Late Middle to Late Eocene Burnaby Mountain Flora, Huntingdon Formation, British Columbia, Canada. International Journal of Plant Sciences, 2023, 184, 214-235. | 0.6 | 2 |
| 15581 | The Evolution of Life History Traits and Their Thermal Plasticity in <i>Daphnia</i> . Hydrobiology, 2023, 2, 55-74. | 0.9 | 1 |
| 15582 | Ecological niche models of productive corn races under climate change scenarios in centralá€eastern Mexico. Agronomy Journal, 0, , . | 0.9 | 0 |
| 15583 | The performance of protected-area expansions in representing tropical Andean species: past trends and climate change prospects. Scientific Reports, 2023, 13, . | 1.6 | 0 |
| 15584 | Soil N:P Ratio and Its Regulation Factors in Alpine Wetlands Across the Three Rivers Source Region. Journal of Soil Science and Plant Nutrition, 2023, 23, 1138-1148. | 1.7 | 3 |
| 15585 | A two phase escarpment evolution of the Red Sea margin of southwestern Saudi Arabia. Insights from low-temperature apatite thermochronology. Earth and Planetary Science Letters, 2023, 603, 117990. | 1.8 | 3 |
| 15586 | Horizontal and vertical variation of soil clay content and its controlling factors in China. Science of the Total Environment, 2023, 864, 161141. | 3.9 | 9 |
| 15587 | Forest concessions and eco-certifications in the Peruvian Amazon: Deforestation impacts of logging rights and logging restrictions. Journal of Environmental Economics and Management, 2023, 118, 102780. | 2.1 | 11 |
| 15588 | Environmental and pedological factors influencing organic carbon storage in Italian forest soils. Geoderma Regional, 2023, 32, e00605. | 0.9 | 1 |
| 15589 | Seeing the forest through the trees: Applications of species distribution models across an Australian biodiversity hotspot for threatened rainforest species of <i>Fontainea</i> . Global Ecology and Conservation, 2023, 42, e02376. | 1.0 | 2 |
| 15590 | Identification of roadkill hotspots and the factors affecting wombat vehicle collisions using the citizen science tool, WomSAT. Australian Mammalogy, 2023, 45, 53-61. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15591 | Time Series Analyses and Forecasting of Surface Urban Heat Island Intensity Using ARIMA Model in Punjab, Pakistan. <i>Land</i> , 2023, 12, 142. | 1.2 | 6 |
| 15592 | Species delimitation in <i>Ceratozamia</i> (Zamiaceae) from Southwestern Mexico, in light of reproductive and climatic diversification. <i>Organisms Diversity and Evolution</i> , 0, , . | 0.7 | 0 |
| 15593 | Modeling the Impact of Climate Change on Sustainable Production of Two Legumes Important Economically and for Food Security: Mungbeans and Cowpeas in Ethiopia. <i>Sustainability</i> , 2023, 15, 600. | 1.6 | 0 |
| 15594 | Historical evaluation and future projections of monthly precipitation and temperature under CMIP6 GCMs, case of Hodna basin (central Algeria). <i>Arabian Journal of Geosciences</i> , 2023, 16, . | 0.6 | 2 |
| 15595 | Soil and Irrigation Water Salinity, and Its Consequences for Agriculture in Ethiopia: A Systematic Review. <i>Agriculture (Switzerland)</i> , 2023, 13, 109. | 1.4 | 6 |
| 15596 | Climate influences the genetic structure and niche differentiation among populations of the olive field mouse <i>Abrothrix olivacea</i> (Cricetidae: Abrotrichini). <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 2 |
| 15597 | Principales elementos de la geodiversidad que influyen en la vegetaci3n le±osa del Geoparque Mundial UNESCO Mixteca Alta, Oaxaca. <i>Revista Mexicana De Biodiversidad</i> , 0, 93, e934153. | 0.4 | 0 |
| 15598 | Potential Distribution of <i>Cedrela odorata</i> L. in Mexico according to Its Optimal Thermal Range for Seed Germination under Different Climate Change Scenarios. <i>Plants</i> , 2023, 12, 150. | 1.6 | 0 |
| 15599 | Assessing the Potential Distribution of a Vulnerable Tree under Climate Change: <i>Perkinsiodendron macgregorii</i> (Chun) P.W.Fritsch (Styracaceae). <i>Sustainability</i> , 2023, 15, 666. | 1.6 | 1 |
| 15602 | An Analysis of the Distribution of the Lizard Genus <i>Lacerta</i> in the Northeastern Caucasus (Dagestan,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 TFS Bulletin, 2022, 49, 1279-1291. | 0.1 | 1 |
| 15603 | ĩ¿Rarely naturalized, but widespread and even invasive: the paradox of a popular pet terrapin expansion in Eurasia. <i>NeoBiota</i> , 0, 81, 91-127. | 1.0 | 2 |
| 15604 | Prediction ofÂtheÂArbutus Unedo Colonization Time viaÂAnÂAgent-Based Distribution Model. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2023, , 107-117. | 0.2 | 0 |
| 15605 | Multiple preâ€•and postzygotic components of reproductive isolation between two coâ€•occurring <i>Lysimachia</i> species. <i>New Phytologist</i> , 2023, 238, 874-887. | 3.5 | 2 |
| 15606 | Warming drives poleward range contractions of Beringian endemic plant species at high latitudes. <i>Diversity and Distributions</i> , 2023, 29, 509-523. | 1.9 | 2 |
| 15609 | Pleistocene megafaunal extinction in the grasslands of <sc>JunÃ±â€•Peru</sc>. <i>Journal of Biogeography</i> , 0, , . | 1.4 | 0 |
| 15610 | Diversification and Biogeography of North American Thistles (<i>Cirsium</i>; Carduoideae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 TFS 2023, 184, 322-341. | 0.6 | 4 |
| 15611 | Staying in situ or shifting range under ongoing climate change: A case of an endemic herb in the <sc>Himalayaâ€•Hengduan</sc> Mountains across elevational gradients. <i>Diversity and Distributions</i> , 2023, 29, 524-542. | 1.9 | 3 |
| 15612 | Predicting Spruce Taiga Distribution in Northeast Asia Using Species Distribution Models: Glacial Refugia, Mid-Holocene Expansion and Future Predictions for Global Warming. <i>Forests</i> , 2023, 14, 219. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15613 | Modeling climate change impact on distribution and abundance of <i>Balanites aegyptiaca</i> in drylands of Ethiopia. <i>Modeling Earth Systems and Environment</i> , 2023, 9, 3415-3427. | 1.9 | 2 |
| 15614 | Historical biogeography and local adaptation explain population genetic structure in a widespread terrestrial orchid. <i>Annals of Botany</i> , 2023, 131, 623-634. | 1.4 | 3 |
| 15615 | Differential climatic conditions drive <i>Acacia tortilis</i> tree growth in its opposite range edges in Africa and Asia. <i>American Journal of Botany</i> , 0, , . | 0.8 | 1 |
| 15616 | Spatio-Temporal Changes and Contribution of Human and Meteorological Factors to Grassland Net Primary Productivity in the Three-Rivers Headwater Region from 2000 to 2019. <i>Atmosphere</i> , 2023, 14, 278. | 1.0 | 6 |
| 15617 | Dispersal ability is associated with contrasting patterns of beta diversity in African small mammal communities. <i>Journal of Biogeography</i> , 2023, 50, 539-550. | 1.4 | 4 |
| 15618 | Predicting the Habitat Suitability and Distribution of Two Species of Mound-Building Termites in Nigeria Using Bioclimatic and Vegetation Variables. <i>Diversity</i> , 2023, 15, 157. | 0.7 | 3 |
| 15619 | Climate change threatens olive oil production in the Levant. <i>Nature Plants</i> , 2023, 9, 219-227. | 4.7 | 9 |
| 15621 | Whole genome demographic models indicate divergent effective population size histories shape contemporary genetic diversity gradients in a montane bumble bee. <i>Ecology and Evolution</i> , 2023, 13, . | 0.8 | 4 |
| 15622 | Soil erosion modeling under future climate change: a case study on Marinduque Island, Philippines. , 2023, , 381-398. | | 1 |
| 15623 | Detection of the local adaptive and genome-wide associated loci in southeast Nigerian taro (<i>Colocasia esculenta</i> (L.) Schott) populations. <i>BMC Genomics</i> , 2023, 24, . | 1.2 | 0 |
| 15624 | Implications for conservation assessment from flux in the botanical record over 20% years in southwest Ghana. <i>Ecology and Evolution</i> , 2023, 13, . | 0.8 | 0 |
| 15625 | Dynamic changes in forest cover and human activities during the Holocene on the northeast Tibetan plateau. <i>Frontiers in Earth Science</i> , 0, 11, . | 0.8 | 2 |
| 15626 | Machine learning ensemble species distribution modeling of an endangered arid land tree <i>Tecomella undulata</i> : a global appraisal. <i>Arabian Journal of Geosciences</i> , 2023, 16, . | 0.6 | 5 |
| 15627 | Widespread convergent morphological evolution within the largest family of songbirds. <i>Evolution; International Journal of Organic Evolution</i> , 2023, 77, 812-822. | 1.1 | 2 |
| 15628 | Relationship between Phytocenotic Diversity of the Northeastern Transbaikal Orobiome and Bioclimatic Parameters. <i>Doklady Biological Sciences</i> , 2022, 507, 281-300. | 0.2 | 3 |
| 15629 | Vegetation Structure Along an Elevation Gradient at the Treeline Ecotone of Eastern Himalayan Forests in Sikkim. , 2023, , 247-265. | | 0 |
| 15630 | Climatic Drivers of Silicon Accumulation in a Model Grass Operate in Low- but Not High-Silicon Soils. <i>Plants</i> , 2023, 12, 995. | 1.6 | 2 |
| 15631 | River reach types as large-scale biodiversity proxies for management: The case of the Greater Mekong Region. <i>Ecological Indicators</i> , 2023, 146, 109907. | 2.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15632 | Spatial and temporal variations of grassland vegetation on the Mongolian Plateau and its response to climate change. <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 1.1 | 3 |
| 15633 | Historical demography and climatic niches of the Natal multimammate mouse (<i>Mastomys natalensis</i>) in the Zambezi region. <i>Mammalian Biology</i> , 0, , . | 0.8 | 2 |
| 15634 | CHELSA-TraCE21k " high-resolution (1°km) downscaled transient temperature and precipitation data since the Last Glacial Maximum. <i>Climate of the Past</i> , 2023, 19, 439-456. | 1.3 | 28 |
| 15635 | Morphological variation and its correlation with bioclimatic factors in <i>Odorrana graminea sensu stricto</i> . <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 1.1 | 1 |
| 15636 | Continent-wide recent emergence of a global pathogen in African amphibians. <i>Frontiers in Conservation Science</i> , 0, 4, . | 0.9 | 3 |
| 15637 | Inferring future changes in gene flow under climate change in riverscapes: a pilot case study in fluvial sculpin. <i>Landscape Ecology</i> , 2023, 38, 1351-1362. | 1.9 | 1 |
| 15638 | The Diaptomidae (Copepoda, Calanoida) of Tunisia and the role of spatial and environmental factors as drivers of their distribution patterns. <i>Hydrobiologia</i> , 0, , . | 1.0 | 0 |
| 15640 | A biome-dependent distribution gradient of tree species range edges is strongly dictated by climate spatial heterogeneity. <i>Nature Plants</i> , 2023, 9, 544-553. | 4.7 | 3 |
| 15641 | Mapping Impacts of Climate Change on the Distributions of Two Endemic Tree Species under Socioeconomic Pathway Scenarios (SSP). <i>Sustainability</i> , 2023, 15, 5469. | 1.6 | 6 |
| 15644 | Selection and adaptive introgression guided the complex evolutionary history of the European common bean. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 8 |
| 15645 | Identifying suitable habitat for <i>Ixodes scapularis</i> (Acari: Ixodidae) infected with <i>Anaplasma phagocytophilum</i> (Rickettsiales: Anaplasmataceae), <i>Babesia microti</i> (Piroplasmida: Babesiidae), and <i>Borrelia miyamotoi</i> (Spirochaetales: Spirochaetaceae) to guide surveillance efforts in the eastern United States. <i>Journal of Medical Entomology</i> , 2023, 60, 590-603. | 0.9 | 1 |
| 15646 | Role of paleoclimatic and paleohydrological processes in lineage divergence in freshwater organisms: A snippet from lentic genus <i>Pila</i> . <i>Molecular Phylogenetics and Evolution</i> , 2023, 181, 107723. | 1.2 | 1 |
| 15647 | Application of generalized linear geostatistical model for regional soil organic matter mapping: The effect of sampling density. <i>Geoderma</i> , 2023, 433, 116446. | 2.3 | 2 |
| 15648 | Wildfire risks under a changing climate: Synthesized assessments of wildfire risks over southwestern China. <i>Frontiers in Environmental Science</i> , 0, 11, . | 1.5 | 0 |
| 15649 | Revealing spatial variability of groundwater level in typical ecosystems of the Tarim Basin through ensemble algorithms and limited observations. <i>Journal of Hydrology</i> , 2023, 620, 129399. | 2.3 | 3 |
| 15650 | Integrating additional spectroscopically inferred soil data improves the accuracy of digital soil mapping. <i>Geoderma</i> , 2023, 433, 116467. | 2.3 | 10 |
| 15651 | Holocene warming and evergreen/deciduous forest replacement across eastern China. <i>Quaternary Science Reviews</i> , 2023, 307, 108057. | 1.4 | 10 |
| 15652 | Conservation challenges to the useful neotropical palm <i>Baba'su</i> (<i>Attalea pindobassu</i> Bondar) in the face of climate change. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2023, 302, 152262. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15653 | Soil inorganic carbon distribution, stocks and environmental thresholds along a major climatic gradient. <i>Geoderma</i> , 2023, 433, 116449. | 2.3 | 1 |
| 15654 | Early planting of cassava enhanced the response of improved cultivars to potassium fertilization in South Kivu, Democratic Republic of Congo. <i>Field Crops Research</i> , 2023, 296, 108903. | 2.3 | 0 |
| 15655 | Last Glacial Maximum and subsequent glacial chronology in the monsoon-dominated Sikkim Himalaya, India. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 617, 111480. | 1.0 | 1 |
| 15656 | Developing regional soil micronutrient management strategies through ensemble learning based digital soil mapping. <i>Geoderma</i> , 2023, 433, 116457. | 2.3 | 6 |
| 15657 | Priority areas for the conservation of the genus <i>Abies</i> Mill. (Pinaceae) in North America. <i>Journal for Nature Conservation</i> , 2023, 73, 126407. | 0.8 | 0 |
| 15658 | Plant invasion risk inside and outside protected areas: Propagule pressure, abiotic and biotic factors definitively matter. <i>Science of the Total Environment</i> , 2023, 877, 162993. | 3.9 | 5 |
| 15659 | Soil surface grass phytolith morphotypes across bioclimatic gradients and biomes at about latitude 29°S in South Africa. <i>Review of Palaeobotany and Palynology</i> , 2023, 313, 104887. | 0.8 | 4 |
| 15660 | Changes in habitat suitability and population size of the endangered Przewalski's gazelle. <i>Global Ecology and Conservation</i> , 2023, 43, e02465. | 1.0 | 1 |
| 15661 | The role of chronic anthropogenic disturbances in plant community assembly along a water availability gradient in Brazil's semiarid Caatinga region. <i>Forest Ecology and Management</i> , 2023, 538, 120980. | 1.4 | 7 |
| 15662 | Evolutionary footprints of cold adaptation in arctic-alpine <i>Cochlearia</i> (Brassicaceae) – Evidence from freezing experiments and electrolyte leakage. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2023, 59, 125728. | 1.1 | 2 |
| 15663 | Assessment of the impact of climate change on endangered conifer tree species by considering climate and soil dual suitability and interspecific competition. <i>Science of the Total Environment</i> , 2023, 877, 162722. | 3.9 | 2 |
| 15664 | Identifying stable and overlapping habitats for a predator (common leopard) and prey species (Himalayan grey goral & Himalayan grey langur) in northern Pakistan. <i>Global Ecology and Conservation</i> , 2023, 43, e02418. | 1.0 | 2 |
| 15665 | Comparative assessment of habitat suitability and niche overlap of three medicinal and melliferous <i>Satureja</i> L. species (Lamiaceae) from the eastern Adriatic region: Exploring potential for cultivation. <i>Ecological Informatics</i> , 2023, 76, 102066. | 2.3 | 2 |
| 15666 | Geographical distribution of the Thuriferous juniper (<i>Juniperus thurifera</i> L.) and the influencing factors in the Atlas Mountains of Azilal (Central High Atlas, Morocco). , 0, , 1-12. | | 0 |
| 15667 | Well-intentioned initiatives hinder understanding biodiversity conservation: Cloaked iNaturalist information for threatened species. <i>Biological Conservation</i> , 2023, 282, 110042. | 1.9 | 5 |
| 15668 | A facultative mutualism facilitates European seagrass meadows. <i>Ecography</i> , 2023, 2023, . | 2.1 | 0 |
| 15669 | Climate Change Impacts on the Availability of Anti-malarial Plants in Kenya. <i>Climate Change Ecology</i> , 2023, 5, 100070. | 0.9 | 3 |
| 15670 | Geography and past climate changes have shaped the evolution of a widespread lizard in arid Central Asia. <i>Molecular Phylogenetics and Evolution</i> , 2023, 184, 107781. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15671 | Environmental and agronomic determinants of hairy vetch (<i>Vicia villosa</i> Roth) seed yield in rainfed temperate agroecosystems. <i>European Journal of Agronomy</i> , 2023, 147, 126822. | 1.9 | 3 |
| 15675 | More than meets no eyes: Taxonomic status of a Liotyphlops (Serpentes: Anomalepididae) blindsnake from the Atlantic Rainforest. <i>Zoologischer Anzeiger</i> , 2023, 303, 10-25. | 0.4 | 1 |
| 15676 | Ensemble modelling under multiple climate change scenarios predicts reduction in highly suitable range of habitats of <i>Dactylorhiza hatagirea</i> (D.Don) Soo in Himachal Pradesh, western Himalaya. <i>South African Journal of Botany</i> , 2023, 154, 203-218. | 1.2 | 1 |
| 15677 | The identification and conservation of climate refugia for two Colombian endemic titi (<i>Plecturocebus</i>) monkeys. <i>Journal for Nature Conservation</i> , 2023, 72, 126345. | 0.8 | 0 |
| 15678 | A consolidated phylogeny of snail-eating snakes (Serpentes, Dipsadini), with the description of five new species from Colombia, Ecuador, and Panama. <i>ZooKeys</i> , 0, 1143, 1-49. | 0.5 | 0 |
| 15679 | A Framework for Using Ensemble Species Distribution Models for Geographic Attribution in Forensic Palynology. , 2022, , . | | 1 |
| 15680 | Evaluation of the Protection Effectiveness of Natural Protected Areas on the Qinghai-Tibet Plateau Based on Ecosystem Services. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2605. | 1.2 | 1 |
| 15681 | Structural diversity as a reliable and novel predictor for ecosystem productivity. <i>Frontiers in Ecology and the Environment</i> , 2023, 21, 33-39. | 1.9 | 16 |
| 15682 | A low-cost IoT network to monitor microclimate variables in ecosystems. <i>Methods in Ecology and Evolution</i> , 2023, 14, 1025-1034. | 2.2 | 0 |
| 15683 | A new species of <i>Dipsas</i> (Serpentes, Dipsadidae) from central Panama. <i>ZooKeys</i> , 0, 1145, 131-167. | 0.5 | 0 |
| 15684 | Species distribution modelling of <i>Monotheba buxifolia</i> (Falc.) A. DC.: Present distribution and impacts of potential climate change. <i>Heliyon</i> , 2023, 9, e13417. | 1.4 | 12 |
| 15685 | Habitat and ecological niche characteristics of the elusive Hairy-eared Dwarf Lemur (<i>Allocebus</i>) Tj ETQq1 1 0.784314 rgBT /Overl 2023, 85, . | 0.8 | 3 |
| 15686 | Dealing with disjunct populations of vascular plants: implications for assessing the effect of climate change. <i>Oecologia</i> , 2023, 201, 421-434. | 0.9 | 1 |
| 15687 | A generalized framework for estimating snakebite underreporting using statistical models: A study in Colombia. <i>PLoS Neglected Tropical Diseases</i> , 2023, 17, e0011117. | 1.3 | 0 |
| 15688 | Floral colour variation of <i>Nicotiana glauca</i> in native and non-native ranges: Testing the role of pollinators' perception and abiotic factors. <i>Plant Biology</i> , 2023, 25, 403-410. | 1.8 | 3 |
| 15689 | Eco-ISEA3H, a machine learning ready spatial database for ecometric and species distribution modeling. <i>Scientific Data</i> , 2023, 10, . | 2.4 | 2 |
| 15690 | Climatic variation along the distributional range in Cuban <i>Anolis</i> lizards: Species and ecomorphs under future scenarios of climate change. <i>Global Ecology and Conservation</i> , 2023, 42, e02401. | 1.0 | 1 |
| 15691 | Decoupling of species and plant communities of the U.S. Southwest: A CCSM4 climate scenario example. <i>Ecosphere</i> , 2023, 14, . | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15692 | Ecological Niche Differentiation from the Example of Bottom Communities of the Middle and Lower Volga Regions. <i>Biology Bulletin</i> , 2022, 49, 1931-1937. | 0.1 | 0 |
| 15693 | High functional diversity of avian breeders of the mammoth steppe during the last glacial maximum. <i>Quaternary Science Reviews</i> , 2023, 304, 107977. | 1.4 | 0 |
| 15694 | Shrub-mediated effects on soil nitrogen determines shrub-herbaceous interactions in drylands of the Tibetan Plateau. <i>Frontiers in Plant Science</i> , 0, 14, . | 1.7 | 3 |
| 15695 | Effects of Climate Change on the Spatial Distribution of the Threatened Species <i>Rhododendron purdomii</i> in Qinling-Daba Mountains of Central China: Implications for Conservation. <i>Sustainability</i> , 2023, 15, 3181. | 1.6 | 4 |
| 15696 | Prey resources are equally important as climatic conditions for predicting the distribution of a broad-ranged apex predator. <i>Diversity and Distributions</i> , 2023, 29, 613-628. | 1.9 | 2 |
| 15697 | Continuous mapping of aboveground biomass using Landsat time series. <i>Remote Sensing of Environment</i> , 2023, 288, 113483. | 4.6 | 5 |
| 15698 | Production variability and adaptation strategies of Ugandan smallholders in the face of climate variability and market shocks. <i>Climate Risk Management</i> , 2023, 40, 100490. | 1.6 | 1 |
| 15699 | Areography, environmental heterogeneity and spatial models explain patterns of past and present diversity in <i>Edraianthus</i> (Campanulaceae). <i>Botanical Journal of the Linnean Society</i> , 0, , . | 0.8 | 0 |
| 15700 | Threat Analysis of Forest Fragmentation and Degradation for Peruvian Primates. <i>Diversity</i> , 2023, 15, 276. | 0.7 | 3 |
| 15701 | Smaller, lighter coloured and less hairy <i>Procladius</i> (Diptera, Chironomidae) in warmer climate. , 0, , . | | 0 |
| 15702 | Temperature predicts maximum tree-species richness and water availability and frost shape the residual variation. <i>Ecology</i> , 2023, 104, . | 1.5 | 2 |
| 15703 | The Invasion History of <i>Diaphorina citri</i> (Hemiptera: Liviidae) in Puerto Rico: Past, Present, and Future Perspectives. <i>Environmental Entomology</i> , 2023, 52, 259-269. | 0.7 | 0 |
| 15704 | Dynamic Habitat Indices and Climatic Characteristics Explain Species Richness Patterns on the Mongolian Plateau. <i>Remote Sensing</i> , 2023, 15, 1092. | 1.8 | 1 |
| 15705 | MaxEnt brings comparable results when the input data are being completed; Model parameterization of four species distribution models. <i>Ecology and Evolution</i> , 2023, 13, . | 0.8 | 23 |
| 15706 | The socio-environmental impacts of tropical crop expansion on a global scale: A case study in cashew. <i>Biological Conservation</i> , 2023, 280, 109961. | 1.9 | 1 |
| 15707 | Map algebra on raster datasets represented by compact data structures. <i>Software - Practice and Experience</i> , 2023, 53, 1362-1390. | 2.5 | 0 |
| 15709 | The Scandinavian ice sheet against the Atlantic ocean: How the scandinavian ice sheet affected European small mammal assemblage during the Greenland stadial GS-2.1. <i>Quaternary Science Reviews</i> , 2023, 305, 108013. | 1.4 | 1 |
| 15710 | Current and future distribution of a parasite with complex life cycle under global change scenarios: <i>Echinococcus multilocularis</i> in Europe. <i>Global Change Biology</i> , 2023, 29, 2436-2449. | 4.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15711 | Spatiotemporal variability of the potential wind erosion risk in Southern Africa between 2005 and 2019. <i>Land Degradation and Development</i> , 2023, 34, 2945-2960. | 1.8 | 1 |
| 15712 | Climate change shrinks environmental suitability for a viviparous Neotropical skink. <i>Conservation Science and Practice</i> , 2023, 5, . | 0.9 | 1 |
| 15713 | Evaluation of TerraClimate gridded data across diverse climates in Iran. <i>Earth Science Informatics</i> , 2023, 16, 1347-1358. | 1.6 | 4 |
| 15714 | Variability of Mangroves Along the Brazilian Coast: Revisiting. <i>Brazilian Marine Biodiversity</i> , 2023, , 43-65. | 0.4 | 0 |
| 15715 | Multi-temporal ecological niche modeling for bird conservation in the face of climate change scenarios in Caatinga, Brazil. <i>PeerJ</i> , 0, 11, e14882. | 0.9 | 4 |
| 15716 | Modelling the scope to conserve an endemic rich mountain butterfly taxon in a changing climate. <i>Insect Conservation and Diversity</i> , 2023, 16, 451-467. | 1.4 | 2 |
| 15718 | Modeling Climate Change Effects on the Distribution of Oak Forests with Machine Learning. <i>Forests</i> , 2023, 14, 469. | 0.9 | 4 |
| 15719 | MaxEnt Modeling for Predicting the Potential Wintering Distribution of Eurasian Spoonbill (<i>Platalea</i>) Tj ETQq1 1 0.784314 rgBT /Over | 1.0 | 2 |
| 15720 | Ecological niche modelling of a critically endangered species <i>Commiphora wightii</i> (Arn.) Bhandari using bioclimatic and non-bioclimatic variables. <i>Ecological Processes</i> , 2023, 12, . | 1.6 | 9 |
| 15721 | Bryophytes of Europe Traits (<scp>BET</scp>) data set: A fundamental tool for ecological studies. <i>Journal of Vegetation Science</i> , 2023, 34, . | 1.1 | 9 |
| 15722 | Vector communities under global change may exacerbate and redistribute infectious disease risk. <i>Parasitology Research</i> , 2023, 122, 963-972. | 0.6 | 1 |
| 15723 | Using MaxEnt Model to Predict the Potential Distribution of Three Potentially Invasive Scarab Beetles in China. <i>Insects</i> , 2023, 14, 239. | 1.0 | 2 |
| 15725 | Drivers of nematode diversity in forest soils across climatic zones. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2023, 290, . | 1.2 | 1 |
| 15726 | Geospatial distribution and predictive modeling of onchocerciasis in Ogun State, Nigeria. <i>PLoS ONE</i> , 2023, 18, e0281624. | 1.1 | 0 |
| 15727 | Modelling future spatial distribution of peanut crops in Australia under climate change scenarios. <i>Geo-Spatial Information Science</i> , 0, , 1-20. | 2.4 | 3 |
| 15728 | Global change impacts on cacti (Cactaceae): current threats, challenges and conservation solutions. <i>Annals of Botany</i> , 2023, 132, 671-683. | 1.4 | 6 |
| 15729 | New and Noteworthy Taxa of the Genus <i>Dactylorhiza</i> Necker ex Nevski (Orchidaceae Juss.) in Kazakhstan Flora and Its Response to Global Warming. <i>Diversity</i> , 2023, 15, 369. | 0.7 | 3 |
| 15730 | Species Richness of Papilionidae Butterflies (Lepidoptera: Papilionoidea) in the Hengduan Mountains and Its Future Shifts under Climate Change. <i>Insects</i> , 2023, 14, 259. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15731 | Species inventories from different data sources â€œshapingâ€ slightly different avifauna diversity patterns. <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 1.1 | 0 |
| 15732 | Habitat Suitability and Conflict Zone Mapping for the Blue Bull (<i>Boselaphus tragocamelus</i>) across Nepal. <i>Animals</i> , 2023, 13, 937. | 1.0 | 2 |
| 15733 | Mitochondrial, morphological and environmental data partially support current subspecies designation in <i>Amazilia yucatanensis</i> hummingbirds. <i>Biological Journal of the Linnean Society</i> , 2023, 138, 413-436. | 0.7 | 1 |
| 15734 | Post-Fire Recovery of Plant Biodiversity Changes Depending on Time Intervals since Last Fire in Semiarid Shrublands. <i>Fire</i> , 2023, 6, 103. | 1.2 | 2 |
| 15735 | Potential aboveground biomass increase in Brazilian Atlantic Forest fragments with climate change. <i>Global Change Biology</i> , 2023, 29, 3098-3113. | 4.2 | 8 |
| 15736 | Global Distribution of <i>Culex tritaeniorhynchus</i> and Impact Factors. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4701. | 1.2 | 0 |
| 15737 | Projected Shifts in Bird Distribution in India under Climate Change. <i>Diversity</i> , 2023, 15, 404. | 0.7 | 6 |
| 15738 | Predicting of the current and future geographical distribution of <i>Laurus nobilis</i> L. under the effects of climate change. <i>Environmental Monitoring and Assessment</i> , 2023, 195, . | 1.3 | 5 |
| 15739 | Global warming leads to habitat loss and genetic erosion of alpine biodiversity. <i>Journal of Biogeography</i> , 2023, 50, 961-975. | 1.4 | 7 |
| 15740 | Multiple origins of mountain biodiversity in New Zealand's largest plant radiation. <i>Journal of Biogeography</i> , 2023, 50, 947-960. | 1.4 | 1 |
| 15742 | Abundance patterns of mammals across Russia explained by remotely sensed vegetation productivity and snow indices. <i>Journal of Biogeography</i> , 2023, 50, 932-946. | 1.4 | 3 |
| 15743 | Identifying the Most Probable Mammal Reservoir Hosts for Monkeypox Virus Based on Ecological Niche Comparisons. <i>Viruses</i> , 2023, 15, 727. | 1.5 | 5 |
| 15744 | Evolutionary and Ecological Processes Underlying Geographic Variation in Innate Bird Songs. <i>American Naturalist</i> , 2023, 202, E31-E52. | 1.0 | 1 |
| 15745 | Genetic Diversity and Insights into the Distribution of Brown Howler Monkeys (<i>Alouatta guariba</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1 0.9 | 0.9 | 1 |
| 15746 | Niche Filling Dynamics of Ragweed (<i>Ambrosia artemisiifolia</i> L.) during Global Invasion. <i>Plants</i> , 2023, 12, 1313. | 1.6 | 2 |
| 15747 | Mitochondrial DNA phylogeography of the Bushtit (<i>Psaltriparus minimus</i>). <i>Wilson Journal of Ornithology</i> , 2023, 135, . | 0.1 | 0 |
| 15748 | Estimating the distribution of <i>Oryzomys palustris</i> , a potential key host in expanding rickettsial tick-borne disease risk. <i>Ecosphere</i> , 2023, 14, . | 1.0 | 1 |
| 15749 | Disentangling the effects of different human disturbances on multifaceted biodiversity indices in freshwater fish. <i>Ecological Applications</i> , 0, , . | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15750 | Big data help to define climate change challenges for the typical Mediterranean species <i>Cistus ladanifer</i> L.. <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 1.1 | 1 |
| 15752 | Global Protected Areas as refuges for amphibians and reptiles under climate change. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 19 |
| 15753 | Geography, ecology, and history synergistically shape across-range genetic variation in a calanoid copepod endemic to the north-eastern Oriental. <i>Evolution; International Journal of Organic Evolution</i> , 2023, 77, 422-436. | 1.1 | 1 |
| 15754 | Species Distribution Modelling under Climate Change Scenarios for Maritime Pine (<i>Pinus pinaster</i>) Tj ETQq1 1 0.784314 rgBT ₂ /Overlock 0,9 | 0.9 | 0 |
| 15755 | Assessing the distribution of mayflies (Ephemeroptera: Insecta) in the Brazilian Amazon to guide more effective conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2023, 33, 337-348. | 0.9 | 4 |
| 15756 | Prediction and mapping of land degradation in the Batanghari watershed, Sumatra, Indonesia: utilizing multi-source geospatial data and machine learning modeling techniques. <i>Modeling Earth Systems and Environment</i> , 2023, 9, 4383-4404. | 1.9 | 0 |
| 15757 | Patterns of hostâ€“parasite coinvasion promote enemy release and specialist parasite spillover. <i>Journal of Animal Ecology</i> , 2023, 92, 1029-1041. | 1.3 | 0 |
| 15758 | On the Regional Temperature Series Evolution in the South-Eastern Part of Romania. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 3904. | 1.3 | 5 |
| 15760 | Contributions of hypolithic communities to surface soil organic carbon across a hyperarid-to-arid climate gradient. <i>Geoderma</i> , 2023, 433, 116428. | 2.3 | 3 |
| 15761 | On the temporal mismatch between in-situ and satellite-derived spring phenology of European beech forests. <i>International Journal of Remote Sensing</i> , 2023, 44, 1684-1701. | 1.3 | 1 |
| 15762 | Environmental gradualism explains variation in pollination systems of columnar cacti: Phylogenetic and trait evolution analyses. <i>Global Ecology and Biogeography</i> , 0, , . | 2.7 | 0 |
| 15763 | Geographic distribution, conservation, and genomic resources of cacao <i>Theobroma cacao</i> L. <i>Crop Science</i> , 0, , . | 0.8 | 0 |
| 15764 | Estimating local agricultural gross domestic product (AgGDP) across the world. <i>Earth System Science Data</i> , 2023, 15, 1357-1387. | 3.7 | 2 |
| 15765 | Does adding community science observations to museum records improve distribution modeling of a rare endemic plant?. <i>Ecosphere</i> , 2023, 14, . | 1.0 | 8 |
| 15766 | Projection of Climate Change Impacts on Potential Distribution of Chestnut-leaved oak (<i>Quercus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Jangal/ha\, ,yi l\,ra\,n, 2020, 8, 10-21. | 0.2 | 2 |
| 15767 | Large sampling effort is not related to richness and geographic distribution of Cladocera (Crustacea,) Tj ETQq1 1 0.784314 rgBT /Overlock 0,5 | 0.5 | 1 |
| 15768 | Morphological and Molecular Characterization of <i>Micromeria croatica</i> (Lamiaceae), an Endemic and Potentially Valuable Horticultural Species of the Dinaric Alps. <i>Horticulturae</i> , 2023, 9, 418. | 1.2 | 0 |
| 15769 | Climatic oscillation promoted diversification of spinous assassin bugs during Pleistocene glaciation. <i>Evolutionary Applications</i> , 2023, 16, 880-894. | 1.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15770 | Strong habitat-specific phenotypic plasticity but no genome-wide differentiation across a rainforest gradient in an African butterfly. <i>Evolution; International Journal of Organic Evolution</i> , 2023, 77, 1430-1443. | 1.1 | 2 |
| 15771 | Harmonization of Meteosat First and Second Generation Datasets for Fog and Low Stratus Studies. <i>Remote Sensing</i> , 2023, 15, 1774. | 1.8 | 0 |
| 15772 | Germplasm movement zones of eight forest species and future projections in the face of climate change in the Southeast of Mexico. <i>New Forests</i> , 2024, 55, 119-141. | 0.7 | 0 |
| 15773 | Endemic crop wild relatives in Chile towards the end of the 21st century: protected areas and agricultural expansion. <i>Crop Science</i> , 0, , . | 0.8 | 0 |
| 15774 | Do Fire Cues Enhance Germination of Soil Seed Stores across an Ecotone of Wet Eucalypt Forest to Cool Temperate Rainforest in the Central Highlands of South-Eastern Australia?. <i>Fire</i> , 2023, 6, 138. | 1.2 | 3 |
| 15775 | Assessment of the genetic diversity of Chinese freshwater mussels and refuge areas in the Yangtze River floodplain. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 0, , . | 0.9 | 0 |
| 15776 | Macroecological diversification of ants is linked to angiosperm evolution. <i>Evolution Letters</i> , 2023, 7, 79-87. | 1.6 | 3 |
| 15777 | Genome-wide single nucleotide polymorphisms reveal recurrent waves of speciation in niche-pockets, in Europe's most venomous snake. <i>Molecular Ecology</i> , 2023, 32, 3624-3640. | 2.0 | 3 |
| 15778 | Compositional breakpoints of freshwater plant communities across continents. , 2023, 42, 1. | | 1 |
| 15779 | The role of niche breadth in oak phylogeography: <i>Quercus glaucooides</i> as a study case. <i>Journal of Biogeography</i> , 2023, 50, 1653-1667. | 1.4 | 1 |
| 15781 | Future Increase in Aridity Drives Abrupt Biodiversity Loss Among Terrestrial Vertebrate Species. <i>Earth's Future</i> , 2023, 11, . | 2.4 | 4 |
| 15782 | Potential Westward Spread of Emerald Ash Borer, <i>Agrilus planipennis</i> Fairmaire, 1888 (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock | 0.9 | 1 |
| 15784 | Drivers of the microbial metabolic quotient across global grasslands. <i>Global Ecology and Biogeography</i> , 2023, 32, 904-918. | 2.7 | 2 |
| 15785 | Taxonomy and distribution of <i>Taraxacum</i> sect. <i>Erythrosperma</i> (Asteraceae) in Poland. <i>PhytoKeys</i> , 0, 224, 1-88. | 0.4 | 0 |
| 15786 | Global beta-diversity of angiosperm trees is shaped by Quaternary climate change. <i>Science Advances</i> , 2023, 9, . | 4.7 | 5 |
| 15787 | Tracing climate change with riverine ecotones and macroinvertebrates: is there need for extended monitoring at low elevations in western Himalaya?. <i>Aquatic Sciences</i> , 2023, 85, . | 0.6 | 0 |
| 15788 | Climate change impacts the distribution of <i>Quercus</i> section <i>Cyclobalanopsis</i> (Fagaceae), a keystone lineage in East Asian evergreen broadleaved forests. <i>Plant Diversity</i> , 2023, 45, 552-568. | 1.8 | 3 |
| 15789 | Subtropical high-montane forest climate refuges in Brazil. <i>Scientia Agricola</i> , 0, 80, . | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15790 | Environmental Variables in Predictive Soil Mapping: A Review. Eurasian Soil Science, 2023, 56, 247-259. | 0.5 | 2 |
| 15792 | Effects of forest loss and fragmentation on bat-ectoparasite interactions. Parasitology Research, 2023, 122, 1391-1402. | 0.6 | 1 |
| 15793 | Where should they come from? Where should they go? Several measures of seed source locality fail to predict plant establishment in early prairie restorations. Ecological Solutions and Evidence, 2023, 4, . | 0.8 | 0 |
| 15794 | Cryptosporidiosis threat under climate change in China: prediction and validation of habitat suitability and outbreak risk for human-derived Cryptosporidium based on ecological niche models. Infectious Diseases of Poverty, 2023, 12, . | 1.5 | 0 |
| 15795 | High compositional dissimilarity among small communities is decoupled from environmental variation. Oikos, 2023, 2023, . | 1.2 | 1 |
| 15796 | Climatic niche dynamics in the invasive nutria, <i>Myocastor coypus</i> : global assessment under climate change. Biological Invasions, 0, , . | 1.2 | 0 |
| 15797 | Enlarging the knowledge on the Ecuadorean rodent <i>Rhagomys septentrionalis</i> (Cricetidae: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 00 | 0.3 | 0 |
| 15798 | Conservation Status of the Northern Yellow-Cheeked Crested Gibbon (<i>Nomascus annamensis</i>) in Vietnam. , 2023, , 24-39. | | 0 |
| 15799 | Composition, Species Richness, and Conservation of the Reptiles of the Highly Threatened Northern Brazilian Atlantic Forest. , 2023, , 169-183. | | 1 |
| 15800 | Mapping Brazilian Expansion Risk Levels of Mango Weevil (<i>Sternochetus mangiferae</i> Fabricius) Based on MaxEnt. Neotropical Entomology, 0, , . | 0.5 | 0 |
| 15801 | chelsaâ€mip6 1.0: a python package to create high resolution bioclimatic variables based on CHELSA ver. 2.1 and CMIP6 data. Ecography, 2023, 2023, . | 2.1 | 5 |
| 15802 | The skull variation of the olive field mouse <i>Abrothrix olivacea</i> (Cricetidae: Abrotrichini) is localized and correlated to the ecogeographic features of its geographic distribution. PeerJ, 0, 11, e15200. | 0.9 | 1 |
| 15803 | Spatial Distribution, Diversity Mapping, and Gap Analysis of Wild Vigna Species Conserved in Indiaâ€™s National Genebank. Diversity, 2023, 15, 552. | 0.7 | 1 |
| 15804 | Differentially private tree-based redescription mining. Data Mining and Knowledge Discovery, 0, , . | 2.4 | 1 |
| 15805 | Established but not spreading: the tropical invasive snail <i>Melanoides tuberculata</i> in a geothermally warmed channel in temperate Southern Pampas. Anais Da Academia Brasileira De Ciencias, 2023, 95, . | 0.3 | 1 |
| 15806 | Geographical variation in community-wide herbivory matches patterns of intraspecific variation instead of species turnover. Global Ecology and Biogeography, 2023, 32, 1140-1151. | 2.7 | 1 |
| 15807 | Climate Change and Human Activities, the Significant Dynamic Drivers of Himalayan Goral Distribution (<i>Naemorhedus goral</i>). Biology, 2023, 12, 610. | 1.3 | 3 |
| 15808 | Using landscape genomics to assess local adaptation and genomic vulnerability of a perennial herb <i>Tetrastigma hemsleyanum</i> (Vitaceae) in subtropical China. Frontiers in Genetics, 0, 14, . | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|---|-----|-----------|
| 15809 | Geographic Distribution of the Puerto Rican Harlequin Butterfly (<i>Atlantea tulita</i>): an Ensemble Modeling Approach. <i>Caribbean Journal of Science</i> , 2023, 53, . | 0.2 | 1 |
| 15810 | Modeling the impacts of projected climate change on wheat crop suitability in semi-arid regions using the AHP-based weighted climatic suitability index and CMIP6. <i>Geoscience Letters</i> , 2023, 10, . | 1.3 | 13 |
| 15812 | Identifying Climatic Drivers of Hybridization with a New Ancestral Niche Reconstruction Method. <i>Systematic Biology</i> , 2023, 72, 856-873. | 2.7 | 2 |
| 15813 | Potential distribution of <i>Melanagromyza sojae</i> in South America and current situation in Argentina. <i>Entomologia Experimentalis Et Applicata</i> , 2023, 171, 621-636. | 0.7 | 0 |
| 15814 | Global environmental systems – multivariate anthropoecological classification. <i>Journal of Maps</i> , 0, , 1-9. | 1.0 | 0 |
| 15815 | Magnetic susceptibility of soils as an ambiguous climate proxy for paleoclimate reconstructions. <i>Quaternary International</i> , 2023, 661, 10-21. | 0.7 | 1 |
| 15816 | Distribution and conservation status of the endemic Nilgiri marten (<i>Martes gwatkinsii</i>). <i>Mammalia</i> , 2023, 87, 360-366. | 0.3 | 2 |
| 15817 | A novel GIS-based multicriteria analysis approach for ascertaining the catchment-scale degradation of a Himalayan wetland. <i>Environmental Research</i> , 2023, 229, 115967. | 3.7 | 8 |
| 15818 | Predicting the comprehensive geospatial pattern of two ephedrine-type alkaloids for <i>Ephedra sinica</i> in Inner Mongolia. <i>PLoS ONE</i> , 2023, 18, e0283967. | 1.1 | 1 |
| 15819 | Epidemic intelligence data of Crimean-Congo haemorrhagic fever, European Region, 2012 to 2022: a new opportunity for risk mapping of neglected diseases. <i>Eurosurveillance</i> , 2023, 28, . | 3.9 | 3 |
| 15820 | Merging precipitation scheme design for improving the accuracy of regional precipitation products by machine learning and geographical deviation correction. <i>Journal of Hydrology</i> , 2023, 620, 129560. | 2.3 | 5 |
| 15850 | Habitat Suitability and Niche Modelling for Conservation and Restoration of <i>Aconitum heterophyllum</i> Wall. in Temperate Himalayan Forest Ecosystem. , 2023, , 227-247. | | 0 |
| 15852 | Approaches for Modelling the Climate Change Impacts on Ecosystems. , 2023, , 87-99. | | 0 |
| 15853 | Factors Affecting the Habitat Suitability of Eastern Swamp Deer (<i>Rucervus duvaucelii ranjitsinhi</i>) Tj ETQq1 1 0.784314 rgBT /Qverlock | | 0 |
| 15863 | Suggestions on Sustainable Development of Giant Panda Habitat. , 2023, , 363-378. | | 0 |
| 15865 | Detailed Evaluation of Giant Panda Habitats and Countermeasures Against the Future Impacts of Climate. , 2023, , 305-362. | | 0 |
| 15889 | Austral Temperate Zone: Either Neglected or Misunderstood. , 2023, , 99-152. | | 0 |
| 15916 | Landscape Disturbance and Ecosystem Function of Pacific Patagonia Rivers. <i>The Latin American Studies Book Series</i> , 2023, , 13-33. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-------|--|-----|-----------|
| 15924 | Ecological niche modeling of <i>Macrophomina phaseolina</i> (Tassi) Goid. using bio-climatic and non-bio-climatic variables: a machine learning assessment. , 2023, , 179-204. | | 0 |
| 15986 | Species Richness and Beta Diversity Patterns of American Marsupials. , 2023, , 623-638. | | 0 |
| 16002 | Securing Conservation Status of <i>Paris polyphylla</i> , a Medicinally Important Plant of the Indian Himalayan Region. Sustainable Development and Biodiversity, 2023, , 133-154. | 1.4 | 0 |
| 16011 | Fusarium Wilt of Bananas: A Threat to the Banana Production Systems in Venezuela. The Latin American Studies Book Series, 2023, , 59-93. | 0.1 | 0 |
| 16034 | Examples of Remote Sensing Applications of Big Data Analytics”Land Cover Time Series Creation. Springer Remote Sensing/photogrammetry, 2023, , 261-270. | 0.4 | 0 |
| 16077 | Validation of Gridded Data Set Over Semi-arid Region of Syria. Lecture Notes in Civil Engineering, 2023, , 59-78. | 0.3 | 0 |
| 16151 | Genomics for monitoring and understanding species responses to global climate change. Nature Reviews Genetics, 2024, 25, 165-183. | 7.7 | 4 |
| 16164 | Photogrammetric and GIS-Based Modeling of Rapid Sediment Erosion and Deposition on the Taskscape of Bronze Age Politiko-Troullia, Cyprus. Interdisciplinary Contributions To Archaeology, 2023, , 1603-1625. | 0.1 | 0 |
| 16226 | Climate Change: Adapting for Resilience. , 2023, , 287-321. | | 0 |
| 16291 | Linking the Functional Traits of Australian <i>Acacia</i> Species to Their Geographic Distribution and Invasion Status. , 2023, , 74-92. | | 1 |
| 16293 | Jaguars (<i>Panthera onca</i>) in the Llanos of Colombia and Venezuela: Estimating Distribution and Population Size by Combining Different Modeling Approaches. , 2023, , 197-235. | | 0 |
| 16315 | Comparative Assessment of Machine Learning Algorithms for Habitat Suitability of <i>Tribulus terrestris</i> (Linn): An Economically Important Weed. , 2023, , 289-322. | | 0 |
| 16369 | Shifting Cultivation and Rehabilitation of Natural Forest Ecosystems. , 2023, , 360-378. | | 0 |
| 16384 | Agricultural Land-Use Systems and Management Challenges. Ecological Studies, 2024, , 551-586. | 0.4 | 0 |
| 16393 | Land Suitability Assessment for Mulberry-Based Agroforestry Using AHP and GIS Technique in the Northwestern Himalayan Region of Kashmir Valley, India to Achieve Sustainable Agriculture. Sustainable Development Goals Series, 2023, , 551-570. | 0.2 | 0 |
| 16394 | Climate Change and Environmental Infectious Diseases in Russia: Case Studies in Temperate and Arctic Climate. Global Perspectives on Health Geography, 2023, , 283-300. | 0.2 | 0 |
| 16397 | Island Features and Abiotic Factors as Drivers of Insect Leaf Herbivory on Islands. Ecological Studies, 2024, , 163-174. | 0.4 | 0 |
| 16449 | A systematic review on the potential impact of future climate change on India’s biodiversity using species distribution model (SDM) studies: trends, and data gaps. Biodiversity and Conservation, 0, , . | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
|---|---------|----|-----------|