

# Using Standardized Serum Creatinine Values in the Modification of Diet in Renal Disease Study Equation for Estimating Glomerular Filtration Rate

Annals of Internal Medicine

145, 247-254

DOI: 10.7326/0003-4819-145-4-200608150-00004

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Decreased Kidney Function in the Elderly: Clinical and Preclinical, Neither Benign. <i>Annals of Internal Medicine</i> , 2006, 145, 299.   | 2.0  | 19        |
| 4  | How to measure renal function in clinical practice. <i>BMJ: British Medical Journal</i> , 2006, 333, 1072.2-1072.  | 2.4  | 5         |
| 5  | Automatic Reporting of Estimated Glomerular Filtration Rate—Just What the Doctor Ordered. <i>Clinical Chemistry</i> , 2006, 52, 2188-2193.   | 1.5  | 58        |
| 6  | Chronic Kidney Disease Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2964-2966.  | 3.0  | 171       |
| 8  | Kidney dysfunction as a risk factor for first symptomatic stroke events in a general Japanese population—the Ohasama study. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1910-1915.  | 0.4  | 188       |
| 9  | Prediction of relative glomerular filtration rate in adults: New improved equations based on Swedish Caucasians and standardized plasma—creatinine assays. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007, 67, 678-695. | 0.6  | 70        |
| 10 | Sex difference in urine concentration across differing ages, sodium intake, and level of kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R700-R705.                           | 0.9  | 149       |
| 11 | Renal Function and Risk of Coronary Heart Disease in General Populations: New Prospective Study and Systematic Review. <i>PLoS Medicine</i> , 2007, 4, e270.   | 3.9  | 85        |
| 12 | Genotype by Diabetes Interaction Effects on the Detection of Linkage of Glomerular Filtration Rate to a Region on Chromosome 2q in Mexican Americans. <i>Diabetes</i> , 2007, 56, 2818-2828.   | 0.3  | 35        |
| 13 | Impact of Drug Use and Comorbidities on In-Hospital Falls in Patients with Chronic Kidney Disease. <i>Annals of Pharmacotherapy</i> , 2007, 41, 1638-1643.   | 0.9  | 18        |
| 14 | Evaluation of the Modification of Diet in Renal Disease Study Equation in a Large Diverse Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2749-2757.  | 3.0  | 498       |
| 15 | Urinary albumin excretion is associated with impaired flow- and nitroglycerin-mediated brachial artery dilatation in hypertensive adults. <i>Journal of Human Hypertension</i> , 2007, 21, 231-238.  | 1.0  | 57        |
| 16 | Association between Decreased Kidney Function and Endotoxin Receptor <i>CD14</i> - <i>C-159T</i> Polymorphism among Japanese Health Check-up Examinees. <i>Renal Failure</i> , 2007, 29, 967-972.  | 0.8  | 7         |
| 17 | The influence of a cooked-meat meal on estimated glomerular filtration rate. <i>Annals of Clinical Biochemistry</i> , 2007, 44, 35-42.   | 0.8  | 103       |
| 18 | <i>COL4A1</i> Mutations and Hereditary Angiopathy, Nephropathy, Aneurysms, and Muscle Cramps. <i>New England Journal of Medicine</i> , 2007, 357, 2687-2695.   | 13.9 | 305       |
| 19 | Association of Kidney Function and Albuminuria With Cardiovascular Mortality in Older vs Younger Individuals. <i>Archives of Internal Medicine</i> , 2007, 167, 2490.  | 4.3  | 241       |
| 20 | Improved GFR estimation by combined creatinine and cystatin C measurements. <i>Kidney International</i> , 2007, 72, 1535-1542.   | 2.6  | 98        |
| 22 | Risk for Cardiovascular Outcomes among Subjects with Atherosclerotic Cardiovascular Disease and Greater-than-Normal Estimated Glomerular Filtration Rate. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 1215-1222. | 2.2  | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 23 | Can modifications of the MDRD formula improve the estimation of glomerular filtration rate in renal allograft recipients?. Nephrology Dialysis Transplantation, 2007, 22, 3610-3615.   | 0.4 | 18        |
| 24 | Serum erythropoietin concentrations and responses to anaemia in patients with or without chronic kidney disease. Nephrology Dialysis Transplantation, 2007, 22, 2900-2908.   | 0.4 | 105       |
| 25 | Is early chronic kidney disease an important risk factor for cardiovascular disease?: A Background Paper prepared for the UK Consensus Conference on Early Chronic Kidney Disease. Nephrology Dialysis Transplantation, 2007, 22, ix19-ix25.       | 0.4 | 28        |
| 26 | The practical implications of using standardized estimation equations in calculating the prevalence of chronic kidney disease. Nephrology Dialysis Transplantation, 2007, 23, 542-548.   | 0.4 | 18        |
| 27 | Estimated glomerular filtration rate as an end point in kidney transplant trial: where do we stand?. Nephrology Dialysis Transplantation, 2007, 23, 33-38.   | 0.4 | 29        |
| 28 | Chronic kidney disease prevalence in a UK residential care home population. Nephrology Dialysis Transplantation, 2007, 23, 1257-1264.  | 0.4 | 30        |
| 29 | Use of GFR equations to adjust drug doses in an elderly multi-ethnic group a cautionary tale. Nephrology Dialysis Transplantation, 2007, 22, 2894-2899.  | 0.4 | 115       |
| 30 | In chronic kidney disease staging the use of the chronicity criterion affects prognosis and the rate of progression. Kidney International, 2007, 72, 1242-1248.  | 2.6 | 56        |
| 31 | CKD stage-to-stage progression in native and transplant kidney disease. Nephrology Dialysis Transplantation, 2007, 23, 693-700.  | 0.4 | 45        |
| 32 | Estimated glomerular filtration rate (eGFR <sub>CystC</sub> ) from serum cystatin C shows strong agreement with iohexol clearance in patients with low GFR. Scandinavian Journal of Clinical and Laboratory Investigation, 2007, 67, 801-809.      | 0.6 | 32        |
| 33 | Estimation of the Glomerular Filtration Rate From Serum Creatinine and Cystatin C With Regard to Therapeutic Digoxin Monitoring. Journal of Clinical Pharmacology, 2007, 47, 1450-1455.  | 1.0 | 7         |
| 34 | Prevalence of Cardiovascular Risk Factors and the Serum Levels of 25-Hydroxyvitamin D in the United States. Archives of Internal Medicine, 2007, 167, 1159.  | 4.3 | 725       |
| 35 | Association of Plasma Resistin With Glomerular Filtration Rate and Albuminuria in Hypertensive Adults. Hypertension, 2007, 50, 708-714.  | 1.3 | 87        |
| 36 | Kidney Outcomes in Long-Term Studies of Ruboxistaurin for Diabetic Eye Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2007, 2, 631-636.   | 2.2 | 87        |
| 37 | An epidemic of chronic kidney disease: fact or fiction?. Nephrology Dialysis Transplantation, 2007, 23, 1117-1121.   | 0.4 | 164       |
| 38 | Prevalence of Chronic Kidney Disease in the United States. JAMA - Journal of the American Medical Association, 2007, 298, 2038.  | 3.8 | 4,121     |
| 39 | Renal Function Tests: A Clinical Laboratory Perspective. Laboratory Medicine, 2007, 38, 295-304.   | 0.8 | 5         |
| 40 | Multicentre physiological reference values for the concentration of creatininium in plasma and diagnostic specificity of glomerular filtration rate estimated with the MDRD equation. Clinical Chemistry and Laboratory Medicine, 2007, 45, 531-4. | 1.4 | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 41 | New Serum Creatinine Assay Standardization: Implications for Drug Dosing. <i>Annals of Pharmacotherapy</i> , 2007, 41, 475-480.  | 0.9 | 12        |
| 42 | Influence of Morbid Obesity on the Single-Dose Pharmacokinetics of Daptomycin. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2741-2747.   | 1.4 | 86        |
| 43 | New Predictive Equations Improve Monitoring of Kidney Function in Patients With Diabetes. <i>Diabetes Care</i> , 2007, 30, 1988-1994.  | 4.3 | 61        |
| 45 | Influence of Renal Function on the Efficacy and Safety of Fondaparinux Relative to Enoxaparin in Nonâ€“ST-Segment Elevation Acute Coronary Syndromes. <i>Annals of Internal Medicine</i> , 2007, 147, 304.                         | 2.0 | 85        |
| 46 | Successful Thalidomide Treatment of Persistent Chylous Pleural Effusion. <i>Annals of Internal Medicine</i> , 2007, 146, 75.   | 2.0 | 11        |
| 47 | Effects of a Mediterranean-Style Diet on Cardiovascular Risk Factors. <i>Annals of Internal Medicine</i> , 2007, 146, 73.  | 2.0 | 4         |
| 48 | Effects of a Mediterranean-Style Diet on Cardiovascular Risk Factors. <i>Annals of Internal Medicine</i> , 2007, 146, 73.  | 2.0 | 13        |
| 50 | Associations of Periodontal Damage and Tooth Loss with Atherogenic Factors among Patients with Type 2 Diabetes Mellitus. <i>Internal Medicine</i> , 2007, 46, 1359-1364.   | 0.3 | 27        |
| 51 | Prediction of cardiovascular outcome by estimated glomerular filtration rate and estimated creatinine clearance in the high-risk hypertension population of the VALUE trial. <i>Journal of Hypertension</i> , 2007, 25, 1473-1479. | 0.3 | 68        |
| 52 | Liverâ€“kidney transplantation in the Model for Endstage Liver Disease era: is it overdone?. <i>Current Opinion in Organ Transplantation</i> , 2007, 12, 245-252.  | 0.8 | 2         |
| 53 | Understanding estimated glomerular filtration rate: implications for identifying chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2007, 16, 242-249.  | 1.0 | 50        |
| 54 | Defining renal risk. <i>Current Opinion in Nephrology and Hypertension</i> , 2007, 16, 554-556.  | 1.0 | 11        |
| 55 | Preventing Contrast Mediumâ€“Induced Nephropathy. <i>American Journal of Nursing</i> , 2007, 107, 40-49.   | 0.2 | 3         |
| 56 | Evaluation of Renal Function in Transplantation. <i>Transplantation</i> , 2007, 84, 131-136.   | 0.5 | 32        |
| 57 | Is the Corrected-Creatinine Model for End-Stage Liver Disease a Feasible Strategy to Adjust Gender Difference in Organ Allocation for Liver Transplantation?. <i>Transplantation</i> , 2007, 84, 1406-1412.                        | 0.5 | 44        |
| 59 | Estimating Glomerular Filtration Rate From Serum Creatinine in the General Populationâ€“Replyâ€“I. <i>Mayo Clinic Proceedings</i> , 2007, 82, 386.   | 1.4 | 0         |
| 60 | Serum creatinine: Why lower may not be better*. <i>Critical Care Medicine</i> , 2007, 35, 2458-2459.   | 0.4 | 26        |
| 61 | Association of Hypertension Genotypes and Decline in Renal Function After Kidney Transplantation. <i>Transplantation</i> , 2007, 84, 1240-1247.  | 0.5 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 63 | Estimating Glomerular Filtration Rate From Serum Creatinine in the General Population. Mayo Clinic Proceedings, 2007, 82, 385-386.  | 1.4 | 0         |
| 64 | Prevalence of decreased glomerular filtration rate in patients seeking non-nephrological medical care – An evaluation using IDMS-traceable creatinine based MDRD as well as Mayo Clinic quadratic equation estimates. Clinica Chimica Acta, 2007, 378, 71-77. | 0.5 | 20        |
| 65 | Diagnostic prÃ©coce de lâ€™insuffisance rÃ©nale. Nephrologie Et Therapeutique, 2007, 3, 195-200.  | 0.2 | 2         |
| 66 | The glomerular filtration rate in an apparently healthy population and its relation with cardiovascular mortality during 10 years. European Heart Journal, 2007, 28, 478-483.   | 1.0 | 157       |
| 67 | Using the modification of diet in renal disease (MDRD) and Cockcroft and Gault equations to estimate glomerular filtration rate (GFR) in older people. Age and Ageing, 2007, 36, 689-692.   | 0.7 | 43        |
| 68 | International Society of Geriatric Oncology Chemotherapy Taskforce: Evaluation of Chemotherapy in Older Patients – An Analysis of the Medical Literature. Journal of Clinical Oncology, 2007, 25, 1832-1843.  | 0.8 | 210       |
| 69 | Estimating Glomerular Filtration Rate From Serum Creatinine in the General Population. Mayo Clinic Proceedings, 2007, 82, 385-386.  | 1.4 | 0         |
| 70 | Mining the Genome for Susceptibility to Diabetic Nephropathy: The Role of Large-Scale Studies and Consortia. Seminars in Nephrology, 2007, 27, 208-222.   | 0.6 | 23        |
| 71 | Estimating Glomerular Filtration Rate From Serum Creatinine in the General Population – Reply – I. Mayo Clinic Proceedings, 2007, 82, 386.  | 1.4 | 1         |
| 73 | The Impact of Thiazolidinedione Use on Outcomes in Ambulatory Patients With Diabetes Mellitus and Heart Failure. Journal of the American College of Cardiology, 2007, 50, 32-36.  | 1.2 | 33        |
| 74 | Moderate Chronic Kidney Disease and Cognitive Function in Adults 20 to 59 Years of Age: Third National Health and Nutrition Examination Survey (NHANES III). Journal of the American Society of Nephrology: JASN, 2007, 18, 2205-2213.                        | 3.0 | 179       |
| 75 | Estimated Glomerular Filtration Rate. Annals of Internal Medicine, 2007, 146, 74.   | 2.0 | 2         |
| 76 | Introduction to Clinical Pharmacology. , 2007, , 1-7.   |     | 1         |
| 77 | Defining –Community– in Emergency Preparedness. Annals of Internal Medicine, 2007, 146, 72.   | 2.0 | 0         |
| 78 | Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: revised recommendations. Medical Journal of Australia, 2007, 187, 459-463.  | 0.8 | 109       |
| 79 | Increased urinary cystatin C reflects structural and functional renal tubular impairment independent of glomerular filtration rate. Clinical Biochemistry, 2007, 40, 946-951.   | 0.8 | 88        |
| 80 | The Current State of Knowledge on Age, Sex, and Their Interactions on Clinical Pharmacology. Clinical Pharmacology and Therapeutics, 2007, 82, 87-96.   | 2.3 | 221       |
| 81 | High-normal levels of albuminuria predict the development of micro- and macroalbuminuria and increased mortality in Brazilian Type 2 diabetic patients: an 8-year follow-up study. Diabetic Medicine, 2007, 24, 1136-1142.                                    | 1.2 | 36        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 82 | Review article: renal function assessment in cirrhosis – difficulties and alternative measurements. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 26, 969-978.                       | 1.9 | 128       |
| 83 | Interactions between chronic renal disease and periodontal disease. <i>Oral Diseases</i> , 2008, 14, 1-7.  | 1.5 | 88        |
| 84 | Female Liver Transplant Recipients with the Same GFR as Male Recipients Have Lower MELD Scores? A Systematic Bias. <i>American Journal of Transplantation</i> , 2007, 7, 685-692.              | 2.6 | 139       |
| 85 | Assessment of kidney function in adults. <i>Medicine</i> , 2007, 35, 359-364.  | 0.2 | 2         |
| 86 | Management of chronic kidney disease. <i>Medicine</i> , 2007, 35, 442-446.   | 0.2 | 3         |
| 87 | Nomogram for the 4-Variable Modification of Diet in Renal Disease Study Equation. <i>American Journal of Kidney Diseases</i> , 2007, 49, 722-723.  | 2.1 | 3         |
| 88 | Dehydration versus Volume Depletion – and the Importance of Getting it Right. <i>American Journal of Kidney Diseases</i> , 2007, 49, 721-722.  | 2.1 | 10        |
| 89 | Impact of Creatinine Calibration on Performance of GFR Estimating Equations in a Pooled Individual Patient Database. <i>American Journal of Kidney Diseases</i> , 2007, 50, 21-35.             | 2.1 | 198       |
| 90 | Elevated Levels of Fractalkine Expression and Accumulation of CD16+ Monocytes in Glomeruli of Active Lupus Nephritis. <i>American Journal of Kidney Diseases</i> , 2007, 50, 47-58.            | 2.1 | 103       |
| 91 | Testing for Chronic Kidney Disease: A Position Statement From the National Kidney Foundation. <i>American Journal of Kidney Diseases</i> , 2007, 50, 169-180.                                  | 2.1 | 283       |
| 92 | Disease Progression and Outcomes in Type 1 Diabetic Kidney Transplant Recipients Based on Posttransplantation CKD Staging. <i>American Journal of Kidney Diseases</i> , 2007, 50, 631-640.     | 2.1 | 5         |
| 93 | Sequence of Progression of Albuminuria and Decreased GFR in Persons With Type 1 Diabetes: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2007, 50, 721-732.                      | 2.1 | 57        |
| 94 | Calibration of Serum Creatinine in the National Health and Nutrition Examination Surveys (NHANES) 1988-1994, 1999-2004. <i>American Journal of Kidney Diseases</i> , 2007, 50, 918-926.        | 2.1 | 278       |
| 95 | Modification of the Modification of Diet in Renal Disease (MDRD) Study Equation for Japan. <i>American Journal of Kidney Diseases</i> , 2007, 50, 927-937.                                     | 2.1 | 316       |
| 96 | Selection of Appropriate Glomerular Filtration Rate Estimating Equation. <i>Hong Kong Journal of Nephrology</i> , 2007, 9, 15-22.  | 0.0 | 0         |
| 97 | Bias and precision of estimated glomerular filtration rate in children. <i>Pediatric Nephrology</i> , 2007, 22, 167-169.   | 0.9 | 17        |
| 98 | How to estimate GFR-serum creatinine, serum cystatin C or equations?. <i>Clinical Biochemistry</i> , 2007, 40, 153-161.  | 0.8 | 236       |
| 99 | Patient selection has a strong impact on cystatin C and Modification of Diet in Renal Disease (MDRD) estimated glomerular filtration rate. <i>Clinical Biochemistry</i> , 2008, 41, 1355-1361. | 0.8 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 100 | Performance of the revised $\text{eGFR}$ Modification of Diet in Renal Disease equation in patients with type 2 diabetes. <i>Diabetologia</i> , 2008, 51, 1714-1718.   | 2.9 | 16        |
| 101 | Functional preservation in patients with renal cortical tumors: The rationale for partial nephrectomy. <i>Current Urology Reports</i> , 2008, 9, 15-21.  | 1.0 | 12        |
| 102 | Recognition and Management of Chronic Kidney Disease in an Elderly Ambulatory Population. <i>Journal of General Internal Medicine</i> , 2008, 23, 1125-1130.   | 1.3 | 42        |
| 103 | Proteinuria and decreased body mass index as a significant risk factor in developing end-stage renal disease. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 363-369.   | 0.7 | 15        |
| 104 | Fosamprenavir or atazanavir once daily boosted with ritonavir 100mg, plus tenofovir/emtricitabine, for the initial treatment of HIV infection: 48-week results of ALERT. <i>AIDS Research and Therapy</i> , 2008, 5, 5.  | 0.7 | 91        |
| 105 | Comments on "Practical experiences on the necessity of external validation" by I. R. KÄrning, J. D. Malley, C. Weimar, H. C. Diener and A. Ziegler, <i>Statistics in Medicine</i>, DOI: 10.1002/sim.3069. <i>Statistics in Medicine</i> , 2008, 27, 2737-2738. | 0.8 | 1         |
| 107 | Safety of gadoversetamide in patients with acute and chronic myocardial infarction. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 1368-1378.  | 1.9 | 13        |
| 108 | Ischemia heart disease and greater waist circumference are risk factors of renal function deterioration in male gout patients. <i>Clinical Rheumatology</i> , 2008, 27, 581-586.   | 1.0 | 6         |
| 109 | Telmisartan is more effective than losartan in reducing proteinuria in patients with diabetic nephropathy. <i>Kidney International</i> , 2008, 74, 364-369.  | 2.6 | 135       |
| 110 | Circulating Blood Markers and Functional Impairment in Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1504-1510.   | 1.3 | 54        |
| 111 | Kidney Function and Cognitive Performance and Decline in Older Men. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 2082-2088.   | 1.3 | 93        |
| 112 | A single center comparison of long-term outcomes of renal allografts procured laparoscopically versus historic controls procured by the open approach. <i>Transplant International</i> , 2008, 21, 908-914.  | 0.8 | 8         |
| 113 | Comparison of gelatine matrix-thrombin sealants used during laparoscopic partial nephrectomy. <i>BJU International</i> , 2008, 102, 1670-1674.   | 1.3 | 23        |
| 114 | Serum total and high molecular weight adiponectin levels are correlated with the severity of diabetic retinopathy and nephropathy. <i>Clinical Endocrinology</i> , 2008, 68, 442-449.  | 1.2 | 64        |
| 115 | Reliability of the MDRD method for estimating glomerular filtration rate in relation to gender, body mass index and extracellular fluid volume. <i>European Journal of Clinical Investigation</i> , 2008, 38, 486-493.   | 1.7 | 7         |
| 116 | The effect of long-term homocysteine-lowering on carotid intima-media thickness and flow-mediated vasodilation in stroke patients: a randomized controlled trial and meta-analysis. <i>BMC Cardiovascular Disorders</i> , 2008, 8, 24.                         | 0.7 | 54        |
| 117 | Prevalence of chronic kidney disease in population-based studies: Systematic review. <i>BMC Public Health</i> , 2008, 8, 117.  | 1.2 | 752       |
| 118 | Comparison of Dosing Recommendations for Antimicrobial Drugs Based on Two Methods for Assessing Kidney Function: Cockcroft-Gault and Modification of Diet in Renal Disease. <i>Pharmacotherapy</i> , 2008, 28, 1125-1132.                                      | 1.2 | 70        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 119 | Impact of Chronic Obstructive Pulmonary Disease on Long-Term Outcome of Patients Hospitalized for Heart Failure. American Journal of Cardiology, 2008, 101, 353-358.  | 0.7 | 83        |
| 120 | Prognostic Impact of Angiotensin-Converting Enzyme Inhibitor Therapy in Diastolic Heart Failure. American Journal of Cardiology, 2008, 101, 639-644.  | 0.7 | 28        |
| 121 | Serum Cystatin C and Increased Coronary Heart Disease Prevalence in US Adults Without Chronic Kidney Disease. American Journal of Cardiology, 2008, 102, 54-57.   | 0.7 | 69        |
| 122 | Effectiveness of Anemia and Chronic Kidney Disease as Predictors for Presence and Severity of Coronary Artery Disease in Patients Undergoing Stress Myocardial Perfusion Study. American Journal of Cardiology, 2008, 102, 266-271. | 0.7 | 16        |
| 123 | Prevalence of Hypovitaminosis D in Cardiovascular Diseases (from the National Health and Nutrition) Tj ETQq0 0 0 rgBT /Overlock 10 Tf   | 0.7 | 314       |
| 124 | Estimated Glomerular Filtration Rate (eGFR) as a Predictor of Outcome after Infrainguinal Bypass in Patients with Critical Limb Ischemia. European Journal of Vascular and Endovascular Surgery, 2008, 36, 77-83.                   | 0.8 | 23        |
| 125 | Is estimated peri-operative glomerular filtration rate associated with post-operative mortality in fractured neck of femur patients?. Injury, 2008, 39, 1141-1146.  | 0.7 | 29        |
| 126 | Effect of Intrauterine Growth Restriction on Kidney Function at Young Adult Age: The Nord TrÅndelag Health (HUNT 2) Study. American Journal of Kidney Diseases, 2008, 51, 10-20.  | 2.1 | 124       |
| 127 | Race and Sex Differences in Hypertension Control in CKD: Results From the Kidney Early Evaluation Program (KEEP). American Journal of Kidney Diseases, 2008, 51, 192-198.   | 2.1 | 52        |
| 128 | Estimating GFR Using Serum Cystatin C Alone and in Combination With Serum Creatinine: A Pooled Analysis of 3,418 Individuals With CKD. American Journal of Kidney Diseases, 2008, 51, 395-406.                                      | 2.1 | 944       |
| 129 | Participant Follow-up in the Kidney Early Evaluation Program (KEEP) After Initial Detection. American Journal of Kidney Diseases, 2008, 51, S69-S76.  | 2.1 | 11        |
| 130 | Diabetes Mellitus in CKD: Kidney Early Evaluation Program (KEEP) and National Health and Nutrition and Examination Survey (NHANES) 1999-2004. American Journal of Kidney Diseases, 2008, 51, S21-S29.                               | 2.1 | 47        |
| 131 | Association of Analgesic Use With Prevalence of Albuminuria and Reduced GFR in US Adults. American Journal of Kidney Diseases, 2008, 51, 573-583.   | 2.1 | 31        |
| 132 | CKD in the United States: Kidney Early Evaluation Program (KEEP) and National Health and Nutrition Examination Survey (NHANES) 1999-2004. American Journal of Kidney Diseases, 2008, 51, S13-S20.                                   | 2.1 | 162       |
| 133 | The Kidney Early Evaluation Program (KEEP): Program Design and Demographic Characteristics of the Population. American Journal of Kidney Diseases, 2008, 51, S3-S12.  | 2.1 | 56        |
| 134 | Improving Care of Patients With Diabetes and CKD: A Pilot Study for a Cluster-Randomized Trial. American Journal of Kidney Diseases, 2008, 51, 777-788.   | 2.1 | 52        |
| 135 | Creatinine Calibration in NHANES: Is a Revised MDRD Study Formula Needed?. American Journal of Kidney Diseases, 2008, 51, 709.  | 2.1 | 12        |
| 136 | Standardization of Serum Creatinine and Estimated GFR in the Kidney Early Evaluation Program (KEEP). American Journal of Kidney Diseases, 2008, 51, S77-S82.  | 2.1 | 40        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 137 | CKD in the Elderly—Old Questions and New Challenges: World Kidney Day 2008. <i>American Journal of Kidney Diseases</i> , 2008, 51, 353-357.  | 2.1 | 51        |
| 138 | Cystatin C and Creatinine in an HIV Cohort: The Nutrition for Healthy Living Study. <i>American Journal of Kidney Diseases</i> , 2008, 51, 914-924.  | 2.1 | 50        |
| 139 | Performance of Creatinine-Based Estimates of GFR in Kidney Transplant Recipients: A Systematic Review. <i>American Journal of Kidney Diseases</i> , 2008, 51, 1005-1015.   | 2.1 | 91        |
| 140 | Detection and Awareness of Moderate to Advanced CKD by Primary Care Practitioners: A Cross-sectional Study From Italy. <i>American Journal of Kidney Diseases</i> , 2008, 52, 444-453.   | 2.1 | 98        |
| 141 | Overweight, Obesity, and the Development of Stage 3 CKD: The Framingham Heart Study. <i>American Journal of Kidney Diseases</i> , 2008, 52, 39-48.   | 2.1 | 321       |
| 142 | Prevalence and Associations of Coronary Artery Calcification in Patients With Stages 3 to 5 CKD Without Cardiovascular Disease. <i>American Journal of Kidney Diseases</i> , 2008, 52, 849-858.  | 2.1 | 75        |
| 143 | Association of Donor Inflammation- and Apoptosis-Related Genotypes and Delayed Allograft Function After Kidney Transplantation. <i>American Journal of Kidney Diseases</i> , 2008, 52, 331-339.  | 2.1 | 39        |
| 144 | Beta-Trace Protein-Based Equations for Calculation of GFR in Renal Transplant Recipients. <i>American Journal of Transplantation</i> , 2008, 8, 608-615.   | 2.6 | 40        |
| 145 | The Number of Activating KIR Genes Inversely Correlates with the Rate of CMV Infection/Reactivation in Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2008, 8, 1312-1317.  | 2.6 | 97        |
| 146 | Brachial-ankle pulse wave velocity as a marker of subclinical organ damage in middle-aged patients with hypertension. <i>Journal of Cardiology</i> , 2008, 51, 163-170.  | 0.8 | 19        |
| 147 | Kidney disease and the cumulative burden of life course socioeconomic conditions: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Social Science and Medicine</i> , 2008, 67, 1311-1320.  | 1.8 | 52        |
| 148 | Controversies in combined liver-kidney transplantation: indications and outcomes. <i>Transplantation Reviews</i> , 2008, 22, 82-88.  | 1.2 | 10        |
| 149 | How to implement traceability of creatinine results: A manufacturer's experience. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 64-66.  | 0.6 | 3         |
| 150 | Halving Ischemia Time During Laparoscopic Partial Nephrectomy. <i>Journal of Urology</i> , 2008, 179, 627-632.   | 0.2 | 269       |
| 151 | Cerebral small vessel disease and chronic kidney disease (CKD): Results of a cross-sectional study in community-based Japanese elderly. <i>Journal of the Neurological Sciences</i> , 2008, 272, 36-42.  | 0.3 | 93        |
| 152 | Distribution and cardiovascular risk correlates of hemoglobin A1c in nondiabetic younger adults: the Bogalusa Heart Study. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 1487-1492.   | 1.5 | 14        |
| 154 | In-hospital mortality and prognostic factors in patients admitted for new-onset heart failure with preserved or reduced ejection fraction: a prospective observational study. <i>Archives of Cardiovascular Diseases</i> , 2008, 101, 226-234. | 0.7 | 14        |
| 155 | Long-Term Results With the Off-Label Use of Paclitaxel-Eluting Stents. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 695-704.  | 0.4 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 156 | Reduced cystatin C-estimated GFR and increased creatinine-estimated GFR in comparison with iohexol-estimated GFR in a hyperthyroid patient: A case report. <i>Journal of Medical Case Reports</i> , 2008, 2, 66.                  | 0.4 | 11        |
| 157 | Will Recommendations against Spirometry Make Chronic Obstructive Pulmonary Disease Harder to Treat?. <i>Annals of Internal Medicine</i> , 2008, 149, 512.   | 2.0 | 6         |
| 158 | Prolonged Basiliximab Use as an Alternative to Calcineurin Inhibition to Allow Renal Recovery Late After Heart Transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2008, 27, 1043-1045.                           | 0.3 | 18        |
| 159 | Impact of race and chronic kidney disease on 1-year outcome in patients undergoing percutaneous coronary interventions: A single tertiary center experience. <i>American Heart Journal</i> , 2008, 155, 1027-1032.                | 1.2 | 9         |
| 160 | Calcium-phosphate levels and cardiovascular disease in community-dwelling adults: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Heart Journal</i> , 2008, 156, 556-563.                                       | 1.2 | 249       |
| 161 | Reduced renal function and sleep-disordered breathing in community-dwelling elderly men. <i>Sleep Medicine</i> , 2008, 9, 637-645.  | 0.8 | 38        |
| 163 | Kidney Function After Solitary Pancreas Transplantation. <i>Transplantation Proceedings</i> , 2008, 40, 513-515.  | 0.3 | 23        |
| 164 | Prevalence of renal failure and use of antithrombotic prophylaxis among medical inpatients at increased risk of venous thromboembolic events. <i>Thrombosis Research</i> , 2008, 123, 67-71.                                      | 0.8 | 17        |
| 165 | Time course of the antiproteinuric and antihypertensive effects of direct renin inhibition in type 2 diabetes. <i>Kidney International</i> , 2008, 73, 1419-1425.   | 2.6 | 121       |
| 166 | Impact of Chronic Kidney Disease on Postinfarction Inflammation, Oxidative Stress, and Left Ventricular Remodeling. <i>Journal of Cardiac Failure</i> , 2008, 14, 831-838.  | 0.7 | 28        |
| 167 | Independent and incremental prognostic value of multimarker testing in acute dyspnea: Results from the ProBNP Investigation of Dyspnea in the Emergency Department (PRIDE) study. <i>Clinica Chimica Acta</i> , 2008, 392, 41-45. | 0.5 | 52        |
| 168 | A lack of increase in high molecular weight-adiponectin in macroalbuminuric subjects with metabolic syndrome may exert renal and atherosclerotic risks. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 503-509.       | 1.1 | 6         |
| 169 | AST-120 (Kremezin®) initiated in early stage chronic kidney disease stunts the progression of renal dysfunction in type 2 diabetic subjects. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 310-315.                  | 1.1 | 68        |
| 171 | Monitoring Renal Function and Limitations of Renal Function Tests. <i>Seminars in Nuclear Medicine</i> , 2008, 38, 32-46.   | 2.5 | 146       |
| 172 | Methods of Prospective Investigation of Pulmonary Embolism Diagnosis III (PIOPED III). <i>Seminars in Nuclear Medicine</i> , 2008, 38, 462-470.   | 2.5 | 52        |
| 174 | Chronic kidney disease in Taiwan. <i>Lancet, The</i> , 2008, 372, 1950.   | 6.3 | 2         |
| 175 | INTRAVENOUS IRON IN CHRONIC KIDNEY DISEASE: HAEMOGLOBIN CHANGE SHORTLY AFTER TREATMENT OF PATIENTS NEITHER ON DIALYSIS NOR ON ERYTHROPOIETIN. <i>Journal of Renal Care</i> , 2008, 34, 112-115.                                   | 0.6 | 9         |
| 176 | DEVELOPMENT OF A SELF-MANAGEMENT PACKAGE FOR PEOPLE WITH DIABETES AT RISK OF CHRONIC KIDNEY DISEASE (CKD). <i>Journal of Renal Care</i> , 2008, 34, 151-158.  | 0.6 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 177 | The Medical and Oncological Rationale for Partial Nephrectomy for the Treatment of T1 Renal Cortical Tumors. <i>Urologic Clinics of North America</i> , 2008, 35, 635-643.  | 0.8 | 70        |
| 178 | Urinary angiotensinogen as a potential biomarker of severity of chronic kidney diseases. <i>Journal of the American Society of Hypertension</i> , 2008, 2, 349-354.   | 2.3 | 130       |
| 179 | Reliability of GFR formulas based on serum creatinine, with special reference to the MDRD Study equation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 30-38.   | 0.6 | 39        |
| 180 | Blood Urea Nitrogen and Serum Creatinine. <i>Circulation: Heart Failure</i> , 2008, 1, 2-5.   | 1.6 | 167       |
| 181 | Implementation of the routine reporting of eGFR in Australia and New Zealand. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 23-29.   | 0.6 | 16        |
| 182 | Determining $\epsilon$ ™ glomerular filtration rate in healthy adults using infusion of inulin and comparing it with values obtained using other clearance techniques or prediction equations. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008, 42, 278-285. | 1.4 | 80        |
| 183 | Serum Potassium and Clinical Outcomes in the Eplerenone Post-“Acute Myocardial Infarction Heart Failure Efficacy and Survival Study (EPHESUS). <i>Circulation</i> , 2008, 118, 1643-1650.   | 1.6 | 209       |
| 184 | Characterization of Fabry Disease in 352 Pediatric Patients in the Fabry Registry. <i>Pediatric Research</i> , 2008, 64, 550-555.   | 1.1 | 235       |
| 185 | Glomerular Filtration Rate, Albuminuria, and Risk of Cardiovascular and All-Cause Mortality in the US Population. <i>American Journal of Epidemiology</i> , 2008, 167, 1226-1234.   | 1.6 | 275       |
| 186 | Association of Insulin Resistance and Inflammation With Peripheral Arterial Disease. <i>Circulation</i> , 2008, 118, 33-41.   | 1.6 | 68        |
| 187 | Iraq: the environmental challenge to HM Land Forces. <i>Clinical Medicine</i> , 2008, 8, 399-403.   | 0.8 | 8         |
| 188 | Kidney Dysfunction and Sudden Cardiac Death Among Women With Coronary Heart Disease. <i>Hypertension</i> , 2008, 51, 1578-1582.   | 1.3 | 50        |
| 189 | Loop Diuretic Use and Increased Rates of Hip Bone Loss in Older Men<sub>title</sub>>The Osteoporotic Fractures in Men Study</sub>. <i>Archives of Internal Medicine</i> , 2008, 168, 735.   | 4.3 | 88        |
| 190 | Validation of the Virga GFR Equation in a Renal Transplant Population. <i>Nephron Clinical Practice</i> , 2008, 109, c140-c147.   | 2.3 | 5         |
| 191 | How to Best Define Patients with Moderate Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2008, 110, c195-c206.  | 2.3 | 4         |
| 192 | Homocysteine or Renal Impairment. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1158-1164.  | 1.1 | 63        |
| 193 | Admission or Changes in Renal Function During Hospitalization for Worsening Heart Failure Predict Postdischarge Survival. <i>Circulation: Heart Failure</i> , 2008, 1, 25-33.   | 1.6 | 246       |
| 194 | Modeling the variability of creatinine measurements improves estimates of the glomerular filtration rate. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 215-8.  | 1.4 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 195 | Formula-Based Estimates of the GFR: Equations Variable and Uncertain. <i>Nephron Clinical Practice</i> , 2008, 110, c48-c54.   | 2.3 | 75        |
| 196 | Differences in vitamin D status as a possible contributor to the racial disparity in peripheral arterial disease. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1469-1477.   | 2.2 | 91        |
| 197 | An Association between Body Mass Index and Estimated Glomerular Filtration Rate. <i>Hypertension Research</i> , 2008, 31, 1559-1564.   | 1.5 | 45        |
| 198 | Prevalence of chronic kidney disease in Kinshasa: results of a pilot study from the Democratic Republic of Congo. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 117-122.  | 0.4 | 105       |
| 199 | Kidney function decline and physical function in women. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2827-2833.  | 0.4 | 21        |
| 200 | Relationship between silent brain infarction and chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 201-207.   | 0.4 | 81        |
| 201 | Angiographic Index for Angioplasty-Treatable Atheromatous Renal Artery Stenosis. <i>Hypertension Research</i> , 2008, 31, 881-885.   | 1.5 | 4         |
| 202 | Regional Implementation of Creatinine Measurement Standardization. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 164-169.   | 3.0 | 36        |
| 203 | Coronary artery bypass surgery and acute kidney injury—impact of the off-pump technique. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2853-2860.   | 0.4 | 57        |
| 204 | Renal function and sleep-disordered breathing in older men. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3908-3914.  | 0.4 | 36        |
| 205 | Long-term functional evolution after an acute kidney injury: a 10-year study. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3859-3866.  | 0.4 | 105       |
| 206 | Association of renal function with cardiac calcifications in older adults: the cardiovascular health study. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 834-840.  | 0.4 | 55        |
| 207 | Predictivity of survival according to different equations for estimating renal function in community-dwelling elderly subjects. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 1197-1205.  | 0.4 | 46        |
| 208 | Creatinine-Based Glomerular Filtration Rates and Microalbuminuria for Detecting Metabolic Abnormalities in US Adults: The National Health and Nutrition Examination Survey 2003–2004. <i>American Journal of Nephrology</i> , 2008, 28, 431-437. | 1.4 | 5         |
| 209 | Prognosis of heart failure with preserved ejection fraction: a 5 year prospective population-based study. <i>European Heart Journal</i> , 2008, 29, 339-347.   | 1.0 | 364       |
| 210 | Circadian Variability of Cystatin C, Creatinine, and Glomerular Filtration Rate (GFR) in Healthy Men during Normal Sleep and after an Acute Shift of Sleep. <i>Chronobiology International</i> , 2008, 25, 1047-1061.                            | 0.9 | 32        |
| 211 | MRI Safety Update 2008: Part 1, MRI Contrast Agents and Nephrogenic Systemic Fibrosis. <i>American Journal of Roentgenology</i> , 2008, 191, 1129-1139.  | 1.0 | 187       |
| 212 | Defining acute kidney injury: what is the most appropriate metric?. <i>Nature Clinical Practice Nephrology</i> , 2008, 4, 208-215.   | 2.0 | 39        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 213 | The impact of automated eGFR reporting and education on nephrology service referrals. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3845-3850.   | 0.4 | 68        |
| 214 | Estimation of Glomerular Filtration Rate by Use of Beta-Trace Protein. <i>Clinical Chemistry</i> , 2008, 54, 1403-1405.   | 1.5 | 7         |
| 215 | Cardiovascular disease in chronic kidney disease. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2008, 2, 425-434.   | 1.0 | 24        |
| 216 | Relation of 25-hydroxyvitamin D and parathyroid hormone levels with metabolic syndrome among US adults.. <i>European Journal of Endocrinology</i> , 2008, 159, 41-48.                           | 1.9 | 192       |
| 217 | Slower Decline of Glomerular Filtration Rate in the Japanese General Population: A Longitudinal 10-Year Follow-Up Study. <i>Hypertension Research</i> , 2008, 31, 433-441.                      | 1.5 | 269       |
| 218 | Predictors of change in estimated GFR: a population-based 7-year follow-up from the Tromso study. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2818-2826.                             | 0.4 | 81        |
| 219 | Delay in separating blood samples affects creatinine measurement using the Roche kinetic Jaffe method. <i>Annals of Clinical Biochemistry</i> , 2008, 45, 83-87.                                | 0.8 | 17        |
| 220 | The relationship between estimated glomerular filtration rate and thyroid function: an observational study. <i>Annals of Clinical Biochemistry</i> , 2008, 45, 515-517.                         | 0.8 | 24        |
| 221 | Acute Variation of Estimated Glomerular Filtration Rate Following a Half-Marathon Run. <i>International Journal of Sports Medicine</i> , 2008, 29, 948-951.                                     | 0.8 | 36        |
| 222 | Long-term survival in patients older than 80 years hospitalised for heart failure. A 5-year prospective study. <i>European Journal of Heart Failure</i> , 2008, 10, 78-84.                      | 2.9 | 75        |
| 223 | Effect of atrial fibrillation on long-term survival in patients hospitalised for heart failure with preserved ejection fraction†. <i>European Journal of Heart Failure</i> , 2008, 10, 566-572. | 2.9 | 43        |
| 224 | Comparison of 2 Methods for the Calculation of Estimated Glomerular Filtration Rate. <i>Laboratory Medicine</i> , 2008, 39, 35-37.  | 0.8 | 3         |
| 225 | CKD Increases the Risk of Age-Related Macular Degeneration. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 806-811.   | 3.0 | 65        |
| 226 | Determining Prevalence of Chronic Kidney Disease Using Estimated Glomerular Filtration Rate. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 631.                        | 3.8 | 8         |
| 227 | Comparison of creatinine-based estimations of glomerular filtration rate in endurance athletes at rest. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 235-9.                    | 1.4 | 17        |
| 228 | Patient Awareness of Chronic Kidney Disease. <i>Archives of Internal Medicine</i> , 2008, 168, 2268.  | 4.3 | 251       |
| 229 | Serum Total Bilirubin Level and Prevalent Lower-Extremity Peripheral Arterial Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 166-172.                           | 1.1 | 176       |
| 230 | Measuring renal function in old age. <i>Reviews in Clinical Gerontology</i> , 2008, 18, 257-267.  | 0.5 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 231 | Plasma Polyunsaturated Fatty Acids and the Decline of Renal Function. <i>Clinical Chemistry</i> , 2008, 54, 475-481.   | 1.5 | 77        |
| 232 | Investigation of Gender Heterogeneity in the Associations of Serum Phosphorus With Incident Coronary Artery Disease and All-Cause Mortality. <i>American Journal of Epidemiology</i> , 2008, 169, 67-77.                                       | 1.6 | 86        |
| 233 | Natriuretic Peptides in Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1644-1651.   | 2.2 | 82        |
| 234 | Trends in Circulating Concentrations of Total Homocysteine among US Adolescents and Adults: Findings from the 1991-1994 and 1999-2004 National Health and Nutrition Examination Surveys. <i>Clinical Chemistry</i> , 2008, 54, 801-813.        | 1.5 | 43        |
| 235 | Renal Insufficiency and Mortality in Patients with Known or Suspected Coronary Artery Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 158-163.   | 3.0 | 66        |
| 236 | Secondary analysis of the CHOIR trial epoetin- $\alpha$ dose and achieved hemoglobin outcomes. <i>Kidney International</i> , 2008, 74, 791-798.  | 2.6 | 467       |
| 237 | Serum Osteoprotegerin as a Screening Tool for Coronary Artery Calcification Score in Diabetic Pre-Dialysis Patients. <i>Hypertension Research</i> , 2008, 31, 1163-1170.   | 1.5 | 62        |
| 238 | Routine reporting of estimated glomerular filtration rate: not ready for prime time. <i>Nature Clinical Practice Nephrology</i> , 2008, 4, 422-423.  | 2.0 | 19        |
| 239 | Antiretroviral therapy improves renal function among HIV-infected Ugandans. <i>Kidney International</i> , 2008, 74, 925-929.   | 2.6 | 92        |
| 240 | Inflammation and cardiovascular events in individuals with and without chronic kidney disease. <i>Kidney International</i> , 2008, 73, 1406-1412.  | 2.6 | 42        |
| 241 | Low birth weight is associated with chronic kidney disease only in men. <i>Kidney International</i> , 2008, 73, 637-642.   | 2.6 | 105       |
| 242 | Masked Hypertension Determined by Self-Measured Blood Pressure at Home and Chronic Kidney Disease in the Japanese General Population: The Ohasama Study. <i>Hypertension Research</i> , 2008, 31, 2129-2135.                                   | 1.5 | 39        |
| 243 | Distribution of pathologic findings in individuals with nephrotic proteinuria according to serum albumin. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 1595-1599.  | 0.4 | 14        |
| 244 | Pleiotropic Effects of Statins May Improve Outcomes in Atherosclerotic Renovascular Disease. <i>American Journal of Hypertension</i> , 2008, 21, 1163-1168.  | 1.0 | 57        |
| 245 | Modification of Diet in Renal Disease and Modified Cockcroft-Gault Formulas in Predicting Aminoglycoside Elimination. <i>Annals of Pharmacotherapy</i> , 2008, 42, 1758-1765.  | 0.9 | 25        |
| 246 | Decreased glomerular and tubular expression of ACE2 in patients with type 2 diabetes and kidney disease. <i>Kidney International</i> , 2008, 74, 1610-1616.  | 2.6 | 209       |
| 247 | New results from the Modification of Diet in Renal Disease study: the importance of clinical outcomes in test strategies for early chronic kidney disease. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008, 101, 155-158. | 0.2 | 11        |
| 248 | Differential effects of arginine methylation on diastolic dysfunction and disease progression in patients with chronic systolic heart failure. <i>European Heart Journal</i> , 2008, 29, 2506-2513.  | 1.0 | 103       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 249 | The LundÅ“MalmÅ“ creatinineÅ“based glomerular filtration rate prediction equation for adults also performs well in children. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 568-576.              | 0.6 | 36        |
| 250 | United Kingdom guidelines for chronic kidney disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 16-22.   | 0.6 | 18        |
| 251 | Longitudinal analysis of performance of estimated glomerular filtration rate as renal function declines in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 109-116.                                  | 0.4 | 26        |
| 252 | Once-Daily Abacavir/Lamivudine and Ritonavir-Boosted Atazanavir for the Treatment of HIV-1 Infection in Antiretroviral-NaÅ“ve Patients: A 48-Week Pilot Study. <i>HIV Clinical Trials</i> , 2008, 9, 152-163.                       | 2.0 | 28        |
| 253 | High Prevalence of Prehypertension Is Associated with the Increased Body Mass Index in Community-Dwelling Japanese. <i>Tohoku Journal of Experimental Medicine</i> , 2008, 216, 353-361.  | 0.5 | 22        |
| 254 | An Association between the Estimated Glomerular Filtration Rate and Carotid Atherosclerosis. <i>Internal Medicine</i> , 2008, 47, 391-398.  | 0.3 | 43        |
| 255 | Clinical Utility of Evaluating Intracranial Artery Stenosis and Silent Brain Infarction to Predict the Presence of Subclinical Coronary Artery Disease in Ischemic Stroke Patients. <i>Internal Medicine</i> , 2008, 47, 1775-1781. | 0.3 | 10        |
| 256 | Inhibition of the Renin-Angiotensin System Prevents Re-Hospitalization of Heart Failure Patients With Preserved Ejection Fraction. <i>Circulation Journal</i> , 2008, 72, 2004-2008.  | 0.7 | 9         |
| 257 | Decreased Renal Function as an Independent Predictor of Re-Hospitalization for Congestive Heart Failure. <i>Circulation Journal</i> , 2008, 72, 1152-1157.  | 0.7 | 41        |
| 258 | Effect of a Contrast Agent on Long-Term Renal Function and the Efficacy of Prophylactic Hemodiafiltration. <i>Circulation Journal</i> , 2008, 72, 427-433.  | 0.7 | 27        |
| 259 | A Novel Scheme for Graft Allocation in Non-Heart Beating Donor Renal Transplantation. <i>Transplantation</i> , 2008, 85, 1663-1667.   | 0.5 | 2         |
| 260 | Symptomatic Hepatitis Associated with the Use of Herbal Red Yeast Rice. <i>Annals of Internal Medicine</i> , 2008, 149, 516.  | 2.0 | 42        |
| 261 | 2. Evaluation of Renal Function. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2008, 97, 921-928.   | 0.0 | 5         |
| 262 | An Association between Decreased Estimated Glomerular Filtration Rate and Arterial Stiffness. <i>Internal Medicine</i> , 2008, 47, 593-598.   | 0.3 | 55        |
| 263 | Putting "Evidence-based Medicine Practice Guideline for the Treatment of CKD" to Practical Use. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2008, 97, 1108-1116.  | 0.0 | 0         |
| 265 | Differences in Kidney Function and Incident Hypertension: The Multi-Ethnic Study of Atherosclerosis. <i>Annals of Internal Medicine</i> , 2008, 148, 501.   | 2.0 | 111       |
| 266 | Plasma Homocysteine, but Not Folate or Vitamin B-12, Predicts Mortality in Older People in the United Kingdom. <i>Journal of Nutrition</i> , 2008, 138, 1121-1128.  | 1.3 | 44        |
| 267 | The Epidemiology of Cardiac Surgery-Associated Acute Kidney Injury. <i>International Journal of Artificial Organs</i> , 2008, 31, 158-165.  | 0.7 | 100       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 268 | Management of acute coronary syndromes in patients with renal dysfunction. <i>Current Opinion in Cardiology</i> , 2008, 23, 320-326.   | 0.8 | 7         |
| 269 | Relationship between chronic kidney disease prevalence and end-stage renal disease risk. <i>Current Opinion in Nephrology and Hypertension</i> , 2008, 17, 286-291.  | 1.0 | 36        |
| 270 | Cystatin C-based Equations in Renal Transplantation: Moving Toward a Better Glomerular Filtration Rate Prediction?. <i>Transplantation</i> , 2008, 85, 1855-1858.  | 0.5 | 40        |
| 271 | Using the slope-only technique and estimated glomerular filtration rate for checking the reliability of slope-intercept measurement of glomerular filtration rate. <i>Nuclear Medicine Communications</i> , 2008, 29, 1086-1092. | 0.5 | 10        |
| 272 | Did Prescription Bias Affect Outcomes in a Study of the Relative Effectiveness of Osteoporosis Drugs?. <i>Annals of Internal Medicine</i> , 2008, 149, 514.  | 2.0 | 0         |
| 273 | The Effects of Race, Ethnicity, and Underlying Medical Diseases on Osteoporosis Are Still Unguided Territory for Internists. <i>Annals of Internal Medicine</i> , 2008, 149, 514.  | 2.0 | 3         |
| 274 | Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: revised recommendations. <i>Medical Journal of Australia</i> , 2008, 188, 427-430.   | 0.8 | 1         |
| 275 | Automated reporting of eGFR: a useful tool for identifying and managing kidney disease. <i>Medical Journal of Australia</i> , 2009, 190, 200-203.  | 0.8 | 10        |
| 276 | EFFECT OF MITRAL REGURGITATION ON CHRONIC HEART FAILURE COURSE AND STRUCTURE-FUNCTIONAL HEART STATE. <i>Rational Pharmacotherapy in Cardiology</i> , 2009, 5, 7-16.  | 0.3 | 0         |
| 277 | Kidney Function Influences Warfarin Responsiveness and Hemorrhagic Complications. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 912-921.  | 3.0 | 256       |
| 278 | Impact of Renal Dysfunction on Clinical Outcomes of Acute Coronary Syndrome. <i>Yonsei Medical Journal</i> , 2009, 50, 537.  | 0.9 | 8         |
| 279 | Association between body mass index and chronic kidney disease: A population-based, cross-sectional study of a Japanese community. <i>Vascular Health and Risk Management</i> , 2009, 5, 315.                                    | 1.0 | 26        |
| 280 | Large Sample of Nephrogenic Systemic Fibrosis Cases From a Single Institution. <i>Archives of Dermatology</i> , 2009, 145, 1095-102.   | 1.7 | 20        |
| 281 | Renal Function in the Elderly and Drug Dosing. <i>Gerontology</i> , 2009, 55, 417-421.   | 1.4 | 4         |
| 282 | Non-Contrast MRI for the Evaluation of Hydronephrotic and Dysfunctioning Kidney Secondary to Testicular Cancer. <i>Renal Failure</i> , 2009, 31, 153-158.  | 0.8 | 2         |
| 283 | Prevalence of Chronic Kidney Disease in the Black Sea Region, Turkey, and Investigation of the Related Factors with Chronic Kidney Disease. <i>Renal Failure</i> , 2009, 31, 920-927.  | 0.8 | 11        |
| 284 | Hypertension during Pregnancy is Associated with Coronary Artery Calcium Independent of Renal Function. <i>Journal of Women's Health</i> , 2009, 18, 1709-1716.  | 1.5 | 25        |
| 285 | Serum cystatin C: A useful marker of kidney function in very old people. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 606-611.   | 0.6 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 286 | Risk Factors for Abdominal Aortic Aneurysms. <i>Circulation</i> , 2009, 119, 2202-2208.   | 1.6 | 362       |
| 287 | The Impact of Percutaneous Nephrolithotomy in Patients with Chronic Kidney Disease. <i>Journal of Endourology</i> , 2009, 23, 1403-1407.  | 1.1 | 31        |
| 288 | Tubular and Glomerular Injury in Diabetes and the Impact of ACE Inhibition. <i>Diabetes Care</i> , 2009, 32, 1684-1688.   | 4.3 | 64        |
| 289 | Renal Involvement in Primary Sjögren's Syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1423-1431.   | 2.2 | 190       |
| 290 | Cystatin C Levels in U.S. Adults, 1988-1994 Versus 1999-2002. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 965-972.  | 2.2 | 21        |
| 291 | Serum Phosphate and Left Ventricular Hypertrophy in Young Adults: The Coronary Artery Risk Development in Young Adults Study. <i>Kidney and Blood Pressure Research</i> , 2009, 32, 37-44.  | 0.9 | 41        |
| 292 | Renal Function Predicts Survival in Patients with Acute Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2009, 28, 88-94.   | 0.8 | 46        |
| 293 | Glomerular Filtration Rate Is a Confounder for the Measurement of Soluble Mesothelin in Serum. <i>Clinical Chemistry</i> , 2009, 55, 1431-1433.   | 1.5 | 33        |
| 294 | Glomerular filtration rate measurement and prediction equations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1023-32.   | 1.4 | 68        |
| 295 | Serum Selenium and Peripheral Arterial Disease: Results From the National Health and Nutrition Examination Survey, 2003-2004. <i>American Journal of Epidemiology</i> , 2009, 169, 996-1003.  | 1.6 | 77        |
| 296 | Red Blood Cell Distribution Width and the Risk of Death in Middle-aged and Older Adults. <i>Archives of Internal Medicine</i> , 2009, 169, 515.   | 4.3 | 503       |
| 297 | Effect of Long-Term Homocysteine Reduction with B Vitamins on Arterial Wall Inflammation Assessed by Fluorodeoxyglucose Positron Emission Tomography: A Randomised Double-Blind, Placebo-Controlled Trial. <i>Cerebrovascular Diseases</i> , 2009, 27, 259-265. | 0.8 | 33        |
| 298 | Timing of Onset of CKD-Related Metabolic Complications. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 164-171.   | 3.0 | 390       |
| 299 | Moderate-Severe Renal Insufficiency Is a Risk Factor for Sirolimus-Eluting Stent Thrombosis. <i>Cardiology</i> , 2009, 112, 191-199.  | 0.6 | 28        |
| 300 | Risk Factors for Chronic Kidney Disease among American Indians and Alaska Natives - Findings from the Kidney Early Evaluation Program. <i>American Journal of Nephrology</i> , 2009, 29, 440-446.   | 1.4 | 22        |
| 301 | Kidney function estimated from serum creatinine and cystatin C and peripheral arterial disease in NHANES 1999-2002. <i>European Heart Journal</i> , 2009, 30, 1918-1925.  | 1.0 | 40        |
| 302 | Long-term mortality predictors in patients with chronic bifascicular block. <i>Europace</i> , 2009, 11, 1201-1207.  | 0.7 | 17        |
| 303 | Asymmetric dimethylarginine is closely associated with the development and progression of nephropathy in patients with type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1884-1888.   | 0.4 | 89        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 304 | Estimation of glomerular filtration rate: does haemoglobin discriminate between ageing and true CKD?. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1828-1833.  | 0.4  | 13        |
| 305 | HIV-infected persons continue to lose kidney function despite successful antiretroviral therapy. <i>Aids</i> , 2009, 23, 2143-2149.  | 1.0  | 99        |
| 306 | Reducing the Risk of Contrast-Induced Nephropathy: A Perspective on the Controversies. <i>American Journal of Roentgenology</i> , 2009, 192, 1544-1549.  | 1.0  | 68        |
| 307 | Circulating Matrix Metalloproteinase-2 Is an Independent Correlate of Proteinuria in Patients with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2009, 29, 109-115.  | 1.4  | 26        |
| 308 | Alcohol consumption and 5-year onset of chronic kidney disease: the AusDiab study. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2464-2472.   | 0.4  | 123       |
| 309 | Glomerular Filtration Rate and Parathyroid Hormone Secretion in Primary Hyperparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4458-4461.  | 1.8  | 48        |
| 310 | Azathioprine or Methotrexate Maintenance for ANCA-Associated Vasculitis. <i>New England Journal of Medicine</i> , 2009, 360, 1358-1359.  | 13.9 | 2         |
| 311 | Racial Differences in Incident Heart Failure among Young Adults. <i>New England Journal of Medicine</i> , 2009, 360, 1179-1190.  | 13.9 | 483       |
| 312 | Estimating GFR using serum beta trace protein: accuracy and validation in kidney transplant and pediatric populations. <i>Kidney International</i> , 2009, 76, 784-791.  | 2.6  | 41        |
| 313 | For estimating creatinine clearance measuring muscle mass gives better results than those based on demographics. <i>Kidney International</i> , 2009, 75, 1071-1078.  | 2.6  | 103       |
| 314 | Location of acute coronary artery thromboses in patients with and without chronic kidney disease. <i>Kidney International</i> , 2009, 75, 80-87.   | 2.6  | 19        |
| 315 | Metabolic abnormalities are present in adults with elevated serum cystatin C. <i>Kidney International</i> , 2009, 76, 81-88.   | 2.6  | 21        |
| 316 | Dissecting and refining the staging of chronic kidney disease. <i>Kidney International</i> , 2009, 75, 1009-1014.  | 2.6  | 93        |
| 318 | Plasma Renin Test-Guided Drug Treatment Algorithm for Correcting Patients With Treated but Uncontrolled Hypertension: A Randomized Controlled Trial. <i>American Journal of Hypertension</i> , 2009, 22, 792-801.  | 1.0  | 119       |
| 319 | Relationship between renal function and serum cardiac troponin T in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2009, 11, 653-658.   | 2.9  | 70        |
| 320 | Kidney function and future risk for adverse pregnancy outcomes: a population-based study from HUNT II, Norway. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3744-3750.   | 0.4  | 53        |
| 321 | Estimating Glomerular Filtration Rate in Kidney Donors: A Model Constructed with Renal Volume Measurements from Donor CT Scans. <i>Radiology</i> , 2009, 252, 109-116.   | 3.6  | 69        |
| 322 | A candidate gene approach to genetic prognostic factors of IgA nephropathy—a result of Polymorphism REsearch to Distinguish genetic factors Contributing To progression of IgA Nephropathy (PREDICT-IgAN). <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3686-3694. | 0.4  | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 323 | Kidney Stones and the Risk for Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 804-811.  | 2.2 | 296       |
| 324 | Recovery of renal function in end-stage renal failure—comparison between peritoneal dialysis and haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2825-2831.  | 0.4 | 31        |
| 325 | Discrepancies between creatinine-based and cystatin C-based equations in estimating prevalence of stage 3 chronic kidney disease in an elderly population. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 344-349.   | 0.6 | 17        |
| 326 | Low-sodium DASH reduces oxidative stress and improves vascular function in salt-sensitive humans. <i>Journal of Human Hypertension</i> , 2009, 23, 826-835.  | 1.0 | 89        |
| 327 | Transfer from ciclosporin to mycophenolate-sirolimus immunosuppression for chronic renal disease after heart transplantation: safety and efficacy of two regimens. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3872-3875.   | 0.4 | 6         |
| 328 | Long-term prognosis after acute kidney injury requiring renal replacement therapy. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2186-2189.   | 0.4 | 75        |
| 329 | Evaluation of the Modification of Diet in Renal Disease equation (eGFR) against simultaneous, dual-marker multi-sample measurements of glomerular filtration rate. <i>Annals of Clinical Biochemistry</i> , 2009, 46, 58-64.   | 0.8 | 7         |
| 330 | Survival and dialysis initiation: comparing British Columbia and Scotland registries. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3186-3192.  | 0.4 | 71        |
| 331 | An easy to calculate equation to estimate GFR based on inulin clearance. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3055-3061.   | 0.4 | 15        |
| 332 | A cut-off value of plasma osteoprotegerin level may predict the presence of coronary artery calcifications in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3389-3397.   | 0.4 | 60        |
| 333 | Association of kidney function and uncarboxylated matrix Gla protein: Data from the Heart and Soul Study. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2095-2101.  | 0.4 | 41        |
| 334 | Combining GFR and Albuminuria to Classify CKD Improves Prediction of ESRD. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1069-1077.   | 3.0 | 390       |
| 335 | The Science of Stewardship. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1677-1684.   | 2.2 | 39        |
| 336 | Mid-Regional Pro-Adrenomedullin Is Associated With Pulse Pressure, Left Ventricular Mass, and Albuminuria in African Americans With Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 860-866.   | 1.0 | 14        |
| 337 | Evaluation of the Modified Diet in Renal Disease Equation for Calculation of Carboplatin Dose. <i>Annals of Pharmacotherapy</i> , 2009, 43, 235-241.   | 0.9 | 16        |
| 338 | Early Angiography in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1032-1043.  | 2.2 | 103       |
| 339 | Urinary Angiotensinogen as a Novel Biomarker of the Intrarenal Renin-Angiotensin System Status in Hypertensive Patients. <i>Hypertension</i> , 2009, 53, 344-350.  | 1.3 | 188       |
| 340 | Investigation of the Influence of <i>CYP1A2</i> and <i>CYP2C19</i> Genetic Polymorphism on 2-Cyano-3-hydroxy-N-[4-(trifluoromethyl)phenyl]-2-butenamide (A77 1726) Pharmacokinetics in Leflunomide-Treated Patients with Rheumatoid Arthritis. <i>Drug Metabolism and Disposition</i> , 2009, 37, 2061-2068. | 1.7 | 42        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 341 | Vitamin D Is Associated With Cognitive Function in Elders Receiving Home Health Services. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 888-895.  | 1.7 | 159       |
| 342 | Prediction, Progression, and Outcomes of Chronic Kidney Disease in Older Adults. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1199-1209.  | 3.0 | 176       |
| 343 | Blood Pressure Control Among Persons Without and With Chronic Kidney Disease. <i>Hypertension</i> , 2009, 54, 47-56.  | 1.3 | 121       |
| 344 | Outcomes Following Endovascular vs Open Repair of Abdominal Aortic Aneurysm<sub>title>>A Randomized Trial</sub>. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 1535.   | 3.8 | 927       |
| 345 | Slowing the Progression of Chronic Kidney Disease. <i>Journal for Nurse Practitioners</i> , 2009, 5, 188-194.   | 0.4 | 3         |
| 346 | The Detrimental Effect of Poor Early Graft Function After Laparoscopic Live Donor Nephrectomy on Graft Outcomes. <i>American Journal of Transplantation</i> , 2009, 9, 337-347.   | 2.6 | 54        |
| 347 | AZA/Tacrolimus Is Associated with Similar Outcomes as MMF/Tacrolimus among Renal Transplant Recipients. <i>American Journal of Transplantation</i> , 2009, 9, 2067-2074.  | 2.6 | 27        |
| 348 | Antidiabetic medication use and prevalence of chronic kidney disease among patients with type 2 diabetes mellitus in the United States. <i>Clinical Therapeutics</i> , 2009, 31, 2608-2617.   | 1.1 | 106       |
| 349 | Relation of Serum Sodium Level to Long-Term Outcome After a First Hospitalization for Heart Failure With Preserved Ejection Fraction. <i>American Journal of Cardiology</i> , 2009, 103, 405-410.   | 0.7 | 55        |
| 350 | Prevalence of CKD in the United States: A Sensitivity Analysis Using the National Health and Nutrition Examination Survey (NHANES) 1999-2004. <i>American Journal of Kidney Diseases</i> , 2009, 53, 218-228.   | 2.1 | 100       |
| 351 | Current Status and Future Perspectives for CKD Testing. <i>American Journal of Kidney Diseases</i> , 2009, 53, S17-S26.   | 2.1 | 54        |
| 352 | CKD Surveillance Using Laboratory Data From the Population-Based National Health and Nutrition Examination Survey (NHANES). <i>American Journal of Kidney Diseases</i> , 2009, 53, S46-S55.   | 2.1 | 85        |
| 353 | Who Should Be Targeted for CKD Screening? Impact of Diabetes, Hypertension, and Cardiovascular Disease. <i>American Journal of Kidney Diseases</i> , 2009, 53, S71-S77.   | 2.1 | 64        |
| 354 | Proximal Tubule Cytoplasmic Fibrillary Inclusions Following Kidney Transplantation in a Patient With a Paraproteinemia. <i>American Journal of Kidney Diseases</i> , 2009, 53, 715-718.   | 2.1 | 14        |
| 355 | Decreased Antibody Response to Influenza Vaccination in Kidney Transplant Recipients: A Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2009, 54, 112-121.   | 2.1 | 99        |
| 356 | Comprehensive Public Health Strategies for Preventing the Development, Progression, and Complications of CKD: Report of an Expert Panel Convened by the Centers for Disease Control and Prevention. <i>American Journal of Kidney Diseases</i> , 2009, 53, 522-535. | 2.1 | 168       |
| 357 | Hypertension in Early-Stage Kidney Disease: An Update From the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2009, 53, S22-S31.  | 2.1 | 30        |
| 358 | Plasma Parathyroid Hormone Level and Prevalent Cardiovascular Disease in CKD Stages 3 and 4: An Analysis From the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2009, 53, S3-S10.  | 2.1 | 68        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 359 | Revised Equations for Estimated GFR From Serum Creatinine in Japan. American Journal of Kidney Diseases, 2009, 53, 982-992.  | 2.1 | 5,260     |
| 360 | Is Low Birth Weight an Antecedent of CKD in Later Life? A Systematic Review of Observational Studies. American Journal of Kidney Diseases, 2009, 54, 248-261.  | 2.1 | 406       |
| 361 | Differential Estimation of CKD Using Creatinine- Versus Cystatin C-Based Estimating Equations by Category of Body Mass Index. American Journal of Kidney Diseases, 2009, 53, 993-1001.   | 2.1 | 64        |
| 362 | Restriction of Dietary Protein and Long-term Outcomes in Patients With CKD. American Journal of Kidney Diseases, 2009, 54, 183-184.  | 2.1 | 8         |
| 363 | Diabetes Mellitus and CKD Awareness: The Kidney Early Evaluation Program (KEEP) and National Health and Nutrition Examination Survey (NHANES). American Journal of Kidney Diseases, 2009, 53, S11-S21.                                   | 2.1 | 95        |
| 364 | Appraisal of GFR-Estimating Equations Following Kidney Donation. American Journal of Kidney Diseases, 2009, 53, 1050-1058.   | 2.1 | 20        |
| 365 | Prevalence of CKD in the United States: GFR-Estimating Equations Matter. American Journal of Kidney Diseases, 2009, 54, 184-185.   | 2.1 | 1         |
| 366 | Comparison of Drug Dosing Recommendations Based on Measured GFR and Kidney Function Estimating Equations. American Journal of Kidney Diseases, 2009, 54, 33-42.  | 2.1 | 292       |
| 368 | Ethnic differences in anemia among patients with diabetes mellitus: The Diabetes Study of Northern California (DISTANCE). American Journal of Hematology, 2010, 85, 57-61.   | 2.0 | 23        |
| 369 | Utility of cystatin C to monitor renal function in duchenne muscular dystrophy. Muscle and Nerve, 2009, 40, 438-442.   | 1.0 | 84        |
| 370 | Long-term renal function in liver transplant recipients and impact of immunosuppressive regimens (calcineurin inhibitors alone or in combination with mycophenolate mofetil): The TRY study. Liver Transplantation, 2009, 15, 1083-1091. | 1.3 | 76        |
| 371 | Is there a relationship between glomerular filtration rate and detrusor overactivity in women?. Neurourology and Urodynamics, 2009, 28, 202-204.   | 0.8 | 0         |
| 372 | Pharmacokinetics of olmesartan medoxomil in hemodialysis patients: little effect of dialysis upon its pharmacokinetics. Clinical and Experimental Nephrology, 2009, 13, 61-65.   | 0.7 | 9         |
| 373 | Geographic difference in the prevalence of chronic kidney disease among Japanese screened subjects: Ibaraki versus Okinawa. Clinical and Experimental Nephrology, 2009, 13, 44-49.   | 0.7 | 14        |
| 374 | Decreased body mass index as an independent risk factor for developing chronic kidney disease. Clinical and Experimental Nephrology, 2009, 13, 55-60.  | 0.7 | 16        |
| 375 | Albumin thiol oxidation and serum protein carbonyl formation are progressively enhanced with advancing stages of chronic kidney disease. Clinical and Experimental Nephrology, 2009, 13, 308-315.  | 0.7 | 76        |
| 376 | Heart rate as a risk factor for developing chronic kidney disease: longitudinal analysis of a screened cohort. Clinical and Experimental Nephrology, 2009, 13, 487-493.  | 0.7 | 31        |
| 377 | Prevalence of chronic kidney disease in the Japanese general population. Clinical and Experimental Nephrology, 2009, 13, 621-630.  | 0.7 | 442       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 378 | What do we know about chronic renal failure in young adults? II. Adult outcome of pediatric renal disease. <i>Pediatric Nephrology</i> , 2009, 24, 1921-1928.   | 0.9 | 33        |
| 379 | Clinical variables affecting survival in patients with decompensated diastolic versus systolic heart failure. <i>Clinical Research in Cardiology</i> , 2009, 98, 224-232.   | 1.5 | 22        |
| 381 | Pharmacologic management of the cardiorenal syndrome in heart failure. <i>Current Heart Failure Reports</i> , 2009, 6, 105-111.   | 1.3 | 17        |
| 382 | Hypertension in patients with chronic kidney disease. <i>Current Hypertension Reports</i> , 2009, 11, 329-336.  | 1.5 | 15        |
| 383 | High Prevalence of Stage 3 Chronic Kidney Disease in Older Adults Despite Normal Serum Creatinine. <i>Journal of General Internal Medicine</i> , 2009, 24, 86-92.   | 1.3 | 32        |
| 384 | Optimal dose of lisinopril for renoprotection in type 1 diabetic patients with diabetic nephropathy: a randomised crossover trial. <i>Diabetologia</i> , 2009, 52, 46-49.   | 2.9 | 32        |
| 385 | Risk of type 2 diabetes among individuals with high and low glomerular filtration rates. <i>Diabetologia</i> , 2009, 52, 1290-1297.   | 2.9 | 29        |
| 386 | CYP2C9 genotype and pharmacodynamic responses to losartan in patients with primary and secondary kidney diseases. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 947-953.   | 0.8 | 26        |
| 387 | Is maternal renal disease a cause of elevated free $\beta$ -hCG in first trimester aneuploidy screening?. <i>Prenatal Diagnosis</i> , 2009, 29, 1045-1049.  | 1.1 | 13        |
| 388 | Association of APOE polymorphism with chronic kidney disease in a nationally representative sample: a Third National Health and Nutrition Examination Survey (NHANES III) Genetic Study. <i>BMC Medical Genetics</i> , 2009, 10, 108. | 2.1 | 37        |
| 389 | Accuracy and limitations of equations for predicting the glomerular filtration rate during follow-up of patients with non-diabetic nephropathies. <i>BMC Nephrology</i> , 2009, 10, 16.   | 0.8 | 14        |
| 390 | High prevalence of undiagnosed chronic kidney disease among at-risk population in Kinshasa, the Democratic Republic of Congo. <i>BMC Nephrology</i> , 2009, 10, 18.   | 0.8 | 67        |
| 391 | Estimated GFR reporting is not sufficient to allow detection of chronic kidney disease in an Italian regional hospital. <i>BMC Nephrology</i> , 2009, 10, 24.   | 0.8 | 16        |
| 392 | Low documentation of chronic kidney disease among high-risk patients in a managed care population: a retrospective cohort study. <i>BMC Nephrology</i> , 2009, 10, 25.  | 0.8 | 36        |
| 393 | CKD classification based on estimated GFR over three years and subsequent cardiac and mortality outcomes: a cohort study. <i>BMC Nephrology</i> , 2009, 10, 26.   | 0.8 | 32        |
| 394 | Overview of the Alberta Kidney Disease Network. <i>BMC Nephrology</i> , 2009, 10, 30.   | 0.8 | 221       |
| 395 | Parathyroid hormone, but not vitamin D, is associated with the metabolic syndrome in morbidly obese women and men: a cross-sectional study. <i>Cardiovascular Diabetology</i> , 2009, 8, 7.   | 2.7 | 142       |
| 396 | Haemoglobin concentration and the risk of death in older adults: differences by race/ethnicity in the NHANES III follow-up. <i>British Journal of Haematology</i> , 2009, 145, 514-523.   | 1.2 | 54        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Endogenous sex steroid hormones and measures of chronic kidney disease (CKD) in a nationally representative sample of men. <i>Clinical Endocrinology</i> , 2009, 71, 246-252.   | 1.2 | 32        |
| 398 | Effect of various estimates of renal function on prediction of vancomycin concentration by the population mean and Bayesian methods. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009, 34, 465-472.                | 0.7 | 11        |
| 399 | Use of the MDRD Study Equation to Estimate Kidney Function for Drug Dosing. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 86, 465-467.  | 2.3 | 72        |
| 400 | An Overview of Regular Dialysis Treatment in Japan (As of 31 December 2007). <i>Therapeutic Apheresis and Dialysis</i> , 2009, 13, 457-504.   | 0.4 | 90        |
| 401 | The choice of estimating equations for glomerular filtration rate significantly affects the prevalence of chronic kidney disease in a multiethnic population during health screening. <i>Nephrology</i> , 2009, 14, 588-596.  | 0.7 | 11        |
| 402 | Detection and prevention of chronic kidney disease in Indonesia: Initial community screening. <i>Nephrology</i> , 2009, 14, 669-674.  | 0.7 | 24        |
| 403 | Microalbuminuria postrenal transplantation: relation to cardiovascular risk factors and C-reactive protein. <i>Clinical Transplantation</i> , 2009, 23, 313-320.  | 0.8 | 8         |
| 404 | A comparison of prediction equations for estimating glomerular filtration rate in Chinese potential living kidney donors. <i>Clinical Transplantation</i> , 2009, 23, 469-475.  | 0.8 | 17        |
| 405 | Living donor renal transplantation of grafts with incidental renal masses after ex vivo partial nephrectomy. <i>BJU International</i> , 2009, 104, 1655-1660.   | 1.3 | 44        |
| 406 | Ethnic variation in the correlation between random serum glucose concentration and glycated haemoglobin. <i>Diabetic Medicine</i> , 2009, 26, 128-133.  | 1.2 | 41        |
| 408 | Inter-rater reliability of STOPP (Screening Tool of Older Persons' Prescriptions) and START (Screening) Tj ETQq0 0 0 rgBT /Overlock 1 and Ageing, 2009, 38, 603-606.  | 0.7 | 134       |
| 409 | Physical Activity and Mortality in Chronic Kidney Disease (NHANES III). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1901-1906.  | 2.2 | 241       |
| 410 | Functional and Oncological Outcomes of Partial Nephrectomy of Solitary Kidneys. <i>Journal of Urology</i> , 2009, 181, 2037-2043.   | 0.2 | 67        |
| 411 | Renal function after ifosfamide, carboplatin and etoposide (ICE) chemotherapy, nephrectomy and radiotherapy in children with wilms tumour. <i>European Journal of Cancer</i> , 2009, 45, 99-106.                              | 1.3 | 38        |
| 412 | The impact of diabetes mellitus on vitamin D metabolism in predialysis patients. <i>Bone</i> , 2009, 45, 949-955.   | 1.4 | 56        |
| 413 | Determination of reference intervals for creatinine and evaluation of creatinine-based estimating equation for Chinese patients with chronic kidney disease. <i>Clinica Chimica Acta</i> , 2009, 403, 87-91.                  | 0.5 | 20        |
| 414 | Pharmacodynamics of low molecular weight heparin in patients undergoing bariatric surgery: A prospective, randomised study comparing two doses of parnaparin (BAFLUX STUDY). <i>Thrombosis Research</i> , 2009, 124, 667-671. | 0.8 | 29        |
| 415 | Contrast-Enhanced Sonography in Early Kidney Graft Dysfunction. <i>Transplantation Proceedings</i> , 2009, 41, 1214-1215.   | 0.3 | 69        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 416 | Oral health status of patients with a mild decrease in glomerular filtration rate. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2009, 107, 224-228.  | 1.6  | 20        |
| 417 | Clinical features and prognosis of heart failure in women. A 5-year prospective study. International Journal of Cardiology, 2009, 133, 327-335.   | 0.8  | 12        |
| 418 | Variability in diagnostic accuracy can be estimated using simple population weighting. Journal of Clinical Epidemiology, 2009, 62, 54-57.   | 2.4  | 11        |
| 419 | Cystatin C in Acute Heart Failure Without Advanced Renal Impairment. American Journal of Medicine, 2009, 122, 566-573.  | 0.6  | 66        |
| 420 | D-dimer Testing in Patients with Suspected Pulmonary Embolism and Impaired Renal Function. American Journal of Medicine, 2009, 122, 1050-1053.  | 0.6  | 52        |
| 421 | Diagnostic and Prognostic Value of Uric Acid in Patients with Acute Dyspnea. American Journal of Medicine, 2009, 122, 1054.e7-1054.e14.   | 0.6  | 10        |
| 422 | Vascular disease as a predictor of long-term mortality in patients hospitalized for new-onset heart failure. Archives of Cardiovascular Diseases, 2009, 102, 11-18.   | 0.7  | 1         |
| 423 | Relationship of Hemoglobin A1C and Mortality in Heart Failure Patients With Diabetes. Journal of the American College of Cardiology, 2009, 54, 422-428.   | 1.2  | 171       |
| 424 | Is a reduced estimated glomerular filtration rate a risk factor for stroke in patients with type 2 diabetes?. Hypertension Research, 2009, 32, 381-386.   | 1.5  | 15        |
| 425 | Predictors of inotrope use in patients undergoing concomitant coronary artery bypass graft (CABG) and aortic valve replacement (AVR) surgeries at separation from cardiopulmonary bypass (CPB). Journal of Cardiothoracic Surgery, 2009, 4, 24. | 0.4  | 33        |
| 426 | Genome-wide linkage analysis of serum creatinine in three isolated European populations. Kidney International, 2009, 76, 297-306.   | 2.6  | 71        |
| 427 | Creatinine Kinetics and the Definition of Acute Kidney Injury. Journal of the American Society of Nephrology: JASN, 2009, 20, 672-679.  | 3.0  | 531       |
| 428 | A New Equation to Estimate Glomerular Filtration Rate. Annals of Internal Medicine, 2009, 150, 604.   | 2.0  | 19,025    |
| 429 | Glucose Control and Vascular Complications in Veterans with Type 2 Diabetes. New England Journal of Medicine, 2009, 360, 129-139.   | 13.9 | 4,197     |
| 430 | Factors other than glomerular filtration rate affect serum cystatin C levels. Kidney International, 2009, 75, 652-660.  | 2.6  | 590       |
| 431 | Measured GFR as a Confirmatory Test for Estimated GFR. Journal of the American Society of Nephrology: JASN, 2009, 20, 2305-2313.  | 3.0  | 486       |
| 432 | Resistive index predicts renal prognosis in chronic kidney disease. Nephrology Dialysis Transplantation, 2009, 24, 2780-2785.   | 0.4  | 92        |
| 433 | Chronic kidney disease in long duration type 1 diabetes lasting more than 50 years. Current Medical Research and Opinion, 2009, 25, 395-400.  | 0.9  | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 434 | Validation of a new plasma cystatin C-based formula and the Modification of Diet in Renal Disease creatinine-based formula for determination of glomerular filtration rate. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 242-249. | 1.4 | 14        |
| 435 | Different equations to combine creatinine and cystatin C to predict GFR. Arithmetic mean of existing equations performs as well as complex combinations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 619-627.     | 0.6 | 41        |
| 438 | Elevated alanine aminotransferase levels predict mortality from cardiovascular disease and diabetes in Koreans. <i>Atherosclerosis</i> , 2009, 205, 533-537.   | 0.4 | 112       |
| 439 | Serum vitamin D, parathyroid hormone levels, and carotid atherosclerosis. <i>Atherosclerosis</i> , 2009, 207, 585-590.   | 0.4 | 144       |
| 440 | Prevalence, awareness, and control of arterial hypertension in Denmark. <i>Journal of the American Society of Hypertension</i> , 2009, 3, 19-24.e2.  | 2.3 | 49        |
| 441 | The association of biomarkers of iron status with peripheral arterial disease in US adults. <i>BMC Cardiovascular Disorders</i> , 2009, 9, 34.   | 0.7 | 36        |
| 442 | THE EFFICACY OF A SINGLE DOSE OF INTRAVENOUS FERRIC CARBOXYMALTOSE (FERINJECT®) ON ANAEMIA IN A PRE-DIALYSIS POPULATION OF CHRONIC KIDNEY DISEASE PATIENTS. <i>Journal of Renal Care</i> , 2009, 35, 18-23.  | 0.6 | 25        |
| 443 | Functional Outcomes Following Percutaneous Surgery in the Solitary Kidney. <i>Journal of Urology</i> , 2009, 181, 154-160.   | 0.2 | 58        |
| 444 | Comparison of Overall Obesity and Abdominal Adiposity in Predicting Chronic Kidney Disease Incidence Among Adults. , 2009, 19, 228-237.  |     | 69        |
| 445 | Accuracy of colour duplex sonography for the diagnosis of renal artery stenosis. <i>Journal of Hypertension</i> , 2009, 27, 1690-1696.   | 0.3 | 19        |
| 446 | Anti-Human Leukocyte Antigen and Donor-Specific Antibodies Detected by Luminex Posttransplant Serve as Biomarkers for Chronic Rejection of Renal Allografts. <i>Transplantation</i> , 2009, 87, 1505-1513.   | 0.5 | 313       |
| 447 | Myocardial mechano-energetic efficiency in hypertensive adults. <i>Journal of Hypertension</i> , 2009, 27, 650-655.  | 0.3 | 44        |
| 448 | Alemtuzumab Induction and Antibody-Mediated Kidney Rejection After Simultaneous Pancreas-Kidney Transplantation. <i>Transplantation</i> , 2009, 87, 125-132.   | 0.5 | 46        |
| 449 | Renal function with use of a tenofovir-containing initial antiretroviral regimen. <i>Aids</i> , 2009, 23, 1971-1975.   | 1.0 | 112       |
| 450 | A Cross-sectional Survey of Chronic Kidney Disease and Diabetic Kidney Disease in Japanese Type 2 Diabetic Patients at Four Urban Diabetes Clinics. <i>Internal Medicine</i> , 2009, 48, 411-414.  | 0.3 | 15        |
| 451 | Reducing Hyperglycemia Hospitalwide: The Basal-Bolus Concept. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2009, 35, 216-AP21.  | 0.4 | 20        |
| 452 | Proteinuria as a predictor of renal functional outcome after revascularization in atherosclerotic renovascular disease (ARVD). <i>QJM - Monthly Journal of the Association of Physicians</i> , 2009, 102, 283-288.                                     | 0.2 | 28        |
| 453 | Identification and management of chronic kidney disease. <i>Journal of Renal Nursing</i> , 2009, 1, 62-66.   | 0.1 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 454 | Validation of the revised MDRD formula and the original Cockcroft and Gault formula for estimation of the glomerular filtration rate using Australian data. <i>Pathology</i> , 2009, 41, 379-382.   | 0.3 | 21        |
| 455 | Current Guidelines for Using Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Antagonists in Chronic Kidney Disease: Is the Evidence Base Relevant to Older Adults?. <i>Annals of Internal Medicine</i> , 2009, 150, 717. | 2.0 | 98        |
| 457 | Decreased Kidney Function in a Community-based Cohort of HIV-Infected and HIV-Negative Individuals in Rakai, Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 491-494.                                       | 0.9 | 30        |
| 458 | Platelet function and HIV: a case-control study. <i>Aids</i> , 2010, 24, 649-657.   | 1.0 | 58        |
| 459 | Pediatric En Bloc Kidney Transplantation to Adult Recipients: More Than Suboptimal?. <i>Transplantation</i> , 2010, 90, 248-254.  | 0.5 | 57        |
| 460 | The Significance of Serum Urea and Renal Function in Patients With Heart Failure. <i>Medicine (United States)</i> , 2010, 89, 104-114.  | 0.4 | 51        |
| 461 | Diagnosing chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2010, 19, 123-128.   | 1.0 | 29        |
| 462 | Randomized Controlled Trial: Lisinopril Reduces Proteinuria, Ammonia, and Renal Polypeptide Tubular Catabolism in Patients With Chronic Allograft Nephropathy. <i>Transplantation</i> , 2010, 89, 104-114.                                    | 0.5 | 12        |
| 463 | ATP-Binding Cassette Subfamily B Member 1 Polymorphisms Do Not Determine Cyclosporin Exposure, Acute Rejection or Nephrotoxicity After Heart Transplantation. <i>Transplantation</i> , 2010, 89, 75-82.                                       | 0.5 | 13        |
| 464 | Reduced CO Concentrations and Increased Dose Requirements in Renal Allograft Recipients Converted to the Novel Once-Daily Tacrolimus Formulation. <i>Transplantation</i> , 2010, 90, 523-529.   | 0.5 | 72        |
| 465 | Temporal trends in the burden of chronic kidney disease in the United States. <i>Current Opinion in Nephrology and Hypertension</i> , 2010, 19, 273-277.  | 1.0 | 22        |
| 466 | Kidney function and the risk of cardiovascular events in HIV-1-infected patients. <i>Aids</i> , 2010, 24, 387-394.  | 1.0 | 77        |
| 467 | Infrapopliteal Percutaneous Transluminal Angioplasty Versus Bypass Surgery as First-Line Strategies in Critical Leg Ischemia. <i>Annals of Surgery</i> , 2010, 252, 765-773.  | 2.1 | 142       |
| 468 | Impact of Estimated Glomerular Filtration Rate After Valve and Combined Valve and Coronary Surgery. <i>ASAIO Journal</i> , 2010, 56, 543-549.   | 0.9 | 1         |
| 469 | 3. Up-to-date Clinical Practice for CKD.. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2010, 99, 559-563.  | 0.0 | 0         |
| 470 | Impact of Systemic Acidosis on the Development of Malignant Ventricular Arrhythmias After Reperfusion Therapy for ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2010, 74, 1808-1814.                                       | 0.7 | 23        |
| 472 | A clinical scoring system highly predictive of long-term kidney graft survival. <i>Kidney International</i> , 2010, 78, 1288-1294.  | 2.6 | 72        |
| 473 | Diastolic Heart Failure Versus Diastolic Dysfunction: Difference in Renal Function. <i>Clinical Cardiology</i> , 2010, 33, 770-774.   | 0.7 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 474 | Cystatin C and modification of diet in renal disease (MDRD) estimated glomerular filtration rate differ during normal pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 939-944.   | 1.3 | 16        |
| 475 | Association of Osteocalcin and Abdominal Aortic Calcification in Older Women: The Study of Osteoporotic Fractures. <i>Calcified Tissue International</i> , 2010, 86, 185-191.   | 1.5 | 18        |
| 476 | Elevated troponin T on discharge predicts poor outcome of decompensated heart failure. <i>Heart and Vessels</i> , 2010, 25, 217-222.  | 0.5 | 15        |
| 477 | Involvement of visceral fat in the pathogenesis of albuminuria in patients with type 2 diabetes with early stage of nephropathy. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 132-136.   | 0.7 | 45        |
| 478 | Association between IGF-1 and chronic kidney disease among US adults. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 440-444.  | 0.7 | 30        |
| 479 | Underestimation of Impaired Kidney Function with Serum Creatinine. <i>Indian Journal of Clinical Biochemistry</i> , 2010, 25, 380-384.  | 0.9 | 14        |
| 480 | Chronic Hepatitis C and Chronic Kidney Disease. <i>Digestive Diseases and Sciences</i> , 2010, 55, 1197-1199.   | 1.1 | 0         |
| 481 | Risk Factors for CKD in Persons With Kidney Stones: A Case-Control Study in Olmsted County, Minnesota. <i>American Journal of Kidney Diseases</i> , 2010, 55, 61-68.  | 2.1 | 92        |
| 482 | Plasma Cell Dyscrasia Causing Light Chain Tubulopathy Without Fanconi Syndrome. <i>American Journal of Kidney Diseases</i> , 2010, 55, 1136-1141.   | 2.1 | 24        |
| 483 | Racial and Ethnic Differences in Albuminuria in Individuals With Estimated GFR Greater Than 60 mL/min/1.73 m <sup>2</sup> : Results From the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2010, 55, S15-S22.  | 2.1 | 33        |
| 484 | Prevalence of CKD and Comorbid Illness in Elderly Patients in the United States: Results From the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2010, 55, S23-S33.   | 2.1 | 230       |
| 485 | Cigarette Smoking, Kidney Function, and Mortality After Live Donor Kidney Transplant. <i>American Journal of Kidney Diseases</i> , 2010, 55, 907-915.   | 2.1 | 42        |
| 486 | A Software Upgrade: CKD Testing in 2010. <i>American Journal of Kidney Diseases</i> , 2010, 55, 8-10.   | 2.1 | 16        |
| 487 | A Health Policy Model of CKD: 1. Model Construction, Assumptions, and Validation of Health Consequences. <i>American Journal of Kidney Diseases</i> , 2010, 55, 452-462.  | 2.1 | 75        |
| 488 | A Health Policy Model of CKD: 2. The Cost-Effectiveness of Microalbuminuria Screening. <i>American Journal of Kidney Diseases</i> , 2010, 55, 463-473.  | 2.1 | 109       |
| 489 | Comparison of the Prevalence and Mortality Risk of CKD in Australia Using the CKD Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) Study GFR Estimating Equations: The AusDiab (Australian Diabetes, Obesity and Lifestyle) Study. <i>American Journal of Kidney Diseases</i> , 2010, 55, 660-670. | 2.1 | 231       |
| 490 | Decreased Kidney Function of Unknown Cause in Nicaragua: A Community-Based Survey. <i>American Journal of Kidney Diseases</i> , 2010, 55, 485-496.  | 2.1 | 184       |
| 491 | Risk Implications of the New CKD Epidemiology Collaboration (CKD-EPI) Equation Compared With the MDRD Study Equation for Estimated GFR: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2010, 55, 648-659.   | 2.1 | 276       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 492 | Association of Hepatitis C and B Virus Infection With CKD in an Endemic Area in Taiwan: A Cross-sectional Study. <i>American Journal of Kidney Diseases</i> , 2010, 56, 23-31.   | 2.1 | 97        |
| 493 | Estimating GFR Using the CKD Epidemiology Collaboration (CKD-EPI) Creatinine Equation: More Accurate GFR Estimates, Lower CKD Prevalence Estimates, and Better Risk Predictions. <i>American Journal of Kidney Diseases</i> , 2010, 55, 622-627. | 2.1 | 773       |
| 494 | Modification of the CKD Epidemiology Collaboration (CKD-EPI) Equation for Japanese: Accuracy and Use for Population Estimates. <i>American Journal of Kidney Diseases</i> , 2010, 56, 32-38.   | 2.1 | 376       |
| 495 | Imprecision of Urinary Iothalamate Clearance as a Gold-Standard Measure of GFR Decreases the Diagnostic Accuracy of Kidney Function Estimating Equations. <i>American Journal of Kidney Diseases</i> , 2010, 56, 39-49.                          | 2.1 | 115       |
| 496 | Use of a Prostate Symptom Score to Identify Men at Risk of Future Kidney Failure: Insights From the HUNT II Study. <i>American Journal of Kidney Diseases</i> , 2010, 56, 477-485.   | 2.1 | 10        |
| 497 | Pregnancy and Progression of IgA Nephropathy: Results of an Italian Multicenter Study. <i>American Journal of Kidney Diseases</i> , 2010, 56, 506-512.   | 2.1 | 53        |
| 498 | Defining Acute Kidney Injury in Database Studies: The Effects of Varying the Baseline Kidney Function Assessment Period and Considering CKD Status. <i>American Journal of Kidney Diseases</i> , 2010, 56, 651-660.                              | 2.1 | 83        |
| 499 | Cystatin C, Albuminuria, and 5-Year All-Cause Mortality in HIV-Infected Persons. <i>American Journal of Kidney Diseases</i> , 2010, 56, 872-882.   | 2.1 | 95        |
| 500 | Warfarin Dosing in Patients With Impaired Kidney Function. <i>American Journal of Kidney Diseases</i> , 2010, 56, 823-831.   | 2.1 | 147       |
| 501 | The impact of chronic kidney disease as a predictor of major cardiac events in patients with no evidence of coronary artery disease. <i>Journal of Cardiology</i> , 2010, 55, 328-336.   | 0.8 | 19        |
| 502 | Impact of anticoagulant therapy with dual antiplatelet therapy on prognosis after treatment with drug-eluting coronary stents. <i>Journal of Cardiology</i> , 2010, 55, 362-369.   | 0.8 | 24        |
| 504 | Measuring vs estimating glomerular filtration rate in kidney transplantation. <i>Transplantation Reviews</i> , 2010, 24, 18-27.  | 1.2 | 21        |
| 505 | Estimation of Glomerular Filtration Rate by Using Serum Cystatin C and Serum Creatinine Concentrations in Patients with Human Immunodeficiency Virus. <i>Pharmacotherapy</i> , 2010, 30, 1004-1010.  | 1.2 | 22        |
| 506 | Evaluation of Renal Drug Dosing: Prescribing Information and Clinical Pharmacist Approaches. <i>Pharmacotherapy</i> , 2010, 30, 776-786.   | 1.2 | 66        |
| 507 | Diameter of the Infrarenal Aorta as a Risk Factor for Abdominal Aortic Aneurysm: The TromsÅ, Study, 1994-2001. <i>European Journal of Vascular and Endovascular Surgery</i> , 2010, 39, 280-284.   | 0.8 | 25        |
| 508 | Comparison of Patients With Heart Failure and Preserved Left Ventricular Ejection Fraction Among Those With Versus Without Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2010, 105, 373-377.  | 0.7 | 81        |
| 509 | Effect of Right Ventricular Function and Venous Congestion on Cardiorenal Interactions During the Treatment of Decompensated Heart Failure. <i>American Journal of Cardiology</i> , 2010, 105, 511-516.  | 0.7 | 120       |
| 510 | Red Cell Distribution Width and Risk of Coronary Heart Disease Events. <i>American Journal of Cardiology</i> , 2010, 106, 988-993.   | 0.7 | 115       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 511 | Characteristics of Patients With Improvement or Worsening in Renal Function During Treatment of Acute Decompensated Heart Failure. <i>American Journal of Cardiology</i> , 2010, 106, 1763-1769.                           | 0.7 | 95        |
| 513 | Validation of estimated renal function measurements compared with the isotopic glomerular filtration rate in an HIV-infected cohort. <i>Antiviral Research</i> , 2010, 88, 347-354.  | 1.9 | 26        |
| 514 | Association of major depression and mortality in Stage 5 diabetic chronic kidney disease. <i>General Hospital Psychiatry</i> , 2010, 32, 119-124.  | 1.2 | 48        |
| 515 | Effects of chronic lithium treatment on renal function. <i>Journal of Affective Disorders</i> , 2010, 126, 436-440.  | 2.0 | 86        |
| 516 | Predicting Coronary Heart Disease after Kidney Transplantation: Patient Outcomes in Renal Transplantation (PORT) Study. <i>American Journal of Transplantation</i> , 2010, 10, 338-353.                                    | 2.6 | 165       |
| 517 | Dysglycemia Predicts Cardiovascular and Kidney Disease in the Kidney Early Evaluation Program. <i>Journal of Clinical Hypertension</i> , 2010, 12, 51-58.  | 1.0 | 29        |
| 518 | Interest and limits of glomerular filtration rate (GFR) estimation with formulae using creatinine or cystatin C in the malnourished elderly population. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, e55-e58. | 1.4 | 5         |
| 519 | False positive carbohydrate-deficient transferrin results in chronic hemodialysis patients related to the analytical methodology. <i>Clinical Biochemistry</i> , 2010, 43, 1148-1151.                                      | 0.8 | 4         |
| 520 | Postsurgical inflammatory response is not associated with increased serum cystatin C values. <i>Clinical Biochemistry</i> , 2010, 43, 1138-1140.   | 0.8 | 10        |
| 521 | A meta-analysis of genome-wide data from five European isolates reveals an association of COL22A1, SYT1, and GABRR2 with serum creatinine level. <i>BMC Medical Genetics</i> , 2010, 11, 41.                               | 2.1 | 48        |
| 522 | MDRD or CKD-EPI study equations for estimating prevalence of stage 3 CKD in epidemiological studies: which difference? Is this difference relevant?. <i>BMC Nephrology</i> , 2010, 11, 8.                                  | 0.8 | 46        |
| 523 | Associations of age with serum insulin, proinsulin and the proinsulin-to-insulin ratio: a cross-sectional study. <i>BMC Endocrine Disorders</i> , 2010, 10, 21.  | 0.9 | 33        |
| 524 | Associations of Fetuin-A levels with vascular disease in type 2 diabetes patients with early diabetic nephropathy. <i>Cardiovascular Diabetology</i> , 2010, 9, 48.  | 2.7 | 33        |
| 525 | Periodontitis case definition affects the association with renal function in kidney transplant recipients. <i>Oral Diseases</i> , 2010, 16, 636-642.   | 1.5 | 24        |
| 526 | How does late nephrological co-management impact chronic kidney disease? - An observational study. <i>International Journal of Clinical Practice</i> , 2010, 64, 1784-1792.  | 0.8 | 23        |
| 527 | Prospective evaluation of pharmacokinetically guided dosing of carboplatin in Japanese patients with cancer. <i>Cancer Science</i> , 2010, 101, 2601-2605.   | 1.7 | 22        |
| 528 | Renal function assessed by two different formulas and incidence of myocardial infarction and death in middle-aged men and women. <i>Journal of Internal Medicine</i> , 2010, 267, 357-369.                                 | 2.7 | 19        |
| 529 | Nephron-sparing surgery for pathological stage T3b renal cell carcinoma confined to the renal vein. <i>BJU International</i> , 2010, 106, 1494-1498.   | 1.3 | 27        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 530 | Partial nephrectomy for renal cancer: Part I. <i>BJU International</i> , 2010, 105, 1206-1220.  | 1.3 | 32        |
| 531 | The impact of sickle cell trait on glycated haemoglobin in diabetes mellitus. <i>Diabetic Medicine</i> , 2010, 27, 1012-1016.   | 1.2 | 16        |
| 532 | Neutrophil Gelatinase-Associated Lipocalin (NGAL) and Kidney Injury Molecule 1 (KIM1) in patients with diabetic nephropathy: a cross-sectional study and the effects of lisinopril. <i>Diabetic Medicine</i> , 2010, 27, 1144-1150. | 1.2 | 111       |
| 533 | Combined assessment of chronic kidney disease and subclinical peripheral artery disease used to predict future cardiac events. <i>Nephrology</i> , 2010, 15, 230-235.   | 0.7 | 10        |
| 534 | Chronic kidney disease as a risk factor for <i>Clostridium difficile</i> infection. <i>Nephrology</i> , 2010, 15, 471-475.  | 0.7 | 55        |
| 535 | Current status of estimated glomerular filtration rate (eGFR) equations for Asians and an approach to create a common eGFR equation. <i>Nephrology</i> , 2010, 15, 45-48.   | 0.7 | 28        |
| 536 | Clinical usefulness of serum cystatin C and the pertinent estimation of glomerular filtration rate based on cystatin C. <i>Nephrology</i> , 2010, 15, 768-776.  | 0.7 | 6         |
| 537 | Short-term renal outcomes in African American and Caucasian donors following live kidney donation. <i>Clinical Transplantation</i> , 2010, 24, 717-722.   | 0.8 | 5         |
| 538 | Timing and Initiation and Modality Options for Renal Replacement Therapy. , 2010, , 265-274.  |     | 2         |
| 539 | Dosage adjustment in medical patients with renal impairment at Groote Schuur Hospital. <i>South African Medical Journal</i> , 2010, 100, 304.   | 0.2 | 22        |
| 540 | Ethnic Coefficients for Glomerular Filtration Rate Estimation by the Modification of Diet in Renal Disease Study Equations in the Korean Population. <i>Journal of Korean Medical Science</i> , 2010, 25, 1616.                     | 1.1 | 96        |
| 541 | Increased Nitric Oxide and Attenuated Diastolic Blood Pressure Variability in African Americans with Mildly Impaired Renal Function. <i>International Journal of Hypertension</i> , 2010, 2010, 1-9.                                | 0.5 | 11        |
| 542 | Monitoring renal function: measured and estimated glomerular filtration rates - a review. <i>Brazilian Journal of Medical and Biological Research</i> , 2010, 43, 528-536.  | 0.7 | 74        |
| 543 | Renal function in diabetic nephropathy. <i>World Journal of Diabetes</i> , 2010, 1, 48.   | 1.3 | 196       |
| 544 | In patients with type 1 diabetes and new-onset microalbuminuria the development of advanced chronic kidney disease may not require progression to proteinuria. <i>Kidney International</i> , 2010, 77, 57-64.                       | 2.6 | 231       |
| 545 | Aortic PWV in Chronic Kidney Disease: A CRIC Ancillary Study. <i>American Journal of Hypertension</i> , 2010, 23, 282-289.  | 1.0 | 192       |
| 546 | Fetuin-Mineral Complex Reflects Extrasosseous Calcification Stress in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1998-2007.  | 3.0 | 195       |
| 547 | Association of B-Type Natriuretic Peptide Levels With Estimated Glomerular Filtration Rate and Congestive Heart Failure. <i>Clinical Medicine and Research</i> , 2010, 8, 7-12.   | 0.4 | 25        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 548 | Creatinine-based GFR predicting equations in renal transplantation: reassessing the tubular secretion effect. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3076-3082.  | 0.4 | 12        |
| 549 | Acute Kidney Injury and Cardiovascular Outcomes in Acute Severe Hypertension. <i>Circulation</i> , 2010, 121, 2183-2191.   | 1.6 | 55        |
| 550 | Sickle Cell Trait and Development of Microvascular Complications in Diabetes Mellitus. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1015-1020.  | 2.2 | 22        |
| 551 | Predictors of Declining Glomerular Filtration Rate in a Population-Based Chronic Kidney Disease Cohort. <i>Nephron Clinical Practice</i> , 2010, 115, c41-c50.   | 2.3 | 21        |
| 552 | Maintenance of elevated versus physiological iron indices in non-anaemic patients with chronic kidney disease: a randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 920-926.                          | 0.4 | 13        |
| 553 | Urinary Procollagen III Aminoterminal Propeptide (PIIINP). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 205-210.  | 2.2 | 62        |
| 554 | Association of White Blood Cell Count and Peripheral Arterial Disease in Patients With and Without Traditional Risk Factors. <i>Angiology</i> , 2010, 61, 382-387.   | 0.8 | 5         |
| 555 | Markers of renal function and acute kidney injury in acute heart failure: definitions and impact on outcomes of the cardiorenal syndrome. <i>European Heart Journal</i> , 2010, 31, 2791-2798.   | 1.0 | 105       |
| 556 | Renal Cortical Thickness Measured at Ultrasound: Is It Better Than Renal Length as an Indicator of Renal Function in Chronic Kidney Disease?. <i>American Journal of Roentgenology</i> , 2010, 195, W146-W149.                         | 1.0 | 108       |
| 557 | Rate of Kidney Function Decline Associates with Mortality. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1961-1969.   | 3.0 | 161       |
| 558 | Prevalence of Chronic Kidney Disease in US Adults with Undiagnosed Diabetes or Prediabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 673-682.   | 2.2 | 306       |
| 559 | Importance of Biomarkers for Long-Term Mortality Prediction in Acutely Dyspneic Patients. <i>Clinical Chemistry</i> , 2010, 56, 1814-1821.   | 1.5 | 47        |
| 560 | Three-Phase Model Harmonizes Estimates of the Maximal Suppression of Parathyroid Hormone by 25-Hydroxyvitamin D in Persons 65 Years of Age and Older <sup>1&amp;#x2013;3</sup> . <i>Journal of Nutrition</i> , 2010, 140, 595-599.     | 1.3 | 65        |
| 561 | Potential Effects of Aggressive Decongestion During the Treatment of Decompensated Heart Failure on Renal Function and Survival. <i>Circulation</i> , 2010, 122, 265-272.  | 1.6 | 579       |
| 562 | Central Pulse Pressure in Chronic Kidney Disease. <i>Hypertension</i> , 2010, 56, 518-524.   | 1.3 | 42        |
| 563 | Evaluation of Aminoglycoside Clearance Using the Modification of Diet in Renal Disease Equation Versus the Cockcroft-Gault Equation as a Marker of Glomerular Filtration Rate. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1030-1037. | 0.9 | 24        |
| 564 | Endothelial Dysfunction and the Risk of Hypertension. <i>Hypertension</i> , 2010, 55, 1210-1216.   | 1.3 | 73        |
| 565 | Variability of Parathyroid Hormone and Other Markers of Bone Mineral Metabolism in Patients Receiving Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1261-1267.                         | 2.2 | 68        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 566 | Renal Function Equations before and after Living Kidney Donation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1960-1968.  | 2.2 | 76        |
| 567 | Suitability of the IDMS-Traceable MDRD Equation Method to Estimate GFR in Early Postoperative Renal Transplant Recipients. <i>Nephron Clinical Practice</i> , 2010, 114, c108-c117.                                   | 2.3 | 13        |
| 568 | Association between Serum $\hat{\text{I}}^3$ -Glutamyltransferase and Chronic Kidney Disease among US Adults. <i>Kidney and Blood Pressure Research</i> , 2010, 33, 1-6.  | 0.9 | 14        |
| 569 | Measuring the Glomerular Filtration Rate in Obese Individuals without Overt Kidney Disease. <i>Nephron Clinical Practice</i> , 2010, 116, c224-c234.  | 2.3 | 38        |
| 570 | Prehypertensive African-American Women Have Preserved Nitric Oxide and Renal Function but High Cardiovascular Risk. <i>Kidney and Blood Pressure Research</i> , 2010, 33, 282-290.                                    | 0.9 | 6         |
| 571 | The Impact of Anemia on Nursing Home Residents. <i>Clinical Nursing Research</i> , 2010, 19, 113-130.   | 0.7 | 10        |
| 572 | Use of Myeloperoxidase for Risk Stratification in Acute Heart Failure. <i>Clinical Chemistry</i> , 2010, 56, 944-951.   | 1.5 | 103       |
| 573 | Age and the Thyrotropin Response to Hypothyroxinemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3675-3683.  | 1.8 | 40        |
| 574 | B-type natriuretic peptide for prevention of contrast-induced nephropathy in patients with heart failure undergoing primary percutaneous coronary intervention. <i>Acta Radiologica</i> , 2010, 51, 641-648.          | 0.5 | 23        |
| 575 | Trends in Time to Confirmation and Recognition of New-Onset Hypertension, 2002â€“2006. <i>Hypertension</i> , 2010, 56, 605-611.   | 1.3 | 33        |
| 576 | Should We Continue to Use the Cockcroft-Gault Formula?. <i>Nephron Clinical Practice</i> , 2010, 116, c172-c186.  | 2.3 | 39        |
| 577 | Abdominal aortic aneurysms, or a relatively large diameter of non-aneurysmal aortas, increase total and cardiovascular mortality: the Tromso study. <i>International Journal of Epidemiology</i> , 2010, 39, 225-232. | 0.9 | 38        |
| 578 | Transfusion Burden among Patients with Chronic Kidney Disease and Anemia. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 667-672.  | 2.2 | 53        |
| 579 | Age Modifies the Response to Recombinant Human Thyrotropin. <i>Thyroid</i> , 2010, 20, 1377-1384.   | 2.4 | 11        |
| 580 | Red Cell Distribution Width and Mortality in Older Adults: A Meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 258-265.                                  | 1.7 | 360       |
| 581 | Prevalence and Factors Associated with Renal Dysfunction Among HIV-Infected Patients. <i>AIDS Patient Care and STDs</i> , 2010, 24, 353-360.  | 1.1 | 60        |
| 582 | A new tool for predicting the probability of chronic kidney disease from a specific value of estimated GFR. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 327-333.                 | 0.6 | 7         |
| 583 | Prevalence of Chronic Kidney Disease in Persons With Undiagnosed or Prehypertension in the United States. <i>Hypertension</i> , 2010, 55, 1102-1109.  | 1.3 | 112       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 584 | Predictive modeling of health care costs: do cardiovascular risk markers improve prediction?. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 355-362.  | 3.1  | 4         |
| 585 | Diuretic uptitration with half dose combined ACEI + ARB better decreases proteinuria than combined ACEI + ARB uptitration. Nephrology Dialysis Transplantation, 2010, 25, 2218-2224.                                      | 0.4  | 26        |
| 586 | Assessment of Renal Pathology and Dysfunction in Children with Fabry Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 365-370.  | 2.2  | 37        |
| 587 | The relationship between serum uric acid and chronic kidney disease among Appalachian adults. Nephrology Dialysis Transplantation, 2010, 25, 3593-3599.   | 0.4  | 38        |
| 588 | Serum Creatinine, Cystatin C, and ã-Trace Protein in Diagnostic Staging and Predicting Progression of Primary Nondiabetic Chronic Kidney Disease. Clinical Chemistry, 2010, 56, 740-749.                                  | 1.5  | 97        |
| 589 | Effects of Intensive Blood-Pressure Control in Type 2 Diabetes Mellitus. New England Journal of Medicine, 2010, 362, 1575-1585.   | 13.9 | 3,117     |
| 590 | Monitoring Renal Function in Hypertensive Pregnancy. Hypertension in Pregnancy, 2010, 29, 318-329.  | 0.5  | 14        |
| 591 | Divergent Results Using Clinic and Ambulatory Blood Pressures. Hypertension, 2010, 56, 824-830.   | 1.3  | 169       |
| 592 | HIV and Proteinuria in an Injection Drug User Population. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1836-1843.  | 2.2  | 25        |
| 593 | Serum 25-Hydroxyvitamin D, Parathyroid Hormone, and Mortality in Older Men. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 4625-4634.  | 1.8  | 91        |
| 594 | Development and validation of GFR-estimating equations using diabetes, transplant and weight. Nephrology Dialysis Transplantation, 2010, 25, 449-457.   | 0.4  | 111       |
| 595 | Monitoring renal function in children with Fabry disease: comparisons of measured and creatinine-based estimated glomerular filtration rate. Nephrology Dialysis Transplantation, 2010, 25, 1507-1513.                    | 0.4  | 31        |
| 596 | Hypertensive retinal changes, a screening tool to predict microalbuminuria in hypertensive patients: a cross-sectional study. Nephrology Dialysis Transplantation, 2010, 25, 1839-1845.                                   | 0.4  | 12        |
| 597 | The Kidney Early Evaluation Program (KEEP) of Japan: results from the initial screening period. Kidney International, 2010, 77, S17-S23.  | 2.6  | 34        |
| 598 | The five most cited NDT papers from 2005 to 2009. Nephrology Dialysis Transplantation, 2010, 25, 2825-2831.   | 0.4  | 0         |
| 599 | The Incidence of Major Hemorrhagic Complications After Renal Biopsies in Patients with Monoclonal Gammopathies. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1977-1980.                        | 2.2  | 56        |
| 600 | Discrepancies between creatinine- and cystatin C-based equations: Implications for identification of chronic kidney disease in the general population. Scandinavian Journal of Urology and Nephrology, 2010, 44, 242-250. | 1.4  | 11        |
| 601 | The value of estimated GFR in comparison to measured GFR for the assessment of renal function in adult patients with Fabry disease. Nephrology Dialysis Transplantation, 2010, 25, 2549-2556.                             | 0.4  | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 602 | Prevalence of chronic kidney disease in patients with suspected sleep apnoea. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 181-186.  | 0.4 | 60        |
| 603 | Initiation of anaemia management in patients with chronic kidney disease not on dialysis in the Veterans Health Administration. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2237-2244.                                      | 0.4 | 14        |
| 604 | Screening for chronic kidney disease in Australia: a pilot study in the community and workplace. <i>Kidney International</i> , 2010, 77, S9-S16.   | 2.6 | 37        |
| 605 | Acute kidney injury following coronary angiography is associated with a long-term decline in kidney function. <i>Kidney International</i> , 2010, 78, 803-809.   | 2.6 | 205       |
| 606 | GFR-estimating models in kidney transplant recipients on a steroid-free regimen. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1653-1661.   | 0.4 | 40        |
| 607 | Changes of Renal AT&sub&gt;1&/sub&gt;/AT&sub&gt;2&/sub&gt; Receptors and Structures in Ovine Fetuses following Exposure to Long-Term Hypoxia. <i>American Journal of Nephrology</i> , 2010, 31, 141-150.                               | 1.4 | 29        |
| 608 | Measurement Error in Estimated GFR Slopes across Transplant Chronic Kidney Disease Stages. <i>American Journal of Nephrology</i> , 2010, 31, 151-159.  | 1.4 | 6         |
| 609 | Urinary Angiotensinogen Accurately Reflects Intrarenal Renin-Angiotensin System Activity. <i>American Journal of Nephrology</i> , 2010, 31, 318-325.   | 1.4 | 85        |
| 610 | Variability of Creatinine Measurements in Clinical Laboratories: Results from the CRIC Study. <i>American Journal of Nephrology</i> , 2010, 31, 426-434.   | 1.4 | 97        |
| 611 | The association of renal impairment with all-cause and cardiovascular disease mortality. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1191-1199.   | 0.4 | 14        |
| 612 | Body composition and metabolic syndrome in patients with primary gout in Vietnam. <i>Rheumatology</i> , 2010, 49, 2400-2407.   | 0.9 | 17        |
| 613 | Impact of Tenofovir on Renal Function in HIV-Infected, Antiretroviral-Naive Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 62-69.   | 0.9 | 121       |
| 614 | Nephrology Visits and Health Care Resource Use Before and After Reporting Estimated Glomerular Filtration Rate. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1151.   | 3.8 | 141       |
| 616 | Recent developments in HIV-related kidney disease. <i>HIV Therapy</i> , 2010, 4, 589-603.  | 0.6 | 17        |
| 617 | Low Agreement between the Modified Diet and Renal Disease Formula and the Cockcroft-Gault Formula for Assessing Chronic Kidney Disease in Cognitively Impaired Elderly Outpatients. <i>Postgraduate Medicine</i> , 2010, 122, 41-45.   | 0.9 | 3         |
| 618 | Circulating methylarginine levels and the decline in renal function in patients with chronic kidney disease are modulated by DDAH1 polymorphisms. <i>Kidney International</i> , 2010, 77, 459-467.                                     | 2.6 | 26        |
| 619 | Cystatin C is not a better estimator of GFR than plasma creatinine in the general population. <i>Kidney International</i> , 2010, 78, 1305-1311.   | 2.6 | 109       |
| 620 | Serum and urinary markers of early impairment of GFR in chronic kidney disease patients: diagnostic accuracy of urinary $\hat{I}^2$ -trace protein. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F1407-F1423. | 1.3 | 48        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 621 | Renal Insufficiency is an Independent Risk Factor for Complications After Partial Nephrectomy. <i>Journal of Urology</i> , 2010, 183, 43-47.  | 0.2  | 18        |
| 622 | Riesgo por enfermedad renal cr nica: la epidemia revisada. <i>Hipertension Y Riesgo Vascular</i> , 2010, 27, 183-186.   | 0.3  | 1         |
| 623 | Cystatin C and Long-Term Mortality Among Subjects With Normal Creatinine-Based Estimated Glomerular Filtration Rates. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1930-1936.                             | 1.2  | 87        |
| 624 | Prognostic Value of High-Dose Dobutamine Stress Magnetic Resonance Imaging in 1,493 Consecutive Patients. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1225-1234.   | 1.2  | 112       |
| 625 | Renal Function and Risk Stratification of Diabetic and Nondiabetic Patients Undergoing Evaluation for Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 734-745.  | 2.3  | 26        |
| 626 | Outcome Following Endovascular vs. Open Repair of Abdominal Aortic Aneurysm: A Randomized Trial. <i>Journal of Vascular Surgery</i> , 2010, 51, 782-783.  | 0.6  | 2         |
| 627 | Finnvasc score and modified Prevent III score predict long-term outcome after infrainguinal surgical and endovascular revascularization for critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2010, 52, 1218-1225. | 0.6  | 70        |
| 628 | Everolimus in Patients with Autosomal Dominant Polycystic Kidney Disease. <i>New England Journal of Medicine</i> , 2010, 363, 830-840.  | 13.9 | 517       |
| 629 | p-Cresol and Cardiovascular Risk in Mild-to-Moderate Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1182-1189.   | 2.2  | 265       |
| 630 | Worsening Renal Function Defined as an Absolute Increase in Serum Creatinine Is a Biased Metric for the Study of Cardio-Renal Interactions. <i>Cardiology</i> , 2010, 116, 206-212.   | 0.6  | 57        |
| 631 | Estimating Glomerular Filtration Rate in Kidney Transplantation: Is the New Chronic Kidney Disease Epidemiology Collaboration Equation Any Better?. <i>Clinical Chemistry</i> , 2010, 56, 474-477.                            | 1.5  | 96        |
| 632 | Novel Predictors of Progression of Atrioventricular Block in Patients With Chronic Bifascicular Block. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010, 63, 400-408.   | 0.4  | 7         |
| 633 | Cigarette Smoking and Progression of IgA Nephropathy. <i>American Journal of Kidney Diseases</i> , 2010, 56, 313-324.   | 2.1  | 84        |
| 634 | Clinical relevance of urate nephrolithiasis in bottlenose dolphins <i>Tursiops truncatus</i> . <i>Diseases of Aquatic Organisms</i> , 2010, 89, 167-177.  | 0.5  | 34        |
| 635 | Performance of the Cockcroft-Gault, MDRD, and New CKD-EPI Formulas in Relation to GFR, Age, and Body Size. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1003-1009.                         | 2.2  | 461       |
| 636 | Association of Hypertension Treatment and Control With All-Cause and Cardiovascular Disease Mortality Among US Adults With Hypertension. <i>American Journal of Hypertension</i> , 2010, 23, 38-45.                           | 1.0  | 95        |
| 637 | Natural course and risk factors for impaired renal function during the first year after heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2010, 29, 633-640.  | 0.3  | 35        |
| 638 | Serum sodium, renal function, and survival of patients with end-stage liver disease. <i>Journal of Hepatology</i> , 2010, 52, 523-528.  | 1.8  | 62        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 639 | Comparison of the MDRD and the CKD-EPI equations to estimate the glomerular filtration rate in the general population. <i>Medicina Clínica</i> , 2010, 134, 617-623.   | 0.3 | 14        |
| 642 | Anemia in diabetic patients at an internal medicine ward: Clinical correlates and prognostic significance. <i>European Journal of Internal Medicine</i> , 2010, 21, 91-96.   | 1.0 | 14        |
| 643 | Plasma globotriaosylsphingosine: Diagnostic value and relation to clinical manifestations of Fabry disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 741-748.                       | 1.8 | 188       |
| 644 | Hypertension in Long-Term Survivors of Pediatric Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 515-524.   | 2.0 | 89        |
| 645 | Chronic Kidney Disease, Thrombotic Microangiopathy, and Hypertension Following T Cell-Depleted Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 976-984.            | 2.0 | 71        |
| 646 | Microarray analysis of tonsils in immunoglobulin A nephropathy patients. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 565-570.  | 1.0 | 16        |
| 647 | Differences in serum creatinine concentration between Caucasians, Chinese, Indians and Malays. <i>Clinica Chimica Acta</i> , 2010, 411, 1393.  | 0.5 | 3         |
| 648 | Significant Decrease in Glomerular Filtration Rate at 5 Years Posttransplantation in the Recipients of Live Donor Kidneys 50 Years of Age or Older. <i>Transplantation Proceedings</i> , 2010, 42, 1648-1653.              | 0.3 | 4         |
| 650 | Prognostic role of highly sensitive cardiac troponin I in patients with systolic heart failure. <i>American Heart Journal</i> , 2010, 159, 63-67.  | 1.2 | 89        |
| 651 | Novel risk factors in long-term hypertension incidence in type 1 diabetes mellitus. <i>American Heart Journal</i> , 2010, 159, 1074-1080.  | 1.2 | 18        |
| 652 | Left ventricular dysfunction as a risk factor for cardiovascular and noncardiovascular hospitalizations in African Americans. <i>American Heart Journal</i> , 2010, 160, 488-495.  | 1.2 | 8         |
| 653 | Early Creatinine Shifts Predict Contrast-induced Nephropathy and Persistent Renal Damage after Angiography. <i>American Journal of Medicine</i> , 2010, 123, 755-763.  | 0.6 | 62        |
| 654 | Assessment of Renal Function. , 2010, , 31-38.   |     | 13        |
| 655 | Measurement and Estimation of Kidney Function. , 2010, , 22-38.  |     | 1         |
| 656 | Urinary excretion of twenty peptides forms an early and accurate diagnostic pattern of acute kidney injury. <i>Kidney International</i> , 2010, 78, 1252-1262.   | 2.6 | 116       |
| 657 | Parathyroid Klotho and FGF-receptor 1 expression decline with renal function in hyperparathyroid patients with chronic kidney disease and kidney transplant recipients. <i>Kidney International</i> , 2010, 78, 1024-1032. | 2.6 | 102       |
| 658 | The effect of low-dose spironolactone on resistant hypertension. <i>Journal of the American Society of Hypertension</i> , 2010, 4, 290-294.  | 2.3 | 61        |
| 659 | Elevated levels of neopterin are associated with carotid plaques with complex morphology in patients with stable angina pectoris. <i>Atherosclerosis</i> , 2010, 208, 524-530.   | 0.4 | 42        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 660 | Association of low glomerular filtration rate and albuminuria with peripheral arterial disease: The National Health and Nutrition Examination Survey, 1999–2004. <i>Atherosclerosis</i> , 2010, 209, 230-234.  | 0.4  | 55        |
| 661 | Decrease in glomerular filtration rate by plasma low-density lipoprotein cholesterol in subjects with normal kidney function assessed by urinalysis and plasma creatinine. <i>Atherosclerosis</i> , 2010, 210, 602-606.  | 0.4  | 5         |
| 662 | Prognostic value of chronic kidney disease in patients with coronary heart disease: Role of estimating equations. <i>Atherosclerosis</i> , 2010, 211, 342-347.   | 0.4  | 22        |
| 664 | Nuevos predictores de evolución a bloqueo auriculoventricular en pacientes con bloqueo bifascicular. <i>Revista Espanola De Cardiologia</i> , 2010, 63, 400-408.   | 0.6  | 27        |
| 665 | Early recognition and prevention of chronic kidney disease. <i>Lancet</i> , The, 2010, 375, 1296-1309.   | 6.3  | 494       |
| 666 | Effect of intensive treatment of hyperglycaemia on microvascular outcomes in type 2 diabetes: an analysis of the ACCORD randomised trial. <i>Lancet</i> , The, 2010, 376, 419-430.   | 6.3  | 1,182     |
| 667 | Association of estimated glomerular filtration rate and albuminuria with all-cause and cardiovascular mortality in general population cohorts: a collaborative meta-analysis. <i>Lancet</i> , The, 2010, 375, 2073-2081.   | 6.3  | 3,277     |
| 668 | Renal insufficiency coexisting with heart failure is related to elevated sympathetic nerve activity. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 155, 104-108.   | 1.4  | 17        |
| 669 | Early Postoperative Statin Therapy Is Associated With a Lower Incidence of Acute Kidney Injury After Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 913-920.  | 0.6  | 68        |
| 670 | In-hospital Major Clinical Outcomes in Patients With Chronic Renal Insufficiency Presenting With Acute Coronary Syndrome: Data From a Registry of 8176 Patients. <i>Mayo Clinic Proceedings</i> , 2010, 85, 332-340.   | 1.4  | 51        |
| 671 | One-Year Serum Albumin is an Independent Predictor of Outcomes in Kidney Transplant Recipients. , 2010, 20, 392-397.   |      | 17        |
| 672 | Population Trends in the Incidence and Outcomes of Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2010, 362, 2155-2165.   | 13.9 | 1,444     |
| 673 | Effectiveness and safety of colistin: prospective comparative cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1019-1027.  | 1.3  | 135       |
| 674 | Non-invasive estimation of glomerular filtration rate (GFR). The Lund model: Simultaneous use of cystatin C- and creatinine-based GFR-prediction equations, clinical data and an internal quality check. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 65-70. | 0.6  | 87        |
| 675 | Soluble receptor of advanced glycation end products levels are related to ischaemic aetiology and extent of coronary disease in chronic heart failure patients, independent of advanced glycation end products levels. <i>European Journal of Heart Failure</i> , 2010, 12, 1092-1100.           | 2.9  | 59        |
| 676 | Investigation of the Relationship between Serum Levels of Cotinine and the Renal Function in Active and Passive Smokers. <i>Renal Failure</i> , 2011, 33, 475-479.   | 0.8  | 20        |
| 677 | A Common 5′-UTR Variant in MATE2-K Is Associated With Poor Response to Metformin. <i>Clinical Pharmacology and Therapeutics</i> , 2011, 90, 674-684.   | 2.3  | 142       |
| 678 | Tenofovir-induced renal toxicity in 324 HIV-infected, antiretroviral-naïve patients. <i>Scandinavian Journal of Infectious Diseases</i> , 2011, 43, 656-660.   | 1.5  | 64        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 679 | Cystatin C, a marker for successful aging and glomerular filtration rate, is not influenced by inflammation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 145-149.                                     | 0.6  | 72        |
| 680 | Which Method of GFR Estimation Has the Best Prognostic Value in Patients Treated with Primary PCI: Cockcroft's Gault Formula, MDRD, or CKD-EPI Equation? A 6-Year Follow-Up. <i>Renal Failure</i> , 2011, 33, 983-989.                     | 0.8  | 19        |
| 681 | Implication of CKD-EPI Equation to Estimate Glomerular Filtration Rate in Chinese Patients with Chronic Kidney Disease. <i>Renal Failure</i> , 2011, 33, 859-865.  | 0.8  | 19        |
| 682 | Competing-Risk Analysis of ESRD and Death among Patients with Type 1 Diabetes and Macroalbuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 537-544.  | 3.0  | 89        |
| 683 | First Prize: Standard Laparoscopic Donor Nephrectomy Versus Laparoendoscopic Single-Site Donor Nephrectomy: A Randomized Comparative Study. <i>Journal of Endourology</i> , 2011, 25, 365-370.   | 1.1  | 93        |
| 684 | Impact of changes in blood pressure during the treatment of acute decompensated heart failure on renal and clinical outcomes. <i>European Journal of Heart Failure</i> , 2011, 13, 877-884.  | 2.9  | 100       |
| 685 | Hepatotoxicity and Nephrotoxicity Produced by 4-Hydroxy-2-Nonenal (4-HNE) Following 4-Week Oral Administration to Sprague-Dawley Rats. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011, 74, 779-789. | 1.1  | 12        |
| 686 | Clinical evaluation of geriatric outpatients with suspected heart failure: value of symptoms, signs, and additional tests. <i>European Journal of Heart Failure</i> , 2011, 13, 518-527.   | 2.9  | 119       |
| 687 | Detection of autosomal dominant polycystic kidney disease by NMR spectroscopic fingerprinting of urine. <i>Kidney International</i> , 2011, 79, 1244-1253.   | 2.6  | 59        |
| 688 | Cardiovascular Risk Factors and Systolic and Diastolic Cardiac Function: A Tissue Doppler and Speckle Tracking Echocardiographic Study. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 322-332.e6.                 | 1.2  | 59        |
| 689 | Recognition, Pathogenesis, and Treatment of Different Stages of Nephropathy in Patients With Type 2 Diabetes Mellitus. <i>Mayo Clinic Proceedings</i> , 2011, 86, 444-456.   | 1.4  | 104       |
| 690 | Interaction Between Loop Diuretic-Associated Mortality and Blood Urea Nitrogen Concentration in Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2011, 58, 375-382.   | 1.2  | 120       |
| 691 | Chronic Kidney Disease and Risk for Presenting With Acute Myocardial Infarction Versus Stable Exertional Angina in Adults With Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1600-1607.         | 1.2  | 66        |
| 692 | 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary. <i>Journal of the American College of Cardiology</i> , 2011, 58, 2550-2583.  | 1.2  | 114       |
| 693 | 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2011, 58, e44-e122.  | 1.2  | 2,027     |
| 694 | Effect of Bardoxolone Methyl on Kidney Function in Patients with T2D and Stage 3-4 CKD. <i>American Journal of Nephrology</i> , 2011, 33, 469-476.   | 1.4  | 215       |
| 696 | Mycophenolate versus Azathioprine as Maintenance Therapy for Lupus Nephritis. <i>New England Journal of Medicine</i> , 2011, 365, 1886-1895.   | 13.9 | 544       |
| 697 | Use of Low-Molecular-Weight Heparins and New Anticoagulants in Elderly Patients with Renal Impairment. <i>Drugs and Aging</i> , 2011, 28, 177-193.   | 1.3  | 32        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 698 | Lower estimated glomerular filtration rate and higher albuminuria are associated with all-cause and cardiovascular mortality. A collaborative meta-analysis of high-risk population cohorts. <i>Kidney International</i> , 2011, 79, 1341-1352.                  | 2.6  | 759       |
| 699 | Effect of bariatric surgery on normal and abnormal renal function. <i>Surgery for Obesity and Related Diseases</i> , 2011, 7, 459-464.   | 1.0  | 32        |
| 700 | Lower estimated glomerular filtration rate and higher albuminuria are associated with mortality and end-stage renal disease. A collaborative meta-analysis of kidney disease population cohorts. <i>Kidney International</i> , 2011, 79, 1331-1340.              | 2.6  | 609       |
| 701 | Using Proteinuria and Estimated Glomerular Filtration Rate to Classify Risk in Patients With Chronic Kidney Disease. <i>Annals of Internal Medicine</i> , 2011, 154, 12.   | 2.0  | 153       |
| 702 | Bardoxolone Methyl and Kidney Function in CKD with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2011, 365, 327-336.   | 13.9 | 796       |
| 704 | Impact of worsening renal function during the treatment of decompensated heart failure on changes in renal function during subsequent hospitalization. <i>American Heart Journal</i> , 2011, 161, 944-949.   | 1.2  | 26        |
| 705 | Trends in Comorbidity, Disability, and Polypharmacy in Heart Failure. <i>American Journal of Medicine</i> , 2011, 124, 136-143.  | 0.6  | 273       |
| 706 | Reference intervals for serum creatinine with enzymatic assay and evaluation of four equations to estimate glomerular filtration rate in a healthy Chinese adult population. <i>Clinica Chimica Acta</i> , 2011, 412, 1793-1797.                                 | 0.5  | 18        |
| 707 | A multicentric evaluation of IDMS-traceable creatinine enzymatic assays. <i>Clinica Chimica Acta</i> , 2011, 412, 2070-2075.   | 0.5  | 111       |
| 708 | Association of Resistin With Heart Failure and Mortality in Patients With Stable Coronary Heart Disease: Data From the Heart and Soul Study. <i>Journal of Cardiac Failure</i> , 2011, 17, 24-30.  | 0.7  | 50        |
| 709 | Clinical Characteristics and Outcomes of Patients With Improvement in Renal Function During the Treatment of Decompensated Heart Failure. <i>Journal of Cardiac Failure</i> , 2011, 17, 993-1000.  | 0.7  | 84        |
| 710 | Méthodes d'exploration de la fonction rénale: intérêt et limites des formules permettant d'estimer la fonction rénale. <i>Immuno-Analyse Et Biologie Spécialisée</i> , 2011, 26, 6-12.   | 0.0  | 1         |
| 711 | Major histocompatibility complex class II-related chain A allele mismatching, antibodies, and rejection in renal transplantation. <i>Human Immunology</i> , 2011, 72, 827-834.   | 1.2  | 55        |
| 712 | Effect of Edoxaban on the Estimated Glomerular Filtration Rate in Patients With Acute Ischemic Stroke and Chronic Kidney Disease. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011, 20, 111-116.   | 0.7  | 7         |
| 713 | Outcomes of acute intraoperative surgical conversion during endovascular aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2011, 54, 1244-1250.   | 0.6  | 14        |
| 714 | Results of endovascular aortic aneurysm repair with general, regional, and local/monitored anesthesia care in the American College of Surgeons National Surgical Quality Improvement Program database. <i>Journal of Vascular Surgery</i> , 2011, 54, 1273-1282. | 0.6  | 114       |
| 717 | Gender, renal function, and outcomes on the liver transplant waiting list: Assessment of revised MELD including estimated glomerular filtration rate. <i>Journal of Hepatology</i> , 2011, 54, 462-470.  | 1.8  | 94        |
| 718 | Différents stades de l'insuffisance rénale chronique: recommandations. <i>Immuno-Analyse Et Biologie Spécialisée</i> , 2011, 26, 55-59.  | 0.0  | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 719 | Physical inactivity and chronic kidney disease in Australian adults: The AusDiab study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 104-112.   | 1.1 | 37        |
| 720 | Total polyphenol excretion and blood pressure in subjects at high cardiovascular risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 323-331.  | 1.1 | 68        |
| 721 | Low serum 25-hydroxyvitamin D levels are associated with depression in an adult Norwegian population. <i>Psychiatry Research</i> , 2011, 190, 221-225.  | 1.7 | 68        |
| 724 | Vitamin D and Lower Urinary Tract Symptoms Among US Men: Results from the 2005-2006 National Health and Nutrition Examination Survey. <i>Urology</i> , 2011, 78, 1292-1297.   | 0.5 | 46        |
| 725 | Expert consensus on management of diabetic patients with impairment of renal function. <i>Diabetes and Metabolism</i> , 2011, 37, S1-S25.   | 1.4 | 16        |
| 726 | Beneficial Effects of L- and N-type Calcium Channel Blocker on Glucose and Lipid Metabolism and Renal Function in Patients with Hypertension and Type II Diabetes Mellitus. <i>Cardiovascular Therapeutics</i> , 2011, 29, 46-53. | 1.1 | 15        |
| 727 | Rituximab Targets Podocytes in Recurrent Focal Segmental Glomerulosclerosis. <i>Science Translational Medicine</i> , 2011, 3, 85ra46.   | 5.8 | 441       |
| 728 | Impact of Kidney Disease Outcomes Quality Initiative Guidelines on the Prevalence of Chronic Kidney Disease After Living Donor Nephrectomy. <i>Journal of Urology</i> , 2011, 185, 1820-1825.                                     | 0.2 | 18        |
| 729 | Prognostic Impact of Interventional Approach in Non-ST Segment Elevation Acute Coronary Syndrome in Very Elderly Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 853-861.                               | 0.4 | 5         |
| 730 | Renal function and long-term survival after hospital discharge in heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2011, 147, 278-282.  | 0.8 | 57        |
| 731 | Endothelial dysfunction, inflammation and atherosclerosis in chronic kidney disease – a cross-sectional study of predialysis, dialysis and kidney-transplantation patients. <i>Atherosclerosis</i> , 2011, 216, 446-451.          | 0.4 | 200       |
| 732 | Arterial stiffness is associated with minimally elevated high-sensitivity cardiac troponin T levels in a community-dwelling population. <i>Atherosclerosis</i> , 2011, 218, 493-498.  | 0.4 | 27        |
| 733 | Clinical Features of Cardio-Renal Syndrome in a Cohort of Consecutive Patients Admitted to an Internal Medicine Ward. <i>Open Cardiovascular Medicine Journal</i> , 2011, 5, 220-225.   | 0.6 | 20        |
| 734 | Impacto da função retardada do enxerto pancreático no transplante simultâneo pâncreas-rim. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2011, 33, 180-188.   | 0.4 | 6         |
| 735 | Outcomes of Revascularized Acute Mesenteric Ischemia in the American College of Surgeons National Surgical Quality Improvement Program Database. <i>American Surgeon</i> , 2011, 77, 832-838.                                     | 0.4 | 33        |
| 736 | Institutional Results and Meta-Analysis of Outcome after Infrainguinal Surgical Revascularization in Patients Greater than 80 Years Old. <i>American Surgeon</i> , 2011, 77, 1222-1229.   | 0.4 | 2         |
| 737 | Management of Cardiovascular Risk in the Usual Care of Medicaid Recipients. <i>Journal of Health Care for the Poor and Underserved</i> , 2011, 22, 772-790.   | 0.4 | 1         |
| 738 | Cystatin C as a Biomarker in Kidney Disease. , 2011, , 291-312.   |     | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 739 | Characteristics of Anaemia Management in Patients with Chronic Kidney Disease. , 2011, , .  |     | 1         |
| 740 | Lower Socioeconomic Status and Disability Among US Adults With Chronic Kidney Disease, 1999-2008. Preventing Chronic Disease, 0, , .  | 1.7 | 20        |
| 742 | Doensa renal crnica: importncia do diagnstico precoce, encaminhamento imediato e abordagem interdisciplinar estruturada para melhora do desfecho em pacientes ainda no submetidos  dilise. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2011, 33, 93-108. | 0.4 | 127       |
| 743 | External Validation and Comparison of Three Scores to Predict Renal Replacement Therapy after Cardiac Surgery: A Multicenter Cohort. International Journal of Artificial Organs, 2011, 34, 329-338.   | 0.7 | 24        |
| 744 | Circulating Endoglin Concentration Is Not Elevated in Chronic Kidney Disease. PLoS ONE, 2011, 6, e23718.  | 1.1 | 6         |
| 745 | Type 2 diabetes strengthens the association between pulse pressure and chronic kidney disease: the AusDiab study. Journal of Hypertension, 2011, 29, 953-960.   | 0.3 | 11        |
| 746 | Creatinine-based glomerular filtration rate estimation in patients with liver disease. European Journal of Gastroenterology and Hepatology, 2011, 23, 969-973.  | 0.8 | 25        |
| 747 | Early and Late Acute Antibody-Mediated Rejection Differ Immunologically and in Response to Proteasome Inhibition. Transplantation, 2011, 91, 1218-1226.   | 0.5 | 139       |
| 748 | A Comparison of Alternative Serum Biomarkers With Creatinine for Predicting Allograft Function After Kidney Transplantation. Transplantation, 2011, 91, 48-56.  | 0.5 | 47        |
| 749 | Framingham Risk Score and Novel Cardiovascular Risk Factors Underpredict Major Adverse Cardiac Events in Kidney Transplant Recipients. Transplantation, 2011, 92, 183-189.  | 0.5 | 52        |
| 750 | Increased Serum Vitamin A and E Levels After Lung Transplantation. Transplantation, 2011, 92, 601-606.  | 0.5 | 16        |
| 751 | Factors Associated With Impaired Kidney Function and Its Impact on Long-Term Outcome in Young Ischemic Stroke. Stroke, 2011, 42, 2459-2464.   | 1.0 | 41        |
| 752 | Cystatin C as a marker of glomerular filtration rate. Current Opinion in Nephrology and Hypertension, 2011, 20, 631-639.  | 1.0 | 61        |
| 753 | Use of estimated glomerular filtration rate for drug dosing in the chronic kidney disease patient. Current Opinion in Nephrology and Hypertension, 2011, 20, 482-491.   | 1.0 | 32        |
| 754 | Coronary artery calcification and coronary ischaemia in renal transplant recipients. Nephrology Dialysis Transplantation, 2011, 26, 720-726.  | 0.4 | 21        |
| 755 | The Impact of Hepatitis C Coinfection on Kidney Disease Related to Human Immunodeficiency Virus (HIV). Medicine (United States), 2011, 90, 289-295.   | 0.4 | 19        |
| 756 | The management of chronic kidney disease. NursePrescribing, 2011, 9, 76-81.   | 0.1 | 3         |
| 757 | Systemic inflammation is linked to low arginine and high ADMA plasma levels resulting in an unfavourable NOS substrate-to-inhibitor ratio: the Hoorn Study. Clinical Science, 2011, 121, 71-78.   | 1.8 | 35        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 758 | Association of Low Glomerular Filtration Rate With the Incidence of Stroke in Patients Following Complete Coronary Revascularization. <i>Circulation Journal</i> , 2011, 75, 2372-2378.   | 0.7 | 6         |
| 759 | Diffuse large B-cell lymphoma with involvement of the kidney: outcome and risk of central nervous system relapse. <i>Haematologica</i> , 2011, 96, 1002-1007.   | 1.7 | 69        |
| 760 | Protective Effects of Anisodamine on Renal Function in Patients with ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Tohoku Journal of Experimental Medicine</i> , 2011, 224, 91-97.                                     | 0.5 | 6         |
| 761 | Prognostic Role of High-Sensitivity Cardiac Troponin T in Patients With Nonischemic Dilated Cardiomyopathy. <i>Circulation Journal</i> , 2011, 75, 656-661.   | 0.7 | 70        |
| 762 | Glomerular Dysfunction and Associated Risk Factors over 4-5 Years following Antiretroviral Therapy Initiation in Africa. <i>Antiviral Therapy</i> , 2011, 16, 1011-1020.  | 0.6 | 34        |
| 763 | Carboplatin Dosing in Ovarian Cancer. <i>International Journal of Gynecological Cancer</i> , 2011, 21, 1.   | 1.2 | 14        |
| 764 | Serum phosphate and calcium concentrations are associated with reduced patient survival following kidney transplantation. <i>Clinical Transplantation</i> , 2011, 25, 406-416.  | 0.8 | 27        |
| 765 | Electronically measured adherence to immunosuppressive medications and kidney function after deceased donor kidney transplantation. <i>Clinical Transplantation</i> , 2011, 25, E124-31.  | 0.8 | 14        |
| 766 | Impact of the ratio of graft kidney volume to recipient body surface area on graft function after live donor kidney transplantation. <i>Clinical Transplantation</i> , 2011, 25, E647-E655.   | 0.8 | 27        |
| 767 | Saxagliptin improves glycaemic control and is well tolerated in patients with type 2 diabetes mellitus and renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2011, 13, 523-532.   | 2.2 | 119       |
| 768 | Treatment of nephrotic idiopathic membranous nephropathy with monthly i.v. pulse cyclophosphamide and oral steroids: A single centre's retrospective study. <i>Nephrology</i> , 2011, 16, 440-445.  | 0.7 | 21        |
| 769 | Estimated glomerular filtration rate: Which equation is best and how should it be used?. <i>Nephrology</i> , 2011, 16, 483-485.   | 0.7 | 1         |
| 770 | Incidence of chronic kidney disease in patients with atrial fibrillation and its relevance for prescribing new oral antithrombotic drugs. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 1652-1653.  | 1.9 | 35        |
| 771 | Randomized comparison of metabolic and renal effects of saquinavir/r or atazanavir/r plus tenofovir/emtricitabine in treatment-naïve HIV-1-infected patients. <i>HIV Medicine</i> , 2011, 12, 620-631.  | 1.0 | 36        |
| 772 | Is beta-trace protein an alternative marker of glomerular filtration rate in liver transplant recipients?. <i>Liver International</i> , 2011, 31, 1345-1351.  | 1.9 | 5         |
| 773 | The Estimation, Measurement, and Relevance of the Glomerular Filtration Rate in Stage 5 Chronic Kidney Disease. <i>Seminars in Dialysis</i> , 2011, 24, 540-549.  | 0.7 | 19        |
| 774 | Long-term treatment with the dipeptidyl peptidase-4 inhibitor saxagliptin in patients with type 2 diabetes mellitus and renal impairment: a randomised controlled 52-week efficacy and safety study. <i>International Journal of Clinical Practice</i> , 2011, 65, 1230-1239. | 0.8 | 120       |
| 775 | Physical Exercise With Weight Reduction Lowers Blood Pressure and Improves Abnormal Left Ventricular Relaxation in Pharmacologically Treated Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2011, 13, 23-29.  | 1.0 | 19        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 776 | Immunosuppression with Belatacept-Based, Corticosteroid-Avoiding Regimens in De Novo Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2011, 11, 66-76.  | 2.6 | 173       |
| 777 | Assessment of kidney function in adults. <i>Medicine</i> , 2011, 39, 306-311.   | 0.2 | 4         |
| 778 | Management of chronic kidney disease. <i>Medicine</i> , 2011, 39, 407-413.  | 0.2 | 7         |
| 779 | The Geriatric Nutritional Risk Index predicts increased healthcare costs and hospitalization in a cohort of community-dwelling older adults: Results from the MONICA/KORA Augsburg cohort study, 1994-2005. <i>Nutrition</i> , 2011, 27, 534-542.   | 1.1 | 26        |
| 781 | Comparison of the CKD Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) Study Equations: Risk Factors for and Complications of CKD and Mortality in the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2011, 57, S9-S16.      | 2.1 | 116       |
| 782 | Comparison of the CKD Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) Study Equations: Prevalence of and Risk Factors for Diabetes Mellitus in CKD in the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2011, 57, S24-S31. | 2.1 | 28        |
| 783 | Cystatin C and Albuminuria as Risk Factors for Development of CKD Stage 3: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2011, 57, 832-840.  | 2.1 | 28        |
| 784 | Establishing the Global Kidney Disease Prevention Network (KDPN): A Position Statement From the National Kidney Foundation. <i>American Journal of Kidney Diseases</i> , 2011, 57, 361-370.   | 2.1 | 42        |
| 785 | Diagnostic Accuracy of Urine Dipsticks for Detection of Albuminuria in the General Community. <i>American Journal of Kidney Diseases</i> , 2011, 58, 19-28.   | 2.1 | 170       |
| 786 | Association of Urinary Type IV Collagen With GFR Decline in Young Patients With Type 1 Diabetes. <i>American Journal of Kidney Diseases</i> , 2011, 58, 915-920.  | 2.1 | 35        |
| 787 | Sex Differences in the Development of Kidney Disease in Individuals With Type 1 Diabetes Mellitus: A Contemporary Analysis. <i>American Journal of Kidney Diseases</i> , 2011, 58, 565-573.   | 2.1 | 35        |
| 788 | Comparative Evaluation of the Cockcroft-Gault Equation and the Modification of Diet in Renal Disease (MDRD) Study Equation for Drug Dosing: An Opinion of the Nephrology Practice and Research Network of the American College of Clinical Pharmacy. <i>Pharmacotherapy</i> , 2011, 31, 1130-1144.      | 1.2 | 84        |
| 789 | Relation of Soluble Receptor for Advanced Glycation End Products to Predict Mortality in Patients With Chronic Heart Failure Independently of Seattle Heart Failure Score. <i>American Journal of Cardiology</i> , 2011, 107, 938-944.  | 0.7 | 30        |
| 790 | Effect of Clopidogrel Pretreatment on Ischemic Complications of Percutaneous Coronary Intervention Among Bivalirudin-Treated Patients (from the EVENT Registry). <i>American Journal of Cardiology</i> , 2011, 107, 1751-1756.  | 0.7 | 6         |
| 791 | Prognostic Value of Renal Dysfunction for the Prediction of Outcome Versus Results of Computed Tomographic Coronary Angiography. <i>American Journal of Cardiology</i> , 2011, 108, 968-972.  | 0.7 | 14        |
| 792 | Postoperative acute kidney injury is associated with hemoglobinemia and an enhanced oxidative stress response. <i>Free Radical Biology and Medicine</i> , 2011, 50, 1480-1487.  | 1.3 | 127       |
| 793 | Smoking status and urine cadmium above levels associated with subclinical renal effects in U.S. adults without chronic kidney disease. <i>International Journal of Hygiene and Environmental Health</i> , 2011, 214, 305-310.   | 2.1 | 57        |
| 794 | Absence of circadian variation of acute coronary syndrome onset in chronic kidney disease patients. <i>Cardiovascular Revascularization Medicine</i> , 2011, 12, 362-366.   | 0.3 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 795 | 2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 82, E266-355.   | 0.7 | 97        |
| 796 | Effect on renal function of an iso-osmolar contrast agent in patients with monoclonal gammopathies. <i>European Radiology</i> , 2011, 21, 63-69.   | 2.3 | 12        |
| 797 | Significant differences when using MDRD for GFR estimation compared to radionuclide measured clearance. <i>European Radiology</i> , 2011, 21, 2211-2217.   | 2.3 | 6         |
| 798 | Cystatin C estimated renal dysfunction predicts T wave axis deviation in US adults: results from NHANES III. <i>European Journal of Epidemiology</i> , 2011, 26, 101-107.  | 2.5 | 15        |
| 799 | A comparison of different methods for the determination of glomerular filtration rate in elderly patients with chronic renal failure. <i>International Urology and Nephrology</i> , 2011, 43, 257-263.                 | 0.6 | 11        |
| 800 | Sleep-disordered breathing and urinary albumin excretion in older men. <i>Sleep and Breathing</i> , 2011, 15, 137-144.   | 0.9 | 26        |
| 801 | Urinary angiotensinogen as a predictive marker in patients with immunoglobulin A nephropathy. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 720-726.   | 0.7 | 21        |
| 802 | Renal function and oncologic outcomes in nephron sparing surgery for renal masses in solitary kidneys. <i>World Journal of Urology</i> , 2011, 29, 343-348.  | 1.2 | 23        |
| 804 | Cumulative cost of prescription medication in outpatients with type 1 diabetes in Finland. <i>Diabetologia</i> , 2011, 54, 496-503.  | 2.9 | 5         |
| 805 | Serum cystatin C and the incidence of type 2 diabetes mellitus. <i>Diabetologia</i> , 2011, 54, 1335-1340.   | 2.9 | 43        |
| 806 | The role of chronic kidney disease as a predictor of outcome after revascularisation of the ulcerated diabetic foot. <i>Diabetologia</i> , 2011, 54, 2971-2977.  | 2.9 | 24        |
| 807 | Glomerular filtration rate estimation in patients with type 2 diabetes: creatinine- or cystatin C-based equations?. <i>Diabetologia</i> , 2011, 54, 2987-2994.   | 2.9 | 56        |
| 808 | Weight-based determination of fluid overload status and mortality in pediatric intensive care unit patients requiring continuous renal replacement therapy. <i>Intensive Care Medicine</i> , 2011, 37, 1166-1173.      | 3.9 | 175       |
| 809 | Frequency of laboratory measurement and hyperkalaemia in hospitalised patients using serum potassium concentration increasing drugs. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 933-940.             | 0.8 | 17        |
| 810 | Impact of chronic kidney disease and stress myocardial perfusion imaging as a predictor of cardiovascular events. <i>Annals of Nuclear Medicine</i> , 2011, 25, 616-624.   | 1.2 | 9         |
| 811 | Correlation of chronic kidney disease, diabetes and peripheral artery disease with cardiovascular events in patients using stress myocardial perfusion imaging. <i>Annals of Nuclear Medicine</i> , 2011, 25, 634-642. | 1.2 | 7         |
| 812 | Estimation of Glomerular Filtration Rate: What Are the Pitfalls?. <i>Current Hypertension Reports</i> , 2011, 13, 116-121.   | 1.5 | 19        |
| 813 | Heritability and genome-wide association analysis of renal sinus fat accumulation in the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2011, 12, 148.  | 2.1 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 814 | Characterizing pre-dialysis care in the era of eGFR reporting: a cohort study. <i>BMC Nephrology</i> , 2011, 12, 12.  | 0.8 | 19        |
| 815 | Potential role of differential medication use in explaining excess risk of cardiovascular events and death associated with chronic kidney disease: A cohort study. <i>BMC Nephrology</i> , 2011, 12, 44.              | 0.8 | 14        |
| 816 | Circulating angiotensin-2 and soluble Tie-2 in type 2 diabetes mellitus: a cross-sectional study. <i>Cardiovascular Diabetology</i> , 2011, 10, 55.   | 2.7 | 41        |
| 817 | Accounting for the mortality benefit of drug-eluting stents in percutaneous coronary intervention: a comparison of methods in a retrospective cohort study. <i>BMC Medicine</i> , 2011, 9, 78.                        | 2.3 | 17        |
| 818 | Consequences of a global enzyme shortage of agalsidase beta in adult Dutch Fabry patients. <i>Orphanet Journal of Rare Diseases</i> , 2011, 6, 69.  | 1.2 | 58        |
| 819 | Predicting outcomes of lupus nephritis with tubulointerstitial inflammation and scarring. <i>Arthritis Care and Research</i> , 2011, 63, 865-874.   | 1.5 | 240       |
| 820 | Health-related quality of life in patients with newly diagnosed antineutrophil cytoplasmic antibody-associated vasculitis. <i>Arthritis Care and Research</i> , 2011, 63, 1055-1061.                                  | 1.5 | 63        |
| 821 | Circulating markers of vascular injury and angiogenesis in antineutrophil cytoplasmic antibody-associated vasculitis. <i>Arthritis and Rheumatism</i> , 2011, 63, 3988-3997.  | 6.7 | 59        |
| 822 | Hepcidin and hemoglobin content parameters in the diagnosis of iron deficiency in rheumatoid arthritis patients with anemia. <i>Arthritis and Rheumatism</i> , 2011, 63, 3672-3680.                                   | 6.7 | 105       |
| 823 | Infrainguinal percutaneous transluminal angioplasty or bypass surgery in patients aged 80 years and older with critical leg ischaemia. <i>British Journal of Surgery</i> , 2011, 98, 518-526.                         | 0.1 | 59        |
| 824 | Reduced glomerular filtration rate, inflammation and HDL cholesterol as main determinants of superoxide production in non-dialysis chronic kidney disease patients. <i>Free Radical Research</i> , 2011, 45, 735-745. | 1.5 | 8         |
| 825 | Plasma exchange for induction and cyclosporine A for maintenance of remission in Wegener's granulomatosis—a clinical randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 206-213.     | 0.4 | 109       |
| 826 | Estimated glomerular filtration rate in the nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 550-556.   | 0.4 | 18        |
| 827 | Kidney dysfunction during lenalidomide treatment for AL amyloidosis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 881-886.  | 0.4 | 99        |
| 828 | A comparison of cystatin C- and creatinine-based prediction equations for the estimation of glomerular filtration rate in black South Africans. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1553-1558.     | 0.4 | 52        |
| 829 | Prolonged disease-free remission following rituximab and low-dose cyclophosphamide therapy for renal ANCA-associated vasculitis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3280-3286.                    | 0.4 | 58        |
| 830 | Adults With Late Stage 3 Chronic Kidney Disease Are at High Risk for Prevalent Silent Brain Infarction. <i>Stroke</i> , 2011, 42, 2120-2125.  | 1.0 | 28        |
| 831 | Kidney function, albuminuria and age-related macular degeneration in NHANES III. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3159-3165.  | 0.4 | 40        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 832 | The Role of the Primary Care Physician in Managing Early Stages of Chronic Kidney Disease. <i>Postgraduate Medicine</i> , 2011, 123, 177-185.  | 0.9 | 13        |
| 833 | Prevalence of and risk factors for chronic kidney disease in rural Nicaragua. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2798-2805.  | 0.4 | 114       |
| 834 | The efficacy and safety of vildagliptin in the GALIANT trial: chronic kidney disease and other applications. <i>Expert Review of Endocrinology and Metabolism</i> , 2011, 6, 143-151.                            | 1.2 | 1         |
| 835 | Serum 25-Hydroxyvitamin D, Calcium, Phosphorus, and Electrocardiographic QT Interval Duration: Findings from NHANES III and ARIC. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 1873-1882. | 1.8 | 17        |
| 836 | Kidney function and risk triage in adults: threshold values and hierarchical importance. <i>Kidney International</i> , 2011, 79, 99-111.   | 2.6 | 17        |
| 837 | Detection of Renal Dysfunction by Point-of-Care Creatinine Testing in Patients Undergoing Peripheral MR Angiography. <i>American Journal of Roentgenology</i> , 2011, 197, 430-435.                              | 1.0 | 9         |
| 838 | Increased Aortic Stiffness Measured by MRI in Patients With Type 1 Diabetes Mellitus and Relationship to Renal Function. <i>American Journal of Roentgenology</i> , 2011, 196, 697-701.                          | 1.0 | 21        |
| 839 | Chronic kidney disease: a large-scale population-based study of the effects of introducing the CKD-EPI formula for eGFR reporting. <i>BMJ Open</i> , 2011, 1, e000308-e000308.                                   | 0.8 | 58        |
| 840 | Modeling the effects of bivalirudin in cardiac surgical patients. , 2011, 2011, 120-3.   |     | 3         |
| 841 | Cystatin C, NT-proBNP, and inflammatory markers in acute heart failure: insights into the cardiorenal syndrome. <i>Biomarkers</i> , 2011, 16, 302-310.   | 0.9 | 20        |
| 842 | Influence of renal dysfunction phenotype on mortality in the setting of cardiac dysfunction: analysis of three randomized controlled trials. <i>European Journal of Heart Failure</i> , 2011, 13, 1224-1230.     | 2.9 | 65        |
| 843 | The CKD-EPI and MDRD equations to estimate GFR. Validation in the Swedish Lund-Malmö Study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 129-138.                     | 0.6 | 45        |
| 844 | In Vivo CYP3A Activity Is Significantly Lower in Cyclosporine-Treated as Compared With Tacrolimus-Treated Renal Allograft Recipients. <i>Clinical Pharmacology and Therapeutics</i> , 2011, 90, 414-422.         | 2.3 | 36        |
| 845 | Prevalence of Resistant Hypertension in the United States, 2003-2008. <i>Hypertension</i> , 2011, 57, 1076-1080.   | 1.3 | 670       |
| 846 | Variants of GCKR Affect Both $\beta$ -Cell and Kidney Function in Patients With Newly Diagnosed Type 2 Diabetes: The Verona Newly Diagnosed Type 2 Diabetes Study 2. <i>Diabetes Care</i> , 2011, 34, 1205-1210. | 4.3 | 30        |
| 847 | End-stage kidney disease due to scleroderma—outcomes in 127 consecutive ANZDATA registry cases. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3165-3171.  | 0.4 | 33        |
| 848 | Chronic Kidney Disease Progression and Outcome According to Serum Phosphorus in Mild-to-Moderate Kidney Dysfunction. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 883-891.    | 2.2 | 128       |
| 849 | Innovative Use of Point-of-Care Testing for Chronic Kidney Disease Screening. <i>Point of Care</i> , 2011, 10, 98-101.   | 0.5 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 850 | Tolvaptan in Autosomal Dominant Polycystic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2499-2507.  | 2.2 | 133       |
| 851 | Secondary Prevention and Mortality in Peripheral Artery Disease. <i>Circulation</i> , 2011, 124, 17-23.  | 1.6 | 348       |
| 852 | Estimated Glomerular Filtration Rate Is a Poor Predictor of Concentration for a Broad Range of Uremic Toxins. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1266-1273.                                       | 2.2 | 79        |
| 853 | Atrial Fibrillation and Mortality in Heart Failure. <i>Circulation: Heart Failure</i> , 2011, 4, 740-746.  | 1.6 | 135       |
| 854 | The prognosis of severe lupus nephritis based on the Modification of Diet in Renal Disease (MDRD) Study estimated glomerular filtration rate. <i>Lupus</i> , 2011, 20, 256-264.  | 0.8 | 14        |
| 855 | Nontraditional Markers of Glycemia. <i>Diabetes Care</i> , 2011, 34, 960-967.  | 4.3 | 108       |
| 856 | Prognostic Utility of ST2 in Patients with Acute Dyspnea and Preserved Left Ventricular Ejection Fraction. <i>Clinical Chemistry</i> , 2011, 57, 874-882.  | 1.5 | 81        |
| 857 | Prognostic Importance of Early Worsening Renal Function After Initiation of Angiotensin-Converting Enzyme Inhibitor Therapy in Patients With Cardiac Dysfunction. <i>Circulation: Heart Failure</i> , 2011, 4, 685-691.                        | 1.6 | 207       |
| 858 | Relative Performance of the MDRD and CKD-EPI Equations for Estimating Glomerular Filtration Rate among Patients with Varied Clinical Presentations. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1963-1972. | 2.2 | 142       |
| 859 | Chronic Kidney Disease Awareness Among Individuals with Clinical Markers of Kidney Dysfunction. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1838-1844.   | 2.2 | 122       |
| 860 | Predialysis Nephrology Care of Older Patients Approaching End-stage Renal Disease. <i>Archives of Internal Medicine</i> , 2011, 171, 1371.   | 4.3 | 62        |
| 861 | Serum Cystatin C and the Incidence of Hypertension in Type 1 Diabetes Mellitus. <i>American Journal of Hypertension</i> , 2011, 24, 59-63.   | 1.0 | 5         |
| 862 | Sirolimus Therapy for Angiomyolipoma in Tuberous Sclerosis and Sporadic Lymphangiomyomatosis: A Phase 2 Trial. <i>Clinical Cancer Research</i> , 2011, 17, 4071-4081.  | 3.2 | 278       |
| 863 | Estimated GFR Associates with Cardiovascular Risk Factors Independently of Measured GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 927-937.   | 3.0 | 104       |
| 864 | Circulating Follistatin in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1001-1008.  | 2.2 | 37        |
| 865 | Cystatin C Is More than GFR, and This May Be a Good Thing. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 795-797.   | 3.0 | 17        |
| 866 | 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary. <i>Circulation</i> , 2011, 124, 2574-2609.   | 1.6 | 500       |
| 867 | Serum uric acid is a GFR-independent long-term predictor of acute and chronic renal insufficiency: the Jerusalem Lipid Research Clinic cohort study. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2558-2566.                         | 0.4 | 60        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 868 | A Nurse-coordinated Model of Care versus Usual Care for Stage 3/4 Chronic Kidney Disease in the Community: A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1241-1247. | 2.2 | 87        |
| 869 | Are the Creatinine-Based Equations Accurate to Estimate Glomerular Filtration Rate in African American Populations?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 906-912.                        | 2.2 | 71        |
| 870 | Donor Smoking Negatively Affects Donor and Recipient Renal Function following Living Donor Nephrectomy. <i>Advances in Urology</i> , 2011, 2011, 1-5.  | 0.6 | 25        |
| 871 | Comparison of Measured Creatinine Clearance and Clearances Estimated by Cockcroft-Gault and MDRD Formulas in Patients with a Single Kidney. <i>International Journal of Nephrology</i> , 2011, 2011, 1-4.                            | 0.7 | 9         |
| 872 | The Sask Formula to Estimate Glomerular Filtration Rate in Renal Transplant Patients. <i>Nephron Clinical Practice</i> , 2011, 117, c135-c150.   | 2.3 | 1         |
| 873 | Estimates of Kidney Function in Obese African Americans with Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2011, 118, c101-c108.  | 2.3 | 6         |
| 874 | Lipoprotein Abnormalities in Patients with Atherosclerotic Renovascular Disease. <i>Kidney and Blood Pressure Research</i> , 2011, 34, 311-319.  | 0.9 | 3         |
| 875 | Renal Association Clinical Practice Guideline on Detection, Monitoring and Management of Patients with CKD. <i>Nephron Clinical Practice</i> , 2011, 118, c71-c100.  | 2.3 | 23        |
| 876 | Oxidative Stress and Endothelin-1 in Atherosclerotic Renal Artery Stenosis and Effects of Renal Angioplasty. <i>Kidney and Blood Pressure Research</i> , 2011, 34, 396-403.  | 0.9 | 11        |
| 877 | Relationship between Red Cell Distribution Width and Microalbuminuria: A Population-Based Study of Multiethnic Representative US Adults. <i>Nephron Clinical Practice</i> , 2011, 119, c277-c282.                                    | 2.3 | 38        |
| 878 | Racial and Ethnic Differences in Mortality among Individuals with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1858-1865.   | 2.2 | 42        |
| 879 | Biomarkers of Renal Function and Cognitive Impairment in Patients With Diabetes. <i>Diabetes Care</i> , 2011, 34, 1827-1832.   | 4.3 | 42        |
| 880 | Outcome of lung transplantation in elderly recipients. <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 39, 726-731.   | 0.6 | 32        |
| 881 | Correlates of Osteoprotegerin and Association with Aortic Pulse Wave Velocity in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2612-2619.                    | 2.2 | 48        |
| 882 | Is Doubling of Serum Creatinine a Valid Clinical "Hard" Endpoint in Clinical Nephrology Trials?. <i>Nephron Clinical Practice</i> , 2011, 119, c195-c199.  | 2.3 | 41        |
| 883 | Diabetic Cardiovascular Disease Predicts Chronic Kidney Disease Awareness in the Kidney Early Evaluation Program. <i>CardioRenal Medicine</i> , 2011, 1, 45-52.  | 0.7 | 17        |
| 884 | Urine Cystatin C as a Biomarker of Proximal Tubular Function Immediately after Kidney Transplantation. <i>American Journal of Nephrology</i> , 2011, 33, 407-413.  | 1.4 | 36        |
| 885 | A Case for Early Screening for Diabetic Kidney Disease. <i>CardioRenal Medicine</i> , 2011, 1, 235-242.  | 0.7 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 886 | A Novel Model of Cardiovascular Risk Based on Kidney Function. American Journal of Nephrology, 2011, 34, 505-511.  | 1.4 | 5         |
| 887 | Epidemiology and prognostic significance of chronic kidney disease in the elderly—the Three-City prospective cohort study. Nephrology Dialysis Transplantation, 2011, 26, 3286-3295.                       | 0.4 | 99        |
| 888 | The need for robust validation for MDRD-based glomerular filtration rate estimation in various CKD populations. Nephrology Dialysis Transplantation, 2011, 26, 2780-2785.                                  | 0.4 | 87        |
| 889 | Chronic kidney disease in the primary care setting. Practice Nursing, 2011, 22, 184-189.   | 0.1 | 2         |
| 890 | Prospective Swiss cohort study of living-kidney donors: study protocol. BMJ Open, 2011, 1, e000202-e000202.  | 0.8 | 13        |
| 891 | Fatty Kidney, Hypertension, and Chronic Kidney Disease. Hypertension, 2011, 58, 784-790.   | 1.3 | 281       |
| 892 | Role of lean body mass in estimating glomerular filtration rate in Alzheimer disease. Nephrology Dialysis Transplantation, 2011, 26, 2222-2231.  | 0.4 | 6         |
| 893 | Inappropriate drug use and mortality in community-dwelling elderly with impaired kidney function—the Three-City population-based study. Nephrology Dialysis Transplantation, 2011, 26, 2852-2859.          | 0.4 | 84        |
| 894 | The combined contribution of albuminuria and glomerular filtration rate to the prediction of cardiovascular mortality in elderly men. Nephrology Dialysis Transplantation, 2011, 26, 2820-2827.            | 0.4 | 41        |
| 895 | Higher body mass index is associated with higher fractional creatinine excretion in healthy subjects. Nephrology Dialysis Transplantation, 2011, 26, 3181-3188.  | 0.4 | 33        |
| 896 | Urinary NGAL levels before and after coronary angiography: a complex story. Nephrology Dialysis Transplantation, 2011, 26, 3207-3211.  | 0.4 | 4         |
| 897 | Validation of the CKD-EPI formula in patients after renal transplantation. Nephrology Dialysis Transplantation, 2011, 26, 4104-4108.   | 0.4 | 40        |
| 898 | Nonsteroidal Anti-Inflammatory Drug Use Among Persons With Chronic Kidney Disease in the United States. Annals of Family Medicine, 2011, 9, 423-430.   | 0.9 | 103       |
| 899 | Perfluoroalkyl Chemicals and Chronic Kidney Disease in US Adults. American Journal of Epidemiology, 2011, 174, 893-900.  | 1.6 | 128       |
| 900 | GFR Normalized to Total Body Water Allows Comparisons across Genders and Body Sizes. Journal of the American Society of Nephrology: JASN, 2011, 22, 1517-1525.   | 3.0 | 41        |
| 901 | Prognostic significance of glomerular filtration rate estimated by the Japanese equation among patients who underwent complete coronary revascularization. Hypertension Research, 2011, 34, 378-383.       | 1.5 | 11        |
| 902 | Plasma C-terminal pro-endothelin-1 is associated with left ventricular mass index and aortic root diameter in African-American adults with hypertension. Journal of Human Hypertension, 2011, 25, 106-113. | 1.0 | 9         |
| 903 | Lower estimated GFR and higher albuminuria are associated with adverse kidney outcomes. A collaborative meta-analysis of general and high-risk population cohorts. Kidney International, 2011, 80, 93-104. | 2.6 | 676       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 904 | Serum alkaline phosphatase levels associate with elevated serum C-reactive protein in chronic kidney disease. <i>Kidney International</i> , 2011, 79, 228-233.  | 2.6 | 55        |
| 905 | Outcome of idiopathic membranous nephropathy using targeted stepwise immunosuppressive treatment strategy. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2871-2877.  | 0.4 | 16        |
| 906 | Midregional proadrenomedullin (MR-proADM) is a powerful predictor of early death in AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011, 18, 216-221. | 1.4 | 26        |
| 907 | Effects of Renal Sympathetic Denervation on Blood Pressure, Sleep Apnea Course, and Glycemic Control in Patients With Resistant Hypertension and Sleep Apnea. <i>Hypertension</i> , 2011, 58, 559-565.  | 1.3 | 427       |
| 908 | The Clinician and Estimation of Glomerular Filtration Rate by Creatinine-based Formulas. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 937-950.   | 2.2 | 88        |
| 909 | 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. <i>Circulation</i> , 2011, 124, e574-651.  | 1.6 | 1,946     |
| 910 | Metformin Use and Mortality in Ambulatory Patients With Diabetes and Heart Failure. <i>Circulation: Heart Failure</i> , 2011, 4, 53-58.   | 1.6 | 172       |
| 911 | Chronic Kidney Disease in Octogenarians. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1410-1417.   | 2.2 | 31        |
| 912 | Pulse Pressure Predicts Incident Cardiovascular Disease but Not Diabetic Nephropathy in Patients With Type 1 Diabetes (The FinnDiane Study). <i>Diabetes Care</i> , 2011, 34, 886-891.  | 4.3 | 38        |
| 913 | A national audit of estimated glomerular filtration rate and proteinuria reporting in the UK. <i>Annals of Clinical Biochemistry</i> , 2011, 48, 558-561.   | 0.8 | 12        |
| 914 | Dose-dense therapy is of benefit in primary treatment of ovarian cancer? In favor. <i>Annals of Oncology</i> , 2011, 22, viii29-viii32.   | 0.6 | 8         |
| 915 | Association of Serum High Molecular Weight Adeponectin and Blood Pressure among Non-Diabetic Community-Dwelling Men. <i>Clinical and Experimental Hypertension</i> , 2011, 33, 336-344.   | 0.5 | 7         |
| 916 | Correlation of estimated and measured glomerular filtration rate in patients with interposed bowel in the urinary tract. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 290-295.   | 1.4 | 8         |
| 917 | South Asian Ethnicity as a Risk Factor for Major Adverse Cardiovascular Events after Renal Transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 204-211.  | 2.2 | 22        |
| 918 | Implications of the CKD-EPI GFR Estimation Equation in Clinical Practice. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 497-504.  | 2.2 | 25        |
| 919 | Revised equations for estimating glomerular filtration rate based on the Lund-Malmö Study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 232-239.   | 0.6 | 157       |
| 920 | Renal Function, Bisphenol A, and Alkylphenols: Results from the National Health and Nutrition Examination Survey (NHANES 2003-2006). <i>Environmental Health Perspectives</i> , 2011, 119, 527-533.   | 2.8 | 61        |
| 921 | Risk Factor and Prediction Modeling for Sudden Cardiac Death in Women With Coronary Artery Disease. <i>Archives of Internal Medicine</i> , 2011, 171, 1703.   | 4.3 | 36        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 922 | Hemodynamic Correlates of Proteinuria in Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2403-2410.  | 2.2 | 37        |
| 923 | Measured GFR as “Gold Standard” All that Glitters Is Not Gold?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1813-1814.   | 2.2 | 59        |
| 924 | Association of eGFR-Related Loci Identified by GWAS with Incident CKD and ESRD. <i>PLoS Genetics</i> , 2011, 7, e1002292.  | 1.5 | 172       |
| 925 | Urinary Albumin Excretion Is Associated With Nocturnal Systolic Blood Pressure in Resistant Hypertensives. <i>Hypertension</i> , 2011, 57, 556-560.  | 1.3 | 51        |
| 926 | Increased Platelet Reactivity in HIV-Infected Patients Receiving Abacavir-Containing Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2011, 204, 1202-1210.   | 1.9 | 77        |
| 927 | Risk Prediction for Early In-Hospital Mortality Following Heart Transplantation in the United States. <i>Circulation: Heart Failure</i> , 2012, 5, 259-266.  | 1.6 | 47        |
| 928 | The renal transcriptome of <i>db/db</i> mice identifies putative urinary biomarker proteins in patients with type 2 diabetes: a pilot study. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F820-F829.  | 1.3 | 33        |
| 929 | Serum Concentration of Cystatin C and Risk of End-Stage Renal Disease in Diabetes. <i>Diabetes Care</i> , 2012, 35, 2311-2316.   | 4.3 | 61        |
| 930 | Association of anthropometric obesity measures with chronic kidney disease risk in a non-diabetic patient population. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1860-1866.  | 0.4 | 60        |
| 931 | Bisphenol A and Peripheral Arterial Disease: Results from the NHANES. <i>Environmental Health Perspectives</i> , 2012, 120, 1297-1300.   | 2.8 | 154       |
| 932 | Is abdominal aortic calcification score a cost-effective screening tool to predict atherosclerotic carotid plaque and cardiac valvular calcification in patients with end-stage renal disease?. <i>Indian Journal of Nephrology</i> , 2012, 22, 431.   | 0.2 | 6         |
| 933 | Incidence of nephrogenic systemic fibrosis at a large university hospital in Sweden. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 48-53.  | 1.4 | 13        |
| 934 | FGF23, Albuminuria, and Disease Progression in Patients with Chronic IgA Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 727-734.   | 2.2 | 66        |
| 935 | Validation of the Lund-Malmö, Chronic Kidney Disease Epidemiology (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) equations to estimate glomerular filtration rate in a large Swedish clinical population. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 212-222. | 1.4 | 45        |
| 936 | Serum Potassium Levels and Mortality in Acute Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 157.   | 3.8 | 284       |
| 937 | Association between Urinary N-Acetyl-Beta-D-Glucosaminidase and Microalbuminuria in Diabetic Black Africans. <i>International Journal of Nephrology</i> , 2012, 2012, 1-5.   | 0.7 | 9         |
| 938 |  | 0.1 | 0         |
| 939 | Growth Differentiation Factor-15 in the Early Diagnosis and Risk Stratification of Patients with Acute Chest Pain. <i>Clinical Chemistry</i> , 2012, 58, 441-449.  | 1.5 | 37        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 940 | Cystatin C Identifies Patients With Stable Chronic Heart Failure at Increased Risk for Adverse Cardiovascular Events. <i>Circulation: Heart Failure</i> , 2012, 5, 602-609.  | 1.6  | 67        |
| 941 | Is Renal Thrombotic Angiopathy an Emerging Problem in the Treatment of Ovarian Cancer Recurrences?. <i>Oncologist</i> , 2012, 17, 1534-1540.   | 1.9  | 25        |
| 942 | Risk Factors for Inpatient Hypoglycemia during Subcutaneous Insulin Therapy in Non-Critically Ill Patients with Type 2 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 1022-1029.                                     | 1.3  | 61        |
| 943 | Association between Peritransplant Kidney Injury Biomarkers and 1-Year Allograft Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1224-1233.  | 2.2  | 35        |
| 944 | Association of Mild to Moderate Chronic Kidney Disease With Venous Thromboembolism. <i>Circulation</i> , 2012, 126, 1964-1971.   | 1.6  | 109       |
| 945 | Rhythmic 24-hour variations of frequently used clinical biochemical parameters in healthy young males "The Bispebjerg study of diurnal variations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 287-295. | 0.6  | 44        |
| 946 | Assessing fitness, predicting outcome, and the missing axis. <i>British Journal of Anaesthesia</i> , 2012, 109, 35-39.   | 1.5  | 7         |
| 947 | New Sampling Strategy Using a Bayesian Approach to Assess Iohexol Clearance in Kidney Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 289-297.   | 1.0  | 10        |
| 948 | Clq/TNF-Related Protein-3 (CTRP-3) and Pigment Epithelium-Derived Factor (PEDF) Concentrations in Patients With Type 2 Diabetes and Metabolic Syndrome. <i>Diabetes</i> , 2012, 61, 2932-2936.   | 0.3  | 81        |
| 949 | The effectiveness and cost-effectiveness of enzyme and substrate replacement therapies: a longitudinal cohort study of people with lysosomal storage disorders.. <i>Health Technology Assessment</i> , 2012, 16, 1-543.                      | 1.3  | 94        |
| 950 | Laparoscopic partial nephrectomy: The McMaster University experience. <i>Canadian Urological Association Journal</i> , 2012, 6, 233-237.   | 0.3  | 3         |
| 951 | Longitudinal Changes in Ejection Fraction in Heart Failure Patients With Preserved and Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2012, 5, 720-726.  | 1.6  | 241       |
| 952 | Sex-Related Trends in Mortality in Hospitalized Men and Women After Myocardial Infarction Between 1985 and 2008. <i>Circulation</i> , 2012, 126, 2184-2189.  | 1.6  | 42        |
| 953 | Serum 25-Hydroxyvitamin D Response to Vitamin D <sub>3</sub> Supplementation 50,000 IU Monthly in Youth with HIV-1 Infection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4004-4013.                                 | 1.8  | 45        |
| 954 | Racial and Ethnic Differences in Wait-List Outcomes in Patients Listed for Heart Transplantation in the United States. <i>Circulation</i> , 2012, 125, 3022-3030.  | 1.6  | 35        |
| 955 | Aristolactam-DNA adducts are a biomarker of environmental exposure to aristolochic acid. <i>Kidney International</i> , 2012, 81, 559-567.  | 2.6  | 172       |
| 956 | Quantitative Measurement of Full-Length and C-Terminal Proteolyzed RBP4 in Serum of Normal and Insulin-Resistant Humans using a Novel Mass Spectrometry Immunoassay. <i>Endocrinology</i> , 2012, 153, 1519-1527.                            | 1.4  | 26        |
| 957 | Estimating Glomerular Filtration Rate. <i>New England Journal of Medicine</i> , 2012, 367, 1261-1264.  | 13.9 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 958 | Regional variation in use of exogenous and endogenous glomerular filtration rate (GFR) markers in Sweden. <i>Upsala Journal of Medical Sciences</i> , 2012, 117, 273-278.  | 0.4 | 5         |
| 959 | Reporting of the estimated glomerular filtration rate was associated with increased use of angiotensin-converting enzyme inhibitors and angiotensin-II receptor blockers in CKD. <i>Kidney International</i> , 2012, 81, 1248-1253.                                  | 2.6 | 32        |
| 960 | Chronic kidney disease and cardiac remodelling in patients with mild heart failure: results from the REsynchronization reVERses Remodeling in Systolic Left vEntricular Dysfunction (REVERSE) study. <i>European Journal of Heart Failure</i> , 2012, 14, 1420-1428. | 2.9 | 37        |
| 961 | Different Outcomes of Atherosclerotic Renal Artery Stenosis Managed with Stenting: Results from a Cohort Study. <i>Renal Failure</i> , 2012, 34, 142-148.  | 0.8 | 4         |
| 962 | Heart rate variability and renal organ damage in hypertensive patients. , 2012, 2012, 3825-8.  |     | 3         |
| 963 | The Old and New Methods of Assessing Kidney Function. <i>Journal of Clinical Pharmacology</i> , 2012, 52, 63S-71S.   | 1.0 | 16        |
| 964 | Kidney Dysfunction, Cardiorespiratory Fitness, and the Risk of Death in Women. <i>Journal of Women's Health</i> , 2012, 21, 917-924.   | 1.5 | 10        |
| 965 | Bone Mineral Density and Fracture Risk in Older Individuals with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1130-1136.   | 2.2 | 185       |
| 966 | Overestimation of carboplatin doses is avoided by radionuclide GFR measurement. <i>British Journal of Cancer</i> , 2012, 107, 1310-1316.   | 2.9 | 33        |
| 967 | Improved equations estimating GFR in children with chronic kidney disease using an immunonephelometric determination of cystatin C. <i>Kidney International</i> , 2012, 82, 445-453.   | 2.6 | 430       |
| 968 | Bone-specific alkaline phosphatase concentrations are less variable than those of parathyroid hormone in stable hemodialysis patients. <i>Kidney International</i> , 2012, 82, 100-105.  | 2.6 | 38        |
| 970 | Renal dysfunction increases the risk of ischemic and hemorrhagic stroke in the general population. <i>Annals of Medicine</i> , 2012, 44, 607-615.  | 1.5 | 55        |
| 971 | Estimating the glomerular filtration rate using serum cystatin C levels in patients with spinal cord injuries. <i>Spinal Cord</i> , 2012, 50, 778-783.   | 0.9 | 27        |
| 972 | Relationship of visit-to-visit and ambulatory blood pressure variability to vascular function in African Americans. <i>Hypertension Research</i> , 2012, 35, 55-61.  | 1.5 | 117       |
| 973 | Advance Directives in Community Patients With Heart Failure. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 283-289.   | 0.9 | 77        |
| 974 | More Impact of Microalbuminuria on Retinopathy Than Moderately Reduced GFR Among Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2012, 35, 803-808.   | 4.3 | 83        |
| 975 | Comparison of Serum Creatinine and Cystatin C for Early Diagnosis of Contrast-Induced Nephropathy after Coronary Angiography and Interventions. <i>Clinical Chemistry</i> , 2012, 58, 458-464.   | 1.5 | 50        |
| 976 | Vitamin D3 Decreases Parathyroid Hormone in HIV-Infected Youth Being Treated With Tenofovir: A Randomized, Placebo-Controlled Trial. <i>Clinical Infectious Diseases</i> , 2012, 54, 1013-1025.  | 2.9 | 64        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 977 | Use of Postoperative Creatinine to Predict Sustained Kidney Injury in Patients Undergoing Mesothelioma Surgery. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1071-1078.                                   | 2.2 | 9         |
| 978 | The usefulness of cystatin C and related formulae in pediatrics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 2081-2091.  | 1.4 | 42        |
| 979 | Epidemiology of Contrast Material-induced Nephropathy in the Era of Hydration. <i>Radiology</i> , 2012, 263, 706-713.  | 3.6 | 77        |
| 980 | Deferasirox for up to 3 years leads to continued improvement of myocardial T2* in patients with $\alpha$ -thalassemia major. <i>Haematologica</i> , 2012, 97, 842-848.   | 1.7 | 122       |
| 981 | Red cell distribution width and risk of peripheral artery disease: Analysis of National Health and Nutrition Examination Survey 1999-2004. <i>Vascular Medicine</i> , 2012, 17, 155-163.   | 0.8 | 48        |
| 982 | High Incidence of Renal Stones Among HIV-Infected Patients on Ritonavir-Boosted Atazanavir Than in Those Receiving Other Protease Inhibitor-Containing Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2012, 55, 1262-1269.    | 2.9 | 80        |
| 983 | Impact of the apolipoprotein B/apolipoprotein A-I ratio on renal outcome in immunoglobulin A nephropathy. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 148-155.   | 1.4 | 12        |
| 984 | Cystatin C - ein endogener Nierenfunktions- und Prognosemarker/Cystatin C: an endogenous GFR marker and prognosis factor. <i>Laboratoriums Medizin</i> , 2012, 36, 211-216.  | 0.1 | 0         |
| 985 | Serum cystatin C is an early biomarker for assessment of renal function in burn patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 667-71.  | 1.4 | 14        |
| 986 | Normal reference values for glomerular filtration rate: what do we really know?. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2664-2672.   | 0.4 | 112       |
| 987 | Comparison of Risk Prediction Using the CKD-EPI Equation and the MDRD Study Equation for Estimated Glomerular Filtration Rate. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 1941-51.                               | 3.8 | 810       |
| 988 | Homelessness and CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1094-1102.   | 2.2 | 28        |
| 989 | Serum $\beta_2$ -Trace Protein and Risk of Mortality in Incident Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1435-1445.   | 2.2 | 25        |
| 990 | The Gly(972)Arg Variant of Human <i>IRS1</i> Gene Is Associated With Variation in Glomerular Filtration Rate Likely Through Impaired Insulin Receptor Signaling. <i>Diabetes</i> , 2012, 61, 2385-2393.                                      | 0.3 | 25        |
| 991 | Purinergic P2X <sub>7</sub> Receptors Participate in Disturbed Intracellular Calcium Homeostasis in Peripheral Blood Mononuclear Cells of Patients with Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 48-57. | 0.9 | 13        |
| 992 | Vascular Aspects of Fabry Disease in Relation to Clinical Manifestations and Elevations in Plasma Globotriaosylsphingosine. <i>Hypertension</i> , 2012, 60, 998-1005.  | 1.3 | 45        |
| 993 | Serum N-Terminal Pro-B-Type Natriuretic Peptide Levels Are Associated With Functional Capacity in Patients With Peripheral Arterial Disease. <i>Angiology</i> , 2012, 63, 435-442.   | 0.8 | 13        |
| 994 | Age and Association of Kidney Measures With Mortality and End-stage Renal Disease. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 2349.  | 3.8 | 493       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 995  | Prevalence of Chronic Kidney Disease in HIV Positive Patients in Lagos, South-West Nigeria. <i>Nephrology Research &amp; Reviews</i> , 2012, 4, 22-26.  | 0.2 | 8         |
| 996  | HbA1c Levels among Primary Healthcare Patients with Type 2 Diabetes Mellitus in Oman. <i>Oman Medical Journal</i> , 2012, 27, 465-470.  | 0.3 | 25        |
| 997  | Predictors of kidney biopsy complication among patients with systemic lupus erythematosus. <i>Lupus</i> , 2012, 21, 848-854.  | 0.8 | 38        |
| 998  | Physical Exercise, Fasting Glucose, and Renal Hyperfiltration in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1801-1810.   | 2.2 | 37        |
| 999  | Are Surrogate Assumptions and Use of Diuretics Associated with Diagnosis and Staging of Acute Kidney Injury after Cardiac Surgery?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 15-23.      | 2.2 | 8         |
| 1000 | CKD and Coronary Collateral Supply in Individuals Undergoing Coronary Angiography after Myocardial Infarction. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1079-1086.                       | 2.2 | 5         |
| 1001 | Estimating Glomerular Filtration Rate Using the Chronic Kidney Disease-Epidemiology Collaboration Creatinine Equation. <i>Circulation: Heart Failure</i> , 2012, 5, 303-306.  | 1.6 | 25        |
| 1002 | Aristolochic acid-associated urothelial cancer in Taiwan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8241-8246.  | 3.3 | 347       |
| 1003 | Lower total and percent of high-molecular-weight adiponectin concentration in South Asian kidney transplant recipients. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 124-129.   | 1.4 | 6         |
| 1004 | Framingham Risk Score and Alternatives for Prediction of Coronary Heart Disease in Older Adults. <i>PLoS ONE</i> , 2012, 7, e34287.   | 1.1 | 85        |
| 1005 | Antioxidant and oligonutrient status, distribution of amino acids, muscle damage, inflammation, and evaluation of renal function in elite rugby players. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1777-89. | 1.4 | 6         |
| 1006 | Implementation of standardization in clinical practice: not always an easy task. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1237-1241.   | 1.4 | 71        |
| 1007 | Incipient Renal Impairment as a Predictor of Subclinical Atherosclerosis in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 141-148.   | 0.9 | 14        |
| 1008 | Relationship between N-Terminal Pro-B-Type Natriuretic Peptide Plasma Levels and Renal Function Evaluated with Different Formulae in Older Adult Subjects Admitted because of Dyspnea. <i>Gerontology</i> , 2012, 58, 50-55.    | 1.4 | 8         |
| 1009 | Cognitive Function and the Risk of Death in Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2012, 35, 49-57.  | 1.4 | 39        |
| 1010 | Living Donor Kidney Donation: Another Form of White Coat Effect. <i>American Journal of Nephrology</i> , 2012, 35, 75-79.   | 1.4 | 16        |
| 1011 | Is Awareness of Chronic Kidney Disease Associated with Evidence-Based Guideline-Concordant Outcomes. <i>American Journal of Nephrology</i> , 2012, 35, 191-197.   | 1.4 | 31        |
| 1012 | Elevated Plasma Levels of Endostatin Are Associated with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2012, 35, 335-340.   | 1.4 | 40        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1013 | Seasonal Maintenance of Influenza Vaccine-Induced Antibody Response in Kidney Transplant Recipients. <i>American Journal of Nephrology</i> , 2012, 36, 201-207.   | 1.4 | 4         |
| 1014 | Performance of MDRD study and CKD-EPI equations for long-term follow-up of nondiabetic patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, iii89-iii95.  | 0.4 | 21        |
| 1015 | Multimodality vascular imaging in CKD: divergence of risk between measured parameters. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1004-1012.  | 0.4 | 13        |
| 1016 | Soluble interleukin-2 receptor alfa predicts renal outcome in IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1916-1923.  | 0.4 | 19        |
| 1017 | Mild decrease in estimated glomerular filtration rate and proteinuria are associated with all-cause and cardiovascular mortality in the general population. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2284-2290.   | 0.4 | 20        |
| 1018 | IgA nephropathy recurs early in the graft when assessed by protocol biopsy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2553-2558.   | 0.4 | 84        |
| 1019 | Cystatin C as risk factor for cardiovascular events and all-cause mortality in the general population. The TromsÅ, Study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2780-2787.   | 0.4 | 19        |
| 1020 | Prediction of glomerular filtration rate from serum concentration of cystatin C: comparison of two analytical methods. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2826-2838.  | 0.4 | 9         |
| 1021 | Predicting outcomes after myocardial infarction by using the Chronic Kidney Disease Epidemiology Collaboration equation in comparison with the Modification of Diet in Renal Disease study equation: results from the Korea Acute Myocardial Infarction Registry. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3868-3874. | 0.4 | 11        |
| 1022 | Comparative Investigation of IV Iohexol and Iopamidol: Effect on Renal Function in Low-Risk Outpatients Undergoing CT. <i>American Journal of Roentgenology</i> , 2012, 198, 392-397.   | 1.0 | 13        |
| 1023 | Intraobserver and Interobserver Variability of Renal Volume Measurements in Polycystic Kidney Disease Using a Semiautomated MR Segmentation Algorithm. <i>American Journal of Roentgenology</i> , 2012, 199, 387-393.   | 1.0 | 18        |
| 1024 | Comparisons between validated estimated glomerular filtration rate equations and isotopic glomerular filtration rate in HIV patients. <i>Aids</i> , 2012, 26, 1781-1788.  | 1.0 | 35        |
| 1025 | Kidneys From Older Living Donors Provide Excellent Intermediate-Term Outcomes After Transplantation. <i>Transplantation</i> , 2012, 94, 499-505.  | 0.5 | 28        |
| 1026 | Comparison of Risk Prediction Using the CKD-EPI Equation and the MDRD Study Equation for Estimated Glomerular Filtration Rate. <i>Yearbook of Medicine</i> , 2012, 2012, 159-161.   | 0.1 | 0         |
| 1027 | Repeat True Surveillance Biopsies in Kidney Transplantation. <i>Transplantation</i> , 2012, 93, 908-913.  | 0.5 | 28        |
| 1028 | Living with chronic kidney disease. <i>Nurse Practitioner</i> , 2012, 37, 32-38.  | 0.2 | 0         |
| 1029 | Renal function in patients with HIV starting therapy with tenofovir and either efavirenz, lopinavir or atazanavir. <i>Aids</i> , 2012, 26, 567-575.   | 1.0 | 68        |
| 1030 | High Frequency of Rejections in HIV-Positive Recipients of Kidney Transplantation. <i>Transplantation</i> , 2012, 94, 1020-1024.  | 0.5 | 36        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1031 | Blood pressure and medication changes following adrenalectomy for unilateral primary aldosteronism. <i>Journal of Hypertension</i> , 2012, 30, 761-769.  | 0.3 | 36        |
| 1032 | Sex differences in hypertension-related renal and cardiovascular diseases in Italy. <i>Journal of Hypertension</i> , 2012, 30, 2378-2386.  | 0.3 | 36        |
| 1033 | Factors Influencing Viral Clearing and Renal Function During Polyomavirus BK-Associated Nephropathy After Renal Transplantation. <i>Transplantation</i> , 2012, 94, 396-402.   | 0.5 | 42        |
| 1034 | Identification and Characterization of Kidney Transplants With Good Glomerular Filtration Rate at 1 Year But Subsequent Progressive Loss of Renal Function. <i>Transplantation</i> , 2012, 94, 931-939.  | 0.5 | 32        |
| 1035 | Circulating ACE2 activity is increased in patients with type 1 diabetes and vascular complications. <i>Journal of Hypertension</i> , 2012, 30, 375-383.  | 0.3 | 185       |
| 1036 | The Association of Plasma Fluorescent Oxidation Products and Chronic Kidney Disease: A Case-Control Study. <i>American Journal of Nephrology</i> , 2012, 36, 297-304.  | 1.4 | 20        |
| 1037 | Adjusting for Urinary Creatinine Overestimates Arsenic Concentrations in Diabetics. <i>CardioRenal Medicine</i> , 2012, 2, 26-32.  | 0.7 | 21        |
| 1038 | Impact of glomerular filtration estimate on bleeding risk in very old patients treated with vitamin K antagonists. <i>Thrombosis and Haemostasis</i> , 2012, 107, 1100-1106.   | 1.8 | 30        |
| 1039 | Thirty-Day Rehospitalizations After Acute Myocardial Infarction. <i>Annals of Internal Medicine</i> , 2012, 157, 11.   | 2.0 | 101       |
| 1040 | Low-Level Lead Exposure and the Prevalence of Gout. <i>Annals of Internal Medicine</i> , 2012, 157, 233.   | 2.0 | 50        |
| 1041 | Very Low Density Lipoprotein Metabolism in Patients with Chronic Kidney Disease. <i>CardioRenal Medicine</i> , 2012, 2, 57-65.   | 0.7 | 5         |
| 1042 | Cardiorenal Syndrome Type 1 May Be Immunologically Mediated: A Pilot Evaluation of Monocyte Apoptosis. <i>CardioRenal Medicine</i> , 2012, 2, 33-42.   | 0.7 | 45        |
| 1043 | Prevalence of Angiographically Defined Obstructive Coronary Artery Disease in Asymptomatic Patients with Type 2 Diabetes According to the Coronary Calcium Score. <i>Internal Medicine</i> , 2012, 51, 3017-3023.  | 0.3 | 10        |
| 1044 | The Low Number of Red Blood Cells Is an Important Risk Factor for All-Cause Mortality in the General Population. <i>Tohoku Journal of Experimental Medicine</i> , 2012, 227, 149-159.  | 0.5 | 4         |
| 1045 | Immunosuppressant medication in cardiac transplant patients - between therapeutic benefit and iatrogenic pathology. <i>ARS Medica Tomitana</i> , 2012, 18, 101-111.  | 0.0 | 0         |
| 1046 | Exercise Training Improves HR Responses and $\dot{V}E^{TM}O_2$ peak in Predialysis Kidney Patients. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 2392-2399.  | 0.2 | 54        |
| 1047 | Prevalence of Proteinuria and Elevated Serum Cystatin C among HIV-Infected Adolescents in the Reaching for Excellence in Adolescent Care and Health (REACH) Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 499-506.  | 0.9 | 1         |
| 1048 | Prevalence of Low Estimated Glomerular Filtration Rate, Proteinuria, and Associated Risk Factors Among HIV-Infected Black Patients Using Cockcroft-Gault and Modification of Diet in Renal Disease Study Equations. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 59-64. | 0.9 | 14        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1049 | Performance of Creatinine and Cystatin C GFR Estimating Equations in an HIV-Positive Population on Antiretrovirals. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 61, 302-309.  | 0.9  | 78        |
| 1050 | Estimating Equations for Glomerular Filtration Rate in the Era of Creatinine Standardization. <i>Annals of Internal Medicine</i> , 2012, 156, 785.   | 2.0  | 346       |
| 1051 | Two Novel Equations to Estimate Kidney Function in Persons Aged 70 Years or Older. <i>Annals of Internal Medicine</i> , 2012, 157, 471.  | 2.0  | 487       |
| 1053 | Impact of Body Mass Index on Clinical Outcome in Patients Hospitalized With Congestive Heart Failure. <i>Circulation Journal</i> , 2012, 76, 145-151.  | 0.7  | 40        |
| 1054 | Risk Factors Associated with Coronary Artery Calcification Should Be Examined before Kidney Transplantation. <i>Tohoku Journal of Experimental Medicine</i> , 2012, 226, 137-144.  | 0.5  | 5         |
| 1055 | Clinical Risk Implications of the CKD Epidemiology Collaboration (CKD-EPI) Equation Compared With the Modification of Diet in Renal Disease (MDRD) Study Equation for Estimated GFR. <i>American Journal of Kidney Diseases</i> , 2012, 60, 241-249. | 2.1  | 79        |
| 1056 | Introduction of High-sensitivity Troponin Assays: Impact on Myocardial Infarction Incidence and Prognosis. <i>American Journal of Medicine</i> , 2012, 125, 1205-1213.e1.  | 0.6  | 170       |
| 1057 | Discrepancy Between Tonometric Ambulatory and Cuff-Based Office Blood Pressure Measurements in Patients With Type 1 Diabetes. <i>Journal of Clinical Hypertension</i> , 2012, 14, 686-693.   | 1.0  | 3         |
| 1058 | Selecting a prognostic renal surrogate for patients with hepatocellular carcinoma undergoing transarterial chemoembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1581-1588.                                   | 1.4  | 11        |
| 1059 | Erythrocyte metformin levels in patients with type 2 diabetes and varying severity of chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 65-67.  | 1.4  | 10        |
| 1060 | One-Hour Rule-out and Rule-in of Acute Myocardial Infarction Using High-Sensitivity Cardiac Troponin T. <i>Archives of Internal Medicine</i> , 2012, 172, 1211.  | 4.3  | 439       |
| 1061 | Assessment of Renal Function in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1716-1718.   | 1.2  | 4         |
| 1062 | Current equations estimating glomerular filtration rate in primary care: Comparison and determinants. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 448-453.   | 1.4  | 3         |
| 1063 | Introduction to Clinical Pharmacology. , 2012, , 1-9.  |      | 4         |
| 1064 | Risk of coronary events in people with chronic kidney disease compared with those with diabetes: a population-level cohort study. <i>Lancet, The</i> , 2012, 380, 807-814.   | 6.3  | 601       |
| 1065 | Cardiorenal End Points in a Trial of Aliskiren for Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2012, 367, 2204-2213.   | 13.9 | 1,145     |
| 1066 | Section 2: AKI Definition. <i>Kidney International Supplements</i> , 2012, 2, 19-36.   | 4.6  | 677       |
| 1067 | Renal dysfunction as a risk factor for painless myocardial infarction: results from Korea Acute Myocardial Infarction Registry. <i>Clinical Research in Cardiology</i> , 2012, 101, 795-803.   | 1.5  | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1068 | Predicting survival after living and deceased donor liver transplantation in adult patients with acute liver failure. <i>Journal of Gastroenterology</i> , 2012, 47, 1115-1124.  | 2.3 | 33        |
| 1069 | The relationship between intracranial arterial stenosis and glomerular filtration rate. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 310-317.   | 1.0 | 3         |
| 1070 | Time-dependent changes of myeloperoxidase in relation to in-hospital mortality in patients with the first anterior ST-segment elevation myocardial infarction treated by primary percutaneous coronary intervention. <i>Clinical Biochemistry</i> , 2012, 45, 547-551. | 0.8 | 9         |
| 1071 | Estimating glomerular filtration rate (GFR) in diabetes: The performance of MDRD and CKD-EPI equations in patients with various degrees of albuminuria. <i>Clinical Biochemistry</i> , 2012, 45, 1694-1696.  | 0.8 | 30        |
| 1072 | GFR Estimation Using the Cockcroft-Gault, MDRD Study, and CKD-EPI Equations in the Elderly. <i>American Journal of Kidney Diseases</i> , 2012, 60, 847-849.  | 2.1 | 60        |
| 1073 | Serum Potassium Influencing Interacting Drugs: Risk-Modifying Strategies Also Needed at Discontinuation. <i>Annals of Pharmacotherapy</i> , 2012, 46, 176-182.   | 0.9 | 6         |
| 1074 | The Risk for Medial Arterial Calcification in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 275-279.  | 2.2 | 42        |
| 1075 | Day-to-Day Variability in Spot Urine Protein-Creatinine Ratio Measurements. <i>American Journal of Kidney Diseases</i> , 2012, 60, 561-566.  | 2.1 | 31        |
| 1078 | Limits of Infrainguinal Bypass Surgery for Critical Leg Ischemia in High-Risk Patients (Finnvasc Score) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>   | 0.4 | 6         |
| 1079 | Renal Function in Patients Treated With Abdominal Aortic Stentgraft Implantation With an Intentional Occlusion of Accessory Renal Artery. <i>Annals of Vascular Surgery</i> , 2012, 26, 299-305.   | 0.4 | 16        |
| 1080 | Estimated GFR and Incident Cardiovascular Disease Events in American Indians: The Strong Heart Study. <i>American Journal of Kidney Diseases</i> , 2012, 60, 795-803.  | 2.1 | 27        |
| 1081 | Protein Supplementation Improves Physical Performance in Frail Elderly People: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 720-726.   | 1.2 | 353       |
| 1082 | Outcome of Infrainguinal Single-Segment Great Saphenous Vein Bypass for Critical Limb Ischemia is Superior to Alternative Autologous Vein Bypass, Especially in Patients With High Operative Risk. <i>Annals of Vascular Surgery</i> , 2012, 26, 396-403.              | 0.4 | 34        |
| 1083 | Long-term results after accessory renal artery coverage during endovascular aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2012, 56, 291-297.  | 0.6 | 54        |
| 1084 | Mechanisms underlying sCD40 production in hemodialysis patients. <i>Cellular Immunology</i> , 2012, 278, 10-15.  | 1.4 | 14        |
| 1085 | Do Living Kidney Donors Have CKD?. <i>Advances in Chronic Kidney Disease</i> , 2012, 19, 229-236.  | 0.6 | 15        |
| 1086 | Mild-to-moderate kidney dysfunction and the risk of sudden cardiac death in the setting of acute myocardial infarction. <i>Heart Rhythm</i> , 2012, 9, 540-545.  | 0.3 | 15        |
| 1087 | Association of Complete Recovery From Acute Kidney Injury With Incident CKD Stage 3 and All-Cause Mortality. <i>American Journal of Kidney Diseases</i> , 2012, 60, 402-408.   | 2.1 | 178       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1088 | Kidney Protection and Regeneration Following Acute Injury: Progress Through Stem Cell Therapy. <i>American Journal of Kidney Diseases</i> , 2012, 60, 1012-1022.  | 2.1  | 121       |
| 1089 | Dietary phosphorus intake and mortality in moderate chronic kidney disease: NHANES III. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 990-996.   | 0.4  | 37        |
| 1090 | Renal function and incidence of chronic kidney disease in HIV patients: A Danish cohort study. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 689-696.  | 1.5  | 30        |
| 1091 | High-dose cholecalciferol reduces parathyroid hormone in patients with early chronic kidney disease: a pilot, randomized, double-blind, placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 672-679.  | 2.2  | 97        |
| 1092 | Prevalence of diabetes treatment effect modifiers: the external validity of trials to older adults. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 370-376.  | 1.4  | 9         |
| 1093 | Risk prediction models: I. Development, internal validation, and assessing the incremental value of a new (bio)marker. <i>Heart</i> , 2012, 98, 683-690.  | 1.2  | 666       |
| 1094 | Incidence and Prognosis of Resistant Hypertension in Hypertensive Patients. <i>Circulation</i> , 2012, 125, 1635-1642.  | 1.6  | 762       |
| 1095 | Trends in Antihypertensive Medication Use and Blood Pressure Control Among United States Adults With Hypertension. <i>Circulation</i> , 2012, 126, 2105-2114.   | 1.6  | 455       |
| 1096 | Ischemic Preconditioning for Prevention of Contrast Medium-Induced Nephropathy. <i>Circulation</i> , 2012, 126, 296-303.  | 1.6  | 222       |
| 1097 | Long-Term Comparison of Endovascular and Open Repair of Abdominal Aortic Aneurysm. <i>New England Journal of Medicine</i> , 2012, 367, 1988-1997.   | 13.9 | 594       |
| 1098 | Influence of renal function and platelet turnover on the antiplatelet effect of aspirin. <i>Thrombosis Research</i> , 2012, 129, 434-440.   | 0.8  | 20        |
| 1099 | Effect of Testicular Germ Cell Tumor Therapy on Renal Function. <i>Urology</i> , 2012, 80, 641-648.   | 0.5  | 29        |
| 1100 | A Randomized Controlled Crossover Trial with Delayed-Release Cysteamine Bitartrate in Nephropathic Cystinosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1112-1120.   | 2.2  | 74        |
| 1101 | Albumin-binding capacity (ABiC) is reduced in patients with chronic kidney disease along with an accumulation of protein-bound uraemic toxins. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2377-2383.  | 0.4  | 62        |
| 1102 | In Vivo CYP3A4 Activity, CYP3A5 Genotype, and Hematocrit Predict Tacrolimus Dose Requirements and Clearance in Renal Transplant Patients. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 92, 366-375.  | 2.3  | 100       |
| 1103 | Characteristics and in-hospital outcomes of patients presenting with non-ST-segment elevation myocardial infarction found to have significant coronary artery disease on coronary angiography and managed medically: Stratification according to renal function. <i>American Heart Journal</i> , 2012, 164, 52-57.e1. | 1.2  | 17        |
| 1104 | Comparison of Chronic Kidney Disease and Risk for Presenting With Painless Versus Nonpainless Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2012, 110, 790-794.  | 0.7  | 4         |
| 1105 | Mystery of Chronic Kidney Disease Awareness. <i>American Journal of Medicine</i> , 2012, 125, 625-627.  | 0.6  | 2         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1106 | Awareness of Kidney Disease and Relationship to End-stage Renal Disease and Mortality. American Journal of Medicine, 2012, 125, 661-669.   | 0.6  | 53        |
| 1107 | Septal Rebound Stretch is a Strong Predictor of Outcome After Cardiac Resynchronization Therapy. Journal of Cardiac Failure, 2012, 18, 404-412.  | 0.7  | 44        |
| 1108 | The importance of early referral for the treatment of chronic kidney disease: a Danish nationwide cohort study. BMC Nephrology, 2012, 13, 108.   | 0.8  | 27        |
| 1109 | Clinical evaluation of analytical variations in serum creatinine measurements: why laboratories should abandon Jaffe techniques. BMC Nephrology, 2012, 13, 133.  | 0.8  | 69        |
| 1110 | CDKD: a clinical database of kidney diseases. BMC Nephrology, 2012, 13, 23.  | 0.8  | 14        |
| 1111 | Differences between hospitals in attainment of parathyroid hormone treatment targets in chronic kidney disease do not reflect differences in quality of care. BMC Nephrology, 2012, 13, 82.  | 0.8  | 2         |
| 1112 | Prevalence and determinants of chronic kidney disease in community-dwelling elderly by various estimating equations. BMC Public Health, 2012, 12, 343.   | 1.2  | 33        |
| 1113 | Joint relationship between renal function and proteinuria on mortality of patients with type 2 diabetes: The Taichung Diabetes Study. Cardiovascular Diabetology, 2012, 11, 131.   | 2.7  | 10        |
| 1114 | Renal safety of tenofovir containing antiretroviral regimen in a Singapore cohort. AIDS Research and Therapy, 2012, 9, 19.   | 0.7  | 10        |
| 1115 | Estimated glomerular filtration rate: why we need it. Annals of Clinical Biochemistry, 2012, 49, 417-418.  | 0.8  | 1         |
| 1116 | Influence of adult age on the total and free clearance and protein binding of (R)- and (S)-warfarin. British Journal of Clinical Pharmacology, 2012, 74, 797-805.  | 1.1  | 20        |
| 1117 | Safety and efficacy of low-dose fondaparinux (1.5 mg) for the prevention of venous thromboembolism in acutely ill medical patients with renal impairment: the FONDAIR study. Journal of Thrombosis and Haemostasis, 2012, 10, 2291-2297. | 1.9  | 21        |
| 1118 | Tolvaptan in Patients with Autosomal Dominant Polycystic Kidney Disease. New England Journal of Medicine, 2012, 367, 2407-2418.  | 13.9 | 1,267     |
| 1119 | Analytic and clinical validation of a standardized cystatin C particle enhanced turbidimetric assay (PETIA) to estimate glomerular filtration rate. Clinical Chemistry and Laboratory Medicine, 2012, 50, 1591-6.                        | 1.4  | 24        |
| 1120 | Renal Toxicity Associated With Antiretroviral Therapy. HIV Clinical Trials, 2012, 13, 189-211.   | 2.0  | 44        |
| 1121 | Comprehensive geriatric assessment and hospital mortality among older adults with decompensated heart failure. American Heart Journal, 2012, 164, 756-762.   | 1.2  | 41        |
| 1122 | Pulmonary Pressures and Death in Heart Failure. Journal of the American College of Cardiology, 2012, 59, 222-231.  | 1.2  | 250       |
| 1123 | Impact of Noncardiac Comorbidities on Morbidity and Mortality in a Predominantly Male Population With Heart Failure and Preserved Versus Reduced Ejection Fraction. Journal of the American College of Cardiology, 2012, 59, 998-1005.   | 1.2  | 578       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1124 | Prediction of cardiovascular events, diabetic nephropathy, and mortality by albumin concentration in a spot urine sample in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2012, 26, 407-412.                     | 1.2 | 25        |
| 1125 | Relation of Systemic and Urinary Neutrophil Gelatinase-Associated Lipocalin Levels to Different Aspects of Impaired Renal Function in Patients With Acute Decompensated Heart Failure. <i>American Journal of Cardiology</i> , 2012, 110, 1329-1335. | 0.7 | 65        |
| 1126 | Usefulness of Albuminuria as Predictor for Coronary Artery Stenosis, Regardless of Estimated Glomerular Filtration Rate, in Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2012, 110, 1434-1439.                    | 0.7 | 9         |
| 1127 | Comorbidity Significantly Affects Clinical Outcome After Cardiac Resynchronization Therapy Regardless of Ventricular Remodeling. <i>Journal of Cardiac Failure</i> , 2012, 18, 845-853.  | 0.7 | 35        |
| 1128 | Prognostic value of serum cystatin C and N-terminal pro b-type natriuretic peptide in patients with acute heart failure. <i>European Journal of Internal Medicine</i> , 2012, 23, 599-603.   | 1.0 | 28        |
| 1129 | The association of biomarkers of iron status with mortality in US adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 734-740.  | 1.1 | 30        |
| 1130 | Vitamin D status, incident diabetes and prospective changes in glucose metabolism in older subjects: The Hoorn study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 883-889.  | 1.1 | 49        |
| 1131 | Urinary Proteins in Heart Failure. <i>Progress in Cardiovascular Diseases</i> , 2012, 55, 44-55.   | 1.6 | 31        |
| 1132 | Complete remission induced by tacrolimus and low-dose prednisolone in adult minimal change nephrotic syndrome: A pilot study. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 112-117.  | 0.9 | 7         |
| 1134 | Acute kidney injury following total joint arthroplasty: retrospective analysis. <i>Canadian Journal of Anaesthesia</i> , 2012, 59, 1111-1118.  | 0.7 | 54        |
| 1135 | Association of Sitting Time and Physical Activity With CKD: A Cross-sectional Study in Family Practices. <i>American Journal of Kidney Diseases</i> , 2012, 60, 583-590.   | 2.1 | 48        |
| 1136 | Predictors of Vitamin D Status in Predialysis Chronic Kidney Disease Patients: A Cross-sectional Analysis in a High Ultraviolet Climate. , 2012, 22, 400-408.  |     | 11        |
| 1137 | Improved estimation of glomerular filtration rate (GFR) by comparison of eGFR<sub>cystatin C</sub> and eGFR<sub>creatinine</sub>. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 73-77.                            | 0.6 | 75        |
| 1138 | Cardio-Renal Syndrome: New Perspective in Diagnostics. <i>Seminars in Nephrology</i> , 2012, 32, 3-17.   | 0.6 | 21        |
| 1139 | Monitoring renal function during chemotherapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1478-1482.  | 3.3 | 21        |
| 1140 | SNP in the genome-wide association study hotspot on chromosome 9p21 confers susceptibility to diabetic nephropathy in type 1 diabetes. <i>Diabetologia</i> , 2012, 55, 2386-2393.  | 2.9 | 21        |
| 1141 | Impact of prescribed medications on patient safety in older people. <i>Therapeutic Advances in Drug Safety</i> , 2012, 3, 165-174.   | 1.0 | 39        |
| 1142 | Measurement and Compartmental Modeling of the Effect of CYP3A5 Gene Variation on Systemic and Intrarenal Tacrolimus Disposition. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 92, 737-745.  | 2.3 | 46        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1143 | Hemodialysis Delivery Systems. , 2012, , 193-216.   |     | 0         |
| 1145 | Serum Beta 2-Microglobulin/Cystatin C Index: A Useful Biomarker in Lupus Nephritis. Nephron Extra, 2012, 2, 169-176.  | 1.1 | 25        |
| 1146 | Association between being African-American, serum urate levels and the risk of developing hyperuricemia: findings from the Coronary Artery Risk Development in Young Adults cohort. Arthritis Research and Therapy, 2012, 14, R4. | 1.6 | 27        |
| 1147 | Renal Function Declines More in Tenofovir- than Abacavir-Based Antiretroviral Therapy in Low-Body Weight Treatment-Na <sup>+</sup> ve Patients with HIV Infection. PLoS ONE, 2012, 7, e29977.                                     | 1.1 | 54        |
| 1148 | Circulating Angiotensin-2 as a Biomarker in ANCA-Associated Vasculitis. PLoS ONE, 2012, 7, e30197.  | 1.1 | 16        |
| 1149 | Bone Biomarkers Help Grading Severity of Coronary Calcifications in Non Dialysis Chronic Kidney Disease Patients. PLoS ONE, 2012, 7, e36175.  | 1.1 | 28        |
| 1150 | Increased Urinary Angiotensin-Converting Enzyme 2 in Renal Transplant Patients with Diabetes. PLoS ONE, 2012, 7, e37649.  | 1.1 | 43        |
| 1151 | Low Serum Urate Levels Are Associated to Female Gender in Multiple Sclerosis Patients. PLoS ONE, 2012, 7, e40608.   | 1.1 | 21        |
| 1152 | Early Sorafenib-Induced Toxicity Is Associated with Drug Exposure and UGT1A9 Genetic Polymorphism in Patients with Solid Tumors: A Preliminary Study. PLoS ONE, 2012, 7, e42875.  | 1.1 | 88        |
| 1153 | Estimated Glomerular Filtration Rate Is a Poor Predictor of the Concentration of Middle Molecular Weight Uremic Solutes in Chronic Kidney Disease. PLoS ONE, 2012, 7, e44201.   | 1.1 | 29        |
| 1154 | Identification and Characterization of a New Autoimmune Protein in Membranous Nephropathy by Immunoscreening of a Renal cDNA Library. PLoS ONE, 2012, 7, e48845.  | 1.1 | 14        |
| 1155 | Polymorphisms in the Non-Muscle Myosin Heavy Chain Gene (MYH9) Are Associated with Lower Glomerular Filtration Rate in Mixed Ancestry Diabetic Subjects from South Africa. PLoS ONE, 2012, 7, e52529.                             | 1.1 | 9         |
| 1156 | Renal function and long-term mortality in patients with asymptomatic carotid atherosclerosis. Thrombosis and Haemostasis, 2012, 107, 150-157.   | 1.8 | 20        |
| 1157 | Kidney Transplantation from a Donor Following Cardiac Death Supported with Extracorporeal Membrane Oxygenation. Journal of Korean Medical Science, 2012, 27, 115.   | 1.1 | 30        |
| 1158 | Nicaragua revisited: evidence of lower prevalence of chronic kidney disease in a high-altitude, coffee-growing village. Journal of Nephrology, 2012, 25, 533-540.   | 0.9 | 31        |
| 1159 | Use of Antiarrhythmic Drug in Patients with Impaired Renal Function. Japanese Journal of Electrocardiology, 2012, 32, 327-332.  | 0.0 | 0         |
| 1160 | Measurement of glomerular filtration rate. , 2012, , 26-30.   |     | 1         |
| 1161 | Estimated Glomerular Filtration Rate (eGFR): A Serum Creatinine-Based Test for the Detection of Chronic Kidney Disease and its Impact on Clinical Practice. Oman Medical Journal, 2012, 27, 108-113.                              | 0.3 | 65        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1162 | Contrast Medium-Induced Nephropathy (CIN) Gram-Iodine/GFR Ratio to Predict CIN and Strategies to Reduce Contrast Medium Doses. , 0, , .  |     | 0         |
| 1163 | n-Acetylcysteine for prevention of iodinated contrast-induced nephropathy in computed tomography angiography procedures in patients with chronic kidney disease. African Journal of Pharmacy and Pharmacology, 2012, 6, 181-189.             | 0.2 | 1         |
| 1164 | How Measuring Glomerular Filtration Rate? Comparison of Reference Methods. , 0, , .  |     | 7         |
| 1165 | Variability of glomerular filtration rate estimation equations in elderly Chinese patients with chronic kidney disease. Clinical Interventions in Aging, 2012, 7, 409.   | 1.3 | 10        |
| 1166 | The impact of different GFR estimating equations on the prevalence of CKD and risk groups in a Southeast Asian cohort using the new KDIGO guidelines. BMC Nephrology, 2012, 13, 1.   | 0.8 | 45        |
| 1167 | Greater variability in kidney function is associated with an increased risk of death. Kidney International, 2012, 82, 1208-1214.   | 2.6 | 67        |
| 1168 | Antithrombotic Therapy in Patients With Chronic Kidney Disease. Circulation, 2012, 125, 2649-2661.   | 1.6 | 127       |
| 1169 | Markers of Plaque Instability in the Early Diagnosis and Risk Stratification of Acute Myocardial Infarction. Clinical Chemistry, 2012, 58, 246-256.  | 1.5 | 56        |
| 1170 | 2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: Executive Summary. Catheterization and Cardiovascular Interventions, 2012, 79, 453-495.   | 0.7 | 157       |
| 1171 | Regulatory Perspectives on Designing Pharmacokinetic Studies and Optimizing Labeling Recommendations for Patients With Chronic Kidney Disease. Journal of Clinical Pharmacology, 2012, 52, 79S-90S.  | 1.0 | 28        |
| 1172 | Predictable impact of the routine implementation of the CKD-EPI equation for estimating glomerular filtration rate by a simulation study. Rivista Italiana Della Medicina Di Laboratorio, 2012, 8, 107-113.                                  | 0.2 | 0         |
| 1173 | Fenofibrate-associated changes in renal function and relationship to clinical outcomes among individuals with type 2 diabetes: the Action to Control Cardiovascular Risk in Diabetes (ACCORD) experience. Diabetologia, 2012, 55, 1641-1650. | 2.9 | 54        |
| 1174 | Cystatin C: a step forward in assessing kidney function and cardiovascular risk. Heart Failure Reviews, 2012, 17, 251-261.   | 1.7 | 65        |
| 1175 | Current and novel renal biomarkers in heart failure. Heart Failure Reviews, 2012, 17, 241-250.   | 1.7 | 38        |
| 1176 | A randomized, double-blind, placebo-controlled study of the safety and tolerance of regadenoson in subjects with stage 3 or 4 chronic kidney disease. Journal of Nuclear Cardiology, 2012, 19, 319-329.                                      | 1.4 | 39        |
| 1177 | Measuring glomerular filtration rate from plasma clearance of <sup>51</sup> Cr-EDTA: quality assurance. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 713-714.   | 3.3 | 4         |
| 1178 | Plasma N-terminal Pro-brain Natriuretic Peptide: A Prognostic Marker in Patients with Chronic Obstructive Pulmonary Disease. Lung, 2012, 190, 271-276.   | 1.4 | 32        |
| 1179 | How to manage HIV-infected patients with chronic kidney disease in the HAART era. Clinical and Experimental Nephrology, 2012, 16, 363-372.   | 0.7 | 30        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1180 | Performance of the Japanese GFR equation in potential kidney donors. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 415-420.   | 0.7 | 18        |
| 1181 | An Obituary for GFR as the Main Marker for Kidney Function?. <i>Seminars in Dialysis</i> , 2012, 25, 9-14.  | 0.7 | 16        |
| 1182 | Changes in vitamin D binding protein and vitamin D concentrations associated with liver transplantation. <i>Liver International</i> , 2012, 32, 287-296.  | 1.9 | 26        |
| 1183 | Metformin-associated lactic acidosis following acute kidney injury. Efficacious treatment with continuous renal replacement therapy. <i>Diabetic Medicine</i> , 2012, 29, 245-250.                                | 1.2 | 32        |
| 1184 | The estimation of glomerular filtration rate in an Australian and New Zealand cohort. <i>Nephrology</i> , 2012, 17, 285-293.  | 0.7 | 6         |
| 1185 | A unified pharmacokinetic approach to individualized drug dosing. <i>British Journal of Clinical Pharmacology</i> , 2012, 73, 335-339.  | 1.1 | 10        |
| 1186 | Diabetic Polyneuropathy Relates to Bone Metabolism and Markers of Bone Turnover in Elderly Patients With Type 2 Diabetes: Greater Effects in Male Patients. <i>Gender Medicine</i> , 2012, 9, 187-196.            | 1.4 | 29        |
| 1187 | Effect on Short- and Long-Term Major Adverse Cardiac Events of Statin Treatment in Patients With Acute Myocardial Infarction and Renal Dysfunction. <i>American Journal of Cardiology</i> , 2012, 109, 1425-1430. | 0.7 | 12        |
| 1188 | Gender and Ethnic Differences in Red Cell Distribution Width and Its Association With Mortality Among Low Risk Healthy United State Adults. <i>American Journal of Cardiology</i> , 2012, 109, 1664-1670.         | 0.7 | 40        |
| 1189 | Risk Factors for Peripheral Arterial Disease Among Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2012, 110, 136-141.  | 0.7 | 53        |
| 1190 | How to Assess Kidney Function: Overview. <i>Clinical Therapeutics</i> , 2012, 34, e4-e5.  | 1.1 | 0         |
| 1191 | How to Stage and Assess the Deterioration of Kidney Function in Children?. <i>Clinical Therapeutics</i> , 2012, 34, e5-e7.  | 1.1 | 1         |
| 1192 | The Role of Cystatin C in Improving GFR Estimation in the General Population. <i>American Journal of Kidney Diseases</i> , 2012, 59, 32-40.   | 2.1 | 23        |
| 1193 | Bone and Mineral Metabolism and Fibroblast Growth Factor 23 Levels After Kidney Donation. <i>American Journal of Kidney Diseases</i> , 2012, 59, 761-769.   | 2.1 | 48        |
| 1194 | Decreased Kidney Function Among Agricultural Workers in El Salvador. <i>American Journal of Kidney Diseases</i> , 2012, 59, 531-540.  | 2.1 | 214       |
| 1195 | Effect of GFR on Plasma N-Terminal Connective Tissue Growth Factor (CTGF) Concentrations. <i>American Journal of Kidney Diseases</i> , 2012, 59, 619-627.   | 2.1 | 21        |
| 1196 | The Absorption Profile of Pregabalin in Chronic Pancreatitis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 111, 385-390.   | 1.2 | 8         |
| 1197 | A histopathological score on baseline biopsies from elderly donors predicts outcome 1 year after renal transplantation. <i>Apmis</i> , 2012, 120, 182-186.  | 0.9 | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1198 | A preliminary study of blood-oxygen-level-dependent MRI in patients with chronic kidney disease. <i>Magnetic Resonance Imaging</i> , 2012, 30, 330-335.  | 1.0 | 41        |
| 1199 | 25-Hydroxyvitamin D deficiency is associated with fatal stroke among whites but not blacks: The NHANES-III linked mortality files. <i>Nutrition</i> , 2012, 28, 367-371.   | 1.1 | 93        |
| 1200 | Clinical factors associated with initiation of renal replacement therapy in critically ill patients with acute kidney injury—A prospective multicenter observational study. <i>Journal of Critical Care</i> , 2012, 27, 268-275.                       | 1.0 | 67        |
| 1201 | Contents of second peak in the circadian variation of acute myocardial infarction in the Japanese population. <i>Journal of Cardiology</i> , 2012, 59, 147-153.  | 0.8 | 12        |
| 1202 | Renal tubular dysfunction during long-term adefovir or tenofovir therapy in chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 1317-1325.  | 1.9 | 135       |
| 1203 | Levels of fetuin-A relate to the levels of bone turnover biomarkers in male and female patients with type 2 diabetes. <i>Clinical Endocrinology</i> , 2012, 76, 499-505.   | 1.2 | 16        |
| 1204 | The assessment of GFR after orthotopic liver transplantation using cystatin C and creatinine-based equations. <i>Transplant International</i> , 2012, 25, 527-536.   | 0.8 | 32        |
| 1205 | N-terminal pro-B-type natriuretic peptide levels aid the diagnosis of left ventricular dysfunction in patients with severe acute exacerbations of chronic obstructive pulmonary disease and renal dysfunction. <i>Respirology</i> , 2012, 17, 660-666. | 1.3 | 14        |
| 1206 | Comparison of prediction equations to estimate glomerular filtration rate in Chinese patients with chronic kidney disease. <i>Internal Medicine Journal</i> , 2012, 42, e59-67.  | 0.5 | 14        |
| 1207 | Neutrophil Gelatinase-Associated Lipocalin (NGAL) predicts renal injury in acute decompensated cardiac failure: a prospective observational study. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 8.  | 0.7 | 31        |
| 1208 | The MDRD equation underestimates the prevalence of CKD among blacks and overestimates the prevalence of CKD among whites compared to the CKD-EPI equation: a retrospective cohort study. <i>BMC Nephrology</i> , 2012, 13, 4.                          | 0.8 | 14        |
| 1209 | Prevention and Management of Contrast-Induced Acute Kidney Injury. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2012, 14, 1-7.  | 0.4 | 5         |
| 1210 | Simple assessment of patient's stage of chronic kidney disease using eGFR-MDRD nomograms. <i>International Urology and Nephrology</i> , 2012, 44, 207-212.   | 0.6 | 1         |
| 1211 | Drug Dosing in Elderly Patients with Chronic Kidney Disease. <i>Clinics in Geriatric Medicine</i> , 2013, 29, 657-705.   | 1.0 | 17        |
| 1212 | Observational study of the effects of age, diabetes mellitus, cirrhosis and chronic kidney disease on sublingual microvascular flow. <i>Perioperative Medicine (London, England)</i> , 2013, 2, 7.   | 0.6 | 14        |
| 1213 | The age related association is more pronounced for cystatin C estimated GFR than for creatinine estimated GFR in primary care patients. <i>Clinical Biochemistry</i> , 2013, 46, 1761-1763.  | 0.8 | 7         |
| 1214 | Relationship of Serum Fetuin-A Levels with Coronary Atherosclerotic Burden and NAFLD in Patients Undergoing Elective Coronary Angiography. <i>Metabolic Syndrome and Related Disorders</i> , 2013, 11, 289-295.  | 0.5 | 26        |
| 1215 | Optimizing the Use of Anticoagulants (Heparins and Oral Anticoagulants) in the Elderly. <i>Drugs and Aging</i> , 2013, 30, 687-699.  | 1.3 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1216 | Treatment with everolimus is associated with a procoagulant state. <i>Thrombosis Research</i> , 2013, 132, 307-311.  | 0.8 | 42        |
| 1217 | Suboptimal blood pressure control in chronic kidney disease stage 3: baseline data from a cohort study in primary care. <i>BMC Family Practice</i> , 2013, 14, 88.   | 2.9 | 45        |
| 1218 | Impact of a tenofovir disoproxil fumarate plus ritonavir-boosted protease inhibitor-based regimen on renal function in HIV-infected individuals: a prospective, multicenter study. <i>BMC Infectious Diseases</i> , 2013, 13, 301. | 1.3 | 28        |
| 1219 | Study design of DIACORE (DIAbetes COHoRtE) – a cohort study of patients with diabetes mellitus type 2. <i>BMC Medical Genetics</i> , 2013, 14, 25.   | 2.1 | 25        |
| 1220 | Timing of preemptive vascular access placement: do we understand the natural history of advanced CKD?: an observational study. <i>BMC Nephrology</i> , 2013, 14, 115.  | 0.8 | 8         |
| 1221 | Psychosocial factors in adults with chronic kidney disease: characteristics of pilot participants in the Tasmanian Chronic Kidney Disease study. <i>BMC Nephrology</i> , 2013, 14, 83.   | 0.8 | 29        |
| 1222 | Chronic kidney diseases in mixed ancestry south African populations: prevalence, determinants and concordance between kidney function estimators. <i>BMC Nephrology</i> , 2013, 14, 75.  | 0.8 | 51        |
| 1223 | Creatinine-or cystatin C-based equations to estimate glomerular filtration in the general population: impact on the epidemiology of chronic kidney disease. <i>BMC Nephrology</i> , 2013, 14, 57.                                  | 0.8 | 26        |
| 1224 | Prevalence of chronic kidney disease in patients with type 2 diabetes in Spain: PERCEDIME2 study. <i>BMC Nephrology</i> , 2013, 14, 46.  | 0.8 | 100       |
| 1225 | Associations of epicardial fat with coronary calcification, insulin resistance, inflammation, and fibroblast growth factor-23 in stage 3-5 chronic kidney disease. <i>BMC Nephrology</i> , 2013, 14, 26.                           | 0.8 | 48        |
| 1226 | Glomerular filtration rate and albuminuria predict mortality independently from coronary artery calcified plaque in the Diabetes Heart Study. <i>Cardiovascular Diabetology</i> , 2013, 12, 68.                                    | 2.7 | 15        |
| 1227 | Cardiovascular Toxicity of Epoetin-Alfa in Patients with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2013, 37, 549-558.  | 1.4 | 111       |
| 1229 | Augmented Renal Clearance of Vancomycin and Levetiracetam in a Traumatic Brain Injury Patient. <i>Neurocritical Care</i> , 2013, 19, 210-214.  | 1.2 | 31        |
| 1230 | Different value of coronary calcium score to predict obstructive coronary artery disease in patients with and without moderate chronic kidney disease. <i>Netherlands Heart Journal</i> , 2013, 21, 347-353.                       | 0.3 | 14        |
| 1231 | The impact of metabolic control and QTc prolongation on all-cause mortality in patients with type 2 diabetes and foot ulcers. <i>Diabetologia</i> , 2013, 56, 1140-1147.   | 2.9 | 28        |
| 1232 | Incremental prognostic value of diastolic dysfunction in low risk patients undergoing echocardiography: beyond Framingham score. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1441-1450.                     | 0.7 | 14        |
| 1233 | Plasma levels of mitochondrial and nuclear DNA in patients with massive pulmonary embolism in the emergency department: a prospective cohort study. <i>Critical Care</i> , 2013, 17, R90.  | 2.5 | 37        |
| 1234 | Effectiveness of $\beta$ -Blockers in Heart Failure With Left Ventricular Systolic Dysfunction and Chronic Kidney Disease. <i>Journal of Cardiac Failure</i> , 2013, 19, 176-182.  | 0.7 | 11        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1235 | A Higher Glomerular Filtration Rate Predicts Low Risk of Developing Chronic Kidney Disease in Living Kidney Donors. <i>World Journal of Surgery</i> , 2013, 37, 923-929.   | 0.8 | 11        |
| 1236 | Arterial Stiffness Is Associated With Cardiovascular, Renal, Retinal, and Autonomic Disease in Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 715-721.  | 4.3 | 99        |
| 1237 | Assessment of glomerular filtration rate in elderly patients with chronic kidney disease. <i>International Urology and Nephrology</i> , 2013, 45, 1475-1482.   | 0.6 | 19        |
| 1238 | Short-term use of adaptive servo ventilation improves renal function in heart failure patients with sleep-disordered breathing. <i>Heart and Vessels</i> , 2013, 28, 728-734.  | 0.5 | 22        |
| 1239 | Left circumflex coronary artery is protected against no-reflow phenomenon following percutaneous coronary intervention for coronary artery disease. <i>Heart and Vessels</i> , 2013, 28, 559-565.  | 0.5 | 3         |
| 1240 | Pre-eclampsia and pregnancy-induced hypertension are associated with severe diabetic retinopathy in type 1 diabetes later in life. <i>Acta Diabetologica</i> , 2013, 50, 781-787.  | 1.2 | 34        |
| 1241 | Distribution of serum $\hat{1}^2$ CTX in a population-based study of postmenopausal women taking into account different anti-osteoporotic therapies (the FRODOS Cohort). <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 231-239.                  | 1.3 | 8         |
| 1242 | Renal function and cardiovascular outcomes after living donor nephrectomy in the <scp>UK</scp>: quality and safety revisited. <i>BJU International</i> , 2013, 112, E134-42.   | 1.3 | 9         |
| 1243 | Day-to-Day Variability in Spot Urine Albumin-Creatinine Ratio. <i>American Journal of Kidney Diseases</i> , 2013, 62, 1095-1101.   | 2.1 | 84        |
| 1244 | Progression of stages 3bâ€“5 chronic kidney diseaseâ€“Preliminary results of Taiwan National Pre-ESRD Disease Management Program in Southern Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 773-782.                                | 0.8 | 47        |
| 1245 | Independent Community House Hemodialysis as a Novel Dialysis Setting: An Observational Cohort Study. <i>American Journal of Kidney Diseases</i> , 2013, 61, 598-607.   | 2.1 | 28        |
| 1246 | Renal Impairment in a â€œReal-Lifeâ€“Cohort of Anticoagulated Patients With Atrial Fibrillation (Implications for Thromboembolism and Bleeding). <i>American Journal of Cardiology</i> , 2013, 111, 1159-1164.   | 0.7 | 110       |
| 1247 | Depressive Symptoms in Older Adults with Chronic Kidney Disease: Mortality, Quality of Life Outcomes, and Correlates. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 570-579.   | 0.6 | 52        |
| 1248 | Within-Person Variability in Kidney Measures. <i>American Journal of Kidney Diseases</i> , 2013, 61, 716-722.  | 2.1 | 55        |
| 1249 | Inverse association between body mass index and chronic kidney disease in older diabetic adults. <i>Annals of Epidemiology</i> , 2013, 23, 255-259.  | 0.9 | 9         |
| 1250 | Incidence of renal toxicity in HIV-infected, antiretroviral-naïve patients starting tenofovir/emtricitabine associated with efavirenz, atazanavir/ritonavir, or lopinavir/ritonavir. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 147-154. | 1.5 | 39        |
| 1251 | Oral Paricalcitol Reduces the Prevalence of Posttransplant Hyperparathyroidism: Results of an Open Label Randomized Trial. <i>American Journal of Transplantation</i> , 2013, 13, 1576-1585.   | 2.6 | 43        |
| 1252 | Blood Urea Nitrogen/Creatinine Ratio Identifies a High-Risk but Potentially Reversible Form of Renal Dysfunction in Patients With Decompensated Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 233-239.   | 1.6 | 112       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1253 | Tacrolimus Combined with Corticosteroids in Idiopathic Membranous Nephropathy: A Randomized, Prospective, Controlled Trial. <i>Contributions To Nephrology</i> , 2013, 181, 152-162.  | 1.1 | 41        |
| 1254 | Potential Effects of Digoxin on Long-Term Renal and Clinical Outcomes in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2013, 19, 295-302.  | 0.7 | 22        |
| 1255 | Risk stratification in patients with unstable angina using absolute serial changes of 3 high-sensitive troponin assays. <i>American Heart Journal</i> , 2013, 165, 371-378.e3.  | 1.2 | 67        |
| 1256 | Assessment of the diagnostic performances of IgA heavy and light chain pairs in patients with IgA monoclonal gammopathy. <i>Clinical Biochemistry</i> , 2013, 46, 79-84.  | 0.8 | 7         |
| 1257 | Clinical Features, Hemodynamics, and Outcomes of Pulmonary Hypertension Due to Chronic Heart Failure With Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2013, 1, 290-299.   | 1.9 | 239       |
| 1258 | Evaluation of renal function after successful treatment for unilateral, non-syndromic wilms tumor. <i>Pediatric Blood and Cancer</i> , 2013, 60, 1929-1935.   | 0.8 | 23        |
| 1259 | Combined biomarkers evaluation for diagnosing kidney injury in preeclampsia. <i>Hypertension in Pregnancy</i> , 2013, 32, 439-449.  | 0.5 | 34        |
| 1260 | Performance of estimated glomerular filtration rates to monitor change in renal function in kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 3096-3100.   | 0.4 | 5         |
| 1262 | Clinical characteristics and prognostic significance of serum albumin changes in an internal medicine ward. <i>European Journal of Internal Medicine</i> , 2013, 24, 772-778.   | 1.0 | 35        |
| 1263 | Modification of Diet in Renal Disease versus Chronic Kidney Disease Epidemiology Collaboration equation to estimate glomerular filtration rate in obese patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, iv122-iv130.       | 0.4 | 31        |
| 1264 | Acute kidney injury after cardiac surgery according to Risk/Injury/Failure/Loss/End-stage, Acute Kidney Injury Network, and Kidney Disease: Improving Global Outcomes classifications. <i>Journal of Critical Care</i> , 2013, 28, 389-396. | 1.0 | 166       |
| 1265 | Timing of Hemoconcentration During Treatment of Acute Decompensated Heart Failure and Subsequent Survival. <i>Journal of the American College of Cardiology</i> , 2013, 62, 516-524.  | 1.2 | 148       |
| 1266 | The relationship between estimated average glucose and fasting plasma glucose. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 2195-2200.   | 1.4 | 14        |
| 1267 | ELISA examining urinary angiotensinogen as a potential indicator of intrarenal renin-angiotensin system (RAS) activity: a clinical study of 128 chronic kidney disease patients. <i>Molecular Biology Reports</i> , 2013, 40, 5817-5824.    | 1.0 | 6         |
| 1268 | Estimation of glomerular filtration rate by a radial basis function neural network in patients with type-2 diabetes mellitus. <i>BMC Nephrology</i> , 2013, 14, 181.  | 0.8 | 5         |
| 1269 | Effect of beraprost sodium on arterial stiffness in patients with type 2 diabetic nephropathy. <i>Trials</i> , 2013, 14, 275.   | 0.7 | 3         |
| 1270 | Urinary Neutrophil Gelatinase-Associated Lipocalin predicts the severity of contrast-induced acute kidney injury in chronic kidney disease patients undergoing elective coronary procedures. <i>BMC Nephrology</i> , 2013, 14, 270.         | 0.8 | 37        |
| 1271 | Insulin sensitivity in normocalcaemic primary hyperparathyroidism. <i>Endocrine</i> , 2013, 44, 812-814.  | 1.1 | 12        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1272 | Long-term results of dose-dense paclitaxel and carboplatin versus conventional paclitaxel and carboplatin for treatment of advanced epithelial ovarian, fallopian tube, or primary peritoneal cancer (JGOC 3016): a randomised, controlled, open-label trial. <i>Lancet Oncology</i> , The, 2013, 14, 1020-1026. | 5.1 | 408       |
| 1273 | Associations and interactions between lipid profiles, retinopathy and nephropathy in patients with type 1 diabetes: the <sc>F</sc>inn<sc>D</sc>iane <sc>S</sc>tudy. <i>Journal of Internal Medicine</i> , 2013, 274, 469-479.  | 2.7 | 26        |
| 1274 | The relative effects of fat versus muscle mass on cystatin C and estimates of renal function in healthy young men. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 39-46.   | 0.8 | 64        |
| 1275 | Association of Circulating Endothelial Progenitor Cells (CD14+EPC) With Renal Function in Patients With Coronary Artery Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013, 19, 632-636.  | 0.7 | 0         |
| 1276 | Understanding kidney function assessment: The basics and advances. <i>Journal of the American Association of Nurse Practitioners</i> , 2013, 25, 334-341.  | 0.5 | 8         |
| 1277 | The tolerability and safety of DPP-4 inhibitors for the treatment of older people with type 2 diabetes mellitus: an observational study. <i>British Journal of Diabetes and Vascular Disease</i> , 2013, 13, 187-191.  | 0.6 | 3         |
| 1278 | Association Between Elevated Blood Glucose and Outcome in Acute Heart Failure. <i>Journal of the American College of Cardiology</i> , 2013, 61, 820-829.   | 1.2 | 111       |
| 1279 | Accuracy of the MDRD (Modification of Diet in Renal Disease) Study and CKD-EPI (CKD Epidemiology) Tj ETQq1 1 0.784314 rgBT /Overle<br>2013, 61, 57-66.   | 2.1 | 214       |
| 1281 | The predictive value of chronic kidney disease for assessing cardiovascular events under consideration of pretest probability for coronary artery disease in patients who underwent stress myocardial perfusion imaging. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 513-519.             | 0.7 | 2         |
| 1282 | Vitamin <sc>D</sc> does not improve the metabolic health of patients with chronic kidney disease stage 3&e4: A randomized controlled trial. <i>Nephrology</i> , 2013, 18, 26-35.   | 0.7 | 25        |
| 1283 | Association of serum fetuin-A and fetuin-A gene polymorphism in relation to mineral and bone disorders in patients with chronic kidney disease. <i>Egyptian Journal of Medical Human Genetics</i> , 2013, 14, 337-352.   | 0.5 | 5         |
| 1284 | Intravoxel incoherent motion imaging of the kidney: alterations in diffusion and perfusion in patients with renal dysfunction. <i>Magnetic Resonance Imaging</i> , 2013, 31, 414-417.  | 1.0 | 90        |
| 1285 | Collapsing Glomerulopathy Following Anthracycline Therapy. <i>American Journal of Kidney Diseases</i> , 2013, 61, 778-781.   | 2.1 | 29        |
| 1286 | Clinical usefulness of kidney biopsy in liver transplant recipients with renal impairment. <i>Kidney Research and Clinical Practice</i> , 2013, 32, 153-157.   | 0.9 | 10        |
| 1287 | Biochemical Evidence of Mild Hepatic Dysfunction Identifies Decompensated Heart Failure Patients With Reversible Renal Dysfunction. <i>Journal of Cardiac Failure</i> , 2013, 19, 739-745.   | 0.7 | 7         |
| 1288 | Clinical characteristics and prognostic influence of renal dysfunction in heart failure patients with preserved ejection fraction. <i>European Journal of Internal Medicine</i> , 2013, 24, 677-683.   | 1.0 | 29        |
| 1289 | Height-Independent Estimation of Glomerular Filtration Rate in Children: An Alternative to the Schwartz Equation. <i>Journal of Pediatrics</i> , 2013, 163, 1722-1727.   | 0.9 | 34        |
| 1290 | Association Between Chronic Kidney Disease and Blood Transfusions for Knee and Hip Arthroplasty Surgery. <i>Journal of Arthroplasty</i> , 2013, 28, 928-931.   | 1.5 | 38        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1291 | Anesthesia-Based Evaluation of Outcomes of Lower-Extremity Vascular Bypass Procedures. <i>Annals of Vascular Surgery</i> , 2013, 27, 199-207.   | 0.4 | 49        |
| 1292 | Population Ancestry and Genetic Risk for Diabetes and Kidney, Cardiovascular, and Bone Disease: Modifiable Environmental Factors May Produce the Cures. <i>American Journal of Kidney Diseases</i> , 2013, 62, 1165-1175.   | 2.1 | 34        |
| 1293 | A case-control study of intentional occlusion of accessory renal arteries during endovascular aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2013, 58, 1467-1475.   | 0.6 | 45        |
| 1294 | Long-term survival after hospitalization for acute heart failure – Differences in prognosis of acutely decompensated chronic and new-onset acute heart failure. <i>International Journal of Cardiology</i> , 2013, 168, 458-462.  | 0.8 | 77        |
| 1295 | Body Mass Index, Coronary Artery Calcification, and Kidney Function Decline in Stage 3 to 5 Chronic Kidney Disease Patients. , 2013, 23, 4-11.  |     | 12        |
| 1296 | Concordance of CKD stages in estimation by the CKD-EPI equation and estimation by the MDRD equation in the Japanese general population: The Iwate KENCO Study. <i>International Journal of Cardiology</i> , 2013, 165, 377-379.   | 0.8 | 6         |
| 1297 | Serial changes in high-sensitivity cardiac troponin I in the early diagnosis of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 4103-4110.   | 0.8 | 27        |
| 1298 | Atrial fibrillation in myocardial infarction patients: Impact on health care utilization. <i>American Heart Journal</i> , 2013, 166, 753-759.   | 1.2 | 7         |
| 1299 | Studying the effects of polycyclic aromatic hydrocarbons on peripheral arterial disease in the United States. <i>Science of the Total Environment</i> , 2013, 461-462, 341-347.   | 3.9 | 65        |
| 1300 | Contrast-induced acute kidney injury and clinical outcomes after intra-arterial and intravenous contrast administration: Risk comparison adjusted for patient characteristics by design. <i>American Heart Journal</i> , 2013, 165, 793-799.e1.   | 1.2 | 55        |
| 1301 | Association of urinary sodium/creatinine ratio and urinary sodium/specific gravity unit ratio with blood pressure and hypertension: KNHANES 2009–2010. <i>Clinica Chimica Acta</i> , 2013, 424, 168-173.  | 0.5 | 27        |
| 1302 | Reference intervals for serum creatinine levels in the healthy geriatric population. <i>Clinical Biochemistry</i> , 2013, 46, 1419-1422.  | 0.8 | 5         |
| 1303 | Electrolyte abnormalities and laboratory findings in patients with out-of-hospital cardiac arrest who have kidney disease. <i>American Journal of Emergency Medicine</i> , 2013, 31, 487-493.   | 0.7 | 18        |
| 1304 | The value of Doppler waveform analysis in predicting major lower extremity amputation among dialysis patients treated for diabetic foot ulcers. <i>Diabetes Research and Clinical Practice</i> , 2013, 100, 181-188.  | 1.1 | 25        |
| 1305 | Association of Apolipoproteins With Incidence of Decreased Estimated GFR in Korean Men. <i>American Journal of Kidney Diseases</i> , 2013, 61, 564-570.   | 2.1 | 1         |
| 1306 | Incorporating Glomerular filtration rate or creatinine clearance by the modification of diet in renal disease equation or the Cockcroft–Gault equations to improve the Global Accuracy of the Age, Creatinine, Ejection Fraction [ACEF] score in patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013, 168, 396-402. | 0.8 | 23        |
| 1307 | Outcomes of patients with chronic kidney disease and implantable cardiac defibrillator: Primary versus secondary prevention. <i>International Journal of Cardiology</i> , 2013, 165, 113-116.   | 0.8 | 18        |
| 1308 | Cardiorenal anemia syndrome in chronic heart failure contributes to increased sympathetic nerve activity. <i>International Journal of Cardiology</i> , 2013, 168, 2352-2357.  | 0.8 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1309 | Decreased estimated glomerular filtration rate is not directly related to increased insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 366-371.   | 1.1 | 9         |
| 1310 | Measurement of renal function in patients with chronic kidney disease. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 504-515.   | 1.1 | 54        |
| 1311 | Long-term Kidney Disease Outcomes in Fibrillary Glomerulonephritis: A Case Series of 27 Patients. <i>American Journal of Kidney Diseases</i> , 2013, 62, 679-690.   | 2.1 | 75        |
| 1312 | Thyroid hormones and erythrocyte indices in a cohort of euthyroid older subjects. <i>European Journal of Internal Medicine</i> , 2013, 24, 241-244.   | 1.0 | 22        |
| 1313 | Education of Patients With Chronic Kidney Disease at the Interface of Primary Care Providers and Nephrologists. <i>Advances in Chronic Kidney Disease</i> , 2013, 20, 370-378.  | 0.6 | 19        |
| 1314 | A Randomized, Double-Blind Study of Fenofibric Acid Plus Rosuvastatin Compared With Rosuvastatin Alone in Stage 3 Chronic Kidney Disease. <i>Clinical Therapeutics</i> , 2013, 35, 1186-1198.   | 1.1 | 8         |
| 1315 | Progression of Metabolic Syndrome in Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2013, 45, 3273-3278.   | 0.3 | 5         |
| 1316 | Creatinine or cystatin C “ which is a better index of renal function in morbid obesity?. <i>Advances in Medical Sciences</i> , 2013, 58, 376-381.   | 0.9 | 8         |
| 1317 | Potential Influence of Tubular Dysfunction on the Difference Between Estimated and Measured Glomerular Filtration Rate After Kidney Transplantation. <i>Transplantation Proceedings</i> , 2013, 45, 1651-1654.  | 0.3 | 3         |
| 1318 | A 3-Hour Diagnostic Algorithm for Non-ST-Elevation Myocardial Infarction Using High-Sensitivity Cardiac Troponin T in Unselected Older Patients Presenting to the Emergency Department. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 409-416. | 1.2 | 22        |
| 1319 | Frailty and Healthcare Utilization Among Patients With Heart Failure in the Community. <i>JACC: Heart Failure</i> , 2013, 1, 135-141.   | 1.9 | 166       |
| 1320 | Retinopathy and Cognitive Impairment in Adults With CKD. <i>American Journal of Kidney Diseases</i> , 2013, 61, 219-227.  | 2.1 | 23        |
| 1321 | Age-Dependent Effect of Left Ventricular Ejection Fraction on Long-Term Mortality in Patients With Heart Failure (from the Heart Failure Survey in Israel). <i>American Journal of Cardiology</i> , 2013, 112, 1901-1906.   | 0.7 | 4         |
| 1322 | Comparison of Serum Cystatin C, Serum Creatinine, Measured GFR, and Estimated GFR to Assess the Risk of Kidney Failure in American Indians With Diabetic Nephropathy. <i>American Journal of Kidney Diseases</i> , 2013, 62, 33-41.                                       | 2.1 | 36        |
| 1323 | Low Ankle-Brachial Index and the Development of Rapid Estimated GFR Decline and CKD. <i>American Journal of Kidney Diseases</i> , 2013, 61, 204-210.  | 2.1 | 19        |
| 1324 | Ischemic Preconditioning for Prevention of Contrast Medium-Induced Nephropathy: Randomized Pilot RenPro Trial (Renal Protection Trial). <i>Journal of Vascular Surgery</i> , 2013, 57, 601.   | 0.6 | 78        |
| 1325 | Catheter-based Radiofrequency Renal Sympathetic Denervation for Resistant Hypertension. <i>Journal of Vascular and Interventional Radiology</i> , 2013, 24, 632-639.  | 0.2 | 16        |
| 1326 | Trends in clinical profile and medical treatments of atrial fibrillation patients over the last 10 years. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2013, 32, 103-109.   | 0.2 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1327 | Geriatric assessment is associated with completion of chemotherapy, toxicity, and survival in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2013, 4, 227-234.  | 0.5 | 108       |
| 1328 | Cystatin C and creatinine as markers of bleeding complications, cardiovascular events and mortality during oral anticoagulant treatment. <i>Thrombosis Research</i> , 2013, 132, e77-e82.                                   | 0.8 | 1         |
| 1329 | Effect of Age, Gender, and Left Ventricular Diastolic Function on Left Atrial Volume Index in Adults Without Known Cardiovascular Disease or Risk Factors. <i>American Journal of Cardiology</i> , 2013, 111, 1517-1522.    | 0.7 | 8         |
| 1330 | GFR Estimation Using Standardized Serum Cystatin C in Japan. <i>American Journal of Kidney Diseases</i> , 2013, 61, 197-203.  | 2.1 | 226       |
| 1331 | Temporal Trends in Prevalence of CKD: The Glass Is Half Full and Not Half Empty. <i>American Journal of Kidney Diseases</i> , 2013, 62, 214-216.  | 2.1 | 6         |
| 1332 | Characteristics and early and long-term outcome in patients with acute ischemic stroke and low ejection fraction. <i>International Journal of Cardiology</i> , 2013, 168, 1082-1087.  | 0.8 | 44        |
| 1333 | Higher On-admission Serum Triglycerides Predict Less Severe Disability and Lower All-cause Mortality after Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e15-e24.                | 0.7 | 12        |
| 1334 | Measuring frailty in heart failure: A community perspective. <i>American Heart Journal</i> , 2013, 166, 768-774.  | 1.2 | 87        |
| 1335 | Heart failure performance measures: Eligibility and implementation in the community. <i>American Heart Journal</i> , 2013, 166, 76-82.  | 1.2 | 0         |
| 1336 | Acute Kidney Injury Following Bariatric Surgery. <i>Obesity Surgery</i> , 2013, 23, 64-70.  | 1.1 | 65        |
| 1337 | Clinical management of rivaroxaban-treated patients. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 655-667.  | 0.9 | 19        |
| 1338 | Chapter 1: Definition and classification of CKD. <i>Kidney International Supplements</i> , 2013, 3, 19-62.  | 4.6 | 861       |
| 1339 | Hepatocellular carcinoma in uremic patients: Is there evidence for an increased risk of mortality?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 348-356.                                      | 1.4 | 11        |
| 1340 | Trends in clinical profile and medical treatments of atrial fibrillation patients over the last 10 years. <i>Revista Portuguesa De Cardiologia</i> , 2013, 32, 103-109.   | 0.2 | 10        |
| 1341 | Assessment of Renal Function. , 2013, , 11-16.  |     | 1         |
| 1342 | Association of Hyponatremia and Elevated Copeptin With Death and Need for Transplantation in Ambulatory Patients With Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2013, 111, 880-885.                    | 0.7 | 26        |
| 1344 | Glomerular Filtration Rate Equations Overestimate Creatinine Clearance in Older Individuals Enrolled in the Baltimore Longitudinal Study on Aging: Impact on Renal Drug Dosing. <i>Pharmacotherapy</i> , 2013, 33, 912-921. | 1.2 | 122       |
| 1345 | Chronic Kidney Disease: Definitions and General Approach. , 2013, , 251-262.  |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1347 | Evolving importance of kidney disease: from subspecialty to global health burden. <i>Lancet</i> , The, 2013, 382, 158-169.  | 6.3 | 874       |
| 1348 | Diagnostic, suivi biologique de l'insuffisance rénale chronique et prise en charge de l'insuffisance rénale chronique terminale. <i>Revue Francophone Des Laboratoires</i> , 2013, 2013, 59-73.   | 0.0 | 3         |
| 1349 | Use of Biomarkers to Assess Prognosis and Guide Management of Patients with Acute Kidney Injury. <i>Contributions To Nephrology</i> , 2013, 182, 45-64.   | 1.1 | 52        |
| 1350 | Dosing of dabigatran etexilate in relation to renal function and drug interactions at a tertiary hospital. <i>Internal Medicine Journal</i> , 2013, 43, 778-783.  | 0.5 | 11        |
| 1351 | Update on Cystatin C: Incorporation Into Clinical Practice. <i>American Journal of Kidney Diseases</i> , 2013, 62, 595-603.   | 2.1 | 203       |
| 1352 | Renal Deterioration Index: Preoperative Prognostic Model for Renal Functional Outcome After Treatment of Bilateral Obstructive Urolithiasis in Patients with Chronic Kidney Disease. <i>Journal of Endourology</i> , 2013, 27, 1405-1410.               | 1.1 | 4         |
| 1353 | Membranous Nephropathy and Nonsteroidal Anti-inflammatory Agents. <i>American Journal of Kidney Diseases</i> , 2013, 62, 1012-1017.   | 2.1 | 45        |
| 1354 | Use of Medications for Secondary Prevention After Coronary Bypass Surgery Compared With Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2013, 61, 295-301.   | 1.2 | 62        |
| 1355 | Is There a Reverse J-Shaped Association Between 25-Hydroxyvitamin D and All-Cause Mortality? Results from the U.S. Nationally Representative NHANES. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3001-3009.                     | 1.8 | 137       |
| 1356 | To RAS or Not to RAS? The Evidence for and Cautions with Renin-Angiotensin System Inhibition in Patients with Diabetic Kidney Disease. <i>Pharmacotherapy</i> , 2013, 33, 496-514.  | 1.2 | 23        |
| 1357 | Assessment of Renal Function; Clearance, the Renal Microcirculation, Renal Blood Flow, and Metabolic Balance. , 2013, 3, 165-200.   |     | 34        |
| 1358 | Diagnostic Algorithm in the Elderly. , 2013, , 21-51.   |     | 1         |
| 1359 | Carboplatin dose calculation in lung cancer patients with low serum creatinine concentrations using CKD-EPI and Cockcroft-Gault with different weight descriptors. <i>Lung Cancer</i> , 2013, 79, 54-58.  | 0.9 | 24        |
| 1360 | Effect of ferric carboxymaltose on serum phosphate and C-terminal FGF23 levels in non-dialysis chronic kidney disease patients: post-hoc analysis of a prospective study. <i>BMC Nephrology</i> , 2013, 14, 167.  | 0.8 | 56        |
| 1361 | Chronic kidney disease (CKD) is an independent risk factor for long-term care insurance (LTCI) need certification among older Japanese adults: A two-year prospective cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 328-332.  | 1.4 | 25        |
| 1362 | Rapid rule out of acute myocardial infarction using undetectable levels of high-sensitivity cardiac troponin. <i>International Journal of Cardiology</i> , 2013, 168, 3896-3901.  | 0.8 | 172       |
| 1363 | The applicability of eGFR equations to different populations. <i>Nature Reviews Nephrology</i> , 2013, 9, 513-522.  | 4.1 | 112       |
| 1364 | Predictive Value of Cardiac Computed Tomography and the Impact of Renal Function on All Cause Mortality (from Coronary Computed Tomography Angiography Evaluation for Clinical Outcomes). <i>American Journal of Cardiology</i> , 2013, 111, 1563-1569. | 0.7 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1365 | Renal dysfunction is common following resuscitation from out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2013, 84, 1371-1374.  | 1.3 | 60        |
| 1366 | Does the Number of Cycles of Cisplatin Based Chemotherapy Have any Effect on Renal Function in Patients with Testicular Germ Cell Tumor?. <i>Journal of Urology</i> , 2013, 190, 2081-2085.                       | 0.2 | 11        |
| 1367 | Defining cell-type specificity at the transcriptional level in human disease. <i>Genome Research</i> , 2013, 23, 1862-1873.   | 2.4 | 196       |
| 1368 | Con: Should we abandon the use of the MDRD equation in favour of the CKD-EPI equation?. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1396-1403.   | 0.4 | 53        |
| 1369 | Smoking, Menthol Cigarettes, and Peripheral Artery Disease in U.S. Adults. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1183-1189.  | 1.4 | 15        |
| 1370 | Estimated glomerular filtration rate and albuminuria: true predictors of cardiovascular events in obese patients with type 2 diabetes?. <i>Wiener Klinische Wochenschrift</i> , 2013, 125, 629-633.               | 1.0 | 4         |
| 1371 | Serum sclerostin levels in healthy men over 50 years of age. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 579-584.   | 1.3 | 22        |
| 1372 | Pro: Estimating GFR using the chronic kidney disease epidemiology collaboration (CKD-EPI) 2009 creatinine equation: the time for change is now. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1390-1396. | 0.4 | 29        |
| 1373 | The significance of antiretroviral-associated acute kidney injury in a cohort of ambulatory human immunodeficiency virus-infected patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2073-2081.     | 0.4 | 21        |
| 1374 | The delivery of renal replacement therapy in Scotland—why the geographic variation?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013, 106, 1077-1085.  | 0.2 | 1         |
| 1375 | Healthy Behaviors, Risk Factor Control and Awareness of Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2013, 37, 135-143.  | 1.4 | 37        |
| 1376 | Optimising drug prescribing and dispensing in subjects at risk for drug errors due to renal impairment: improving drug safety in primary healthcare by low eGFR alerts. <i>BMJ Open</i> , 2013, 3, e002068.       | 0.8 | 34        |
| 1377 | A Protocol for the Pharmacokinetics of Enteric Coated Mycophenolate Sodium in Lupus Nephritis (POEMSLUN): an open-label, randomised controlled trial. <i>BMJ Open</i> , 2013, 3, e003511.                         | 0.8 | 2         |
| 1378 | Impact on cardiovascular risk follow-up from a shift to the CKD-EPI formula for eGFR reporting: a cross-sectional population-based primary care study. <i>BMJ Open</i> , 2013, 3, e003631.                        | 0.8 | 3         |
| 1379 | Nonculprit Coronary Plaque Characteristics of Chronic Kidney Disease. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 448-456.  | 1.3 | 69        |
| 1380 | Hyperinsulinemia and Urinary Calcium Excretion in Calcium Stone Formers With Idiopathic Hypercalciuria. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2589-2594.                            | 1.8 | 21        |
| 1381 | Serum creatinine level, a surrogate of muscle mass, predicts mortality in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2146-2155.   | 0.4 | 75        |
| 1382 | Recent Trends in Performance and Current State of Creatinine Assays. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 496-502.   | 1.2 | 30        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1383 | Expression of TNFRSF6B in kidneys is a novel predictor for progression of chronic kidney disease. <i>Modern Pathology</i> , 2013, 26, 984-994.   | 2.9 | 12        |
| 1384 | Phosphate attenuates the anti-proteinuric effect of very low-protein diet in CKD patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 632-640.   | 0.4 | 73        |
| 1385 | <i>SLC22A2</i> is associated with tubular creatinine secretion and bias of estimated GFR in renal transplantation. <i>Physiological Genomics</i> , 2013, 45, 201-209.  | 1.0 | 33        |
| 1386 | Decline in 20-year mortality after myocardial infarction in patients with chronic kidney disease: evolution from the prethrombolysis to the percutaneous coronary intervention era. <i>Kidney International</i> , 2013, 84, 353-358.                 | 2.6 | 34        |
| 1387 | Can Neutrophil Gelatinase-associated Lipocalin Help Depict Early Contrast Material-induced Nephropathy?. <i>Radiology</i> , 2013, 267, 86-93.  | 3.6 | 43        |
| 1388 | Impact of Global Geographic Region on Time in Therapeutic Range on Warfarin Anticoagulant Therapy: Data From the ROCKET AF Clinical Trial. <i>Journal of the American Heart Association</i> , 2013, 2, e000067.                                      | 1.6 | 179       |
| 1389 | Renal Denervation for Refractory Hypertension - Technical Aspects, Complications and Radiation Exposure. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2013, 185, 550-557.                            | 0.7 | 6         |
| 1390 | Improved Glomerular Filtration Rate Estimation by an Artificial Neural Network. <i>PLoS ONE</i> , 2013, 8, e58242.   | 1.1 | 10        |
| 1391 | Comparison of primary health-care models in the management of chronic kidney disease. <i>Kidney International Supplements</i> , 2013, 3, 210-214.  | 4.6 | 17        |
| 1392 | Association of blood lead and mercury with estimated GFR in herbalists after the ban of herbs containing aristolochic acids in Taiwan. <i>Occupational and Environmental Medicine</i> , 2013, 70, 545-551.   | 1.3 | 9         |
| 1393 | The performances of the Cockcroft-Gault, Modification of Diet in Renal Disease Study and Chronic Kidney Disease Epidemiology Collaboration equations in predicting gentamicin clearance. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 546-557. | 0.8 | 21        |
| 1394 | Renal Histologic Parameters Influencing Postoperative Renal Function in Renal Cell Carcinoma Patients. <i>Korean Journal of Pathology</i> , 2013, 47, 557.   | 1.2 | 4         |
| 1395 | Comparison of a Bayesian Network with a Logistic Regression Model to Forecast IgA Nephropathy. <i>BioMed Research International</i> , 2013, 2013, 1-6.   | 0.9 | 17        |
| 1397 | Renal Tissue Oxygenation in Essential Hypertension and Chronic Kidney Disease. <i>International Journal of Hypertension</i> , 2013, 2013, 1-7.   | 0.5 | 30        |
| 1398 | Labile Hypertension: Characteristics of a Referred Cohort. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 207-212.  | 0.5 | 1         |
| 1399 | The Effects of n-3 Long-Chain Polyunsaturated Fatty Acid Supplementation on Biomarkers of Kidney Injury in Adults With Diabetes. <i>Diabetes Care</i> , 2013, 36, 1462-1469.   | 4.3 | 47        |
| 1400 | Survival After Implantable Cardioverter-Defibrillator Implantation in the Elderly. <i>Circulation</i> , 2013, 127, 2383-2392.  | 1.6 | 95        |
| 1401 | Serum urate association with hypertension in young adults: analysis from the Coronary Artery Risk Development in Young Adults cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1321-1327.   | 0.5 | 50        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1402 | Estimating glomerular filtration rate. <i>Current Opinion in Nephrology and Hypertension</i> , 2013, 22, 310-315.  | 1.0 | 9         |
| 1403 | A Plasma Longâ€Chain Acylcarnitine Predicts Cardiovascular Mortality in Incident Dialysis Patients. <i>Journal of the American Heart Association</i> , 2013, 2, e000542.   | 1.6 | 109       |
| 1404 | Association Between Adverse Reactions to Allopurinol and Exposures to High Maintenance Doses. <i>Journal of Clinical Rheumatology</i> , 2013, 19, 180-186.   | 0.5 | 18        |
| 1405 | A geneâ€gene interaction between polymorphisms in the OCT2 and MATE1 genes influences the renal clearance of metformin. <i>Pharmacogenetics and Genomics</i> , 2013, 23, 526-534.  | 0.7 | 65        |
| 1406 | Estimated GFR Reporting Influences Recommendations for Dialysis Initiation. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1737-1742.  | 3.0 | 6         |
| 1407 | Copeptin adds prognostic information after ischemic stroke. <i>Neurology</i> , 2013, 80, 1278-1286.  | 1.5 | 80        |
| 1408 | Low dose spironolactone reduces blood pressure in patients with resistant hypertension and type 2 diabetes mellitus. <i>Journal of Hypertension</i> , 2013, 31, 2094-2102.   | 0.3 | 120       |
| 1409 | Skin Autofluorescence as a Measure of Advanced Glycation End Products Deposition Is Elevated in Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 131-138.  | 1.1 | 60        |
| 1410 | Association of Higher Plasma Vitamin D Binding Protein and Lower Free Calcitriol Levels with Tenofovir Disoproxil Fumarate Use and Plasma and Intracellular Tenofovir Pharmacokinetics: Cause of a Functional Vitamin D Deficiency?. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 5619-5628. | 1.4 | 53        |
| 1411 | Factors Associated with CKD in the Elderly and Nonelderly Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 33-40.   | 2.2 | 36        |
| 1412 | Albuminuria and renal function as predictors of cardiovascular events and mortality in a general population of patients with type 2 diabetes: A nationwide observational study from the Swedish National Diabetes Register. <i>Diabetes and Vascular Disease Research</i> , 2013, 10, 520-529.           | 0.9 | 74        |
| 1413 | Renal Clearance and Intestinal Generation of p-Cresyl Sulfate and Indoxyl Sulfate in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1508-1514.   | 2.2 | 93        |
| 1414 | Effectiveness and Safety of Digoxin Among Contemporary Adults With Incident Systolic Heart Failure. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013, 6, 525-533.  | 0.9 | 66        |
| 1415 | Medical Costs of CKD in the Medicare Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1478-1483.   | 3.0 | 214       |
| 1416 | Comparison of GFR calculation methods: MDRD and CKD-EPI vs. <sup>99m</sup> Tc-DTPA tracer clearance rates. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 334-338.   | 0.6 | 17        |
| 1417 | Vascular and Renal Hemodynamic Changes after Renal Denervation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1195-1201.   | 2.2 | 51        |
| 1418 | Determinants and burden of chronic kidney disease in the population-based CoLaus study: a cross-sectional analysis*. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2329-2339.   | 0.4 | 48        |
| 1419 | Pharmacology of Aging and Cancer: How Useful Are Pharmacokinetic Tests?. <i>Interdisciplinary Topics in Gerontology</i> , 2013, 38, 104-123.   | 3.6 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1420 | Racial/Ethnic Differences in the Prevalence of Proteinuric and Nonproteinuric Diabetic Kidney Disease. <i>Diabetes Care</i> , 2013, 36, 1215-1221.   | 4.3 | 62        |
| 1421 | Staging chronic kidney disease and estimating glomerular filtration rate: an opinion paper about the new international recommendations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1911-1917.   | 1.4 | 15        |
| 1422 | Glomerular filtration rate-estimating equations for patients with advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2518-2526.   | 0.4 | 48        |
| 1423 | Associations between different measures of anticholinergic drug exposure and Barthel Index in older hospitalized patients. <i>Therapeutic Advances in Drug Safety</i> , 2013, 4, 235-245.  | 1.0 | 25        |
| 1424 | The variable course of women with X-linked Alport Syndrome. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 630-634.  | 1.4 | 7         |
| 1425 | The diagnostic utility of brain natriuretic peptide in heart failure patients presenting with acute dyspnea: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1155-1165.   | 1.4 | 5         |
| 1426 | Comparison of the MDRD Study and CKD-EPI Equations for the Estimation of the Glomerular Filtration Rate in the Korean General Population: The Fifth Korea National Health and Nutrition Examination Survey (KNHANES V-1), 2010. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 443-450. | 0.9 | 24        |
| 1427 | Length Polymorphism in Heme Oxygenase-1 and Cardiovascular Events and Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1756-1763.   | 2.2 | 16        |
| 1428 | Obstructive Sleep Apnea and Diabetic Nephropathy. <i>Diabetes Care</i> , 2013, 36, 3718-3725.  | 4.3 | 102       |
| 1429 | Troponin I, but not BNP, is Associated with Phosphorus, Calcium and Vitamin D in Stable Coronary Artery Disease. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 43-47.  | 0.9 | 3         |
| 1430 | Contribution of Dysfunction of Maternal Hemodynamics to Renal Impairment in Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2013, 76, 95-99.  | 0.7 | 12        |
| 1431 | Screening Entire Health System ECG Databases to Identify Patients at Increased Risk of Death. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 1156-1162.   | 2.1 | 29        |
| 1432 | Depression, Healthcare Utilization, and Death in Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 387-394.  | 1.6 | 135       |
| 1433 | Physical Health Status Measures Predict All-Cause Mortality in Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 669-675.  | 1.6 | 34        |
| 1434 | Sildenafil and Diastolic Dysfunction After Acute Myocardial Infarction in Patients With Preserved Ejection Fraction. <i>Circulation</i> , 2013, 127, 1200-1208.  | 1.6 | 73        |
| 1435 | Prevalence of Optimal Treatment Regimens in Patients With Apparent Treatment-Resistant Hypertension Based on Office Blood Pressure in a Community-Based Practice Network. <i>Hypertension</i> , 2013, 62, 691-697.   | 1.3 | 137       |
| 1436 | How can we best predict acute kidney injury following cardiac surgery?. <i>European Journal of Anaesthesiology</i> , 2013, 30, 704-712.  | 0.7 | 35        |
| 1437 | Tonometric devices for central aortic systolic pressure measurements in patients with type 1 diabetes. <i>Blood Pressure Monitoring</i> , 2013, 18, 156-160.   | 0.4 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1438 | Radiofrequency ablation of renal tumours with clinical, radiographical and pathological results. <i>BJU International</i> , 2013, 111, 997-1005.  | 1.3 | 22        |
| 1439 | Correlating the amount of urea, creatinine, and glucose in urine from patients with diabetes mellitus and hypertension with the risk of developing renal lesions by means of Raman spectroscopy and principal component analysis. <i>Journal of Biomedical Optics</i> , 2013, 18, 087004. | 1.4 | 76        |
| 1440 | Association of Bone Mineral Density with Albuminuria and Estimated Glomerular Filtration Rate : The Dong-gu Study. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 132-141.   | 0.9 | 16        |
| 1441 | Estimating the Glomerular Filtration Rate in the General Population Using Different Equations: Effects on Classification and Association. <i>Nephron Clinical Practice</i> , 2013, 123, 102-111.  | 2.3 | 33        |
| 1442 | Anabolic deficiencies in men with systolic heart failure: do co-morbidities and therapies really contribute significantly?. <i>Aging Male</i> , 2013, 16, 123-131.  | 0.9 | 8         |
| 1443 | Midterm Results of Surgery for Adults with Congenital Heart Disease Centralized to a Swedish Cardiothoracic Center. <i>Congenital Heart Disease</i> , 2013, 8, 273-280.   | 0.0 | 7         |
| 1444 | Impact of Renal Function and Demographic/Anthropomorphic Variables on Peak Thyrotropin After Recombinant Human Thyrotropin Stimulation: A Stepwise Forward Multiple-Regression Analysis. <i>Thyroid</i> , 2013, 23, 662-670.  | 2.4 | 4         |
| 1445 | Advances in Joint Modelling: A Review of Recent Developments with Application to the Survival of End Stage Renal Disease Patients. <i>International Statistical Review</i> , 2013, 81, 249-269.   | 1.1 | 21        |
| 1446 | Population Pharmacokinetic Analysis of Linezolid in Low Body Weight Patients with Renal Dysfunction. <i>Journal of Clinical Pharmacology</i> , 2013, 53, 967-973.   | 1.0 | 37        |
| 1447 | Early changes in scores of chronic damage on transplant kidney protocol biopsies reflect donor characteristics, but not future graft function. <i>Clinical Transplantation</i> , 2013, 27, E669-78.   | 0.8 | 5         |
| 1448 | Contemporary Trends in Heart Failure With Reduced and Preserved Ejection Fraction After Myocardial Infarction: A Community Study. <i>American Journal of Epidemiology</i> , 2013, 178, 1272-1280.   | 1.6 | 63        |
| 1449 | Urinary Biomarkers in Relapsing Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Rheumatology</i> , 2013, 40, 674-683.  | 1.0 | 39        |
| 1450 | Resolution of adefovir-related nephrotoxicity by adefovir dose reduction in patients with chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 37, 710-719.   | 1.9 | 18        |
| 1451 | Long-term visit-to-visit office blood pressure variability increases the risk of adverse cardiovascular outcomes in patients with chronic kidney disease. <i>Kidney International</i> , 2013, 84, 381-389.  | 2.6 | 65        |
| 1452 | Estimated Glomerular Filtration Rate Reversal by Blood Pressure Lowering in Chronic Kidney Disease: Japan Multicenter Investigation for Cardiovascular DiseaseB CKD Study. <i>Journal of Clinical Hypertension</i> , 2013, 15, 171-175.   | 1.0 | 1         |
| 1453 | Estimation of glomerular filtration rate among elderly patients. <i>Geriatrics and Gerontology International</i> , 2013, 13, 814-815.   | 0.7 | 0         |
| 1454 | Urine High and Low Molecular Weight Proteins One-Year Post-Kidney Transplant: Relationship to Histology and Graft Survival. <i>American Journal of Transplantation</i> , 2013, 13, 676-684.   | 2.6 | 60        |
| 1455 | Risk of venous thrombosis in patients with chronic kidney disease: identification of high-risk groups. <i>Journal of Thrombosis and Haemostasis</i> , 2013, 11, 627-633.  | 1.9 | 40        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1456 | Heart-type fatty acid-binding protein in the early diagnosis of acute myocardial infarction. <i>Heart</i> , 2013, 99, 708-714.  | 1.2 | 77        |
| 1457 | The "Echo Heart Failure Score"™: an echocardiographic risk prediction score of mortality in systolic heart failure. <i>European Journal of Heart Failure</i> , 2013, 15, 868-876.   | 2.9 | 64        |
| 1458 | Determinants of dynamic changes in serum creatinine in acute decompensated heart failure: the importance of blood pressure reduction during treatment. <i>European Journal of Heart Failure</i> , 2013, 15, 433-440.  | 2.9 | 89        |
| 1459 | Multicenter Validation of Urinary CXCL9 as a Risk-Stratifying Biomarker for Kidney Transplant Injury. <i>American Journal of Transplantation</i> , 2013, 13, 2634-2644.   | 2.6 | 214       |
| 1460 | Independent Role of Left Ventricular Global Longitudinal Strain in Predicting Prognosis of Chronic Heart Failure Patients. <i>Echocardiography</i> , 2013, 30, 803-811.   | 0.3 | 53        |
| 1461 | Evidence for a genetic link between bone and vascular measures in African ancestry families. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1804-1810.   | 3.1 | 1         |
| 1462 | Outcomes and predictive factors of pediatric kidney transplants: An analysis of the <sc>T</sc>hai <sc>T</sc>ransplant <sc>R</sc>egistry. <i>Pediatric Transplantation</i> , 2013, 17, 112-118.  | 0.5 | 5         |
| 1463 | Dosing of cytotoxic chemotherapy: impact of renal function estimates on dose. <i>Annals of Oncology</i> , 2013, 24, 2746-2752.  | 0.6 | 35        |
| 1464 | Renal function estimations and dose recommendations for dabigatran, gabapentin and valaciclovir: a data simulation study focused on the elderly. <i>BMJ Open</i> , 2013, 3, e002686.  | 0.8 | 37        |
| 1465 | Clinical characteristics of patients with resistant hypertension: the RESIST-POL study. <i>Journal of Human Hypertension</i> , 2013, 27, 678-685.   | 1.0 | 96        |
| 1466 | Effects of high-dose cholecalciferol on serum markers of inflammation and immunity in patients with early chronic kidney disease. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 264-269.  | 1.3 | 50        |
| 1467 | Synergistic influence of age and serum uric acid on blood pressure among community-dwelling Japanese women. <i>Hypertension Research</i> , 2013, 36, 634-638.   | 1.5 | 13        |
| 1468 | Comparison of Abbreviated Modification of Diet in Renal Disease Formula (aMDRD) and the Cockcroft-Gault Adjusted for Body Surface (aCG) Equations in Stable Renal Transplant Patients and Living Kidney Donors. <i>Renal Failure</i> , 2013, 35, 94-97.   | 0.8 | 20        |
| 1469 | Kidney function, urinalysis abnormalities and correlates in equatorial Africans with sickle cell disease. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 15-20.   | 1.4 | 10        |
| 1470 | Profiles of Cognitive Functioning in a Population-Based Sample of Centenarians Using Factor Mixture Analysis. <i>Experimental Aging Research</i> , 2013, 39, 125-144.   | 0.6 | 16        |
| 1471 | Comparison of Predictability of Future Cardiovascular Events Between Chronic Kidney Disease (CKD) Stage Based on CKD Epidemiology Collaboration Equation and That Based on Modification of Diet in Renal Disease Equation in the Japanese General Population. <i>Circulation Journal</i> , 2013, 77, 1315-1325. | 0.7 | 25        |
| 1472 | Screening, Monitoring, and Treatment of Stage 1 to 3 Chronic Kidney Disease: A Clinical Practice Guideline From the Clinical Guidelines Committee of the American College of Physicians. <i>Annals of Internal Medicine</i> , 2013, 159, 835-47.  | 2.0 | 129       |
| 1473 | Continuous renal replacement therapy outcomes in acute kidney injury and end-stage renal disease: a cohort study. <i>Critical Care</i> , 2013, 17, R109.  | 2.5 | 68        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1474 | Association between Dietary Sodium and Potassium Intake with Chronic Kidney Disease in US Adults: A Cross-Sectional Study. <i>American Journal of Nephrology</i> , 2013, 37, 526-533.   | 1.4 | 47        |
| 1475 | Use of glomerular filtration rate estimating equations for drug dosing in HIV-positive patients. <i>Antiviral Therapy</i> , 2013, 18, 793-802.  | 0.6 | 24        |
| 1476 | Performance of Cockcroft-Gault, MDRD, and CKD-EPI in estimating prevalence of renal function and predicting survival in the oldest old. <i>BMC Geriatrics</i> , 2013, 13, 113.  | 1.1 | 39        |
| 1477 | MDRD Versus CKD-EPI Equation to Estimate Glomerular Filtration Rate in Kidney Transplant Recipients. <i>Transplantation</i> , 2013, 95, 1211-1217.  | 0.5 | 84        |
| 1478 | Comparisons of creatinine and cystatin C for detection of kidney disease and prediction of all-cause mortality in HIV-infected women. <i>Aids</i> , 2013, 27, 2291-2299.  | 1.0 | 26        |
| 1479 | Prevalence of hyperhomocysteinaemia and its major determinants in rural Chinese hypertensive patients aged 45-75 years. <i>British Journal of Nutrition</i> , 2013, 109, 1284-1293.   | 1.2 | 45        |
| 1480 | Plasma phospholipid EPA and DHA are divergently associated with overall mortality in newly diagnosed diabetic patients: results from a follow-up of the Nord-Trøndelag Health (HUNT) Study, Norway. <i>Journal of Nutritional Science</i> , 2013, 2, e35. | 0.7 | 2         |
| 1481 | Validity of the AHRQ Patient Safety Indicator for Postoperative Physiologic and Metabolic Derangement Based on a National Sample of Medical Records. <i>Medical Care</i> , 2013, 51, 806-811.   | 1.1 | 6         |
| 1482 | Early and Late Systolic Wall Stress Differentially Relate to Myocardial Contraction and Relaxation in Middle-Aged Adults. <i>Hypertension</i> , 2013, 61, 296-303.  | 1.3 | 106       |
| 1483 | Urine But Not Serum Soluble Urokinase Receptor (suPAR) May Identify Cases of Recurrent FSGS in Kidney Transplant Candidates. <i>Transplantation</i> , 2013, 96, 394-399.  | 0.5 | 88        |
| 1484 | L-Homoarginine and L-arginine are antagonistically related to blood pressure in an elderly population. <i>Journal of Hypertension</i> , 2013, 31, 1114-1123.  | 0.3 | 43        |
| 1485 | Updated International Consensus Guidelines on the Management of Cytomegalovirus in Solid-Organ Transplantation. <i>Transplantation</i> , 2013, 96, 333-360.   | 0.5 | 651       |
| 1486 | Risk of clinical progression among patients with immunological nonresponse despite virological suppression after combination antiretroviral treatment. <i>Aids</i> , 2013, 27, 769-779.   | 1.0 | 70        |
| 1487 | Performance of creatinine and cystatin C-based glomerular filtration rate estimating equations in a European HIV-positive cohort. <i>Aids</i> , 2013, 27, 1573-1581.  | 1.0 | 48        |
| 1488 | Cross-sectional and Case-Control Analyses of the Association of Kidney Function Staging With Adverse Postoperative Outcomes in General and Vascular Surgery. <i>Annals of Surgery</i> , 2013, 258, 169-177.   | 2.1 | 45        |
| 1489 | Prevalence and long-term clinical significance of intracranial atherosclerosis after ischaemic stroke or transient ischaemic attack: a cohort study. <i>BMJ Open</i> , 2013, 3, e003724.  | 0.8 | 30        |
| 1490 | Exercise pressor response and arterial baroreflex unloading during exercise in chronic kidney disease. <i>Journal of Applied Physiology</i> , 2013, 114, 538-549.   | 1.2 | 27        |
| 1491 | Assessing glomerular filtration rate (GFR) in critically ill patients with acute kidney injury - true GFR versus urinary creatinine clearance and estimating equations. <i>Critical Care</i> , 2013, 17, R108.  | 2.5 | 136       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1492 | Arterial Stiffness, Kidney Function, and Chronic Kidney Disease Progression. <i>Pulse</i> , 2013, 1, 123-130.  | 0.9 | 14        |
| 1493 | Is the Chronic Kidney Disease Epidemiology Collaboration creatinine&ndash;cystatin C equation useful for glomerular filtration rate estimation in the elderly?. <i>Clinical Interventions in Aging</i> , 2013, 8, 1387.  | 1.3 | 23        |
| 1494 | Differences in metabolic parameters and cardiovascular risk between American Diabetes Association and World Health Organization definition of impaired fasting glucose in European Caucasian subjects: a cross-sectional study. <i>Archives of Medical Science</i> , 2013, 5, 788-795. | 0.4 | 21        |
| 1495 | Small Increases in Plasma Sodium Are Associated with Higher Risk of Mortality in a Healthy Population. <i>Journal of Korean Medical Science</i> , 2013, 28, 1034.  | 1.1 | 10        |
| 1496 | Congenital Oligomeganephronia: Computed Tomography Appearance. <i>Clinics and Practice</i> , 2013, 3, e31.   | 0.6 | 7         |
| 1497 | Proteinuria as a Risk Factor for Mortality in Patients with Colorectal Cancer. <i>Yonsei Medical Journal</i> , 2013, 54, 1194.   | 0.9 | 7         |
| 1498 | Macrophage Migration Inhibitory Factor (MIF) and Thyroid Hormone Alterations in Antineutrophil Cytoplasmic Antibody (ANCA)-Associated Vasculitis (AAV). <i>Molecular Medicine</i> , 2013, 19, 109-114.   | 1.9 | 9         |
| 1499 | Does chronic kidney disease improve the predictive value of the CHADS2 and CHA2DS2-VASc stroke stratification risk scores for atrial fibrillation?. <i>Thrombosis and Haemostasis</i> , 2013, 109, 956-960.  | 1.8 | 102       |
| 1500 | Ritonavir-Boosted Darunavir Is Rarely Associated with Nephrolithiasis Compared with Ritonavir-Boosted Atazanavir in HIV-Infected Patients. <i>PLoS ONE</i> , 2013, 8, e77268.  | 1.1 | 17        |
| 1501 | Elevated Klotho Promoter Methylation Is Associated with Severity of Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e79856.   | 1.1 | 53        |
| 1502 | Frequency and Risk Factors of Renal Insufficiency in Inflammatory Bowel Disease Inpatients. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 1.  | 0.9 | 28        |
| 1503 | Acute Kidney Injury in Patients with Sepsis and Septic Shock: Risk Factors and Clinical Outcomes. <i>Yonsei Medical Journal</i> , 2013, 54, 965.   | 0.9 | 85        |
| 1504 | Impaired renal function and increased urinary isoprostane excretion in Ghanaian women with pre-eclampsia. <i>Research and Reports in Tropical Medicine</i> , 2013, 4, 7.   | 2.8 | 1         |
| 1505 | Laparoscopic partial nephrectomy: The McMaster University. <i>Canadian Urological Association Journal</i> , 2013, 6, 233.  | 0.3 | 0         |
| 1506 | Thoracic Aortic Aneurysms in Octogenarians: The Results of Open Surgical Repair Using Hypothermic Circulatory Arrest with Antegrade Selective Cerebral Perfusion. <i>Journal of Nippon Medical School</i> , 2014, 81, 12-18.   | 0.3 | 0         |
| 1507 | Poor predictive value of contemporary bleeding risk scores during long-term treatment of venous thromboembolism. <i>Thrombosis and Haemostasis</i> , 2014, 112, 511-521.   | 1.8 | 69        |
| 1508 | Periodontal Disease Bacteria Specific to Tonsil in IgA Nephropathy Patients Predicts the Remission by the Treatment. <i>PLoS ONE</i> , 2014, 9, e81636.  | 1.1 | 35        |
| 1509 | A Retrospective Case-Control Analysis of the Outpatient Expenditures for Western Medicine and Dental Treatment Modalities in CKD Patients in Taiwan. <i>PLoS ONE</i> , 2014, 9, e88418.  | 1.1 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1510 | Assessment of Proteinuria in Patients with Chronic Kidney Disease Stage 3: Albuminuria and Non-Albumin Proteinuria. PLoS ONE, 2014, 9, e98261.  | 1.1 | 9         |
| 1511 | Circulating Levels of Tumor Necrosis Factor-Alpha Receptor 2 Are Increased in Heart Failure with Preserved Ejection Fraction Relative to Heart Failure with Reduced Ejection Fraction: Evidence for a Divergence in Pathophysiology. PLoS ONE, 2014, 9, e99495. | 1.1 | 94        |
| 1512 | The Need for Improved Identification and Accurate Classification of Stages 3-5 Chronic Kidney Disease in Primary Care: Retrospective Cohort Study. PLoS ONE, 2014, 9, e100831.  | 1.1 | 26        |
| 1513 | Impact of Sleep-Disordered Breathing on Heart Rate Turbulence in Heart Failure Patients. PLoS ONE, 2014, 9, e101307.  | 1.1 | 7         |
| 1514 | Comorbidities among the HIV-Infected Patients Aged 40 Years or Older in Taiwan. PLoS ONE, 2014, 9, e104945.   | 1.1 | 24        |
| 1515 | Association of the Estimated 24-H Urinary Sodium Excretion with Albuminuria in Adult Koreans: The 2011 Korea National Health and Nutrition Examination Survey. PLoS ONE, 2014, 9, e109073.  | 1.1 | 16        |
| 1516 | Mildly Elevated Serum Bilirubin Levels Are Negatively Associated with Carotid Atherosclerosis among Elderly Persons. PLoS ONE, 2014, 9, e114281.  | 1.1 | 15        |
| 1517 | Betaine and Trimethylamine-N-Oxide as Predictors of Cardiovascular Outcomes Show Different Patterns in Diabetes Mellitus: An Observational Study. PLoS ONE, 2014, 9, e114969.   | 1.1 | 184       |
| 1518 | Acoustic Radiation Force Impulse Imaging for Non-Invasive Assessment of Renal Histopathology in Chronic Kidney Disease. PLoS ONE, 2014, 9, e115051.   | 1.1 | 67        |
| 1519 | Chronic Kidney Disease Screening Methods and Its Implication for Malaysia: An in Depth Review. Global Journal of Health Science, 2014, 7, 96-109.   | 0.1 | 9         |
| 1520 | Estimated glomerular filtration rate in patients with type 2 diabetes mellitus. Revista Da Associação Médica Brasileira, 2014, 60, 531-537.   | 0.3 | 17        |
| 1521 | Independent Factors for Prediction of Poor Outcomes in Patients with Febrile Neutropenia. Medical Science Monitor, 2014, 20, 1826-1832.   | 0.5 | 14        |
| 1522 | Metabolic syndrome and chronic kidney disease: Current status and future directions. World Journal of Nephrology, 2014, 3, 210.   | 0.8 | 118       |
| 1523 | Risk scores and geriatric profile: can they really help us in anticoagulation decision making among older patients suffering from atrial fibrillation?. Clinical Interventions in Aging, 2014, 9, 1091.   | 1.3 | 30        |
| 1524 | Comparison of Ten Creatinine-based Equations for Estimation of Glomerular Filtration Rate in Chinese Postmenopausal Women with Normal or Mildly Reduced Renal Function. Journal of Medical Diagnostic Methods, 2014, 03, .                                      | 0.0 | 0         |
| 1525 | Estimated Amount of 24-Hour Urine Sodium Excretion Is Positively Correlated with Stomach and Breast Cancer Prevalence in Korea. Journal of Korean Medical Science, 2014, 29, S131.  | 1.1 | 10        |
| 1526 | Plasma Free Metanephrine and Normetanephrine Levels are Increased in Patients with Chronic Kidney Disease. Endocrine Practice, 2014, 20, 139-144.   | 1.1 | 17        |
| 1527 | Silent Renal Stones in Primary Hyperparathyroidism: Prevalence and Clinical Features. Endocrine Practice, 2014, 20, 1137-1142.  | 1.1 | 45        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1528 | Renal Disease in the Tropics. , 2014, , 933-951.e5.  |     | 2         |
| 1529 | The association between glomerular filtration rate and left ventricular function in two independent community-based cohorts of elderly. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2069-2074.  | 0.4 | 21        |
| 1530 | Mindfulness meditation lowers muscle sympathetic nerve activity and blood pressure in African-American males with chronic kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 307, R93-R101. | 0.9 | 44        |
| 1531 | Hand-assisted partial nephrectomy with early arterial clamp removal: Impact of the learning curve. <i>Scandinavian Journal of Urology</i> , 2014, 48, 538-543.   | 0.6 | 7         |
| 1532 | Is There Association Between Changes in eGFR Value and the Risk of Permanent Type of Atrial Fibrillation? - Analysis of Valvular and Non-Valvular Atrial Fibrillation Population. <i>Kidney and Blood Pressure Research</i> , 2014, 39, 600-608.           | 0.9 | 5         |
| 1533 | Albuminuria Is Associated with Elevated Acute Phase Reactants and Proinflammatory Markers in HIV-Infected Patients Receiving Suppressive Combination Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 1185-1191.            | 0.5 | 4         |
| 1534 | Quantitative evaluation of interstitial fibrosis with Sirius Red in IgA nephritis. <i>Renal Failure</i> , 2014, 36, 73-77.   | 0.8 | 2         |
| 1535 | Liver and renal safety of tenofovir disoproxil fumarate in combination with emtricitabine among African women in a pre-exposure prophylaxis trial. <i>BMC Pharmacology &amp; Toxicology</i> , 2014, 15, 77.  | 1.0 | 16        |
| 1536 | Single-Dose, Open-Label Study of the Differences in Pharmacokinetics of Colchicine in Subjects with Renal Impairment, Including End-Stage Renal Disease. <i>Clinical Drug Investigation</i> , 2014, 34, 845-855.   | 1.1 | 40        |
| 1538 | The Glycation Gap and Estimated Glomerular Filtration Rate in Individuals without Diabetes Mellitus. <i>Clinical Chemistry</i> , 2014, 60, 1346-1347.  | 1.5 | 3         |
| 1539 | Risk of Acute Kidney Injury After Percutaneous Coronary Interventions Using Radial Versus Femoral Vascular Access. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 190-198.  | 1.4 | 74        |
| 1540 | Agalsidase alfa in pediatric patients with Fabry disease: a 6.5-year open-label follow-up study. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 169.  | 1.2 | 31        |
| 1541 | A prospective clinical trial of specialist renal nursing in the primary care setting to prevent progression of chronic kidney: a quality improvement report. <i>BMC Family Practice</i> , 2014, 15, 155.   | 2.9 | 24        |
| 1542 | The relationship between glycemic variability and diabetic peripheral neuropathy in type 2 diabetes with well-controlled HbA1c. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 139.  | 1.2 | 100       |
| 1543 | Cytomegalovirus disease in patients with glomerular diseases treated by immunosuppressive treatment. <i>International Urology and Nephrology</i> , 2014, 46, 2357-2360.  | 0.6 | 4         |
| 1544 | Association of Glomerular Filtration Rate With Slow Coronary Flow in Patients With Normal to Mildly Impaired Renal Function. <i>Angiology</i> , 2014, 65, 850-850.   | 0.8 | 2         |
| 1545 | Effect of a Cooked Meat Meal on Serum Creatinine and Estimated Glomerular Filtration Rate in Diabetes-Related Kidney Disease. <i>Diabetes Care</i> , 2014, 37, 483-487.  | 4.3 | 58        |
| 1546 | Risk of ESRD and Death in Patients with CKD Not Referred to a Nephrologist. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1586-1593.   | 2.2 | 65        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1547 | Elevated Circulating Pigment Epithelium-Derived Factor Predicts the Progression of Diabetic Nephropathy in Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2169-E2177.   | 1.8 | 37        |
| 1548 | Urinary Phthalate Metabolites and the Risk of Low Bone Mineral Density and Osteoporosis in Older Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1997-E2003.   | 1.8 | 40        |
| 1549 | Single-nucleotide polymorphisms in the UDP-glucuronosyltransferase 1A-3' untranslated region are associated with atazanavir-induced nephrolithiasis in patients with HIV-1 infection: a pharmacogenetic study. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 3320-3328. | 1.3 | 15        |
| 1550 | Apparent treatment-resistant hypertension among elderly Korean hypertensives: an insight from the HIT registry. <i>Journal of Human Hypertension</i> , 2014, 28, 201-205.  | 1.0 | 3         |
| 1551 | Treatment with continuous subcutaneous insulin infusion is associated with lower arterial stiffness. <i>Acta Diabetologica</i> , 2014, 51, 955-962.  | 1.2 | 11        |
| 1552 | Relationship between obstructive sleep apnea and markers of cardiovascular alterations in never-treated hypertensive patients. <i>Hypertension Research</i> , 2014, 37, 573-579.   | 1.5 | 20        |
| 1553 | Evaluation of volume overload by bioelectrical impedance analysis, NT-proBNP and inferior vena cava diameter in patients with stage 3&4 and 5 chronic kidney disease. <i>Renal Failure</i> , 2014, 36, 495-501.  | 0.8 | 17        |
| 1554 | Close relationship between serum hyaluronan levels and vascular function in patients with type 2 diabetes. <i>Biomarkers</i> , 2014, 19, 493-497.  | 0.9 | 10        |
| 1555 | Pharmacokinetics of Tedizolid in Subjects with Renal or Hepatic Impairment. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6471-6476.  | 1.4 | 54        |
| 1556 | The renal arterial resistance index: a marker of renal function with an independent and incremental role in predicting heart failure progression. <i>European Journal of Heart Failure</i> , 2014, 16, 210-216.  | 2.9 | 53        |
| 1557 | Modified Glomerular Filtration Rate-Estimating Equations Developed in Asiatic Population for Chinese Patients with Type 2 Diabetes. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-9.   | 0.6 | 17        |
| 1558 | Effect of renal failure on N-terminal Pro-Brain natriuretic peptide in patients admitted to emergency department with acute dyspnea. <i>Anatolian Journal of Cardiology</i> , 2014, 14, 519-524.   | 0.4 | 1         |
| 1559 | Negative association between plasma aldosterone concentration/plasma renin activity and morning blood pressure surge in never-treated hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 195-199.  | 0.5 | 2         |
| 1560 | Resistive and Pulsatile Arterial Hemodynamics and Cardiovascular Events: The Multiethnic Study of Atherosclerosis. <i>Journal of the American Heart Association</i> , 2014, 3, e001223.  | 1.6 | 13        |
| 1561 | Rare Mutations of Peroxisome Proliferator-Activated Receptor Gamma: Frequencies and Relationship with Insulin Resistance and Diabetes Risk in the Mixed Ancestry Population from South Africa. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.                    | 0.6 | 5         |
| 1562 | Association of Non-alcoholic Fatty Liver Disease with Chronic Kidney Disease: A Systematic Review and Meta-analysis. <i>PLoS Medicine</i> , 2014, 11, e1001680.  | 3.9 | 507       |
| 1563 | The Association between 25-Hydroxyvitamin D and Hemoglobin A1c Levels in Patients with Type 2 Diabetes and Stage 1&5 Chronic Kidney Disease. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-6.  | 0.6 | 18        |
| 1564 | Serum Lipids, Apolipoproteins, and Mortality among Coronary Artery Disease Patients. <i>BioMed Research International</i> , 2014, 2014, 1-11.  | 0.9 | 28        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1565 | Estimating Glomerular Filtration Rate in Older People. <i>BioMed Research International</i> , 2014, 2014, 1-12.  | 0.9 | 39        |
| 1566 | Risk Factors for Acute Kidney Injury following TA-TAVI or Minimally Invasive Aortic Valve Replacement: Which Procedure Is Less Kidney Damaging in Elderly Patients?. <i>Thoracic and Cardiovascular Surgeon</i> , 2014, 62, 482-488. | 0.4 | 13        |
| 1567 | Chronic kidney disease, albuminuria and socioeconomic status in the Health Surveys for England 2009 and 2010. <i>Journal of Public Health</i> , 2014, 36, 577-586.   | 1.0 | 47        |
| 1568 | Increased risk of acute kidney injury associated with higher infusion rate of mannitol in patients with intracranial hemorrhage. <i>Journal of Neurosurgery</i> , 2014, 120, 1340-1348.  | 0.9 | 50        |
| 1569 | Self-Rated Health Predicts Healthcare Utilization in Heart Failure. <i>Journal of the American Heart Association</i> , 2014, 3, e000931.   | 1.6 | 43        |
| 1570 | Clinical Characteristics of and Relationship Between Metabolic Components and Renal Function Among Patients with Early-onset Juvenile Tophaceous Gout. <i>Journal of Rheumatology</i> , 2014, 41, 1878-1883.                         | 1.0 | 25        |
| 1571 | Estimation of Glomerular Filtration Rate Based on Serum Cystatin C versus Creatinine in a Uruguayan Population. <i>International Journal of Nephrology</i> , 2014, 2014, 1-9.  | 0.7 | 11        |
| 1572 | An instrumental variable approach finds no associated harm or benefit with early dialysis initiation in the United States. <i>Kidney International</i> , 2014, 86, 798-809.  | 2.6 | 29        |
| 1573 | Effect of Food Insecurity on Chronic Kidney Disease in Lower-Income Americans. <i>American Journal of Nephrology</i> , 2014, 39, 27-35.  | 1.4 | 124       |
| 1574 | Cobicistat-Boosted Protease Inhibitors in HIV-Infected Patients with Mild to Moderate Renal Impairment. <i>HIV Clinical Trials</i> , 2014, 15, 269-273.  | 2.0 | 16        |
| 1575 | Heparin-Binding Protein: A Diagnostic Biomarker of Urinary Tract Infection in Adults. <i>Open Forum Infectious Diseases</i> , 2014, 1, ofu004.   | 0.4 | 23        |
| 1576 | Acute Kidney Injury and Mortality following Ventricular Assist Device Implantation. <i>American Journal of Nephrology</i> , 2014, 39, 195-203.   | 1.4 | 22        |
| 1577 | Clofarabine-associated acute kidney injury in patients undergoing hematopoietic stem cell transplant. <i>Leukemia and Lymphoma</i> , 2014, 55, 2866-2873.  | 0.6 | 17        |
| 1578 | Differential scaling of glomerular filtration rate and ingested metabolic burden: implications for gender differences in chronic kidney disease outcomes. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1186-1194.          | 0.4 | 17        |
| 1579 | Risk of Death in Heart Disease is Associated With Elevated Urinary Globotriaosylceramide. <i>Journal of the American Heart Association</i> , 2014, 3, e000394.   | 1.6 | 22        |
| 1580 | Donor ABCB1 genetic polymorphisms influence epithelial-to-mesenchyme transition in tacrolimus-treated kidney recipients. <i>Pharmacogenomics</i> , 2014, 15, 2011-2024.  | 0.6 | 14        |
| 1581 | Diagnosis and management of glycogen storage disease type I: a practice guideline of the American College of Medical Genetics and Genomics. <i>Genetics in Medicine</i> , 2014, 16, e1-e29.  | 1.1 | 318       |
| 1582 | Association between erectile dysfunction and echocardiographic variables of ventricular hypertrophy and diastolic function in hypertensive patients with type 2 diabetes mellitus: A cross-sectional study                           | 0.8 | 11        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1583 | Randomised trial of no hydration vs. sodium bicarbonate hydration in patients with chronic kidney disease undergoing acute computed tomography-pulmonary angiography. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1658-1666.                              | 1.9 | 41        |
| 1584 | Kidney transplantation in HIV-positive patients treated with a steroid-free immunosuppressive regimen. <i>Transplant International</i> , 2014, 27, 1050-1059.  | 0.8 | 10        |
| 1585 | Long-term Prognostic Value for Patients with Chronic Heart Failure of Estimated Glomerular Filtration Rate Calculated with the New CKD-EPI Equations Containing Cystatin C. <i>Clinical Chemistry</i> , 2014, 60, 481-489.   | 1.5 | 28        |
| 1586 | Preoperative estimated glomerular filtration rate and the risk of major adverse cardiovascular and cerebrovascular events in non-cardiac surgery. <i>British Journal of Anaesthesia</i> , 2014, 113, 644-651.  | 1.5 | 38        |
| 1587 | Improved renal function in liver transplant recipients treated for hepatitis C virus with a sustained virological response and mild chronic kidney disease. <i>Liver Transplantation</i> , 2014, 20, 25-34.  | 1.3 | 31        |
| 1588 | Association between reduced kidney function and clinical outcomes after ischaemic stroke with atrial fibrillation. <i>European Journal of Neurology</i> , 2014, 21, 160-166.   | 1.7 | 18        |
| 1589 | Enhanced expression of hemoglobin scavenger receptor and heme oxygenase-1 is associated with aortic valve stenosis in patients undergoing hemodialysis. <i>Hemodialysis International</i> , 2014, 18, 632-640.   | 0.4 | 1         |
| 1590 | Does Estimated Glomerular Filtration Rate Have an Effect on Left Ventricular Function after ST-Elevation Myocardial Infarction?. <i>Echocardiography</i> , 2014, 31, 318-324.  | 0.3 | 6         |
| 1591 | The Chronic Kidney Disease Epidemiology Collaboration equation outperforms the Modification of Diet in Renal Disease equation for estimating glomerular filtration rate in chronic systolic heart failure. <i>European Journal of Heart Failure</i> , 2014, 16, 86-94. | 2.9 | 102       |
| 1592 | Impact of body mass index on mortality in heart failure patients. <i>European Journal of Clinical Investigation</i> , 2014, 44, 1197-1205.   | 1.7 | 37        |
| 1593 | Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 407-413.                       | 1.2 | 37        |
| 1594 | A Combined-Biomarker Approach to Clinical Phenotyping Renal Dysfunction in Heart Failure. <i>Journal of Cardiac Failure</i> , 2014, 20, 912-919.   | 0.7 | 46        |
| 1595 | Tubular urinary biomarkers do not identify aetiology of acute kidney injury in kidney transplant recipients. <i>Nephrology</i> , 2014, 19, 352-358.  | 0.7 | 14        |
| 1596 | Laparoscopic Colorectal Surgery in Patients with Impaired Renal Function: Impact on Postoperative Renal Function Compared with Open Surgery. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2014, 24, 236-240.                         | 0.5 | 6         |
| 1597 | Interleukin-6 as a predictor of cardiovascular events in troponin-negative non-ST elevation acute coronary syndrome patients. <i>International Journal of Clinical Practice</i> , 2014, 68, 294-303.   | 0.8 | 13        |
| 1598 | Clinical utility of chromogranin A in SDH-related paragangliomas. <i>European Journal of Clinical Investigation</i> , 2014, 44, 365-371.   | 1.7 | 40        |
| 1599 | Homoarginine and mortality in an older population: the Hoorn study. <i>European Journal of Clinical Investigation</i> , 2014, 44, 200-208.   | 1.7 | 47        |
| 1600 | Renal insufficiency, mortality, and drug management in heart transplant. Results of the CARIN study. <i>Transplant International</i> , 2014, 27, 931-938.  | 0.8 | 11        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1601 | Urinary type IV collagen as a predictor for the incidence of microalbuminuria in young patients with Type 1 diabetes. <i>Diabetic Medicine</i> , 2014, 31, 213-218.  | 1.2 | 8         |
| 1602 | A randomized comparison of 1-h sodium bicarbonate hydration versus standard peri-procedural saline hydration in patients with chronic kidney disease undergoing intravenous contrast-enhanced computerized tomography. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1029-1036. | 0.4 | 40        |
| 1603 | Darbepoetin alfa once monthly corrects anaemia in patients with chronic kidney disease not on dialysis. <i>Nephrology</i> , 2014, 19, 266-274.   | 0.7 | 5         |
| 1604 | Dietary Sodium and Potassium Intake Is Not Associated With Elevated Blood Pressure in US Adults With No Prior History of Hypertension. <i>Journal of Clinical Hypertension</i> , 2014, 16, 418-423.  | 1.0 | 19        |
| 1605 | WASP neuronet activated by bipolar-sigmoid functions and applied to glomerular-filtration-rate estimation. , 2014, , .   |     | 3         |
| 1606 | Performance of CKD-EPI equation to estimate glomerular filtration rate as compared to MDRD equation in South Brazilian individuals in each stage of renal function. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1747-54.   | 1.4 | 27        |
| 1607 | Performance of chronic kidney disease epidemiology collaboration creatinine-cystatin C equation for estimating kidney function in cirrhosis. <i>Hepatology</i> , 2014, 59, 1532-1542.  | 3.6 | 108       |
| 1608 | Uncomplicated diabetes does not accelerate age-related sarcopenia. <i>Aging Male</i> , 2014, 17, 205-210.  | 0.9 | 16        |
| 1609 | Increased risk of dialysis and end-stage renal disease among HIV patients in Denmark compared with the background population. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1232-1238.  | 0.4 | 32        |
| 1610 | Glomerular filtration rate equations for liver-kidney transplantation in patients with cirrhosis: Validation of current recommendations. <i>Hepatology</i> , 2014, 59, 1514-1521.  | 3.6 | 106       |
| 1611 | Prognostic Factors in Continuous Hemofiltration Therapy for Patients with Cardiorenal Syndrome. <i>Blood Purification</i> , 2014, 37, 99-105.  | 0.9 | 1         |
| 1612 | Achieving Serum Urate Goal: A Comparative Effectiveness Study between Allopurinol and Febuxostat. <i>Postgraduate Medicine</i> , 2014, 126, 65-75.   | 0.9 | 20        |
| 1613 | Systematic analysis of the clinical and biochemical characteristics of maternally inherited hypertension in Chinese Han families associated with mitochondrial. <i>BMC Medical Genomics</i> , 2014, 7, 73.   | 0.7 | 7         |
| 1614 | Prospective Randomized Controlled Trial of Rabbit Antithymocyte Globulin Compared With IL-2 Receptor Antagonist Induction Therapy in Kidney Transplantation. <i>Annals of Surgery</i> , 2014, 259, 888-893.  | 2.1 | 43        |
| 1615 | Estimating the glomerular filtration rate in the Spanish working population. <i>Journal of Hypertension</i> , 2014, 32, 1970-1978.   | 0.3 | 4         |
| 1616 | Risk Stratification for In-Hospital Mortality After Heart Transplantation Using the Modification of Diet in Renal Disease and the Chronic Kidney Disease Epidemiology Collaboration Equations for Estimated Glomerular Filtration Rate. <i>Transplantation</i> , 2014, 98, 1000-1006.    | 0.5 | 4         |
| 1617 | Does intravenous or oral high-dose N-acetylcysteine in addition to saline prevent contrast-induced nephropathy assessed by cystatin C?. <i>Coronary Artery Disease</i> , 2014, 25, 111-117.  | 0.3 | 11        |
| 1618 | Comparison of Equations With Estimate Renal Function to Predict Serum Vancomycin Concentration in Patients With Spinal Cord Injury – Does the Use of Cystatin C Improve Accuracy?. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 632-639.   | 1.0 | 13        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1619 | Chronic aerobic exercise improves blood pressure dipping status in African American nondippers. <i>Blood Pressure Monitoring</i> , 2014, 19, 353-358.   | 0.4 | 13        |
| 1620 | Cisplatin versus Carboplatin-Based Regimens for the Treatment of Patients with Metastatic Lung Cancer. An Analysis of Veterans Health Administration Data. <i>Journal of Thoracic Oncology</i> , 2014, 9, 702-709.                        | 0.5 | 39        |
| 1621 | Estimating and measuring glomerular filtration rate. <i>Current Opinion in Nephrology and Hypertension</i> , 2014, 23, 258-266.   | 1.0 | 56        |
| 1622 | Microbial translocation and T cell activation are not associated in chronic HIV-infected children. <i>Aids</i> , 2014, 28, 1989-1992.   | 1.0 | 5         |
| 1623 | Variations in the Risk of Acute Kidney Injury Across Intraabdominal Surgery Procedures. <i>Anesthesia and Analgesia</i> , 2014, 119, 1121-1132.   | 1.1 | 74        |
| 1624 | Assessing the Efficacy of Kidney Paired Donation—Performance of an Integrated Three-Site Program. <i>Transplantation</i> , 2014, 98, 300-305.   | 0.5 | 21        |
| 1625 | Comprehensive Geriatric Assessment and 2-Year Mortality in Elderly Patients Hospitalized for Heart Failure. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 251-258.   | 0.9 | 34        |
| 1626 | Socioeconomic Inequality and Peripheral Artery Disease Prevalence in US Adults. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 532-539.   | 0.9 | 96        |
| 1627 | Treatment patterns, risk factor control and functional capacity in patients with cardiovascular and chronic kidney disease in the cardiac rehabilitation setting. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1125-1133. | 0.8 | 10        |
| 1628 | A New Modified CKD-EPI Equation for Chinese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2014, 9, e109743.  | 1.1 | 23        |
| 1629 | Modified-Release Calcifediol Effectively Controls Secondary Hyperparathyroidism Associated with Vitamin D Insufficiency in Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2014, 40, 535-545.                             | 1.4 | 48        |
| 1630 | The Effect of Combination Therapy with Rituximab and Intravenous Immunoglobulin on the Progression of Chronic Antibody Mediated Rejection in Renal Transplant Recipients. <i>Journal of Immunology Research</i> , 2014, 2014, 1-7.        | 0.9 | 10        |
| 1631 | Renal Function Is Associated with Bone Mineral Density and Arterial Stiffness in Healthy Postmenopausal Women. <i>Gynecologic and Obstetric Investigation</i> , 2014, 78, 124-129.  | 0.7 | 8         |
| 1632 | Sirolimus Immunoprophylaxis and Renal Histological Changes in Long-Term Cardiac Transplant Recipients. <i>Annals of Pharmacotherapy</i> , 2014, 48, 837-846.  | 0.9 | 5         |
| 1633 | Risk factors for cardiovascular events and bleeding complications following non-cardiac surgery or procedure in patients with drug eluting stent placement. <i>Heart Asia</i> , 2014, 6, 69-75.   | 1.1 | 2         |
| 1634 | Sonographic Evaluation of the Carotid Intima-media Complex Thickness in Nigerian Chronic Kidney Disease Patients. <i>Journal of Diagnostic Medical Sonography</i> , 2014, 30, 231-236.  | 0.1 | 0         |
| 1635 | Prevalence of frailty and its ability to predict in hospital delirium, falls, and 6-month mortality in hospitalized older patients. <i>BMC Geriatrics</i> , 2014, 14, 1.  | 1.1 | 278       |
| 1636 | Predictive value of high-sensitivity troponin-I for future adverse cardiovascular outcome in stable patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2014, 13, 63.   | 2.7 | 30        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1637 | The impact of abnormal glucose regulation on arterial stiffness at 3 and 15 months after kidney transplantation. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 52.   | 1.2 | 5         |
| 1638 | Prevalence and Prognostic Importance of Changes in Renal Function After Mechanical Circulatory Support. <i>Circulation: Heart Failure</i> , 2014, 7, 68-75.   | 1.6 | 133       |
| 1639 | Effect of Cyclosporine on Steady-State Pharmacokinetics of MPA in Renal Transplant Recipients Is Not Affected by the MPA Formulation. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 456-464.   | 1.0 | 11        |
| 1640 | Evaluation of renal function in elderly patients. <i>Nuclear Medicine Communications</i> , 2014, 35, 416-422.   | 0.5 | 11        |
| 1641 | Is impaired kidney function an independent predictor of the risk of myocardial infarction in HIV-infected individuals?. <i>Aids</i> , 2014, 28, 1987-1989.  | 1.0 | 0         |
| 1642 | Testicular Function, Semen Quality, and Fertility in Young Men After Renal Transplantation During Childhood or Adolescence. <i>Transplantation</i> , 2014, 98, 987-993.   | 0.5 | 22        |
| 1643 | Risk factors for 90-day and 180-day mortality in hospitalised patients with pressure ulcers. <i>International Wound Journal</i> , 2014, 11, 14-20.  | 1.3 | 27        |
| 1644 | Chronic kidney disease in patients with cancer and its association with occurrence of venous thromboembolism and mortality. <i>Thrombosis Research</i> , 2014, 134, 44-49.  | 0.8 | 28        |
| 1645 | Performance of the Japanese Glomerular Filtration Rate Equation Based on Standardized Serum Cystatin C in Potential Kidney Donors. <i>Transplantation Proceedings</i> , 2014, 46, 314-317.  | 0.3 | 7         |
| 1646 | Prognostic Significance of Hyponatremia Among Ambulatory Patients With Heart Failure and Preserved and Reduced Ejection Fractions. <i>American Journal of Cardiology</i> , 2014, 113, 1834-1838.  | 0.7 | 67        |
| 1647 | Survival Benefit From Transplantation in Patients Listed for Heart Transplantation in the United States. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1169-1178.  | 1.2 | 65        |
| 1648 | Neutrophil Gelatinase-Associated Lipocalin and depression in patients with chronic heart failure. <i>Brain, Behavior, and Immunity</i> , 2014, 38, 59-65.   | 2.0 | 34        |
| 1649 | Optimal Dosing of Melphalan As High-Dose Therapy Before Autologous Hematopoietic Stem Cell Transplantation in Myeloma Patients With Solitary Kidney: A Case Series. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, e59-e63. | 0.2 | 3         |
| 1650 | Iodine nutrition in adults on long-term home parenteral nutrition. <i>Nutrition</i> , 2014, 30, 1050-1054.  | 1.1 | 10        |
| 1651 | Renal function changes after snorkel/chimney repair of juxtarenal aneurysms. <i>Journal of Vascular Surgery</i> , 2014, 60, 563-570.  | 0.6 | 55        |
| 1652 | Influence of Age-Related Versus Non-Age-Related Renal Dysfunction on Survival in Patients With Left Ventricular Dysfunction. <i>American Journal of Cardiology</i> , 2014, 113, 127-131.  | 0.7 | 7         |
| 1653 | Biomarkers in cardiorenal syndromes. <i>Translational Research</i> , 2014, 164, 122-134.  | 2.2 | 21        |
| 1654 | The role of vitamin D in regulating the iron-hepcidin-ferroportin axis in monocytes. <i>Journal of Clinical and Translational Endocrinology</i> , 2014, 1, e19-e25.   | 1.0 | 111       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1655 | Correlation Between Mycophenolic Acid Blood Level and Renal Dysfunction in Stable Liver Transplant Recipients Receiving Mycophenolate Monotherapy. <i>Transplantation Proceedings</i> , 2014, 46, 811-815.   | 0.3 | 7         |
| 1656 | Comparison of association of glomerular filtration rate with metabolic syndrome in a community-based population using the CKD-EPI and MDRD study equations. <i>Clinica Chimica Acta</i> , 2014, 429, 157-162.  | 0.5 | 7         |
| 1657 | Prevalence of renal disease within an urban HIV-infected cohort in northern Italy. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 104-112.  | 0.7 | 22        |
| 1658 | Methods of assessing renal function. <i>Pediatric Nephrology</i> , 2014, 29, 183-192.  | 0.9 | 87        |
| 1659 | Evaluation of the serum cystatin C values in prediction of indications for hemodialysis in patients with chronic renal failure. <i>International Urology and Nephrology</i> , 2014, 46, 57-62.   | 0.6 | 4         |
| 1660 | Detection of decreased glomerular filtration rate in intensive care units: serum cystatin C versus serum creatinine. <i>BMC Nephrology</i> , 2014, 15, 9.  | 0.8 | 68        |
| 1661 | Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 205-214.   | 0.8 | 10        |
| 1662 | Improved measurement of the glomerular filtration rate from Tc-99m DTPA scintigraphy in patients following nephrectomy. <i>European Radiology</i> , 2014, 24, 413-422.   | 2.3 | 11        |
| 1663 | The potential of Cystatin C and small dense LDL as biomarkers of coronary artery disease risk in a young Indian population. <i>Molecular and Cellular Biochemistry</i> , 2014, 389, 59-68.   | 1.4 | 10        |
| 1664 | Cystatin C and serum creatinine as predictors of kidney graft outcome. <i>International Urology and Nephrology</i> , 2014, 46, 1447-1454.  | 0.6 | 8         |
| 1665 | Blood lead and cadmium levels and renal function in Korean adults. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 726-734.  | 0.7 | 51        |
| 1666 | Characteristics of hypertension subtypes and treatment outcome among elderly Korean hypertensives. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 246-253.  | 2.3 | 6         |
| 1667 | An Investigation of Associations Between Clinicians' Ethnic or Racial Bias and Hypertension Treatment, Medication Adherence and Blood Pressure Control. <i>Journal of General Internal Medicine</i> , 2014, 29, 987-995.   | 1.3 | 70        |
| 1668 | Gender differences in adiponectin levels and body composition in older adults: Hallym aging study. <i>BMC Geriatrics</i> , 2014, 14, 8.  | 1.1 | 53        |
| 1669 | Severe hypocalcemia after denosumab in a patient with acquired Fanconi syndrome. <i>Osteoporosis International</i> , 2014, 25, 1187-1190.  | 1.3 | 11        |
| 1670 | Relative influence of heritability, environment and genetics on serum sclerostin. <i>Osteoporosis International</i> , 2014, 25, 905-912.   | 1.3 | 20        |
| 1671 | Proliferator-activated receptor gamma Pro12Ala interacts with the insulin receptor substrate 1 Gly972Arg and increase the risk of insulin resistance and diabetes in the mixed ancestry population from South Africa. <i>BMC Genetics</i> , 2014, 15, 10.  | 2.7 | 20        |
| 1672 | The eGFR-C study: accuracy of glomerular filtration rate (GFR) estimation using creatinine and cystatin C and albuminuria for monitoring disease progression in patients with stage 3 chronic kidney disease - prospective longitudinal study in a multiethnic population. <i>BMC Nephrology</i> , 2014, 15, 13. | 0.8 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1673 | Implications of C1q/TNF-related protein-3 (CTRP-3) and progranulin in patients with acute coronary syndrome and stable angina pectoris. <i>Cardiovascular Diabetology</i> , 2014, 13, 14.   | 2.7 | 52        |
| 1674 | Dosing Errors in Prescribed Antibiotics for Older Persons With CKD: A Retrospective Time Series Analysis. <i>American Journal of Kidney Diseases</i> , 2014, 63, 422-428.   | 2.1 | 54        |
| 1675 | The effect of cholecalciferol for lowering albuminuria in chronic kidney disease: a prospective controlled study. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 97-109.  | 0.4 | 64        |
| 1676 | Cystatin C Enhances Glomerular Filtration Rate Estimating Equations in Kidney Transplant Recipients. <i>American Journal of Nephrology</i> , 2014, 39, 59-65.   | 1.4 | 10        |
| 1677 | Loop Diuretic Efficiency. <i>Circulation: Heart Failure</i> , 2014, 7, 261-270.   | 1.6 | 209       |
| 1678 | The influence of acute kidney injury on antimicrobial dosing in critically ill patients: are dose reductions always necessary?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 79, 77-84.                                    | 0.8 | 50        |
| 1679 | Participation in Cardiac Rehabilitation, Readmissions, and Death After Acute Myocardial Infarction. <i>American Journal of Medicine</i> , 2014, 127, 538-546.   | 0.6 | 196       |
| 1680 | A comparison of estimated glomerular filtration rates using Cockcroft-Gault and the Chronic Kidney Disease Epidemiology Collaboration estimating equations in HIV infection. <i>HIV Medicine</i> , 2014, 15, 144-152.                       | 1.0 | 23        |
| 1681 | Cystatin C: A potential biomarker for pulmonary arterial hypertension. <i>Respirology</i> , 2014, 19, 583-589.  | 1.3 | 21        |
| 1682 | Renal Elimination of Sclerostin Increases With Declining Kidney Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 248-255.  | 1.8 | 113       |
| 1683 | Direct comparison of high-sensitivity-cardiac troponin I vs. T for the early diagnosis of acute myocardial infarction. <i>European Heart Journal</i> , 2014, 35, 2303-2311.   | 1.0 | 166       |
| 1684 | Association of myocardial dysfunction with vitamin D deficiency in patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 286-290.  | 1.2 | 27        |
| 1685 | Risk factors for predicting venous thromboembolism in patients with nephrotic syndrome: focus on haemostasis-related parameters. <i>International Urology and Nephrology</i> , 2014, 46, 787-792.   | 0.6 | 17        |
| 1686 | Effects of age on bone mRNA levels of sclerostin and other genes relevant to bone metabolism in humans. <i>Bone</i> , 2014, 59, 1-6.  | 1.4 | 96        |
| 1687 | Serum cystatin C and cerebral microbleeds in patients with acute cerebral stroke. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 268-273.  | 0.8 | 16        |
| 1688 | Approach to Diagnosis and Treatment of Hypercalcemia in a Patient With Malignancy. <i>American Journal of Kidney Diseases</i> , 2014, 63, 141-147.  | 2.1 | 61        |
| 1689 | Insulin resistance is associated with Fibroblast Growth Factor-23 in stage 3-5 chronic kidney disease patients. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 61-65.   | 1.2 | 46        |
| 1690 | Statin Therapy in Patients With Chronic Kidney Disease Undergoing Percutaneous Coronary Intervention (from the Evaluation of Drug Eluting Stents and Ischemic Events Registry). <i>American Journal of Cardiology</i> , 2014, 113, 621-625. | 0.7 | 14        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1691 | Left ventricular hypertrophy and endothelial dysfunction in chronic kidney disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 56-61.  | 0.5  | 36        |
| 1692 | Assessment of Glomerular Filtration Rate in Acute and Chronic Settings. , 2014, , 26-32.   |      | 6         |
| 1693 | Renal Function After Nephron-sparing Surgery Versus Radical Nephrectomy: Results from EORTC Randomized Trial 30904. <i>European Urology</i> , 2014, 65, 372-377.   | 0.9  | 448       |
| 1694 | Skeletal Muscle Toxicity in HIV-1-Infected Patients Treated with a Raltegravir-Containing Antiretroviral Therapy: A Cohort Study. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 1162-1169.   | 0.5  | 12        |
| 1695 | The Primary Care Physician/Nephrologist Partnership in Treating Chronic Kidney Disease. <i>Primary Care - Clinics in Office Practice</i> , 2014, 41, 837-856.  | 0.7  | 5         |
| 1696 | Kidney disease and risk of venous thromboembolism: a nationwide population-based case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1449-1454.   | 1.9  | 72        |
| 1697 | Uric acid has a J-shaped association with cardiovascular and all-cause mortality in kidney transplant recipients. <i>Clinical Transplantation</i> , 2014, 28, 134-140.   | 0.8  | 22        |
| 1698 | Determination of 12 potential nephrotoxicity biomarkers in rat serum and urine by liquid chromatography with mass spectrometry and its application to renal failure induced by <i>Strychnine</i> . <i>Journal of Separation Science</i> , 2014, 37, 1058-1066.                                 | 1.3  | 25        |
| 1699 | Evaluation of the indicative roles of seven potential biomarkers on hepato-nephrotoxicity induced by <i>Genkwa Flos</i> . <i>Journal of Ethnopharmacology</i> , 2014, 158, 317-324.  | 2.0  | 13        |
| 1700 | Estimated versus Measured Glomerular Filtration Rate in Children before Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 2056-2061.  | 2.0  | 34        |
| 1701 | Deterioration, improvement of kidney function over time and determinants in the <i>Cape Town Bellville South</i> cohort. <i>Nephrology</i> , 2014, 19, 638-647.  | 0.7  | 2         |
| 1702 | Skin Autofluorescence Is Associated With 5-Year Mortality and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 933-938.   | 1.1  | 78        |
| 1703 | Contributors to Mortality in High-Risk Diabetic Patients in the Diabetes Heart Study. <i>Diabetes Care</i> , 2014, 37, 2798-2803.  | 4.3  | 14        |
| 1704 | Blood Pressure and Pulse Pressure Effects on Renal Outcomes in the Veterans Affairs Diabetes Trial (VADT). <i>Diabetes Care</i> , 2014, 37, 2782-2788.   | 4.3  | 23        |
| 1705 | Predictors of Treatment Outcomes in ANCA-Associated Vasculitis with Severe Kidney Failure. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 905-913.  | 2.2  | 120       |
| 1706 | Visit-to-Visit Variability in Blood Pressure and Kidney and Cardiovascular Outcomes in Patients With Type 2 Diabetes and Nephropathy: A Post Hoc Analysis From the RENAAL Study and the Irbesartan Diabetic Nephropathy Trial. <i>American Journal of Kidney Diseases</i> , 2014, 64, 714-722. | 2.1  | 65        |
| 1707 | Uric acid and clinical correlates of endothelial function in kidney transplant recipients. <i>Clinical Transplantation</i> , 2014, 28, 1167-1176.  | 0.8  | 5         |
| 1709 | Angiotensin Blockade in Late Autosomal Dominant Polycystic Kidney Disease. <i>New England Journal of Medicine</i> , 2014, 371, 2267-2276.  | 13.9 | 221       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1710 | Does Renal Dysfunction and Method of Bridging Support Influence Heart Transplant Graft Survival?. <i>Annals of Thoracic Surgery</i> , 2014, 98, 835-841.   | 0.7 | 17        |
| 1711 | Influence of Regular Physical Activity on Warfarin Dose and Risk of Hemorrhagic Complications. <i>Pharmacotherapy</i> , 2014, 34, 545-554.   | 1.2 | 17        |
| 1712 | Correlation of Iron Overload and Glomerular Filtration Rate Estimated by Cystatin C in Patients with $\beta$ -Thalassemia Major. <i>Hemoglobin</i> , 2014, 38, 365-368.  | 0.4 | 10        |
| 1713 | Clinical outcome in patients with chronic antibody-mediated rejection treated with and without rituximab and intravenous immunoglobulin combination therapy. <i>Transplant Immunology</i> , 2014, 31, 140-144.   | 0.6 | 13        |
| 1714 | Effect of increased leptin and C-reactive protein levels on mortality: Results from the National Health and Nutrition Examination Survey. <i>Atherosclerosis</i> , 2014, 236, 1-6.   | 0.4 | 15        |
| 1715 | The Effect of Preoperative Renal Insufficiency on Postoperative Outcomes after Major Hepatectomy: A Multi-Institutional Analysis of 1,170 Patients. <i>Journal of the American College of Surgeons</i> , 2014, 219, 914-922.                                   | 0.2 | 21        |
| 1716 | Risk of Chronic and End Stage Kidney Disease in Patients with Nephrolithiasis. <i>Journal of Urology</i> , 2014, 192, 1440-1445.   | 0.2 | 92        |
| 1717 | Optimal Medication Dosing in Patients with Diabetes Mellitus and Chronic Kidney Disease. <i>Canadian Journal of Diabetes</i> , 2014, 38, 334-343.  | 0.4 | 17        |
| 1718 | Clinical characteristics and prognostic significance of changes in platelet count in an internal medicine ward. <i>European Journal of Internal Medicine</i> , 2014, 25, 646-651.  | 1.0 | 5         |
| 1719 | Comparaci3n de la ecuaci3n CKD-EPI respecto a MDRD-IDMS en la derivaci3n de pacientes a Nefrolog3a. <i>Revista Del Laboratorio Cl3nico</i> , 2014, 7, 60-67.   | 0.1 | 1         |
| 1720 | Serum total p-cresylsulfate level is associated with abnormal QTc interval in stable angina patients with early stage of renal failure. <i>Clinica Chimica Acta</i> , 2014, 437, 25-30.  | 0.5 | 12        |
| 1721 | Increased concentration of circulating angiogenesis and nitric oxide inhibitors induces endothelial to mesenchymal transition and myocardial fibrosis in patients with chronic kidney disease. <i>International Journal of Cardiology</i> , 2014, 176, 99-109. | 0.8 | 87        |
| 1722 | Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens. <i>Nature Genetics</i> , 2014, 46, 1187-1196.   | 9.4 | 505       |
| 1723 | 50 years follow-up on plasma creatinine levels after spinal cord injury. <i>Spinal Cord</i> , 2014, 52, 368-372.   | 0.9 | 16        |
| 1724 | Long-term prognosis of clinically early IgA nephropathy is not always favorable. <i>BMC Nephrology</i> , 2014, 15, 94.   | 0.8 | 39        |
| 1725 | Safety and tissue yield for percutaneous native kidney biopsy according to practitioner and ultrasound technique. <i>BMC Nephrology</i> , 2014, 15, 96.  | 0.8 | 44        |
| 1726 | Non-linear association of serum 25-hydroxyvitamin D with urinary albumin excretion rate in normoalbuminuric subjects. <i>BMC Nephrology</i> , 2014, 15, 97.  | 0.8 | 5         |
| 1727 | Urine YKL-40 is associated with progressive acute kidney injury or death in hospitalized patients. <i>BMC Nephrology</i> , 2014, 15, 133.  | 0.8 | 34        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1728 | Vancomycin versus daptomycin for the treatment of methicillin-resistant <i>Staphylococcus aureus</i> bacteremia due to isolates with high vancomycin minimum inhibitory concentrations: study protocol for a phase IIB randomized controlled trial. <i>Trials</i> , 2014, 15, 233. | 0.7 | 9         |
| 1729 | Chronic kidney disease in US adults with type 2 diabetes: an updated national estimate of prevalence based on Kidney Disease: Improving Global Outcomes (KDIGO) staging. <i>BMC Research Notes</i> , 2014, 7, 415.   | 0.6 | 201       |
| 1730 | Clinical Practice Guideline for the Management of Chronic Kidney Disease in Patients Infected With HIV: 2014 Update by the HIV Medicine Association of the Infectious Diseases Society of America. <i>Clinical Infectious Diseases</i> , 2014, 59, e96-e138.                       | 2.9 | 254       |
| 1731 | Acute Kidney Injury After CABG Versus PCI. <i>Journal of the American College of Cardiology</i> , 2014, 64, 985-994.   | 1.2 | 37        |
| 1732 | Osteopontin Is a Strong Predictor of Incipient Diabetic Nephropathy, Cardiovascular Disease, and All-Cause Mortality in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2014, 37, 2593-2600.   | 4.3 | 63        |
| 1733 | Albuminuria correlates with hemolysis and NAG and KIM-1 in patients with sickle cell anemia. <i>Pediatric Nephrology</i> , 2014, 29, 1997-2003.  | 0.9 | 36        |
| 1734 | Long-term effectiveness of enzyme replacement therapy in Fabry disease: results from the NCS&#x2013;LSD cohort study. <i>Journal of Inherited Metabolic Disease</i> , 2014, 37, 969-978.   | 1.7 | 38        |
| 1735 | Associations of atherosclerosis in the descending thoracic aorta on CTA with arterial stiffness and chronic kidney disease in asymptomatic patients with diabetes mellitus. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1151-1159.                          | 0.7 | 7         |
| 1736 | Prognostic significance of dilated inferior vena cava in advanced decompensated heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1289-1295.   | 0.7 | 25        |
| 1737 | Membranoproliferative Glomerulonephritis, Type II Cryoglobulinemia and Triple Therapy for Hepatitis C: A Case Series and Review of the Literature. <i>Digestive Diseases and Sciences</i> , 2014, 59, 2007-2012.   | 1.1 | 12        |
| 1738 | Potentially inappropriate medication related to weakness in older acute medical patients. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 570-580.   | 1.0 | 41        |
| 1739 | An Assessment of Dialysis Provider's Attitudes towards Timing of Dialysis Initiation in Canada. <i>Canadian Journal of Kidney Health and Disease</i> , 2014, 1, 3.   | 0.6 | 12        |
| 1740 | Elevated plasma thrombomodulin and angiotensin-2 predict the development of acute kidney injury in patients with acute myocardial infarction. <i>Critical Care</i> , 2014, 18, R100.   | 2.5 | 36        |
| 1741 | Iron Deficiency Status Irrespective of Anemia: A Predictor of Unfavorable Outcome in Chronic Heart Failure Patients. <i>Cardiology</i> , 2014, 128, 320-326.   | 0.6 | 40        |
| 1742 | Role of Hemostatic Factors on the Risk of Venous Thrombosis in People With Impaired Kidney Function. <i>Circulation</i> , 2014, 129, 683-691.  | 1.6 | 46        |
| 1743 | Mercury exposure and omega-3 fatty acid intake in relation to renal function in the US population. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 465-472.  | 2.1 | 10        |
| 1744 | Body Mass Index and Mortality in Acutely Decompensated Heart Failure Across the World. <i>Journal of the American College of Cardiology</i> , 2014, 63, 778-785.   | 1.2 | 213       |
| 1745 | Family History of Myocardial Infarction Increases Risk of Renal Dysfunction in Middle Age. <i>American Journal of Nephrology</i> , 2014, 39, 85-91.  | 1.4 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1746 | Hyperglycemia and Mortality Among Patients With Coronary Artery Disease. <i>Diabetes Care</i> , 2014, 37, 546-554.  | 4.3 | 39        |
| 1747 | Collaborative Hypertension Case Management by Registered Nurses and Clinical Pharmacy Specialists within the Patient Aligned Care Teams (PACT) Model. <i>Journal of General Internal Medicine</i> , 2014, 29, 675-681.  | 1.3 | 17        |
| 1748 | Tc-99m Hydroxymethylene Diphosphonate (HMDP) Renal Uptake as a Surrogate Marker of Postoperative Impairment of the Glomerular Filtration Rate in Renal Tumor Patients Following Nephron-Sparing Surgery. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 262-271. | 0.6 | 1         |
| 1749 | Calibration and precision of serum creatinine and plasma cystatin C measurement: impact on the estimation of glomerular filtration rate. <i>Journal of Nephrology</i> , 2014, 27, 467-475.  | 0.9 | 71        |
| 1750 | KNOW-KT (KoreaN cohort study for outcome in patients with kidney transplantation: a 9-year) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582  | 0.8 | 20        |
| 1751 | Impact of renal dysfunction on long-term outcomes of elderly patients with acute coronary syndrome: a longitudinal, prospective observational study. <i>BMC Nephrology</i> , 2014, 15, 78.  | 0.8 | 16        |
| 1752 | KNOW-CKD (KoreaN cohort study for Outcome in patients With Chronic Kidney Disease): design and methods. <i>BMC Nephrology</i> , 2014, 15, 80.   | 0.8 | 156       |
| 1753 | Medication safety and chronic kidney disease in older adults prescribed metformin: a cross-sectional analysis. <i>BMC Nephrology</i> , 2014, 15, 86.  | 0.8 | 10        |
| 1754 | Acute insulin resistance in ST-segment elevation myocardial infarction in non-diabetic patients is associated with incomplete myocardial reperfusion and impaired coronary microcirculatory function. <i>Cardiovascular Diabetology</i> , 2014, 13, 73.                     | 2.7 | 37        |
| 1755 | Spironolactone to prevent cardiovascular events in early-stage chronic kidney disease (STOP-CKD): study protocol for a randomized controlled pilot trial. <i>Trials</i> , 2014, 15, 158.  | 0.7 | 9         |
| 1756 | Renal Function of Participants in the Bangkok Tenofovir Study--Thailand, 2005-2012. <i>Clinical Infectious Diseases</i> , 2014, 59, 716-724.  | 2.9 | 58        |
| 1757 | Poor Glycemic Control Is a Major Factor in the Overestimation of Glomerular Filtration Rate in Diabetic Patients. <i>Diabetes Care</i> , 2014, 37, 596-603.   | 4.3 | 31        |
| 1758 | Contrastâ€induced Acute Kidney Injury: Time for a Step Backward. <i>Academic Emergency Medicine</i> , 2014, 21, 701-703.   | 0.8 | 6         |
| 1759 | Sequence Variation in Vitamin K Epoxide Reductase Gene Is Associated With Survival and Progressive Coronary Calcification in Chronic Kidney Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1591-1596.                                       | 1.1 | 11        |
| 1760 | Evaluation of Warfarin Dose Requirements in Patients with Chronic Kidney Disease and Endâ€Stage Renal Disease. <i>Pharmacotherapy</i> , 2014, 34, 695-702.   | 1.2 | 12        |
| 1761 | The revised Lund-MalmÃ GFR estimating equation outperforms MDRD and CKD-EPI across GFR, age and BMI intervals in a large Swedish population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 815-24.   | 1.4 | 144       |
| 1762 | Multicentre prospective validation of a urinary peptidome-based classifier for the diagnosis of type 2 diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1563-1570.  | 0.4 | 106       |
| 1763 | Generation of a New Cystatin Câ€Based Estimating Equation for Glomerular Filtration Rate by Use of 7 Assays Standardized to the International Calibrator. <i>Clinical Chemistry</i> , 2014, 60, 974-986.   | 1.5 | 248       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1764 | Proliferative Glomerulonephritis With Monoclonal Immunoglobulin Deposits in a Kidney Allograft. <i>American Journal of Kidney Diseases</i> , 2014, 63, 318-323.   | 2.1 | 12        |
| 1765 | Risk Factors for Retransplant Kidney Recipients: Relisting and Outcomes From Patients'™ Primary Transplant. <i>American Journal of Transplantation</i> , 2014, 14, 1356-1367.   | 2.6 | 51        |
| 1766 | Cardiovascular function and prognosis of patients with heart failure coexistent with chronic obstructive pulmonary disease. <i>Journal of Cardiology</i> , 2014, 64, 256-264.   | 0.8 | 60        |
| 1767 | Five comorbidities reflected the health status in patients with chronic obstructive pulmonary disease: the newly developed COMCOLD index. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 904-911.                                  | 2.4 | 72        |
| 1768 | Effect of Preoperative Renal Insufficiency on Postoperative Outcomes after Pancreatic Resection: A Single Institution Experience of 1,061 Consecutive Patients. <i>Journal of the American College of Surgeons</i> , 2014, 218, 92-101. | 0.2 | 39        |
| 1769 | Chronic kidney disease in older people with intellectual disability: Results of the HA-ID study. <i>Research in Developmental Disabilities</i> , 2014, 35, 726-732.   | 1.2 | 19        |
| 1770 | Acute and long term mineral metabolism adaptation in living kidney donors: A prospective study. <i>Bone</i> , 2014, 62, 36-42.  | 1.4 | 20        |
| 1771 | Arterial compliance across the spectrum of ankle-brachial index: The multiethnic study of atherosclerosis. <i>Atherosclerosis</i> , 2014, 233, 691-696.   | 0.4 | 13        |
| 1772 | The effects of hyperuricaemia on flow-mediated and nitroglycerin-mediated dilatation in high-risk patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 1012-1019.   | 1.1 | 8         |
| 1773 | Impaired Renal Function in Stroke Patients with Atrial Fibrillation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 1225-1228.   | 0.7 | 5         |
| 1774 | Comparative Effectiveness of Clopidogrel in Medically Managed Patients With Unstable Angina and Non-â€“ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2249-2257.          | 1.2 | 27        |
| 1775 | Application of the Statistical Process Control Method for Prospective Patient Safety Monitoring During the Learning Phase: Robotic Kidney Transplantation with Regional Hypothermia (IDEAL Phase) <i>Tj ETQq1 1 0.784314 rgeBT /Ove</i> | 0.9 | 8         |
| 1776 | Safety aspects of gadofosveset in clinical practice â€“ analysis of acute and long-term complications. <i>Magnetic Resonance Imaging</i> , 2014, 32, 570-573.   | 1.0 | 7         |
| 1777 | Chronic kidney disease and associated mortality after liver transplantation â€“ A time-dependent analysis using measured glomerular filtration rate. <i>Journal of Hepatology</i> , 2014, 61, 286-292.                                  | 1.8 | 141       |
| 1778 | Comparison of glomerular filtration rates calculated by different serum cystatin C-based equations in patients with chronic kidney disease. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 45-51.                             | 0.9 | 3         |
| 1779 | Performance of Creatinine-Based GFR Estimating Equations in Solid-Organ Transplant Recipients. <i>American Journal of Kidney Diseases</i> , 2014, 63, 1007-1018.  | 2.1 | 103       |
| 1780 | Anesthetic Technique and Acute Kidney Injury in Endovascular Abdominal Aortic Aneurysm Repair. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 572-578.  | 0.6 | 12        |
| 1781 | GFR Estimation: From Physiology to Public Health. <i>American Journal of Kidney Diseases</i> , 2014, 63, 820-834.   | 2.1 | 427       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1782 | Pre-Capillary Pulmonary Hypertension and Right Ventricular Dilation Predict Clinical Outcome in Cardiac Resynchronization Therapy. <i>JACC: Heart Failure</i> , 2014, 2, 230-237.  | 1.9 | 20        |
| 1783 | Cardiac autonomic neuropathy predicts renal function decline in patients with type 2 diabetes: a cohort study. <i>Diabetologia</i> , 2014, 57, 1249-1256.  | 2.9 | 60        |
| 1784 | Association of body burden of mercury with liver function test status in the U.S. population. <i>Environment International</i> , 2014, 70, 88-94.  | 4.8 | 18        |
| 1785 | ACR Appropriateness Criteria® on Renal Failure. <i>American Journal of Medicine</i> , 2014, 127, 1041-1048.e1.   | 0.6 | 40        |
| 1786 | Resuscitation Preferences in Community Patients With Heart Failure. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 353-359.  | 0.9 | 29        |
| 1787 | Impact of Trimetazidine on Incidence of Myocardial Injury and Contrast-Induced Nephropathy in Diabetic Patients With Renal Dysfunction Undergoing Elective Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2014, 114, 389-394. | 0.7 | 30        |
| 1788 | Prediction of cardiovascular events in pre-dialysis chronic kidney disease patients with normal SPECT myocardial perfusion imaging. <i>Journal of Cardiology</i> , 2014, 63, 154-158.  | 0.8 | 9         |
| 1789 | 30-Day Hospital Readmission after Robotic Partial Nephrectomy—Are We Prepared for Medicare Readmission Reduction Program?. <i>Journal of Urology</i> , 2014, 192, 677-681.   | 0.2 | 24        |
| 1790 | Classical Indications Are Useful for Initiating Continuous Renal Replacement Therapy in Critically Ill Patients. <i>Tohoku Journal of Experimental Medicine</i> , 2014, 233, 233-241.  | 0.5 | 3         |
| 1791 | Predicting the Glomerular Filtration Rate in Bariatric Surgery Patients. <i>American Journal of Nephrology</i> , 2014, 39, 8-15.   | 1.4 | 77        |
| 1792 | Change in prevalence of chronic kidney disease in England over time: comparison of nationally representative cross-sectional surveys from 2003 to 2010. <i>BMJ Open</i> , 2014, 4, e005480-e005480.  | 0.8 | 55        |
| 1793 | Renal dysfunction in patients with cirrhosis: Where do we stand?. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2014, 5, 156.   | 0.6 | 14        |
| 1794 | Impact of cardiopulmonary bypass on acute kidney injury following coronary artery bypass grafting: a matched pair analysis. <i>Journal of Cardiothoracic Surgery</i> , 2014, 9, 20.  | 0.4 | 32        |
| 1795 | Patients with Cardiorenal Syndrome Revealed Increased Neurohormonal Activity, Tubular and Myocardial Damage Compared to Heart Failure Patients with Preserved Renal Function. <i>CardioRenal Medicine</i> , 2014, 4, 257-268.                              | 0.7 | 18        |
| 1796 | High-Sensitivity Cardiac Troponin T Predicts Non-Cardiac Mortality in Heart Failure. <i>Circulation Journal</i> , 2014, 78, 890-895.   | 0.7 | 33        |
| 1797 | Mesangioproliferative Glomerulonephritis: A 30-Year Prognosis Study. <i>Nephron Extra</i> , 2014, 4, 26-32.  | 1.1 | 4         |
| 1798 | Estimation of Physical Functional Disabilities and Long-term Care Needs for Patients Under Maintenance Hemodialysis. <i>Medical Care</i> , 2014, 52, 63-70.  | 1.1 | 26        |
| 1799 | A Single-Center Cohort Study to Define the Role of Pretransplant Biopsy Score in the Long-term Outcome of Kidney Transplantation. <i>Transplantation</i> , 2014, 97, 934-939.  | 0.5 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1800 | Changes in renal function associated with oral emtricitabine/tenofovir disoproxil fumarate use for HIV pre-exposure prophylaxis. <i>Aids</i> , 2014, 28, 851-859.   | 1.0 | 123       |
| 1802 | Adefovir- or Lamivudine-Induced Renal Tubular Dysfunction after Liver Transplantation. <i>Medicine (United States)</i> , 2015, 94, e1569.   | 0.4 | 2         |
| 1803 | HIV-Related Medical Admissions to a South African District Hospital Remain Frequent Despite Effective Antiretroviral Therapy Scale-Up. <i>Medicine (United States)</i> , 2015, 94, e2269.   | 0.4 | 60        |
| 1804 | Contraindicated medications administered to inpatients with renal insufficiency in a Saudi Arabian hospital that has a computerized clinical decision support system. <i>Journal of Taibah University Medical Sciences</i> , 2015, 10, 320-326. | 0.5 | 5         |
| 1805 | Transcatheter aortic valve implantation in patients with pre-existing chronic kidney disease. <i>IJC Heart and Vasculature</i> , 2015, 8, 9-18.   | 0.6 | 10        |
| 1806 | Everolimus for subependymal giant cell astrocytoma: 5-year final analysis. <i>Annals of Neurology</i> , 2015, 78, 929-938.  | 2.8 | 130       |
| 1807 | An open-label, phase 1 study to evaluate the effects of hepatic impairment on edoxaban pharmacokinetics and pharmacodynamics. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 1395-1405.  | 1.0 | 47        |
| 1808 | Obstructive Sleep Apnea Using WatchPAT 200 Is Independently Associated With an Increase in Morning Blood Pressure Surge in Never-Treated Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2015, 17, 675-681.                    | 1.0 | 16        |
| 1809 | The prognostic value of arterial blood gas analysis in high-risk acute heart failure patients: an analysis of the Korean Heart Failure (KorHF) registry. <i>European Journal of Heart Failure</i> , 2015, 17, 601-611.                          | 2.9 | 40        |
| 1810 | Ipsilateral renal function preservation after robot-assisted partial nephrectomy (RAPN): an objective analysis using mercaptoacetyl triglycine (MAG3) renal scan data and volumetric assessment. <i>BJU International</i> , 2015, 115, 787-795. | 1.3 | 55        |
| 1811 | Impact of Peripheral Artery Disease on Prognosis in Hospitalized Heart Failure Patients. <i>Circulation Journal</i> , 2015, 79, 785-793.  | 0.7 | 27        |
| 1812 | Embedded Catheters: Minimizing Excessive Embedment Time and Futile Placement While Maintaining Procedure Benefits. <i>Peritoneal Dialysis International</i> , 2015, 35, 545-551.  | 1.1 | 10        |
| 1813 | The Optimal Cut-off Value of Plasma BNP to Differentiate Heart Failure in the Emergency Department in Japanese Patients with Dyspnea. <i>Internal Medicine</i> , 2015, 54, 2975-2980.   | 0.3 | 9         |
| 1814 | Trends in Timing of Dialysis Initiation within Versus Outside the Department of Veterans Affairs. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1418-1427.   | 2.2 | 22        |
| 1815 | Long-Term Prognostic Impact of Contrast-Enhanced Ultrasound and Power Doppler in Renal Transplantation. <i>Transplantation Proceedings</i> , 2015, 47, 2139-2141.   | 0.3 | 17        |
| 1816 | Analysis of Clinical Factors for the Determination of Optimal Serum Level of Thyrotropin After Recombinant Human Thyroid-Stimulating Hormone Administration. <i>Nuclear Medicine and Molecular Imaging</i> , 2015, 49, 268-275.                 | 0.6 | 9         |
| 1817 | Remote ischemic preconditioning for prevention of contrast-medium-induced nephropathy: (RenoProtection-trial). <i>Journal of Indian College of Cardiology</i> , 2015, 5, 297-304.   | 0.1 | 0         |
| 1818 | Quantification of excretory renal function and urinary protein excretion by determination of body cell mass using bioimpedance analysis. <i>BMC Nephrology</i> , 2015, 16, 174.   | 0.8 | 10        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1819 | Strong Impact of Smoking on Multimorbidity and Cardiovascular Risk Among Human Immunodeficiency Virus-Infected Individuals in Comparison With the General Population. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv108.   | 0.4 | 38        |
| 1820 | PREventing Delayed Graft Function by Driving Immunosuppressive Induction Treatment (PREDICT-DGF): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 282.   | 0.7 | 8         |
| 1821 | Effect of canagliflozin, a sodium glucose co-transporter 2 inhibitor, on C-peptide kinetics. <i>Clinical Pharmacology in Drug Development</i> , 2015, 4, 12-17.  | 0.8 | 6         |
| 1822 | Clinical presentation and outcome by age categories in acute heart failure: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2015, 17, 1114-1123.  | 2.9 | 49        |
| 1823 | Renal Function and Bone Loss in a Cohort of Afro-Caribbean Men. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 2215-2220.   | 3.1 | 12        |
| 1824 | Incidence, prognostic impact, and optimal definition of contrast-induced acute kidney injury in consecutive patients with stable or unstable coronary artery disease undergoing percutaneous coronary intervention. insights from the all-comer PRODIGY trial. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, E19-27. | 0.7 | 30        |
| 1825 | Uncontrolled hypertension by the 2014 evidence-based guideline. <i>Journal of Hypertension</i> , 2015, 33, 644-652.  | 0.3 | 23        |
| 1826 | Estimated glomerular filtration rate leads to higher drug dose recommendations in the elderly compared with creatinine clearance. <i>International Journal of Clinical Practice</i> , 2015, 69, 313-320.   | 0.8 | 18        |
| 1827 | Comparison of different vascular risk engines in the identification of type 2 diabetes patients with high cardiovascular risk. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 121.  | 0.7 | 7         |
| 1828 | Altered myocardial response in patients with diabetic retinopathy: an exercise echocardiography study. <i>Cardiovascular Diabetology</i> , 2015, 14, 123.  | 2.7 | 15        |
| 1829 | Association of circulating angiogenesis inhibitors and asymmetric dimethyl arginine with coronary plaque burden. <i>Fibrogenesis and Tissue Repair</i> , 2015, 8, 13.  | 3.4 | 9         |
| 1830 | Interferon Gamma ELISPOT Testing as a Risk-Stratifying Biomarker for Kidney Transplant Injury: Results From the CTOT-01 Multicenter Study. <i>American Journal of Transplantation</i> , 2015, 15, 3166-3173.   | 2.6 | 68        |
| 1831 | Effect of 4 years subcutaneous insulin infusion treatment on albuminuria, kidney function and HbA <sub>1c</sub> compared with multiple daily injections: a longitudinal follow-up study. <i>Diabetic Medicine</i> , 2015, 32, 1445-1452.   | 1.2 | 26        |
| 1832 | Comparative impact of continent and incontinent urinary diversion on long-term renal function after radical cystectomy in patients with preoperative chronic kidney disease 2 and chronic kidney disease 3a. <i>International Journal of Urology</i> , 2015, 22, 651-656.  | 0.5 | 33        |
| 1833 | Comparison of postoperative estimated glomerular filtration rate between kidney donors and radical nephrectomy patients, and risk factors for postoperative chronic kidney disease. <i>International Journal of Urology</i> , 2015, 22, 674-678.   | 0.5 | 13        |
| 1834 | Red cell distribution width and carotid atherosclerosis progression The TromsÅ Study. <i>Thrombosis and Haemostasis</i> , 2015, 113, 649-654.  | 1.8 | 28        |
| 1835 | UK Renal Registry 17th Annual Report: Chapter 1 UK Renal Replacement Therapy Incidence in 2013: National and Centre-specific Analyses. <i>Nephron</i> , 2015, 129, 1-29.   | 0.9 | 51        |
| 1836 | Outcomes of Pancreas Retransplantation After Simultaneous Kidney-Pancreas Transplantation Are Comparable to Pancreas After Kidney Transplantation Alone. <i>Transplantation</i> , 2015, 99, 623-628.   | 0.5 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1837 | Assessment of aminoglycoside dosing and estimated glomerular filtration rate in determining gentamicin and tobramycin area under the curve and clearance. <i>Internal Medicine Journal</i> , 2015, 45, 319-329.                                   | 0.5 | 9         |
| 1838 | Carotid flow velocity/diameter ratio is a predictor of cardiovascular events in hypertensive patients. <i>Journal of Hypertension</i> , 2015, 33, 2054-2060.  | 0.3 | 15        |
| 1839 | Preprocedure and Postprocedure Predictive Values of Serum Î²2-Microglobulin for Contrast-Induced Nephropathy in Patients Undergoing Coronary Computed Tomography Angiography. <i>Journal of Computer Assisted Tomography</i> , 2015, 39, 969-974. | 0.5 | 16        |
| 1840 | N-terminal pro-C-type natriuretic peptide in serum associated with bone destruction in patients with multiple myeloma. <i>Biomarkers in Medicine</i> , 2015, 9, 679-689.  | 0.6 | 6         |
| 1841 | Progressive decline in tacrolimus clearance after renal transplantation is partially explained by decreasing CYP3A4 activity and increasing haematocrit. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 548-559.                     | 1.1 | 48        |
| 1842 | Plasma citrulline after small bowel transplantation: effect of time from transplantation, acute cellular rejection, and renal failure. <i>Clinical Transplantation</i> , 2015, 29, 1039-1046.   | 0.8 | 12        |
| 1843 | The Effect of Mammalian Target of Rapamycin Versus Calcineurin Inhibitorâ€‘based Immunosuppression on Measured Versus Estimated Glomerular Filtration Rate After Orthotopic Liver Transplantation. <i>Transplantation</i> , 2015, 99, 1250-1256.  | 0.5 | 11        |
| 1844 | Durability of smallâ€‘forâ€‘size living donor allografts. <i>Liver Transplantation</i> , 2015, 21, 1374-1382.   | 1.3 | 9         |
| 1845 | Heart rateâ€‘corrected <sc>QT</sc> interval prolongation as a prognostic marker for 3â€‘year survival in people with Type 2 diabetes undergoing aboveâ€‘ankle amputation. <i>Diabetic Medicine</i> , 2015, 32, 679-685.                           | 1.2 | 11        |
| 1846 | Impact of renal insufficiency on patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 192-198.  | 1.4 | 4         |
| 1847 | Nitric Oxide Dysregulation in Patients With Heart Failure. <i>Psychosomatic Medicine</i> , 2015, 77, 292-302.   | 1.3 | 23        |
| 1848 | Nonâ€‘Chemotherapyâ€‘Induced Agranulocytosis Detected by a Prospective Pharmacovigilance Program in a Tertiary Hospital. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 117, 399-408.  | 1.2 | 8         |
| 1849 | Longâ€‘term renal function in unilateral nonâ€‘syndromic renal tumor survivors treated according to International Society of Pediatric Oncology protocols. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1637-1644.                               | 0.8 | 24        |
| 1850 | Renal Response in Patients with Chronic Kidney Disease Predicts Outcome Following Cardiac Resynchronization Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1192-1200.   | 0.5 | 13        |
| 1851 | Angiotensin receptor blockers are not associated with reduced inflammatory markers in the general population. <i>Journal of Hypertension</i> , 2015, 33, 2173-2178.   | 0.3 | 4         |
| 1852 | Renal Dosing in High-Risk Populations. <i>Journal of Infusion Nursing</i> , 2015, 38, 210-215.  | 1.2 | 2         |
| 1853 | Early acute kidney injury in military casualties. <i>Journal of Trauma and Acute Care Surgery</i> , 2015, 78, 988-993.  | 1.1 | 42        |
| 1855 | Serum Total Bilirubin Levels Provide Additive Risk Information over the Framingham Risk Score for Identifying Asymptomatic Diabetic Patients at Higher Risk for Coronary Artery Stenosis. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 414. | 1.8 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1856 | Equal Production and Increased Leukocyte Mitochondrial DNA in Postmenopausal Women. Korean Journal of Health Promotion, 2015, 15, 108.   | 0.1 | 0         |
| 1858 | Impact of Graft Kidney Volume and Weight on Graft Function in Living Donor Kidney Transplantation. The Journal of the Korean Society for Transplantation, 2015, 29, 209.   | 0.2 | 1         |
| 1859 | Utilization of Dabigatran for Atrial Fibrillation at 3 Tertiary Care Centres. Canadian Journal of Hospital Pharmacy, 2015, 68, 369-77.   | 0.1 | 3         |
| 1860 | Levels of Circulating Microparticles in Patients with Chronic Cardiorenal Disease. Journal of Atherosclerosis and Thrombosis, 2015, 22, 247-256.   | 0.9 | 19        |
| 1861 | Uremic Retention Solute Indoxyl Sulfate Level Is Associated with Prolonged QTc Interval in Early CKD Patients. PLoS ONE, 2015, 10, e0119545.   | 1.1 | 34        |
| 1862 | Serum Levels of Monocyte Chemoattractant Protein-1 and All-Cause and Cardiovascular Mortality among Patients with Coronary Artery Disease. PLoS ONE, 2015, 10, e0120633.   | 1.1 | 24        |
| 1863 | Risk of Severe Non AIDS Events Is Increased among Patients Unable to Increase their CD4+ T-Cell Counts >200/ $\mu$ l Despite Effective HAART. PLoS ONE, 2015, 10, e0124741.  | 1.1 | 36        |
| 1864 | Individualizing Pharmacotherapy in Patients with Renal Impairment: The Validity of the Modification of Diet in Renal Disease Formula in Specific Patient Populations with a Glomerular Filtration Rate below 60 ml/min. A Systematic Review. PLoS ONE, 2015, 10, e0116403. | 1.1 | 10        |
| 1865 | Outcomes of Predialysis Nephrology Care in Elderly Patients Beginning to Undergo Dialysis. PLoS ONE, 2015, 10, e0128715.   | 1.1 | 21        |
| 1866 | Comparison of Various Equations for Estimating GFR in Malawi: How to Determine Renal Function in Resource Limited Settings?. PLoS ONE, 2015, 10, e0130453.   | 1.1 | 18        |
| 1867 | Antigen-Specific versus Non-Antigen-Specific Immunoabsorption in ABO-Incompatible Renal Transplantation. PLoS ONE, 2015, 10, e0131465.   | 1.1 | 13        |
| 1868 | Epidemiology of CKD Regression in Patients under Nephrology Care. PLoS ONE, 2015, 10, e0140138.  | 1.1 | 27        |
| 1869 | Abdominal Adipose Tissue was Associated with Glomerular Hyperfiltration among Non-Diabetic and Normotensive Adults with a Normal Body Mass Index. PLoS ONE, 2015, 10, e0141364.  | 1.1 | 14        |
| 1870 | Vitamin D deficiency is independently associated with mortality among critically ill patients. Clinics, 2015, 70, 326-332.   | 0.6 | 40        |
| 1871 | The Impact of Vitamin D3 Supplementation on Mechanisms of Cell Calcium Signaling in Chronic Kidney Disease. BioMed Research International, 2015, 2015, 1-12.   | 0.9 | 4         |
| 1872 | Clinical Implications of Increased Nogo-B Levels in Patients With Acute Coronary Syndromes and Stable Angina Pectoris. International Heart Journal, 2015, 56, 341-344.   | 0.5 | 9         |
| 1873 | Determination du débit de filtration glomérulaire (DFG) au cours du diabète : Cockcroft et Gault, MDRD ou CKD-EPI ?. International Journal of Biological and Chemical Sciences, 2015, 9, 825.  | 0.1 | 1         |
| 1874 | Sexual networks, HIV, race and bacterial vaginosis. Aids, 2015, 29, 641-642.   | 1.0 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1875 | Impact of High Loading Dose of Atorvastatin in Diabetic Patients with Renal Dysfunction Undergoing Elective Percutaneous Coronary Intervention: A Randomized Controlled Trial. <i>Cardiovascular Therapeutics</i> , 2015, 33, 35-41.                                     | 1.1 | 23        |
| 1876 | Association of Hypocalcemia With Mortality in Hospitalized Patients With Heart Failure and Chronic Kidney Disease. <i>Journal of Cardiac Failure</i> , 2015, 21, 621-627.  | 0.7 | 48        |
| 1877 | Steady-state pharmacokinetics of metformin is independent of the OCT1 genotype in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 691-697.  | 0.8 | 50        |
| 1878 | Dendritic Cells in Kidney Transplant Biopsy Samples Are Associated with T Cell Infiltration and Poor Allograft Survival. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 3102-3113.   | 3.0 | 28        |
| 1879 | Assessment of different detection methods of chronic kidney disease and their importance for an early diagnosis. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2015, 23, 223-229.   | 0.8 | 1         |
| 1880 | A health record integrated clinical decision support system to support prescriptions of pharmaceutical drugs in patients with reduced renal function: Design, development and proof of concept. <i>International Journal of Medical Informatics</i> , 2015, 84, 387-395. | 1.6 | 31        |
| 1881 | Assessment of kidney function in adults. <i>Medicine</i> , 2015, 43, 368-373.  | 0.2 | 5         |
| 1882 | Procalcitonin as an Early Predictor of Contrast-Induced Acute Kidney Injury in Patients With Acute Coronary Syndromes Who Underwent Percutaneous Coronary Intervention. <i>Angiology</i> , 2015, 66, 957-963.  | 0.8 | 41        |
| 1883 | Vascular Calcification in Patients with Nondialysis CKD over 3 Years. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 654-666.  | 2.2 | 139       |
| 1884 | Serum YKL-40: a new independent prognostic marker for skeletal complications in patients with multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015, 56, 2650-2659.  | 0.6 | 17        |
| 1885 | A personalized follow-up of kidney transplant recipients using video conferencing based on a 1-year scoring system predictive of long term graft failure (TELEGRAFT study): protocol for a randomized controlled trial. <i>BMC Nephrology</i> , 2015, 16, 6.             | 0.8 | 21        |
| 1886 | Donor caveolin 1 (CAV1) genetic polymorphism influences graft function after renal transplantation. <i>Fibrogenesis and Tissue Repair</i> , 2015, 8, 8.  | 3.4 | 10        |
| 1887 | Accelerated diagnostic protocol using high-sensitivity cardiac troponin T in acute chest pain patients. <i>International Journal of Cardiology</i> , 2015, 184, 208-215.   | 0.8 | 46        |
| 1888 | Determinants of Utility Based on the EuroQol Five-Dimensional Questionnaire in Patients with Chronic Heart Failure and Their Change Over Time: Results from the Swedish Heart Failure Registry. <i>Value in Health</i> , 2015, 18, 439-448.                              | 0.1 | 23        |
| 1889 | Use of an autologous leucocyte and platelet-rich fibrin patch on hard-to-heal DFUs: a pilot study. <i>Journal of Wound Care</i> , 2015, 24, 172-178.   | 0.5 | 36        |
| 1890 | A comparative study of serum aminotransferases in chronic kidney disease with and without end-stage renal disease: Need for new reference ranges. <i>International Journal of Applied &amp; Basic Medical Research</i> , 2015, 5, 31.                                    | 0.2 | 57        |
| 1891 | The Plasma Osteoprotegerin Level and Osteoprotegerin Expression in Renal Biopsy Tissue are Increased in Type 2 Diabetes with Nephropathy. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 106-111.  | 0.6 | 7         |
| 1892 | Anemia, Blood Transfusion Requirements and Mortality Risk in Human Immunodeficiency Virus-Infected Adults Requiring Acute Medical Admission to Hospital in South Africa. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv173.  | 0.4 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1893 | Association Between Atrial Fibrillation and Costs After Myocardial Infarction: A Community Study. <i>Clinical Cardiology</i> , 2015, 38, 548-554.   | 0.7 | 3         |
| 1894 | Pharmacokinetics of the dual melatonin receptor agonist tasimelteon in subjects with hepatic or renal impairment. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 525-533.  | 1.0 | 11        |
| 1895 | Fluctuation of the renal function after discharge from hospital and its effects on drug dosing in elderly patients – study protocol. <i>BMC Nephrology</i> , 2015, 16, 95.  | 0.8 | 4         |
| 1896 | Randomized Clinical Trial of Sodium Polystyrene Sulfonate for the Treatment of Mild Hyperkalemia in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 2136-2142.  | 2.2 | 124       |
| 1897 | Vorticity is a marker of right ventricular diastolic dysfunction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H1087-H1093.  | 1.5 | 50        |
| 1898 | Leukocyte Telomere Length and Risks of Incident Coronary Heart Disease and Mortality in a Racially Diverse Population of Postmenopausal Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2225-2231.             | 1.1 | 53        |
| 1899 | Activities of Daily Living and Outcomes in Heart Failure. <i>Circulation: Heart Failure</i> , 2015, 8, 261-267.   | 1.6 | 126       |
| 1900 | Care in the Last Year of Life for Community Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2015, 8, 489-496.  | 1.6 | 28        |
| 1901 | Association Between Contrast Media Volume – Glomerular Filtration Rate Ratio and Contrast-Induced Acute Kidney Injury After Primary Percutaneous Coronary Intervention. <i>Angiology</i> , 2015, 66, 519-524.                               | 0.8 | 35        |
| 1902 | NGAL and other markers of inflammation as competitive or complementary markers for depressive symptom dimensions in heart failure. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 536-541.                                       | 1.3 | 11        |
| 1903 | The 2014 Atrial Fibrillation Guidelines Companion: A Practical Approach to the Use of the Canadian Cardiovascular Society Guidelines. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1207-1218.  | 0.8 | 43        |
| 1904 | Integrative investigation of Semen Strychni nephrotoxicity and the protective effect of Radix Glycyrrhizae by a UPLC-MS/MS method based cell metabolomics strategy in HEK 293t cell lysates. <i>RSC Advances</i> , 2015, 5, 59591-59602.    | 1.7 | 16        |
| 1905 | Clinical Characteristics and Risk Factor Analysis for Lower-Extremity Amputations in Diabetic Patients With Foot Ulcer Complicated by Necrotizing Fasciitis. <i>Medicine (United States)</i> , 2015, 94, e1957.                             | 0.4 | 24        |
| 1906 | Urinary Cyclophilin A as a New Marker for Diabetic Nephropathy. <i>Medicine (United States)</i> , 2015, 94, e1802.  | 0.4 | 27        |
| 1907 | Association of Periodontitis With Urinary Albumin Excretion in Korean Adults With Diabetes. <i>Medicine (United States)</i> , 2015, 94, e1839.  | 0.4 | 17        |
| 1908 | Efficacy and Safety of Liraglutide Versus Placebo as Add-on to Glucose-Lowering Therapy in Patients With Type 2 Diabetes and Moderate Renal Impairment (LIRA-RENAL): A Randomized Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 222-230. | 4.3 | 158       |
| 1909 | Use of renal risk drugs in patients with renal impairment. <i>International Journal of Clinical Pharmacy</i> , 2015, 37, 1136-1142.   | 1.0 | 22        |
| 1910 | Effectiveness of a low contrast load CT angiography protocol in octogenarians and nonagenarians being evaluated for transcatheter aortic valve replacement. <i>Clinical Imaging</i> , 2015, 39, 815-819.                                    | 0.8 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1911 | Impact of atrial fibrillation type during acute coronary syndromes: Clinical features and prognosis. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 403-410.  | 0.2 | 5         |
| 1912 | Evidence of Mild Liver Dysfunction Identifies Stable Heart Failure Outpatients with Reversible Renal Dysfunction. <i>CardioRenal Medicine</i> , 2015, 5, 229-236.   | 0.7 | 0         |
| 1913 | Anemia on Admission Predicts Short- and Long-Term Outcomes in Patients with Acute Ischemic Stroke. <i>International Journal of Stroke</i> , 2015, 10, 224-230.  | 2.9 | 63        |
| 1914 | The Impact of Extended Warm Ischemia Time on Late Renal Function After Robotic Partial Nephrectomy. <i>Journal of Endourology</i> , 2015, 29, 444-448.  | 1.1 | 37        |
| 1915 | Retinal Nerve Fiber Layer Loss Is Associated with Urinary Albumin Excretion in Patients with Type 2 Diabetes. <i>Ophthalmology</i> , 2015, 122, 976-981.  | 2.5 | 34        |
| 1916 | Antithrombotic Strategies and Outcomes in Acute Coronary Syndrome With Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2015, 115, 1042-1048.   | 0.7 | 6         |
| 1917 | Soluble urokinase plasminogen activator receptor is a valuable biomarker in systemic lupus erythematosus?. <i>Clinica Chimica Acta</i> , 2015, 444, 234-241.  | 0.5 | 27        |
| 1918 | Tetrahydrobiopterin lowers muscle sympathetic nerve activity and improves augmentation index in patients with chronic kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 308, R208-R218. | 0.9 | 24        |
| 1919 | Incremental prognostic value of kidney function decline over coronary artery disease for cardiovascular event prediction after coronary computed tomography. <i>Kidney International</i> , 2015, 88, 152-159.   | 2.6 | 18        |
| 1920 | Association of IL-6 and a Functional Polymorphism in the IL-6 Gene with Cardiovascular Events in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 232-240.   | 2.2 | 64        |
| 1922 | Possible Detrimental Effects of Clamping Main Versus Segmental Renal Arteries for the Achievement of Renal Global Ischemia During Robot-Assisted Partial Nephrectomy. <i>Journal of Endourology</i> , 2015, 29, 785-790.                                | 1.1 | 8         |
| 1923 | Short-term Effects of Tolvaptan in Individuals With Autosomal Dominant Polycystic Kidney Disease at Various Levels of Kidney Function. <i>American Journal of Kidney Diseases</i> , 2015, 65, 833-841.  | 2.1 | 68        |
| 1924 | Salvage surgery after energy ablation for renal masses. <i>BJU International</i> , 2015, 115, 74-80.  | 1.3 | 24        |
| 1925 | Factors Associated with Prolonged Anesthesia Recovery Following Laparoscopic Bariatric Surgery: a Retrospective Analysis. <i>Obesity Surgery</i> , 2015, 25, 1024-1030.   | 1.1 | 35        |
| 1926 | Association of circulating sclerostin with vascular calcification in Afro-Caribbean men. <i>Atherosclerosis</i> , 2015, 239, 218-223.   | 0.4 | 23        |
| 1927 | Blood Conservation in Extracorporeal Membrane Oxygenation for Acute Respiratory Distress Syndrome. <i>Annals of Thoracic Surgery</i> , 2015, 99, 590-595.   | 0.7 | 130       |
| 1928 | Addition of Vancomycin to Cefazolin Prophylaxis Is Associated With Acute Kidney Injury After Primary Joint Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 2197-2203.  | 0.7 | 88        |
| 1929 | Low-Dose RATG with or without Basiliximab in Renal Transplantation: A Matched-Cohort Observational Study. <i>American Journal of Nephrology</i> , 2015, 41, 16-27.  | 1.4 | 4         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1930 | Comparison of different equations to assess glomerular filtration in critically ill patients. <i>Intensive Care Medicine</i> , 2015, 41, 427-435.   | 3.9 | 98        |
| 1931 | Induction therapy: clinical and quality of life outcomes in aged renal transplant recipients. <i>Clinical Transplantation</i> , 2015, 29, 222-226.  | 0.8 | 6         |
| 1932 | Localization of APOL1 Protein and mRNA in the Human Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 339-348.   | 3.0 | 113       |
| 1933 | Digoxin and Risk of Death in Adults With Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 49-58.  | 2.1 | 70        |
| 1934 | Protease Inhibitors and Renal Function in Patients with HIV Infection: a Systematic Review. <i>Infectious Diseases and Therapy</i> , 2015, 4, 15-50.  | 1.8 | 30        |
| 1935 | Cyclic Variation in Heart Rate Score by Holter Electrocardiogram as Screening for Sleep-Disordered Breathing in Subjects With Heart Failure. <i>Respiratory Care</i> , 2015, 60, 72-80.         | 0.8 | 13        |
| 1936 | Comparison of estimated GFR and measured GFR in prospective living kidney donors. <i>International Urology and Nephrology</i> , 2015, 47, 201-208.  | 0.6 | 16        |
| 1937 | Epidemiology of Hypertension in CKD. <i>Advances in Chronic Kidney Disease</i> , 2015, 22, 88-95.   | 0.6 | 118       |
| 1938 | Serum Uric Acid and Impaired Glucose Tolerance: The Cardiometabolic Risk in Chinese (CRC) Study. <i>Cell Biochemistry and Biophysics</i> , 2015, 73, 155-162.                                   | 0.9 | 14        |
| 1939 | Kidney-Brain Link in Traumatic Brain Injury Patients? A preliminary report. <i>Neurocritical Care</i> , 2015, 22, 192-201.  | 1.2 | 36        |
| 1940 | Timeliness in chronic kidney disease and albuminuria identification: a retrospective cohort study. <i>BMC Family Practice</i> , 2015, 16, 18.   | 2.9 | 20        |
| 1941 | Evaluation of Kidney Function and Structure in Potential Living Kidney Donors: Implications for the Donor and Recipient. <i>Current Transplantation Reports</i> , 2015, 2, 15-21.               | 0.9 | 5         |
| 1942 | Prognostic Comparison of Different Sensitivity Cardiac Troponin Assays in Stable Heart Failure. <i>American Journal of Medicine</i> , 2015, 128, 276-282.                                       | 0.6 | 37        |
| 1943 | Is there an age cutoff to apply adult formulas for GFR estimation in children?. <i>Journal of Nephrology</i> , 2015, 28, 59-66.   | 0.9 | 12        |
| 1944 | Glomerular Filtration Rate and Albuminuria for Detection and Staging of Acute and Chronic Kidney Disease in Adults. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 837. | 3.8 | 431       |
| 1945 | Structured clinical follow-up for CKD stage 5 may safely postpone dialysis. <i>Journal of Nephrology</i> , 2015, 28, 463-469.   | 0.9 | 9         |
| 1946 | Impact of renal function on survival after transcatheter aortic valve implantation (TAVI): an analysis of the UK TAVI registry. <i>Heart</i> , 2015, 101, 546-552.                              | 1.2 | 84        |
| 1947 | Evaluation of renal function in the elderly, not as easy as it seems: a review. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 397-401.  | 1.4 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1948 | All-cause mortality and estimated renal function in type 2 diabetes mellitus outpatients: Is there a relationship with the equation used?. <i>Diabetes and Vascular Disease Research</i> , 2015, 12, 46-52.                       | 0.9 | 11        |
| 1949 | Target-specific oral anticoagulants and the hospitalist. <i>Hospital Practice (1995)</i> , 2015, 43, 1-12.  | 0.5 | 1         |
| 1950 | Chronic Pain and Analgesic Use in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 435-442.  | 2.2 | 43        |
| 1951 | Declining Estimated Glomerular Filtration Rate and Its Association with Mortality and Comorbidity Over 10 Years in Elderly Women. <i>Nephron</i> , 2015, 130, 245-255.  | 0.9 | 45        |
| 1952 | Renin-Angiotensin System Antagonists in Patients Without Left Ventricular Dysfunction After Percutaneous Intervention for ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015, 116, 508-514. | 0.7 | 8         |
| 1953 | GFR in Patients with $\beta$ -Thalassemia Major. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1350-1356.  | 2.2 | 8         |
| 1954 | Pharmacokinetics of Vancomycin in Extremely Obese Patients with Suspected or Confirmed <i>Staphylococcus aureus</i> Infections. <i>Pharmacotherapy</i> , 2015, 35, 127-139.   | 1.2 | 79        |
| 1955 | Hyperbaric oxygen therapy reduces the risk of QTc interval prolongation in patients with diabetes and hard-to-heal foot ulcers. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1198-1202.                           | 1.2 | 5         |
| 1956 | Self-reported Medication Adherence and Adverse Patient Safety Events in CKD. <i>American Journal of Kidney Diseases</i> , 2015, 66, 621-629.  | 2.1 | 44        |
| 1957 | Metabolic Profile and Cardiovascular Risk in a Population of Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2015, 47, 985-988.   | 0.3 | 5         |
| 1958 | High pulse pressure is not associated with abnormal activation of the renin-angiotensin-aldosterone system in repaired aortic coarctation. <i>Journal of Human Hypertension</i> , 2015, 29, 268-273.                              | 1.0 | 10        |
| 1959 | Discrepant elevation of sIL-2R levels in sarcoidosis patients with renal insufficiency. <i>European Respiratory Journal</i> , 2015, 46, 277-280.  | 3.1 | 12        |
| 1960 | Blood urea nitrogen to creatinine ratio is associated with congestion and mortality in heart failure patients with renal dysfunction. <i>Internal and Emergency Medicine</i> , 2015, 10, 965-972.                                 | 1.0 | 33        |
| 1961 | A randomized trial of intravenous and oral iron in chronic kidney disease. <i>Kidney International</i> , 2015, 88, 905-914.   | 2.6 | 152       |
| 1962 | Acute Kidney Injury and Long-term Risk of Cardiovascular Events After Cardiac Surgery: A Population-Based Cohort Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 617-625.                             | 0.6 | 64        |
| 1963 | Impact of cardiovascular risk factors on severity of peripheral artery disease. <i>Atherosclerosis</i> , 2015, 242, 97-101.   | 0.4 | 15        |
| 1964 | Severe Jaundice Increases Early Severe Morbidity and Decreases Long-Term Survival after Pancreaticoduodenectomy for Pancreatic Adenocarcinoma. <i>Journal of the American College of Surgeons</i> , 2015, 221, 380-389.           | 0.2 | 97        |
| 1965 | Biomarkers of rapid chronic kidney disease progression in type 2 diabetes. <i>Kidney International</i> , 2015, 88, 888-896.   | 2.6 | 124       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1966 | Functional MRI detects perfusion impairment in renal allografts with delayed graft function. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F1444-F1451.  | 1.3 | 38        |
| 1967 | Warm Ischemia-Related Postoperative Renal Dysfunction in Elective Laparoscopic Partial Nephrectomy Recovers During Intermediate-Term Follow-Up. <i>Journal of Endourology</i> , 2015, 29, 1083-1090.   | 1.1 | 7         |
| 1968 | Neutrophil-to-lymphocyte ratio as an independent predictor of left main and/or three-vessel disease in patients with non-ST-segment elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 331-335.                         | 0.3 | 10        |
| 1969 | Prioritization of Patients for Comprehensive Medication Review By a Clinical Pharmacist in Family Medicine. <i>Journal of the American Board of Family Medicine</i> , 2015, 28, 418-424.   | 0.8 | 19        |
| 1970 | Oxidative stress contributes to muscle atrophy in chronic kidney disease patients. <i>Redox Report</i> , 2015, 20, 126-132.  | 1.4 | 20        |
| 1971 | Effects of Hydration and Calcium Supplementation on Urine Calcium Concentration in Healthy Postmenopausal Women. <i>Journal of the American College of Nutrition</i> , 2015, 34, 340-346.  | 1.1 | 8         |
| 1972 | Chronic kidney disease and recurrent falls in nursing home residents: A retrospective cohort study. <i>Geriatric Nursing</i> , 2015, 36, 136-141.  | 0.9 | 10        |
| 1973 | Differential Impact of Bypass Surgery and Angioplasty on Angiosome-Targeted Infrapopliteal Revascularization. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 49, 412-419.  | 0.8 | 62        |
| 1974 | The Benefit of Revascularization in Nonagenarians with Lower Limb Ischemia is Limited by High Mortality. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 49, 420-425.   | 0.8 | 37        |
| 1975 | Dynamic changes in sRAGE levels and relationship with cardiac function in STEMI patients. <i>Clinical Biochemistry</i> , 2015, 48, 297-301.  | 0.8 | 16        |
| 1976 | Sleep-Disordered Breathing in Patients with Polycystic Liver and Kidney Disease Referred for Transcatheter Arterial Embolization. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 949-956.  | 2.2 | 3         |
| 1978 | Brincidofovir for Polyomavirus-Associated Nephropathy After Allogeneic Hematopoietic Stem Cell Transplantation. <i>American Journal of Kidney Diseases</i> , 2015, 65, 780-784.  | 2.1 | 48        |
| 1979 | Time-dependent changes of plasma adiponectin concentration in relation to coronary microcirculatory function in patients with acute myocardial infarction treated by primary percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2015, 65, 208-215. | 0.8 | 14        |
| 1980 | Prevalence and outcomes of non-ST-segment elevation myocardial infarction resulting from stent thrombosis. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 204-207.   | 0.3 | 3         |
| 1981 | Ethnic/racial determinants of glycemc markers in a UK sample. <i>Acta Diabetologica</i> , 2015, 52, 687-692.   | 1.2 | 16        |
| 1982 | Relationship between dyslipidemia and albuminuria in prediabetic adults: The Korea National Health and Nutrition Examination Survey 2011-2012. <i>Endocrine</i> , 2015, 48, 557-565.   | 1.1 | 12        |
| 1983 | Optimal cutoffs for low skeletal muscle mass related to cardiovascular risk in adults: The Korea National Health and Nutrition Examination Survey 2009-2010. <i>Endocrine</i> , 2015, 50, 424-433.   | 1.1 | 37        |
| 1984 | Investigation of the relationship between low environmental exposure to metals and bone mineral density, bone resorption and renal function. <i>International Journal of Hygiene and Environmental Health</i> , 2015, 218, 444-451.                                | 2.1 | 33        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1985 | State level variations in nephrology workforce and timing and incidence of dialysis in the United States among children and adults: a retrospective cohort study. <i>BMC Nephrology</i> , 2015, 16, 2.   | 0.8 | 16        |
| 1986 | Variability in estimated glomerular filtration rate values is a risk factor in chronic kidney disease progression among patients with diabetes. <i>BMC Nephrology</i> , 2015, 16, 34.  | 0.8 | 28        |
| 1987 | Associations Between Biomarkers of Renal Function With Cerebral Microbleeds in Hypertensive Patients. <i>American Journal of Hypertension</i> , 2015, 28, 739-745.   | 1.0 | 24        |
| 1988 | Burnt sugarcane harvesting is associated with acute renal dysfunction. <i>Kidney International</i> , 2015, 87, 792-799.  | 2.6 | 97        |
| 1989 | Design and methods of the NiCK study: neurocognitive assessment and magnetic resonance imaging analysis of children and young adults with chronic kidney disease. <i>BMC Nephrology</i> , 2015, 16, 66.  | 0.8 | 14        |
| 1990 | Misdiagnosis of Myocardial Infarction Related to Limitations of the Current Regulatory Approach to Define Clinical Decision Values for Cardiac Troponin. <i>Circulation</i> , 2015, 131, 2032-2040.  | 1.6 | 111       |
| 1991 | Influence of Renal Function Estimation on Pharmacokinetic Modeling of Vancomycin in Elderly Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 2986-2994.  | 1.4 | 20        |
| 1992 | Impact of fractional phosphate excretion on the relation of FGF23 with outcome in CKD patients. <i>Journal of Nephrology</i> , 2015, 28, 477-484.  | 0.9 | 14        |
| 1993 | Long-Term Renal Functional Outcomes after Primary Gastrocystoplasty. <i>Journal of Urology</i> , 2015, 193, 2079-2085.   | 0.2 | 15        |
| 1994 | Utility of a novel inflammatory marker, GlycA, for assessment of rheumatoid arthritis disease activity and coronary atherosclerosis. <i>Arthritis Research and Therapy</i> , 2015, 17, 117.  | 1.6 | 59        |
| 1995 | Effect and Tolerability of Agalsidase Alfa in Patients with Fabry Disease Who Were Treatment Naïve or Formerly Treated with Agalsidase Beta or Agalsidase Alfa. <i>JIMD Reports</i> , 2015, 23, 7-15.  | 0.7 | 13        |
| 1996 | Biomarkers in chronic kidney disease, from kidney function to kidney damage. <i>World Journal of Nephrology</i> , 2015, 4, 57.   | 0.8 | 237       |
| 1997 | How does weight influence tenofovir disoproxil-fumarate induced renal function decline?. <i>Aids</i> , 2015, 29, 643-645.  | 1.0 | 2         |
| 1998 | Reply to "How does weight influence tenofovir disoproxil-fumarate induced renal function decline?". <i>Aids</i> , 2015, 29, 645-647.   | 1.0 | 0         |
| 1999 | Bayesian Analysis of Glomerular Filtration Rate Trajectories in Kidney Transplant Recipients. <i>Transplantation</i> , 2015, 99, 533-539.  | 0.5 | 8         |
| 2000 | Impact of Automated Reporting of Estimated Glomerular Filtration Rate in the Veterans Health Administration. <i>Medical Care</i> , 2015, 53, 177-183.  | 1.1 | 9         |
| 2001 | Reply to "Sexual networks, HIV, race and bacterial vaginosis". <i>Aids</i> , 2015, 29, 642-643.  | 1.0 | 0         |
| 2002 | A disproportionate elevation in right ventricular filling pressure, in relation to left ventricular filling pressure, is associated with renal impairment and increased mortality in advanced decompensated heart failure. <i>American Heart Journal</i> , 2015, 169, 806-812. | 1.2 | 44        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2003 | Elvitegravir/Cobicistat/Emtricitabine/Tenofovir DF in HIV-Infected Patients With Mild-to-Moderate Renal Impairment. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 68, 310-313.  | 0.9 | 12        |
| 2004 | Acute Coronary Syndromes in the Community. <i>Mayo Clinic Proceedings</i> , 2015, 90, 597-605.   | 1.4 | 13        |
| 2005 | Defining normality in a European multinational cohort: Critical factors influencing the 99th percentile upper reference limit for high sensitivity cardiac troponin I. <i>International Journal of Cardiology</i> , 2015, 187, 256-263.                            | 0.8 | 41        |
| 2006 | One-hour Rule-in and Rule-out of Acute Myocardial Infarction Using High-sensitivity Cardiac Troponin I. <i>American Journal of Medicine</i> , 2015, 128, 861-870.e4.   | 0.6 | 174       |
| 2007 | Association of Spontaneous Bleeding and Myocardial Infarction With Long-Term Mortality After Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1411-1420.   | 1.2 | 101       |
| 2008 | Clinical Decision Making in a Patient with Stage 5 CKD—Is eGFR Good Enough?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 2065-2072.   | 2.2 | 16        |
| 2009 | Shear wave elastography in chronic kidney disease: a pilot experience in native kidneys. <i>BMC Nephrology</i> , 2015, 16, 119.  | 0.8 | 96        |
| 2010 | Usefulness of Nutraceuticals (Armolipid Plus) Versus Ezetimibe and Combination in Statin-Intolerant Patients With Dyslipidemia With Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2015, 116, 1798-1801.  | 0.7 | 40        |
| 2011 | Cystatin C as a potential predictor of osteoprotegerin levels in healthy men, a cross-sectional, observational study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 227.  | 0.8 | 7         |
| 2012 | Pharmacokinetics and Tolerability of Intravenous Sildenafil in Two Subjects with Child—Turcotte—Pugh Class C Cirrhosis and Renal Dysfunction. <i>Digestive Diseases and Sciences</i> , 2015, 60, 3491-3494.  | 1.1 | 1         |
| 2013 | Estimating GFR in Adult Patients with Hematopoietic Cell Transplant. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 601-610.   | 2.2 | 34        |
| 2014 | Prevalence and determinants of chronic kidney disease in rural and urban Cameroonians: a cross-sectional study. <i>BMC Nephrology</i> , 2015, 16, 117.   | 0.8 | 55        |
| 2015 | Non—immunoglobulin A mesangial immune complex glomerulonephritis in kidney transplants. <i>Human Pathology</i> , 2015, 46, 1521-1528.  | 1.1 | 7         |
| 2016 | KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. <i>American Journal of Kidney Diseases</i> , 2015, 66, 884-930.  | 2.1 | 822       |
| 2017 | Effect of Metformin on Renal Function After Primary Percutaneous Coronary Intervention in Patients Without Diabetes Presenting with ST-elevation Myocardial Infarction: Data from the GIPS-III Trial. <i>Cardiovascular Drugs and Therapy</i> , 2015, 29, 451-459. | 1.3 | 18        |
| 2018 | Avoidance of polypharmacy and excessive blood pressure control is associated with improved renal function in older patients. <i>Renal Failure</i> , 2015, 37, 961-965.   | 0.8 | 5         |
| 2019 | Epidemiological profile of patients with end stage renal disease in a referral hospital in Cameroon. <i>BMC Nephrology</i> , 2015, 16, 59.   | 0.8 | 75        |
| 2020 | The 99mTc-DTPA Urinary Clearance Method May Be Preferable to the Plasma Disappearance Method for Assessing Glomerular Filtration Rate in Diabetic Nephropathy. <i>Nephron Clinical Practice</i> , 2015, 128, 367-372.  | 2.3 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2021 | Diagnostic and prognostic value of autoantibodies antiapolipoprotein A1 and anti-phosphorylcholine in acute non-ST elevation myocardial infarction. <i>European Journal of Clinical Investigation</i> , 2015, 45, 369-379.   | 1.7 | 10        |
| 2022 | Expression of hypoxia-inducible factor-1 $\alpha$ and hepatocyte growth factor in development of fibrosis in the transplanted kidney. <i>Transplant International</i> , 2015, 28, 180-190.   | 0.8 | 14        |
| 2023 | Vitamin D analogue therapy, cardiovascular risk and kidney function in people with Type 1 diabetes mellitus and diabetic nephropathy: a randomized trial. <i>Diabetic Medicine</i> , 2015, 32, 374-381.  | 1.2 | 35        |
| 2024 | Multicenter experience using simeprevir and sofosbuvir with or without ribavirin to treat hepatitis C genotype 1 in patients with cirrhosis. <i>Hepatology</i> , 2015, 62, 1004-1012.  | 3.6 | 54        |
| 2025 | Impact of atrial fibrillation type during acute coronary syndromes: Clinical features and prognosis. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 403-410.   | 0.2 | 20        |
| 2026 | Case-Control Study and Case Series of Pseudohyperphosphatemia during Exposure to Liposomal Amphotericin B. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 6816-6823.   | 1.4 | 7         |
| 2027 | Grazoprevir plus elbasvir in treatment-naïve and treatment-experienced patients with hepatitis C virus genotype 1 infection and stage 4-5 chronic kidney disease (the C-SURFER study): a combination phase 3 study. <i>Lancet</i> , 2015, 386, 1537-1545.  | 6.3 | 625       |
| 2029 | Association of C-reactive protein, tumor necrosis factor-alpha, and interleukin-6 with chronic kidney disease. <i>BMC Nephrology</i> , 2015, 16, 77.   | 0.8 | 106       |
| 2030 | Validation of two prediction models of undiagnosed chronic kidney disease in mixed-ancestry South Africans. <i>BMC Nephrology</i> , 2015, 16, 94.  | 0.8 | 13        |
| 2031 | Relationship of hyperuricemia with mortality in heart failure patients with preserved ejection fraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H1123-H1129.  | 1.5 | 43        |
| 2032 | Three-year incidence of elevated albuminuria and associated factors in a population-based cohort: The Taichung Community Health Study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 788-797.   | 0.8 | 6         |
| 2033 | von Willebrand activation factor as a marker of mortality, cardiovascular events, and bleeding complications in patients treated with oral anticoagulants. <i>Thrombosis Research</i> , 2015, 136, 878-882.  | 0.8 | 3         |
| 2034 | Consequences of high-sensitivity troponin T testing applied in a primary care population with chest pain compared with a commercially available point-of-care troponin T analysis: an observational prospective study. <i>BMC Research Notes</i> , 2015, 8, 210.   | 0.6 | 17        |
| 2035 | Prevalence and risk factors of chronic kidney disease in urban adult Cameroonians according to three common estimators of the glomerular filtration rate: a cross-sectional study. <i>BMC Nephrology</i> , 2015, 16, 96.   | 0.8 | 37        |
| 2036 | Central obesity is an independent risk factor for microalbuminuria in both the general Korean women and nondiabetic nonhypertensive subpopulation: Association of microalbuminuria and metabolic syndrome from the Korea National Health and Nutrition Examination Survey 2011-2012. <i>Clinica Chimica Acta</i> , 2015, 448, 74-79. | 0.5 | 3         |
| 2037 | Development and validation of electronic surveillance tool for acute kidney injury: A retrospective analysis. <i>Journal of Critical Care</i> , 2015, 30, 988-993.   | 1.0 | 63        |
| 2038 | Usefulness of the Logistic Clinical Syntax Score in Prediction of Saphenous Vein Graft Failure in Patients Undergoing Coronary Artery Bypass Grafting. <i>Angiology</i> , 2015, 66, 714-720.   | 0.8 | 5         |
| 2039 | Acute Kidney Injury With Tobramycin-Impregnated Bone Cement Spacers in Prosthetic Joint Infections. <i>Annals of Pharmacotherapy</i> , 2015, 49, 1207-1213.  | 0.9 | 42        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2040 | Evaluation of Renal Blood Flow and Oxygenation in CKD Using Magnetic Resonance Imaging. <i>American Journal of Kidney Diseases</i> , 2015, 66, 402-411.  | 2.1 | 63        |
| 2041 | Outcomes of Renal Transplantation in Patients With Alport Syndrome. <i>Transplantation Proceedings</i> , 2015, 47, 1377-1381.  | 0.3 | 10        |
| 2042 | Potential Impact of Prescribing Metformin According to eGFR Rather Than Serum Creatinine. <i>Diabetes Care</i> , 2015, 38, 2059-2067.  | 4.3 | 18        |
| 2043 | Morning hypertension and night non-dipping in patients with diabetes and chronic kidney disease. <i>Hypertension Research</i> , 2015, 38, 889-894.   | 1.5 | 19        |
| 2044 | Tissue transcriptome-driven identification of epidermal growth factor as a chronic kidney disease biomarker. <i>Science Translational Medicine</i> , 2015, 7, 316ra193.  | 5.8 | 304       |
| 2045 | Prognostic significance of changes in red cell distribution width in an internal medicine ward. <i>European Journal of Internal Medicine</i> , 2015, 26, 616-622.  | 1.0 | 14        |
| 2046 | Estimated glomerular filtration rate by serum cystatin C correlates with cardiometabolic parameters in patients with primary hyperparathyroidism. <i>European Journal of Endocrinology</i> , 2015, 173, 441-446. | 1.9 | 10        |
| 2047 | Glomerular filtration rate (GFR) during and after STEMI: a single-centre, methodological study comparing estimated and measured GFR. <i>BMJ Open</i> , 2015, 5, e007835.   | 0.8 | 5         |
| 2048 | <i>ABCB1</i> gene variants, digoxin and risk of sudden cardiac death in a general population. <i>Heart</i> , 2015, 101, 1973-1979.   | 1.2 | 16        |
| 2049 | Renal impairment in patients with chronic hepatitis C treated with first generation protease inhibitors. <i>Expert Opinion on Drug Safety</i> , 2015, 14, 1815-1825.   | 1.0 | 2         |
| 2050 | APOL1 genetic variants, chronic kidney diseases and hypertension in mixed ancestry South Africans. <i>BMC Genetics</i> , 2015, 16, 69.   | 2.7 | 14        |
| 2051 | Short and long-term effects of continuous versus intermittent loop diuretics treatment in acute heart failure with renal dysfunction. <i>Internal and Emergency Medicine</i> , 2015, 10, 41-49.                  | 1.0 | 15        |
| 2052 | Clinical characteristics and complications of patients with type 2 diabetes attending an urban hospital in Bangladesh. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2015, 9, 7-13.    | 1.8 | 41        |
| 2053 | Neutrophil Gelatinase-Associated Lipocalin as a Biomarker of Renal Impairment in Patients With Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 35-40.                               | 0.2 | 8         |
| 2054 | Pharmacokinetics of doripenem during high volume hemodiafiltration in patients with septic shock. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 438-446.   | 1.0 | 6         |
| 2055 | Elimination of Ascorbic Acid After High-Dose Infusion in Prostate Cancer Patients: A Pharmacokinetic Evaluation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 343-348.                     | 1.2 | 53        |
| 2056 | Blood Pressure and Risk of All-Cause Mortality in Advanced Chronic Kidney Disease and Hemodialysis. <i>Hypertension</i> , 2015, 65, 93-100.  | 1.3 | 122       |
| 2057 | Effect of albumin in cirrhotic patients with infection other than spontaneous bacterial peritonitis. A randomized trial. <i>Journal of Hepatology</i> , 2015, 62, 822-830.                                       | 1.8 | 156       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2059 | Basophil count, a marker for disease activity in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2015, 34, 891-896.   | 1.0 | 16        |
| 2061 | Effect of chronic kidney disease on A1C in individuals being screened for diabetes. <i>Primary Care Diabetes</i> , 2015, 9, 142-146.   | 0.9 | 7         |
| 2062 | Canadian Society of Nephrology Commentary on the KDIGO Clinical Practice Guideline for CKD Evaluation and Management. <i>American Journal of Kidney Diseases</i> , 2015, 65, 177-205.  | 2.1 | 98        |
| 2063 | Two-hour Algorithm for Triage Toward Rule-out and Rule-in of Acute Myocardial Infarction Using High-sensitivity Cardiac Troponin T. <i>American Journal of Medicine</i> , 2015, 128, 369-379.e4.                                       | 0.6 | 121       |
| 2064 | Metabolic syndrome definitions and components in predicting major adverse cardiovascular events after kidney transplantation. <i>Transplant International</i> , 2015, 28, 79-88.   | 0.8 | 20        |
| 2065 | Association of hemoglobin levels with blood pressure and hypertension in a large population-based study: the Korea National Health and Nutrition Examination Surveys 2008-2011. <i>Clinica Chimica Acta</i> , 2015, 438, 12-18.        | 0.5 | 23        |
| 2066 | Urinary angiotensinogen as a potential biomarker of intrarenal renin-angiotensin system activity in Chinese chronic kidney disease patients. <i>Irish Journal of Medical Science</i> , 2015, 184, 297-304.                             | 0.8 | 8         |
| 2067 | Effect of Pentoxifylline on Renal Function and Urinary Albumin Excretion in Patients with Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 220-229.                                     | 3.0 | 432       |
| 2069 | Bone Density Is Directly Associated With Glomerular Filtration and Metabolic Acidosis but Do Not Predict Fragility Fractures in Men With Moderate Chronic Kidney Disease. <i>Journal of Clinical Densitometry</i> , 2016, 19, 146-153. | 0.5 | 9         |
| 2070 | Renal evaluation in patients with type 2 diabetes mellitus and its association with diastolic blood pressure. <i>Medical Journal of Indonesia</i> , 2016, 25, 25-32.   | 0.2 | 0         |
| 2071 | Effect of Right Heart Systolic Function on Outcomes in Patients with Constrictive Pericarditis Undergoing Pericardiectomy. <i>Chinese Medical Journal</i> , 2016, 129, 154-161.  | 0.9 | 9         |
| 2072 | Vitamin D (25 (OH) D ) in patients with chronic kidney disease stages 2-5. <i>Colombia Medica</i> , 2016, , 160-166.   | 0.7 | 14        |
| 2073 | Early detection of diabetic kidney disease: Present limitations and future perspectives. <i>World Journal of Diabetes</i> , 2016, 7, 290.  | 1.3 | 48        |
| 2074 | Effects of the availability of new oral anticoagulants in patients with non-valvular atrial fibrillation in the real world: the NAIF study. <i>Italian Journal of Medicine</i> , 2016, 10, .   | 0.2 | 0         |
| 2075 | The impact of HIV infection on blood leukocyte responsiveness to bacterial stimulation in asymptomatic patients and patients with bloodstream infection. <i>Journal of the International AIDS Society</i> , 2016, 19, 20759.           | 1.2 | 5         |
| 2076 | Evaluation of creatinine-based and cystatin C-based equations for estimation of glomerular filtration rate in type 1 diabetic patients. <i>Archives of Endocrinology and Metabolism</i> , 2016, 60, 108-116.                           | 0.3 | 5         |
| 2077 | Functional and oncologic outcomes after nephron-sparing surgery in a solitary kidney: 10 years of experience. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016, 42, 253-261.              | 0.7 | 5         |
| 2078 | Associated Complex of Urine Creatinine, Serum Creatinine, and Chronic Kidney Disease. <i>Epidemiology (Sunnyvale, Calif)</i> , 2016, 06, .   | 0.3 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2079 | The Influence of Prebiotic Arabinoxylan Oligosaccharides on Microbiota Derived Uremic Retention Solutes in Patients with Chronic Kidney Disease: A Randomized Controlled Trial. PLoS ONE, 2016, 11, e0153893.                               | 1.1 | 74        |
| 2080 | Comparison of CCR, Cockcroft-Gault and Mdrd Formula for the Estimation of Glomerular Filtration Rate. Journal of Bangladesh College of Physicians & Surgeons, 2016, 33, 207-212.  | 0.0 | 0         |
| 2081 | Association of Plasma Semaphorin 3A With Phenotypes of Diabetic Retinopathy and Nephropathy. , 2016, 57, 2983.  |     | 22        |
| 2082 | Comparing Results of Five Glomerular Filtration Rate-Estimating Equations in the Korean General Population: MDRD Study, Revised Lund-MalmÅr, and Three CKD-EPI Equations. Annals of Laboratory Medicine, 2016, 36, 521-528.                 | 1.2 | 22        |
| 2083 | Risk Factors for the Development and Progression of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus and Advanced Diabetic Retinopathy. Diabetes and Metabolism Journal, 2016, 40, 473.                                    | 1.8 | 28        |
| 2084 | Cystatin C Levels in Middle-Aged Patients with Obstructive Sleep Apnea Syndrome. Pulmonary Medicine, 2016, 2016, 1-8.   | 0.5 | 20        |
| 2085 | Assessment of the RIFLE criteria for the diagnosis of Acute Kidney Injury; a retrospective study in South-Western Ghana. BMC Nephrology, 2016, 17, 99.  | 0.8 | 6         |
| 2086 | A more accurate method acquirement by a comparison of the prediction equations for estimating glomerular filtration rate in Chinese patients with obstructive nephropathy. BMC Nephrology, 2016, 17, 150.                                   | 0.8 | 6         |
| 2087 | The influence of body composition on renal function in patients with coronary artery disease and its prognostic significance: a retrospective cohort study. Cardiovascular Diabetology, 2016, 15, 106.                                      | 2.7 | 9         |
| 2088 | UK Renal Registry 18th Annual Report: Chapter 1 UK Renal Replacement Therapy Incidence in 2014: National and Centre-specific Analyses. Nephron, 2016, 132, 9-40.  | 0.9 | 36        |
| 2089 | The Impact of Renal Dysfunction on the Long Term Clinical Outcomes of Diabetic Patients Undergoing Percutaneous Coronary Intervention in the Drug-Eluting Stent Era. PLoS ONE, 2016, 11, e0141846.  | 1.1 | 4         |
| 2090 | Exome Sequencing and Prediction of Long-Term Kidney Allograft Function. PLoS Computational Biology, 2016, 12, e1005088.   | 1.5 | 52        |
| 2091 | Kidney Function Decline and Apparent Treatment-Resistant Hypertension in the Elderly. PLoS ONE, 2016, 11, e0146056.   | 1.1 | 11        |
| 2092 | Neutrophil to Lymphocyte Ratio and Cardiovascular Disease Incidence in HIV-Infected Patients: A Population-Based Cohort Study. PLoS ONE, 2016, 11, e0154900.  | 1.1 | 14        |
| 2093 | Comorbid Depression and Heart Failure: A Community Cohort Study. PLoS ONE, 2016, 11, e0158570.  | 1.1 | 36        |
| 2094 | Remote Ischemic Preconditioning for the Prevention of Contrast-Induced Acute Kidney Injury in Diabetics Receiving Elective Percutaneous Coronary Intervention. PLoS ONE, 2016, 11, e0164256.  | 1.1 | 13        |
| 2095 | Association of Serum Osteoprotegerin Levels with Bone Loss in Chronic Kidney Disease: Insights from the KNOW-CKD Study. PLoS ONE, 2016, 11, e0166792.   | 1.1 | 18        |
| 2096 | Clinically Relevant Reactivation of Polyomavirus BK (BKPyV) in HLA-A02-Positive Renal Transplant Recipients Is Associated with Impaired Effector-Memory Differentiation of BKPyV-Specific CD8+ T Cells. PLoS Pathogens, 2016, 12, e1005903. | 2.1 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2097 | Critical role of tedizolid in the treatment of acute bacterial skin and skin structure infections. Drug Design, Development and Therapy, 2016, Volume11, 65-82.  | 2.0 | 18        |
| 2098 | Chronic kidney disease: identification and management in primary care. Journal of Pragmatic and Observational Research, 2016, Volume 7, 21-32.   | 1.1 | 88        |
| 2099 | The association of hematologic inflammatory markers with atherogenic index in type 2 diabetic retinopathy patients. Clinical Ophthalmology, 2016, Volume 10, 1797-1801.  | 0.9 | 20        |
| 2100 | Predictors of Relapse in Adult-Onset Nephrotic Minimal Change Disease. Medicine (United States), 2016, 95, e3179.  | 0.4 | 23        |
| 2101 | Glomerular Filtration Rate and Urine Albumin to Creatinine Ratio Associated With Hearing Impairment Among Korean Adults With Diabetes. Medicine (United States), 2016, 95, e3423.  | 0.4 | 11        |
| 2102 | A Single-Dose, Open-Label Study of the Pharmacokinetics, Safety, and Tolerability of Lisdexamfetamine Dimesylate in Individuals With Normal and Impaired Renal Function. Therapeutic Drug Monitoring, 2016, 38, 546-555.       | 1.0 | 7         |
| 2103 | A cross-sectional study of the effects of Î²-blocker therapy on the interpretation of the aldosterone/renin ratio. Journal of Hypertension, 2016, 34, 307-315.   | 0.3 | 13        |
| 2104 | Open-Label, Randomized Study of Transition From Tacrolimus to Sirolimus Immunosuppression in Renal Allograft Recipients. Transplantation Direct, 2016, 2, e69.   | 0.8 | 12        |
| 2105 | A Randomized Controlled Trial Comparing the Efficacy of Cyp3a5 Genotypeâ€Based With Bodyâ€Weightâ€Based Tacrolimus Dosing After Living Donor Kidney Transplantation. American Journal of Transplantation, 2016, 16, 2085-2096. | 2.6 | 129       |
| 2106 | Association of Increased Epicardial Adipose Tissue Thickness With Adverse Cardiovascular Outcomes in Patients With Atrial Fibrillation. Medicine (United States), 2016, 95, e2874.   | 0.4 | 40        |
| 2107 | Renal Drug Dosage Adjustment According to Estimated Creatinine Clearance in Hospitalized Patients With Heart Failure. American Journal of Therapeutics, 2016, 23, e1004-e1008.   | 0.5 | 11        |
| 2108 | Improved longâ€term survival and renal recovery after acute kidney injury in hospitalized patients: A 20â€%year experience. Nephrology, 2016, 21, 1027-1033.   | 0.7 | 18        |
| 2109 | A retrospective analysis of laparoscopic partial nephrectomy with segmental renal artery clamping and factors that predict postoperative renal function. BJU International, 2016, 118, 610-617.                                | 1.3 | 10        |
| 2110 | The independent predictors of nonâ€alcoholic steatohepatitis and its individual histological features.. Hepatology Research, 2016, 46, 1074-1087.  | 1.8 | 124       |
| 2111 | Creatinineâ€based equations for the adjustment of drug dosage in an obese population. British Journal of Clinical Pharmacology, 2016, 81, 349-361.   | 1.1 | 47        |
| 2112 | Pretransplant renal function according to <scp>CKD</scp>â€<scp>EPI</scp> cystatin C equation is a prognostic factor of death after liver transplantation. Liver International, 2016, 36, 547-554.                              | 1.9 | 22        |
| 2113 | Plasmapheresis therapy in <scp>ANCA</scp>â€associated vasculitides: A singleâ€center retrospective analysis of renal outcome and mortality. Journal of Clinical Apheresis, 2016, 31, 411-418.                                  | 0.7 | 13        |
| 2114 | Structured Exercise in Obese Diabetic Patients with Chronic Kidney Disease: A Randomized Controlled Trial. American Journal of Nephrology, 2016, 44, 54-62.  | 1.4 | 56        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2115 | The prognostic combined role of B-type natriuretic peptide, blood urea nitrogen and congestion signs persistence in patients with acute heart failure. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 818-827.   | 0.6 | 16        |
| 2116 | Acute Kidney Injury After Abdominal Surgery: Incidence, Risk Factors, and Outcome. <i>Anesthesia and Analgesia</i> , 2016, 122, 1912-1920.  | 1.1 | 83        |
| 2117 | Comparison of clinical efficacy and renal safety of telbivudine and entecavir in chronic hepatitis B patients receiving cytotoxic chemotherapy. <i>Journal of Digestive Diseases</i> , 2016, 17, 325-333.   | 0.7 | 2         |
| 2118 | Serum Calcification Propensity Is a Strong and Independent Determinant of Cardiac and All-Cause Mortality in Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2016, 16, 204-212.  | 2.6 | 74        |
| 2119 | Chronic kidney disease in European patients with obstructive sleep apnea: the ESADA cohort study. <i>Journal of Sleep Research</i> , 2016, 25, 739-745.   | 1.7 | 59        |
| 2120 | The J-Curve Phenomenon in Hypertension. <i>Pulse</i> , 2016, 4, 49-60.  | 0.9 | 1,020     |
| 2121 | Brincidofovir Is Not a Substrate for the Human Organic Anion Transporter 1: A Mechanistic Explanation for the Lack of Nephrotoxicity Observed in Clinical Studies. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 777-786.  | 1.0 | 58        |
| 2122 | Comparison of the Estimated Glomerular Filtration Rate (eGFR) in Diabetic Patients, Non-Diabetic Patients and Living Kidney Donors. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 40-47.  | 0.9 | 13        |
| 2123 | Systolic blood pressure values might further risk-stratify the adverse outcomes of LVH in older patients with chronic kidney disease. <i>Clinical Hypertension</i> , 2016, 22, 21.  | 0.7 | 2         |
| 2124 | Renal function estimation and Cockcroft-Gault formulas for predicting cardiovascular mortality in population-based, cardiovascular risk, heart failure and post-myocardial infarction cohorts: The Heart OMICS™ in AGEing (HOMAGE) and the high-risk myocardial infarction database initiatives. <i>BMC Medicine</i> , 2016, 14, 181. | 2.3 | 48        |
| 2125 | High-Normal Estimated Glomerular Filtration Rate in Early-Onset Preeclamptic Women 10 Years Postpartum. <i>Hypertension</i> , 2016, 68, 1407-1414.  | 1.3 | 8         |
| 2126 | Measurement of Exercise Tolerance before Surgery (METS) study: a protocol for an international multicentre prospective cohort study of cardiopulmonary exercise testing prior to major non-cardiac surgery. <i>BMJ Open</i> , 2016, 6, e010359.   | 0.8 | 50        |
| 2127 | Associations between the number of natural teeth and renal dysfunction. <i>Medicine (United States)</i> , 2016, 95, e4681.  | 0.4 | 12        |
| 2129 | The Kidney and Electrolytes Imbalances in Heart Failure. , 2016, , 549-571.   |     | 0         |
| 2130 | Internal or External Stenting of the Uterovesical Anastomosis in Renal Transplantation. <i>Urologia Internationalis</i> , 2016, 96, 152-156.  | 0.6 | 10        |
| 2131 | Genetic variants of PPAR-gamma coactivator 1B augment NLRP3-mediated inflammation in gouty arthritis. <i>Rheumatology</i> , 2017, 56, kew337.   | 0.9 | 15        |
| 2132 | Comparison of Risk Prediction With the CKD-EPI and MDRD Equations in Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Clinical Cardiology</i> , 2016, 39, 507-515.  | 0.7 | 17        |
| 2134 | Hypoadiponectinemia and the presence of metabolic syndrome in patients with chronic kidney disease: results from the KNOW-CKD study. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 75.   | 1.2 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2135 | Nonchemotherapy drug-induced agranulocytosis in children detected by a prospective pharmacovigilance program. <i>Pediatric Hematology and Oncology</i> , 2016, 33, 441-456.  | 0.3 | 8         |
| 2136 | Prevalence, awareness, and treatment of anemia in Chinese patients with nondialysis chronic kidney disease. <i>Medicine (United States)</i> , 2016, 95, e3872.   | 0.4 | 70        |
| 2137 | Gamma-glutamyl transferase predicts recurrences of atrial fibrillation after catheter ablation. <i>Acta Cardiologica</i> , 2016, 71, 205-210.  | 0.3 | 8         |
| 2138 | The importance of empiric antibiotic dosing in critically ill trauma patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 81, 1115-1121.  | 1.1 | 36        |
| 2139 | Long-term effects intensive medical therapy on the development and progression of subclinical atherosclerosis and the metabolic syndrome in Chinese patients with type 2 diabetes mellitus. <i>Medicine (United States)</i> , 2016, 95, e5201. | 0.4 | 6         |
| 2140 | Association of cystatin C proteoforms with estimated glomerular filtration rate. <i>Clinical Mass Spectrometry</i> , 2016, 1, 27-31.   | 1.9 | 5         |
| 2141 | Cholecalciferol <i>v</i>. ergocalciferol for 25-hydroxyvitamin D (25(OH)D) repletion in chronic kidney disease: a randomised clinical trial. <i>British Journal of Nutrition</i> , 2016, 116, 2074-2081.                                       | 1.2 | 22        |
| 2142 | Mendelian Randomisation study of the influence of eGFR on coronary heart disease. <i>Scientific Reports</i> , 2016, 6, 28514.  | 1.6 | 14        |
| 2143 | CSRR-based microwave sensor for noninvasive, continuous monitoring of renal function. , 2016, , .  |     | 5         |
| 2144 | The description of a method for accurately estimating creatinine clearance in acute kidney injury. <i>Mathematical Biosciences</i> , 2016, 275, 107-114.   | 0.9 | 6         |
| 2145 | Conservative management of chronic kidney disease stage 5: role of angiotensin converting enzyme inhibitors. <i>Journal of Nephrology</i> , 2016, 29, 809-815.   | 0.9 | 4         |
| 2146 | Measurement of epicardial fat thickness by transthoracic echocardiography for predicting high-risk coronary artery plaques. <i>Heart and Vessels</i> , 2016, 31, 1758-1766.  | 0.5 | 25        |
| 2147 | Biological Variation of Plasma and Urinary Markers of Acute Kidney Injury in Patients with Chronic Kidney Disease. <i>Clinical Chemistry</i> , 2016, 62, 876-883.  | 1.5 | 36        |
| 2148 | Incremental value of cystatin C over conventional renal metrics for predicting clinical response and outcomes in cardiac resynchronization therapy: The BIOCRT study. <i>International Journal of Cardiology</i> , 2016, 205, 43-49.           | 0.8 | 9         |
| 2149 | Development and validation of the Korean version of CKD-EPI equation to estimate glomerular filtration rate. <i>Clinical Biochemistry</i> , 2016, 49, 713-719.   | 0.8 | 30        |
| 2150 | Renal duplex ultrasound findings in fenestrated endovascular aortic repair for juxtarenal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2016, 63, 915-921.  | 0.6 | 14        |
| 2151 | Decision Making by Young Transplant Surgeons Regarding Expanded-Criteria Donors With Acute Kidney Injury or Allocation Failure. <i>Transplantation Proceedings</i> , 2016, 48, 695-700.  | 0.3 | 1         |
| 2152 | Changes in serum metabolites with the stage of chronic kidney disease: Comparison of diabetes and non-diabetes. <i>Clinica Chimica Acta</i> , 2016, 459, 123-131.  | 0.5 | 28        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2153 | Ertapenem-Induced Hallucinations and Delirium in an Elderly Patient. <i>The Consultant Pharmacist</i> , 2016, 31, 207-214.   | 0.4 | 19        |
| 2154 | Renal transplantation across the donor-specific antibody barrier: Graft outcome and cancer risk after desensitization therapy. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 426-433.                | 0.8 | 10        |
| 2155 | Maremar, prevalence of chronic kidney disease, how to avoid over-diagnosis and under-diagnosis. <i>Nephrologie Et Therapeutique</i> , 2016, 12, S57-S63.   | 0.2 | 12        |
| 2156 | Kidney Dysfunction Increases Mortality and Incident Events after Young Stroke: The FUTURE Study. <i>Cerebrovascular Diseases</i> , 2016, 42, 224-231.  | 0.8 | 15        |
| 2157 | Predictors for hospitalizations in elderly patients with clinical symptoms of heart failure: A 10-year observational primary healthcare study. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 53-59. | 0.7 | 4         |
| 2158 | The risk of death associated with proteinuria in heart failure is restricted to patients with an elevated blood urea nitrogen to creatinine ratio. <i>International Journal of Cardiology</i> , 2016, 215, 521-526.    | 0.8 | 17        |
| 2159 | Comparison Between CKD-EPI Creatinine and MDRD Equations to Estimate Glomerular Filtration Rate in Kidney Transplant Patients. <i>Transplantation Proceedings</i> , 2016, 48, 625-630.                                 | 0.3 | 10        |
| 2160 | Atherosclerotic Burden and Heart Failure After Myocardial Infarction. <i>JAMA Cardiology</i> , 2016, 1, 156.   | 3.0 | 51        |
| 2161 | Is the combination of trueness and precision in one expression meaningful? On the use of total error and uncertainty in clinical chemistry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1291-7.      | 1.4 | 16        |
| 2162 | Association between Serum Uric Acid and Mortality among Chinese Patients with Coronary Artery Disease. <i>Cardiology</i> , 2016, 134, 347-356.   | 0.6 | 11        |
| 2163 | Determination of high-sensitivity cardiac troponin I 99th percentile upper reference limits in a healthy Korean population. <i>Clinical Biochemistry</i> , 2016, 49, 756-761.  | 0.8 | 24        |
| 2164 | Commercial kidney transplantation is an important risk factor in long-term kidney allograft survival. <i>Kidney International</i> , 2016, 89, 1119-1124.   | 2.6 | 24        |
| 2165 | Renal sinus fat volume on computed tomography in middle-aged patients at risk for cardiovascular disease and its association with coronary artery calcification. <i>Atherosclerosis</i> , 2016, 246, 374-381.          | 0.4 | 12        |
| 2166 | Cystatin C standardization decreases assay variation and improves assessment of glomerular filtration rate. <i>Clinica Chimica Acta</i> , 2016, 456, 115-121.  | 0.5 | 36        |
| 2167 | Chronic Kidney Disease Linearly Predicts Outcomes After Elective Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 175-179.e2.  | 1.5 | 37        |
| 2168 | Mortality in Older Persons with Retinopathy and Concomitant Health Conditions. <i>Ophthalmology</i> , 2016, 123, 1570-1580.  | 2.5 | 12        |
| 2169 | Chronic kidney disease, hypertension, diabetes, and obesity in the adult population of Morocco: how to avoid "over" and "under" diagnosis of CKD. <i>Kidney International</i> , 2016, 89, 1363-1371.                   | 2.6 | 95        |
| 2170 | A Prospective Cohort Study of Mineral Metabolism After Kidney Transplantation. <i>Transplantation</i> , 2016, 100, 184-193.  | 0.5 | 110       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2171 | Hypersensitivity pneumonitis associated with azathioprine therapy in a patient with granulomatosis with polyangiitis. <i>Rheumatology International</i> , 2016, 36, 1027-1032.  | 1.5 | 6         |
| 2172 | Ascending Aortic Dimensions in Hypertensive Subjects: Reference Values for Two-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 827-837.  | 1.2 | 23        |
| 2173 | Influence of Renal Insufficiency on the Prescription of Evidence-Based Medicines in Patients With Coronary Artery Disease and Its Prognostic Significance. <i>Medicine (United States)</i> , 2016, 95, e2740.   | 0.4 | 3         |
| 2174 | Safety and efficacy of the 0 h/3 h protocol for rapid rule out of myocardial infarction. <i>American Heart Journal</i> , 2016, 181, 16-25.  | 1.2 | 63        |
| 2176 | Pauci-immune glomerulonephritis: does negativity of anti-neutrophilic cytoplasmic antibodies matters?. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 74-81.  | 0.9 | 14        |
| 2177 | Elevated serum immunoglobulin E level as a marker for progression of immunoglobulin A nephropathy. <i>Kidney Research and Clinical Practice</i> , 2016, 35, 147-151.  | 0.9 | 3         |
| 2178 | Incidence, Severity, and Outcomes of AKI Associated with Dual Renin-Angiotensin System Blockade. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1944-1953.  | 2.2 | 28        |
| 2179 | Initiation of erythropoiesis-stimulating agents and outcomes: a nationwide observational cohort study in anaemic chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw328.  | 0.4 | 9         |
| 2180 | Use of Extended-Release Calcifediol to Treat Secondary Hyperparathyroidism in Stages 3 and 4 Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2016, 44, 316-325.   | 1.4 | 80        |
| 2181 | Combining WASP and ASF algorithms to forecast a Japan earthquake with Mj 7.2 or above. , 2016, , .  |     | 18        |
| 2182 | Different components of blood pressure are associated with increased risk of atherosclerotic cardiovascular disease versus heart failure in advanced chronic kidney disease. <i>Kidney International</i> , 2016, 90, 1348-1356.                                 | 2.6 | 22        |
| 2183 | Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. <i>International Journal of Cardiology</i> , 2016, 223, 717-722.  | 0.8 | 10        |
| 2184 | Different diuretic dose and response in acute decompensated heart failure: Clinical characteristics and prognostic significance. <i>International Journal of Cardiology</i> , 2016, 224, 213-219.   | 0.8 | 25        |
| 2185 | The correlation of several kidney function parameters with clinical severity and prognosis of acute myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2016, 34, 1904-1907.   | 0.7 | 2         |
| 2186 | Increased Serum Alkaline Phosphatase as a Predictor of Symptomatic Hemorrhagic Transformation in Ischemic Stroke Patients with Atrial Fibrillation and/or Rheumatic Heart Disease. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2448-2452. | 0.7 | 17        |
| 2187 | What Is the Correct Approach for Comparing GFR by Different Methods across Levels of GFR?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1518-1521.  | 2.2 | 14        |
| 2188 | Performance of the MDRD, CKD-EPI, and Cockcroft-Gault Formulas in Relation to Nutritional Status in Stable Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2016, 48, 1494-1497.   | 0.3 | 6         |
| 2189 | Chronic Kidney Disease and Risk for Gastrointestinal Bleeding in the Community: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1735-1743.                               | 2.2 | 53        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2190 | Factors associated with abrupt discontinuation of dabigatran therapy in patients with atrial fibrillation in Malaysia. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 1182-1190.                                 | 1.0 | 5         |
| 2191 | Measuring and Assessing Kidney Function. <i>Seminars in Nephrology</i> , 2016, 36, 262-272.   | 0.6 | 25        |
| 2192 | Associations of dipeptidyl peptidase-4 inhibitors with mortality in hospitalized heart failure patients with diabetes mellitus. <i>ESC Heart Failure</i> , 2016, 3, 77-85.  | 1.4 | 24        |
| 2193 | Ambulatory Blood Pressure Monitoring and Echocardiographic Findings in Renal Transplant Recipients. <i>Journal of Clinical Hypertension</i> , 2016, 18, 766-771.  | 1.0 | 13        |
| 2194 | Response of Vitamin D Concentration to Vitamin D <sub>3</sub> Administration in Older Adults without Sun Exposure: A Randomized Double-Blind Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 65-72.        | 1.3 | 43        |
| 2195 | Creatinine-Based and Cystatin C-Based GFR Estimating Equations and Their Non-GFR Determinants in Kidney Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1640-1649.      | 2.2 | 33        |
| 2196 | Acadian variant of Fanconi syndrome is caused by mitochondrial respiratory chain complex I deficiency due to a non-coding mutation in complex I assembly factor NDUFAF6. <i>Human Molecular Genetics</i> , 2016, 25, 4062-4079. | 1.4 | 55        |
| 2197 | Renal Function Assessment During Peptide Receptor Radionuclide Therapy. <i>Seminars in Nuclear Medicine</i> , 2016, 46, 462-478.  | 2.5 | 29        |
| 2198 | Early initiation of continuous renal replacement therapy improves survival of elderly patients with acute kidney injury: a multicenter prospective cohort study. <i>Critical Care</i> , 2016, 20, 260.                          | 2.5 | 34        |
| 2199 | Severity of obesity and cardiometabolic risk factors in adults: Sex differences and role of physical activity. The HERMEX study. <i>International Journal of Cardiology</i> , 2016, 223, 352-359.                               | 0.8 | 27        |
| 2200 | Use of Electronic Health Data to Estimate Heart Failure Events in a Population-Based Cohort with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1954-1961.                               | 2.2 | 4         |
| 2201 | Repeated cycles of high-dose intravenous immunoglobulin and plasmapheresis for treatment of late antibody-mediated rejection of renal transplants. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 845-852.     | 0.8 | 15        |
| 2202 | Foot insensitivity is associated with renal function decline in patients with type 2 diabetes: a cohort study. <i>BMC Endocrine Disorders</i> , 2016, 16, 64.   | 0.9 | 6         |
| 2203 | Trends in Prevalence of Chronic Kidney Disease in the United States. <i>Annals of Internal Medicine</i> , 2016, 165, 473.   | 2.0 | 432       |
| 2204 | The CHA <sub>2</sub> DS <sub>2</sub> -VASc score as a predictor of high mortality in hospitalized heart failure patients. <i>ESC Heart Failure</i> , 2016, 3, 261-269.  | 1.4 | 32        |
| 2205 | Normal body mass index with central obesity has increased risk of coronary artery calcification in Korean patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 1368-1376.                              | 2.6 | 16        |
| 2206 | Prognostic Significance of Insomnia in Heart Failure. <i>Circulation Journal</i> , 2016, 80, 1571-1577.   | 0.7 | 52        |
| 2207 | Use of Clinical Decision Support to Improve Primary Care Identification and Management of Chronic Kidney Disease (CKD). <i>Journal of the American Board of Family Medicine</i> , 2016, 29, 604-612.                            | 0.8 | 36        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2208 | Orthostatic changes in systolic blood pressure among SPRINT participants at baseline. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 847-856.  | 2.3 | 56        |
| 2209 | Clinical outcomes with a systolic blood pressure lower than 120 mmHg in older patients with high disease burden. <i>Renal Failure</i> , 2016, 38, 1364-1369.   | 0.8 | 5         |
| 2210 | Controlled randomized study comparing the cardiovascular profile of everolimus with tacrolimus in renal transplantation. <i>Transplant International</i> , 2016, 29, 1317-1328.  | 0.8 | 16        |
| 2211 | Severity of renal impairment in patients with heart failure and atrial fibrillation: implications for non-vitamin K antagonist oral anticoagulant dose adjustment. <i>European Journal of Heart Failure</i> , 2016, 18, 1162-1171. | 2.9 | 26        |
| 2212 | Changes in Red Cell Distribution Width During Hospitalization for Community-Acquired Pneumonia: Clinical Characteristics and Prognostic Significance. <i>Lung</i> , 2016, 194, 985-995.  | 1.4 | 16        |
| 2213 | Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. <i>Clinical Science</i> , 2016, 130, 1147-1163.  | 1.8 | 167       |
| 2214 | Main Pulmonary Arterial Wall Shear Stress Correlates with Invasive Hemodynamics and Stiffness in Pulmonary Hypertension. <i>Pulmonary Circulation</i> , 2016, 6, 37-45.  | 0.8 | 48        |
| 2215 | Vorticity is a Marker of Diastolic Ventricular Interdependency in Pulmonary Hypertension. <i>Pulmonary Circulation</i> , 2016, 6, 46-54.   | 0.8 | 26        |
| 2216 | Renal function changes after fenestrated endovascular aneurysm repair. <i>Journal of Vascular Surgery</i> , 2016, 64, 273-280.   | 0.6 | 51        |
| 2217 | Occurrence of and Risk Factors for Urological Intervention During Benign Hysterectomy: Analysis of the National Surgical Quality Improvement Program Database. <i>Urology</i> , 2016, 97, 66-72.                                   | 0.5 | 24        |
| 2218 | Profile and outcome of acute renal failure due to tropical infections – A prospective study. <i>Indian Journal of Medical Specialities</i> , 2016, 7, 62-65.   | 0.1 | 1         |
| 2219 | Prognostic value of aortic regurgitation after TAVI in patients with chronic kidney disease. <i>International Journal of Cardiology</i> , 2016, 221, 180-187.  | 0.8 | 7         |
| 2220 | Long-Term Fenofibrate Treatment in Primary Biliary Cholangitis Improves Biochemistry but Not the UK-PBC Risk Score. <i>Digestive Diseases and Sciences</i> , 2016, 61, 3037-3044.  | 1.1 | 65        |
| 2221 | Estimated GFR and Mortality in Older Men: Are All eGFR Formulae Equal?. <i>American Journal of Nephrology</i> , 2016, 43, 325-333.   | 1.4 | 18        |
| 2222 | Systolic Blood Pressure Intervention Trial (SPRINT) and Target Systolic Blood Pressure in Future Hypertension Guidelines. <i>Hypertension</i> , 2016, 68, 318-323.   | 1.3 | 21        |
| 2223 | Chronic Kidney Disease and Adverse Outcomes in the Perioperative Period. <i>Hospital Medicine Clinics</i> , 2016, 5, 478-491.  | 0.2 | 0         |
| 2224 | Erythrocyte Glutathione Transferase as a Biomarker in Kidney Health and Disease. , 2016, , 577-598.  |     | 3         |
| 2225 | Pharmacokinetic and Pharmacodynamic Evaluation of Doripenem in Critically Ill Trauma Patients with Sepsis. <i>Surgical Infections</i> , 2016, 17, 675-682.   | 0.7 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2226 | Competing risk of death and end-stage renal disease in incident chronic kidney disease (stages 3 to 5): the EPIRAN community-based study. <i>BMC Nephrology</i> , 2016, 17, 174.   | 0.8 | 8         |
| 2227 | Cardiovascular safety of metformin and sulfonylureas in patients with different cardiac risk profiles. <i>Heart</i> , 2016, 102, 1544-1551.  | 1.2 | 15        |
| 2228 | Plasma CTGF is independently related to an increased risk of cardiovascular events and mortality in patients with atherosclerotic disease: the SMART study. <i>Growth Factors</i> , 2016, 34, 149-158.   | 0.5 | 19        |
| 2229 | Association of renal function, telomere length, and markers of chronic inflammation in patients without chronic kidney and cardiovascular diseases. <i>Advances in Gerontology</i> , 2016, 6, 217-223.   | 0.1 | 6         |
| 2230 | Sofosbuvir-based antiviral therapy in hepatitis C virus patients with severe renal failure. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw348.   | 0.4 | 46        |
| 2231 | What is the relationship between renal function and visit-to-visit blood pressure variability in primary care? Retrospective cohort study from routinely collected healthcare data. <i>BMJ Open</i> , 2016, 6, e010702.  | 0.8 | 9         |
| 2232 | Assessment of Neutrophil Gelatinase-Associated Lipocalin (NGAL) and Retinol-Binding Protein 4 (RBP4) in Type 2 Diabetic Patients with Nephropathy. <i>Biomarker Insights</i> , 2016, 11, BMI.S33191.   | 1.0 | 51        |
| 2233 | Fatal outcomes among patients on maintenance haemodialysis in sub-Saharan Africa: a 10-year audit from the Douala General Hospital in Cameroon. <i>BMC Nephrology</i> , 2016, 17, 165.   | 0.8 | 29        |
| 2234 | HPLC estimation of iothalamate to measure glomerular filtration rate in humans. <i>Chemistry Central Journal</i> , 2016, 10, 80.   | 2.6 | 1         |
| 2235 | Evolution of renal function in African patients initiating second line antiretroviral treatment: findings from the 2LADY-ANRS 12169 trial. <i>Antiviral Therapy</i> , 2016, 22, 195-203.   | 0.6 | 2         |
| 2236 | Impact of chronic kidney disease on patients with unprotected left main coronary artery disease treated with coronary artery bypass grafting or drug-eluting stents. <i>Coronary Artery Disease</i> , 2016, 27, 535-542.   | 0.3 | 9         |
| 2237 | Evaluation of cisterna chyli diameter with MRI in patients with chronic kidney disease. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 890-896.  | 1.9 | 6         |
| 2238 | Chronic kidney disease after heart transplantation: a single-centre retrospective study at Skåne University Hospital in Lund 1988-2010. <i>Transplant International</i> , 2016, 29, 529-539.   | 0.8 | 14        |
| 2239 | Prospective, multicenter, controlled study of quality of life, psychological adjustment process and medical outcomes of patients receiving a preemptive kidney transplant compared to a similar population of recipients after a dialysis period of less than three years – The PreKit-QoL study protocol. <i>BMC Nephrology</i> , 2016, 17, 11. | 0.8 | 18        |
| 2240 | Nephrotoxicity after PRRT with 177Lu-DOTA-octreotate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1802-1811.   | 3.3 | 129       |
| 2241 | suPAR level is associated with myocardial impairment assessed with advanced echocardiography in patients with type 1 diabetes with normal ejection fraction and without known heart disease or end-stage renal disease. <i>European Journal of Endocrinology</i> , 2016, 174, 745-753.   | 1.9 | 21        |
| 2242 | The association between midlife cardiorespiratory fitness and later life chronic kidney disease: The Cooper Center Longitudinal Study. <i>Preventive Medicine</i> , 2016, 89, 178-183.   | 1.6 | 19        |
| 2243 | Endothelial progenitor cells mobilisation after percutaneous coronary intervention: a pilot study. <i>British Journal of Biomedical Science</i> , 2016, 73, 194-200.   | 1.2 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2244 | Inflammation and Progression of CKD: The CRIC Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1546-1556.  | 2.2 | 300       |
| 2245 | Associations With Eicosapentaenoic Acid to Arachidonic Acid Ratio and Mortality in Hospitalized Heart Failure Patients. <i>Journal of Cardiac Failure</i> , 2016, 22, 962-969.  | 0.7 | 11        |
| 2246 | Acute renal infarction: Clinical characteristics and prognostic factors. <i>Nefrologia</i> , 2016, 36, 141-148.   | 0.2 | 14        |
| 2247 | Evaluation of renal allografts function early after transplantation using intravoxel incoherent motion and arterial spin labeling MRI. <i>Magnetic Resonance Imaging</i> , 2016, 34, 908-914.                                 | 1.0 | 53        |
| 2248 | Ankle Brachial Index and Subsequent Cardiovascular Disease Risk in Patients With Chronic Kidney Disease. <i>Journal of the American Heart Association</i> , 2016, 5, .  | 1.6 | 24        |
| 2249 | Population pharmacokinetics of ponesimod and its primary metabolites in healthy and organ-impaired subjects. <i>European Journal of Pharmaceutical Sciences</i> , 2016, 89, 83-93.  | 1.9 | 3         |
| 2250 | The predictive value of s-cystatin C for mortality after coronary artery bypass surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 152, 139-146.  | 0.4 | 14        |
| 2251 | Relationship of urinary endothelin-1 with estimated glomerular filtration rate in autosomal dominant polycystic kidney disease: a pilot cross-sectional analysis. <i>BMC Nephrology</i> , 2016, 17, 22.                       | 0.8 | 10        |
| 2252 | Long-term mortality and incidence of cardiovascular diseases and type 2 diabetes in diabetic and nondiabetic obese patients undergoing gastric banding: a controlled study. <i>Cardiovascular Diabetology</i> , 2016, 15, 39. | 2.7 | 33        |
| 2253 | The Canadian Experience Using the Expanded Criteria Donor Classification for Allocating Deceased Donor Kidneys for Transplantation. <i>Canadian Journal of Kidney Health and Disease</i> , 2016, 3, 106.                      | 0.6 | 10        |
| 2254 | Pharmacokinetics, safety, and efficacy of lenalidomide plus dexamethasone in patients with multiple myeloma and renal impairment. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 173-182.                            | 1.1 | 17        |
| 2255 | Multiple Silent Lacunes Are Associated with Recurrent Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2016, 42, 73-80.   | 0.8 | 14        |
| 2256 | Risk prediction to inform surveillance of chronic kidney disease in the US Healthcare Safety Net: a cohort study. <i>BMC Nephrology</i> , 2016, 17, 57.   | 0.8 | 7         |
| 2257 | Morbidity and Mortality of Radical Nephrectomy for Patients With Disseminated Cancer: An Analysis of the National Surgical Quality Improvement Program Database. <i>Urology</i> , 2016, 95, 95-102.                           | 0.5 | 22        |
| 2258 | Race-specific Influence of <i>CYP2C9</i> on Dose and Risk of Hemorrhage Among Warfarin Users. <i>Pharmacotherapy</i> , 2016, 36, 263-272.   | 1.2 | 22        |
| 2259 | Impact of low-carbohydrate diet on renal function: a meta-analysis of over 1000 individuals from nine randomised controlled trials. <i>British Journal of Nutrition</i> , 2016, 116, 632-638.                                 | 1.2 | 33        |
| 2260 | Metabolite Profiles Predict Acute Kidney Injury and Mortality in Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Journal of the American Heart Association</i> , 2016, 5, e002712.                             | 1.6 | 35        |
| 2261 | Assessment of Modification of Diet in Renal Disease Equation to Predict Reference Serum Creatinine Value in Severe Trauma Patients. <i>Annals of Surgery</i> , 2016, 263, 814-820.  | 2.1 | 14        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2262 | Pharmacokinetics and pharmacodynamics of piperacillin/tazobactam during high volume haemodiafiltration in patients with septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 230-240.                                      | 0.7 | 12        |
| 2263 | A randomized, prospective comparison of transition to sirolimus-based CNI minimization or withdrawal in African American kidney transplant recipients. <i>Clinical Transplantation</i> , 2016, 30, 528-533.                                | 0.8 | 8         |
| 2264 | Overestimation of Glomerular Filtration Rate Among Critically Ill Adults With Hospital-Acquired Oligoanuric Acute Kidney Injury. <i>Journal of Pharmacy Practice</i> , 2016, 29, 125-131.  | 0.5 | 9         |
| 2265 | Exploring associations between anthropometric indices and graft function in patients receiving renal transplant. <i>Journal of Human Nutrition and Dietetics</i> , 2016, 29, 52-58.  | 1.3 | 3         |
| 2266 | Tenofovir monotherapy versus tenofovir and entecavir combination therapy in patients with entecavir-resistant chronic hepatitis B with multiple drug failure: results of a randomised trial. <i>Gut</i> , 2016, 65, 852-860.               | 6.1 | 70        |
| 2267 | Estimating GFR prior to contrast medium examinations—what the radiologist needs to know!. <i>European Radiology</i> , 2016, 26, 425-435.   | 2.3 | 5         |
| 2268 | Infarto renal agudo: características clínicas y factores pronósticos. <i>Nefrología</i> , 2016, 36, 141-148.   | 0.2 | 22        |
| 2269 | Differences in Initial Hemodialysis Vascular Access Use Among Glomerulonephritis Subtypes in the United States. <i>American Journal of Kidney Diseases</i> , 2016, 67, 638-647.  | 2.1 | 3         |
| 2270 | Incidence and Predictors of Cardiomyocyte Injury in Elective Coronary Angiography. <i>American Journal of Medicine</i> , 2016, 129, 537.e1-537.e8.   | 0.6 | 4         |
| 2271 | Mortality Associated With Heart Failure After Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2016, 9, e002460.   | 1.6 | 145       |
| 2272 | Influence of Titration of Neurohormonal Antagonists and Blood Pressure Reduction on Renal Function and Decongestion in Decompensated Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, e002333.                                  | 1.6 | 25        |
| 2273 | Anaemia in patients with HIV-associated TB: relative contributions of anaemia of chronic disease and iron deficiency. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016, 20, 193-201.                                   | 0.6 | 42        |
| 2274 | Renal outcomes with aliskiren in patients with type 2 diabetes: a prespecified secondary analysis of the ALTITUDE randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 309-317.                                | 5.5 | 39        |
| 2275 | Renal insufficiency and mortality in coronary artery disease with reduced ejection fraction. <i>European Journal of Internal Medicine</i> , 2016, 29, 78-87.   | 1.0 | 1         |
| 2276 | Multicenter Evaluation of a 0-Hour/1-Hour Algorithm in the Diagnosis of Myocardial Infarction With High-Sensitivity Cardiac Troponin T. <i>Annals of Emergency Medicine</i> , 2016, 68, 76-87.e4.  | 0.3 | 294       |
| 2277 | Characterization of the observe zone of the ESC 2015 high-sensitivity cardiac troponin 0 h/1 h-algorithm for the early diagnosis of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 207, 238-245.          | 0.8 | 85        |
| 2278 | Acute kidney injury, long-term renal function and mortality in patients undergoing major abdominal surgery: a cohort analysis. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 192-200.   | 1.4 | 43        |
| 2279 | Achievement of trifecta in minimally invasive partial nephrectomy correlates with functional preservation of operated kidney: a multi-institutional assessment using MAG3 renal scan. <i>World Journal of Urology</i> , 2016, 34, 925-931. | 1.2 | 26        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2280 | Long-term outcomes of persistent disease and relapse in primary membranous nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2108-2114.   | 0.4 | 26        |
| 2281 | Fatal Cryoglobulinemia With Intravascular and Renal Tubular Crystalline Deposits. <i>American Journal of Kidney Diseases</i> , 2016, 67, 787-791.   | 2.1 | 25        |
| 2282 | Relationship Between Blood Concentrations of Hepcidin and Anemia Severity, Mycobacterial Burden, and Mortality Among Patients With HIV-Associated Tuberculosis. <i>Journal of Infectious Diseases</i> , 2016, 213, 61-70.                     | 1.9 | 49        |
| 2283 | Trends in haemoglobin, erythropoietin-stimulating agents and iron use in Swedish chronic kidney disease patients between 2008 and 2013. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 628-635.                                       | 0.4 | 24        |
| 2284 | Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , 2016, 67, 12-20.             | 0.8 | 1         |
| 2285 | Association between plasma soluble RAGE and renal function is unaffected by medication usage and enzymatic antioxidants in chronic kidney disease with type 2 diabetes. <i>Clinica Chimica Acta</i> , 2016, 453, 56-61.                       | 0.5 | 6         |
| 2287 | Assessing the risk of incident hypertension and chronic kidney disease after exposure to shock wave lithotripsy and ureteroscopy. <i>Kidney International</i> , 2016, 89, 185-192.  | 2.6 | 49        |
| 2288 | Prevalence of chronic kidney disease in a representative sample of the Polish population: results of the NATPOL 2011 survey. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 433-439.  | 0.4 | 39        |
| 2289 | Current Safety of Renal Allograft Biopsy With Indication in Adult Recipients. <i>Medicine (United States)</i> , 2016, 95, e2816.  | 0.4 | 35        |
| 2290 | Optimal serum cholesterol concentrations are associated with accelerated bone loss in African ancestry men. <i>Osteoporosis International</i> , 2016, 27, 1577-1584.  | 1.3 | 20        |
| 2291 | Diabetes and risk of community-acquired <i>Staphylococcus aureus</i> bacteremia: a population-based case-control study. <i>European Journal of Endocrinology</i> , 2016, 174, 631-639.  | 1.9 | 49        |
| 2292 | Association of Circulating Renin and Aldosterone With Osteocalcin and Bone Mineral Density in African Ancestry Families. <i>Hypertension</i> , 2016, 67, 977-982.   | 1.3 | 9         |
| 2293 | Evaluation of serum cysteine-rich protein 61 and cystatin C levels for assessment of acute kidney injury after cardiac surgery. <i>Renal Failure</i> , 2016, 38, 699-705.   | 0.8 | 8         |
| 2294 | Impact of Age and Estimated Glomerular Filtration Rate on the Glycemic Efficacy and Safety of Canagliflozin: A Pooled Analysis of Clinical Studies. <i>Canadian Journal of Diabetes</i> , 2016, 40, 247-257.                                  | 0.4 | 18        |
| 2295 | Hospitalization and 1-year all-cause mortality in type 2 diabetic patients with chronic kidney disease at Stages 1 and 2: Effect of mild anemia. <i>Journal of Diabetes</i> , 2016, 8, 502-507.   | 0.8 | 6         |
| 2296 | Retrograde intrarenal surgery for urinary stone disease in patients with solitary kidney: A retrospective analysis of the efficacy and safety. <i>International Journal of Urology</i> , 2016, 23, 69-73.                                     | 0.5 | 16        |
| 2297 | Prevalence and Determinants of Chronic Kidney Disease Among Hypertensive Cameroonians According to Three Common Estimators of the Glomerular Filtration Rate. <i>Journal of Clinical Hypertension</i> , 2016, 18, 408-414.                    | 1.0 | 25        |
| 2298 | Associations between bone mineral density and urinary phthalate metabolites among post-menopausal women: a cross-sectional study of NHANES data 2005-2010. <i>International Journal of Environmental Health Research</i> , 2016, 26, 326-345. | 1.3 | 30        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2299 | Multiple biomarkers for mortality prediction in peripheral arterial disease. <i>Vascular Medicine</i> , 2016, 21, 105-112.   | 0.8 | 19        |
| 2300 | Bed-side inferior vena cava diameter and mean arterial pressure predict long-term mortality in hospitalized patients with heart failure: 36months of follow-up. <i>European Journal of Internal Medicine</i> , 2016, 28, 80-84.  | 1.0 | 23        |
| 2303 | Effects of gastric banding on glucose tolerance, cardiovascular and renal function, and diabetic complications: a 13-year study of the morbidly obese. <i>Surgery for Obesity and Related Diseases</i> , 2016, 12, 587-595.  | 1.0 | 22        |
| 2304 | Dual Raltegravir/Darunavir/Ritonavir Combination in Virologically Suppressed HIV-1-Infected Patients on Antiretroviral Therapy Including a Ritonavir-Boosted Protease Inhibitor Plus Two Nucleoside/Nucleotide Reverse Transcriptase Inhibitors. <i>HIV Clinical Trials</i> , 2016, 17, 38-47. | 2.0 | 13        |
| 2305 | Abrupt Decline in Kidney Function Before Initiating Hemodialysis and All-Cause Mortality: The Chronic Renal Insufficiency Cohort (CRIC) Study. <i>American Journal of Kidney Diseases</i> , 2016, 68, 193-202.   | 2.1 | 37        |
| 2306 | Impact of kidney ischemic lesions on renal function after fenestrated endovascular repair. <i>Journal of Vascular Surgery</i> , 2016, 63, 305-313.   | 0.6 | 21        |
| 2307 | Serum vitamin D level and its relation with carotid intima-media thickness in type 2 diabetic patients: a cross-sectional observational study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016, 10, S55-S59.  | 1.8 | 1         |
| 2309 | Effect of Tolvaptan in Autosomal Dominant Polycystic Kidney Disease by CKD Stage: Results from the TEMPO 3:4 Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 803-811.  | 2.2 | 118       |
| 2310 | Oxidative stress influence on renal dysfunction in patients with obstructive jaundice: A case and control prospective study. <i>Redox Biology</i> , 2016, 8, 160-164.  | 3.9 | 34        |
| 2311 | Preventive effect of oral nicorandil on contrast-induced nephropathy in patients with renal insufficiency undergoing elective cardiac catheterization. <i>Heart and Vessels</i> , 2016, 31, 1776-1782.   | 0.5 | 24        |
| 2312 | Nonalcoholic Fatty Liver Disease Is Associated With Higher 1-year All-Cause Rehospitalization Rates in Patients Admitted for Acute Heart Failure. <i>Medicine (United States)</i> , 2016, 95, e2760.   | 0.4 | 17        |
| 2313 | Cystatin C- and Creatinine-Based Estimates of Glomerular Filtration Rate in Dapagliflozin Phase 3 Clinical Trials. <i>Diabetes Therapy</i> , 2016, 7, 139-151.   | 1.2 | 5         |
| 2314 | Pharmacokinetics of Morphine, Morphine-3-Glucuronide and Morphine-6-Glucuronide in Terminally Ill Adult Patients. <i>Clinical Pharmacokinetics</i> , 2016, 55, 697-709.  | 1.6 | 23        |
| 2315 | Typical, atypical, and asymptomatic presentations of new-onset atrial fibrillation in the community: Characteristics and prognostic implications. <i>Heart Rhythm</i> , 2016, 13, 1418-1424.   | 0.3 | 123       |
| 2316 | Plasma levels of marine n-3 fatty acids and cardiovascular risk markers in renal transplant recipients. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 824-830.   | 1.3 | 12        |
| 2317 | Microalbuminuria in subjects with hypertension attending specialist blood pressure clinics. <i>Journal of Human Hypertension</i> , 2016, 30, 527-533.  | 1.0 | 6         |
| 2318 | Kinetic estimated glomerular filtration rate and acute kidney injury in cardiac surgery patients. <i>Journal of Critical Care</i> , 2016, 31, 249-254.   | 1.0 | 35        |
| 2319 | Renal denervation for treatment of uncontrolled hypertension in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Journal of Human Hypertension</i> , 2016, 30, 315-321.  | 1.0 | 27        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2320 | Clinical benefit of tolvaptan in patients with acute decompensated heart failure and chronic kidney disease. <i>Heart and Vessels</i> , 2016, 31, 1643-1649.   | 0.5 | 37        |
| 2321 | Platelet reactivity in patients with impaired renal function receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Vascular Pharmacology</i> , 2016, 79, 11-15.   | 1.0 | 22        |
| 2322 | The Association Between Potentially Inappropriate Prescribing and Medication-Related Hospital Admissions in Older Patients: A Nested Case Control Study. <i>Drug Safety</i> , 2016, 39, 79-87.   | 1.4 | 54        |
| 2323 | Endovascular treatment of complex aortic aneurysms: prevalence of acute kidney injury and effect on long-term renal function. <i>European Radiology</i> , 2016, 26, 1613-1619.   | 2.3 | 40        |
| 2324 | Predictors of aortic pulse wave velocity in the elderly with severe aortic stenosis. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 519-525.  | 1.4 | 6         |
| 2325 | Evaluation of Neurocognition in Youth with CKD Using a Novel Computerized Neurocognitive Battery. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 39-46.  | 2.2 | 27        |
| 2326 | Cadmium or cadmium compounds and chronic kidney disease in workers and the general population: a systematic review. <i>Critical Reviews in Toxicology</i> , 2016, 46, 191-240.   | 1.9 | 71        |
| 2327 | Biomarkers of Renal Function in Type 2 Diabetic Patients with Cognitive Impairment. <i>Neuroscience Letters</i> , 2016, 610, 19-23.  | 1.0 | 7         |
| 2328 | Metformin-associated lactic acidosis: Current perspectives on causes and risk. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 20-29.   | 1.5 | 382       |
| 2329 | Four-Week Studies of Oral Hypoxia-Inducible Factor-1 Prolyl Hydroxylase Inhibitor GSK1278863 for Treatment of Anemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1234-1244.  | 3.0 | 166       |
| 2330 | Sex, Age, and the Association of Serum Phosphorus With All-Cause Mortality in Adults With Normal Kidney Function. <i>American Journal of Kidney Diseases</i> , 2016, 67, 79-88.  | 2.1 | 46        |
| 2331 | Mildly elevated serum total bilirubin levels are negatively associated with carotid atherosclerosis among elderly persons with type 2 diabetes. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 107-112.   | 0.5 | 19        |
| 2332 | Utility of the Logistic Clinical Syntax Score in the Prediction of Contrast-Induced Nephropathy After Primary Percutaneous Coronary Intervention. <i>Canadian Journal of Cardiology</i> , 2016, 32, 240-246.   | 0.8 | 18        |
| 2333 | The influence of birthweight, past poststreptococcal glomerulonephritis and current body mass index on levels of albuminuria in young adults: the multideterminant model of renal disease in a remote Australian Aboriginal population with high rates of renal disease and renal failure. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 971-977. | 0.4 | 25        |
| 2334 | Elevation of red blood cell distribution width during hospitalization predicts mortality in patients with acute decompensated heart failure. <i>Journal of Cardiology</i> , 2016, 67, 268-273.   | 0.8 | 42        |
| 2335 | Metabolic biomarkers for chronic kidney disease. <i>Archives of Biochemistry and Biophysics</i> , 2016, 589, 62-80.  | 1.4 | 41        |
| 2336 | Estimation of Glomerular Filtration Rate in Patients With Cirrhosis by Using New and Conventional Filtration Markers and Dimethylarginines. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 624-632.e2.  | 2.4 | 24        |
| 2337 | Snorkel/Chimney Stent Morphology Predicts Renal Dysfunction after Complex Endovascular Aneurysm Repair. <i>Annals of Vascular Surgery</i> , 2016, 30, 1-11.e1.   | 0.4 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2338 | Tenofovir monotherapy versus tenofovir and entecavir combination therapy in adefovir-resistant chronic hepatitis B patients with multiple drug failure: results of a randomised trial. <i>Gut</i> , 2016, 65, 1042-1051.  | 6.1 | 76        |
| 2339 | Galactin-3 levels are associated with right ventricular functional and morphologic changes in pulmonary arterial hypertension. <i>Heart and Vessels</i> , 2016, 31, 939-946.  | 0.5 | 51        |
| 2340 | Age at Immigration and Kidney Function among Self-Identified Healthy Africans in the United States. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 194-201.  | 0.8 | 2         |
| 2341 | Challenges for environmental epidemiology research: are biomarker concentrations altered by kidney function or urine concentration adjustment?. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016, 26, 1-8.                                | 1.8 | 73        |
| 2342 | Diabetes is a predictor of coronary artery stenosis in patients hospitalized with heart failure. <i>Heart and Vessels</i> , 2016, 31, 671-676.  | 0.5 | 7         |
| 2343 | Estimating glomerular filtration rate in acute coronary syndromes: Different equations, different mortality risk prediction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 223-230.   | 0.4 | 14        |
| 2344 | Early serum creatinine changes and outcomes in patients admitted for acute heart failure: the cardio-renal syndrome revisited. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 430-440.   | 0.4 | 21        |
| 2345 | Renal acoustic radiation force impulse elastography in the evaluation of coronary artery disease. <i>Acta Radiologica</i> , 2017, 58, 156-163.  | 0.5 | 14        |
| 2346 | Development of a novel score to predict the risk of acute kidney injury in patient with acute myocardial infarction. <i>Journal of Nephrology</i> , 2017, 30, 419-425.  | 0.9 | 18        |
| 2347 | Accuracy of GFR estimating equations in a large Swedish cohort: implications for radiologists in daily routine and research. <i>Acta Radiologica</i> , 2017, 58, 367-375.   | 0.5 | 7         |
| 2348 | Oxidative stress is associated with decreased heart rate variability in patients with chronic kidney disease. <i>Redox Report</i> , 2017, 22, 197-204.  | 1.4 | 25        |
| 2349 | Chronic idiopathic normocytic anaemia in older people: the risk factors and the role of age-associated renal impairment. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 147-155.   | 1.4 | 8         |
| 2351 | Comparison of equations for dosing of medications in renal impairment. <i>Nephrology</i> , 2017, 22, 470-477.   | 0.7 | 9         |
| 2352 | A Steady-State Head-to-Head Pharmacokinetic Comparison of All FK-506 (Tacrolimus) Formulations (ASTCOFF): An Open-Label, Prospective, Randomized, Two-Arm, Three-Period Crossover Study. <i>American Journal of Transplantation</i> , 2017, 17, 432-442.          | 2.6 | 109       |
| 2353 | Gender differences in the outcome of community-acquired <i>Staphylococcus aureus</i> bacteraemia: a historical population-based cohort study. <i>Clinical Microbiology and Infection</i> , 2017, 23, 27-32.   | 2.8 | 29        |
| 2354 | Transient renal impairment in the absence of pre-existing chronic kidney disease in patients with unilateral ureteric stone impaction. <i>Urolithiasis</i> , 2017, 45, 249-254.   | 1.2 | 10        |
| 2355 | Risk factors and consequences of decreased kidney function in nursing home residents: A longitudinal study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 791-797.  | 0.7 | 8         |
| 2356 | Perioperative and renal functional outcomes of laparoscopic partial nephrectomy (LPN) for renal tumours of high surgical complexity: a single-institute comparison between clampless and clamped procedures. <i>World Journal of Urology</i> , 2017, 35, 403-409. | 1.2 | 7         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2357 | Long term renal survival in patients undergoing T-Cell depleted versus conventional hematopoietic stem cell transplants. <i>Bone Marrow Transplantation</i> , 2017, 52, 733-738.   | 1.3 | 16        |
| 2358 | Cefepime plasma concentrations and clinical toxicity: a retrospective cohort study. <i>Clinical Microbiology and Infection</i> , 2017, 23, 454-459.  | 2.8 | 98        |
| 2359 | Vasculitis asociada a anticuerpos contra el citoplasma de neutrófilo con afectación renal: análisis de 89 casos. <i>Medicina Clínica</i> , 2017, 148, 1-7.   | 0.3 | 3         |
| 2360 | Clinical and Metabolic Effects of Biliopancreatic Diversion Persist After Reduction of the Gastric Pouch and Elongation of the Common Alimentary Tract. Preliminary Report in a Series of Patients with a 10-Year Follow-Up. <i>Obesity Surgery</i> , 2017, 27, 1493-1500. | 1.1 | 5         |
| 2361 | State of Harmonization of 24 Serum Albumin Measurement Procedures and Implications for Medical Decisions. <i>Clinical Chemistry</i> , 2017, 63, 770-779.   | 1.5 | 38        |
| 2362 | Effectiveness and Safety of Entecavir or Tenofovir in a Spanish Cohort of Chronic Hepatitis B Patients: Validation of the Page-B Score to Predict Hepatocellular Carcinoma. <i>Digestive Diseases and Sciences</i> , 2017, 62, 784-793.                                    | 1.1 | 55        |
| 2363 | Dual Raltegravir-Etravirine Combination as Maintenance Regimen in Virologically Suppressed HIV-1-Infected Patients. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 632-638.   | 0.5 | 15        |
| 2364 | No decline in the risk of heart failure after incident atrial fibrillation: A community study assessing trends overall and by ejection fraction. <i>Heart Rhythm</i> , 2017, 14, 791-798.  | 0.3 | 29        |
| 2365 | Alternative indices of glucose homeostasis as biochemical diagnostic tests for abnormal glucose tolerance in an African setting. <i>Primary Care Diabetes</i> , 2017, 11, 119-131.   | 0.9 | 41        |
| 2366 | Neutrophil gelatinase-associated lipocalin (NGAL) fails as an early predictor of contrast induced nephropathy in chronic kidney disease (ANTI-CI-AKI study). <i>Scientific Reports</i> , 2017, 7, 41300.   | 1.6 | 19        |
| 2367 | The frailty syndrome is associated with adverse health outcomes in very old patients with stable heart failure: A prospective study in six Spanish hospitals. <i>International Journal of Cardiology</i> , 2017, 236, 296-303.   | 0.8 | 76        |
| 2368 | Concurrent renal artery stent during endovascular infrarenal aortic aneurysm repair confers higher risk for 30-day acute renal failure. <i>Journal of Vascular Surgery</i> , 2017, 65, 1080-1088.  | 0.6 | 5         |
| 2369 | Anti-neutrophil cytoplasmic antibody-associated vasculitis with renal involvement: Analysis of 89 cases. <i>Medicina Clínica (English Edition)</i> , 2017, 148, 1-7.   | 0.1 | 3         |
| 2370 | Restricted Use of Erythropoiesis-Stimulating Agent is Safe and Associated with Deferred Dialysis Initiation in Stage 5 Chronic Kidney Disease. <i>Scientific Reports</i> , 2017, 7, 44013.   | 1.6 | 6         |
| 2371 | Endothelial dysfunction correlates with exaggerated exercise pressor response during whole body maximal exercise in chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F917-F924.   | 1.3 | 35        |
| 2372 | Multi-marker approach using procalcitonin, presepsin, galectin-3, and soluble suppression of tumorigenicity 2 for the prediction of mortality in sepsis. <i>Annals of Intensive Care</i> , 2017, 7, 27.  | 2.2 | 91        |
| 2373 | Direct Comparison of 4 Very Early Rule-Out Strategies for Acute Myocardial Infarction Using High-Sensitivity Cardiac Troponin I. <i>Circulation</i> , 2017, 135, 1597-1611.  | 1.6 | 138       |
| 2374 | Early diagnosis of acute myocardial infarction in patients with mild elevations of cardiac troponin. <i>Clinical Research in Cardiology</i> , 2017, 106, 457-467.  | 1.5 | 35        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2375 | Does Ureteral Catheter Insertion Decrease the Risk of Urinary Leakage After Partial Nephrectomy in Patients With Renal Cell Carcinoma?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e707-e712.   | 0.9 | 5         |
| 2376 | Fragmented <sc>QRS</sc> complex predicts contrastâ€induced nephropathy and inâ€hospital mortality after primary percutaneous coronary intervention in patients with <sc>ST</sc>â€segment elevation myocardial infarction. <i>Clinical Cardiology</i> , 2017, 40, 235-242. | 0.7 | 19        |
| 2377 | Burden and Timing of Hospitalizations in Heart Failure: A Community Study. <i>Mayo Clinic Proceedings</i> , 2017, 92, 184-192.  | 1.4 | 42        |
| 2378 | Hypoalbuminaemia and decreased midazolam clearance in terminally ill adult patients, an inflammatory effect?. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1701-1712.  | 1.1 | 23        |
| 2379 | Different trajectories and significance of B-type natriuretic peptide, congestion and acute kidney injury in patients with heart failure. <i>Internal and Emergency Medicine</i> , 2017, 12, 593-603.   | 1.0 | 9         |
| 2380 | Accuracy of glomerular filtration rate equations for chronic kidney disease patients at the G3a stage: a single-center cross-sectional study. <i>BMC Research Notes</i> , 2017, 10, 107.  | 0.6 | 2         |
| 2381 | Association of 25-hydroxyvitamin D and parathyroid hormone with the metabolic syndrome in black South African women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 413-419.   | 0.9 | 7         |
| 2382 | Aging Kidney: Vascular Characteristics and Assessment. , 2017, , 113-127.   |     | 0         |
| 2383 | Recent trends in the prevalence of chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2017, 26, 187-196.   | 1.0 | 31        |
| 2384 | Populationâ€Based Pharmacokinetic and Exposureâ€Efficacy Analyses of Peginterferon Betaâ€1a in Patients With Relapsing Multiple Sclerosis. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 1005-1016.   | 1.0 | 7         |
| 2385 | Diagnostic accuracy of different methods of early detection of chronic kidney disease. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2017, 25, 401-407.  | 0.8 | 0         |
| 2386 | Dental restorative treatment expenditure and resource utilization in patients with chronic kidney disease: A nationwide population-based study. <i>Journal of Dental Sciences</i> , 2017, 12, 275-282.  | 1.2 | 6         |
| 2387 | Potentially inappropriate prescribing to older patients in primary care in the Netherlands: a retrospective longitudinal study. <i>Age and Ageing</i> , 2017, 46, 614-619.  | 0.7 | 29        |
| 2388 | Validation of the CHA2DS2-VASc Score in Predicting Coronary Atherosclerotic Burden and In-Hospital Mortality in Patients With Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2017, 120, 8-14.   | 0.7 | 18        |
| 2389 | Chronic kidney disease in Polish elderly population aged 75+: results of the WOBASZ Senior Survey. <i>International Urology and Nephrology</i> , 2017, 49, 669-676.   | 0.6 | 9         |
| 2390 | Metabolic characteristics and renal dysfunction in 65 patients with tophi prior to gout. <i>Clinical Rheumatology</i> , 2017, 36, 1903-1909.  | 1.0 | 4         |
| 2391 | Renal Function Considerations for Stroke Prevention in Atrial Fibrillation. <i>American Journal of Medicine</i> , 2017, 130, 1015-1023.   | 0.6 | 38        |
| 2392 | Target organ damage and incident type 2 diabetes mellitus: the Strong Heart Study. <i>Cardiovascular Diabetology</i> , 2017, 16, 64.  | 2.7 | 29        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2393 | Diffusion-weighted imaging of the kidneys in haemolytic uraemic syndrome. <i>European Radiology</i> , 2017, 27, 4591-4601.   | 2.3 | 3         |
| 2394 | Early extubation is associated with reduced length of stay and improved outcomes after elective aortic surgery in the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2017, 66, 79-94.e14.   | 0.6 | 17        |
| 2395 | The Effect of Uremic Solutes on the Organic Cation Transporter 2. <i>Journal of Pharmaceutical Sciences</i> , 2017, 106, 2551-2557.  | 1.6 | 23        |
| 2396 | Performance in adolescents of the two Japanese serum creatinine based estimated glomerular filtration rate equations, for adults and paediatric patients: A study of the Japan Renal Biopsy Registry and Japan Kidney Disease Registry from 2007 to 2013. <i>Nephrology</i> , 2017, 22, 494-497. | 0.7 | 8         |
| 2397 | Methotrexate-induced epidermal necrosis: A case series of 24 patients. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 247-255.e2.   | 0.6 | 35        |
| 2398 | Histologic subtype needs to be considered after partial nephrectomy in patients with pathologic T1a renal cell carcinoma: papillary vs. clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1845-1851.   | 1.2 | 27        |
| 2399 | Prospective analysis of long-term renal function in survivors of childhood Wilms tumor. <i>Pediatric Nephrology</i> , 2017, 32, 1915-1925.   | 0.9 | 39        |
| 2400 | High prevalence of apolipoprotein B dyslipoproteinemias in non-alcoholic fatty liver disease: The lifelines cohort study. <i>Metabolism: Clinical and Experimental</i> , 2017, 72, 37-46.  | 1.5 | 36        |
| 2401 | Epidemiology of chronic kidney disease: think (at least) twice!. <i>CKJ: Clinical Kidney Journal</i> , 2017, 10, 370-374.  | 1.4 | 56        |
| 2402 | 1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017, 7, 45040.   | 1.6 | 98        |
| 2403 | The CKD Classification System in the Precision Medicine Era. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 346-348.   | 2.2 | 32        |
| 2404 | Inter-arm systolic blood pressure differences, relations with future vascular events and mortality in patients with and without manifest vascular disease. <i>International Journal of Cardiology</i> , 2017, 244, 271-276.  | 0.8 | 30        |
| 2405 | Subclinical myocardial disease by cardiac magnetic resonance imaging and spectroscopy in healthy HIV/Hepatitis C virus-coinfected persons. <i>Journal of International Medical Research</i> , 2017, 45, 1693-1707.   | 0.4 | 10        |
| 2406 | Prognostic value of coronary collaterals in patients with acute coronary syndromes. <i>Coronary Artery Disease</i> , 2017, 28, 406-412.  | 0.3 | 17        |
| 2407 | Tacrolimus Blood Level Fluctuation Predisposes to Coexisting BK Virus Nephropathy and Acute Allograft Rejection. <i>Scientific Reports</i> , 2017, 7, 1986.  | 1.6 | 20        |
| 2408 | Associations of Acid Suppressive Therapy With Cardiac Mortality in Heart Failure Patients. <i>Journal of the American Heart Association</i> , 2017, 6, .   | 1.6 | 23        |
| 2409 | Direct Comparison of 2 Rule-Out Strategies for Acute Myocardial Infarction: 2-h Accelerated Diagnostic Protocol vs 2-h Algorithm. <i>Clinical Chemistry</i> , 2017, 63, 1227-1236.   | 1.5 | 35        |
| 2410 | Anticoagulation Control in Patients With Ventricular Assist Devices. <i>ASAIO Journal</i> , 2017, 63, 759-765.   | 0.9 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2411 | Estimating glomerular filtration rate (GFR) in children. The average between a cystatin C- and a creatinine-based equation improves estimation of GFR in both children and adults and enables diagnosing Shrunken Pore Syndrome. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 338-344. | 0.6 | 32        |
| 2412 | No increase in the incidence of acute kidney injury in a population-based annual temporal trends epidemiology study. <i>Kidney International</i> , 2017, 92, 721-728.  | 2.6 | 57        |
| 2413 | Renal artery denervation for treatment of patients with self-reported obstructive sleep apnea and resistant hypertension. <i>Journal of Hypertension</i> , 2017, 35, 148-153.  | 0.3 | 23        |
| 2414 | Risk of acute kidney injury and survival in patients treated with Metformin: an observational cohort study. <i>BMC Nephrology</i> , 2017, 18, 163.   | 0.8 | 63        |
| 2415 | Association of matrix $\beta$ -carboxyglutamic acid protein levels with insulin resistance and Lp(a) in diabetes: A cross-sectional study. <i>Diabetes Research and Clinical Practice</i> , 2017, 130, 252-257.  | 1.1 | 5         |
| 2416 | Effects of Intensive BP Control in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2812-2823.  | 3.0 | 364       |
| 2417 | Sofosbuvir-based regimens for the treatment of chronic hepatitis C in severe renal dysfunction. <i>Hepatology Communications</i> , 2017, 1, 248-255.   | 2.0 | 29        |
| 2418 | Investigating Serum Uric Acid as a Risk Factor in the Development of Delayed Renal Recovery in Living Kidney Donors. <i>Transplantation Proceedings</i> , 2017, 49, 930-934.   | 0.3 | 6         |
| 2419 | Cystatin C-Based Equation for Predicting the Glomerular Filtration Rate in Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2017, 49, 1018-1022.   | 0.3 | 8         |
| 2420 | Rapid Occurrence of Chronic Kidney Disease in Patients Experiencing Reversible Acute Kidney Injury after Cardiac Surgery. <i>Anesthesiology</i> , 2017, 126, 39-46.  | 1.3 | 34        |
| 2421 | Chronic Kidney Disease, Gender, and Access to Care: A Global Perspective. <i>Seminars in Nephrology</i> , 2017, 37, 296-308.   | 0.6 | 65        |
| 2422 | Clinical features of extremely elderly patients with heart failure. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2194-2199.   | 0.7 | 4         |
| 2423 | Randomized Controlled Trial for the Effect of Vitamin D Supplementation on Vascular Stiffness in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1447-1460.  | 2.2 | 64        |
| 2424 | Serum calcification propensity is associated with renal tissue oxygenation and resistive index in patients with arterial hypertension or chronic kidney disease. <i>Journal of Hypertension</i> , 2017, 35, 2044-2052.   | 0.3 | 28        |
| 2425 | ESRD After Heart Failure, Myocardial Infarction, or Stroke in Type 2 Diabetic Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2017, 70, 522-531.   | 2.1 | 15        |
| 2426 | Comparison of the Chronic Kidney Disease Epidemiology Collaboration, the Modification of Diet in Renal Disease study and the Cockcroft-Gault equation in patients with heart failure. <i>Open Heart</i> , 2017, 4, e000568.  | 0.9 | 25        |
| 2427 | Protein Supplementation Augments Muscle Fiber Hypertrophy but Does Not Modulate Satellite Cell Content During Prolonged Resistance-Type Exercise Training in Frail Elderly. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 608-615.  | 1.2 | 37        |
| 2428 | Changes in Bone Mineral Density, Body Composition, Vitamin D Status, and Mineral Metabolism in Urban HIV-Positive South African Women Over 12 Months. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1615-1624.   | 3.1 | 18        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2429 | Coronary Plaque Characteristics in Hemodialysis-Dependent Patients as Assessed by Optical Coherence Tomography. <i>American Journal of Cardiology</i> , 2017, 119, 1313-1319.   | 0.7 | 19        |
| 2430 | Different associations of albuminuria with total and cardiovascular mortality by concentrations of persistent organic pollutants in the elderly. <i>Environmental Research</i> , 2017, 155, 175-181.  | 3.7 | 4         |
| 2431 | Variability in Trough Total and Unbound Teicoplanin Concentrations and Achievement of Therapeutic Drug Monitoring Targets in Adult Patients with Hematological Malignancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .                               | 1.4 | 21        |
| 2432 | Comparison of Renal Complications between Endografts with Suprarenal and Infrarenal Fixation. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 5-11.  | 0.8 | 24        |
| 2433 | Female sex independently predicts mortality after thoracic endovascular aortic repair for intact descending thoracic aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 66, 2-8.  | 0.6 | 66        |
| 2434 | Body Composition and Mortality in Coronary Artery Disease With Mild Renal Insufficiency in Chinese Patients. , 2017, 27, 187-193.   |     | 5         |
| 2435 | Trends in the levels of urine and serum creatinine: data from NHANES 2001-2014. <i>Environmental Science and Pollution Research</i> , 2017, 24, 10197-10204.  | 2.7 | 8         |
| 2436 | Prognostic Value of Soluble ST2 After Myocardial Infarction: A Community Perspective. <i>American Journal of Medicine</i> , 2017, 130, 1112.e9-1112.e15.  | 0.6 | 61        |
| 2437 | Demographic and clinical profiles of type 2 diabetes mellitus patients initiating sitagliptin in the real-world setting. <i>Current Medical Research and Opinion</i> , 2017, 33, 1247-1253.   | 0.9 | 0         |
| 2438 | Continuation of Renin-Angiotensin-Aldosterone Inhibitors Does Not Impact Renal Function Among Patients Undergoing Percutaneous Nephrolithotomy. <i>Journal of Endourology</i> , 2017, 31, 577-582.  | 1.1 | 0         |
| 2439 | Comparison of Performance of Improved Serum Estimators of Glomerular Filtration Rate (GFR) to <sup>99m</sup> Tc-DTPA GFR Methods in Patients with Hepatic Cirrhosis. <i>Journal of Nuclear Medicine Technology</i> , 2017, 45, 42-49.                               | 0.4 | 5         |
| 2440 | Cardiac Management in the Frail Elderly Patient and the Oldest Old. , 2017, , .   |     | 3         |
| 2441 | Genetic and Environmental Factors Associated With the Ganglion Cell Complex in a Healthy Aging British Cohort. <i>JAMA Ophthalmology</i> , 2017, 135, 31.   | 1.4 | 19        |
| 2442 | Profiling of Kidney Injury Biomarkers in Patients Receiving Cisplatin: Time-Dependent Changes in the Absence of Clinical Nephrotoxicity. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 101, 510-518.  | 2.3 | 30        |
| 2443 | Efficacy, safety and albuminuria-reducing effect of gemigliptin in Korean type 2 diabetes patients with moderate to severe renal impairment: 12-week, double-blind randomized study (the GUARD Study). <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 590-598. | 2.2 | 19        |
| 2444 | The global burden of chronic kidney disease: estimates, variability and pitfalls. <i>Nature Reviews Nephrology</i> , 2017, 13, 104-114.   | 4.1 | 321       |
| 2445 | Association between gamma-glutamyltransferase and albuminuria in nondiabetic adults with normal renal function. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 835-841.  | 0.7 | 3         |
| 2446 | A Population Pharmacokinetic Model for <sup>51</sup> Cr EDTA to Estimate Renal Function. <i>Clinical Pharmacokinetics</i> , 2017, 56, 671-678.  | 1.6 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2447 | Combined diabetes-renal multifactorial intervention in patients with advanced diabetic nephropathy: Proof-of-concept. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 624-630.  | 1.2 | 21        |
| 2448 | Increased risk of major bleeding in underweight patients with atrial fibrillation who were prescribed non-vitamin K antagonist oral anticoagulants. <i>Heart Rhythm</i> , 2017, 14, 501-507.   | 0.3 | 62        |
| 2449 | Therapy with ombitasvir/paritaprevir/ritonavir plus dasabuvir is effective and safe for the treatment of genotypes 1 and 4 hepatitis C virus (<sc>HCV</sc>) infection in patients with severe renal impairment: A multicentre experience. <i>Journal of Viral Hepatitis</i> , 2017, 24, 464-471. | 1.0 | 38        |
| 2450 | Prevalence, clinical characteristics and echocardiography parameters of non-resistant, resistant and refractory hypertension in Chinese. <i>Postgraduate Medicine</i> , 2017, 129, 187-192.  | 0.9 | 13        |
| 2451 | Serum soluble tumour necrosis factor receptor-2 (sTNFR2) as a biomarker of kidney tissue damage and long-term renal outcome in lupus nephritis. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 263-272.   | 0.6 | 18        |
| 2452 | Sex differences in mortality and morbidity following repair of intact abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 65, 1006-1013.  | 0.6 | 115       |
| 2453 | Sex differences in the impact of nonalcoholic fatty liver disease on cardiovascular risk factors. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 63-69.  | 1.1 | 12        |
| 2454 | Safety and efficacy of daclatasvir and asunaprevir in hepatitis C virus-infected patients with renal impairment. <i>Hepatology Research</i> , 2017, 47, 1127-1136.   | 1.8 | 31        |
| 2455 | Factors associated with diabetic nephropathy in children, adolescents, and adults with type 1 diabetes. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 924-932.   | 0.8 | 11        |
| 2456 | Lower Plasma Fetuin-A Levels Are Associated With a Higher Mortality Risk in Patients With Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2213-2219.  | 1.1 | 26        |
| 2457 | Direct Comparison of Cardiac Myosin-Binding Protein C With Cardiac Troponins for the Early Diagnosis of Acute Myocardial Infarction. <i>Circulation</i> , 2017, 136, 1495-1508.  | 1.6 | 63        |
| 2458 | Effects of Febuxostat in Early Gout. <i>Arthritis and Rheumatology</i> , 2017, 69, 2386-2395.  | 2.9 | 71        |
| 2459 | Association between post-transplant red cell distribution width and prognosis of kidney transplant recipients. <i>Scientific Reports</i> , 2017, 7, 13755.   | 1.6 | 6         |
| 2460 | Baseline characteristics and clinical outcomes of older patients admitted as an emergency to general surgical wards. <i>Salford-POPS</i> "ÁGS. <i>European Geriatric Medicine</i> , 2017, 8, 499-504.  | 1.2 | 6         |
| 2461 | Rationale and study design of intravenous loop diuretic administration in acute heart failure: DIUR "AHF. <i>ESC Heart Failure</i> , 2017, 4, 479-486.   | 1.4 | 20        |
| 2462 | Influence of Kidney Transplant Status on Warfarin Dose, Anticoagulation Control, and Risk of Hemorrhage. <i>Pharmacotherapy</i> , 2017, 37, 1366-1373.   | 1.2 | 5         |
| 2463 | Should estimates of glomerular filtration rate and creatinine clearance be indexed to body surface area for drug dosing?. <i>American Journal of Health-System Pharmacy</i> , 2017, 74, 1814-1819.   | 0.5 | 10        |
| 2464 | Patient and Spousal Health and Outcomes in Heart Failure. <i>Circulation: Heart Failure</i> , 2017, 10, .  | 1.6 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2465 | Development and Risk Factors of Type 2 Diabetes in a Nationwide Population of Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3848-3857.   | 1.8 | 144       |
| 2466 | Effect of Definition on Incidence and Prognosis of Type 2 Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1558-1568.  | 1.2 | 94        |
| 2467 | Predictors for efficacy of combination therapy with a nucleos(t)ide analogue and interferon for chronic hepatitis B. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2017, 37, 547-555.  | 1.0 | 5         |
| 2468 | Association of post-procedural early (within 24 h) increases in serum creatinine with all-cause mortality after coronary angiography. <i>Clinica Chimica Acta</i> , 2017, 474, 96-101.  | 0.5 | 3         |
| 2469 | Cancer risk in patients with diabetic nephropathy. <i>Medicine (United States)</i> , 2017, 96, e8077.   | 0.4 | 10        |
| 2470 | Valganciclovir (<scp>VGCV</scp>) followed by cytomegalovirus (<scp>CMV</scp>) hyperimmune globulin compared to <scp>VGCV</scp> for 200 days in abdominal organ transplant recipients at high risk for <scp>CMV</scp> infection: A prospective, randomized pilot study. <i>Transplant Infectious Disease</i> , 2017, 19, e12779. | 0.7 | 5         |
| 2471 | Pregnancy-Associated Plasma Protein-A2 and Anthropometry, Lifestyle, and Biochemical Factors in a Human Adult Population. <i>Scientific Reports</i> , 2017, 7, 10455.   | 1.6 | 5         |
| 2472 | Evaluation of Renal Function in Alzheimer's Disease and Geriatric Patients: Results from a Turkish Two-Center Study. <i>Journal of Medical Biochemistry</i> , 2017, 36, 54-61.  | 0.7 | 6         |
| 2473 | The Effect of Renal Impairment on the Pharmacokinetics and Pharmacodynamics of Ertugliflozin in Subjects With Type 2 Diabetes Mellitus. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 1432-1443.  | 1.0 | 40        |
| 2474 | The impact of T1 renal tumor characteristics on baseline renal function in patients undergoing partial nephrectomy: A renal scan based objective assessment. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1598-1602.  | 0.5 | 3         |
| 2475 | Development of a validated model to predict 30-day stroke and 1-year survival after carotid endarterectomy for asymptomatic stenosis using the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2017, 66, 433-444.e2.  | 0.6 | 24        |
| 2476 | Predicting hospitalisation duration after transcatheter aortic valve implantation. <i>Open Heart</i> , 2017, 4, e000549.  | 0.9 | 10        |
| 2477 | The Association of Daily Activity Levels and Estimated Kidney Function in Men and Women With Predialysis Chronic Kidney Disease. <i>Kidney International Reports</i> , 2017, 2, 874-880.  | 0.4 | 14        |
| 2478 | Most advisable strategy in search of asymptomatic target organ damage in hypertensive patients. <i>Hipertension Y Riesgo Vascular</i> , 2017, 34, 149-156.  | 0.3 | 5         |
| 2479 | Reply. <i>Journal of Vascular Surgery</i> , 2017, 65, 1550.   | 0.6 | 0         |
| 2480 | High levels of both serum gamma-glutamyl transferase and alkaline phosphatase are independent predictors of mortality in patients with stage 4-5 chronic kidney disease. <i>Nefrologia</i> , 2017, 37, 267-275.   | 0.2 | 14        |
| 2481 | Renal Salvage with Renal Artery Stenting Improves Long-term Survival. <i>Annals of Vascular Surgery</i> , 2017, 45, 106-111.  | 0.4 | 7         |
| 2482 | Regarding "Perioperative and long-term impact of chronic kidney disease on carotid artery interventions". <i>Journal of Vascular Surgery</i> , 2017, 65, 1549-1550.   | 0.6 | 0         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2483 | A different scintigraphic approach to evaluate the glomerular filtration rate. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2017, 36, 275-284.   | 0.0  | 0         |
| 2484 | Abnormally High Ankle-Brachial Index is Associated with All-cause and Cardiovascular Mortality: The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 370-377.   | 0.8  | 27        |
| 2485 | The renal-cardiac connection in subjects with preserved ejection fraction: a population based study. <i>ESC Heart Failure</i> , 2017, 4, 266-273.  | 1.4  | 29        |
| 2486 | Dialysis Following Transcatheter Aortic Valve Replacement: Risk Factors and Outcomes. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 2040-2047.   | 1.1  | 31        |
| 2487 | Role of <i>de novo</i> donor-specific anti-HLA antibodies in kidney graft failure: A case-control study. <i>Hla</i> , 2017, 90, 267-275.   | 0.4  | 13        |
| 2488 | Pregnancy outcomes and impact of pregnancy on graft function in women after kidney transplantation. <i>Clinical Transplantation</i> , 2017, 31, e13089.  | 0.8  | 37        |
| 2489 | Dent disease in Poland: what we have learned so far?. <i>International Urology and Nephrology</i> , 2017, 49, 2005-2017.   | 0.6  | 11        |
| 2490 | CE. <i>American Journal of Nursing</i> , 2017, 117, 22-32.   | 0.2  | 4         |
| 2491 | Cholecalciferol, Calcitriol, and Vascular Function in CKD: A Randomized, Double-Blind Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1438-1446.   | 2.2  | 38        |
| 2492 | Editor's Choice - Renal complications after EVAR with suprarenal versus infrarenal fixation among all users and routine users. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 287-293.   | 0.8  | 27        |
| 2493 | Predictive Factors of Renal Adaptation After Nephrectomy in Kidney Donors. <i>Transplantation Proceedings</i> , 2017, 49, 1999-2006.   | 0.3  | 6         |
| 2494 | Efficacy of Prolonged- and Immediate-release Tacrolimus in Kidney Transplantation: A Pooled Analysis of Two Large, Randomized, Controlled Trials. <i>Transplantation Proceedings</i> , 2017, 49, 2040-2049.  | 0.3  | 10        |
| 2495 | Heart Failure and Kidney Disease. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1067, 219-238.  | 0.8  | 20        |
| 2496 | Direct oral anticoagulants versus warfarin for preventing stroke and systemic embolic events among atrial fibrillation patients with chronic kidney disease. <i>The Cochrane Library</i> , 2017, 2017, CD011373.   | 1.5  | 68        |
| 2497 | Tolvaptan in Later-Stage Autosomal Dominant Polycystic Kidney Disease. <i>New England Journal of Medicine</i> , 2017, 377, 1930-1942.  | 13.9 | 420       |
| 2498 | Influence of Referral to a Combined Diabetology and Nephrology Clinic on Renal Functional Trends and Metabolic Parameters in Adults With Diabetic Kidney Disease. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2017, 1, 150-160. | 1.2  | 10        |
| 2499 | A different scintigraphic approach to evaluate the glomerular filtration rate. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2017, 36, 275-284.   | 0.1  | 0         |
| 2500 | Kidney dysfunction and silent brain infarction in generally healthy adults. <i>Journal of the Neurological Sciences</i> , 2017, 379, 89-93.  | 0.3  | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2501 | Filtrado glomerular estimado por fórmulas en pacientes obesos. <i>Nefrología Latinoamericana</i> , 2017, 14, 56-62.  | 0.4 | 1         |
| 2502 | Predictors of incident heart failure in patients after an acute coronary syndrome: The LIPID heart failure risk-prediction model. <i>International Journal of Cardiology</i> , 2017, 248, 361-368.   | 0.8 | 17        |
| 2503 | Association of Variation in Contrast Volume With Acute Kidney Injury in Patients Undergoing Percutaneous Coronary Intervention. <i>JAMA Cardiology</i> , 2017, 2, 1007.  | 3.0 | 57        |
| 2504 | Renal Function and Direct Oral Anticoagulant Treatment for Venous Thromboembolism. <i>American Journal of Medicine</i> , 2017, 130, 1137-1143.   | 0.6 | 7         |
| 2505 | Liver stiffness assessed by Fibrosis-4 index predicts mortality in patients with heart failure. <i>Open Heart</i> , 2017, 4, e000598.  | 0.9 | 72        |
| 2506 | Serum hepcidin may be a novel uremic toxin, which might be related to erythropoietin resistance. <i>Scientific Reports</i> , 2017, 7, 4260.  | 1.6 | 27        |
| 2507 | Comparison of Low-Dose Statin Versus Low-Dose Statin+Armolipid Plus in High-Intensity Statin-Intolerant Patients With a Previous Coronary Event and Percutaneous Coronary Intervention (ADHERENCE Trial). <i>American Journal of Cardiology</i> , 2017, 120, 893-897.                | 0.7 | 28        |
| 2508 | De novo low-dose sirolimus versus mycophenolate mofetil in combination with extended-release tacrolimus in kidney transplant recipients: a multicentre, open-label, randomized, controlled, non-inferiority trial. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1415-1424. | 0.4 | 15        |
| 2509 | Potential urine proteomics biomarkers for primary nephrotic syndrome. <i>Clinical Proteomics</i> , 2017, 14, 18.   | 1.1 | 25        |
| 2510 | Impact of diabetes duration and degree of carotid artery stenosis on major adverse cardiovascular events: a single-center, retrospective, observational cohort study. <i>Cardiovascular Diabetology</i> , 2017, 16, 74.  | 2.7 | 38        |
| 2511 | Niveles séricos elevados de gamma-glutamil transferasa y fosfatasa alcalina son predictores independientes de mortalidad en la enfermedad renal crónica estadio 4-5. <i>Nefrología</i> , 2017, 37, 267-275.  | 0.2 | 11        |
| 2512 | Skin accumulation of advanced glycation end products is increased in patients with an abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2017, 66, 1696-1703.e1.  | 0.6 | 7         |
| 2513 | Carotid artery revascularization in patients with contralateral carotid artery occlusion: Stent or endarterectomy?. <i>Journal of Vascular Surgery</i> , 2017, 66, 1735-1748.e1.   | 0.6 | 32        |
| 2514 | Long-term follow-up of composite bladder augmentation incorporating stomach in a multi-institutional cohort of patients with cloacal exstrophy. <i>Journal of Pediatric Urology</i> , 2017, 13, 43.e1-43.e6.   | 0.6 | 8         |
| 2515 | Pharmacokinetic/Pharmacodynamic Modeling and Simulation of Cefiderocol, a Parenteral Siderophore Cephalosporin, for Dose Adjustment Based on Renal Function. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .  | 1.4 | 66        |
| 2516 | The incidence of slow flow after rotational atherectomy of calcified coronary arteries: A randomized study of low speed versus high speed. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 832-840.  | 0.7 | 45        |
| 2517 | Sex-specific incidence rates and risk factors of premature cardiovascular disease. A long term follow up of the Tehran Lipid and Glucose Study. <i>International Journal of Cardiology</i> , 2017, 227, 826-832.   | 0.8 | 31        |
| 2518 | Association of genetic variants of pentraxin 3 rs3816527 with hypertension in Chronic kidney disease patients. <i>Molecular and Cellular Biochemistry</i> , 2017, 425, 203-212.  | 1.4 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2519 | Evaluating the Efficacy, Safety, and Tolerability of Serelaxin When Added to Standard Therapy in Asian Patients With Acute Heart Failure: Design and Rationale of RELAX-AHF-ASIA Trial. <i>Journal of Cardiac Failure</i> , 2017, 23, 63-71.  | 0.7 | 17        |
| 2520 | Plasma Levels of Marine n-3 Fatty Acids Are Inversely Correlated With Proinflammatory Markers sTNFR1 and IL-6 in Renal Transplant Recipients. , 2017, 27, 161-168.  |     | 8         |
| 2521 | Randomized Controlled Trial to Determine the Efficacy of Early Switch From Vancomycin to Vancomycin Alternatives as a Strategy to Prevent Nephrotoxicity in Patients With Multiple Risk Factors for Adverse Renal Outcomes (STOP-NT). <i>Annals of Pharmacotherapy</i> , 2017, 51, 185-193. | 0.9 | 22        |
| 2522 | Is Suprarenal Fixation of Aortic Stent Grafts Really without Consequence on the Renal Function?. <i>Annals of Vascular Surgery</i> , 2017, 39, 90-98.   | 0.4 | 6         |
| 2523 | Association between renal function and chemotherapy-related toxicity in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2017, 8, 96-101.   | 0.5 | 28        |
| 2524 | Impact of extended ginsenoside Rb1 on early chronic kidney disease: a randomized, placebo-controlled study. <i>Inflammopharmacology</i> , 2017, 25, 33-40.  | 1.9 | 33        |
| 2525 | The postreperfusion syndrome is associated with acute kidney injury following donation after brain death liver transplantation. <i>Transplant International</i> , 2017, 30, 660-669.  | 0.8 | 36        |
| 2526 | Association of chronic kidney disease with impaired left atrial reservoir function: A community-based cohort study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 392-398.   | 0.8 | 18        |
| 2527 | Membranous Nephropathy: Quantifying Remission Duration on Outcome. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 995-1003.   | 3.0 | 53        |
| 2528 | Proteinuria in Dent disease: a review of the literature. <i>Pediatric Nephrology</i> , 2017, 32, 1851-1859.   | 0.9 | 46        |
| 2529 | Preemptive kidney transplantation: a propensity score matched cohort study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 1105-1112.  | 0.7 | 7         |
| 2530 | Development and validation of a mathematical equation to estimate glomerular filtration rate in cirrhosis: The royal free hospital cirrhosis glomerular filtration rate. <i>Hepatology</i> , 2017, 65, 582-591.   | 3.6 | 52        |
| 2531 | Socioeconomic Risk Adjustment Models for Reimbursement Are Necessary in Primary Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1-5.   | 1.5 | 92        |
| 2532 | Canagliflozin Slows Progression of Renal Function Decline Independently of Glycemic Effects. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 368-375.  | 3.0 | 280       |
| 2533 | High Level of Fasting Plasma Proenkephalin-A Predicts Deterioration of Kidney Function and Incidence of CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 291-303.  | 3.0 | 29        |
| 2534 | Renal assessment using CKD-EPI equation is useful as an early predictor of contrast- induced nephropathy in elderly patients with cancer. <i>Journal of Geriatric Oncology</i> , 2017, 8, 44-49.  | 0.5 | 3         |
| 2535 | Defining Renal Masses: Comprehensive Comparison of RENAL, PADUA, NePhRO, and C-Index Score. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 248-255.e1.  | 0.9 | 32        |
| 2536 | Advances and New Trends in Environmental Informatics. <i>Progress in IS</i> , 2017, , .   | 0.5 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2538 | MECHANISMS IN ENDOCRINOLOGY: Kidney involvement in patients with primary hyperparathyroidism: an update on clinical and molecular aspects. <i>European Journal of Endocrinology</i> , 2017, 176, R39-R52.                                 | 1.9 | 48        |
| 2539 | Venous Thromboembolism in Primary Nephrotic Syndrome - Is the Risk High Enough to Justify Prophylactic Anticoagulation?. <i>Nephron</i> , 2017, 135, 39-45.   | 0.9 | 27        |
| 2540 | Anti-TGF- $\beta$ 1 Antibody Therapy in Patients with Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 953-962.   | 3.0 | 203       |
| 2541 | Association Between Serum Cystatin C Level and Total Magnetic Resonance Imaging Burden of Cerebral Small Vessel Disease in Patients With Acute Lacunar Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 186-191. | 0.7 | 34        |
| 2542 | Under-prescription of statins in patients with non-alcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 161-167.   | 1.1 | 45        |
| 2543 | Histologic Abnormalities in Non-neoplastic Renal Parenchyma and the Risk of Chronic Kidney Disease Following Radical Nephrectomy. <i>Urology</i> , 2017, 100, 158-162.  | 0.5 | 7         |
| 2544 | Determining donor-specific antibody C1q-binding ability improves the prediction of antibody-mediated rejection in human leucocyte antigen-incompatible kidney transplantation. <i>Transplant International</i> , 2017, 30, 347-359.       | 0.8 | 36        |
| 2545 | Predictors of renal dysfunction after endovascular and open repair of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 65, 991-996.   | 0.6 | 19        |
| 2546 | Hypophosphatemia in Users of Cannabis. <i>American Journal of Kidney Diseases</i> , 2017, 69, 152-155.  | 2.1 | 16        |
| 2547 | Prognostic significance of platelet count changes during hospitalization for community-acquired pneumonia. <i>Platelets</i> , 2017, 28, 380-386.  | 1.1 | 18        |
| 2548 | Assessing the effects of modality of surgery on postoperative weight loss in patients undergoing partial nephrectomy. <i>World Journal of Urology</i> , 2017, 35, 271-275.  | 1.2 | 0         |
| 2549 | Hypertension Control, Apparent Treatment Resistance, and Outcomes in the Elderly Population With Chronic Kidney Disease. <i>Kidney International Reports</i> , 2017, 2, 180-191.  | 0.4 | 3         |
| 2550 | CKD and Risk for Hospitalization With Infection: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2017, 69, 752-761.  | 2.1 | 96        |
| 2551 | Cefiderocol, a Siderophore Cephalosporin for Gram-Negative Bacterial Infections: Pharmacokinetics and Safety in Subjects With Renal Impairment. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 584-591.                              | 1.0 | 74        |
| 2552 | Aquaporin-2 excretion in hospitalized patients with cirrhosis: Relation to development of renal insufficiency and mortality. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1087-1093.                         | 1.4 | 3         |
| 2553 | Impact of Demographics, Organ Impairment, Disease, Formulation, and Food on the Pharmacokinetics of the Selective S1P1 Receptor Modulator Ponesimod Based on 13 Clinical Studies. <i>Clinical Pharmacokinetics</i> , 2017, 56, 395-408.   | 1.6 | 9         |
| 2554 | UK Renal Registry 19th Annual Report: Chapter 1 UK RRT Adult Incidence in 2015: National and Centre-specific Analyses. <i>Nephron</i> , 2017, 137, 11-44.   | 0.9 | 27        |
| 2555 | Quantitative Single-Photon Emission Computed Tomography/Computed Tomography for Glomerular Filtration Rate Measurement. <i>Nuclear Medicine and Molecular Imaging</i> , 2017, 51, 338-346.  | 0.6 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2556 | Serum Hepcidin and Iron Indices Affect Anemia Status Differently According to the Kidney Function of Non-Dialysis Chronic Kidney Disease Patients: Korean Cohort Study For Outcome in Patients with Chronic Kidney Disease (KNOW-CKD). <i>Kidney and Blood Pressure Research</i> , 2017, 42, 1183-1192. | 0.9 | 10        |
| 2557 | Biomarkers of Mineral and Bone Metabolism and 20-Year Risk of Hospitalization With Infection: The Atherosclerosis Risk in Communities Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4648-4657.  | 1.8 | 11        |
| 2558 | Comparative effectiveness of allopurinol, febuxostat and benzbromarone on renal function in chronic kidney disease patients with hyperuricemia: a 13-year inception cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1620-1627.   | 0.4 | 43        |
| 2559 | Split renal function in patients with unilateral atherosclerotic renal artery stenosisâ€”effect of renal angioplasty. <i>CKJ: Clinical Kidney Journal</i> , 2017, 10, 496-502.  | 1.4 | 8         |
| 2560 | Dose escalation study of intravenous and intra-arterial N-acetylcysteine for the prevention of oto- and nephrotoxicity of cisplatin with a contrast-induced nephropathy model in patients with renal insufficiency. <i>Fluids and Barriers of the CNS</i> , 2017, 14, 26.                               | 2.4 | 15        |
| 2561 | Establishing the presence or absence of chronic kidney disease: Uses and limitations of formulas estimating the glomerular filtration rate. <i>World Journal of Methodology</i> , 2017, 7, 73-92.   | 1.1 | 26        |
| 2562 | Outcomes of Chimney and/or Periscope Techniques in the Endovascular Management of Complex Aortic Pathologies. <i>Chinese Medical Journal</i> , 2017, 130, 2095-2100.  | 0.9 | 10        |
| 2563 | Epidemiology of Acute Kidney Injury (AKI) among Hospitalized and Outpatients Frequent to Al-Lieth Kidney Unit (AKU). <i>Epidemiology (Sunnyvale, Calif)</i> , 2017, 07, .   | 0.3 | 0         |
| 2564 | Association between Coagulation Function and Cerebral Microbleeds in Ischemic Stroke Patients with Atrial Fibrillation and/or Rheumatic Heart Disease. , 2017, 8, 131.  |     | 8         |
| 2565 | Body Composition Analysis Allows the Prediction of Urinary Creatinine Excretion and of Renal Function in Chronic Kidney Disease Patients. <i>Nutrients</i> , 2017, 9, 553.  | 1.7 | 12        |
| 2566 | Altered Metabolism of Blood Manganese Is Associated with Low Levels of Hemoglobin in Patients with Chronic Kidney Disease. <i>Nutrients</i> , 2017, 9, 1177.  | 1.7 | 14        |
| 2567 | Long-term Mortality Outcomes of Hyperkalemic Patients in the Emergency Department Setting: A Case Control Study. <i>Archives of Medicine</i> , 2017, 09, .  | 0.2 | 1         |
| 2568 | Does contrast media volume affect long-term survival in patients with chronic kidney disease?. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2017, 2, 82-89.   | 0.5 | 4         |
| 2569 | The Prevalence and Management of Anemia in Chronic Kidney Disease Patients: Result from the Korean Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 249.  | 1.1 | 53        |
| 2570 | Relation of Renal Function with Left Ventricular Systolic Function and NT-proBNP Level and Its Prognostic Implication in Heart Failure with Preserved versus Reduced Ejection Fraction: an analysis from the Korean Heart Failure (KorHF) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 727.  | 0.7 | 10        |
| 2571 | Multidrug-Resistant <i>Candida haemulonii</i> and <i>C. auris</i> , Tel Aviv, Israel. <i>Emerging Infectious Diseases</i> , 2017, 23, .   | 2.0 | 224       |
| 2572 | Hypertension in Non-Type 2 Diabetes in Isfahan, Iran: Incidence and Risk Factors. <i>International Journal of Hypertension</i> , 2017, 2017, 1-7.   | 0.5 | 1         |
| 2573 | Change of Renal Parenchymal Width in Patients with Unilateral Ureteral Stent: A Bicenter Retrospective Study. <i>BioMed Research International</i> , 2017, 2017, 1-6.   | 0.9 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2574 | Assessing the Risk of Contrast-Induced Nephropathy Using a Finger Stick Analysis in Recalls from Breast Screening: The CINFIBS Explorative Study. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-5.   | 0.4 | 7         |
| 2575 | Chronic Kidney Disease-Mineral Bone Disorder in Korean Patients: a Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 240.  | 1.1 | 19        |
| 2576 | eGFRs from Asian-modified CKD-EPI and Chinese-modified CKD-EPI equations were associated better with hypertensive target organ damage in the community-dwelling elderly Chinese: the Northern Shanghai Study. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1297-1308. | 1.3 | 12        |
| 2577 | Prevalence and determinants of non-alcoholic fatty liver disease in lifelines: A large Dutch population cohort. <i>PLoS ONE</i> , 2017, 12, e0171502.  | 1.1 | 74        |
| 2578 | Effect of prescribing metformin according to eGFR instead of serum creatinine level: A study based on Korean National Health and Nutrition Examination Survey (KNHANES) 2009-2014. <i>PLoS ONE</i> , 2017, 12, e0175334.   | 1.1 | 2         |
| 2579 | Augmented renal clearance is not a risk factor for mortality in Enterobacteriaceae bloodstream infections treated with appropriate empiric antimicrobials. <i>PLoS ONE</i> , 2017, 12, e0180247.   | 1.1 | 9         |
| 2580 | Everolimus long-term use in patients with tuberous sclerosis complex: Four-year update of the EXIST-2 study. <i>PLoS ONE</i> , 2017, 12, e0180939.   | 1.1 | 128       |
| 2581 | Kidney dysfunction and cerebral microbleeds in neurologically healthy adults. <i>PLoS ONE</i> , 2017, 12, e0172210.  | 1.1 | 21        |
| 2582 | The top tertile of hematocrit change during hospitalization is associated with lower risk of mortality in acute heart failure patients. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 235.   | 0.7 | 8         |
| 2583 | Predictors of Acute Renal Injury Study (PARIS) among HIV-positive individuals: design and methods. <i>BMC Nephrology</i> , 2017, 18, 289.  | 0.8 | 2         |
| 2584 | A rise in mean platelet volume during hospitalization for community-acquired pneumonia predicts poor prognosis: a retrospective observational cohort study. <i>BMC Pulmonary Medicine</i> , 2017, 17, 137.   | 0.8 | 17        |
| 2585 | FimAsartaN proTeinuriA SusTained reduCtion in comparison with losartan in diabetic chronic kidney disease (FANTASTIC): study protocol for randomized controlled trial. <i>Trials</i> , 2017, 18, 632.  | 0.7 | 4         |
| 2586 | Altered Semmesâ€“Weinstein monofilament test results are associated with oxidative stress markers in type 2 diabetic subjects. <i>Journal of Translational Medicine</i> , 2017, 15, 187.   | 1.8 | 6         |
| 2587 | A multicenter cohort study of primary hypertension in Korea: study design and interim analysis of the Korean registry of target organ damage in hypertension (KorHR). <i>Clinical Hypertension</i> , 2017, 23, 16.   | 0.7 | 2         |
| 2588 | Establishing Reference Intervals for Soluble ST2 Assay in a Korean Population. <i>Laboratory Medicine Online</i> , 2017, 7, 176.   | 0.0 | 1         |
| 2589 | Significance of the thrombo-inflammatory status-based novel prognostic score as a useful predictor for in-hospital mortality of patients with type B acute aortic dissection. <i>Oncotarget</i> , 2017, 8, 79315-79322.  | 0.8 | 16        |
| 2590 | Cystatin C is Better than Serum Creatinine for Estimating Glomerular Filtration Rate to Detect Osteopenia in Chronic Kidney Disease Patients. <i>Yonsei Medical Journal</i> , 2017, 58, 380.   | 0.9 | 4         |
| 2591 | Feasibility of higher intensity exercise in patients with chronic kidney disease. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017, 58, 127-134.  | 0.4 | 5         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2592 | Impact of Chronic Kidney Disease on Long-Term Outcome in Coronary Bypass Candidates Treated with Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2017, 47, 50.  | 0.7 | 3         |
| 2594 | The Prevalence and Risk Factors of Renal Insufficiency among Korean HIV-Infected Patients: The Korea HIV/AIDS Cohort Study. <i>Infection and Chemotherapy</i> , 2017, 49, 194.  | 1.0 | 14        |
| 2595 | Baseline General Characteristics of the Korean Chronic Kidney Disease: Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 221.                             | 1.1 | 31        |
| 2596 | Cystatin C is a useful predictor of early neurological deterioration following ischaemic stroke in elderly patients with normal renal function. <i>European Stroke Journal</i> , 2017, 2, 23-30.  | 2.7 | 12        |
| 2597 | Assessment of renal function in geriatric palliative care patients &ndash; comparison of creatinine-based estimation equations. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 977-983.  | 1.3 | 6         |
| 2598 | Clinical validation of immunoglobulin A nephropathy diagnosis in Swedish biopsy registers. <i>Clinical Epidemiology</i> , 2017, Volume 9, 67-73.  | 1.5 | 10        |
| 2599 | Association of Biochemical Parameters with Renal Functions of End Stage Renal Disease (ESRD) Patients of Bangladesh. <i>Journal of Bioanalysis &amp; Biomedicine</i> , 2017, 09, .  | 0.1 | 0         |
| 2600 | Comparison of Chronic Kidney Disease Epidemiology Collaboration Equations with Other Accepted Equations for Estimation of Glomerular Filtration Rate in Indian Chronic Kidney Disease Patients. <i>Bangladesh Journal of Medical Science</i> , 2017, 16, 238-244. | 0.1 | 0         |
| 2602 | Creation of a Universal Sample Bank for Determining the 99th Percentile for Cardiac Troponin Assays. <i>journal of applied laboratory medicine, The</i> , 2017, 1, 711-719.   | 0.6 | 20        |
| 2603 | Change in Renal Function among HIV-Infected Koreans Receiving Tenofovir Disoproxil Fumarate-Backbone Antiretroviral Therapy: A 3-Year Follow-Up Study. <i>Yonsei Medical Journal</i> , 2017, 58, 770.   | 0.9 | 3         |
| 2604 | Comparison between tenofovir disoproxil fumarate and entecavir treatment in real-world clinical practice. <i>Advances in Digestive Medicine</i> , 2017, 4, 87-93.   | 0.1 | 0         |
| 2605 | New Model for Estimating Glomerular Filtration Rate in Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 2798-2805.   | 0.8 | 78        |
| 2606 | Prevalence and Risk of Protein-Energy Wasting Assessed by Subjective Global Assessment in Older Adults With Advanced Chronic Kidney Disease: Results From the EQUAL Study. , 2018, 28, 165-174.   |     | 38        |
| 2607 | Prophylactic cefazolin concentrations in morbidly obese patients undergoing sleeve gastrectomy: do we achieve targets?. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 28-34.   | 1.1 | 12        |
| 2608 | Association of diuretic treatment at hospital discharge in patients with heart failure with all-cause short- and long-term mortality: A propensity score-matched analysis from SwedeHF. <i>International Journal of Cardiology</i> , 2018, 257, 118-124.          | 0.8 | 12        |
| 2609 | Effects of angiotensin receptor blocker at discharge in patients with heart failure with reduced ejection fraction: Korean Acute Heart Failure (KorAHF) registry. <i>International Journal of Cardiology</i> , 2018, 257, 168-176.                                | 0.8 | 10        |
| 2610 | Association between impaired renal function and stroke outcome in patients with versus without atrial fibrillation. <i>European Journal of Neurology</i> , 2018, 25, 1041-1048.   | 1.7 | 11        |
| 2611 | Associations of Muscle Mass and Strength with All-Cause Mortality among US Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 458-467.  | 0.2 | 214       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2612 | Spot Urine Sodium as Triage for Effective Diuretic Infusion in an Ambulatory Heart Failure Unit. <i>Journal of Cardiac Failure</i> , 2018, 24, 349-354.   | 0.7 | 44        |
| 2613 | Rapidity of Correction of Hyponatremia Due to Syndrome of Inappropriate Secretion of Antidiuretic Hormone Following Tolvaptan. <i>American Journal of Kidney Diseases</i> , 2018, 71, 772-782.  | 2.1 | 37        |
| 2614 | Estimated glomerular filtration rate for longitudinal follow-up of living kidney donors. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1054-1064.  | 0.4 | 19        |
| 2615 | Neoadjuvant Radiation Is Associated with Fistula Formation Following Pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1026-1033.   | 0.9 | 8         |
| 2616 | Pragmatic Use of Kidney Function Estimates for Drug Dosing: The Tide Is Turning. <i>Advances in Chronic Kidney Disease</i> , 2018, 25, 14-20.   | 0.6 | 43        |
| 2617 | Kidney Function in Obesity—Challenges in Indexing and Estimation. <i>Advances in Chronic Kidney Disease</i> , 2018, 25, 31-40.  | 0.6 | 41        |
| 2618 | Effect of Levosimendan on Renal Outcome in Cardiac Surgery Patients With Chronic Kidney Disease and Perioperative Cardiovascular Dysfunction: A Substudy of a Multicenter Randomized Trial. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 2152-2159. | 0.6 | 21        |
| 2619 | Experiences of a One-hour Algorithm in Chest Pain Patients With a Nonelevated Troponin T at Presentation. <i>Critical Pathways in Cardiology</i> , 2018, 17, 6-12.  | 0.2 | 5         |
| 2620 | Association of Serum Zinc Level With Prognosis in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2018, 24, 375-383.   | 0.7 | 25        |
| 2621 | Uso de la fórmula de Cockcroft-Gault para el ajuste de dosis de los fármacos en insuficiencia renal: ¿hasta cuándo?. <i>Medicina Clínica</i> , 2018, 151, 167.  | 0.3 | 0         |
| 2622 | The clinical manifestations and response to treatment in South Africans with lupus nephritis. <i>Lupus</i> , 2018, 27, 1207-1217.   | 0.8 | 8         |
| 2623 | Cardiovascular Disease in Kidney Transplantation and Its Association With Blood Concentrations of Cyclosporine and Cyclosporine Metabolites. <i>Transplantation Proceedings</i> , 2018, 50, 1850-1854.  | 0.3 | 6         |
| 2624 | Cholecalciferol Supplementation Promotes Bone Turnover in Chinese Adults with Vitamin D Deficiency. <i>Journal of Nutrition</i> , 2018, 148, 746-751.   | 1.3 | 6         |
| 2625 | Combining High-Sensitivity Cardiac Troponin I and Cardiac Troponin T in the Early Diagnosis of Acute Myocardial Infarction. <i>Circulation</i> , 2018, 138, 989-999.  | 1.6 | 56        |
| 2626 | Influence of immunosuppressive drugs on the CD30 molecule in kidney transplanted patients. <i>Human Immunology</i> , 2018, 79, 550-557.   | 1.2 | 2         |
| 2627 | Novel Application of the Two-Period Microtracer Approach to Determine Absolute Oral Bioavailability and Fraction Absorbed of Ertugliflozin. <i>Clinical and Translational Science</i> , 2018, 11, 405-411.  | 1.5 | 32        |
| 2628 | Determinants of amikacin first peak concentration in critically ill patients. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 669-677.   | 1.0 | 5         |
| 2629 | Renal volume assessed by magnetic resonance imaging volumetry correlates with renal function in living kidney donors pre- and postdonation: a retrospective cohort study. <i>Transplant International</i> , 2018, 31, 773-780.  | 0.8 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2630 | Monitoring of gentamicin serum concentrations in obstetrics and gynaecology patients in Namibia. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 520-525.  | 1.0 | 1         |
| 2631 | Variation of renal function over time is associated with major bleeding in patients treated with direct oral anticoagulants for atrial fibrillation. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 833-841.                                     | 1.9 | 31        |
| 2632 | Vitamin D deficiency and periprocedural myocardial infarction in patients undergoing percutaneous coronary interventions. <i>Cardiovascular Revascularization Medicine</i> , 2018, 19, 744-750.  | 0.3 | 3         |
| 2633 | European experience of robot-assisted kidney transplantation: minimum of 1-year follow-up. <i>BJU International</i> , 2018, 122, 255-262.  | 1.3 | 51        |
| 2634 | The prognostic value of the relationship between right atrial and pulmonary capillary wedge pressure in diverse cardiovascular conditions. <i>American Heart Journal</i> , 2018, 199, 31-36.   | 1.2 | 18        |
| 2635 | Any grade of relative overhydration is associated with long-term mortality in patients with Stages 4 and 5 non-dialysis chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 372-376.   | 1.4 | 9         |
| 2636 | Metabolic Syndrome Is Associated With Impaired Diastolic Function Independently of MRI-Derived Myocardial Extracellular Volume: The MESA Study. <i>Diabetes</i> , 2018, 67, 1007-1012.   | 0.3 | 26        |
| 2637 | Significance of the nonneoplastic renal parenchymal findings in robotic partial nephrectomy series. <i>Journal of Nephrology</i> , 2018, 31, 925-930.  | 0.9 | 5         |
| 2638 | Brain Magnetic Resonance Imaging Findings in Children and Young Adults With CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 349-359.   | 2.1 | 29        |
| 2639 | Does Routine Bioimpedance-Guided Fluid Management Provide Additional Benefit to Non-Anuric Peritoneal Dialysis Patients? Results from Compass Clinical Trial. <i>Peritoneal Dialysis International</i> , 2018, 38, 131-138.                                | 1.1 | 33        |
| 2641 | Impact of metabolic control on macular thickness in diabetic macular oedema. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 165-168.  | 0.9 | 12        |
| 2642 | Retrospective analysis to determine outcomes of patients with bilateral Wilms tumor undergoing nephron sparing surgery: 15-year tertiary single-institution experience. <i>Pediatric Surgery International</i> , 2018, 34, 427-433.                        | 0.6 | 8         |
| 2643 | Zinc Supplementation Does Not Affect Glucagon Response to Intravenous Glucose and Insulin Infusion in Patients with Well-Controlled Type 2 Diabetes. <i>Biological Trace Element Research</i> , 2018, 185, 255-261.  | 1.9 | 13        |
| 2644 | Differential Association of Microvascular Attributions With Cardiovascular Disease in Patients With Long Duration of Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 815-822.  | 4.3 | 23        |
| 2645 | Evaluation of the Safety, Pharmacokinetics, Pharmacodynamics, and Efficacy After Single and Multiple Dosings of LY3016859 in Healthy Subjects and Patients With Diabetic Nephropathy. <i>Clinical Pharmacology in Drug Development</i> , 2018, 7, 759-772. | 0.8 | 2         |
| 2646 | Endogenous markers for kidney function in children: a review. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2018, 55, 163-183.   | 2.7 | 48        |
| 2647 | Impact of electronic health record-based, pharmacist-driven valganciclovir dose optimization in solid organ transplant recipients. <i>Transplant Infectious Disease</i> , 2018, 20, e12849.  | 0.7 | 8         |
| 2648 | Uric acid predicts adverse outcomes in chronic kidney disease: a novel insight from trajectory analyses. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 231-241.   | 0.4 | 41        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2649 | The Impact of Combined Warm Ischemia Time on Development of Acute Kidney Injury in Donation After Circulatory Death Liver Transplantation. <i>Transplantation</i> , 2018, 102, 783-793.  | 0.5 | 37        |
| 2650 | A Phase 1, Randomized, Placebo- and Active- Controlled Crossover Study to Determine the Effect of Single-Dose Ertugliflozin on QTc Interval in Healthy Volunteers. <i>Clinical Pharmacology in Drug Development</i> , 2018, 7, 513-523.                            | 0.8 | 15        |
| 2651 | Post-contrast acute kidney injury – Part 1: Definition, clinical features, incidence, role of contrast medium and risk factors. <i>European Radiology</i> , 2018, 28, 2845-2855.   | 2.3 | 306       |
| 2652 | High Loading Dose of Atorvastatin for the Prevention of Serum Creatinine and Cystatin C-Based Contrast-Induced Nephropathy Following Percutaneous Coronary Intervention. <i>Angiology</i> , 2018, 69, 692-699.   | 0.8 | 10        |
| 2653 | Relationship between brachial-ankle and heart-femoral pulse wave velocities and the rapid decline of kidney function. <i>Scientific Reports</i> , 2018, 8, 821.  | 1.6 | 9         |
| 2654 | Methods of Estimating Kidney Function for Drug Dosing in Special Populations. <i>Clinical Pharmacokinetics</i> , 2018, 57, 943-976.  | 1.6 | 16        |
| 2655 | Effect of creatinine and cystatin C measurement variations on calculated estimated glomerular filtration rate variations and the theoretical impact on kidney disease stage classification: A retrospective study. <i>Clinica Chimica Acta</i> , 2018, 477, 13-17. | 0.5 | 0         |
| 2656 | Racial Variations in the Markers of Mineral Bone Disorders in CKD Patients in South Africa. <i>Kidney International Reports</i> , 2018, 3, 583-591.  | 0.4 | 4         |
| 2657 | Noninvasive fibrosis markers and chronic kidney disease among adults with nonalcoholic fatty liver in USA. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 404-410.   | 0.8 | 25        |
| 2658 | High serum adiponectin is associated with anemia development in chronic kidney disease: The results from the KNOW-CKD study. <i>Cytokine</i> , 2018, 103, 1-9.   | 1.4 | 8         |
| 2659 | Plasma microbiome-modulated indole- and phenyl-derived metabolites associate with advanced atherosclerosis and postoperative outcomes. <i>Journal of Vascular Surgery</i> , 2018, 68, 1552-1562.e7.  | 0.6 | 105       |
| 2661 | Dialysis Indication and Initiation Time for Dialysis. , 2018, , 3-22.  |     | 0         |
| 2662 | Serum paraoxonase activity in patients with ischaemic and nonischaemic dilated cardiomyopathy. <i>Acta Cardiologica</i> , 2018, 73, 85-90.   | 0.3 | 4         |
| 2663 | Safety and efficacy of sofosbuvir and ribavirin for genotype 2 hepatitis C Japanese patients with renal dysfunction. <i>Hepatology Research</i> , 2018, 48, 529-538.   | 1.8 | 15        |
| 2664 | Reduced cortical oxygenation predicts a progressive decline of renal function in patients with chronic kidney disease. <i>Kidney International</i> , 2018, 93, 932-940.  | 2.6 | 133       |
| 2665 | Direct-acting antiviral regimens are safe and effective in the treatment of hepatitis C in simultaneous liver-kidney transplant recipients. <i>Clinical Transplantation</i> , 2018, 32, e13198.  | 0.8 | 3         |
| 2666 | Hemoglobin, Albuminuria, and Kidney Function in Cardiovascular Risk: The ARIC (Atherosclerosis Risk) Tj ETQq0 0 0 rgBT /Overlock 10 Tf   | 1.8 | 27        |
| 2667 | Marijuana Use and Renal Function Among US Adults. <i>American Journal of Medicine</i> , 2018, 131, 408-414.  | 0.6 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2668 | Clinical benefits of using inulin clearance and cystatin C for determining glomerular filtration rate in HIV-1-infected individuals treated with dolutegravir. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 199-205.      | 0.8 | 14        |
| 2669 | Population pharmacokinetics of teicoplanin in hospitalized elderly patients using cystatin C as an indicator of renal function. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 284-291.                                     | 0.8 | 18        |
| 2670 | Association of Acylcarnitines With Left Ventricular Remodeling in Patients With Severe Aortic Stenosis Undergoing Transcatheter Aortic Valve Replacement. <i>JAMA Cardiology</i> , 2018, 3, 242.                                      | 3.0 | 26        |
| 2671 | Non-alcoholic fatty liver disease and increased risk of all-cause mortality in elderly patients admitted for acute heart failure. <i>International Journal of Cardiology</i> , 2018, 265, 162-168.                                    | 0.8 | 41        |
| 2672 | Obesity, Metabolic Abnormality, and Progression of CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 400-410.   | 2.1 | 105       |
| 2673 | Metabolic syndrome in hypertensive women in the age of menopause: a case study on data from general practice electronic health records. <i>BMC Medical Informatics and Decision Making</i> , 2018, 18, 24.                            | 1.5 | 10        |
| 2674 | Analysis of cerebral blood flow and intracranial hypertension in critical patients with non-hepatic hyperammonemia. <i>Metabolic Brain Disease</i> , 2018, 33, 1335-1342.   | 1.4 | 12        |
| 2675 | Transcutaneous oxygen pressure as a predictor for short-term survival in patients with type 2 diabetes and foot ulcers: a comparison with ankle-brachial index and toe blood pressure. <i>Acta Diabetologica</i> , 2018, 55, 781-788. | 1.2 | 22        |
| 2676 | Weighted Multi-marker Genetic Risk Scores for Incident Coronary Heart Disease among Individuals of African, Latino and East-Asian Ancestry. <i>Scientific Reports</i> , 2018, 8, 6853.  | 1.6 | 18        |
| 2677 | The vexed question of whether or not to measure levels of direct oral anticoagulants before surgery or invasive procedures. <i>Internal and Emergency Medicine</i> , 2018, 13, 1029-1036.   | 1.0 | 27        |
| 2678 | The Impact of Postreperfusion Syndrome on Acute Kidney Injury in Living Donor Liver Transplantation: A Propensity Score Analysis. <i>Anesthesia and Analgesia</i> , 2018, 127, 369-378.   | 1.1 | 18        |
| 2679 | Single-Center Long-Term Follow-Up of Kidney Donors in Argentina (Hospital Italiano de Buenos Aires). <i>Transplantation Proceedings</i> , 2018, 50, 418-422.  | 0.3 | 2         |
| 2680 | Analysis of dendritic cells and ischemia-reperfusion changes in postimplantation renal allograft biopsies may serve as predictors of subsequent rejection episodes. <i>Kidney International</i> , 2018, 93, 1227-1239.                | 2.6 | 8         |
| 2681 | Correlations between donor-specific antibodies and non-adherence with chronic active antibody-mediated rejection phenotypes and their impact on kidney graft survival. <i>Human Immunology</i> , 2018, 79, 413-423.                   | 1.2 | 13        |
| 2682 | Association between zinc nutritional status and glycemic control in individuals with well-controlled type-2 diabetes. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018, 50, 560-565.                                   | 1.5 | 14        |
| 2683 | Predicting kidney disease progression in patients with acute kidney injury after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 2455-2463.e5.  | 0.4 | 26        |
| 2684 | In-hospital dynamics of glucose, blood pressure and temperature predict outcome in patients with acute ischaemic stroke. <i>European Stroke Journal</i> , 2018, 3, 174-184.   | 2.7 | 7         |
| 2685 | Intravenous pulse cyclophosphamide and steroids induce immunological and clinical remission in New-onset incident and relapsing primary membranous nephropathy. <i>Nephrology</i> , 2018, 23, 60-68.                                  | 0.7 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2686 | Plasma volume status predicts prognosis in patients with acute heart failure syndromes. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 330-338.  | 0.4 | 36        |
| 2687 | New Developments in Hepatorenal Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 162-177.e1.   | 2.4 | 71        |
| 2688 | Prognostic comparison between creatinine-based glomerular filtration rate formulas for the prediction of 10-year outcome in patients with non-ST elevation acute coronary syndrome treated by percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 689-702.            | 0.4 | 12        |
| 2689 | Maintenance Belatacept-Based Immunosuppression in Lung Transplantation Recipients Who Failed Calcineurin Inhibitors. <i>Transplantation</i> , 2018, 102, 171-177.   | 0.5 | 44        |
| 2690 | Population Pharmacokinetic Analysis of Cefiderocol, a Parenteral Siderophore Cephalosporin, in Healthy Subjects, Subjects with Various Degrees of Renal Function, and Patients with Complicated Urinary Tract Infection or Acute Uncomplicated Pyelonephritis. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, . | 1.4 | 42        |
| 2691 | Arterial-ventricular coupling in type 1 diabetes: arterial stiffness is associated with impaired global longitudinal strain in type 1 diabetes patientsâ€™the Thousand & 1 Study. <i>Acta Diabetologica</i> , 2018, 55, 21-29.  | 1.2 | 6         |
| 2692 | Impact of estimated glomerular filtration rate based on plasma cystatin C and serum creatinine levels before allogeneic hematopoietic cell transplantation. <i>Hematology</i> , 2018, 23, 271-276.  | 0.7 | 4         |
| 2693 | Racial disparities in outcomes after intact abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2018, 67, 1059-1067.   | 0.6 | 45        |
| 2694 | Early reintervention after open and endovascular abdominal aortic aneurysm repair is associated with high mortality. <i>Journal of Vascular Surgery</i> , 2018, 67, 433-440.e1.   | 0.6 | 21        |
| 2695 | Angiotensin II Type 1 receptor antibodies are associated with inflammatory cytokines and poor clinical outcomes in pediatric kidney transplantation. <i>Kidney International</i> , 2018, 93, 260-269.   | 2.6 | 57        |
| 2696 | Postmeal increment in intact glucagon-like peptide 1 level, but not intact glucose-dependent insulinotropic polypeptide levels, is inversely associated with metabolic syndrome in patients with type 2 diabetes. <i>Endocrine Research</i> , 2018, 43, 47-54.  | 0.6 | 3         |
| 2697 | Efficacy of alprostadil in preventing contrast-induced nephropathy in patients undergoing percutaneous coronary intervention: A multicenter prospective randomized controlled trial. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 742-750.   | 0.7 | 11        |
| 2698 | Evaluation of the predictive performance of bleeding risk scores in patients with non-valvular atrial fibrillation on oral anticoagulants. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2018, 43, 209-219.  | 0.7 | 8         |
| 2699 | Prevalence, predictors, and prognostic implications of PR interval prolongation in patients with heart failure. <i>Clinical Research in Cardiology</i> , 2018, 107, 108-119.  | 1.5 | 25        |
| 2700 | Evaluation of the accuracy of estimated baseline serum creatinine for acute kidney injury diagnosis. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 405-412.   | 0.7 | 7         |
| 2701 | Renal Functional Outcome of Partial Nephrectomy for Complex R.E.N.A.L. Score Tumors With or Without Neoadjuvant Sunitinib: A Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e289-e295.  | 0.9 | 10        |
| 2702 | Aneurysm sac expansion is independently associated with late mortality in patients treated with endovascular aneurysm repair. <i>Journal of Vascular Surgery</i> , 2018, 67, 157-164.   | 0.6 | 81        |
| 2703 | Influences of renal function descriptors on population pharmacokinetic modeling of vancomycin in Chinese adult patients. <i>Acta Pharmacologica Sinica</i> , 2018, 39, 286-293.   | 2.8 | 23        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2704 | Guidelines for treatment of renal injury during cancer chemotherapy 2016. Clinical and Experimental Nephrology, 2018, 22, 210-244.  | 0.7 | 54        |
| 2705 | Lower quality of life in young men after pediatric kidney transplantation when compared to healthy controls and survivors of childhood leukemia-a cross-sectional study. Transplant International, 2018, 31, 157-164.                             | 0.8 | 16        |
| 2706 | Effect of ertugliflozin on glucose control, body weight, blood pressure and bone density in type 2 diabetes mellitus inadequately controlled on metformin monotherapy (<sc>VERTIS MET</sc>). Diabetes, Obesity and Metabolism, 2018, 20, 520-529. | 2.2 | 136       |
| 2707 | Associations between glycaemic control and activation of the renin-angiotensin-aldosterone system in participants with type 2 diabetes mellitus and hypertension. Annals of Clinical Biochemistry, 2018, 55, 373-384.                             | 0.8 | 15        |
| 2708 | Enhancing the "real world" prediction of cardiovascular events and major bleeding with the CHA <sub>2</sub> DS <sub>2</sub> -VASc and HAS-BLED scores using multiple biomarkers. Annals of Medicine, 2018, 50, 26-34.                             | 1.5 | 22        |
| 2709 | Robot-assisted Kidney Transplantation: The European Experience. European Urology, 2018, 73, 273-281.  | 0.9 | 101       |
| 2710 | Effects of Intensive Blood Pressure Treatment on Acute Kidney Injury Events in the Systolic Blood Pressure Intervention Trial (SPRINT). American Journal of Kidney Diseases, 2018, 71, 352-361.   | 2.1 | 104       |
| 2711 | Pre-operative and post-operative estimated glomerular filtration rate in Japanese patients with urological malignancies. Clinical and Experimental Nephrology, 2018, 22, 1205-1212.   | 0.7 | 0         |
| 2712 | IgA anti-Î2 glycoprotein I antibodies: Experience from a large center. Thrombosis Research, 2018, 162, 38-43.   | 0.8 | 17        |
| 2713 | Early Experience with Fenestrated Endovascular Compared to Open Repair of Complex Abdominal Aortic Aneurysms in a High-Volume Open Aortic Center. Annals of Vascular Surgery, 2018, 48, 151-158.  | 0.4 | 9         |
| 2714 | Monitoring the estimated glomerular filtration rate (eGFR) in patients with small-cell lung cancer during chemotherapy: equations based on serum creatinine or cystatin C?. International Journal of Clinical Oncology, 2018, 23, 258-265.        | 1.0 | 2         |
| 2715 | Subclinical Hypothyroidism Is Associated With Adverse Prognosis in Heart Failure Patients. Canadian Journal of Cardiology, 2018, 34, 80-87.   | 0.8 | 30        |
| 2716 | Chronic kidney disease and bleeding risk in patients at high cardiovascular risk: a cohort study. Journal of Thrombosis and Haemostasis, 2018, 16, 65-73.   | 1.9 | 75        |
| 2717 | Older Adult Kidney Function Assessment and Rounding Creatinine Led to Medication Dosing Error. American Journal of Therapeutics, 2018, 25, e439-e446.   | 0.5 | 9         |
| 2718 | Associations between serum calcium, phosphorus and mortality among patients with coronary heart disease. European Journal of Nutrition, 2018, 57, 2457-2467.  | 1.8 | 29        |
| 2719 | External validation of a 5-year survival prediction model after elective abdominal aortic aneurysm repair. Journal of Vascular Surgery, 2018, 67, 151-156.e3.   | 0.6 | 15        |
| 2720 | Multicenter Experience using Ledipasvir/Sofosbuvir ± RBV to Treat HCV GT 1 Relapsers after Simeprevir and Sofosbuvir Treatment. Annals of Hepatology, 2018, 17, 815-821.  | 0.6 | 4         |
| 2721 | Association of B-Type Natriuretic Peptide Levels With Estimated Glomerular Filtration Rate in Different Stages of Chronic Kidney Disease And Relevant Echocardiographic Changes. Anwer Khan Modern Medical College Journal, 2018, 9, 85-90.       | 0.1 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2722 | Analysis of emergency Department Frequentation among patients with advanced CKD (chronic kidney) Tj ETQq0 0 0 rgBT /Overlock 10<br>622-629.   | 0.2 | 0         |
| 2723 | Clinical significance of renal cortical thickness in patients with chronic kidney disease. Ultrasonography, 2018, 37, 50-54.  | 1.0 | 23        |
| 2724 | Improvement of bone microarchitecture parameters after 12 months of treatment with asfotase alfa in adult patient with hypophosphatasia. Medicine (United States), 2018, 97, e13210.  | 0.4 | 17        |
| 2727 | Determination of vitamin D (25[OH]D) levels in kidney transplant patients and relevance thereof, in accordance with the glomerular filtration rate. Revista Colombiana De ReumatologÃa (English) Tj ETQq1 1 0.784314.rgBT /Overlock 10          | 1.0 | 10        |
| 2728 | Towards Metabolic Biomarkers for the Diagnosis and Prognosis of CKD. , 0, , .   |     | 1         |
| 2729 | Low protein diets for non-diabetic adults with chronic kidney disease. The Cochrane Library, 2018, 10, CD001892.  | 1.5 | 57        |
| 2730 | Clinical markers to predict progression from acute to chronic kidney disease in Mesoamerican nephropathy. Kidney International, 2018, 94, 1205-1216.  | 2.6 | 34        |
| 2731 | Associations of renal function with urinary excretion of metals: Evidence from NHANES 2003â€“2012. Environment International, 2018, 121, 1355-1362.   | 4.8 | 91        |
| 2732 | Progression of Medial Arterial Calcification in CKD. Kidney International Reports, 2018, 3, 1328-1335.  | 0.4 | 28        |
| 2733 | Association of Monoclonal Gammopathy with Progression to ESKD among US Veterans. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1810-1815.  | 2.2 | 6         |
| 2734 | Neutrophil, lymphocyte and platelet ratio as a predictor of postoperative acute kidney injury in major abdominal surgery. BMC Nephrology, 2018, 19, 320.  | 0.8 | 39        |
| 2735 | Appropriate Amount of Regular Exercise Is Associated with a Reduced Mortality Risk. Medicine and Science in Sports and Exercise, 2018, 50, 2451-2458.   | 0.2 | 9         |
| 2736 | A Novel Semirigid Ureterorenoscope with Vacuum Suctioning System for Management of Single Proximal Ureteral and Renal Pelvic Stones: An Initial Experience. Journal of Endourology, 2018, 32, 1154-1159.  | 1.1 | 7         |
| 2737 | Agreement between cystatin-C and creatinine based eGFR estimates after a 12-month exercise intervention in patients with chronic kidney disease. BMC Nephrology, 2018, 19, 366.   | 0.8 | 15        |
| 2738 | Remote ischemic preconditioning to reduce contrast-induced acute kidney injury in chronic kidney disease: a randomized controlled trial. BMC Nephrology, 2018, 19, 373.   | 0.8 | 13        |
| 2739 | A 23-year study of mortality and development of co-morbidities in patients with obesity undergoing bariatric surgery (laparoscopic gastric banding) in comparison with medical treatment of obesity. Cardiovascular Diabetology, 2018, 17, 161. | 2.7 | 40        |
| 2740 | Hepatitis C virus infection and chronic renal disease: A review. Indian Journal of Gastroenterology, 2018, 37, 492-503.   | 0.7 | 13        |
| 2741 | Serum Uric Acid Elevation is Associated to Arterial Stiffness in Hypertensive Patients with Metabolic Disturbances. Current Hypertension Reviews, 2018, 14, 154-160.  | 0.5 | 24        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2742 | Novel formula using triceps skinfold thickness to revise the Cockcroft-Gault equation for estimating renal function in Japanese bedridden elderly patients. <i>Journal of Medical Investigation</i> , 2018, 65, 195-202.                       | 0.2 | 2         |
| 2743 | Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. <i>Pharmaceuticals</i> , 2018, 11, 88.  | 1.7 | 6         |
| 2744 | Alterations in Portal Vein Flow and Intrarenal Venous Flow Are Associated With Acute Kidney Injury After Cardiac Surgery: A Prospective Observational Cohort Study. <i>Journal of the American Heart Association</i> , 2018, 7, e009961.       | 1.6 | 144       |
| 2745 | The effect of remote ischemic preconditioning on serum creatinine in patients undergoing partial nephrectomy: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 473.   | 0.7 | 3         |
| 2746 | Population and methodology of the SIMETAP study: Prevalence of cardiovascular risk factors, cardiovascular diseases, and related metabolic diseases. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2018, 30, 197-208. | 0.1 | 2         |
| 2747 | Robot-assisted Kidney Autotransplantation: A Minimally Invasive Way to Salvage Kidneys. <i>European Urology Focus</i> , 2018, 4, 198-205.  | 1.6 | 32        |
| 2748 | The effect of metformin on culture conversion in tuberculosis patients with diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 933-940.   | 0.7 | 61        |
| 2749 | Role of Routine Laboratory Tests in Assessing Risk of Recurrent Venous Thrombosis: Results from the MEGA Follow-Up Study. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1918-1929.  | 1.8 | 0         |
| 2750 | Serum Bioavailable and Free 25-Hydroxyvitamin D Levels, but Not Its Total Level, Are Associated With the Risk of Mortality in Patients With Coronary Artery Disease. <i>Circulation Research</i> , 2018, 123, 996-1007.                        | 2.0 | 64        |
| 2751 | The National Kidney Foundation of Illinois KidneyMobile: a mobile resource for community based screenings of chronic kidney disease and its risk factors. <i>BMC Nephrology</i> , 2018, 19, 295.   | 0.8 | 1         |
| 2752 | Diabetes Fact Sheet in Korea, 2016: An Appraisal of Current Status. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 415.  | 1.8 | 201       |
| 2753 | Trend, not severity, of acute kidney injury affects graft outcome in deceased donor kidney transplantation. <i>Clinical Transplantation</i> , 2018, 32, e13431.  | 0.8 | 10        |
| 2754 | Assessing and minimizing the risk of percutaneous coronary intervention in patients with chronic kidney disease. <i>Expert Review of Cardiovascular Therapy</i> , 2018, 16, 825-835.   | 0.6 | 16        |
| 2755 | Personalized medicine in nephrology. <i>Current Opinion in Nephrology and Hypertension</i> , 2018, 27, 395-397.  | 1.0 | 2         |
| 2756 | SHROOM3-FYN Interaction Regulates Nephric Phosphorylation and Affects Albuminuria in Allografts. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2641-2657.   | 3.0 | 17        |
| 2757 | Autofluorescence of Skin Advanced Glycation End Products as a Risk Factor for Open Angle Glaucoma: The ALIENOR Study. , 2018, 59, 75.  |     | 6         |
| 2758 | Análisis de la frecuencia de Urgencias en consulta ERCA (enfermedad renal crónica avanzada): enseñanzas para optimizar el inicio programado en tratamiento renal sustitutivo. <i>Nefrología</i> , 2018, 38, 622-629.                           | 0.2 | 4         |
| 2759 | Non-invasive Stenotic Renal Artery Haemodynamics by in silico Medicine. <i>Frontiers in Physiology</i> , 2018, 9, 1106.  | 1.3 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2760 | Risk of adverse outcomes following urinary tract infection in older people with renal impairment: Retrospective cohort study using linked health record data. <i>PLoS Medicine</i> , 2018, 15, e1002652.  | 3.9 | 18        |
| 2761 | The effects of aerobic exercise on eGFR, blood pressure and VO <sub>2</sub> peak in patients with chronic kidney disease stages 3-4: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0203662.                                 | 1.1 | 59        |
| 2762 | Estimation of GFR in children using rescaled beta-trace protein. <i>Clinica Chimica Acta</i> , 2018, 486, 259-264.  | 0.5 | 7         |
| 2763 | Time spent at blood pressure target and the risk of death and cardiovascular diseases. <i>PLoS ONE</i> , 2018, 13, e0202359.  | 1.1 | 27        |
| 2764 | Prevalence and Prognostic Implications of Mitral and Aortic Valve Calcium in Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2018, 122, 1732-1737.  | 0.7 | 12        |
| 2765 | From arterial stiffness to kidney graft microvasculature: Mortality and graft survival within a cohort of 220 kidney transplant recipients. <i>PLoS ONE</i> , 2018, 13, e0195928.   | 1.1 | 8         |
| 2766 | Effect of Rifampin on the Pharmacokinetics of Ertugliflozin in Healthy Subjects. <i>Clinical Therapeutics</i> , 2018, 40, 1538-1547.  | 1.1 | 13        |
| 2767 | Utility of heart rate turbulence and T-wave alternans to assess risk for readmission and cardiac death in hospitalized heart failure patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 1257-1264.                          | 0.8 | 21        |
| 2768 | Comparison of the Cockcroft-Gault, MDRD and CKD-EPI equations for estimating ganciclovir clearance. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2120-2128.  | 1.1 | 21        |
| 2769 | Use of the embedded peritoneal dialysis catheter. <i>Annals of the Royal College of Surgeons of England</i> , 2018, 100, 534-544.   | 0.3 | 7         |
| 2770 | Uromodulin mRNA from Urinary Extracellular Vesicles Correlate to Kidney Function Decline in Type 2 Diabetes Mellitus. <i>American Journal of Nephrology</i> , 2018, 47, 283-291.  | 1.4 | 34        |
| 2771 | Detection of Complement-binding Donor-specific Antibodies, Not IgG-antibody Strength Nor C4d Status, at Antibody-mediated Rejection Diagnosis Is an Independent Predictor of Kidney Graft Failure. <i>Transplantation</i> , 2018, 102, 1943-1954. | 0.5 | 11        |
| 2772 | Presence of chronic diabetic foot ulcers is associated with more frequent and more advanced retinopathy. <i>Diabetic Medicine</i> , 2018, 35, 1364-1370.  | 1.2 | 14        |
| 2773 | Single-Acquisition Triple-Bolus Dual-Energy CT Protocol for Comprehensive Evaluation of Renal Masses: A Single-Center Randomized Noninferiority Trial. <i>American Journal of Roentgenology</i> , 2018, 211, W22-W32.                             | 1.0 | 11        |
| 2774 | Impact of a clinical decision support system for drug dosage in patients with renal failure. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 1225-1233.   | 1.0 | 23        |
| 2775 | Apolipoprotein CIII and N-terminal prohormone b-type natriuretic peptide as independent predictors for cardiovascular disease in type 2 diabetes. <i>Atherosclerosis</i> , 2018, 274, 182-190.  | 0.4 | 12        |
| 2776 | Evaluation of a novel prognostic score based on thrombosis and inflammation in patients with sepsis: a retrospective cohort study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1182-1192.                                       | 1.4 | 16        |
| 2777 | The modifying effect of kidney function on the association of cadmium exposure with blood pressure and cardiovascular mortality: NHANES 1999-2010. <i>Toxicology and Applied Pharmacology</i> , 2018, 353, 15-22.                                 | 1.3 | 25        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2778 | The Usefulness and Limitations of Point-of-care Cardiac Troponin Measurement in the Emergency Department. <i>Internal Medicine</i> , 2018, 57, 1673-1680.   | 0.3 | 21        |
| 2779 | Effects of Egg Consumption and Choline Supplementation on Plasma Choline and Trimethylamine-N-Oxide in a Young Population. <i>Journal of the American College of Nutrition</i> , 2018, 37, 716-723.   | 1.1 | 33        |
| 2780 | Renal Denervation in Resistant Hypertension and Obstructive Sleep Apnea. <i>Hypertension</i> , 2018, 72, 381-390.   | 1.3 | 73        |
| 2781 | Impact of the Discordance Between the American College of Cardiology/American Heart Association and American Diabetes Association Recommendations on Hypertension in Patients With Diabetes Mellitus in the United States. <i>Hypertension</i> , 2018, 72, 256-259. | 1.3 | 10        |
| 2782 | Chronic depression symptoms desensitize renin activity to protect against volume-loading hypertension in Blacks: The SABPA study. <i>Physiology and Behavior</i> , 2018, 194, 474-480.  | 1.0 | 4         |
| 2783 | Transplantation of kidneys from DCD and DBD donors who died after ligature asphyxiation: The UK experience. <i>American Journal of Transplantation</i> , 2018, 18, 2739-2751.   | 2.6 | 5         |
| 2784 | Clinical Validation of a Novel High-Sensitivity Cardiac Troponin I Assay for Early Diagnosis of Acute Myocardial Infarction. <i>Clinical Chemistry</i> , 2018, 64, 1347-1360.   | 1.5 | 110       |
| 2785 | Uncertainty in Measurement: Procedures for Determining Uncertainty With Application to Clinical Laboratory Calculations. <i>Advances in Clinical Chemistry</i> , 2018, 85, 149-211.   | 1.8 | 9         |
| 2786 | Asymmetric and symmetric dimethylarginines and mortality in patients with hematological malignancies—A prospective study. <i>PLoS ONE</i> , 2018, 13, e0197148.   | 1.1 | 15        |
| 2787 | Severe Renal Impairment Has Minimal Impact on Doravirine Pharmacokinetics. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .   | 1.4 | 17        |
| 2788 | Implication of Nonalcoholic Fatty Liver Disease, Metabolic Syndrome, and Subclinical Inflammation on Mild Renal Insufficiency. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-7.   | 0.6 | 2         |
| 2789 | Non-invasive detection of urothelial cancer through the analysis of driver gene mutations and aneuploidy. <i>ELife</i> , 2018, 7, .   | 2.8 | 118       |
| 2790 | Poblaci3n y metodologÃa del estudio SIMETAP: Prevalencia de factores de riesgo cardiovascular, enfermedades cardiovasculares y enfermedades metab3licas relacionadas. <i>ClÃnica E Investigaci3n En Arteriosclerosis</i> , 2018, 30, 197-208.                       | 0.4 | 13        |
| 2791 | Beyond serum creatinine: which tools to evaluate renal function in cirrhotic patients?. <i>Hepatology Research</i> , 2018, 48, 771-779.   | 1.8 | 9         |
| 2792 | Clinical Benefit of Valvular Surgery in Patients with Chronic Kidney Disease. <i>International Heart Journal</i> , 2018, 59, 759-765.   | 0.5 | 3         |
| 2793 | B Cell Activating Factor (BAFF) in Long-term Kidney Transplant Recipients Is Not a Prognostic Marker for Allograft Dysfunction or Survival. <i>Transplantation Proceedings</i> , 2018, 50, 1750-1754.   | 0.3 | 4         |
| 2794 | Investigating the Association between Chronic Kidney Disease and Ischaemic Stroke from a Health Examination Database. <i>Scientific Reports</i> , 2018, 8, 10903.   | 1.6 | 3         |
| 2795 | How long should we continue to use the Cockcroft-Gault formula for dose-adjustment of drugs in renal failure?. <i>Medicina ClÃnica (English Edition)</i> , 2018, 151, 167.  | 0.1 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2796 | Evaluation of vancomycin therapy in the adult ICUs of a teaching hospital in southern Iran. <i>Drug, Healthcare and Patient Safety</i> , 2018, Volume 10, 21-26.  | 1.0 | 6         |
| 2797 | Renal dysfunction is associated with higher central venous pressures in patients with Fontan circulation. <i>Congenital Heart Disease</i> , 2018, 13, 602-607.  | 0.0 | 21        |
| 2798 | Magnetic resonance imaging 3T and total fibrotic volume in autosomal dominant polycystic kidney disease. <i>Internal Medicine Journal</i> , 2018, 48, 1505-1513.  | 0.5 | 9         |
| 2799 | Increased Serum Interleukin-34 Levels Are Related to the Presence and Severity of Cardiac Dysfunction in Patients With Ischemic Cardiomyopathy. <i>Frontiers in Physiology</i> , 2018, 9, 904.                        | 1.3 | 12        |
| 2800 | Hip fracture incidence and mortality in chronic kidney disease: the GLOMMS-II record linkage cohort study. <i>BMJ Open</i> , 2018, 8, e020312.  | 0.8 | 43        |
| 2801 | High-sensitivity C-reactive protein elevation in patients with prior myocardial infarction in the United States. <i>American Heart Journal</i> , 2018, 204, 151-155.  | 1.2 | 10        |
| 2803 | Prognostic Value of Hepatorenal Function By Modified Model for End-stage Liver Disease (MELD) Score in Patients Undergoing Tricuspid Annuloplasty. <i>Journal of the American Heart Association</i> , 2018, 7, .      | 1.6 | 38        |
| 2804 | Determinación de niveles de vitamina D (25 [OH]D) en pacientes trasplantados renales y su importancia de acuerdo con la tasa de filtración glomerular. <i>Revista Colombiana De Reumatología</i> , 2018, 25, 161-168. | 0.0 | 1         |
| 2805 | Intake of 3 Eggs per Day When Compared to a Choline Bitartrate Supplement, Downregulates Cholesterol Synthesis without Changing the LDL/HDL Ratio. <i>Nutrients</i> , 2018, 10, 258.                                  | 1.7 | 46        |
| 2806 | Low dose mycophenolate mofetil versus cyclophosphamide in the induction therapy of lupus nephritis in Nepalese population: a randomized control trial. <i>BMC Nephrology</i> , 2018, 19, 175.                         | 0.8 | 23        |
| 2807 | <i>CYP3A5</i> and <i>ABCB1</i> polymorphisms in living donors do not impact clinical outcome after kidney transplantation. <i>Pharmacogenomics</i> , 2018, 19, 895-903.   | 0.6 | 7         |
| 2808 | One-year mortality of patients with ST-Elevation myocardial infarction: Prognostic impact of creatinine-based equations to estimate glomerular filtration rate. <i>PLoS ONE</i> , 2018, 13, e0199773.                 | 1.1 | 6         |
| 2809 | Relationship between Systemic Vascular Characteristics and Retinal Nerve Fiber Layer Loss in Patients with Type 2 Diabetes. <i>Scientific Reports</i> , 2018, 8, 10510.   | 1.6 | 10        |
| 2810 | Long-Term Administration of Tolvaptan in Autosomal Dominant Polycystic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1153-1161.                                    | 2.2 | 60        |
| 2811 | Circulating Fibroblast Growth Factor-23 Levels are Associated with an Increased Risk of Anemia Development in Patients with Nondialysis Chronic Kidney Disease. <i>Scientific Reports</i> , 2018, 8, 7294.            | 1.6 | 36        |
| 2812 | Diabetic kidney disease in the elderly: prevalence and clinical correlates. <i>BMC Geriatrics</i> , 2018, 18, 38.   | 1.1 | 47        |
| 2813 | Influence of vitamin D receptor polymorphisms on biochemical markers of mineral bone disorders in South African patients with chronic kidney disease. <i>BMC Nephrology</i> , 2018, 19, 30.                           | 0.8 | 6         |
| 2814 | Early recognition of chronic kidney disease in patients with diabetes. <i>Journal of Kidney Care</i> , 2018, 3, 92-95.  | 0.1 | 0         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2815 | Metabolic pathways and immunometabolism in rare kidney diseases. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2017-212935.   | 0.5 | 101       |
| 2816 | Impact of Serum Cystatin C-Based Glomerular Filtration Rate Estimates on Drug Dose Selection in Hospitalized Patients. <i>Pharmacotherapy</i> , 2018, 38, 1068-1073.  | 1.2 | 12        |
| 2817 | Is chronic kidney disease a disease?. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 1033-1040.  | 0.9 | 4         |
| 2818 | Supersonic Shear Wave Ultrasonography for Assessing Tissue Stiffness in Native Kidney. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2556-2568.   | 0.7 | 22        |
| 2819 | Adult minimal-change disease: observational data from a UK centre on patient characteristics, therapies, and outcomes. <i>BMC Nephrology</i> , 2018, 19, 207.   | 0.8 | 26        |
| 2820 | Serum Creatinine and Chronic Kidney Disease-Epidemiology Estimated Glomerular Filtration Rate: Independent Predictors of Renal Replacement Therapy following Cardiac Surgery. <i>American Journal of Nephrology</i> , 2018, 48, 108-117.  | 1.4 | 12        |
| 2821 | The preoperative stratification of patients based on renal scan data is unable to predict the functional outcome after partial nephrectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 740-749.                           | 0.7 | 5         |
| 2822 | Gender Is a Risk Factor for Annual Decline in Estimated Glomerular Filtration Rate in Patients Treated with Biological DMARDs in Rheumatoid Arthritis and Ankylosing Spondylitis: a Retrospective Observational Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e188. | 1.1 | 3         |
| 2823 | Decline of kidney function during the pre-dialysis period in chronic kidney disease patients: a systematic review and meta-analysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 613-622.   | 1.5 | 11        |
| 2824 | Value-based evaluation of dialysis versus conservative care in older patients with advanced chronic kidney disease: a cohort study. <i>BMC Nephrology</i> , 2018, 19, 205.  | 0.8 | 43        |
| 2825 | Metabolic syndrome and risk of Parkinson disease: A nationwide cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002640.   | 3.9 | 106       |
| 2826 | Real-world effectiveness of elbasvir/grazoprevir in HCV-infected patients in the US veterans affairs healthcare system. <i>Journal of Viral Hepatitis</i> , 2018, 25, 1270-1279.  | 1.0 | 30        |
| 2827 | Association of Circulating Chemerin With Subclinical Parameters of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 1656-1664.  | 1.1 | 20        |
| 2828 | Effectiveness of integrated care model for type 2 diabetes: A population-based study in Reggio Emilia (Italy). <i>PLoS ONE</i> , 2018, 13, e0194784.  | 1.1 | 6         |
| 2829 | Safety of Direct Oral Anticoagulants and Vitamin K Antagonists in Oldest Old Patients: A Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 936-941.   | 1.2 | 16        |
| 2830 | Acute toxicity and in vivo anti-inflammatory effects and in vitro antioxidant and anti-arthritic potential of <i>Scabiosa stellata</i> . <i>Oriental Pharmacy and Experimental Medicine</i> , 2018, 18, 335-348.  | 1.2 | 22        |
| 2831 | Clinical Implications of Contrast-Induced Nephropathy in Patients Without Baseline Renal Dysfunction Undergoing Coronary Angiography. <i>Heart Lung and Circulation</i> , 2019, 28, 866-873.  | 0.2 | 6         |
| 2832 | Assessment of the Drug Interaction Potential of Ertugliflozin With Sitagliptin, Metformin, Glimepiride, or Simvastatin in Healthy Subjects. <i>Clinical Pharmacology in Drug Development</i> , 2019, 8, 314-325.  | 0.8 | 23        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2833 | Baseline characteristics of the autosomal recessive dominant polycystic kidney disease sub-cohort of the Korean cohort study for outcomes in patients with chronic kidney disease. <i>Nephrology</i> , 2019, 24, 422-429.               | 0.7 | 13        |
| 2834 | Serum levels of NGAL and cystatin C as markers of early kidney dysfunction in patients with obstructive sleep apnea syndrome. <i>Sleep and Breathing</i> , 2019, 23, 161-169.   | 0.9 | 15        |
| 2835 | Performances of creatinine-based glomerular filtration rate estimating equations in simultaneous pancreas-kidney transplant recipients: a single center cohort study. <i>Transplant International</i> , 2019, 32, 75-83.                | 0.8 | 4         |
| 2836 | Derivation and Validation of a Risk-Prediction Tool for Hypoglycemia in Hospitalized Adults With Diabetes: The Hypoglycemia During Hospitalization (HyDHo) Score. <i>Canadian Journal of Diabetes</i> , 2019, 43, 278-282.e1.           | 0.4 | 21        |
| 2837 | Incidence, prevalence, mortality and chronic renal damage of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis in a 20-year population-based cohort. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1508-1517. | 0.4 | 46        |
| 2838 | Effect of everolimus on renal function in patients with tuberous sclerosis complex: evidence from EXIST-1 and EXIST-2. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1000-1008.  | 0.4 | 31        |
| 2839 | Relationship of coronary artery calcification with renal function decline and mortality in predialysis chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1715-1722.                               | 0.4 | 19        |
| 2840 | Serum uric acid as a marker of disease risk, severity, and survival in systemic sclerosis-related pulmonary arterial hypertension. <i>Pulmonary Circulation</i> , 2019, 9, 1-9.   | 0.8 | 32        |
| 2841 | Renal Clearance of N-Terminal pro-Brain Natriuretic Peptide Is Markedly Decreased in Chronic Kidney Disease. <i>Circulation Reports</i> , 2019, 1, 326-332.   | 0.4 | 7         |
| 2842 | Prevalence and Disease Burden of Chronic Kidney Disease. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1165, 3-15.   | 0.8 | 477       |
| 2843 | Rogaratinib in patients with advanced cancers selected by FGFR mRNA expression: a phase 1 dose-escalation and dose-expansion study. <i>Lancet Oncology</i> , The, 2019, 20, 1454-1466.  | 5.1 | 125       |
| 2844 | Association of Body Fluid Expansion With Optical Coherence Tomography Measurements in Diabetic Retinopathy and Diabetic Macular Edema. , 2019, 60, 3606.  |     | 12        |
| 2845 | Does the Implementation of a Quality Improvement Care Bundle Reduce the Incidence of Acute Kidney Injury in Patients Undergoing Emergency Laparotomy?. <i>Journal of Clinical Medicine</i> , 2019, 8, 1265.                             | 1.0 | 6         |
| 2846 | Left atrial strain associated with alterations in cardiac diastolic function in patients with end-stage renal disease. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1803-1810.                                    | 0.7 | 6         |
| 2847 | The different roles for the advanced glycation end products axis in heart failure and acute coronary syndrome settings. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1050-1060.                                 | 1.1 | 14        |
| 2848 | Prevalence of abnormal serum 25-hydroxyvitamin D and its association with hemoglobin level in pre dialysis CKD patients: a cross-sectional study from Himalayan country. <i>BMC Nephrology</i> , 2019, 20, 267.                         | 0.8 | 2         |
| 2849 | A Systematic Review of Renal Function Estimation Equations. <i>Current Pharmacology Reports</i> , 2019, 5, 359-376.   | 1.5 | 1         |
| 2850 | Halfway rotational atherectomy for calcified lesions: Comparison with conventional rotational atherectomy in a propensity-score matched analysis. <i>PLoS ONE</i> , 2019, 14, e0219289.   | 1.1 | 14        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2851 | In Vitro and In Vivo Renoprotective Effects of Telbivudine in Chronic Hepatitis B Patients Receiving Nucleotide Analogue. <i>Digestive Diseases and Sciences</i> , 2019, 64, 3630-3641.  | 1.1 | 1         |
| 2852 | First-year estimated glomerular filtration rate variability after pre-end-stage renal disease program enrollment and adverse outcomes of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 2066-2078.   | 0.4 | 15        |
| 2853 | Absent or diminished pedal pulses and estimated GFR decline in patients with diabetic kidney disease. <i>Renal Failure</i> , 2019, 41, 691-697.  | 0.8 | 3         |
| 2854 | Diabetic retinopathy is a prognostic factor for progression of chronic kidney disease in the patients with type 2 diabetes mellitus. <i>PLoS ONE</i> , 2019, 14, e0220506.   | 1.1 | 63        |
| 2855 | Differential Expression of Urinary Exosomal MicroRNAs miR-21-5p and miR-30b-5p in Individuals with Diabetic Kidney Disease. <i>Scientific Reports</i> , 2019, 9, 10900.  | 1.6 | 72        |
| 2856 | The use of induction therapy in liver transplantation is highly variable and is associated with posttransplant outcomes. <i>American Journal of Transplantation</i> , 2019, 19, 3319-3327.   | 2.6 | 24        |
| 2857 | Prior History and Incidence of Cancer Impacts on Cardiac Prognosis in Hospitalized Patients With Heart Failure. <i>Circulation Journal</i> , 2019, 83, 1709-1717.  | 0.7 | 14        |
| 2858 | First-in-Human Study to Assess the Safety, Pharmacokinetics, and Pharmacodynamics of an Oral Formulation of DS1040, an Inhibitor of the Activated Form of Thrombin-Activatable Fibrinolysis Inhibitor, in Healthy Subjects. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1669-1677. | 1.0 | 8         |
| 2859 | Relation of Lymphangiogenic Factor Vascular Endothelial Growth Factor-D to Elevated Pulmonary Artery Wedge Pressure. <i>American Journal of Cardiology</i> , 2019, 124, 756-762.   | 0.7 | 16        |
| 2860 | Entecavir treatment of hepatitis B virus-infected patients with severe renal impairment and those on hemodialysis. <i>Hepatology Research</i> , 2019, 49, 1294-1304.   | 1.8 | 32        |
| 2861 | Estimated Glomerular Filtration Rate and Muscle Mass: Their Relationship in Older Inpatients. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1469-1471.  | 1.2 | 7         |
| 2862 | Inverse association of alanine aminotransferase within normal range with prognosis in patients with coronary artery disease. <i>Clinica Chimica Acta</i> , 2019, 496, 55-61.   | 0.5 | 15        |
| 2863 | Exposure to Hyperchloremia Is Associated with Poor Early Recovery of Kidney Graft Function after Living-Donor Kidney Transplantation: A Propensity Score-Matching Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 955.  | 1.0 | 6         |
| 2864 | Clinical Factors Associated with Time-Specific Distribution of 18F-Fluorodeoxyglucose in Large-Vessel Vasculitis. <i>Scientific Reports</i> , 2019, 9, 15180.  | 1.6 | 21        |
| 2865 | Methods and reporting of kidney function: a systematic review of studies from sub-Saharan Africa. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 778-787.   | 1.4 | 17        |
| 2866 | Comparison between three different equations for the estimation of glomerular filtration rate in predicting mortality after coronary artery bypass. <i>BMC Nephrology</i> , 2019, 20, 371.   | 0.8 | 7         |
| 2867 | Quercetin, a Promising Clinical Candidate for The Prevention of Contrast-Induced Nephropathy. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4961.   | 1.8 | 15        |
| 2868 | Degree of HLA class II eplet mismatch load improves prediction of antibody-mediated rejection in living donor kidney transplantation. <i>Human Immunology</i> , 2019, 80, 966-975.   | 1.2 | 29        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2869 | <i>N</i> -Butyrylated hyaluronic acid ameliorates gout and hyperuricemia in animal models. <i>Pharmaceutical Biology</i> , 2019, 57, 717-728.   | 1.3 | 12        |
| 2870 | Serum pigment epithelium-derived factor: Relationships with cardiovascular events, renal dysfunction, and mortality in the Veterans Affairs Diabetes Trial (VADT) cohort. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 107410.              | 1.2 | 4         |
| 2871 | Long-Term Evaluation of Mineral Metabolism After Kidney Transplantation. <i>Transplantation Proceedings</i> , 2019, 51, 2330-2333.  | 0.3 | 5         |
| 2872 | Glycemia affects glomerular filtration rate in people with type 2 diabetes. <i>BMC Nephrology</i> , 2019, 20, 397.  | 0.8 | 9         |
| 2873 | Predictive Score of Adverse Events After Carotid Endarterectomy: The NSQIP Registry Carotid Endarterectomy Scale. <i>Journal of the American Heart Association</i> , 2019, 8, e013412.  | 1.6 | 15        |
| 2874 | The interactive effects of input and output on managing fluid balance in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Critical Care</i> , 2019, 23, 329.  | 2.5 | 4         |
| 2875 | Impact of adjusted kidney volume measured in the bench surgery on one-year renal function in kidney transplantation. <i>PLoS ONE</i> , 2019, 14, e0224364.  | 1.1 | 4         |
| 2876 | Loop Diuretic Administration in Patients with Acute Heart Failure and Reduced Systolic Function: Effects of Different Intravenous Diuretic Doses and Diuretic Response Measurements. <i>Journal of Clinical Medicine</i> , 2019, 8, 1854.                   | 1.0 | 5         |
| 2877 | Predicting Acute Myocardial Infarction with a Single Blood Draw. <i>Clinical Chemistry</i> , 2019, 65, 437-450.   | 1.5 | 7         |
| 2878 | Effects of exenatide and open-label SGLT2 inhibitor treatment, given in parallel or sequentially, on mortality and cardiovascular and renal outcomes in type 2 diabetes: insights from the EXSCEL trial. <i>Cardiovascular Diabetology</i> , 2019, 18, 138. | 2.7 | 48        |
| 2879 | Evolution of renal function under direct-acting antivirals treatment for chronic hepatitis C: A real-world experience. <i>Journal of Viral Hepatitis</i> , 2019, 26, 1404-1412.   | 1.0 | 18        |
| 2880 | Amikacin Initial Dose in Critically Ill Patients: a Nonparametric Approach To Optimize <i>A Priori</i> Pharmacokinetic/Pharmacodynamic Target Attainments in Individual Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .                | 1.4 | 16        |
| 2881 | Prognostic Impact of Restless Legs Syndrome on Patients with Heart Failure. <i>International Heart Journal</i> , 2019, 60, 1098-1105.   | 0.5 | 8         |
| 2882 | Nonalcoholic Fatty Liver Disease (NAFLD), But not Its Susceptibility Gene Variants, Influences the Decrease of Kidney Function in Overweight/Obese Children. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4444.                           | 1.8 | 32        |
| 2883 | Effect of Linagliptin vs Glimepiride on Major Adverse Cardiovascular Outcomes in Patients With Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1155.  | 3.8 | 423       |
| 2884 | Elevated Microparticle Tissue Factor Activity Differentiates Patients With Venous Thromboembolism in Anti-neutrophil Cytoplasmic Autoantibody Vasculitis. <i>Kidney International Reports</i> , 2019, 4, 1617-1629.   | 0.4 | 20        |
| 2885 | Kidney Failure After Occlusion of Accessory Renal Arteries in Endovascular Abdominal Aneurysm Repair. <i>CardioVascular and Interventional Radiology</i> , 2019, 42, 1687-1694.   | 0.9 | 6         |
| 2886 | Three-year change in oxidative stress markers is linked to target organ damage in black and white men: the SABPA study. <i>Hypertension Research</i> , 2019, 42, 1961-1970.   | 1.5 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2887 | Clinical Use of a New High-Sensitivity Cardiac Troponin I Assay in Patients with Suspected Myocardial Infarction. <i>Clinical Chemistry</i> , 2019, 65, 1426-1436.  | 1.5 | 41        |
| 2888 | General Anesthetic Agents and Renal Function after Nephrectomy. <i>Journal of Clinical Medicine</i> , 2019, 8, 1530.  | 1.0 | 13        |
| 2889 | Assessment of 19 Genes and Validation of CRM Gene Panel for Quantitative Transcriptional Analysis of Molecular Rejection and Inflammation in Archival Kidney Transplant Biopsies. <i>Frontiers in Medicine</i> , 2019, 6, 213.                    | 1.2 | 20        |
| 2890 | Do women benefit more than men from off-pump coronary artery bypass grafting?. <i>Netherlands Heart Journal</i> , 2019, 27, 629-635.  | 0.3 | 12        |
| 2891 | Short-term effects of sevelamer-carbonate on fibroblast growth factor 23 and pulse wave velocity in patients with normophosphataemic chronic kidney disease Stage 3. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 678-685.                     | 1.4 | 12        |
| 2892 | Two-Hour Algorithm for Rapid Triage of Suspected Acute Myocardial Infarction Using a High-Sensitivity Cardiac Troponin I Assay. <i>Clinical Chemistry</i> , 2019, 65, 1437-1447.  | 1.5 | 36        |
| 2893 | Enfermedad renal cr3nica en el trasplante hep3tico: evaluaci3n de la funci3n renal. <i>Revista De Gastroenterolog3a De M3xico</i> , 2019, 84, 57-68.  | 0.4 | 1         |
| 2894 | Variables of importance in the Scientific Registry of Transplant Recipients database predictive of heart transplant waitlist mortality. <i>American Journal of Transplantation</i> , 2019, 19, 2067-2076.   | 2.6 | 37        |
| 2895 | Development and validation of a more accurate estimating equation for glomerular filtration rate in a Chinese population. <i>Kidney International</i> , 2019, 95, 636-646.  | 2.6 | 55        |
| 2896 | Association with diabetic foot ulcers with chronic vascular diabetic complications in patients with type 2 diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 1287-1292.                                 | 1.8 | 37        |
| 2897 | Environmental perfluoroalkyl acid exposures are associated with liver disease characterized by apoptosis and altered serum adipocytokines. <i>Environmental Pollution</i> , 2019, 247, 1055-1063.   | 3.7 | 118       |
| 2898 | A Case-control Study of Exercise and Kidney Disease: Hemodialysis and Transplantation. <i>International Journal of Sports Medicine</i> , 2019, 40, 209-217.   | 0.8 | 2         |
| 2899 | Influence of Renal Function on Evolocumab Exposure, Pharmacodynamics, and Safety. <i>Clinical Pharmacology in Drug Development</i> , 2019, 8, 281-289.  | 0.8 | 8         |
| 2900 | Creatinine-based estimation of glomerular filtration rate in patients with a Fontan circulation. <i>Congenital Heart Disease</i> , 2019, 14, 454-463.   | 0.0 | 11        |
| 2901 | Metformin use and cardiovascular events in patients with type 2 diabetes and chronic kidney disease. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1199-1208.   | 2.2 | 83        |
| 2902 | Hyponatremia at discharge is associated with adverse prognosis in acute heart failure syndromes with preserved ejection fraction: a report from the JASPER registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 623-633. | 0.4 | 8         |
| 2903 | Prior Antithrombotic Therapy Is Associated With Cerebral Microbleeds in Ischemic Stroke Patients With Atrial Fibrillation and/or Rheumatic Heart Disease. <i>Frontiers in Neurology</i> , 2019, 9, 1184.  | 1.1 | 3         |
| 2904 | Robust clinical marker identification for diabetic kidney disease with ensemble feature selection. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2019, 26, 242-253.   | 2.2 | 49        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2905 | Taking metformin and cognitive function change in older patients with diabetes. <i>Geriatrics and Gerontology International</i> , 2019, 19, 755-761.   | 0.7 | 22        |
| 2906 | Eight-week of low-intensive lifestyle modification does improve insulin resistance in adults with metabolic syndrome. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 613-621.             | 1.1 | 1         |
| 2907 | Post-mortem diagnosis of kidney impairment: An experimental study. <i>Forensic Science International</i> , 2019, 301, 271-277.   | 1.3 | 2         |
| 2908 | Locally delivered GLP-1 analogues liraglutide and exenatide enhance microvascular perfusion in individuals with and without type 2 diabetes. <i>Diabetologia</i> , 2019, 62, 1701-1711.  | 2.9 | 8         |
| 2909 | Combined Acoustic Radiation Force Impulse and Conventional Ultrasound in the Quantitative Assessment of Immunoglobulin a Nephropathy. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2309-2316.                             | 0.7 | 11        |
| 2910 | Kidney Dysfunction Impact on White Matter Hyperintensity Volume in Neurologically Healthy Adults. <i>Scientific Reports</i> , 2019, 9, 8596.   | 1.6 | 10        |
| 2911 | Measuring Circulating Complement Activation Products in Myeloperoxidase and Proteinase 3 Antineutrophil Cytoplasmic Antibody Associated Vasculitis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1894-1903.                       | 2.9 | 26        |
| 2912 | Impact of Bridge to Transplantation With Continuous-Flow Left Ventricular Assist Devices on Posttransplantation Mortality. <i>Circulation</i> , 2019, 140, 459-469.  | 1.6 | 49        |
| 2913 | Serologic and Histologic Predictors of Long-Term Renal Outcome in Biopsy-Confirmed IgA Nephropathy (Haas Classification): An Observational Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 848.                              | 1.0 | 10        |
| 2914 | Obesity, abdominal obesity and subsequent risk of kidney cancer: a cohort study of 23.3 million East Asians. <i>British Journal of Cancer</i> , 2019, 121, 271-277.  | 2.9 | 23        |
| 2915 | Incident infection following acute kidney injury with recovery to baseline creatinine: A propensity score matched analysis. <i>PLoS ONE</i> , 2019, 14, e0217935.  | 1.1 | 17        |
| 2916 | Aerobic exercise effects in renal function and quality of life of patients with advanced chronic kidney disease. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 657-662.   | 0.3 | 8         |
| 2917 | Estimating GFR by Serum Creatinine, Cystatin C, and $\beta$ 2-Microglobulin in Older Adults: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Kidney International Reports</i> , 2019, 4, 786-796.              | 0.4 | 12        |
| 2918 | Serum Apolipoprotein B and A1 Concentrations Predict Late-Onset Posttransplant Diabetes Mellitus in Prevalent Adult Kidney Transplant Recipients. <i>Canadian Journal of Kidney Health and Disease</i> , 2019, 6, 205435811985053. | 0.6 | 7         |
| 2919 | Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet</i> , 2019, 394, 121-130.  | 6.3 | 1,625     |
| 2920 | Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet</i> , 2019, 394, 131-138.   | 6.3 | 394       |
| 2921 | Predictors and Outcomes of Renal Replacement Therapy After Left Ventricular Assist Device Implantation. <i>Mayo Clinic Proceedings</i> , 2019, 94, 1003-1014.  | 1.4 | 13        |
| 2922 | Long term outcomes in monoclonal gammopathy of renal significance. <i>British Journal of Haematology</i> , 2019, 186, 706-716.   | 1.2 | 14        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2923 | Impact of fluorodeoxyglucose uptake on positron emission tomography/computed tomography on chemosensitivity and survival in patients with metastatic urothelial carcinoma. <i>International Journal of Urology</i> , 2019, 26, 820-826.                         | 0.5 | 0         |
| 2924 | Development and Validation of PREDICT-DM: A New Microsimulation Model to Project and Evaluate Complications and Treatments of Type 2 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 344-355.  | 2.4 | 10        |
| 2925 | Effect of the mineralocorticoid receptor antagonist eplerenone on liver fat and metabolism in patients with type 2 diabetes: A randomized, double-blind, placebo-controlled trial (MIRAD trial). <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2305-2314. | 2.2 | 13        |
| 2926 | Impact of Polar Renal Artery Coverage on Early Renal Function after Chimney Endovascular Aortic Aneurysm Repair. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 539-545.   | 0.2 | 6         |
| 2927 | The SPRINT trial suggests that markers of tubule cell function in the urine associate with risk of subsequent acute kidney injury while injury markers elevate after the injury. <i>Kidney International</i> , 2019, 96, 470-479.                               | 2.6 | 35        |
| 2928 | Safety and Effectiveness of Bexagliflozin in Patients With Type 2 Diabetes Mellitus and Stage 3a/3b CKD. <i>American Journal of Kidney Diseases</i> , 2019, 74, 328-337.  | 2.1 | 43        |
| 2929 | Robotic-assisted partial nephrectomy with sequential clamping of segmental renal arteries for multiple ipsilateral renal tumors: initial outcomes. <i>BMC Urology</i> , 2019, 19, 31.   | 0.6 | 4         |
| 2930 | Chronic Kidney Disease in New Zealand Māori and Pacific People. <i>Seminars in Nephrology</i> , 2019, 39, 297-299.  | 0.6 | 8         |
| 2931 | Comparison of pharmacokinetics and the exposure-response relationship of dapagliflozin between adolescent/young adult and adult patients with type 1 diabetes mellitus. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1820-1828.                  | 1.1 | 10        |
| 2932 | Pharmacokinetic study of the oral fluorouracil antitumor agent S-1 in patients with impaired renal function. <i>Cancer Science</i> , 2019, 110, 1987-1994.  | 1.7 | 6         |
| 2933 | Myocardial mechano-energetic efficiency and insulin resistance in non-diabetic members of the Strong Heart Study cohort. <i>Cardiovascular Diabetology</i> , 2019, 18, 56.  | 2.7 | 43        |
| 2934 | A Prospective Clinical Study Characterizing the Influence of Morbid Obesity on the Pharmacokinetics of Gentamicin: Towards Individualized Dosing in Obese Patients. <i>Clinical Pharmacokinetics</i> , 2019, 58, 1333-1343.                                     | 1.6 | 11        |
| 2935 | Sex-specific and pleiotropic effects underlying kidney function identified from GWAS meta-analysis. <i>Nature Communications</i> , 2019, 10, 1847.  | 5.8 | 55        |
| 2936 | Prevalence and long-term outcomes of non-alcoholic fatty liver disease among elderly individuals from the United States. <i>BMC Gastroenterology</i> , 2019, 19, 56.  | 0.8 | 65        |
| 2937 | Low serum C3 level, high neutrophil-lymphocyte-ratio, and high platelet-lymphocyte-ratio all predicted poor long-term renal survivals in biopsy-confirmed idiopathic membranous nephropathy. <i>Scientific Reports</i> , 2019, 9, 6209.                         | 1.6 | 22        |
| 2938 | Prognostic Impact of Worsening Renal Function in Hospitalized Heart Failure Patients With Preserved Ejection Fraction: A Report From the JASPER Registry. <i>Journal of Cardiac Failure</i> , 2019, 25, 631-642.  | 0.7 | 8         |
| 2939 | Anaerobic Threshold and Respiratory Compensation Point Identification During Cardiopulmonary Exercise Tests in Chronic Heart Failure. <i>Chest</i> , 2019, 156, 338-347.  | 0.4 | 22        |
| 2940 | The effect of gender on survival for hemodialysis patients: Why don't women live longer than men?. <i>Seminars in Dialysis</i> , 2019, 32, 438-443.   | 0.7 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2941 | High-Sensitivity Cardiac Troponin I Assay for Early Diagnosis of Acute Myocardial Infarction. <i>Clinical Chemistry</i> , 2019, 65, 893-904.  | 1.5 | 59        |
| 2942 | Dibutyl phthalate-induced activation of ROS and ERK1/2 causes hepatic and renal damage in Kunming mice. <i>Human and Experimental Toxicology</i> , 2019, 38, 938-950.   | 1.1 | 24        |
| 2943 | A Novel Multi-Biomarker Assay for Non-Invasive Quantitative Monitoring of Kidney Injury. <i>Journal of Clinical Medicine</i> , 2019, 8, 499.  | 1.0 | 29        |
| 2944 | Automation of the kidney function prediction and classification through ultrasound-based kidney imaging using deep learning. <i>Npj Digital Medicine</i> , 2019, 2, 29.   | 5.7 | 117       |
| 2945 | Blood Urea Nitrogen Levels to Verify Estimated Glomerular Filtration Rate, as Derived from 2 Commonly Used Equations. <i>Laboratory Medicine</i> , 2019, 50, 298-305.   | 0.8 | 3         |
| 2946 | The use of nephrotoxic drugs in patients with chronic kidney disease. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 767-775.  | 1.0 | 22        |
| 2947 | Favorable Kidney Function in Pediatric Liver Transplant Recipients: Results of a Single-center Cohort Study. <i>Transplantation</i> , 2019, 103, 1655-1662.   | 0.5 | 4         |
| 2948 | Estimation of Kidney Function in Oncology. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 587-595.  | 2.2 | 54        |
| 2949 | Risk factors and outcome of acute kidney injury in elderly trauma patients. <i>American Journal of Surgery</i> , 2019, 218, 480-483.  | 0.9 | 11        |
| 2950 | Clinical features, laboratory characteristics and outcomes of patients with renal <i>versus</i> cardiac light chain amyloidosis. <i>British Journal of Haematology</i> , 2019, 185, 701-707.  | 1.2 | 17        |
| 2951 | Dynamics of associations between perfluoroalkyl substances and uric acid across the various stages of glomerular function. <i>Environmental Science and Pollution Research</i> , 2019, 26, 12425-12434.   | 2.7 | 25        |
| 2952 | Is hyperfiltration associated with higher urine albumin-to-creatinine ratio at follow up among Indigenous Australians? The eGFR follow-up study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 343-349.  | 1.2 | 6         |
| 2953 | Effectiveness and safety of non-vitamin K antagonist oral anticoagulants in octogenarian patients with non-valvular atrial fibrillation. <i>PLoS ONE</i> , 2019, 14, e0211766.  | 1.1 | 26        |
| 2954 | Relation between invasive hemodynamics and measured glomerular filtration rate by <sup>51</sup> Cr-EDTA clearance in advanced heart failure. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 194-201.                                  | 0.6 | 2         |
| 2955 | Impact of Chronic Kidney Disease on Outcomes in Cirrhosis. <i>Liver Transplantation</i> , 2019, 25, 870-880.  | 1.3 | 55        |
| 2956 | D-Serine reflects kidney function and diseases. <i>Scientific Reports</i> , 2019, 9, 5104.  | 1.6 | 64        |
| 2957 | Effects of sitagliptin and vitamin D3 on T helper cell transcription factors and cytokine production in clinical subgroups of type 2 diabetes mellitus: highlights upregulation of FOXP3 and IL-37. <i>Immunopharmacology and Immunotoxicology</i> , 2019, 41, 299-311. | 1.1 | 22        |
| 2958 | Comparison of outcomes after carotid endarterectomy between type 2 diabetic and non-diabetic patients with significant carotid stenosis. <i>Cardiovascular Diabetology</i> , 2019, 18, 41.  | 2.7 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2959 | Biological variation of measured and estimated glomerular filtration rate in patients with chronic kidney disease. <i>Kidney International</i> , 2019, 96, 429-435.  | 2.6 | 63        |
| 2960 | Single-Dose Pharmacokinetics and Safety of Solriamfetol in Participants With Normal or Impaired Renal Function and With End-Stage Renal Disease Requiring Hemodialysis. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1120-1129. | 1.0 | 14        |
| 2961 | eGFR and coronary artery calcification in chronic kidney disease. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13101.  | 1.7 | 9         |
| 2962 | Use of renal risk drugs in a nation-wide Polish older adult population: an analysis of PolSenior database. <i>BMC Geriatrics</i> , 2019, 19, 70.   | 1.1 | 5         |
| 2963 | Optimizing Estimated Glomerular Filtration Rate to Support Adult to Pediatric Pharmacokinetic Bridging Studies in Patients with Cystic Fibrosis. <i>Clinical Pharmacokinetics</i> , 2019, 58, 1323-1332.                               | 1.6 | 8         |
| 2964 | Analysis of chronic kidney disease staging with different estimated glomerular filtration rate equations in Chinese centenarians. <i>Chinese Medical Journal</i> , 2019, 132, 512-518.   | 0.9 | 6         |
| 2965 | Serum Sodium and Pulse Pressure in SPRINT. <i>American Journal of Hypertension</i> , 2019, 32, 649-656.  | 1.0 | 5         |
| 2966 | Prognostic value of serum albumin for patients with acute aortic dissection. <i>Medicine (United States)</i> , 2019, 98, 13.   | 0.4 | 13        |
| 2967 | Fimasartan reduces clinic and home pulse pressure in elderly hypertensive patients: A K-MetS study. <i>PLoS ONE</i> , 2019, 14, e0214293.  | 1.1 | 6         |
| 2968 | Lead and kidney: Concentrations, variabilities, and associations across the various stages of glomerular function. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 54, 36-43.   | 1.5 | 13        |
| 2969 | Association of plasma and urine metals levels with kidney function: A population-based cross-sectional study in China. <i>Chemosphere</i> , 2019, 226, 321-328.  | 4.2 | 73        |
| 2970 | Creatinine versus cystatin C based glomerular filtration rate in critically ill patients. <i>Journal of Critical Care</i> , 2019, 52, 136-140.   | 1.0 | 20        |
| 2971 | Chronic Kidney Disease After Liver Transplantation: Impact of Extended Criteria Grafts. <i>Liver Transplantation</i> , 2019, 25, 922-933.  | 1.3 | 28        |
| 2972 | Beta-thalassemia: renal complications and mechanisms: a narrative review. <i>Hematology</i> , 2019, 24, 426-438.   | 0.7 | 31        |
| 2973 | Kidney transplantation in patients with inflammatory bowel diseases (IBD): analysis of transplantation outcome and activity. <i>Transplant International</i> , 2019, 32, 730-738.  | 0.8 | 14        |
| 2974 | Association of serum uric acid change with mortality, renal function and diuretic dose administered in treatment of acute heart failure. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 351-359.                 | 1.1 | 12        |
| 2975 | Chronic kidney disease in liver transplantation: Evaluation of kidney function. <i>Revista De Gastroenterología De México (English Edition)</i> , 2019, 84, 57-68.   | 0.1 | 1         |
| 2976 | Isocapnic buffering period: From physiology to clinics. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1107-1114.  | 0.8 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2977 | Tubulointerstitial Infiltration of M2 Macrophages in Henoch-Schönlein Purpura Nephritis Indicates the Presence of Glomerular Crescents and Bad Clinical Parameters. <i>BioMed Research International</i> , 2019, 2019, 1-10.          | 0.9 | 5         |
| 2978 | Reduced Dose Direct Oral Anticoagulants in Older Adults with Atrial Fibrillation. <i>Current Geriatrics Reports</i> , 2019, 8, 43-48.   | 1.1 | 0         |
| 2979 | T-cell exhaustion correlates with improved outcomes in kidney transplant recipients. <i>Kidney International</i> , 2019, 96, 436-449.   | 2.6 | 49        |
| 2980 | Functional sympatholysis is impaired in end-stage renal disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019, 316, R504-R511.  | 0.9 | 21        |
| 2981 | Predictors of in-hospital adverse events after endovascular aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2019, 70, 80-91.   | 0.6 | 8         |
| 2982 | Insights on Multiple Myeloma Treatment Strategies. <i>HemaSphere</i> , 2019, 3, e163.   | 1.2 | 33        |
| 2983 | Urine chloride self-measurement to monitor sodium chloride intake in patients with chronic kidney disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1162-1168.   | 1.4 | 8         |
| 2984 | Mitochondrial Haplogroup and the Risk of Acute Kidney Injury Following Cardiac Bypass Surgery. <i>Scientific Reports</i> , 2019, 9, 2279.   | 1.6 | 2         |
| 2985 | Influence of age on the effect of reduced renal function on outcomes in patients with coronary artery disease. <i>BMC Public Health</i> , 2019, 19, 205.  | 1.2 | 2         |
| 2986 | Comparison between Rhabdomyolysis Induced and Septic Acute Kidney Injury in Central Nepal. <i>Journal of Chitwan Medical College</i> , 2019, 9, 3-10.   | 0.0 | 0         |
| 2987 | Association of Estimated Insulin Resistance with N-Terminal B-Type Natriuretic Peptide Concentration in Men with Metabolic Syndrome. <i>Cardiology Research and Practice</i> , 2019, 2019, 1-6.                                       | 0.5 | 2         |
| 2988 | <p></p>Predictors of the Efficacy of Dipeptidyl Peptidase-4 Inhibitors in Taiwanese Patients with Type 2 Diabetes Mellitus<p></p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 2725-2733. | 1.1 | 3         |
| 2989 | Association of Metabolic Syndrome and Its Components with Decreased Estimated Glomerular Filtration Rate in Adults. <i>Annals of Nutrition and Metabolism</i> , 2019, 75, 168-178.  | 1.0 | 12        |
| 2990 | Interleukin-34 Levels Were Associated with Prognosis in Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2019, 60, 1259-1267.  | 0.5 | 9         |
| 2991 | Contrast Induced Acute Kidney Injury and its Impact on Mid-Term Kidney Function, Cardiovascular Events and Mortality. <i>Scientific Reports</i> , 2019, 9, 16896.   | 1.6 | 13        |
| 2992 | Validation of the kidney failure risk equation for end-stage kidney disease in Southeast Asia. <i>BMC Nephrology</i> , 2019, 20, 451.   | 0.8 | 17        |
| 2993 | The Effect of Hypertension Duration and the Age of Onset on CV Risk Factors Expression in Perimenopausal Women. <i>International Journal of Hypertension</i> , 2019, 2019, 1-9.   | 0.5 | 4         |
| 2994 | How Does the Presence of Diabetes Affect the Course of Acute Coronary Syndrome in Elderly Patients in Actual Clinical Practice?. <i>Rational Pharmacotherapy in Cardiology</i> , 2019, 15, 29-35.                                     | 0.3 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2995 | Perioperative characteristics and management of liver transplantation for isolated methylmalonic acidemia—the largest experience in China. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 470-479.  | 0.7 | 17        |
| 2996 | Long-term effects of intensive multifactorial therapy in individuals with screen-detected type 2 diabetes in primary care: 10-year follow-up of the ADDITION-Europe cluster-randomised trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 925-937.                 | 5.5 | 39        |
| 2997 | Comparison of Renal Function Estimation Formulae for Dosing Direct Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2019, 8, 2034.  | 1.0 | 11        |
| 2998 | Comparison of glomerular filtration rate estimation using Jaffé and enzymatic creatinine assays in diabetic patients. <i>Journal of Diabetes and Metabolic Disorders</i> , 2019, 18, 551-556.  | 0.8 | 1         |
| 2999 | Myocardial characterization in pre-dialysis chronic kidney disease: a study of prevalence, patterns and outcomes. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 295.   | 0.7 | 7         |
| 3000 | Agreement and Precision Analyses of Various Estimated Glomerular Filtration Rate Formulae in Cancer Patients. <i>Scientific Reports</i> , 2019, 9, 19356.  | 1.6 | 28        |
| 3001 | Effectiveness of Native Vitamin D Therapy in Patients with Chronic Kidney Disease Stage 3 and Hypovitaminosis D in Colombia, South America. <i>International Journal of Nephrology and Renovascular Disease</i> , 2019, Volume 12, 241-250.                                | 0.8 | 3         |
| 3002 | Effect of Kidney Disease on Hemiarthroplasty Outcomes After Femoral Neck Fractures. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, 583-589.  | 0.7 | 8         |
| 3003 | Impact of diabetes duration on heart failure in Korean patients without clinical cardiovascular disease. <i>Medicine (United States)</i> , 2019, 98, e14742.   | 0.4 | 1         |
| 3004 | Area Under Trough Concentrations of Tacrolimus as a Predictor of Progressive Renal Impairment After Liver Transplantation. <i>Transplantation</i> , 2019, 103, 2539-2548.  | 0.5 | 17        |
| 3005 | Effect of Low-Protein Diet and Inulin on Microbiota and Clinical Parameters in Patients with Chronic Kidney Disease. <i>Nutrients</i> , 2019, 11, 3006.  | 1.7 | 40        |
| 3006 | Predictive utility of the C-reactive protein to albumin ratio in early allograft dysfunction in living donor liver transplantation: A retrospective observational cohort study. <i>PLoS ONE</i> , 2019, 14, e0226369.  | 1.1 | 10        |
| 3007 | Combination of ST2 and B-type natriuretic peptide in diabetic patients with acute heart failure. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 81-90.  | 0.6 | 10        |
| 3008 | Estimating Renal Function in Drug Development: Time to Take the Fork in the Road. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 159-167.   | 1.0 | 23        |
| 3009 | The association of PRECISE-DAPT score with development of contrast-induced nephropathy in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Cardiovascular Intervention and Therapeutics</i> , 2019, 34, 207-215. | 1.2 | 26        |
| 3010 | Renal Dosing of Antibiotics: Are We Jumping the Gun?. <i>Clinical Infectious Diseases</i> , 2019, 68, 1596-1602.   | 2.9 | 85        |
| 3011 | Longitudinal progression trajectory of random urine creatinine as a novel predictor of ESRD among patients with CKD. <i>Clinica Chimica Acta</i> , 2019, 489, 144-153.   | 0.5 | 7         |
| 3012 | Quality of life in subjects with type 2 diabetes mellitus with diabetic retinopathy: A case-control study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 947-952.  | 1.8 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3013 | Sarcopenia and cardiovascular risk indices in patients with chronic kidney disease on conservative and replacement therapy. <i>Nutrition</i> , 2019, 62, 108-114.   | 1.1 | 56        |
| 3014 | Fecal microbiota analysis of polycystic kidney disease patients according to renal function: A pilot study. <i>Experimental Biology and Medicine</i> , 2019, 244, 505-513.  | 1.1 | 10        |
| 3015 | Efficacy and safety of serelaxin when added to standard of care in patients with acute heart failure: results from a PROBE study, RELAX-AHF. <i>European Journal of Heart Failure</i> , 2019, 21, 322-333.  | 2.9 | 24        |
| 3016 | The Likelihood of Self-reporting Balance Problems in Those With Advanced Chronic Kidney Disease, Slow Gait Speed, or Low Vitamin D. , 2019, 29, 490-497.  |     | 4         |
| 3017 | Cardiorenal status using amino-terminal pro-“brain natriuretic peptide and cystatin C on cardiac resynchronization therapy outcomes: From the BIOCRT Study. <i>Heart Rhythm</i> , 2019, 16, 928-935.  | 0.3 | 9         |
| 3018 | Trans-ethnic kidney function association study reveals putative causal genes and effects on kidney-specific disease aetiologies. <i>Nature Communications</i> , 2019, 10, 29.   | 5.8 | 113       |
| 3019 | Relationship Between the Estimated Glomerular Filtration Rate and Visceral Fat Thickness Based on Ultrasound in Patients With Obesity Who Have Normal Renal Function Without Hypertension or Diabetes. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 2287-2294.                                  | 0.8 | 2         |
| 3020 | Blood kidney injury molecule-1 predicts short and longer term kidney outcomes in patients undergoing diagnostic coronary and/or peripheral angiography—Results from the Catheter Sampled Blood Archive in Cardiovascular Diseases (CASABLANCA) study. <i>American Heart Journal</i> , 2019, 209, 36-46. | 1.2 | 9         |
| 3021 | High prevalence of chronic kidney disease in patients with multiple endocrine neoplasia type 1 and improved kidney function after parathyroidectomy. <i>Surgery</i> , 2019, 165, 124-128.   | 1.0 | 4         |
| 3022 | Assessment of renal function before contrast media injection: right decisions based on inaccurate estimates. <i>European Radiology</i> , 2019, 29, 3192-3199.   | 2.3 | 2         |
| 3023 | Chronic kidney disease among US adults with type 2 diabetes and cardiovascular diseases: A national estimate of prevalence by KDIGO 2012 classification. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 612-615.   | 1.8 | 20        |
| 3024 | Gastrointestinal Problems in Acute Kidney Injury. , 2019, , 635-640.e2.   |     | 0         |
| 3025 | Incidence of Diabetes Mellitus, Cardiovascular Diseases, and Cancer in Patients Undergoing Malabsorptive Surgery (Biliopancreatic Diversion and Biliointestinal Bypass) vs Medical Treatment. <i>Obesity Surgery</i> , 2019, 29, 935-942.   | 1.1 | 15        |
| 3026 | Patient Selection for Kidney Transplant. <i>Surgical Clinics of North America</i> , 2019, 99, 1-35.   | 0.5 | 3         |
| 3027 | Long-term mortality in obese subjects undergoing malabsorptive surgery (biliopancreatic diversion) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1147-1153.  | 1.6 | 19        |
| 3028 | The prognostic role of different renal function phenotypes in patients with acute heart failure. <i>International Journal of Cardiology</i> , 2019, 276, 198-203.   | 0.8 | 10        |
| 3029 | Ritonavir-boosted paritaprevir, ombitasvir plus ribavirin could improve eGFR in patients with renal impairment and HCV: an Egyptian cohort. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019, 13, 89-93.  | 1.4 | 3         |
| 3030 | Frequency and Predictors of Renal Transplantation Among Patients Rendered Surgically Anephric for Sporadic Renal Cancer. <i>Urology</i> , 2019, 126, 134-139.   | 0.5 | 1         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3031 | Measurement and Estimation of Kidney Function. , 2019, , 23-41.e3.   |     | 3         |
| 3032 | Improving Drug Use and Dosing in Chronic Kidney Disease. , 2019, , 250-272.e5.   |     | 0         |
| 3033 | Estimation of renal function in patients with liver cirrhosis: Impact of muscle mass and sex. Journal of Hepatology, 2019, 70, 847-854.  | 1.8 | 62        |
| 3034 | Fenestrated endovascular aneurysm repair-induced acute kidney injury does not result in chronic renal dysfunction. Journal of Vascular Surgery, 2019, 69, 1679-1684.   | 0.6 | 12        |
| 3035 | Opioid Use and Pain Control in the Elderly After Elective or Urgent Orthopaedic Surgery: A Retrospective Cohort Study. Clinical Drug Investigation, 2019, 39, 301-308.   | 1.1 | 10        |
| 3036 | A Model for Glomerular Filtration Rate Assessment in Liver Disease (GRAIL) in the Presence of Renal Dysfunction[Link]. Hepatology, 2019, 69, 1219-1230.  | 3.6 | 47        |
| 3037 | Determination of effective half-life of 131I in patients with differentiated thyroid carcinoma: comparison of cystatin C and creatinine-based estimation of renal function. Endocrine, 2019, 63, 554-562.                                    | 1.1 | 2         |
| 3038 | The kynurenine pathway and cognitive performance in community-dwelling older adults. The Hordaland Health Study. Brain, Behavior, and Immunity, 2019, 75, 155-162.   | 2.0 | 46        |
| 3039 | Non-alcoholic fatty liver disease and 30-day all-cause mortality in adult patients with community-acquired pneumonia. QJM - Monthly Journal of the Association of Physicians, 2019, 112, 95-99.  | 0.2 | 29        |
| 3040 | Association of the plasma aldosterone concentration, left atrial deformation and ambulatory blood pressure in never-treated early hypertensive patients. Clinical and Experimental Hypertension, 2019, 41, 651-656.                          | 0.5 | 0         |
| 3041 | Prevalence of renally inappropriate medicines in older people with renal impairment – A cross-sectional register-based study in a large primary care population. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 256-265.         | 1.2 | 14        |
| 3042 | Serum level vitamin D and parathyroid hormone, and mortality, with or without chronic kidney disease. Journal of Bone and Mineral Metabolism, 2019, 37, 825-834.   | 1.3 | 1         |
| 3043 | Comparison of fourteen rule-out strategies for acute myocardial infarction. International Journal of Cardiology, 2019, 283, 41-47.   | 0.8 | 45        |
| 3044 | Plasma endoglin in Type2 diabetic patients with nephropathy. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 764-768.  | 1.8 | 65        |
| 3045 | Reduction of Cardiovascular Risk and Improved Estimated Glomerular Filtration Rate by SGLT2 Inhibitors, Including Dapagliflozin, Is Consistent Across the Class: An Analysis of the Placebo Arm of EXSCEL. Diabetes Care, 2019, 42, 318-326. | 4.3 | 23        |
| 3046 | The use of octagam and gammanorm in immunodeficiency associated with hematological malignancies: a prospective study from 21 French hematology departments. Hematology, 2019, 24, 173-182.   | 0.7 | 16        |
| 3047 | Novel glomerular filtration markers. Advances in Clinical Chemistry, 2019, 88, 91-119.   | 1.8 | 40        |
| 3048 | Discordance in risk factors for the progression of diabetic retinopathy and diabetic nephropathy in patients with type 2 diabetes mellitus. Journal of Diabetes Investigation, 2019, 10, 745-752.  | 1.1 | 43        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3049 | Serum kidney injury molecule 1 and $\beta$ 2-microglobulin perform as well as larger biomarker panels for prediction of rapid decline in renal function in type 2 diabetes. <i>Diabetologia</i> , 2019, 62, 156-168.                | 2.9 | 50        |
| 3050 | Clinical presentation at initiation of maintenance dialysis and subsequent survival: A retrospective cohort study. <i>Hemodialysis International</i> , 2019, 23, 106-116.   | 0.4 | 1         |
| 3051 | Chronic kidney disease and urological disorders: systematic use of uroflowmetry in nephropathic patients. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 414-419.  | 1.4 | 3         |
| 3052 | Association between increased mortality rate and antibiotic dose adjustment in intensive care unit patients with renal impairment. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 119-126.                            | 0.8 | 11        |
| 3053 | Impact of Sex on the Outcome of Isolated Aortic Valve Replacement and the Role of Different Preoperative Profiles. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 1237-1243.                                  | 0.6 | 6         |
| 3054 | Preadmission Diuretic Use and Mortality in Patients Hospitalized With Hyponatremia: A Propensity Score-Matched Cohort Study. <i>American Journal of Therapeutics</i> , 2019, 26, e79-e91.   | 0.5 | 2         |
| 3055 | Frailty Syndrome and Risk of Sepsis in the REasons for Geographic And Racial Differences in Stroke (REGARDS) Cohort. <i>Journal of Intensive Care Medicine</i> , 2019, 34, 292-300.   | 1.3 | 15        |
| 3056 | Disagreement in Estimates of Kidney Function for Drug Dosing in Obese Inpatients. <i>Journal of Pharmacy Practice</i> , 2019, 32, 41-47.  | 0.5 | 5         |
| 3057 | Deleterious effect of anti-angiotensin II type 1 receptor antibodies detected pretransplant on kidney graft outcomes is both proper and synergistic with donor-specific anti-HLA antibodies. <i>Nephrology</i> , 2019, 24, 347-356. | 0.7 | 20        |
| 3058 | A case-control study analyzing mannitol dosing for prevention of cisplatin-induced acute nephrotoxicity. <i>Journal of Oncology Pharmacy Practice</i> , 2019, 25, 875-883.  | 0.5 | 13        |
| 3059 | Renal Function, Weaning, and Survival in Patients With Ventilator-Dependent Respiratory Failure. <i>Journal of Intensive Care Medicine</i> , 2019, 34, 212-217.   | 1.3 | 5         |
| 3060 | Performance of creatinine-based equations for estimating glomerular filtration rate changes over time. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 819-827.  | 0.4 | 16        |
| 3061 | The investigation of TIMI risk index for prediction of contrast-induced acute kidney injury in patients with ST elevation myocardial infarction. <i>Acta Cardiologica</i> , 2020, 75, 77-84.  | 0.3 | 12        |
| 3062 | Application of GFR estimation equations in elderly patients with measured GFR below 60 mL/min/1.73 m <sup>2</sup> . <i>Aging Clinical and Experimental Research</i> , 2020, 32, 415-422.  | 1.4 | 10        |
| 3063 | How reliable is renal ultrasound to measure renal length and volume in patients with chronic kidney disease compared with magnetic resonance imaging?. <i>Acta Radiologica</i> , 2020, 61, 117-127.                                 | 0.5 | 9         |
| 3064 | Incidence, management, and sequelae of ureteric obstruction in women with cervical cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 725-730.  | 1.0 | 9         |
| 3065 | Bioequivalence of Ertugliflozin/Metformin Fixed-Dose Combination Tablets and Coadministration of Respective Strengths of Individual Components. <i>Clinical Pharmacology in Drug Development</i> , 2020, 9, 50-61.                  | 0.8 | 4         |
| 3066 | Early Small Creatinine Shift Predicts Contrast-Induced Acute Kidney Injury and Persistent Renal Damage after Percutaneous Coronary Procedures. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 305-311.                | 0.3 | 7         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3067 | Arterial, but Not Venous, Reconstruction Increases 30-Day Morbidity and Mortality in Pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 578-584.  | 0.9 | 16        |
| 3068 | The Influence of Renal or Hepatic Impairment on the Pharmacokinetics, Safety, and Tolerability of Naldemedine. <i>Clinical Pharmacology in Drug Development</i> , 2020, 9, 162-174.  | 0.8 | 9         |
| 3069 | Measured and estimated glomerular filtration rate: current status and future directions. <i>Nature Reviews Nephrology</i> , 2020, 16, 51-64.   | 4.1 | 166       |
| 3070 | Population Pharmacokinetic and Exposure-Response Analysis of Finerenone: Insights Based on Phase IIb Data and Simulations to Support Dose Selection for Pivotal Trials in Type 2 Diabetes with Chronic Kidney Disease. <i>Clinical Pharmacokinetics</i> , 2020, 59, 359-370. | 1.6 | 22        |
| 3071 | Variation in Hospital Door-to-Intervention Time for Ruptured AAAs and Its Association with Outcomes. <i>Annals of Vascular Surgery</i> , 2020, 62, 83-91.  | 0.4 | 7         |
| 3072 | Effect of diabetes duration on the relationship between glycaemic control and risk of death in older adults with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 231-242.   | 2.2 | 32        |
| 3073 | Endothelial dysfunction and cardiovascular outcome in asymptomatic patients with type 2 diabetes: A pilot study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3215.  | 1.7 | 14        |
| 3074 | Transabdominal open abdominal aortic aneurysm repair is associated with higher rates of late reintervention and readmission compared with the retroperitoneal approach. <i>Journal of Vascular Surgery</i> , 2020, 71, 39-45.e1.   | 0.6 | 16        |
| 3075 | Postoperative complication rate and survival of patients with gastric cancer undergoing immunonutrition: A retrospective study. <i>Nutrition</i> , 2020, 70, 110590.   | 1.1 | 14        |
| 3076 | Chronic kidney disease in patients with non-alcoholic fatty liver disease: What the Hepatologist should know?. <i>Annals of Hepatology</i> , 2020, 19, 134-144.  | 0.6 | 27        |
| 3077 | P2Y12 inhibitors in acute coronary syndrome patients with renal dysfunction: an analysis from the RENAMI and BleeMACS projects. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 31-42.   | 1.4 | 37        |
| 3078 | Microparticles Expressing Myeloperoxidase and Complement C3a and C5a as Markers of Renal Involvement in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Rheumatology</i> , 2020, 47, 714-721.   | 1.0 | 14        |
| 3079 | Association of Excessive Speed Reduction with Clinical Factors During Rotational Atherectomy. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 314-319.  | 0.3 | 7         |
| 3080 | Goal-directed resuscitation following cardiac surgery reduces acute kidney injury: A quality initiative pre-post analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 1868-1877.e1.  | 0.4 | 24        |
| 3081 | Comparison of complications with a 1.25-mm versus a 1.5-mm burr for severely calcified lesions that could not be crossed by an intravascular ultrasound catheter. <i>Cardiovascular Intervention and Therapeutics</i> , 2020, 35, 227-233.                                   | 1.2 | 10        |
| 3082 | Decreased glomerular filtration rate in patients with at least 5 years of type 2 diabetes in Ho Chi Minh City, Vietnam: Prevalence and associated factors. <i>Primary Care Diabetes</i> , 2020, 14, 173-180.   | 0.9 | 4         |
| 3083 | Î±-lipoic acid in patients with autosomal dominant polycystic kidney disease. <i>Nutrition</i> , 2020, 71, 110594.   | 1.1 | 12        |
| 3084 | Morphological and functional characteristics of aging kidneys based on two-photon microscopy in vivo. <i>Journal of Biophotonics</i> , 2020, 13, e201900246.   | 1.1 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3085 | Nonalcoholic fatty liver disease as a risk factor for Clostridium difficile-associated diarrhea. QJM - Monthly Journal of the Association of Physicians, 2020, 113, 320-323.  | 0.2 | 9         |
| 3086 | The effect of previous treatment with bisphosphonate and renal impairment on the response to denosumab in osteoporosis: a "real-life" study. Journal of Endocrinological Investigation, 2020, 43, 469-475.                                      | 1.8 | 5         |
| 3087 | Epidemiology of Chronic Kidney Disease"Scope of the Problem. , 2020, , 75-89.   |     | 3         |
| 3088 | Lung ultrasound to detect and monitor pulmonary congestion in patients with acute kidney injury in nephrology wards: a pilot study. Journal of Nephrology, 2020, 33, 335-341.   | 0.9 | 7         |
| 3089 | Serum creatinine to cystatin C ratio predicts skeletal muscle mass and strength in patients with non-dialysis chronic kidney disease. Clinical Nutrition, 2020, 39, 2435-2441.  | 2.3 | 67        |
| 3090 | Evaluation of Systematic Blood Testing at the Time of Recruitment to the Armed Forces: Retrospective Monocentric Study Among 726 French Army Soldiers. Military Medicine, 2020, 185, 346-353.   | 0.4 | 0         |
| 3091 | Impact of CYP3A5 genotype on tolvaptan pharmacokinetics and their relationships with endogenous markers of CYP3A activity and serum sodium level in heart failure patients. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 353-363. | 1.2 | 4         |
| 3092 | Comparison of the effects of gemigliptin and dapagliflozin on glycaemic variability in type 2 diabetes: A randomized, open-label, active-controlled, 12-week study (STABLE II study). Diabetes, Obesity and Metabolism, 2020, 22, 173-181.      | 2.2 | 18        |
| 3093 | Soluble urokinase plasminogen activator receptor (suPAR) levels predict damage accrual in patients with recent-onset systemic lupus erythematosus. Journal of Autoimmunity, 2020, 106, 102340.  | 3.0 | 27        |
| 3094 | Antidiabetic drug use trends in patients with type 2 diabetes mellitus and chronic kidney disease: A cross-sectional analysis of the National Health and Nutrition Examination Survey. Journal of Diabetes, 2020, 12, 385-395.                  | 0.8 | 13        |
| 3095 | Estimating Residual Kidney Function: Present and Future Challenge. SN Comprehensive Clinical Medicine, 2020, 2, 140-148.  | 0.3 | 0         |
| 3096 | Identifying sub-phenotypes of acute kidney injury using structured and unstructured electronic health record data with memory networks. Journal of Biomedical Informatics, 2020, 102, 103361.   | 2.5 | 49        |
| 3097 | Associations of serum magnesium levels and calcium-magnesium ratios with mortality in patients with coronary artery disease. Diabetes and Metabolism, 2020, 46, 384-391.  | 1.4 | 16        |
| 3098 | Comparación de las ecuaciones MDRD y de las antiguas ecuaciones CKD-EPI frente a las nuevas ecuaciones CKD-EPI en pacientes con trasplante renal cuando se emplea 51Cr-EDTA para medir el filtrado glomerular. Nefrología, 2020, 40, 53-64.     | 0.2 | 2         |
| 3099 | Association between serum uric acid levels and metabolic markers in patients with type 2 diabetes from a community with high diabetes prevalence. International Journal of Clinical Practice, 2020, 74, e13466.                                 | 0.8 | 13        |
| 3100 | Denosumab-induced hypocalcemia in patients with osteoporosis: can you know who will get low?. Osteoporosis International, 2020, 31, 655-665.  | 1.3 | 30        |
| 3101 | Prognostic significance of premature ventricular complex burden on hospitalized patients with heart failure. Journal of Arrhythmia, 2020, 36, 134-142.  | 0.5 | 2         |
| 3102 | Novel Biomarkers for Change in Renal Function in People With Dysglycemia. Diabetes Care, 2020, 43, 433-439.   | 4.3 | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3103 | Living-donor kidney transplantation: comparison of sequential and simultaneous surgical organizations. <i>International Urology and Nephrology</i> , 2020, 52, 865-876.  | 0.6 | 4         |
| 3104 | Defining cutoffs to diagnose obesity using the relative fat mass (RFM): Association with mortality in NHANES 1999–2014. <i>International Journal of Obesity</i> , 2020, 44, 1301-1310.   | 1.6 | 35        |
| 3105 | Measured GFR by Utilizing Population Pharmacokinetic Methods to Determine Iohexol Clearance. <i>Kidney International Reports</i> , 2020, 5, 189-198.   | 0.4 | 13        |
| 3106 | Effectiveness of Elbasvir/Grazoprevir in patients with hepatitis C virus genotype 1 infection and chronic kidney disease in the United States veterans population. <i>Antiviral Research</i> , 2020, 174, 104698.  | 1.9 | 10        |
| 3107 | Transurethral prostate surgery as a preventive method against progression of chronic kidney disease in patients with urodynamically proven bladder outlet obstruction. <i>World Journal of Urology</i> , 2020, 38, 2583-2593.  | 1.2 | 3         |
| 3108 | Midterm outcome of renal function after branched thoracoabdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2020, 71, 1119-1127.  | 0.6 | 11        |
| 3109 | Intensive vs Standard Blood Pressure Control in Adults 80 Years or Older: A Secondary Analysis of the Systolic Blood Pressure Intervention Trial. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 496-504.   | 1.3 | 59        |
| 3110 | Kidney function. , 2020, , 1-8.e3.   |     | 1         |
| 3111 | Comparison of Long-Term Adverse Outcomes in Patients With Atrial Fibrillation Having Ablation Versus Antiarrhythmic Medications. <i>American Journal of Cardiology</i> , 2020, 125, 553-561.   | 0.7 | 5         |
| 3112 | Renal Trajectory Patterns Are Associated With Postdischarge Mortality in Patients With Cirrhosis and Acute Kidney Injury. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1858-1866.e6.  | 2.4 | 11        |
| 3113 | Predictive factors of severe infections in patients with systemic necrotizing vasculitides: data from 733 patients enrolled in five randomized controlled trials of the French Vasculitis Study Group. <i>Rheumatology</i> , 2020, 59, 2250-2257.  | 0.9 | 13        |
| 3114 | The efficacy of combination of transcatheter atrial septal defects closure and radiofrequency catheter ablation for the prevention of atrial fibrillation recurrence through bi-atrial reverse remodeling. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 59, 365-372. | 0.6 | 6         |
| 3115 | Evolution of Equations for Estimating Renal Function and Their Application to the Dosing of New Antimicrobials. <i>Annals of Pharmacotherapy</i> , 2020, 54, 496-503.  | 0.9 | 4         |
| 3116 | Antiproteinuria Effect of Calcitriol in Patients With Chronic Kidney Disease and Vitamin D Deficiency: A Randomized Controlled Study. , 2020, 30, 200-207.   |     | 12        |
| 3117 | Thrombo-inflammatory prognostic score improves qSOFA for risk stratification in patients with sepsis: a retrospective cohort study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 625-634.   | 1.4 | 3         |
| 3118 | High-risk screening for Fabry disease in a Canadian cohort of chronic kidney disease patients. <i>Clinica Chimica Acta</i> , 2020, 501, 234-240.   | 0.5 | 11        |
| 3119 | Acquired perforating dermatosis: clinicopathologic study of a 10-year period at a tertiary teaching hospital. <i>International Journal of Dermatology</i> , 2020, 59, 445-450.   | 0.5 | 8         |
| 3120 | The University of Zimbabwe College of Health Sciences (UZ-CHS) BIRTH COHORT study: rationale, design and methods. <i>BMC Infectious Diseases</i> , 2020, 20, 725.  | 1.3 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3121 | &lt;p&gt;Association Between Dyslipidemia and Serum Level of 25-Hydroxyvitamin-D in Early Chronic Kidney Disease, Not on Dialysis: An Observational Cross-Sectional Study from the Himalayan Country&lt;p&gt;. International Journal of Nephrology and Renovascular Disease, 2020, Volume 13, 211-218. | 0.8 | 0         |
| 3122 | Association of parameters of nocturnal hypoxemia with diabetic microvascular complications: A cross-sectional study. Diabetes Research and Clinical Practice, 2020, 170, 108484.   | 1.1 | 12        |
| 3123 | Replicative senescence and arteriosclerosis after kidney transplantation. Nephrology Dialysis Transplantation, 2020, 35, 1984-1995.  | 0.4 | 6         |
| 3124 | Hydroxyethyl Starch 6% 130/0.4 in a Balanced Electrolyte Solution and Renal Function After Nephrectomy. Anesthesia and Analgesia, 2020, 131, 1260-1269.  | 1.1 | 2         |
| 3125 | A physically active lifestyle is related to a lower level of skin autofluorescence in a large population with chronic-disease (LifeLines cohort). Journal of Sport and Health Science, 2022, 11, 260-265.  | 3.3 | 3         |
| 3126 | Prevalence of chronic kidney disease in adults in England: comparison of nationally representative cross-sectional surveys from 2003 to 2016. BMJ Open, 2020, 10, e038423.   | 0.8 | 23        |
| 3127 | Correlation of Serum Cardiac Markers with Acute Decompensating Events in Liver Cirrhosis. Gastroenterology Research and Practice, 2020, 2020, 1-15.  | 0.7 | 3         |
| 3128 | An optical coherence tomography comparison of coronary arterial plaque calcification in patients with end-stage renal disease and diabetes mellitus. Diabetes and Vascular Disease Research, 2020, 17, 147916412095842.  | 0.9 | 2         |
| 3129 | Estimation of glomerular filtration rate from skeletal muscle mass. A new equation independent from age, weight, gender, and ethnicity. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2312-2319.  | 1.1 | 0         |
| 3130 | Associations between plasma ceramides and mortality in patients with coronary artery disease. Atherosclerosis, 2020, 314, 77-83.   | 0.4 | 22        |
| 3131 | Renal Complication and Glycemic Control in Korean Veterans with Type 2 Diabetes: A 10-Year Retrospective Cohort Study. Journal of Diabetes Research, 2020, 2020, 1-13.   | 1.0 | 7         |
| 3132 | Renal Impairment, C. difficile Recurrence, and the Differential Effect of Bezlotoxumab: A Post Hoc Analysis of Pooled Data From 2 Randomized Clinical Trials. Open Forum Infectious Diseases, 2020, 7, ofaa248.  | 0.4 | 4         |
| 3133 | Hypoxia in chronic kidney disease: towards a paradigm shift?. Nephrology Dialysis Transplantation, 2021, 36, 1782-1790.  | 0.4 | 22        |
| 3134 | Clinical presentation and outcomes in women and men with advanced heart failure. Scandinavian Cardiovascular Journal, 2020, 54, 361-368.   | 0.4 | 4         |
| 3135 | Influence of Renal Function and Age on the Pharmacokinetics of Levofloxacin in Patients with Bone and Joint Infections. Antibiotics, 2020, 9, 401.   | 1.5 | 6         |
| 3136 | AKI in Hospitalized Patients with and without COVID-19: A Comparison Study. Journal of the American Society of Nephrology: JASN, 2020, 31, 2145-2157.  | 3.0 | 256       |
| 3137 | Examining the Relationship and Prognostic Implication of Diabetic Status and Extracellular Matrix Expansion by Cardiac Magnetic Resonance. Circulation: Cardiovascular Imaging, 2020, 13, e011000.   | 1.3 | 19        |
| 3138 | Effects of Intensive Blood Pressure Control in Patients with and without Albuminuria. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 1121-1128.  | 2.2 | 15        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3139 | Laboratory evaluation of kidney function. , 2020, , 611-628.   |     | 1         |
| 3140 | Comparison of the incidence of slow flow after rotational atherectomy with IVUS-crossable versus IVUS-uncrossable calcified lesions. <i>Scientific Reports</i> , 2020, 10, 11362.  | 1.6 | 9         |
| 3141 | Modeling Kinetic Glomerular Filtration Rate in Adults with Stable and Unstable Kidney Function: Vancomycin as the Motivating Example. <i>Pharmacotherapy</i> , 2020, 40, 872-879.  | 1.2 | 6         |
| 3142 | Excess 30-Day Heart Failure Readmissions and Mortality in Black Patients Increases With Neighborhood Deprivation. <i>Circulation: Heart Failure</i> , 2020, 13, e007947.   | 1.6 | 41        |
| 3143 | Aspartate aminotransferase and mortality in patients with ischemic heart disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2335-2342.  | 1.1 | 8         |
| 3144 | Analysis of Factors Influencing Kidney Function of Recipients After Renal Transplantation in Southwestern China: A Retrospective Study. <i>Frontiers in Medicine</i> , 2020, 7, 519582.  | 1.2 | 2         |
| 3145 | Impact of a computerized decision support tool deployed in two intensive care units on acute kidney injury progression and guideline compliance: a prospective observational study. <i>Critical Care</i> , 2020, 24, 656.                          | 2.5 | 16        |
| 3146 | Population Pharmacokinetic Model for Ertugliflozin in Healthy Subjects and Patients With Type 2 Diabetes Mellitus. <i>Clinical Pharmacology in Drug Development</i> , 2020, 10, 696-706.   | 0.8 | 3         |
| 3147 | Adult Patients Affected by Cystic Fibrosis in Therapy with Cystic Fibrosis Transmembrane Regulator Modulators and Lung Transplant: Renal Function, Metabolic and Nutritional Status. <i>Journal of Nutrition and Metabolism</i> , 2020, 2020, 1-8. | 0.7 | 1         |
| 3148 | Clinical Characteristics of Patients with Different N-Terminal Probrain Natriuretic Peptide Levels after Hematopoietic Stem Cell Transplantation. <i>Disease Markers</i> , 2020, 2020, 1-7.  | 0.6 | 0         |
| 3149 | Prepregnancy renal function and risk of preterm birth and related outcomes. <i>Cmaj</i> , 2020, 192, E851-E857.  | 0.9 | 9         |
| 3150 | Thermal ablation assisted laparoscopic partial nephrectomy for clinical T1b renal tumors. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2022, 31, 179-184.   | 0.6 | 5         |
| 3151 | Increased Efficacy and Tolerability of Pegloticase in Patients With Uncontrolled Gout Co-Treated With Methotrexate: A Retrospective Study. <i>Rheumatology and Therapy</i> , 2020, 7, 639-648.   | 1.1 | 22        |
| 3152 | IRWIS (IDegLira Real world Indian Study): A Real-World Observational Study For Use of IDegLira In Indian Patients. <i>Endocrine and Metabolic Science</i> , 2020, 1, 100057.   | 0.7 | 1         |
| 3153 | Urinary Metal Levels after Repeated Edetate Disodium Infusions: Preliminary Findings. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4684.   | 1.2 | 9         |
| 3154 | Crescents formations are independently associated with higher mortality in biopsy-confirmed immunoglobulin A nephropathy. <i>PLoS ONE</i> , 2020, 15, e0237075.  | 1.1 | 6         |
| 3155 | Prognostic impact of estimated remnant-like particle cholesterol in patients with differing glycometabolic status: an observational cohort study from China. <i>Lipids in Health and Disease</i> , 2020, 19, 179.                                  | 1.2 | 11        |
| 3156 | Clinical Implications of Hepatic Hemodynamic Evaluation by Abdominal Ultrasonographic Imaging in Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2020, 9, e016689.   | 1.6 | 11        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3157 | Reduced nephrotoxicity with vancomycin therapeutic drug monitoring guided by area under the concentration-time curve against a trough 15–20 µg/mL concentration. <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106109.                                | 1.1 | 34        |
| 3158 | Stroke prevention and guideline adherent antithrombotic treatment in elderly patients with atrial fibrillation. <i>Medicine (United States)</i> , 2020, 99, e21209.  | 0.4 | 6         |
| 3159 | Association of hypertriglyceridemic waist phenotype with renal function impairment: a cross-sectional study in a population of Chinese adults. <i>Nutrition and Metabolism</i> , 2020, 17, 63.   | 1.3 | 11        |
| 3160 | Metabolic syndrome increases senescence-associated micro-RNAs in extracellular vesicles derived from swine and human mesenchymal stem/stromal cells. <i>Cell Communication and Signaling</i> , 2020, 18, 124.  | 2.7 | 27        |
| 3161 | Outcomes following kidney transplantation in patients with sickle cell disease: The impact of automated exchange blood transfusion. <i>PLoS ONE</i> , 2020, 15, e0236998.  | 1.1 | 12        |
| 3162 | Diagnostic Performances of Urinary Methylmalonic Acid/Creatinine Ratio in Vitamin B12 Deficiency. <i>Journal of Clinical Medicine</i> , 2020, 9, 2335.   | 1.0 | 12        |
| 3163 | Evaluating the Association between Contrast Medium Dosage and Acute Kidney Injury in Transcatheter Aortic Valve Replacement Using Different Predictive Models. <i>Journal of Clinical Medicine</i> , 2020, 9, 3476.  | 1.0 | 5         |
| 3164 | Adult-onset diabetes in Middle Eastern immigrants to Sweden: Novel subgroups and diabetic complications? The All New Diabetes in Scania cohort diabetic complications and ethnicity. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3419.                  | 1.7 | 21        |
| 3165 | Plasma C4d Correlates With C4d Deposition in Kidneys and With Treatment Response in Lupus Nephritis Patients. <i>Frontiers in Immunology</i> , 2020, 11, 582737.   | 2.2 | 19        |
| 3166 | MIF associated with pulmonary hypertension susceptibility and severity in non-dialysis Chronic kidney disease patients. <i>European Journal of Inflammation</i> , 2020, 18, 205873922096119.   | 0.2 | 0         |
| 3167 | The impact of donor and recipient diabetes on renal transplant outcomes. <i>Clinical Transplantation</i> , 2020, 34, e14115.   | 0.8 | 3         |
| 3168 | Low protein diets for non-diabetic adults with chronic kidney disease. <i>The Cochrane Library</i> , 2020, 2020, CD001892.   | 1.5 | 52        |
| 3169 | Survival and renal function after liver transplantation alone in patients meeting the new United Network for Organ Sharing simultaneous liver-kidney criteria. <i>Clinical Transplantation</i> , 2020, 34, e14020.   | 0.8 | 10        |
| 3170 | Genome-wide association study for circulating fibroblast growth factor 21 and 23. <i>Scientific Reports</i> , 2020, 10, 14578.   | 1.6 | 11        |
| 3171 | Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. <i>Scientific Reports</i> , 2020, 10, 15375.   | 1.6 | 5         |
| 3172 | Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 144.   | 2.7 | 24        |
| 3173 | Combined Effect of Inter- and Inpatient Variability in Tacrolimus Exposure on Graft Impairment Within a 3-Year Period Following Kidney Transplantation: A Single-Center Experience. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2020, 45, 749-760. | 0.6 | 7         |
| 3174 | Parallel assessment of albuminuria and plasma sTFR1 in people with type 2 diabetes and advanced chronic kidney disease provides accurate prognostication of the risks of renal decline and death. <i>Scientific Reports</i> , 2020, 10, 14852.                           | 1.6 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3175 | Readmission for Early Prosthetic Dislocation after Primary Total Hip Arthroplasty. <i>The Journal of Hip Surgery</i> , 2020, 04, 023-032.   | 0.1 | 1         |
| 3176 | Systemic complement activation is associated with respiratory failure in COVID-19 hospitalized patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25018-25025.                                     | 3.3 | 279       |
| 3177 | Acute kidney injury in patients treated with anti-programmed death receptor-1 for advanced melanoma: a real-life study in a single-centre cohort. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1664-1674.   | 0.4 | 41        |
| 3178 | Functional Evaluation of Upper Urinary Tract with Diuretic Mercaptoacetyltriglycine Renal Scans in Patients with Benign Prostatic Obstruction before and after Surgical Intervention: A Pilot Study. <i>BioMed Research International</i> , 2020, 2020, 1-10. | 0.9 | 3         |
| 3179 | Prevalence, concordance and associations of chronic kidney disease by five estimators in South Africa. <i>BMC Nephrology</i> , 2020, 21, 372.   | 0.8 | 6         |
| 3180 | Effect of dapagliflozin as an adjunct to insulin over 52 weeks in individuals with type 1 diabetes: post-hoc renal analysis of the DEPICT randomised controlled trials. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 845-854.                          | 5.5 | 46        |
| 3181 | The clinical implication of new-onset in-hospital atrial fibrillation in patients with acute decompensated heart failure. <i>Journal of Arrhythmia</i> , 2020, 36, 874-882.   | 0.5 | 2         |
| 3182 | Are the Different Diabetes Subgroups Correlated With All-Cause, Cancer-Related, and Cardiovascular-Related Mortality?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4240-e4251.  | 1.8 | 16        |
| 3183 | A preprocedural risk score predicts acute kidney injury following primary percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 98, 197-205.  | 0.7 | 5         |
| 3184 | Potential protective effect of leptin and uncoupling protein-2 genes polymorphism in Egyptian patients with chronic kidney disease. <i>International Urology and Nephrology</i> , 2020, 52, 2153-2160.  | 0.6 | 3         |
| 3185 | Dose discordance of direct acting oral anticoagulants using different equations for estimating GFR: a literature review. <i>Expert Review of Clinical Pharmacology</i> , 2020, 13, 857-863.   | 1.3 | 6         |
| 3186 | The relationship between serum uric acid and cognitive function in patients with chronic heart failure. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 381.  | 0.7 | 10        |
| 3187 | Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. <i>Scientific Reports</i> , 2020, 10, 11668.   | 1.6 | 11        |
| 3188 | Renal, Bladder and Sexual Outcomes in Adult Men with History of Posterior Urethral Valves Treated in Childhood. <i>Urology</i> , 2021, 153, 301-306.  | 0.5 | 4         |
| 3189 | Potential Role and Prognostic Value of Erythropoietin Levels in Patients With Severe Aortic Stenosis Undergoing Transcatheter Aortic Valve Replacement. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 605257.  | 1.1 | 1         |
| 3190 | Association between Multidimensional Prognostic Index and Hospitalization and Mortality among Older Adults with Chronic Kidney Disease on Conservative or on Replacement Therapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 3965.                        | 1.0 | 7         |
| 3191 | Performance of StatSensor Point-of-Care Device for Measuring Creatinine in Patients With Chronic Kidney Disease and Postkidney Transplantation. <i>Canadian Journal of Kidney Health and Disease</i> , 2020, 7, 205435812097071.                              | 0.6 | 5         |
| 3192 | &lt;p&gt;The Human Genetic Variants CYP2J2 rs2280275 and EPHX2 rs751141 and Risk of Diabetic Nephropathy in Egyptian Type 2 Diabetic Patients&lt;/p&gt;. <i>The Application of Clinical Genetics</i> , 2020, Volume 13, 165-178.                              | 1.4 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3193 | Chronic Kidney Disease-Associated Inflammation Increases the Risks of Acute Kidney Injury and Mortality after Cardiac Surgery. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9689.  | 1.8 | 10        |
| 3194 | Patterns of Toll-Like Receptor Expressions and Inflammatory Cytokine Levels and Their Implications in the Progress of Insulin Resistance and Diabetic Nephropathy in Type 2 Diabetic Patients. <i>Frontiers in Physiology</i> , 2020, 11, 609223.        | 1.3 | 20        |
| 3195 | Endothelin Type A Receptor Antibodies Are Associated With Angiotensin II Type 1 Receptor Antibodies, Vascular Inflammation, and Decline in Renal Function in Pediatric Kidney Transplantation. <i>Kidney International Reports</i> , 2020, 5, 1925-1936. | 0.4 | 23        |
| 3196 | The relationship between red cell distribution width and cardiac autonomic function in heart failure. <i>Journal of Arrhythmia</i> , 2020, 36, 1076-1082.  | 0.5 | 7         |
| 3197 | Association between organ damage and visceral adiposity index in community-dwelling elderly Chinese population: the Northern Shanghai Study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2291-2297.                                      | 1.4 | 5         |
| 3198 | Thermal Perception Abnormalities Can Predict Diabetic Kidney Disease in Type 2 Diabetes Mellitus Patients. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 926-938.  | 0.9 | 4         |
| 3199 | Nocturnal blood pressure is associated with sympathetic nerve activity in patients with chronic kidney disease. <i>Physiological Reports</i> , 2020, 8, e14602.  | 0.7 | 17        |
| 3200 | Predictive value of admission blood pressure for 3-month mortality in patients undergoing revascularization for critical limb ischemia. <i>Journal of Hypertension</i> , 2020, 38, 2409-2415.  | 0.3 | 5         |
| 3201 | Per-protocol repeat kidney biopsy portends relapse and long-term outcome in incident cases of proliferative lupus nephritis. <i>Rheumatology</i> , 2020, 59, 3424-3434.  | 0.9 | 46        |
| 3202 | Treatment advantage in HBV/HIV coinfection compared to HBV mono-infection in a South African cohort. <i>Journal of Infection</i> , 2020, 81, 121-130.  | 1.7 | 16        |
| 3203 | Low grade albuminuria as a risk factor for subtypes of stroke - the HUNT Study in Norway. <i>BMC Neurology</i> , 2020, 20, 170.  | 0.8 | 12        |
| 3204 | Quantifying systemic congestion with Point-Of-Care ultrasound: development of the venous excess ultrasound grading system. <i>Ultrasound Journal</i> , 2020, 12, 16.   | 1.3 | 227       |
| 3205 | Effect of Ramadan fasting on Muslim recipients after living donor liver transplantation: A single center study. <i>Arab Journal of Gastroenterology</i> , 2020, 21, 76-79.   | 0.4 | 5         |
| 3206 | Impacts of right ventricular function and venous congestion on renal response during depletion in acute heart failure. <i>ESC Heart Failure</i> , 2020, 7, 1723-1734.  | 1.4 | 15        |
| 3207 | Effectiveness of serum beta-2 microglobulin as a tool for evaluating donor kidney status for transplantation. <i>Scientific Reports</i> , 2020, 10, 8109.  | 1.6 | 5         |
| 3208 | Survival of Patients with Hepatocellular Carcinoma in Renal Insufficiency: Prognostic Role of Albumin-Bilirubin Grade. <i>Cancers</i> , 2020, 12, 1130.  | 1.7 | 10        |
| 3209 | Kidney Disease, Race, and GFR Estimation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1203-1212.  | 2.2 | 168       |
| 3210 | Manifestations of left ventricular dysfunction and arrhythmia in patients with chronic hypoparathyroidism and pseudohypoparathyroidism: a preliminary study. <i>BMC Endocrine Disorders</i> , 2020, 20, 61.  | 0.9 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3211 | Impact of intraoperative zero-balance fluid therapy on the occurrence of acute kidney injury in patients who had undergone colorectal cancer resection within an enhanced recovery after surgery protocol: a propensity score matching analysis. <i>International Journal of Colorectal Disease</i> , 2020, 35, 1537-1548. | 1.0 | 9         |
| 3212 | A nationwide evaluation of deceased donor kidney transplantation indicates detrimental consequences of early graft loss. <i>Kidney International</i> , 2020, 97, 1243-1252.  | 2.6 | 10        |
| 3213 | Colistimethate sodium and acute kidney injury: Incidence, risk factors, outcome and prognosis of renal function. <i>Nefrologia</i> , 2020, 40, 647-654.  | 0.2 | 1         |
| 3214 | Dialysis timing may be deferred toward very late initiation: An observational study. <i>PLoS ONE</i> , 2020, 15, e0233124.   | 1.1 | 3         |
| 3215 | Urinary angiotensinogen as a surrogate marker predicting the antiproteinuric effects of angiotensin receptor blockers in patients with overt proteinuria: a multicenter prospective study. <i>BMC Nephrology</i> , 2020, 21, 180.  | 0.8 | 2         |
| 3216 | Mechanistic Models as Framework for Understanding Biomarker Disposition: Prediction of Creatinine-Drug Interactions. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2020, 9, 282-293.  | 1.3 | 20        |
| 3217 | Utility of d-serine monitoring in kidney disease. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2020, 1868, 140449.   | 1.1 | 12        |
| 3218 | Zero ischemia laparoscopic microwave ablation assisted enucleation vs. laparoscopic partial nephrectomy in clinical T1a renal tumor: a randomized clinical trial. <i>Translational Cancer Research</i> , 2020, 9, 194-202.   | 0.4 | 6         |
| 3219 | Prevalence of Vertebral Fractures and Their Prognostic Significance in the Survival in Patients with Chronic Kidney Disease Stages 3-5 Not on Dialysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1604.   | 1.0 | 10        |
| 3220 | Metabolic Syndrome and the Risk of Thyroid Cancer: A Nationwide Population-Based Cohort Study. <i>Thyroid</i> , 2020, 30, 1496-1504.   | 2.4 | 32        |
| 3221 | Peripheral arterial endothelial dysfunction predicts future cardiovascular events in diabetic patients with albuminuria: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 82.   | 2.7 | 23        |
| 3222 | Time-dependent changes in kidney injury biomarkers in patients receiving multiple cycles of cisplatin chemotherapy. <i>Toxicology Reports</i> , 2020, 7, 571-576.  | 1.6 | 18        |
| 3223 | Prognostic value of high-sensitivity troponin I after cardiac surgery according to preoperative renal function. <i>Medicine (United States)</i> , 2020, 99, e20040.  | 0.4 | 1         |
| 3224 | Randomized Trial Comparing Double Versus Triple Bortezomib-Based Regimen in Patients With Multiple Myeloma and Acute Kidney Injury Due to Cast Nephropathy. <i>Journal of Clinical Oncology</i> , 2020, 38, 2647-2657.   | 0.8 | 24        |
| 3225 | Ten-year survival of patients treated with peritoneal dialysis: A prospective observational cohort study. <i>Peritoneal Dialysis International</i> , 2020, 40, 573-580.  | 1.1 | 6         |
| 3226 | The impact of severe acute kidney injury requiring renal replacement therapy on survival and renal function of heart transplant recipients – a UK cohort study. <i>Transplant International</i> , 2020, 33, 1650-1666.   | 0.8 | 6         |
| 3227 | Variability in estimated glomerular filtration rate and the incidence of type 2 diabetes: a nationwide population-based study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001187.  | 1.2 | 2         |
| 3228 | Joint Longitudinal Low Calcium High Phosphorus Trajectory Associates with Accelerated Progression, Acute Coronary Syndrome and Mortality in Chronic Kidney Disease. <i>Scientific Reports</i> , 2020, 10, 9682.  | 1.6 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3229 | ASSOCIATION OF DIAGNOSIS CODE-BASED AND LABORATORY RESULTS-BASED KIDNEY FUNCTION WITH DEVELOPMENT OF VISION THREATENING DIABETIC RETINOPATHY. <i>Ophthalmic Epidemiology</i> , 2020, 27, 498-503.  | 0.8 | 3         |
| 3230 | KIM-1 and Kidney Disease Progression in Autosomal Dominant Polycystic Kidney Disease: HALT-PKD Results. <i>American Journal of Nephrology</i> , 2020, 51, 473-479.   | 1.4 | 8         |
| 3231 | Influence of CYP3A5 Genetic Polymorphism on Long-Term Renal Function in Chinese Kidney Transplant Recipients Using Limited Sampling Strategy and Abbreviated Area Under the Curve for Tacrolimus Monitoring. <i>Progress in Transplantation</i> , 2020, 30, 249-253. | 0.4 | 1         |
| 3232 | Computed Tomography Parameters and Estimated Glomerular Filtration Rate Formulas for Peridonation Living Kidney Donor Assessment. <i>Transplantation Proceedings</i> , 2020, 52, 2278-2283.  | 0.3 | 3         |
| 3233 | Prebiotic Therapy with Inulin Associated with Low Protein Diet in Chronic Kidney Disease Patients: Evaluation of Nutritional, Cardiovascular and Psychocognitive Parameters. <i>Toxins</i> , 2020, 12, 381.  | 1.5 | 11        |
| 3235 | Longitudinal Renal Function in Liver Transplant Recipients With Acute-on-Chronic Liver Failure. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00185.   | 1.3 | 4         |
| 3236 | A Novel Physiologically-Based Model of Creatinine Renal Disposition to Integrate Current Knowledge of Systems Parameters and Clinical Observations. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2020, 9, 310-321.   | 1.3 | 14        |
| 3237 | Cystatin C: A Primer for Pharmacists. <i>Pharmacy (Basel, Switzerland)</i> , 2020, 8, 35.  | 0.6 | 32        |
| 3238 | Markers and risk factors for chronic kidney disease in sub-Saharan Africans: baseline levels and 12-month trajectories in newly referred patients in Cameroon. <i>BMC Nephrology</i> , 2020, 21, 101.  | 0.8 | 2         |
| 3239 | Sugar-Induced Obesity and Insulin Resistance Are Uncoupled from Shortened Survival in <i>Drosophila</i> . <i>Cell Metabolism</i> , 2020, 31, 710-725.e7.   | 7.2 | 68        |
| 3240 | Lipoprotein(a) plasma levels are not associated with incident microvascular complications in type 2 diabetes mellitus. <i>Diabetologia</i> , 2020, 63, 1248-1257.  | 2.9 | 19        |
| 3241 | Glomerular, Mesangial, and Tubular Cytoplasmic Fibrillary Inclusions in a Patient with Light-Chain Proximal Tubulopathy. <i>Nephron</i> , 2020, 144, 190-194.  | 0.9 | 1         |
| 3242 | Early Diagnosis of Myocardial Infarction With Point-of-Care High-Sensitivity Cardiac Troponin I. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1111-1124.   | 1.2 | 94        |
| 3243 | Comparison of MDRD equations and the old equations CKD-EPI against new equations CKD-EPI in patients with kidney transplantation when used 51Cr-EDTA to measure glomerular filtration. <i>Nefrologia</i> , 2020, 40, 53-65.  | 0.2 | 1         |
| 3244 | The genetic architecture of membranous nephropathy and its potential to improve non-invasive diagnosis. <i>Nature Communications</i> , 2020, 11, 1600.   | 5.8 | 120       |
| 3245 | Albuminuria, Kidney Function, and Cancer Risk in the Community. <i>American Journal of Epidemiology</i> , 2020, 189, 942-950.  | 1.6 | 26        |
| 3246 | Improving accuracy of estimating glomerular filtration rate using artificial neural network: model development and validation. <i>Journal of Translational Medicine</i> , 2020, 18, 120.   | 1.8 | 6         |
| 3247 | Residual Gensini Score Is Associated With Long-Term Cardiac Mortality in Patients With Heart Failure After Percutaneous Coronary Intervention. <i>Circulation Reports</i> , 2020, 2, 89-94.  | 0.4 | 9         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3248 | Severe anaemia complicating HIV in Malawi; Multiple co-existing aetiologies are associated with high mortality. <i>PLoS ONE</i> , 2020, 15, e0218695.  | 1.1 | 10        |
| 3249 | Assessment of the glomerular filtration rate (GFR) in kidney transplant recipients using Bayesian estimation of the iohexol clearance. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 577-587.  | 1.4 | 5         |
| 3250 | Effects of bariatric surgery on kidney diseases, cardiovascular diseases, mortality and severe hypoglycaemia among patients with Type 2 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1440-1451.   | 0.4 | 12        |
| 3251 | Association Between Glycemic Status and the Risk of Parkinson Disease: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020, 43, 2169-2175.  | 4.3 | 54        |
| 3252 | Eligibility and Awareness Regarding Metabolic Surgery in Patients With Type 2 Diabetes Mellitus in the Real-World Clinical Setting; Estimate of Possible Diabetes Remission. <i>Frontiers in Endocrinology</i> , 2020, 11, 383.  | 1.5 | 3         |
| 3253 | Risk of chronic kidney disease in patients with heat injury: A nationwide longitudinal cohort study in Taiwan. <i>PLoS ONE</i> , 2020, 15, e0235607.   | 1.1 | 31        |
| 3254 | Long-Term Kidney Function After the Fontan Operation. <i>Journal of the American College of Cardiology</i> , 2020, 76, 334-341.  | 1.2 | 24        |
| 3255 | Denosumab-associated hypocalcemia: Does gender play a role?. <i>Maturitas</i> , 2020, 142, 17-23.  | 1.0 | 3         |
| 3256 | Comparison of uric acid reduction and renal outcomes of febuxostat vs allopurinol in patients with chronic kidney disease. <i>Scientific Reports</i> , 2020, 10, 10734.  | 1.6 | 11        |
| 3257 | Delayed remnant kidney function recovery is less observed in living donors who receive an analgesic, intrathecal morphine block in laparoscopic nephrectomy for kidney transplantation: a propensity score-matched analysis. <i>BMC Anesthesiology</i> , 2020, 20, 165.  | 0.7 | 2         |
| 3258 | Impacts of triglyceride-glucose index on prognosis of patients with type 2 diabetes mellitus and non-ST-segment elevation acute coronary syndrome: results from an observational cohort study in China. <i>Cardiovascular Diabetology</i> , 2020, 19, 108.               | 2.7 | 87        |
| 3259 | Low-carbohydrate diets and type 2 diabetes treatment: a meta-analysis of randomized controlled trials. <i>Acta Diabetologica</i> , 2020, 57, 1375-1382.  | 1.2 | 22        |
| 3260 | Impacts of geriatric nutritional risk index on prognosis of patients with non-ST-segment elevation acute coronary syndrome: Results from an observational cohort study in China. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1685-1696.         | 1.1 | 18        |
| 3261 | How Early Postoperative Urinary Tract Infections Affect Renal Graft Function at 1-Year Follow-up. <i>Transplantation Proceedings</i> , 2020, 52, 2403-2408.  | 0.3 | 7         |
| 3262 | Association Between Blood Lead Level and Uncontrolled Hypertension in the US Population (NHANES) Tj ETQq0 0 Q rgBT /Overlock 10 T  | 1.6 | 37        |
| 3263 | Real-world prognostic factors in autotransplanted multiple myeloma patients with severe renal impairment: study of the Polish Myeloma Study Group. <i>Archives of Medical Science</i> , 2020, , .  | 0.4 | 1         |
| 3264 | Diagnostic value of the Modification of Diet in Renal Disease and Chronic Kidney Disease Epidemiology Collaboration equations in diabetic patients: a systematic review and meta-analysis. <i>Journal of International Medical Research</i> , 2020, 48, 030006052092595. | 0.4 | 9         |
| 3265 | Establishing Reference Intervals for Gadolinium Concentrations in Blood, Plasma, and Urine in Individuals Not Previously Exposed to Gadolinium-Based Contrast Agents. <i>Investigative Radiology</i> , 2020, 55, 405-411.  | 3.5 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3266 | Metformin and statin use associate with plasma protein <i>N</i> -glycosylation in people with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001230.   | 1.2 | 8         |
| 3267 | Comparison of estimated glomerular filtration rates in Chinese patients with chronic kidney disease among serum creatinine-, cystatin-C- and creatinine-cystatin-C-based equations: A retrospective cross-sectional study. <i>Clinica Chimica Acta</i> , 2020, 505, 34-42.  | 0.5 | 15        |
| 3268 | Comparison of Body Size, Morphomics, and Kidney Function as Covariates of High-Dose Methotrexate Clearance in Obese Adults with Primary Central Nervous System Lymphoma. <i>Pharmacotherapy</i> , 2020, 40, 308-319.  | 1.2 | 12        |
| 3269 | Population Pharmacokinetics and Dosing Recommendations of Levetiracetam in Adult and Elderly Patients With Epilepsy. <i>Journal of Pharmaceutical Sciences</i> , 2020, 109, 2070-2078.  | 1.6 | 14        |
| 3270 | Autonomic dysfunction in cardiac amyloidosis assessed by heart rate variability and heart rate turbulence. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12749.   | 0.5 | 12        |
| 3271 | Effect of No Prehydration vs Sodium Bicarbonate Prehydration Prior to Contrast-Enhanced Computed Tomography in the Prevention of Postcontrast Acute Kidney Injury in Adults With Chronic Kidney Disease. <i>JAMA Internal Medicine</i> , 2020, 180, 533.  | 2.6 | 39        |
| 3272 | Dysregulation of cell-free long non-coding RNAs (NEAT2, CTC-471J1.2 and lnc-DC) in Egyptian systemic lupus and lupus nephritis patients. <i>Meta Gene</i> , 2020, 24, 100665.   | 0.3 | 5         |
| 3273 | Metabolomic biomarkers are associated with mortality in patients with cirrhosis caused by primary biliary cholangitis or primary sclerosing cholangitis. <i>Future Science OA</i> , 2020, 6, FSO441.  | 0.9 | 8         |
| 3274 | Iodine Parameters in Triple-Bolus Dual-Energy CT Correlate With Perfusion CT Biomarkers of Angiogenesis in Renal Cell Carcinoma. <i>American Journal of Roentgenology</i> , 2020, 214, 808-816.   | 1.0 | 5         |
| 3275 | Warfarin Accelerates Medial Arterial Calcification in Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 1413-1419.  | 1.1 | 27        |
| 3276 | Estimating total small solute clearance in patients treated with continuous ambulatory peritoneal dialysis without urine and dialysate collection. <i>Peritoneal Dialysis International</i> , 2020, 40, 84-92.  | 1.1 | 2         |
| 3277 | Dulaglutide slows kidney disease in type 2 diabetes ~ Author's reply. <i>Lancet, The</i> , 2020, 395, 559-560.  | 6.3 | 0         |
| 3278 | d-Amino acids and kidney diseases. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 404-410.   | 0.7 | 38        |
| 3279 | Effects of abdominal obesity on the association between air pollution and kidney function. <i>International Journal of Obesity</i> , 2020, 44, 1568-1576.   | 1.6 | 21        |
| 3280 | Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 709-733.   | 6.3 | 2,858     |
| 3281 | Effects of CST3 Gene G73A Polymorphism on Cystatin C in a Prospective Multiethnic Cohort Study. <i>Nephron</i> , 2020, 144, 204-212.  | 0.9 | 4         |
| 3282 | Recovered Left Ventricular Ejection Fraction and Its Prognostic Impacts in Hospitalized Heart Failure Patients with Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 281-288.  | 0.5 | 17        |
| 3283 | Determination of the glomerular filtration rate in patients with type 2 diabetes: An assessment of the agreement between <sup>51</sup> Cr-EDTA plasma clearance and <sup>99m</sup> Tc-DTPA plasma clearance, <sup>99m</sup> Tc-DTPA renography and plasma creatinine prediction equation. <i>Diabetes Research and Clinical Practice</i> , 2020, 161, 108079. | 1.1 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3284 | Outcomes of Chronic Total Occlusion Percutaneous Coronary Intervention in Patients With Renal Dysfunction. <i>American Journal of Cardiology</i> , 2020, 125, 1046-1053.   | 0.7 | 11        |
| 3285 | Learning Curve in Robot-assisted Kidney Transplantation: Results from the European Robotic Urological Society Working Group. <i>European Urology</i> , 2020, 78, 239-247.  | 0.9 | 54        |
| 3286 | The Prevalence and Determinants of Cognitive Deficits and Traditional Diabetic Complications in the Severely Obese. <i>Diabetes Care</i> , 2020, 43, 683-690.  | 4.3 | 38        |
| 3287 | Hospital Utilization and Costs in Older Patients with Advanced Chronic Kidney Disease Choosing Conservative Care or Dialysis: A Retrospective Cohort Study. <i>Blood Purification</i> , 2020, 49, 479-489.   | 0.9 | 5         |
| 3288 | Postoperative Renal Function in Patients Undergoing Unilateral Nephrectomy: Development of a Prediction Model Using Preoperative Risk Factors and <sup>51</sup> Cr-EDTA Clearance. <i>Journal of Endourology</i> , 2020, 34, 394-399.                    | 1.1 | 1         |
| 3289 | Decline in renal function and oral anticoagulation dose reduction among patients with atrial fibrillation. <i>Heart</i> , 2020, 106, 358-364.  | 1.2 | 16        |
| 3290 | Association of Machine Learning–Derived Phenogroupings of Echocardiographic Variables with Heart Failure in Stable Coronary Artery Disease: The Heart and Soul Study. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 322-331.e1. | 1.2 | 14        |
| 3291 | Rivaroxaban versus warfarin in patients with nonvalvular atrial fibrillation and stage IV-V chronic kidney disease. <i>American Heart Journal</i> , 2020, 223, 3-11.   | 1.2 | 38        |
| 3292 | Baseline renal function and renal ultrasound findings in patients with obstetric fistulas (RENFRU): a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 897-904.                                | 1.1 | 1         |
| 3293 | Development of chronic kidney disease after acute kidney injury in patients with cirrhosis is common and impairs clinical outcomes. <i>Journal of Hepatology</i> , 2020, 72, 1132-1139.  | 1.8 | 43        |
| 3294 | Longitudinal follow-up of kidney function in patients with a history of preeclampsia: From 11 to 18 years postpartum. <i>Pregnancy Hypertension</i> , 2020, 19, 187-189.   | 0.6 | 0         |
| 3295 | Cystatin C- Versus Creatinine-Based Assessment of Renal Function and Prediction of Early Outcomes Among Patients With a Left Ventricular Assist Device. <i>Circulation: Heart Failure</i> , 2020, 13, e006326.   | 1.6 | 22        |
| 3296 | Neutrophil Gelatinase-Associated Lipocalin and Retinol-Binding Protein-4 as Biomarkers for Diabetic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 222-232.   | 0.9 | 33        |
| 3297 | Volumetric evaluation of renal sinus adipose tissue on computed tomography images in bilateral nephrolithiasis patients. <i>International Urology and Nephrology</i> , 2020, 52, 1027-1034.  | 0.6 | 4         |
| 3298 | Characteristics and outcomes in patients with atrial fibrillation receiving direct oral anticoagulants in off-label doses. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 42.   | 0.7 | 29        |
| 3299 | <p></p>Medical Students™ and Internal Medicine Trainees™ Knowledge of Drug Prescribing Recommendations in Older Patients with Impaired Kidney Function<p></p>. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 53-60.                          | 1.3 | 1         |
| 3300 | Prognostic impacts of changes in left ventricular ejection fraction in heart failure patients with preserved left ventricular ejection fraction. <i>Open Heart</i> , 2020, 7, e001112.   | 0.9 | 16        |
| 3301 | CD4 <sup>+</sup> T cell lymphopenia predicts mortality from <i>Pneumocystis</i> pneumonia in kidney transplant patients. <i>Clinical Transplantation</i> , 2020, 34, e13877.   | 0.8 | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3302 | Dipstick proteinuria and cancer incidence: a nationwide population-based study. <i>Journal of Nephrology</i> , 2020, 33, 1067-1077.  | 0.9 | 8         |
| 3303 | Prognostic Value of Cystatin C-Derived Estimated Glomerular Filtration Rate in Patients with Acute Heart Failure. <i>CardioRenal Medicine</i> , 2020, 10, 232-242.   | 0.7 | 7         |
| 3304 | Prevalence of Diabetes Medication Intensifications in Older Adults Discharged From US Veterans Health Administration Hospitals. <i>JAMA Network Open</i> , 2020, 3, e201511.   | 2.8 | 8         |
| 3305 | Safety and Efficacy of Exenatide Once Weekly in Participants with Type 2 Diabetes and Stage 2/3 Chronic Kidney Disease. <i>Diabetes Therapy</i> , 2020, 11, 1467-1480.   | 1.2 | 4         |
| 3306 | Racial and Gender Disparity in Aortoiliac Disease Open Revascularization Procedures. <i>Journal of Surgical Research</i> , 2020, 252, 255-263.   | 0.8 | 7         |
| 3307 | Early Postoperative Complications and Outcomes of Kidney Transplantation in Moderately Obese Patients. <i>Transplantation Proceedings</i> , 2020, 52, 2318-2323.   | 0.3 | 6         |
| 3308 | Appropriateness of peripherally inserted central catheter use among general medical inpatients: an observational study using routinely collected data. <i>BMJ Quality and Safety</i> , 2020, 29, 905-911.  | 1.8 | 12        |
| 3309 | Severe hyperbilirubinemia is associated with higher risk of contrast-related acute kidney injury following contrast-enhanced computed tomography. <i>PLoS ONE</i> , 2020, 15, e0231264.  | 1.1 | 15        |
| 3310 | Role of intraoperative oliguria in risk stratification for postoperative acute kidney injury in patients undergoing colorectal surgery with an enhanced recovery protocol: A propensity score matching analysis. <i>PLoS ONE</i> , 2020, 15, e0231447. | 1.1 | 12        |
| 3311 | Clinical and cost-effectiveness of oral sodium bicarbonate therapy for older patients with chronic kidney disease and low-grade acidosis (BiCARB): a pragmatic randomised, double-blind, placebo-controlled trial. <i>BMC Medicine</i> , 2020, 18, 91. | 2.3 | 45        |
| 3312 | Serum GlycA Level Is Elevated in Active Systemic Lupus Erythematosus and Correlates to Disease Activity and Lupus Nephritis Severity. <i>Journal of Clinical Medicine</i> , 2020, 9, 970.  | 1.0 | 8         |
| 3313 | Association between liver fibrosis scores and the risk of mortality among patients with coronary artery disease. <i>Atherosclerosis</i> , 2020, 299, 45-52.  | 0.4 | 40        |
| 3314 | Anthocyanin supplementation at different doses improves cholesterol efflux capacity in subjects with dyslipidemia—a randomized controlled trial. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 345-354.                                    | 1.3 | 39        |
| 3315 | Mortality and Hepatic Decompensation in Patients With Cirrhosis and Atrial Fibrillation Treated With Anticoagulation. <i>Hepatology</i> , 2021, 73, 219-232.   | 3.6 | 59        |
| 3316 | Circulating levels of fetuin-A are associated with moderate-to-severe hepatic steatosis in young adults. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 105-110.   | 1.8 | 10        |
| 3317 | Improvement in renal function following cryoballoon ablation for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 60, 513-520.  | 0.6 | 3         |
| 3318 | International prescribing patterns and polypharmacy in older people with advanced chronic kidney disease: results from the European Quality study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 503-511.                                     | 0.4 | 25        |
| 3319 | Assessment of Kidney Function in Patients With Extreme Obesity: A Narrative Review. <i>Annals of Pharmacotherapy</i> , 2021, 55, 80-88.  | 0.9 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3320 | Acute Kidney Injury Following Aortic Valve Replacement in Patients Without Chronic Kidney Disease. <i>Canadian Journal of Cardiology</i> , 2021, 37, 37-46.  | 0.8 | 9         |
| 3321 | Adherence to the Dietary Approaches to Stop Hypertension Diet and Hyperuricemia: A Cross-sectional Study. <i>Arthritis Care and Research</i> , 2021, 73, 603-611.  | 1.5 | 45        |
| 3322 | Risk and impact of delayed renal impairment in patients with locally advanced head and neck squamous cell carcinoma receiving chemoradiotherapy with cisplatin. <i>Supportive Care in Cancer</i> , 2021, 29, 877-887.                                    | 1.0 | 8         |
| 3323 | Current comments on contrast media administration in patients with renal insufficiency. <i>Clinical Imaging</i> , 2021, 69, 37-44.   | 0.8 | 4         |
| 3324 | Age-related urologic problems in the complex urologic patient. <i>World Journal of Urology</i> , 2021, 39, 1037-1044.  | 1.2 | 6         |
| 3325 | Clinical biochemical parameters associated with the exposure to multiple environmental metals in residents from Kabwe, Zambia. <i>Chemosphere</i> , 2021, 262, 127788.   | 4.2 | 15        |
| 3326 | Bioequivalence of Metformin in Ertugliflozin/Metformin Fixed-dose Combination Tablets to Canadian-sourced Metformin Coadministered With Ertugliflozin Under Fasted and Fed States. <i>Clinical Pharmacology in Drug Development</i> , 2021, 10, 510-520. | 0.8 | 1         |
| 3327 | Retinal Vein Occlusion and the Risk of Dementia: A Nationwide Cohort Study. <i>American Journal of Ophthalmology</i> , 2021, 221, 181-189.   | 1.7 | 11        |
| 3328 | Low Creatinine Potentially Overestimates Glomerular Filtration Rate in Older Fracture Patients: A Plea for an Extensive Use of Cystatin C?. <i>European Journal of Internal Medicine</i> , 2021, 84, 74-79.  | 1.0 | 12        |
| 3329 | Hemodynamic comparison of transcatheter aortic valve replacement with the SAPIEN 3 Ultra versus SAPIEN 3: The HomoSAPIEN registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E982-E991.  | 0.7 | 18        |
| 3330 | Analysis of Survival Benefits of Living Versus Deceased Donor Liver Transplant in High Model for End-stage Liver Disease and Hepatorenal Syndrome. <i>Hepatology</i> , 2021, 73, 2441-2454.  | 3.6 | 23        |
| 3331 | Continuous infusion of cefepime and neurotoxicity: a retrospective cohort study. <i>Clinical Microbiology and Infection</i> , 2021, 27, 731-735.   | 2.8 | 11        |
| 3332 | 20-year longitudinal follow-up of measured and estimated glomerular filtration rate in kidney transplant patients. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 909-916.  | 1.4 | 9         |
| 3333 | Evolution of renal function in patients with severe intestinal failure on home parenteral nutrition. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 925-932.  | 1.4 | 5         |
| 3334 | Sex-specific cardiac and vascular responses to hypertension in Chinese populations without overt cardiovascular diseases. <i>Postgraduate Medicine</i> , 2021, 133, 181-187.   | 0.9 | 5         |
| 3335 | Simultaneous robotic kidney transplantation and bariatric surgery for morbidly obese patients with end-stage renal failure. <i>American Journal of Transplantation</i> , 2021, 21, 1525-1534.  | 2.6 | 21        |
| 3336 | Monitoring the tacrolimus concentration in peripheral blood mononuclear cells of kidney transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1918-1929.  | 1.1 | 20        |
| 3337 | Characteristics and Outcomes of Individuals With Pre-existing Kidney Disease and COVID-19 Admitted to Intensive Care Units in the United States. <i>American Journal of Kidney Diseases</i> , 2021, 77, 190-203.e1.                                      | 2.1 | 167       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3338 | Identifying the predictors of estimated glomerular filtration rate after partial nephrectomy with a nonlinear regression model. <i>International Journal of Clinical Practice</i> , 2021, 75, e13763.   | 0.8 | 2         |
| 3339 | Impact of pretransplant biopsy on 5-year outcomes of expanded criteria donor kidney transplantation. <i>Nephrology</i> , 2021, 26, 70-77.   | 0.7 | 5         |
| 3340 | Tenofovir disoproxil fumarate associated nephrotoxicity: a retrospective cohort study at two referral hospitals in Namibia. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 189-200.  | 0.9 | 6         |
| 3341 | Examining the Potential Impact of Race Multiplier Utilization in Estimated Glomerular Filtration Rate Calculation on African-American Care Outcomes. <i>Journal of General Internal Medicine</i> , 2021, 36, 464-471.   | 1.3 | 100       |
| 3342 | Clinical impact of long PR interval and presence of late gadolinium enhancement on hospitalized patients with nonischemic heart failure. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12818.   | 0.5 | 1         |
| 3343 | Rise of levels of von Willebrand factor and factor VIII with age: Role of genetic and acquired risk factors. <i>Thrombosis Research</i> , 2021, 197, 172-178.   | 0.8 | 18        |
| 3344 | Prospective Cohort Study of Population Pharmacokinetics and Pharmacodynamic Target Attainment of Vancomycin in Adults on Extracorporeal Membrane Oxygenation. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, .  | 1.4 | 10        |
| 3345 | On the Basis of Race: The Utility of a Race Factor in Estimating Glomerular Filtration. <i>Journal of Applied Laboratory Medicine</i> , The, 2021, 6, 155-166.  | 0.6 | 8         |
| 3346 | Thromboembolic and Hemorrhagic Outcomes in the Direct Oral Anticoagulant Trials Across the Spectrum of Kidney Function. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 109, 1593-1605.   | 2.3 | 7         |
| 3347 | Preoperative atrial fibrillation in association with reduced haemoglobin predicts increased 30-d mortality after cardiac surgery. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 109-115.   | 0.4 | 0         |
| 3348 | Effect of tolvaptan on renal involvement in patients with autosomal dominant polycystic kidney disease according to different gene mutations. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 251-260.  | 0.7 | 2         |
| 3349 | A retrospective observational population-based study to assess the prevalence and burden of illness of type 2 diabetes with an estimated glomerular filtration rate < 90 mL/min/1.73m <sup>2</sup> in Ontario, Canada. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 916-928. | 2.2 | 3         |
| 3350 | A prediction and interpretation framework of acute kidney injury in critical care. <i>Journal of Biomedical Informatics</i> , 2021, 113, 103653.  | 2.5 | 13        |
| 3351 | Modeling the Steady-State Effects of Mean Arterial Pressure on the Kidneys. <i>IEEE Open Journal of Engineering in Medicine and Biology</i> , 2021, 2, 1-10.  | 1.7 | 2         |
| 3352 | Acute Kidney Injury in Traumatic Brain Injury Patients: Results From the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury Study. <i>Critical Care Medicine</i> , 2021, 49, 112-126.  | 0.4 | 27        |
| 3353 | Risk of stroke in patients with heart failure and sinus rhythm: data from the Swedish Heart Failure Registry. <i>ESC Heart Failure</i> , 2021, 8, 85-94.  | 1.4 | 9         |
| 3354 | Latin American Expert Consensus for Comprehensive Management of Type 2 Diabetes from a Metabolic-Cardio-Renal Perspective for the Primary Care Physician. <i>Diabetes Therapy</i> , 2021, 12, 1-20.   | 1.2 | 2         |
| 3355 | Post-Contrast Acute Kidney Injury and Intravenous Prophylactic Hydration: An Update. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2021, 193, 151-159.   | 0.7 | 8         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3356 | A comparative review: Chronic Kidney Disease of unknown etiology (CKDu) research conducted in Latin America versus Asia. <i>Environmental Research</i> , 2021, 192, 110270.                                      | 3.7 | 27        |
| 3357 | Performance of 4 Creatinine-based Equations in Assessing Glomerular Filtration Rate in Adults with Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e61-e73.                       | 1.8 | 5         |
| 3358 | Ivacaftor in People with Cystic Fibrosis and a <i>c.3849+10kb C&gt;T</i> or <i>D1152H</i> Residual Function Mutation. <i>Annals of the American Thoracic Society</i> , 2021, 18, 433-441.                        | 1.5 | 22        |
| 3359 | Clinical prediction models to predict the risk of multiple binary outcomes: a comparison of approaches. <i>Statistics in Medicine</i> , 2021, 40, 498-517.   | 0.8 | 16        |
| 3360 | Uric Acid Is Not Associated With Blood Pressure Phenotypes and Target Organ Damage According to Blood Pressure Phenotypes. <i>American Journal of Hypertension</i> , 2021, 34, 64-72.                            | 1.0 | 6         |
| 3361 | Renal dysfunction in cardiovascular diseases and its consequences. <i>Journal of Nephrology</i> , 2021, 34, 137-153.   | 0.9 | 32        |
| 3362 | Sleep duration and bone health measures in older men. <i>Osteoporosis International</i> , 2021, 32, 515-527.   | 1.3 | 11        |
| 3363 | Barriers to hepatitis C direct-acting antiviral therapy among HIV/hepatitis C virus-coinfected persons. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1095-1102.                     | 1.4 | 8         |
| 3364 | Laparoscopic pyeloplasty as an alternative to nephrectomy in adults with poorly functioning kidneys due to ureteropelvic junction obstruction. <i>International Urology and Nephrology</i> , 2021, 53, 269-273.  | 0.6 | 3         |
| 3365 | Infiltrative Renal Masses: Clinical Significance and Fidelity of Documentation. <i>European Urology Oncology</i> , 2021, 4, 264-273.   | 2.6 | 15        |
| 3366 | Chronic progression of cardiac surgery associated acute kidney injury: Intermediary role of acute kidney disease. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, 681-688.e3.                 | 0.4 | 34        |
| 3367 | Liraglutide and Dulaglutide Have Comparable HbA1c Reduction in Emirati Patients with T2DM. <i>Open Journal of Endocrine and Metabolic Diseases</i> , 2021, 11, 103-117.  | 0.2 | 0         |
| 3368 | Does kidney function matter in pulmonary thromboembolism management?. <i>Cardiology Journal</i> , 2022, 29, 858-865.   | 0.5 | 2         |
| 3369 | Dietary Potassium Intake and 20-Year All-Cause Mortality in Older Adults: The Rancho Bernardo Study. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2021, 40, 46-57.                                | 0.4 | 5         |
| 3370 | Evaluation of Vitamin D Levels in Patients With Diabetic Foot Ulcers. <i>International Journal of Lower Extremity Wounds</i> , 2023, 22, 27-35.  | 0.6 | 11        |
| 3372 | Clinical Predictors of Iron Deficiency Anemia in Emirati Population with T2DM. <i>Open Journal of Blood Diseases</i> , 2021, 11, 31-45.  | 0.1 | 0         |
| 3373 | Dapagliflozin improves cardiovascular risk factors in Emirati patients with T2DM. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2021, 12, 204201882199536.                                       | 1.4 | 0         |
| 3374 | Prevalence of Hyperuricemia and the Use of Allopurinol in Older Poles—Results from a Population-Based PolSenior Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 387. | 1.2 | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3375 | Circulating neurotrophins and hemostatic risk factors of atherothrombotic cardiovascular disease at baseline and during sympathetic challenge: the SABPA study. <i>Scientific Reports</i> , 2021, 11, 2297.  | 1.6 | 3         |
| 3376 | Remote ischemic preconditioning for prevention of contrast-induced acute kidney injury in patients of CKD stage III and IV undergoing elective coronary angiography: A randomized controlled trial. <i>Indian Journal of Nephrology</i> , 2021, 31, 116. | 0.2 | 1         |
| 3377 | A Post Hoc Analysis of Osmotherapy Use in the Erythropoietin in Traumatic Brain Injury Studyâ€”Associations With Acute Kidney Injury and Mortality. <i>Critical Care Medicine</i> , 2021, 49, e394-e403.   | 0.4 | 14        |
| 3378 | Exploring molecular pathology of chronic kidney disease in systemic sclerosis by analysis of urinary and serum proteins. <i>Rheumatology Advances in Practice</i> , 2021, 5, rkaa083.  | 0.3 | 7         |
| 3379 | Response to â€œAssessment of Renal Function in Transgender Patients With Kidney Diseaseâ€• <i>Canadian Journal of Kidney Health and Disease</i> , 2021, 8, 205435812110201.  | 0.6 | 1         |
| 3380 | Comparison of cardiovascular disease and cancer prevalence between Mediterranean and north European middle-aged populations (The Cilento on Ageing Outcomes Study and The MalmÃ¶ Offspring) <i>Tj ETQq1 1.0784314 rgBT /Ove</i>                          | 1.0 | 784314    |
| 3381 | Treatment of Essential Thrombocythemia with Anagrelide Is Associated with an Increased Risk of Worsened Kidney Function. <i>Pharmacology</i> , 2021, 106, 316-322.   | 0.9 | 7         |
| 3382 | Association between blood urea nitrogen and incidence of type 2 diabetes mellitus in a Chinese population: a cohort study. <i>Endocrine Journal</i> , 2021, 68, 1057-1065.   | 0.7 | 8         |
| 3383 | INVESTIGATION OF THE EFFECTS OF ANGIOTENSIN CONVERTING ENZYME INHIBITORS AND ANGIOTENSIN RECEPTOR BLOCKERS ON ANEMIA IN PATIENTS WITH NORMAL OR MILDLY LOW GLOMERULAR FILTRATION RATE. <i>Turkish Journal of Medical Sciences</i> , 2021, , .            | 0.4 | 0         |
| 3384 | Soluble ST2 and Galectin-3 as Predictors of Chronic Kidney Disease Progression and Outcomes. <i>American Journal of Nephrology</i> , 2021, 52, 119-130.  | 1.4 | 14        |
| 3385 | Preoperative Predictors for 90-Day Mortality after Pancreaticoduodenectomy in Patients with Adenocarcinoma of the Ampulla of Vater: A Single-Centre Retrospective Cohort Study. <i>Surgery Research and Practice</i> , 2021, 2021, 1-9.                  | 0.1 | 3         |
| 3386 | The paradoxical relationship between severity of cerebral palsy and renal function in middle-aged adults: better renal function or inappropriate clinical assessment?. <i>Disability and Rehabilitation</i> , 2022, 44, 3853-3859.                       | 0.9 | 5         |
| 3387 | Exhausted Capacity of Bicarbonate Buffer in Renal Failure Diagnosed Using Point of Care Analyzer. <i>Diagnostics</i> , 2021, 11, 226.  | 1.3 | 4         |
| 3388 | Age and frailty are independently associated with increased COVID-19 mortality and increased care needs in survivors: results of an international multi-centre study. <i>Age and Ageing</i> , 2021, 50, 617-630.   | 0.7 | 120       |
| 3389 | Radical cystectomy and perioperative chemotherapy in octogenarians with bladder cancer. <i>Canadian Urological Association Journal</i> , 2021, 15, E465-E470.  | 0.3 | 2         |
| 3390 | Association of High-Density Lipoprotein Cholesterol Variability and the Risk of Developing Parkinson Disease. <i>Neurology</i> , 2021, 96, e1391-e1401.  | 1.5 | 19        |
| 3391 | Change in Estimated GFR and Risk of Allograft Failure in Patients Diagnosed With Late Active Antibody-mediated Rejection Following Kidney Transplantation. <i>Transplantation</i> , 2021, 105, 648-659.  | 0.5 | 22        |
| 3392 | Association of proton pump inhibitor use with endothelial function and metabolites of the nitric oxide pathway: A crossâ€šsectional study. <i>Pharmacotherapy</i> , 2021, 41, 198-204.   | 1.2 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3393 | Acute rejection and growth outcomes in paediatric kidney allograft recipients treated with a corticosteroid minimisation immunosuppressive protocol. <i>Pediatric Nephrology</i> , 2021, 36, 2463-2472.   | 0.9 | 2         |
| 3394 | Plasma Vitamin B12 Levels, High-Dose Vitamin B12 Treatment, and Risk of Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1601-1612.  | 1.2 | 5         |
| 3395 | Predictors for Rapid Progression of Coronary Calcification: An Optical Coherence Tomography Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019235.  | 1.6 | 10        |
| 3396 | The effects of aging on the renal function of a healthy population in Beijing and an evaluation of a range of estimation equations for glomerular filtration rate. <i>Aging</i> , 2021, 13, 6904-6917.  | 1.4 | 4         |
| 3397 | Metformin doses to ensure efficacy and safety in patients with reduced kidney function. <i>PLoS ONE</i> , 2021, 16, e0246247.   | 1.1 | 8         |
| 3398 | Effect of intensive blood pressure on the progression of non-diabetic chronic kidney disease at varying degrees of proteinuria. <i>Journal of Investigative Medicine</i> , 2021, 69, 1035-1043.   | 0.7 | 1         |
| 3399 | Incidence of cardiovascular disease and mortality in underweight individuals. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 331-338.  | 2.9 | 35        |
| 3400 | Curcumin decreases dibutyl phthalate-induced renal dysfunction in Kunming mice via inhibiting oxidative stress and apoptosis. <i>Human and Experimental Toxicology</i> , 2021, 40, 1528-1536.   | 1.1 | 5         |
| 3401 | Association between physical performance and incidence of end-stage renal disease in older adults: a national wide cohort study. <i>BMC Nephrology</i> , 2021, 22, 85.  | 0.8 | 5         |
| 3402 | Patient Electronic Health Record Portal Use and Patient-Centered Outcomes in CKD. <i>Kidney Medicine</i> , 2021, 3, 231-240.e1.   | 1.0 | 5         |
| 3403 | Prevalence of abnormal kidney function in a rural population of Benin and associated risk factors. <i>BMC Nephrology</i> , 2021, 22, 116.   | 0.8 | 1         |
| 3405 | Beetle Antennae Search Strategy for Neural Network Model Optimization with Application to Glomerular Filtration Rate Estimation. <i>Neural Processing Letters</i> , 2021, 53, 1501-1522.  | 2.0 | 3         |
| 3406 | Key Challenges in Providing Effective Antibiotic Therapy for Critically Ill Patients with Bacterial Sepsis and Septic Shock. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 109, 892-904.  | 2.3 | 20        |
| 3407 | Effects of ertugliflozin on kidney composite outcomes, renal function and albuminuria in patients with type 2 diabetes mellitus: an analysis from the randomised VERTIS CV trial. <i>Diabetologia</i> , 2021, 64, 1256-1267.                              | 2.9 | 103       |
| 3408 | POTENTIAL SIGNIFICANCE OF BRADYKININ 2 RECEPTOR GENOTYPING IN KIDNEY TRANSPLANT RECIPIENTS. <i>Acta Medica Medianae</i> , 2021, 60, 19-27.  | 0.0 | 0         |
| 3409 | The Effect of Bariatric Surgery versus Intensive Medical Care on Prevention of Microalbuminuria in Patients with Type 2 Diabetes: 3 Year Experience of a Prospective Study. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2020, 9, 202-207. | 0.1 | 1         |
| 3410 | Pharmacokinetics and pharmacodynamics of amprelosetine, a novel, selective norepinephrine reuptake inhibitor, in symptomatic neurogenic orthostatic hypotension. <i>Clinical Autonomic Research</i> , 2021, 31, 395-403.                                  | 1.4 | 5         |
| 3411 | Per- and polyfluoroalkyl substances and kidney function: Follow-up results from the Diabetes Prevention Program trial. <i>Environment International</i> , 2021, 148, 106375.  | 4.8 | 24        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3412 | Effect of severe renal impairment on the pharmacokinetics of brigatinib. <i>Investigational New Drugs</i> , 2021, 39, 1306-1314.  | 1.2 | 7         |
| 3413 | Drug-drug interactions and inappropriate medicines impact on glycemic control and kidney function in older adults with diabetes-attending specialty care institution. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1397-1407.                           | 0.8 | 5         |
| 3414 | Effect of severe renal impairment on pharmacokinetics, safety, and tolerability of lemborexant. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00734.  | 1.1 | 4         |
| 3415 | Male Patients may be More Vulnerable to Acute Kidney Injury After Colorectal Surgery in an Enhanced Recovery Program: A Propensity Score Matching Analysis. <i>World Journal of Surgery</i> , 2021, 45, 1642-1651.  | 0.8 | 0         |
| 3416 | Outcomes of off-pump coronary artery bypass grafting in non-dialysis-dependent patients with stage 2 and stage 3 chronic kidney disease. <i>Indian Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 37, 392-401.  | 0.2 | 1         |
| 3417 | Antimicrobial Dosing in Specific Populations and Novel Clinical Methodologies: Kidney Function. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 109, 952-957.   | 2.3 | 6         |
| 3418 | Association between estimated glomerular filtration rate and clinical outcomes in ischemic stroke patients with high-grade carotid artery stenosis. <i>BMC Neurology</i> , 2021, 21, 124.   | 0.8 | 4         |
| 3419 | Prediction of 5-Year Mortality in Patients with Chronic Coronary Syndrome Treated with Elective Percutaneous Coronary Intervention: Role of the ACEF Score. <i>Journal of Cardiovascular Translational Research</i> , 2021, 14, 1125-1130.                              | 1.1 | 2         |
| 3420 | The prognostic role of functional dependency in older inpatients with COVID-19. <i>BMC Geriatrics</i> , 2021, 21, 219.  | 1.1 | 9         |
| 3423 | Improving glomerular filtration rate estimation by semi-supervised learning: a development and external validation study. <i>International Urology and Nephrology</i> , 2021, 53, 1649-1658.  | 0.6 | 1         |
| 3424 | Low admission blood pressure as a marker of poor 1-year survival in patients with revascularized critical limb ischemia. <i>Journal of Hypertension</i> , 2021, 39, 1611-1620.  | 0.3 | 6         |
| 3425 | Comorbidities in type 2 diabetes patients with and without atherosclerotic cardiovascular disease: a retrospective database analysis. <i>Current Medical Research and Opinion</i> , 2021, 37, 743-751.  | 0.9 | 7         |
| 3426 | Clinicopathological features of Chinese patients with Bâ€cell lymphoproliferative disorders and kidney infiltration. <i>Nephrology</i> , 2021, 26, 650-658.   | 0.7 | 1         |
| 3427 | Impact of deceased donor with acute kidney injury on subsequent kidney transplant outcomesâ€an ANZDATA registry analysis. <i>PLoS ONE</i> , 2021, 16, e0249000.   | 1.1 | 10        |
| 3428 | Atypical focal segmental glomerulosclerosis associated with a new PODXL nonsense variant. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2021, 9, e1658.  | 0.6 | 2         |
| 3429 | Obesity impacts acute rejection but not allograft function improvement in the setting of belatacept conversion. <i>Clinical Transplantation</i> , 2021, 35, e14290.   | 0.8 | 1         |
| 3430 | Decrease of coronary heart disease risk with GLP1-receptor agonists or SGLT2 inhibitors therapy in patients with type 2 diabetes in primary cardiovascular prevention: A 24Âmonths follow-up study. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108681. | 1.1 | 8         |
| 3431 | External Validation and Extension of a Clinical Score for the Discrimination of Type 2 Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2021, 10, 1264.   | 1.0 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3432 | Blood pressure levels and risk of haemorrhagic stroke in patients with atrial fibrillation and oral anticoagulants: results from The Swedish Primary Care Cardiovascular Database of Skaraborg. <i>Journal of Hypertension</i> , 2021, 39, 1670-1677.            | 0.3 | 2         |
| 3433 | Comparison of the Effects of Dialysis Type on Right Heart Functions in Chronic Renal Failure Patients. <i>Duzce Universitesi Tıp Fakültesi Dergisi</i> , 0, , .  | 0.3 | 0         |
| 3434 | The Effect of Remote Ischemic Preconditioning on Serum Creatinine in Patients Undergoing Partial Nephrectomy: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1636.   | 1.0 | 7         |
| 3435 | Association of anaemia and all-cause mortality in patients with ischaemic heart failure varies by renal function status. <i>ESC Heart Failure</i> , 2021, 8, 2270-2281.  | 1.4 | 7         |
| 3436 | Association Between Low-Level Blood Cadmium Exposure and Hyperuricemia in the American General Population: a Cross-sectional Study. <i>Biological Trace Element Research</i> , 2022, 200, 560-567.   | 1.9 | 13        |
| 3437 | Associations of the Prognostic Nutritional Index with the Cardiac Function and Survival after Cardiac Resynchronization Therapy. <i>Internal Medicine</i> , 2021, 60, 985-991.   | 0.3 | 3         |
| 3438 | Adherence to Chronic Kidney Disease Screening Guidelines Among Patients With Type 2 Diabetes in a US Administrative Claims Database. <i>Mayo Clinic Proceedings</i> , 2021, 96, 975-986.   | 1.4 | 19        |
| 3440 | Severity and Duration of Acute Kidney Injury and Chronic Kidney Disease after Cardiac Surgery. <i>Journal of Clinical Medicine</i> , 2021, 10, 1556.   | 1.0 | 8         |
| 3441 | Urinary transferrin as early marker of renal damage in type II diabetes mellitus: A case-control study. <i>International Journal of Clinical Biochemistry and Research</i> , 2021, 8, 33-39.   | 0.0 | 0         |
| 3442 | PLATELET VOLUME INDICES IN CHRONIC KIDNEY DISEASE. , 2021, , 16-18.  |     | 1         |
| 3443 | Primary aldosteronism is highly prevalent in patients with hypertension and moderate to severe obstructive sleep apnea. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 629-637.   | 1.4 | 17        |
| 3444 | Changes in renal and metabolic indices after switching from tenofovir disoproxil fumarate to tenofovir alafenamide-containing ART among individuals with HIV in Canada: A retrospective study. <i>International Journal of STD and AIDS</i> , 2021, 32, 861-871. | 0.5 | 3         |
| 3445 | Nutritional status and risk of contrast-associated acute kidney injury in elderly patients undergoing percutaneous coronary intervention. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 953-962.   | 0.7 | 9         |
| 3446 | Effect of a Pay-for-Performance Program on Renal Outcomes Among Patients With Early-Stage Chronic Kidney Disease in Taiwan. <i>International Journal of Health Policy and Management</i> , 2021, , .   | 0.5 | 2         |
| 3447 | ALBI grade in dialysis patients with hepatocellular carcinoma: prognostic impact and staging strategy. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, 722-734.  | 0.6 | 1         |
| 3448 | Modifiable and unmodifiable factors associated with slow flow following rotational atherectomy. <i>PLoS ONE</i> , 2021, 16, e0250757.  | 1.1 | 10        |
| 3449 | Role of Serum Uromodulin in the Early Diagnosis of Chronic Kidney Disease. <i>Acta Medica Bulgarica</i> , 2021, 48, 13-16.   | 0.0 | 1         |
| 3450 | CMV, EBV, JCV and BKV infection and outcome following kidney transplantation in children initiated on a corticosteroid-minimisation immunosuppressive regimen. <i>Pediatric Nephrology</i> , 2021, 36, 3229-3240.  | 0.9 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3451 | Urinary Peptides as Potential Non-Invasive Biomarkers for Lupus Nephritis: Results of the Peptidu-LUP Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1690.   | 1.0 | 10        |
| 3452 | Relative Handgrip Strength as Marker of Cardiometabolic Risk in Women with Systemic Lupus Erythematosus. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4630.  | 1.2 | 3         |
| 3453 | Out-of-Hospital Cardiac Arrest Does Not Affect Post-Discharge Survival in Patients With Acute Myocardial Infarction. <i>Circulation Reports</i> , 2021, 3, 249-255.  | 0.4 | 4         |
| 3454 | Including urinary output to define AKI enhances the performance of machine learning models to predict AKI at admission. <i>Journal of Critical Care</i> , 2021, 62, 283-288.   | 1.0 | 4         |
| 3455 | Chronic kidney disease in acute coronary syndromes: real world data of long-term outcomes. <i>Future Cardiology</i> , 2021, 17, 1359-1369.   | 0.5 | 1         |
| 3456 | Two-year change in 18F-sodium fluoride uptake in major arteries of healthy subjects and angina pectoris patients. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 3115-3126.  | 0.7 | 6         |
| 3457 | Exploring biomarkers associated with deteriorating vascular health using a targeted proteomics chip. <i>Medicine (United States)</i> , 2021, 100, e25936.  | 0.4 | 8         |
| 3458 | Augmented Renal Clearance Following Traumatic Injury in Critically Ill Patients Requiring Nutrition Therapy. <i>Nutrients</i> , 2021, 13, 1681.  | 1.7 | 11        |
| 3459 | The patterns of left ventricular alteration by adipose tissue distribution: implication for heart failure prevention. <i>ESC Heart Failure</i> , 2021, 8, 3093-3105.   | 1.4 | 8         |
| 3460 | Role of renal Duplex ultrasonography in evaluation of hepatorenal syndrome. <i>Egyptian Liver Journal</i> , 2021, 11, .  | 0.3 | 2         |
| 3461 | Effect of urinary angiotensinogen and high-salt diet on blood pressure in patients with chronic kidney disease: results from the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease (KNOW-CKD). <i>Korean Journal of Internal Medicine</i> , 2021, 36, 659-667. | 0.7 | 4         |
| 3462 | Clinical Implications of Tacrolimus Time in Therapeutic Range and Inpatient Variability in Urban Renal Transplant Recipients Undergoing Early Corticosteroid Withdrawal. <i>Transplantation Direct</i> , 2021, 7, e698.  | 0.8 | 3         |
| 3463 | Impact of Chronic Kidney Disease Under Nephrology Care on Outcomes of Carotid Endarterectomy. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 61, 739-746.  | 0.8 | 0         |
| 3464 | Sarcopenia index as a predictor of clinical outcomes in older patients undergoing transcatheter aortic valve replacement. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E889-E896.   | 0.7 | 13        |
| 3465 | Spontaneous remission in adult patients with IgA nephropathy treated with conservative therapy. <i>PLoS ONE</i> , 2021, 16, e0251294.  | 1.1 | 1         |
| 3466 | Impact of renal function on residual platelet reactivity and clinical outcomes in patients with acute coronary syndrome treated with clopidogrel. <i>Clinical Cardiology</i> , 2021, 44, 789-796.  | 0.7 | 3         |
| 3467 | The combined impact of ankle-brachial index and transcutaneous oxygen pressure on mortality in patients with type 2 diabetes and foot ulcers. <i>Acta Diabetologica</i> , 2021, 58, 1359-1365.   | 1.2 | 6         |
| 3468 | Age-related alterations in cardiac and arterial structure and function in hypertensive women and men. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1322-1334.   | 1.0 | 11        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3469 | All-cause mortality predicted by peak oxygen uptake differs depending on spirometry pattern in patients with heart failure and reduced ejection fraction. <i>ESC Heart Failure</i> , 2021, 8, 2731-2740.  | 1.4 | 6         |
| 3470 | Comparison of creatinine, cystatin, CKD-EPI cystatin C, CKD-EPI creatinine and MDRD equations in estimating glomerular filtration rate in patients with nephrotic syndrome. <i>Cumhuriyet Medical Journal</i> , 0, , .                                | 0.1 | 0         |
| 3472 | Treatment and Renal Outcomes Up to 96 Weeks After Tenofovir Alafenamide Switch From Tenofovir Disoproxil Fumarate in Routine Practice. <i>Hepatology</i> , 2021, 74, 656-666.   | 3.6 | 31        |
| 3473 | Real-world renal function among patients with multiple myeloma in the United States. <i>Blood Cancer Journal</i> , 2021, 11, 99.  | 2.8 | 3         |
| 3474 | Animal Fat Intake Is Associated with Albuminuria in Patients with Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome. <i>Nutrients</i> , 2021, 13, 1548.  | 1.7 | 6         |
| 3475 | The Role of Plasma Neurofilament Light Protein for Assessing Cognitive Impairment in Patients With End-Stage Renal Disease. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 657794.  | 1.7 | 10        |
| 3476 | Prevalence and progression of chronic kidney disease among patients with type 2 diabetes: Insights from the DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1956-1960.  | 2.2 | 8         |
| 3477 | Targeting of antithrombin in hemophilia A or B with investigational siRNA therapeutic fitusiran—Results of the phase 1 inhibitor cohort. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 1436-1446.  | 1.9 | 62        |
| 3478 | Does the intact nephron hypothesis provide a reasonable model for metformin dosing in chronic kidney disease?. <i>British Journal of Clinical Pharmacology</i> , 2021, , .  | 1.1 | 1         |
| 3479 | Renal post-mortem findings in myeloproliferative and myelodysplastic/myeloproliferative neoplasms. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1013-1020.                                | 1.4 | 10        |
| 3480 | The Relationship Between Ambulatory Arterial Stiffness Index and Cardiovascular Outcomes in Women. <i>Cardiology Research</i> , 2021, 12, 161-168.  | 0.5 | 5         |
| 3481 | Serum fatty acid-binding protein 4 levels and responses of pancreatic islet $\beta$ -cells and $\alpha$ -cells in patients with type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 70.  | 1.2 | 7         |
| 3482 | Association between plasma S-adenosylmethionine and risk of mortality in patients with coronary artery disease: A cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1360-1370.   | 2.2 | 9         |
| 3483 | Is the SMART risk prediction model ready for real-world implementation? A validation study in a routine care setting of approximately 380 000 individuals. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 654-663.                      | 0.8 | 11        |
| 3484 | Simultaneous genotyping of rs3752462 and rs4821480 at non-muscle myosin-9 in diabetic nephropathy. <i>Gene Reports</i> , 2021, 23, 101199.  | 0.4 | 0         |
| 3485 | Levels of Trimethylamine N-Oxide Remain Elevated Long Term After Left Ventricular Assist Device and Heart Transplantation and Are Independent From Measures of Inflammation and Gut Dysbiosis. <i>Circulation: Heart Failure</i> , 2021, 14, e007909. | 1.6 | 14        |
| 3486 | The Change in Glucagon Following Meal Ingestion Is Associated with Glycemic Control, but Not with Incretin, in People with Diabetes. <i>Journal of Clinical Medicine</i> , 2021, 10, 2487.  | 1.0 | 1         |
| 3487 | Design and conduct considerations for studies in patients with impaired renal function. <i>Clinical and Translational Science</i> , 2021, 14, 1689-1704.  | 1.5 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3488 | Associations of obesity and malnutrition with cardiac remodeling and cardiovascular outcomes in Asian adults: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003661.   | 3.9 | 29        |
| 3489 | Impact of chronic kidney disease on hemoglobin among patients with peripheral artery disease treated with P2Y12 inhibitors: Insights from the EUCLID trial. <i>Vascular Medicine</i> , 2021, 26, 1358863X2110176.  | 0.8 | 0         |
| 3490 | Reclassification, Thromboembolic, and Major Bleeding Outcomes Using Different Estimates of Renal Function in Anticoagulated Patients With Atrial Fibrillation: Insights From the PREFER-in-AF and PREFER-in-AF Prolongation Registries. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e006852. | 0.9 | 11        |
| 3491 | Overweight and Obesity and Progression of ADPKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 908-915.   | 2.2 | 30        |
| 3492 | Does Size Matter for Female Continuous-flow LVAD Recipients? A Translational Approach to a Decade Long Question. <i>ASAIO Journal</i> , 2022, 68, 21-27.   | 0.9 | 8         |
| 3493 | Acoustic Characteristics of Voice in Patients with Chronic Kidney Disease. <i>International Journal of General Medicine</i> , 2021, Volume 14, 2465-2473.  | 0.8 | 2         |
| 3494 | Altered mental status in COVID-19. <i>Journal of Neurology</i> , 2022, 269, 12-18.   | 1.8 | 3         |
| 3495 | Analysis of the Impact of Medical Features and Risk Prediction of Acute Kidney Injury for Critical Patients Using Temporal Electronic Health Record Data With Attention-Based Neural Network. <i>Frontiers in Medicine</i> , 2021, 8, 658665.  | 1.2 | 4         |
| 3496 | Association of glomerular filtration rate slope with timely creation of vascular access in incident hemodialysis. <i>Scientific Reports</i> , 2021, 11, 13137.   | 1.6 | 5         |
| 3497 | Effect of vitamin D on arterial stiffness in type 2 diabetes patients with intermediate chronic kidney disease. <i>International Journal of Diabetes in Developing Countries</i> , 0, , 1.   | 0.3 | 0         |
| 3498 | Proximal fixation of endovascular aortic device may not be associated with renal function decline after abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2021, 74, 1861-1866.e1.   | 0.6 | 3         |
| 3499 | Prognostic impact of early recovering acute kidney injury following liver transplantation. <i>Transplantation</i> , 2021, Publish Ahead of Print, .  | 0.5 | 1         |
| 3500 | Older patients with active cancer have favorable inpatient rehabilitation outcomes. <i>Journal of Geriatric Oncology</i> , 2021, 12, 799-807.  | 0.5 | 1         |
| 3501 | Alternative sites of echocardiographic epicardial fat assessment and coronary artery disease. <i>Journal of Ultrasound</i> , 2021, , 1.  | 0.7 | 2         |
| 3502 | Acute Kidney Injury After CT in Emergency Patients with Chronic Kidney Disease: A Propensity Score-matched Analysis. <i>Western Journal of Emergency Medicine</i> , 2021, 22, 614-622.   | 0.6 | 10        |
| 3503 | Serum Folate and All-Cause Mortality is of Non-Linear Relationship Among Population with Chronic Kidney Disease: A Retrospective Cohort Study. <i>International Journal of General Medicine</i> , 2021, Volume 14, 2695-2702.  | 0.8 | 6         |
| 3504 | Long-term Outcome of Yang-Monti Ileal Replacement of the Ureter: A Technique Suitable for Mild, Moderate Loss of Kidney Function and Solitary Kidney. <i>Urology</i> , 2021, 152, 153-159.   | 0.5 | 10        |
| 3505 | Real-life data of tenofovir disoproxil fumarate and tenofovir alafenamide fumarate in the patients with chronic hepatitis B: a single-center experience. <i>Anatolian Current Medical Journal</i> ., 2021, 3, 239-245.   | 0.1 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3506 | The Effects of Calculated Remnant-Like Particle Cholesterol on Incident Cardiovascular Disease: Insights from a General Chinese Population. <i>Journal of Clinical Medicine</i> , 2021, 10, 3388.  | 1.0 | 11        |
| 3507 | Development and validation of resource-driven risk prediction models for incident chronic kidney disease in type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 13654.  | 1.6 | 6         |
| 3508 | Developing an AKI Consensus Definition for Database Research: Findings From a Scoping Review and Expert Opinion Using a Delphi Process. <i>American Journal of Kidney Diseases</i> , 2022, 79, 488-496.e1.                                 | 2.1 | 15        |
| 3509 | Biomarkers in Cardiorenal Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 3433.  | 1.0 | 16        |
| 3510 | Clearance de creatinina: um estudo comparativo de cinco equações para estimar a taxa de filtração glomerular em pacientes ambulatoriais em um serviço público de saúde. <i>Research, Society and Development</i> , 2021, 10, e18610917875. | 0.0 | 0         |
| 3511 | Myocardial infarctions, subtypes and coronary atherosclerosis in SLE: a case-control study. <i>Lupus Science and Medicine</i> , 2021, 8, e000515.  | 1.1 | 7         |
| 3512 | Prevalence and Associated Risk Factors of Pulmonary Embolism in Children and Young Adults With Nephrotic Syndrome. <i>Journal of Thoracic Imaging</i> , 2021, 36, 326-332.   | 0.8 | 3         |
| 3513 | Generalizability of heterogeneous treatment effects based on causal forests applied to two randomized clinical trials of intensive glycemic control. <i>Annals of Epidemiology</i> , 2022, 65, 101-108.                                    | 0.9 | 10        |
| 3514 | Albuminuria Is Associated with Hepatic Iron Load in Patients with Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 3187.  | 1.0 | 7         |
| 3515 | A Model-Based Approach to Assess Unstable Creatinine Clearance in Critically Ill Patients. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 1240-1249.   | 2.3 | 2         |
| 3517 | Protease inhibitor-based direct-acting antivirals are associated with increased risk of aminotransferase elevations but not hepatic dysfunction or decompensation. <i>Journal of Hepatology</i> , 2021, 75, 1312-1322.                     | 1.8 | 6         |
| 3518 | Establishing Reference Intervals of Whole Blood Viscosity in a Korean Population Using a Cone-Plate Viscometer. <i>Laboratory Medicine Online</i> , 2021, 11, 162-170.   | 0.0 | 1         |
| 3519 | Association between body weight variability and incidence of Parkinson disease: A nationwide, population-based cohort study. <i>European Journal of Neurology</i> , 2021, 28, 3626-3633.   | 1.7 | 5         |
| 3520 | Cardiovascular Biomarkers in the Early Discrimination of Type 2 Myocardial Infarction. <i>JAMA Cardiology</i> , 2021, 6, 771.  | 3.0 | 24        |
| 3521 | Clinical characteristics and outcomes of COVID-19 patients with prediabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 102192.   | 1.8 | 3         |
| 3522 | Evaluation of serum adropin and irisin levels and its association with anthropometric obesity indices and biochemical parameters in Type 2 diabetic patients. <i>Nutrition and Healthy Aging</i> , 2021, , 1-8.                            | 0.5 | 1         |
| 3523 | Time-Dissociated Pharmacokinetic Pharmacodynamic Model of Cyclosporine Among Malaysian Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2022, 44, 282-289.  | 1.0 | 0         |
| 3524 | Direct comparison of high-sensitivity cardiac troponin T and I in the early differentiation of type 1 vs. type 2 myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 62-74.                        | 0.4 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3525 | Development and internal validation of a simple prognostic score for early sepsis risk stratification in the emergency department. <i>BMJ Open</i> , 2021, 11, e046009.   | 0.8 | 6         |
| 3526 | Clinical Factors Associated with Renal Outcome After Heart Transplantation. <i>International Heart Journal</i> , 2021, 62, 850-857.   | 0.5 | 2         |
| 3527 | Impact of Renal Impairment on Intensive Blood-Pressure“Lowering Therapy and Outcomes in Intracerebral Hemorrhage. <i>Neurology</i> , 2021, 97, e913-e921.   | 1.5 | 13        |
| 3528 | Screening of Fabry disease in patients with chronic kidney disease in Japan. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, 115-125.  | 0.4 | 11        |
| 3529 | Dyslipidemia Management in Patients with Coronary Artery Disease. Data from the POLASPIRE Survey. <i>Journal of Clinical Medicine</i> , 2021, 10, 3711.   | 1.0 | 8         |
| 3530 | Birthweight and the Prevalence, Progression, and Incidence of CKD in a Multideterminant Model in a High-Risk Australian Aboriginal Community. <i>Kidney International Reports</i> , 2021, 6, 2782-2793.                             | 0.4 | 4         |
| 3531 | Association of Serum Urotensin-II Levels with Insulin Resistance and Endothelin-I in Type-II Diabetes Mellitus Patients. <i>Iraqi Journal of Science</i> , 0, , 2514-2525.  | 0.3 | 0         |
| 3532 | Brief Report: Acute Kidney Injury in People Living With HIV Hospitalized With Coronavirus Disease 2019: Clinical Characteristics and Outcomes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 87, 1167-1172. | 0.9 | 1         |
| 3533 | Prevalence of impaired renal function and determinants in the southwest of Iran. <i>BMC Nephrology</i> , 2021, 22, 276.   | 0.8 | 6         |
| 3534 | Role of the IL-33/ST2 pathway in renal allograft rejection. <i>Experimental Cell Research</i> , 2021, 405, 112705.  | 1.2 | 5         |
| 3535 | Optimal target blood pressure for major adverse cardiovascular and cerebrovascular events in hypertensive patients: a nationwide population-based study. <i>Journal of Hypertension</i> , 2022, 40, 76-83.                          | 0.3 | 2         |
| 3536 | Chronic Disease Progression Prediction: Leveraging Case-Based Reasoning and Big Data Analytics. <i>Production and Operations Management</i> , 2022, 31, 259-280.  | 2.1 | 16        |
| 3537 | Vitamin D Deficiency as a Predictor of a High Prevalence of Coronary Artery Disease in Pancreas Transplant Candidates With Type 1 Diabetes. <i>Frontiers in Endocrinology</i> , 2021, 12, 714728.                                   | 1.5 | 1         |
| 3538 | Causes of Anemia in Polish Older Population“Results from the PolSenior Study. <i>Cells</i> , 2021, 10, 2167.  | 1.8 | 8         |
| 3539 | Renal function trajectories in hepatitis C infection: differences between renal healthy and chronic kidney disease individuals. <i>Scientific Reports</i> , 2021, 11, 17197.  | 1.6 | 5         |
| 3540 | Current knowledge about biomarkers of acute kidney injury in liver cirrhosis. <i>Clinical and Molecular Hepatology</i> , 2022, 28, 31-46.   | 4.5 | 12        |
| 3541 | Independent Determinants of Appetite Impairment among Patients with Stage 3 or Higher Chronic Kidney Disease: A Prospective Study. <i>Nutrients</i> , 2021, 13, 2863.   | 1.7 | 9         |
| 3542 | The changing impact of pre-liver transplant renal dysfunction on post-transplant survival: results of 2 decades from a single center. <i>Annals of Hepatology</i> , 2021, 24, 100317.   | 0.6 | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3543 | Comanagement With Nephrologist Care Is Associated With Fewer Cardiovascular Events Among Liver Transplant Recipients With Chronic Kidney Disease. <i>Transplantation Direct</i> , 2021, 7, e766.   | 0.8  | 5         |
| 3544 | Personalized Chronic Disease Follow-Up Appointments: Risk-Stratified Care Through Big Data. <i>Production and Operations Management</i> , 0, , .   | 2.1  | 1         |
| 3545 | Glomerular filtration rate in children and young adults with haemato-oncological disease and infection is best described by three-compartment iohexol model. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29305.                                   | 0.8  | 2         |
| 3546 | Navigating the Pathway to Care in Adults With Cerebral Palsy. <i>Frontiers in Neurology</i> , 2021, 12, 734139.  | 1.1  | 17        |
| 3547 | Novel Criteria for the Observe-Zone of the ESC 0/1h-hs-cTnT Algorithm. <i>Circulation</i> , 2021, 144, 773-787.  | 1.6  | 25        |
| 3548 | Renal function in patients receiving streptozocin for locally advanced or metastatic digestive neuroendocrine tumours: results of the Streptotox-FFCD 0906 study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101572. | 0.7  | 2         |
| 3549 | Cancer and malnutrition were independently associated with a poor prognosis in patients with heart failure. <i>Journal of Cardiology</i> , 2022, 79, 15-20.  | 0.8  | 2         |
| 3550 | Effect of Low-Dose Methotrexate on eGFR and Kidney Adverse Events: A Randomized Clinical Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3197-3207.  | 3.0  | 11        |
| 3551 | Phasing out the pre-transplant cytotoxicity crossmatch: Are we missing something?. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021, 43, 365-374.                              | 0.4  | 1         |
| 3552 | Long-term survival following transvenous lead extraction: Importance of indication and comorbidities. <i>Heart Rhythm</i> , 2021, 18, 1566-1576.   | 0.3  | 19        |
| 3553 | A randomised controlled trial of succinylated gelatin (4%) fluid on urinary acute kidney injury biomarkers in cardiac surgical patients. <i>Intensive Care Medicine Experimental</i> , 2021, 9, 48.  | 0.9  | 5         |
| 3554 | Association of sleep quality with glycemic variability assessed by flash glucose monitoring in patients with type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 102.   | 1.2  | 4         |
| 3555 | Dynamics of circulating dendritic cells and cytokines after kidney transplantation—No effect of remote ischaemic conditioning. <i>Clinical and Experimental Immunology</i> , 2021, 206, 226-236.   | 1.1  | 2         |
| 3556 | Preexisting comorbidities are associated with the mortality rate as well as the predialysis adverse events in incident dialysis patients. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 419-431.  | 0.9  | 1         |
| 3557 | Status of Kidney Function in Hospitalised COVID-19 Patients in the Southern Gyeonggi Province, South Korea. <i>Korean Journal of Clinical Laboratory Science</i> , 2021, 53, 208-216.  | 0.1  | 2         |
| 3558 | Can preoperative 25-hydroxyvitamin D levels predict transient hypocalcemia after total thyroidectomy?. <i>Updates in Surgery</i> , 2022, 74, 309-316.  | 0.9  | 4         |
| 3559 | Race, Genetic Ancestry, and Estimating Kidney Function in CKD. <i>New England Journal of Medicine</i> , 2021, 385, 1750-1760.  | 13.9 | 142       |
| 3560 | Contrast-enhanced MRI T1 Mapping for Quantitative Evaluation of Putative Dynamic Glymphatic Activity in the Human Brain in Sleep-Wake States. <i>Radiology</i> , 2021, 300, 661-668.   | 3.6  | 40        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3561 | Biomarkers of Uremic Cardiotoxicity. <i>Toxins</i> , 2021, 13, 639.  | 1.5 | 2         |
| 3562 | Completion of annual diabetes care processes and mortality: A cohort study using the <scp>National Diabetes Audit for England and Wales</scp>. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2728-2740.  | 2.2 | 16        |
| 3563 | Influence of Renal Function on the Singleâ€Dose Pharmacokinetics of Besifovir, a Novel Antiviral Agent for the Treatment of Hepatitis B Virus Infection. <i>Journal of Clinical Pharmacology</i> , 2021, , .  | 1.0 | 0         |
| 3564 | Comparison of cystatin C-based and creatinine-based glomerular filtration rate in the prediction of postoperative residual hypertension in aldosterone-producing adenoma patients after adrenalectomy. <i>Clinica Chimica Acta</i> , 2021, 520, 147-153.               | 0.5 | 2         |
| 3565 | Overtreatment and undertreatment in a sample of elderly people with diabetes. <i>International Journal of Clinical Practice</i> , 2021, 75, e14847.  | 0.8 | 3         |
| 3566 | Effects of baseline serum uric acid and apolipoprotein E4 on longitudinal cognition and cerebral metabolism. <i>Neurobiology of Aging</i> , 2021, 106, 223-231.  | 1.5 | 8         |
| 3567 | Clinical Experience of Proteasome Inhibitor Bortezomib Regarding Efficacy and Safety in Severe Systemic Lupus Erythematosus: A Nationwide Study. <i>Frontiers in Immunology</i> , 2021, 12, 756941.  | 2.2 | 22        |
| 3568 | Is the routine use of antipseudomonal antibiotics in acutely exacerbated COPD patients indicated: A retrospective analysis in 437 ICU patients.. <i>Journal of Critical Care</i> , 2021, 65, 49-55.  | 1.0 | 2         |
| 3569 | Effects of ketoanalogues on skeletal muscle mass in patients with advanced chronic kidney disease: real-world evidence. <i>Nutrition</i> , 2021, 91-92, 111384.  | 1.1 | 2         |
| 3570 | Perfluoroalkyl substances (PFASs) exposure and kidney damage: Causal interpretation using the US 2003â€2018 National Health and Nutrition Examination Survey (NHANES) datasets. <i>Environmental Pollution</i> , 2021, 288, 117707.                                   | 3.7 | 20        |
| 3571 | Perfluoroalkyl substances and immune cell counts in adults from the Mid-Ohio Valley (USA). <i>Environment International</i> , 2021, 156, 106599.   | 4.8 | 15        |
| 3572 | Associations between exposure to polycyclic aromatic hydrocarbons and metabolic syndrome in U.S. adolescents: Cross-sectional results from the National Health and Nutrition Examination Survey (2003â€2016) data. <i>Environmental Research</i> , 2021, 202, 111747. | 3.7 | 22        |
| 3573 | Sleep duration, baseline cardiovascular risk, inflammation and incident cardiovascular mortality in ambulatory U.S. Adults: National health and nutrition examination survey. <i>American Journal of Preventive Cardiology</i> , 2021, 8, 100246.                      | 1.3 | 8         |
| 3574 | Prognostic value of glomerular function estimated by Cockcroft-Gault creatinine clearance, MDRD-4, CKD-EPI and European Kidney Function Consortium equations in patients with acute coronary syndromes. <i>Clinica Chimica Acta</i> , 2021, 523, 106-113.              | 0.5 | 9         |
| 3575 | Changes in metabolic syndrome status affect the incidence of end-stage renal disease in the general population: a nationwide cohort study. <i>Scientific Reports</i> , 2021, 11, 1957.   | 1.6 | 8         |
| 3576 | Magnitude and associated factors of contrast induced nephropathy among patients undergoing coronary angiography and interventions at a cardiac referral hospital in Tanzania - a cross-sectional study. <i>Pan African Medical Journal</i> , 2021, 38, 311.            | 0.3 | 2         |
| 3577 | Prevalence, clinical profile and follow up of asymptomatic bacteriuria in patients with type 2 diabetes-prospective case control study in Srinagar, India. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 455-459.                  | 1.8 | 6         |
| 3578 | Hemodialysis delivery systems. , 2021, , 229-255.  |     | 1         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3579 | Treating Type 1 Diabetes by Pancreas Transplant Alone: A Cohort Study on Actual Long-term (10 Years) Efficacy and Safety. <i>Transplantation</i> , 2022, 106, 147-157.  | 0.5 | 13        |
| 3580 | Comparison of Different Types of Oral Adsorbent Therapy in Patients with Chronic Kidney Disease: A Multicenter, Randomized, Phase IV Clinical Trial. <i>Yonsei Medical Journal</i> , 2021, 62, 41.                                  | 0.9 | 3         |
| 3581 | Residual Risk and Its Risk Factors for Ischemic Stroke with Adherence to Guideline-Based Secondary Stroke Prevention. <i>Journal of Stroke</i> , 2021, 23, 51-60.   | 1.4 | 29        |
| 3582 | Predictive Value of Creatinine-based Equations of Kidney Function in the Long-term Prognosis in United Arab Emirates Patients. <i>Oman Medical Journal</i> , 2021, 36, e217-e217.   | 0.3 | 0         |
| 3583 | Association between renal function and platelet reactivity during aspirin therapy in elderly patients with atherosclerotic cardiovascular disease. <i>BMC Geriatrics</i> , 2021, 21, 75.  | 1.1 | 2         |
| 3584 | Age, Comorbid Conditions, and Racial Disparities in COVID-19 Outcomes. <i>Journal of Racial and Ethnic Health Disparities</i> , 2022, 9, 117-123.   | 1.8 | 23        |
| 3585 | Renal Function Improvement Following ANG-3777 Treatment in Patients at High Risk for Delayed Graft Function After Kidney Transplantation. <i>Transplantation</i> , 2021, 105, 443-450.  | 0.5 | 12        |
| 3586 | Plasma metabolites associated with chronic kidney disease and renal function in adults from the Baltimore Longitudinal Study of Aging. <i>Metabolomics</i> , 2021, 17, 9.   | 1.4 | 25        |
| 3587 | Effect of High-Cutoff Hemodialysis vs Conventional Hemodialysis on Hemodialysis Independence Among Patients With Myeloma Cast Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 2099.             | 3.8 | 120       |
| 3590 | Sedentary behavior and kidney function in adults: a narrative review. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 144-152.   | 1.0 | 10        |
| 3591 | Staging and Management of Chronic Kidney Disease. , 2009, , 436-445.  |     | 4         |
| 3592 | Kidney Function Tests. , 2012, , 669-707.   |     | 17        |
| 3593 | Split bolus dual-energy CT urography after urine dilution: a one-stop shop for detection and characterisation of urolithiasis. <i>Clinical Radiology</i> , 2020, 75, 643.e11-643.e18.   | 0.5 | 6         |
| 3594 | How unmeasured muscle mass affects estimated GFR and diagnostic inaccuracy. <i>EClinicalMedicine</i> , 2020, 29-30, 100662.   | 3.2 | 21        |
| 3595 | Non-cardiac factors for prediction of response to cardiac resynchronization therapy: The value of baseline, and of serial changes, in red cell distribution width. <i>International Journal of Cardiology</i> , 2017, 243, 347-353. | 0.8 | 11        |
| 3596 | The axis of local cardiac endogenous Klotho-TGF- $\beta$ 1-Wnt signaling mediates cardiac fibrosis in human. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 136, 113-124.  | 0.9 | 32        |
| 3597 | KLOTHO polymorphisms and age-related outcomes in community-dwelling older subjects: The São Paulo Ageing & Health (SPAH) Study. <i>Scientific Reports</i> , 2020, 10, 8574.   | 1.6 | 2         |
| 3598 | Albuminuria and Estimated GFR as Risk Factors for Dementia in Midlife and Older Age: Findings From the ARIC Study. <i>American Journal of Kidney Diseases</i> , 2020, 76, 775-783.  | 2.1 | 33        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3599 | Platelet distribution width: a novel prognostic marker in an internal medicine ward. <i>Journal of Community Hospital Internal Medicine Perspectives</i> , 2019, 9, 464-470.  | 0.4 | 20        |
| 3600 | The effect of spironolactone on cardiovascular function and markers of fibrosis in people at increased risk of developing heart failure: the heart $\omicron$ Mics <sup>TM</sup> in AGEing (HOMAGE) randomized clinical trial. <i>European Heart Journal</i> , 2021, 42, 684-696. | 1.0 | 77        |
| 3601 | Pragmatic options for dose optimization of ceftazidime/avibactam with aztreonam in complex patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1025-1031.  | 1.3 | 18        |
| 3602 | Associations Between Tenofovir Diphosphate in Dried Blood Spots, Impaired Physical Function, and Fracture Risk. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofaa577.   | 0.4 | 2         |
| 3603 | Amyloid storm: acute kidney injury and massive proteinuria, rapidly progressing to end-stage kidney disease in AA amyloidosis of familial Mediterranean fever. <i>Rheumatology</i> , 2021, 60, 3235-3242.   | 0.9 | 9         |
| 3604 | Effect of Hydroxyethyl Starch on Postoperative Kidney Function in Patients Having Noncardiac Surgery. <i>Anesthesiology</i> , 2014, 121, 730-739.   | 1.3 | 57        |
| 3605 | Gender Differences in Mortality After Left Ventricular Assist Device Implant: A Causal Mediation Analysis Approach. <i>ASAIO Journal</i> , 2021, 67, 614-621.   | 0.9 | 15        |
| 3606 | The Association Between Vena Cava Implantation Technique and Acute Kidney Injury After Liver Transplantation. <i>Transplantation</i> , 2020, 104, e308-e316.  | 0.5 | 10        |
| 3607 | Early Outcomes With the Liver-kidney Safety Net. <i>Transplantation</i> , 2021, 105, 1261-1272.   | 0.5 | 16        |
| 3608 | Estimating Glomerular Filtration Rate in Kidney Transplant Recipients: Performance Over Time of Four Creatinine-Based Formulas. <i>Transplantation</i> , 2011, 92, 1005-1011.   | 0.5 | 69        |
| 3610 | Outcomes of ultrasound-guided percutaneous nephrolithotomy for the treatment of large stones within nonfunctioning atrophic kidneys. <i>International Journal of Urology</i> , 2021, 28, 254-259.   | 0.5 | 5         |
| 3611 | Ciclosporin to Protect Renal function In Cardiac Surgery (CiPRICS): a study protocol for a double-blind, randomised, placebo-controlled, proof-of-concept study. <i>BMJ Open</i> , 2016, 6, e012299.  | 0.8 | 4         |
| 3612 | Nutrition Questionnaires plus (NQplus) study, a prospective study on dietary determinants and cardiometabolic health in Dutch adults. <i>BMJ Open</i> , 2018, 8, e020228.   | 0.8 | 26        |
| 3613 | Effect of differences in serum creatinine estimation methodologies on estimated glomerular filtration rate. <i>Singapore Medical Journal</i> , 2019, 60, 468-473.   | 0.3 | 6         |
| 3614 | Organoid single cell profiling identifies a transcriptional signature of glomerular disease. <i>JCI Insight</i> , 2019, 4, .  | 2.3 | 73        |
| 3615 | Randomized trial of intravenous iron-induced hypophosphatemia. <i>JCI Insight</i> , 2018, 3, .  | 2.3 | 127       |
| 3616 | Levels of soluble cell adhesion molecules in type 2 diabetes mellitus patients with macrovascular complications. <i>Journal of International Medical Research</i> , 2020, 48, 030006051989385.  | 0.4 | 13        |
| 3617 | Prognostic factors in heart failure patients with cardiac cachexia. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 26-34.   | 0.2 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3618 | Fasting Glucose Variation Predicts Microvascular Risk in ACCORD and VADT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 1150-1162.   | 1.8 | 12        |
| 3619 | A Pilot Trial to Examine the Changes in Carotid Arterial Inflammation in Renal Transplant Recipients as Assessed by 18F-Fluorodeoxyglucose (18F-FDG) Positron Emission Tomography Computed Tomography (PET/CT). <i>Annals of Transplantation</i> , 2018, 23, 412-421. | 0.5 | 2         |
| 3620 | Pre-Transplant Left Ventricular Geometry and Major Adverse Cardiovascular Events After Kidney Transplantation. <i>Annals of Transplantation</i> , 2019, 24, 100-107.  | 0.5 | 5         |
| 3621 | Relationship Between Epicardial Adipose Tissue and Body Composition as Determined by Multi-Frequency Bioelectrical Impedance Analysis in Patients with Stage 5 Chronic Kidney Disease. <i>Medical Science Monitor</i> , 2020, 26, e920233.                            | 0.5 | 4         |
| 3622 | Assessment of Glomerular Filtration Rates by Cockcroft-Gault and Modification of Diet in Renal Disease Equations in a Cohort of Omani Patients. <i>Sultan Qaboos University Medical Journal</i> , 2014, 14, 72-79.  | 0.3 | 2         |
| 3623 | Pitfalls of the Application of the Modification of Diet in Renal Disease Equation to Drug-Dosing Practices: A Tertiary Care Teaching Hospital Experience. <i>Hospital Pharmacy</i> , 2008, 43, 564-570.   | 0.4 | 6         |
| 3624 | Leukocyte Telomere Length in Relation to 17 Biomarkers of Cardiovascular Disease Risk: A Cross-Sectional Study of US Adults. <i>PLoS Medicine</i> , 2016, 13, e1002188.   | 3.9 | 123       |
| 3625 | Towards a Rational Screening Strategy for Albuminuria: Results from the Unreferred Renal Insufficiency Trial. <i>PLoS ONE</i> , 2010, 5, e13328.  | 1.1 | 7         |
| 3626 | Role of Glomerular Proteoglycans in IgA Nephropathy. <i>PLoS ONE</i> , 2011, 6, e18575.   | 1.1 | 47        |
| 3627 | Impact of Small Body Weight on Tenofovir-Associated Renal Dysfunction in HIV-Infected Patients: A Retrospective Cohort Study of Japanese Patients. <i>PLoS ONE</i> , 2011, 6, e22661.   | 1.1 | 92        |
| 3628 | Association of High Blood Pressure with Renal Insufficiency: Role of Albuminuria, from NHANES, 1999â€“2006. <i>PLoS ONE</i> , 2012, 7, e37837.  | 1.1 | 12        |
| 3629 | Cobalamin Related Parameters and Disease Patterns in Patients with Increased Serum Cobalamin Levels. <i>PLoS ONE</i> , 2012, 7, e45979.   | 1.1 | 78        |
| 3630 | The Association of Growth Differentiation Factor-15 with Left Ventricular Hypertrophy in Hypertensive Patients. <i>PLoS ONE</i> , 2012, 7, e46534.  | 1.1 | 27        |
| 3631 | Implication of Progranulin and C1q/TNF-Related Protein-3 (CTRP3) on Inflammation and Atherosclerosis in Subjects with or without Metabolic Syndrome. <i>PLoS ONE</i> , 2013, 8, e55744.   | 1.1 | 80        |
| 3632 | Wilm's Tumor-1 Protein Levels in Urinary Exosomes from Diabetic Patients with or without Proteinuria. <i>PLoS ONE</i> , 2013, 8, e60177.  | 1.1 | 121       |
| 3633 | Comparison of Estimating Equations for the Prediction of Glomerular Filtration Rate in Kidney Donors before and after Kidney Donation. <i>PLoS ONE</i> , 2013, 8, e60720.   | 1.1 | 18        |
| 3634 | CKD273, a New Proteomics Classifier Assessing CKD and Its Prognosis. <i>PLoS ONE</i> , 2013, 8, e62837.   | 1.1 | 125       |
| 3635 | Is Ritonavir-Boosted Atazanavir a Risk for Cholelithiasis Compared to Other Protease Inhibitors?. <i>PLoS ONE</i> , 2013, 8, e69845.  | 1.1 | 10        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3636 | Smoking, Menthol Cigarettes and All-Cause, Cancer and Cardiovascular Mortality: Evidence from the National Health and Nutrition Examination Survey (NHANES) and a Meta-Analysis. PLoS ONE, 2013, 8, e77941. | 1.1 | 31        |
| 3637 | Factors Affecting Glomerular Filtration Rate, as Measured by Iohexol Disappearance, in Men with or at Risk for HIV Infection. PLoS ONE, 2014, 9, e86311.  | 1.1 | 12        |
| 3638 | Hospital Admissions for Hypertensive Crisis in the Emergency Departments: A Large Multicenter Italian Study. PLoS ONE, 2014, 9, e93542.   | 1.1 | 86        |
| 3639 | Efficacy and Safety of Vitamin K-Antagonists (VKA) for Atrial Fibrillation in Non-Dialysis Dependent Chronic Kidney Disease. PLoS ONE, 2014, 9, e94420.   | 1.1 | 35        |
| 3640 | Association between Urinary Albumin Excretion and Intraocular Pressure in Type 2 Diabetic Patients without Renal Impairment. PLoS ONE, 2014, 9, e96335.   | 1.1 | 4         |
| 3641 | Assessment of Metabolomic and Proteomic Biomarkers in Detection and Prognosis of Progression of Renal Function in Chronic Kidney Disease. PLoS ONE, 2014, 9, e96955.  | 1.1 | 101       |
| 3642 | Liver Dysfunction Assessed by Model for End-Stage Liver Disease Excluding INR (MELD-XI) Scoring System Predicts Adverse Prognosis in Heart Failure. PLoS ONE, 2014, 9, e100618.                             | 1.1 | 55        |
| 3643 | Continuation of Dabigatran Therapy in "Real-World" Practice in Hong Kong. PLoS ONE, 2014, 9, e101245.   | 1.1 | 36        |
| 3644 | The Tacrolimus Metabolism Rate Influences Renal Function after Kidney Transplantation. PLoS ONE, 2014, 9, e111128.  | 1.1 | 71        |
| 3645 | ACEI/ARB Underused in Patients with Type 2 Diabetes in Chinese Population (CCMR-3B Study). PLoS ONE, 2015, 10, e0116970.  | 1.1 | 8         |
| 3646 | Exploration of Chronic Kidney Disease Prevalence Estimates Using New Measures of Kidney Function in the Health Survey for England. PLoS ONE, 2015, 10, e0118676.  | 1.1 | 27        |
| 3647 | Use of Cystatin C and Serum Creatinine for the Diagnosis of Contrast-Induced Nephropathy in Patients Undergoing Contrast-Enhanced Computed Tomography at an Oncology Centre. PLoS ONE, 2015, 10, e0122877.  | 1.1 | 2         |
| 3648 | Association between Inflammation and Cardiac Geometry in Chronic Kidney Disease: Findings from the CRIC Study. PLoS ONE, 2015, 10, e0124772.  | 1.1 | 59        |
| 3649 | Four-Year Durability of Initial Combination Therapy with Sitagliptin and Metformin in Patients with Type 2 Diabetes in Clinical Practice; COSMIC Study. PLoS ONE, 2015, 10, e0129477.                       | 1.1 | 18        |
| 3650 | Vitamin D and C-Reactive Protein: A Mendelian Randomization Study. PLoS ONE, 2015, 10, e0131740.  | 1.1 | 61        |
| 3651 | Interrelationship of Multiple Endothelial Dysfunction Biomarkers with Chronic Kidney Disease. PLoS ONE, 2015, 10, e0132047.   | 1.1 | 48        |
| 3652 | Circulating Tumor Necrosis Factor $\alpha$ Receptors Predict the Outcomes of Human IgA Nephropathy: A Prospective Cohort Study. PLoS ONE, 2015, 10, e0132826.   | 1.1 | 21        |
| 3653 | Early Myocardial Repolarization Heterogeneity Is Detected by Magnetocardiography in Diabetic Patients with Cardiovascular Risk Factors. PLoS ONE, 2015, 10, e0133192.                                       | 1.1 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3654 | Urinary Tract Infections in Kidney Transplant Patients Due to Escherichia coli and Klebsiella pneumoniae-Producing Extended-Spectrum $\beta$ -Lactamases: Risk Factors and Molecular Epidemiology. PLoS ONE, 2015, 10, e0134737. | 1.1 | 45        |
| 3655 | Albuminuria Is Associated with Traditional Cardiovascular Risk Factors and Viral Load in HIV-Infected Patients in Rural South Africa. PLoS ONE, 2015, 10, e0136529.  | 1.1 | 15        |
| 3656 | Effects of Age and Estrogen on Skeletal Gene Expression in Humans as Assessed by RNA Sequencing. PLoS ONE, 2015, 10, e0138347.   | 1.1 | 62        |
| 3657 | Non-Alcoholic Fatty Liver Disease Is a Risk Factor for the Development of Diabetic Nephropathy in Patients with Type 2 Diabetes Mellitus. PLoS ONE, 2015, 10, e0142808.  | 1.1 | 57        |
| 3658 | Outcome of Community-Acquired Staphylococcus aureus Bacteraemia in Patients with Diabetes: A Historical Population-Based Cohort Study. PLoS ONE, 2016, 11, e0153766.   | 1.1 | 5         |
| 3659 | Antiphospholipid Antibodies in Lupus Nephritis. PLoS ONE, 2016, 11, e0158076.  | 1.1 | 26        |
| 3660 | Estimated Glomerular Filtration Rate and Mortality among Patients with Coronary Heart Disease. PLoS ONE, 2016, 11, e0161599.   | 1.1 | 8         |
| 3661 | Serum Amylase Levels in Relation to Islet $\beta$ Cell Function in Patients with Early Type 2 Diabetes. PLoS ONE, 2016, 11, e0162204.  | 1.1 | 17        |
| 3662 | Serum Uric Acid and Progression of Kidney Disease: A Longitudinal Analysis and Mini-Review. PLoS ONE, 2017, 12, e0170393.  | 1.1 | 118       |
| 3663 | Longitudinal change in estimated GFR among CKD patients: A 10-year follow-up study of an integrated kidney disease care program in Taiwan. PLoS ONE, 2017, 12, e0173843.   | 1.1 | 40        |
| 3664 | Early inner retinal thinning and cardiovascular autonomic dysfunction in type 2 diabetes. PLoS ONE, 2017, 12, e0174377.  | 1.1 | 14        |
| 3665 | Performance of glomerular filtration rate estimation equations in Congolese healthy adults: The inopportunity of the ethnic correction. PLoS ONE, 2018, 13, e0193384.  | 1.1 | 38        |
| 3666 | An evaluation of longitudinal changes in serum uric acid levels and associated risk of cardio-metabolic events and renal function decline in gout. PLoS ONE, 2018, 13, e0193622.   | 1.1 | 33        |
| 3667 | Mild-moderate CKD is not associated with cognitive impairment in older adults in the Alzheimer's Disease Neuroimaging Initiative cohort. PLoS ONE, 2020, 15, e0239871.   | 1.1 | 6         |
| 3668 | The failure of glomerular filtration rate estimating equations among obese population. PLoS ONE, 2020, 15, e0242447.   | 1.1 | 8         |
| 3669 | The Role of Urinary Neutrophil Gelatinase-Associated Lipocalin in Predicting Acute Kidney Dysfunction in Patients With Liver Cirrhosis. Journal of Clinical Medicine Research, 2018, 10, 419-428.                                | 0.6 | 10        |
| 3670 | A novel score in the prediction of rhythm outcome after ablation of atrial fibrillation: The SUCCESS score. Anatolian Journal of Cardiology, 2019, 21, 142-149.  | 0.5 | 13        |
| 3671 | The Prognostic Value of Altitude in Patients with Heart Failure with Reduced Ejection Fraction. Anatolian Journal of Cardiology, 2019, 22, 300-308.  | 0.5 | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3672 | Trends in brain-dead organ donor characteristics: a 13-year analysis. <i>Canadian Journal of Surgery</i> , 2016, 59, 154-160.   | 0.5 | 15        |
| 3673 | Effect of Water Hardness on Non-Communicable Diseases, Including Chronic Kidney Disease of Multifactorial Origin (CKDmfo/CKDuo). <i>Journal of Environment and Health Sciences</i> , 2016, 2, 1-11.   | 1.0 | 11        |
| 3674 | Prevalence of obesity, tobacco use, and alcohol consumption by socioeconomic status among six communities in Nicaragua. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2012, 32, 217-225.                   | 0.6 | 9         |
| 3675 | Critical Review of Method Comparison Studies for the Evaluation of Estimating Glomerular Filtration Rate Equations. <i>International Journal of Nephrology and Kidney Failure</i> , 2015, 1, .  | 0.1 | 3         |
| 3676 | Cisplatin-Based Chemotherapy Eligibility: Discrepancy Between Serum Creatinine Level and Glomerular Filtration Rate. <i>Reports of Radiotherapy and Oncology</i> , 2015, 2, .   | 0.1 | 1         |
| 3677 | Risk Factors for 30-Day Readmissions after Acute Myocardial Infarction. <i>International Cardiovascular Forum Journal</i> , 0, 4, 30.   | 1.1 | 9         |
| 3678 | Decreased DACH1 expression in glomerulopathy is associated with disease progression and severity. <i>Oncotarget</i> , 2016, 7, 86547-86560.   | 0.8 | 25        |
| 3679 | Conversion to mammalian target of rapamycin inhibitors in kidney transplant recipients with de novo cancers. <i>Oncotarget</i> , 2017, 8, 44833-44841.  | 0.8 | 12        |
| 3680 | Evaluation of predictive models for delayed graft function of deceased kidney transplantation. <i>Oncotarget</i> , 2018, 9, 1735-1744.  | 0.8 | 9         |
| 3681 | The prevalence and association of chronic kidney disease and diabetes in liver cirrhosis using different estimated glomerular filtration rate equation. <i>Oncotarget</i> , 2018, 9, 2236-2248.   | 0.8 | 6         |
| 3682 | FACTORS EFFECTING THE DECOMPENSATION OF CHRONIC HEART FAILURE IN THE ELDERLY. <i>Rational Pharmacotherapy in Cardiology</i> , 2013, 9, 15-24.   | 0.3 | 2         |
| 3683 | Estimating glomerular filtration rate in a population-based study. <i>Vascular Health and Risk Management</i> , 2010, 6, 619.   | 1.0 | 9         |
| 3684 | Evaluation of the Effect of Nanoparticles Zinc Oxide/Camellia sinensis Complex on the Kidney of Rats Treated with Monosodium Glutamate: Antioxidant and Histological Approaches. <i>Current Pharmaceutical Biotechnology</i> , 2019, 20, 542-550. | 0.9 | 10        |
| 3685 | Simultaneous Assessment of MicroRNAs 126 and 192 in Diabetic Nephropathy Patients and the Relation of these MicroRNAs with Urinary Albumin. <i>Current Molecular Medicine</i> , 2020, 20, 361-371.  | 0.6 | 6         |
| 3686 | Renal Dysfunction Following Elective Endovascular Aortic Aneurysm Repair. <i>Current Vascular Pharmacology</i> , 2019, 17, 133-140.   | 0.8 | 6         |
| 3687 | Control of Risk Factors for Cardiovascular Disease Among Adults with Previously Diagnosed Type 2 Diabetes Mellitus: A Descriptive Study from a Middle Eastern Arab Population. <i>Open Cardiovascular Medicine Journal</i> , 2012, 6, 133-140.    | 0.6 | 17        |
| 3688 | Relationship between Uric Acid Levels and Diagnostic and Prognostic Outcomes in Acute Heart Failure. <i>Open Biomarkers Journal</i> , 2012, 5, 9-15.  | 0.1 | 6         |
| 3689 | Longitudinal Risk Prediction of Chronic Kidney Disease in Diabetic Patients using Temporal-Enhanced Gradient Boosting Machine: Retrospective Cohort Study. <i>JMIR Medical Informatics</i> , 2020, 8, e15510.                                     | 1.3 | 38        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3690 | Deep Learning-Based Detection of Early Renal Function Impairment Using Retinal Fundus Images: Model Development and Validation. <i>JMIR Medical Informatics</i> , 2020, 8, e23472.  | 1.3 | 24        |
| 3691 | Chemotherapy in the elderly. <i>Aging Health</i> , 2007, 3, 165-175.  | 0.3 | 2         |
| 3692 | Cystatin C as a novel predictor of preterm labor in severe preeclampsia. <i>Kidney Research and Clinical Practice</i> , 2018, 37, 338-346.  | 0.9 | 11        |
| 3693 | Sub-morbid dehydration-associated glomerular hyperfiltration: An emerging reality?. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 196-204.   | 0.9 | 10        |
| 3694 | Resistive index as a predictor of renal progression in patients with moderate renal dysfunction regardless of angiotensin converting enzyme inhibitor or angiotensin receptor antagonist medication. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 58-67.                            | 0.9 | 11        |
| 3695 | Red cell distribution width predicts incident dipstick albuminuria in Korean adults without chronic kidney disease. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 232-239.   | 0.9 | 2         |
| 3696 | Cockcroft-Gault, Modification of Diet in Renal Disease, and Chronic Kidney Disease Epidemiology Collaboration equations for estimating glomerular filtration rates in cancer patients receiving cisplatin-based chemotherapy. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 342-348. | 0.9 | 10        |
| 3697 | Serum lactate as reliable biomarker of acute kidney injury in low-risk cardiac surgery patients. <i>Journal of Medical Biochemistry</i> , 2019, 38, 118-125.  | 0.7 | 12        |
| 3698 | Levels of indoxyl sulfate are associated with severity of coronary atherosclerosis. <i>Clinical and Investigative Medicine</i> , 2013, 36, 42.  | 0.3 | 43        |
| 3699 | Estimation of glomerular filtration rate by MDRD-4 IDMS and CKD-EPI in individuals of 60 years of age or older in primary care. <i>Nefrologia</i> , 2013, 33, 552-63.   | 0.2 | 9         |
| 3700 | Tables for estimating the glomerular filtration rate using the new CKD-EPI equation from serum creatinine concentration. <i>Nefrologia</i> , 2014, 34, 223-9.   | 0.2 | 8         |
| 3701 | Hematological Parameters and Clinical Features in Patients with Advanced Chronic Kidney Disease. <i>Yonago Acta Medica</i> , 2020, 63, 353-359.   | 0.3 | 4         |
| 3702 | Hypertension-Mediated Organ Damage and Long-term Cardiovascular Outcomes in Asian Hypertensive Patients without Prior Cardiovascular Disease. <i>Journal of Korean Medical Science</i> , 2020, 35, e400.  | 1.1 | 8         |
| 3703 | Revaskularizace myokardu. Perkutann-koronrn-intervence a aortokoronrn-bypass. <i>Cor Et Vasa</i> , 2011, 53, 3-24.  | 0.1 | 1         |
| 3704 | Association Between Iron Status and Risk of Chronic Kidney Disease in Chinese Adults. <i>Frontiers in Medicine</i> , 2019, 6, 303.  | 1.2 | 11        |
| 3705 | Contrast medium-induced nephropathy. Aspects on incidence, consequences, risk factors and prevention. <i>Libyan Journal of Medicine</i> , 2007, 2, 118-124.   | 0.8 | 2         |
| 3706 | Difference between CKD-EPI and MDRD equations in calculating glomerular filtration rate in patients with cirrhosis. <i>World Journal of Gastroenterology</i> , 2011, 17, 4532.  | 1.4 | 21        |
| 3707 | Association between Serum Free Thyroxine and Anemia in Euthyroid Adults: A Nationwide Study. <i>Endocrinology and Metabolism</i> , 2020, 35, 106.   | 1.3 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3708 | Variabilities in Weight and Waist Circumference and Risk of Myocardial Infarction, Stroke, and Mortality: A Nationwide Cohort Study. <i>Endocrinology and Metabolism</i> , 2020, 35, 933-942.            | 1.3 | 16        |
| 3709 | Validation of the Oxford Classification of IgA Nephropathy: A Single-Center Study in Korean Adults. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 293.  | 0.7 | 54        |
| 3710 | A mild decrease of renal function is related to increased hemoglobin level during 5-year follow-up period. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 341.                                   | 0.7 | 3         |
| 3711 | Prevalence of chronic kidney disease defined by using CKD-EPI equation and albumin-to-creatinine ratio in the Korean adult population. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 1120-1130. | 0.7 | 40        |
| 3712 | Validation of the Korean coefficient for the modification of diet in renal disease study equation. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 344-356.                                       | 0.7 | 5         |
| 3713 | Predialysis hyponatremia and mortality in elderly patients beginning to undergo hemodialysis. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 970-979.  | 0.7 | 5         |
| 3714 | The mortality benefit of carvedilol versus bisoprolol in patients with heart failure with reduced ejection fraction. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1030-1039.                   | 0.7 | 13        |
| 3715 | Interpreting the estimated glomerular filtration rate in primary care: Benefits and pitfalls. <i>Cleveland Clinic Journal of Medicine</i> , 2011, 78, 189-195.   | 0.6 | 17        |
| 3716 | Serum cystatin C concentration as an independent marker for hypertensive left ventricular hypertrophy. <i>Journal of Geriatric Cardiology</i> , 2013, 10, 286-90.  | 0.2 | 11        |
| 3717 | Association between serum homocysteine and arterial stiffness in elderly: a community-based study. <i>Journal of Geriatric Cardiology</i> , 2014, 11, 32-8.  | 0.2 | 62        |
| 3718 | Plasma Fibroblast Growth Factor 23 Concentration Is Associated with Intracranial Cerebral  |     |           |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3726 | Reliability and Sex Differences in a Coordination Test of a Tracking moving target with the Center of Foot Pressure. <i>Advances in Physical Education</i> , 2012, 02, 77-81.                                | 0.2 | 2         |
| 3727 | Urinary Neutrophil Gelatinase Associated Lipocalin as a Marker of Tubular Damage in Type 2 Diabetic Patients with and without Albuminuria. <i>Open Journal of Nephrology</i> , 2014, 04, 37-46.              | 0.0 | 15        |
| 3728 | Transcatheter aortic valve replacement outcomes in patients with sarcopaenia. <i>EuroIntervention</i> , 2019, 15, 671-677.   | 1.4 | 22        |
| 3729 | Is an estimated glomerular filtration rate better than creatinine to be incorporated into the end-stage liver disease score?. <i>World Journal of Hepatology</i> , 2012, 4, 291.                             | 0.8 | 3         |
| 3730 | Clinical Evidence of Acute Mesoamerican Nephropathy. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 97, 1247-1256.   | 0.6 | 45        |
| 3731 | Estimated Glomerular Filtration rate (eGFR): A Serum Creatinine-based Test for the Detection of Chronic Kidney Disease and its Impact on Clinical Practice. <i>Oman Medical Journal</i> , 2012, 27, 339-340. | 0.3 | 11        |
| 3732 | Critically Ill Patients. , 0, , 194-194.   |     | 2         |
| 3733 | Synthesis, characterization, anticancer activity, optical spectroscopic and docking studies of novel thiophene-2-carboxaldehyde derivatives. <i>European Journal of Chemistry</i> , 2016, 7, 454-462.        | 0.3 | 1         |
| 3734 | Measurement of glomerular filtration rate using dynamic magnetic resonance imaging in patients with chronic kidney disease. <i>Journal of Nephrology</i> , 2011, 24, 482-489.                                | 0.9 | 8         |
| 3735 | Does chronic kidney disease modify the association between body mass index and cardiovascular disease risk factors. <i>Journal of Nephrology</i> , 2012, 25, 317-324.  | 0.9 | 8         |
| 3736 | Renal status in adult volunteers in central Italy: results from Family Abbott Renal Disease Monitoring Project (FARM) study. <i>Journal of Nephrology</i> , 2012, 25, 523-532.                               | 0.9 | 4         |
| 3737 | A population-based approach for the definition of chronic kidney disease: the CKD Prognosis Consortium. <i>Journal of Nephrology</i> , 2012, 25, 7-12.   | 0.9 | 11        |
| 3738 | Associations among chronic kidney disease, high total p-cresylsulfate and major adverse cardiac events. <i>Journal of Nephrology</i> , 2013, 26, 111-118.  | 0.9 | 25        |
| 3739 | Performance of creatinine-based equations compared in older patients. <i>Journal of Nephrology</i> , 2013, 26, 716-723.  | 0.9 | 66        |
| 3740 | Glomerular filtration rate: utility for assessing long-term renal allograft outcomes in kidney allograft recipients. <i>Journal of Nephrology</i> , 2013, 26, 1009-1024.                                     | 0.9 | 8         |
| 3741 | Acute and long-term effects of corticosteroid therapy on bone metabolism in patients with kidney diseases. <i>Clinical Nephrology</i> , 2012, 78, 17-23.   | 0.4 | 2         |
| 3742 | The validation of estimated glomerular filtration rate (eGFR) equation for renal transplant recipients. <i>Clinical Nephrology</i> , 2013, 79, 206-213.  | 0.4 | 9         |
| 3743 | Effects of atorvastatin on biomarkers of inflammation in chronic kidney disease. <i>Clinical Nephrology</i> , 2014, 81, 75-85.   | 0.4 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3744 | A PK/PD study comparing twice-daily to once-daily dosing regimens of ertugliflozin in healthy subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019, 57, 207-216.  | 0.3 | 14        |
| 3745 | Estimating glomerular filtration rate in kidney transplantation: Still searching for the best marker. <i>World Journal of Nephrology</i> , 2015, 4, 345.   | 0.8 | 37        |
| 3746 | What is the optimal level of vitamin D in non-dialysis chronic kidney disease population?. <i>World Journal of Nephrology</i> , 2016, 5, 471.  | 0.8 | 17        |
| 3747 | Serum High Molecular Weight Adiponectin is Associated with Mild Renal Dysfunction in Japanese Adults. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 1141-1148.  | 0.9 | 10        |
| 3748 | Triglyceride-Glucose Index as a Surrogate Marker of Insulin Resistance for Predicting Cardiovascular Outcomes in Nondiabetic Patients with Non-ST-Segment Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 1175-1194. | 0.9 | 41        |
| 3749 | Renal resistive index in patients with true resistant hypertension: results from the RESIST-POL study. <i>Kardiologia Polska</i> , 2016, 74, 142-150.  | 0.3 | 13        |
| 3750 | Assessment of diet in chronic kidney disease female predialysis patients. <i>Annals of Agricultural and Environmental Medicine</i> , 2014, 21, 829-834.  | 0.5 | 10        |
| 3751 | Predictive Factors of Major Lower Extremity Amputations in Diabetic Foot Infections: A Cross-sectional Study at District Hospital in Malaysia. <i>Malaysian Orthopaedic Journal</i> , 2019, 13, 45-52.   | 0.2 | 11        |
| 3752 | Uncontrolled hypertension among patients managed in primary healthcare facilities in Kinshasa, Democratic Republic of the Congo. <i>Cardiovascular Journal of Africa</i> , 2016, 27, 361-366.  | 0.2 | 14        |
| 3753 | Glomerular Volume and Clinicopathologic Features Related to Disease Severity in Renal Biopsies of African Americans and Whites in the Southeastern United States. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 1665-1672.   | 1.2 | 20        |
| 3754 | Evaluation of metabolic syndrome and associations with inflammation and graft function in renal transplant recipients. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2013, 35, 299-307.  | 0.4 | 4         |
| 3755 | Assessment of kidney function in the elderly: a population-based study. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2014, 36, 297-303.   | 0.4 | 12        |
| 3757 | Does Evidence Support Renin-Angiotensin System Blockade for Slowing Nephropathy Progression in Elderly Persons?. <i>Annals of Internal Medicine</i> , 2009, 150, 731.  | 2.0 | 20        |
| 3758 | Estimating equations for glomerular filtration rate in the era of creatinine standardization: a systematic review. <i>Annals of Internal Medicine</i> , 2012, 156, 785-95.   | 2.0 | 221       |
| 3759 | Elevated serum osteoprotegerin may predict peripheral arterial disease after kidney transplantation: a single-center prospective cross-sectional study in Taiwan. <i>PeerJ</i> , 2017, 5, e3847.   | 0.9 | 7         |
| 3760 | Glycaemic control in type 2 diabetic patients with chronic kidney disease: the impacts on enzymatic antioxidants and soluble RAGE. <i>PeerJ</i> , 2018, 6, e4421.  | 0.9 | 9         |
| 3761 | Urinary Angiotensinogen as a Potential Biomarker of Intrarenal Renin-angiotensin System Activity in Chinese Chronic Kidney Disease Patients. <i>West Indian Medical Journal</i> , 2014, 63, 436-42.  | 0.4 | 3         |
| 3762 | Upper Reference Limits of High-Sensitivity Cardiac Troponin T in a General Population: Comparison with those of Sensitive Cardiac Troponin I. <i>Clinical Laboratory</i> , 2013, 59, 333-6.  | 0.2 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3763 | Retrospective Comparison of Estimated GFR using 2006 MDRD, 2009 CKD-EPI and Cockcroft-Gault with 24 Hour Urine Creatinine Clearance. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, BC09-BC12.                                    | 0.8 | 16        |
| 3764 | Prevalence of Non Alcoholic Fatty Liver Disease and its Association with Diabetic Nephropathy in Patients with Type 2 Diabetes Mellitus. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, OC04-OC07.                                | 0.8 | 10        |
| 3765 | History of proliferative glomerulonephritis predicts end stage kidney disease in pure membranous lupus nephritis. <i>Rheumatology</i> , 2022, 61, 2483-2493.   | 0.9 | 4         |
| 3766 | Drawing clinical pictures of heart failure with high mortality risk. <i>Informatics in Medicine Unlocked</i> , 2021, 26, 100752.   | 1.9 | 5         |
| 3767 | Declined eGFR Associated With Poor Prognosis in COVID-19 Patients in Wuhan, China: A Retrospective Cohort Study. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4 | 0         |
| 3768 | Colistin nephrotoxicity-age and baseline kidney functions hold the key. <i>Indian Journal of Nephrology</i> , 2021, 31, 449.   | 0.2 | 8         |
| 3769 | Better health-related quality of life in kidney transplant patients compared to chronic kidney disease patients with similar renal function. <i>PLoS ONE</i> , 2021, 16, e0257981.   | 1.1 | 6         |
| 3770 | The Effect of Whole Blood Viscosity on Contrast Induced Nephropathy Development in Patients Undergoing Percutaneous Coronary Intervention. <i>Postgraduate Medicine</i> , 2021, , 1-7.   | 0.9 | 0         |
| 3771 | Evaluating prediction methods for glomerular filtration to optimise drug doses in obese and nonobese patients. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 2973-2981.  | 1.1 | 6         |
| 3772 | Glycemic efficacy and safety of the SGLT2 inhibitor ertugliflozin in patients with type 2 diabetes and stage 3 chronic kidney disease: an analysis from the VERTIS CV randomized trial. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002484. | 1.2 | 14        |
| 3773 | Effects of Renal Impairment on the Pharmacokinetics of Abrocitinib and Its Metabolites. <i>Journal of Clinical Pharmacology</i> , 2022, 62, 505-519.   | 1.0 | 13        |
| 3774 | Elevated Terminal C5b-9 Complement Complex 10 Weeks Post Kidney Transplantation Was Associated With Reduced Long-Term Patient and Kidney Graft Survival. <i>Frontiers in Immunology</i> , 2021, 12, 738927.  | 2.2 | 4         |
| 3775 | The Effect of Recombinant Human TSH on Sclerostin and Other Selected Bone Markers in Patients after Total Thyroidectomy for Differentiated Thyroid Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4905.                                       | 1.0 | 1         |
| 3776 | Incidence Rate and Time to Occurrence of Renal Impairment and Chronic Kidney Disease among Thai HIV-infected Adults with Tenofovir Disoproxil Fumarate Use. <i>Open AIDS Journal</i> , 2021, 15, 73-80.  | 0.1 | 0         |
| 3777 | Using a Constraint-Based Method to Identify Chronic Disease Patients Who Are Apt to Obtain Care Mostly Within a Given Health Care System: Retrospective Cohort Study. <i>JMIR Formative Research</i> , 2021, 5, e26314.                                | 0.7 | 2         |
| 3778 | Accuracy of the methods used to estimate glomerular filtration rate compared to 24-hour urinary creatinine clearance in patients with chronic spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2021, , 1-6.                                | 0.7 | 0         |
| 3779 | Acute Kidney Injury in the Outpatient Setting: Developing and Validating a Risk Prediction Model. <i>Kidney Medicine</i> , 2022, 4, 100376.  | 1.0 | 2         |
| 3780 | External Validation of Risk Prediction Models to Improve Selection of Patients for Carotid Endarterectomy. <i>Stroke</i> , 2022, 53, 87-99.  | 1.0 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3781 | Impact of chronic kidney disease on long-term outcomes for coronary in-stent restenosis after drug-coated balloon angioplasty. <i>Journal of Cardiology</i> , 2021, 78, 564-570.  | 0.8 | 2         |
| 3782 | What's new in the other general journals. <i>BMJ: British Medical Journal</i> , 2006, 333, 437-438.   | 2.4 | 0         |
| 3783 | What's new in the other general journals. <i>BMJ: British Medical Journal</i> , 2006, 333, 542-543.   | 2.4 | 0         |
| 3784 | Contrast Medium-Induced Nephropathy: A More Practical Approach to Prevention?. <i>Libyan Journal of Medicine</i> , 2007, 2, 159-160.  | 0.8 | 0         |
| 3785 | Contrast Medium-induced Nephropathy. Aspects on Incidence, Consequences, Risk Factors, and Prevention. <i>Libyan Journal of Medicine</i> , 2007, 2, 1118-124.   | 0.8 | 3         |
| 3786 | è...Žæ ©ÿèf1/2æœæÿ»æ³•ã«é—çã™ã,æ—°ã—ã,è ©±é¡CE â€•ã,ãfCEãfãf³ã,ãfãã,çãf ©ãf³ã,1ã•GFRæŽ“ç®—ã¼â€•. <i>Japanese Journal of</i>   |     |           |
| 3787 | Prescribing for older people. <i>BMJ, The</i> , 2007, 335, 0710372.   | 3.0 | 1         |
| 3790 | Gastrointestinal Problems in Acute Renal Failure. , 2009, , 390-395.  |     | 0         |
| 3791 | CKDì¼^æ...çæ€šè...Žè†“ç—...ì¼%ã³¼ç—ã®æ—°ãŸã±•é—æ€•ç—53ãžæ—Ÿæœ—éœæžãCE»ã¼ã¼šç%ã¹ãŸè—æ¼•ã,ã,Šã€ Nihon To  |     |           |
| 3792 | Renal Disease in the Tropics. , 2009, , 235-258.  |     | 0         |
| 3793 | Effects of percutaneous transhepatic biliary drainage on renal function in patients with obstructive jaundice. <i>Diagnostic and Interventional Radiology</i> , 2010, 17, 74-9.   | 0.7 | 2         |
| 3795 | Diabetes and Chronic Kidney Disease. , 2010, , 135-160.   |     | 0         |
| 3796 | Special Populations: Renal Impairment. , 2011, , 55-61.   |     | 0         |
| 3797 | CKD management: through public health activities-from Kidney Early Evaluation Program (KEEP) to global collaboration. <i>Nihon Toseki Igakkai Zasshi</i> , 2011, 44, 109-121.   | 0.2 | 0         |
| 3798 | Study on Optimal Dosage of Anti-methicillin-resistant Staphylococcus aureus Agents Based on Pharmacokinetics and Pharmacodynamics. <i>Iryo Yakugaku (Japanese Journal of Pharmaceutical Health)</i> Tj ETQq0 0 00gBT /Overlock 10 Tf                              |     |           |
| 3799 | Automated Reporting of Estimated Glomerular Filtration Rate: A Comparison of Creatinine Clearance, Modification of Diet in Renal Disease and Cockcroft Gault Equations from Pakistan. <i>British Journal of Medicine and Medical Research</i> , 2011, 1, 445-458. | 0.2 | 0         |
| 3800 | The Modern Cardiac Care Unit. , 2011, , 405-416.  |     | 0         |
| 3804 | Dietary Approaches to Kidney Diseases. , 2011, , 2170-2204.   |     | 3         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3805 | Validity of Amino Terminal pro-Brain Natriuretic Peptide in a Medically Complex Elderly Population. Journal of Clinical Medicine Research, 2011, 3, 156-63.                                  | 0.6 | 2         |
| 3806 | A Retrospective Analysis of Five Year Data of End-Stage Renal Disease Patients: A Single Center Experience. Turkish Nephrology, Dialysis and Transplantation Journal, 2011, 20, 156-162.     | 0.0 | 0         |
| 3807 | Aggressive versus Low Dose Inhibition of the Renin-Angiotensin System for the Treatment of Microalbuminuria in Type 2 Diabetic Patients: A Pilot Study. Isrn Endocrinology, 2011, 2011, 1-6. | 2.0 | 1         |
| 3808 | Renal Dysfunction in Liver Transplant Candidates: Evaluation, Classification and Management in Contemporary Practice. Journal of Nephrology & Therapeutics, 2012, 01, .                      | 0.1 | 2         |
| 3809 | Pharmacologie et personnes Ã©gÃ©es. RÃ©fÃ©rences En RÃ©animation, 2012, , 165-179.   | 0.0 | 0         |
| 3811 | Renal Responses to a Series of Handball Games Played in Sub-Saharan Environment by Amateur Division 1 of Female Players. Advances in Physical Education, 2012, 02, 103-109.                  | 0.2 | 0         |
| 3813 | A Stepped Care Approach to the Management of Chronic Kidney Disease. , 2012, , 2205-2239.  |     | 1         |
| 3814 | Etiology, Pathogenesis, and Management of Renal Failure. , 2012, , 1193-1225.e6.   |     | 1         |
| 3815 | Renal Dysfunction and Liver Transplantation. , 0, , .  |     | 0         |
| 3816 | Arterial Hypertension and Renal Disease. , 0, , .  |     | 0         |
| 3817 | Renal Function in Elderly and in Relationship with Management of Genitourinary Tumors. , 2013, , 51-62.  |     | 0         |
| 3818 | Acute Kidney Injury Is a Chronic Disease that Requires Long-Term Follow-up. , 2013, , 723-737.   |     | 0         |
| 3819 | Estimated Glomerular Filtration Rate in Determining Aminoglycoside Dosing. General Medicine (Los) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5  | 0.2 | 0         |
| 3820 | Measurement of Renal Function. Studies in Computational Intelligence, 2013, , 45-98.   | 0.7 | 0         |
| 3821 | Impairment of Kidney Function among US Hispanics on Tenofovir. Journal of Pharmacovigilance, 2013, 01, .   | 0.2 | 0         |
| 3822 | Rationale for Partial Nephrectomy. , 2013, , 179-200.  |     | 0         |
| 3823 | Relationship between Nocturnal Blood Pressure and Left Ventricular Hypertrophy in Hypertensive Patients. Journal of Hypertension: Open Access, 2013, 03, .                                   | 0.2 | 0         |
| 3824 | Modeling Algorithm of Estimation of Renal Function by the Cockcroft and Mdrd Formulas. Healthcare Informatics: an International Journal, 2013, 2, 1-7.                                       | 0.8 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3825 | Chronic Kidney Disease and Cardiovascular Risk. Oxidative Stress in Applied Basic Research and Clinical Practice, 2014, , 49-61.   | 0.4 | 0         |
| 3826 | Clinical Assessment of a Patient with Chronic Kidney Disease. , 2014, , 15-28.   |     | 2         |
| 3827 | Assessment of Renal Function and Predictive Performances of GFR Estimating Equations among Nigerian Diabetic Patients. British Journal of Medicine and Medical Research, 2014, 4, 4259-4271.   | 0.2 | 0         |
| 3828 | Medication Use and Polypharmacy in Older Adults. , 2014, , 55-71.  |     | 0         |
| 3829 | Regional differences among female patients with heart failure from the Cardiac Insufficiency Bisoprolol Study in ELDERly (CIBIS-ELD). Cardiology Journal, 2014, 21, 265-272.   | 0.5 | 1         |
| 3830 | INKSTÄ <sup>2</sup> PAÄ <sup>1/2</sup> EIDIMO PAPTITIMAS NACIONALINÄ–JE PATIKROS PROGRAMOJE TARP SUAUGUSIÄ <sup>2</sup> VIDUTINIO AMÄ <sup>1/2</sup> IAUS ASMENÄ <sup>2</sup> , TURINÄCEIÄ <sup>2</sup> DIDELÄ <sup>1</sup> KARDIOVASKULINÄ <sup>1</sup> RIZIKÄ,,. Medicinos Teorija Ir Praktika, 2014, 20, 231-238. | 0.0 | 0         |
| 3831 | Early Phase Metabolic Research with Reference to Special Populations. , 2015, , 225-242.   |     | 1         |
| 3832 | Effect of Primary Percutaneous Coronary Intervention on Renal Function in Acute ST Elevation Myocardial Infarction.. International Journal of Cardiovascular Research, 2015, 04, .   | 0.1 | 0         |
| 3833 | Hepcidin Level and Iron Parameters in Patients with Chronic Kidney Disease. Laboratory Medicine Online, 2015, 5, 149.  | 0.0 | 0         |
| 3834 | Survey on the Usage of the Calvert Formula to Calculate AUC-based Carboplatin Dosing in Japan. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2015, 41, 759-767.   | 0.0 | 3         |
| 3835 | Association between Albumin Creatinine Ratio and e-GFR in Type 2 Diabetes Mellitus Patients in Oredo Local Government Area, Benin City, South-South Nigeria. International Journal of Tropical Disease & Health, 2015, 6, 94-101.  | 0.1 | 0         |
| 3836 | Kidney function estimate among subjects aged 18-59 years in Tubarãõ, Santa Catarina: A population-based study. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 185-91.   | 0.4 | 2         |
| 3837 | Adipocyte fatty acid binding protein levels in patients with coronary artery disease and its relationship to alternative biomarkers. Kardiologia Polska, 2015, 73, 94-100.   | 0.3 | 1         |
| 3838 | Differential impact on acute kidney injury incidence between on- and off pump coronary artery bypass grafting in octogenarians. Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia, 2015, 159, 449-454.   | 0.2 | 2         |
| 3839 | Trends for beta-blockers use in a large cohort of Polish hypertensive patients â€” Pol-Fokus Study. Arterial Hypertension, 2015, 19, 120-128.  | 0.2 | 0         |
| 3840 | Preliminary Study of Biochemical Role of Serum Fetuin-A Level and its Gene Polymorphism in Diabetic Patients with Microalbuminuria. Journal of Diabetes, Metabolic Disorders & Control, 2015, 2, .   | 0.2 | 1         |
| 3841 | Serum leptin concentration in patients with type 2 diabetes. Current Issues in Pharmacy and Medical Sciences, 2015, 28, 236-240.   | 0.1 | 1         |
| 3843 | Assessment of Renal Function among HIV-Infected Patients on Combination Antiretroviral Therapy at Tikur Anbessa Specialized Hospital, Addis Ababa, Ethiopia. Technology and Investment, 2016, 07, 107-122.   | 0.4 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3844 | Obesity and Renal Prognosis (Assessed by Albuminuria and eGFR) in Type 2 Diabetics in Kinshasa. International Journal of Diabetology & Vascular Disease Research, 0, , 140-145.                                 | 0.2 | 0         |
| 3845 | Prevalence of Pulmonary Hypertension in Patients with Early Stages of Chronic Renal Disease. Medical Science and Discovery, 2016, 3, 178.   | 0.1 | 0         |
| 3846 | Association of the receptor for advanced glycation end-products (RAGE) gene polymorphisms in Malaysian patients with chronic kidney disease. PeerJ, 2016, 4, e1908.   | 0.9 | 3         |
| 3847 | Characteristics of Registered Diabetics in Dhank Province in the Sultanate of Oman. Oman Medical Journal, 2016, 31, 205-210.  | 0.3 | 0         |
| 3848 | Screening of Renal Function in Patients with Chronic Kidney Disease. IOSR Journal of Dental and Medical Sciences, 2016, 15, 09-19.  | 0.0 | 0         |
| 3849 | Cardiovascular disease: Risk factors and applicability of a risk model in a Greek cohort of renal transplant recipients. World Journal of Transplantation, 2017, 7, 49.   | 0.6 | 0         |
| 3850 | PROBLEM OF THE ASSESMENT OF GLOMERULAR FILTRATION RATE IN OBESITY. Nephrology (Saint-Petersburg), 2017, 21, 20-23.  | 0.1 | 5         |
| 3851 | Predictive Value of Estimated Glomerular Filtration Rate for the Prognosis of Elderly Patients With Acute Myocardial Infarction. Annals of Geriatric Medicine and Research, 2017, 21, 10-16.                    | 0.7 | 0         |
| 3852 | Renoprotective Effects of Trigonella foenum and Cinnamon on Type 2 Diabetic Rats. Avicenna Journal of Medical Biochemistry, 2017, 5, 17-21.   | 0.5 | 2         |
| 3854 | Screening for chronic kidney disease in Belgrade primary health care centers. , 2018, 9, 151-160.   | 0.0 | 1         |
| 3855 | Comparison of the Kidney Injury Risk Tool to the Clinical Assessment of Contrast Induced Nephropathy Risk. Journal of Kidney, 2018, 04, .   | 0.1 | 0         |
| 3856 | Short and Long Term Mortality Predictors in Octogenarians with Acute Coronary Syndromes. Clinical and Investigative Medicine, 2018, 41, E43-E50.  | 0.3 | 1         |
| 3857 | Influence of Various Living Donor Kidney Measurements in Relation to Recipient Body Measurements on Posttransplant Allograft Functional Outcomes. Experimental and Clinical Transplantation, 2018, 16, 266-273. | 0.2 | 0         |
| 3861 | A Review on Associated Diseases, Diagnosis, Treatment and Management of Type 2 Diabetes Mellitus. Global Journal of Obesity, Diabetes and Metabolic Syndrome, 0, , 022-025.                                     | 0.2 | 0         |
| 3863 | Importance of Assessing Compliance with Conservative Treatment of Primary Hyperoxaluria Type 1: A Case Report of a Patient with I244T/c.969-3C>G Mutation. , 2019, 24, .  |     | 3         |
| 3864 | A Pilot Study of Prediction of Creatinine Clearance by Ellipsoid Volumetry of Kidney Using Noncontrast Computed Tomography. JMA Journal, 2019, 2, 60-66.  | 0.6 | 2         |
| 3865 | Early Phase Metabolic Research with Reference to Special Populations. , 2019, , 517-538.  |     | 0         |
| 3866 | Factors Related to Blood Intact Incretin Levels in Patients with Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2019, 43, 495.  | 1.8 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3868 | Relationship between neutrophil gelatinase-associated lipocalin, cardiac biomarkers, inflammation index and renal parameters in cardiovascular disease. Archives of Biological Sciences, 2019, 71, 621-628.  | 0.2 | 1         |
| 3869 | Noncardiac co-occurring morbidities in elderly patients with heart failure. Nigerian Journal of Cardiology, 2019, 16, 72.  | 0.2 | 0         |
| 3870 | Laboratory Investigation of the Kidney. , 2019, , 61-70.   |     | 0         |
| 3871 | Principles of Drug Therapy in Reduced Kidney Function. , 2019, , 211-218.  |     | 0         |
| 3873 | LEFT VENTRICULAR HYPERTROPHY IN CHRONIC KIDNEY DISEASE IN SULAIMANI CITY. Journal of Sulaimani Medical College, 2019, 9, 97-109.   | 0.0 | 1         |
| 3876 | Kinetics of Serum Carnitine Fractions in Patients with Chronic Kidney Disease Not on Dialysis. Kurume Medical Journal, 2019, 66, 153-160.  | 0.0 | 2         |
| 3877 | Lifestyle changes counseling reduces central blood pressure in pre-hypertensive individuals: an intervention study. Revista De Educa o F sica / Journal of Physical Education, 2019, 88, .   | 0.2 | 0         |
| 3879 | Rationale for Partial Nephrectomy, Current Practice Patterns. , 2020, , 159-184.   |     | 0         |
| 3880 | In-hospital screening for diabetes mellitus with HbA1c in an internal medicine department was not useful; a prospective pilot study. Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne, 2019, 57, 315-321.                                      | 0.3 | 2         |
| 3881 | Current Status of Estimated Glomerular Filtration Rate Reporting in Korea. Journal of Laboratory Medicine and Quality Assurance, 2019, 41, 201-206.  | 0.1 | 3         |
| 3882 | Cutaneous Biophysical Parameters in Different Stages of Chronic Kidney Disease and the Relationship with Water Content and Severity of Pruritus. Journal of Skin and Stem Cell, 2020, 6, .   | 0.1 | 0         |
| 3884 | Type of Anemia, Chronic Non-cardiovascular Illnesses, and Outcomes of Patients with ST-segment Elevation Myocardial Infarction. Rambam Maimonides Medical Journal, 2020, 11, e0011.  | 0.4 | 2         |
| 3886 | EVALUATION OF THE RELATIONSHIP BETWEEN NEUTROPHIL TO LYMPHOCYTE RATIO AND RENAL OUTCOMES PATIENTS WITH CHRONIC RENAL DISEASE. Journal of Contemporary Medicine, 0, , .   | 0.1 | 0         |
| 3887 | Effectiveness and safety of an institutional aminoglycoside-based regimen as empirical treatment of patients with pyelonephritis. Journal of Antimicrobial Chemotherapy, 2020, 75, 2307-2313.  | 1.3 | 5         |
| 3888 | Evaluation of the usefulness of EQ-5D as a patient-reported outcome measure using the Paretian classification of health change among patients with chronic heart failure. Journal of Patient-Reported Outcomes, 2020, 4, 50.   | 0.9 | 8         |
| 3889 | Clinical Course of Kidney Donors in the Long Term after Transplant: A Single-Center Experience. Turkish Journal of Nephrology, 2020, 29, 226-231.  | 0.1 | 0         |
| 3890 | Two-Dimensional and Three-Dimensional Transthoracic Echocardiography as Predictive and Prognostic Indicators of All-Cause Mortality in Heart Failure with Reduced Ejection Fraction in Patients with Ischemic Heart Disease. Medical Science Monitor, 2020, 26, e922129. | 0.5 | 1         |
| 3891 | The The Circulating Visfatin Level Relation to the Severity of Chronic Kidney Disease. Open Access Macedonian Journal of Medical Sciences, 2020, 8, 969-972.   | 0.1 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3894 | A meta-analysis of the cumulative incidence, risk factors, and clinical outcomes associated with chronic kidney disease after liver transplantation. <i>Transplant International</i> , 2021, 34, 2524-2533.                                  | 0.8 | 6         |
| 3895 | Dynamic prediction of renal survival among deeply phenotyped kidney transplant recipients using artificial intelligence: an observational, international, multicohort study. <i>The Lancet Digital Health</i> , 2021, 3, e795-e805.          | 5.9 | 25        |
| 3896 | Glycemic Control and Risk of Sepsis and Subsequent Mortality in Type 2 Diabetes. <i>Diabetes Care</i> , 2022, 45, 127-133.   | 4.3 | 7         |
| 3897 | Tubular Cell Glucose Metabolism Shift During Acute and Chronic Injuries. <i>Frontiers in Medicine</i> , 2021, 8, 742072.   | 1.2 | 25        |
| 3898 | Assessing long-term survival and hospitalization following transvenous lead extraction in patients with cardiac resynchronization therapy devices: A propensity score-matched analysis. <i>Heart Rhythm</i> O2, 2021, 2, 597-606.            | 0.6 | 1         |
| 3899 | Long-Term Effects of Metreleptin in Rabson-Mendenhall Syndrome on Glycemia, Growth, and Kidney Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1032-e1046.   | 1.8 | 5         |
| 3900 | Progressive decline of function in renal allografts with normal one year biopsies: Gene expression studies fail to identify a classifier. <i>Clinical Transplantation</i> , 2021, , e14456.  | 0.8 | 0         |
| 3901 | Women and other risk factors for chronic kidney disease of unknown etiology in Thailand: National Health Examination V Survey. <i>Scientific Reports</i> , 2021, 11, 21366.  | 1.6 | 6         |
| 3902 | Renal Function Evaluation in Tropical Diseases. , 2020, , 17-26.   |     | 0         |
| 3903 | Long-term Renal Outcome of Biopsy-proven Acute Tubular Necrosis and Acute Interstitial Nephritis. <i>Journal of Korean Medical Science</i> , 2020, 35, e206.   | 1.1 | 5         |
| 3904 | Can distinction between the renal cortex and outer medulla on ultrasonography predict estimated glomerular filtration rate in canine chronic kidney diseases?. <i>Journal of Veterinary Science</i> , 2020, 21, e58.                         | 0.5 | 0         |
| 3905 | Prognostic Value of Estimated Glomerular Filtration Rate 3-6 Months after Percutaneous Coronary Intervention. <i>CardioRenal Medicine</i> , 2021, 11, 1-9.   | 0.7 | 0         |
| 3906 | Sleeve gastrectomy enables simultaneous pancreas and kidney transplantation in severely obese recipients. <i>Clinical Transplantation</i> , 2021, 35, e14197.  | 0.8 | 2         |
| 3907 | INSIGHT INTO THE POTENTIAL INFLUENCE OF INTER- AND INTRA-INDIVIDUAL VARIABILITY OF TACROLIMUS EXPOSURE ON GRAFT FUNCTION DECLINE IN THREE-YEAR PERIOD FOLLOWING KIDNEY TRANSPLANTATION. <i>Farmacia</i> , 2020, 68, 1036-1046.               | 0.1 | 2         |
| 3908 | Comparison of Prognostic Value Among 4 Risk Scores in Patients with Acute Coronary Syndrome: Findings from the Improving Care for Cardiovascular Disease in China-ACS (CCC-ACS) Project. <i>Medical Science Monitor</i> , 2021, 27, e928863. | 0.5 | 3         |
| 3909 | Associations between physical activity and trimethylamine N-oxide in those at risk of type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001359.  | 1.2 | 11        |
| 3910 | Comparison of Equations To Estimate Glomerular Filtration Rate and Their Impact on Frequency of Cisplatin-associated Acute Kidney Injury. <i>Kidney360</i> , 2021, 2, 205-214.   | 0.9 | 4         |
| 3911 | Concomitant Drug Treatment and Elimination in the RCC-affected Kidneys: Can We Kill Two Birds with One Stone?. <i>Current Drug Metabolism</i> , 2020, 21, 1009-1021.   | 0.7 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3912 | Analysis of Target Achievement of Low-Density Lipoprotein Cholesterol according to Age after Statin Prescription. Korean Journal of Clinical Geriatrics, 2020, 21, 81-87.   | 0.3 | 1         |
| 3913 | Application of MR diffusion imaging for non-invasive assessment of acute kidney injury after lung transplantation. Medicine (United States), 2020, 99, e22445.  | 0.4 | 5         |
| 3914 | Serum albumin measurement in nephrology: room for improvement. Nephrology Dialysis Transplantation, 2020, , .   | 0.4 | 3         |
| 3915 | New trimester-specific reference intervals for clinical biochemical tests in Taiwanese pregnant women-cohort of TMICS. PLoS ONE, 2020, 15, e0243761.  | 1.1 | 2         |
| 3917 | Cumulative fluid balance and mortality in elderly patients with acute kidney injury requiring continuous renal-replacement therapy: a multicenter prospective cohort study. Kidney Research and Clinical Practice, 2020, 39, 414-425. | 0.9 | 5         |
| 3918 | Introduction to clinical pharmacology. , 2022, , 1-10.  |     | 0         |
| 3919 | Circulating sTWEAK Levels and Diabetic Nephropathy in Type 2 Diabetic Patients. Suez Canal University Medical Journal, 2019, 22, 146-156.   | 0.0 | 0         |
| 3920 | The impact of renal function on the prognostic value of N-terminal pro-B-type natriuretic peptide in patients with coronary artery disease. Cardiology Journal, 2020, 26, 696-703.  | 0.5 | 1         |
| 3921 | Contrast Induced Nephropathy and 2-Year Outcomes of Iso-Osmolar Compared with Low-Osmolar Contrast Media after Elective Percutaneous Coronary Intervention. Korean Circulation Journal, 2020, 51, 174.                                | 0.7 | 9         |
| 3922 | Diabetes and Metabolism. , 2020, , 97-106.  |     | 0         |
| 3923 | Estimated glomerular filtration rate and drug dose adjustment in patients in an intensive care unit in Brazil. Brazilian Journal of Pharmaceutical Sciences, 0, 56, .   | 1.2 | 0         |
| 3924 | Changes in thiol/disulfide homeostasis in patients with chronic kidney disease. Medicine Science, 2020, 9, 201.   | 0.0 | 3         |
| 3925 | Prevalence and Determinants of Kidney Markers among Subjects with Hepatitis C Virus Infection. Open Journal of Nephrology, 2020, 10, 85-101.  | 0.0 | 0         |
| 3926 | Cancer et fonction rénale. , 2020, , 109-114.e3.  |     | 0         |
| 3927 | The practicality of different eGFR equations in centenarians and near-centenarians: which equation should we choose?. PeerJ, 2020, 8, e8636.  | 0.9 | 4         |
| 3928 | The Medical Students's Perspective of Health Disparities and a Race-Based Curriculum: Addressing Disparities in Medical Education. Journal of Applied Laboratory Medicine, The, 2021, 6, 307-309.                                     | 0.6 | 2         |
| 3929 | The Mystery of Low Phosphate: Marijuana is the Smoking Gun. Cureus, 2020, 12, e7392.  | 0.2 | 1         |
| 3930 | Intrarenal arteriosclerosis and telomere attrition associate with dysregulation of the cholesterol pathway. Aging, 2020, 12, 7830-7847.   | 1.4 | 0         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3932 | Impact of glomerular filtration rate estimation on cardiovascular events in elderly patients undergoing coronary angiography. <i>Coronary Artery Disease</i> , 2021, Publish Ahead of Print, .  | 0.3 | 0         |
| 3933 | Anticoagulant rodenticide ingestion: Who will develop coagulopathy?. <i>Hong Kong Journal of Emergency Medicine</i> , 2023, 30, 87-95.  | 0.4 | 2         |
| 3934 | Health inequities and the inappropriate use of race in nephrology. <i>Nature Reviews Nephrology</i> , 2022, 18, 84-94.  | 4.1 | 64        |
| 3935 | Should Estimated Glomerular Filtration Rate Be Adjusted for Race?. <i>Clinical Pharmacology in Drug Development</i> , 2021, 10, 1254-1262.  | 0.8 | 1         |
| 3936 | Total renal volume and renal function after radical nephrectomy in renal neoplasm. <i>Nefrologia</i> , 2021, 41, 446-452.   | 0.2 | 0         |
| 3937 | Sex differences in the association between nonalcoholic fatty liver disease and Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 93, 19-26.   | 1.1 | 8         |
| 3938 | Clinical characteristics and short-term outcome of dialysis-requiring acute kidney injury in critically ill patients. <i>Journal of Surgery and Medicine</i> , 2020, 4, 558-561.  | 0.0 | 1         |
| 3939 | Serum Uric Acid Level and Cardiovascular Disease Development Risk in Stage 3-5 Chronic Kidney Disease Patients. <i>Duzce Universitesi Tip Fakültesi Dergisi</i> , 0, , .  | 0.3 | 1         |
| 3940 | Colistimethate sodium and acute kidney injury: Incidence, risk factors, outcome and prognosis of renal function. <i>Nefrologia</i> , 2020, 40, 647-654.   | 0.2 | 0         |
| 3941 | Secondary hyperparathyroidism is associated with postpartum blood pressure in preeclamptic women and normal pregnancies. <i>Journal of Hypertension</i> , 2021, 39, 563-572.  | 0.3 | 1         |
| 3942 | Cystatin C--a paradigm of evidence based laboratory medicine. <i>Clinical Biochemist Reviews</i> , 2008, 29, 47-62.   | 3.3 | 73        |
| 3945 | Diabetic nephropathy and chronic kidney disease at a busy diabetes clinic: a study of outpatient care and suggestions for improved care pathways at a subspecialty specialist diabetic renal clinic. <i>Ulster Medical Journal</i> , 2010, 79, 57-61.                       | 0.2 | 1         |
| 3947 | Point-of-Care Testing and Creatinine Measurement. <i>Clinical Biochemist Reviews</i> , 2011, 32, 109-14.  | 3.3 | 52        |
| 3948 | Controversies in chronic kidney disease staging. <i>Clinical Biochemist Reviews</i> , 2011, 32, 55-9.   | 3.3 | 17        |
| 3949 | Methods of Estimating GFR - Different Equations Including CKD-EPI. <i>Clinical Biochemist Reviews</i> , 2011, 32, 75-9.   | 3.3 | 97        |
| 3950 | Uncertainty of Measurement: A Review of the Rules for Calculating Uncertainty Components through Functional Relationships. <i>Clinical Biochemist Reviews</i> , 2012, 33, 49-75.  | 3.3 | 135       |
| 3952 | Ethnic differences in the development of albuminuria: the DISTANCE study. <i>American Journal of Managed Care</i> , 2011, 17, 737-45.   | 0.8 | 11        |
| 3953 | Uncertainty in measurement: a review of monte carlo simulation using microsoft excel for the calculation of uncertainties through functional relationships, including uncertainties in empirically derived constants. <i>Clinical Biochemist Reviews</i> , 2014, 35, 37-61. | 3.3 | 62        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3954 | Comparison between Three Different Equations for the Estimation of Glomerular Filtration Rate in Omani Patients with Type 2 Diabetes Mellitus. Sultan Qaboos University Medical Journal, 2014, 14, e197-203.                                       | 0.3 | 4         |
| 3956 | Prevalence of hypertension and associated risk factors in six Nicaraguan communities. Ethnicity and Disease, 2012, 22, 129-35.   | 1.0 | 3         |
| 3957 | The Chronic Kidney Disease Epidemiology Collaboration equation improves the detection of hyperfiltration in Chinese diabetic patients. International Journal of Clinical and Experimental Medicine, 2015, 8, 22084-97.                             | 1.3 | 10        |
| 3958 | Vitamin D (25(OH)D) in patients with chronic kidney disease stages 2-5. Colombia Medica, 2016, 47, 160-166.  | 0.7 | 8         |
| 3960 | Can thrombectomy and catheters used increase angiographically visible distal embolization in ST elevation myocardial infarction?. Archives of Medical Sciences Atherosclerotic Diseases, 2016, 1, e139-e144.                                       | 0.5 | 1         |
| 3961 | Impact of chronic kidney disease on mortality in older adults treated with pacemaker implantation. Journal of Geriatric Cardiology, 2017, 14, 597-603.   | 0.2 | 2         |
| 3962 | Cystatin C is Indispensable for Evaluation of Kidney Disease. Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine, 2017, 28, 268-276.   | 0.7 | 26        |
| 3963 | Novel Filtration Markers for GFR Estimation. Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine, 2017, 28, 277-288.  | 0.7 | 10        |
| 3964 | The importance of early identification of chronic kidney disease. Missouri Medicine, 2011, 108, 25-8.  | 0.3 | 8         |
| 3965 | Muscle Cramps Do Not Improve With Correction of Vitamin D Insufficiency. Wisconsin Medical Journal, 2017, 116, 200-204.  | 0.3 | 2         |
| 3966 | Long-term safety of Gadofosveset in clinical practice. Magnetic Resonance Imaging, 2022, 86, 70-73.  | 1.0 | 2         |
| 3967 | Finerenone Dose-Exposure-Response for the Primary Kidney Outcome in FIDELIO-DKD Phase III: Population Pharmacokinetic and Time-to-Event Analysis. Clinical Pharmacokinetics, 2022, 61, 439-450.  | 1.6 | 11        |
| 3968 | Association between Long Working Hours and Chronic Kidney Disease according to Diabetic Status. Journal of Occupational and Environmental Medicine, 2021, Publish Ahead of Print, .  | 0.9 | 1         |
| 3969 | Albumin-Bilirubin Score for Prediction of Outcomes in Heart Failure Patients Treated with Cardiac Resynchronization Therapy. Journal of Clinical Medicine, 2021, 10, 5378.   | 1.0 | 6         |
| 3970 | The dietary intake of chronic kidney disease according to stages: Findings from the Korean National Health and Nutritional Examination Survey. PLoS ONE, 2021, 16, e0260242.   | 1.1 | 1         |
| 3971 | The Glomerular Filtration Rate: From the Diagnosis of Kidney Function to a Public Health Tool. Frontiers in Medicine, 2021, 8, 769335.   | 1.2 | 8         |
| 3972 | Diameter Reduction Determined Through Carotid Ultrasound Associated With Cardiovascular and All-cause Mortality: A Single-Center Experience of 38201 Consecutive Patients in Taiwan. Journal of the American Heart Association, 2021, 10, e023689. | 1.6 | 3         |
| 3973 | The Implication of Dropping Race from the MDRD Equation to Estimate GFR in an African American-Only Cohort. International Journal of Nephrology, 2021, 2021, 1-7.  | 0.7 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3974 | Effect of the Interrelation between CYP3A5 Genotype, Concentration/Dose Ratio and Inpatient Variability of Tacrolimus on Kidney Graft Function: Monte Carlo Simulation Approach. <i>Pharmaceutics</i> , 2021, 13, 1970.  | 2.0 | 3         |
| 3975 | Evaluation and enhancement of standard equations for renal function estimation in individuals with components of metabolic disease. <i>BMC Nephrology</i> , 2021, 22, 389.   | 0.8 | 3         |
| 3976 | Kidney Dysfunction and Its Progression in Patients Hospitalized Due to COVID-19: Contribution to the Clinical Course and Outcomes. <i>Journal of Clinical Medicine</i> , 2021, 10, 5522.   | 1.0 | 8         |
| 3977 | High dose intravenous vitamin C treatment in Sepsis: associations with acute kidney injury and mortality. <i>BMC Nephrology</i> , 2021, 22, 387.   | 0.8 | 14        |
| 3978 | Renin-Angiotensin System Blockade is Associated with Exercise Capacity, Sympathetic Activity and Endothelial Function in Patients with Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2021, , .   | 0.9 | 4         |
| 3979 | Obesity Facts and Their Influence on Renal Function Across the Life Span. <i>Frontiers in Medicine</i> , 2021, 8, 704409.  | 1.2 | 9         |
| 3980 | Intra-abdominal pressure during and after cardiac surgery: a single-centre prospective cohort study. <i>Canadian Journal of Anaesthesia</i> , 2022, 69, 234-242.   | 0.7 | 5         |
| 3981 | Topical administration of tranexamic acid in elderly patients undergoing short femoral nailing for intertrochanteric fracture: A randomised controlled trial. <i>Injury</i> , 2022, 53, 603-609.   | 0.7 | 7         |
| 3982 | Emerging Insights Into Chronic Renal Disease Pathogenesis in Hypertension From Human and Animal Genomic Studies. <i>Hypertension</i> , 2021, 78, 1689-1700.  | 1.3 | 3         |
| 3983 | Risk Due to ABO Incompatibility and Donor-Recipient Weight Mismatch in Living Donor Kidney Transplantation: A National Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5674.   | 1.0 | 1         |
| 3984 | Soluble Urokinase Plasminogen Activator Receptor (suPAR) Independently Predicts Severity and Length of Hospitalisation in Patients With COVID-19. <i>Frontiers in Medicine</i> , 2021, 8, 791716.  | 1.2 | 27        |
| 3985 | National Kidney Foundation Laboratory Engagement Working Group Recommendations for Implementing the CKD-EPI 2021 Race-Free Equations for Estimated Glomerular Filtration Rate: Practical Guidance for Clinical Laboratories. <i>Clinical Chemistry</i> , 2022, 68, 511-520.                            | 1.5 | 70        |
| 3986 | Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.  | 1.2 | 1         |
| 3987 | Prognostic Significance of HbA1c Level in Asian Patients with Prediabetes and Coronary Artery Disease. <i>Cardiovascular Innovations and Applications</i> , 2022, 6, .   | 0.1 | 1         |
| 3988 | Adult Combined Heart-Liver Transplantation: The United States Experience. <i>Transplant International</i> , 2021, 35, 10036.   | 0.8 | 7         |
| 3989 | Membrane attack complex (MAC) deposition in renal tubules is associated with interstitial fibrosis and tubular atrophy: a pilot study. <i>Lupus Science and Medicine</i> , 2022, 9, e000576.   | 1.1 | 7         |
| 3990 | Comparative study of the outcomes of the second kidney transplantation from the young deceased donors versus living-unrelated donors. <i>Transplant Immunology</i> , 2022, 71, 101527.   | 0.6 | 0         |
| 3991 | Effects of resistance exercise and whey protein supplementation on skeletal muscle strength, mass, physical function, and hormonal and inflammatory biomarkers in healthy active older men: a randomised, double-blind, placebo-controlled trial. <i>Experimental Gerontology</i> , 2022, 158, 111651. | 1.2 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3992 | Renal function and clinical outcome of patients with cancer-associated venous thromboembolism randomized to receive apixaban or dalteparin. Results from the Caravaggio trial. <i>Haematologica</i> , 2022, 107, 1567-1576.   | 1.7 | 14        |
| 3993 | Serum 25-hydroxyvitamin D might be negatively associated with hyperuricemia in U.S. adults: an analysis of the National Health and Nutrition Examination Survey 2007-2014. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 719-729.  | 1.8 | 7         |
| 3994 | Predictive impacts of chronic kidney disease and cardiac sympathetic nervous activity on lethal arrhythmic events in chronic heart failure. <i>Annals of Noninvasive Electrocardiology</i> , 2022, 27, e12900.  | 0.5 | 4         |
| 3995 | Changes in glomerular filtration rate in liver recipients after reduced exposure to calcineurin inhibitors with concomitant everolimus administration within the first year after immunosuppression conversion. <i>Vestnik Transplantologii I Iskusstvennykh Organov</i> , 2022, 23, 32-41. | 0.1 | 1         |
| 3996 | A Retrospective Analysis of Creatinine-Based Kidney Function With and Without Sex Assigned at Birth Among Transgender Adults. <i>Annals of Pharmacotherapy</i> , 2022, 56, 791-799.   | 0.9 | 9         |
| 3997 | The Impact of Pre-Procedural Renal Impairment on Outcomes Following Percutaneous Coronary Intervention: An Analysis of 45,287 Patients From the British Columbia Cardiac Registry. <i>Heart Lung and Circulation</i> , 2022, 31, 647-657.   | 0.2 | 1         |
| 3998 | Exploring Renal Changes after Bariatric Surgery in Patients with Severe Obesity. <i>Journal of Clinical Medicine</i> , 2022, 11, 728.   | 1.0 | 1         |
| 3999 | HbA1c variability predicts cardiovascular complications in type 2 diabetes regardless of being at glycemic target. <i>Cardiovascular Diabetology</i> , 2022, 21, 13.  | 2.7 | 28        |
| 4000 | Urinary Retinol-Binding Protein 4 is Associated With Renal Function and Rapid Renal Function Decline in Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2022, 54, 362-366.   | 0.3 | 4         |
| 4001 | Clinical Outcomes of Liver Transplantation in Patients With Hepatorenal Syndrome: A Single Center Study in China. <i>Frontiers in Surgery</i> , 2021, 8, 781648.  | 0.6 | 4         |
| 4002 | Leptin and adiponectin in patients with chronic kidney disease and secondary hyperparathyroidism. <i>MA-Å¾narodnj Endokrinolog-Å½nj Å½urnal</i> , 2021, 17, 596-603.  | 0.1 | 0         |
| 4003 | Prognostic Value of the Pattern of Non-Adherence to Anti-Platelet Regimen in Stented Patients (PARIS) Bleeding Risk Score for Long-Term Mortality After Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2022, 63, 15-22.   | 0.5 | 0         |
| 4004 | Severe Hypoglycemia Increases Dementia Risk and Related Mortality: A Nationwide, Population-based Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1976-e1986.   | 1.8 | 19        |
| 4005 | The role of decoy receptor 3 in inflammation and atherosclerosis in patients with chronic kidney disease and renal transplant patients. <i>Nefrologia</i> , 2023, 43, 344-350.  | 0.2 | 1         |
| 4007 | Serum levels of C-Terminal Telopeptide (CTX) are Associated with Muscle Function in Community-Dwelling Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 2085-2092.  | 1.7 | 7         |
| 4008 | Daily intake of up to two eggs for 11 weeks does not affect the cholesterol balance of Chinese young adults. <i>Food Science and Nutrition</i> , 2022, 10, 1081-1092.   | 1.5 | 3         |
| 4009 | Plasma 1,5-anhydro-d-glucitol is associated with peripheral nerve function and diabetic peripheral neuropathy in patients with type 2 diabetes and mild-to-moderate hyperglycemia. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 24.  | 1.2 | 4         |
| 4010 | Left Atrial Appendage Thrombus in Patients with Nonvalvular Atrial Fibrillation before Catheter Ablation and Cardioversion: Risk Factors beyond the CHA2DS2-VASc Score. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 46.   | 0.8 | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4011 | Sex differences in chronic kidney disease prevalence in Asia: a systematic review and meta-analysis. CKJ: Clinical Kidney Journal, 2022, 15, 1144-1151.  | 1.4 | 5         |
| 4012 | Current aspects of renal dysfunction after liver transplantation. World Journal of Hepatology, 2022, 14, 45-61.  | 0.8 | 6         |
| 4013 | A prospective cross-sectional study estimated glomerular filtration rate from creatinine and cystatin C in adults with solid tumors. Kidney International, 2022, 101, 607-614.   | 2.6 | 22        |
| 4014 | Clinical application of intraoperative somatic tissue oxygen saturation for detecting postoperative early kidney dysfunction patients undergoing living donor liver transplantation: A propensity score matching analysis. PLoS ONE, 2022, 17, e0262847. | 1.1 | 1         |
| 4015 | Impact of baseline renal dysfunction on cardiac outcomes and end-stage renal disease in heart failure patients with mitral regurgitation: the COAPT trial. European Heart Journal, 2022, 43, 1639-1648.  | 1.0 | 14        |
| 4016 | Soluble Urokinase Plasminogen Activator Receptor Is Associated With Subclinical Myocardial Impairment by Speckle Tracking Echocardiography in Lung Cancer Patients. Frontiers in Cardiovascular Medicine, 2021, 8, 659524.                               | 1.1 | 2         |
| 4017 | Prognosis of hospitalized patients with cirrhosis and acute kidney disease. Liver International, 2022, , .   | 1.9 | 2         |
| 4018 | The "other"™ big complication: how chronic kidney disease impacts on cancer risks and outcomes. Nephrology Dialysis Transplantation, 2023, 38, 1071-1079.  | 0.4 | 16        |
| 4019 | Clonal Hematopoiesis of Indeterminate Potential and Diabetic Kidney Disease: A Nested Case-Control Study. Kidney International Reports, 2022, 7, 876-888.  | 0.4 | 13        |
| 4020 | Intraoperative phlebotomies and bleeding in liver transplantation: a historical cohort study and causal analysis. Canadian Journal of Anaesthesia, 2022, 69, 438-447.  | 0.7 | 5         |
| 4021 | Association of serum levels of calcium, phosphate, and vitamin D with risk of developing aortic stenosis: the UK Biobank cohort. European Journal of Preventive Cardiology, 2022, 29, 1520-1528.   | 0.8 | 6         |
| 4022 | Cystatin C-based equations for estimating glomerular filtration rate do not require race or sex coefficients. Scandinavian Journal of Clinical and Laboratory Investigation, 2022, 82, 162-166.  | 0.6 | 10        |
| 4023 | Time within therapeutic range: A comparison of three tacrolimus formulations in renal transplant recipients. Journal of Clinical Nephrology, 2022, 6, 019-025.   | 0.1 | 0         |
| 4024 | Aerobic exercise training improves endothelial function and attenuates blood pressure reactivity during maximal exercise in chronic kidney disease. Journal of Applied Physiology, 2022, 132, 785-793.   | 1.2 | 12        |
| 4025 | Prognostic Role of Neutrophil to High-Density Lipoprotein Cholesterol Ratio for All-Cause and Cardiovascular Mortality in the General Population. Frontiers in Cardiovascular Medicine, 2022, 9, 807339.   | 1.1 | 15        |
| 4026 | An Increased Anticholinergic Drug Burden Index Score Negatively Affect Nutritional Status in Older Patients Without Dementia. Frontiers in Nutrition, 2022, 9, 789986.   | 1.6 | 7         |
| 4027 | Converting from face-to-face to postal follow-up and its effects on participant retention, response rates and errors: lessons from the EQUAL study in the UK. BMC Medical Research Methodology, 2022, 22, 44.  | 1.4 | 1         |
| 4028 | Treatment of BK virus with a stepwise immunosuppression reduction and intravenous immunoglobulin in pediatric kidney transplant. Pediatric Transplantation, 2022, 26, e14241.  | 0.5 | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4029 | An overview of treatment options for patients with relapsed/refractory multiple myeloma and renal impairment. <i>Therapeutic Advances in Hematology</i> , 2022, 13, 204062072210884.   | 1.1 | 2         |
| 4030 | Effects of the Type of Intraoperative Fluid in Living Donor Kidney Transplantation: A Single-Center Retrospective Cohort Study. <i>Yonsei Medical Journal</i> , 2022, 63, 380.   | 0.9 | 1         |
| 4031 | Incident cardiovascular events and early mortality in patients with revascularized critical limb ischemia. <i>JMV-Journal De Medecine Vasculaire</i> , 2022, 47, 19-26.  | 0.1 | 1         |
| 4032 | The Delayed Nephrogram: Point-of-care Quantitative Measurement, Validation as an Indicator of Obstruction, and Novel Use as a Predictor of Renal Functional Impairment. <i>European Urology Focus</i> , 2022, 8, 1809-1815.  | 1.6 | 1         |
| 4033 | Early increase in single-kidney glomerular filtration rate after living kidney donation predicts long-term kidney function. <i>Kidney International</i> , 2022, 101, 1251-1259.  | 2.6 | 8         |
| 4034 | Multidisciplinary care program in pre-end-stage kidney disease from 2010 to 2018 in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S64-S72.   | 0.8 | 12        |
| 4035 | Monocyte-to-high-density lipoprotein-cholesterol ratio (MHR) and the risk of all-cause and cardiovascular mortality: a nationwide cohort study in the United States. <i>Lipids in Health and Disease</i> , 2022, 21, 30.   | 1.2 | 26        |
| 4036 | Increased serum cystatin C levels and responses of pancreatic $\hat{1}\pm$ - and $\hat{1}^2$ -cells in type 2 diabetes. <i>Endocrine Connections</i> , 2022, 11, .   | 0.8 | 1         |
| 4037 | Influences of achieved SBP on age and sex-related left ventricular structural alteration in community hypertensive populations. <i>Journal of Hypertension</i> , 2022, Publish Ahead of Print, .   | 0.3 | 7         |
| 4038 | Assessment of glomerular filtration rate in patients with cirrhosis: Available tools and perspectives. <i>Liver International</i> , 2022, , .  | 1.9 | 5         |
| 4039 | Characteristics and Outcomes of Type 2 Myocardial Infarction. <i>JAMA Cardiology</i> , 2022, 7, 427.   | 3.0 | 12        |
| 4040 | Administration of intracoronary adenosine before stenting for the prevention of no-reflow in patients with ST-elevation myocardial infarction. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 23-27.   | 0.4 | 2         |
| 4041 | Feasibility of salvage robotic partial nephrectomy after ablative treatment failure (UroCCR-62 study). <i>Minerva Urology and Nephrology</i> , 2022, 74, 209-215.  | 1.3 | 2         |
| 4042 | The differential effects of ertugliflozin on glucosuria and natriuresis biomarkers: Prespecified analyses from <sc>VERTIS CV</sc>. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1114-1122.  | 2.2 | 5         |
| 4043 | Cystatin GFR better marker than creatinine GFR for accurate prediction of renal dysfunction in diabetic patients: A tertiary care centre study. <i>International Journal of Clinical Biochemistry and Research</i> , 2022, 9, 53-58.                                     | 0.0 | 0         |
| 4044 | Different Renal Function Patterns in Patients With Acute Heart Failure: Relationship With Outcome and Congestion. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 779828.   | 1.1 | 0         |
| 4045 | Cystatin Câ€“based estimated GFR performs best in identifying individuals with poorer survival in an unselected Chinese population: results from the China Health and Retirement Longitudinal Study (CHARLS). <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1322-1332. | 1.4 | 2         |
| 4046 | Elevated Serum Cystatin C and Decreased Cathepsin S/Cystatin C Ratio Are Associated with Severe Peripheral Arterial Disease and Polyvascular Involvement. <i>Diagnostics</i> , 2022, 12, 833.  | 1.3 | 3         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4047 | Impact of chronic kidney disease on case ascertainment for hospitalised acute myocardial infarction: an English cohort study. <i>BMJ Open</i> , 2022, 12, e057909.   | 0.8 | 1         |
| 4048 | Serum potassium level, variability and in-hospital mortality in acute myocardial infarction. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13772.   | 1.7 | 2         |
| 4049 | Patients with Different Stages of Chronic Kidney Disease Undergoing Intravenous Contrast-Enhanced Computed Tomography—The Incidence of Contrast-Associated Acute Kidney Injury. <i>Diagnostics</i> , 2022, 12, 864.                                | 1.3 | 3         |
| 4050 | Application of a Novel Biosensor for Salivary Conductivity in Detecting Chronic Kidney Disease. <i>Biosensors</i> , 2022, 12, 178.   | 2.3 | 5         |
| 4051 | Triglyceride-Glucose Index and New-Onset Atrial Fibrillation in ST-Segment Elevation Myocardial Infarction Patients After Percutaneous Coronary Intervention. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 838761.                       | 1.1 | 16        |
| 4052 | Influence of Renal Function on Pharmacokinetics, Pharmacodynamics, and Safety of a Single Dose of Romosozumab. <i>Journal of Clinical Pharmacology</i> , 2022, 62, 1132-1141.  | 1.0 | 6         |
| 4053 | Everything Else. <i>Physician Assistant Clinics</i> , 2022, 7, 305-317.  | 0.1 | 0         |
| 4054 | The Association Between Total Protein Intake and All-Cause Mortality in Middle Aged and Older Korean Adults With Chronic Kidney Disease. <i>Frontiers in Nutrition</i> , 2022, 9, 850109.  | 1.6 | 1         |
| 4055 | Long-term efficacy and safety of renal denervation in the presence of antihypertensive drugs (SPYRAL) Tj ETQq0 0 0 rrgBT /Overlock 10 T  | 6.3 | 114       |
| 4056 | The relationship between lipoprotein(a) and cardiovascular events in acute coronary syndrome patients with and without chronic kidney disease. <i>Atherosclerosis</i> , 2022, 349, 204-210.  | 0.4 | 6         |
| 4057 | ADMA and homoarginine independently predict mortality in critically ill patients. <i>Nitric Oxide - Biology and Chemistry</i> , 2022, 122-123, 47-53.  | 1.2 | 4         |
| 4058 | Assessment of Measurement of Salivary Urea by ATR-FTIR Spectroscopy to Screen for CKD. <i>Kidney360</i> , 2022, 3, 357-363.  | 0.9 | 7         |
| 4059 | A Comparison of GFR Calculated by Cockcroft-Gault vs. MDRD Formula in the Prognostic Assessment of Patients with Acute Pulmonary Embolism. <i>Disease Markers</i> , 2021, 2021, 1-9.   | 0.6 | 1         |
| 4060 | Comparison of Tumor Enucleation and Standard Partial Nephrectomy According to Trifecta Outcomes: A Multicenter Study by the Turkish Academy of Urology, Uro-Oncology Working Group. <i>Journal of Investigative Surgery</i> , 2022, 35, 1112-1118. | 0.6 | 2         |
| 4061 | Muscle strength, an independent determinant of glycemic control in older adults with long-standing type 2 diabetes: a prospective cohort study. <i>BMC Geriatrics</i> , 2021, 21, 684.   | 1.1 | 11        |
| 4062 | A randomized crossover study comparing different tacrolimus formulations to reduce inpatient variability in tacrolimus exposure in kidney transplant recipients. <i>Clinical and Translational Science</i> , 2022, 15, 930-941.                    | 1.5 | 7         |
| 4063 | Comparative Plasma and Interstitial Tissue Fluid Pharmacokinetics of Meropenem Demonstrate the Need for Increasing Dose and Infusion Duration in Obese and Non-obese Patients. <i>Clinical Pharmacokinetics</i> , 2022, 61, 655-672.               | 1.6 | 4         |
| 4064 | Impact of different renal function equations on direct oral anticoagulant concentrations. <i>Scientific Reports</i> , 2021, 11, 23833.   | 1.6 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4065 | Association of Health-Care System and Survival in African American and Non-Hispanic White Patients With Bladder Cancer. <i>Journal of the National Cancer Institute</i> , 2022, 114, 600-608.  | 3.0 | 2         |
| 4066 | Using base excess, albumin, lactate and renal function to predict 30-day mortality in patients requiring impella monotherapy for left-sided mechanical circulatory support: The BALLAR score. <i>Cardiovascular Revascularization Medicine</i> , 2021, , .             | 0.3 | 3         |
| 4067 | Fasting Glucose Variability as a Risk Indicator for End-Stage Kidney Disease in Patients with Diabetes: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5948.   | 1.0 | 3         |
| 4068 | Drugs Dosing in Geriatric Patients Depending on Kidney Function Estimated by MDRD and Cockcroft-Gault Formulas. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 2057-2067.   | 1.3 | 2         |
| 4069 | Renal function after liver transplantation: Real-world experience with basiliximab induction and delayed reduced-dose tacrolimus. <i>Digestive and Liver Disease</i> , 2022, 54, 1076-1083.  | 0.4 | 1         |
| 4070 | Microalbuminuria on admission for acute exacerbation of COPD as a predictor of all-cause mortality and future exacerbations. <i>Postgraduate Medical Journal</i> , 2023, 99, 189-197.  | 0.9 | 1         |
| 4071 | Characteristics, Influencing Factors, Predictive Scoring System, and Outcomes of the Patients with Nephrotoxicity Associated with Administration of Intravenous Colistin. <i>Antibiotics</i> , 2022, 11, 2.  | 1.5 | 4         |
| 4072 | Glypican-4 in pregnancy and its relation to glucose metabolism, insulin resistance and gestational diabetes mellitus status. <i>Scientific Reports</i> , 2021, 11, 23898.  | 1.6 | 4         |
| 4073 | Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 467-475.   | 0.9 | 21        |
| 4075 | Arterial stiffness and pulsatile hemodynamics in renal disease. , 2022, , 637-647.   |     | 0         |
| 4076 | Therapeutic drug monitoring of cefepime in a non-critically ill population: retrospective assessment and potential role for model-based dosing. <i>JAC-Antimicrobial Resistance</i> , 2022, 4, dlac043.  | 0.9 | 5         |
| 4077 | Artificial intelligence assessment for early detection and prediction of renal impairment using electrocardiography. <i>International Urology and Nephrology</i> , 2022, , 1.  | 0.6 | 3         |
| 4078 | Endogenous markers of kidney function and renal drug clearance processes of filtration, secretion, and reabsorption. <i>Current Opinion in Toxicology</i> , 2022, 31, 100344.  | 2.6 | 4         |
| 4079 | Fibroblast Growth Factor 21 Levels Exhibit the Association With Renal Outcomes in Subjects With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2022, 13, 846018.  | 1.5 | 5         |
| 4080 | Impact of the caFFR-Guided Functional SYNTAX Score on Ventricular Tachycardia/Fibrillation Development in Patients With Acute Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 807805.  | 1.1 | 1         |
| 4081 | Effects of Multimodal Bundle with Remote Ischemic Preconditioning and Intrathecal Analgesia on Early Recovery of Estimated Glomerular Filtration Rate after Robot-Assisted Laparoscopic Partial Nephrectomy for Renal Cell Carcinoma. <i>Cancers</i> , 2022, 14, 1985. | 1.7 | 4         |
| 4082 | Association Between the Risk of Non-Alcoholic Fatty Liver Disease in Patients with Type 2 Diabetes and Chronic Kidney Disease. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022, Volume 15, 1141-1151.                                      | 1.1 | 8         |
| 4083 | Association Between Dietary Fiber Intake and All-Cause and Cardiovascular Mortality in Middle Aged and Elderly Adults With Chronic Kidney Disease. <i>Frontiers in Nutrition</i> , 2022, 9, 863391.  | 1.6 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4084 | Routine ambulatory heart rhythm monitoring for detection of atrial arrhythmias in transthyretin cardiac amyloidosis. <i>International Journal of Cardiology</i> , 2022, , .  | 0.8 | 5         |
| 4085 | Testosterone deficiency and the risk of anemia: A propensity score-matched analysis. <i>American Journal of Human Biology</i> , 2022, 34, e23751.  | 0.8 | 2         |
| 4086 | Dietary total antioxidant capacity and its association with renal function and kidney stones: Results of a RaNCD cohort study. <i>Food Science and Nutrition</i> , 2022, 10, 1442-1450.                                    | 1.5 | 2         |
| 4087 | The Association of Serum Total Bile Acids With Bone Mineral Density in Chinese Adults Aged 20-59: A Retrospective Cross-Sectional Study. <i>Frontiers in Endocrinology</i> , 2022, 13, 817437.                             | 1.5 | 4         |
| 4089 | Periprocedural planning for neuroendovascular procedures. , 0, , 163-179.  |     | 0         |
| 4095 | Efficacy and Safety of Romosozumab Among Postmenopausal Women With Osteoporosis and Mild-to-Moderate Chronic Kidney Disease. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 1437-1445.                            | 3.1 | 28        |
| 4096 | Serum Uric Acid to Albumin Ratio Can Predict Contrast-Induced Nephropathy in ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Angiology</i> , 2023, 74, 70-78.        | 0.8 | 8         |
| 4097 | Hyperuricemia and diabetes mellitus when occurred together have higher risks than alone on all-cause mortality and end-stage renal disease in patients with chronic kidney disease. <i>BMC Nephrology</i> , 2022, 23, 157. | 0.8 | 3         |
| 4101 | Impact of in-hospital intravenous iron supplementation on red blood cell transfusions: experience from an Internal Medicine Unit. <i>Blood Transfusion</i> , 2021, 19, 448-455.  | 0.3 | 2         |
| 4102 | Modification of Diet in Renal Disease equation in the risk stratification of contrast induced acute kidney injury in hospital inpatients. <i>Nefrologia</i> , 2009, 29, 397-403.   | 0.2 | 3         |
| 4103 | Validation of the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation in advanced chronic renal failure. <i>Nefrologia</i> , 2011, 31, 677-82.  | 0.2 | 9         |
| 4104 | Initial glomerular filtration rate and survival in hemodialysis. The role of permanent vascular access. <i>Nefrologia</i> , 2014, 34, 76-87.   | 0.2 | 0         |
| 4105 | Performance of MDRD-IDMS and CKD-EPI equations in Mexican individuals with normal renal function. <i>Nefrologia</i> , 2014, 34, 591-8.   | 0.2 | 14        |
| 4106 | Renal function and clinical outcome of patients with cancer-associated venous thromboembolism randomized to receive apixaban or dalteparin. Results from the Caravaggio trial. <i>Haematologica</i> , 2021, , .            | 1.7 | 0         |
| 4107 | Can thrombectomy and catheters used increase angiographically visible distal embolization in ST elevation myocardial infarction?. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2016, 1, 139-144.         | 0.5 | 1         |
| 4108 | Serum bilirubin as a predictor of graft outcomes after renal transplant.. <i>American Journal of Clinical and Experimental Urology</i> , 2022, 10, 37-43.  | 0.4 | 0         |
| 4109 | Total bodyweight and sex both drive pharmacokinetic variability of fluconazole in obese adults. <i>Journal of Antimicrobial Chemotherapy</i> , 2022, 77, 2217-2226.  | 1.3 | 4         |
| 4110 | Relationship between metformin use and lactic acidosis in advanced chronic kidney disease: The REMIND-TMU study. <i>American Journal of the Medical Sciences</i> , 2022, 364, 575-582.                                     | 0.4 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4111 | Association of High-Density Lipoprotein Cholesterol Phenotypes with the Risk of Cardiovascular Diseases and Mortality: A Cohort Study in Korea. <i>Endocrinology and Metabolism</i> , 2022, 37, 261-271.  | 1.3 | 3         |
| 4112 | The Impact of an Elevated Uric Acid Level on the Prevalence of Coronary Artery Disease in Pancreas Transplant Candidates with Type 1 Diabetes: A Cross Sectional Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2421.   | 1.0 | 1         |
| 4113 | Prevalence, Characteristics, and Associated Risk Factors of Wrist Fractures in Americans Above 50: The Cross-Sectional NHANES Study. <i>Frontiers in Endocrinology</i> , 2022, 13, 800129.  | 1.5 | 6         |
| 4114 | Acute Kidney Injury Following Mannitol Infusion in Neurosurgical Patients. <i>Journal of Neurointensive Care</i> , 2022, 5, 9-14.   | 0.1 | 1         |
| 4115 | Machine learning-derived major adverse event prediction of patients undergoing transvenous lead extraction: Using the ESC EHRA EORP European lead extraction CONTRolled ELECTRa registry. <i>Heart Rhythm</i> , 2022, 19, 885-893.  | 0.3 | 5         |
| 4116 | Suboptimal HIV suppression is associated with progression of coronary artery stenosis: The Multicenter AIDS Cohort Study (MACS) longitudinal coronary CT angiography study. <i>Atherosclerosis</i> , 2022, 353, 33-40.  | 0.4 | 6         |
| 4117 | Heterogeneous treatment effects of intensive glycemic control on major adverse cardiovascular events in the ACCORD and VADT trials: a machine-learning analysis. <i>Cardiovascular Diabetology</i> , 2022, 21, 58.  | 2.7 | 6         |
| 4118 | 20 Years of Real-World Data to Estimate the Prevalence of Heart Failure and Its Subtypes in an Unselected Population of Integrated Care Units. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 149.   | 0.8 | 7         |
| 4119 | Population pharmacokinetics of omeprazole in obese and normal-weight adults. <i>Expert Review of Clinical Pharmacology</i> , 2022, 15, 461-471.   | 1.3 | 5         |
| 4120 | Tocilizumab Versus Baricitinib in Patients Hospitalized With COVID-19 Pneumonia and Hypoxemia: A Multicenter Retrospective Cohort Study. , 2022, 4, e0702.  |     | 10        |
| 4121 | A multicenter, randomized, open-label, comparative, phase IV study to evaluate the efficacy and safety of combined treatment with mycophenolate mofetil and corticosteroids in advanced immunoglobulin A nephropathy. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 452-461. | 0.9 | 3         |
| 4122 | Poor Outcomes in Patients With Transplant Glomerulopathy Independent of Banff Categorization or Therapeutic Interventions. <i>Frontiers in Medicine</i> , 2022, 9, .  | 1.2 | 3         |
| 4123 | Patterns of kidney dysfunction in acute-to-chronic liver failure: Relationship with kidney and patients' outcome. <i>Hepatology Communications</i> , 2022, 6, 2121-2131.  | 2.0 | 8         |
| 4124 | Dietary Inflammatory Potential Is Associated With Sarcopenia Among Chronic Kidney Disease Population. <i>Frontiers in Nutrition</i> , 2022, 9, .  | 1.6 | 10        |
| 4125 | Left Subclavian Artery Coverage is Not Associated with Neurological Deficits in Trauma Patients Undergoing Thoracic Endovascular Repair. <i>Annals of Vascular Surgery</i> , 2022, 86, 408-416.   | 0.4 | 3         |
| 4126 | Heart and Kidney Outcomes With Ertugliflozin in People with Non-albuminuric Diabetic Kidney Disease: A post hoc Analysis from the Randomized VERTIS CV Trial. <i>Kidney International Reports</i> , 2022, 7, 1782-1792.   | 0.4 | 4         |
| 4127 | Estimating Glomerular Filtration Rate in HIV-Infected Adults in Africa: Comparison of Cockcroft-Gault and Modification of Diet in Renal Disease Formulae. <i>Antiviral Therapy</i> , 2008, 13, 761-770.   | 0.6 | 32        |
| 4128 | Safety of Tacrolimus Monotherapy within 12 Months after Liver Transplantation in the Era of Reduced Tacrolimus and Mycophenolate Mofetil: National Registry Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2806.  | 1.0 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4129 | Association Between Fat Mass or Fat Fibrotic Gene Expression and Polyneuropathy in Subjects With Obesity: A Korean Metabolic Bariatric Surgery Cohort. <i>Frontiers in Endocrinology</i> , 2022, 13, .                                | 1.5 | 2         |
| 4130 | Relative bioavailability of ertugliflozin tablets containing the amorphous form versus tablets containing the cocrystal form. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2022, 60, 317-326.             | 0.3 | 1         |
| 4131 | Influence of hepatic impairment on the pharmacokinetics and pharmacodynamics of the <sc>P2Y12</sc> receptor antagonist selatogrel. <i>Clinical and Translational Science</i> , 2022, 15, 1906-1915.                                   | 1.5 | 3         |
| 4132 | A Single-center, Retrospective Study of Focal Segmental Glomerulosclerosis after Kidney Transplantation: Evolutive Analysis.. <i>International Journal of Organ Transplantation Medicine</i> , 2021, 12, 1-10.                        | 0.5 | 0         |
| 4133 | Variability, Clearance, and Concentration of Multiple Metals and Risk of Kidney Function Abnormality: A New Integrative Metal Exposure Assessment Approach. <i>Exposure and Health</i> , 2023, 15, 161-184.                           | 2.8 | 4         |
| 4135 | The removal of race from kidney function estimation: Key points for primary providers. <i>Journal of the National Medical Association</i> , 2022, 114, S25-S33.   | 0.6 | 2         |
| 4136 | Handgrip Strength as a Predictor of Chronic Kidney Disease Among Middle-Aged and Older Population: The TCLSIH and UK Biobank Cohort Studies. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 4138 | Predictors for successful weight reduction during treatment with Dapagliflozin among patients with type 2 diabetes mellitus in primary care. , 2022, 23, .  |     | 4         |
| 4139 | Novel Subgroups of Type 2 Diabetes Display Different Epigenetic Patterns That Associate With Future Diabetic Complications. <i>Diabetes Care</i> , 2022, 45, 1621-1630.   | 4.3 | 15        |
| 4140 | Fasting Glucose Variability and the Risk of Dementia in Individuals with Diabetes: A Nationwide Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 923-935.   | 1.8 | 8         |
| 4141 | Improvement in the Management of Oral Anticoagulation in Patients with Atrial Fibrillation in Primary Health Care. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6746.                         | 1.2 | 1         |
| 4142 | Urinary cadmium and peripheral blood telomere length predict the risk of renal function impairment: a study of 547 community residents of Shanxi, China. <i>Environmental Science and Pollution Research</i> , 2022, 29, 71427-71438. | 2.7 | 2         |
| 4144 | Device Failure in Bicuspid Aortic Stenosis Following Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2022, 176, 96-104.  | 0.7 | 4         |
| 4145 | Ciprofloxacin Pharmacokinetics After Oral and Intravenous Administration in (Morbidly) Obese and Non-obese Individuals: A Prospective Clinical Study. <i>Clinical Pharmacokinetics</i> , 2022, 61, 1167-1175.                         | 1.6 | 9         |
| 4146 | Coronary Artery Calcification Score and the Progression of Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 1590-1601.  | 3.0 | 12        |
| 4147 | Rationale and design of a prospective study evaluating population pharmacokinetics and pharmacodynamics of rivaroxaban in Chinese patients with non-valvular atrial fibrillation. <i>BMJ Open</i> , 2022, 12, e058378.                | 0.8 | 1         |
| 4148 | The Association Between Smoking and Renal Function in People Over 20 Years Old. <i>Frontiers in Medicine</i> , 2022, 9, .   | 1.2 | 3         |
| 4149 | Impact of the fetuin gene polymorphisms in coronary artery calcification and mortality of patients with chronic kidney disease and renal transplant. <i>Genetika</i> , 2022, 54, 457-472.   | 0.1 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4150 | Prognostic value of MELD-XI and MELD-Albumin scores in double valve replacement. <i>Cardiology Plus</i> , 2022, 7, 39-47.   | 0.2 | 1         |
| 4151 | Kidney biopsy in lupus nephritis after achieving clinical renal remission: paving the way for renal outcome assessment. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 2081-2088.  | 1.4 | 5         |
| 4152 | A Calculator for COVID-19 Severity Prediction Based on Patient Risk Factors and Number of Vaccines Received. <i>Microorganisms</i> , 2022, 10, 1238.  | 1.6 | 2         |
| 4153 | Waitlist and Post-Transplant Outcomes of Children and Young Adults with Hypertrophic Cardiomyopathy. <i>Annals of Thoracic Surgery</i> , 2022, , .  | 0.7 | 2         |
| 4154 | How Diabetes and Other Comorbidities of Elderly Patients and Their Treatment Influence Levels of Glycation Products. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7524.   | 1.2 | 2         |
| 4155 | Kidney Function Assessment in African American Patients: A Narrative Review for Pharmacists. <i>Pharmacy (Basel, Switzerland)</i> , 2022, 10, 65.   | 0.6 | 2         |
| 4156 | Metabolically obese phenotype and its dynamic change are associated with increased carotid intima-media thickness: results from a cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, , .  | 1.1 | 4         |
| 4157 | Associations between plasma tryptophan and indole-3-propionic acid levels and mortality in patients with coronary artery disease. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 1070-1077.   | 2.2 | 13        |
| 4158 | Comparison of Cystatin C and Creatinine-Based Equations with Measured Glomerular Filtration Rate in a Diverse Pediatric Population. <i>Journal of Applied Laboratory Medicine</i> , The, 2022, 7, 1016-1024.  | 0.6 | 3         |
| 4159 | A comparison of four established GFR formulas to estimate measured GFR and changes in GFR in adult kidney transplant recipients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2022, 82, 296-303.  | 0.6 | 2         |
| 4160 | Hepatitis B Virus and Tuberculosis Are Associated with Increased Noncommunicable Disease Risk among Treatment-Naïve People with HIV: Opportunities for Prevention, Early Detection and Management of Comorbidities in Sierra Leone. <i>Journal of Clinical Medicine</i> , 2022, 11, 3466.   | 1.0 | 7         |
| 4161 | Significant reduction in chronic kidney disease progression with sodium-glucose cotransporter-2 inhibitors compared to dipeptidyl peptidase-4 inhibitors in adults with type 2 diabetes in a clinical setting: An observational outcomes study based on international guidelines for kidney disease. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 2138-2147. | 2.2 | 4         |
| 4162 | Dose-Response Relationship of Uric Acid With Fasting Glucose, Insulin, and Insulin Resistance in a United States Cohort of 5,148 Non-diabetic People. <i>Frontiers in Medicine</i> , 0, 9, .  | 1.2 | 7         |
| 4163 | Donor CYP3A5 Expression Decreases Renal Transplantation Outcomes in White Renal Transplant Recipients. <i>Annals of Transplantation</i> , 0, 27, .  | 0.5 | 0         |
| 4164 | Clinical value of urinary cytokines/chemokines as prognostic markers in patients with crescentic glomerulonephritis. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 1         |
| 4165 | Recipient and Center Factors Associated With Immunosuppression Practice Beyond the First Year After Liver Transplantation and Impact on Outcomes. <i>Transplantation</i> , 2022, 106, 2182-2192.  | 0.5 | 3         |
| 4166 | Prevalence and prognosis of left ventricular diastolic dysfunction in community hypertension patients. <i>BMC Cardiovascular Disorders</i> , 2022, 22, .  | 0.7 | 5         |
| 4167 | The association between markers of type I collagen synthesis and echocardiographic response to spironolactone in patients at risk of heart failure: findings from the HOMAGE trial. <i>European Journal of Heart Failure</i> , 2022, 24, 1559-1568.   | 2.9 | 12        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4168 | Renal Dysfunction in Patients with Liver Cirrhosis. <i>Digestive Disease Interventions</i> , 2022, 06, 131-136.   | 0.3 | 0         |
| 4169 | Increased Glycemic Variability Evaluated by Continuous Glucose Monitoring is Associated with Osteoporosis in Type 2 Diabetic Patients. <i>Frontiers in Endocrinology</i> , 0, 13, .   | 1.5 | 3         |
| 4170 | Effect of heparin treatment on pulmonary embolism and in-hospital death in unvaccinated COVID-19 patients without overt deep vein thrombosis. <i>Thrombosis Journal</i> , 2022, 20, .   | 0.9 | 1         |
| 4171 | Urine 11-Dehydro-Thromboxane B2 in Aspirin-Naive Males with Metabolic Syndrome. <i>Journal of Clinical Medicine</i> , 2022, 11, 3471.   | 1.0 | 0         |
| 4172 | 2022 Taiwan lipid guidelines for primary prevention. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 2393-2407.   | 0.8 | 10        |
| 4173 | Benefit and risk of prolonged dual antiplatelet therapy after drug-eluting stent implantation in patients with chronic kidney disease: A nationwide cohort study. <i>Atherosclerosis</i> , 2022, 352, 69-75.  | 0.4 | 1         |
| 4174 | Effect of Sacubitril/Valsartan on renal function in patients with chronic kidney disease and heart failure with preserved ejection fraction: A real-world 12-week study. <i>European Journal of Pharmacology</i> , 2022, 928, 175053.   | 1.7 | 10        |
| 4175 | Renal outcomes of suprarenal vs. infrarenal endograft fixation in endovascular abdominal aortic aneurysm repair: a narrative review. <i>Cardiovascular Diagnosis and Therapy</i> , 2022, .  | 0.7 | 0         |
| 4176 | Cancer Drug Dosing in Chronic Kidney Disease and Dialysis. <i>Advances in Chronic Kidney Disease</i> , 2022, 29, 208-216.e1.  | 0.6 | 2         |
| 4177 | Triglyceride-Glucose Index and Homeostasis Model Assessment-Insulin Resistance in Young Adulthood and Risk of Incident Congestive Heart Failure in Midlife: The Coronary Artery Risk Development in Young Adults Study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, . | 1.1 | 7         |
| 4178 | Pattern of clinical/bacteriological profile and follow-up of symptomatic urinary tract infection in patients with diabetes: a cross-sectional study from North India. <i>International Journal of Diabetes in Developing Countries</i> , 0, , .                               | 0.3 | 0         |
| 4179 | Longitudinal Associations Between Serum Bilirubin Level and Carotid Atherosclerosis Plaque in a Health Screening Population. <i>Angiology</i> , 0, , 000331972211109.   | 0.8 | 2         |
| 4180 | A nomogram to predict the in-hospital mortality of patients with congestive heart failure and chronic kidney disease. <i>ESC Heart Failure</i> , 2022, 9, 3167-3176.  | 1.4 | 6         |
| 4181 | Associations between Heart Rate Variability Parameters and Hemodynamic Profiles in Patients with Primary Arterial Hypertension, Including Antihypertensive Treatment Effects. <i>Journal of Clinical Medicine</i> , 2022, 11, 3767.   | 1.0 | 3         |
| 4182 | Partial Versus Radical Nephrectomy: Complexity of Decision-Making and Utility of AUA Guidelines. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 501-509.  | 0.9 | 5         |
| 4183 | Feasibility of an ultra-low dose contrast media protocol for coronary CT angiography. <i>Clinical Radiology</i> , 2022, 77, e705-e710.  | 0.5 | 4         |
| 4184 | Echocardiographic phenotypes of Chinese patients with type 2 diabetes may indicate early diabetic myocardial disease. <i>ESC Heart Failure</i> , 2022, 9, 3327-3344.  | 1.4 | 2         |
| 4185 | Association Between Pulse Pressure With All-Cause and Cardiac Mortality in Acute Coronary Syndrome: An Observational Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .  | 1.1 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4186 | Prognostic Value of Modified Model for End-Stage Liver Disease Score in Patients Undergoing Isolated Tricuspid Valve Replacement. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .  | 1.1 | 1         |
| 4187 | Population pharmacokinetic modelling of febuxostat in healthy subjects and people with gout. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 5359-5368.  | 1.1 | 2         |
| 4188 | Are Any Changes in Carotid Intimaâ€“Media Thickness Associated with Cardiometabolic Risk Among Adult Bantu Central African Hypertensive Patients from Monkole and Biamba Marie Mutombo Hospitals?. <i>Vascular Health and Risk Management</i> , 0, Volume 18, 453-461. | 1.0 | 1         |
| 4189 | Post-transplant mortality and graft failure after induction immunosuppression among Black heart transplant recipients in the United States. <i>American Journal of Transplantation</i> , 2022, 22, 2586-2597.  | 2.6 | 2         |
| 4190 | Gestational age-specific serum creatinine can predict adverse pregnancy outcomes. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 7         |
| 4191 | Effects of genetic ancestry and socioeconomic deprivation on ethnic differences in serum creatinine. <i>Gene</i> , 2022, 837, 146709.  | 1.0 | 4         |
| 4192 | Measurement of kidney function in Malawi, South Africa, and Uganda: a multicentre cohort study. <i>The Lancet Global Health</i> , 2022, 10, e1159-e1169.   | 2.9 | 34        |
| 4193 | Association of Insulin receptor (INR) gene rs2252673 and Sirtuin1 rs7069102 polymorphisms with diabetic nephropathy in patients with type 2 diabetes mellitus. , 2022, 33, 201078.   |     | 0         |
| 4194 | Non-Renal Risk Factors for Chronic Kidney Disease in Liver Recipients with Functionally Intact Kidneys at 1 Month. <i>Journal of Clinical Medicine</i> , 2022, 11, 4203.   | 1.0 | 0         |
| 4196 | Serum cystatin C level can be used to estimate GFR in patients with solid tumors: Moderator Commentary. <i>Journal of Onco-Nephrology</i> , 0, , 239936932211149.  | 0.3 | 0         |
| 4197 | Interstitial Inflammation in the ISN/RPS 2018 Classification of Lupus Nephritis Predicts Renal Outcomes and is Associated With Bcl-2 Expression. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 232-242.   | 0.4 | 5         |
| 4198 | Development and validation of a clinical prediction model of acute kidney injury in intensive care unit patients at a rural tertiary teaching hospital in South Africa: a study protocol. <i>BMJ Open</i> , 2022, 12, e060788.   | 0.8 | 0         |
| 4199 | Development and validation of predictive risk models for sight threatening diabetic retinopathy in patients with type 2 diabetes to be applied as triage tools in resource limited settings. <i>EClinicalMedicine</i> , 2022, 51, 101578.                              | 3.2 | 2         |
| 4201 | Impact of Estimated Plasma Volume Status on Mortality in Right Heart Failure Patients: A Retrospective Cohort Study in Indonesia. <i>Global Heart</i> , 2022, 17, .  | 0.9 | 1         |
| 4202 | Radial artery lumen diameter and intima thickness in patients with abdominal aortic aneurysm. <i>JVS Vascular Science</i> , 2022, 3, 274-284.  | 0.4 | 0         |
| 4203 | The effect of trajectory of serum uric acid on survival and renal outcomes in patients with stage 3 chronic kidney disease. <i>Medicine (United States)</i> , 2022, 101, e29589.   | 0.4 | 0         |
| 4204 | Premortem anticoagulation timing and dose in donation after circulatory death: multicentre study of associations with graft function. <i>Canadian Journal of Surgery</i> , 2022, 65, E474-E484.  | 0.5 | 0         |
| 4205 | Clinical and histopathological analyses of kidney biopsies in a single center for 7 years. <i>Medicine (United States)</i> , 2022, 101, e29695.  | 0.4 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4206 | Antithymocyte globulin versus basiliximab induction for kidney transplantation in elderly patients: matched analysis within the Korean multicentric registry. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 623-634.  | 0.9 | 2         |
| 4207 | T1 values and extracellular volume fraction in asymptomatic subjects: variations in left ventricular segments and correlation with cardiovascular risk factors. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 4         |
| 4208 | Higher dietary inflammatory index is associated with increased all-cause mortality in adults with chronic kidney disease. <i>Frontiers in Nutrition</i> , 0, 9, .  | 1.6 | 7         |
| 4209 | Changes of Estimated Glomerular Filtration Rate and Glycated Hemoglobin A1c in Diabetic Macular Edema Patients Treated by Ranibizumab and Aflibercept in the Tertiary Referral Hospital. <i>Medicina (Lithuania)</i> , 2022, 58, 1081.   | 0.8 | 2         |
| 4210 | A systematic review of the efficacy and safety of anticoagulants in advanced chronic kidney disease. <i>Journal of Nephrology</i> , 2022, 35, 2015-2033.   | 0.9 | 10        |
| 4211 | Identification of LTBP-2 as a plasma biomarker for right ventricular dysfunction in human pulmonary arterial hypertension. , 2022, 1, 748-760.   |     | 17        |
| 4212 | Real-World Effects of Biologics on Renal Function in Psoriatic Patients: A Retrospective Study. <i>BioDrugs</i> , 2022, 36, 657-666.   | 2.2 | 1         |
| 4213 | Relationship between vascular ageing and left ventricular geometry in patients with newly diagnosed primary aldosteronism. <i>Frontiers in Endocrinology</i> , 0, 13, .  | 1.5 | 0         |
| 4214 | Clinical characteristics and 1-year outcomes in hospitalized patients with heart failure with preserved ejection fraction: results from the China Cardiovascular Association <scp>Databaseâ€Heart</scp> Failure Center Registry. <i>European Journal of Heart Failure</i> , 2022, 24, 2048-2062. | 2.9 | 20        |
| 4215 | Impact of routine reporting of estimated glomerular filtration rate using the European Kidney Function Consortium and Chronic Kidney Disease Epidemiology Collaboration equations in a Western Australian community population. <i>Nephrology</i> , 2022, 27, 823-833.                           | 0.7 | 2         |
| 4216 | Increased plasma D-dimer levels may be a promising indicator for diabetic peripheral neuropathy in type 2 diabetes. <i>Frontiers in Endocrinology</i> , 0, 13, .   | 1.5 | 3         |
| 4217 | Appropriateness of Non-vitamin K Antagonist Oral Anticoagulants Dosing According to Different Prescription Guides Used in Belgian Ambulatory Care. <i>Clinical Drug Investigation</i> , 2022, 42, 775-786.   | 1.1 | 2         |
| 4218 | Development and evaluation of uncertainty quantifying machine learning models to predict piperacillin plasma concentrations in critically ill patients. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, .   | 1.5 | 5         |
| 4219 | Impact of mucositis on oral bioavailability and systemic exposure of ciprofloxacin Gram-negative infection prophylaxis in patients with haematological malignancies. <i>Journal of Antimicrobial Chemotherapy</i> , 2022, 77, 3069-3076.   | 1.3 | 0         |
| 4220 | Safety and Pharmacokinetics of Taniborbactam (VNRX-5133) with Cefepime in Subjects with Various Degrees of Renal Impairment. <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, .  | 1.4 | 10        |
| 4221 | Kidney function and prescribed dose in middle-aged and older patients starting selective serotonin reuptake inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 1091-1101.   | 0.9 | 2         |
| 4222 | Alterations in Glomerular Filtration Rates Using Different Algorithms in the Korean Population Visiting Local Clinics and Hospitals. <i>Journal of Clinical Medicine</i> , 2022, 11, 5339.   | 1.0 | 1         |
| 4223 | Sodium-glucose co-transporter-2 inhibitors increase Klotho in patients with diabetic kidney disease: A clinical and experimental study. <i>Biomedicine and Pharmacotherapy</i> , 2022, 154, 113677.  | 2.5 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4224 | Mean HbA1c and HbA1c variability are associated with differing diabetes-related complications in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2022, 192, 110069.   | 1.1 | 6         |
| 4225 | Performance of Creatinine- and Cystatin C-Based Equations for Glomerular Filtration Rate Estimation in HIV-1-Infected Individuals Receiving Dolutegravir + Tenofovir Disoproxil Fumarate + Lamivudine as Initial Antiretroviral Therapy: A Retrospective Observational Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022, 91, S35-S41. | 0.9 | 0         |
| 4226 | Genetic variations of tumor necrosis factor- $\alpha$ and prostaglandin-endoperoxide synthase 2 genes among Egyptian patients with type 2 diabetes mellitus and diabetic nephropathy. <i>Gene Reports</i> , 2022, 29, 101678.  | 0.4 | 2         |
| 4227 | African Caribbean Ethnicity Is an Independent Predictor of Significant Decline in Kidney Function in People With Type 1 Diabetes. <i>Diabetes Care</i> , 2022, 45, 2095-2102.  | 4.3 | 2         |
| 4228 | Impact of Older Donor Age on Recipient and Graft Survival After LDLT: The US Experience. <i>Transplantation</i> , 2023, 107, 162-171.  | 0.5 | 5         |
| 4229 | Elevated Serum Uric Acid/Albumin Ratio as a Predictor of Post-Contrast Acute Kidney Injury After Percutaneous Coronary Intervention in Patients with ST-Segment Elevation Myocardial Infarction. <i>Journal of Inflammation Research</i> , 0, Volume 15, 5361-5371.  | 1.6 | 4         |
| 4230 | KHÁC O SẮT SẮC TĂNG QUAN GIÁC A MÁC LÁC CẾ CÁ U THÁ N Æ Á S C TỈNH SẮC DÁ NG CẢ NG THÁ C MDRD VÀ CKD-EPI V DÁ A TRÁ N Á THANH THÁ C I CREATININE NÁ I SINH 12H. <i>Y Hoc Viet Nam</i> , 2022, 518, .   | 0.0 | 1         |
| 4231 | Effect of renal dysfunction in free flap transfer for chronic wounds of the lower extremities. <i>Archives of Hand and Microsurgery</i> , 2022, 27, 258-264.   | 0.1 | 1         |
| 4232 | Impact of concomitant COVID-19 on the outcome of patients with acute myocardial infarction undergoing coronary artery angiography. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .   | 1.1 | 2         |
| 4233 | Impacts of muscle mass dynamics on prognosis of outpatients with cirrhosis. <i>Clinical and Molecular Hepatology</i> , 2022, 28, 876-889.  | 4.5 | 8         |
| 4234 | On-Clamp vs. Off-Clamp Robot-Assisted Partial Nephrectomy for cT2 Renal Tumors: Retrospective Propensity-Score-Matched Multicenter Outcome Analysis. <i>Cancers</i> , 2022, 14, 4431.  | 1.7 | 13        |
| 4235 | Clinical usefulness of the pattern of non-adherence to anti-platelet regimen in stented patients (PARIS) thrombotic risk score to predict long-term all-cause mortality and heart failure hospitalization after percutaneous coronary intervention. <i>PLoS ONE</i> , 2022, 17, e0274287.  | 1.1 | 2         |
| 4236 | Underweight Is Associated with a Higher Risk of Acute Pancreatitis in Type 2 Diabetes: A Nationwide Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 5641.  | 1.0 | 1         |
| 4237 | Interleukin (IL) 16: a candidate urinary biomarker for proliferative lupus nephritis. <i>Lupus Science and Medicine</i> , 2022, 9, e000744.  | 1.1 | 9         |
| 4238 | Steering Away from Current Amoxicillin Dose Reductions in Hospitalized Patients with Impaired Kidney Function to Avoid Subtherapeutic Drug Exposure. <i>Antibiotics</i> , 2022, 11, 1190.  | 1.5 | 1         |
| 4239 | The FimAsartaN proTeinuria SusTained reduCtion in comparison with losartan in diabetic chronic kidney disease (FANTASTIC) trial. <i>Hypertension Research</i> , 2022, 45, 2008-2017.   | 1.5 | 2         |
| 4240 | Very low calorie ketogenic diet combined with physical interval training for preserving muscle mass during weight loss in sarcopenic obesity: A pilot study. <i>Frontiers in Nutrition</i> , 0, 9, .   | 1.6 | 9         |
| 4241 | Impact of hyperbilirubinemia associated acute kidney injury on chronic kidney disease after aortic arch surgery: a retrospective study with follow-up of 1-year. <i>Journal of Cardiothoracic Surgery</i> , 2022, 17, .  | 0.4 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4242 | Association of Kidney Function Measures With Signs of Neurodegeneration and Small Vessel Disease on Brain Magnetic Resonance Imaging: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2023, 81, 261-269.e1.   | 2.1 | 9         |
| 4243 | Fighting Fatigue in Systemic Lupus Erythematosus: Experience of Dehydroepiandrosterone on Clinical Parameters and Patient-Reported Outcomes. <i>Journal of Clinical Medicine</i> , 2022, 11, 5300.   | 1.0 | 3         |
| 4244 | Evaluation of the Increase in Serum Calcium Levels After Unilateral Adrenalectomy. <i>Cureus</i> , 2022, , .   | 0.2 | 0         |
| 4245 | High-normal serum carcinoembryonic antigen levels and increased risk of diabetic peripheral neuropathy in type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, .   | 1.2 | 0         |
| 4246 | Pre-transplant angiotensin II receptor type I antibodies in pediatric renal transplant recipients: An observational cohort study. <i>Pediatric Transplantation</i> , 0, , .  | 0.5 | 0         |
| 4247 | Prevalence of Microalbuminuria and Cardiovascular Risk Factors in Patients With Diabetes Mellitus Type-II in Al-Khobar, Kingdom of Saudi Arabia. <i>Cureus</i> , 2022, , .   | 0.2 | 2         |
| 4248 | Increased levels of serum adenosine deaminase and increased risk of diabetic peripheral neuropathy in type 2 diabetes. <i>Frontiers in Endocrinology</i> , 0, 13, .  | 1.5 | 3         |
| 4249 | Secondary metabolite contents and safety assessment study of the aqueous extract from the Algerian <i>Echium trygorrhizum</i> Pomel roots. <i>Journal of Ethnopharmacology</i> , 2023, 301, 115771.  | 2.0 | 1         |
| 4250 | Acute Kidney Injury After Transcatheter Aortic Valve Replacement Mediates the Effect of Chronic Kidney Disease. <i>Journal of the American Heart Association</i> , 2022, 11, .   | 1.6 | 13        |
| 4251 | OCULAR MANIFESTATIONS IN IGA NEPHROPATHY. <i>Survey of Ophthalmology</i> , 2022, , .   | 1.7 | 0         |
| 4252 | Association of the Estimated Pulse Wave Velocity with Cardio-Vascular Disease Outcomes among Men and Women Aged 40-69 Years in the Korean Population: An 18-Year Follow-Up Report on the Ansung-Ansan Cohort in the Korean Genome Environment Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 1611. | 1.1 | 4         |
| 4253 | Prevalence and prediction of augmented renal clearance in the neurocritical care population. <i>Journal of Neurocritical Care</i> , 2022, 15, 96-103.  | 0.4 | 2         |
| 4254 | Predicting Postoperative Troponin in Patients Undergoing Elective Hip or Knee Arthroplasty: A Comparison of Five Cardiac Risk Prediction Tools. <i>Cardiology Research and Practice</i> , 2022, 2022, 1-7.   | 0.5 | 1         |
| 4255 | The significance of chronic kidney disease, heart failure and cardiovascular disease for mortality in type 1 diabetes: nationwide observational study. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 3         |
| 4256 | Incomplete cisplatin regimens in chemoradiation and its effect on outcomes for locally advanced cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2022, 32, 1540-1548.   | 1.2 | 2         |
| 4258 | Clinical characteristics and outcomes of COVID-19 diabetic versus non-diabetic patients: A retrospective comparative study. <i>Nutrition and Healthy Aging</i> , 2022, , 1-8.  | 0.5 | 0         |
| 4259 | Microscopic Hematuria at Kidney Donor Screening and Post-Donation Kidney Outcomes. <i>Journal of Clinical Medicine</i> , 2022, 11, 6281.   | 1.0 | 1         |
| 4260 | Vaccination Against SARS-CoV-2 Protects from COVID-19-induced Endothelial Dysfunction. <i>Current Pharmaceutical Design</i> , 2022, 28, 3225-3230.   | 0.9 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4261 | Estimated Versus Measured Glomerular Filtration Rate in Men at Risk for Mesoamerican Nephropathy. American Journal of Kidney Diseases, 2022, , .   | 2.1 | 1         |
| 4262 | Rethinking Chronic Kidney Disease in the Aging Population. Life, 2022, 12, 1724.   | 1.1 | 8         |
| 4263 | Pulse pressure and all-cause mortality in ischaemic heart failure patients: a prospective cohort study. Annals of Medicine, 2022, 54, 2689-2697.   | 1.5 | 5         |
| 4264 | Plasma Gut Microbe-Derived Metabolites Associated with Peripheral Artery Disease and Major Adverse Cardiac Events. Microorganisms, 2022, 10, 2065.   | 1.6 | 8         |
| 4265 | The Prevalence of Anticitrullinated Protein Antibodies in Older Polesâ€”Results from a Population-Based PolSenior Study. International Journal of Environmental Research and Public Health, 2022, 19, 14216.             | 1.2 | 2         |
| 4266 | Association of dietary inflammatory index with chronic kidney disease and kidney stones in Iranian adults: A cross-sectional study within the Ravansar non-communicable diseases cohort. Frontiers in Nutrition, 0, 9, . | 1.6 | 8         |
| 4267 | Performance of the Academic Research Consortium High Bleeding Risk Criteria in Patients With ST-Segment Elevation Myocardial Infarction: A Single Center Study. Angiology, 2024, 75, 166-174.                            | 0.8 | 1         |
| 4268 | Lifestyle changes and risk of tuberculosis in patients with type 2 diabetes mellitus: A nationwide cohort study. Frontiers in Endocrinology, 0, 13, .  | 1.5 | 2         |
| 4269 | Proximal Tubular Secretion: A New Way to Assess for Kidney Dysfunction?. Kidney International Reports, 2022, , .   | 0.4 | 0         |
| 4270 | Asymptomatic Renal Function Abnormalities in Patients having Silicosis. Journal of the Association of Physicians of India, The, 2022, 70, 49-52.   | 0.0 | 0         |
| 4271 | Comparison of glomerular filtration rate estimating formulas among Japanese adults without kidney disease. Clinical Biochemistry, 2023, 111, 54-59.  | 0.8 | 5         |
| 4272 | A Clinical Pharmacology and Therapeutics Teacher's Guide to Raceâ€”Based Medicine, Inclusivity, and Diversity. Clinical Pharmacology and Therapeutics, 2023, 113, 600-606.   | 2.3 | 4         |
| 4273 | A nationwide cross-sectional analysis of biopsy-proven Fabry nephropathy: the Japan Renal Biopsy Registry. Clinical and Experimental Nephrology, 2023, 27, 141-150.  | 0.7 | 2         |
| 4274 | Dynamic cerebral autoregulation is intact in chronic kidney disease. Physiological Reports, 2022, 10, .  | 0.7 | 1         |
| 4275 | Porphyria in Switzerland, a 15-year experience. Swiss Medical Weekly, 0, , .   | 0.8 | 8         |
| 4276 | Association between cholesterol levels and dementia risk according to the presence of diabetes and statin use: a nationwide cohort study. Scientific Reports, 2022, 12, .  | 1.6 | 3         |
| 4278 | Construction of a Clinical Predictive Model of Left Atrial and Left Atrial Appendage Thrombi in Patients with Nonvalvular Atrial Fibrillation. Journal of Interventional Cardiology, 2022, 2022, 1-8.                    | 0.5 | 0         |
| 4280 | Cardiac magnetic resonance imaging parameters show association between myocardial abnormalities and severity of chronic kidney disease. Frontiers in Cardiovascular Medicine, 0, 9, .                                    | 1.1 | 3         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4281 | Population Pharmacokinetics of Oral Migalastat in Adolescents and Adults With and Without Renal Impairment. <i>Clinical Pharmacology in Drug Development</i> , 0, , .   | 0.8 | 0         |
| 4282 | Changes in myocardial work associated with pediatric kidney transplantation: A pilot study of short-term postoperative effect. <i>Journal of Clinical Hypertension</i> , 2022, 24, 1547-1557.   | 1.0 | 3         |
| 4283 | National Projections for Clinical Implications of Race-Free Creatinine-Based GFR Estimating Equations. <i>Journal of the American Society of Nephrology: JASN</i> , 2023, 34, 309-321.  | 3.0 | 12        |
| 4284 | Estimated glomerular filtration rates are higher when creatinine-based equations are compared to a cystatin C-based equation in COVID-19. <i>Acta Anaesthesiologica Scandinavica</i> , 0, , .   | 0.7 | 2         |
| 4286 | Examining the Role for Donor-specific Antibody Testing in Simultaneous Liver-kidney Transplantation: A Single-center Analysis of Outcomes. <i>Transplantation</i> , 2023, 107, 1115-1123.   | 0.5 | 0         |
| 4287 | [ <sup>18</sup> F]PSMA-1007 renal uptake parameters: Reproducibility and relationship to estimated glomerular filtration rate. <i>Clinical Physiology and Functional Imaging</i> , 2023, 43, 128-135.   | 0.5 | 5         |
| 4288 | Long-term exposure to ambient particulate matter and kidney function in older adults. <i>Atmospheric Environment</i> , 2023, 295, 119535.   | 1.9 | 6         |
| 4289 | Determination of microbiological characteristics and risk factors associated with bacteriuria and symptomatic urinary tract infection in patients with retained ureteral stents: an observational study. <i>Translational Andrology and Urology</i> , 2021, , . | 0.6 | 1         |
| 4290 | Considering Trifecta as a Single Outcome when Comparing Robotic With Open Partial Nephrectomy: A Mathematical Model of Volume Conservation and Systematic Review. <i>In Vivo</i> , 2022, 36, 2558-2578.   | 0.6 | 0         |
| 4291 | The prognostic impact of magnesium in acute heart failure is different according to the presence of diabetes mellitus. <i>Porto Biomedical Journal</i> , 2022, 7, e197.   | 0.4 | 0         |
| 4292 | Prospective cohort study to identify prevalence, risk factors and outcomes of infection associated kidney disease in a regional hospital in Malawi. <i>BMJ Open</i> , 2022, 12, e065649.  | 0.8 | 0         |
| 4293 | The Prevalence of Chronic Kidney Disease and Albuminuria in Patients With Type 1 and Type 2 Diabetes Attending a Single Centre. <i>Cureus</i> , 2022, , .   | 0.2 | 1         |
| 4294 | Percutaneous coronary intervention improves quality of life of patients with chronic total occlusion and low estimated glomerular filtration rate. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .  | 1.1 | 0         |
| 4295 | Prognostic value of feature-tracking right ventricular longitudinal strain in heart transplant recipients. <i>European Radiology</i> , 2023, 33, 3878-3888.   | 2.3 | 2         |
| 4296 | A Semiparametric Bayesian Joint Modelling of Skewed Longitudinal and Competing Risks Failure Time Data: With Application to Chronic Kidney Disease. <i>Mathematics</i> , 2022, 10, 4816.  | 1.1 | 1         |
| 4297 | The role of decoy receptor 3 in inflammation and atherosclerosis in patients with chronic kidney disease and renal transplant patients. <i>Nefrologia</i> , 2022, , .   | 0.2 | 0         |
| 4298 | Consumption of ultraprocessed food and development of chronic kidney disease: the Tianjin Chronic Low-Grade Systemic Inflammation and Health and UK Biobank Cohort Studies. <i>American Journal of Clinical Nutrition</i> , 2023, 117, 373-382.                 | 2.2 | 8         |
| 4299 | Comparison of different insulin resistance surrogates to predict hyperuricemia among U.S. non-diabetic adults. <i>Frontiers in Endocrinology</i> , 0, 13, .   | 1.5 | 10        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4300 | Evaluating age-based eligibility thresholds for heart re-transplantation – an analysis of the united network for organ sharing database. <i>Journal of Heart and Lung Transplantation</i> , 2022, , .   | 0.3 | 0         |
| 4301 | Effect of withdrawal of thyroid hormones versus administration of recombinant human thyroid-stimulating hormone on renal function in thyroid cancer patients. <i>Scientific Reports</i> , 2023, 13, .   | 1.6 | 1         |
| 4302 | World Kidney Day 2012: Renal Transplantation. <i>Annals of the Academy of Medicine, Singapore</i> , 2012, 41, 96-97.  | 0.2 | 5         |
| 4304 | Serum Urate – Lowering Efficacy and Safety of Tigulixostat in Gout Patients With Hyperuricemia: A Randomized, <scp>Double-blind</scp>, <scp>Placebo-controlled</scp>, <scp>Dose-finding</scp> Trial. <i>Arthritis and Rheumatology</i> , 2023, 75, 1275-1284. | 2.9 | 6         |
| 4305 | Identification of genetic variants associated with diabetic kidney disease in multiple Korean cohorts via a genome-wide association study mega-analysis. <i>BMC Medicine</i> , 2023, 21, .  | 2.3 | 2         |
| 4306 | Impact of iron status on kidney outcomes in kidney transplant recipients. <i>Scientific Reports</i> , 2023, 13, .   | 1.6 | 1         |
| 4307 | Predictors for Distinguishing Renal Infarction From Urolithiasis in the Emergency Department: A Randomly Matched Retrospective Case-Control Study. <i>Journal of Emergency Medicine</i> , 2023, 64, 31-39.  | 0.3 | 1         |
| 4308 | Left Ventricular Apical Aneurysm in Fabry Disease: Implications for Clinical Significance and Risk Stratification. <i>Journal of the American Heart Association</i> , 2023, 12, .   | 1.6 | 1         |
| 4309 | Melatonin for prevention of acute kidney injury in patients treated with intravenous polymyxin B: a double-blind, placebo-controlled randomized clinical trial. <i>Clinical Microbiology and Infection</i> , 2023, 29, 623-628.                               | 2.8 | 3         |
| 4310 | Association of low cadmium and mercury exposure with chronic kidney disease among Chinese adults aged ≥80 years: A cross-sectional study. <i>Chinese Medical Journal</i> , 2022, 135, 2976-2983.  | 0.9 | 3         |
| 4311 | Association between serum uric acid/HDL-cholesterol ratio and chronic kidney disease: a cross-sectional study based on a health check-up population. <i>BMJ Open</i> , 2022, 12, e066243.   | 0.8 | 9         |
| 4312 | Glycemia is associated with subclinical atherosclerosis through renal function in nondiabetic apparently healthy adults: a mediation analysis. <i>Hypertension Research</i> , 2023, 46, 1516-1524.  | 1.5 | 2         |
| 4313 | Outpatient Parenteral Antibiotic Therapy for Diabetic Foot Osteomyelitis in an Uninsured and Underinsured Cohort. <i>Infectious Diseases in Clinical Practice</i> , 2023, 31, 1-7.  | 0.1 | 0         |
| 4314 | Effect of Renal Impairment on the Pharmacokinetics of Firsocostat, an Acetyl-Coenzyme A Carboxylase Inhibitor, and Cilofexor, a Selective Nonsteroidal Farnesoid X Receptor Agonist. <i>Journal of Clinical Pharmacology</i> , 2023, 63, 560-568.             | 1.0 | 4         |
| 4315 | A possible easy way to predict response to cardiac resynchronization therapy: The role of QRS Index. <i>Journal of Cardiovascular Medicine and Cardiology</i> , 2023, 10, 001-006.  | 0.1 | 0         |
| 4317 | Masked Hypertension in Pediatric Heart Transplant Recipients. <i>Pediatric Cardiology</i> , 2023, 44, 1003-1008.  | 0.6 | 3         |
| 4318 | Association between the Triglyceride-Glucose Index and Vitamin D Status in Type 2 Diabetes Mellitus. <i>Nutrients</i> , 2023, 15, 639.  | 1.7 | 4         |
| 4320 | 24,25-Dihydroxy Vitamin D and Vitamin D Metabolite Ratio as Biomarkers of Vitamin D in Chronic Kidney Disease. <i>Nutrients</i> , 2023, 15, 578.  | 1.7 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4321 | Treatment Recommendations for Harder-to-Cure and Vulnerable Populations. , 2023, , 203-230.  |     | 0         |
| 4322 | Î <sup>2</sup> -hydroxybutyrate as a biomarker of Î <sup>2</sup> -cell function in new-onset type 2 diabetes and its association with treatment response at 6 months. <i>Diabetes and Metabolism</i> , 2023, 49, 101427.                                       | 1.4 | 1         |
| 4323 | Association of leisure-time physical activity and resistance training with risk of incident hypertension: The Ansan and Ansung study of the Korean Genome and Epidemiology Study (KoGES). <i>Frontiers in Cardiovascular Medicine</i> , 0, 10, .               | 1.1 | 1         |
| 4324 | Pharmacokinetic and doseâ€finding study of osimertinib in patients with impaired renal function and low body weight. <i>Cancer Science</i> , 2023, 114, 2087-2097.  | 1.7 | 6         |
| 4325 | Prolonged dual antiplatelet therapy for Chinese ACS patients undergoing emergency PCI with drug-eluting stents: Benefits and risks. <i>Frontiers in Cardiovascular Medicine</i> , 0, 10, .   | 1.1 | 1         |
| 4326 | Correlation Between Mean Amplitude of Glycemic Excursion and Bone Turnover Markers in Patients with Type 2 Diabetes: A Cross-Sectional Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 0, Volume 16, 397-407.                    | 1.1 | 1         |
| 4327 | The association between kidney function, cognitive function, and structural brain abnormalities in community-dwelling individuals aged 50+ is mediated by age and biomarkers of cardiovascular disease. <i>Cardiovascular Research</i> , 2023, 119, 2106-2116. | 1.8 | 2         |
| 4328 | Glycaemic control and sepsis risk in adults with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2023, 25, 1942-1949.   | 2.2 | 2         |
| 4329 | Monocyte-to-lymphocyte ratio predicts mortality and cardiovascular mortality in the general population. <i>International Journal of Cardiology</i> , 2023, 379, 118-126.   | 0.8 | 7         |
| 4330 | Comparison of the 2021 and 2009 chronic kidney disease epidemiology collaboration creatinine equation for estimated glomerular filtration rate in a Chinese population. <i>Clinical Biochemistry</i> , 2023, 116, 59-64.                                       | 0.8 | 2         |
| 4331 | Relationship between abnormal P-wave axis, chronic obstructive pulmonary disease and mortality in the general population. <i>Journal of Electrocardiology</i> , 2023, 79, 100-107.   | 0.4 | 0         |
| 4332 | Use of Race in Kidney Function Estimation: Lessons Learned and the Path Toward Health Justice. <i>Annual Review of Medicine</i> , 2023, 74, 385-400.   | 5.0 | 2         |
| 4333 | A new criteria for acute on preexisting kidney dysfunction in critically ill patients. <i>Renal Failure</i> , 2023, 45, .  | 0.8 | 3         |
| 4334 | Indoxyl sulfate mediates low handgrip strength and is predictive of high hospitalization rates in patients with end-stage renal disease. <i>Frontiers in Medicine</i> , 0, 10, .   | 1.2 | 2         |
| 4335 | Renal Recovery for Patients with ANCA-Associated Vasculitis and Low eGFR in the ADVOCATE Trial of Avacopan. <i>Kidney International Reports</i> , 2023, 8, 860-870.  | 0.4 | 12        |
| 4336 | An Analysis of the Prevalence and Risk Factors of Contrast-Associated Acute Kidney Injury in Patients With Diabetic Foot Ulcer. <i>Angiology</i> , 0, , 000331972311555.   | 0.8 | 1         |
| 4338 | Measuring Creatinine Clearance Is the Most Accurate Way for Calculating the Proper Continuous Infusion Meropenem Dose for Empirical Treatment of Severe Gram-Negative Infections among Critically Ill Patients. <i>Pharmaceutics</i> , 2023, 15, 551.          | 2.0 | 3         |
| 4339 | The liver-kidney axis: Is serum leptin a potential link in non-alcoholic fatty liver disease-associated chronic kidney disease?. <i>Arab Journal of Gastroenterology</i> , 2023, 24, 52-57.  | 0.4 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4340 | Evaluation of Therapies for Secondary Hyperparathyroidism Associated with Vitamin D Insufficiency in Chronic Kidney Disease. <i>Kidney Diseases (Basel, Switzerland)</i> , 2023, 9, 206-217.  | 1.2 | 2         |
| 4342 | Urinary matrix metalloproteinase-7 is a sensitive biomarker to evaluate renal tubular injury in patients with minimal change disease and focal segmental glomerulosclerosis. <i>CKJ: Clinical Kidney Journal</i> , 2024, 17, .  | 1.4 | 0         |
| 4343 | Incidence of and Risk Factors for Acute Kidney Injury During Antituberculosis Treatment: A Prospective Cohort Study and Literature Review. <i>Infectious Diseases and Therapy</i> , 2023, 12, 919-931.  | 1.8 | 2         |
| 4344 | Association between Urinary Creatinine Excretion and Hypothyroidism in Patients with Chronic Kidney Disease. <i>Diagnostics</i> , 2023, 13, 669.  | 1.3 | 2         |
| 4345 | Meropenem Model-Informed Precision Dosing in the Treatment of Critically Ill Patients: Can We Use It?. <i>Antibiotics</i> , 2023, 12, 383.  | 1.5 | 1         |
| 4346 | High triglycerideâ€“glucose index is associated with poor cardiovascular outcomes in Chinese acute coronary syndrome patients without diabetes mellitus who underwent emergency percutaneous coronary intervention with drug-eluting stents. <i>Frontiers in Endocrinology</i> , 0, 14, . | 1.5 | 3         |
| 4347 | Exercise modulates sympathetic and vascular function in chronic kidney disease. <i>JCI Insight</i> , 2023, 8, .   | 2.3 | 2         |
| 4348 | Preoperative hydronephrosis is an independent protective factor of renal function decline after nephroureterectomy for upper tract urothelial carcinoma. <i>Frontiers in Oncology</i> , 0, 13, .  | 1.3 | 1         |
| 4349 | Optimal Glomerular Filtration Rate Equations for Various Age Groups, Disease Conditions and Ethnicities in Asia: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2023, 12, 1822.   | 1.0 | 2         |
| 4350 | Tc-99m labelled bone scintigraphy in suspected cardiac amyloidosis. <i>European Heart Journal</i> , 2023, 44, 2187-2198.  | 1.0 | 19        |
| 4351 | Endovascular Ultrasound Renal Denervation to Treat Hypertension. <i>JAMA - Journal of the American Medical Association</i> , 2023, 329, 651.  | 3.8 | 41        |
| 4353 | A Randomized, Placebo-Controlled Crossover Study to Evaluate Postprandial Glucometabolic Effects of Mulberry Leaf Extract, VitaminÂD, Chromium, and Fiber in People with TypeÂ2 Diabetes. <i>Diabetes Therapy</i> , 2023, 14, 749-766.  | 1.2 | 2         |
| 4354 | Estimation of Glomerular Filtration Rate in Obese Patients: Utility of a New Equation. <i>Nutrients</i> , 2023, 15, 1233.   | 1.7 | 0         |
| 4355 | Epigenome-Wide Meta-Analysis Reveals Differential DNA Methylation Associated With Estimated Glomerular Filtration Rate Among African American Men With HIV. <i>Kidney International Reports</i> , 2023, , .   | 0.4 | 0         |
| 4356 | Leveraging Genetics to Address the Role of GALNT2 on Atherogenic Dyslipidemia. <i>Advanced Biology</i> , 2023, 7, .   | 1.4 | 0         |
| 4357 | Raw and cooked aqueous and methanol extracts of <i>Vigna unguiculata</i> (black-eyed bean) enhances renal function in experimental Wister rats. <i>Nutrition and Food Science</i> , 0, , .  | 0.4 | 0         |
| 4358 | Co-Benefits of Largescale Organic farming On huMan health (BLOOM): Protocol for a cluster-randomised controlled evaluation of the Andhra Pradesh Community-managed Natural Farming programme in India. <i>PLoS ONE</i> , 2023, 18, e0281677.  | 1.1 | 1         |
| 4359 | Long-Term Prognosis of Patients With Coexisting Obesity and Malnutrition After Acute Myocardial Infarction: A Cohort Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2023, 16, .   | 0.9 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4360 | The joint association of diabetes status and NT-ProBNP with adverse cardiac outcomes in patients with non-ST-segment elevation acute coronary syndrome: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2023, 22, .               | 2.7 | 1         |
| 4361 | Operations Research to Solve Kidney Allocation Problems: A Systematic Review. <i>Healthcare (Switzerland)</i> , 2023, 11, 768.  | 1.0 | 1         |
| 4362 | The prognostic predictive value of the components of the PR interval in hospitalized patients with heart failure. <i>BMC Cardiovascular Disorders</i> , 2023, 23, .   | 0.7 | 1         |
| 4363 | Association between sedentary behavior and depression in US adults with chronic kidney disease: NHANES 2007â€“2018. <i>BMC Psychiatry</i> , 2023, 23, .   | 1.1 | 3         |
| 4365 | Prevalence and clinical implications of atrial fibrillation in patients hospitalized due to COVID-19: Data from a registry in Poland. <i>Frontiers in Cardiovascular Medicine</i> , 0, 10, .  | 1.1 | 2         |
| 4366 | Association of diet quality indices with serum and metabolic biomarkers in participants of the ORISCAV-LUX-2 study. <i>European Journal of Nutrition</i> , 2023, 62, 2063-2085.   | 1.8 | 6         |
| 4367 | Gluconeogenesis in the kidney: in health and in chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2023, 16, 1249-1257.  | 1.4 | 1         |
| 4368 | Doppler-based evaluation of intrarenal venous flow as a new tool to predict acute kidney injury: A systematic review and meta-analysis. <i>Nefrologia</i> , 2023, 43, 57-66.  | 0.2 | 0         |
| 4369 | Carbon dioxide angiography during peripheral vascular interventions is associated with decreased cardiac and renal complications in patients with chronic kidney disease. <i>Journal of Vascular Surgery</i> , 2023, 78, 201-208.                 | 0.6 | 1         |
| 4370 | Diagnostic Efficacy of Renal 2-D Shear Wave Elastography in Familial Mediterranean Fever Disease. <i>Ultrasound Quarterly</i> , 0, Publish Ahead of Print, .  | 0.3 | 0         |
| 4371 | Converting from Tenofovir Disoproxil Fumarate to Tenofovir Alafenamide in Patients with Hepatitis B Following Liver Transplantation. <i>Annals of Transplantation</i> , 0, 28, .  | 0.5 | 1         |
| 4372 | Assessment of Kidney Function in Acute and Chronic Settings. , 2018, , 26-32.e1.  |     | 0         |
| 4373 | Concordance and Discrepancies Among 5 Creatinine-Based Equations for Assessing Estimated Glomerular Filtration Rate in Older Adults. <i>JAMA Network Open</i> , 2023, 6, e234211.   | 2.8 | 5         |
| 4375 | Association between early postradical cystectomy kidney injury and perioperative outcome in enhanced recovery era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2023, , .   | 0.8 | 1         |
| 4376 | Risk factors for subsequent lupus nephritis in patients with juvenile-onset systemic lupus erythematosus: a retrospective cohort study. <i>Pediatric Rheumatology</i> , 2023, 21, .   | 0.9 | 1         |
| 4377 | Prognostic implication of stress hyperglycemia in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Cardiovascular Diabetology</i> , 2023, 22, .  | 2.7 | 5         |
| 4378 | Prevalence and Predictors of Peripheral Vascular Disease Amongst Predialysis Hypertensive Chronic Kidney Disease Patients in Southern Nigeria. <i>Cureus</i> , 2023, , .  | 0.2 | 0         |
| 4379 | Exposure to perfluoroalkyl and polyfluoroalkyl substances and estimated glomerular filtration rate in adults: a cross-sectional study based on NHANES (2017â€“2018). <i>Environmental Science and Pollution Research</i> , 2023, 30, 57931-57944. | 2.7 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4380 | Long-Term Propensity-Matched Comparison of Fenestrated Endovascular Aneurysm Repair and Open Surgical Repair of Complex Abdominal Aortic Aneurysms. <i>Journal of Endovascular Therapy</i> , 0, , 152660282311622.                | 0.8 | 1         |
| 4381 | Increased plasma homocysteine levels are associated with left ventricular hypertrophy in hypertensive patients with normal renal function.. <i>Kidney and Blood Pressure Research</i> , 0, , .                                    | 0.9 | 0         |
| 4382 | Creatinine Clearance in Acute Brain Injury: A Comparison of Methods. <i>Neurocritical Care</i> , 2023, 39, 514-521.   | 1.2 | 4         |
| 4383 | Rates of adverse clinical events in patients with chronic kidney disease: analysis of electronic health records from the UK clinical practice research datalink linked to hospital data. <i>BMC Nephrology</i> , 2023, 24, .      | 0.8 | 1         |
| 4384 | Reference values for low muscle mass and myosteatosis using tomographic muscle measurements in living kidney donors. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 1         |
| 4385 | Is red distribution width a valid tool to predict impaired iron transport in heart failure?. <i>Frontiers in Cardiovascular Medicine</i> , 0, 10, .   | 1.1 | 0         |
| 4386 | The Accuracy of Initial U.S. Heart Transplant Candidate Rankings. <i>JACC: Heart Failure</i> , 2023, 11, 504-512.   | 1.9 | 3         |
| 4387 | Shared Decision Making for Choosing renal Replacement Therapy in Chronic Kidney Disease Patients (SDM-ART trial): study protocol for randomized clinical trial. <i>Kidney Research and Clinical Practice</i> , 2023, 42, 751-761. | 0.9 | 2         |
| 4388 | Plasma copeptin level in type 2 diabetic patients and its role in diabetic nephropathy. <i>The Egyptian Journal of Internal Medicine</i> , 2023, 35, .  | 0.3 | 0         |
| 4389 | Expression of ICAM-1 and E-selectin in different metabolic obesity phenotypes: discrepancy for endothelial dysfunction. <i>Journal of Endocrinological Investigation</i> , 0, , .   | 1.8 | 2         |
| 4390 | The Difference Between Cystatin C and Creatinine-Based Estimated GFR in Heart Failure With Reduced Ejection Fraction: Insights From PARADIGM-HF. <i>American Journal of Kidney Diseases</i> , 2023, 82, 521-533.                  | 2.1 | 4         |
| 4391 | Structural equation modeling (SEM) of kidney function markers and longitudinal CVD risk assessment. <i>PLoS ONE</i> , 2023, 18, e0280600.   | 1.1 | 1         |
| 4455 | Prescription of DOACs in Patients with Atrial Fibrillation at Different Stages of Renal Insufficiency. <i>Advances in Therapy</i> , 2023, 40, 4264-4281.  | 1.3 | 1         |
| 4523 | Clinical Assessment of a Patient with Chronic Kidney Disease. , 2023, , 15-30.  |     | 0         |
| 4546 | Safety and efficacy of sotagliflozin in patients with type II diabetes mellitus and chronic kidney disease: a meta-analysis of randomized controlled trials. <i>Journal of Nephrology</i> , 0, , .                                | 0.9 | 0         |
| 4581 | Estimated glomerular filtration rate in observational and interventional studies in chronic kidney disease. <i>Journal of Nephrology</i> , 0, , .   | 0.9 | 0         |