Upgrading and Downgrading of Prostate Cancer from B Incidence and Predictive Factors Using the Modified Glo in Tertiary Grades

European Urology 61, 1019-1024

DOI: 10.1016/j.eururo.2012.01.050

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Current Challenges in Development of Differentially Expressed and Prognostic Prostate Cancer Biomarkers. Prostate Cancer, 2012, 2012, 1-9. | 0.4 | 19 |
| 2 | Gleason Score 6 Adenocarcinoma: Should It Be Labeled As Cancer?. Journal of Clinical Oncology, 2012, 30, 4294-4296. | 0.8 | 162 |
| 3 | Short term outcomes of prostate biopsy in men tested for cancer by prostate specific antigen: prospective evaluation within ProtecT study. BMJ: British Medical Journal, 2012, 344, d7894-d7894. | 2.4 | 211 |
| 4 | Histology coreâ€specific evaluation of the <scp>E</scp> uropean <scp>S</scp> ociety of <scp>U</scp> rogenital <scp>R</scp> adiology (<scp>ESUR</scp>) standardised scoring system of multiparametric magnetic resonance imaging (<scp>mpMRI</scp>) of the prostate. BJU International, 2013, 112, 1080-1087 | 1.3 | 71 |
| 5 | Predictors of Gleason score upgrading in a large African-American population. International Urology and Nephrology, 2013, 45, 1257-1262. | 0.6 | 17 |
| 6 | MALDI-MS tissue imaging identification of biliverdin reductase B overexpression in prostate cancer. Journal of Proteomics, 2013, 91, 500-514. | 1.2 | 45 |
| 7 | Surgical Management of Prostate Cancer. Hematology/Oncology Clinics of North America, 2013, 27, 1111-1135. | 0.9 | 11 |
| 8 | Development and multiâ€institutional validation of an upgrading risk tool for Gleason 6 prostate cancer. Cancer, 2013, 119, 3992-4002. | 2.0 | 66 |
| 9 | High lysophosphatidylcholine acyltransferase 1 expression independently predicts high risk for biochemical recurrence in prostate cancers. Molecular Oncology, 2013, 7, 1001-1011. | 2.1 | 47 |
| 10 | 394 CONCORDANCE IN MOLECULAR MARKER STATUS BETWEEN BLADDER TUMORS AT TIME OF TRANSURETHRAL RESECTION AND SUBSEQUENT RADICAL CYSTECTOMY: RESULTS OF A 5-YEAR PROSPECTIVE STUDY. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 12 | Critical Evaluation of Magnetic Resonance Imaging Targeted, Transrectal Ultrasound Guided Transperineal Fusion Biopsy for Detection of Prostate Cancer. Journal of Urology, 2013, 190, 1380-1386. | 0.2 | 178 |
| 13 | Timing of Curative Treatment for Prostate Cancer: A Systematic Review. European Urology, 2013, 64, 204-215. | 0.9 | 112 |
| 14 | Contemporary Grading for Prostate Cancer: Implications for Patient Care. European Urology, 2013, 63, 892-901. | 0.9 | 95 |
| 15 | Defining the threshold for significant versus insignificant prostate cancer. Nature Reviews Urology, 2013, 10, 473-482. | 1.9 | 98 |
| 16 | Upgrading of <scp>G</scp> leason score and prostate volume: a clinicopathological analysis. BJU International, 2013, 111, 1310-1316. | 1.3 | 24 |
| 17 | Are Transrectal Prostate Biopsies Routinely Indicated in Patients with Incidentally Diagnosed Prostate Cancer following Transurethral Resection of the Prostate for Benign Disease?. Urologia Internationalis, 2013, 91, 397-403. | 0.6 | 8 |
| 18 | Overall- and Disease-Specific Survival in Prostata Cancer: Too Long to Wait?. Medical Radiology, 2013, , 65-73. | 0.0 | 1 |
| 19 | Can Contemporary Patients with Biopsy Gleason Score 3+4 Be Eligible for Active Surveillance?. PLoS ONE, 2014, 9, e109031. | 1.1 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Predicting the Gleason sum of a patient with a prostate biopsy core Gleason ≤ and a prostate biopsy core Gleason ≥8. Canadian Urological Association Journal, 2014, 8, 476. | 0.3 | 0 |
| 21 | PTEN loss in biopsy tissue predicts poor clinical outcomes in prostate cancer. International Journal of Urology, 2014, 21, 1209-1214. | 0.5 | 86 |
| 22 | Identification of proteomic biomarkers predicting prostate cancer aggressiveness and lethality despite biopsy-sampling error. British Journal of Cancer, 2014, 111, 1201-1212. | 2.9 | 123 |
| 23 | Upgrading and upstaging in prostate cancer: From prostate biopsy to radical prostatectomy. Molecular and Clinical Oncology, 2014, 2, 1145-1149. | 0.4 | 39 |
| 24 | Prognostic Histopathological and Molecular Markers on Prostate Cancer Needle-Biopsies: A Review. BioMed Research International, 2014, 2014, 1-12. | 0.9 | 41 |
| 25 | High nuclear karyopherin α 2 expression is a strong and independent predictor of biochemical recurrence in prostate cancer patients treated by radical prostatectomy. Modern Pathology, 2014, 27, 96-106. | 2.9 | 25 |
| 26 | The impact of pathologic staging on the longâ€ŧerm oncologic outcomes of patients with clinically highâ€ŧisk prostate cancer. Cancer, 2014, 120, 1656-1662. | 2.0 | 24 |
| 27 | Modeling grade progression in an active surveillance study. Statistics in Medicine, 2014, 33, 930-939. | 0.8 | 41 |
| 28 | Active Surveillance of Prostate Cancer in African American Men. Urology, 2014, 84, 1255-1262. | 0.5 | 17 |
| 29 | The likelihood of death from prostate cancer in men with favorable or unfavorable intermediateâ€risk disease. Cancer, 2014, 120, 1787-1793. | 2.0 | 44 |
| 30 | Higher rates of upgrading and upstaging in older patients undergoing radical prostatectomy and qualifying for active surveillance. BJU International, 2014, 114, 517-521. | 1.3 | 33 |
| 31 | Clinical significance of cancer in radical prostatectomy specimens: analysis from a contemporary series of 2900 men. Pathology, 2014, 46, 11-14. | 0.3 | 8 |
| 32 | Downgrading of biopsy based Gleason score in prostatectomy specimens. Journal of Clinical Pathology, 2014, 67, 313-318. | 1.0 | 16 |
| 34 | Physician Variation in Management of Low-Risk Prostate Cancer. JAMA Internal Medicine, 2014, 174, 1450. | 2.6 | 104 |
| 35 | The core of the matter: Using pathology instead of ultrasound to measure prostate volume. Canadian Urological Association Journal, 2014, 8, 232. | 0.3 | 0 |
| 36 | The status of surgery in the management of high-risk prostate cancer. Nature Reviews Urology, 2014, 11, 342-351. | 1.9 | 34 |
| 37 | When is Prostate Cancer Really Cancer?. Urologic Clinics of North America, 2014, 41, 339-346. | 0.8 | 38 |
| 38 | Agreement of Gleason Score on Prostate Biopsy and Radical Prostatectomy Specimen: Is There Improvement With Increased Number of Biopsy Cylinders and the 2005 Revised Gleason Scoring?. Clinical Genitourinary Cancer, 2014, 12, 160-166. | 0.9 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 39 | Abundant in vitro expression of the oncofetal ED-B-containing fibronectin translates into selective pharmacodelivery of 1311-L19SIP in a prostate cancer patient. Journal of Cancer Research and Clinical Oncology, 2014, 140, 35-43. | 1.2 | 24 |
| 40 | The Role of Magnetic Resonance Imaging in Delineating Clinically Significant Prostate Cancer. Urology, 2014, 83, 369-375. | 0.5 | 60 |
| 41 | Increased fatty acid synthase expression in prostate biopsy cores predicts higher Gleason score in radical prostatectomy specimen. BMC Clinical Pathology, 2014, 14, 3. | 1.8 | 14 |
| 42 | βIII-Tubulin Overexpression Is an Independent Predictor of Prostate Cancer Progression Tightly Linked to ERG Fusion Status and PTEN Deletion. American Journal of Pathology, 2014, 184, 609-617. | 1.9 | 48 |
| 43 | "To Measure Is To Know. If You Cannot Measure It, You Cannot Improve Itâ€: Statistical Modeling Cannot Compensate for Unmeasured Bias. European Urology, 2014, 65, 701-703. | 0.9 | 5 |
| 44 | NY-ESO-1 expression is tightly linked to TMPRSS2-ERG fusion in prostate cancer. Prostate, 2014, 74, 1012-1022. | 1.2 | 10 |
| 45 | Low free testosterone levels predict disease reclassification in men with prostate cancer undergoing active surveillance. BJU International, 2014, 114, 229-235. | 1.3 | 48 |
| 46 | Characteristics of modern Gleason 9/10 prostate adenocarcinoma: a single tertiary centre experience within the Republic of Ireland. World Journal of Urology, 2014, 32, 1067-1074. | 1.2 | 10 |
| 47 | Elevated fatty acid synthase expression in prostate needle biopsy cores predicts upgraded Gleason score in radical prostatectomy specimens. Prostate, 2014, 74, 90-96. | 1.2 | 7 |
| 48 | Current Clinical Presentation and Treatment of Localized Prostate Cancer in the United States. Journal of Urology, 2014, 192, 1650-1656. | 0.2 | 37 |
| 49 | The Prostate Cancer Susceptibility Variant rs2735839 Near <i>KLK3</i> Gene Is Associated with Aggressive Prostate Cancer and Can Stratify Gleason Score 7 Patients. Clinical Cancer Research, 2014, 20, 5133-5139. | 3.2 | 31 |
| 50 | Multiparametric 3T MRI for the prediction of pathological downgrading after radical prostatectomy in patients with biopsy-proven Gleason score 3 + 4 prostate cancer. European Radiology, 2014, 24, 3161-3170. | 2.3 | 34 |
| 51 | Local treatment of high risk prostate cancer: Role of surgery and radiation therapy. Cancer, 2014, 120, 1608-1610. | 2.0 | 4 |
| 52 | Patterns of failure after iodine-125 seed implantation for prostate cancer. Radiotherapy and Oncology, 2014, 112, 68-71. | 0.3 | 4 |
| 53 | Biopsy characteristics in men with a preoperative diagnosis of prostatic adenocarcinoma with high Gleason score (8-10) predict pathologic outcome in radical prostatectomy. Human Pathology, 2014, 45, 2006-2013. | 1.1 | 5 |
| 54 | Targeted Prostate Biopsies: The Complexity Behind a Simple Concept. European Urology, 2014, 66, 30-31. | 0.9 | 5 |
| 55 | The Effect of Differing Gleason Scores at Biopsy on the Odds of Upgrading and the Risk of Death From Prostate Cancer. Clinical Genitourinary Cancer, 2014, 12, e181-e187. | 0.9 | 5 |
| 56 | A Tertiary Gleason Pattern in the Prostatectomy Specimen and its Association with Adverse Outcome after Radical Prostatectomy. Journal of Urology, 2014, 192, 97-102. | 0.2 | 34 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 57 | Re: Prognostic Influence of the Third Cleason Grade in Prostatectomy Specimens. European Urology, 2014, 65, 498-499. | 0.9 | 0 |
| 58 | Magnetic Resonance Imaging-Ultrasound Fusion Biopsy for Prediction of Final Prostate Pathology. Journal of Urology, 2014, 192, 1367-1373. | 0.2 | 121 |
| 59 | Population Based Study of Predictors of Adverse Pathology among Candidates for Active Surveillance with Gleason 6 Prostate Cancer. Journal of Urology, 2014, 191, 350-357. | 0.2 | 80 |
| 60 | The prognostic significance of Gleason scores in metastatic prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 707-713. | 0.8 | 48 |
| 61 | The Role of Radical Prostatectomy and Lymph Node Dissection in Lymph Node–Positive Prostate Cancer: A Systematic Review of the Literature. European Urology, 2014, 66, 191-199. | 0.9 | 100 |
| 62 | The role of 3-tesla diffusion-weighted magnetic resonance imaging in selecting prostate cancer patients for active surveillance. Prostate International, 2014, 2, 169-175. | 1.2 | 17 |
| 63 | The prognostic significance of the 2014 International Society of Urological Pathology (ISUP) grading system for prostate cancer. Pathology, 2015, 47, 515-519. | 0.3 | 48 |
| 65 | Androgen deprivation therapy and the risk of death from prostate cancer among men with favorable or unfavorable intermediateâ€risk disease. Cancer, 2015, 121, 2713-2719. | 2.0 | 29 |
| 66 | Importance of prostate volume in the stratification of patients with intermediateâ€risk prostate cancer. International Journal of Urology, 2015, 22, 555-561. | 0.5 | 16 |
| 67 | Diseaseâ€specific death and metastasis do not occur in patients with Gleason score â‰ø at radical prostatectomy. BJU International, 2015, 116, 230-235. | 1.3 | 57 |
| 68 | Aligning evidence and practice. Current Opinion in Urology, 2015, 25, 277-282. | 0.9 | 1 |
| 69 | Should Gleason 6 be labeled as cancer?. Current Opinion in Urology, 2015, 25, 238-245. | 0.9 | 29 |
| 70 | Prostate Biopsy and Radical Prostatectomy Gleason Score Correlation in Heterogenous Tumors. American Journal of Surgical Pathology, 2015, 39, 1213-1218. | 2.1 | 28 |
| 71 | Controlling RECK miR21 Promotes Tumor Cell Invasion and Is Related to Biochemical Recurrence in Prostate Cancer. Journal of Cancer, 2015, 6, 292-301. | 1.2 | 46 |
| 72 | Multiparametric magnetic resonance imaging for prostate cancer: A review and update for urologists. Korean Journal of Urology, 2015, 56, 487. | 1.2 | 31 |
| 73 | Elevated Serum MicroRNA Levels Associate with Absence of High-Grade Prostate Cancer in a Retrospective Cohort. PLoS ONE, 2015, 10, e0124245. | 1.1 | 65 |
| 74 | Loss of SOX9 Expression Is Associated with PSA Recurrence in ERG-Positive and PTEN Deleted Prostate Cancers. PLoS ONE, 2015, 10, e0128525. | 1.1 | 26 |
| 75 | High-Level HOOK3 Expression Is an Independent Predictor of Poor Prognosis Associated with Genomic Instability in Prostate Cancer. PLoS ONE, 2015, 10, e0134614. | 1.1 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 76 | HOXB13 overexpression is an independent predictor of early PSA recurrence in prostate cancer treated by radical prostatectomy. Oncotarget, 2015, 6, 12822-12834. | 0.8 | 34 |
| 77 | The correlation between the Gleason score of a transrectal prostate biopsy and a radical prostatectomy pathological report in patients with localized prostate cancer. Case Reports in Clinical Pathology, 2015, 3, . | 0.0 | Ο |
| 78 | Prostate biopsy concordance in a large population-based sample: a Surveillance, Epidemiology and End Results study. Journal of Clinical Pathology, 2015, 68, 453-457. | 1.0 | 28 |
| 79 | Multiparametric-MRI and Targeted Biopsies in the Management of Prostate Cancer Patients on Active Surveillance. Frontiers in Oncology, 2015, 5, 4. | 1.3 | 8 |
| 80 | A multicenter study shows <i>PTEN</i> deletion is strongly associated with seminal vesicle involvement and extracapsular extension in localized prostate cancer. Prostate, 2015, 75, 1206-1215. | 1.2 | 55 |
| 81 | External validation and comparison of two nomograms predicting the probability of Cleason sum upgrading between biopsy and radical prostatectomy pathology in two patient populations: a retrospective cohort study. Japanese Journal of Clinical Oncology, 2015, 45, 1091-1095. | 0.6 | 6 |
| 82 | Active Surveillance. Surgical Pathology Clinics, 2015, 8, 581-585. | 0.7 | 4 |
| 83 | Development and Clinical Validation of an <i>In Situ</i> Biopsy-Based Multimarker Assay for Risk Stratification in Prostate Cancer. Clinical Cancer Research, 2015, 21, 2591-2600. | 3.2 | 157 |
| 84 | Clinical Implications of a Multiparametric Magnetic Resonance Imaging Based Nomogram Applied to Prostate Cancer Active Surveillance. Journal of Urology, 2015, 193, 1943-1949. | 0.2 | 60 |
| 85 | Diffusion-weighted magnetic resonance imaging for prediction of insignificant prostate cancer in potential candidates for active surveillance. European Radiology, 2015, 25, 1786-1792. | 2.3 | 47 |
| 86 | Comparison of systematic transrectal biopsy to transperineal magnetic resonance imaging/ultrasoundâ€fusion biopsy for the diagnosis of prostate cancer. BJU International, 2015, 116, 873-879. | 1.3 | 71 |
| 87 | Clinical role of pathological downgrading after radical prostatectomy in patients with biopsy confirmed Gleason score 3 + 4 prostate cancer. BJU International, 2015, 115, 81-86. | 1.3 | 10 |
| 88 | A urine-based methylation signature for risk stratification within low-risk prostate cancer. British Journal of Cancer, 2015, 112, 802-808. | 2.9 | 16 |
| 89 | Detection of Significant Prostate Cancer According to Anatomical Areas of Sampling Cores Obtained with Transrectal Systematic 12-Core Biopsy. Current Urology, 2015, 8, 91-95. | 0.4 | 1 |
| 90 | Mediumâ€ŧerm oncological outcomes for extended vs saturation biopsy and transrectal vs transperineal biopsy in active surveillance for prostate cancer. BJU International, 2015, 115, 884-891. | 1.3 | 40 |
| 91 | Precision Medicine in Active Surveillance for Prostate Cancer: Development of the Canary–Early Detection Research Network Active Surveillance Biopsy Risk Calculator. European Urology, 2015, 68, 1083-1088. | 0.9 | 48 |
| 92 | Validation of tertiary Gleason pattern 5 in Gleason score 7 prostate cancer as an independent predictor of biochemical recurrence and development of a prognostic model. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 71.e21-71.e26. | 0.8 | 26 |
| 93 | Incidence and Predictors of Upgrading and Up Staging among 10,000 Contemporary Patients with Low Risk Prostate Cancer. Journal of Urology, 2015, 194, 343-349. | 0.2 | 109 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 94 | African American men with low-grade prostate cancer have increased disease recurrence after prostatectomy compared with Caucasian men. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 70.e15-70.e22. | 0.8 | 35 |
| 95 | HDAC1 overexpression independently predicts biochemical recurrence and is associated with rapid tumor cell proliferation and genomic instability in prostate cancer. Experimental and Molecular Pathology, 2015, 98, 419-426. | 0.9 | 26 |
| 96 | Prevalence of High-grade or Insignificant Prostate Cancer in Korean Men With Prostate-specific Antigen Levels of 3.0-4.0Âng/mL. Urology, 2015, 85, 610-615. | 0.5 | 6 |
| 97 | Magnetic resonance imaging–targeted vs. conventional transrectal ultrasound–guided prostate biopsy: Single-institution, matched cohort comparison. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 109.e1-109.e6. | 0.8 | 10 |
| 98 | Gleason stratifications prognostic for survival in men receiving definitive external beam radiation therapy for localized prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 71.e11-71.e19. | 0.8 | 27 |
| 99 | Comparison of clinical outcomes between upgraded pathologic Gleason score 3Â+Â4 and non-upgraded 3Â+Â4 prostate cancer among patients who are candidates for active surveillance. World Journal of Urology, 2015, 33, 1729-1734. | 1.2 | 5 |
| 100 | Guidance on Patient Consultation. Current Evidence for Prostate-Specific Antigen Screening in Healthy Men and Treatment Options for Men with Proven Localised Prostate Cancer. Current Urology Reports, 2015, 16, 28. | 1.0 | 1 |
| 101 | Conditional Probability of Reclassification in an Active Surveillance Program for Prostate Cancer. Journal of Urology, 2015, 193, 1950-1955. | 0.2 | 32 |
| 102 | Saccharomyces cerevisiae–like 1 overexpression is frequent in prostate cancer and has markedly different effects in Ets-related gene fusion–positive and fusion-negative cancers. Human Pathology, 2015, 46, 514-523. | 1.1 | 10 |
| 103 | Overexpression of enhancer of zeste homolog 2 (EZH2) characterizes an aggressive subset of prostate cancers and predicts patient prognosis independently from pre- and postoperatively assessed clinicopathological parameters. Carcinogenesis, 2015, 36, 1333-1340. | 1.3 | 48 |
| 104 | Comparison of Outcomes Between Preoperatively Potent Men Treated with Focal Versus Whole Gland Cryotherapy in a Matched Population. Journal of Endourology, 2015, 29, 1193-1198. | 1.1 | 62 |
| 105 | Cribriform morphology predicts upstaging after radical prostatectomy in patients with Gleason score 3 + 4 = 7 prostate cancer at transrectal ultrasound (TRUS)-guided needle biopsy. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 437-442. | 1.4 | 72 |
| 106 | PTEN loss is associated with upgrading of prostate cancer from biopsy to radical prostatectomy. Modern Pathology, 2015, 28, 128-137. | 2.9 | 136 |
| 107 | Re: The Prostate Health Index Selectively Identifies Clinically Significant Prostate Cancer. Journal of Urology, 2015, 194, 1825-1826. | 0.2 | 4 |
| 108 | The prognostic value of SUMO1/Sentrin specific peptidase 1 (SENP1) in prostate cancer is limited to ERG-fusion positive tumors lacking PTEN deletion. BMC Cancer, 2015, 15, 538. | 1.1 | 30 |
| 109 | Automatic classification of prostate cancer Gleason scores from multiparametric magnetic resonance images. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E6265-73. | 3.3 | 322 |
| 110 | Accuracy of MRI-Targeted in-Bore Prostate Biopsy According to the Gleason Score with Postprostatectomy Histopathologic Control—a Targeted Biopsy-Only Strategy with Limited Number of Cores. Academic Radiology, 2015, 22, 1409-1418. | 1.3 | 16 |
| 111 | Radical prostatectomy in high-risk and locally advanced prostate cancer: Mayo Clinic perspective. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 235-244. | 0.8 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 112 | Apparent diffusion coefficient ratio correlates significantly with prostate cancer gleason score at final pathology. Journal of Magnetic Resonance Imaging, 2015, 42, 446-453. | 1.9 | 84 |
| 113 | Clinically high-risk prostate cancer patients comprise a relevant number of cancers with overall favorable tumor characteristics. World Journal of Urology, 2015, 33, 85-92. | 1.2 | 2 |
| 114 | Relationship between Gleason score and apparent diffusion coefficients of diffusion-weighted magnetic resonance imaging in prostate cancer patients. Canadian Urological Association Journal, 2016, 10, 377. | 0.3 | 20 |
| 115 | Concordance in Biomarker Status Between Bladder Tumors at Time of Transurethral Resection and Subsequent Radical Cystectomy: Results of a 5-year Prospective Study. Bladder Cancer, 2016, 2, 91-99. | 0.2 | 8 |
| 116 | Nomograms for predicting Gleason upgrading in a contemporary Chinese cohort receiving radical prostatectomy after extended prostate biopsy: development and internal validation. Oncotarget, 2016, 7, 17275-17285. | 0.8 | 10 |
| 117 | Predicting Low-Risk Prostate Cancer from Transperineal Saturation Biopsies. Prostate Cancer, 2016, 2016, 1-7. | 0.4 | 2 |
| 118 | Utility of Gleason pattern 4 morphologies detected on transrectal ultrasound (TRUS)-guided biopsies for prediction of upgrading or upstaging in Gleason score 3Â+Â4Â=Â7 prostate cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 313-319. | 1.4 | 39 |
| 119 | An <i>Ex Vivo</i> Phantom Validation Study of an MRI-Transrectal Ultrasound Fusion Device for Targeted Prostate Biopsy. Journal of Endourology, 2016, 30, 685-691. | 1.1 | 9 |
| 120 | Cytoplasmic accumulation of ELAVL1 is an independent predictor of biochemical recurrence associated with genomic instability in prostate cancer. Prostate, 2016, 76, 259-272. | 1.2 | 27 |
| 121 | Prostate Cancer Prognosis Defined by the Combined Analysis of 8q, PTEN and ERG. Translational Oncology, 2016, 9, 575-582. | 1.7 | 12 |
| 122 | The 2014 International Society of Urological Pathology (ISUP) Consensus Conference on Gleason Grading of Prostatic Carcinoma. American Journal of Surgical Pathology, 2016, 40, 244-252. | 2.1 | 2,256 |
| 123 | Improving the prediction of Gleason score upgrading: The role of prostate-specific antigen density. Revista Mexicana De Urologia, 2016, 76, 339-345. | 0.0 | 0 |
| 124 | PTEN loss and chromosome 8 alterations in Gleason grade 3 prostate cancer cores predicts the presence of un-sampled grade 4 tumor: implications for active surveillance. Modern Pathology, 2016, 29, 764-771. | 2.9 | 53 |
| 125 | Preoperative Evaluation of Prostate Cancer Aggressiveness: Using ADC and ADC Ratio in Determining Gleason Score. American Journal of Roentgenology, 2016, 207, 114-120. | 1.0 | 53 |
| 126 | The Role of Pelvic Lymph Node Dissection During Radical Prostatectomy in Patients With Gleason 6 Intermediate-risk Prostate Cancer. Urology, 2016, 93, 141-146. | 0.5 | 7 |
| 127 | Detection of prostate cancer using temporal sequences of ultrasound data: a large clinical feasibility study. International Journal of Computer Assisted Radiology and Surgery, 2016, 11, 947-956. | 1.7 | 34 |
| 128 | Resultados oncológicos en enfermedad N1 posterior a la prostatectomÃa radical. Revista Mexicana De Urologia, 2016, 76, 23-28. | 0.0 | 0 |
| 129 | Prospective Evaluation of the Prostate Imaging Reporting and Data System Version 2 for Prostate Cancer Detection. Journal of Urology, 2016, 196, 690-696. | 0.2 | 116 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 130 | Perineural invasion on biopsy is associated with upstaging at radical prostatectomy in Gleason score 3 + 4 = 7 prostate cancer. Pathology International, 2016, 66, 629-632. | 0.6 | 12 |
| 131 | Current Gleason score 3Â+Â4Â=Â7: has it lost its significance compared with its historical counterpart?. BJU International, 2016, 117, 853-854. | 1.3 | 0 |
| 132 | Multiparametric magnetic resonance imaging: Current role in prostate cancer management. International Journal of Urology, 2016, 23, 550-557. | 0.5 | 40 |
| 133 | The role of radical prostatectomy as an initial approach in high-risk prostate cancer. Actas Urológicas Españolas (English Edition), 2016, 40, 353-360. | 0.2 | 0 |
| 134 | Preoperative Statin Use at the Time of Radical Prostatectomy Is Not Associated With Biochemical Recurrence or Pathologic Upgrading. Urology, 2016, 97, 153-159. | 0.5 | 3 |
| 135 | Does true Gleason pattern 3 merit its cancer descriptor?. Nature Reviews Urology, 2016, 13, 541-548. | 1.9 | 18 |
| 136 | Optimizing Active Surveillance. European Urology, 2016, 70, 909-911. | 0.9 | 10 |
| 137 | p16 upregulation is linked to poor prognosis in ERG negative prostate cancer. Tumor Biology, 2016, 37, 12655-12663. | 0.8 | 20 |
| 138 | Intraprostatic locations of tumor foci of higher grade missed by diagnostic prostate biopsy among potential candidates for active surveillance. Scientific Reports, 2016, 6, 36781. | 1.6 | 6 |
| 139 | Extreme Gleason Upgrading From Biopsy to Radical Prostatectomy: A Population-based Analysis. Urology, 2016, 96, 148-155. | 0.5 | 12 |
| 140 | Integration of multiparametric MRI into active surveillance of prostate cancer. Future Oncology, 2016, 12, 2513-2529. | 1.1 | 6 |
| 141 | Grading of prostatic adenocarcinoma: current state and prognostic implications. Diagnostic Pathology, 2016, 11, 25. | 0.9 | 201 |
| 142 | Analysis of topographical distribution of prostate cancer and related pathological findings in prostatectomy specimens using cMDX document architecture. Journal of Biomedical Informatics, 2016, 59, 240-247. | 2.5 | 5 |
| 143 | European Randomised Study of Screening for Prostate Cancer (<scp>ERSPC</scp>) risk calculators significantly outperform the Prostate Cancer Prevention Trial (<scp>PCPT</scp>) 2.0 in the prediction of prostate cancer: a multiâ€institutional study. BJU International, 2016, 118, 706-713. | 1.3 | 60 |
| 144 | What Are the Predictive Factors for Gleason Score Upgrade following RP?. Urologia Internationalis, 2016, 96, 1-4. | 0.6 | 4 |
| 145 | Prostate Cancer Grading: A Decade After the 2005 Modified Gleason Grading System. Archives of Pathology and Laboratory Medicine, 2016, 140, 1140-1152. | 1.2 | 74 |
| 146 | Gleason grading challenges in the diagnosis of prostate adenocarcinoma: experience of a single institution. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 213-218. | 1.4 | 6 |
| 147 | Size-adjusted Quantitative Gleason Score as a Predictor of Biochemical Recurrence after Radical Prostatectomy. European Urology, 2016, 70, 248-253. | 0.9 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 148 | Papel de la prostatectomÃa radical como abordaje inicial en el tratamiento del cáncer de próstata de alto riesgo. Actas Urológicas Españolas, 2016, 40, 353-360. | 0.3 | 2 |
| 149 | Gleason Misclassification Rate Is Independent of Number of Biopsy Cores in Systematic Biopsy. Urology, 2016, 91, 143-149. | 0.5 | 23 |
| 152 | PI-RADS version 2 for prediction of pathological downgrading after radical prostatectomy: a preliminary study in patients with biopsy-proven Gleason Score 7 (3+4) prostate cancer. European Radiology, 2016, 26, 3580-3587. | 2.3 | 30 |
| 153 | Metastatic Prostate Cancer in Men Initially Treated with Active Surveillance. Journal of Urology, 2016, 195, 1409-1414. | 0.2 | 98 |
| 154 | Role of Magnetic Resonance Imaging in Prostate Cancer Screening: A Pilot Study Within the Göteborg Randomised Screening Trial. European Urology, 2016, 70, 566-573. | 0.9 | 65 |
| 155 | The Significance of Accurate Determination of Gleason Score for Therapeutic Options and Prognosis of Prostate Cancer. Pathology and Oncology Research, 2016, 22, 349-356. | 0.9 | 19 |
| 156 | Should the involvement of skeletal muscle by prostatic adenocarcinoma be reported on biopsies?. Human Pathology, 2016, 49, 10-14. | 1.1 | 1 |
| 157 | The Diagnostic Performance of Multiparametric Magnetic Resonance Imaging to Detect Significant Prostate Cancer. Journal of Urology, 2016, 195, 1428-1435. | 0.2 | 124 |
| 158 | The value of ADC, T2 signal intensity, and a combination of both parameters to assess Gleason score and primary Gleason grades in patients with known prostate cancer. Acta Radiologica, 2016, 57, 107-114. | 0.5 | 36 |
| 159 | A Contemporary Prostate Cancer Grading System: A Validated Alternative to the Gleason Score. European Urology, 2016, 69, 428-435. | 0.9 | 1,039 |
| 160 | Salvage radical prostatectomy for recurrent prostate cancer: verification of European Association of Urology guideline criteria. BJU International, 2016, 117, 55-61. | 1.3 | 43 |
| 161 | Diffusionâ€weighted imaging predicts upgrading of Gleason score in biopsyâ€proven low grade prostate cancers. BJU International, 2017, 119, 57-66. | 1.3 | 20 |
| 162 | Quantified Clinical Risk Change as an End Point During Prostate Cancer Active Surveillance. European Urology, 2017, 72, 329-332. | 0.9 | 8 |
| 163 | Epigenome-Wide Tumor DNA Methylation Profiling Identifies Novel Prognostic Biomarkers of Metastatic-Lethal Progression in Men Diagnosed with Clinically Localized Prostate Cancer. Clinical Cancer Research, 2017, 23, 311-319. | 3.2 | 65 |
| 164 | Clinical Applications of Molecular Imaging in the Management of Prostate Cancer. PET Clinics, 2017, 12, 185-192. | 1.5 | 12 |
| 165 | Clobal Gleason grade groups in prostate cancer: concordance of biopsy and radical prostatectomy grades and predictors of upgrade and downgrade. Histopathology, 2017, 70, 1098-1106. | 1.6 | 42 |
| 166 | Utility of computed diffusionâ€weighted MRI for predicting aggressiveness of prostate cancer. Journal of Magnetic Resonance Imaging, 2017, 46, 490-496. | 1.9 | 20 |
| 167 | Multiparametric Magnetic Resonance/Ultrasound Fusion Prostate Biopsy: Number and Spatial Distribution of Cores for Better Index Tumor Detection and Characterization. Journal of Urology, 2017, 198, 58-64. | 0.2 | 52 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 168 | Gleason Score 7 Prostate Cancers Emerge through Branched Evolution of Clonal Gleason Pattern 3 and 4. Clinical Cancer Research, 2017, 23, 3823-3833. | 3.2 | 43 |
| 169 | Prostate Imaging Reporting and Data System, Version 2, Assessment Categories and Pathologic Outcomes in Patients With Gleason Score 3 + 4 = 7 Prostate Cancer Diagnosed at Biopsy. American Journal of Roentgenology, 2017, 208, 1037-1044. | 1.0 | 11 |
| 170 | Prostate-specific antigen density is predictive of outcome in suboptimal prostate seed brachytherapy. Brachytherapy, 2017, 16, 348-352. | 0.2 | 4 |
| 171 | Role of Magnetic Resonance Imaging in Prostate Cancer Assessment. Current Clinical Urology, 2017, , 161-176. | 0.0 | Ο |
| 172 | Transfer learning from RF to B-mode temporal enhanced ultrasound features for prostate cancer detection. International Journal of Computer Assisted Radiology and Surgery, 2017, 12, 1111-1121. | 1.7 | 25 |
| 173 | Postoperative upgrading of prostate cancer in men ≥75Âyears: a propensity score-matched analysis. World Journal of Urology, 2017, 35, 1517-1524. | 1.2 | 17 |
| 174 | Detection and grading of prostate cancer using temporal enhanced ultrasound: combining deep neural networks and tissue mimicking simulations. International Journal of Computer Assisted Radiology and Surgery, 2017, 12, 1293-1305. | 1.7 | 36 |
| 175 | Re: Properties of the 4-Kallikrein Panel Outside the DiagnosticÂGray Zone: Meta-Analysis of Patients with Positive Digital Rectal Examination or Prostate Specific Antigen 10 ng/ml and Above. Journal of Urology, 2017, 198, 445-446. | 0.2 | 0 |
| 176 | Blinded review of archival radical prostatectomy specimens supports that contemporary Gleason score 6 prostate cancer lacks metastatic potential. Prostate, 2017, 77, 1076-1081. | 1.2 | 6 |
| 177 | Grade Group Underestimation in Prostate Biopsy: Predictive Factors and Outcomes in Candidates for Active Surveillance. Clinical Genitourinary Cancer, 2017, 15, e907-e913. | 0.9 | 11 |
| 178 | Two-Stage Biomarker Protocols for Improving the Precision of Early Detection of Prostate Cancer. Medical Decision Making, 2017, 37, 815-826. | 1.2 | 12 |
| 179 | Gleason sum upgrading between biopsy and radical prostatectomy in Chinese population: Updated nomograms. Actas Urológicas EspaA±olas (English Edition), 2017, 41, 162-171. | 0.2 | 2 |
| 180 | Prospective Evaluation of PI-RADSâ,,¢ Version 2 Using the International Society of Urological Pathology Prostate Cancer Grade Group System. Journal of Urology, 2017, 198, 583-590. | 0.2 | 127 |
| 181 | Overexpression of the A Disintegrin and Metalloproteinase ADAM15 is linked to a Small but Highly Aggressive Subset of Prostate Cancers. Neoplasia, 2017, 19, 279-287. | 2.3 | 16 |
| 183 | Commentary on: Padeliporfin Vascular-targeted Photodynamic Therapy Versus Active Surveillance in Men With Low-risk Prostate Cancer (CLIN1001 PCM301): An Open-label, Phase 3, Randomized Controlled Trial. Urology, 2017, 104, 7-8. | 0.5 | 1 |
| 184 | Transperineal biopsies of MRI-detected aggressive index lesions in low-Âand intermediate-risk prostate cancer patients: Implications for treatment decision. Brachytherapy, 2017, 16, 201-206. | 0.2 | 3 |
| 185 | Extraprostatic Extension Is Extremely Rare for Contemporary Gleason Score 6 Prostate Cancer. European Urology, 2017, 72, 455-460. | 0.9 | 28 |
| 186 | High‣evel Glyoxalase 1 (GLO1) expression is linked to poor prognosis in prostate cancer. Prostate, 2017, 77, 1528-1538. | 1.2 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 187 | A Prospective Comparison of Selective Multiparametric Magnetic Resonance Imaging Fusion-Targeted and Systematic Transrectal Ultrasound-Guided Biopsies for Detecting Prostate Cancer in Men Undergoing Repeated Biopsies. Urologia Internationalis, 2017, 99, 384-391. | 0.6 | 24 |
| 188 | Diffusion Kurtosis Imaging Helps to Predict Upgrading in Biopsy-Proven Prostate Cancer With a Gleason Score of 6. American Journal of Roentgenology, 2017, 209, 1081-1087. | 1.0 | 10 |
| 189 | Up-regulation of Biglycan is Associated with Poor Prognosis and PTEN Deletion in Patients with Prostate Cancer. Neoplasia, 2017, 19, 707-715. | 2.3 | 65 |
| 190 | Seminal plasma enables selection and monitoring of active surveillance candidates using nuclear magnetic resonance-based metabolomics: A preliminary investigation. Prostate International, 2017, 5, 149-157. | 1.2 | 14 |
| 191 | Epigenetic risk score improves prostate cancer risk assessment. Prostate, 2017, 77, 1259-1264. | 1.2 | 21 |
| 192 | Up regulation and nuclear translocation of Y-box binding protein 1 (YB-1) is linked to poor prognosis in ERG-negative prostate cancer. Scientific Reports, 2017, 7, 2056. | 1.6 | 27 |
| 193 | Use of a 17-Gene Prognostic Assay in Contemporary Urologic Practice: Results of an Interim Analysis in an Observational Cohort. Urology, 2017, 107, 67-75. | 0.5 | 36 |
| 194 | Prognostic value of Prostate Imaging and Data Reporting System (PI-RADS) v. 2 assessment categories 4 and 5 compared to histopathological outcomes after radical prostatectomy. Journal of Magnetic Resonance Imaging, 2017, 46, 257-266. | 1.9 | 32 |
| 195 | The Impact of Downgrading from Biopsy Gleason 7 to Prostatectomy Gleason 6 on Biochemical Recurrence and Prostate Cancer Specific Mortality. Journal of Urology, 2017, 197, 1060-1067. | 0.2 | 10 |
| 196 | Prostate imaging reporting and data system version 2 (PI-RADS v2): a pictorial review. Abdominal Radiology, 2017, 42, 278-289. | 1.0 | 56 |
| 197 | Validity of the Cancer of the Prostate Risk Assessment Score Derived From Targeted Biopsy: Modeling Evidence From Ultrasound Lesion-Directed Biopsy. Clinical Genitourinary Cancer, 2017, 15, 93-99. | 0.9 | 1 |
| 198 | A Bayesian Hierarchical Model for Prediction of Latent Health States from Multiple Data Sources with Application to Active Surveillance of Prostate Cancer. Biometrics, 2017, 73, 625-634. | 0.8 | 23 |
| 199 | Comparing Three Different Techniques for Magnetic Resonance Imaging-targeted Prostate Biopsies: A Systematic Review of In-bore versus Magnetic Resonance Imaging-transrectal Ultrasound fusion versus Cognitive Registration. Is There a Preferred Technique?. European Urology, 2017, 71, 517-531. | 0.9 | 326 |
| 200 | Infragradación de la biopsia de próstata respecto a la pieza de prostatectomÃa la población china: nomogramas actualizados. Actas Urológicas Españolas, 2017, 41, 162-171. | 0.3 | 3 |
| 201 | The Emerging Role of MRI in Prostate Cancer Active Surveillance and Ongoing Challenges. American Journal of Roentgenology, 2017, 208, 131-139. | 1.0 | 66 |
| 202 | A biopsy-integrated algorithm for determining Gleason 6 upgrading risk stratifies risk of active surveillance failure in prostate cancer. World Journal of Urology, 2017, 35, 729-735. | 1.2 | 8 |
| 203 | Management of prostate cancer patients with locally adverse pathologic features after radical prostatectomy: feasibility of active surveillance for cases with Gleason grade 3Â+Â4Â=Â7. Journal of Cancer Research and Clinical Oncology, 2017, 143, 123-129. | 1.2 | 5 |
| 204 | Active Surveillance Following Modified Transperineal Template Guided Saturation Biopsy Demonstrates a Low Rate of Progression and Conversion to Radical Treatment, with Age and PSA Associated with Upgrading, Upstaging and Treatment. Advances in Cancer Prevent <u>ion, 2017, 02, .</u> | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 205 | Association of PTEN expression with biochemical recurrence in prostate cancer: results based on previous reports. OncoTargets and Therapy, 2017, Volume 10, 5089-5097. | 1.0 | 6 |
| 206 | High-Level Î ³ -Glutamyl-Hydrolase (GGH) Expression is Linked to Poor Prognosis in ERG Negative Prostate Cancer. International Journal of Molecular Sciences, 2017, 18, 286. | 1.8 | 30 |
| 207 | Prognostic Value of the New Prostate Cancer International Society of Urological Pathology Grade Groups. Frontiers in Medicine, 2017, 4, 157. | 1.2 | 21 |
| 208 | The Importance of Histology and Pathology in Mass Spectrometry Imaging. Advances in Cancer Research, 2017, 134, 1-26. | 1.9 | 19 |
| 209 | Oncological outcomes in an Australian cohort according to the new prostate cancer grading groupings. BMC Cancer, 2017, 17, 537. | 1.1 | 3 |
| 210 | Application of ultrasound imaging biomarkers (HistoScanningâ"¢) improves staging reliability of prostate biopsies. BMC Research Notes, 2017, 10, 579. | 0.6 | 1 |
| 211 | Prostate-specific antigen 10–20 ng/mL: A predictor of degree of upgrading to ≥8 among patients with biopsy Gleason score 6. Investigative and Clinical Urology, 2017, 58, 90. | 1.0 | 16 |
| 212 | The impact of the 2005 International Society of Urological Pathology Gleason grading consensus on active surveillance for prostate cancer. Central European Journal of Urology, 2017, 70, 344-348. | 0.2 | 2 |
| 213 | The Modulating Effects of Benign Prostate Enlargement Medications on Upgrading Predictors in Patients with Gleason 6 at Biopsy. Current Urology, 2017, 10, 97-104. | 0.4 | 2 |
| 214 | Validation of a 10-gene molecular signature for predicting biochemical recurrence and clinical metastasis in localized prostate cancer. Journal of Cancer Research and Clinical Oncology, 2018, 144, 883-891. | 1.2 | 24 |
| 215 | Pathology of Prostate Cancer. Molecular Pathology Library, 2018, , 37-56. | 0.1 | 1 |
| 216 | Prostate Cancer Molecular Prognosis. Molecular Pathology Library, 2018, , 503-522. | 0.1 | 2 |
| 217 | Contrast enhanced ultrasound (CEUS) with MRI image fusion for monitoring focal therapy of prostate cancer with high intensity focused ultrasound (HIFU)1. Clinical Hemorheology and Microcirculation, 2018, 69, 93-100. | 0.9 | 24 |
| 218 | 3 + 4 = 6? Implications of the stratification of localized Gleason 7 prostate cancer by number and percentage of positive biopsy cores in selecting patients for active surveillance. Actas Urológicas Españolas (English Edition), 2018, 42, 103-113. | 0.2 | 2 |
| 219 | Pilot study for supervised target detection applied to spatially registered multiparametric MRI in order to non-invasively score prostate cancer. Computers in Biology and Medicine, 2018, 94, 65-73. | 3.9 | 12 |
| 220 | Costâ€effectiveness of magnetic resonance imaging and targeted fusion biopsy for early detection of prostate cancer. BJU International, 2018, 122, 50-58. | 1.3 | 49 |
| 221 | Targeted biopsy. Current Opinion in Urology, 2018, 28, 219-226. | 0.9 | 6 |
| 222 | Concordance of Gleason grading with three-dimensional ultrasound systematic biopsy and biopsy core pre-embedding. World Journal of Urology, 2018, 36, 863-869. | 1.2 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 223 | Pathologic Outcomes of Candidates for Active Surveillance Undergoing Radical Prostatectomy: Results from a Contemporary Turkish Patient Cohort. Urologia Internationalis, 2018, 100, 43-49. | 0.6 | 5 |
| 224 | The Gleason pattern 4 in radical prostatectomy specimens in current practice - Quantification, morphology and concordance with biopsy. Annals of Diagnostic Pathology, 2018, 34, 13-17. | 0.6 | 5 |
| 225 | The new Epstein gleason score classification significantly reduces upgrading in prostate cancer patients. European Journal of Surgical Oncology, 2018, 44, 835-839. | 0.5 | 27 |
| 226 | Incidence of Extraprostatic Extension at Radical Prostatectomy with Pure Gleason Score 3 + 3 = 6 (Grade Group 1) Cancer: Implications for Whether Gleason Score 6 Prostate Cancer Should be Renamed "Not Cancer" and for Selection Criteria for Active Surveillance. Journal of Urology, 2018, 199, 1482-1487. | 0.2 | 27 |
| 227 | MR Imaging for Prostate Cancer Screening and Active Surveillance. Radiologic Clinics of North America, 2018, 56, 251-261. | 0.9 | 6 |
| 228 | Tertiary Gleason pattern in radical prostatectomy specimens is associated with worse outcomes than the next higher Gleason score group in localized prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 158.e1-158.e6. | 0.8 | 10 |
| 229 | Prostate cancer grading: a decade after the 2005 modified system. Modern Pathology, 2018, 31, 47-63. | 2.9 | 83 |
| 230 | Toward a real-time system for temporal enhanced ultrasound-guided prostate biopsy. International Journal of Computer Assisted Radiology and Surgery, 2018, 13, 1201-1209. | 1.7 | 8 |
| 231 | A 17-Gene Genomic Prostate Score Assay Provides Independent Information on Adverse Pathology in the Setting of Combined Multiparametric Magnetic Resonance Imaging Fusion Targeted and Systematic Prostate Biopsy. Journal of Urology, 2018, 200, 564-572. | 0.2 | 28 |
| 232 | Role of PI-RADS Version 2 for Prediction of Upgrading in Biopsy-Proven Prostate Cancer With Gleason Score 6. Clinical Genitourinary Cancer, 2018, 16, 281-287. | 0.9 | 27 |
| 233 | Molecular correlates of intermediate- and high-risk localized prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 368-374. | 0.8 | 5 |
| 234 | Mesoscopic characterization of prostate cancer using Raman spectroscopy: potential for diagnostics and therapeutics. BJU International, 2018, 122, 326-336. | 1.3 | 49 |
| 235 | Integrating Tertiary Gleason 5 Patterns into Quantitative Gleason Grading in Prostate Biopsies and Prostatectomy Specimens. European Urology, 2018, 73, 674-683. | 0.9 | 40 |
| 236 | New prostate cancer prognostic grade group (PGG): Can multiparametric MRI (mpMRI) accurately separate patients with low-, intermediate-, and high-grade cancer?. Abdominal Radiology, 2018, 43, 702-712. | 1.0 | 15 |
| 237 | Adverse Pathologic Findings for Men Electing Immediate Radical Prostatectomy. JAMA Oncology, 2018, 4, 89. | 3.4 | 52 |
| 238 | Prostate-specific Antigen Density Is a Good Predictor of Upstaging and Upgrading, According to the New Grading System: The Keys We Are Seeking May Be Already in Our Pocket. Urology, 2018, 111, 129-135. | 0.5 | 27 |
| 239 | ¿3 + 4Â= 6? Implicaciones de la estratificación del cáncer de próstata localizado Gleason 7 por número y porcentaje de cilindros positivos de biopsia en la selección de pacientes para vigilancia activa. Actas Urológicas Españolas, 2018, 42, 103-113. | 0.3 | 2 |
| 240 | Defining Novel and Practical Metrics to Assess the Deliverables of Multiparametric Magnetic Resonance Imaging/Ultrasound Fusion Prostate Biopsy. Journal of Urology, 2018, 199, 969-975. | 0.2 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 241 | Most Gleason 8 Biopsies are Downgraded at Prostatectomy—Does 4 + 4 = 7?. Journal of Urology, 2018, 199, 706-712. | 0.2 | 19 |
| 242 | Optimizing active surveillance strategies to balance the competing goals of early detection of grade progression and minimizing harm from biopsies. Cancer, 2018, 124, 698-705. | 2.0 | 12 |
| 243 | Genomic Gain of 16p13.3 in Prostate Cancer Predicts Poor Clinical Outcome after Surgical Intervention. Molecular Cancer Research, 2018, 16, 115-123. | 1.5 | 12 |
| 244 | Percent Gleason pattern 4 in stratifying the prognosis of patients with intermediate-risk prostate cancer. Translational Andrology and Urology, 2018, 7, S484-S489. | 0.6 | 14 |
| 245 | Aggressive Cancer Behavior of Latent Gleason Pattern 5 in Prostatectomy Specimens. Anticancer Research, 2018, 38, 6529-6535. | 0.5 | 2 |
| 246 | Concordance of "Case Level―Global, Highest, and Largest Volume Cancer Grade Group on Needle Biopsy Versus Grade Group on Radical Prostatectomy. American Journal of Surgical Pathology, 2018, 42, 1522-1529. | 2.1 | 23 |
| 247 | Advances in Medical Imaging Technology for Accurate Detection of Prostate Cancer. , 0, , . | | 0 |
| 248 | Current topics on prostate and bladder pathology. Surgical and Experimental Pathology, 2018, 1, . | 0.2 | 1 |
| 249 | Urologic Pathology. Surgical Pathology Clinics, 2018, 11, 893-901. | 0.7 | 2 |
| 250 | High levels of glioma tumor suppressor candidate region gene 1 predicts a poor prognosis for prostate cancer. Oncology Letters, 2018, 16, 6749-6755. | 0.8 | 11 |
| 251 | Risk of upgrading from prostate biopsy to radical prostatectomy pathology: Is magnetic resonance imaging-guided biopsy more accurate?. Journal of Cancer, 2018, 9, 3634-3639. | 1.2 | 22 |
| 252 | Serum thymidine kinase 1 is associated with Gleason score of patients with prostate carcinoma. Oncology Letters, 2018, 16, 6171-6180. | 0.8 | 2 |
| 253 | Effects of pathological upstaging or upgrading on metastasis and cancerâ€specific mortality in men with clinical lowâ€risk prostate cancer. BJU International, 2018, 122, 1003-1009. | 1.3 | 35 |
| 254 | Not All Multiparametric Magnetic Resonance Imaging–targeted Biopsies Are Equal: The Impact of the Type of Approach and Operator Expertise on the Detection of Clinically Significant Prostate Cancer. European Urology Oncology, 2018, 1, 120-128. | 2.6 | 55 |
| 255 | Tissue proteomics studies in the investigation of prostate cancer. Expert Review of Proteomics, 2018, 15, 593-611. | 1.3 | 8 |
| 256 | Deep Recurrent Neural Networks for Prostate Cancer Detection: Analysis of Temporal Enhanced Ultrasound. IEEE Transactions on Medical Imaging, 2018, 37, 2695-2703. | 5.4 | 57 |
| 258 | 13q deletion is linked to an adverse phenotype and poor prognosis in prostate cancer. Genes Chromosomes and Cancer, 2018, 57, 504-512. | 1.5 | 35 |
| 259 | Prostate Cancer Diagnostics Using a Combination of the Stockholm3 Blood Test and Multiparametric Magnetic Resonance Imaging. European Urology, 2018, 74, 722-728. | 0.9 | 70 |

| # 260 | ARTICLE ADC Metrics From Multiparametric MRI: Histologic Downgrading of Gleason Score 9 or 10 Prostate Cancers Diagnosed at Nontargeted Transrectal Ultrasound–Guided Biopsy. American Journal of Roentgenology, 2018, 211, W158-W165. | IF 1.0 | CITATIONS |
|----------|---|-----------|-----------|
| 261 | Tristetraprolin Is a Prognostic Biomarker for Poor Outcomes among Patients with Low-Grade Prostate Cancer. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1376-1383. | 1.1 | 9 |
| 262 | Clinical and pathologic factors predicting reclassification in active surveillance cohorts. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2018, 44, 440-451. | 0.7 | 13 |
| 263 | Metabolic syndrome increases the risk of upgrading and upstaging in patients with prostate cancer on biopsy: a radical prostatectomy multicenter cohort study. Prostate Cancer and Prostatic Diseases, 2018, 21, 438-445. | 2.0 | 14 |
| 264 | Advances in Urologic Imaging. Urologic Clinics of North America, 2018, 45, 503-524. | 0.8 | 27 |
| 266 | Gleason score assignment is the sole responsibility of the pathologist. Histopathology, 2018, 73, 5-7. | 1.6 | 12 |
| 267 | Prostate Imaging-Reporting and Data System Steering Committee: PI-RADS v2 Status Update and Future Directions. European Urology, 2019, 75, 385-396. | 0.9 | 200 |
| 268 | The combination of PTEN deletion and 16p13.3 gain in prostate cancer provides additional prognostic information in patients treated with radical prostatectomy. Modern Pathology, 2019, 32, 128-138. | 2.9 | 5 |
| 269 | Urinary DNA methylation biomarkers for prediction of prostate cancer upgrading and upstaging. Clinical Epigenetics, 2019, 11, 115. | 1.8 | 24 |
| 270 | Pathological Assessment of Prostate Cancer. , 2019, , 159-177. | | 0 |
| 271 | Extent and predictors of grade upgrading and downgrading in an Australian cohort according to the new prostate cancer grade groupings. Asian Journal of Urology, 2019, 6, 321-329. | 0.5 | 7 |
| 272 | Down-Regulation of S100A8 is an Independent Predictor of PSA Recurrence in Prostate Cancer Treated by Radical Prostatectomy. Neoplasia, 2019, 21, 872-881. | 2.3 | 5 |
| 273 | The independent prognostic impact of the GATA2 pioneering factor is restricted to ERG-negative prostate cancer. Tumor Biology, 2019, 41, 101042831882481. | 0.8 | 9 |
| 274 | ¹⁸ F-Choline PET/mpMRI for Detection of Clinically Significant Prostate Cancer: Part 2. Cost-Effectiveness Analysis. Journal of Nuclear Medicine, 2019, 60, 1705-1712. | 2.8 | 12 |
| 275 | Pathological upgrading in prostate cancer treated with surgery in the United Kingdom: trends and risk factors from the British Association of Urological Surgeons Radical Prostatectomy Registry. BMC Urology, 2019, 19, 94. | 0.6 | 25 |
| 276 | High-level expression of protein tyrosine phosphatase non-receptor 12 is a strong and independent predictor of poor prognosis in prostate cancer. BMC Cancer, 2019, 19, 944. | 1.1 | 4 |
| 277 | Proportion of cores with the highest Gleason grade group among positive cores on prostate biopsy: does this affect the probability of upgrading or downgrading?. Scandinavian Journal of Urology, 2019, 53, 372-377. | 0.6 | 5 |
| 278 | Comparison of Magnetic Resonance Imaging-stratified Clinical Pathways and Systematic Transrectal Ultrasound-guided Biopsy Pathway for the Detection of Clinically Significant Prostate Cancer: A Systematic Review and Meta-analysis of Randomized Controlled Trials. European Urology Oncology, 2019. 2. 605-616. | 2.6 | 30 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 279 | Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. International Urology and Nephrology, 2019, 51, 2169-2180. | 0.6 | 9 |
| 280 | Perioperative and oncological outcomes of radical prostatectomy for highâ€risk prostate cancer in the UK: an analysis of surgeonâ€reported data. BJU International, 2019, 124, 441-448. | 1.3 | 11 |
| 281 | Evaluation of the accuracy of multiparametric <scp>MRI</scp> for predicting prostate cancer pathology and tumour staging in the real world: an multicentre study. BJU International, 2019, 124, 297-301. | 1.3 | 23 |
| 282 | Optimizing prostate cancer accumulating model: combined PI-RADS v2 with prostate specific antigen and its derivative data. Cancer Imaging, 2019, 19, 26. | 1.2 | 6 |
| 283 | Prostate cancer aggressive prediction: preponderant diagnostic performances of intravoxel incoherent motion (IVIM) imaging and diffusion kurtosis imaging (DKI) beyond ADC at 3.0 T scanner with gleason score at final pathology. Abdominal Radiology, 2019, 44, 3441-3452. | 1.0 | 20 |
| 284 | PI-RADS Steering Committee: The PI-RADS Multiparametric MRI and MRI-directed Biopsy Pathway. Radiology, 2019, 292, 464-474. | 3.6 | 162 |
| 285 | Impact of bilateral biopsy-detected prostate cancer on an active surveillance population. BMC Urology, 2019, 19, 26. | 0.6 | 2 |
| 286 | Influence of African American race on the association between preoperative biopsy grade group and adverse histopathologic features of radical prostatectomy. Cancer, 2019, 125, 3025-3032. | 2.0 | 3 |
| 287 | Concordance of cribriform architecture in matched prostate cancer biopsy and radical prostatectomy specimens. Histopathology, 2019, 75, 338-345. | 1.6 | 22 |
| 288 | Circulating blood miRNAs for prostate cancer risk stratification: miRroring the underlying tumor biology with liquid biopsies. Research and Reports in Urology, 2019, Volume 11, 29-42. | 0.6 | 8 |
| 289 | The effect of time from biopsy to radical prostatectomy on adverse pathologic outcomes. Research and Reports in Urology, 2019, Volume 11, 53-60. | 0.6 | 11 |
| 290 | Joint Prostate Cancer Detection and Gleason Score Prediction in mp-MRI via FocalNet. IEEE Transactions on Medical Imaging, 2019, 38, 2496-2506. | 5.4 | 133 |
| 291 | The Impact of 68Ga-PSMA PET/CT and PET/MRI on the Management of Prostate Cancer. Urology, 2019, 130, 1-12. | 0.5 | 56 |
| 292 | Assessment of prostate cancer prognostic Gleason grade group using zonalâ€specific features extracted from biparametric <scp>MRI</scp> using a <scp>KNN</scp> classifier. Journal of Applied Clinical Medical Physics, 2019, 20, 146-153. | 0.8 | 26 |
| 293 | Evolution, controversies and the future of prostate cancer grading. Pathology International, 2019, 69, 55-66. | 0.6 | 6 |
| 294 | Downgrading of Grade Group After Radical Prostatectomy: Comparison of Multiparametric Magnetic Resonance Imaging Guided Fusion Biopsy and Standard 12-Core Biopsy. Urology, 2019, 127, 80-85. | 0.5 | 12 |
| 295 | Estudio de concordancia entre los resultados de la puntuación de Gleason de biopsias de próstata y los de la prostatectomÃa radical en pacientes con cáncer de próstata localizado. Revista Facultad De Medicina, 2019, 67, 209-214. | 0.0 | 0 |
| 296 | Prostate MRI, with or without MRI-targeted biopsy, and systematic biopsy for detecting prostate cancer. The Cochrane Library, 2019, 2019, CD012663. | 1.5 | 234 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 298 | Thrombospondin 1 and cathepsin D improve prostate cancer diagnosis by avoiding potentially unnecessary prostate biopsies. BJU International, 2019, 123, 826-833. | 1.3 | 25 |
| 299 | Integrating tertiary Gleason pattern 5 into the ISUP grading system improves prediction of biochemical recurrence in radical prostatectomy patients. Modern Pathology, 2019, 32, 122-127. | 2.9 | 16 |
| 300 | Prostate cancer classification with multiparametric MRI transfer learning model. Medical Physics, 2019, 46, 756-765. | 1.6 | 98 |
| 301 | Validation of the Decipher Test for predicting adverse pathology in candidates for prostate cancer active surveillance. Prostate Cancer and Prostatic Diseases, 2019, 22, 399-405. | 2.0 | 53 |
| 302 | Intraductal carcinoma of the prostate (IDCâ€P) lowers apparent diffusion coefficient (ADC) values among intermediate risk prostate cancers. Journal of Magnetic Resonance Imaging, 2019, 50, 279-287. | 1.9 | 12 |
| 303 | Loss of CCAATâ€enhancerâ€binding protein alpha (CEBPA) is linked to poor prognosis in PTEN deleted and TMPRSS2:ERG fusion type prostate cancers. Prostate, 2019, 79, 302-311. | 1.2 | 4 |
| 304 | Urotensin II receptor expression in prostate cancer patients: A new possible marker. Prostate, 2019, 79, 288-294. | 1.2 | 7 |
| 305 | A 17-gene Panel for Prediction of Adverse Prostate Cancer Pathologic Features: Prospective Clinical Validation and Utility. Urology, 2019, 126, 76-82. | 0.5 | 36 |
| 306 | Automatic Needle Segmentation and Localization in MRI With 3-D Convolutional Neural Networks: Application to MRI-Targeted Prostate Biopsy. IEEE Transactions on Medical Imaging, 2019, 38, 1026-1036. | 5.4 | 42 |
| 307 | Constructing and Pilot Testing a Novel Prostate Magnetic Resonance Imaging/Ultrasound Fusion Biopsy Phantom. Urology, 2019, 124, 33-37. | O.5 | 6 |
| 308 | Investigating the role of DCE-MRI, over T2 and DWI, in accurate PI-RADS v2 assessment of clinically significant peripheral zone prostate lesions as defined at radical prostatectomy. Abdominal Radiology, 2019, 44, 1520-1527. | 1.0 | 28 |
| 309 | Parallels Between Low-Risk Prostate Cancer and Thyroid Cancer. JAMA Oncology, 2019, 5, 556. | 3.4 | 24 |
| 310 | Pathological Assessment of Prostate Cancer. , 2019, , 1-19. | | 0 |
| 311 | Accuracy of multiparametric magnetic resonance imaging to detect significant prostate cancer and index lesion location. ANZ Journal of Surgery, 2019, 89, 106-110. | 0.3 | 6 |
| 312 | Pathological upgrading at radical prostatectomy for patients with Grade Group 1 prostate cancer: implications of confirmatory testing for patients considering active surveillance. BJU International, 2019, 123, 846-853. | 1.3 | 21 |
| 313 | Role of Metabolic Syndrome on Perioperative and Oncological Outcomes at Radical Prostatectomy in a Low-risk Prostate Cancer Cohort Potentially Eligible for Active Surveillance. European Urology Focus, 2019, 5, 425-432. | 1.6 | 11 |
| 314 | Analysis of Diffusion-weighted MR Images Based on a Gamma Distribution Model to Differentiate Prostate Cancers with Different Gleason Score. Magnetic Resonance in Medical Sciences, 2020, 19, 40-47. | 1.1 | 4 |
| 315 | Methylation Markers in Prostate Biopsies Are Prognosticators for Late Biochemical Recurrence and Therapy after Surgery in Prostate Cancer Patients. Journal of Molecular Diagnostics, 2020, 22, 30-39. | 1.2 | 3 |

| | CITATION REF | CITATION REPORT | |
|-----|---|-----------------|-----------|
| # | Article | IF | CITATIONS |
| 316 | Circulating mRNA signature as a marker for high-risk prostate cancer. Carcinogenesis, 2020, 41, 139-145. | 1.3 | 12 |
| 317 | Persistent Discordance in Grade, Stage, and NCCN Risk Stratification in Men Undergoing Targeted Biopsy and Radical Prostatectomy. Urology, 2020, 135, 117-123. | 0.5 | 17 |
| 318 | Impact of biparametric prebiopsy prostate magnetic resonance imaging on the diagnostics of clinically significant prostate cancer in biopsy naÃve men. Scandinavian Journal of Urology, 2020, 54, 7-13. | 0.6 | 0 |
| 319 | Overall, specific, and metastasisâ€free survival of Afroâ€Caribbean men with pathological Gleason 6 prostate cancer. Prostate, 2020, 80, 329-335. | 1.2 | 0 |
| 320 | The clinical predictive factors and postoperative histopathological parameters associated with upgrading after radical prostatectomy: A contemporary analysis with grade groups. Prostate, 2020, 80, 225-234. | 1.2 | 9 |
| 321 | Prognostic Value of Pretreatment MRI in Patients With Prostate Cancer Treated With Radiation Therapy: A Systematic Review and Meta-Analysis. American Journal of Roentgenology, 2020, 214, 597-604. | 1.0 | 21 |
| 322 | Claudin-1 upregulation is associated with favorable tumor features and a reduced risk for biochemical recurrence in ERG-positive prostate cancer. World Journal of Urology, 2020, 38, 2185-2196. | 1.2 | 10 |
| 323 | Should all prostate needle biopsy Gleason score 4†+†4†=†8 prostate cancers be high risk? Implications for shared decision-making and patient counselling. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 78.e1-78.e6. | 0.8 | 6 |
| 324 | Safety and efficacy of guided biopsy. , 2020, , 431-444. | | 0 |
| 325 | Association between PSA density and pathologically significant prostate cancer: The impact of prostate volume. Prostate, 2020, 80, 1444-1449. | 1.2 | 40 |
| 326 | Increased Cytoplasmic CD138 Expression Is Associated with Aggressive Characteristics in Prostate Cancer and Is an Independent Predictor for Biochemical Recurrence. BioMed Research International, 2020, 2020, 1-13. | 0.9 | 7 |
| 327 | Effect of core needle biopsy number on intraductal carcinoma of the prostate (IDC-P) diagnosis in patients with metastatic hormone-sensitive prostate cancer. International Journal of Clinical Oncology, 2020, 25, 2130-2137. | 1.0 | 2 |
| 328 | High B7â€H3 expression is linked to increased risk of prostate cancer progression. Pathology International, 2020, 70, 733-742. | 0.6 | 16 |
| 329 | AZGP1 Protein Expression in Hormone-NaÃ ⁻ ve Advanced Prostate Cancer Treated with Primary Androgen Deprivation Therapy. Diagnostics, 2020, 10, 520. | 1.3 | 1 |
| 330 | Predictors of ISUP score upgrade in patients with low-risk prostate cancer. Tumori, 2021, 107, 030089162094395. | 0.6 | 2 |
| 331 | Noninvasive biomarkers to guide intervention: toward personalized patient management in prostate cancer. Expert Review of Precision Medicine and Drug Development, 2020, 5, 383-400. | 0.4 | 4 |
| 332 | Reply to The risk factors of upgrading in prostate cancer. Cancer, 2020, 126, 4432-4433. | 2.0 | 1 |
| 333 | Prediction of Radioresistant Prostate Cancer Based on Differentially Expressed Proteins. Urologia Internationalis, 2021, 105, 316-327. | 0.6 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 334 | Predicting Prostate Cancer Upgrading of Biopsy Gleason Grade Group at Radical Prostatectomy Using Machine Learning-Assisted Decision-Support Models. Cancer Management and Research, 2020, Volume 12, 13099-13110. | 0.9 | 10 |
| 335 | Prediction of prostate cancer Gleason score upgrading from biopsy to radical prostatectomy using pre-biopsy multiparametric MRI PIRADS scoring system. Scientific Reports, 2020, 10, 7722. | 1.6 | 39 |
| 336 | Upregulation of the heterogeneous nuclear ribonucleoprotein hnRNPA1 is an independent predictor of early biochemical recurrence in TMPRSS2:ERG fusion-negative prostate cancers. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 625-636. | 1.4 | 6 |
| 337 | Bioptic intraprostatic chronic inflammation predicts adverse pathology at radical prostatectomy in patients with low-grade prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 793.e19-793.e25. | 0.8 | 13 |
| 338 | A pre-specified model based on four kallikrein markers in blood improves predictions of adverse pathology and biochemical recurrence after radical prostatectomy. British Journal of Cancer, 2020, 123, 604-609. | 2.9 | 9 |
| 339 | Radiomics Based on MRI as a Biomarker to Guide Therapy by Predicting Upgrading of Prostate Cancer From Biopsy to Radical Prostatectomy. Journal of Magnetic Resonance Imaging, 2020, 52, 1239-1248. | 1.9 | 26 |
| 340 | Upregulation of the transcription factor TFAP2D is associated with aggressive tumor phenotype in prostate cancer lacking the TMPRSS2:ERG fusion. Molecular Medicine, 2020, 26, 24. | 1.9 | 5 |
| 341 | Loss of the adhesion molecule CEACAM1 is associated with early biochemical recurrence in TMPRSS2:ERG fusionâ€positive prostate cancers. International Journal of Cancer, 2020, 147, 575-583. | 2.3 | 4 |
| 342 | A pilot window-of-opportunity study of preoperative fluvastatin in localized prostate cancer. Prostate Cancer and Prostatic Diseases, 2020, 23, 630-637. | 2.0 | 31 |
| 343 | MRI-Targeted, Systematic, and Combined Biopsy for Prostate Cancer Diagnosis. New England Journal of Medicine, 2020, 382, 917-928. | 13.9 | 515 |
| 344 | Downgrading of grade group 2 intermediateâ€risk prostate cancer from biopsy to radical prostatectomy: Comparison of outcomes and predictors to identify potential candidates for active surveillance. Cancer, 2020, 126, 1632-1639. | 2.0 | 8 |
| 345 | The Impact of Prostate Cancer Upgrading and Upstaging on Biochemical Recurrence and Cancer-Specific Survival. Medicina (Lithuania), 2020, 56, 61. | 0.8 | 12 |
| 346 | MiRNA-Based Inspired Approach in Diagnosis of Prostate Cancer. Medicina (Lithuania), 2020, 56, 94. | 0.8 | 10 |
| 347 | Prospective evaluation of fexapotide triflutate injection treatment of Grade Group 1 prostate cancer: 4-year results. World Journal of Urology, 2020, 38, 3101-3111. | 1.2 | 2 |
| 348 | Clinical outcome comparison of Grade Group 1 and Grade Group 2 prostate cancer with and without cribriform architecture at the time of radical prostatectomy. Histopathology, 2020, 76, 755-762. | 1.6 | 18 |
| 349 | High CHK2 protein expression is a strong and independent prognostic feature in ERG negative prostate cancer. Pathology, 2020, 52, 421-430. | 0.3 | 5 |
| 350 | Systematic review and meta-analysis comparing cognitive vs. image-guided fusion prostate biopsy for the detection of prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 734.e19-734.e25. | 0.8 | 32 |
| 351 | Upregulation of PTTG1 is associated with poor prognosis in prostate cancer. Pathology International, 2020, 70, 441-451. | 0.6 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|------------|-----------|
| 352 | Surface-enhanced Raman spectroscopy of preoperative serum samples predicts Gleason grade group upgrade in biopsy Gleason grade group 1 prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 601.e1-601.e9. | 0.8 | 5 |
| 353 | The 2019 Genitourinary Pathology Society (GUPS) White Paper on Contemporary Grading of Prostate Cancer. Archives of Pathology and Laboratory Medicine, 2021, 145, 461-493. | 1.2 | 143 |
| 354 | Urokinase-Type Plasminogen Activator Receptor (uPAR) PET/MRI of Prostate Cancer for Noninvasive Evaluation of Aggressiveness: Comparison with Gleason Score in a Prospective Phase 2 Clinical Trial. Journal of Nuclear Medicine, 2021, 62, 354-359. | 2.8 | 16 |
| 355 | Cribriform architecture in radical prostatectomies predicts oncological outcome in Gleason score 8 prostate cancer patients. Modern Pathology, 2021, 34, 184-193. | 2.9 | 32 |
| 356 | Chromosome 5 harbors two independent deletion hotspots at 5q13 and 5q21 that characterize biologically different subsets of aggressive prostate cancer. International Journal of Cancer, 2021, 148, 748-758. | 2.3 | 3 |
| 357 | Prospect and adversity of artificial intelligence in urology. , 2021, , 309-337. | | 1 |
| 358 | Current and emerging therapies for localized high-risk prostate cancer. Expert Review of Anticancer Therapy, 2021, 21, 267-282. | 1.1 | 3 |
| 359 | Comparison of TRUS and combined MRIâ€targeted plus systematic prostate biopsy for the concordance between biopsy and radical prostatectomy pathology. International Journal of Clinical Practice, 2021, 75, e13797. | 0.8 | 7 |
| 360 | How to Pick Out the "Unreal―Gleason 3 + 3 Patients: A Nomogram for More Precise Active Surveilla Protocol in Low-Risk Prostate Cancer in a Chinese Population. Journal of Investigative Surgery, 2021, 34, 583-589. | nce 0.6 | 9 |
| 361 | The comparative effectiveness of mpMRI and MRI-guided biopsy vs regular biopsy in a population-based PSA testing: a modeling study. Scientific Reports, 2021, 11, 1801. | 1.6 | 4 |
| 362 | The predictive factor for pathological downgrading after prostatectomy in patients with biopsy Gleason score 4+3 or 4+4 prostate cancer. Molecular and Clinical Oncology, 2021, 14, 56. | 0.4 | 4 |
| 363 | Gleason grade 5 prostate cancer: sub-patterns and prognosis. Pathology, 2021, 53, 3-11. | 0.3 | 6 |
| 364 | Patient-level Prediction of Multi-classification Task at Prostate MRI based on End-to-End Framework learning from Diagnostic Logic of Radiologists. IEEE Transactions on Biomedical Engineering, 2021, 68, 1-1. | 2.5 | 8 |
| 365 | Old men with prostate cancer have higher risk of Gleason score upgrading and pathological upstaging after initial diagnosis: a systematic review and meta-analysis. World Journal of Surgical Oncology, 2021, 19, 18. | 0.8 | 7 |
| 366 | Precision diagnosis based on radiomics. , 2021, , 99-174. | | 0 |
| 367 | The expression of YWHAZ and NDRG1 predicts aggressive outcome in human prostate cancer. Communications Biology, 2021, 4, 103. | 2.0 | 13 |
| 368 | Should Grade Group 1 (GG1) be called cancer?. World Journal of Urology, 2022, 40, 15-19. | 1.2 | 11 |
| 369 | Overexpression of the TRIM24 E3 Ubiquitin Ligase is Linked to Genetic Instability and Predicts Unfavorable Prognosis in Prostate Cancer. Applied Immunohistochemistry and Molecular Morphology, 2021, 29, e29-e38. | 0.6 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 370 | Predicting Gleason sum upgrading from biopsy to radical prostatectomy pathology: a new nomogram and its internal validation. BMC Urology, 2021, 21, 3. | 0.6 | 7 |
| 371 | Opposing prognostic relevance of junction plakoglobin in distinct prostate cancer patient subsets. Molecular Oncology, 2021, 15, 1956-1969. | 2.1 | 5 |
| 372 | The prognostic value of high-grade prostate cancer pattern on MRI-targeted biopsies: predictors for downgrading and importance of concomitant systematic biopsies. World Journal of Urology, 2021, 39, 3315-3321. | 1.2 | 6 |
| 373 | Emerging role of multiparametric magnetic resonance imaging in identifying clinically relevant localized prostate cancer. Current Opinion in Oncology, 2021, 33, 244-251. | 1.1 | 4 |
| 374 | Gleason Grade Group Concordance between Preoperative Targeted Biopsy and Radical Prostatectomy Histopathologic Analysis: A Comparison Between In-Bore MRI-guided and MRI–Transrectal US Fusion Prostate Biopsies. Radiology Imaging Cancer, 2021, 3, e200123. | 0.7 | 12 |
| 375 | Correlation of Likert scores III–V with increasingly worse pathology in radical prostatectomy specimens significant only for men aged <60 or PSAD >0.15, with age <60 as good as PSAD <0.15 at discriminating lower risk in Likert III. Journal of Clinical Urology, 0, , 205141582199510. | 0.1 | 0 |
| 376 | Using Prostate Imaging-Reporting and Data System (PI-RADS) Scores to Select an Optimal Prostate Biopsy Method: A Secondary Analysis of the Trio Study. European Urology Oncology, 2022, 5, 176-186. | 2.6 | 24 |
| 377 | Age and gleason score upgrading between prostate biopsy and radical prostatectomy: Is this still true in the multiparametric resonance imaging era?. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 784.e1-784.e9. | 0.8 | 7 |
| 378 | The Primacy of High B-Value 3T-DWI Radiomics in the Prediction of Clinically Significant Prostate Cancer. Diagnostics, 2021, 11, 739. | 1.3 | 14 |
| 379 | Factors associated with higher prostate biopsy yield: when is software-assisted fusion MRI-targeting necessary?. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 234.e15-234.e19. | 0.8 | 3 |
| 380 | How Much Reliable Is the Current Belief on Grade Group 1 Prostate Cancer?. Pathology and Oncology Research, 2021, 27, 629489. | 0.9 | 0 |
| 381 | Negative Predictive Value of Biparametric Prostate Magnetic Resonance Imaging in Excluding Significant Prostate Cancer: A Pooled Data Analysis Based on Clinical Data from Four Prospective, Registered Studies. European Urology Focus, 2021, 7, 522-531. | 1.6 | 10 |
| 382 | Combined Systematic and MRI-US Fusion Prostate Biopsy Has the Highest Grading Accuracy When Compared to Final Pathology. Medicina (Lithuania), 2021, 57, 519. | 0.8 | 5 |
| 383 | Urine Biomarkers for Prostate Cancer Diagnosis and Progression. Société Internationale D'urologie Journal, 2021, 2, 159-170. | 0.2 | 0 |
| 384 | Correlation of the Grade Group of Prostate Cancer according to the International Society of Urological Pathology (Isup) 2014 Classification between Prostate Biopsy and Radical Prostatectomy Specimens. Cancer Investigation, 2021, 39, 521-528. | 0.6 | 1 |
| 385 | Costâ€effectiveness of multiparametric magnetic resonance imaging and MRIâ€guided biopsy in a populationâ€based prostate cancer screening setting using a microâ€simulation model. Cancer Medicine, 2021, 10, 4046-4053. | 1.3 | 4 |
| 386 | Clinical use of the SelectMDx urinary-biomarker test with or without mpMRI in prostate cancer diagnosis: a prospective, multicenter study in biopsy-naà ve men. Prostate Cancer and Prostatic Diseases, 2021, 24, 1110-1119. | 2.0 | 40 |
| 387 | Clinical significance and risk factors of International Society of Urological Pathology (ISUP) grade upgrading in prostate cancer patients undergoing robot-assisted radical prostatectomy. BMC Cancer, 2021, 21, 501. | 1.1 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 388 | Reply to: Axel Heidenreich. Still Unanswered: The Role of Extended Pelvic Lymphadenectomy in Improving Oncological Outcomes in Prostate Cancer. Eur Urol 2021;79:605–6. European Urology, 2021, 79, 607-608. | 0.9 | 0 |
| 389 | Prognostic value of FUS immunoexpression for Gleason patterns and prostatic adenocarcinoma progression. Annals of Diagnostic Pathology, 2021, 52, 151729. | 0.6 | 2 |
| 390 | New TRUS Techniques and Imaging Features of PI-RADS 4 or 5: Influence on Tumor Targeting. Frontiers in Oncology, 2021, 11, 608409. | 1.3 | 4 |
| 391 | Immunohistochemical investigation of cytokine expression levels as biomarkers in transrectal ultrasoundâ€'guided needle biopsy specimens of prostate adenocarcinoma. Molecular and Clinical Oncology, 2021, 15, 191. | 0.4 | 3 |
| 392 | In-bore MRI-guided prostate biopsy in a patient group with PI-RADS 4 and 5 targets: A single center experience. European Journal of Radiology, 2021, 141, 109785. | 1.2 | 6 |
| 393 | Role of prostate health index to predict Gleason score upgrading and high-risk prostate cancer in radical prostatectomy specimens. Scientific Reports, 2021, 11, 17447. | 1.6 | 3 |
| 394 | Proteomic discovery of non-invasive biomarkers of localized prostate cancer using mass spectrometry. Nature Reviews Urology, 2021, 18, 707-724. | 1.9 | 25 |
| 395 | Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. International Urology and Nephrology, 2021, 53, 2517-2526. | 0.6 | 3 |
| 396 | Correlation of prostate tumor eccentricity and Gleason scoring from prostatectomy and multi-parametric-magnetic resonance imaging. Quantitative Imaging in Medicine and Surgery, 2021, 11, 4235-4244. | 1.1 | 8 |
| 397 | Utility of T2-weighted MRI texture analysis in assessment of peripheral zone prostate cancer aggressiveness: a single-arm, multicenter study. Scientific Reports, 2021, 11, 2085. | 1.6 | 11 |
| 398 | Contemporary Gleason Grading System. , 2015, , 13-32. | | 3 |
| 399 | Classifying Cancer Grades Using Temporal Ultrasound for Transrectal Prostate Biopsy. Lecture Notes in Computer Science, 2016, , 653-661. | 1.0 | 7 |
| 400 | Gleason 6 Tumors Should Still Be Labeled as Cancer. Current Clinical Urology, 2018, , 41-52. | 0.0 | 1 |
| 401 | Postoperative change in Gleason score of prostate cancer in fusion targeted biopsy: a matched pair analysis. Scandinavian Journal of Urology, 2021, 55, 27-32. | 0.6 | 4 |
| 402 | Clinical Validation of IsoPSAâ,,¢, a Single Parameter, Structure Based Assay for Improved Detection of High Grade Prostate Cancer. Journal of Urology, 2019, 201, 1115-1120. | 0.2 | 13 |
| 403 | Ki67 in Gleason Pattern 3 as a Marker of the Presence of Higher-Grade Prostate Cancer. Applied Immunohistochemistry and Molecular Morphology, 2021, 29, 112-117. | 0.6 | 11 |
| 404 | Advantages of Evaluating Mean Nuclear Volume as an Adjunct Parameter in Prostate Cancer. PLoS ONE, 2014, 9, e102156. | 1.1 | 4 |
| 405 | Pathological Features of Localized Prostate Cancer in China: A Contemporary Analysis of Radical Prostatectomy Specimens. PLoS ONE, 2015, 10, e0121076. | 1.1 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 406 | Up regulation of Rho-associated coiled-coil containing kinase1 (ROCK1) is associated with genetic instability and poor prognosis in prostate cancer. Aging, 2019, 11, 7859-7879. | 1.4 | 28 |
| 407 | Deletion of 18q is a strong and independent prognostic feature in prostate cancer. Oncotarget, 2016, 7, 86339-86349. | 0.8 | 24 |
| 408 | A nuclear shift of GSK3β protein is an independent prognostic factor in prostate cancer. Oncotarget, 2019, 10, 1729-1744. | 0.8 | 2 |
| 409 | Assessing Expression of MUC1 and ZAG Protein Biomarkers in Prostate Biopsies Improves Prediction of Adverse Pathology Following Radical Prostatectomy. The Open Prostate Cancer Journal, 2015, 8, 1-9. | 0.4 | 1 |
| 410 | Multiparametric-Magnetic Resonance/Ultrasound Fusion Targeted Prostate Biopsy Improves Agreement Between Biopsy and Radical Prostatectomy Gleason Score. Anticancer Research, 2016, 36, 4833-4840. | 0.5 | 42 |
| 411 | Serum Testosterone Level Can Be Predictive Factor for Upstaging in Clinically Localized Prostate Cancer. The Korean Journal of Urological Oncology, 2020, 18, 116-123. | 0.1 | 1 |
| 412 | Risk of Gleason Score 3+4=7 prostate cancer upgrading at radical prostatectomy is significantly reduced by targeted versus standard biopsy. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2020, 72, 360-368. | 3.9 | 17 |
| 413 | The role of additional standard biopsy in the MRI-targeted biopsy era. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2020, 72, 637-639. | 3.9 | 12 |
| 414 | Upregulation of SPDEF is associated with poor prognosis in prostate cancer. Oncology Letters, 2019, 18, 5107-5118. | 0.8 | 9 |
| 415 | Health Economic Impact and Prospective Clinical Utility of Oncotype DX® Genomic Prostate Score. Reviews in Urology, 2016, 18, 123-132. | 0.9 | 28 |
| 416 | The Use of Biomarkers in Prostate Cancer Screening and Treatment. Reviews in Urology, 2017, 19, 221-234. | 0.9 | 51 |
| 417 | Current clinical challenges in prostate cancer. Translational Andrology and Urology, 2013, 2, 122-36. | 0.6 | 34 |
| 418 | The current and future role of magnetic resonance imaging in prostate cancer detection and management. Translational Andrology and Urology, 2015, 4, 326-41. | 0.6 | 29 |
| 419 | The effect of metabolic syndrome on prostate cancer final pathology. Journal of Cancer Research and Therapeutics, 2019, 15, 47. | 0.3 | 4 |
| 420 | Can testosterone therapy be offered to men on active surveillance for prostate cancer? Preliminary results. Asian Journal of Andrology, 2016, 18, 16. | 0.8 | 64 |
| 421 | Low serum testosterone predicts upgrading and upstaging of prostate cancer after radical prostatectomy. Asian Journal of Andrology, 2016, 18, 639. | 0.8 | 18 |
| 422 | MicroRNA expression and function in prostate cancer: a review of current knowledge and opportunities for discovery. Asian Journal of Andrology, 2016, 18, 559. | 0.8 | 43 |
| 423 | Prostate cancer upgrading or downgrading of biopsy Gleason scores at radical prostatectomy: prediction of "regression to the mean―using routine clinical features with correlating biochemical relapse rates. Asian lournal of Andrology, 2019, 21, 598. | 0.8 | 11 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 424 | Does extent of prostate-specific antigen fluctuation can predict Gleason score upgrading in low-risk prostate cancer patients?. Turkish Journal of Urology, 2019, 45, 42-48. | 1.3 | 1 |
| 425 | How Precisely Can Prostate Cancer Be Managed?. International Neurourology Journal, 2016, 20, S120-130. | 0.5 | 10 |
| 426 | Radiologist-like artificial intelligence for grade group prediction of radical prostatectomy for reducing upgrading and downgrading from biopsy. Theranostics, 2020, 10, 10200-10212. | 4.6 | 22 |
| 427 | Prostate tumor eccentricity predicts Gleason score better than prostate tumor volume. Quantitative Imaging in Medicine and Surgery, 2022, 12, 1096-1108. | 1.1 | 6 |
| 428 | Gleason grade accuracy of transperineal and transrectal prostate biopsies in MRI-naÃ⁻ve patients. International Urology and Nephrology, 2021, 53, 2445-2452. | 0.6 | 5 |
| 429 | Prostate zones and cancer: lost in transition?. Nature Reviews Urology, 2022, 19, 101-115. | 1.9 | 25 |
| 430 | Single Positive Core Prostate Cancer Has Less Aggressive Pathologic Features than Multiple Positive Core Prostate Cancer but Should It Still Be Considered an Indolent Tumor?. Open Journal of Urology, 2014, 04, 71-77. | 0.0 | 0 |
| 432 | Prostata und Samenblasen. , 2016, , 139-194. | | 2 |
| 433 | Should Gleason Score 6 Still Be Called Cancer?. , 2016, , 41-47. | | 0 |
| 434 | TRUS Biopsy: Is There Still a Role?. , 2016, , 53-67. | | 0 |
| 435 | Focal Therapy and Active Surveillance in Europe. Current Clinical Urology, 2017, , 57-74. | 0.0 | 0 |
| 437 | Incidence of Pathological Downgrading and Treatment Outcome After Radical Prostatectomy in Patients With Biopsy Confirmed High Gleason Score Prostate Cancer. The Korean Journal of Urological Oncology, 2017, 15, 79-84. | 0.1 | 0 |
| 438 | Risk-Based Selection for Active Surveillance. Current Clinical Urology, 2018, , 53-64. | 0.0 | 0 |
| 439 | May Radiomic Data Predict Prostate Cancer Aggressiveness?. Communications in Computer and Information Science, 2019, , 65-75. | 0.4 | 1 |
| 440 | Comparison of prostate biopsy pathology and radical prostatectomy pathologies. Dicle Medical Journal, 0, , 133-139. | 0.2 | 2 |
| 441 | Radiomics for Identification and Prediction in Metastatic Prostate Cancer: A Review of Studies. Frontiers in Oncology, 2021, 11, 771787. | 1.3 | 23 |
| 442 | Multiparametric MRI in the management of prostate cancer: an update—a narrative review. Gland Surgery, 2020, 9, 2321-2330. | 0.5 | 6 |
| 443 | Histopathological Ratios to Predict Gleason Score Agreement between Biopsy and Radical Prostatectomy. Diagnostics, 2021, 11, 10. | 1.3 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 444 | The Urine Biomarker PUR-4 Is Positively Associated with the Amount of Gleason 4 in Human Prostate Cancers. Life, 2021, 11, 1172. | 1.1 | 1 |
| 445 | Prostate Pathology. , 2021, , 133-186. | | 0 |
| 446 | Bayesian information criterion approximations to Bayes factors for univariate and multivariate logistic regression models. International Journal of Biostatistics, 2021, 17, 241-266. | 0.4 | 11 |
| 447 | Extracellular MicroRNA in liquid biopsy: applicability in cancer diagnosis and prevention. American Journal of Cancer Research, 2016, 6, 1461-93. | 1.4 | 40 |
| 448 | Patients' experience with MRI-guided in-bore biopsy versus TRUS-guided biopsy in prostate cancer: a pilot study. Ecancermedicalscience, 2020, 14, 1127. | 0.6 | 0 |
| 449 | MRI-targeted prostate biopsy: the next step forward!. Medicine and Pharmacy Reports, 2021, 94, 145-157. | 0.2 | 0 |
| 450 | The impact of surgical downgrading on prostate cancer recurrence: systematic review and analysis of a multiethnic population. World Journal of Urology, 2022, 40, 709-718. | 1.2 | 3 |
| 451 | Is Grade Group 1 (Gleason score 3 + 3 = 6) adenocarcinoma of the prostate really cancer?. Current Opinion in Urology, 2022, 32, 91-95. | 0.9 | 11 |
| 452 | Prostate Cancer Gleason Score From Biopsy to Radical Surgery: Can Ultrasound Shear Wave Elastography and Multiparametric Magnetic Resonance Imaging Narrow the Gap?. Frontiers in Oncology, 2021, 11, 740724. | 1.3 | 2 |
| 453 | Dual-tracer PET/CT-targeted, mpMRI-targeted, systematic biopsy, and combined biopsy for the diagnosis of prostate cancer: a pilot study. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 2821-2832. | 3.3 | 15 |
| 454 | Advanced glycation endâ€products (AGEs) are lower in prostate tumor tissue and inversely related to proportion of West African ancestry. Prostate, 2021, , . | 1.2 | 1 |
| 455 | Initial Prostate Biopsy of Grade Group One. Urological Science, 2020, 31, 170-176. | 0.2 | 0 |
| 456 | Evaluation of multiparametric prostate magnetic resonance imaging findings in patients with aÂGleason score of 6 in transrectal ultrasonography-guided biopsy. Polish Journal of Radiology, 2021, 86, 608-613. | 0.5 | 1 |
| 457 | Role of MRI in Prostate Cancer Assessment. , 2021, , 81-94. | | 0 |
| 458 | Patients' experience with MRI-guided in-bore biopsy versus TRUS-guided biopsy in prostate cancer: a pilot study. Ecancermedicalscience, 2020, 14, 1127. | 0.6 | 0 |
| 459 | MRI-targeted prostate biopsy: the next step forward!. Medicine and Pharmacy Reports, 2021, 94, 145-157. | 0.2 | 1 |
| 460 | TRUS-Guided Target Biopsy for a PI-RADS 3–5 Index Lesion to Reduce Gleason Score Underestimation: A Propensity Score Matching Analysis. Frontiers in Oncology, 2021, 11, 824204. | 1.3 | 4 |
| 461 | Diagnostic Accuracy of Contemporary Selection Criteria in Prostate Cancer Patients Eligible for Active Surveillance: A Bayesian Network Meta-Analysis. Frontiers in Oncology, 2021, 11, 810736. | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 462 | A clinical available decision support scheme for optimizing prostate biopsy based on mpMRI. Prostate Cancer and Prostatic Diseases, 2022, 25, 727-734. | 2.0 | 5 |
| 463 | Limited Adenocarcinoma of the Prostate on Needle Core Biopsy. Archives of Pathology and Laboratory Medicine, 2022, 146, 469-477. | 1.2 | 3 |
| 464 | The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection. Urologia Internationalis, 2022, 106, 928-939. | 0.6 | 2 |
| 465 | Risk Factors of Patients with Prostate Cancer Upgrading for International Society of Urological Pathology Grade Group I After Radical Prostatectomy. Áœroonkoloji Bülteni, 2022, 21, 10-13. | 0.1 | 0 |
| 466 | ProstAttention-Net: A deep attention model for prostate cancer segmentation by aggressiveness in MRI scans. Medical Image Analysis, 2022, 77, 102347. | 7.0 | 44 |
| 467 | Concordancia del puntaje de Gleason en biopsia transrectal de próstata vs prostatectomÃa radical. Revista Mexicana De Urologia, 2021, 81, 1-10. | 0.0 | 0 |
| 468 | Independent validation of a pre-specified four-kallikrein marker model for prediction of adverse pathology and biochemical recurrence. British Journal of Cancer, 2022, 126, 1004-1009. | 2.9 | 2 |
| 469 | Prostate Cancer and Low Back Ache—Evidenced Role of Physiotherapy. Case Reports in Clinical Medicine, 2022, 11, 94-100. | 0.1 | 0 |
| 470 | Nomogram Predicting Adverse Pathology Outcome on Radical Prostatectomy in Low-Risk Prostate Cancer Men. Urology, 2022, 166, 189-195. | 0.5 | 6 |
| 471 | Concordancia entre el Puntaje Gleason de la Biopsia de Próstata y el Resultado Histopatológico Final de la ProstatectomÃa Radical. , 2021, 9, 6-9. | | 0 |
| 472 | Decision-making based on International Society of Urological Pathology Gleason-scores obtained from transrectal needle biopsy of the Prostate: How Accurate Could We Be ?. Celal Bayar Üniversitesi Sağlık Bilimleri Enstitüsü Dergisi, 0, , . | 0.1 | 0 |
| 473 | PITX1 Is a Regulator of TERT Expression in Prostate Cancer with Prognostic Power. Cancers, 2022, 14, 1267. | 1.7 | 7 |
| 474 | Machine Learning-Based Prediction of Pathological Upgrade From Combined Transperineal Systematic and MRI-Targeted Prostate Biopsy to Final Pathology: A Multicenter Retrospective Study. Frontiers in Oncology, 2022, 12, 785684. | 1.3 | 1 |
| 475 | The best prostate biopsy sampling system—fusion and systematic biopsy: A single center experience. Urologia, 2021, , 039156032110371. | 0.3 | 0 |
| 476 | Predicting the Performance of Concurrent Systematic Random Biopsies during Image Fusion Targeted Sampling of Multi-Parametric MRI Detected Prostate Cancer. A Prospective Study (PRESET Study). Cancers, 2022, 14, 1. | 1.7 | 26 |
| 477 | miR-145-5p: A Potential Biomarker in Predicting Cleason Upgrading of Prostate Biopsy Samples Scored 3+3=6. Cancer Management and Research, 2021, Volume 13, 9095-9106. | 0.9 | 5 |
| 478 | The Discrepancy between Needle Biopsy and Radical Prostatectomy Gleason Score in Patients with Prostate Cancer. Urology Journal, 2020, 18, 395-399. | 0.3 | 3 |
| 479 | Tumour microenvironment and focal therapy for prostate cancer. Current Opinion in Urology, 2022, 32, 248-253. | 0.9 | 1 |

ARTICLE IF CITATIONS Concordance between biparametric MRI, transperineal targeted plus systematic MRI-ultrasound fusion 480 1.6 2 prostate biopsy, and radical prostatectomy pathology. Scientific Reports, 2022, 12, 6964. ProstatectomÃa radical asistida por robot en el Centro Médico Naval. Experiencia inicial. Revista 481 Mexicana De Urologia, 2019, 79, 1-12. Low serum total testosterone level as a predictor of upgrading in low-risk prostate cancer patients 482 after radical prostatectomy: A systematic review and meta-analysis. Investigative and Clinical Urology, 1.0 0 0,63,. Optimizing active surveillance for prostate cancer using partially observable Markov decision processes. European Journal of Operational Research, 2023, 305, 386-399. Clinical Factors Associated With Pathological Grade GroupÂ1 Patients in D'Amico Intermediate-Risk Group Following Robot-Assisted Radical Prostatectomy: A Retrospective Multicenter Cohort Study in 484 0.9 0 Japan (The MSUG94 Group). Clinical Genitourinary Cancer, 2022, 20, 593-600. Renaming Gleason Score 6 Prostate to Noncancer: A Flawed Idea Scientifically and for Patient Care. Journal of Clinical Oncology, 2022, 40, 3106-3109. 0.8 Concordance between Gleason score of prostate biopsies and radical prostatectomy specimens and its 486 0.3 0 predictive factors. Urologia, 0, , 039156032211184. Prostate cancer grade downgrading at time of prostatectomy provides riskâ€stratification insight into 487 1.2 future tumor behavior after prostatectomy. Prostate, 2022, 82, 1520-1528. New strategy for the identification of prostate cancer: The combination of Proclarix and the prostate 488 1.2 9 health index. Prostate, 2022, 82, 1469-1476. Grade group 1 prostate cancer on biopsy: are we still missing aggressive disease in the era of 489 1.2 image-directed therapy?. World Journal of Urology, 2022, 40, 2423-2429. From Cognitive MR-Targeted Fusion Prostate Biopsy to Radical Prostatectomy: Incidence and Predictors of Gleason Grade Group Upgrading in a Chinese Cohort. BioMed Research International, 490 0.9 1 2022, 2022, 1-5. Grading of prostate cancer: Evolution and changing concepts. Indian Journal of Health Sciences and 0.1 Biomedical Research KLEU, 2022, 15, 192. FACTORS PREDICTING A POSSIBLE INCREASE OF GLEASON SCORE AFTER RADICAL PROSTATECTOMY IN 492 0.0 0 PATIENTS WITH WELL-DIFFERENTIATED PROSTATE CANCER. Trakia Journal of Sciences, 2022, 20, 146-151. Quality checkpoints in the MRI-directed prostate cancer diagnostic pathway. Nature Reviews Urology, 2023, 20, 9-22. 1.9 Expanded Parameters in Active Surveillance for Low-risk Papillary Thyroid Carcinoma. JAMA Oncology, 494 3.4 27 2022, 8, 1588. Diagnostic utility of three Tesla diffusion tensor imaging in prostate cancer: correlation with Gleason score values. Egyptian Journal of Radiology and Nuclear Medicine, 2022, 53, . Pathological Accuracy in Prostate Cancer: Single-Center Outcomes of 3 Different Magnetic Resonance 496 0 Imaging Targeted Biopsy Techniques and Random Systematic Biopsy. , 2022, 48, 346-353. Patient-level grading prediction of prostate cancer from mp-MRI via GMINet. Computers in Biology and 497 Medicine, 2022, 150, 106168.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 498 | Prostate Adenocarcinoma Grade Group 1: Rationale for Retaining a Cancer Label in the 2022 World Health Organization Classification. European Urology, 2023, 83, 301-303. | 0.9 | 7 |
| 499 | Significance of non-standardized magnetic resonance imaging abnormalities and subsequent targeted prostate cancer biopsy for pathologists: A retrospective observational study. Pathology Research and Practice, 2022, 240, 154188. | 1.0 | 3 |
| 500 | Clinical Predictors of Grade Group Upgrading for Radical Prostatectomy Specimens Compared to Those of Preoperative Needle Biopsy Specimens. Diagnostics, 2022, 12, 2760. | 1.3 | 0 |
| 501 | Prostate volume is an independent predictive factor in selecting low-risk prostate patients for active surveillance. Frontiers in Urology, 0, 2, . | 0.2 | Ο |
| 502 | High-throughput precision MRI assessment with integrated stack-ensemble deep learning can enhance the preoperative prediction of prostate cancer Gleason grade. British Journal of Cancer, 2023, 128, 1267-1277. | 2.9 | 4 |
| 503 | The CAPRA&PDE4D5/7/9 Prognostic Model Is Significantly Associated with Adverse Post-Surgical Pathology Outcomes. Cancers, 2023, 15, 262. | 1.7 | 1 |
| 504 | SINGLE CENTRE RETROSPECTIVE STUDY COMPARING MAGNETIC RESONANCE-TRANSRECTAL ULTRASOUND (TRUS) FUSION TARGETED AND SYSTEMATIC BIOPSY VERSUS CONVENTIONAL TRUS SYSTEMATIC BIOPSY FOR DETECTING PROSTATE CANCER. , 2022, , 4-9. | | 0 |
| 505 | Integrin Expression in Localized Prostate Cancer: A TCGA and MSKCC Cohort-based Exploratory <i>In Silico</i> Analysis. Anticancer Research, 2023, 43, 417-428. | 0.5 | 1 |
| 506 | Should <scp>Gleason</scp> score six (<scp>GS6</scp>) tumours be labelled as non ancer?. International Journal of Urological Nursing, 2023, 17, 139-140. | 0.1 | 0 |
| 507 | Cribriform pattern and intraductal carcinoma of the prostate can have a clinicopathological impact, regardless of their percentage and/or number of cores. Human Pathology, 2023, 135, 99-107. | 1.1 | 6 |
| 508 | The prognostic nomogram for PSA-incongruent low-risk prostate cancer treated by radical prostatectomy. International Urology and Nephrology, 0, , . | 0.6 | 0 |
| 510 | The effect of the Gleason score change on biochemical progression-free survival. Scripta Scientifica Medica, 2022, 54, 18. | 0.1 | 0 |
| 511 | Editorial: Combining multiple non-invasive images and/or biochemical tests to predict prostate cancer aggressiveness. Frontiers in Oncology, 0, 13, . | 1.3 | 0 |
| 513 | Determination of Whether Apex or Non-Apex Prostate Cancer Is the Best Candidate for the Use of Prostate-Specific Antigen Density to Predict Pathological Grade Group Upgrading and Upstaging after Radical Prostatectomy. Journal of Clinical Medicine, 2023, 12, 1659. | 1.0 | Ο |
| 514 | Gleason Grade Group Concordance between Systematic Template Combining Magnetic Resonance Imaging Fusion Targeted Biopsy and Radical Prostatectomy Specimens: A Comparison of Transperineal and Transrectal Approaches. Urology, 2023, 175, 151-156. | 0.5 | 3 |
| 515 | Diagnostic performance of transperineal prostate targeted biopsy alone according to the PI-RADS score based on bi-parametric magnetic resonance imaging. Frontiers in Oncology, 0, 13, . | 1.3 | 0 |
| 516 | Somatic and germline aberrations in homologous recombination repair genes in Chinese prostate cancer patients. Frontiers in Oncology, 0, 13, . | 1.3 | 0 |
| 517 | Predictive Factors for Gleason Score Upgrading in Patients with Prostate Cancer after Radical Prostatectomy: A Systematic Review and Meta-Analysis. Urologia Internationalis, 2023, 107, 460-479. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 546 | PFCA-Net: a post-fusion based cross-attention model for predicting PCa Gleason Group using multiparametric MRI. , 2023, , . | | 0 |
| 549 | Histopathological and Molecular Markers in the Assessment of Prostate Cancer Aggressivity. , 2024, , 179-206. | | 0 |