

Prognostic Factors in Upper Urinary Tract Urothelial Carcinoma: A Review of the Current Literature

European Urology

62, 100-114

DOI: [10.1016/j.eururo.2012.02.030](https://doi.org/10.1016/j.eururo.2012.02.030)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Reply to Pascal Mouracade's Letter to the Editor re: Thomas F. Chromecki, Eugene K. Cha, Harun Fajkovic, et al. The Impact of Tumor Multifocality on Outcomes in Patients Treated with Radical Nephroureterectomy. <i>Eur Urol</i> 2012;61;245-53. <i>European Urology</i> , 2012, 62, e77-e78.	0.9	0
2	Risk of Cancer-specific Mortality following Recurrence After Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012, 19, 4337-4344.	0.7	53
3	Overexpression of TG-Interacting Factor Is Associated with Worse Prognosis in Upper Urinary Tract Urothelial Carcinoma. <i>American Journal of Pathology</i> , 2012, 181, 1044-1055.	1.9	30
4	HuR cytoplasmic expression is associated with increased cyclin A expression and poor outcome with upper urinary tract urothelial carcinoma. <i>BMC Cancer</i> , 2012, 12, 611.	1.1	37
5	What Is Needed for Improved Patient Care in Upper Urinary Tract Urothelial Carcinoma?. <i>European Urology</i> , 2012, 62, 115-117.	0.9	0
6	Patient characteristics and outcomes in metastatic upper tract urothelial carcinoma after radical nephroureterectomy: the experience of Japanese multi-institutions. <i>BJU International</i> , 2013, 112, E28-34.	1.3	33
8	Segmental ureterectomy for upper tract urothelial carcinoma: Two procedures with different indications. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1841-1843.	0.8	3
9	Diagnostic Ureteroscopy Independently Correlates with Intravesical Recurrence after Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 3121-3126.	0.7	66
10	Superiority of the EF-120-00-3F biopsy forceps in the histopathological evaluation of upper urinary tract specimens. <i>World Journal of Urology</i> , 2013, 32, 931-8.	1.2	2
11	Ureteral tumours showing a worse prognosis than renal pelvis tumours may be attributed to ureteral tumours more likely to have hydronephrosis and less likely to have haematuria. <i>World Journal of Urology</i> , 2013, 31, 155-160.	1.2	31
12	Distinct patterns and behaviour of urothelial carcinoma with respect to anatomical location: how molecular biomarkers can augment clinico-pathological predictors in upper urinary tract tumours. <i>World Journal of Urology</i> , 2013, 31, 21-29.	1.2	70
13	Predictive tools for clinical decision-making and counseling of patients with upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013, 31, 31-36.	1.2	25
14	The oncologic impact of a delay between diagnosis and radical nephroureterectomy due to diagnostic ureteroscopy in upper urinary tract urothelial carcinomas: results from a large collaborative database. <i>World Journal of Urology</i> , 2013, 31, 69-76.	1.2	58
15	The Role of p53 on Survival of Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 221-228.	0.9	25
16	Comorbidity Status Does Not Independently Predict Survival Outcomes After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2013, 64, 518-519.	0.9	2
17	Prediction of Cancer Specific Survival After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Development of an Optimized Postoperative Nomogram Using Decision Curve Analysis. <i>Journal of Urology</i> , 2013, 189, 1662-1669.	0.2	152
18	European Guidelines on Upper Tract Urothelial Carcinomas: 2013 Update. <i>European Urology</i> , 2013, 63, 1059-1071.	0.9	414
20	Risk Group Stratification Based on Preoperative Factors to Predict Survival after Nephroureterectomy in Patients with Upper Urinary Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 4389-4396.	0.7	35

#	ARTICLE	IF	CITATIONS
21	Endoscopic Versus Laparoscopic Management of Noninvasive Upper Tract Urothelial Carcinoma: 20-Year Single Center Experience. <i>Journal of Urology</i> , 2013, 189, 2054-2061.	0.2	65
22	Severity of hydronephrosis correlates with tumour invasiveness and urinary bladder recurrence of ureteric cancer. <i>BJU International</i> , 2013, 112, 489-494.	1.3	7
23	Postoperative nomogram to predict cancer-specific survival after radical nephroureterectomy in patients with localised and/or locally advanced upper tract urothelial carcinoma without metastasis. <i>BJU International</i> , 2014, 114, 733-740.	1.3	62
24	Global gene expression profiling identifies ALDH2, CCNE1 and SMAD3 as potential prognostic markers in upper tract urothelial carcinoma. <i>BMC Cancer</i> , 2014, 14, 836.	1.1	25
25	Possible Role of Template-based Lymphadenectomy in Reducing the Risk of Regional Node Recurrence after Nephroureterectomy in Patients with Renal Pelvic Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 1233-1238.	0.6	21
26	Effect of lymph node dissection on the outcomes of upper tract urothelial carcinomas: a meta-analysis. <i>Expert Review of Anticancer Therapy</i> , 2014, 14, 667-675.	1.1	21
27	Survival after nephroureterectomy for upper tract urothelial carcinoma: A population-based competing risks analysis. <i>International Journal of Urology</i> , 2014, 21, 249-256.	0.5	20
28	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014, 113, 911-917.	1.3	28
29	Preoperative C-Reactive Protein in the Serum: A Prognostic Biomarker for Upper Urinary Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Urologia Internationalis</i> , 2014, 93, 352-360.	0.6	27
30	Association of perioperative blood transfusion with oncologic outcomes after radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1693-1699.	0.5	16
31	The Predictive Value of C-reactive Protein for Prognosis in Patients with Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy: A Multi-institutional Study. <i>European Urology</i> , 2014, 65, 227-234.	0.9	70
32	A New Proposal to Risk Stratify Urothelial Carcinomas of the Upper Urinary Tract (UTUCs) in a Predefinitive Treatment Setting: Low-risk Versus High-risk UTUCs. <i>European Urology</i> , 2014, 66, 181-183.	0.9	59
33	Urinary immunocytology—Promise or nonseller? A review with an opinion. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 383-390.	0.8	6
34	Reassessment of Prognostic Heterogeneity of pT3 Renal Pelvic Urothelial Carcinoma: Analysis in Terms of Proposed pT3 Subclassification Systems. <i>Journal of Urology</i> , 2014, 192, 1064-1071.	0.2	17
35	Peripelvic/periureteral fat invasion is independently associated with worse prognosis in pT3 upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2014, 32, 157-163.	1.2	24
36	Clinicopathological and prognostic significance of EZH2 expression in upper urinary tract carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 464, 463-471.	1.4	8
37	Prediction of Intravesical Recurrence After Radical Nephroureterectomy: Development of a Clinical Decision-making Tool. <i>European Urology</i> , 2014, 65, 650-658.	0.9	134
38	Metastatic Behavior of Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy: Association with Primary Tumor Location. <i>Annals of Surgical Oncology</i> , 2014, 21, 1038-1045.	0.7	45

#	ARTICLE	IF	CITATIONS
39	Prognostic Significance of CD204-Positive Macrophages in Upper Urinary Tract Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 2105-2112.	0.7	38
40	Subclassification of upper urinary tract urothelial carcinoma by the neutrophil-to-lymphocyte ratio (NLR) improves prediction of oncological outcome. <i>BJU International</i> , 2014, 113, E144-9.	1.3	48
41	Risk factors for intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinoma: A meta-analysis. These authors equally dedicated to this article.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 989-1002.	0.8	32
42	Genes reparadores del ADN y pronóstico en formas esporádicas de carcinoma urotelial del tracto urinario superior. <i>Actas Urológicas Españolas</i> , 2014, 38, 600-607.	0.3	11
43	Degree of hydronephrosis predicts adverse pathological features and worse oncologic outcomes in patients with high-grade urothelial carcinoma of the upper urinary tract. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 981-988.	0.8	39
44	DNA repair genes and prognosis in sporadic forms of urothelial carcinoma of the upper urinary tract. <i>Actas Urológicas Españolas (English Edition)</i> , 2014, 38, 600-607.	0.2	11
45	Prediction of Multifocal Lesions in Patients With Upper Tract Urothelial Carcinoma. <i>Urology</i> , 2014, 84, 869-874.	0.5	1
47	Comparison of post-operative intravesical recurrence and oncological outcomes after open versus laparoscopic nephroureterectomy for upper urinary tract urothelial carcinoma. <i>World Journal of Urology</i> , 2014, 32, 565-570.	1.2	29
48	Prognostic implication of infiltrative growth pattern and establishment of novel risk stratification model for survival in patients with upper urinary tract urothelial carcinoma. <i>International Journal of Clinical Oncology</i> , 2014, 19, 373-378.	1.0	7
49	A Multi-Institutional Validation of the Prognostic Value of the Neutrophil-to-Lymphocyte Ratio for Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2014, 21, 4041-4048.	0.7	60
50	Impact of p53, MIB-1 and PECAM-1 expression on the prognosis of urothelial carcinoma of the renal pelvis. <i>Actas Urológicas Españolas (English Edition)</i> , 2014, 38, 506-514.	0.2	2
52	The predictive value of positive urine cytology for outcomes following radical nephroureterectomy in patients with primary upper tract urothelial carcinoma: A multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 48.e19-48.e26.	0.8	43
53	Pattern and risk factors of intravesical recurrence after nephroureterectomy for upper tract urothelial carcinoma: A large Chinese center experience. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 820-827.	0.8	33
54	Impacto de la expresión de p53, MIB-1 y PECAM-1 en el pronóstico del carcinoma urotelial de la pelvis renal. <i>Actas Urológicas Españolas</i> , 2014, 38, 506-514.	0.3	10
55	Comparative analysis of comorbidity and performance indices for prediction of oncological outcomes in patients with upper tract urothelial carcinoma who were treated with radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1141-1150.	0.8	18
56	Predictors, pathological characteristics and outcomes of bladder recurrences following nephroureterectomy. <i>Actas Urológicas Españolas (English Edition)</i> , 2015, 39, 488-493.	0.2	2
57	Prognostic factors of recurrent disease in upper urinary tract urothelial cancer after radical nephroureterectomy: Subanalysis of the multi-institutional national database of the Japanese Urological Association. <i>International Journal of Urology</i> , 2015, 22, 1013-1020.	0.5	9
58	Managing noninvasive recurrences after definitive treatment for muscle-invasive bladder cancer or high-grade upper tract urothelial carcinoma. <i>Current Opinion in Urology</i> , 2015, 25, 468-475.	0.9	2

#	ARTICLE	IF	CITATIONS
59	Preoperative C-reactive protein as a prognostic predictor for upper tract urothelial carcinoma: A systematic review and meta-analysis. <i>Molecular and Clinical Oncology</i> , 2015, 3, 924-928.	0.4	19
60	Diagnostic Ureterorenoscopy Is Associated with Increased Intravesical Recurrence following Radical Nephroureterectomy in Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0139976.	1.1	46
61	Prognostic Significance of Preoperative Albumin-Globulin Ratio in Patients with Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0144961.	1.1	37
62	The Efficacy of Postoperative Adjuvant Chemotherapy for Patients with pT3N0M0 Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2015, 194, 323-330.	0.2	31
63	Ureterorenoscopy for Upper Tract Urothelial Carcinoma: How Often Are We Missing Lesions?. <i>Urology</i> , 2015, 85, 311-315.	0.5	43
64	Effect of Sex on Prognosis of Urothelial Carcinoma: Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e113-e121.	0.9	12
65	Clinical significance of prognosis using the neutrophil-lymphocyte ratio and erythrocyte sedimentation rate in patients undergoing radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2015, 115, 587-594.	1.3	26
66	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Cell Carcinoma: 2015 Update. <i>European Urology</i> , 2015, 68, 868-879.	0.9	804
67	Upper Urinary Tract Urothelial Carcinoma. , 2015, , .		0
68	The Prognostic Role of Ki-67/MIB-1 in Upper Urinary-Tract Urothelial Carcinomas: A Systematic Review and Meta-Analysis. <i>Journal of Endourology</i> , 2015, 29, 1302-1308.	1.1	18
69	Can body mass index predict survival outcomes in patients treated with radical nephroureterectomy for upper-tract urothelial carcinoma?. <i>International Urology and Nephrology</i> , 2015, 47, 1311-1320.	0.6	16
70	Bladder cancer risk: Use of the PLCO and NLST to identify a suitable screening cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 65.e19-65.e25.	0.8	43
72	High expression of KPNA2 defines poor prognosis in patients with upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>BMC Cancer</i> , 2015, 15, 380.	1.1	25
73	A contemporary review of management and prognostic factors of upper tract urothelial carcinoma. <i>Cancer Treatment Reviews</i> , 2015, 41, 310-319.	3.4	40
74	Positive voided urine cytology predicts worse pathological findings of nephroureterectomy specimens in patients with upper tract urothelial carcinoma: does selective ureteral cytology have an additional efficacy?. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 968-972.	0.6	11
75	Impact of Combined Use of Blood-based Inflammatory Markers on Patients with Upper Tract Urothelial Carcinoma Following Radical Nephroureterectomy: Proposal of a Cumulative Marker Score as a Novel Predictive Tool for Prognosis. <i>European Urology Focus</i> , 2015, 1, 54-63.	1.6	15
76	Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: A multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 495.e15-495.e22.	0.8	15
77	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2015, 68, 1026-1032.	1.0	14

#	ARTICLE	IF	CITATIONS
78	Factores predictores, características patológicas y evolución de las recidivas vesicales después de nefroureterectomía. <i>Actas Urológicas Españolas</i> , 2015, 39, 488-493.	0.3	2
79	Impact of an Adjuvant Chemotherapeutic Regimen on the Clinical Outcome in High Risk Patients with Upper Tract Urothelial Carcinoma: A Japanese Multi-Institution Experience. <i>Journal of Urology</i> , 2015, 193, 1122-1128.	0.2	27
81	Risk stratification for kidney sparing procedure in upper tract urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2016, 5, 711-719.	0.6	6
82	Matrix metalloproteinase-11 as a marker of metastasis and predictor of poor survival in urothelial carcinomas. <i>Journal of Surgical Oncology</i> , 2016, 113, 700-707.	0.8	17
83	Prognostic model to predict survival in patients with metastatic upper tract urothelial carcinoma treated with cisplatin-based chemotherapy. <i>International Journal of Urology</i> , 2016, 23, 385-389.	0.5	3
84	Is Overexpression of Ki-67 a Prognostic Biomarker of Upper Tract Urinary Carcinoma? A Retrospective Cohort Study and Meta-Analysis. <i>Cellular Physiology and Biochemistry</i> , 2016, 40, 1613-1625.	1.1	8
85	C5a receptor expression is associated with poor prognosis in urothelial cell carcinoma patients treated with radical cystectomy or nephroureterectomy. <i>Oncology Letters</i> , 2016, 12, 3995-4000.	0.8	15
86	Prognostic serum markers in patients with high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 418.e9-418.e16.	0.8	12
87	Histopathologic Characteristics of Upper Tract Urothelial Carcinoma With an Emphasis on Their Effect on Cancer Survival: A Single-Institute Experience With 305 Patients With Long-Term Follow-Up. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e609-e615.	0.9	21
88	Variant isoforms of CD44 expression in upper tract urothelial cancer as a predictive marker for recurrence and mortality. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 337.e19-337.e26.	0.8	20
89	Upper tract urothelial cancer. <i>Surgery</i> , 2016, 34, 527-531.	0.1	0
90	Lymph node yield and tumor location in patients with upper tract urothelial carcinoma undergoing nephroureterectomy affects survival: A U.S. population-based analysis (2004-2012). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 531.e15-531.e24.	0.8	27
91	Expression of Estrogen Receptor Beta Predicts Oncologic Outcome of pT3 Upper Urinary Tract Urothelial Carcinoma Better Than Aggressive Pathological Features. <i>Scientific Reports</i> , 2016, 6, 24263.	1.6	6
92	De Ritis (aspartate transaminase/alanine transaminase) ratio as a significant predictor of recurrence-free survival in patients with upper urinary tract urothelial carcinoma following nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 417.e9-417.e15.	0.8	32
93	Clinical implications of intravesical recurrence after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>International Journal of Urology</i> , 2016, 23, 378-384.	0.5	28
94	Preoperative pyuria predicts advanced pathologic tumor stage and worse survival in patients with urothelial carcinoma of the upper urinary tract treated by radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 418.e1-418.e7.	0.8	9
95	Contemporary Evaluation and Management of Upper Tract Urothelial Cancer. <i>Urology</i> , 2016, 94, 17-23.	0.5	10
96	The effect of tumor location on oncologic outcomes in patients with upper urinary tract urothelial carcinoma stratified by pathologic stage. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 4.e19-4.e25.	0.8	16

#	ARTICLE	IF	CITATIONS
97	Patient age was an independent predictor of cancer-specific survival in male patients with upper tract urothelial carcinoma treated by radical nephroureterectomy. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 554-559.	0.6	14
98	Significant Role of Lifetime Cigarette Smoking in Worsening Bladder Cancer and Upper Tract Urothelial Carcinoma Prognosis: A Meta-Analysis. <i>Journal of Urology</i> , 2016, 195, 872-879.	0.2	42
99	The Prognostic Significance of Inflammation-Associated Blood Cell Markers in Patients with Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 343-351.	0.7	43
100	Molecular profile of urothelial carcinoma of the upper urinary tract: are pelvicalyceal and ureteral tumors different?. <i>World Journal of Urology</i> , 2016, 34, 105-112.	1.2	7
101	Is it possible to stop follow-up of patients with primary T1G3 urothelial carcinoma of the bladder managed with intravesical bacille Calmette-Guérin immunotherapy?. <i>World Journal of Urology</i> , 2017, 35, 237-243.	1.2	16
102	Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017, 35, 113-120.	1.2	22
103	Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World Journal of Urology</i> , 2017, 35, 337-353.	1.2	74
104	Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017, 35, 121-130.	1.2	37
105	Anatomical templates of lymph node dissection for upper tract urothelial carcinoma: a systematic review of the literature. <i>Expert Review of Anticancer Therapy</i> , 2017, 17, 235-246.	1.1	16
106	Preoperative Pyuria Is a Poor Prognostic Factor in Patients With Urothelial Carcinoma of the Upper Urinary Tract After Surgery. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e543-e550.	0.9	15
107	Programmed Death-ligand 1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2017, 3, 502-509.	1.6	25
108	The De Ritis (aspartate transaminase/alanine transaminase) ratio as a predictor of oncological outcomes in patients after surgery for upper urinary tract urothelial carcinoma. <i>International Urology and Nephrology</i> , 2017, 49, 1383-1390.	0.6	28
109	A critical prognostic analysis of neutrophil-lymphocyte ratio for patients undergoing nephroureterectomy due to upper urinary tract urothelial carcinoma. <i>International Journal of Clinical Oncology</i> , 2017, 22, 964-971.	1.0	19
110	Evaluation of the Clinical Utility of Renin-Angiotensin System Inhibitors in Patients Undergoing Radical Surgery for Urothelial Carcinoma of the Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e943-e954.	0.9	1
111	Clinical Outcomes in Patients with Panurothelial Carcinoma Treated with Radical Nephroureterectomy Following Cystectomy for Metachronous Recurrence. <i>Journal of Urology</i> , 2017, 198, 546-551.	0.2	8
112	Diagnostic dilemmas in patients with upper tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2017, 14, 181-191.	1.9	53
113	Prediction of high-grade ureteral urothelial carcinoma on CT urography. <i>British Journal of Radiology</i> , 2017, 90, 20170159.	1.0	4
114	The effect of ABO and Rhesus blood grouping systems on oncological outcome in patients undergoing radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 671.e17-671.e23.	0.8	1

#	ARTICLE	IF	CITATIONS
115	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1039-e1045.	0.9	14
116	Risk factors and prognosis of intravesical recurrence after surgical management of upper tract urothelial carcinoma: A 30-year single centre experience. <i>Arab Journal of Urology Arab Association of Urology</i> , 2017, 15, 216-222.	0.7	21
117	Clinical and demographic characteristics among patients with urothelial carcinomas of the upper urinary tract and bladder in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2017, 80, 563-568.	0.6	16
118	Upper tract urothelial carcinomas: frequency of association with mismatch repair protein loss and lynch syndrome. <i>Modern Pathology</i> , 2017, 30, 146-156.	2.9	66
119	Prognostic role of expression of N-cadherin in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017, 35, 1073-1080.	1.2	12
120	De Ritis Ratio (AST/ALT) as a Significant Prognostic Factor in Patients With Upper Tract Urothelial Cancer Treated With Surgery. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e379-e385.	0.9	41
121	Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017, 35, 379-387.	1.2	260
122	Preoperative sarcopenia status is associated with lymphovascular invasion in upper tract urothelial carcinoma patients treated with radical nephroureterectomy. <i>Canadian Urological Association Journal</i> , 2017, 12, E132-6.	0.3	10
123	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e831-e841.	0.9	13
124	Multi-institutional Evaluation of Upper Urinary Tract Biopsy Using Backloaded Cup Biopsy Forceps, a Nitinol Basket, and Standard Cup Biopsy Forceps. <i>Urology</i> , 2018, 117, 89-94.	0.5	27
125	Comparison of Pathological Stage in Patients Treated with and without Neoadjuvant Chemotherapy for High Risk Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2018, 200, 68-73.	0.2	46
126	Uridine 5'diphospho-glucuronosyltransferase 1A expression as an independent prognosticator in urothelial carcinoma of the upper urinary tract. <i>International Journal of Urology</i> , 2018, 25, 429-435.	0.5	2
127	Selected High-Risk Patients With Upper Tract Urothelial Carcinoma Treated With Radical Nephroureterectomy for Adjuvant Chemotherapy: A Multi-Institutional Retrospective Study. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e669-e675.	0.9	13
128	Reduce bladder cancer recurrence in patients treated for upper urinary tract urothelial carcinoma: The REBACARE-trial. <i>Contemporary Clinical Trials Communications</i> , 2018, 9, 121-129.	0.5	16
129	Impact of ureteroscopy before radical nephroureterectomy for upper tract urothelial carcinomas on oncological outcomes: a meta-analysis. <i>BJU International</i> , 2018, 121, 184-193.	1.3	83
130	Which Patients with Upper Tract Urothelial Carcinoma Can be Safely Treated with Flexible Ureteroscopy with Holmium:YAG Laser Photoablation? Long-Term Results from a High Volume Institution. <i>Journal of Urology</i> , 2018, 199, 66-73.	0.2	58
131	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2017 Update. <i>European Urology</i> , 2018, 73, 111-122.	0.9	627
132	Significance of multiple preoperative laboratory abnormalities as prognostic indicators in patients with urothelial carcinoma of the upper urinary tract following radical nephroureterectomy. <i>International Journal of Clinical Oncology</i> , 2018, 23, 151-157.	1.0	11

#	ARTICLE	IF	CITATIONS
133	CT Imaging of Emergent Renal Conditions. <i>Seminars in Ultrasound, CT and MRI</i> , 2018, 39, 129-144.	0.7	1
134	Upper tract urothelial cancer. <i>European Journal of Radiology</i> , 2018, 98, 50-60.	1.2	34
135	Molecular Characterization of Urothelial Carcinoma of the Bladder and Upper Urinary Tract. <i>Translational Oncology</i> , 2018, 11, 37-42.	1.7	35
136	Does perioperative chemotherapy improve survival in upper tract urothelial carcinoma? A population based analysis. <i>Oncotarget</i> , 2018, 9, 18797-18810.	0.8	10
137	Forkhead box O1 as an indicator of prognosis is inactivated in urothelial carcinoma of the upper urinary tract. <i>Oncology Letters</i> , 2018, 17, 482-487.	0.8	4
138	Microscopic hematuria predicts lower stage in patients with upper tract urothelial carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 4929-4933.	0.9	10
139	Prognostic value of AIB1 and EIF5A2 in intravesical recurrence after surgery for upper tract urothelial carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 6997-7011.	0.9	12
141	Muscle-invasive bladder and urethral cancer recurrence after surgical management of upper tract urothelial carcinoma: A review of 305 patients. <i>Turkish Journal of Urology</i> , 2018, 44, 213-220.	1.3	7
142	Tissue-based molecular markers in upper tract urothelial carcinoma and their prognostic implications. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 22-37.	0.7	17
143	Therapeutic strategies for upper tract urothelial carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2018, 18, 765-774.	1.1	18
144	Comparison of Radical Nephroureterectomy and Partial Ureterectomy for the Treatment of Upper Tract Urothelial Carcinoma. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	4
145	Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. <i>International Journal of Molecular Sciences</i> , 2018, 19, 777.	1.8	9
146	Role of lymph node dissection in the management of upper tract urothelial carcinomas: a meta-analysis. <i>BMC Urology</i> , 2018, 18, 24.	0.6	13
147	The prognostic significance of preoperative serum albumin in urothelial carcinoma: a systematic review and meta-analysis. <i>Bioscience Reports</i> , 2018, 38, .	1.1	28
148	Clinically significant association of elevated expression of nuclear factor E2-related factor 2 expression with higher glucose uptake and progression of upper urinary tract cancer. <i>BMC Cancer</i> , 2018, 18, 493.	1.1	5
149	Prognostic role of the preoperative serum albumin:Âgglobulin ratio after radical nephroureterectomy for upper tract urothelial carcinoma. <i>International Journal of Urology</i> , 2018, 25, 871-878.	0.5	16
150	Preoperative risk classification using neutrophilâ€“lymphocyte ratio and hydronephrosis for upper tract urothelial carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 841-850.	0.6	30
151	Segmental Ureterectomy is Acceptable for High-risk Ureteral Carcinoma Comparing to Radical Nephroureterectomy. <i>Journal of Investigative Surgery</i> , 2019, 32, 746-753.	0.6	4

#	ARTICLE	IF	CITATIONS
152	Lymph node dissection during nephroureterectomy: Establishing the existing evidence based on a review of the literature. Arab Journal of Urology Arab Association of Urology, 2019, 17, 167-180.	0.7	4
153	Lymphadenectomy for Upper Tract Urothelial Carcinoma: A Systematic Review. Journal of Clinical Medicine, 2019, 8, 1190.	1.0	17
154	Upper tract urothelial cancer. Surgery, 2019, 37, 524-528.	0.1	0
155	Preoperative predictive model and nomogram for disease recurrence following radical nephroureterectomy for high grade upper tract urothelial carcinoma. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 758-764.	0.8	21
156	Prognostic significance of inflammation-based prognostic scoring in patients with upper urinary tract urothelial carcinoma. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2019, 45, 541-548.	0.7	5
157	Geographic distribution and risk of upper urothelial carcinomas in Croatia, 2001â€“2011. BMC Cancer, 2019, 19, 950.	1.1	3
158	Prognostic Significance of Murine Double Minute 2 Expression in Tumor Cells in Upper Tract Urothelial Carcinoma: An Analysis of 341 Cases in a Large Chinese Center. Genetic Testing and Molecular Biomarkers, 2019, 23, 797-806.	0.3	0
159	<p>The correlation of BER protein, IRF3 with CD8+ T cell and their prognostic significance in upper tract urothelial carcinoma</p>. OncoTargets and Therapy, 2019, Volume 12, 7725-7735.	1.0	16
160	Combination of Systemic Inflammation Response Index and Platelet-to-Lymphocyte Ratio as a Novel Prognostic Marker of Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy. Frontiers in Oncology, 2019, 9, 914.	1.3	45
161	Treatment of Upper Urothelial Cell Carcinoma. , 2019, , 169-190.		0
162	Prognostic performance of the 1973 and 2004 WHO grading classification in upper tract urothelial carcinoma. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 529.e19-529.e25.	0.8	2
163	Risk stratification of upper tract urothelial carcinoma: A Review of the Current Literature. Expert Review of Anticancer Therapy, 2019, 19, 503-513.	1.1	4
164	Impact of AIB1 expression on the prognosis of upper tract urothelial carcinoma after radical nephroureterectomy. Cancer Biomarkers, 2019, 25, 151-160.	0.8	3
165	Impact of adjuvant chemotherapy on oncologic outcomes following radical nephroureterectomy for patients with pT3NanyM0 upper tract urothelial carcinoma: A retrospective cohort study. International Journal of Surgery, 2019, 66, 12-17.	1.1	8
166	Endocavitary treatment for upper tract urothelial carcinoma: A meta-analysis of the current literature. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 430-436.	0.8	50
167	Identification of plasma secreted phosphoprotein 1 as a novel biomarker for upper tract urothelial carcinomas. Biomedicine and Pharmacotherapy, 2019, 113, 108744.	2.5	10
168	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. BJU International, 2019, 124, 738-745.	1.3	32
169	8-armed octopus: Evaluation of clinicopathologic prognostic factors of urothelial carcinoma of the upper urinary system. Turkish Journal of Medical Sciences, 2019, 49, 153-161.	0.4	5

#	ARTICLE	IF	CITATIONS
171	Advancements in the clinical management of upper tract urothelial carcinoma. Expert Review of Anticancer Therapy, 2019, 19, 1051-1060.	1.1	6
172	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?. Medicine (United States), 2019, 98, e17377.	0.4	0
173	Data Set for the Reporting of Carcinoma of the Renal Pelvis and Ureterâ€”Nephroureterectomy and Ureterectomy Specimens. American Journal of Surgical Pathology, 2019, 43, e1-e12.	2.1	5
175	Effects of Variant Histology on the Oncologic Outcomes of Patients With Upper Urinary Tract Carcinoma After Radical Nephroureterectomy: A Propensity Scoreâ€”Matched Analysis. Clinical Genitourinary Cancer, 2019, 17, e394-e407.	0.9	14
176	Preoperative predictive factors focused on inflammation-, nutrition-, and muscle-status in patients with upper urinary tract urothelial carcinoma undergoing nephroureterectomy. International Journal of Clinical Oncology, 2019, 24, 533-545.	1.0	33
177	Recent advances in upper tract urothelial carcinomas: From bench to clinics. International Journal of Urology, 2019, 26, 148-159.	0.5	19
178	Combination of the Preoperative Systemic Immune-Inflammation Index and Monocyte-Lymphocyte Ratio as a Novel Prognostic Factor in Patients with Upper-Tract Urothelial Carcinoma. Annals of Surgical Oncology, 2019, 26, 669-684.	0.7	59
179	MicroRNA Expression Profiles in Upper Tract Urothelial Carcinoma Differentiate Tumor Grade, Stage, and Survival: Implications for Clinical Decision-Making. Urology, 2019, 123, 93-100.	0.5	11
180	The Impact of Preoperative Severe Renal Insufficiency on Poor Postsurgical Oncological Prognosis in Patients with Urothelial Carcinoma. European Urology Focus, 2019, 5, 1066-1073.	1.6	38
181	Development and Validation of a Model for Predicting Intravesical Recurrence in Organ-confined Upper Urinary Tract Urothelial Carcinoma Patients after Radical Nephroureterectomy: a Retrospective Study in One Center with Long-term Follow-up. Pathology and Oncology Research, 2020, 26, 1741-1748.	0.9	10
182	Renal Pelvis and Ureter. , 2020, , 164-178.e4.		1
183	Preoperative hydronephrosis as a predictor of postnephroureterectomy survival in patients with upper tract urothelial carcinoma: a two-center study in Japan. International Journal of Clinical Oncology, 2020, 25, 456-463.	1.0	6
184	Preoperative Pyuria Predicts for Intravesical Recurrence in Patients With Urothelial Carcinoma of the Upper Urinary Tract After Radical Nephroureterectomy Without a History of Bladder Cancer. Clinical Genitourinary Cancer, 2020, 18, e167-e173.	0.9	13
185	Percutaneous Image-guided Core Needle Biopsy for Upper Tract Urothelial Carcinoma. Urology, 2020, 135, 95-100.	0.5	18
186	Combination of Platelet-Lymphocyte Ratio and Monocyte-Lymphocyte Ratio as a New Promising Prognostic Factor in Upper Tract Urothelial Carcinoma With Large Tumor Sizes > 3 cm. Clinical Genitourinary Cancer, 2020, 18, e484-e500.	0.9	10
187	Differences in survival and impact of adjuvant chemotherapy in patients with variant histology of tumors of the renal pelvis. World Journal of Urology, 2020, 38, 2227-2236.	1.2	12
188	Oncologic outcomes of radical nephroureterectomy (RNU). Translational Andrology and Urology, 2020, 9, 1841-1852.	0.6	16
189	The Performance of Tumor Size as Risk Stratification Parameter in Upper Tract Urothelial Carcinoma (UTUC). Clinical Genitourinary Cancer, 2021, 19, 272.e1-272.e7.	0.9	14

#	ARTICLE	IF	CITATIONS
190	Nomograms to predict overall and cancer-specific survival in patients with upper tract urothelial carcinoma: a large population-based study. <i>Translational Andrology and Urology</i> , 2020, 9, 1177-1191.	0.6	10
191	Ureteral cancer: Complete ureteral obstruction on computed tomography urography is associated with periureteral fat invasion. <i>European Journal of Radiology</i> , 2020, 130, 109198.	1.2	3
192	Preoperative Monocyte-to-lymphocyte Ratio Predicts for Intravesical Recurrence in Patients With Urothelial Carcinoma of the Upper Urinary Tract After Radical Nephroureterectomy Without a History of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2021, 19, e156-e165.	0.9	6
193	Diagnostic accuracy of photodynamic diagnosis for upper urinary tract urothelial carcinoma: A systematic review and meta-analysis. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 32, 102067.	1.3	4
194	Incidence and preoperative predictors for major complications following radical nephroureterectomy. <i>Translational Andrology and Urology</i> , 2020, 9, 1786-1793.	0.6	10
195	5 α -reductase inhibitors impact prognosis of urothelial carcinoma. <i>BMC Cancer</i> , 2020, 20, 872.	1.1	15
196	The effect of tumor location on overall survival for pT2-4 bladder and upper tract urothelial carcinoma following radical surgery. <i>Canadian Urological Association Journal</i> , 2020, 15, E248-E255.	0.3	0
197	Impact of neoadjuvant chemotherapy on survival prognosis and pathological downstaging in patients presenting with high-risk upper tract urothelial carcinoma. <i>Medicine (United States)</i> , 2020, 99, e20184.	0.4	5
198	Re: Adjuvant Chemotherapy in Upper Tract Urothelial Carcinoma (the POUT Trial): A Phase 3, Open-label, Randomised Controlled Trial. <i>European Urology</i> , 2020, 78, 289-290.	0.9	2
199	Chemoablation in Urothelial Carcinoma: A Systematic Review and Future Perspectives. <i>Urology</i> , 2020, 144, 28-37.	0.5	4
200	Instrument-Free Detection of FXVD3 Using Vial-Based Immunosensor for Earlier and Faster Urothelial Carcinoma Diagnosis. <i>ACS Sensors</i> , 2020, 5, 928-935.	4.0	6
201	<p>High Preoperative Controlling Nutritional Status Score Predicts a Poor Prognosis in Patients with Localized Upper Tract Urothelial Cancer: A Propensity Score Matching Study in a Large Chinese Center</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 323-335.	0.9	12
202	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2020 Update. <i>European Urology</i> , 2021, 79, 62-79.	0.9	532
203	Robotic Nephroureterectomy <i>vs</i> Laparoscopic Nephroureterectomy: Increased Utilization, Rates of Lymphadenectomy, Decreased Morbidity Robotically. <i>Journal of Endourology</i> , 2021, 35, 312-318.	1.1	18
204	Maternal serum procalcitonin levels in prediction of chorioamnionitis in women with preterm premature rupture of membranes. <i>Archives of Medical Science</i> , 2021, 17, 694-699.	0.4	4
205	Clinicopathological characteristics, prognosis, and chemosensitivity in patients with metastatic upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 75.e1-75.e8.	0.8	9
206	Association between lymphovascular invasion and oncological outcome in node-negative upper tract urothelial carcinoma with different stage. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 132.e13-132.e26.	0.8	5
207	Fragmentation of cell-free DNA is induced by upper-tract urothelial carcinoma-associated systemic inflammation. <i>Cancer Science</i> , 2021, 112, 168-177.	1.7	6

#	ARTICLE	IF	CITATIONS
208	Survival differences of patients with ureteral versus pelvicalyceal tumours: a systematic review and meta-analysis. Archives of Medical Science, 2021, 17, 603-612.	0.4	6
209	OUP accepted manuscript. Japanese Journal of Clinical Oncology, 2021, 51, 1149-1157.	0.6	4
210	Diagnostic and Therapeutic Challenges of Rare Urogenital Cancers: Urothelial Carcinoma of the Renal Pelvis, Ureters and Urethra. World Journal of Oncology, 2021, 12, 20-27.	0.6	8
211	Characteristics of upper urinary tract urothelial carcinoma in the context of bladder cancer: a narrative review. Translational Andrology and Urology, 2021, 10, 4036-4050.	0.6	11
212	Can American Joint Committee on Cancer prognostic groups be individualized in patients undergoing surgery for Stage IV invasive upper tract Urothelial Carcinoma?. Journal of Cancer, 2021, 12, 2023-2029.	1.2	1
213	Diagnostic challenges and treatment strategies in the management of upper-tract urothelial carcinoma. Turkish Journal of Urology, 2021, 47, S33-S44.	1.3	1
214	Preoperative hydronephrosis predicts adverse pathological features and postoperative survival in patients with high-grade upper tract urothelial carcinoma. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2021, 47, 159-168.	0.7	2
215	Development and validation of a PD-L1/PD-1/CD8 axis-based classifier to predict cancer survival of upper tract urothelial carcinoma after radical nephroureterectomy. Cancer Immunology, Immunotherapy, 2021, 70, 2657-2668.	2.0	4
216	Operative management in patients with upper tract urothelial carcinoma in Iceland: a population-based study. Scandinavian Journal of Urology, 2021, 55, 197-202.	0.6	3
217	Outcomes of minimally invasive nephroureterectomy in octogenarians: a single centre experience and review of literature. Journal of Clinical Urology, 0, , 205141582110065.	0.1	0
218	Quality indicators for the management of high-risk upper tract urothelial carcinoma requiring radical nephroureterectomy. Current Opinion in Urology, 2021, 31, 291-296.	0.9	8
219	Smaller decline of renal function after nephroureterectomy predicts poorer prognosis of upper tract urothelial carcinoma: a multicentre retrospective study. Japanese Journal of Clinical Oncology, 2021, 51, 1577-1586.	0.6	5
220	Utility of EFEMP1 in the Prediction of Oncologic Outcomes of Urothelial Carcinoma. Genes, 2021, 12, 872.	1.0	11
221	Comparison between 1973 and 2004/2016 World Health Organization grading in upper tract urothelial carcinoma treated with radical nephroureterectomy. International Journal of Clinical Oncology, 2021, 26, 1707-1713.	1.0	5
222	Diagnostic Ureteroscopy in CT Urography-Diagnosed Upper Tract Urothelial Carcinoma: Delay in Definitive Treatment and Increased Intravesical Recurrence. Cureus, 2021, 13, e15775.	0.2	0
223	Radiation therapy for nonmetastatic medically inoperable upper-tract urothelial carcinoma. Translational Andrology and Urology, 2021, 10, 2929-2937.	0.6	5
224	Tumor Necrosis with Adjunction of Preoperative Monocyte-to-Lymphocyte Ratio as a New Risk Stratification Marker Can Independently Predict Poor Outcomes in Upper Tract Urothelial Carcinoma. Journal of Clinical Medicine, 2021, 10, 2983.	1.0	5
225	Transurethral resection of bladder cancer involving the orifice of the ureter. Onkourologiya, 2021, 17, 104-111.	0.1	1

#	ARTICLE	IF	CITATIONS
226	The prognostic and clinicopathological significance of Tim-3 and PD-1 expression in the prognosis of upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 743-753.	0.8	7
227	Tumor heterogeneity evaluated by computed tomography detects muscle-invasive upper tract urothelial carcinoma that is associated with inflammatory tumor microenvironment. <i>Scientific Reports</i> , 2021, 11, 14251.	1.6	3
228	Diagnostic and prognostic role of BTA, NMP22, survivin and cytology in urothelial carcinoma. <i>Translational Cancer Research</i> , 2021, 10, 3192-3205.	0.4	6
229	Platinum-based adjuvant chemotherapy for upper tract urothelial carcinoma. <i>Anti-Cancer Drugs</i> , 2021, Publish Ahead of Print, .	0.7	5
230	Does neoadjuvant chemotherapy have therapeutic benefit for node-positive upper tract urothelial carcinoma? Results of a multi-center cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 105.e19-105.e26.	0.8	12
231	The secondary tumor of the prostate derived from upper tract urothelial carcinoma: An autopsy case. <i>IJU Case Reports</i> , 2021, 4, 397-402.	0.1	0
232	Concomitant carcinoma in situ is an independent prognostic predictor for patients with localized lymph node-negative upper-tract urothelial carcinoma undergoing nephroureterectomy. <i>Journal of Clinical Urology</i> , 0, , 205141582110407.	0.1	0
233	The Association of Controlling Nutritional Status (CONUT) Score with Survival in Patients with Surgically Treated Renal Cell Carcinoma and Upper Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Nutrition and Cancer</i> , 2022, 74, 1907-1916.	0.9	3
234	Robot-assisted versus open radical nephroureterectomy for urothelial carcinoma of the upper urinary tract: A retrospective cohort study across ten years. <i>Surgical Oncology</i> , 2021, 38, 101607.	0.8	12
235	Native Kidney Hydronephrosis Is Associated with Upper Urinary Tract Urothelial Carcinoma in Post-Kidney Transplantation Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 4474.	1.0	3
236	A Novel Nomogram for Predicting the Survival of Patients with Invasive Upper Tract Urothelial Carcinoma. <i>Journal of Cancer</i> , 2021, 12, 790-798.	1.2	2
237	Risk Stratification of Upper Tract Urothelial Carcinoma for Kidney-Sparing Surgery. , 2021, , 387-402.		0
238	Upper Tract Urothelial Carcinoma: Ureteroscopic Biopsy and Specimen Preparation. , 2015, , 1-15.		1
239	Single-docking robotic-assisted nephroureterectomy and extravesical bladder cuff excision without intraoperative repositioning: The technique and oncological outcomes. <i>Asian Journal of Surgery</i> , 2020, 43, 978-985.	0.2	14
240	The prognostic value of De Ritis (AST/ALT) ratio in patients after surgery for urothelial carcinoma: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2020, 20, 39.	1.8	13
241	Cytokeratin 15 Marks Basal Epithelia in Developing Ureters and Is Upregulated in a Subset of Urothelial Cell Carcinomas. <i>PLoS ONE</i> , 2013, 8, e81167.	1.1	22
242	Metastasis-Associated in Colon Cancer 1 Is a Novel Survival-Related Biomarker for Human Patients with Renal Pelvis Carcinoma. <i>PLoS ONE</i> , 2014, 9, e100161.	1.1	17
243	Preoperative Plasma Fibrinogen Level Represents an Independent Prognostic Factor in a Chinese Cohort of Patients with Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0150193.	1.1	9

#	ARTICLE	IF	CITATIONS
244	Patients with urothelial carcinoma have poor renal outcome regardless of whether they receive nephroureterectomy. <i>Oncotarget</i> , 2016, 7, 61679-61689.	0.8	3
245	Prognostic scores based on the preoperative plasma fibrinogen and serum albumin level as a prognostic factor in patients with upper urinary tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 68964-68973.	0.8	13
246	Prognostic value of neutrophil-to-lymphocyte ratio in urothelial carcinoma of the upper urinary tract and bladder: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 62681-62692.	0.8	29
247	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. <i>Oncotarget</i> , 2017, 8, 47216-47229.	0.8	26
248	Prognostic factors and outcomes of primary transitional cell carcinoma of the ureter: a population-based study. <i>Oncotarget</i> , 2017, 8, 65983-65996.	0.8	5
249	Preoperative chronic kidney disease predicts poor oncological outcomes after radical nephroureterectomy in patients with upper urinary tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 83183-83194.	0.8	14
250	Detecting asymptomatic recurrence after radical nephroureterectomy contributes to better prognosis in patients with upper urinary tract urothelial carcinoma. <i>Oncotarget</i> , 2018, 9, 8746-8755.	0.8	9
251	Positive urinary fluorescence <i>in situ</i> hybridization indicates poor prognosis in patients with upper tract urothelial carcinoma. <i>Oncotarget</i> , 2018, 9, 14652-14660.	0.8	5
252	Risk-stratified surveillance protocol improves cost-effectiveness after radical nephroureterectomy in patients with upper tract urothelial carcinoma. <i>Oncotarget</i> , 2018, 9, 23047-23057.	0.8	9
253	The cAMP responsive element binding protein 1 transactivates epithelial membrane protein 2, a potential tumor suppressor in the urinary bladder urothelial carcinoma. <i>Oncotarget</i> , 2015, 6, 9220-9239.	0.8	30
254	Bladder recurrence of primary upper tract urinary carcinoma following nephroureterectomy, and risk of upper urinary tract recurrence after ureteral stent positioning in patients with primary bladder cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 191-200.	3.9	10
255	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	1.3	6
256	Upper urinary tract disease: what we know today and unmet needs. <i>Translational Andrology and Urology</i> , 2015, 4, 261-72.	0.6	24
257	Pretreatment elevated fibrinogen level predicts worse oncologic outcomes in upper tract urothelial carcinoma. <i>Asian Journal of Andrology</i> , 2020, 22, 177.	0.8	9
258	The preoperative serum cystatin-C as an independent prognostic factor for survival in upper tract urothelial carcinoma. <i>Asian Journal of Andrology</i> , 2019, 21, 163.	0.8	10
259	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. <i>Cancer Research and Treatment</i> , 2016, 48, 621-631.	1.3	9
260	Laparoscopic Nephroureterectomy is Associated with Higher Risk of Adverse Events compared to Laparoscopic Radical Nephrectomy. <i>Canadian Urological Association Journal</i> , 2016, 10, 126.	0.3	6
261	The role of surgery on primary site in metastatic upper urinary tract urothelial carcinoma and a nomogram for predicting the survival of patients with metastatic upper urinary tract urothelial carcinoma. <i>Cancer Medicine</i> , 2021, 10, 8079-8090.	1.3	7

#	ARTICLE	IF	CITATIONS
262	Pelvic Genitourinary Oncology. Journal of Gynecologic Surgery, 2021, 37, 380-386.	0.0	0
264	Prognostics Factors, Molecular Markers, and Predictive Tools in Upper Tract Urothelial Carcinoma. , 2015, , 91-117.		0
265	Predictive Factors of Bladder Tumor Recurrence after Nephro-Ureterectomy for Urothelial Carcinoma. Journal of Cancer Therapy, 2015, 06, 122-128.	0.1	1
266	Cytopathology and Management of Ureteroscopic Biopsy Samples. , 2015, , 27-33.		0
267	INVASIVE UPPER URINARY TRACT UROTHELIAL CARCINOMA WITH ATYPICAL CLINIC: CASE REPORT. Medicinos Teorija Ir Praktika, 2017, 22, 378-381.	0.0	0
268	Risk Stratification Model to Predict High-Risk Patients for Adjuvant Chemotherapy in Upper Urinary Tract Urothelial Cancer. Chemotherapy, 2017, 06, .	0.0	0
269	HarnrÅ¶hrenkarzinom. , 2018, , 295-304.		0
270	Prognostic Factors and Predictive Tools in Upper Tract Urothelial Carcinoma. , 2018, , 15-32.		0
271	Narrow Band Imaging in the Evaluation of Upper Tract Urothelial Cancer. , 2018, , 129-143.		0
272	Diagnosis and Prognostic Factors of UTUC. , 2019, , 151-168.		0
273	The expression of urokinase-type plasminogen activator system in upper tract urothelial carcinoma and its prognostic value after radical nephroureterectomy. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 685.e17-685.e25.	0.8	2
274	The nephroureterectomy: a review of technique and current controversies. Translational Andrology and Urology, 2020, 9, 3168-3190.	0.6	3
275	Urothelial Cancer of theÅUpper Urinary Tract. , 2020, , 539-550.		0
276	Preintervention risk stratification of renal pelvic cancer and ureteral cancer should differ. Investigative and Clinical Urology, 2020, 61, 397.	1.0	3
277	Prognostic Impact of pT3 Subclassification in a Multicentre Cohort of Patients with Urothelial Carcinoma of the Renal Pelvic/Ureteral System Undergoing Radical Nephroureterectomy: A Propensity Score-weighted Analysis After Central Pathology Review. European Urology Focus, 2021, 7, 1075-1083.	1.6	5
279	The Prognostic Value of Body Mass Index in Patients With Urothelial Carcinoma After Surgery: A Systematic Review and Meta-Analysis. Dose-Response, 2020, 18, 155932582097924.	0.7	4
280	Bladder cancer: ESMO Clinical Practice Guideline for diagnosis, treatment and follow-up. Annals of Oncology, 2022, 33, 244-258.	0.6	211
281	Challenging Visualization of Sentinel Lymph Nodes in Upper Urinary Tract Urothelial Carcinoma. Journal of Clinical Medicine, 2021, 10, 5465.	1.0	1

#	ARTICLE	IF	CITATIONS
282	Preoperative models incorporating the systemic immune-inflammation index for predicting prognosis and muscle invasion in patients with non-metastatic upper tract urothelial carcinoma. <i>International Journal of Clinical Oncology</i> , 2022, 27, 574-584.	1.0	9
283	The therapeutic and prognostic implications of molecular biomarkers in urothelial carcinoma. <i>Translational Cancer Research</i> , 2020, 9, 6609-6623.	0.4	1
284	Oncologic Outcomes of Salvage Chemotherapy in Patients with Recurrent or Metastatic Lesions after Radical Nephroureterectomy: A Multi-Institutional Retrospective Study. <i>Chemotherapy</i> , 2020, 65, 134-140.	0.8	5
286	Endoscopic Treatment of Upper Tract Urothelial Carcinoma: Challenging the Definition of the Maximal Lesion Size for Safe Ablation. <i>Uro</i> , 2022, 2, 13-20.	0.3	1
287	Overall and Cancer-Specific Survival in Patients With Renal Pelvic Transitional Cell Carcinoma: A Population-Based Study. <i>Frontiers in Medicine</i> , 2021, 8, 719800.	1.2	1
289	Acidic Urine Is Associated With Poor Prognosis of Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 817781.	1.3	1
290	The impact of lymphovascular invasion in patients treated with radical nephroureterectomy for upper tract urothelial carcinoma: An extensive updated systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 243-261.	0.8	8
291	Ex Vivo Near-Infrared Molecular Imaging of Human Upper Urinary Tract Urothelial Carcinoma With a CD47-Based Targeted Tracer. <i>Frontiers in Oncology</i> , 2022, 12, 825476.	1.3	2
292	MicroRNA Signatures in the Upper Urinary Tract Urothelial Carcinoma Scenario: Ready for the Game Changer?. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2602.	1.8	1
293	Clinicopathological and Prognostic Significance of Preoperative Prognostic Nutritional Index in Patients with Upper Urinary Tract Urothelial Carcinoma. <i>Nutrition and Cancer</i> , 2022, , 1-11.	0.9	4
295	Prognostic Value of Comorbidity for Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy. <i>Cancers</i> , 2022, 14, 1466.	1.7	1
296	Elevated Pre-Treatment Serum MMP-7 Levels Are Associated with the Presence of Metastasis and Poor Survival in Upper Tract Urothelial Carcinoma. <i>Biomedicines</i> , 2022, 10, 698.	1.4	4
297	Patientâ€Derived Upper Tract Urothelial Carcinoma Organoids as a Platform for Drug Screening. <i>Advanced Science</i> , 2022, 9, e2103999.	5.6	12
299	Impact of pathological factors on survival in patients with upper tract urothelial carcinoma: a systematic review and meta-analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2022, 48, 406-455.	0.7	7
301	Tumor Histological Grade and Immunotherapy Response in Patients With Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022, 148, 540.	1.2	2
302	A web-based prognostic nomogram for the cancer specific survival of elderly patients with T1-T3N0M0 renal pelvic transitional cell carcinoma based on the surveillance, epidemiology, and end results database. <i>BMC Urology</i> , 2022, 22, .	0.6	0
303	Tumors of the Ureter and Renal Pelvis. , 2021, , 591-616.		0
304	The Value of Lymph Node Dissection in Patients With Node-Positive Upper Urinary Tract Urothelial Cancer: A Retrospective Cohort Study. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	2

#	ARTICLE	IF	CITATIONS
305	Clinical Implication of Preoperative Renal Function on Oncological Outcomes in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy. <i>Biomedicines</i> , 2022, 10, 1340.	1.4	0
306	Prognostic significance of age, sex, race, and socioeconomic status in patients with stage III–IV upper tract urothelial carcinoma. <i>Actas Urológicas Españolas (English Edition)</i> , 2022, , .	0.2	0
307	Prognostic impact of stromal periostin expression in upper urinary tract urothelial carcinoma. <i>BMC Cancer</i> , 2022, 22, .	1.1	4
309	Radiotherapy in Metastatic Urothelial Carcinoma: Rationale and Clinical Applications. <i>Anticancer Research</i> , 2022, 42, 3767-3778.	0.5	4
310	Impact of the primary tumor location on secondary sites and overall mortality in patients with metastatic upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 411.e1-411.e8.	0.8	3
311	The efficacy and safety of first-line treatment in cisplatin-ineligible advanced upper tract urothelial carcinoma patients: a comparison of PD-1 inhibitor and carboplatin plus gemcitabine chemotherapy. <i>Oncolmmunology</i> , 2022, 11, .	2.1	4
312	Upper tract urothelial cancer. <i>Surgery</i> , 2022, , .	0.1	0
313	Inadvertent radical nephrectomy leads to worse prognosis in renal pelvic urothelial carcinoma patients: A propensity score-matched study. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	1
314	Prognostic nutritional index before surgical treatment may serve as a prognostic biomarker for patients with upper tract urothelial carcinoma: A systematic review and meta-analysis. <i>Frontiers in Nutrition</i> , 0, 9, .	1.6	3
315	Clinicopathological characteristics and loss of mismatch repair protein expression in Chinese upper tract urothelial carcinomas. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	1
316	Neoadjuvant Chemotherapy before Nephroureterectomy in High-Risk Upper Tract Urothelial Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 4841.	1.7	5
317	Case report: Significant benefits of tislelizumab combined with anlotinib in first-line treatment of metastatic renal pelvic urothelial carcinoma with sarcomatoid carcinoma differentiation. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	3
319	Impact of surgical management of upper tract urothelial cancer in octogenarians: A population-based study. <i>Current Urology</i> , 0, Publish Ahead of Print, .	0.4	0
320	The tumour-associated stroma correlates with poor clinical outcomes and immunoevasive contexture in patients with upper tract urothelial carcinoma: results from a multicenter real-world study (TSU-01 Study). <i>British Journal of Cancer</i> , 2023, 128, 310-320.	2.9	6
321	The cancer behavior and current treatment strategy for upper urinary tract cancer. <i>Urological Science</i> , 2022, 33, 161.	0.2	5
322	The prognostic impact of lymph node dissection for clinically node-negative upper urinary tract urothelial carcinoma in patients who are treated with radical nephroureterectomy. <i>PLoS ONE</i> , 2022, 17, e0278038.	1.1	3
324	Prognostic Value of Bladder Involvement in the Outcome of Upper Tract Urothelial Carcinoma. <i>Diagnostics</i> , 2023, 13, 153.	1.3	2
325	Predictive Value of Flank Pain and Gross Hematuria on Long-Term Survival in Patients With Upper Tract Urothelial Carcinoma Treated by Radical Nephroureterectomy. <i>Clinical Medicine Insights: Oncology</i> , 2023, 17, 117955492211479.	0.6	2

#	ARTICLE	IF	CITATIONS
326	Comparison of Perioperative Outcomes and Complications of Laparoscopic and Robotic Nephroureterectomy Approaches in Patients with Upper-Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2023, 30, 3805-3816.	0.7	2
347	Ureteral Tumors. , 2023, , 369-406.		0