

# Culture Medium for Enterobacteria

Journal of Bacteriology

119, 736-747

DOI: [10.1128/jb.119.3.736-747.1974](https://doi.org/10.1128/jb.119.3.736-747.1974)

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Role of leucyl-tRNA synthetase in regulation of branched-chain amino-acid transport.. Proceedings of the National Academy of Sciences of the United States of America, 1975, 72, 3921-3924.  | 3.3  | 57        |
| 2  | Regulation of the expression of ribosomal protein genes in Escherichia coli. Journal of Molecular Biology, 1975, 97, 61-76.  | 2.0  | 124       |
| 3  | Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. Coli. Cell, 1976, 7, 165-177.  | 13.5 | 184       |
| 4  | Effect of the relA gene on the synthesis of individual proteins in vivo. Cell, 1976, 8, 115-122.   | 13.5 | 37        |
| 5  | Effects of chloramphenicol on the transcriptional activities of ribosomal RNA and ribosomal protein genes in Escherichia coli. Journal of Molecular Biology, 1976, 108, 535-546.   | 2.0  | 45        |
| 6  | Maturation of a single $\lambda$ phage particle from a dimeric circular $\lambda$ DNA. Virology, 1976, 74, 414-425.  | 1.1  | 15        |
| 7  | Bacteriocins of Streptococcus bovis. Canadian Journal of Microbiology, 1976, 22, 1040-1047.  | 0.8  | 41        |
| 8  | U.V. induced covalent crosslinking of E.coli ribosomal RNA to specific proteins. Biochemical and Biophysical Research Communications, 1976, 70, 1091-1096.   | 1.0  | 24        |
| 9  | Regulation of transcription factor rho and the alpha subunit of RNA polymerase in Escherichia coli B/r.. Proceedings of the National Academy of Sciences of the United States of America, 1976, 73, 2285-2288.                     | 3.3  | 59        |
| 10 | Regulation of ornithine decarboxylase activity by guanine nucleotides: in vivo test in potassium-depleted Escherichia coli.. Proceedings of the National Academy of Sciences of the United States of America, 1976, 73, 3502-3505. | 3.3  | 15        |
| 11 | Quantitation of RNA polymerase subunits in Escherichia coli during exponential growth and after bacteriophage T4 infection. Molecular Genetics and Genomics, 1976, 143, 291-295.   | 2.4  | 58        |
| 12 | Biosynthesis of Escherichia coli RNA polymerase subunits upon release of rifampicin inhibition. Molecular Genetics and Genomics, 1976, 143, 297-299.   | 2.4  | 11        |
| 13 | Effects of different alleles of the E. coli K12 polA gene on the replication of non-transferring plasmids. Molecular Genetics and Genomics, 1976, 143, 311-318.  | 2.4  | 56        |
| 14 | Regulation of ribosome production in Escherichia coli: Synthesis and stability of ribosomal RNA and of ribosomal protein messenger RNA at different growth rates. Journal of Molecular Biology, 1977, 115, 335-354.                | 2.0  | 218       |
| 15 | Dissociation of aminoacyl tRNA from the complex of EF-Tu--GTP--aminoacyl tRNA by extracts of Escherichia coli. Biochemical and Biophysical Research Communications, 1977, 76, 309-316.   | 1.0  | 2         |
| 16 | Methylammonium uptake by Escherichia coli: Evidence for a bacterial NH <sub>4</sub> <sup>+</sup> transport system. Biochemical and Biophysical Research Communications, 1977, 75, 1133-1139.                                       | 1.0  | 98        |
| 17 | ColE1 cloning of a ribosomal RNA promoter region from $\lambda$ rifd18 by selection for lambda integration and excision functions. Gene, 1977, 2, 159-172.   | 1.0  | 23        |
| 18 | Spacer transfer RNAs in ribosomal RNA transcripts of E. coli: Processing of 30S ribosomal RNA in vitro. Cell, 1977, 11, 247-262.   | 13.5 | 102       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | The competition of radioactive RNA sequences from RNA-DNA hybrids by competitor DNA sequences: A model system illustrating the hybridization and competition of 23 S ribosomal RNA sequences with 23 S ribosomal DNA. <i>Journal of Molecular Biology</i> , 1977, 115, 621-625. | 2.0  | 0         |
| 20 | Defective growth functions in mutants of <i>Escherichia coli</i> K12 lacking a major outer membrane protein. <i>Journal of Molecular Biology</i> , 1977, 116, 285-300.  | 2.0  | 73        |
| 21 | Effect of triethyltin on <i>Escherichia coli</i> K-12. <i>Chemico-Biological Interactions</i> , 1977, 19, 339-351.  | 1.7  | 3         |
| 22 | Analysis of the <i>relA</i> Gene Product of <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1977, 76, 91-97.  | 0.2  | 74        |
| 23 | Leucine binding protein and regulation of transport in <i>E. coli</i> . <i>Journal of Supramolecular Structure</i> , 1977, 6, 419-431.  | 2.3  | 25        |
| 24 | Influence of inorganic phosphate and organic buffers on cephalosporin production by <i>Streptomyces clavuligerus</i> . <i>Archives of Microbiology</i> , 1977, 115, 169-173.  | 1.0  | 73        |
| 25 | Functional mRNA half lives in <i>E. coli</i> . <i>Molecular Genetics and Genomics</i> , 1978, 166, 329-336.   | 2.4  | 129       |
| 26 | Gene expression in <i>Escherichia coli</i> B/r during partial rifampicin-mediated restrictions of transcription initiation. <i>Molecular Genetics and Genomics</i> , 1978, 165, 79-86.  | 2.4  | 34        |
| 27 | A study of a mutant elongation factor properties of <i>E. coli</i> HAK88 and its mutant elongation factor Tu. <i>Molecular Genetics and Genomics</i> , 1978, 159, 47-55.  | 2.4  | 4         |
| 28 | Mutations in the tryptophanyl-transfer ribonucleic acid ligase of <i>E. coli</i> causing temperature-sensitivity for growth. <i>Molecular Genetics and Genomics</i> , 1978, 161, 285-289.   | 2.4  | 6         |
| 29 | Polyamine deficiency reduces the rate of DNA replication fork movement in <i>Escherichia coli</i> . <i>Nature</i> , 1978, 272, 730-732.   | 13.7 | 25        |
| 30 | Some rRNA operons in <i>E. coli</i> have tRNA genes at their distal ends. <i>Cell</i> , 1978, 13, 335-344.  | 13.5 | 95        |
| 31 | Nonsense and insertion mutants in the <i>relA</i> gene of <i>E. coli</i> : Cloning <i>relA</i> . <i>Cell</i> , 1978, 15, 1187-1197.   | 13.5 | 45        |
| 32 | Transient rates of synthesis of individual polypeptides in <i>E. coli</i> following temperature shifts. <i>Cell</i> , 1978, 13, 427-434.  | 13.5 | 285       |
| 33 | Transfer of the Nitrogen-Fixing Hydrogen Bacterium <i>Corynebacterium autotrophicum</i> Baumgarten et al. to <i>Xanthobacter</i> gen. nov.. <i>International Journal of Systematic Bacteriology</i> , 1978, 28, 573-581.  | 2.8  | 91        |
| 34 | Selection and timing of replication of plasmids R1drd-19 and F $\alpha$ 2lac in <i>Escherichia coli</i> . <i>Plasmid</i> , 1978, 1, 187-203.  | 0.4  | 55        |
| 35 | Detection of yeast ribosomal RNA sequences in <i>E. coli</i> infected with hybrid bacteriophage. <i>Nucleic Acids Research</i> , 1978, 5, 4725-4736.  | 6.5  | 0         |
| 36 | Contribution of a TEM-1-Like Beta-Lactamase to Penicillin Resistance in <i>Neisseria gonorrhoeae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1978, 13, 618-623.  | 1.4  | 25        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Stuttering: high-level mistranslation in animal and bacterial cells.. Proceedings of the National Academy of Sciences of the United States of America, 1978, 75, 1091-1095.   | 3.3  | 141       |
| 38 | THE ROLE OF SUPEROXIDE IN THE INDUCTION OF SUPEROXIDE DISMUTASE AND OXYGEN TOXICITY. , 1979, , 635-658.   |      | 5         |
| 39 | Effect of R Plasmid RP1 on the Nutritional Requirements of Escherichia coli in Batch Culture. Journal of General Microbiology, 1979, 115, 325-331.  | 2.3  | 40        |
| 40 | Crystalline cellulose degradation by a strain of Cellulomonas and its mutant derivatives. European Journal of Applied Microbiology and Biotechnology, 1979, 8, 183-190.   | 1.3  | 39        |
| 41 | Relaxation of stable RNA synthesis by a plasmid-borne locus. Molecular Genetics and Genomics, 1979, 170, 309-317.   | 2.4  | 7         |
| 42 | Examination of newly synthesized DNA in Escherichia coli. Molecular Genetics and Genomics, 1979, 173, 85-93.  | 2.4  | 6         |
| 43 | Transposition protein of Tn3: identification and characterisation of an essential represser-controlled gene product. Nature, 1979, 282, 801-806.  | 13.7 | 124       |
| 44 | In vitro transcripts from the rrn B ribosomal RNA cistron originate from two tandem promoters. Cell, 1979, 16, 111-121.   | 13.5 | 73        |
| 45 | A small, unstable RNA molecule of Escherichia coli: spot 42 RNA. Journal of Molecular Biology, 1979, 131, 573-592.  | 2.0  | 40        |
| 46 | A small, unstable RNA molecule of Escherichia coli: Spot 42 RNA. Journal of Molecular Biology, 1979, 131, 593-605.  | 2.0  | 39        |
| 47 | Identification and characterization of a self-regulated repressor of translocation of the Tn3 element.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 4020-4024.           | 3.3  | 89        |
| 48 | Gene expression of an Escherichia coli ribosomal RNA promoter fused to structural genes of the galactose operon.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 5799-5803. | 3.3  | 8         |
| 49 | Temperature-sensitive mutation in the initiation codon of the rII B gene of bacteriophage T4.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 700-704.                      | 3.3  | 49        |
| 50 | Mistranslation in cells infected with the bacteriophage MS2: Direct evidence of Lys for Asn substitution. Molecular Genetics and Genomics, 1980, 180, 275-281.  | 2.4  | 51        |
| 51 | Synthesis of ribosomal proteins in merodiploid strains of Escherichia coli. Molecular Genetics and Genomics, 1980, 180, 331-341.  | 2.4  | 1         |
| 52 | â€œTwo out of threeâ€ codon reading leading to mistranslation in vivo. Molecular Genetics and Genomics, 1980, 177, 439-445.  | 2.4  | 89        |
| 53 | Regulation of high-affinity leucine transport in escherichia coli. Journal of Supramolecular Structure, 1980, 14, 527-537.  | 2.3  | 39        |
| 54 | The utilization of organic nitrogen for growth of algae: physiological aspects. Physiologia Plantarum, 1980, 48, 542-553.   | 2.6  | 89        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Interaction Between Aminoglycoside Uptake and Ribosomal Resistance Mutations. <i>Antimicrobial Agents and Chemotherapy</i> , 1980, 18, 798-806.   | 1.4  | 61        |
| 56 | Novel mutations of <i>Escherichia coli</i> that produce recombinogenic lesions in DNA. <i>Journal of Molecular Biology</i> , 1980, 139, 455-472.  | 2.0  | 14        |
| 57 | Control of transcription termination: A rho-dependent termination site in bacteriophage lambda. <i>Journal of Molecular Biology</i> , 1980, 138, 231-254.   | 2.0  | 78        |
| 58 | Rex-dependent exclusion of lambdoid phages III. Physiology of the abortive infection. <i>Virology</i> , 1980, 102, 161-171.   | 1.1  | 27        |
| 59 | Non-coordinate regulation of enzymes involved in transfer RNA metabolism in <i>Escherichia coli</i> . <i>Nucleic Acids and Protein Synthesis</i> , 1980, 607, 277-284.  | 1.7  | 26        |
| 60 | Expression of the vaccinia virus genome: Analysis and mapping of mRNAs encoded within the inverted terminal repetition. <i>Cell</i> , 1980, 21, 487-493.  | 13.5 | 105       |
| 61 | Positive regulatory gene for temperature-controlled proteins in <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 1981, 100, 894-900.  | 1.0  | 289       |
| 62 | Influence of novobiocin on the induction kinetics of $\beta$ -galactosidase in <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 1981, 98, 556-561.                              | 1.0  | 4         |
| 63 | Regulation of the synthesis of <i>E. coli</i> elongation factor TU. <i>Cell</i> , 1981, 24, 695-706.  | 13.5 | 42        |
| 64 | Cloning and characterization of a transcription termination signal in bacteriophage $\lambda$ unresponsive to the N gene product. <i>Gene</i> , 1981, 13, 299-309.  | 1.0  | 17        |
| 65 | Mutants of su+7 tRNA include a functional tRNA with an altered T <sup>7</sup> CG sequence. <i>Cell</i> , 1981, 25, 815-823.   | 13.5 | 19        |
| 66 | Molecular cloning and amplification of the adenylate cyclase gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 4684-4688.                                      | 3.3  | 40        |
| 67 | Role for membrane potential in the secretion of protein into the periplasm of <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 5396-5400. | 3.3  | 186       |
| 68 | Factors Modulating Transcription and Translation in vitro of Ribosomal Protein S20 and Isoleucyl-tRNA Synthetase from <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1981, 114, 429-437.                             | 0.2  | 23        |
| 69 | MEMBRANE DAMAGE CAN BE A SIGNIFICANT FACTOR IN THE INACTIVATION OF <i>ESCHERICHIA COLI</i> BY NEAR-ULTRAVIOLET RADIATION. <i>Photochemistry and Photobiology</i> , 1981, 33, 203-210.                                 | 1.3  | 93        |
| 70 | A mutant of <i>Salmonella typhimurium</i> with an abnormal septation pattern associated with an inhibition of RNA synthesis. <i>Zeitschrift Fur Allgemeine Mikrobiologie</i> , 1981, 21, 715-728.                     | 0.0  | 0         |
| 71 | Strains of <i>Escherichia coli</i> carrying the structural gene for histidyl-tRNA synthetase on a high copy-number plasmid. <i>Molecular Genetics and Genomics</i> , 1981, 183, 115-122.                              | 2.4  | 30        |
| 72 | Interconnection between assembly and synthesis of ribosomal proteins. <i>Molecular Genetics and Genomics</i> , 1981, 184, 62-67.  | 2.4  | 3         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | THE INFLUENCE OF NUTRITIONAL FACTORS ON SYNTHESIS OF SALMONELLA TOXIN. Journal of Food Safety, 1981, 3, 215-232.  | 1.1  | 5         |
| 74 | tRNA genes are found between the 16S and 23S rRNA genes in Bacillus subtilis. Nucleic Acids Research, 1982, 10, 1607-1624.  | 6.5  | 184       |
| 75 | Preservation of raw milk by the addition of carbon dioxide. Journal of Dairy Research, 1982, 49, 439-447.   | 0.7  | 89        |
| 76 | Biosynthesis of aromatic compounds: <sup>13</sup> C NMR spectroscopy of whole Escherichia coli cells.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 5828-5832.  | 3.3  | 88        |
| 77 | Partially deficient methylation of cytosine in DNA at CCTAGG sites stimulates genetic recombination of bacteriophage lambda. Cell, 1982, 28, 531-541.   | 13.5 | 34        |
| 78 | Phosphate-controlled gene expression in Escherichia coli K12 using MudI-directed lacZ fusions. Journal of Molecular Biology, 1982, 158, 347-363.  | 2.0  | 127       |
| 79 | Novel mutations of Escherichia coli that produce recombinogenic lesions in DNA. Journal of Molecular Biology, 1982, 157, 213-235.   | 2.0  | 12        |
| 80 | Promoters of the maleFG and malk-lamB operons in Escherichia coli K12. Journal of Molecular Biology, 1982, 161, 519-531.  | 2.0  | 45        |
| 81 | Stoichiometry of the proton-ATPase of growing and resting, aerobic Escherichia coli. Biochemistry, 1982, 21, 5534-5538.   | 1.2  | 121       |
| 82 | Biosynthetic ornithine and arginine decarboxylases: correlation of rates of synthesis with activities in <i>Escherichia coli</i> during exponential growth and following nutritional shift-up. Canadian Journal of Microbiology, 1982, 28, 945-950. | 0.8  | 7         |
| 83 | Iron enhances the bactericidal action of streptonigrin. Biochemical and Biophysical Research Communications, 1982, 106, 407-411.  | 1.0  | 71        |
| 84 | The reversible phosphorylation of isocitrate dehydrogenase of Salmonella typhimurium. Archives of Biochemistry and Biophysics, 1982, 218, 59-67.  | 1.4  | 43        |
| 85 | The Intracellular Concentration of Pyrophosphate in the Batch Culture of Escherichia coli. FEBS Journal, 1982, 127, 347-349.  | 0.2  | 63        |
| 86 | Analytical gel electrophoresis of high-molecular-weight RNA in acrylamide-agarose gels containing methylmercuric hydroxide. Analytical Biochemistry, 1982, 120, 136-145.  | 1.1  | 10        |
| 87 | Threonine tRNAs and their genes in Escherichia coli. Molecular Genetics and Genomics, 1982, 187, 132-137.   | 2.4  | 17        |
| 88 | Expression of pyruvate formate-lyase of Escherichia coli from the cloned structural gene. Archives of Microbiology, 1982, 132, 365-371.   | 1.0  | 44        |
| 89 | Amber suppression relaxes stringent control by elongating stringent factor. Molecular Genetics and Genomics, 1982, 187, 254-264.  | 2.4  | 8         |
| 90 | Specific mistranslation in hisT mutants of Escherichia coli. Molecular Genetics and Genomics, 1982, 187, 405-409.   | 2.4  | 34        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Negative control of ornithine decarboxylase and arginine decarboxylase by adenosine-3'-5'-Cyclic monophosphate in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1982, 186, 482-487.  | 2.4  | 32        |
| 92  | Continuous production of phenylalanine using an <i>Escherichia coli</i> regulatory mutant. <i>Biotechnology Letters</i> , 1982, 4, 223-228.   | 1.1  | 63        |
| 93  | Growth rate-dependent expression of the trp operon in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 1983, 17, 19-22.   | 0.7  | 3         |
| 94  | Proline Dehydrogenase from <i>Escherichia coli</i> K12. Properties of the Membrane-Associated Enzyme. <i>FEBS Journal</i> , 1983, 134, 77-82.   | 0.2  | 62        |
| 95  | A screening procedure for the efficient recognition of <i>Escherichia coli</i> K-12 mutants. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1983, 109, 169-182.   | 0.4  | 2         |
| 96  | Accumulation of pyrophosphate in <i>Escherichia coli</i> . Relationship to growth and nucleotide synthesis. <i>Archives of Microbiology</i> , 1983, 136, 209-211.   | 1.0  | 9         |
| 97  | On the basis of aminoglycoside-dependent growth of mutants from <i>E. coli</i> : Physiological studies. <i>Molecular Genetics and Genomics</i> , 1983, 191, 167-175.  | 2.4  | 12        |
| 98  | The lethal effect of a plasmid resulting from transcriptional readthrough of <i>rplJ</i> from the <i>rplKA</i> operon in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1983, 189, 275-281.                                   | 2.4  | 10        |
| 99  | A new gene in <i>E. coli</i> RNA synthesis. <i>Molecular Genetics and Genomics</i> , 1983, 189, 314-320.  | 2.4  | 18        |
| 100 | A method for concentration of nucleoside triphosphates by coprecipitation with calcium fluoride. <i>Analytical Biochemistry</i> , 1983, 133, 58-61.   | 1.1  | 2         |
| 101 | Mutations in the <i>rplJ</i> leader of <i>Escherichia coli</i> that abolish feedback regulation. <i>Cell</i> , 1983, 32, 361-369.   | 13.5 | 40        |
| 102 | Developmental and genetic regulation of <i>Bacillus subtilis</i> genes transcribed by $\sigma^{28}$ -RNA polymerase. <i>Cell</i> , 1983, 35, 285-293.   | 13.5 | 211       |
| 103 | Expression of rRNA and tRNA genes in <i>Escherichia coli</i> : Evidence for feedback regulation by products of rRNA operons. <i>Cell</i> , 1983, 33, 865-876.   | 13.5 | 239       |
| 104 | Immunochemical accessibility of ribosomal protein S4 in the 30 S ribosome. <i>Journal of Molecular Biology</i> , 1983, 165, 357-374.  | 2.0  | 2         |
| 105 | Overlapping and separate controls on the phosphate regulon in <i>Escherichia coli</i> K12. <i>Journal of Molecular Biology</i> , 1983, 166, 283-308.  | 2.0  | 73        |
| 106 | Differential stringent control of the tandem <i>E. coli</i> ribosomal RNA promoters from the <i>rrnA</i> operon expressed in vivo in multicopy plasmids. <i>Cell</i> , 1983, 32, 1337-1346.   | 13.5 | 223       |
| 107 | Structural specificity of the triamines sym-homospermidine and aminopropylcadaverine in stimulating growth of spermidine auxotrophs of <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 1983, 117, 616-622. | 1.0  | 25        |
| 108 | Positively supercoiled plasmid DNA is produced by treatment of <i>Escherichia coli</i> with DNA gyrase inhibitors. <i>Nucleic Acids Research</i> , 1983, 11, 2999-3017.   | 6.5  | 179       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Cell type-dependent expression of tubulins in Physarum.. Journal of Cell Biology, 1983, 97, 1852-1859.  | 2.3 | 109       |
| 110 | AppppA, heat-shock stress, and cell oxidation.. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 7496-7500.   | 3.3 | 360       |
| 111 | Diversity of Prodigiosin Content in the Stationary Phase Organisms of <i>Serratia marcescens</i> Fractionated by Ficoll Density Gradient Centrifugation. Microbiology and Immunology, 1983, 27, 897-899.                        | 0.7 | 4         |
| 112 | [15] Influence of membrane potential on the insertion and transport of proteins in bacterial membranes. Methods in Enzymology, 1983, 97, 146-153.   | 0.4 | 3         |
| 113 | Physical properties of the <i>E. coli</i> 4.5S RNA: first results suggest a hairpin helix of unusual thermal stability. Nucleic Acids Research, 1984, 12, 2019-2034.  | 6.5 | 12        |
| 114 | Novel <i>E. coli</i> mutants deficient in biosynthesis of 5-methylamino-methyl-2-thiouridine. Nucleic Acids Research, 1984, 12, 3521-3534.  | 6.5 | 115       |
| 115 | A Cloning Strategy for the Bacteriophage T4 vs Gene. Journal of General Virology, 1984, 65, 849-853.  | 1.3 | 2         |
| 116 | Diphosphate concentration does not correlate with the level of inorganic diphosphatase in <i>Escherichia coli</i> . Folia Microbiologica, 1984, 29, 282-287.  | 1.1 | 9         |
| 117 | Proteins induced by high osmotic pressure in <i>Escherichia coli</i> . FEMS Microbiology Letters, 1984, 25, 81-83.  | 0.7 | 51        |
| 118 | Secretion and degradation of mutant leucine-specific binding protein molecules containing C-terminal deletions. Journal of Cellular Biochemistry, 1984, 24, 331-344.  | 1.2 | 4         |
| 119 | Synthesis of flagellin and hook subunit protein in flagellar mutants of <i>Escherichia coli</i> K12. Molecular Genetics and Genomics, 1984, 194, 49-51.   | 2.4 | 5         |
| 120 | Osmoregulation in <i>Rhizobium meliloti</i> : inhibition of growth by salts. Archives of Microbiology, 1984, 137, 124-127.  | 1.0 | 67        |
| 121 | Undermodification in the first position of the anticodon of supG-tRNA reduces translational efficiency. Molecular Genetics and Genomics, 1984, 196, 194-200.  | 2.4 | 41        |
| 122 | Isolation and characterization of regulatory mutations affecting the expression of the <i>guaBA</i> operon of <i>Escherichia coli</i> K-12. Molecular Genetics and Genomics, 1984, 195, 77-82.                                  | 2.4 | 13        |
| 123 | Codon specificity of starvation induced misreading. Molecular Genetics and Genomics, 1984, 195, 459-465.  | 2.4 | 46        |
| 124 | Expression of the cloned genes encoding the putrescine biosynthetic enzymes and methionine adenosyltransferase of <i>Escherichia coli</i> ( <i>speA</i> , <i>speB</i> , <i>speC</i> and <i>metK</i> ). Gene, 1984, 30, 129-136. | 1.0 | 79        |
| 125 | Carboxymethyl-cellulase from <i>Erwinia chrysanthemi</i> . II. Purification and partial characterization of an endo- $\beta$ -1,4-glucanase. Journal of Biotechnology, 1984, 1, 241-252.  | 1.9 | 31        |
| 126 | Carboxymethyl-cellulase from <i>Erwinia chrysanthemi</i> . I. Production and regulation of extracellular carboxymethyl-cellulase. Journal of Biotechnology, 1984, 1, 229-239.   | 1.9 | 29        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Control of basal-level codon misreading in <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 1984, 121, 487-492.   | 1.0 | 21        |
| 128 | Effects of the mutant sigma allele rpoD800 on the synthesis of specific macromolecular components of the <i>Escherichia coli</i> K12 cell. <i>Journal of Molecular Biology</i> , 1984, 172, 283-300.  | 2.0 | 36        |
| 129 | Cloning and sequence analysis of the <i>Escherichia coli</i> 4.5 S RNA gene. <i>Journal of Molecular Biology</i> , 1984, 178, 509-531.  | 2.0 | 76        |
| 130 | The 4.5 S RNA gene of <i>Escherichia coli</i> is essential for cell growth. <i>Journal of Molecular Biology</i> , 1984, 178, 533-550.   | 2.0 | 127       |
| 131 | Heat shock regulatory gene htpR influences rates of protein degradation and expression of the lon gene in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 6647-6651. | 3.3 | 228       |
| 132 | Polyamine regulation of stringent control in a polyamine-auxotrophic strain of <i>Escherichia coli</i> . <i>Biochemical Journal</i> , 1984, 219, 205-210.   | 1.7 | 7         |
| 133 | Factors affecting microcin E492 production.. <i>Journal of Antibiotics</i> , 1985, 38, 340-345.   | 1.0 | 15        |
| 134 | Decrease in Respiration Activity Related to Prodigiosin Synthesis in <i>Serratia marcescens</i> . <i>Microbiology and Immunology</i> , 1985, 29, 301-308.   | 0.7 | 10        |
| 135 | Characterization of rate-controlling steps in vivo by use of an adjustable expression vector.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 3577-3581.                                      | 3.3 | 128       |
| 136 | Feedback regulation of rRNA and tRNA synthesis and accumulation of free ribosomes after conditional expression of rRNA genes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 1069-1073.      | 3.3 | 167       |
| 137 | Involvement of ribosomal protein L7/L12 in control of translational accuracy.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 717-721.  | 3.3 | 73        |
| 138 | Interaction of an antimutator gene with DNA repair pathways in <i>Escherichia coli</i> K-12. <i>Molecular Genetics and Genomics</i> , 1985, 198, 336-347.   | 2.4 | 10        |
| 139 | Transcription analysis of the sucAB, aceEF and lpd genes of <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1985, 200, 145-154.  | 2.4 | 95        |
| 140 | Characterization of the 3' end of the leucine operon of <i>Salmonella typhimurium</i> . <i>Molecular Genetics and Genomics</i> , 1985, 199, 486-494.  | 2.4 | 31        |
| 141 | Stability of ribosomal protein mRNA and translational feedback regulation in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1985, 199, 543-546.   | 2.4 | 50        |
| 142 | Expression of genes from the marine bacterium <i>Alteromonas haloplanktis</i> 214 in <i>Escherichia coli</i> K-12. <i>Archives of Microbiology</i> , 1985, 142, 248-252.  | 1.0 | 7         |
| 143 | Nucleotide sequence of the guaB locus encoding IMP dehydrogenase of <i>Escherichia coli</i> K12. <i>Nucleic Acids Research</i> , 1985, 13, 1303-1316.   | 6.5 | 53        |
| 144 | Degradation of Human Immunoglobulins G and M and Complement Factors C3 and C5 by Black-Pigmented Bacteroides. <i>Journal of Medical Microbiology</i> , 1985, 19, 85-94.   | 0.7 | 201       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Complementary DNA cloning and expression of the papaya ringspot potyvirus sequences encoding capsid protein and a nuclear inclusion-like protein in <i>Escherichia coli</i> . <i>Virology</i> , 1985, 143, 435-441. | 1.1  | 22        |
| 146 | Differential expression of photosynthesis genes in <i>R. capsulata</i> results from segmental differences in stability within the polycistronic <i>rxsA</i> transcript. <i>Cell</i> , 1985, 40, 171-181.            | 13.5 | 320       |
| 147 | Physical mapping and nucleotide sequence of the <i>rnpA</i> gene that encodes the protein component of ribonuclease P in <i>Escherichia coli</i> . <i>Gene</i> , 1985, 38, 85-93.                                   | 1.0  | 120       |
| 148 | Primary structure of the <i>hip</i> gene of <i>Escherichia coli</i> and of its product, the $\hat{I}^2$ subunit of integration host factor. <i>Journal of Molecular Biology</i> , 1985, 183, 117-128.               | 2.0  | 167       |
| 149 | Increased expression of ribosomal genes during inhibition of ribosome assembly in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1985, 184, 23-30.   | 2.0  | 29        |
| 150 | On mutation fixation resulting from nitrosoguanidine-induced DNA damage in <i>Escherichia coli</i> K12 <i>adaâ</i> ". <i>Mutation Research - DNA Repair Reports</i> , 1985, 146, 185-189.                           | 1.9  | 0         |
| 151 | Upstream operators enhance repression of the <i>lac</i> promoter. <i>Science</i> , 1986, 233, 889-892.  | 6.0  | 206       |
| 152 | Sensitive quantitation of endonuclease kinetics. <i>Journal of Proteomics</i> , 1986, 12, 147-159.  | 2.4  | 0         |
| 153 | L-PHENYLALANINE PRODUCTION IN CONTINUOUS CULTURE USING A HYPERPRODUCING MUTANT OF <i>ESCHERICHIA COLI</i> K-12. <i>Chemical Engineering Communications</i> , 1986, 45, 185-196.                                     | 1.5  | 17        |
| 154 | Mutation in the D arm enables a suppressor with a CUA anticodon to read both amber and ochre codons in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1986, 190, 513-517.                          | 2.0  | 15        |
| 155 | DNA determinants of rRNA synthesis in <i>E. coli</i> : Growth rate dependent regulation, feedback inhibition, upstream activation, antitermination. <i>Cell</i> , 1986, 44, 197-205.                                | 13.5 | 320       |
| 156 | Insertion of an R1 plasmid into the origin of replication of the <i>E. coli</i> chromosome: Random timing of replication of the hybrid chromosome. <i>Cell</i> , 1986, 44, 117-124.                                 | 13.5 | 58        |
| 157 | <i>Escherichia coli</i> protein synthesis initiation factor IF3 controls its own gene expression at the translational level in vivo. <i>Journal of Molecular Biology</i> , 1986, 192, 767-780.                      | 2.0  | 84        |
| 158 | The physiology of stringent factor (ATP: GTP 3â€²-diphosphotransferase) in <i>Escherichia coli</i> . <i>Biochimie</i> , 1986, 68, 715-722.  | 1.3  | 36        |
| 159 | Effects of growth medium on phage production and induction in <i>Escherichia coli</i> K-12 lambda lysogens. <i>Journal of Biotechnology</i> , 1986, 3, 271-280.   | 1.9  | 12        |
| 160 | Transcription of the <i>speC</i> (ornithine decarboxylase) gene of <i>Escherichia coli</i> is repressed by cyclic AMP and its receptor protein. <i>Gene</i> , 1986, 44, 37-45.                                      | 1.0  | 12        |
| 161 | Changes in the half-life of ribosomal protein messenger RNA caused by translational repression. <i>Journal of Molecular Biology</i> , 1986, 188, 383-392.   | 2.0  | 99        |
| 162 | Actions of the anticodon arm in translation on the phenotypes of RNA mutants. <i>Journal of Molecular Biology</i> , 1986, 192, 235-255.   | 2.0  | 82        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Novel regulatory mutants of the phosphate regulon in <i>Escherichia coli</i> K-12. <i>Journal of Molecular Biology</i> , 1986, 191, 39-58.  | 2.0 | 183       |
| 164 | Phosphate starvation regulon of <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1986, 166, 666-669.  | 1.0 | 38        |
| 165 | Pleiotropic effects induced by modification deficiency next to the anticodon of tRNA from <i>Salmonella typhimurium</i> LT2. <i>Journal of Bacteriology</i> , 1986, 166, 1013-1021.   | 1.0 | 81        |
| 166 | Nucleotide pool in <i>pho</i> regulon mutants and alkaline phosphatase synthesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1986, 166, 205-211.  | 1.0 | 25        |
| 167 | Cloning and characterization of <i>livH</i> , the structural gene encoding a component of the leucine transport system in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1986, 166, 565-573.  | 1.0 | 32        |
| 168 | <i>Escherichia coli</i> tryptophan operon directs the <i>in vivo</i> synthesis of a leader peptide. <i>Journal of Bacteriology</i> , 1986, 165, 1046-1048.  | 1.0 | 10        |
| 169 | Posttranscriptional autoregulation of <i>Escherichia coli</i> threonyl tRNA synthetase expression <i>in vivo</i> . <i>Journal of Bacteriology</i> , 1986, 165, 198-203.   | 1.0 | 55        |
| 170 | Effects of salts on the lethality of paraquat. <i>Journal of Bacteriology</i> , 1986, 167, 346-349.   | 1.0 | 27        |
| 171 | Acetohydroxy acid synthase I, a required enzyme for isoleucine and valine biosynthesis in <i>Escherichia coli</i> K-12 during growth on acetate as the sole carbon source. <i>Journal of Bacteriology</i> , 1986, 165, 453-460.   | 1.0 | 59        |
| 172 | Recognition and transport of ferric enterobactin in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1986, 167, 666-673.  | 1.0 | 87        |
| 173 | Proline transport and osmotic stress response in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1986, 166, 253-259.   | 1.0 | 153       |
| 174 | Global control in <i>Salmonella typhimurium</i> : two-dimensional electrophoretic analysis of starvation-, anaerobiosis-, and heat shock-inducible proteins. <i>Journal of Bacteriology</i> , 1986, 168, 420-424.   | 1.0 | 164       |
| 175 | Translational regulation is responsible for growth-rate-dependent and stringent control of the synthesis of ribosomal proteins L11 and L1 in <i>Escherichia coli</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 4129-4133. | 3.3 | 51        |
| 176 | Gene-for-gene interactions of five cloned avirulence genes from <i>Xanthomonas campestris</i> pv. <i>malvacearum</i> with specific resistance genes in cotton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 6415-6419.          | 3.3 | 85        |
| 177 | Guanidine hydrochloride denaturation studies of mutant forms of staphylococcal nuclease. <i>Journal of Cellular Biochemistry</i> , 1986, 30, 281-289.   | 1.2 | 87        |
| 178 | Protein enrichment of rice straw by fermentation with <i>Cellulomonas</i> sp.. <i>Agricultural Wastes</i> , 1986, 15, 215-224.  | 0.4 | 2         |
| 179 | Functional interactions <i>in vivo</i> between suppressor tRNA and mutationally altered ribosomal protein S4. <i>Molecular Genetics and Genomics</i> , 1986, 205, 240-247.  | 2.4 | 18        |
| 180 | Mistranslation during phenylalanine starvation. <i>Molecular Genetics and Genomics</i> , 1986, 204, 70-74.  | 2.4 | 32        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | The pyridine nucleotide cycle of <i>Salmonella typhimurium</i> : Genetic characterization of the <i>pncXA</i> operon. <i>Molecular Genetics and Genomics</i> , 1986, 205, 507-514.  | 2.4  | 4         |
| 182 | Strains overproducing tRNA for histidine. <i>Molecular Genetics and Genomics</i> , 1986, 205, 540-545.  | 2.4  | 7         |
| 183 | Cloning, expression, and nucleotide sequence of <i>livR</i> , the repressor for high-affinity branched-chain amino acid transport in <i>Escherichia coli</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 1986, 1, 125-133.                  | 1.5  | 8         |
| 184 | Expression of the pre-S(2) gene of hepatitis B virus in <i>Escherichia coli</i> . <i>Biotechnology Letters</i> , 1986, 8, 677-682.  | 1.1  | 2         |
| 185 | Idealization of the hydrophobic segment of the alkaline phosphatase signal peptide. <i>Nature</i> , 1986, 321, 706-708.   | 13.7 | 108       |
| 186 | Effect of polyamines on translation fidelity in vivo. <i>FEBS Journal</i> , 1986, 155, 383-390.   | 0.2  | 30        |
| 187 | Primary structures of mutationally altered ribosomal protein L7/L12 and their effects on cellular growth and translational accuracy. <i>FEBS Journal</i> , 1986, 156, 669-675.  | 0.2  | 42        |
| 188 | The catalytic active site of thioredoxin: conformation and homology with bovine pancreatic trypsin inhibitor. <i>BBA - Proteins and Proteomics</i> , 1986, 871, 257-267.  | 2.1  | 4         |
| 189 | Modification of the active site of alkaline phosphatase by site-directed mutagenesis. <i>Science</i> , 1986, 231, 145-148.  | 6.0  | 63        |
| 190 | Identification, Mapping, Cloning and Characterization of a Gene ( <i>sbmA</i> ) Required for Microcin B17 Action on <i>Escherichia coli</i> K12. <i>Microbiology (United Kingdom)</i> , 1986, 132, 1685-1693.   | 0.7  | 80        |
| 191 | Sequence Verification of Mutant Codon Assignments in <i>Escherichia coli</i> . <i>DNA and Cell Biology</i> , 1986, 5, 123-128.  | 5.1  | 5         |
| 192 | Isolation, characterization, and mode of action on <i>Escherichia coli</i> strains of microcin D93. <i>Antimicrobial Agents and Chemotherapy</i> , 1986, 29, 456-460.   | 1.4  | 15        |
| 193 | Secretion of <i>Bacillus subtilis</i> $\alpha$ -Amylase in the Periplasmic Space of <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 1987, 133, 1775-1782.  | 0.7  | 5         |
| 194 | Factors Reducing and Promoting the Effectiveness of Proline as an Osmoprotectant in <i>Escherichia coli</i> K12. <i>Microbiology (United Kingdom)</i> , 1987, 133, 1851-1860.   | 0.7  | 36        |
| 195 | L-Cysteine Biosynthesis in <i>Escherichia coli</i> : Nucleotide Sequence and Expression of the Serine Acetyltransferase ( <i>cysE</i> ) Gene from the Wild-type and a Cysteine-excreting Mutant. <i>Microbiology (United Kingdom)</i> , 1987, 133, 515-525. | 0.7  | 102       |
| 196 | Induction of the heat shock regulon does not produce thermotolerance in <i>Escherichia coli</i> . <i>Genes and Development</i> , 1987, 1, 525-531.  | 2.7  | 172       |
| 197 | Regulation of the promoters and transcripts of <i>rpoH</i> , the <i>Escherichia coli</i> heat shock regulatory gene. <i>Genes and Development</i> , 1987, 1, 419-432.   | 2.7  | 179       |
| 198 | Differential induction of heat shock, SOS, and oxidation stress regulons and accumulation of nucleotides in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1987, 169, 26-32.  | 1.0  | 502       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Induction of proteins in response to low temperature in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1987, 169, 2092-2095.  | 1.0 | 580       |
| 200 | Inhibition of exogenous 3-deoxy-D-manno-octulosonate incorporation into lipid A precursor of toluene-treated <i>Salmonella typhimurium</i> cells. <i>Journal of Bacteriology</i> , 1987, 169, 4030-4035.  | 1.0 | 18        |
| 201 | Expression of <i>arg</i> genes of <i>Escherichia coli</i> during arginine limitation dependent upon stringent control of translation. <i>Journal of Bacteriology</i> , 1987, 169, 1644-1650.  | 1.0 | 38        |
| 202 | AUU-to-AUG mutation in the initiator codon of the translation initiation factor IF3 abolishes translational autocontrol of its own gene ( <i>infC</i> ) in vivo.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 4022-4025. | 3.3 | 85        |
| 203 | A genetic system for isolation and characterization of <i>TaqI</i> restriction endonuclease mutants. <i>Gene</i> , 1987, 56, 13-27.   | 1.0 | 39        |
| 204 | Feedback regulation of the <i>rplJL-rpoBC</i> ribosomal protein operon of <i>Escherichia coli</i> requires a region of mRNA secondary structure. <i>Journal of Molecular Biology</i> , 1987, 198, 371-381.  | 2.0 | 49        |
| 205 | The effect of <i>dam</i> methylation on the expression of <i>glnS</i> in <i>E. coli</i> . <i>Biochimie</i> , 1987, 69, 539-541.   | 1.3 | 21        |
| 206 | Expression of the <i>leuX</i> gene in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1987, 197, 659-670.   | 2.0 | 11        |
| 207 | Feedback regulation of rRNA synthesis. <i>Journal of Molecular Biology</i> , 1987, 198, 547-550.  | 2.0 | 48        |
| 208 | Dual level control of the <i>Escherichia coli</i> <i>pheST-himA</i> operon expression. <i>Journal of Molecular Biology</i> , 1987, 197, 453-470.  | 2.0 | 47        |
| 209 | Feedback regulation of rRNA synthesis in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1987, 198, 383-392.  | 2.0 | 121       |
| 210 | Mode of initiation of constitutive stable DNA replication in RNase H-defective mutants of <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1987, 169, 2650-2658.  | 1.0 | 77        |
| 211 | Expression of a tRNA gene in the context of the <i>lacZ</i> mRNA. <i>Journal of Bacteriology</i> , 1987, 169, 546-552.  | 1.0 | 2         |
| 212 | Acetoxy acid synthase I is required for isoleucine and valine biosynthesis by <i>Salmonella typhimurium</i> LT2 during growth on acetate or long-chain fatty acids. <i>Journal of Bacteriology</i> , 1987, 169, 917-919.  | 1.0 | 19        |
| 213 | Heat shock and hydrogen peroxide responses of <i>Escherichia coli</i> are not changed by dinucleoside tetraphosphate hydrolase overproduction. <i>Journal of Bacteriology</i> , 1987, 169, 3817-3820.   | 1.0 | 32        |
| 214 | Nonrandom minichromosome replication in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1987, 169, 430-433.  | 1.0 | 25        |
| 215 | Isolation of <i>Salmonella typhimurium</i> strains that utilize exogenous 3-deoxy-D-manno-octulosonate for synthesis of lipopolysaccharide. <i>Journal of Bacteriology</i> , 1987, 169, 5060-5065.  | 1.0 | 8         |
| 216 | Changes in the linking number of supercoiled DNA accompany growth transitions in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1987, 169, 4499-4506.   | 1.0 | 282       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Spot 42 RNA of <i>Escherichia coli</i> is not an mRNA. <i>Journal of Bacteriology</i> , 1987, 169, 3850-3852.   | 1.0  | 8         |
| 218 | Phosphate regulation of gene expression in <i>Vibrio parahaemolyticus</i> . <i>Journal of Bacteriology</i> , 1987, 169, 3441-3449.  | 1.0  | 57        |
| 219 | OriC plasmids do not affect timing of chromosome replication in <i>Escherichia coli</i> K12. <i>Molecular Genetics and Genomics</i> , 1987, 209, 188-192.   | 2.4  | 13        |
| 220 | Initiation of translation is impaired in <i>E. coli</i> cells deficient in 4.5S RNA. <i>Nature</i> , 1987, 325, 281-284.  | 13.7 | 73        |
| 221 | Antibacterial agents specifically inhibiting lipopolysaccharide synthesis. <i>Nature</i> , 1987, 329, 162-164.  | 13.7 | 150       |
| 222 | An <i>E. coli</i> promoter induced by the cessation of growth. <i>Molecular Microbiology</i> , 1987, 1, 195-201.  | 1.2  | 145       |
| 223 | Early increases in the frequency of DNA initiations and of phospholipid synthesis discontinuities after nutritional shift-up in <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1987, 164, 205-211.                                       | 0.2  | 4         |
| 224 | Nucleotide sequence of the <i>carA</i> gene and regulation of the <i>carAB</i> operon in <i>Salmonella typhimurium</i> . <i>FEBS Journal</i> , 1988, 176, 421-429.  | 0.2  | 39        |
| 225 | Phosphate repressible and inhibitable $\beta$ -lactam synthetases in <i>Cephalosporium acremonium</i> strain C-10. <i>Applied Microbiology and Biotechnology</i> , 1988, 29, 242-247.   | 1.7  | 15        |
| 226 | Expression of biologically active, mature human granulocyte-macrophage colony stimulating factor with an <i>E. coli</i> secretory expression system. <i>Current Microbiology</i> , 1988, 17, 321-332.                                     | 1.0  | 20        |
| 227 | Early-blocked sporulation mutations alter expression of enzymes under carbon control in <i>Bacillus subtilis</i> . <i>Molecular Genetics and Genomics</i> , 1988, 212, 271-280.   | 2.4  | 30        |
| 228 | Basal ppGpp level adjustment shown by new <i>spoT</i> mutants affect steady state growth rates and <i>rrnA</i> ribosomal promoter regulation in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1988, 213, 214-222.    | 2.4  | 174       |
| 229 | Comparative assessment of inorganic pyrophosphate and pyrophosphatase levels of <i>Escherichia coli</i> , <i>Clostridium pasteurianum</i> , and <i>Clostridium thermoaceticum</i> . <i>FEMS Microbiology Letters</i> , 1988, 52, 205-208. | 0.7  | 17        |
| 230 | Properties and participation of $\beta$ -endotoxin in the toxic activity of <i>Morganella morganii</i> . <i>Folia Microbiologica</i> , 1988, 33, 323-328.   | 1.1  | 1         |
| 231 | Physical properties of DNA in vivo as probed by the length dependence of the lac operator looping process. <i>Biochemistry</i> , 1988, 27, 3900-3906.   | 1.2  | 105       |
| 232 | Differential effects of mutations in the protein and RNA moieties of RNase P on the efficiency of suppression by various tRNA suppressors. <i>Journal of Molecular Biology</i> , 1988, 204, 879-888.                                      | 2.0  | 69        |
| 233 | Non-autogenous control of ribosomal protein synthesis from the <i>trmD</i> operon in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1988, 203, 141-152.  | 2.0  | 34        |
| 234 | [31] Transport of branched-chain amino acids in <i>Escherichia coli</i> . <i>Methods in Enzymology</i> , 1988, 166, 245-251.  | 0.4  | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Phosphate modification of fructose-1,6-bisphosphate aldolase in <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 1988, 151, 1033-1038.  | 1.0 | 7         |
| 236 | Antagonistic effects of mutant elongation factor Tu and ribosomal protein S12 on control of translational accuracy, suppression and cellular growth. <i>Biochimie</i> , 1988, 70, 273-281.  | 1.3 | 30        |
| 237 | Overproduction, purification and crystallization of TaqI restriction endonuclease. <i>Gene</i> , 1988, 65, 167-177.   | 1.0 | 26        |
| 238 | Isolation of mutants in a DNA methyltransferase through mcrB-mediated restriction. <i>Gene</i> , 1988, 74, 269-273.   | 1.0 | 4         |
| 239 | Mutational analysis of the L1 binding site of 23S rRNA in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 1988, 16, 10529-10545.  | 6.5 | 37        |
| 240 | A nuclease that cuts specifically in the ribosome binding site of some T4 mRNAs.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 8895-8899.   | 3.3 | 103       |
| 241 | Identification and expression of genes narL and narX of the nar (nitrate reductase) locus in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1988, 170, 1589-1597.   | 1.0 | 178       |
| 242 | Analysis of lipopolysaccharide biosynthesis in <i>Salmonella typhimurium</i> and <i>Escherichia coli</i> by using agents which specifically block incorporation of 3-deoxy-D-manno-octulosonate. <i>Journal of Bacteriology</i> , 1988, 170, 2185-2191. | 1.0 | 27        |
| 243 | Translational control of exported proteins that results from OmpC porin overexpression. <i>Journal of Bacteriology</i> , 1988, 170, 2005-2011.  | 1.0 | 36        |
| 244 | Genetic analysis of an <i>Escherichia coli</i> urease locus: evidence of DNA rearrangement. <i>Journal of Bacteriology</i> , 1988, 170, 1041-1045.  | 1.0 | 31        |
| 245 | Secondary structure of the leader transcript from the <i>Escherichia coli</i> S10 ribosomal protein operon. <i>Nucleic Acids Research</i> , 1988, 16, 8905-8924.  | 6.5 | 33        |
| 246 | Use of site-directed mutagenesis to elucidate the role of arginine-166 in the catalytic mechanism of alkaline phosphatase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 4276-4278.               | 3.3 | 46        |
| 247 | Cloning of the <i>Pseudomonas aeruginosa</i> outer membrane porin protein P gene: evidence for a linked region of DNA homology. <i>Journal of Bacteriology</i> , 1988, 170, 2312-2318.  | 1.0 | 12        |
| 248 | Is efficiency of suppressor tRNAs controlled at the level of ribosomal proofreading in vivo?. <i>Journal of Bacteriology</i> , 1988, 170, 3756-3760.  | 1.0 | 20        |
| 249 | Differential regulation by cyclic AMP of starvation protein synthesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1988, 170, 3903-3909.   | 1.0 | 123       |
| 250 | Identification and characterization of starvation-regulated genetic loci in <i>Salmonella typhimurium</i> by using Mu d-directed lacZ operon fusions. <i>Journal of Bacteriology</i> , 1988, 170, 345-351.  | 1.0 | 65        |
| 251 | Genetic and molecular characterization of the guaC-nadC-aroP region of <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1988, 170, 463-467.   | 1.0 | 10        |
| 252 | Effects of induction of rRNA overproduction on ribosomal protein synthesis and ribosome subunit assembly in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1988, 170, 5042-5050.  | 1.0 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Utilization by <i>Escherichia coli</i> of a high-molecular-weight, linear polyphosphate: roles of phosphatases and pore proteins. <i>Journal of Bacteriology</i> , 1988, 170, 5216-5223.             | 1.0 | 17        |
| 254 | Abnormal induction of heat shock proteins in an <i>Escherichia coli</i> mutant deficient in adenosylmethionine synthetase activity. <i>Journal of Bacteriology</i> , 1988, 170, 1582-1588.           | 1.0 | 26        |
| 255 | Fine-structure mapping and identification of two regulators of capsule synthesis in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1988, 170, 2599-2611.                             | 1.0 | 162       |
| 256 | Nucleotide sequence of <i>aceK</i> , the gene encoding isocitrate dehydrogenase kinase/phosphatase. <i>Journal of Bacteriology</i> , 1988, 170, 2763-2769.   | 1.0 | 53        |
| 257 | Enrichment of the bacteriophage PR4 membrane in phosphatidylglycerol is not essential for phage assembly and infectivity. <i>Journal of Bacteriology</i> , 1988, 170, 2866-2869.                     | 1.0 | 8         |
| 258 | Noncoordinate translation-level regulation of ribosomal and nonribosomal protein genes in the <i>Escherichia coli</i> <i>trmD</i> operon. <i>Journal of Bacteriology</i> , 1988, 170, 3025-3031.     | 1.0 | 35        |
| 259 | <i>Salmonella typhimurium</i> mutants lacking NAD pyrophosphatase. <i>Journal of Bacteriology</i> , 1988, 170, 3725-3730.  | 1.0 | 12        |
| 260 | Feedback regulation of the <i>spc</i> operon in <i>Escherichia coli</i> : translational coupling and mRNA processing. <i>Journal of Bacteriology</i> , 1988, 170, 4484-4492.                         | 1.0 | 54        |
| 261 | Cyclic AMP-cyclic AMP receptor protein as a repressor of transcription of the <i>spf</i> gene of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1988, 170, 3110-3114.                    | 1.0 | 73        |
| 262 | Glyoxylate bypass operon of <i>Escherichia coli</i> : cloning and determination of the functional map. <i>Journal of Bacteriology</i> , 1988, 170, 386-392.  | 1.0 | 84        |
| 263 | Novel regulatory loci controlling oxygen- and pH-regulated gene expression in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1988, 170, 842-851.                                   | 1.0 | 70        |
| 264 | Overproduction and identification of the <i>ftsQ</i> gene product, an essential cell division protein in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1989, 171, 4290-4297.        | 1.0 | 20        |
| 265 | Effect of variation of charged and uncharged tRNA(Trp) levels on ppGpp synthesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1989, 171, 6493-6502.                                 | 1.0 | 38        |
| 266 | <i>rpoZ</i> , encoding the omega subunit of <i>Escherichia coli</i> RNA polymerase, is in the same operon as <i>spoT</i> . <i>Journal of Bacteriology</i> , 1989, 171, 1271-1277.                    | 1.0 | 64        |
| 267 | Influence of the GCGC discriminator motif introduced into the ribosomal RNA P2- and <i>tac</i> promoter on growth-rate control and stringent sensitivity.. <i>EMBO Journal</i> , 1989, 8, 3357-3363. | 3.5 | 70        |
| 268 | Insertion <i>proQ220::Tn5</i> alters regulation of proline porter II, a transporter of proline and glycine betaine in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1989, 171, 947-951. | 1.0 | 63        |
| 269 | Elevated serine catabolism is associated with the heat shock response in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1989, 171, 2619-2625.  | 1.0 | 22        |
| 270 | Translational coupling of the two proximal genes in the S10 ribosomal protein operon of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1989, 171, 2639-2645.                             | 1.0 | 26        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Intracellular PPI concentration is not directly dependent on amount of inorganic pyrophosphatase in <i>Escherichia coli</i> K-12 cells. <i>Journal of Bacteriology</i> , 1989, 171, 4498-4500.  | 1.0 | 41        |
| 272 | Reinstatement of <i>Xanthomonas citri</i> (ex Hasse) and <i>X. phaseoli</i> (ex Smith) to Species and Reclassification of All <i>X. campestris</i> pv. <i>citri</i> Strains. <i>International Journal of Systematic Bacteriology</i> , 1989, 39, 14-22. | 2.8 | 130       |
| 273 | Mechanism of mupirocin transport into sensitive and resistant bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 1989, 33, 156-163.   | 1.4 | 49        |
| 274 | Prevention of translational frameshifting by the modified nucleoside 1-methylguanosine. <i>Science</i> , 1989, 244, 986-989.  | 6.0 | 219       |
| 275 | The effect of 2,4-dichlorophenol on growth and plasmidic $\beta$ -lactamase activity in <i>Escherichia coli</i> . <i>Journal of Applied Toxicology</i> , 1989, 9, 427-431.  | 1.4 | 10        |
| 276 | An expression system for trypsin. <i>Journal of Cellular Biochemistry</i> , 1989, 39, 265-276.  | 1.2 | 53        |
| 277 | Cell mass synthesis and degradation by immobilized <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 1989, 34, 337-356.   | 1.7 | 34        |
| 278 | Determination of protein expression and plasmid copy number from cloned genes in <i>Escherichia coli</i> by flow injection analysis using an enzyme indicator vector. <i>Biotechnology and Bioengineering</i> , 1989, 34, 1023-1036.                    | 1.7 | 23        |
| 279 | High-density culture of <i>Escherichia coli</i> carrying recombinant plasmid in a membrane cell recycle fermenter. <i>Enzyme and Microbial Technology</i> , 1989, 11, 49-54.  | 1.6 | 23        |
| 280 | Characterization of cis-acting mutations which increase expression of a <i>glnS-lacZ</i> fusion in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1989, 216, 113-119.   | 2.4 | 17        |
| 281 | Context specific misreading of phenylalanine codons. <i>Molecular Genetics and Genomics</i> , 1989, 218, 397-401.   | 2.4 | 30        |
| 282 | Synthesis and Purification of Active Human Tissue Plasminogen Activator From <i>Escherichia coli</i> . <i>Nature Biotechnology</i> , 1989, 7, 495-501.  | 9.4 | 40        |
| 283 | Virulence and vaccine potential of <i>phoP</i> mutants of <i>Salmonella typhimurium</i> . <i>Microbial Pathogenesis</i> , 1989, 6, 433-443.   | 1.3 | 205       |
| 284 | Differentially expressed <i>trmD</i> ribosomal protein operon of <i>Escherichia coli</i> is transcribed as a single polycistronic mRNA species. <i>Journal of Molecular Biology</i> , 1989, 208, 575-586.   | 2.0 | 35        |
| 285 | Formylglycinamide ribonucleotide synthetase from <i>Escherichia coli</i> : cloning, sequencing, overproduction, isolation, and characterization. <i>Biochemistry</i> , 1989, 28, 2459-2471.   | 1.2 | 71        |
| 286 | Reaction in vitro of some mutants of RNase P with wild-type and temperature-sensitive substrates. <i>Journal of Molecular Biology</i> , 1989, 207, 837-840.   | 2.0 | 32        |
| 287 | Bacterial Strain Characterization Using Mathematical Modelling of Growth. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1989, 271, 2-10.   | 0.5 | 6         |
| 288 | Structure and regulation of the AMP nucleosidase gene ( <i>amn</i> ) from <i>Escherichia coli</i> . <i>Biochemistry</i> , 1989, 28, 8726-8733.  | 1.2 | 25        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | In vivo synthesis of adenylylated bis(5'-nucleosidyl) tetraphosphates (Ap <sub>4</sub> N) by Escherichia coli aminoacyl-tRNA synthetases.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 8275-8279. | 3.3 | 107       |
| 290 | Retroregulation of the synthesis of ribosomal proteins L14 and L24 by feedback repressor S8 in Escherichia coli.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 448-452.                            | 3.3 | 72        |
| 291 | Nucleotide sequence analysis of the purEK operon encoding 5'-phosphoribosyl-5-aminoimidazole carboxylase of Escherichia coli K-12. Journal of Bacteriology, 1989, 171, 205-212.  | 1.0 | 60        |
| 292 | Cyclic diguanylic acid and cellulose synthesis in Agrobacterium tumefaciens. Journal of Bacteriology, 1989, 171, 6649-6655.  | 1.0 | 106       |
| 293 | Accumulation of 3-(N-morpholino)propanesulfonate by osmotically stressed Escherichia coli K-12. Journal of Bacteriology, 1989, 171, 3597-3602.   | 1.0 | 47        |
| 294 | A Protein Associated with Prodigiosin Formation in <i>Serratia marcescens</i> . Microbiology and Immunology, 1989, 33, 257-263.  | 0.7 | 9         |
| 295 | Methylation of GATC sites is required for precise timing between rounds of DNA replication in Escherichia coli. Journal of Bacteriology, 1989, 171, 5738-5742.   | 1.0 | 82        |
| 296 | Analysis of prepro-alpha-lytic protease expression in Escherichia coli reveals that the pro region is required for activity. Journal of Bacteriology, 1989, 171, 1320-1325.  | 1.0 | 168       |
| 297 | Cir and Fiu proteins in the outer membrane of Escherichia coli catalyze transport of monomeric catechols: study with beta-lactam antibiotics containing catechol and analogous groups. Journal of Bacteriology, 1990, 172, 1361-1367.            | 1.0 | 140       |
| 298 | The ompA 5' untranslated RNA segment functions in Escherichia coli as a growth-rate-regulated mRNA stabilizer whose activity is unrelated to translational efficiency. Journal of Bacteriology, 1990, 172, 4472-4481.                            | 1.0 | 179       |
| 299 | Substrate specificity of trypsin investigated by using a genetic selection.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 6659-6663.   | 3.3 | 146       |
| 300 | Inverse Relationship between the Flagella Formation and Prodigiosin Synthesis in <i>Serratia marcescens</i> . Microbiology and Immunology, 1990, 34, 347-354.  | 0.7 | 3         |
| 301 | Induction of the nag regulon of Escherichia coli by N-acetylglucosamine and glucosamine: role of the cyclic AMP-catabolite activator protein complex in expression of the regulon. Journal of Bacteriology, 1990, 172, 2728-2735.                | 1.0 | 61        |
| 302 | Roles of the two lysyl-tRNA synthetases of Escherichia coli: analysis of nucleotide sequences and mutant behavior. Journal of Bacteriology, 1990, 172, 3237-3243.  | 1.0 | 68        |
| 303 | Purine biosynthesis in Escherichia coli K12: structure and DNA sequence studies of the purHD locus. Molecular Microbiology, 1990, 4, 381-392.  | 1.2 | 19        |
| 304 | Gene expression in response to multiple nutrient-starvation conditions in Salmonella typhimurium. FEMS Microbiology Ecology, 1990, 7, 175-183.   | 1.3 | 12        |
| 305 | Bacterial involvement in apatite genesis. FEMS Microbiology Letters, 1990, 73, 211-220.  | 0.7 | 63        |
| 306 | Gene expression in response to multiple nutrient-starvation conditions in Salmonella typhimurium. FEMS Microbiology Letters, 1990, 74, 175-183.  | 0.7 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Antisuppression by mutations in elongation factor Tu. FEBS Journal, 1990, 188, 339-346.  | 0.2 | 13        |
| 308 | Heat shock protein synthesis and thermotolerance in <i>Salmonella typhimurium</i> . Journal of Applied Bacteriology, 1990, 69, 373-383.  | 1.1 | 71        |
| 309 | Nonsense mutants defining seven new genes of the lipid-containing bacteriophage PR4. Virology, 1990, 177, 11-22.   | 1.1 | 7         |
| 310 | Detection of lipopolysaccharides blotted to polyvinylidene difluoride membranes. Analytical Biochemistry, 1990, 188, 285-287.  | 1.1 | 27        |
| 311 | Influence of phosphate ions and alkaline phosphatase activity of cells on survival of <i>Escherichia coli</i> in seawater. Microbial Ecology, 1990, 20, 245-251.   | 1.4 | 12        |
| 312 | Effect of free-cell growth parameters on oxygen concentration profiles in gel-immobilized recombinant <i>Escherichia coli</i> . Applied Microbiology and Biotechnology, 1990, 33, 619-623.   | 1.7 | 34        |
| 313 | Transcription and regulation of expression of the <i>Escherichia coli</i> methionyl-tRNA synthetase gene. Molecular Genetics and Genomics, 1990, 223, 121-133.   | 2.4 | 41        |
| 314 | A comparative analysis of single- and multiple-residue substitutions in the alkaline phosphatase signal peptide. Biopolymers, 1990, 29, 139-147.   | 1.2 | 13        |
| 315 | A hollow-fiber reactor design for NMR studies of microbial cells. Biotechnology and Bioengineering, 1990, 36, 879-886.   | 1.7 | 10        |
| 316 | Diffusional limitations of immobilized <i>Escherichia coli</i> in hollow-fiber reactors: Influence on <sup>31</sup> P NMR spectroscopy. Biotechnology and Bioengineering, 1990, 36, 887-901.   | 1.7 | 11        |
| 317 | Analysis of <i>E. coli</i> <i>phoA-lacZ</i> fusion gene expression inserted into a multicopy plasmid and host cell's chromosome. Biotechnology and Bioengineering, 1990, 36, 1097-1104.  | 1.7 | 25        |
| 318 | Gene-Protein database of <i>Escherichia coli</i> K-12: Edition 3. Electrophoresis, 1990, 11, 1131-1166.  | 1.3 | 125       |
| 319 | Proposal and application of an ecotoxicity biotest based on <i>Escherichia coli</i> . Journal of Applied Toxicology, 1990, 10, 443-446.  | 1.4 | 7         |
| 320 | In vivo phosphorylation of OmpR, the transcription activator of the <i>ompF</i> and <i>ompC</i> genes in <i>Escherichia coli</i> . Journal of Bacteriology, 1990, 172, 3473-3477.  | 1.0 | 91        |
| 321 | <i>E. coli</i> Fis protein activates ribosomal RNA transcription in vitro and in vivo.. EMBO Journal, 1990, 9, 3733-3742.  | 3.5 | 346       |
| 322 | Catabolism of bis(5'-nucleosidyl) tetraphosphates in <i>Saccharomyces cerevisiae</i> . Journal of Bacteriology, 1990, 172, 6892-6899.  | 1.0 | 45        |
| 323 | DNA sequence of the <i>purC</i> gene encoding 5'-phosphoribosyl-5-aminoimidazole-4-N-succinocarboxamide synthetase and organization of the <i>dapA-purC</i> region of <i>Escherichia coli</i> K-12. Journal of Bacteriology, 1990, 172, 6035-6041. | 1.0 | 23        |
| 324 | Growth rate dependence of transfer RNA abundance in <i>Escherichia coli</i> .. EMBO Journal, 1990, 9, 4359-4366.   | 3.5 | 103       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Regulation of the glyoxylate bypass operon: cloning and characterization of iclR. Journal of Bacteriology, 1990, 172, 2642-2649.   | 1.0 | 110       |
| 326 | Altered growth-rate-dependent regulation of 6-phosphogluconate dehydrogenase level in hisT mutants of Salmonella typhimurium and Escherichia coli. Journal of Bacteriology, 1990, 172, 1197-1205.                                      | 1.0 | 14        |
| 327 | Transcription of the ftsZ gene and cell division in Escherichia coli. Journal of Bacteriology, 1990, 172, 1392-1399.   | 1.0 | 52        |
| 328 | Regions of the Streptococcus sobrinus spaA gene encoding major determinants of antigen I. Journal of Bacteriology, 1990, 172, 3988-4001.   | 1.0 | 38        |
| 329 | Role of Escherichia coli heat shock proteins DnaK and HtpG (C62.5) in response to nutritional deprivation. Journal of Bacteriology, 1990, 172, 7157-7166.  | 1.0 | 98        |
| 330 | Role of purine biosynthetic intermediates in response to folate stress in Escherichia coli. Journal of Bacteriology, 1990, 172, 7200-7210.   | 1.0 | 37        |
| 331 | Associations of Escherichia coli K-12 OmpF trimers with rough and smooth lipopolysaccharides. Journal of Bacteriology, 1990, 172, 5307-5311.   | 1.0 | 33        |
| 332 | Loss of 4.5S RNA induces the heat shock response and lambda prophage in Escherichia coli. Journal of Bacteriology, 1990, 172, 1151-1154.   | 1.0 | 36        |
| 333 | Nucleotide sequence and analysis of the speA gene encoding biosynthetic arginine decarboxylase in Escherichia coli. Journal of Bacteriology, 1990, 172, 4631-4640.   | 1.0 | 67        |
| 334 | Transcription of single-copy hybridlacZ genes by T7 RNA polymerase in Escherichia coli: mRNA synthesis and degradation can be uncoupled from translation. Nucleic Acids Research, 1990, 18, 5787-5792.                                 | 6.5 | 53        |
| 335 | Guanosine 3'-diphosphate 5'-diphosphate is not required for growth rate-dependent control of rRNA synthesis in Escherichia coli. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 5533-5537. | 3.3 | 125       |
| 336 | Ribosomes as sensors of heat and cold shock in Escherichia coli. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 5589-5593.   | 3.3 | 523       |
| 337 | Apatite genesis: A biologically induced or biologically controlled mineral formation process?. Geomicrobiology Journal, 1990, 8, 47-56.  | 1.0 | 64        |
| 338 | Escherichia coli ribosomal protein L4 stimulates transcription termination at a specific site in the leader of the S10 operon independent of L4-mediated inhibition of translation. Journal of Molecular Biology, 1990, 213, 67-78.    | 2.0 | 46        |
| 339 | A short DNA sequence from $\lambda$ phage inhibits protein synthesis in Escherichia coli. Journal of Molecular Biology, 1990, 216, 243-250.  | 2.0 | 17        |
| 340 | Glycinamide ribonucleotide synthetase from Escherichia coli: cloning, overproduction, sequencing, isolation, and characterization. Biochemistry, 1990, 29, 218-227.  | 1.2 | 47        |
| 341 | Design and characterization of Escherichia coli mutants devoid of Ap4N-hydrolase activity. Journal of Molecular Biology, 1990, 212, 319-329.   | 2.0 | 38        |
| 342 | Growth rate dependence of global amino acid composition. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1990, 1050, 248-251.  | 2.4 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Subcloning, characterization, and affinity labeling of Escherichia coli glycinamide ribonucleotide transformylase. <i>Biochemistry</i> , 1990, 29, 1436-1443.   | 1.2 | 70        |
| 344 | Insertion of myoglobin T-cell epitopes into the escherichia coli alkaline phosphatase. <i>Research in Microbiology</i> , 1990, 141, 995-1001.   | 1.0 | 7         |
| 345 | Lack of complete cooperativity of ribosome assembly in vitro and its possible relevance to in vivo ribosome assembly and the regulation of ribosomal gene expression. <i>Biochimie</i> , 1991, 73, 757-767.                         | 1.3 | 29        |
| 346 | Null mutation in the stringent starvation protein of Escherichia coli disrupts lytic development of bacteriophage P1. <i>Gene</i> , 1991, 109, 21-30.   | 1.0 | 30        |
| 347 | Cloning, overexpression and nucleotide sequence of a thermostable DNA ligase-encoding gene. <i>Gene</i> , 1991, 109, 1-11.  | 1.0 | 104       |
| 348 | The relation between translation and mRNA degradation in the lacZ gene. <i>Biochimie</i> , 1991, 73, 1533-1541.   | 1.3 | 41        |
| 349 | Characterization of a <i>Salmonella choleraesuis</i> mutant that cannot multiply within epithelial cells. <i>Canadian Journal of Microbiology</i> , 1991, 37, 568-572.  | 0.8 | 18        |
| 350 | Proton, nitrogen-15, and carbon-13 NMR signal assignments of III <sub>Glc</sub> a signal-transducing protein of Escherichia coli, using three-dimensional triple-resonance techniques. <i>Biochemistry</i> , 1991, 30, 10043-10057. | 1.2 | 69        |
| 351 | EnvZ controls the concentration of phosphorylated OmpR to mediate osmoregulation of the porin genes. <i>Journal of Molecular Biology</i> , 1991, 222, 567-580.  | 2.0 | 194       |
| 352 | Codon usage, transfer RNA availability and mistranslation in amino acid starved bacteria. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1991, 1089, 362-366.  | 2.4 | 9         |
| 353 | tRNA anticodons with the modified nucleoside 2-methylthio-N <sup>6</sup> -(4-hydroxyisopentenyl)adenosine distinguish between bases 3' of the codon. <i>Journal of Molecular Biology</i> , 1991, 218, 509-516.                      | 2.0 | 48        |
| 354 | Suppressor mutations in rpoA suggest that OmpR controls transcription by direct interaction with the alpha subunit of RNA polymerase. <i>Journal of Bacteriology</i> , 1991, 173, 7501-7510.  | 1.0 | 112       |
| 355 | Structure and function of a bacterial mRNA stabilizer: analysis of the 5' untranslated region of ompA mRNA. <i>Journal of Bacteriology</i> , 1991, 173, 4578-4586.  | 1.0 | 114       |
| 356 | Isocitrate dehydrogenase kinase/phosphatase: aceK alleles that express kinase but not phosphatase activity. <i>Journal of Bacteriology</i> , 1991, 173, 1801-1806.  | 1.0 | 29        |
| 357 | Common sequence determinants of the response of a prokaryotic promoter to DNA bending and supercoiling.. <i>EMBO Journal</i> , 1991, 10, 941-949.   | 3.5 | 46        |
| 358 | A novel transcriptional response by the cat gene during slow growth of Escherichia coli. <i>Journal of Bacteriology</i> , 1991, 173, 3523-3530.   | 1.0 | 11        |
| 359 | cis-acting ompF mutations that result in OmpR-dependent constitutive expression. <i>Journal of Bacteriology</i> , 1991, 173, 4039-4048.   | 1.0 | 173       |
| 360 | The trmA promoter has regulatory features and sequence elements in common with the rRNA P1 promoter family of Escherichia coli. <i>Journal of Bacteriology</i> , 1991, 173, 1757-1764.  | 1.0 | 33        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Genetic and physical analyses of the growth rate-dependent regulation of Escherichia coli zwf expression. Journal of Bacteriology, 1991, 173, 4660-4667.   | 1.0 | 22        |
| 362 | Control of Escherichia coli lysyl-tRNA synthetase expression by anaerobiosis. Journal of Bacteriology, 1991, 173, 7903-7910.   | 1.0 | 54        |
| 363 | Peptidyl-tRNA hydrolase is involved in lambda inhibition of host protein synthesis.. EMBO Journal, 1991, 10, 3549-3555.  | 3.5 | 57        |
| 364 | Identification of adaptive changes in an evolving population of Escherichia coli: the role of changes with regulatory and highly pleiotropic effects.. Molecular Biology and Evolution, 1991, 8, 261-81.                   | 3.5 | 47        |
| 365 | Induction of the second exopolysaccharide (EPSb) in Rhizobium meliloti SU47 by low phosphate concentrations. Journal of Bacteriology, 1991, 173, 7391-7394.  | 1.0 | 115       |
| 366 | The omega subunit of Escherichia coli K-12 RNA polymerase is not required for stringent RNA control in vivo. Journal of Bacteriology, 1991, 173, 3901-3903.  | 1.0 | 72        |
| 367 | Expression and operon structure of the sel genes of Escherichia coli and identification of a third selenium-containing formate dehydrogenase isoenzyme. Journal of Bacteriology, 1991, 173, 4983-4993.                     | 1.0 | 118       |
| 368 | Cyclic AMP inhibits and putrescine represses expression of the speA gene encoding biosynthetic arginine decarboxylase in Escherichia coli. Journal of Bacteriology, 1991, 173, 3615-3621.                                  | 1.0 | 11        |
| 369 | An additional function for bacteriophage lambda rex: the rexB product prevents degradation of the lambda O protein.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 4996-5000. | 3.3 | 32        |
| 370 | Purification and properties of two membrane alkaline phosphatases from Bacillus subtilis 168. Journal of Bacteriology, 1991, 173, 1824-1826.   | 1.0 | 8         |
| 371 | The putative sigma factor KatF has a central role in development of starvation-mediated general resistance in Escherichia coli. Journal of Bacteriology, 1991, 173, 4188-4194.   | 1.0 | 361       |
| 372 | Quantitation of ColE1-encoded replication elements.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 405-409.   | 3.3 | 62        |
| 373 | Preliminary assessment of removal of pyrogenic lipopolysaccharides with colloidal zirconia adsorbents. Enzyme and Microbial Technology, 1991, 13, 708-715.   | 1.6 | 8         |
| 374 | Repression and induction of the nag regulon of Escherichia coli K-12: the roles of nagC and nagA in maintenance of the uninduced state. Molecular Microbiology, 1991, 5, 2053-2062.  | 1.2 | 120       |
| 375 | Base 2661 in Escherichia coli 23S rRNA influences the binding of elongation factor Tu during protein synthesis in vivo. FEBS Journal, 1991, 202, 981-984.  | 0.2 | 21        |
| 376 | Secretion of mutant leucine-specific binding proteins with internal deletions in Escherichia coli. Journal of Cellular Biochemistry, 1991, 46, 321-330.  | 1.2 | 1         |
| 377 | The gene-protein database of Escherichia coli: Edition 4. Electrophoresis, 1991, 12, 955-962.  | 1.3 | 44        |
| 378 | Plasmid presence changes the relative levels of many host cell proteins and ribosome components in recombinant Escherichia coli. Biotechnology and Bioengineering, 1991, 37, 736-745.                                      | 1.7 | 172       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Microfluorimetric analysis of spatial and temporal patterns of immobilized cell growth. <i>Biotechnology and Bioengineering</i> , 1991, 38, 340-352.  | 1.7 | 44        |
| 380 | Effects of Glutamate, Glucose, Phosphate, and Alkali metal ions on cephamycin C production by <i>Nocardia lactamdurans</i> in defined media. <i>Biotechnology and Bioengineering</i> , 1991, 38, 1100-1109.   | 1.7 | 7         |
| 381 | Interspecies compatibility of selenoprotein biosynthesis in Enterobacteriaceae. <i>Archives of Microbiology</i> , 1991, 155, 221-228.   | 1.0 | 12        |
| 382 | Requirement of the SecB chaperone for export of a non-secretory polypeptide in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1991, 227, 224-228.   | 2.4 | 29        |
| 383 | In the <i>Escherichia coli</i> lacZ gene the spacing between the translating ribosomes is insensitive to the efficiency of translating initiation. <i>Nucleic Acids Research</i> , 1991, 19, 6743-6750.   | 6.5 | 20        |
| 384 | The <i>Salmonella typhimurium</i> locus <i>mviA</i> regulates virulence in Itys but not Ityr mice: functional <i>mviA</i> results in avirulence; mutant (nonfunctional) <i>mviA</i> results in virulence.. <i>Journal of Experimental Medicine</i> , 1991, 174, 1073-1083.  | 4.2 | 48        |
| 385 | Intermediates in the degradation of mRNA from the lactose operon of <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 1991, 19, 2767-2776.  | 6.5 | 30        |
| 386 | Secondary structure of the phosphocarrier protein III <sub>Glc</sub> , a signal-transducing protein from <i>Escherichia coli</i> , determined by heteronuclear three-dimensional NMR spectroscopy.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 3479-3483. | 3.3 | 43        |
| 387 | High level expression in <i>Escherichia coli</i> of soluble, enzymatically active schistosomal hypoxanthine/guanine phosphoribosyltransferase and trypanosomal ornithine decarboxylase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 2500-2504.            | 3.3 | 87        |
| 388 | Identification of four unique clones encoding 10 kDa proteins from <i>Bacillus</i> that cause phenotypic complementation of a <i>phoA</i> mutant strain of <i>Escherichia coli</i> . <i>Journal of General Microbiology</i> , 1991, 137, 667-677.   | 2.3 | 15        |
| 389 | Formation of a gated channel by a ligand-specific transport protein in the bacterial outer membrane. <i>Science</i> , 1992, 258, 471-475.   | 6.0 | 185       |
| 390 | Thiolation of transfer RNA in <i>Escherichia coli</i> varies with growth rate. <i>Nucleic Acids Research</i> , 1992, 20, 4499-4505.   | 6.5 | 43        |
| 391 | A dominant mutation in the gene for the Nag repressor of <i>Escherichia coli</i> that renders the nag regulon uninducible. <i>Journal of General Microbiology</i> , 1992, 138, 1011-1017.   | 2.3 | 17        |
| 392 | Two mechanisms for growth inhibition by elevated transport of sugar phosphates in <i>Escherichia coli</i> . <i>Journal of General Microbiology</i> , 1992, 138, 2007-2014.  | 2.3 | 112       |
| 393 | The free radical in pyruvate formate-lyase is located on glycine-734.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 996-1000.   | 3.3 | 351       |
| 394 | Inhibition of lipopolysaccharide synthesis in <i>Agrobacterium tumefaciens</i> and <i>Aeromonas salmonicida</i> . <i>Journal of General Microbiology</i> , 1992, 138, 1527-1533.  | 2.3 | 8         |
| 395 | A novel DNA-binding protein with regulatory and protective roles in starved <i>Escherichia coli</i> .. <i>Genes and Development</i> , 1992, 6, 2646-2654.   | 2.7 | 699       |
| 396 | Correct folding of alpha-lytic protease is required for its extracellular secretion from <i>Escherichia coli</i> .. <i>Journal of Cell Biology</i> , 1992, 118, 33-42.  | 2.3 | 54        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Targeted insertion of selenocysteine into the alpha subunit of formate dehydrogenase from <i>Methanobacterium formicum</i> . <i>Journal of Bacteriology</i> , 1992, 174, 659-663.   | 1.0 | 30        |
| 398 | Heterologous expression and secretion of a <i>Streptomyces scabies</i> esterase in <i>Streptomyces lividans</i> and <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 2431-2439.                          | 1.0 | 15        |
| 399 | Influence of cyclic AMP, agmatine, and a novel protein encoded by a flanking gene on speB (agmatine) Tj ETQq0 0 0 rgBT /Overlock 10 T   | 1.0 | 13        |
| 400 | Characterization of the regulon controlled by the leucine-responsive regulatory protein in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 1109-1118.   | 1.0 | 125       |
| 401 | Function of a relaxed-like state following temperature downshifts in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 3903-3914.   | 1.0 | 117       |
| 402 | DNA gyrase, CS7.4, and the cold shock response in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 5798-5802.  | 1.0 | 227       |
| 403 | Sequence specificity in the dimerization of transmembrane .alpha.-helices. <i>Biochemistry</i> , 1992, 31, 12719-12725.   | 1.2 | 520       |
| 404 | Temperature-dependent template switching during in vitro cDNA synthesis by the AMV-reverse transcriptase. <i>Nucleic Acids Research</i> , 1992, 20, 5443-5450.  | 6.5 | 41        |
| 405 | Specific activation of a tyrosine â† glycine mutant of 15-3-ketosteroid isomerase by phenols. <i>Biochemical and Biophysical Research Communications</i> , 1992, 184, 1386-1392.  | 1.0 | 17        |
| 406 | Structural comparisons between the soluble and the GPI-anchored forms of the <i>Paramecium</i> temperature-specific 156C surface antigen. <i>Biology of the Cell</i> , 1992, 75, 217-223.                                     | 0.7 | 13        |
| 407 | Correlation between insertion mutant activities and amino acid sequence identities of the TaqI and TthHB8 restriction endonucleases. <i>Gene</i> , 1992, 112, 13-20.  | 1.0 | 13        |
| 408 | Structural comparison of phosphorylated and unphosphorylated forms of IIIIGlc, a signal-transducing protein from <i>Escherichia coli</i> , using three-dimensional NMR techniques. <i>Biochemistry</i> , 1992, 31, 5215-5224. | 1.2 | 37        |
| 409 | Kinetic properties of enzyme populations in vivo: alkaline phosphatase of the <i>Escherichia coli</i> periplasm. <i>Biochemistry</i> , 1992, 31, 11500-11509.   | 1.2 | 28        |
| 410 | <i>Escherichia coli</i> leucine-responsive regulatory protein (Lrp) controls lysyl-tRNA synthetase expression. <i>FEBS Letters</i> , 1992, 300, 254-258.  | 1.3 | 22        |
| 411 | Importance of mRNA folding and start codon accessibility in the expression of genes in a ribosomal protein operon of <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1992, 224, 949-966.                      | 2.0 | 67        |
| 412 | Signal sequences containing multiple aromatic residues. <i>Journal of Molecular Biology</i> , 1992, 224, 77-85.   | 2.0 | 14        |
| 413 | Interdependence of translation, transcription and mRNA degradation in the lacZ gene. <i>Journal of Molecular Biology</i> , 1992, 226, 581-596.  | 2.0 | 176       |
| 414 | Culture conditions differentially affect the translation of individual <i>Escherichia coli</i> mRNAs. <i>Journal of Molecular Biology</i> , 1992, 226, 597-608.   | 2.0 | 21        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 415 | Coding from a distance: dissection of the mRNA determinants required for the incorporation of selenocysteine into protein.. EMBO Journal, 1992, 11, 3759-3766.  | 3.5  | 163       |
| 416 | Sequence and characterization of the bacteriophage T4 comC alpha gene product, a possible transcription antitermination factor. Journal of Bacteriology, 1992, 174, 6539-6547.  | 1.0  | 13        |
| 417 | Nonrandom F-plasmid replication in Escherichia coli K-12. Journal of Bacteriology, 1992, 174, 2121-2123.  | 1.0  | 23        |
| 418 | Mutational analysis reveals functional similarity between NARX, a nitrate sensor in Escherichia coli K-12, and the methyl-accepting chemotaxis proteins. Journal of Bacteriology, 1992, 174, 3667-3675.                   | 1.0  | 54        |
| 419 | Isolation and characterization of the Escherichia coli htrD gene, whose product is required for growth at high temperatures. Journal of Bacteriology, 1992, 174, 1240-1247.   | 1.0  | 24        |
| 420 | Escherichia coli cells lacking methylation-blocking factor (leucine-responsive regulatory protein) have precise timing of initiation of DNA replication in the cell cycle. Journal of Bacteriology, 1992, 174, 3078-3082. | 1.0  | 7         |
| 421 | Role of PhoU in phosphate transport and alkaline phosphatase regulation. Journal of Bacteriology, 1992, 174, 8057-8064.   | 1.0  | 73        |
| 422 | Effects of Antarctic sea ice biota on seeding as studied in aquarium experiments. Polar Biology, 1992, 12, 333.   | 0.5  | 22        |
| 423 | Alkaline phosphatase-somatostatin hybrid proteins as probes for somatostatin-14 receptors. Proteins: Structure, Function and Bioinformatics, 1992, 14, 1-9.   | 1.5  | 8         |
| 424 | The E. coli ffh gene is necessary for viability and efficient protein export. Nature, 1992, 359, 744-746.   | 13.7 | 285       |
| 425 | Transcription of glpT of Escherichia coli K12 is regulated by anaerobiosis and fnr. FEMS Microbiology Letters, 1992, 94, 15-18.   | 0.7  | 11        |
| 426 | Misreading of the argI message in Escherichia coli. FEMS Microbiology Letters, 1992, 100, 141-145.  | 0.7  | 4         |
| 427 | Expression of periplasmic binding proteins for peptide transport is subject to negative regulation by phosphate limitation in Escherichia coli. FEMS Microbiology Letters, 1992, 100, 183-190.                            | 0.7  | 17        |
| 428 | Starvation-inducible loci of Salmonella typhimurium: regulation and roles in starvation-survival. Molecular Microbiology, 1992, 6, 1467-1476.   | 1.2  | 73        |
| 429 | Cloning, mapping and nucleotide sequencing of a gene encoding a universal stress protein in Escherichia coli. Molecular Microbiology, 1992, 6, 3187-3198.   | 1.2  | 213       |
| 430 | Physiological and genetic strategies for enhanced subtilisin production by Bacillus subtilis. Biotechnology Progress, 1992, 8, 211-218.   | 1.3  | 23        |
| 431 | Use of glucose starvation to limit growth and induce protein production in Escherichia coli. Biotechnology and Bioengineering, 1992, 40, 271-279.   | 1.7  | 30        |
| 432 | The loss of culturability by Escherichia coli cells in seawater depends on availability of phosphate ions and phosphate transport systems. Microbial Ecology, 1993, 26, 29-35.  | 1.4  | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Cloning and characterization of the scrA gene encoding the sucrose-specific Enzyme II of the phosphotransferase system from <i>Staphylococcus xylosum</i> . <i>Molecular Genetics and Genomics</i> , 1993, 241-241, 33-41.   | 2.4 | 52        |
| 434 | Tautomeric states of the active-site histidines of phosphorylated and unphosphorylated III <sup>Glc</sup> , a signal-transducing protein from <i>Escherichia coli</i> , using two-dimensional heteronuclear NMR techniques. <i>Protein Science</i> , 1993, 2, 543-558. | 3.1 | 279       |
| 435 | DNA loop formation between Nag repressor molecules bound to its two operator sites is necessary for repression of the nag regulon of <i>Escherichia coli</i> in vivo. <i>Molecular Microbiology</i> , 1993, 10, 973-981.   | 1.2 | 41        |
| 436 | Phosphate starvation and low temperature as well as ultraviolet irradiation transcriptionally induce the <i>Escherichia coli</i> LexA-controlled gene sfiA. <i>Molecular Microbiology</i> , 1993, 8, 697-706.  | 1.2 | 29        |
| 437 | Identification and characterization of stationary phase inducible genes in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1993, 10, 407-420.  | 1.2 | 113       |
| 438 | Induction of cadmium tolerance in <i>Escherichia coli</i> K-12. <i>FEMS Microbiology Letters</i> , 1993, 113, 197-200.   | 0.7 | 20        |
| 439 | The use of lac-type promoters in control analysis. <i>FEBS Journal</i> , 1993, 211, 181-191.   | 0.2 | 88        |
| 440 | Construction and characterization of a specialized ribosome system for the overproduction of proteins in <i>Escherichia coli</i> . <i>Biotechnology Progress</i> , 1993, 9, 345-354.   | 1.3 | 5         |
| 441 | Novel heteronuclear methods of assignment transfer from a diamagnetic to a paramagnetic protein: application to rat cytochrome b5. <i>Biochemistry</i> , 1993, 32, 8329-8340.  | 1.2 | 52        |
| 442 | Titration of protein transport activity by incremental changes in signal peptide hydrophobicity. <i>Biochemistry</i> , 1993, 32, 1251-1256.  | 1.2 | 59        |
| 443 | A genetic selection elucidates structural determinants of arginine versus lysine specificity in trypsin. <i>Gene</i> , 1993, 137, 121-126.   | 1.0 | 15        |
| 444 | Mutations in phoB, the positive gene activator of the pho regulon in <i>Escherichia coli</i> , affect the carbohydrate phenotype on MacConkey indicator plates. <i>Research in Microbiology</i> , 1993, 144, 285-293.  | 1.0 | 11        |
| 445 | Vasoactive intestinal peptide and helodermin inhibit phospholipase A2 activity in vitro. <i>Regulatory Peptides</i> , 1993, 48, 301-307.   | 1.9 | 8         |
| 446 | Dominant lethal phenotype of a mutation in the -35 recognition region of <i>Escherichia coli</i> sigma 70. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 1751-1755.   | 3.3 | 27        |
| 447 | Isolation and characterization of an <i>Escherichia coli</i> mutant defective in resuming growth after starvation. <i>Genes and Development</i> , 1993, 7, 2629-2640.  | 2.7 | 50        |
| 448 | Isolation and properties of a mutant of <i>Escherichia coli</i> with an insertional inactivation of the uspA gene, which encodes a universal stress protein. <i>Journal of Bacteriology</i> , 1993, 175, 3949-3956.  | 1.0 | 106       |
| 449 | Coordinated regulation of amino sugar-synthesizing and -degrading enzymes in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1993, 175, 4951-4956.  | 1.0 | 71        |
| 450 | Dual response regulators (NarL and NarP) interact with dual sensors (NarX and NarQ) to control nitrate- and nitrite-regulated gene expression in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1993, 175, 3259-3268.                                  | 1.0 | 228       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 451 | Metalloregulation in <i>Bacillus subtilis</i> : isolation and characterization of two genes differentially repressed by metal ions. <i>Journal of Bacteriology</i> , 1993, 175, 5428-5437.   | 1.0 | 125       |
| 452 | Environmental regulation of the fim switch controlling type 1 fimbrial phase variation in <i>Escherichia coli</i> K-12: effects of temperature and media. <i>Journal of Bacteriology</i> , 1993, 175, 6186-6193.   | 1.0 | 209       |
| 453 | Cotranscription of two genes necessary for ribosomal protein L11 methylation ( <i>prmA</i> ) and pantothenate transport ( <i>panF</i> ) in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1993, 175, 7178-7188.                          | 1.0 | 33        |
| 454 | Genes encoding two isocitrate dehydrogenase isozymes of a psychrophilic bacterium, <i>Vibrio</i> sp. strain ABE-1. <i>Journal of Bacteriology</i> , 1993, 175, 6873-6880.  | 1.0 | 67        |
| 455 | Global regulation of gene expression in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1993, 175, 2026-2036.   | 1.0 | 199       |
| 456 | Stress response of <i>Escherichia coli</i> to elevated hydrostatic pressure. <i>Journal of Bacteriology</i> , 1993, 175, 7170-7177.  | 1.0 | 243       |
| 457 | Synthesis of the stationary-phase sigma factor sigma s is positively regulated by ppGpp. <i>Journal of Bacteriology</i> , 1993, 175, 7982-7989.  | 1.0 | 432       |
| 458 | The <i>Escherichia coli</i> <i>fmt</i> gene, encoding methionyl-tRNA(fMet) formyltransferase, escapes metabolic control. <i>Journal of Bacteriology</i> , 1993, 175, 993-1000.   | 1.0 | 38        |
| 459 | Growth rate regulation of <i>Escherichia coli</i> acetyl coenzyme A carboxylase, which catalyzes the first committed step of lipid biosynthesis. <i>Journal of Bacteriology</i> , 1993, 175, 332-340.  | 1.0 | 126       |
| 460 | Analysis of proteins synthesized by <i>Salmonella typhimurium</i> during growth within a host macrophage. <i>Journal of Bacteriology</i> , 1993, 175, 3734-3743.   | 1.0 | 171       |
| 461 | Growth rate paradox of <i>Salmonella typhimurium</i> within host macrophages. <i>Journal of Bacteriology</i> , 1993, 175, 3744-3748.   | 1.0 | 120       |
| 463 | Isolation of the gene ( <i>miaE</i> ) encoding the hydroxylase involved in the synthesis of 2-methylthio-cis-ribozeatin in tRNA of <i>Salmonella typhimurium</i> and characterization of mutants. <i>Journal of Bacteriology</i> , 1993, 175, 7776-7785. | 1.0 | 57        |
| 464 | Control analysis of the dependence of <i>Escherichia coli</i> physiology on the H(+)-ATPase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8068-8072.  | 3.3 | 60        |
| 465 | <i>spoT</i> -dependent accumulation of guanosine tetraphosphate in response to fatty acid starvation in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 11004-11008.        | 3.3 | 159       |
| 466 | Characterization of twenty-six new heat shock genes of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1993, 175, 5242-5252.  | 1.0 | 158       |
| 467 | Threonine formation via the coupled activity of 2-amino-3-ketobutyrate coenzyme A lyase and threonine dehydrogenase. <i>Journal of Bacteriology</i> , 1993, 175, 6505-6511.  | 1.0 | 37        |
| 468 | Expression and purification of the <i>cynR</i> regulatory gene product: CynR is a DNA-binding protein. <i>Journal of Bacteriology</i> , 1993, 175, 7990-7999.  | 1.0 | 6         |
| 469 | Inhibition of expression of the tryptophanase operon in <i>Escherichia coli</i> by extrachromosomal copies of the <i>tna</i> leader region. <i>Journal of Bacteriology</i> , 1993, 175, 3380-3387.   | 1.0 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 470 | Depletion of functional ribosomal RNA operons in Escherichia coli causes increased expression of the remaining intact copies.. EMBO Journal, 1993, 12, 4305-4315.   | 3.5 | 125       |
| 471 | Inversion-independent phase variation of type 1 fimbriae in Escherichia coli. Journal of Bacteriology, 1993, 175, 4335-4344.  | 1.0 | 82        |
| 472 | Expression analysis of cloned chromosomal segments of Escherichia coli. Journal of Bacteriology, 1993, 175, 5145-5152.  | 1.0 | 29        |
| 473 | Regulation of the gltBDF operon of Escherichia coli: how is a leucine-insensitive operon regulated by the leucine-responsive regulatory protein?. Journal of Bacteriology, 1993, 175, 7160-7169.  | 1.0 | 83        |
| 474 | Mutations in the alpha subunit of RNA polymerase that affect the regulation of porin gene transcription in Escherichia coli K-12. Journal of Bacteriology, 1993, 175, 5460-5468.  | 1.0 | 33        |
| 475 | Lrp stimulates phase variation of type 1 fimbriation in Escherichia coli K-12. Journal of Bacteriology, 1993, 175, 27-36.   | 1.0 | 149       |
| 476 | The asiA gene of bacteriophage T4 codes for the anti-sigma 70 protein. Journal of Bacteriology, 1993, 175, 85-93.   | 1.0 | 74        |
| 477 | Excess capacity of H(+)-ATPase and inverse respiratory control in Escherichia coli.. EMBO Journal, 1993, 12, 1277-1282.   | 3.5 | 66        |
| 478 | Effect of glpT and glpD mutations on expression of the phoA gene in Escherichia coli. Journal of Bacteriology, 1993, 175, 74-79.  | 1.0 | 39        |
| 479 | Activation of the Bacillus subtilis hut operon at the onset of stationary growth phase in nutrient sporulation medium results primarily from the relief of amino acid repression of histidine transport. Journal of Bacteriology, 1993, 175, 4282-4289. | 1.0 | 14        |
| 480 | A physiological role for cyanate-induced carbonic anhydrase in Escherichia coli. Journal of Bacteriology, 1993, 175, 1443-1451.   | 1.0 | 73        |
| 481 | RpoS is necessary for both the positive and negative regulation of starvation survival genes during phosphate, carbon, and nitrogen starvation in Salmonella typhimurium. Journal of Bacteriology, 1994, 176, 4610-4616.                                | 1.0 | 110       |
| 482 | Catabolite repression of the Bacillus subtilis hut operon requires a cis-acting site located downstream of the transcription initiation site. Journal of Bacteriology, 1994, 176, 1894-1902.  | 1.0 | 93        |
| 483 | Modulation of Bacillus subtilis catabolite repression by transition state regulatory protein AbrB. Journal of Bacteriology, 1994, 176, 1903-1912.   | 1.0 | 51        |
| 484 | The second to last amino acid in the nascent peptide as a codon context determinant.. EMBO Journal, 1994, 13, 249-257.  | 3.5 | 112       |
| 485 | Structural organization of the pentameric transmembrane alpha-helices of phospholamban, a cardiac ion channel.. EMBO Journal, 1994, 13, 4757-4764.  | 3.5 | 175       |
| 486 | Determination of the growth rate-regulated steps in expression of the Escherichia coli K-12 gnd gene. Journal of Bacteriology, 1994, 176, 115-122.  | 1.0 | 43        |
| 487 | Expression of proteins encoded by the Escherichia coli cyn operon: carbon dioxide-enhanced degradation of carbonic anhydrase. Journal of Bacteriology, 1994, 176, 5711-5717.  | 1.0 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 488 | Concentrations of 4.5S RNA and Ffh protein in <i>Escherichia coli</i> : the stability of Ffh protein is dependent on the concentration of 4.5S RNA. <i>Journal of Bacteriology</i> , 1994, 176, 7148-7154.  | 1.0 | 72        |
| 489 | Role of the transcriptional activator AppY in regulation of the <i>cyx appA</i> operon of <i>Escherichia coli</i> by anaerobiosis, phosphate starvation, and growth phase. <i>Journal of Bacteriology</i> , 1994, 176, 5414-5422.                                 | 1.0 | 72        |
| 490 | The <i>asiA</i> gene product of bacteriophage T4 is required for middle mode RNA synthesis. <i>Journal of Bacteriology</i> , 1994, 176, 3956-3965.  | 1.0 | 57        |
| 492 | The use of a tRNA as a transcriptional reporter: the T7 late promoter is extremely efficient in <i>Escherichia coli</i> but its transcripts are poorly expressed. <i>Nucleic Acids Research</i> , 1994, 22, 1186-1193.  | 6.5 | 51        |
| 493 | Effect of thermal, oxidative, acidic, osmotic, or nutritional stresses on subsequent culturability of <i>Escherichia coli</i> in seawater. <i>Microbial Ecology</i> , 1994, 27, 57-63.  | 1.4 | 16        |
| 494 | Role of guanosine tetraphosphate in gene expression and the survival of glucose or seryl-tRNA starved cells of <i>Escherichia coli</i> K12. <i>Molecular Genetics and Genomics</i> , 1994, 245, 355-362.  | 2.4 | 41        |
| 495 | Growth energetics of <i>Lactococcus cremoris</i> FD1 during energy-, carbon-, and nitrogen-limitation in steady state and transient cultures. <i>Chemical Engineering Science</i> , 1994, 49, 589-609.  | 1.9 | 54        |
| 496 | Signal peptide hydrophobicity is finely tailored for function. <i>Journal of Cellular Biochemistry</i> , 1994, 55, 209-217.   | 1.2 | 33        |
| 497 | Magnetic fields after translation in <i>Escherichia coli</i> . <i>Bioelectromagnetics</i> , 1994, 15, 77-83.  | 0.9 | 43        |
| 498 | Functional interactions between translation, transcription and ppGpp in growing <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994, 1219, 425-434.  | 2.4 | 14        |
| 499 | Antisuppression by a mutation in <i>rpsM</i> (S13) giving a shortened ribosomal protein S13. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994, 1218, 27-34.   | 2.4 | 7         |
| 500 | Identification of a conditionally essential heat shock protein in <i>Escherichia coli</i> . <i>BBA - Proteins and Proteomics</i> , 1994, 1207, 165-172.   | 2.1 | 2         |
| 501 | Mobilization of a recombinant nonconjugative plasmid at the interface between wastewater and the marine coastal environment. <i>FEMS Microbiology Ecology</i> , 1994, 15, 61-70.  | 1.3 | 12        |
| 502 | Effects of starvation for exogenous carbon on functional mRNA stability and rate of peptide chain elongation in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 1994, 117, 181-187.  | 0.7 | 50        |
| 503 | The relative contributions of transcription and translation to plasmid DNA supercoiling in <i>Salmonella typhimurium</i> . <i>Molecular Microbiology</i> , 1994, 11, 111-122.   | 1.2 | 25        |
| 504 | Expression and role of the universal stress protein, UspA, of <i>Escherichia coli</i> during growth arrest. <i>Molecular Microbiology</i> , 1994, 11, 537-544.  | 1.2 | 223       |
| 505 | Starvation-induced expression of SspA and SspB: the effects of a null mutation in <i>sspA</i> on <i>Escherichia coli</i> protein synthesis and survival during growth and prolonged starvation. <i>Molecular Microbiology</i> , 1994, 11, 1029-1043.              | 1.2 | 117       |
| 506 | The glucose-starvation stimulon of <i>Escherichia coli</i> : induced and repressed synthesis of enzymes of central metabolic pathways and role of acetyl phosphate in gene expression and starvation survival. <i>Molecular Microbiology</i> , 1994, 12, 833-843. | 1.2 | 103       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 507 | Altered pH lysine signalling mutants of cadC, a gene encoding a membrane-bound transcriptional activator of the Escherichia coli cadBA operon. <i>Molecular Microbiology</i> , 1994, 14, 7-16.   | 1.2  | 80        |
| 508 | Ribosomal protein methylation in Escherichia coli: the gene prmA, encoding the ribosomal protein L11 methyltransferase, is dispensable. <i>Molecular Microbiology</i> , 1994, 14, 947-958.   | 1.2  | 39        |
| 509 | Crystal structure at 2.2 Å... resolution of the pleckstrin homology domain from human dynamin. <i>Cell</i> , 1994, 79, 199-209.  | 13.5 | 285       |
| 510 | A recombinant human immunodeficiency virus type-1 capsid protein (rp24): its expression, purification and physico-chemical characterization. <i>Journal of Virological Methods</i> , 1994, 50, 1-9.  | 1.0  | 23        |
| 511 | Enhancement of protein secretion by optimizing protein synthesis: isolation and characterization of Escherichia coli mutants with increased secretion ability of alkaline phosphatase. <i>Applied Microbiology and Biotechnology</i> , 1994, 41, 163-169.  | 1.7  | 13        |
| 512 | Primary structure of the speC gene encoding biosynthetic ornithine decarboxylase in Escherichia coli. <i>Gene</i> , 1994, 151, 157-160.  | 1.0  | 10        |
| 513 | Genes encoding osmoregulatory proline/glycine betaine transporters and the proline catabolic system are present and expressed in diverse clinical <i>Escherichia coli</i> isolates. <i>Canadian Journal of Microbiology</i> , 1994, 40, 397-402.   | 0.8  | 32        |
| 514 | A Site-Directed Spin-Labeling Study of Ligand-Induced Conformational Change in the Ferric Enterobactin Receptor, FepA. <i>Biochemistry</i> , 1994, 33, 13274-13283.  | 1.2  | 56        |
| 515 | NADP(+)-isocitrate dehydrogenase from the cyanobacterium Anabaena sp. strain PCC 7120: purification and characterization of the enzyme and cloning, sequencing, and disruption of the icd gene. <i>Journal of Bacteriology</i> , 1994, 176, 2718-2726.   | 1.0  | 57        |
| 516 | The leucine-responsive regulatory protein binds to the fim switch to control phase variation of type 1 fimbrial expression in Escherichia coli K-12. <i>Journal of Bacteriology</i> , 1994, 176, 5665-5672.  | 1.0  | 101       |
| 517 | Roles of LysP and CadC in mediating the lysine requirement for acid induction of the Escherichia coli cad operon. <i>Journal of Bacteriology</i> , 1994, 176, 3278-3285.   | 1.0  | 100       |
| 518 | Responses to nutrient starvation in Pseudomonas putida KT2442: analysis of general cross-protection, cell shape, and macromolecular content. <i>Journal of Bacteriology</i> , 1994, 176, 7-14.   | 1.0  | 214       |
| 519 | Energy metabolism and alginate biosynthesis in Pseudomonas aeruginosa: role of the tricarboxylic acid cycle. <i>Journal of Bacteriology</i> , 1994, 176, 6023-6029.  | 1.0  | 38        |
| 520 | Analysis of Bacillus subtilis hut operon expression indicates that histidine-dependent induction is mediated primarily by transcriptional antitermination and that amino acid repression is mediated by two mechanisms: regulation of transcription initiation and inhibition of histidine transport. <i>Journal of Bacteriology</i> , 1994, 176, 5466-5473. | 1.0  | 56        |
| 521 | The nitrogen-regulated Bacillus subtilis nrgAB operon encodes a membrane protein and a protein highly similar to the Escherichia coli glnB-encoded PII protein. <i>Journal of Bacteriology</i> , 1994, 176, 108-114.   | 1.0  | 91        |
| 522 | Osmoprotective compounds in the Plumbaginaceae: a natural experiment in metabolic engineering of stress tolerance.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 306-310.  | 3.3  | 261       |
| 523 | Responses to nutrient starvation in Pseudomonas putida KT2442: two-dimensional electrophoretic analysis of starvation- and stress-induced proteins. <i>Journal of Bacteriology</i> , 1994, 176, 4816-4824.   | 1.0  | 96        |
| 524 | ompH gene expression is regulated by multiple environmental cues in addition to high pressure in the deep-sea bacterium Photobacterium species strain SS9. <i>Journal of Bacteriology</i> , 1995, 177, 1008-1016.  | 1.0  | 43        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 525 | The leucine-responsive regulatory protein of <i>Escherichia coli</i> negatively regulates transcription of <i>ompC</i> and <i>micF</i> and positively regulates translation of <i>ompF</i> . <i>Journal of Bacteriology</i> , 1995, 177, 103-113.                                    | 1.0 | 68        |
| 526 | Ethanolamine utilization in <i>Salmonella typhimurium</i> : nucleotide sequence, protein expression, and mutational analysis of the <i>cchA cchB eutE eutJ eutG eutH</i> gene cluster. <i>Journal of Bacteriology</i> , 1995, 177, 1357-1366.  | 1.0 | 317       |
| 527 | The methylthio group (ms <sup>2</sup> ) of N <sup>6</sup> -(4-hydroxyisopentenyl)-2-methylthioadenosine (ms <sup>2</sup> io <sup>6</sup> A) present next to the anticodon contributes to the decoding efficiency of the tRNA. <i>Journal of Bacteriology</i> , 1995, 177, 1967-1975. | 1.0 | 51        |
| 528 | Occurrence of the regulatory nucleotides ppGpp and pppGpp following induction of the stringent response in staphylococci. <i>Journal of Bacteriology</i> , 1995, 177, 5161-5165.   | 1.0 | 65        |
| 529 | Nuclear magnetic dipole interactions in field-oriented proteins: information for structure determination in solution.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 9279-9283.   | 3.3 | 824       |
| 530 | Stringent control and growth-rate-dependent control have nonidentical promoter sequence requirements.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 1117-1121.   | 3.3 | 86        |
| 531 | Interaction of lead nitrate and cadmium chloride with <i>Escherichia coli</i> K-12 and <i>Salmonella typhimurium</i> global regulatory mutants. <i>Journal of Industrial Microbiology</i> , 1995, 14, 252-258.   | 0.9 | 28        |
| 532 | Construction of a vector for probing the effect of co-expression of <i>dnaY</i> and <i>secB</i> upon secreted gene products in <i>Escherichia coli</i> . <i>Biotechnology Letters</i> , 1995, 9, 237-240.  | 0.5 | 1         |
| 533 | Effects of different growth conditions on the in vivo activity of the tandem <i>Escherichia coli</i> ribosomal RNA promoters P1 and P2. <i>Molecular Genetics and Genomics</i> , 1995, 249, 328-335.   | 2.4 | 17        |
| 534 | ppGpp-mediated regulation of DNA replication and cell division in <i>Escherichia coli</i> . <i>Current Microbiology</i> , 1995, 30, 27-32.   | 1.0 | 116       |
| 535 | An additional PII in <i>Escherichia coli</i> : a new regulatory protein in the glutamine synthetase cascade. <i>FEMS Microbiology Letters</i> , 1995, 132, 153-157.  | 0.7 | 57        |
| 536 | Changes in DNA supercoil as a response of <i>Bacillus subtilis</i> towards different kinds of stress. <i>FEMS Microbiology Letters</i> , 1995, 134, 129-135.   | 0.7 | 47        |
| 537 | Differential expression in <i>Escherichia coli</i> of the <i>Vibrio</i> sp. strain ABE-1 <i>icdI</i> and <i>icdII</i> genes encoding structurally different isocitrate dehydrogenase isozymes. <i>Journal of Bacteriology</i> , 1995, 177, 2138-2142.                                | 1.0 | 31        |
| 538 | Evidence suggesting cis action by the TnaC leader peptide in regulating transcription attenuation in the tryptophanase operon of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1995, 177, 7245-7254.  | 1.0 | 41        |
| 539 | Purification and characterization of the bacteriophage P4 delta protein. <i>Journal of Bacteriology</i> , 1995, 177, 3743-3751.  | 1.0 | 29        |
| 540 | 1-Methylguanosine deficiency of tRNA influences cognate codon interaction and metabolism in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1995, 177, 6593-6600.   | 1.0 | 28        |
| 541 | Sequences determining the cytoplasmic localization of a chemoreceptor domain. <i>Journal of Bacteriology</i> , 1995, 177, 2315-2320.   | 1.0 | 8         |
| 542 | Heat shock-dependent transcriptional activation of the <i>metA</i> gene of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1995, 177, 1374-1379.  | 1.0 | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 543 | Glycosylinositol-phosphoceramide in the free-living protozoan <i>Paramecium primaurelia</i> : modification of core glycans by mannosyl phosphate.. <i>EMBO Journal</i> , 1995, 14, 4422-4433.  | 3.5 | 34        |
| 544 | Energy buffering of DNA structure fails when <i>Escherichia coli</i> runs out of substrate. <i>Journal of Bacteriology</i> , 1995, 177, 3420-3426.   | 1.0 | 46        |
| 545 | Role of bicarbonate/CO <sub>2</sub> in the inhibition of <i>Escherichia coli</i> growth by cyanate. <i>Journal of Bacteriology</i> , 1995, 177, 3213-3219.   | 1.0 | 46        |
| 546 | A common switch in activation of the response regulators NtrC and PhoB: phosphorylation induces dimerization of the receiver modules.. <i>EMBO Journal</i> , 1995, 14, 3696-3705.  | 3.5 | 112       |
| 547 | The stability of <i>Escherichia coli</i> lacZ mRNA depends upon the simultaneity of its synthesis and translation.. <i>EMBO Journal</i> , 1995, 14, 3252-3261.   | 3.5 | 186       |
| 548 | AbrB modulates expression and catabolite repression of a <i>Bacillus subtilis</i> ribose transport operon. <i>Journal of Bacteriology</i> , 1995, 177, 6727-6731.  | 1.0 | 50        |
| 549 | Co-ordinated regulation of amino sugar biosynthesis and degradation: the NagC repressor acts as both an activator and a repressor for the transcription of the glmUS operon and requires two separated NagC binding sites.. <i>EMBO Journal</i> , 1995, 14, 3958-3965. | 3.5 | 98        |
| 550 | Factor for Inversion Stimulation-dependent Growth Rate Regulation of Serine and Threonine tRNA Species. <i>Journal of Biological Chemistry</i> , 1995, 270, 16610-16614.   | 1.6 | 20        |
| 551 | <sup>1</sup> H and <sup>15</sup> N Magnetic Resonance Assignments, Secondary Structure, and Tertiary Fold of <i>Escherichia coli</i> DnaJ(1-78). <i>Biochemistry</i> , 1995, 34, 5587-5596.  | 1.2 | 75        |
| 552 | Biosynthesis and characterization of hydroxybutyrate-hydroxycaproate copolymers. <i>International Journal of Biological Macromolecules</i> , 1995, 17, 86-92.  | 3.6 | 68        |
| 553 | Competitive accumulation of betaines by <i>Escherichia coli</i> K-12 and derivative strains lacking betaine porters. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1995, 1245, 116-120.  | 1.1 | 31        |
| 554 | Sequence of a novel virulence-mediating gene, virC, from <i>Vibrio anguillarum</i> . <i>Gene</i> , 1995, 164, 95-100.  | 1.0 | 20        |
| 555 | Functional Linkage Between the Active Site of $\beta$ -Lytic Protease and Distant Regions of Structure: Scanning Alanine Mutagenesis of a Surface Loop Affects Activity and Substrate Specificity. <i>Journal of Molecular Biology</i> , 1995, 251, 116-134.           | 2.0 | 45        |
| 556 | [42] Structure and posttranslational modification of lipoyl domain of 2-oxo-acid dehydrogenase multienzyme complexes. <i>Methods in Enzymology</i> , 1995, 251, 436-448.   | 0.4 | 4         |
| 557 | Regulation of scytonemin accumulation in cultures of <i>Scytonema ocellatum</i> . II. Nutrient requirements. <i>Applied Microbiology and Biotechnology</i> , 1995, 43, 692-700.  | 1.7 | 8         |
| 558 | Physical and Conformational Properties of Synthetic Idealized Signal Sequences Parallel Their Biological Function. <i>Biochemistry</i> , 1995, 34, 9904-9912.  | 1.2 | 47        |
| 559 | The SIGNAL experiment in BIORACK: <i>Escherichia coli</i> in microgravity. <i>Journal of Biotechnology</i> , 1996, 47, 89-97.  | 1.9 | 44        |
| 560 | A Synthetic Module for the metH Gene Permits Facile Mutagenesis of the Cobalamin-Binding Region of <i>Escherichia coli</i> Methionine Synthase: An Initial Characterization of Seven Mutant Proteins. <i>Biochemistry</i> , 1996, 35, 2453-2463.                       | 1.2 | 37        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 561 | Catalytic Role of the Amino-Terminal Proline in 4-Oxalocrotonate Tautomerase: Affinity Labeling and Heteronuclear NMR Studies. <i>Biochemistry</i> , 1996, 35, 803-813.   | 1.2  | 90        |
| 562 | Inhibition of <i>Serratia marcescens</i> nuclease secretion by a truncated nuclease peptide. <i>Gene</i> , 1996, 172, 9-16.   | 1.0  | 4         |
| 563 | In vivo positive effects of exogenous pyrophosphate on <i>Escherichia coli</i> cell growth and stationary phase survival. <i>Research in Microbiology</i> , 1996, 147, 597-608.   | 1.0  | 11        |
| 564 | Bacterial poly(A) polymerase: An enzyme that modulates RNA stability. <i>Biochimie</i> , 1996, 78, 390-398.   | 1.3  | 25        |
| 565 | The lacZ mRNA can be stabilised by the T7 late mRNA leader in <i>E. coli</i> . <i>Biochimie</i> , 1996, 78, 408-415.  | 1.3  | 11        |
| 566 | Regulation of the <i>Serratia marcescens</i> Extracellular Nuclease: Positive Control by a Homolog of P2 Ogr Encoded by a Cryptic Prophage. <i>Journal of Molecular Biology</i> , 1996, 256, 264-278.   | 2.0  | 29        |
| 567 | Analysis of the Ribosome Large Subunit Assembly and 23 S rRNA Stability in Vivo. <i>Journal of Molecular Biology</i> , 1996, 263, 396-410.  | 2.0  | 17        |
| 568 | Crystal Structure at 2.4 Å... Resolution of the Complex of Transducin $\beta\gamma$ and Its Regulator, Phosducin. <i>Cell</i> , 1996, 87, 577-588.  | 13.5 | 292       |
| 569 | Application of factorial and Doehlert designs for optimization of pectate lyase production by a recombinant <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 1996, 45, 764-770.  | 1.7  | 39        |
| 570 | Autoregulation of <i>iclR</i> , the gene encoding the repressor of the glyoxylate bypass operon. <i>Journal of Bacteriology</i> , 1996, 178, 321-324.   | 1.0  | 59        |
| 571 | Bacterial defense against aging: role of the <i>Escherichia coli</i> ArcA regulator in gene expression, readjusted energy flux and survival during stasis.. <i>EMBO Journal</i> , 1996, 15, 3219-3228.  | 3.5  | 101       |
| 572 | The binding site of the <i>IclR</i> repressor protein overlaps the promoter of <i>aceBAK</i> . <i>Journal of Bacteriology</i> , 1996, 178, 3982-3984.   | 1.0  | 32        |
| 573 | General stress transcription factor sigmaB of <i>Bacillus subtilis</i> is a stable protein. <i>Journal of Bacteriology</i> , 1996, 178, 3668-3670.  | 1.0  | 6         |
| 574 | Two-step secretion of the <i>Serratia marcescens</i> extracellular nuclease. <i>Journal of Bacteriology</i> , 1996, 178, 3771-3778.   | 1.0  | 16        |
| 575 | Metabolic effects of inhibitors of two enzymes of the branched-chain amino acid pathway in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1996, 178, 1187-1196.   | 1.0  | 32        |
| 576 | Effect of growth conditions on expression of the acid phosphatase ( <i>cyx-appA</i> ) operon and the <i>appY</i> gene, which encodes a transcriptional activator of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 1556-1564.  | 1.0  | 65        |
| 577 | Mecillinam resistance in <i>Escherichia coli</i> is conferred by loss of a second activity of the AroK protein. <i>Journal of Bacteriology</i> , 1996, 178, 3818-3828.  | 1.0  | 55        |
| 578 | Quinolone resistance mutations in topoisomerase IV: relationship to the <i>flqA</i> locus and genetic evidence that topoisomerase IV is the primary target and DNA gyrase is the secondary target of fluoroquinolones in <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1996, 40, 1881-1888. | 1.4  | 253       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 579 | Mutation in the structural gene for release factor 1 (RF-1) of <i>Salmonella typhimurium</i> inhibits cell division. <i>Journal of Bacteriology</i> , 1996, 178, 3829-3839.  | 1.0 | 9         |
| 580 | The histone-like protein H-NS acts as a transcriptional repressor for expression of the anaerobic and growth phase activator AppY of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 3418-3425.                          | 1.0 | 47        |
| 581 | Starvation-induced expression of retron-Ec107 and the role of ppGpp in multicopy single-stranded DNA production. <i>Journal of Bacteriology</i> , 1996, 178, 4438-4444.  | 1.0 | 14        |
| 582 | Bacteriophage PSP3 and phiR73 activator proteins: analysis of promoter specificities. <i>Journal of Bacteriology</i> , 1996, 178, 5668-5675.   | 1.0 | 23        |
| 583 | Effects of nutrition and growth rate on Lrp levels in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 6930-6936.   | 1.0 | 112       |
| 584 | Role of CodY in regulation of the <i>Bacillus subtilis</i> hut operon. <i>Journal of Bacteriology</i> , 1996, 178, 3779-3784.  | 1.0 | 54        |
| 585 | How to achieve constitutive expression of a gene within an inducible operon: the example of the nagC gene of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 2629-2636.  | 1.0 | 17        |
| 586 | Investigation of Oxygen Consumption by <i>E. coli</i> Immobilized in a Synthetic Biofilm Using a Thin Film Plug Reactor (TFPR). <i>Progress in Biotechnology</i> , 1996, , 304-312.  | 0.2 | 2         |
| 587 | Investigation of Gene Expression in Synthetic Biofilms to Extend the Activity of Immobilized Whole Cell Catalysts. <i>Progress in Biotechnology</i> , 1996, , 313-319.   | 0.2 | 1         |
| 588 | Structural studies of p21Waf1/Cip1/Sdi1 in the free and Cdk2-bound state: conformational disorder mediates binding diversity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 11504-11509. | 3.3 | 530       |
| 589 | Integration host factor amplifies the induction of the aceBAK operon of <i>Escherichia coli</i> by relieving IclR repression. <i>Journal of Bacteriology</i> , 1996, 178, 2715-2717.   | 1.0 | 34        |
| 590 | Efficient translation of the RpoS sigma factor in <i>Salmonella typhimurium</i> requires host factor I, an RNA-binding protein encoded by the hfq gene. <i>Journal of Bacteriology</i> , 1996, 178, 3763-3770.                                 | 1.0 | 191       |
| 591 | Induction of synthesis of tetrahydropyrimidine derivatives in <i>Streptomyces</i> strains and their effect on <i>Escherichia coli</i> in response to osmotic and heat stress. <i>Journal of Bacteriology</i> , 1996, 178, 385-395.             | 1.0 | 77        |
| 592 | Regulated expression of a repressor protein: FadR activates IclR. <i>Journal of Bacteriology</i> , 1996, 178, 4704-4709.   | 1.0 | 89        |
| 593 | Inorganic polyphosphate supports resistance and survival of stationary-phase <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 1394-1400.  | 1.0 | 254       |
| 594 | TnrA, a transcription factor required for global nitrogen regulation in <i>Bacillus subtilis</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 8841-8845.                              | 3.3 | 156       |
| 595 | The expression of <i>E.coli</i> threonyl-tRNA synthetase is regulated at the translational level by symmetrical operator-repressor interactions.. <i>EMBO Journal</i> , 1996, 15, 5976-5987.   | 3.5 | 52        |
| 596 | Physiological effects of translation initiation factor IF3 and ribosomal protein L20 limitation in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1996, 250, 705-714.  | 2.4 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 597 | Introduction and expression of the bacterial glyoxylate cycle genes in transgenic mice. <i>Transgenic Research</i> , 1996, 5, 467-473.  | 1.3 | 8         |
| 598 | Methods for Increasing Survivability During Storage of Exponentially Growing Bacteria. <i>Current Microbiology</i> , 1996, 33, 312-316.   | 1.0 | 1         |
| 599 | Degradation of the <i>Bacillus subtilis</i> xynA transcript is accelerated in response to stress. <i>Molecular Genetics and Genomics</i> , 1996, 251, 108-112.  | 2.4 | 6         |
| 600 | Changes in the Cellular Energy State Affect the Activity of the Bacterial Phosphotransferase System. <i>FEBS Journal</i> , 1996, 235, 225-230.  | 0.2 | 18        |
| 601 | Expression of heat shock protein D48.5 of <i>Escherichia coli</i> is subject to modulation by catabolite repression. <i>Microbiological Research</i> , 1996, 151, 273-280.  | 2.5 | 3         |
| 602 | Activation and regeneration of whole cell biocatalysts: Initial and periodic induction behavior in starved <i>Escherichia coli</i> after immobilization in thin synthetic films. , 1996, 51, 360-370.   |     | 21        |
| 603 | An alternative P II protein in the regulation of glutamine synthetase in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1996, 21, 133-146.   | 1.2 | 205       |
| 604 | Analysis of the shut-off of ribosomal RNA promoters in <i>Escherichia coli</i> upon entering the stationary phase of growth. <i>FEMS Microbiology Letters</i> , 1996, 140, 71-76.   | 0.7 | 27        |
| 605 | DNA supercoiling depends on the phosphorylation potential in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1996, 20, 351-360.   | 1.2 | 111       |
| 606 | Mutational analysis of the <i>Escherichia coli</i> spoT gene identifies distinct but overlapping regions involved in ppGpp synthesis and degradation. <i>Molecular Microbiology</i> , 1996, 19, 1373-1384.  | 1.2 | 163       |
| 607 | Dual regulation of the paraquat-inducible gene pqi-5 by SoxS and RpoS in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1996, 22, 53-61.   | 1.2 | 25        |
| 608 | Identification, Characterization, and Cloning of a Phosphonate Monoester Hydrolase from <i>Burkholderia caryophylli</i> PG2982. <i>Journal of Biological Chemistry</i> , 1996, 271, 25754-25761.  | 1.6 | 41        |
| 609 | Accumulation of a mRNA Decay Intermediate by Ribosomal Pausing at a Stop Codon. <i>Nucleic Acids Research</i> , 1996, 24, 1753-1757.  | 6.5 | 42        |
| 610 | Physiological responses of <i>Pseudomonas putida</i> KT2442 to phosphate starvation. <i>Microbiology (United Kingdom)</i> , 1996, 142, 155-163.   | 0.7 | 33        |
| 611 | Analysis of starvation conditions that allow for prolonged culturability of <i>Vibrio vulnificus</i> at low temperature. <i>Microbiology (United Kingdom)</i> , 1996, 142, 1675-1684.   | 0.7 | 38        |
| 612 | Stress resistance and recovery potential of culturable and viable but nonculturable cells of <i>Vibrio vulnificus</i> . <i>Microbiology (United Kingdom)</i> , 1996, 142, 845-853.  | 0.7 | 95        |
| 613 | Two Coryneform Bacteria Isolated from the Surface of French Gruyere and Beaufort Cheeses Are New Species of the Genus <i>Brachybacterium</i> : <i>Brachybacterium alimentarium</i> sp. nov. and <i>Brachybacterium tyrofermentans</i> sp. nov. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 81-87. | 2.8 | 79        |
| 614 | The Amino-terminal Charge and Core Region Hydrophobicity Interdependently Contribute to the Function of Signal Sequences. <i>Journal of Biological Chemistry</i> , 1996, 271, 21579-21582.  | 1.6 | 44        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 615 | Identification of essential residues in <i>Thermus thermophilus</i> DNA ligase. <i>Nucleic Acids Research</i> , 1996, 24, 3079-3085.  | 6.5 | 67        |
| 616 | Structures of Active Site Histidine Mutants of III <sub>Glc</sub> , a Major Signal-transducing Protein in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 1996, 271, 33446-33456.  | 1.6 | 20        |
| 617 | Guanosine Tetra- and Pentaphosphate Promote Accumulation of Inorganic Polyphosphate in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 21240-21243.   | 1.6 | 233       |
| 618 | Bacterial genetic loci implicated in the <i>Pseudomonas putida</i> GR12-2R3 "canola mutualism: identification of an exudate-inducible sugar transporter. <i>Canadian Journal of Microbiology</i> , 1997, 43, 809-818.   | 0.8 | 42        |
| 619 | The starvation-stress response of <i>Vibrio (Listonella) anguillarum</i> . <i>Microbiology (United Kingdom)</i> , 1997, 143, 2305-2312.   | 0.7 | 34        |
| 620 | Homologous regions of the <i>Salmonella enteritidis</i> virulence plasmid and the chromosome of <i>Salmonella typhi</i> encode thiol: disulphide oxidoreductases belonging to the DsbA thioredoxin family. <i>Microbiology (United Kingdom)</i> , 1997, 143, 1405-1413. | 0.7 | 24        |
| 621 | The spoU gene of <i>Escherichia coli</i> , the fourth gene of the spoT operon, is essential for tRNA (Gm18) 2'-O-methyltransferase activity. <i>Nucleic Acids Research</i> , 1997, 25, 4093-4097.   | 6.5 | 93        |
| 622 | Processing of the rne Transcript by an RNase E-independent Amino Acid-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 1997, 272, 15516-15520.   | 1.6 | 10        |
| 623 | A novel ribosome-associated protein is important for efficient translation in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1997, 179, 4567-4574.  | 1.0 | 45        |
| 624 | Expression of the <i>Bacillus subtilis</i> ureABC operon is controlled by multiple regulatory factors including CodY, GlnR, TnrA, and SpoOH. <i>Journal of Bacteriology</i> , 1997, 179, 5494-5501.   | 1.0 | 100       |
| 625 | Bacterial infection as assessed by in vivo gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 934-939.   | 3.3 | 246       |
| 626 | The Homodimeric Form of Glycine N-Methyltransferase Acts as a Polycyclic Aromatic Hydrocarbon-Binding Receptor. <i>Biochemistry</i> , 1997, 36, 9906-9910.  | 1.2 | 26        |
| 627 | <sup>13</sup> C NMR Analysis of the Cysteine-Sulfenic Acid Redox Center of Enterococcal NADH Peroxidase. <i>Biochemistry</i> , 1997, 36, 8611-8618.   | 1.2 | 42        |
| 628 | NMR Studies of the Secondary Structure in Solution and the Steroid Binding Site of <sup>14</sup> C-5-3-Ketosteroid Isomerase in Complexes with Diamagnetic and Paramagnetic Steroids. <i>Biochemistry</i> , 1997, 36, 3458-3472.  | 1.2 | 27        |
| 629 | Purification and assay of cobalamin-dependent methionine synthase from <i>Escherichia coli</i> . <i>Methods in Enzymology</i> , 1997, 281, 196-213.   | 0.4 | 40        |
| 630 | Structural requirements for the formation of 1-methylguanosine in vivo in tRNA GGG Pro of <i>Salmonella typhimurium</i> 1. Edited by J. Karn. <i>Journal of Molecular Biology</i> , 1997, 266, 283-296.   | 2.0 | 29        |
| 631 | Cooperative and non-cooperative DNA binding modes of catabolite control protein CcpA from <i>Bacillus megaterium</i> result from sensing two different signals. <i>Journal of Molecular Biology</i> , 1997, 266, 665-676.   | 2.0 | 130       |
| 632 | Inhibition of <i>Escherichia coli</i> protein synthesis by abortive translation of phage $\lambda$ minigenes. <i>Journal of Molecular Biology</i> , 1997, 269, 167-175.   | 2.0 | 24        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 633 | The low processivity of T7 RNA polymerase over the initially transcribed sequence can limit productive initiation in vivo. <i>Journal of Molecular Biology</i> , 1997, 269, 41-51.   | 2.0  | 30        |
| 634 | A nucleoprotein activation complex between the leucine-responsive regulatory protein and DNA upstream of the <i>gltBDF</i> operon in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1997, 270, 152-168.   | 2.0  | 45        |
| 635 | The universal stress protein, UspA, of <i>Escherichia coli</i> is phosphorylated in response to stasis. <i>Journal of Molecular Biology</i> , 1997, 274, 318-324.  | 2.0  | 94        |
| 636 | Chromosome and Low Copy Plasmid Segregation in <i>E. coli</i> : Visual Evidence for Distinct Mechanisms. <i>Cell</i> , 1997, 90, 1113-1121.  | 13.5 | 386       |
| 637 | Protein expression in response to folate stress in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1997, 179, 5648-5653.  | 1.0  | 22        |
| 638 | The <i>Escherichia coli</i> <i>stpA</i> gene is transiently expressed during growth in rich medium and is induced in minimal medium and by stress conditions. <i>Journal of Bacteriology</i> , 1997, 179, 909-918.   | 1.0  | 68        |
| 639 | Secretion of nuclease across the outer membrane of <i>Serratia marcescens</i> and its energy requirements. <i>Journal of Bacteriology</i> , 1997, 179, 677-683.  | 1.0  | 14        |
| 640 | Effects of $\sigma^S$ and the transcriptional activator AppY on induction of the <i>Escherichia coli</i> <i>hya</i> and <i>cbdAB-appA</i> operons in response to carbon and phosphate starvation. <i>Journal of Bacteriology</i> , 1997, 179, 2141-2146.                 | 1.0  | 75        |
| 641 | In vitro and in vivo characterization of novel mRNA motifs that bind special elongation factor SelB. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 6676-6681.   | 3.3  | 78        |
| 642 | The 32-kilobase <i>exp</i> gene cluster of <i>Rhizobium meliloti</i> directing the biosynthesis of galactoglucan: genetic organization and properties of the encoded gene products. <i>Journal of Bacteriology</i> , 1997, 179, 1375-1384.                               | 1.0  | 139       |
| 643 | Generation of Large Libraries of Random Mutants in <i>Bacillus subtilis</i> by PCR-Based Plasmid Multimerization. <i>BioTechniques</i> , 1997, 23, 304-310.  | 0.8  | 149       |
| 644 | Regulation of heme biosynthesis in <i>Salmonella typhimurium</i> : activity of glutamyl-tRNA reductase (HemA) is greatly elevated during heme limitation by a mechanism which increases abundance of the protein. <i>Journal of Bacteriology</i> , 1997, 179, 2907-2914. | 1.0  | 45        |
| 645 | Inorganic polyphosphate and the induction of <i>rpoS</i> expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 11210-11215.   | 3.3  | 179       |
| 646 | The $\epsilon$ -associated <i>leuX</i> specific tRNA Leu 5 affects type 1 fimbriation in pathogenic <i>Escherichia coli</i> by control of FimB recombinase expression. <i>Molecular Microbiology</i> , 1997, 25, 871-882.  | 1.2  | 65        |
| 647 | Requirement for the Proton-Pumping NADH Dehydrogenase I of <i>Escherichia Coli</i> in Respiration of NADH to Fumarate and Its Bioenergetic Implications. <i>FEBS Journal</i> , 1997, 244, 155-160.   | 0.2  | 117       |
| 648 | Efficient selection of scFv antibody phage by adsorption to in situ expressed antigens in tissue sections. <i>Journal of Immunological Methods</i> , 1997, 210, 11-23.   | 0.6  | 32        |
| 649 | A chemically defined minimal medium for the optimal culture of <i>Listeria</i> . <i>International Journal of Food Microbiology</i> , 1997, 35, 91-95.  | 2.1  | 84        |
| 650 | Water availability and the survival of <i>Salmonella typhimurium</i> in porous systems. <i>International Journal of Food Microbiology</i> , 1997, 36, 187-198.   | 2.1  | 50        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 651 | Plasmids for efficient single-copy gene cloning into <i>gdh2</i> and <i>trpC</i> of <i>Bacillus megaterium</i> DSM319 and QM B1551. <i>Applied Microbiology and Biotechnology</i> , 1997, 47, 543-546.   | 1.7 | 2         |
| 652 | Biosynthetic incorporation of tryptophan analogues into staphylococcal nuclease: Effect of 5-hydroxytryptophan and 7-azatryptophan on structure and stability. <i>Protein Science</i> , 1997, 6, 689-697.  | 3.1 | 49        |
| 653 | Integration host factor stimulates both FimB- and FimE-mediated site-specific DNA inversion that controls phase variation of type 1 fimbriae expression in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1997, 23, 705-707.          | 1.2 | 108       |
| 654 | <i>Escherichia coli</i> proteome analysis using the gene-protein database. <i>Electrophoresis</i> , 1997, 18, 1243-1251.   | 1.3 | 123       |
| 655 | Comparing the predicted and observed properties of proteins encoded in the genome of <i>Escherichia coli</i> K-12. <i>Electrophoresis</i> , 1997, 18, 1259-1313.   | 1.3 | 338       |
| 656 | <sup>1</sup> H, <sup>15</sup> N, and <sup>13</sup> C NMR resonance assignments for the DNA-binding domain of the BPV-1 E2 protein. <i>Journal of Biomolecular NMR</i> , 1998, 11, 457-458.   | 1.6 | 7         |
| 657 | A novel mode of DNA recognition by a $\beta$ -sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. <i>EMBO Journal</i> , 1998, 17, 5484-5496.   | 3.5 | 426       |
| 658 | Crystal structure of the CDK4/6 inhibitory protein p18INK4c provides insights into ankyrin-like repeat structure/function and tumor-derived p16INK4 mutations. <i>Nature Structural Biology</i> , 1998, 5, 74-81.                                | 9.7 | 80        |
| 659 | An <i>Escherichia coli</i> gene responsive to heavy metals. <i>FEMS Microbiology Letters</i> , 1998, 167, 107-111.   | 0.7 | 35        |
| 660 | Extraction of membrane proteins by differential solubilization for separation using two-dimensional gel electrophoresis. <i>Electrophoresis</i> , 1998, 19, 837-844.   | 1.3 | 507       |
| 661 | Synthesis of alkane hydroxylase of <i>Pseudomonas oleovorans</i> increases the iron requirement of <i>alk+</i> bacterial strains. , 1998, 57, 228-237.   |     | 16        |
| 662 | Engineering polyphosphate metabolism in <i>Escherichia coli</i> : Implications for bioremediation of inorganic contaminants. , 1998, 58, 231-239.  |     | 30        |
| 663 | Construction and characterization of F plasmid-based expression vectors. <i>Biotechnology and Bioengineering</i> , 1998, 59, 659-665.  | 1.7 | 39        |
| 664 | mRNA stability and plasmid copy number effects on gene expression from an inducible promoter system. , 1998, 59, 666-672.  |     | 53        |
| 665 | Optimization of polyphosphate degradation and phosphate secretion using hybrid metabolic pathways and engineered host strains. , 1998, 59, 754-761.  |     | 10        |
| 666 | Effect of <i>Escherichia coli</i> biomass composition on central metabolic fluxes predicted by a stoichiometric model. , 1998, 60, 230-238.  |     | 89        |
| 667 | In vitro evaluation of the toxicity of several dithiocarbamates using an <i>Escherichia coli</i> growth inhibition bioassay and the acetylcholinesterase inhibition test. <i>Environmental Toxicology and Water Quality</i> , 1998, 13, 165-174. | 0.7 | 18        |
| 668 | Selection of a subtilisin-hyperproducing <i>Bacillus</i> in a highly structured environment. <i>Applied Microbiology and Biotechnology</i> , 1998, 49, 290-294.  | 1.7 | 32        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 669 | High-Level Expression of Ice Nuclei in <i>Erwinia herbicola</i> Is Induced by Phosphate Starvation and Low Temperature. <i>Current Microbiology</i> , 1998, 36, 370-376.  | 1.0 | 21        |
| 670 | Functional citric acid cycle in an <i>arcA</i> mutant of <i>Escherichia coli</i> during growth with nitrate under anoxic conditions. <i>Archives of Microbiology</i> , 1998, 170, 1-7.  | 1.0 | 24        |
| 671 | <sup>15</sup> N backbone dynamics of the Sâ€¢peptide from ribonuclease A in its free and Sâ€¢protein bound forms: Toward a siteâ€¢specific analysis of entropy changes upon folding. <i>Protein Science</i> , 1998, 7, 389-402.   | 3.1 | 35        |
| 672 | Guanidine hydrochloride unfolding of a transmembrane Î²â€¢strand in FepA using siteâ€¢directed spin labeling. <i>Protein Science</i> , 1998, 7, 1469-1476.  | 3.1 | 34        |
| 673 | Control of the expression of the <i>manXYZ</i> operon in <i>Escherichia coli</i> : Mlc is a negative regulator of the mannose PTS. <i>Molecular Microbiology</i> , 1998, 27, 369-380.   | 1.2 | 114       |
| 674 | Negative transcriptional regulation of a positive regulator: the expression of <i>malT</i> , encoding the transcriptional activator of the maltose regulon of <i>Escherichia coli</i> , is negatively controlled by Mlc. <i>Molecular Microbiology</i> , 1998, 27, 381-390. | 1.2 | 96        |
| 675 | Alginate, inorganic polyphosphate, GTP and ppGpp synthesis co-regulated in <i>Pseudomonas aeruginosa</i> : implications for stationary phase survival and synthesis of RNA/DNA precursors. <i>Molecular Microbiology</i> , 1998, 27, 717-725.                               | 1.2 | 99        |
| 676 | Leucine alters the interaction of the leucine-responsive regulatory protein (Lrp) with the <i>fim</i> switch to stimulate site-specific recombination in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1998, 27, 751-761.                                       | 1.2 | 76        |
| 677 | Transcriptionâ€¢repair coupling factor is involved in carbon catabolite repression of the <i>Bacillus subtilis</i> hut and <i>gnt</i> operons. <i>Molecular Microbiology</i> , 1998, 27, 1031-1038.   | 1.2 | 78        |
| 678 | Regulation of type 1 fimbrial expression in uropathogenic <i>Escherichia coli</i> : heterogeneity of expression through sequence changes in the <i>fim</i> switch region. <i>Molecular Microbiology</i> , 1998, 28, 371-381.  | 1.2 | 39        |
| 679 | Effects of the <i>Escherichia coli</i> DNAâ€¢binding protein Hâ€¢NS on rRNA synthesis <i>in vivo</i> . <i>Molecular Microbiology</i> , 1998, 28, 641-653.   | 1.2 | 56        |
| 680 | Negative regulation by RpoS: a case of sigma factor competition. <i>Molecular Microbiology</i> , 1998, 29, 1039-1051.   | 1.2 | 260       |
| 681 | Expression of <i>pptsG</i> , the gene for the major glucose PTSâ€¢f transporter in <i>Escherichia coli</i> , is repressed by Mlcâ€¢f and induced by growth on glucose. <i>Molecular Microbiology</i> , 1998, 29, 1053-1063.   | 1.2 | 104       |
| 682 | The <i>Escherichia coli</i> threonyl-tRNA synthetase gene contains a split ribosomal binding site interrupted by a hairpin structure that is essential for autoregulation. <i>Molecular Microbiology</i> , 1998, 29, 1077-1090.   | 1.2 | 41        |
| 683 | Selection of a cDNA clone for chicken high-mobility-group 1 (HMG1) protein through its unusually conserved 3â€¢-untranslated region, and improved expression of recombinant HMG1 in <i>Escherichia coli</i> . <i>Gene</i> , 1998, 225, 97-105.                              | 1.0 | 16        |
| 684 | pH dependence of the function of sodium ion extrusion systems in <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1998, 1363, 231-237.  | 0.5 | 37        |
| 685 | Growth phase dependent stop codon readthrough and shift of translation reading frame in <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1998, 421, 237-242.   | 1.3 | 54        |
| 686 | Analysis of the conserved acidic residues in the regulatory domain of PhoB. <i>FEBS Letters</i> , 1998, 441, 242-246.   | 1.3 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 687 | Three-dimensional structure of the major autoantigen in primary biliary cirrhosis. <i>Gastroenterology</i> , 1998, 115, 139-146.  | 0.6 | 78        |
| 688 | Construction of chromosomally encoded secreted hemolysin fusion proteins by use of mini-TnhyA transposon. <i>FEMS Microbiology Letters</i> , 1998, 165, 187-192.  | 0.7 | 5         |
| 689 | Assignment of the N <sup>15</sup> μ <sup>2</sup> H and N <sup>15</sup> 1H Resonances at the Active-Center Histidine in Chymotrypsin and Subtilisin Complexed to Peptideboronic Acids without Specific <sup>15</sup> N Labeling. <i>Journal of the American Chemical Society</i> , 1998, 120, 3485-3489. | 6.6 | 13        |
| 690 | Nuclear Magnetic Resonance Structural and Ligand Binding Studies of BLBC, a Two-Domain Fragment of Barley Lectin. <i>Biochemistry</i> , 1998, 37, 116-128.  | 1.2 | 23        |
| 691 | Overexpression, Isotopic Labeling, and Spectral Characterization of <i>Enterobacter cloacae</i> Nitroreductase. <i>Protein Expression and Purification</i> , 1998, 13, 53-60.   | 0.6 | 18        |
| 692 | Isolation and Crystallization of Functionally Competent <i>Escherichia coli</i> Peptide Deformylase Forms Containing either Iron or Nickel in the Active Site. <i>Biochemical and Biophysical Research Communications</i> , 1998, 246, 342-346.   | 1.0 | 120       |
| 693 | Molecular analysis of the regulation of <i>csiD</i> , a carbon starvation-inducible gene in <i>Escherichia coli</i> that is exclusively dependent on $\sigma^S$ and requires activation by cAMP-CRP. Edited by M. Gottesman. <i>Journal of Molecular Biology</i> , 1998, 276, 339-353.                  | 2.0 | 100       |
| 694 | On the mechanism of inhibition of phage T7 RNA polymerase by <i>lac</i> repressor. Edited by R. E. Ebricht. <i>Journal of Molecular Biology</i> , 1998, 276, 861-875.   | 2.0 | 28        |
| 695 | RNA polymerase mutants that destabilize RNA Polymerase-Promoter complexes alter NTP-sensing by <i>rrn</i> P1 promoters. <i>Journal of Molecular Biology</i> , 1998, 279, 331-345.   | 2.0 | 101       |
| 696 | Ribosomal protein S1 is required for translation of most, if not all, natural mRNAs in <i>Escherichia coli</i> in vivo. <i>Journal of Molecular Biology</i> , 1998, 280, 561-569.   | 2.0 | 184       |
| 697 | Reduced misreading of asparagine codons by <i>Escherichia coli</i> tRNA Lys with hypomodified derivatives of 5-methylaminomethyl-2-thiouridine in the wobble position. Edited by D. E. Draper. <i>Journal of Molecular Biology</i> , 1998, 284, 33-42.  | 2.0 | 66        |
| 698 | The modification of the wobble base of tRNA <sup>Glu</sup> modulates the translation rate of glutamic acid codons in vivo. <i>Journal of Molecular Biology</i> , 1998, 284, 621-631.  | 2.0 | 106       |
| 699 | Aminoacylation of hypomodified tRNA <sup>Glu</sup> in vivo. <i>Journal of Molecular Biology</i> , 1998, 284, 609-620.   | 2.0 | 57        |
| 700 | Aberrant processing of wild-type and mutant bovine pancreatic trypsin inhibitor secreted by <i>Aspergillus niger</i> . <i>Journal of Biotechnology</i> , 1998, 63, 137-146.   | 1.9 | 21        |
| 701 | The supercoiling sensitivity of a bacterial tRNA promoter parallels its responsiveness to stringent control. <i>EMBO Journal</i> , 1998, 17, 2359-2367.   | 3.5 | 46        |
| 702 | NMR Solution Structure of the 21 kDa Chaperone Protein DnaK Substrate Binding Domain: A Preview of Chaperone-Protein Interaction. <i>Biochemistry</i> , 1998, 37, 7929-7940.  | 1.2 | 130       |
| 703 | Stationary phase, amino acid limitation and recovery from stationary phase modulate the stability and translation of chloramphenicol acetyltransferase mRNA and total mRNA in <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 1998, 144, 739-750.                                      | 0.7 | 16        |
| 704 | Identification and Stereospecificity of the First Three Enzymes of 3-Dimethylsulfonylpropionate Biosynthesis in a Chlorophyte Alga. <i>Plant Physiology</i> , 1998, 116, 369-378.   | 2.3 | 60        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 705 | The Analysis of Translational Activity Using a Reporter Gene Constructed from Repeats of an Antibody-Binding Domain from Protein A. , 1998, 77, 75-92.   |     | 12        |
| 706 | Monomeric Monocyte Chemoattractant Protein-1 (MCP-1) Binds and Activates the MCP-1 Receptor CCR2B. Journal of Biological Chemistry, 1998, 273, 33157-33165.  | 1.6 | 183       |
| 707 | Osmoregulatory transporter ProP influences colonization of the urinary tract by Escherichia coli. Microbiology (United Kingdom), 1998, 144, 91-102.  | 0.7 | 58        |
| 708 | The Protein Translocation Apparatus Contributes to Determining the Topology of an Integral Membrane Protein in Escherichia coli. Journal of Biological Chemistry, 1998, 273, 8419-8424.  | 1.6 | 19        |
| 709 | Conformational Correction Mechanisms Aiding Antigen Recognition by a Humanized Antibody. Journal of Experimental Medicine, 1998, 187, 479-485.   | 4.2 | 34        |
| 710 | Ligand-Induced Conformational Change in the Ferric Enterobactin Receptor FepA As Studied by Site-Directed Spin Labeling and Time-Domain ESR. Biochemistry, 1998, 37, 9016-9023.  | 1.2 | 34        |
| 711 | Preparation of Escherichia coli Samples for 2-D Gel Analysis. , 1999, 112, 21-30.  |     | 10        |
| 712 | Cloning and thermostability of TaqI endonuclease isoschizomers from Thermus species SM32 and Thermus filiformis Tok6A1. Biochemical Journal, 1998, 333, 425-431.   | 1.7 | 11        |
| 713 | Spatial Physiological Heterogeneity in <i>Pseudomonas aeruginosa</i> Biofilm Is Determined by Oxygen Availability. Applied and Environmental Microbiology, 1998, 64, 4035-4039.  | 1.4 | 448       |
| 714 | Effect of Temperature on In Vivo Protein Synthetic Capacity in <i>Escherichia coli</i> . Journal of Bacteriology, 1998, 180, 4704-4710.  | 1.0 | 203       |
| 715 | Inorganic Polyphosphate in <i>Escherichia coli</i> : the Phosphate Regulon and the Stringent Response. Journal of Bacteriology, 1998, 180, 2186-2193.  | 1.0 | 184       |
| 716 | Structural alterations of the tRNA(m1G37)methyltransferase from Salmonella typhimurium affect tRNA substrate specificity. Rna, 1999, 5, 395-408.   | 1.6 | 34        |
| 717 | Ferric Enterobactin Binding and Utilization by <i>Neisseria gonorrhoeae</i> . Journal of Bacteriology, 1999, 181, 2895-2901.   | 1.0 | 110       |
| 718 | Convergent Pathways for Utilization of the Amino Sugars <i>N</i> -Acetylglucosamine, <i>N</i> -Acetylmannosamine, and <i>N</i> -Acetylneuraminic Acid by <i>Escherichia coli</i> . Journal of Bacteriology, 1999, 181, 47-54.                        | 1.0 | 187       |
| 719 | Role of Escherichia coli RpoS, LexA and H-NS global regulators in metabolism and survival under aerobic, phosphate-starvation conditions. Microbiology (United Kingdom), 1999, 145, 1547-1562.   | 0.7 | 45        |
| 720 | Inorganic polyphosphate kinase is required to stimulate protein degradation and for adaptation to amino acid starvation in Escherichia coli. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 14264-14269. | 3.3 | 78        |
| 721 | The phytoalexins desoxyhemigossypol and hemigossypol are elicited by Xanthomonas in Gossypium cotyledons. Phytochemistry, 1999, 52, 829-836.   | 1.4 | 49        |
| 722 | Control of polyphosphate metabolism in genetically engineered Escherichia coli. Enzyme and Microbial Technology, 1999, 24, 21-25.  | 1.6 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 723 | Extensive regulation compromises the extent to which DNA gyrase controls DNA supercoiling and growth rate of <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1999, 266, 865-877.   | 0.2 | 31        |
| 724 | Type III secretion by <i>Salmonella typhimurium</i> does not require contact with a eukaryotic host. <i>Molecular Microbiology</i> , 1999, 31, 45-51.  | 1.2 | 35        |
| 725 | The molecular basis for the specificity of <i>fimE</i> in the phase variation of type 1 fimbriae of <i>Escherichia coli</i> K-12. <i>Molecular Microbiology</i> , 1999, 31, 1171-1181.   | 1.2 | 53        |
| 726 | The alarmone (p)ppGpp mediates physiological-responsive control at the sigma54-dependent <i>Po</i> promoter. <i>Molecular Microbiology</i> , 1999, 31, 1217-1228.  | 1.2 | 106       |
| 727 | Environmental regulation of <i>Salmonella</i> pathogenicity island 2 gene expression. <i>Molecular Microbiology</i> , 1999, 31, 1759-1773.   | 1.2 | 334       |
| 728 | Effect of loop deletions on the binding and transport of ferric enterobactin by FepA. <i>Molecular Microbiology</i> , 1999, 32, 1153-1165.   | 1.2 | 90        |
| 729 | Expression of the phosphotransferase system both mediates and is mediated by Mlc regulation in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1999, 33, 260-273.  | 1.2 | 72        |
| 730 | The C-terminal half of RNase E, which organizes the <i>Escherichia coli</i> degradosome, participates in mRNA degradation but not rRNA processing in vivo. <i>Molecular Microbiology</i> , 1999, 33, 188-199.  | 1.2 | 222       |
| 731 | A role for the leucine-responsive regulatory protein and integration host factor in the regulation of the <i>Salmonella</i> plasmid virulence ( <i>spv</i> ) locus in <i>Salmonella typhimurium</i> . <i>Molecular Microbiology</i> , 1999, 34, 134-145. | 1.2 | 46        |
| 732 | Library of Synthetic 5' Secondary Structures To Manipulate mRNA Stability in <i>Escherichia coli</i> . <i>Biotechnology Progress</i> , 1999, 15, 58-64.  | 1.3 | 97        |
| 733 | Studies on the roles of GlnK and GlnB in regulating <i>Klebsiella pneumoniae</i> NifL-dependent nitrogen control. <i>FEMS Microbiology Letters</i> , 1999, 180, 263-270.   | 0.7 | 40        |
| 734 | Mutations which alter the elbow region of tRNA <sup>2Gly</sup> reduce T4 gene 60 translational bypassing efficiency. <i>EMBO Journal</i> , 1999, 18, 2886-2896.  | 3.5 | 32        |
| 735 | Expression of the recombinant <i>Klebsiella aerogenes</i> UreF protein as a MalE fusion. <i>Archives of Pharmacal Research</i> , 1999, 22, 274-278.  | 2.7 | 9         |
| 736 | PhoB-dependent transcriptional activation of the <i>iciA</i> gene during starvation for phosphate in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1999, 262, 448-452.  | 2.4 | 22        |
| 737 | Genetic probing of the interaction between the translation factor SelB and its mRNA binding element in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1999, 262, 800-806.  | 2.4 | 21        |
| 738 | Extraction of <i>Escherichia coli</i> proteins with organic solvents prior to two-dimensional electrophoresis. <i>Electrophoresis</i> , 1999, 20, 701-704.   | 1.3 | 124       |
| 739 | Regulation of virulence genes by environmental signals in <i>Salmonella typhimurium</i> . <i>Electrophoresis</i> , 1999, 20, 813-817.  | 1.3 | 48        |
| 740 | Isotope-edited nuclear magnetic resonance: novel methodologies for investigating metabolism. <i>Pest Management Science</i> , 1999, 55, 215-217.   | 0.7 | 6         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 741 | Identification of phosphate-regulated genes by differential expression in the UV-irradiated host system. <i>Journal of Microbiological Methods</i> , 1999, 37, 93-96.  | 0.7  | 0         |
| 742 | Nutrient deprivation and the subsequent survival of biocontrol <i>Pseudomonas fluorescens</i> CHA0 in soil. <i>Soil Biology and Biochemistry</i> , 1999, 31, 1181-1188.  | 4.2  | 25        |
| 743 | A Model for Arrestin's Regulation: The 2.8 Å... Crystal Structure of Visual Arrestin. <i>Cell</i> , 1999, 97, 257-269.   | 13.5 | 396       |
| 744 | The ion coupling and organic substrate specificities of osmoregulatory transporter ProP in <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999, 1420, 30-44.  | 1.4  | 98        |
| 745 | Purification and Reconstitution of an Osmosensor: A Transporter ProP of <i>Escherichia coli</i> Senses and Responds to Osmotic Shifts. <i>Biochemistry</i> , 1999, 38, 1676-1684.  | 1.2  | 120       |
| 746 | Solution Structures of Apo and Holo Biotinyl Domains from Acetyl Coenzyme A Carboxylase of <i>Escherichia coli</i> Determined by Triple-Resonance Nuclear Magnetic Resonance Spectroscopy. <i>Biochemistry</i> , 1999, 38, 5045-5053.      | 1.2  | 75        |
| 747 | Heteronuclear NMR and Crystallographic Studies of Wild-Type and H187Q <i>Escherichia coli</i> Uracil DNA Glycosylase: Electrophilic Catalysis of Uracil Expulsion by a Neutral Histidine 187. <i>Biochemistry</i> , 1999, 38, 11876-11886. | 1.2  | 74        |
| 748 | Role of Conserved Arg40 and Arg117 in the Na <sup>+</sup> /Proline Transporter of <i>Escherichia coli</i> . <i>Biochemistry</i> , 1999, 38, 13523-13529.   | 1.2  | 27        |
| 749 | NMR Characterization of the Metallo-β-lactamase from <i>Bacteroides fragilis</i> and Its Interaction with a Tight-Binding Inhibitor: Role of an Active-Site Loop. <i>Biochemistry</i> , 1999, 38, 14507-14514.                             | 1.2  | 104       |
| 750 | Crystal Structure of Intact Elongation Factor EF-Tu from <i>Escherichia coli</i> in GDP Conformation at 2.05 Å... Resolution. <i>Journal of Molecular Biology</i> , 1999, 285, 1245-1256.  | 2.0  | 128       |
| 751 | A three-way junction and constituent stem-loops as the stimulator for programmed +1 frameshifting in bacterial insertion sequence IS 911-1. Edited by D. E. Draper. <i>Journal of Molecular Biology</i> , 1999, 286, 1365-1378.            | 2.0  | 45        |
| 752 | Discrimination by <i>Escherichia coli</i> initiation factor IF3 against initiation on non-canonical codons relies on complementarity rules. <i>Journal of Molecular Biology</i> , 1999, 290, 825-837.                                      | 2.0  | 46        |
| 754 | Fur Positive Regulation of Iron Superoxide Dismutase in <i>Escherichia coli</i> : Functional Analysis of the sodB Promoter. <i>Journal of Bacteriology</i> , 2000, 182, 3802-3808.   | 1.0  | 154       |
| 755 | Modulation of the phosphate-starvation response in <i>Escherichia coli</i> by genetic manipulation of the polyphosphate pathways. , 2000, 51, 434-438.   |      | 10        |
| 756 | The use of confocal scanning laser microscopy and other tools to characterize <i>Escherichia coli</i> in a high-cell-density synthetic biofilm. , 2000, 52, 340-356.   |      | 26        |
| 757 | Low-Copy Plasmids can Perform as Well as or Better Than High-Copy Plasmids for Metabolic Engineering of Bacteria. <i>Metabolic Engineering</i> , 2000, 2, 328-338.   | 3.6  | 237       |
| 758 | The role of the carboxyl terminal α-helical coiled-coil domain in osmosensing by transporter ProP of <i>Escherichia coli</i> . <i>Journal of Molecular Recognition</i> , 2000, 13, 309-322.  | 1.1  | 54        |
| 759 | Online and in situ monitoring of environmental pollutants: electrochemical biosensing of cadmium. <i>Environmental Microbiology</i> , 2000, 2, 285-290.  | 1.8  | 104       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 760 | Transfer RNA modification, temperature and DNA superhelicity have a common target in the regulatory network of the virulence of <i>Shigella flexneri</i> : the expression of the <i>virF</i> gene. <i>Molecular Microbiology</i> , 2000, 35, 924-935. | 1.2 | 139       |
| 761 | Identification of the <i>Escherichia coli</i> K-12 <i>Nramp</i> orthologue ( <i>MntH</i> ) as a selective divalent metal ion transporter. <i>Molecular Microbiology</i> , 2000, 35, 1065-1078.  | 1.2 | 217       |
| 762 | The bacteriophage T4 anti-sigma factor <i>AsiA</i> is not necessary for the inhibition of early promoters in vivo. <i>Molecular Microbiology</i> , 2000, 35, 1180-1191.   | 1.2 | 29        |
| 763 | Aromatic components of two ferric enterobactin binding sites in <i>Escherichia coli</i> <i>FepA</i> . <i>Molecular Microbiology</i> , 2000, 37, 1306-1317.  | 1.2 | 52        |
| 764 | Control of methionine biosynthesis in <i>Escherichia coli</i> by proteolysis. <i>Molecular Microbiology</i> , 2000, 37, 1436-1443.  | 1.2 | 55        |
| 765 | Riding the sulfur cycle " metabolism of sulfonates and sulfate esters in Gram-negative bacteria. <i>FEMS Microbiology Reviews</i> , 2000, 24, 135-175.  | 3.9 | 176       |
| 766 | Prokaryotic carbonic anhydrases. <i>FEMS Microbiology Reviews</i> , 2000, 24, 335-366.  | 3.9 | 566       |
| 767 | <i>Paramecium</i> GPI Proteins: Variability of Expression and Localization. <i>Protist</i> , 2000, 151, 161-169.  | 0.6 | 16        |
| 768 | Riding the sulfur cycle " metabolism of sulfonates and sulfate esters in Gram-negative bacteria. <i>FEMS Microbiology Reviews</i> , 2000, 24, 135-175.  | 3.9 | 295       |
| 769 | Title is missing!. <i>Biotechnology Letters</i> , 2000, 22, 1331-1335.  | 1.1 | 21        |
| 770 | Direct measurement of <sup>1</sup> H- <sup>1</sup> H dipolar couplings in proteins: a complement to traditional NOE measurements. <i>Journal of Biomolecular NMR</i> , 2000, 18, 23-31.   | 1.6 | 33        |
| 771 | Peptide and metal ion-dependent association of isolated helix-loop-helix calcium binding domains: Studies of thrombin fragments of calmodulin. <i>Protein Science</i> , 2000, 9, 964-975.   | 3.1 | 10        |
| 772 | Dual epitope recognition by the VASP EVH1 domain modulates polyproline ligand specificity and binding affinity. <i>EMBO Journal</i> , 2000, 19, 4903-4914.  | 3.5 | 120       |
| 773 | A novel regulatory role of glucose transporter of <i>Escherichia coli</i> : membrane sequestration of a global repressor <i>Mlc</i> . <i>EMBO Journal</i> , 2000, 19, 5344-5352.  | 3.5 | 123       |
| 774 | Identification of the ubiquitin interfacial residues in a ubiquitin-E2 covalent complex. <i>Journal of Biomolecular NMR</i> , 2000, 18, 319-327.  | 1.6 | 30        |
| 775 | Interdependence of Activation at <i>rhaSR</i> by Cyclic AMP Receptor Protein, the RNA Polymerase Alpha Subunit C-Terminal Domain, and <i>RhaR</i> . <i>Journal of Bacteriology</i> , 2000, 182, 6774-6782.  | 1.0 | 32        |
| 776 | Functions of the Membrane-Associated and Cytoplasmic Malate Dehydrogenases in the Citric Acid Cycle of <i>Corynebacterium glutamicum</i> . <i>Journal of Bacteriology</i> , 2000, 182, 6884-6891.   | 1.0 | 121       |
| 777 | Invariance of the Nucleoside Triphosphate Pools of <i>Escherichia coli</i> with Growth Rate. <i>Journal of Biological Chemistry</i> , 2000, 275, 3931-3935.   | 1.6 | 61        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 778 | AcrD of Escherichia coli Is an Aminoglycoside Efflux Pump. Journal of Bacteriology, 2000, 182, 1754-1756.   | 1.0 | 217       |
| 779 | Roles of Cyclic AMP Receptor Protein and the Carboxyl-Terminal Domain of the $\sigma^{70}$ Subunit in Transcription Activation of the Escherichia coli rhaBAD Operon. Journal of Bacteriology, 2000, 182, 3529-3535.                                  | 1.0 | 28        |
| 780 | Binding of Ferric Enterobactin by the Escherichia coli Periplasmic Protein FepB. Journal of Bacteriology, 2000, 182, 5359-5364.   | 1.0 | 79        |
| 781 | Coordinated, Differential Expression of Two Genes through Directed mRNA Cleavage and Stabilization by Secondary Structures. Applied and Environmental Microbiology, 2000, 66, 5399-5405.  | 1.4 | 71        |
| 782 | The Escherichia coli signal transducers PII (GlnB) and GlnK form heterotrimers in vivo: Fine tuning the nitrogen signal cascade. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 3942-3947.                | 3.3 | 51        |
| 783 | Functions of the Membrane-Associated and Cytoplasmic Malate Dehydrogenases in the Citric Acid Cycle of Escherichia coli. Journal of Bacteriology, 2000, 182, 6892-6899.   | 1.0 | 97        |
| 784 | The Last RNA-Binding Repeat of the Escherichia coli Ribosomal Protein S1 Is Specifically Involved in Autogenous Control. Journal of Bacteriology, 2000, 182, 5872-5879.   | 1.0 | 66        |
| 785 | Metabolic Engineering of an Aerobic Sulfate Reduction Pathway and Its Application to Precipitation of Cadmium on the Cell Surface. Applied and Environmental Microbiology, 2000, 66, 4497-4502.   | 1.4 | 84        |
| 786 | Global Gene Expression Profiling in Escherichia coli K12. Journal of Biological Chemistry, 2000, 275, 29672-29684.  | 1.6 | 245       |
| 787 | Genetic Evidence that Transcription Activation by RhaS Involves Specific Amino Acid Contacts with Sigma 70. Journal of Bacteriology, 2000, 182, 4959-4969.  | 1.0 | 55        |
| 788 | Engineering Hydrogen Sulfide Production and Cadmium Removal by Expression of the Thiosulfate Reductase Gene ( phsABC ) from Salmonella enterica Serovar Typhimurium in Escherichia coli. Applied and Environmental Microbiology, 2000, 66, 3939-3944. | 1.4 | 53        |
| 789 | Construction and Characterization of an Effector Strain of Streptococcus mutans for Replacement Therapy of Dental Caries. Infection and Immunity, 2000, 68, 543-549.  | 1.0 | 104       |
| 790 | Protein-protein interaction revealed by NMR T2 relaxation experiments: the lipoyl domain and E1 component of the pyruvate dehydrogenase multienzyme complex of Bacillus stearothermophilus. Journal of Molecular Biology, 2000, 295, 1023-1037.       | 2.0 | 19        |
| 791 | Endoribonuclease RegB from bacteriophage T4 is necessary for the degradation of early but not middle or late mRNAs. Edited by M. Yaniv. Journal of Molecular Biology, 2000, 297, 1063-1074.   | 2.0 | 44        |
| 792 | Purification and in vitro activities of the Bacillus subtilis TnrA transcription factor. Journal of Molecular Biology, 2000, 300, 29-40.  | 2.0 | 41        |
| 793 | Expression, Purification, Refolding, and Characterization of Recombinant Human Interleukin-13: Utilization of Intracellular Processing. Protein Expression and Purification, 2000, 20, 186-195.   | 0.6 | 23        |
| 794 | Structural Basis for Discrimination of 3-Phosphoinositides by Pleckstrin Homology Domains. Molecular Cell, 2000, 6, 373-384.  | 4.5 | 333       |
| 795 | Heteronuclear NMR studies of the specificity of the post-translational modification of biotinyl domains by biotinyl protein ligase. FEBS Letters, 2000, 479, 93-98.   | 1.3 | 15        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 796 | Silicon microbial bioreactor arrays. , 0, , .  |      | 3         |
| 797 | Global Regulatory Mutations in <i>csrA</i> and <i>rpoS</i> Cause Severe Central Carbon Stress in <i>Escherichia coli</i> in the Presence of Acetate. <i>Journal of Bacteriology</i> , 2000, 182, 1632-1640.  | 1.0  | 101       |
| 798 | Probing Protein-Protein Interactions with Mass Spectrometry. , 2000, 146, 223-238.   |      | 8         |
| 799 | Multiple Cleavage Activities of Endonuclease V from <i>Thermotoga maritima</i> : Recognition and Strand Nicking Mechanism. <i>Biochemistry</i> , 2001, 40, 8738-8748.  | 1.2  | 56        |
| 800 | Stringent Response Activates Quorum Sensing and Modulates Cell Density-Dependent Gene Expression in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2001, 183, 5376-5384.   | 1.0  | 198       |
| 801 | YfiD of <i>Escherichia coli</i> and Y06I of Bacteriophage T4 as Autonomous Glycyl Radical Cofactors Reconstituting the Catalytic Center of Oxygen-Fragmented Pyruvate Formate-Lyase. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 456-462.                            | 1.0  | 91        |
| 802 | Modulation of Lrp action in <i>Escherichia coli</i> by leucine: effects on non-specific binding of Lrp to DNA. <i>Journal of Molecular Biology</i> , 2001, 314, 1067-1075.   | 2.0  | 31        |
| 803 | Charging levels of four tRNA species in <i>Escherichia coli</i> Rel+ and Rel <sup>~</sup> strains during amino acid starvation: a simple model for the effect of ppGpp on translational accuracy <sup>11</sup> Edited by D. E. Draper. <i>Journal of Molecular Biology</i> , 2001, 307, 785-798. | 2.0  | 78        |
| 804 | High-level autoenhanced expression of a single-copy gene in <i>Escherichia coli</i> : overproduction of bacteriophage T7 protein kinase directed by T7 late genetic elements. <i>Gene</i> , 2001, 262, 231-238.  | 1.0  | 13        |
| 805 | <i>Bacillus subtilis</i> Glutamine Synthetase Controls Gene Expression through a Protein-Protein Interaction with Transcription Factor TnrA. <i>Cell</i> , 2001, 107, 427-435.   | 13.5 | 123       |
| 806 | Alterations in plant growth and in root hormone levels of lodgepole pines inoculated with rhizobacteria. <i>Canadian Journal of Microbiology</i> , 2001, 47, 793-800.  | 0.8  | 140       |
| 807 | Antimicrobial Properties and Mode of Action of the Pyrrothine Holomycin. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 532-539.   | 1.4  | 97        |
| 808 | Solution Structure of the Transcriptional Activation Domain of the Bacteriophage T4 Protein, MotA. <i>Biochemistry</i> , 2001, 40, 4293-4302.  | 1.2  | 15        |
| 809 | Quantitation of Rate Enhancements Attained by the Binding of Cobalamin to Methionine Synthase. <i>Biochemistry</i> , 2001, 40, 5056-5064.  | 1.2  | 37        |
| 810 | [16] Phenotype characterization of genetically defined microorganisms and growth of bacteriophage in biofilms. <i>Methods in Enzymology</i> , 2001, 336, 163-174.  | 0.4  | 10        |
| 811 | Requirements for Osmosensing and Osmotic Activation of Transporter ProP from <i>Escherichia coli</i> . <i>Biochemistry</i> , 2001, 40, 7324-7333.  | 1.2  | 59        |
| 812 | <i>Escherichia coli</i> Ribonuclease P. <i>Methods in Enzymology</i> , 2001, 342, 77-92.   | 0.4  | 3         |
| 813 | Aerobic sulfide production and cadmium precipitation by <i>Escherichia coli</i> expressing the <i>Treponema denticola</i> cysteine desulfhydrase gene. <i>Applied Microbiology and Biotechnology</i> , 2001, 56, 425-430.  | 1.7  | 60        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 814 | Effects of transcription induction homogeneity and transcript stability on expression of two genes in a constructed operon. <i>Applied Microbiology and Biotechnology</i> , 2001, 57, 689-696.                | 1.7 | 6         |
| 815 | Probing stability-activity relationships in the thermophilic proteasome from <i>Thermoplasma acidophilum</i> by random mutagenesis. <i>Extremophiles</i> , 2001, 5, 3-10.                                     | 0.9 | 6         |
| 816 | Expression of ribosome modulation factor (RMF) in <i>Escherichia coli</i> requires ppGpp. <i>Genes To Cells</i> , 2001, 6, 665-676.   | 0.5 | 92        |
| 817 | Increased bar minigene mRNA stability during cell growth inhibition. <i>Molecular Microbiology</i> , 2001, 39, 361-370.   | 1.2 | 7         |
| 818 | Non-growing <i>Escherichia coli</i> cells starved for glucose or phosphate use different mechanisms to survive oxidative stress. <i>Molecular Microbiology</i> , 2001, 39, 1048-1060.                         | 1.2 | 41        |
| 819 | PapB paralogues and their effect on the phase variation of type 1 fimbriae in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2001, 42, 319-330.  | 1.2 | 64        |
| 820 | Solution structure of the lipoyl domain of the chimeric dihydrolipoyl dehydrogenase P64K from <i>Neisseria meningitidis</i> . <i>FEBS Journal</i> , 2001, 268, 4908-4917.                                     | 0.2 | 9         |
| 821 | Analysis of an engineered sulfate reduction pathway and cadmium precipitation on the cell surface. <i>Biotechnology and Bioengineering</i> , 2001, 75, 285-291.   | 1.7 | 15        |
| 822 | Metabolic engineering of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) composition in recombinant <i>Salmonella enterica</i> serovar typhimurium. <i>Biotechnology and Bioengineering</i> , 2001, 76, 108-114. | 1.7 | 41        |
| 823 | Two-dimensional electrophoresis and peptide mass fingerprinting of bacterial outer membrane proteins. <i>Electrophoresis</i> , 2001, 22, 1686-1696.   | 1.3 | 97        |
| 824 | Crystal structure of the M-fragment of alpha-catenin: implications for modulation of cell adhesion. <i>EMBO Journal</i> , 2001, 20, 3645-3656.  | 3.5 | 68        |
| 825 | A dynamic competition between release factor 2 and the tRNA <sup>Sec</sup> decoding UGA at the recoding site of <i>Escherichia coli</i> formate dehydrogenase H. <i>EMBO Journal</i> , 2001, 20, 7284-7293.   | 3.5 | 32        |
| 826 | Survival of enteric bacteria in seawater: Table 1. <i>FEMS Microbiology Reviews</i> , 2001, 25, 513-529.  | 3.9 | 242       |
| 827 | Ribosomes with large synthetic N-terminal extensions of protein S15 are active in vivo. <i>BBA - Proteins and Proteomics</i> , 2001, 1544, 378-385.   | 2.1 | 2         |
| 828 | Exploring the catalytic center of TaqI endonuclease: rescuing catalytic activity by double mutations and Mn <sup>2+</sup> . <i>BBA - Proteins and Proteomics</i> , 2001, 1546, 253-260.                       | 2.1 | 4         |
| 829 | Microstructural factors controlling the survival of food-borne pathogens in porous media. <i>International Journal of Food Microbiology</i> , 2001, 66, 163-173.  | 2.1 | 20        |
| 830 | Microstructural effects on microbial survival: phase-separating dextran solutions. <i>International Journal of Food Microbiology</i> , 2001, 68, 187-197.   | 2.1 | 4         |
| 831 | Crystal Structure of Î²-Arrestin at 1.9 Å... <i>Structure</i> , 2001, 9, 869-880.   | 1.6 | 349       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 832 | Structure of melanoma inhibitory activity protein, a member of a recently identified family of secreted proteins. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 5515-5520.                                 | 3.3 | 53        |
| 833 | Molecular Determinants of Receptor Binding and Signaling by the CX3C Chemokine Fractalkine. Journal of Biological Chemistry, 2001, 276, 33906-33914.  | 1.6 | 42        |
| 834 | Structure of a Multifunctional Protein. Journal of Biological Chemistry, 2001, 276, 9246-9252.  | 1.6 | 117       |
| 835 | Role of d-Cysteine Desulphydrase in the Adaptation of Escherichia coli to d-Cysteine. Journal of Biological Chemistry, 2001, 276, 40864-40872.  | 1.6 | 70        |
| 836 | Genetic Evidence that the $\alpha$ 5 Helix of the Receiver Domain of PhoB Is Involved in Interdomain Interactions. Journal of Bacteriology, 2001, 183, 2204-2211.   | 1.0 | 29        |
| 837 | Regulation of Escherichia coli RelA Requires Oligomerization of the C-Terminal Domain. Journal of Bacteriology, 2001, 183, 570-579.   | 1.0 | 96        |
| 838 | Hybrid Protein between Ribosomal Protein S16 and RimM of Escherichia coli Retains the Ribosome Maturation Function of Both Proteins. Journal of Bacteriology, 2001, 183, 5352-5357.   | 1.0 | 11        |
| 839 | VARIATION OF ENZYME ACTIVITIES AT A BRANCHED PATHWAY INVOLVED IN THE UTILIZATION OF GLUCONATE IN ESCHERICHIA COLI. Evolution; International Journal of Organic Evolution, 2001, 55, 897.  | 1.1 | 10        |
| 840 | Activation from a Distance: Roles of Lrp and Integration Host Factor in Transcriptional Activation of gltBDF. Journal of Bacteriology, 2001, 183, 3910-3918.  | 1.0 | 26        |
| 841 | Growth Phase and Growth Rate Regulation of the rapA Gene, Encoding the RNA Polymerase-Associated Protein RapA in Escherichia coli. Journal of Bacteriology, 2001, 183, 6126-6134.   | 1.0 | 22        |
| 842 | Analysis of Escherichia coli Strains Causing Bacteriuria during Pregnancy: Selection for Strains That Do Not Express Type 1 Fimbriae. Infection and Immunity, 2001, 69, 794-799.  | 1.0 | 15        |
| 843 | Solution Structure of the p53 Regulatory Domain of the p19Arf Tumor Suppressor Protein. Biochemistry, 2001, 40, 2379-2386.  | 1.2 | 44        |
| 844 | Guanosine 5'-diphosphate 3'-diphosphate (ppGpp) Synthetic Activities on Escherichia coli SpoT Domains. Bioscience, Biotechnology and Biochemistry, 2002, 66, 1515-1523.   | 0.6 | 7         |
| 845 | Metabolic Engineering of a Novel Propionate-Independent Pathway for the Production of Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate) in Recombinant Salmonella enterica Serovar Typhimurium. Applied and Environmental Microbiology, 2002, 68, 3848-3854. | 1.4 | 96        |
| 846 | Intramolecular Regulation of the Opposing (p)ppGpp Catalytic Activities of Rel Seq, the Rel/Spo Enzyme from Streptococcus equisimilis. Journal of Bacteriology, 2002, 184, 2878-2888.   | 1.0 | 174       |
| 847 | From Genetic Footprinting to Antimicrobial Drug Targets: Examples in Cofactor Biosynthetic Pathways. Journal of Bacteriology, 2002, 184, 4555-4572.   | 1.0 | 251       |
| 848 | Accumulation of Inorganic Polyphosphate in phoU Mutants of Escherichia coli and Synechocystis sp. Strain PCC6803. Applied and Environmental Microbiology, 2002, 68, 4107-4110.  | 1.4 | 97        |
| 849 | Directed Mutagenesis and Plasmid-Based Complementation in the Methanogenic Archaeon Methanosarcina acetivorans C2A Demonstrated by Genetic Analysis of Proline Biosynthesis. Journal of Bacteriology, 2002, 184, 1449-1454.                             | 1.0 | 43        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 850 | Rapid assembly dynamics of the Escherichia coli FtsZ-ring demonstrated by fluorescence recovery after photobleaching. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 3171-3175.                  | 3.3 | 339       |
| 851 | Three Modifications in the D and T Arms of tRNA Influence Translation in Escherichia coli and Expression of Virulence Genes in Shigella flexneri. Journal of Bacteriology, 2002, 184, 5348-5357.   | 1.0 | 59        |
| 852 | The Glycolytic Flux in Escherichia coli Is Controlled by the Demand for ATP. Journal of Bacteriology, 2002, 184, 3909-3916.  | 1.0 | 315       |
| 853 | Superhumanized Antibodies: Reduction of Immunogenic Potential by Complementarity-Determining Region Grafting with Human Germline Sequences: Application to an Anti-CD28. Journal of Immunology, 2002, 169, 1119-1125.                        | 0.4 | 110       |
| 854 | DksA Affects ppGpp Induction of RpoS at a Translational Level. Journal of Bacteriology, 2002, 184, 4455-4465.  | 1.0 | 165       |
| 855 | Integration of Global Regulation of Two Aromatic-Responsive $\sigma^{54}$ -Dependent Systems: a Common Phenotype by Different Mechanisms. Journal of Bacteriology, 2002, 184, 760-770.   | 1.0 | 60        |
| 856 | A RelA-SpoT homolog (Cr-RSH) identified in Chlamydomonas reinhardtii generates stringent factor in vivo and localizes to chloroplasts in vitro. Nucleic Acids Research, 2002, 30, 4985-4992.   | 6.5 | 56        |
| 857 | Inorganic polyphosphate is essential for long-term survival and virulence factors in Shigella and Salmonella spp.. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 7675-7680.                     | 3.3 | 150       |
| 858 | An Acidocalcisomal Exopolyphosphatase from Leishmania major with High Affinity for Short Chain Polyphosphate. Journal of Biological Chemistry, 2002, 277, 50899-50906.   | 1.6 | 39        |
| 859 | NTP-sensing by rRNA promoters in Escherichia coli is direct. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 8602-8607.   | 3.3 | 97        |
| 860 | Adaptation to famine: A family of stationary-phase genes revealed by microarray analysis. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 13471-13476.  | 3.3 | 206       |
| 861 | Global Gene Expression Profiling in Escherichia coli K12. Journal of Biological Chemistry, 2002, 277, 40309-40323.   | 1.6 | 121       |
| 862 | Gene Expression Profiling of the pH Response in Escherichia coli. Journal of Bacteriology, 2002, 184, 6551-6558.   | 1.0 | 215       |
| 863 | Long-Chain Acyl-Homoserine Lactone Quorum-Sensing Regulation of Rhodobacter capsulatus Gene Transfer Agent Production. Journal of Bacteriology, 2002, 184, 6515-6521.  | 1.0 | 127       |
| 864 | Cooperativity in Signal Transfer through the Uhp System of Escherichia coli. Journal of Bacteriology, 2002, 184, 4205-4210.  | 1.0 | 29        |
| 865 | Global analysis of mRNA decay and abundance in Escherichia coli at single-gene resolution using two-color fluorescent DNA microarrays. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 9697-9702. | 3.3 | 782       |
| 866 | Mutational Analysis of Endonuclease V from Thermotoga maritima. Biochemistry, 2002, 41, 8342-8350.   | 1.2 | 27        |
| 867 | Iron-Sulfur Clusters of Biotin Synthase In Vivo: A Mössbauer Study. Biochemistry, 2002, 41, 15000-15006.   | 1.2 | 34        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 868 | A cytosolic tRNA with an unmodified adenosine in the wobble position reads a codon ending with the non-complementary nucleoside cytidine 1 Edited by D. Draper. <i>Journal of Molecular Biology</i> , 2002, 317, 481-492.                                 | 2.0 | 22        |
| 869 | Crystal Structure of <i>Trichomonas foetus</i> Inosine Monophosphate Dehydrogenase in Complex with the Inhibitor Ribavirin Monophosphate Reveals a Catalysis-dependent Ion-binding Site. <i>Journal of Biological Chemistry</i> , 2002, 277, 50654-50659. | 1.6 | 33        |
| 870 | SecA Specificity for Different Signal Peptides. <i>Biochemistry</i> , 2002, 41, 5573-5580.  | 1.2 | 30        |
| 871 | Identification of an Indispensable Amino Acid for ppGpp Synthesis of <i>Escherichia coli</i> SpoT Protein. <i>Bioscience, Biotechnology and Biochemistry</i> , 2002, 66, 2735-2738.   | 0.6 | 1         |
| 872 | Note The stringent response genes <i>relA</i> and <i>spoT</i> are important for <i>Escherichia coli</i> biofilms under slow-growth conditions. <i>Canadian Journal of Microbiology</i> , 2002, 48, 675-680.   | 0.8 | 64        |
| 873 | Reduction of iron by extracellular iron reductases: implications for microbial iron acquisition. <i>Archives of Biochemistry and Biophysics</i> , 2002, 400, 273-281.   | 1.4 | 59        |
| 874 | Tandem termination signals: myth or reality?. <i>FEBS Letters</i> , 2002, 514, 84-89.   | 1.3 | 22        |
| 875 | NMR Structure of Bacterial Ribosomal Protein L20: Implications for Ribosome Assembly and Translational Control. <i>Journal of Molecular Biology</i> , 2002, 323, 143-151.   | 2.0 | 24        |
| 876 | Maturation of [NiFe]-hydrogenases in <i>Escherichia coli</i> : The HypC Cycle. <i>Journal of Molecular Biology</i> , 2002, 324, 287-296.  | 2.0 | 92        |
| 877 | Chaperonin assisted overexpression, purification, and characterisation of human PP2A methyltransferase. <i>Protein Expression and Purification</i> , 2002, 26, 266-274.   | 0.6 | 4         |
| 878 | Biochemical, Molecular, and Genetic Analyses of the Acetone Carboxylases from <i>Xanthobacter autotrophicus</i> Strain Py2 and <i>Rhodobacter capsulatus</i> Strain B10. <i>Journal of Bacteriology</i> , 2002, 184, 2969-2977.                           | 1.0 | 57        |
| 879 | <i>Bacillus subtilis</i> 168 Contains Two Differentially Regulated Genes Encoding L-Asparaginase. <i>Journal of Bacteriology</i> , 2002, 184, 2148-2154.  | 1.0 | 66        |
| 880 | Influence of the stacking potential of the base 3??? of tandem shift codons on ???1 ribosomal frameshifting used for gene expression. <i>Rna</i> , 2002, 8, 16-28.  | 1.6 | 40        |
| 881 | DNA Array Analysis in a Microsoft® Windows® Environment. <i>BioTechniques</i> , 2002, 32, 110-119.  | 0.8 | 29        |
| 882 | Polyadenylation can regulate ColE1 type plasmid copy number independently of any effect on RNAI decay by decreasing the interaction of antisense RNAI with its RNAII target. <i>Plasmid</i> , 2002, 48, 49-58.  | 0.4 | 22        |
| 883 | Proteomic approaches to <i>Salmonella</i> Pathogenicity Island 2 encoded proteins and the SsrAB regulon. <i>Proteomics</i> , 2002, 2, 792-799.  | 1.3 | 8         |
| 884 | Effect of copy number and mRNA processing and stabilization on transcript and protein levels from an engineered dual-gene operon. <i>Biotechnology and Bioengineering</i> , 2002, 78, 412-424.  | 1.7 | 34        |
| 885 | Metabolic engineering of <i>Pseudomonas putida</i> for the utilization of parathion as a carbon and energy source. <i>Biotechnology and Bioengineering</i> , 2002, 78, 715-721.   | 1.7 | 45        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 886 | Affinity separation using an Fv antibody fragment-?smart? polymer conjugate. <i>Biotechnology and Bioengineering</i> , 2002, 79, 271-276.   | 1.7 | 46        |
| 887 | Effect of gene location, mRNA secondary structures, and RNase sites on expression of two genes in an engineered operon. <i>Biotechnology and Bioengineering</i> , 2002, 80, 762-776.  | 1.7 | 59        |
| 888 | Genetic analysis of pigment biosynthesis in <i>Xanthobacter autotrophicus</i> Py2 using a new, highly efficient transposon mutagenesis system that is functional in a wide variety of bacteria. <i>Archives of Microbiology</i> , 2002, 178, 193-201. | 1.0 | 266       |
| 889 | Juxtaposition of signal-peptide charge and core region hydrophobicity is critical for functional signal peptides. <i>Archives of Microbiology</i> , 2002, 178, 306-310.   | 1.0 | 14        |
| 890 | Origin-specific reduction of ColE1 plasmid copy number due to mutations in a distinct region of the <i>Escherichia coli</i> RNA polymerase. <i>Molecular Genetics and Genomics</i> , 2002, 267, 587-592.  | 1.0 | 15        |
| 891 | The universal stress protein paralogues of <i>Escherichia coli</i> are co-ordinately regulated and co-operate in the defence against DNA damage. <i>Molecular Microbiology</i> , 2002, 43, 107-117.   | 1.2 | 138       |
| 892 | The MotA transcription factor from bacteriophage T4 contains a novel DNA-binding domain: the "double wing" motif. <i>Molecular Microbiology</i> , 2002, 43, 1079-1088.  | 1.2 | 28        |
| 893 | Gene expression profiling of <i>Escherichia coli</i> growth transitions: an expanded stringent response model. <i>Molecular Microbiology</i> , 2002, 45, 289-306.   | 1.2 | 286       |
| 894 | Mutations in <i>Bacillus subtilis</i> glutamine synthetase that block its interaction with transcription factor TnrA. <i>Molecular Microbiology</i> , 2002, 45, 627-635.  | 1.2 | 28        |
| 895 | DNA supercoiling in <i>Escherichia coli</i> under tight and subtle homeostatic control, involving gene-expression and metabolic regulation of both topoisomerase <i>Fl</i> and DNA gyrase. <i>FEBS Journal</i> , 2002, 269, 1662-1669.                | 0.2 | 96        |
| 896 | A novel mechanism of tumorigenesis involving pH-dependent destabilization of a mutant p53 tetramer. <i>Nature Structural Biology</i> , 2002, 9, 12-16.  | 9.7 | 251       |
| 897 | Increased expression of the multidrug efflux genes <i>acrAB</i> occurs during slow growth of <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2002, 207, 91-95.   | 0.7 | 35        |
| 898 | Expression of selenomethionyl proteins in a prototrophic strain of <i>Escherichia coli</i> . <i>Analytical Biochemistry</i> , 2002, 307, 173-176.   | 1.1 | 2         |
| 899 | Microarray Analysis of Gene Expression during Bacteriophage T4 Infection. <i>Virology</i> , 2002, 299, 182-191.   | 1.1 | 68        |
| 900 | Solution structure and dynamics of melanoma inhibitory activity protein. <i>Journal of Biomolecular NMR</i> , 2002, 22, 211-223.  | 1.6 | 12        |
| 901 | A deep-sea hydrothermal vent isolate, <i>Pseudomonas aeruginosa</i> CW961, requires thiosulfate for Cd tolerance and precipitation. <i>Biotechnology Letters</i> , 2002, 24, 637-641.   | 1.1 | 26        |
| 902 | The extent to which ATP demand controls the glycolytic flux depends strongly on the organism and conditions for growth. <i>Molecular Biology Reports</i> , 2002, 29, 41-45.   | 1.0 | 40        |
| 903 | Gene expression analysis of the response by <i>Escherichia coli</i> to seawater. <i>Antonie Van Leeuwenhoek</i> , 2002, 81, 15-25.  | 0.7 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 904 | The function of SECIS RNA in translational control of gene expression in Escherichia coli. EMBO Journal, 2002, 21, 6925-6934.  | 3.5 | 45        |
| 905 | Assessment of antimicrobial activity of hydrophilic betaines in osmotically stressed bacteria. Antonie Van Leeuwenhoek, 2003, 83, 175-181.   | 0.7 | 11        |
| 906 | Identification and mutational studies of conserved amino acids in the outer membrane receptor protein, FepA, which affect transport but not binding of ferric-enterobactin in Escherichia coli. BioMetals, 2003, 16, 507-518.                  | 1.8 | 25        |
| 907 | Sequences that direct significant levels of frameshifting are frequent in coding regions of Escherichia coli. EMBO Journal, 2003, 22, 5941-5950.   | 3.5 | 74        |
| 908 | Trimethoprim Induces Heat Shock Proteins and Protein Aggregation in E. coli Cells. Current Microbiology, 2003, 47, 286-289.  | 1.0 | 10        |
| 909 | The Receptor Binding Protein P2 of PRD1, a Virus Targeting Antibiotic-Resistant Bacteria, Has a Novel Fold Suggesting Multiple Functions. Structure, 2003, 11, 309-322.  | 1.6 | 46        |
| 910 | A method for screening remove polyphosphate-accumulating mutants which remove phosphate efficiently from synthetic wastewater. Journal of Bioscience and Bioengineering, 2003, 95, 637-640.  | 1.1 | 25        |
| 911 | Identification of a major protein upon phosphate starvation of Pseudomonas aeruginosa PAO1. Journal of Basic Microbiology, 2003, 43, 36-46.  | 1.8 | 21        |
| 912 | Laser Spectroscopic Studies of Interactions of UVI with Bacterial Phosphate Species. Chemistry - A European Journal, 2003, 9, 2812-2818.   | 1.7 | 26        |
| 913 | Acidic pH is required for the functional assembly of the type III secretion system encoded by Salmonella pathogenicity island 2. FEMS Microbiology Letters, 2003, 226, 363-372.  | 0.7 | 56        |
| 914 | Distant cis-active sequences and sialic acid control the expression of fimB in Escherichia coli K-12. Molecular Microbiology, 2003, 49, 1109-1118.   | 1.2 | 50        |
| 915 | The RNA degradosome and poly(A) polymerase of Escherichia coli are required in vivo for the degradation of small mRNA decay intermediates containing REP-stabilizers. Molecular Microbiology, 2003, 51, 777-790.                               | 1.2 | 137       |
| 916 | Functional effects of deleting the coiled-coil motif in Escherichia coli elongation factor Ts. FEBS Journal, 2003, 270, 4294-4305.   | 0.2 | 11        |
| 917 | Are bacteria more like plants or animals? Growth rate and resource dependence of bacterial C:N:P stoichiometry. Functional Ecology, 2003, 17, 121-130.   | 1.7 | 308       |
| 918 | Putrescine or a combination of methionine and arginine restores virulence gene expression in a tRNA modification-deficient mutant of Shigella flexneri: a possible role in adaptation of virulence. Molecular Microbiology, 2003, 47, 519-527. | 1.2 | 44        |
| 919 | The modular structure of Escherichia coli threonyl-tRNA synthetase as both an enzyme and a regulator of gene expression. Molecular Microbiology, 2003, 47, 961-974.  | 1.2 | 30        |
| 920 | Global gene expression in Escherichia coli biofilms. Molecular Microbiology, 2003, 48, 253-267.  | 1.2 | 489       |
| 921 | Uropathogenic Escherichia coli use d-serine deaminase to modulate infection of the murine urinary tract. Molecular Microbiology, 2003, 49, 55-67.  | 1.2 | 79        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 922 | Crystallization and preliminary X-ray analysis of Î²-alanine synthase from the yeast <i>Saccharomyces kluyveri</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003, 59, 1267-1269.   | 2.5 | 6         |
| 923 | Overcoming technical variation and biological variation in quantitative proteomics. <i>Proteomics</i> , 2003, 3, 1912-1919.   | 1.3 | 259       |
| 924 | Genetic variability of the frameshift region in IS<i>911</i> transposable elements from <i>Escherichia coli</i> clinical isolates. <i>FEMS Microbiology Letters</i> , 2003, 218, 231-237.   | 0.7 | 6         |
| 925 | Maintenance of the correct open reading frame by the ribosome. <i>EMBO Reports</i> , 2003, 4, 499-504.  | 2.0 | 38        |
| 926 | Measuring Control of Transcription Initiation by Changing Concentrations of Nucleotides and Their Derivatives. <i>Methods in Enzymology</i> , 2003, 370, 606-617.   | 0.4 | 25        |
| 927 | Programmed translational -1 frameshifting on hexanucleotide motifs and the wobble properties of tRNAs. <i>EMBO Journal</i> , 2003, 22, 4770-4778.   | 3.5 | 55        |
| 928 | Osmosensor ProP of <i>Escherichia coli</i> Responds to the Concentration, Chemistry, and Molecular Size of Osmolytes in the Proteoliposome Lumen. <i>Biochemistry</i> , 2003, 42, 410-420.  | 1.2 | 86        |
| 929 | Creation of a Fully Functional Cysteine-Less Variant of Osmosensor and Proton-Osmoprotectant Symporter ProP from <i>Escherichia coli</i> and Its Application to Assess the Transporter's Membrane Orientation. <i>Biochemistry</i> , 2003, 42, 11815-11823.           | 1.2 | 41        |
| 930 | Crystal Structures of <i>Tritrichomonas foetus</i> Inosine Monophosphate Dehydrogenase in Complex with Substrate, Cofactor and Analogs: A Structural Basis for the Random-in Ordered-out Kinetic Mechanism. <i>Journal of Molecular Biology</i> , 2003, 326, 517-527. | 2.0 | 43        |
| 931 | Gene replacement without selection: regulated suppression of amber mutations in <i>Escherichia coli</i> . <i>Gene</i> , 2003, 311, 153-163.   | 1.0 | 153       |
| 932 | Whole-cell bacterial sensors for the monitoring of phosphate bioavailability. <i>Journal of Microbiological Methods</i> , 2003, 55, 221-229.  | 0.7 | 40        |
| 933 | Control of rRNA Expression by Small Molecules Is Dynamic and Nonredundant. <i>Molecular Cell</i> , 2003, 12, 125-134.   | 4.5 | 185       |
| 934 | Probing the Molecular Physiology of the Microbial Organism, <i>Escherichia coli</i> Using Proteomics. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2003, , 27-55.   | 0.6 | 7         |
| 935 | Expression of <i>spoT</i> in <i>Borrelia burgdorferi</i> during Serum Starvation. <i>Journal of Bacteriology</i> , 2003, 185, 444-452.  | 1.0 | 41        |
| 936 | Design of N-substituted Peptomer Ligands for EVH1 Domains. <i>Journal of Biological Chemistry</i> , 2003, 278, 36810-36818.   | 1.6 | 22        |
| 937 | Transcription of Bacteriophage PM2 Involves Phage-Encoded Regulators of Heterologous Origin. <i>Journal of Bacteriology</i> , 2003, 185, 3278-3287.   | 1.0 | 17        |
| 938 | Regulation of the <i>Escherichia coli</i> <i>rrnB</i> P2 Promoter. <i>Journal of Bacteriology</i> , 2003, 185, 28-34.   | 1.0 | 43        |
| 939 | Recombinant Fabs of Human Monoclonal Antibodies Specific to the Middle Epitope of GAD65 Inhibit Type 1 Diabetes-Specific GAD65 Abs. <i>Diabetes</i> , 2003, 52, 2689-2695.  | 0.3 | 81        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 940 | Genes of the GadX-GadW Regulon in Escherichia coli. Journal of Bacteriology, 2003, 185, 3190-3201.  | 1.0 | 116       |
| 941 | Photobactin: a Catechol Siderophore Produced by Photorhabdus luminescens , an Entomopathogen Mutually Associated with Heterorhabditis bacteriophora NC1 Nematodes. Applied and Environmental Microbiology, 2003, 69, 4706-4713.   | 1.4 | 68        |
| 942 | Mutational Analysis of a Conserved Signal-Transducing Element: the HAMP Linker of the Escherichia coli Nitrate Sensor NarX. Journal of Bacteriology, 2003, 185, 89-97.  | 1.0 | 75        |
| 943 | Changes in the Concentrations of Guanosine 5â€²-Diphosphate 3â€²-Diphosphate and the Initiating Nucleoside Triphosphate Account for Inhibition of rRNA Transcription in Fructose-1,6-Diphosphate Aldolase ( fda ) Mutants. Journal of Bacteriology, 2003, 185, 6192-6194. | 1.0 | 16        |
| 944 | Spectroscopic Observations of Ferric Enterobactin Transport. Journal of Biological Chemistry, 2003, 278, 1022-1028.   | 1.6 | 33        |
| 945 | Predicting bacterial transcription units using sequence and expression data. Bioinformatics, 2003, 19, i34-i43.   | 1.8 | 49        |
| 946 | Gene Cloning, Purification, and Characterization of a Phosphodiesterase from Delftia acidovorans. Applied and Environmental Microbiology, 2003, 69, 504-508.  | 1.4 | 29        |
| 947 | Regulatory Network of Escherichia coli: Consistency Between Literature Knowledge and Microarray Profiles. Genome Research, 2003, 13, 2435-2443.   | 2.4 | 104       |
| 948 | Increasing the Oxidative Stress Response Allows Escherichia coli To Overcome Inhibitory Effects of Condensed Tannins. Applied and Environmental Microbiology, 2003, 69, 3406-3411.  | 1.4 | 55        |
| 949 | GigaMatrix: A Novel Ultrahigh Throughput Protein Optimization and Discovery Platform. Methods in Enzymology, 2004, 388, 119-134.  | 0.4 | 20        |
| 950 | GntP Is the Escherichia coli Fructuronic Acid Transporter and Belongs to the UxuR Regulon. Journal of Bacteriology, 2004, 186, 7690-7696.   | 1.0 | 20        |
| 951 | Genome-Wide Analysis of Lipoprotein Expression in Escherichia coli MG1655. Journal of Bacteriology, 2004, 186, 3254-3258.   | 1.0 | 38        |
| 952 | Novel Phenotypes of Escherichia coli tat Mutants Revealed by Global Gene Expression and Phenotypic Analysis. Journal of Biological Chemistry, 2004, 279, 47543-47554.   | 1.6 | 62        |
| 953 | Conformational Changes in Human Arf1 on Nucleotide Exchange and Deletion of Membrane-binding Elements. Journal of Biological Chemistry, 2004, 279, 48307-48318.   | 1.6 | 21        |
| 954 | AstRâ€“AstS, a new two-component signal transduction system, mediates swarming, adaptation to stationary phase and phenotypic variation in Photorhabdus luminescens. Microbiology (United Tj ETQq0 0 0 rgBT /Overlock 20 Tf 50 17   |     |           |
| 955 | Recognition of Ferric Catecholates by FepA. Journal of Bacteriology, 2004, 186, 3578-3589.  | 1.0 | 60        |
| 956 | Penetration of Membrane-Containing Double-Stranded-DNA Bacteriophage PM2 into Pseudoalteromonas Hosts. Journal of Bacteriology, 2004, 186, 5342-5354.   | 1.0 | 40        |
| 957 | Characterization and Metabolic Function of a Peroxisomal Sarcosine and Pipecolate Oxidase from Arabidopsis. Journal of Biological Chemistry, 2004, 279, 16947-16953.  | 1.6 | 69        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 958 | Novel, Attached, Sulfur-Oxidizing Bacteria at Shallow Hydrothermal Vents Possess Vacuoles Not Involved in Respiratory Nitrate Accumulation. <i>Applied and Environmental Microbiology</i> , 2004, 70, 7487-7496.   | 1.4 | 67        |
| 959 | Elucidation of the Antibacterial Mechanism of the <i>Curvularia</i> Haloperoxidase System by DNA Microarray Profiling. <i>Applied and Environmental Microbiology</i> , 2004, 70, 1749-1757.  | 1.4 | 13        |
| 960 | Solution Structure of the Kaposi's Sarcoma-associated Herpesvirus K3 N-terminal Domain Reveals a Novel E2-binding C4HC3-type RING Domain. <i>Journal of Biological Chemistry</i> , 2004, 279, 53840-53847.   | 1.6 | 85        |
| 961 | Identification of Novel Virulence-Associated Genes via Genome Analysis of Hypothetical Genes. <i>Infection and Immunity</i> , 2004, 72, 1333-1340.   | 1.0 | 38        |
| 962 | A Motif Co-Occurrence Approach for Genome-Wide Prediction of Transcription-Factor-Binding Sites in <i>Escherichia coli</i> . <i>Genome Research</i> , 2004, 14, 201-208.   | 2.4 | 55        |
| 963 | Growth of <i>Escherichia coli</i> Coexpressing Phosphotriesterase and Glycerophosphodiester Phosphodiesterase, Using Paraoxon as the Sole Phosphorus Source. <i>Applied and Environmental Microbiology</i> , 2004, 70, 404-412.  | 1.4 | 67        |
| 964 | Uranyl Precipitation by <i>Pseudomonas aeruginosa</i> via Controlled Polyphosphate Metabolism. <i>Applied and Environmental Microbiology</i> , 2004, 70, 7404-7412.  | 1.4 | 106       |
| 965 | Amino Acid Contacts between Sigma 70 Domain 4 and the Transcription Activators RhaS and RhaR. <i>Journal of Bacteriology</i> , 2004, 186, 6277-6285.   | 1.0 | 38        |
| 966 | Novel Roles for the AIDA Adhesin from Diarrheagenic <i>Escherichia coli</i> : Cell Aggregation and Biofilm Formation. <i>Journal of Bacteriology</i> , 2004, 186, 8058-8065.   | 1.0 | 174       |
| 967 | Subcellular distribution of enzyme I of the <i>Escherichia coli</i> phosphoenolpyruvate:glycose phosphotransferase system depends on growth conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 17486-17491. | 3.3 | 17        |
| 968 | Relationship between Growth Rate and ATP Concentration in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 8262-8268.   | 1.6 | 163       |
| 969 | NMR Structure of the $\hat{\alpha}$ -Hemoglobin Stabilizing Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 34963-34970.  | 1.6 | 52        |
| 970 | The central domain of the matrix protein of HIV-1: influence on protein structure and virus infectivity. <i>Biological Chemistry</i> , 2004, 385, 303-13.  | 1.2 | 3         |
| 971 | Structurally Homologous Binding of Plant Calmodulin Isoforms to the Calmodulin-binding Domain of Vacuolar Calcium-ATPase. <i>Journal of Biological Chemistry</i> , 2004, 279, 7698-7707.   | 1.6 | 21        |
| 972 | Osmoregulatory Systems of <i>Escherichia coli</i> : Identification of Betaine-Carnitine-Choline Transporter Family Member BetU and Distributions of betU and trkG among Pathogenic and Nonpathogenic Isolates. <i>Journal of Bacteriology</i> , 2004, 186, 296-306.      | 1.0 | 53        |
| 973 | <i>Escherichia coli</i> Periplasmic Thiol Peroxidase Acts as Lipid Hydroperoxide Peroxidase and the Principal Antioxidative Function during Anaerobic Growth. <i>Journal of Biological Chemistry</i> , 2004, 279, 8769-8778.   | 1.6 | 62        |
| 974 | Reversible Phase Variation in the phnE Gene, Which Is Required for Phosphonate Metabolism in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 2004, 186, 6118-6123.  | 1.0 | 20        |
| 975 | Integrated regulatory responses of fimB to N-acetylneuraminic (sialic) acid and GlcNAc in <i>Escherichia coli</i> K-12. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 16322-16327.                                 | 3.3 | 106       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 976 | Solution Structure of Human Cofilin. <i>Journal of Biological Chemistry</i> , 2004, 279, 4840-4848.   | 1.6 | 122       |
| 977 | A codon window in mRNA downstream of the initiation codon where NGG codons give strongly reduced gene expression in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2004, 32, 5198-5205.  | 6.5 | 64        |
| 978 | The Conserved Cys-X 1 -X 2 -Cys Motif Present in the TtcA Protein Is Required for the Thiolation of Cytidine in Position 32 of tRNA from <i>Salmonella enterica</i> serovar Typhimurium. <i>Journal of Bacteriology</i> , 2004, 186, 750-757.   | 1.0 | 74        |
| 979 | Transcriptional Organization and Regulation of the l-Idonic Acid Pathway (GntII System) in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2004, 186, 1388-1397.   | 1.0 | 18        |
| 980 | Carbon nutrition of <i>Escherichia coli</i> in the mouse intestine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7427-7432.  | 3.3 | 463       |
| 981 | Conditional Lethal Amber Mutations in Essential <i>Escherichia coli</i> Genes. <i>Journal of Bacteriology</i> , 2004, 186, 2673-2681.   | 1.0 | 49        |
| 982 | Factors That Influence Selection of Coding Resumption Sites in Translational Bypassing. <i>Journal of Biological Chemistry</i> , 2004, 279, 11081-11087.  | 1.6 | 30        |
| 983 | Diversion of the Metabolic Flux from Pyruvate Dehydrogenase to Pyruvate Oxidase Decreases Oxidative Stress during Glucose Metabolism in Nongrowing <i>Escherichia coli</i> Cells Incubated under Aerobic, Phosphate Starvation Conditions. <i>Journal of Bacteriology</i> , 2004, 186, 7364-7368. | 1.0 | 49        |
| 984 | Protein Thiol Modifications Visualized In Vivo. <i>PLoS Biology</i> , 2004, 2, e333.  | 2.6 | 207       |
| 985 | The modified wobble nucleoside uridine-5-oxyacetic acid in tRNA <sup>Pro</sup> promotes reading of all four proline codons in vivo. <i>Rna</i> , 2004, 10, 1662-1673.   | 1.6 | 107       |
| 986 | Interaction of the E2 and E3 components of the pyruvate dehydrogenase multienzyme complex of <i>Bacillus stearothermophilus</i> . <i>FEBS Journal</i> , 2004, 272, 259-268.   | 2.2 | 24        |
| 987 | Unique roles of the rrn P2 rRNA promoters in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2004, 52, 1375-1387.   | 1.2 | 29        |
| 988 | Effects of RNA polymerase modifications on transcription-induced negative supercoiling and associated R-loop formation. <i>Molecular Microbiology</i> , 2004, 52, 1769-1779.  | 1.2 | 61        |
| 989 | Membrane localization itself but not binding to IICBGlc is directly responsible for the inactivation of the global repressor Mlc in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2004, 53, 941-951.  | 1.2 | 26        |
| 990 | RNase HI overproduction is required for efficient full-length RNA synthesis in the absence of topoisomerase I in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2004, 54, 198-211.   | 1.2 | 43        |
| 991 | The <i>svpA-srtB</i> locus of <i>Listeria monocytogenes</i> : Fur-mediated iron regulation and effect on virulence. <i>Molecular Microbiology</i> , 2004, 55, 927-940.  | 1.2 | 61        |
| 992 | p27 binds cyclin-CDK complexes through a sequential mechanism involving binding-induced protein folding. <i>Nature Structural and Molecular Biology</i> , 2004, 11, 358-364.  | 3.6 | 276       |
| 993 | Gel shift analysis of the <i>empA</i> promoter region in <i>Vibrio anguillarum</i> . <i>BMC Microbiology</i> , 2004, 4, 42.   | 1.3 | 4         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 994  | Cyclic enterobacterial common antigen: Potential contaminant of bacterially expressed protein preparations. <i>Journal of Biomolecular NMR</i> , 2004, 29, 199-204.   | 1.6 | 12        |
| 995  | The novel mutation K87E in ribosomal protein S12 enhances protein synthesis activity during the late growth phase in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 2004, 271, 317-324.                                   | 1.0 | 31        |
| 996  | A gene homologous to $\gamma$ -type carbonic anhydrase is essential for the growth of <i>Corynebacterium glutamicum</i> under atmospheric conditions. <i>Applied Microbiology and Biotechnology</i> , 2004, 63, 592-601.                      | 1.7 | 78        |
| 997  | Structural and sequence comparisons arising from the solution structure of the transcription elongation factor NusG from <i>Thermus thermophilus</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 56, 40-51.             | 1.5 | 30        |
| 998  | Highly phosphorylated bacterial proteins. <i>Proteomics</i> , 2004, 4, 3068-3077.   | 1.3 | 51        |
| 999  | Bacterial Communities Associated with Flowering Plants of the Ni Hyperaccumulator <i>Thlaspi goesingense</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 2667-2677.   | 1.4 | 477       |
| 1000 | The Roles of Active-Site Residues in the Catalytic Mechanism of trans-3-Chloroacrylic Acid Dehalogenase: A Kinetic, NMR, and Mutational Analysis. <i>Biochemistry</i> , 2004, 43, 4082-4091.  | 1.2 | 33        |
| 1001 | Solution Structure, Backbone Dynamics, and Association Behavior of the C-Terminal BRCT Domain from the Breast Cancer-Associated Protein BRCA1. <i>Biochemistry</i> , 2004, 43, 15983-15995.   | 1.2 | 26        |
| 1002 | Biofilm Development and Cell Death in the Marine Bacterium <i>Pseudoalteromonas tunicata</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 3232-3238.   | 1.4 | 120       |
| 1003 | Oxidative Stress Inactivates Cobalamin-Independent Methionine Synthase (MetE) in <i>Escherichia coli</i> . <i>PLoS Biology</i> , 2004, 2, e336.   | 2.6 | 141       |
| 1004 | Overexpression, Purification, and Characterization of ProQ, a Posttranslational Regulator for Osmoregulatory Transporter ProP of <i>Escherichia coli</i> . <i>Biochemistry</i> , 2004, 43, 12979-12989.                                       | 1.2 | 22        |
| 1005 | Characterization of an <i>Escherichia coli</i> <i>elaC</i> deletion mutant. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 1365-1373.  | 1.0 | 26        |
| 1006 | Engineering of <i>Escherichia coli</i> to improve the purification of periplasmic Fab <sup>2</sup> fragments: changing the pI of the chromosomally encoded PhoS/PstS protein. <i>Protein Expression and Purification</i> , 2004, 37, 109-118. | 0.6 | 10        |
| 1007 | Comparison of the Differential Context-dependence of DNA Deamination by APOBEC Enzymes: Correlation with Mutation Spectra in Vivo. <i>Journal of Molecular Biology</i> , 2004, 337, 585-596.  | 2.0 | 306       |
| 1008 | Two Homologous Domains of Similar Structure but Different Stability in the Yeast Linker Histone, Hho1p. <i>Journal of Molecular Biology</i> , 2004, 338, 139-148.   | 2.0 | 31        |
| 1009 | Regulation of DNA Binding of p53 by its C-terminal Domain. <i>Journal of Molecular Biology</i> , 2004, 342, 801-811.  | 2.0 | 94        |
| 1010 | In vivo functional characterization of the <i>Escherichia coli</i> ammonium channel AmtB: evidence for metabolic coupling of AmtB to glutamine synthetase. <i>Biochemical Journal</i> , 2005, 390, 215-222.                                   | 1.7 | 89        |
| 1011 | Carbonic anhydrase (Nce103p): an essential biosynthetic enzyme for growth of <i>Saccharomyces cerevisiae</i> at atmospheric carbon dioxide pressure. <i>Biochemical Journal</i> , 2005, 391, 311-316.   | 1.7 | 88        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1012 | Disruption of an intermonomer salt bridge in the p53 tetramerization domain results in an increased propensity to form amyloid fibrils. <i>Protein Science</i> , 2005, 14, 2993-3003.  | 3.1 | 25        |
| 1013 | Development of Industrial-Medium-Required Elimination of the 2,3-Butanediol Fermentation Pathway To Maintain Ethanol Yield in an Ethanologenic Strain of <i>Klebsiella oxytoca</i> . <i>Biotechnology Progress</i> , 2005, 21, 1366-1372.                        | 1.3 | 44        |
| 1014 | SspA is required for acid resistance in stationary phase by downregulation of H-NS in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2005, 56, 719-734.   | 1.2 | 88        |
| 1015 | Cytoplasmic degradation of ssrA-tagged proteins. <i>Molecular Microbiology</i> , 2005, 57, 1750-1761.  | 1.2 | 134       |
| 1016 | Sialic acid transport in <i>Haemophilus influenzae</i> is essential for lipopolysaccharide sialylation and serum resistance and is dependent on a novel tripartite ATP-independent periplasmic transporter. <i>Molecular Microbiology</i> , 2005, 58, 1173-1185. | 1.2 | 120       |
| 1017 | Effect of environmental and physiological factors on the antibacterial activity of <i>Curvularia</i> haloperoxidase system against <i>Escherichia coli</i> . <i>Journal of Applied Microbiology</i> , 2005, 98, 581-588.   | 1.4 | 9         |
| 1018 | Solution structure of choline binding protein A, the major adhesin of <i>Streptococcus pneumoniae</i> . <i>EMBO Journal</i> , 2005, 24, 34-43.   | 3.5 | 94        |
| 1019 | A "gain of function" mutation in a protein mediates production of novel modified nucleosides. <i>EMBO Journal</i> , 2005, 24, 1842-1851.   | 3.5 | 37        |
| 1020 | Structural insight into poly(A) binding and catalytic mechanism of human PARN. <i>EMBO Journal</i> , 2005, 24, 4082-4093.  | 3.5 | 102       |
| 1021 | Epitope analysis of insulin autoantibodies using recombinant Fab. <i>Clinical and Experimental Immunology</i> , 2005, 140, 564-571.  | 1.1 | 15        |
| 1022 | Iron limitation induces SpoT-dependent accumulation of ppGpp in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2005, 56, 958-970.   | 1.2 | 195       |
| 1023 | The multifarious short-term regulation of ammonium assimilation of <i>Escherichia coli</i> : dissection using an in silico replica. <i>FEBS Journal</i> , 2005, 272, 1965-1985.  | 2.2 | 62        |
| 1024 | Secondary structure assignment of mouse SOCS3 by NMR defines the domain boundaries and identifies an unstructured insertion in the SH2 domain. <i>FEBS Journal</i> , 2005, 272, 6120-6130.   | 2.2 | 45        |
| 1025 | Growing <i>E. coli</i> to high cell density – A historical perspective on method development. <i>Biotechnology Advances</i> , 2005, 23, 345-357.   | 6.0 | 363       |
| 1026 | Regulation of Formation of Threonyl-tRNA Synthetase, Phenylalanyl-tRNA Synthetase and Protein Synthesis Initiation Factor 3 from <i>Escherichia coli</i> in vivo and in vitro. <i>FEBS Journal</i> , 1982, 123, 477-482.   | 0.2 | 11        |
| 1027 | Quasi-continuous combined scattered light and fluorescence measurements: A novel measurement technique for shaken microtiter plates. <i>Biotechnology and Bioengineering</i> , 2005, 92, 61-68.  | 1.7 | 143       |
| 1028 | Solution NMR Studies of an Intrinsically Unstructured Protein within a Dilute, 75 kDa Eukaryotic Protein Assembly; Probing the Practical Limits for Efficiently Assigning Polypeptide Backbone Resonances. <i>ChemBioChem</i> , 2005, 6, 2242-2246.              | 1.3 | 15        |
| 1029 | Dynamic changes of GAD65 autoantibody epitope specificities in individuals at risk of developing type 1 diabetes. <i>Diabetologia</i> , 2005, 48, 922-930.   | 2.9 | 58        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1030 | Bacterial luciferase activity and the intracellular redox pool in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 2005, 274, 180-188.   | 1.0 | 36        |
| 1031 | Large-scale evaluation of quantitative reproducibility and proteome coverage using acid cleavable isotope coded affinity tag mass spectrometry for proteomic profiling. <i>Proteomics</i> , 2005, 5, 1204-1208.  | 1.3 | 57        |
| 1032 | Ubiquity of log-normal distributions in intra-cellular reaction dynamics. <i>Biophysics (Nagoya-shi,)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 66<br>0.4 145   | 0.4 | 145       |
| 1033 | Recovery from long-term stationary phase and stress survival in <i>Escherichia coli</i> require the l-isoaspartyl protein carboxyl methyltransferase at alkaline pH. <i>Microbiology (United Kingdom)</i> , 2005, 151, 2151-2158.  | 0.7 | 21        |
| 1034 | Cyclic AMP Receptor Protein and RhaR Synergistically Activate Transcription from the l-Rhamnose-Responsive rhaSR Promoter in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2005, 187, 6708-6718.  | 1.0 | 20        |
| 1035 | A Feedback-resistant Mutant of <i>Bacillus subtilis</i> Glutamine Synthetase with Pleiotropic Defects in Nitrogen-regulated Gene Expression. <i>Journal of Biological Chemistry</i> , 2005, 280, 33298-33304.  | 1.6 | 17        |
| 1036 | Global Transcriptional Programs Reveal a Carbon Source Foraging Strategy by <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 15921-15927.   | 1.6 | 189       |
| 1037 | The 120â€Š592â€Šbp IncF plasmid pRSB107 isolated from a sewage-treatment plant encodes nine different antibiotic-resistance determinants, two iron-acquisition systems and other putative virulence-associated functions. <i>Microbiology (United Kingdom)</i> , 2005, 151, 1095-1111. | 0.7 | 112       |
| 1038 | Evidence in vivo that the DEAD-box RNA helicase RhlB facilitates the degradation of ribosome-free mRNA by RNase E. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6913-6918.  | 3.3 | 65        |
| 1039 | Fis Regulates Transcriptional Induction of RpoS in <i>Salmonella enterica</i> . <i>Journal of Bacteriology</i> , 2005, 187, 1568-1580.   | 1.0 | 36        |
| 1040 | Assessment of Heat Resistance of Bacterial Spores from Food Product Isolates by Fluorescence Monitoring of Dipicolinic Acid Release. <i>Applied and Environmental Microbiology</i> , 2005, 71, 3556-3564.  | 1.4 | 126       |
| 1041 | CadC-Mediated Activation of the <i>cadBA</i> Promoter in <i>Escherichia coli</i>. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2005, 10, 26-39.  | 1.0 | 76        |
| 1042 | Shifts from glucose to certain secondary carbon-sources result in activation of the extracytoplasmic function sigma factor Ĭf E in <i>Salmonella enterica</i> serovar Typhimurium. <i>Microbiology (United Kingdom)</i> , 2005, 151, 2373-2383.  | 0.7 | 17        |
| 1043 | Feedback Inhibition of Chorismate Mutase/Prephenate Dehydrogenase (TyrA) of <i>Escherichia coli</i> : Generation and Characterization of Tyrosine-Insensitive Mutants. <i>Applied and Environmental Microbiology</i> , 2005, 71, 7224-7228.  | 1.4 | 89        |
| 1044 | Stationary-Phase Regulation of RpoS Translation in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2005, 187, 7204-7213.  | 1.0 | 36        |
| 1045 | Analysis of GAD65 Autoantibodies in Stiff-Person Syndrome Patients. <i>Journal of Immunology</i> , 2005, 175, 7755-7762.   | 0.4 | 133       |
| 1046 | Identification of GutQ from <i>Escherichia coli</i> as a d -Arabinose 5-Phosphate Isomerase. <i>Journal of Bacteriology</i> , 2005, 187, 6936-6942.  | 1.0 | 41        |
| 1047 | Global Gene Expression Profiling in <i>Escherichia coli</i> K12. <i>Journal of Biological Chemistry</i> , 2005, 280, 15084-15096.  | 1.6 | 235       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1048 | Characterization of <i>Vibrio cholerae</i> RyhB: the RyhB Regulon and Role of ryhB in Biofilm Formation. <i>Infection and Immunity</i> , 2005, 73, 5706-5719.   | 1.0 | 154       |
| 1049 | The Global Transcriptional Response of <i>Escherichia coli</i> to Induced $\sigma^{32}$ Protein Involves $\sigma^{32}$ Regulon Activation Followed by Inactivation and Degradation of $\sigma^{32}$ in Vivo. <i>Journal of Biological Chemistry</i> , 2005, 280, 17758-17768. | 1.6 | 128       |
| 1050 | Polyphosphate Kinase Protects <i>Salmonella enterica</i> from Weak Organic Acid Stress. <i>Journal of Bacteriology</i> , 2005, 187, 3088-3099.  | 1.0 | 40        |
| 1051 | Expression Levels Influence Ribosomal Frameshifting at the Tandem Rare Arginine Codons AGG_AGG and AGA_AGA in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2005, 187, 4023-4032.  | 1.0 | 45        |
| 1052 | The Osmotic Activation of Transporter ProP Is Tuned by Both Its C-terminal Coiled-coil and Osmotically Induced Changes in Phospholipid Composition. <i>Journal of Biological Chemistry</i> , 2005, 280, 41387-41394.  | 1.6 | 59        |
| 1053 | Effect of an Artificial RNA Marker on Gene Expression in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 4156-4159.   | 1.4 | 5         |
| 1054 | The TibA Adhesin/Invasin from Enterotoxigenic <i>Escherichia coli</i> Is Self Recognizing and Induces Bacterial Aggregation and Biofilm Formation. <i>Infection and Immunity</i> , 2005, 73, 1954-1963.   | 1.0 | 129       |
| 1055 | Modulation of the Sensitivity of FimB Recombination to Branched-Chain Amino Acids and Alanine in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 2005, 187, 6273-6280.   | 1.0 | 19        |
| 1056 | Iron Starvation Leads to Oxidative Stress in <i>Anabaena</i> sp. Strain PCC 7120. <i>Journal of Bacteriology</i> , 2005, 187, 6596-6598.  | 1.0 | 114       |
| 1057 | Multiple Regulators Control Expression of the Entner-Doudoroff Aldolase (Eda) of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2005, 187, 991-1000.  | 1.0 | 59        |
| 1058 | Why Does <i>Escherichia coli</i> Grow More Slowly on Glucosamine than on N -Acetylglucosamine? Effects of Enzyme Levels and Allosteric Activation of GlcN6P Deaminase (NagB) on Growth Rates. <i>Journal of Bacteriology</i> , 2005, 187, 2974-2982.                          | 1.0 | 64        |
| 1059 | Metabolic Genomics. <i>Advances in Microbial Physiology</i> , 2005, 50, 1-41e.  | 1.0 | 5         |
| 1060 | A Structural Model for the Osmosensor, Transporter, and Osmoregulator ProP of <i>Escherichia coli</i> . <i>Biochemistry</i> , 2005, 44, 5634-5646.  | 1.2 | 44        |
| 1061 | Competitive Interactions in Mixed-Species Biofilms Containing the Marine Bacterium <i>Pseudoalteromonas tunicata</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 1729-1736.   | 1.4 | 251       |
| 1062 | Cooperative Binding of the Leucine-Responsive Regulatory Protein (Lrp) to DNA. <i>Journal of Molecular Biology</i> , 2005, 345, 251-264.  | 2.0 | 43        |
| 1063 | Over Expression of a tRNA <sup>Leu</sup> Isoacceptor Changes Charging Pattern of Leucine tRNAs and Reveals New Codon Reading. <i>Journal of Molecular Biology</i> , 2005, 354, 16-24.   | 2.0 | 47        |
| 1064 | U2552 methylation at the ribosomal A-site is a negative modulator of translational accuracy. <i>Gene</i> , 2005, 347, 109-114.  | 1.0 | 40        |
| 1065 | Solution structure of the isolated Pelle death domain. <i>FEBS Letters</i> , 2005, 579, 3920-3926.  | 1.3 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1066 | Increased expression of a bacterial phosphotriesterase in <i>Escherichia coli</i> through directed evolution. <i>Protein Expression and Purification</i> , 2005, 41, 433-440.  | 0.6 | 31        |
| 1067 | Polyphosphate Metabolism in <i>Escherichia coli</i> . <i>Annals of the New York Academy of Sciences</i> , 1994, 745, 77-91.  | 1.8 | 24        |
| 1068 | Three-Dimensional <sup>13</sup> C-Detected CH <sub>3</sub> -TOCSY Using Selectively Protonated Proteins: A Facile Methyl Resonance Assignment and Protein Structure Determination. <i>Journal of the American Chemical Society</i> , 2006, 128, 9119-9128. | 6.6 | 23        |
| 1069 | Diguanylate Cyclases Control Magnesium-Dependent Motility of <i>Vibrio fischeri</i> . <i>Journal of Bacteriology</i> , 2006, 188, 8196-8205.   | 1.0 | 47        |
| 1070 | Global Changes in Cellular Gene Expression during Bacteriophage PRD1 Infection. <i>Journal of Virology</i> , 2006, 80, 8081-8088.  | 1.5 | 74        |
| 1071 | <i>Vibrio harveyi</i> and other bacterial pathogens in cultured summer flounder, <i>Paralichthys dentatus</i> . <i>Aquaculture</i> , 2006, 260, 10-20.   | 1.7 | 56        |
| 1072 | Structural and Biochemical Study of Effector Molecule Recognition by the <i>E. coli</i> Glyoxylate and Allantoin Utilization Regulatory Protein AllR. <i>Journal of Molecular Biology</i> , 2006, 358, 810-828.  | 2.0 | 24        |
| 1073 | Structure of a Complex of Tandem HMG Boxes and DNA. <i>Journal of Molecular Biology</i> , 2006, 360, 90-104.   | 2.0 | 107       |
| 1074 | Flexibility and Adaptability in Binding of <i>E. coli</i> Cytidine Repressor to Different Operators Suggests a Role in Differential Gene Regulation. <i>Journal of Molecular Biology</i> , 2006, 362, 271-286.   | 2.0 | 22        |
| 1076 | A novel mechanism of urease regulation in <i>Yersinia enterocolitica</i> . <i>FEMS Microbiology Letters</i> , 2006, 147, 221-226.  | 0.7 | 24        |
| 1077 | Histamine, histidine, and growth-phase mediated regulation of the histidine decarboxylase gene in lactic acid bacteria isolated from wine. <i>FEMS Microbiology Letters</i> , 2006, 260, 84-90.  | 0.7 | 40        |
| 1078 | Novel gene members in the Pho regulon of <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2006, 264, 104-109.  | 0.7 | 100       |
| 1079 | Longitudinal epitope analysis of insulin-binding antibodies in type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2006, 146, 9-14.   | 1.1 | 12        |
| 1080 | RecA protein of <i>Escherichia coli</i> and chromosome partitioning. <i>Molecular Microbiology</i> , 1992, 6, 2525-2537.   | 1.2 | 49        |
| 1081 | MazG - a regulator of programmed cell death in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2006, 59, 590-601.  | 1.2 | 119       |
| 1082 | Metabolic regulation of type III secretion gene expression in <i>Pseudomonas aeruginosa</i> . <i>Molecular Microbiology</i> , 2006, 59, 807-820.   | 1.2 | 98        |
| 1083 | RNase R affects gene expression in stationary phase: regulation of omp A. <i>Molecular Microbiology</i> , 2006, 60, 219-228.   | 1.2 | 73        |
| 1084 | Influences on gene expression in vivo by a Shine-Dalgarno sequence. <i>Molecular Microbiology</i> , 2006, 60, 480-492.   | 1.2 | 32        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1085 | IscR-dependent gene expression links iron-sulphur cluster assembly to the control of O <sub>2</sub> -regulated genes in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2006, 60, 1058-1075.  | 1.2  | 264       |
| 1086 | Induction of expression of <i>ohfG</i> by DksA is essential for <i>Shigella flexneri</i> virulence. <i>Molecular Microbiology</i> , 2006, 62, 469-479.  | 1.2  | 82        |
| 1087 | Analyzing the dynamic bacterial glycome with a lectin microarray approach. <i>Nature Chemical Biology</i> , 2006, 2, 153-157.   | 3.9  | 234       |
| 1088 | Apples, oranges and unknown fruit. <i>Nature Reviews Microbiology</i> , 2006, 4, 876-876.   | 13.6 | 18        |
| 1089 | Genetic analysis of glyphosate tolerance in <i>Halomonas variabilis</i> strain HTG7. <i>World Journal of Microbiology and Biotechnology</i> , 2006, 22, 681-686.  | 1.7  | 5         |
| 1090 | Two isocitrate dehydrogenases from a psychrophilic bacterium, <i>Colwellia psychrerythraea</i> . <i>Extremophiles</i> , 2006, 10, 237-249.  | 0.9  | 35        |
| 1091 | A rapid reporter system using GFP as a reporter protein for identification and screening of synthetic stationary-phase promoters in <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2006, 70, 229-236.                        | 1.7  | 9         |
| 1092 | Development of a defined medium supporting rapid growth for <i>Deinococcus radiodurans</i> and analysis of metabolic capacities. <i>Applied Microbiology and Biotechnology</i> , 2006, 72, 1074-1082.   | 1.7  | 18        |
| 1093 | Investigation of the functional properties and regulation of three glutamine synthetase-like genes in <i>Streptomyces coelicolor</i> A3(2). <i>Archives of Microbiology</i> , 2006, 186, 447-458.   | 1.0  | 45        |
| 1094 | Characterization of Ni-tolerant methylobacteria associated with the hyperaccumulating plant <i>Thlaspi goesingense</i> and description of <i>Methylobacterium goesingense</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2006, 29, 634-644. | 1.2  | 81        |
| 1095 | Anaerobic fermentation of glycerol by <i>Escherichia coli</i> : A new platform for metabolic engineering. <i>Biotechnology and Bioengineering</i> , 2006, 94, 821-829.  | 1.7  | 361       |
| 1096 | Mass spectrometry-based detection of transfer RNAs by their signature endonuclease digestion products. <i>Rna</i> , 2006, 13, 295-303.  | 1.6  | 78        |
| 1097 | Comparison of characteristics and function of translation termination signals between and within prokaryotic and eukaryotic organisms. <i>Nucleic Acids Research</i> , 2006, 34, 1959-1973.   | 6.5  | 54        |
| 1098 | Oligoribonuclease is a common downstream target of lithium-induced pAp accumulation in <i>Escherichia coli</i> and human cells. <i>Nucleic Acids Research</i> , 2006, 34, 2364-2373.  | 6.5  | 62        |
| 1099 | Activation of RegB endoribonuclease by S1 ribosomal protein requires an 11 nt conserved sequence. <i>Nucleic Acids Research</i> , 2006, 34, 6549-6560.  | 6.5  | 14        |
| 1100 | A mannose-sensitive haemagglutinin (MSHA)-like pilus promotes attachment of <i>Pseudoalteromonas tunicata</i> cells to the surface of the green alga <i>Ulva australis</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 2875-2883.               | 0.7  | 31        |
| 1101 | Low tyrosine content of growth media yields aflagellate <i>Salmonella enterica</i> serovar Typhimurium. <i>Microbiology (United Kingdom)</i> , 2006, 152, 23-28.  | 0.7  | 6         |
| 1102 | Functional Characterization of a Methionine $\hat{A}$ -Lyase in <i>Arabidopsis</i> and its Implication in an Alternative to the Reverse Trans-sulfuration Pathway. <i>Plant and Cell Physiology</i> , 2006, 48, 232-242.                                | 1.5  | 73        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1103 | Cyclic AMP-Dependent Osmoregulation of <i>crp</i> Gene Expression in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2006, 188, 5935-5944.  | 1.0 | 46        |
| 1104 | Identification and Characterization of a Hemolysin Gene Cluster in <i>Vibrio anguillarum</i> . <i>Infection and Immunity</i> , 2006, 74, 2777-2786.  | 1.0 | 63        |
| 1105 | Inhibition of Fungal Colonization by <i>Pseudoalteromonas tunicata</i> Provides a Competitive Advantage during Surface Colonization. <i>Applied and Environmental Microbiology</i> , 2006, 72, 6079-6087.  | 1.4 | 60        |
| 1106 | Regulation of Type 1 Fimbriae by Unlinked FimB- and FimE-Like Recombinases in Uropathogenic <i>Escherichia coli</i> Strain CFT073. <i>Infection and Immunity</i> , 2006, 74, 1072-1083.  | 1.0 | 82        |
| 1107 | Ecological Advantages of Autolysis during the Development and Dispersal of <i>Pseudoalteromonas tunicata</i> Biofilms. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5414-5420.  | 1.4 | 77        |
| 1108 | DsdX Is the Second d-Serine Transporter in Uropathogenic <i>Escherichia coli</i> Clinical Isolate CFT073. <i>Journal of Bacteriology</i> , 2006, 188, 6622-6628.   | 1.0 | 36        |
| 1109 | The Critical Roles of Polyamines in Regulating ColE7 Production and Restricting ColE7 Uptake of the Colicin-producing <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 13083-13091.   | 1.6 | 23        |
| 1110 | Limited Role for the DsrA and RprA Regulatory RNAs in <i>rpoS</i> Regulation in <i>Salmonella enterica</i> . <i>Journal of Bacteriology</i> , 2006, 188, 5077-5088.  | 1.0 | 29        |
| 1111 | Feedback-Resistant Mutations in <i>Bacillus subtilis</i> Glutamine Synthetase Are Clustered in the Active Site. <i>Journal of Bacteriology</i> , 2006, 188, 5966-5974.   | 1.0 | 12        |
| 1112 | Mineralization of Paraoxon and Its Use as a Sole C and P Source by a Rationally Designed Catabolic Pathway in <i>Pseudomonas putida</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 6699-6706.   | 1.4 | 53        |
| 1113 | Glycosylation of the Self-Recognizing <i>Escherichia coli</i> Ag43 Autotransporter Protein. <i>Journal of Bacteriology</i> , 2006, 188, 1798-1807.   | 1.0 | 97        |
| 1114 | Medium Plays a Role in Determining Expression of <i>acrB</i> , <i>marA</i> , and <i>soxS</i> in <i>Escherichia coli</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1071-1074.  | 1.4 | 23        |
| 1115 | Microbial Colonization and Competition on the Marine Alga <i>Ulva australis</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 5547-5555.   | 1.4 | 110       |
| 1116 | Conservation of Structure and Mechanism in Primary and Secondary Transporters Exemplified by SiaP, a Sialic Acid Binding Virulence Factor from <i>Haemophilus influenzae</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 22212-22222.  | 1.6 | 81        |
| 1117 | Molecular Basis of Formaldehyde Detoxification. <i>Journal of Biological Chemistry</i> , 2006, 281, 14514-14522.   | 1.6 | 118       |
| 1118 | Cross-Regulation of the <i>Bacillus subtilis</i> <i>glnRA</i> and <i>tnrA</i> Genes Provides Evidence for DNA Binding Site Discrimination by GlnR and TnrA. <i>Journal of Bacteriology</i> , 2006, 188, 2578-2585.   | 1.0 | 43        |
| 1119 | Substitution of a Highly Conserved Histidine in the <i>Escherichia coli</i> Heat Shock Transcription Factor, $\sigma^{32}$ , Affects Promoter Utilization In Vitro and Leads to Overexpression of the Biofilm-Associated Flu Protein In Vivo. <i>Journal of Bacteriology</i> , 2007, 189, 8430-8436. | 1.0 | 3         |
| 1120 | Genetic Evidence Suggests that the Intergenic Region between <i>pstA</i> and <i>pstB</i> Plays a Role in the Regulation of <i>rpoS</i> Translation during Phosphate Limitation. <i>Journal of Bacteriology</i> , 2007, 189, 1150-1153.   | 1.0 | 27        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1121 | Salicylic Acid, Yersiniabactin, and Pyoverdinin Production by the Model Phytopathogen <i>Pseudomonas syringae</i> pv. tomato DC3000: Synthesis, Regulation, and Impact on Tomato and <i>Arabidopsis</i> Host Plants. <i>Journal of Bacteriology</i> , 2007, 189, 6773-6786. | 1.0 | 60        |
| 1122 | Overexpression of a Zn <sup>2+</sup> -sensitive Soluble Exopolyphosphatase from <i>Trypanosoma cruzi</i> Depletes Polyphosphate and Affects Osmoregulation. <i>Journal of Biological Chemistry</i> , 2007, 282, 32501-32510.  | 1.6 | 33        |
| 1123 | Analysis of Temporal Gene Expression during <i>Bacillus subtilis</i> Spore Germination and Outgrowth. <i>Journal of Bacteriology</i> , 2007, 189, 3624-3634.  | 1.0 | 112       |
| 1124 | Comparative analysis of FimB and FimE recombinase activity. <i>Microbiology (United Kingdom)</i> , 2007, 153, 4138-4149.  | 0.7 | 30        |
| 1125 | Glyoxylate and Pyruvate Are Antagonistic Effectors of the <i>Escherichia coli</i> IclR Transcriptional Regulator. <i>Journal of Biological Chemistry</i> , 2007, 282, 16476-16491.  | 1.6 | 75        |
| 1126 | Modification of Lipopolysaccharide with Colanic Acid (M-antigen) Repeats in <i>Escherichia coli</i> *. <i>Journal of Biological Chemistry</i> , 2007, 282, 7790-7798.   | 1.6 | 84        |
| 1127 | Evidence of Ball-and-chain Transport of Ferric Enterobactin through FepA. <i>Journal of Biological Chemistry</i> , 2007, 282, 397-406.  | 1.6 | 71        |
| 1128 | Linker Regions of the RhaS and RhaR Proteins. <i>Journal of Bacteriology</i> , 2007, 189, 269-271.  | 1.0 | 12        |
| 1129 | Respiratory Nitrate Ammonification by <i>Shewanella oneidensis</i> MR-1. <i>Journal of Bacteriology</i> , 2007, 189, 656-662.   | 1.0 | 102       |
| 1130 | The Intracellular Concentration of Acetyl Phosphate in <i>Escherichia coli</i> Is Sufficient for Direct Phosphorylation of Two-Component Response Regulators. <i>Journal of Bacteriology</i> , 2007, 189, 5574-5581.  | 1.0 | 162       |
| 1131 | G-Protein Control of the Ribosome-Associated Stress Response Protein SpoT. <i>Journal of Bacteriology</i> , 2007, 189, 6140-6147.   | 1.0 | 84        |
| 1132 | The W148L substitution in the <i>Escherichia coli</i> ammonium channel AmtB increases flux and indicates that the substrate is an ion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18706-18711.                     | 3.3 | 59        |
| 1133 | YtqI from <i>Bacillus subtilis</i> has both oligoribonuclease and pAp-phosphatase activity. <i>Nucleic Acids Research</i> , 2007, 35, 4552-4561.  | 6.5 | 109       |
| 1134 | Roles of Serine Accumulation and Catabolism in the Colonization of the Murine Urinary Tract by <i>Escherichia coli</i> CFT073. <i>Infection and Immunity</i> , 2007, 75, 5298-5304.   | 1.0 | 77        |
| 1135 | Methods of Changing Biopolymer Volume Fraction and Cytoplasmic Solute Concentrations for In Vivo Biophysical Studies. <i>Methods in Enzymology</i> , 2007, 428, 487-504.  | 0.4 | 23        |
| 1136 | The Lysine Decarboxylase CadA Protects <i>Escherichia coli</i> Starved of Phosphate against Fermentation Acids. <i>Journal of Bacteriology</i> , 2007, 189, 2249-2261.  | 1.0 | 90        |
| 1137 | Polyadenylation of a functional mRNA controls gene expression in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2007, 35, 2494-2502.   | 6.5 | 52        |
| 1138 | Adaptation in bacterial flagellar and motility systems: from regulon members to "foraging"-like behavior in <i>E. coli</i> . <i>Nucleic Acids Research</i> , 2007, 35, 4441-4452.   | 6.5 | 146       |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1139 | Regulatory circuit based on autogenous activation-repression: roles of C-boxes and spacer sequences in control of the PvuII restriction-modification system. <i>Nucleic Acids Research</i> , 2007, 35, 6935-6952.   | 6.5  | 31        |
| 1140 | Pseudouridylation of helix 69 of 23S rRNA is necessary for an effective translation termination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19410-19415.   | 3.3  | 54        |
| 1141 | Mutations in Residues Involved in Zinc Binding in the Catalytic Site of <i>Escherichia coli</i> Threonyl-tRNA Synthetase Confer a Dominant Lethal Phenotype. <i>Journal of Bacteriology</i> , 2007, 189, 6839-6848.   | 1.0  | 5         |
| 1142 | Transcription Activation by the DNA-Binding Domain of the AraC Family Protein RhaS in the Absence of Its Effector-Binding Domain. <i>Journal of Bacteriology</i> , 2007, 189, 4984-4993.  | 1.0  | 25        |
| 1143 | A <i>Bacillus subtilis</i> fusion protein system to produce soybean Bowman's Birk protease inhibitor. <i>Protein Expression and Purification</i> , 2007, 55, 40-52.   | 0.6  | 11        |
| 1144 | Cdk-Inhibitory Activity and Stability of p27Kip1 Are Directly Regulated by Oncogenic Tyrosine Kinases. <i>Cell</i> , 2007, 128, 269-280.  | 13.5 | 312       |
| 1145 | Interaction of a G Protein-coupled Receptor with a G Protein-derived Peptide Induces Structural Changes in both Peptide and Receptor: A Fourier-transform Infrared Study Using Isotopically Labeled Peptides. <i>Journal of Molecular Biology</i> , 2007, 366, 1580-1588. | 2.0  | 19        |
| 1146 | Mapping Intramolecular Interactions between Domains in HMGB1 using a Tail-truncation Approach. <i>Journal of Molecular Biology</i> , 2007, 374, 1286-1297.  | 2.0  | 68        |
| 1147 | A Structural Viral Mimic of Prosurvival Bcl-2: Pivotal Role for Sequestering Proapoptotic Bax and Bak. <i>Molecular Cell</i> , 2007, 25, 933-942.   | 4.5  | 125       |
| 1148 | FepA- and TonB-Dependent Bacteriophage H8: Receptor Binding and Genomic Sequence. <i>Journal of Bacteriology</i> , 2007, 189, 5658-5674.  | 1.0  | 83        |
| 1149 | Monitoring of gene knockouts: genome-wide profiling of conditionally essential genes. <i>Genome Biology</i> , 2007, 8, R87.   | 13.9 | 8         |
| 1150 | Influence of Amino Acids on Low-Density <i>Escherichia coli</i> Responses to Nutrient Downshifts. <i>Journal of Bacteriology</i> , 2007, 189, 3099-3105.  | 1.0  | 9         |
| 1151 | Bacterial Osmosensing Transporters. <i>Methods in Enzymology</i> , 2007, 428, 77-107.   | 0.4  | 86        |
| 1152 | Structural and Functional Analysis of ProQ: An Osmoregulatory Protein of <i>Escherichia coli</i> . <i>Biochemistry</i> , 2007, 46, 3084-3095.   | 1.2  | 23        |
| 1153 | Functional Analysis of the Carboxy-Terminal Region of <i>Bacillus subtilis</i> TnrA, a MerR Family Protein. <i>Journal of Bacteriology</i> , 2007, 189, 20-27.  | 1.0  | 20        |
| 1154 | Structure and Function of Transmembrane Segment XII in Osmosensor and Osmoprotectant Transporter ProP of <i>Escherichia coli</i> . <i>Biochemistry</i> , 2007, 46, 5647-5655.   | 1.2  | 19        |
| 1155 | Rapid Changes in Gene Expression Dynamics in Response to Superoxide Reveal SoxRS-Dependent and Independent Transcriptional Networks. <i>PLoS ONE</i> , 2007, 2, e1186.  | 1.1  | 131       |
| 1156 | Peptide design and structural characterization of a GPCR loop mimetic. <i>Biopolymers</i> , 2007, 86, 298-310.  | 1.2  | 18        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1157 | Untersuchungen zur Erhaltung des Plasmids <i>pBR 322</i> in diskontinuierlicher Kultur von <i>Escherichia coli</i> K12 C600. Zeitschrift Fur Allgemeine Mikrobiologie, 1982, 22, 273-277.  | 0.0 | 0         |
| 1158 | Balancing a heterologous mevalonate pathway for improved isoprenoid production in <i>Escherichia coli</i> . Metabolic Engineering, 2007, 9, 193-207.   | 3.6 | 388       |
| 1159 | Metabolic flux elucidation for large-scale models using <sup>13</sup> C labeled isotopes. Metabolic Engineering, 2007, 9, 387-405.   | 3.6 | 104       |
| 1160 | Translation initiation region sequence preferences in <i>Escherichia coli</i> . BMC Molecular Biology, 2007, 8, 100.   | 3.0 | 88        |
| 1161 | Functional consequences of exchanging domains between LacI and PurR are mediated by the intervening linker sequence. Proteins: Structure, Function and Bioinformatics, 2007, 68, 375-388.  | 1.5 | 35        |
| 1162 | Comparison of SDS- and methanol-assisted protein solubilization and digestion methods for <i>Escherichia coli</i> membrane proteome analysis by 2-D LC-MS/MS. Proteomics, 2007, 7, 484-493.                                      | 1.3 | 117       |
| 1163 | VARIATION OF ENZYME ACTIVITIES AT A BRANCHED PATHWAY INVOLVED IN THE UTILIZATION OF GLUCONATE IN <i>ESCHERICHIA COLI</i> . Evolution; International Journal of Organic Evolution, 2007, 55, 897-908.                             | 1.1 | 0         |
| 1164 | GAD65 autoantibody epitopes in adult patients with latent autoimmune diabetes following GAD65 vaccination. Diabetic Medicine, 2007, 24, 521-526.   | 1.2 | 20        |
| 1165 | Multiple $\sigma^E$ regulatory elements and IHF are necessary for the control of fimB expression in response to sialic acid and N-acetylglucosamine in <i>Escherichia coli</i> K12. Molecular Microbiology, 2007, 63, 1223-1236. | 1.2 | 43        |
| 1166 | Cardiolipin promotes polar localization of osmosensory transporter ProP in <i>Escherichia coli</i> . Molecular Microbiology, 2007, 64, 1455-1465.  | 1.2 | 158       |
| 1167 | Farnesol, a common sesquiterpene, inhibits PQS production in <i>Pseudomonas aeruginosa</i> . Molecular Microbiology, 2007, 65, 896-906.  | 1.2 | 313       |
| 1168 | Nitrosative stress treatment of <i>E. coli</i> targets distinct set of thiol-containing proteins. Molecular Microbiology, 2007, 66, 901-914.   | 1.2 | 48        |
| 1169 | Variation in acid resistance among enterohaemorrhagic <i>Escherichia coli</i> in a simulated gastric environment. Journal of Applied Microbiology, 2007, 102, 352-62.  | 1.4 | 56        |
| 1170 | Mode of <i>Salmonella</i> and <i>Escherichia coli</i> O157:H7 inactivation by a stabilized oxychloro-based sanitizer. Journal of Applied Microbiology, 2007, 102, 1427-1436.   | 1.4 | 10        |
| 1171 | Impact of the small RNA RyhB on growth, physiology and heterologous protein expression in <i>Escherichia coli</i> . FEMS Microbiology Letters, 2007, 275, 221-228.   | 0.7 | 9         |
| 1172 | Expression analysis of the colibactin gene cluster coding for a novel polyketide in <i>Escherichia coli</i> . FEMS Microbiology Letters, 2007, 275, 255-262.   | 0.7 | 86        |
| 1173 | Transcript and protein level analyses of the interactions among PhoB, PhoR, PhoU and CreC in response to phosphate starvation in <i>Escherichia coli</i> . FEMS Microbiology Letters, 2007, 277, 254-259.                        | 0.7 | 23        |
| 1174 | Characterization of <i>Escherichia coli</i> MG1655 grown in a low-shear modeled microgravity environment. BMC Microbiology, 2007, 7, 15.   | 1.3 | 69        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1175 | Integration of regulatory signals through involvement of multiple global regulators: control of the <i>Escherichia coli</i> gltBDF operon by Lrp, IHF, Crp, and ArgR. <i>BMC Microbiology</i> , 2007, 7, 2.                   | 1.3 | 41        |
| 1176 | Global transcriptional response of <i>Escherichia coli</i> O157:H7 to growth transitions in glucose minimal medium. <i>BMC Microbiology</i> , 2007, 7, 97.  | 1.3 | 75        |
| 1177 | The characterisation of <i>Bacillus</i> spores occurring in the manufacturing of (low acid) canned products. <i>International Journal of Food Microbiology</i> , 2007, 120, 85-94.  | 2.1 | 81        |
| 1178 | Direct detection of transient $\alpha$ -helical states in islet amyloid polypeptide. <i>Protein Science</i> , 2007, 16, 110-117.  | 3.1 | 196       |
| 1179 | Conjugation-mediated plasmid exchange between bacteria grown under space flight conditions. <i>Microgravity Science and Technology</i> , 2007, 19, 138-144.   | 0.7 | 28        |
| 1180 | Biofilm production of clinical isolates of <i>Stenotrophomonas maltophilia</i> altered by sodium phosphate buffer supplementation of the medium. <i>Annals of Microbiology</i> , 2007, 57, 677-679.                           | 1.1 | 3         |
| 1181 | L-Tyrosine production by deregulated strains of <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2007, 75, 103-110.  | 1.7 | 172       |
| 1182 | A single-quantum methyl $^{13}\text{C}$ -relaxation dispersion experiment with improved sensitivity. <i>Journal of Biomolecular NMR</i> , 2007, 38, 79-88.  | 1.6 | 112       |
| 1183 | A semi-quantitative high-throughput screening method for microbial l-tyrosine production in microtiter plates. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2007, 34, 807-811.                               | 1.4 | 10        |
| 1184 | $^1\text{H}$ , $^{13}\text{C}$ , and $^{15}\text{N}$ resonance assignments for the small G protein RalB in its active conformation. <i>Biomolecular NMR Assignments</i> , 2007, 1, 147-149.                                   | 0.4 | 7         |
| 1185 | Rhizosphere bacteria affect growth and metal uptake of heavy metal accumulating willows. <i>Plant and Soil</i> , 2008, 304, 35-44.  | 1.8 | 247       |
| 1186 | Comparison of multiple crystal structures with NMR data for engrailed homeodomain. <i>Journal of Biomolecular NMR</i> , 2008, 40, 189-202.  | 1.6 | 19        |
| 1187 | Physiologic roles of soluble pyridine nucleotide transhydrogenase in <i>Escherichia coli</i> as determined by homologous recombination. <i>Annals of Microbiology</i> , 2008, 58, 275-280.                                    | 1.1 | 10        |
| 1188 | $^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments for the active conformation of the small G protein RalB in complex with its effector RLIP76. <i>Biomolecular NMR Assignments</i> , 2008, 2, 179-182. | 0.4 | 3         |
| 1189 | Resonance assignments for the RLIP76 Ral binding domain in its free form and in complex with the small G protein RalB. <i>Biomolecular NMR Assignments</i> , 2008, 2, 191-194.  | 0.4 | 3         |
| 1190 | Bacteriophage T7 protein kinase phosphorylates RNase E and stabilizes mRNAs synthesized by T7 RNA polymerase. <i>Molecular Microbiology</i> , 2008, 42, 767-776.  | 1.2 | 59        |
| 1191 | Autoregulation allows <i>Escherichia coli</i> RNase E to adjust continuously its synthesis to that of its substrates. <i>Molecular Microbiology</i> , 2008, 42, 867-878.  | 1.2 | 51        |
| 1192 | Amide exchange rates in <i>Escherichia coli</i> acyl carrier protein: Correlation with protein structure and dynamics. <i>Protein Science</i> , 1995, 4, 983-993.   | 3.1 | 55        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1193 | Experimental identification of specificity determinants in the domain linker of a LacI/GalR protein: Bioinformatics-based predictions generate true positives and false negatives. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008, 73, 941-957. | 1.5 | 30        |
| 1194 | Characterization and plant expression of a glyphosate-tolerant enolpyruvylshikimate phosphate synthase. <i>Pest Management Science</i> , 2008, 64, 340-345.   | 1.7 | 17        |
| 1195 | Auxotrophy in natural isolate: minimal requirements for growth of the Antarctic psychrotrophic bacterium <i>Pseudomonas syringae</i> Lz4W. <i>Journal of Basic Microbiology</i> , 2008, 48, 38-47.  | 1.8 | 16        |
| 1196 | Significance of <i>rpoS</i> during maturation of <i>Escherichia coli</i> biofilms. <i>Biotechnology and Bioengineering</i> , 2008, 99, 1462-1471.   | 1.7 | 80        |
| 1197 | A high-throughput screen for hyaluronic acid accumulation in recombinant <i>Escherichia coli</i> transformed by libraries of engineered sigma factors. <i>Biotechnology and Bioengineering</i> , 2008, 101, 788-796.  | 1.7 | 53        |
| 1198 | Universally applicable methods for monitoring response regulator aspartate phosphorylation both in vitro and in vivo using Phos-tag-based reagents. <i>Analytical Biochemistry</i> , 2008, 376, 73-82.  | 1.1 | 130       |
| 1199 | Genome-scale analysis of anti-metabolite directed strain engineering. <i>Metabolic Engineering</i> , 2008, 10, 109-120.   | 3.6 | 22        |
| 1200 | Combinatorial pathway analysis for improved L-tyrosine production in <i>Escherichia coli</i> : Identification of enzymatic bottlenecks by systematic gene overexpression. <i>Metabolic Engineering</i> , 2008, 10, 69-77.                                       | 3.6 | 92        |
| 1201 | A genomics approach to improve the analysis and design of strain selections. <i>Metabolic Engineering</i> , 2008, 10, 154-165.  | 3.6 | 43        |
| 1202 | A new model for the anaerobic fermentation of glycerol in enteric bacteria: Trunk and auxiliary pathways in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2008, 10, 234-245.   | 3.6 | 173       |
| 1203 | Engineering <i>Escherichia coli</i> for the efficient conversion of glycerol to ethanol and co-products. <i>Metabolic Engineering</i> , 2008, 10, 340-351.  | 3.6 | 240       |
| 1204 | Chemical shift mapping of $\gamma$ -Hcr resolvase dimer and activated tetramer: Mechanistic implications for DNA strand exchange. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 2086-2092.                                       | 1.1 | 2         |
| 1205 | Hydrogen production by continuous cultures of <i>Escherichia coli</i> under different nutrient regimes. <i>International Journal of Hydrogen Energy</i> , 2008, 33, 1465-1470.  | 3.8 | 58        |
| 1206 | Heat capacity changes upon burial of polar and nonpolar groups in proteins. <i>Protein Science</i> , 2008, 10, 1343-1352.   | 3.1 | 120       |
| 1207 | The CBS subdomain of inosine 5-phosphatase regulates purine nucleotide turnover. <i>Molecular Microbiology</i> , 2008, 68, 342-359.   | 1.2 | 55        |
| 1208 | <i>Bacillus subtilis</i> GlnR contains an autoinhibitory C-terminal domain required for the interaction with glutamine synthetase. <i>Molecular Microbiology</i> , 2008, 68, 277-285.   | 1.2 | 39        |
| 1209 | Differences in the mechanism of the allosteric rhamnose responses of the AraC/XylS family transcription activators RhaS and RhaR. <i>Molecular Microbiology</i> , 2008, 68, 448-461.  | 1.2 | 17        |
| 1210 | The global, ppGpp-mediated stringent response to amino acid starvation in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2008, 68, 1128-1148.  | 1.2 | 478       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1211 | Peptones from diverse sources: pivotal determinants of bacterial growth dynamics. <i>Journal of Applied Microbiology</i> , 2008, 104, 554-565.  | 1.4 | 30        |
| 1212 | Limited functional conservation of a global regulator among related bacterial genera: Lrp in <i>Escherichia</i> , <i>Proteus</i> and <i>Vibrio</i> . <i>BMC Microbiology</i> , 2008, 8, 60.                         | 1.3 | 32        |
| 1213 | Optimized two-dimensional thin layer chromatography to monitor the intracellular concentration of acetyl phosphate and other small phosphorylated molecules. <i>Biological Procedures Online</i> , 2008, 10, 36-46. | 1.4 | 18        |
| 1214 | Roles of K <sup>+</sup> , H <sup>+</sup> , H <sub>2</sub> O, and $\hat{\Gamma}$ in Solute Transport Mediated by Major Facilitator Superfamily Members ProP and LacY. <i>Biochemistry</i> , 2008, 47, 8176-8185.     | 1.2 | 19        |
| 1215 | Quantifying changes in the thiol redox proteome upon oxidative stress <i>in vivo</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8197-8202.               | 3.3 | 477       |
| 1216 | Selenomethionine labeling of large biological macromolecular complexes: Probing the structure of marine bacterial virus PM2. <i>Journal of Structural Biology</i> , 2008, 161, 204-210.                             | 1.3 | 9         |
| 1217 | Biochemical and Structural Characterization of a Novel Family of Cystathionine $\hat{\Gamma}$ -Synthase Domain Proteins Fused to a Zn Ribbon-Like Domain. <i>Journal of Molecular Biology</i> , 2008, 375, 301-315. | 2.0 | 44        |
| 1218 | Role of Intrinsic Flexibility in Signal Transduction Mediated by the Cell Cycle Regulator, p27Kip1. <i>Journal of Molecular Biology</i> , 2008, 376, 827-838.   | 2.0 | 114       |
| 1219 | Amino Acid Starvation and Colicin D Treatment Induce A-site mRNA Cleavage in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 2008, 378, 505-519.  | 2.0 | 50        |
| 1220 | The SOCS Box Domain of SOCS3: Structure and Interaction with the ElonginBC-Cullin5 Ubiquitin Ligase. <i>Journal of Molecular Biology</i> , 2008, 381, 928-940.  | 2.0 | 91        |
| 1221 | Intrinsically Unstructured Domains of Arf and Hdm2 Form Bimolecular Oligomeric Structures In Vitro and In Vivo. <i>Journal of Molecular Biology</i> , 2008, 384, 240-254.   | 2.0 | 29        |
| 1222 | The Interaction of HMGB1 and Linker Histones Occurs Through their Acidic and Basic Tails. <i>Journal of Molecular Biology</i> , 2008, 384, 1262-1272.   | 2.0 | 87        |
| 1223 | Moving towards High-Resolution Descriptions of the Molecular Interactions and Structural Rearrangements of the Human Hepatitis B Core Protein. <i>Journal of Molecular Biology</i> , 2008, 384, 1301-1313.          | 2.0 | 27        |
| 1224 | An <i>Escherichia coli</i> asr mutant has decreased fitness during colonization in a mouse model. <i>Research in Microbiology</i> , 2008, 159, 486-493.   | 1.0 | 12        |
| 1225 | A Theoretical Interpretation of the Transient Sialic Acid Toxicity of a nanR Mutant of <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 2008, 375, 875-889.  | 2.0 | 16        |
| 1226 | <i>Escherichia coli</i> Harboring a Natural IncF Conjugative F Plasmid Develops Complex Mature Biofilms by Stimulating Synthesis of Colanic Acid and Curli. <i>Journal of Bacteriology</i> , 2008, 190, 7479-7490.  | 1.0 | 76        |
| 1227 | Investigation of the structure and function of a <i>Shewanella oneidensis</i> arsenical-resistance family transporter. <i>Molecular Membrane Biology</i> , 2008, 25, 691-701.                                       | 2.0 | 20        |
| 1228 | Fermentative Utilization of Glycerol by <i>Escherichia coli</i> and Its Implications for the Production of Fuels and Chemicals. <i>Applied and Environmental Microbiology</i> , 2008, 74, 1124-1135.                | 1.4 | 280       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1229 | Hydrogen Peroxide Linked to Lysine Oxidase Activity Facilitates Biofilm Differentiation and Dispersal in Several Gram-Negative Bacteria. <i>Journal of Bacteriology</i> , 2008, 190, 5493-5501.                               | 1.0 | 119       |
| 1230 | Core Residue Replacements Cause Coiled-Coil Orientation Switching <i>in Vitro</i> and <i>in Vivo</i> : Structure-Function Correlations for Osmosensory Transporter ProP. <i>Biochemistry</i> , 2008, 47, 60-72.               | 1.2 | 23        |
| 1231 | Isotopomer Distributions in Amino Acids from a Highly Expressed Protein as a Proxy for Those from Total Protein. <i>Analytical Chemistry</i> , 2008, 80, 886-890.   | 3.2 | 25        |
| 1232 | Transcriptome Analysis of Sorbic Acid-Stressed <i>Bacillus subtilis</i> Reveals a Nutrient Limitation Response and Indicates Plasma Membrane Remodeling. <i>Journal of Bacteriology</i> , 2008, 190, 1751-1761.               | 1.0 | 55        |
| 1233 | Chapter 13 Construction and Characterization of <i>E. coli</i> K12 Strains in Which the Transcription of Selected Genes Is Desynchronized from Translation. <i>Methods in Enzymology</i> , 2008, 447, 243-258.                | 0.4 | 3         |
| 1234 | Periplasmic Loops of Osmosensory Transporter ProP in <i>Escherichia coli</i> Are Sensitive to Osmolality. <i>Biochemistry</i> , 2008, 47, 13584-13593.  | 1.2 | 23        |
| 1235 | Transcription Profiling of the Stringent Response in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2008, 190, 1084-1096.   | 1.0 | 340       |
| 1236 | Uracil DNA Glycosylase: Revisiting Substrate-Assisted Catalysis by DNA Phosphate Anions. <i>Biochemistry</i> , 2008, 47, 8614-8622.   | 1.2 | 26        |
| 1237 | A compromise required by gene sharing enables survival: Implications for evolution of new enzyme activities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13497-13502. | 3.3 | 61        |
| 1238 | GIT1 Paxillin-binding Domain Is a Four-helix Bundle, and It Binds to Both Paxillin LD2 and LD4 Motifs. <i>Journal of Biological Chemistry</i> , 2008, 283, 18685-18693.   | 1.6 | 32        |
| 1239 | Uropathogenic <i>Escherichia coli</i> CFT073 Is Adapted to Acetatogenic Growth but Does Not Require Acetate during Murine Urinary Tract Infection. <i>Infection and Immunity</i> , 2008, 76, 5760-5767.                       | 1.0 | 39        |
| 1240 | Comparison of Carbon Nutrition for Pathogenic and Commensal <i>Escherichia coli</i> Strains in the Mouse Intestine. <i>Infection and Immunity</i> , 2008, 76, 1143-1152.  | 1.0 | 321       |
| 1241 | Insight from TonB Hybrid Proteins into the Mechanism of Iron Transport through the Outer Membrane. <i>Journal of Bacteriology</i> , 2008, 190, 4001-4016.   | 1.0 | 43        |
| 1242 | Formate Acts as a Diffusible Signal To Induce <i>Salmonella</i> Invasion. <i>Journal of Bacteriology</i> , 2008, 190, 4233-4241.  | 1.0 | 83        |
| 1243 | Identification of Two Gene Clusters and a Transcriptional Regulator Required for <i>Pseudomonas aeruginosa</i> Glycine Betaine Catabolism. <i>Journal of Bacteriology</i> , 2008, 190, 2690-2699.                             | 1.0 | 102       |
| 1244 | DNA looping can enhance lysogenic CI transcription in phage lambda. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5827-5832.  | 3.3 | 52        |
| 1245 | The ferric yersiniabactin uptake receptor FyuA is required for efficient biofilm formation by urinary tract infectious <i>Escherichia coli</i> in human urine. <i>Microbiology (United Kingdom)</i> , 2008, 154, 167-175.     | 0.7 | 132       |
| 1246 | Genes and Enzymes of Azetidine-2-Carboxylate Metabolism: Detoxification and Assimilation of an Antibiotic. <i>Journal of Bacteriology</i> , 2008, 190, 4859-4864.   | 1.0 | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1247 | Sialic Acid Mutarotation Is Catalyzed by the <i>Escherichia coli</i> $\hat{I}^2$ -Propeller Protein YjhT. <i>Journal of Biological Chemistry</i> , 2008, 283, 4841-4849.   | 1.6 | 55        |
| 1248 | Cardiolipin Controls the Osmotic Stress Response and the Subcellular Location of Transporter ProP in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 12314-12323.                                      | 1.6 | 81        |
| 1249 | Role of Global Regulators and Nucleotide Metabolism in Antibiotic Tolerance in <i>Escherichia coli</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2718-2726.   | 1.4 | 272       |
| 1250 | Aggregation via the Red, Dry, and Rough Morphotype Is Not a Virulence Adaptation in <i>Salmonella enterica</i> Serovar Typhimurium. <i>Infection and Immunity</i> , 2008, 76, 1048-1058.   | 1.0 | 67        |
| 1251 | Glycogen and Maltose Utilization by <i>Escherichia coli</i> O157:H7 in the Mouse Intestine. <i>Infection and Immunity</i> , 2008, 76, 2531-2540.   | 1.0 | 120       |
| 1252 | Melanin-Based High-Throughput Screen for $\alpha$ -Tyrosine Production in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 1190-1197.   | 1.4 | 86        |
| 1253 | One Pathway Can Incorporate either Adenine or Dimethylbenzimidazole as an $\hat{I}^2$ -Axial Ligand of B <sub>12</sub> Cofactors in <i>Salmonella enterica</i> . <i>Journal of Bacteriology</i> , 2008, 190, 1160-1171.              | 1.0 | 59        |
| 1254 | The BaeSR Two-Component Regulatory System Mediates Resistance to Condensed Tannins in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 535-539.   | 1.4 | 42        |
| 1255 | Fur-Dependent Detoxification of Organic Acids by <i>rpoS</i> Mutants during Prolonged Incubation under Aerobic, Phosphate Starvation Conditions. <i>Journal of Bacteriology</i> , 2008, 190, 5567-5575.                              | 1.0 | 10        |
| 1256 | Application of Functional Genomics to Pathway Optimization for Increased Isoprenoid Production. <i>Applied and Environmental Microbiology</i> , 2008, 74, 3229-3241.   | 1.4 | 171       |
| 1257 | Aerobic Fermentation of d -Glucose by an Evolved Cytochrome Oxidase-Deficient <i>Escherichia coli</i> Strain. <i>Applied and Environmental Microbiology</i> , 2008, 74, 7561-7569.   | 1.4 | 50        |
| 1258 | The Complete Genome Sequence of <i>Escherichia coli</i> DH10B: Insights into the Biology of a Laboratory Workhorse. <i>Journal of Bacteriology</i> , 2008, 190, 2597-2606.   | 1.0 | 331       |
| 1259 | The Outer Membrane Protein TolC from <i>Sinorhizobium meliloti</i> Affects Protein Secretion, Polysaccharide Biosynthesis, Antimicrobial Resistance, and Symbiosis. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 947-957. | 1.4 | 49        |
| 1260 | Antibacterial Effects of Long-Chain Polyphosphates on Selected Spoilage and Pathogenic Bacteria. <i>Journal of Food Protection</i> , 2008, 71, 1401-1405.  | 0.8 | 29        |
| 1261 | Genome-Scale Identification Method Applied to Find Cryptic Aminoglycoside Resistance Genes in <i>Pseudomonas aeruginosa</i> . <i>PLoS ONE</i> , 2009, 4, e6576.  | 1.1 | 15        |
| 1262 | Stability of Metabolic Correlations under Changing Environmental Conditions in <i>Escherichia coli</i> – A Systems Approach. <i>PLoS ONE</i> , 2009, 4, e7441.   | 1.1 | 39        |
| 1263 | Perturbation of the Small Intestine Microbial Ecology by Streptomycin Alters Pathology in a <i>Salmonella enterica</i> Serovar Typhimurium Murine Model of Infection. <i>Infection and Immunity</i> , 2009, 77, 2691-2702.           | 1.0 | 116       |
| 1264 | Gene Expression Induced in <i>Escherichia coli</i> O157:H7 upon Exposure to Model Apple Juice. <i>Applied and Environmental Microbiology</i> , 2009, 75, 3542-3553.  | 1.4 | 33        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1265 | Cytoplasmic Protein Mobility in Osmotically Stressed <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2009, 191, 231-237.   | 1.0 | 99        |
| 1266 | Cellular chain formation in <i>Escherichia coli</i> biofilms. <i>Microbiology (United Kingdom)</i> , 2009, 155, 1407-1417.  | 0.7 | 38        |
| 1267 | Identification of genes required for <i>Pseudomonas aeruginosa</i> carnitine catabolism. <i>Microbiology (United Kingdom)</i> , 2009, 155, 2411-2419.   | 0.7 | 44        |
| 1268 | <i>Pseudomonas aeruginosa</i> - <i>Candida albicans</i> Interactions: Localization and Fungal Toxicity of a Phenazine Derivative. <i>Applied and Environmental Microbiology</i> , 2009, 75, 504-513.  | 1.4 | 197       |
| 1269 | Regulated Delayed Expression of <i>rfaH</i> in an Attenuated <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Enhances Immunogenicity of Outer Membrane Proteins and a Heterologous Antigen. <i>Infection and Immunity</i> , 2009, 77, 5572-5582. | 1.0 | 40        |
| 1270 | Epistatic Effects of the Protease/Chaperone HflB on Some Damaged Forms of the <i>Escherichia coli</i> Ammonium Channel AmtB. <i>Genetics</i> , 2009, 183, 1327-1340.  | 1.2 | 10        |
| 1271 | Requirement of Polyphosphate by <i>Pseudomonas fluorescens</i> Pf0-1 for Competitive Fitness and Heat Tolerance in Laboratory Media and Sterile Soil. <i>Applied and Environmental Microbiology</i> , 2009, 75, 3872-3881.                              | 1.4 | 31        |
| 1272 | Compensatory Evolution of Gene Regulation in Response to Stress by <i>Escherichia coli</i> Lacking RpoS. <i>PLoS Genetics</i> , 2009, 5, e1000671.  | 1.5 | 84        |
| 1273 | Type 1 Fimbriae, a Colonization Factor of Uropathogenic <i>Escherichia coli</i> , Are Controlled by the Metabolic Sensor CRP-cAMP. <i>PLoS Pathogens</i> , 2009, 5, e1000303.   | 2.1 | 132       |
| 1274 | Fitness of <i>Escherichia coli</i> during Urinary Tract Infection Requires Gluconeogenesis and the TCA Cycle. <i>PLoS Pathogens</i> , 2009, 5, e1000448.  | 2.1 | 265       |
| 1275 | Employment of a Promoter-Swapping Technique Shows that PhoU Modulates the Activity of the PstSCAB <sub>2</sub> ABC Transporter in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2009, 75, 573-582.                          | 1.4 | 64        |
| 1276 | Tuning the relative affinities for activating and repressing operators of a temporally regulated restriction-modification system. <i>Nucleic Acids Research</i> , 2009, 37, 983-998.  | 6.5 | 37        |
| 1277 | Leucine-Responsive Regulatory Protein (Lrp) Acts as a Virulence Repressor in <i>Salmonella enterica</i> Serovar Typhimurium. <i>Journal of Bacteriology</i> , 2009, 191, 1278-1292.   | 1.0 | 63        |
| 1278 | DsbL and Dsbl contribute to periplasmic disulfide bond formation in <i>Salmonella enterica</i> serovar Typhimurium. <i>Microbiology (United Kingdom)</i> , 2009, 155, 4014-4024.  | 0.7 | 28        |
| 1279 | Novel trans-Acting <i>Bacillus subtilis</i> glnA Mutations That Derepress glnRA Expression. <i>Journal of Bacteriology</i> , 2009, 191, 2485-2492.  | 1.0 | 19        |
| 1280 | Purine Utilization by <i>Klebsiella oxytoca</i> M5al: Genes for Ring-Oxidizing and -Opening Enzymes. <i>Journal of Bacteriology</i> , 2009, 191, 1006-1017.   | 1.0 | 43        |
| 1281 | Catabolite Repression Control of <i>napF</i> (Periplasmic Nitrate Reductase) Operon Expression in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 2009, 191, 996-1005.   | 1.0 | 25        |
| 1282 | Polyphosphate Accumulation in <i>Escherichia coli</i> in Response to Defects in DNA Metabolism. <i>Journal of Bacteriology</i> , 2009, 191, 7410-7416.  | 1.0 | 8         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1283 | Metabolic control through ornithine and uracil of epithelial cell invasion by <i>Shigella flexneri</i> . <i>Microbiology (United Kingdom)</i> , 2009, 155, 2498-2508.                           | 0.7  | 13        |
| 1284 | CbdR Regulates <i>Pseudomonas aeruginosa</i> plcH and pchP Transcription in Response to Choline Catabolites. <i>Infection and Immunity</i> , 2009, 77, 1103-1111.                               | 1.0  | 57        |
| 1285 | The effect of calcium on the transcriptome of sporulating <i>B. subtilis</i> cells. <i>International Journal of Food Microbiology</i> , 2009, 133, 234-242.                                     | 2.1  | 23        |
| 1286 | Understanding and harnessing the microaerobic metabolism of glycerol in <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2009, 103, 148-161.                                 | 1.7  | 169       |
| 1287 | Localized expression profiles of <i>rpoS</i> in <i>Escherichia coli</i> biofilms. <i>Biotechnology and Bioengineering</i> , 2009, 103, 975-983.   | 1.7  | 30        |
| 1288 | <sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N resonance assignments for Binder of Arl2, BART. <i>Biomolecular NMR Assignments</i> , 2009, 3, 33-36.                                       | 0.4  | 1         |
| 1289 | Roles of <i>rel</i> <sub>Spn</sub> in stringent response, global regulation and virulence of serotype 2 <i>Streptococcus pneumoniae</i> D39. <i>Molecular Microbiology</i> , 2009, 72, 590-611. | 1.2  | 83        |
| 1290 | Reduced lipopolysaccharide phosphorylation in <i>Escherichia coli</i> lowers the elevated <i>ori/ter</i> ratio in <i>seqA</i> mutants. <i>Molecular Microbiology</i> , 2009, 72, 1273-1292.     | 1.2  | 17        |
| 1291 | DksA and ppGpp directly regulate transcription of the <i>Escherichia coli</i> flagellar cascade. <i>Molecular Microbiology</i> , 2009, 74, 1368-1379.   | 1.2  | 94        |
| 1292 | Global discovery of adaptive mutations. <i>Nature Methods</i> , 2009, 6, 581-583.   | 9.0  | 30        |
| 1293 | The pivotal regulator GlnB of <i>Escherichia coli</i> is engaged in subtle and context-dependent control. <i>FEBS Journal</i> , 2009, 276, 3324-3340.   | 2.2  | 9         |
| 1294 | A whole cell electrochemical biosensor for water genotoxicity bio-detection. <i>Electrochimica Acta</i> , 2009, 54, 6113-6118.  | 2.6  | 84        |
| 1295 | A fluorescent substrate for carbon-phosphorus lyase: Towards the pathway for organophosphonate metabolism in bacteria. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 5954-5957. | 1.0  | 7         |
| 1296 | Analysis of ultra acidic proteins by the use of anodic acidic gels. <i>Analytical Biochemistry</i> , 2009, 385, 208-214.  | 1.1  | 5         |
| 1297 | Activation of HydA <sup>EFG</sup> Requires a Preformed [4Fe-4S] Cluster. <i>Biochemistry</i> , 2009, 48, 6240-6248.   | 1.2  | 119       |
| 1298 | A Complex between Biotin Synthase and the Iron-Sulfur Cluster Assembly Chaperone HscA That Enhances in Vivo Cluster Assembly. <i>Biochemistry</i> , 2009, 48, 10782-10792.                      | 1.2  | 30        |
| 1299 | A Regulatory Role of the Bateman Domain of IMP Dehydrogenase in Adenylate Nucleotide Biosynthesis. <i>Journal of Biological Chemistry</i> , 2009, 284, 7960-7969.                               | 1.6  | 41        |
| 1300 | Growth Rate-Dependent Global Effects on Gene Expression in Bacteria. <i>Cell</i> , 2009, 139, 1366-1375.  | 13.5 | 614       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1301 | Cardiolipin and the osmotic stress responses of bacteria. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009, 1788, 2092-2100.   | 1.4 | 208       |
| 1302 | The Ribosomal Grip of the Peptidyl-tRNA is Critical for Reading Frame Maintenance. <i>Journal of Molecular Biology</i> , 2009, 385, 350-367.   | 2.0 | 25        |
| 1303 | Sequence-Specific Binding to a Subset of IscR-Regulated Promoters Does Not Require IscR Fe <sup>2+</sup> S Cluster Ligation. <i>Journal of Molecular Biology</i> , 2009, 387, 28-41.   | 2.0 | 105       |
| 1304 | Probing the Roles of the Two Different Dimers Mediated by the Receiver Domain of the Response Regulator PhoB. <i>Journal of Molecular Biology</i> , 2009, 389, 349-364.  | 2.0 | 39        |
| 1305 | Cyanide, Peroxide and Nitric Oxide Formation in Solutions of Hydroxyurea Causes Cellular Toxicity and May Contribute to Its Therapeutic Potency. <i>Journal of Molecular Biology</i> , 2009, 390, 845-862.                       | 2.0 | 30        |
| 1306 | Kinetics of Paused Ribosome Recycling in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 2009, 394, 251-267.   | 2.0 | 32        |
| 1307 | Repulsion and Metabolic Switches in the Collective Behavior of Bacterial Colonies. <i>Biophysical Journal</i> , 2009, 97, 688-698.   | 0.2 | 13        |
| 1308 | Effect of Energy Metabolism on Protein Motility in the Bacterial Outer Membrane. <i>Biophysical Journal</i> , 2009, 97, 1305-1312.   | 0.2 | 18        |
| 1309 | Increased Antibiotic Resistance of <i>Escherichia coli</i> in Mature Biofilms. <i>Applied and Environmental Microbiology</i> , 2009, 75, 4093-4100.  | 1.4 | 272       |
| 1310 | A Novel Domain in Translational GTPase BipA Mediates Interaction with the 70S Ribosome and Influences GTP Hydrolysis. <i>Biochemistry</i> , 2009, 48, 10533-10541.   | 1.2 | 30        |
| 1311 | Isolation and characterization of an arsenic-resistant bacterium from a bore-well in West Bengal, India. <i>Annals of Microbiology</i> , 2009, 59, 253-258.  | 1.1 | 29        |
| 1312 | Osmotic Stress. <i>EcoSal Plus</i> , 2009, 3, .  | 2.1 | 48        |
| 1313 | Isocitrate dehydrogenase isozymes from a psychrotrophic bacterium, <i>Pseudomonas psychrophila</i> . <i>Archives of Microbiology</i> , 2010, 192, 639-650.   | 1.0 | 17        |
| 1314 | Characterization and global gene expression of $\sigma^{24}$ phenocopies during <i>Escherichia coli</i> biofilm formation. <i>Molecular Genetics and Genomics</i> , 2010, 284, 333-342.  | 1.0 | 8         |
| 1315 | Functional genomics of probiotic <i>Escherichia coli</i> Nissle 1917 and 83972, and UPEC strain CFT073: comparison of transcriptomes, growth and biofilm formation. <i>Molecular Genetics and Genomics</i> , 2010, 284, 437-454. | 1.0 | 70        |
| 1316 | Periplasmic peptidyl-prolyl isomerases SurA and FkpA play an important role in the starvation-stress response (SSR) of <i>Salmonella enterica</i> serovar Typhimurium. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 51-63.         | 0.7 | 9         |
| 1317 | Characterization of hydrogen production by engineered <i>Escherichia coli</i> strains using rich defined media. <i>Biotechnology and Bioprocess Engineering</i> , 2010, 15, 686-695.   | 1.4 | 29        |
| 1318 | Production of ethanol from thin stillage by metabolically engineered <i>Escherichia coli</i> . <i>Biotechnology Letters</i> , 2010, 32, 405-411.   | 1.1 | 31        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1319 | High yield expression and purification of HIV-1 Tat1 <sup>72</sup> for structural studies. <i>Journal of Virological Methods</i> , 2010, 164, 35-42.   | 1.0 | 9         |
| 1320 | Study of stationary phase metabolism via isotopomer analysis of amino acids from an isolated protein. <i>Biotechnology Progress</i> , 2010, 26, 52-56.   | 1.3 | 26        |
| 1321 | Rationally engineered biotransformation of <i>p</i> -nitrophenol. <i>Biotechnology Progress</i> , 2010, 26, 616-621.   | 1.3 | 4         |
| 1322 | Optimization of antibody fragment production in <i>Bacillus megaterium</i> : The role of metal ions on protein secretion. <i>Journal of Biotechnology</i> , 2010, 150, 115-124.  | 1.9 | 21        |
| 1323 | Rapid dissection of a complex phenotype through genomic-scale mapping of fitness altering genes. <i>Metabolic Engineering</i> , 2010, 12, 241-250.   | 3.6 | 47        |
| 1324 | Metabolic engineering of <i>Escherichia coli</i> for the production of succinate from glycerol. <i>Metabolic Engineering</i> , 2010, 12, 409-419.  | 3.6 | 142       |
| 1325 | Characterization of a novel sialic acid transporter of the sodium solute symporter (SSS) family and in vivo comparison with known bacterial sialic acid transporters. <i>FEMS Microbiology Letters</i> , 2010, 304, 47-54. | 0.7 | 44        |
| 1326 | A purified mutant HemaA protein from <i>Salmonella enterica</i> serovar Typhimurium lacks bound heme and is defective for heme-mediated regulation in vivo. <i>FEMS Microbiology Letters</i> , 2010, 307, 41-47.           | 0.7 | 24        |
| 1327 | Clonal relationships between thyroid-stimulating hormone receptor-stimulating antibodies illustrate the effect of hypermutation on antibody function. <i>Immunology</i> , 2010, 129, 300-308.                              | 2.0 | 2         |
| 1328 | Production of clastogenic DNA precursors by the nucleotide metabolism in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2010, 75, 230-245.  | 1.2 | 24        |
| 1329 | Ribosome reactivation by replacement of damaged proteins. <i>Molecular Microbiology</i> , 2010, 75, 801-814.   | 1.2 | 58        |
| 1330 | Proteobactin and a yersiniabactin-related siderophore mediate iron acquisition in <i>Proteus mirabilis</i> . <i>Molecular Microbiology</i> , 2010, 78, 138-157.  | 1.2 | 63        |
| 1331 | The <i>Vibrio cholerae</i> virulence regulatory cascade controls glucose uptake through activation of TarA, a small regulatory RNA. <i>Molecular Microbiology</i> , 2010, 78, 1171-1181.                                   | 1.2 | 46        |
| 1332 | Culturable bacteria from Zn- and Cd-accumulating <i>Salix caprea</i> with differential effects on plant growth and heavy metal availability. <i>Journal of Applied Microbiology</i> , 2010, 108, 1471-1484.                | 1.4 | 209       |
| 1333 | Lys11-linked ubiquitin chains adopt compact conformations and are preferentially hydrolyzed by the deubiquitinase Cezanne. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 939-947.                             | 3.6 | 294       |
| 1334 | Quantitative and spatio-temporal features of protein aggregation in <i>Escherichia coli</i> and consequences on protein quality control and cellular ageing. <i>EMBO Journal</i> , 2010, 29, 910-923.                      | 3.5 | 241       |
| 1335 | Crystal structure of the human CNOT6L nuclease domain reveals strict poly(A) substrate specificity. <i>EMBO Journal</i> , 2010, 29, 2566-2576.   | 3.5 | 87        |
| 1336 | Stalled replication fork repair and misrepair during thymineless death in <i>Escherichia coli</i> . <i>Genes To Cells</i> , 2010, 15, 619-634.   | 0.5 | 39        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1337 | Evolution of Bacterial Phosphoglycerate Mutases: Non-Homologous Isofunctional Enzymes Undergoing Gene Losses, Gains and Lateral Transfers. <i>PLoS ONE</i> , 2010, 5, e13576.  | 1.1 | 29        |
| 1338 | Promoter and regulon analysis of nitrogen assimilation factor, <i>Ĵf54</i> , reveal alternative strategy for <i>E. coli</i> MG1655 flagellar biosynthesis. <i>Nucleic Acids Research</i> , 2010, 38, 1273-1283.                      | 6.5 | 75        |
| 1339 | The Effect of Mobile Element IS10 on Experimental Regulatory Evolution in <i>Escherichia coli</i> . <i>Molecular Biology and Evolution</i> , 2010, 27, 2105-2112.  | 3.5 | 40        |
| 1340 | Delineation of a Bacterial Starvation Stress Response Network Which Can Mediate Antibiotic Tolerance Development. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 1082-1093.  | 1.4 | 104       |
| 1341 | A previously uncharacterized gene, <i>yjfO</i> ( <i>bsmA</i> ), influences <i>Escherichia coli</i> biofilm formation and stress response. <i>Microbiology (United Kingdom)</i> , 2010, 156, 139-147.                                 | 0.7 | 35        |
| 1342 | Moonlighting Glutamate Formiminotransferases Can Functionally Replace 5-Formyltetrahydrofolate Cycloligase*. <i>Journal of Biological Chemistry</i> , 2010, 285, 41557-41566.  | 1.6 | 25        |
| 1343 | The MG1363 and IL1403 Laboratory Strains of <i>Lactococcus lactis</i> and Several Dairy Strains Are Diploid. <i>Journal of Bacteriology</i> , 2010, 192, 1058-1065.  | 1.0 | 20        |
| 1344 | The Frequency of Persisters in <i>Escherichia coli</i> Reflects the Kinetics of Awakening from Dormancy. <i>Journal of Bacteriology</i> , 2010, 192, 3379-3384.  | 1.0 | 146       |
| 1345 | Metabolic and Transcriptional Response to Cofactor Perturbations in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2010, 285, 17498-17506.   | 1.6 | 115       |
| 1346 | Metabolic flux analysis of wild-type <i>Escherichia coli</i> and mutants deficient in pyruvate-dissimilating enzymes during the fermentative metabolism of glucuronate. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1860-1872. | 0.7 | 13        |
| 1347 | Requirement of Purine and Pyrimidine Synthesis for Colonization of the Mouse Intestine by <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2010, 76, 5181-5187.   | 1.4 | 48        |
| 1348 | <i>Escherichia coli</i> Strains Engineered for Homofermentative Production of $\gamma$ -Lactic Acid from Glycerol. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4327-4336.  | 1.4 | 139       |
| 1349 | Functional Roles of the Conserved Glu304 Loop of <i>Bacillus subtilis</i> Glutamine Synthetase. <i>Journal of Bacteriology</i> , 2010, 192, 5018-5025.   | 1.0 | 19        |
| 1350 | Biologically Active Isoforms of CobB Sirtuin Deacetylase in <i>Salmonella enterica</i> and <i>Erwinia amylovora</i> . <i>Journal of Bacteriology</i> , 2010, 192, 6200-6208.   | 1.0 | 37        |
| 1351 | 6S RNA regulation of <i>relA</i> alters ppGpp levels in early stationary phase. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1860-1872.   | 0.7 | 42        |
| 1352 | The AraC/XylS Family Activator RhaS Negatively Autoregulates <i>rhaSR</i> Expression by Preventing Cyclic AMP Receptor Protein Activation. <i>Journal of Bacteriology</i> , 2010, 192, 225-232.                                      | 1.0 | 19        |
| 1353 | Cooperation and Hamilton's rule in a simple synthetic microbial system. <i>Molecular Systems Biology</i> , 2010, 6, 398.   | 3.2 | 81        |
| 1354 | Engineered Respiratory-Fermentative Metabolism for the Production of Biofuels and Biochemicals from Fatty Acid-Rich Feedstocks. <i>Applied and Environmental Microbiology</i> , 2010, 76, 5067-5078.                                 | 1.4 | 59        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1355 | Evaluation of protein adsorption and preferred binding regions in multimodal chromatography using NMR. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 16811-16816.                                       | 3.3 | 66        |
| 1356 | Metabolic Analysis of Wild-type <i>Escherichia coli</i> and a Pyruvate Dehydrogenase Complex (PDHC)-deficient Derivative Reveals the Role of PDHC in the Fermentative Metabolism of Glucose. Journal of Biological Chemistry, 2010, 285, 31548-31558. | 1.6 | 33        |
| 1357 | Metabolomic and transcriptomic stress response of <i>Escherichia coli</i> . Molecular Systems Biology, 2010, 6, 364.  | 3.2 | 451       |
| 1358 | Direct Measurements of the Outer Membrane Stage of Ferric Enterobactin Transport. Journal of Biological Chemistry, 2010, 285, 17488-17497.  | 1.6 | 29        |
| 1359 | Detection of single nucleotide polymorphisms in the conserved ESTs regions of <i>Gossypium arboreum</i> . Electronic Journal of Biotechnology, 2010, 13, 0-0.   | 1.2 | 3         |
| 1360 | Functional Genomic Study of Exogenous <i>n</i> -Butanol Stress in <i>Escherichia coli</i> . Applied and Environmental Microbiology, 2010, 76, 1935-1945.  | 1.4 | 209       |
| 1361 | Fast Detection of Volatile Organic Compounds from Bacterial Cultures by Secondary Electrospray Ionization-Mass Spectrometry. Journal of Clinical Microbiology, 2010, 48, 4426-4431.   | 1.8 | 163       |
| 1362 | Antifolate-Induced Depletion of Intracellular Glycine and Purines Inhibits Thymineless Death in <i>E. coli</i> . ACS Chemical Biology, 2010, 5, 787-795.  | 1.6 | 72        |
| 1363 | Transmembrane Helix I and Periplasmic Loop 1 of <i>Escherichia coli</i> ProP Are Involved in Osmosensing and Osmoprotectant Transport. Biochemistry, 2010, 49, 8847-8856.   | 1.2 | 21        |
| 1364 | Protein Localization in <i>Escherichia coli</i> Cells: Comparison of the Cytoplasmic Membrane Proteins ProP, LacY, ProW, AqpZ, MscS, and MscL. Journal of Bacteriology, 2010, 192, 912-924.   | 1.0 | 104       |
| 1365 | Comparing the Functional Roles of Nonconserved Sequence Positions in Homologous Transcription Repressors: Implications for Sequence/Function Analyses. Journal of Molecular Biology, 2010, 395, 785-802.  | 2.0 | 31        |
| 1366 | Conformational Dynamics and Structural Plasticity Play Critical Roles in the Ubiquitin Recognition of a UIM Domain. Journal of Molecular Biology, 2010, 396, 1128-1144.   | 2.0 | 22        |
| 1367 | Cloning, overexpression, folding and purification of a biosynthetically derived three disulfide scorpion toxin (BTK-2) from <i>Mesobuthus tamulus</i> . Protein Expression and Purification, 2010, 70, 137-142.                                       | 0.6 | 6         |
| 1368 | Expression, purification, and characterization of soluble K-Ras4B for structural analysis. Protein Expression and Purification, 2010, 73, 125-131.  | 0.6 | 16        |
| 1369 | Regulated delayed expression of <i>rfc</i> enhances the immunogenicity and protective efficacy of a heterologous antigen delivered by live attenuated <i>Salmonella enterica</i> vaccines. Vaccine, 2010, 28, 6094-6103.                              | 1.7 | 34        |
| 1370 | Polyphosphate exerts differential effects on blood clotting, depending on polymer size. Blood, 2010, 116, 4353-4359.  | 0.6 | 261       |
| 1371 | Comparison of microbial diversity of edible flowers and basil grown with organic versus conventional methods. Canadian Journal of Microbiology, 2010, 56, 943-951.  | 0.8 | 22        |
| 1372 | Catalysis and Inhibition of <i>Mycobacterium tuberculosis</i> Methionine Aminopeptidase. Journal of Medicinal Chemistry, 2010, 53, 1329-1337.   | 2.9 | 37        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1373 | Quantitative proteomics by amino acid labeling in <i>C. elegans</i> . <i>Nature Methods</i> , 2011, 8, 845-847.   | 9.0  | 50        |
| 1374 | Multiple Conformations of the Cytidine Repressor DNA-Binding Domain Coalesce to One upon Recognition of a Specific DNA Surface. <i>Biochemistry</i> , 2011, 50, 6622-6632.  | 1.2  | 21        |
| 1375 | Protein Diffusion in the Periplasm of <i>E. coli</i> under Osmotic Stress. <i>Biophysical Journal</i> , 2011, 100, 22-31.   | 0.2  | 90        |
| 1376 | Subdiffraction-Limit Study of Kaede Diffusion and Spatial Distribution in Live <i>Escherichia coli</i> . <i>Biophysical Journal</i> , 2011, 101, 2535-2544.   | 0.2  | 67        |
| 1377 | Engineered reversal of the $\hat{\text{I}}^2$ -oxidation cycle for the synthesis of fuels and chemicals. <i>Nature</i> , 2011, 476, 355-359.  | 13.7 | 519       |
| 1378 | ProO Is an RNA Chaperone that Controls ProP Levels in <i>Escherichia coli</i> . <i>Biochemistry</i> , 2011, 50, 3095-3106.  | 1.2  | 80        |
| 1379 | Metal-binding properties of Hpn from <i>Helicobacter pylori</i> and implications for the therapeutic activity of bismuth. <i>Chemical Science</i> , 2011, 2, 451-456.   | 3.7  | 13        |
| 1380 | Identification of the Antibacterial Compound Produced by the Marine Epiphytic Bacterium <i>Pseudovibrio</i> sp. D323 and Related Sponge-Associated Bacteria. <i>Marine Drugs</i> , 2011, 9, 1391-1402.  | 2.2  | 82        |
| 1381 | Subunit dissociation and metal binding by <i>Escherichia coli</i> apo-manganese superoxide dismutase. <i>Archives of Biochemistry and Biophysics</i> , 2011, 505, 213-225.  | 1.4  | 15        |
| 1382 | Positive Regulation of the <i>Vibrio cholerae</i> Porin OmpT by Iron and Fur. <i>Journal of Bacteriology</i> , 2011, 193, 6505-6511.  | 1.0  | 32        |
| 1383 | Phenylalanine induces <i>Burkholderia cenocepacia</i> phenylacetic acid catabolism through degradation to phenylacetyl-CoA in synthetic cystic fibrosis sputum medium. <i>Microbial Pathogenesis</i> , 2011, 51, 186-193.   | 1.3  | 12        |
| 1384 | Shiga toxin 2 overexpression in <i>Escherichia coli</i> O157:H7 strains associated with severe human disease. <i>Microbial Pathogenesis</i> , 2011, 51, 466-470.  | 1.3  | 67        |
| 1385 | Probing Cellular Processes with Oligo-Mediated Recombination and Using the Knowledge Gained to Optimize Recombineering. <i>Journal of Molecular Biology</i> , 2011, 407, 45-59.   | 2.0  | 151       |
| 1386 | Assembling New <i>Escherichia coli</i> Strains by Transduction Using Phage P1. <i>Methods in Molecular Biology</i> , 2011, 765, 155-169.  | 0.4  | 39        |
| 1387 | Death of the TonB Shuttle Hypothesis. <i>Frontiers in Microbiology</i> , 2011, 2, 206.  | 1.5  | 27        |
| 1388 | Pub1p C-Terminal RRM Domain Interacts with Tif4631p through a Conserved Region Neighbouring the Pab1p Binding Site. <i>PLoS ONE</i> , 2011, 6, e24481.  | 1.1  | 10        |
| 1389 | <i>Staphylococcus aureus</i> Transporters Hts, Sir, and Sst Capture Iron Liberated from Human Transferrin by Staphyloferrin A, Staphyloferrin B, and Catecholamine Stress Hormones, Respectively, and Contribute to Virulence. <i>Infection and Immunity</i> , 2011, 79, 2345-2355. | 1.0  | 115       |
| 1391 | Discretely calibrated regulatory loops controlled by ppGpp partition gene induction across the $\hat{\text{a}}^{\text{c}}\text{feast}$ to famine $\hat{\text{a}}^{\text{c}}\text{TM}$ gradient in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2011, 79, 830-845.      | 1.2  | 118       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1392 | In <i>Salmonella enterica</i> , the sirtuin-dependent protein acylation/deacylation system (SDPADS) maintains energy homeostasis during growth on low concentrations of acetate. <i>Molecular Microbiology</i> , 2011, 80, 168-183.   | 1.2 | 44        |
| 1393 | The alternative aerobic ribonucleotide reductase of <i>Escherichia coli</i> , NrdEF, is a manganese-dependent enzyme that enables cell replication during periods of iron starvation. <i>Molecular Microbiology</i> , 2011, 80, 319-334.  | 1.2 | 119       |
| 1394 | Sortase independent and dependent systems for acquisition of haem and haemoglobin in <i>Listeria monocytogenes</i> . <i>Molecular Microbiology</i> , 2011, 80, 1581-1597.   | 1.2 | 45        |
| 1395 | Structural basis of p63 <sup>Δ</sup> SAM domain mutants involved in AEC syndrome. <i>FEBS Journal</i> , 2011, 278, 2680-2688.   | 2.2 | 23        |
| 1396 | Overproduction of YjbB reduces the level of polyphosphate in <i>Escherichia coli</i> : a hypothetical role of YjbB in phosphate export and polyphosphate accumulation. <i>FEMS Microbiology Letters</i> , 2011, 320, 25-32.   | 0.7 | 29        |
| 1397 | Intrinsic disorder mediates the diverse regulatory functions of the Cdk inhibitor p21. <i>Nature Chemical Biology</i> , 2011, 7, 214-221.   | 3.9 | 114       |
| 1398 | Linkage between the bacterial acid stress and stringent responses: the structure of the inducible lysine decarboxylase. <i>EMBO Journal</i> , 2011, 30, 931-944.  | 3.5 | 166       |
| 1399 | Relaxed natural selection alone does not permit transposable element expansion within 4,000 generations in <i>Escherichia coli</i> . <i>Genetica</i> , 2011, 139, 895-902.  | 0.5 | 5         |
| 1400 | A simplified recipe for assigning amide NMR signals using combinatorial <sup>14</sup> N amino acid inverse-labeling. <i>Journal of Structural and Functional Genomics</i> , 2011, 12, 167-174.  | 1.2 | 19        |
| 1401 | Factors affecting accumulation and degradation of curdlan, trehalose and glycogen in cultures of <i>Cellulomonas flavigena</i> strain KU (ATCC 53703). <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 681-695.  | 0.7 | 4         |
| 1402 | Microbial genotoxicity bioreporters based on <i>sulA</i> activation. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 3013-3024.  | 1.9 | 30        |
| 1403 | Growth inhibition of <i>Escherichia coli</i> and methicillin-resistant <i>Staphylococcus aureus</i> by targeting cellular methionine aminopeptidase. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 3537-3540.  | 2.6 | 23        |
| 1404 | Re-examination of metabolic fluxes in <i>Escherichia coli</i> during anaerobic fermentation of glucose using <sup>13</sup> C labeling experiments and 2-dimensional nuclear magnetic resonance (NMR) spectroscopy. <i>Biotechnology and Bioengineering</i> , 2011, 16, 419-437. | 1.4 | 18        |
| 1405 | Biochemical properties and physiological roles of NADP-dependent malic enzyme in <i>Escherichia coli</i> . <i>Journal of Microbiology</i> , 2011, 49, 797-802.  | 1.3 | 24        |
| 1406 | A framework and model system to investigate linear system behavior in <i>Escherichia coli</i> . <i>Journal of Biological Engineering</i> , 2011, 5, 3.  | 2.0 | 17        |
| 1407 | Metabolic engineering of <i>Escherichia coli</i> for the production of 1,2- $\epsilon$ -propanediol from glycerol. <i>Biotechnology and Bioengineering</i> , 2011, 108, 867-879.  | 1.7 | 114       |
| 1408 | Zinc(II)cyclen-peptide conjugates interacting with the weak effector binding state of Ras. <i>Inorganica Chimica Acta</i> , 2011, 365, 38-48.   | 1.2 | 21        |
| 1409 | Elucidating acetate tolerance in <i>E. coli</i> using a genome-wide approach. <i>Metabolic Engineering</i> , 2011, 13, 214-224.   | 3.6 | 60        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1410 | Targeted proteomics for metabolic pathway optimization: Application to terpene production. <i>Metabolic Engineering</i> , 2011, 13, 194-203.   | 3.6 | 169       |
| 1411 | Optimization of a heterologous pathway for the production of flavonoids from glucose. <i>Metabolic Engineering</i> , 2011, 13, 392-400.  | 3.6 | 276       |
| 1412 | Bacterial biofilm-based water toxicity sensor. <i>Sensors and Actuators B: Chemical</i> , 2011, 158, 366-371.  | 4.0 | 10        |
| 1413 | Surviving Bacterial Sibling Rivalry: Inducible and Reversible Phenotypic Switching in <i>Paenibacillus dendritiformis</i> . <i>MBio</i> , 2011, 2, e00069-11.  | 1.8 | 19        |
| 1414 | Roles of Three Transporters, CbcXWV, BetT1, and BetT3, in <i>Pseudomonas aeruginosa</i> Choline Uptake for Catabolism. <i>Journal of Bacteriology</i> , 2011, 193, 3033-3041.  | 1.0 | 40        |
| 1415 | Bistability in <i>myo</i> -Inositol Utilization by <i>Salmonella enterica</i> Serovar Typhimurium. <i>Journal of Bacteriology</i> , 2011, 193, 1427-1435.  | 1.0 | 31        |
| 1416 | Age of Inoculum Strongly Influences Persister Frequency and Can Mask Effects of Mutations Implicated in Altered Persistence. <i>Journal of Bacteriology</i> , 2011, 193, 3598-3605.  | 1.0 | 169       |
| 1417 | Spatial Distribution and Diffusive Motion of RNA Polymerase in Live <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2011, 193, 5138-5146.   | 1.0 | 45        |
| 1418 | Genotype and Phenotypes of an Intestine-Adapted <i>Escherichia coli</i> K-12 Mutant Selected by Animal Passage for Superior Colonization. <i>Infection and Immunity</i> , 2011, 79, 2430-2439.   | 1.0 | 43        |
| 1419 | Isolation from Tannery Wastewater and Characterization of Bacterial Strain Involved in Nonionic Surfactant Degradation. <i>Advanced Materials Research</i> , 2011, 183-185, 22-26.   | 0.3 | 2         |
| 1420 | The Interplay of mRNA Stimulatory Signals Required for AUU-Mediated Initiation and Programmed $\hat{a}^1$ Ribosomal Frameshifting in Decoding of Transposable Element IS <i>911</i> . <i>Journal of Bacteriology</i> , 2011, 193, 2735-2744.   | 1.0 | 12        |
| 1421 | Unexpected Coregulator Range for the Global Regulator Lrp of <i>Escherichia coli</i> and <i>Proteus mirabilis</i> . <i>Journal of Bacteriology</i> , 2011, 193, 1054-1064.   | 1.0 | 39        |
| 1422 | Discovering Mercury Protein Modifications in Whole Proteomes Using Natural Isotope Distributions Observed in Liquid Chromatography-Tandem Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M110.004853.                 | 2.5 | 15        |
| 1423 | Alterations in the $\hat{I}^2$ Flap and $\hat{I}^2$ Dock Domains of the RNA Polymerase Abolish NusA-Mediated Feedback Regulation of the <i>metY</i> - <i>nusA</i> - <i>infB</i> Operon. <i>Journal of Bacteriology</i> , 2011, 193, 4113-4122. | 1.0 | 6         |
| 1424 | Small-Molecule Inhibition of Choline Catabolism in <i>Pseudomonas aeruginosa</i> and Other Aerobic Choline-Catabolizing Bacteria. <i>Applied and Environmental Microbiology</i> , 2011, 77, 4383-4389.   | 1.4 | 16        |
| 1425 | Palmitoylation State Impacts Induction of Innate and Acquired Immunity by the <i>Salmonella enterica</i> Serovar Typhimurium <i>msbB</i> Mutant. <i>Infection and Immunity</i> , 2011, 79, 5027-5038.  | 1.0 | 42        |
| 1426 | A Unique Arabinose 5-Phosphate Isomerase Found within a Genomic Island Associated with the Uropathogenicity of <i>Escherichia coli</i> CFT073. <i>Journal of Bacteriology</i> , 2011, 193, 2981-2988.  | 1.0 | 8         |
| 1427 | <i>Bacillus subtilis</i> CodY Operators Contain Overlapping CodY Binding Sites. <i>Journal of Bacteriology</i> , 2011, 193, 4841-4848.   | 1.0 | 19        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1428 | Genetic and Biochemical Characterization of a Pathway for the Degradation of 2-Aminoethylphosphonate in <i>Sinorhizobium meliloti</i> 1021. <i>Journal of Biological Chemistry</i> , 2011, 286, 22283-22290.                          | 1.6 | 40        |
| 1429 | Alternative Fates of Paused Ribosomes during Translation Termination. <i>Journal of Biological Chemistry</i> , 2011, 286, 31105-31112.  | 1.6 | 20        |
| 1430 | Correction: <i>Salmonella</i> Synthesizing 1-Monophosphorylated Lipopolysaccharide Exhibits Low Endotoxic Activity while Retaining Its Immunogenicity. <i>Journal of Immunology</i> , 2011, 187, 3449-3449.                           | 0.4 | 6         |
| 1431 | Two groups of phenylalanine biosynthetic operon leader peptides genes: a high level of apparently incidental frameshifting in decoding <i>Escherichia coli</i> pheL. <i>Nucleic Acids Research</i> , 2011, 39, 3079-3092.             | 6.5 | 9         |
| 1432 | <i>Salmonella</i> Synthesizing 1-Monophosphorylated Lipopolysaccharide Exhibits Low Endotoxic Activity while Retaining Its Immunogenicity. <i>Journal of Immunology</i> , 2011, 187, 412-423.   | 0.4 | 66        |
| 1433 | In Vitro Reconstruction of the Chain Termination Reaction in Biosynthesis of the <i>Escherichia coli</i> O9a O-Polysaccharide. <i>Journal of Biological Chemistry</i> , 2011, 286, 41391-41401.                                       | 1.6 | 36        |
| 1434 | SlyA Protein Activates <i>fimB</i> Gene Expression and Type 1 Fimbriation in <i>Escherichia coli</i> K-12. <i>Journal of Biological Chemistry</i> , 2011, 286, 32026-32035.   | 1.6 | 36        |
| 1435 | The pivotal twin histidines and aromatic triad of the <i>Escherichia coli</i> ammonium channel AmtB can be replaced. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13270-13274. | 3.3 | 21        |
| 1436 | Bis-(3'-5'-cyclic dimeric GMP-linked quorum sensing controls swarming in <i>Vibrio parahaemolyticus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 18079-18084.            | 3.3 | 65        |
| 1437 | Effect of Deletion of Genes Involved in Lipopolysaccharide Core and O-Antigen Synthesis on Virulence and Immunogenicity of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Infection and Immunity</i> , 2011, 79, 4227-4239.       | 1.0 | 168       |
| 1438 | Real-time attack on single <i>Escherichia coli</i> cells by the human antimicrobial peptide LL-37. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E77-81.                        | 3.3 | 233       |
| 1439 | The Stringent Response Is Essential for <i>Pseudomonas aeruginosa</i> Virulence in the Rat Lung Agar Bead and <i>Drosophila melanogaster</i> Feeding Models of Infection. <i>Infection and Immunity</i> , 2011, 79, 4094-4104.        | 1.0 | 67        |
| 1440 | Efflux inhibition by selective serotonin reuptake inhibitors in <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2057-2060.   | 1.3 | 79        |
| 1441 | Deciphering the Mode of Action of the Synthetic Antimicrobial Peptide Bac8c. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1706-1716.  | 1.4 | 95        |
| 1442 | Effects of Magnesium Sulfate on the Luminescence of <i>Vibrio fischeri</i> under Nutrient-Starved Conditions. <i>Bioscience, Biotechnology and Biochemistry</i> , 2011, 75, 1073-1078.  | 0.6 | 8         |
| 1443 | Genetically encoded ratiometric biosensors to measure intracellular exchangeable zinc in <i>Escherichia coli</i> . <i>Journal of Biomedical Optics</i> , 2011, 16, 087011.  | 1.4 | 50        |
| 1444 | Structure and activity of the <i>Pseudomonas aeruginosa</i> hotdog-fold thioesterases PA5202 and PA2801. <i>Biochemical Journal</i> , 2012, 444, 445-455.   | 1.7 | 6         |
| 1445 | Solution structure of the core SMN-Gemin2 complex. <i>Biochemical Journal</i> , 2012, 445, 361-370.   | 1.7 | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1446 | A pleckstrin homology-related domain in SHIP1 mediates membrane localization during Fc $\gamma$ 3 receptor-induced phagocytosis. <i>FASEB Journal</i> , 2012, 26, 3163-3177.   | 0.2 | 28        |
| 1447 | Characterization of NrnA homologs from <i>Mycobacterium tuberculosis</i> and <i>Mycoplasma pneumoniae</i> . <i>Rna</i> , 2012, 18, 155-165.  | 1.6 | 40        |
| 1448 | Complex Physiology and Compound Stress Responses during Fermentation of Alkali-Pre-treated Corn Stover Hydrolysate by an <i>Escherichia coli</i> Ethanologen. <i>Applied and Environmental Microbiology</i> , 2012, 78, 3442-3457.                                     | 1.4 | 57        |
| 1449 | Relacin, a Novel Antibacterial Agent Targeting the Stringent Response. <i>PLoS Pathogens</i> , 2012, 8, e1002925.  | 2.1 | 130       |
| 1450 | Rho and NusG suppress pervasive antisense transcription in <i>Escherichia coli</i> . <i>Genes and Development</i> , 2012, 26, 2621-2633.   | 2.7 | 236       |
| 1451 | <i>Escherichia coli</i> enterobactin synthesis and uptake mutants are hypersensitive to an antimicrobial peptide that limits the availability of iron in addition to blocking Holliday junction resolution. <i>Microbiology (United Kingdom)</i> , 2012, 158, 547-559. | 0.7 | 13        |
| 1452 | Disintegration of Nascent Replication Bubbles during Thymine Starvation Triggers RecA- and RecBCD-dependent Replication Origin Destruction. <i>Journal of Biological Chemistry</i> , 2012, 287, 23958-23970.   | 1.6 | 36        |
| 1453 | Transcriptional Cross Talk within the <i>mar-sox-rob</i> Regulon in <i>Escherichia coli</i> Is Limited to the <i>rob</i> and <i>marRAB</i> Operons. <i>Journal of Bacteriology</i> , 2012, 194, 4867-4875.   | 1.0 | 41        |
| 1454 | Novel insights from hybrid LacI/GalR proteins: family-wide functional attributes and biologically significant variation in transcription repression. <i>Nucleic Acids Research</i> , 2012, 40, 11139-11154.  | 6.5 | 74        |
| 1455 | Phosphate Groups of Lipid A Are Essential for <i>Salmonella enterica</i> Serovar Typhimurium Virulence and Affect Innate and Adaptive Immunity. <i>Infection and Immunity</i> , 2012, 80, 3215-3224.   | 1.0 | 70        |
| 1456 | Biochemical and Structural Studies of Uncharacterized Protein PA0743 from <i>Pseudomonas aeruginosa</i> Revealed NAD <sup>+</sup> -dependent L-Serine Dehydrogenase. <i>Journal of Biological Chemistry</i> , 2012, 287, 1874-1883.                                    | 1.6 | 23        |
| 1457 | mRNA pseudoknot structures can act as ribosomal roadblocks. <i>Nucleic Acids Research</i> , 2012, 40, 303-313.   | 6.5 | 69        |
| 1458 | Obacunone Represses <i>Salmonella</i> Pathogenicity Islands 1 and 2 in an $\sigma^Z$ -Dependent Fashion. <i>Applied and Environmental Microbiology</i> , 2012, 78, 7012-7022.  | 1.4 | 25        |
| 1459 | Identification of a Third Osmoprotectant Transport System, the OsmU System, in <i>Salmonella enterica</i> . <i>Journal of Bacteriology</i> , 2012, 194, 3861-3871.   | 1.0 | 42        |
| 1460 | ArcA and AppY Antagonize IscR Repression of Hydrogenase-1 Expression under Anaerobic Conditions, Revealing a Novel Mode of O <sub>2</sub> Regulation of Gene Expression in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2012, 194, 6892-6899.            | 1.0 | 15        |
| 1461 | Evidence that the Folate-Dependent Proteins YgfZ and MnmEG Have Opposing Effects on Growth and on Activity of the Iron-Sulfur Enzyme MiaB. <i>Journal of Bacteriology</i> , 2012, 194, 362-367.  | 1.0 | 12        |
| 1462 | Comparison of Glucose, Glycerol and Crude Glycerol Fermentation by <i>Escherichia coli</i> K12. <i>Journal of Bioprocessing &amp; Biotechniques</i> , 2012, s1, .  | 0.2 | 4         |
| 1463 | Biotic Reactions. , 2012, , 53-184.  |     | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1464 | - Interactions. , 2012, , 412-493.   |     | 0         |
| 1465 | Solution NMR Studies of Integral Polytopic $\alpha$ -Helical Membrane Proteins: The Structure Determination of the Seven-Helix Transmembrane Receptor Sensory Rhodopsin II, pSRII. <i>Methods in Molecular Biology</i> , 2012, 914, 25-45.   | 0.4 | 6         |
| 1466 | A Synthetic Biology Approach to Engineer a Functional Reversal of the $\beta$ -Oxidation Cycle. <i>ACS Synthetic Biology</i> , 2012, 1, 541-554.   | 1.9 | 93        |
| 1467 | Depletion of acidic phospholipids influences chromosomal replication in <i>Escherichia coli</i> . <i>MicrobiologyOpen</i> , 2012, 1, 450-466.  | 1.2 | 19        |
| 1468 | Synthesis of methyl ketones by metabolically engineered <i>Escherichia coli</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012, 39, 1703-1712.   | 1.4 | 39        |
| 1469 | Integrated development of an effective bioprocess for extracellular production of penicillin G acylase in <i>Escherichia coli</i> and its subsequent one-step purification. <i>Journal of Biotechnology</i> , 2012, 161, 19-26.  | 1.9 | 14        |
| 1470 | Modular Engineering of <i>Escherichia coli</i> -Tyrosine Production in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 89-98.  | 1.4 | 240       |
| 1471 | Needle-based activation of ammonium uptake in <i>Escherichia coli</i> . <i>Molecular Systems Biology</i> , 2012, 8, 616.   | 3.2 | 76        |
| 1472 | Genetic and Functional Genomic Approaches for the Study of Plant Cell Wall Degradation in <i>Cellvibrio japonicus</i> . <i>Methods in Enzymology</i> , 2012, 510, 331-347.   | 0.4 | 18        |
| 1473 | Identification of Ni-(I-His) <sub>2</sub> as a substrate for NikABCDE-dependent nickel uptake in <i>Escherichia coli</i> . <i>Metallomics</i> , 2012, 4, 1043.   | 1.0 | 55        |
| 1474 | Nuclear Inelastic Scattering and Mössbauer Spectroscopy as Local Probes for Ligand Binding Modes and Electronic Properties in Proteins: Vibrational Behavior of a Ferriheme Center inside a $\beta$ -Barrel Protein. <i>Journal of the American Chemical Society</i> , 2012, 134, 4216-4228. | 6.6 | 21        |
| 1475 | Robust Translation of the Nucleoid Protein Fis Requires a Remote Upstream AU Element and Is Enhanced by RNA Secondary Structure. <i>Journal of Bacteriology</i> , 2012, 194, 2458-2469.  | 1.0 | 19        |
| 1476 | Rational, combinatorial, and genomic approaches for engineering L-tyrosine production in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 13538-13543.  | 3.3 | 133       |
| 1477 | ZntR-mediated transcription of <i>zntA</i> responds to nanomolar intracellular free zinc. <i>Journal of Inorganic Biochemistry</i> , 2012, 111, 173-181.   | 1.5 | 95        |
| 1478 | Adenine-containing codons enhance protein synthesis by promoting mRNA binding to ribosomal 30S subunits provided that specific tRNAs are not exhausted. <i>Biochimie</i> , 2012, 94, 662-672.  | 1.3 | 10        |
| 1479 | Second-Site Suppression of RNase E Essentiality by Mutation of the <i>deaD</i> RNA Helicase in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2012, 194, 1919-1926.  | 1.0 | 21        |
| 1480 | <i>Escherichia coli</i> exhibits a membrane-related response to a small arginine- and tryptophan-rich antimicrobial peptide. <i>Proteomics</i> , 2012, 12, 2319-2330.  | 1.3 | 5         |
| 1481 | Modulation of endogenous pathways enhances bioethanol yield and productivity in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2012, 11, 145.   | 1.9 | 31        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1482 | Manipulation of the carbon storage regulator system for metabolite remodeling and biofuel production in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2012, 11, 79.  | 1.9  | 53        |
| 1483 | The small RNA RybA regulates key-genes in the biosynthesis of aromatic amino acids under peroxide stress in <i>E. coli</i> . <i>RNA Biology</i> , 2012, 9, 458-468.  | 1.5  | 34        |
| 1484 | Strategy for directing combinatorial genome engineering in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10540-10545.  | 3.3  | 87        |
| 1485 | Effects of Media Ingredient Substitution and Comparison of Growth of <i>Flavobacterium psychrophilum</i> among Four Media. <i>Journal of Aquatic Animal Health</i> , 2012, 24, 49-57.  | 0.6  | 5         |
| 1486 | Comparison of <i>Escherichia coli</i> and anaerobic consortia derived from compost as anodic biocatalysts in a glycerol-oxidizing microbial fuel cell. <i>Bioresource Technology</i> , 2012, 123, 318-323.   | 4.8  | 32        |
| 1487 | Quantitative Redox Proteomics: The NOxICAT Method. <i>Methods in Molecular Biology</i> , 2012, 893, 387-403.   | 0.4  | 30        |
| 1488 | Analysis of Aminoacyl- and Peptidyl-tRNAs by Gel Electrophoresis. , 2012, 905, 291-309.  |      | 40        |
| 1489 | Growth and Laboratory Maintenance of <i>Pseudomonas aeruginosa</i> . <i>Current Protocols in Microbiology</i> , 2012, 25, Unit 6E.1..  | 6.5  | 118       |
| 1490 | An ankyrin-repeat ubiquitin-binding domain determines TRABID's specificity for atypical ubiquitin chains. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 62-71.  | 3.6  | 122       |
| 1491 | Specific Recognition of p53 Tetramers by Peptides Derived from p53 Interacting Proteins. <i>PLoS ONE</i> , 2012, 7, e38060.  | 1.1  | 21        |
| 1492 | Genome-Wide Analysis of the Pho Regulon in a pstCA Mutant of <i>Citrobacter rodentium</i> . <i>PLoS ONE</i> , 2012, 7, e50682.   | 1.1  | 10        |
| 1493 | Toward a Systemic Understanding of <i>Listeria monocytogenes</i> Metabolism during Infection. <i>Frontiers in Microbiology</i> , 2012, 3, 23.  | 1.5  | 45        |
| 1494 | Application of targeted proteomics to metabolically engineered <i>Escherichia coli</i> . <i>Proteomics</i> , 2012, 12, 1289-1299.  | 1.3  | 21        |
| 1495 | The anti-Shine-Dalgarno sequence drives translational pausing and codon choice in bacteria. <i>Nature</i> , 2012, 484, 538-541.  | 13.7 | 566       |
| 1496 | Nanoparticles Functionalized with Ampicillin Destroy Multiple-Antibiotic-Resistant Isolates of <i>Pseudomonas aeruginosa</i> and <i>Enterobacter aerogenes</i> and Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 2768-2774. | 1.4  | 326       |
| 1497 | Identification of a 21 amino acid peptide conferring 3-hydroxypropionic acid stress-tolerance to <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2012, 109, 1347-1352.   | 1.7  | 25        |
| 1498 | Kinetic modeling of free fatty acid production in <i>Escherichia coli</i> based on continuous cultivation of a plasmid free strain. <i>Biotechnology and Bioengineering</i> , 2012, 109, 1518-1527.  | 1.7  | 34        |
| 1499 | Isolation and characterization of a soluble and thermostable phosphite dehydrogenase from <i>Ralstonia sp.</i> strain 4506. <i>Journal of Bioscience and Bioengineering</i> , 2012, 113, 445-450.  | 1.1  | 25        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1500 | Optimization of culture media for ethanol production from glycerol by <i>Escherichia coli</i> . <i>Biomass and Bioenergy</i> , 2012, 37, 275-281.   | 2.9  | 25        |
| 1501 | High yield production of d-xylonic acid from d-xylose using engineered <i>Escherichia coli</i> . <i>Bioresource Technology</i> , 2012, 115, 244-248.  | 4.8  | 103       |
| 1502 | Transmembrane glutathione cycling in growing <i>Escherichia coli</i> cells. <i>Microbiological Research</i> , 2012, 167, 166-172.   | 2.5  | 52        |
| 1503 | Superresolution imaging of ribosomes and RNA polymerase in live <i>Escherichia coli</i> cells. <i>Molecular Microbiology</i> , 2012, 85, 21-38.   | 1.2  | 413       |
| 1504 | The linker sequence, joining the DNA-binding domain of the homologous transcription factors, Mlc and NagC, to the rest of the protein, determines the specificity of their DNA target recognition in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2012, 85, 1007-1019. | 1.2  | 14        |
| 1505 | Quantitative analysis of the fermentative metabolism of glycerol in <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2012, 109, 187-198.   | 1.7  | 60        |
| 1506 | Selenium cannot substitute for sulfur in cell density-independent bioluminescence in <i>Vibrio fischeri</i> . <i>Journal of Basic Microbiology</i> , 2013, 53, 175-180.   | 1.8  | 0         |
| 1507 | The site-specific integration reaction of <i>Listeria</i> phage A118 integrase, a serine recombinase. <i>Mobile DNA</i> , 2013, 4, 2.   | 1.3  | 28        |
| 1508 | Pyrimidine homeostasis is accomplished by directed overflow metabolism. <i>Nature</i> , 2013, 500, 237-241.   | 13.7 | 102       |
| 1509 | Quantitative Assessment of Thermodynamic Constraints on the Solution Space of Genome-Scale Metabolic Models. <i>Biophysical Journal</i> , 2013, 105, 512-522.   | 0.2  | 51        |
| 1510 | A new social gene in <i>Dictyostelium discoideum</i> , chtB. <i>BMC Evolutionary Biology</i> , 2013, 13, 4.   | 3.2  | 18        |
| 1511 | The non-pathogenic <i>Escherichia coli</i> strain W secretes SslE via the virulence-associated type II secretion system beta. <i>BMC Microbiology</i> , 2013, 13, 130.  | 1.3  | 14        |
| 1512 | Absence of long-range diffusion of OmpA in <i>E. coli</i> is not caused by its peptidoglycan binding domain. <i>BMC Microbiology</i> , 2013, 13, 66.  | 1.3  | 18        |
| 1513 | NMR structure note: PHD domain from death inducer obliterator protein and its interaction with H3K4me3. <i>Journal of Biomolecular NMR</i> , 2013, 56, 183-190.   | 1.6  | 9         |
| 1514 | Production of hydroxycinnamoyl anthranilates from glucose in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2013, 12, 62.  | 1.9  | 48        |
| 1515 | Efficient synthesis of L-lactic acid from glycerol by metabolically engineered <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2013, 12, 7.   | 1.9  | 87        |
| 1516 | Free fatty acid production in <i>Escherichia coli</i> under phosphate-limited conditions. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 5149-5159.  | 1.7  | 26        |
| 1517 | <sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N assignments of the holo-acyl carrier protein of <i>Pseudomonas aeruginosa</i> . <i>Biomolecular NMR Assignments</i> , 2013, 7, 225-228.   | 0.4  | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1518 | Total Synthesis of the Hypermodified tRNA Nucleoside Epoxyqueuosine. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 4483-4485.   | 1.2 | 2         |
| 1519 | Glutamate transport and xanthan gum production in the plant pathogen <i>Xanthomonas axonopodis</i> pv. <i>citri</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2013, 29, 2173-2180.            | 1.7 | 5         |
| 1520 | Non-conventional induction strategies for production of subunit swine erysipelas vaccine antigen in <i>E. coli</i> fed-batch cultures. <i>SpringerPlus</i> , 2013, 2, 322.                                     | 1.2 | 25        |
| 1521 | Metabolic engineering of <i>Escherichia coli</i> for production of salvianic acid A via an artificial biosynthetic pathway. <i>Metabolic Engineering</i> , 2013, 19, 79-87.                                    | 3.6 | 84        |
| 1522 | Twin-arginine translocation system ( <i>tat</i> ) mutants of <i>Salmonella</i> are attenuated due to envelope defects, not respiratory defects. <i>Molecular Microbiology</i> , 2013, 89, 887-902.             | 1.2 | 49        |
| 1523 | Metabolic engineering of <i>Escherichia coli</i> for (2S)-pinocembrin production from glucose by a modular metabolic strategy. <i>Metabolic Engineering</i> , 2013, 16, 48-55.                                 | 3.6 | 193       |
| 1524 | Production of medium chain length fatty alcohols from glucose in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2013, 20, 177-186.   | 3.6 | 98        |
| 1525 | Bacterial expression and purification of the amyloidogenic peptide PAPf39 for multidimensional NMR spectroscopy. <i>Protein Expression and Purification</i> , 2013, 88, 196-200.                               | 0.6 | 5         |
| 1526 | A role for EIIA Ntr in controlling fluxes in the central metabolism of <i>E. coli</i> K12. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2879-2889.                             | 1.9 | 21        |
| 1527 | Redox Proteomics Uncovers Peroxynitrite-sensitive Proteins That Help <i>Escherichia coli</i> to Overcome Nitrosative Stress. <i>Journal of Biological Chemistry</i> , 2013, 288, 19698-19714.                  | 1.6 | 29        |
| 1528 | Two Singular Types of CCCH Tandem Zinc Finger in Nab2p Contribute to Polyadenosine RNA Recognition. <i>Structure</i> , 2013, 21, 1800-1811.  | 1.6 | 7         |
| 1529 | HipA-mediated antibiotic persistence via phosphorylation of the glutamyl-tRNA-synthetase. <i>Nature Communications</i> , 2013, 4, 3001.  | 5.8 | 224       |
| 1530 | Evidence that a Metabolic Microcompartment Contains and Recycles Private Cofactor Pools. <i>Journal of Bacteriology</i> , 2013, 195, 2864-2879.  | 1.0 | 68        |
| 1531 | Sum of the Parts: Composition and Architecture of the Bacterial Extracellular Matrix. <i>Journal of Molecular Biology</i> , 2013, 425, 4286-4294.  | 2.0 | 120       |
| 1532 | Computational Design and Experimental Characterization of GPCR Segment Models. <i>Methods in Enzymology</i> , 2013, 522, 81-95.  | 0.4 | 0         |
| 1533 | Partitioning of RNA Polymerase Activity in Live <i>Escherichia coli</i> from Analysis of Single-Molecule Diffusive Trajectories. <i>Biophysical Journal</i> , 2013, 105, 2676-2686.                            | 0.2 | 66        |
| 1534 | Tracing H isotope effects in the dynamic metabolic network using multi-nuclear ( <sup>1</sup> H, <sup>2</sup> H and <sup>13</sup> C) solid state NMR and GC-MS. <i>Organic Geochemistry</i> , 2013, 57, 84-94. | 0.9 | 5         |
| 1535 | Nonnative Disulfide Bond Formation Activates the $\sigma^{32}$ -Dependent Heat Shock Response in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2013, 195, 2807-2816.                              | 1.0 | 28        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1536 | Adsorption and detection of Escherichia coli using an Au substrate modified with a catecholate-type artificial siderophore-Fe <sup>3+</sup> complex. Dalton Transactions, 2013, 42, 16043.  | 1.6  | 10        |
| 1537 | Development of a LacZ-based transcriptional reporter system for use with Moraxella catarrhalis. Plasmid, 2013, 69, 180-185.   | 0.4  | 4         |
| 1538 | Low-Molecular-Weight DNA Replication Intermediates in Escherichia coli: Mechanism of Formation and Strand Specificity. Journal of Molecular Biology, 2013, 425, 4177-4191.  | 2.0  | 12        |
| 1539 | Multivariate modular metabolic engineering of Escherichia coli to produce resveratrol from l-tyrosine. Journal of Biotechnology, 2013, 167, 404-411.  | 1.9  | 110       |
| 1540 | Genome-scale identification and characterization of ethanol tolerance genes in Escherichia coli. Metabolic Engineering, 2013, 15, 124-133.  | 3.6  | 52        |
| 1541 | Oxidized-phospholipids in reconstituted high density lipoprotein particles affect structure and function of recombinant paraoxonase 1. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2013, 1831, 1714-1720. | 1.2  | 8         |
| 1542 | Characterization of the transcriptional stimulatory properties of the Pseudomonas putida RapA protein. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2013, 1829, 219-230.   | 0.9  | 4         |
| 1543 | Microbial utilization of aqueous co-products from hydrothermal liquefaction of microalgae Nannochloropsis oculata. Bioresource Technology, 2013, 136, 522-528.  | 4.8  | 59        |
| 1544 | Regulation of iron-sulphur cluster homeostasis through transcriptional control of the <i>lsc</i> pathway by [2Fe-S] <sup>2+</sup> in <i>Escherichia coli</i> . Molecular Microbiology, 2013, 87, 478-492.                           | 1.2  | 112       |
| 1545 | The <i>Escherichia coli</i> SLC26 homologue <i>YchM</i> ( <i>DauA</i> ) is a dicarboxylic acid transporter. Molecular Microbiology, 2013, 87, 623-640.  | 1.2  | 52        |
| 1546 | The BaeSR regulon is involved in defense against zinc toxicity in E. coli. Metallomics, 2013, 5, 372.   | 1.0  | 79        |
| 1547 | Small RNA-Mediated Activation of Sugar Phosphatase mRNA Regulates Glucose Homeostasis. Cell, 2013, 153, 426-437.  | 13.5 | 194       |
| 1548 | Nutrient requirements for growth of the extreme oligotroph <i>Candidatus</i> Pelagibacter ubique <sup>TM</sup> HTCC1062 on a defined medium. ISME Journal, 2013, 7, 592-602.  | 4.4  | 206       |
| 1549 | Localized Permeabilization of E. coli Membranes by the Antimicrobial Peptide Cecropin A. Biochemistry, 2013, 52, 6584-6594.   | 1.2  | 80        |
| 1550 | Tolerance of <i>Escherichia coli</i> to Fluoroquinolone Antibiotics Depends on Specific Components of the SOS Response Pathway. Genetics, 2013, 195, 1265-1276.   | 1.2  | 77        |
| 1551 | NMR Studies of the Dynamics of Nitrophorin 2 Bound to Nitric Oxide. Biochemistry, 2013, 52, 7910-7925.  | 1.2  | 5         |
| 1552 | Evolutionary Tuning of Protein Expression Levels of a Positively Autoregulated Two-Component System. PLoS Genetics, 2013, 9, e1003927.  | 1.5  | 32        |
| 1553 | Bacterial Adaptation through Loss of Function. PLoS Genetics, 2013, 9, e1003617.  | 1.5  | 199       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1554 | dPeak: High Resolution Identification of Transcription Factor Binding Sites from PET and SET ChIP-Seq Data. <i>PLoS Computational Biology</i> , 2013, 9, e1003246.  | 1.5 | 15        |
| 1555 | Genome-scale Analysis of <i>Escherichia coli</i> FNR Reveals Complex Features of Transcription Factor Binding. <i>PLoS Genetics</i> , 2013, 9, e1003565.  | 1.5 | 158       |
| 1556 | The Bacterial Response Regulator ArcA Uses a Diverse Binding Site Architecture to Regulate Carbon Oxidation Globally. <i>PLoS Genetics</i> , 2013, 9, e1003839.   | 1.5 | 132       |
| 1557 | A high-throughput screen for quorum-sensing inhibitors that target acyl-homoserine lactone synthases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 13815-13820.                                  | 3.3 | 77        |
| 1558 | Nutrient Dependence of RNase E Essentiality in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2013, 195, 1133-1141.   | 1.0 | 18        |
| 1559 | Genome-Wide Identification of Genes Conferring Energy Related Resistance to a Synthetic Antimicrobial Peptide (Bac8c). <i>PLoS ONE</i> , 2013, 8, e55052.   | 1.1 | 15        |
| 1560 | The Molecular Basis of K <sup>+</sup> Exclusion by the <i>Escherichia coli</i> Ammonium Channel AmtB. <i>Journal of Biological Chemistry</i> , 2013, 288, 14080-14086.  | 1.6 | 17        |
| 1561 | Characterization of an Acid-Inducible Sulfatase in <i>Salmonella enterica</i> Serovar Typhimurium. <i>Applied and Environmental Microbiology</i> , 2013, 79, 2092-2095.   | 1.4 | 5         |
| 1562 | Anr and Its Activation by PlcH Activity in <i>Pseudomonas aeruginosa</i> Host Colonization and Virulence. <i>Journal of Bacteriology</i> , 2013, 195, 3093-3104.  | 1.0 | 58        |
| 1563 | Transport and catabolism of the sialic acids <i>N</i> -glycolylneuraminic acid and 3-keto-3-deoxy-glycero-galactonononic acid by <i>Escherichia coli</i> K-12. <i>FEMS Microbiology Letters</i> , 2013, 347, 14-22.                                     | 0.7 | 25        |
| 1564 | Mechanism for nitrogen isotope fractionation during ammonium assimilation by <i>Escherichia coli</i> K12. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8696-8701.                                | 3.3 | 35        |
| 1565 | Structures of the <i>Bacillus subtilis</i> Glutamine Synthetase Dodecamer Reveal Large Intersubunit Catalytic Conformational Changes Linked to a Unique Feedback Inhibition Mechanism. <i>Journal of Biological Chemistry</i> , 2013, 288, 35801-35811. | 1.6 | 43        |
| 1566 | The Endophytic Lifestyle of <i>Escherichia coli</i> O157:H7: Quantification and Internal Localization in Roots. <i>Phytopathology</i> , 2013, 103, 333-340.   | 1.1 | 72        |
| 1567 | Crippling the Essential GTPase Der Causes Dependence on Ribosomal Protein L9. <i>Journal of Bacteriology</i> , 2013, 195, 3682-3691.  | 1.0 | 9         |
| 1568 | Bacterial attachment on poly[acrylonitrile-co-(2-methyl-2-propene-1-sulfonic acid)] surfaces. <i>Materials Research Society Symposia Proceedings</i> , 2013, 1569, 85-90.   | 0.1 | 1         |
| 1569 | Characterization of <i>Escherichia coli</i> -Cycloserine Transport and Resistant Mutants. <i>Journal of Bacteriology</i> , 2013, 195, 1389-1399.  | 1.0 | 32        |
| 1570 | Identifying Bacterial Menu Choices from the Host Buffet during Infections. <i>Journal of Bacteriology</i> , 2013, 195, 4989-4990.   | 1.0 | 1         |
| 1571 | <i>Salmonella</i> Utilizes D-Glucosaminic Acid via a Mannose Family Phosphotransferase System Permease and Associated Enzymes. <i>Journal of Bacteriology</i> , 2013, 195, 4057-4066.   | 1.0 | 26        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1572 | The Structure of the NTPase That Powers DNA Packaging into Sulfolobus Turreted Icosahedral Virus 2. <i>Journal of Virology</i> , 2013, 87, 8388-8398.   | 1.5 | 19        |
| 1573 | Live Cell Imaging of Germination and Outgrowth of Individual <i>Bacillus subtilis</i> Spores; the Effect of Heat Stress Quantitatively Analyzed with SporeTracker. <i>PLoS ONE</i> , 2013, 8, e58972.                                   | 1.1 | 102       |
| 1574 | Genome-Wide Mapping of Furfural Tolerance Genes in <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2014, 9, e87540.   | 1.1 | 30        |
| 1575 | PhoB Activates <i>Escherichia coli</i> O157:H7 Virulence Factors in Response to Inorganic Phosphate Limitation. <i>PLoS ONE</i> , 2014, 9, e94285.  | 1.1 | 57        |
| 1576 | Modular Optimization of Heterologous Pathways for De Novo Synthesis of (2S)-Naringenin in <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2014, 9, e101492.   | 1.1 | 78        |
| 1577 | Efficient Synthesis of Eriodictyol from <i>l</i> -Tyrosine in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2014, 80, 3072-3080.  | 1.4 | 87        |
| 1578 | Coordinate Regulation of the Suf and Isc Fe-S Cluster Biogenesis Pathways by IscR Is Essential for Viability of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2014, 196, 4315-4323.  | 1.0 | 39        |
| 1579 | The <i>phtC-phtD</i> Locus Equips <i>Legionella pneumophila</i> for Thymidine Salvage and Replication in Macrophages. <i>Infection and Immunity</i> , 2014, 82, 720-730.  | 1.0 | 18        |
| 1580 | A dynamically assembled cell wall synthesis machinery buffers cell growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4554-4559.   | 3.3 | 88        |
| 1581 | Microaerobic Conversion of Glycerol to Ethanol in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2014, 80, 3276-3282.  | 1.4 | 23        |
| 1582 | An optimized method for the extraction of bacterial mRNA from plant roots infected with <i>Escherichia coli</i> O157:H7. <i>Frontiers in Microbiology</i> , 2014, 5, 286.   | 1.5 | 13        |
| 1583 | Aromatic inhibitors derived from ammonia-pretreated lignocellulose hinder bacterial ethanologenesis by activating regulatory circuits controlling inhibitor efflux and detoxification. <i>Frontiers in Microbiology</i> , 2014, 5, 402. | 1.5 | 46        |
| 1584 | Detection of Host-Derived Sphingosine by <i>Pseudomonas aeruginosa</i> Is Important for Survival in the Murine Lung. <i>PLoS Pathogens</i> , 2014, 10, e1003889.  | 2.1 | 61        |
| 1585 | <i>Candida albicans</i> Ethanol Stimulates <i>Pseudomonas aeruginosa</i> WspR-Controlled Biofilm Formation as Part of a Cyclic Relationship Involving Phenazines. <i>PLoS Pathogens</i> , 2014, 10, e1004480.                           | 2.1 | 132       |
| 1586 | Memory and Fitness Optimization of Bacteria under Fluctuating Environments. <i>PLoS Genetics</i> , 2014, 10, e1004556.  | 1.5 | 197       |
| 1587 | The Influence of Repressor DNA Binding Site Architecture on Transcriptional Control. <i>MBio</i> , 2014, 5, e01684-14.  | 1.8 | 15        |
| 1588 | Systems biology defines the biological significance of redox-active proteins during cellulose degradation in an aerobic bacterium. <i>Molecular Microbiology</i> , 2014, 94, 1121-1133.   | 1.2 | 51        |
| 1589 | <i>Escherichia coli</i> Common Pilus (ECP) Targets Arabinosyl Residues in Plant Cell Walls to Mediate Adhesion to Fresh Produce Plants. <i>Journal of Biological Chemistry</i> , 2014, 289, 34349-34365.                                | 1.6 | 31        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1590 | Timeâ€dependent effects of transcriptionâ€and translationâ€halting drugs on the spatial distributions of the <sc><i>E</i></sc><i>scherichia coli</i> chromosome and ribosomes. <i>Molecular Microbiology</i> , 2014, 94, 871-887.   | 1.2  | 89        |
| 1591 | Flagella interact with ionic plant lipids to mediate adherence of pathogenic <i>Escherichia coli</i> to fresh produce plants. <i>Environmental Microbiology</i> , 2014, 16, 2181-2195.  | 1.8  | 43        |
| 1592 | The highâ€molecularâ€weight kininogen <sc>Domain</sc> 5 is an intrinsically unstructured protein and its interaction with ferritin is metal mediated. <i>Protein Science</i> , 2014, 23, 1013-1022.   | 3.1  | 3         |
| 1593 | A complex gene locus enables xyloglucan utilization in the model saprophyte <sc><i>C</i></sc><i>ellvibrio japonicus</i>. <i>Molecular Microbiology</i> , 2014, 94, 418-433.   | 1.2  | 63        |
| 1594 | <i>Ïf</i><sup>N</sup>â€dependent control of acid resistance and the locus of enterocyte effacement in enterohemorrhagic <sc><i>E</i></sc><i>scherichia coli</i> is activated by acetyl phosphate in a manner requiring flagellar regulator FlhDC and the <i>Ïf</i><sup>S</sup> antagonist FliZ. <i>MicrobiologyOpen</i> , 2014, 3, 497-512. | 1.2  | 13        |
| 1595 | An Integrated Approach Reveals Regulatory Controls on Bacterial Translation Elongation. <i>Cell</i> , 2014, 159, 1200-1211.   | 13.5 | 131       |
| 1596 | Structural and Mechanistic Insights into the Interaction between Pyk2 and Paxillin LD Motifs. <i>Journal of Molecular Biology</i> , 2014, 426, 3985-4001.   | 2.0  | 12        |
| 1597 | Analysis of Strains Lacking Known Osmolyte Accumulation Mechanisms Reveals Contributions of Osmolytes and Transporters to Protection against Abiotic Stress. <i>Applied and Environmental Microbiology</i> , 2014, 80, 5366-5378.   | 1.4  | 23        |
| 1598 | Unprecedented High-Resolution View of Bacterial Operon Architecture Revealed by RNA Sequencing. <i>MBio</i> , 2014, 5, e01442-14.   | 1.8  | 150       |
| 1599 | Effect of codon adaptation on codon-level and gene-level translation efficiency in vivo. <i>BMC Genomics</i> , 2014, 15, 1115.  | 1.2  | 48        |
| 1601 | Whole-cell <i>Escherichia coli</i> -based bio-sensor assay for dual zinc oxide nanoparticle toxicity mechanisms. <i>Biosensors and Bioelectronics</i> , 2014, 51, 274-279.  | 5.3  | 17        |
| 1602 | Study of the hormetic effect of disinfectants chlorhexidine, povidone iodine and benzalkonium chloride. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 103-109.   | 1.3  | 14        |
| 1603 | l-Lactate Production from Seaweed Hydrolysate of <i>Laminaria japonica</i> Using Metabolically Engineered <i>Escherichia coli</i> . <i>Applied Biochemistry and Biotechnology</i> , 2014, 172, 1938-1952.   | 1.4  | 24        |
| 1604 | Synthetic promoter libraries for <i>Corynebacterium glutamicum</i> . <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 2617-2623.   | 1.7  | 92        |
| 1605 | Structure determination of Î±-helical membrane proteins by solution-state NMR: Emphasis on retinal proteins. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 578-588.  | 0.5  | 13        |
| 1606 | Utilization of Glyphosate as Phosphate Source: Biochemistry and Genetics of Bacterial Carbon-Phosphorus Lyase. <i>Microbiology and Molecular Biology Reviews</i> , 2014, 78, 176-197.   | 2.9  | 158       |
| 1607 | Quantifying Absolute Protein Synthesis Rates Reveals Principles Underlying Allocation of Cellular Resources. <i>Cell</i> , 2014, 157, 624-635.  | 13.5 | 1,137     |
| 1608 | Interplay of transcriptional and small <sc>RNA</sc>â€dependent control mechanisms regulates chitosugar uptake in <sc><i>E</i></sc><i>scherichia coli</i> and <sc><i>S</i></sc><i>almonella</i>. <i>Molecular Microbiology</i> , 2014, 92, 648-658.  | 1.2  | 36        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1609 | Regulation of amino sugar utilization in <i>Bacillus subtilis</i> by the GntR family regulators, NagR and GamR. <i>Molecular Microbiology</i> , 2014, 92, 100-115.   | 1.2 | 22        |
| 1610 | Production of recombinant protein in <i>Escherichia coli</i> cultured in extract from waste product alga, <i>Ulva lactuca</i> . <i>Biotechnology Progress</i> , 2014, 30, 784-789.   | 1.3 | 2         |
| 1611 | Physiological Framework for the Regulation of Quorum Sensing-Dependent Public Goods in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2014, 196, 1155-1164.  | 1.0 | 103       |
| 1612 | Growth and Preparation of <i>Staphylococcus epidermidis</i> for NMR Metabolomic Analysis. <i>Methods in Molecular Biology</i> , 2014, 1106, 71-91.   | 0.4 | 8         |
| 1613 | A routine method for cloning, expressing and purifying A <sup>12</sup> (142) for structural NMR studies. <i>Amino Acids</i> , 2014, 46, 2415-2426.   | 1.2 | 14        |
| 1614 | Correcting direct effects of ethanol on translation and transcription machinery confers ethanol tolerance in bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2576-85. | 3.3 | 126       |
| 1615 | Concerted loop motion triggers induced fit of FepA to ferric enterobactin. <i>Journal of General Physiology</i> , 2014, 144, 71-80.  | 0.9 | 18        |
| 1616 | A high-resolution structure of the EF-hand domain of human polycystin-2. <i>Protein Science</i> , 2014, 23, 1301-1308.   | 3.1 | 26        |
| 1617 | Prevalence and diversity of <i>Escherichia coli</i> isolated from a barley trial supplemented with bulky organic soil amendments: green compost and bovine slurry. <i>Letters in Applied Microbiology</i> , 2014, 58, 205-212.       | 1.0 | 9         |
| 1618 | Biochemical, genetic, and metabolic engineering strategies to enhance coproduction of 1-propanol and ethanol in engineered <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 9499-9515.            | 1.7 | 34        |
| 1619 | Accumulation of periplasmic enterobactin impairs the growth and morphology of <i>Escherichia coli</i> ...tolC mutants. <i>Molecular Microbiology</i> , 2014, 91, 508-521.  | 1.2 | 40        |
| 1620 | Characterization of the CbdR Regulon in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2014, 196, 7-15.  | 1.0 | 32        |
| 1621 | Global regulator Anr represses PlcH phospholipase activity in <i>Pseudomonas aeruginosa</i> when oxygen is limiting. <i>Microbiology (United Kingdom)</i> , 2014, 160, 2215-2225.  | 0.7 | 11        |
| 1622 | Antibiotics induce redox-related physiological alterations as part of their lethality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2100-9.                                  | 3.3 | 698       |
| 1623 | <i>Escherichia coli</i> d-Malate Dehydrogenase, a Generalist Enzyme Active in the Leucine Biosynthesis Pathway. <i>Journal of Biological Chemistry</i> , 2014, 289, 29086-29096.   | 1.6 | 18        |
| 1624 | Salinity-Dependent Impacts of ProQ, Prc, and Spr Deficiencies on <i>Escherichia coli</i> Cell Structure. <i>Journal of Bacteriology</i> , 2014, 196, 1286-1296.  | 1.0 | 24        |
| 1625 | The PhoU Protein from <i>Escherichia coli</i> Interacts with PhoR, PstB, and Metals To Form a Phosphate-Signaling Complex at the Membrane. <i>Journal of Bacteriology</i> , 2014, 196, 1741-1752.                                    | 1.0 | 88        |
| 1626 | Nonperturbative Imaging of Nucleoid Morphology in Live Bacterial Cells during an Antimicrobial Peptide Attack. <i>Applied and Environmental Microbiology</i> , 2014, 80, 4977-4986.  | 1.4 | 48        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1627 | RfaH Suppresses Small RNA MicA Inhibition of fimB Expression in Escherichia coli K-12. Journal of Bacteriology, 2014, 196, 148-156.   | 1.0 | 5         |
| 1628 | Commitment to Lysogeny Is Preceded by a Prolonged Period of Sensitivity to the Late Lytic Regulator Q in Bacteriophage $\lambda$ . Journal of Bacteriology, 2014, 196, 3582-3588.   | 1.0 | 11        |
| 1629 | Sulfate assimilation pathway intermediate phosphoadenosine 5'-phosphosulfate acts as a signal molecule affecting production of curli fibres in Escherichia coli. Microbiology (United Kingdom), 2014, 160, 1832-1844.                           | 0.7 | 25        |
| 1630 | Expression of csp genes in E. coli K-12 in defined rich and defined minimal media during normal growth, and after cold-shock. Gene, 2014, 547, 91-97.   | 1.0 | 67        |
| 1631 | Cys-Scanning Disulfide Crosslinking and Bayesian Modeling Probe the Transmembrane Signaling Mechanism of the Histidine Kinase, PhoQ. Structure, 2014, 22, 1239-1251.  | 1.6 | 103       |
| 1632 | The Sinorhizobium meliloti EmrR Regulator Is Required for Efficient Colonization of Medicago sativa Root Nodules. Molecular Plant-Microbe Interactions, 2014, 27, 388-399.  | 1.4 | 22        |
| 1633 | Revealing the Genetic Basis of Natural Bacterial Phenotypic Divergence. Journal of Bacteriology, 2014, 196, 825-839.  | 1.0 | 7         |
| 1634 | A targeted proteomics toolkit for high-throughput absolute quantification of Escherichia coli proteins. Metabolic Engineering, 2014, 26, 48-56.   | 3.6 | 45        |
| 1635 | Fine-Tuning of the Fatty Acid Pathway by Synthetic Antisense RNA for Enhanced (2 <i>S</i> )-Naringenin Production from <i>l</i> -Tyrosine in Escherichia coli. Applied and Environmental Microbiology, 2014, 80, 7283-7292.                     | 1.4 | 67        |
| 1636 | Life Cycle Design of an Algal Biorefinery Featuring Hydrothermal Liquefaction: Effect of Reaction Conditions and an Alternative Pathway Including Microbial Regrowth. ACS Sustainable Chemistry and Engineering, 2014, 2, 867-874.              | 3.2 | 44        |
| 1637 | Biodegradation of capsaicin by Bacillus licheniformis SK1230. Journal of the Korean Society for Applied Biological Chemistry, 2014, 57, 335-339.  | 0.9 | 14        |
| 1638 | Coordinated regulation of the extracytoplasmic stress factor, sigmaE, with other <i>E. coli</i> sigma factors by (p)ppGpp and DksA may be achieved by specific regulation of individual holoenzymes. Molecular Microbiology, 2014, 93, 479-493. | 1.2 | 27        |
| 1639 | Visualizing Protein-DNA Interactions in Live Bacterial Cells Using Photoactivated Single-molecule Tracking. Journal of Visualized Experiments, 2014, , .  | 0.2 | 32        |
| 1640 | Protocol for the Standardisation of Transcriptional Measurements. Springer Protocols, 2015, , 9-26.   | 0.1 | 3         |
| 1641 | Enhancing flavonoid production by systematically tuning the central metabolic pathways based on a CRISPR interference system in Escherichia coli. Scientific Reports, 2015, 5, 13477.   | 1.6 | 145       |
| 1642 | ePathOptimize: A Combinatorial Approach for Transcriptional Balancing of Metabolic Pathways. Scientific Reports, 2015, 5, 11301.  | 1.6 | 126       |
| 1643 | Inflating bacterial cells by increased protein synthesis. Molecular Systems Biology, 2015, 11, 836.   | 3.2 | 164       |
| 1644 | Protein Labeling in Escherichia coli with 2H, 13C, and 15N. Methods in Enzymology, 2015, 565, 27-44.  | 0.4 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1645 | “Click Chemistry” for the Simple Determination of Fatty Acid Uptake and Degradation: Revising the Role of Fatty Acid Transporters. <i>ChemBioChem</i> , 2015, 16, 1588-1591.  | 1.3 | 13        |
| 1646 | Cellulosic ethanol production via consolidated bioprocessing at 75°C by engineered <i>Caldicellulosiruptor bescii</i> . <i>Biotechnology for Biofuels</i> , 2015, 8, 163.   | 6.2 | 52        |
| 1647 | Phage Phenomics: Physiological Approaches to Characterize Novel Viral Proteins. <i>Journal of Visualized Experiments</i> , 2015, , e52854.  | 0.2 | 8         |
| 1648 | The <i>Escherichia coli</i> <i>yjfP</i> Gene Encodes a Carboxylesterase Involved in Sugar Utilization during Diauxie. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2015, 25, 412-422.                                       | 1.0 | 2         |
| 1649 | Tripartite ATP-independent Periplasmic (TRAP) Transporters Use an Arginine-mediated Selectivity Filter for High Affinity Substrate Binding. <i>Journal of Biological Chemistry</i> , 2015, 290, 27113-27123.                                | 1.6 | 38        |
| 1650 | The kinetics of <i>Escherichia coli</i> B growth and bacteriophage T4 multiplication in SM-1 novel minimal culture medium. <i>Journal of General and Applied Microbiology</i> , 2015, 61, 75-81.  | 0.4 | 7         |
| 1651 | The spatial biology of transcription and translation in rapidly growing <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 636.  | 1.5 | 93        |
| 1652 | A Constitutive Expression System for Cellulase Secretion in <i>Escherichia coli</i> and Its Use in Bioethanol Production. <i>PLoS ONE</i> , 2015, 10, e0119917.   | 1.1 | 26        |
| 1653 | Organic and inorganic mercurials have distinct effects on cellular thiols, metal homeostasis, and Fe-binding proteins in <i>Escherichia coli</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2015, 20, 1239-1251.                  | 1.1 | 20        |
| 1654 | Temporal Hierarchy of Gene Expression Mediated by Transcription Factor Binding Affinity and Activation Dynamics. <i>MBio</i> , 2015, 6, e00686-15.  | 1.8 | 40        |
| 1655 | Correlative super-resolution imaging of RNA polymerase distribution and dynamics, bacterial membrane and chromosomal structure in <i>Escherichia coli</i> . <i>Methods and Applications in Fluorescence</i> , 2015, 3, 014005.              | 1.1 | 30        |
| 1656 | High-Affinity Interaction of the K-Ras4B Hypervariable Region with the Ras Active Site. <i>Biophysical Journal</i> , 2015, 109, 2602-2613.  | 0.2 | 67        |
| 1657 | Single-cell, real-time detection of oxidative stress induced in <i>Escherichia coli</i> by the antimicrobial peptide CM15. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E303-10.     | 3.3 | 124       |
| 1658 | Cell-Size Control and Homeostasis in Bacteria. <i>Current Biology</i> , 2015, 25, 385-391.  | 1.8 | 632       |
| 1659 | Integrated engineering of $\hat{1}^2$ -oxidation reversal and $\hat{1}^{\circ}$ -oxidation pathways for the synthesis of medium chain $\hat{1}^{\circ}$ -functionalized carboxylic acids. <i>Metabolic Engineering</i> , 2015, 28, 202-212. | 3.6 | 135       |
| 1660 | An Alternate Pathway of Arsenate Resistance in <i>E. coli</i> Mediated by the Glutathione S-Transferase <i>GstB</i> . <i>ACS Chemical Biology</i> , 2015, 10, 875-882.  | 1.6 | 20        |
| 1661 | Comparison of <i>Saccharomyces cerevisiae</i> F-BAR Domain Structures Reveals a Conserved Inositol Phosphate Binding Site. <i>Structure</i> , 2015, 23, 352-363.  | 1.6 | 40        |
| 1662 | A sensor for quantification of macromolecular crowding in living cells. <i>Nature Methods</i> , 2015, 12, 227-229.  | 9.0 | 195       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1663 | Heterologous Production of Curcuminoids. <i>Microbiology and Molecular Biology Reviews</i> , 2015, 79, 39-60.   | 2.9  | 68        |
| 1664 | Polyphosphate kinase of <i>Lysinibacillus sphaericus</i> and its effects on accumulation of polyphosphate and bacterial growth. <i>Microbiological Research</i> , 2015, 172, 41-47.   | 2.5  | 13        |
| 1665 | The Activity and Stability of the Intrinsically Disordered Cip/Kip Protein Family Are Regulated by Non-Receptor Tyrosine Kinases. <i>Journal of Molecular Biology</i> , 2015, 427, 371-386.   | 2.0  | 31        |
| 1666 | Recoded organisms engineered to depend on synthetic amino acids. <i>Nature</i> , 2015, 518, 89-93.  | 13.7 | 288       |
| 1667 | Muconic acid production from glucose using enterobactin precursors in <i>Escherichia coli</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2015, 42, 701-709.  | 1.4  | 22        |
| 1668 | <i>Bacillus anthracis</i> Overcomes an Amino Acid Auxotrophy by Cleaving Host Serum Proteins. <i>Journal of Bacteriology</i> , 2015, 197, 2400-2411.  | 1.0  | 25        |
| 1669 | Genetic Basis of Persister Tolerance to Aminoglycosides in <i>Escherichia coli</i> . <i>MBio</i> , 2015, 6, .   | 1.8  | 127       |
| 1670 | A Mannose Family Phosphotransferase System Permease and Associated Enzymes Are Required for Utilization of Fructoselysine and Glucoselysine in <i>Salmonella enterica</i> Serovar Typhimurium. <i>Journal of Bacteriology</i> , 2015, 197, 2831-2839.   | 1.0  | 22        |
| 1671 | Overexpression of <i>RelA</i> / <i>SpoT</i> homologs, <i>PpRSH2a</i> and <i>PpRSH2b</i> , induces the growth suppression of the moss <i>Physcomitrella patens</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 36-44.  | 0.6  | 19        |
| 1672 | Thermophilic Coenzyme B <sub>12</sub> -Dependent Acyl Coenzyme A (CoA) Mutase from <i>Kyrpidia tusciae</i> DSM 2912 Preferentially Catalyzes Isomerization of ( <i>R</i> )-3-Hydroxybutyryl-CoA and 2-Hydroxyisobutyryl-CoA. <i>Applied and Environmental Microbiology</i> , 2015, 81, 4564-4572. | 1.4  | 12        |
| 1673 | The <i>Escherichia coli</i> Small Protein MntS and Exporter MntP Optimize the Intracellular Concentration of Manganese. <i>PLoS Genetics</i> , 2015, 11, e1004977.  | 1.5  | 104       |
| 1674 | Engineering <i>Escherichia coli</i> for high-level production of propionate. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2015, 42, 1057-1072.   | 1.4  | 29        |
| 1675 | Solution structure of a soluble fragment derived from a membrane protein by shotgun proteolysis. <i>Protein Engineering, Design and Selection</i> , 2015, 28, 445-450.  | 1.0  | 4         |
| 1676 | Preferential Use of Central Metabolism In Vivo Reveals a Nutritional Basis for Polymicrobial Infection. <i>PLoS Pathogens</i> , 2015, 11, e1004601.   | 2.1  | 91        |
| 1677 | Membrane Recognition and Dynamics of the RNA Degradosome. <i>PLoS Genetics</i> , 2015, 11, e1004961.  | 1.5  | 93        |
| 1678 | Proteomic analysis of the response of <i>Escherichia coli</i> to short-chain fatty acids. <i>Journal of Proteomics</i> , 2015, 122, 86-99.  | 1.2  | 25        |
| 1679 | Genomic Avenue to Avian Colisepticemia. <i>MBio</i> , 2015, 6, .  | 1.8  | 59        |
| 1680 | Futile cycling increases sensitivity toward oxidative stress in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2015, 29, 26-35.   | 3.6  | 56        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1681 | Synthesis of medium-chain length (C6–C10) fuels and chemicals via $\beta^2$ -oxidation reversal in <i>Escherichia coli</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2015, 42, 465-475.                         | 1.4  | 68        |
| 1682 | Engineering of <i>Escherichia coli</i> for the biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from glucose. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 2593-2602.                                       | 1.7  | 20        |
| 1683 | Acquisition of Iron Is Required for Growth of <i>Salmonella</i> spp. in Tomato Fruit. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3663-3670.  | 1.4  | 18        |
| 1684 | Operator recognition by the ROK transcription factor family members, NagC and Mlc. <i>Nucleic Acids Research</i> , 2015, 43, 361-372.   | 6.5  | 11        |
| 1685 | A surprising range of modified-methionyl S-adenosylmethionine analogues support bacterial growth. <i>Microbiology (United Kingdom)</i> , 2015, 161, 674-682.  | 0.7  | 8         |
| 1686 | <sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N backbone resonance assignments of the full-length 40 kDa <i>S. acidocaldarius</i> Y-family DNA polymerase, dinB homolog. <i>Biomolecular NMR Assignments</i> , 2015, 9, 441-445. | 0.4  | 2         |
| 1687 | Operon structure and cotranslational subunit association direct protein assembly in bacteria. <i>Science</i> , 2015, 350, 678-680.  | 6.0  | 160       |
| 1688 | Filament formation of <i>Salmonella Paratyphi A</i> accompanied by FtsZ assembly impairment and low level ppGpp. <i>Canadian Journal of Microbiology</i> , 2015, 61, 955-964.   | 0.8  | 1         |
| 1689 | Growth-dependent bacterial susceptibility to ribosome-targeting antibiotics. <i>Molecular Systems Biology</i> , 2015, 11, 796.  | 3.2  | 123       |
| 1690 | Extracellular superoxide provokes glutathione efflux from <i>Escherichia coli</i> cells. <i>Research in Microbiology</i> , 2015, 166, 609-617.  | 1.0  | 21        |
| 1691 | In-Frame Deletions Allow Functional Characterization of Complex Cellulose Degradation Phenotypes in <i>Cellvibrio japonicus</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 5968-5975.                                | 1.4  | 24        |
| 1692 | Elevated guanosine 5'-diphosphate 3'-diphosphate level inhibits bacterial growth and interferes with FtsZ assembly. <i>FEMS Microbiology Letters</i> , 2015, 362, fnv187.   | 0.7  | 6         |
| 1693 | Structural insights into the bacterial carbon-phosphorus lyase machinery. <i>Nature</i> , 2015, 525, 68-72.   | 13.7 | 63        |
| 1694 | Role of Host Cell-Derived Amino Acids in Nutrition of Intracellular <i>Salmonella enterica</i> . <i>Infection and Immunity</i> , 2015, 83, 4466-4475.   | 1.0  | 57        |
| 1695 | YehZYXW of <i>Escherichia coli</i> Is a Low-Affinity, Non-Osmoregulatory Betaine-Specific ABC Transporter. <i>Biochemistry</i> , 2015, 54, 5735-5747.   | 1.2  | 25        |
| 1696 | Overflow metabolism in <i>Escherichia coli</i> results from efficient proteome allocation. <i>Nature</i> , 2015, 528, 99-104.   | 13.7 | 566       |
| 1697 | Increased expression of pyruvate carboxylase and biotin protein ligase increases lysine production in a biotin prototrophic <i>Corynebacterium glutamicum</i> strain. <i>Engineering in Life Sciences</i> , 2015, 15, 73-82.          | 2.0  | 10        |
| 1698 | <i>Escherichia coli</i> Enoyl-Acyl Carrier Protein Reductase (FabI) Supports Efficient Operation of a Functional Reversal of the $\beta^2$ -Oxidation Cycle. <i>Applied and Environmental Microbiology</i> , 2015, 81, 1406-1416.     | 1.4  | 32        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1699 | Protein-protein interaction studies provide evidence for electron transfer from ferredoxin to lipoic acid synthase in <i>Toxoplasma gondii</i> . FEBS Letters, 2015, 589, 31-36.    | 1.3 | 10        |
| 1700 | Production of chondroitin in metabolically engineered E. coli. Metabolic Engineering, 2015, 27, 92-100.   | 3.6 | 117       |
| 1701 | Polyglycerol coated polypropylene surfaces for protein and bacteria resistance. Polymer Chemistry, 2015, 6, 1350-1359.  | 1.9 | 45        |
| 1702 | Quantitative bacterial transcriptomics with RNA-seq. Current Opinion in Microbiology, 2015, 23, 133-140.  | 2.3 | 99        |
| 1703 | Comparison of genome-wide selection strategies to identify furfural tolerance genes in <i>Escherichia coli</i> . Biotechnology and Bioengineering, 2015, 112, 129-140.              | 1.7 | 30        |
| 1704 | Comparative physiological and transcriptional analysis of weak organic acid stress in <i>Bacillus subtilis</i> . Food Microbiology, 2015, 45, 71-82.                                | 2.1 | 14        |
| 1705 | The SNO/SOH TMT strategy for combinatorial analysis of reversible cysteine oxidations. Journal of Proteomics, 2015, 113, 415-434.   | 1.2 | 42        |
| 1706 | Selective interaction of Hpn-like protein with nickel, zinc and bismuth in vitro and in cells by FRET. Journal of Inorganic Biochemistry, 2015, 142, 8-14.                          | 1.5 | 7         |
| 1707 | Microarray-Based Screening of Differentially Expressed Genes of E. coli O157:H7 Sakai during Preharvest Survival on Butterhead Lettuce. Agriculture (Switzerland), 2016, 6, 6.      | 1.4 | 14        |
| 1708 | Structure and Interactions of a Dimeric Variant of sHIP, a Novel Virulence Determinant of <i>Streptococcus pyogenes</i> . Frontiers in Microbiology, 2016, 7, 95.                   | 1.5 | 0         |
| 1709 | Polyphosphate Kinase Mediates Antibiotic Tolerance in Extraintestinal Pathogenic <i>Escherichia coli</i> PCN033. Frontiers in Microbiology, 2016, 7, 724.                           | 1.5 | 13        |
| 1710 | The Crystal Structure of the C-Terminal Domain of the <i>Salmonella enterica</i> PduO Protein: An Old Fold with a New Heme-Binding Mode. Frontiers in Microbiology, 2016, 7, 1010.  | 1.5 | 8         |
| 1711 | Detection of Thermal Sublethal Injury in <i>Escherichia coli</i> via the Selective Medium Plating Technique: Mechanisms and Improvements. Frontiers in Microbiology, 2016, 7, 1376. | 1.5 | 33        |
| 1712 | Thermodynamically optimal whole-genome tiling microarray design and validation. BMC Research Notes, 2016, 9, 305.   | 0.6 | 6         |
| 1713 | Parallel Mapping of Antibiotic Resistance Alleles in <i>Escherichia coli</i> . PLoS ONE, 2016, 11, e0146916.  | 1.1 | 15        |
| 1714 | Engineered Production of Short Chain Fatty Acid in <i>Escherichia coli</i> Using Fatty Acid Synthesis Pathway. PLoS ONE, 2016, 11, e0160035.  | 1.1 | 49        |
| 1715 | The fitness effects of a point mutation in <i>Escherichia coli</i> change with founding population density. Genetica, 2016, 144, 417-424.   | 0.5 | 2         |
| 1716 | Effects of amino acid starvation on <i>RelA</i> diffusive behavior in live <i>Escherichia coli</i> . Molecular Microbiology, 2016, 99, 571-585.                                     | 1.2 | 27        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1717 | Evolution alters ecological mechanisms of coexistence in experimental microcosms. <i>Functional Ecology</i> , 2016, 30, 1440-1446.  | 1.7 | 23        |
| 1718 | Real time determination of bacterial <i>in vivo</i> ribosome translation elongation speed based on LacZ± complementation system. <i>Nucleic Acids Research</i> , 2016, 44, gkw698.  | 6.5 | 34        |
| 1719 | Growth resumption from stationary phase reveals memory in <i>Escherichia coli</i> cultures. <i>Scientific Reports</i> , 2016, 6, 24055.   | 1.6 | 63        |
| 1720 | The topology, structure and PE interaction of LITAF underpin a Charcot-Marie-Tooth disease type 1C. <i>BMC Biology</i> , 2016, 14, 109.   | 1.7 | 10        |
| 1721 | tCRISPRi: tunable and reversible, one-step control of gene expression. <i>Scientific Reports</i> , 2016, 6, 39076.  | 1.6 | 56        |
| 1722 | Interrogating the <i>Escherichia coli</i> cell cycle by cell dimension perturbations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 15000-15005.  | 3.3 | 124       |
| 1723 | The BECN1 terminal domain is intrinsically disordered. <i>Autophagy</i> , 2016, 12, 460-471.  | 4.3 | 21        |
| 1724 | Characterization of NADP <sup>+</sup> -dependent isocitrate dehydrogenase isozymes from a psychrophilic bacterium, <i>Colwellia psychrerythraea</i> strain 34H. <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 1492-1498.  | 0.6 | 9         |
| 1725 | Comprehensive identification of translation start sites by tetracycline-inhibited ribosome profiling. <i>DNA Research</i> , 2016, 23, 193-201.  | 1.5 | 83        |
| 1726 | Drought-tolerant <i>Streptomyces pactum</i> Act12 assist phytoremediation of cadmium-contaminated soil by <i>Amaranthus hypochondriacus</i> : great potential application in arid/semi-arid areas. <i>Environmental Science and Pollution Research</i> , 2016, 23, 14898-14907. | 2.7 | 34        |
| 1727 | Energy- and carbon-efficient synthesis of functionalized small molecules in bacteria using non-decarboxylative Claisen condensation reactions. <i>Nature Biotechnology</i> , 2016, 34, 556-561.   | 9.4 | 115       |
| 1728 | Allicin Induces Thiol Stress in Bacteria through S-Allylmercapto Modification of Protein Cysteines. <i>Journal of Biological Chemistry</i> , 2016, 291, 11477-11490.  | 1.6 | 116       |
| 1729 | Structural Analysis of a Complex between Small Ubiquitin-like Modifier 1 (SUMO1) and the ZZ Domain of CREB-binding Protein (CBP/p300) Reveals a New Interaction Surface on SUMO. <i>Journal of Biological Chemistry</i> , 2016, 291, 12658-12672.                               | 1.6 | 23        |
| 1730 | Mass-Spectrometry-Based Quantification of Protein-Bound Fatty Acid Synthesis Intermediates from <i>Escherichia coli</i> . <i>Journal of Proteome Research</i> , 2016, 15, 3617-3623.  | 1.8 | 9         |
| 1731 | Hydrogen isotopes in individual amino acids reflect differentiated pools of hydrogen from food and water in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4648-53.                             | 3.3 | 38        |
| 1732 | Optimizing Metabolic Pathways for the Improved Production of Natural Products. <i>Methods in Enzymology</i> , 2016, 575, 179-193.   | 0.4 | 41        |
| 1733 | Classic Spotlight: What's on (in) Your Plate Today?. <i>Journal of Bacteriology</i> , 2016, 198, 2897-2898.   | 1.0 | 0         |
| 1734 | Metabolic engineering of microbial competitive advantage for industrial fermentation processes. <i>Science</i> , 2016, 353, 583-586.  | 6.0 | 119       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1735 | A Synonymous Mutation Upstream of the Gene Encoding a Weak-Link Enzyme Causes an Ultrasensitive Response in Growth Rate. <i>Journal of Bacteriology</i> , 2016, 198, 2853-2863.                                    | 1.0 | 23        |
| 1736 | Individuality and universality in the growth-division laws of single <i>E. coli</i> cells. <i>Physical Review E</i> , 2016, 93, 012408.  | 0.8 | 82        |
| 1737 | Efficient biosynthesis of (2S)-pinocembrin from d-glucose by integrating engineering central metabolic pathways with a pH-shift control strategy. <i>Bioresource Technology</i> , 2016, 218, 999-1007.             | 4.8 | 43        |
| 1738 | An improved method for the cost-effective expression and purification of large quantities of KcsA. <i>Protein Expression and Purification</i> , 2016, 127, 53-60.  | 0.6 | 13        |
| 1739 | OptSSeq: High-Throughput Sequencing Readout of Growth Enrichment Defines Optimal Gene Expression Elements for Homoethanogenesis. <i>ACS Synthetic Biology</i> , 2016, 5, 1519-1534.                                | 1.9 | 14        |
| 1740 | Reducing Ribosome Biosynthesis Promotes Translation during Low Mg <sup>2+</sup> Stress. <i>Molecular Cell</i> , 2016, 64, 480-492.   | 4.5 | 89        |
| 1741 | Cationic bactericidal peptide 1018 does not specifically target the stringent response alarmone (p)ppGpp. <i>Scientific Reports</i> , 2016, 6, 36549.  | 1.6 | 37        |
| 1742 | Single-molecule imaging reveals modulation of cell wall synthesis dynamics in live bacterial cells. <i>Nature Communications</i> , 2016, 7, 13170.   | 5.8 | 44        |
| 1743 | Engineering of <i>Escherichia coli</i> for direct and modulated biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) copolymer using unrelated carbon sources. <i>Scientific Reports</i> , 2016, 6, 36470. | 1.6 | 24        |
| 1744 | Stepwise modular pathway engineering of <i>Escherichia coli</i> for efficient one-step production of (2S)-pinocembrin. <i>Journal of Biotechnology</i> , 2016, 231, 183-192.                                       | 1.9 | 30        |
| 1745 | EPI-001, A Compound Active against Castration-Resistant Prostate Cancer, Targets Transactivation Unit 5 of the Androgen Receptor. <i>ACS Chemical Biology</i> , 2016, 11, 2499-2505.                               | 1.6 | 109       |
| 1746 | <i>Chromobacterium violaceum</i> adaptation to low-phosphate conditions. <i>Archives of Microbiology</i> , 2016, 198, 269-277.   | 1.0 | 3         |
| 1747 | Improved pinocembrin production in <i>Escherichia coli</i> by engineering fatty acid synthesis. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2016, 43, 557-566.                                   | 1.4 | 22        |
| 1748 | Cbp2 interacts with THO/TREX through a novel type of RRM domain. <i>Nucleic Acids Research</i> , 2016, 44, 437-448.  | 6.5 | 26        |
| 1749 | Engineering <i>Escherichia coli</i> for the synthesis of short- and medium-chain $\hat{\pm}$ , $\hat{1}^2$ -unsaturated carboxylic acids. <i>Metabolic Engineering</i> , 2016, 36, 90-98.                          | 3.6 | 27        |
| 1750 | Membrane engineering via trans unsaturated fatty acids production improves <i>Escherichia coli</i> robustness and production of biorenewables. <i>Metabolic Engineering</i> , 2016, 35, 105-113.                   | 3.6 | 112       |
| 1751 | PpsA-mediated alternative pathway to complement RNase E essentiality in <i>Escherichia coli</i> . <i>Archives of Microbiology</i> , 2016, 198, 409-421.  | 1.0 | 7         |
| 1752 | Engineering <i>Escherichia coli</i> for Microbial Production of Butanone. <i>Applied and Environmental Microbiology</i> , 2016, 82, 2574-2584.   | 1.4 | 26        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1753 | Live Bacterial Physiology Visualized with 5 nm Resolution Using Scanning Transmission Electron Microscopy. <i>ACS Nano</i> , 2016, 10, 2669-2677.  | 7.3 | 46        |
| 1754 | Structural Basis for the Interaction between Pyk2-FAT Domain and Leupaxin LD Repeats. <i>Biochemistry</i> , 2016, 55, 1332-1345.   | 1.2 | 16        |
| 1755 | Sub-toxic concentrations of volatile organic compounds inhibit extracellular respiration of <i>Escherichia coli</i> cells grown in anodic bioelectrochemical systems. <i>Bioelectrochemistry</i> , 2016, 112, 173-177. | 2.4 | 16        |
| 1756 | Employing bacterial microcompartment technology to engineer a shell-free enzyme-aggregate for enhanced 1,2-propanediol production in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2016, 36, 48-56.         | 3.6 | 74        |
| 1757 | Single-Cell, Time-Resolved Antimicrobial Effects of a Highly Cationic, Random Nylon-3 Copolymer on Live <i>Escherichia coli</i> . <i>ACS Chemical Biology</i> , 2016, 11, 113-120.                                     | 1.6 | 44        |
| 1758 | Optimized Method for Measuring Persistence in <i>Escherichia coli</i> with Improved Reproducibility. <i>Methods in Molecular Biology</i> , 2016, 1333, 43-52.  | 0.4 | 9         |
| 1759 | High-Throughput Screening Assay for Inhibitors of TonB-Dependent Iron Transport. <i>Journal of Biomolecular Screening</i> , 2016, 21, 316-322.   | 2.6 | 9         |
| 1760 | Intermediate-sensor assisted push-pull strategy and its application in heterologous deoxyviolacein production in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2016, 33, 41-51.                             | 3.6 | 55        |
| 1761 | Sarcosine Catabolism in <i>Pseudomonas aeruginosa</i> Is Transcriptionally Regulated by SouR. <i>Journal of Bacteriology</i> , 2016, 198, 301-310.   | 1.0 | 33        |
| 1762 | Increasing Growth Yield and Decreasing Acetylation in <i>Escherichia coli</i> by Optimizing the Carbon-to-Magnesium Ratio in Peptide-Based Media. <i>Applied and Environmental Microbiology</i> , 2017, 83, .          | 1.4 | 50        |
| 1763 | Structure and Function of the PiuA and PirA Siderophore-Drug Receptors from <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .              | 1.4 | 78        |
| 1764 | Bacterial microcompartment-directed polyphosphate kinase promotes stable polyphosphate accumulation in <i>E. coli</i> . <i>Biotechnology Journal</i> , 2017, 12, 1600415.  | 1.8 | 53        |
| 1765 | Inhibition of <i>Pseudomonas aeruginosa</i> by Peptide-Conjugated Phosphorodiamidate Morpholino Oligomers. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .  | 1.4 | 44        |
| 1766 | A strong developmental isotope effect in <i>Caenorhabditis elegans</i> induced by 5,5-deuterated lysine. <i>Amino Acids</i> , 2017, 49, 887-894.   | 1.2 | 3         |
| 1767 | Subinhibitory Concentrations of Bacteriostatic Antibiotics Induce <i>relA</i> -Dependent and <i>relA</i> -Independent Tolerance to $\beta$ -Lactams. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .        | 1.4 | 58        |
| 1768 | Systems analysis in <i>Cellvibrio japonicus</i> resolves predicted redundancy of $\beta$ -glucosidases and determines essential physiological functions. <i>Molecular Microbiology</i> , 2017, 104, 294-305.           | 1.2 | 17        |
| 1769 | Looking for phosphate-accumulating bacteria in activated sludge processes: a multidisciplinary approach. <i>Environmental Science and Pollution Research</i> , 2017, 24, 8017-8032.                                    | 2.7 | 13        |
| 1770 | A Glucose-Sensing Toggle Switch for Autonomous, High Productivity Genetic Control. <i>ACS Synthetic Biology</i> , 2017, 6, 1296-1304.  | 1.9 | 67        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1771 | Classic Spotlight: Persistence Persists. <i>Journal of Bacteriology</i> , 2017, 199, .   | 1.0 | 0         |
| 1772 | The Intersubunit Bridge B1b of the Bacterial Ribosome Facilitates Initiation of Protein Synthesis and Maintenance of Translational Fidelity. <i>Journal of Molecular Biology</i> , 2017, 429, 1067-1080.   | 2.0 | 23        |
| 1773 | Fluorescence High-Throughput Screening for Inhibitors of TonB Action. <i>Journal of Bacteriology</i> , 2017, 199, .  | 1.0 | 20        |
| 1774 | Obtaining a Panel of Cascade Promoter-5'UTR Complexes in <i>Escherichia coli</i> . <i>ACS Synthetic Biology</i> , 2017, 6, 1065-1075.  | 1.9 | 74        |
| 1775 | Differences in internalization and growth of <i>Escherichia coli</i> O157:H7 within the apoplast of edible plants, spinach and lettuce, compared with the model species <i>Nicotiana benthamiana</i> . <i>Microbial Biotechnology</i> , 2017, 10, 555-569.       | 2.0 | 57        |
| 1776 | A systematic optimization of medium chain fatty acid biosynthesis via the reverse beta-oxidation cycle in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2017, 41, 115-124.  | 3.6 | 73        |
| 1777 | Genome-Wide Abolishment of Mobile Genetic Elements Using Genome Shuffling and CRISPR/Cas-Assisted MAGE Allows the Efficient Stabilization of a Bacterial Chassis. <i>ACS Synthetic Biology</i> , 2017, 6, 1471-1483.   | 1.9 | 55        |
| 1778 | One-Pot Biocatalytic Double Oxidation of Isophorone for the Synthesis of Ketoisophorone. <i>ChemCatChem</i> , 2017, 9, 3338-3348.  | 1.8 | 30        |
| 1779 | Sort-Seq Approach to Engineering a Formaldehyde-Inducible Promoter for Dynamically Regulated <i>Escherichia coli</i> Growth on Methanol. <i>ACS Synthetic Biology</i> , 2017, 6, 1584-1595.  | 1.9 | 70        |
| 1780 | Model-enabled gene search (MEGS) allows fast and direct discovery of enzymatic and transport gene functions in the marine bacterium <i>Vibrio fischeri</i> . <i>Journal of Biological Chemistry</i> , 2017, 292, 10250-10261.                                    | 1.6 | 7         |
| 1781 | Chromosome engineering of <i>Escherichia coli</i> for constitutive production of salvianic acid A. <i>Microbial Cell Factories</i> , 2017, 16, 84.   | 1.9 | 29        |
| 1782 | Rational modular design of metabolic network for efficient production of plant polyphenol pinosylvin. <i>Scientific Reports</i> , 2017, 7, 1459.   | 1.6 | 26        |
| 1783 | In-Culture Cross-Linking of Bacterial Cells Reveals Large-Scale Dynamic Protein-Protein Interactions at the Peptide Level. <i>Journal of Proteome Research</i> , 2017, 16, 2457-2471.  | 1.8 | 44        |
| 1784 | Sugar sulfates are not hydrolyzed by the acid-inducible sulfatase AslA from <i>Salmonella enterica</i> Enteritidis NalR and Kentucky 3795 at pH 5.5. <i>Canadian Journal of Microbiology</i> , 2017, 63, 739-744.  | 0.8 | 1         |
| 1785 | Spatial Distribution and Ribosome-Binding Dynamics of EF-P in Live <i>Escherichia coli</i> . <i>MBio</i> , 2017, 8, .  | 1.8 | 25        |
| 1786 | Bacterial toxicity testing and antibacterial activity of parabens. <i>Toxicological and Environmental Chemistry</i> , 2017, 99, 858-868.   | 0.6 | 31        |
| 1787 | A novel genetic tool for metabolic optimization of <i>Corynebacterium glutamicum</i> : efficient and repetitive chromosomal integration of synthetic promoter-driven expression libraries. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 4737-4746. | 1.7 | 15        |
| 1788 | Efficient de novo synthesis of resveratrol by metabolically engineered <i>Escherichia coli</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2017, 44, 1083-1095.  | 1.4 | 60        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1789 | Silver potentiates aminoglycoside toxicity by enhancing their uptake. <i>Molecular Microbiology</i> , 2017, 105, 115-126.   | 1.2  | 27        |
| 1790 | A Novel Biocontainment Strategy Makes Bacterial Growth and Survival Dependent on Phosphite. <i>Scientific Reports</i> , 2017, 7, 44748.   | 1.6  | 42        |
| 1791 | A <i>Vibrio cholerae</i> autoinducer-receptor pair that controls biofilm formation. <i>Nature Chemical Biology</i> , 2017, 13, 551-557.   | 3.9  | 179       |
| 1792 | Nucleolus-like compartmentalization of the transcription machinery in fast-growing bacterial cells. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2017, 52, 96-106.   | 2.3  | 32        |
| 1793 | Reduction of translating ribosomes enables <i>Escherichia coli</i> to maintain elongation rates during slow growth. <i>Nature Microbiology</i> , 2017, 2, 16231.  | 5.9  | 251       |
| 1794 | The RavA-ViaA Chaperone-Like System Interacts with and Modulates the Activity of the Fumarate Reductase Respiratory Complex. <i>Journal of Molecular Biology</i> , 2017, 429, 324-344.  | 2.0  | 28        |
| 1795 | The immune properties of <i>Manduca sexta</i> transferrin. <i>Insect Biochemistry and Molecular Biology</i> , 2017, 81, 1-9.  | 1.2  | 29        |
| 1796 | A metabolic pathway for catabolizing levulinic acid in bacteria. <i>Nature Microbiology</i> , 2017, 2, 1624-1634.   | 5.9  | 86        |
| 1797 | Comprehensive functional characterization of the glycoside hydrolase family 3 enzymes from <i>Cellvibrio japonicus</i> reveals unique metabolic roles in biomass saccharification. <i>Environmental Microbiology</i> , 2017, 19, 5025-5039. | 1.8  | 23        |
| 1798 | Tat transport in <i>Escherichia coli</i> requires zwitterionic phosphatidylethanolamine but no specific negatively charged phospholipid. <i>FEBS Letters</i> , 2017, 591, 2848-2858.  | 1.3  | 9         |
| 1799 | Comparative whole genome analysis of three consecutive <i>Salmonella diarizonae</i> isolates. <i>International Journal of Medical Microbiology</i> , 2017, 307, 542-551.  | 1.5  | 10        |
| 1800 | HPLC-based quantification of bacterial housekeeping nucleotides and alarmone messengers ppGpp and pppGpp. <i>Scientific Reports</i> , 2017, 7, 11022.   | 1.6  | 97        |
| 1801 | Engineering <i>Escherichia coli</i> membrane phospholipid head distribution improves tolerance and production of biorenewables. <i>Metabolic Engineering</i> , 2017, 44, 1-12.  | 3.6  | 83        |
| 1802 | Quantification of the Abundance and Charging Levels of Transfer RNAs in <i>Escherichia coli</i> . <i>Journal of Visualized Experiments</i> , 2017, , .  | 0.2  | 13        |
| 1803 | Unsupervised Extraction of Stable Expression Signatures from Public Compendia with an Ensemble of Neural Networks. <i>Cell Systems</i> , 2017, 5, 63-71.e6.   | 2.9  | 84        |
| 1804 | Enhanced Biological Hydrogen Production from <i>Escherichia coli</i> with Surface Precipitated Cadmium Sulfide Nanoparticles. <i>Advanced Energy Materials</i> , 2017, 7, 1700611.  | 10.2 | 133       |
| 1805 | Fundamental Design Principles for Transcription-Factor-Based Metabolite Biosensors. <i>ACS Synthetic Biology</i> , 2017, 6, 1851-1859.  | 1.9  | 152       |
| 1806 | Rational Modular RNA Engineering Based on <i>In Vivo</i> Profiling of Structural Accessibility. <i>ACS Synthetic Biology</i> , 2017, 6, 2228-2240.  | 1.9  | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1807 | Roles of Transcriptional and Translational Control Mechanisms in Regulation of Ribosomal Protein Synthesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2017, 199, .  | 1.0 | 44        |
| 1808 | Importance of Core Genome Functions for an Extreme Antibiotic Resistance Trait. <i>MBio</i> , 2017, 8, .   | 1.8 | 39        |
| 1809 | Folding of a bacterial integral outer membrane protein is initiated in the periplasm. <i>Nature Communications</i> , 2017, 8, 1309.  | 5.8 | 35        |
| 1810 | Genome sequence and analysis of <i>Escherichia coli</i> production strain LS5218. <i>Metabolic Engineering Communications</i> , 2017, 5, 78-83.  | 1.9 | 9         |
| 1811 | Transposable Elements Mediate Adaptive Debilitation of Flagella in Experimental <i>Escherichia coli</i> Populations. <i>Journal of Molecular Evolution</i> , 2017, 84, 279-284.  | 0.8 | 4         |
| 1812 | The adaptation of <i>Escherichia coli</i> cells grown in simulated microgravity for an extended period is both phenotypic and genomic. <i>Npj Microgravity</i> , 2017, 3, 15.  | 1.9 | 48        |
| 1813 | Effects of P limitation and molecules from peanut root exudates on pqqE gene expression and pqq promoter activity in the phosphate-solubilizing strain <i>Serratia sp.</i> S119. <i>Research in Microbiology</i> , 2017, 168, 710-721.             | 1.0 | 27        |
| 1814 | Counterbalancing Regulation in Response Memory of a Positively Autoregulated Two-Component System. <i>Journal of Bacteriology</i> , 2017, 199, .   | 1.0 | 7         |
| 1815 | Transfer RNA is highly unstable during early amino acid starvation in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2017, 45, 793-804.   | 6.5 | 66        |
| 1816 | Improving <i>Escherichia coli</i> membrane integrity and fatty acid production by expression tuning of FadL and OmpF. <i>Microbial Cell Factories</i> , 2017, 16, 38.  | 1.9 | 46        |
| 1817 | A Novel RNA Phosphorylation State Enables 5' End-Dependent Degradation in <i>Escherichia coli</i> . <i>Molecular Cell</i> , 2017, 67, 44-54.e6.  | 4.5 | 75        |
| 1818 | Multiplex growth rate phenotyping of synthetic mutants in selection to engineer glucose and xylose co-utilization in <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2017, 114, 885-893.                                       | 1.7 | 4         |
| 1819 | Functional genomics analysis of free fatty acid production under continuous phosphate limiting conditions. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2017, 44, 759-772.  | 1.4 | 5         |
| 1820 | ProP-ProP and ProP-phospholipid interactions determine the subcellular distribution of osmosensing transporter ProP in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2017, 103, 469-482.   | 1.2 | 13        |
| 1821 | Dual function of Ixr1 in transcriptional regulation and recognition of cisplatin-DNA adducts is caused by differential binding through its two HMG-boxes. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2017, 1860, 256-269. | 0.9 | 9         |
| 1822 | A <i>Salmonella</i> Regulator Modulates Intestinal Colonization and Use of Phosphonoacetic Acid. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 69.  | 1.8 | 5         |
| 1823 | Occlusion of the Ribosome Binding Site Connects the Translational Initiation Frequency, mRNA Stability and Premature Transcription Termination. <i>Frontiers in Microbiology</i> , 2017, 8, 362.   | 1.5 | 19        |
| 1824 | Isocitrate dehydrogenase mutation in <i>Vibrio anguillarum</i> results in virulence attenuation and immunoprotection in rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>BMC Microbiology</i> , 2017, 17, 217.                                     | 1.3 | 6         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1825 | Inhibiting translation elongation can aid genome duplication in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2017, 45, 2571-2584.  | 6.5  | 12        |
| 1826 | Complementation of a <i>metK</i> -deficient <i>E. coli</i> strain with heterologous <i>AdoMet</i> synthetase genes. <i>Microbiology (United Kingdom)</i> , 2017, 163, 1812-1821.  | 0.7  | 7         |
| 1827 | Identification of <i>YbhA</i> as the pyridoxal 5 <sup>th</sup> -phosphate (PLP) phosphatase in <i>Escherichia coli</i> : Importance of PLP homeostasis on the bacterial growth. <i>Journal of General and Applied Microbiology</i> , 2017, 63, 362-368. | 0.4  | 29        |
| 1828 | <i>Cardiolipin synthase A</i> colocalizes with cardiolipin and osmosensing transporter <i>ProP</i> at the poles of <i>Escherichia coli</i> cells. <i>Molecular Microbiology</i> , 2018, 107, 623-638.   | 1.2  | 26        |
| 1829 | The <i>Drosophila melanogaster</i> Gut Microbiota Provisions Thiamine to Its Host. <i>MBio</i> , 2018, 9, .   | 1.8  | 119       |
| 1830 | Regulated Stochasticity in a Bacterial Signaling Network Permits Tolerance to a Rapid Environmental Change. <i>Cell</i> , 2018, 173, 196-207.e14.   | 13.5 | 61        |
| 1831 | Regulation of apoptosis by an intrinsically disordered region of <i>Bcl-xL</i> . <i>Nature Chemical Biology</i> , 2018, 14, 458-465.  | 3.9  | 42        |
| 1832 | <i>Salmonella</i> Reprograms Nucleotide Metabolism in Its Adaptation to Nitrosative Stress. <i>MBio</i> , 2018, 9, .  | 1.8  | 45        |
| 1833 | The molecular basis of <i>JAK/STAT</i> inhibition by <i>SOCS1</i> . <i>Nature Communications</i> , 2018, 9, 1558.   | 5.8  | 298       |
| 1834 | Effects of alterations of the <i>E. coli</i> lipopolysaccharide layer on membrane permeabilization events induced by <i>Cecropin A</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018, 1860, 1470-1479.                                   | 1.4  | 20        |
| 1835 | Quantification and colonisation dynamics of <i>Escherichia coli</i> O157:H7 inoculation of microgreens species and plant growth substrates. <i>International Journal of Food Microbiology</i> , 2018, 273, 1-10.  | 2.1  | 48        |
| 1836 | Determinants of Extreme $\beta$ -Lactam Tolerance in the <i>Burkholderia pseudomallei</i> Complex. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .   | 1.4  | 14        |
| 1837 | Systems analysis of the glycoside hydrolase family 18 enzymes from <i>Cellvibrio japonicus</i> characterizes essential chitin degradation functions. <i>Journal of Biological Chemistry</i> , 2018, 293, 3849-3859.                                     | 1.6  | 33        |
| 1838 | Protein synthesis controls phosphate homeostasis. <i>Genes and Development</i> , 2018, 32, 79-92.   | 2.7  | 46        |
| 1839 | Interference of transcription across $\text{H}\alpha\text{NS}$ binding sites and repression by $\text{H}\alpha\text{NS}$ . <i>Molecular Microbiology</i> , 2018, 108, 226-239.  | 1.2  | 23        |
| 1840 | Direct detection of carbon and nitrogen nuclei for high-resolution analysis of intrinsically disordered proteins using NMR spectroscopy. <i>Methods</i> , 2018, 138-139, 39-46.   | 1.9  | 17        |
| 1841 | The complex physiology of <i>Cellvibrio japonicus</i> xylan degradation relies on a single cytoplasmic $\beta$ -xylosidase for xylooligosaccharide utilization. <i>Molecular Microbiology</i> , 2018, 107, 610-622.                                     | 1.2  | 23        |
| 1842 | A synthetic pathway for the production of 2-hydroxyisovaleric acid in <i>Escherichia coli</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2018, 45, 579-588.  | 1.4  | 6         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1843 | Pulmonary Surfactant Promotes Virulence Gene Expression and Biofilm Formation in <i>Klebsiella pneumoniae</i> . <i>Infection and Immunity</i> , 2018, 86, .  | 1.0  | 24        |
| 1844 | A low-complexity region in the YTH domain protein Mmi1 enhances RNA binding. <i>Journal of Biological Chemistry</i> , 2018, 293, 9210-9222.  | 1.6  | 13        |
| 1845 | Evolutionary Convergence of Pathway-Specific Enzyme Expression Stoichiometry. <i>Cell</i> , 2018, 173, 749-761.e38.  | 13.5 | 150       |
| 1846 | Interaction of enzymes of the tricarboxylic acid cycle in <i>Bacillus subtilis</i> and <i>Escherichia coli</i> : a comparative study. <i>FEMS Microbiology Letters</i> , 2018, 365, .  | 0.7  | 5         |
| 1847 | Nutritional preferences of human gut bacteria reveal their metabolic idiosyncrasies. <i>Nature Microbiology</i> , 2018, 3, 514-522.  | 5.9  | 196       |
| 1848 | Impact of altered phosphorylation on loss of function of juvenile Parkinsonism-associated genetic variants of the E3 ligase parkin. <i>Journal of Biological Chemistry</i> , 2018, 293, 6337-6348.                             | 1.6  | 22        |
| 1849 | Suppression of a Thermosensitive zipA Cell Division Mutant by Altering Amino Acid Metabolism. <i>Journal of Bacteriology</i> , 2018, 200, .  | 1.0  | 8         |
| 1850 | Synthesis of fructooligosaccharides (FosA) and inulin (InuO) by GH68 fructosyltransferases from <i>Bacillus agaradhaerens</i> strain WDC185. <i>Carbohydrate Polymers</i> , 2018, 179, 350-359.                                | 5.1  | 36        |
| 1851 | Transfer RNA instability as a stress response in <i>Escherichia coli</i> : Rapid dynamics of the tRNA pool as a function of demand. <i>RNA Biology</i> , 2018, 15, 586-593.  | 1.5  | 25        |
| 1852 | Development of a luminescent mutagenicity test for high-throughput screening of aquatic samples. <i>Toxicology in Vitro</i> , 2018, 46, 350-360.   | 1.1  | 8         |
| 1853 | Combination of type II fatty acid biosynthesis enzymes and thiolases supports a functional $\beta^2$ -oxidation reversal. <i>Metabolic Engineering</i> , 2018, 45, 11-19.  | 3.6  | 19        |
| 1854 | Dual Role of the C-Terminal Domain in Osmosensing by Bacterial Osmolyte Transporter ProP. <i>Biophysical Journal</i> , 2018, 115, 2152-2166.   | 0.2  | 11        |
| 1855 | Genome-Wide Analysis of Transcriptional Changes and Genes That Contribute to Fitness during Degradation of the Anthropogenic Pollutant Pentachlorophenol by <i>Sphingobium chlorophenolicum</i> . <i>MSystems</i> , 2018, 3, . | 1.7  | 4         |
| 1856 | A minimum information standard for reproducing bench-scale bacterial cell growth and productivity. <i>Communications Biology</i> , 2018, 1, 219.   | 2.0  | 20        |
| 1857 | Resonance assignments of wild-type and two cysteine-free variants of the four-helix bundle protein, Rop. <i>Biomolecular NMR Assignments</i> , 2018, 12, 345-350.  | 0.4  | 1         |
| 1858 | Elongation factor P is required to maintain proteome homeostasis at high growth rate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 11072-11077.                         | 3.3  | 29        |
| 1859 | Scaling up process for fish peptone production. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018, 160, 012007.   | 0.2  | 2         |
| 1860 | Understanding the impact of the cofactor swapping of isocitrate dehydrogenase over the growth phenotype of <i>Escherichia coli</i> on acetate by using constraint-based modeling. <i>PLoS ONE</i> , 2018, 13, e0196182.        | 1.1  | 12        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1861 | Zinc-dependent substrate-level phosphorylation powers <i>Salmonella</i> growth under nitrosative stress of the innate host response. <i>PLoS Pathogens</i> , 2018, 14, e1007388.  | 2.1 | 23        |
| 1862 | Causes and Consequences of a Variant Strain of <i>Phaeobacter inhibens</i> With Reduced Competition. <i>Frontiers in Microbiology</i> , 2018, 9, 2601.  | 1.5 | 11        |
| 1863 | Thiaminase I Provides a Growth Advantage by Salvaging Precursors from Environmental Thiamine and Its Analogs in <i>Burkholderia thailandensis</i> . <i>Applied and Environmental Microbiology</i> , 2018, 84, .                   | 1.4 | 10        |
| 1864 | Synthetic Phosphorus Metabolic Pathway for Biosafety and Contamination Management of Cyanobacterial Cultivation. <i>ACS Synthetic Biology</i> , 2018, 7, 2189-2198.   | 1.9 | 39        |
| 1865 | Overcoming the Cost of Positive Autoregulation by Accelerating the Response with a Coupled Negative Feedback. <i>Cell Reports</i> , 2018, 24, 3061-3071.e6.   | 2.9 | 24        |
| 1866 | PA5339, a <i>RidA</i> Homolog, Is Required for Full Growth in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2018, 200, .   | 1.0 | 10        |
| 1867 | Influence of Fluorescent Protein Maturation on FRET Measurements in Living Cells. <i>ACS Sensors</i> , 2018, 3, 1735-1742.  | 4.0 | 36        |
| 1868 | Synonymous mutations make dramatic contributions to fitness when growth is limited by a weak-link enzyme. <i>PLoS Genetics</i> , 2018, 14, e1007615.  | 1.5 | 77        |
| 1869 | Engineering 'Golden' Fluorescence by Selective Pressure Incorporation of Non-canonical Amino Acids and Protein Analysis by Mass Spectrometry and Fluorescence. <i>Journal of Visualized Experiments</i> , 2018, , .               | 0.2 | 2         |
| 1870 | Intrinsic Instability of BOK Enables Membrane Permeabilization in Apoptosis. <i>Cell Reports</i> , 2018, 23, 2083-2094.e6.  | 2.9 | 41        |
| 1871 | Coproduction of succinic acid and cadaverine using lysine as a neutralizer and CO <sub>2</sub> donor with <i>lysine decarboxylase</i> overexpressed <i>Escherichia coli</i> AFP111. <i>Green Chemistry</i> , 2018, 20, 2880-2887. | 4.6 | 15        |
| 1872 | An Iterative, Synthetic Approach To Engineer a High-Performance PhoB-Specific Reporter. <i>Applied and Environmental Microbiology</i> , 2018, 84, .   | 1.4 | 8         |
| 1873 | HaloTag Assay Suggests Common Mechanism of <i>E. coli</i> Membrane Permeabilization Induced by Cationic Peptides. <i>ACS Chemical Biology</i> , 2018, 13, 2161-2169.  | 1.6 | 14        |
| 1874 | Pooled CRISPR interference screening enables genome-scale functional genomics study in bacteria with superior performance. <i>Nature Communications</i> , 2018, 9, 2475.  | 5.8 | 168       |
| 1875 | Metabolic engineering of a carbapenem antibiotic synthesis pathway in <i>Escherichia coli</i> . <i>Nature Chemical Biology</i> , 2018, 14, 794-800.   | 3.9 | 23        |
| 1876 | Highly Active C <sub>8</sub> -Acyl-ACP Thioesterase Variant Isolated by a Synthetic Selection Strategy. <i>ACS Synthetic Biology</i> , 2018, 7, 2205-2215.  | 1.9 | 60        |
| 1877 | Structural and Biochemical Characterization of AaL, a Quorum Quenching Lactonase with Unusual Kinetic Properties. <i>Scientific Reports</i> , 2018, 8, 11262.   | 1.6 | 38        |
| 1878 | Contributions of SpoT Hydrolase, SpoT Synthetase, and RelA Synthetase to Carbon Source Diauxic Growth Transitions in <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 1802.                                  | 1.5 | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1879 | Different Amounts of DNA in Newborn Cells of <i>Escherichia coli</i> Preclude a Role for the Chromosome in Size Control According to the $\lambda$ -Model. <i>Frontiers in Microbiology</i> , 2018, 9, 664.                | 1.5 | 10        |
| 1880 | Synthetic Pathway for the Production of Olivetolic Acid in <i>Escherichia coli</i> . <i>ACS Synthetic Biology</i> , 2018, 7, 1886-1896.  | 1.9 | 47        |
| 1881 | A Proteomic View of <i>Salmonella Typhimurium</i> in Response to Phosphate Limitation. <i>Proteomes</i> , 2018, 6, 19.   | 1.7 | 9         |
| 1882 | Regulation of the opposing (p)ppGpp synthetase and hydrolase activities in a bifunctional RelA/SpoT homologue from <i>Staphylococcus aureus</i> . <i>PLoS Genetics</i> , 2018, 14, e1007514.                               | 1.5 | 67        |
| 1883 | Phosphate signaling through alternate conformations of the PstSCAB phosphate transporter. <i>BMC Microbiology</i> , 2018, 18, 8.   | 1.3 | 62        |
| 1884 | Transcriptional responses of <i>Escherichia coli</i> during recovery from inorganic or organic mercury exposure. <i>BMC Genomics</i> , 2018, 19, 52.   | 1.2 | 22        |
| 1885 | Two $\alpha$ -Carboxypeptidases from <i>Mycobacterium smegmatis</i> Affect Cell Surface Properties through Regulation of Peptidoglycan Cross-Linking and Glycopeptidolipids. <i>Journal of Bacteriology</i> , 2018, 200, . | 1.0 | 24        |
| 1886 | Functional mapping of the <i>E. coli</i> translational machinery using single-molecule tracking. <i>Molecular Microbiology</i> , 2018, 110, 262-282.   | 1.2 | 21        |
| 1887 | MLKL Requires the Inositol Phosphate Code to Execute Necroptosis. <i>Molecular Cell</i> , 2018, 70, 936-948.e7.  | 4.5 | 111       |
| 1888 | Reassessing the Role of Type II Toxin-Antitoxin Systems in Formation of <i>Escherichia coli</i> Type II Persister Cells. <i>MBio</i> , 2018, 9, .  | 1.8 | 174       |
| 1889 | <sup>1</sup> H, <sup>13</sup> C, <sup>15</sup> N resonance assignment of recombinant <i>Euplotes raikovi</i> protein Er-23. <i>Biomolecular NMR Assignments</i> , 2018, 12, 291-295.                                       | 0.4 | 0         |
| 1890 | Isolation, growth, enzyme assay and identification via 16S rRNA full sequencing of cellulolytic microbes from Nepal for biofuel production. <i>Renewable Energy</i> , 2019, 132, 515-526.                                  | 4.3 | 3         |
| 1891 | Regulation of Iron Storage by CsrA Supports Exponential Growth of <i>Escherichia coli</i> . <i>MBio</i> , 2019, 10, .  | 1.8 | 27        |
| 1892 | Fatty acid starvation activates RelA by depleting lysine precursor pyruvate. <i>Molecular Microbiology</i> , 2019, 112, 1339-1349.   | 1.2 | 26        |
| 1893 | Slow growth determines nonheritable antibiotic resistance in <i>Salmonella enterica</i> . <i>Science Signaling</i> , 2019, 12, .   | 1.6 | 150       |
| 1894 | 2-Hydroxyacyl-CoA lyase catalyzes acyloin condensation for one-carbon bioconversion. <i>Nature Chemical Biology</i> , 2019, 15, 900-906.   | 3.9 | 59        |
| 1895 | Culture Methods for <i>Proteus mirabilis</i> . <i>Methods in Molecular Biology</i> , 2019, 2021, 5-13.   | 0.4 | 8         |
| 1896 | L-Tryptophan represses persister formation via inhibiting bacterial motility and promoting antibiotics absorption. <i>Future Microbiology</i> , 2019, 14, 757-771.   | 1.0 | 13        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1897 | Siderophore Detection Using Chrome Azurol S and Cross-Feeding Assays. <i>Methods in Molecular Biology</i> , 2019, 2021, 97-108.   | 0.4 | 25        |
| 1898 | Transcription factor YcjW controls the emergency H <sub>2</sub> S production in <i>E. coli</i> . <i>Nature Communications</i> , 2019, 10, 2868.   | 5.8 | 22        |
| 1900 | Metabolic engineering of a robust <i>Escherichia coli</i> strain with a dual protection system. <i>Biotechnology and Bioengineering</i> , 2019, 116, 3333-3348.   | 1.7 | 13        |
| 1901 | Comparison of Gene Expression Profiles of Uropathogenic <i>Escherichia coli</i> CFT073 after Prolonged Exposure to Subinhibitory Concentrations of Different Biocides. <i>Antibiotics</i> , 2019, 8, 167.                                 | 1.5 | 7         |
| 1902 | Production of metabolites of the anti-cancer drug noscapine using a P450BM3 mutant library. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2019, 24, e00372.   | 2.1 | 12        |
| 1903 | Monitoring of Antimicrobial Drug Chloramphenicol Release from Electrospun Nano- and Microfiber Mats using UV Imaging and Bacterial Bioreporters. <i>Pharmaceutics</i> , 2019, 11, 487.  | 2.0 | 12        |
| 1904 | Zinc excess increases cellular demand for iron and decreases tolerance to copper in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2019, 294, 16978-16991.  | 1.6 | 58        |
| 1905 | H-Aquil: a chemically defined cell culture medium for trace metal studies in <i>Vibrios</i> and other marine heterotrophic bacteria. <i>BioMetals</i> , 2019, 32, 819-828.  | 1.8 | 4         |
| 1906 | A Tale of Three Species: Adaptation of <i>Sodalis glossinidius</i> to Tsetse Biology, <i>Wigglesworthia</i> Metabolism, and Host Diet. <i>MBio</i> , 2019, 10, .  | 1.8 | 23        |
| 1907 | Metabolome and transcriptome-wide effects of the carbon storage regulator A in enteropathogenic <i>Escherichia coli</i> . <i>Scientific Reports</i> , 2019, 9, 138.   | 1.6 | 28        |
| 1908 | Secretory expression, immunoaffinity purification and metal-binding ability of recombinant metallothionein (ShMT) from freshwater crab <i>Sinopotamon henanense</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 169, 457-463. | 2.9 | 7         |
| 1909 | Exposure to Sub-inhibitory Concentrations of the Chemosensitizer 1-(1-Naphthylmethyl)-Piperazine Creates Membrane Destabilization in Multi-Drug Resistant <i>Klebsiella pneumoniae</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 92. | 1.5 | 20        |
| 1910 | Assaying for Inorganic Polyphosphate in Bacteria. <i>Journal of Visualized Experiments</i> , 2019, , .  | 0.2 | 15        |
| 1911 | Construction of artificial micro-aerobic metabolism for energy- and carbon-efficient synthesis of medium chain fatty acids in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2019, 53, 1-13.                                    | 3.6 | 40        |
| 1912 | Fine-tuning the (2S)-narangenin synthetic pathway using an iterative high-throughput balancing strategy. <i>Biotechnology and Bioengineering</i> , 2019, 116, 1392-1404.  | 1.7 | 76        |
| 1913 | Engineering <i>Escherichia coli</i> as a platform for the in vivo synthesis of prenylated aromatics. <i>Biotechnology and Bioengineering</i> , 2019, 116, 1116-1127.  | 1.7 | 23        |
| 1914 | AcrAB-TolC Inhibition by Peptide-Conjugated Phosphorodiamidate Morpholino Oligomers Restores Antibiotic Activity <i>in Vitro</i> and <i>in Vivo</i> . <i>ACS Infectious Diseases</i> , 2019, 5, 1446-1455.                                | 1.8 | 20        |
| 1915 | Membrane potential is vital for rapid permeabilization of plasma membranes and lipid bilayers by the antimicrobial peptide lactoferricin B. <i>Journal of Biological Chemistry</i> , 2019, 294, 10449-10462.                              | 1.6 | 24        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1916 | Stresses that Raise Np4A Levels Induce Protective Nucleoside Tetraphosphate Capping of Bacterial RNA. <i>Molecular Cell</i> , 2019, 75, 957-966.e8.  | 4.5  | 45        |
| 1917 | Flexible Metabolism and Suppression of Latent Enzymes Are Important for <i>Escherichia coli</i> Adaptation to Diverse Environments within the Host. <i>Journal of Bacteriology</i> , 2019, 201, .  | 1.0  | 15        |
| 1918 | Salmonella Typhi, Paratyphi A, Enteritidis and Typhimurium core proteomes reveal differentially expressed proteins linked to the cell surface and pathogenicity. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007416.   | 1.3  | 27        |
| 1919 | Resistance of early stationary phase <i>E. coli</i> to membrane permeabilization by the antimicrobial peptide Cecropin A. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019, 1861, 182990.  | 1.4  | 19        |
| 1920 | The isoprenoid alcohol pathway, a synthetic route for isoprenoid biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 12810-12815.  | 3.3  | 108       |
| 1921 | A novel microbial - Bioelectrochemical sensor for the detection of n-cyclohexyl-2-pyrrolidone in wastewater. <i>Electrochimica Acta</i> , 2019, 317, 604-611.  | 2.6  | 17        |
| 1922 | A White-Box Machine Learning Approach for Revealing Antibiotic Mechanisms of Action. <i>Cell</i> , 2019, 177, 1649-1661.e9.  | 13.5 | 227       |
| 1923 | Predicting the decision making chemicals used for bacterial growth. <i>Scientific Reports</i> , 2019, 9, 7251.   | 1.6  | 20        |
| 1924 | (p)ppGpp Regulates a Bacterial Nucleosidase by an Allosteric Two-Domain Switch. <i>Molecular Cell</i> , 2019, 74, 1239-1249.e4.  | 4.5  | 39        |
| 1925 | Direct Activation of Human MLKL by a Select Repertoire of Inositol Phosphate Metabolites. <i>Cell Chemical Biology</i> , 2019, 26, 863-877.e7.   | 2.5  | 38        |
| 1926 | Side-Chain Dynamics of the Trifluoroacetone Cysteine Derivative Characterized by <sup>19</sup> F NMR Relaxation and Molecular Dynamics Simulations. <i>Journal of Physical Chemistry B</i> , 2019, 123, 3665-3671.   | 1.2  | 12        |
| 1927 | Birth and Resuscitation of (p)ppGpp Induced Antibiotic Tolerant Persister Cells. <i>Scientific Reports</i> , 2019, 9, 6056.  | 1.6  | 61        |
| 1928 | The Hsp90 Chaperone: <sup>1</sup> H and <sup>19</sup> F Dynamic Nuclear Magnetic Resonance Spectroscopy Reveals a Perfect Enzyme. <i>Biochemistry</i> , 2019, 58, 1869-1877.   | 1.2  | 10        |
| 1929 | Systematic Evaluation of Genetic and Environmental Factors Affecting Performance of Translational Riboswitches. <i>ACS Synthetic Biology</i> , 2019, 8, 884-901.   | 1.9  | 15        |
| 1930 | High-Resolution Mapping of the <i>Escherichia coli</i> Chromosome Reveals Positions of High and Low Transcription. <i>Cell Systems</i> , 2019, 8, 212-225.e9.  | 2.9  | 79        |
| 1931 | Detachment of the RNA degradosome from the inner membrane of <i>Escherichia coli</i> results in a global slowdown of mRNA degradation, proteolysis of RNase E and increased turnover of ribosome-free transcripts. <i>Molecular Microbiology</i> , 2019, 111, 1715-1731. | 1.2  | 34        |
| 1932 | Influence of Plant Species, Tissue Type, and Temperature on the Capacity of Shiga-Toxigenic <i>Escherichia coli</i> To Colonize, Grow, and Be Internalized by Plants. <i>Applied and Environmental Microbiology</i> , 2019, 85, .  | 1.4  | 23        |
| 1933 | Obstacles to Scanning by RNase E Govern Bacterial mRNA Lifetimes by Hindering Access to Distal Cleavage Sites. <i>Molecular Cell</i> , 2019, 74, 284-295.e5.   | 4.5  | 38        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1934 | Comparison of the functional properties of trimeric and monomeric CaiT of Escherichia coli. Scientific Reports, 2019, 9, 3787.  | 1.6 | 4         |
| 1935 | Ethanol Stimulates Trehalose Production through a SpoT-DksA-AlgU-Dependent Pathway in Pseudomonas aeruginosa. Journal of Bacteriology, 2019, 201, .   | 1.0 | 23        |
| 1936 | Dynamic anticipation by Cdk2/Cyclin A-bound p27 mediates signal integration in cell cycle regulation. Nature Communications, 2019, 10, 1676.  | 5.8 | 71        |
| 1937 | Cell-cell communication, chemotaxis and recruitment in <i>Vibrio parahaemolyticus</i> . Molecular Microbiology, 2019, 112, 99-113.  | 1.2 | 6         |
| 1938 | Streamlined assessment of membrane permeability and its application to membrane engineering of Escherichia coli for octanoic acid tolerance. Journal of Industrial Microbiology and Biotechnology, 2019, 46, 843-853. | 1.4 | 12        |
| 1939 | Inorganic Polyphosphate Accumulation in Escherichia coli Is Regulated by DksA but Not by (p)ppGpp. Journal of Bacteriology, 2019, 201, .  | 1.0 | 41        |
| 1940 | Reassessing the Role of the Type II MqsRA Toxin-Antitoxin System in Stress Response and Biofilm Formation: <i>mqsA</i> Is Transcriptionally Uncoupled from <i>mqsR</i> . MBio, 2019, 10, .                            | 1.8 | 40        |
| 1941 | Physiology and Transcriptional Analysis of (p)ppGpp-Related Regulatory Effects in Corynebacterium glutamicum. Frontiers in Microbiology, 2019, 10, 2769.  | 1.5 | 8         |
| 1942 | Pseudomonas aeruginosa Ethanol Oxidation by AdhA in Low-Oxygen Environments. Journal of Bacteriology, 2019, 201, .  | 1.0 | 15        |
| 1943 | YtkF activates the stringent response by triggering the alarmone synthetase SpoT in Escherichia coli. Nature Communications, 2019, 10, 5763.  | 5.8 | 44        |
| 1944 | Laboratory Cultivation and Storage of <i>Shigella</i> . Current Protocols in Microbiology, 2019, 55, e93.   | 6.5 | 5         |
| 1945 | OptSSeq explores enzyme expression and function landscapes to maximize isobutanol production rate. Metabolic Engineering, 2019, 52, 324-340.  | 3.6 | 36        |
| 1946 | Functional expansion of a TCA cycle operon mRNA by a 3' end-derived small RNA. Nucleic Acids Research, 2019, 47, 2075-2088.   | 6.5 | 42        |
| 1947 | Comparison of product distribution, content and fermentability of biomass in a hybrid thermochemical/biological processing platform. Biomass and Bioenergy, 2019, 120, 107-116.                                       | 2.9 | 15        |
| 1948 | ABC ATPases Involved in Protein Synthesis, Ribosome Assembly and Antibiotic Resistance: Structural and Functional Diversification across the Tree of Life. Journal of Molecular Biology, 2019, 431, 3568-3590.        | 2.0 | 90        |
| 1949 | <i>Escherichia coli</i> Lrp Regulates One-Third of the Genome via Direct, Cooperative, and Indirect Routes. Journal of Bacteriology, 2019, 201, .   | 1.0 | 63        |
| 1950 | Bacterial ribosome heterogeneity: Changes in ribosomal protein composition during transition into stationary growth phase. Biochimie, 2019, 156, 169-180.   | 1.3 | 42        |
| 1951 | Paenibacillus amylolyticus 27C64 has a diverse set of carbohydrate-active enzymes and complete pectin deconstruction system. Journal of Industrial Microbiology and Biotechnology, 2019, 46, 1-11.                    | 1.4 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1952 | Fragmentation of Escherichia coli mRNA by MazF and MqsR. <i>Biochimie</i> , 2019, 156, 79-91.  | 1.3 | 28        |
| 1953 | Ordered micropillar array gold electrode increases electrochemical signature of early biofilm attachment. <i>Materials and Design</i> , 2020, 185, 108256.   | 3.3 | 11        |
| 1954 | Effect of temperature on toxicity and biodegradability of dissolved organic nitrogen formed during hydrothermal liquefaction of biomass. <i>Chemosphere</i> , 2020, 238, 124573.   | 4.2 | 33        |
| 1955 | The serine transporter SdaC prevents cell lysis upon glucose depletion in <i>Escherichia coli</i> . <i>MicrobiologyOpen</i> , 2020, 9, e960.   | 1.2 | 12        |
| 1956 | Efficient total nitrogen removal from wastewater by <i>Paracoccus denitrificans</i> DYTN4. <i>Letters in Applied Microbiology</i> , 2020, 70, 263-273.   | 1.0 | 11        |
| 1957 | Not merely noxious? Time-dependent hormesis and differential toxic effects systematically induced by rare earth elements in <i>Escherichia coli</i> . <i>Environmental Science and Pollution Research</i> , 2020, 27, 5640-5649. | 2.7 | 17        |
| 1958 | NPM1 exhibits structural and dynamic heterogeneity upon phase separation with the p14ARF tumor suppressor. <i>Journal of Magnetic Resonance</i> , 2020, 310, 106646.   | 1.2 | 22        |
| 1959 | Cultivation at high osmotic pressure confers ubiquinone 8-independent protection of respiration on <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2020, 295, 981-993.  | 1.6 | 4         |
| 1960 | Experimental Challenges for Reduced Genomes: The Cell Model <i>Escherichia coli</i> . <i>Microorganisms</i> , 2020, 8, 3.  | 1.6 | 24        |
| 1961 | Framework for Quantification of the Dynamics of Root Colonization by <i>Pseudomonas fluorescens</i> Isolate SBW25. <i>Frontiers in Microbiology</i> , 2020, 11, 585443.  | 1.5 | 6         |
| 1962 | CsrA Supports both Environmental Persistence and Host-Associated Growth of <i>Acinetobacter baumannii</i> . <i>Infection and Immunity</i> , 2020, 88, .  | 1.0 | 17        |
| 1963 | The Cu(II) Reductase RclA Protects <i>Escherichia coli</i> against the Combination of Hypochlorous Acid and Intracellular Copper. <i>MBio</i> , 2020, 11, .  | 1.8 | 17        |
| 1964 | Studies on the Regulation of (p)ppGpp Metabolism and Its Perturbation Through the Over-Expression of Nudix Hydrolases in <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 562804.                          | 1.5 | 8         |
| 1965 | Targeted Growth Medium Dropouts Promote Aromatic Compound Synthesis in Crude <i>E. coli</i> Cell-Free Systems. <i>ACS Synthetic Biology</i> , 2020, 9, 2986-2997.  | 1.9 | 4         |
| 1966 | Stability of $\beta$ -lactam antibiotics in bacterial growth media. <i>PLoS ONE</i> , 2020, 15, e0236198.  | 1.1 | 33        |
| 1967 | A high-throughput genomic screen identifies a role for the plasmid-borne type II secretion system of <i>Escherichia coli</i> O157:H7 (Sakai) in plant-microbe interactions. <i>Genomics</i> , 2020, 112, 4242-4253.              | 1.3 | 2         |
| 1968 | Contribution of biofilm formation genetic locus, <i>pgaABCD</i> , to antibiotic resistance development in gut microbiome. <i>Gut Microbes</i> , 2020, 12, 1842992.   | 4.3 | 9         |
| 1969 | <i>Vibrio cholerae</i> FeoB hydrolyzes ATP and GTP <i>in vitro</i> in the absence of stimulatory factors. <i>Metallomics</i> , 2020, 12, 2065-2074.  | 1.0 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1970 | Simultaneous cross-evaluation of heterogeneous <i>E. coli</i> datasets via mechanistic simulation. <i>Science</i> , 2020, 369, .   | 6.0 | 105       |
| 1971 | Evaluating the bactericidal action of hypochlorous acid in culture media. <i>Free Radical Biology and Medicine</i> , 2020, 159, 119-124.   | 1.3 | 23        |
| 1972 | A Salmochelin S4-Inspired Ciprofloxacin Trojan Horse Conjugate. <i>ACS Infectious Diseases</i> , 2020, 6, 2532-2541.   | 1.8 | 19        |
| 1973 | Identification of a Stable Hydrogen-Driven Microbiome in a Highly Radioactive Storage Facility on the Sellafield Site. <i>Frontiers in Microbiology</i> , 2020, 11, 587556.                                    | 1.5 | 11        |
| 1974 | The Cell Envelope Stress Response of <i>Bacillus subtilis</i> towards Laspartomycin C. <i>Antibiotics</i> , 2020, 9, 729.  | 1.5 | 6         |
| 1975 | Microbiome of root vegetables—a source of gluten-degrading bacteria. <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 8871-8885.   | 1.7 | 7         |
| 1976 | Potentiating aminoglycoside antibiotics to reduce their toxic side effects. <i>PLoS ONE</i> , 2020, 15, e0237948.  | 1.1 | 36        |
| 1977 | Salt-Dependent Interactions between the C-Terminal Domain of Osmoregulatory Transporter ProP of <i>Escherichia coli</i> and the Lipid Membrane. <i>Journal of Physical Chemistry B</i> , 2020, 124, 8209-8220. | 1.2 | 5         |
| 1978 | Improved Butanol Production Using FASII Pathway in <i>E. coli</i> . <i>ACS Synthetic Biology</i> , 2020, 9, 2390-2398.   | 1.9 | 12        |
| 1979 | Heterologous expression of a glycosyl hydrolase and cellular reprogramming enable <i>Zymomonas mobilis</i> growth on cellobiose. <i>PLoS ONE</i> , 2020, 15, e0226235.   | 1.1 | 4         |
| 1980 | Posttranslational Control of PlsB Is Sufficient To Coordinate Membrane Synthesis with Growth in <i>Escherichia coli</i> . <i>MBio</i> , 2020, 11, .  | 1.8 | 14        |
| 1981 | <i>Escherichia coli</i> O157:H7 F9 Fimbriae Recognize Plant Xyloglucan and Elicit a Response in <i>Arabidopsis thaliana</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 9720.             | 1.8 | 3         |
| 1982 | Developing a pathway-independent and full-autonomous global resource allocation strategy to dynamically switching phenotypic states. <i>Nature Communications</i> , 2020, 11, 5521.                            | 5.8 | 27        |
| 1983 | Bacterial surface motility is modulated by colony-scale flow and granular jamming. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200147.   | 1.5 | 10        |
| 1984 | Interactions between DksA and Stress-Responsive Alternative Sigma Factors Control Inorganic Polyphosphate Accumulation in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2020, 202, .              | 1.0 | 21        |
| 1985 | Conformational rearrangements in the N-domain of <i>Escherichia coli</i> FepA during ferric enterobactin transport. <i>Journal of Biological Chemistry</i> , 2020, 295, 4974-4984.                             | 1.6 | 8         |
| 1986 | SpoT Induces Intracellular <i>Salmonella</i> Virulence Programs in the Phagosome. <i>MBio</i> , 2020, 11, .  | 1.8 | 17        |
| 1987 | Extreme Antibiotic Persistence via Heterogeneity-Generating Mutations Targeting Translation. <i>MSystems</i> , 2020, 5, .  | 1.7 | 28        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1988 | Promiscuous activity of 3-oxopropylmalate dehydrogenase produced at physiological level affords <i>Escherichia coli</i> growth on d-oxalate. <i>FEBS Letters</i> , 2020, 594, 2421-2430.   | 1.3 | 3         |
| 1989 | Deep learning predicts microbial interactions from self-organized spatiotemporal patterns. <i>Computational and Structural Biotechnology Journal</i> , 2020, 18, 1259-1269.  | 1.9 | 21        |
| 1990 | Integrated strain engineering and bioprocessing strategies for high-level bio-based production of 3-hydroxyvalerate in <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 5259-5272.                         | 1.7 | 4         |
| 1991 | Crystal structure of the hinge domain of Smchd1 reveals its dimerization mode and nucleic acid-binding residues. <i>Science Signaling</i> , 2020, 13, .  | 1.6 | 12        |
| 1992 | Robust microorganisms for biofuel and chemical production from municipal solid waste. <i>Microbial Cell Factories</i> , 2020, 19, 68.  | 1.9 | 24        |
| 1993 | Variability in growth responses of non-O157 EHEC isolates in leafy vegetables, sprouted seeds and soil extracts occurs at the isolate level. <i>FEMS Microbiology Letters</i> , 2020, 367, .   | 0.7 | 6         |
| 1994 | Valine-Induced Isoleucine Starvation in <i>Escherichia coli</i> K-12 Studied by Spike-In Normalized RNA Sequencing. <i>Frontiers in Genetics</i> , 2020, 11, 144.  | 1.1 | 14        |
| 1995 | Stochastic transcriptional pulses orchestrate flagellar biosynthesis in <i>Escherichia coli</i> . <i>Science Advances</i> , 2020, 6, eaax0947.   | 4.7 | 28        |
| 1996 | Ribosome Composition Maximizes Cellular Growth Rates in <i>E. coli</i> . <i>Physical Review Letters</i> , 2020, 125, 028103.   | 2.9 | 20        |
| 1997 | Dataset of <i>Escherichia coli</i> O157: H7 genes enriched in adherence to spinach root tissue. <i>Data in Brief</i> , 2020, 31, 105769.   | 0.5 | 0         |
| 1998 | Nitric oxide disrupts bacterial cytokinesis by poisoning purine metabolism. <i>Science Advances</i> , 2020, 6, eaaz0260.   | 4.7 | 28        |
| 1999 | The oxidative fumarase FumC is a key contributor for <i>E. coli</i> fitness under iron-limitation and during UTI. <i>PLoS Pathogens</i> , 2020, 16, e1008382.  | 2.1 | 28        |
| 2000 | High-level heterologous production of propionate in engineered <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2020, 117, 1304-1315.   | 1.7 | 8         |
| 2001 | Light-driven biological hydrogen production by <i>Escherichia coli</i> mediated by TiO <sub>2</sub> nanoparticles. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 6254-6261.  | 3.8 | 37        |
| 2002 | Short-term kinetics of rRNA degradation in <i>Escherichia coli</i> upon starvation for carbon, amino acid or phosphate. <i>Molecular Microbiology</i> , 2020, 113, 951-963.  | 1.2 | 33        |
| 2003 | Biosynthesis of adipic acid by a highly efficient induction-free system in <i>Escherichia coli</i> . <i>Journal of Biotechnology</i> , 2020, 314-315, 8-13.  | 1.9 | 23        |
| 2004 | Characterization of RelA in <i>Acinetobacter baumannii</i> . <i>Journal of Bacteriology</i> , 2020, 202, .   | 1.0 | 20        |
| 2005 | Efficient protein expression in a robust <i>Escherichia coli</i> strain and its application for kinetic resolution of racemic glycidyl o-methylphenyl ether in high concentration. <i>Biochemical Engineering Journal</i> , 2020, 158, 107573. | 1.8 | 4         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2006 | Glycolytic reprogramming in Salmonella counters NOX2-mediated dissipation of $\hat{p}$ H. Nature Communications, 2020, 11, 1783.  | 5.8 | 19        |
| 2007 | Complete genome sequence of Paenibacillus xylanexedens PAMC 22703, a xylan-degrading bacterium. Marine Genomics, 2021, 55, 100788.  | 0.4 | 1         |
| 2008 | High-throughput screening for high-efficiency small-molecule biosynthesis. Metabolic Engineering, 2021, 63, 102-125.  | 3.6 | 24        |
| 2009 | Metabolic pathway optimization through fusion with self-assembling amphipathic peptides. Process Biochemistry, 2021, 100, 117-123.  | 1.8 | 2         |
| 2010 | Widespread Protection of RNA Cleavage Sites by a Riboswitch Aptamer that Folds as a Compact Obstacle to Scanning by RNase E. Molecular Cell, 2021, 81, 127-138.e4.                        | 4.5 | 16        |
| 2011 | Activity-Based Protein Profiling of Chitin Catabolism. ChemBioChem, 2021, 22, 717-723.  | 1.3 | 8         |
| 2012 | Diverse Impacts on Prokaryotic and Eukaryotic Membrane Activities from Hydrophobic Subunit Variation Among Nylon-3 Copolymers. ACS Chemical Biology, 2021, 16, 176-184.                   | 1.6 | 5         |
| 2013 | Development and application of aerobic, chemically defined media for Dysgonomonas. Anaerobe, 2021, 67, 102302.  | 1.0 | 21        |
| 2014 | Strain engineering for high-level 5-aminolevulinic acid production in Escherichia coli. Biotechnology and Bioengineering, 2021, 118, 30-42.   | 1.7 | 21        |
| 2015 | Bio-based production of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) with modulated monomeric fraction in Escherichia coli. Applied Microbiology and Biotechnology, 2021, 105, 1435-1446. | 1.7 | 7         |
| 2016 | Signal Recognition Particle Suppressor Screening Reveals the Regulation of Membrane Protein Targeting by the Translation Rate. MBio, 2021, 12, .  | 1.8 | 5         |
| 2017 | Reduced ATP-dependent proteolysis of functional proteins during nutrient limitation speeds the return of microbes to a growth state. Science Signaling, 2021, 14, .                       | 1.6 | 15        |
| 2018 | Peptide-Conjugated Phosphorodiamidate Morpholino Oligomers Retain Activity against Multidrug-Resistant Pseudomonas aeruginosa In Vitro and In Vivo. MBio, 2021, 12, .                     | 1.8 | 21        |
| 2019 | Engineering crowding sensitivity into protein linkers. Methods in Enzymology, 2021, 647, 51-81.   | 0.4 | 5         |
| 2020 | A two-track model for the spatiotemporal coordination of bacterial septal cell wall synthesis revealed by single-molecule imaging of FtsW. Nature Microbiology, 2021, 6, 584-593.         | 5.9 | 55        |
| 2021 | Phenotypic Characterization of Antibiotic Persisters at the Single-Cell Level: From Data Acquisition to Data Analysis. Methods in Molecular Biology, 2021, 2357, 95-106.                  | 0.4 | 0         |
| 2022 | A balancing act in transcription regulation by response regulators: titration of transcription factor activity by decoy DNA binding sites. Nucleic Acids Research, 2021, 49, 11537-11549. | 6.5 | 11        |
| 2023 | Functional Analysis of Shiga Toxin-Producing Escherichia coli Biofilm Components in Plant Leaves. Methods in Molecular Biology, 2021, 2291, 163-175.                                      | 0.4 | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2024 | Hibernation factors directly block ribonucleases from entering the ribosome in response to starvation. <i>Nucleic Acids Research</i> , 2021, 49, 2226-2239.  | 6.5  | 21        |
| 2025 | Beyond Amphiphilic Balance: Changing Subunit Stereochemistry Alters the Pore-Forming Activity of Nylon-3 Polymers. <i>Journal of the American Chemical Society</i> , 2021, 143, 3219-3230.                                   | 6.6  | 27        |
| 2027 | Optimizing a Fed-Batch High-Density Fermentation Process for Medium Chain-Length Poly(3-Hydroxyalkanoates) in <i>Escherichia coli</i> . <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 618259.              | 2.0  | 13        |
| 2028 | An optimized growth medium for increased recombinant protein secretion titer via the type III secretion system. <i>Microbial Cell Factories</i> , 2021, 20, 44.  | 1.9  | 7         |
| 2029 | Competitive binding of independent extension and retraction motors explains the quantitative dynamics of type IV pili. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3  | 35        |
| 2030 | A portable library of phosphate-depletion based synthetic promoters for customizable and automata control of gene expression in bacteria. <i>Microbial Biotechnology</i> , 2021, 14, 2643-2658.                              | 2.0  | 6         |
| 2031 | Enzyme-Specific Coupling of Oxygen and Nitrogen Isotope Fractionation of the Nap and Nar Nitrate Reductases. <i>Environmental Science &amp; Technology</i> , 2021, 55, 5537-5546.  | 4.6  | 19        |
| 2033 | Iron Acquisition Systems of Gram-negative Bacterial Pathogens Define TonB-Dependent Pathways to Novel Antibiotics. <i>Chemical Reviews</i> , 2021, 121, 5193-5239.   | 23.0 | 64        |
| 2034 | Limitation of phosphate assimilation maintains cytoplasmic magnesium homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .                                      | 3.3  | 23        |
| 2035 | Genetic circuits combined with machine learning provides fast responding living sensors. <i>Biosensors and Bioelectronics</i> , 2021, 178, 113028.   | 5.3  | 16        |
| 2036 | Effect of Membrane Potential on Entry of Lactoferricin B-Derived 6-Residue Antimicrobial Peptide into Single <i>Escherichia coli</i> Cells and Lipid Vesicles. <i>Journal of Bacteriology</i> , 2021, 203, .                 | 1.0  | 11        |
| 2037 | Metabolomics Reveal Potential Natural Substrates of AcrB in <i>Escherichia coli</i> and <i>Salmonella enterica</i> Serovar Typhimurium. <i>MBio</i> , 2021, 12, .  | 1.8  | 15        |
| 2040 | Expression and purification of the native $\epsilon$ -amidated antimicrobial peptide maculatin 1.1. <i>Journal of Peptide Science</i> , 2021, 27, e3330.   | 0.8  | 5         |
| 2041 | Bioremediation of Crude Glycerol by a Sustainable Organic-Microbe Hybrid System. <i>Frontiers in Microbiology</i> , 2021, 12, 654033.  | 1.5  | 4         |
| 2043 | Tracking bacterial lineages in complex and dynamic environments with applications for growth control and persistence. <i>Nature Microbiology</i> , 2021, 6, 783-791.   | 5.9  | 59        |
| 2044 | Role of phenazine-enzyme physiology for current generation in a bioelectrochemical system. <i>Microbial Biotechnology</i> , 2021, 14, 1613-1626.   | 2.0  | 14        |
| 2045 | EfgA is a conserved formaldehyde sensor that leads to bacterial growth arrest in response to elevated formaldehyde. <i>PLoS Biology</i> , 2021, 19, e3001208.  | 2.6  | 13        |
| 2046 | SWI/SNF subunit BAF155 N-terminus structure informs the impact of cancer-associated mutations and reveals a potential drug binding site. <i>Communications Biology</i> , 2021, 4, 528.                                       | 2.0  | 5         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2069 | Active and machine learning-based approaches to rapidly enhance microbial chemical production. <i>Metabolic Engineering</i> , 2021, 67, 216-226.   | 3.6 | 15        |
| 2070 | Automation assisted anaerobic phenotyping for metabolic engineering. <i>Microbial Cell Factories</i> , 2021, 20, 184.  | 1.9 | 4         |
| 2071 | Interactions between Viral Regulatory Proteins Ensure an MOI-Independent Probability of Lysogeny during Infection by Bacteriophage P1. <i>MBio</i> , 2021, 12, e0101321.                   | 1.8 | 4         |
| 2072 | Structure and function of aerotolerant, multiple-turnover THI4 thiazole synthases. <i>Biochemical Journal</i> , 2021, 478, 3265-3279.  | 1.7 | 6         |
| 2073 | Applied evolution: Dual dynamic regulations-based approaches in engineering intracellular malonyl-CoA availability. <i>Metabolic Engineering</i> , 2021, 67, 403-416.                      | 3.6 | 19        |
| 2075 | Diversion of metabolic flux towards 5-deoxy(iso)flavonoid production via enzyme self-assembly in <i>Escherichia coli</i> . <i>Metabolic Engineering Communications</i> , 2021, 13, e00185. | 1.9 | 4         |
| 2076 | A sensitive fluorescent assay for measuring carbonic phosphorus lyase activity in aquatic systems. <i>Limnology and Oceanography: Methods</i> , 2021, 19, 235-244.                         | 1.0 | 2         |
| 2077 | Cellular dynamics of the SecA ATPase at the single molecule level. <i>Scientific Reports</i> , 2021, 11, 1433.   | 1.6 | 17        |
| 2078 | Formation, characterization and modeling of emergent synthetic microbial communities. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 1917-1927.                     | 1.9 | 12        |
| 2079 | Functional metagenomics of the thioredoxin superfamily. <i>Journal of Biological Chemistry</i> , 2021, 296, 100247.  | 1.6 | 7         |
| 2081 | Modulation of Cellular Energy State and DNA Supercoiling in <i>E. coli</i> . , 1993, , 391-396.  |     | 4         |
| 2082 | Approaches to the Study of Survival and Death in Stationary-Phase <i>Escherichia coli</i> . , 1993, , 151-169.   |     | 23        |
| 2083 | Inhibition of Chaperone-Dependent Bacterial Ribosome Biogenesis. <i>Methods in Molecular Medicine</i> , 2008, 142, 75-85.  | 0.8 | 4         |
| 2084 | The Applications of Systematic In-Frame, Single-Gene Knockout Mutant Collection of <i>Escherichia coli</i> K-12. <i>Methods in Molecular Biology</i> , 2008, 416, 183-194.                 | 0.4 | 38        |
| 2085 | Introduction of Conditional Lethal Amber Mutations in <i>Escherichia coli</i> . <i>Methods in Molecular Biology</i> , 2008, 416, 323-334.  | 0.4 | 3         |
| 2086 | A Novel Method for the Production of Fully Modified K-Ras 4B. <i>Methods in Molecular Biology</i> , 2014, 1120, 19-32.   | 0.4 | 7         |
| 2087 | Bacterial carbonic anhydrases. , 2000, , 547-565.  |     | 8         |
| 2088 | Biodegradation and Transformation of Recalcitrant Compounds. <i>Handbook of Environmental Chemistry</i> , 1985, , 29-86.   | 0.2 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2089 | Genetic Improvement of Bacteria for Enhanced Biological Removal of Phosphate from Wastewater. Progress in Molecular and Subcellular Biology, 1999, 23, 299-311.   | 0.9 | 3         |
| 2090 | Enhancement of protein secretion by optimizing protein synthesis: isolation and characterization of Escherichia coli mutants with increased secretion ability of alkaline phosphatase. Applied Microbiology and Biotechnology, 1994, 41, 163-169. | 1.7 | 4         |
| 2091 | Activation of RelA by pppGpp as the basis for its differential toxicity over ppGpp in Escherichia coli. Journal of Biosciences, 2020, 45, 1.  | 0.5 | 6         |
| 2092 | GUANOSINE 3,5-BISPYROPHOSPHATE IS A DISPENSABLE METABOLITE. , 1979, , 25-38.  |     | 14        |
| 2093 | ORGANISATION AND EXPRESSION OF THE E. COLI PHENYLALANYL-TRANSFER RNA SYNTHETASE OPERON. , 1982, , 25-47.  |     | 4         |
| 2094 | An amphipathic sequence determinant of membrane protein topology.. Journal of Biological Chemistry, 1994, 269, 19888-19896.   | 1.6 | 25        |
| 2095 | Signal peptide cleavage regions. Functional limits on length and topological implications.. Journal of Biological Chemistry, 1994, 269, 16305-16310.  | 1.6 | 38        |
| 2096 | Evidence for protein kinase activities in the prokaryote Salmonella typhimurium. Journal of Biological Chemistry, 1978, 253, 7605-7608.   | 1.6 | 103       |
| 2097 | Functional limits of conformation, hydrophobicity, and steric constraints in prokaryotic signal peptide cleavage regions. Wild type transport by a simple polymeric signal sequence.. Journal of Biological Chemistry, 1991, 266, 1326-1334.      | 1.6 | 53        |
| 2098 | Klebsiella pneumoniae nifM gene product is required for stabilization and activation of nitrogenase iron protein in Escherichia coli.. Journal of Biological Chemistry, 1986, 261, 772-778.   | 1.6 | 86        |
| 2099 | Variation of Ap4A and other dinucleoside polyphosphates in stressed Drosophila cells.. Journal of Biological Chemistry, 1985, 260, 15566-15570.   | 1.6 | 73        |
| 2100 | Factor for inversion stimulation-dependent growth rate regulation of individual tRNA species in Escherichia coli. Journal of Biological Chemistry, 1994, 269, 9460-9465.  | 1.6 | 39        |
| 2101 | Genetically altered levels of inorganic polyphosphate in Escherichia coli.. Journal of Biological Chemistry, 1994, 269, 6290-6295.  | 1.6 | 140       |
| 2102 | Nucleotide sequence of the guaA gene encoding GMP synthetase of Escherichia coli K12.. Journal of Biological Chemistry, 1985, 260, 8676-8679.   | 1.6 | 42        |
| 2103 | Branch point control by the phosphorylation state of isocitrate dehydrogenase. A quantitative examination of fluxes during a regulatory transition.. Journal of Biological Chemistry, 1985, 260, 8430-8437.                                       | 1.6 | 112       |
| 2104 | Multiple pathways for primary processing of ribosomal RNA in Escherichia coli.. Journal of Biological Chemistry, 1977, 252, 3064-3073.  | 1.6 | 131       |
| 2105 | Transport of an export-defective protein by a highly hydrophobic signal peptide.. Journal of Biological Chemistry, 1994, 269, 1243-1248.  | 1.6 | 16        |
| 2106 | Localization and purification of two enzymes from Escherichia coli capable of hydrolyzing a signal peptide.. Journal of Biological Chemistry, 1986, 261, 420-427.   | 1.6 | 60        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2107 | Determination of flux through the branch point of two metabolic cycles. The tricarboxylic acid cycle and the glyoxylate shunt.. Journal of Biological Chemistry, 1984, 259, 9646-9654.  | 1.6 | 165       |
| 2108 | Codon usage and mistranslation. In vivo basal level misreading of the MS2 coat protein message.. Journal of Biological Chemistry, 1983, 258, 10007-10012.   | 1.6 | 66        |
| 2109 | Cultivation at high osmotic pressure confers ubiquinone 8-independent protection of respiration on Escherichia coli. Journal of Biological Chemistry, 2020, 295, 981-993.   | 1.6 | 10        |
| 2110 | Acetyl phosphate and the activation of two-component response regulators.. Journal of Biological Chemistry, 1994, 269, 31567-31572.   | 1.6 | 289       |
| 2111 | Renaturation and identification of periplasmic proteins in two-dimensional gels of Escherichia coli.. Journal of Biological Chemistry, 1982, 257, 15065-15071.  | 1.6 | 33        |
| 2112 | Complete analysis of cellular nucleotides by two-dimensional thin layer chromatography.. Journal of Biological Chemistry, 1982, 257, 9759-9769.   | 1.6 | 495       |
| 2113 | The in vivo distribution of oxidized and reduced thioredoxin in Escherichia coli.. Journal of Biological Chemistry, 1982, 257, 6926-6930.   | 1.6 | 52        |
| 2114 | Tandem duplication and multiple functions of a receptor gene in bacterial chemotaxis.. Journal of Biological Chemistry, 1982, 257, 4673-4676.   | 1.6 | 36        |
| 2115 | Electrophoretic studies on the assembly of the nitrogenase molybdenum-iron protein from the Klebsiella pneumoniae nifD and nifK gene products.. Journal of Biological Chemistry, 1992, 267, 24007-24016.  | 1.6 | 32        |
| 2116 | Nucleotide sequence and analysis of the purA gene encoding adenylosuccinate synthetase of Escherichia coli K12.. Journal of Biological Chemistry, 1988, 263, 19147-19153.   | 1.6 | 56        |
| 2117 | Determination of the side chain pKa values of the lysine residues in calmodulin.. Journal of Biological Chemistry, 1993, 268, 22420-22428.  | 1.6 | 83        |
| 2118 | Glycophorin A dimerization is driven by specific interactions between transmembrane alpha-helices.. Journal of Biological Chemistry, 1992, 267, 7683-7689.  | 1.6 | 443       |
| 2119 | Non-adenylylated bis(5'-nucleosidyl) tetraphosphates occur in Saccharomyces cerevisiae and in Escherichia coli and accumulate upon temperature shift or exposure to cadmium.. Journal of Biological Chemistry, 1987, 262, 12096-12103.                  | 1.6 | 75        |
| 2120 | Degradation of glyphosate by Pseudomonas sp. PG2982 via a sarcosine intermediate.. Journal of Biological Chemistry, 1987, 262, 12164-12168.   | 1.6 | 104       |
| 2121 | Transfer RNA(5-methylaminomethyl-2-thiouridine)-methyltransferase from Escherichia coli K-12 has two enzymatic activities.. Journal of Biological Chemistry, 1987, 262, 8488-8495.  | 1.6 | 63        |
| 2122 | Variability of the intracellular ionic environment of Escherichia coli. Differences between in vitro and in vivo effects of ion concentrations on protein-DNA interactions and gene expression.. Journal of Biological Chemistry, 1987, 262, 7157-7164. | 1.6 | 249       |
| 2123 | In vivo transcription of rRNA operons in Escherichia coli initiates with purine nucleoside triphosphates at the first promoter and with CTP at the second promoter.. Journal of Biological Chemistry, 1979, 254, 5609-5612.                             | 1.6 | 36        |
| 2124 | Role of the spoT gene product and manganese ion in the metabolism of guanosine 5-diphosphate 3-diphosphate in Escherichia coli.. Journal of Biological Chemistry, 1979, 254, 5483-5487.   | 1.6 | 32        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2125 | Nitrate-inducible formate dehydrogenase in <i>Escherichia coli</i> K-12. I. Nucleotide sequence of the <i>fdnGHI</i> operon and evidence that <i>opal</i> (UGA) encodes selenocysteine.. <i>Journal of Biological Chemistry</i> , 1991, 266, 22380-22385.                    | 1.6 | 141       |
| 2126 | Genes required for formation of the apoMoFe protein of <i>Klebsiella pneumoniae</i> nitrogenase in <i>Escherichia coli</i> .. <i>Journal of Biological Chemistry</i> , 1990, 265, 15909-15919.   | 1.6 | 23        |
| 2127 | Lipid A precursor from <i>Pseudomonas aeruginosa</i> is completely acylated prior to addition of 3-deoxy-D-manno-octulosonate.. <i>Journal of Biological Chemistry</i> , 1988, 263, 5217-5223.   | 1.6 | 44        |
| 2128 | Missense misreading of asparagine codons as a function of codon identity and context.. <i>Journal of Biological Chemistry</i> , 1987, 262, 11351-11355.  | 1.6 | 91        |
| 2129 | Inactivation of isocitrate dehydrogenase by phosphorylation is mediated by the negative charge of the phosphate.. <i>Journal of Biological Chemistry</i> , 1987, 262, 10422-10425.   | 1.6 | 274       |
| 2130 | Identification and nucleotide sequence of a gene encoding 5'-phosphoribosylglycinamide transformylase in <i>Escherichia coli</i> K12.. <i>Journal of Biological Chemistry</i> , 1987, 262, 10565-10569.  | 1.6 | 48        |
| 2131 | Stringent control in <i>Escherichia coli</i> applies also to transcription by T7 RNA polymerase.. <i>Journal of Biological Chemistry</i> , 1987, 262, 3940-3943.   | 1.6 | 13        |
| 2132 | Mutagenesis of ligands to the [4 Fe-4S] center of <i>Bacillus subtilis</i> glutamine phosphoribosylpyrophosphate amidotransferase.. <i>Journal of Biological Chemistry</i> , 1986, 261, 11416-11423.   | 1.6 | 28        |
| 2133 | The translational efficiency of tRNA is a property of the anticodon arm.. <i>Journal of Biological Chemistry</i> , 1986, 261, 10496-10505.   | 1.6 | 47        |
| 2134 | Nucleotide sequence of the <i>purM</i> gene encoding 5'-phosphoribosyl-5-aminoimidazole synthetase of <i>Escherichia coli</i> K12.. <i>Journal of Biological Chemistry</i> , 1986, 261, 10632-10636.   | 1.6 | 50        |
| 2135 | Proline porter II is activated by a hyperosmotic shift in both whole cells and membrane vesicles of <i>Escherichia coli</i> K12.. <i>Journal of Biological Chemistry</i> , 1988, 263, 14900-14905.   | 1.6 | 107       |
| 2136 | A functional decaisoleucine-containing signal sequence. Construction by cassette mutagenesis.. <i>Journal of Biological Chemistry</i> , 1988, 263, 7261-7265.  | 1.6 | 39        |
| 2137 | Inductions of superoxide dismutases in <i>Escherichia coli</i> under anaerobic conditions. Accumulation of an inactive form of the manganese enzyme.. <i>Journal of Biological Chemistry</i> , 1988, 263, 4274-4279.   | 1.6 | 47        |
| 2138 | Signal Peptide Subsegments Are Not Always Functionally Interchangeable. <i>Journal of Biological Chemistry</i> , 1989, 264, 14478-14485.   | 1.6 | 13        |
| 2139 | The elongation factor Tu coded by the <i>tufA</i> gene of <i>Escherichia coli</i> K-12 is almost identical to that coded by the <i>tufB</i> gene.. <i>Journal of Biological Chemistry</i> , 1977, 252, 2154-2157.  | 1.6 | 48        |
| 2140 | The hypoxanthine-guanine phosphoribosyltransferase of <i>Schistosoma mansoni</i> . Further characterization and gene expression in <i>Escherichia coli</i> .. <i>Journal of Biological Chemistry</i> , 1990, 265, 13528-13532.   | 1.6 | 31        |
| 2141 | Mutation of the Predicted ATP Binding Site Inactivates Both Activities of Isocitrate Dehydrogenase Kinase/Phosphatase. <i>Journal of Biological Chemistry</i> , 1989, 264, 13775-13779.  | 1.6 | 22        |
| 2142 | Cloning and Sequence Analysis of the <i>Escherichia coli</i> <i>metH</i> Gene Encoding Cobalamin-dependent Methionine Synthase and Isolation of a Tryptic Fragment Containing the Cobalamin-binding Domain. <i>Journal of Biological Chemistry</i> , 1989, 264, 13888-13895. | 1.6 | 107       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2143 | Purification and properties of the Escherichia coli heat shock protein, HtpG. Journal of Biological Chemistry, 1989, 264, 4398-4403.  | 1.6 | 42        |
| 2144 | A topological analysis of subunit alpha from Escherichia coli F1F0-ATP synthase predicts eight transmembrane segments.. Journal of Biological Chemistry, 1990, 265, 10541-10550.  | 1.6 | 63        |
| 2145 | A single gene codes for the kinase and phosphatase which regulate isocitrate dehydrogenase.. Journal of Biological Chemistry, 1985, 260, 15291-15297.   | 1.6 | 80        |
| 2146 | Spermidine acetylation in response to a variety of stresses in Escherichia coli. Journal of Biological Chemistry, 1991, 266, 12439-12441.   | 1.6 | 43        |
| 2147 | Ultrastructure and pyruvate formate-lyase radical quenching property of the multienzymic AdhE protein of Escherichia coli.. Journal of Biological Chemistry, 1992, 267, 18073-18079.                                      | 1.6 | 100       |
| 2148 | Determinants of OmpF porin antigenicity and structure.. Journal of Biological Chemistry, 1990, 265, 6800-6810.  | 1.6 | 62        |
| 2149 | Polymeric sequences reveal a functional interrelationship between hydrophobicity and length of signal peptides.. Journal of Biological Chemistry, 1990, 265, 2873-2880.   | 1.6 | 84        |
| 2150 | Introduction of guest peptides into Escherichia coli alkaline phosphatase. Excision and purification of a dynorphin analogue from an active chimeric protein.. Journal of Biological Chemistry, 1990, 265, 896-901.       | 1.6 | 29        |
| 2151 | The dependence on iron availability of allocation of iron to nitrogenase components in Klebsiella pneumoniae and Escherichia coli.. Journal of Biological Chemistry, 1992, 267, 9398-9408.                                | 1.6 | 5         |
| 2152 | Residual guanosine 3',5'-bispyrophosphate synthetic activity of relA null mutants can be eliminated by spoT null mutations.. Journal of Biological Chemistry, 1991, 266, 5980-5990.                                       | 1.6 | 631       |
| 2153 | Overexpression of the relA gene in Escherichia coli. Journal of Biological Chemistry, 1991, 266, 3760-3767.   | 1.6 | 202       |
| 2154 | Incorporation of photosensitive fatty acids into phospholipids of Escherichia coli and irradiation-dependent cross-linking of phospholipids to membrane proteins.. Journal of Biological Chemistry, 1981, 256, 4444-4449. | 1.6 | 17        |
| 2155 | Human prolactin. cDNA structural analysis and evolutionary comparisons.. Journal of Biological Chemistry, 1981, 256, 4007-4016.   | 1.6 | 296       |
| 2156 | Membrane phospholipid synthesis in Escherichia coli. Identification of the sn-glycerol-3-phosphate acyltransferase polypeptide as the plsB gene product.. Journal of Biological Chemistry, 1980, 255, 9421-9426.          | 1.6 | 54        |
| 2157 | The isocitrate dehydrogenase phosphorylation cycle. Identification of the primary rate-limiting step.. Journal of Biological Chemistry, 1988, 263, 19475-19479.   | 1.6 | 38        |
| 2158 | Existence and purification of porin heterotrimers of Escherichia coli K12 OmpC, OmpF, and PhoE proteins. Journal of Biological Chemistry, 1989, 264, 2810-2815.   | 1.6 | 45        |
| 2159 | A cysteine-histidine-aspartate catalytic triad is involved in glutamine amide transfer function in purF-type glutamine amidotransferases. Journal of Biological Chemistry, 1989, 264, 16613-16619.                        | 1.6 | 90        |
| 2160 | Compensatory phosphorylation of isocitrate dehydrogenase. A mechanism for adaptation to the intracellular environment.. Journal of Biological Chemistry, 1985, 260, 10563-10568.  | 1.6 | 125       |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2161 | Regulation of RNA polymerase synthesis. Conditional lethal amber mutations in the beta subunit gene.. Journal of Biological Chemistry, 1980, 255, 3536-3541.  | 1.6 | 14        |
| 2162 | Labeling of proteins with beta-galactosidase by gene fusion. Identification of a cytoplasmic membrane component of the Escherichia coli maltose transport system.. Journal of Biological Chemistry, 1980, 255, 168-174.   | 1.6 | 134       |
| 2164 | Implications of macromolecular crowding for signal transduction and metabolite channeling. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 10547-10552.  | 3.3 | 102       |
| 2165 | Differential use of the signal recognition particle translocase targeting pathway for inner membrane protein assembly in Escherichia coli. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 14646-14651.  | 3.3 | 119       |
| 2166 | Effects of the Phage P1 Restriction System on Coliphage $\lambda$ W: Degradation and Complex Formation of Phage $\lambda$ W DNA. Journal of General Virology, 1976, 31, 9-20.   | 1.3 | 6         |
| 2167 | The rpoS-dependent starvation-stress response locus stiA encodes a nitrate reductase (narZYWV) required for carbon-starvation-inducible thermotolerance and acid tolerance in Salmonella typhimurium. Microbiology (United Kingdom), 1999, 145, 3035-3045.  | 0.7 | 74        |
| 2168 | The Sinorhizobium meliloti ExpE1 protein secreted by a type I secretion system involving ExpD1 and ExpD2 is required for biosynthesis or secretion of the exopolysaccharide galactoglucan. Microbiology (United Kingdom), 2000, 146, 2237-2248.   | 0.7 | 22        |
| 2169 | The osmotic stress response and virulence in pyelonephritis isolates of Escherichia coli: contributions of RpoS, ProP, ProU and other systems The GenBank accession numbers for the DNA sequences of the rpoS loci in E. coli strains HU734 and CFT073 are AF275947 and AF270497, respectively.. Microbiology (United Kingdom), 2001, 147, 1657-1670. | 0.7 | 67        |
| 2170 | Characterization of an autostimulatory substance produced by Escherichia coli. Microbiology (United Kingdom), 2001, 147, 1875-1885.   | 0.7 | 27        |
| 2171 | Growth medium composition-determined regulatory mechanisms are superimposed on CatR-mediated transcription from the pheBA and catBCA promoters in Pseudomonas putida. Microbiology (United Kingdom), 2001, 147, 1671-1684. / Overl  | 0.7 | 34        |
| 2172 | The starvation-stress response of Salmonella enterica serovar Typhimurium requires $\sigma^E$ , but not CpxR-regulated extracytoplasmic functions. Microbiology (United Kingdom), 2002, 148, 113-122.   | 0.7 | 59        |
| 2173 | Investigation of in vivo cross-talk between key two-component systems of Escherichia coli. Microbiology (United Kingdom), 2002, 148, 69-78.   | 0.7 | 56        |
| 2174 | Role of spoT-dependent ppGpp accumulation in the survival of light-exposed starved bacteria. Microbiology (United Kingdom), 2002, 148, 559-570.   | 0.7 | 33        |
| 2175 | Spirosoma endophyticum sp. nov., isolated from Zn- and Cd-accumulating Salix caprea. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4586-4590.  | 0.8 | 44        |
| 2176 | Genome-wide analysis of the response to nitric oxide in uropathogenic Escherichia coli CFT073. Microbial Genomics, 2015, 1, e000031.  | 1.0 | 21        |
| 2177 | Dual inducer signal recognition by an Mlc homologue. Microbiology (United Kingdom), 2015, 161, 1694-1706.   | 0.7 | 2         |
| 2178 | Involvement of the ytfK gene from the PhoB regulon in stationary-phase H <sub>2</sub> O <sub>2</sub> stress tolerance in Escherichia coli. Microbiology (United Kingdom), 2017, 163, 1912-1923.   | 0.7 | 7         |
| 2179 | Differential requirements for processing and transport of short-chain versus long-chain O-acylcarnitines in Pseudomonas aeruginosa. Microbiology (United Kingdom), 2018, 164, 635-645.  | 0.7 | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2180 | Avoiding amino acid depletion in a complex medium results in improved <i>Escherichia coli</i> BW25113 growth. <i>Microbiology</i> (United Kingdom), 2019, 165, 37-46.   | 0.7 | 4         |
| 2181 | Complex synergistic amino acid-nucleotide interactions contribute to the specificity of NagC operator recognition and induction. <i>Microbiology</i> (United Kingdom), 2019, 165, 792-803.  | 0.7 | 2         |
| 2182 | Adaptation to pH stress by <i>Vibrio fischeri</i> can affect its symbiosis with the Hawaiian bobtail squid ( <i>Euprymna scolopes</i> ). <i>Microbiology</i> (United Kingdom), 2020, 166, 262-277.  | 0.7 | 11        |
| 2183 | σ <sup>7D</sup> -Dependent carbon-starvation induction of <i>pbpG</i> (PBP 7) is required for the starvation-stress response in <i>Salmonella enterica</i> serovar Typhimurium. <i>Microbiology</i> (United Kingdom), 2007, 153, 2148-2158. | 0.7 | 13        |
| 2196 | Specific immunoglobulin cDNA clones produced from hybridoma cell lines and murine spleen fragment cultures by 3SR amplification.. <i>Genome Research</i> , 1994, 3, 320-331.  | 2.4 | 6         |
| 2197 | Expression of periplasmic binding proteins for peptide transport is subject to negative regulation by phosphate limitation in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 1992, 100, 183-190.                              | 0.7 | 8         |
| 2199 | Clear, defined medium for the sporulation of <i>Clostridium perfringens</i> . <i>Applied and Environmental Microbiology</i> , 1978, 35, 405-410.  | 1.4 | 58        |
| 2200 | Hyperproduction of tryptophan by <i>Escherichia coli</i> : genetic manipulation of the pathways leading to tryptophan formation. <i>Applied and Environmental Microbiology</i> , 1979, 38, 181-190.   | 1.4 | 63        |
| 2201 | Calorimetric versus Growth Microbial Analysis of Cellulase Enzymes Acting on Cellulose. <i>Applied and Environmental Microbiology</i> , 1987, 53, 2935-2941.  | 1.4 | 18        |
| 2202 | Minimal Requirements for Exponential Growth of <i>Lactococcus lactis</i> . <i>Applied and Environmental Microbiology</i> , 1993, 59, 4363-4366.   | 1.4 | 301       |
| 2203 | Differential secretion of isoforms of <i>Serratia marcescens</i> extracellular nuclease. <i>Applied and Environmental Microbiology</i> , 1995, 61, 4083-4088.   | 1.4 | 8         |
| 2204 | Nickel-resistant bacteria from anthropogenically nickel-polluted and naturally nickel-percolated ecosystems. <i>Applied and Environmental Microbiology</i> , 1995, 61, 2276-2285.   | 1.4 | 90        |
| 2205 | Gene cloning, sequence analysis, purification, and secretion by <i>Escherichia coli</i> of an extracellular lipase from <i>Serratia marcescens</i> . <i>Applied and Environmental Microbiology</i> , 1995, 61, 2674-2680.                   | 1.4 | 68        |
| 2206 | Genetic manipulation of polyphosphate metabolism affects cadmium tolerance in <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 743-746.  | 1.4 | 98        |
| 2207 | Development of a Chemically Defined Medium for the Growth of <i>Leuconostoc mesenteroides</i> . <i>Applied and Environmental Microbiology</i> , 1997, 63, 301-304.  | 1.4 | 34        |
| 2208 | Growth of <i>Vibrio anguillarum</i> in Salmon Intestinal Mucus. <i>Applied and Environmental Microbiology</i> , 1997, 63, 1034-1039.  | 1.4 | 71        |
| 2209 | Manipulation of independent synthesis and degradation of polyphosphate in <i>Escherichia coli</i> for investigation of phosphate secretion from the cell. <i>Applied and Environmental Microbiology</i> , 1997, 63, 1689-1695.              | 1.4 | 22        |
| 2210 | Construction and characterization of <i>Escherichia coli</i> genetically engineered for bioremediation of Hg(2+)-contaminated environments. <i>Applied and Environmental Microbiology</i> , 1997, 63, 2442-2445.                            | 1.4 | 103       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2211 | Spatial Patterns of Alkaline Phosphatase Expression within Bacterial Colonies and Biofilms in Response to Phosphate Starvation. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1526-1531.  | 1.4 | 146       |
| 2212 | <i>phnE</i> and <i>glpT</i> Genes Enhance Utilization of Organophosphates in <i>Escherichia coli</i> K-12. <i>Applied and Environmental Microbiology</i> , 1998, 64, 2601-2608.   | 1.4 | 11        |
| 2213 | Characterization of Unexpected Growth of <i>Escherichia coli</i> O157:H7 by Modeling. <i>Applied and Environmental Microbiology</i> , 1999, 65, 5322-5327.  | 1.4 | 10        |
| 2214 | Induction of Protease Activity in <i>Vibrio anguillarum</i> by Gastrointestinal Mucus. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3555-3560.   | 1.4 | 77        |
| 2215 | Polyphosphate Kinase of <i>Acinetobacter</i> sp. Strain ADP1: Purification and Characterization of the Enzyme and Its Role during Changes in Extracellular Phosphate Levels. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3780-3786. | 1.4 | 18        |
| 2216 | Nutrition and enterotoxin synthesis by enterotoxigenic strains of <i>Escherichia coli</i> : defined medium for production of heat-stable enterotoxin. <i>Infection and Immunity</i> , 1977, 15, 781-788.  | 1.0 | 68        |
| 2217 | Repression of heat-stable enterotoxin synthesis in enterotoxigenic <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1977, 17, 629-633.   | 1.0 | 45        |
| 2218 | Production and partial purification of <i>Salmonella</i> enterotoxin. <i>Infection and Immunity</i> , 1978, 20, 375-380.  | 1.0 | 37        |
| 2219 | Nutritional Requirements for Synthesis of Heat-Labile Enterotoxin by Enterotoxigenic Strains of <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1979, 23, 99-107.   | 1.0 | 32        |
| 2220 | Plasmid-mediated and temperature-regulated surface properties of <i>Yersinia enterocolitica</i> . <i>Infection and Immunity</i> , 1983, 41, 921-930.  | 1.0 | 154       |
| 2221 | Pathogenesis of experimental salmonellosis: inhibition of protein synthesis by cytotoxin. <i>Infection and Immunity</i> , 1984, 43, 93-100.   | 1.0 | 69        |
| 2222 | Degradation of the human proteinase inhibitors alpha-1-antitrypsin and alpha-2-macroglobulin by <i>Bacteroides gingivalis</i> . <i>Infection and Immunity</i> , 1984, 43, 644-648.  | 1.0 | 150       |
| 2223 | Bactericidal and cytotoxic effects of hypochlorite-hydrogen peroxide mixtures. <i>Infection and Immunity</i> , 1984, 44, 581-586.   | 1.0 | 42        |
| 2224 | Potential by sulfide of hydrogen peroxide-induced killing of <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1985, 49, 538-543.   | 1.0 | 33        |
| 2225 | Identification and characterization of a zinc metalloprotease associated with invasion by the fish pathogen <i>Vibrio anguillarum</i> . <i>Infection and Immunity</i> , 1990, 58, 3731-3736.  | 1.0 | 151       |
| 2226 | Expression of <i>Salmonella typhimurium</i> genes required for invasion is regulated by changes in DNA supercoiling. <i>Infection and Immunity</i> , 1990, 58, 1879-1885.   | 1.0 | 285       |
| 2227 | Characterization of a novel chromosomal virulence locus involved in expression of a major surface flagellar sheath antigen of the fish pathogen <i>Vibrio anguillarum</i> . <i>Infection and Immunity</i> , 1993, 61, 2434-2444.                  | 1.0 | 51        |
| 2228 | Random replication of the stringent plasmid R1 in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1975, 123, 443-448.  | 1.0 | 39        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2229 | Derepression of certain aromatic amino acid biosynthetic enzymes of <i>Escherichia coli</i> K-12 by growth in Fe <sup>3+</sup> -deficient medium. <i>Journal of Bacteriology</i> , 1976, 125, 608-615.                                     | 1.0 | 32        |
| 2230 | Mapping of two loci affecting the regulation of branched-chain amino acid transport in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1976, 126, 80-90.  | 1.0 | 86        |
| 2231 | Growth rate modulation of four aminoacyl-transfer ribonucleic acid synthetases in enteric bacteria. <i>Journal of Bacteriology</i> , 1976, 126, 634-645.   | 1.0 | 25        |
| 2232 | Iron uptake in colicin B-resistant mutants of <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1976, 126, 1052-1062.   | 1.0 | 118       |
| 2233 | Characterization of group B colicin-resistant mutants of <i>Escherichia coli</i> K-12: colicin resistance and the role of enterochelin. <i>Journal of Bacteriology</i> , 1976, 127, 218-228.   | 1.0 | 122       |
| 2234 | Regulation of branched-chain amino acid transport in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1976, 127, 1225-1238.  | 1.0 | 62        |
| 2235 | Rapid micromethod for the purification of <i>Escherichia coli</i> ribonucleic acid polymerase and the preparation of bacterial extracts active in ribonucleic acid synthesis. <i>Journal of Bacteriology</i> , 1976, 128, 382-389.         | 1.0 | 98        |
| 2236 | Cysteine and methionine content of the <i>Escherichia coli</i> ribonucleic acid polymerase subunits. <i>Journal of Bacteriology</i> , 1976, 128, 390-393.  | 1.0 | 8         |
| 2237 | Chemical measurement of steady-state levels of ten aminoacyl-transfer ribonucleic acid synthetases in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1977, 129, 378-387.   | 1.0 | 271       |
| 2238 | Transient rates of synthesis of five aminoacyl-transfer ribonucleic acid synthetases during a shift-up of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1977, 129, 702-706.   | 1.0 | 31        |
| 2239 | Role of transport systems in amino acid metabolism: leucine toxicity and the branched-chain amino acid transport systems. <i>Journal of Bacteriology</i> , 1977, 129, 1257-1265.   | 1.0 | 80        |
| 2240 | Regulation of ribonucleoside diphosphate reductase synthesis in <i>Escherichia coli</i> : increased enzyme synthesis as a result of inhibition of deoxyribonucleic acid synthesis. <i>Journal of Bacteriology</i> , 1977, 130, 107-113.    | 1.0 | 58        |
| 2241 | Medium-dependent variation of deoxyribonucleic acid segregation in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1977, 130, 118-127.  | 1.0 | 21        |
| 2242 | Physiological regulation of a decontrolled lac operon. <i>Journal of Bacteriology</i> , 1977, 130, 212-222.  | 1.0 | 174       |
| 2243 | <i>Escherichia coli</i> transport mutants lacking binding protein and other components of the branched-chain amino acid transport systems. <i>Journal of Bacteriology</i> , 1977, 130, 384-392.  | 1.0 | 70        |
| 2244 | Stringent regulation of the synthesis of a transfer ribonucleic acid biosynthetic enzyme: transfer ribonucleic acid(m <sup>5</sup> U)methyltransferase from <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1977, 130, 635-641. | 1.0 | 26        |
| 2245 | Coordinate control of the synthesis of ribonucleoside diphosphate reductase components in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1977, 130, 957-959.   | 1.0 | 28        |
| 2246 | Nucleoside triphosphate pools in minicells of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1977, 130, 960-962.   | 1.0 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2247 | Regulation of amino acid transport in <i>Escherichia coli</i> by transcription termination factor rho. <i>Journal of Bacteriology</i> , 1977, 130, 1024-1029.   | 1.0 | 22        |
| 2248 | Control of Ribosome Synthesis in <i>Escherichia coli</i> : Analysis of an Energy Source Shift-Down. <i>Journal of Bacteriology</i> , 1977, 131, 7-17.   | 1.0 | 63        |
| 2249 | Two modes of metabolic regulation of lysyl-transfer ribonucleic acid synthetase in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1977, 131, 589-597.   | 1.0 | 23        |
| 2250 | Relationship Between Messenger Ribonucleic Acid and Enzyme Levels Specified by the Leucine Operon of <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1977, 131, 997-1007.                            | 1.0 | 23        |
| 2251 | Effect of the <i>relA</i> gene on derepression of amino acid biosynthetic enzymes in growing <i>Escherichia coli</i> depends on the pathway being derepressed. <i>Journal of Bacteriology</i> , 1977, 132, 352-355. | 1.0 | 9         |
| 2252 | Membrane phospholipid synthesis and phenotypic correlation of an <i>Escherichia coli</i> <i>pss</i> mutant. <i>Journal of Bacteriology</i> , 1977, 132, 434-443.  | 1.0 | 57        |
| 2253 | Probabilistic behavior of DNA segregation in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1978, 134, 60-65.   | 1.0 | 19        |
| 2254 | Branched-chain amino acid transport regulation in mutants blocked in tRNA maturation and transcriptional termination. <i>Journal of Bacteriology</i> , 1978, 134, 683-686.  | 1.0 | 28        |
| 2255 | Outer membrane-dependent transport systems in <i>Escherichia coli</i> : turnover of TonB function. <i>Journal of Bacteriology</i> , 1978, 134, 1020-1029.   | 1.0 | 58        |
| 2256 | Effect of inhibitors of elongation factor Tu on the metabolic regulation of protein synthesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1978, 135, 675-686.                                     | 1.0 | 9         |
| 2257 | Control of <i>Escherichia coli</i> growth by CO <sub>2</sub> . <i>Journal of Bacteriology</i> , 1978, 135, 1162-1164.   | 1.0 | 48        |
| 2258 | Genetic separation of high- and low-affinity transport systems for branched-chain amino acids in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1978, 136, 168-174.                                 | 1.0 | 46        |
| 2259 | Pesticin-dependent generation of somotically stable spheroplast-like structures. <i>Journal of Bacteriology</i> , 1978, 136, 786-789.   | 1.0 | 18        |
| 2260 | Repression of synthesis of the vitamin B12 receptor in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1978, 136, 1050-1057.   | 1.0 | 59        |
| 2261 | Regulation of <i>lac</i> Operon Expression: Reappraisal of the Theory of Catabolite Repression. <i>Journal of Bacteriology</i> , 1978, 136, 947-954.  | 1.0 | 92        |
| 2262 | Constancy of growth on simple and complex media. <i>Journal of Bacteriology</i> , 1978, 136, 969-975.   | 1.0 | 47        |
| 2263 | Organization of genes for transcription and translation in the <i>rif</i> region of the <i>Escherichia coli</i> chromosome. <i>Journal of Bacteriology</i> , 1979, 137, 584-594.                                    | 1.0 | 73        |
| 2264 | The <i>relA</i> locus specifies a positive effector in branched-chain amino acid transport regulation. <i>Journal of Bacteriology</i> , 1979, 137, 1059-1062.   | 1.0 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2265 | Cloning the <i>spoT</i> gene of <i>Escherichia coli</i> : identification of the <i>spoT</i> gene product. <i>Journal of Bacteriology</i> , 1979, 137, 1100-1110.   | 1.0 | 105       |
| 2266 | Chromosome replication and cell division in plasmid-containing <i>Escherichia coli</i> B/r. <i>Journal of Bacteriology</i> , 1979, 137, 1151-1157.   | 1.0 | 12        |
| 2267 | Accumulation of iron by yersiniae. <i>Journal of Bacteriology</i> , 1979, 137, 1290-1298.  | 1.0 | 197       |
| 2268 | In vivo regulation of chromosomal beta-lactamase in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1979, 138, 896-902.   | 1.0 | 34        |
| 2269 | Levels of major proteins of <i>Escherichia coli</i> during growth at different temperatures. <i>Journal of Bacteriology</i> , 1979, 139, 185-194.  | 1.0 | 343       |
| 2270 | Mode of action of pesticin: N-acetylglucosaminidase activity. <i>Journal of Bacteriology</i> , 1979, 139, 495-501.   | 1.0 | 42        |
| 2271 | Growth-rate-dependent alteration of 6-phosphogluconate dehydrogenase and glucose 6-phosphate dehydrogenase levels in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1979, 139, 1093-1096.                    | 1.0 | 77        |
| 2272 | <i>Escherichia coli</i> pleiotropic mutant that reduces amounts of several periplasmic and outer membrane proteins. <i>Journal of Bacteriology</i> , 1979, 140, 229-239.   | 1.0 | 154       |
| 2273 | Control of Plasmid R1 Replication: Kinetics of Replication in Shifts Between Different Copy Number Levels. <i>Journal of Bacteriology</i> , 1980, 141, 106-110.  | 1.0 | 38        |
| 2274 | Growth Rate-Dependent Regulation of Transfer Ribonucleic Acid (5-Methyluridine)Methyltransferase in <i>Escherichia coli</i> B/r. <i>Journal of Bacteriology</i> , 1980, 141, 67-73.  | 1.0 | 29        |
| 2275 | Structural specificity of the spermidine requirement of an <i>Escherichia coli</i> auxotroph. <i>Journal of Bacteriology</i> , 1980, 141, 456-463.   | 1.0 | 31        |
| 2276 | Biochemistry and regulation of a second L-proline transport system in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1980, 141, 1071-1076.   | 1.0 | 57        |
| 2277 | Stimulation of deoxyribonucleic acid replication fork movement by spermidine analogs in polyamine-deficient <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1980, 141, 1192-1198.                                 | 1.0 | 38        |
| 2278 | Gene expression in <i>Escherichia coli</i> after amino acid, purine, or pyrimidine exhaustion. <i>Journal of Bacteriology</i> , 1980, 142, 202-211.  | 1.0 | 8         |
| 2279 | Outer Membrane-Dependent Transport Systems in <i>Escherichia coli</i> : Effect of Repression or Cessation of Colicin Receptor Synthesis on Colicin Receptor Activities. <i>Journal of Bacteriology</i> , 1980, 143, 135-141. | 1.0 | 11        |
| 2280 | Influence of chromosome integrity on <i>Escherichia coli</i> cell division. <i>Journal of Bacteriology</i> , 1980, 143, 455-462.   | 1.0 | 10        |
| 2281 | Selective synthesis of plasmid-coded proteins by <i>Escherichia coli</i> during recovery from chloramphenicol treatment. <i>Journal of Bacteriology</i> , 1980, 143, 535-537.  | 1.0 | 58        |
| 2282 | Protein synthesis results in guanosine-5'-diphosphate-3'-diphosphate synthesis in <i>Escherichia coli</i> minicells. <i>Journal of Bacteriology</i> , 1980, 143, 1060-1062.  | 1.0 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2283 | Pleiotropic effects of alkaline phosphatase regulatory mutations <i>phoB</i> and <i>phoT</i> on anaerobic growth of and polyphosphate synthesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1980, 143, 934-941.           | 1.0 | 11        |
| 2284 | Genetic analysis of mutations causing borrelidin resistance by overproduction of threonyl-transfer ribonucleic acid synthetase. <i>Journal of Bacteriology</i> , 1980, 143, 1135-1141.  | 1.0 | 22        |
| 2285 | Kinetics and regulation of cell-free alkaline phosphatase synthesis. <i>Journal of Bacteriology</i> , 1980, 143, 1265-1274.   | 1.0 | 19        |
| 2286 | Protein identifications on O'Farrell two-dimensional gels: locations of 55 additional <i>Escherichia coli</i> proteins. <i>Journal of Bacteriology</i> , 1980, 144, 1024-1033.  | 1.0 | 54        |
| 2287 | Characterization of promoter-cloning plasmids: analysis of operon structure in the <i>rif</i> region of <i>Escherichia coli</i> and isolation of an enhanced internal promoter mutant. <i>Journal of Bacteriology</i> , 1980, 144, 904-916. | 1.0 | 54        |
| 2288 | Infection of <i>Salmonella typhimurium</i> with coliphage Mu d1 ( <i>Apr lac</i> ): construction of <i>pyr::lac</i> gene fusions. <i>Journal of Bacteriology</i> , 1981, 145, 299-305.  | 1.0 | 90        |
| 2289 | Identity of the B56.5 protein, the A-protein, and the <i>groE</i> gene product of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1981, 145, 513-520.  | 1.0 | 109       |
| 2290 | TRNA <sup>2Gln</sup> Su+2 mutants that increase amber suppression. <i>Journal of Bacteriology</i> , 1981, 145, 704-712.   | 1.0 | 36        |
| 2291 | Genetic and physiological tests of three phosphate-specific transport mutants of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1981, 145, 1249-1256.   | 1.0 | 43        |
| 2292 | Gene organization around the phenylalanyl-transfer ribonucleic acid synthetase locus in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1981, 146, 269-274.  | 1.0 | 19        |
| 2293 | Multiple forms of lysyl-transfer ribonucleic acid synthetase in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1981, 146, 345-351.  | 1.0 | 76        |
| 2294 | Use of bacteriophage transposon Mu d1 to determine the orientation for three <i>proC</i> -linked phosphate-starvation-inducible ( <i>psi</i> ) genes in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1981, 146, 93-101.   | 1.0 | 66        |
| 2295 | Mutations to tolerance and resistance to pesticin and colicins in <i>Escherichia coli</i> phi. <i>Journal of Bacteriology</i> , 1981, 146, 506-511.   | 1.0 | 35        |
| 2296 | Genetics of L-proline utilization in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1981, 146, 895-901.   | 1.0 | 122       |
| 2297 | Exogenous induction of the <i>Escherichia coli</i> hexose phosphate transport system defined by <i>uhp-lac</i> operon fusions. <i>Journal of Bacteriology</i> , 1981, 148, 203-209.   | 1.0 | 45        |
| 2298 | Determining the <i>phoM</i> map location in <i>Escherichia coli</i> K-12 by using a nearby transposon Tn10 insertion. <i>Journal of Bacteriology</i> , 1982, 150, 429-432.  | 1.0 | 22        |
| 2299 | A Regulatory Gene ( <i>pyrA</i> ) Affecting the Expression of <i>pyrA</i> and Certain Other Pyrimidine Genes. <i>Journal of Bacteriology</i> , 1982, 151, 144-152.  | 1.0 | 23        |
| 2300 | Potentialiation by L-cysteine of the bactericidal effect of hydrogen peroxide in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1982, 152, 81-88.   | 1.0 | 45        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2301 | Different control circuits for growth rate-dependent regulation of 6-phosphogluconate dehydrogenase and protein components of the translational machinery in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1982, 152, 584-594. | 1.0 | 16        |
| 2302 | <i>Escherichia coli</i> phenylalanyl-tRNA synthetase operon: transcription studies of wild-type and mutated operons on multicopy plasmids. <i>Journal of Bacteriology</i> , 1982, 152, 661-668.   | 1.0 | 19        |
| 2303 | Identification of pilin pools in the membranes of <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 1982, 152, 687-691.  | 1.0 | 33        |
| 2304 | An amber mutation in the gene encoding the beta' subunit of <i>Escherichia coli</i> RNA polymerase. <i>Journal of Bacteriology</i> , 1982, 152, 736-746.  | 1.0 | 5         |
| 2305 | A gene between <i>polA</i> and <i>glnA</i> retards growth of <i>Escherichia coli</i> when present in multiple copies: physiological effects of the gene for spot 42 RNA. <i>Journal of Bacteriology</i> , 1982, 152, 1196-1210.             | 1.0 | 43        |
| 2306 | Rescue of mitomycin C- or psoralen-inactivated <i>Micrococcus radiodurans</i> by additional exposure to radiation or alkylating agents. <i>Journal of Bacteriology</i> , 1982, 152, 976-982.  | 1.0 | 9         |
| 2307 | <i>Escherichia coli</i> xth mutants are hypersensitive to hydrogen peroxide. <i>Journal of Bacteriology</i> , 1983, 153, 1079-1082.   | 1.0 | 235       |
| 2308 | Molecular cloning and expression of a gene that controls the high-temperature regulon of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1983, 153, 597-603.   | 1.0 | 139       |
| 2309 | Efficient read-through of Tn9 and IS1 by RNA polymerase molecules that initiate at rRNA promoters. <i>Journal of Bacteriology</i> , 1983, 153, 672-684.   | 1.0 | 20        |
| 2310 | Regulation of <i>Escherichia coli</i> aspartate transcarbamylase synthesis by guanosine tetraphosphate and pyrimidine ribonucleoside triphosphates. <i>Journal of Bacteriology</i> , 1983, 153, 998-1007.                                   | 1.0 | 48        |
| 2311 | Proteins induced by anaerobiosis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1983, 154, 336-343.  | 1.0 | 175       |
| 2312 | In vitro construction and characterization of <i>phoA-lacZ</i> gene fusions in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1983, 154, 356-365.   | 1.0 | 57        |
| 2313 | Deletion of an rRNA Gene Set in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 1983, 154, 529-532.   | 1.0 | 21        |
| 2314 | Genetic control of the hexose phosphate transport system of <i>Escherichia coli</i> : mapping of deletion and insertion mutations in the <i>uhp</i> region. <i>Journal of Bacteriology</i> , 1983, 155, 1052-1061.                          | 1.0 | 35        |
| 2315 | Identification and characterization of a <i>relA</i> -dependent starvation-inducible locus ( <i>sin</i> ) in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1983, 156, 424-428.   | 1.0 | 12        |
| 2316 | 2-Oxoacid dehydrogenase complexes of <i>Escherichia coli</i> : cellular amounts and patterns of synthesis. <i>Journal of Bacteriology</i> , 1983, 156, 81-88.   | 1.0 | 45        |
| 2317 | Two proline porters in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1983, 156, 481-486.   | 1.0 | 87        |
| 2318 | Isolation and characterization of an <i>Escherichia coli</i> mutant deficient in dTMP kinase activity. <i>Journal of Bacteriology</i> , 1984, 157, 440-444.   | 1.0 | 13        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2319 | Identification of the purC gene product of Escherichia coli. Journal of Bacteriology, 1984, 157, 712-717.   | 1.0 | 18        |
| 2320 | Use of chromosomal integration in the establishment and expression of blaZ, a Staphylococcus aureus beta-lactamase gene, in Bacillus subtilis. Journal of Bacteriology, 1984, 157, 718-726. | 1.0 | 72        |
| 2321 | Escherichia coli K-12 lysyl-tRNA synthetase mutant with a novel reversion pattern. Journal of Bacteriology, 1984, 158, 615-620.   | 1.0 | 43        |
| 2322 | Defined set of cloned termination suppressors: in vivo activity of isogenetic UAG, UAA, and UGA suppressor tRNAs. Journal of Bacteriology, 1984, 158, 849-859.                              | 1.0 | 62        |
| 2323 | Identification of the phoM gene product and its regulation in Escherichia coli K-12. Journal of Bacteriology, 1984, 159, 19-25.   | 1.0 | 22        |
| 2324 | lon gene product of Escherichia coli is a heat-shock protein. Journal of Bacteriology, 1984, 159, 283-287.  | 1.0 | 199       |
| 2325 | Kinetics of methylation in Escherichia coli K-12. Journal of Bacteriology, 1984, 159, 421-423.  | 1.0 | 57        |
| 2326 | Level of rRNA, not tRNA, synthesis controls transcription of rRNA and tRNA operons in Escherichia coli. Journal of Bacteriology, 1984, 160, 1022-1026.                                      | 1.0 | 34        |
| 2327 | Escherichia coli 6S RNA gene is part of a dual-function transcription unit. Journal of Bacteriology, 1985, 161, 1162-1170.  | 1.0 | 57        |
| 2328 | New gene in Escherichia coli K-12 (drpA): does its product play a role in RNA synthesis?. Journal of Bacteriology, 1985, 162, 117-123.  | 1.0 | 7         |
| 2329 | Unusual organization of the ilvIH promoter of Escherichia coli. Journal of Bacteriology, 1985, 163, 186-198.  | 1.0 | 40        |
| 2330 | Effects of K <sup>+</sup> and Na <sup>+</sup> on the proton motive force of respiring Escherichia coli at alkaline pH. Journal of Bacteriology, 1985, 163, 423-429.                         | 1.0 | 16        |
| 2331 | Unbalanced rRNA gene dosage and its effects on rRNA and ribosomal-protein synthesis. Journal of Bacteriology, 1985, 163, 476-486.   | 1.0 | 21        |
| 2332 | Toxicity of the pyrimidine biosynthetic pathway intermediate carbamyl aspartate in Salmonella typhimurium. Journal of Bacteriology, 1985, 163, 500-505.                                     | 1.0 | 15        |
| 2333 | Biosynthetic arginine decarboxylase in Escherichia coli is synthesized as a precursor and located in the cell envelope. Journal of Bacteriology, 1985, 163, 522-527.                        | 1.0 | 49        |
| 2334 | Mutations in the spoT gene of Salmonella typhimurium: effects on his operon expression. Journal of Bacteriology, 1985, 163, 534-542.  | 1.0 | 80        |
| 2335 | Inhibitory effect of high-level transcription of the bacteriophage lambda nutL region on transcription of rRNA in Escherichia coli. Journal of Bacteriology, 1985, 163, 704-708.            | 1.0 | 18        |
| 2336 | Identification of livG, a membrane-associated component of the branched-chain amino acid transport in Escherichia coli. Journal of Bacteriology, 1985, 163, 1196-1202.                      | 1.0 | 26        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2337 | Molecular cloning of the <i>Escherichia coli</i> gene for diadenosine 5',5'''-P1,P4-tetraphosphate pyrophosphohydrolase. <i>Journal of Bacteriology</i> , 1985, 164, 63-69.   | 1.0 | 42        |
| 2338 | Evidence for transcription antitermination control of tryptophanase operon expression in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1985, 164, 731-740.   | 1.0 | 122       |
| 2339 | Export defect adjacent to the processing site of staphylococcal nuclease is suppressed by a <i>prlA</i> mutation. <i>Journal of Bacteriology</i> , 1985, 164, 925-928.  | 1.0 | 28        |
| 2340 | Global analysis of proteins synthesized during phosphorus restriction in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 4344-4366.   | 1.0 | 179       |
| 2341 | Use of an in vivo titration method to study a global regulator: effect of varying Lrp levels on expression of <i>glgBDF</i> in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1996, 178, 6904-6912.                                       | 1.0 | 26        |
| 2342 | Use of an inducible regulatory protein to identify members of a regulon: application to the regulon controlled by the leucine-responsive regulatory protein (Lrp) in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1997, 179, 6254-6263. | 1.0 | 10        |
| 2343 | RimM and RbfA Are Essential for Efficient Processing of 16S rRNA in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1998, 180, 73-82.  | 1.0 | 126       |
| 2344 | Mutational Analysis of the TnrA-Binding Sites in the <i>Bacillus subtilis</i> <i>nrgAB</i> and <i>gabP</i> Promoter Regions. <i>Journal of Bacteriology</i> , 1998, 180, 2943-2949.   | 1.0 | 39        |
| 2345 | The ms <sup>2</sup> io <sup>6</sup> A37 Modification of tRNA in <i>Salmonella typhimurium</i> Regulates Growth on Citric Acid Cycle Intermediates. <i>Journal of Bacteriology</i> , 1998, 180, 3144-3151.   | 1.0 | 22        |
| 2346 | The <i>Bacillus subtilis</i> AraE Protein Displays a Broad Substrate Specificity for Several Different Sugars. <i>Journal of Bacteriology</i> , 1998, 180, 3250-3252.   | 1.0 | 64        |
| 2347 | General Stress Transcription Factor $\sigma^B$ and Sporulation Transcription Factor $\sigma^H$ Each Contribute to Survival of <i>Bacillus subtilis</i> under Extreme Growth Conditions. <i>Journal of Bacteriology</i> , 1998, 180, 3730-3733.        | 1.0 | 85        |
| 2348 | Branched-Chain Amino Acid Biosynthesis in <i>Salmonella typhimurium</i> : a Quantitative Analysis. <i>Journal of Bacteriology</i> , 1998, 180, 4056-4067.   | 1.0 | 56        |
| 2349 | The <i>relA/spoT</i> -Homologous Gene in <i>Streptomyces coelicolor</i> Encodes Both Ribosome-Dependent (p)ppGpp Synthesizing and -Degrading Activities. <i>Journal of Bacteriology</i> , 1998, 180, 4123-4132.                                       | 1.0 | 55        |
| 2350 | Promoter Substitution and Deletion Analysis of Upstream Region Required for <i>rpoS</i> Translational Regulation. <i>Journal of Bacteriology</i> , 1998, 180, 4564-4570.  | 1.0 | 56        |
| 2351 | Expression of the <i>Bacillus subtilis</i> <i>acsA</i> Gene: Position and Sequence Context Affect <i>cre</i> -Mediated Carbon Catabolite Repression. <i>Journal of Bacteriology</i> , 1998, 180, 6649-6654.   | 1.0 | 44        |
| 2352 | Selectivity of Ferric Enterobactin Binding and Cooperativity of Transport in Gram-Negative Bacteria. <i>Journal of Bacteriology</i> , 1998, 180, 6689-6696.   | 1.0 | 63        |
| 2353 | The Methyl Group of the <i>N</i> <sup>6</sup> -Methyl- <i>N</i> <sup>6</sup> -Threonylcarbamoyladenosine in tRNA of <i>Escherichia coli</i> Modestly Improves the Efficiency of the tRNA. <i>Journal of Bacteriology</i> , 1998, 180, 1808-1813.      | 1.0 | 26        |
| 2354 | Isolation of an <i>Escherichia coli</i> K-12 Mutant Strain Able To Form Biofilms on Inert Surfaces: Involvement of a New <i>ompR</i> Allele That Increases Curli Expression. <i>Journal of Bacteriology</i> , 1998, 180, 2442-2449.                   | 1.0 | 448       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2355 | RpoS Synthesis Is Growth Rate Regulated in <i>Salmonella typhimurium</i> , but Its Turnover Is Not Dependent on Acetyl Phosphate Synthesis or PTS Function. <i>Journal of Bacteriology</i> , 1999, 181, 4853-4862.   | 1.0 | 31        |
| 2356 | Sensing of Nitrogen Limitation by <i>Bacillus subtilis</i> : Comparison to Enteric Bacteria. <i>Journal of Bacteriology</i> , 1999, 181, 5042-5050.  | 1.0 | 70        |
| 2357 | Amino Acid-DNA Contacts by RhaS: an AraC Family Transcription Activator. <i>Journal of Bacteriology</i> , 1999, 181, 5185-5192.  | 1.0 | 44        |
| 2358 | Abiotic Surface Sensing and Biofilm-Dependent Regulation of Gene Expression in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1999, 181, 5993-6002.  | 1.0 | 450       |
| 2359 | A Mutant HemA Protein with Positive Charge Close to the N Terminus Is Stabilized against Heme-Regulated Proteolysis in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1999, 181, 6033-6041.  | 1.0 | 63        |
| 2360 | Sliding Motility in Mycobacteria. <i>Journal of Bacteriology</i> , 1999, 181, 7331-7338.   | 1.0 | 166       |
| 2361 | Coordinate Intracellular Expression of <i>Salmonella</i> Genes Induced during Infection. <i>Journal of Bacteriology</i> , 1999, 181, 799-807.  | 1.0 | 115       |
| 2362 | Conditional Stability of the HemA Protein (Glutamyl-tRNA Reductase) Regulates Heme Biosynthesis in <i>Salmonella typhimurium</i> . <i>Journal of Bacteriology</i> , 1999, 181, 1211-1219.  | 1.0 | 96        |
| 2363 | Ferritin Mutants of <i>Escherichia coli</i> Are Iron Deficient and Growth Impaired, and <i>fur</i> Mutants are Iron Deficient. <i>Journal of Bacteriology</i> , 1999, 181, 1415-1428.  | 1.0 | 221       |
| 2364 | Protein ProQ Influences Osmotic Activation of Compatible Solute Transporter ProP in <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1999, 181, 1537-1543.   | 1.0 | 59        |
| 2365 | Inhibition of Translation and Cell Growth by Minigene Expression. <i>Journal of Bacteriology</i> , 1999, 181, 1617-1622.   | 1.0 | 42        |
| 2366 | The Acid-Inducible <i>asr</i> Gene in <i>Escherichia coli</i> : Transcriptional Control by the <i>phoBR</i> Operon. <i>Journal of Bacteriology</i> , 1999, 181, 2084-2093.   | 1.0 | 72        |
| 2367 | cis-Acting Elements Responsible for Low-Temperature-Inducible Expression of the Gene Coding for the Thermolabile Isocitrate Dehydrogenase Isozyme of a Psychrophilic Bacterium, <i>Vibrio</i> sp. Strain ABE-1. <i>Journal of Bacteriology</i> , 1999, 181, 2602-2611. | 1.0 | 16        |
| 2368 | trans-Acting Factors Affecting Carbon Catabolite Repression of the hut Operon in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 1999, 181, 2883-2888.   | 1.0 | 29        |
| 2369 | Transferable urease activity in <i>Providencia stuartii</i> . <i>Journal of Clinical Microbiology</i> , 1981, 13, 561-565.   | 1.8 | 33        |
| 2370 | Metal requirements of <i>Legionella pneumophila</i> . <i>Journal of Clinical Microbiology</i> , 1981, 13, 688-695.   | 1.8 | 121       |
| 2371 | Distinctive biochemical features of <i>Salmonella dublin</i> isolated in California. <i>Journal of Clinical Microbiology</i> , 1983, 17, 552-554.  | 1.8 | 20        |
| 2372 | Differentiation between virulent and avirulent <i>Yersinia enterocolitica</i> isolates by using Congo red agar. <i>Journal of Clinical Microbiology</i> , 1983, 18, 486-490.   | 1.8 | 117       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2373 | Pre-early polypeptides of bacteriophages T5 and BF23. <i>Journal of Virology</i> , 1977, 22, 480-488.  | 1.5  | 37        |
| 2374 | Terminally redundant deletion mutants of bacteriophage BF23. <i>Journal of Virology</i> , 1979, 29, 220-231.   | 1.5  | 23        |
| 2375 | Gene D5 product of bacteriophage T5: DNA-binding protein affecting DNA replication and late gene expression. <i>Journal of Virology</i> , 1979, 29, 322-327.   | 1.5  | 13        |
| 2376 | Is abortive infection by bacteriophage BF23 of <i>Escherichia coli</i> harboring Colib plasmids due to cell killing by internally liberated colicin I <sub>b</sub> ? <i>Journal of Virology</i> , 1979, 31, 31-41. | 1.5  | 23        |
| 2377 | Detailed characterization of the mRNA mapping in the HindIII fragment K region of the herpes simplex virus type 1 genome. <i>Journal of Virology</i> , 1981, 37, 1011-1027.  | 1.5  | 131       |
| 2378 | Characterization of a major late herpes simplex virus type 1 mRNA. <i>Journal of Virology</i> , 1981, 38, 483-496.   | 1.5  | 71        |
| 2379 | Detailed analysis of the portion of the herpes simplex virus type 1 genome encoding glycoprotein C. <i>Journal of Virology</i> , 1983, 45, 634-647.  | 1.5  | 307       |
| 2380 | Valyl-tRNA synthetase modification-dependent restriction of bacteriophage T4. <i>Journal of Virology</i> , 1984, 51, 42-46.  | 1.5  | 4         |
| 2381 | Response of a phage modification factor to enhanced production of its target molecule. <i>Journal of Virology</i> , 1985, 53, 702-704.   | 1.5  | 2         |
| 2382 | Gene Dispensability in <i>Escherichia coli</i> Grown in Thirty Different Carbon Environments. <i>MBio</i> , 2020, 11, .  | 1.8  | 21        |
| 2383 | Linkage map of <i>Salmonella typhimurium</i> , edition V. <i>Microbiological Reviews</i> , 1978, 42, 471-519.  | 10.1 | 276       |
| 2384 | The caulobacters: ubiquitous unusual bacteria. <i>Microbiological Reviews</i> , 1981, 45, 123-179.   | 10.1 | 262       |
| 2385 | Microbial ureases: significance, regulation, and molecular characterization. <i>Microbiological Reviews</i> , 1989, 53, 85-108.  | 10.1 | 1,082     |
| 2386 | The leucine-responsive regulatory protein, a global regulator of metabolism in <i>Escherichia coli</i> . <i>Microbiological Reviews</i> , 1994, 58, 466-490.   | 10.1 | 402       |
| 2387 | Elucidating genomic gaps using phenotypic profiles. <i>F1000Research</i> , 0, 3, 210.  | 0.8  | 2         |
| 2388 | Elucidating genomic gaps using phenotypic profiles. <i>F1000Research</i> , 0, 3, 210.  | 0.8  | 6         |
| 2389 | AGEs Secreted by Bacteria Are Involved in the Inflammatory Response. <i>PLoS ONE</i> , 2011, 6, e17974.  | 1.1  | 25        |
| 2390 | Lrp Acts as Both a Positive and Negative Regulator for Type 1 Fimbriae Production in <i>Salmonella enterica</i> Serovar Typhimurium. <i>PLoS ONE</i> , 2011, 6, e26896.  | 1.1  | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2391 | Absence of Membrane Phosphatidylcholine Does Not Affect Virulence and Stress Tolerance Phenotypes in the Opportunistic Pathogen <i>Pseudomonas aeruginosa</i> . PLoS ONE, 2012, 7, e30829.                    | 1.1 | 17        |
| 2392 | Catabolism and Detoxification of 1-Aminoalkylphosphonic Acids: N-Acetylation by the <i>phnO</i> Gene Product. PLoS ONE, 2012, 7, e46416.  | 1.1 | 32        |
| 2393 | Nutritional Basis for Colonization Resistance by Human Commensal <i>Escherichia coli</i> Strains HS and Nissle 1917 against <i>E. coli</i> O157:H7 in the Mouse Intestine. PLoS ONE, 2013, 8, e53957.         | 1.1 | 222       |
| 2394 | Development of an Optimized Medium, Strain and High-Throughput Culturing Methods for <i>Methylobacterium extorquens</i> . PLoS ONE, 2013, 8, e62957.  | 1.1 | 122       |
| 2395 | The Use of Amino Sugars by <i>Bacillus subtilis</i> : Presence of a Unique Operon for the Catabolism of Glucosamine. PLoS ONE, 2013, 8, e63025.   | 1.1 | 40        |
| 2396 | Choice of Bacterial Growth Medium Alters the Transcriptome and Phenotype of <i>Salmonella enterica</i> Serovar Typhimurium. PLoS ONE, 2013, 8, e63912.  | 1.1 | 43        |
| 2397 | Metabolism of AGEs – Bacterial AGEs Are Degraded by Metallo-Proteases. PLoS ONE, 2013, 8, e74970.   | 1.1 | 4         |
| 2398 | A-Site mRNA Cleavage Is Not Required for tmRNA-Mediated <i>ssrA</i> -Peptide Tagging. PLoS ONE, 2013, 8, e81319.  | 1.1 | 16        |
| 2399 | Variation in the Fitness Effects of Mutations with Population Density and Size in <i>Escherichia coli</i> . PLoS ONE, 2014, 9, e105369.   | 1.1 | 3         |
| 2400 | <i>dsdA</i> Does Not Affect Colonization of the Murine Urinary Tract by <i>Escherichia coli</i> CFT073. PLoS ONE, 2015, 10, e0138121.   | 1.1 | 17        |
| 2401 | Evaluation of an Inexpensive Growth Medium for Direct Detection of <i>Escherichia coli</i> in Temperate and Sub-Tropical Waters. PLoS ONE, 2015, 10, e0140997.  | 1.1 | 16        |
| 2402 | Nutrient Deprivation Affects <i>Salmonella</i> Invasion and Its Interaction with the Gastrointestinal Microbiota. PLoS ONE, 2016, 11, e0159676.   | 1.1 | 9         |
| 2403 | Confined Mobility of TonB and FepA in <i>Escherichia coli</i> Membranes. PLoS ONE, 2016, 11, e0160862.  | 1.1 | 4         |
| 2404 | Enzymatic activity necessary to restore the lethality due to <i>Escherichia coli</i> RNase E deficiency is distributed among bacteria lacking RNase E homologues. PLoS ONE, 2017, 12, e0177915.               | 1.1 | 5         |
| 2405 | Control by Fur of the nitrate respiration regulators NarP and NarL in <i>Salmonella enterica</i> . International Microbiology, 2010, 13, 33-9.  | 1.1 | 19        |
| 2406 | Infectious necrotizing enteritis and mortality caused by <i>Vibrio carchariae</i> in summer flounder <i>Paralichthys dentatus</i> during intensive culture. Diseases of Aquatic Organisms, 1999, 38, 201-210. | 0.5 | 57        |
| 2407 | Fermentation and Metabolic Pathway Optimization to De Novo Synthesize (2S)-Naringenin in <i>Escherichia coli</i> . Journal of Microbiology and Biotechnology, 2020, 30, 1574-1582.                            | 0.9 | 31        |
| 2409 | Kinetic modeling predicts a stimulatory role for ribosome collisions at elongation stall sites in bacteria. ELife, 2017, 6, .   | 2.8 | 41        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2410 | Ribosome surface properties may impose limits on the nature of the cytoplasmic proteome. <i>ELife</i> , 2017, 6, .   | 2.8 | 77        |
| 2411 | Heterogeneous absorption of antimicrobial peptide LL37 in <i>Escherichia coli</i> cells enhances population survivability. <i>ELife</i> , 2018, 7, .   | 2.8 | 59        |
| 2412 | Measuring cis-regulatory energetics in living cells using allelic manifolds. <i>ELife</i> , 2018, 7, .   | 2.8 | 20        |
| 2413 | Mutations that improve efficiency of a weak-link enzyme are rare compared to adaptive mutations elsewhere in the genome. <i>ELife</i> , 2019, 8, .   | 2.8 | 17        |
| 2414 | Defining the function of OmpA in the Rcs stress response. <i>ELife</i> , 2020, 9, .  | 2.8 | 23        |
| 2415 | A major checkpoint for protein expression in <i>Rhodobacter sphaeroides</i> during heat stress response occurs at the level of translation. <i>Environmental Microbiology</i> , 2021, 23, 6483-6502.   | 1.8 | 7         |
| 2417 | Adaptation to an amoeba host drives selection of virulence-associated traits in <i>Vibrio cholerae</i> . <i>ISME Journal</i> , 2022, 16, 856-867.  | 4.4 | 14        |
| 2418 | <i>In silico</i> and <i>in vivo</i> analyses reveal key metabolic pathways enabling the fermentative utilization of glycerol in <i>Escherichia coli</i> . <i>Microbial Biotechnology</i> , 2022, 15, 289-304.                                      | 2.0 | 7         |
| 2419 | An orthogonal metabolic framework for one-carbon utilization. <i>Nature Metabolism</i> , 2021, 3, 1385-1399.   | 5.1 | 32        |
| 2420 | Molecular Genetics of Bacterial Polyphosphate Accumulation to Better Understand the Mechanism Underlying Biological Phosphorus Removal. , 2001, , 181-196.   |     | 0         |
| 2421 | Selections on Tissue Sections. , 2001, , 193-205.  |     | 0         |
| 2423 | Isolation and Characterization of a Novel Medium-Long Alkane-Degrading Strain. <i>Bioprocess</i> , 2013, 03, 9-15.   | 0.1 | 0         |
| 2424 | STUDIES ON THE COORDINATION OF tRNA-CHARGING AND POLYPEPTIDE SYNTHESIS ACTIVITY IN <i>ESCHERICHIA COLI</i> . , 1979, , 39-52.  |     | 4         |
| 2425 | A mutant of <i>Salmonella typhimurium</i> with an abnormal septation pattern associated with an inhibition of RNA synthesis. <i>Zeitschrift Fur Allgemeine Mikrobiologie</i> , 1981, 21, 715-728.  | 0.0 | 0         |
| 2426 | ROLE AND REGULATION OF INORGANIC PYROPHOSPHATASE IN BACTERIA. , 1985, , 73-80.   |     | 0         |
| 2427 | Misreading of the argI message in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 1992, 100, 141-145.   | 0.7 | 1         |
| 2429 | Genetic mechanisms of <i>Escherichia coli</i> resistance to target inactivation. Genes governing purine metabolism in enterobacteria: an unexpected sequence found via complementation selection. <i>Biopolymers and Cell</i> , 1997, 13, 403-407. | 0.1 | 1         |
| 2430 | NEURAL NETWORKS AS AN ALTERNATIVE METHOD FOR PREDICTING BACTERIAL GROWTH RATE FROM THE BEGINNING OF A GROWTH CURVE. , 1998, , 451-457.   |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2432 | Persistence. , 1999, , .  |     | 0         |
| 2433 | Persistence. , 1999, , .  |     | 0         |
| 2434 | High-resolution NMR structures of the domains of <i>Saccharomyces cerevisiae</i> Tho1. Acta Crystallographica Section F, Structural Biology Communications, 2016, 72, 500-506.  | 0.4 | 0         |
| 2452 | Utilization of mechanocatalytic oligosaccharides by ethanologenic <i>Escherichia coli</i> as a model microbial cell factory. AMB Express, 2020, 10, 28.   | 1.4 | 2         |
| 2457 | N-glycolyl chondroitin synthesis using metabolically engineered <i>E. coli</i> . AMB Express, 2020, 10, 144.  | 1.4 | 6         |
| 2459 | New Method for Genome-Scale Functional Genomic Study in Bacteria with Superior Performance: CRISPR Interference Screen. Methods in Molecular Biology, 2022, 2377, 123-141.  | 0.4 | 0         |
| 2463 | Regulation of ytfK by cAMP-CRP Contributes to SpoT-Dependent Accumulation of (p)ppGpp in Response to Carbon Starvation YtfK Responds to Glucose Exhaustion. Frontiers in Microbiology, 2021, 12, 775164.  | 1.5 | 6         |
| 2464 | Metaproteomics reveals insights into microbial structure, interactions, and dynamic regulation in defined communities as they respond to environmental disturbance. BMC Microbiology, 2021, 21, 308.  | 1.3 | 11        |
| 2467 | Phosphate repressible and inhibitable $\beta$ -lactam synthetases in <i>Cephalosporium acremonium</i> strain C-10. Applied Microbiology and Biotechnology, 1988, 29, 242-247.   | 1.7 | 13        |
| 2471 | The <i>Salmonella enterica</i> serovar Typhimurium virulence factor STM3169 is a hexuronic acid binding protein component of a TRAP transporter. Microbiology (United Kingdom), 2020, 166, 981-987.   | 0.7 | 2         |
| 2472 | Mistranslated protein in <i>Escherichia coli</i> . Journal of Biological Chemistry, 1981, 256, 9770-9773.   | 1.6 | 20        |
| 2474 | A Method for Screening Polyphosphate-Accumulating Mutants Which Remove Phosphate Efficiently from Synthetic Wastewater. Journal of Bioscience and Bioengineering, 2003, 95, 637-640.  | 1.1 | 0         |
| 2475 | Genetic classification of two <i>Vibrio</i> species isolated from Florida Gulf Coast using multi-locus sequence analysis. Fine Focus, 2020, 6, 34-53.   | 0.2 | 0         |
| 2657 | The stability of <i>Escherichia coli</i> lacZ mRNA depends upon the simultaneity of its synthesis and translation. EMBO Journal, 1995, 14, 3252-61.   | 3.5 | 88        |
| 2658 | A common switch in activation of the response regulators NtrC and PhoB: phosphorylation induces dimerization of the receiver modules. EMBO Journal, 1995, 14, 3696-705.   | 3.5 | 58        |
| 2659 | Co-ordinated regulation of amino sugar biosynthesis and degradation: the NagC repressor acts as both an activator and a repressor for the transcription of the glmUS operon and requires two separated NagC binding sites. EMBO Journal, 1995, 14, 3958-65. | 3.5 | 47        |
| 2660 | Glycosylinositol-phosphoceramide in the free-living protozoan <i>Paramecium primaurelia</i> : modification of core glycans by mannosyl phosphate. EMBO Journal, 1995, 14, 4422-33.  | 3.5 | 8         |
| 2661 | The second to last amino acid in the nascent peptide as a codon context determinant. EMBO Journal, 1994, 13, 249-57.  | 3.5 | 63        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2662 | Structural organization of the pentameric transmembrane alpha-helices of phospholamban, a cardiac ion channel. <i>EMBO Journal</i> , 1994, 13, 4757-64.  | 3.5 | 38        |
| 2663 | Influence of the GCGC discriminator motif introduced into the ribosomal RNA P2- and tac promoter on growth-rate control and stringent sensitivity. <i>EMBO Journal</i> , 1989, 8, 3357-63.           | 3.5 | 34        |
| 2664 | Excess capacity of H(+)-ATPase and inverse respiratory control in <i>Escherichia coli</i> . <i>EMBO Journal</i> , 1993, 12, 1277-82.   | 3.5 | 21        |
| 2665 | Depletion of functional ribosomal RNA operons in <i>Escherichia coli</i> causes increased expression of the remaining intact copies. <i>EMBO Journal</i> , 1993, 12, 4305-15.                        | 3.5 | 76        |
| 2669 | Structure of the C-terminal end of the nascent peptide influences translation termination. <i>EMBO Journal</i> , 1996, 15, 1696-704.   | 3.5 | 54        |
| 2670 | Bacterial defense against aging: role of the <i>Escherichia coli</i> ArcA regulator in gene expression, readjusted energy flux and survival during stasis. <i>EMBO Journal</i> , 1996, 15, 3219-28.  | 3.5 | 35        |
| 2671 | The expression of <i>E.coli</i> threonyl-tRNA synthetase is regulated at the translational level by symmetrical operator-repressor interactions. <i>EMBO Journal</i> , 1996, 15, 5976-87.            | 3.5 | 17        |
| 2672 | Common sequence determinants of the response of a prokaryotic promoter to DNA bending and supercoiling. <i>EMBO Journal</i> , 1991, 10, 941-9.   | 3.5 | 20        |
| 2673 | Peptidyl-tRNA hydrolase is involved in lambda inhibition of host protein synthesis. <i>EMBO Journal</i> , 1991, 10, 3549-55.   | 3.5 | 28        |
| 2676 | <i>E.coli</i> Fis protein activates ribosomal RNA transcription in vitro and in vivo. <i>EMBO Journal</i> , 1990, 9, 3733-42.  | 3.5 | 202       |
| 2677 | Growth rate dependence of transfer RNA abundance in <i>Escherichia coli</i> . <i>EMBO Journal</i> , 1990, 9, 4359-66.  | 3.5 | 57        |
| 2678 | Coding from a distance: dissection of the mRNA determinants required for the incorporation of selenocysteine into protein. <i>EMBO Journal</i> , 1992, 11, 3759-66.                                  | 3.5 | 72        |
| 2684 | Insights into the Antibacterial Mechanism of Action of Chelating Agents by Selective Deprivation of Iron, Manganese, and Zinc. <i>Applied and Environmental Microbiology</i> , 2022, 88, AEM0164121. | 1.4 | 9         |
| 2685 | Existence of log-phase <i>Escherichia coli</i> persisters and lasting memory of a starvation pulse. <i>Life Science Alliance</i> , 2022, 5, e202101076.  | 1.3 | 8         |
| 2686 | CsrA Regulates Swarming Motility and Carbohydrate and Amino Acid Metabolism in <i>Vibrio alginolyticus</i> . <i>Microorganisms</i> , 2021, 9, 2383.  | 1.6 | 9         |
| 2687 | Methods for the Development of Recombinant Microorganisms for the Production of Natural Products. <i>Methods in Molecular Biology</i> , 2022, 2396, 1-17.  | 0.4 | 2         |
| 2689 | Structural basis of Nrd1-Nab3 heterodimerization. <i>Life Science Alliance</i> , 2022, 5, e202101252.  | 1.3 | 2         |
| 2691 | ppGpp is a bacterial cell size regulator. <i>Current Biology</i> , 2022, 32, 870-877.e5.   | 1.8 | 24        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2692 | Fluorescent sensors of siderophores produced by bacterial pathogens. <i>Journal of Biological Chemistry</i> , 2022, 298, 101651.   | 1.6 | 12        |
| 2693 | Structural characterization of the urease accessory protein UreF from <i>Klebsiella pneumoniae</i> . <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2022, 78, 75-80. | 0.4 | 2         |
| 2694 | The Role of Integration Host Factor in <i>Escherichia coli</i> Persister Formation. <i>MBio</i> , 2022, 13, e0342021.  | 1.8 | 7         |
| 2695 | Heterologous biosynthesis of prenylated resveratrol and evaluation of antioxidant activity. <i>Food Chemistry</i> , 2022, 378, 132118.   | 4.2 | 6         |
| 2698 | A distinct RNA recognition mechanism governs Np <sub>4</sub> decapping by RppH. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .              | 3.3 | 2         |
| 2699 | Activation of RelA by pppGpp as the basis for its differential toxicity over ppGpp in. <i>Journal of Biosciences</i> , 2020, 45, .   | 0.5 | 3         |
| 2701 | A Recombinase-Based Genetic Circuit for Heavy Metal Monitoring. <i>Biosensors</i> , 2022, 12, 122.   | 2.3 | 11        |
| 2702 | A Central Role for Magnesium Homeostasis during Adaptation to Osmotic Stress. <i>MBio</i> , 2022, 13, e0009222.  | 1.8 | 17        |
| 2703 | Distinct phosphorylation signals drive acceptor versus free ubiquitin chain targeting by parkin. <i>Biochemical Journal</i> , 2022, 479, 751-766.  | 1.7 | 3         |
| 2704 | Cellular assays identify barriers impeding iron-sulfur enzyme activity in a non-native prokaryotic host. <i>ELife</i> , 2022, 11, .  | 2.8 | 9         |
| 2705 | Creatine utilization as a sole nitrogen source in <i>Pseudomonas putida</i> KT2440 is transcriptionally regulated by CahR. <i>Microbiology (United Kingdom)</i> , 2022, 168, .                     | 0.7 | 0         |
| 2706 | The Critical Role of Environmental Synergies in the Creation of Bionanohybrid Microbes. <i>Applied and Environmental Microbiology</i> , 2022, 88, e0232121.  | 1.4 | 2         |
| 2708 | Chemotactic smoothing of collective migration. <i>ELife</i> , 2022, 11, .  | 2.8 | 24        |
| 2712 | Transition Metals Induce Quenching of Monomeric Near-Infrared Fluorescent Proteins. <i>Biochemistry</i> , 2022, 61, 494-504.   | 1.2 | 8         |
| 2715 | Distinct heterochromatin-like domains promote transcriptional memory and silence parasitic genetic elements in bacteria. <i>EMBO Journal</i> , 2022, 41, e108708.                                  | 3.5 | 9         |
| 2717 | A New Sugar for an Old Phage: a c-di-GMP-Dependent Polysaccharide Pathway Sensitizes <i>Escherichia coli</i> for Bacteriophage Infection. <i>MBio</i> , 2021, 12, e0324621.                        | 1.8 | 15        |
| 2718 | Strain engineering and bioprocessing strategies for biobased production of porphobilinogen in <i>Escherichia coli</i> . <i>Bioresources and Bioprocessing</i> , 2021, 8, 122.                      | 2.0 | 0         |
| 2719 | Distinct Survival, Growth Lag, and rRNA Degradation Kinetics during Long-Term Starvation for Carbon or Phosphate. <i>MSphere</i> , 2022, 7, e0100621.  | 1.3 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2741 | Role of cAMP receptor protein in phenotype and stress tolerance in <i>Salmonella enterica</i> serovar Typhimurium. <i>Journal of Basic Microbiology</i> , 2020, 60, 894-904.                              | 1.8 | 2         |
| 2742 | Transcription of <i>glpT</i> of <i>Escherichia coli</i> K12 is regulated by anaerobiosis and <i>fnr</i> . <i>FEMS Microbiology Letters</i> , 1992, 73, 15-8.  | 0.7 | 8         |
| 2744 | The role of nitrogen-responsive regulators in controlling inorganic polyphosphate synthesis in <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2022, 168, .                              | 0.7 | 5         |
| 2745 | Proteomes of Uropathogenic <i>Escherichia coli</i> Growing in Human Urine and in J82 Urinary Bladder Cells. <i>Proteomes</i> , 2022, 10, 15.  | 1.7 | 3         |
| 2746 | Identification of the target and mode of action for the prokaryotic nucleotide excision repair inhibitor ATBC. <i>Bioscience Reports</i> , 2022, 42, .  | 1.1 | 4         |
| 2747 | Improved furfural tolerance in <i>Escherichia coli</i> mediated by heterologous NADH-dependent benzyl alcohol dehydrogenases. <i>Biochemical Journal</i> , 2022, 479, 1045-1058.                          | 1.7 | 5         |
| 2748 | Metabolic basis for the evolution of a common pathogenic <i>Pseudomonas aeruginosa</i> variant. <i>ELife</i> , 2022, 11, .  | 2.8 | 19        |
| 2749 | Cell-free prototyping enables implementation of optimized reverse $\beta^2$ -oxidation pathways in heterotrophic and autotrophic bacteria. <i>Nature Communications</i> , 2022, 13, .                     | 5.8 | 27        |
| 2750 | Potentiality of phosphorus-accumulating organisms biomasses in biosorption of Cd(II), Pb(II), Cu(II) and Zn(II) from aqueous solutions: Behaviors and mechanisms. <i>Chemosphere</i> , 2022, 303, 135095. | 4.2 | 20        |
| 2755 | Culture media, DMSO and efflux affect the antibacterial activity of cisplatin and oxaliplatin. <i>Letters in Applied Microbiology</i> , 2022, 75, 951-956.  | 1.0 | 1         |
| 2757 | Computational design and engineering of an <i>Escherichia coli</i> strain producing the nonstandard amino acid para-aminophenylalanine. <i>IScience</i> , 2022, 25, 104562.                               | 1.9 | 1         |
| 2758 | Effect of Environmental Temperatures on Proteome Composition of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Molecular and Cellular Proteomics</i> , 2022, 21, 100265.                              | 2.5 | 5         |
| 2759 | Decoupling Growth and Production by Removing the Origin of Replication from a Bacterial Chromosome. <i>ACS Synthetic Biology</i> , 2022, 11, 2610-2622.   | 1.9 | 10        |
| 2760 | A simple protocol for the production of highly deuterated proteins for biophysical studies. <i>Journal of Biological Chemistry</i> , 2022, 298, 102253.   | 1.6 | 7         |
| 2761 | Phenotypic analyses, protein localization, and bacteriostatic activity of <i>Drosophila melanogaster</i> transferrin-1. <i>Insect Biochemistry and Molecular Biology</i> , 2022, 147, 103811.             | 1.2 | 5         |
| 2762 | Production of cholesterol-like molecules impacts <i>Escherichia coli</i> robustness, production capacity, and vesicle trafficking. <i>Metabolic Engineering</i> , 2022, 73, 134-143.                      | 3.6 | 5         |
| 2763 | A phosphite-based screening platform for identification of enzymes favoring nonnatural cofactors. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 0         |
| 2766 | Phosphite synthetic auxotrophy as an effective biocontainment strategy for the industrial chassis <i>Pseudomonas putida</i> . <i>Microbial Cell Factories</i> , 2022, 21, .                               | 1.9 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2767 | Protein diffusion in <i>Escherichia coli</i> cytoplasm scales with the mass of the complexes and is location dependent. <i>Science Advances</i> , 2022, 8, .  | 4.7 | 22        |
| 2768 | Probiotics media: significance, challenges, and future perspective - a mini review. <i>Food Production Processing and Nutrition</i> , 2022, 4, .  | 1.1 | 9         |
| 2769 | Machine learning-assisted discovery of growth decision elements by relating bacterial population dynamics to environmental diversity. <i>ELife</i> , 0, 11, .   | 2.8 | 14        |
| 2770 | The context matrix: Navigating biological complexity for advanced biodesign. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .  | 2.0 | 2         |
| 2771 | A Conundrum of r-Protein Stability: Unbalanced Stoichiometry of r-Proteins during Stationary Phase in <i>Escherichia coli</i> . <i>MBio</i> , 2022, 13, .   | 1.8 | 4         |
| 2772 | Small molecule SJ572946 activates BAK to initiate apoptosis. <i>IScience</i> , 2022, 25, 105064.  | 1.9 | 6         |
| 2773 | Dynamic and single cell characterization of a CRISPR-interference toolset in <i>Pseudomonas putida</i> KT2440 for Î <sup>2</sup> -ketoacid production from p-coumarate. <i>Metabolic Engineering Communications</i> , 2022, 15, e00204. | 1.9 | 7         |
| 2774 | A multi-layer genome mining and phylogenomic analysis to construct efficient and autonomous efflux system for medium chain fatty acids. , 2022, 2, 1-14.  |     | 0         |
| 2777 | A scalable framework for the discovery of functional helicase substrates and helicase-driven regulatory switches. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .                 | 3.3 | 0         |
| 2779 | Liquid to solid transition of elastin condensates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .  | 3.3 | 9         |
| 2780 | eIF4G1 N-terminal intrinsically disordered domain is a multi-docking station for RNA, Pab1, Pub1, and self-assembly. <i>Frontiers in Molecular Biosciences</i> , 0, 9, .  | 1.6 | 0         |
| 2781 | FtsN maintains active septal cell wall synthesis by forming a processive complex with the septum-specific peptidoglycan synthases in <i>E. coli</i> . <i>Nature Communications</i> , 2022, 13, .  | 5.8 | 18        |
| 2784 | Redox-Mediated Inactivation of the Transcriptional Repressor RcrR is Responsible for Uropathogenic <i>Escherichia coli</i> ™s Increased Resistance to Reactive Chlorine Species. <i>MBio</i> , 2022, 13, .                              | 1.8 | 6         |
| 2785 | Genetic context effects can override canonical <i>cis</i> regulatory elements in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2022, 50, 10360-10375.   | 6.5 | 7         |
| 2788 | Maturation models of fluorescent proteins are necessary for unbiased estimates of promoter activity. <i>Biophysical Journal</i> , 2022, , .   | 0.2 | 0         |
| 2789 | Heliorhodopsin binds and regulates glutamine synthetase activity. <i>PLoS Biology</i> , 2022, 20, e3001817.   | 2.6 | 11        |
| 2791 | Gatekeeper Residue Replacement in a Phosphite Transporter Enhances Mutational Robustness of the Biocontainment Strategy. <i>ACS Synthetic Biology</i> , 2022, 11, 3397-3404.  | 1.9 | 2         |
| 2792 | RfaH Counter-Silences Inhibition of Transcript Elongation by H-NSâ€™StpA Nucleoprotein Filaments in Pathogenic <i>Escherichia coli</i> . <i>MBio</i> , 2022, 13, .  | 1.8 | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2793 | Intracellular acidification is a hallmark of thymineless death in <i>E. coli</i> . <i>PLoS Genetics</i> , 2022, 18, e1010456.   | 1.5 | 4         |
| 2794 | Sustainable production of genistin from glycerol by constructing and optimizing <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2022, 74, 206-219.   | 3.6 | 12        |
| 2795 | Fluorescent Binding Protein Sensors for Detection and Quantification of Biochemicals, Metabolites, and Natural Products. <i>Bio-protocol</i> , 2022, 12, .  | 0.2 | 0         |
| 2796 | The <i>ybcF</i> Gene of <i>Escherichia coli</i> Encodes a Local Orphan Enzyme, Catabolic Carbamate Kinase. <i>Journal of Microbiology and Biotechnology</i> , 2022, , .                                   | 0.9 | 0         |
| 2797 | Exposure to stressors and antimicrobials induces cell-autonomous ultrastructural heterogeneity of an intracellular bacterial pathogen. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 12, . | 1.8 | 0         |
| 2798 | Glutamine synthetase mRNA releases sRNA from its 3'UTR to regulate carbon/nitrogen metabolic balance in <i>Enterobacteriaceae</i> . <i>ELife</i> , 0, 11, .   | 2.8 | 4         |
| 2799 | A proteome-wide map of chaperone-assisted protein refolding in a cytosol-like milieu. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .               | 3.3 | 6         |
| 2800 | Functional Characterization of TetR-like Transcriptional Regulator PA3973 from <i>Pseudomonas aeruginosa</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 14584.                      | 1.8 | 4         |
| 2801 | Nutrient niche specificity for glycosaminoglycans is reflected in polysaccharide utilization locus architecture of gut <i>Bacteroides</i> species. <i>Frontiers in Microbiology</i> , 0, 13, .            | 1.5 | 1         |
| 2802 | <i>Escherichia coli</i> protein synthesis is limited by mRNA availability rather than ribosomal capacity during phosphate starvation. <i>Frontiers in Microbiology</i> , 0, 13, .                         | 1.5 | 2         |
| 2803 | Continuous Directed Evolution of a Feedback-Resistant <i>Arabidopsis</i> Arogenate Dehydratase in Plantized <i>Escherichia coli</i> . <i>ACS Synthetic Biology</i> , 2023, 12, 43-50.                     | 1.9 | 4         |
| 2804 | Structural Determinants and Functional Significance of Dimerization for Osmosensing Transporter ProP in <i>Escherichia coli</i> . <i>Biochemistry</i> , 0, , .  | 1.2 | 0         |
| 2805 | Prophage excision switches the primary ribosome rescue pathway and rescue-associated gene regulations in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2023, 119, 44-58.                      | 1.2 | 5         |
| 2806 | Evaluation of <i>Serratia marcescens</i> Adherence to Contact Lens Materials. <i>Microorganisms</i> , 2023, 11, 217.  | 1.6 | 2         |
| 2807 | Attachment of the RNA degradosome to the bacterial inner cytoplasmic membrane prevents wasteful degradation of rRNA in ribosome assembly intermediates. <i>PLoS Biology</i> , 2023, 21, e3001942.         | 2.6 | 0         |
| 2808 | tRNAs Are Stable After All: Pitfalls in Quantification of tRNA from Starved <i>Escherichia coli</i> Cultures Exposed by Validation of RNA Purification Methods. <i>MBio</i> , 2023, 14, .                 | 1.8 | 7         |
| 2809 | Monitoring Fe-S cluster occupancy across the <i>E. coli</i> proteome using chemoproteomics. <i>Nature Chemical Biology</i> , 2023, 19, 356-366.   | 3.9 | 14        |
| 2810 | Mechanism for Utilization of the <i>Populus</i> -Derived Metabolite Salicin by a <i>Pseudomonas</i> – <i>Rahnella</i> Co-Culture. <i>Metabolites</i> , 2023, 13, 140.                                     | 1.3 | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2811 | Graded impact of obstacle size on scanning by RNaseE. <i>Nucleic Acids Research</i> , 2023, 51, 1364-1374.  | 6.5 | 5         |
| 2812 | Migration Rates on Swim Plates Vary between <i>Escherichia coli</i> Soil Isolates: Differences Are Associated with Variants in Metabolic Genes. <i>Applied and Environmental Microbiology</i> , 2023, 89, . | 1.4 | 1         |
| 2813 | Enzyme expression kinetics by <i>Escherichia coli</i> during transition from rich to minimal media depends on proteome reserves. <i>Nature Microbiology</i> , 2023, 8, 347-359.                             | 5.9 | 12        |
| 2814 | Ribosome Protein Composition Mediates Translation during the <i>Escherichia coli</i> Stationary Phase. <i>International Journal of Molecular Sciences</i> , 2023, 24, 3128.                                 | 1.8 | 2         |
| 2816 | Increasing the atom economy of glucose fermentation for bioethanol production in Rubisco-based engineered <i>Escherichia coli</i> . <i>Bioresource Technology Reports</i> , 2023, 21, 101370.               | 1.5 | 0         |
| 2817 | Structural remodelling of the carbon-phosphorus lyase machinery by a dual ABC ATPase. <i>Nature Communications</i> , 2023, 14, .  | 5.8 | 2         |
| 2819 | Dissociation kinetics of small-molecule inhibitors in <i>Escherichia coli</i> is coupled to physiological state of cells. <i>Communications Biology</i> , 2023, 6, .  | 2.0 | 0         |
| 2820 | Aging of Industrial Polypropylene Surfaces in Detergent Solution and Its Consequences for Biofilm Formation. <i>Polymers</i> , 2023, 15, 1247.  | 2.0 | 2         |
| 2822 | Glyphosate affects persistence and tolerance but not antibiotic resistance. <i>BMC Microbiology</i> , 2023, 23, .   | 1.3 | 1         |
| 2823 | Cell wall damage increases macromolecular crowding effects in the <i>Escherichia coli</i> cytoplasm. <i>IScience</i> , 2023, 26, 106367.  | 1.9 | 2         |
| 2824 | Acidity-responsive nanoplateforms aggravate tumor hypoxia via multiple pathways for amplified chemotherapy. <i>Biomaterials</i> , 2023, 296, 122094.  | 5.7 | 5         |
| 2827 | Unbalanced response to growth variations reshapes the cell fate decision landscape. <i>Nature Chemical Biology</i> , 2023, 19, 1097-1104.   | 3.9 | 2         |
| 2829 | OmpC-Dependent Bile Tolerance Contributes to <i>E. coli</i> Colonization of the Mammalian Intestine. <i>Microbiology Spectrum</i> , 2023, 11, .   | 1.2 | 3         |
| 2830 | Characterisation of an <i>Escherichia coli</i> line that completely lacks ribonucleotide reduction yields insights into the evolution of parasitism and endosymbiosis. <i>ELife</i> , 0, 12, .              | 2.8 | 2         |
| 2831 | Enabling low-cost and robust essentiality studies with high-throughput transposon mutagenesis (HTTM). <i>PLoS ONE</i> , 2023, 18, e0283990.   | 1.1 | 0         |
| 2833 | Genome-Wide Mapping of the <i>Escherichia coli</i> PhoB Regulon Reveals Many Transcriptionally Inert, Intragenic Binding Sites. <i>MBio</i> , 2023, 14, .   | 1.8 | 5         |