Morphological heterogeneity among Salmonella lipopol silver-stained polyacrylamide gels

Journal of Bacteriology 154, 269-277 DOI: 10.1128/jb.154.1.269-277.1983

Citation Report

#	Article	IF	CITATIONS
1	Aberrant Migration of Lipopolysaccharide in Sodium Dodecyl Sulfate/Poyacrylamide Gel Electrophoresis. FEBS Journal, 1983, 133, 685-688.	0.2	57
2	Lipopolysaccharide changes in impermeability-type aminoglycoside resistance in Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 1984, 26, 250-255.	1.4	104
3	Resistance of Pseudomonas aeruginosa mutants with altered control of chromosomal beta-lactamase to piperacillin, ceftazidime, and cefsulodin. Antimicrobial Agents and Chemotherapy, 1984, 25, 382-384.	1.4	37
4	Analysis of electrophoretically heterogeneous lipopolysaccharides ofEscherichia coliby immunoblotting. FEMS Microbiology Letters, 1984, 22, 193-196.	0.7	29
5	Isolation and characterization of serum-resistant strains ofPseudomonas aeruginosa derived from serum-sensitive parental strains. Current Microbiology, 1984, 10, 185-189.	1.0	19
6	Biochemical and immunological analyses of the cell surface of Bordetella bronchiseptica isolates with special reference to atrophic rhinitis in swine. Vaccine, 1984, 2, 265-273.	1.7	9
7	Characterization of the surface antigens of the marine fish pathogens Vibrio anguillarum and Vibrio ordalii. Canadian Journal of Microbiology, 1984, 30, 703-710.	0.8	52
8	Electrophoretic Analysis of the Lipopolysaccharide from Aeromonas salmonicida Strains Isolated in Japan. Nippon Suisan Gakkaishi, 1984, 50, 1789-1789.	0.0	5
9	Lipopolysaccharides of three classes of supersensitive mutants ofSalmonella typhimurium. FEMS Microbiology Letters, 1985, 30, 341-345.	0.7	8
10	Evidence for the presence of lipopolysaccharide inTreponema phagedenis(biotype Reiterii) but not inTreponema pallidum(Nichols). FEMS Microbiology Letters, 1985, 27, 117-121.	0.7	15
11	Use of transposon mutants to assess the role of exoenzyme S in chronic pulmonary disease due toPseudomonas aeruginosa. European Journal of Clinical Microbiology and Infectious Diseases, 1985, 4, 163-169.	1.3	48
12	Analyses of gonococcal H8 antigen. Surface location, inter- and intrastrain electrophoretic heterogeneity, and unusual two-dimensional electrophoretic characteristics Journal of Experimental Medicine, 1985, 162, 2017-2034.	4.2	55
13	Morphological analysis of lipopolysaccharide from gram-negative fish pathogenic bacteria Fish Pathology, 1985, 20, 193-197.	0.4	42
14	Biological Activities of Lipopolysaccharide Fractionated by Preparative Acrylamide Gel Electrophoresis. Microbiology and Immunology, 1985, 29, 1-12.	0.7	14
15	Alteration of the Cell Wall of Haemophilus influenzae Type b by Transformation with Cloned DNA: Association with Attenuated Virulence. Journal of Infectious Diseases, 1985, 152, 485-492.	1.9	81
16	Studies on the Ability of Alginate to Act as a Protective Immunogen Against Infection with Pseudomonas aeruginosa in Animals. Journal of Infectious Diseases, 1985, 151, 581-588.	1.9	89
17	Characterization of Monoclonal Antibodies Protecting Mice against Rickettsia rickettsii. Journal of Infectious Diseases, 1985, 151, 1052-1060.	1.9	116
18	Identification of a Specific Epitope of Haemophilus influenzae on a 16,600-Dalton Outer Membrane Protein. Journal of Infectious Diseases, 1985, 152, 1300-1307.	1.9	111

#	Article	IF	CITATIONS
19	The Outer Membrane of Treponema pallidum: Biological Significance and Biochemical Properties. Microbiology (United Kingdom), 1985, 131, 2349-2357.	0.7	68
20	Characteristics of the outer membrane of selected oral <i>Bacteroides</i> species. Canadian Journal of Microbiology, 1985, 31, 238-250.	0.8	59
21	Rapid serological analysis of bacterial lipopolysaccharides by electrotransfer to nitrocellulose. Journal of Immunological Methods, 1985, 85, 371-382.	0.6	35
22	Immunoenzymatic analysis by monoclonal antibodies of bacterial lipopolysaccharides after transfer to nitrocellulose. Journal of Immunological Methods, 1985, 76, 299-305.	0.6	90
23	Biochemical and immunological characterization of the cell surface of the fish pathogenic bacterium Aeromonas salmonicida. Biochimica Et Biophysica Acta - Biomembranes, 1985, 815, 233-244.	1.4	61
24	A note on the use of a scanning laser densitometer to analyse silver-stained lipopolysaccharide patterns on polyacrylamide gels and antigenic profiles on nitrocellulose sheets produced by immunoblotting. Letters in Applied Microbiology, 1986, 2, 43-46.	1.0	1
25	Cell Wall Characteristics of Mobiluncus Species. International Journal of Systematic Bacteriology, 1986, 36, 288-296.	2.8	15
26	The analysis of lipopolysaccharide (endotoxin) in meningococcal polysaccharide vaccines by silver staining following SDS-polyacrylamide gel electrophoresis. Journal of Biological Standardization, 1986, 14, 25-IN2.	0.4	56
27	Rifampin-resistant meningococcal disease in a contact patient given prophylactic rifampin. Journal of Pediatrics, 1986, 108, 93-96.	0.9	35
28	Serospecific antigens of Legionella pneumophila. Journal of Bacteriology, 1986, 167, 893-904.	1.0	52
29	Mutations in Rhizobium phaseoli that lead to arrested development of infection threads. Journal of Bacteriology, 1986, 168, 1392-1401.	1.0	152
30	Cloning and analysis of the sfrB (sex factor repression) gene of Escherichia coli K-12. Journal of Bacteriology, 1986, 166, 651-657.	1.0	24
31	Purification of extracellular lipase from Pseudomonas aeruginosa. Journal of Bacteriology, 1986, 168, 1070-1074.	1.0	189
32	Purification and characterization of fimbriae from Salmonella enteritidis. Journal of Bacteriology, 1986, 168, 221-227.	1.0	57
33	Lipopolysaccharide nomenclature-past, present, and future. Journal of Bacteriology, 1986, 166, 699-705.	1.0	217
34	Bioluminescence of outer membrane defective mutants ofPhotobacterium phosphoreum. FEMS Microbiology Letters, 1986, 37, 293-298.	0.7	6
35	Monoclonal antibodies to the surface antigens ofPseudomonas aeruginosa. FEMS Microbiology Letters, 1986, 37, 357-361.	0.7	12
36	The basis of silver staining of bacterial lipopolysaccharides in polyacrylamide gels. Current Microbiology, 1986, 13, 29-31.	1.0	18

#	Article	IF	CITATIONS
37	Isolation and preliminary biochemical characterization of the gonococcal H.8 antigen Journal of Experimental Medicine, 1986, 164, 2038-2048.	4.2	26
38	Immunity to Haemophilus influenzae Type b in Young Adults: Correlation of Bactericidal and Opsonizing Activity of Serum with Antibody to Polyribosylribitol Phosphate and Lipooligosaccharide Before and After Vaccination. Journal of Infectious Diseases, 1986, 154, 935-943.	1.9	44
39	Relationship between Luminous Fish and Symbiosis. Microbiology and Immunology, 1986, 30, 75-80.	0.7	2
40	Susceptibility of Phenotypic Variants of Haemophilus influenzae Type b to Serum Bactericidal Activity: Relation to Surface Lipopolysaccharide. Journal of Infectious Diseases, 1986, 153, 223-231.	1.9	38
41	A Spontaneous Mutant of Neisseria gonorrhoeae with Decreased Resistance to Neutrophil Granule Proteins. Journal of Infectious Diseases, 1986, 153, 910-917.	1.9	35
42	Pathogenesis of IgAl Protease-Producing and -Nonproducing Haemophilus influenzae in Human Nasopharyngeal Organ Cultures. Journal of Infectious Diseases, 1986, 154, 752-759.	1.9	114
43	Lipopolysaccharide Alteration is Associated with Induced Resistance of Neisseria gonorrhoeae to Killing by Human Serum. Microbiology (United Kingdom), 1986, 132, 1407-1413.	0.7	30
44	Analysis of Lipopolysaccharide from Root Nodule Bacteroids of Rhizobium leguminosarum Using Monoclonal Antibodies. Microbiology (United Kingdom), 1986, 132, 1959-1968.	0.7	8
45	Antigenic relationships among penicillin-binding proteins 1 from members of the families Pasteurellaceae and Enterobacteriaceae. Antimicrobial Agents and Chemotherapy, 1986, 30, 559-564.	1.4	7
46	Evidence that the Serum Resistance Genetic Locus sac-3 of Neisseria gonorrhoeae Is Involved in Lipopolysaccharide Structure. Microbiology (United Kingdom), 1987, 133, 2671-2678.	0.7	13
47	Contruction of Defined galE Mutants of Salmonella for Use as Vaccines. Journal of Infectious Diseases, 1987, 156, 167-174.	1.9	84
48	Outer Membrane Protein and Lipooligosaccharide Analysis of Paired Nasopharyngeal and Middle Ear Isolates in Otitis Media Due to Nontypable Haemophilus influenzae: Pathogenetic and Epidemiological Observations. Journal of Infectious Diseases, 1987, 156, 723-731.	1.9	119
49	Opsonic monoclonal antibodies against lipopolysaccharide antigens of Leptospira interrogans serovar hardjo. Journal of Medical Microbiology, 1987, 23, 1-7.	0.7	64
50	Sub-MICs of cefuroxime and ciprofloxacin influence interaction of complement and immunoglobulins with Klebsiella pneumoniae. Antimicrobial Agents and Chemotherapy, 1987, 31, 758-762.	1.4	31
51	Mediation of Serum Resistance in Salmonella typhimurium by an 11-Kilodalton Polypeptide Encoded by the Cryptic Plasmid. Journal of Infectious Diseases, 1987, 155, 540-549.	1.9	108
52	Capnocytophaga Species: Increased Resistance of Clinical Isolates to Serum Bactericidal Action. Journal of Infectious Diseases, 1987, 156, 99-106.	1.9	13
53	Human IgG Antibodies to Pseudomonas aeruginosa Core Lipopolysaccharide Determinants are Detected in Chronic but not Acute Pseudomonas Infection. Scandinavian Journal of Infectious Diseases, 1987, 19, 649-660.	1.5	11
54	Characterization of the lipopolysaccharide from a Rhizobium phaseoli mutant that is defective in infection thread development. Journal of Bacteriology, 1987, 169, 4923-4928.	1.0	142

#	Article	IF	CITATIONS
55	Flagella of a plant-growth-stimulating Pseudomonas fluorescens strain are required for colonization of potato roots. Journal of Bacteriology, 1987, 169, 2769-2773.	1.0	308
56	[20] Electrophoretic separation of lipopolysaccharide monomers differing in polysaccharide length. Methods in Enzymology, 1987, 138, 267-275.	0.4	13
57	Effect of growth temperature on the lipids, outer membrane proteins, and lipopolysaccharides of Pseudomonas aeruginosa PAO. Journal of Bacteriology, 1987, 169, 1960-1966.	1.0	97
58	Role of beta-lactamase in in vivo development of ceftazidime resistance in experimental Pseudomonas aeruginosa endocarditis. Antimicrobial Agents and Chemotherapy, 1987, 31, 253-258.	1.4	26
59	The Isolation and Partial Characterization of the Lipopolysaccharides from Several Rhizobium trifolii Mutants Affected in Root Hair Infection. Plant Physiology, 1987, 84, 421-427.	2.3	40
60	Monoclonal antibodies and characterization of epitopes of smooth Brucella lipopolysaccharides. Annales De L'Institut Pasteur Microbiologie, 1987, 138, 549-560.	0.8	25
61	Evidence of heterogeneity of lipopolysaccharides among Brucella biovars in relation to A and M specificities. Annales De L'Institut Pasteur Microbiologie, 1987, 138, 27-37.	0.8	58
62	Characterisation of protein co-extracted together with LPS in Escherichia coli, Salmonella minnesota and Yersinia enterocolitica. Microbial Pathogenesis, 1987, 2, 29-36.	1.3	32
63	Effect of plasmid RP1 on phase changes in inner and outer membranes and lipopolysaccharide from Acinetobacter calcoaceticus: a Fourier transform infrared study. Biochemistry, 1987, 26, 6644-6648.	1.2	18
64	Characterization and virulence properties of Erwinia chrysanthemi lipopolysaccharide-defective, phi EC2-resistant mutants. Journal of Bacteriology, 1987, 169, 4011-4017.	1.0	89
65	Bacteriophage K20 requires both the OmpF porin and lipopolysaccharide for receptor function. Journal of Bacteriology, 1987, 169, 4830-4833.	1.0	30
66	Lipopolysaccharides of Pseudomonas spp. that stimulate plant growth: composition and use for strain identification. Journal of Bacteriology, 1987, 169, 1441-1446.	1.0	71
67	Lipopolysaccharide tightly bound to porin monomers and trimers from Escherichia coli K-12. Journal of Bacteriology, 1987, 169, 4003-4010.	1.0	72
68	Analyses of the immunoaccessibility of H8 antigen and the functionality of H8 specific monoclonal antibody 10. Antonie Van Leeuwenhoek, 1987, 53, 509-518.	0.7	2
69	Development and use of a serotyping scheme for Pseudomonas cepacia. Serodiagnosis and Immunotherapy in Infectious Disease, 1987, 1, 177-184.	0.2	17
70	Efficacy of oral immunization with Pseudomonas aeruginosa lipopolysaccharide. Serodiagnosis and Immunotherapy in Infectious Disease, 1987, 1, 379-392.	0.2	5
71	Haemophilus ducreyiproduces rough lipopolysaccharide. FEMS Microbiology Letters, 1987, 42, 159-161.	0.7	13
72	Failure to convertBordetella parapertussistoBordetella pertussiswith a pertussis phage. FEMS Microbiology Letters, 1987, 41, 79-83.	0.7	4

#	Article	IF	CITATIONS
73	Nature of the lipopolysaccharide ofBacteroides ureolyticus. FEMS Microbiology Letters, 1987, 48, 111-114.	0.7	3
74	Effect of cultural conditions on the protein and lipopolysaccharide profiles ofHaemophilus ducreyianalysed by SDS-PAGE. FEMS Microbiology Letters, 1987, 48, 397-399.	0.7	12
75	A bath challenge model for furunculosis in rainbow trout, Salmo gairdneri Richardson, and Atlantic salmon, Salmo salar L Journal of Fish Diseases, 1987, 10, 495-504.	0.9	25
76	Reduced redox potential during growth of some Gramâ€negative bacteria. Apmis, 1988, 96, 773-782.	0.9	4
77	Enterobacteriaceae: composition, structure and function of the cell envelope. Journal of Applied Bacteriology, 1988, 65, 21S.	1.1	7
78	Chemical and biological properties of a phenol-water extract from leptospira interrogans. Evidence for the absence of lipopolysaccharide. Infection, 1988, 16, 238-241.	2.3	18
79	Effect of pH and acrylamide concentration on the separation of lipopolysaccharides in polyacrylamide gels. Current Microbiology, 1988, 16, 191-194.	1.0	14
80	Lipopolysaccharide heterogeneity in strains ofSerratia marcescens agglutinated by O14 antiserum. Current Microbiology, 1988, 17, 27-31.	1.0	19
81	Vaccine-induced protective immunity against Aeromonas salmonicida tested in experimental carp erythrodermatitis. Journal of Fish Diseases, 1988, 11, 337-350.	0.9	32
82	Isolation and characterization of a new fimbrial antigen (CS1541) from a porcine enteroxigenic Escherichia coli O8: KX105 strain. FEMS Microbiology Letters, 1988, 55, 341-347.	0.7	15
83	Lipopolysaccharides as a marker system in the epidemiology ofLegionella pneumophilaserogroup 12. FEMS Microbiology Letters, 1988, 50, 85-88.	0.7	2
84	Lipopolysaccharide antigens produced byPseudomonas aeruginosafrom cystic fibrosis lung infection. FEMS Microbiology Letters, 1988, 50, 241-245.	0.7	8
85	Analysis of salmonella lipopolysaccharides by sodium deoxycholate—polyacrylamide gel electrophoresis. Journal of Chromatography A, 1988, 450, 381-387.	1.8	87
86	Characterization of non-typable strains of Pseudomonas aeruginosa from cystic fibrosis patients by means of monoclonal antibodies and SDS-polyacrylamide gel electrophoresis. Serodiagnosis and Immunotherapy in Infectious Disease, 1988, 2, 365-374.	0.2	15
87	Transfer and expression of the genetic determinants for O and K antigen synthesis in Escherichia coli O9:K(A)30 and Klebsiella sp. Ol:K20, in Escherichia coli K12. Canadian Journal of Microbiology, 1988, 34, 987-992.	0.8	30
88	The association between virulence and cell surface characteristics of Aeromonas salmonicida. Aquaculture, 1988, 69, 1-14.	1.7	14
89	Bacteriophage T4 resistant mutants of the plant pathogen Erwinia carotovora. Microbial Pathogenesis, 1988, 4, 359-367.	1.3	62
90	The interaction of Escherichia coli with normal human serum: factors affecting the capacity of serum to mediate lipopolysaccharide release. Microbial Pathogenesis, 1988, 4, 175-187.	1.3	25

#	Article	IF	CITATIONS
91	Leptospiral lipopolysaccharide presence in the outer envelope: Electrophoretic evidence and immunological specificity. Zentralblatt Fur Bakteriologie, Mikrobiologie, Und Hygiene Series A, Medical Microbiology, Infectious Diseases, Virology, Parasitology, 1988, 269, 277-283.	0.5	16
92	Contribution of Haemophilus influenzae type b lipopolysaccharide to pathogenesis of infection. Microbial Pathogenesis, 1988, 5, 55-62.	1.3	10
93	Opsonic effect of monoclonal antibodies against Leptospira interrogans serovar copenhageni. Veterinary Microbiology, 1988, 16, 167-180.	0.8	3
94	Plasmid-associated virulence of Salmonella enteritidis. Microbial Pathogenesis, 1988, 4, 385-391.	1.3	64
95	Mechanisms of Aminoglycoside Resistance in Variants of Pseudomonas aeruginosa Isolated During Treatment of Experimental Endocarditis in Rabbits. Journal of Infectious Diseases, 1988, 158, 1003-1010.	1.9	29
96	Mutation of Salmonella paratyphi A conferring cross-resistance to several groups of antibiotics by decreased permeability and loss of invasiveness. Antimicrobial Agents and Chemotherapy, 1988, 32, 195-201.	1.4	42
97	Electrophoretic Analysis of Lipopolysaccharides of Purple Nonsulfur Bacteria. International Journal of Systematic Bacteriology, 1988, 38, 157-163.	2.8	66
98	Electrophoretic Heterogeneity of Lipopolysaccharides of Actinobacillus actinomycetemcomitans. Journal of Dental Research, 1988, 67, 574-576.	2.5	14
99	Outer membrane permeability in Pseudomonas cepacia: diminished porin content in a beta-lactam-resistant mutant and in resistant cystic fibrosis isolates. Antimicrobial Agents and Chemotherapy, 1988, 32, 1636-1639.	1.4	75
100	Penetration of immunoglobulins through the Klebsiella capsule and their effect on cell-surface hydrophobicity. Journal of Medical Microbiology, 1988, 26, 29-35.	0.7	32
101	The effect of campylobacter lipopolysaccharide on fetal development in the mouse. Journal of Medical Microbiology, 1988, 26, 101-105.	0.7	21
102	Characterisation and application of a murine monoclonal antibody specific for the serogroup C2 Salmonella. Journal of Medical Microbiology, 1988, 26, 115-119.	0.7	10
103	Some Properties of Serratia marcescens, Salmonella paratyphi A, and Enterobacter cloacae with Non-Enzyme-Dependent Multiple Resistance to Â-Lactam Antibiotics, Aminoglycosides, and Quinolones. Clinical Infectious Diseases, 1988, 10, 899-904.	2.9	15
104	Variable expression of extracellular polysaccharide in the marine bacterium Pseudomonas atlantica is controlled by genome rearrangement. Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 3923-3927.	3.3	68
105	Sodium deoxycholate-polyacrylamide gel electrophoresis of lipopolysaccharides at low temperature Chemical and Pharmaceutical Bulletin, 1988, 36, 1218-1222.	0.6	6
106	Surface protein composition of Aeromonas hydrophila strains virulent for fish: identification of a surface array protein. Journal of Bacteriology, 1988, 170, 499-506.	1.0	139
107	Antigenic analysis of <i>Haemophilus ducreyi</i> by Western blotting. Epidemiology and Infection, 1988, 101, 151-157.	1.0	14
108	Influence of growth temperature and lipopolysaccharide on hemolytic activity of Serratia marcescens. Journal of Bacteriology, 1988, 170, 5146-5152.	1.0	55

#	Article	IF	CITATIONS
109	Heterogeneity of lipopolysaccharides from Pseudomonas aeruginosa: analysis of lipopolysaccharide chain length. Journal of Bacteriology, 1988, 170, 512-521.	1.0	136
110	Structural and biochemical analyses of a surface array protein of Campylobacter fetus. Journal of Bacteriology, 1988, 170, 4165-4173.	1.0	67
111	Unmasking of bacteriophage Mu lipopolysaccharide receptors in Salmonella enteritidis confers sensitivity to Mu and permits Mu mutagenesis. Journal of Bacteriology, 1988, 170, 1076-1081.	1.0	9
113	Characterization of lipopolysaccharide from Myxococcus xanthus by use of monoclonal antibodies. Journal of Bacteriology, 1989, 171, 2028-2032.	1.0	34
114	Cell surface changes in Pseudomonas aeruginosa PAO4069 in response to treatment with 6-aminopenicillanic acid. Antimicrobial Agents and Chemotherapy, 1989, 33, 1435-1442.	1.4	1
115	Factors influencing the accumulation of ciprofloxacin in Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 1989, 33, 1921-1926.	1.4	66
116	Characterization of Aeromonas salmonicida mutants with low-level resistance to multiple antibiotics. Antimicrobial Agents and Chemotherapy, 1989, 33, 19-26.	1.4	27
117	The Potential Protective Effect of Immunization with Outer-membrane Protein I from Neisseria gonorrhoeae. Microbiology (United Kingdom), 1989, 135, 2269-2276.	0.7	19
118	Analysis of Amikacin-Resistant Pseudomonas aeruginosa Developing in Patients Receiving Amikacin. Archives of Internal Medicine, 1989, 149, 630.	4.3	13
119	Properties of Adherence Factor Plasmids of Enteropathogenic Escherichia coli and the Effect of Host Strain on Expression of Adherence to HEp-2 Cells. Microbiology (United Kingdom), 1989, 135, 1123-1134.	0.7	19
120	Characterization of mechanisms of quinolone resistance in Pseudomonas aeruginosa strains isolated in vitro and in vivo during experimental endocarditis. Antimicrobial Agents and Chemotherapy, 1989, 33, 624-634.	1.4	67
121	Mutants of Escherichia coli O9: K30 with Altered Synthesis and Expression of the Capsular K30 Antigen. Microbiology (United Kingdom), 1989, 135, 2589-2599.	0.7	24
122	Antigenic and Structural Analysis of Treponema denticola. Microbiology (United Kingdom), 1989, 135, 3209-3218.	0.7	32
123	Outer membrane alterations in multiresistant mutants of Pseudomonas aeruginosa selected by ciprofloxacin. Antimicrobial Agents and Chemotherapy, 1989, 33, 124-127.	1.4	82
124	Acute Respiratory Response of Guinea Pigs to Lipopolysaccharide, Lipid A, and Monophosphoryl Lipid A from <i>Salmonella minnesota</i> . The American Review of Respiratory Disease, 1989, 140, 1429-1435.	2.9	11
125	Characterization and Taxonomic Significance of Lipopolysaccharides of Leptospira interrogans Serovar hardjo. Microbiology (United Kingdom), 1989, 135, 2663-2673.	0.7	20
126	Serological analysis of the heatâ€stable antigens involved in serotyping <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> . Apmis, 1989, 97, 253-260.	0.9	18
127	Monoclonal antibodies reacting with serogroup and serovar specific epitopes on different lipopolysaccharide subunits ofLeptospira interrogansserovarpomona. FEMS Microbiology Letters, 1989, 47, 213-218.	0.7	10

#	ARTICLE	IF	CITATIONS
128	Lipopolysaccharide and protein patterns ofRhizobiumsp. (Galega). FEMS Microbiology Letters, 1989, 58, 323-328.	0.7	22
129	Comparison of R- and S-form lipopolysaccharides fractionated fromEscherichia coliUKT-B lipopolysaccharide in pyrogen and Limulus tests. FEMS Microbiology Letters, 1989, 60, 79-84.	0.7	11
130	Topographical alterations in proteins I of Neisseria gonorrhoeae correlated with lipooligosaccharide variation. Molecular Microbiology, 1989, 3, 637-643.	1.2	20
131	Virulence and vaccine potential of phoP mutants of Salmonella typhimurium. Microbial Pathogenesis, 1989, 6, 433-443.	1.3	205
132	The antibody response to salmonellae in mice and humans studied by immunoblots and ELISA. Microbial Pathogenesis, 1989, 6, 445-454.	1.3	66
133	Molecular cloning and expression of the O4 polysaccharide gene cluster from Escherichia coli. Microbial Pathogenesis, 1989, 6, 123-132.	1.3	27
134	Immunization of guinea pigs with epitope C-rich lipopolysaccharide from Neisseria gonorrhoea; in vivo selection of gonococcal variants. Microbial Pathogenesis, 1989, 6, 251-264.	1.3	6
135	Membrane proteins of Francisella tularensis LVS differ in ability to induce proliferation of lymphocytes from tularemia-vaccinated individuals. Microbial Pathogenesis, 1989, 7, 411-419.	1.3	26
136	Invasion and lysis of HeLa cell monolayers by Salmonella typhi: the role of lipopolysaccharide. Microbial Pathogenesis, 1989, 6, 143-152.	1.3	61
137	The line blot: an immunoassay for monoclonal and other antibodies. Journal of Immunological Methods, 1989, 125, 57-65.	0.6	32
138	Rapid and sensitive silver-lipopolysaccharide staining using PhastSystem in fast horizontal polyacrylamide gel electrophoresis. Electrophoresis, 1989, 10, 729-731.	1.3	8
139	Cloning and molecular characterization of genes whose products allow Salmonella typhimurium to penetrate tissue culture cells Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 6383-6387.	3.3	960
140	Pulmonary Function and Symptoms after Inhalation of Endotoxin. The American Review of Respiratory Disease, 1989, 140, 981-986.	2.9	263
141	Analysis of lipopolysaccharide antigens of <i>Treponema hyodysenteriae</i> . Epidemiology and Infection, 1989, 103, 275-284.	1.0	16
142	Multiresistant serotype O 12 <i>Pseudomonas aeruginosa</i> : evidence for a common strain in Europe. Epidemiology and Infection, 1989, 103, 565-576.	1.0	75
143	Identification and sequence of the gene for abequose synthase, which confers antigenic specificity on group B salmonellae: homology with galactose epimerase. Journal of Bacteriology, 1989, 171, 5687-5693.	1.0	87
144	Genes involved in lipopolysaccharide production and symbiosis are clustered on the chromosome of Rhizobium leguminosarum biovar viciae VF39. Journal of Bacteriology, 1989, 171, 6161-6168.	1.0	179
145	Immunochemical analysis of lipopolysaccharides from free-living and endosymbiotic forms of Rhizobium leguminosarum. Journal of Bacteriology, 1990, 172, 1804-1813.	1.0	70

#	Article	IF	CITATIONS
146	Rapid Small‣cale Preparation Method of Cell Surface Polysaccharides. Microbiology and Immunology, 1990, 34, 635-641.	0.7	18
147	Demonstration of a Surface Antigen of <i>Clostridium tyrobutyricum</i> by Use of Immunoblotting with a Monoclonal Antibody. Microbiology and Immunology, 1990, 34, 55-64.	0.7	2
148	Genetic analysis of lipopolysaccharide core biosynthesis by Escherichia coli K-12: insertion mutagenesis of the rfa locus. Journal of Bacteriology, 1990, 172, 5312-5325.	1.0	102
149	Glycerophospholipid:cholesterol acyltransferase complexed with lipopolysaccharide (LPS) is a major lethal exotoxin and cytolysin of Aeromonas salmonicida: LPS stabilizes and enhances toxicity of the enzyme. Journal of Bacteriology, 1990, 172, 5382-5393.	1.0	146
150	Detection of lipopolysaccharides by ethidium bromide staining after sodium dodecyl sulfate-polyacrylamide gel electrophoresis. Journal of Bacteriology, 1990, 172, 1145-1147.	1.0	54
151	Electrophoretic and immunochemical analysis of surface antigens of the fish pathogens Vibrio salmonicida and Vibrio anguillarum. Journal of Fish Diseases, 1990, 13, 293-301.	0.9	26
152	A 59 kiloDalton outer membrane protein of Salmonella typhimurium protects against oxidative intraleukocytic killing due to human neutrophils. Molecular Microbiology, 1990, 4, 283-293.	1.2	20
153	Stable expression of meningococcal class 1 protein in an antigenically reactive form in outer membranes of Escherichia coli. Molecular Microbiology, 1990, 4, 769-776.	1.2	17
154	Molecular mechanism for the antigonococcal action of lysosomal cathepsin G. Molecular Microbiology, 1990, 4, 1269-1277.	1.2	18
155	Characterization of fourteen strains of Neisseria gonorrhoeae: structural analyses and serum reactivities. Molecular Microbiology, 1990, 4, 1293-1301.	1.2	6
156	Partial purification and characterization of low molecular weight antigens of <i>Salmonella enteritidis</i> 11RX. Immunology and Cell Biology, 1990, 68, 307-316.	1.0	11
157	The identification, typing and fingerprinting of <i>Salmonella</i> : laboratory aspects and epidemiological applications. Journal of Applied Bacteriology, 1990, 68, 5-16.	1.1	149
158	Serogroups of potato pathogenic <i>Erwinia carotovora</i> strains: identification by lipopolysaccharide electrophoretic patterns. Journal of Applied Bacteriology, 1990, 68, 231-240.	1.1	13
159	Diagnosis of chronic Pseudomonas aeruginosa infection in cystic fibrosis by ELISA for anti-pseudomonas LPS IgG antibodies. Serodiagnosis and Immunotherapy in Infectious Disease, 1990, 4, 9-16.	0.2	5
160	Serological identification of infection by Vero cytotoxin producing Escherichia coli in patients with haemolytic uraemic syndrome. Serodiagnosis and Immunotherapy in Infectious Disease, 1990, 4, 413-418.	0.2	19
161	Detection of lipopolysaccharides blotted to polyvinylidene difluoride membranes. Analytical Biochemistry, 1990, 188, 285-287.	1.1	27
162	Influence of lipopolysaccharide on external hemolytic activity ofSalmonella typhimurium andKlebsiella pneumoniae. Current Microbiology, 1990, 20, 1-3.	1.0	14
163	Preparation of oligosaccharide-polyacrylamide conjugates and their use as antigens in enzyme immunoassay (EIA). Glycoconjugate Journal, 1990, 7, 111-119.	1.4	13

#	Article	IF	CITATIONS
164	The lipopolysaccharides of Rhodospirillum rubrum, Rhodospirillum molischianum, and Rhodopila globiformis. Archives of Microbiology, 1990, 154, 433-437.	1.0	9
165	Regions of the cloned Vibrio cholerae rfb genes needed to determine the Ogawa form of the O-antigen. Molecular Genetics and Genomics, 1990, 224, 405-412.	2.4	8
166	Untersuchungen zur OberflÄ ¤ chenstruktur von Pasteurella multocida. Acta Biotechnologica, 1990, 10, 143-149.	1.0	1
167	Bacteriophage Mu as a genetic tool to study Erwinia amylovora pathogenicity and hypersensitive reaction on tobacco. Journal of Bacteriology, 1990, 172, 932-941.	1.0	35
168	Isolation and characterization of the lipopolysaccharides from Bradyrhizobium japonicum. Journal of Bacteriology, 1990, 172, 1725-1731.	1.0	43
169	Efficient incorporation of galactose into lipopolysaccharide by Escherichia coli K-12 strains with polar galE mutations. Journal of Bacteriology, 1990, 172, 5511-5513.	1.0	19
170	Genetic analysis of the O7-polysaccharide biosynthesis region from the Escherichia coli O7:K1 strain VW187. Journal of Bacteriology, 1990, 172, 3590-3599.	1.0	84
171	Outer Membrane Protein and Lipopolysaccharide Heterogeneity among Eikenella corrodens Isolates. Journal of Infectious Diseases, 1990, 162, 664-671.	1.9	21
172	Characterization of Circulating Antibodies against Chlamydia psittaci in Turkeys. Avian Diseases, 1990, 34, 878.	0.4	6
173	SEROLOGICAL INVESTIGATION OF THE FISH PATHOGEN EDWARDSIELLA ICTALURI, CAUSE OF ENTERIC SEPTICEMIA OF CATFISH. Journal of Wildlife Diseases, 1990, 26, 246-252.	0.3	44
174	SDS-PAGE analysis of protein and lipopolysaccharide of extracellular vesicules and Sarkosyl-insoluble membranes from Bacteroides gingivalis. Oral Microbiology and Immunology, 1990, 5, 1-7.	2.8	59
175	Serum Antibody Response to Antigens of Oral Gram-negative Bacteria by Cats with Plasma Cell Gingivitis-Pharyngitis. Journal of Dental Research, 1990, 69, 877-882.	2.5	43
176	Antibody response of fibrocystic patients to homologous 0-typable and 0-defective isolates of Pseudomonas aeruginosa Journal of Clinical Pathology, 1990, 43, 567-571.	1.0	5
177	Production of mouse monoclonal antibodies to Pasteurella multocida type A and the immunological properties of a protective anti-lipopolysaccharide antibody. Journal of Medical Microbiology, 1990, 33, 217-222.	0.7	31
178	Immunohistochemical Localization of <i>Pasteurella haemolytica</i> Al-derived Endotoxin, Leukotoxin, and Capsular Polysaccharide in Experimental Bovine Pasteurella Pneumonia. Veterinary Pathology, 1990, 27, 150-161.	0.8	75
179	In vitro and in vivo modification of Neisseria gonorrhoeae lipooligosaccharide epitope structure by sialylation Journal of Experimental Medicine, 1990, 171, 1649-1664.	4.2	209
180	Analysis of acquired ciprofloxacin resistance in a clinical strain of Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 1990, 34, 281-286.	1.4	44
181	Role of plasmids in virulence-associated attributes and in O-antigen expression in Shigella dysenteriae type 1 strains. Journal of Medical Microbiology, 1990, 33, 1-9.	0.7	8

#	Article	IF	CITATIONS
182	Evaluation of an Enzyme Immunoassay for Diagnosis of Bovine Leptospirosis Caused by <i>Leptospira Interrogans</i> Serovar <i>Hardjo</i> Type Hardjo-Bovis. Journal of Veterinary Diagnostic Investigation, 1990, 2, 323-329.	0.5	21
183	DNA restriction endonuclease cleavage pattern and protein antigen profile of Ehrlichia risticii. Veterinary Microbiology, 1990, 25, 29-38.	0.8	24
184	Biochemical and immunochemical characterisation of strains of Treponema hyodysenteriae. Veterinary Microbiology, 1990, 24, 29-41.	0.8	24
185	Cell Surface Proteins from Shigella dysenteriae Type 1. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1990, 273, 287-299.	0.5	0
186	A comparison of immunoblotting, flow cytometry and ELISA to monitor the binding of anti-lipopolysaccharide monoclonal antibodies. Journal of Immunological Methods, 1990, 133, 227-233.	0.6	26
187	A phasmid shuttle vector for the cloning of complex operons in Salmonella. Plasmid, 1990, 23, 42-58.	0.4	7
188	Increased resolution of lipopolysaccharides and lipooligosaccharides utilizing tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis. Journal of Immunological Methods, 1990, 126, 109-117.	0.6	340
189	Improved protection of swine from pleuropneumonia by vaccination with proteinase K-treated outer membrane of Actinobacillus (Haemophilus) pleuropneumoniae. Veterinary Microbiology, 1991, 27, 49-62.	0.8	19
190	Neisseria gonorrhoeae LPS variation, serum resistance and its induction by cytidine 5′-monophospho-N-acetylneuraminic acid. Microbial Pathogenesis, 1991, 10, 323-332.	1.3	12
191	The oac gene encoding a lipopolysaccharide O-antigen acetylase maps adjacent to the integrase-encoding gene on the genome of Shigella flexneri bacteriophage Sf6. Gene, 1991, 107, 43-52.	1.0	108
192	Genetic characterization of the O4 polysaccharide gene cluster from Escherichia coli. Microbial Pathogenesis, 1991, 10, 351-361.	1.3	27
193	Alterations of the LPS determine virulence of Neisseria gonorrhoeae in guinea-pig subcutaneous chambers. Microbial Pathogenesis, 1991, 11, 159-170.	1.3	12
194	Expression cloning of Yersinia enterocolitica 0 : 3 rfb gene cluster in Escherichia coli K12. Microbial Pathogenesis, 1991, 10, 47-59.	1.3	58
195	Construction of plasmid vectors with a non-antibiotic selection system based on the Escherichia coli thyA+ gene: application to cholera vaccine development. Gene, 1991, 107, 139-144.	1.0	39
196	Extracellular lipase of Pseudomonas aeruginosa: biochemical characterization and effect on human neutrophil and monocyte function in vitro. Microbial Pathogenesis, 1991, 10, 173-182.	1.3	26
197	Molecular cloning and expression of the 01 rfb region from a pyelonephritic Escherichia coli 01: H1: K7. Microbial Pathogenesis, 1991, 11, 379-385.	1.3	4
198	Virulence studies of Salmonella enteritidis phage types. Letters in Applied Microbiology, 1991, 12, 188-191.	1.0	17
199	Biological properties of RB51; a stable rough strain of Brucella abortus. Veterinary Microbiology, 1991, 28, 171-188.	0.8	451

#	Article	IF	CITATIONS
200	Transcriptional organization of the rfaGBIJ locus of Salmonella typhimurium. Journal of Bacteriology, 1991, 173, 6168-6173.	1.0	16
201	Cloning, characterization, and DNA sequence of the rfaLK region for lipopolysaccharide synthesis in Salmonella typhimurium LT2. Journal of Bacteriology, 1991, 173, 7151-7163.	1.0	75
202	Rhizobium lipopolysaccharide modulates infection thread development in white clover root hairs. Journal of Bacteriology, 1991, 173, 5371-5384.	1.0	94
203	Analysis of the lsi region involved in lipooligosaccharide biosynthesis in Neisseria gonorrhoeae. Journal of Bacteriology, 1991, 173, 7896-7902.	1.0	27
204	Expression of the cloned Escherichia coli O9 rfb gene in various mutant strains of Salmonella typhimurium. Journal of Bacteriology, 1991, 173, 55-58.	1.0	19
205	Endogenous sialylation of the lipooligosaccharides of Neisseria meningitidis. Journal of Bacteriology, 1991, 173, 2823-2832.	1.0	156
206	Exopolysaccharide mutants of Rhizobium loti are fully effective on a determinate nodulating host but are ineffective on an indeterminate nodulating host. Journal of Bacteriology, 1991, 173, 851-859.	1.0	92
207	Molecular cloning of genes involved with expression of A-band lipopolysaccharide, an antigenically conserved form, in Pseudomonas aeruginosa. Journal of Bacteriology, 1991, 173, 5624-5630.	1.0	59
208	Expression of two structurally distinct D-galactan O antigens in the lipopolysaccharide of Klebsiella pneumoniae serotype O1. Journal of Bacteriology, 1991, 173, 1420-1431.	1.0	110
209	Regulation by a novel protein of the bimodal distribution of lipopolysaccharide in the outer membrane of Escherichia coli. Journal of Bacteriology, 1991, 173, 5699-5704.	1.0	90
210	Antigenic analysis of feline and bovine Chlamydia psittaci with monoclonal antibodies Journal of Veterinary Medical Science, 1991, 53, 173-179.	0.3	11
211	Chemical and biological activities of a 64-kilodalton outer sheath protein from Treponema denticola strains. Journal of Bacteriology, 1991, 173, 6935-6947.	1.0	67
212	Antigens recognized by the human immune response to severe leptospirosis in Barbados. Epidemiology and Infection, 1991, 107, 143-155.	1.0	24
213	The serological relationship betweenYersinia enterocoliticaO9 andEscherichia coliO157 using sera from patients with yersiniosis and haemolytic uraemic syndrome. Epidemiology and Infection, 1991, 107, 349-356.	1.0	28
214	Rapid Method for Isolation and Staining of Bacterial Lipopolysaccharide. Microbiology and Immunology, 1991, 35, 331-333.	0.7	27
215	Effect of external pH perturbations on in vivo protein synthesis by the acidophilic bacterium Thiobacillus ferrooxidans. Journal of Bacteriology, 1991, 173, 910-915.	1.0	111
216	Difference in the Protection against Infection with Different Challenge Strains of Salmonella enteritidis by Killed Vaccin. Journal of the Japanese Association for Infectious Diseases, 1991, 65, 1411-1418.	0.0	2
217	Genetic analysis of the rfb region of Shigella flexneri encoding the Y serotype O-antigen specificity. Molecular Microbiology, 1991, 5, 1491-1499.	1.2	46

#	Article	IF	CITATIONS
218	Cloning of the rfb gene cluster of a group C2 Salmonella strain: comparison with the rfb regions of groups B and D. Molecular Microbiology, 1991, 5, 1873-1881.	1.2	63
219	Molecular cloning and expression inEscherichia coliK-12 of therfbgene cluster determining the O antigen of anE. coliO111 strain. Molecular Microbiology, 1991, 5, 2223-2231.	1.2	77
220	Humoral immune response in Atlantic salmon, Salmo salar L., to cellular and extracellular antigens of Aeromonas salmonicida. Journal of Fish Diseases, 1991, 14, 443-452.	0.9	64
221	Evidence for (lipo) oligosaccharides inBorrelia burgdorferiand their serological specificity. FEMS Microbiology Letters, 1991, 76, 33-38.	0.7	24
222	Purification of lipopolysaccharide from strains ofYersinia enterocoliticabelonging to serogroups 03 and 09. FEMS Microbiology Letters, 1991, 77, 341-346.	0.7	7
223	Molecular cloning and genetic analysis of therfbregion fromShigella flexneritype 6 inEscherichia coliK-12. FEMS Microbiology Letters, 1991, 83, 213-218.	0.7	20
224	Differences between the LPS cores in adherent and nonadherent strains of enteropathogenicEscherichia coli0119. FEMS Microbiology Letters, 1991, 80, 13-18.	0.7	7
225	Serological relationships of the O antigens ofKlebsiella pneumoniaeO5,Escherichia coliO8 and a new O serotype ofSerratia marcescens. FEMS Microbiology Letters, 1991, 80, 93-98.	0.7	6
226	Purification of a root-adhesive outer membrane protein of root-colonizingPseudomonas fluorescens. FEMS Microbiology Letters, 1991, 81, 323-327.	0.7	37
227	Antigenic relationships among the rickettsiae of the spotted fever and typhus groups. FEMS Microbiology Letters, 1991, 81, 341-344.	0.7	46
228	Effect of lipopolysaccharide core synthesis mutations on the production ofVibrio choleraeO-antigen inEscherixhia coliK-12. FEMS Microbiology Letters, 1991, 82, 279-285.	0.7	35
229	Optimal conditions for the analysis of Pasteurella haemolytica lipopolysaccharide by sodium dodecyl sulphate-polyacrylamide gel electrophoresis. FEMS Microbiology Letters, 1991, 90, 23-28.	0.7	14
230	Structural heterogeneity of the lipopolysaccharides of the Neisseriaceae. FEMS Microbiology Letters, 1991, 90, 69-72.	0.7	6
231	Investigation of the structure of lipid A from Actinobacillus actinomycetemcomitans strain Y4 and human clinical isolate PO 1021-7. FEBS Journal, 1991, 200, 775-781.	0.2	55
232	Alcian blue fixation allows silver staining of the isolated polysaccharide component of bacterial lipopolysaccharides in polyacrylamide gels. Electrophoresis, 1991, 12, 439-441.	1.3	59
233	Purification of rough-type lipopolysaccharides of Neisseria meningitidis from cells and outer membrane vesicles in spent media. Analytical Biochemistry, 1991, 196, 311-318.	1.1	45
234	Structure of the O21 antigen from Serratia marcescens. Carbohydrate Research, 1991, 212, 187-192.	1.1	3
235	Longitudinal serum IgG response toPseudomonas cepacia surface antigens in cystic fibrosis. Pediatric Pulmonology, 1991, 11, 289-293.	1.0	31

#	Article	IF	CITATIONS
236	Biochemical and immunological characterization of exometabolites from an Indian strain of Leishmania donovani promastigotes grown in a chemically defined medium. Molecular and Cellular Biochemistry, 1991, 108, 157-67.	1.4	1
237	Outer membrane permeability of Escherichia coli K12: isolation, cloning and mapping of suppressors of a defined antibiotic-hypersensitive mutant. Molecular Genetics and Genomics, 1991, 229, 421-427.	2.4	9
238	Persistence mechanisms in Pseudomonas aeruginosa from cystic fibrosis patients undergoing ciprofloxacin therapy. Antimicrobial Agents and Chemotherapy, 1991, 35, 1538-1546.	1.4	36
239	Association of two resistance mechanisms in a clinical isolate of Enterobacter cloacae with high-level resistance to imipenem. Antimicrobial Agents and Chemotherapy, 1991, 35, 1093-1098.	1.4	150
240	Expression of paragloboside-like lipooligosaccharides may be a necessary component of gonococcal pathogenesis in men Journal of Experimental Medicine, 1991, 174, 1601-1605.	4.2	201
241	Antigenic shifts in serotype determinants of Campylobacter coli are accompanied by changes in the chromosomal DNA restriction endonuclease digestion pattern. Journal of Medical Microbiology, 1991, 35, 168-173.	0.7	14
242	In Vivo Regulation of Virulence in Pseudomonas aeruginosa Associated with Genetic Rearrangement. Journal of Infectious Diseases, 1991, 163, 143-149.	1.9	96
243	Colicins G and H and their host strains. Canadian Journal of Microbiology, 1991, 37, 751-757.	0.8	13
244	Copper resistance in Pseudomonas syringae mediated by periplasmic and outer membrane proteins Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 8915-8919.	3.3	396
245	Serum sensitivity and lipopolysaccharide characteristics in Bordetella bronchiseptica, B. pertussis and B. parapertussis. Journal of Medical Microbiology, 1991, 34, 159-165.	0.7	21
246	Mechanisms of quinolone resistance in a clinical isolate of Escherichia coli highly resistant to fluoroquinolones but susceptible to nalidixic acid. Antimicrobial Agents and Chemotherapy, 1991, 35, 519-523.	1.4	43
247	The resolution of bacteroides lipopolysaccharides by polyacrylamide gel electrophoresis. Journal of Medical Microbiology, 1991, 34, 253-257.	0.7	21
248	Molecular cloning and characterization of form I antigen genes of Shigella sonnei. Journal of General Microbiology, 1991, 137, 867-874.	2.3	12
249	Influence of growth media on Escherichia coli cell composition and ceftazidime susceptibility. Antimicrobial Agents and Chemotherapy, 1991, 35, 477-483.	1.4	22
250	Monoclonal antibodies as probes for detecting lipopolysaccharide expression on Escherichia coli from different growth conditions. Journal of General Microbiology, 1991, 137, 2741-2751.	2.3	27
251	Inefficient Bacteriolysis of Escherichia coli by Serum from Human Neonates. Journal of Infectious Diseases, 1992, 165, 290-298.	1.9	13
252	Lipopolysaccharide Heterogeneity in Escherichia coli J5 Variants: Analysis by Flow Cytometry. Journal of Infectious Diseases, 1992, 166, 803-811.	1.9	20
253	A pleiotropic, posttherapy, enoxacin-resistant mutant of Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 1992, 36, 1057-1061.	1.4	55

#	Article	IF	CITATIONS
254	Lipopolysaccharide Composition and Virulence Properties of Clinical and Environmental Strains of <i>Vibrio fluvialis</i> and <i>Vibrio mimicus</i> . Microbiology and Immunology, 1992, 36, 327-338.	0.7	12
255	Variation of the O antigen of Campylobacter jejuni in vivo. Journal of Medical Microbiology, 1992, 36, 215-219.	0.7	18
256	Antibodies recognizing a variety of different structural motifs on meningococcal Lip antigen fail to demonstrate bactericidal activity. Journal of General Microbiology, 1992, 138, 2321-2328.	2.3	8
257	Outer-membrane protein and lipopolysaccharide variation in Pasteurella haemolytica serotype A1 under different growth conditions. Journal of General Microbiology, 1992, 138, 909-922.	2.3	38
258	Production and characterisation of mouse monoclonal antibodies reactive with the lipopolysaccharide core of Pseudomonas aeruginosa. Journal of Medical Microbiology, 1992, 36, 358-365.	0.7	14
259	Lectin-like Proteins from Uroepithelial Cells which InhibitIn VitroAdherence of Three Urethral Bacterial Isolates to Uroepithelial Cells. Microbial Ecology in Health and Disease, 1992, 5, 77-86.	3.8	2
260	Uptake and intracellular activity of sparfloxacin in human polymorphonuclear leukocytes and tissue culture cells. Antimicrobial Agents and Chemotherapy, 1992, 36, 1053-1056.	1.4	53
261	Molecular cloning of the rfb region of Klebsiella pneumoniae serotype O1:K20: the rfb gene cluster is responsible for synthesis of the D-galactan I O polysaccharide. Journal of Bacteriology, 1992, 174, 4614-4621.	1.0	78
262	Compositional analysis of Helicobacter pylori rough-form lipopolysaccharides. Journal of Bacteriology, 1992, 174, 1370-1377.	1.0	186
263	Chemical characterization of pH-dependent structural epitopes of lipopolysaccharides from Rhizobium leguminosarum biovar phaseoli. Journal of Bacteriology, 1992, 174, 2230-2235.	1.0	47
264	Tracking genetically engineered bacteria: monoclonal antibodies against surface determinants of the soil bacterium Pseudomonas putida 2440. Journal of Bacteriology, 1992, 174, 2978-2985.	1.0	37
265	The serological grouping system forSerpulina (Treponema) hyodysenteriae. Epidemiology and Infection, 1992, 109, 255-263.	1.0	11
266	Production of a Monoclonal Antibody That Recognizes the Lipopolysaccharide of a <i>Campylobacter</i> ‣ike Organism. Microbiology and Immunology, 1992, 36, 791-801.	0.7	3
267	Participation of a cyanobacterial S layer in fine-grain mineral formation. Journal of Bacteriology, 1992, 174, 7971-7981.	1.0	258
268	Acid-Induced Autoagglutination Found in Chicken Pathogenic Escherichia coli Strain Journal of Veterinary Medical Science, 1992, 54, 493-499.	0.3	6
269	Biochemical characterization of an antigenic saline extract of Actinobacillus pleuropneumoniae serotype 5 and identification of a serotype-specific antigen for ELISA serodiagnosis. Veterinary Microbiology, 1992, 30, 369-385.	0.8	21
270	Production of an extracellular toxin by the oral pathogen Campylobacter rectus. Microbial Pathogenesis, 1992, 12, 69-77.	1.3	9
271	Antigenic Diversity of Pseudomonas stutzeri. Systematic and Applied Microbiology, 1992, 15, 617-623.	1.2	16

#	Article	IF	CITATIONS
272	Modulation of surface antigen expression by Klebsiella pneumoniae in response to growth environment. Microbial Pathogenesis, 1992, 13, 145-155.	1.3	8
273	Toxicity of Aeromonas salmonicida cells to atlantic salmon Salmo salar peritoneal macrophages. Developmental and Comparative Immunology, 1992, 16, 49-61.	1.0	31
274	Genotypic and phenotypic characterization of an aroD deletion-attenuated Escherichia coli K12-Shigella flexneri hybrid vaccine expressing S. flexneri 2a somatic antigen. Vaccine, 1992, 10, 766-776.	1.7	33
275	Roles of structural domains in the morphology and surface anchoring of the tetragonal paracrystalline array of Aeromonas hydrophila. Journal of Molecular Biology, 1992, 228, 652-661.	2.0	24
276	Ultrastructural examination of the lipopolysaccharides of Pseudomonas aeruginosa strains and their isogenic rough mutants by freeze-substitution. Journal of Bacteriology, 1992, 174, 7159-7167.	1.0	78
277	Molecular basis of the non-beta-lactamase-mediated resistance to beta-lactam antibiotics in strains of Haemophilus influenzae isolated in Canada. Antimicrobial Agents and Chemotherapy, 1992, 36, 1504-1513.	1.4	91
278	Structural analysis of the O-antigen side chain polysaccharides in the lipopolysaccharides of Klebsiella serotypes O2(2a), O2(2a,2b), and O2(2a,2c). Journal of Bacteriology, 1992, 174, 4913-4919.	1.0	59
279	Cloning and surface expression of Pseudomonas aeruginosa O antigen in Escherichia coli Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 10716-10720.	3.3	55
280	Identification, isolation, and structural studies of the outer membrane lipopolysaccharide of Caulobacter crescentus. Journal of Bacteriology, 1992, 174, 7595-7605.	1.0	15
281	Separation and characterization of two chemically distinct lipopolysaccharides in two Pectinatus species. Journal of Bacteriology, 1992, 174, 3348-3354.	1.0	35
282	Characterization of lipopolysaccharide fractions and their interactions with cells and model membranes. Journal of Bacteriology, 1992, 174, 336-341.	1.0	16
283	Nucleotide sequences of the genes regulating O-polysaccharide antigen chain length (rol) from Escherichia coli and Salmonella typhimurium: protein homology and functional complementation. Journal of Bacteriology, 1992, 174, 5228-5236.	1.0	108
284	Acquisition of apparently intact and unmodified lipopolysaccharides from Escherichia coli by Bdellovibrio bacteriovorus. Journal of Bacteriology, 1992, 174, 2858-2864.	1.0	13
285	Antigenic diversity of the S-layer proteins from pathogenic strains of Aeromonas hydrophila and Aeromonas veronii biotype sobria. Journal of Bacteriology, 1992, 174, 40-47.	1.0	24
286	Generation of lipooligosaccharide mutants of Haemophilus influenzae type b. Journal of Bacteriology, 1992, 174, 6455-6459.	1.0	21
287	Isolation and comparison of the paracrystalline surface layer proteins of freshwater caulobacters. Journal of Bacteriology, 1992, 174, 1783-1792.	1.0	70
288	Serological diversity and chemical structures of Campylobacter jejuni low-molecular-weight lipopolysaccharides. Journal of Bacteriology, 1992, 174, 1324-1332.	1.0	84
289	Immunodominant antigens recognized by the human immune response to infection by organisms of the speciesLeptospira interrogansserogroup Australis. FEMS Microbiology Letters, 1992, 89, 287-298.	0.7	5

#	Article	IF	CITATIONS
290	Characterization of lipopolysaccharides from fourPasteurella haemolyticaserotype strains: evidence for presence of sialic acid in serotypes 1 and 5. FEMS Microbiology Letters, 1992, 92, 211-216.	0.7	5
291	The serotyping ofAzospirillumspp. by cell-gold immunoblotting. FEMS Microbiology Letters, 1992, 96, 115-118.	0.7	18
292	Structure of a neutral glycan from the lipopolysaccharides of reference strains forSerratia marcescensserogroups O2 and O3. FEMS Microbiology Letters, 1992, 99, 209-212.	0.7	4
293	Bacterial-Endosymbiote-Derived Lipopolysaccharides on Amoeba Symbiosome Membranes. Journal of Protozoology, 1992, 39, 205-210.	0.9	15
294	The A-layer protein of Aeromonas salmonicida: further characterization and a new isolation procedure. Journal of Fish Diseases, 1992, 15, 105-118.	0.9	30
295	Antibodies to N-terminal peptides of gonococcal porin are bactericidal when gonococcal lipopolysaccharide is not sialylated. Molecular Microbiology, 1992, 6, 2617-2628.	1.2	129
296	Serological diagnosis of infection by Shigella dysenteriae-1 in patients with bacillary dysentery. Journal of Infection, 1992, 25, 273-278.	1.7	10
297	Homogeneity of lipopolysaccharide antigens in Pseudomonas pseudomallei. Journal of Infection, 1992, 25, 139-146.	1.7	47
298	Electrophoretic analysis of heterogeneous lipopolysaccharides from various strains ofVibrio vulnificus biotypes 1 and 2 by silver staining and immunoblotting. Current Microbiology, 1992, 25, 99-104.	1.0	83
299	Characterization of root-nodule bacteria indigenous in the salt-affected soils of Egypt by lipopolysaccharide, protein and plasmid profiles. Journal of Basic Microbiology, 1992, 32, 279-287.	1.8	14
300	Chromosomal mapping, expression and synthesis of lipopolysaccharide in Pseudomonas aeruginosa: a role for guanosine diphospho (GDP)-D-mannose. Molecular Microbiology, 1993, 8, 771-782.	1.2	71
301	Isolation of the periplasm of Neisseria gonorrhoeae. Molecular Microbiology, 1993, 10, 567-574.	1.2	14
302	Structural variation in the O-specific polysaccharides of Klebsiella pneumoniae serotype O1 and O8 lipopolysaccharide: evidence for clonal diversity in rfb genes. Molecular Microbiology, 1993, 10, 615-625.	1.2	58
303	Repeat unit polysaccharides of bacteria: a model for polymerization resembling that of ribosomes and fatty acid synthetase, with a novel mechanism for determining chain length. Molecular Microbiology, 1993, 7, 725-734.	1.2	196
304	The role of galE in the biosynthesis and function of gonococcal lipopolysaccharide. Molecular Microbiology, 1993, 8, 891-901.	1.2	75
305	Function of the rfb gene cluster and the rfe gene in the synthesis of O antigen by Shigella dysenteriae 1. Molecular Microbiology, 1993, 9, 393-402.	1.2	125
306	Lipopolysaccharide patterns in SDS-PAGE of rhizobia that nodulate leguminous trees. FEMS Microbiology Letters, 1993, 107, 327-330.	0.7	13
307	Porins and lipopolysaccharide ofEscherichia coliATCC 25922 and isogenic rough mutants. FEMS Microbiology Letters, 1993, 108, 183-187.	0.7	12

#	Article	IF	CITATIONS
308	A rapid method for preparation of rough and smooth lipopolysaccharide fromBacteroides, PorphyromonasandPrevotella. FEMS Microbiology Letters, 1993, 110, 133-138.	0.7	42
309	Phase variation of lipopolysaccharide ofCoxiella burnetii, strain Priscilla during chick embryo yolk sac passaging. FEMS Microbiology Letters, 1993, 113, 285-289.	0.7	18
310	Antibodies from chronically infected cystic fibrosis patients react with lipopolysaccharides extracted by new micromethods from all serotypes of <i>Pseudomonas aeruginosa</i> . Apmis, 1993, 101, 101-112.	0.9	21
311	Toxicity of the extracellular products ofVibrio damsela isolated from diseased fish. Current Microbiology, 1993, 27, 341-347.	1.0	48
312	Immunoglobulin G antibodies toPseudomonas aeruginosa lipopolysaccharides and exotoxin A in patients with cystic fibrosis or bacteremia. European Journal of Clinical Microbiology and Infectious Diseases, 1993, 12, 430-436.	1.3	25
313	Sensitive silver-staining detection of bacterial lipopolysaccharides in polyacrylamide gels. Journal of Proteomics, 1993, 26, 81-86.	2.4	142
314	Crop specificity of rhizosphere pseudomonads and the involvement of root agglutinins. Soil Biology and Biochemistry, 1993, 25, 981-989.	4.2	33
315	Endemic cross-infection in an acute medical ward. Journal of Hospital Infection, 1993, 24, 261-271.	1.4	50
316	Biosynthesis and Expression of Cell-Surface Polysaccharides in Gram-Negative Bacteria. Advances in Microbial Physiology, 1993, 35, 135-246.	1.0	218
317	Inactivation of the Escherichia coli B41 (0101:K99/F41) rfb gene encoding an 80-kDa polypeptide results in the synthesis of an antigenically altered lipopolysaccharide in E. coli K-12. Gene, 1993, 123, 9-15.	1.0	8
318	In Vitro Activity of PD 131628 and Effects on Virulence and OMPs. Drugs, 1993, 45, 190-191.	4.9	0
319	Chromosomal Rearrangement and Serovar Conversion in Leptospira biflexa Strains. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1993, 278, 479-499.	0.5	2
320	Antigenic and Molecular Characterization of Yersinia ruckeri Proposal for a New Intraspecies Classification. Systematic and Applied Microbiology, 1993, 16, 411-419.	1.2	70
321	Release of lipopolysaccharide during Bordetella pertussis growth. Research in Microbiology, 1993, 144, 201-209.	1.0	21
322	Expression of a recombinant Entamoeba histolytica antigen in a Salmonella typhimurium vaccine strain. Vaccine, 1993, 11, 773-776.	1.7	21
323	Effect of Antibiotic Class and Concentration on the Release of Lipopolysaccharide from Escherichia coli. Journal of Infectious Diseases, 1993, 167, 1336-1343.	1.9	106
324	Characterization of Salmonella california and S. typhimurium Strains with Reduced Ability to Colonize the Intestinal Tract of Broiler Chicks. Avian Diseases, 1993, 37, 339.	0.4	15
325	Serum IgG and sputum IgA antibody to core lipopolysaccharide antigen from Pseudomonas cepacia in patients with cystic fibrosis. Journal of Medical Microbiology, 1993, 39, 39-47.	0.7	31

#	Article	IF	CITATIONS
326	Interaction of gentamicin with the A band and B band lipopolysaccharides of Pseudomonas aeruginosa and its possible lethal effect. Antimicrobial Agents and Chemotherapy, 1993, 37, 715-721.	1.4	110
327	Influence of subinhibitory levels of antibiotics on expression of Escherichia coli lipopolysaccharide and binding of anti-lipopolysaccharide monoclonal antibodies. Journal of Medical Microbiology, 1993, 39, 100-106.	0.7	17
328	Formation of the K30 (group I) capsule in Escherichia coli O9:K30 does not require attachment to lipopolysaccharide lipid A-core. Journal of Bacteriology, 1993, 175, 7515-7522.	1.0	62
329	The opsX locus of Xanthomonas campestris affects host range and biosynthesis of lipopolysaccharide and extracellular polysaccharide. Journal of Bacteriology, 1993, 175, 5839-5850.	1.0	79
330	Serological Reactivity of Sera from Scrub Typhus Patients against Weilâ€Felix Test Antigens. Microbiology and Immunology, 1993, 37, 927-933.	0.7	30
331	Isolation of <i>rfb</i> Gene Clusters Directing the Synthesis of O Polysaccharides Consisting of Mannose Homopolymers and Serological Analysis of Lipopolysaccharides. Microbiology and Immunology, 1993, 37, 601-606.	0.7	9
332	Association of K-1 Capsule, Smooth Lipopolysaccharides, traT Gene, and Colicin V Production with Complement Resistance and Virulence of Avian Escherichia coli. Avian Diseases, 1993, 37, 1092.	0.4	35
333	Synthesis of lipopolysaccharide O side chains by Pseudomonas aeruginosa PAO1 requires the enzyme phosphomannomutase. Journal of Bacteriology, 1993, 175, 1605-1611.	1.0	82
334	Pseudomonas aeruginosa lipopolysaccharide: evidence that the O side chains and common antigens are on the same molecule. Journal of Bacteriology, 1993, 175, 5117-5128.	1.0	30
335	Phase variation of lipopolysaccharide directs interconversion of invasive and immuno-resistant phenotypes of Neisseria gonorrhoeae EMBO Journal, 1993, 12, 4043-4051.	3.5	137
336	Use of xylE fusions to demonstrate that lsi-1, a Neisseria gonorrhoeae lipooligosaccharide biosynthetic gene, and lsi-3 are not transcriptionally linked. Journal of Bacteriology, 1994, 176, 3428-3432.	1.0	10
337	Genetics of galactose metabolism of Erwinia amylovora and its influence on polysaccharide synthesis and virulence of the fire blight pathogen. Journal of Bacteriology, 1994, 176, 450-459.	1.0	73
338	Characterization of the rfc region of Shigella flexneri. Journal of Bacteriology, 1994, 176, 733-747.	1.0	153
339	Genetic basis of pyocin resistance in Neisseria gonorrhoeae. Journal of Bacteriology, 1994, 176, 6869-6876.	1.0	20
340	Monoclonal antibodies that distinguish inner core, outer core, and lipid A regions of Pseudomonas aeruginosa lipopolysaccharide. Journal of Bacteriology, 1994, 176, 7129-7139.	1.0	51
341	Molecular analysis of the rfaD gene, for heptose synthesis, and the rfaF gene, for heptose transfer, in lipopolysaccharide synthesis in Salmonella typhimurium. Journal of Bacteriology, 1994, 176, 2379-2385.	1.0	60
342	Mutations in firA, encoding the second acyltransferase in lipopolysaccharide biosynthesis, affect multiple steps in lipopolysaccharide biosynthesis. Journal of Bacteriology, 1994, 176, 1639-1646.	1.0	18
343	Passive Protection of Diabetic Rats with Antisera Specific for the Polysaccharide Portion of the Lipopolysaccharide Isolated from <i>Pseudomonas pseudomallei</i> . Canadian Journal of Infectious Diseases & Medical Microbiology, 1994, 5, 170-178.	0.3	55

		CITATION REPORT	
#	Article	IF	CITATIONS
344	The identification of cryptic rhamnose biosynthesis genes in Neisseria gonorrhoeae and their relationship to lipopolysaccharide biosynthesis. Journal of Bacteriology, 1994, 176, 6915-6920). 1.0	32
345	Cloning and analysis of duplicated rfbM and rfbK genes involved in the formation of GDP-mann Escherichia coli O9:K30 and participation of rfb genes in the synthesis of the group I K30 caps polysaccharide. Journal of Bacteriology, 1994, 176, 3126-3139.	nose in ular 1.0	40
346	Variation in outer-membrane protein and lipopolysaccharide profiles of Pasteurella haemolytic isolates of serotypes A1 and A2 obtained from pneumonic and healthy cattle. Microbiology (U	а nited) Tj ETQq0 0 0 г gB 7	/Overback 10 Tf !
347	Genetic analysis of Escherichia coli 09 rfb: identification and DNA sequence of phosphomanno and GDP-mannose pyrophosphorylase genes. Microbiology (United Kingdom), 1994, 140, 59-7	mutase 0.7 71.	27
348	Characterization and sequence analysis of the lsg (LOS synthesis genes) locus from Haemophi influenzae type b. Journal of Endotoxin Research, 1994, 1, 165-174.	lus 2.5	4
349	Antibiotic-induced release of endotoxin from bacteria in vitro. Journal of Medical Microbiology, 40, 23-30.	1994, 0.7	88
350	Virulence, growth, and surface characteristics of Erwinia amylovora mutants with altered pathogenicity. Microbiology (United Kingdom), 1994, 140, 659-669.	0.7	26
351	Altered Colonizing Ability for the Ceca of Broiler Chicks by Lipopolysaccharide-Deficient Mutar Salmonella typhimurium. Avian Diseases, 1994, 38, 401.	ts of 0.4	37
352	Multiple gonococcal opacity proteins are expressed during experimental urethral infection in t male Journal of Experimental Medicine, 1994, 179, 911-920.	he 4.2	167
353	Genetic locus for the biosynthesis of the variable portion of Neisseria gonorrhoeae lipooligosaccharide Journal of Experimental Medicine, 1994, 180, 2181-2190.	4.2	189
354	Suitability of Neisseria gonorrhoeae lipooligosaccharides for epidemiological studies Sexually Transmitted Infections, 1994, 70, 360-361.	0.8	0
355	The influence of growth medium on serum sensitivity of Bacteroides species. Journal of Medica Microbiology, 1994, 41, 45-50.	al 0.7	10
356	Isolation of Salmonella mutants defective for intracellular survival. Methods in Enzymology, 19 236, 509-526.	94, 0.4	13
357	Isolation ofCoxiella burnetii and of an unknown rickettsial organism fromIxodes ricinus ticks collected in Austria. European Journal of Epidemiology, 1994, 10, 719-723.	2.5	17
358	Characterization and protective effect of a 29 kDa protein isolated fromCoxiella burnetii by de Empigen BB. European Journal of Epidemiology, 1994, 10, 227-230.	tergent 2.5	7
359	Effect of dilution rate on the release of pertussis toxin and lipopolysaccharide ofBordetella pertussis. Journal of Industrial Microbiology, 1994, 13, 273-278.	0.9	5
360	Temperature-sensitive, lipopolysaccharide-deficient mutants of Salmonella typhimurium. Work Journal of Microbiology and Biotechnology, 1994, 10, 681-685.	d 1.7	0
361	Alteration of lipopolysaccharide and protein profiles in SDS-PAGE of rhizobia by osmotic and h stress. World Journal of Microbiology and Biotechnology, 1994, 10, 100-105.	eat1.7	81

#	Article	IF	CITATIONS
362	Antigenic determinants and specificity of antisera against acidophilic bacteria. World Journal of Microbiology and Biotechnology, 1994, 10, 154-158.	1.7	9
363	Electrophoretic analysis of the lipopolysaccharides ofBacteroides spp Antonie Van Leeuwenhoek, 1994, 65, 155-161.	0.7	11
364	Chemical and physicochemical properties of Escherichia coli: variations among three strains and influence of culture conditions. Colloids and Surfaces B: Biointerfaces, 1994, 2, 47-56.	2.5	27
365	Simple extraction of Campylobacter lipopolysaccharide and protein antigens and production of their antibodies in egg yolk. International Journal of Food Microbiology, 1994, 22, 189-200.	2.1	8
366	Molecular typing methods for S. enteridis. International Journal of Food Microbiology, 1994, 21, 69-77.	2.1	50
367	Immunochemical studies of opsonic epitopes of the lipopolysaccharide ofLeptospira interrogansserovarhardjo. FEMS Immunology and Medical Microbiology, 1994, 8, 99-107.	2.7	14
368	Serum sensitivity ofBurkholderia(Pseudomonas)cepaciaisolates from patients with cystic fibrosis. FEMS Immunology and Medical Microbiology, 1994, 8, 285-292.	2.7	21
369	O-Serogrouping and surface components ofAeromonas hydrophilaandAeromonas jandaeipathogenic for eels. FEMS Microbiology Letters, 1994, 117, 85-90.	0.7	39
370	Monoclonal antibodies againstVibrio anguillarumO2 andVibrio ordaliiidentify antigenic differences in lipopolysaccharide O-antigens. FEMS Microbiology Letters, 1994, 123, 289-298.	0.7	17
371	Extracellular glycerophospholipid:cholesterol acyltransferase from Aeromonas salmonicida: activation by serine protease. Journal of Fish Diseases, 1994, 17, 17-29.	0.9	24
372	A plasmid-encoded rfbO:54gene cluster is required for biosynthesis of the O:54 antigen in Salmonella enterica serovar Borreze. Molecular Microbiology, 1994, 11, 437-448.	1.2	47
373	Identification of an ATP-binding cassette transport system required for translocation of lipopolysaccharide O-antigen side-chains across the cytoplasmic membrane of Klebsiella pneumoniae serotype O1. Molecular Microbiology, 1994, 14, 505-519.	1.2	103
374	Characteristics of â€~atypical', cytochrome oxidaseâ€negative <i>Aeromonas salmonicida</i> isolated from ulcerated flounders (<i>Platichthys flesus</i> (L.)). Journal of Applied Bacteriology, 1994, 76, 511-520.	1.1	27
375	Bacillus anthracis protective antigen, expressed in Salmonella typhimurium SL 3261, affords protection against anthrax spore challenge. Vaccine, 1994, 12, 1395-1401.	1.7	76
376	Effects of polymyxin B on the outer membranes of Aeromonas species. Journal of Microbiological Methods, 1994, 20, 115-124.	0.7	17
377	[19] Isolation and characterization of lipopolysaccharides, lipooligosaccharides, and lipid A. Methods in Enzymology, 1994, 235, 242-252.	0.4	127
378	Host Factors in the Attachment of Gonococcal Cells to Pelvic Tissue. Annals of the New York Academy of Sciences, 1994, 730, 292-294.	1.8	5
379	Starvation-Survival Processes of the Bacterial Fish Pathogen Yersinia ruckeri. Systematic and Applied Microbiology, 1994, 17, 161-168.	1.2	29

#	Article	IF	CITATIONS
380	A simple procedure to demonstrate the presence of the 0-antigen capsule in enteropathogenic Escherichia coli. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1994, 281, 140-145.	0.5	7
381	Lipopolysaccharide expression and virulence in mice of Australian isolates of Salmonella enteritidis. Letters in Applied Microbiology, 1994, 19, 95-98.	1.0	6
382	Differences in outer membrane characteristics between gallstone-associated bacteria and normal bacterial flora. Lancet, The, 1994, 343, 444-448.	6.3	43
383	Evaluation of a saline boiled extract, capsular polysaccharides and long-chain lipopolysaccharides of Actinobacillus pleuropneumoniae serotype 1 as antigens for the serodiagnosis of swine pleuropneumonia. Veterinary Microbiology, 1994, 42, 91-104.	0.8	36
384	Lipopolysaccharides of Actinobacillus pleuropneumoniae (serotype 1): a readily obtainable antigen for ELISA serodiagnosis of pig pleuropneumonia. Veterinary Microbiology, 1994, 39, 219-230.	0.8	12
385	Monoclonal antibodies specific for Shigella dysenteriae serotype 13 production, characterization, and diagnostic application. Diagnostic Microbiology and Infectious Disease, 1994, 18, 145-149.	0.8	1
386	Lipopolysaccharide-lipophorin complex formation in insect hemolymph: a common pathway of lipopolysaccharide detoxification both in insects and in mammals. Insect Biochemistry and Molecular Biology, 1994, 24, 547-555.	1.2	66
387	Bacteriophages specifically recognizing the lipopolysaccharide antigens O4, O5, O6, O7 of Escherichia coli. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1994, 281, 406-414.	0.5	3
388	Characterization of Thiobacillus caldus sp. nov., a moderately thermophilic acidophile. Microbiology (United Kingdom), 1994, 140, 3451-3456.	0.7	241
389	Production of Slime Polysaccharides by <i>Shigella dysenteriae</i> Type 1. Microbiology and Immunology, 1994, 38, 11-18.	0.7	3
390	The H-NS protein is involved in the biogenesis of flagella in Escherichia coli. Journal of Bacteriology, 1994, 176, 5537-5540.	1.0	174
391	An Azorhizobium caulinodans ORS571 locus involved in lipopolysaccharide production and nodule formation on Sesbania rostrata stems and roots. Journal of Bacteriology, 1994, 176, 92-99.	1.0	40
392	The Pseudomonas aeruginosa algC gene encodes phosphoglucomutase, required for the synthesis of a complete lipopolysaccharide core. Journal of Bacteriology, 1994, 176, 3500-3507.	1.0	161
393	The Lipopolysaccharide of Porphyromonas gingivalis is not Antigenically Cross-reactive with that of Other Species. Journal of Dental Research, 1994, 73, 661-670.	2.5	10
394	Characterization of mutants of Caulobacter crescentus defective in surface attachment of the paracrystalline surface layer. Journal of Bacteriology, 1994, 176, 6312-6323.	1.0	79
395	On – Line Dialysate Filtration: A Method of Dialysate Endotoxin Removal or Only Reduction?. Nephron, 1994, 66, 117-118.	0.9	6
396	Nucleotide sequence of the rhamnose biosynthetic operon of Shigella flexneri 2a and role of lipopolysaccharide in virulence. Journal of Bacteriology, 1994, 176, 2362-2373.	1.0	72
397	Crossâ€Reactivity of <i>Rickettsia japonica</i> and <i>Rickettsia typhi</i> Demonstrated by Immunofluorescence and Western Immunoblotting. Microbiology and Immunology, 1995, 39, 951-957.	0.7	17

#	Article	IF	CITATIONS
398	Immunogenicity of the <i>Shigella flexneri</i> Serotype Y (SFL124) Vaccine Strain Expressing Cloned Glucosyl Transferase Gene of Converting Bacteriophage SfX. Microbiology and Immunology, 1995, 39, 467-472.	0.7	15
399	Immunodominant antigens of Porphyromonas gingivalis in patients with rapidly progressive periodontitis. Oral Microbiology and Immunology, 1995, 10, 193-201.	2.8	16
400	Lateral transfer of rfb genes: a mobilizable ColE1-type plasmid carries the rfbO:54 (O:54 antigen) Tj ETQqO 0 0 r 177, 5247-5253.	gBT /Overl 1.0	ock 10 Tf 50 39
401	Genetic rearrangements in the rfb regions of Vibrio cholerae O1 and O139 Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 10374-10378.	3.3	107
402	Identification and Typing of Vibrio anguillarum: A Comparison of Different Methods. Systematic and Applied Microbiology, 1995, 18, 285-302.	1.2	87
403	M.T. Gorris1. Journal of Applied Bacteriology, 1995, 78, 437-444.	1.1	15
404	Salicylate-enhanced exposure ofKlebsiella pneumoniae subcapsular components. Infection, 1995, 23, 371-377.	2.3	16
405	Molecular marker analysis ofSalmonella typhimurium from surface waters, humans, and animals. European Journal of Epidemiology, 1995, 11, 325-331.	2.5	13
406	Physical and chemical characterization of the polysaccharide capsule of the marine bacterium,Hyphomonas strain MHS-3. Journal of Industrial Microbiology, 1995, 15, 347-351.	0.9	14
407	Localization of peanut (Arachis hypogaea) root lectin (PRA II) on root surface and its biological significance. Glycoconjugate Journal, 1995, 12, 45-50.	1.4	14
408	Gonococcal rfaF mutants express Rd2chemotype LPS and do not enter epithelial host cells. Molecular Microbiology, 1995, 15, 267-275.	1.2	49
409	Molecular cloning and characterization of the rfc gene of Pseudomonas aeruginosa (serotype O5). Molecular Microbiology, 1995, 16, 565-574.	1.2	72
410	Importance of lipooligosaccharide structure in determining gonococcal resistance to hydrophobic antimicrobial agents resulting from the mtr efflux system. Molecular Microbiology, 1995, 16, 1001-1009.	1.2	47
411	Lipopolysaccharides from six strains ofAcetobacter diazotrophicus. FEMS Microbiology Letters, 1995, 132, 45-50.	0.7	4
412	Characterization of monoclonal antibodies to O-antigen of lipopolysaccharide ofActinobacillus pleuropneumoniaeserotype 2 and their use in the classification of field isolates. FEMS Immunology and Medical Microbiology, 1995, 11, 35-44.	2.7	4
413	A plasmid-borne O-antigen chain length determinant and its relationship to other chain length determinants. FEMS Microbiology Letters, 1995, 125, 23-30.	0.7	52
414	Utility of lipopolysaccharides from Bordetella pertussis and Bordetella parapertussis in the serodiagnosis of pertussis and parapertussis. Serodiagnosis and Immunotherapy in Infectious Disease, 1995, 7, 7-14.	0.2	0
415	Expression of Shigella dysenteriae serotype 1 O-antigenic polysaccharide by Shigella flexneri aroD vaccine candidates and different S. flexneri serotypes. Journal of Bacteriology, 1995, 177, 5310-5315.	1.0	11

#	Article	IF	CITATIONS
416	Genetic basis of Neisseria gonorrhoeae lipooligosaccharide antigenic variation. Journal of Bacteriology, 1995, 177, 7275-7279.	1.0	99
417	Molecular, genetic, and topological characterization of O-antigen chain length regulation in Shigella flexneri. Journal of Bacteriology, 1995, 177, 1059-1068.	1.0	177
418	Role of Rfe and RfbF in the initiation of biosynthesis of D-galactan I, the lipopolysaccharide O antigen from Klebsiella pneumoniae serotype O1. Journal of Bacteriology, 1995, 177, 5411-5418.	1.0	80
419	A mutation in the Neisseria gonorrhoeae rfaD homolog results in altered lipooligosaccharide expression. Journal of Bacteriology, 1995, 177, 2321-2327.	1.0	25
420	Relationships between rfb gene clusters required for biosynthesis of identical D-galactose-containing O antigens in Klebsiella pneumoniae serotype O1 and Serratia marcescens serotype O16. Journal of Bacteriology, 1995, 177, 1544-1553.	1.0	41
421	Isolation of <i>Coxiella burnetii</i> from Dairy Cattle and Ticks, and Some Characteristics of the Isolates in Japan. Microbiology and Immunology, 1995, 39, 663-671.	0.7	105
422	Mutation of the htrB Locus of Haemophilus influenzae Nontypable Strain 2019 Is Associated with Modifications of Lipid A and Phosphorylation of the Lipo-oligosaccharide. Journal of Biological Chemistry, 1995, 270, 27151-27159.	1.6	57
423	Structures of the O-antigens of Klebsiella serotypes 02 (2a,2e), 02 (2a,2e,2h), and 02 (2a,2f,2g), members of a family of related D-galactan O-antigens in Klebsiella spp. Journal of Endotoxin Research, 1995, 2, 131-140.	2.5	36
424	nfxC-type quinolone resistance in a clinical isolate of Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 1995, 39, 790-792.	1.4	84
425	Effect of sialylation of lipopolysaccharide of Neisseria gonorrhoeae on recognition and complement-mediated killing by monoclonal antibodies directed against different outer-membrane antigens. Microbiology (United Kingdom), 1995, 141, 913-920.	0.7	47
426	Immunological Properties of Azospirillum Cell Surface: the Structure of Carbohydrate Antigens and Evaluation of their Involvement in Bacteria-Plant Contact Interactions. , 1995, , 377-382.		10
427	Lipopolysaccharide-associated resistance to killing of yersiniae by complement. Journal of Endotoxin Research, 1995, 2, 91-97.	2.5	40
428	Serum Antibodies toPorphyromonas gingivalisin Children. Journal of Periodontology, 1995, 66, 369-376.	1.7	10
429	Differentiation of Capsular Polysaccharides from <i>Acetobacter diazotrophicus</i> Strains Isolated from Sugarcane. Microbiology and Immunology, 1995, 39, 237-242.	0.7	7
430	Detection of lipopolysaccharides blotted on nylon membranes. Journal of Endotoxin Research, 1995, 2, 405-410.	2.5	4
431	Experimental Human Gonococcal Urethritis: 250 Neisseria gonorrhoeae MS11mkC Are Infective. Journal of Infectious Diseases, 1995, 172, 180-185.	1.9	79
432	A gene region in Dichelobacter nodosus encoding a lipopolysaccharide epitope. Microbiology (United) Tj ETQq0 (0 orgBT /0 0.9	Overlock 10 T

433	Temperature-dependent protein and lipopolysaccharide expression in clinical Aeromonas isolates. Journal of Medical Microbiology, 1995, 42, 32-38.	0.7	15
-----	--	-----	----

#	Article	IF	CITATIONS
434	Expression of an anti-Pseudomonas aeruginosa lipopolysaccharide core recombinant antibody in Escherichia coli. Journal of Endotoxin Research, 1995, 2, 53-61.	2.5	3
435	A comparative study of the properties of Vibrio cholerae O 139, O1 and other non-O1 strains. Journal of Medical Microbiology, 1995, 42, 251-257.	0.7	18
436	Salmonella typhimurium TnphoA mutants with increased sensitivity to biological and chemical detergents. Research in Microbiology, 1995, 146, 659-670.	1.0	16
437	Role of lipopolysaccharide and a major outer membrane protein from Francisella tularensis in the induction of immunity against tularemia. Vaccine, 1995, 13, 1220-1225.	1.7	83
438	Electrophoretic and immunological analysis of lipopolysaccharides of Xanthomonas albilineans from three geographical regions. Letters in Applied Microbiology, 1995, 21, 210-214.	1.0	7
439	Structural characterization of the O-chain polysaccharide from Proteusmirabilis strain 7570. Canadian Journal of Chemistry, 1995, 73, 1600-1604.	0.6	11
440	Contractile-tailed bacteriophages adsorb toEscherichia coliO128ab lipopolysaccharide that is altered by large plasmids to provide receptors and lipopolysaccharide heterogeneity within the serogroup. Canadian Journal of Microbiology, 1995, 41, 163-169.	0.8	2
441	Purified Pasteurella haemolytica leukotoxin inducesexpression of inflammatory cytokines from bovine alveolar macrophages. Microbial Pathogenesis, 1995, 18, 237-252.	1.3	50
442	Characterization of Two Transposon Mutants fromHaemophilus influenzaeType b with Altered Lipooligosaccharide Biosynthesisâ€. Biochemistry, 1996, 35, 5937-5947.	1.2	44
443	Use of lipopolysaccharides to characterize Bradyrhizobium spp Soil Biology and Biochemistry, 1996, 28, 1227-1234.	4.2	6
444	Evaluation of three experimental subunit vaccines against pneumonic pasteurellosis in cattle. Vaccine, 1996, 14, 147-154.	1.7	24
445	The influence of A-band and B-band lipopolysaccharide on the surface characteristics and adhesion of Pseudomonas aeruginosa to surfaces. Microbiology (United Kingdom), 1996, 142, 299-307.	0.7	208
446	Bacterial lipopolysaccharides—Themes and variations. Progress in Lipid Research, 1996, 35, 283-343.	5.3	150
448	Identification of the O antigen polymerase (rfc) gene in Escherichia coli O4 by insertional mutagenesis using a nonpolar chloramphenicol resistance cassette. Journal of Bacteriology, 1996, 178, 240-247.	1.0	49
449	Cloning, complementation, and characterization of an rfaE homolog from Neisseria gonorrhoeae. Journal of Bacteriology, 1996, 178, 4571-4575.	1.0	15
450	A Wzz (Cld) protein determines the chain length of K lipopolysaccharide in Escherichia coli O8 and O9 strains. Journal of Bacteriology, 1996, 178, 1903-1907.	1.0	51
451	Genes associated with meningococcal capsule complex are also found in Neisseria gonorrhoeae. Journal of Bacteriology, 1996, 178, 3342-3345.	1.0	26
452	Clonally diverse rfb gene clusters are involved in expression of a family of related D-galactan O antigens in Klebsiella species. Journal of Bacteriology, 1996, 178, 5205-5214.	1.0	32

#	Article	IF	CITATIONS
453	Differential release of smooth-type lipopolysaccharide from Pseudomonas aeruginosa treated with carbapenem antibiotics and its relation to production of tumor necrosis factor alpha and nitric oxide. Antimicrobial Agents and Chemotherapy, 1996, 40, 2410-2412.	1.4	19
454	Distribution of the rol gene encoding the regulator of lipopolysaccharide O-chain length in Escherichia coli and its influence on the expression of group I capsular K antigens. Journal of Bacteriology, 1996, 178, 1895-1902.	1.0	61
455	Production and characterization of monoclonal antibodies to the edta extract of Leptospira interrogans, serovar icterohaemorrhagiae. Revista Da Sociedade Brasileira De Medicina Tropical, 1996, 29, 483-489.	0.4	0
456	Structure of the core oligosaccharide in the serotype O8 lipopolysaccharide from Klebsiella pneumoniae. Journal of Bacteriology, 1996, 178, 1731-1741.	1.0	30
457	Analysis of Plasmids Cloned from a Virulent Avian Escherichia coli and Transformed into Escherichia coli DH5a. Avian Diseases, 1996, 40, 533.	0.4	13
458	Crystallization of an Râ€Form Lipopolysaccharide from <i>Klebsiella pneumoniae</i> . Microbiology and Immunology, 1996, 40, 407-413.	0.7	1
459	Immunochemical Characteristics and Localization on Cells of Protective Antigen (PAg) Prepared from <i>Leptospira interrogans</i> Serovar <i>lai</i> . Microbiology and Immunology, 1996, 40, 237-241.	0.7	10
460	Pseudomonas aeruginosa PAO1 ceases to express serotype-specific lipopolysaccharide at 45 degrees C. Journal of Bacteriology, 1996, 178, 3350-3352.	1.0	44
461	Inner core biosynthesis of lipooligosaccharide (LOS) in Neisseria meningitidis serogroup B: identification and role in LOS assembly of the alpha1,2 N-acetylglucosamine transferase (RfaK). Journal of Bacteriology, 1996, 178, 1265-1273.	1.0	56
462	Immunochemical characterization of O polysaccharides composing the alpha-D-rhamnose backbone of lipopolysaccharide of Pseudomonas syringae and classification of bacteria into serogroups O1 and O2 with monoclonal antibodies. Journal of Bacteriology, 1996, 178, 6459-6465.	1.0	26
464	Electrophoretic and immunoblot analysis of Campylobacter fetus lipopolysaccharides. Veterinary Microbiology, 1996, 51, 105-114.	0.8	8
465	Structural and Serological Characterisation of Two O-Specific Polysaccharides of Acinetobacter. FEBS Journal, 1996, 239, 602-610.	0.2	56
466	A Klebsiella pneumoniae Strain that Shares a Type-Specific Antigen with Shigella flexneri Serotype 6. Characterization of the Strain and Structural Studies of the O-Antigenic Polysaccharide. FEBS Journal, 1996, 237, 786-791.	0.2	20
467	Differentiation of the serotype b and species-specific antigens of Actinobacillus actinomycetemcomitans recognized by monoclonal antibodies. Oral Microbiology and Immunology, 1996, 11, 209-219.	2.8	5
468	Westprinting: Development of a Rapid Immunochemical Identification for Species within the Genus Pseudomonas sensu stricto. Systematic and Applied Microbiology, 1996, 19, 577-588.	1.2	22
469	Antigenic characterization of the etiological agent of the brown ring disease affecting manila clams. Systematic and Applied Microbiology, 1996, 19, 231-239.	1.2	20
470	Diversity of Vibrio anguillarum Isolates from Different Geographical and Biological Habitats, Determined by the Use of a Combination of eight Different Typing Methods. Systematic and Applied Microbiology, 1996, 19, 442-450.	1.2	21
471	Structural studies of the lipopolysaccharide O-antigen and capsular polysaccharide of Vibrio anguillarum serotype O:2. Carbohydrate Research, 1996, 283, 111-127.	1.1	32

#		IF	CITATIONS
π	The identification, cloning and mutagenesis of a genetic locus required for lipopolysaccharide	1.0	
472	biosynthesis in Bordetella pertussis. Molecular Microbiology, 1996, 19, 37-52.	1.2	121
473	Variation in Salmonella core lipopolysaccharide as detected by the monoclonal antibody M105. Letters in Applied Microbiology, 1996, 23, 104-106.	1.0	3
474	Serological identification of infection by verocytotoxin-producing Escherichia coli. Letters in Applied Microbiology, 1996, 23, 322-324.	1.0	7
475	Characterization of monoclonal antibodies that recognize common epitopes located on O antigen of lipopolysaccharide of serotypes 1, 9 and 11 ofActinobacillus pleuropneumoniae. FEMS Immunology and Medical Microbiology, 1996, 16, 173-181.	2.7	7
476	Immunochemical characterization of two new O serotypes ofSerratia marcescens(O27 and O28). FEMS Microbiology Letters, 1996, 138, 77-82.	0.7	11
477	The O:34-antigen lipopolysaccharide as an adhesin inAeromonas hydrophila. FEMS Microbiology Letters, 1996, 139, 97-101.	0.7	58
478	Relationship between outer membrane protein and lipopolysaccharide profiles and serotypes of enterotoxigenic Escherichia coli isolated in Brazil. FEMS Microbiology Letters, 1996, 143, 253-258.	0.7	21
479	Immunological analysis of extracellular products and cell surface components of motile Aeromonas isolated from fish. Journal of Applied Bacteriology, 1996, 81, 585-593.	1.1	6
480	Heatâ€stable serotyping antigens expressed by strains of Campylobacter jejuni are probably capsular and not longâ€chain lipopolysaccharide. Journal of Applied Bacteriology, 1996, 81, 635-640.	1.1	30
481	Effect of O side-chain length and composition on the virulence of Shigella flexneri 2a. Molecular Microbiology, 1996, 22, 63-73.	1.2	82
482	Outer membrane permeability of non-typable Haemophilus influenzae. Journal of Antimicrobial Chemotherapy, 1996, 37, 341-344.	1.3	6
483	Intestinal immunisation with Escherichia coli protects rats against Escherichia coli induced cholangitis Gut, 1996, 39, 136-140.	6.1	16
484	Phylogenetic Relationships and Diversity within the Pasteurella haemolytica Complex Based on 16S rRNA Sequence Comparison and Outer Membrane Protein and Lipopolysaccharide Analysis. International Journal of Systematic Bacteriology, 1996, 46, 736-744.	2.8	35
485	Temperature-dependent aminoglycoside resistance in Stenotrophomonas (Xanthomonas) maltophilia; alterations in protein and lipopolysaccharide with growth temperature. Journal of Antimicrobial Chemotherapy, 1996, 37, 665-676.	1.3	32
486	Intra-Specific Diversity within Pasteurella Trehalosi based on Variation of Capsular Polysaccharide, Lipopolysaccharide and Outer-Membrane Proteinsx. Microbiology (United Kingdom), 1996, 142, 551-560.	0.7	21
487	Immunological Detection of Lipopolysaccharide Antigens of Thermophilic Campylobacters Captured on Polymyxin-Coated Polyester Cloth. Immunological Investigations, 1996, 25, 177-183.	1.0	2
488	A Novel Pathway for O-Polysaccharide Biosynthesis in Salmonella enterica Serovar Borreze. Journal of Biological Chemistry, 1996, 271, 28581-28592.	1.6	143
489	Conservation of the lipooligosaccharide synthesis locus lgt among strains of Neisseria gonorrhoeae: requirement for lgtE in synthesis of the 2C7 epitope and of the beta chain of strain 15253 Journal of Experimental Medicine, 1996, 184, 1233-1241.	4.2	35

#	Article	IF	CITATIONS
490	Sialylation Lessens the Infectivity of Neisseria gonorrhoeae MS11mkC. Journal of Infectious Diseases, 1996, 173, 1422-1427.	1.9	48
491	Immunogenicity of Neisseria gonorrhoeae Lipooligosaccharide Epitope 2C7, Widely Expressed In Vivo with No Immunochemical Similarity to Human Glycosphingolipids. Journal of Infectious Diseases, 1996, 174, 1223-1237.	1.9	63
493	O-antigenic determinants in Salmonella species of serogroup C1 are expressed in distinct immunochemical populations of chains. Microbiology (United Kingdom), 1997, 143, 653-662.	0.7	6
494	Characterisation of Neisseria gonorrhoeae in semen during urethral infection in men Sexually Transmitted Infections, 1997, 73, 378-382.	0.8	10
495	UDP-galactofuranose Precursor Required for Formation of the Lipopolysaccharide O Antigen of Klebsiella pneumoniae Serotype O1 Is Synthesized by the Product of the rfbDKPO1 Gene. Journal of Biological Chemistry, 1997, 272, 4121-4128.	1.6	114
496	Detection of Two Isotypically Different Antibodies Produced by a Murine Hybridoma. Hybridoma, 1997, 16, 195-199.	0.9	4
497	Production of Monoclonal Antibody Discriminating Serological Difference in <i>Escherichia coli</i> O9 and O9a Polysaccharides. Microbiology and Immunology, 1997, 41, 519-525.	0.7	14
498	Extracellular Polysaccharides from Xanthomonas axonopodis pv. manihotis Interact with Cassava Cell Walls During Pathogenesis. Molecular Plant-Microbe Interactions, 1997, 10, 803-811.	1.4	29
500	Novel Vibrio cholerae O139 genes involved in lipopolysaccharide biosynthesis. Journal of Bacteriology, 1997, 179, 2740-2747.	1.0	79
501	Isolation and characterization of two genes, waaC (rfaC) and waaF (rfaF), involved in Pseudomonas aeruginosa serotype O5 inner-core biosynthesis. Journal of Bacteriology, 1997, 179, 3451-3457.	1.0	43
502	Antigenic variation in Neisseria gonorrhoeae: production of multiple lipooligosaccharides. Journal of Bacteriology, 1997, 179, 982-986.	1.0	70
503	Identification of additional genes required for O-antigen biosynthesis in Vibrio cholerae O1. Journal of Bacteriology, 1997, 179, 2147-2153.	1.0	46
504	Identification and functional characterization of an ABC transport system involved in polysaccharide export of A-band lipopolysaccharide in Pseudomonas aeruginosa. Journal of Bacteriology, 1997, 179, 4713-4724.	1.0	64
505	Correlation of <i>Pseudomonas aeruginosa</i> virulence factors from clinical and environmental isolates with pathogenicity in the neutropenic mouse. Canadian Journal of Microbiology, 1997, 43, 541-551.	0.8	34
506	Characterization of Campylobacter jejuni isolates from patients with Guillain-Barré syndrome. Journal of the Neurological Sciences, 1997, 153, 91-99.	0.3	33
507	Polyethyleneimine is an effective permeabilizer of Gram-negative bacteria. Microbiology (United) Tj ETQq1 1 0.78	84314 rgB⊺ 0.7	Г /Qverlock
508	Bacterial phenotypes mediated bymviAand their relationship to the mouse virulence ofSalmonella typhimurium. Microbial Pathogenesis, 1997, 22, 353-362.	1.3	8
509	Construction and characterization of genetically-marked bivalent anti-Shigella dysenteriae1 and anti-Shigella flexneriY live vaccine candidates. Microbial Pathogenesis, 1997, 22, 363-376.	1.3	10

#	Article	IF	CITATIONS
510	Screening for Salmonella with a Murine Monoclonal Antibody M105 Detects Both Felix O1 Bacteriophage Sensitive and Resistant Salmonella Strains. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1997, 286, 23-32.	0.5	4
511	Characterization of core-oligosaccharide- and O-polysaccharide-specific monoclonal antibodies against Aeromonas salmonicida LPS binding to typical and atypical Aeromonas salmonicida isolates. Aquaculture, 1997, 157, 157-171.	1.7	5
512	A simple dot immunoassay for detecting antibodies to the lipopolysaccharide of Verocytotoxin-producing Escherichia coli in patients with haemolytic uraemic syndrome. Journal of Microbiological Methods, 1997, 28, 85-88.	0.7	9
513	Free-living and symbiotic characteristics of plasmid-cured derivatives of Rhizobium galegae. Plant Science, 1997, 125, 87-96.	1.7	2
514	Induction of protective immunity to Theileria annulata using two major merozoite surface antigens presented by different delivery systems. Vaccine, 1997, 15, 1796-1804.	1.7	51
515	Molecular characterization of the genes involved in O-antigen modification, attachment, integration and excision in Shigella flexneri bacteriophage SfV. Gene, 1997, 195, 217-227.	1.0	61
516	Shigella flexneri type-specific antigen V: cloning, sequencing and characterization of the glucosyl transferase gene of temperate bacteriophage SfV. Gene, 1997, 195, 207-216.	1.0	42
517	Colicin U, a novel colicin produced by Shigella boydii. Journal of Bacteriology, 1997, 179, 4919-4928.	1.0	69
518	Rapid Preparation of Affinity-Purified Lipopolysaccharide Samples for Electrophoretic Analysis. BioTechniques, 1997, 22, 230-236.	0.8	31
519	Polymorphism, duplication, and IS1-mediated rearrangement in the chromosomal his-rfb-gnd region of Escherichia coli strains with group IA and capsular K antigens. Journal of Bacteriology, 1997, 179, 3232-3238.	1.0	32
520	The microbicidal agent C31G inhibits Chlamydia trachomatis infectivity in vitro. Antimicrobial Agents and Chemotherapy, 1997, 41, 1335-1344.	1.4	47
521	Influence of different rol gene products on the chain length of Shigella dysenteriae type 1 lipopolysaccharide O antigen expressed by Shigella flexneri carrier strains. Journal of Bacteriology, 1997, 179, 2421-2425.	1.0	30
522	Identification and characterization of the dTDP-rhamnose biosynthesis and transfer genes of the lipopolysaccharide-related rfb locus in Leptospira interrogans serovar Copenhageni. Journal of Bacteriology, 1997, 179, 1262-1267.	1.0	58
523	Pseudomonas aeruginosa B-band O-antigen chain length is modulated by Wzz (Ro1). Journal of Bacteriology, 1997, 179, 1482-1489.	1.0	54
524	Mutation of the htrB gene in a virulent Salmonella typhimurium strain by intergeneric transduction: strain construction and phenotypic characterization. Journal of Bacteriology, 1997, 179, 5521-5533.	1.0	38
525	Characteristics of systemic antibody responses of nonhuman primates to cell envelope and cell wall antigens from periodontal pathogens. Oral Microbiology and Immunology, 1997, 12, 204-211.	2.8	5
526	High affinity iron-uptake systems in Vibrio damsela: role in the acquisition of iron from transferrin. Journal of Applied Microbiology, 1997, 82, 157-167.	1.4	21
527	Vibrio anguillarum serogroup O3 and V. anguillarum-like serogroup O3 cross-reactive species—comparison and characterization. Journal of Applied Microbiology, 1997, 82, 211-218.	1.4	13

#	Article	IF	CITATIONS
528	Multiresistant Pseudomonas aeruginosa serogroup O:11 outbreak in an intensive care unit. Clinical Microbiology and Infection, 1997, 3, 621-628.	2.8	18
529	Serological characterization of Actinobacillus pleuropneumoniae biotype 2 strains isolated from pigs in two Danish herds. Veterinary Microbiology, 1997, 54, 35-46.	0.8	66
530	A Comparison of Methods for the Typing of Fish-Pathogenic Vibrio spp Systematic and Applied Microbiology, 1997, 20, 89-101.	1.2	67
531	Deletion of the Heptosyltransferase Genes rfaC and rfaF in Escherichia Coli K-12 Results in an Re-Type Lipopolysaccharide with a High Degree of 2-Aminoethanol Phosphate Substitution. FEBS Journal, 1997, 247, 716-724.	0.2	114
532	Distinctive Outer Membrane Protein and Lipopolysaccharide Composition ofBacteroides fragilisStrains that Produce Metallo-β-lactamase. Anaerobe, 1997, 3, 233-236.	1.0	8
533	Title is missing!. Plant and Soil, 1997, 190, 143-152.	1.8	23
534	Influence of medium composition on the growth and antigen expression of Helicobacter pylori. Journal of Applied Microbiology, 1997, 83, 67-75.	1.4	65
535	Involvement of a 120-MDa Plasmid ofAzospirillum brasilenseSp245 in the Production of Lipopolysaccharides. Plasmid, 1998, 40, 73-83.	0.4	43
536	Immunological and chemical studies ofSalmonella haarlemsomatic antigen epitopes. II. Serological investigations. FEMS Immunology and Medical Microbiology, 1998, 21, 253-259.	2.7	4
537	Variation inBordetella bronchisepticalipopolysaccharide during human infection. FEMS Microbiology Letters, 1998, 162, 331-337.	0.7	26
538	Immunogenicity of purified lipopolysaccharide or protein–oligosaccharide conjugates of Pasteurella multocida type 6:B in mice. Comparative Immunology, Microbiology and Infectious Diseases, 1998, 21, 257-279.	0.7	8
539	Electrophoretic behavior and size distribution of the acidic polysaccharides produced by the bacteriaBradyrhizobium (Chamaecytisus) strain BGA-1 andBradyrhizobium japonicum USDA 110. Electrophoresis, 1998, 19, 2621-2624.	1.3	8
540	Characterization ofShigella dysenteriae type 1 capsular polysaccharide by immunochemical methods. Folia Microbiologica, 1998, 43, 707-712.	1.1	2
541	Consequences of the loss of O-linked glycosylation of meningococcal type IV pilin on piliation and pilus-mediated adhesion. Molecular Microbiology, 1998, 27, 705-715.	1.2	120
542	Synthesis ofEscherichia coliO9a polysaccharide requires the participation of two domains of WbdA, a mannosyltransferase encoded within thewb*gene cluster. Molecular Microbiology, 1998, 27, 1213-1221.	1.2	25
543	Three rhamnosyltransferases responsible for assembly of the A-band D-rhamnan polysaccharide in Pseudomonas aeruginosa: a fourth transferase, WbpL, is required for the initiation of both A-band and B-band lipopolysaccharide synthesis. Molecular Microbiology, 1998, 28, 1103-1119.	1.2	123
544	Molecular and functional analysis of the lipopolysaccharide biosynthesis locuswlbfromBordetella pertussis,Bordetella parapertussisandBordetella bronchiseptica. Molecular Microbiology, 1998, 29, 27-38.	1.2	60
545	Overexpression and topology of the Shigella flexneri O-antigen polymerase (Rfc/Wzy). Molecular Microbiology, 1998, 28, 1211-1222.	1.2	181

#	Article	IF	CITATIONS
546	Synthesis of the Aâ€band polysaccharide sugarDâ€rhamnose requires Rmd and WbpW: identification of multiple AlgA homologues, WbpW and ORF488, inPseudomonas aeruginosa. Molecular Microbiology, 1998, 29, 1419-1434.	1.2	55
547	Adaptation ofHaemophilus influenzaeto acquired and innate humoral immunity based on phase variation of lipopolysaccharide. Molecular Microbiology, 1998, 30, 767-775.	1.2	127
548	Acid-induced expression of an LPS-associated gene inHelicobacter pylori. Molecular Microbiology, 1998, 30, 19-31.	1.2	83
549	Cloning, sequencing, and characterization of the lipopolysaccharide biosynthetic enzyme heptosyltransferase I gene (waaC) from Campylobacter jejuni and Campylobacter coli. Gene, 1998, 222, 177-185.	1.0	30
550	A Sinorhizobium meliloti Lipopolysaccharide Mutant Induces Effective Nodules on the Host Plant Medicago sativa (Alfalfa) but Fails to Establish a Symbiosis with Medicago truncatula. Molecular Plant-Microbe Interactions, 1998, 11, 906-914.	1.4	72
551	Lipopolysaccharide expression within the genus Bordetella: influence of temperature and phase variation. Microbiology (United Kingdom), 1998, 144, 1527-1535.	0.7	49
552	The Assembly System for the Outer Core Portion of R1- and R4-type Lipopolysaccharides of Escherichia coli. Journal of Biological Chemistry, 1998, 273, 29497-29505.	1.6	85
553	Simultaneous Expression of Type 1 and Type 2 Lewis Blood Group Antigens by Helicobacter pyloriLipopolysaccharides. Journal of Biological Chemistry, 1998, 273, 11533-11543.	1.6	157
554	Re-evaluation of the serotypes of Serratia marcescens and separation into two schemes based on lipopolysaccharide (O) and capsular polysaccharide (K) antigens. Microbiology (United Kingdom), 1998, 144, 639-653.	0.7	25
555	An Evaluation of DNA-Based Methodologies for SubtypingSalmonella. Critical Reviews in Environmental Science and Technology, 1998, 28, 283-323.	6.6	5
556	Regulation of the spvR gene of the Salmonella typhimurium virulence plasmid during exponential-phase growth in intracellular salts medium and at stationary phase in L broth. Microbiology (United Kingdom), 1998, 144, 1823-1833.	0.7	25
557	The Assembly System for the Lipopolysaccharide R2 Core-type ofEscherichia coli Is a Hybrid of Those Found inEscherichia coli K-12 and Salmonella enterica. Journal of Biological Chemistry, 1998, 273, 8849-8859.	1.6	99
558	Antibiotic-induced release of endotoxin: in-vitro comparison of meropenem and other antibiotics. Journal of Antimicrobial Chemotherapy, 1998, 41, 163-169.	1.3	44
559	6.7 Isolation and Purification of Cell Surface Polysaccharides from Gram-Negative Bacteria. Methods in Microbiology, 1998, , 249-258.	0.4	8
560	Utilization of Proteinase Kâ€Treated Cells as Lipopolysaccharide Antigens for the Serodiagnosis of <i>Helicobacter pylori</i> Infections. Microbiology and Immunology, 1998, 42, 509-514.	0.7	9
562	Antigenic Characteristic of the Lipopolysaccharides of Coxiella burnetii Isolates Journal of Veterinary Medical Science, 1998, 60, 267-270.	0.3	11
563	<i>Vibrio cholerae</i> O1 Strain TSI-4 Produces the Exopolysaccharide Materials That Determine Colony Morphology, Stress Resistance, and Biofilm Formation. Applied and Environmental Microbiology, 1998, 64, 3648-3655.	1.4	216
564	Immunization against the colonization factor antigen I of enterotoxigenic Escherichia coli by administration of a bivalent Salmonella typhimurium aroA strain. Brazilian Journal of Medical and Biological Research, 1998, 31, 545-554.	0.7	7

#	Article	IF	CITATIONS
565	In Vivo Emergence of Multidrug-Resistant Mutants of <i>Pseudomonas aeruginosa</i> Overexpressing the Active Efflux System MexA-MexB-OprM. Antimicrobial Agents and Chemotherapy, 1999, 43, 287-291.	1.4	248
566	Isolation of Polymyxin B-Susceptible Mutants of <i>Burkholderia pseudomallei</i> and Molecular Characterization of Genetic Loci Involved in Polymyxin B Resistance. Antimicrobial Agents and Chemotherapy, 1999, 43, 2648-2656.	1.4	74
567	lonic Binding of ³ H-Gentamicin and Short-Time Bactericidal Activity of Gentamicin against <i>Pseudomonas aeruginosa</i> Isolates with Different Lipopolysaccharide Structures. Chemotherapy, 1999, 45, 296-302.	0.8	6
568	Investigations on Different Ornithobacterium Rhinotracheale "ORT" Isolates. Avian Diseases, 1999, 43, 1.	0.4	31
569	Functional analysis of genes responsible for the synthesis of the B-band O antigen of Pseudomonas aeruginosa serotype O6 lipopolysaccharide The GenBank accession number for the sequence reported in this paper is AF035937 Microbiology (United Kingdom), 1999, 145, 3505-3521.	0.7	102
570	Some immunological properties of lipopolysaccharide from Acinetobacter baumannii. Journal of Medical Microbiology, 1999, 48, 479-483.	0.7	15
571	The Shigella flexneri bacteriophage Sf6 tailspike protein (TSP)/endorhamnosidase is related to the bacteriophage P22 TSP and has a motif common to exo- and endoglycanases, and C-5 epimerases. Microbiology (United Kingdom), 1999, 145, 1649-1659.	0.7	41
572	Lipo-oligosaccharide profiles of Serpulina pilosicoli strains and their serological cross-reactivities. Journal of Medical Microbiology, 1999, 48, 411-415.	0.7	11
573	Impaired imipenem uptake associated with alterations in outer membrane proteins and lipopolysaccharides in imipenem-resistant Shigella dysenteriae. Journal of Antimicrobial Chemotherapy, 1999, 43, 195-201.	1.3	11
574	Functional analysis of the O antigen glucosylation gene cluster of Shigella flexneri bacteriophage SfX. Microbiology (United Kingdom), 1999, 145, 1263-1273.	0.7	122
575	Mechanisms involved in the development of resistance to fluoroquinolones in Escherichia coli isolates. Journal of Antimicrobial Chemotherapy, 1999, 44, 735-742.	1.3	86
576	The Salmonella typhi melittin resistance gene pqaB affects intracellular growth in PMA-differentiated U937 cells, polymyxin B resistance and lipopolysaccharide. Microbiology (United Kingdom), 1999, 145, 367-378.	0.7	75
577	Isolation and chemical analysis of a lipopolysaccharide from the outer membrane of the oral anaerobic spirocheteTreponema pectinovorum. Oral Microbiology and Immunology, 1999, 14, 304-308.	2.8	10
578	Isolation and characterization of thermlgene homologs fromPorphyromonas gingivalis. Oral Microbiology and Immunology, 1999, 14, 339-347.	2.8	6
579	Molecular evidence for shifts in polysaccharide composition associated with adaptation of soybean Bradyrhizobium strains to the Brazilian Cerrado soils. Environmental Microbiology, 1999, 1, 401-408.	1.8	13
580	Cell envelope mutants of Pseudomonas putida: physiological characterization and analysis of their ability to survive in soil. Environmental Microbiology, 1999, 1, 479-488.	1.8	21
581	Serodiagnosis of infection with Verocytotoxinâ€producingEscherichia coli. Journal of Applied Microbiology, 1999, 86, 569-575.	1.4	12
582	Serotyping of Campylobacter jejuni based on heat stable antigens: relevance, molecular basis and implications in pathogenesis. Journal of Applied Microbiology, 1999, 86, 361-377.	1.4	57

#	Article	IF	CITATIONS
583	Molecular genetic basis for the variable expression of Lewis Y antigen in Helicobacter pylori : analysis of the alpha(1,2) fucosyltransferase gene. Molecular Microbiology, 1999, 31, 1265-1274.	1.2	130
584	Gene products required for surface expression of the capsular form of the group 1 K antigen in Escherichia coli (O9a:K30). Molecular Microbiology, 1999, 31, 1321-1332.	1.2	136
585	Analysis of Shigella flexneri Wzz (Rol) function by mutagenesis and cross-linking: Wzz is able to oligomerize. Molecular Microbiology, 1999, 34, 181-194.	1.2	91
586	Comparative performance of enterobacterial repetitive intragenic consensus-polymerase chain reaction and lipopolysaccharide electrophoresis for the identification of Bradyrhizobium sp. (Lotus) strains. FEMS Microbiology Ecology, 1999, 28, 163-168.	1.3	3
587	Lack of a relationship between Lewis antigen expression andcagA, CagA,vacAand VacA status of IrishHelicobacter pyloriisolates. FEMS Immunology and Medical Microbiology, 1999, 24, 79-90.	2.7	38
588	Electrophoretic patterns of lipopolysaccharides and antigenic analysis of soybean bradyrhizobia. World Journal of Microbiology and Biotechnology, 1999, 15, 205-215.	1.7	1
589	Decreased Production of AmpC-Type β-Lactamases Associated with the Development of Resistance to Quinolones inCitrobacter freundiiStrains. Microbial Drug Resistance, 1999, 5, 235-240.	0.9	5
590	Extended Serotyping Scheme for Vibrio anguillarum with the Definition and Characterization of Seven Provisional O-Serogroups. Current Microbiology, 1999, 38, 183-189.	1.0	79
591	Release of Outer Membrane Vesicles from Bordetella pertussis. Current Microbiology, 1999, 38, 273-278.	1.0	71
592	Diffusion of macrolide antibiotics through the outer membrane of Moraxella catarrhalis. Journal of Infection and Chemotherapy, 1999, 5, 196-200.	0.8	18
593	Analyses of lipopolysaccharides, outer membrane proteins and DNA fingerprints reveal intraspecies diversity in Moraxella bovis isolated in Argentina. Veterinary Microbiology, 1999, 70, 213-223.	0.8	31
594	Chemical and antigenic structure of the O-polysaccharide of the lipopolysaccharides from two Acinetobacter haemolyticus strains differing only in the anomeric configuration of one glycosyl residue in their O-antigens. FEBS Journal, 1999, 263, 587-595.	0.2	18
595	Use of a bilayer stacking gel to improve resolution of lipopolysaccharides and lipooligosaccharides in polyacrylamide gels. Electrophoresis, 1999, 20, 462-465.	1.3	36
596	Nonspecific interactions alter lipopolysaccharide patterns and protein mobility on sodium dodecyl sulfate polyacrylamide gels. Electrophoresis, 1999, 20, 1946-1949.	1.3	4
597	Metal binding by <i>Pseudomonas aeruginosa</i> PAO1 is influenced by growth of the cells as a biofilm. Canadian Journal of Microbiology, 1999, 45, 616-622.	0.8	49
598	Haemolytic-uraemic Syndrome Caused by Vero Toxin-producing Escherichia coli Serotype Rough: K-: H49. Scandinavian Journal of Infectious Diseases, 1999, 31, 141-144.	1.5	9
599	Lipopolysaccharides. , 1999, , 179-239.		19
600	Flexibacter MaritimusAssociated with a Bacterial Stomatitis in Atlantic Salmon Smolts Reared in Net-Pens in British Columbia. Journal of Aquatic Animal Health, 1999, 11, 35-44.	0.6	51

		CITATION RE	PORT	
#	Article		IF	CITATIONS
601	Preparation of Endotoxin from Pathogenic Gram-Negative Bacteria. , 2000, 36, 13-26.			3
602	Mutation in a Gene Required for Lipopolysaccharide and Enterobacterial Common Ant Biosynthesis Affects Virulence in the Plant Pathogen Erwinia carotovora subsp. atrosep Molecular Plant-Microbe Interactions, 1999, 12, 499-507.	igen otica.	1.4	43
603	Are Autoantibodies against Lewis Antigens Involved in the Pathogenesis of <i>Helicob pylori</i> â€Induced Peptic Ulcers?. Microbiology and Immunology, 1999, 43, 403-408	acter	0.7	7
604	The Complete DNA Sequence of the O Antigen Gene Region of <i>Plesiomonas shigell O17 Which Is Identical to <i>Shigella sonnei</i> Form I Antigen. Microbiology and Imn 44, 161-172.</i>	oides Serotype nunology, 2000,	0.7	18
605	The development of a FACS-based strategy for the isolation of Shigella flexneri mutant deficient in intercellular spread. Molecular Microbiology, 2000, 35, 974-990.	s that are	1.2	53
606	Multiple N-acetyl neuraminic acid synthetase (neuB) genes in Campylobacter jejuni: id characterization of the gene involved in sialylation of lipo-oligosaccharide. Molecular N 2000, 35, 1120-1134.	entification and /icrobiology,	1.2	128
607	Interactions of Neisseria meningitidis with cells of the human meninges. Molecular Mic 2000, 36, 817-829.	crobiology,	1.2	77
608	Gonococcal lipooligosaccharide is a ligand for the asialoglycoprotein receptor on huma Molecular Microbiology, 2000, 36, 1059-1070.	an sperm.	1.2	91
609	A novel type of carbohydrate-protein linkage region in the tyrosine-bound S-layer glyca Thermoanaerobacterium thermosaccharolyticum D120-70. FEBS Journal, 2000, 267, 5	ın of 482-5492.	0.2	27
610	Effect of Salmonella typhi wild type and O-antigen mutants on human natural killer ce International Journal of Immunopharmacology, 2000, 22, 355-364.	ll activity.	1.1	6
611	Altered antigenicity is seen in the lipopolysaccharide profile of non-serotypeableActinc actinomycetemcomitansstrains. FEMS Immunology and Medical Microbiology, 2000, 2	bacillus 27, 171-177.	2.7	7
612	Genotyping ofcagAandvacA, Lewis antigen status, and analysis of the poly-(C) tract in α(1,3)-fucosyltransferase gene of IrishHelicobacter pyloriisolates. FEMS Immunolo Microbiology, 2000, 28, 113-119.	the gy and Medical	2.7	9
613	Identification of genes associated with copper tolerance in an adhesion-defective muta ofAeromonas veroniibiovar sobria. FEMS Immunology and Medical Microbiology, 2000	ant 1, 29, 115-121.	2.7	16
614	The relationship between O-chain expression and colonisation ability ofHelicobacter py model. FEMS Immunology and Medical Microbiology, 2000, 29, 263-270.	vloriin a mouse	2.7	40
615	Pseudomonas aeruginosaB-band lipopolysaccharide geneswbpAandwbpIand theirEsch colihomologueswecCandwecBare not functionally interchangeable. FEMS Microbiolog 2000, 189, 135-141.	erichia y Letters,	0.7	16
616	Comparison of three serological methods for detection of Lewis antigens on the surface of Helicobacter pylori. FEMS Microbiology Letters, 2000, 190, 67-72.	се	0.7	18
617	Molecular characterization of a gene region involved in lipopolysaccharide biosynthesi inBradyrhizobium japonicum: cloning, sequencing and expression ofrfafgene. FEMS Mi Letters, 2000, 190, 109-114.	s icrobiology	0.7	8
618	A gene cluster for the synthesis of serotype d-specific polysaccharide antigen in Actino actinomycetemcomitans. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms 259-263.	bacillus , 2000, 1493,	2.4	23

	C	itation Report	
#	Article	IF	CITATIONS
619	Translocation of group 1 capsular polysaccharide to the surface of Escherichia coli requires a multimeric complex in the outer membrane. EMBO Journal, 2000, 19, 57-66.	3.5	137
620	A Single Amino Acid Substitution in a Mannosyltransferase, WbdA, Converts the Escherichia coli O9 Polysaccharide into O9a: Generation of a New O-Serotype Group. Journal of Bacteriology, 2000, 182, 2567-2573.	1.0	42
621	Sialylation of Lipooligosaccharide Cores Affects Immunogenicity and Serum Resistance of Campylobacter jejuni. Infection and Immunity, 2000, 68, 6656-6662.	1.0	129
622	Lewis Antigen Expression and Stability inHelicobacter pyloriIsolated from Serial Gastric Biopsies. Journal of Infectious Diseases, 2000, 181, 1089-1095.	1.9	31
623	FlaA1, a New Bifunctional UDP-GlcNAc C6Dehydratase/ C4 Reductase from Helicobacter pylori. Journ of Biological Chemistry, 2000, 275, 34873-34880.	al 1.6	57
624	Role of Lipooligosaccharide in Opa-Independent Invasion of Neisseria gonorrhoeae into Human Epithelial Cells. Journal of Experimental Medicine, 2000, 191, 949-960.	4.2	75
626	A Rhamnolipid Biosurfactant Reduces Cadmium Toxicity during Naphthalene Biodegradation. Applied and Environmental Microbiology, 2000, 66, 4585-4588.	1.4	150
627	Evidence for Active Efflux as the Primary Mechanism of Resistance to Ciprofloxacin in Salmonella enterica Serovar Typhimurium. Antimicrobial Agents and Chemotherapy, 2000, 44, 1223-1228.	1.4	215
628	In vitro selected fluoroquinolone-resistant mutants of Citrobacter freundii: analysis of the quinolone resistance acquisition. Journal of Antimicrobial Chemotherapy, 2000, 45, 521-524.	1.3	18
629	Relation of Capsular Polysaccharide Production and Colonial Cell Organization to Colony Morphology in Vibrio parahaemolyticus. Journal of Bacteriology, 2000, 182, 5513-5520.	1.0	120
630	Isolation and Characterization of a Shigella flexneri Invasin Complex Subunit Vaccine. Infection and Immunity, 2000, 68, 6624-6632.	1.0	73
631	Two Distinct Antigenic Types of the Polysaccharide Chains of Helicobacter pylori Lipopolysaccharides Characterized by Reactivity with Sera from Humans with Natural Infection. Infection and Immunity, 2000, 68, 151-159.	1.0	35
632	Two Murine Monoclonal Antibodies against Serogroup E Salmonellae. Applied and Environmental Microbiology, 2000, 66, 419-421.	1.4	1
633	Functional Conservation of the Polysaccharide Biosynthetic Protein WbpM and Its Homologues in Pseudomonas aeruginosa and Other Medically Significant Bacteria. Infection and Immunity, 2000, 68 931-936.	5, 1.0	43
634	Relationship of Blood Group Determinants on Helicobacter pylori Lipopolysaccharide with Host Lewis Phenotype and Inflammatory Response. Infection and Immunity, 2000, 68, 937-941.	1.0	99
635	Serum Resistance in Haemophilus ducreyi Requires Outer Membrane Protein DsrA. Infection and Immunity, 2000, 68, 1608-1619.	1.0	81
636	Functional Analysis of Genes in the rfb Locus of Leptospira borgpetersenii Serovar Hardjo Subtype Hardjobovis. Infection and Immunity, 2000, 68, 3793-3798.	1.0	19
637	An Isogenic Hemoglobin Receptor–Deficient Mutant ofHaemophilus ducreyils Attenuated in the Hu Model of Experimental Infection. Journal of Infectious Diseases, 2000, 181, 1049-1054.	ıman 1.9	82
#	Article	IF	CITATIONS
-----	---	-----	-----------
638	The type and yield of lipopolysaccharide from symbiotically deficient Rhizobium lipopolysaccharide mutants vary depending on the extraction method. Glycobiology, 2000, 10, 1013-1023.	1.3	33
639	Isolation and Characterization of Mini-Tn 5 Km2 Insertion Mutants of Enterohemorrhagic Escherichia coli O157:H7 Deficient in Adherence to Caco-2 Cells. Infection and Immunity, 2000, 68, 5943-5952.	1.0	72
640	Expression of Peptidoglycan-Associated Lipoprotein Is Required for Virulence in the Human Model of Haemophilus ducreyi Infection. Infection and Immunity, 2000, 68, 6441-6448.	1.0	80
641	Multiple Roles for Bordetella Lipopolysaccharide Molecules during Respiratory Tract Infection. Infection and Immunity, 2000, 68, 6720-6728.	1.0	113
642	Induction of Proinflammatory Cytokines from Human Respiratory Epithelial Cells after Stimulation by Nontypeable Haemophilus influenzae. Infection and Immunity, 2000, 68, 4430-4440.	1.0	53
643	Salmonella enterica Serovar Typhimurium waaP Mutants Show Increased Susceptibility to Polymyxin and Loss of Virulence In Vivo. Infection and Immunity, 2000, 68, 4485-4491.	1.0	88
644	NEISSERIA MENINGITIDIS INDUCES THE EXPRESSION OF THE TNF-Î \pm GENE IN ENDOTHELIAL CELLS. Cytokine, 2000, 12, 21-25.	1.4	22
645	Altered cell surface hydrophobicity of lipopolysaccharide-deficient mutant of Bradyrhizobium japonicum. Journal of Microbiological Methods, 2000, 41, 219-226.	0.7	20
646	Resolution of high-molecular-weight components in lipopolysaccharides of Escherichia coli, Morganella morganii, Citrobacter freundii and Citrobacter diversus strains with sodium dodecyl sulfate polyacrylamide gels. Journal of Microbiological Methods, 2000, 39, 145-148.	0.7	2
647	Evidence of an Efflux Pump inSerratia marcescens. Microbial Drug Resistance, 2000, 6, 111-117.	0.9	20
648	Rhamnolipid-Induced Removal of Lipopolysaccharide from Pseudomonas aeruginosa : Effect on Cell Surface Properties and Interaction with Hydrophobic Substrates. Applied and Environmental Microbiology, 2000, 66, 3262-3268.	1.4	377
649	Role of the outer membrane in the accumulation of quinolones by <i>Serratia marcescens</i> . Canadian Journal of Microbiology, 2000, 46, 716-722.	0.8	33
650	Invasive <i>Shigella flexneri</i> Activates NF-κB Through a Lipopolysaccharide-Dependent Innate Intracellular Response and Leads to IL-8 Expression in Epithelial Cells. Journal of Immunology, 2000, 165, 903-914.	0.4	234
651	Decreased permeability and enhanced proton-dependent active efflux in the development of resistance to quinolones in Morganella morganii. International Journal of Antimicrobial Agents, 2000, 14, 157-160.	1.1	10
652	Outer membrane changes in Pseudomonas stutzeri resistant to chlorhexidine diacetate and cetylpyridinium chloride. International Journal of Antimicrobial Agents, 2000, 16, 233-238.	1.1	72
653	Quorum-Sensing Genes in Pseudomonas aeruginosa Biofilms: Their Role and Expression Patterns. Applied and Environmental Microbiology, 2001, 67, 1865-1873.	1.4	477
655	Isolation and characterization of bacteriophage-resistant mutants of Vibrio cholerae O139. Microbial Pathogenesis, 2001, 30, 237-246.	1.3	27
656	Analysis of the O-antigen chain length distribution during extracellular and intracellular growth of Shigella flexneri. Microbial Pathogenesis, 2001, 31, 21-27.	1.3	3

#	Article	IF	CITATIONS
657	Structural Effects of theAzospirillumLipopolysaccharides in Cell Suspensions. Biomacromolecules, 2001, 2, 402-406.	2.6	3
658	Avian air sac and plasma proteins that bind surface polysaccharides of Escherichia coli O2. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2001, 130, 299-312.	0.7	21
659	Molecular Heterogeneity of Heatâ€Stable Toxinâ€Producing and Nonâ€Producing <i>Escherichia coli</i> O25 Strains Isolated in Japan. Microbiology and Immunology, 2001, 45, 433-438.	0.7	1
660	Knockout of an Azorhizobial dTDP-L-Rhamnose Synthase Affects Lipopolysaccharide and Extracellular Polysaccharide Production and Disables Symbiosis with Sesbania rostrata. Molecular Plant-Microbe Interactions, 2001, 14, 857-866.	1.4	54
661	A WbpL mutant of Pseudomonas putida DOT-T1E strain, which lacks the O-antigenic side chain of lipopolysaccharides, is tolerant to organic solvent shocks. Extremophiles, 2001, 5, 93-99.	0.9	11
662	Effects of salinity on protein and lipopolysaccharide pattern in a salt-tolerant strain of Mesorhizobium ciceri. Journal of Applied Microbiology, 2001, 90, 476-481.	1.4	56
663	Molecular characterization of Portuguese strains of Yersinia ruckeri isolated from fish culture systems. Journal of Fish Diseases, 2001, 24, 151-159.	0.9	14
664	Cloning and functional characterization of the Pseudomonas aeruginosa rhlC gene that encodes rhamnosyltransferase 2, an enzyme responsible for di-rhamnolipid biosynthesis. Molecular Microbiology, 2001, 40, 708-718.	1.2	237
665	A phase-variable capsule is involved in virulence of Campylobacter jejuni 81-176. Molecular Microbiology, 2001, 40, 769-777.	1.2	270
666	Topological and functional characterization of WbpM, an inner membrane UDP-GlcNAc C6 dehydratase essential for lipopolysaccharide biosynthesis in Pseudomonas aeruginosa. Molecular Microbiology, 2001, 41, 1295-1310.	1.2	58
667	Effect of 2,4-dichlorophenoxyacetic acid herbicide onEscherichia coli growth, chemical composition, and cellular envelope. Environmental Toxicology, 2001, 16, 43-53.	2.1	24
668	Effects of plasmid curing on antibiotic susceptibility, phage type, lipopoly saccharide and outer membrane protein profiles in local Salmonella isolates. Food Microbiology, 2001, 18, 631-635.	2.1	6
669	Molecular cloning and functional expression of the rfaE gene required for lipopolysaccharide biosynthesis in Salmonella typhimurium. Glycoconjugate Journal, 2001, 18, 779-787.	1.4	11
671	TherfaHgene, which affects lipopolysaccharide synthesis inSalmonella entericaserovar Typhi, is differentially expressed during the bacterial growth phase. FEMS Microbiology Letters, 2001, 204, 123-128.	0.7	21
672	Characterization of South African isolates of Salmonella enteritidis by phage typing, numerical analysis of RAPD-PCR banding patterns and plasmid profiles. International Journal of Food Microbiology, 2001, 64, 237-245.	2.1	22
673	Alcaligenes faecalis subsp. parafaecalis subsp. nov., a Bacterium Accumulating Poly-β-hydroxybutyrate from Acetone-butanol Bioprocess Residues. Systematic and Applied Microbiology, 2001, 24, 37-43.	1.2	32
674	Salmonella enterica Serovar Typhimurium DT104 Displays a Rugose Phenotype. Applied and Environmental Microbiology, 2001, 67, 4048-4056.	1.4	85
675	Genetic Characterization of the Klebsiella pneumoniae waa Gene Cluster, Involved in Core Lipopolysaccharide Biosynthesis. Journal of Bacteriology, 2001, 183, 3564-3573.	1.0	59

#	Article	IF	CITATIONS
676	Structural and Immunochemical Characterization of the Lipooligosaccharides Expressed by Neisseria subflava 44. Journal of Bacteriology, 2001, 183, 942-950.	1.0	14
677	Detection and Initial Characterization of Novel Capsular Polysaccharide among Diverse Campylobacter jejuni Strains Using Alcian Blue Dye. Journal of Clinical Microbiology, 2001, 39, 279-284.	1.8	81
678	Is Aeromonas hydrophila the dominant motile Aeromonas species that causes disease outbreaks in aquaculture production in the Zhejiang Province of China?. Diseases of Aquatic Organisms, 2001, 46, 23-29.	0.5	207
679	Phosphorylation of Wzc, a Tyrosine Autokinase, Is Essential for Assembly of Group 1 Capsular Polysaccharides in Escherichia coli. Journal of Biological Chemistry, 2001, 276, 2361-2371.	1.6	173
680	Functional Analysis of the Galactosyltransferases Required for Biosynthesis of d -Galactan I, a Component of the Lipopolysaccharide O1 Antigen of Klebsiella pneumoniae. Journal of Bacteriology, 2001, 183, 3318-3327.	1.0	53
681	Identification, Characterization, and Variation in Expression of Two Serologically Distinct O-Antigen Epitopes in Lipopolysaccharides of Campylobacter fetus Serotype A Strains. Infection and Immunity, 2001, 69, 7596-7602.	1.0	9
682	A genomic island in Pseudomonas aeruginosa carries the determinants of flagellin glycosylation. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 9342-9347.	3.3	134
683	Essential Role for Estrogen in Protection against Vibrio vulnificus -Induced Endotoxic Shock. Infection and Immunity, 2001, 69, 6119-6122.	1.0	91
684	Invasion of Human Fallopian Tube Epithelium byEscherichia coliExpressing Combinations of a Gonococcal Porin, Opacityâ€Associated Protein, and Chimeric Lipoâ€oligosaccharide. Journal of Infectious Diseases, 2001, 184, 460-472.	1.9	20
685	Development of an Immunoassay for Rapid Detection of Ganglioside GM 1 Mimicry in Campylobacter jejuni Strains. Journal of Clinical Microbiology, 2001, 39, 1494-1500.	1.8	19
686	Analysis of Lipooligosaccharide Biosynthesis in the Neisseriaceae. Journal of Bacteriology, 2001, 183, 934-941.	1.0	20
687	Identification of Proteus mirabilis Mutants with Increased Sensitivity to Antimicrobial Peptides. Antimicrobial Agents and Chemotherapy, 2001, 45, 2030-2037.	1.4	111
688	Identification of Residues Involved in Catalytic Activity of the Inverting Glycosyl Transferase WbbE from Salmonella enterica Serovar Borreze. Journal of Bacteriology, 2001, 183, 77-85.	1.0	32
689	Structural Characterization of the Pseudomonas aeruginosa 1244 Pilin Glycan. Journal of Biological Chemistry, 2001, 276, 26479-26485.	1.6	179
690	Microarray analysis identifies Salmonella genes belonging to the low-shear modeled microgravity regulon. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 13807-13812.	3.3	144
691	Lewis Antigen Expression and Other Pathogenic Factors in the Presence of Atrophic Chronic Gastritis in a European Population. Journal of Infectious Diseases, 2002, 185, 503-512.	1.9	16
692	Phase Variation of Campylobacter jejuni 81-176 Lipooligosaccharide Affects Ganglioside Mimicry and Invasiveness In Vitro. Infection and Immunity, 2002, 70, 787-793.	1.0	195
693	Comparative and Genetic Analyses of the Putative Vibrio cholerae Lipopolysaccharide Core Oligosaccharide Biosynthesis (wav) Gene Cluster. Infection and Immunity, 2002, 70, 2419-2433.	1.0	51

#	Article	IF	CITATIONS
694	Characterization of the Lipopolysaccharides and Capsules of Shewanella spp. Applied and Environmental Microbiology, 2002, 68, 4653-4657.	1.4	62
695	Simultaneous Transport of Two Bacterial Strains in Intact Cores from Oyster, Virginia: Biological Effects and Numerical Modeling. Applied and Environmental Microbiology, 2002, 68, 2120-2132.	1.4	38
696	Phase Variation Analysis of Coxiella burnetii during Serial Passage in Cell Culture by Use of Monoclonal Antibodies. Infection and Immunity, 2002, 70, 4747-4749.	1.0	31
697	Structures of Lipopolysaccharides from Klebsiella pneumoniae. Journal of Biological Chemistry, 2002, 277, 25070-25081.	1.6	146
698	Role of Vibrio cholerae O139 Surface Polysaccharides in Intestinal Colonization. Infection and Immunity, 2002, 70, 5990-5996.	1.0	55
699	Construction and Characterization of an Acapsular Mutant of Mannheimia haemolytica A1. Infection and Immunity, 2002, 70, 2622-2629.	1.0	16
700	Core Oligosaccharides of Plesiomonas shigelloidesO54:H2 (Strain CNCTC 113/92). Journal of Biological Chemistry, 2002, 277, 11653-11663.	1.6	45
701	Molecular Analysis of the Contribution of the Capsular Polysaccharide and the Lipopolysaccharide O Side Chain to the Virulence of Klebsiella pneumoniae in a Murine Model of Pneumonia. Infection and Immunity, 2002, 70, 2583-2590.	1.0	263
703	Role of Lung Epithelial Cells in Defense against Klebsiella pneumoniae Pneumonia. Infection and Immunity, 2002, 70, 1075-1080.	1.0	62
704	Haemophilus influenzae Type b Strain A2 Has Multiple Sialyltransferases Involved in Lipooligosaccharide Sialylation. Journal of Biological Chemistry, 2002, 277, 14598-14611.	1.6	95
705	O-antigen expression in Salmonella enterica serovar Typhi is regulated by nitrogen availability through RpoN-mediated transcriptional control of the rfaH gene. Microbiology (United Kingdom), 2002, 148, 3789-3799.	0.7	31
706	<i>Salmonella enterica</i> Serovar Typhimurium Resistance to Bile: Identification and Characterization of the <i>tolQRA</i> Cluster. Journal of Bacteriology, 2002, 184, 1270-1276.	1.0	88
707	Neisseria gonorrhoeaestrain PID2 simultaneously expresses six chemically related lipooligosaccharide structures. Glycobiology, 2002, 12, 523-533.	1.3	20
708	Functional Characterization of Gne (UDP- N -Acetylglucosamine- 4-Epimerase), Wzz (Chain Length) Tj ETQq1 1 C Bacteriology, 2002, 184, 4277-4287.).784314 ı 1.0	rgBT /Overloc 96
709	Functional Expression of Enterobacterial O-Polysaccharide Biosynthesis Enzymes in Bacillus subtilis. Applied and Environmental Microbiology, 2002, 68, 4722-4730.	1.4	25
710	Phenotypic Variation in Molecular Mimicry betweenHelicobacter pylori Lipopolysaccharides and Human Gastric Epithelial Cell Surface Glycoforms. Journal of Biological Chemistry, 2002, 277, 5785-5795.	1.6	82
711	KpsF Is the Arabinose-5-phosphate Isomerase Required for 3-Deoxy-d-manno-octulosonic Acid Biosynthesis and for Both Lipooligosaccharide Assembly and Capsular Polysaccharide Expression in Neisseria meningitidis. Journal of Biological Chemistry, 2002, 277, 24103-24113.	1.6	56
712	Expression and Characterization of Streptococcal rgp Genes Required for Rhamnan Synthesis in Escherichia coli. Infection and Immunity, 2002, 70, 2891-2898.	1.0	61

#	Article	IF	CITATIONS
713	Molecular Cloning and Characterization of Genes for Shigella sonnei Form I O Polysaccharide: Proposed Biosynthetic Pathway and Stable Expression in a Live Salmonella Vaccine Vector. Infection and Immunity, 2002, 70, 4414-4423.	1.0	46
714	Development of a Rapid Immunodiagnostic Test for Haemophilus ducreyi. Journal of Clinical Microbiology, 2002, 40, 3694-3702.	1.8	28
715	Identification of the Pseudomonas aeruginosa 1244 Pilin Glycosylation Site. Infection and Immunity, 2002, 70, 2837-2845.	1.0	56
716	Loss of Regulatory Protein RfaH Attenuates Virulence of Uropathogenic Escherichia coli. Infection and Immunity, 2002, 70, 4406-4413.	1.0	87
717	Implications of Phase Variation of a Gene (pgtA) Encoding a Pilin Galactosyl Transferase in Gonococcal Pathogenesis. Journal of Experimental Medicine, 2002, 196, 147-162.	4.2	60
718	Extracellular Antigens from Salmonella enteritidis Induce Effective Immune Response in Mice after Oral Vaccination. Infection and Immunity, 2002, 70, 1434-1442.	1.0	50
719	Impact of Phosphorylation of Specific Residues in the Tyrosine Autokinase, Wzc, on Its Activity in Assembly of Group 1 Capsules in Escherichia coli. Journal of Bacteriology, 2002, 184, 6437-6447.	1.0	100
720	Low-Temperature-Induced Changes in Composition and Fluidity of Lipopolysaccharides in the Antarctic Psychrotrophic Bacterium Pseudomonas syringae. Journal of Bacteriology, 2002, 184, 6746-6749.	1.0	85
721	Analysis of Mesorhizobium loti Glycogen Operon: Effect of Phosphoglucomutase (pgm) and Glycogen Synthase (glgA) Null Mutants on Nodulation of Lotus tenuis. Molecular Plant-Microbe Interactions, 2002, 15, 368-375.	1.4	18
722	The Development of a Bioluminescence Assay to Compare the Efficacy of Biocides Incorporated into Plasticised PVC. Biofouling, 2002, 18, 21-27.	0.8	7
723	Immune Responses to Recombinant Pneumococcal PspA Antigen Delivered by Live Attenuated Salmonella enterica Serovar Typhimurium Vaccine. Infection and Immunity, 2002, 70, 1739-1749.	1.0	252
724	Endotoxin of Neisseria meningitidis Composed Only of Intact Lipid A: Inactivation of the Meningococcal 3-Deoxy-d-Manno-Octulosonic Acid Transferase. Journal of Bacteriology, 2002, 184, 2379-2388.	1.0	76
725	Characterisation of local isolates of Enterobacteriaceae from Turkey. Microbiological Research, 2002, 157, 233-238.	2.5	5
726	Analysis of non-porcine isolates of Actinobacillus suis. Veterinary Microbiology, 2002, 85, 83-93.	0.8	10
727	Genetic and biochemical evidence of a Campylobacter jejuni capsular polysaccharide that accounts for Penner serotype specificity. Molecular Microbiology, 2002, 35, 529-541.	1.2	228
728	The 5′-proximal hairpin loop of lbi RNA is a key structural element in repression of d-galactan II biosynthesis in Klebsiella pneumoniae serotype O1. Molecular Microbiology, 2002, 36, 697-709.	1.2	5
729	A role for lipopolysaccharide in turkey tracheal colonization by Bordetella avium as demonstratedin vivo and in vitro. Molecular Microbiology, 2002, 36, 1425-1435.	1.2	19
730	Phase variation of a β-1,3 galactosyltransferase involved in generation of the ganglioside GM1-like lipo-oligosaccharide of Campylobacter jejuni. Molecular Microbiology, 2002, 37, 501-514.	1.2	206

ARTICLE IF CITATIONS Regulatory network of lipopolysaccharide O-antigen biosynthesis in Yersinia enterocolitica includes 731 1.2 57 cell envelope-dependent signals. Molecular Microbiology, 2002, 44, 1045-1062. Glycosylation of Pseudomonas aeruginosa 1244 pilin: glycan substrate specificity. Molecular 1.2 Microbiology, 2002, 46, 519-530. Molecular diversity of the genetic loci responsible for lipopolysaccharide core oligosaccharide 733 1.2 20 assembly within the genus Salmonella. Molecular Microbiology, 2002, 46, 1305-1318. Pseudomonas aeruginosa O-antigen chain length is determined before ligation to lipid A core. 734 1.8 Environmental Microbiology, 2002, 4, 883-897. The structures of the lipooligosaccharide and capsule polysaccharide of Campylobacter jejuni genome 735 0.2 150 sequenced strain NCTC 11168. FEBS Journal, 2002, 269, 5119-5136. ThewavBgene of Vibrio choleraeand thewaaEof Klebsiella pneumoniaecodify for a β-1,4-glucosyltransferase involved in the transfer of a glucose residue to the l-glycero-d-manno-heptose I in the lipopolysaccharide inner core. FEMS Microbiology Letters, 2002, 216.211-216. Immunologic and genetic characterization of lipooligosaccharide variants in aNeisseria 737 2.7 3 meningitidisserogroup C strain. FEMS Immunology and Medical Microbiology, 2002, 34, 193-200. Characterization of Salmonella Enteritidis isolates of chicken, egg and human origin from Turkey. 2.1 Food Microbiology, 2002, 19, 375-382. 739 Title is missing!. Russian Journal of Genetics, 2002, 38, 124-131. 0.2 15 740 Title is missing!. Applied Biochemistry and Microbiology, 2002, 38, 252-254. The Pepsinogen Releasing Effect of Helicobacter pylori Lipopolysaccharide. Helicobacter, 2002, 7, 30-38. 741 1.6 15 Pseudomonas aeruginosa galUis required for a complete lipopolysaccharide core and repairs a secondary mutation in a PA103 (serogroup O11)wbpMmutant. FEMS Microbiology Letters, 2002, 210, 742 277-283 Expression and characterization of Asp fl, an immunodominant allergen/antigen of A. fumigatus in 743 1.4 5 insect cell. Molecular and Cellular Biochemistry, 2003, 252, 157-163. Interaction of porin from Yersinia pseudotuberculosis with different structural forms of 744 endogenous lipopolysaccharide. Biochemistry (Moscow), 2003, 68, 976-983. Atypical Râ€"S Dissociation in Azospirillum brasilense. Microbiology, 2003, 72, 48-51. 745 0.5 7 In vitro identification of two adherence factors required for in vivo virulence of Pseudomonas 746 fluorescens. Microbes and Infection, 2003, 5, 1177-1187. Colicinogeny in local isolates of salmonellae and plasmid transfer studies. Folia Microbiologica, 747 1.1 2 2003, 48, 257-260. The complete genomic sequence of lytic bacteriophage gh-1 infecting Pseudomonas putida—evidence 748 1.1 for close relationship to the T7 group. Virology, 2003, 311, 305-315.

#	Article	IF	CITATIONS
749	Extraction methods for lipopolysaccharides from Escherichia coli ATCC 25922 for quantitative analysis by capillary electrophoresis. International Journal of Food Microbiology, 2003, 84, 245-250.	2.1	14
750	Structural studies on the lipopolysaccharide core of Proteus OX strains used in Weil–Felix test: a mass spectrometric approach. Carbohydrate Research, 2003, 338, 2697-2709.	1.1	9
751	Conversion ofShigella flexneriserotype 2a to serotype Y in a shigellosis patient due to a single amino acid substitution in the protein product of the bacterial glucosyltransferasegtrIIgene. FEMS Microbiology Letters, 2003, 224, 277-283.	0.7	10
752	Insertional inactivation of thelpxAgene involved in the biosynthesis of lipid A inNeisseria meningitidisresulted inlpxA/lpxA::aph-3′ heterodiploids. FEMS Microbiology Letters, 2003, 226, 51-56.	0.7	6
753	Reduced amounts of LPS affect both stress tolerance and virulence ofSalmonella entericaserovar Dublin. FEMS Microbiology Letters, 2003, 228, 225-231.	0.7	36
754	The identity of the O-specific polysaccharide structure ofCitrobacterstrains from serogroups O2, O20 and O25 and immunochemical characterisation ofC. youngaePCM 1507 (O2a,1b) and related strains. FEMS Immunology and Medical Microbiology, 2003, 36, 71-76.	2.7	6
755	Structural and serological studies on a new 4-deoxy-d-arabino-hexose-containing O-specific polysaccharide from the lipopolysaccharide of Citrobacter braakii PCM 1531 (serogroup O6). FEBS Journal, 2003, 270, 2732-2738.	0.2	18
756	Putative virulence factors of atypical Aeromonas salmonicida isolated from Arctic charr, Salvelinus alpinus (L.), and European grayling, Thymallus thymallus (L.). Journal of Fish Diseases, 2003, 26, 349-359.	0.9	8
757	Impact of large chromosomal inversions on the adaptation and evolution of Pseudomonas aeruginosa chronically colonizing cystic fibrosis lungs. Molecular Microbiology, 2003, 47, 145-158.	1.2	100
758	Transcriptional organization and regulation of the Escherichia coli K30 group 1 capsule biosynthesis (cps) gene cluster. Molecular Microbiology, 2003, 47, 1045-1060.	1.2	82
759	Regulation of Salmonella typhimurium lipopolysaccharide O antigen chain length is required for virulence; identification of FepE as a second Wzz. Molecular Microbiology, 2003, 47, 1395-1406.	1.2	194
760	Light-induced carotenogenesis in Myxococcus xanthus: functional characterization of the ECF sigma factor CarR. Molecular Microbiology, 2003, 48, 237-251.	1.2	70
761	The Haemophilus influenzae HMW1 adhesin is glycosylated in a process that requires HMW1C and phosphoglucomutase, an enzyme involved in lipooligosaccharide biosynthesis. Molecular Microbiology, 2003, 48, 737-751.	1.2	152
762	Structural, genetic and functional characterization of the flagellin glycosylation process in Helicobacter pylori. Molecular Microbiology, 2003, 48, 1579-1592.	1.2	252
763	Characterization of an outer membrane protein associated with haemagglutination and adhesive properties of enteroaggregative Escherichia coli O111:H12. Cellular Microbiology, 2003, 5, 533-547.	1.1	36
764	Crystallization and initial X-ray diffraction of BtuB, the integral membrane cobalamin transporter ofEscherichia coli. Acta Crystallographica Section D: Biological Crystallography, 2003, 59, 509-511.	2.5	20
765	ThewbiAlocus is required for the 2-O-acetylation of lipopolysaccharides expressed byBurkholderia pseudomalleiandBurkholderia thailandensis. FEMS Microbiology Letters, 2003, 218, 323-328.	0.7	34
766	Application of a novel multi-screening signature-tagged mutagenesis assay for identification of Klebsiella pneumoniae genes essential in colonization and infection. Microbiology (United Kingdom), 2003. 149. 167-176.	0.7	80

#	Article	IF	CITATIONS
767	Putative virulence factors are released in association with membrane vesicles fromBurkholderia cepacia. Canadian Journal of Microbiology, 2003, 49, 613-624.	0.8	47
768	The Role ofSerratia marcescensPorins in Antibiotic Resistance. Microbial Drug Resistance, 2003, 9, 257-264.	0.9	31
769	Translocation of Group 1 Capsular Polysaccharide in Escherichia coli Serotype K30. Journal of Biological Chemistry, 2003, 278, 49763-49772.	1.6	80
770	A Novel Outer Membrane Protein, Wzi, Is Involved in Surface Assembly of the Escherichia coli K30 Group 1 Capsule. Journal of Bacteriology, 2003, 185, 5882-5890.	1.0	79
771	degS Is Necessary for Virulence and Is among Extraintestinal Escherichia coli Genes Induced in Murine Peritonitis. Infection and Immunity, 2003, 71, 3088-3096.	1.0	55
772	Increased Adherence to Caco-2 Cells Caused by Disruption of the yhiE and yhiF Genes in Enterohemorrhagic Escherichia coli O157:H7. Infection and Immunity, 2003, 71, 2598-2606.	1.0	57
773	Characterization of several Psychrobacter strains isolated from Antarctic environments and description of Psychrobacter luti sp. nov. and Psychrobacter fozii sp. nov International Journal of Systematic and Evolutionary Microbiology, 2003, 53, 1093-1100.	0.8	121
774	Modification of Outer Membrane Protein Profile and Evidence Suggesting an Active Drug Pump in Enterobacter aerogenes Clinical Strains. Antimicrobial Agents and Chemotherapy, 2003, 47, 1555-1559.	1.4	59
775	Activation of Human Dendritic Cells Is Modulated by Components of the Outer Membranes of Neisseria meningitidis. Infection and Immunity, 2003, 71, 5590-5597.	1.0	29
776	Two-Component Systems in Haemophilus influenzae : a Regulatory Role for ArcA in Serum Resistance. Infection and Immunity, 2003, 71, 163-172.	1.0	56
777	Overexpression of the waaZ Gene Leads to Modification of the Structure of the Inner Core Region of Escherichia coli Lipopolysaccharide, Truncation of the Outer Core, and Reduction of the Amount of O Polysaccharide on the Cell Surface. Journal of Bacteriology, 2003, 185, 1659-1671.	1.0	41
778	Alterations in the formation of lipopolysaccharide and membrane vesicles on the surface of Pseudomonas aeruginosa PAO1 under oxygen stress conditions. Microbiology (United Kingdom), 2003, 149, 2789-2795.	0.7	120
779	Large-Scale Analysis of the Meningococcus Genome by Gene Disruption: Resistance to Complement-Mediated Lysis. Genome Research, 2003, 13, 391-398.	2.4	90
780	The Klebsiella pneumoniae wabG Gene: Role inBiosynthesis of the Core Lipopolysaccharide andVirulence. Journal of Bacteriology, 2003, 185, 7213-7221.	1.0	78
781	A Mannosyl Transferase Required for Lipopolysaccharide Inner Core Assembly in Rhizobium leguminosarum. Journal of Biological Chemistry, 2003, 278, 16356-16364.	1.6	14
782	Thin Pilus PilV Adhesins of Plasmid R64 Recognize Specific Structures of the Lipopolysaccharide Molecules of Recipient Cells. Journal of Bacteriology, 2003, 185, 5192-5199.	1.0	33
783	Genetic Basis for NongroupableNeisseria meningitidis. Journal of Infectious Diseases, 2003, 187, 1616-1628.	1.9	97
784	Phase variation in Bartonella henselae. Microbiology (United Kingdom), 2003, 149, 621-629.	0.7	40

#	Article	IF	CITATIONS
785	Colonial Morphology of Burkholderia cepacia Complex Genomovar III: Implications in Exopolysaccharide Production, Pilus Expression, and Persistence in the Mouse. Infection and Immunity, 2003, 71, 904-909.	1.0	59
786	<i>Candida albicans</i> cell wall antigens for serological diagnosis of candidemia. Medical Mycology, 2003, 41, 21-30.	0.3	17
787	Three Highly Conserved Proteins Catalyze the Conversion of UDP-N-acetyl-d-glucosamine to Precursors for the Biosynthesis of O Antigen in Pseudomonas aeruginosaO11 and Capsule in Staphylococcus aureus Type 5. Journal of Biological Chemistry, 2003, 278, 3615-3627.	1.6	96
788	Salmonella enterica Serovar Typhimurium Expressing Mutant Lipid A with Decreased Endotoxicity Causes Maturation of Murine Dendritic Cells. Infection and Immunity, 2003, 71, 6132-6140.	1.0	16
789	Actinobacillus actinomycetemcomitans Serotype d-Specific Antigen Contains the O Antigen of Lipopolysaccharide. Infection and Immunity, 2003, 71, 5005-5011.	1.0	16
790	Environmental isolates of Citrobacter braakii that agglutinate with Escherichia coli O157 antiserum but do not possess the genes responsible for the biosynthesis of O157 somatic antigen. Epidemiology and Infection, 2003, 130, 179-186.	1.0	5
791	Sinorhizobium meliloti acpXL Mutant Lacks the C28 Hydroxylated Fatty Acid Moiety of Lipid A and Does Not Express a Slow Migrating Form of Lipopolysaccharide. Journal of Biological Chemistry, 2003, 278, 12946-12954.	1.6	56
792	Sialylation of Lipooligosaccharides Promotes Biofilm Formation by Nontypeable Haemophilus influenzae. Infection and Immunity, 2004, 72, 106-113.	1.0	134
793	Nontypeable Haemophilus influenzae Strain 2019 Produces a Biofilm Containing N -Acetylneuraminic Acid That May Mimic Sialylated O-Linked Glycans. Infection and Immunity, 2004, 72, 4249-4260.	1.0	112
794	Genetic and Structural Characterization of the Core Region of the Lipopolysaccharide from Serratia marcescens N28b (Serovar O4). Journal of Bacteriology, 2004, 186, 978-988.	1.0	24
795	The role of the Shigella flexneri yihE gene in LPS synthesis and virulence. Microbiology (United) Tj ETQq0 0 0 rgB	Г /Qverloc	R 10 Tf 50 34
796	The Helicobacter pylori flaA1 and wbpB Genes Control Lipopolysaccharide and Flagellum Synthesis and Function. Journal of Bacteriology, 2004, 186, 2253-2265.	1.0	30
797	Erwinia chrysanthemi O Antigen Is Required for Betaine Osmoprotection in High-Salt Media. Journal of Bacteriology, 2004, 186, 5547-5550.	1.0	12
798	A Novel Lectin, DltA, Is Required for Expression of a Full Serum Resistance Phenotype in Haemophilus ducreyi. Infection and Immunity, 2004, 72, 3418-3428.	1.0	25
799	Pathogenic Aeromonas hydrophila Serogroup O:14 and O:81 Strains with an S Layer. Applied and Environmental Microbiology, 2004, 70, 5898-5904.	1.4	24
800	Selection of an Antibiotic-Hypersusceptible Mutant of Pseudomonas aeruginosa : Identification of the ClmR Transcriptional Regulator. Antimicrobial Agents and Chemotherapy, 2004, 48, 843-851.	1.4	25
801	A Gene, uge , Is Essential for Klebsiella pneumoniae Virulence. Infection and Immunity, 2004, 72, 54-61.	1.0	82
802	The lgtABCDE Gene Cluster, Involved in Lipooligosaccharide Biosynthesis in Neisseria gonorrhoeae , Contains Multiple Promoter Sequences. Journal of Bacteriology, 2004, 186, 1038-1049.	1.0	12

#	Article	IF	CITATIONS
803	Restricted Mobility of Cell Surface Proteins in the Polar Regions of Escherichia coli. Journal of Bacteriology, 2004, 186, 2594-2602.	1.0	54
804	Biosynthesis of a Novel 3-Deoxy-D-manno-oct-2-ulosonic Acid-containing Outer Core Oligosaccharide in the Lipopolysaccharide of Klebsiella pneumoniae. Journal of Biological Chemistry, 2004, 279, 27928-27940.	1.6	28
805	Chromosomal and Plasmid-encoded Enzymes Are Required for Assembly of the R3-type Core Oligosaccharide in the Lipopolysaccharide of Escherichia coli O157:H7. Journal of Biological Chemistry, 2004, 279, 31237-31250.	1.6	40
807	Oral Immunization with an rfaH Mutant Elicits Protection against Salmonellosis in Mice. Infection and Immunity, 2004, 72, 4297-4301.	1.0	31
808	Investigation of the Structural Requirements in the Lipopolysaccharide Core Acceptor for Ligation of O Antigens in the Genus Salmonella. Journal of Biological Chemistry, 2004, 279, 36470-36480.	1.6	34
809	Inactivation of the Mycobacterial Rhamnosyltransferase, Which Is Needed for the Formation of the Arabinogalactan-Peptidoglycan Linker, Leads to Irreversible Loss of Viability. Journal of Biological Chemistry, 2004, 279, 43540-43546.	1.6	78
810	Prevalence of the stx2 Gene in Coliform Populations from Aquatic Environments. Applied and Environmental Microbiology, 2004, 70, 3535-3540.	1.4	43
811	Nonreducing Terminal Modifications Determine the Chain Length of Polymannose O Antigens of Escherichia coli and Couple Chain Termination to Polymer Export via an ATP-binding Cassette Transporter. Journal of Biological Chemistry, 2004, 279, 35709-35718.	1.6	100
812	The Klebsiella pneumoniae O Antigen Contributes to Bacteremia and Lethality during Murine Pneumonia. Infection and Immunity, 2004, 72, 1423-1430.	1.0	77
813	AlgX Is a Periplasmic Protein Required for Alginate Biosynthesis in Pseudomonas aeruginosa. Journal of Bacteriology, 2004, 186, 7369-7377.	1.0	67
814	Characteristic biological activities of lipopolysaccharides from <i>Sinorhizobium</i> and <i>Mesorhizobium</i> . Journal of Endotoxin Research, 2004, 10, 25-31.	2.5	8
815	Activation of human dendritic cells by the PorA protein of Neisseria meningitidis. Cellular Microbiology, 2004, 6, 651-662.	1.1	33
816	Antiprotease inactivation by Salmonella enterica released from infected macrophages. Cellular Microbiology, 2004, 7, 529-538.	1.1	48
817	Three-component-mediated serotype conversion in Pseudomonas aeruginosa by bacteriophage D3. Molecular Microbiology, 2004, 39, 1237-1247.	1.2	86
818	Lipopolysaccharide O antigen status of Yersinia enterocolitica O:8 is essential for virulence and absence of O antigen affects the expression of other Yersinia virulence factors. Molecular Microbiology, 2004, 52, 451-469.	1.2	120
819	The Campylobacter jejuni dccRS two-component system is required for optimal in vivo colonization but is dispensable for in vitro growth. Molecular Microbiology, 2004, 54, 1269-1286.	1.2	64
820	Identification and Serological Specificity of a Polysaccharide Component from Mycoplasma bovis. Veterinary Research Communications, 2004, 28, 197-208.	0.6	2
821	Homology Between Two Different Salmonella Phages: Salmonella enterica serovar Typhimurium phage P22 and Salmonella enterica serovar Anatum var. 15 + Phageîµ34. Virus Genes, 2004, 29, 87-98.	0.7	16

#	Article	IF	CITATIONS
822	A Comparison of the Lipopolysaccharides and O-Specific Polysaccharides of Azospirillum brasilense Sp245 and Its Omegon-Km Mutants KM018 and KM252. Microbiology, 2004, 73, 143-149.	0.5	9
823	Molecular characterisation of rough strains ofVibrio choleraeisolated from diarrhoeal cases in India and their comparison to smooth strains. FEMS Microbiology Letters, 2004, 232, 23-30.	0.7	12
824	Matrix-assisted laser desorption/ionization-time of flight-mass spectrometry of lipopolysaccharide species separated by slab-polyacrylamide gel electrophoresis: High-resolution separation and molecular weight determination of lipooligosaccharides fromVibrio fischeri strain HMK. Electrophoresis, 2004, 25, 2156-2164.	1.3	18
825	Role ofHelicobacter pylori rfaJgenes (HP0159 and HP1416) in lipopolysaccharide synthesis. FEMS Microbiology Letters, 2004, 241, 57-65.	0.7	14
826	Structure of the O-polysaccharide of Citrobacter youngae O1 containing an α-d-ribofuranosyl group. Carbohydrate Research, 2004, 339, 321-325.	1.1	7
827	Putative Exopolysaccharide Synthesis Genes Influence Pseudomonas aeruginosa Biofilm Development. Journal of Bacteriology, 2004, 186, 4449-4456.	1.0	298
828	Identification of psl, a Locus Encoding a Potential Exopolysaccharide That Is Essential for Pseudomonas aeruginosa PAO1 Biofilm Formation. Journal of Bacteriology, 2004, 186, 4466-4475.	1.0	372
829	Antigen expression in biofilm cells of Aeromonas hydrophila employed in oral vaccination of fish. Fish and Shellfish Immunology, 2004, 16, 429-436.	1.6	28
830	RpoS and RpoN are involved in the growth-dependent regulation of rfaH transcription and O antigen expression in Salmonella enterica serovar typhi. Microbial Pathogenesis, 2004, 36, 19-24.	1.3	33
831	PilV Adhesins of Plasmid R64 Thin Pili Specifically Bind to the Lipopolysaccharides of Recipient Cells. Journal of Molecular Biology, 2004, 343, 615-625.	2.0	38
832	Protective immunity in rainbow trout Oncorhynchus mykiss following immunization with distinct molecular mass fractions isolated from Flavobacterium psychrophilum. Diseases of Aquatic Organisms, 2004, 59, 17-26.	0.5	72
833	Nodule Development Induced by Mesorhizobium loti Mutant Strains Affected in Polysaccharide Synthesis. Molecular Plant-Microbe Interactions, 2005, 18, 446-457.	1.4	44
834	In vivo expression of the 25-kDa laminin-binding protein ofHelicobacter pylori. FEMS Immunology and Medical Microbiology, 2005, 43, 331-337.	2.7	5
835	Characterization of Shiga toxin-producingEscherichia coliisolated from aquatic environments. FEMS Microbiology Letters, 2005, 246, 55-65.	0.7	63
836	Lewis Epitopes on Outer Membrane Vesicles of Relevance to Helicobacter pylori Pathogenesis. Helicobacter, 2005, 10, 146-156.	1.6	41
837	Activation of human meningeal cells is modulated by lipopolysaccharide (LPS) and non-LPS components of Neisseria meningitidis and is independent of Toll-like receptor (TLR)4 and TLR2 signalling. Cellular Microbiology, 2005, 7, 415-430.	1.1	44
838	Lipooligosaccharide-independent alteration of cellular homeostasis in Neisseria meningitidis-infected epithelial cells. Cellular Microbiology, 2005, 7, 869-885.	1.1	14
839	Evidence that WbpD is anN-acetyltransferase belonging to the hexapeptide acyltransferase superfamily and an important protein for O-antigen biosynthesis inPseudomonas aeruginosaPAO1. Molecular Microbiology, 2005, 57, 1288-1303.	1.2	28

# 840	ARTICLE Overexpression ofMycobacterium tuberculosis manB, a phosphomannomutase that increases phosphatidylinositol mannoside biosynthesis inMycobacterium smegmatisand mycobacterial	IF 1.2	CITATIONS
841	association with human macrophages. Molecular Microbiology, 2005, 58, 774-790. Combined use of an immunomagnetic separation method and immunoblotting for the enumeration and isolation of Escherichia coli O157 in wastewaters. Journal of Applied Microbiology, 2005, 98, 589-597.	1.4	29
842	Use of Fourier transform infrared spectra of crude bacterial lipopolysaccharides and chemometrics for differentiation of Salmonella enterica serotypes. Journal of Applied Microbiology, 2005, 99, 411-417.	1.4	59
843	Role of rhizobial exopolysaccharides in crack entry/intercellular infection of peanut. Soil Biology and Biochemistry, 2005, 37, 1436-1444.	4.2	11
844	Alginate acetylation influences initial surface colonization by mucoid Pseudomonas aeruginosa. Microbiological Research, 2005, 160, 165-176.	2.5	87
845	Development, characterization and diagnostic application of a monoclonal antibody specific for a proteinase K resistant Lawsonia intracellularis antigen. Veterinary Microbiology, 2005, 105, 199-206.	0.8	20
846	A novel Helicobacter pylori cell-surface polysaccharide. Carbohydrate Research, 2005, 340, 1605-1611.	1.1	24
847	Characterization of IS1501mutants ofLeptospira interrogansserovar pomona. FEMS Microbiology Letters, 2005, 248, 199-205.	0.7	6
848	Colostrum from healthy Brazilian women inhibits adhesion and contains IgA antibodies reactive with Shiga toxin-producing Escherichia coli. European Journal of Pediatrics, 2005, 164, 37-43.	1.3	23
849	Analysis of the protein profiles of the antibiotic-resistant Salmonella typhimurium definitive phage type (dt) 104. African Journal of Biotechnology, 2005, 4, 727-737.	0.3	7
850	Campylobactergene polymorphism as a determinant of clinical features of Guillain–Barré syndrome. Neurology, 2005, 65, 1376-1381.	1.5	104
851	Inactivation of the Pst System Reduces the Virulence of an Avian Pathogenic Escherichia coli O78 Strain. Infection and Immunity, 2005, 73, 4138-4145.	1.0	88
852	Novel Role of the Lipopolysaccharide O1 Side Chain in Ferric Siderophore Transport and Virulence of Vibrio anguillarum. Infection and Immunity, 2005, 73, 5864-5872.	1.0	26
853	Role of YadA, Ail, and Lipopolysaccharide in Serum Resistance of Yersinia enterocolitica Serotype O:3. Infection and Immunity, 2005, 73, 2232-2244.	1.0	91
854	Microcolony formation: a novel biofilm model of Pseudomonas aeruginosa for the cystic fibrosis lung. Journal of Medical Microbiology, 2005, 54, 667-676.	0.7	314
855	Helical Disposition of Proteins and Lipopolysaccharide in the Outer Membrane of Escherichia coli. Journal of Bacteriology, 2005, 187, 1913-1922.	1.0	70
856	The Incorporation of Glucosamine into Enterobacterial Core Lipopolysaccharide. Journal of Biological Chemistry, 2005, 280, 36648-36656.	1.6	14
857	Killing of dsrA Mutants of Haemophilus ducreyi by Normal Human Serum Occurs via the Classical Complement Pathway and Is Initiated by Immunoglobulin M Binding. Infection and Immunity, 2005, 73, 3431-3439.	1.0	30

#	Article	IF	CITATIONS
858	A Second Outer-Core Region in Klebsiella pneumoniae Lipopolysaccharide. Journal of Bacteriology, 2005, 187, 4198-4206.	1.0	50
859	The Role of Galacturonic Acid in Outer Membrane Stability in Klebsiella pneumoniae. Journal of Biological Chemistry, 2005, 280, 27604-27612.	1.6	23
860	Identification of a d - glycero - d - manno -Heptosyltransferase Gene from Helicobacter pylori. Journal of Bacteriology, 2005, 187, 5156-5165.	1.0	38
861	Identification of GutQ from Escherichia coli as a d -Arabinose 5-Phosphate Isomerase. Journal of Bacteriology, 2005, 187, 6936-6942.	1.0	41
862	The role of Dam methylation in phase variation of Haemophilus influenzae genes involved in defence against phage infection. Microbiology (United Kingdom), 2005, 151, 3361-3369.	0.7	89
863	Molecular and Functional Characterization of O Antigen Transfer inVibriocholerae. Journal of Biological Chemistry, 2005, 280, 25936-25947.	1.6	59
864	Characterization of Gla KP , a UDP-Galacturonic Acid C4-Epimerase from Klebsiella pneumoniae with Extended Substrate Specificity. Journal of Bacteriology, 2005, 187, 4104-4115.	1.0	21
865	The C-terminal Domain of the Nucleotide-binding Domain Protein Wzt Determines Substrate Specificity in the ATP-binding Cassette Transporter for the Lipopolysaccharide O-antigens in Escherichia coli Serotypes O8 and O9a. Journal of Biological Chemistry, 2005, 280, 30310-30319.	1.6	79
866	Molecular Analysis of the O-Antigen Gene Cluster of Escherichia coli O86:B7 and Characterization of the Chain Length Determinant Gene (wzz). Applied and Environmental Microbiology, 2005, 71, 7995-8001.	1.4	47
867	Haemophilus ducreyi Outer Membrane Determinants, Including DsrA, Define Two Clonal Populations. Infection and Immunity, 2005, 73, 2387-2399.	1.0	54
868	Identification of Genes Required for Avian Escherichia coli Septicemia by Signature-Tagged Mutagenesis. Infection and Immunity, 2005, 73, 2818-2827.	1.0	112
869	Cationic Antimicrobial Peptide Resistance in Neisseria meningitidis. Journal of Bacteriology, 2005, 187, 5387-5396.	1.0	209
870	Functional Analysis of Conserved Gene Products Involved in Assembly of Escherichia coli Capsules and Exopolysaccharides: Evidence for Molecular Recognition between Wza and Wzc for Colanic Acid Biosynthesis. Journal of Bacteriology, 2005, 187, 5470-5481.	1.0	81
871	Prevalence of Surface Swarming Behavior in Salmonella. Journal of Bacteriology, 2005, 187, 6580-6583.	1.0	35
872	Functional Characterization of WaaL, a Ligase Associated with Linking O-Antigen Polysaccharide to the Core of Pseudomonas aeruginosa Lipopolysaccharide. Journal of Bacteriology, 2005, 187, 3002-3012.	1.0	127
873	Identification and partial characterization of two eukaryotic UDP-galactopyranose mutases. Biological Chemistry, 2005, 386, 657-61.	1.2	60
874	Successive Emergence of Enterobacter aerogenes Strains Resistant to Imipenem and Colistin in a Patient. Antimicrobial Agents and Chemotherapy, 2005, 49, 1354-1358.	1.4	70
875	Characterizing lipopolysaccharide and core lipid A mutant O1 and O139 strains for adherence properties on mucus-producing cell line HT29-Rev MTX and virulence in mice. International Journal of Medical Microbiology, 2005, 295, 243-251.	1.5	15

ARTICLE IF CITATIONS High-Resolution Visualization of Pseudomonas aeruginosa PAO1 Biofilms by Freeze-Substitution 876 1.0 91 Transmission Electron Microscopy. Journal of Bacteriology, 2005, 187, 7619-7630. Salmonella typhimurium grown in iron-rich media, inactivated with ferric chloride and adjuvanted 877 1.7 with homologous bacterial DNA is potent and efficacious vaccine in mice. Vaccine, 2005, 23, 5590-5598. Diversity in a promiscuous group of rhizobia from three Sesbania spp. colonizing ecologically distinct 878 1.0 25 habitats of the semi-arid Delhi region. Research in Microbiology, 2005, 156, 57-67. Micromethods for the Characterization of Lipid A-Core and O-Antigen Lipopolysaccharide. , 2006, 347, 879 89 237-252. Comprehensive Analysis of Bacterial Risk Factors for the Development of Guillainâ€Barré Syndrome 880 1.9 117 afterCampylobacter jejuniEnteritis. Journal of Infectious Diseases, 2006, 193, 547-555. Overproduction and increased molecular weight account for the symbiotic activity of the rkpZ-modified K polysaccharide from Sinorhizobium meliloti Rm1021. Glycobiology, 2006, 16, 1181-1193. 1.3 Campylobacter coli enteritis and Guillain–Barré syndrome: No evidence of molecular mimicry and 882 0.3 19 serological relationship. Journal of the Neurological Sciences, 2006, 246, 163-168. Redefining the Requisite Lipopolysaccharide Structure in Escherichia coli. ACS Chemical Biology, 2006, 1.6 129 1, 33-42. Overexpression and characterization of Wzz of Escherichia coli O86:H2. Protein Expression and 884 0.6 31 Purification, 2006, 48, 49-55. Stability of short and long O-chain lipopolysaccharide types in Rhizobium galegae and their correlation with symbiotic properties and growth conditions, tolerance of low pH, aluminum and salt in the growth medium. FEMS Microbiology Letters, 2006, 155, 17-22. Lipopolysaccharide O-antigen expression and the effect of its absence on virulence in rfb mutants of 886 2.7 16 Vibrio cholerae O1. FEMS Immunology and Medical Microbiology, 1998, 20, 45-54. First description of non-motile Yersinia ruckeri serovar I strains causing disease in rainbow trout, 887 0.9 Oncorhynchus mykiss (Walbaum), cultured in Spain. Journal of Fish Diseases, 2006, 29, 339-346. Characterization of Edwardsiella tarda strains isolated from turbot, Psetta maxima (L.). Journal of 888 0.9 103 Fish Diseases, 2006, 29, 541-547. Chemical composition and immunochemical characteristics of the lipopolysaccharide of nitrogen-fixing rhizobacterium Azospirillum brasilense CD. Microbiology, 2006, 75, 323-328. An unusual lipid a from a marine bacterium Chryseobacterium scophtalmum CIP 104199T. Russian 890 0.35 Journal of Bioorganic Chemistry, 2006, 32, 485-491. Characterization of Bordetella pertussis growing as biofilm by chemical analysis and FT-IR 95 spectroscopy. Applied Microbiology and Biotechnology, 2006, 71, 736-747. ISPa20 advances the individual evolution of Pseudomonas aeruginosa clone C subclone C13 strains 892 isolated from cystic fibrosis patients by insertional mutagenesis and genomic rearrangements. 1.0 34 Archives of Microbiology, 2006, 185, 245-254. The sialic acid residue is a crucial component of C. jejuni lipooligosaccharide ganglioside mimicry in 893 1.1 the induction Guillain–Barré syndrome. Journal of Neuroimmunology, 2006, 174, 126-132.

#	Article	IF	CITATIONS
894	A Recombinant Attenuated Salmonella enterica Serovar Typhimurium Vaccine Encoding Eimeria acervulina Antigen Offers Protection against E. acervulina Challenge. Infection and Immunity, 2006, 74, 6785-6796.	1.0	58
895	Comparison of the Inflammatory Responses of Human Meningeal Cells following Challenge with Neisseria lactamica and with Neisseria meningitidis. Infection and Immunity, 2006, 74, 6467-6478.	1.0	24
896	Biofilm Growth Increases Phosphorylcholine Content and Decreases Potency of Nontypeable Haemophilus influenzae Endotoxins. Infection and Immunity, 2006, 74, 1828-1836.	1.0	56
897	Reverse Engineering Antibiotic Sensitivity in a Multidrug-Resistant Pseudomonas aeruginosa Isolate. Antimicrobial Agents and Chemotherapy, 2006, 50, 2506-2515.	1.4	9
898	Down-Regulation of Key Virulence Factors Makes the Salmonella enterica Serovar Typhimurium rfaH Mutant a Promising Live-Attenuated Vaccine Candidate. Infection and Immunity, 2006, 74, 5914-5925.	1.0	88
899	Apyrase, the Product of the Virulence Plasmid-Encoded phoN2 (apy) Gene of Shigella flexneri , Is Necessary for Proper Unipolar IcsA Localization and for Efficient Intercellular Spread. Journal of Bacteriology, 2006, 188, 1620-1627.	1.0	30
900	Role of Sigma E-Regulated Genes in Escherichia coli Uropathogenesis. Infection and Immunity, 2006, 74, 4030-4038.	1.0	43
901	The ionic interaction of Klebsiella pneumoniae K2 capsule and core lipopolysaccharide. Microbiology (United Kingdom), 2006, 152, 1807-1818.	0.7	44
902	Alteration of the Rugose Phenotype in waaG and ddhC Mutants of Salmonella enterica Serovar Typhimurium DT104 Is Associated with Inverse Production of Curli and Cellulose. Applied and Environmental Microbiology, 2006, 72, 5002-5012.	1.4	57
903	The Outer Core Lipopolysaccharide of Salmonella enterica Serovar Typhi Is Required for Bacterial Entry into Epithelial Cells. Infection and Immunity, 2006, 74, 1555-1564.	1.0	58
904	Pseudomonas aeruginosa 1244 Pilin Glycosylation: Glycan Substrate Recognition. Journal of Bacteriology, 2006, 188, 4244-4252.	1.0	37
905	Mutation of waaC , Encoding Heptosyltransferase I in Campylobacter jejuni 81-176, Affects the Structure of both Lipooligosaccharide and Capsular Carbohydrate. Journal of Bacteriology, 2006, 188, 3273-3279.	1.0	58
906	A Complete Lipopolysaccharide Inner Core Oligosaccharide Is Required for Resistance of Burkholderia cenocepacia to Antimicrobial Peptides and Bacterial Survival In Vivo. Journal of Bacteriology, 2006, 188, 2073-2080.	1.0	126
907	The UDP N-Acetylgalactosamine 4-Epimerase Gene Is Essential for Mesophilic Aeromonas hydrophila Serotype O34 Virulence. Infection and Immunity, 2006, 74, 537-548.	1.0	29
908	Biochemical Analysis of Lpt3, a Protein Responsible forPhosphoethanolamine Addition to Lipooligosaccharide ofPathogenic Neisseria. Journal of Bacteriology, 2006, 188, 1039-1048.	1.0	16
909	Structural Characterization of a K-antigen Capsular Polysaccharide Essential for Normal Symbiotic Infection in Rhizobium sp. NGR234. Journal of Biological Chemistry, 2006, 281, 28981-28992.	1.6	46
910	Role of RpoS in Fine-Tuning the Synthesis of Vi Capsular Polysaccharide in Salmonella enterica Serotype Typhi. Infection and Immunity, 2007, 75, 1382-1392.	1.0	53
911	Modification of Lipopolysaccharide with Colanic Acid (M-antigen) Repeats in Escherichia coli*. Journal of Biological Chemistry, 2007, 282, 7790-7798.	1.6	84

#	Article	IF	Citations
912	The C-terminal Domain of the Escherichia coli WaaJ Glycosyltransferase Is Important for Catalytic Activity and Membrane Association. Journal of Biological Chemistry, 2007, 282, 1257-1264.	1.6	20
913	Coexistence of Two Distinct Versions of O-Antigen Polymerase, Wzy-Alpha and Wzy-Beta, in Pseudomonas aeruginosa Serogroup O2 and Their Contributions to Cell Surface Diversity. Journal of Bacteriology, 2007, 189, 4141-4152.	1.0	20
914	Comparative Analysis of Two UDP-glucose Dehydrogenases in Pseudomonas aeruginosa PAO1. Journal of Biological Chemistry, 2007, 282, 17738-17748.	1.6	30
915	Production of Recombinant Orange-Spotted Grouper (Epinephelus coioides) Luteinizing Hormone in Insect Cells by the Baculovirus Expression System and Its Biological Effect1. Biology of Reproduction, 2007, 76, 74-84.	1.2	30
916	Characterization and Biological Role of the O-Polysaccharide Gene Cluster of <i>Yersinia enterocolitica</i> Serotype O:9. Journal of Bacteriology, 2007, 189, 7244-7253.	1.0	19
917	Substrate binding by a bacterial ABC transporter involved in polysaccharide export. Proceedings of the United States of America, 2007, 104, 19529-19534.	3.3	94
918	Role of Gne and GalE in the Virulence of Aeromonas hydrophila Serotype O34. Journal of Bacteriology, 2007, 189, 540-550.	1.0	24
919	Functional Characterization of the Initiation Enzyme of S-Layer Glycoprotein Glycan Biosynthesis in Geobacillus stearothermophilus NRS 2004/3a. Journal of Bacteriology, 2007, 189, 2590-2598.	1.0	47
920	A Second Galacturonic Acid Transferase Is Required for Core Lipopolysaccharide Biosynthesis and Complete Capsule Association with the Cell Surface in Klebsiella pneumoniae. Journal of Bacteriology, 2007, 189, 1128-1137.	1.0	31
921	The Yersinia kristensenii O11 O-Antigen Gene Cluster was Acquired by Lateral Gene Transfer and Incorporated at a Novel Chromosomal Locus. Molecular Biology and Evolution, 2007, 24, 1355-1365.	3.5	18
922	Glycosyltransferases Involved in Biosynthesis of the Outer Core Region of Escherichia coli Lipopolysaccharides Exhibit Broader Substrate Specificities Than Is Predicted from Lipopolysaccharide Structures. Journal of Biological Chemistry, 2007, 282, 26786-26792.	1.6	15
923	Identification of a Wzy Polymerase Required for Group IV Capsular Polysaccharide and Lipopolysaccharide Biosynthesis in <i>Vibrio vulnificus</i> . Infection and Immunity, 2007, 75, 5550-5558.	1.0	43
924	IcsA Surface Presentation in Shigella flexneri Requires the Periplasmic Chaperones DegP, Skp, and SurA. Journal of Bacteriology, 2007, 189, 5566-5573.	1.0	114
925	Three UDP-hexose 4-epimerases with overlapping substrate specificity coexist in E. coli O86:B7. Biochemical and Biophysical Research Communications, 2007, 356, 604-609.	1.0	13
926	Electrophoretic and Western blot analyses of the lipopolysaccharide and glycocalyx of Flavobacterium psychrophilum. Fish and Shellfish Immunology, 2007, 23, 770-780.	1.6	29
927	Carbohydrate analysis and serological classification of typical and atypical isolates of Aeromonas salmonicida: A rationale for the lipopolysaccharide-based classification of A. salmonicida. Fish and Shellfish Immunology, 2007, 23, 1095-1106.	1.6	27
928	Predicting Protein Function from Structure—The Roles of Short-chain Dehydrogenase/Reductase Enzymes in Bordetella O-antigen Biosynthesis. Journal of Molecular Biology, 2007, 374, 749-763.	2.0	21
929	Phenotypic and genotypic characterization of a new fish-virulent Vibrio vulnificus serovar that lacks potential to infect humans. Microbiology (United Kingdom), 2007, 153, 1926-1934.	0.7	33

Сіт	ΑΤΙ	ON	RF	PO	RΤ
U 11	/ \		TVL.		IC I

#	Article	IF	CITATIONS
930	Proteomic Analysis of Outer Membranes and Vesicles from Wild-Type Serogroup B Neisseria meningitidis and a Lipopolysaccharide-Deficient Mutant. Infection and Immunity, 2007, 75, 1364-1372.	1.0	78
931	Serological and molecular characteristics of Vibrio vulnificus biotype 3: evidence for high clonality. Microbiology (United Kingdom), 2007, 153, 847-856.	0.7	32
932	Relations between the chemotype of Rhodobacter capsulatus strains and the cell electrophoretic properties. Microbiology, 2007, 76, 177-181.	0.5	1
933	Temperature and pyoverdine-mediated iron acquisition control surface motility ofPseudomonas putida. Environmental Microbiology, 2007, 9, 1842-1850.	1.8	62
934	Role of NtrC in biofilm formation via controlling expression of the gene encoding an ADP-glycero-manno-heptose-6-epimerase in the pathogenic bacterium,Vibrio vulnificus. Molecular Microbiology, 2007, 63, 559-574.	1.2	48
935	WaaL of <i>Pseudomonas aeruginosa</i> utilizes ATP in <i>in vitro</i> ligation of O antigen onto lipid Aâ€core. Molecular Microbiology, 2007, 65, 1345-1359.	1.2	52
936	Effect of gonococcal lipooligosaccharide variation on human monocytic cytokine profile. BMC Microbiology, 2007, 7, 7.	1.3	24
937	Some peculiarities of the outer membrane composition of marine Gram-negative bacterium Chryseobacterium indoltheticum CIP 103168T. Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology, 2007, 1, 114-122.	0.3	1
938	HorB (HP0127) is a Gastric Epithelial Cell Adhesin. Helicobacter, 2007, 12, 200-209.	1.6	22
939	Isolation of transposon mutants and characterization of genes involved in biofilm formation by Pseudomonas fluorescens TC222. Archives of Microbiology, 2007, 188, 205-213.	1.0	7
940	O Side Chain Deficiency Enhances Sensitivity of Escherichia coli to Shiga Toxin 2-Converting Bacteriophages. Current Microbiology, 2007, 54, 14-19.	1.0	10
941	Influence of Lipopolysaccharide on the Surface Proton-Binding Behavior of Shewanella spp Current Microbiology, 2007, 55, 152-157.	1.0	13
942	The Neisseria gonorrhoeae lpxLII gene encodes for a late-functioning lauroyl acyl transferase, and a null mutation within the gene has a significant effect on the induction of acute inflammatory responses. Molecular Microbiology, 2008, 42, 167-181.	1.2	21
943	Receptor-mediated endocytosis of Neisseria gonorrhoeae into primary human urethral epithelial cells: the role of the asialoglycoprotein receptor. Molecular Microbiology, 2008, 42, 659-672.	1.2	98
944	Novel quantitative electrophoretic analysis of endotoxins on microchips. Electrophoresis, 2008, 29, 1713-1722.	1.3	13
945	Application of supercritical carbon dioxide (scCO2) for the extraction of lipopolysaccharides (LPS) from Salmonella enterica subsp. enterica PCM 2266. Journal of Supercritical Fluids, 2008, 45, 51-56.	1.6	10
946	Capillary electrophoresis chips for screening of endotoxin chemotypes from whole-cell lysates. Journal of Chromatography A, 2008, 1206, 21-25.	1.8	10
947	Characterization of the Bradyrhizobium japonicum galE gene: its impact on lipopolysaccharide profile and nodulation of soybean. FEMS Microbiology Letters, 2008, 280, 242-249.	0.7	22

#	Article	IF	CITATIONS
948	Study of immunochemical heterogeneity of Azospirillum brasilense lipopolysaccharides. Microbiology, 2008, 77, 166-170.	0.5	11
949	Chemical and serological studies of liposaccharides of bacteria of the genus Azospirillum. Microbiology, 2008, 77, 305-312.	0.5	21
950	Composition and immunochemical characteristics of exopolysaccharides from the rhizobacterium Paenibacillus polymyxa 1465. Microbiology, 2008, 77, 553-558.	0.5	10
951	Effect of growth conditions on electrophysical properties of Rhodobacter capsulatus PG cells. Microbiology, 2008, 77, 568-571.	0.5	0
952	Mutations in lipopolysaccharide biosynthetic genes impair maize rhizosphere and root colonization of <i>Rhizobium tropici</i> CIAT899. Environmental Microbiology, 2008, 10, 1271-1284.	1.8	40
953	First description of serotype O3 in <i>Vibrio anguillarum</i> strains isolated from salmonids in Chile. Journal of Fish Diseases, 2008, 31, 235-239.	0.9	30
954	The biosynthesis and biological role of 6â€deoxyheptose in the lipopolysaccharide Oâ€antigen of <i>Yersinia pseudotuberculosis</i> . Molecular Microbiology, 2008, 68, 424-447.	1.2	20
955	Antigen profiles of the fish pathogen Moritella viscosa and protection in fish. Journal of Applied Microbiology, 2008, 104, 944-951.	1.4	21
956	Structural characterization and serological specificities of lipopolysaccharides from Salmonella enterica serovar Gallinarum biovar Pullorum standard, intermediate and variant antigenic type strains. Veterinary Microbiology, 2008, 126, 334-344.	0.8	16
957	Isolation and Characterization of Lipopolysaccharides. , 2008, 431, 3-13.		42
958	Antigenic and molecular characterization of Vibrio ordalii strains isolated from Atlantic salmon Salmo salar in Chile. Diseases of Aquatic Organisms, 2008, 79, 27-35.	0.5	21
959	Isolation of rifampicin resistant Flavobacterium psychrophilum strains and their potential as live attenuated vaccine candidates. Vaccine, 2008, 26, 5582-5589.	1.7	58
960	Complement-mediated killing of Vibrio species by the humoral fluids of amphioxus Branchiostoma belcheri: Implications for a dual role of O-antigens in the resistance to bactericidal activity. Fish and Shellfish Immunology, 2008, 24, 215-222.	1.6	25
961	Identification of <i>Campylobacter jejuni</i> Genes Contributing to Acid Adaptation by Transcriptional Profiling and Genome-Wide Mutagenesis. Applied and Environmental Microbiology, 2008, 74, 1598-1612.	1.4	57
962	Impact of the RNA Chaperone Hfq on the Fitness and Virulence Potential of Uropathogenic <i>Escherichia coli</i> . Infection and Immunity, 2008, 76, 3019-3026.	1.0	142
963	A <i>sopB</i> Deletion Mutation Enhances the Immunogenicity and Protective Efficacy of a Heterologous Antigen Delivered by Live Attenuated <i>Salmonella enterica</i> Vaccines. Infection and Immunity, 2008, 76, 5238-5246.	1.0	65
964	The Aeromonas hydrophila wb * O34 Gene Cluster: Genetics and Temperature Regulation. Journal of Bacteriology, 2008, 190, 4198-4209.	1.0	20
965	<i>Vibrio vulnificus</i> Biotype 2 Serovar E <i>gne</i> but Not <i>galE</i> Is Essential for Lipopolysaccharide Biosynthesis and Virulence. Infection and Immunity, 2008, 76, 1628-1638.	1.0	21

#	Article	IF	CITATIONS
966	Alterations in <i>Helicobacter pylori</i> outer membrane and outer membrane vesicle-associated lipopolysaccharides under iron-limiting growth conditions*. Innate Immunity, 2008, 14, 279-290.	1.1	38
967	Biosynthesis of a Rare Di-N-Acetylated Sugar in the Lipopolysaccharides of both Pseudomonas aeruginosa and Bordetella pertussis Occurs via an Identical Scheme despite Different Gene Clusters. Journal of Bacteriology, 2008, 190, 6060-6069.	1.0	28
968	Extracellular Loops of Lipid A 3- <i>O</i> -Deacylase PagL Are Involved in Recognition of Aminoarabinose-Based Membrane Modifications in <i>Salmonella enterica</i> Serovar Typhimurium. Journal of Bacteriology, 2008, 190, 5597-5606.	1.0	18
969	CD8 ⁺ T Cells Are Associated with Severe Gastritis in <i>Helicobacter pylori</i> - Infected Mice in the Absence of CD4 ⁺ T Cells. Infection and Immunity, 2008, 76, 1289-1297.	1.0	32
970	The LptA Protein of Escherichia coli Is a Periplasmic Lipid A-binding Protein Involved in the Lipopolysaccharide Export Pathway. Journal of Biological Chemistry, 2008, 283, 20342-20349.	1.6	73
971	lfnA from Pseudomonas aeruginosa O12 and wbuX from Escherichia coli O145 Encode Membrane-Associated Proteins and Are Required for Expression of 2,6-Dideoxy-2-Acetamidino- l -Galactose in Lipopolysaccharide O Antigen. Journal of Bacteriology, 2008, 190, 1671-1679.	1.0	22
972	Genetic Analysis of Lipooligosaccharide Core Biosynthesis in Campylobacter jejuni 81-176. Journal of Bacteriology, 2008, 190, 1568-1574.	1.0	31
973	Transmission of Vibrio cholerae Is Antagonized by Lytic Phage and Entry into the Aquatic Environment. PLoS Pathogens, 2008, 4, e1000187.	2.1	96
974	Immunogenicity of Recombinant Attenuated <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Strains Carrying a Gene That Encodes <i>Eimeria tenella</i> Antigen SO7. Infection and Immunity, 2008, 76, 5745-5753.	1.0	34
975	Characterization of Lipooligosaccharide-Biosynthetic Loci of <i>Campylobacter jejuni</i> Reveals New Lipooligosaccharide Classes: Evidence of Mosaic Organizations. Journal of Bacteriology, 2008, 190, 5681-5689.	1.0	82
976	Functional Characterization of MigA and WapR: Putative Rhamnosyltransferases Involved in Outer Core Oligosaccharide Biosynthesis of <i>Pseudomonas aeruginosa</i> . Journal of Bacteriology, 2008, 190, 1857-1865.	1.0	54
977	Molecular Analysis of Three Aeromonas hydrophila AH-3 (Serotype O34) Lipopolysaccharide Core Biosynthesis Gene Clusters. Journal of Bacteriology, 2008, 190, 3176-3184.	1.0	26
978	Regulated programmed lysis of recombinant <i>Salmonella</i> in host tissues to release protective antigens and confer biological containment. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9361-9366.	3.3	127
979	PagP Activation in the Outer Membrane Triggers R3 Core Oligosaccharide Truncation in the Cytoplasm of Escherichia coli O157:H7. Journal of Biological Chemistry, 2008, 283, 4332-4343.	1.6	32
980	<i>Campylobacter jejuni</i> Biofilms Up-Regulated in the Absence of the Stringent Response Utilize a Calcofluor White-Reactive Polysaccharide. Journal of Bacteriology, 2008, 190, 1097-1107.	1.0	61
981	Identification of newly recognized serotype 1c as the most prevalentShigella flexneriserotype in northern rural Vietnam. Epidemiology and Infection, 2008, 136, 1134-1140.	1.0	24
982	Extract of Alpinia officinarum Suppresses Enteropathogenic Escherichia coli (EPEC) Lipopolysaccharide (LPS) Induced Inflammation in J774 A.1 Macrophages. Journal of Health Science, 2008, 54, 112-117.	0.9	4
983	Molecular Characterization of Biofilm Formation and Attachment of Salmonella enterica Serovar Typhimurium DT104 on Food Contact Surfaces. Journal of Food Protection, 2009, 72, 1841-1847.	0.8	52

#	Article	IF	CITATIONS
984	Comparison of four methods for the extraction of lipopolysaccharide from cyanobacteria. Toxicological and Environmental Chemistry, 2009, 91, 1253-1262.	0.6	7
985	Differential Lipopolysaccharide Core Capping Leads to Quantitative and Correlated Modifications of Mechanical and Structural Properties in <i>Pseudomonas aeruginosa</i> Biofilms. Journal of Bacteriology, 2009, 191, 6618-6631.	1.0	99
986	A Bifunctional Enzyme in a Single Gene Catalyzes the Incorporation of GlcN into the Aeromonas Core Lipopolysaccharide. Journal of Biological Chemistry, 2009, 284, 32995-33005.	1.6	11
987	Structural Characterization of an Oligosaccharide Made by Neisseria sicca. Journal of Bacteriology, 2009, 191, 3311-3320.	1.0	3
988	Dam Methylation Controls O-Antigen Chain Length in <i>Salmonella enterica</i> Serovar Enteritidis by Regulating the Expression of Wzz Protein. Journal of Bacteriology, 2009, 191, 6694-6700.	1.0	19
989	Effect of the O-Antigen Length of Lipopolysaccharide on the Functions of Type III Secretion Systems in <i>Salmonella enterica </i> . Infection and Immunity, 2009, 77, 5458-5470.	1.0	79
990	Evidence for Horizontal Gene Transfer of Two Antigenically Distinct O Antigens in <i>Bordetella bronchiseptica</i> . Infection and Immunity, 2009, 77, 3249-3257.	1.0	20
991	WaaA of the Hyperthermophilic Bacterium Aquifex aeolicus Is a Monofunctional 3-Deoxy-d-manno-oct-2-ulosonic Acid Transferase Involved in Lipopolysaccharide Biosynthesis. Journal of Biological Chemistry, 2009, 284, 22248-22262.	1.6	33
992	Post-assembly Modification of Bordetella bronchiseptica O Polysaccharide by a Novel Periplasmic Enzyme Encoded by wbmE. Journal of Biological Chemistry, 2009, 284, 1474-1483.	1.6	8
993	Seroepidemiological Study after a Long-Distance Industrial Outbreak of Legionnaires' Disease. Vaccine Journal, 2009, 16, 528-534.	3.2	12
994	Genetics and Proteomics of <i>Aeromonas salmonicida</i> Lipopolysaccharide Core Biosynthesis. Journal of Bacteriology, 2009, 191, 2228-2236.	1.0	29
995	Evaluation of new generation <i>Salmonella enterica</i> serovar Typhimurium vaccines with regulated delayed attenuation to induce immune responses against PspA. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 593-598.	3.3	100
996	Coordination of Polymerization, Chain Termination, and Export in Assembly of the Escherichia coli Lipopolysaccharide O9a Antigen in an ATP-binding Cassette Transporter-dependent Pathway. Journal of Biological Chemistry, 2009, 284, 30662-30672.	1.6	40
997	The Klebsiella pneumoniae O2a Antigen Defines a Second Mechanism for O Antigen ATP-binding Cassette Transporters. Journal of Biological Chemistry, 2009, 284, 2947-2956.	1.6	51
998	Biochemical and Structural Analysis of Bacterial O-antigen Chain Length Regulator Proteins Reveals a Conserved Quaternary Structure. Journal of Biological Chemistry, 2009, 284, 7395-7403.	1.6	63
999	Multiple Regulatory Pathways Associated with High-Level Ciprofloxacin and Multidrug Resistance in <i>Salmonella enterica</i> Serovar Enteritidis: Involvement of <i>ramA</i> and Other Global Regulators. Antimicrobial Agents and Chemotherapy, 2009, 53, 1080-1087.	1.4	95
1000	Regulated Delayed Expression of <i>rfaH</i> in an Attenuated <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Enhances Immunogenicity of Outer Membrane Proteins and a Heterologous Antigen. Infection and Immunity, 2009, 77, 5572-5582.	1.0	40
1001	Transcriptional and Translational Analysis of Biofilm Determinants of <i>Aggregatibacter actinomycetemcomitans</i> in Response to Environmental Perturbation. Infection and Immunity, 2009, 77, 2896-2907.	1.0	25

#	Article	IF	CITATIONS
1002	Contributions of two UDP-glucose dehydrogenases to viability and polymyxin B resistance of Burkholderia cenocepacia. Microbiology (United Kingdom), 2009, 155, 2029-2039.	0.7	31
1003	Rhizobium leguminosarum biovar viciae 3841, deficient in 27-hydroxyoctacosanoate-modified lipopolysaccharide, is impaired in desiccation tolerance, biofilm formation and motility. Microbiology (United Kingdom), 2009, 155, 3055-3069.	0.7	66
1004	Effects of rhamnolipid-biosurfactant on cell surface of Pseudomonas aeruginosa. Microbiological Research, 2009, 164, 297-303.	2.5	126
1005	Synergistic effect of imp/ostA and msbA in hydrophobic drug resistance of Helicobacter pylori. BMC Microbiology, 2009, 9, 136.	1.3	18
1006	Outer membrane vesicle-mediated release of cytolethal distending toxin (CDT) from Campylobacter jejuni. BMC Microbiology, 2009, 9, 220.	1.3	159
1007	Helicobacter pylori lipopolysaccharide modification, Lewis antigen expression, and gastric colonization are cholesterol-dependent. BMC Microbiology, 2009, 9, 258.	1.3	35
1008	RfaB, a galactosyltransferase, contributes to the resistance to detergent and the virulence of Salmonella enterica serovar Enteritidis. Medical Microbiology and Immunology, 2009, 198, 185-194.	2.6	2
1009	Lipopolysaccharide extraction: a phenol alternative. Journal of Fish Diseases, 2009, 32, 811-814.	0.9	0
1010	The CprS sensor kinase of the zoonotic pathogen <i>Campylobacter jejuni</i> influences biofilm formation and is required for optimal chick colonization. Molecular Microbiology, 2009, 71, 253-272.	1.2	99
1011	Genetic and biochemical analyses of the <i>Pseudomonas aeruginosa</i> Psl exopolysaccharide reveal overlapping roles for polysaccharide synthesis enzymes in Psl and LPS production. Molecular Microbiology, 2009, 73, 622-638.	1.2	326
1012	Phenotypic, serological and genetic characterization of <i>Flavobacterium psychrophilum</i> strains isolated from salmonids in Chile. Journal of Fish Diseases, 2009, 32, 321-333.	0.9	45
1013	Structure of the lipopolysaccharide core of Vibrio vulnificus type strain 27562. Carbohydrate Research, 2009, 344, 484-490.	1.1	23
1014	Structural modifications of outer membrane vesicles to refine them as vaccine delivery vehicles. Biochimica Et Biophysica Acta - Biomembranes, 2009, 1788, 2150-2159.	1.4	90
1015	Structure–function relationships of the outer membrane translocon Wza investigated by cryo-electron microscopy and mutagenesis. Journal of Structural Biology, 2009, 166, 172-182.	1.3	15
1016	Administration of lipopolysaccharide increases specific and non-specific immune parameters and survival in carp (Cyprinus carpio) infected with Aeromonas hydrophila. Aquaculture, 2009, 286, 176-183.	1.7	47
1017	Metabolic profiling of Helicobacter pylori glycosylation. Molecular BioSystems, 2009, 5, 909.	2.9	37
1018	Sinorhizobium meliloti 1021 Loss-of-Function Deletion Mutation in chvl and Its Phenotypic Characteristics. Molecular Plant-Microbe Interactions, 2010, 23, 153-160.	1.4	40
1019	Purification and Characterization of Lipopolysaccharides. Sub-Cellular Biochemistry, 2010, 53, 27-51.	1.0	21

#	Article	IF	CITATIONS
1020	Characterization of Edwardsiella tarda waaL: roles in lipopolysaccharide biosynthesis, stress adaptation, and virulence toward fish. Archives of Microbiology, 2010, 192, 1039-1047.	1.0	41
1021	Isolation and purification of O and H antigens from Salmonella Enteritidis as diagnostic tool. Annals of Microbiology, 2010, 60, 565-571.	1.1	10
1022	Temperature-dependent phenotypic variation of Campylobacter jejuni lipooligosaccharides. BMC Microbiology, 2010, 10, 305.	1.3	18
1023	New structural and functional defects in polyphosphate deficient bacteria: A cellular and proteomic study. BMC Microbiology, 2010, 10, 7.	1.3	35
1024	Monoclonal antibody S60-4-14 reveals diagnostic potential in the identification of Pseudomonas aeruginosa in lung tissues of cystic fibrosis patients. European Journal of Cell Biology, 2010, 89, 25-33.	1.6	7
1025	The Escherichia coli O149 rfb gene cluster and its use for the detection of porcine E. coli O149 by real-time PCR. Veterinary Microbiology, 2010, 141, 120-126.	0.8	5
1026	Immunogenicity and protective efficacy of Vibrio cholerae outer membrane vesicles in rabbit model. FEMS Immunology and Medical Microbiology, 2010, 60, 18-27.	2.7	42
1027	Isolation and characterization of a transposon mutant of <i>Pseudomonas fluorescens</i> BM07 enhancing the production of polyhydroxyalkanoic acid but deficient in cold-induced exobiopolymer production. FEMS Microbiology Letters, 2010, 305, 91-99.	0.7	1
1028	Characterization of a lipopolysaccharide mutant of Leptospira derived by growth in the presence of an anti-lipopolysaccharide monoclonal antibody. FEMS Microbiology Letters, 2010, 309, no-no.	0.7	2
1029	Mycobacterium tuberculosis Rv1302 and Mycobacterium smegmatis MSMEC4947 have WecA function and MSMEG4947 is required for the growth of M. smegmatis. FEMS Microbiology Letters, 2010, 310, 54-61.	0.7	25
1030	Cellular components of probiotics control <i>Yersinia ruckeri</i> infection in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). Journal of Fish Diseases, 2010, 33, 31-37.	0.9	71
1031	Physical characterisation of Tenacibaculum maritimum for vaccine development. Journal of Applied Microbiology, 2010, 109, no-no.	1.4	12
1032	Phenotypic, serological and molecular evidence of <i>Chryseobacterium piscicola</i> in farmed Atlantic salmon, <i>Salmo salar</i> L., in Finland. Journal of Fish Diseases, 2010, 33, 179-181.	0.9	24
1033	Capsular polysaccharide of the bacterium Azospirillum lipoferum Sp59b: Structure and antigenic specificity. Biochemistry (Moscow), 2010, 75, 606-613.	0.7	13
1034	Biosynthesis of uronamide sugars in <i>Pseudomonas aeruginosa</i> O6 and <i>Escherichia coli</i> O121 O antigens. Environmental Microbiology, 2010, 12, 1531-1544.	1.8	14
1035	Oâ€antigen diversity and lateral transfer of the <i>wbe</i> region among <i>Vibrio splendidus</i> isolates. Environmental Microbiology, 2010, 12, 2977-2987.	1.8	27
1036	The global regulator Crc modulates metabolism, susceptibility to antibiotics and virulence in <i>Pseudomonas aeruginosa</i> . Environmental Microbiology, 2010, 12, 3196-3212.	1.8	133
1037	Amino Acids Enhance Adaptive Behaviour of <i>Pseudomonas Aeruginosa</i> in the Cystic Fibrosis Lung Environment. Microbiology Insights, 2010, 3, MBI.S4694.	0.9	7

#	Article	IF	CITATIONS
1038	Live Recombinant Salmonella Typhi Vaccines Constructed to Investigate the Role of rpoS in Eliciting Immunity to a Heterologous Antigen. PLoS ONE, 2010, 5, e11142.	1.1	42
1039	Analysis of Salmonella enteritidis Outer Membrane Proteins and Lipopolysaccharide Profiles with the Detection of Immune Dominant Proteins. American Journal of Immunology, 2010, 6, 1-6.	0.1	8
1040	Mucosal Immunization with <i>Vibrio cholerae</i> Outer Membrane Vesicles Provides Maternal Protection Mediated by Antilipopolysaccharide Antibodies That Inhibit Bacterial Motility. Infection and Immunity, 2010, 78, 4402-4420.	1.0	90
1041	<i>Salmonella</i> Vaccine Vectors Displaying Delayed Antigen Synthesis <i>InVivo</i> To Enhance Immunogenicity. Infection and Immunity, 2010, 78, 3969-3980.	1.0	65
1042	Characterization of the Contribution to Virulence of Three Large Plasmids of Avian Pathogenic <i>Escherichia coli</i> χ7122 (O78:K80:H9). Infection and Immunity, 2010, 78, 1528-1541.	1.0	65
1043	Use of an Indirect Enzyme-Linked Immunosorbent Assay for Detection of Antibodies in Sheep Naturally Infected with <i>Salmonella</i> Abortusovis. Journal of Veterinary Diagnostic Investigation, 2010, 22, 531-536.	0.5	3
1044	Glycosylation of the Collagen Adhesin EmaA of <i>Aggregatibacter actinomycetemcomitans</i> ls Dependent upon the Lipopolysaccharide Biosynthetic Pathway. Journal of Bacteriology, 2010, 192, 1395-1404.	1.0	45
1045	Lipopolysaccharide as an Antigen Target for the Formulation of a Universal Vaccine against <i>Escherichia coli</i> O111 Strains. Vaccine Journal, 2010, 17, 1772-1780.	3.2	11
1046	The Oligosaccharide of Gonococcal Lipooligosaccharide Contains Several Epitopes That Are Recognized by Human Antibodies. Infection and Immunity, 2010, 78, 3247-3257.	1.0	8
1047	Fine-Tuning Synthesis of <i>Yersinia pestis</i> LcrV from Runaway-Like Replication Balanced-Lethal Plasmid in a <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Induces Protection against a Lethal <i>Y. pestis</i> Challenge in Mice. Infection and Immunity, 2010, 78, 2529-2543.	1.0	25
1048	A Membrane-located Glycosyltransferase Complex Required for Biosynthesis of the d-Galactan I Lipopolysaccharide O Antigen in Klebsiella pneumoniae. Journal of Biological Chemistry, 2010, 285, 19668-19678.	1.6	26
1049	Emergence of a New Multidrug-Resistant Serotype X Variant in an Epidemic Clone of Shigella flexneri. Journal of Clinical Microbiology, 2010, 48, 419-426.	1.8	104
1050	Structure and Functional Analysis of LptC, a Conserved Membrane Protein Involved in the Lipopolysaccharide Export Pathway in Escherichia coli*. Journal of Biological Chemistry, 2010, 285, 33529-33539.	1.6	114
1051	Three Enzymatic Steps Required for the Galactosamine Incorporation into Core Lipopolysaccharide. Journal of Biological Chemistry, 2010, 285, 39739-39749.	1.6	6
1052	CsrA and Cra Influence <i>Shigella flexneri</i> Pathogenesis. Infection and Immunity, 2010, 78, 4674-4682.	1.0	58
1053	Functional Identification of the <i>Proteusmirabilis</i> Core Lipopolysaccharide Biosynthesis Genes. Journal of Bacteriology, 2010, 192, 4413-4424.	1.0	17
1054	Impact of growth environment and physiological state on metal immobilization byPseudomonas aeruginosaPAO1. Canadian Journal of Microbiology, 2010, 56, 527-538.	0.8	11
1055	Production of Monoclonal Antibodies in a Mouse Model via Lipopolysaccharide Conjugates with Synthetic Polymers Specific toSalmonellaEnteritidis O Antigen. Foodborne Pathogens and Disease, 2010, 7, 1521-1529.	0.8	3

#	Article	IF	CITATIONS
1056	Disruption of the Putative Cell Surface Polysaccharide Biosynthesis Gene SO3177 in <i>Shewanella oneidensis</i> MR-1 Enhances Adhesion to Electrodes and Current Generation in Microbial Fuel Cells. Applied and Environmental Microbiology, 2010, 76, 4151-4157.	1.4	153
1057	Effects of Sequential <i>Campylobacter jejuni</i> 81-176 Lipooligosaccharide Core Truncations on Biofilm Formation, Stress Survival, and Pathogenesis. Journal of Bacteriology, 2010, 192, 2182-2192.	1.0	94
1058	Reactogenicity and immunogenicity of live attenuated Salmonella enterica serovar Paratyphi A enteric fever vaccine candidates. Vaccine, 2010, 28, 3679-3687.	1.7	30
1059	Derivation of rough attenuated variants from smooth virulent Aeromonas hydrophila and their immunogenicity in fish. Vaccine, 2010, 28, 4626-4631.	1.7	25
1060	Regulated delayed expression of rfc enhances the immunogenicity and protective efficacy of a heterologous antigen delivered by live attenuated Salmonella enterica vaccines. Vaccine, 2010, 28, 6094-6103.	1.7	34
1061	Antiserum against Raoultella terrigena ATCC 33257 identifies a large number of Raoultella and Klebsiella clinical isolates as serotype O12. Innate Immunity, 2010, 16, 366-380.	1.1	8
1062	Identification of active site residues in the <i>Shigella flexneri</i> glucosyltransferase GtrV. Molecular Membrane Biology, 2010, 27, 104-113.	2.0	2
1063	The LptD Chaperone LptE Is Not Directly Involved in Lipopolysaccharide Transport in Neisseria meningitidis. Journal of Biological Chemistry, 2011, 286, 28688-28696.	1.6	38
1064	Synthesis of the Flavonoid-Induced Lipopolysaccharide of <i>Rhizobium</i> Sp. Strain NGR234 Requires Rhamnosyl Transferases Encoded by Genes <i>rgpF</i> and <i>wbgA</i> . Molecular Plant-Microbe Interactions, 2011, 24, 1513-1521.	1.4	12
1065	Peptidoglycan Remodeling and Conversion of an Inner Membrane into an Outer Membrane during Sporulation. Cell, 2011, 146, 799-812.	13.5	98
1066	Phenotype, virulence and immunogenicity of Edwardsiella ictaluri cyclic adenosine 3′,5′-monophosphate receptor protein (Crp) mutants in catfish host. Fish and Shellfish Immunology, 2011, 31, 1142-1153.	1.6	24
1067	Tn5AraOut mutagenesis for the identification of Yersinia pestis genes involved in resistance towards cationic antimicrobial peptides. Microbial Pathogenesis, 2011, 51, 121-132.	1.3	20
1068	Protective cellular responses elicited by vaccination with influenza nucleoprotein delivered by a live recombinant attenuated Salmonella vaccine. Vaccine, 2011, 29, 3990-4002.	1.7	49
1069	Adjuvant effect of bacterial outer membrane vesicles with penta-acylated lipopolysaccharide on antigen-specific T cell priming. Vaccine, 2011, 29, 8293-8301.	1.7	61
1070	α1-giardin based live heterologous vaccine protects against Giardia lamblia infection in a murine model. Vaccine, 2011, 29, 9529-9537.	1.7	42
1071	Functional analysis and expressional regulation of wxoE and wxoF in lipopolysaccharide (lps) biosynthesis gene cluster I of Xanthomonas oryzae pv. oryzae. Physiological and Molecular Plant Pathology, 2011, 75, 129-136.	1.3	3
1072	Contribution of the Lipopolysaccharide to Resistance of Shigella flexneri 2a to Extreme Acidity. PLoS ONE, 2011, 6, e25557.	1.1	34
1073	Antigenic and cross-protection studies of biotype 1 and biotype 2 isolates of Yersinia ruckeri in rainbow trout, Oncorhynchus mykiss (Walbaum). Journal of Applied Microbiology, 2011, 111, 8-16.	1.4	33

#	Article	IF	CITATIONS
1074	Novel nonâ€motile phenotypes of <i>Yersinia ruckeri</i> suggest expansion of the current clonal complex theory. Journal of Fish Diseases, 2011, 34, 311-317.	0.9	16
1075	Structural peculiarities of the O-specific polysaccharides of Azospirillum bacteria of serogroup III. Biochemistry (Moscow), 2011, 76, 797-802.	0.7	11
1076	Structural and functional peculiarities of the lipopolysaccharide of Azospirillum brasilense SR55, isolated from the roots of Triticum durum. Microbiological Research, 2011, 166, 585-593.	2.5	11
1077	Genesis of a novel Shigella flexneri serotype by sequential infection of serotype-converting bacteriophages SfX and SfI. BMC Microbiology, 2011, 11, 269.	1.3	20
1078	Topological characterisation and identification of critical domains within glucosyltransferase IV (GtrIV) of Shigella flexneri. BMC Biochemistry, 2011, 12, 67.	4.4	11
1079	Transcriptional responses of Burkholderia cenocepacia to polymyxin B in isogenic strains with diverse polymyxin B resistance phenotypes. BMC Genomics, 2011, 12, 472.	1.2	20
1080	<i>In Vitro</i> Susceptibility of Burkholderia vietnamiensis to Aminoglycosides. Antimicrobial Agents and Chemotherapy, 2011, 55, 2256-2264.	1.4	39
1081	Role of BacA in Lipopolysaccharide Synthesis, Peptide Transport, and Nodulation by Rhizobium sp. Strain NGR234. Journal of Bacteriology, 2011, 193, 2218-2228.	1.0	31
1082	<i>Coxiella burnetii</i> Acid Phosphatase Inhibits the Release of Reactive Oxygen Intermediates in Polymorphonuclear Leukocytes. Infection and Immunity, 2011, 79, 414-420.	1.0	44
1083	Evidence that WapB Is a 1,2-Glucosyltransferase of Pseudomonas aeruginosa Involved in Lipopolysaccharide Outer Core Biosynthesis. Journal of Bacteriology, 2011, 193, 2708-2716.	1.0	11
1084	Human Lipooligosaccharide IGG That Prevents Endemic Meningococcal Disease Recognizes an Internal Lacto-N-neotetraose Structure. Journal of Biological Chemistry, 2011, 286, 43622-43633.	1.6	8
1085	A UDP-HexNAc:Polyprenol-P GalNAc-1-P Transferase (WecP) Representing a New Subgroup of the Enzyme Family. Journal of Bacteriology, 2011, 193, 1943-1952.	1.0	21
1086	Palmitoylation State Impacts Induction of Innate and Acquired Immunity by the Salmonella enterica Serovar Typhimurium <i>msbB</i> Mutant. Infection and Immunity, 2011, 79, 5027-5038.	1.0	42
1087	A Unique Arabinose 5-Phosphate Isomerase Found within a Genomic Island Associated with the Uropathogenicity of Escherichia coli CFT073. Journal of Bacteriology, 2011, 193, 2981-2988.	1.0	8
1088	The Neisseria meningitidis Macrophage Infectivity Potentiator Protein Induces Cross-Strain Serum Bactericidal Activity and Is a Potential Serogroup B Vaccine Candidate. Infection and Immunity, 2011, 79, 3784-3791.	1.0	34
1089	Correction: Salmonella Synthesizing 1-Monophosphorylated Lipopolysaccharide Exhibits Low Endotoxic Activity while Retaining Its Immunogenicity. Journal of Immunology, 2011, 187, 3449-3449.	0.4	6
1090	Measurement of Functional Anti-Meningococcal Serogroup A Activity Using Strain 3125 as the Target Strain for Serum Bactericidal Assay. Vaccine Journal, 2011, 18, 1108-1117.	3.2	18
1091	<i>Salmonella</i> Synthesizing 1-Monophosphorylated Lipopolysaccharide Exhibits Low Endotoxic Activity while Retaining Its Immunogenicity. Journal of Immunology, 2011, 187, 412-423.	0.4	66

#	Article	IF	CITATIONS
1092	Effect of Deletion of Genes Involved in Lipopolysaccharide Core and O-Antigen Synthesis on Virulence and Immunogenicity of Salmonella enterica Serovar Typhimurium. Infection and Immunity, 2011, 79, 4227-4239.	1.0	168
1093	Effects of Lipopolysaccharide Biosynthesis Mutations on K1 Polysaccharide Association with the Escherichia coli Cell Surface. Journal of Bacteriology, 2012, 194, 3356-3367.	1.0	16
1094	The Asd ⁺ -DadB ⁺ Dual-Plasmid System Offers a Novel Means To Deliver Multiple Protective Antigens by a Recombinant Attenuated Salmonella Vaccine. Infection and Immunity, 2012, 80, 3621-3633.	1.0	22
1095	Inactivation of Haemophilus influenzae Lipopolysaccharide Biosynthesis Genes Interferes with Outer Membrane Localization of the Hap Autotransporter. Journal of Bacteriology, 2012, 194, 1815-1822.	1.0	8
1096	Phosphate Groups of Lipid A Are Essential for Salmonella enterica Serovar Typhimurium Virulence and Affect Innate and Adaptive Immunity. Infection and Immunity, 2012, 80, 3215-3224.	1.0	70
1097	Biosynthesis of the Polymannose Lipopolysaccharide O-antigens from Escherichia coli Serotypes O8 and O9a Requires a Unique Combination of Single- and Multiple-active Site Mannosyltransferases. Journal of Biological Chemistry, 2012, 287, 35078-35091.	1.6	41
1098	Molecular Characterization of Lipopolysaccharide Binding to Human <i>α</i> -1-Acid Glycoprotein. Journal of Lipids, 2012, 2012, 1-15.	1.9	23
1099	Outer Membrane Protein A (OmpA): A New Player in Shigella flexneri Protrusion Formation and Inter-Cellular Spreading. PLoS ONE, 2012, 7, e49625.	1.1	36
1100	Domain Organization of the Polymerizing Mannosyltransferases Involved in Synthesis of the Escherichia coli O8 and O9a Lipopolysaccharide O-antigens. Journal of Biological Chemistry, 2012, 287, 38135-38149.	1.6	32
1101	Purification and Visualization of Lipopolysaccharide from Gram-negative Bacteria by Hot Aqueous-phenol Extraction. Journal of Visualized Experiments, 2012, , .	0.2	116
1102	Structure of <scp>WbdD</scp> : a bifunctional kinase and methyltransferase that regulates the chain length of the <scp>O</scp> antigen in <i><scp>E</scp>scherichia coli</i> <scp>O9a</scp> . Molecular Microbiology, 2012, 86, 730-742.	1.2	29
1103	Construction and Characterization of a Derivative of Neisseria gonorrhoeae Strain MS11 Devoid of All <i>opa</i>	1.0	26
1104	Identification of critical residues of the serotype modifying O-acetyltransferase of Shigella flexneri. BMC Biochemistry, 2012, 13, 13.	4.4	15
1105	Broth medium for the successful culture of the fish pathogen Piscirickettsia salmonisÂ. Diseases of Aquatic Organisms, 2012, 97, 197-205.	0.5	89
1106	BarA-UvrY Two-Component System Regulates Virulence of Uropathogenic E. coli CFT073. PLoS ONE, 2012, 7, e31348.	1.1	43
1107	Aeromonas Surface Glucan Attached through the O-Antigen Ligase Represents a New Way to Obtain UDP-Glucose. PLoS ONE, 2012, 7, e35707.	1.1	6
1108	The normal chain length distribution of the O antigen is required for the interaction of Shigella flexneri 2a with polarized Caco-2 cells. Biological Research, 2012, 45, 21-26.	1.5	8
1109	GQ1b-seronegative Fisher syndrome: clinical features and new serological markers. Journal of Neurology, 2012, 259, 1366-1374.	1.8	38

#	Article	IF	CITATIONS
1110	Immunochemical studies of SalmonellaDakar and SalmonellaTelaviv O-antigens (serogroup O:28). FEMS Microbiology Letters, 2012, 326, 55-61.	0.7	2
1111	A Bacterial Lipooligosaccharide that Naturally Mimics the Epitope of the HIV-Neutralizing Antibody 2G12 as a Template for Vaccine Design. Chemistry and Biology, 2012, 19, 254-263.	6.2	33
1112	Synthesis of multiple <i>Pseudomonas aeruginosa</i> biofilm matrix exopolysaccharides is postâ€ŧranscriptionally regulated. Environmental Microbiology, 2012, 14, 1995-2005.	1.8	94
1113	Capsular and extracellular polysaccharides of the diazotrophic rhizobacterium Herbaspirillum seropedicae Z78. Microbiology, 2012, 81, 317-323.	0.5	13
1114	LptA Assembles into Rod-Like Oligomers Involving Disorder-to-Order Transitions. Journal of the American Society for Mass Spectrometry, 2013, 24, 1593-1602.	1.2	29
1115	O-antigen chain length modulated by thewzzgene inEscherichia coliO157 influenced its sensitivities to serum complement. Microbiology and Immunology, 2013, 57, n/a-n/a.	0.7	15
1116	Comparison of lipopolysaccharide structures of Bordetella pertussis clinical isolates from pre- and post-vaccine era. Carbohydrate Research, 2013, 378, 56-62.	1.1	22
1117	Immunization with recombinant Chaperonin60 (Chp60) outer membrane protein induces a bactericidal antibody response against Neisseria meningitidis. Vaccine, 2013, 31, 2584-2590.	1.7	7
1118	Multiple Resistance Mechanisms Acting in Unison in an Escherichia coli Clinical Isolate. Current Microbiology, 2013, 67, 748-753.	1.0	5
1119	Establishment, in silico analysis, and experimental verification of a large-scale metabolic network of the xanthan producing Xanthomonas campestris pv. campestris strain B100. Journal of Biotechnology, 2013, 167, 123-134.	1.9	43
1120	Involvement of lipooligosaccharide heptose residues of Haemophilus parasuis SC096 strain in serum resistance, adhesion and invasion. Veterinary Journal, 2013, 195, 200-204.	0.6	31
1121	The D3 Bacteriophage Â-Polymerase Inhibitor (Iap) Peptide Disrupts O-Antigen Biosynthesis through Mimicry of the Chain Length Regulator Wzz in Pseudomonas aeruginosa. Journal of Bacteriology, 2013, 195, 4735-4741.	1.0	21
1122	Enterobacterial common antigen and O-specific polysaccharide coexist in the lipopolysaccharide of Yersinia enterocolitica serotype O : 3. Microbiology (United Kingdom), 2013, 159, 1782-1793.	0.7	16
1123	Mechanisms of intrinsic resistance to antimicrobial peptides of Edwardsiella ictaluri and its influence on fish gut inflammation and virulence. Microbiology (United Kingdom), 2013, 159, 1471-1486.	0.7	95
1124	The UDP-glucose Dehydrogenase of Escherichia coli K-12 Displays Substrate Inhibition by NAD That Is Relieved by Nucleotide Triphosphates. Journal of Biological Chemistry, 2013, 288, 23064-23074.	1.6	16
1125	Structural–Functional Studies of <i>Burkholderia cenocepacia</i> <scp>d</scp> -Glycero-β- <scp>d</scp> -manno-heptose 7-Phosphate Kinase (HIdA) and Characterization of Inhibitors with Antibiotic Adjuvant and Antivirulence Properties. Journal of Medicinal Chemistry, 2013 56 1405-1417	2.9	14
1126	Characterization of the Polymyxin B Resistome of Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 2013, 57, 110-119.	1.4	136
1127	Safety and protective efficacy of live attenuated Salmonella Gallinarum mutants in Rhode Island Red chickens. Vaccine, 2013, 31, 1094-1099.	1.7	18

#	Article	IF	CITATIONS
1128	Development of inÂvitro assays for measuring the relative potency ofÂleptospiral bacterins containing serogroups canicola, grippotyphosa, icterohaemorrhagiae, and pomona. Biologicals, 2013, 41, 308-314.	0.5	3
1129	The Plesiomonas shigelloides wbO1 gene cluster and the role of O1-antigen LPS in pathogenicity. Microbial Pathogenesis, 2013, 63, 1-7.	1.3	20
1130	The concentration of intracellular nickel in Haemophilus influenzae is linked to its surface properties and cell–cell aggregation and biofilm formation. International Journal of Medical Microbiology, 2013, 303, 150-157.	1.5	7
1131	LuxS contributes to virulence in avian pathogenic Escherichia coli O78:K80:H9. Veterinary Microbiology, 2013, 166, 567-575.	0.8	18
1132	Natural IgG antibodies in normal rabbit serum are involved in killing of the ompP2 mutant of Haemophilus parasuis SC096 strain via the classical complement pathway. Veterinary Journal, 2013, 196, 111-113.	0.6	7
1133	Biochemical and Molecular Characterization of Strontium-resistant Environmental Isolates of <i>Pseudomonas fluorescens</i> and <i>Sphingomonas paucimobilis</i> . Geomicrobiology Journal, 2013, 30, 381-390.	1.0	15
1134	O-antigen repeat number in <i>Salmonella enterica</i> serovar Enteritidis is important for egg contamination, colonisation of the chicken reproductive tract and survival in egg albumen. FEMS Microbiology Letters, 2013, 343, 169-176.	0.7	28
1135	Capsule and lipopolysaccharide. , 2013, , 533-556.		2
1136	Immunochemical Characterization of the Capsular Polysaccharide of Azospirillum irakense KBC1. Current Microbiology, 2013, 67, 234-239.	1.0	7
1137	Structural characterization of bacterial lipopolysaccharides with mass spectrometry and on―and offâ€line separation techniques. Mass Spectrometry Reviews, 2013, 32, 90-117.	2.8	83
1138	Five New Genes Are Important for Common Polysaccharide Antigen Biosynthesis in Pseudomonas aeruginosa. MBio, 2013, 4, e00631-12.	1.8	19
1139	Structure and Immunogenicity of the Rough-Type Lipopolysaccharide from the Periodontal Pathogen Tannerella forsythia. Vaccine Journal, 2013, 20, 945-953.	3.2	28
1140	A Colanic Acid Operon Deletion Mutation Enhances Induction of Early Antibody Responses by Live Attenuated Salmonella Vaccine Strains. Infection and Immunity, 2013, 81, 3148-3162.	1.0	17
1141	A deletion in the <scp><i>wapB</i></scp> promoter in many serotypes of <i>Pseudomonas aeruginosa</i> accounts for the lack of a terminal glucose residue in the core oligosaccharide and resistance to killing by <scp>R</scp> 3â€pyocin. Molecular Microbiology, 2013, 89, 464-478.	1.2	17
1142	Evaluation of the ability of <i>C. albicans</i> to form biofilm in the presence of phage-resistant phenotypes of <i>P. aeruginosa</i> . Biofouling, 2013, 29, 1169-1180.	0.8	7
1143	Contribution of Secretory Antibodies to Intestinal Mucosal Immunity against Helicobacter pylori. Infection and Immunity, 2013, 81, 3880-3893.	1.0	28
1144	Conserved-residue mutations in Wzy affect O-antigen polymerization and Wzz-mediated chain-length regulation in Pseudomonas aeruginosa PAO1. Scientific Reports, 2013, 3, 3441.	1.6	40
1145	Dam Methylation Participates in the Regulation of PmrA/PmrB and RcsC/RcsD/RcsB Two Component Regulatory Systems in Salmonella enterica Serovar Enteritidis. PLoS ONE, 2013, 8, e56474.	1.1	10

#	Article	IF	CITATIONS
1146	Effects of Lipooligosaccharide Inner Core Truncation on Bile Resistance and Chick Colonization by Campylobacter jejuni. PLoS ONE, 2013, 8, e56900.	1.1	21
1147	The Effect of C. burnetii Infection on the Cytokine Response of PBMCs from Pregnant Goats. PLoS ONE, 2014, 9, e109283.	1.1	9
1148	Cell Fractionation., 0, , 108-137.		1
1149	Deletion of the Î ² -Acetoacetyl Synthase FabY in Pseudomonas aeruginosa Induces Hypoacylation of Lipopolysaccharide and Increases Antimicrobial Susceptibility. Antimicrobial Agents and Chemotherapy, 2014, 58, 153-161.	1.4	10
1150	Functional Identification of Proteus mirabilis eptC Gene Encoding a Core Lipopolysaccharide Phosphoethanolamine Transferase. International Journal of Molecular Sciences, 2014, 15, 6689-6702.	1.8	14
1151	PafR, a Novel Transcription Regulator, Is Important for Pathogenesis in Uropathogenic Escherichia coli. Infection and Immunity, 2014, 82, 4241-4252.	1.0	10
1152	Interaction of lectin pathway of complement-activating pattern recognition molecules with <i>M ycobacteria</i> . Clinical and Experimental Immunology, 2014, 178, 310-319.	1.1	34
1153	Bile Acids Repress Hypoxia-Inducible Factor 1 Signaling and Modulate the Airway Immune Response. Infection and Immunity, 2014, 82, 3531-3541.	1.0	19
1154	A universal polysaccharide conjugated vaccine against O111 <i>E. coli</i> . Human Vaccines and Immunotherapeutics, 2014, 10, 2864-2874.	1.4	15
1155	Evaluation of the immunogenicity of Campylobacter jejuni CjaA protein delivered by Salmonella enterica sv. Typhimurium strain with regulated delayed attenuation in chickens. World Journal of Microbiology and Biotechnology, 2014, 30, 281-292.	1.7	33
1156	Effect of flavonoids on the composition of surface glycopolymers of Azospirillum lipoferum Sp59b. Microbiology, 2014, 83, 15-22.	0.5	0
1157	Inflammatory Effects of Edwardsiella ictaluri Lipopolysaccharide Modifications in Catfish Gut. Infection and Immunity, 2014, 82, 3394-3404.	1.0	23
1158	Influence of O Polysaccharides on Biofilm Development and Outer Membrane Vesicle Biogenesis in Pseudomonas aeruginosa PAO1. Journal of Bacteriology, 2014, 196, 1306-1317.	1.0	122
1159	Serum Bactericidal Assays To Evaluate Typhoidal and Nontyphoidal Salmonella Vaccines. Vaccine Journal, 2014, 21, 712-721.	3.2	62
1160	Genomic and Proteomic Studies on Plesiomonas shigelloides Lipopolysaccharide Core Biosynthesis. Journal of Bacteriology, 2014, 196, 556-567.	1.0	12
1161	Deletion of the rfaE gene in Haemophilus parasuis SC096 strain attenuates serum resistance, adhesion and invasion. Microbial Pathogenesis, 2014, 74, 33-37.	1.3	15
1162	Characterization of the lipopolysaccharides of serogroup II Azospirillum strains. Microbiology, 2014, 83, 326-334.	0.5	5
1163	Study of Yersinia pseudotuberculosis surface antigen epitopes using monoclonal antibodies. Applied Biochemistry and Microbiology, 2014, 50, 179-186.	0.3	7

#	Article	IF	CITATIONS
1164	Evaluation of Protective Efficacy of Live Attenuated Salmonella enterica Serovar Gallinarum Vaccine Strains against Fowl Typhoid in Chickens. Vaccine Journal, 2014, 21, 1267-1276.	3.2	14
1165	The outer membrane protein P2 (OmpP2) of Haemophilus parasuis induces proinflammatory cytokine mRNA expression in porcine alveolar macrophages. Veterinary Journal, 2014, 199, 461-464.	0.6	15
1166	A putative de- <i>N</i> -acetylase of the PIC-L superfamily affects fluoroquinolone tolerance in <i>Pseudomonas aeruginosa</i> . Pathogens and Disease, 2014, 71, 39-54.	0.8	25
1167	Monoclonal Antibodies to Lipopolysaccharide O Antigens of Enterohemorrhagic Escherichia coli Strains in Serogroups O26, O45, O103, O111, O121, and O145. Journal of Food Protection, 2015, 78, 1252-1258.	0.8	1
1168	Role of capsular modified heptose in the virulence of <scp><i>C</i></scp> <i>ampylobacter jejuni</i> . Molecular Microbiology, 2015, 96, 1136-1158.	1.2	25
1169	Molecular and Chemical Analysis of the Lipopolysaccharide from Aeromonas hydrophila Strain AH-1 (Serotype O11). Marine Drugs, 2015, 13, 2233-2249.	2.2	18
1170	Functional Genomics of the Aeromonas salmonicida Lipopolysaccharide O-Antigen and A-Layer from Typical and Atypical Strains. Marine Drugs, 2015, 13, 3791-3808.	2.2	16
1171	The Polymerization of Aeromonas hydrophila AH-3 O-Antigen LPS: Concerted Action of WecP and Wzy. PLoS ONE, 2015, 10, e0131905.	1.1	5
1172	Biosynthesis of the Common Polysaccharide Antigen of Pseudomonas aeruginosa PAO1: Characterization and Role of GDP- <scp>d</scp> -Rhamnose:GlcNAc/GalNAc-Diphosphate-Lipid α1,3- <scp>d</scp> -Rhamnosyltransferase WbpZ. Journal of Bacteriology, 2015, 197, 2012-2019.	1.0	29
1173	Passive transfer of serum from tilapia vaccinated with a Vibrio vulnificus vaccine provides protection from specific pathogen challenge. Aquaculture, 2015, 442, 16-20.	1.7	6
1174	Expression of the Yersinia enterocolitica O:3 LPS O-antigen and outer core gene clusters is RfaH-dependent. Microbiology (United Kingdom), 2015, 161, 1282-1294.	0.7	13
1175	Cytosolic detection of the bacterial metabolite HBP activates TIFA-dependent innate immunity. Science, 2015, 348, 1251-1255.	6.0	134
1176	Evidence that Biosynthesis of the Second and Third Sugars of the Archaellin Tetrasaccharide in the Archaeon Methanococcus maripaludis Occurs by the Same Pathway Used by Pseudomonas aeruginosa To Make a Di-N-Acetylated Sugar. Journal of Bacteriology, 2015, 197, 1668-1680.	1.0	17
1177	The role of the galU gene of uropathogenic Escherichia coli in modulating macrophage TNF-α response. International Journal of Medical Microbiology, 2015, 305, 893-901.	1.5	13
1178	Protection Against Necrotic Enteritis in Broiler Chickens by Regulated Delayed Lysis <i>Salmonella</i> Vaccines. Avian Diseases, 2015, 59, 475-485.	0.4	40
1179	The Widespread Multidrug-Resistant Serotype O12 Pseudomonas aeruginosa Clone Emerged through Concomitant Horizontal Transfer of Serotype Antigen and Antibiotic Resistance Gene Clusters. MBio, 2015, 6, e01396-15.	1.8	47
1180	Variation in antigen-antibody affinity among serotypes ofSalmonellaO4 serogroup, determined using specific antisera. FEMS Microbiology Letters, 2015, 362, fnv168.	0.7	4
1181	Lipopolysaccharide of Marinobacter litoralis inhibits swarming motility and biofilm formation in Pseudomonas aeruginosa PA01. Carbohydrate Polymers, 2015, 123, 468-475.	5.1	11

#	Article	IF	CITATIONS
1182	Domain Interactions Control Complex Formation and Polymerase Specificity in the Biosynthesis of the Escherichia coli O9a Antigen. Journal of Biological Chemistry, 2015, 290, 1075-1085.	1.6	19
1183	Antibiotic Modulation of Capsular Exopolysaccharide and Virulence in Acinetobacter baumannii. PLoS Pathogens, 2015, 11, e1004691.	2.1	464
1184	Characterization of the extent of a large outbreak of Legionnaires' disease by serological assays. BMC Infectious Diseases, 2015, 15, 163.	1.3	3
1185	A Live Oral Fowl Typhoid Vaccine with Reversible O-Antigen Production. Avian Diseases, 2015, 59, 52-56.	0.4	3
1186	Different Ancestries of R Tailocins in Rhizospheric <i>Pseudomonas</i> Isolates. Genome Biology and Evolution, 2015, 7, 2810-2828.	1.1	52
1187	Single-Nucleotide Polymorphisms Found in the <i>migA</i> and <i>wbpX</i> Glycosyltransferase Genes Account for the Intrinsic Lipopolysaccharide Defects Exhibited by Pseudomonas aeruginosa PA14. Journal of Bacteriology, 2015, 197, 2780-2791.	1.0	24
1188	Bacteriophage-mediated Glucosylation Can Modify Lipopolysaccharide O-Antigens Synthesized by an ATP-binding Cassette (ABC) Transporter-dependent Assembly Mechanism. Journal of Biological Chemistry, 2015, 290, 25561-25570.	1.6	21
1189	Deletion of a 77-Base-Pair Inverted Repeat Element Alters the Synthesis of Surface Polysaccharides in Porphyromonas gingivalis. Journal of Bacteriology, 2015, 197, 1208-1220.	1.0	15
1190	Live attenuated Salmonella enterica serovar Choleraesuis vaccine vector displaying regulated delayed attenuation and regulated delayed antigen synthesis to confer protection against Streptococcus suis in mice. Vaccine, 2015, 33, 4858-4867.	1.7	14
1191	Polymyxin Susceptibility in Pseudomonas aeruginosa Linked to the MexXY-OprM Multidrug Efflux System. Antimicrobial Agents and Chemotherapy, 2015, 59, 7276-7289.	1.4	18
1192	Immunochemical activity of the Yersinia pseudotuberculosis B-antigen. Molecular Genetics, Microbiology and Virology, 2015, 30, 93-100.	0.0	4
1193	A coiled-coil domain acts as a molecular ruler to regulate O-antigen chain length in lipopolysaccharide. Nature Structural and Molecular Biology, 2015, 22, 50-56.	3.6	55
1194	The Tyrosine Kinase BceF and the Phosphotyrosine Phosphatase BceD of Burkholderia contaminans Are Required for Efficient Invasion and Epithelial Disruption of a Cystic Fibrosis Lung Epithelial Cell Line. Infection and Immunity, 2015, 83, 812-821.	1.0	18
1195	Recognition of Coxiella burnetii by Toll-like Receptors and Nucleotide-Binding Oligomerization Domain-like Receptors. Journal of Infectious Diseases, 2015, 211, 978-987.	1.9	24
1196	Characterization of a biofilm-forming <i>Shigella flexneri</i> phenotype due to deficiency in Hep biosynthesis. PeerJ, 2016, 4, e2178.	0.9	14
1197	Rhizobium strains differ considerably in outer membrane permeability and polymyxin B resistance. Acta Biochimica Polonica, 2016, 63, 517-25.	0.3	10
1198	Two Glycosyltransferase Genes of Haemophilus parasuis SC096 Implicated in Lipooligosaccharide Biosynthesis, Serum Resistance, Adherence, and Invasion. Frontiers in Cellular and Infection Microbiology, 2016, 6, 100.	1.8	24
1199	A Bacteriophage-Acquired O-Antigen Polymerase (WzyĴ²) from P. aeruginosa Serotype O16 Performs a Varied Mechanism Compared to Its Cognate WzyĴ±. Frontiers in Microbiology, 2016, 7, 393	1.5	7

#	Article	IF	CITATIONS
1200	The Animal Model Determines the Results of Aeromonas Virulence Factors. Frontiers in Microbiology, 2016, 7, 1574.	1.5	16
1201	Identification of the Avian Pasteurella multocida phoP Gene and Evaluation of the Effects of phoP Deletion on Virulence and Immunogenicity. International Journal of Molecular Sciences, 2016, 17, 12.	1.8	51
1202	Immunogenicity and Cross-Protective Efficacy Induced by Outer Membrane Proteins from Salmonella Typhimurium Mutants with Truncated LPS in Mice. International Journal of Molecular Sciences, 2016, 17, 416.	1.8	34
1203	The first sugar of the repeat units is essential for the Wzy polymerase activity and elongation of the O-antigen lipopolysaccharide. Future Microbiology, 2016, 11, 903-918.	1.0	24
1204	Determinants that govern the recognition and uptake of <i>Escherichia coli</i> O157 : H7 by <i>Acanthamoeba castellanii</i> . Cellular Microbiology, 2016, 18, 1459-1470.	1.1	11
1205	Structural properties of capsular and O-specific polysaccharides of Azospirillum brasilense Sp245 under varying cultivation conditions. Microbiology, 2016, 85, 664-671.	0.5	11
1206	Unique lipid anchor attaches Vi antigen capsule to the surface of <i>Salmonella enterica</i> serovar Typhi. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 6719-6724.	3.3	37
1207	The Klebsiella pneumoniae O12 ATP-binding Cassette (ABC) Transporter Recognizes the Terminal Residue of Its O-antigen Polysaccharide Substrate. Journal of Biological Chemistry, 2016, 291, 9748-9761.	1.6	26
1208	Desialylation of <i>Neisseria gonorrhoeae</i> Lipooligosaccharide by Cervicovaginal Microbiome Sialidases: The Potential for Enhancing Infectivity in Men. Journal of Infectious Diseases, 2016, 214, 1621-1628.	1.9	29
1209	Impact of Moderate Temperature Changes on Neisseria meningitidis Adhesion Phenotypes and Proteome. Infection and Immunity, 2016, 84, 3484-3495.	1.0	10
1210	Outer membrane vesicles derived from Salmonella Typhimurium mutants with truncated LPS induce cross-protective immune responses against infection of Salmonella enterica serovars in the mouse model. International Journal of Medical Microbiology, 2016, 306, 697-706.	1.5	60
1211	Iron and Fur in the life cycle of the zoonotic pathogen <i>Vibrio vulnificus</i> . Environmental Microbiology, 2016, 18, 4005-4022.	1.8	49
1212	First isolation of Aeromonas salmonicida subspecies salmonicida from diseased sea bass, Dicentrarchus labrax (L.), cultured in Spain. Aquaculture Reports, 2016, 4, 36-41.	0.7	25
1213	Regulated delayed synthesis of lipopolysaccharide and enterobacterial common antigen of Salmonella Typhimurium enhances immunogenicity and cross-protective efficacy against heterologous Salmonella challenge. Vaccine, 2016, 34, 4285-4292.	1.7	24
1214	Outer membrane vesicles from flagellin-deficient Salmonella enterica serovar Typhimurium induce cross-reactive immunity and provide cross-protection against heterologous Salmonella challenge. Scientific Reports, 2016, 6, 34776.	1.6	47
1215	High-throughput living cell-based optical biosensor for detection of bacterial lipopolysaccharide (LPS) using a red fluorescent protein reporter system. Scientific Reports, 2016, 6, 36987.	1.6	28
1216	A Functional Genomics Approach to Understand Variation in Cytokine Production in Humans. Cell, 2016, 167, 1099-1110.e14.	13.5	275
1217	Trophic regulation of autoaggregation in Pseudomonas taiwanensis VLB120. Applied Microbiology and Biotechnology, 2016, 100, 347-360.	1.7	7

#	Article	IF	CITATIONS
1218	Deacylated lipopolysaccharides inhibit biofilm formation by Gram-negative bacteria. Biofouling, 2016, 32, 711-723.	0.8	18
1219	Survival behaviour and virulence of the fish pathogen Vibrio ordalii in seawater microcosms. Diseases of Aquatic Organisms, 2016, 120, 27-38.	0.5	6
1220	Identification of a gene in Riemerella anatipestifer CH-1 (B739-2187) that contributes to resistance to polymyxin B and evaluation of its mutant as a live attenuated vaccine. Microbial Pathogenesis, 2016, 91, 99-106.	1.3	5
1221	Yersinia ruckeri lipopolysaccharide is necessary and sufficient for eliciting a protective immune response in rainbow trout (Oncorhynchus mykiss, Walbaum). Fish and Shellfish Immunology, 2016, 49, 420-426.	1.6	26
1222	Influence of lipopolysaccharide outer-core in the intrinsic resistance to antimicrobial peptides and virulence in Edwardsiella ictaluri. Microbial Pathogenesis, 2016, 93, 204-212.	1.3	3
1223	Structure activity characterization of Bordetella petrii lipid A, from environment to human isolates. Biochimie, 2016, 120, 87-95.	1.3	6
1224	Disease caused by <i>Yersinia ruckeri</i> serotype O2b found in Chileanâ€farmed coho salmon, <i>Oncorhynchus kisutch</i> (Walbaum, 1792). Journal of Fish Diseases, 2017, 40, 279-285.	0.9	8
1225	Functional and structural studies on the <i>Neisseria gonorrhoeae</i> GmhA, the first enzyme in the <i>glyceroâ€manno</i> â€heptose biosynthesis pathways, demonstrate a critical role in lipooligosaccharide synthesis and gonococcal viability. MicrobiologyOpen, 2017, 6, e00432.	1.2	20
1226	Phenotypic and genotypic analysis of Edwardsiella tarda isolated from olive founder (Paralichthys) Tj ETQq0 0 0 r	gBT /Overl 1.7	ock 10 Tf 50
1227	Conjugative type IVb pilus recognizes lipopolysaccharide of recipient cells to initiate PAPI-1 pathogenicity island transfer in Pseudomonas aeruginosa. BMC Microbiology, 2017, 17, 31.	1.3	6
1228	Cyclic-di-GMP regulates lipopolysaccharide modification and contributes to Pseudomonas aeruginosa immune evasion. Nature Microbiology, 2017, 2, 17027.	5.9	61
1229	Reversible synthesis of colanic acid and O-antigen polysaccharides in Salmonella Typhimurium enhances induction of cross-immune responses and provides protection against heterologous Salmonella challenge. Vaccine, 2017, 35, 2862-2869.	1.7	7
1230	Genetic basis for loss of immuno-reactive O-chain in Salmonella enterica serovar Enteritidis veterinary isolates. Veterinary Microbiology, 2017, 204, 165-173.	0.8	4
1231	Effect of CTXφ prophage deletion in cholera agent on expression of regulatory genes controlling virulence and biofilm formation. Russian Journal of Genetics, 2017, 53, 302-313.	0.2	5
1232	Capillary Electrophoresis Chips for Fingerprinting Endotoxin Chemotypes and Subclasses. Methods in Molecular Biology, 2017, 1600, 151-165.	0.4	1
1233	Mass Spectrometry for Profiling LOS and Lipid A Structures from Whole-Cell Lysates: Directly from a Few Bacterial Colonies or from Liquid Broth Cultures. Methods in Molecular Biology, 2017, 1600, 187-198.	0.4	9
1234	Coxiella burnetii isolates originating from infected cattle induce a more pronounced proinflammatory cytokine response compared to isolates from infected goats and sheep. Pathogens and Disease, 2017, 75, .	0.8	11
1235	New Insights into the Roles of Long Polar Fimbriae and Stg Fimbriae in Salmonella Interactions with Enterocytes and M Cells. Infection and Immunity, 2017, 85, .	1.0	19

#	Article	IF	CITATIONS
1236	Efficacy testing of 35â€yearâ€old commercially produced <scp>ERM</scp> bacterin reveals the remarkable stability of this product. Journal of Fish Diseases, 2017, 40, 1921-1924.	0.9	0
1237	Phenotype of <i>Aeromonas salmonicida</i> sp. <i>salmonicida</i> cyclic adenosine 3′,5′â€monophosphat receptor protein (Crp) mutants and its virulence in rainbow trout (<i>Oncorhynchus mykiss</i>). Journal of Fish Diseases, 2017, 40, 1849-1856.	e 0.9	21
1238	Identification of the Lyso-Form <i>N</i> -Acyl Intramolecular Transferase in Low-GC Firmicutes. Journal of Bacteriology, 2017, 199, .	1.0	28
1239	The effect of loss of O-antigen ligase on phagocytic susceptibility of motile and non-motile Pseudomonas aeruginosa. Molecular Immunology, 2017, 92, 106-115.	1.0	8
1240	Analysis of Spleen-Induced Fimbria Production in Recombinant Attenuated <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Strains. MBio, 2017, 8, .	1.8	16
1241	Novel coordination of lipopolysaccharide modifications in <i>Vibrio cholerae</i> promotes CAMP resistance. Molecular Microbiology, 2017, 106, 582-596.	1.2	27
1242	Higher alkyl sulfatase activity required by microbial inhabitants to remove anionic surfactants in the contaminated surface waters. Water Science and Technology, 2017, 76, 2357-2366.	1.2	4
1243	lgtF effects of Haemophilus parasuis LOS induced inflammation through regulation of NF-κB and MAPKs signaling pathways. Microbial Pathogenesis, 2017, 110, 380-384.	1.3	4
1244	<i>Salmonella</i> Choleraesuis outer membrane vesicles: Proteomics and immunogenicity. Journal of Basic Microbiology, 2017, 57, 852-861.	1.8	14
1245	Recombinant attenuated Salmonella Typhimurium with heterologous expression of the Salmonella Choleraesuis O-polysaccharide: high immunogenicity and protection. Scientific Reports, 2017, 7, 7127.	1.6	6
1246	Pectobacterium atrosepticum exopolysaccharides: identification, molecular structure, formation under stress and in planta conditions. Glycobiology, 2017, 27, 1016-1026.	1.3	21
1247	Membrane of Candida albicans as a target of berberine. BMC Complementary and Alternative Medicine, 2017, 17, 268.	3.7	58
1248	O-Serotype Conversion in Salmonella Typhimurium Induces Protective Immune Responses against Invasive Non-Typhoidal Salmonella Infections. Frontiers in Immunology, 2017, 8, 1647.	2.2	23
1249	A Genotypic Analysis of Five P. aeruginosa Strains after Biofilm Infection by Phages Targeting Different Cell Surface Receptors. Frontiers in Microbiology, 2017, 8, 1229.	1.5	41
1250	Overexpression of Oâ€polysaccharide chain length regulators in Gramâ€negative bacteria using the Wzx″Wzyâ€dependent pathway enhances production of defined modal length Oâ€polysaccharide polymers for use as haptens in glycoconjugate vaccines. Journal of Applied Microbiology, 2018, 125, 575-585.	1.4	23
1251	Bi-valent polysaccharides of Vi capsular and O9 O-antigen in attenuated Salmonella Typhimurium induce strong immune responses against these two antigens. Npj Vaccines, 2018, 3, 1.	2.9	34
1252	Catanionic Surfactant Vesicles as a New Platform for Probing Glycan–Protein Interactions. Advanced Functional Materials, 2018, 28, 1706215.	7.8	7
1253	Architecture of a channel-forming O-antigen polysaccharide ABC transporter. Nature, 2018, 553, 361-365.	13.7	82

#	Article	IF	CITATIONS
1254	Molecular basis for the structural diversity in serogroup O2-antigen polysaccharides in Klebsiella pneumoniae. Journal of Biological Chemistry, 2018, 293, 4666-4679.	1.6	42
1255	Mutations in Sugar-Nucleotide Synthesis Genes Restore Holdfast Polysaccharide Anchoring to Caulobacter crescentus Holdfast Anchor Mutants. Journal of Bacteriology, 2018, 200, .	1.0	14
1256	Lipid-Modified Azurin of Neisseria gonorrhoeae Is Not Surface Exposed and Does Not Interact With the Nitrite Reductase AniA. Frontiers in Microbiology, 2018, 9, 2915.	1.5	4
1257	Variant O89 O-Antigen of E. coli Is Associated With Group 1 Capsule Loci and Multidrug Resistance. Frontiers in Microbiology, 2018, 9, 2026.	1.5	8
1258	<i>Pseudomonas aeruginosa</i> LptE is crucial for LptD assembly, cell envelope integrity, antibiotic resistance and virulence. Virulence, 2018, 9, 1718-1733.	1.8	29
1259	Structural Peculiarities and Biological Properties of the Lipopolysaccharide from Herbaspirillum seropedicae Z78. Microbiology, 2018, 87, 635-641.	0.5	6
1260	Sensing of Escherichia coli and LPS by mammary epithelial cells is modulated by O-antigen chain and CD14. PLoS ONE, 2018, 13, e0202664.	1.1	50
1261	Phage Morons Play an Important Role in Pseudomonas aeruginosa Phenotypes. Journal of Bacteriology, 2018, 200, .	1.0	53
1262	Endostatin gene therapy delivered by attenuated Salmonella typhimurium in murine tumor models. Cancer Gene Therapy, 2018, 25, 167-183.	2.2	33
1263	The effect of <i>rfaD</i> and <i>rfaF</i> of <i>Haemophilus parasuis</i> on lipooligosaccharide induced inflammation by NF-κB/MAPKs signaling in porcine alveolar macrophages. Journal of Veterinary Medical Science, 2018, 80, 842-845.	0.3	6
1264	Comprehensive identification of <i>Vibrio vulnificus</i> genes required for growth in human serum. Virulence, 2018, 9, 981-993.	1.8	14
1265	<i>Haemophilus parasuis</i> α-2,3-sialyltransferase-mediated lipooligosaccharide sialylation contributes to bacterial pathogenicity. Virulence, 2018, 9, 1247-1262.	1.8	12
1266	Possible Role of Envelope Components in the Extreme Copper Resistance of the Biomining Acidithiobacillus ferrooxidans. Genes, 2018, 9, 347.	1.0	16
1267	SliC is a surface-displayed lipoprotein that is required for the anti-lysozyme strategy during Neisseria gonorrhoeae infection. PLoS Pathogens, 2018, 14, e1007081.	2.1	30
1268	Analysis of Phylogenetic Variation of Stenotrophomonas maltophilia Reveals Human-Specific Branches. Frontiers in Microbiology, 2018, 9, 806.	1.5	39
1269	Structure of the O-specific polysaccharide from Azospirillum fermentarium CC-LY743T. Carbohydrate Research, 2018, 465, 40-43.	1.1	5
1270	Substrate recognition by a carbohydrate-binding module in the prototypical ABC transporter for lipopolysaccharide O-antigen from Escherichia coli O9a. Journal of Biological Chemistry, 2019, 294, 14978-14990.	1.6	9
1271	Regulation of <i>waaH</i> by PhoB during P _i Starvation Promotes Biofilm Formation by Escherichia coli O157:H7. Journal of Bacteriology, 2019, 201, .	1.0	2

#	Article	IF	CITATIONS
1272	Regulated Delayed <i>Shigella flexneri</i> 2a O-antigen Synthesis in Live Recombinant <i>Salmonella enterica</i> Serovar Typhimurium Induces Comparable Levels of Protective Immune Responses with Constitutive Antigen Synthesis System. Theranostics, 2019, 9, 3565-3579.	4.6	15
1273	Loss of <i>wbpL</i> disrupts <i>O</i> â€polysaccharide synthesis and impairs virulence of plantâ€associated <i>Pseudomonas</i> strains. Molecular Plant Pathology, 2019, 20, 1535-1549.	2.0	12
1274	Biology of the Gonococcus: Disease and Pathogenesis. Methods in Molecular Biology, 2019, 1997, 1-27.	0.4	9
1275	Preparation of Lipooligosaccharide (LOS) from Neisseria gonorrhoeae. Methods in Molecular Biology, 2019, 1997, 87-96.	0.4	2
1276	Adaptation to host in <i>Vibrio vulnificus</i> , a zoonotic pathogen that causes septicemia in fish and humans. Environmental Microbiology, 2019, 21, 3118-3139.	1.8	29
1277	Diversification of Vibrio anguillarum Driven by the Bacteriophage CHOED. Frontiers in Microbiology, 2019, 10, 1396.	1.5	11
1278	Klebsiella pneumoniae O1 and O2ac antigens provide prototypes for an unusual strategy for polysaccharide antigen diversification. Journal of Biological Chemistry, 2019, 294, 10863-10876.	1.6	20
1279	Unique Regions of the Polysaccharide Copolymerase Wzz ₂ from Pseudomonas aeruginosa Are Essential for O-Specific Antigen Chain Length Control. Journal of Bacteriology, 2019, 201, .	1.0	12
1280	Characterization of a Transposon Tn5-Generated Mutant of Yersinia pestis Defective in Lipooligosaccharide Biosynthesis. Biochemistry (Moscow), 2019, 84, 398-406.	0.7	3
1281	Interplay of cold shock protein E with an uncharacterized protein, YciF, lowers porin expression and enhances bile resistance in Salmonella Typhimurium. Journal of Biological Chemistry, 2019, 294, 9084-9099.	1.6	27
1282	Attenuated <i>Salmonella</i> Typhimurium expressing <i>Salmonella</i> Paratyphoid A O-antigen induces protective immune responses against two <i>Salmonella</i> strains. Virulence, 2019, 10, 82-96.	1.8	9
1283	Upregulation of MUC5AC production and deposition of LEWIS determinants by HELICOBACTER PYLORI facilitate gastric tissue colonization and the maintenance of infection. Journal of Biomedical Science, 2019, 26, 23.	2.6	24
1284	Extraction and Visualization of Capsular Polysaccharide from Acinetobacter baumannii. Methods in Molecular Biology, 2019, 1946, 227-231.	0.4	11
1285	Isolation of Lipid Cell Envelope Components from Acinetobacter baumannii. Methods in Molecular Biology, 2019, 1946, 233-252.	0.4	8
1286	Structural studies of O-specific polysaccharide(s) and biological activity toward plants of the lipopolysaccharide from Azospirillum brasilense SR8. International Journal of Biological Macromolecules, 2019, 126, 246-253.	3.6	7
1287	Disrupted Synthesis of a Di- <i>N</i> -acetylated Sugar Perturbs Mature Glycoform Structure and Microheterogeneity in the <i>O</i> -Linked Protein Glycosylation System of Neisseria elongata subsp. <i>glycolytica</i> .Journal of Bacteriology, 2019, 201, .	1.0	4
1288	Generation of a highly attenuated strain of <i>Pseudomonas aeruginosa</i> for commercial production of alginate. Microbial Biotechnology, 2020, 13, 162-175.	2.0	43
1289	Structure, gene cluster of the O antigen and biological activity of the lipopolysaccharide from the rhizospheric bacterium Ochrobactrum cytisi IPA7.2. International Journal of Biological Macromolecules, 2020, 154, 1375-1381.	3.6	8
#	Article	IF	CITATIONS
------	---	-----	-----------
1290	Flagellin of polar flagellum from Azospirillum brasilense Sp245: Isolation, structure, and biological activity. International Journal of Biological Macromolecules, 2020, 147, 1221-1227.	3.6	7
1291	A Whole-Cell Screen Identifies Small Bioactives That Synergize with Polymyxin and Exhibit Antimicrobial Activities against Multidrug-Resistant Bacteria. Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	17
1292	Identification of the Pseudomonas aeruginosa O17 and O15 O-Specific Antigen Biosynthesis Loci Reveals an ABC Transporter-Dependent Synthesis Pathway and Mechanisms of Genetic Diversity. Journal of Bacteriology, 2020, 202, .	1.0	10
1293	Live attenuated Salmonella Typhimurium with monophosphoryl lipid A retains ability to induce T-cell and humoral immune responses against heterologous polysaccharide of Shigella flexneri 2a. International Journal of Medical Microbiology, 2020, 310, 151427.	1.5	5
1294	Naked Bacterium: Emerging Properties of a Surfome-Streamlined <i>Pseudomonas putida</i> Strain. ACS Synthetic Biology, 2020, 9, 2477-2492.	1.9	15
1295	Virulence Genetics of an <i>Erwinia amylovora</i> Putative Polysaccharide Transporter Family Member. Journal of Bacteriology, 2020, 202, .	1.0	5
1296	Fine capsule variation affects bacteriophage susceptibility in <i>Klebsiella pneumoniae</i> ST258. FASEB Journal, 2020, 34, 10801-10817.	0.2	17
1297	Live-attenuated Salmonella enterica serotype Choleraesuis vaccine with regulated delayed fur mutation confer protection against Streptococcus suis in mice. BMC Veterinary Research, 2020, 16, 129.	0.7	4
1298	Plasmid gene AZOBR_p60126 impacts biosynthesis of lipopolysaccharide II and swarming motility in <i>Azospirillum brasilense</i> Sp245. Journal of Basic Microbiology, 2020, 60, 613-623.	1.8	7
1299	Structural and genetic characterization of the colitose-containing O-specific polysaccharide from the lipopolysaccharide of Herbaspirillum frisingense GSF30T. International Journal of Biological Macromolecules, 2020, 161, 891-897.	3.6	6
1300	Effect of deletion of gene cluster involved in synthesis of Enterobacterial common antigen on virulence and immunogenicity of live attenuated Salmonella vaccine when delivering heterologous Streptococcus pneumoniae antigen PspA. BMC Microbiology, 2020, 20, 150.	1.3	6
1301	Genetic Variants of the DSF Quorum Sensing System in Stenotrophomonas maltophilia Influence Virulence and Resistance Phenotypes Among Genotypically Diverse Clinical Isolates. Frontiers in Microbiology, 2020, 11, 1160.	1.5	22
1302	Analysis of the Topology and Active-Site Residues of WbbF, a Putative O-Polysaccharide Synthase from Salmonella enterica Serovar Borreze. Journal of Bacteriology, 2020, 202, .	1.0	5
1303	The Basis for Natural Multiresistance to Phage in Pseudomonas aeruginosa. Antibiotics, 2020, 9, 339.	1.5	12
1304	Plasmid gene for putative integral membrane protein affects formation of lipopolysaccharide and motility in Azospirillum brasilense Sp245. Folia Microbiologica, 2020, 65, 963-972.	1.1	1
1305	Structure of the O-specific polysaccharide from Azospirillum formosense CC-Nfb-7(T). Carbohydrate Research, 2020, 494, 108060.	1.1	2
1306	Deletion of major porins from meningococcal outer membrane vesicle vaccines enhances reactivity against heterologous serogroup B Neisseria meningitidis strains. Vaccine, 2020, 38, 2396-2405.	1.7	11
1307	Use of a smallâ€scale, portable test chamber for determining the bactericidal efficacy of aerosolized glycol formulations. Letters in Applied Microbiology, 2020, 70, 356-364.	1.0	3

#	Article	IF	CITATIONS
1308	Characterization of biopolymers produced by planktonic and biofilm cells of Herbaspirillum lusitanum P6â€12. Journal of Applied Microbiology, 2020, 129, 1349-1363.	1.4	7
1309	The Effect of the Environmental Temperature on the Adaptation to Host in the Zoonotic Pathogen Vibrio vulnificus. Frontiers in Microbiology, 2020, 11, 489.	1.5	22
1310	Ruminal Lipopolysaccharides Analysis: Uncharted Waters with Promising Signs. Animals, 2021, 11, 195.	1.0	8
1311	Extraction and Characterization of Lipopolysaccharide from Salmonella typhi. International Journal of Scientific Research in Science and Technology, 2021, , 236-242.	0.1	0
1315	Essential Gene Analysis in Acinetobacter baumannii by High-Density Transposon Mutagenesis and CRISPR Interference. Journal of Bacteriology, 2021, 203, e0056520.	1.0	25
1316	In Vitro Framework to Assess the Anti-Helicobacter pylori Potential of Lactic Acid Bacteria Secretions as Alternatives to Antibiotics. International Journal of Molecular Sciences, 2021, 22, 5650.	1.8	6
1317	Morphogenesis of wheat calluses treated with Azospirillum lipopolysaccharides. Plant Cell, Tissue and Organ Culture, 2021, 147, 147-155.	1.2	4
1318	Interference of LPS H. pylori with IL-33-Driven Regeneration of Caviae porcellus Primary Gastric Epithelial Cells and Fibroblasts. Cells, 2021, 10, 1385.	1.8	13
1319	A Journey from Structure to Function of Bacterial Lipopolysaccharides. Chemical Reviews, 2022, 122, 15767-15821.	23.0	82
1320	The molecular basis of regulation of bacterial capsule assembly by Wzc. Nature Communications, 2021, 12, 4349.	5.8	25
1321	The ALPK1 pathway drives the inflammatory response to Campylobacter jejuni in human intestinal epithelial cells. PLoS Pathogens, 2021, 17, e1009787.	2.1	20
1322	Outer Membrane Vesicles Derived from <i>Salmonella enterica</i> Serotype Typhimurium Can Deliver <i>Shigella flexneri</i> 2a O-Polysaccharide Antigen To Prevent <i>Shigella flexneri</i> 2a Infection in Mice. Applied and Environmental Microbiology, 2021, 87, e0096821.	1.4	11
1323	Structure of the 4-O-[1-Carboxyethyl]-d-Mannose-Containing O-Specific Polysaccharide of a Halophilic Bacterium Salinivibrio sp. EG9S8QL. Marine Drugs, 2021, 19, 508.	2.2	2
1324	Deletion of the crp gene affects the virulence and the activation of the NF-κB and MAPK signaling pathways in PK-15 and iPAM cells derived from G. parasuis serovar 5. Veterinary Microbiology, 2021, 261, 109198.	0.8	5
1325	Protein Detection in Polyacrylamide Gel Electrophoresis. , 1987, , 67-76.		4
1326	Analysis and Characterization of Bacterial Endotoxins (Lipopolysaccharides) by SDS-Polyacrylamide Gel Electrophoresis Followed by Silver Stain. , 1986, , 89-96.		2
1327	Reactive Antigens of the Periodontopathic Bacterium. Advances in Experimental Medicine and Biology, 1992, 327, 243-253.	0.8	1
1328	Attachment of the S-Layer of Caulobacter crescentus to the Cell Surface. , 1993, , 289-291.		2

	СПАНОГ	NICEPORT	
# 1329	ARTICLE Alphavirus Hybrid Virion Vaccines. Advances in Experimental Medicine and Biology, 1996, 397, 41-47.	IF 0.8	Citations
1330	The Role of Microbial Surface Polysaccharides in the Rhizobium-Legume Interaction. Sub-Cellular Biochemistry, 1998, 29, 73-116.	1.0	55
1331	LPS Quantitation Procedures. Methods in Molecular Biology, 2014, 1149, 375-402.	0.4	26
1332	Capillary Electrophoresis Chips for Fingerprinting Endotoxin Chemotypes from Whole-Cell Lysates. Methods in Molecular Biology, 2011, 739, 89-99.	0.4	4
1333	Alteration of serum sensitivity in Neisseria gonorrhoeae strain DOV by transformation. , 1988, , 599-604.		1
1334	Antigenic relationships among the rickettsiae of the spotted fever and typhus groups. FEMS Microbiology Letters, 1991, 65, 341-4.	0.7	51
1335	The serotyping of Azospirillum spp. by cell-gold immunoblotting. FEMS Microbiology Letters, 1992, 75, 115-8.	0.7	7
1336	The Genetics and Biosynthesis of Lipopolysaccharides. , 2002, , 93-136.		2
1337	Fingerprinting of Microorganisms by Protein and Lipopolysaccharide SDS-PAGE. , 2001, , 77-105.		1
1338	Epitope mapping of four monoclonal antibodies recognizing the hexose core domain of Salmonella lipopolysaccharide Journal of Biological Chemistry, 1991, 266, 23215-23225.	1.6	19
1339	The rfaC gene of Salmonella typhimurium. Cloning, sequencing, and enzymatic function in heptose transfer to lipopolysaccharide Journal of Biological Chemistry, 1992, 267, 18874-18884.	1.6	71
1340	Virulence factors ofVibrioP1, the causative agent of brown ring disease in the Manila clam,Ruditapes philippinarum. Aquatic Living Resources, 1996, 9, 125-136.	0.5	36
1341	Reliable ELISAs showing differences between resistant and susceptible lines in hens orally inoculated with Salmonella Enteritidis. Veterinary Research, 2002, 33, 23-33.	1.1	11
1342	Synthesis and delivery of <i>Streptococcus pneumoniae</i> capsular polysaccharides by recombinant attenuated <i>Salmonella</i> vaccines. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	16
1343	Taxonomy of Pseudomonas Strains Isolated from Tomato Pith Necrosis: Emended Description of Pseudomonas corrugata and Proposal of Three Unnamed Fluorescent Pseudomonas Genomospecies. International Journal of Systematic Bacteriology, 1997, 47, 1020-1033.	2.8	55
1344	Brackiella oedipodis gen. nov., sp. nov., gram-negative, oxidase-positive rods that cause endocarditis of cotton-topped tamarin (Saguinus oedipus) International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 179-186.	0.8	20
1345	Development, characterisation and diagnostic application of monoclonal antibodies against Yersinia pestis fibrinolysin and coagulase. Journal of Medical Microbiology, 2000, 49, 261-269.	0.7	19
1346	Identification of O-antigen polymerase transcription and translation start signals and visualization of the protein in Salmonella enterica serovar Typhimurium. Microbiology (United Kingdom), 1999, 145, 2443-2451.	0.7	9

#	Article	IF	CITATIONS
1347	migA, a quorum-responsive gene of Pseudomonas aeruginosa, is highly expressed in the cystic fibrosis lung environment and modifies low-molecular-mass lipopolysaccharide. Microbiology (United) Tj ETQq0 0 0 rgE	3T/Ooverloc	k 1028f 50 73
1348	The inner-core lipopolysaccharide biosynthetic waaE gene: function and genetic distribution among some Enterobacteriaceae b bThe GenBank accession number for the waaE gene sequences of P. mirabilis CECT170, Y. enterocolitica R102 and Ent. aerogenes CECT684 reported in this paper are AY075039, AY075041 and AY075040. respectively Microbiology (United Kingdom), 2002, 148, 3485-3496.	0.7	36
1349	Dissociation of surface properties and "intrinsic" resistance to lactams in Pseudomonas aeruginosa. Journal of Medical Microbiology, 1986, 22, 217-224.	0.7	16
1350	Analysis of the mechanism of quinolone resistance in nalidixic acid-resistant clinical isolates of Salmonella serotype Typhimurium. Journal of Medical Microbiology, 1997, 46, 623-628.	0.7	63
1351	A carrier state is established in Pseudomonas aeruginosa by phage LeviOr01, a newly isolated ssRNA levivirus. Journal of General Virology, 2017, 98, 2181-2189.	1.3	26
1352	Pseudolysogeny and sequential mutations build multiresistance to virulent bacteriophages in Pseudomonas aeruginosa. Microbiology (United Kingdom), 2016, 162, 748-763.	0.7	53
1353	Fine structure analysis of lipopolysaccharides in bacteriophage-resistant Pseudomonas aeruginosa PAO1 mutants. Microbiology (United Kingdom), 2017, 163, 848-855.	0.7	22
1354	Salmonella typhimurium flhE, a conserved flagellar regulon gene required for swarming. Microbiology (United Kingdom), 2007, 153, 541-547.	0.7	33
1357	Enterobacteriaceae: composition, structure and function of the cell envelope. Journal of Applied Microbiology, 1988, 65, 21s-34s.	1.4	11
1358	Immunological analysis of extracellular products and cell surface components of motile Aeromonas isolated from fish. Journal of Applied Microbiology, 1996, 81, 585-593.	1.4	1
1359	Heat-stable serotyping antigens expressed by strains of Campylobacter jejuni are probably capsular and not long-chain lipopolysaccharide. Journal of Applied Microbiology, 1996, 81, 635-640.	1.4	2
1360	High affinity iron-uptake systems in Vibrio damsela: role in the acquisition of iron from transferrin. Journal of Applied Microbiology, 1997, 82, 157-167.	1.4	27
1361	Vibrio anguillarum serogroup O3 and V. anguillarum-like serogroup O3 cross-reactive species—comparison and characterization. Journal of Applied Microbiology, 1997, 82, 211-218.	1.4	13
1363	Lipopolysaccharide-Defective Mutants of the Wilt Pathogen <i>Pseudomonas solanacearum</i> . Applied and Environmental Microbiology, 1984, 48, 94-101.	1.4	185
1364	Isolation and partial characterization of the extracellular polysaccharides and lipopolysaccharides from fast-growing Rhizobium japonicum USDA 205 and its Nod- mutant, HC205, which lacks the symbiotic plasmid. Applied and Environmental Microbiology, 1985, 50, 1219-1224.	1.4	26
1365	Genetic Diversity in <i>Bradyrhizobium japonicum</i> Serogroup 123 and Its Relation to Genotype-Specific Nodulation of Soybean. Applied and Environmental Microbiology, 1987, 53, 2624-2630.	1.4	214
1366	Evaluation of different approaches for identification of xenobiotic- degrading pseudomonads. Applied and Environmental Microbiology, 1989, 55, 1578-1583.	1.4	54
1367	Specific Dot-Immunobinding Assay for Detection and Enumeration of Thiobacillus ferrooxidans. Applied and Environmental Microbiology, 1989, 55, 2025-2029.	1.4	28

#	Article	IF	CITATIONS
1368	Stability of Markers Used for Identification of Two <i>Rhizobium galegae</i> Inoculant Strains after Five Years in the Field. Applied and Environmental Microbiology, 1990, 56, 444-450.	1.4	50
1369	Antigenic nature of the chloride-stimulated cellobiosidase and other cellulases of Fibrobacter succinogenes subsp. succinogenes S85 and related fresh isolates. Applied and Environmental Microbiology, 1990, 56, 1229-1234.	1.4	25
1370	Production and epitope analysis of monoclonal antibodies against a Rhizobium leguminosarum biovar trifolii strain. Applied and Environmental Microbiology, 1990, 56, 2262-2264.	1.4	7
1371	Hyphomonas spp., Shewanella spp., and Other Marine Bacteria Lack Heterogeneous (Ladderlike) Lipopolysaccharides. Applied and Environmental Microbiology, 1991, 57, 2094-2096.	1.4	14
1372	Phenotypic, antigenic, and molecular characterization of Pasteurella piscicida strains isolated from fish. Applied and Environmental Microbiology, 1992, 58, 3316-3322.	1.4	105
1373	Development of monoclonal antibodies that identify Vibrio species commonly isolated from infections of humans, fish, and shellfish. Applied and Environmental Microbiology, 1992, 58, 3694-3700.	1.4	41
1374	Outer Membrane Proteins and Lipopolysaccharides in Pathovars of <i>Xanthomonas campestris</i> . Applied and Environmental Microbiology, 1993, 59, 4143-4151.	1.4	35
1375	Examination of Lipopolysaccharide (O-Antigen) Populations of <i>Thiobacillus ferrooxidans</i> from Two Mine Tailings. Applied and Environmental Microbiology, 1993, 59, 1283-1288.	1.4	42
1376	Lipopolysaccharides as Determinants of Serological Variability in <i>Pseudomonas corrugata</i> . Applied and Environmental Microbiology, 1993, 59, 1805-1812.	1.4	40
1377	Acid adaptation induces cross-protection against environmental stresses in Salmonella typhimurium. Applied and Environmental Microbiology, 1993, 59, 1842-1847.	1.4	367
1378	Phenotypic Characteristics and Virulence of <i>Vibrio anguillarum</i> -Related Organisms. Applied and Environmental Microbiology, 1993, 59, 2969-2976.	1.4	38
1379	Evidence of a dormant but infective state of the fish pathogen Pasteurella piscicida in seawater and sediment. Applied and Environmental Microbiology, 1994, 60, 180-186.	1.4	88
1380	Comparison of the taxonomy, serology, drug resistance transfer, and virulence of Citrobacter freundii strains from mammals and poikilothermic hosts. Applied and Environmental Microbiology, 1994, 60, 1789-1797.	1.4	15
1381	Partial Removal of Lipopolysaccharide from <i>Thiobacillus ferrooxidans</i> Affects Its Adhesion to Solids. Applied and Environmental Microbiology, 1994, 60, 2846-2851.	1.4	89
1382	An Immunological Assay for Detection and Enumeration of Thermophilic Biomining Microorganisms. Applied and Environmental Microbiology, 1994, 60, 3470-3473.	1.4	29
1383	Comparative Serology of the Marine Fish Pathogen Vibrio anguillarum. Applied and Environmental Microbiology, 1995, 61, 4367-4373.	1.4	35
1384	Surface phenotypic characteristics and virulence of Spanish isolates of Aeromonas salmonicida after passage through fish. Applied and Environmental Microbiology, 1995, 61, 2010-2012.	1.4	27
1385	Analysis of antigens present in the extracellular products and cell surface of Vibrio anguillarum serotypes O1, O2, and O3. Applied and Environmental Microbiology, 1995, 61, 2493-2498.	1.4	33

#	Article	IF	CITATIONS
1386	Characterization of lipopolysaccharide heterogeneity in Salmonella enteritidis by an improved gel electrophoresis method. Applied and Environmental Microbiology, 1995, 61, 2845-2851.	1.4	46
1387	Pseudomonas fluorescens adhesion and transport through porous media are affected by lipopolysaccharide composition. Applied and Environmental Microbiology, 1996, 62, 100-104.	1.4	130
1388	Multiple Serotypes of the Moderate Thermophile Thiobacillus caldus, a Limitation of Immunological Assays for Biomining Microorganisms. Applied and Environmental Microbiology, 1996, 62, 4243-4246.	1.4	23
1389	Distribution of Pseudomonas syringae pathovars into twenty-three O serogroups. Applied and Environmental Microbiology, 1996, 62, 2360-2374.	1.4	28
1390	Phenotypic and genotypic characterization of Vibrio vulnificus: proposal for the substitution of the subspecific taxon biotype for serovar. Applied and Environmental Microbiology, 1997, 63, 1460-1466.	1.4	106
1391	Spatial and Temporal Deposition of Adhesive Extracellular Polysaccharide Capsule and Fimbriae by <i>Hyphomonas</i> Strain MHS-3. Applied and Environmental Microbiology, 1998, 64, 1246-1255.	1.4	30
1392	Effect of O-Side-Chain-Lipopolysaccharide Chemistry on Metal Binding. Applied and Environmental Microbiology, 1999, 65, 489-498.	1.4	187
1393	Alterations in Adhesion, Transport, and Membrane Characteristics in an Adhesion-Deficient Pseudomonad. Applied and Environmental Microbiology, 1999, 65, 759-765.	1.4	72
1394	Enhanced Bioaccumulation of Heavy Metal Ions by Bacterial Cells Due to Surface Display of Short Metal Binding Peptides. Applied and Environmental Microbiology, 1999, 65, 1092-1098.	1.4	159
1395	Development of Primers to O-Antigen Biosynthesis Genes for Specific Detection of <i>Escherichia coli</i> O157 by PCR. Applied and Environmental Microbiology, 1999, 65, 2954-2960.	1.4	91
1396	Production, characterization, and application of monoclonal antibodies to Vibrio cholerae O139 synonym Bengal. Vaccine Journal, 1994, 1, 51-54.	2.6	61
1397	Appropriate coating methods and other conditions for enzyme-linked immunosorbent assay of smooth, rough, and neutral lipopolysaccharides of Pseudomonas aeruginosa. Vaccine Journal, 1994, 1, 55-62.	2.6	26
1398	Monoclonal antibodies to Coxiella burnetii that cross-react with strain Nine Mile. Vaccine Journal, 1995, 2, 531-534.	2.6	6
1399	Prevalence of gca, a gene involved in synthesis of A-band common antigen polysaccharide in Pseudomonas aeruginosa. Vaccine Journal, 1995, 2, 554-562.	2.6	21
1400	Evidence obtained with monoclonal antibodies that O antigen is the major antigen responsible for the cross-reactivities between serotypes 4 and 7 of Actinobacillus (Haemophilus) pleuropneumoniae. Vaccine Journal, 1995, 2, 563-568.	2.6	13
1401	Phage display and bacterial expression of a recombinant Fab specific for Pseudomonas aeruginosa serotype O6 lipopolysaccharide. Vaccine Journal, 1997, 4, 147-155.	2.6	5
1402	Reactivities of Lewis antigen monoclonal antibodies with the lipopolysaccharides of Helicobacter pylori strains isolated from patients with gastroduodenal diseases in Japan. Vaccine Journal, 1997, 4, 540-544.	2.6	54
1403	Evaluation of the high-density agglutination test for Coxiella burnetii antibodies in animals. Vaccine Journal, 1997, 4, 676-680.	2.6	5

#	ARTICLE Effects of growth temperature, 47-megadalton plasmid, and calcium deficiency on the outer membrane protein porin and lipopolysaccharide composition of Yersinia pestis EV76. Infection and Immunity, 1983,	IF 1.0	CITATIONS
1405	42, 1092-1101. Isolation and characterization of Bordetella pertussis phenotype variants capable of growing on nutrient agar: comparison with phases III and IV. Infection and Immunity, 1984, 43, 217-223.	1.0	15
1406	Two physically and serologically distinct lipopolysaccharide profiles in strains of Bordetella pertussis and their phenotype variants. Infection and Immunity, 1984, 43, 224-232.	1.0	137
1407	Monoclonal antibody against a genus-specific antigen of Chlamydia species: location of the epitope on chlamydial lipopolysaccharide. Infection and Immunity, 1984, 44, 306-314.	1.0	198
1408	Biochemical and immunochemical analysis of Rickettsia rickettsii strains of various degrees of virulence. Infection and Immunity, 1984, 44, 559-564.	1.0	67
1409	Phenotypic variation and modulation in Bordetella bronchiseptica. Infection and Immunity, 1984, 44, 681-687.	1.0	41
1410	Structural and antigenic heterogeneity of lipopolysaccharides of Campylobacter jejuni and Campylobacter coli. Infection and Immunity, 1984, 45, 210-216.	1.0	92
1411	Heterogeneity of molecular size and antigenic expression within lipooligosaccharides of individual strains of Neisseria gonorrhoeae and Neisseria meningitidis. Infection and Immunity, 1984, 45, 544-549.	1.0	221
1412	Serum sensitivity of a Pseudomonas aeruginosa mucoid strain. Infection and Immunity, 1984, 45, 748-755.	1.0	43
1413	Analyses of gonococcal lipopolysaccharide in whole-cell lysates by sodium dodecyl sulfate-polyacrylamide gel electrophoresis: stable association of lipopolysaccharide with the major outer membrane protein (protein I) of Neisseria gonorrhoeae. Infection and Immunity, 1984, 46, 202-212.	1.0	83
1414	Atrophic rhinitis in swine: correlation of Pasteurella multocida pathogenicity with membrane protein and lipopolysaccharide patterns. Infection and Immunity, 1984, 46, 48-54.	1.0	62
1415	Small virulence plasmid of Shigella dysenteriae 1 strain W30864 encodes a 41,000-dalton protein involved in formation of specific lipopolysaccharide side chains of serotype 1 isolates. Infection and Immunity, 1984, 46, 55-63.	1.0	48
1416	Lipopolysaccharide characteristics of pathogenic campylobacters. Infection and Immunity, 1985, 47, 353-359.	1.0	95
1417	Lipopolysaccharide variation in Coxiella burnetti: intrastrain heterogeneity in structure and antigenicity. Infection and Immunity, 1985, 48, 359-365.	1.0	183
1418	Antigenic heterogeneity of lipopolysaccharides from Campylobacter jejuni and Campylobacter fetus. Infection and Immunity, 1985, 48, 528-533.	1.0	67
1419	Purification and partial characterization of outer membrane proteins P5 and P6 from Haemophilus influenzae type b. Infection and Immunity, 1985, 49, 544-549.	1.0	189
1420	Coprecipitation of lipopolysaccharide and the 39,000-molecular-weight major outer membrane protein of Haemophilus influenzae type b by lipopolysaccharide-directed monoclonal antibody. Infection and Immunity, 1985, 49, 819-827.	1.0	87
1421	Antigenic heterogeneity of outer membrane proteins of nontypable Haemophilus influenzae is a basis for a serotyping system. Infection and Immunity, 1985, 50, 15-21.	1.0	77

#	Article	IF	CITATIONS
1422	Lipopolysaccharide structures in Enterobacteriaceae, Pseudomonas aeruginosa, and Vibrio cholerae are immunologically related to Campylobacter spp. Infection and Immunity, 1986, 51, 204-208.	1.0	32
1423	Lipopolysaccharide structures of Campylobacter fetus are related to heat-stable serogroups. Infection and Immunity, 1986, 51, 209-212.	1.0	66
1424	Antigenic and phenotypic variations of Haemophilus influenzae type b lipopolysaccharide and their relationship to virulence. Infection and Immunity, 1986, 51, 69-79.	1.0	231
1425	Serogroup specificity of Legionella pneumophila is related to lipopolysaccharide characteristics. Infection and Immunity, 1986, 51, 397-404.	1.0	77
1426	Antigenic heterogeneity in high- and low-virulence strains of Rickettsia rickettsii revealed by monoclonal antibodies. Infection and Immunity, 1986, 51, 653-660.	1.0	82
1427	Antigenic variation in the phase I lipopolysaccharide of Coxiella burnetii isolates. Infection and Immunity, 1986, 52, 337-340.	1.0	112
1428	Protection by serum antibodies in experimental nontypable Haemophilus influenzae otitis media. Infection and Immunity, 1986, 52, 572-578.	1.0	97
1429	Electrophoretic and serological characterization of the lipopolysaccharides of Legionella pneumophila. Infection and Immunity, 1986, 52, 676-681.	1.0	33
1430	Pasteurellosis in laboratory rabbits: characterization of lipopolysaccharides of Pasteurella multocida by polyacrylamide gel electrophoresis, immunoblot techniques, and enzyme-linked immunosorbent assay. Infection and Immunity, 1986, 53, 460-463.	1.0	27
1431	Resistance of C3H/HeJ mice to the effects of Haemophilus pleuropneumoniae. Infection and Immunity, 1986, 53, 474-479.	1.0	18
1432	Surface proteins of Bordetella pertussis: comparison of virulent and avirulent strains and effects of phenotypic modulation. Infection and Immunity, 1986, 54, 308-314.	1.0	26
1433	Antibody response of swine to outer membrane components of Haemophilus pleuropneumoniae during infection. Infection and Immunity, 1986, 54, 751-760.	1.0	70
1434	Inhibition of gingival fibroblast growth by Bacteroides gingivalis. Infection and Immunity, 1987, 55, 201-205.	1.0	65
1435	Analysis of T-cell-dependent and -independent antigens of Rickettsia conorii with monoclonal antibodies. Infection and Immunity, 1987, 55, 7-15.	1.0	35
1436	The low-molecular-mass, cysteine-rich outer membrane protein of Chlamydia trachomatis possesses both biovar- and species-specific epitopes. Infection and Immunity, 1987, 55, 2570-2573.	1.0	23
1437	Plasmid-associated resistance of Salmonella typhimurium to complement activated by the classical pathway. Infection and Immunity, 1987, 55, 2645-2652.	1.0	36
1438	Plasmid-associated virulence of Salmonella typhimurium. Infection and Immunity, 1987, 55, 2891-2901.	1.0	384
1439	Antigenic characterization of the oligosaccharide portion of the lipooligosaccharide of nontypable Haemophilus influenzae. Infection and Immunity, 1987, 55, 2902-2911.	1.0	86

#	Article	IF	CITATIONS
1440	Conservation of epitopes in the oligosaccharide portion of the lipooligosaccharide of Haemophilus influenzae type b. Infection and Immunity, 1987, 55, 513-520.	1.0	96
1441	Neutralizing activity of monoclonal antibodies to heat-sensitive and heat-resistant epitopes of Rickettsia rickettsii surface proteins. Infection and Immunity, 1987, 55, 825-827.	1.0	68
1442	Antigenic diversity of lipooligosaccharides of nontypable Haemophilus influenzae. Infection and Immunity, 1987, 55, 882-887.	1.0	127
1443	Production and characterization of monoclonal antibodies against serotype strains of Pseudomonas aeruginosa. Infection and Immunity, 1987, 55, 1051-1057.	1.0	111
1444	Probing the surface of Neisseria gonorrhoeae: simultaneous localization of protein I and H.8 antigens. Infection and Immunity, 1987, 55, 1190-1197.	1.0	36
1445	Conservation and diversity of Campylobacter pyloridis major antigens. Infection and Immunity, 1987, 55, 1256-1263.	1.0	162
1446	Induction and repression of outer membrane proteins by anaerobic growth of Neisseria gonorrhoeae. Infection and Immunity, 1987, 55, 1359-1364.	1.0	136
1447	Antimicrobial binding of a radiolabeled cationic neutrophil granule protein. Infection and Immunity, 1987, 55, 1536-1539.	1.0	17
1448	Phenotypic variation in epitope expression of the Neisseria gonorrhoeae lipooligosaccharide. Infection and Immunity, 1987, 55, 1755-1761.	1.0	137
1449	Structural and antigenic properties of lipopolysaccharides from serotype reference strains of Campylobacter jejuni. Infection and Immunity, 1987, 55, 1806-1812.	1.0	127
1450	Physical and morphological characteristics of eucaryotic ribosomes and lipopolysaccharide complexes. Infection and Immunity, 1987, 55, 2047-2051.	1.0	4
1451	Plasmid-encoded expression of lipopolysaccharide O-antigenic polysaccharide in enteropathogenic Escherichia coli. Infection and Immunity, 1987, 55, 2052-2056.	1.0	80
1452	Deficiency of peptidoglycan and lipopolysaccharide components in Rickettsia tsutsugamushi. Infection and Immunity, 1987, 55, 2290-2292.	1.0	97
1453	Outer membrane permeability of Acinetobacter calcoaceticus mediates susceptibility to rat polymorphonuclear leukocyte granule contents. Infection and Immunity, 1987, 55, 2296-2299.	1.0	6
1454	Electromorphic characterization and description of conserved epitopes of the lipooligosaccharides of group A Neisseria meningitidis. Infection and Immunity, 1988, 56, 2631-2638.	1.0	66
1455	Tn5-induced protease-deficient strains of Aeromonas hydrophila with reduced virulence for fish. Infection and Immunity, 1988, 56, 2639-2644.	1.0	84
1456	Quantitative relationship between capsular content and killing of K1-encapsulated Escherichia coli. Infection and Immunity, 1988, 56, 2723-2730.	1.0	56
1457	Characterization of the major outer membrane antigens of Treponema hyodysenteriae. Infection and Immunity, 1988, 56, 3032-3039.	1.0	58

#	Article	IF	CITATIONS
1458	Lipooligosaccharides from Treponema hyodysenteriae and Treponema innocens. Infection and Immunity, 1988, 56, 3152-3156.	1.0	33
1459	Selection and immunochemical analysis of lipooligosaccharide mutants of Neisseria gonorrhoeae. Infection and Immunity, 1988, 56, 499-504.	1.0	88
1460	Use of transformation to construct Neisseria gonorrhoeae strains with altered lipooligosaccharides. Infection and Immunity, 1988, 56, 762-765.	1.0	29
1461	Instability of expression of lipooligosaccharides and their epitopes in Neisseria gonorrhoeae. Infection and Immunity, 1988, 56, 942-946.	1.0	88
1462	Identification of the major antigens of Treponema hyodysenteriae and comparison with those of Treponema innocens. Infection and Immunity, 1988, 56, 1070-1075.	1.0	42
1463	Interaction between human natural anti-alpha-galactosyl immunoglobulin G and bacteria of the human flora. Infection and Immunity, 1988, 56, 1730-1737.	1.0	491
1464	Changes in infectivity and plasmid profile of the Lyme disease spirochete, Borrelia burgdorferi, as a result of in vitro cultivation. Infection and Immunity, 1988, 56, 1831-1836.	1.0	405
1465	Chemical and biological characterization of the lipopolysaccharide of the oral pathogen Wolinella recta ATCC 33238. Infection and Immunity, 1988, 56, 2028-2035.	1.0	33
1466	Purification, cloning, and sequence of outer membrane protein P1 of Haemophilus influenzae type b. Infection and Immunity, 1988, 56, 2235-2242.	1.0	63
1467	Structural and antigenic properties of Campylobacter coli lipopolysaccharides. Infection and Immunity, 1989, 57, 3506-3511.	1.0	25
1468	A high-molecular-weight fraction of smooth lipopolysaccharide in Klebsiella serotype O1:K20 contains a unique O-antigen epitope and determines resistance to nonspecific serum killing. Infection and Immunity, 1989, 57, 3816-3822.	1.0	66
1469	Structures and sugar compositions of lipopolysaccharides isolated from seven Actinobacillus pleuropneumoniae serotypes. Infection and Immunity, 1989, 57, 3901-3906.	1.0	26
1470	Isolation of a corncob (coaggregation) receptor polypeptide from Fusobacterium nucleatum. Infection and Immunity, 1989, 57, 331-337.	1.0	65
1471	Surface characteristics of Pseudomonas aeruginosa grown in a chamber implant model in mice and rats. Infection and Immunity, 1989, 57, 344-350.	1.0	28
1472	Structural analysis of lipopolysaccharides from Eikenella corrodens by use of murine monoclonal antibodies. Infection and Immunity, 1989, 57, 656-659.	1.0	16
1473	Two-dimensional gel electrophoresis and immunoblotting of Campylobacter pylori proteins. Infection and Immunity, 1989, 57, 1825-1833.	1.0	79
1474	Interaction of drug resistance plasmids and bacteriophages with diarrheagenic strains of Escherichia coli. Infection and Immunity, 1989, 57, 2331-2338.	1.0	8
1475	Immunological characteristics of the glycolipid antigen of Leptospira interrogans serovar lai. Infection and Immunity, 1989, 57, 2502-2506.	1.0	28

CITATION REPORT ARTICLE IF CITATIONS Purification of an 80,000-Mr glycylprolyl peptidase from Bacteroides gingivalis. Infection and 1.0 32 Immunity, 1989, 57, 2522-2528. Cross-reactivity of Pseudomonas aeruginosa antipilin monoclonal antibodies with heterogeneous 1.0 strains of P. aeruginosa and Pseudomonas cepacia. Infection and Immunity, 1989, 57, 2764-2770. Molecular analysis of lipooligosaccharide biosynthesis in Neisseria gonorrhoeae. Infection and 1.0 21 Immunity, 1989, 57, 2847-2852. Protective immunization against experimental Bacteroides (Porphyromonas) gingivalis infection. Infection and Immunity, 1990, 58, 3394-3400. Role of lipopolysaccharides in adherence of Actinobacillus pleuropneumoniae to porcine tracheal 79 1.0 rings. Infection and Immunity, 1990, 58, 3523-3530. Variation in expression of class 1 and class 5 outer membrane proteins during nasopharyngeal carriage of Neisseria meningitidis. Infection and Immunity, 1990, 58, 569-572. 1.0 Outer membrane and porin characteristics of Serratia marcescens grown in vitro and in rat 1.0 23 intraperitoneal diffusion chambers. Infection and Immunity, 1990, 58, 1247-1253. Erythrocyte gangliosides act as receptors for Neisseria subflava: identification of the Sia-1 adhesin. 1.0 Infection and Immunity, 1990, 58, 2555-2563. Surface array proteins of Campylobacter fetus block lectin-mediated binding to type A 27 1.0 lipopolysaccharide. Infection and Immunity, 1990, 58, 2738-2744. The immunodominant outer membrane antigen of Actinobacillus actinomycetemcomitans is located in the serotype-specific high-molecular-mass carbohydrate moiety of lipopolysaccharide. Infection and 1.0 Immunity, 1991, 59, 3451-3462. Identification and characterization of proteinase K-resistant proteins in members of the class 1.0 20 Mollicutes. Infection and Immunity, 1991, 59, 1037-1042. Antigens of Actinobacillus actinomycetemcomitans recognized by patients with juvenile periodontitis and periodontally normal subjects. Infection and Immunity, 1991, 59, 913-924. 1.0 Capsulelike surface material of Mycoplasma dispar induced by in vitro growth in culture with bovine cells is antigenically related to similar structures expressed in vivo. Infection and Immunity, 1991, 59, 1.0 33 3119-3125. Siderophore production and membrane alterations by Bordetella pertussis in response to iron 1.0 starvation. Infection and Immunity, 1992, 60, 117-123. Characterization and protective properties of attenuated mutants of Salmonella choleraesuis. 1.0 79 Infection and Immunity, 1992, 60, 4881-4890. Purification and immunological characterization of a major low-molecular-weight lipoprotein from 1.0 Borrelia burgdorferi. Infection and Immunity, 1992, 60, 4995-5003.

1492	Characterization of a polysaccharide capsular antigen of septicemic Escherichia coli O115:K "V165" :F165 and evaluation of its role in pathogenicity. Infection and Immunity, 1992, 60, 5048-5056.	1.0	36
1493	Pore-forming ability of major outer membrane proteins from Wolinella recta ATCC 33238. Infection and Immunity, 1992, 60, 380-384.	1.0	15

1476

1477

1478

1479

1480

1482

1483

1484

1485

1486

1488

1489

1490

$\mathcal{O} = \mathcal{O}$	 D	_
	REDU	ND T
CITAT	NLFU	

#	Article	IF	CITATIONS
1494	Partial characterization and staphylocidal activity of thrombin-induced platelet microbicidal protein. Infection and Immunity, 1992, 60, 1202-1209.	1.0	141
1495	Stable, conserved outer membrane epitope of strains of Haemophilus influenzae biogroup aegyptius associated with Brazilian purpuric fever. Infection and Immunity, 1992, 60, 1351-1357.	1.0	11
1496	Characterization of the Shigella serotype D (S. sonnei) O polysaccharide and the enterobacterial R1 lipopolysaccharide core by use of mouse monoclonal antibodies. Infection and Immunity, 1992, 60, 2741-2747.	1.0	12
1497	Epitope mapping of hemagglutinating adhesion HA-Ag2 of Bacteroides (Porphyromonas) gingivalis. Infection and Immunity, 1992, 60, 2791-2799.	1.0	28
1498	Antibodies to lipooligosaccharide of a Brazilian purpuric fever isolate of Haemophilus influenzae biogroup aegyptius lack bactericidal and protective activity. Infection and Immunity, 1992, 60, 3423-3427.	1.0	5
1499	Structural and serological specificities of Pasteurella haemolytica lipopolysaccharides. Infection and Immunity, 1993, 61, 170-181.	1.0	34
1500	Genetic exchange of determinants for capsular polysaccharide biosynthesis between Klebsiella pneumoniae strains expressing serotypes K2 and K21a. Infection and Immunity, 1993, 61, 4208-4216.	1.0	45
1501	Chemical properties of lipopolysaccharides from spotted fever group rickettsiae and their common antigenicity with lipopolysaccharides from Proteus species. Infection and Immunity, 1993, 61, 4350-4355.	1.0	43
1502	Yersinia lipopolysaccharide is modified by human monocytes. Infection and Immunity, 1993, 61, 5261-5270.	1.0	32
1503	Presence of a capsule in Vibrio vulnificus biotype 2 and its relationship to virulence for eels. Infection and Immunity, 1993, 61, 1611-1618.	1.0	78
1504	Characterization of a novel chromosomal virulence locus involved in expression of a major surface flagellar sheath antigen of the fish pathogen Vibrio anguillarum. Infection and Immunity, 1993, 61, 2434-2444.	1.0	51
1505	Cloning of a gonococcal DNA sequence that complements the lipooligosaccharide defects of Neisseria gonorrhoeae 1291d and 1291e. Infection and Immunity, 1993, 61, 3360-3368.	1.0	19
1506	Purification and characterization of polyphosphate kinase from Neisseria meningitidis. Infection and Immunity, 1993, 61, 3703-3710.	1.0	61
1507	Expression of the L8 lipopolysaccharide determinant increases the sensitivity of Neisseria meningitidis to serum bactericidal activity. Infection and Immunity, 1994, 62, 5290-5295.	1.0	84
1508	A Salmonella enteritidis 11RX pilin induces strong T-lymphocyte responses. Infection and Immunity, 1994, 62, 5376-5383.	1.0	31
1509	Characterization of lipopolysaccharide-deficient mutants of Pseudomonas aeruginosa derived from serotypes O3, O5, and O6. Infection and Immunity, 1994, 62, 809-817.	1.0	75
1510	Isolation and characterization of Pseudomonas pseudomallei flagellin proteins. Infection and Immunity, 1994, 62, 1914-1919.	1.0	100
1511	Identification of outer membrane proteins of Bartonella bacilliformis. Infection and Immunity, 1994, 62, 2644-2648.	1.0	37

#	Article	IF	Citations
1512	Biochemical characterization of Campylobacter fetus lipopolysaccharides. Infection and Immunity, 1994, 62, 3922-3929.	1.0	34
1513	Avirulence of rough mutants of Shigella flexneri: requirement of O antigen for correct unipolar localization of IcsA in the bacterial outer membrane. Infection and Immunity, 1995, 63, 229-237.	1.0	151
1514	Quantitation and biological properties of released and cell-bound lipooligosaccharides from nontypeable Haemophilus influenzae. Infection and Immunity, 1995, 63, 4115-4120.	1.0	52
1515	Anti-Gal binds to pili of Neisseria meningitidis: the immunoglobulin A isotype blocks complement-mediated killing. Infection and Immunity, 1995, 63, 4900-4906.	1.0	66
1516	Loss of the O4 antigen moiety from the lipopolysaccharide of an extraintestinal isolate of Escherichia coli has only minor effects on serum sensitivity and virulence in vivo. Infection and Immunity, 1995, 63, 1263-1269.	1.0	43
1517	ldentification of rfbA, involved in B-band lipopolysaccharide biosynthesis in Pseudomonas aeruginosa serotype O5. Infection and Immunity, 1995, 63, 1674-1680.	1.0	24
1518	Stimulation of interleukin-8 production in epithelial cell lines by Helicobacter pylori. Infection and Immunity, 1995, 63, 1732-1738.	1.0	156
1519	Heparin protects Opa+ Neisseria gonorrhoeae from the bactericidal action of normal human serum. Infection and Immunity, 1995, 63, 1790-1795.	1.0	38
1520	Cross-reacting lipopolysaccharide antigens in Legionella pneumophila serogroups 1 to 14. Infection and Immunity, 1995, 63, 2180-2184.	1.0	9
1521	Monoclonal antibodies against Haemophilus lipopolysaccharides: clone DP8 specific for Haemophilus ducreyi and clone DH24 binding to lacto-N-neotetraose. Infection and Immunity, 1995, 63, 2665-2673.	1.0	13
1522	Phenotypic modulation of gonococcal lipooligosaccharide in acidic and alkaline culture. Infection and Immunity, 1995, 63, 2773-2775.	1.0	16
1523	A conserved Aeromonas salmonicida porin provides protective immunity to rainbow trout. Infection and Immunity, 1995, 63, 3137-3142.	1.0	86
1524	Cloning and expression of rfb genes from Vibrio anguillarum serotype O2 in Escherichia coli: evidence for cross-reactive epitopes. Infection and Immunity, 1995, 63, 3537-3542.	1.0	4
1525	The tetrasaccharide L-alpha-D-heptose1–>2-L-alpha-D-heptose1–> 3-L-alpha-D-heptose1–>(3-deoxy-D-manno-octulosonic acid) and phosphate in lipid A define the conserved epitope in Haemophilus lipopolysaccharides recognized by a monoclonal antibody. Infection and Immunity, 1995, 63, 3683-3692.	1.0	10
1526	Augmented immunological activities of recombinant lipopolysaccharide possessing the mannose homopolymer as the O-specific polysaccharide. Infection and Immunity, 1996, 64, 305-309.	1.0	10
1527	Purification and characterization of novel hemagglutinins from Vibrio mimicus: a 39-kilodalton major outer membrane protein and lipopolysaccharide. Infection and Immunity, 1996, 64, 4035-4041.	1.0	28
1528	Expression of the human cell surface glycoconjugates Lewis x and Lewis y by Helicobacter pylori isolates is related to cagA status. Infection and Immunity, 1996, 64, 4598-4605.	1.0	166
1529	Oral immunization with an attenuated vaccine strain of Salmonella typhimurium expressing the serine-rich Entamoeba histolytica protein induces an antiamebic immune response and protects gerbils from amebic liver abscess. Infection and Immunity, 1996, 64, 1526-1531.	1.0	47

#	Article	IF	CITATIONS
1530	Hemin-induced modifications of the antigenicity and hemin-binding capacity of Porphyromonas gingivalis lipopolysaccharide. Infection and Immunity, 1996, 64, 2282-2287.	1.0	42
1531	The O4 specific antigen moiety of lipopolysaccharide but not the K54 group 2 capsule is important for urovirulence of an extraintestinal isolate of Escherichia coli. Infection and Immunity, 1996, 64, 2343-2348.	1.0	57
1532	Miller-Fisher syndrome associated with Campylobacter jejuni bearing lipopolysaccharide molecules that mimic human ganglioside GD3. Infection and Immunity, 1996, 64, 2945-2949.	1.0	119
1533	Invasion of primary nasopharyngeal epithelial cells by Neisseria meningitidis is controlled by phase variation of multiple surface antigens. Infection and Immunity, 1996, 64, 2998-3006.	1.0	116
1534	Polysaccharide side chains are not required for attaching and effacing adhesion of Escherichia coli O157:H7. Infection and Immunity, 1996, 64, 3196-3200.	1.0	35
1535	Importance of an immunodominant surface-exposed loop on outer membrane protein P2 of nontypeable Haemophilus influenzae. Infection and Immunity, 1997, 65, 150-155.	1.0	41
1536	Release of lipopolysaccharide from intracellular compartments containing Salmonella typhimurium to vesicles of the host epithelial cell. Infection and Immunity, 1997, 65, 24-34.	1.0	81
1537	Experimental infection of C3H mice with avian, porcine, or human isolates of Serpulina pilosicoli. Infection and Immunity, 1997, 65, 5349-5353.	1.0	23
1538	Characterization and immunogenicity of Salmonella typhimurium SL1344 and UK-1 delta crp and delta cdt delta cdt deletion mutants. Infection and Immunity, 1997, 65, 5381-5387.	1.0	59
1539	Development of a murine model of chronic Salmonella infection. Infection and Immunity, 1997, 65, 838-842.	1.0	54
1540	Decoration of lipopolysaccharide with phosphorylcholine: a phase-variable characteristic of Haemophilus influenzae. Infection and Immunity, 1997, 65, 943-950.	1.0	240
1541	Role of sigma factor RpoS in initial stages of Salmonella typhimurium infection. Infection and Immunity, 1997, 65, 1814-1823.	1.0	124
1542	Construction and characterization of a live attenuated vaccine candidate against Shigella dysenteriae type 1. Infection and Immunity, 1997, 65, 2112-2118.	1.0	15
1543	Low antigenicity of the polysaccharide region of Helicobacter pylori lipopolysaccharides derived from tumors of patients with gastric cancer. Infection and Immunity, 1997, 65, 3509-3512.	1.0	28
1544	Transposon-Derived <i>Brucella abortus</i> Rough Mutants Are Attenuated and Exhibit Reduced Intracellular Survival. Infection and Immunity, 1998, 66, 1008-1016.	1.0	157
1545	Structural Properties of Lipopolysaccharides from <i>Rickettsia typhi</i> and <i>Rickettsia prowazekii</i> and Their Chemical Similarity to the Lipopolysaccharide from <i>Proteus vulgaris</i> OX19 Used in the Weil-Felix Test. Infection and Immunity, 1998, 66, 923-926.	1.0	27
1546	Lipopolysaccharides from <i>Campylobacter jejuni</i> O:41 Strains Associated with Guillain-Barrel̀• Syndrome Exhibit Mimicry of GM ₁ Ganglioside. Infection and Immunity, 1998, 66, 3649-3655.	1.0	79
1547	Comparison of Loss of Serum Resistance by Defined Lipopolysaccharide Mutants and an Acapsular Mutant of Uropathogenic <i>Escherichia coli</i> O75:K5. Infection and Immunity, 1998, 66, 4244-4253.	1.0	101

#	Article	IF	CITATIONS
1548	α-GlcNAc-1→2-α-Glc, the <i>Salmonella</i> Homologue of a Conserved Lipopolysaccharide Motif in the <i>Enterobacteriaceae</i> , Elicits Broadly Cross-Reactive Antibodies. Infection and Immunity, 1998, 66, 4389-4396.	1.0	12
1549	<i>Vibrio anguillarum</i> Resistance to Rainbow Trout (<i>Oncorhynchus mykiss</i>) Serum: Role of O-Antigen Structure of Lipopolysaccharide. Infection and Immunity, 1999, 67, 294-301.	1.0	82
1550	Isolation and Characterization of Rugose Form of <i>Vibrio cholerae</i> O139 Strain MO10. Infection and Immunity, 1999, 67, 958-963.	1.0	48
1551	Differential Expression of <i>Vibrio vulnificus</i> Capsular Polysaccharide. Infection and Immunity, 1999, 67, 2250-2257.	1.0	66
1552	Attenuation and Immunogenicity of <i>î"cya î"crp</i> Derivatives of <i>Salmonella choleraesuis</i> in Pigs. Infection and Immunity, 1999, 67, 4628-4636.	1.0	52
1553	Heterogeneity and variation among Neisseria meningitidis lipopolysaccharides. Journal of Bacteriology, 1983, 155, 498-504.	1.0	111
1554	Structural and immunochemical homogeneity of Aeromonas salmonicida lipopolysaccharide. Journal of Bacteriology, 1984, 158, 16-22.	1.0	104
1555	Heterogeneity of Rhizobium lipopolysaccharides. Journal of Bacteriology, 1984, 158, 1012-1017.	1.0	104
1556	Disulfide-mediated interactions of the chlamydial major outer membrane protein: role in the differentiation of chlamydiae?. Journal of Bacteriology, 1985, 161, 25-31.	1.0	145
1557	Cloning of rfaC, B, I, and J genes for glycosyltransferase enzymes for synthesis of the lipopolysaccharide core of Salmonella typhimurium. Journal of Bacteriology, 1985, 161, 277-284.	1.0	58
1558	High-molecular-weight components in lipopolysaccharides of Salmonella typhimurium, Salmonella minnesota, and Escherichia coli. Journal of Bacteriology, 1985, 162, 738-745.	1.0	174
1559	Synthesis, export, and assembly of Aeromonas salmonicida A-layer analyzed by transposon mutagenesis. Journal of Bacteriology, 1985, 163, 877-881.	1.0	82
1560	Electrophoretic and immunochemical analyses of the lipopolysaccharides from various strains of Aeromonas hydrophila. Journal of Bacteriology, 1985, 164, 263-269.	1.0	84
1561	Identification and Cloning of waaF (rfaF) from Bordetella pertussis and Use To Generate Mutants of Bordetella spp. with Deep Rough Lipopolysaccharide. Journal of Bacteriology, 1998, 180, 35-40.	1.0	32
1562	The Wzz (Cld) Protein in <i>Escherichia coli</i> : Amino Acid Sequence Variation Determines O-Antigen Chain Length Specificity. Journal of Bacteriology, 1998, 180, 2670-2675.	1.0	85
1563	Conserved Structural Regions Involved in the Catalytic Mechanism of Escherichia coli K-12 WaaO (Rfal). Journal of Bacteriology, 1998, 180, 5313-5318.	1.0	34
1564	Characterization of the Serogroup O11 O-Antigen Locus of Pseudomonas aeruginosa PA103. Journal of Bacteriology, 1999, 181, 4275-4284.	1.0	68
1565	Serotype 1a O-Antigen Modification: Molecular Characterization of the Genes Involved and Their Novel Organization in the <i>Shigella flexneri</i> Chromosome. Journal of Bacteriology, 1999, 181, 4711-4718.	1.0	43

#	Article	IF	CITATIONS
1566	Assembly of the K40 Antigen in <i>Escherichia coli</i> : Identification of a Novel Enzyme Responsible for Addition of <scp>I</scp> -Serine Residues to the Glycan Backbone and Its Requirement for K40 Polymerization. Journal of Bacteriology, 1999, 181, 772-780.	1.0	11
1567	Effect of wzx (rfbX) Mutations on A-Band and B-Band Lipopolysaccharide Biosynthesis in Pseudomonas aeruginosa O5. Journal of Bacteriology, 1999, 181, 973-980.	1.0	74
1568	Genetic Analysis of the Serratia marcescens N28b O4 Antigen Gene Cluster. Journal of Bacteriology, 1999, 181, 1883-1891.	1.0	18
1569	Characterization of Pseudomonas cepacia isolates from patients with cystic fibrosis. Journal of Clinical Microbiology, 1984, 19, 291-293.	1.8	93
1570	Lipopolysaccharide banding patterns of Neisseria meningitidis and Neisseria gonorrhoeae. Journal of Clinical Microbiology, 1984, 19, 558-560.	1.8	12
1571	Lipopolysaccharide gel profiles of Haemophilus influenzae type b are not stable epidemiologic markers. Journal of Clinical Microbiology, 1986, 24, 223-227.	1.8	23
1572	Murine monoclonal antibody specific for lipopolysaccharide of Salmonella serogroup A. Journal of Clinical Microbiology, 1987, 25, 2140-2144.	1.8	29
1573	Monoclonal antibodies delineate multiple epitopes on the O antigens of Salmonella typhi lipopolysaccharide. Journal of Clinical Microbiology, 1988, 26, 2292-2296.	1.8	18
1574	Outer membranes of environmental isolates of Pseudomonas aeruginosa. Journal of Clinical Microbiology, 1988, 26, 2423-2424.	1.8	23
1575	Common epitope on the lipopolysaccharide of Legionella pneumophila recognized by a monoclonal antibody. Journal of Clinical Microbiology, 1988, 26, 1016-1023.	1.8	24
1576	Subdivision of O serotypes of Pseudomonas aeruginosa with monoclonal antibodies. Journal of Clinical Microbiology, 1988, 26, 1779-1782.	1.8	10
1577	Enzyme-linked immunosorbent assay and immunoblot analysis of the immunoglobulin G response to whole-cell and lipooligosaccharide antigens of Pasteurella pneumotropica in laboratory mice with latent pasteurellosis. Journal of Clinical Microbiology, 1989, 27, 2190-2194.	1.8	9
1578	Analysis of Brucella lipopolysaccharide with specific and cross-reacting monoclonal antibodies. Journal of Clinical Microbiology, 1989, 27, 2331-2337.	1.8	42
1579	O-antigen specificities of the serotype strains of Serratia marcescens. Journal of Clinical Microbiology, 1989, 27, 2697-2701.	1.8	26
1580	Improved O-serotyping method for Serratia marcescens. Journal of Clinical Microbiology, 1989, 27, 2702-2705.	1.8	23
1581	Identification of Moraxella bovis by using a monoclonal antibody to a lipopolysaccharide epitope. Journal of Clinical Microbiology, 1989, 27, 2881-2883.	1.8	7
1582	Serum antibodies to Escherichia coli serotype O157:H7 in patients with hemolytic uremic syndrome. Journal of Clinical Microbiology, 1989, 27, 285-290.	1.8	106
1583	Potential virulence-associated factors in Brazilian purpuric fever. Brazilian Purpuric Fever Study Group. Journal of Clinical Microbiology, 1989, 27, 609-614.	1.8	40

#	Article	IF	CITATIONS
1584	Occurrence of a common lipopolysaccharide antigen in standard and clinical strains of Pseudomonas aeruginosa. Journal of Clinical Microbiology, 1989, 27, 962-967.	1.8	148
1585	Immunophysical characterization of human isolates of Serratia marcescens. Journal of Clinical Microbiology, 1990, 28, 20-26.	1.8	8
1586	Sodium dodecyl sulfate-polyacrylamide gel electrophoresis and immunoblotting analysis of smooth-lipopolysaccharide heterogeneity among Brucella biovars related to A and M specificities. Journal of Clinical Microbiology, 1990, 28, 2169-2174.	1.8	55
1587	Electrophoretic analysis of the surface components of autoagglutinating surface array protein-positive and surface array protein-negative Aeromonas hydrophila and Aeromonas sobria. Journal of Clinical Microbiology, 1990, 28, 2240-2247.	1.8	43
1588	Conversion of Pseudomonas aeruginosa to the phenotype characteristic of strains from patients with cystic fibrosis. Journal of Clinical Microbiology, 1990, 28, 188-194.	1.8	79
1589	Comparisons of Pasteurella multocida lipopolysaccharides by sodium dodecyl sulfate-polyacrylamide gel electrophoresis to determine relationship between group B and E hemorrhagic septicemia strains and serologically related group A strains. Journal of Clinical Microbiology, 1990, 28, 654-659.	1.8	56
1590	Heat stability of protective antigen of Leptospira interrogans serovar lai. Journal of Clinical Microbiology, 1990, 28, 660-663.	1.8	3
1591	Comparison of the outer membrane protein and lipopolysaccharide profiles of mucoid and nonmucoid Pseudomonas aeruginosa. Journal of Clinical Microbiology, 1990, 28, 2017-2021.	1.8	19
1592	Anti-Salmonella lipopolysaccharide monoclonal antibodies: characterization of Salmonella BO-, CO-, DO-, and EO-specific clones and their diagnostic usefulness. Journal of Clinical Microbiology, 1991, 29, 2424-2433.	1.8	35
1593	Comparison of ribotyping with conventional methods for the type identification of Enterobacter cloacae. Journal of Clinical Microbiology, 1991, 29, 1303-1307.	1.8	86
1594	Biochemical properties of the outer membrane of Treponema denticola. Journal of Clinical Microbiology, 1991, 29, 1397-1406.	1.8	29
1595	Salmonella serogroups C2 and C3 identified by agglutination using an immunoglobulin G3(kappa) monoclonal antibody (32-1-E3) reactive with a somatic factor 8-like polysaccharide antigen. Journal of Clinical Microbiology, 1992, 30, 3050-3057.	1.8	5
1596	Antigenicity of Helicobacter pylori lipopolysaccharides. Journal of Clinical Microbiology, 1992, 30, 3175-3180.	1.8	68
1597	Serological studies of antigenic similarity between Japanese spotted fever rickettsiae and Weil-Felix test antigens. Journal of Clinical Microbiology, 1992, 30, 2441-2446.	1.8	29
1598	Enzyme-linked immunosorbent assay for detection of human immunoglobulin G to lipopolysaccharide of spotted fever group rickettsiae. Journal of Clinical Microbiology, 1993, 31, 138-141.	1.8	9
1599	Lipopolysaccharide profile typing as a technique for comparative typing of gram-negative bacteria. Journal of Clinical Microbiology, 1993, 31, 1286-1289.	1.8	46
1600	Typing of Helicobacter pylori with monoclonal antibodies against Lewis antigens in lipopolysaccharide. Journal of Clinical Microbiology, 1996, 34, 2196-2200.	1.8	158
1601	Correlation of conversion of Salmonella enterica serovar enteritidis phage type 1, 4, or 6 to phage type 7 with loss of lipopolysaccharide. Journal of Clinical Microbiology, 1997, 35, 330-333.	1.8	23

#	Article	IF	CITATIONS
1602	Identification of Legionella species by lipopolysaccharide antigen pattern. Journal of Clinical Microbiology, 1997, 35, 3054-3057.	1.8	18
1603	Discrimination of Strains of <i>Salmonella enteritidis</i> with Differing Levels of Virulence by an In Vitro Glass Adherence Test. Journal of Clinical Microbiology, 1998, 36, 674-678.	1.8	54
1604	Specificity of Rabbit Antisera against Lipopolysaccharide of <i>Acinetobacter</i> . Journal of Clinical Microbiology, 1998, 36, 1245-1250.	1.8	28
1605	Differentiation of Helicobacter pylori Isolates Based on Lectin Binding of Cell Extracts in an Agglutination Assay. Journal of Clinical Microbiology, 1999, 37, 1994-1998.	1.8	29
1606	Prevalence of O1/K1- and O2/K3-Reactive <i>Actinobacillus suis</i> in Healthy and Diseased Swine. Journal of Clinical Microbiology, 2000, 38, 3759-3762.	1.8	14
1607	Linkage map of Salmonella typhimurium, Edition VI. Microbiological Reviews, 1983, 47, 410-453.	10.1	236
1608	Role of the outer membrane in the accumulation of quinolones by <i>Serratia marcescens</i> . Canadian Journal of Microbiology, 2000, 46, 716-722.	0.8	22
1609	Human natural anti-Gal IgG regulates alternative complement pathway activation on bacterial surfaces Journal of Clinical Investigation, 1992, 89, 1223-1235.	3.9	126
1610	Interactions of surfactant protein D with bacterial lipopolysaccharides. Surfactant protein D is an Escherichia coli-binding protein in bronchoalveolar lavage Journal of Clinical Investigation, 1992, 90, 97-106.	3.9	291
1611	Serological Characterization of Actinobacillus pleuropneumoniae Biotype 1 Strains Antigenically Related to both Serotypes 2 and 7. Acta Veterinaria Scandinavica, 1996, 37, 327-336.	0.5	29
1612	Characterization of Vibrio anguillarum Strains Isolated from Diseased Fish in Finland. Acta Veterinaria Scandinavica, 1994, 35, 355-362.	0.5	10
1613	The genetics of LPS synthesis by the gonococcus. , 1999, , 111-131.		2
1614	Growing Burkholderia pseudomallei in Biofilm Stimulating Conditions Significantly Induces Antimicrobial Resistance. PLoS ONE, 2010, 5, e9196.	1.1	74
1615	Characterization of the GDP-D-Mannose Biosynthesis Pathway in Coxiella burnetii: The Initial Steps for GDP-β-D-Virenose Biosynthesis. PLoS ONE, 2011, 6, e25514.	1.1	8
1616	Protein Glycosylation in Helicobacter pylori: Beyond the Flagellins?. PLoS ONE, 2011, 6, e25722.	1.1	45
1617	Evaluation of the Prevalence and Production of Escherichia coli Common Pilus among Avian Pathogenic E. coli and Its Role in Virulence. PLoS ONE, 2014, 9, e86565.	1.1	41
1618	Protection from Hemolytic Uremic Syndrome by Eyedrop Vaccination with Modified Enterohemorrhagic E. coli Outer Membrane Vesicles. PLoS ONE, 2014, 9, e100229.	1.1	20
1619	The Phosphocarrier Protein HPr Contributes to Meningococcal Survival during Infection. PLoS ONE, 2016, 11, e0162434.	1.1	10

#	Article	IF	CITATIONS
1620	Isolation and characterization of Borrelia burgdorferi strains from Ixodes ricinus ticks in southern England. BioImpacts, 2015, 5, 71-78.	0.7	9
1621	Purificación y caracterización de lipopolisacÃ;ridos de Eikenella corrodens 23834 y Porphyromonas gingivalis W83. Revista Colombiana De BiotecnologÃa, 2014, 16, 34.	0.5	6
1622	Mucosal Delivery of a Self-destructing Salmonella-Based Vaccine Inducing Immunity Against Eimeria. Avian Diseases, 2020, 64, 254-268.	0.4	7
1623	Effects of bacterial age and method of culture on the interaction of xenorhabdus nematophilus(enterobacteriaceae) with hemocytes of nonimmune galleria mellonella(insecta) larvae Journal of General and Applied Microbiology, 1995, 41, 207-220.	0.4	5
1624	Surface characteristics of aeromonas hydrophila recovered from trout tissues Journal of General and Applied Microbiology, 1995, 41, 249-256.	0.4	4
1625	Interaction of avirulent transpositional mutants of Xenorhabdus nematophilus ATCC 19061 (Enterobacteriaceae) with the antibacterial systems of non-immune Galleria mellonella (Insecta) larvae Journal of General and Applied Microbiology, 1995, 41, 409-427.	0.4	10
1626	Enhancement of the virulence for trout of Aeromonas hydrophila by serial animal passage Journal of General and Applied Microbiology, 1995, 41, 535-539.	0.4	1
1627	Vibrio mimicus and Vibrio cholerae non-01 Isolated from Wild and Hatchery-Reared Fish Fish Pathology, 1993, 28, 15-26.	0.4	4
1628	Loss of a plasmid in Pseudomonas syringae pv. eriobotryae is correlated with change of symptoms Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1990, 56, 645-650.	0.1	14
1629	Phenotypic characterization and description of two major O-serotypes in Tenacibaculum maritimum strains from marine fishes. Diseases of Aquatic Organisms, 2004, 58, 1-8.	0.5	39
1632	Impact of <i>Helicobacter pylori</i> on the healing process of the gastric barrier. World Journal of Gastroenterology, 2016, 22, 7536.	1.4	41
1633	Outer Membrane Vesicles Derived from Salmonella Enteritidis Protect against the Virulent Wild-Type Strain Infection in a Mouse Model. Journal of Microbiology and Biotechnology, 2017, 27, 1519-1528.	0.9	22
1635	Lectin Array Analysis of Purified Lipooligosaccharide: A Method for the Determination of Molecular Mimicry. Journal of Glycomics & Lipidomics, 2012, 02, .	0.4	5
1636	Use of LPS Extracts to Validate Phage Oligopeptide That Binds All <i>Salmonella enterica</i> Serovars. Advances in Microbiology, 2014, 04, 549-559.	0.3	4
1637	Herstellung und Charakterisierung von aviäen vitellinen Antikörpern gegen Endotoxine. Ersatz- Und Ergäzungsmethoden Zu Tierversuchen, 2000, , 251-262.	0.0	0
1638	Characterization of Vibrio alginolyticus Isolates from Diseased Cultured Gilthead Sea Bream, Sparus aurata. Israeli Journal of Aquaculture - Bamidgeh, 0, 60, .	0.0	4
1639	Changes in Milk Protein of Lactating Mothers Following Breast Massage. International Journal of Dairy Science, 2008, 3, 86-92.	0.4	1
1640	Detection of Clones with Different Expression of Virulence and Persistence Factors in Natural Populations of Cholera Vibrio and Their Phenotypic Analysis. Problemy Osobo Opasnykh Infektsii, 2009, , 39-43.	0.2	1

#	Article	IF	CITATIONS
1641	Capillary Electrophoresis of Bacterial (Lipo)Polysaccharides. , 2011, , 53-82.		1
1642	Experimental Identification of Actinobacillus pleuropneumoniae Strains L20 and JL03 Heptosyltransferases, Evidence for a New Heptosyltransferase Signature Sequence. PLoS ONE, 2013, 8, e55546.	1.1	1
1644	Surface Interactions between Rhizobium and Infected Pea Root Nodule Cells, as Revealed by Using Monoclonal Antibodies. , 1986, , 99-106.		0
1645	Beneficially Active Structural Entities in Endotoxin Preparations. , 1986, , 37-55.		2
1646	Cell Surface Mutants of Erwinia chrysanthemi: Possible Involvement of Iron Acquisition in Phytopathogenicity. , 1986, , 261-271.		2
1647	Possible Involvement of Outer Membrane Components in Erwinia Chrysanthemi Pathogenicity. Current Plant Science and Biotechnology in Agriculture, 1987, , 160-171.	0.0	0
1648	Application of Genetically — Engineered Micro-Organisms in the Environment. , 1988, , 129-162.		0
1649	The gonococcal C Antigen partitions into phenol and is immunogenic in mice. , 1988, , 591-597.		1
1652	Analysis of protein and lipopolysaccharide profiles. , 1993, , 123-158.		0
1653	Studies of the specificity and cross-reactions of antibodies to lipid A found in juvenile arthritis. Vaccine Journal, 1995, 2, 186-191.	2.6	0
1654	Phenotypic variation of the antigen expression of the lipooligosaccharide of Neisseria gonorrhoeae. , 1998, , 477-483.		2
1655	Electromorphologic characterization of the lipooligosaccharides of group A Neisseria meningitidis. , 1998, , 557-562.		4
1656	Analyses of the immunoaccessibility of H8 antigen and the functionality of H8 specific monoclonal antibody 10. , 1998, , 543-552.		0
1657	Spontaneous variation of lipooligosaccharide components and epitopes in a strain of Neisseria gonorrhoeae. , 1998, , 537-541.		0
1658	The genetics of LPS synthesis by the gonococcus. , 1999, , 121-141.		0
1659	Role of Phase and Antigenic Variation in <i>Neisseria gonorrhoeae</i> Colonization. , 0, , 325-350.		2
1660	New Method of Plague Agent Lipopolysaccharide Obtaining. Problemy Osobo Opasnykh Infektsii, 2014, , 100-103.	0.2	0
1661	Lipopolysaccharide Profiles of Gram-Negative Pathogens Recovered from Cultured Rainbow Trout (Oncorhynchus mykiss). Journal of Aquaculture Engineering and Fisheries Research, 0, , .	0.6	0

#	Article	IF	CITATIONS
1662	Antibodies against Escherichia coli O24 and O56 O-Specific Polysaccharides Recognize Epitopes in Human Clandular Epithelium and Nervous Tissue. PLoS ONE, 2015, 10, e0129492.	1.1	2
1663	Purification, Extraction and Visualization of Lipopolysaccharide of <i>Escherichia coli</i> From Urine Samples of Patients With Urinary Tract Infection. Avicenna Journal of Clinical Microbiology and Infection, 2015, 2, 31990-31990.	0.2	1
1664	Characterization Surface Glycopolymers from Halophilic Gram-Negative Bacteria Chromohalobacter salexigens 1QL3 and Halomonas ventosae S5(2). Izvestiya of Saratov University New Series Series: Chemistry Biology Ecology, 2018, 18, 312-317.	0.0	0
1666	Extraction and characterisation of Brucella abortus strain RB51 rough lipopolysaccharide. Bulgarian Journal of Veterinary Medicine, 2019, 22, 152-162.	0.1	0
1667	Differentiating Vaccine-Related Fowl Cholera from Naturally Occurring Disease. Avian Diseases, 2020, 64, 437-444.	0.4	0
1668	Enterobacteriaceae: composition, structure and function of the cell envelope. Journal of Applied Microbiology, 1988, 65, 21S-34S.	1.4	0
1917	Phase variation of lipopolysaccharide directs interconversion of invasive and immuno-resistant phenotypes of Neisseria gonorrhoeae. EMBO Journal, 1993, 12, 4043-51.	3.5	75
1918	Detection and characterization of leptospiral antigens using a biotin/avidin double-antibody sandwich enzyme-linked immunosorbent assay and immunoblot. Canadian Journal of Veterinary Research, 1991, 55, 239-45.	1.1	12
1919	Characterization of Salmonella enteritidis strains. Canadian Journal of Veterinary Research, 1993, 57, 176-84.	1.1	16
1922	Identification and differentiation of Taylorella equigenitalis and Taylorella asinigenitalis by lipopolysaccharide O-antigen serology using monoclonal antibodies. Canadian Journal of Veterinary Research, 2010, 74, 18-24.	0.2	2
1924	Extraction, Purification and Characterization of Lipopolysaccharide from Escherichia coli and Salmonella typhi. Avicenna Journal of Medical Biotechnology, 2011, 3, 3-9.	0.2	113
1925	Polymerization of C9 enhances bacterial cell envelope damage and killing by membrane attack complex pores. PLoS Pathogens, 2021, 17, e1010051.	2.1	20
1926	Extraction and Electrophoretic Analysis of Bacterial Lipopolysaccharides and Outer Membrane Proteins. Bio-protocol, 2021, 11, e4263.	0.2	1
1927	Investigation of core machinery for biosynthesis of Vi antigen capsular polysaccharides in Gram-negative bacteria. Journal of Biological Chemistry, 2022, 298, 101486.	1.6	4
1928	In Vitro Analysis of Matched Isolates from Localized and Disseminated Gonococcal Infections Suggests That Opa Expression Impacts Clinical Outcome. Pathogens, 2022, 11, 217.	1.2	3
1929	Optimized Attenuated Salmonella Typhimurium Suppressed Tumor Growth and Improved Survival in Microbiology, 2021, 12, 774490.	1.5	10
1930	A d-2-hydroxyglutarate biosensor based on specific transcriptional regulator DhdR. Nature Communications, 2021, 12, 7108.	5.8	14
1931	Cenchrus setigerus Vahl. secretes root agglutinins to promote colonization by plant growth-promoting rhizobacteria. Revista Brasileira De Botanica, 0, , 1.	0.5	0

#	Article	IF	Citations
1932	Lipopolysaccharide and flagellin of Azospirillum brasilense Sp7 influence callus morphogenesis and plant regeneration in wheat. World Journal of Microbiology and Biotechnology, 2022, 38, 62.	1.7	3
1933	Remodeling of Lipid A in Pseudomonas syringae pv. phaseolicola In Vitro. International Journal of Molecular Sciences, 2022, 23, 1996.	1.8	4
1934	Complete Lipopolysaccharide of Piscirickettsia salmonis Is Required for Full Virulence in the Intraperitoneally Challenged Atlantic Salmon, Salmo salar, Model. Frontiers in Cellular and Infection Microbiology, 2022, 12, 845661.	1.8	2
1935	A Biomimetic Porcine Urothelial Model for Assessing Escherichia coli Pathogenicity. Microorganisms, 2022, 10, 783.	1.6	4
1936	Structural basis of lipopolysaccharide maturation by the O-antigen ligase. Nature, 2022, 604, 371-376.	13.7	25
1937	Involvement of BglG in Lipopolysaccharides (LPS) Synthesis and Transport in Stationary Phase in E. coli. Current Microbiology, 2022, 79, 153.	1.0	0
1938	Phenotypic whole-cell screening identifies a protective carbohydrate epitope on <i>Klebsiella pneumoniae</i> . MAbs, 2022, 14, 2006123.	2.6	5
1939	Characterization of Haemophilus parainfluenzae Strains with Low-Mr or Ladder-like Lipopolysaccharides. Microbiology (United Kingdom), 1986, 132, 611-616.	0.7	10
1940	Electrophoretic and Immunochemical Study of the Lipopolysaccharides Produced by Chemostat-grown Escherichia coli 0157. Microbiology (United Kingdom), 1987, 133, 2679-2687.	0.7	10
1964	Purification of lipopolysaccharide from strains of Yersinia enterocolitica belonging to serogroups 03 and 09. FEMS Microbiology Letters, 1991, 61, 341-5.	0.7	5
1965	Structural heterogeneity of the lipopolysaccharides of the Neisseriaceae. FEMS Microbiology Letters, 1991, 69, 69-72.	0.7	3
1966	Characterization of lipopolysaccharides from four Pasteurella haemolytica serotype strains: evidence for presence of sialic acid in serotypes 1 and 5. FEMS Microbiology Letters, 1992, 71, 211-6.	0.7	1
1967	Discovery of first-in-class nanomolar inhibitors of heptosyltransferase I reveals a new aminoglycoside target and potential alternative mechanism of action. Scientific Reports, 2022, 12, 7302.	1.6	5
1969	O-Antigens of Azospirillum zeae N7(T), Azospirillum melinis TMCY 0552(T), and Azospirillum palustre B2(T): Structure Elucidation and Analysis of Biosynthesis Genes. Russian Journal of Bioorganic Chemistry, 2022, 48, 519-528.	0.3	1
1970	Electrical sensor system for in vitro bacteria biofilm diagnostics. Biosensors and Bioelectronics: X, 2022, 11, 100174.	0.9	0
1971	Analysis of the Plasmid-Based <i>ts</i> Allele of <i>PA0006</i> Reveals Its Function in Regulation of Cell Morphology and Biosynthesis of Core Lipopolysaccharide in Pseudomonas aeruginosa. Applied and Environmental Microbiology, 2022, 88, .	1.4	1
1972	Contributions of <i>Neisseria meningitidis</i> LPS and non-LPS to proinflammatory cytokine response. Journal of Leukocyte Biology, 2001, 70, 283-288.	1.5	60
1973	Attenuated Salmonella Typhimurium with truncated LPS and outer membrane-displayed RGD peptide for cancer therapy. Biomedicine and Pharmacotherapy, 2022, 155, 113682.	2.5	3

#	Article	IF	CITATIONS
1974	Membrane Fractionation by Isopycnic Sucrose Density Gradient Centrifugation for Qualitative Analysis of LPS in Escherichia coli. Methods in Molecular Biology, 2022, , 53-69.	0.4	0
1975	Lipopolysaccharide -mediated resistance to host antimicrobial peptides and hemocyte-derived reactive-oxygen species are the major Providencia alcalifaciens virulence factors in Drosophila melanogaster. PLoS Pathogens, 2022, 18, e1010825.	2.1	13
1976	Lipopolysaccharide Structure and the Phenomenon of Low Endotoxin Recovery. European Journal of Pharmaceutics and Biopharmaceutics, 2022, 180, 289-307.	2.0	14
1977	Characterization of an atypical <i>Actinobacillus pleuropneumoniae</i> serovar 2 isolate with a rough-type lipopolysaccharide. Journal of Veterinary Medical Science, 2023, 85, 157-162.	0.3	2
1978	Lysosomal Accumulation and Recycling of Lipopolysaccharide to the Cell Surface of Murine Macrophages, an In Vitro and In Vivo Study. Journal of Immunology, 1999, 162, 6784-6791.	0.4	56
1979	Structural Diversity among Edwardsiellaceae Core Oligosaccharides. International Journal of Molecular Sciences, 2023, 24, 4768.	1.8	0
1981	Fourier Transform Infrared (FTIR) Spectroscopic Study of Biofilms Formed by the Rhizobacterium Azospirillum baldaniorum Sp245: Aspects of Methodology and Matrix Composition. Molecules, 2023, 28, 1949.	1.7	5
1982	The effect of O-antigen length determinant wzz on the immunogenicity of Salmonella Typhimurium for Escherichia coli O2 O-polysaccharides delivery. Veterinary Research, 2023, 54, .	1.1	1
1983	Comparative Genomic Analysis of Virulent Vibrio (Listonella) anguillarum Serotypes Revealed Genetic Diversity and Genomic Signatures in the O-Antigen Biosynthesis Gene Cluster. Microorganisms, 2023, 11, 792.	1.6	3